

Price guide

Laptop Direct & ComX Computers
LaptopDirect.co.za
ComX-Computers.co.za
sales@laptopdirect.co.za

Product categories

!Fibre & LTE Internet Packages	Audio / Music / Speakers	Batteries & Chargers
Binoculars, Fieldscopes & Rangefinders	Bluetooth	Cables & connectors
Calculators	Cell Phones / Smart Phones	Computer Chassis
Computers - Accessories for branded PC	Computers - barebone / accessories	Computers - Built Systems
Consumables	Demo products	Digital cameras
Digital projectors	Displays	Drives
Electrical & industry	Electronic White Boards	Electronics
Fans / Cooling / Lights / Mods	Gadgets & Toys	Gaming & Games
Glasses / eyeware	GPS	Graphics cards
HDMI Switches & Broadcasters	Home & Household	Home Automation / Smart home
Input devices	KVM switches & cables	Laptops
LED Lights / eco lighting	Media centres	Memory
Modems	Monitors	Motherboards AMD
Motherboards Intel	Multi-I/O add-on cards	Network
Notebook accessories	Notebook bags / carry bags	Notebook Spare Parts
Notebooks	Office furniture & supplies	Photo frames
Point of sale	Printers, Copiers & Fax Machines	Processors: AMD CPU
Processors: AMD CPU (old)	Processors: Intel CPU	Processors: Intel CPU (old)
Projectors	Scanners	Screens
Security products & CCTV	Servers	Software
Solar Power	Tablet PCs & e-book Readers	Telephones
Thunderbolt expansion	Tools - heavy duty & DIY	Tools Kits & tools
TV / Televisions	UPS / Voltage regulators / Generators	USB
Video / BluRay / DVD standalone	Video Cameras	Warranties & Licenses
Web cams	Wireless hardware	

TERMS OF SALE Laptop Direct (https://www.laptopdirect.co.za/terms-of-sale.php)
TERMS OF USE Laptop DIrect (https://www.laptopdirect.co.za/terms-of-use.php)
TERMS OF SALE ComX Computers(https://www.comx-computers.co.za/terms-of-use.php)
Prices include VAT, but are only a guide and are subject to change without notice.

Prices are only valid for the date 2026-11-05 at 21:26:11

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

!Fibre & LTE Internet Packages

Product code	Price	Description
WebAfrica.co.za Internet	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] (On Promotion) Cheap Fast Fibre and LTE Internet access with one contarct point, compare prices and services. There is no need to deal with multiple service providers. Fibre: Vumatel, Vuma Reach, Openserve, MetroFibre Nexus, Octotel, Vuma Key, Web Connect, Vodacom, FibreGeeks, Mitsol, Evotel, Balwin, Comtel, FibreSuburb, Thinks-peed, DNATel, Lightstruck. LTE: MTN

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Audio / Music / Speakers

Amplifiers

Product code	Price	Description
DS-QAE0A60G1-VB	R 1,748	Hikvision 2 Zone 60W analogue amplifier, 60W rated Power, 24 VDC, 100V COMpatible with --> Constant Voltage Output x2, 30W Constant resistance Output x2

< Return to the menu

Audio Cards

Product code	Price	Description
150859	R 199	Manhattan Hi-Speed USB 3-D Sound Adapter - Improves audio access and performance
152341	R 199	Manhattan Hi Speed USB 3D 7.1 Sound Adapter - Compact High-Speed USB 2.0 External Sound Card with 3.5 mm Audio and Microphone Ports, 7.1-Channel Virtual 3D Surround Sound, Internal Amplifier and Volume Controls, Retail Box
90YH02N0-B2UA00	R 1,817	Asus ROG Clavis USB-C to 3.5 mm Gaming DAC with AI Noise-Canceling Mic, RGB Lighting, Aura
95451	R 229	Goobay 95451 USB 2.0 Sound Card, 3.5 mm plug to the PC
A30845-Q	R 84	Astrum AS045 USB-C to Aux USB-C M-F DAC White, 15W charging Output
A84508-B	R 138	Astrum SC080 7.1CH External Stereo USB Sound Card; USB 2.0; virtual 7.1 channel; 3D audio; stereo 3.5mm output; mono microphone input; plug-and-play; Windows; Linux; Mac OS; volume controls; microphone mute; LED indicators; 55 x 24 x 14mm; 10g
AA-AXEoM	R 10,268	Asus Xonar Essence One Muese edition - MUSES 01 Op-Amps with oxygen-free copper interconnects , ASD (Advanced Symmetry Die-bonding) Technology , USB digital-to-analog converter , 8x symmetrical upsampling and 120dB SNR , built-in 600ohms headphone amp , balanced XLR output , 2x dedicated volume control knobs for speaker headphone , 24bit 192KHz , analog optical toslink digital input
AA-AXESTU	R 5,913	Asus Xonar Essence STU - USB DAC (Digital-to-Analog Converter) headphone amplifier; 120dB SNR, asynchronous USB audio, built-in 600ohms headphone amp, outputs: 6.3mm headphone out RCA; inputs: AUX SPDiF (coaxial optical) USB, 2x dedicated volume control knobs for speaker headphone, with vertical stand
AV119-10599	R 49	UGreen AV119 Black/Silver 2m Right-angled 3.5mm Flat Aux Cable
CM129-40964	R 155	Ugreen USB Type-A to 3.5mm external Stereo sound Adapter - Black, USB 2.0 Type-A Male Input, SSS1629 Chipset, 3.5mm Green Port (Earphone), 3.5mm Red Port (Microphone), 3.5mm CTIA 4 pin Combo Mic/Earphone jack
CM383-80864	R 132	Ugreen CM383-80864 USB Type-A to 3.5mm Audio jack external sound Adapter - Silver, 3.5mm TRRS Combo Port & 3.5mm Microphone Input, ALC4030 Chipset, Aluminium Alloy casing with Braided cable
E0010	R 265	Microworld 5.1 Channel PCI-e Sound Card; 96kHz / 24-bit audio; DirectSound 3D; EAX; A3D; karaoke key; echo; Windows 2000/XP/Vista/7/8; Linux; CE/FCC/RoHS
SOU4	R 92	Unbranded 4 Channel PCI Cs4280-cm Chipset audio card
SOU6	R 115	Unbranded 6 Channel PCI Aureal Au8850 Chipset Audio card

SOUBOX	R 391	Unbranded external USB Sound Box
USBSOU5	R 63	Microworld 5.1 Channel USB Sound Card
USBSOU6	R 75	Microworld External USB 7.1 Channel Sound Adapter

< Return to the menu

Audio: bluetooth accessories

Product code	Price	Description
AA-LWSA	R 712	Logitech 980-000913 Wireless Speaker Adapter - for Bluetooth audio devices - L R RCA 3.5mm audio outputs
STE2BLU	R 109	Microworld Stereo 3.5mm to Bluetooth audio dongle. Convert any 3.5m audio into a bluetooth audio stream. Version 3.0. Supports A2DP AVRCP. Charge time: 1 hour. Listen time: 6-8 hours. Standby time: 70 hours. Weight: 15g. Distance 10-15m. Dimensions: 60mm x 25mm x 9mm. Password: 0000

< Return to the menu

Car audio

Product code	Price	Description
A70541-B	R 217	Astrum FM410 FM modulator PD Type-C USB Bluetooth & Siri function, Support Dual charging Port with Type-C 18W PD Output and USB Type-A with 5V - 2.1A & 1.0A
BTCK	R 615	Chronos Bluetooth Car kit, Bluetooth qualified Specification v1.1 compliant, Supports both Headset and Handsfree profile, On-board Advance DSP for echo cancellation and ambient noise reduction
BX35	R 829	Boss Audio 3-Way Electronic Crossover, Retail Box
CARDVD	R 6,521	Microworld Car 7" DVD Player / Radio
FMMOD-3	R 104	Microworld FM Car charger with MP3 player and remote. Model: FMMOD-3; MP3 playback via USB; FM broadcast 87.5-108.0 MHz; 12V power; Remote control; Car charger function.
MA1	R 1,149	Motorola MA1 Wireless Car Adapter for Android Auto, 5GHz WiFi, Bluetooth V5.0
VK-3038-BK	R 345	Volkano Turbo Charge Series Bluetooth Hands-Free car kit, VK-3038-BK, Wirelessly transmits audio to FM via Bluetooth, Built-In Microphone

< Return to the menu

Headphones / Earphones

Headphones / Earphones : EarPhones

Product code	Price	Description
0161815121189-B	R 169	Promate Aurus Black Universal Hands-free Stereo Earphone Set with Microphone call button function for all Audio devices, Super wide frequency response, Frequency range: 20-20kHz, Ouput power: 20mW, Cable length: 1.25m
178860	R 199	Manhattan Sound Science Nova Sweatproof Earphones - Lightweight Sweatproof Earphones with In-Line Mic, Black-Green
178877	R 199	Manhattan Sound Science Nova Sweatproof Earphones - Lightweight Sweatproof Earphones with In-Line Mic, Black-Purple
179607	R 99	Manhattan In-Ear Sport Headphones with Built-in Microphone - Rain & Sweatproof, Lightweight, Omnidirectional Mic, Integrated Controls, Black, Retail Box
6161815513919.W	R 79	Promate Earmate.Im Multifunction mono hands-free headset for iPhone 4 and iPad; wired 3.5mm connection; in-ear design; built-in microphone; inline controls; iPhone 4 compatible; iPad compatible; lightweight communication headset; voice calls; handsfree calling
A11017-B	R 138	Astrum EB170 Wired stereo earphones with in-line microphones, 3.5mm jack, 1.2m tangle free cable
A11051-B Special	R 132	(On Promotion) Astrum EB510 Black USB-C Metal Stereo Earphones with Mic, ; wired in-ear stereo; 10mm drivers; DAC audio support; inline mic; 1.2m cable; USB-C connector; black metal finish; lightweight 15g; mobile and laptop compatible
AEBWIRE10CB	R 55	Astrum WIREZ10C USB-C Wired Earphones; 10mm Hi-Fi drivers; 100Hz - 8kHz; 32 ohm; 102dB /-3dB speaker sensitivity; -42dB /-3dB microphone sensitivity; in-line microphone; in-line controls; passive noise isolation; 1.2m tangle-free cable; ergonomic in-ear design

AES74	R 12	Okion Clare Bass-Enhanced Noise Isolated Stereo Earphone
AHS1M	R 17	Okion Volcalo Earphone and Mic. Two jacks (Headset and microphone).
AM-1010-BK	R 207	Amplify Cappella Series Black Bluetooth earphones with neckband
AM-1106-BK	R 195	Amplify Blues Solid Black Bluetooth Earphones
AM1301-BKB	R 103	Amplify Sprinters sports hook earphones, Black & Blue, 3.5mm Jack Plug
AMP-1002-BK	R 92	Amplify Pro Jazz series earphones, Black, 3.5mm Stereo jack plug
AMP-1002-BL	R 89	Amplify Pro Jazz series earphones, Blue, 3.5mm Stereo jack plug
BHR8930GL	R 100	Xiaomi Black Type-C Earphone
BHR8931GL	R 104	Xiaomi White Type-C Earphone
BLUESPORTS7PROSILVER	R 201	SonicGear BlueSports 7 Pro Silver Bluetooth Earphones
BO-1002-YL	R 115	Bounce Jive in-ear earpphones with mic, Yellow, 3.5mm jack plug
BO-1004-BK	R 103	Bounce Break series hook-on earphones, Black, 3.5mm jack plug
BUDS1BLKHBASS	R 275	SonicGear Hyperbass Buds 1 Black Earphones
BUDS1CHAMPAGNE	R 275	SonicGear Hyperbass Buds 1 XXL Champagne Driver Wired Earphones. Driver Size: 12mm; Frequency Response: 20Hz - 20kHz; Impedance: 16? ±15% at 1kHz; Maximum Power Input: 5mW; Total Harmonic Distortion:
BUDS1GMETAL	R 275	SonicGear Hyperbass Buds 1 XXL Driver Wired Earphones - Gun Metal, 12mm Driver size, 2 sets of Silicon covers
BUDS1TYPECBLK	R 298	SonicGear Hyperbass Buds 1 Type-C Wired Earphones - Black, Type-C connector Type, 12mm Driver size, TPE cord Type, One-Button control
BUDS1TYPECCHAMPAGNE	R 298	SonicGear Hyperbass Buds 1 Champagne Type C Wired Earphones. Driver Size: 12mm; Frequency Response: 20Hz-20kHz; Impedance: 16? ±15% at 1kHz; Maximum Power Input: 5mW; Total Harmonic Distortion:
BUDS1TYPECGMTL	R 298	SonicGear Hyperbass Buds 1 Type-C Wired Earphones - Gun Metal, Type-C connector Type, 12mm Driver size, TPE cord Type, One-Button control
BUDS2TYPECDESERT	R 298	SonicGear Hyperbass Buds 2 Desert Type C Wired Earphones. Connector Type: USB Type-C; Driver Size: 10mm Dynamic Driver; Frequency Response: 20Hz - 20kHz; Impedance: 32? ±15% at 1kHz; Maximum Power Input: 5mW; Total Harmonic Distortion:
BUDS2TYPECOBSIDIAN	R 298	SonicGear Hyperbass Buds 2 Obsidian Type C Wired Earphones. Driver Size: 10mm dynamic driver; Frequency Response: 20Hz - 20kHz; Impedance: 16? ± 15% at 1kHz; Maximum Power Input: 5mW; Sound Pressure Level (SPL): 100dB at 1kHz; Connector: USB Type C; Cable Type: Tangle-free flat cable; Microphone: Built-in omnidirectional microphone
BUDS2TYPECSNOW	R 298	SonicGear Hyperbass Buds 2 Snow Type C Wired Earphones. Driver Size: 10mm dynamic driver; Frequency Response: 20Hz - 20kHz; Impedance: 32? ±15% at 1kHz; Maximum Power Input: 5mW; Total Harmonic Distortion:
BUDS2TYPECSTORM	R 298	SonicGear Hyperbass Buds 2 Storm Type C Wired Earphones. 10mm Dynamic Driver; USB Type-C Connector; Frequency Response: 20Hz-20kHz; Impedance: 32? ±15% at 1kHz; Maximum Power Input: 5mW; Total Harmonic Distortion:
C8-1BL	R 92	Hoomia In-ear Earphone Microphone Blue 1.2m with 3.5mm jack plug
C8-1HP	R 92	Hoomia In-ear Earphone Microphone Hot Pink 1.2m with 3.5mm jack plug
C8-1P	R 92	Hoomia In-ear Earphone Microphone Sakura 1.2m with 3.5mm jack plug
CD-K30V	R 39	Geeko CD-K30V In-Ear Earphones With Volume Control - OEM
CD-K31V	R 39	Geeko In Ear Wired Earphones With Volume Control- Hi Fi Sound, Loud Speaker Driver 15mm, Impedance: 32 ohm, Sensitivity: 102dB, Signal Wire 0.9m, Connector: 3.5mm, No Microphone, For Use With MP3, MP4 ,CD Players, Tablet PCâ€™s And Laptops, Colour Silver and Black, OEM
CD-K32V	R 39	Geeko In Ear Wired Earphones With Volume Control- Hi Fi Sound, Loud Speaker Driver 15mm, Impedance: 32 ohm, Sensitivity: 102dB, Signal Wire 0.9m, Connector: 3.5mm, No Microphone, For Use With MP3, MP4, CD Players, Tablet PCâ€™s And Laptops, Colour Silver and Blue OEM
CNE-CEPM01B	R 81	Canyon EPM-01 Headphones with Mic - 1.2m - Black, 10 mm Driver Diameter, In-Ear Mount Type, Built-In Microphone, 3.5mm minijack
CNE-CEPM01W	R 81	Canyon EPM-01 Headphones with Mic - 1.2m - White, 10 mm Driver Diameter, In-Ear Mount Type, Built-In

		Microphone, 3.5mm minijack
CNS-CEP4R	R 105	Canyon SEP-4 Stereo Earphone with Microphone - Red, 1.2m flat cable, Flat anti-tangling cable, Inline Microphone, 3 sizes of Earbuds included, 10 mm Driver Diameter, 3.5-mm minijack
CNS-CEP5B	R 97	Canyon SEP-5 Black USB Type-C Wired Earphones with 1.2-m Cable, Main Feature: Deep Bass, Digital Type C Input, Control Block: Play/Pause, Next Track, Cable Length: 1.2m, 3 Sizes of Eartips, Drive Unit: 10 mm.
CNS-CEP5R	R 97	Canyon SEP-5 Red USB Type-C Wired Earphones with 1.2-m Cable, Main Feature: Deep Bass, Digital Type C Input, Control Block: Play/Pause, Next Track, Cable Length: 1.2m, 3 Sizes of Eartips, Drive Unit: 10 mm.
CNS-CEP6W	R 137	Canyon SEP-6 White USB Type-C Wired Earphones with HiRes Sound, Speaker sensitivity: 100dBx3.0dB, Mic sensitivity: -38dBx3dB, Speaker Membrane Material: composite diaphragm, Material: ABS PC and enameled copper wire, Cable length (for all cables included):121.4cm -1cm, chipset: BT8936T, product weight: 12.2g
CW6151-T-TW	R 29	Tweety Earphone Colour: Orange, Retail Box, No warranty (Warranty covers out of box failure on day of delivery). Officially licensed Looney Tunes Tweety earphones by Ebox.For MP3, MP4, Ipod, Smart phones with 3.5mm audio jack.
DSY-HP795	R 79	Disney Toy Story (Buzz, Woody and alien) Earphone - Cable length: 1m, Retail Packaged
EAR004	R 23	Unbranded In-Ear Earphones with 3.5mm jack White
EAR015	R 58	Microworld Zipper EB Stereo Earphones with 3.5mm connector - White
EP119-TPC	R 99	Ezra 3.5mm to Type-C White Digital Earphones, 1.2m length cable, HiFi sound, Plug and Play, Digital Chip Earphone, Engineered to maxmimise sound Output & minimise sound loss
GHT-IST-ANIBBK-34	R 538	Thermaltake Isurus Pro V2 In-ear Gaming Headset
HT-ISF-ANIBBK-19	R 481	Thermaltake Isurus Pro Gaming Headset
IER-EX15C/BZE	R 337	Sony EX15C Black USB-C Wired In-Ear Earphones; 5mm drivers; in-line remote with mic; tangle-resistant cable; USB-C plug; lightweight 3g; silicone ear tips XS M L
IER-EX15C/LZE	R 337	Sony EX15C blue USB-C wired earphones; 5mm driver; USB-C plug; inline remote mic; secure silicone tips; lightweight everyday listening
IER-EX15C/PZE	R 337	Sony IER-EX15C USB-C wired in-ear earphones Pink; USB-C plug; 5 mm drivers; in-line remote mic; 1.2 m serrated cable; hybrid silicone ear tips; approx. 3 g
IER-EX15C/WZE	R 337	Sony IER-EX15C USB-C Wired In-ear Earphones; 5mm driver; USB-C plug-and-play; in-line mic remote; tangle-resistant cable; lightweight white earphones; hybrid silicone ear tips
KW-S23	R 229	Kworld KW-S23 In-Ear Elite Mobile Gaming Earphones Stereo Silicone Earbuds with In-line intelligent Control Microphone, 9mm Driver Unit, Sensitivity: 100 3 dB/mW, 1.2 metre Soft TPE Flat Cable, 4 Pin 3.5mm Gold Plated Jack - Black
KW-S27	R 229	Kworld KW-S27 In-Ear Elite Mobile Gaming Earphones Stereo Silicone Earbuds with In-line intelligent Control Microphone, 10mm and 6mm Driver Units, Sensitivity: 98 3 dB/mW, 1.2 metre Braided Cable, 4 Pin 3.5mm Gold Plated Jack - Blue
MDR-EX15APBZE	R 209	Sony MDR-EX15AP Black InEar Earphone with Mic for iPhone, Android, Blackberry
MDR-EX15APWZE	R 209	Sony MDR-EX15AP White InEar Earphone with Mic for iPhone, Android, Blackberry
MMTN2ZM/A	R 368	Apple EarPods with Lightning connector, Model A1748, MMTN2ZM/A, Built-In Microphone, Volume Button, Sweat-proof Design
MUL464	R 23	Genius Hs-100 Single-Side Earphone, Single ear-bud headset, In-line volume control, Clip to keep the microphone in place
MUL602	R 86	Genius HS320 White Earphone, Rich. Depth. Clear Call Switch And Mic 2 Sets Of Silicon Fittings
MUL603	R 86	Genius HS320 Blue Earphone, Rich.depth.clear Call Switch And Mic 2 Sets Of Silicon Fittings.
MUL604	R 86	Genius HS320 Red Earphone, Rich. Depth. Clear Call Switch And Mic 2 Sets Of Silicon Fittings
MUL605	R 86	Genius HS320 Green Earphone, Rich. Depth. Clear Call Switch And Mic 2 Sets Of Silicon Fittings
MWTY3ZM/A	R 368	Apple EarPods (Lightning connector), Model A1748, EarPods with Lightning connector, In-Ear, Wired
MWTY3ZM/A	R 316	Apple EarPods (Lightning connector), Model A1748, EarPods with Lightning connector, In-Ear, Wired
MWU53ZM/A	R 368	Apple EarPods 3.5mm Headphone plug, Model A1472, Deep rich Bass tones, Protection from sweat and Water, Control Music and Video playback, Answer and end calls
MWU53ZM/A	R 316	Apple EarPods 3.5mm Headphone plug, Model A1472, Deep rich Bass tones, Protection from sweat and Water,

		Control Music and Video playback, Answer and end calls
MYQY3ZM/A	R 368	Apple EarPods (USB-C), Model A3046, In-Ear, Wired, EarPods with USB-C connector
MYQY3ZM/A	R 316	Apple EarPods (USB-C), Model A3046, In-Ear, Wired, EarPods with USB-C connector
RK-1003-BKRD	R 128	Rocka Engage Series Earphone with mic, Black & Red, 3.5mm jack connector, Ear Hook design, Built-in microphone
RK-1011-BK	R 133	Rocka RK-1011-BK Ignite Series Type-C Earphone - Black, High-Quality In-Ear Earphones with USB Type-C connector, Ergonomic Design for comfortable wear, Built-In Microphone for Clear Hands-Free calls, Durable tangle-resistant cable, Frequency response 20 Hz to 20 kHz, Compatible with most USB Type-C smartphones / Tablets / laptops, Noise-isolating ear tips, Stylish Black finish
SAM-EO-IA500BB	R 137	Samsung Stereo Headset Authentic Sound with 2-Way Speakers -Dedicated woofer and tweeter deliver clear, balanced audio for a rich listening experience with crisp highs, smooth mids, and deep lows. Features: Discover authentic sound with 2-way speakers.
SLAM-35-GN	R 99	iDance Slam-35 Green In-Ear Stereo Earphones
TRS-20835	R 299	Trust TRS-20835 Aurus Waterproof Earphones - White, Retail Box
VEH-001-BK	R 149	Volkano Circuit Series sports hook-in earphones with mic, Black, 3.5mm jack plug, Sports hook running earphones, Specially designed to hook onto your ears for a problem free run
VK-1002-BKRD	R 167	Volkano Haste series sports hook in earphones with mic, Black & Red, Built-In Walk & Talk for Hands Free Calling, Hook design made ideal for use during Sports Activities, Compatible with most audio enabled Devices with a 3.5mm audio input
VK-1003-GM	R 132	Volkano Titanium Series Gun Metal AUX Earphone
VK-1007-GD	R 133	Volkano Alloy series Gold metal Earphone
VK-1013-BK	R 207	Volkano Titanium Sports Series Bluetooth Earphones
VK-1106-BK	R 207	Volkano Rush 2.0 Black Bluetooth Earphones
VK-1106-SL	R 218	Volkano Rush 2.0 Silver Bluetooth Earphones with carry case
W6151-1C-TW	R 29	Tweety Earphone Colour: Blue/Silver, Retail Box, No warranty (covers out of box failure on delivery). Official Looney Tunes Tweety headsets. Silver headsets with blue logo design. Special design. High quality audio for use with MP3 / MP4 /iPod / Smart phone with a 3.5mm audio jack.
W6151-2C-TW	R 29	Tweety Earphone Colour: Pink/Silver, Retail Box, No warranty (Warranty for out of box on day of delivery only). Official Looney Tunes Tweety earphones. For use with MP3, MP4, Ipod, Smart phones, and all audio devices with a 3.5mm audio jack.
W6151-3C-TW	R 29	Tweety Earphone Colour: Silver/Blue, Retail Box, No warranty
W6151-4C-TW	R 29	Tweety Earphone Colour: Red/Silver, Retail Box, No warranty (out of box failure on delivery only). Official Looney Tunes Tweety headsets. For MP3, MP4, Ipod, Smart phones, and other audio devices with a 3.5mm audio jack.
WASP5	R 344	Armaggeddon Wasp 5 Gaming in-ear Headphones with Dual Driver and Dual Microphone, In-line and detachable rod, Super Bass, 3.5mm stereo audio jack
WASP5USBCBLK	R 378	Armaggeddon Wasp-5 Type-C Gaming Earphones with detachable Mic, USB Type-C connection Type, 10mm Driver size, Detachable Boom Mic In-Line Mic, Flat Tangle-Free cable Type
WASP7PROBLK	R 424	Armaggeddon WASP 7 Gaming Earphone
WASP7PROUSBCBLK	R 459	Armaggeddon Wasp-7 Type-C Gaming Earphones with Detachable Mic. Triple Neodymium Drivers; Dual Microphone System; 6 x 6 mm Drivers; 96dB Sensitivity; 16? Impedance; 20Hz-20kHz Frequency Response; 1.2m Cable Length; 3.5mm Stereo Jack; Detachable Boom Mic; Inline Mic; Silicon Ear Tips (S/M/L); Computer Audio Splitter Included
YESHSP-101-CRM	R 29	Geeko Innovate Hook On Ear Dynamic Stereo Earphones - Impedance: 32 Ohms @1KHz, Frequency Response: 20-20,000Hz, Maximum Power Input: 0.05w, Sensitivity: 105dB/mW, Jack: 3.5mm, Length of Cable: 1.2m - Cream, Retail Box
YESHSP-101-GRN	R 29	Geeko Innovate Hook On Ear Dynamic Stereo Earphones - Impedance: 32 Ohms @1KHz, Frequency Response: 20-20,000Hz, Maximum Power Input: 0.05w, Sensitivity: 105dB/mW, Jack: 3.5mm, Length of Cable: 1.2m - Green, Retail Box
YESHSP-101-RED	R 29	Geeko Innovate Hook On Ear Dynamic Stereo Earphones - Impedance: 32 Ohms @1KHz, Frequency Response:

		20-20,000Hz, Maximum Power Input: 0.05w, Sensitivity: 105dB/mW, Jack: 3.5mm, Length of Cable: 1.2m - Red, Retail Box
ZBW4354TY	R 120	Xiaomi ZBW4354TY Basic Black In-Ear Headphones
ZBW4355TY	R 120	Xiaomi ZBW4355TY Basic Silver In-Ear Headphones

< Return to the menu

Headphones / Earphones : EarPhones / Earbuds wireless

Product code	Price	Description
31710025400	R 171	Genius HS-M905BT Wireless In-Ear Earbuds - White, Bluetooth 5.3 connectivity, 3.7 V / 200 mAh Charging Case Battery, 3.7 V / 40 mAh Earbuds Battery, Up to 4 hours play time, Up to 260 hours stand by time, Rapid full charging via Type-C connection
31710025402	R 205	Genius HS-M905BT Wireless In-Ear Earbuds - Black, Bluetooth 5.3 connectivity, 3.7 V / 200 mAh Charging Case Battery, 3.7 V / 40 mAh Earbuds Battery, Up to 4 hours play time, Up to 260 hours stand by time, Rapid full charging via Type-C connection
4XD1T85469	R 323	Lenovo E310 True Wireless Stereo Earbuds - Black, Bluetooth 5.3, 5h Music Play time and 20h Battery Life with Case, 2 hours Battery charging time, 13 mm Driver, 2 microphones, Touch controls, Type-C 400 mm cable length
4XD1T85469	R 322	Lenovo E310 True Wireless Stereo Earbuds - Black, Bluetooth 5.3, 5h Music Play time and 20h Battery Life with Case, 2 hours Battery charging time, 13 mm Driver, 2 microphones, Touch controls, Type-C 400 mm cable length
5161815120156	R 211	Promate Atom Sleek Multipoint Pairing Bluetooth 3.0 Headset/ Earphone - Black, Bluetooth 3.0 EDR; multipoint pairing; connects 2 devices; 10m wireless range; 4-5 hours talk time; 150 hours standby; DSP voice technology; rechargeable lithium polymer battery; lightweight hands-free headset
520-BBNM	R 3,034	Dell 520-BBNM EB525 Pro Plus Earbuds, Hearing protection, Active Noise Cancellation, Wireless Charging, USB charging, Bluetooth pairing, 24 cm cable length, 30m Wireless operating distance, Microsoft Teams certification, Ai-powered, Up to 5hrs Battery talk time, 11.6 mm Driver size, MEMS Microphone Technology, Integrated Microphone, USB Type-C charging Interface, Water resistant, Dust resistant
520-BBNM	R 3,197	Dell 520-BBNM EB525 Pro Plus Earbuds, Hearing protection, Active Noise Cancellation, Wireless Charging, USB charging, Bluetooth pairing, 24 cm cable length, 30m Wireless operating distance, Microsoft Teams certification, Ai-powered, Up to 5hrs Battery talk time, 11.6 mm Driver size, MEMS Microphone Technology, Integrated Microphone, USB Type-C charging Interface, Water resistant, Dust resistant
74-520BBNM	R 3,230	Dell 520-BBNM EB525 Pro Plus Earbuds, Hearing protection, Active Noise Cancellation, Wireless Charging, USB charging, Bluetooth pairing, 24 cm cable length, 30m Wireless operating distance, Microsoft Teams certification, Ai-powered, Up to 5hrs Battery talk time, 11.6 mm Driver size, MEMS Microphone Technology, Integrated Microphone, USB Type-C charging Interface, Water resistant, Dust resistant
7Y8H0AA	R 4,415	HP 7Y8H0AA Poly Voyager Free 60 UC M Carbon Black Earbuds BT700 USB-C Adapter Touchscreen charge case, Rechargeable Li-Ion Battery Type, Up to 30 m Wireless range, Bluetooth Version 5.3, Three-microphone steerable Array Microphone Type, USB Type-A Port, 3.5 mm audio
A10528-B	R 114	Astrum ET280 Wireless Neckband earphones Bluetooth 5.0 - Black, Up to 12 hours playtime
A10536-B	R 321	Astrum ET360 TWS ANC ENC GAME MODE 2MIC BLACK
A10612-B	R 753	Astrum XZ Pro TWS AptX QC5.3 DSP IPX ANC Wireless Earbuds - Black, Qualcomm 3072 Chipset, Touch control, Type-C charging Port, About 7 hours Music Play time (ANC off), About 5 hours Music Play time (ANC on), About 1.5 hours EarBud charging time
A10612-H	R 753	Astrum XZ PIA TWS AptX QC5.3 DSP IPX ANC Wireless EarBud - Gold, Qualcomm 3072 Chipset, Touch control, Type-C charging Port, About 7 hours Music Play time (ANC off), About 5 hours Music Play time (ANC on), About 1.5 hours EarBud charging time
AM-1118-BK-TAL	R 322	Amplify True Tunes 2.0 Sports Hook TWS Earphones; Bluetooth 5.3; up to 14 hr playtime; USB-C charging; built-in mic; ergonomic sports hooks; 10 mm drivers; 16 Ohm; 20 Hz-20 kHz; includes charging case
AM-1119-BK	R 322	Amplify Buds Series Black True Wireless Earphones with Silicone Accessories
AM-1119-WT	R 322	Amplify Buds Series White True Wireless Earphones with Silicone Accessories; white color; bluetooth connectivity; in ear design; charging case included; silicone ear tips; music and calls; portable compact design

AM-1120-BK	R 287	Amplify Mobile series Black True Wireless Ear Buds; bluetooth connectivity; in-ear design; portable charging case; music and calls; lightweight everyday use; compact mobile audio
AM-1123-WTPK	R 322	Amplify Note X Series TWS Earphones Charging Case - White Case Pink Cover
AM-1123-WTWT	R 322	Amplify Note X Series TWS Earphones Charging Case - White Case White Cover; true wireless earbuds; in ear design; portable audio set; Bluetooth connectivity; everyday use; compact lightweight design
ATWDA10B	R 265	Astrum ATWDA10B DUOZ ANC10 Black ANC ENC 4 MIC TWS EARBUDS. Hybrid ANC ENC, 4-mic system, Bluetooth 5.4, IPX5 water resistance, 6H playtime (earbuds), 40H total (with case), USB-C fast charging, ergonomic design
ATWDE10B	R 213	Astrum ATWDE10B DUOZ ENC10 Black ENC 2MIC BT5.4 TWS Earbuds
ATWDE10W	R 213	Astrum ATWDE10W DUOZ ENC10 White ENC 2MIC BT5.4 TWS Earbuds. Bluetooth 5.4; 6 h earbuds playtime; 40 h total battery; IPX5 water resistance; 1.5 h charge time; 10 m range; weight 48 g
ATWDP10B	R 413	Astrum Duoz Pro10 Black Hybrid Anc 6mic Tws Earbuds, Premium Hybrid ANC Earbuds featuring ENC call clarity, 40H playtime, music & game modes, & USB-C fast charging
ATWDP10W	R 413	Astrum Duoz Pro10 White Hybrid Anc 6mic Tws Earbuds, Premium Hybrid ANC Earbuds featuring ENC call clarity, 40H playtime, music & game modes, & USB-C fast charging
BGAU-OWSDAWN-BK	R 283	Body Glove Dawny OWS - Black offering clear sound and all-day comfort. Perfect for running, commuting, or relaxing, with sleek design and long battery life to match your vibe from dawn till dusk.
BGAU-TWSLUX-BK	R 204	Body Glove Essentials TWS Lux Series Wireless Earbuds Mega Bass sound. Featuring a Voice Assistant, built-in microphone, Bluetooth v5.0 connection with a playtime of up to 6 hours, and a LED Indicator. . Features: Bluetooth Version 5.0. Touch control.
BGAU-TWSPEAK-BK	R 348	Body Glove PEAK ENC TWS - Black with Environmental Noise Cancellation (ENC). Designed to deliver clear sound while blocking out distractions. Ensures you stay fully immersed in your music or calls. Seamless wireless connectivity and intuitive controls for
BGAU-TWSPRO-BK	R 248	Body Glove Essentials TWS Pro Series Wireless Earbuds Amp up your sound. Ergonomically shaped. Featuring a Voice Assistant, built-in microphone, Bluetooth v5.3 connection with a playtime of up to 4 hours, and a LED Indicator.
BGAU-TWSWAVE-BK	R 245	Body Glove WAVE TWS - Black Designed to bring your music to life with rich, crisp sound and a comfortable fit. It offers an immersive audio experience whether you ' re working out, commuting, or relaxing at home. With a sleek design and seamless wireless co
BHR08GJGL	R 1,442	Xiaomi Redmi Buds 8 Pro - Cloud White, Hybrid Active Noise Cancellation (ANC), Dolby Audio, 20 levels adjustable ANC levels, Triple AI microphones, Up to 12 m/s Wind noise resistance, Bluetooth 5.4, Google fast pair supported, 54mAh EarBud Battery capacity, 480mAh Charging Case Battery capacity, Up to 8.5 hours (ANC off) EarBud Battery Life, Up to 35 hours with Charging Case (ANC off) total Battery Life, Less than 1 hour EarBud charging time, Less than 2 hours Charging Case charging time, USB Type-C charging Port
BHR08GMGL	R 1,442	Xiaomi Redmi Buds 8 Pro - Glacier Blue, Hybrid Active Noise Cancellation (ANC), Dolby Audio, 20 levels adjustable ANC levels, Triple AI microphones, Up to 12 m/s Wind noise resistance, Bluetooth 5.4, Google fast pair supported, 54mAh EarBud Battery capacity, 480mAh Charging Case Battery capacity, Up to 8.5 hours (ANC off) EarBud Battery Life, Up to 35 hours with Charging Case (ANC off) total Battery Life, Less than 1 hour EarBud charging time, Less than 2 hours Charging Case charging time, USB Type-C charging Port
BHR08GOGL	R 1,442	Xiaomi Redmi Buds 8 Pro - Obsidian Black, Dolby Audio for enhanced spatial and lifelike Sound, Hybrid Active Noise Cancellation (ANC), 20 levels adjustable ANC levels, Triple AI microphones, Up to 12 m/s Wind noise resistance, Bluetooth 5.4 connectivity, 54mAh EarBud Battery capacity, 480mAh Charging Case Battery capacity, Up to 8.5 hours (ANC off) EarBud Battery Life, Up to 35 hours with Charging Case (ANC off), USB Type-C charging Port
BHR08ODGL	R 2,210	Xiaomi Buds 6 - Graphite Black, True Wireless In-Ear Headphone Type, Bluetooth 5.4, Active Noise Cancellation, 6 hours ANC off Battery Life - Buds, 11 mm Driver size, IP54 Water resistance, Built-In Microphone
BHR08OGGL	R 2,210	Xiaomi Buds 6 - Pearl White, True Wireless In-Ear Headphone Type, Bluetooth 5.4, Active Noise Cancellation, 6 hours ANC off Battery Life - Buds, 11 mm Driver size, IP54 Water resistance, Built-In Microphone
BHR08OLGL	R 466	Xiaomi Redmi Buds 8 Lite - White, Bluetooth 5.4 Wireless connection, Type-C charging Port, 8 hours Battery Life

		on a single charge, 36 hours Battery Life with Charging Case
BHR08OMGL	R 472	Xiaomi Redmi Buds 8 Lite - Black, Bluetooth 5.4 Wireless connection, Type-C charging Port, 8 hours Battery Life on a single charge, 36 hours Battery Life with Charging Case
BHR08UFGL	R 934	Xiaomi Buds 8 - Black, 11mm Dynamic Driver, Hi-Res Audio Wireless, Up to 50dB Smart ANC noise cancellation, Triple-Mic AI Noise Reduction microphones, Up to 12m/s Wind Noise Reduction, Bluetooth 5.4, Up to 10m Wireless range, IP54 (Earbuds) Water resistance, Up to 11 hours Battery Life (ANC off), USB Type-C charging Port
BHR08UHGL	R 934	Xiaomi Buds 8 - White, 11mm Dynamic Driver, Hi-Res Audio Wireless, Up to 50dB Smart ANC noise cancellation, Triple-Mic AI Noise Reduction microphones, Up to 12m/s Wind Noise Reduction, Bluetooth 5.4, Up to 10m Wireless range, IP54 (Earbuds) Water resistance, Up to 11 hours Battery Life (ANC off), USB Type-C charging Port
BHR09GTGL	R 2,213	Xiaomi Buds 6 Nebula Purple True Wireless In-Ear Headphones, 11 mm triple-magnet Gold-Plated Driver, Supports aptX Lossless and aptX adaptive codecs with up to 2.1 Mbps transmission rates, Active Noise Cancellation reduces Environmental noise while maintaining awareness of surroundings, Triple-microphone AI system filters ambient noise for Clear voice calls, Up to 6 hours playback per charge (ANC off) with 35 hours total Battery Life using the Case, Bluetooth 5.4 supports multipoint connection to two devices simultaneously, Ergonomic semi-in-ear Design weighs just 4.4 g per EarBud, IP54 Water and dust resistance rating for the Earbuds
BHR8773GL	R 209	Xiaomi Redmi Buds 6 Play - White, Bluetooth 5.4 Wireless connection, Type-C charging Port, 7.5 hours ery Life on a single charge, 36 hours Battery Life with Charging Case
BHR8775GL	R 215	Xiaomi Redmi Buds 6 Play - Pink, Bluetooth 5.4 Wireless connection, Type-C charging Port, 7.5 hours ery Life on a single charge, 36 hours Battery Life with Charging Case
BHR8776GL	R 209	Xiaomi Redmi Wireless Buds 6 Play - Black, 10mm Dynamic Driver, AI Noise Reduction, Up to 36 hours of All-Day Play with Charging Case, Up to 3 hours of Music playback from a 10-minute charge, Five EQ settings, Bluetooth 5.4, Type-C charging Port
BLUESPORTS7PROGOLD	R 201	SonicGear BlueSports 7 Pro Gold Bluetooth Earphones
BO-1101-GR	R 207	Bounce Shake Series Grape Bluetooth earphones
BO-1101-MT	R 207	Bounce Shake Series Mint Bluetooth earphones
BW08-WHT	R 99	Ezra In-Ear Bluetooth handsfree sweatproof White Earphones, Bluetooth 4.2, Built in Microphone, 3.5 hrs operating time, 1.5hrs charge time, Battery 55mAh
CND-GTWS2B	R 278	Canyon GTWS-2 Doublebee True Wireless Gaming Ear-buds - Black, Bluetooth 5.3 Stereo, 45ms low Latency, 37.5 hours playtime, USB-C, Built-In Microphone, USB-C Power Port connector
CND-GTWS2O	R 278	Canyon GTWS-2 Doublebee True Wireless Gaming Ear-buds - Orange, Bluetooth 5.3 Stereo, 45ms low Latency, 37.5 hours playtime, USB-C, Built-In Microphone, USB-C Power Port connector
CND-GTWS2Y	R 278	Canyon GTWS-2 Doublebee True Wireless Gaming Ear-buds - Yellow, Bluetooth 5.3 Stereo, 45ms low Latency, 37.5 hours playtime, USB-C, Built-In Microphone, USB-C Power Port connector
CNS-TWS10B	R 312	Canyon TWS-10 OnGo 10 Black ANC ENC Earphones, Energy-efficient Bluetooth 5.3, Charging time for charging case is 2H, 50 minutes charging time for earbuds, Transparency mode, Reset button, Earbud automatic pairing, Active noise suppression, Environmental noise cancellation, Four microphones, Stereo sound in phone calls, Earbud quick charge, Voice assistant, Earcaps in 3 sizes
CNS-TWS10BG	R 312	Headset Canyon OnGo TWS-10 ANC ENC In-Ear Earphones - Beige, Built-In Microphone, Bluetooth 5.3, USB-C charge cable, Active Noise Cancellation, Enviomenatl noise cancellation
CNS-TWS10BK	R 312	Headset Canyon OnGo TWS-10 ANC ENC In-Ear Earphones - Grey, Built-In Microphone, Bluetooth 5.3, USB-C charge cable, Active Noise Cancellation, Enviomenatl noise cancellation
CNS-TWS4BE	R 176	Canyon OnGo 4 Mini True Wireless Stereo Headset, 6H on a single charge (50% VOL), Up to 18H with case, Charging time for case: 1H, Charging time for earbuds: 1H, 1 Pair of extra silicone tips (S)
CNS-TWS4G	R 176	Canyon CNS-TWS4G OnGo 4 Mini Gray True Wireless Stereo Earphones, 6H on a single charge (50% VOL), Up to 18H with case, Charging time for case: 1H, Charging time for earbuds: 1H, 1 Pair of extra silicone tips (S)
CNS-TWS4P	R 176	Canyon OnGo 4 mini TWS Purple Earphones. Bluetooth 5.3 wireless; 7 mm driver; 20-20 kHz; 30mAh earbuds; ~200mAh case; up to ~24h total runtime; USB-C; in-ear; purple
CNS-TWS5BL	R 227	Canyon TWS-5 Bluetooth In-Ear Ear-Buds with Microphone - Blue, BT V5.3, Jl 6983D4 Chipset, 40mAh x2 Battery EarBud, 500mAh Charging Case 500mAh, Type-C cable, Touch control, Automatic pairing, 38 hours of work

		including charging box, 2 hours of charging time for the box, 3 pairs of Vacuum Earbuds
CNS-TWS5PU	R 227	Canyon TWS-5 Bluetooth In-Ear Ear-Buds with Microphone - Purple, BT V5.3, Jl 6983D4 Chipset, 40mAh x2 Battery EarBud, 500mAh Charging Case 500mAh, Type-C cable, Touch control, Automatic pairing, 38 hours of work including charging box, 2 hours of charging time for the box, 3 pairs of Vacuum Earbuds
CNS-TWS5W	R 227	Canyon TWS-5 Bluetooth In-Ear Ear-Buds with Microphone - White, BT V5.3, Jl 6983D4 Chipset, 40mAh x2 Battery EarBud, 500mAh Charging Case 500mAh, Type-C cable, Touch control, Automatic pairing, 38 hours of work including charging box, 2 hours of charging time for the box, 3 pairs of Vacuum Earbuds
CNS-TWS6B	R 252	Canyon TWS-6 True Wireless Stereo Bluetooth Headset with Microphone, Bluetooth V5.3, EarBud 30mAh x2 Battery, 400mAh Charging Case, USB Type-C cable, 13 mm Speakers, Automatic pairing, Up to 10 m of Bluetooth range, Stereo sound in phone calls, 22 hours from Battery (with Charging Case), Low Gaming Latency, Silicone Case included
CNS-TWS6BE	R 252	Canyon TWS-6 True Wireless Stereo Bluetooth Headset with Microphone - Beige, Bluetooth V5.3, EarBud 30mAh x2 Battery, 400mAh Charging Case, USB Type-C cable, 13 mm Speakers, Automatic pairing, Up to 10 m of Bluetooth range, Stereo sound in phone calls, 22 hours from Battery (with Charging Case), Low Gaming Latency, Silicone Case included
CNS-TWS8B	R 193	Canyon TWS-8 True Wireless Stereo Bluetooth ENC Headset with Microphone - Black, Bluetooth V5.3, 40mAh x2 EarBud Battery, 470mAh Charging Case, USB Type-C cable, 13 mm Speakers, Automatic pairing, Up to 10 m of Bluetooth range, Environment noise cancellation, Stereo sound in phone calls, 7.5 hours of playback, 32 hours from Battery with Charging Case, Low Gaming Latency
CNS-TWS9B	R 297	Canyon OnGo 9 Black True Wireless Stereo Headset, Bluetooth Version: 5.4, Battery built-in earpiece: 35mAh*2, Charging station battery: 500mAh, Usage time: 6H/30H, Charging time: Earbuds 1H, Station 2H
EARBUD-S2-US	R 830	Cirago True Wireless Earbuds with Aluminum Alloy Charging Case, EARBUD_S2_US, Bluetooth 5.0, Automatic docking, 10 meters transmission distance, HD Stereo sound, On-Ear controls, IP7 Waterproof
EARPUMPS100C	R 252	SonicGear EarPump Sport 100 Bluetooth In-Ear headset Coral, 70mAh lithium-ion battery, Up to 4 hr playback time, 10 mm Driver size
EARPUMPTWS2BLK2021	R 505	SonicGear Earpump TWS 2 Black Bluetooth Earphones
EARPUMPTWS2GRY2021	R 505	SonicGear EarPump TWS 2 (2021 Edition) Bluetooth earphones - Grey, 8mm Driver size, Bluetooth Version 5.1, Up to 10m Wireless effective distance, 2x MEMS microphones, Up to 8 hours @ 50% Volume Music playtime
EARPUMPTWS2MNT2021	R 505	SonicGear Earpump TWS 2 Mint Bluetooth Earphones
EARPUMPTWS2PCH2021	R 505	SonicGear Earpump TWS 2 Peach Bluetooth Earphones
EARPUMPTWS2WHT2021	R 505	SonicGear Earpump TWS 2 (2021 Edition) White Bluetooth Earphones
EARPUMPXP2GOLD	R 654	SonicGear Earpump XP2 Gold Bluetooth and Wireless ENC Earphones. Dual Mode Connectivity (Bluetooth 5.4 2.4GHz), Active & Environmental Noise Cancellation, 60ms Low Latency, IPX4 Water Resistance, 32 Hours Playback, USB Type-C Charging, 13mm Drivers, 4 Microphones, Ergonomic Design
EARPUMPXP2OBS	R 654	SonicGear Earpump XP2 Obsidian Bluetooth and Wireless ENC Earphones. Bluetooth 5.4, 2.4G wireless mode, 13mm drivers, ANC & ENC, 60ms latency, IPX4, up to 32 hrs playback, USB-C charging, touch controls
EARPUMPXP2PLT	R 654	SonicGear Earpump XP2 Platinum Bluetooth and Wireless ENC Earphones. Dual Mode Connectivity (Bluetooth 5.4 2.4GHz), Active & Environmental Noise Cancellation, 60ms Low Latency, IPX4 Water Resistance, 32 Hours Playback, USB Type-C Charging, 13mm Drivers, 4 Microphones, Ergonomic Design
EVOLVE-65T-KIT	R 3,374	Jabra Elite 65T Titanium Wireless Earbuds and Link 370, Unique 4 Microphone Technology, Bluetooth 5.0, Pair up to 8 devices, Up to 5 hours Battery talk time
GK-DHX-I9S-GOLD	R 99	Geeko Single Bluetooth Wireless EarBuds with Microphone - Bluetooth V4.1 EDR, Built-in 60mAh Rechargeable lithium Polymer battery , Talk time: Up to 2 hours, Music Playing time up to 3 Hours , Changing Time: 1-2 Hours, Standby time: 40 hours, Compatible with all Bluetooth-enabled devices, such as iPhone, iPad, Samsung, LG, Nokia, HTC, Tablets - Gold, Retail Box
HBS-730-PNK	R 249	AllRing HBS730 Flexible Bluetooth Ver 4.0 Wireless Hand Free Sports Stereo Headsets Neckband Style Earphones - Pink
HEADPHONE-HS-M910BT	R 242	Genius HS-M910bt Bluetooth Earbuds with Noise Reduction, Up to 4 hours play time, Up to 300 hours stand by time, 1 - 2 hours Charging Case charging time, Up to 10m working distance

HS-ACH10	R 1,126	Asus Clique H10 Wireless Bluetooth Earphone - Unique lock-in ear fins designed for exercise, sweat and dust resistant, with built-in battery (5hrs 260hrs standby time), 5.8mm drivers with aptX technology, braided cable design, with in-line control with NFC
HS-EWA7S-WRG	R 2,188	Erato Wireless Apollo 7S White & Rose Gold In-ear Earphone & Mic - Qualcomm aptX certified, iPX5 water and sweat proof, built-in MEMS mic with noise reduction, 5.8mm graphene driver, 4g ultra light weight, single-touch multifunction control button, 3Hr play time/ 4Hr talk time, 2x 50mAh battery 300mAh charging case up to 15Hr on the go
HS-EWA7S-WS	R 2,203	Erato Wireless Apollo 7S White & Silver In-ear Earphone & Mic - Qualcomm aptX certified, iPX5 water and sweat proof, built-in MEMS mic with noise reduction, 5.8mm graphene driver, 4g ultra light weight, single-touch multifunction control button, 3Hr play time/ 4Hr talk time, 2x 50mAh battery 300mAh charging case up to 15Hr on the go
HS-EWV-K	R 721	Erato Wireless Verse Black In-ear Earphone & Mic - iPX5 water and sweat proof, built-in MEMS mic with noise reduction, 5.8mm graphene driver, spinFit eartips with 360Â° rotation, 4.5g ultra light weight, single-touch multifunction control button, 3Hr play time/ 4Hr talk time, 2x 60mAh battery 800mAh charging case up to 15Hr on the go
JP503AP	R 329	Casey Alpino Bluetooth Mobile Headphone - Black, Retail Box
LENOVO 4XD1T85469	R 345	Lenovo E310 True Wireless Stereo Earbuds - Black, Bluetooth 5.3, 5h Music Play time and 20h Battery Life with Case, 2 hours Battery charging time, 13 mm Driver, 2 microphones, Touch controls, Type-C 400 mm cable length
MJ4X3AE/A	R 3,128	Beats Studio Buds True Wireless Noise Cancelling Earphones - Black, Model A2512 / A2513 / A2514, In-Ear Form Factor, Built-In Microphone, Wind Noise Reduction & Dual beamforming microphones, Bluetooth, USB-C Power Port connector Type, 8 HR Battery average run time, Water-Resistant housing, Sweat-proof Design, Active Noise Cancellation, Hands-Free Function, Fast fuel, Built-In controls, Transparency mode
MJ503AE/A	R 3,128	Beats Studio Buds - True Wireless Noise Cancelling Earphones - Beats Red, Model A2512 / A2513 / A2514, In-Ear Form Factor, Built-In Microphone, Wind Noise Reduction & Dual beamforming microphones, Bluetooth, USB-C Power Port connector Type, 8 HR Battery average run time, Water-Resistant housing, Sweat-proof Design, Active Noise Cancellation, Hands-Free Function, Fast fuel, Built-In controls, Transparency mode
MQLH3AE/A	R 3,542	Beats Studio Buds True Wireless Noise Cancelling Earbuds - Black / Gold, Model A2872 / A2871 / A2870, Ear-bud Form Factor, Built-In Noise Cancelling Microphone, Bluetooth, USB-C Power Port connector Type, 36 HR Battery average run time, Active Noise Cancellation, Voice command support, Spatial audio with Dynamic head Tracking, Dolby Atmos
MQLJ3AE/A	R 3,542	Beats Studio Buds True Wireless Noise Cancelling Earbuds - Ivory, Model A2872 / A2871 / A2870, Ear-bud Form Factor, Built-In Noise Cancelling Microphone, Bluetooth, USB-C Power Port connector Type, 36 HR Battery average run time, Active Noise Cancellation, Voice command support, Spatial audio with Dynamic head Tracking, Dolby Atmos
MQLK3AE/A	R 3,542	Beats Studio Buds True Wireless Noise Cancelling Earbuds - Transparent, Model A2872 / A2871 / A2870, Ear-bud Form Factor, Built-In Noise Cancelling Microphone, Bluetooth, USB-C Power Port connector Type, 36 HR Battery average run time, Active Noise Cancellation, Voice command support, Spatial audio with Dynamic head Tracking, Dolby Atmos
MTJV3ZE/A	R 4,520	Apple AirPods Pro 2nd Generation with MagSafe case (USB-C), MTJV3ZE/A, Bluetooth 5.3 Wireless Technology, Up to 6 hours of listening time with a single charge, Up to 4.5 hours of talk time with a single charge, Dual beamforming microphones, Skin-detect Sensor, Motion-detecting accelerometer, Speech-detecting accelerometer, Touch control
MUVW3AE/A	R 1,702	Beats Solo Buds - True Wireless Earbuds - Matte Black, Model A3151 / A3150 / A3152, In-Ear m factor, Built-In Microphone, Bluetooth, USB-C Power Port connector Type, 18 HR Battery average run time, Hands-Free Function, Voice assistant Button
MUVX3AE/A	R 1,702	Beats Solo Buds - True Wireless Earbuds - Arctic Purple, Model A3151 / A3150 / A3152, In-Ear m factor, Built-In Microphone, Bluetooth, USB-C Power Port connector Type, 18 HR Battery average run time, Hands-Free Function, Voice assistant Button
MUVY3AE/A	R 1,702	Beats Solo Buds - True Wireless Earbuds - Storm Grey, Model A3151 / A3150 / A3152, In-Ear m factor, Built-In

		Microphone, Bluetooth, USB-C Power Port connector Type, 18 HR Battery average run time, Hands-Free Function, Voice assistant Button
MUW03AE/A	R 1,702	Beats Solo Buds - True Wireless Earbuds - Transparent Red, Model A3151 / A3150 / A3152, In-Ear m factor, Built-In Microphone, Bluetooth, USB-C Power Port connector Type, 18 HR Battery average run time, Hands-Free Function, Voice assistant Button
MX723AE/A	R 5,187	Beats PowerBeats Pro 2 - High-Performance Earbuds - Jet Black, Bluetooth, On-device controls, Single Multi-Function Button per side, Volume buttons on each side, Up to 45 hours of listening time on single charge, Up to 10 hours of continuous bud playback
MX733AE/A	R 5,187	Beats PowerBeats Pro 2 - High-Performance Earbuds - Quick Sand, Bluetooth, On-device controls, Single Multi-Function Button per side, Volume buttons on each side, Up to 45 hours of listening time on single charge, Up to 10 hours of continuous bud playback
MXP63ZE/A	R 1,875	Apple AirPods 4, Model A3050 / A3053 / A3058, In-Ear, Sweatproof, Wireless & Bluetooth, Up to 5 hours of listening time on a single charge, Up to 4.5 hours of talk time on a single charge, Dual beamforming microphones, Optical In-Ear Sensor, Motion-detecting accelerometer, Speech-detecting accelerometer, Force Sensor, Charging Case (USB-C)
MXP93ZE/A	R 2,427	Apple AirPods 4 with Active Noise Cancellation, Model A3055 / A3056 / A3059, In-Ear, Noise Cancelling, Sweatproof, Wireless & Bluetooth, with Active Noise Cancellation, Up to 4 hours of listening time on a single charge with Active Noise Cancellation enabled, Dual beamforming microphones, Inward-facing Microphone, Optical In-Ear Sensor, Motion-detecting accelerometer, Speech-detecting accelerometer, Force Sensor
MYMC2AE/A	R 1,484	Beats Flex - All-Day Wireless Earphones - Beats Black, Model A2295, In-Ear Form Factor, Built-In Microphone, Wind Noise Reduction, Bluetooth, 12 HR Battery average run time, Magnetic Earbuds, Fast fuel, Audio sharing, Flex-Form cable features, Apple W1 Chip Built-In
MYMD2AE/A	R 1,484	Beats Flex - All-Day Wireless Earphones - Yuzu Yellow, Model A2295, In-Ear Form Factor, Built-In Microphone, Wind Noise Reduction, Bluetooth, 12 HR Battery average run time, Magnetic Earbuds, Fast fuel, Audio sharing, Flex-Form cable features, Apple W1 Chip Built-In
MYME2AE/A	R 1,484	Beats Flex - All-Day Wireless Earphones - Smoke Gray, Model A2295, In-Ear Form Factor, Built-In Microphone, Wind Noise Reduction, Bluetooth, 12 HR Battery average run time, Magnetic Earbuds, Fast fuel, Audio sharing, Flex-Form cable features, Apple W1 Chip Built-In
MYMG2AE/A	R 1,484	Beats Flex - All-Day Wireless Earphones - Flame Blue, Model A2295, In-Ear Form Factor, Built-In Microphone, Wind Noise Reduction, Bluetooth, 12 HR Battery average run time, Magnetic Earbuds, Fast fuel, Audio sharing, Flex-Form cable features, Apple W1 Chip Built-In
NBDE520-BBNM	R 3,081	Dell 520-BBNM EB525 Pro Plus Earbuds, Hearing protection, Active Noise Cancellation, Wireless Charging, USB charging, Bluetooth pairing, 24 cm cable length, 30m Wireless operating distance, Microsoft Teams certification, Ai-powered, Up to 5hrs Battery talk time, 11.6 mm Driver size, MEMS Microphone Technology, Integrated Microphone, USB Type-C charging Interface, Water resistant, Dust resistant
NTMH200BLK	R 229	Nesty Blast Series MH-200 True Bluetooth Wireless Earphones with charging Dock - Black, 300mAh charging Battery capacity, 30mAh Headphone Battery capacity, 3-5 hours Play time, 1-3 hours charging time
NTMH200GRY	R 229	Nesty Blast Series MH-200 True Bluetooth Wireless Earphones with charging Dock - Grey, 300mAh charging Battery capacity, 30mAh Headphone Battery capacity, 3-5 hours Play time, 1-3 hours charging time
NTMH250GRY	R 229	Nesty Blast Series MH250 True Bluetooth Wireless Earphones - Grey, with charging Dock, Built in Microphone, Bluetooth Version 5.3, Up to 10 metres transmission distance, 3-5 hours Play time, 1-2 hours charging time
PJT-BEP2141	R 183	Tbyte Bluetooth Earphone TWS, 30mAh Headset Battery, 300mAh with protection board charging box Battery, 4 hours playing time
RK-1105-BK	R 259	Rocka Luxe Plus Bluetooth Earphones with Micro SD card slot - Black, 10 mm Driver size, 3 hours Play time, 5 hours charging time
S1JTW-P948	R 534	Skullcandy Jib True 2 Wireless Earbuds - Light Grey/Blue 33 Hours Total Battery Life Built-in Tile Finding Technology IPX4 Sweat & Water Resistant Noise-Isolating Fit
S2DCW-R740	R 438	Skullcandy Dime 3 True Wireless Earbuds - True Black 20 Hours Total Battery Rapid Charge Stay-Aware Mode IPX4 Sweat & Water Resistant Multipoint Pairing Skullcandy Supreme Sound Built-in Tile Finding Technology

S2TAW-R740	R 414	Skullcandy Smokin Buds True Wireless Earbuds - True Black 20 Hours Total Battery Rapid Charge IPX4 Sweat & Water Resistant Skullcandy Supreme Soundâ„¢ Made Of 50% Certified Recycled Materials Movie, Music & Podcast EQ Modes Call & Media Controls
SS-61680	R 3,655	SteelSeries Arctis GameBuds PS5 Black Wireless Gaming Earbuds, 2.4GHz Wireless and Bluetooth 5.3 connectivity with Quick-Switch feature, Up to 10 hours Battery Life per charge with up to 40 hours total with Case, Immersive 360 degrees spatial Audio including tempest 3D support, Active Noise Cancellation with transparency mode using 4-mic Hybrid system, IP55 Water and dust resistance for gym or rain use, QI Wireless Charging Case compatible with USB-C Fast Charge, Neodymium Magnetic drivers, Wearsense In-Ear Detection Sensor for auto pause/Play functionality
SS-61681	R 3,655	SteelSeries Arctis GameBuds for Xbox Wireless Gaming Earbuds, 2.4GHz Wireless and Bluetooth 5.3 connectivity with Quick-Switch Technology, Up to 10 hours Battery Life per charge with up to 40 hours total including Case, Active Noise Cancellation with transparency mode using 4-mic Hybrid system, IP55 Water resistance rating for sweat and splash protection, QI Wireless Charging Case supporting Fast Charge of 15 minutes for 3 hours Play, Neodymium Magnetic drivers, Supports tempest 3D spatial Audio and Sonar spatial Audio features, WearSense In-Ear Detection Sensor with auto pause/Play Function, Includes USB-C Wireless nano-dongle
SS-61682	R 3,655	SteelSeries Arctis GameBuds PS5 White Wireless Gaming Earbuds, 2.4GHz Wireless and Bluetooth 5.3 connectivity with Quick-Switch feature, Supports tempest 3D Audio and Sonar spatial Audio, 10 hours Battery Life per charge with up to 40 hours total with Charging Case, QI Wireless Charging Case supports Fast Charge of 15 minutes for 3 hours use, Active Noise Cancellation with transparency mode using 4 Mic Hybrid system, IP55 Water resistance rating for dust and splash protection, WearSense In-Ear Detection Sensor with auto pause/Play Function, Neodymium Magnetic drivers, Includes USB-C Wireless nano-dongle and USB-C to USB Type-A Adapter cable, Includes Small Medium and Large Silicone eartips for Fit adjustment
VBS-201-BK	R 207	Volkano Rush series Bluetooth earphones with Mic, Black, Call Function, Bluetooth V4.1, Sweat resistant, Up to 10m Operating Distance, Up to 4 hours battery life
VK-1008-BK	R 287	Volkano Race series Black Bluetooth Sport Earhook Earphones
VK-1103-E01-BK	R 230	VolkanoX Asista Series E01 Bluetooth Earphones - Black, Up to 6 hours playtime
VK-1107-YL	R 230	Volkano Moda Nylon Bluetooth earphones with Carry case - Yellow, Bluetooth version 4.2, 3 - 4 hrs playback time, 2 hrs charge time, 55 mAh Battery capacity, 10 mm Driver
VK-1117-BK	R 747	VolkanoX Astral Series True Wireless Earphones with Powerbank Charging Case - Black, 2200mAh Charging Case, 3x EarBud cap sizes
VK-1119-BK	R 356	Volkano Stealth Series Sports TWS Earphones, Up to 28 hours playtime. True Wireless Stereo sports earphones, Bluetooth earbuds, secure inâ€'ear sport fit. Volkano Stealth Series Sports True Wireless Earphones (VK-1119-BK) deliver secure-fitting in-ear audio with Bluetooth TWS design, targeting active users and seamless connectivity.
VK-1120-BK[V2]	R 506	Volkano Taurus Series 2.0 True Wireless Earphones with Charging Case - Black, 6 mm Driver, 1.5 hours charging time, Up to 7 hours playback time, IPX4 rating
VK-1120-PK	R 506	Volkano Taurus Series 2.0 True Wireless Earphones with Charging Case - Pink, 6 mm Driver, 1.5 hours charging time, Up to 7 hours playback time, IPX4 rating
VK-1120-WT[V2]	R 506	Volkano Taurus Series 2.0 True Wireless Earphones with Charging Case - White, 6 mm Driver, 1.5 hours charging time, Up to 7 hours playback time, IPX4 rating.
VK-1121-BK	R 437	Volkano Scorpio Series True Wireless earphones - Black, Bluetooth version 5, 3 - 5 hours earphones playback time, 1 hour charging time, 6 mm Driver
VK-1121-WT	R 437	Volkano Scorpio Series True Wireless earphones - White, Bluetooth version 5, 3 - 5 hours earphones playback time, 1 hour charging time, 6 mm Driver
VK-1138-WT[V2]	R 322	Volkano Buds X 2.0 Series True Wireless earphones charging case - White, Bluetooth version 5.1, 5 - 7 hrs playback Time, 300 mAh charging case Battery, 4 times charging case recharges, 1.5 hrs charging case charging Time, Type-C Input, 10 mm Driver
VK-1143-BK	R 586	Volkano Sagittarius Series TWS earphones charging case - Black, 300 mAh charging case
VK-1148-BK[V1]	R 437	Volkano Stride Series Air Conduction TWS Earphones - Black, Up to 14 hours playtime. True Wireless Stereo. Crisp sound with noise cancellation - great for calls and music on the go.

VK-1148-BK[V2]	R 356	Volkano Stride 2 Air Conduction True Wireless Earphones - Black, Up to 28 hours playtime, Built in Microphone. Opencear true wireless earbuds, air-conduction, secure fit, Bluetooth TWS.
VK-1153-WT	R 356	Rocka VK-1153-WT True Wireless Earphones with Bluetooth 5.0 - White, Compact Charging Case with 300 mAh Battery, 40 mAh Batteries per EarBud, Up to 3-hour playback, Ergonomic In-Ear Design, Touch controls for Music and calls, Built-In Mic for Hands-Free use, Compatible with Bluetooth devices
VKX-1119-BK	R 586	Volkano X VXT200s Hybrid Active Noise cancelling True Wireless Earphones - Black, 4 microphones, Up to 30 hours playtime, USB Type-C charging. Volkano X VXT200s True Wireless Earphones - Black deliver immersive sound with Hybrid Active Noise Cancelling, Bluetooth 5.2, IPX4 water resistance, and up to 30 hours playtime. Perfect for travel, workouts, and everyday listening.
VKX-1119-WT	R 586	Volkano X VXT200s Hybrid Active Noise cancelling True Wireless Earphones - White, 4 microphones, Up to 30 hours playtime, USB Type-C charging
VKX-1120-BK	R 655	Volkano x VXT200B True Wireless Earphones with Hybrid Active Noise cancelling, Bluetooth Version V5.2, 10mm Driver size, Type-C charging Port
VKX-1121-BK	R 506	Volkano X VXT100S TWS Earphones - Black, Up to 21 hours playtime, Active Noise Cancellation
VKX-1122-BK	R 586	Volkano X VXO200 Open Wearable Stereo Earphones - Black, True Wireless pairing, Up to 36 hours playtime. Open-ear wearable stereo earphones, neckband style, on-ear drivers, built-in mic, music & call controls, sweat-resistant, black finish, lightweight and comfortable for active use.
VXO-300-BK	R 655	VolkanoX O300 Air Conduction OWS Earphones - Black, Up to 22 hours playtime
VXO-400-BK	R 586	VolkanoX O400 Air conduction In-Ear OWS Earphones - Black, Active Noise Cancellation, Up to 30 hours playtime
WF-1000XM5/P	R 5,217	Sony WF-1000XM5 Smoky Pink Premium TWS Earphones. 6mm Dynamic Driver X; IPX4 water resistance; 8 hours battery life; Bluetooth 5.3; ANC; LDAC support; 6 microphones; Touch controls; Voice assistant support; Ergonomic design; Compact charging case; Premium noise-canceling earbuds; True wireless earbuds; High-resolution audio; Comfortable fit; Extended battery life; Multipoint connectivity; Stylish Smoky Pink color; Ideal for travel and daily use; Compatible with Android and iOS devices
WF-LS910N/BZE	R 3,497	Sony LS910N Black True Wireless earphones. 8.4mm dynamic driver; Bluetooth 5.3; LDAC, AAC, SBC, LC3 support; IPX4 water resistance; 4.9g per earbud; 5.5h playback; 14h with case; Ambient Sound Mode; Multipoint connection; Air Fitting Supporters; USB-C charging; Charging time: 2h; Charging case included
WS207-45110	R 342	UGreen HiTune P3 In-Ear Wireless Earbuds - White, Bluetooth Version V5.4, Touch controls, Dual-device connection via App, Up to 10m Wireless range, 12mm Dynamic drivers, 5.5 hours per single charge Earbuds, Total 28 hours playback Charging Case, Type-C charging Port
WS209-45785	R 343	UGreen HiTune S3 Wireless earclip Earbuds - Black, Up to 10m Bluetooth range, 12mm bio-diaphragm Dynamic Speakers, Dual ai-powered mics for noise-free calls, Directional Audio for situational awareness, 7.5 hours per charge (Earbuds), 30 hours total with 500mAh Charging Case, IPX5 - sweat and Light rain resistant
WS210-45760	R 472	UGreen HiTune S5 Open-Ear TWS Earbuds - Black, Bluetooth, 80ms low Latency for synced Audio and Video, 12mm Silicone drivers, ENC HD call Noise Reduction, Up to 24 hours total playback with Charging Case, IPX5 Water resistance
WS211-55137	R 767	UGreen EchoBuds Magic Wireless (In-Ear Earphones) - White, Up to 48dB Active Noise Cancellation (ANC), Noise Reduction mode, Transparent mode, 10mm Driver, Wireless Hi-Res Audio, Bluetooth 5.4 connectivity, Volume controls, LCD Full-colour Touch Screen Display, 6 hours (Earbuds) Battery Life, 30 hours total with Charging Case Battery Life, 2-hour charging time, IPX5 Water resistance, ANC ENC Dual Noise Reduction
WS217-65876	R 357	UGreen Lightbuds Basic Earphones (Semi In-Ear) - White, 40mAh Earphones Battery, 500mAh Charging Case, 6.5 hours single charge playback, 35 hours total with Case, Type-C Wired charging, IPX5 Waterproof level
WX-HS106	R 222	Winx Vibe Active 2 TWS Earbuds
WX-HS110	R 298	WINX WX-HS110 Vibe Active 2 ANC Wireless Earbuds, Bluetooth Version V5.3, 10m Bluetooth range, 10mm Speaker size, Hybrid ANC noise cancellation, 6-microphone Array Microphone, 43mAh Battery (Earbuds only), 350mAh Battery (Charging Case only), Up to 2 hours charging time
WX-HS111	R 375	WINX Vibe More Adaptive ANC EarPods, Bluetooth Version V5.3, 10 metres Bluetooth range, 13mm Speaker size, 80 milliseconds audio Latency, Adaptive ANC noise cancellation, 6-microphone Array (with AI noise cancellation), 27mAh Battery (Earbuds only), 350mAh Battery (Charging Case only), Type-C Port charging Input, Up to 2 hours

		charging time
ZW-02-WHT	R 249	Unique ZW-02 Wireless Bluetooth Earphones, BT4.2, Rechargeable Polymer Lithium-on Battery -White, Retail Box
ZW-03-GRN	R 249	Unique ZW-03 Wireless Bluetooth Earphones, BT4.2, Rechargeable Polymer Lithium-on Battery -Green, Retail Box
ZW-03-YLW	R 249	Unique ZW-03 Wireless Bluetooth Earphones, BT4.2, Rechargeable Polymer Lithium-on Battery -Yellow, Retail Box

< Return to the menu

Headphones / Earphones : Headphone accessories

Product code	Price	Description
50470	R 137	Goobay 3.5 mm Male to 6.35 mm Female Headphone Adapter
520-BBGN	R 909	Dell 520-BBGN HC524 Pro Headset Wireless charging stand, 2.5hrs to full charging time, Compatible with --> Dell Pro Wireless ANC Headset - WL5024, Pogo pin connection Type, 1.2m cable length, USB-C Input to Power charging connection
520-BBGP	R 407	Dell 520-BBGP HE524 Pro Wired / Wireless Headset ear cushions, Leatherette & Memory foam cushion material, Compatible with --> Dell Pro Wired Headset - WH5024 / Dell Pro Wireless Headset - WL5024
99HAMR002-00	R 2,125	HTC VIVE Deluxe Audio Strap/ Headphones (accessory)
BRK-HPS01-4A	R 113	Linkqnet HPS01-4A Slim Aluminium Desktop Headphone Stand
CAS-HEADPHONE-LQ	R 68	Linkqnet Headphone Clamshell Case, Mesh Netting to Secure Cables, Hard Shell Exterior, Elasticated Band Secures Contents, Colour: Black, Dimensions: 22 x 19 x 6.5cm
CH-iAiEK	R 137	In-Win i-Ear Black headphone/earphone hanger - smart suction cup design for steel/aluminium/glass panel
EHS40	R 783	Yealink EHS40 Wireless headset Adapter, Interface between your Yealink IP phones (VP59 / T58w / T58a / T57w / T54w / T53w / T53 / T42u / T43u / T46U / T48u / T48s / T46s / T42s / T41s) and a compatible Wireless headset
SNOM-ACPJ	R 281	snom 3.5mm Quick Release Adapter cable for Headset A100M & A100D, ACPJ
VK-7045-BK	R 172	Volkano Shell series Black Elliptical Headphone Case
VX-113-BK	R 92	Volkano VX Gaming Throne Series VR stand - Black (PS4), Integrated Cable Management system, Dual USB charging Ports, LED Lighting, For use with PlayStation 4 VR
WX-HSEC01	R 77	WINX Call Pro 2 ANC Ear Cub replacements, TPE material, 2 earpads, Compatibility WINX WX-HS112 and WX-HS113
WX-HSEC02	R 113	WINX Call Elite ANC ear cub replacements, TPE material, 2 earpads, Compatibility WINX WX-HS112 and WX-HS113
Z3	R 173	Microworld Z3 RGB heahphone holder with 3x USB, Light-Emitting base with multiple modes, 3 x USB 2.0 Expansion interfaces, High-Quality ABS Plastic with Built-In Metal weights, Non-Slip bottom Design

< Return to the menu

Headphones / Earphones : Headphones

Product code	Price	Description
164429	R 99	Manhattan Black Stereo Headset Microphone
165389	R 229	Manhattan Sound Science Bluetooth On-Ear Headset - Bluetooth 5.0, Microphone, Integrated Controls, FM Radio, MicroSD Card Slot, 3.5 mm AUX Port, Lightweight On-ear Design, Black, Retail Box
175517	R 199	Manhattan Stereo Headset Microphone with in-line volume control
175555	R 149	Manhattan Classic Stereo Headset Microphone with in-line volume control
179812	R 229	Manhattan Sound Science Bluetooth Over-Ear Headset - Bluetooth 5.0 EDR, Over-Ear Design, Omnidirectional Mic, Integrated Controls, Black, Retail Box
31710020402	R 194	Genius HS-220U AI Copilot USB Headset, Headbands adjustable Type, Microphone, Volume control, 2.4 m cable length
31710021400	R 239	Genius HS-230u USB headband headset, Microphone, Volume control, 1.8 m cable length
31710021401	R 239	Genius Headset HS-230U USB headband, USB Type-A connectivity, Microphone, Volume control, 2.4 m cable length, Bendable Microphone, In-Line control for Volume
31710021405	R 229	Genius HS-230U USB Type-C headband Headset, Microphone, Volume control, 1.8 m cable length

31710027400	R 148	Genius HS-100U single ear USB Headset, Microphone, 2m cable length, Adjustable headband, In-Line control for Volume
31710151104	R 69	Genius HS-200C Lightweight PC Headset - Black, Two 3.5 mm jacks connectivity, Microphone, 1.5 m cable length (m)
31710169100	R 144	Genius HS-400A Over Ear Headset - Green - 3.5mm, 40 mm Driver, 1.8m cable length, 2x jack 3.5mm audio connections, Built-In Microphone, Adjustable headband, Adjustable Microphone
34783400-CA-H-MIC-1200	R 286	Maxell CA-H-MIC-1200 Gaming Vibration Headset - USB, Full size Over-Ear Form Factor, Rotary Arm Microphone, LED light, 2m Braided cable.
428K6AA	R 390	HP 428K6AA G2 USB Headphones, Flexible Boom Mic, In-Line Volume control, Durable Vegan leather earcups
4XD0K25030	R 363	Lenovo Essential Stereo Analog Headset
4XD1C99223-PROMO	R 3,228	Lenovo 4XD1C99223 Go Wired ANC headset - USB, Volume /-, ANC On/Off, Teams Button, Mute / unmute, Call control, 40 mm Driver, USB 2.0 audio Input, Five microphones for ENC, Four microphones for ANC
520-AAVV Special	R 529	(On Promotion) Dell 520-AAVV WH1022 Stereo headset Wired - USB, Leatherette earpad material, Boom Type Noise Cancelling Microphone
520-BBDH	R 1,129	Dell 520-BBDH Wired Headset WH3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation, Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, 58mm ear cup size, Leatherette Memory foam material, USB-C Wired connection, 2.0m cable length, Inline control
520-BBDH	R 987	Dell 520-BBDH Wired Headset WH3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation, Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, 58mm ear cup size, Leatherette Memory foam material, USB-C Wired connection, 2.0m cable length, Inline control
520-BBDH	R 1,132	Dell 520-BBDH Wired Headset WH3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation, Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, 58mm ear cup size, Leatherette Memory foam material, USB-C Wired connection, 2.0m cable length, Inline control
520-BBGQ	R 1,828	Dell 520-BBGQ Pro Wired ANC Headset WH5024, 40mm Speaker size, ANC noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C Wired connection to PC, 2.0m cable length, Inline control
520-BBLV	R 421	Dell 520-BBLV WH125 Wired On-Ear Headset - USB, 2.1 meter cable length, 2.7 cm Driver size, 270 degrees rotational Microphone Design, Boom Microphone Design, USB Type-A Host Interface
520-BBLV	R 416	Dell 520-BBLV WH125 Wired On-Ear Headset - USB, 2.1 meter cable length, 2.7 cm Driver size, 270 degrees rotational Microphone Design, Boom Microphone Design, USB Type-A Host Interface
545-BBFH	R 1,441	Alienware AW520H Dark Side of the Moon Wired Gaming Headset. About this product Enhance your gaming experience with the Alienware AW520H Wired Gaming Headset - Dark Side of the Moon. Featuring immersive Dolby Atmos audio, a retractable boom microphone with AI noise cancellation, and customizable RGB lighting, this headset is designed for gamers seeking high-quality sound and comfort. The memory foam ear pads and adjustable headband ensure a secure and comfortable fit during extended gaming sessions.
545-BBFH	R 1,554	Dell Alienware 545-BBFH Wired Gaming Headset - AW520H - Dark Side of the Moon, USB & 3.5 mm jack, Memory Foam & breathable Fabric earpad material, 40mm Driver size, Dolby Atmos Built-In decoders, AlienFX 16.8 million RGB colours, Boom Microphone, Uni-Directional Microphone
545-BBFJ	R 1,407	Dell Alienware 545-BBFJ Wired Gaming Headset - AW520H - Lunar Light, USB & 3.5 mm jack, Memory Foam & breathable Fabric earpad material, 40mm Driver size, Dolby Atmos Built-In decoders, AlienFX 16.8 million RGB colours, Boom Microphone, Uni-Directional Microphone
683L9AA	R 748	HP 683L9AA HyperX Cloud Stinger 2 Core Gaming Headset, Over Ear, Circumaural, Closed back, OnBoard Audio controls, Soft foam & Fabric Ear Cushions, Electret Condenser Microphone element, DTS Headphone:X Virtual Surround sound, 40mm Driver with Neodymium magnets
6959144012315	R 179	Promate Chrome Metallic Multifunction Stereo Headphones With Mic - Champagne
74-520BBDH	R 1,112	Dell 520-BBDH Wired Headset WH3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation, Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, 58mm ear cup size, Leatherette Memory foam material, USB-C Wired connection, 2.0m cable length, Inline control
74-520BBLV	R 484	Dell 520-BBLV WH125 Wired On-Ear Headset - USB, 2.1 meter cable length, 2.7 cm Driver size, 270 degrees

		rotational Microphone Design, Boom Microphone Design, USB Type-A Host Interface
77T26AA	R 838	HP Poly EncorePro 320 with Quick Disconnect Binaural Headset TAA
77Z30AA	R 2,736	HP Poly Voyager 4320 Microsoft Teams Certified USB-C Headset BT700 dongle
77Z31AA	R 2,966	HP Poly Voyager 4320 USB-C Headset BT700 dongle Charging Stand
783P9AA	R 1,517	HP Poly EncorePro 520V Binaural Headset VoiceTube Quick Disconnect
80S07AA	R 573	HP Poly Blackwire C3220 Binaural USB-C Wired Headset with Travel Case; noise cancelling mic; USB-C plug play; stereo sound; 2.27m cable; 87g lightweight; travel case included; office and call centre use.
8G7T8AA	R 5,530	HP Poly Voyager Surround 85 UC Microsoft Teams Certified USB-C Headset USB-C/A Adapter Charging Stand
8X219AA	R 827	HP Poly Blackwire 3320 Stereo USB-C Headset USB-C/A Adapter
8X220AA	R 608	HP 8X220AA Poly Blackwire 3320 Stereo USB-C Microsoft Teams Certified Headset, Omnidirectional Microphone, On-Ear Headphone Type, USB Type-A & Wired USB Type-C connection, Noise and Echo reduction, Dynamic EQ optimized, Noise cancellation
8X220AA	R 754	HP 8X220AA Poly Blackwire 3320 Stereo USB-C Microsoft Teams Certified Headset, Omnidirectional Microphone, On-Ear Headphone Type, USB Type-A & Wired USB Type-C connection, Noise and Echo reduction, Dynamic EQ optimized, Noise cancellation
8X221AA	R 1,068	HP Poly Blackwire 3325 Stereo USB-C Headset 3.5mm Plug USB-C/A Adapter
8X222AA	R 1,103	HP 8X222AA Poly Blackwire 3325 Stereo Microsoft Teams Certified USB-C Headset 3.5mm plug, Omnidirectional Microphone, Artificial leather Ear Cushions, 32 mm Speaker size
8X225AA	R 2,724	HP 8X225AA Poly Blackwire 8225 Stereo Microsoft Teams Certified USB-C Headset, Omnidirectional Microphone, Artificial leather Ear Cushions, 32 mm Speaker size
8X228AA	R 569	HP Poly Blackwire 3220 Stereo USB-C Headset USB-C/A Adapter
8X228AA	R 746	HP Poly Blackwire 3220 Stereo USB-C Headset USB-C/A Adapter
8X229AA	R 1,022	HP Poly Blackwire 3225 Stereo USB-C Headset 3.5mm Plug USB-C/A Adapter
8X231AA	R 1,793	HP 8X231AA Poly Blackwire 5220 Stereo USB-C Headset 3.5mm plug, On-Ear Headphone Type, Omnidirectional Microphone, Artificial leather Ear Cushions, 32 mm Speaker size
8X231AA	R 1,737	HP 8X231AA Poly Blackwire 5220 Stereo USB-C Headset 3.5mm plug, On-Ear Headphone Type, Omnidirectional Microphone, Artificial leather Ear Cushions, 32 mm Speaker size
901603	R 183	Port Black Stereo Headset With Mic
901603	R 198	Port 901603 stereo headset with Microphone - 3.5mm connection, 1.2m Long cable, Headband is adjustable
901605	R 358	Port 901605 headset with Microphone - USB Type-A and USB Type-C - Black, 1.8m Long cable, Headband is adjustable
901605	R 352	Port 901605 headset with Microphone - USB Type-A and USB Type-C - Black, 1.8m Long cable, Headband is adjustable
912001	R 1,109	Port 912001 Stereo USB Headphone Pro ON ' R 300, Microphone with ENC Technology, 1.8 m Long cable, Quick Access buttons
981-000406	R 399	Logitech H390 USB headset with Noise Cancelling Microphone, Digital audio, In line Volume control, Plug & play, 981-000406, Boom Microphone Type
981-000406	R 351	Logitech H390 USB headset with Noise Cancelling Microphone, Digital audio, In line Volume control, Plug & play, 981-000406, Boom Microphone Type
981-000406	R 652	Logitech H390 USB headset with Noise Cancelling Microphone, Digital audio, In line Volume control, Plug & play, 981-000406, Boom Microphone Type
981-000406	R 368	Logitech H390 USB Headset with Noise Cancelling Microphone. USB wired stereo headset; noise-cancelling mic; volume & mute controls; 2.33 m cable; USB-A plug; 20 Hz-20 kHz audio; 197 g weight
981-000475	R 421	Logitech H340 Headset, Full Stereo Sound, USB Jack, Inline Audio Controls, Noise Cancelling Mic, Adjustable Headband, Black.
981-000475	R 399	Logitech H340 Headset, Full Stereo Sound, USB Jack, Inline Audio Controls, Noise Cancelling Mic, Adjustable Headband, Black.
981-000475	R 392	Logitech H340 USB headset with noise cancelling Mic - Black, Bi-Directional Microphone Type
981-000475	R 299	Logitech H340 USB headset with noise cancelling Mic - Black, Bi-Directional Microphone Type

981-000475	R 439	Logitech H340 USB headset with noise cancelling Mic - Black, Bi-Directional Microphone Type
981-000475	R 394	Logitech H340 USB headset with noise cancelling Mic - Black, Bi-Directional Microphone Type, 981-000475
981-000480	R 583	Logitech 981-000480 H540 USB headset - Black, Bi-Directional Microphone Type
981-000480	R 737	Logitech 981-000480 H540 USB headset - Black, Bi-Directional Microphone Type
981-000480	R 616	Logitech H540 USB Headset - Black, Bi-Directional Microphone Type, 981-000480, USB Port Type-A, 1.8 m cable length
981-000509	R 400	Logitech H340 Black USB Computer Headset With Noise Canceling Mic. The Logitech H340 USB Headset delivers reliable, crystal-clear digital audio and voice for everyday tasks. With a noise-canceling mic, lightweight adjustable design, and simple plug-and-play USB-A setup, it is perfect for remote work, learning and calls across South Africa.
981-000519	R 1,374	Logitech H650e USB Stereo Headset
981-000519	R 1,137	Logitech H650e USB Stereo Headset
981-000571	R 1,093	Logitech 981-000571 VC Headset H570E USB mono, Flexible Microphone Boom, Bi-Directional ECM Microphone, Easy-to-find inline controls
981-000575	R 1,171	Logitech H570e stereo USB headset, Bi-Directional ECM Microphone
981-000575	R 442	Logitech VC Headset H570e USB Stereo Flexible microphone boom Quick access inline controller Optimized for Microsoft Lync, Cisco and compatible with most leading UC platforms Flat no tangle cable Dynamic equalizer
981-000589	R 279	Logitech H151 Analog Stereo Headset with 3.5 mm jack, Bi-Directional Microphone Type, In-Line controls, 981-000589
981-000589	R 376	Logitech H151 Analog Stereo Headset with 3.5 mm jack, Bi-Directional Microphone Type, In-Line controls, 981-000589
981-000589	R 279	Logitech H151 Analog Stereo Headset with 3.5 mm jack, Bi-Directional Microphone Type, In-Line controls, 981-000589
981-000590	R 352	Logitech H151 Analog Stereo Headset with 3.5 mm jack, Bi-Directional Microphone Type, In-Line controls, 981-000590
981-000593	R 146	Logitech H111 Stereo Headset - Single Jack
981-000593	R 169	Logitech H111 Stereo Headset - Single Jack
981-000593	R 132	Logitech H111 Wired stereo headset 3.5mm - Black, 2.35 m cable length, Single 3.5 mm jack, Bi-Directional Microphone Type
981-000593	R 144	Logitech H111 Wired stereo headset 3.5mm - Black, 2.35 m cable length, Single 3.5 mm jack, Bi-Directional Microphone Type
981-000593	R 143	Logitech H111 Wired stereo headset 3.5mm - Black, 2.35 m cable length, Single 3.5 mm jack, Bi-Directional Microphone Type, 981-000593
981-000594	R 201	Logitech H111 Wired stereo headset 3.5mm - Black, 2.35 m cable length, Single 3.5 mm jack, Bi-Directional Microphone Type, 981-000594
981-000803	R 443	Logitech H390 Black USB Computer Headset With Noise Canceling Mic. The Logitech H390 USB Headset (model 981-000803) is a user-friendly wired headset offering crisp digital audio and a noise-cancelling microphone for clear online communication. Its plug-and-play USB design, comfortable adjustable headband, and inline controls make it a reliable choice for video calls, remote work, online learning, and casual gaming.
981-000818	R 2,360	Logitech Pro X Gaming Headset with Blue vo!ce and next-gen surround sound USB, hybrid Mesh pro-g 50 mm Driver, Neodymium magnet, 20 HZ-20 khz Frequency response, 35 ohm impedance, Aluminum fork, Steel headband, Memory foam leatherette, Cardioid (Unidirectional) Microphone pickup pattern
981-000818	R 1,879	Logitech Pro X Wired Gaming Headset - Wired Gaming Headset, Hybrid Mesh Pro-G 50mm, Neodymium Magnet, 20Hz - 20kHz Frequency Response, 32 Ohms Impedance, Aluminum Fork, Steel Headband, Memory Foam Leatherette Ear And Head pads, Pro Microphone, Microphone Pickup Pattern, Black Color, Retail Box
981-000854	R 5,496	Logitech 981-000854 VC headset Zone Wireless Bluetooth headset - Teams Certified, Omni-directional Dual mems Mic Array, Built-in battery (Lithium ion), QI Wireless charging enabled, Bluetooth 5.0, Up to 30m Wireless range
981-000854	R 3,823	Logitech VC headset Zone Wireless Bluetooth headset - Teams Certified, Omni-directional Dual mems Mic Array, Built-in battery (Lithium ion), QI Wireless charging enabled, Bluetooth 5.0, Up to 30m Wireless range, 981-000854
981-000870	R 2,161	Logitech Zone Wired headset - Graphite - USB for MS Teams, Uni-directional Mic, 40 mm Driver size, Headset with

		inline controller and USB-C connector, 981-000870
981-000883	R 2,329	Logitech G733 LightSpeed Wireless RGB Gaming Headset White, Pro-G 40 mm Driver, Cardioid (Unidirectional) Microphone pickup pattern, LightSpeed Wireless via USB connection Type, 29 hours no Lighting battery life, 20 hours Default Lighting battery life, Reversible soft headband, Detachable Microphone, USB-C to USB Type-A charging cable, 981-000883
981-000883	R 2,927	Logitech G733 LightSpeed Wireless RGB Gaming Headset White, Pro-G 40 mm Driver, Cardioid (Unidirectional) Microphone pickup pattern, LightSpeed Wireless via USB connection Type, 29 hours no Lighting battery life, 20 hours Default Lighting battery life, Reversible soft headband, Detachable Microphone, USB-C to USB Type-A charging cable, 981-000883
981-000978	R 1,127	Logitech G335 Wired Gaming Headset - Black, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-000978
981-000978	R 799	Logitech G335 Wired Gaming Headset - Black, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-000978
981-000978	R 776	Logitech G335 Wired Gaming Headset - Black, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-001018
981-001018	R 1,127	Logitech G335 Wired Gaming Headset - White, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-001018
981-001018	R 799	Logitech G335 Wired Gaming Headset - White, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-001018
981-001018	R 776	Logitech G335 Wired Gaming Headset - White, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-001018
981-001050	R 1,520	Logitech G435 LightSpeed Wireless Gaming Headset - Bluetooth - Black and Yellow, 40 mm audio drivers, Up to 10 meters via LightSpeed USB receiver or Bluetooth, 18 hours play time, USB-C charging Port
981-001062	R 1,520	Logitech G435 LightSpeed Wireless Gaming Headset - Bluetooth - Blue & Raspberry, 40 mm audio drivers, Up to 10 meters via LightSpeed USB receiver or Bluetooth, 18 hours play time, USB-C charging Port, 981-001062
981-001074	R 1,520	Logitech G435 LightSpeed Wireless Gaming Headset - Bluetooth - White and Lilac, 40 mm audio drivers, Up to 10 meters via LightSpeed USB receiver or Bluetooth, 18 hours play time, USB-C charging Port
981-001213	R 1,149	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001213	R 2,171	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001213	R 1,399	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001213	R 1,581	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001213	R 1,601	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001219	R 1,609	Logitech Zone Vibe 100 Wireless Headphones - Bluetooth - Off-White, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001224	R 1,582	Logitech 981-001224 Zone Vibe 100 Wireless Headphones - Bluetooth - Rose, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001224	R 1,609	Logitech 981-001224 Zone Vibe 100 Wireless Headphones - Bluetooth - Rose, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001224	R 1,811	Logitech 981-001224 Zone Vibe 100 Wireless Headphones - Bluetooth - Rose, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001224	R 1,596	Logitech 981-001224 Zone Vibe 100 Wireless Headphones - Bluetooth - Rose, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
981-001576	R 419	Logitech H390 Black USB Type-C Stereo Headset with adjustable headband, Noise Cancelling Mic, Rotating Microphone, 1.9 m cable length, 30 mm Driver size, 981-001576

981-001576	R 345	Logitech H390 Black USB Type-C Stereo Headset with adjustable headband, Noise Cancelling Mic, Rotating Microphone, 1.9 m cable length, 30 mm Driver size, 981-001576
981-001576	R 443	Logitech H390 Black USB Type-C Stereo Headset with adjustable headband, Noise Cancelling Mic, Rotating Microphone, 1.9 m cable length, 30 mm Driver size, 981-001576
981000406	R 463	Logitech H390 USB Computer Headset; wired USB-A connectivity; 30 mm audio drivers; 20 Hz to 20 kHz headphone frequency response; noise-cancelling bidirectional microphone; in-line volume and mute controls; 1.9 m cable; adjustable headband; leatherette ear cushions; 197 g; for compatible computers, video calls, office work and online learning
981000480	R 814	Logitech H540 USB computer headset; Wired USB-A; Digital stereo sound; Noise-cancelling boom microphone; Headphone frequency response: 20 Hz - 20 kHz; Microphone frequency response: 100 Hz - 16 kHz; 1.8 m cable; On-ear volume and mute controls; Adjustable padded headband; Weight: 0.12 kg; Windows, macOS and ChromeOS compatibility
981000593	R 151	Logitech H111 Black Stereo Headset; wired 3.5mm audio jack; stereo sound; rotating noise-reducing boom microphone; adjustable headband; foam ear cushions; 2.35m cable; 20Hz - 20kHz headphone response; 32-ohm impedance; 74g; compatible Windows, macOS and ChromeOS devices
981001213	R 1,914	Logitech Zone Vibe 100 Graphite Bluetooth Headset; Wireless over-ear Bluetooth headset; Bluetooth 5.2; 40 mm audio drivers; Dual MEMS microphones with directional beamforming; Up to 20 hours listening; Up to 18 hours talk time; USB-C charging; Multipoint Bluetooth for 2 active devices; Weight: 185 g; Dimensions: 183 x 169.7 x 73 mm
981001219	R 1,914	Logitech Zone Vibe 100 Off white Bluetooth Headset; Wireless Bluetooth 5.2 headset; 40 mm drivers; dual MEMS microphones with beamforming and DSP; up to 20 hours listening; up to 18 hours talk time; USB-C charging; up to 30 m wireless range; multipoint connectivity; 185 g; compatible with Windows, macOS, ChromeOS, iOS and Android Bluetooth devices
981001224	R 1,914	Logitech Zone Vibe 100 Rose Bluetooth Headset; Bluetooth 5.2; 40 mm audio drivers; dual MEMS microphones with directional beamforming and DSP; up to 20 hours listening; up to 18 hours talk time; USB-C charging; up to 30 m wireless range; 185 g; Windows, macOS, ChromeOS, iOS and Android compatibility
981001576	R 409	Logitech H390 Black USB-c Computer Headset; Wired stereo audio; USB Type-C; 30 mm drivers; Noise-cancelling bidirectional microphone; Inline volume and mute controls; Adjustable headband; Padded leatherette ear cushions; 1.9 m cable; 20 Hz to 20 kHz headphone frequency response; 197 g; 17.1 x 15.1 x 6.8 cm
A12011-B	R 82	Astrum HS110 On-ear Wired Stereo Headset with Flex Mic
A12012-B	R 122	Astrum HS120 Over-ear Wired Stereo Headset with Flex Mic, 40mm Large cup leather channels, over the head, leather cushion, Large Size, volume control, Colour Box
A12022-B	R 122	Astrum HS220 Black Over-Ear Wired Stereo Headset with Rotating Mic. Driver Unit: 40mm; Frequency Response: 20Hz - 20kHz; Impedance: 32?; Sensitivity: 105dB ±3dB; Microphone Type: Omnidirectional; Microphone Sensitivity: -58dB ±3dB; Connector: 3.5mm stereo plug; Cable Length: 2.2 meters; Weight: 250g
A12024-B	R 98	Astrum HS240 On-Ear Wired Stereo Headset with Flex Mic Dual 3.5mm Aux, 40mm Driver size, 2x 3.5mm Aux connectivity, 1.5m cable length
A12060-B	R 98	Astrum HS600 Over-Ear Headphones with Mic, 1x 3.5mm Aux jack for Mic/audio, 40mm Driver size, 1.5m cable length
A12064-B	R 174	Astrum HU640 Headset Wired USB with Rotating Mic, High-Fidelity audio, On-Ear Design
A12066-B	R 251	Astrum A12066-B HU660 USB Over ear Headset with Mic, Over the ear design, Premium finish with clear sound, Noise isolation Mic, 2.0meter long cable, USB plug & play.
A12075-B	R 251	Astrum Hs750 Black USB Headset For Call Centre, Headset Flexi Mic Compact Carry Bag
A12110-B	R 191	Astrum HG100 Wired Gaming Headset with 2x 3.5mm with Boom Mic, 50mm Large drivers, Omnidirectional Microphone, USB powered, Dual 3.5mm Aux connectivity, 2m cable length
AEH102GL	R 393	Targus AEH102GL Wired Stereo Headset - USB, Rotatable Mic, Noise Cancelling Mic, In-Line controls, 40mm Diameter Speakers
AF13C1INBL000-0	R 643	Mad Catz F.R.E.Q. 2 Gaming Stereo Headset - Black with 3.5mm jack, 40mm Neodymium drivers, In-Line

		controller Volume control, Omni-Directional Mic pattern, Retractable Microphone, In-Line controller Microphone mute, 3.5mm TRRS Audio jack/line in, 1.3m cable length
AF13C2INBL000-0	R 932	Mad Catz F.R.E.Q. 4 Gaming Stereo Headset - Black with 3.5mm jack, 50mm Neodymium drivers, In-Line controller Volume control, Omni-Directional Mic pattern Microphone, Retractable Microphone, ENC ANC Mic, In-Line controller Microphone mute, Virtual 7.1ch Surround Sound, Lighting effect & colours, USB Type-A connection Type, 2.2m cable length
AHDEDRIFTP	R 401	Astrum Ease Drift Purple Hybrid ANC BT6.0 Headphones; Bluetooth 6.0; Hybrid ANC; 6 microphones; 40mm drivers; Up to 100H playback; Up to 60H with ANC; AUX; USB-C; 800mAh Li-ion battery; 20Hz-20kHz; 10m wireless range; 250g
AHDEDRIFTU	R 401	Astrum Ease Drift Blue Hybrid ANC BT6.0 Headphones; Bluetooth 6.0; Hybrid ANC; 6 microphones; 40mm drivers; Up to 100H playback; Up to 60H with ANC; AUX; USB-C; 800mAh Li-ion battery; 20Hz-20kHz; 10m wireless range; 250g
AHDUTP10B	R 513	Astrum TALKPRO10 USB ENC MIC TEAM A C Headset; omni-directional ENC microphone; mute function; busy LED; 100Hz-10kHz frequency response; 2.0m cable; soft cushioned ear pads; lightweight design; Windows; macOS; Android; Microsoft Teams; Zoom
AHS14M	R 12	Okion Vocalo-Plus Earphone Microphone For Internet Chatting
AHS7M	R 23	Okion Stylaz Rear-Hanging Backphone. Microphone With Volume Control, Rear-Hanging Backphone Microphone With Volume Control. Okion Stylaz Earphone with Microphone Orange and Red.
AIRPHONE5CARBON	R 390	SonicGear Airphone 5 Carbon Bluetooth Headphones; Bluetooth 5.4; 40mm dynamic drivers; Frequency response: 20Hz - 20kHz; Sensitivity: 114dB /-3dB; Impedance: 32 ohms /-15%; Wireless range: up to 15m; Battery: 200mAh; Playback: up to 20 hours at 50% volume; Charging time: approximately 2 hours; 3.5mm audio input
AIRPHONE5CCARAMEL	R 390	SonicGear Airphone 5 Creme Caramel Bluetooth Headphones; Bluetooth 5.4; 40mm dynamic drivers; Strong Bass enhancement; 20Hz - 20kHz frequency response; 32 ohms /- 15% impedance; 114dB /- 3dB sensitivity; 200mAh battery; up to 20 hours at 50% volume; approximately 2-hour charging time; USB Type-C charging; 3.5mm audio input; up to 15m wireless range; adjustable headband; wireless and wired listening
AIRPHONE5CLOUD	R 390	SonicGear Airphone 5 Cloud Bluetooth Headphones; Bluetooth 5.4; 40mm dynamic drivers; over-ear headphones; built-in microphone; 200mAh rechargeable battery; up to 20 hours playback at 50% volume; up to 15m wireless range; USB Type-C charging; 3.5mm AUX input; foldable design; adjustable headband
AIRPHONEANC2000BGM	R 643	SonicGear Airphone ANC (Active noise cancelling) 2000 Black/Gun Metal. Active Noise Cancelling Headphone.
AIRPHONEANC3000WG	R 689	SonicGear Airphone ANC 3000 White/Light Grey Active Noise Cancelling Headphone
AM2005-BBK	R 167	Amplify Symphony headphones with mic, Blue & Black, Cushoned ear pads for extra comfort, Microphone, Works with most devices with a 3.5mm jack
AMP-1000-BKRD	R 136	Amplify Pro Load series earphones with Mic, Black & Red, Durable aluminium earphones. Built-in mic, 3.5mm Stereo jack plug
AMP-1002-RD	R 89	Amplify Pro Jazz series in-ear earphones, Red
AMP-2011-BKGR[V1]	R 282	Amplify Fusion series Black/Grey Bluetooth Headphone
AMP-2011-BKGR[V2]	R 282	Amplify Fusion Series V2.0 Black/Grey Bluetooth Headphones
AMP1003BKBL	R 161	Amplify Pro Vibe series in-ear earphones with Mic, Black & Blue, 3.5mm stereo jack
AMP1003BKGR	R 164	Amplify Pro Vibe series in-ear earphones with Mic, Black & Blue, 3.5mm stereo jack
AP13C1INBL000-0	R 746	Mad Catz P.I.L.O.T. 3 Gaming Headset - 3.5mm jack, 50mm Neodymium drivers, In-Line controller Volume control, Uni-Directional Mic pattern, Detachable Microphone, 2m cable length, 3.5mm TRRS Audio jack, Suspension headband, ABS with Laser engraved ear pad
AP13C2INBL000-0	R 863	Mad Catz P.I.L.O.T. 5 RGB 7.1 Gaming Headset - USB, 50mm Neodymium drivers, In-Line controller Volume control, Uni-Directional Mic pattern, Detachable Microphone, ENC ANC Mic, In-Line controller Microphone mute, Virtual 7.1ch Surround Sound, Embedded EQ with 3D Sound effect, USB Type-A connection Type, 2m cable length
ASUS TUF GAMING H1 WIRELESS	R 1,199	Asus TUF Gaming H1 Wireless headset, 2.4GHz, USB Type-A & USB-C connector, Neodymium magnet Driver material, 40mm Driver size, Unidirectional Microphone pick-up pattern, AI Noise Cancelling Microphone, 15 hours

		battery
ATOM9	R 516	Armaggeddon Atom 9 RGB 2.1 Surround Sound Gaming Headset, 50mm Driver size, Omni-Directional Microphone, 2.1m cable length, 3.5mm 4 pin Headset jack, USB
BO-1004-BKRD	R 103	Bounce Break series hook-on earphones, Black & Red, 3.5mm jack plug
BO-1101-CH	R 207	Bounce Shake Series Chai Bluetooth Earphones
BO-1105-BK	R 241	Bounce Bachata Series Black Bluetooth Earphones with Neckband
BO-2003-RD	R 161	Bounce Ball High Performance wired heaphones, Red, 3.5mm jack plug
BS-HP30	R 529	Boss Audio Dual Channel Wireless Infrared Headphones (Sold Individually), For use in cars, trucks, motorhomes, and other vehicles with 12V video-Black, Retail Box
CA-9011235-AP	R 2,174	Corsair HS80 Void RGB Wireless headset - Carbon, PS4 ready, Surround sound, Rechargble battery, 50mm headset drivers, Dolby Atmos audio, RGB Lighting, Omnidirectional Microphone Type
CA-9011237-AP	R 1,829	Corsair HS80 RGB USB Premium Gaming Headset, Surround Sound, 50mm Audio Drivers, Omni-directional Microphone - PC
CA-9011237-AP	R 1,540	Corsair HS80 RGB USB Wired Over-Ear Gaming Headset - Carbon Black, USB Wired connection for PC compatibility, 50 mm Custom-Tuned drivers, Dolby Audio Surround Sound Technology, Detachable Boom Microphone with Omni-Directional pickup, RGB Lighting on earcups controlled via Corsair iCUE Software, 1.8 m cable length, Active Noise Cancellation is not included
CA-9011238-AP	R 1,369	Corsair HS80 RGB USB Premium Gaming Headset, Surround Sound, 50mm Audio Drivers, Omni-directional Microphone - PC
CA-9011238-AP	R 1,540	Corsair HS80 RGB USB Wired Over-Ear Gaming Headset - White, 50 mm Custom-Tuned drivers, Dolby Audio Surround Sound, Detachable Omni-Directional Boom Microphone, Fully customisable RGB Lighting on the earcups via Corsair iCUE Software, USB Wired connection ensuring stable Performance on PC, Lightweight Design, 1.8 m cable length, No Active Noise Cancellation functionality
CA-9011260-AP	R 679	Corsair HS55 Stereo Gaming Headset - Carbon - 3.5mm, 50mm Headphone drivers, 1.8m cable length, Omni-Directional Microphone Type, 3.5mm Interface
CA-9011260-AP	R 968	Corsair HS55 Stereo Gaming Headset - Carbon - 3.5mm, Wired Stereo Gaming Headset Design, Custom-Tuned 50mm Neodymium Audio drivers, Omni-Directional flip-to-mute Microphone, 3.5mm Interface for connectivity, cable length of 1.8 meters, Memory Foam Leatherette ear pads for Comfort, Adjustable headband and ear cups, On-Ear Volume Roller Control, Discord Certified Audio certification
CA-9011261-AP	R 874	Corsair HS55 Stereo Gaming Headset - White - 3.5mm, 50mm Headphone drivers, 1.8m cable length, Omni-Directional Microphone Type, 3.5mm Interface
CA-9011261-AP	R 968	Corsair HS55 Stereo Wired Gaming Headset in White, Custom-Tuned 50mm Neodymium Audio drivers, Omni-Directional Microphone with flip-to-mute Function, Discord Certified for Crystal-Clear communication, 3.5mm Interface, Memory Foam Leatherette ear pads for All-Day Comfort, Lightweight construction, Adjustable headband and ear cups, On-Ear Volume Roller Control, 1.8m cable length
CA-9011265-AP	R 1,139	Corsair HS55 Surround Gaming Headset - Carbon, Wired headset Type, 50mm headset drivers, 1.8m cable length, Omni-Directional Microphone Type, Dolby audio 7.1 Surround
CA-9011266-AP	R 1,127	Corsair HS55 Surround Gaming Headset - White, Wired headset Type, 50mm headset drivers, 1.8m cable length, Omni-Directional Microphone Type, Dolby audio 7.1 Surround
CA-9011270-AP	R 1,449	Corsair HS65 Surround Gaming Headset - Carbon, Wired headset Type, 50mm headset drivers, 1.8m cable length, Dolby audio, Omni-Directional Microphone Type
CA-9011270-AP	R 1,323	Corsair HS65 Surround Gaming Headset - Carbon, 50mm Neodymium Audio drivers for excellent Sound range, Dolby Audio 7.1 Surround Sound on PC and Mac via USB Adapter, SoundID personalized Audio Profile customization via Corsair iCUE Software, Omni-Directional Microphone with flip-to-mute Function, Discord Certified for Crystal-Clear communication, 1.8m cable length for Wired connectivity, Memory Foam Leatherette ear pads with breathable Microfiber headband, Lightweight aluminum-reinforced construction, On-Ear Volume Roller and flip-to-mute Mic controls, 3.5mm jack support for Easy connection to consoles or Mobile devices
CA-9011271-AP	R 1,449	Corsair HS65 Surround Gaming Headset - White, Wired headset Type, 50mm headset drivers, 1.8m cable length, Dolby audio, Omni-Directional Microphone Type

CA-9011271-AP	R 1,323	Corsair HS65 Surround Gaming Headset - White, Dolby Audio 7.1 Surround Sound with SoundID personalization via Corsair iCUE Software on PC and Mac, Custom-Tuned 50mm Neodymium Audio drivers, Omni-Directional Microphone with flip-to-mute Function, 1.8m cable length for extended reach, Memory Foam Leatherette ear pads with breathable Microfiber headband, Lightweight aluminum-reinforced construction weighing 282g, On-Ear Volume Roller and flip-to-mute Mic controls, USB Adapter included for Multi-Channel Dolby Audio support, 3.5mm jack compatibility, Discord Certified Microphone for Clear communication
CA-9011377-AP	R 633	Corsair HS35 v2 Multiplatform Gaming Headset - Carbon (AP) - 3.5mm connector, 1.8m cable length, Stereo audio, 50mm Neodymium drivers, easy-to-reach On-Ear Volume and mute controls, CA-9011377-AP
CA-9011386-AP	R 679	Corsair HS35 Surround v2 Multiplatform Gaming Headset (AP) - Carbon, 50mm Neodymium drivers, Wired Headphone Type, 1.8m cable length, Dolby Surround audio, Universal 3.5mm connection, USB Port adaptor, CA-9011386-AP
CA-9011399-WW	R 760	Corsair HS35 V3 Wired Gaming Headset - Carbon, Carbon Black Stereo Gaming Headset with 50mm Neodymium drivers, Wired 3.5mm connection for instant plug-and-play use, Fixed omnidirectional Boom Microphone for Clear voice communication, Floating headband Design with soft earpads for extended sessions, On-earcup controls for Volume and mute adjustments, Stereo Surround Sound without Active Noise Cancellation, No RGB Lighting included
CA-9011400-WW	R 760	Corsair HS35 V3 Wired Gaming Headset - White, 3.5mm Wired connection for instant plug-and-play use, 50 mm Neodymium drivers deliver rich Stereo Gaming Audio, Fixed omnidirectional Boom Microphone ensures Clear voice pickup, On-earcup controls enable quick Volume and mute adjustments, Floating headband and soft earpads provide Comfort during Long sessions, No RGB Lighting included, Active Noise Cancellation not supported
CD-K6	R 39	Geeko In Ear Wired Earphones With Volume Control- Hi Fi Sound, Loud Speaker Driver 15mm, Impedance: 32 ohm, Sensitivity: 102dB, Signal Wire 0.8m, Connector: 3.5mm, No Microphone, For Use With MP3, MP4, CD Players, Tablet PCâ€™s And Laptops, Colour Silver and Black OEM
CND-SGHS6W	R 361	Canyon Shadder GH-6 RGB Gaming Headset with Microphone - White, ABS PU leather, USB & 1x 3.5mm jack plug, 2.0m PVC cable, RGB Lighting
CND-SGHS8A	R 369	Canyon Interceptor GH-8A Gaming Headset with 3.5mm jack Plus USB connector for LED backlight, Adjustable Microphone and Volume control, 2-in-1 3.5mm Adapter, cable 2m, Black and Orange
CND-SGHS9A	R 320	Canyon Darkless GH-9A RGB Gaming Headset with Microphone, ABS PU leather, USB & 1x 3.5mm jack plug, 2.0m PVC cable, RGB Lighting
CNS-CHS01BO	R 145	Canyon HS-01, PC Headset with Microphone 3.5mm - Black / Orange, Volume control and adjustable headband, 1.8m cable length, Supra-aural (On-Ear) Form Factor, Built-In Microphone, In-cord Volume control, 2x 3.5 mm Input
CNS-CHSC1BY	R 169	Canyon HSC-1 Basic PC Headset with Microphone - Black / Yellow, Combined 3.5mm plug, Leather pads, 2m flat cable length 2.0m, Inline Volume control, Leather pads, Rotary Arm Microphone
CNS-CHSU1B	R 225	Canyon CHSU-1 Basic PC Headset with Microphone - USB, 2.0m flat cable length, Leather ear pads, 40 mm drivers, Inline Volume control, Flexible Arm Microphone
EARPUMPTWSPRO1BLK	R 447	SonicGear EarPump TWS Pro 1 Bluetooth Pod earphones, 2x 13mm Driver size, Up to 15m Wireless effective distance, Up to 5 hours @ 50% Volume Music playtime from Bluetooth
EVOLVE-20	R 865	Jabra EVOLVE-20 Stereo Wired USB Headset, Stereo, USB, Passive noise cancellation, Plug and Play, Designed for all day comfortable use
EVOLVE-65-SE	R 3,203	Jabra EVOLVE-65 SE Stereo Bluetooth headset, Includes Link 380A, Maximum 120 minutes charging Time, USB / Bluetooth connection, Up to 30 m operating range, Up to 14 hours talk-time, Up to 15 days Standby Time
FAN-HT-101	R 286	Fanvil HT101 RJ9 On-Ear Headset with Microphone
G-HGS045CRGBW0-GXLG	R 838	Galax Sonar 4 White USB 7.1 Channel RGB Headphones. 7.1 Virtual Surround Sound; USB RGB; Leatherette Headband and Earmuffs; Omni-directional Microphone; Foldable; PC and Console Compatible; 2.2m Cable
GHP	R 253	Unbranded Tuner Gaming Headset
GHT-RPR-DIECBK-29	R 1,355	Thermaltake RIING Pro RGB 7.1 Gaming Headset
GHT-SHX-ANECBK-35	R 722	Thermaltake Shock XT Stereo Gaming Headset
GHT-SHX-DIECBK-36	R 895	Thermaltake Shock XT 7.1 Gaming Headset

GHT-THF-ANECBK-30	R 631	Thermaltake Argent H5 Stereo Gaming Headset
GS-GUV3000	R 336	Grandstream GUV3000 HD USB binaural Professional headset with noise cancelling technology, Adjustable headband, 27mm Speaker diameter, 310 degree Microphone Boom arm rotation, 2 meters
HEADPHONE-220U-AI	R 229	Genius HS-220U AI Copilot USB Headset, Headbands adjustable Type, Microphone, Volume control, 2.4 m cable length
HEADPHONE-220U-USB	R 213	Genius 220U USB Headset with inline control - Black, Inline control for Volume or mute, 1.8m cable length
HEADPHONE-HS-04S	R 117	Genius HS-04S Stereo Headset with Noise-Cancelling Microphone, 3.5mm jack, In-Line Volume control, Adjustable headband, Bendable Microphone, 1.8m cable length
HEADPHONE-HS-04S-PC	R 152	Genius HS-04S Stereo Headset with Noise-Cancelling Microphone, 3.5mm jack 4 pole, In-Line Volume control, Adjustable headband, Bendable Microphone, 1.8m cable length
HEADPHONE-HS-230U	R 238	Genius HS-230U USB Type-C headband Headset, Microphone, Volume control, 1.8 m cable length, 31710021405
HEADPHONE-HS-M505X	R 146	Genius HS-M505X Stereo Headset with Large Earcup and call answer Button, 3.5mm connector, 40mm Driver unit, Omni-Directional Microphone
HS-AEN	R 1,358	Asus Echelon Navy Edition - Gaming Headset - Military Camo style, retractable noise-filtering microphone, 50mm neodymium magnet drivers with 100mm over-ear cushions, with in-line volume control, with in-line volume control with cable organizer, 3.5mm 4-pole connector, 1.2m cable for mobile 1.3m extension audio/mic splitter cable for PC
HS-AP	R 1,459	Adata XPG Precog Gaming Headset (full pack) - Hybrid Electrostatic / Dynamic dual driver, 7.1 channel, detachable ENC Mic (Environmental Noise Cancellation), rotatable ear cup auto-adjust headband, 13.5mm driver, electroplated aluminum, 5-20k Hz, Type-C wired controller w/ DSP sound card carry case type-A to C cable Y-cable spliter for cross-platform - USB type C / 3.5mm jack input
HS-APA	R 1,493	Adata XPG Precog Analogue Gaming Headset - Hybrid Electrostatic / Dynamic dual driver, detachable unidirectional Mic, rotatable ear cup auto-adjust headband, 13.5mm driver, electroplated aluminum, 5-20k Hz - 3.5mm jack input
HS-CHS35V2-KK	R 695	Corsair HS35 v2 Black Multiplatform Gaming Headset
HS-CHS55ST-K	R 961	Corsair ca-9011260 HS55 Stereo Headset - blK - 4-pole 3.5mm stereo mic for PC/mobile/PC/PS4/XBOX, 3.5mm - swivel-able earcup with 50mm drivers, with noise-filtering mic, volume control on earcup, microfiber/memory foam earpads, Discord-certified
HS-CHS55ST-W	R 961	Corsair ca-9011261 HS55 Stereo Headset - White grey - 4-pole 3.5mm stero mic for PC/mobile/PC/PS4/XBOX, 3.5mm - swivelable earcup with 50mm drivers, with noise-filtering mic, volume control on earcup, microfiber/memory foam earpads, Discord-certified
HS-CHS65-K	R 1,313	Corsair ca-9011270 HS65 Surround 7.1 Headset - blK - 4-pole 3.5mm stero mic for PC/mobile/PC/PS4/XBOX, 3.5mm USB dolby 7.1 adapter, Sonarworks SoundID Technology - swivelable earcup with 50mm drivers, with noise-filtering mic, volume control on earcup
HS-CHS65-W	R 1,313	Corsair ca-9011271 HS65 surround 7.1 headset - White grey - 4-pole 3.5mm stereo mic for PC/mobile/PC/PS4/XBOX, 3.5mm USB dolby 7.1 adapter, Sonarworks SoundID Technology - swivelable earcup with 50mm drivers, with noise-filtering mic, volume control
HS-CHS80RU-K	R 1,530	Corsair ca-9011237 HS80 RGB USB Gaming Headset - Black Grey highlight - Dolby 7.1 with 16.8 million colors RGB lighting - 50mm drivers, omnidirectional mic with noise-filtering mic, on-headset control with volume mute, durable construction with aluminium
HS-CHS80RU-W	R 1,530	Corsair ca-9011238 HS80 RGB USB Gaming Headset - White Silver highlight - Dolby 7.1 with 16.8 million colors RGB lighting - 50mm drivers, omnidirectional mic with noise-filtering mic, on-headset control with volume mute, durable construction with aluminium
HS-CVP-WS	R 3,227	Corsair ca-9011371 Virtuoso Pro wired Streaming/Gaming Headset - White Silver highlight - open back design with improved airflow to reduce ear pressure, NVIDIA broadcast and VST software compatible, 24bit/96KHz, 20Hz-40KHz, detachable omnidirectional mic with noise-filtering, on-headset control with volume mute, aluminum construction with microfiber/ memory foam ear-pads- 4-pole 3.5mm with Y-adapter for PC/ game console/ mobile
HS-K1140S	R 411	Krator Dione c-1140S Silver Hi-Fi headphones - full aluminum brushed housing, 40mm Neodymium unit driver with noise isolation, ergonomic open-style suspension headband, ventilation ear-cushion, 3.5 / 6.3mm gold-plated plug,

		in-line control with volume Control, 3.5mm - with storage pouch
HS-LG335-K	R 769	Logitech G335 Wired Gaming Headset - Black, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-000978
HS-LG335-W	R 769	Logitech G335 Wired Gaming Headset - White, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-001018
HS-LG432	R 1,431	Logitech 981-000770 G432 Gaming Headset with mic, 7.1 DTS surround sound, on-ear audio inline controls, 6mm flip-to-mute microphone, 50mm drivers with neodymium magnets - USB 3.5mm for PC/ mobile/ game consoles
HS-LG435W+B-K	R 1,599	Logitech 981-001050 G435 Wireless Bluetooth Black Headset with mic, Dolby Atmos, on-ear audio inline controls, 40mm drivers with neodymium magnets, 165g light weight - USB type-A receiver type-C charging
HS-LG435W+B-L	R 1,708	Logitech 981-001062 G435 Wireless Bluetooth Blue Headset with mic, Dolby Atmos, on-ear audio inline controls, 40mm drivers with neodymium magnets, 165g light weight - USB type-A receiver type-C charging
HS-LG435W+B-W	R 1,988	Logitech 981-001074 G435 Wireless Bluetooth White Headset with mic, Dolby Atmos, on-ear audio inline controls, 40mm drivers with neodymium magnets, 165g light weight - USB type-A receiver type-C charging
HS-LG733W-K	R 3,426	Logitech G733 LightSpeed Wireless RGB Gaming Headset Black, Pro-G 40 mm Driver, Cardioid (Unidirectional) Microphone pickup pattern, LightSpeed Wireless via USB connection Type, 29 hours no Lighting battery life, 20 hours Default Lighting battery life, Reversible soft headband, Detachable Microphone, USB-C to USB Type-A charging cable, 981-000864
HS-LG733W-W	R 3,487	Logitech G733 LightSpeed Wireless RGB Gaming Headset White, Pro-G 40 mm Driver, Cardioid (Unidirectional) Microphone pickup pattern, LightSpeed Wireless via USB connection Type, 29 hours no Lighting battery life, 20 hours Default Lighting battery life, Reversible soft headband, Detachable Microphone, USB-C to USB Type-A charging cable, 981-000883
HS-LH111	R 148	Logitech 981-000593 H111 Stereo Headset with Mic, with NCAT - 3.5mm. input jack- mm : 3.5, inline control : N, mic : Y, frequency headphone / mic - hz : 20 - 20k / 100 - 16k
HS-LH151	R 291	Logitech 981-000589 H151 black headset with rotating mic, with NCAT, inline volume and mute control - 3.5mm
HS-LH340	R 378	Logitech 981-000475 H340 Headset with rotating mic, with NCAT - USB; bi-directional mic; digital stereo audio; 20 Hz-20 kHz; 1.8 m cable; adjustable headband; foam ear cushions; Windows; macOS; ChromeOS; 175 x 160 x 60 mm; 0.10 kg
HS-LH390	R 366	Logitech 981-000406 H390 USB stereo headset with rotating mic, adjustable behind-the-head design, with NCAT, in-line volume and mute control - USB
HS-LH540	R 652	Logitech 981-000480 H540 USB stereo headset with rotating mic, 31mm laser-tuned audio drivers, flexible boom, audio controls equalizer on headset with mute indicator, with NCAT, on-unit audio control - USB
HS-LH570ES	R 1,243	Logitech 981-000575 H570E Stereo (double-ear) headset with flexible microphone boom with directional ECM, Digital Signal Processing with NCAT, adjustable earpieces, in-line control with In-call LED volume and mute, padded leatherette headband and earpads - USB - OEM pack. input jack- mm : usb, inline control : Y, mic : Y, frequency headphone / mic - hz : 32-20k / 100-18k
HS-LZU	R 2,460	Logitech UC Zone Wired headset - Graphite - USB for MS Teams, Uni-directional Mic, 40 mm Driver size, Headset with inline controller and USB-C connector, 981-000875
HS-LZUMT	R 2,773	Logitech Zone Wired headset - Graphite - USB for MS Teams, Uni-directional Mic, 40 mm Driver size, Headset with inline controller and USB-C connector, 981-000870
HS-LZV100W-K	R 1,668	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
HS-LZV100W-P	R 1,668	Logitech 981-001224 Zone Vibe 100 Wireless Headphones - Bluetooth - Rose, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
HS-LZV100W-W	R 1,668	Logitech 981-001219 Zone Vibe 100 Wireless Headphones - Bluetooth - Off-White, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
HS-LZW	R 2,297	Logitech Zone Wireless Bluetooth headset - Graphite, Omni-directional Dual mems Mic Array, Built-in battery, QI Wireless charging enabled, QI Wireless charging enabled, USB Type-A to C3, Wireless range up to 30m, 981-000914
HS-LZWMT	R 4,240	Logitech VC headset Zone Wireless Bluetooth headset - Teams Certified, Omni-directional Dual mems Mic Array,

		Built-in battery (Lithium ion), QI Wireless charging enabled, Bluetooth 5.0, Up to 30m Wireless range, 981-000854
HS-Z200	R 164	Zalman headphone zm-HPS200 Gaming Headset with Flexible Microphone - flat cable design, 2x 40mm driver, volumn control on unit - 3.5mm
HT-CRA-ANECBK-14	R 711	Thermaltake Cronos AD Ear-Cup USB Headset
HV-H2178B	R 200	Havit Havit Colorful Music Headphone headset with Microphone Blue, 3.5mm connector
KIND2	R 263	SonicGear kinder 2 headset Blue kids Volume detuned safe for todlers, 40mm Driver unit, Gold-plated 3.5mm audio jack connector, 100cm cable length
LENOVO 4XD1P83425	R 541	LENOVO 4XD1P83425 USB Type-A Wired Stereo Headset Gen2, 30mm Driver, Microphone, Controls - mute / unmute / answer / reject / end the call / Volume /-
LIFECHATLX6000BU	R 1,034	Microsoft LifeChat Headset LX-6000 for Business, Optimised for Microsoft Lync, Clear Stereo Sound, Noise Canceling Microphone, Inline Volume and Microphone Controls, Plug and Play Simplicity, All Day Comfort.
LOG-981-000406	R 359	Logitech H390 USB headset with Noise Cancelling Microphone, Digital audio, In line Volume control, Plug & play, 981-000406, Boom Microphone Type
LOG-981-000475	R 413	Logitech H340 USB headset with noise cancelling Mic - Black, Bi-Directional Microphone Type, 981-000475
LOG-981-000480	R 626	Logitech H540 USB Headset - Black, Bi-Directional Microphone Type, 981-000480, USB Port Type-A, 1.8 m cable length
LOG-981-000593	R 142	Logitech H111 Wired stereo headset 3.5mm - Black, 2.35 m cable length, Single 3.5 mm jack, Bi-Directional Microphone Type, 981-000593
LOG-981-001213	R 1,612	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
LOG-981-001576	R 375	Logitech H390C Black USB Type-C Stereo Headset with adjustable headband, Noise Cancelling Mic, Rotating Microphone, 1.9 m cable length, 30 mm Driver size, 981-001576
LOGI ASTRO 939-001676	R 5,852	Logitech Astro Gaming Astro A50 Wireless Base Station for PlayStation 4 / PC Over-Ear Headphones, 6.0mm uni-directional voice isolating Microphone, 40mm Neodymium magnet drivers, 2.4GHz Wireless Frequency, Base Station - optical pass-through / USB power & soundcard / USB charging Port / Aux in / Mic out (Trrs 3.5mm)
LOGI G355 981-000978	R 789	Logitech G335 Wired Gaming Headset - Black, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks
LOGI G355 981-001018	R 794	Logitech G335 Wired Gaming Headset - White, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks
LOGI H111 981-000593	R 141	Logitech Headset H111 Analog Stereo Headset One plug Noise Cancelling mic full stereo sound Flexible Rotating Boom Adjustable Headband Compatible with popular calling Applications Single 3 5 mm jack
LOGI H340 981-000475	R 316	Logitech Headset H340 USB Stereo Internet headset over the head type with adjustable lightweight design noise cancelling with BLACK Mic
LOGI H390 981-000406	R 373	Logitech Headset H390 USB Stereo Internet headset over the head type with adjustable lightweight design noise cancelling with BLACK In-line digital control (vol , vol-, mute)
LOGI H390 981-001576	R 465	Logitech H390 Black USB Type-C Stereo Headset with adjustable headband, Noise Cancelling Mic, Rotating Microphone, 1.9 m cable length, 30 mm Driver size, 981-001576
LOGI H540 981-000480	R 581	Logitech Headset H540 USB Headset Laser Tuned Drivers Comfortable Padding On Ear Audio Controls Plug & Play
LOGI H570E 981-000571	R 943	Logitech 981-000571 VC headset H570e USB mono, Flexible Microphone boom, bi-directional ecm Microphone, easy-to-find inline controls
LOGI H650E 981-000519	R 1,477	Logitech H650E USB Headset Stereo, Bi-Directional ECM Microphone, 32 mm Driver size, 981-000519
LOGI VC HEADSET ZONE 981-000854	R 3,957	Logitech 981-000854 VC headset Zone Wireless Bluetooth headset - Teams Certified, Omni-directional Dual mems Mic Array, Built-in battery (Lithium ion), QI Wireless charging enabled, Bluetooth 5.0, Up to 30m Wireless range
LOGI VC ZONE VIBE 100 981-00121	R 1,663	Logitech 981-001213 Zone Vibe 100 Wireless Headphones - Bluetooth - Black, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
LOGI VC ZONE VIBE 100 981-001219	R 1,762	Logitech 981-001219 Zone Vibe 100 Wireless Headphones - Bluetooth - Off-White, Dual Omni-Directional mems mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
LOGI VC ZONE VIBE 100 981-00122	R 1,523	Logitech 981-001224 Zone Vibe 100 Wireless Headphones - Bluetooth - Rose, Dual Omni-Directional mems mics

		with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery life (Talk Time)
Logitech G335	R 781	Logitech G335 Wired Gaming Headset - Black, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-000978
Logitech G335 - White	R 781	Logitech G335 Wired Gaming Headset - White, 3.5 mm audio jack, 40 mm Driver, Boom Microphone Cardioid (Unidirectional), PC splitter for separate Mic and headphone jacks, 981-001018
Logitech H111	R 140	Logitech H111 Stereo Headset - 3.5mm Jack.
Logitech H340	R 298	Logitech H340 USB Computer headset Black - USB, 1.8 m cable length, Bi-directional Microphone Type
Logitech H390	R 385	Logitech H390 USB Computer Headset - USB - EMEA - COMFORT
Logitech H390C	R 424	Logitech H390C Black USB Type-C Stereo Headset with adjustable headband, Noise Cancelling Mic, Rotating Microphone, 1.9 m cable length, 30 mm Driver size, 981-001576
Logitech H540	R 608	Logitech H540 USB Computer Headset - USB - EMEA
LRG-GHS101W	R 337	Lorgar Noah 101 Gaming Headset with Microphone - 3.5mm jack connection - White, 2m cable length, Foldable Design, PU leather ear pads, 40 mm Driver Diameter, Retractable Microphone
LRG-GHS460	R 537	Lorgar Kaya 460 USB Gaming Headset with Microphone, RGB backlight, USB Type-A connection, 2m cable, Fabric ear pads, 40 mm Driver Diameter, Retractable Microphone, Noise Cancelling Microphone
LT981000589	R 362	Logitech H151 Analog Stereo Headset with 3.5 mm jack, Bi-Directional Microphone Type, In-Line controls, 981-000589
M07222	R 528	Hyperkin Armor3 SoundTac Universal Gaming Headset - Red, Inline Volume control, Microphone On/Off Switch, 3.5 mm Audio jack
M07222-BK	R 528	Hyperkin Armor3 SoundTac Universal Gaming Headset - Black, Inline Volume control, Microphone On/Off Switch, 3.5 mm Audio jack
M07222-BUOR	R 528	Armor3 SoundTac Blue/Orange Universal Gaming Headset
MAESTRO 300	R 574	MSI MAESTRO 300 Gaming Headset - USB, 40mm Neodymium Driver unit, Unidirectional (Cardioid) pickup pattern Microphone, Wired USB-C connector, 1.5m cable Type
MDR-ZX110/BCE	R 247	Sony MDR-ZX110 Black Headphones Earphone Foldable
MDR-ZX110/WCE	R 247	Sony MDR-ZX110 White Headphones Earphone Foldable
MDR-ZX310AP/BCE	R 300	Sony MDR-ZX310AP Black Folding Aux Headphones with Mic
MIC003	R 99	UniQue Stereo HeadPhones with Flexible Microphone Black -Frequency: 20-20Khz; Sensitivity: 100dB; Impedance: 32Ohm; Power Output 100mW, Retail Box
MME73	R 3,502	Apple AirPods with Wireless charging (3rd generation) - White, Spatial audio with Dynamic head Tracking, Bluetooth 5.0 connectivity, Magsafe charging case, Lightning to USB-C cable, Up to 6 hours of listening time with a single charge, Up to 4 hours of talk time with a single charge, Dual beamforming microphones, Inward-facing Microphone, Skin-detect sensor, Motion-detecting accelerometer, Speech-detecting accelerometer, Force sensor
MUL017	R 67	Genius Hs-02B, Head-Band & Microphone,Volume Control (Classic Headset), Adjustable headband, Headset with microphone, Soft sponge ear pads
MUL151	R 110	Genius Hs-04S Headset With Noise Cancellation, Stereo headset with built-in microphone, headset with on-line volume control, great for MSN/Net phone/Skype, Noise cancelling, PC compatible
MUL180	R 163	Genius Hs-04Su Head-Band Deluxe Professional Headphone, Volume Control, Noise-Cancelling, In-Line volume control & Microphone mute function, Rotational Microphone, PC Compatible
MUL591	R 178	Genius Headset HS-05A headband Deluxe Full-size Headset, 3.5 mm jack connectivity, Microphone, 1.8 m cable length
MUL608	R 216	Genius headset HS-G560 Black purpose PC / Gaming type headband black, Wired 3.5 mm jack, 2m cable length, Microphone
MUL610	R 81	Genius HS-M200C lightweight headset with mic (Single jack), Adjustable & lightweight headband, Rotational Microphone, Soft earpads, 3.5mm jack, 1.8m cable
MUL612	R 297	Genius HS-G600V vibration headset Black with 3.5 mm jack, 1.8 m cable length, Foldable Microphone construction
NBDE520-BBDH	R 1,172	Dell 520-BBDH Wired Headset WH3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation, Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, 58mm ear cup size, Leatherette Memory foam material, USB-C Wired connection, 2.0m cable length, Inline control

NBDE520-BBGQ	R 2,103	Dell 520-BBGQ Pro Wired ANC Headset WH5024, 40mm Speaker size, ANC noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C Wired connection to PC, 2.0m cable length, Inline control
NBDE520-BBLV	R 482	Dell 520-BBLV WH125 Wired On-Ear Headset - USB, 2.1 meter cable length, 2.7 cm Driver size, 270 degrees rotational Microphone Design, Boom Microphone Design, USB Type-A Host Interface
NBDE545-BBFH	R 1,540	Dell Alienware 545-BBFH Wired Gaming Headset - AW520H - Dark Side of the Moon, USB & 3.5 mm jack, Memory Foam & breathable Fabric earpad material, 40mm Driver size, Dolby Atmos Built-In decoders, AlienFX 16.8 million RGB colours, Boom Microphone, Uni-Directional Microphone
NBDE545-BBFJ	R 1,540	Dell Alienware 545-BBFJ Wired Gaming Headset - AW520H - Lunar Light, USB & 3.5 mm jack, Memory Foam & breathable Fabric earpad material, 40mm Driver size, Dolby Atmos Built-In decoders, AlienFX 16.8 million RGB colours, Boom Microphone, Uni-Directional Microphone
NBLE4XD1P83425	R 482	LENOVO 4XD1P83425 USB Type-A Wired Stereo Headset Gen2, 30mm Driver, Microphone, Controls - mute / unmute / answer / reject / end the call / Volume /-
NC3-1-W-TW	R 499	OBlanc Shell NC3-1 2.0 Channel Headphones In-line Microphone with call control and tangle-free cord-50mm ultra-large diaphragm Neodymium driver
NC3-2-GR-TW	R 599	OBlanc Shell NC3-2 2.1 Channel Headphones with In-line Microphone, call control and tangle-free cord - Red, 40mm subwoofers and 30mm Left/Right channels with AMP.
NC3-2-GY-TW	R 599	OBlanc Shell NC3-2 2.1 Channel Headphones and In-line Microphone, call control and tangle-free cord - Yellow, 40mm subwoofers and 30mm Left/Right channels with AMP.
NUKE5	R 551	Armaggeddon Nuke 5 Gaming 7.1 Surround Sound Headset
OCBLA23WH	R 723	OCPC Bello Virtual 7.1 Multiplatform Gaming Headset - White, Dynamic 50mm Neodymium Driver, Type-C / USB / 3.5mm connection Type, 90 degrees rotatable ear-shell with RGB backlight, Detachable Active Noise-Cancelation Microphone, Surround sound Virtual 7.1 system and Digital signal Processing (DSP), Protein leather and Memory-Foam earmuffs
OCBLO23BK	R 746	OCPC Bello virtual 7.1 Multiplatform Gaming Headset - Black, Dynamic 50mm Neodymium Driver, Type-C / USB / 3.5mm connection Type, 90 degrees rotatable ear-shell with RGB backlight, Detachable Active Noise-Cancelation Microphone, Surround sound virtual 7.1 system and Digital signal Processing (DSP), Protein leather and Memory-Foam earmuffs
PDP-048-141-AU	R 529	PDP LVL 40 Wired Stereo Headset for Xbox One, Retail Box
PHP8600	R 164	Polaroid PHP8600 Black And Grey Headphones, In Line Microphone, Tangle Proof, Fabric Cord, Foldable Design, Cushioned Ear Cups, Adjustable Headband, 3.5mm Audio Jack
PHP8603	R 164	Polaroid PHP8603 Grey And Turquoise Headphones In Line Microphone, Tangle Proof Fabric Cord, Foldable Design, Cushioned Ear Cups, Adjustable Headband, 3.5mm Audio Jack
PULSE1CHROMA	R 309	Armaggeddon Pulse 1 Chroma 2.1 Gaming Headset, 40mm drivers, Omni-Directional Microphone, 1x 3.5mm (Headphone and Microphone), 1x USB (Chroma Lighting), 1.8m cable length, Premium PU leather Ear Cushions, Adjustable headband
PULSE1CHROMAWHT	R 332	Armaggeddon Pulse 1 Chroma 2.1 White Gaming Headset. Driver Size: 40mm x 2; Frequency Response: 20Hz - 20kHz; Impedance: 32 Ohm ± 15%; Sensitivity: 98 ± 4dB; Microphone Frequency Response: 10Hz - 10kHz; Connector Type: 3.5mm AUX, USB; Ear Pad Material: PU leather; Cable Length: 1.8m
PULSE7MAA	R 316	Armaggeddon Pulse 7 Percise 2.1 Stereo Gaming Headset A.Allies Mobile (PS4 Compatible), USB 2x 3.5mm connector Type, Vegan leather jackear cushions, Omnidirectional microphone
PULSE7MSS	R 316	Armaggeddon pulse 7 percise 2.1 stereo Gaming Headset S. Soviets Mobile (PS4 compatible), USB 2x 3.5mm connector Type, Vegan leather jackear cushions, Omnidirectional microphone
PULSE7MWG	R 316	Armaggeddon pulse 7 percise 2.1 stereo Gaming Headset Black Yellow Mobile (PS4 compatible), USB 2x 3.5mm connector Type, Vegan leather jackear cushions, Omnidirectional microphone
PWS119GR	R 292	Polaroid PWS119 Wireless Stereo Earbuds - Grey Silicon, Bluetooth 5.0, Built in Mic for handsfree call, Rechargeable polymer Battery, 2-3 hours playing time, 2 hours charging time, 400mAh charging case
QD-RJ9	R 298	Jabra RJ9 QD quick disconnect cord For use with BIZ 1500/2300, For use with Yealink IP phones
RAPOO H120	R 259	Rapoo H120 Wired USB-A Headsets, USB-A, Noice reduction, Volume control

RD-H120	R 191	Redragon ARES Gaming Headset, Stereo 3.5 mm audio jack gaming headset with over ear soft cushion and high sensitivity microphone
RD-H120-RGB	R 236	Redragon Ares Aux RGB Gaming Over-Ear headset - Black, Aux 3.5mm Input Interface, Retractable Microphone, 40mm Speaker Diameter, In-Line Volume control
RD-H211-RGB	R 198	Redragon H211 Cronus Surround Sound RGB Wired Gaming Headset - Black, Fixed Microphone, 40mm drivers, RGB backlighting effect
RD-H211W-RGB	R 220	Redragon H211 Cronus Surround Sound RGB Wired Gaming Headset - White, Fixed (Non-detachable) Microphone, Dynamic RGB Lighting effects, 40mm drivers, Surround Sound, USB connection
RD-H220N	R 222	Redragon THEMIS 2 - 3.5mm, 2.0, Boom Mic Gaming Headset - Black
RD-H231RGB	R 298	Redragon Scream Over-Ear RGB Gaming Headset - Black, 2.1m cable length, Fixed Microphone, Leather foam ear pads, Adjustable Noise-Canceling Microphone, Dynamic RGB backlight, 40 mm drivers, 1x 3.5mm connecting cable
RD-H260RGB	R 247	Redragon HYLAS H260 RGB gaming Headphone, 3.5mm Surround sound Computer headset Earphones Microphone for PS4 Switch Xbox-one
RD-H350RGB-1	R 453	Redragon Pandora USB 3.5mm Aux, Vitrual 7.1, RGB, In-Line Controller Gaming Headset - Black
RD-H376BR	R 505	Redragon Over-Ear Aurora 7.1 USB Gaming Headset - Black, 7.1 Virtual sound, 40mm drivers, In-Line control, EQ mode Switch, Soft Leatherette foam pads, High sensitivity Microphone, USB 2.0 cable Type
RD-H376WG	R 528	REDRAGON Over-Ear AURORA Gaming Headset - White
RD-H510-1	R 746	Redragon Zeus 2 USB 7.1 Wired Gaming Headset - Black, 2m cable, 3.5mm detachable omnidirectional Boom Mic, 53mm Driver, USB control box, Independent line control
RD-H510-RGB	R 566	Redragon Zeus-x Rgb Gaming Headset
RD-H510W	R 826	Redragon Zeus 2, USB, Virtual 7.1, 2m Cable, 3.5mm Detachable Omnidirectional Boom Mic, 53mm Driver, Gaming Headset - White
RK-1000-WT	R 114	Rocka Elements earbud in-ear earphones, White, 3.5mm jack plug
RK-1008-BK	R 86	Rocka Pulse Bluetooth Earbud in-ear earphones, Black, Bluetoot connection
RKH51-WCED	R 81	Mecer RKH51-WCED Headphone with Microphone, 3.5mm adaptor
RKS-100	R 98	Microworld RKS-100 Stereo Headphone
RKS-99	R 98	Unbranded RKS-99 Stereo Headset
ROC-14-210	R 584	Roccat Aluma In-ear Headset
SF48822	R 313	Surefire Harrier 360 Surround Sound USB Gaming Headset
SS-61606	R 1,530	SteelSeries Arctis NOVA 1 Black Wired Gaming Headset with 40 mm Neodymium drivers, 360 degree spatial Audio, ClearCast Gen 2 retractable Noise-Cancelling Microphone, 3.5 mm connectivity
SS-61607	R 1,530	SteelSeries Arctis NOVA 1 Premium Wired Gaming Headset - White, NOVA Acoustic system with custom high fidelity drivers, 40 mm Neodymium Speaker drivers for powerful Audio, Ultra-lightweight Design, AirWeave Memory Foam earcups with fully Rotating cups, ClearCast Gen 2 AI Noise-Cancelling fully retractable Boom Microphone, 3.5mm jack connectivity for Multi-Platform use, On-Ear Volume Dial and mute controls, Includes 3.5mm to 3.5mm Audio cable and Dual 3.5mm extension cable.
SS-61611	R 1,530	SteelSeries Arctis NOVA 1p Gaming Headset - Black, 40mm Neodymium drivers for superior Audio quality, Supports 360 degrees spatial Audio and tempest 3D Audio on PS5, Equipped with ClearCast Gen 2 fully retractable Noise-Cancelling Microphone, Includes OnBoard controls with Volume Dial and mute Button, Constructed with AirWeave Memory Foam earcups for Comfort, Utilizes ComfortMAX system with Four points of adjustability, Ultra-lightweight Design, Requires gg Sonar Audio Software suite on Windows 10 or above, Includes 3.5mm to 3.5mm Audio cable measuring 1.2 meters in length
SS-61612	R 1,530	SteelSeries Arctis NOVA 1P White Multi-Platform Premium Wired Gaming Headset, NOVA Acoustic system with custom high fidelity drivers, Includes fully compatible tempest 3D Audio for PS5 and Microsoft spatial Sound support, Equipped with ClearCast Gen 2 AI Noise-Cancelling Microphone, Ultra-lightweight, Utilizes AirWeave Memory Foam earcups, 360 degrees spatial Audio Technology, Powered by Neodymium drivers, 3.5mm jack, Includes OnBoard Volume Dial and mute controls for Easy adjustments
SS-61631	R 2,379	SteelSeries Arctis NOVA 3 Gaming Headset with NOVA Acoustic system, 40 mm Neodymium drivers for high

		fidelity Audio, Supports 360 degrees spatial Audio on PS5 and PC, ClearCast Gen 2 fully retractable Noise Cancelling Microphone, AI noise cancellation Powered by Sonar Software suite, USB-C Wired connection for Multi-Platform compatibility, Ultra-lightweight Design, AirWeave Memory Foam earcups with fully Rotating cups, PrismSync RGB Lighting with 16.8 million Colour options, On-Ear controls
SS-61673	R 3,144	Steel Series Arctis NOVA 5P Wireless Gaming Headset, 40 mm Neodymium Magnetic drivers, Up to 60 hours Bluetooth or 50 hours 2.4GHz Wireless Battery Life, 15 minute USB-C Fast Charge provides 6 hours Play time, ClearCast Gen 2 fully retractable bidirectional Noise Cancelling Microphone, Dual connectivity supports High-Speed 2.4GHz and Bluetooth 5.3 simultaneously, Includes Compact USB-C Wireless Dongle, On-Ear controls, Supports separate EQ profiles for Gaming and Bluetooth modes
SS-61676	R 3,144	SteelSeries Arctis NOVA 5X Wireless Gaming Headset, 40 mm Neodymium Magnetic drivers, Up to 60-hour Bluetooth Battery Life or 50 hours on 2.4GHz Wireless, Quick-Switch Button for instant switching between 2.4GHz and Bluetooth 5.3, ClearCast Gen 2.x retractable Microphone with bidirectional Noise Cancelling, Supports 360 degrees spatial Audio including tempest 3D Audio for PS5, Includes Compact USB-C Wireless Dongle, On-Ear controls, USB-C fast charging provides 6 hours of Play in 15 minutes
TAH3155BK/00	R 401	Philips On-Ear Headphones Mic - USB, NdFeB magnet Type, 40 mm Speaker Diameter, 1.5 m cable length, Built-In Microphone, adjustable cushioned headband, TAH3155BK/00
TRS-22052	R 629	Trust TRS-22052 GXT 350 Radius 7.1 Surround Headset, Retail Box
TT-HSM902-QDR	R 403	Miro Talk2 STANDARD Binaural Headset with noise cancelation, Clear sound quality, Ideal for the most demanding environments such as telemarketing & call centres, Intelligent flexible rubber noise cancelling microphone to reduce background noise, Acoustic Shock Protection circuit, Binaural design, Adjustable headband, Replaceable soft leatherette ear pad, Quick disconnect cord for the convenience of walking away without removing the headset, Grandstream/Digium compatible Quick Disconnect
TT-SD803	R 351	Miro Talk2 ECO Range Binaural Headset with flexable adjustable mic, Lightweight design, Superb receiver audio quality, Excellent noise cancellation, Anti-acoustic shock circuit, 30-degree rotatable microphone arm, 180-degree rotatable joint of speaker and headband, 60mm adjustable pliable steel headband
U3CLASSICWS	R 575	Hoomia Headphone with Microphone White and Silver
U3WOOD-B	R 690	Hoomia headphone with Mic - Black wood with 1.2m cable 3.5mm jack, 40mn Driver, Inline Microphone, Foldable headphone design
UH34-DUAL	R 649	Yealink UH34-DUAL Dual USB Type-A headset, Dual earpiece, Noise Cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Leatherette ear cushions
UH34-LITE-DUAL	R 530	Yealink UH34-LITE-DUAL Dual USB Type-A headset, Dual earpiece, Noise Cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Foamy ear cushions
UH34-MONO	R 477	Yealink UH34 mono USB headset - USB 2.0, noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom, leather ear cushions, Certified for Microsoft teams
VB-VF401-B	R 207	Volkano Falcon series Headphones with mic, Black, 3.5mm jack plug, Super soft earcups, Adjustable headband for a universal fit, 1.2m Cable with Microphone
VB-VF401-W	R 207	Volkano Falcon series Headphones with mic, Red, 3.5mm jack plug, Super soft earcups, Adjustable headband for a universal fit, 1.2m Cable with Microphone
VB-VH100-BLK	R 322	Volkano Impulse Series Bluetooth Headphones, Black, Bluetooth Wireless Headphones, Walk and Talk feature with a Micro SD Card Reader, Line-in Mode, FM Radio
VB-VH100-SL	R 322	Volkano Impulse Series Bluetooth Headphones - Silver, Built-In FM Radio, Built-In SD Card Reader, Hands-Free calling, 3.5mm Aux Input, Easy one-touch pairing
VB-VH101-RD	R 322	Volkano Impulse Series Bluetooth Headphones, Red, Bluetooth Wireless Headphones, Walk and Talk feature with a Micro SD Card Reader, Line-in Mode, FM Radio
VB-VH102-WT	R 322	Volkano Impulse Series Bluetooth Headphones, White, Bluetooth Wireless Headphones, Walk and Talk feature with a Micro SD Card Reader, Line-in Mode, FM Radio
VBVF401B	R 173	Volkano Falcon series Headphones with mic, Black, 3.5mm jack plug, Super soft earcups, Adjustable headband for a universal fit, 1.2m Cable with Microphone
VBVH100BLK	R 341	Volkano Impulse Series Bluetooth Headphones, Black, Bluetooth Wireless Headphones, Walk and Talk feature

		with a Micro SD Card Reader, Line-in Mode, FM Radio
VBVH101RD	R 341	Volkano Impulse Series Bluetooth Headphones, Red, Bluetooth Wireless Headphones, Walk and Talk feature with a Micro SD Card Reader, Line-in Mode, FM Radio
VBVH102WT	R 341	Volkano Impulse Series Bluetooth Headphones, White, Bluetooth Wireless Headphones, Walk and Talk feature with a Micro SD Card Reader, Line-in Mode, FM Radio
VK-1003-RGD	R 132	Volkano Titanium Series Rose Gold AUX Earphone
VK-1005-GNBK	R 207	Volkano Motion Bluetooth Earphones, Green & Black
VK-1005-GRWT	R 207	Volkano Motion Grey & White Bluetooth Earphones
VK-1010-BK	R 264	Volkano Aeon Series Bluetooth earphones with Neckband - Black, Bluetooth version 5, 10 mm Driver, Flexible Neckband, Hands-Free calling, In-Line control, 6 - 8 hours playback time, 2 hours charge time
VK-1010-RD	R 264	Volkano Aeon Series Red Bluetooth Earphones with Neckband
VK-1105-RD	R 230	Volkano Chromium Red B.T. Earphones with SD Card Reader
VK-1106-PK	R 218	Volkano Rush 2.0 Series Bluetooth earphones Pink with Mic and Carry case, VK-1106-PK, Up to 5 hour playtime, Sports stabilizer tips, Hands-Free calling, In-Line control, 3 - 5 hours playtime, 2 hours charging time
VK-1107-RD	R 230	Volkano Moda Nylon Bluetooth earphones with Carry case - Red, Bluetooth version 4.2, 3 - 4 hrs playback time, 2 hrs charge time, 55 mAh Battery capacity, 10 mm Driver
VK-1112-BK[V1]	R 460	Volkano Sprint Series Black True Wireless Bluetooth earbuds
VK-1112-BK[V2]	R 586	Volkano Sprint 2.0 True Wireless Earbuds - Black, Sports stabilizer hooks, Touch control, Bluetooth version 5.0, 5 - 6 hours playback time, 13 mm Driver, 4x recharges
VK-1123-BK	R 517	Volkano Libra Series True Wireless earphones - Black, Bluetooth version 5, 2 x 40 mAh Battery capacity, 300 mA charging case Battery, 3 - 5 hours playback Time, 6 mm Driver
VK-1139SA-RD	R 506	Volkano Momentum Series IPX7 Sports hook TWS earphones charging case - Red, Bluetooth version 5.1, 10m distance, 2x 60mAh Battery capacity, 400mAh charging case Battery, 2 hours charge time, 8mm Driver, Up to 35 hours playtime (with charging case), Flexible Sports hooks, Type-C charging
VK-2002-BK	R 356	Volkano Phonic SeriesBlack Bluetooth full size Headphones
VK-2002-BL	R 356	Volkano Phonic Series Blue Bluetooth full size Headphones
VK-2002-GD	R 356	Volkano Phonic Series Rose Gold Bluetooth full size Headphones
VK-2006-BK[V2]	R 667	Volkano Rhapsody 2.0 Series Active Noise cancelling Bluetooth Headphones, Aux Input, Hands-Free calling, Twist and fold, Bluetooth version 5, 7 - 8 hours playtime, 2 hours charging time, 380 mAh Battery capacity, 40 mm Driver size
VK-2013-BK[V1]	R 287	Volkano Cosmic Series Bluetooth Headphones - Black, Aux Input, SD card Input, Hands-Free calling, Bluetooth version 5, 6 - 8 hours playtime
VK-2013-RD[V1]	R 287	Volkano Cosmic Series Bluetooth Headphones - Red, Aux Input, SD card Input, Hands-Free calling, Bluetooth version 5, 6 - 8 hours playtime
VK-20151-BK	R 207	Volkano Chat 2 Stereo Aux headset with Boom Microphone, 30 mm Speaker, 1.8m cable, 3.5mm Aux plug, adjustable Microphone arm, inline Volume control
VK-6512-BL	R 148	Volkano Kids Chat Junior Series headset with Mic - Blue, 3.5mm Aux plug, Built-In Mic with adjustable Microphone arm, Inline Volume control, 40mm Speakers
VK-6512-PK	R 149	Volkano Kids Chat Junior Series headset with Mic - Pink, 3.5mm Aux plug, Built-In Mic with adjustable Microphone arm, Inline Volume control, 40mm Speakers
VK-7099-WT	R 195	Volkano Pods Series Air Pods 5 in 1 accessory kit - White, 1x AirPods watch band holder, 1x AirPods silicone case, 1x AirPods ear hook, 1x AirPods silicone strap, 1x AirPods keychain, AirPods not included
VK1106BK	R 261	Volkano Rush 2.0 Series Bluetooth earphones Black with Mic and Carry case, VK-1106-BK, Up to 5 hour playtime, Sports stabilizer tips, Hands-Free calling, In-Line control, 3 - 5 hours playtime, 2 hours charging time
VK1106PK	R 251	Volkano Rush 2.0 Series Bluetooth earphones Pink with Mic and Carry case, VK-1106-PK, Up to 5 hour playtime, Sports stabilizer tips, Hands-Free calling, In-Line control, 3 - 5 hours playtime, 2 hours charging time
VK1106SL	R 251	Volkano Rush 2.0 Series Bluetooth earphones Silver with Mic and Carry case, VK-1106-SL, Up to 5 hour playtime, Sports stabilizer tips, Hands-Free calling, In-Line control, 3 - 5 hours playtime, 2 hours charging time
VK2002BK	R 347	Volkano Phonic SeriesBlack Bluetooth full size Headphones

VK2002BL	R 356	Volkano Phonic Series Blue Bluetooth full size Headphones
VK2002GD	R 356	Volkano Phonic Series Rose Gold Bluetooth full size Headphones
VK2003SL	R 1,326	VolkanoX Silenco Series Active Noise cancelling Bluetooth Headphones - Silver, VK-2003-SL, 40 mm Driver, 500 mAh Battery capacity, 3 hours charge time, 22 - 30 hours playtime
VK20151BK	R 173	Volkano Chat 2 Stereo Aux headset with Boom Microphone, 30 mm Speaker, 1.8m cable, 3.5mm Aux plug, adjustable Microphone arm, inline Volume control, VK-20151-BK
VMS201-WHT	R 126	Volkano MEtallic Series In-ear Earphones with Mic, White, Rough 2 tone finish, 3.5mm audio jack, 1.2m cable, Microphone
VW-T997	R 161	Microworld VW-T997 Wired Gaming Headset For Ps4/mp3/pc
VX-112-BK	R 575	Volkano VX Gaming Comms Series 7.1 headphone - Black, Driver size 40 mm, Omnidirectional Microphone, In-Line Volume and Microphone control, Backlight RGB LEDs, VX-112-BK
VX-153-BK	R 207	Volkano VX Gaming Ares Series Gaming Headset stand, Rugged Aluminium & ABS construction, 225x120 x 90 mm size
VX-241-BK	R 287	Volkano VX Gaming Blaze Series Gaming Headset with 3.5mm connector, Microphone, In line controls
VX-242-BK	R 506	Volkano VX Gaming Thunder Series Gaming Headset RGB - 3.5mm connector
VX-243-BK	R 437	Volkano VX Gaming Maverick Series Gaming Headset RGB, USB, 3.5mm connector, Detachable Microphone
WF-C500/BZE	R 1,337	Sony WF-C500 Black True Wireless Earbuds
WH-1000XM4/SME	R 5,657	Sony WH-1000XM4 Silver Noise Cancelling BT Headphones
WH-CH710N/BZE	R 1,817	Sony WH-CH710 Black Noise Cancelling Over-Ear Headphones
WI-C200/BCE	R 513	Sony WI-C200 Black Wireless Earphones with magnetic housing and matte finish
WX-HS104	R 225	Syntech WINX CALL Clear USB Headset
WX-HS105	R 199	Syntech WINX CALL Clear 3.5mm Headset
WX-HS108	R 641	Winx Call Pro Ai Noise Cancelling Mic Headset
XENON1MNT	R 229	SonicGear Xenon 1 Mint Headset with Mic
XENON1PNK	R 229	SonicGear Xenon 1 headset with Mic - Pink, 3.5mm jack, Clear audio with directional Mic, 30 mm Driver size
XENON1UGRY	R 275	SonicGear Xenon 1U USB Headset with Mic - Grey, 30mm Driver size, USB Type-A compatible, 1.8m cable length, Clear audio with directional Mic, Type-C Adapter included
XENON1UMNT	R 275	SonicGear Xenon 1U USB Headset with Mic - Mint, 30mm Driver size, USB Type-A compatible, 1.8m cable length, Clear audio with directional Mic, Type-C Adapter included
XENON1UPNK	R 275	SonicGear Xenon 1U USB Headset with Mic - Pink - USB, 30mm Driver size, Clear Audio with directional Mic, Type-C Adapter included, 1.8m cable length
XENON1UWHT	R 275	SonicGear Xenon 1U USB Headset with Mic - White, 30mm Driver size, USB Type-A compatible, 1.8m cable length, Clear audio with directional Mic, Type-C Adapter included
XENON3BLK	R 229	SonicGear Xenon 3 Headset with Mic - Black, Clear audio with directional Mic, 3.5mm jack, 30 mm Driver size
XENON3GRY	R 229	SonicGear Xenon 3 Dark Grey Headset with Mic
XENON3UMNT	R 275	SonicGear Xenon 3U USB headset - Mint, 30 mm Driver size, Directional Mic, USB Type-A / Type-C connection
XP1MNT	R 229	Alcatroz XP 1 Stereo audio Headset - Mint - 3.5mm, 30 mm Driver size, clear audio with directional Mic, 3.5mm jack, In-Line controllers
XP1PNK	R 229	Alcatroz XP 1 Stereo audio Headset - Pink - 3.5mm, 30 mm Driver size, clear audio with directional Mic, 3.5mm jack, In-Line controllers
XP1UDGRY	R 275	Alcatroz XP 1U USB Headset with Mic - Dark Grey, 30 mm Driver size, 1.8m cable length, Type-C Adapter included, Clear audio with directional Mic
XP1UMNT	R 275	Alcatroz XP 1U USB Headset with Mic - Mint, 30 mm Driver size, 1.8m cable length, Type-C Adapter included, Clear audio with directional Mic
XP1UPNK	R 275	Alcatroz XP 1U USB Headset with Mic - Pink, 30 mm Driver size, 1.8m cable length, Type-C Adapter included, Clear audio with directional Mic
XP1UWHT	R 275	Alcatroz XP 1U USB Headset with Mic - White, 30 mm Driver size, 1.8m cable length, Type-C Adapter included, Clear audio with directional Mic
XP1WHT	R 229	Alcatroz XP 1 Stereo audio Headset - White - 3.5mm, 30 mm Driver size, clear audio with directional Mic, 3.5mm

		jack, In-Line controllers
XP3PNK	R 229	Alcatroz XP 3 3.5mm Headset with Mic - Pink, 30mm Driver size, 3.5mm Stereo Mic, 1.8m cable length
XP3UMNT	R 275	Alcatroz XP 3U USB Headset with Mic - Mint, 30mm Driver size, Clear audio with directional Mic, Type-C Adapter included
XP3UPNK	R 275	Alcatroz XP 3U USB Headset with Mic - Pink, 30mm Driver size, Clear audio with directional Mic, Type-C Adapter included
XP3UWHT	R 275	Alcatroz XP 3U USB Headset with Mic - White, 30mm Driver size, Clear audio with directional Mic, Type-C Adapter included
XP3WHT	R 229	Alcatroz XP 3 3.5mm Headset with Mic - White, 30mm Driver size, 3.5mm Stereo Mic, 1.8m cable length
XP628	R 288	Mikuso XP628 USB 7.1 Surround Sound Gaming Headphone, 50mm Driver Diameter, Wired USB Connector connectivity, 2 meters cable length, 7.1 Surround Sound & Vortex Deep Bass, Omnidirectional Microphone, RGB Lighting, Metal support Frame with PU leather headband, Memory Foam Ear Cushions
YHS34-MONO	R 423	Yealink YHS34 mono headset with RJ-9 and letherette ear cushions, Quick disconnect cord, Noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Compatible with --> Yealink IP phones T19(P) E2 / T21(p) E2 / T23g / T27g / T29g / T31p / T31g / T33g / T40p / T40g / T41s / T42s / T46s / T48s / T43u / T46U / T48u / T53w / T54w / T57w / T58a / MP56

< Return to the menu

Headphones / Earphones : Headphones wireless

Product code	Price	Description
31710029400	R 320	Genius HS-810BT Bluetooth Foldable Headset with 8-hour Battery Life, Headbands adjustable Type, 40 mm Driver unit, Up to 22 hours Play / call time (at 50% Volume), 3.7 V / 300 mAh built in Battery, In-Line Microphone, Type-C charging cable
4XD1Q30302	R 900	Lenovo 4XD1Q30302 Wireless Stereo Headset Bluetooth, 3 microphones for ENC, USB-C to USB-C cable, 40 mm Driver, Up to 30m Wireless operating distance, 1.3 m cable length/Type, 60 hours Play time, 2 hours Battery charging time
4XD1Q30302	R 932	LENOVO 4XD1Q30302 Wireless Stereo Headset - Bluetooth 5.3 with Dual connection, USB-C to USB-C cable, 40 mm Driver, 3 microphones for ENC, Up to 30m Wireless operating distance, 1.3 m cable length/Type, 60 hours Play time, 2 hours Battery charging time
4XD1S19778	R 2,174	Lenovo 4XD1S19778 6550 Dual-Mode Wireless ANC Headset - USB-C, 40 mm Driver, 1x USB-C Bluetooth Audio receiver, 1x USB-C to USB-C cable, 1x unidirectional Microphone, 4x omnidirectional microphones, Teams Button, Up to 30m Wireless operating distance, 30 hours of talk time, 60 hours of playback, Double-sided Boom Microphone
520-BBDG	R 1,994	Dell 520-BBDG Wireless Headset WL3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C charging mechanism, 500 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB c-c Wired connections, 1.5m cable length, Button controls
520-BBDG	R 2,116	Dell 520-BBDG Wireless Headset WL3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C charging mechanism, 500 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB c-c Wired connections, 1.5m cable length, Button controls
520-BBDG	R 2,059	Dell 520-BBDG Wireless Headset WL3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C charging mechanism, 500 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB c-c Wired connections, 1.5m cable length, Button controls
520-BBGM	R 3,447	Dell 520-BBGM Pro Wireless ANC Headset WL5024, 40mm Speaker size, Hybrid ANC noise cancellation, AI

		Up-Link noise cancellation (Microphone), 5 Microphone, Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, USB-C charging mechanism, 750 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB Type-C Wired connections, 1.5m cable length, Controls
520-BBGM	R 3,478	Dell 520-BBGM Pro Wireless ANC Headset WL5024, 40mm Speaker size, Hybrid ANC noise cancellation, AI Up-Link noise cancellation (Microphone), 5 Microphone, Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, USB-C charging mechanism, 750 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB Type-C Wired connections, 1.5m cable length, Controls
520-BBHC	R 5,574	Dell WL7024 Pro Premium Wireless ANC Headset. The Dell Premier Wireless ANC Headset WL7024 delivers crystal-clear professional audio with dual-directional AI noise cancellation and Adaptive ANC. Comfortable, smart and long-lasting, it supports Bluetooth, USB-C and wired connections with up to 80 hours battery life and rapid charge capability. Ideal for video calls, remote work and multitasking environments in South Africa.
545-BBFS	R 3,935	Alienware Dark Side of the Moon Pro Wireless Gaming Headset. The Alienware Pro Wireless Gaming Headset (545-BBFS) in Dark Side of the Moon offers professional-grade audio performance with its 50mm graphene-coated drivers and dual-mode connectivity options. Designed for comfort and durability, it features memory foam ear cushions and a lightweight build. The headset ' s Active Noise Cancellation and AI-enhanced microphone ensure clear communication and an immersive gaming experience. Compatible with multiple platforms, it is an ideal choice for gamers seeking high-quality audio and versatility.
545-BBFS	R 4,042	Alienware 545-BBFS Pro Wireless Gaming Headset - Dark Side of the Moon, Wired / Wireless connectivity Technology, Bluetooth Wireless Technology, 30m Wireless operating distance, 50mm graphene-coated drivers, 2-mic AI noise cancellation, ANC, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time fast charging time, Over-the-ear earpiece Design, 50mm Driver size, Uni-Directional 2-mic AI noise cancellation Microphone Technology, Boom Microphone Design, USB Type-A/C, Memory Foam & Leatherette ear cushion material
545-BBFT	R 4,042	Alienware 545-BBFT Pro Wireless Gaming Headset - Lunar Light, Wired / Wireless connectivity Technology, Bluetooth Wireless Technology, 30m Wireless operating distance, 50mm graphene-coated drivers, 2-mic AI noise cancellation, ANC, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time fast charging time, Over-the-ear earpiece Design, 50mm Driver size, Uni-Directional 2-mic AI noise cancellation Microphone Technology, Boom Microphone Design, USB Type-A/C, Memory Foam & Leatherette ear cushion material
545-BBFW	R 2,876	Alienware AW725H Dark Side of the Moon Tri-Mode Wireless Gaming Headset
74-520BBDG	R 2,032	Dell 520-BBDG Wireless Headset WL3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C charging mechanism, 500 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB c-c Wired connections, 1.5m cable length, Button controls
74-520BBGM	R 3,402	Dell 520-BBGM Pro Wireless ANC Headset WL5024, 40mm Speaker size, Hybrid ANC noise cancellation, AI Up-Link noise cancellation (Microphone), 5 Microphone, Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, USB-C charging mechanism, 750 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB Type-C Wired connections, 1.5m cable length, Controls
74-545BBFV	R 2,933	Alienware 545-BBFV Tri-mode Wireless Gaming Headset AW725H - Lunar Light, Wired / Wireless connectivity Technology, 2.4GHz & Bluetooth Wireless Technology, 30m Wireless operating distance, Bluetooth 5.3, Dolby Atmos, AlienFX Lighting, Retractable Microphone, Fast charging, AI noise cancellation, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time (RGB Lighting off) fast charging time, Over-the-ear earpiece Design, 40mm Driver size, Uni-Directional AI Noise Cancelling Microphone Technology, Mini-phone (3.5mm) Host Interface
76U46AA	R 4,105	HP 76U46AA Poly Voyager Focus 2 Wireless Headset with USB Type-A, Micro USB to USB Type-A charging plug, Up to 25 hours talk time, Rechargeable Li-Ion Battery Type, Up to 50 m Wireless range, Bluetooth Version 5.1, Up to 2 paired devices, On-Ear Headphone Type, 4 microphones, 2 Analog ECM & 2 Digital MEMS Microphone Type, Artificial leather Ear Cushions, 32 mm Speaker size
77Y99AA	R 2,966	HP 77Y99AA Poly Voyager 4320 Stereo USB Type-A Headset BT700 USB Type-A Adapter charging stand, Up to 24 hours talk time, Rechargeable Li-Ion Battery, 2 Analog ECM & 2 Digital MEMS Microphone Type, 32 mm

		Speaker size, On-Ear Headphone Type, Up to 50 m Wireless range, Bluetooth Version 5.1, USB Type-C to USB Type-A charge plug, Dynamic EQ optimized, Up to 2 paired devices
7G8F1AA	R 769	HP 7G8F1AA HyperX Cloud Mini - Wireless Gaming Headset - Black, 25 hours Battery Life, Rechargeable Li-Polymer Battery, 2 hours charge time, In-Line audio controls, Electret Condenser Microphone element, Memory Foam and Premium Leatherette Ear Cushions, Up to 20 meters Wireless range
7G8F2AA	R 769	HP 7G8F2AA HyperX Cloud Mini - Wireless Gaming Headset - White, 25 hours Battery Life, Rechargeable Li-Polymer Battery, 2 hours charge time, In-Line audio controls, Electret Condenser Microphone element, Memory Foam and Premium Leatherette Ear Cushions, Up to 20 meters Wireless range
8L553AA	R 4,875	HP 8L553AA Poly Savi 7320 UC Stereo Microsoft Teams Certified DECT 1880-1900 MHz Headset, Up to 13 hours talk time, Rechargeable Li-Ion Polymer Battery, Artificial leather Ear Cushions, Charging stand
8L5B2AA	R 5,990	HP 8L5B2AA Poly Savi 8420 Office Stereo DECT 1880-1900 MHz Headset, Office base, AC Power Adapter, Charging cradle, 3 hours charge time, 3-way base charging Type, Up to 13 hours (Talk time) Battery Life, Rechargeable Li-Ion Polymer Battery, Bluetooth 5.2, Noise Cancelling Microphone, Artificial leather Ear Cushions, DECT Security Certified, 32 mm Speaker size
912002	R 1,494	Port Connect Pro BT Wireless Binaural Headset
912002	R 1,651	Port Connect Pro BT Wireless Binaural Headset
912003	R 2,024	Port Connect Pro Wireless Binaural Headset BT with Base
912003	R 2,168	Port Connect Pro Wireless Binaural Headset BT with Base
939-002247	R 2,746	Logitech Astro A20 X Lightspeed Wireless Gaming Headset With Playsync Audio And Lightsync Rgb
981-001083	R 3,850	Logitech G735 Wireless Gaming Headset - Off White, 40 mm audio drivers, 16 Gaming hour Battery, 56 hours with RGB off, Analog audio Input via 3.5mm cable, Cardioid (Unidirectional) Microphone (Boom), USB-C charging Port, 981-001083
981-001152	R 3,828	Logitech Zone Wireless 2 UC Headset MS Teams - no stand, Graphite Teams Version with receiver, 5 Omni-Directional MEMS Microphone, 40 mm Driver size, ADA hearing aid compliance, Built-In Battery (Lithium Ion), Up to 15 hours Battery Life (Talk time), 2 hours for a full charge, 150 cm USB-C charging cable
981-001157	R 1,793	Logitech 981-001157 Zone Vibe 100 Wireless Headphones - Bluetooth - Graphite, Dual Omni-Directional MEMS mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery Life (Talk time)
981-001263	R 4,333	Logitech Pro X 2 Lightspeed Wireless 7.1 Gaming Headset With Bluetooth. driver: 50mm graphene; tri-mode wireless (LIGHTSPEED/Bluetooth/3.5mm); virtual 7.1 surround; battery up to 50h; weight 345 g; platforms PC/PS5/PS4/Switch; detachable mic; pro-esports build
981-001263	R 5,097	Logitech Pro X 2 Lightspeed Wireless 7.1 Gaming Headset With Bluetooth. driver: 50mm graphene; tri-mode wireless (LIGHTSPEED/Bluetooth/3.5mm); virtual 7.1 surround; battery up to 50h; weight 345 g; platforms PC/PS5/PS4/Switch; detachable mic; pro-esports build
981-001264	R 3,469	Logitech G Pro X 2 LightSpeed Wireless Gaming Headset, 1.8 m charging cable length, Graphene 50 mm Driver, Neodymium Magnet, Aluminum fork, Steel headband, Memory Foam Leatherette ear and head pads, Cardioid Microphone pickup pattern, 6mm electret Condenser Type, Wireless range up to 30m, 981-001264
981-001265	R 3,469	Logitech G Pro X 2 LightSpeed Wireless Gaming Headset, 1.8 m charging cable length, Graphene 50 mm Driver, Neodymium Magnet, Aluminum fork, Steel headband, Memory Foam Leatherette ear and head pads, Cardioid (UniDirectional) Microphone pickup pattern, 6 mm electret Condenser Microphone, Up to 50h Battery Life (Rechargeable), 2.4GHz LightSpeed / Bluetooth connection, 981-001265
981-001407	R 1,590	Logitech Zone 300 Bluetooth Headset - Midnight Black, Dual beamforming mics with Noise-Canceling algorit, 30 mm Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), 2 hours full charge time, USB-C to USB-C charging cable, 981-001407
981-001407	R 1,251	Logitech Zone 300 Bluetooth Headset - Midnight Black, Dual beamforming mics with Noise-Canceling algorithm, 30 mm Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), 2 hours full charge time, USB-C to USB-C charging cable, 981-001407. The Logitech Zone 300 headset offers noiseâ€'cancelling dual boom mics, Bluetooth 5.3, 20 hr battery, flipâ€'toâ€'mute boom and ergonomic onâ€'ear comfort in Midnight Blackâ€"perfect for clear calls and music at home or on the go.
981-001409	R 1,337	Logitech Zone 300 Bluetooth Headset - Graphite, Dual beamforming mics with Noise-Canceling algorit, 30 mm

		Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), 2 hours full charge time, USB-C to USB-C charging cable, 981-001409
981-001451	R 1,804	Logitech Zone 305 Wireless Bluetooth Headset for Microsoft Teams, 30 mm Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), Up to 20 hours Battery Life (Listening time), USB-C charging Port, 2 hours for full charge charging time, 981-001451
981-001524	R 1,217	Logitech G325 LIGHTSPEED Wireless Gaming Headset; LIGHTSPEED wireless and Bluetooth; 32mm drivers; 20Hz-20kHz; beamforming mic; 24 hour battery; 212g lightweight; PC console mobile compatible
981-001531	R 1,217	Logitech G325 LIGHTSPEED Wireless Gaming Headset; LIGHTSPEED 2.4GHz and Bluetooth; 32mm drivers; 20Hz-20kHz; 24 hour battery; beamforming mic; weight 212g; multi platform support
981-001544	R 2,674	Logitech G522 LIGHTSPEED Black Wireless Gaming Headset with LIGHTSYNC RGB. Tri-mode connectivity (LIGHTSPEED wireless, Bluetooth, USB-C); 40mm PRO-G audio drivers; Detachable omnidirectional microphone (48kHz/16-bit); Customizable LIGHTSYNC RGB lighting; Up to 90 hours battery life without RGB; Compatible with PC, PS5, Nintendo Switch, mobile devices; Lightweight design (290g); Logitech G HUB and mobile app support; Ideal for gaming, streaming, and multimedia consumption
981-001563	R 937	Logitech G321 LIGHTSPEED Wireless Gaming Headset - Bluetooth 5.2, 20hrs battery, 40mm drivers, flip mic, USB-C, comfortable memory foam, PC, PS5, Switch
981-001563	R 937	Logitech G321 LightSpeed 2.4GHz Bluetooth 5.2 Wireless Gaming Headset, 40 mm Driver, Omni-Directional Microphone pick-up pattern, 20 hours Battery Life, USB-C charging Port, USB-C to USB Type-A charging cable, 981-001563
981-001593	R 2,586	Logitech Zone Wireless 2 ES for Business Bluetooth Headset, MS Teams Certified - Graphite, 40 mm Driver, ADA hearing aid compatible, G616 compliant, Noise-Canceling mics with ai-based algorithms and Mic EQ, Built-In Battery (Lithium Ion), Up to 20 hours Battery Life (Talk time), Up to 25 hours Battery Life (Listening time), USB-C charging Type, 981-001593
9T9J4AA	R 3,909	HP Poly Voyager Focus 2 Microsoft Teams Certified USB-C Headset USB-C/A Adapter, Bluetooth, 2 hours charge time, Up to 25 hours Battery Life, Rechargeable Li-Ion Battery, 1.5 m cable length, Up to 8 paired devices, 6 Noise Cancelling microphones, SoundGuard Digital Acoustic protection Technology, 32 mm Speaker size
A11561-B	R 919	Astrum MX Pro Headset QC5.2 ANC AptX Aux - Black, Bluetooth 5.1, CSR8670 Bluetooth Chipset, 98% noise cancellation rate, 40 mm Mylar Speakers, Type-C charging Port, 3 hours charging time, 15 hours ANC Bluetooth, 3.5 mm Aux Audio jack
A11561-Q	R 919	Astrum MX Pro Headset QC5.2 ANC AptX Aux - White, Bluetooth 5.1, CSR8670 Bluetooth Chipset, 98% noise cancellation rate, 40 mm Mylar Speakers, Type-C charging Port, 3 hours charging time, 15 hours ANC Bluetooth, 3.5 mm Aux Audio jack
A11562-B	R 1,068	Astrum MZ Pro Headset QC5.2 ANC AptX Aux - Black, Bluetooth 5.3, QCC5171 Bluetooth Chipset, 97% noise cancellation rate, 2 hours charging time, 30 hours ANC Bluetooth, 3.5 mm Aux Audio jack
AEH104GL	R 889	Targus AEH104GL Wireless Bluetooth 5.0 Stereo headset, Rotatable Mic, Noise Cancelling Mic, On ear controls location, Rechargeable Lithium polymer Battery, Wireless Bluetooth 5.0 or Wired 3.5mm Aux
AIRPHONE3CARBON	R 367	SonicGear Airphone 3 Carbon Bluetooth Headphones. Bluetooth 5.4; 40mm dynamic driver; 14-hour playback; Type-C charging; 3.5mm aux input; Adjustable headband; Ultra-comfort ear cushions; Lightweight design; 200mAh battery; 10m wireless range; 2-hour charging time; 16 Ohm impedance; 100dB sensitivity; 20Hz-20kHz frequency response; 20mW max input power
AIRPHONE3CLOUD	R 367	SonicGear Airphone 3 Cloud Bluetooth Headphones. Bluetooth 5.4, 40mm drivers, 200mAh battery, 14-hour playback, USB Type-C charging, Lightweight design, Built-in microphone
AIRPHONE3INDIGO	R 367	SonicGear Airphone 3 Indigo Bluetooth Headphones. Bluetooth 5.4, 40mm dynamic driver, 16Ohm impedance, 100 - 3dB sensitivity, 20Hz-20kHz frequency response, 20mW max input power, Up to 10m wireless range, 3.5mm aux input, Type-C charging, 200mAh battery, Up to 14 hours playback, 2-hour charging time
AIRPHONE3MIST	R 367	SonicGear Airphone 3 Mist Bluetooth Headphones. Bluetooth 5.4, 40mm dynamic driver, Up to 14 hours playback, Type-C charging, 3.5mm AUX input, Adjustable headband, Lightweight design, Comfortable earcups, Built-in microphone
AIRPHONE3P	R 299	SonicGear Airphone 3 (2019) Bluetooth audio headphone Peach, 8 hours battery life, Ultra bass, 40mm speaker

		size, 3.5mm stereo jack built-in Aux Input, Wireless distance up to 10 meters, 200mAh lithium battery, Up to 8 hours operation continuous music playback
AIRPHONE3SAND	R 367	SonicGear Airphone 3 Sand Bluetooth Headphones. Bluetooth 5.4, 40mm Dynamic Drivers, 200mAh Battery, 14-Hour Playback, Type-C Charging, Built-in Microphone, 3.5mm AUX Input, Adjustable Headband, Cushioned Earcups, Lightweight Design
AIRPHONE3W	R 299	SonicGear Airphone 3 (2019) Bluetooth audio headphone White, 8 hours battery life, Ultra bass, 40mm speaker size, 3.5mm stereo jack built-in Aux Input, Wireless distance up to 10 meters, 200mAh lithium battery, Up to 8 hours operation continuous music playback
AIRPHONE5INDIGO	R 390	SonicGear Airphone 5 Indigo Bluetooth Headphones; Bluetooth 5.4; 40mm dynamic drivers; 20Hz-20kHz frequency response; 32 ohms /- 15% impedance; built-in microphone; 200mAh rechargeable battery; up to 20 hours playback at 50% volume; approximately 2-hour charging time; 3.5mm audio input; USB Type-C charging; foldable design
AIRPHONE5RAIN	R 390	SonicGear Airphone 5 Raindrop Bluetooth Headphones; Bluetooth 5.4; 40mm dynamic drivers; 20Hz - 20kHz frequency response; 32 ohms /- 15% impedance; 114dB /- 3dB sensitivity; 200mAh rechargeable battery; up to 20 hours playback at 50% volume; approximately 2-hour charging time; up to 15m wireless range; 3.5mm audio line-in
AIRPHONE6AZURITE	R 413	SonicGear Airphone 6 Bluetooth Headphones - Azurite, 40mm Driver size, 200mAh Built-In Rechargeable Battery, Up to 10 hours @ 70% Volume working time, 2.5 hours charging time
AIRPHONE6CHAMPAGNE	R 413	SonicGear Airphone 6 Bluetooth Headphones - Champagne, 40mm Driver size, 200mAh Built-In Rechargeable Battery, Up to 10 hours @ 70% Volume working time, 2.5 hours charging time
AIRPHONE6MPINK	R 413	SonicGear Airphone 6 Bluetooth Headphones - Mauve Pink, 40mm Driver size, 200mAh Built-In Rechargeable Battery, Up to 10 hours @ 70% Volume working time, 2.5 hours charging time
AIRPHONE6OBSIDIAN	R 413	SonicGear Airphone 6 Bluetooth Headphones - Obsidian, 40mm Driver size, 200mAh Built-In Rechargeable Battery, Up to 10 hours @ 70% Volume working time, 2.5 hours charging time
AIRPHONE6SILVER	R 413	SonicGear Airphone 6 Bluetooth Headphones - Silver, 40mm Driver size, 200mAh Built-In Rechargeable Battery, Up to 10 hours @ 70% Volume working time, 2.5 hours charging time
AIRPHONE7CHALKGREY	R 436	SonicGear Airphone 7 Chalk Grey Bluetooth Headphones; Bluetooth 5.3; 40mm dynamic drivers; 20Hz-20kHz frequency response; 32 ohms /-15% impedance; built-in microphone; 200mAh rechargeable battery; up to 20 hours playback at 70% volume; USB Type-C charging; approximately 2-hour charging time; up to 15m wireless range; 3.5mm AUX input; foldable design
AIRPHONE7GRAPHITE	R 436	SonicGear Airphone 7 Graphite Bluetooth Headphones; Bluetooth 5.3; 40mm dynamic drivers; 20Hz - 20kHz frequency response; 32 ohms impedance plus or minus 15%; built-in microphone; 200mAh rechargeable battery; up to 20 hours playback at 70% volume; approximately 2 hours charging; USB Type-C; up to 15m wireless range; foldable over-ear design; auxiliary audio input
AIRPHONE7NAVY	R 436	SonicGear Airphone 7 Navy Bluetooth Headphones; Bluetooth 5.3; 40 mm dynamic drivers; 20 Hz to 20 kHz frequency response; 32 ohms /- 15% impedance; built-in microphone; up to 15 m wireless range; 200 mAh rechargeable battery; up to 20 hours playback at 70% volume; USB Type-C charging; approx. 2-hour charging time; foldable design
AIRPHONE8CLATTE	R 459	SonicGear Airphone 8 Cosmic Latte Bluetooth Headphones; Bluetooth 6.0; 40mm drivers; 32 ohms /-15%; 111.55dB /-2dB sensitivity; 20Hz - 20kHz frequency response; up to 15m wireless range; 300mAh rechargeable battery; up to 10 hours playback at 50% volume; USB-C charging; AUX input; Bass, High Pitch and Vocal EQ modes; foldable design; vegan leather ear cushions
AIRPHONE8EBROWN	R 459	SonicGear Airphone 8 Espresso Brown Bluetooth Headphones; Bluetooth 6.0; 40mm dynamic drivers; 20Hz to 20kHz frequency response; 32 ohms impedance; 300mAh rechargeable battery; up to 10 hours playback at 50% volume; up to 15m wireless range; Bass, High Pitch and Vocal EQ; USB Type-C charging; 3.5mm AUX; foldable design; vegan leather ear cushions
AIRPHONE8LBLK	R 459	SonicGear Airphone 8 Long Black Bluetooth Headphones; Bluetooth 6.0; 40 mm dynamic drivers; 32 ohms /-15%; sensitivity: 111.55 dB /-2 dB; frequency response: 20 Hz - 20 kHz; wireless range: up to 15 m; 300 mAh rechargeable battery; up to 10 hours playback at 50% volume; Bass, High Pitch and Vocal EQ modes; 3.5 mm

		AUX; USB Type-C charging; foldable design; vegan leather ear cushions
AIRPHONEDNC3000BLK	R 516	SonicGear Airphone DNC 3000 Digital Active Noise Cancellation headsets - Black, 40mm Driver size, 20mW x 2 rated Power, Up to 15m Wireless operating range, 200mAh (Built-In) Battery capacity, Up to 16 hours playback time (DNC), Approx. 100 hours Standby time, 2 hours charging time, Omnidirectional Microphone
AIRPHONEDNC3000CRM	R 516	SonicGear Airphone DNC 3000 Digital Active Noise Cancellation headsets - Cream, 40mm Driver size, 20mW x 2 rated Power, Up to 15m Wireless operating range, 200mAh (Built-In) Battery capacity, Up to 16 hours playback time (DNC), Approx. 100 hours Standby time, 2 hours charging time, Omnidirectional Microphone
AIRPHONEDNC3000PLTNM	R 516	SonicGear Airphone DNC 3000 Digital Active Noise Cancellation headsets - Platinum, 40mm Driver size, 20mW x 2 rated Power, Up to 15m Wireless operating range, 200mAh (Built-In) Battery capacity, Up to 16 hours playback time (DNC), Approx. 100 hours Standby time, 2 hours charging time, Omnidirectional Microphone
AIRPHONEVBDBLUE	R 344	SonicGear Airphone V (2019) Bluetooth Headphones - Blue, 10 meters Wireless distance, 5W total system power, Built in Mic, Collapsible headset design, Built-in rechargeable battery, 300mAh Lithium Battery, 40mm Driver size, Built-in Aux Input : 3.5mm stereo jack.
AIRPHONEVBLIME	R 344	Sonicgear Airphone V Green Lime Bluetooth Headset
AJ5C7AA	R 5,093	HP AJ5C7AA HyperX Cloud Alpha 2 Wireless Gaming Headset, Stainless Steel Frame Type, Up to 250 hours Battery Life, Rechargeable Li-Ion Polymer Battery, 1.5 m cable length, Bluetooth Wireless, 53 mm Driver, 3.5mm Headset Audio cable, Boom Microphone, Uni-Directional Boom Mic Polar pattern, Omnidirectional Built-In Mic Polar pattern, Electret Condenser Microphone, MEMS Built-In Mic element
AKZ-801	R 345	Microworld AKZ-801 ANC Bluetooth Over-Ear Wireless Headset, Foldable Design, Memory Foam Ear Cushions, Approximately 15 - 20 hours Battery Life, Type-C USB charging, Up to 10 meters Wireless range, 40mm Dynamic Driver, Wireless Bluetooth and 3.5mm Wired Aux compatibility, Built-In Microphone, Volume control, 6D spatial Sound, IPX3 Waterproof rating
AP13WHINBL000-0	R 1,553	Mad Catz P.I.L.O.T. Pro Dual Wireless RGB 7.1 Gaming Headset, 50mm Driver, Omni direction Microphone, Detachable Flexible Boom Mic Type, Connection Type - 2.4GHz / Bluetooth / 3.5mm Aux
BHR08W2GL	R 1,107	Xiaomi Redmi Headphones Neo ANC Wireless Over-Ears - White, 600mAh Battery capacity, Approx 72h Battery Life (ANC off), Less than 2 hours charging time, Bluetooth 5.4, Type-C charging Port
BHR08W5GL	R 1,107	Xiaomi Redmi Headphones Neo ANC Wireless Over-Ears - Black, 600mAh Battery capacity, Approx 72h Battery Life (ANC off), Less than 2 hours charging time, Bluetooth 5.4, Type-C charging Port
CA-9011236-AP	R 2,174	Corsair HS80 RGB WIRELESS Premium Gaming Headset, Spatial Audio, 50mm Audio Drivers, Omni-directional Microphone - PC/ Mac/ PlayStation 4/5
CA-9011281-AP	R 1,449	Corsair HS55 Wireless Gaming Headset - White, Rechargble Battery, Up to 24 hours headset Battery Life, 50mm headset drivers, Dolby audio 7.1 audio, Omnidirectional Microphone Type, 2.4GHz Wireless audio, Bluetooth
CA-9011285-AP2	R 1,944	Corsair HS65 Wireless Gaming Headset - Carbon, 50mm Headphone drivers, Omnidirectional Microphone Type, Audio cue Software, Dolby audio 7.1, Surround sound, 2.4GHz Wireless and Bluetooth
CA-9011286-AP2	R 1,944	Corsair HS65 Wireless Gaming Headset - White, 50mm Headphone drivers, Omnidirectional Microphone Type, Audio cue Software, Dolby audio 7.1, Surround sound, 2.4GHz Wireless and Bluetooth
CA-9011295-AP	R 3,013	Corsair HS80 Max Wireless Gaming Headset - Steel Grey, 50mm Headphone drivers, Omni-Directional Microphone Type, USB Wireless receiver, RGB Lighting, Dolby Atmos audio
CA-9011295-AP	R 2,636	Corsair HS80 Max Wireless Gaming Headset in Steel Grey, 50mm Headphone drivers, Dolby Atmos Audio support for immersive Surround Sound, Low-latency 2.4GHz Wireless and Bluetooth connectivity options, Omni-Directional Microphone with nVidia broadcast Noise Reduction, Up to 65 hours of Battery Life on a single charge, Sonarworks SoundID Technology creates custom Sound profiles, Aluminum-reinforced Frame with Plush Memory Foam ear pads, RGB Lighting Integrated into the Headset Design, iCUE Software compatible for full EcoSystem Control
CA-9011296-AP	R 3,013	Corsair HS80 Max Wireless Gaming Headset - White, 50mm Headphone drivers, Omni-Directional Microphone Type, USB Wireless receiver, RGB Lighting, Dolby Atmos audio
CA-9011296-AP	R 2,636	Corsair HS80 Max Wireless Gaming Headset in White, 50mm Headphone drivers for High-Fidelity Audio Output, Dolby Atmos support for immersive Surround Sound experience, Sonarworks SoundID Technology creates custom Sound profiles, nVidia broadcast noise and Echo reduction on Omni-Directional Microphone, Up to 65 hours Battery Life with fast charging capability, Low-latency 2.4GHz Wireless or Bluetooth connectivity modes, RGB

		Lighting Integrated into Headset Design, Plush Memory Foam ear pads with soft breathable Cloth material, Aluminum-reinforced Frame with floating headband Design, USB Wireless Receiver included for Secure connection
CA-9011379-WW	R 1,944	Corsair VOID Wireless v2 Gaming Headset, 2.4GHz/Bluetooth, Dolby Atmos, Carbon
CA-9011379-WW	R 1,938	Corsair Void Wireless v2 Gaming Headset - Carbon, 50mm Headphone drivers e, Up to 70 hours Battery Life on 2.4GHz Wireless connection, Up to 130 hours Battery Life via Bluetooth connection, Multi-mode connectivity, Fixed Boom Microphone with Omni-Directional pickup pattern, Corsair iCUE Software compatible for Audio customisation, USB Wireless Transmitter, Dolby Atmos spatial Audio support included.
CA-9011380-WW	R 1,944	Corsair VOID Wireless v2 Gaming Headset, 2.4GHz/Bluetooth, Dolby Atmos, White.
CA-9011380-WW	R 1,938	Corsair Void v2 Wireless Gaming Headset - White, 50mm drivers, Dolby Atmos support for precise positional Audio, Up to 70 hours Battery Life on 2.4GHz Wireless, Up to 130 hours Battery Life over Bluetooth, Multi-mode connectivity, Omni-Directional flip-to-mute Microphone with nVidia broadcast compatibility, Memory Foam Ear Cushions wrapped in breathable microfibre Fabric, Lightweight Frame, Customizable RGB Lighting via Corsair iCUE Software, Includes USB Wireless Transmitter and 0.5 m USB charging cable
CA-9011388-WW	R 1,944	Corsair Void v2 Max Wireless Gaming Headset - Carbon, Simultaneous 2.4GHz and Bluetooth, Dobly, Up to 70 hours (2.4GHz) Headphone Battery Life, Up to 130 hours (Bluetooth) Headphone Battery Life, 50mm Headphone drivers, Omni-Directional Microphone, USB Wireless receiver
CA-9011401-WW	R 1,274	Corsair HS35 V3 Wireless Gaming Headset - Carbon, Tri-mode connectivity includes - 2.4GHz Wireless / Bluetooth / Wired connection, Dolby Atmos spatial Audio for Three-Dimensional Sound on PC, Up to 30 hours of Battery Life at 50% Volume, Features 50mm Neodymium drivers, Detachable omnidirectional Boom Microphone for Versatile use, Adjustable floating headband Design for Comfort, No Active Noise Cancellation, No RGB lighting.
CA-9011402-WW	R 1,274	Corsair HS35 V3 Wireless Gaming Headset - White, Tri-mode connectivity - 2.4GHz Wireless / Bluetooth / Wired, Dolby Atmos spatial Audio for Three-Dimensional positional Sound on PC, Up to 30 hours of Battery Life at 50% Volume, 50mm Neodymium drivers, Detachable omnidirectional Boom Microphone, Adjustable floating headband Design for extended wear Comfort, No Active Noise Cancellation, No RGB Lighting included
CND-SGHS13B	R 533	Canyon GH-13 Ego Black Gaming Headset, 2.4 GHz and Bluetooth 5.2 connection, Wired mode via Type-C port, 7.1 surround sound, Omnidirectional detachable microphone, Fully adjustable headband, Environment-friendly plastic body, 400mAh battery, Up to 18 hours of playtime, 2-3 hours for full charge, Compatible with PC, consoles, mobile devices
CND-SGHS13W	R 533	Canyon GH-13 Ego White Gaming Headset, 2.4 GHz and Bluetooth 5.2 connection, Wired mode via Type-C port, 7.1 surround sound, Omnidirectional detachable microphone, Fully adjustable headband, Environment-friendly plastic body, 400mAh battery, Up to 18 hours of playtime, 2-3 hours for full charge, Compatible with PC, consoles, mobile devices
CND-SGHS16B	R 584	Canyon GH-16 Ego Black 3in1 2.4Ghz BT Wireless Gaming Headset, BT Version: V5.3 BT Chipset: JL6976, Decoding Method: SBC, Profiles: A2DP/AVRCP/HSP/HFP, Drive Units: 40mm, Battery Capacity: 300mAh, Lithium Battery, Charging Voltage: DC 5V; Working Voltage: 3.3-4.2V, Working Distance: 10m, Playtime (70% vol): 20h, Charging Time: 1.5-2h, Charging Plug: Type C, Cable Plug: 3.5mm Four-Section Gold-Plated Stereo Pin
CND-SGHS16W	R 584	Canyon GH-16 Ego White 3in1 2.4Ghz BT Wireless Gaming Headset, BT Version: V5.3 BT Chipset: JL6976, Decoding Method: SBC, Profiles: A2DP/AVRCP/HSP/HFP, Drive Units: 40mm, Battery Capacity: 300mAh, Lithium Battery, Charging Voltage: DC 5V; Working Voltage: 3.3-4.2V, Working Distance: 10m, Playtime (70% vol): 20h, Charging Time: 1.5-2h, Charging Plug: Type C, Cable Plug: 3.5mm Four-Section Gold-Plated Stereo Pin
CNS-CBTHS3DG	R 252	Canyon BTHS-3 Black Wireless headphones, BT 5.1, Foldable and adjustable, Inline microphone, USB-C charging port, Up to 15h of playtime, Up to 10m operating range, Driver: 40mm, Frequency range: 20Hz-20KHz, Impedance: 32?±15%, Speaker sensitivity: 112±3db, Microphone sensitivity: 42±3DB, Battery capacity: 300 mAh
CNS-CBTHS4P	R 252	Canyon OnRiff 4 Pink Over-Ear Headphone, BT 5.3; BT distance: 10m, Usage time 50H (80% volume); Standby time 80H; 2H Charging time, Protocol support: A2DP, AVRCP, HSP, HFP, Decoding method: SBC, AAC, Frequency range: 20Hz-20KHz, Battery capacity: 500mAh, Adjustable headband, Speaker size: 40mm; Speaker sensitivity: 117±3DB, Impedance: 32? ±15%, Microphone Sensitivity: -38±3DB
CNS-CBTHS6BK	R 405	Canyon OnRiff 6 Black ANC Over-Ear Headphones, Active Noise Cancellation, Usage Time: Up to 25h, Low Latency Gaming Mode, Wireless & Wired Connection, Deep Bass, BT Multipoint: Connect to 2 BT Devices

		Simultaneously
CNS-CBTHS6BL	R 405	Canyon OnRiff 6 Blue ANC Over-Ear Headphones, Active Noise Cancellation, Usage Time: Up to 25h, Low Latency Gaming Mode, Wireless & Wired Connection, Deep Bass, BT Multipoint: Connect to 2 BT Devices Simultaneously
CNS-CBTHS6GY	R 405	Canyon OnRiff 6 Grey ANC Over-Ear Headphones, Active Noise Cancellation, Usage Time: Up to 25h, Low Latency Gaming Mode, Wireless & Wired Connection, Deep Bass, BT Multipoint: Connect to 2 BT Devices Simultaneously
COSMICIIIBLK	R 689	Armaggeddon Cosmic-III Lite Black Wireless Over-ear Headphones. Driver:40mm; impedance:32 ohm; playback:20h; bluetooth v5.3; tri-mode connectivity; detachable mic; size:190x73x193mm
COSMICIIIWHT	R 689	Armaggeddon Cosmic-III Lite White Wireless Over-ear Headphones. 40mm drivers; Bluetooth 5.3/2.4GHz/AUX; up to 20h battery; detachable mic; over-ear wireless white headphone
EVOLVE-65-TE	R 3,161	Jabra Evolve 65 TE Duo Bluetooth Headset, Up to 16 hours talk-time, Up to 15 days Standby time, Maximum 120 minutes charging time, USB / Bluetooth
HP203-35757	R 531	UGreen HiTune Max 5c Hybrid ANC Headphones - Black, Bluetooth Version 5.4, 40mm Audio Driver size, 5 microphones, Sony Hi-Res Wired support, Dolby Atmos support, 75 hours Maximum Battery Life (Standard mode), 45 hours Maximum Battery Life (ANC mode), USB-C charging Interface, 5 minutes for 5 hours playback Quick Charge, 90 minutes full charge duration, Wireless (Bluetooth) & Wired (3.5mm Aux) connection options
HP203-35758	R 531	UGreen HiTune Max 5c Hybrid ANC Headphones - White, Bluetooth V5.4, Hybrid ANC Noise Reduction depth up to 43dB, 40mm Audio drivers, Hi-Res Audio, 5 microphones, 75 hours in standard mode Battery Life, 45 hours in ANC mode Battery Life, Type-C fast charging, Wired mode supported, Active Noise Cancellation and call noise cancellation
HS-CHS55W-W	R 1,817	Corsair ca-9011281 HS55 Wireless White Dolby 7.1 Headset - 2.4GHz WiFi / Bluetooth, 3.5mm - swivelable earcup with 50mm drivers, with noise-filtering mic, volume control on earcup, microfiber/memory foam earpads, Discord-certified
HS-CHS80MW-K	R 2,617	Corsair HS80 Max Wireless Gaming Headset - Steel Grey, 50mm Headphone drivers, Omni-Directional Microphone Type, USB Wireless receiver, RGB Lighting, Dolby Atmos audio, CA-9011295-AP
HS-CHS80MW-W	R 2,617	Corsair HS80 Max Wireless Gaming Headset - White, 50mm Headphone drivers, Omni-Directional Microphone Type, USB Wireless receiver, RGB Lighting, Dolby Atmos audio, CA-9011296-AP
HS-LG522W-K	R 2,954	Logitech G522 Wireless Bluetooth Gaming Headset Black - with detachable 48Khz broadcast quality omnidirectional mic, 8-zone 16.8M color Lightsync RGB, on-ear controls (volume mute), adjustable headband, dual-layer memory foam earcups, 40mm Pro-G drivers, built-in rechargeable Li-Ion battery with USB-C charging, 2.0m cable - Wireless Bluetooth (no adapter included) USB
IMMERSE GH50 WIRELESS	R 1,323	MSI Immerse GH50 Wireless Headset, 50mm Neodymium Driver unit, Omnidirectional detachable Mic, Up to 22 hours Battery Life, 2.4GHz Wireless, USB Type-A to USB-C converter included, 3.5mm (Wired)
LENOVO 4XD1M80020	R 1,357	LENOVO 4XD1M80020 Wireless VoIP Headset (Teams) - Bluetooth 5.3 with Dual connection, Up to 60 hours of playback, Audio receiver Gen 2, USB-C to USB-C cable, Pouch, Lenovo USB Type-A Bluetooth, 40 mm Driver, 3 microphones for ENC, Teams Button, Up to 30m Wireless operating distance, 2 hours Battery charging time
LENOVO 4XD1Q30302	R 886	LENOVO 4XD1Q30302 Wireless Stereo Headset - Bluetooth 5.3 with Dual connection, USB-C to USB-C cable, 40 mm Driver, 3 microphones for ENC, Up to 30m Wireless operating distance, 1.3 m cable length/Type, 60 hours Play time, 2 hours Battery charging time
LENOVO 4XD1S19778	R 1,921	Lenovo Dual-Mode Wireless ANC Headset 6550, BT 5.3, Wireless USB-C Receiver, Noise Cancellation, Travel Pouch
LOG-981-001524	R 1,286	Logitech G325 LightSpeed Wireless Gaming Headset - Black, 32 mm Driver, Omni-Directional pick up pattern, > 24 hrs Battery Life, LightSpeed Wireless via USB Bluetooth 5.2 connectivity, Up to 30 meters Wireless range, 981-001524
LOG-981-001563	R 923	Logitech G321 LightSpeed 2.4GHz Bluetooth 5.2 Wireless Gaming Headset, 40 mm Driver, Omni-Directional Microphone pick-up pattern, 20 hours Battery Life, USB-C charging Port, USB-C to USB Type-A charging cable, 981-001563
LOGI G321 981-001563	R 999	Logitech G321 LIGHTSPEED Wireless Gaming Headset - Bluetooth 5.2, 20hrs battery, 40mm drivers, flip mic,

		USB-C, comfortable memory foam, PC, PS5, Switch
LOGI G325 981-001524	R 1,226	Logitech G325 LightSpeed Wireless Gaming Headset - Black, 32 mm Driver, Omni-Directional pick up pattern, > 24 hrs Battery Life, LightSpeed Wireless via USB Bluetooth 5.2 connectivity, Up to 30 meters Wireless range, 981-001524
LOGI G325 981-001531	R 1,173	Logitech G325 LightSpeed Wireless Gaming Headset - White, 32 mm Driver, Omni-Directional pick up pattern, > 24 hrs Battery Life, LightSpeed Wireless via USB Bluetooth 5.2 connectivity, Up to 30 meters Wireless range, 981-001531
LOGI G522 LIGHTSPEED 981-001544	R 2,681	Logitech G522 LIGHTSPEED Black Wireless Gaming Headset with LIGHTSYNC RGB. Tri-mode connectivity (LIGHTSPEED wireless, Bluetooth, USB-C); 40mm PRO-G audio drivers; Detachable omnidirectional microphone (48kHz/16-bit); Customizable LIGHTSYNC RGB lighting; Up to 90 hours battery life without RGB; Compatible with PC, PS5, Nintendo Switch, mobile devices; Lightweight design (290g); Logitech G HUB and mobile app support; Ideal for gaming, streaming, and multimedia consumption
LOGI G522 LIGHTSPEED 981-00155	R 2,532	Logitech G522 Lightspeed Wireless Gaming Headset with LIGHTSYNC RGB. ; 40mm PRO-G drivers; 48kHz detachable microphone; Tri-mode connectivity: LIGHTSPEED wireless, Bluetooth 5.3, USB-C; Up to 90 hours battery life; Customizable LIGHTSYNC RGB lighting; 290g weight; Compatible with PC, PS5, mobile devices; Logitech G HUB and G mobile app support; Ideal for gaming, streaming, content creation; White color variant
LOGI ZONE 300 981-001407	R 1,319	Logitech Zone 300 Bluetooth Headset - Midnight Black, Dual beamforming mics with Noise-Canceling algorit, 30 mm Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), 2 hours full charge time, USB-C to USB-C charging cable, 981-001407
LOGI ZONE 981-001152	R 7,888	Logitech Zone Wireless 2 UC Headset MS Teams - no stand, Graphite Teams Version with receiver, 5 Omni-Directional MEMS Microphone, 40 mm Driver size, ADA hearing aid compliance, Built-In Battery (Lithium Ion), Up to 15 hours Battery Life (Talk time), 2 hours for a full charge, 150 cm USB-C charging cable
LOGI Zone Vibe Wireless 981-001157	R 2,478	Logitech 981-001157 Zone Vibe 100 Wireless Headphones - Bluetooth - Graphite, Dual Omni-Directional MEMS mics with directional beamforming and DSP, 40 mm Driver size, Up to 18 hrs Battery Life (Talk time)
Logitech Zone 300	R 1,298	Logitech Zone 300 Bluetooth Headset - Midnight Black, Dual beamforming mics with Noise-Canceling algorit, 30 mm Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), 2 hours full charge time, USB-C to USB-C charging cable, 981-001407
Logitech Zone 305	R 1,839	Logitech Zone 305 Wireless Bluetooth Headset for Microsoft Teams, 30 mm Driver size, Built-In Battery (Lithium Ion), Up to 16 hours Battery Life (Talk time), Up to 20 hours Battery Life (Listening time), USB-C charging Port, 2 hours for full charge charging time, 981-001451
Logitech Zone Vibe	R 2,299	Logitech Zone Vibe Graphite Wireless Headphones, USB-C Charging Bluetooth - Up to 30m Range
M12	R 230	Microworld M12 Foldable Bluetooth Headset, 40mm Driver size, Over-Ear Form Factor, Type-C charging Port, 4-8 hours Battery Life, Pink Colour
MQTP3AE/A	R 7,234	Beats Studio Pro Wireless Headphones - Black, Model A2924, Wired and Wireless connectivity Technology, Bluetooth Wireless Technology, Full size (Over-Ear) Form Factor, Built-In Microphone, 1x 3.5-mm minijack, 1x USB Type-C, 40 HR Battery average run time, Lithium Ion Battery Technology, Audio controls - Volume / equalizer / Power / Bluetooth pairing / Music / calls, Active Noise Cancellation, Transparency mode, Spatial audio, Clear calls
MQTQ3AE/A	R 7,234	Beats Studio Pro Wireless Headphones - Navy, Model A2924, Wired and Wireless connectivity Technology, Bluetooth Wireless Technology, Full size (Over-Ear) Form Factor, Built-In Microphone, 1x 3.5-mm minijack, 1x USB Type-C, 40 HR Battery average run time, Lithium Ion Battery Technology, Audio controls - Volume / equalizer / Power / Bluetooth pairing / Music / calls, Active Noise Cancellation, Transparency mode, Spatial audio, Clear calls
MQTR3AE/A	R 7,234	Beats Studio Pro Wireless Headphones - Sandstone, Model A2924, Wired and Wireless connectivity Technology, Bluetooth Wireless Technology, Full size (Over-Ear) Form Factor, Built-In Microphone, 1x 3.5-mm minijack, 1x USB Type-C, 40 HR Battery average run time, Lithium Ion Battery Technology, Audio controls - Volume / equalizer / Power / Bluetooth pairing / Music / calls, Active Noise Cancellation, Transparency mode, Spatial audio, Clear calls
MQTT3AE/A	R 7,234	Beats Studio Pro Wireless Headphones - Deep Brown, Model A2924, Wired and Wireless connectivity Technology, Bluetooth Wireless Technology, Full size (Over-Ear) Form Factor, Built-In Microphone, 1x 3.5-mm minijack, 1x USB Type-C, 40 HR Battery average run time, Lithium Ion Battery Technology, Audio controls - Volume / equalizer / Power / Bluetooth pairing / Music / calls, Active Noise Cancellation, Transparency mode, Spatial audio, Clear calls

MUW23AE/A	R 4,163	Beats Solo4 Wireless Headphones - On-Ear Wireless Headphones - Matte Black, Model A3140, Bluetooth, USB-C to USB-C cable for charging and audio, 3.5mm analogue Input, Rechargeable Lithium-ion Battery, Up to 50 hours of listening time
MUW33AE/A	R 4,163	Beats Solo4 Wireless Headphones - On-Ear Wireless Headphones - Cloud Pink, Model A3140, Bluetooth, USB-C to USB-C cable for charging and audio, 3.5mm analogue Input, Rechargeable Lithium-ion Battery, Up to 50 hours of listening time
MUW43AE/A	R 4,163	Beats Solo4 Wireless Headphones - On-Ear Wireless Headphones - Slate Blue, Model A3140, Bluetooth, USB-C to USB-C cable for charging and audio, 3.5mm analogue Input, Rechargeable Lithium-ion Battery, Up to 50 hours of listening time
NBDE520-BBDG	R 2,218	Dell 520-BBDG Wireless Headset WL3024, 28mm Speaker size, Passive noise cancellation, AI Up-Link noise cancellation noise cancellation (Microphone), Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, Leatherette Memory foam material, USB-C charging mechanism, 500 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB c-c Wired connections, 1.5m cable length, Button controls
NBDE520-BBGM	R 3,794	Dell 520-BBGM Pro Wireless ANC Headset WL5024, 40mm Speaker size, Hybrid ANC noise cancellation, AI Up-Link noise cancellation (Microphone), 5 Microphone, Uni-Directional AI beam forming Microphone direction, Mic Boom, On-Ear Form Factor, USB-C charging mechanism, 750 mAh Headset Battery capacity, Bluetooth 5.3 with range up to 30m, Detachable USB Type-C Wired connections, 1.5m cable length, Controls
NBDE520-BBHC	R 4,840	Dell 520-BBHC Premier WL7024 Wireless ANC Headset, 40mm Speaker size, Adaptive ANC noise cancellation, Dual directional AI noise cancellation, 7 Mic, Omni - directional AI beam forming Microphone direction, Boomless, Over-Ear Form Factor, Rotational Fold stowing, Fast charging, Charging Dock, USB-C charging mechanism, 750mAh Headset Battery capacity, 3 hors to full Battery charge time, Bluetooth, Detachable USB c-c Wired connections, 3.5mm Audio Input, 1.2m cable length
NBDE545-BBFS	R 4,208	Alienware 545-BBFS Pro Wireless Gaming Headset - Dark Side of the Moon, Wired / Wireless connectivity Technology, Bluetooth Wireless Technology, 30m Wireless operating distance, 50mm graphene-coated drivers, 2-mic AI noise cancellation, ANC, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time fast charging time, Over-the-ear earpiece Design, 50mm Driver size, Uni-Directional 2-mic AI noise cancellation Microphone Technology, Boom Microphone Design, USB Type-A/C, Memory Foam & Leatherette ear cushion material
NBDE545-BBFT	R 4,208	Alienware 545-BBFT Pro Wireless Gaming Headset - Lunar Light, Wired / Wireless connectivity Technology, Bluetooth Wireless Technology, 30m Wireless operating distance, 50mm graphene-coated drivers, 2-mic AI noise cancellation, ANC, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time fast charging time, Over-the-ear earpiece Design, 50mm Driver size, Uni-Directional 2-mic AI noise cancellation Microphone Technology, Boom Microphone Design, USB Type-A/C, Memory Foam & Leatherette ear cushion material
NBDE545-BBFV	R 3,081	Alienware 545-BBFV Tri-mode Wireless Gaming Headset AW725H - Lunar Light, Wired / Wireless connectivity Technology, 2.4GHz & Bluetooth Wireless Technology, 30m Wireless operating distance, Bluetooth 5.3, Dolby Atmos, AlienFX Lighting, Retractable Microphone, Fast charging, AI noise cancellation, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time (RGB Lighting off) fast charging time, Over-the-ear earpiece Design, 40mm Driver size, Uni-Directional AI Noise Cancelling Microphone Technology, Mini-phone (3.5mm) Host Interface
NBDE545-BBFW	R 3,081	Alienware 545-BBFW Tri-mode Wireless Gaming Headset AW725H - Dark Side of the Moon, Wired / Wireless connectivity Technology, 2.4GHz & Bluetooth Wireless Technology, 30m Wireless operating distance, Bluetooth 5.3, Dolby Atmos, AlienFX Lighting, Retractable Microphone, Fast charging, AI noise cancellation, 750 mAh Battery capacity, 15 minutes for up to 6 hours listening time (RGB Lighting off) fast charging time, Over-the-ear earpiece Design, 40mm Driver size, Uni-Directional AI Noise Cancelling Microphone Technology, Mini-phone (3.5mm) Host Interface
NBLE4XD1M80020	R 1,424	LENOVO 4XD1M80020 Wireless VoIP Headset (Teams) - Bluetooth 5.3 with Dual connection, Up to 60 hours of playback, Audio receiver Gen 2, USB-C to USB-C cable, Pouch, Lenovo USB Type-A Bluetooth, 40 mm Driver, 3 microphones for ENC, Teams Button, Up to 30m Wireless operating distance, 2 hours Battery charging time
ORION7DUNE	R 1,149	Armaggeddon Orion 7 Dune Wireless eDSP 7.1 Gaming Headset. Driver:50mm; Connectivity:2.4GHz wireless /

		Bluetooth5.4 / USB / 3.5mm; 7.1 virtual surround; Battery up to 40h; Detachable mic; Dimensions:170x86.8x200mm
ORION7SIERRA	R 1,149	Armaggeddon Orion 7 Sierra Wireless eDSP 7.1 Gaming Headset. Driver 50 mm; Frequency 20 Hz-20 kHz; Impedance 32?; Wireless modes Bluetooth 5.4 / 2.4 GHz dongle; Wired mode 3.5 mm; Up to 40 h playtime; Detachable mic; 7.1 eDSP surround sound
PBH7000	R 308	Polaroid PBH7000 Bluetooth 35 hour Headphone - Black, Built-In ECM Microphone, Soft Over-Ear cushions, 40mm Speaker size, 10-15 meters transmission range, Micro USB Input
PBH7001	R 308	Polaroid PBH7000 Bluetooth 35 hour Headphone - Blue, Built-In ECM Microphone, Soft Over-Ear cushions, 40mm Speaker size, 10-15 meters transmission range, Micro USB Input
PBH7002	R 308	Polaroid PBH7000 Bluetooth 35 hour Headphone - Pink, Built-In ECM Microphone, Soft Over-Ear cushions, 40mm Speaker size, 10-15 meters transmission range, Micro USB Input
PCB-HS-ZENITH	R 599	PCBuilder Zenith 7.1 Surround Sound Wireless Gaming Headset, Wireless 2.4GHz, Bluetooth 5.3, Type-C to 3.5mm Aux Wired, C-media CM2025 Audio Chipset, 7.1 Surround Sound with spatial Audio support, 50mm Dynamic Driver Speaker size, Up to 30ms Audio Latency, 2-microphone Array with ENC, 1200mAh Battery, Type-C Port charging Input, 2-3h charging time, Up to 60h operating time
PG580	R 229	Microworld PG580 (Disco Pulse) RGB Wireless Headphone, Connectivity - Bluetooth 5.0 / 3.5mm Aux cable / Type-C charging, RGB LED colorful lights, 40mm Dynamic Driver, Approx 6-8 hours Battery Life
PJT-BEP2149	R 206	Tbyte Bluetooth Headset, 300mAh Battery, 10 hours talk time, 2 hours charging time
RD-H510-PRO	R 702	Redragon H510 Zeus Pro 7.1 Surround sound Wireless Gaming Headset - Black, 53mm Speaker Diameter, 3hr charging time, 2.4GHz Wireless, Bluetooth 5.2, USB, Noise-Cancelling Microphone, Soft, Flexible Over-Ear pads, Flexible headband, 4 Colour LED Lighting effect
RD-H610	R 428	Redragon H610 VIBECORE Black ANC Bluetooth Wireless Over-ear Headphones
RD-H610G	R 428	Redragon H610 VIBECORE White ANC Bluetooth Wireless Over-ear Headphones
RD-H819	R 446	Redragon H819 Quad Air Wireless Gaming Headset - Black, Multi-mode connectivity supporting 2.4GHz Wireless and Bluetooth or Wired 3.5mm connection, Equipped with 45 mm Dynamic drivers, Includes detachable omnidirectional Boom Microphone, Ultra-lightweight Design, Comes with dual-format USB Type-A and Type-C 2.4GHz Wireless receivers, On-Ear controls, Foldable construction allows for Easy TransPort and storage
RD-H831	R 753	Redragon Fury WRS Over-Ear Wireless Gaming Headset - Black, Multi-mode connectivity i, 2.4GHz Wireless, Bluetooth, USB and 3.5mm, Features 53 mm Audio drivers for immersive Sound, Includes three selectable Sound modes switchable via single click, Detachable omnidirectional Boom Microphone for Clear communication, Dynamic RGB Lighting runs the length of the earcups, Magnetic side covers allow for swappable styling, Built with ABS and Aluminium Alloy construction, Includes Braided 1.8m cable for Wired Play, Battery capacity is 1500mAh
RD-H848	R 641	Redragon Black IRE BT5.2 Over-Ear Wireless Gaming Headset
RD-H858	R 898	REDRAGON Black ARROW Over-Ear Wireless Gaming Headset
RD-H888	R 404	Redragon H888 Luce 7.1 Surround Sound Wireless Gaming Headset, Adaptive noise cancellation, 3.5 mm jack, Bluetooth, Up to 25 hours Battery Life, Immersive 7.1 Surround Sound
RD-H889	R 662	Redragon H889 Spectra Pro Over-Ear Wireless Headphones - Black, 2.4GHz Bluetooth USB 3.5mm line connectivity, Virtual 7.1 Sound, 53mm Speaker unit size, Detachable Microphone, Omni-Directional Mic, 750mAh Battery capacity
RD-H889WG	R 676	Redragon H889W Spectra Pro Over-Ear Wireless Headphones - White, 2.4GHz Bluetooth USB 3.5mm line connectivity, Virtual 7.1 Sound, Detachable Microphone, Omni-Directional Mic, 750mAh Battery capacity
RD-H893	R 641	Redragon H893 Crossfire Over-Ear Wireless Gaming Headset - Black, Multi-mode connectivity supports Wireless USB Dongle and Wired 3.5mm options, 53 mm drivers deliver detailed Stereo Audio, Detachable Boom Microphone allows for Flexible communication use, Up to 40 hours of Battery Life for extended Gaming sessions, Lightweight Design, No RGB Lighting or Active Noise Cancellation included, Includes USB Type-A to USB Type-C cable and USB Type-C to 3.5mm cable, Wireless Dongle comes with a USB Type-C/usb-a Adapter
RD-H894	R 523	Redragon H894 Titan Wireless Gaming Headset - Black, Driver size 53 mm for detailed Audio, Connection Multi-mode with USB Wireless Receiver, Battery Life up to 40 hours, Microphone Type detachable Boom Microphone, Platform compatibility Windows Mac Mobile Phone Nintendo Switch PlayStation Xbox, Includes USB

		Wireless Receiver with USB-C Adapter, Includes USB-C to 3.5mm cable for Wired use, Includes USB Type-A to USB-C cable included in Box
ROG-DELTA-II	R 5,472	Asus ROG Delta II Multi Platform Black Wireless Gaming Headset, Tri connection - 2.4GHz / Bluetooth / 3.5mm, Titanium-Plated diaphragm drivers, 50mm Driver size, Unidirectional Microphone pick-up pattern, RGB Lighting, Aura, 1800mAh Battery, 1.5 m USB Type-C to USB Type-A charging cable, 2 m 3.5 mm cable
ROG-PELTA	R 3,752	Asus ROG Pelta Stereo Wireless Gaming Headset - Black, Tri connection - 2.4GHz / BT / USB Type-C, Titanium-Plated diaphragm drivers, 50 mm Driver size, Unidirectional Microphone pick-up pattern, RGB Lighting, Aura, 900mAh Battery, 1.8 m USB Type-C to USB Type-A charging cable
SS-61661	R 14,399	SteelSeries Arctis NOVA Elite Gaming Wireless Headset, 40mm Carbon Fiber drivers with brass Surround Ring, 2.4GHz Wireless Gaming connection with Bluetooth V5.3 LE Audio, Supports simultaneous Audio from up to 4 sources via OmniPlay, ClearCast Gen 2.x retractable Boom Mic and On-Ear beamforming Microphone, Reduces up to 89% background noise with Active Noise Cancellation, Includes GameHub, Plush Memory Foam ear pads
SS-61663	R 14,399	SteelSeries Arctis NOVA Elite Sage & Gold Wireless Gaming Headset, Certified Hi-Res Wireless Audio by Japan Audio society, Carbon Fiber drivers with brass Surround Ring, 2.4GHz Wireless Gaming with Bluetooth V5.3 LE Audio support, Simultaneous OmniPlay mixing of up to Four Audio sources, Active Noise Cancellation reducing background noise by up to 89%, Built-In AI Mic noise rejection removing up to 97% of background noise, Dual Microphone modes with retractable Boom and On-Ear beamforming Mic, GameHub controls, Plush Memory Foam ear pads
SS-61670	R 3,144	Steel Series Arctis NOVA 5 Wireless Headset, Features Neodymium Magnetic drivers with 40 mm size, Delivers up to 60 hours of Battery Life on Bluetooth or 50 hours on 2.4GHz Wireless, Supports simultaneous connection for 2.4GHz Gaming and Bluetooth Audio streams, Includes ClearCast Gen 2 retractable Microphone with bidirectional Noise Cancelling, Switches between Wireless modes instantly using the Quick-Switch Button, Includes a Compact USB-C Dongle, Features On-Ear controls, RGB Lighting adjustment
SS-61671	R 3,144	SteelSeries Arctis NOVA 5 Wireless White Gaming Headset, Features Neodymium Magnetic drivers with 40 mm size, Supports up to 60 hours of Battery Life on Bluetooth connection, Connects via fast 2.4GHz Wireless or Bluetooth 5.3 with Quick-Switch Button, Compatible with PC, PlayStation, Switch, Chromebook, Meta Quest and USB-C devices, Includes ClearCast Gen 2 retractable Microphone with bidirectional noise cancellation, Enables 360 degrees spatial Audio support, Offers over 100 Game Audio presets via the Arctis companion App, Provides On-Ear controls, Includes Compact USB-C Wireless Dongle, Supports simultaneous 2.4GHz and Bluetooth connections with Automatic switching
SS-61674	R 3,144	SteelSeries Arctis NOVA 5P Wireless Gaming Headset - White, 40mm Neodymium Magnetic drivers, Up to 60 hours Battery Life is available in Bluetooth mode or up to 50 hours using 2.4GHz Wireless, ClearCast Gen 2 retractable Microphone features bidirectional Noise Cancelling, Quick-Switch Button allows Seamless switching between 2.4GHz Gaming and Bluetooth 5.3, Arctis companion App enables Access to over 100 custom presets tailored by eSports pros and Game developers, On-Ear controls, Fully retractable Microphone Design, USB-C Fast Charge provides Six hours of playtime from a 15-minute charge Session, 360 degrees spatial Audio is supported
SS-61677	R 3,144	Steel Series Arctis NOVA 5X Wireless White Headset, 40 mm Neodymium Magnetic drivers, up to 60 hours Battery Life in Bluetooth mode or 50 hours on 2.4GHz Wireless, ClearCast Gen 2.x bidirectional Noise Cancelling Microphone with 32khz/16bit Audio, Quick-Switch Button for instant switching between 2.4GHz and Bluetooth 5.3 connections, supports 360 degrees spatial Audio including tempest 3D Audio for PS5 and Microsoft spatial for Xbox, retractable Microphone Design, On-Ear controls, USB-C fast charging provides 6 hours of playtime from a 15-minute charge, Dual save slots for separate EQ profiles on Gaming and Bluetooth Audio streams
SS-61686	R 2,379	Steel Series Arctis NOVA 3P Wireless Gaming Headset, 40 mm Neodymium drivers, Up to 30 hours Battery Life on 2.4GHz Wireless connection, USB-C fast charging provides 9 hours Play from a 15 minute charge, Dual Wireless connectivity supports 2.4GHz Gaming and Bluetooth 5.3 Audio switching, Detachable ClearCast Gen 2.x Microphone with bidirectional Noise Cancelling, Rugged dual-hinge Design, 360 degrees spatial Audio support included, On-Ear Volume Dial allows ChatMix adjustments via Long press, Mute Button available on the Headset for instant silence, Includes Compact USB-C Wireless Dongle
SS-61687	R 2,379	Steel Series Arctis NOVA 3PW Wireless Gaming Headset - White, 2.4GHz Wireless Gaming or Bluetooth V5.3

		connectivity, Up to 30 hours Battery Life on 2.4GHz and up to 40 hours on Bluetooth, 15 minutes charge provides up to 9 hours of Play time, 40 mm Neodymium drivers, ClearCast Gen 2.x detachable Boom Microphone with bidirectional Noise Cancelling, Quick-Switch Button allows instant switching between 2.4GHz and Bluetooth presets, Supports 360 degrees spatial Audio Technology, Dual-hinge Design for durability, On-Ear controls
SS-61688	R 2,379	SteelSeries Arctis NOVA 3p Wireless Gaming Headset - Aqua, with Mobile App control, 40mm Neodymium drivers Pro, Up to 30 hours Battery Life on 2.4GHz Wireless connection or 40 hours on Bluetooth, USB-C fast charging delivers up to 9 hours Play time from a 15 minute charge, Quick-Switch Technology allows instant switching between 2.4GHz and Bluetooth 5.3 connections, Detachable ClearCast Gen 2.x Microphone features bidirectional Noise Cancelling, Nano-sized USB-C Dongle, Rugged dual-hinge Design for durability, On-Ear controls
SS-61689	R 3,219	SteelSeries Arctis NOVA 3XW Black Wireless Gaming Headset, Features 2.4GHz Wireless and Bluetooth V5.3 connectivity, Up to 30 hours Battery Life on 2.4GHz or 40 hours on Bluetooth, 15 minutes charge provides up to 9 hours of playtime, Equipped with 40 mm Neodymium Magnetic drivers, ClearCast Gen 2.x detachable Boom Microphone with bidirectional Noise Cancelling, Supports Quick-Switch between Wireless and Bluetooth modes, Separate Audio presets available via Arctis companion Mobile App, On-Ear controls, Rugged dual-hinge design
SS-61690	R 2,379	SteelSeries Arctis NOVA 3XW Wireless Gaming Headset - White, 2.4GHz and Bluetooth 5.3 Wireless connectivity with Quick-Switch, Up to 30 hours Battery Life on 2.4GHz or 40 hours on Bluetooth, 15 minutes USB-C charging provides up to 9 hours of Play time, Neodymium Magnetic drivers with 40 mm, ClearCast Gen 2.x detachable Boom Microphone, ChatMix adjustment controls directly on Headset Volume Dial, Bidirectional Noise Cancelling Microphone, Rugged dual-hinge Design construction, 360 degrees spatial Audio supported feature enabled, Includes Compact USB-C Wireless Dongle
SS-61692	R 2,379	SteelSeries Arctis NOVA 3P Wireless Lavender Gaming Headset, USB-C Dongle, Features Dual Wireless connectivity with 2.4GHz Gaming connection and Bluetooth 5.3 for Music, Quick-Switch Button allows instant switching between 2.4GHz and Bluetooth Audio streams, Up to 30 hours Battery Life on 2.4GHz or up to 40 hours on Bluetooth, 15-minute USB-C Fast Charge provides up to 9 hours of playtime, Equipped with 40 mm Neodymium Magnetic drivers supporting 360 degrees spatial Audio, Detachable ClearCast Gen 2.x Microphone features bidirectional Noise Cancelling, On-Ear controls, Includes Compact USB-C Wireless Dongle with l-shaped Design to preserve Port Access, Lightweight dual-hinge design.
SS-61693	R 2,379	SteelSeries Arctis NOVA 3XW Lavender Wireless Gaming Headset, Up to 30 hours Battery Life on 2.4GHz Wireless connection, Up to 40 hours Battery Life on Bluetooth connection, 15 minute Fast Charge provides up to 9 hours of Play time, 40 mm Neodymium Magnetic drivers, ClearCast Gen 2.x detachable Boom Microphone with bidirectional Noise Cancelling, Quick-Switch Wireless feature to instantly Toggle between 2.4GHz and Bluetooth 5.3, Rugged dual-hinge Design, ChatMix controls available directly on Headset or via SteelSeries Sonar Software, Box includes Compact USB-C Wireless Dongle
SS-61721	R 8,999	SteelSeries Arctis NOVA Pro Omni Black Gaming Headset, Custom 40 mm Neodymium Magnetic drivers, OmniPlay supports mixing up to 4 simultaneous Audio sources, Infinite Power system includes two Hot-Swappable Batteries for up to 60 hours total playtime, ClearCast Pro retractable Boom Microphone with OnBoard AI noise rejection and omnidirectional pattern, Active Noise Cancellation features a 4-mic Hybrid system and transparency mode, 360 degrees spatial Audio supported, On-Ear controls, USB-C fast charging provides up to 4 hours of playtime from a 15-minute charge, Plush Memory Foam cushions wrapped in Vegan leather
SS-61722	R 8,999	SteelSeries Arctis NOVA Pro Omni White Gaming Headset, Hi-Res Audio and Hi-Res Audio Wireless Certified for 96khz/24bit Audio, Custom 40 mm Neodymium Magnetic drivers OmniPlay Technology mixes up to 4 simultaneous Audio sources including, Infinite Power system with two Hot-Swappable Batteries delivering up to 60 hours Gaming time, ClearCast Pro retractable Boom Microphone with OnBoard AI noise rejection, Active Noise Cancellation with transparency mode using a 4-mic Hybrid system, On-Ear controls includes Arctis NOVA Pro Omni GameHub, Compatible with tempest 3D Audio, Windows Sonic spatial, SteelSeries Sonar Surround, Dolby Atmos and DTS Headphone, Two USB-C to USB-C charging cables
SS-61723	R 8,999	SteelSeries Arctis NOVA Pro Omni Midnight Blue Wireless Gaming Headset, Supports simultaneous connection to up to 4 Audio sources, Includes infinite Power system with two Hot-Swappable Batteries providing up to 60 hours of use, Equipped with ClearCast Pro retractable Boom Microphone featuring OnBoard AI noise rejection, Offers

		Active Noise Cancellation and transparency mode via a 4-mic Hybrid system, 40 mm Neodymium Magnetic drivers, Compatible with tempest 3D Audio, Windows Sonic spatial, DTS Headphone:X, Dolby Atmos, Sonar Surround, Connects via 2.4GHz Wireless or Bluetooth V5.3, Includes GameHub, Features Plush Memory Foam ear pads with Vegan leather wrap and suspended headband, On-Ear controls
SS-61730	R 4,674	SteelSeries Arctis NOVA 7 Gen 2 Gaming Headset, Simultaneous 2.4GHz Wireless and Bluetooth V5.0 connectivity, Up to 54 hours Battery Life on 2.4GHz Wireless, USB-C Fast Charge providing 6 hours Play from a 15-minute charge, ClearCast Gen 2 retractable Boom Microphone with bidirectional Noise Cancelling, Neodymium Magnetic drivers featuring 360 degrees spatial Audio, On-Ear controls, Lightweight Metal construction includes USB Type-A to USB-C charging cable and Compact USB-C Wireless Dongle, Separate EQ settings for Game and Mobile Audio sources
SS-61731	R 4,674	Steel Series Arctis NOVA 7 Gen 2 White Gaming Headset, Up to 54 hours Battery Life on 2.4GHz Wireless mode, Simultaneous 2.4GHz Gaming Wireless and Bluetooth V5.0 Audio, 360 degrees spatial Audio enabled with Neodymium Magnetic drivers, ClearCast Gen 2 retractable Boom Microphone, Bidirectional Noise Cancelling Microphone, On-Ear Volume Dial and ChatMix Dial controls, Steel construction with Lightweight Metal build, Elastic headband adjustable to different head sizes, USB-C Fast Charge providing up to 6 hours Play from 15 mins charge, Compact USB-C Wireless Dongle included, Separate EQ settings for Game and Mobile Audio channels
SS-61745	R 4,674	SteelSeries Arctis NOVA 7p Gen 2 Wireless Gaming Headset, Neodymium Magnetic drivers with 40 mm size, 50 hour Battery Life on 2.4GHz Wireless connection, Simultaneous Bluetooth V5.0 and USB-C Dongle Audio support, 360 degrees spatial Audio enabled for immersive soundscapes, Retractable ClearCast Gen 2 bidirectional Noise Cancelling Microphone, Up to 15 minutes Fast Charge provides up to 6 hours playtime, On-Ear controls
SS-61746	R 4,674	SteelSeries Arctis NOVA 7P Gen 2 Magenta Gaming Headset, 40 mm Neodymium Magnetic drivers with 360 degrees spatial Audio support, Up to 54 hours Battery Life on 2.4GHz Wireless connection, Simultaneous 2.4GHz Gaming and Bluetooth V5.0 Audio mixing, USB-C Fast Charge provides up to 6 hours Play from a 15 minute charge, ClearCast Gen 2 retractable Boom Microphone with bidirectional Noise Cancelling, Steel construction headband with elastic adjustable Fit Design, On-Ear controls, Included USB Type-A to USB-C charging cable and adapter.
SS-61758	R 4,674	SteelSeries Arctis NOVA 7X Gen 2 Wireless Gaming Headset, Features Neodymium Magnetic drivers with 360 degrees spatial Audio support, Delivers up to 54 hours of Battery Life on 2.4GHz Wireless mode, Supports simultaneous 2.4GHz Gaming Audio and Bluetooth V5.0 Mobile connection, Includes ClearCast Gen 2 retractable Boom Microphone with bidirectional Noise Cancelling, Features USB-C fast charging providing 6 hours Play from a 15 minute charge, Offers separate EQ profiles for Game and Mobile Audio channels, On-Ear controls
SS-61759	R 4,674	Steel Series Arctis NOVA 7X Gen 2 Wireless Gaming Headset in White, Features Neodymium Magnetic drivers with 360 degrees spatial Audio support, Includes ClearCast Gen 2 retractable Boom Microphone with bidirectional Noise Cancelling, Provides up to 54 hours Battery Life on 2.4GHz Wireless connection, Supports simultaneous 2.4GHz Gaming and Bluetooth V5.0 Audio mixing, Enables USB-C Fast Charge delivering 6 hours Play from a 15-minute charge
SS-61760	R 4,674	SteelSeries Arctis NOVA 7X Gen 2 Magenta Gaming Headset, Features Neodymium Magnetic drivers with 360 degrees spatial Audio support, Includes 40 mm Speaker drivers for detailed soundscapes, Delivers up to 54 hours Battery Life on 2.4GHz Wireless, Provides 15 minutes USB-C Fast Charge for 6 hours playtime, Supports simultaneous 2.4GHz Gaming and Bluetooth V5.0 Audio mixing, Includes ClearCast Gen 2 retractable Boom Microphone, Features bidirectional Noise Cancelling Microphone pattern, Offers ChatMix Dial for Independent Game and Chat Volume control, Included USB Type-A to USB-C charging cable
SS-61775	R 2,379	SteelSeries Arctis NOVA 3 Wireless Headset for PC and consoles, 2.4GHz Wireless Gaming and Bluetooth V5.3 connectivity with quick-switch, Up to 30 hours Battery Life on 2.4GHz or 40 hours on Bluetooth, 15 minutes USB-C charge provides up to 9 hours of playtime, 40 mm Neodymium Magnetic drivers, ClearCast Gen 2.x detachable Boom Microphone with bidirectional Noise Cancelling, ChatMix control for balancing Game and Chat Audio directly on the Headset, Supports 360 degrees spatial Audio technology.
SS-61776	R 2,379	SteelSeries Arctis NOVA 3 Wireless PC Headset - White, Neodymium Magnetic drivers with 40 mm size for detailed Sound, Bidirectional Noise Cancelling ClearCast Gen 2.x detachable Microphone, Up to 30 hours Battery

		Life on 2.4GHz Wireless or 40 hours Bluetooth, 15 minute charge provides up to 9 hours of Play time, Quick-Switch Button toggles between 2.4GHz and Bluetooth V5.3, Separate Audio presets for Gaming and Mobile via Arctis companion App, USB-C Dongle, On-Ear Volume/ChatMix Dial and Power/pairing Button controls, Rugged dual-hinge Design for durability, Supported 360 degrees spatial Audio Technology, Bidirectional Noise Cancelling Microphone
SS-61778	R 2,379	SteelSeries Arctis NOVA 3 Wireless PC Headset - Lavender, 2.4GHz Wireless and Bluetooth 5.3 connectivity with Quick-Switch, Up to 30 hours Battery Life on 2.4GHz or 40 hours on Bluetooth, 15-minute USB-C charge provides up to 9 hours of Play, 40 mm Neodymium Magnetic drivers, Detachable ClearCast Gen 2.x Microphone with bidirectional Noise Cancelling, ChatMix adjustment controlled via on-headset Volume Dial or Sonar Software, Supports 360 degrees spatial Audio with separate presets for Gaming and Mobile, Rugged dual-hinge Design for durability, Includes Compact USB-C Wireless Dongle
VK-2003-BK	R 1,034	VolkanoX Silenco Series Active Noise cancelling Bluetooth Headphones - Black, 40 mm Driver, 500mAh Battery capacity, 32 hours playtime, 1 hour charge time, Active Noise cancelling, Removable Aux cable, Airplane adaptor and Carry Case included
VK-2027-BK	R 437	Volkano SoundSweeper Series Active Noise Cancelling Bluetooth Headphones - Black, 3.5mm Aux Input, ANC, Up to 20 hours playtime. IP rating: IPX3 splash resistance Connectivity: Bluetooth 3.5 mm aux input for wired playback Voice assistant support: Google Assistant and Siri via in-built microphone.
VK-2027-BL	R 437	Volkano SoundSweeper Series Active Noise cancelling Bluetooth Headphones - Blue, 3.5mm Aux Input, ANC, Up to 20 hours playtime. The Volkano SoundSweeper ANC Bluetooth Headphones offer powerful noise cancellation, up to 20 hours playtime and splash protection. Foldable and perfect for travel or commuting.
VKX-2103-BK	R 805	VolkanoX VXH200 Bluetooth Headphones with ANC - Black, 10 mm Driver, 400 mAh Battery capacity, 2.5 hours Li-Ion charge time, Up to 60 hours playback time, Active Noise Cancellation
VKX-2103-GN	R 805	VolkanoX VXH200 Bluetooth Headphones with ANC - Green, 10 mm Driver, 400 mAh Battery capacity, 2.5 hours Li-Ion charge time, Up to 60 hours playback time, Active Noise Cancellation
VKX-2104-BK	R 1,035	VolkanoX VXH300 Bluetooth Headphones with Hybrid ANC - Black, Twist and Fold, Active Noise Cancellation, Type-C charging
VX-244-BK	R 655	Volkano VX Gaming Stealth Series Wireless Gaming Headset RGB, Tri mode connection - 2.4GHz dongle / Bluetooth / 3.5mm connector
WX-HS107	R 271	WINX VIBE Comfort 2 Wireless Headphones
WX-HS109	R 566	WINX WX-HS109 Vibe Pure Hybrid ANC Wireless Headphones, Bluetooth Version V5.3, 10m Bluetooth range, 40mm Speaker size, Hybrid ANC noise cancellation, 3-microphone Array Microphone, 500mAh Battery, Up to 2 hours charging time, Up to 55 hours playtime, 3.5mm Aux audio jack
WX-HS115	R 600	WINX Vibe Pure 2 Hybrid Over-Ear ANC Headphones, Bluetooth, Hybrid ANC noise cancellation Technology, 40mm Dynamic Driver Speaker size, 65ms Audio Latency, 7-microphone Array, 750mAh Battery capacity, Type-C Port charging Input, 2.5h charging time, Up to 96h operating time
WX-HS116	R 322	WINX Vibe Comfort 3 Wireless Headphones, Bluetooth 5.3 & 3.5mm Aux, ENC (Microphone Noise Reduction), 40mm Dynamic Driver Speaker size, 68ms Audio Latency, 2-microphone Array, 400mAh Battery, Type-C Port charging Input, 2h charging time, Up to 60h operating time

< Return to the menu

Headphones / Earphones : Mono Headphones

Product code	Price	Description
77Y97AA	R 2,736	HP Poly Voyager 4310-M Microsoft Teams Certified USB-C Headset BT700 dongle Charging Stand
783Q2AA	R 1,298	HP Poly EncorePro 510 Monaural Headset Quick Disconnect
783R1AA	R 1,666	HP Poly EncorePro 515 Microsoft Teams Certified Monoaural with USB-A Headset
8X214AA	R 608	HP Poly Blackwire 3210 Monaural USB-C Headset USB-C/A Adapter
8X216AA	R 677	HP Poly Blackwire 3310 Monaural Microsoft Teams Certified USB-C Headset USB-C/A Adapter
A12061-B	R 98	Astrum HS610 Aux Chat Headset with Noise Cancelling rotating Mic - 3.5mm Aux, In-wire controls
A12062-B	R 191	Astrum HU620 USB Chat Headset with Noise Cancelling rotating Mic, 2m cable length, 270 degrees rotatable Mic,

		In line control, Noise-isolating Microphone
FAN-DH301B	R 1,397	Fanvil DH301B Bluetooth Wireless Headset, 1 omnidirectional Analog Microphone, 32mm Speaker, Full-Duplex Technology, Environment noise cancellation (ENC), Acoustic Echo cancellation (AEC), Automatic gain control (AGC), Rechargeable Lithium Polymer Battery, 2 hours charging time, 22 hours talking time
FAN-DH401B	R 1,149	Fanvil DH401B OWS Bluetooth Headset, 2 omnidirectional Analog microphones, Full-Duplex Technology, AI environment noise cancellation (AI ENC), Acoustic Echo cancellation (AEC), Bluetooth 5.4, Rechargeable Lithium Polymer Battery, 2 hours charging time, 5 hours talking time
FAN-HT101	R 362	Fanvil HT101 RJ9 On-Ear Headset with Microphone
HS-LH570EM	R 1,120	Logitech 981-000571 H570E Mono (single-ear) headset with flexible microphone boom with directional ECM , Digital Signal Processing with NCAT , adjustable earpieces , inline control with In-call LED volume and mute , padded leatherette headband and earpads - USB - OEM pack
UH34-LITE-MONO	R 411	Yealink UH34-LITE mono USB headset - USB 2.0, Noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom, Foam ear cushions, Certified for Microsoft teams
UH34-SE-MONO-USBC	R 610	Yealink UH34 Special Edition Mono USB-C headset, Mono earpiece, Noise Cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Leatherette ear cushions
YEA-UH34-LITE-MONO	R 482	Yealink Uh34 Lite Single Earpiece USB Headset With Foam Ear Cushions
YEA-UH34-MONO	R 558	Yealink UH34 mono USB headset - USB 2.0, noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom, leather ear cushions, Certified for Microsoft teams
YHS36-MONO	R 583	Yealink YHS36 Wideband mono Call Centre headset, Single / mono earpiece, QD to RJ Port

< Return to the menu

Headphones / Earphones : VOIP Headphones

Product code	Price	Description
4XD1M80020	R 1,541	Lenovo Wireless VoIP Teams Headset - Wireless Connectivity, Bluetooth Connection Type, Up to 60 Hours Play Time, 20Hz to 20kHz Frequency, 40mm Driver, 32 Ohm Impedance, USB Digital Audio, TEAMS Button Power on/off, 3 Microphones for ENC, 640mAh Battery Capacity, Up to 2 Hours Charging Time, Retail Box
4XD1M80020	R 1,581	Lenovo Wireless VoIP Teams Headset - Wireless Connectivity, Bluetooth Connection Type, Up to 60 Hours Play Time, 20Hz to 20kHz Frequency, 40mm Driver, 32 Ohm Impedance, USB Digital Audio, TEAMS Button Power on/off, 3 Microphones for ENC, 640mAh Battery Capacity, Up to 2 Hours Charging Time, Retail Box
783P7AA	R 1,551	HP Poly EncorePro 520 with Quick Disconnect Binaural Headset
FAN-HT301	R 338	Fanvil Monaural RJ9 Headset with Microphone, HT301, 1.8m cable length, Passive noise-cancellation technology, QD to RJ9 Interface
SN-A330D	R 1,283	snom A330D Headset - Wired Duo, Remote control with LED Display and 5 buttons, 3.5mm jack & USB plug, 40 mm Diameter Headset Speakers, 270 degree bendable & pivotable Boom Microphone
SN-A330M	R 875	snom A330M Monaural Headset Wired, USB powering, 3.5 mm Headset plug, 40 mm Diameter Headset Speaker, Passive Noise Cancelling, 270 degree bendable pivotable Boom Microphone
SN-D150	R 1,334	snom D150 4-line Desktop SIP phone, 2.8" 320x240 Pixel TFT LCD Display, 36 hard Keys in total, 5-way navigation key, 8 dedicated Function Keys, 2x Gigabit Ethernet Ports, RJ9 Headset Port
SNOM-A330M	R 1,011	snom A330M Monaural Headset Wired, USB powering, 3.5 mm Headset plug, 40 mm Diameter Headset Speaker, Passive Noise Cancelling, 270 degree bendable pivotable Boom Microphone
WH66-MONO	R 3,924	Yealink WH66 DECT Wireless On-Ear mono headset with Touch Screen Base Station, 2x Micro USB Ports, 4.0 inch 480x800 capacitive Touch Screen, 2 feature buttons, 1x Type-A USB 3.0 Port, Built-in Bluetooth 4.2, USB 3.0 & 2x Bluetooth devices connectivity, 320 degrees Boom arm adjustable Charging stand (for headset)
WH67	R 3,765	Yealink WH67 DECT Wireless convertible headset with Touch Screen Base Station, 2x Micro USB Ports, 4.0 inch (480 x 800) capacitive Touch Screen, 2 feature buttons, 1 Type-A USB 3.0 Port, Built-in Bluetooth 4.2, USB 3.0 & 2 x Bluetooth devices connectivity, 2 Type-A USB 3.0 Ports built-in Hub, Charging stand (For headset)
WX-HS112	R 802	WINX Call Pro 2 AI Noise Cancelling Mic Headset, ECM (3-mic Array) Microphone Type, AI adaptive DSP Processing, USB 2.0 (Includes Type-C Adapter) Connector, UniDirectional Microphone direction, 20mm Dynamic Driver Speaker size, 180cm cable length

WX-HS113	R 766	WINX Call Pro 2 Mono AI Noise Cancelling Headset, Analog MEMS & Digital MEMS (3-mic Array) Microphone Type, AI adaptive DSP Processing, USB 2.0 (Type-C Adapter included) Connector, Omnidirectional Microphone direction, 20mm Dynamic Driver Speaker size, 120cm cable length
WX-HS114	R 1,205	WINX Call Elite AI Noise Cancelling Wireless Headset, Analog ECM & Analog MEMS (Dual-mic Array) Microphone Type, AI adaptive DSP Processing, Interface - Bluetooth / USB 2.0 / Type-C / Wireless 2.4GHz, Omnidirectional Microphone direction, 20mm Dynamic Driver Speaker size, 27h (12h with Mic usage) operating time, 20m Wireless range, 120cm (Type-C charging cable) cable length

< Return to the menu

Hi-Fi and portable radios

Product code	Price	Description
AM-3350-BK	R 437	Amplify Tuner series Black Bluetooth Radio
HISENSE HP100	R 3,368	Hisense HP100 Party Speaker, Power Output: 300W; Line in (3.5mm); FM PLL Radio; Bluetooth; USB Playback x1; USB Changing x1; LED Display; Flashing LED Speakers; RCA Input; Karaoke Input x1; Guitar Input x1
IHFLN-X1-EU	R 249	Xitel HiFi Link for iPod To Home Stereo Dock Kit-Connect your iPod nano to your Home Stereo, Boombox, Surround Sound Home theatre.
SP-AV101	R 3,099	Sinotec SP-101 AV-100 2.0 channel HiFi system, 510W total Maximum Output power, Karaoke Function, 430 x 300 x 175 amplifier size (mm), USB File support, Aux Input, SD card Input, 5 band equalizer, Remote control, FM antenna, FM Radio
USBNETRADIO	R 140	Chronos USB Internet Radio up to 13 000 Internet radio stations
VK-3160-BK	R 1,494	Volkano Retro Series Turntable, 3-speed Vinyl Record player, Aux Input and Output, USB Drive and SD card, 2x 3W Integrated Speakers, RCA Output, Record Vinyl audio to a USB Drive or SD card

< Return to the menu

iPod

iPod : iPod accessories

Product code	Price	Description
IBASE-1 White	R 379	Divoom iBase-1 Portable Travel speaker system For iPad/iPod/iPhone, Speaker with Charger, RMS: 10Watts, Colour: White.
IFIT-4 BLACK	R 379	Divoom Ifit-4 Black iPhone Dock, RMS: 3Watts x 2, Pocket Size Portable iPhone /smart phone Speakers with Built In Rechargeable Battery, PO-BASS technology,Auxiliary input Jack, Â© 2012 Laptop Direct
MUL490	R 228	GENIUS TP-TEMPO 350 Portable Speaker System for iPod

< Return to the menu

Microphones

Product code	Price	Description
872V1AA	R 2,281	HP 872V1AA HyperX QuadCast 2 - USB Microphone (Black), USB-C / 3.5mm Headphone Output, 16 zones Light effects, Red Lighting, 16-bit / 24-bit bit-depth, Three 14mm electret Condenser capsules, Polar pattern - Cardioid / omnidirectional / Stereo / bidirectional, Removable Shock Mount
AW-AM10X-P	R 946	NearStream AM10X Studio Quality, All-In-One USB & XLR Dynamic Microphone for Gaming & Studio, Noise-Cancelling DSP, Dynamic Mic with 3.5mm Headphone Output and Heavy Boom Arm. Dynamic supercardioid mic; 40Hz-15kHz freq, 125dB SPL; USB-C (48kHz/24-bit) and XLR; AI noise cancel, gain knob, headphone monitoring; 190x56x56mm, 187g.
AW-AM15X	R 870	NearStream AM15X USB/XLR Microphone for Podcast & Streaming, NearStream AM15X Dynamic Mic, Noise-Cancelling DSP, Dynamic Mic with 3.5mm Headphone Output and desk stand. Experience clear, focused voice capture with the NearStream AM15X dynamic microphone. Dual USB-C and XLR outputs, AI noise cancellation and real-time monitoring make it ideal for streaming, podcasting and general recording.
AW-AM20X	R 1,210	NearStream AM20X USB&XLR Condenser Microphone for Podcast, Studio Mic with Metal Boom Arm Stand, Ideal Podcast, Streaming, Gaming, Studio Mic with Gain Control, Noise Canceling, Plug & Play, Compatible with

		PC/Mac/PS4/PS5. The NearStream AM20X is a robust and versatile condenser microphone designed for professional creators. With AI noise cancellation, dual USB/XLR connectivity, and a heavy-duty adjustable boom arm, it delivers clear, focused voice capture for podcasting, streaming, gaming and studio work. Its 4-in-1 smart knob offers intuitive control over gain, monitoring and mute, while plug-and-play ease ensures seamless setup across platforms.
AW-AM25X	R 1,045	NearStream AM25X USB& XLR Studio Microphone, Condenser Mic with Sturdy Desk Stand, Ideal Podcast, Streaming, Gaming, Studio Mic with Gain Control, Noise Canceling, Plug & Play,Compatible with PC/Mac/PS4/PS5. NearStream AM25X USB and XLR Studio Microphone, condenser mic; supercardioid polar pattern; AI noise canceling; handles > =125dB; plug-and-play USB and XLR; 15-level gain control; 3.5mm real-time monitoring; 4-in-1 smart knob for mute, gain, noise canceling; adjustable metal desk stand; supports Windows, MacOS, Linux, Chrome OS, PS4, PS5; includes mic, desk stand, windscreen, USB cable; ideal for podcasting, streaming, studio work
AW-AM35U	R 901	NearStream AM35U Cardioid USB Condenser Microphone. Plug-and-play USB-C. Cardioid pickup pattern to focus on sound from the front while reducing background noise.
AW-AWM10T-P	R 348	NearStream AWM10T-P AI Noise-Canceling Mini Wireless Microphones; AI noise canceling; clip-on design; dual mic system; portable audio recording; vlogging and streaming use; smartphone compatible; wireless transmitter receiver system
AW-AWM20D	R 746	NearStream AWM20D Lavalier Microphones (1TX 1RX). The NearStream AWM20D is a compact, clip-on wireless lavalier microphone set offering up to 200 m of transmission and advanced noise cancelling. With 7 h transmitter and 6 h receiver battery life, small footprint, plug-and-play USB-C or 3.5 mm connectivity, and real-time LCD monitoring, it is ideal for South African content creators needing reliable, high-quality audio on the go.
AW-AWM20T	R 1,357	NearStream AWM20T Premium Multi-Purpose Wireless Microphone for iPhone, Android, PC/Mac and DSLR Camera, With true AI noise cancelling, strong antenna for boosted range, LCD screen for accurate info and 20H battery life. The NEASTEAM AW-AWM20T is a premium wireless microphone kit designed for clear audio recording in noisy environments. Ideal for vloggers, podcasters, and presenters, it provides up to 8 hours of wireless recording and is compatible with cameras, smartphones, and PCs. Lightweight and portable, this kit ensures professional sound quality wherever you record.
CM564-90416	R 233	UGreen USB Desktop Basic Microphone - Black, Condenser Microphone Type, Omnidirectional pickup pattern, USB Type-A connection Interface, Optional 3.5mm Audio Input, Mute Button with LED indicator, Adjustable Volume control, 360 degrees adjustable stand/rotation
CM769-35629	R 702	UGreen CM769 RGB USB Gaming Microphone. 24-bit/96 kHz; cardioid condenser; USB-C 3.5mm monitoring; RGB ring lighting; desktop mount support; plug-and-play
Elgato Wave Desk Stand 10AAU9901	R 1,093	Elgato Wave Desk Stand - 1kg Load; 216mm horizontal reach; 411mm vertical reach; 275Â° arm rotation; 360Â° head rotation.
Elgato Wave Mic Arm Pro 10AAT9901	R 3,163	Elgato Wave Mic Arm Pro - Studio-grade boom arm; 780 mm Horizontal reach; 750 mm vertical reach; 150 mm Riser extension. (Mic not included)
Elgato Wave Mic Arm Pro white 10AA	R 3,278	Elgato Wave Mic Arm Pro - Studio-grade boom arm; 780 mm Horizontal reach; 750 mm vertical reach; 150 mm Riser extension - White
ET-E34	R 58	Microworld 3.5mm stereo mini Microphone with clip, Condenser Microphone, 200cm cable length
ET-E35	R 104	Microworld Type-C stereo mini Microphone with clip, Condenser Microphone, 200cm cable length
ET-E36	R 344	Microworld Lightning stereo mini Microphone with clip, Condenser Microphone, 200cm cable length
ET-E38	R 69	Microworld 3.5mm stereo male female mini Microphone, Condenser Microphone, 200cm cable length
ET-E39	R 115	Microworld Type-C 3.5mm female mini Microphone
ET-E40	R 229	Microworld Lightning female 3.5mm mini Microphone
F11-2	R 403	Microworld F11-2 Microphone 3-in-1 Wireless, For iPhone / Type-C / camera, Lighnting connector, 3.5mm jack Connect, Type-C connector
F15	R 345	Microworld F15 2-in-1 Wireless Microphone, Omnidirectional Sound pickup, Up to 20 meters Wireless range, Approximately 6-8 hours per charge Battery Life, Type-C Port charging, Dual microphones, Active Noise reduction
GC-CWADX	R 1,701	Corsair/Elgato Wave DX Dynamic Vocal Microphone

GC-CWASM	R 447	Corsair / Elgato 10MAE9901 Wave Shock Mount - anti-vibration suspension mount for wave1/3
GC-CWAXLR	R 2,912	Corsair/ Elgato WAve XLR Microphone Interface & Digital Mixing Solution
GSG-GSF-MCMTBK-01	R 1,723	Thermaltake GS50 RGB USB Pro-Grade Condenser Streaming Microphone, RGB back-light, Up to 96kHz Sample Rate, Three 9.7mm Condenser capsules, Polar patterns - Stereo / omnidirectional / Cardioid / bidirectional, Headphone Volume adjustment mode, Microphone gain adjustment mode, Crossfade between Microphone & Headphone mix
IN-MC110-BLK	R 1,939	Insta360 Graphite Black Mic Pro Transmitter; 3-microphone array; 32GB storage; 32-bit float internal recording; Bluetooth 5.4; 2.4GHz wireless; up to 400m transmission; 1.22-inch 6-colour E-Ink display; 240mAh battery; up to 10 hours; USB-C; 38 x 38 x 12.2mm; 19.7g
LRG-CMT313	R 489	Lorgar Soner 313 Gaming USB Condenser Microphone with Volume Knob & Echo Knob, 1x Tripod stand, 2.5 m cable length
LRG-CMT721	R 817	Lorgar Voicer 721 Gaming Microphone - Black, USB Condenser Microphone with Tripod stand and POP Filter, 1x Plastic Shock Mount, 1x windscreen cap, 2m USB Type-C cable, Volume Knob, Mute Knob
M2-MIC	R 229	SonicGear M2 Wired Microphone, 6.5mm jack connector, 3m detachable cable
M5-MIC	R 263	SonicGear M5 Wired Microphone, Metal finish grille, 6.5mm jack, 4m detachable cable length
M5XLRMIC	R 1,099	Thronmax MDrill Zone Masterpiece XLR Microphone with Integrated All in one shockmount bundle, Colour Black and Red, Analog Cardioid Mic for vocals & guita, 25 Hz to 20 khz Frequency response, 25mm Small-Diaphragm condenser, XLR connection
M6-MIC	R 562	SonicGear M6 Professional Dynamic Wired Microphone, 6 meter cable, 6.3mm straight plug, Metal body with Black Microphone head, 3 pin XLR connector Mic connection
M9FIREBALL	R 429	Thronmax Fireball Cardioid USB Microphone Black, For VoIP & Basic content Creation, Low-profile design, Cardioid polar pattern minimizes room, For Mac and Windows computers, Single 14mm condenser, Desktop stand included
MIC001	R 69	Microworld Stereo Microphone Stand Alone
P1POP	R 299	Thronmax P1 Proof Pop Filter Colour Black, Protects against Pops and Plosives, Curved Shield Design, Steel and Nylon Construction, Easy-to-Use Clamp, Retail Box
PCB-GM-CASTCORE	R 521	Syntech PCBuilder Cast Core USB Gaming Microphone, Cardioid (Single direction) Polar pattern, 1x 14mm capacitive Microphone Core diaphragm, 3.5mm Stereo Headphone jack, USB 2.0 Type-C Data Interface, 7 Dynamic colour-types Lighting effects, Built-In Sound Card with 3.5mm Headphone jack for Real-Time monitoring, Tilt-Adjustable stand
PCB-GM-CASTULTRA	R 897	Syntech PCBuilder Cast Ultra USB Gaming Microphone, 3x 14mm capacitive Microphone Cores, 3.5mm Stereo Headphone jack, Type-C charging Input, USB 2.0 Type-C Data Interface, 7 Dynamic colour-types Lighting effects, High-Quality Sound Card with a 3.5mm Headphone jack for Real-Time monitoring, Sturdy Desktop stand with swivel
PCB-MBA-CAST-STEADY	R 749	PCBuilder Cast steady Microphone Boom Arm, Aluminum Alloy & ABS material, 3/8" & 5/8" & 1/4" compatible Thread sizes, cable channel, Self-locking, 15-105mm thick supported mounting surfaces, 75cm horizontal reach, 77.5cm Vertical reach, 360 degrees swivel angle, Up to 2.5kg load-bearing capacity
RD-GM100	R 304	Redragon GM100 Black 3.5mm Aux Gaming Mic and Tripod
RD-GM300	R 976	Redragon GM300 Black Cardioid USB Gaming Mic and Tripod
RD-GM303	R 304	Redragon GM303 PULSAR Black Gaming Stream Microphone
VK-30011-BK	R 207	Volkano Ace Series Metal Wired Dynamic Vocal Microphone - Black, 30 cm detachable cable, 6.35 mm cable jack
VK-30027-BK	R 138	Volkano Vocal Series ABS Wired Microphone - Black, 3m detactable cable, 6.3mm jack. Ideal for public address systems, karaoke, and home recording.
VK-6504-BK	R 171	Volkano Stream Desk Series USB Microphone - USB, 1m cord length
VK-6508-BK	R 206	Volkano Clip Pro Series 3.5mm Microphone, VK-6508-BK
VK-6519-BK	R 171	Volkano Stream Vocal Microphone with tripod - Aux, 3.5mm Microphone Output jack, Omnidirectional Mic direction, 1.8m cable length
VK6504BK	R 149	Volkano Stream Desk Series USB Microphone - USB, 1m cord length, VK-6504-BK
WLM3000DUOBLK	R 919	SonicGear WLM 3000 Duo Wireless Clip-on Microphone. Cardioid polar pattern, 200m synchronous transmission,

		>=70dB signal-to-noise ratio, 50Hz-20kHz frequency response, DC 5V/1A input, Type-C charging port, 3-hour charging time, 15-hour working time, 800mAh charging case, 83 x 31 x 68mm charging case dimensions
WM3000ULOBSIDIAN	R 804	SonicGear WM 3000 UL Obsidian Professional UHF Wireless Microphone
WM3000ULPLATINUM	R 804	SonicGear WM 3000 UL Platinum Professional UHF Wireless Microphone. UHF wireless microphone, 630.4 ~ 663.1 MHz frequency range, 30m wireless range, 20Hz ~ 20KHz frequency response, >100dB dynamic range, 0-300mV audio output, 18650 Li-ion rechargeable batteries, 7-8 hours working time, ergonomic matte design, LCD display, anti-howling technology, plug-and-play setup with 6.5mm jack receiver, suitable for karaoke, live performances, public speaking, and audio recording.
WM3300ULDUALOBS	R 1,264	SonicGear WM 3300 UL Obsidian Dual Professional UHF Wireless Microphone. Dual UHF wireless microphones; 630.4-663.1 MHz frequency range; 20Hz-20kHz frequency response; > 100dB dynamic range; 0-300mV audio output; up to 50m wireless range; 7-8 hours battery life; plug-and-play setup; LED display on microphones; anti-howling technology; ergonomic design; metal mesh microphone heads; suitable for public speaking, live performances, and karaoke events.
WM3300ULDUALPLT	R 1,264	SonicGear WM 3300 UL Platinum Dual Professional UHF Wireless Microphone. UHF 730-739 MHz; up to 30 m range; receiver 1800 mAh Li-ion, 10 h runtime; mic power 4 x AA; dual mic support

< Return to the menu

MP3 WMA audio players

Product code	Price	Description
TS8GMP710W	R 114	Transcend MP710 - 8GB Fitness MP3 Player - Activity tracker with G-Sensor, Removable earhook earphones, Voice recorder, FM Tuner, 2" Colour TFT display, Up to 42 Hours of battery life - WHITE

< Return to the menu

Other audio

Product code	Price	Description
151429	R 99	Manhattan Hi-Speed USB 3-D 7.1 Sound Adapter - Compact High-Speed USB 2.0 External Sound Card with 3.5mm Audio and Microphone Ports, 7.1-Channel Virtual 3D Surround Sound, Internal Amplifier and Volume Controls, Retail Box
179997	R 129	Manhattan Internet Radio stick, USB 2.0 , allowing you to connect to 14,000 Radio Stations from Around the World.
49393	R 217	Goobay 49393 Universal Speaker Mount with swivel and Tilt - Black
520-BBDQ	R 1,148	Dell HR024 Wireless Audio Receiver. The Dell HR024 Wireless Audio Receiver (520-BBDQ) is a sleek, ultra-light USB-C dongle that enables wireless connectivity to compatible Dell headsets. With up to 30 m range, dual-device pairing, and a weight of just 1.7 g, it delivers hassle-free audio freedom for workplaces and remote setups.
70827	R 263	Goobay Universal Soundbar Wall Mount. bracket; steel; load:15kg; adjustable depth:90-154mm; dims:166x51x79mm; weight:0.65kg
A85023-B	R 170	Astrum BT230 Wireless Bluetooth Audio Transmitter & Receiver, Mic, BT5.3. Bluetooth Version: 5.3; Modes: TX/RX; Audio Input/Output: 3.5mm AUX; Bluetooth Range: Up to 10m; Battery Capacity: 120mAh; Charging Time: 45 min; Working Time: RX: 5.4h, TX: 2h; Standby Time: 6 months; Dimensions: 51.5x23x13.6mm; Weight: 15g; Material: Zinc Alloy
AA-SUWR	R 93	Sv-tech Usb Web Radio, recorder & player - USBinterface , for over 7000 worldwide radio channel. Record your favourite music channels, Mobile thumb size, auto updates the latest channels, presets favourites, one-click hot stations, USB.
AW-AMIX40U	R 1,867	NearStream AMIX40U Audio Interface with 10 Channels, Pro-Preamp, Bluetooth & 48V Phantom Power, Portable Audio Mixer for Guitarists, Podcasters, and Producers with Dual XLR/6.35mm Audio Ports, LCD Screen, and Full PC/Mac Compatibility
BRK-SB-30	R 381	Lumi SB-30 Heavy-duty Adjustable Speaker Wall Mount; supports up to 10kg; steel and ABS construction; 115 x 65 x 151mm; 20 degree tilt adjustment; 120 degree swivel range; 115mm profile; fine texture black finish; satellite speakers with four threaded inserts
BRK-SB-39	R 293	Lumi SB-39 Universal Sound Bar Speaker Bracket; steel construction; fine texture black; 15kg capacity; VESA

		compatible; VESA 200 x 100 to 600 x 400; for 32 inch to 70 inch TVs; 456 x 66 x 2.5mm; universal soundbar compatibility
CH-iAME-KL	R 169	In-Win Mag-Ear headphone/earphone Hanger Black & Blue - Magnet with anti-slip silicone
CH-iAME-KR	R 208	In-Win Mag-Ear headphone/earphone Hanger Black & Red - Magnet with anti-slip silicone
CH-iAME-KS	R 169	In-Win Mag-Ear headphone/earphone Hanger Black & Silver - Magnet with anti-slip silicone
CM106-40759	R 320	UGreen CM106 Bluetooth 5.0 receiver RCA Adapter - Black, 3.5 mm jack, 2x RCA (Cinch), MicroUSB
Elgato Shock Mount 10MAE9901	R 713	Elgato Wave Shock Mount for microphone
ELGATO WAVE POPFILTER 10MAI	R 437	Elgato Wave Pop Filter - Dual-layer steel mesh; Air current diffusion.
Elgato Wave XLR 10MAG9901	R 3,278	Elgato Wave XLR Input, Microphone Interface and Digital mixing solution, 24-bit Resolution, USB-C Interface
ELGATO_STREAMDECK MK2 10GB	R 3,094	Elgato Stream Deck MK.2 - Tactile Control Interface, 15 Customizable LCD Keys
GC-CWAPF	R 436	Corsair / Elgato 10MAD9901 Wave Pop Filter - dual layer steel mesh , optimum air current diffusion with anti-plosive noise shield - for wave1/3
GEA-TTP-THSBLK-06	R 906	Thermaltake E1 RGB Gaming Headset stand, 16.8 million RGB colors back-light, compatible with All headsets with headband, aluminum holder construction
HS01 HEADSET STAND	R 573	MSI HS01 headset stand, 175 x 103 x 245 mm, Non-slip base, Stable headset hanger
IM7SHLDRSH	R 149	Altec Lansing Shoulder Carrier For IM7, Retail Box
MP3	R 58	Unbranded FM Modulator MP4 Player with LCD Display
NBDE520-BBDQ	R 1,206	Dell 520-BBDQ HR024 Wireless Audio receiver, Compatible with WL3024 / WL5024 / WL7024 Headphones, USB-C Interface Type, up to 30m range
RD-HA300	R 301	Redragon scepter Pro RGB headset stand with USB pass through, 10 RGB modes, Type-C power Port, 4x USB 2.0
SPK-FLW-8	R 1,186	Lumi FLW-8 8" Architectural Frameless In-Wall Speaker
TRA001	R 725	Unbranded Wireless Audio Transmitter
UC8000	R 4,795	Aten UC8000 MicLIVE 6-CH Podcast AI Audio Mixer
WC-LARMPM	R 2,376	Logitech 952-000002 Rally Mic Pod Mount - support surface up to 50mm thick with 25-65mm grommet, detachable cable spool with mounting hardware; 90x146x146mm (Order on request)

< Return to the menu

Speakers

Speakers : 2.0 Speakers

Product code	Price	Description
31730027400	R 155	Genius Speaker SP-Q160 USB Grey 3.5mm, 2" Driver unit, 6 W (3 W x 2) total RMS power, easy Access Volume control, usb Plug and Play
31730027401	R 155	Genius SP-Q180 6 Watt Speaker Red, 3.5 mm jack, USB power, Integrated amplifier
31730027402	R 155	Genius SP-Q180 6 Watt Speaker Orange, 3.5 mm jack, USB power, Integrated amplifier
31730027403	R 155	Genius SP-Q180 6 Watt Speaker Blue, 3.5 mm jack, USB power, Integrated amplifier
980-000814	R 489	Logitech Z150 Multimedia Speakers - Black, Twin 2.0 dual input, 6watts, integrated volume and power controls, includes headphone jack
980-000814	R 452	Logitech 980-000814 Z150 Black, 2.0 channel, 3w (2x1.5), with headphone jack, volume control - 3.5mm.
980-000814	R 483	Logitech Z150 Multimedia Speakers - Black, Twin 2.0 Dual Input, 6 watts, Integrated Volume and power controls, Includes headphone jack, 2x 3.5mm Input
980-001292	R 1,411	Logitech Z207 Bluetooth Computer Speakers - Off White, 10 W total watts (Peak), 5 W total watts (RMS), Reliable 20 meter line of sight range, 1x 3.5 mm Input, 1x Headphone jack, 980-001292
980-001295	R 1,362	Logitech Z207 Bluetooth Computer Desktop Speakers with 3.5 mm audio cable, 5 W total watts (RMS), Reliable 20-meter line of sight range, 1x 3.5 mm Input, 1x headphone jack, Bluetooth pairing and Volume controls located on front of right Speaker
980-001295	R 1,399	Logitech Z207 Bluetooth Computer Desktop Speakers with 3.5 mm audio cable, 5 W total watts (RMS), Reliable 20-meter line of sight range, 1x 3.5 mm Input, 1x headphone jack, Bluetooth pairing and Volume controls located on front of right Speaker

980-001295	R 1,679	Logitech Z207 Bluetooth Computer Desktop Speakers with 3.5 mm audio cable, 5 W total watts (RMS), Reliable 20-meter line of sight range, 1x 3.5 mm Input, 1x headphone jack, Bluetooth pairing and Volume controls located on front of right Speaker
A13602-BL	R 144	Astrum SU020 2.0 channel USB Speaker LED with RGB light, 2 x 3W RMS Output, USB powered with 3.5mm audio jack, On-wire Volume adjuster
A13603-BL	R 191	Astrum SU030 2.0ch Multifunction LED Speakers, Bluetooth, Aux Input, Remote, TF card, 2.0ch 6W RMS, Standard 3.5mm Headphone jack, Powered by USB, LED RGB Lighting
IOX2	R 413	SonicGear IOX2 USB powered Speakers, 10 RMS total system Power, Bluetooth 5.0, RGB effect, 2.5 " Driver size
LOG-980-000814	R 553	Logitech Z150 Multimedia Speakers - Black, Twin 2.0 Dual Input, 6 watts, Integrated Volume and power controls, Includes headphone jack, 2x 3.5mm Input
LOGI Z150 980-000814	R 480	Logitech Z150 Multimedia Speakers - Black, Twin 2.0 Dual Input, 6 watts, Integrated Volume and power controls, Includes headphone jack, 2x 3.5mm Input
LOGI Z207 980-001295	R 1,387	Logitech 980-001295 Z207 wired BT wireless speaker, 10w, 3.5mm headphone out, volume control on unit
Logitech Z150	R 477	Logitech Z150 Multimedia Speakers - Black, Twin 2.0 Dual Input, 6 watts, Integrated Volume and power controls, Includes headphone jack, 2x 3.5mm Input
Logitech Z207	R 1,367	Logitech Z207 Black 2.0 Stereo Bluetooth Computer Speakers
LS159-BK	R 149	Unbranded Mini Tube Speaker with Blue Led Long Base, Retail Box
MUL614	R 1,034	Genius SP-HF1800A Desktop 2.0 Speakers - 50W RMS, Volume Control, Bass & Treble, Headphone Jack 3.5mm Jack Input, PC/CD/MP3 Compatible, 2 RCA Input
PJT-DSP382	R 184	Tbyte USB 2.0 Speakers with 3.5mm jack, USB Interface & 3.5mm audio Interface
RD-GS510	R 244	Redragon WALTZ Black 2.0 Satellite Speakers
RD-GS520	R 262	Redragon ANVIL 2.0 Speakers, 2 x 3W, 8 Mode RGB, USB 3.5mm, Power Volume Buttons - Black
RD-GS520W	R 262	Redragon GS20W Anvil 3W 2.0 RGB Stereo Desktop PC Speakers - White, 50mm x 2 Speaker Driver unit size, 3W x2 rated Power, RGB backlight, USB 3.5mm cable Connector, 1.7m cable length
SP-LZ120	R 302	Logitech 980-000513 Z120, 2.0 channel, 1.2w (2x0.6), volumn control - black white, built-in cable management-3.5mm (USB-powered)
SP-LZ150B	R 574	Logitech 980-000814 Z150 Black, 2.0 channel, 3w (2x1.5), with headphone jack, volume control - 3.5mm. channel: 2, RMS total - w: 3, RMS - sub woofer - w: x, RMS - satellite - w: 2x1.5, volumn control: Y, remote control: N, headphone jack / aux input: Y, colour: black,
SP-LZ200	R 638	Logitech 980-000810 Z200 black, 2.0 channel, 5w (2x2.5), with headphone jack, volume control bass control - 3.5mm
SP-LZ207+BT	R 1,494	Logitech 980-001295 Z207 wired BT wireless speaker, 10w, 3.5mm headphone out, volume control on unit
SP108U	R 49	Unique USB Multimedia Speakers Black & Silver, Volume Control, Power Switch, Led Indicator, Earphone Jack
SP3000U	R 199	AudioMate 2 Channel and Subwoofer Stereo Speaker System - Power Output 30 Watts RMS (1x 16 Watts RMS Subwoofer and 2x 7 Watts RMS Satellite Speakers), Blue LED lighting, Audio Input 3.5mm Jack , Volume And Bass Control On Subwoofer, USB And SD Card Slots On Subwoofer, S/N Ration 65dB, Power 230v/50Hz, Compatible With Desktop PC's, Laptops And Televisions Using 3.5mm AUX Cable And Jack, Retail Box, 6 Months Warranty
STUDIOPODVBLK	R 2,069	SonicGear StudioPod V-HD Bluetooth Speakers - Black, 2.0 audio channels, 80W RMS, Bluetooth 5.0, Optical line in, Remote control included, 4" Driver Bass unit, 1" tweeter unit
STUDIOPODVMNT	R 2,069	SonicGear StudioPod V-HD Bluetooth Speakers - Mint, 2.0 audio channels, 80W RMS, Bluetooth 5.0, Optical line in, Remote control included, 4" Driver Bass unit, 1" tweeter unit
STUDIOPODVPNK	R 2,069	SonicGear StudioPod V-HD Bluetooth Speakers - Pink, 2.0 audio channels, 80W RMS, Bluetooth 5.0, Optical line in, Remote control included, 4" Driver Bass unit, 1" tweeter unit
STUDIOPODVRED	R 2,069	SonicGear StudioPod V-HD Bluetooth Speakers - Red, 2.0 audio channels, 80W RMS, Bluetooth 5.0, Optical line in, Remote control included, 4" Driver Bass unit, 1" tweeter unit
STUDIOPODVWHT	R 2,069	SonicGear StudioPod V-HD Bluetooth Speakers - White, 2.0 audio channels, 80W RMS, Bluetooth 5.0, Optical line in, Remote control included, 4" Driver Bass unit, 1" tweeter unit
TITAN2	R 321	SonicGear Titan 2 - 2.0 USB powered Speakers, 7 colours Pulsating light effects, Build in Wired controller, Pure

system power (RMS) : 6W, 2x 2.75" Driver size

< Return to the menu

Speakers : 2.1 Speakers

Product code	Price	Description
980-000413	R 999	Logitech Z313 Speaker System - 2.1 Speaker System, 25 Watts (RMS), Control Pod, Headphone Jack
980-000413	R 997	Logitech Z313 2.1 Speaker system, 25 watts (RMS), Control POD, Headphone jack, 15 W Subwoofer, 2 x 5 W satellites, 1x 3.5 mm Input, 1x headphone jack, Power and Volume controls on Wired control POD
980-000413	R 1,034	Logitech Z313 2.1 Speaker system, 25 watts (RMS), Control POD, Headphone jack, 15 W Subwoofer, 2 x 5 W satellites, 1x 3.5 mm Input, 1x headphone jack, Power and Volume controls on Wired control POD
980-000413	R 1,033	Logitech Z313 2.1 Speaker system, 25 watts (RMS), Control POD, Headphone jack, 15 W Subwoofer, 2 x 5 W satellites, 1x 3.5 mm Input, 1x headphone jack, Power and Volume controls on Wired control POD
A13002-B	R 202	Astrum SM020 MMS 2.1CH 20W 30 20MM USB POWER. 2.1 channel USB powered speaker system with 11W RMS superior bass, Aux-in and on speaker control.
A13003-B	R 290	Astrum SM030 2.1ch LED Speakers with USB Power, 2.1ch 11W RMS, Standard 3.5mm Headphone jack, Cool Dynamic LED RGB Lighting, Aux Input, In-wire controls, Stereo sound.
A13031-B	R 794	Astrum SM310 SB 2.1ch 5 2x2 ' 44w USB SD TF Speaker
A13033-B	R 631	Astrum SM330 Speaker Multimedia 2.1ch 35W TF Bluetooth, 20W RMS Output Power, 4" Subwoofer drivers unit, 2x 3" Satellite Speakers, TF card slot, USB Port, Aux Input, FM Radio, LED Display, Bass and treble control
A13041-B	R 909	Astrum SM410 MMS 2.1ch 5.25 3x2" 38w USB Speaker
IOX3	R 505	SonicGear iOX 3 Bluetooth 2.1 USB Powered Speaker
LOGI Z313 980-000413	R 1,037	Logitech Z313 2.1 Speaker system, 25 watts (RMS), Control POD, Headphone jack, 15 W Subwoofer, 2 x 5 W satellites, 1x 3.5 mm Input, 1x headphone jack, Power and Volume controls on Wired control POD
M2600	R 4,780	Creative Inspire M2600 - 2.1 Channel Speaker System - 2 Satellites & 1 Sub-Woofer Perfect Music & Gaming That Will Entertain Everybody. 2.1 channel speaker system; 29W RMS output; subwoofer included; dual satellite speakers; wired remote control; 40Hz-20kHz frequency response; desktop multimedia audio; gaming and music speakers.
MORROX9	R 1,034	SonicGear Morro X9 2.1 Bluetooth Speakers, USB / SD playback, Wired control, Aux in, FM Radio, Up to 10m range, 2x 3" satellite Driver size, 2x 15W satellite Output power (RMS), 6.5" subwoofer Driver size, 30W subwoofer Output power (RMS), Master Volume, Treble and bass control
MUL528	R 1,379	Genius Sw-G2.1 3000 Speaker, Total output power (watts): 70 watts, Satellite: 15 watts (each channel), Subwoofer: 40 watts, Driver unit, Satellite: 3-inch, 4 ohm,Subwoofer: 6.5-inch, 8 ohm, Frequency Response: 35 Hz ~ 20K Hz, Signal-to-noise ratio: 85 dB. Performance-grade 2.1 multimedia speaker system for gamers and home users.
RD-GS700	R 486	Redragon TOCCATA RGB 11W 2.1 PC Speaker
SP-LG560+BT	R 3,749	Logitech 980-001301 G560 Lightsync 2.1 Wired BT Wireless Gaming Speaker, 16.8 million colors programmable RGB lighting in 4 zones, 7.1 DTS:X ultra virtual surround sound, volume keys on satelite speaker, 120w, down-firing subwoofer, black, USB input with headphone out
SP-LZ213	R 552	Logitech 980-000942 Z213 2.1 Speaker, 7w (4 2x1.5), black, headphone mic jack Wired remote control
SP-LZ313	R 1,020	Logitech Z313 2.1 speaker system; 25W RMS; 2 x satellite speakers; subwoofer 15W; wired control pod; 3.5mm input; headphone jack; desktop PC speakers; black; plug and play audio upgrade
SP-LZ333	R 1,105	Logitech 980-001202 Z333 2.1 Speaker, 40w (24 2x8), black, wired control pod with control knob 3.5mm RCA input with headphone out
SP-LZ337+BT	R 1,382	Logitech Speakers Z337 2.1 speaker system that allows you to stream audio wirelessly from any Bluetooth-enabled computer, tablet or smartphone.
SP-LZ407+BT	R 1,632	Logitech 980-001348 Z407 2.1 wired BT wireless Speaker, 40w (20w subwoofer 2x 10w satellite) with DSP, wired control pod with control knob, 3.5mm RCA micro USB input
SPACE7SILVER	R 1,183	SonicGear Space 7 space saving Bluetooth 2.1 Speakers Silver, Bluetooth 4.2, Audio line-in, High fidelity 2.1 audio Speakers, Independent Volume and bass controls, Output power 2x 8 Watt satellite, Output power 20W subwoofer

SS-61542	R 6,799	SteelSeries Arena 7 Gaming 2.1 channel Speaker system, 2.1 channel Configuration with 6.5 inch down-firing Subwoofer, Premium organic Fiber and Silk Dome drivers for accurate Audio reproduction, Connectivity includes - USB / Optical TOSLINK / Bluetooth V4.2 / 3.5mm Aux inputs, Reactive PrismSync RGB Lighting features Four configurable zones, Adjustable tilting Speaker stands for optimal listening position, 10-band parametric EQ and Sonar spatial Software customization on PC, m
TITAN3BTMI	R 505	SonicGear Titan 3 BTMI Stereo Bluetooth 2.1 Speaker System, 7 Color Lighting FX, FM Radio, TF Card Slot, USB Input, Aux In, USB Powered
TITAN5BTMI	R 689	SonicGear Titan 5 BTMI Bluetooth 2.1 Multimedia speaker system, Output power (RMS) 3 Watt x 2 satellite, Output power (RMS) 14 Watt subwoofer
TITAN7PROBTMI	R 781	SonicGear Titan 7 BTMI Bluetooth 2.1 Multimedia speaker system, 7 colors Pulsating LED, Aux in, FM Radio, USB Input, Wooden subwoofer and satellite, Output power (RMS) 5 Watt x2 satellite, Output power (RMS) 15 Watt subwoofer
VK-3011-BK	R 632	Volkano Meteor Series 2.1 8W RMS Speaker System, Black, 3.5mm output
VK-3911-2.1[V2]	R 2,461	VolkanoX Supersonic 2 Series 2.1 200W SoundBar system with Wireless Subwoofer - Black

< Return to the menu

Speakers : 4.1 Speakers

Product code	Price	Description
HISENSE HT SATURN	R 9,613	Hisense HT Saturn 4.1.2 Channel Home Theatre System; 720W Dolby Atmos DTSX sound; wireless subwoofer 6.5 inch; Bluetooth 5.3 HDMI eARC optical; room fitting tuning; multiple sound modes

< Return to the menu

Speakers : 5.1 Speakers

Product code	Price	Description
980-000468	R 6,449	Logitech Z906 Speakers - 5.1 Channel Digital, 500W RMS Total Power, Digital Control Console, Ported Sidefiring Subwoofer, Remote Control, Digital and Analogue Connections
980-000468	R 7,129	Logitech Z906 Speakers - 5.1 channel Digital, 500W RMS total Power, Digital control Console, Ported sidefiring Subwoofer, Remote control, Digital and analogue connections, 980-000468, 5x 67 W satellites, 165 W Subwoofer, THX Certified, Dolby Digital 5.1 decoding, DTS decoding
LOGI Z906 980-000468	R 5,739	Logitech Desktop Speakers Z906 Surround sound speaker 5.1 3.5mm 500W RMS Dolby Digital & DTS Decoding Wall Mountable Wireless remote 3D Sound
MUL544	R 1,586	Genius SW-G5.1 3500 Speaker, Total output power 80 watts (RMS), 6.5-inch driver delivers heart-thumping bass, Standby mode selection, Remote control for adjusting volume and bass, Headphone jack for private listening, Colorful LED indicator.
MUL615	R 1,609	Genius Speaker SP-HF5.1 4500 II 5.1 channels, 3.5 mm jack, RCA, 125 W total system performance, Remote controller, Active Wired subwoofer
SP-LZ607+BUS	R 2,207	Logitech 980-001316 Z-607 5.1 speaker - wired Bt wireless USB flash drive (up to 32Gb only with FAT format) Sd card reader (for SDHC up to 32Gb only with FAT format), 80w (25 4x11 11), 3.5mm RCA, headphone jack, dedicated bass control, wireless remote control - black
SP-LZ906	R 7,406	Logitech 980-000468 Z906 Digital, 5.1, Dolby Digital Pro Logic-ii, DTS 96/24, THX; Digital Sound Touch Control Center with backlit LCD, analogue digital audio with S pdif (optical/coax), 5.1 channel, 500w (165 5x67), wireless remote control, wall-mountable aluminium satellites - black

< Return to the menu

Speakers : 7.1 Speakers

Product code	Price	Description

< Return to the menu

Speakers : Loose Speakers

Product code	Price	Description
SVT-TRUA-B23	R 7,598	TruAudio B23 6.5" woofer & 1" tweeter Premium bookshelf Speaker in Satin Black, 6.5" Carbon Fibre woofer, 1" Titanium swivel tweeter, 200 watts power, 356mm H x 216mm W x 279mm D dimensions
SVT-TRUA-BS4	R 2,384	TruAudio CT-4 Bookshelf Theater & Audio Speaker - Black, 4" glass Fiber woofer, 1" aluminum tweeter, 5-40 watts, 8 ohm. Pairable with TruAudios fantastic powered subs. TruAudio CT-4 bookshelf speaker; satin black finish; compact mini monitor; rear ported cabinet; 4 inch coated glass fiber woofer; 1 inch aluminum tweeter; black cloth grill; frequency response 85Hz-20kHz; sensitivity 89dB; impedance 8 ohm; power handling 5-40 watts; dynamic sound performance; high-end audio quality; ideal for home theater, living room, office or bedroom; pairable with TruAudio powered subs; dimensions 224mm H x 142mm W x 173mm D; durable build; stylish matte black design.
SVT-TRUA-INCS6	R 1,426	TruAudio PP-6 Phantom series 6.5" 2-way In-Ceiling frameless Speaker, Poly woofer, 6.5" injected poly woofer, 1" silk dome swivel tweeter, 5-90 watts, 8 ohm
SVT-TRUA-OS6	R 2,597	TruAudio OP-6.2-WT 6.5" 2-way outdoor Speaker - swivot bracket - White, Outdoor 2 way Speaker Type, 1" silk dome tweeter, 6.5" polypropylene woofer, 120 watts power, Aluminum grill Type, 8 ohm impedance
SVT-TRUA-SAT3	R 1,171	TruAudio SAT3-BK Premium round Satellite Speaker, 3" coated paper cone woofer, 1" silk soft dome tweeter, Satellite 2-way Speaker Type, 150 watts power, Cloth grill Type

< Return to the menu

Speakers : Portable speakers

Product code	Price	Description
0161815918314	R 269	Promate Irock.4 Portable Mini Extendable Speaker for iPad, iPad 2, iPhone and iPod, MP3/MP4 players and other audio devices with 3.5mm audio jack, Retail Box
164993	R 199	Manhattan Sound Science Metallic LED Bluetooth Speaker - Bluetooth 5.0, Microphone, Integrated Controls, FM Radio, MicroSD Card Slot, Black, Retail Box
165051	R 249	Manhattan Sound Science Bluetooth Speaker with Wireless Charging Pad - Wireless Charging Top with Power up to 5 W (5 V / 1 A), Bluetooth 5.0, Integrated Controls, MicroSD Card Slot, Black/Gray, Retail Box
165068	R 269	Manhattan Sound Science Bluetooth Disco Light Ball Speaker II - Colorful LED Effects, Integrated Controls, FM Radio, MicroSD Slot, USB-A Port, 3.5 mm AUX Connection, Black, Retail Box
165082	R 199	Manhattan Bluetooth Shower Speaker - Bluetooth 4.0, Omnidirectional Mic, Integrated Controls, White, Retail Box. Waterproof design with suction-cup mount.
165259	R 249	Manhattan Sound Science LED Bluetooth Speaker - Wireless Music Playback, LED Light with Three Brightness Levels and Six Colors, Control Buttons, Micro-SD Card Slot, 3.5 mm Audio Port, Retail Box
165303	R 159	Manhattan LED Bluetooth Speaker - Wireless Music Playback, Multicolored LED Lights, Control Buttons, USB-A Port, Micro-SD Card Slot, 3.5 mm Audio Port, Retail Box
165310	R 179	Manhattan Metallic LED Bluetooth Speaker - Wireless Music Playback, Multicolored LED Lights, Control Buttons, USB-A Port, Micro-SD Card Slot, 3.5 mm Audio Port - Black, Retail Box
165327	R 179	Manhattan Metallic LED Bluetooth Speaker - Wireless Music Playback, Multicolored LED Lights, Control Buttons, USB-A Port, Micro-SD Card Slot, 3.5 mm Audio Port - Silver, Retail Box, 1 year Limited Warranty
165334	R 199	Manhattan Sound Science Bluetooth Speaker with Handle - Wireless Music Playback, Control Buttons, USB-A Port, Micro-SD Card Slot, FM Radio Mode, 3.5 mm Audio Port, Flashlight, London Design, Retail Box
165341	R 249	Manhattan Sound Science Bluetooth Speaker with Handle - Wireless Music Playback, Control Buttons, USB-A Port, Micro-SD Card Slot, FM Radio Mode, 3.5 mm Audio Port, Flashlight, Camouflage Design, Retail Box
317-30007409	R 299	Genius SP-906BT M2 Plus Portable Bluetooth Speaker - Magenta, Retail Box
31730052400	R 206	Genius SP-915BT one piece 5-watts Bluetooth Speaker, 2" Speaker Driver unit, 5 watts RMS Maximum Output Power, Built-In Microphone, 2.5 hrs charging time, Bluetooth 5.3, 3.7V / 1200mAh Built-In Battery capacity
31730052403	R 206	Genius SP-915BT one piece 5-watts Bluetooth Speaker - Red, 2" Speaker Driver unit, 5 watts RMS Maximum Output Power, Built-In Microphone, 2.5 hrs charging time, Bluetooth 5.3, 3.7V / 1200mAh Built-In Battery capacity
3741CSPK	R 69	Microworld 37-41CAN speaker Bluetooth / USB / FM / MicroSD
4780469	R 249	Hercules i-XPS SoundBox Spray Version(NXT sound technology). iPod / MP3 not included. Requires 2x AA

		batteries for speaker to function. The enclosure is the speaker. Water resistant (not waterproof, not submersible). For iPod nano, nano2, nano3, shuffle and mp3 players with 3.5mm jack (no bluetooth) [Please refer to actual photo in image 2]
6958444601182	R 329	Divoom Voombox-Travel Rugged portable Bluetooth wireless speaker - Blue, Retail Box
6959144010007	R 279	Promate Globo -2, Portable Bluetooth 3.0 Speaker with suction stand Colour: Red, Retail Box (Phone not included)
6959144010021	R 279	Promate Globo -2, Portable Bluetooth 3.0 Speaker with suction stand Colour: Blue, Retail Box (Phone not included)
6959144014531	R 499	Promate cheerBox Maroon Premium Touch controlled Bluetooth V4.0 Speaker
872767007062	R 369	Arctic S111 BT Mobile Bluetooth V4.0 Sound-System with 2 x 2 W RMS - White, 6 months Limited Warranty
9161815918315	R 329	Promate Irock.5 Portable Mini Hi-Fi Extendable Speaker for iPad, iPad 2, iPhone and iPod
980-001348	R 1,579	Logitech Z407 Bluetooth Computer Speakers with subwoofer and Wireless control, 40W total watts (RMS), 20W subwoofer, 2x 10W satellites, 1x 3.5 mm Input, 1x Micro-USB Input, Bluetooth, 20-meter Wireless range, 980-001348
980-001348	R 1,677	Logitech Z407 Bluetooth Computer Speakers with subwoofer and Wireless control, 40W total watts (RMS), 20W subwoofer, 2x 10W satellites, 1x 3.5 mm Input, 1x Micro-USB Input, Bluetooth, 20-meter Wireless range, 980-001348
A14511-B	R 186	Astrum SP110 Speaker Bluetooth 5.3 10W FM SD LED TWS - Black, 10W Speaker Power, USB-C charging, 3.7V 1500mAh Battery, Up to 3 hours Music playtime, Up to 2 hours charging time
A14511-N	R 186	Astrum SP110 Speaker Bluetooth 5.3 10W FM SD LED TWS - Red, 10W Speaker Power, USB-C charging, 3.7V 1500mAh Battery, Up to 3 hours Music playtime, Up to 2 hours charging time
A14515-B	R 298	Astrum SP150 Bluetooth Waterproof IP6 Speaker 12W, 12W Output, 57mm Speaker, 10m transmission distance, 1800mAh Battery capacity, Type-C Power Supply, 2 hours charging time, 5.5 hours playtime, TF card, Aux, Mic
A14521-B	R 459	Astrum SP210 Bluetooth Waterproof IP6 Speaker, 25W Output, 66mm Speaker, 10m transmission distance, 4000mAh Battery capacity, Type-C Power Supply, 3 hours charging time, 5.5 hours playtime, Built-In Mic, TF and USB play
A300 WHITE	R 472	Rapoo A300 Bluetooth Mini Speaker White, Bluetooth v4.0 technology, NFC quick connection, Compact and powerful, 1-touch operation, Multi-point connection, Stylish design, Bluetooth NFC speaker color: White
AM-3201-BK[V1]	R 173	Amplify Mini Wingman Series Party Speaker; bluetooth 5.0; USB aux micro sd; fm radio; up to 4h playtime; portable speaker; True Wireless pairing; compact design
AM-3905-8	R 540	Amplify Cyclops X Series 8" Bluetooth Party Speaker
AMP-3200-MX	R 283	Amplify Cadence series Graffiti Speaker
AMPPL058	R 161	Unbranded MPman Universal Portable Speakers
ASPKB10PB	R 213	Astrum SPB10P 10W TWS 1500MAH RGB MF Bluetooth Speaker; 10W RMS; Bluetooth 5.3 EDR; 57mm full-range driver; bass diaphragm; 1500mAh Li-ion battery; up to 4H playtime; RGB lighting; TWS dual pairing; USB-C charging; Bluetooth/USB/TF/FM/AUX; IPX5; built-in mic
AUDIOXPRO500HD	R 551	SonicGear AudioX Pro 500 HD Portable Bluetooth Speaker, 10W Pure system Power (RMS), 1 x 4" Driver unit, 10m Bluetooth range, USB & TF support, FM Radio, Built-In 2400mAh Li-Ion Battery, 4hrs at 50% Volume scale playback time
AUDIOXPRO600HD	R 1,264	SonicGear AudioX Pro 600 HD Portable Bluetooth Speaker, 40W Pure system Power (RMS), 1x 8" Driver unit, 30W Driver Power (RMS), 1x 1.5" tweeter, 15W tweeter Power (RMS), 10m Bluetooth range, USB & TF support, FM Radio (MHz), Built-In 1800mAh Li-Ion Battery, 1.5hrs at 50% Volume scale playback time
AUDIOXPRO800HD24	R 2,414	SonicGear AudioX Pro 800 HD Portable Bluetooth Speaker (2024 Edition), True Wireless Stereo Function, Support USB/TF card, Aux-in Function, Guitar-input Function, Karaoke Function, Rechargeable Lithium Battery, 75W Pure system Power (RMS), Driver unit 2 x 8" , Bluetooth, 3.33hrs at 50% Volume scale playback time, 2x wireles mics
AURABASS2	R 399	Blackview Aurabass 2 Bluetooth Speaker - True Wireless Studio, Dual Speaker, Acoustic Power 10W RMS, 15W Output Power, IPX7 Waterproof Rating, Playback Mode, Bluetooth 5.3, TF Card, Aux Input, Microphone, 77dB Signal to Noise Ratio, 1800mAh Battery Capacity, Retail Box
AURABASS3	R 599	Blackview Aurabass 3 Bluetooth Speaker - True Wireless Studio, Dual Speaker, Acoustic Power 20W, RMS, 16W Output Power, IPX7 Waterproof Rating, Playback Mode, Bluetooth 5.3, TF Card, Aux Input, Microphone, 78dB Signal to Noise Ratio, 3600mAh Battery Capacity, Retail Box

BGA14	R 17	Okion Unlimited Sound Bag. Bag / speaker. It is a bag, it is a speaker, it is both!
BGAU-SPKROCK-BK	R 206	Body Glove ROCKER Wireless Speaker - Black built for those who love their music. Designed to deliver quality sound, it is a must for convenient, portable sound. Whether you are chilling with friends, or just kicking back at home.
BO-3007-FR	R 241	Bounce Frenzy mini tube Bluetooth 6W speaker, 10m range, 1500mAh Lithium Rechargeable Battery, 3 Hours playtime, Â© 2018 Laptop Direct
CNE-CBTSP4BL	R 321	Canyon BSP-4 Portable Wireless Bluetooth Speaker - Blue, Bluetooth V5.0, Bluetrum AB5365A Chipset, TF card support, Type-C USB Port, 1200mAh polymer Battery
CNE-CBTSP4DG	R 321	Canyon BSP-4 Portable Wireless Bluetooth Speaker - Dark Grey, Bluetooth V5.0, Bluetrum AB5365A Chipset, TF card support, Type-C USB Port, 1200mAh polymer Battery
CNE-CBTSP8B	R 269	Canyon BSP-8 Portable Wireless Bluetooth 10W Speaker - Black, Bluetooth 5.2, Bluetrum AB5362b ckipset, TF card support, Type-C USB Port, 1800mAh polymer Battery, 10W Max Power
CNE-CBTSP8G	R 269	Canyon BSP-8 Portable Wireless Bluetooth 10W Speaker - Grey, Bluetooth 5.2, Bluetrum AB5362b ckipset, TF card support, Type-C USB Port, 1800mAh polymer Battery, 10W Max Power
CNE-CBTSP8R	R 269	Canyon BSP-8 Portable Wireless Bluetooth 10W Speaker - Red, Bluetooth 5.2, Bluetrum AB5362B ckipset, TF card support, Type-C USB Port, 1800mAh polymer Battery, 10W Max Power
DSY-SP401	R 129	Disney Princess Mini Box Desktop Speaker - USB Interface Retail Packaged
DSY-SP442	R 129	Disney High School Musical Mini Drum Speaker - USB Interface Retail Packaged
DSY-SP462	R 129	Disney Hanna Montana Mini Drum Speaker - USB Interface Retail Packaged
DSY-SP481	R 129	Disney Nightmare before Christmas Tower Desktop Speaker - USB Interface Retail Packaged
DSY-SP495	R 129	Disney Toy Story Tower Desktop Speaker - USB Interface Retail Packaged
DV11-B	R 483	Microworld DV11 Blue Bluetooth Speaker / USB / FM / MicroSD
DV11-R	R 483	Microworld DV11 Red Bluetooth Speaker / USB / FM / MicroSD
DV12-GR	R 426	Microworld DV12 Grey Bluetooth Speaker / USB / FM / MicroSD
DV13-GR	R 426	Microworld DV13 Grey Bluetooth Speaker / USB / FM / MicroSD
DV15-BL	R 334	Microworld DV15 Black Bluetooth Speaker / USB / FM / MicroSD
DV15-R	R 334	Microworld DV15 Red Bluetooth Speaker / USB / FM / MicroSD
DY-2602-FZ[V1]	R 512	Disney Wheely Karaoke Machine - Frozen, Aux connection to Phone, Melody with Light funtion, Phone Holder
E20-B	R 368	Microworld E20 Blue Bluetooth Speaker / USB / FM / MicroSD
E20-BL	R 368	Microworld E20 Black Bluetooth Speaker / USB / FM / MicroSD
E20-G	R 368	Microworld E20 Green Bluetooth Speaker / USB / FM / MicroSD
E20-R	R 368	Microworld E20 Red Bluetooth Speaker / USB / FM / MicroSD
E8-BL	R 345	Microworld E8 Black Bluetooth Speaker / USB / FM / MicroSD
E8-BO	R 345	Microworld E8 Blue Orange Bluetooth Speaker / USB / FM / MicroSD
F1-B	R 460	Microworld F1 Blue Bluetooth Speaker / USB / FM / MicroSD
F1-BL	R 460	Microworld F1 Black Bluetooth Speaker / USB / FM / MicroSD
F1-R	R 460	Microworld F1 Red Bluetooth Speaker / USB / FM / MicroSD
G30-BB	R 345	Microworld G30 Black Brown Bluetooth Speaker / USB / FM / MicroSD
G30-BL	R 345	Microworld G30 Black Bluetooth Speaker / USB / FM / MicroSD
G30-R	R 345	Microworld G30 Red Bluetooth Speaker / USB / FM / MicroSD
GS-MT64	R 173	Microworld Fabric Bluetooth Speaker, 300 mAh rechargeable battery, USB Port & TF card slot with MP support
H12-B	R 357	Microworld H12 Blue Bluetooth Speaker / USB / FM / MicroSD
H12-GB	R 357	Microworld H12 Camo Bluetooth Speaker / USB / FM / MicroSD
H12-R	R 357	Microworld H12 Red Bluetooth Speaker / USB / FM / MicroSD
H13-B	R 276	Microworld H13 Blue Bluetooth Speaker / USB / FM / MicroSD
H13-BL	R 276	Microworld H13 Black Bluetooth Speaker / USB / FM / MicroSD
H13-BR	R 276	Microworld H13 Black Brown Bluetooth Speaker / USB / FM / MicroSD
H13-P	R 276	Microworld H13 Purple Bluetooth Speaker / USB / FM / MicroSD
HISENSE HP300	R 3,299	Hisense HP300 400W DJ Party Speaker with woofers and tweeters, RGB Lights effects, Bass Boost, Karaoke

		mode, DJ mode, Pair play, Connectivity, 3D Effect
HLK4040GL	R 173	Xiaomi Mi Silent Edition White Dual Mode Wireless Mouse
HP300	R 3,399	Hisense HP300 DJ Party Speaker - 2 Channel Speaker, 2 Internal Subwoofer, 2 Tweeters, 400W Max Audio Power (200W RMS x 2) , 40Hz - 20KHz Frequency Response, Display Screen, Sound EQ Mode, Bass Boost, DJ Effect, Vocal Fader, MP3, Bluetooth 5.0, Aux Input, Mic Input, USB Input, Recording, Power Socket, RGB Light Effect, TWS, Echo Volume, Guitar Volume, 280W Power Consumption, Retail Box
HY19-B	R 368	Microworld HY19 Blue Bluetooth Speaker / USB / FM / MicroSD
HY19-BL	R 368	Microworld HY19 Black Bluetooth Speaker / USB / FM / MicroSD
HY19-R	R 368	Microworld HY19 Red Bluetooth Speaker / USB / FM / MicroSD
HY29-B	R 362	Microworld HY29 Blue Bluetooth Speaker / USB / FM / MicroSD
HY29-BL	R 362	Microworld HY29 Black Bluetooth Speaker / USB / FM / MicroSD
HY29-GR	R 362	Microworld HY29 Grey Bluetooth Speaker / USB / FM / MicroSD
HY29-R	R 362	Microworld HY29 Red Bluetooth Speaker / USB / FM / MicroSD
IOXK200PNK	R 551	SonicGear IOX K200 Portable Bluetooth Speaker with Wireless Microphone - Pink, 5W Pure system Power (RMS), 1x 2" Driver size, Up to 10m Bluetooth, USB & TF support, Built-In 2000mAh Li-Ion Battery, 10 hrs playback time at 50% Volume scale (Lights off), About 3 hours charge time
IOXK200WHT	R 551	SonicGear IOX K200 Portable Bluetooth Speaker with Wireless Microphone - White, 5W Pure system Power (RMS), 1x 2" Driver size, Up to 10m Bluetooth, USB & TF support, Built-In 2000mAh Li-Ion Battery, 10 hrs playback time at 50% Volume scale (Lights off), About 3 hours charge time
IOXK600SOUFFLE	R 1,264	SonicGear IOX K600 Souffle Portable Bluetooth Speaker, Bluetooth, 36W total system Power, 18W Pure system Power (RMS), USB & TF support, Built-In 2000mAh Battery, 6 hours playback time at 50% Volume Scale, About 4 hours charge time, Dual Wireless microphones
IOXK800BLK	R 1,494	SonicGear iOX K800 Black Portable Bluetooth Speaker with Microphones. Bluetooth 5.3, 40W output, Dual wireless microphones, RGB ambient lighting, 6 hours playback, USB, TF, aux, coaxial inputs, Type-C charging, 3000mAh battery, 2.0 kg weight, 16.84 x 16.84 x 27.98 cm dimensions
IOXK800WHT	R 1,494	SonicGear iOX K800 White Portable Bluetooth Speaker with Microphones. Bluetooth 5.3, 40W output, Dual wireless microphones, RGB ambient lighting, 6 hours playback, USB, TF, aux, coaxial inputs, Type-C charging, 3000mAh battery, 2.0 kg weight, 16.84 x 16.84 x 27.98 cm dimensions
ITOUR-30 GREEN	R 149	Divoom iTour-30 Compact lightweight Portable Speaker system - Output: 2.4w, total Peak Power: 4.8 Watts, Built-in Audio Amplifier, Built-in rechargeable battery, USB Powered-Green, Retail Box
ITOUR-30 PINK	R 149	Divoom Pink iTour-30 TRAVEL SPEAKER SYSTEM 2.4 Watts
ITOUR-70 PINK	R 199	Divoom PINK iTour-70 TRAVEL SPEAKER SYSTEM - 5W 2 X 1.5" FULL RANGE MICRO METAL DRIVERS
K20-BR	R 276	Microworld K20 Brown Bluetooth Speaker / USB / FM / MicroSD
K20-R	R 276	Microworld K20 Red Bluetooth Speaker / USB / FM / MicroSD
K21-B	R 276	Microworld K21 Blue Bluetooth Speaker / USB / FM / MicroSD
K21-BR	R 276	Microworld K21 Brown Bluetooth Speaker / USB / FM / MicroSD
K21-R	R 276	Microworld K21 Red Bluetooth Speaker / USB / FM / MicroSD
K22-GB	R 299	Microworld K22 Camo Bluetooth Speaker / USB / FM / MicroSD
K22-R	R 299	Microworld K22 Red Bluetooth Speaker / USB / FM / MicroSD
K24-B	R 288	Microworld K24 Blue Bluetooth Speaker / USB / FM / MicroSD
K24-BL	R 288	Microworld K24 Black Bluetooth Speaker / USB / FM / MicroSD
K24-R	R 288	Microworld K24 Red Bluetooth Speaker / USB / FM / MicroSD
K27-B	R 334	Microworld K27 Blue Bluetooth Speaker / USB / FM / MicroSD
K27-BL	R 334	Microworld K27 Black Bluetooth Speaker / USB / FM / MicroSD
K27-BR	R 334	Microworld K27 Grey Bluetooth Speaker / USB / FM / MicroSD
K27-R	R 334	Microworld K27 Red Bluetooth Speaker / USB / FM / MicroSD
K28-B	R 322	Microworld K28 Blue Bluetooth Speaker / USB / FM / MicroSD
K28-BL	R 322	Microworld K28 Black Bluetooth Speaker / USB / FM / MicroSD
K28-R	R 322	Microworld K28 Red Bluetooth Speaker / USB / FM / MicroSD

KTS861-BLUE	R 368	Microworld KTS-861A Portable Speaker Radio - Bluetooth - Blue, USB / FM / Bluetooth, 5W Output Power, Luces LED, 32GB max memory USB / MicroSD. Size: 337 (W) x 453 (H). Rechargeable through USB cable.
KTS861A-BLK	R 265	Microworld KTS861A Portable Speaker Radio Black, Radio, TF slot, USB, Aux, LED, 10m Wireless range. Size: 337 (W) x 453 (H). Rechargeable through USB cable.
KTS861A-BLU	R 265	Microworld KTS861A Portable Speaker Radio Blue, Radio, TF slot, USB, Aux, LED, 10m Wireless range. Size: 337 (W) x 453 (H). Rechargeable through USB cable.
KTS902-BLK	R 391	Microworld KTS-902 Portable Speaker 2.1 Radio Black, Bluetooth Wireless Speaker, 10W output Power, 800mAh Li-ion Battery, FM Radio, Flash Light
KTS902-BLU	R 391	Microworld KTS-902 Portable Speaker 2.1 Radio Blue, Bluetooth Wireless Speaker, 10W output Power, 800mAh Li-ion Battery, FM Radio, Flash Light
LN-17P	R 127	Microworld LN-17 Bluetooth Wireless Speaker 360 Sound, 400mAh built in Battery, TF card, Aux Input, FM Radio, Hands-Free call, TWS connection, 50mm Speaker
LOGI Z407 980-001348	R 1,646	Logitech Z407 Bluetooth Computer Speakers with subwoofer and Wireless control, 40W total watts (RMS), 20W subwoofer, 2x 10W satellites, 1x 3.5 mm Input, 1x Micro-USB Input, Bluetooth, 20-meter Wireless range, 980-001348
LUMO2RGB	R 551	Armaggeddon Lumo 2 RGB 2.0 Stereo Bluetooth Gaming Speakers, Bluetooth 5.3, RGB Lighting effects, USB powered, 3.5mm audio jack, 10W Pure system Power (RMS), 2x 2.5" Speaker unit
MINF15-B	R 196	Microworld MINIF15 Blue Bluetooth Speaker / USB / FM / MicroSD
MINF15-BB	R 196	Microworld Mini F15 Camo Bluetooth Speaker / USB / FM / MicroSD
MINF15-G	R 196	Microworld Mini F15 Green Bluetooth Speaker / USB / FM / MicroSD
MINF15-R	R 196	Microworld Mini F15 Red Bluetooth Speaker / USB / FM / MicroSD
MINI3-B	R 173	Microworld MINI3 Blue Bluetooth Speaker / USB / FM / MicroSD
MINI3-BL	R 173	Microworld MINI3 Black Bluetooth Speaker / USB / FM / MicroSD
MINI3-G	R 173	Microworld MINI3 Green Bluetooth Speaker / USB / FM / MicroSD
MINI3-R	R 173	Microworld MINI3 Red Bluetooth Speaker / USB / FM / MicroSD
MJ2C3SO/A	R 2,565	Apple HomePod Mini - Blue, Acoustically Transparent fabric, Computational audio for Real-Time tuning, Four-microphone design for far-field Siri, Multiroom audio with AirPlay 2, Stereo pair capable, Full-range Driver and Dual passive radiators
MJ2D3SO/A	R 2,565	Apple HomePod Mini - Orange, Acoustically Transparent fabric, Computational audio for Real-Time tuning, Four-microphone design for far-field Siri, Multiroom audio with AirPlay 2, Stereo pair capable, Full-range Driver and Dual passive radiators
MJ2E3SO/A	R 2,565	Apple HomePod Mini - Yellow, Acoustically Transparent fabric, Computational audio for Real-Time tuning, Four-microphone design for far-field Siri, Multiroom audio with AirPlay 2, Stereo pair capable, Full-range Driver and Dual passive radiators
MQJ73SO/A	R 6,475	Apple HomePod - Midnight, 4-inch high-excursion Woofer, Array of five horn-loaded tweeters, Advanced computational audio with system sensing for Real-Time tuning, Spatial audio with Dolby Atmos, Four-microphone design for far-field Siri, Multi-room audio with AirPlay, Stereo pair capable, Temperature and Humidity sensors, Accelerometer, Bluetooth 5.0, 802.11n Wi-Fi
MQJ83SO/A	R 6,475	Apple HomePod - White, 4-inch high-excursion Woofer, Array of five horn-loaded tweeters, Advanced computational audio with system sensing for Real-Time tuning, Spatial audio with Dolby Atmos, Four-microphone design for far-field Siri, Multi-room audio with AirPlay, Stereo pair capable, Temperature and Humidity sensors, Accelerometer, Bluetooth 5.0, 802.11n Wi-Fi
MS-136-BT-R	R 161	Microworld MS-136-BT-R Portable Speaker Red
MTJT3SO/A	R 2,565	Apple HomePod Mini Speaker - Midnight, Wireless & Bluetooth, Full-Range Driver and Dual passive radiators, Acoustically Transparent Fabric, Computational audio for Real-Time tuning, Four-microphone Design for far-field Siri, Multiroom audio with AirPlay 2, 802.11n Wi-Fi, Bluetooth 5.0
MUL483	R 35	Genius SP-I400 Purple Portable-Music-Player Speaker in total 2 watts RMS, Stick-N-Go mount design and magnetic function, Supports MP3/WMA in FAT32 format, Play/pause, next track/forward, back track/reverse in MP3/WMA mode, Easy power on/off with volume control,Can connect to other portable speakers.

MUL599	R 213	Genius SP-906BT R2 Plus Portable Bluetooth - Blue, Retail Box
MUL600	R 213	Genius SP-906BT R2 Plus Portable Bluetooth - Orange, Retail Box
MW443AE/A	R 3,128	Beats Pill - Wireless Bluetooth Speaker - Matte Black, Wireless & Bluetooth, Centre Button for Music and call controls, Volume up/down buttons, System Button, Up to 24 hours of continuous playback, Rechargeable Lithium-ion batteries
MW463AE/A	R 3,128	Beats Pill - Wireless Bluetooth Speaker - Champagne Gold, Wireless & Bluetooth, Centre Button for Music and call controls, Volume up/down buttons, System Button, Up to 24 hours of continuous playback, Rechargeable Lithium-ion batteries
MY5G2SO/A	R 2,197	Apple HomePod Mini - Space Grey, Acoustically Transparent fabric, Computational audio for Real-Time tuning, Four-microphone design for far-field Siri, Multiroom audio with AirPlay 2, Stereo pair capable, Full-range Driver and Dual passive radiators
MY5H2SO/A	R 2,565	Apple HomePod Mini - White, Acoustically Transparent fabric, Computational audio for Real-Time tuning, Four-microphone design for far-field Siri, Multiroom audio with AirPlay 2, Stereo pair capable, Full-range Driver and Dual passive radiators
NEOX8HAZE	R 459	SonicGear Neox 8 Haze Portable Bluetooth Speaker. Bluetooth 5.4, 10W RMS output, 1800mAh battery, 3-hour playback, RGB lighting, TWS pairing, USB-C charging, AUX/USB/TF Card inputs, 171x80x171mm, 495g
NEOX8MIST	R 459	SonicGear Neox 8 Mist Portable Bluetooth Speaker. 10W output, RGB lighting, Bluetooth 5.4, TWS pairing, 1800mAh battery, USB-C charging, 3 hours playback, AUX-IN, USB, TF Card support
P5000BLK	R 229	SonicGear P5000 Moby Black Portable Speaker
P5000G	R 229	SonicGear P5000 Moby Graphite Portable Speaker
P5000LG	R 229	SonicGear P5000 Moby Light Grey Portable Speaker
P5000MB	R 229	SonicGear P5000 Moby Maldive Blue Portable Speaker
P5000P	R 229	SonicGear P5000 Moby Peach Portable Speaker
P8000SCHAMPAGNE	R 413	SonicGear P8000 Super Champagne Portable Bluetooth Speaker; Bluetooth 5.0; 20W total system power; 5W x 2 RMS; 2 x 52mm drivers; 50Hz - 18kHz; FM radio; USB playback; TF card; AUX input; TWS pairing; 1200mAh rechargeable battery; up to 6 hours playback at 50% volume; 210 x 55 x 80 mm
P8000SGRAPHITE	R 413	SonicGear P8000 Super Graphite Portable Bluetooth Speaker; Bluetooth 5.0; 20W total system power; 5W x 2 RMS; 2 x 52mm drivers; FM radio; USB playback; TF card support; AUX input; TWS pairing; 1200mAh rechargeable battery; up to 6 hours playback at 50% volume; dimensions: 210 x 55 x 80 mm
P8000SLILAC	R 413	SonicGear P8000 Super Lilac Portable Bluetooth Speaker; Bluetooth 5.0; 20W total system power; 5W x 2 RMS; 2 x 52mm drivers; FM radio; USB playback; TF card support; AUX input; TWS stereo pairing; 1200mAh rechargeable battery; up to 6 hours playback at 50% volume; Bluetooth range up to 10m; 210 x 55 x 80mm
PBS580	R 284	Polaroid PBS580 Mini Bluetooth 10W 4" Speaker, FM Radio RGB lights, 10 meter Wireless range, DC 5V USB charging, 1800mAh Battery capacity, 3.5mm Aux audio Input, SD card slot
PBS729	R 170	Polaroid Bluetooth Mini Beat Box Speaker, Bluetooth Wireless Speaker, Supports Micro Sd Card, Fm Radio, Microphone Not Included
PCB-SP-SONICBOOM	R 365	Syntech PCBuilder Sonic Boom Bluetooth Gaming Speaker, 20W (2 x 10W) Speaker Output Power, 52mm Speaker size, 3.7V 3600mAh Lithium-ion Battery, USB Type-C Port charging Input, Up to 4 hours charging time, Up to 5 hours playtime, 1x MicroSD Card Reader, 1x USB 3.0, 1x 3.5mm Aux
PUSB4	R 273	Polaroid PUSB4 4 Port USB Charger With Led Light
QBH4190GL	R 1,063	Xiaomi Mi Smart Speaker
QBH4261GL	R 1,103	Xiaomi 30W Black Sound Outdoor
QBH4265GL	R 1,103	Xiaomi 30W Blue Sound Outdoor
QBH4269GL	R 385	Xiaomi Sound Pocket 5W Ultra-Portable Wireless Speaker, Bluetooth, 5W rated Output Power, Lithium-ion 1000mAh battery, 3 hours charging time, IP67 Water resistance rating, Stereo pair (TWS), Mic
QBH4274GL	R 768	Xiaomi Bluetooth Speaker Mini 6W - RGB, IP67, Full-Range Speaker x2, Passive radiator x1, Bluetooth 5.3, NFC, 1x Type-C charging Port, 6W (3W x2) rated Output Power, Up to 11 hours Play duration, Lithium-ion 2000mAh Battery, 1.5 hours charging time
QBH4275GL	R 1,527	Xiaomi ASM02G Bluetooth Speaker

QBH4321GL	R 2,123	Xiaomi Sound Party 50W Bluetooth Speaker - Black, 50W rated Output Power, 2 Speaker Units, Harman Audio Technology, Wrgb Multi-Colour Lighting, Approx. 26 hours Play duration (at 50% Volume), 7.3V 5200mAh Battery, 4 hours charging time, Support NFC, Type-C Power Port, IP67 dust and Water resistance
QBH4422GL	R 1,148	Xiaomi Sound Play Speaker 18W - Black, 18W Output Power, 14 hours Battery Life, IP68 Water/dust resistance, Bluetooth, Light show / RGB
QBH4431GL	R 1,148	Xiaomi Sound Play Speaker 18W - Purple, 18W Output Power, 14 hours Battery Life, IP68 Water/dust resistance, Bluetooth, Light show / RGB
QBH4433GL	R 1,148	Xiaomi Sound Play Speaker 18W - Green, 18W Output Power, 14 hours Battery Life, IP68 Water/dust resistance, Bluetooth, Light show / RGB
QBH4435GL	R 1,148	Xiaomi Sound Play Speaker 18W - White, 18W Output Power, 14 hours Battery Life, IP68 Water/dust resistance, Bluetooth, Light show / RGB
QUATRO2BGREY	R 270	SonicGear Quatro 2 super loud USB stereo speaker Black and Cool Grey, Built-in bass reflex panel, 6 watts total RMS power, 5V USB power
QUATRO2BLIME	R 270	SonicGear Quatro 2 super loud USB stereo speaker Black and Lime Green, Built-in bass reflex panel, 6 watts total RMS power, 5V USB power
QUATRO2BORANGE	R 270	SonicGear Quatro 2 super loud USB stereo speaker Black and Sunny Orange, Built-in bass reflex panel, 6 watts total RMS power, 5V USB power
QUATRO2BRED	R 270	SonicGear Quatro 2 super loud USB stereo speaker Black and Festive Red, Built-in bass reflex panel, 6 watts total RMS power, 5V USB power
QUATRO2BTURQUILA	R 270	SonicGear Quatro 2 super loud USB stereo speaker Black and Turquila, Built-in bass reflex panel, 6 watts total RMS power, 5V USB power
QUATROVBGREY	R 344	SonicGear Quatro V - USB powered 2.1 speaker Black and Cool Grey with FM Radio, TF card slot, USB slot, Audio aux-in jack, Wireless remote control, Advanced Dual bass reflex technology, 5 watts total system power (RMS)
QUATROVBLIME	R 344	SonicGear Quatro V - USB powered 2.1 speaker Black and Lime with FM Radio, TF card slot, USB slot, Audio aux-in jack, Wireless remote control, Advanced Dual bass reflex technology, 5 watts total system power (RMS)
R12-B	R 311	Microworld R12 Blue Bluetooth Speaker / USB / FM / MicroSD
R12-BB	R 311	Microworld R12 Brown Black Bluetooth Speaker / USB / FM / MicroSD
R12-R	R 311	Microworld R12 Red Bluetooth Speaker / USB / FM / MicroSD
R4-BL	R 368	Microworld R4 Black Bluetooth Speaker / USB / FM / MicroSD
R4-GB	R 368	Microworld R4 Camo Bluetooth Speaker / USB / FM / MicroSD
RD-GS560	R 381	Redragon GS560 Adiemus Gaming Speaker
RK-3020-BK	R 259	Rocka Fibre series Black Bluetooth Speaker with fabric trim
S818	R 426	Microworld Koleer S818 Bluetooth Speaker, USB, TF card, Aux, DC in, 5W Power Output, 15m transmission distance, 1200mAh Battery capacity
S886	R 391	Microworld Koleer S886 Bluetooth Speaker, USB, TF card, Aux, DC in, 5W Power Output, 1200mAh Battery capacity, Black & Orange
S887SPK	R 69	Microworld S887 Bluetooth Speaker / USB / FM / MicroSD
S888	R 546	Microworld Koleer S888 Bluetooth Speaker with two microphones, USB, TF card, Aux, DC in, 10W 10W Output
S888SPK	R 69	Microworld S888 Bluetooth Speaker / USB / FM / MicroSD
SLC076-B	R 288	Microworld SLC-076 Blue Bluetooth Speaker / USB / FM / MicroSD
SLC076-BL	R 288	Microworld SLC-076 Black Bluetooth Speaker / USB / FM / MicroSD
SLC082-B	R 357	Microworld SLC-082 Blue Bluetooth Speaker / USB / FM / MicroSD
SLC082-GB	R 357	Microworld SLC-082 Camo Bluetooth Speaker / USB / FM / MicroSD
SLC082-R	R 357	Microworld SLC-082 Red Bluetooth Speaker / USB / FM / MicroSD
SMS001	R 667	Microworld Anonsuo sound mini 10W speaker - Red, 2200mAh Battery
SN-601B	R 99	Unbranded Blue Mini Speaker, Retail Box. Width: 30 cm, Height 45 cm, Depth 30 cm.
SN-601Y	R 99	Unbranded Yellow Mini Speaker, Mono sound, Wired. Retail Box. Width 30 cm, Height 45 cm, Depth 30 cm.
SO8U3	R 60	Microworld SO8U3 Bluetooth Speaker / USB / FM / MicroSD

SO8U3SPK	R 60	Microworld SO8U3 Bluetooth Speaker / USB / FM / MicroSD
SONICCUBEM	R 179	SonicGear Sonic Cube high clarity 2.0 USB speaker Mint, 6 watts total Output power RMS, 2x 2" total built-in Driver
SONICCUBEW	R 179	SonicGear Sonic Cube high clarity 2.0 USB speaker White, 6 watts total Output power RMS, 2x 2" total built-in Driver
SONICGO2BLK	R 242	SonicGear SonicGo! 2 Portable Wireless Speaker - Black, 5W Pure system Power (RMS), 1x 52mm Driver, 2-3 hours charge time, Up to 10m Bluetooth range, USB & TF support, Built-In 500mAh Battery capacity, 4 hrs playback time at 50% Volume scale
SONICGO2DGRY	R 242	SonicGear SonicGo! 2 Portable Wireless Speaker - Grey, 5W Pure system Power (RMS), 1x 52mm Driver, 2-3 hours charge time, Up to 10m Bluetooth range, USB & TF support, Built-In 500mAh Battery capacity, 4 hrs playback time at 50% Volume scale
SONICGO2RED	R 242	SonicGear SonicGo! 2 Portable Wireless Speaker - Red, 5W Pure system Power (RMS), 1x 52mm Driver, 2-3 hours charge time, Up to 10m Bluetooth range, USB & TF support, Built-In 500mAh Battery capacity, 4 hrs playback time at 50% Volume scale
SONICGO3RGB	R 482	SonicGear SonicGo! 3 Portable Wireless Speaker, RGB LED lights, 10W Pure system Power (RMS), 2x 52mm Driver size, Up to 10m Bluetooth range, USB & TF support, FM Radio (MHz), Built-In 1500mAh Li-Ion Battery, 4 hrs playback time at 50% Volume scale, 2 hours charge time
SONICGO5ATLNTC	R 401	SonicGear SonicGo! Boom 5 Atlantic Portable Bluetooth Speaker
SONICGO5BLKPRTY	R 401	SonicGear SonicGo! Boom 5 Block Party Portable Bluetooth Speaker
SONICGO5CARBON	R 401	SonicGear SonicGo! 5 Carbon Portable Bluetooth Speaker; Bluetooth 5.4; 8W RMS output; 66mm driver; RGB lighting; TWS pairing; USB and TF card playback; FM radio; 2500mAh battery; USB-C charging; IPX4 splash resistance; dimensions: 11.4 x 11.4 x 13.1 cm; weight: 0.495kg
SONICGO5STRM	R 401	SonicGear SonicGo! Boom 5 Storm Portable Bluetooth Speaker
SONICGO6RGB	R 539	SonicGear SonicGo! 6 Portable Wireless Speaker, RGB LED lights, 10W Pure system Power (RMS), 2x 52mm Driver size and quantity, Up to 10m Bluetooth range, USB & TF support, FM Radio, Built-In 2400mAh Li-Ion Battery, 4 hrs playback time at 50% Volume scale, 2 hours charge time
SONICGOBIKECLIPZBRED	R 321	SonicGear SonicGo! BikeClipz Portable Wireless Cycling Speaker - Brilliant Red, 5W Pure system Power (RMS), 1x 45mm Driver size, 10m Bluetooth range, USB & TF support, Built-In 500mAh Li-Ion Battery, 5 hrs playback time at 50% Volume scale, About 2 hours charge time
SONICGOBIKECLIPZMGRN	R 321	SonicGear SonicGo! BikeClipz Portable Wireless Cycling Speaker - Military Green, 5W Pure system Power (RMS), 1x 45mm Driver size, 10m Bluetooth range, USB & TF support, Built-In 500mAh Li-Ion Battery, 5 hrs playback time at 50% Volume scale, About 2 hours charge time
SONICGOBIKECLIPZMGRY	R 321	SonicGear SonicGo! BikeClipz Portable Wireless Cycling Speaker - Midnight Grey, 5W Pure system Power (RMS), 1x 45mm Driver size, 10m Bluetooth range, USB & TF support, Built-In 500mAh Li-Ion Battery, 5 hrs playback time at 50% Volume scale, About 2 hours charge time
SONICGOBOOM2	R 470	SonicGear SonicGo! Boom 2 Portable Bluetooth Speaker
SONICGOBOOM6	R 723	SonicGear SonicGo! Boom 6 Portable Bluetooth Speaker
SONICPODWHT	R 654	SonicGear Sonic POD White TWS Speaker
SP-TJM180	R 344	Tanko portable presenter, speaker & headset, with belt clip, rechargable Lithium-Ion battery, 10sec recording.
SP-Z600B	R 552	Zalman zm-s600B - Wireless Bluetooth Speaker with built-in microphone for smartphone, 2x5w RMS - 52x52x38mm compact design, 40mm diameter, powered by rechargeable lithium-ion battery
SP4	R 17	Okion Musicbath Rechargeable Portable Speaker. 3.5mm audio jack, designed for any multimedia device with 3.5mm jack. Small, but packs a punch! Note that these are small speakers: 65mm (w) x 35mm (d) x 10mm (h). No warranty (out of box failure only).
SRS-ULT30/BCE	R 3,497	SONY ULT Field 3 Black Bluetooth speaker; Bluetooth 5.2; IP67 waterproof; 24 hr battery life; quick charge; ULT Power Sound; portable strap; USB Type-C; hands-free calls
SRS-ULT30/WCE	R 3,497	Sony ULT Field 3 White Bluetooth Speaker; portable wireless speaker; Bluetooth 5.2; IP67 waterproof; up to 24h battery; USB Type-C; Party Connect; 25.6 x 11.3 x 7.9 cm; 1.2 kg
SRS-ULT50/BZE	R 5,217	Sony ULT Field 5 Black Wireless portable speaker; up to 25h battery; IP66/IP67 waterproof; 360 degree Party

		Light; Bluetooth 5.2; portable strap; deep bass modes
STUDIOBEATSHD	R 1,908	SonicGear StudioBeats HD 60W Portable Bluetooth Speakers, Bluetooth 5.3 up to 10m, 3.5mm aux-in, 3 EQ modes, Built-In Microphone, USB playback, Shoulder strap included, 7200mAh Rechargeable Battery provides 10 hours playback, TWS support, 60W (20W x2 10W x2) Output Power, 2x 3" mid-bass drivers 2x 1.2" treble Speaker drivers
STUDIOBOX2M	R 2,184	SonicGear StudioBox 2-HD Hi-Fidelity Home Bluetooth Speaker - Mahogany, 70 Watt RMS Output Power, 2 channel, 1x 50W Full-Range 4" Driver, 2x 10W 1.25" tweeters, Bluetooth 5.0, RCA, Optical
STUDIOBOX2W	R 2,184	SonicGear StudioBox 2-HD Hi-Fidelity Home Bluetooth Speaker - Walnut, 70 Watt RMS Output Power, 2 channel, 1x 50W Full-Range 4" Driver, 2x 10W 1.25" tweeters, Bluetooth 5.0, RCA, Optical
SVT-TRUA-CSUB10	R 10,279	TruAudio CSUB10 compact series 10" powered subwoofer - Dual passive radiators - 250W, 2x passive radiators (One per side), 10" polymer bonded cellulose woofer, 250 watts internal amplifier
VB-702-BLUE	R 207	Volkano Diamond Series USB Powered Speakers, Blue, Turn Any Laptop or Desktop Computer Into a Funky Sound System
VB-702-RED	R 207	Volkano Diamond Series USB Powered Speakers, Red, Turn Any Laptop or Desktop Computer Into a Funky Sound System
VB702BLUE	R 181	Volkano Diamond Series USB Powered Speakers, Blue, Turn Any Laptop or Desktop Computer Into a Funky Sound System
VB702RED	R 195	Volkano Diamond Series USB Powered Speakers, Red, Turn Any Laptop or Desktop Computer Into a Funky Sound System
VK-3134-BKGR	R 621	Volkano pumped Series wearable Speaker with armband - Black & Grey, Bluetooth version 5, Armband with key & card slot, Washable & removable armband, SD card Input, Speakerphone for Hands-Free calling, 7 hours playtime
VK-3134-MT	R 621	Volkano pumped Series wearable Speaker with armband - Mint, Bluetooth version 5, Armband with key & card slot, Washable & removable armband, SD card Input, Speakerphone for Hands-Free calling, 7 hours playtime
VK-3201-BL[V1]	R 437	Volkano Mini Mamba Series Bluetooth Speaker - Blue, Bluetooth version 5, 1 500 mAh Battery, 8 W RMS total Power Output, 3.5 mm Stereo jack, 2 - 4 hours playtime, 4 hours charge time, USB, Micro SD card, Integrated FM Radio
VK-3203-BK	R 1,092	VolkanoX Python Series Bluetooth Speaker - Black, 3 600 mAh Battery capacity, 2x 7W total power Output, 3 - 6 hrs playback time, 2x 3" Driver, 4 hrs charge time
VK-3208-BK	R 655	Volkano Stockholm Series Black Bluetooth Speaker; wireless audio; lightweight design; clear balanced sound; USB charging; everyday music playback
VK-3400-BK	R 322	Volkano Topaz Series Bluetooth Speaker - Black. Basic specs: Portable Bluetooth speaker, wireless audio, built-in rechargeable battery, black colour, strap handle, volume/playback controls, compact design.
VK-3411-BK	R 1,035	VolkanoX Viper Series Bluetooth Speaker - Black, Bluetooth version 5, 10 m range, Jl Chipset, 3 000 mAh Battery, 2x 8.5 W RMS total power Output, 3.5 mm Stereo jack Aux, 3 - 6 hours playtime, FM Radio, 5 hours charge time, USB Input, Removeable shoulder strap for portability
VK-3412-B	R 1,380	VolkanoX Anaconda Bluetooth Speaker - Black, Bluetooth version 5, 10 m Bluetooth operating distance, 1 500 mAh Battery capacity, 8 W RMS total Power Output, 1.5 - 3 hrs playback time, 3" Driver, 3 hrs charge time
VK-3453-BK[V2]	R 287	Volkano Stun 2.0 Series Bluetooth Speaker - Black, Bluetooth version 5, 1200 mAh Battery capacity, 5 - 6 hrs charge time, 1.5 - 2 hrs playback time, 6 W RMS total Power Output
VK-3902-D65	R 2,058	VolkanoX VXP200 Dual 6.5 inch Party Speaker - Black, Microphone Input
VKX-3000-BK	R 1,418	VolkanoX Adder Series Bluetooth Speaker - Black, Aux & SD card inputs, Up to 7 hours playtime, 5V / 1A Powerbank Output, EQ modes, 40 W RMS total Power Output, 4 - 8 hrs charge time, 2x 3.5" Driver
VKX-3003-BL	R 805	Volkano x VXS200 Portable Bluetooth Speaker - Blue, 1800mAh Battery capacity, 3 hours charge time, Up to 10 hours playback time, 20W RMS Output, IPX6
VKX-3005-BK	R 1,932	Volkano X VXS400 Portable Bluetooth Speaker - Black, Up to 8 hour playback, 5400mAh Battery capacity, 60W RMS Output
VKX-3006-BK	R 658	Volkano X Wave IPX66 Bluetooth Wireless Speaker - Black, 3.5mm Aux Input, RGB lights, IPX 66 Water resistant

< Return to the menu

Speakers : Sound bar for monitors / TVs

Product code	Price	Description
59.M3504.001	R 1,299	BenQ Speakers For LCD TV 37" - Please Note LCD TV is not included, Retail Box
A13012-B	R 144	Astrum SM120 USB Sound Bar - Black, Blue LED light, Aux Built-In, And Dual Speaker
ASPKB20TB	R 268	Astrum SPB20T Bluetooth Soundbar Speaker; 20W RMS; 2 x 10W RMS stereo; Bluetooth 5.3; 3600mAh battery; up to 4.5 hour playtime; TWS; FM radio; USB; AUX; TF card; USB-C 5V/1A; wireless range up to 10m; dimensions: 38 x 5.5 x 7.3cm
ASPKSM340B	R 654	Astrum SM340 60W BT HDMI AUX USB 790MM Soundbar; 60W RMS; 2.0CH; BT V5.3; HDMI ARC; Optical; USB; AUX; 790mm; 4 speakers; 4 built-in subwoofers; 4 bass diaphragms; DSP amplifier; 70Hz-20KHz; remote control; wall mount or table placement; black
HISENSE AX5100Q	R 3,000	HISENSE AX5100Q SoundBar 5.1 channel SoundBar, Dolby Digital Plus & DTS Virtual:X, 6.45" Wireless Subwoofer, Dual rear Surround Speakers, EzPlay (Easy control with HiSense TV)
HISENSE HS1000	R 1,068	Hisense HS1000 2.1 Channel 120W Soundbar, DTS Virtual: X, TV Mode, 4 Speakers, EzPlay, ROKU TV Ready, 120W Max Audio Power, Bluetooth 5.3
HISENSE HS1800	R 1,402	HiSense HS1800 140W 2.1ch SoundBar, Bass boost, Bluetooth Wireless audio Streaming, USB Port, Aux in (3.5mm), HDMI out / ARCx1, 4.5" Subwoofer, 2x 1 2" Speaker
HISENSE HS1800 Special	R 1,340	(On Promotion) Hisense HS1800 2.1Ch 140W With Wireless Sub, HDMI ARC, BT, USB. *Limited stock - 1 per customer/address*
Hisense HS2100	R 1,747	Hisense HS2100 2.1ch 240W SoundBar with Subwoofer, Bluetooth, Loud deep Bass, DTS virtual x, Multi EQ modes
HISENSE HS3100	R 2,345	Hisense HS3100 Soundbar 3.1Ch 480W Dolby Digital Plus, Dolby Digital DTS Virtual: X, HDMI ARC, BT5.3
HISENSE HS5100	R 2,782	Hisense HS5100 Soundbar 5.1Ch 540W Dolby Digital Plus, Dolby Digital DTS Virtual: X, Rear speakers, HDMI ARC, BT5.3
HS1000	R 999	Hisense HS1000 2.1 Channel 120W Soundbar, DTS Virtual: X, TV Mode, 4 Speakers, EzPlay, ROKU TV Ready, 120W Max Audio Power, Bluetooth 5.3
HS2100	R 1,599	Hisense HS2100 2.1ch 240W SoundBar with Subwoofer, Bluetooth, Loud deep Bass, DTS virtual x, Multi EQ modes
HS3100	R 2,099	HiSense HS3100 3.1 channel 480W SoundBar with Subwoofer - 480W Max audio Power, True 3.1 Multi channel Dolby Digital Plus & DTS Virtual:X, Wireless Subwoofer, Powerful Bass, EzPlay Easy control with HiSense TV, HDMI cable for free, 6.5" Subwoofer, Bluetooth V5.3, USB Port, Line audio Input (3.5mm) / Aux, Optical audio out, LED Display screen
HS5100	R 2,499	Hisense HS5100 Soundbar 5.1Ch 540W Dolby Digital Plus, Dolby Digital DTS Virtual: X, Rear speakers, HDMI ARC, BT5.3
HS5100	R 2,999	Hisense HS5100 Soundbar 5.1Ch 540W Dolby Digital Plus, Dolby Digital DTS Virtual: X, Rear speakers, HDMI ARC, BT5.3
HT-B600	R 8,157	Sony HTB600 BRAVIA Theatre Bar 6 Sound Bar; 3.1.2 channel Dolby Atmos soundbar with wireless subwoofer; HDMI eARC ARC input; Bluetooth 5.3; centre channel dialogue clarity; rich bass wireless subwoofer
KS3 SOUNDBAR + SUBWOOFER	R 5,519	Mecool KS3 OTT SoundBar Subwoofer Speaker x 1, Android TV 12 OS Operating System, Google Certified, Dolby Atmos, DTS Digital Surround, 8-driver Array High-Output Wireless Subwoofer, 4GB RAM 32GB storage, 4K UHD, Dolby Vision, HDR10 , HLG, Dual-Band WiFi, 10/100 Ethernet LAN Port, HDMI eARC, SPDIF (Optical), USB 3.0, LAN, Bluetooth voice Remote
MNDE520-AASI	R 850	Dell 520-AASI SB521A slim SoundBar for P3221d / P2721q / U2421e displays, Built-in magnetic Mount, 3.6 Watt nominal Output power Speaker Type active, Under-the-monitor recommended placing, USB power source
MUL611	R 205	Genius Speaker SoundBar 100 Black USB, 2x 3 W (6 W) total Output power, 2" Driver unit, 3.5 mm jack audio Input
NEOX250BTBLK	R 401	SonicGear NeoX 250BT Black Bluetooth Stereo Soundbar
NEOX250BTWHT	R 401	SonicGear NeoX 250BT White Bluetooth Stereo Soundbar
QBH4276GL	R 1,024	Xiaomi Desktop Speaker
QBH4286EU	R 850	Xiaomi SoundBar 2.0ch - Bluetooth, Full-Range 2x 15W racetrack Speakers, Bluetooth 5.3 connectivity, 3.5mm

		Aux in, SPDIF in, Coaxial Input, Optical in
QBH4336EU	R 4,165	Xiaomi Soundbar Pro 2.1ch; 300W output with wireless subwoofer; Bluetooth 5.3, HDMI ARC, optical, coaxial; Dolby Audio DTS Virtual-X; 84 x 8.7 x 6.05 cm; 2.2 kg soundbar 5.14 kg subwoofer
QBH4344EU	R 2,554	Xiaomi Soundbar Pro 2.0; 2.0 channel stereo; Dolby Audio; Bluetooth 5.0; HDMI ARC & Optical input; 100W RMS; Black; 890 x 70 x 70 mm; 2.3 kg; Remote included
QBH4355GL	R 2,550	Xiaomi Desktop Speaker Pro Set with Wireless Subwoofer, 2.1 channel Audio Configuration, 2 x 10W racetrack drivers, Wireless Subwoofer, 96mm Long-Throw Driver, 4-driver horizontal Sound system, Dual passive radiators, Professional DSP Digital Audio Processor, Digital amplifier, USB, Aux-in, 3.5mm Microphone Input, Built-In High-Sensitivity Microphone, Acoustic Echo cancellation (AEC), External Microphone support, RGB Lighting, 24 LEDs Main Speaker RGB LEDs, 5 LEDs Subwoofer RGB LEDs, 6 preset Lighting effects
RD-GS515	R 453	Redragon GS515 Neo RGB Wired/Bluetooth Desktop SoundBar - Black, SoundBar Configuration with 10 W RMS total Output, Connectivity includes - Bluetooth / USB / 3.5mm Ports, RGB Lighting included for workspace atmosphere
S40T	R 3,299	LG S40T 2.1ch 300w Soundbar with Wireless Subwoofer, Retail Box
S65TR	R 4,599	LG S65TR 600W 5.1 channel Soundbar with Subwoofer, Retail Box
SAMSUNG HW-B450	R 2,885	Samsung HW-B450 Wireless Soundbar, 2.1ch / 300w, Night/voice Eq, Bass Boost, Bluetooth Tv Connection, 6.5â€• Wireless Subwoofer, Game Mode, One Remote Control, Adaptive Sound Lite
SS330	R 1,799	Skyworth SS330 2.1 Channel Soundbar System with External Wireless Subwoofer - Up To 480W Of Total Audio Power Output, Bluetooth Ver 5.0 Audio Streaming, 1x USB 2.0 Audio Playback Port, Compatible Devices TV, Android, IOS, 1x Aux Input, 1x Optical Input 1xHDMI ARC Input, Remote Control Included, Retail Box
SS531	R 1,999	Skyworth 3.1CH Home Cinema Soundbar System - Dolby Digital Plus, Dolby Digital, Compatible devices: TV, Android Phone, iPhone, etc., Bluetooth Version: 5.3, BT Operating Range: up to 10m, USB File Formats: MP3, etc., Selectable EQ: Music, Movie, News, 3D, Total Audio Power Max Output: 510W, Retail Box
SS586	R 2,499	Skyworth 5.1CH Home Cinema Soundbar System - Dolby Digital Plus, Dolby Digital, Cmpatible devices: TV, Android Phone, iPhone, etc., Bluetooth Version 5.0, BT Operating Range: up to 10m, USB File Formats: MP3, etc., Selectable EQ: Music,Movie,News,Sport, Wireless Surround Speaker: Yes, Total Audio Power Max Output: 630W, Retail Box
STUDIOBAR500HD	R 1,954	SonicGear Studiobar 500-HD Maverick SoundBar with DSP, 50W Pure system Power (RMS), 4x 3" Woofer, 2x 1" tweeter, 10m Bluetooth range, Wireless Remote control, HDMI Arc, Optical Input, Aux Input
TAB3100	R 574	Philips TAB3100 2.0 24W USB Compact SoundBar, 12W RMS total Output Power, Bluetooth, 1x Optical Input, HDMI ARC, USB playback, 3.5mm Aux-In, Treble and Bass control, Equalizer settings
TAB4000	R 804	Philips TAB4000 2.0 60W SoundBar Mount, 60W Max / 30W RMS total Power, 2x Full-Range drivers (L r), Treble & Bass control, Bluetooth, 1x HDMI out (ARC)
TAB4500	R 1,609	Philips TAB4500 2.1 140W SoundBar Mount Wireless Sub, 140W Max / 70W RMS total Power Output, Two Full-Range drivers in the SoundBar 4.5 Active Wireless Subwoofer, Bluetooth, 1x HDMI out (ARC), USB playback, Audio-In (3.5 mm), Treble and Bass control
TAB5500	R 1,955	Philips TAB5500 2.1 260W SoundBar Mount with Wireless Subwoofer 2.1, Treble and Bass control, 130W RMS Speaker system Output Power, Active Wireless Subwoofer, 6.5cm Woofer Diameter, 2 full range (L r) front drivers, Bluetooth Receiver, 1x HDMI out (ARC)
TAB6309	R 3,449	Philips TAB6309 2.1 Ultra Slim SoundBar Wireless Sub, 320W Max / 160W RMS system Power, 2 tweeters 2 full range in Bar, 1 Woofer in Sub, Dolby Atmos, Dolby Digital Plus, DTS Virtual:X, DTS Digital Surround, Wireless Active 4.5-inch Driver Subwoofer, HDMI eARC/ARC x 1, Optical in x 1, USB, 3.5mm Aux, Bluetooth 5.3
VK-3905-2.1[V3]	R 1,409	Volkano Turbulent Series 80W 2.1 SoundBar, USB & Aux inputs, 3D sound mode, EQ modes, Optical Input, Connect via Bluetooth, Connect to your TV with HDMI (Arc) inputs
VKX-3905-2.1[V3]	R 1,656	VolkanoX hypersonic 3.0 Series 120W 2.1 SoundBar, Includes Remote control, Aux & HDMI (ARC) inputs, 120W RMS Power Output, Subwoofer and Sound Bar included, Bluetooth, Optical inputs
VKX-3906-2.1[V1]	R 1,932	Volkano X Shockwave Series 120W 2.1 SoundBar, 10 m operating distance, 60W RMS SoundBar, 60W RMS Subwoofer Power, USB & Aux inputs, Optical Input, HDMI (ARC) Input. Quick Specs Summary: 120W peak output, 2.1 channel, Bluetooth 5.0, HDMI ARC, Optical input, USB playback, Wireless subwoofer, Remote control,

		Aux in
XBAR2	R 562	Armaggeddon X-Bar 2 Sound Bar, 12 watts total system Power, 6 watts Pure system Power (RMS), 2x 2" Driver unit

< Return to the menu

Voice recorders - digital

Product code	Price	Description
4515260018857	R 4,099	Zoom F1 Field Recorder with directional Microphone-2-Channel Field Audio Recorder, SGH-6 Microphone, 1.25 inch Monochrome LCD display, One-touch button controls, 24-Bit/96 kHz Audio, WAV and MP3, Records Directly To Micro SD and SDHC Cards, Requires 2 x AAA Batteries, Retail Box
DPM6000	R 10,716	Philips DPM6000 Professional Dictation Recorders
DPM8200	R 15,438	Philips DPM 8200 Professional Digital Dictation Recorder
DPM8900	R 21,622	Philips PocketMemo Digital voice recorder DPM8900 & four meeting microphones LFH9172/00, Docking Station ACC8120, Memory card, Remote control, USB cable, Splitter cable, Pouch, Metal Carry case, 320x240 pixels Resolution Display, 1 directional Microphone, 1 Microphone for 360 degree recording, Built-in round dynamic Speaker, 28 mm Speaker diameter, 1000mAh battery capacity
LFH7177	R 5,128	Philips LFH7177 Speechexec Professional Transcription
LFH7177	R 5,455	Philips LFH7177 Speechexec Professional Transcription
LFH7277	R 7,002	Philips Transcription Professional - LFH 7277 SpeechExec Pro Transcription Set 7277 is a powerful and user-friendly digital transcription system that turns your computer into a highly sophisticated transcription machine. Providing a whole range of benefit

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Batteries & Chargers

Analyzer Batteries

Product code	Price	Description

< Return to the menu

Batteries Alkaline / Zinc / re-chargeable

Product code	Price	Description
4008496244062	R 39	Varta V76PX Primary Silver Oxide Button cell 1.5V Battery, 145mAh-Type No:4075 - Single Pack (This Varta V76PX silver oxide button cell battery is also known as SR44 V13GS G13S 357 S76 SG13)
4008496273911	R 99	Varta Primary Silver Battery V28 PX / 4 SR 44, Nickel-Oxyhydroxide (NiOx), 6.2V, 145 mAh - Single Pack
4008496744152	R 49	Varta Longlife Max Power Alkaline AAA 8 Pc Batteries. Size: AAA (LR03); Voltage: 1.5 V; Capacity: 850 mAh; Diameter: 10.5 mm; Height: 44.5 mm; Weight per Battery: 11.5 g; Chemical System: Alkaline Manganese; Storage Life: 10 years; Pack Size: 8 batteries; Country of Origin: Germany
4008496927470	R 39	Varta LongLife Power Alkaline AAA 10 Battery. Size: AAA; Voltage: 1.5V; Diameter: 10.5 mm; Height: 44.5 mm; Weight: 11.4 g; Chemical System: Alkaline Manganese; Leak-proof design; Shelf Life: Up to 10 years; Made in Germany
49514	R 86	Verbatim AAA NiMH Premium rechargeable batteries 4 pack, 1.2V voltage, 950mAh series capacity
49920	R 22	Verbatim 49920 AAA Alkaline Batteries 4 Pack; 1.5V; household electronics; remote controls; toys; flashlights; compact AAA size; general purpose power
49920C	R 184	Verbatim Aaa Alkaline Batteries Carton - 4pk x 10
49921	R 25	Verbatim 49921 Alkaline AA Battery 4 batteries per Pack; AA form factor; household electronics power; bulk storage packaging
6LR61P1B/40	R 40	Philips 9V Power Alkaline battery
8LR932/73	R 14	Philips Alkaline battery 12V, 54 mAh battery capacity, 12V battery voltage. Size: 8LR932. Replaces LR32A, MN21,

		A23, V23GA, LRV08, E23A
BA-TO-APAA4	R 75	Toshiba Alpha Power Alkaline AA - 4 pack
BA-TO-APAA6	R 81	Toshiba Alpha Power Alkaline AA - 6 pack
BA-TO-APAAA2	R 35	Toshiba Alpha Power Alkaline AAA - 2 pack
BA-TO-APAAA4	R 54	Toshiba Alpha Power Alkaline AAA - 4 pack
BAT-BA-TO-9VBP1	R 75	Toshiba Alkaline 9V blister pack - 1 unit
BAT-BA-TO-CR2025	R 22	Toshiba CR2025 3v Lithium Coin Cell Battery
BAT-GBSFP51100R-LQ	R 21,849	Linkqnet Li-ion 3u 51.2v 100ah 5120wh Battery Pack; 5.12kWh energy storage; 3U rack mount; solar backup battery; UPS compatible; lithium iron phosphate; smart BMS protection; 100A discharge capability; residential commercial storage
BATHOLD	R 58	Microworld CR2032 Battery holder, Designed for 3V Coin Cell Batteries, Compact PCB mounting Design, Secure electrical contact points, Easy soldering connection points
BHR5393GL	R 69	Xiaomi AA Rainbow Batteries - 10 Pack
BHR5394GL	R 67	Xiaomi AAA Rainbow Batteries - 10 Pack
CR123A/40	R 52	Philips CR123A/40 3V Lithium Battery, Approximately 1500 mAh capacity, Up to 5 years shelf Life
CR2/73	R 46	Philips CR2 / 3V minicells Lithium Battery, CR2 / 3V Lithium Battery Type, 3.0 V battery voltage
CR2032P1L/40	R 35	Philips CR2032 single Lithium Button 3V Battery
CR2450P1/40	R 35	Philips CR2450 single Lithium Button 3V Battery
D013926	R 502	DURACELL ALKALINE LR44 2s (10 PACK)
D141834	R 1,078	Duracell Mainline Plus C 2S - 10 pack box, LR14/MN1400, 10 packs of 2
D141995	R 1,092	Duracell Mainline Plus D 2S - 10 pack box, LR20/MN1300, 10 packs of 2
D142206	R 1,078	Duracell Mainline Plus 9V 1s - 10 pack box, 6LP3146/MN1604, 10 packs of 1
D803824	R 2,705	DURACELL RECHARGEABLE AAA 800MAH 4S (10 packs)
D803886	R 528	Duracell Lithium Coins 2016 3V 2S - 10 pack box, 10 packs of 2
D803909	R 528	DURACELL LITHIUM COINS 2025 3V 2 batteries (10x PACKS = 20 batteries)
D803923	R 528	DURACELL LITHIUM COINS 2032 3V 2 batteries (x10 PACKS)
D803961	R 528	Duracell Portable Power batteries MN21 2S - 10 pack box, 10 packs of 2
FR03LB4A/40	R 104	Philips Lithium Ultra AAA 1.5V Battery - 4 blister pack
FR6LB4A/40	R 161	Philips Lithium Ultra AA 1.5V Battery - 4 blister pack
LR03E2B-10	R 19	Philips Ultra Alkaline Battery 2 X LR03E2B AAA Ultra Alkaline, Retail Box, No Warranty
LR03P2B/40	R 17	Philips Power Alkaline battery AAA 2 pack
LR03P6B/40	R 40	Philips Alkaline 1.5V AAA - 6 pack, Lasts up to 3x longer than standard zinc-carbon batteries.
LR14P2B/40	R 35	Philips Alkaline 1.5V CX2 Batteries - 2 pack, 1.5V Voltage
LR20P2B/40	R 40	Philips power Alkaline battery D 2x pack, 1.5 V battery voltage, LR20 Alkaline
LR6P2B/40	R 17	Philips power Alkaline battery AA 2 pack, 1.5V, 2900mAh capacity
LR6P6B/40	R 40	Philips Alkaline 1.5V AA - 6 pack, Lasts up to 3x longer than standard zinc-carbon batteries.
M49514	R 199	Verbatim AAA Premium Rechargeable Batteries Hr03 - 4 Pack
M49517	R 177	Verbatim AA Premium Rechargeable Batteries Hr6 - 4 Pack
M49532	R 391	Verbatim 49532 Premium CR2025 Lithium 3V button batteries - 4 pack
M49533	R 423	Verbatim 49533 CR2032 Battery Lithium 3V 4 pack - 20 per carton
M49535	R 919	Verbatim 49535 Premium CR2450 Lithium 3V button batteries - 4 pack
M49920	R 173	Verbatim 49920 Alkaline AAA Battery 4 Pack x 10 packs (40 batteries); 1.5V; AAA size; alkaline chemistry; single use; household electronics; remotes toys clocks wireless devices; lightweight storage ready
M49921	R 516	Verbatim 49921 Alkaline AA Battery 4batteries per Pack x20 Packs (100 batteries); AA form factor; household electronics power; bulk storage packaging
M49922	R 369	Verbatim 49922 Alkaline C Battery - 2 Pack; 1.5V; torch and radio compatible; 50mm height; 26.2mm diameter; 61g per cell; non rechargeable
M49923	R 571	Verbatim 49923 Alkaline D Battery 2 Pack; 1.5V; D-LR20 Mono; height 61.5mm; diameter 34.2mm; weight 134g; suitable for torches, flashlights, radios, boom boxes; single-use battery

M49924	R 295	Verbatim 49924 Alkaline 9V Battery 10 Pack; 9V; 6LR61; high performance; smoke alarm compatible; toy compatible; 48.5mm height; 46g per battery; household electronics
M49940	R 203	Verbatim 49940 23A (MN21/A23) Battery Alkaline 12V 2 ' s - 10 pack, 12V Voltage
MEVEV49514	R 84	Verbatim AAA NiMH Premium Rechargeable Batteries 4 pack, 1.2V Voltage, 950mAh Series capacity
MEVEV49517	R 177	Verbatim 2500 Series AA Rechargeable batteries - 4 pack, NiMH chemistry, 1.2V, 2500mAh. Designed for consistent performance in devices such as digital cameras, remote controls, toys and other household electronics.
MEVEV49533	R 20	Verbatim 49533 CR2032 Battery Lithium 3V 4 pack
MEVEV49920	R 16	Verbatim 49920 AAA Alkaline Batteries 4 Pack; 1.5V; household electronics; remote controls; toys; flashlights; compact AAA size; general purpose power
MEVEV49921	R 23	Verbatim 49921 AA Alkaline Batteries 4 Pack; 1.5V AA size; household devices; remote controls; clocks; toys; flashlights; portable electronics
MEVEV49923	R 570	Verbatim 49923 D Alkaline Batteries 2 Pack; 1.5V; non rechargeable; long lasting household battery; suitable for torches radios toys portable electronics
MEVEV49924	R 28	Verbatim 49924 9V Alkaline Batteries 1 Pack; single pack; non-rechargeable; smoke alarm battery; microphone battery; portable electronics power; household battery; compact design
MEVEV49940	R 20	Verbatim 49940 23A (MN21/A23) Battery Alkaline 12V 2 ' s - 1 pack, 12V Voltage
P-BAT-9VA	R 40	Camelion 9V Heavy Duty Battery
P-BAT-AAA	R 12	Camelion AAA 1.5V Heavy Duty Battery R03
R03B4RTU10/40	R 104	Philips AAA Nickel-Metal Hydride 1000mAh Rechargeable Battery - 4 pack, 1.2 V Battery voltage
R03L10S/97	R 37	Philips R03L10S 10 X AAA Zinc Carbon LongLife Battery, Retail Box, No Warranty
R03L2B/40	R 12	Philips Longlife battery AAA 2 pack, R03 Zinc Carbon, 1.5 V
R03L2F/40	R 9	Philips Longlife battery AAA 2 pack, R03 Zinc Chloride, 1.5 V
R03L4B/40	R 14	Philips Longlife battery AAA 4 pack, R03 Zinc Chloride, 1.5V
R20L2B/40	R 46	Philips Longlife battery D 2 pack, R20 Zinc Chloride, 1.5 V
R6B4B260/73	R 12	Philips R6B4B260/73 AA 4 pack 2600mAh Rechargeable battery, 1.2 V battery voltage, AA Nickel-Metal Hydride
R6B4RTU260/40	R 138	Philips AA 2600mAh 4 pack rechargeble batteries, Nickel-Metal Hydride, 1.2 V Battery voltage
UPS061	R 437	Universal Ups Battery 12V 9 Amp, Valve Regulated AGM, Spill Proof, Maintenance Free, Lower Self Discharge, Vibration Resistant
VK-8100-BL	R 95	Volkano Extra series Alkaline Batteries AA pack of 4
VK-8101-BL	R 95	Volkano Extra series Alkaline Batteries AAA pack of 4
VK-8102-GN	R 207	Volkano Extra Series Rechargeable Batteries AA pack of 4, 2100 mAh Battery capacity, 1.2 VDC Battery Voltage, Nickel Metal Hydride Battery Type
VK-8103-GN	R 132	Volkano Extra Series Rechargeable Batteries AAA pack of 4, 800mAh capacity
VK-8105-SL	R 72	Volkano Extra series CR2016 Pack of 2 Batteries
VK-8106-SL	R 72	Volkano Extra series CR2025 Pack of 2 Batteries

< Return to the menu

Battery Chargers for rechargeable batteries

Product code	Price	Description
057647101451	R 339	Varta Pocket Charger - Charges 2 or 4 AA/AAA at the same time, Retail Box, No Warranty
4008496675050	R 399	Varta Professional V-Man Home Station - Incl. 8 adapters, USB output, 5.5 V, 800 mAh, 5xCharging slots, Charges 2 Mignon or Micro batteries
8161815547325.W	R 589	Promate Energymate White Rechargeable External Battery with Interchangeable Plug tips for Tablets & Mobile Devices
8466A001AA	R 1,152	Canon CB-570 Car Battery Cable for Canon LC-E4 and CG-570 Battery Charger
BATCH	R 138	Microworld AA/AAA Battery charger
BT-V5200	R 171	Vantec van-520BB-bk Power Cube 5200 - black, universal mobile device battery, dual USB charge (charge 2 USB device at 1 time), 5200mAh, 2x 5.3V/ 2.1A output, for apple iDevice other mobile devices, 86x58.5x23.5mm, 146g
iP-CALK51B	R 1,013	Canon LK-51B battery plus charger - for canon BJC-50, BJC-55, i70, i80 , pixma iP90, iP90V

MW-NPB360N-24TB	R 2,696	Mean Well 24V 12.5A 360W Battery charger, 115/230V AC seletable Input, 3 Stage Lead-Acid / Lithium charger
PS3027DU	R 249	Duracell Play & Charge Kit For PS3, Retail Box, 6 Month warranty
PUC14	R 17	Okion Usb (AA & AAA) Battery Charger, Supports AA/AAA NiCd/NiMH batteries.
SCB1411WB-12	R 149	Philips SCB1411WB Smart Charger with Microprocessor Control, Retail Box, No Warranty
SOLSKMF2B	R 1,599	Solarix Full Automatic Intelligent Battery Charger - Input Voltage 110V-250V, Output Voltage: 12V/24V On Lead Acid, AGM, And VLR Batteries, Output Voltage On 12.6v Lithium Batteries, Automatic Identification, LCD Display, Automatic And Manual Charging Modes Selector, Battery Type Selector, Maximum Current 10A, 180w Internal Temperature-Controlled Cooling Fan, Colour Yellow, Retail Box
SOLSKMF3S	R 1,399	Solarix Smart Fast Intelligent Battery Charger - Input Voltage 110V-250V, Output Voltage: 12V/24V On Lead Acid, AGM, And VLR Batteries, Output Voltage On 12.6v Lithium Batteries, Automatic Identification 12V24V, Dual LCD Displays, Automatic And Manual Charging Modes Selector, Battery Type Selector, Manual Current Regulation Knob, Maximum Current 18A, 180w Internal Temperature-Controlled Cooling Fan, Colour Bronze Brown, Retail Box
USBBATT	R 115	Micropoint USB Battery Charger (includes 2 AA batteries)
VK-8104-BK	R 207	Volkano Extra Series 4 Battery Recharger AA/AAA, 2 or 4 Batteries simultaneously, Up to 9 hours charge time

< Return to the menu

Device chargers & Power Banks

Device chargers & Power Banks : Device chargers

Product code	Price	Description
101745	R 199	Manhattan Pop Charge Home - Europlug C5 USB Wall Charger with Two Ports
180214	R 299	Manhattan 180214 Power Delivery wall charger - 60W USB-C Power Delivery Port - Black, USB Type-A charging Port up to 2.4 Amp
180221	R 499	Manhattan 180214 Power Delivery wall charger - 60W USB-C Power Delivery Port - White, USB Type-A charging Port up to 2.4 Amp
32590005400	R 124	Genius 20W Dual USB charger - White, USB-C Port and USB Type-A Port, USB-C Power Delivery PD 3.0, USB Type-A QuickCharge QC3.0, PD-20AC
336383	R 39	Manhattan USB Phone Charger Cable -Nokia models only-Charge and operate a mobile phone from the USB port of your notebook or desktop PC - Designed for use with Nokia 5125 / 5165 / 5170i / 5180i / 5185i / 6120 / 6160 / 6161 / 7650
4008496680559	R 179	Varta V-Man USB Charger Plug Set - Compatible with all Micro USB, Mini USB and and Apple 30-pin devices - Black
409908422	R 184	Mophie 30W USB-C PD GaN wall Adapter EU - White
409909299	R 259	Mophie Speedport 45W 2-port GaN fast wall charger, 25W 20W Multi Output, 2x USB-C Ports
409909309	R 535	Mophie Speedport 120W 4 port GaN USB-C PD wall Adapter - White, 3x USB-C PD Power Delivery, 1x USB Type-A Port, 120W Max multi-output
409911854	R 136	Mophie Essentials 50W USB-C wall Adapter, Dual USB-C slots, charge 2 devices simultaneously - one device up to 50W & two devices up to 20W 25W
40AW065BEU	R 950	Lenovo 40AW065BEU Dual USB-C 65W GaN charger, 1x 1.5m USB-C cable, 2 pin connectivity, 2x USB-C charging Port
44177	R 171	Goobay Black Dual-USB 12W Car Charger adapter with 2x USB ports (12 W); Input 12V-24V DC; Output 5V 2.4A total; Compact design; Safety-protected; Color: Black; Weight: 0.025 kg; Dimensions: 6.5 x 3.0 x 3.0 cm
44951	R 206	Goobay 44951 12W Dual USB charger - Black, 2x USB Type-A
44953	R 286	Goobay 44953 30W 4 port USB charger - Black
45654	R 413	Goobay 45654 Wireless QI 10W quick charger, 3-8mm charging distance, USB 2.0 Micro Female Input
45WPD	R 229	Microworld USB-C wall charger 45W, Type-C Port, Fast charging, 45WPD
52955	R 482	Goobay 52955 Wireless Desktop 10W fast QI charger, 3-8mm charging distance, USB Type-C Input, 1 m cable length
53865	R 229	Goobay 53865 USB-C Power Delivery (PD) 20W fast charger - White, 1x USB-C Port (Power Delivery)

59521	R 240	Goobay Dual-USB Fast USB-C PD 27W Car Charger (12/24 V) suitable for devices with USB-C (Power Delivery), such as iPhone 12
5959144000313	R 239	Promate Traverse White Multi-regional Travel USB Charger
60217	R 689	Goobay 60217 3-in-1 Wireless QI charger - Black, For Wireless charging of up to 3 devices simultaneously 15 W max performance
60471	R 493	Goobay 60471 Wireless QI Charging Mat 15W fast charger - Black
65343	R 286	Goobay 65343 Wireless Charger for Apple Watch, Magnetic Technology ensures a firm Attachment of the Watch to the charging station, 1m charging cable
65419	R 574	Goobay 65419 USB-C 65W charger for laptops - Black, 1.8 m cable length, Fast charging Function (Power Delivery)
65420	R 654	Goobay 65420 USB-C 90W charger for laptops - Black, 1.8 m cable length, Fast charging Function (Power Delivery)
6959144000312-W	R 239	Promate Traverse Multi-regional Travel USB Charger - White
6959144004945	R 299	Promate Travelmate.Mobi Universal Auto-Switch Power Adaptor with 2 Ultra-Fast USB Ports and a power socket
900031-EU	R 124	Port 900031 Connect 20W USB Type-C Pocket Wall charger, USB Type-C Power Delivery, 20W Max total Output
900096	R 531	Port 900096 Power Supply Universal 45W Type-C Power Supply, 45W Maximum
900097	R 758	Port Designs 65W Notebook Adapter with USB-C Port
900105-EU	R 467	Port 900105-EU Power Supply 45 W - Type-C GaN - EU, USB-C PD 3.0 Port allows to charge a Laptop up to 45W, USB Type-A Quick Charge Port up to 18W, USB-C and USB Type-A, 2-meter USB-C Power cable
900106	R 484	Port 900106 65W GaN wall charger & 2m EU USB-C cable, Gallium nitride (GaN) Technology, USB-C & USB Type-A Combo wall charger, 2x USB-C PD 65W, 1x USB Type-A QC 30W, USB Type-A Quick Charge Port up to 30W, 65W Maximum Power
901950	R 11,231	Port 901950 Charging Cabinet 10 unit, DC 5V / 2.1A per Port Output, charge progress indicator, Silent cooling ventilator, Sliding shelves for Easy Access, UV Lamp
901952	R 13,178	Port 901952 charging suitcase 12 bay, Up to 12 devices, DC 5V / 2.1A per Port Output, Extensible arms and two wheels, Smart charge 2.1A, charge progress indicator
901952	R 12,805	Port 901952 charging suitcase 12 bay, Up to 12 devices, DC 5V / 2.1A per Port Output, Extensible arms and two wheels, Smart charge 2.1A, charge progress indicator
902104-EU	R 420	Port Connect 65W GaN Type-C and USB Type-A fast charger, Dual Output Ports, Type-C devices up to 65W, USB Type-A devices up to 18W
902104-EU	R 373	Port Connect 65W GaN Type-C and USB Type-A fast charger, Dual Output Ports, Type-C devices up to 65W, USB Type-A devices up to 18W
902107-EU	R 1,049	Port 902107-EU Power Supply 130W - Type-C GaN, 130W Maximum Power, 2 meter USB-C Power cable included, 2 USB-C Power Delivery 100W Ports, 1x USB-C Power Delivery 30W Port, 1x USB Type-A Quick Charge 30W Port
902107-EU	R 1,127	Port Connect GaN 130W PD USB Type-C Wall Charger
90WTYPEC	R 367	Microworld 90W Type-C charger, 1.8m cable length
A2208	R 229	LDNIO Desktop charger with LED light, 2x USB ports, Touch On/Off button, Silver color, 1.5m cord length, DC 5V 2.4A (Auto Maximum) Output
A4406	R 265	LDNIO 4-port USB Wall Travel Charger with LED, 5V/4.4A Total output current
A6802	R 374	LDNIO A6802 6P Desktop charger Power Bank, 6 USB ports, 2600mAh/13wh capacity power bank
A70-502000	R 99	Wileyfox A70-502000 10W / 2.0A USB Charger
A70543-B	R 181	Astrum FM430 PD30W Fast charge USB-C BT V5.3 Car FM Transmitter. Bluetooth 5.3; PD 30W USB-C fast charge; Secondary USB-A charging port; FM transmitter for car radio; USB and TF card MP3 playback; Built-in microphone for hands-free calls; LED frequency display; Power - fits 12V vehicle socket
A92611-B	R 447	Astrum wall charger Pro PD100 with 2x USB-C PD Power Delivery 65W & 2x USB Type-A QC 18W Ports, 4 x USB Type-A / USB-C Ports for charging multiple devices simultaneously, GaN technology for efficient Power management
A92655UBEU	R 148	Astrum PD35 Pro USB-c 33w Pd 30w Wall Charger

A93039-B	R 75	Astrum CC390 USB Car Charger MFI, 8pin attached cable, 1.5M length, 2.4A output for iPhone / iPad, MFI, Black. The Astrum CC390 is a compact, MFI-certified USB car charger with a built-in 1.5 m 8-pin cable, offering fast 2.4 A charging for iPhones and iPads. Lightweight and durable, it's an ideal travel companion.
A93039-B Special	R 49	(On Promotion) Astrum CC390 Lightning Car Charger MFI, 8pin attached cable, 1.5M length, 2.4A output for iPhone / iPad, MFI, Black. The Astrum CC390 is a compact, MFI-certified USB car charger with a built-in 1.5 m 8-pin cable, offering fast 2.4 A charging for iPhones and iPads. Lightweight and durable, it's an ideal travel companion.
A93039-Q	R 75	Astrum CC390 USB Car Charger MFI, 8pin attached cable, 1.5M length, 2.4A output for iPhone / iPad, MFI, White. The Astrum CC390 is a compact, MFI-certified USB car charger with a built-in 1.5 m 8-pin cable, offering fast 2.4 A charging for iPhones and iPads. Lightweight and durable, it's an ideal travel companion.
A93100AC	R 224	Astrum CAR CHARGER PRO GO PD100 2TC PD33W 2U 18
ACHW100GBE	R 469	Astrum ACHW100GBE WATZ100G 100W 2A 2C CAB GAN Wall Charger. 100W GaN charger; 2 x USB-C 2 x USB-A; intelligent power distribution; 110-240V input; built-in safety protection; compact design
ACHW12ABE	R 138	Astrum ACHW12ABE WATZ12A Black USB-A 12W Wall Charger. 12W USB-A wall charger; 5V/2.4A output; 100-240V input; compact design; multi-layer protection; black color
ACHW12DBE	R 49	Astrum ACHW12DBE WATZ12D Black 12W 2 X USB-A Wall Charger. Dual USB-A ports; 12W total output; 2.4A per port; Compact design; PC V0 fireproof material; Input: 100-240V AC; Output: 5V DC; Operating temperature: -40°C to 80°C; Standby power consumption:
ACHW20PBE	R 86	Astrum ACHW20PBE WATZ20P Black 20W USB-C PD Wall Charger. Output Power: 20W Max; Input: 100-240V~ 50/60Hz 0.5A; Output: 5V? 3A, 9V? 2.22A, 12V? 1.67A; Port: USB-C; Dimensions: 43 x 25 x 46 mm; Weight: 70g; Includes 1m USB-C to USB-C cable
ACHW20WBE	R 177	Astrum ACHW20WBE WATZ20W 20W 1A 1C WATCH PD Wall Charger. Dual USB ports, 20W Power Delivery, GaN technology, compact design, safety protections, compatible with smartphones, tablets, and Apple Watch
ACHW30LBE	R 156	Astrum ACHW30LBE WATZ30L Black 30W USB-C LCD PD Wall Charger. 30W Max output; GaN technology; USB-A: 5V~3A, 9V~2A, 12V~1.5A; USB-C: 5V~3A, 9V~3A, 12V~2.5A; Dual Port: 5V?3.4A; LED display; Compact design; CE, RoHS certified; 90g weight; 8.18 x 3.90 x 3.35 cm dimensions
ACHW45LBE	R 191	Astrum ACHW45LBE WATZ45L Black 45W USB-C LCD PD Wall Charger. Model: WATZ45L; Input: AC 100-240V; Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A; USB-C Port: 1 x USB-C PD; Display: LCD screen; Dimensions: 5.5 x 3.0 x 2.5 cm; Weight: 0.08 kg; Certifications: CE, RoHS
ACHW65GBE	R 322	Astrum ACHW65GBE WATZ65G Black 65W 1A 2C LCD PD Wall Charger. 65W GaN wall charger; 1 USB-A 2 USB-C ports; LED display; Intelligent power distribution; Overvoltage, overcurrent, and short-circuit protection; Compact design; Suitable for smartphones, tablets, laptops, and other USB-powered devices.
ACV0525-CBK	R 114	Adata Qualcomm 3.0 quick Car Charger, 150cm cable length, 17W Maximum Output power main, 35W Maximum Output power extended, 5 USB ports to charge
ADA-CAR-3P-USB-CHARG	R 278	Unitek 42W 3-Port USB Aluminium Smart Car Charger (with QC3.0)
ADA-CAR-CHARGE-TYPEC	R 300	Unbranded Qc3.0 Type-c Charger With Power Delivery And Voltmeter
ADA-CAR-CHARGER-DUAL	R 179	Unbranded 12V dual ports USB charger Black 2.1 Amp 1 Amp, C833A, Car Cigarette Lighter
ADA-CAR-DUO-CAR-CHAR	R 209	Unitek Powertrain Duo 38W two Ports Car Charger with PD and QC, DC jack for Car, USB-C Power Delivery, USB Type-A QC2.0, P1400A
ADA-MAG-W-CAR-CHAR	R 670	Unitek Magsafe Car Mount charger 15W Wireless phone Car Charger Mount, P1403A, Up to 15W Output, Perfectly compatible with horizontal & Vertical vents, Car Charger with PD 3.0 & QC 3.0 fast charging
AM5001-W	R 118	Amplify Dual USB Charger Joy Ryder White, A dual USB car charger, 5V 2amp Output
AM6005-1A/BLK	R 90	Amplify Agile Series single USB 1A wall charger Black, Compact single 1A USB wall charger, Input voltage 100-240V / 50Hz 0.3A, Output voltage 5.0V, Output current 1000mA
APA107EU	R 630	Targus APA107EU USB-C 65W PD Power Delivery charger, 15.7 x 4.6 x 14 cm, Built-In Power Supply protection. USB-C connector. For use with USB-C laptops, tablets, and smartphones.
ASUS ROG ADAPTER	R 1,839	Asus ROG 140W USB-C GaN charger, 90XB09IN-BPW000, 4 port, Fast charging, Compact, Up to 140 watts of total Output, 3x USB-C and 1x USB Type-A, USB Power Delivery (PD) 3.0, Programmable Power Supply (PPS), Quick Charge 3.0

AX05TC	R 199	Geeko Universal Multifunction Charger for Mobile phones and iPods and iPads 2 and the New iPad Retail Box 1 year Limited Warranty
BAT-12V9-LQ-MK	R 259	Linkqnet Mc12-9 12v 9ah Agm Deep Cycle Ups Battery
BE0132WHT	R 69	Whizzy 4 Port USB Family Car Charger - Charges Up To 4 Devices Simultaneously Via Car Lighter Socket,1.5m Cable, 48 watt Total Output, Overall 9.6A, Works With All USB Chargeable Devices, Rapid Charge Recognition, Colour White, Retail Box
BE0133BLK	R 79	Whizzy 5 Port USB Family Car Charger - Charges Up To 5 Devices Simultaneously Via Car Lighter Socket, 2 x USB Ports For Front Of Car, 3 X USB Ports For Backseats, 1.5m Cable and Backseat Clip, Overall 10.8A, Rapid Charge Recognition, Colour Black, Retail Box
BE0133WHT	R 79	Whizzy 5 Port USB Family Car Charger - Charges Up To 5 Devices Simultaneously, 2 x USB Ports For Front Of Car, 3 X USB Ports For Backseats, 1.5m Cable and Backseat Clip, Overall 10.8A, Rapid Charge Recognition, Colour White, Retail Box
BHR087LEU	R 254	Xiaomi White 33W Nano USB Type-C Charger; GaN technology; QC PD PPS support; 3.22 x 3.22 x 5.05 cm; 44.5g; USB Type-C
BHR087MEU	R 634	Xiaomi White 90W HyperCharge 3-Port Fast Charger; 2 USB-C 1 USB-A; GaN technology; PD PPS QC support; compact design; multi device charging; safety protections
BHR087OEU	R 509	Xiaomi 45W Nano Turbo Power Adapter (2 Port), 2x USB Type-C Port Type, Support QC2.0 / QC3.0 / PD / PPS protocols
BHR6814GL	R 634	Xiaomi 67W USB-A and Type-C Car Charger
BHR6984GL	R 70	Xiaomi Magnetic Charging Cable for Wearables 2 Series and Band 8
BHR7215GL	R 224	Xiaomi Smart Watch 2 Charger
BHR7757EU	R 151	Xiaomi 22.5W Fast Charge Power Adapter (Type-A) - White, Deliver rapid Power with 22.5W fast charging, Connect to a Universal Type-A USB cable
BO-5004-BK	R 138	Bounce tag series USB 1A wall charger Black, 5V 1Amp Output
BO-8000-BK	R 103	Bounce Voltage series USB car charger Black
C15DP	R 102	Appacs C15 Dual port metal car charger with led display 5V3.1A
CA-PCC	R 206	Pqi 6PCM-008R0006A i-charger - Car charger for lightning 8pins miCroUSB - 62cm
CA-PCM	R 125	Pqi 6PCZ-009R0005A i-Charger Mini - 2x USB port (18w, 5V/1A 5V/2.4A dual output), with 2x USB to Lightning lightning 8pins cables
CHARGE-CABINET-16-LQ	R 8,605	LinkQnet 16-way charging cabinet - Double door USB - Black
CHARGE-CABINET-20-LQ	R 9,079	LinkQnet 20-way charging trolley - front & rear door Mesh, 2 fans, Lockable, 4 castors, Double Mesh doors, 20-port SA power PDU
CHARGE-MAG-WLESS-FLD	R 466	Unitek MagCharge 3-in-1 Magnetic foldable Wireless Charger, P1223a, QI compatibility, 15W charge
CHARGE-WLESS-PAD-5-1	R 1,173	Unitek MagMighty Combo Wireless 5-in-1 Charging Pad, P1222B, 1x USB-C 30W Port, 1x 5V 2.4A USB Type-A Port, 48 W Adapter, Supports 7.5 W fast Wireless charge
CHG-AUTO-USB1-01	R 983	Zebra CHG-AUTO-USB1-01 Auto Charge Adapter, A rugged in-vehicle power adapter designed by Zebra to charge field mobile computers and printers. It connects to a vehicle's 12-24 V cigarette lighter socket and offers dual USBâ€'A ports supplying 5 V at up to 2.5 A each.
CHP6012-BU	R 89	Esquire Mobile Phone Charger- Blue - Connectors for Nokia, Sony, Samsung, Motorola
CMG-16-GY-BP	R 253	Orico CMG-16-GY Power Strip storage box, ABS material, Textured Surface Process
CND-CHA100W01	R 857	Canyon H-100 Fast Charge GaN wall charger, DC 4.5-20 V Output Voltage, 100 W Maximum Output Power, 4x Output Power connectors
CND-CHAHEX65B	R 257	Canyon Hexagon 65 Black GaN 65W 2xPD 1xQC EU Wall Charger, 65W EU Plug, Input: AC 100V-240V, 50/60Hz, 1.5A Max, 3 Ports: 2 USB Type C, 1 USB-A, Output USB_C1/C2: DC 5.0V/3.0A/15.0W, 9.0V/3.0A/27.0W, 12.0V/3.0A/36.0W, 15.0V/3.0A/45.0W, 20.0V/3.25A/65.0W(PD), Output USB-A: DC 5.0V/3.0A/15.0W, 9.0V/3.0A/27.0W,12.0V/3.0A/36.0W, Output C1 C2: C1 PD45W C2 PD18W, Output C1 A1: C1 PD45W A1 QC18W, Total Output: C1 PD45W C2/A 5V3A, 60.0W
CNE-CCA033B-US	R 105	Canyon C-033/US Universal Car Adapter Plus Lightning connector, 12V-24V Input, 5V / 2.4A (Max) Output, Smart IC, Black Glossy, Cigarette lighter receptacle, USB / Lightning Output Power connectors, 1.2 m cable length

CNE-CCA04B	R 105	Canyon C-04 Universal Dual USB Car Adapter, 12V-24V Input, 5v2.4a Output, Smart IC, Black rubber coating with Silver Electroplated Ring, Cigarette lighter receptacle, USB Type-A Output Power connectors
CNE-CCA07B	R 125	Canyon C-07 Universal 3x USB Car Adapter, 1x USB with quick charger QC3.0, 12-24V Input 12-24V, Smart IC, Black rubber coating Black Metal Ring, QC3.0 Port with Blue / other Ports in Orange, Cigarette lighter receptacle, DC 5 / 9 / 12V 2.1A output, 3x USB Type-A Output Power
CNE-CCA15B	R 244	Canyon MegaFix CA-15 Car holder and Wireless Charger - 15W, USB-C 5V/2A 9V/3A Input, Output, Output QI - 5 W / 7.5 W / 10 W / 15 W, 2 Magnetic stickers included, Car Air Vent clip included
CNE-CCA15B01	R 377	Canyon CM-15 Magnetic Car holder and Wireless Charger - 15W, USB-C Input, On vent grille mounting, USB-C to USB-C cable, 5V / 2A - 9V / 3A Input, Output - 5 W / 7.5 W / 10 W / 15 W
CNS-CC60SC10DB	R 161	Canyon CC60SC10 Dark Blue 1m 60W USB-C - USB-C Silicone Cable, 480MB/s, USB 2.0, MFL Certificate
CNS-CC60SC10W	R 161	Canyon CC60SC10 White 1m 60W USB-C - USB-C Silicone Cable, 480MB/s, USB 2.0, MFL Certificate
CNS-CC60SC20W	R 113	Canyon CC60SC20 White 2m 60W USB-C - USB-C Silicone Cable, 480MB/s, USB 2.0, Soft TPE, TPE
CNS-CCA20B	R 125	Canyon C-20 PD 20W pocket size Car Charger, DC 12V-24V Input, PD20W Output, Support iPhone 12 PD fast charging, Compliant with CE ROHS, USB Type-C charging Port
CNS-CCA20B03	R 193	Canyon C-20B03 PD 30W / QC3.0 18W pocket size Car Charger, DC 12V-24V Input, USB Type-C PD30W, USB Type-A QC3.0 18W
CNS-CCH105B	R 417	Canyon OnGrip 105 Black 15W Qi2 Wireless Car Charger, Input: USB(C), 5V3A, 9V2.22A, 20W, Output: 15W (Max) (QI2), Compatibility: iPhone 16, 15 Series, iPhone 14/13 Series [IOS 17.2], iPhone 12 Series [IOS 17.4], Dimensions: 59.8×70.5×91.4mm
CNS-CCH105W	R 417	Canyon OnGrip 105 White 15W Qi2 Wireless Car Charger, Input: USB(C), 5V3A, 9V2.22A, 20W, Output: 15W (Max) (QI2), Compatibility: iPhone 16, 15 Series, iPhone 14/13 Series [IOS 17.2], iPhone 12 Series [IOS 17.4], Dimensions: 59.8×70.5×91.4mm
CNS-CUW20C	R 125	Canyon CU20C White GaN 20W 1xPD EU Wall Charger, Power 20W with 1 USB-C, Fast charging, Compact Design, Over-voltage, overheating, overcurrent and short circuit protection, Input: AC100-240V 50/60Hz 0.6A Max, Output: DC 5V/3A,9V/2.22A,12V/1.67A (20W Max), Compliant with CE, RoHs & ERP
CNS-CUW45AC	R 305	Canyon CU45AC White GaN 45W 1xPD 1xQC EU Wall charger, Input: AC100-240V 50/60Hz 1A Max, Output USB-C: DC 5V/3A,9V/3A,15V/3A, 20V/2.25A (45W), PPS: 3.3-11V/4.05A, 3.3-16V/2.8A, 3.3-21V/2.1A, Output USB-A: DC 5V/3A, 9V/2A, 12V/1.5A (18W), USB-C A: 25W 18W (43W Max), Over-Voltage, over-heated, over-current and short circuit protection, Compliant with CE RoHs, ERP
CNS-WCS105W	R 473	Canyon WS-105 OnCharge 105 White 15W Qi2 Wireless Charging Pad, Input: USB TYPE C, 5V3A, 9V2.22A, 20W, Magnetic Charging, Charging adapter is not included, Compatible with 20W charging adapter, Power 15W (Max) (Qi2), Support: iPhone 15 Series, iPhone 14/13 Series [IOS 17.2], iPhone 12 Series [IOS 17.4], Cable Length: 1.5m, Certification: Qi2 CE.
CNS-WCS110	R 261	Canyon HEXAGON 110 Dark Grey & Blue Wireless Charging Pad, 15W Qi2, Magnetic Fast Charging, Charging adapter is not included, Compatible with 20W charging adapter, Qi2 certified, iPhone-compatible, Anti-slip Silicone Surface, Full Aluminum Case, Type C Input: DC5V-2A / 9V-2A, Wireless Output: 5W/7.5W/10W/15W
CNS-WCS205BW/A	R 473	Canyon WCS-205 OnCharge 205 Black 15W Qi2 2in1 Wireless Charging Stand w/o adapter, Qi2 Certified, Magnetic Charging, Charging adapter is not included, Compatible with 35W charging adapter, Perfect for iPhone & AirPods; Compatible with All Qi2 Devices, Fast Smartphone Charging: Up to 15W; AirPods: up to 5W, Landscape & Portrait Modes for Comfortable View
CNS-WCS205WW/A	R 473	Canyon WCS-205 OnCharge 205 White 15W Qi2 2in1 Wireless Charging Stand w/o adapter, Qi2 Certified, Magnetic Charging, Charging adapter is not included, Compatible with 35W charging adapter, Perfect for iPhone & AirPods; Compatible with All Qi2 Devices, Fast Smartphone Charging: Up to 15W; AirPods: up to 5W, Landscape & Portrait Modes for Comfortable View
CNV-USB-TC-APPLE-EXP	R 624	Unitek power expansion Apple Type-C adaptor, 1x Type-C, 1x QC3.0, 2x USB at 2.4A, Y-P1002A, For Apple USB-C power Adapter
CR49-IPH	R 129	Ezra Quick Car Charger Set for iPhone - QC3.0 PD20W Car Charger, 1m Type-C to Lightning cable 38W
CR49-TPC	R 129	Ezra Quick Car Charger Set for Type-C - QC3.0 PD20W Car Charger, 1mr Type-C to Type-C 38W cable
CSCXB16USB	R 18,630	Eaton Tripp Lite series 16-Device USB Charging Station Cabinet with Sync for iPad and Android Tablets,

		Wall-Mount and Cart Options, 230V, BS1363 to C13 Plug, Black, Order on Request
DL-A2206	R 98	LDNIO USB desk charger - 2 port 2.4A
DL-C17	R 40	LDNIO DL-C17 single USB Car Charger 5V 1A portable charging cable for iPhone Samsung Galaxy Android
DL-C29	R 72	LDNIO DL-C29 White With Silver Rim 5V 3.4A Dual USB Port Mobile Phone Car Charger, With Micro USB Cable For Fast charging. Iphone / Lenovo / Samsung / Oppo / GPS Navigation System / MP3 Player / Mobile Phone / Tablet Computer / iPod
DL-C501	R 127	Ldnio DL-C501 Rosegold 3 Port USB Car Charger; DC 12V-24V input; 5V 5.1A Auto Max output; 25.5W total output; Auto-ID; Lightning Quick Charge; multi-device vehicle charging
DL-C503Q-C	R 184	LDNIO powerful 36W 2 Port Car Charger, 2x USB Port QC 3.0 Output, 36W total Power
DL-C701Q	R 138	LDNIO USB car charger - 4 port 6.6A quick charge
DLA2202	R 114	LDNIO 5V / 2.4A Dual Port AC charger
DLC304Q-C	R 75	LDNIO C304Q 1 Port Car Charger, 18W Maximum Output, Includes Micro USB cable, Quick charge 3.0
DLK3531/00	R 112	Philips DLK3531/00 Universal Car Mount (Phone not included)
DLP2520/00	R 48	Philips DLP2520/00 Dual Car Charger
DLP2521/00	R 115	Philips Dual Port Car Charger - 1x USB Type-C & 1x USB Type-A Ports, charge two devices simultaneously, Maximum 36W Output
DLP2610/05	R 35	Philips DLP 2610 Dual USB wall charger - UK Type, UK Type Adapter Type, 2.4A 5V Output, 1A 5V Output
DLP2610/12	R 79	Philips Dlp2610/12 3.1a 15.5w Ultra Fast Dual Wall Charger
DLP2621C/12	R 173	Philips Ultra fast Type-C 30W charger, Maximum 30W Output, EU Type adaptor Type
DLP2621T/00	R 98	Philips USB Travel charger with PD and QC Output, Maximum 30 W Output, EU / AU / UK / US Type Adapter Type, 2x USB Ports charge two devices simultaneously, USB-C Port with Power Delivery support
DLP2629CB/12	R 69	Philips USB Type-C wall charger PD Power Delivery 20W - White
DLP2810T/05	R 86	Philips DLP2810T/05 USB Car & Wall Chargers with 3in1 Chargers
DLP4324CB/12	R 79	Philips USB Wall Fast Charger 2 Port with PD Power Delivery 20W, USB Type-C Output, USB Type-A Output
EA-17SIL	R 59	Ezra QC3.0 Quick Charge 1 Port USB Car Charger - Silver, Output DC 5V-3.1A / 9V-2A / 12V-1.5A, 18W Output Power
EC305-25845	R 136	UGreen Car Charger fast charging 30W 2 ports, Total Output of 30W for fast charging, Dual Ports featuring one USB Type-A and one USB Type-C Connector, Aluminium finish with a Compact Design measuring 5.3cm, Supports Power Delivery and Quick Charge protocols, Built-In Thermal Guard and temperature Control systems, Fits Standard 12-24V vehicle Power sockets.
EC701-35023	R 208	UGreen 63W Type-C USB Type-A fast Car Charger, Dual-Port Design with USB Type-C and USB Type-A Outputs, USB Type-C Port delivers up to 45W Max Power, USB Type-A Port provides up to 18W Max Power, Total Output capacity of 63W for simultaneous charging, Supports PD3.0 Fast-Charging Protocol, Supports QC3.0 Fast-Charging Protocol, Supports PPS Fast-Charging Protocol, Compatible with Samsung 45W Super fast charging, Blue LED indicator for visibility in low Light
EC705-55511	R 383	UGreen 130W USB-C 3-port Car Charger, 130W total Output across three Ports, USB-C1 Port delivers up to 100W PD, USB-C2 Port delivers up to 30W PD, USB Type-A Port supports SCP 22.5W and QC 18W, Supports PD 3.0 fast charging Protocol, Supports QC 4.0 fast charging Protocol, Supports PPS fast charging Protocol, Includes 100W USB-C cable
FSP065-A1MP3	R 531	FSP 65W PD 2-prong USB Type-C Power Adapter, 65W rated Output Power, Over 90% energy efficiency
GC2USB	R 81	Micropoint Dual USB for Car
GCBLK	R 58	Micropoint Dual USB Car Charger - Black
GCRED	R 150	Micropoint Dual USB Car Charger - Red
GCT36AC	R 14,416	Gizzu Charging Trolley 36 Bay AC Power Socket
GJS10000	R 1,107	Gizzu 1000A Black 10400mAh Jump Starter
GJS10000PRO	R 1,274	Gizzu GJS10000 Pro 4-in-1 Jump Starter and Air compressor, 10000mAh Lithium-ion Battery, 1000 cycles Battery Life cycle, 800A Jump Starter Peak current, 400A Jump Starter current, Up to 6.0l supported petrol Engines, Up to 4.0l supported diesel Engines, Up to 150 psi Air compressor Pressure, Up to 44l/min Airflow rate, 1x USB 18W Port, 1x USB Type-C 18W Input Port, Built-In flashlight

GWCCU20W	R 93	Gizzu 2-port 20W GaN Wall charger, 1x Type-C (20W), 1x USB (18W), Up to 20W GaN (PD3.0) Output Power
GWCCU30W	R 110	Gizzu 2-port 30W GaN Wall charger, 1x Type-C (30W), 1x USB (18W), Up to 30W GaN (PD3.0) Output Power, GWCCU30W
GWCCU45W	R 213	Gizzu 2-port 45W GaN Wall charger, 1x Type-C (45W), 1x USB (18W), Up to 45W GaN (PD3.0) Output Power, GWCCU45W
GWCCU65W	R 229	Gizzu 2-port 65W GaN Wall charger, 1x Type-C (65W), 1x USB (18W), Up to 65W GaN (PD3.0) Output Power, GWCCU65W
HC65-IPH	R 149	Ezra 25W Type-C iPhone Black plug Set with Type-C to iPhone 1m cable, 5V 3A, PD Fast Charge
HC65-TPC	R 149	Ezra 25W Type-C Black plug Set with Type-C to Type-C 1m cable, 5V 3A, PD Fast Charge
HC87-TPC20W	R 89	Ezra Type-C 20W Quick Charge wall charger, PD 20W fast charging Output, Safe & efficient, Built in Smart Chip, 5V 3A
HJGAN245-EU	R 1,760	Targus HJGAN245-EU HyperJuice 245W GaN Desktop charger, EU and UK AC extension cords included, 4x USB-C (100W PD 3.0)
HU-JCH167+CR	R 529	j5 create J5 JCH167W USB-C Hub, Suitable for iPhone 15 Pro and Pro Max, 1x USB-C 10Gbps, 1x USB Type-A 10Gbps, 1x USB-C 60W PD charging, 1x SD 3.0, Bus-Powered or self-powered, USB Pass-Through, Up to 3A Input current
HU-JUP2230	R 297	j5 create JUP2230 30W PD USB-C wall charger, Support PD3.0 / QC4.0 - Type-C (Up to 18W) Type-A up to 2.4A, with AC Adapter
HU-JUP25102V	R 883	J5 Create JUP25102V 102W GaN PD USB-C 2-Port Charger with Changeable AC Plugs
HU-JUP3565V	R 606	J5 create JUP3565V 3-Port Traveler Charger - support PD3.0 QC3.0, 3x DCP (Dedicated Charger Port) - 2x type-C up to 65W 1x type-A (up to 30W), 60x57x31mm, foldable travel plugs with changeable AC plugs (EU UK AU US)
HU-JUP4263	R 651	J5 create JUP4263 4-Port super Charger - support PD3.0 QC4.0, 4x USB DCP (Dedicated Charger Port) - 1x type-C up to 45W 3x type-A (up to 18W/2.4A), 99x70x27mm, with AC-adapter
HU-JUP4275	R 883	J5 create JUP4275 4-Port Super Charging Station with mobile stand design - support PD3.0 QC3.0 , 4x usb DCP (Dedicated Charger Port) - 1x type-C up to 60W 3x type-A (up to 20V/3A, 90x58x27mm, with AC-adapter
HU-JUP43130	R 1,214	j5 create JUP43130 130W GaN USB-C 4 port wall charger, Support PD3.0 / QC4.0 - 3x Type-C (Up to 100W) 1x Type-A (Up to 18W), with AC Adapter
HU-JUP57140V	R 1,159	J5-Create JUP57140V 140W GaN PD3.1 USB-C 5-Port Charger with Changeable AC Plugs; USB Power Delivery 3.1; 5 ports; 4 x USB-C; 1 x USB-A; USB-C output up to 140W per high-power port when used individually; USB-C secondary ports up to 20W each; USB-A up to 22.5W; changeable AC plugs; 100V-240V AC input; 6.85 x 6.8 x 3.35 cm; 239 g
HU-JUPV20	R 217	J5 Create JUPV20 QC3.0 Car Charger - 2x USB DCP (Dedicated Charger Port) - 1x QC3.0 (6.5V/3A) 1x fast charge(5V/2.4A), 83x27x51mm
HU-JUPV2418	R 229	j5 create JUPV2418 Car Charger, Dual USB Ports, 1x QC3.0 6.5V / 3A, 1x Fast Charge 5V / 2.4A, 30W, Compact Design
INS-PSA-USB	R 68	Unbranded 2x USB Adaptor 5V 2.1A charger
INS-PSA-USB+C	R 79	Selectrix Dual-Port Wall charger 20W fast charging Type-C, 20W USB-C PD3.0 fast charging Port, 18W Quick Charge 3.0 USB Type-A Port, Simultaneous dual-device charging capability, Combined Power Output of 17W Max
IPA2400CAR	R 87	Cirago Super Car Charger with 2.4A boost for All phones / Ipads - White, Single USB 2.4A Output (Includes one charger)
K65	R 216	HuntKey K65 65W GaN High Power charger, 1x USB-C Port, 3D stacking Technology, 45% smaller than traditional Laptop adapters
KCCY60	R 1,149	Belj KCCY60 Super 12V Jump Starter & Air compressor, Peak current of 2500A, Start current of 1500A, Inflation Pressure up to 150psi, Rated Flow of 50l / min, Capacity of 12000mAh, Supports Engines up to 8l petrol and 6l diesel, Input Voltage of 9v/2a (PD18), Output 1 supports 5v/9v/12v, Output 2 provides 5V/2A, Output 3 is a Jump Starter Port, Smart Intelligent Clamp included, USB Type-A cable and USB Type-C cable included
KH-70Y	R 184	Moxom KH-70Y charger with iOS cable, Qualcomm quick charge 3.0, Fast charging 2 USB
M32120	R 890	Verbatim 32120 UTA-05 GaN III Universal Travel Adapter, 2x USB-C PD 65W & QC 4 , 2x USB Type-A, Three

		ultra-fast USB charging Ports, Supports charging of five devices simultaneously, Certified 10A fuse
M32121	R 1,230	Verbatim 32121 UTA-06 GaN III Universal Travel Adapter, 2x USB-C PD 100W & QC 4 , 2x USB Type-A QC 3.1, Supports charging of five devices simultaneously, Certified 10A fuse
M32125	R 1,473	Verbatim UTA-10 GaN III Universal Travel Adapter, 2x USB-C PD 140W & QC 4 , 2x USB Type-A QC 3.0, 140W Max total DC Output
M32127	R 1,179	Verbatim 32127 Charge ' n ' Travel Diamond 85W rectractable cable CNT-02, 85W Maximum total DC Output, PD3.1, QC4 , Included Travel Pouch, Built-In retractable USB-C cable, Superfast 6-in-1 charging up to 85W, 4x USB-C Power Delivery 3.0 up to 70W each, 1x USB Type-A Quick Charge Output up to 60W
M32200	R 278	Verbatim 32200 GNC-35 GaN charger 35W, 1x USB-C PD 35W 1x USB Type-A QC 3.0 (EU/UK/US), Supports charging of up to 2 devices simultaneously, Supports Super-Fast charging, USB Power Delivery 3.0, PPS, Quick Charge 3.0
M32201	R 473	Verbatim 32201 GNC-65 GaN charger 65W, 2x USB-C PD 65W, 1x USB Type-A QC 3.0 (EU/UK/US), Supports charging of up to 3 devices simultaneously, Supports Super-Fast charging, USB Power Delivery 3.0, PPS, Quick Charge 3.0
M32202	R 974	Verbatim 32202 GNC-100 GaN charger 100W, 2x USB-C PD 100W, 1x USB-C PD 65W, 1x USB Type-A QC 3.0 (EU/UK/US), Supports charging of up to 4 devices simultaneously, Supports Super-Fast charging, USB Power Delivery 3.0, PPS, Quick Charge 3.0
M32203	R 1,288	Verbatim GNC-140 GaN charger 140W, 2x USB-C PD 140W, 1x USB-C PD 20W, 1x USB Type-A QC 3.0 up to 18W, Supports charging of up to 4 devices simultaneously, 140W Maximum total Output
M32204	R 1,650	Verbatim 32204 GNC-200 GaN charger 200W, 2x USB-C PD 100W, 1x USB-C PD 65W, 1x USB QC 3.0 (EU/UK/US), Supports Super-Fast charging, USB Power Delivery 3.0, PPS, Quick Charge 3.0, Supports charging of up to 4 devices simultaneously
M32205	R 2,050	Verbatim 32205 GNC-240 GaN charger 240W, 1x USB-C 140W, 1x USB-C 100W, 1x USB-C 65W, 1x USB Type-A QC 3.0 (EU/UK/US), Supports charging of up to 4 devices simultaneously, Supports Super-Fast charging, USB Power Delivery 3.1 & 3.0, PPS, Quick Charge 3.0
M32216	R 1,449	Verbatim 32216 Mini GaN charger 165W 4 port US / EU / UK adaptor, USB-C1 PD 3.1 Output, USB-C2 PD 3.0 Output, USB-C3 PD 3.0 Output, USB Type-A QC 3.0 Output
M32217	R 966	Verbatim 32217 GaN charger 65W 2 Port retractable cable Display US plugs with EU and UK adaptors, USB-C1/C2 PD 3.0 Output, USB Type-A QC 3.0 Output
M32231	R 1,062	Verbatim 32231 Mini GaN charger 100W 4 port US / EU / UK adaptor, USB-C1/C2 PD 3.0 Output, USB-C3 PD 3.0 Output, USB Type-A QC 3.0 Output
M32241	R 564	Verbatim 32241 Charge ' n ' Go Magnetic Wireless Power Bank 5000 - Green, 5000mAh Battery capacity, Li-Polymer Battery Cell, 20 W Max total PD Output, Supports PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
M32242	R 564	Verbatim 32242 Charge ' n ' Go Magnetic Wireless Power Bank 5000 - Blue, 5000mAh Battery capacity, Li-Polymer Battery Cell, 20 W Max total PD Output, Supports PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
M32243	R 564	Verbatim 32243 Charge ' n ' Go Magnetic Wireless Power Bank 5000 - Pink, 5000mAh Battery capacity, Li-Polymer Battery Cell, 20 W Max total PD Output, Supports PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
M32244	R 564	Verbatim 32244 Charge ' n ' Go Magnetic Wireless Power Bank 5000 - Grey, 5000mAh Battery capacity, Li-Polymer Battery Cell, 20 W Max total PD Output, Supports PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
M49534	R 1,093	Verbatim 49534 Lithium batteries CR2430 3V 4 ' s - 20 pack
MM01-TYPEC-WHITE/GOLD	R 89	Geeko SMART USB Travel Charger with Type-C Cable - Gold/White, Retail Box
MOVEV32120	R 775	Verbatim 32120 UTA-05 GaN III Universal Travel Adapter, 2x USB-C PD 65W & QC 4 , 2x USB Type-A, Three ultra-fast USB charging Ports, Supports charging of five devices simultaneously, Certified 10A fuse
MOVEV32121	R 861	Verbatim 32121 UTA-06 GaN III Universal Travel Adapter, 2x USB-C PD 100W & QC 4 , 2x USB Type-A QC 3.1, Supports charging of five devices simultaneously, Certified 10A fuse
MOVEV32127	R 861	Verbatim 32127 Charge ' n ' Travel Diamond 85W rectractable cable CNT-02, 85W Maximum total DC Output, PD3.1, QC4 , Included Travel Pouch, Built-In retractable USB-C cable, Superfast 6-in-1 charging up to 85W, 4x USB-C Power Delivery 3.0 up to 70W each, 1x USB Type-A Quick Charge Output up to 60W
MOVEV32200	R 229	Verbatim 32200 GNC-35 GaN charger 35W, 1x USB-C PD 35W 1x USB Type-A QC 3.0 (EU/UK/US), Supports

		charging of up to 2 devices simultaneously, Supports Super-Fast charging, USB Power Delivery 3.0, PPS, Quick Charge 3.0
MOVEV32203	R 976	Verbatim GNC-140 GaN charger 140W, 2x USB-C PD 140W, 1x USB-C PD 20W, 1x USB Type-A QC 3.0 up to 18W, Supports charging of up to 4 devices simultaneously, 140W Maximum total Output, 32203
MOVEV32217	R 851	Verbatim 32217 GaN charger 65W 2 Port retractable cable Display US plugs with EU and UK adaptors, USB-C1/C2 PD 3.0 Output, USB Type-A QC 3.0 Output. Reliable all-in-one charging solution.
MOVEV32231	R 804	Verbatim 32231 Mini GaN charger 100W 4 port US / EU / UK adaptor, USB-C1/C2 PD 3.0 Output, USB-C3 PD 3.0 Output, USB Type-A QC 3.0 Output
MW2G3ZM/A	R 820	Apple 30W USB-C Power Adapter, MW2G3ZM/A
MW2G3ZM/A	R 863	Apple 30W USB-C Power Adapter, MW2G3ZM/A
MW2K3ZM/A	R 1,244	Apple 35W Dual USB-C Power Adapter, MW2K3ZM/A
MW2K3ZM/A	R 1,265	Apple 35W Dual USB-C Power Adapter, MW2K3ZM/A
MW2M3ZM/A	R 1,817	Apple 140W USB-C Power Adapter, MW2M3ZM/A
MX6X3ZE/A	R 851	Apple MagSafe charger 1m, Perfectly aligned magnets attach to your iPhone, Compatible with QI2 and QI charging
MX6Y3ZE/A	R 1,024	Apple MagSafe charger 2m, Perfectly aligned magnets attach to your iPhone, Compatible with QI2 and QI charging
NSTGRTA003	R 99	Nesty GRTA003 Dual USB Port wall charger 2 pin EU power adaptor white, 2x USB Ports, 2.4A fast quick charging, 100v-240v Input, 5 Volt Output, Includes 1m Micro USB cable
NTC110	R 79	Nesty NTC110 20W USB Type-C fast charging Wall adaptor
P100	R 538	HuntKey P100 100W GaN Triple Port charger cable, 2x USB-C Ports, 1x USB Type-A Port, Gaming laptops can also be charged, Charging multiple devices simultaneously
POWER-SLIDE-MODERN	R 2,341	LinkQnet Modern Sliding In Desk Unit With Wireless Charging, includes these ports: 1x old SA power plug (Large 3-pin SANS 164-1 standard), 2X new SA power plugs (known as SANS 164-2 or the ZA Plug), 1X TYPE-C, 1X USB Wireless charger.
PSU-CAR-45W-USB-TC	R 271	Unbranded 2.4A 45W car charger USB Type-C, LS-CR45-PD
PSU-CAR-USB-45W-TC-B	R 293	LVSUN 12-24 V 45W 6.5A Car Charger USB Type-C & USB Type-A, LS-CR45-PD
PW144	R 105	Okion Cross Countries Pro Travel Plug
PWR-USB-2.1AMP-3PIN	R 98	Unbranded 3 pin 250V 16A SA plugtop with 2x USB 2.1A charging Ports
QC3000	R 344	Alcatroz Tzla Optima QC3000 Quick Charge 3.0 Dual USB Smart Charger - Android / IOS
RK-6001-BKSL	R 259	Rocka Flexi Plus series MFI Lightning Cable with Car Charger, Black & Silver
SAM-EP-L4020NB	R 348	Samsung Dual USB Car Charger Power Up Fast - USB-C delivers up to 25W Super Fast Charging, while USB-A adds a 15W boost" for a total of 40W on the go. Features: Get back to 100% before you arrive. Two chargers in one. Power your device safely
SAM-EP-T1510NB	R 239	Samsung 1 Port Travel Adapter PD 15W Give your devices all charging support power they deserve. Enjoy fast 15W charging for a wide range of tech accessories with any USB-C enabled device.
SAM-EP-T2510NB	R 360	Samsung 1 Port GaN Travel Adapter - 25W uses gallium nitride in its construction. Small & more energy-effiecient
SAM-EP-T2510XB	R 424	Samsung 1 Port GaN Travel Adapter With Cable - 25W uses gallium nitride in its construction. Small & more energy-effiecient
SAM-EP-T4511NB	R 492	Samsung 1 Port Travel Adapter 45W - Black Rapid Charging & High Efficiency - Precisely engineered for seamless Samsung Galaxy integration, ensuring your device stays powered wherever you go.
SAM-EP-T6530NB	R 708	Samsung 3 Port Travel Adapter Trio 65W Get 3 devices charging at same time. Fast charge, stability, versatility and power.
SJMC302	R 229	Motorola SJMC302 TurboPower 30W USB-C charger with 1m cable - Black, compatible with All usb-pd Mobile devices
SJMC502	R 401	Motorola SJMC502 TurboPower 50W Dual USB-C and USB Type-A charger with USB-C cable - Black, Compatible with All usb-pd Mobile devices
SJMC682	R 459	Motorola SJMC682 TurboPower 68W USB-C charger with 6.5A USB-C cable - Black, compatible with All usb-pd Mobile devices, GaNFast technology
SWD-8509-17[V1]	R 267	Switched brand. Halo 20W Fast Charge Power adaptor, USB (Type A) and USB Type-C Ports, Output 17W Soft Touch Night Light with 3 brightness settings. Great ambient light and charger for any bedroom or TV room. Direct

		to wall connection.
TYPC-45W	R 259	Microworld Universal Type-C 45W charger, 20V 2.25A, Compatible with All USB-C PD supported devices, 110 cm cable
TYPECH	R 309	Microworld Universal Type-C 65W charger
UG-CD226-40747	R 1,070	UGREEN 4 Port GaN PD Home Charger - 100W Type-C port with Power Delivery 3.0. fast charge your PD compatible devices. MacBook Pro 14 can be charged from 0% to 55% in just 30 minutes.
UG-CD244-10335	R 552	UGREEN 3 Port GaN PD Home Charger - 65W features Type-C port with Power Delivery 3.0. Fast charge your PD compatible devices. Your MacBook Air M2 can be charged from 0% to 51% in just 30 minutes.
USB-10P-ADA-EU-WH	R 875	Unitek Y-2190D01 60W 10 Port USB charging station, 60W Host Power (PD), USB Type-A Output 18W Max, 10x USB Type-A 480 Mbps downstream, 1x 60W Power Adapter, 11x separator slats (5x Vertical 6x horizontal)
USB-10P-CHARGE-QC3.0	R 1,655	Unitek 96W 10-Port USB Smart Charging Station (with 2-Port QC3.0)
USB-2P-WALL-CHARG-EU	R 123	Unitek 12W EU 2 Port wall charger - White, P1113A-EU
USB-3P-CHARGE-PD-U	R 610	Unitek 66W 3 Port USB travel charger with USB Power Delivery and QC 3.0 - Black, P1108ABK, 2x USB-C Maximum 65W (USB Power Delivery supported), 1x USB Type-A Maximum 36W (Quick Charge supported)
USB-4P-CHARGE-SLOT-U	R 315	Unitek Y-2173A 4-Port USB BC1.2 Charging Dock with 1-Port QC2.0; 3 x BC1.2 ports; 1 x QC2.0 port; BC1.2 up to 2.4A; QC2.0 5V 2A / 9V 2A; total output up to 36W; USB Type-A female; 12V 3A power; 12 x 11 x 7.7 cm; 0.5 kg
USB-5P-CHARGE-QC3-U	R 720	Unitek 40W 5-Port USB Smart Charger (1-Port QC3.0 4-Port 2.4A)
USB-6P-CHARGE-LV	R 283	LVSUN LS-6US Smart 6-Port USB 34W 5V 6.8A Travel Charger
USB-6P-CHRG-QC2.0-LV	R 306	LVSUN LS-6USQ 6 Ports USB 34W 5V 6.8A QC2.0 Wall Fast Charger
USB-CHARGE-10P-65W	R 978	Unitek uCharge 120W Dual 65W 10 Port charging station, P1230E, 120W Host Power (PD), 2x USB Type-A (Downstream), 8 x USB-C (Downstream), 20V 6A Power Supply
USB-CHARGER-380W-LQ	R 1,657	LinkQnet LinkQnet 380W PD QC3.0 8 Port GaN Desktop charger, 6x USB Type-C, 2x USB Type-A, High-Power USB Type-C Outputs up to 140W
USB-CHARGER-P1112ABK	R 875	Unitek P1112ABK 100W 4 Ports GaN Power Delivery charger, USB-C x 2 Maximum 100W (USB Power Delivery supported), 2x USB-C Maximum 100W (USB Power Delivery supported), 1x USB-C Maximum 20W (USB Power Delivery supported), USB Type-A Maximum 18W (Quick Charge supported)
USB-CHARGER-P1115A	R 1,271	Unitek 140W 3-in-1 GaN Travel charger, P1115A, Compatibility with USB Power Delivery 3.1, 140W Max Output, 2x USB Type-C Power Delivery Port, 1x USB Type-A port
USB-CHARGER-P1117B	R 484	Unitek P1117B 65W GaN Wall charger, 65W Host Power (PD), 30W Max USB Type-A Output, 65W Max USB-C1 Output, 65W Max USB-C2 Output, 1x USB Type-A, 2x USB-C, ABS material
USB-CHARGER-P1121A01	R 391	Unitek 35W Universal Travel Adapter, P1121A01, 2x USB-C Ports (Max 35W), 3x USB Type-A Ports, Supports PD3.0 & QC3.0 fast charging, Built-In Travel sockets
USB-CHARGER-P1129ABK	R 240	Unitek Zeno 45W 2-port GaN Wall charger, P1129ABK, 45W Host Power (PD), 2x USB-C (Downstream), 20V 2.25A Power Supply
USB-CHARGER-P1130ABK	R 293	Unitek Zeno 65W 3-port GaN Wall charger, P1130ABK, 65W Host Power (PD), 1x USB Type-A (Downstream), 2 x USB-C (Downstream), 20V 3.25A Power Supply, up to 65W Single-Port fast charging
USB-CHARGER-P1131ABK	R 484	Unitek rexo 100W 4 port GaN Wall charger with Smart Display, P1131ABK-EU, 1x USB Type-A, 3 x USB-C, 100W Power Supply
USB-CHARGER-P1228ABK	R 386	Unitek 70W Desktop Slim GaN charging station, P1228ABK, 70W Host Power (PD), 2x USB Type-A Ports, 2x USB-C Ports, USB-C Power source
USB-CHARGER-P1229ABK	R 978	Unitek 100W Max GaN Smart charging station, P1229ABK, 2 USB-C Ports, Supports PD3.0 / QC3.0 / PPS fast charging standards
USB-CHARGER-P1230C	R 1,559	Unitek uCharge 240W 10 Port USB Smart charging station, 8x USB-C & 2x USB Type-A Ports, P1230C, 30V 8A Power Supply, 11 x separator slats
USB-CHARGER-P1234A	R 1,423	Unitek P1234AGY 188W 5 port PD3.1 Desktop GaN charging station with stand, 188W Host Power (PD), 30W Max USB-A1 Output, 18W Max USB-A2 Output, 140W Max USB-C1/C2 Output, 33W Max USB-C3 Output, 2x USB Type-A 480 Mbps (Downstream), 3x USB-C 480 Mbps (Downstream), 1.5m cable length, 140W Power Supply
VK-4103-BK	R 206	Rugged by Volkano Dual USB Car Charger (12V cigarette lighter slot) with QC3.0 and PD. Durable charger for use

		in your car or backie that will last rough day-to-day handling. Made tough and is ideal for use in the hot South African climate during summer, while tolerating our cold temperatures during the Winter months. 12V Cigarette lighter input. USB Output (QC3.0): 5V@3A, 9V@2A, 12V@1.5A; Type-C Output (PD 20W): 5V@3A, 9V@2.22A, 12V@1.67A
VK-4104-BK	R 240	Rugged by Volkano Dual USB wall charger with QC3.0 and PD
VK-5002-BK	R 138	Volkano Volt series 1.5A power adapter Black, 5.0V 1500mA Output
VK-5002C-BK[V1]	R 138	Volkano Volt C Series 2A USB wall charger with USB Type-C cable included, 1.2m Type-C cable, 2A high current charger, Supports multiple devices. Charge your USB Type-C devices efficiently with the Volkano Volt C Series 2A USB Wall Charger. Featuring a 2A output, universal voltage input, and a 1.2-meter USB Type-C cable, it ' s the perfect solution for home or travel charging needs.
VK-8008-BK	R 287	Volkano Veilix Series 45W PD Dual USB-A and USB-C Ultra Small Car Charger. 45W dual USB-A and USB-C charger, ultra-compact, USB-C PD 30W, USB-A QC 18W, 12V-24V input, overcurrent and overvoltage protection, black, for smartphones and laptops.
VK-8018-BK[V2]	R 437	Volkano Worldwide Series Travel Adapter PD 25W QC, Fast Charge up to 4 devices. Universal travel adapter, PD 25W USB-C, QC 3.0 USB-A, 4 device fast charging, interchangeable plug modules, compact design, built-in surge and overcharge protection
VK-8019-BK[V2]	R 355	Volkano Pylon Series upright fast Wireless Charger - Black, 5 W / 7.5 W / 10 W Watt charge supported, Type-C Power Input, Wall charger not included
VK-8039-BK[V2]	R 287	Volkano Express Series QC3.0 PD wall charger 20W with cable, VK-8039-BKV2, Super fast 18 Watt high power, Charge 2 devices simultaneously, PD Type-C Fast Charge Port, QC 3.0 18 Watt Super Fast Charge mode
VK-8040-BK[V2]	R 264	Volkano Accelerate Series QC3.0 PD Car Charger 30W with cable, Super fast 30 Watt High Power, charge 2 devices simultaneously, QC3.0 Fast Charge USB Port, PD Type-C Fast Charge Port
VK-8042-BK	R 247	Volkano Deft Series Wireless phone charge pad, 5W Wireless charge Power, Micro USB connection Type
VK-8043-BKSL	R 345	Volkano Caliber Series 15W Wireless phone charge pad, QI Certified, Super fast Wireless charging
VK-8044-SL	R 356	Volkano Magni Series Magsafe Wireless charge pad, 15 W Maximum Power, Type-C Input connector, Up to 6 mm charging distance, 56 mm Diameter, Magnetic docking system, Charges even with a phone cover
VK-8050-WT	R 1,184	VolkanoX Power Pro 100W Type-C PD Power Delivery charger
VK-8051-WT	R 240	Volkano Potent Series 25W PD / PPS wall charger - White, 25W PD Power Delivery, High Speed charging, Automatic voltage selection
VK-8055-WT[V2]	R 506	Volkano Potent Duo series 65W Dual USB and USB-C PD Compact Wall Charger; 2 x USB-C PD; universal 100-240V; advanced safety; compact travel design
VK-8066-BK	R 655	Volkano Summit Series 120W GaN 6 Port Wall Charger.GaN charger, 120 W total, 6 USB ports (A C), universal 100â€‘240 V, overâ€‘current/voltage/shortâ€‘circuit protection.
VK-8201-BK	R 436	Volkano Ignition Series 15W car Wireless Charger kit, Automatically clamps on phone, Up to 15 W q.c 3.0 Extra High Power, Includes vent Plus suction Mount, Includes 12V auxiliary charger
VK-8300-WT	R 276	Volkano Magni Time Series - Portable iWatch Magnetic Wireless Charger
VK-8402-BK	R 506	Volkano Versa Series 4-in-1 Wireless Charger with nightlight, RGB Lighting. The Volkano Versa 4-in-1 wireless charger powers your phone (up to 15 W), smartwatch, earbuds and USBâ€‘A device. Its adjustable nightlight and sleek black design make it perfect for home, office or bedside charging.
VK-PDQ005-BK	R 172	Volkano On The Go USB Plus Type-C wall charger
VK-PDQ006-BK	R 132	Volkano On The Go USB Plus Type-C Car Charger, Fast Charge 2 devices simultaneously, Power Delivery Type-C Technology, Qualcomm q.c. 3.0 standard, 18 Watt High Power with PD Type-C and USB QC
VK8051WT	R 138	Volkano Potent Series 25W PD / PPS wall charger - White, 25W PD Power Delivery, High Speed charging, Automatic voltage selection, VK-8051-WT
VKX-8040-WT	R 1,184	VolkanoX boost Series 120 Watt Multiport GaN Laptop charger
WHC60	R 583	Yealink WHC60 Wireless Charger for WH66/WH67
WX-CC102	R 171	WINX Power fast 89W Car Charger, 1x Type-C PD 3.0 (65W), 1x USB (24W), Up to 89W combined Output Power, Aluminium Alloy product material
WX-DC106	R 825	WINX POWER Ultra 140W GaN Desktop Charger; 140W multiport GaN charger; 3 TypeC PD ports; 1 USB port;

		PD3.1 support; smart safety protections; compact desktop charger
WX-WC103	R 137	WINX POWER 20W Type-C GaN Charger; 20W PD3.0 USB-C; GaN compact design; 100-240V universal; 7.2x3.4x3.2 cm; 43g
WX-WC104	R 183	WINX POWER Fast Type-C 35W GaN charger; 35W PD fast charging; USB Type-C port; GaN compact wall charger; cable included; efficient safe charge
WX-WC105	R 322	Winx POWER Pro Type-C 65W GaN Wall Charger; Type-C fast charger; GaN technology; up to 65W PD; includes Type-C cable
WX-WC107	R 209	Winx POWER More 35W GaN Wall Charger; 35W GaN wall charger; dual port Type C and USB; smart power management; compact black design; safety protections; fast charging
WX-WC108	R 376	Winx POWER Max 65W GaN Wall Charger; 65W fast charging; USB Type-C USB ports; GaN efficient design; up to 3 simultaneous devices
X524-65052	R 177	UGreen charger USB Type-C GaN fast 45W EU, Black Wall Adapter with Compact EU plug Design, 45W total Output via single USB Type-C Port, Supports Power Delivery Fast Charge Protocol, GaN Technology enables efficient Operation and reduced heat, Flame-retardant PC housing ensures durable safety
X526-65058	R 239	UGreen charger USB Type-C GaN fast 45W EU, 45W total Output via Dual Ports, GaN Technology for Compact Design, 2x USB Type-C Port Configuration, Power Delivery Fast Charge Protocol support, EU plug Type included, Black Colour finish, PC flame-retardant housing material, Compact travel-friendly Form Factor
X553-35042	R 412	UGreen Nexode S 65W 3-port GaN charger, 65W total Output across Ports, 2x USB Type-C and 1x USB Type-A Port Configuration, GaN Technology for Compact build, Supports PD 3.0 / PD 2.0 / QC 4.0 / QC 4.0 / QC 3.0 / QC 2.0 / AFC / SCP / PPS protocols, Intelligent Power distribution system, EU plug Type compatible with 100-240V mains Input, Space Gray Colour finish
X616-65828	R 739	UGreen Nexode 100W charger with retractable USB Type-C cable, GaN fast charging Technology, Built-In 0.75 m retractable USB Type-C cable, Total Output of 100W for simultaneous Multi-Device charging, 1x retractable USB Type-C cable, 2x USB Type-C Ports, 1x USB Type-A Port, Retractable cable and USB Type-C Port support up to 100W single device Power, USB Type-C Port supports up to 30W Output, USB Type-A Port supports up to 22.5W Output, Supports ufcs Fast Charge Protocol, Supports PD 3.0 Fast Charge Protocol, Supports QC 3.0 Fast Charge Protocol
X773-65620B	R 944	UGreen GaN X100 5 port 100W Fast Charger, Uses gallium Nitride (GaN) Technology for Compact Design, Delivers total Output of up to 100 watts across All Ports, Port Configuration includes three USB Type-C and one USB Type-A Port, USB-C1 and USB-C2 support up to 100W PPS adaptive charging, USB-C3 delivers up to 22.5W adaptive charge for smartphones, USB Type-A Port supports up to 22.5W with QC compatibility, Supports fast-charge protocols PD 3.0 / PD 2.0 / QC 4.0 / QC 4.0 / QC 3.0 / QC 2.0 / AFC / SCP / PPS, Plug Type is EU Standard
X860-95437B	R 322	UGreen x860 GaN 65W PD USB Type-C Fast Charger, Single-Port USB Type-C Fast Charger, Main Technology gallium Nitride (GaN) for Compact Design, Total Output Power 65W Maximum capacity, Fast Charge Protocol Power Delivery support enabled, Port Configuration one USB Type-C Connector, Plug Type Euro 2 pin Standard round-pin Socket Fit, cable included USB Type-C to USB Type-C cable provided

< Return to the menu

Device chargers & Power Banks : Power banks

Product code	Price	Description
4008496661923	R 399	Varta V-Man Portable Power Pack - USB-in & USB-Out Function, 7-part Adapter set, Storage bag, Max. charging current 800 mA, LiIon Akku 3.7 V 1800 mAh, USB-Adapter Micro-USB Extension Mini - USB - White
4008496772155	R 199	Varta V-Man Power Pack - External battery pack Li-Ion 1800 mAh - Mini-USB cable, Micro-USB cable, 30-pin Apple Dock cable - Black
4008496773602	R 179	Varta Mini Powerpack Charger-Smart 2-In-1 Solution - Compatible with all Micro USB and Apple 30-pin devices - 400mAh Lithium-ion rechargeable battery - Black
4008496807253	R 179	Varta Mini Powerpack Charger - Smart 2-In-1 Solution - Compatible with all Micro USB and Apple 30-pin devices - 400mAh Lithium-ion rechargeable battery - White

40ALLG1WWW	R 1,354	Lenovo 40ALLG1WWW Go Wireless Mobile Power Bank 10000 mAh, Total Output Max 30W, Up to 15W QI Wireless charging
40ALLG1WWW	R 1,379	Lenovo 40ALLG1WWW Go Wireless Mobile Power Bank 10000 mAh, Total Output Max 30W, Up to 15W QI Wireless charging
40ALLG2WWW	R 1,834	Lenovo 40ALLG2WWW Go USB-C Laptop Power Bank 20000 mAh, Li-ion battery Type, USB Type-C Laptop Power Delivery requirement Maximum 65W
6959144000244	R 149	Promate pocketmateLT Pocket-size Back-up battery with in-built Lightning and Micro-USB charging (Portable power bank with three concealed interfaces: Apple charger, a micro-USB charger and a USB dock to power the device) Connector for iPod and iPhone, Power capacity: 2600mAh, Rated input: 5V/1A, Charging time: 3-4hours, colour:Black Retail Box
6959144000244-B	R 149	Promate Pocketmate LT Pocket-size Back-up battery with in-built Lightning and Micro-USB charging (Portable power bank with three concealed interfaces: Apple charger, a micro-USB charger and a USB dock to power the device) Connector for Ipod and Iphone, Power capacity: 2600mAh, Rated input: 5V/1A, Charging time: 3-4hours, colour: White
6959144001012	R 199	Promate Ovally.Brown 5200mah Portable Back-Up Battery With In-Built Apple Lightning And Micro-USB Charging Cable, Brown
6959144001029	R 199	Promate Ovally.White 5200mah Portable Back-Up Battery With In-Built Apple Lightning And Micro-Usb Charging Cable, White
74-451BDJD	R 1,858	Dell 451-BDJD Targus APB080GL 100W USB-C Power Bank, 25000 mAh capacity, USB Type-A Output 1, 2x USB-C up to 100W PD 3.0 Output 2, USB-C Input
74-451BDJG	R 2,159	Dell 451-BDJG Targus APB081GL 140W USB-C Power Bank, 24000 mAh capacity, USB Type-A 5V/2A 10W Output 1, 2x USB-C up to 140W PD 3.1 Output 2, USB-C Input
A91505-B	R 253	Astrum Pb050 Power Bank 5000mah Magnet Ip W/I15
A91564-B	R 298	Astrum PB640 10000mAh PD Wireless Charger Power Bank
A91619-B	R 276	Astrum PB195 Power Bank 10000mAh with PD20W, 20W PD Fast Charge, Up to 10W QI Wireless charging, 1x USB-C PD and 1x USB Type-A QC3.0 Output Ports, Micro USB & USB-C Input ports
AC-UPS-MINI-V2	R 229	AccoNet 3200mAh Mini UPS - DC jack Input 12V 2.3A, 3200mAh Battery, 4 way cable - 1x USB / 1x 9V / 2x 12V, No PSU included - requires a 12V 2A PSU
AC-UPS-MINI-V2-KIT	R 345	AccoNet Mini DC UPS 13200mAh with 12V 2A Power Supply, 13200mAh Battery, 4 way cable - 1x USB, 1x 9V, 2x 12V, Includes PSU-12V-H
AMP-9001-BUN	R 333	Amplify Powerbank Combo (Spark 10 000mAh) & (Verve Max)
APB100P	R 580	Astrum PB100P 20K MAH 100W PD 1A 1C Power Bank, Ultra-fast 22.5W charging Power Bank with protection chipset, Dual USB-C & A Output & V0 Fireproof Shell
APB10PB	R 168	Astrum PB10P 10K MAH 22.5W PD1A 1C Power Bank; Ultra-Slim Power Bank with Dual USB-C & USB-A, Built-In Fireproof Safety Housing and Smart IC Protection Chip
APB20PB	R 278	Astrum PB20P 20000mAh 22.5W PD Power Bank with LCD Display; Fast Charging; USB-C PD up to 20W; 2 x USB-A outputs; 1 x USB-C output; LCD battery display; Quick Charge; USB-C input up to 18W; V0 fire-resistant housing; overcharge, overheating, overcurrent and short-circuit protection; USB-C to USB-C PD cable included
B-L-Y00	R 129	Belj 5000mAh Powerbank with LED Torch, Li-Polymer Battery, Type-C Input, USB Output
BELJ-20000-NB-1-BLK	R 403	Belj 100W 20000mAh Laptop Powerbank, Black Colour finish, 20 000mAh Battery capacity with 77Wh rating, Li-Polymer Battery Technology at 3.85V, Max 100W Output Power via USB-C Ports, USB-C Port supports up to 20v/5a for 100W charging, Second USB-C Port supports up to 20V/3.25A for 65W charging, Two additional USB Type-A Ports with 22.5W Max Output, LED Display shows charging indicator and efficiency Data
BELJ-20000-NB-1-BLK	R 399	Belj Multi Port Powerbank - 20 000mAh Powerbank Capacity, 100W Output, LED Display for Charging Indicator, Discharging Indicator, Efficiency Display, Voltage and Current Display, 2 x USB-C Ports and 2 x USB-A Interface Multi-Port, Airplane Friendly, Laptop Charging, Super Fast Charging, Up to 5 Charges for a Smartphone, Color Black
BELJ-25000-NB-BLK	R 499	Belj Multi Port Powerbank - 25800mAh Powerbank Capacity, 100W Output, LED Display for Charging Indicator, Discharging Indicator, Efficiency Display, Voltage and Current Display, 2 x USB-C Ports and 2 x USB-A Interface

		Multi-Port, Airplane Friendly, Laptop Charging, Super Fast Charging, Up to 5 Charges for a Smartphone, Color Black
BHR08NZGL	R 722	Xiaomi 67W Power Bank 10000 (Integrated cable) - Ice Blue, Integrated USB Type-C cable, 10000mAh Battery capacity, Two-Way fast charging, Digital Battery Display
BHR08O0GL	R 722	Xiaomi 67W Power Bank 10000 (Integrated cable) - Tan, Integrated USB Type-C cable, 10000mAh Battery capacity, Two-Way fast charging, Digital Battery Display
BHR08O7GL	R 851	Xiaomi 67W Power Bank 20000 (Integrated cable) - Tan, 12000mAh rated capacity, Lithium-ion Battery, Integrated USB Type-C cable, USB Type-C Input Interface
BHR08O8GL	R 851	Xiaomi 67W Power Bank 20000 (Integrated cable) - Ice Blue, 12000mAh rated capacity, Lithium-ion Battery, Integrated USB Type-C cable, USB Type-C Input Interface
BHR08P9GL	R 805	Xiaomi Magnetic Power Bank 10000mAh with Built-In stand - Dark Grey, 15W Max simultaneous Wired and Wireless Output, 33W Maximum Wired Output, Cable-free Power Delivery with up to 15W Wireless Charging
BHR08PAGL	R 805	Xiaomi Magnetic Power Bank 10000mAh with Built-In stand - Purple, 15W Max simultaneous Wired and Wireless Output, 33W Maximum Wired Output, Cable-free Power Delivery with up to 15W Wireless Charging
BHR08PBGL	R 805	Xiaomi Magnetic Power Bank 10000mAh with Built-In stand - Beige, 15W Max simultaneous Wired and Wireless Output, 33W Maximum Wired Output, Cable-free Power Delivery with up to 15W Wireless Charging
BHR08PCGL	R 805	Xiaomi Magnetic Power Bank 10000mAh with Built-In stand - Blue, 15W Max simultaneous Wired and Wireless Output, 33W Maximum Wired Output, Cable-free Power Delivery with up to 15W Wireless Charging
BHR08PLGL	R 721	Xiaomi Super Slim Magnetic Power Bank 5000 - Gold, USB Type-C Input Port, USB Type-C Output Port, Lithium-ion Battery, 15W Max Wireless Output, 10W Max simultaneous Wired and Wireless Output
BHR08PMGL	R 721	Xiaomi Super Slim Magnetic Power Bank 5000 - Black, USB Type-C Input Port, USB Type-C Output Port, Lithium-ion Battery, 15W Max Wireless Output, 10W Max simultaneous Wired and Wireless Output
BHR08PNGL	R 721	Xiaomi Super Slim Magnetic Power Bank 5000 - Purple, USB Type-C Input Port, USB Type-C Output Port, Lithium-ion Battery, 15W Max Wireless Output, 10W Max simultaneous Wired and Wireless Output
BHR08POGL	R 721	Xiaomi Super Slim Magnetic Power Bank 5000 - Blue, USB Type-C Input Port, USB Type-C Output Port, Lithium-ion Battery, 15W Max Wireless Output, 10W Max simultaneous Wired and Wireless Output
BHR8851GL	R 599	Xiaomi 33W Power Bank 20000mAh (Integrated cable) - Tan, 1x USB Type-A, 1x Type-C, Lithium-ion Battery, USB Type-C / Integrated USB Type-C cable Input Ports, 1x USB Type-C / 1x USB Type-A / Integrated USB Type-C cable Output Ports, Two-Way fast charging up to 30W, Approx. 5.5 hours charging time
BHR8975GL	R 599	Xiaomi 33W Power Bank 20000mAh (Integrated cable) - Blue, 12000mAh rated capacity, Input Ports - USB Type-C / Integrated USB Type-C cable, Output Ports - USB Type-C x1 / USB Type-A x1 / Integrated USB Type-C cable, 33W Max Output (Single Port)
BHR9333GL	R 512	Xiaomi Tan 33W 10000mAh Power Bank with Integrated Cable
BHR9341GL	R 512	Xiaomi Ice Blue 33W 10000mAh Power Bank with Integrated Cable
BHR9350GL	R 271	Xiaomi Power Bank 10000mAh 22.5W Lite, Type-C Input Port, Usb-a/Type-C Output Port, 22.5W Maximum Power, charge three devices simultaneously, Type-C Two-Way fast charging
BHR9361GL	R 1,019	Xiaomi 165W Power Bank 10000mAh (Integrated cable) - Silver, 36Wh Battery Power, 165W Ultra-Fast charging, 120W Lightning USB-C, Integrated USB-C cable, 120W (Maximum) Port C1 Output, 45W (Maximum) Port C2 Output, 90W (Maximum) Self-Charging Input
BHR9738GL	R 465	Xiaomi Grey 20000mAh Power Bank with Integrated Cable. Integrated USB-C cable; Dual USB-C ports; USB-A port; 22.5W fast charging; Compact design; 0.342 kg weight; 12.7 x 7.05 x 3.05 cm dimensions; Lithium-ion battery; 12000mAh rated capacity; 5V/3A input; 5V/3A, 9V/2.23A, 10V/2.25A, 12V/1.67A output; 4-6 hours charging time; Not replaceable integrated cable; Suitable for air travel
BHR9740GL	R 465	Xiaomi Dark Grey 20000mAh Power Bank (Integrated Cable). high-capacity 20,000mAh lithium-ion 74Wh; 3-port (USB-A, USB-C, built-in USB-C cable); 22.5W fast output; 128x73x32mm; 342g; Dark Grey
BHR9970GL	R 2,128	Xiaomi 212W Black 25000mAh Fast Charge Power Bank, 25000mAh portable power bank; 212W max output; 2 x USB Type C 1 x USB A; colour LCD display; high speed charging; compact design
BO-9001-BK	R 115	Bounce Juiced 4000mAh Power bank, Black, 5V 2Amp output
BO-9001-WT	R 138	Bounce Juiced 4000mAh Power bank, White, 5V 2Amp output

BT-AA10050QCL	R 380	Adata AA10050Q-USBC-5V-CBL A10050QC Blue powerbank - Qualcomm Quick Charge 3.0, universal mobile device battery, aluminium housing with hair brush finish, 10500mAh with Dual USB output (type-A type-C) fast charging, 5V/2.5A input dual output (up to 12V/ 5A), 105x64x23mm, 247g, - with OVP, SCP, OTP, ODP, OCP(Over Charge Protection), OCP(Over-Current Protection)
BT-AC100DC	R 242	Adata C100 Digital 10000mAh Power Bank - Cyan, QC / PD 20W fast charging, USB-C USB Type-A Dual Output, Charges 2 devices simultaneously, LED Digital Display, Slim and Lightweight, Rechargeable Li-Polymer Battery, PC10022-12LB
BT-AC100DK	R 263	Adata C100 Digital 10000mAh Power Bank - Black, QC / PD 20W fast charging, USB-C USB Type-A Dual Output, Charges 2 devices simultaneously, LED Digital Display, Slim and Lightweight, Rechargeable Li-Polymer Battery, PC10022-12DK
BT-AC100DP	R 242	Adata C100 Digital 10000mAh Power Bank - Pink, QC / PD 20W fast charging, USB-C USB Type-A Dual Output, Charges 2 devices simultaneously, LED Digital Display, Slim and Lightweight, Rechargeable Li-Polymer Battery, PC10022-12PK
BT-AC100DW	R 242	Adata C100 Digital 10000mAh Power Bank - White, QC / PD 20W fast charging, USB-C USB Type-A Dual Output, Charges 2 devices simultaneously, LED Digital Display, Slim and Lightweight, Rechargeable Li-Polymer Battery, PC10022-12WH
BT-AC100K	R 204	Adata PC100-14BK C100 Black powerbank 10000mAh(37Wh), QC/PD 20w fast charge, 4x LED power status indicator, dual input (1x 18w type-C 1x 18w micro-B) triple output (1x 20w type-C 2x 18w type-A), slim and lightweight design, with type-A to type-C cable, 140x67.5x16mm, 210g with multi-circuit protection
BT-AC100W	R 204	Adata PC100-14WH C100 White powerbank 10000mAh(37Wh), QC/PD 20w fast charge, 4x LED power status indicator, dual input (1x 18w type-C 1x 18w micro-B) triple output (1x 20w type-C 2x 18w type-A), slim and lightweight design, with type-A to type-C cable, 140x67.5x16mm, 210g with multi-circuit protection
BT-AC20K	R 253	Adata C20 Powerbank 20000mAh - Black, Micro-USB Type-C Dual Input, Triple Output (2x USB Type-A 1x USB 3.0 Type-C), PBC20-bk, Rechargeable Li-Polymer Battery
BT-AC20W	R 253	Adata C20 Powerbank 20000mAh - White, Micro-USB Type-C Dual Input, Triple Output (2x USB Type-A 1x USB 3.0 Type-C), PBC20-wh, Rechargeable Li-Polymer Battery
BT-AP10000QCDK	R 308	Adata AP10000QCD-DGT-CBK P10000QCD Black Powerbank 10000mAh(37Wh), Qualcomm Quick Charge 3.0, PD3.0 fast charge, resilient plastic with fire-retardant, 5V/3A or 9V/2A input for fast charging triple output 2x USB type-A 1x usb3 type-C), for apple iDevice other mobile devices, 100x50x25mm, 175g, USB type-C input/ USB output - with OVP, SCP, OTP, ODP, OCP(Over Charge Protection), OCP(Over-Current Protection)
BT-AP10000QCDL	R 308	Adata P10000QCD 10000mAh (37Wh) dark Blue Powerbank, Qualcomm Quick Charge 3.0, PD3.0 Fast Charge, 5V / 3A or 9V / 2A Input for fast charging Triple Output (2x USB Type-A 1x USB 3.0 Type-C), USB Type-C Input, AP10000QCD-DGT-CDB
BT-AP10000QCDW	R 308	Adata AP10000QCD-DGT-CWH P10000QCD White Powerbank 10000mAh(37Wh), Qualcomm Quick Charge 3.0, PD3.0 fast charge, resilient plastic with fire-retardant, 5V/3A or 9V/2A input for fast charging triple output (2x USB type-A 1x usb3 type-C), for apple iDevice other mobile devices, 100x50x25mm, 175g, USB type-C input / USB output - with OVP, SCP, OTP, ODP, OCP(Over Charge Protection), OCP(Over-Current Protection)
BT-AP20000QCDW	R 397	Adata AP20000QCD-DWH-CBK P20000QCD White Powerbank 20000mAh(74Wh), Qualcomm Quick Charge 3.0, PD3.0 fast charge, resilient plastic with fire-retardant, micro-USB type-C dual input (5V/3A or 9V/2A) for fast charging triple output (2x USB type-A 1x usb3 type-C), for apple iDevice other mobile devices, 134x70x27mm, 365g, USB type-C input/ USB output - with OVP, SCP, OTP, ODP, OCP(Over Charge Protection), OCP(Over-Current Protection)
BT-AR050C	R 319	Adata PR050-11BK R050 wireless Cyan powerbank 5000mAh(19.25Wh), QC/PD 20w fast charge, magnetic wireless charging, 4x LED power status indicator, type-c input (18w) dual output (15w wireless 20w type-C), foldable back plate stand, with type-C to type-C cable, 105x67x13.9mm, 148g with multi-circuit protection
BT-AR050K	R 325	Adata PR050-11BK R050 wireless black powerbank 5000mAh(19.25Wh), QC/PD 20w fast charge, magnetic wireless charging, 4x LED power status indicator, type-c input (18w) dual output (15w wireless 20w type-C), foldable back plate stand, with type-C to type-C cable, 105x67x13.9mm, 148g with multi-circuit protection
BT-AR050P	R 319	Adata PR050-11BK R050 wireless pink powerbank 5000mAh(19.25Wh), QC/PD 20w fast charge, magnetic

		wireless charging, 4x LED power status indicator, type-c input (18w) dual output (15w wireless 20w type-C), foldable back plate stand, with type-C to type-C cable, 105x67x13.9mm, 148g with multi-circuit protection
BT-AR100	R 419	Adata PR100-12BK R050 wireless black powerbank 10000mAh(38.5Wh), QC/PD 20w fast charge, magnetic wireless charging, 4x LED power status indicator, type-c input (18w) triple output (15w wireless 20w type-C 18w type-A), supports pass-through charging, foldable back plate stand, with type-C to type-C cable, 105x67.5x22.8mm, 240g with multi-circuit protection
BT-AT10000K	R 191	Adata T10000 10000mAh 37W Black Powerbank, 15mm slim with Lithium polymer batteries, Resilient plastic with fire-retardant, 5v/2a Input for fast charging 5V / 2A Dual Output, Micro-USB Input / USB Output, AT10000-USBA-CBK
BT-AT10000W	R 192	Adata T10000 10000mAh 37W White Powerbank, 15mm slim with Lithium polymer batteries, Resilient plastic with fire-retardant, 5V/2A Input for fast charging 5V / 2A Dual Output, Micro-USB Input / USB Output, AT10000-USBA-CWH. Colour: white
BT-AX7000L	R 206	Adata AX7000-5V-CBL X7000 Blue Powerbank - universal mobile device battery, 12mm ultra thin, Li-polymer cell battery, aluminium housing with hair brush finish, 7000mAh with Dual USB output fast charging, 5V/2A input 5V/ 2.4A output, 148x74x12mm, 210g, micro-USB input/ 2x USB output - with OVP, SCP, OTP, ODP, OCP(Over Charge Protection), OCP(Over-Current Protection)
BT-C4350B	R 216	Coolermaster C-2016-KK1L-S0 Powerfort 4350, Black - universal mobile device battery, 4350mAh, 2.1A output fast charge - charge Galaxy, iPhone, iPAD, iPOD other mobile devices, 81x61x26mm, 125g - with LED capacity indicators power button - charge by USB or AC-adapter
BT-C5000	R 343	Choiix C-2019-K1S0 power fort 5000 - universal mobile device battery with dual USB charge (charge 2 USB device at 1 time), 5000mAh - charge cell phone, iPhone, iPAD, PDA, MP3 player, GPS, PS3, Bluetooth device .....etc, 112x88x16mm, 130g - with LED capacity indicators - charge by USB
BT-C5600B	R 216	Choiix C-2021-K1S0 power fort 5600, Black - universal mobile device battery, 5600mAh, 2.1A output fast charge - charge cell phone, iPHONE, iPAD, PDA, MP3 player, GPS, PS3, Bluetooth device .....etc, 80x60x26mm, 132g - with LED capacity indicators power button - charge by USB or AC-adapter
BT-C5600G	R 216	coolermaster C-2021-GGTP-S0 power fort 5600 , Green - universal mobile device battery with touch pen , 5600mAh , 2.1A outpout fast charge - charge iPhone , iPAD , iPOD other mobile devices , 80x60x26mm , 132g - with LED capacity indicators power button - charge by USB or ac-adapter
BT-CAAAS	R 98	Choiix C-3004-W1S0 power fort AAA Stick - also charge rechargeable AAA battery - as emergency power backup for iPhone other mobile device, powered by 2x AAA battery as universal mobile device battery, 100x30x12mm, 12g
BT-CiPFB	R 178	Choiix C-A006-K1 i-PowerFort - Black - battery for iPhone or iPad, cable free direct attach, 70x60x16mm compact size, 5.5Whrs/ 1450mAh - with battery life indicator, with OVP, ODP, OTP, SCP, 71g
BT-CiPFW	R 189	Choiix C-A006-W1 i-PowerFort - White - battery for iPhone or iPad, cable free direct attach, 70x60x16mm compact size, 5.5Whrs / 1450mAh - with battery life indicator, with OVP, ODP, OTP, SCP, 71g
BT-CMW	R 168	Choiix C-2006-W1S0 Power Fort 5.5Whrs Rechargeable Power Universal Backup Battery Pack, White, 1500mAh - charge cell phone, PDA, MP3 player, GPS, PS3, Bluetooth device.
BT-CSBP	R 216	Choiix C-AP05-K1 power fort Solar Back Pack, black - extended back attached design for iPhone4, 1200mAh, solar or USB charge, 72g
BT-CW	R 204	Choiix C-2010-K1S0 power fort White - universal mobile device battery with built-in led flashlight, 10Whrs / 2700mAh, micro-usb mini-usb - charge cell phone, iPHONE, iPAD, PDA, MP3 player, GPS, PS3, Bluetooth device .....etc, 110x64x12mm, 102g, with carry bag
BT-P10000CF-W	R 445	PQi 6PPL-12BR0002A power 10000C Power Bank Flashlight - White - universal mobile Power Bank with Samsung original battery, 10000mAh with Dual USB output, 5V/2A input 5V/ 1.5A 2.1A dual output with fast in/out charging, 115x71x15mm, 202g, micro-USB input/ 2x USB output
BT-P5000V-G	R 297	PQi 6PPQ-06JR0001A Power 5000V Powerbank - 9.7mm slim design, Gold, universal mobile powerbank with samsung original battery, aluminium housing, 5000mAh with Dual USB output, 5V/2A input 5V/ 1.5A 2.4A dual output with fast in/out charging, powerbank, 155g, micro-USB input / 2x USB output
BT-P5000V-S	R 297	PQi 6PPQ-06JR0002A Power 5000V Powerbank - 9.7mm Slim design, Silver, Universal Mobile Powerbank with

		samsung original battery, aluminium housing, 5000mAh with Dual USB output, 5V/2A input 5V/ 1.5A 2.4A dual output with fast in/out charging, 120x70x9.7mm, 155g, micro-USB input / 2x USB output
BT-P9000QC	R 598	PQi 6PPT-09DR0001A Power 9000QC Power Bank with Qualcomm Quick Charge 2.0 ultra fast in/out charging, with Samsung original battery, 9000mAh/ 33.6Wh with Dual USB output, input: 5V/2A or 9V/1.8A; output: 5V/1.5A 5V/2.4A or 9V/1.8A or 12V/ 1.35A dual output, 96x59x22mm, 197g, micro-USB input/ 2x USB output, with touch button switch
BT-P9000R	R 497	Pqi 6ppm-09dr0001a Power 9000R Powerbank With Samsung Original Battery, With Retractable Cables System Coloured Battery Life Indicator, With Comfortable Grip Design - 9000mah/ 33.6wh With Dual USB Output, 5v/2a Input 5v/ 1.5a 2.4a Dual Output With Fast In/out Charging, 90x85x30mm, 182g, Micro-USB Input / 2x USB Output, capcaity - mAh / Wh : 9000 / 33.6, DC input : 5V/ 2A, DC output : 5V/ 1.5A 2.4A, dimension - mm : 90x85x30, weight - g : 182
BT-V3500K	R 186	Vantec van-3500BB-bk black power gem 3500 - universal mobile device battery, dual USB charge (charge 2 USB device at 1 time), 13Whrs / 3500mAh, 2x 5V 1A output (Max 2A), for apple iDevice other mobile devices, 113x59x15mm, 104g, with carry bag
BT-V3500P	R 194	Vantec van-3500BB-pk power gem 3500 Pink - universal mobile device battery, dual USB charge (charge 2 USB device at 1 time), 13Whrs / 3500mAh, 2x 5V 1A output (Max 2A), for apple iDevice other mobile devices, 113x59x15mm, 104g, with carry bag
CNE-CPB2001W	R 393	Canyon PB-2001 Power Bank 20000mAh Lithium polymer Battery - White, Two inputs - Micro-USB & USB Type-C, Allow charging 2 devices simultaneously, USB Type-C cable included
CNE-CPB2008DG	R 822	Canyon PB-2008 Dark Grey LED FLAT 20000 mAh PD100W QC3.0 Power Bank, Capacity: 20000mAh, PD 100W, Input USB-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, Output: 1. USB-C1/C2: 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A(Max 100W), 2. USB-A1/A2: 4.5V-5A/5V-4.5A/5V-3A/9V-3A/12V-2.5A(Max 30W), 15cm C to C black charging cable
CNE-CPB301W	R 481	Canyon PB-301 Power Bank 30000mAh Lithium polymer Battery - White, USB-C PD & MicroUSB Input Ports, Type-C PD and two USB Type-A QC 3.0 Output Ports, Status Display
CNS-CPB230DG	R 745	Canyon OnPower 230 Dark Grey TFT 20000 mAh PD130W Power Bank, 20 000 mAh Capacity, 130W Output, 2xUSB Type C Outputs, 1xUSB-A Output, Smart Digital TFT Display, Sturdy Metal Housing, Clock, Alarm & Temperature Function
CNS-CPB610W	R 1,298	Canyon OnPower 610 White Metal 60000 mAh PD100W Power Bank, Color: White, Capacity: 60000 mAh, PD 100W, Input: USB C1/ C2:5V3A/ 9V3A/ 12V3A/ 15V3A/ 20V3.25A (Max 65W), Output: 3xUSB (A); 3xUSB Type C, Total Out: < =100W, Materials: PC, ABS & Aluminum Alloy; Handle: PU Leather, Including: 100cm C to C with E-Mark Chip Black Charging 5A Cable, Dimensions (H/W/D): 82.5x77x155.8mm, Weight: 1360g
CUPS-18	R 599	Solarix Conti 10000mAh Smart Mini DC UPS, 1x DC Output, LAN Port, PoE Port, USB Output, 18W total Output
DC-MN5	R 339	PSS DC-MN5 DC UPS - 8800mA Modem back up / Power Bank, 12W Max load 12W
DLP1812PB/10	R 137	Philips Power Bank 10000mAh with PD Power Delivery & QC3.0, 2x USB Type-A & Type-C Ports, PD Power Delivery 20W fast charging Port, USB Type-A with QC fast charging, LED Power indicator Light
DLP2228CB/00	R 229	Philips Power Bank 10000mAh with PD Power Delivery 22.5W, 22.5W Power Output, PD3.0, QC3.0, LED Digital Display for Battery and charging status, USB Type-C Input Port, USB Type-C & USB Type-A Output Ports
DLP2510U/00	R 23	Philips 2500 mAh Micro USB Powerbank, 9.25Wh Output, Lithium-ion Battery Type
DLP5714CB/00	R 184	Philips Power Bank 10000mAh with PD Power Delivery 22.5W, Lithium Polymer Battery, charge up to four devices simultaneously, Built-In USB Type-C and USB Type-A Ports, LED Power indicator
DLP6812NB/69	R 114	Philips 2 Port 10 000mA Powerbank, Micro USB cable
DLP7721N/00	R 150	Philips 2 Port 20000mAh Power Bank, Micro-USB cables
DLP9521CB/00	R 401	Philips Power Bank 20000 mAh 3-in-1 Wireless Charger with PD Power Delivery, Rapid charging with ITS 22.5W Power Delivery (PD), Included USB-C and Lightning cables, USB Type-C Output, USB Type-A Output, charge 4 devices simultaneously
GEB3800	R 18,403	Gizzu Hero Ultra Plus 3840Wh Extra Battery
GJS16000	R 1,194	GIZZU 2000A Jump Starter Black 16400mAh Power Bank
GPS1000U	R 7,198	Gizzu Hero 1024wh/1000w Ups Fast Charge Lifepo4 Portable Power Station

GPS2000U	R 11,201	GIZZU HERO 2048WH 2400W UPS Portable Power Station
GPS3800UE	R 25,601	Gizzu Hero Ultra Plus 3840Wh UPS Power Station
GU18W	R 438	Gizzu surf simple 18W 55Wh LiFePO4 Mini DC UPS - Black, 55Wh capacity, 18W Power Output, 100-240V AC Input Voltage, 17400mAh Battery capacity, 4350mAh x4 Lithium Iron Phosphate Batteries, 2000 cycles to 80% Battery cycles
GU30WPRO	R 307	GIZZU 30W 38Wh 10400mAh Mini DC UPS - Black. 30W DC UPS; 38Wh; 10400mAh; 100-240V AC input; 5V USB; selectable 9V or 12V; 4 x 12V outputs; 450g. Backup power for DC devices such as routers and DC-powered CCTV cameras.
GUP60W	R 439	GIZZU Black 60W 56Wh 17600mAh Mini POE DC UPS
GUP60WPRO	R 501	GIZZU 60W 69Wh 21600mAh Mini POE DC UPS - Black
M32223	R 963	Verbatim Charge ' N ' Go Essential Black 20000mah Power Bank Magnetic Wireless. 20,000 Mah; 35 W Usb-c Pd; 15 W Magnetic Wireless; Supports Pd/qc 3.0; Dimensions 104x69x29 Mm; Weight ~351 G; Includes Magnetic Ring Usb-c Cable
M32224	R 963	Verbatim Charge ' N ' Go Essential Green 20000Mah Power Bank Magnetic Wireless. Battery Capacity: 20000mAh; USB-C Output: 35W; Wireless Charging Output: 15W; Input: USB-C PD; Dimensions: 104x69x29 mm; Weight: 351.1g; Color: Green; Safety Features: FOD, Short Circuit, Overcurrent, Overtemperature, Overvoltage, Overdischarge Protection
M32225	R 479	Verbatim Charge ' N ' Go Essentials Black 5000Mah Power Bank Magnetic Wireless. 5000 mAh; dual charging (15W wireless 20W USB-C PD); dimensions 103x64x11 mm; weight 125.9 g; 6 protection systems; includes magnetic ring & USB-C cable
M32226	R 479	Verbatim Charge ' N ' Go Essentials Green 5000Mah Power Bank Magnetic Wireless. 5000mAh capacity; 15W magnetic wireless charging; 20W USB-C PD output; 9.6mm thickness; LED power indicator; Includes USB-C cable and metal ring; Green color
M32227	R 561	Verbatim Charge ' N ' Go Essentials Black 10000Mah Power Bank Magnetic Wireless. Battery Capacity: 10000mAh; Wireless Charging Output: 15W; USB-C Output: 20W PD; Input Port: USB-C; Dimensions: 10.3 x 6.4 x 1.6 cm; Weight: 193.7g; Compatibility: MagSafe-enabled iPhones, Qi-enabled Android devices; Safety Protections: Overcharge, over-discharge, overcurrent, short circuit, overvoltage, temperature protection; Material: Metal surface with right-angle design
M32228	R 561	Verbatim Charge ' N ' Go Essentials Green 10000Mah Power Bank Magnetic Wireless. Battery Capacity: 10000mAh; Wireless Charging Output: 15W Max; USB-C PD Output: 20W Max; Input: USB-C 5V/3A, 9V/2A; Dimensions: 103mm x 64mm x 11mm; Weight: 194g; Color: Green
M32240	R 564	Verbatim 32240 Charge n Go Magnetic Wireless Power Bank 5000mAh - Black, 5000mAh Battery capacity, Li-Polymer Battery Cell, USB-C PD 3.0 Input 18 W Max, USB-C PD 3.0 Output 20 W Max, Wireless Output, 20 W Max total PD Output
M32245	R 802	Verbatim 32245 Charge n Go Magnetic Wireless Power Bank 10000mAh - Black, 10000mAh Battery capacity, Li-Polymer Battery Cell, USB-C PD 3.0 Input 18 W Max, USB-C PD 3.0 Output 20 W Max, Wireless Output, 20 W Maximum total PD Output
M32259	R 803	Verbatim Charge 'N' Go Green 10000Mah Power Bank With Stand Magnetic Wireless. Battery Capacity: 10000mAh; Wireless Output: 15W; USB-C PD Output: 20W; Safety Protections: 6; Dimensions: 10.5cm x 6.5cm x 1.6cm; Weight: 187g
M32264	R 803	Verbatim Charge 'N' Go Power Black 10000Mah Bank With Stand Magnetic Wireless. 10000mAh capacity; 15W wireless & 20W USB-C PD charging; Bi-directional USB-C port; Integrated foldable stand; LED power indicator; MagSafe compatible; Dimensions: 105mm x 65mm x 16mm; Weight: 187g
M32266	R 803	Verbatim Charge 'N' Go Blue 10000Mah Power Bank With Stand Magnetic Wireless. Battery Capacity: 10000mAh; Wireless Output: 5W-15W; USB-C PD Output: 20W max; Dual Charging: Yes; Foldable Stand: Yes; LED Indicator: Yes; Dimensions: 16mm thickness; Colour: Blue
M32267	R 803	Verbatim Charge 'N' Go Pink 10000Mah Power Bank With Stand Magnetic Wireless. 10000mAh; 15W wireless; 20W USB-C PD; foldable stand; LED indicator; 217.8g weight
M32268	R 803	Verbatim Charge ' N ' Go Grey 10000Mah Power Bank With Stand Magnetic Wireless. 10,000 mAh; 15W

		wireless; 20W USB-C PD; fold-out stand; magnetic ring; 104x67x16 mm; 194 g
M32269	R 1,606	Verbatim Charge ' n ' Go Power Bank 27000mAh 183W Grey, Metal material, Li-Ion Battery Type, USB-C to USB-C cable supports up to 100 W, 34.5cm cable length, PD 3.0 Input, PD 3.1 Output, USB Type-A Output, 183W Maximum total Output
MOVEV32223	R 11,500,000,000,000	Verbatim 32223 Charge ' n ' Go Essential Power Bank Magnetic Wireless 20000mAh - Black, USB-C PD Input, USB-C PD Output, 15W Wireless Charging, 35 W Max total PD Output
MOVEV32225	R 478	Verbatim 32225 Charge ' n ' Go Essentials Power Bank Magnetic Wireless 5000mAh - Black, USB-C PD Input, USB-C PD Output, 15W Wireless Charging, 20 W Max total PD Output
MUPS1	R 344	Microworld PoE 17W Mini UPS 8800mAh, DC 5V / 2.5A, 9V / 1.8A, 12V / 1.35A, 15V / 1A PoE, 24V / 0.63A PoE
MUPS17W8.8AH	R 454	UltraLAN Mini UPS (DC-to-DC 17W) with USB & PoE Output, 17W 8.8Ah
MUPS45W8.8AH	R 684	UltraLAN Mini UPS (DC-to-DC 45W) with PoE Output, 45W 8.8Ah
MX-PB26	R 2,185	Moxom MX-PB26 Power Supply UPS 80W portable AC Output power station, 20800mAh, 12 V/3a DC Output, 16.8V 2A DC Input
NOVPOW001	R 133	NOVA Novaro 5000 mAh Power Bank, Dual USB Port, 4 LEDs to indicate Battery Life, 13.5mm thickness , NOVPOW001
NOVPOW002	R 227	Novaro 10000 mAh Power Bank, 3 Ports, 4 LED lights to indicate Battery level, Type-C Port for Input and Output, Micro Port for Input, USB Port for Output, NOVPOW002
NTGRPBP1	R 199	Nesty Black 10 000mAh Multi Functional Power Bank. Brand:Nesty; Model:NTGRPBP1; Capacity:10000mAh; Voltage:3.7V; Input:5V 2.1A; Output:5V 2.1A; Built-in Cables:Micro USB, Type-C, Lightning; Single Device Charging; Overcharge Protection; Over Temperature Protection; Airplane Approved; Colour:Black; Warranty:6 Months
NTGRPBP2	R 99	Nesty White 10 000mAh Multi Functional Power Bank. 10 000mAh capacity; 3.7V; 37Wh; Type-C input 5V 2A; USB output 5V 2A x2; Dual device charging; Overcharge protection; Over temperature protection; Airplane allowed; 6 months warranty
PB526-75161B	R 413	UGreen 10000mAh 20W Power Bank with Built-In cable, 10000mAh Polymer Lithium-ion Battery capacity, 22.5W Maximum Output Power, PD 20W fast charging Protocol support, Digital Display shows remaining charge percentage, Built-In USB Type-C cable for Input and Output, One USB Type-A Port with 22.5W Output capability, One USB Type-C Port supporting PD 20W Input and Output, Fully recharges in approximately 3 hours via a 20W PD charger
PB532-55989B	R 508	UGreen 20000mAh 30W Two-Way fast charging Power Bank, Max Output Power of 33W, 1x USB Type-A Port supporting up to 33W, 2x USB-C Ports each supporting up to 30W, Recharges fully in approximately 4 hours with a 30W PD charger, Digital Display shows remaining Battery percentage, Pass-Through charging supported, Capable of charging laptops via USB-C
PB537-95178B	R 649	UGreen Nexode Power Bank 20000mAh 55W with Built-In USB Type-C cable, 55W Max Output fast charging capability, Built-In 17.8 cm Braided USB Type-C cable included, Supports PD 45W Fast Charge Protocol, Supports Mi Turbo Charge 55W Protocol, Features Digital Display for remaining Battery percentage, Three Ports including one Built-In USB Type-C, One additional USB Type-C Port available, One Standard USB Type-A Port available, Recharges via USB Type-C in approximately 4 hours
PB550-85166B	R 846	UGreen 20000mAh 67W Nexode Power Bank with Built-In cable, Maximum Output of 67W for fast charging laptops and smartphones, Built-In Braided USB Type-C cable included in device Design, Features Digital Display screen showing exact Battery percentage, Supports PD 3.0 Fast Charge Protocol Standard, Compatible with Xiaomi 67W Turbo Charge Technology, Samsung PPS 45W 2.0 Protocol supported for specific devices, Includes one USB Type-A Port delivering up to 22.5W Output, Two USB Type-C Ports available on unit including Integrated cable, Pass-Through charging allows simultaneous Power Bank recharging and device use
PB551-55992B	R 943	UGreen Nexode 145W 20000mAh Power Bank with Built-In USB Type-C cable, 145W Max combined Output for laptops and phones, 20000mAh Lithium-ion Battery capacity, Built-In USB Type-C cable with 100W Output capability, USB Type-C Port supports up to 45W Output, USB Type-A Port provides up to 33W Output, Recharges from flat to full in approximately 1.5 hours, Digital Display shows remaining Battery Level, Supports PD3.0 Fast Charge Protocol, Supports Super fast charging 2.0 at 45W

PB584-75173B	R 559	UGreen Nexode 10000mAh 30W Power Bank with Built-In USB Type-C cable, 10000mAh capacity rated for reliable Mobile charging, 30W Max Output supporting PD3.0 and QC3.0 Fast Charge protocols, 2x USB Type-C Ports Plus 1x USB Type-A Port for Multi-Device connectivity, Built-In Nylon-Braided USB Type-C cable tested for over 10000 bends, Digital Display provides accurate remaining Battery Level reading, Ultra-compact dimensions of 8.2 x 6.2 x 2.6 cm Fit in pockets, Pass-Through charging enabled to Power Bank and device simultaneously, Full recharge time of approximately 2.3 hours via Built-In cable
PBA3500	R 278	Huntkey Powerbank 3500Mah Ultra Slim Charge all 5V electronic devices such as smart phones, cameras, MP3/MP4/MP5, GPS, Device has a 3500mAh Battery which will charge mobile devices except for the Ipad and Tablets due to higher current requirements.
PBA4400	R 217	Huntkey Power Bank 4400Mah, Charge all 5V electric devices, Cables with multi-USB ports for max compatibility, Intelligently monitor and display remaining power.
POWERBANK-TPB745-BLK	R 250	Linkqnet TPB745 10,000mah Powerbank With Built-in Charging Cables - Type-c, Micro Usb And Lightning
POWERBANK-TPB746-BLK	R 319	Linkqnet TPB746 20,000mah Powerbank With Built-in Charging Cables - Type-c, Micro USB And Lightning
POWERBANK-TPBQ10-BLK	R 338	Linkqnet TPBQ10 27,000mah QC3.0 22.5w Super Quick Charge Powerbank
POWERBANK-TPBQ34-BLK	R 484	Linkqnet TPBQ34 27,000mah Pd65w Super Quick Charge Powerbank
POWERBANK-TPBT941	R 293	Linkqnet TPBT941 10,000mah 15w Magnetic Wireless Powerbank With Built-in Charging Cables - Type-c, Micro Usb And Lightning
PSU-POWERBANK-QC2.0	R 393	LVSUN LS-Q80 8000mAh Portable Fast Charger Power Bank with Qualcomm Quick Charge 2.0 for Smart Phones
PWR-DC-UPS-POE-100W	R 1,466	LinkQnet 100W Mini DC 17600mAh UPS, 5 / 9 / 12V & 15 / 24V PoE, 4 - 5 hour charging period, 4 levels LED Power Display
PWR-DC-UPS-POE-432P	R 582	LinkQnet 8800mAh Mini DC UPS - DC 5V to 12V independant and PoE 15V to 24V selectable, 4x 2200mAh Lithium Battery Type, 5V 2A charging USB Output, 25W Output Power
PWR-DC-UPS-POE-532P	R 582	Linkqnet Mn6 5v To 12v 8800mah With 15V To 24V Poe Mini DC UPS, with 5V, 9V and 12V output ports, and a USB charging port. Emergency backup for all small electrical appliances and network devices that use POE. Long-life Lithium battery.
SAM-EB-P3400XU	R 489	Samsung PD Powerbank - 10000mAh 25W Super Fast Charging Battery Pack â€“ Fast, high-capacity power for instant boosts and quick recharges on the go. Features: Charge quickly on the go. Made with UL-certified recycled materials Elevated, ergonomic design.
SAM-EB-P4520X	R 687	Samsung Powerbank - 20000mAh - Beige With super-fast charging 45W battery pack rapidly recharges compatible devices and itself when low. Equipped with PD 3.0 and USB-C for convenient on-the-go charging. Features: Super Fast Charging on-the-go. Recharge 3
SAM-EB-U2510X	R 633	Samsung Wireless Powerbank - 10000mAh - Beige 25W Wireless Battery Pack - Charge on the go with fast wireless power. Supports phones, watches, buds, and up to 3 devices at once (2 wired 1 wireless). Features: Super fast charging.
SE-P01	R 1,208	Microworld SE-P01 Universal Powerbank 15600mAh, Supports QC2.0 Fast Charge, Supports Solar Panel charging, Built in BMS intelligent Battery management system, with LCD Display screen, Two USB 2.0 Ports
SNPB-10000PD-SQ	R 339	Snug Square Digital PD Powerbank - 10000mAh, Powered by a Lithium Polymer Battery, charge up to 3 devices simultaneously via USB Ports, 20W Max Power Output, Power Delivery fast charging, Digital Power level indicator., USB-C to USB-C cable
SNPB-20000-SQ	R 414	Snug 20000mAh square Digital Powerbank - Black, simultaneously charge up to two devices, 2x USB Type-A ports, 1x USB Type-C Port
SNPB-20000PD-SQ	R 489	Snug Square Digital PD Powerbank - 20000mAh, charge up to 3 devices simultaneously via USB Ports, USB-C cable included, 20W Max Output, Power Delivery fast charging, Digital Power level indicator, 2x USB Type-A Ports, 1x USB-C Port
SNPB-WI10000-V2	R 416	Snug Wireless Digital Powerbank - 10000mAh, Powered by a Lithium Polymer Battery for higher Power Output and smaller cells, Wireless Charging Digital Power level indicator, 4.5A 15W Max Output, USB Type-A Ports and USB-C Port
SWD-50003-BK	R 241	Switched Rechargeable emergency Lantern with Power Bank - 600 Lumen - Black, Up to 50 hours of operating time, USB Port for charging Mobile phones, SWD-50003-BK

TR-957	R 689	Microworld 40K mAh Solar Powerbank, Output Interface - Micro USB / USB / Type-C / Lightning, Input Interface - Micro USB / Type-C / Lightning, Solar Panel for charging (Solar charge only), Lithium Polymer Battery 40000 mAh 10W Output Power
UPS-RP7500A	R 1,331	AccoNet RP7500A PoE 7500mAh Smart Powerbank, Applicable for Wireless Bridge / Router / Access Point / camera / cellphone, USB 5V 3A, DC 12V 2A, POE 24V 1A, POE 48V 0.5A
UPS100-PLUS	R 574	Netogy Mini 14400mAh DC UPS / Power Bank, 100W high Output power
VK-811-GR	R 161	Volkano Blaze Series 4000mAh powerbank, Grey, 5V 1Amp output, ABS Plastic
VK-9024-BK	R 287	Volkano Roma Series 10000 mAh PD 22.5W Power Bank, PD and QC 3.0 Super Fast Charge. The Volkano Roma 10000 mAh power bank delivers fast USB-C Power Delivery and USB-A QC 3.0, dual ports, and an LCD battery display. Compact and sleek, it is perfect for charging phones, tablets and more on the move.
VK-9031-BK[V1]	R 437	Volkano Reload Plus Series 10000mAh MagSafe Power Bank, MagSafe compatibility, USB Type-A and USB-C Output Ports, Up to 15W Wireless Charging, Slim and Portable with a Magnetic Attachment
WX-PB106	R 123	WINX WX-PB106 GO Simple 5000mAh Power Bank, 5000mAh capacity, Li-Polymer Battery, Type-C & Type-A Output, Type-C & Micro USB Input, 10.5W fast charging Technology, Simultaneously charge up to 3 devices at once, LED Battery Display
WX-PB107	R 187	WINX WX-PB107 GO Simple 10000mAh Power Bank, 10000mAh capacity, Li-Polymer Battery, Type-C & Type-A Output, Type-C & Micro USB Input, 10.5W fast charging Technology, Simultaneously charge up to 3 devices at once, LED Battery Display
WX-PB108	R 281	WINX WX-PB108 GO Simple 20000mAh Power Bank, 20000mAh capacity, Li-Polymer Battery, Type-C & Type-A Output, Type-C & Micro USB Input, 10.5W fast charging Technology, Simultaneously charge up to 3 devices at once, LED Battery Display
WX-PB109	R 380	WINX WX-PB109 GO Simple 30000mAh Power Bank, 30000mAh capacity, Li-Polymer Battery, Type-C & Type-A Output, Type-C & Micro USB Input, 22.5W fast charging Technology, Simultaneously charge up to 3 devices at once, LED Battery Display
WX-PB110	R 243	WINX WX-PB110 GO Fast 2 - 10000mAh Power Bank PD20, 10000mAh capacity, Lithium polymer Battery, 20W PD Power Delivery, Type-C & Type-A Output, Type-C & Micro USB Input, 22.5W fast charging Technology, Simultaneously charge up to 3 devices, LCD Battery Display
WX-PB111	R 297	WINX WX-PB111 GO Fast 2 - 20000mAh Power Bank PD20, 20000mAh capacity, Lithium polymer Battery, 20W PD Power Delivery, Type-C & Type-A Output, Type-C & Micro USB Input, LCD Battery Display
WX-PB112	R 424	WINX WX-PB112 GO Fast 2 - 30000mAh Power Bank PD20, 30000mAh capacity, Lithium polymer Battery, 20W PD Power Delivery, Type-C & Type-A Output, Type-C & Micro USB Input, 22.5W fast charging Technology, Simultaneously charge up to 3 devices

< Return to the menu

Device chargers & Power Banks : Wireless chargers

Product code	Price	Description
ACW0100-1C-5V-CBK	R 244	Adata ACW0100-1C-5V-CBK wireless charging pad black - with zinc-alloy metal base built-in LED indicator, Qi certified - 6mm ultra slim, 9V/1.67A miCroUSB input, 10 Watt fast charge output, 100x100x7.5mm
BHR08Z2GL	R 1,273	Xiaomi UltraThin Magnetic Power Bank 5000 15W - Aluminium Silver, Magnetic induction Wireless Charging Method, Rapid 22.5W charging via USB Type-C Output
BHR0913GL	R 1,273	Xiaomi UltraThin Magnetic Power Bank 5000 15W - Black, Magnetic induction Wireless Charging Method, Rapid 22.5W charging via USB Type-C Output
BHR7560GL	R 1,059	Xiaomi 50W Wireless Charging stand Pro, Qi-Compatible, Horizontal & Vertical stand, Delivers up to 50W Wireless Charging for compatible devices, BHR7560GL
BHR8304GL	R 2,129	Xiaomi 80W adaptive QI Wireless Charging stand, Delivers up to 80W Wireless Charging Speed for compatible devices, BHR8304GL
CA-ACW0100-K	R 363	Adata ACW0100-1C-5V-CBK wireless charging pad black - with zinc-alloy metal base built-in LED indicator, Qi certified - 6mm ultra slim, 9V/1.67A miCroUSB input, 10 Watt fast charge output, 100x100x7.5mm
CA-JUPW1101	R 344	J5create JUPW1101 1-coil wireless charging pad - with non slip base built-in LED indicator surge protection

		foreign object warning, /- 8mm electric field for thick phone case, tangle-free flat cable design, lightweight 79.5g, Qi certified - 5V/2A, 9V/2A, 12V/1.5A input, 10W fast charge with 5W/7.5W compatibility output - bundled JUP11 quick charge 3.0 charger
CA-JUPW1101W	R 344	J5create JUPW1101W 1-coil wireless charging pad with Wood finish - with non slip base built-in LED indicator surge protection foreign object warning , /- 8mm electric field for thick phone case , tangle-free flat cable design , lightweight 79.5g , Qi certified - 5V/2A, 9V/2A, 12V/1.5A input , 10W fast charge with 5W/7.5W compatability output - bundled JUP11 quick charge 3.0 charger
CA-JUPW1102W	R 623	J5create JUPW1102W 2-coil wireless charging stand with Wood finish - surge protection foreign object warning, /- 8mm electric field for thick phone case, tangle-free flat cable design, lightweight 105.5g, Qi certified - 5V/2A, 9V/2A, 12V/1.5A input, 10W fast charge with 5W/7.5W compatibility output - bundled JUP11 quick charge 3.0 charger
CHARGE-QI-CP622-BK	R 299	Canpow CP622 5w Black Wireless Charger
CHARGE-QI-CP6732	R 209	Canpow CP6732 Furniture Wireless Charger
CHARGE-QI-EMBED-B	R 235	Qi UN2-01101 5w DIY Wireless Charger - Below Embedded Furniture Tx Module
CHARGE-QI-EMBED-T	R 390	Qi UN2-01108 5w DIY Wireless Charger â€“ Top Embedded Furniture Tx Module
CHO-T586-F-BK	R 491	Choetech Fast Wireless 3 In 1 Charger 15W - White sleek, efficient charging with a 30Â° viewing angle, secure magnetic connection, and a non-slip base. Safely power your phone, AirPods, and Apple Watch while staying organized!
CHO-T608-F-WH	R 569	Choetech Fast Wireless 4 In 1 Magnetic Charging Stand T608-F 15W - White . Charge two phones and a smartwatch simultaneously with secure magnetic alignment. Its sleek stand enables fast, clutter-free charging while keeping devices organized and ready to use.
DLP9017/00	R 276	Philips QI Wireless charge - 15W, USB Type-C Input, Wireless Charger with Magnetic rim
M32251	R 554	Verbatim 32251 Charge ' n ' Go 2c Power Bank Magnetic Wireless 5000mAh with 2 USB-C cables & stand - Grey, 5000 mAh Battery capacity, USB-C Port USB-C2 cable Input (PD 3.0), USB-C Port USB-C2 cable Output (PD 3.0), USB-C3 Output, 2.5W Max Apple Watch Output, 20W Max total PD Output, Charging protocols supported - PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
M32253	R 554	Verbatim 32253 Charge ' n ' Go 2c Power Bank Magnetic Wireless 5000mAh with 2 USB-C cables & stand - Gold, 5000 mAh Battery capacity, USB-C Port USB-C2 cable Input (PD 3.0), USB-C Port USB-C2 cable Output (PD 3.0), USB-C3 Output, 2.5W Max Apple Watch Output, 20W Max total PD Output, Charging protocols supported - PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
M32276	R 554	Verbatim 32276 Charge ' n ' Go 2c Power Bank Magnetic Wireless 5000mAh with 2 USB-C cables & stand - Silver, 5000 mAh Battery capacity, USB-C Port USB-C2 cable Input (PD 3.0), USB-C Port USB-C2 cable Output (PD 3.0), USB-C3 Output, 2.5W Max Apple Watch Output, 20W Max total PD Output, Charging protocols supported - PD 3.0 / QC 3.0 / Apple 2.4A / BC1.2 / DCP / AFC
OCFCBWC3BL	R 518	Microworld FC Barcelona 3-in-1 Wireless Charger, Type-C Input charging Interface, 3-8mm transmission distance, 80-85% conversion efficiency, QC 18W Type-C Input
QI5W	R 184	Remax RP-W1 Qi Wireless USB Charging Pad
RK-8017-BK	R 259	Rocka RK-8017-BK Liberty Series QI Wireless Phone charger Black, Wireless Charging pad supports 5W / 7.5W / 10W fast charging Outputs, Compatible with All Qi-enabled smartphones, Built-In Smart IC Chip for safe and efficient Power Delivery, Non-Slip Surface ensures Phone stability, Includes USB charging cable, Safety features include overvoltage / overcurrent / temperature protection
W756-55963	R 711	UGreen 25W 2-in-1 Magnetic Wireless Charger, QI2 Certified and MagSafe (MPP) compatible for fast charging, Delivers up to 25W Power Output to iPhone 16 and newer models, Charges iPhone 12 through 15 at up to 15W simultaneously, Provides 5W Wireless Charging for AirPods on the base pad, Combines devices with a total Output of 30W, Features 16 N48h magnets providing 7n holding Force, Snap alignment ensures precise positioning during charging, Foldable stand Design allows adjustable viewing angles, Folds flat for Easy portability and Travel storage, Powered by single USB Type-C Input Port, Includes a 1m USB-C to USB-C charging cable in the Box
WX-CC104	R 375	WINX View Power Phone Holder and Wireless Charger, MagSafe-compatible phones only, Wireless Output Power up to 20W at 9V / 2.23A, Power connection uses Type-C Interface, Smart IC protection features included, Tilt

	adjustment range of 90 degrees, Rotation capability of 360 degrees, Mounting Type includes suction or adhesive base

< Return to the menu

Medical Device Batteries

Product code	Price	Description

< Return to the menu

Power Tool Batteries

Product code	Price	Description

< Return to the menu

Vacuum Cleaner Batteries

Product code	Price	Description
BHR09J6GL	R 1,443	Xiaomi Mijia Vacuum Cleaner 4 - Battery, Replacement part for extended cleaning sessions, Up to 90 minutes of Runtime on a full charge, 8-cell Lithium-ion construction for reliable Power Delivery, Genuine Xiaomi accessory compatible with the Mijia Vacuum Cleaner 4, Rated capacity of 2250mAh and rated energy of 66.6Wh, Simplified One-Button release mechanism for Tool-Free Battery swaps

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Binoculars, Fieldscopes & Rangefinders

Product code	Price	Description
4624A004AA	R 20,789	Canon 18 X 50 Is Binoculars, Supplied With Eye Piece Cap,Neck Strap,Soft Case,2 X Aa Batteries.
4625A004AA	R 18,808	Canon 15 X 50 Is Binoculars, Supplied With Eye Piece Cap,Neck Strap,Soft Case,2 X AA Batteries.
7562A019AA	R 6,394	Canon 8 X 25 IS Binoculars, Supplied with Eye Piece Cap, Neck Strap, Soft Case, 1 x CR 123 A Battery, World ' s Smallest & Lightest IS Binoculars, High Efficiency Tilt-System Image Stabilizer System, Ergonomically Designed, High quality All Glass Canon Optics with Super Spectra Coating, Environmentally Friendly Lead-Free Glass.
9526B005AA	R 12,865	Canon 12x36 IS III Image Stabilized Binocular

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Bluetooth

Product code	Price	Description
956-000008	R 199	Logitech Bolt USB Type A Bluetooth Receiver - Bluetooth Receiver, USB Type-A Interface, Compatible With Windows® 10,11 or later, macOS 10.14 or later, Linux, ChromeOS, Retail Box
956-000008	R 197	Logitech Bolt USB Type A Bluetooth Receiver - Bluetooth Receiver, USB Type-A Interface, Compatible With Windows® 10,11 or later, macOS 10.14 or later, Linux, ChromeOS, Retail Box
980-000912	R 622	Logitech Bluetooth audio Adapter, Wireless audio streamer, Easy pairing, Analogue jacks, RCA to 3.5 mm cable, 980-000912
980-000912	R 653	Logitech Bluetooth audio Adapter, Wireless audio streamer, Easy pairing, Analogue jacks, RCA to 3.5 mm cable, 980-000912
A85004-B	R 84	Astrum Bluetooth Reciever, BLUETOOTH RECIEVER V4.0 2CH BLACK
A85013-B	R 138	Astrum BT130 Bluetooth Audio Receiver with Hands-Free, TF & AUX; Bluetooth 5.4; up to 10 m range; 3.5mm AUX output; TF card playback; MP3/WMA/FLAC; built-in microphone; hands-free calling; 120mAh battery; up to 6 hours playback; USB Type-C charging; black
A85030-B	R 384	Astrum BT300Multi-Device Wireless Audio Transmitter & Receiver, AUX

ASMG05B	R 286	Astrum G05 Smart Glasses; BLE 5.3; open-ear stereo speakers; hands-free calls; touch controls; blue light filtering lenses; TR90 frame; 2 x 85mAh lithium-polymer battery; up to 4 hours call time; up to 3 days standby; magnetic charging; approximately 90 minute charging time
ASPKU12TB	R 137	Astrum SPU12T 12W USB & BT 2.0CH 300MM Soundbar; 6W x 2 output; Bluetooth 5.3; USB-A 5V power; 1.3m cable; compact soundbar; PC, laptop, smartphone and tablet compatible
BDG028	R 104	Mecer USB Class 1 Bluetooth Wireless Adaptor, *ICASA approved (TA-2005/529) *Class 1 *2.4GHz *721 Kbps *Plug & Play, *Connect up to 8 devices *Effective range: 30m ~50m
BLUEPORT2	R 321	SonicGear Blueport 2 Bluetooth Audio Receiver
BT-USB-v2.0 Special	R 36	(On Promotion) Generic USB driveless bluetooth v2.0 and v1.2 dongle works with all versions of Windows, just plug and play, no installation required - it just works. Connect to mouse, keyboard, tablet, PC, Mobile phone.
BTAD5	R 104	Unbranded DN USB Bluetooth V5 Dongle, 3 Mbps transfer rate, Csr Chip Chip
BTPA-COMBO	R 445	Chronos Bluetooth Printer Adapter Bluetooth Printer Adapter with USB/ 1284 Printer Port (Anycom Version).
CM748-35058	R 109	UGreen Bluetooth 5.4 USB Adapter, USB Type-A connector, CM748-35058
CM748-75073	R 115	UGreen CM748 Bluetooth 6.0 USB Adapter, Connect up to 5 devices simultaneously, Up to 20m transmission range
CNV-USB-BT-ADA-5.0	R 163	Zoweetek BT502 USB to Bluetooth 5.0 Adapter
GK-BT-350	R 79	Geeko Car Bluetooth Wireless Music Play and Hands Free Call Receiver - Bluetooth Ver 3.0 EDR, Supports Wireless Hands Free Calls, Support Wireless Stereo Music Play, Echo Cancellation and Noise Suppression, Auto Power off, Direct Access To Audio Input, Up to 10 metre range, 3.5mm inlet socket connects to Headphone jack, One Touch Connect button, Up to 8 hours Music Playback, Built-in 30mAh Li-ion battery, Micro USB Charger Port, Retail Box
LOGI BT 980-000912	R 649	Logitech Bluetooth Audio Adapter, Wireless Audio Streamer, BT, Easy Pairing, Analogue Jacks
M32130	R 183	Verbatim 32130 MYF-01 Bluetooth Item Finder - 1 pack - Black, Built in buzzer, User-replaceable CR2032 Battery, IP66 Waterproof and dustproof rating
M32131	R 368	Verbatim 32131 MYF-02 Bluetooth Item Finder - 2 pack - Black / White, Built in buzzer, User-replaceable CR2032 Battery, IP66 Waterproof and dustproof rating
NA-TUB5A	R 120	TP-Link UB5A Bluetooth 5.0 Nano USB Adapter, USB 2.0 Interface
NET-UB500	R 96	TP-Link UB500 Bluetooth 5.0 Nano USB Adapter, USB 2.0 Interface
NET-UB500-PLUS	R 126	TP-Link UB500 Plus Long range Bluetooth 5.3 USB Adapter, USB 2.0 Interface, Adjustable multi-directional antenna
NET-UB5A	R 96	TP-Link UB5A Bluetooth 5.0 Nano USB Adapter, USB 2.0 Interface
TP-UB5A	R 96	TP-Link UB5A Bluetooth 5.0 Nano USB Adapter, USB 2.0 Interface
UB400	R 137	TP-Link UB400 Bluetooth 4.0 Nano USB Adapter
UB500 PLUS	R 149	TP-Link UB500 Plus Long Range Bluetooth USB Adapter, Bluetooth 5.3, Wireless Connectivity, Adjustable, Multi-Directional Antenna, Supported Operating System - Windows 11/10/8.1/7
UB500-PLUS	R 184	TP-Link UB500 Plus LongRange Bluetooth USB Adapter; Bluetooth 5.3; Long range Bluetooth USB adapter; USB 2.0; 1 x adjustable external antenna; up to 7 Bluetooth devices; Windows 11/10/8.1/7; dimensions: 81 x 42 x 16.8 mm; weight: 2.27 g
UB5A	R 154	TP-Link UB5A Bluetooth 5.0 Nano USB Adapter, USB 2.0 Interface
VISTABLUTOOTH	R 104	Microworld Bluetooth Dongle USB 2.0 100m Vista
WX-BT101	R 72	WINX CONNECT Simple Bluetooth 5.0 Adapter
WX-BT101	R 230	WINX Connect simple Bluetooth 5.1 Adapter, Bluetooth Version 5.1 Dual mode, 3 Mbps transfer Speed, 20m range
ZA-BD5.0	R 49	Unique USB Wireless Bluetooth V5.0 Dongle, ZA-BD5.0, 10m range

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Cables & connectors

Audio cables

Product code	Price	Description
3.5MMTO6.351.5MTR	R 58	Microworld 3.5mm to 6.35mm 1.5m audio cable
3.5MMTO6.351MTR	R 46	Microworld 3.5mm to 6.35mm 1m audio cable
3.5MMTO6.352MTR	R 69	Microworld 3.5mm to 6.35mm 2m audio cable
3.5MMTO6.353MTR	R 81	Microworld 3.5mm to 6.35mm 3m audio cable
3.5MMTO6.355MTR	R 92	Microworld 3.5mm to 6.35mm 5m audio cable
361231	R 59	Manhattan Single Cinch RCA to Single Cinch RCA, Audio/Video, Blue, 1.5 m -connect HD TVs, projectors and flat-panel displays, PC and audio, Retail Box
3RCAAV	R 79	Microworld 3x RCA AV Video & Audio cable
50363	R 69	Ugreen 50363 3.5mm Audio Cable Stereo Auxiliary AUX Cord - 2m, Gold-Plated Male to Male Braided Cable
50464	R 137	Goobay 3.5 mm Audio Y Cable Adapter - 0.2 m, 1x Male to 2x Female Stereo
50715	R 194	Goobay 50715 XLR connection 6m cable, For connecting a Microphone with XLR plug to an XLR plug Input of e.g. Stereo systems or amplifiers, XLR Male (3 pin) connection, XLR Female (3 pin) connection
60165	R 199	Ugreen 60165 2-in-1 USB-C to Headphone & charger Adapter
65285	R 206	Goobay 3.5mm Jack to RCA Audio Adapter 1m Cable; left and right audio; gold-plated contacts; aluminium connector housings; copper conductors; braided textile sheath; aluminium foil shielding
65288	R 229	Goobay 3.5mm Jack to RCA Audio Adapter 2m Cable; 1 x 3.5mm male stereo jack; 2 x RCA male connectors; left and right audio channels; gold-plated contacts; pure copper conductors; aluminium foil shielding; textile braided jacket; aluminium connector housings; 28 AWG; 3.3mm cable diameter; black and grey
65289	R 263	Goobay 3.5mm Jack to RCA Audio Adapter 3m Cable; gold-plated contacts; aluminium connector housings; copper conductors; aluminium foil shielding; AWG 28; textile sheath; bend protection; black and silver finish; for compatible smartphones, laptops, PCs, amplifiers and stereo systems
65290	R 286	Goobay 3.5mm Jack to RCA Audio Adapter 5m Cable; left and right audio channels; gold-plated contacts; aluminium connector housings; copper conductors; 28 AWG; aluminium foil shielding; textile-braided sheath; approximately 3.3mm cable diameter
77125	R 206	Goobay 77125 TOSLINK Male to Male Digital audio connection cable - 1.5m
78579	R 206	Goobay 78579 3.5mm jack to RCA audio Adapter cable - 1.5m, 2x RCA male conectors
78739	R 217	Goobay 78739 3.5mm jack to RCA audio Adapter cable - 3m, 2x RCA male conectors
79122	R 190	Goobay 79122 Stereo 3.5mm jack audio Adapter cable - 1.5m
79126	R 183	Goobay 79126 Stereo 3.5mm jack audio Adapter cable - 3m
939-001490	R 4,231	Logitech 939-001490 VC Group extension cable 15m Mini-DIN, 5 mm cable thickness, 50 mm Repeater length, Mini-DIN-6 connection
A30501-C	R 138	Astrum AU101 3.5mm Male to Male Aux Audio Jack 1.5m Cable; stereo AUX cable; 1.5m; premium copper conductors; nickel plated connectors; braided shielding; PVC jacket; blue; smartphones; laptops; speakers; amplifiers; car stereos
A30505-C	R 138	Astrum AU105 3.5mm Male to Male Aux Audio Jack 5.0m Cable
A30602-B	R 33	Astrum AE002 3.5mm Male to Female Aux Extension Cable; stereo audio extension; premium copper conductors; molded connectors; 28AWG; 2.6mm cable diameter; flexible cable; compatible with headphones speakers smartphones tablets laptops car audio
A30615-C	R 43	Astrum AE115 3.5mm Male to Female Aux Extension 1.5m Cable
A30721-C	R 138	Astrum AR015 3.5mm Aux Audio Jack Male to Male RCA 1.5m Cable
A30723-C	R 138	Astrum AR103 3.5mm Aux Audio Jack Male to Male RCA 3.0m Cable; 100% copper conductor; braided shield; nickel plated connectors; PVC jacket; blue; home audio; Hi-Fi; DJ equipment
A30725-C	R 29	Astrum AR105 3.5mm Aux Audio Jack Male to Male RCA 5.0m Cable; 100% copper conductor; braided shield; nickel plated connectors; PVC jacket; blue; home audio; Hi-Fi; DJ equipment
A37011-B	R 138	Astrum PA110 Aeroplane Flight Headphone Aux Adapter; 3.5mm AUX female; 2 x airplane audio jack; 24K gold-plated connectors; 23.5 x 13 x 36mm; 8g; travel accessory; wired headphone compatibility
A37014-B	R 139	Astrum PA140 Aux - Audi AMI / MMI audio Adapter 10cm, For Audi / VW car audio systems. AMI / MMI / MDI port to USB Adapter W/O GND 2KOhm.

AD010	R 184	Microworld Analog to Digital Audio converter, L / R Input Audio, Coaxial and TOSLINK Digital Audio connector Output Audio, 48khz Sampling rate
AD011	R 138	Microworld Digital Audio to Analog converter, TOSLINK 1x RCA (Coaxial) or TOSLINK Digital Audio Input connectors, 2x RCA Output Audio connector, Up to 96 kHz Sampling rate
ADA-1STEREOM-2F-RCAV	R 10	Unbranded 1 stereo male to 2 RCA female, CA501
ADA-3.5MM-2.5MM-L	R 26	Lindy 20cm 3.5mm To 2.5mm Audio Adapter
ADA-CHARGE-AUDIO	R 416	Linkqnet Audio-out Plus Mic-in With USB - Panel Mounted Connector - 2m
ADA008	R 23	Unbranded Stereo 3.5mm Female to Stereo 3.5mm Female Adapter
ADA020	R 12	Unbranded Stereo 3.5mm Male to 2x Stereo 3.5mm Female Adaptor
ADA099	R 23	Unbranded 3.5mm stereo male plug to 2x RCA female
AMP-20002-BK	R 89	Amplify Pro 3.5mm Aux to 3.5mm Aux cable, Black
AMP20002BK	R 151	Amplify Black Pro 3.5mm Aux to 3.5mm Aux cable
AUD25TO3.5	R 35	Microworld 2.5mm stereo to 3.5mm stereo
AV108-10540	R 109	UGreen AV108 Male to Male TOSLINK Optical Audio cable 2m - Grey, Male to Male Connector Type, Gold-Plated connectors, PVC with durable Nylon braid, Metal plug housing, 7 mm Outer Diameter
AV116-10584	R 79	UGreen AV116 3.5mm to 2x RCA Ports cable 1m, Copper / Gold material
AV116-10749	R 74	UGreen AV116 RCA to Aux 3.5mm Audio cable 2m - Black, 1x 3.5mm jack, 2x RCA, Copper / Gold connector material
AV118-10592	R 46	UGREEN AV118 1m Black 3.5mm Male to Female AUX Extension Cable; 1m length; male to female connector; black color; stereo audio support; UGREEN AV118; compatible with phones laptops speakers car audio
AV118-10594	R 49	UGreen AV118 3.5mm Aux extension cable 2m - Male to Female - Black, Enamelled Copper conductor material, Gold-Plated Connector finish, Aluminium Alloy Connector housing, Nylon Braided cable jacket
AV118-10595	R 56	UGreen AV118 3.5mm Aux extension cable 3m - Male to Female - Black, 3.5mm Mini jack Male to 3.5mm Mini jack Female, Enamelled Copper conductor material, Gold-Plated Connector finish, Aluminium Alloy Connector housing, TPE with cotton Thread reinforcement cable jacket
AV119-10598	R 46	UGreen AV119 Black/Silver 1.5m Right-angled 3.5mm Flat Aux Cable. Interface: 3.5mm Male-to-Male; Flat cable; Length 1.5 m; Right-angled connectors; 24K gold-plated; Aluminium shell; Hi-Fi stereo
AV119-10732	R 41	UGREEN 0.5m Black 3.5mm Male to 3.5mm Male Cable
AV119-10734	R 49	UGREEN 3.5mm Male to 3.5mm Male Cable 1.5m (Black)
AV119-10735	R 53	UGREEN 3.5mm Male to 3.5mm Male Cable 2m (Black)
AV119-10736	R 61	UGREEN 3.5mm Male to 3.5mm Male Cable 3m (Black)
AV140-20899	R 61	UGreen UV140 Aux 3.5mm Audio Splitter cable - Black / Grey, 2x 3.5mm (Male), 1x 3.5mm (Female), Gold-Plated connectors, 20cm cable length
AV141-30620	R 53	UGreen AV141 3.5mm Headset Splitter cable (1x Male to 2x Female) 20cm - Black, 1x 3.5mm Male (TRRS) Input, 2x 3.5mm Female (TRS Mic TRS Audio Output) Output, Gold-Plated connectors, Cotton-braided cable Design, Multiple shielding protection, 20cm cable length
AV161-80154	R 125	UGreen AV161 USB Type-C to 3.5mm 10cm Adapter, USB Type-C (Male), 3.5mm Audio jack (Female), Nylon & Aluminium Alloy material, 10cm cable length
AVC	R 39	Unique audio/video cable RCA Male to Male 1.8m
AVC-002	R 89	Geeko 5m Braided Dual Cinch RCA Audio Cable, Retail Box
AVC-003	R 69	Geeko 3m 3x RCA Cinch Male to Male Audio/Video Cable, Retail Box
AVC-004	R 89	Geeko 5m 2 X Cinch RCA Male Audio Cable, Retail Box
AVC-005	R 49	Geeko 2 X RCA Male to Male Audio Cable With Ground, Retail Box
AVC-006	R 49	Geeko 2 X RCA Male to Male Audio Cable With Ground, Retail Box
AVC-007	R 49	Geeko 2 X RCA Male to Male Audio Cable With Ground, Retail Box
AVC-008	R 59	Geeko 3m Audio 2 X Rca Male Cable, Retail Box
AVC-009	R 49	Geeko Audio 2 X RCA Male Cable With Ground 0.8Meter, OEM, No Warranty
AVC-3PIN-001	R 39	Geeko RCA Y Splitter Audio/Video Cable, Retail Box
AVC-3PIN-002	R 39	Geeko Audio/video Rca Y Splitter Cable

AVMAF3512G	R 54	Astrum AVMAF3512G VMAF35 1.2M AUX 3.5 M-F Braid GR Cable. 1.2 m braided 3.5 mm male-to-female AUX cable; gold-plated connectors; dual shielding; >20 000 bend cycles; 40 g weight; 0.35 cm diameter
AVMAF3520G	R 63	Astrum AVMAF3520G VMAF35 AUX 3.5 M-F 2.0M Braid GR Cable. 2-meter length; Braided nylon exterior; Gold-plated connectors; 3.5mm Male to Female; Compatible with smartphones, tablets, laptops, speakers, headphones, car audio systems
AVMAM3512G	R 138	Astrum AVMAM3512G VMAM35 1.2M AUX 3.5 M-M Braid GR Cable. 1.2M length; Braided nylon exterior; Gold-plated 3.5mm male-to-male connectors; Compatible with smartphones, tablets, laptops, speakers, car stereos, and headphones; Grey color; Portable and durable design
AVMAM3520G	R 93	Astrum AVMAM3520G VMAM35 AUX 3.5 M-M 2.0M Braid GR Cable. 1.2M length; Braided nylon exterior; Gold-plated 3.5mm male-to-male connectors; Compatible with smartphones, tablets, laptops, speakers, car stereos, and headphones; Grey color; Portable and durable design
BO-20002-BK	R 86	Bounce Cord Series 3.5mm AUX to 3.5mm AUX cable, Black, 3.5mm Nickel plated auxiliary pin, PVC with copper conductor, Length 1 meter
CA-35FRCAF	R 15	3.5mm Female to RCA(L R) Female audio cable
CA-35M35M	R 29	RCA 3.5mm Male to 3.5mm Male audio cable
CA-35MRCAF	R 15	Unbranded 3.5mm Male to RCA (L R) Female audio 20cm cable
CA-RCAE	R 8	RCA(L R) Extension audio cable (male-to-male)
CAB-2RCA-2RCA-5M-U	R 183	Unitek 5m 2 RCA Male to 2 RCA Male cable, Y-C948BK
CAB-3.5MM-F-2XM-0.2M	R 64	Unitek Y-C957ABK 0.2m dc3.5mm female to 2 x male audio cable
CAB-3.5MM-M-0.5M-L	R 107	Lindy 35320 0.5m 3.5mm stereo Male to Male Cromo cable
CAB-3.5MM-M-F-0.2M-U	R 54	Unitek 0.2m 3.5mm Aux cable male to 2x female, Y-C956ABK
CAB-3.5MM-M-M-0.5MCL	R 132	Lindy 0.5m CROMO 3.5mm Jack Male to Male Cable
CAB-3.5MM-MM-1.5M-U	R 71	Unitek 1.5m 3.5mm stereo audio cable male to male (Y-C922ABK)
CAB-3.5MM-MM-1M-U	R 67	Unitek Y-c926abk 1m 3.5mm Audio Cable Male- Male Cable
CAB-RAW-SPEAKER-2COR	R 9	Unitek 2 Core HiFi Speaker cable - price per metre, C9013TP, Color-Free Transparent, 16AWG Oxygen-Free Copper
CAB-RAW-STAGE-2CORE	R 14	Unitek 2 Core Stage Speaker cable - price per metre, C9017BL, 15 AWG twisted pair cable
CAB-RCA	R 29	Unbranded RCA extended cable Red / White / Black
CAB-STEREO-2RCA-10ML	R 107	Lindy Stereo 2x RCA Male to 2x RCA Male cable - 10m, 35664, Gold plated, Premium moulded Gold plated connectors, 2x 28 AWG Cores with 30 AWG shielding
CAB-STEREO-2RCA-3ML	R 39	Lindy Premium 2x Phono 3.5 mm, 3m Audio Cable
CAB-STEREOM-2RCA-2ML	R 30	Lindy 2m Premium Phono To 3.5mm Cable
CAB-STEREOM-M-2M-L	R 39	Lindy 2m Stereo Male - Male - Cable
CAB-STERM-2RCAF-1.8M	R 47	Unbranded 1.8m stereo male to 2x RCA female cable, CAB-STEREO M-2RCA F
CAB041	R 21	Unbranded 3 RCA to 3 RCA Cable 1.8m long
CAB043	R 35	Microworld Stereo 3.5mm Male to 2x RCA Male cable 5m long; analogue stereo audio; PC and laptop audio; amplifier and stereo system connection
CAB048	R 25	Unbranded 3 RCA to 3 RCA 3m Cable
CAB049	R 30	Microworld 3 RCA to 3 RCA cable - 5m long; Male to male RCA connectors; Audio and video connection; Compatible DVD players; VCR players; TVs and projectors
CAB050	R 44	Unbranded 3 RCA to 3 RCA 10m Cable
CAB063	R 23	Unbranded 3.5mm Stereo Male to 3.5mm Stereo Male 1.5m Cable
CAB070	R 29	Unbranded Optical Cable 1m from PC to Amplifier
CAB071	R 35	Microworld Optical Cable 2m from PC to Amplifier; Toslink male-to-male connectors; digital optical audio transmission; PC to amplifier; compatible TVs and soundbars; compatible gaming consoles; flexible cable; black finish
CAB073	R 98	Microworld optical cable splitter
CAB074	R 40	Microworld optical cable 3 meter
CAB348-BK	R 98	Volkano Slim series Aux Cable 2m, Black

CAB72	R 46	Microworld 5m optical cable
CH-BAAEo	R 109	Bitfenix BFA-MSC-AUD30oK-RP alchemy multisleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - Orange
CM232-60165	R 239	UGreen USB Type-C Dual Audio and charging Adapter, 15W PD, 2-in-1 Splitter, Supports Audio playback and charging at the same time, 10 cm cable length
CM403-80893	R 263	Ugreen CM403 Bluetooth 5.0 transmitter / receiver to Aux Adapter, 3.5mm Aux Interface, 14mAh Battery capacity
CM450-55734	R 159	UGreen USB Type-C to 3.5mm Aux Audio cable 1m - Black, Enameled Copper cord, Tinned Copper winding, Aluminum Alloy coat material, Light woven Silk corpus
CM450-65101	R 170	UGreen USB Type-C to 3.5mm Aux Audio cable 3m - Black, Enameled Copper cord, Tinned Copper winding, Aluminum Alloy coat material, Light woven Silk corpus
CM450-65102	R 178	UGreen USB Type-C to 3.5mm Aux Audio cable 2m - Black, Enameled Copper cord, Tinned Copper winding, Aluminum Alloy coat material, Light woven Silk corpus
CM872-45812	R 313	UGreen 3.5mm Bluetooth 5.4 Audio receiver / transmitter - White, 3.5mm Aux Audio Input, Lithium-ion Battery, Up to 18 hours (In transmitter mode) working time, Adds Bluetooth 5.4 to any 3.5mm Audio source
CNT-M1204A	R 132	Unitek M1204a USB-C to 3.5mm headphone jack - stereo audio, 11cm cable length, 3.5mm Aux Female downstream, USB-C male upstream
CNT-M205A	R 279	Unitek M205A USB-C to 3.5mm Headphone 60W charge adaptor, Spilt your existing USB-C Port into 3.5mm audio jack and charger
CNT-M206A	R 279	Unitek M206A USB-C Headphone 18W charge Adapter, 1 x USB-C audio & 1 x USB-C charging downstream, Spilt your existing USB-C Port into headset and charger
CNT-MONO-F-6.3MM-V	R 23	Unbranded mono jack female 6.35mm connector
CNT-RCA-MET-BLAF	R 23	Unbranded RCA metal female - Black
CNT-RCA-MET-REDF-V	R 22	Unbranded RCA metal female Red
CNT-RCA-MET-REDM	R 22	Unbranded Red/Gold RCA connector, FP18RCA
CNT-RCA-MET-YELLOW-F	R 22	Unbranded RCA metal female - Yellow
CNT-RCA-MET-YELM-V	R 22	Unbranded RCA metal male - Yellow
CNT-STEREO-MJF-METAL	R 36	Unbranded Stereo mini jack 3.5mm female metal
CNT-STEREO-MJM-4P-U	R 4	Unitek M-3.5STM stereo mini jack 3.5mm male 4 pole
CNV-CLUX-11CA	R 2,333	Cypress CLUX-11CA HDMI, Toslink, RCA To HDMI Audio Inserter; 1 x HDMI input; 1 x Toslink optical input; 1 x RCA L/R input; 1 x HDMI output; HDMI 1.4a; HDCP 1.4; up to 1920 x 1080p at 60 Hz; HDMI audio up to 192 kHz; optical audio up to 48 kHz; 2.7 W; 90.7 x 34 x 85.8 mm; 107 g
CNV-CLUX-11CD	R 2,786	Cypress CLUX-11CD HDMI to Digital Toslink/Analogue Audio Extractor; 1 x HDMI input; 1 x HDMI output; 1 x Optical S/PDIF; 1 x analogue L/R; HDMI audio up to 192 kHz; Optical up to 48 kHz; EDID TV/Bitstream/2CH LPCM; HDMI/HDCP 1.2/DVI 1.0; 3D support; 5 V / 1.2 A; 2.1 W; 90.7 x 34 x 85.8 mm; 107 g
CNV-DCT-17	R 1,323	Cypress DCT-17 4x1 Toslink Optical Audio Switch; 1 x Toslink optical output; up to 192 kHz sampling; up to 24-bit audio; PCM 2-channel; Dolby 5.1 and DTS 5.1 pass-through; IR remote; last memory; 5 V/1 A DC; less than 1 W; 85 x 85 x 35 mm; 90 g
CNV-DCT-2	R 1,170	Cypress Toslink/coaxial (In) To Toslink/coaxial (Out)
CNV-DCT-3	R 1,516	Cypress DCT-3 Digital Coaxial/Toslink Audio to RCA Analogue Audio Converter; 1 x Coaxial S/PDIF input; 1 x Toslink S/PDIF input; 2 x RCA stereo output; 2-channel LPCM; 24-bit; 32kHz to 96kHz; integrated DAC; 5V DC
CNV-DCT-9D	R 2,623	Unbranded DCT-9D CPY TOSLINK Coax or RCA audio converter - Digital decode, Integrated Digital interpolator Filter, Analogue converter (DAC), Integrated analogue to Digital converter (ADC), Supports Sampling frequencies from 32 to 96khz
CNV-DT-21	R 1,190	Cypress DT-21 2in1 Out Digi Toslink Audio Switch; 2 x TOSLink optical inputs; 1 x TOSLink optical output; S/PDIF; 2-channel LPCM; Dolby Digital; DTS; up to 5m optical cable distance; 5V DC; 0.05W; 46 x 45.5 x 23.5mm; 22g; white plastic chassis
CNV-SPEAKER-JOINER	R 132	Unbranded flat speaker cable connector, HX-FKB04, (HX-FL20120WS flat speaker cable part number)
CNV-USB-AUDIO-U	R 159	Unitek Y-247A USB 2.0 to Stereo Audio Converter
COMB-45	R 35	2nd Serial Port Cable

CT-AV301-H11G-DB3	R 153	CableTime CF15N Professional Male to Male Aux 3m cable 3.5mm Stereo, Deep Blue PVC Shell, Deep Blue PVC wire, Gold plated
CT-AV302-H11G-DB1.5	R 141	CableTime CF16J Professional Male to Female Aux 1.5m cable Stereo 3.5mm, Deep Blue PVC Shell, Deep Blue PVC wire, Gold plated
CT-AV303-H12G-DB1.5	R 145	CableTime CF17J Professional audio Aux 3.5mm male to 2 RCA male 1.5m cable Stereo, Deep Blue PVC Shell, Deep Blue PVC wire, Gold plated
DELOCK-62498	R 91	Delock 4 pin 3.5mm stereo extension cable, 62498, 1x 3.5 mm 4 pin audio stereo jack male, 1x 3.5 mm 4 pin stereo jack female
DELOCK-65420	R 43	Delock 65420 Adapter Stereo Plug 2.5mm - Terminal Block 3-Pin
DELOCK-65453	R 105	Delock 65453 3.5mm Stereo Adapter Terminal Block 4p
DELOCK-65454	R 120	Delock 65454 2.5mm Stereo Adapter Terminal Block 4p
DELOCK-65457	R 124	Delock 65457 3.5mm Stereo Female Terminal Block 4p Adapter
DELOCK-65485	R 38	Delock 65485 Adapter DC 5.5 X 2.5mm Female - Terminal Block 2 Pin
DELOCK-65487	R 76	Delock Dc 2.5 X 5.5mm M Terminal Block
DELOCK-65575	R 162	Delock 25cm stereo male to 2x stereo female cable, 65575
DELOCK-65597	R 224	Delock Micro USB M Terminal Block
DELOCK-66434	R 112	Delock audio splitter stero male 3.5mm to 2x stereo female 3 pin, 66434, 1x 3.5 mm 3 pin stereo jack male, 2x 3.5 mm 3 pin stereo jack female
DELOCK-66437	R 117	Delock 4 segment female 3.5mm to 2x stereo male 3.5mm connectors, 66437, 1 x 3.5 mm 4 pin audio stereo jack male, 2 x 3.5 mm 3 pin stereo jack female
DELOCK-66519	R 120	Delock 4 segment male 3.5mm to 2x stereo female 3.5mm connectors, 66519, 1x 3.5 mm 4 pin audio stereo jack male, 2x 3.5 mm 4 pin stereo jack female
DELOCK-82902	R 277	Delock 5m TOSLINK cable Male to Male, 82902
DELOCK-83435	R 91	Delock 1m 4 segment 3.5mm 4 pin Male to Male connector cable, 83435, 1x 3.5 mm 4 pin audio stereo jack male, 1x 3.5 mm 4 pin stereo jack male
DELOCK-83756	R 83	Delock 83756 Stereo Jack Cable 3.5mm 3 Pin Male - Male Angled; straight to angled connector; cable length: 2 m; 24 AWG; gold-plated connectors; black; product weight: 0.06 kg
DELOCK-86984	R 230	Delock 2m HQ Male to Male TOSLINK cable, 86984
DELOCK-86985	R 269	Delock 3m HQ Male to Male TOSLINK cable, 86985
GAP35M2F	R 29	Gizzu 3-pole Audio Splitter cable - Black, 30cm cable length, Gold-Plated connector Type, 3.5mm (Male) to 2x 3.5mm (Female) 3-pole, Aluminium housing
GAPC35	R 28	Gizzu USB Type-C to 3.5mm Aux audio Adapter - White, DAC Smart Chip, Gold-Plated connector, Type-C (Male) to 3.5mm Aux (Female)
GCP35MM3	R 31	Gizzu 3.5mm Aux cable 2m - Black, 3.5mm (Male) to 3.5mm (Male) 3-pole, Gold-Plated connector Type, Aluminium housing Nylon jacket, 2 metres cable length
GCP35MM4	R 31	Gizzu 3.5mm Aux cable 1.5m - Black/Blue, 3.5mm (Male) to 3.5mm (Male) 4-pole, Gold-Plated connector Type, Aluminium housing, 1.5 metres cable length
HDMRCA	R 69	Microworld hdmi-compatible Male to 3 RCA Audio Video AV Component, Gold plated connectors, Supports up to 1080p Resolution, 1 x hdmi-compatible Male to 3 RCA Audio Video AV cable
ID-C2-BL	R 99	iDance Connect-C2 Blue 3.5mm 1-2 Splitter
ID-C2-PK	R 99	iDance Connect-C2 Pink 3.5mm 1-2 Splitter
ID-C3-PK	R 199	iDance Connect-C3 Pink Audio Survival Kit
IP2IN1	R 69	Microworld iPhone Dongle Aux cable to 3.5 mm split
LSY01	R 35	Ldnio LSY01 Aux Audio Cable Male to Male
LSY02	R 35	Ldnio AUD 3.5MM 1.0M (M-M) Cable
MIC2USB	R 150	Microworld Mic jack to USB
MMX62ZM/A	R 254	Apple Lightning to 3.5 mm Headphone jack Adapter, Model A1749, MMX62ZM/A
MT-TA02	R 63	MT-Viki MT-TA02 Type C TO Audio Cable - 1meter
MT-TA03	R 86	MT-Viki MT-TA03 Type C TO 3.5MM Audio Cable - 1meter

P9071	R 49	Unbranded 1m S/vhs To 1 Rca Plug, Retail Box
P9072	R 39	Unbranded 2m S/vhs To 1 Rca Plug, Retail Box
QD-3.5MM	R 428	Jabra quick disconnect cord (QN1210), QN1210 to 3.5mm quick disconnect cord, For use with biz 1500 / 2300 headsets, For use on 3.5mm headset jack
RCA001	R 23	Unbranded 2x RCA (MALE) to Stereo (FEMALE) - 10 cm long
RCA002	R 14	Unbranded 3 RCA Male to 3 RCA male Cable 1.5m long
RCA003	R 23	Unbranded Stereo 3.5mm Male to 2x RCA male cable 3m long
RCA004	R 29	Unbranded RCA to Female 3.5mm Stereo Cable 1.8m long
RCA005	R 35	Unbranded RCA to Female Stereo 3.5mm cable
RCA009	R 25	Unbranded 3 RCA to USB Cable 1.5m long
RCA1.5	R 21	Unbranded 2x RCA to Stereo 3.5mm Male cable 1.5m long
RCA100	R 38	Unbranded Male RCA to 2x RCA Female
RCA6.35	R 173	Microworld RCA Male 2x 6.35 mm to 2x RCA Male, Double shielding
STE001	R 23	Unbranded 3.5mm Stereo Male to 3.5mm Stereo female cable
STE002	R 14	Unbranded 3.5mm Stereo Male to 3.5mm Stereo Female cable 1.5m long
STE003	R 17	Unbranded USB to Stereo 3.5mm male cable 10cm long
STE004	R 23	Unbranded 3.5mm Stereo Male to USB Female cable 10cm long *Note that this cable will *not* automatically convert USB to audio or audio to USB. Please read your equipment ' s manuals for compatibility before purchasing.
STE005	R 22	Microworld Stereo Male 3.5mm to Mic Headset Female 3.5mm connectors; female 3.5mm microphone connection; female 3.5mm headset connection; PC and laptop audio; gaming headset compatibility
STE007	R 35	Unbranded 3.5mm Stereo Male to 3.5mm Stereo Female cable 5m long
STE008	R 17	Unbranded Stereo 3.5mm Male to 2x 3.5mm Female cable
STE010	R 58	Microworld 2.5mm Male to 2x 6.5mm Male cable
STE011	R 12	Unbranded 3.5mm male stereo to 6.3mm female
STE012	R 12	Microworld stereo 3.5 female to 6.3 male adaptor
STE100	R 35	Unbranded Female 3.5mm Stereo to 2x Male 3.5mm Stereo cable
STE1000	R 46	Unbranded Stereo Male to Female cable 10m long
STE1001	R 46	Unbranded Stereo Male to 2x RCA Male cable 10m long
STEREO3M	R 25	Unbranded 3.5mm Stereo Male to 3.5mm Stereo Male cable 3m long
STEREO5M	R 35	Unbranded 3.5mm Stereo Male to 3.5mm Stereo Male cable 5m long
STETO3RCA	R 23	Microworld male stereo 3.5mm to male 3x RCA cable 1.5m
SWA2105W/10	R 89	Philips 0.75mm Speaker cable - 10m
SWA2520W/10	R 46	Philips 100 Series 3.5mm Stereo to 2x RCA 3m Y cable
SWA2521W/10	R 25	Philips 100 Series 1.5m 2RCA - 2RCA Stereo Audio Cable; stereo analogue audio cable; nickel-plated connectors; high purity copper conductor; bare copper shielding; flexible PVC jacket; moulded plugs; 0.04kg
SWA2523W/10	R 37	Philips 100 Series 3.0m 2RCA - 2RCA Stereo Audio Cable. Depend on this cable to provide you with a reliable audio connection between components.
SWA2523W/10	R 37	Philips 100 Series 3.0m 2RCA - 2RCA Stereo Audio Cable. Depend on this cable to provide you with a reliable audio connection between components.
SWA2528W/10	R 29	Philips 100 Series 1.5m Audio 3.5 mm(M) - 3.5 mm(F) Headphone extension cable
SWA2550W/10	R 29	Philips SWA2550W/10 Headphone 3.5mm To 6.35mm Nickel Plated
SWA3302S/10	R 130	Philips 1.5m Fibre Optic Audio Cable
US205-30724	R 115	UGREEN USB 3.5mm External Sound Adapter (Black)
USB004	R 23	Microworld Micro USB to Right Angle Stereo 3.5mm female cable
USB2STE	R 138	Microworld USB male to 3.5mm jack audio Female
USBCAUX	R 58	Microworld USB Type C To Aux 3.5mm audio adapter; 0.2m cable; nylon braided cable; aluminium alloy housing; 9V/2A 18W output; plug and play; compatible Type C enabled devices with standard 3.5mm audio interface
V19D	R 69	Appacs V19D USB Type-C to male 3.5mm jack
VK-1090-BK	R 84	Volkano Aero Series Black Aux Stereo Adapter

VK-4425-BK	R 115	Volkano 3.5mm to 3.5mm Stereo cable - 3m
VK-4426-BK	R 102	Volkano 3.5mm to 3.5mm Stereo Cable - 5m
X60XLR	R 329	Thronmax X60 Premium XLR Male to Female Microphone cable 6m, 3 pin XLR male to 3 pin XLR female, OFC 22AWG cable

< Return to the menu

Cable organisers & ties

Product code	Price	Description
154	R 46	Microworld spiral wrap Black 1.8m x 20mm
4710728309526	R 299	Gamdias Aegis Artful cable management, headset holder, and a USB hub. 3 in 1 Complete Set, Retail Box
51919	R 229	Goobay Black Wire Sleeve 1.8m Cable Guide
51924	R 229	Goobay Cable Duct 2.5m Robust Spiral Cable Wrap. Length: 2500 mm; Diameter: 20 mm; Material: Plastic; Color: Black; Packaging: Retail box; EAN: 4040849519246
519717	R 39	Manhattan Velcro Cable Ties, Retail Box, No Warranty
70350	R 155	Goobay 70350 6 piece Cable Management Set with Hook-and-Loop fastener, 20 mm width, 170 mm length, 6 different colours
70360	R 155	Goobay Cable Management Set with Hook-and-Loop fastener - 1m roll, 2cm wide
70373	R 155	Goobay 70373 Cable Management 3 slots 4-piece Set - White, Strong 3m adhesive Surface
70398	R 155	Goobay 70398 Cable Management 3 slots 4-piece Set - Black, Strong 3m adhesive Surface
70406	R 155	Goobay Cable Management 4 slots 2-piece Set - Black, self-adhesive cable clips
70431	R 155	Goobay Cable Management 5 slots 2-piece Set - White, Self-adhesive cable clips
70433	R 155	Goobay 70433 Cable Management 5 slots - 2 pieces - Black, Cables with a Maximum Diameter of 7.1 mm, Self-adhesive cable clips
70683	R 155	Goobay 70683 Cable Management 5-piece Set - Black, Self-adhesive cable clips
70684	R 155	Goobay Cable Management clip Set 6-piece Set - Black, Self-adhesive cable clips
70685	R 155	Goobay Cable Management clip 3 slots 3-piece Set - Black, Self-adhesive cable clips
70687	R 155	Goobay 70687 Cable Management 6-piece Set with Hook-and-Loop fastener with Loop, Cable Ties in different sizes, 3 different colours
901243	R 121	Port 901243 Connect Cable Management for Mouse and Keyboard, Up to 3 PC accessory cables, High adhesion, Durable Aluminium shear
95040	R 160	Goobay 95040 Cable Management 1 slot 5-piece Set - Black, Strong 3m adhesive Surface
95183	R 160	Goobay 95183 Cable Management 1 slot 5-piece Set - White, Strong 3m adhesive Surface
A71001-B	R 138	Astrum CO010 1m White Spiral Cable Organizer
A71003-B	R 59	Astrum CO030 5 Bays Fishbone Cable Organizer Clips (2 pack)
A71004-B	R 138	Astrum CO040 Black & White Cable Organizer Clips, 4 x 2 bays clips, 3M glue, hold mobile / laptop charging cable, audio cable
A71005-B	R 33	Astrum CO050 Multi-Purpose Cable Organizer Rubber Clips
A71006-B	R 138	Astrum CO060 cable Organizer clips Mini - 4 piece - Black
A71006-C	R 138	Astrum CO060 cable Organizer clips Mini - 4 piece - Blue
A71006-J	R 138	Astrum CO060 cable Organizer clips Mini - 4 piece - Green
A71006-L	R 138	Astrum CO060 cable Organizer clips Mini - 4 piece - Pink
A71006-M	R 138	Astrum CO060 cable Organizer clips Mini - 4 piece - Purple
A71010-B	R 138	Astrum CO100 Cable Organizer Clips Kit, 2 x 5 different clips, 3M glue, hold mobile / laptop charging cable, audio cable, Multi Color
A71011-B	R 44	Astrum CO110 cable Organizer clips 5 Bays & 4 Storage Compartments - Black
A71011-C	R 138	Astrum CO110 cable Organizer clips 5 Bays & 4 Storage Compartments - Blue
A71011-J	R 138	Astrum CO110 cable Organizer clips 5 Bays & 4 Storage Compartments - Green
A71011-L	R 138	Astrum CO110 cable Organizer clips 5 Bays & 4 Storage Compartments - Pink
A71011-M	R 138	Astrum CO110 cable Organizer clips 5 Bays & 4 Storage Compartments - Purple

A71021-B	R 138	Astrum CO210 cable Organizer Silicon strap - 10 piece, Durable Silicon
AC-CT-200x48-B	R 35	AccoNet 100 pack Black 200 x 4.8mm Cable Tie, AC-CT-200x48-B
AC-CT-300x48-B	R 54	AccoNet 100 pack Black 300 x 4.8mm Cable Tie, Made from durable Nylon 66
AC-CT-370x48-B	R 71	AccoNet 50 pack Black 370 x 4.8mm Cable Tie, AC-CT-370x48-B
AC-CT-370x48-W	R 71	AccoNet 50 pack White 370 x 4.8mm Cable Tie, AC-CT-370x48-W
AC-TAPE-BTYL-30	R 178	AccoNet Butyl Tape - Self Adhesive 30mm x 1.5mm - 1kg
AC-TAPE-BTYL-48	R 470	Acconet Butyl Tape - Self Adhesive 48mm x 2mm x 20 Meters
ASS10	R 5	Unbranded Miniture Support Post
BUTYL	R 155	Scoop Butyl Tape 30mm x1.5mm x 15m. Scoop Butyl Tape 25mm x 3mm x 1m. Scoop's Butyl Tape will adhere to all metals, glass, plastics, concrete and porous surfaces. Double sided for use on sheet metal flashing, for use on IBR and corrugated iron roof, to stick closure Sponge / flute closures to metal roof and form a watertight seal, form a watertight seal between metal roof sheets.
BUTYL-MINI	R 14	Scoop Butyl Tape 25mm x 3mm x 1m. Scoop's Butyl Tape will adhere to all metals, glass, plastics, concrete and porous surfaces. Double sided for use on sheet metal flashing, for use on IBR and corrugated iron roof, to stick closure Sponge / flute closures to metal roof and form a watertight seal, form a watertight seal between metal roof sheets.
CAB-CT10M	R 81	Linkbasic reusable Velcro cable tie 10m x 15mm, Nylon / blended polyester material, 1x 10m roll
CAB-CT200	R 23	Linkbasic Reusable Velcro Cable Tie 200 x 12mm - 12 Pack
CAB-ELE-WPC	R 52	UltraLAN M20 IP68 Waterproof cable Connector, Outdoor electrical junction plug
CAB-MANC	R 25	Linkbasic Plastic Cable Management Clip
CAB-OT1102A-U	R 98	Unitek OT1102A 22mm Diameter spiral cable wrap with clip Zipper - 5m, PE housing material, 1 x spiral cable wrap, 1 x wire wrap cord Organizer
CAB-T-BCRD	R 518	Unbranded bulk cable Reel Dispenser, (CAB-T-BCRD) Cable not included.
CAB-T-CCT	R 155	Unbranded Network Cable Comb Tool, CAB-T-CCT
CABLE-MANAGEMENT-LRG	R 187	Lumi cable management box White (Large), 0303PLM08
CABLE-MANAGEMENT-MED	R 161	Lumi cable management box White (Medium), 0303PLM07
CABTIE	R 46	Microworld Nylon Cable Tie - 100pcs / bag, Self-locking head, 4.8 x 200mm length
CBT-1S-BL	R 23	Orico velcro cable ties 1m Blue
CBT-1S-OR	R 23	Orico Velcro Cable Ties 1m Yellow
CBT-5S	R 92	Orico velcro cable ties 5 x 1m Pack (Various colours)
CC-W6	R 9	Scoop 6mm Cable Clips 100 Pack White
CC-W8	R 12	Scoop 8mm Cable Clips 100 Pack White
CNV-PLUG-LOCK-BLK	R 232	Unbranded cable lock-plus 4 locks - RJ45 Black, FA-5092
CNV-PLUG-LOCK-GR	R 232	Unbranded cable lock-plus 4 locks - RJ45 Green, FA-5092
CS-CLIPS-6-W	R 125	Unbranded clips cable 6mm White - pack of 100
CT-B-L-305	R 171	Unbranded Large Cable Ties - 309mm Black - 100 pack
CT-B-M-205	R 155	Unbranded Medium Cable Ties - 205mm Black - 100 pack
CT-B-S-104	R 124	Unbranded Small Cable Ties - 104mm Black - 100 pack
DELOCK-66856	R 665	Delock Black Cable grommet for table mounting with brush - 160 x 80 x 28 mm
EPVCB	R 99	Ellies PVC 10 metre electrical Insulation Tape - Black - pack of 10, Moisture and UV resistant, Flame Retardant, Each Roll is 20mm x 10metres Long, Premium grade plasticised PVC Film, Excellent protection against abrasion
EPVCW	R 99	Ellies PVC 10 metre electrical Insulation Tape - White - pack of 10, Moisture and UV resistant, Flame Retardant, Each Roll is 20mm x 10metres Long, Premium grade plasticised PVC Film, Excellent protection against abrasion
INS-CS05R	R 13	UltraLAN cable clip round 5mm - White - 100 pack
INS-CS06R	R 13	Unbranded cable clip round 6mm - White - 100 pack, Secure runs of round cables to walls and floorboards
INS-CS08R	R 12	UltraLAN cable clip round - White 8mm - 100 pack
INS-CT10025	R 7	UltraLAN Cable Ties - 100mm x 2.5mm - 100 pack
INS-CT15036	R 17	UltraLAN Cable Ties - 150mm x 3.6mm - 100 pack
INS-CT20012VEL	R 114	Unbranded reusable Velcro Cable Tie - 200x12mm - 50 pack

INS-CT20048	R 35	UltraLAN Cable Ties - 200mm x 4.8mm - 100 pack
INS-CT30048	R 52	UltraLAN Cable Ties - 300mm x 4.8mm - 100 pack
INS-CT35048	R 63	UltraLAN Cable Ties - 350mm x 4.8mm - 100 pack
INS-TAPE-BL-20M	R 29	Hellermann Black PVC Insulation Tape 20m, HT2BK
INS-TBUTYL15	R 155	Unbranded 15m Butyl tape - 30mm x 1.5mm x 15m
INS-TNBK20	R 12	Nitto Black Insulation Tape - 20m roll
LP121-30819	R 79	UGreen LP121 Black Cable Protection Tube - 25mm x 3M, 25mm diameter; length 3m; eco-friendly PE material; black finish; flexible spiral cable protection tube; model LP121; ideal for home and office cable organisation.
MAG-CH-0101	R 109	Unbranded Magnetic cable dot 3 pack - White - Black - White , CH-0100
MAG-CH-0201	R 153	Unbranded Magnetic cable holder Metal, One side Magnetic for, One side adhesive
MAG-CH-0204	R 153	Unbranded Magnetic cable holder Plus - Black, One side adhesive, The viscose of the base can be washed and reused
NET-CABLE-SOCK-2M	R 189	Unbranded 2m Velcro polyester cable sock - 85mm wide, VS-85-2.0M
NET-CABLE-SOCK-5M	R 338	Unbranded 5m Velcro polyester cable sock - 85mm wide, VS-85-5.0M
NET-CABLE-WINDER	R 170	Unbranded cable winder for 2m to 20m cables, DPP1110
NET-CC10-1	R 587	Lumi sit stand desk vertebrae cable management - 1.3m, Interlink blocks, 7inch diameter steel plate, CC10-1 - flexible spine cable organizer (Note: Color is black)
NET-CC10-3	R 283	Lumi fabric cable management Zip sleeve - 650 x 210, CC10-3
NET-F6-INS-INN0.25OR	R 92	Techflex F6 installation tool 1-4 inch sleeving, INN0.25OR
NET-HOOK-12X200-BL	R 293	LinkQnet Hook& Loop wrap strap 12x200mm - Blue - 1 pack of 100
NET-HOOK-12X200-BLK	R 293	LinkQnet Hook& Loop wrap strap 12x200mm - Black - 1 pack of 100
NET-HOOK-12X200-GR	R 293	LinkQnet Hook& Loop wrap strap 12x200mm - Green - 1 pack of 100
NET-HOOK-12X200-R	R 293	LinkQnet Hook& Loop wrap strap 12x200mm - Red - 1 pack of 100
NET-HOOK-12X200-Y	R 293	LinkQnet Hook& Loop wrap strap 12x200mm - Yellow - 1 pack of 100
NET-HOOKLOOP-5M-U	R 79	Unitek OT142BK 5m Hook & Loop 15mm - Black
NET-HOOKLOOP-LQ	R 18	Unbranded Hook & Loop wrap 14mm - price per meter, LBX-ZD50, Velcro
NET-PVC-COVER-1CH	R 538	Unbranded 1-channel Ldpe Plastic Cable Ramp - Sold Per Meter. The PVC Drop Over Cable Cover in yellow offers a practical solution for cable management and safety. Its single-channel medium design fits standard cables, while the durable PVC material ensures long-lasting protection. Easy to install and highly visible, it is ideal for home, office, and commercial use.
NET-SOCK-ASK0.13SC	R 424	Techflex audio heatshrink 3mm - 2x 10-colours, ASK0.13SC
NET-SOCK-ASK0.25SC	R 424	Techflex audio heatshrink 6mm - 2x 10-colours, ASK0.25SC
NET-SOCK-CCF0.50TB	R 91	Techflex 1m clean Cut braid 12.7mm Black with white Tracer, CCF0.50TB
NET-SOCK-CCF0.50TW	R 59	Techflex 1m clean Cut braid 12.7mm White with Black Tracer, CCF0.50TW
NET-SOCK-CCF1.00TW	R 98	Techflex 1m clean Cut braid 25.4mm White, CCF1.00TW
NET-SOCK-CCP0.50BK	R 91	Techflex 1m clean Cut braid 12.7mm pet Black, CCP0.50BK
NET-SOCK-CCP1.00BK	R 72	Techflex 1m clean Cut braid 25.4mm Black, CCP1.00BK
NET-SOCK-CCP1.00GY	R 81	Techflex 1m clean Cut braid 25.4mm gray, CCP1.00GY
NET-SOCK-CCP2.00BK	R 116	Techflex 1m clean Cut braid 50.8mm Black, CCP2.00BK
NET-SOCK-CNN0.50BK	R 334	Techflex 1m flexo Anti-Stat braid 12.7mm Black, CNN0.50BK
NET-SOCK-CS20-10M	R 370	Unbranded 10m cable sock 20mm, CS-20-10M
NET-SOCK-CS20-5M	R 140	Unbranded 5m cable sock 20mm, CS-20-5M
NET-SOCK-CS40-1M	R 47	Unbranded 1m cable sock 40mm, CS40-50
NET-SOCK-CS55-10M	R 635	Unbranded 10m cable sock 55mm, CS-55-10M
NET-SOCK-CS55-5M	R 304	Unbranded 5m cable sock 55mm, CS-55-5M
NET-SOCK-DWN1.00BK	R 391	Techflex 1m dura wrap with velcro 25.4mm Black, DWN1.00BK
NET-SOCK-DWN3.00BK	R 497	Techflex 1m dura wrap with velcro 76.2mm Black, DWN3.00BK
NET-SOCK-F360.75BK	R 66	Techflex 1m F6 360 Black tube braided sleeving, F360.75BK
NET-SOCK-F3601.50BK	R 115	Techflex nosplit tube braided 38.1mm Black, F3601.50BK

NET-SOCK-F6N0.50BK	R 81	Techflex 1m wrappable split braid 12.7mm Black, F6N0.50BK
NET-SOCK-F6N0.50CW	R 66	Techflex 1m wrappable split braid 12.7mm Clear / White, F6N0.50CW
NET-SOCK-F6N0.50OR	R 78	Techflex 1m wrappable split braid 12.7mm Orange, F6N0.50OR
NET-SOCK-F6N0.50PG	R 78	Techflex 1m wrappable split braid 12.7mm Platinum Grey, F6N0.50PG
NET-SOCK-F6N0.75BK	R 122	Techflex 1m wrappable split braid 19mm Black, F6N0.75BK
NET-SOCK-F6N1.25BK	R 204	Techflex 1m wrappable split braid 31.8mm Black, F6N1.25BK
NET-SOCK-F6N1.50BK	R 221	Techflex F6 split tube semi rigid 38.1mm Black, F6N1.50BK
NET-SOCK-F6N1.50PG	R 246	Techflex 1m platinum Grey wrap split braid tube, F6N1.50PG
NET-SOCK-F6W1.00BK	R 87	Techflex 1m woven split wrap 25.4mm Black, F6W1.00BK
NET-SOCK-F6W2.00BK	R 271	Techflex 1m woven split wrap 50.8mm Black, F6W2.00BK
NET-SOCK-FHN0.63NT	R 153	Techflex 1m ultraflex 15.9mm natural, FHN0.63NT
NET-SOCK-FIA0.75RD	R 422	Techflex 1m FireFlex silicone 19mm Red, FIA0.75rd
NET-SOCK-FMS1.50FKBK	R 251	Techflex Flexo mounting wall plate & flange, FMS1.50FKBK
NET-SOCK-FMS1.50FL5	R 87	Techflex Flexo 5 piece flange, FMS1.50FL5
NET-SOCK-GWN1.38BK	R 261	Techflex 1m Velcro grip wrap 34.9mm Black, GWN1.38BK
NET-SOCK-H2F0.48BK	R 127	Techflex 1m heatshrink fabric 12mm to 6mm Black, H2F0.48BK
NET-SOCK-H2F1.58BK	R 224	Techflex 1m heatshrink fabric 40mm to 20mm Black, H2F1.58BK
NET-SOCK-L6N1.00BK	R 529	Techflex 2.4m liquid wrap 25.4mm Black, L6N1.00BK
NET-SOCK-PTN0.25BK	R 36	Techflex 1m bundle braid 6.4mm Black, PTN0.25BK
NET-SOCK-PTN0.25BL	R 26	Techflex 1m bundle braid 6.4mm Blue, PTN0.25BL
NET-SOCK-PTN0.25CF	R 21	Techflex 1m bundle braid 6.4mm Checkered Flag, PTN0.25CF
NET-SOCK-PTN0.25NR	R 24	Techflex 1m bundle braid 6.4mm Neon Red, PTN0.25NR
NET-SOCK-PTN0.25YL	R 26	Techflex 1m bundle braid 6.4mm Yellow, PTN0.25YL
NET-SOCK-PTN0.50BK	R 60	Techflex 1m bundle braid 12.7mm Black, PTN0.50BK
NET-SOCK-PTN0.50BL	R 53	Techflex 1m bundle braid 12.7mm Blue, PTN0.50BL
NET-SOCK-PTN0.50RE	R 56	Techflex Flexo braided sleeving 12.7mm Black, PTN0.50RE
NET-SOCK-PTN0.50WH	R 53	Techflex 1m bundle braid 12.7mm White, PTN0.50WH
NET-SOCK-PTN0.75WH	R 74	Techflex 1m bundle braid 19.1mm White, PTN0.75WH
NET-SOCK-PTN1.50BK	R 92	Techflex 1m bundle braid 38.1mm Black, PTN1.50BK
NET-SOCK-PTN1.50OR	R 78	Techflex 1m bundle braid 38.1mm Orange, PTN1.50OR
NET-SOCK-PTN1.50WH	R 78	Techflex 1m bundle braid 38.1mm White, PTN1.50WH
NET-SOCK-PTN1.50YL	R 78	Techflex 1m bundle braid 38.1mm Yellow, PTN1.50YL
NET-SOCK-RRN1.25DB	R 133	Techflex 1m rodent resistant wrap 31.8mm brown, RRN1.25DB
NET-SPIRAL-12MM-LQ	R 182	LinkQnet Spiral Binding 12mm - per 10m coil - Black
NET-SPIRAL-19MM-LQ	R 230	LinkQnet Spiral Binding 19mm - per 10m coil - Black
NET-SPIRAL-BL-B	R 30	Hellermann spiral binding big 19mm Black - Price per meter, 4NFPBK
NET-SPIRAL-BL-SM	R 20	Hellermann spiral binding small 12mm Black - price per meter, 3NFPBK
NET-SPIRAL-TR-B	R 25	Hellermann spiral binding big 19mm Transparent - Price per meter, 4NFP
NET-SPIRAL-TR-SM	R 18	Hellermann spiral binding small 12mm Transparent - price per meter, 3NFP
NET-T120RBK	R 152	Unbranded Cable Ties Insulok Black 388 x 7.8 mm (50 pack)
NET-T18RBK	R 17	Unbranded Cable Ties insulok Black 105 x 2.5mm (100 pack)
NET-T18RNT	R 20	Hellermann Cable Ties Insulok natural 100 x 2.5 mm (100 pack), T18RNT
NET-T30RBK	R 47	Unbranded Cable Ties Insulok Black 148 x 3.5mm (100 pack), 15E02A
NET-T50IBK	R 93	Hellermann Cable Ties Insulok Black 305 x 4.7mm (100 pack), T50IBK
NET-T50L	R 140	Unbranded Cable Ties Insulok natural 392 x 4.7mm (100 pack)
NET-T50LBK	R 120	Unbranded Cable Ties Insulok Black 392 x 4.7mm (100 pack), 15E06A
NET-T50RBK	R 63	Unbranded Cable Ties Insulok Black 198 x 4.7mm (100 pack)
NET-T50ROR	R 84	Hellermann Cable Ties Insulok orange 198 x 4.7mm (100 pack), T50ROR
NET-TRUNK-FCOV-LARGE	R 171	LinkQnet PVC rubber Floor cable cover - price per meter, H397

PCB-CT-25150	R 15	PCBuilder Lockdown 150mm Cable Ties (100 pieces) - Black, 94V-2 Certified Nylon 66 material, 2.5 x 150mm product dimensions
POWER-STRIP-WHITE	R 108	Lumi Table mounted powerstrip organizer White, MH02-1
RHEXT	R 12	Microworld Red hanger - Plastic, Durable Lightweight Plastic construction, Ergonomic grip with hook end
RIN001	R 23	Unbranded cc-901 Cord Ring (6 pack)
ROUND_ADAPT	R 99	Legion adaptor kit round Metal 3m tape
RS-2R100	R 748	Unbranded rackstuds 2.2mm 100 pack Red
RS-2R20	R 173	Unbranded rackstuds 2.2mm 20 pack Red
SPIRAL-1	R 46	Microworld Cable Wrap with PE Packing - 1.5m length; Spiral cable management; Flexible cable bundling; PE packing; PC cable organisation; Desk and workstation cable management
T18R	R 9	Unbranded Cable Ties T18R - 100 x 2.5mm
T30R	R 17	Unbranded Cable Ties T30R - 140 x 3.5mm
T50I	R 52	Unbranded Cable Ties T50I - 300 x 4.5mm
T50L	R 63	Unbranded Cable Ties T50L - 360 x 4.5mm
T50R	R 35	Unbranded Cable Ties T50R - 200 x 4.5mm
TIE005	R 23	Microworld CC-902 5 Cord Divider (2 Pack). Self adhesive - sticks to corner.
TIE006	R 23	Microworld CC-903 3 Cord Clip (4 Pack). Clamps cables together easy self adhesive.
TIE008	R 23	Microworld CC-0906 USB Cord Clip (1 Pack). Rolls various kinds of cables easily.
TIE009	R 23	Microworld CC-908 Multi Purpose Cord Clip (6 Pack). To fix cellphone charger usb cables. Avoids mess of cables.
TIE010	R 35	Microworld CC-909 Black Wire Clip (1 Pack). MAGNETICALLY ATTACHED, KEEPS EARHONE CABLE NEAT.
TIE011	R 23	Microworld CC-910 Cord Turtle (1 Pack)
TIE012	R 12	Microworld CC-917 Pink Wire Clip (1 pack). Wind excess cable inside flexible shell.
TIE013	R 23	Microworld CC-918 Cord Holders (6 pack)
TIE014	R 23	Microworld CC-921 1 Cord Clip (2 Pack)
TIE015	R 23	Microworld CC-922 2 Cord Clips (4 pack)
TIE016	R 23	Microworld CC-923 3 Cord Clips (6 Pack). Wire can be rolled. Wire of ear phonoe/charger will not bind together. 6 pack. Each wrap can separate 3 individual cords.
TIE017	R 35	Microworld CC-926 Cord Organizer (10 Pack)
TIE018	R 23	Microworld CC-928 Clean Winder (Single)
TIE019	R 23	Microworld Cool Feet (4 pack)

< Return to the menu

CCTV camera cables & connectors

Product code	Price	Description
BNCT	R 7	Microworld BNCT BNC T-Shaped Connector, 3-port coaxial Adapter for splitting or combining signals, Connector Configuration of 1 x BNC Male plug to 2 x BNC Female jacks, Bayonet twist-lock coupling Type for Secure connection, Body constructed from nickel-plated material, Contacts made of Gold-Plated brass
MUPS-DCM2.5-DCF2.1	R 68	UltraLAN 2.5mm DC Male to 2.1mm DC Female Converter
POE-4WAY	R 33	Peak Power 4 way DC Splitter cable - Female DC jack Input with DC Male Output
POE-DC21	R 6	Peak Power DC Terminal to 2.1mm jack Adapter
POE-DC21-F	R 9	Unbranded DC Terminal to 2.5mm Socket Adapter (Male)
SPLIT02	R 58	Microworld DC Male to Male cable - 1.2m (DC Power cable)
SPLIT03	R 58	Microworld DC Male to Female cable - 1.2m

< Return to the menu

Data cables

Product code	Price	Description
2L-1700	R 258	Aten 2L-1700 0.6M Daisy Chain Cable for CS17xxA/ CS12xxA/ CL10xx/ CL57xx/ KH15xx/ KL1116/ KL31xx/ KL15xx

2L-1715	R 1,896	Aten 2L-1715 15M Daisy Chain Cable for CS17xxA/ CS12xxA/ CL10xx/ CL57xx/ KH15xx/ KL1116/ KL31xx/ KL15xx
MB-CoM	R 86	1 port com / serial RS232 cable - connect from on-board header to 1x pci bracket
OBD1	R 115	Microworld OBD to OBD2 cable convertor (vehicle's On-Board Diagnostics)
RGB002	R 29	Microworld RGB splitter 4 pin
TTK-PWRCBL	R 137	Teltonika 4 Pin Power Cable with 4-Way Screw Terminal, To power device and connect digital input/digital output

< Return to the menu

DisplayPort cables and connectors

Product code	Price	Description
00FKKK	R 89	Dell 00FKKK DisplayPort Female to Mini DP Male Adapter Dongle
069R2V	R 826	Dell 069R2V Mini DisplayPort to DisplayPort OEM cable - 1.8m
0857GN	R 342	Dell 0857GN Male Mini DisplayPort to Female DisplayPort Adapter
119252	R 147	Equip 119252 DisplayPort 1.4 cable Male to Male - 20m Black
119253	R 171	Equip DisplayPort 1.4 cable - 3.0m - 8K / 60Hz, 119253, Copper conductor material, PVC jacket material
119331	R 91	Equip DisplayPort 1.2 cable - 1.0m - 4K / 60Hz, 119331, CCS conductor material, PVC jacket material
119390	R 194	Equip DisplayPort to HDMI Adapter cable - 2m, 119390, 4K / 30Hz maximum Resolution
133445	R 297	Equip DisplayPort 1.2 to HDMI Adapter - 4K / 60Hz, 15cm cable length, 133445
133446	R 627	Equip DisplayPort 1.4 to HDMI Adapter - 8K / 60Hz, 15cm cable length, 133446
49969	R 229	Goobay 49969 DisplayPort 1.4 Male to Male connector cable - 2m, Gold-Plated connection, Supports 8K Ultra HD 4320p 60Hz
49970	R 240	Goobay 49970 DisplayPort 1.4 Male to Male connector cable - 3m, Gold-Plated connection, Supports 8K Ultra HD 4320p 60Hz
49973	R 321	Goobay 49973 DisplayPort 1.4 Male to Male connector cable - 5m, Gold-Plated connection, Supports 8K Ultra HD 4320p 60Hz
4X90R61023	R 293	Lenovo 4X90R61023 DisplayPort to HDMI 2.0b Adapter, 225mm long
51961	R 332	Goobay 51961 DisplayPort to DVI-D Adapter 2m Gold-Plated cable, DVI-D Male Dual-link (24 1 pin), Full HD 1080p 60Hz supported Video standards
52860	R 247	Goobay 52860 Mini DisplayPort to HDMI Adapter Gold-Plated cable - 1m, 4K Ultra HD 2160p (30Hz) supported Video standards
52861	R 263	Goobay 52861 Mini DisplayPort to HDMI Adapter Gold-Plated cable - 2m, 4K Ultra HD 2160p (30Hz) supported Video standards
64835	R 217	Goobay DisplayPort male (1.2) > HDMI connector male (type A) (1.4) Adapter Cable. supports 4K@30Hz; gold-plated connectors; dual aluminium shielding; black finish
64836	R 229	Goobay 64836 DisplayPort 1.2 to HDMI 1.4 Adapter 2m cable, 4K Ultra HD 2160p (30Hz) maximum Resolution
64837	R 263	Goobay 3m DisplayPort male (1.2) > HDMI connector male (type A) (1.4)Adapter Cable. 3 m cable; DisplayPort 1.2 -> HDMI 1.4; supports up to 4K@30Hz; gold-plated connectors; copper inner conductor; dual aluminium shielding; black colour
67881	R 217	Goobay 67881 DisplayPort to HDMI Adapter Cable, 1.2, Gold-Plated. DisplayPort1.2 adapter; 4K@30Hz output; 0.1m cable; DP male to HDMI female; gold-plated contacts; plug & play
ADA-USB-MST-Y1404A	R 782	Unitek USB-C to Dual DisplayPort Adapter, V1404A, USB-C 3.2 (DisplayPort 1.4 Alt mode), Thunderbolt 3 / 4, 2 Port DisplayPort 1.4 Output, 15cm cable length, Aluminium Alloy material
CA-DPDP2-J16	R 696	J5create JDC44L16 16K DisplayPort to DisplayPort 1.6m cable, Veas Certified 16K DisplayPort 2.1 8Gbps cable, Support HBR3 (16K@60Hz / 8K@120Hz / 4K@240Hz), Copper OFC conductors with Triple shielding, Gold plated connector
CA-DPDP3-J8	R 562	J5 Create JDC43L30 - DisplayPort 1.4 cable, 3m, 8K 60Hz, 32.4Gbps bandwidth, HDR
CAB-DISPLAY-1.4-20MU	R 2,293	Unitek 8K Fiber Optic DisplayPort 1.4 cable - 20m, 8K @60Hz, 4K @ 144Hz, 1440p @ 240Hz
CAB-DISPLAY-1.4-30MU	R 2,439	Unitek 8K Fibre Optical DisplayPort 1.4 cable - 30m, C1615GY & C1619GY, 8K@60Hz Max Output Resolution, 32.4Gbps Data Transfer Rate, 4.8mm cable OD, Alloy housing & Gold-Plated material

CAB-DISPLAY-2.1-2M	R 269	Unitek C1626GY01 16K @120HZ Displayport 2.1 Cables
CAB-DISPLAY-2.1-3M	R 289	Unitek C1626GY01 16K @ 120Hz DisplayPort 2.1 cable - 3m, 16K@60Hz Max Output Resolution, 2x DisplayPort, 80Gbps Data Transfer Rate, Aluminum Alloy material
CAB-DISPM-HDMIM-3M	R 293	Lindy 36923 3m 4K @ 30Hz DisplayPort to HDMI Adapter cable, Gold plated Connector plating, Gold plated pin plating, HDMI 1.4, DisplayPort 1.2, 5.0mm jacket Diameter, Copper conductor material, Aluminum braid 85% shielding, 28AWG conductor Gauge, 3840x2160 @ 60Hz maximum Resolution
CAB-DP-FIB-OPT-10M-U	R 973	Unitek 10m DisplayPort 2.1 Fibre Optic cable, C1631A-10M, 8K@120Hz Max Output Resolution, DisplayPort to DisplayPort cable Type, Zinc Alloy material
CAB-DP-FIB-OPT-20M-U	R 1,266	Unitek DisplayPort 2.1 8K Fibre Optic cable - 20m, C1631A-20M, 8K@120Hz / Max Output Resolution, Zinc Alloy material
CAB-DP-FIB-OPT-30M-U	R 1,462	Unitek 30m DisplayPort 2.1 Fibre Optic cable, C1631A-30M, 8K@120Hz Max Output Resolution, DisplayPort to DisplayPort cable Type, Zinc Alloy material
CAB-DP-M-ADA-1.8M	R 391	Unitek V1610A01 1.8m DisplayPort 1.4 to HDMI 8K @ 60Hz cable, 1x HDMI, 1x DisplayPort, 1.8m cable length, 8K@60Hz Max Output Resolution, Aluminum Alloy & Nylon Braided material
CAB-DP1.4-COPPER-2M	R 171	Unitek 8K DisplayPort 1.4 cable Pure Copper - 2m, C1628GY01-2, 8K@60Hz, 4k@240hz, 2k@240hz, Aluminium Alloy material
CAB-DP1.4-COPPER-3M	R 240	Unitek 8K DisplayPort 1.4 cable Pure Copper - 3m, C1628GY01-3M, 8K@60Hz, 4K@240Hz, 2K@240Hz, Aluminium Alloy material
CAB-MINIDP-HDMI-4K-U	R 292	Unitek 2m Mini DisplayPort to HDMI 4K @ 30Hz cable, V1152A, HDMI1.4 specifications, Transmission of 4K 3840x2160 @ 30Hz
CAB-TYPE-C-DP-1.8M-U	R 521	Unitek USB-C to DisplayPort 1.4 cable - 1.8m, V1423c, Aluminum housing
CAB-USB-DP-ADA-1.8M	R 391	Unitek V1423D 1.8m USB Type-C to 8K @ 60Hz DisplayPort - Bi-Directional cable, 8K@60Hz Max Output Resolution, 1x DisplayPort, 1x USB-C 10Gbps, 1.8m cable length
CAB900	R 114	Microworld DisplayPort to HDMI cable - 3m, Supports 4K 60Hz Resolution, Supports simultaneous transmission of Video & audio signals
CAB901	R 144	Microworld DisplayPort to HDMI cable - 5m, Supports 4K 60Hz Resolution, Supports simultaneous transmission of Video & audio signals
CAC-1094-CLUB3D	R 416	Club 3D 2m 8K 240Hz DisplayPort 2.1 VESA DP80 Certified cable, CAC-1094, 80Gbps Bandwidth, HDR, 8K 240Hz Max Resolution, VESA Certified
CAC-1187-CLUB3D	R 782	Club 3D Mini DisplayPort 1.4 to HDMI 4K 120Hz cable - 1.8m, CAC-1187, Mini DisplayPort Video Input, HDMI 2.1 Video Output, HDR, UniDirectional, 8K 60Hz Max Resolution
CAC-1188-CLUB3D	R 489	Club 3D 8K 60Hz Mini DisplayPort 1.4 to HDMI Adapter, CAC-1188, Mini DisplayPort 1.4 Video Input, HDMI 2.1 Video Output, 8K 60Hz Max Resolution
CM556-25157	R 231	UGreen USB Type-C to DisplayPort 1.4 cable - 1m, UniDirectional (USB Type-C to DisplayPort), 32.4 Gbps Maximum Bandwidth, 8K (7680x4320) @ 60Hz maximum Resolution, Aluminium Alloy housing material, Braided Nylon jacket material, Triple shielding
CM556-25158	R 263	UGreen USB Type-C to DisplayPort 1.4 cable - 2m, UniDirectional (USB Type-C to DisplayPort), 32.4 Gbps Maximum Bandwidth, 8K (7680x4320) @ 60Hz maximum Resolution, Aluminium Alloy housing material, Braided Nylon jacket material, Triple shielding
CNV-DP-HDMI-LQ	R 91	LinkQnet DisplayPort 4K Male to HDMI Female adaptor, Maximum Resolution of 4K
CNV-DP-VGA-LQ	R 91	LinkQnet DisplayPort Male to VGA Female cable, Maximum Resolution of 1080p
CNV-SWITCH-DP-2-1-U	R 484	Unitek 8K DisplayPort bidirectional Switch, Aluminum housing, This bidirectional Switch offers 2 DP inputs for your devices to Connect with 1 DP Display, Works the other way around as a splitter, V1609A
CSV-7200H-CLUB3D	R 1,165	Club 3D CSV-7200h MST Hub DisplayPort 1.4 to HDMI Dual Monitor 4K60Hz M/F adaptor cable, Multi Stream transport (MST), Up to 3840x2160p @ 60Hz single or Dual displays
CSV-7220-CLUB3D	R 1,323	Club 3D MST Hub DisplayPort 1.4 to DisplayPort HDMI 4K60Hz M/F adaptor, Support HDCP 2.2 and 3D, Support Dual Display (Dp hdmi) 3840x2160 @ 60Hz, CSV-7220
CT-AV585-01G-B1.8	R 98	CableTime Black 1.8m DP to DP 1.2 Cable 4K 60Hz for Gaming Monitor, TV, PC, Laptop
CT-AV585-01G-B4.5	R 183	CableTime 4K 60Hz DP to DP 1.2 Cable for Gaming Monitor, TV, PC, Laptop

CT-AV586-01G-B0.2	R 137	CableTime 4K 30hz DisplayPort Male to HDMI Female Adapter. The CT-AV586-01G-B0.2 is a 0.2-meter DisplayPort to HDMI adapter, offering a straightforward solution for connecting DisplayPort-equipped devices to HDMI displays. Its compact size and plug-and-play functionality make it an excellent choice for users seeking a reliable and easy-to-use adapter for various applications.
CT-AV586-03G-B0.2	R 137	CableTime 1080P 60Hz DisplayPort DP to VGA Adapter. The Cabletime CT-AV586-03G-B0.2 is a compact and reliable DisplayPort to VGA adapter designed for seamless connectivity between DisplayPort-enabled devices and VGA-compatible displays. Supporting up to 1080p at 60Hz, it delivers clear and sharp visuals, making it ideal for presentations, office setups, and educational environments. Its plug-and-play functionality ensures easy installation without the need for additional drivers or software, providing a hassle-free user experience.
CT-CM240-ZS02	R 108	CableTime PD240W Fast 240W USB-C Charge Cable 2M for iPhone 15 Pro Max. Quick Specs: 240W USB-C cable, 2 meters, PD 3.1 & QC 4.0 support, E-MARK chip, 480Mbps data, zinc alloy shell, orange silica gel jacket, USB-C to USB-C, compatible with iPhone 15 Pro Max, MacBook, iPad, USB-C laptops
DIS002-3	R 229	Microworld DisplayPort to HDMI Active cable adaptor, Supports up to 1080p
DIS010	R 148	Microworld DisplayPort to HDMI / VGA adaptor, HDMI supports Resolution up to 4Kx2K, VGA supports Resolution up to 1080p
DIS2VGA	R 99	Unique DisplayPort to VGA adaptor, 10 cm cable length
DIS2VGA1.5	R 230	Proline DisplayPort to VGA cable - 1.5m
DISDUMMY	R 114	Microworld DisplayPort dummy plug, Up to 4K 3840x2160 Resolution can be simulated
DP101-10202	R 201	Ugreen DP101 DisplayPort to 4K HDMI cable - 2m, PS8402 Chip, 7.3mm OD, 28AWG Oxygen-Free Copper wire Core, Gold-Plated connector Type, Up to 4K@30Hz Resolution support
DP101-10203	R 223	Ugreen DP101 DisplayPort to 4K HDMI cable - 3m, PS8402 Chip, 7.3mm OD, 28AWG Oxygen-Free Copper wire Core, Gold-Plated connector Type, Up to 4K@30Hz Resolution support
DP101-10239	R 190	Ugreen DP101 DisplayPort to 4K HDMI cable - 1.5m, PS8402 Chip, 7.3mm OD, 28AWG Oxygen-Free Copper wire Core, Gold-Plated connector Type, Up to 4K@30Hz Resolution support
DP109-20415	R 125	Ugreen DisplayPort Male to VGA Female converter, ANX9833 Chipset, DisplayPort (DP) Male Input, VGA Female Output, Up to 1920x1080 @60Hz supported Resolution
DP114-80392	R 155	Ugreen DP114 8K DisplayPort Male to Male Braided cable - 2m, 28AWG wire Gauge, Tin-plated Copper wire Core, 7.3mm Outer Diameter (OD), 8K@60Hz Resolution support, DisplayPort 1.4 Male to Male, Retaining clip lock, Aluminium foil ground wire Metal Braided shielding
DP114-80393	R 190	Ugreen DP114 8K DisplayPort Male to Male Braided cable - 3m, 28AWG wire Gauge, Tin-plated Copper wire Core, 7.3mm Outer Diameter (OD), 8K@60Hz Resolution support, DisplayPort 1.4 Male to Male, Retaining clip lock, Aluminium foil ground wire Metal Braided shielding
DP118-15383	R 160	UGreen DisplayPort 2.1 Male to Male 16K Braided 1m cable, Zinc Alloy housing, Braided Nylon jacket, VESA Certified, 80Gbps Maximum Bandwidth, Up to 16K at 30Hz maximum Resolution, AMD FreeSync and nVidia G-Sync
DP118-15384	R 190	UGreen DP118 DisplayPort 2.1 Male to Male 16K Braided 2m cable, Zinc Alloy housing, Braided Nylon jacket, 80Gbps Maximum Bandwidth, Up to 16K at 30Hz maximum Resolution, AMD FreeSync and nVidia G-Sync
DP118-25862	R 228	UGreen DisplayPort 2.1 Male to Male 16K Braided 3m cable, Zinc Alloy housing, Braided Nylon jacket, 80Gbps Maximum Bandwidth, Up to 16K at 30Hz maximum Resolution, AMD FreeSync and nVidia G-Sync
DP131-55567	R 110	UGreen DP131 DisplayPort 2.1 Braided cable 1m - Black/Grey, 16K @ 60Hz Resolution Max, 80Gb/s capacity, Nickel-plated Iron Core, Cotton braid PVC cable coating, Aluminium Alloy housing material, 7.3 mm cable Diameter
DP2DP1.5M	R 81	Philips DisplayPort male to DisplayPort male 4K cable - 1.5m
DP2DP1.5M8K	R 207	Philips DisplayPort male to DisplayPort male 8K cable - 1.5m
DP2DP3M	R 92	Philips DisplayPort male to DisplayPort male 4K cable - 3m
DP2DP3M8K	R 206	Philips DisplayPort male to DisplayPort male 8K cable - 3m
DP2DP5M8K	R 288	Philips DisplayPort male to DisplayPort male 8K cable - 5m
DPA1021	R 113	Cirago DisplayPort to DVI single Link Active Adapter, Up to 1920x1200, DPA1021
DS-JCD624	R 1,027	J5create JCD624 Type-C Omni side Dock with stand for Nintendo Switch 2 and Steam Deck, 6-in-1 Gaming

		Command center - with 4K HDMI, Upto 3840x2160 @60Hz or 2560x1440 @120Hz, Gigabit LAN, Type-C with 100W PD3.0, 2x USB 3.0 Type-A (Gen1 / 5Gbps), 1-touch Display switching between TV/Tablet
GAPDPH	R 41	Gizzu 4K DisplayPort to HDMI Active adaptor, 4K@60Hz Resolution, HDMI 1.4, DisplayPort 1.2
GAPDPHA	R 114	Gizzu 4K60Hz DisplayPort to HDMI Active Adapter, DisplayPort (Male) to HDMI (Male), Gold-Plated connector Type, Up to 4K @ 60Hz Resolution support, 25cm cable length
GAPDPV	R 44	Gizzu DisplayPort to VGA Active adaptor, 1080p Max Resolution, 60Hz Refresh Rate
GAPMDPH	R 41	Gizzu 4K Mini DisplayPort to HDMI Adapter high RE, 4K Max Resolution
GCPCDP18	R 122	Gizzu 4K Type-C to DisplayPort cable - 1.8m, 4K@60Hz Resolution
GCPDPDP15	R 53	Gizzu 4K60Hz DisplayPort to DisplayPort cable 1.5m, DP (Male) to DP (Male), 4K @ 60Hz Resolution support, 21.6Gbps Data Transfer Rate, 1.5 metres cable length
GCPDPDP2	R 76	Gizzu 8K DisplayPort cable ultra-high - 2m, Gold-Plated connectors, 8K @ 60Hz Resolution
GCPDPV18	R 70	Gizzu 1080p DisplayPort to VGA cable - 1.8m, 60Hz Refresh Rate, Dual lane High-Speed Input
GCPHDP18	R 200	Gizzu 4K HDMI to DisplayPort cable (1.8m) - Black, HDMI Male Host Interface, DisplayPort Male (with USB Power cable) Output Interface, 4K @ 60Hz maximum Resolution
MD101-20848	R 170	Ugreen Mini DisplayPort Male to 4K@30Hz HDMI cable 1.5m - Black, Up to 4K@30Hz resolution, Dolby TrueHD, DTS-HD Master Audio, Mini DP/Thunderbolt 2 devices compatibility
MD105-10477	R 106	UGreen Mini DisplayPort to DisplayPort cable 1.5m - Black, Mini DisplayPort (Male) Connector a, DisplayPort (Male) Connector b, DP V1.2, 3840x2160 (4K UHD) @ 60Hz maximum Resolution, 32AWG Tin-Plated Copper, Multi-layer shielding with Braided Mesh and Aluminium foil, Gold-Plated Connector finish, Bi-Directional transmission Type
MD112-40360	R 129	Ugreen Mini DP to 4K@30Hz HDMI Adapter, Thunderbolt 2.0, NXPPTN3361 Chipset, Mini DisplayPort (Thunderbolt 2 compatible) to HDMI Interface, Durable ABS casing, 25cm cable length, 4K@30Hz (3840x2160) Ultra HD Resolution
MM137-40362	R 99	Ugreen DisplayPort to HDMI Adapter - 1080P@60Hz, Male to Female converter, DisplayPort (DP) Male Input, HDMI Female Output, 32AWG cable Gauge, Durable ABS casing, Premium Gold-Plated connectors
MM137-40363	R 141	Ugreen DisplayPort to HDMI Adapter - 4K@30Hz, Male to Female converter, HDMI Female Output, DisplayPort (DP) Male Input, 32AWG cable Gauge, Durable ABS casing, 3D and HDR, Premium Gold-Plated connectors
NBLE0B47091	R 302	Lenovo 0B47091 Mini-DisplayPort to DisplayPort Monitor Cable
NBLE4X90R61023	R 478	Lenovo 4X90R61023 DisplayPort to HDMI 2.0b Adapter, 225mm long
P582-006	R 293	Eaton Tripp Lite series DisplayPort to HDMI Adapter Cable (M/M), 6 ft. (1.8 m), TAA, Order on Request
UQ-DPTHDMIF-4K	R 99	UniQue DisplayPort To Female HDTV Adaptor - 30cm, Support Full HD Display Up To 1920 x 1080 Resolution, Gold Plated Connectors, DisplayPort For Source Input, HDTV Female For 4K Output Display, Allow Audio Pass-through If Supported By The Video Source, Plug And Play, No Drivers Needed, 1 Month Warranty
VS92DP-AT	R 1,666	Aten VS92DP-AT 2-Port True 4K DisplayPort Single Stream Transport (SST) or Multi-Stream Transport (MST) Mode; dual output - up to 3840 x 2160@30Hz (4:4:4), DisplayPort 1.2; HDCP 1.3 compliant, Provides Dolby TrueHD and DTS-HD Master 7.1 Audio channel, High quality and durable aluminum enclosure

< Return to the menu

External drive cables / accessories

Product code	Price	Description
716191-B21	R 1,105	HP 2.0m External Mini SAS High Density to Mini SAS Cable
716193-B21	R 1,833	HP 4.0m External Mini SAS High Density to Mini SAS Cable
90-BCA010-00UAYZ	R 124	ASRock DEKSMINI USB Hub
90-BXG2T0-A0XCR2W	R 124	ASRock DESKMINI 2 x USB 2.0 Interface Adapter Cable
90-BXG3G0-A0XCR2W	R 150	ASRock DESKMINI Rear 3.5mm AUX Audio Cable Kit
IDE2SATA	R 212	Unbranded IDE to SATA Combo Converter Vice Versa

< Return to the menu

Firewire cables

Product code	Price	Description
CAB054	R 115	Microworld Firewire 4pin to 9pin Cable
CAB055	R 29	Unbranded Firewire 6 pin to 4 pin Cable 1m long
CAB056	R 92	Unbranded Firewire 6pin to 6pin Cable 1m long
CAB057	R 104	Unbranded Firewire 4 pin to 4 pin Cable 1.5m long
FWR002	R 69	Unbranded Firewire 9 pin to 6 pin Cable 1.8m long
FWR9-9	R 92	Unbranded Firewire 9pin to 9pin cable 1.8m long
HDM061	R 17	Microworld HDMI Male to HDMI Male Adaptor; HDMI audio and video; Joins two HDMI cables; Compatible TVs, monitors, projectors, laptops and gaming consoles; Black molded plastic housing

< Return to the menu

HDMI Cables & connectors

Product code	Price	Description
0B47069	R 488	Lenovo HDMI to VGA Monitor Cable, Compatible with --> Edge 92z All-In-One (HDMI-in, HDMI-out) 3418, 3419, 3426, 3396, 3397, 3398, 3399, 3423, Edge 92z All-In-One: Multi-Touch (HDMI-in, HDMI-out) 3414, 3415, 3416, 3417.
118914	R 33	Equip 118914 Mini HDMI (M)- HDMI (F) Adapter
119306	R 78	Equip 119306 HDMI to Mini HDMI Cable
119341	R 48	Equip 119341 HDMI A Male to HDMI A Male 1.0m Black / Red Cable, HDMI version 2.0, Bare Copper Conductor, Supports video resolutions up to 4K@ 50/60 (2160P)
119346	R 228	Equip 119346 HDMI A to HDMI A 7.5m Black / Grey cable, HDMI version 2.0, Supports video resolutions up to 4K@ 50/60 (2160P), Support 3D and Audio Return Channel (ARC), Gold Plated Connectors for high signal quality, RoHS compliant
119347	R 305	Equip 119346 HDMI A to HDMI A 10m Black / Grey cable, HDMI version 2.0, Supports video resolutions up to 4K@ 50/60 (2160P), Support 3D and Audio Return Channel (ARC), Gold Plated Connectors for high signal quality, RoHS compliant
119350	R 60	Equip 119350 HDMI A to HDMI A 1.8m Black Cable, HDMI version 2.0, 30AWG, Enables transmission of High Dynamic Range (HDR) video, Supports video resolutions up to 4K@ 50/60 (2160P), Gold Plated Connectors for high signal quality
119357	R 251	Equip 119357 HDMI A to HDMI A version 1.4 10m Black cable, Supports HDMI Ethernet Channel (HEC), Supports video resolutions up to 4K @ 30Hz, Support 3D and Audio Return Channel (ARC), Supports Dolby TrueHD and DTS-HD Master Audio
119358	R 401	Equip 119357 HDMI A to HDMI A version 1.4 15m Black cable, Supports HDMI Ethernet Channel (HEC), Supports video resolutions up to 4K @ 30Hz, Support 3D and Audio Return Channel (ARC), Supports Dolby TrueHD and DTS-HD Master Audio
119359	R 688	Equip 119359 cable HDMI to HDMI 1.4 cable - 20m, Resolutions up to 4K / 30Hz
119373	R 252	Equip HDMI 2.0 cable - 10m - 4K / 60Hz, 119373, 28AWG conductor size, CCS conductor material
119375	R 630	Equip 119375 High Speed HDMI 2.0 cable with Ethernet - 20m, 4K 3840x2160 @ 60 Hz, 2K 2560x1440 @ 144 Hz
119380	R 102	Equip 119380 HDMI 2.1 Ultra High Speed cable - 1m bllack
119381	R 137	Equip 119381 HDMI 2.1 Ultra High Speed cable - 2m bllack
119382	R 170	Equip 119382 HDMI 2.1 Ultra High Speed cable - 3m bllack
133452	R 194	Equip USB Type C to HDMI Adapter
133466	R 343	Equip USB Type C to HDMI Cable Male to Male
177351	R 399	Manhattan VGA R/L Audio to HDMI Converter, Ideal for connecting PCs to high-definition TVs, projectors, flat panel displays and more, Delivers a clear, sharp transmission, supports up to 1280 x 1024 and 1080p resolution and video amplifier bandwidth up to 1.65Gbps / 165MHz, Plug and Play; Windows and Mac compatible, simple to install.
1IN2OUTHDMI	R 299	Microworld 2 Port HDMI Splitter
20101-20101	R 33	UGreen 20101-20101 Mini HDMI to HDMI Adapter - Black, Micro HDMI Male Input Interface, HDMI Female Output

		Interface, Gold plating Connector
20106	R 29	uGreen Micro HDMI Male to HDMI Female Adapter, Retail Box. V2.0.
20106-20106	R 39	UGreen Black Micro HDMI Male to HDMI Female Adapter; digital video and audio; black; plug and play; compact design
20107-20107	R 36	Ugreen HDMI Female to Female Adapter - Black, Gold plated Copper material, HDMI 2.0 for 4K@60Hz, Audio return channel (ARC), HDMI Ethernet channel (HEC)
20109	R 19	uGreen 20109 HDMI Male to Female Adapter Down, Retail Box
20118-20118	R 56	UGreen DVI to HDMI cable Adapter 15cm, Male to Female, 1080p Full HD, Black, Gold-Plated connectors for stable signal, DVI Male Input, HDMI Female Output, 15cm length
20124-20124	R 39	Ugreen DVI (24 1) Male to HDMI Female Adapter - Black, Gold-Plated Copper connector material, 30 AWG Oxygen-Free Copper cable Gauge, Up to 1080P@60Hz Resolution support
20134-20134	R 74	Ugreen Micro HDMI Male to HDMI Female Adapter - Black, 4K@60Hz support, Gold-Plated Copper connector material, 20cm cable length, 28AWG bare Copper conductors, Audio return channel (ARC), Ethernet channel (HEC), 3D support
20137-20137	R 61	UGREEN Mini HDMI Male to HDMI Female Adapter Cable 22cm (Black)
2384B001AA	R 937	Canon Canon HDMI HTC-100 Cable
2L-7D02H-1	R 80	Aten 2M High Speed True 4K HDMI Cable
2L-7D05H	R 154	Aten 2L-7D05H 5 m High Speed HDMI Cable with Ethernet
2L-7D05H-1	R 184	Aten 2L-7D05H-1 5 m High Speed True 4K HDMI Cable with Ethernet
2L-7D20H	R 1,670	Aten 20M High Speed 4K HDMI Cable
308441	R 129	Manhattan High Speed HDMI Cable - HDMI Male to Male, Shielded, Black, 7.5 m, Retail Box
308458	R 1,199	Manhattan High Speed HDMI Cable - HDMI Male to Male, Shielded, Black, 22.5 m, Retail Box
308502	R 149	Manhattan Mini DVI 32P to HDMI 19F Cable, Connects a mini-DVI source with a HDMI display cable, Delivers a single, high-quality signal to HDMI display – ideal for Mac computers, Fully shielded to reduce EMI and other interference sources, Gold-plated connectors provide maximum connectivity. Molded PVC boot and strain relief.
31931	R 167	Goobay 31931 HDMI male to Mini HDMI Mini High Speed cable with Ethernet - 1.5m, Gold-Plated, Black, 6 mm Diameter,
353304	R 89	Manhattan Hi-Speed USB C Device Cable - USB 2.0, Type-C Male to Type-B Male, 480 Mbps, 1 m (3 ft.), Black
353311	R 89	Manhattan Hi-Speed USB C Device Cable - USB 2.0, Type-C Male to Micro-B Male, 480 Mbps, 1 m (3 ft.), Black
353441	R 29	Manhattan HDMI Adapter - HDMI A Female to Micro Male, 90 Degree Up Angle
353458	R 29	Manhattan HDMI Adapter - HDMI Mini C f to Mini C m, 90 Degree Up Angle
353465	R 29	Manhattan HDMI Coupler - HDMI A female to A female, straight connection
353502	R 29	Manhattan HDMI Adapter - HDMI A Female to A Male, downward 90 Degree Angle
353519	R 29	Manhattan HDMI Adapter - HDMI A Female to A Male, upward 90 Degree Angle
354479	R 99	Manhattan 354479 In-wall CL3 High Speed HDMI Cable with Ethernet, ARC, 3D, 4K@60Hz, In-wall Rated, HDMI Male to Male, Shielded, 4.5 m, Black
3IN1HDM	R 91	Microworld HDMI to HDMI 3-in-1 cable - 1.5m, HDTV to HDTV, HDTV to Mini HDTV, HDTV to Micro HDTV
51580	R 194	Goobay 51580 DVI-D male to HDMI male Gold-Plated cable - 2m, DVI-D male Single-Link (18 1 pin)
51722	R 217	Goobay White HDMI Gold-Plated Wall Socket
51957	R 309	Goobay 51957 DisplayPort to HDMI Adapter Gold-Plated cable - 2m, 4K Ultra HD 2160p 30Hz supported Video standards, HDMI 1.4, DisplayPort 1.2
53781	R 171	Goobay 53781 HDMI to Micro HDMI High Speed cable with Ethernet - 1m
58264	R 202	Goobay 58264 Ultra High Speed HDMI cable with Ethernet - Certified - 2m, Gold-Plated connection, HDR, HDMI Ethernet channel, HDCP 2.2, 48 Gbit/s Maximum transmission rate, 4K Ultra HD 2160p 120Hz, 8K Ultra HD 4320p 60Hz
58265	R 240	Goobay 58265 Ultra High Speed HDMI cable with Ethernet - Certified - 3m, Gold-Plated connection, HDR, HDMI Ethernet channel, HDCP 2.2, 48 Gbit/s Maximum transmission rate, 4K Ultra HD 2160p 120Hz, 8K Ultra HD 4320p 60Hz
58266	R 414	Goobay 58266 Ultra High Speed HDMI cable with Ethernet - Certified - 5m, Gold-Plated connection, HDR, HDMI

		Ethernet channel, HDCP 2.2, 48 Gbit/s Maximum transmission rate, 4K Ultra HD 2160p 120Hz, 8K Ultra HD 4320p 60Hz
60620	R 152	Goobay 60620 High Speed HDMI cable with Ethernet - 1m, Gold-Plated connection, Supports 4K Ultra HD 2160p 60Hz
60622	R 161	Goobay 60622 High Speed HDMI cable with Ethernet - 2m, Gold-Plated connection, Supports 4K Ultra HD 2160p 60Hz
60623	R 171	Goobay 60623 High Speed HDMI cable with Ethernet - 3m, Gold-Plated connection, Supports 4K Ultra HD 2160p 60Hz
60624	R 184	Goobay 60624 High Speed HDMI cable with Ethernet - 5m, Gold-Plated connection, Supports 4K Ultra HD 2160p 60Hz
60626	R 263	Goobay 60626 High Speed HDMI cable with Ethernet - 10m, Gold-Plated connection, Supports 4K Ultra HD 2160p 60Hz
60627	R 401	Goobay 60627 High Speed HDMI cable with Ethernet - 15m, Gold-Plated connection, Supports 4K Ultra HD 2160p 60Hz
61150	R 152	Goobay HDMI High Speed 1m Cable with Ethernet. Connector Type: HDMI Male to HDMI Male; Cable Length: 1 m; Resolution Support: Up to 4K @ 60Hz; Data Transfer Rate: 18 Gbps; Audio Support: ARC, eARC; Ethernet Support: HDMI Ethernet Channel; Shielding: Double shielding; Connector Plating: Gold-plated; Compliance: HDCP 2.2
61159	R 161	Goobay HDMI High Speed 2m Cable with Ethernet. Length: 2m; Resolution: 4K UHD at 60Hz; Features: HDR, eARC, HDMI Ethernet Channel; Connectors: Gold-plated HDMI Type A (Male to Male); Shielding: Dual aluminum foil; Conductor: Copper Clad Steel (30AWG); Jacket: PVC; Color: Black; Compliance: CE, WEEE
61160	R 171	Goobay HDMI High Speed 3m Cable with Ethernet. Length: 3m; Resolution: Up to 4K @ 60Hz; Data Rate: Up to 18 Gbps; Connector: HDMI Type A (Male to Male); Plating: Gold; Insulation: PVC; Ethernet Support: Yes (HEC); Audio Return Channel: Yes (ARC/eARC); Supported Features: HDR, 3D, HDCP 2.2, CEC; Weight: ~140g
61161	R 184	Goobay HDMI High Speed 5m Cable with Ethernet. Length: 5 meters; Resolution: Up to 4K at 60Hz; HDMI Version: 2.0; Ethernet Support: Yes; Connector Type: HDMI Type A Male to HDMI Type A Male; Connector Plating: Gold; Wire Gauge: 30 AWG; Material: Copper-clad steel (CCS); Color: Black
61277	R 152	Goobay High Speed HDMI 1m Flat Cable with Ethernet
61279	R 161	Goobay High Speed HDMI 2m Flat Cable with Ethernet
61280	R 171	Goobay High Speed HDMI 3m Flat Cable with Ethernet
61281	R 184	Goobay High Speed HDMI 5m Flat Cable with Ethernet
65566	R 689	Goobay 65566 Optical Hybrid HDMI (AOC) 10m cable with Ethernet, 4K Ultra HD 2160p (60Hz) maximum Resolution
65567	R 804	Goobay 65567 Optical Hybrid HDMI (AOC) 20m cable with Ethernet, 4K Ultra HD 2160p (60Hz) maximum Resolution
65568	R 919	Goobay 65568 Optical Hybrid HDMI (AOC) 30m cable with Ethernet, 4K Ultra HD 2160p (60Hz) maximum Resolution
65569	R 976	Goobay 65569 Optical Hybrid HDMI (AOC) 40m cable with Ethernet, Gold-Plated connection, 4K / 60Hz 3840x2160) UHD maximum Resolution, eARC, Arc
65570	R 1,149	Goobay 65570 Optical Hybrid HDMI (AOC) 50m cable with Ethernet, Gold-Plated connection, 4K / 60Hz 3840x2160 UHD maximum Resolution, eARC, ARC
65573	R 1,609	Goobay 65573 Optical Hybrid HDMI (AOC) 100m cable with Ethernet, Gold-Plated connection, 4K / 60Hz 3840x2160 UHD maximum Resolution, eARC, ARC
68690	R 152	Goobay HDMI Female to Dual-Link DVI-I Female Adapter
68793	R 217	Goobay HDMI to VGA Adapter Nickel-Plated, HDMI male to VGA female; supports 1080p@60Hz; nickel-plated contacts; 3.5 mm audio passthrough; 0.15 m length; ~46g weight
68931	R 148	Goobay HDMI Male to Dual-Link DVI-D Male Adapter
6959144011738	R 29	Promate linkMate-H1 White Premium Compact flexShield PVC coated HDMI Cable - 1.5 Meters
77528	R 424	Goobay USB-C to HDMI Adapter 1.8m cable (4K @ 60Hz) - Black, Supports Ultra HD up to 4Kx2K @ 60Hz

900124	R 327	Port USB Type-C to HDMI 15cm 4K@60Hz Adapter - Black, Â© 2020 Laptop Direct
900137	R 158	Port 900137 Connect converter HDMI to VGA 20cm cable, Support 1080p and 720p, Compliant with HDMI 1.3A, No external Power required
A31505-B	R 93	Astrum HD103 4K Ultra HD V2.0 Male to Male HDMI 3.0m Cable; 3840 x 2160 60Hz; 18Gbps; HDR; 3D; ARC; Ethernet over HDMI; Gold-plated connectors; Braided nylon jacket; Ferrite cores; 7.3mm cable diameter
A31602-B	R 631	Astrum HD020 HDMI Fiber Cable 2.0v 4k @60hz 20m
A31606-B	R 1,206	Astrum Hd060 HDMI Fiber Cable 2.0v 4k @60hz 60m
A31610-B	R 41	Astrum Hd100 HDMI Fiber Cable 2.0v 4k@60hz 100m
A34520-B	R 93	Astrum DH200 DisplayPort cable Male to Male V2.1 8K 2m, Zinc alloy connectors, 32Gbps speed Data speed, 8K at 60Hz, 4K at 144Hz
A37026-B	R 138	Astrum PA260 HDMI Female to Female Extension Adapter; HDMI 2.0b; up to 4K Ultra HD 60Hz; 3D support; gold-plated connectors; connects 2 HDMI cables; 29 x 22 x 11mm; approximately 10g; Black
A38048-B	R 83	Astrum DA480 HDMI to VGA audio Mini Adapter
ABBY03B	R 183	Equip ABBY03B USB-C to HDMI Adapter 4Kx2K 30Hz, USB Version 3.0, Aluminum casing for heat dissipation
ADA-HDMI-90DEG-A1046	R 93	Unitek A1046A 8K HDMI 2.1 90 degrees and 270 degrees angled Adapter kit, 8K@60Hz / 4K@120Hz Max Output Resolution, 48Gbps Data Transfer Rate, PVC material, 1x 8K HDMI 90 degree Adapter, 1x 8K HDMI 270degree Adapter
ADA-HDMI-90DEG-A1047	R 93	Unitek A1047A 8K HDMI 2.1 90 degrees and 270 degrees Vertical flat angled Adapter kit, 8K@60Hz / 4K@120Hz Max Output Resolution, 48Gbps Data Transfer Rate, PVC material, 1x 8K HDMI 90 degree Adapter, 1x 8K HDMI 270 degree Adapter
ADA-HDMI-DVID-F-L	R 168	Lindy 0.2m DVI-D Female to HDMI Male Adapter Cable
ADA-HDMI-F-F-U	R 48	Unitek 4K HDMI coupler, A1013bk, PVC Gold-Plated connectors
ADA-HDMI360-R	R 74	Unbranded HDMI 360 degree Adapter
ADA-HDMIF-MINIM	R 51	LinkQnet HDMI Female To Mini HDMI Male Adapter
ADA-MDISP-HDMI4K-A-L	R 469	Lindy Mini-DisplayPort To 4K HDMI & VGA Converter
ADA001	R 35	Microworld HDMI Male to HDMI Female; 360 degree adjustable connection; HDMI to HDMI; Microworld ADA001; flexible cable positioning; compact HDMI connectivity accessory
ADA027	R 35	Microworld DVI-I male to HDMI female adaptor
ADA100	R 38	Microworld HDMI Male to Micro HDMI Female adaptor; Black; Compact HDMI connectivity adaptor; Suitable for compatible Micro HDMI devices and standard HDMI connections
ADA102	R 35	Microworld HDMI Male to Mini HDMI Female Adaptor
ADA500	R 14	Microworld HDMI Male to HDMI Female 270-degree angled design; Full HD and 4K video and audio; gold-plated connectors; black; compact construction; space-restricted HDMI installations; cable management; TVs, monitors, computers and projectors
ADP-120ZB Special CLEARANCE	R 752	(On Promotion) Lenovo ADP-120ZB Power adadptor. 120W LENOVO LAPTOP AC ADAPTER / CHARGER 19V 6.32A 6.3*3.0mm. Lenovo IdeaPad Y460P, Y460p -4395-26U, Y460p -4395-2BU, Y460p- 4395-2AU, Y470P, Y470p -0855-2KU, Y470p -0855-2LU, Y560, Y560-0646-5CU, Y560-0646-5NU, Y560-0646-5RU, Y560d -0646-57U Original Part Numbers : 41A9732, 41A9733, 41A9734, 42T5278, ADP-120ZB, PA-1121-04L1
AHD20B05B	R 108	Astrum HD20B 5m Gold-Plated HDMI 2.0 4K@60Hz Braided Cable; male to male; 4K Ultra HD 3840 x 2160 at 60Hz; 18Gbps; 48-thread cotton braided; gold-plated connectors; HDR; BT.2020; 24-bit colour; 32-channel audio; EDID; DDC2B; hot swap; black
AUAF3020BB	R 64	Astrum UAF30B USB 3.0 5Gbps 2.0m USB-A Male to Female Extension Cable; up to 5Gbps; 2.0m cable length; USB 2.0 and USB 1.1 backward compatible; external storage, printers, webcams, keyboards and mice
C1-NS	R 861	MiniX C1 Wireless USB-C to 1080p HDMI Dongle transmitter and receiver, USB-C transmitter (TX), HDMI receiver (RX), Video resolutions up to 1080P@60Hz, Compatible devices Must support dp-alt Video Output, Chanel 36-48 Wi-Fi, Channel 149-165 Wi-Fi
CA-AHH1	R 160	Aavara superior series SDC10 HDMi v1.4 3D, 1m HDMi to HDMi with ethernet support, HDMiv1.3 backward compatible, support 1440P full HD, support bi-directional communication (dual stream Data / Audio), support 3D over HDMi, support 4096x2160@24hz, support color spaces (sYCC601, Adobe RGB and Adobe YCC601), nylon

		webbing, gold diamondcutting housing, 24K gold plated connector - retail pack.
CA-AHH1.5	R 170	Aavara superior series SDC15, HDMi v1.4 3D , 1.5m - HDMi to HDMi with Ethernet support, HDMiv1.3 backward compatible, support 1440P full HD, support bi-directional communication (dual stream Data/ Audio), support 3D over HDMi, support 4096x2160@24hz, support colour spaces (sYCC601, Adobe RGB and Adobe YCC601), nylon webbing, gold diamond cutting housing, 24K gold plated connector - retail pack
CA-AHH15	R 1,569	Aavara professional series PHC150, HDMi v1.4 3D, 15m - HDMi to HDMi with Ethernet support, HDMiv1.3 backward compatible, support 1440P full HD, support bi-directional communication (dual stream Data / Audio), support 3D over HDMi, support 4096x2160@24hz, support colour spaces (sYCC601, Adobe RGB and Adobe YCC601), nylon webbing, gold diamond cutting housing, 24K gold plated connector - retail pack
CA-AHH3	R 330	Aavara superior series SDC30, HDMi v1.4 3D, 3.6m - HDMi to HDMi with Ethernet support, HDMiv1.3 backward compatible, support 1440P full HD, support bi-directional communication (dual stream Data / Audio), support 3D over HDMi, support 4096x2160@24hz, support colour spaces (sYCC601, Adobe RGB and Adobe YCC601), nylon webbing, gold diamond cutting housing, 24K gold plated connector - retail pack
CA-DPH	R 229	HP BP937AA DisplayPort to Hdmi converter cable - 20cm
CA-HH1.5	R 43	HDMi to HDMi (HDMiv1.4) , 1.5m with 3D support - lite retail pack
CA-HH2	R 54	HDMi to HDMi (HDMiv1.4) , 2m with 3D support - lite retail pack
CA-HV+A-J	R 297	J5create JDA213 HDMi to VGA 3.5mm Audio out 150mm cable - support up to WUXGA 1920x1200 / 1080P @60Hz, white, for MAC or PC - retail pack
CA-JHH2-4K	R 253	J5create JDC52 Premium High-Speed HDMI Cable with Ethernet: 4K UHD support at 60Hz, HDR compatibility, 18Gbps bandwidth, gold-plated connectors, triple shielding, copper OFC conductors, aluminum housing, 6.6 ft length, works with HDMI-enabled devices like
CA-JHH2-8K	R 419	J5create JDC53, HDMi 3D, 2m, 8K - HDMi to HDMi, HDMiv2.1 (48Gbps bandwidth), with eARC (Enhanced Audio Return Channel); with VRR (Variable Refresh Rate)/ ALLM (Auto Low Latency Mode)/ QFT (Quick Frame Transport)/ QMS (Quick Media Switching) enhanced
CA-JHH3-4K	R 342	J5 Create JDC52L30 â€“ HDMI 2.1 Cable, 3m, 8K 60Hz, 4K 120Hz, HDR10
CA-JHH3-8K	R 430	J5 Create JDC53L30 â€“ HDMI 2.1 Cable, 3m, 8K @ 60Hz, 4K @ 120Hz, 48Gbps bandwidth, HDR10 , Dolby Vision, gold-plated connectors
CA-MDPH4K-J	R 342	J5create JDA159 Mini Display Port or thunderbolt2 to HDMi adapter 125mm cable - support up to 4096x2160 4K UHD @30Hz, white, for MAC or PC - retail pack
CAB-ARMOR-HDMI-100M	R 5,504	LinkQnet 100m Armored Fibre HDMI cable on reel, Supports Resolution up to 4K @ 60Hz, Active Optical Armored cable, Corrugated tube with Kevlar reinforcement protects the internal Optical fibres, No external Power needed
CAB-ARMOR-HDMI-20M	R 2,928	LinkQnet 20m Armored Fibre HDMI cable on reel, Supports Resolution up to 4K @ 60Hz, Active Optical Armored cable, Corrugated tube with Kevlar reinforcement protects the internal Optical fibres, No external Power needed
CAB-ARMOR-HDMI-30M	R 3,319	LinkQnet 30m Armored Fibre HDMI cable on reel, Supports Resolution up to 4K @ 60Hz, Active Optical Armored cable, Corrugated tube with Kevlar reinforcement protects the internal Optical fibres, No external Power needed
CAB-ARMOR-HDMI-40M	R 3,710	LinkQnet 40m Armored Fibre HDMI cable on reel, Supports Resolution up to 4K @ 60Hz, Active Optical Armored cable, Corrugated tube with Kevlar reinforcement protects the internal Optical fibres, No external Power needed
CAB-ARMOR-HDMI-50M	R 3,905	LinkQnet 50m Armored Fibre HDMI cable on reel, Supports Resolution up to 4K @ 60Hz, Active Optical Armored cable, Corrugated tube with Kevlar reinforcement protects the internal Optical fibres, No external Power needed
CAB-ARMOR-HDMI-70M	R 4,593	LinkQnet 70m Armored Fibre HDMI cable on reel, Supports Resolution up to 4K @ 60Hz, Active Optical Armored cable, Corrugated tube with Kevlar reinforcement protects the internal Optical fibres, No external Power needed
CAB-DP-HDMI-1.8M-LQ	R 206	Unbranded 1.8m 4K DisplayPort male to HDMI male cable, DPH402
CAB-DP1.2-HDMI-1.8M	R 311	Unitek DisplayPort 1.2 to HDMI 2.0 4K cable 1.8m - V1608A
CAB-HDCB-031	R 245	Unbranded 30cm HDMI female to HDMI female - panel Mount, LK-HDCB-031
CAB-HDMI-2M-M-M-FLAT	R 184	Unitek HDMI 2.0 Male to Male flat cable - 2m, C11063BK-2M, 4K 60Hz High Speed HDMI flat cable
CAB-HDMI-5M-M-M-FLAT	R 196	Unitek HDMI 2.0 Male to Male flat cable - 5m, C11063BK-5M, 4K 60Hz High Speed HDMI flat cable
CAB-HDMI-90DEG-3M-U	R 150	Unitek 3m right angle 90 degree hdmi cable, Y-C1002
CAB-HDMI-AMAM-1.2M-U	R 43	Unbranded 1.2m HDMI Male to Male (V1.4) cable, HDMI-AMAM-1.2M
CAB-HDMI-DEG-2M-U	R 183	Unitek 2m right angle 90 degree hdmi cable, Y-C1001

CAB-HDMI-DEG-3M-U	R 199	Unitek 3m HDMI right angle 270 degree HDMI cable, Y-C1009
CAB-HDMI-DP4K-1.8M	R 484	Unitek V1714A 1.8m HDMI To Display-port 4k Cable; HDR & HDCP support; USB powered; Windows macOS Linux compatible; space grey
CAB-HDMI-FIB-OPT-10M	R 1,010	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 10m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-FIB-OPT-20M	R 1,559	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 20m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-FIB-OPT-30M	R 1,916	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 30m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-FIB-OPT-40M	R 1,950	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 40m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-FIB-OPT-50M	R 2,537	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 50m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-FIB-OPT-70M	R 2,933	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 70m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-FIB-OPT100M	R 3,910	Unitek C11085GY01 8K @ 60Hz HDMI 2.1 Fibre optic cable - 100m, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 4.6mm cable OD, Alloy housing material
CAB-HDMI-GAMING-2M	R 123	Unitek Gaming 8K @ 60Hz HDMI 2.1 cable - 2m, C11086GY01-2M, Aluminium Alloy housing, 7680x4320 @ 60Hz
CAB-HDMI-GAMING-3M	R 162	Unitek Gaming 8K @ 60Hz HDMI 2.1 cable - 3m, C11086GY01-3M, Aluminium Alloy housing, 7680x4320 @ 60Hz
CAB-HDMI-GAMING-5M	R 205	Unitek Gaming 8K @ 60Hz HDMI 2.1 cable - 5m, C11086GY01-5M, Aluminium Alloy housing, 7680x4320 @ 60Hz
CAB-HDMI-M2M-1.5-U	R 54	Unitek HDMI 2.0 4K 60Hz cable - 1.5m, C11079bk-1.5m
CAB-HDMI-M2M-10M-U	R 336	Unitek HDMI 2.0 4K 60Hz cable - 10m, C11079bk-10m
CAB-HDMI-M2M-15M-U	R 470	Unitek HDMI 2.0 4K 60Hz cable - 15m, C11079bk-15m
CAB-HDMI-M2M-1M-U	R 45	Unitek 1m HDMI 2.0 Male to Male cable, C11079bk-1m, 4K@60Hz Max Output Resolution, 18Gbps Data Transfer Rate, 7.3mm cable OD
CAB-HDMI-M2M-20M-U	R 684	Unitek HDMI 2.0 4K 60Hz cable - 20m, C11079bk-20m
CAB-HDMI-M2M-2M-U	R 74	Unitek HDMI 2.0 4K 60Hz cable - 2m, C11079BK-2M
CAB-HDMI-M2M-3M-U	R 87	Unitek HDMI 2.0 4K 60Hz cable - 3m, C11079bk-3m
CAB-HDMI-M2M-5M-U	R 98	Unitek HDMI 2.0 4K 60Hz cable - 5m, C11079bk-5m
CAB-HDMI-MF-EXT-0.5M	R 84	Unitek 0.5m 8K HDMI extension cable, C11091a-0.5m, 48Gbps Data Transfer Rate, HDMI to HDMI cable Type, 6.5mm cable OD, Aluminum Alloy material, 8K@60Hz Max Output Resolution
CAB-HDMI-MF-EXT-2M	R 104	Unitek Ultra Stream 8K HDMI extension cable - 2m, C11091A-2M, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 6.5mm cable OD
CAB-HDMI-MF-EXT-3M	R 132	Unitek 8K HDMI extension cable - 3m, C11091A-3M, 8K@60Hz Max Output Resolution, 48Gbps Data Transfer Rate, 6.5mm cable OD
CAB-HDMI-MM-0.5-L	R 59	Lindy 36470 Black Line 0.5m HDMI 2.0 Male-Male Cable
CAB-HDMI-MM-0.5M-U	R 54	Unitek HDMI male-male 0.5m Gold plated V2.0 (Y-C185MBK) 4K 60Hz
CAB-HDMI-MM-0.5ML	R 93	Lindy 0.5m HDMI male to HDMI male high speed cable - Anthra, 36961
CAB-HDMI-MM-1M-LI	R 108	Lindy 36962 Anthra Line 1m HDMI Male To Male High Speed Cable
CAB-HDMI-MM-1M-U	R 68	Unitek 1m HDMI male to HDMI male cable, Y-C136
CAB-HDMI-MM-1ML	R 68	Lindy 36471 Black Line 1m HDMI 2.0 Male-Male Cable
CAB-HDMI-MM-2M-L	R 64	Lindy 36472 Black Line 2m HDMI 2.0 Male-Male Cable
CAB-HDMI-MM-2M-LI	R 127	Lindy 36963 Anthra Line 2m HDMI Male - Male High Speed Cable
CAB-HDMI-MM-2M-U	R 82	UNITEK Y-C138 HDMI Digital HDMI1.4 UHD 4K Cable Support 3D Gigabit LAN 2M - Black
CAB-HDMI-MM-3M-LIN	R 176	Lindy 3m High Speed HDMI Cable
CAB-HDMI-MM-5M-L	R 98	Lindy 36474 Black Line 5m HDMI 2.0 Male - Male Cable
CAB-HDMI-MM-5M-LI	R 289	Lindy 36965 Anthra Line 5m HDMI Male - Male High Speed Cable
CAB-HDMI-OPT-20M-4K	R 973	Unitek 4K HDMI 2.0 Active Optical cable - 20m, 11072BK-20M
CAB-HDMI-OPT-40M-BLK	R 2,379	Unitek 4K 60Hz HDMI Fiber Optic Cable, C11072BK-40M, Alloy housing, High Speed 18Gbps, 24K Gold-Plated

		plug, Slim and Flexible
CAB-HDMI-OPT-50M-BLK	R 2,537	Unitek 50m 4K 60Hz HDMI Fiber Optic Cable - Black, C11072BK-50M, HDMI 2.0
CAB-HDMI-VGA-1.8M-LQ	R 290	LinkQnet 1.8m HDMI Male to VGA Male with audio cable, maximum Resolution of 1080p
CAB-HDMI-VGA-1.8M-LQ	R 327	LinkQnet 1.8m HDMI Male to VGA Male with audio cable, maximum Resolution of 1080p
CAB-HDMI-VGA-2M-U	R 240	Unitek V1185A 2m 1080p @ 60Hz HDMI to VGA cable, 1080p @ 60Hz Max Output Resolution, 1x HDMI, 1x VGA, 2m cable length, ABS material
CAB-HDMI2-OPT-50M-U	R 2,261	Unitek 8K Fiber Optic HDMI cable - 50m, Support PS5 4K @120Hz, C11033dgy, support 8K@60Hz and 4K@120Hz
CAB-HDMI2.0-MM-15M-U	R 705	Unitek 15m HDMI 2.0 Male to Male cable, C11045BK
CAB-HDMI2.0-MM-20M-U	R 978	Unitek 20m HDMI 2.0 Male to Male cable, C11046BK
CAB-HDMI2.0-MM-5M-U	R 182	Unitek 5m HDMI 2.0 Male to Male cable, C11041BK
CAB-MIC-HDMI2.02M-U	R 119	UNITEK 4K 60Hz High Speed Micro HDMI to HDMI 2.0 Cable, Y-C182
CAB-MICUSB-LIGHT-UGD	R 77	Unitek Y-C4023GD 1.5m 2-1 Micro & Lightning Gold Cable
CAB-MICUSB-LIGHT-UGY	R 77	Unitek Y-C4023GY 1.5m 2-1 Micro & Lightning Grey Cable
CAB-TYPE-C-1.8M-U	R 626	Unitek USB-C to HDMI 8K cable - 1.8m, Aluminum housing, V1423B
CAB-TYPE-C-HDMI-1.8	R 386	Unitek 1.8m Type-C to HDMI cable - Grey, V1423A, Supports resolutions up to 4k@60hz.
CAB-USB-C-MICRO-1M-U	R 54	Unitek Y-C473BK 1m Usb3.0 Type-c Male To Micro-USB Type B Male Cable
CAB-USB-CM-CF-2M-LQ	R 113	Linkqnet XF-CCMF 2m USB Type-c Male To Female Extension Cable
CAB-USBC-HDMI-2M-U	R 143	Unitek 100W PD 4K USB-C to HDMI cable - 2m, V1439A, USB-C PD 100W Host Power (PD), 4K@60Hz Max Output Resolution
CAB051	R 69	Microworld HDMI to DVI-D Cable 2m long
CAB052	R 114	Microworld HDMI to DVI-D Cable 5m long
CAB053	R 242	Microworld HDMI to DVI Cable 10m long
CAB058-S	R 104	Microworld DisplayPort to HDMI 4K cable
CAC-1088-CLUB3D	R 1,125	Club 3D DisplayPort 1.4 to HDMI 4K 120Hz Active Adapter M/F, CAC-1088, 7680x4320 @ 60Hz, 1x DisplayPort 1.4 (Male) Input, 1x HDMI (Female) Output
CAC-1302-CLUB3D	R 338	Club 3d Cac-1302 HDMI 1.4 To VGA Adapter With Audio M/f
CAC-1310-CLUB3D	R 352	Club 3D CAC-1310 3m Premium High Speed HDMI 2.0 4k60hz Uhd Cable
CAC-1311-CLUB3D	R 290	Club 3D CAC-1311 1m Premium High Speed HDMI2.0 4k60hz Uhd Cable
CAC-1321-CLUB3D	R 288	Club 3D CAC-1321 3m HDMI 2.0 Extension Cable; HDMI male to female; 18Gbps bandwidth; 4096 x 2160 at 60Hz; HDR support; HDMI 1.3/1.4/2.0 compliant; 30AWG; plug and play; black; 0.136kg
CAC-1322-CLUB3D	R 289	Club3d Cac-1322 1m 4k 120hz / 8k 60hz 48gbps Ultra High-speed HDMI2.1 Extension Cable
CAC-1333-CLUB3D	R 734	Club 3D CAC-1333 HDMI 2.0 to USB Type-C Female 4K 60Hz Adapter, Support Resolution up to 4kx2k@60hz, HDMI male, USB Type-C Female
CAC-1334-CLUB3D	R 769	Club 3D CAC-1334 HDMI 2.0 to USB Type-C 4K 60Hz cable 1.8m
CAC-1335-CLUB3D	R 1,260	Club3d Cac-1335 Hdmi To Displayport 4k 120hz Or 8k 30hz Active Adapter With Optional Micro USB Power Input
CAC-1360-CLUB3D	R 360	Club 3D CAC-1360 2M HDMI2.0 Male TO Male 4K60HZ 360 degree Cable
CAC-1371-CLUB3D	R 429	Club 3D 1m HDMI 2.1 male to HDMI 2.1 male - Ultra High Speed, CAC-1371, 4K 120Hz, 8K 60Hz
CAC-1372-CLUB3D	R 416	Club 3D 2m Ultra high speed HDMI 2.1 10K (48Gbps) male to male cable, CAC-1372
CAC-1373-CLUB3D	R 460	Club 3D 3m HDMI 2.1 male to HDMI 2.1 male - Ultra High Speed, CAC-1373, 4K 120Hz, 8K 60Hz
CAC-1374-CLUB3D	R 489	Club 3D 4m HDMI (2.1) Male to Male cable - 4K 120Hz / 8K 60Hz, CAC-1374
CAC-1375-CLUB3D	R 489	Club 3D 5m 4K 120Hz / 8K 60Hz Ultra High Speed HDMI cable, CAC-1375, HDMI 2.1 connectors, 48Gbps Bandwidth, 8K 60Hz Max Resolution, HDMI Video Input, HDMI Video Output
CAC-1376-CLUB3D	R 1,955	Club 3D CAC-1376 HDMI AOC Cable 4K120Hz 8K60Hz Unidirectional M/M 10m/32.8 ft
CAC-1379-CLUB3D	R 3,221	Club 3d Cac-1379 20m 8k @60hz / 4K @ 120HZ Active Optical Uni-directional HDMI 2.1 Cable
CAC-1392-CLUB3D	R 2,933	Club 3D 30m 8K 60Hz / 4K 120Hz HDMI Hybrid AOC HDMI cable, CAC-1392, HDMI 2.1 connectors, 48Gbps Bandwidth, AOC Active Optical cable, HDR, UniDirectional, 8K 60Hz Max Resolution, HDMI Video Input, HDMI Video Output
CAC-1394-CLUB3D	R 3,910	Club 3D 100m 4K 120Hz / 8K 60Hz Ultra uni-direct AOC HDMI cable, CAC-1394, HDMI 2.1 connectors, 48Gbps

		Bandwidth, AOC Active Optical cable, HDR, UniDirectional, 8K 60Hz Max Resolution, HDMI Video Input, HDMI Video Output
CAC-1405-CLUB3D	R 1,820	Club 3d CAC-1405 10m Usb3.2 Active Repeater Male To Female Cable
CAC-1406-CLUB3D	R 2,216	Club 3d CAC-1406 15m Usb3.2 Active Repeater Cable Male To Female
CAC-1514-CLUB3D	R 733	Club 3D CAC-1514 1.8m/5.91ft Active M/M USB C to HDMI 2.0 UHD Cable
CAC-2312-CLUB3D	R 631	Club 3D CAC-2312 5m HDMI 2.0 4K60Hz UHD cable
CAC-2313-CLUB3D	R 1,158	Club 3D CAC-2313 10m Hdmi2.0 Male To Male 4k60hz Active Cable
CAC-2314-CLUB3D	R 1,550	Club 3D CAC-2314 15m redmere Chip HDMI2.0 (M-M) 4k60hz Active Cable
CAC-2504-CLUB3D	R 534	Club 3D CAC-2504 USB 3.1 Type C to HDMI 2.0 UHD 4K 60HZ Active Adapter
CHB016	R 213	DM Type-C to HDMI / VGA adaptor cable
CNV-EZCAST-POCKET-TC	R 1,624	Ezcast Pocket C1R1 2k Wireless Display Transmitter And Receiver Kit - Miracast. Multitask - With Mirror or Extend Mode, Cross Platform Support - Windows, MacOS, Android and iOS. Screen mirror your smartphones and Apple devices onto your monitor or TV. Compatible with streaming services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not included)
CNV-EZCAST-PRIME-PK	R 2,200	Ezcast Pocket Prime HDMI 5.0Ghz Wireless Streaming Kit. Includes TRANSMITTER H-1 RECEIVER R-1.
CNV-HDMI-USB-C-ADAP	R 143	Unitek V1187A 4K @ 60Hz USB Type-C Female to HDMI 2.0 Male Adapter, 4K@60Hz Max Output Resolution, 1x HDMI upstream, 1x USB-C downstream, PVC material
CNV-HDMI-USB-C-ADAPT	R 221	Unitek 4K HDMI to Type-C Adapter UniDirectional, V1187B, Designed for UniDirectional transmission, 1x HDMI, 1x USB-C, Up to 4K@60Hz Resolution
CNV-HDMI-VGA-ADAPT	R 84	Unitek HDMI to VGA Adapter - White, Y-6333C01, 1920x1080 @ 60Hz maximum Resolution, HDMI Male Input, VGA Output
CNV-SLIMP-HDMI-Y6304	R 345	Unitek Slimport To HDMI Female Converter
CNV-SNAP-HDMI-90-FL	R 179	SNAPIN 90 degree HDMI Female to HDMI Female
CNV-SNAPIN-HDMI-90D	R 221	Lindy 90 degree HDMI snap-in keystone (60490)
CNV-SNAPIN-USB-90D	R 166	Lindy 90 degree USB snap-in keystone (60491)
CNV-TC-HDMI-V1420A	R 307	Unitek USB Type-C to HDMI converter 15cm, V1420A, 4K@60Hz Resolution Max, HDMI 2.0, 3840x2160 at 60hz
CNV-USB-C-HDMI-U	R 538	Unitek V1414A USB-C to HDMI 2.1 Adapter Space Grey, 8K 60Hz USB-C to HDMI 2.1 Adapter, 4K up to 144Hz
CNV-USB-HDMI-LQ	R 363	LinkQnet USB 3.0 to HDMI Female Adapter cable, 1080p maximum Resolution
CNV-USBC-HDMIF-LQ	R 206	LinkQnet USB-C to HDMI Female 4K Adapter, XF-CHF01
CNV-USBC-HDMIF-LQ	R 292	LinkQnet USB-C to HDMI Female 4K Adapter, XF-CHF01
CNV-V1304A	R 836	Unitek USB 3.0 to HDMI and VGA Adapter, 1x HDMI, 1x VGA, 15cm cable length, V1304A
CNV-VGA-HDMI-LQ-2	R 304	LinkQnet VGA Male to HDMI Female with audio and 5V Power Input, Supports Video resolutions up to 1080p, Stereo audio via 3.5mm jack, Input Power via 5V Micro USB
Co-CHH	R 21	micro-HDMi (type-D / 2.8x6.4mm) to HDMi converter/cable (for mobile device with miCro-HDMi) - bulk pack (meaning packaged in a bag, does not include a box)
Co-CHV	R 131	miCro-HDMi (type-D / 2.8x6.4mm) to VGA converter/cable (for mobile device with miCro-HDMi) - bulk pack (meaning packaged in a bag, does not include a box)
Co-DPH	R 114	Unbranded DisplayPort to HDMI converter cable 20cm
Co-DViHDMi	R 54	DVi-i to HDMi converter (for vga card with DVi-i) - bulk pack
Co-HDMiDSUB	R 52	HDMi to D-SUB(VGA) converter (for vga card with HDMi) - bulk pack
Co-HDMiDVi	R 56	HDMi to DVi-I converter (for vga card with HDMiI) - bulk pack
Co-HE	R 38	Unbranded HDMi Extension Converter
Co-HV	R 198	Sunix H2V37C0 HDMi to VGA Dongle - support up to WUXGA 1920x1200 - retail pack
Co-MDPH4K-S	R 198	Sunix D2H23N0 Mini Display Port to HDMI Dongle - HDMI 1.4b with 4K UHD (2160p - 3840x2160) support - retail pack
Co-MHH	R 21	Mini-HDMi (type-C / 3.2x11.2mm) to HDMi converter/cable (for vga card with Mini-HDMi) - bulk pack (meaning packaged in a bag, does not include a box)
CON003	R 229	Unbranded HDMI to VGA YPbPr Converter
CON012	R 173	Microworld HDMI in to AV out convertor

CT-AV540-HE2GN-B2	R 173	CableTime CH23L HDMI 2.0 Male to Male 2m Gold plated cable, HDMI 2.0V, 18Gbps Bandwidth, 4K / 60Hz
CT-AV540-HE2GN-B3	R 196	CableTime CH23N HDMI 2.0 Male to Male 3m Gold plated cable, HDMI 2.0V, 18Gbps Bandwidth, 4K / 60Hz
CT-AV540-HE2GN-B5	R 229	CableTime CH23P HDMI 2.0 Male to Male 5m Gold plated cable, HDMI 2.0V, 18Gbps Bandwidth, 4K / 60Hz
CT-AV582-HAVGAG-B0.2	R 127	CableTime Black 1080p HDMI Male to VGA Female Video Converter Adapter
CT-HBP3-AG9-0.15M	R 574	CableTime 9-in-1 USB-C Hub with 4K HDMI Charging Ethernet Audio Jack. CableTime 9-in-1 USB-C hub, 4K HDMI output, 30Hz HDR, 3 x USB-A 3.0 5Gbps, 100W Power Delivery charging, Gigabit Ethernet 1000Mbps, SD and TF card reader, 3.5mm audio jack, aluminum shell, portable USB-C accessory, CT-HBP3-AG9, compatible MacBook Chromebook PC iPad.
CT-HD4K-AG-1.5M	R 56	CableTime Black Extra Long 1.5m HDMI 2.0 Cable 4K for TV, Computer and Projector. The Cabletime CT-HD4K-AG-1.5M HDMI 2.0 cable is a premium solution for high-definition video and audio transmission. Supporting 4K resolution at 60Hz, it delivers sharp visuals and vibrant colors. The cable features a high-speed 18Gbps bandwidth, ensuring smooth streaming and gaming experiences. With support for HDR and advanced audio formats like Dolby Atmos and Dolby TrueHD 7.1, it provides an immersive entertainment experience. Its durable design includes gold-plated connectors and a flexible PVC jacket, making it suitable for various setups, including home theaters, gaming rigs, and professional presentations.
CT-HD4K-AG-15M	R 459	CableTime Extra Long 15m HDMI 2.0 Cable 4K 60Hz for TVs, Computers & Projectors. This is a high-speed 15 metre HDMI 2.0 cable by Cabletime, delivering sharp 4K@60 Hz video with HDR, durable construction and gold-plated connectors. Ideal for home theatres, gaming setups or AV systems in South Africa needing long-reach, reliable connectivity.
CT-HD4K-AG-3M	R 91	CableTime Extra Long 3m HDMI 2.0 Cable 4K for TV Computer Projector. The CT-HD4K-AG-3M HDMI 2.0 cable is a premium accessory designed to deliver superior 4K Ultra HD visuals at 60Hz. With a high-speed 18Gbps bandwidth, it ensures smooth streaming and gaming experiences. The cable supports advanced audio formats like Dolby Atmos and Dolby TrueHD 7.1, providing immersive sound quality. Its flexible PVC jacket and gold-plated connectors offer durability and reliable performance, making it an excellent choice for home theaters, gaming setups, and professional presentations.
CT-HD4K-AG-5M	R 114	CableTime Extra Long 5m HDMI 2.0 Cable 4K for TV, Computer Projector.
CT-HD4K-AG10	R 229	CableTime Extra Long 10m HDMI 2.0 Cable 4K for TV Computer Projector
DELOCK-65168	R 269	Delock 65168 20-Pin Adapter HDMI Female - Terminal Block
DTHPT6F94AA	R 253	HP HDMI Standard Cable Kit
DVI-HDMI	R 35	Mecer DVI-D to HDMI Adaptor (Adaptor only - no cable included) - connect any HDMI cable.
F3W43AA	R 263	NBHPF3W43AA, { Compatible with --> HP EliteBook 825 G2, HP Elitebook 845 G2, HP Revolve 810 G2, HP EliteBook 1040, HP ZBook 14, HP ZBook 15, HP ZBook 17, HP ProBook 655 G1, HP ProBook 650 G1, HP ProBook 645 G1, HP ProBook 640 G1, HP Elitebook 820 G1, HP Elitebook 850 G1, HP Elitebook 840 G1, HP Revolve 810 G1, HP mt40, HP 9470m, 2570p, 2170p, 8770w, 8570w, 8470w, 8570p, 8470p, 6475b, 6470b, 6570b }
GAPHV	R 25	Gizzu 1080p HDMI to VGA Adapter high Resolution, 1080p Max Resolution, 60Hz Refresh Rate
GAPHVA	R 29	Gizzu 1080p HDMI to VGA Adapter with audio, HDMI (Male) to VGA (Female), 1920x1080 @ 60Hz Resolution support, 3.5mm Audio Female, 25cm cable length
GAPHVA	R 89	Gizzu 1080p HDMI to VGA Adapter with audio, HDMI (Male) to VGA (Female), 1920x1080 @ 60Hz Resolution support, 3.5mm Audio Female, 25cm cable length
GAPU3H	R 179	Gizzu USB 3.0 to HDMI Adapter, 1920x1080 @ 60hz Resolution support, Aluminium housing, USB 3.0 Input (Male) to HDMI Output (Female), 25cm cable length, Mirror and extended modes support
GAPVHA	R 55	Gizzu 1080p VGA to HDMI Adapter with audio, VGA Input (Male) to HDMI output(female), 1920x1080 @ 60Hz Resolution support, 3.5mm Audio Female, Aluminium housing, 25cm cable length
GCPCH2	R 95	Gizzu 4K60Hz Type-C to HDMI cable 2m, Up to 4K @ 60Hz Resolution support, Type-C (Male) to HDMI (Male), Aluminium housing, 2 metres cable length
GCPDPH15	R 61	Gizzu 4K60Hz DisplayPort to HDMI cable 1.5m, DisplayPort (Male) to HDMI (Male), Gold-Plated connector, Up to 4K@60Hz Resolution support, 1.5 metres cable length
GCPHD18	R 48	Gizzu 1080p HDMI to DVI-D cable - 1.8m, 1080p Full HD Max Resolution, 60Hz Refresh Rate, High-Quality Gold

		connectors
GCPHH06	R 30	Gizzu 4K HDMI 2.0 cable high-quality - 0.6m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHH1	R 31	Gizzu 4K HDMI 2.0 cable high-quality - 1m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHH10	R 91	Gizzu 4K HDMI 2.0 cable high-quality - 10m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHH18	R 36	Gizzu 4K HDMI 2.0 cable high-quality - 1.8m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHH18V21	R 61	Gizzu 8K HDMI 2.1 cable - 1.8m, 8K @60Hz Resolution, Gold-Plated conductor, Supports 8K Resolution at 60Hz, Gold-Plated connectors
GCPHH20	R 615	Gizzu 4K HDMI 2.0 cable high-quality - 20m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHH3	R 40	Gizzu 4K HDMI 2.0 cable high-quality - 3m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHH3V21	R 82	Gizzu 8K HDMI 2.1 cable - 3m, 8K @60Hz Resolution, Gold-Plated conductor, Supports 8K Resolution at 60Hz, Gold-Plated connectors
GCPHH5	R 54	Gizzu 4K HDMI 2.0 cable high-quality - 5m, 18 Gbps Bandwidth, Gold-Plated conductor, Aluminium housing
GCPHHA20	R 718	Gizzu 4K Active Fibre optic HDMI cable 20m, Supports up to 4K@60Hz, HDMI 2.0 (18Gbps) Data Interface, Gold-Plated connectors, Fibre optic Core
GCPHV18	R 89	Gizzu Full HD HDMI to VGA cable 1.8m - Black, HDMI Male Host Interface, VGA Male Output Interface, 1920x1080 @60Hz maximum Resolution, 1.8m cable length, Grey Aluminium Alloy housing Black PVC
H4F02AA	R 240	HP HDMI to VGA Adapter, {Compatible with --> HP 9470m, Spectre XP, Folio 13}
HD101-10115	R 56	Ugreen HD101-10115 HDMI 4K cable Male to Male 1m - Black, Oxygen-Free Copper conductor, Tin-plated Copper wire Core, 7.3mm 26AWG OD, Gold-Plated connectors, Tinned Copper conductors & Triple shielding, HDMI Ethernet channel, Audio return channel, 48-bit deep Colour, Dolby True HD 7.1 Audio, 4K@30Hz Resolution support
HD101-10129	R 68	Ugreen HD101-10129 HDMI 4K cable Male to Male 2m - Black, Oxygen-Free Copper conductor, Tin-plated Copper wire Core, 7.3mm 26AWG OD, Gold-Plated connectors, Tinned Copper conductors & Triple shielding, HDMI Ethernet channel, Audio return channel, 48-bit deep Colour, Dolby True HD 7.1 Audio, 4K@30Hz Resolution support
HD101-10130	R 87	Ugreen HD101-10130 HDMI 4K cable Male to Male 3m - Black, Oxygen-Free Copper conductor, Tin-plated Copper wire Core, 7.3mm 26AWG OD, Gold-Plated connectors, Tinned Copper conductors & Triple shielding, HDMI Ethernet channel, Audio return channel, 48-bit deep Colour, Dolby True HD 7.1 Audio, 4K@30Hz Resolution support
HD101-10167	R 125	Ugreen HD101-10167 HDMI 4K cable Male to Male 5m - Black, Oxygen-Free Copper conductor, Tin-plated Copper wire Core, 8.0mm 26AWG OD, Gold-Plated connectors, Tinned Copper conductors & Triple shielding, HDMI Ethernet channel, Audio return channel, 48-bit deep Colour, Dolby True HD 7.1 Audio, 4K@30Hz Resolution support
HD101-10170	R 352	Ugreen HD101-10170 HDMI 4K ferrite Core cable Male to Male 10m - Black, Oxygen-Free Copper conductor, Tin-plated Copper wire Core, Gold-Plated connectors, Tinned Copper conductors & Triple shielding, HDMI Ethernet channel, Audio return channel, 48-bit deep Colour, Dolby True HD 7.1 Audio, 4K@30Hz Resolution support
HD104-10106	R 59	Ugreen HD104-10106 HDMI 4K cable Male to Male Black - 1m, 26AWG wire Gauge, 8.0mm Outer Diameter, 3D Video support, Up to 48-bit deep Colour, Audio return channel (ARC), Ethernet channel, Tin-plated Copper conductor material
HD104-10107	R 64	Ugreen HD104-10107 HDMI 4K cable Male to Male Black - 2m, 26AWG wire Gauge, 8.0mm Outer Diameter, 3D Video support, Up to 48-bit deep Colour, Audio return channel (ARC), Ethernet channel, Tin-plated Copper conductor material
HD104-10108	R 81	Ugreen HD104-10108 HDMI 4K cable Male to Male Black - 3m, 26AWG wire Gauge, 8.0mm Outer Diameter, 3D Video support, Up to 48-bit deep Colour, Audio return channel (ARC), Ethernet channel, Tin-plated Copper conductor material
HD104-10109	R 117	Ugreen HD104-10109 HDMI 4K cable Male to Male Black - 5m, 26AWG wire Gauge, 8.0mm Outer Diameter, 3D Video support, Up to 48-bit deep Colour, Audio return channel (ARC), Ethernet channel, Tin-plated Copper conductor material

HD104-10110	R 334	Ugreen HD104-10110 HDMI 4K cable Male to Male Black - 10m, 26AWG wire Gauge, 8.0mm Outer Diameter, 3D Video support, Up to 48-bit deep Colour, Audio return channel (ARC), Ethernet channel, Tin-plated Copper conductor material
HD106-10135	R 106	Ugreen HDMI Male to DVI (24 1) Male cable - 2m, Up to 1080p @ 60Hz Resolution support, 30AWG cable Gauge, 7.3mm OD, Aluminium foil and braid for signal stability, Gold-Plated for corrosion resistance connector coating, Supports HDMI to DVI and DVI to HDMI conversion
HD106-11150	R 76	Ugreen HDMI Male to DVI (24 1) Male cable - 1.5m, Up to 1080p @ 60Hz Resolution support, 30AWG cable Gauge, 7.3mm OD, Aluminium foil and braid for signal stability, Gold-Plated for corrosion resistance connector coating, Supports HDMI to DVI and DVI to HDMI conversion
HD112-20109	R 36	UGreen HD112 Black HDMI 4K Male to Female Down-angled Connector. HDMI male-to-female 90° down-angle adapter; HDMI 2.0; supports 4K@60Hz; 10.2 Gb/s; ABS housing; black
HD112-20110	R 36	UGreen HD112 Black HDMI 4K Male to Female Up-angled Connector. HDMI male-to-female up-angle adapter; 4K60Hz; HDMI 2.0; 10.2Gbps; 90-degree upward angle; black ABS housing; model HD112-20110
HD127-30102	R 102	UGreen HD127 Micro HDMI to HDMI 2.0 cable 1.5m - Black, Supports resolutions up to 4K at 60Hz, Transfers Data at speeds up to 18Gbps for smooth, Gold-Plated connectors, TPE braid shielding
HD140-80401	R 102	UGreen HDMI 2.1 Male to Male cable 1m - Black, 8K @ 60Hz, 4K @ 120Hz, Tin-plated Copper Inner protection, HDR, 3D, VRR, Qms, Allm, eARC, PVC Case Nylon braid cable material
HD140-80403	R 125	UGreen HDMI 2.1 Male to Male cable 2m - Black, 8K @ 60Hz, 4K @ 120Hz, Tin-plated Copper Inner protection, HDR, 3D, VRR, Qms, Allm, eARC, PVC Case Nylon braid cable material
HD140-80404	R 144	UGreen HDMI 2.1 Male to Male cable 3m - Black, 8K @ 60Hz, 4K @ 120Hz, Tin-plated Copper Inner protection, HDR, 3D, VRR, Qms, Allm, eARC, PVC Case Nylon braid cable material
HD140-80405	R 208	UGreen HDMI 2.1 Male to Male cable 5m - Black, 8K @ 60Hz, 4K @ 120Hz, Tin-plated Copper Inner protection, HDR, 3D, VRR, Qms, Allm, eARC, PVC Case Nylon braid cable material
HD178-45504	R 532	UGreen HDMI 4K cable Male to Male 15m - Black, HDMI 2.0 Standard Version, 15m cable length, HDMI Male Connector Type for both ends, 18Gbps Maximum Bandwidth, Supports 4K Resolution at 60Hz (3840x2160), HDR 10 support included, Colour depth up to 48-bit, Gold-Plated HDMI Male connectors, Aluminium Alloy housing
HDM-ADPT-90RA	R 29	Dtech 90 degree Male to Female HDMI Adapter
HDM-ADPT-F-F	R 29	Dtech Female to Female HDMI Adapter
HDM-CAB-ARM-20M-PC	R 1,034	Dtech 20m 8K Fiber Optic HDMI 2.1 cable with Waterproof Shell, 48Gbps High-Speed, Metal-armored Photoelectric composite Core, Robust Zinc Alloy housing, Gold-Plated connectors, Reinforced PVC jacket with foil shielding
HDM-CAB-ARM-30M-PC	R 1,206	Dtech 30m 8K Armored HDMI 2.1 Fiber cable with Waterproof Connector cap, length of 30 metres with AOC Hybrid Fibre construction, Supports full 48 Gbps Bandwidth for 8K @ 60Hz and 4K @ 120Hz Video, HDR10, Dolby Vision, HDR10 , eARC, Dolby Atmos and DTS:X Audio formats, Features Gold-Plated corrosion-resistant connection pins, Includes anti-interference structure with Transparent Waterproof Shell for Outdoor runs, Armoured Steel layer protected by a fire-retardant jacket, cable Outer Diameter measures 4800 mm, Supports HDCP 2.3 Protocol
HDM-CAB-ARM-50M	R 1,321	Dtech 50m HDMI 2.0 4K 60Hz Optical Fiber cable, Supports HDR, Armored, eARC, Copper Optical Fiber for Zero signal loss and no EMI, Stainless Steel Armored layer with durable PVC jacket, Gold-Plated HDMI connectors, UniDirectional signal Flow
HDM-CAB-ARM-5M	R 385	Dtech 5m HDMI 2.0 Optical Fiber cable - 4K 60Hz HDR Armored eARC, Copper Optical Fiber for Zero signal loss and no emi, Stainless Steel Armored layer with durable PVC jacket, Gold-Plated HDMI connectors, Supports HDR
HDM-CAB-FIB-10M	R 385	Dtech 10m HDMI AOC Optical Fiber cable, Real 4K @ 60Hz 3D, Support HDCP 2.2
HDM-CAB-FIB-20M	R 470	Dtech 20m HDMI AOC Optical Fiber cable, 4K @ 60Hz 3D
HDM-CAB-FIB-50M-8K	R 1,057	Dtech 8K Optical Fiber HDMI cable, HDM-CAB-FIB-50M-8K
HDM-CAB-FIB-60M	R 953	Dtech 60m HDMI AOC Optical Fiber cable, 4K @ 60Hz 3D
HDM-CAB-M-M0.5M	R 33	Dtech 0.5m HDMI V2 Male to Male cable, Supports Resolution up to 3840x2160 @60Hz, Total Data Throughput of 18Gbps, Gold plated connector
HDM-CAB-M-M1.5M	R 52	Dtech 1.5m HDMI v2 Male-to-Male cable, supports Resolution up to 3840x2160 @ 60Hz, Gold plated connector
HDM-CAB-M-M1.5MS	R 52	Dtech 1.5m HDMI V2 Male-to-Male cable (Slim), Supports Resolution up to 3840x2160 @60Hz, Total Data

		Throughput of 18Gbps
HDM-CAB-M-M1M	R 40	Dtech 1m HDMI V2 Male to Male cable, Supports Resolution up to 3840x2160 @60Hz, Total Data Throughput of 18Gbps, Gold plated connector
HDM-CAB-M-M2M	R 46	Dtech 2m HDMI V2 Male to Male cable, Supports Resolution up to 3840x2160 @60Hz, Total Data Throughput of 18Gbps, Gold plated connector
HDM-CAB-M-M2MS	R 58	Dtech 2m HDMI V2 Male-to-Male cable (Slim), Supports Resolution up to 3840x2160 @60Hz, Total Data Throughput of 18Gbps
HDM-CAB-M-M3M	R 52	Dtech 3m HDMI V2 Male to Male cable, Supports Resolution up to 3840x2160 @60Hz, Total Data Throughput of 18Gbps, Gold plated connector
HDM-CAB-M-M5M	R 79	Dtech HDMI V2 Male-to-Male cable - 5m, Supports Resolution up to 3840x2160 @60Hz, Total Data Throughput of 18Gbps, Gold plated connector
HDM-CNV-HA-MC	R 252	Dtech HDMI to AV HD converter with Metal casing, 1080p Input HDMI signal Format, AV Output, Stereo audio Output
HDM-CNV-HVA	R 1,696	Dtech HDMI to VGA converter cable with 3.5mm audio jack
HDM001	R 69	Unbranded Micro HDMI to HDMI cable 1.5m
HDM002	R 52	Unbranded Mini HDMI Male to HDMI Male cable 1.5m long
HDM008	R 69	Microworld Mini HDMI to HDMI cable 3m
HDM009	R 173	Microworld 3-in-1 HDMI to VGA with audio converter. HDMI -> VGA Audio, includes Micro HDMI TO HDMI Converter, Mini HDMI TO HDMI Converter
HDM011	R 173	Microworld HDMI Male to DisplayPort Female passive, HDMI Male USB Male (Power) Input, DisplayPort Female Output, Up to 4K UHD 3840x2160 @ 30Hz Resolution support, Approx. 20cm cable length
HDM023	R 35	Microworld HDMI Extension cable 30cm long
HDM060	R 17	Microworld HDMI Female to HDMI Female Adapter; HDMI cable coupler; HD video and audio; Gold-plated connectors; Compact design; 4 x 2 x 3 cm; Joins two HDMI cables; TVs, monitors, projectors, computers and gaming consoles
HDM062	R 81	Microworld HDMI female to HDMI female angle
HDM1.5M	R 35	Microworld HDMI Male to Male 1.5m cable
HDM1.8M	R 38	Unbranded HDMI to HDMI 1.4 cable 1.8m long
HDM1.8V2	R 46	Unbranded HDMI V2 Male to Male cable 1.8m long
HDM10.0M	R 150	Unbranded HDMI Male to HDMI Male cable 10m long Version 1.4
HDM10.0MH	R 374	Microworld HDMI Fiber Optic 8K cable - 10m, HDMI Version 2.1, 7680x4320 (8K) maximum Resolution, 48 Gbps Bandwidth, 8K @ 60Hz, 4K @ 120Hz, Gold-Plated HDMI Male Connector Type
HDM10.0V2	R 196	Microworld HDMI 10m V2 cable
HDM15.0M	R 230	Microworld HDMI Male to HDMI Male cable 15m long Version 1.4
HDM15.0MH	R 459	Microworld HDMI Fiber Optic 8K cable - 15m, HDMI Version 2.1, 7680x4320 (8K) maximum Resolution, 48 Gbps Bandwidth, 8K @ 60Hz, 4K @ 120Hz, Gold-Plated HDMI Male Connector Type
HDM15.0V2	R 316	Microworld HDMI Male to HDMI Male - 15m - V2.0
HDM15M8K	R 345	Microworld HDMI 8K @ 120Hz / 60Hz cable - 15m, HDR 10 & eARC, 48Gbps & Triple shielding, 24K Gold plated connectors, High purity Oxygen-Free Copper
HDM20.0M	R 391	Microworld HDMI to HDMI cable 20m long
HDM20.0MH	R 546	Microworld HDMI Fiber Optic 8K cable - 20m, HDMI Version 2.1, 7680x4320 (8K) maximum Resolution, 48 Gbps Bandwidth, 8K @ 60Hz, 4K @ 120Hz, Gold-Plated HDMI Male Connector Type
HDM25.0M	R 459	Microworld HDMI Male to HDMI Male cable 25m long version 1.4
HDM25.0M-BLACK	R 459	Microworld HDMI Male to HDMI Male cable 25m long version 1.4 Black Flat
HDM25.0M-RED	R 459	Microworld HDMI Male to HDMI Male cable 25m long version 1.4 Red Flat
HDM25.0MH	R 604	Microworld HDMI Fiber Optic 8K cable - 25m, HDMI Version 2.1, 7680x4320 (8K) maximum Resolution, 48 Gbps Bandwidth, 8K @ 60Hz, 4K @ 120Hz, Gold-Plated HDMI Male Connector Type
HDM3.0-G	R 92	Microworld HDMI 3m Gold head
HDM3.0M	R 46	Unbranded HDMI 1.4 to HDMI 1.4 cable 3m long

HDM3.0V2	R 58	Unbranded HDMI V2 Male to HDMI V2 Male cable 3m long
HDM30.0M	R 506	Microworld HDMI Male to HDMI Male cable 30m long version 1.4
HDM30.0MH	R 804	Microworld HDMI to HDMI cable 30m long HQ
HDM30.0V2	R 689	Microworld HDMI Male to HDMI Male 30.0m V2 cable
HDM5.0M	R 75	Unbranded HDMI to HDMI 1.4 Version cable 5m long
HDM5.0MH	R 253	Microworld HDMI Fiber Optic 8K cable - 5m, HDMI Version 2.1, 7680x4320 (8K) maximum Resolution, 48 Gbps Bandwidth, 8K @ 60Hz, 4K @ 120Hz, Gold-Plated HDMI Male Connector Type
HDM5.0V2	R 86	Microworld HDMI 5m V2 cable
HDMDUMMY	R 104	Microworld HDMI dummy plugs / Headless ghost display / Display emulator. This high-quality 4K HDMI Dummy emulates a display. Remote Desktop without monitor, keyboard or mouse. Cryptocurrency mining PC without connections. Other GPGPU operations like rendering and simulations. Supports 3840x2160@60Hz, 1080@120Hz. Each HDMI dongle emulates one screen, and by plugging in 2 or more into a PC / MAC, you can work on multiple screens when working remotely.
HDMEXT3MTR	R 92	Microworld HDMI extension cable 3m, Up to 1080p Resolution
HDMI-1.5M	R 19	UniQue HDMI 19PIN- HDMI 19PIN Cable 1.5M-High definition cable to ensure high uncompressed definition for electronic display devices such as plasma TV, LCD & Projectors etc.
HDMI-10M	R 224	Mecer HDMI Cable 10m (Male to Male)
HDMI-15M	R 362	Mecer HDMI Cable 15m (Male to Male)
HDMI-20M	R 249	UniQue HDMI 19PIN- HDMI 19PIN Cable 20M-High definition cable to ensure high uncompressed definition for electronic display devices such as plasma TV, LCD & Projectors etc.
HDMI-20M	R 582	Mecer HDMI Cable 20m (Male to Male)
HDMI-3M	R 92	Mecer 3 Meter (10ft) HDMI to HDMI Gold Plated Cable with Ethernet (Note: image differs slightly from actual product)
HDMI-5M	R 132	Mecer HDMI Cable 5m (Male to Male)
HDMI-SDI	R 689	Microworld HDMI To SDI Converter; SD-SDI; HD-SDI; 3G-SDI; 270Mb/s; 1.485Gb/s; 2.97Gb/s; up to 1080p; 95 x 43 x 23mm; 125g; 5V DC
HDMI/3M-2	R 49	UniQue HDMI 19PIN- HDMI 19PIN Cable 3M With 90 Degree Head,Gold Plugs, V2.0 -High definition cable to ensure high uncompressed definition for electronic display devices such as plasma TV, LCD & Projectors etc., Retail Box
HDMI/MF	R 29	Unique HDMI Male to Female adaptor 90 degree, HDMI/MF, 24K Gold-Plated, 4K x 4K Max Resolution
HDMI20M8K	R 506	Microworld HDMI 8K @ 120Hz / 60Hz cable - 20m, HDR 10 & eARC, 48Gbps & Triple shielding, 24K Gold plated connectors, High purity Oxygen-Free Copper
HDMIB-5M	R 69	Unique Braided HDMI to HDMI cable 5m - Blue, High Definition cable ver 1.4, Supports 4k2k / 2160p / 1440p / 1080p / 720p / 480p resolutions
HDMIC1.5M-4K	R 39	UniQue Premium High Speed HDMI Cable - 1.5 Meters Long, 4K UltraHD, HD2.0 Version, 60Hz Refresh Rate, 24K Gold Plated Connector, Aluminum Alloy Housing, High-Speed Data Transfer, Professional AV Setups In Conference Rooms And Classrooms, Support PS4, Blu ray, Projector, Set-top, HDTV All Applicable, Retail Box, 3 Month Warranty
HDMIC30M	R 299	UniQue Male To Male HDMI Cable - Supports Up to 4K (4096 x 2160 @30Hz), HDMI Version 2.0, HDMI Male to HDMI Male Connectors, 24k Gold-Plated Connectors, Oxygen Free Copper Conductors, 24 AWG, Triple EMI Shielding, Cable Diameter Approximately 11mm, Supports HDMI Ethernet Channel, Audio Return Channel, 3D, Various Colour Spaces, HDCP Compliance, Durable Aluminium Alloy Housing, Temperature Rating 80°C, Backwards Compatible with HDMI Versions 1.4, 1.3, 1.2, Suitable for Home Theater, Gaming Consoles, Blu-ray Players, and Other HDMI Devices Requiring 4K Transmission, No Warranty
HDMIC3M-4K	R 59	UniQue 3m 4K HDMI cable; gold plated connectors; high speed digital video and audio; HDMI male to male; HDCP compliant; Dolby TrueHD DTS-HD Master Audio
HDMIC5M-4K	R 89	UniQue Premium High Speed HDMI Cable - 5 Meters Long, 4K UltraHD, HD2.0 Version, 60Hz Refresh Rate, 24K Gold Plated Connector, Aluminum Alloy Housing, High-Speed Data Transfer, Professional AV Setups In Conference Rooms And Classrooms, Support PS4, Blu ray, Projector, Set-top, HDTV All Applicable, Retail Box, 3

		Month Warranty
HDMICRET15M-4K	R 199	Unique 4K HDMI 1.4 cable - 15m, 24K Gold plated connector, Support for resolutions up to 4096x2160 @ 30Hz
HDMICRET20M-4K	R 229	Unique 4K HDMI 1.4 cable - 20m, 24K Gold plated connector, Support for resolutions up to 4096x2160 @ 30Hz
HDMICRET5M-4K	R 89	Unique 4K HDMI 1.4 cable - 5m, 24K Gold plated connector, Support for resolutions up to 4096x2160 @ 30Hz
HDMITCON	R 35	Microworld HDMITCON Micro HDMI (m) Mini HDMI (m) to HDMI (f) adapter; black; connects compatible Micro HDMI and Mini HDMI devices to standard HDMI cables
HDMITVGA-03	R 99	UniQue HDMI To VGA Female Audio Adaptor - HDMI Input, 1080P Resolutions VGA Output, Includes 3.5mm Audio Output, No External Power Supply, Plug And Play, Compatible With Most Monitors And Displays, Retail Box, 3 Months Warranty
HDMITVGA-AC-WHT	R 89	UniQue HDMI Male To VGA Female With Audio Adaptor - Input HDMI, Output VGA, 1080p Full HD, Up To 1920 x 1080 @ 60Hz, Gold Plated HDMI Connector, Compatible With Desktop, Laptops, Raspberry Pi, Xbox one, Or Other Devices With HDMI Port, Include Audio Cable For Sound Quality, Plug And Play, 3 Months Warranty
HDMV2-20MTR	R 574	Microworld 20m HDMI V2 Male to Male cable
HDTV-HDMI10M-4/8K	R 229	UniQue Premium High Speed HDTV Cable - 10 Metres Long, HDTV 2.0 Version, 4K Display, 24K Gold Plated Connector, Aluminum Alloy Housing, High Speed Ethernet Support 10/100Mbps Network Transmission, Support Dolby True-HD, DTS-HD, Master Audio, Support Up to 32 Sound Channels, Applicable To PS4, Blu Ray, Projector, Set-top Box, LCD Display, Retail Box, 3 Months Warranty.
HDTV-HDMI10M-4K	R 159	UniQue Premium High Speed HDTV Cable - 10 Meters Long, 3D, 4K UltraHD, 8K UltraHD, HD2.0 Version, 60Hz Refresh Rate, 24K Gold Plated Connector, Aluminum Alloy Housing, High Speed Ethernet Of 10/1000Mbps Network Transmission, Support PS4, Blu ray, Projector, Set-top, HDTV All Applicable, Retail Box, 3 Month Warranty
HDTV-HDMI15M-4K	R 249	UniQue Premium High Speed HDTV Cable - 15 Meters Long, 3D, 4K UltraHD, HD2.0 Version, 60Hz Refresh Rate, 24K Gold Plated Connector, Aluminum Alloy Housing, High Speed Ethernet Of 10/1000Mbps Network Transmission, Support PS4, Blu ray, Projector, Set-top, HDTV All Applicable, Retail Box, 3 Month Warranty
HDTV-HDMI20M-4/8K	R 449	UniQue Premium High Speed HDTV Cable - 20 Metres Long, HDTV 2.0 Version, 4K Display, 24K Gold Plated Connector, Aluminum Alloy Housing, High Speed Ethernet Support 10/100Mbps Network Transmission, Support Dolby True-HD, DTS-HD, Master Audio, Support Up to 32 Sound Channels, Applicable To PS4, Blu Ray, Projector, Set-top Box, LCD Display, Retail Box, 3 Months Warranty.
HDTV-HDMI20M-4K	R 299	UniQue Premium High Speed HDTV Cable - 20 Meters Long, 4K UltraHD, HD2.0 Version, 60Hz Refresh Rate, 24K Gold Plated Connector, Aluminum Alloy Housing, High Speed Ethernet Of 10/1000Mbps Network Transmission, Support PS4, Blu ray, Projector, Set-top, HDTV All Applicable, Retail Box, 3 Month Warranty
HDV101	R 98	Microworld HDMI to VGA adaptor
M49143	R 308	Verbatim USB-c To HDMI 4k Adapter - USB 3.1 Gen 1 / HDMI 10cm Cable
M49144	R 305	Verbatim USB-c To HDMI Adapter - USB 3.1 Gen 1 / HDMI 1.5m Cable
MHDMI-HDMI	R 104	Mecer Micro HDMI to HDMI Cable
MM103-40248	R 155	UGREEN HDMI to VGA Converter 25cm (Black)
MM105-40253	R 125	UGREEN HDMI to VGA Converter without Audio (Black)
MM142-50570	R 315	UGREEN USB-C to HDMI Male to Male Cable Aluminum Shell 1.5m (Gray Black)
MNPHHDMICABLE	R 114	Philips HDMI 1.4 Cable Black, Hdmi Male To Male, 1.8 Metre Hdmi Cable
MT-H1400	R 1,149	MT-Viki HDMI 40m 4Kx2K @ 30Hz cable
MT-H1500	R 1,438	MT-Viki HDMI 50m 4Kx2K @ 30Hz cable
MT-H4020	R 48	Mt-Viki 2m HDMI cable, Supports 1080P
MT-H4050	R 81	MT-Viki 5m HDMI cable, Supports 1080p
MT-PH130	R 201	MT-Viki 3m DP Display Port to HDMI converter cable
MT-PH230	R 201	MT-Viki MT-PH230 3M Mini DP TO HDMI Converter Cable
MT-UC22	R 229	MT-Viki MT-UC22 TYPE C TO VGA USB3.0 Adapter
NBLE0B47070	R 328	Lenovo 0B47070 HDMI to HDMI Monitor cable 2m, Supports full 1080p resolutions at 120 Hz
NET-SNAPIN-HDMI-TERM	R 343	Unbranded FA-2420-HDMI-T Snapin Multi-media HDMI Terminal
RCT ADP-DPHDMI4K	R 144	RCT DisplayPort to HDMI adaptor - 4K capable

RCT CB MICRO HDMI TO HDMI -3M	R 100	RCT 3m Micro HDMI male to HDMI male cable (Classic). 10.2Gbps, 4K, Clock rate 340MHz, 30/36/48bit, Single shielded, Copper, Ethernet 100Mbps, Audio return channel, Dolby & TrueHD & DTS 5.1/7.1, Double refresh
SC-JCA157	R 496	J5create JCA157 Type-C (Gen1) to 8K HDMI adaptor, Support extended/Mirror mode, Support upto 8K HDMI with HDR (8K@60Hz / 3840x2160@144hz) with RGB indicator, USB powered, Aluminum housing, 2.1 via HDMI audio channel
SC-JCA465	R 1,037	J5create JCA465 type-C to 2x4K / 1x8K HDMi (female, work with existing cable), 2 Display Modes (extended / mirror), ideal for desktop or notebook/new mac book, support up to 2x4K HD (3840x2160@60Hz) / 1x8K HD (7680x4320@60Hz), 45x80x12mm 200mm cable - USB-powered, aluminum housing
SC-JCC155	R 423	J5create JCC155g type-C/Thunderbolt3 to HDMI Cable (male - direct to display) with separate PD100W type-C/Thunderbolt3 charge port, ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160@60Hz), 1200mm cable to HDMI 1800mm cable to type-C/Thunderbolt3 - USB-powered
SC-JCC157	R 684	J5create JCC157 Type-C (Gen1) to 8K HDMI cable, Support extended/Mirror mode, Support upto 8K HDMI with HDR (8K@60Hz / 3840x2160@144hz) with RGB indicator, USB powered, Aluminum housing, 2.1 via HDMI audio channel
SC-JUA165C	R 529	J5create JUA165C miCroUSB type-C USB3.0 to HDMi converter/cable (female, work with existing VGA cable), ideal for desktop or notebook/new mac book, support up to Full HD (1920x1080), 26x68x15mm 150mm cable - USB-powered, aluminum housing
SC-JUA254	R 695	J5 create JUA254 USB3.0 to HDMi Adapter (female, work with existing cable), ideal for desktop or notebook, support up to QWXGA (2048x1152 @ 32bit), USB-powered, support primary/ extended/ mirror rotation modes - support up to 4 display with 4 units (pc)/ 2 display with 2 units (mac), 26x68x15mm 80mm cable, for PC or MAC (except rotation mode), plastic white
SC-JUA354	R 1,037	j5 create JUA354 USB3.0 to 4K HDMi, ideal for desktop or notebook, support up to 4K (3840x2160 @ 30hz), USB-powered, support primary/ extended/ mirror/ rotation modes - 58x76x11mm 80mm cable, for PC or MAC (except rotation mode), aluminium housing with silver colour
SC-JVAW56	R 783	J5create JVAW56 screencast HDMI wireless Display Adapter - 802.11AC range up to 15m, 1080P FHD, powered by USB with HDMi to display, 57x24x10.5mm with 600mm cable, support miracast/ AirPlay/ chromecast - white
SC-JVAW60	R 1,271	J5-Create JVAW60 ScreenCast Mini Duo Wireless Display Adapter for Mobile Devices; USB-C transmitter; HDMI receiver; Full HD 1920 x 1080 at 60Hz; AirPlay; Miracast; 2.4GHz and 5GHz wireless; 5V/1.5A pass-through charging; portrait mode; up to 10-15m range; Windows, macOS, iOS, iPadOS and Android compatibility; white/orange
SC-JVAW65	R 1,116	J5-Create JVAW65 ScreenCast Mini - HDMI FHD Wireless Display Adapter; Full HD wireless display adapter; 1920 x 1080 at 60Hz; AirPlay; Miracast; 2.4GHz and 5GHz wireless; HDMI male; USB Type-A power; Windows, macOS, Android, iOS and iPadOS compatibility; up to 30m stated range; USB extension cable included
SC-JVAW76M	R 1,380	J5-Create JVAW76MAX ScreenCast 4K Max Wireless Display Adapter; ScreenCast 4K Max wireless display adapter; up to 3840 x 2160 output; HDMI 1.4; AirPlay, Miracast, Chromecast; dual-band 2.4GHz and 5GHz; external antenna; wireless range up to 15m; USB Micro-B power; dimensions: 9.5 x 3.2 x 1.1 cm; weight: 79.5g
SC-JVAW76P	R 1,204	J5-Create JVAW76 PRO ScreenCast 4K Pro Wireless Display Adapter; up to 3840 x 2160 output; AirPlay, Miracast, Google Cast; 2.4GHz and 5GHz Wi-Fi; IEEE 802.11ac; HDMI male; USB Micro-B power; external antenna; up to 15m stated range; mirror and extend modes; white; 9.5 x 3.2 x 1.1 cm; 79.5g
SUR004	R 184	Microworld USB 3.0 to HDMI Adapter; Up To Full HD 1080p; Converts USB 3.0 Signal To HDMI Display Output; Laptops, PCs, Desktops (USB 3.0 Support Required); Audio Support (Via HDMI Output); Installation May Be Required, Not Fully Plug-And-Play On All Systems; Compact And Lightweight Design
SUR005	R 229	Microworld USB 3.0 to VGA HDMI adaptor
SWV3431S/10	R 200	Philips 500 Series 1.5m 180° Swivel HDMI - HDMI cable with Ethernet
SWV3433S/10	R 189	Philips 500 Series 3.0m HDMI - HDMI Cable With Ethernet. Experience superior Hi-definition TV. High speed HDMI delivers the best digital audio and video performance possible with resolutions up to 4x 1080p .
SWV3445S/10	R 196	Philips 500 Series 1.5m HDMI - Micro HDMI cable
SWV3481S/10	R 192	Philips 500 Series 1.5m HDMI - Ethernet HDMI Cable
SWV4434S/10	R 187	Philips 200 Series 5.0m HDMI - HDMI Cable With Ethernet; UHD 2160p 4K; 3D support; HDMI Ethernet Channel;

		Audio Return Channel; gold plated connectors; bare copper shielding; molded connectors; net weight: 0.323kg
SWV4435S/10	R 148	Philips 200 2m 180° Swivel HDMI - HDMI cable with Ethernet
SWV4437S/10	R 258	Philips 200 Series 3.0m Flat HDMI - HDMI cable
SWV5551/00	R 104	Philips 5 m HDMI 2.0 cable, Supports Video resolutions up to 4K or UHD 2160p, 4K 60Hz Ultra HD with Ethernet
SWV9030/10	R 69	Philips 3m 8k 60hz Ultra HD HDMI Cable
T6F94AA	R 275	HP HDMI Standard Cable Kit
UA520C	R 245	TP-Link UA520C USB Type-C to HDMI Adapter, SPEC: 1 x USB-C Connector, 1 x HDMI 4K 60Hz Port, FEATURE: Plug and Play, Fast Heat Dissipation, Flexible and Durable
UC3008A1	R 400	Aten USB-C to 4K HDMI Adapter, 4096x2160 @60Hz maximum Resolution, USB 3.2 Gen 1 Type-C with DP alt mode (Thunderbolt 3 compatible), HDMI 2.0, 1x HDMI Female Output
UNI-HDMIC3M	R 29	Unique HDMI To HDMI Cable Black - 3m, Retail Box
UNI-HDMIC5M	R 49	Unique HDMI To HDMI Cable Black - 5m, Retail Box
UNI-HDMICF1.5-4K	R 35	Unique 4K HDMI 1.4 Flat cable - 1.5m, Supports resolution up to 1080P
UQ-CONAV2HDMI	R 129	UniQue MIni AV To HDMI Video Convertor - AV (Yellow, White, And Red Cables) Input, HDMI Output, Auto Convert Composite Signal To 720P Or 1080P, Support Up To 1920 x 1080 @ 65Hz High Bandwidth, Low Power, Plug And Play, No Need To Install Drivers, Portable, Retail Box, 3 Months Warranty
UQ-HDMIC15M-8K	R 349	UniQue Premium High Speed HDTV Cable - HDTV 2.1 Version, 15 Meters Long, 8K Ultra HD, 7680x4320P Resolution, 60Hz Refresh Rate, 48Gbps Transmission Speed, Ultra High Speed, Dolby Atmos, eARC Audio Support, High Quality Copper Wire, Durable PVC Jacket, 24K Gold Plated Connectors, 99.996% And High Purityoxygen-free Copper, Retail Box, 3 Months Warranty.
UQ-HDMIC20M-8K	R 669	UniQue Premium High Speed HDTV Cable - HDTV 2.1 Version, 20 Meters Long, 8K Ultra HD, 7680x4320P Resolution, 60Hz Refresh Rate, 48Gbps Transmission Speed, Ultra High Speed, Dolby Atmos, eARC Audio Support, High Quality Copper Wire, Durable PVC Jacket, 24K Gold Plated Connectors, 99.996% And High Purityoxygen-free Copper, Retail Box, 3 Months Warranty.
UQ-HDMIFO-100M	R 1,499	UniQue HDTV Active Optical Cable - 100 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, ' 18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-10M	R 516	UniQue HDTV Active Optical Cable - 10 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, '18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-10M	R 449	UniQue HDTV Active Optical Cable - 10 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, '18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-15M	R 631	UniQue HDTV Active Optical Cable - 15 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, '18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-15M	R 549	UniQue HDTV Active Optical Cable - 15 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, '18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-20M	R 746	UniQue HDTV Active Optical Cable - 20 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, ' 18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-40M	R 749	UniQue HDTV Active Optical Cable - 40 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, '18Gbps

		Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFO-80M	R 1,199	UniQue HDTV Active Optical Cable - 80 Meters Long, 4K 2160P Ultra HD @ 60Hz, 10 HDR, 2.2 HDCP, '18Gbps Bandwidth, Gold Plated, Long-Life Design, PVC Jacket Material, OM3 Fiber, 250mW Power Consumption, Plug and Play, One Way Transmission, Resistant To EMI And RFI, 4.8mm Cable Thickness, Retail Box, 3 Months Warranty
UQ-HDMIFTDVIM	R 99	UniQue Female HDMI To 24 1 Male DVI Cable - 30cm Long, HDMI Source Input, DVI-D Dual Link Output, Up To 1920 x 1200 Maximum Resolution, 1.4 HDMI Version, High Speed Cable, PVC Material, Plug And Play, No Drivers Needed, 1 Month Warranty.
UQ-HDMIT2HDMIFC	R 89	UniQue Male HDMI To 2 Female HDMI Splitter Adapter Cable - HDMI Male Input To Dual HDMI Female Output, Split One HDMI Signal Into Two Outputs For Simultaneous Display, High Quality Construction, Up To 1080P Resolution, 3D Video, Compatible With HDMI Enabled Devices, 3 Months Warranty
USB-C-HDMI	R 1,696	Dtech Type-C 3.1 to 4K HDMI Adapter, 4K @ 30Hz, USB-C 3.1 to HDMI Female, Supports extended Display mode
USB-C-HDMI-AD-V1421A	R 293	Unitek V1421A 4K @ 60Hz USB Type-C to HDMI 2.0 Adapter, 1x HDMI, 1x Host USB-C, 15cm cable length, ABS material
USB3THDM01	R 149	Unique USB 3.0 to HDMI Adapter cable, USB3THDM01, 1920x1080 Resolution, 15cm cable length
USBC202	R 138	Microworld USB-C 3.1 Male to HDMI Female; Aluminum alloy silver; Type C /HDMI connector; Type C 3.1 high-speed interface; HDMI 4K HD; Type C to USB3.1 theoretical speed 10Gbps; Backward compatible with USB3.0/USB2.0/USB1.1; 5V-20V, current 3A-5A; High-end aluminum-magnesium alloy material, Anti-scratch, no discoloration, better heat dissipation performance, long-lasting life; USB 3.1 Type-C To HDMI 4K; compatible with HDPC protocol data transmission and computer connection 4K HD TV or projector, etc.
USBC203	R 286	Microworld USB Type-C to Dual 4K HDMI adaptor, Support 4K 30Hz - 4K 60Hz if one is used alone
USBC2H4K	R 445	Cirago USB-C to HDMI (4K) Adapter - Silver
USBCHD	R 201	Microworld USB Type-C to HDMI Mini cable 1.8m, 4K @ 30Hz Max Resolution
USBCHDMI	R 114	Microworld USBCHDMI Type-C to HDMI cable - 1.5m, Supports Full HD / 4K Resolution
VC810	R 248	Aten VC810 HDMI to VGA Adapter
VC810	R 230	Aten VC810 HDMI to VGA Adapter
VE7833	R 4,127	Aten VE7833 30M True 4K HDMI Active Optical Cable (True 4K@30m), Extends True 4K signals (4096 x 2160 @ 60Hz 4:4:4) up to 30 m, Reduced EMI and RFI for lower noise interference, Gold-plated connectors for reliable transmissions, Pluggable gender for easy installation
VE801R	R 2,644	Aten VE801R HDMI HDBaseT-Lite Receiver (4K@40m) (HDBaseT Class B)
VE801T	R 3,211	Aten VE801T HDMI HDBaseT-Lite Transmitter (4K@40m) (HDBaseT Class B)
VK-20043-CH	R 437	VolkanoX Core HDMI Series USB Type-C to 4K HDMI converter - Charcoal, HDMI 4K V1.4 Video out, 2160p Maximum Resolution, 5.1 channels audio out
VK-20044-CH	R 505	VolkanoX VK-20044-CH Core Video Series USB Type-C to HDMI VGA converter 10cm - Charcoal, 5.1 channel via HDMI audio Output, 2160p Maximum HDMI Resolution, 1920x1080 Maximum VGA Resolution
VK-20045-BK	R 287	Volkano Annex series HDMI Male to VGA female converter, 10cm cable, with Sound
VK-20047-BK	R 356	Volkano Port series Black 10cm DisplayPort to 4K HDMI converter
VK-20048-WT	R 356	Volkano MiniPort Series White 10cm Mini DisplayPort to 4K HDMI converter
VK-20163-BK	R 207	VolkanoX Clarity Series 8K Ultra HD HDMI cable 1.5m, Supports Ultra HD Resolution up to 8K, HDR support, Arc support, HDMI 2.1 Certified, Gold plated connectors
VK-20164-BK	R 287	VolkanoX Clarity Series 8K Ultra HD HDMI cable 3m, Supports Ultra HD Resolution up to 8K, HDR support, Arc support, HDMI 2.1 Certified, Gold plated connectors
VK-20193-BK	R 132	VolkanoX Define Series HDMI Swivel 360 degree adaptor
VK-20244-BK	R 369	Volkano Expand Series USB-C To Dual 4K HDMI Adapter - USB Type-C Interface, 2 x HDMI Output Ports, Support 4K at 60Hz For Single HDMI Output, 4K at 30Hz For Dual HDMI Output, Support Both Mirror or Extend Mode, Support Multi-Channel Audio, High Performance, Works Natively on Windows Devices and Mac OS Devices, Retail Box, 6 Months Warranty

VK-20244-BK	R 437	Volkano Expand Series USB-C To Dual 4K HDMI Adapter - USB Type-C Interface, 2 x HDMI Output Ports, Support 4K at 60Hz For Single HDMI Output, 4K at 30Hz For Dual HDMI Output, Support Both Mirror or Extend Mode, Support Multi-Channel Audio, High Performance, Works Natively on Windows Devices and Mac OS Devices, Retail Box, 6 Months Warranty
VK20044CH	R 460	VolkanoX VK-20044-CH Core Video Series USB Type-C to HDMI VGA converter 10cm - Charcoal, 5.1 channel via HDMI audio Output, 2160p Maximum HDMI Resolution, 1920x1080 Maximum VGA Resolution
VK20045BK	R 261	Volkano Annex Series HDMI male to VGA Female converter 10cm cable with sound, VK-20045-BK, Up to 1920x1080
VK20055BK	R 143	Volkano Digital Series 4K HDMI cable - 3m - Black, 3840x2160 maximum Resolution support, Supports up to 4K UHD & 3D content, 24kt Gold-Plated connectors, VK-20055-BK
VS-JVAE52T	R 1,241	J5create JVAE52-Tx Transmitter - HDMI over UTP 1080p broadcaster via UTP (RJ45/Cat5e/Cat6) - 1x lockable HDMI in UTP/RJ45 out, 4.96 Gbps, up to 100m/1080p, 10 group DIP switch for TX-RX pairing, 16-position video display configuration, supports 1x2, 2x2 or 3x3 matrix multiple point via gigabit network switch, aluminum housing, 87x88x27mm, bundled vesa wall mount bracket (A receiver is required [Search:VS-JVAE52R])
WAT-HDMIAC-P3CSJ	R 196	Unbranded Waterproof HDMI connector C-size connector, HDMIAC-P3CSJ
Y-A007A Special	R 36	(On Promotion) Unitek HDMI Female to DVI-D(24 1) Male Adapter.
ZA-HDMIC10-4K	R 149	Unique V2.0 4K Ultra HD HDMI cable - 10m, HDMI cable with Ethernet & audio return channel, Tripple Shield, 24K Gold plated plugs, 8.5mm big Outer Diameter
ZA-HDMIC3M-8K	R 249	Unique HDMI 2.1 8K 3m cable, Support 8K @ 120Hz / 60Hz Max, Supports HDR10, HDR 10 & eARC, 48Gbps & Triple shielding, 24K Gold plated connectors
ZA-HDMIC5M-8K	R 299	Unique HDMI 2.1 8K 5m cable, Support 8K @ 120Hz / 60Hz Max, Supports HDR10, HDR 10 & eARC, 48Gbps & Triple shielding, 24K Gold plated connectors

< Return to the menu

Internal drive cables / SATA / etc

Product code	Price	Description
00NA009	R 2,528	Lenovo 00NA009 2m Mini-SAS/Mini-SAS 1x cable (Host SFF-8088 to target SFF-8088)
00YL848	R 863	Lenovo 00YL848 external MiniSAS HD 8644 to MiniSAS HD 8644 1m cable
00YL849	R 1,288	Lenovo 00YL849 external MiniSAS HD 8644 to MiniSAS HD 8644 2m cable
00YL850	R 1,332	Lenovo 00YL850 external MiniSAS HD 8644 to MiniSAS HD 8644 3m cable
1 TO 4 PWM	R 81	Microworld fan Splitter 4 pin Adapter, 1 TO 4 PWM fan Splitter, Only one fans rpm is usually reported back to the Motherboard, Durable Black Braided cable, 30cm length
2USB01	R 98	Unbranded Cable Extra 2 USB Ports From Motherboard
328180	R 79	Manhattan SCSI cable UL2919-DB68 / HPM to CEN50M - 25TP - 1.8m
341684	R 29	Manhattan 10" ATA 100 Round flat Cable
341714	R 29	Manhattan 10" ATA 100 Round flat Cable
344708	R 29	Manhattan Floppy Rounded UV Cable 24"
344722	R 59	Manhattan ATA 133 RND UV 24inc
344739	R 39	Manhattan 36" ATA 133 Round UV Cable, Rainbow Wire UV Jacket Silver Braid
344753	R 79	Manhattan 24" ATA 133 Round UV Cable, Rainbow Wire UV Jacket Silver Braid
360258	R 79	Manhattan SCSI 11 cable UL2919-DB50 / HPM to CEN50M - 25TP - 1.8m
360272	R 39	Manhattan SCSI 11 cable UL2990-DB50 / HPM to DB25 Male - 1.8m
360494	R 79	Manhattan DB50/HPM/M fast SCSI - DB50/HPM to DB50/HPM - 25TP - 1.8m
364225	R 39	Manhattan SCSI System (Driver) Cable, Retail Box, Limited Lifetime Warranty
364232	R 39	Manhattan Scsi 1 Driver System Cable-DB25M to CEN50M, 25C, 6 ft, (,18 m), Retail Box, Limited Lifetime Warranty
364263	R 89	Manhattan Fast Scsi 11 Cable-DB68/HPM to DB68/HPM, 34TP, 6ft, (1,8 m), Retail Box
364294	R 59	Manhattan SCSI CABLE-DB68 / HPM to DB25 Male - 1.8m
364348	R 79	Manhattan fast SCSI 3 cable - DB68/HPM to DB50/HPM - 25TP - 1.8m

364836	R 79	Manhattan Round Scsi Cable-5 connector, 36 in, (0,5 cm)-For connecting up to 4 SCSI I devices
364850	R 149	Manhattan Round Scsi Ultra 160 LVD Cable-5 connectors, 45 in, (0,9 cm) -For connecting up to 3 LVD 68 pin devices with built-in LVD terminator, Retail Box, Limited Lifetime Warranty
407344-003	R 791	HP 407344-003 SFF-8088 to SFF-8088 external Mini SAS cable - 2m - Black
50674	R 133	Goobay 50674 Molex Male to SATA PC Power Cable
59714	R 206	Goobay Power Supply cable 8 pin Male to Dual 6 2 Male for PCI-e, 0.23 m cable length, 22 AWG
68524	R 137	Goobay 68524 Molex male to 2x SATA PC Y Power cable
693-15126	R 287	DELL C2G - 7 PIN SERIAL ATA CABLE - 50CM - RED
93634	R 148	Goobay 93634 SATA Female to Molex Female PC Power cable
93871	R 178	Goobay 93871 PC SATA Data and Power extension cable - 0.5m, SATA combo cable Data Power
95115	R 160	Goobay 95115 SATA 1x male to 2x Female 90 degrees PC Y Power cable, SATA standard Female to 2 SATA standard male 90 degrees
95369	R 252	Goobay 95369 USB 3.0 External Slot Cover
CA-CS30-LL	R 230	Corsair CC-8900281 Sata cable 30cm, flexible mesh paracord sleeved - Blue with L-shape / 90Â° angle connector
CA-CS30-LS	R 253	Corsair CC-8900251 Sata cable 30cm, flexible mesh paracord sleeved - bLue with Straight connector
CA-CS30-RL	R 230	Corsair CC-8900280 Sata cable 30cm, flexible mesh paracord sleeved - Red with L-shape / 90Â° angle connector
CA-CS30-RS	R 230	Corsair CC-8900250 Sata cable 30cm , flexible mesh paracord sleeved - Red with Straight connector
CA-CS30-WS	R 230	Corsair CC-8900249 Sata cable 30cm, flexible mesh paracord sleeved - White with Straight connector
CA-CS60-LS	R 230	Corsair CC-8900255 Sata cable 60cm, flexible mesh paracord sleeved - bLue with Straight connector
CA-CS60-RL	R 230	Corsair CC-8900284 Sata cable 60cm, flexible mesh paracord sleeved - Red with L-shape / 90Â° angle connector
CA-CS60-RS	R 242	Corsair CC-8900254 Sata cable 60cm, flexible mesh paracord sleeved - Red with Straight connector
CA-CS60-WL	R 242	Corsair CC-8900283 Sata cable 60cm, flexible mesh paracord sleeved - White with L-shape / 90Â° angle connector
CA-SATA	R 21	Unbranded Sata cable 50cm
CA-SATALT90-1R	R 230	Lian-li SATA-LT90R Sata cable 90cm with L-shape/ 90°angle- Red
CA-SATAT90-1B	R 120	Lian-li SATA-T90 Sata cable 90cm - Black
CA-SATAT90-1R	R 230	Lian-li SATA-T90R Sata cable 90cm - Red
CA-SFF8643-SATA	R 805	Intel AXXCBL900HD7R 1x 730 mm straight SFF8643 to right angle 4x 7-pin connector cables
CA-VF10L	R 22	vantec 25cm (10") rounded fdd cable with pull tab - 2 connectors - Blue pvc pipe
CA-VF10R	R 22	vantec 25cm (10") rounded fdd cable with pull tab - 2 connectors - Red pvc pipe
CA-VF10S	R 25	vantec 25cm (10") rounded fdd cable with pull tab - 2 connectors - clear pvc with silver braid
CA-VF10Y	R 23	vantec 25cm (10") rounded fdd cable with pull tab - 2 connectors - yellow pvc pipe
CA-VF18C	R 31	vantec 45cm (18") rounded fdd cable with pull tab - 2 connectors - clear pvc with copper braid
CA-VF18F	R 32	vantec 45cm (18") rounded fdd cable with pull tab - 2 connectors - fluorescent pvc with silver braid
CA-VF18R	R 25	vantec 45cm (18") rounded fdd cable with pull tab - 2 connectors - red pvc pipe
CA-VF18S	R 31	vantec 45cm (18") rounded fdd cable with pull tab - 2 connectors - clear pvc with silver braid
CA-VF18Y	R 25	vantec 45cm (18") rounded fdd cable with pull tab - 2 connectors - yellow pvc pipe
CA-Vi10C2	R 21	vantec 25cm (10") rounded ata133 ide cable with pull tab - clear pvc with Copper braid - 2 connectors only
CA-Vi10F2	R 21	vantec 25cm (10") rounded ata133 ide cable with pull tab - fluorescent pvc with silver braid - 2 connectors only
CA-Vi10L2	R 23	vantec 25cm (10") rounded ata133 ide cable with pull tab - bLue pvc pipe - 2 connectors only
CA-Vi10R2	R 21	vantec 25cm (10") rounded ata133 ide cable with pull tab - Red pvc pipe - 2 connectors only
CA-Vi10Y2	R 21	vantec 25cm (10") rounded ata133 ide cable with pull tab - Yellow pvc pipe - 2 connectors only
CA-Vi18C	R 36	vantec 45cm (18") rounded ata133 ide cable with pull tab - 3 connectors - clear pvc with copper braid
CA-Vi18C2	R 39	vantec 45cm (18") rounded ata133 ide cable with pull tab - clear pvc with copper braid - 2 connectors only
CA-Vi18F	R 31	vantec 45cm (18") rounded ata133 ide cable with pull tab - 3 connectors - fluorescent pvc with silver braid
CA-Vi18F2	R 21	vantec 45cm (18") rounded ata133 ide cable with pull tab - fluorescent pvc with silver braid - 2 connectors only
CA-Vi18K2	R 23	Vantec 45cm (18") rounded ATA133 IDE cable with pull tab - black PVC pipe - 2 connectors only
CA-Vi18R	R 36	vantec 45cm (18") rounded ata133 ide cable with pull tab - 3 connectors - red pvc pipe
CA-Vi18R2	R 21	vantec 45cm (18") rounded ata133 ide cable with pull tab - Red pvc pipe - 2 connectors only

CA-Vi18S	R 36	vantec 45cm (18") rounded ata133 ide cable with pull tab - 3 connectors - clear pvc with silver braid
CA-Vi18S2	R 20	vantec 45cm (18") rounded ata133 ide cable with pull tab - clear pvc with Silver braid - 2 connectors only
CA-Vi18Y	R 35	vantec 45cm (18") rounded ata133 ide cable with pull tab - 3 connectors - yellow pvc pipe
CA-Vi18Y2	R 21	vantec 45cm (18") rounded ata133 ide cable with pull tab - Yellow pvc pipe - 2 connectors only
CA-Vi24C	R 40	vantec 60cm (24") rounded ata133 ide cable with pull tab - 3 connectors - clear pvc with copper braid
CA-Vi24C2	R 39	vantec 60cm (24") rounded ata133 ide cable with pull tab - clear pvc with Copper braid - 2 connectors only
CA-Vi24F	R 39	vantec 60cm (24") rounded ata133 ide cable with pull tab - 3 connectors - fluorescent pvc with silver braid
CA-Vi24F2	R 36	vantec 60cm (24") rounded ata133 ide cable with pull tab - fluorescent pvc with silver braid - 2 connectors only
CA-Vi24K2	R 31	vantec 25cm (10") rounded ata133 ide cable with pull tab - clear pvc with Silver braid - 2 connectors only
CA-Vi24L2	R 39	Vantec 60cm (24") rounded ata133 IDE cable with pull tab - blue PVC pipe - 2 connectors only
CA-Vi24R	R 40	vantec 60cm (24") rounded ata133 ide cable with pull tab - 3 connectors - red pvc pipe
CA-Vi24R2	R 36	vantec 60cm (24") rounded ata133 ide cable with pull tab - Red pvc pipe - 2 connectors only
CA-Vi24S	R 43	vantec 60cm (24") rounded ata133 ide cable with pull tab - 3 connectors - clear pvc with silver braid
CA-Vi24S2	R 39	vantec 60cm (24") rounded ata133 ide cable with pull tab - clear pvc with silver braid - 2 connectors only
CA-Vi24Y	R 39	vantec 60cm (24") rounded ata133 ide cable with pull tab - 3 connectors - yellow pvc pipe
CA-Vi24Y2	R 36	vantec 60cm (24") rounded ata133 ide cable with pull tab - Yellow pvc pipe - 2 connectors only
CA-Vi36C	R 46	vantec 90cm (36") rounded ata133 ide cable with pull tab - 3 connectors - clear pvc with copper braid
CA-Vi36F	R 43	vantec 90cm (36") rounded ata133 ide cable with pull tab - 3 connectors - fluorescent pvc with silver braid
CA-Vi36S	R 43	vantec 90cm (36") rounded ata133 ide cable with pull tab - 3 connectors - clear pvc with silver braid
CA-Vi36Y	R 46	Vantec 90cm (36") rounded ata133 ide cable with pull tab - 3 connectors - yellow PVC pipe
CAB-SLIM-SATA-0.3M	R 117	Lindy 0.3m Slimline SATA Cable with LP4 Power Connection
CAB-USB-PANELMOUNT-L	R 127	Lindy 2 Port USB PC backplate - 2x USB Type-A Female, 33147
CAB046	R 25	Unbranded e-SATA to e-SATA cable 1m long
CAB300	R 14	Unbranded SATA Data Cable (40 cm)
CAB67-1	R 58	Unbranded L Shape SATA Data Cable 1m
CC-8900248	R 201	Corsair Premium sleeved SATA Data cable Set with straight connectors - Black - 30cm
CC-8900252	R 160	Corsair Premium sleeved SATA Data cable Set with straight connectors - Black - 60cm
CC-8900253	R 155	Corsair Premium sleeved SATA Data cable Set with straight connectors - White - 60cm
CC-8900282	R 160	Corsair Premium Sleeved SATA Data Cable Set with 90 degrees Connectors - Black - 60cm
CE351	R 22	UniQue Sata Power Cable 1 PORT, OEM
DELOCK-83389	R 873	Delock 83389 Mini SAS Hd-sff-8643-mini SAS Sff-8087 Cable
DELOCK-83395	R 2,648	Delock 83395 Mini Sas Sff-8644 - Sff-8644 Cable
DELOCK-83571	R 1,887	Delock 2m mini SAS SFF-8088 to mini SAS SFF-8088 cable, 83571
GC-ST1073	R 39	UniQue SATA Female to SATA Male with Bracket-Convert Internal SATA port to External connection at PCI bracket., OEM, 1 year Limited Warranty
IDE-RD	R 35	Unbranded Round IDE Cable Red
IDE-YEL	R 35	Unbranded Round IDE Cable Yellow
IDE001	R 12	Unbranded IDE 80 Pin Data Cable
MALESATACONNECT	R 35	Unbranded Molex Female to Male SATA Connector
MR-VA9101P	R 56	Vi-Power VP-9101P - external Ac-Adapter S-ATA cable - connect S-ATA inner tray or S-ATA HDD to external S-ATA port - recommend to use together external S-ATA add on card (eg. AC-V9601A / AC-VSP200 / AC-V9701)
MSAS-1	R 598	Unbranded External Mini SAS to 4 SATA 1m long
MSAS-2	R 725	Unbranded External Mini SAS to 4 SATA 2m long
MW-MOLEX-SATA	R 24	(On Promotion) Microworld Molex to SATA cable. SATA power cable connects any Serial ATA drive to any conventional LP4 internal connector. Perfect for the desktops or servers equipped with 2.5" and 3.5" SATA hard drives, this 15cm cable features one 4-Pin Molex (LP4) male connector and one 15-pin SATA power connector, eliminating the need to upgrade the computer power supply for compatibility with newer hard drives.
PS-CA8920256LK	R 616	Corsair CP-8920256 Blue Black premium individually sleeved flexible paracorded cable (type4 Gen4) - 4x PCiE (6 or 8pin), 2x 650mm with 4 connectors, heatshrink-less connectors, with modular interlocking cable combs - for

		RMX, RMi series, HX, HXi, A
RD-GCP06	R 459	Redragon GCP06 24 pin ARGB extension Power cable, 5V 3 pin (ARGB) Connector Type, 18AWG conductor Gauge, Bright-coloured Aluminium foil (Pet) braid material, PVC insulation material, Transparent PVC jacket Colour, ARGB control via Motherboard ARGB Software
RGB001	R 29	Microworld RGB001 Rgb Splitter Cable 4pin
SAS001	R 529	Unbranded SAS SFF-8088 to SFF-8470 2m long
SATA	R 19	UniQue Sata Data Cable 1 Port
SATA2	R 23	Microworld 4 pin Mini to SATA Power cable
SATA3	R 23	Microworld 4 pin Mini to SATA Power cable
SATAM2MOLXF	R 46	UniQue SATA Male to 4 Pin Female Molex Adapter - power cable designed to convert a 4-pin Molex connector into a SATA power connector, allowing users to power SATA devices using older power supplies with Molex connectors. It supports both 12V and 5V power lines, providing a reliable solution for upgrading or repurposing systems. However, the exact product details might vary, and it's essential to ensure compatibility with your specific hardware setup
SATATOESATACABL	R 59	UniQue 4pin Power (Molex) Plug to SATA 15pin Power Socket Cable - combined with SATA 7pin data cable 30 cm -Black, OEM, 1 year Limited Warranty
SM-CBL-SAST-0556	R 351	Supermicro Internal MiniSAS HD to 4 SATA with Sideband 90/90/75/75/75cm Cable
TTK-PIN-PLUG	R 43	Teltonika 4-PIN plug with contact terminals
US217-30796	R 33	UGreen US217 HDD SATA cable - 0.5 metre, Up to 6Gbps transfer Speed, 26AWG Wire Gauge, Tinned Copper Core material, Straight with locking latches on both ends
USB3PAN	R 104	Microworld 2.5" Bracket with USB 3 Ports; USB 3.0 SuperSpeed; maximum speed: 4.8Gbps; plug and play; USB 2.0 and USB 1.1 backwards compatible; desktop PC front panel
VK-20109-BK	R 286	Volkano Weave Series Fabric Braided MFI Lightning Cable 1.2m - Black
VK-20147-BK	R 241	Volkano Weave Series fabric Braided MFi Lightning cable 3m - Black

< Return to the menu

Lightning connector

Product code	Price	Description
390781	R 159	Manhattan iLynk Lightning Cable - A Male / 8-Pin Male, 0.5 m (1.5 ft.), White, Retail Box
394246	R 199	Manhattan iLynk Lightning Cable - A Male / Lightning Connector Male, 1 m (3 ft.), White, Retractable, Retail Box
409913776	R 92	Mophie Essentials cable USB Type-C to Lightning - 2m - Black
409913778	R 92	Mophie Essentials cable USB Type-A to Lightning - Black - 2m
409913780	R 92	Mophie Essentials cable USB Type-C to Lightning - 2m - White
409913782	R 92	Mophie Essentials cable USB Type-A to Lightning - White - 2m
409913784	R 109	Mophie Essentials cable USB Type-C to Lightning - 3m - Black
409913786	R 109	Mophie Essentials cable USB Type-A to Lightning - Black - 3m
409913788	R 109	Mophie Essentials cable USB Type-C to Lightning - 3m - White
409913790	R 109	Mophie Essentials cable USB Type-A to Lightning - White - 3m
49268	R 309	Goobay Lightning to USB-A Textile 1m Cable with Metal Plugs; Apple MFi certified; textile sheath; metal connector housings; maximum 3A charging current; maximum 15W charging power; USB 2.0; data transfer up to 480 Mbit/s; 5V; space grey and silver; weight 0.027kg
710-A0150034R5	R 182	HuntKey 1.5 USB-C to Lightning cable - Black, cotton Braided Aluminum Shell
710-A0150044R5	R 182	HuntKey USB Type-A to Lightning cable 1.5m - Black, Male to Male
710-A0150228R5	R 182	HuntKey USB Type-A to Lightning cable 1.5m - Blue, Male to Male
A35610-Q	R 138	Astrum AC310 Mobile cable 1.2m USB-C to Lightning 3A, PD Type-C to Lightning 20W 3A fast charging cable
AA-JLA160B	R 436	J5create JLA160 Black - lightning audio adapter with inline 3 buttons audio control - 3.5mm female for all 3.5mm audio headset/ speaker
AA-JLA160W	R 313	J5create JLA160 White - lightning audio adapter with inline 3 buttons audio control - 3.5mm female for all 3.5mm audio headset/ speaker

AM6003W	R 167	Amplify Lightning Charger & Data Transfer For I-phone5/5s 1m Cable
CA-ACi-PW	R 186	Adata AMFiCPL-1M-CWH USB type-C to lightning 8pins sync charge i-cable - Plastic White - Apple MFi certified, 24 AWG copper power wire, Emi protection with foil copper shielding - 100cm
CA-DPDP2-J8	R 462	J5create JDC43, 8K DisplayPort to DisplayPort, 2m - support HBR3 (7680x4320@ 60Hz/ 4096x2160@120Hz 3D), 32.4 Gbps, copper OFC conductors with triple shielding, gold plated connector - retail pack
CA-Pi100M-G	R 102	Pqi 6ZC190701R003A i-cable lightning 100 Metalic Gold - Apple MFi certified - 100cm - Lightning 8pins sync charge with Metallic connector with flat cable design
CA-Pi100M-R	R 102	Pqi 6ZC190701R004A i-cable lightning 100 Metalic Rose gold - Apple MFi certified - 100cm - Lightning 8pins sync charge with Metallic connector with flat cable design
CA-Pi180-W	R 101	Pqi 6PCF-001R0003A / 6PCF-001R0005A i-cable lightning 180 White - Apple MFi certified - 180cm - Reversible USB type-A to Lightning 8pins sync charge
CA-Pi20F-L	R 102	Pqi 6PCO-008R0001A / 6PCO-008R0006A i-cable lightning 20 Flat Blue- Apple MFi certified - 20cm (short design ideal for powerbank) - USB to Lightning 8pins sync charge with Flat cable click attach design for easy storage
CA-Pi90F-Pi	R 102	Pqi 6PCS-008R0009A i-cable lightning 90 Flat Pink- Apple MFi certified - 90cm - Lightning 8pins sync charge with Flat cable
CA-Pi90F-PU	R 102	Pqi 6PCS-008R0008A i-cable lightning 90 Flat Purple - Apple MFi certified - 90cm - Lightning 8pins sync charge with Flat cable
CA-Pi90M	R 91	Pqi 6PCT-008R000A i-cable lightning 90 Meshed - Apple MFi certified - 90cm - Lightning 8pins sync charge with Meshed cable
CA-Pi90M-K	R 171	Pqi 6PCN-008R0008A / 6PCN-008R0015A i-cable lightning 90 Multi-plug Black - Apple MFi certified - 90cm - Lightning 8pins 30pin miCroUSB sync charge
CAB-LIGHT-WOVEN-0.4M	R 84	Unbranded 0.4m USB to Lightning woven mesh cable, TPE-AM-LIGHTNING
CAB-USB-LIGHT-3M-BLK	R 420	Lindy 3m USB to lightning cable Black, 31322
CNE-CFI1B	R 82	Canyon CFI-1 simple Sync & charge cable 8pin Lightning to USB 2.0 - 1m - Black, Round cable, Lightning connector, USB 2.0 Type-A connector
CNE-CFI1W	R 97	Canyon CFI-1 simple Sync & charge cable 8pin Lightning to USB 2.0 - 1m - White, Round cable, Lightning connector, USB 2.0 Type-A connector
CNS-CFI8B	R 177	Canyon CFI-8 Rotating Magnetic Lightning charging cable - 1m - Black (No Data transfer), USB 2.0, Power Output 5V/2A Power Output, Light indicator, Easy magnet connection, Dual charging
CNS-MFIC3DG	R 137	Canyon MFI-3 USB to Lightning charge & Sync MFi Braided cable with Metalic Shell - 1m, Certified by Apple, Dark Gray
CNS-MFIC3PW	R 137	Canyon MFI-3 USB to Lightning charge & Sync MFi Braided cable with Metalic Shell - 1m, Certified by Apple, Pearl White
CNV-LIG-AUD-SPLITTER	R 282	Unitek Lightning splitter - for 3.5mm headset & Charge (M1103A)
DC234-IPH	R 99	Ezra Type-C to Lightning 2m PD20W White cable, Intelligent control charging, Overcharge protection, Fast tansmission Speed
GCPU2L18	R 39	Gizzu USB Type-C to Lighting cable - 1.8m, 480 Mbps Data Transfer Rate, 27W PD Fast Charge, 1.8 metre length
GLF-CBL-GC-71I	R 45	Golf GC-71I Metal Braided Lightning IPX cable, 3A current Output
GLF-CBL-GC-76I	R 56	Golf GC-76I Flash charging Lightning IPX USB cable - 1m, 5A fast charging
GLF-CBL-GC-98I	R 68	Golf GC-98 Lightning IPX PVC tube cable, 1m, 2.4A fast charging
HKCCL941000	R 182	HuntKey USB-C to Lightning Sync / charge cable 1m
IPL1000	R 150	Cirago Lightning USB Charge & Sync Cable - 1m (MFi Certified) - White
IPL1100	R 159	Cirago Lightning USB Charge & Sync Cable - 2m (MFi Certified) - Black
IPL1101WHT	R 262	Cirago USB Lightning & Sync Charger Cable - 2 Meter (MFi Certified) - White
IPL1200	R 164	Cirago Lightning Sync / charge cable - 3m - Black, Lightning connector (Male) to USB Type-A Male
IPL1201WHT	R 311	Cirago Lightning USB Charger Cable - 3m
IPLBR03GLD	R 114	Cirago Braided Lightning USB Charge & Sync Cable - 1m (MFi Certified) - Gold
IPLBR03GRY	R 164	Cirago Lightning Braided cable - 1m - Grey, Lightning connector (Male) to USB Type-A Male
IPLBR03SLV	R 121	Cirago Lightning Braided cable - 1m - Silver, Lightning connector (Male) to USB Type-A Male

IPLBR06GLD	R 128	Cirago Lightning Braided cable - 2m - Gold, Lightning connector (Male) to USB Type-A Male
IPLBR06GRY	R 114	Cirago Lightning Braided cable - 2m - Grey, Lightning connector (Male) to USB Type-A Male
IPLFLT03BLK	R 102	Cirago Lightning Flat Cable 1m - Black
IPLFLT03WHT	R 137	Cirago Lightning flat cable - 1m - White, Lightning connector (Male) to USB Type-A Male
IPLFLT06BLK	R 164	Cirago Lightning Flat Cable 2m - Black (2 meter)
IPLFLT06WHT	R 164	Cirago Lightning flat cable - 2m - White, Lightning connector (Male) to USB Type-A Male
JAZZ-IPHONE	R 59	Jazz USB 2.0 Type A Male to 8 Pin Lightning Connector Sync and Charge Cable with Ferrite Core for up to iPhone 6 Mobile Phones - 1.5m, White
LS20A	R 31	Ldnio Charging and Data Cable For Apple 1m long
LS372	R 35	LDNIO Apple Lighting cable
LTSTE-1	R 115	Microworld Thunderbolt to Aux charging cable
MA591ZM/C	R 449	USB to 30 pin Apple Dock connector, Apple Dock connector (Male), USB Type-A 4- pin (Male)
MD819ZM/A	R 690	Apple Lightning to USB Type-A cable - 2m, MD819ZM/A
MD821ZM/A	R 610	Apple Lightning to USB Camera Adapter, Model A1440
MD826ZM/A	R 1,150	Apple Lightning Digital AV adaptor, MD826ZM/A, Up to 1080p HD, HDMI Output
ME291	R 442	Apple 0.5m Lightning To USB Cable
MR2C2ZM/A	R 851	Apple Lightning to 3.5mm audio cable, Model A1879
MUQ93ZM/A	R 376	Apple USB-C to Lightning Cable - 1m, MUQ93ZM/A
MUQ93ZM/A	R 437	Apple USB-C to Lightning Cable - 1m, MUQ93ZM/A
MUQW3ZM/A	R 437	Apple Lightning to USB cable 1m, Model A1480, MUQW3ZM/A
MUQX3ZM/A	R 621	Apple USB-C to Lightning Adapter, MUQX3ZM/A
MW2P3ZM/A	R 1,001	Apple Lightning to Digital AV Adapter
MW2R3ZM/A	R 690	Apple USB-C to Lightning cable - 2m, Model A2441
MW2R3ZM/A	R 566	Apple USB-C to Lightning cable - 2m, Model A2441
MWML3ZM/A	R 253	Apple USB-C to Apple Pencil Adapter, USB Type-C (Female), Lightning (Female)
MX5J3ZM/A	R 771	Apple Lightning to USB 3 camera Adapter, Model A1619
MXK22ZM/A	R 771	Apple Lightning to 3.5mm audio cable - 1.2m - White, MXK22ZM/A
SY-03A	R 35	LDNIO Charging and Data Cable For Apple 1m long
SY-LS421-I	R 104	LDNIO 90 degree elbow USB Lightning 1m Data cable, 2.4A current, Charge & Sync
SY-LS64I	R 102	LDNIO fast charging & Sync toughness 2.4A Lightning cable
USB2TOAPPLE	R 29	Xmate USB 2.0 to Lightning cable
USBC02	R 344	Microworld Lighting to VGA HDMI audio
V25	R 92	Appacs V25 Bluetooth Lightning - USB-C Aux Adapter
VK-20052-SL	R 264	Volkano Strike Series 1.2m MFi Lightning charge / Data cable - Silver
VK-20084-BK	R 121	Volkano Slim Series flat PVC Lightning cable 1.2m - Black. The Volkano Slim Series 1.2 m flat PVC Lightning cable in black offers spaceâ€'saving charging and data transfer with a reversible connector and tangle resistant build
VK-20094-SL-6	R 206	Volkano Iron Series round Metallic Spring MFi Lightning cable 1.8m (6 foot) - Silver. This MFi certified 1.8 m Silver USBâ€'A to Lightning cable delivers reliable charging and fast data syncing for Apple devices. Its durable Iron Series design resists bends and fits snugly.
VK-20133-BK	R 230	Volkano Smart Series auto disconnect Lightning cable 1.8m, 2.4A Power support, Automatically disconnects Power when the device is fully charged for 3 hours after which it rechecks charge
VK-20165-BK	R 287	Volkano Lightning Series Type-C to MFi cable 1.2m, VK-20165-BK, Braided exterior jacket, MFi Certified
VK-20170-BK	R 207	Volkano Weave Series Four-in-One USB Type-A to Type-C to Lightning cable, Type-C to Type-C 60 Watt, USB to Type-C 15 Watt, USB to Lightning 12 Watt, Type-C to Lightning 20 Watt
VK-20267-WT	R 286	Volkano Flexi Series Type-C to MFi Lightning 27W 1.5m cable - White. The Volkano Flexi Series 1.5 m Typeâ€'C to Lightning cable offers MFi certified 27 W fast charging and reliable data sync for Apple devices. Built with a flexible jacket to resist tangles and bending. Designed for everyday use at home, office or on the move.
VK-20268-BK	R 356	Volkano Flexi Series Type-C to MFi Lightning 27W 2.5m cable - Black. Volkano Flexi Series Type-C to Lightning cable delivers MFi-certified 27 W fast charging over a long 2.5 m cable.

VK-20268-WT	R 367	Volkano Flexi Series Type-C to MFi Lightning 27W 2.5m cable - White. Volkano Flexi Series Type-C to Lightning cable delivers MFi-certified 27 W fast charging over a long 2.5 m cable.
VK-20269-BK	R 287	Volkano Flexi Series USB to MFi Lightning 5V 2.4A 12W 1.5m cable - Black. MFi certification, tangle-free construction, and compatibility with iPhone, iPad, and other Lightning-enabled devices
VK-20269-PK	R 286	Volkano Flexi Series USB to MFi Lightning 27W 1.5m cable - Pink. MFi certification, tangle-free construction, and compatibility with iPhone, iPad, and other Lightning-enabled devices. Fast charge.
VK-20269-WT	R 286	Volkano Flexi Series USB to MFi Lightning 5V 2.4A 12W 1.5m cable - White. MFi certification, tangle-free construction, and compatibility with iPhone, iPad, and other Lightning-enabled devices
VK-20270-BK	R 367	Volkano Flexi Series USB to MFi Lightning 27W 2.5m cable - Black. The Volkano Flexi Series Type-C to Lightning 27 W cable (2.5 m) offers fast Apple-certified charging and sync with extended reach.
VK-20270-WT	R 355	Volkano Flexi Series USB to MFi Lightning 27W 2.5m cable - White. The Volkano Flexi Series Type-C to Lightning 27 W cable (2.5 m) offers fast Apple-certified charging and sync with extended reach.
VK-4100-CL1	R 355	Rugged by Volkano Water and Dust-Proof Type-C to MFi Lighting cable - 1.2m
VK-PDQ203-BK	R 115	Volkano On-The-Go USB to Lightning cable - 1m
WX-CB103CLSET	R 1,124	WINX USB to Type-C & Lightning charging cables box, 15x USB to Lightning cables Set, 15x USB to Type-C cables Set, 100cm cable length, Nylon Braided cable
WX-CB105	R 39	WINX Link simple USB to Lightning cable, 2.4A Fast Charge support, Nylon Braided cable Design, 100cm length, WX-CB105

< Return to the menu

Mounting Covers

Product code	Price	Description
CNV-AV-FACE-PLATE-G	R 574	Unbranded AV Multi-media face plate - RCA / HDMI / VGA / audio, 3x RCA AV, 1x HDMI, 1x VGA, 1x audio
CNV-AV-FACE-PLATE-H	R 574	Unbranded AV Multi-media face plate - HDMI / USB / LAN / VGA / audio, 1x HDMI, 1x LAN, 1x USB, 1x VGA, 1x audio
CNV-SG-PLATE	R 45	Lindy single face plate 86 x 86 mm (60541)
CNV-SNAPIN-USB-A-A	R 144	Lindy USB Type-A to Type-A snap-in keystone (60553)
CNV-SNAPIN-USB-A-B	R 210	Lindy USB Type-A to Type-B snap-in keystone (60555)
CNV-SNAPIN-VGA	R 26	Lindy snap-in face plate for VGA each (60527)
CNV-SNAPIN-VGA-FF-L	R 105	Lindy VGA female to female snap-in keystone (60480)
NET-1H1Q1R2UC-W	R 1,955	LinkQnet Popup grommet All in one (122mm) - White, Gas strut Operation, Push - release / Push - lock mechanism, Flush with the Desk, Wireless Charger, 4x 16 Amp plug, 1x USB Type-A, 1x USB Type-C, 1x HDMI, 1x LAN
NET-CLIPIN-3RCA-VGA	R 285	Unbranded Clipin 3 RCA / VGA (FA-2420-45-3RCA SVGA), 62619380
NET-CLIPIN-VGA-HDMI	R 343	Unbranded Clipin VGA / HDMI (FA-2420-45-SVGA HDMI), 62619058
NET-CLIPIN-VGA-PH-MC	R 285	Unbranded Clipin VGA / audio / mic (FA-2420-45-SVGA phj mic), 62619718
NET-DMS-044	R 2,248	Lucktek popup multi sunken Desktop Socket box, 2x power, 2x LAN, 1x audio, 1x VGA, 1x RCA video, LK-DMS-044 (indesk pop-up)
NET-DMS-055	R 2,933	Lucktek popup multi sunken Desktop Socket box, 2x power, 2x LAN, 1x audio, 1x HDMI, 1x RCA video, LK-DMS-055 (indesk pop-up)
NET-DMS-066	R 2,933	Lucktek popup desk multi sunken desktop box, New SA power, USB, VGA, HDMI, Audio, 2x LAN, NET-DMS-066 (indesk pop-up)
NET-DMS-321	R 2,933	Lucktek popup multi sunken Desktop Socket box, 1x Power, 2x LAN, 1x USB, 1x Audio, 1x VGA, 1X RCA video, 1x HDMI, LK-DMS-321 (indesk pop-up)
NET-DMS-665	R 2,933	Lucktek Cover-Sliding hidden cable popup cubby, 1 x Power Socket, 2x LAN sockets, 1x USB Socket, 1x audio Socket, 1x VGA Socket, 1x HDMI Socket, LK-DMS-665 (indesk pop-up)
NET-DMS-668/B	R 2,786	Lucktek DMS-668 multi sunken Desktop popup cubby, 1x 3 pin SA power, 1x 3.5mm audio, 1x VGA, 1x HDMI, 1x USB, 2x CAT5 LAN (indesk pop-up). Sleek in-desk cubby in black finish, great cable management. Black finish.
NET-DMS-668/S	R 2,786	Lucktek DMS-668 multi sunken Desktop popup cubby - Silver, 1x 3 pin SA power, 1x 3.5mm audio, 1x VGA, 1x

		HDMI, 1x USB, 2x CAT5 LAN. Sleek in-desk pop-up for professional easy-access cable management on any desk. Colour: Silver.
NET-DMS-706	R 1,857	Lucktek popup desk Manual flipping desktop socket Silver, 2x power, 1x USB, 1x VGA, 1x HDMI, with Switch, NET-DMS-706 (indesk pop-up / flip)
NET-DMS-801	R 2,830	Lucktek multi undercount Socket box, Power, 2x LAN, 1x USB, 1x audio, 1x VGA, 1x RCA video, 1x HDMI, LK-DMS-801 (indesk pop-up)
NET-FACEMOUNT-1BOX	R 74	Lindy single wall box 86 (W) x 86 (H) x 47 (D) mm (60523)
NET-FACEMOUNT-2BOX	R 132	Lindy double wall box 147 (W) x 86 (H) x 47 (D) mm (60524)
NET-POPUP-INS-CAT5	R 116	Unbranded Pop-Up insert CAT5E & RJ11, 62617118
NET-QC-12580	R 875	Lucktek wall plate 1x VGA / 1x HDMI / 1x audio / 1x LAN / 1x Video, QC-12580
NET-QC-12582	R 788	Lucktek wall plate 1x HDMI, QC-12582
NET-QC-12583	R 777	Lucktek wall plate 1x VGA / 1x HDMI / 1x audio, QC-12583
NET-QC-12584	R 1,071	Lucktek wall plate 1x VGA / 1x HDMI / 1x audio / 1x USB / 1x LAN, QC-12584
NET-SURFACE-3RCA	R 153	Full Surface Mount box RJ45 to 3 RCA, FA-2415-3RCA-AV
NET-SURFACE-VGA	R 153	Full Surface Mount box RJ45 to VGA, FA-2415-VGA
NET-TRUNK-HMOON	R 224	Unbranded halfmoon trunk - 2m length - 70mm wide - floor, FT70GY
NET-TRUNK-HMOON	R 467	Unbranded Halfmoon trunk - 2m length - 70mm wide - Floor, FT70GY
PWR-3PIN-SOCKET-WH	R 78	Decorduct (16A) slimline new (SA) Socket (White), 11850 / 001
PWR-DEDICATED-SOCKET	R 127	Decorduct 3 pin dedicated Socket and Switch, SKT002
PWR-NORMAL-SOCKET	R 81	Decorduct 3 pin normal Socket and Switch, SKT001
PWR-ON-OFF-SWITCH-ST	R 40	Decorduct on / off Switch 20A 50 x 25 - White
PWR-SOCKET-USB	R 102	Unbranded single wall Socket 1x 16A & 2x 2.1A USB, S001-B
PWR-SOCKET-USB-EURO	R 102	Unbranded 1x 16A & 1x Euro 16A & 2x USB 2.1 wall Socket, D02-1

< Return to the menu

Network Cables & Connectors

Network Cables & Connectors : Network Krone plugs & accessories

Product code	Price	Description
CAB-KJC590	R 17	UltraLAN CAT5e keystone jack
CAB-KJC690	R 17	UltraLAN CAT6 keystone jack
NET-CAT6-WALLOUT	R 51	LinkQnet RJ45 CAT6 Wall outlet keystone, FA-2360 / 70K-8-C6, Compatible with Standard CAT6 keystone snap-in modules, Integrated shutter Door
NET-CAT8-KEYSTONE	R 93	LinkQnet CAT8 shielded keystone jack, Overall zinc-alloy shielding Design, Phosphor Bronze contact
UACC-KEYSTONE-COUPLER-C6	R 627	Ubiquiti UniFi UACC-Keystone-Coupler-C6 Cat6 keystone coupler - 12 pack, Easy snap-in installation Flush mount installation
UACC-KEYSTONE-JACK-C6	R 661	Ubiquiti UniFi UACC-Keystone-Jack-C6 keystone - 12 pack, For terminating a CAT6 Ethernet jack without the use without the use of a punch-down
UACC-RJ45-COVER	R 403	Ubiquiti RJ45 Dust Cover - 24 pack, CC-RJ45-cover, Polycarbonate material. For protecting unused Ethernet ports from dust, debris, and potential damage.

< Return to the menu

Network Cables & Connectors : Network LAN cable & rolls

Product code	Price	Description
40146807	R 1,953	Equip 40146807 305m solid 305m solid Network cable Grey, 23AWG conductor size, CCA conductor material
404521	R 642	Equip CAT6e U/UTP CCA Network cable - 100m Solid, CCA conductor material, 23AWG conductor size (AWG), LSZH cable jacket material
55440	R 1,058	Goobay 55440 CAT6 Outdoor CU Solid PE U/UTP 100m Network cable Set - Black, LSZH material cable Sheath, CU (Copper) Inner conductor material, Outdoor cable, Usable up to cable length 70 m
55441	R 2,749	Goobay 55441 CAT6 Outdoor CU Solid PE U/UTP 305m Network cable Set - Black, LSZH material cable Sheath,

		CU (Copper) Inner conductor material, Outdoor cable, Usable up to cable length 70 m
57294	R 470	Goobay 57294 CAT5e Outdoor Network F/UTP 100m CCA cable - Black, Copper-clad Aluminium wire (CCA), AWG 24/1 (Solid) wire
68710	R 355	Goobay 68710 CAT5e Network U/UTP 100m CCA cable - Grey, Copper-clad Aluminium wire (CCA), AWG 24/1 (Solid) wire
68941	R 539	Goobay 68941 CAT5e Network U/UTP 100m CU cable - Grey, 26/7 (Stranded) AWG Wire, CU (Copper) Inner conductor material
72168	R 919	Goobay 72168 CAT6 solid U/UTP cable - 100m
72169	R 2,529	Goobay 72169 CAT6 solid U/UTP cable - 305m
93292	R 1,379	Goobay 93292 CAT5e Network U/UTP 305m CU cable - Grey, Stranded Core, 26AWG Core Diameter, Unshielded, Copper conductor (CU)
95410	R 794	Goobay 95410 CAT5e Network U/UTP 305m CCA cable - Grey, Copper-clad Aluminium wire (CCA), AWG 24/1 (Solid) wire
A32305-A	R 641	Astrum NT305 Cat5e Ethernet Network Roll 305m Cable
A32306-A	R 854	Astrim Networking Cable, NETWORKING CABLE 305.0M CAT6 ROLL BEIGE
A32316-A	R 320	Astrum NT316 networking cable 100m CAT6, 24AWG CCA twisted pair wires
ANCP610CG	R 63	Astrum NCP610C CAT6 10m Network Patch Cable; up to 1Gbps; up to 250MHz bandwidth; RJ45 connectors; gold-plated contacts; PVC jacket; Ethernet network patch cable; home and office networking; routers; switches; PCs; smart TVs
ANCR6305B	R 2,529	Astrum ANCR6305B NCR6305B CAT6 L 305M BC Network Cable. Category: Cat6; Conductor Material: Bare Copper; Conductor Gauge: 24 AWG; Pairing: 4 twisted pairs; Impedance: 100 ï¿½ 15 Ohms; Capacitance: 5.8 nF/100m; Attenuation: 220 dB (1-250 MHz); Length: 305 meters; Jacket Material: PVC; Color: Blue; Temperature Rating: -20ï¿½C to 80ï¿½C; Jacket Diameter: 6.2 ï¿½ 0.2 mm; Shielding: UTP
C5-UTP-100-BL	R 344	Switchcom CAT5 - UTP Indoor cable - 100m - Blue
C6-UTP-305	R 2,754	Switchcom CAT6 UTP Indoor cable - 305m
CAA-00277-0H	R 5,662	Molex U/UTP CAT6 PVC Network cable 500m - Blue
CAB-CAT6SOLCAB-500-M	R 9	Unbranded 500m roll CAT6 solid Network cable - Magneta - price per meter
CAB-STP5ODU-100I	R 316	UltraLAN Installer Series - CAT5e CCA Outdoor FTP - 100m
CAB-STP5ODU-305I	R 949	UltraLAN Installer Series - CAT5e CCA Outdoor FTP - 305m
CAB-STP5ODU-500I	R 1,482	UltraLAN Installer Series - CAT5e CCA Outdoor FTP - 500m
CAB-STP5ODUBC-305I	R 2,524	UltraLAN Outdoor bare Copper CAT5e FTP with drain wire - 305m Drum
CAB-STP6ODU-100I	R 666	UltraLAN Outdoor CAT6 CCA Solid FTP with drain wire - 100m drum
CAB-STP6ODU-305	R 1,379	UltraLAN Outdoor CAT6 CCA Solid FTP with drain wire - 305m drum
CAB-STP6ODU-500	R 2,473	UltraLAN Outdoor CAT6 CCA Solid FTP with drain wire - 500m drum
CAB-UTP5BC-305I	R 2,126	UltraLAN Installer Series - CAT5e bare Copper solid UTP - 305m - Grey
CAB-UTP5CCA-100I	R 224	UltraLAN Installer Series - CAT5e CCA solid UTP - 100m - Grey
CAB-UTP5CCA-305BL	R 746	UltraLAN Installer Series - CAT5e CCA solid UTP - Blue - 305m
CAB-UTP5CCA-305ECO	R 608	Unbranded 305m Economy CAT5e CCA solid UTP cable
CAB-UTP5CCA-305I	R 684	UltraLAN Installer Series - CAT5e CCA solid UTP - 305m
CAB-UTP5CCA-305WI	R 684	UltraLAN Installer Series - CAT5e CCA solid UTP - White - 305m
CAB-UTP5CCA-500I	R 1,091	UltraLAN Installer Series - CAT5e CCA solid UTP - 500m Drum - Grey
CAB-UTP6BC-100I	R 1,029	UltraLAN Installer Series - CAT6 bare Copper Solid UTP - 100m, CAB-UTP6BC-100I
CAB-UTP6BC-305I	R 3,104	UltraLAN Installer Series - CAT6 bare Copper solid UTP - 305m - Grey
CAB-UTP6BC-500I	R 4,369	UltraLAN Installer Series - CAT6 bare Copper solid UTP - 500m Drum - Grey
CAB-UTP6CCA-100I	R 288	UltraLAN Installer Series - CAT6 CCA solid UTP - 100m - Grey
CAB-UTP6CCA-305I	R 863	UltraLAN Installer Series - CAT6 CCA solid UTP - 305m - Blue
CAB-UTP6CCA-305IG	R 863	UltraLAN Installer Series - CAT6 CCA solid UTP - 305m - Grey
CAB-UTP6CCA-500I	R 1,374	UltraLAN Installer Series - CAT6 CCA solid UTP - 500m Drum - Blue
CAB-UTP6CCA-500IG	R 1,609	UltraLAN Installer Series - CAT6 CCA solid UTP - 500m Drum - Grey

CAT305M	R 919	Microworld CAT6 305m CCA Blue network cable
CAT305MB	R 919	Microworld CAT6 cable 305m - Blue, 305 meters length, Copper-Clad Aluminum (CCA) conductor material, UTP (Unshielded twisted pair) cable Type, 23 AWG conductor Gauge, 4 twisted pairs, Up to 1 Gbps Ethernet speeds, Pull Box for Easy installation
CAT5-100	R 184	Unbranded 100m Pull Box, Solid Core, UTP CAT5e Cable (Indoor Use) ...
CAT5-100-GEN	R 174	Unbranded Generic Cat5e 100m Pull Box CCA UTP - Indoor Use
CAT5-100-GEN-SC	R 670	AccoNet Cat5E Solid Copper UTP cable White - 100m Pull Box
CAT5-100-SC	R 698	AccoNet Solid Copper CAT5e cable pull box 100m - Grey, UTP, Indoor use
CAT5-100-SC-STP	R 945	AccoNet 100m roll Solid Copper SFTP CAT5e cable - White, Foil & braiding, Indoor use
CAT5-100-STP	R 291	Unbranded 100m Pull Box, Solid Core, SF/UTP CAT5e Cable, Foil, Braiding (Indoor Use)
CAT5-305	R 466	Unbranded 305m Pull Box, Solid Core, UTP CAT5e Cable (Indoor Use) ...
CAT5-305	R 689	Unbranded 305m Pull Box, Solid Core, UTP CAT5e Cable (Indoor Use)
CAT5-305	R 638	Unbranded Network Cat5E UTP - 300m (Box)
CAT5-305-GEN	R 445	Unbranded Generic Cat5e 305m Pull Box CCA UTP - Indoor Use
CAT5-305-GEN-SC	R 1,792	AccoNet Cat5E Solid Copper UTP cable White - 305m Pull Box
CAT5-305-SC	R 2,054	Unbranded 305m Pull box, Grey, Solid Copper, UTP, CAT5e Cable (Indoor use), 24 AWG Solid copper
CAT5-305-STP	R 823	Unbranded 305m Pull Box, Solid Core, SF/UTP CAT5e Cable, Foil, Braiding (Indoor Use)
CAT5-500	R 884	Acconet CAT5-500 CAT5e Indoor Ethernet Cable 500m White CCA UTP Roll; white UTP cable; 24 AWG solid core; Copper Clad Aluminium conductors; indoor networking cable; pull box design; suitable for LAN, CCTV, routers, switches, office and home networking
CAT5-500	R 1,149	Microworld 500m roll CAT5e UTP 0.50mm CCA cable
CAT5-500-GEN	R 813	Unbranded Generic Cat5e 500m Roll CCA UTP - Indoor Use
CAT5-500-GEN-SC	R 3,261	AccoNet Cat5E Solid Copper UTP cable White - 500m Roll
CAT5-500-SC	R 3,177	Unbranded 500m Grey, Solid Copper, UTP, CAT5e Cable (Indoor use)
CAT5-500-STP	R 1,413	Acconet CAT5-500-STP CAT5e Indoor Ethernet Cable 500m White CCA STP Roll; STP shielded twisted pair; white indoor cable; CCA conductor; RJ45 compatible; structured cabling; CCTV networking; office LAN installations; home networking cable
CAT5E100S	R 817	RCT CAT5E Solid Network Cable - 100m
CAT5E100S	R 771	RCT CAT5E Solid Network Cable - 100m
CAT5E305S	R 2,578	RCT CAT5E Solid 305m Network Cabling Box
CAT5E305S	R 2,415	RCT CAT5E Solid 305m Network Cabling Box
CAT5E500S	R 4,380	RCT CAT5E Solid 500m Cable Drum - Grey
CAT5E500S-P	R 3,628	RCT CAT5e solid 500m Cattex Premium range
CAT5ESTP500MUV	R 5,422	Cattex CAT5e (Solid) - 500M Reel - F/UTP Outdoor Cable (UV Rated)
CAT5STP500MS	R 4,617	Cattex CAT5e Solid 500m STP Drum
CAT5STP500MUV	R 4,796	Cattex CAT5e solid 500m STP UV Network Cable - Black
CAT5U-100	R 329	Unbranded 100m Pull Box, Solid Core, UV Protected SF/UTP CAT5e Cable, Foil, Braiding
CAT5U-100-GEN	R 330	AccoNet Cat5e CCA UV Protected SF/TP Cable with Foil & Braiding - 100m Roll, For Outdoor Use
CAT5U-100-GEN-SC	R 1,332	AccoNet CAT5e UV Shielded Solid Copper UTP cable - 100m Pull Box
CAT5U-100-SC	R 1,404	Acconet Solid Copper CAT5e Cable UV protected 100m Roll - Black, STP, Outdoor Use
CAT5U-305	R 910	Unbranded 305m Pull Box, Solid Core, UV Protected SF/UTP CAT5e Cable, Foil, Braiding
CAT5U-305-GEN	R 983	Miro generic CAT5e 305m roll CCA cable, UV protected SF/TP CAT5e cable, Foil, Braiding (For outdoor use)
CAT5U-305-GEN-SC	R 3,643	AccoNet CAT5e UV Shielded Solid Copper UTP cable - 305m Pull Box
CAT5U-305-SC	R 3,794	Unbranded 305m Roll, Black, Solid Copper, UV protected, STP, CAT5e Cable (Outdoor Use)
CAT5U-500	R 1,505	Unbranded 500m Pull Box, Solid Core, UV Protected SF/UTP CAT5e Cable, Foil, Braiding
CAT5U-500-GEN	R 1,576	Unbranded Generic Cat5e 500m Roll CCA UV Protected SF/TP CAT5e Cable, Foil, Braiding, For Outdoor Use
CAT5U-500-GEN-SC	R 5,866	AccoNet CAT5e UV Shielded Solid Copper UTP cable - 500m Roll
CAT5U-500-SC	R 6,131	Unbranded 500m Roll, Black, Solid Copper, UV protected, STP, CAT5e Cable (Outdoor Use)
CAT6-1	R 344	Unbranded CAT6 100m UTP Solid network cable

CAT6-100	R 231	Unbranded CAT6 Cable, 100m Pull Box, Solid Core, Grey (Indoor Use)
CAT6-100-SC	R 903	Unbranded CAT6 100m pull box roll Solid Copper CAT6 cable - White, Indoor use, 23 AWG Solid Copper
CAT6-100-SC-GEN	R 852	Unbranded Generic CAT6 Solid Copper UTP cable (Indoor use) - 100m pull box White
CAT6-100-STP	R 337	Unbranded CAT6 Cable, 100m Pull Box, Solid Core, Grey, SF/UTP, Foil, Braiding (Indoor Use)
CAT6-100-U	R 383	Unbranded CAT6 Cable, 100m Pull Box, Solid Core, Black, UV Protected SF/UTP, Foil, Braiding (Outdoor Use)
CAT6-100M	R 995	Cattex CAT6 (Solid) network cable - 100m reel
CAT6-305	R 623	CAT6 Cable, 305m Pull Box, Solid Core, Grey (Indoor Use)
CAT6-305	R 919	CAT6 Cable, 305m Pull Box, Solid Core, Grey (Indoor Use)
CAT6-305-SC	R 2,621	Unbranded CAT6 305m pull box roll Solid Copper CAT6 cable - White, Indoor use, 23 AWG Solid Copper
CAT6-305-SC-GEN	R 2,730	Unbranded Generic CAT6 Solid Copper UTP cable (Indoor use) - 305m roll White
CAT6-305-STP	R 1,014	unbranded CAT6 Cable, 305m Pull Box, Solid Core, Grey, SF/UTP, Foil, Braiding (Indoor Use)
CAT6-305-U	R 1,081	AccoNet CAT6 Cable, 305m Pull Box, Solid Core, Black, UV Protected SF/UTP, Foil, Braiding (Outdoor Use)
CAT6-500	R 1,087	Unbranded CAT6 Cable, 500m Pull Box, Solid Core, Grey (Indoor Use)
CAT6-500	R 1,379	Microworld CAT6 UTP 0.50mm CCA 4 pairs Network cable - 500m - Blue, HDPE insulation, PVC jacket, 6.0mm O.D
CAT6-500-SC	R 4,209	Unbranded CAT6 500m pull box roll Solid Copper CAT6 cable - White, Indoor use, 23 AWG Solid Copper
CAT6-500-SC-GEN	R 4,354	Unbranded Generic CAT6 Solid Copper UTP cable (Indoor use) - 500m roll White
CAT6-500-STP	R 1,605	unbranded CAT6 Cable, 500m Pull Box, Solid Core, Grey, SF/UTP, Foil, Braiding (Indoor Use)
CAT6-500-U	R 1,724	Unbranded CAT6 Cable, 500m Pull Box, Solid Core, Black, UV Protected SF/UTP, Foil, Braiding (Outdoor Use)
CAT6100S	R 1,022	Unbranded CAT6 Solid Cable 100m
CAT6305S	R 3,447	RCT 305M CAT6 Solid Network Cable
CAT6305S	R 3,128	Unbranded 305M CAT6 Solid Network Cable
CAT6500S	R 5,201	RCT CAT6 Solid Network cable - 500m
CAT6STP500MUV	R 7,073	Cattex CAT6 (Solid) - 500m reel - F/UTP outdoor cable (UV rated)
CAT6STP500MUV	R 7,307	Cattex CAT6 (Solid) - 500m reel - F/UTP outdoor cable (UV rated)
CAT6U-100-SC	R 1,650	Acconet Solid Copper CAT6 Cable UV protected 100m Roll - Black, STP, Outdoor Use
CAT6U-305-SC	R 4,763	Unbranded 305m Roll, Black, Solid Copper, UV protected, STP, CAT6 Cable (Outdoor Use)
CAT6U-305-SC-GEN	R 4,540	Unbranded Generic CAT6 Solid Copper UV protected SF/TP cable (Outdoor use) - 305m roll Black
CAT6U-500-SC	R 7,936	Unbranded 500m Roll, Black, Solid Copper, UV protected, STP, CAT6 Cable (Outdoor Use)
CAT6U-500-SC-GEN	R 7,163	Unbranded Generic CAT6 Solid Copper UV protected SF/TP cable (Outdoor use) - 500m roll Black
DS-1LN5E-S	R 2,501	Hikvision DS-1LN5E-S 305m CAT5e UTP solid Network Copper cable, 0.5mm outside diameter
DS-1LN6-UU	R 3,416	Hikvision UTP CAT 6, 305 meters, Core diameter: 0.565mm, OFC, CM, orange
DS-1LN6-UU(O-STD)	R 3,388	Hikvision DS-1LN6-UU(O-STD), UTP CAT 6, 305 meters, Core diameter: 0.565mm, OFC, CM, orange
EX-C6-UTP-305	R 3,099	Extralink Indoor CAT6 Grey cable - 305m, wire - Pure Copper material, 0.50mm Diameter
FIB-CBL-DC2C-BT-BLK	R 2,989	UltraLAN Fiber Bow Type Drop Cable - Black - 2 Core - 2000m Drum
FIB-CBL-DC2C-BT-WHT	R 2,989	UltraLAN Fiber Bow Type Drop Cable - White - 2 Core - 2000m Drum, Single Mode
FIB-CBL-DC4C-BT-BCK	R 4,139	UltraLAN Fiber Bow Type Drop Cable - Black - 4 Core - 2000m Drum
MCAT5E-500G	R 4,088	Mecer Must-X CAT5e 500m solid U/UTP Grey network cable
MCAT5E-500GR	R 3,594	Mecer Must-X CAT5e 500m solid U/UTP Green network cable
MCAT5E-500UV	R 3,329	Mecer Must-X CAT5e 500m solid U/UTP UV Black network cable
MCAT5E-B	R 6	Mecer Must-X CAT5e Solid U/UTP Grey - Price per metre
MCAT5E-GR-B	R 854	Mecer Must-X CAT5e Solid U/UTP Green - Price per metre
MCAT6-500BL	R 4,888	Mecer Must-X CAT6 500m solid U/UTP Blue Network cable
MCAT6-500G	R 4,939	Mecer Must-X CAT6 500m solid - U/UTP Grey network cable
MCAT6-500GR	R 5,635	Mecer Must-X CAT6 500m solid - U/UTP Green network cable
MCAT6-500YL	R 4,991	Mecer Must-X CAT6 500m solid - U/UTP Yellow network cable
MCAT6-G-B	R 1,561	Mecer Must-X CAT6 solid - U/UTP Grey network cable - price per metre
MT-ACRPSMA	R 150	RouterBOARD SMA male RP to SMA male RP - 500mm Flex-Guide Pigtail
NET-CAT5-OUTDOOR-FTP	R 9	Unbranded 500m Roll Cat5E FTP Outdoor cable Black - Price per metre, Copper Cores

NET-CAT5-UV-OUTD-500	R 8	Unbranded 500m Cat5E UV Outdoor non FTP cable - Price per metre, Copper cables
NET-CAT5SOL-100M-LQ	R 7	Unbranded 100m CAT5e UTP solid Network cable - Price Per metre, FA0424AUC5EV-100
NET-CAT5SOLCAB100-B	R 8	Unbranded 100m Roll CAT5E Solid Network cable - Black - Price per metre, Solid Copper Core
NET-CAT5SOLCAB100-BL	R 8	Unbranded 100m Roll CAT5E Solid Network cable - Blue - Price per metre, Solid Copper Core
NET-CAT5SOLCAB100-GR	R 8	Unbranded 100m Roll CAT5E Solid Network cable - Green - Price per metre, Solid Copper Core
NET-CAT5SOLCAB100-M	R 8	Unbranded 100m Roll CAT5E Solid Network cable - Magenta - Price per metre, Solid Copper Core
NET-CAT5SOLCAB100-Y	R 8	Unbranded 100m Roll CAT5E Solid Network cable - Yellow - Price per metre, Solid Copper Core
NET-CAT5SOLCAB305	R 7	Unbranded 305m box CAT5E solid Network cable - price per meter, 5-000-505
NET-CAT5SOLCAB500-O	R 8	Unbranded 500m roll CAT5E solid Network cable Orange - Price per meter
NET-CAT5SOLCAB500-Y	R 8	Unbranded 500m roll CAT5E solid Network cable Yellow - Price per meter
NET-CAT5STCAB500	R 7	Unbranded 500m roll CAT5E solid Network cable - Price per meter, 5-000-110
NET-CAT5STCAB500-BLK	R 8	Unbranded 500m Roll Cat5E Solid Network cable - Black - Price per metre, Solid copper cores
NET-CAT5STCAB500-BLU	R 8	Unbranded 500m roll CAT5E solid Network cable Blue - Price per meter
NET-CAT5STCAB500-GRE	R 8	Unbranded 500m roll CAT5E solid Network cable Green - Price per meter
NET-CAT5STCAB500-MTA	R 8	Unbranded 500m roll CAT5E solid Network cable Magenta - Price per meter
NET-CAT5STCAB500-RED	R 8	Unbranded 500m roll CAT5E solid Network cable Red - Price per meter
NET-CAT6-500M-OUT-BL	R 11	Unbranded 500m roll CAT6 outdoor solid Network cable price per metre - BLACK COLOR
NET-CAT6A-500M-GREY	R 14	Premium Line 500m roll Cat 6A S/SFTP LSOH Grey - Price per meter, 209442225
NET-CAT6A-F-UTP-LQ	R 11	Unbranded 500m CAT6A F/UTP solid Network cable - Price per meter
NET-CAT6SOL-100M-LQ	R 9	Unbranded 100m CAT6 solid Network cable - Price per Metre, FA0423AUC6V-100
NET-CAT6SOLCAB-500-O	R 9	Unbranded 500m roll CAT6 solid Network cable - Orange - price per meter
NET-CAT6SOLCAB100-B	R 9	Unbranded 100m Roll CAT6 Solid Network cable - Blue - Price per metre, Solid Copper Core
NET-CAT6SOLCAB100-BL	R 9	Unbranded 100m Roll CAT6 Solid Network cable - Black - Price per metre, Solid Copper Core
NET-CAT6SOLCAB100-GR	R 9	Unbranded 100m Roll CAT6 Solid Network cable - Green - Price per metre, Solid Copper Core
NET-CAT6SOLCAB100-O	R 9	Unbranded 100m Roll CAT6 Solid Network cable - Orange - Price per metre, Solid Copper Core
NET-CAT6SOLCAB100-Y	R 9	Unbranded 100m Roll CAT6 Solid Network cable - Yellow - Price per metre, Solid Copper Core
NET-CAT6SOLCAB500	R 9	Unbranded 500m roll CAT6 solid Network cable - Grey - price per meter, 6-000-110
NET-CAT6SOLCAB500-B	R 9	Unbranded 500m roll CAT6 solid Network cable - Blue - price per meter
NET-CAT6SOLCAB500-BL	R 9	Unbranded 500m roll CAT6 solid Network cable - Black - price per meter
NET-CAT6SOLCAB500-GR	R 9	Unbranded 500m roll CAT6 solid Network cable - Green - price per meter
NET-CAT6SOLCAB500-LI	R 9	Unbranded 500m Roll CAT6 Solid Installer Network cable - Grey - Price per metre, Solid Copper Core
NET-CAT6SOLCAB500-R	R 9	Unbranded 500m roll CAT6 solid Network cable - Red - price per meter
NET-CAT6SOLCAB500-VI	R 9	Unbranded 500m Roll CAT6 Solid Network cable - Violet - Price per metre, Solid Copper Core
NET-CAT6SOLCAB500-Y	R 9	Unbranded 500m roll CAT6 solid Network cable - Yellow - price per meter
NET-CAT7-SOL-500M-LQ	R 15	LinkQnet 500m roll CAT7 solid Network LSOH cable - Price per metre
NET-RJ11-WALLBOX	R 14	Unbranded Wall Box for telephone - RJ11, 368-00050-J
PC-CAT6-1.5MB	R 19	Netix CAT6 UTP Network Patch Cable - 1.5 Meters Cable Length, UTP Cable Type, CAT6 Category, Up to 1000Mbps Data Transmission, Supports Up to 250MHz Bandwidth, RJ45 End to End Connectors, Blue Color, Retail Box, No Warranty.
PC-CAT6-3MB	R 25	Netix CAT6 UTP Network Patch Cable - 3 Meters Cable Length, UTP Cable Type, CAT6 Category, Up to 1000Mbps Data Transmission, Supports Up to 250MHz Bandwidth, RJ45 End to End Connectors, Blue Color, Retail Box, No Warranty
PC-CAT6-5MB	R 29	Netix CAT6 UTP Network Patch Cable - 5 Meters Cable Length, UTP Cable Type, CAT6 Category, Up to 1000Mbps Data Transmission, Supports Up to 250MHz Bandwidth, RJ45 End to End Connectors, Blue Color, Retail Box, No Warranty.
TC-100	R 1,064	Linkbasic 100M Shielded UV Protected Cat5e Cable
TC-100C	R 316	Scoop TC-100C 100m Roll Cat5e Outdoor FTP CCA Cable
TC-305	R 3,099	Linkbasic 305M Shielded UV Protected Cat5e Cable
TC-305C	R 949	Scoop TC-305C 305m Box Cat5e Outdoor FTP CCA Cable

TC-500	R 5,169	Linkbasic 500M Shielded UV Protected Cat5e Cable
TC-500C	R 1,489	Scoop 500m Drum Cat5e Outdoor FTP CCA Cable. Scoop TC-500C; 500m Cat5e outdoor FTP CCA cable; 4 pairs 24 AWG; aluminium foil shield drain wire; LDPE jacket black; not recommended for high-power PoE
TC-6100	R 1,374	Linkbasic 100M Shielded UV Protected Cat6 Cable
TC-6305	R 3,904	Linkbasic TC-6305 305M Shielded UV Protected Cat6 Cable
TC-6305C	R 1,093	Scoop 305m box CAT6 outdoor FTP CCA cable, 23 AWG rating
TC-6500	R 6,319	Linkbasic 500M Shielded UV Protected Cat6 Cable
TR-58001	R 549	NetiX UTP CAT5e solid cable - 305m Easy pull box CCA cable, Copper Clad Aluminium conductor material
UB-TC-C	R 3,843	Ubiquiti TOUGHCable Carrier Outdoor Shielded Ethernet Cable, 305 Meters
UTP-100	R 776	Linkbasic 100M Box Cat5e Solid UTP Cable
UTP-100C	R 224	Scoop UTP-100C 100m Roll Cat5e CCA UTP Cable
UTP-100CW	R 224	Scoop 100m box CAT5e CCA White UTP cable
UTP-305	R 2,294	Linkbasic 305M Box Cat5e Solid UTP Cable
UTP-305B	R 2,294	Linkbasic 305m box CAT5e solid Blue UTP cable
UTP-305C	R 684	Scoop UTP-305C 305m Box Cat5e CCA UTP Cable
UTP-305CU	R 684	Scoop Unbranded 305m Box Cat5e CCA Grey UTP Cable
UTP-305CW	R 684	Scoop 305m box CAT5e CCA White UTP cable
UTP-305R	R 2,294	Linkbasic 305m box CAT5e solid Red UTP cable
UTP-305S	R 2,869	Linkbasic 305M Drum Cat5e Solid Shielded FTP Cable, 4 pairs twisted pair cable, Solid Bare Copper
UTP-500	R 3,789	Linkbasic 500M Drum Cat5e Solid UTP Cable
UTP-500C	R 1,093	Scoop 500m Drum Cat5e CCA UTP Cable
UTP-6100	R 1,121	Linkbasic 100M Box Cat6 Solid UTP Cable
UTP-6100A	R 1,179	Linkbasic 100m drum Cat 6A solid UTP cable
UTP-6100C	R 288	Scoop UTP-6100C 100m Roll Cat6 CCA UTP Cable
UTP-6100CW	R 288	Scoop 100m box CAT6 CCA White UTP cable
UTP-6305	R 3,278	Linkbasic 305M Box Cat6 Solid UTP Cable
UTP-6305A	R 3,421	Linkbasic 305m drum Cat 6A solid UTP cable
UTP-6305C	R 863	Scoop UTP-6305C 305m Box Cat6 CCA UTP Cable
UTP-6305CU	R 863	Scoop Unbranded 305m box CAT6 CCA Grey UTP cable
UTP-6305CW	R 863	Scoop 305m box CAT6 CCA White UTP cable
UTP-6500	R 5,169	Linkbasic 500M Drum Cat6 Solid UTP Cable
UTP-6500C	R 1,374	Scoop 500m Drum Cat6 CCA UTP Cable
UTP-F	R 3,099	Linkbasic 305M Box Cat5e UTP Stranded Cable
ZA-CAT5OD-305M	R 999	The Netix CAT5 305M Outdoor Network Cable - durable, UV-resistant, and waterproof cable designed for outdoor use. It features a length of 305 meters, making it suitable for extensive installations in challenging environmental conditions. The cable is typically used for networking applications, providing reliable data transmission. However, it's worth noting that while the product is described as CAT5, many modern installations prefer CAT5e or higher for better performance and compatibility with faster Ethernet speeds
ZACAT5100MUTP	R 279	Netix CAT5 100M UTP Indoor Network Cable - 100 Meters, CAT5 UTP, Supports data transmission speeds up to 100 Mbps, making it ideal for Ethernet networks, including Fast Ethernet and other standard networking applications.

< Return to the menu

Network Cables & Connectors : Network Lan connectors & boots

Product code	Price	Description
121140	R 285	Equip Connector, CAT5E RJ45 UTP (100), RJ45 Modular Plug, For Round cable, Unshielded, 8P8C, Without boot
121143	R 205	Equip 121143 CAT6 RJ45 connector - 100 pack, For round cable, Unshielded, Gold plated connectors
121175	R 343	Equip Connector, CAT6E RJ45 UTP Boot, RJ45Plug Set, Unshielded, For Round Plug, CAT6 with boot and insert bar.

29-0025	R 29	NetiX Female RJ45 To Female RJ45 Adapter, Retail Box
4-0100G	R 79	Netix RJ45 rubber boots Green - 100 per pack
4-0100R	R 79	Netix RJ45 rubber boots Red - 100 per pack
58627	R 136	Goobay RJ45 Modular plug for round cables - 10 pack
790581	R 399	Intellinet 100-Pack Cat5e RJ45 Modular Plugs Pro Line, Retail Box, No Warranty
790604	R 369	Intellinet 90-Pack Cat6 RJ45 Modular Plugs - UTP, 3-prong, for solid wire, 90 plugs and liners in jar, Retail Box, No Warranty
A72011-Q	R 138	Astrum NT110 Network RJ45 Boots Rubber - 50-Pack; PVC construction; straight entry; RJ45 connector protection; Cat5e compatible; compatible with Cat6 cables; strain relief; network cable accessory
A72012-Q	R 91	Astrum NT120 CAT6 RJ45 Net connectors - 100 pack
AC-ETH-RJ45-P-CAT5	R 224	AccoNet Pass-Through CAT5e connectors - 100 pack, 50u Gold plating
AC-ETH-RJ45-P-CAT6	R 238	Acconet Pass-Through CAT6 Connectors - 100 pack, 50u Gold Plating, Not recommended for CAT6 Outdoor (23AWG)
BOOT	R 46	Unbranded RJ45 Boots (100 Pack)
CAB-RJ45-FTP5	R 3	UltraLAN CAT5e shielded RJ45 connector
CAB-RJ45-FTP5-EZ	R 3	UltraLAN CAT5e EZ shielded RJ45 connector
CAB-RJ45-FTP6	R 3	UltraLAN CAT6 shielded RJ45 connector
CAB-RJ45-FTP6-EZ	R 3	UltraLAN CAT6 shielded RJ45 connector
CAB-RJ45-STD	R 1	UltraLAN RJ45 CAT5e connector, 50 Micron 8P8C Gold-Plated contacts
CAB-RJ45-STD-EZ	R 1	UltraLAN CAT5e EZ RJ45 Connector
CAB-RJ45-STD6	R 2	UltraLAN RJ45 CAT6 connector, 50 Micron 8P8C Gold-Plated contacts
CAB-RJ45-STD6-EZ	R 2	UltraLAN CAT6 EZ RJ45 connector
CAB-RJ45-WPC	R 86	UltraLAN weatherproof shielded RJ45 Female-Female coupler, CAB-RJ45-WPC
CAB-RJ45B-BK	R 1	UltraLAN RJ45 Boot - Black
CAB-RJ45B-BL	R 1	UltraLAN RJ45 Boot - Blue
CAB-RJ45B-GR	R 1	UltraLAN RJ45 Boot - Grey
CAB-RJ45B-RD	R 1	UltraLAN RJ45 Boot - Red
CAB-RJ45B-TP	R 1	UltraLAN RJ45 Boot - Transparent
CAB-RJ45B-WH	R 1	UltraLAN RJ45 Boot (White), Sold in packets of 50 Units, Durable Plastic construction, Easy to Install on cable ends, Standard Ethernet Connector Fit
CAB-RJ45B-YL	R 1	UltraLAN RJ45 Boot - Yellow
CAB850	R 83	Unbranded RJ45 CAT6 connector
CAT-FMC	R 4	Miro 2 Pair Ivory Flat Modular Cable for RJ11 Connectors 4 Wire, RJ11 telephony cable which is perfect for use with RJ11 Plugs.
CAT5COP100	R 92	Microworld CAT5e Copper RJ45 connectors - 100 pieces packing
CAT5RJ45BOOT	R 49	RCT RJ45 Boots - 50x Pieces
CAT5RJ45BOOT	R 41	RCT RJ45 Boots - 50x Pieces
CAT5RJ45CON	R 81	RCT RJ45 Connectors - 50x Pieces
CAT5RJ45CON	R 60	Unbranded RJ45 Connectors - 50x Pieces
CAT6COP100	R 127	Microworld CAT6 Copper RJ45 connectors - 100 pieces packing
CAT6RJ45BOOT	R 40	Unbranded CAT6 RJ45 Boot Sleeves 50 Per Packet
CAT6RJ45BOOT	R 44	RCT CAT6 RJ45 Boot Sleeves 50 Per Packet
CAT6RJ45CON	R 69	Unbranded CAT6 RJ45 Connectors 50 Per Packet
CAT6RJ45CON	R 92	Unbranded CAT6 RJ45 Connectors 50 Per Packet
CAT7PASS	R 229	Microworld Pass Through CAT7 connectors - 100 pack, 8P8C CAT6 Double Row through hole RJ45 Connector, Transparent Colour. Easy to use - eliminate the need for precise wire measuring, allows user to visually verify the color order at a glance before locking the connection.
CM210-50923	R 76	UGreen RJ45 Splitter Adapter 2 pack - Black, RJ45 Male to Dual RJ45 Female, 100 Mbps Maximum Network Speed, Metal shielded structure, 100m transmission distance

EX-RJ45-C5	R 1	Extralink Cat5E RJ45 connector, Round cable entry, 8P8C shielded
EX-RJ45-C6	R 2	Extralink CAT6 RJ45 shielded FTP Modular plug, Round cable entry
EX-RJ45-C6-SH	R 4	Extralink CAT6 shielded connector
LB-KEY45	R 14	Linkbasic Cat5e UTP Keystone Jack
LB-KEY45S	R 29	Linkbasic Cat5e Shielded UTP Keystone Jack
LB-KEY6	R 17	Linkbasic Cat6 UTP Keystone Jack
MX6-F02-DB	R 27	Siemon MAX CAT6 UTP outlet - Black
NEPRJ45BAR	R 14	Unbranded RJ45 Inline Connector - Female to Female
NET-BOOT-90DEG-Y	R 9	LinkQnet 90 degree assembly Boot - Yellow
NET-BOOT-BLACK-LQ	R 1	Linkbasic RJ45 Boot Black
NET-BOOT-BLUE-LQ	R 1	Linkbasic RJ45 Boot Blue
NET-BOOT-GREEN-LQ	R 1	Linkbasic RJ45 Boot Green
NET-BOOT-GREY-LQ	R 1	Linkbasic RJ45 Boot Grey, PBB02-G
NET-BOOT-ORANGE-LQ	R 1	Linkbasic RJ45 Boot Orange
NET-BOOT-RED-LQ	R 1	Linkbasic RJ45 Boot Red
NET-BOOT-TRANSPARENT	R 2	LinkQnet Boot Fit for Easy plug - Transparent, 6.5 or 4.5mm outside Diameter
NET-BOOT-YELLOW-LQ	R 1	Linkbasic RJ45 Boot Yellow
NET-CAT5-CON-LQ	R 1	Unbranded RJ45 CAT5 connector
NET-CAT5INLINE-LQ	R 21	Unbranded RJ45 inline connector
NET-CAT6-CON-HQ-LQ	R 3	Unbranded RJ45 CAT6 high quality connector Blue
NET-CAT6-CON-LQ	R 3	Unbranded RJ45 CAT6 stranded connector
NET-CAT6-CRIMP-PASS	R 7	LinkQnet CAT6 STP Easy plug shielded, Pass-Through Connector, 3-prong contact blades for stranded and Solid cables
NET-CAT6-EZCON-LQ	R 3	LinkQnet RJ45 CAT6 pass through connector
NET-CAT6-INSERT-LQ	R 59	LinkQnet CAT6 shielded inline coupler - unpopulated
NET-CAT6-SH-CON	R 484	Proskit CAT6 pass through connector - pack of 100
NET-CAT6-TOOLESS-LQ	R 43	LinkQnet CAT6 unshielded tooless RJ45 plug
NET-CAT6A-BOOTCRIMP	R 25	LinkQnet Cat 6A / CAT7 STP Easy pass plug & Boot
NET-CAT6A-TOOLESS-LQ	R 78	Unbranded CAT6A shielded tooless RJ45 plug
NET-CAT6INLINE-LQ	R 31	LinkQnet RJ45 CAT6 inline connector, LKE128-c6u
NET-CAT6SH-CON-LQ	R 7	Unbranded CAT6 shielded connector
NET-CAT6SH-TOOLESS-L	R 78	Unbranded CAT6 shielded tooless RJ45 plug
NET-CAT6SHCON-HQ-LQ	R 7	Unbranded RJ45 CAT6E HQ shielded connector Blue
NET-CAT8-SH-ANGLECON	R 98	LinkQnet CAT8 shielded Field plug with angle, Adapter can be rotated in 8x directions, Overall Zinc-Alloy shielding Design
NET-CAT8-SH-CON	R 93	LinkQnet CAT8 shielded Field plug, Overall Zinc-Alloy shielding Design, phosphor Bronze with 50& #181; Gold plate contact
NET-RJ11CON-LQ	R 2	Unbranded RJ11 connector
NET-RJ9CON-LQ	R 2	Unbranded RJ9 connector
NET-S45-1755P	R 2,529	Unbranded RJ45 shielded pass through connector CAT6/6a - 50 pack
NET009	R 12	Unbranded RJ11 Extension Connector
NET020	R 25	Unbranded RJ45 Splitter
NTXCAT5CGC100P	R 79	Netix Cat5 Pass Through Shielded Connectors - 100 Pack, Cat5, Cat5e Connectors, High Quality Connectors, 8P8C Modular Plug, Gold Plated For Reliable Signal Transmission, Data Transmission Up To 100Mbps, LAN Cable Assembly, Professional And DIY Networking Usage, Protect Against EMI and Crosstalk, No Warranty.
NW111-20333	R 21	UGreen CAT6 FTP RJ45 Modular Plugs 10 Pack; shielded RJ45 modular connectors; compatible with CAT6 CAT5E CAT5; 50 micron gold-plated contacts; 8P8C; 10 pack
NW111-50248	R 112	UGreen NW111 Silver/Transparent RJ45 Cat6 Ethernet Network Head 100 Pack, Cat6 RJ45 connectors metal shielded; compatible with Cat6 Cat5E Cat5; 100 pack ethernet network heads; silver transparent; 8P8C RJ45

		network plugs
NW120-50961	R 21	UGREEN Cat6 RJ45 Modular Plugs - Transparent with Gold Contacts (10 Pieces)
NW120-50962	R 49	UGreen CAT6 RJ45 Modular plugs Transparent with Gold contacts - 50 pieces, 8P8C Gold-Plated, Up to 1000 Mbps Data Speed support
NW123-70316	R 62	UGreen Cat 7 shielded RJ45 Modular plug - 10 pack, Up to 10Gbps transmission Speed, Nickel-plated with 3U Gold-Plated contact Surface
RJ-45	R 1	Linkbasic RJ45 Cat5e UTP Modular Plug Single
RJ45	R 81	Unbranded RJ45 Connectors (100 Pack)
RJ45-6A	R 7	Linkbasic RJ45 Cat 6A UTP modular plug
RJ45-6FTP	R 9	Linkbasic RJ45 Cat6 FTP Modular Plug - Single unit
RJ45-B-B50	R 22	Acconet RJ45 Connector Boots, Blue, 50 Pack
RJ45-B-BL	R 1	Unbranded RJ45 Boot Blue
RJ45-B-G50	R 20	Acconet RJ45 Connector Boots, Grey, 50 Pack
RJ45-B-GR	R 1	Unbranded Green Boot RJ45
RJ45-B-GR50	R 23	Acconet RJ45 Connector Boots, Green, 50 Pack
RJ45-B-R	R 1	Unbranded Red Boot RJ45
RJ45-B-R50	R 22	Acconet RJ45 Connector Boots, Red, 50 Pack
RJ45-B-Y	R 1	Unbranded Yellow Boot RJ45
RJ45-B-Y50	R 23	Acconet RJ45 Connector Boots, Yellow, 50 Pack
RJ45-CAT6	R 3	Linkbasic RJ45 Cat6 UTP Modular Plug Single
RJ45-CAT6	R 114	Microworld CAT6 connectors - 100 pack
RJ45-CAT6-4PACK	R 7	RJ45 Cat6 connectors - pack of 4 connectors. No boots. Network cable / network RJ45 crimping tool required.
RJ45-CAT6EZ	R 3	Scoop EZ RJ45 CAT6 UTP Modular Plug
RJ45-CAT6S	R 150	Microworld CAT6 shielded connectors 100 pack
RJ45-CAT6S-1	R 81	Microworld CAT6 RJ45 shielded connectors (Box of 50)
RJ45-EZ	R 3	Scoop EZ RJ45 CAT5e UTP Modular Plug
RJ45-FTP	R 3	Linkbasic RJ45 Cat5e Shielded UTP Modular Plug Single
RJ45-FTPEZ	R 4	Scoop EZ RJ45 CAT5e FTP Modular plug
RJ45-P-550	R 36	Acconet CAT5e RJ45 Connectors, Stranded/Solid Core, 50 Pack
RJ45-P-550S	R 98	Acconet CAT5e RJ45 Connectors, Shielded, Stranded/Solid Core, 50 Pack
RJ45-P-550S-2P	R 107	Unbranded CAT5e RJ45 connectors shielded stranded/solid Core - 50 pack
RJ45-P-650	R 104	Acconet CAT6 RJ45 Connectors, Stranded/Solid Core, 50 Pack
RJ45-P-650S	R 148	Acconet CAT6 RJ45 Connectors, Shielded, Stranded/Solid Core, 50 Pack
RJ45A-CAT6O	R 86	Linkbasic RJ45 CAT6 Outdoor barrel connector, Outdoor Female to Female RJ45 UTP inline barrel connector
RJ45B	R 1	Linkbasic Grey Boots RJ45 Single
RJ45B-6FTP	R 1	Linkbasic Grey Boots for RJ45-6FTP - Single unit
RJ45B-6FTPBL	R 1	Linkbasic Black boots for RJ45-6FTP, Over-rj design, High-Density Polyethylene (HDPE)
RJ45B-B	R 1	Linkbasic Black Boot RJ45 Single
RJ45B-BL	R 1	Linkbasic Blue Boots RJ45 Single
RJ45B-G	R 1	Linkbasic Green Boots RJ45 Single
RJ45B-R	R 1	Linkbasic Red Boots RJ45 Single
RJ45B-Y	R 1	Linkbasic Yellow Boots RJ45 Single
RJ45CB	R 1	Linkbasic RJ45 Grey Crimp Boot
RJ45CB-B	R 1	Linkbasic RJ45 Black Crimp Boot
RJ45CB-BL	R 1	Linkbasic RJ45 Blue Crimp Boot
RJ45CB-O	R 1	Linkbasic RJ45 Orange Crimp Boot
RJ45CB-R	R 1	Linkbasic RJ45 Red Crimp Boot
RJ45PASS	R 114	Microworld Pass Through CAT6 RJ45 connectors - 100 pack, 8P8C CAT6 double-row through-hole RJ45 Connector, Transparent Colour. Easy to use - eliminate the need for precise wire measuring, allows user to visually

		verify the color order at a glance before locking the connection.
RJ48	R 114	Microworld RJ48 connector UTP - 100 pack, 10 pin slot, NOT a RJ45 connector
RJ48S	R 144	Microworld RJ48 connector FTP - 100 pack, 10 pin slot, NOT a RJ45 connector
WAT-RJ45D-P108SA	R 254	Unbranded Waterproof RJ45 connector d-size installable plug, RJ45D-P108SA
Z6-02	R 22	Siemon ZMAX CAT6 UTP Outlet (Hybrid Flat/Angled) - White
Z6-P	R 22	Siemon ZMAX CAT6 UTP panel outlet
Z6A-S01B	R 21	Siemon ZMAX CAT6A Shielded Outlet - Black
Z6A-SP	R 22	Siemon ZMAX CAT6A Shielded Outlet

< Return to the menu

Network Cables & Connectors : Network pre-wired LAN cables

Product code	Price	Description
329880	R 19	Intellinet Network Cable, Cat5e, FTP - RJ45 Male / RJ45 Male, 0.5 m (1.5 ft.), Grey, Retail Box, No Warranty
329910	R 59	Intellinet Cat 5E Patch Cable ,RJ45, FTP enhanced RJ-45 Male / RJ-45 Male, 10 ft. (3.0 m), Colour: Grey
4-0100	R 79	Netix RJ45 rubber boots Grey - 100 per pack
513791	R 39	Intellinet 10 Gigabit Cat6A UTP 90 Keystone Jack ,White 90
605504	R 69	Equip 5m cable Network CAT6 s/FTP PoE 250MHz - Grey
605506	R 136	Equip 10m cable Network CAT6 s/FTP PoE 250MHz - Grey
605509	R 229	Equip 20m cable Network CAT6 s/FTP PoE 250MHz - Grey
605592	R 48	Equip 3m cable Network CAT6 s/FTP PoE 250MHz - Black
605594	R 71	Equip 5m cable Network CAT6 s/FTP PoE 250MHz - Black
6161815121121	R 69	Promate linkMate.L1 Premium High-Performance Ethernet Cable, that delivers high Cat 5e speed for home or office network, connect to your modem, router, PC, laptop or just about any device which requires wired connectivity at your own local network, Made from flexShield PVC coated copper material, this Ethernet cable provides enhanced 100Mhz bandwidth to distribute data, voice and video at high-speeds and handle other bandwidth intensive application.Supports Windows 8 and MAC OS.
625410	R 17	EQUIP CABLE, NET/W CAT6E PATCH 1M BEIGE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection.CAT6e U/ UTP Patch Cable, 1M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625411	R 25	EQUIP CABLE, NET/W CAT6E PATCH 2M BEIGE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 2M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625412	R 30	EQUIP CABLE, NET/W CAT6E PATCH 3M BEIGE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 3M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625413	R 12	EQUIP CABLE, NET/W CAT6E PATCH .25M BEIGE. CAT6e U/ UTP Patch Cable, 0.25M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
625414	R 41	EQUIP CABLE, NET/W CAT6E PATCH 5M BEIGE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 5M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625416	R 68	EQUIP CABLE, NET/W CAT6E PATCH 10M BEIGE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 10M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568

625417	R 12	EQUIP CABLE, NET/W CAT6E PATCH .5M BEIGE. CAT6e U/ UTP Patch Cable, 0.5M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 56
625418	R 86	Equip CAT6 U/UTP patch cable - 15m - Grey, 625418, 26AWG conductor size, CCA conductor material
625419	R 120	EQUIP CABLE, NET/W CAT6E PATCH 20M BEIGE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 20M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
625420	R 16	EQUIP CABLE, NET/W CAT6E PATCH 1M RED Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 1M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-C
625423	R 12	EQUIP CABLE, NET/W CAT6E PATCH .25M RED. CAT6e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
625427	R 17	EQUIP CABLE, NET/W CAT6E PATCH .5M RED Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 0.5M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625433	R 14	EQUIP CABLE, NET/W CAT6E PATCH .25M BLUE. Equip Cable, NET/ W CAT6E Patch .25M Blue, CAT6e U/ UTP Patch Cable, 0.25M Blue, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 56,
625437	R 15	EQUIP CABLE, NET/W CAT6E PATCH .5M BLUE Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 0.5M Blue, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
625440	R 14	EQUIP CABLE, NET/W CAT6E PATCH 1M GREEN Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 1M Green, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625443	R 12	EQUIP CABLE, NET/W CAT6E PATCH .25M GREEN. CAT6e U/ UTP Patch Cable, 0.25M Green, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
625443 Special	R 11	(On Promotion) EQUIP 625443 Green CAT6E PATCH 0.25m Network Cable. Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288
625447	R 14	EQUIP CABLE, NET/W CAT6E PATCH .5M GREEN Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 0.5M Green, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 56
625450	R 17	EQUIP CABLE, NET/W CAT6E PATCH 1M BLACK Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 1M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625451	R 16	EQUIP CABLE, NET/W CAT6E PATCH 2M BLACK Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. AT6e U/ UTP Patch Cable, 2M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-

625452	R 33	EQUIP CABLE, NET/W CAT6E PATCH 3M BLACK Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 3M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625453	R 12	EQUIP CABLE, NET/W CAT6E PATCH .25M BLACK. CAT6e U/ UTP Patch Cable, 0.25M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
625454	R 45	EQUIP CABLE, NET/W CAT6E PATCH 5M BLACK Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 5M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568-
625456	R 78	EQUIP CABLE, NET/W CAT6E PATCH 10M BLACK Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 10M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
625457	R 13	EQUIP CABLE, NET/W CAT6E PATCH .5M BLACK. CAT6e U/ UTP Patch Cable, 0.5M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 56
625458	R 79	Equip CAT6 U/UTP patch cable - 15m - Black, 625458, 26AWG conductor size, CCA conductor material
625460	R 14	EQUIP CABLE, NET/W CAT6E PATCH 1M YELLOW Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 0.25M Yellow, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA
625463	R 8	EQUIP CABLE, NET/W CAT6E PATCH .25M YELLOW. CAT6e U/ UTP Patch Cable, 0.5M Yellow, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
625467	R 14	EQUIP CABLE, NET/W CAT6E PATCH .5M YELLOW Stranded 26AWG with 250MHz performance, Gold plated contacts for best connection. CAT6e U/ UTP Patch Cable, 1M Yellow, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
68342	R 131	Goobay 68342 CAT5e U/UTP patch cable - Grey - 1m, Copper-clad Aluminium wire (CCA)
68347	R 153	Goobay 68347 CAT5e U/UTP patch cable - Grey - 10m, Copper-clad Aluminium wire (CCA)
68357	R 133	Goobay 68357 CAT5e U/UTP patch cable - Grey - 2m, Copper-clad Aluminium wire (CCA)
68362	R 179	Goobay 68362 CAT5e U/UTP patch cable - Grey - 20m, Copper-clad Aluminium wire (CCA)
68367	R 135	Goobay 68367 CAT5e U/UTP patch cable - Grey - 3m, Copper-clad Aluminium wire (CCA)
68377	R 139	Goobay 68377 CAT5e U/UTP patch cable - Grey - 5m, Copper-clad Aluminium wire (CCA)
68382	R 250	Goobay 68382 CAT5e U/UTP patch cable - Grey - 50m, Copper-clad Aluminium wire (CCA)
68404	R 275	Goobay 68404 CAT6 U/UTP 20m patch cable - Grey, CCA Copper blend
68409	R 141	Goobay 68409 CAT6 U/UTP patch cable - Grey - 3m, Copper-clad Aluminium wire (CCA)
68419	R 151	Goobay 68419 CAT6 U/UTP patch cable - Grey - 5m, Copper-clad Aluminium wire (CCA)
68439	R 135	Goobay 68439 CAT6 U/UTP patch cable - Grey - 1m, Copper-clad Aluminium wire (CCA)
68444	R 186	Goobay 68444 CAT6 U/UTP patch cable - Grey - 10m, Copper-clad Aluminium wire (CCA)
68454	R 137	Goobay 68454 CAT6 U/UTP patch cable - Grey - 2m, Copper-clad Aluminium wire (CCA)
737319	R 19	Intellinet Network Cable, Cat5e, FTP - RJ45 Male / RJ45 Male, 0.25 m (0.8 ft.), Grey, Retail Box, No Warranty
737333	R 19	Intellinet Network Cable, Cat5e, UTP - RJ45 Male / RJ45 Male, 0.25 m (0.8 ft.), Yellow, Retail Box, No Warranty
739788	R 19	Intellinet Network Cable, CAT6, CU, S/FTP - RJ45 Male / RJ45 Male, 0.25m, Grey, Retail Box, No Warranty
825410	R 16	EQUIP CABLE, NET/W CAT5E PATCH 1M BEIGE. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568

825411	R 15	EQUIP CABLE, NET/W CAT5E PATCH 2M BEIGE. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825412	R 22	EQUIP CABLE, NET/W CAT5E PATCH 3M BEIGE. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825413	R 8	EQUIP CABLE, NET/W CAT5E PATCH .25M BEIGE. CAT5e U/ UTP Patch Cable, 0.25M Beige, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
825414	R 32	EQUIP CABLE, NET/W CAT5E PATCH 5M BEIGE. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825415	R 29	Equip 825415 Network CAT5e Patch cable 7.5m Beige, 26AWG at 100Mhz, Stranded Wire, Gold plated pins and Molded boot with Strain relief
825417	R 7	EQUIP CABLE, NET/W CAT5E PATCH .5M BEIGE. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825420	R 6	EQUIP CABLE, NET/W CAT5E PATCH 1M RED. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825423	R 6	EQUIP CABLE, NET/W CAT5E PATCH .25M RED. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825427	R 6	EQUIP CABLE, NET/W CAT5E PATCH .5M RED. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825433	R 8	EQUIP CABLE, NET/W CAT5E PATCH .25M BLUE. CAT5e U/ UTP Patch Cable, 0.25M Blue, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 56
825443	R 4	EQUIP CABLE, NET/W CAT5E PATCH .25M GREEN. CAT5e U/ UTP Patch Cable, 0.25M Green, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
825450	R 15	EQUIP CABLE, NET/W CAT5E PATCH 1M BLACK. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825451	R 16	EQUIP CABLE, NET/W CAT5E PATCH 2M BLACK. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825452	R 18	EQUIP CABLE, NET/W CAT5E PATCH 3M BLACK. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825453	R 19	EQUIP CABLE, NET/W CAT5E PATCH .25M BLACK. CAT5e U/ UTP Patch Cable, 0.25M Black, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 5
825454	R 33	EQUIP CABLE, NET/W CAT5E PATCH 5M BLACK. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825456	R 41	EQUIP CABLE, NET/W CAT5E PATCH 10M BLACK. CAT5e U/ UTP Patch Cable, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC

		jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825457	R 9	EQUIP CABLE, NET/W CAT5E PATCH .5M BLACK. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
825460	R 6	EQUIP CABLE, NET/W CAT5E PATCH 1M YELLOW. CAT5e U/ UTP Patch Cable, 0.25M Red, Stranded 26AWG with 100MHz performance, Gold Plated contacts for best connection, molded assemblies with great strain relief properties, PVC jacket for flexibility and durability, ISO/ IEC 11801, EN50288 and TIA/ EIA 568
A32001-A	R 138	Astrum NT201 CAT5e Network patch cable - 1.0m
A32002-A	R 138	Astrum NT202 CAT5e Network patch cable - 2.0m
A32002-C	R 64	Astrum NT202 Cat5e Ethernet Network Patch 2.0m Cable; 2.0m; RJ45 x 2; up to 1000Mbps; 24AWG 4P; 5.0mm OD; PVC jacket; oxygen free copper conductor; molded connector boots; Gigabit Ethernet; home and office networking
A32003-A	R 44	Astrum NT203 CAT5e Network patch cable - 3.0m
A32003-C	R 138	Astrum 3.0m Cat5e Blue Networking Cable
A32005-A	R 138	Astrum NT205 CAT5e Network patch cable - 5.0m
A32005-C	R 138	Astrum NT205 Cat5e Ethernet Network Patch 5.0m Cable; 24AWG 4P; PVC jacket; aluminium foil shielding; bare copper conductor; molded connector boots; suitable for home and office networking
A32010-A	R 38	Astrum NT210 CAT5e Network patch cable - 10.0m
A32010-C	R 138	Astrum NT210 Cat5e Ethernet Network Patch 10.0m Cable; Blue; RJ45 molded boots; Up to 1000Mbps; PVC jacket; 5.0mm cable OD; Aluminium foil shielding; Oxygen free bare copper; PE insulation; Home and office networking
A32015-A	R 104	Astrum Networking Cable 15.0m Cat5e Str Blue RJ45 crimping boots
A32015-C	R 138	Astrum NT215 CAT5e networking cable - 15.0m, A32015-C
A32020-A	R 74	Astrum Networking Cable, NETWORKING CABLE 20.0M CAT5E STR BEIGE
A32030-A	R 106	Astrum Networking Cable, NETWORKING CABLE 30.0M CAT5E STR BEIGE
A32050-A	R 138	Astrum Networking Cable, NETWORKING CABLE 50.0M CAT5E STR BEIGE
A32100-A	R 278	Astrum NT301 Beige 100m Cat5e Roll Network Cable; Beige; 24AWG CCA; PVC jacket; 5.0mm OD; Up to 1Gbps; Pull out box; Structured cabling; Home and office networking
A32202-A	R 138	Astrum NT262 CAT6 Network patch cable - 2.0m
A32202-C	R 53	Astrum NT262 Cat6 Network Patch Cable, Molded connectors, Straight patch, Molded connector and boots, 2.0Meter, Blue
A32205-A	R 138	Astrum NT265 5.0M Cat6 Network Patch Cable
A32205-C	R 138	Astrum NT265 Cat6 Network Patch Cable, Molded connectors, Straight patch, Molded connector and boots, 5.0Meter, Blue
CAB-CAT8-M2M-10M-U	R 371	Unitek CAT8 Ethernet cable - 10m, C18149AGY03-10M, 40Gbps transmission Speed, Double shielded
CAB-CAT8-M2M-2M-U	R 171	Unitek CAT8 Ethernet cable - 2m, C18149AGY03-2M, 40Gbps transmission Speed, Double shielded
CAB-CAT8-M2M-3M-U	R 196	Unitek CAT8 Ethernet cable - 3m, C18149AGY03-3M, 40Gbps transmission Speed, Double shielded
CAB-CAT8-M2M-5M-U	R 265	Unitek CAT8 Ethernet cable - 5m, C18149AGY03-5M, 40Gbps transmission Speed, Double shielded
CAB-FLY6	R 14	UltraLAN CAT6 Flylead 1m - White, Rated to CAT6 standards with Performance up to 250 MHz, Factory terminated with RJ45 connectors, Fitted with molded strain-relief boots for improved durability, Snag-resistant Boot Design helps prevent locking Tab catching, Flexible Outer Sheath allows easier routing around equipment, Conductor material is CCA stranded
CAB-FLY7	R 79	UltraLAN CAT7 Flylead 1m - Black, RJ45 Pre-Terminated connectors ready for immediate use, 28AWG bare-copper conductors rated to pass Fluke tests, Overall Braided screen and individually Foil-Shielded twisted pairs
CAB-SL-MF-10M-LQ	R 587	Unbranded Starlink Gen 3 cable Male to Female - 10m, FTP 26AWG, 6.2mm PVC OD
CAB-SL-MF-20M-LQ	R 729	Unbranded Starlink Gen 3 cable Male to Female - 20m, FTP 26AWG, 6.2mm PVC OD
CAB-SL-MF-50M-LQ	R 1,613	Unbranded Starlink Gen 3 cable Male to Female - 50m, FTP 26AWG, 6.2mm PVC OD
CAB-SL-MM-10M-LQ	R 436	Unbranded Starlink Gen 3 cable Male to Male - 10m, FTP 26AWG, 6.2mm PVC OD

CAB-SL-MM-20M-LQ	R 680	Unbranded Starlink Gen 3 cable Male to Male - 20m, FTP 26AWG, 6.2mm PVC OD
CAB-SL-MM-50M-LQ	R 1,564	Unbranded Starlink Gen 3 cable Male to Male - 50m, FTP 26AWG, 6.2mm PVC OD
CAB-SL-MM-5M-LQ	R 293	Unbranded Starlink Gen 3 cable Male to Male - 5m, FTP 26AWG, 6.2mm PVC OD
CAT5-FLY-0.5	R 6	Acconet CAT5e UTP Flylead, 0.5 Meter, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Grey, Cabling & Cabinets, Flyleads, LAN Cable & Connectors.
CAT5-FLY-1	R 6	Acconet CAT5e UTP Flylead, 1 Meter, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Grey
CAT5-FLY-1 Special	R 13	(On Promotion) Acconet CAT5e UTP Flylead, 1 Meter, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Dark Grey
CAT5-FLY-10	R 32	Acconet CAT5e UTP Flylead 10 Meter Grey, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Grey
CAT5-FLY-2	R 9	Acconet CAT5e UTP Flylead, 2 Meter, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Grey
CAT5-FLY-20	R 60	Acconet CAT5e UTP Flylead 20 Meter Grey, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Grey
CAT5-FLY-3	R 12	Acconet CAT5e UTP Flylead, 3 Meter, Straight (T568B) Stranded Cable, Moulded Boots and Plugs, Grey
CAT5-FLY-5	R 17	Acconet CAT5e UTP Flylead 5 Meter Grey, Straight (T568B) Stranded Cable, Moulded Boots and Plugs
CAT520CMG	R 35	Unbranded 20cm CAT5 Patch Cord Green
CAT520CMR	R 35	Unbranded 20cm CAT5 Patch Cord Red
CAT5E-0.5M-BL	R 16	Davis Legend Cat5E RJ45 Network Cable 0.5m - Blue
CAT5E-0.5M-GRY	R 13	RCT CAT5E Patch Cord 0.5m Grey
CAT5E-10M	R 85	Unbranded CAT5e Grey Leads 10m
CAT5E-10M-GRY	R 84	RCT CAT5E Patch Cord 10m Grey
CAT5E-15M-BL	R 132	Davis Legend Cat5E RJ45 Network Cable 15m - Blue
CAT5E-1M	R 18	Unbranded CAT5e Grey Leads 1m
CAT5E-1M-BL	R 16	Davis Legend Cat5E RJ45 Network Cable 1m - Blue
CAT5E-1M-GRY	R 18	RCT CAT5E Patch Cord 1m Grey
CAT5E-2M	R 23	Unbranded CAT5e Grey Leads 2m
CAT5E-2M-GRY	R 26	RCT CAT5E Patch Cord 2m Grey
CAT5E-3M	R 32	Unbranded CAT5e Grey Leads 3m
CAT5E-3M-BL	R 33	Davis Legend Cat5E RJ45 Network Cable 3m - Blue
CAT5E-3M-BLK	R 35	RCT CAT5e patch cord (Fly leads) 3m Black
CAT5E-3M-GRY	R 31	RCT CAT5E Patch Cord 3m Grey
CAT5E-5M	R 42	Unbranded CAT5e Grey Leads 5m
CAT5E-5M-BL	R 44	Davis Legend Cat5E RJ45 Network Cable 5m - Blue
CAT5E-5M-GRY	R 43	RCT CAT5E Patch Cord 5m Grey
CAT5E10M	R 46	Microworld 10m CAT5e network flylead Light Grey
CAT5E15M	R 52	Microworld 15m CAT5e network flylead Light Grey
CAT5E20M	R 58	Microworld 20m CAT5e network flylead Light Grey
CAT5E25M	R 63	Microworld 25m CAT5e network flylead Light Grey
CAT5E30M	R 69	Microworld 30m CAT5e network flylead Light Grey
CAT5EBL10M	R 29	Microworld CAT5e Network cable 10 metre - Black
CAT5EBL15M	R 35	Microworld CAT5e Network cable 15 metre - Black
CAT5EG10M	R 29	Microworld CAT5e Network cable 10 metre - Green
CAT5EG15M	R 35	Microworld CAT5e Network cable 15 metre - Green
CAT5EG3M	R 17	Microworld CAT5e Network cable 3 metre - Green
CAT5EG5M	R 23	Microworld CAT5e Network cable 5 metre - Green
CAT5ER10M	R 29	Microworld CAT5e Network cable 10 metre - Red
CAT5ER15M	R 35	Microworld CAT5e Network cable 15 metre - Red
CAT5ER1M	R 10	Microworld CAT5e Network cable 1 metre - Red
CAT5ER2M	R 13	Microworld CAT5e Network cable 2 metre - Red
CAT5ER3M	R 17	Microworld CAT5e Network cable 3 metre - Red
CAT5ER5M	R 23	Microworld CAT5e Network cable 5 metre - Red

CAT5EY10M	R 29	Microworld CAT5e Network cable 10 metre - Yellow
CAT5EY15M	R 35	Microworld CAT5e Network cable 15 metre - Yellow
CAT5EY1M	R 10	Microworld CAT5e Network cable 1 metre - Yellow
CAT5EY2M	R 13	Microworld CAT5e Network cable 2 metre - Yellow
CAT5EY3M	R 17	Microworld CAT5e Network cable 3 metre - Yellow
CAT5EY5M	R 23	Microworld CAT5e Network cable 5 metre - Yellow
CAT5S15M	R 92	Unbranded CAT5 Shielded 15m Grey network cable
CAT5S3M	R 35	Unbranded CAT5 Shielded 3m Grey network cable
CAT5S5M	R 46	Unbranded CAT5 Shielded 3m Grey network cable
CAT6-0.5M-GR	R 17	Davis Legend Cat5E RJ45 Network Cable 0.5m - Green
CAT6-10M	R 98	Unbranded CAT6 10m Grey - Patch Lead
CAT6-10M-GR	R 92	Davis Legend Cat5E RJ45 Network Cable 10m - Green
CAT6-10M-GRY	R 110	RCT CAT6 patch cord 10m - Grey
CAT6-15M-GR	R 150	Davis Legend Cat5E RJ45 Network Cable 15m - Green
CAT6-1M-GR	R 20	Davis Legend Cat5E RJ45 Network Cable 1m - Green
CAT6-1M-GRY	R 20	RCT CAT6 Patch Cord 1m Grey
CAT6-2M-GR	R 28	Davis Legend Cat5E RJ45 Network Cable 2m - Green
CAT6-2M-GRY	R 28	RCT CAT6 Patch Cord 2m Grey
CAT6-3M	R 33	Unbranded CAT6 3M Grey - Patch Lead
CAT6-3M-BL	R 29	Unbranded CAT6 patch cord 3m Blue
CAT6-3M-GR	R 35	Davis Legend Cat5E RJ45 Network Cable 3m - Green
CAT6-3M-GRY	R 46	RCT CAT6 Patch Cord 3m Grey
CAT6-5M	R 52	Unbranded CAT6 5m Grey - Patch Lead
CAT6-5M-GRY	R 58	Unbranded CAT6 patch cord 3m Grey
CAT6-FLY-0.5	R 8	Acconet CAT6 UTP Flylead, 0.5 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Grey
CAT6-FLY-0.5-BLACK	R 7	AccoNet CAT6 UTP Flylead Black 0.5 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-0.5-BLUE	R 7	AccoNet CAT6 UTP flylead - 0.5 metre Blue, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-0.5-GREEN	R 7	AccoNet CAT6 UTP Flylead Green 0.5 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-0.5-RED	R 8	AccoNet CAT6 UTP flylead - 0.5 metre Red, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-0.5-WHITE	R 7	Acconet CAT6 UTP Flylead 0.5 Meter White, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-0.5-YELLOW	R 7	AccoNet CAT6 UTP flylead - 0.5 metre Yellow, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-1	R 9	Acconet CAT6 UTP Flylead, 1 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Grey
CAT6-FLY-1-BLACK	R 8	Acconet CAT6 UTP Flylead 1 Meter Black, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-1-BLUE	R 9	Acconet CAT6 UTP Flylead, 1 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Blue
CAT6-FLY-1-GREEN	R 10	Acconet CAT6 UTP Flylead, 1 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Green
CAT6-FLY-1-RED	R 9	Acconet CAT6 UTP Flylead, 1 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, RED
CAT6-FLY-1-WHITE	R 8	Acconet CAT6 UTP Flylead 1 Meter White, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-1-YELLOW	R 11	Acconet CAT6 UTP Flylead, 1 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Yellow
CAT6-FLY-10	R 36	Acconet CAT6 UTP Flylead 10 Meter Grey, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-2	R 12	Acconet CAT6 UTP Flylead, 2 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Grey
CAT6-FLY-2-BLACK	R 12	AccoNet CAT6 UTP Flylead Black 2 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-2-BLUE	R 12	AccoNet CAT6 UTP flylead - 2 metre Blue, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-2-GREEN	R 12	AccoNet CAT6 UTP Flylead Green 2 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-2-RED	R 12	AccoNet CAT6 UTP flylead - 2 metre Red, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-2-WHITE	R 11	Acconet CAT6 UTP Flylead 2 Meter White, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-2-YELLOW	R 12	AccoNet CAT6 UTP flylead - 2 metre Yellow, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-20	R 74	AccoNet CAT6 UTP Flylead Grey 20 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-3	R 16	Acconet CAT6 UTP Flylead, 3 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Grey
CAT6-FLY-3-BLACK	R 16	Acconet CAT6 UTP Flylead 3 Meter Black, Straight, Stranded Cable, Moulded Boots and Plugs

CAT6-FLY-3-BLUE	R 17	Acconet CAT6 UTP Flylead, 3 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Blue
CAT6-FLY-3-GREEN	R 14	Acconet CAT6 UTP Flylead, 3 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Green
CAT6-FLY-3-RED	R 15	Acconet CAT6 UTP Flylead, 3 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, RED
CAT6-FLY-3-WHITE	R 14	Acconet CAT6 UTP Flylead 3 Meter White, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-3-YELLOW	R 16	Acconet CAT6 UTP Flylead, 3 Meter, Straight, Stranded Cable, Moulded Boots and Plugs, Yellow
CAT6-FLY-5	R 20	Acconet CAT6 UTP Flylead 5 Meter Grey, Straight, Stranded Cable, Moulded Boots and Plugs
CAT6-FLY-5-BLACK	R 22	AccoNet CAT6 UTP Flylead Black 5 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-5-BLUE	R 28	AccoNet CAT6 UTP flylead - 5 metre Blue, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-5-GREEN	R 28	AccoNet CAT6 UTP Flylead Green 5 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-5-RED	R 29	AccoNet CAT6 UTP Flylead Red 5 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-5-WHITE	R 27	AccoNet CAT6 UTP flylead White 5 meter, Straight, Stranded cable, Moulded boots and plugs
CAT6-FLY-5-YELLOW	R 21	Acconet CAT6 UTP Flylead Yellow 5 Meter, Straight, Stranded Cable, Moulded Boots and Plugs
CAT61.5M	R 20	Microworld CAT6 1.5m cable - Grey, High-Quality Copper-Clad conductors, Durable PVC for flexibility and protection, Speed support - up to 1 Gbps
CAT610M	R 63	Microworld 10m CAT6 network flylead Light Grey
CAT610MG	R 58	Unbranded 10m CAT6 Flylead - Grey
CAT615M	R 75	Microworld 15m CAT6 network flylead Light Grey
CAT615MG	R 75	Unbranded 15m CAT6 Flylead Grey
CAT61M	R 18	Microworld 1m CAT6 network flylead Light Grey
CAT620CMG	R 46	Unbranded CAT6 20cm Patch Cord Green
CAT620CMR	R 46	Unbranded CAT6 20cm Patch Cord Red
CAT620M	R 92	Microworld 20m CAT6 network flylead Light Grey
CAT62M	R 21	Microworld 2m CAT6 network flylead Light Grey
CAT630M	R 150	Microworld 30m CAT6 network flylead Light Grey
CAT63M	R 25	Microworld 3m CAT6 network flylead Light Grey
CAT650M	R 207	Microworld 50m CAT6 network flylead Light Grey
CAT65M	R 40	Microworld 50m CAT6 network flylead Light Grey
CAT6FLY15M	R 69	Microworld CAT6 flylead 15m Blue
CAT6R10M	R 63	Microworld CAT6 Network cable 10 metre - Red
CAT6R15M	R 69	Microworld CAT6 Network cable 15 metre - Red
CAT6R5M	R 40	Microworld CAT6 Network cable 5 metre - Red
CAT6S10M	R 75	Unbranded CAT6 Shielded 10m Grey network cable
CAT6Y10M	R 63	Microworld CAT6 network cable 10 metre - Yellow
CAT6Y15M	R 69	Microworld CAT6 network cable 15 metre - Yellow
CAT7FLY08M	R 86	Microworld CAT7 8m flylead
CAT7FLY10M	R 150	Microworld CAT7 10m flylead
CAT7FLY15M	R 173	Microworld CAT7 15m flylead
CAT7FLY20M	R 229	Microworld CAT7 20m flylead
CAT7FLY25M	R 299	Microworld CAT7 25m flylead
DELOCK-83510	R 78	Delock 83510 Grey 0.5m Rj45 Cat5e Sftp Angled Cable
DELOCK-83512	R 122	Delock 2m RJ45 CAT5 SFTP cable angled grey, 83512
DELOCK-83524	R 193	Delock 0.5m RJ45 CAT6 SSTP angled/straight cable, 83524
ELACCAT630F	R 99	Ellies UTP Ethernet CAT6 cable with RJ45 connectors - 30 metre length - Grey
ETH1.5	R 46	Microworld Ethernet extension cable 1.5m. Microworld ETH1.5; 1.5 m RJ45 male to female extension; panel-mount female; PVC black jacket; supports Gigabit Ethernet
EX-FL-C5-1-G	R 15	Extralink Flylead CAT5e - 1m - Grey
EX-FL-C5-10	R 201	Extralink Flylead Cat5E - 10m - Black
FL-C5-0.25-BL	R 131	Switchcom Flylead - CAT5e - 0.25m - Blue
FL-C5-0.5-B	R 125	Switchcom Flylead - CAT5e - 0.5m - Black

FL-C5-0.5-R	R 125	Switchcom Flylead - CAT5e - 0.5m - Red
FL-C5-1-BL	R 136	Switchcom Flylead - CAT5e - 1m - Blue
FL-C5-1-G	R 135	Switchcom Flylead - CAT5e - 1m - Grey
FL-C5-2-BL	R 141	Switchcom Flylead - CAT5e - 2m - Blue
FL-C5-2-GR	R 133	Switchcom Flylead - CAT5e - 2m - Green
FL-C5-3-BL	R 144	Switchcom Flylead - CAT5e - 3m - Blue
FL-C5-3-G	R 147	Switchcom Flylead - CAT5e - 3m - Grey
FL-C5-3-GR	R 138	Switchcom Flylead - CAT5e - 3m - Green
FL-C5-3-R	R 144	Switchcom Flylead - CAT5e - 3m - Red
FL-C5-3-Y	R 144	Switchcom Flylead - CAT5e - 3m - Yellow
FL-C5-5-BL	R 161	Switchcom Flylead - CAT5e - 5m - Blue
FL-C5-5-G	R 163	Switchcom Flylead - CAT5e - 5m - Grey
FL-C5-5-GR	R 161	Switchcom Flylead - CAT5e - 5m - Green
FL-C5-5-R	R 156	Switchcom Flylead - CAT5e - 5m - Red
FL-C5-5-Y	R 161	Switchcom Flylead - CAT5e - 5m - Yellow
FL-C6-0.25-B	R 128	Switchcom Flylead - CAT6 - 0.25m - Black
FL-C6-0.25-GR	R 125	Switchcom Flylead - CAT6 - 0.25m - Green
FL-C6-0.5-BL	R 132	Switchcom Flylead - CAT6 - 0.5m - Blue
FL-C6-0.5-G	R 132	Switchcom Flylead - CAT6 - 0.5m - Grey
FL-C6-0.5-GR	R 132	Switchcom Flylead - CAT6 - 0.5m - Green
FL-C6-0.5-Y	R 131	Switchcom Flylead - CAT6 - 0.5m - Yellow
FL-C6-1-BL	R 137	Switchcom Flylead - CAT6 - 1m - Blue
FL-C6-1-G	R 137	Switchcom Flylead - CAT6 - 1m - Grey
FL-C6-1-Y	R 132	Switchcom Flylead - CAT6 - 1m - Yellow
FL-C6-2-G	R 147	Switchcom Flylead - CAT6 - 2m - Grey
FL-C6-2-R	R 148	Switchcom Flylead - CAT6 - 2m - Red
FL-C6-3-BL	R 160	Switchcom Flylead - CAT6 - 3m - Blue
FL-C6-3-GR	R 141	Switchcom Flylead - CAT6 - 3m - Green
FL-C6-3-R	R 160	Switchcom Flylead - CAT6 - 3m - Red
FL-C6-5-BL	R 161	Switchcom Flylead - CAT6 - 5m - Blue
FL-C6-5-GR	R 161	Switchcom Flylead - CAT6 - 5m - Green
FL-C6-5-R	R 161	Switchcom Flylead - CAT6 - 5m - Red
FL-C6-5-Y	R 161	Switchcom Flylead - CAT6 - 5m - Yellow
FLY-0.2	R 13	Linkbasic 22cm UTP Cat5e Patch Cable Grey
FLY-0.2B	R 13	Linkbasic 22cm UTP Cat5e Patch Cable Black
FLY-0.2BL	R 13	Linkbasic 22cm UTP Cat5e Patch Cable Blue
FLY-0.2G	R 13	Linkbasic 22cm UTP Cat5e Flylead Green
FLY-0.2O	R 13	Linkbasic 22cm UTP Cat5e Patch Cable Orange
FLY-0.2R	R 13	Linkbasic 22cm UTP Cat5e Flylead Red
FLY-0.2W	R 13	Linkbasic 22cm UTP Cat5e Patch Cable White
FLY-0.2Y	R 13	Linkbasic 22cm UTP Cat5e Flylead Yellow
FLY-0.5	R 14	Linkbasic 0.5 Meter UTP Cat5e Patch Cable Grey
FLY-0.5B	R 14	Linkbasic 50cm UTP Cat5e Flylead Blue
FLY-0.5BL	R 14	Linkbasic 50cm UTP Cat5e Flylead Black
FLY-0.5G	R 14	Linkbasic 50cm UTP Cat5e Flylead Green
FLY-0.5O	R 14	Linkbasic 50cm UTP Cat5e Flylead Orange
FLY-0.5R	R 14	Linkbasic 50cm UTP Cat5e Flylead Red
FLY-0.5W	R 14	Linkbasic 50cm UTP Cat5e Flylead White
FLY-0.5Y	R 14	Linkbasic 50cm UTP Cat5e Flylead Yellow

FLY-1	R 17	Linkbasic 1 Meter UTP Cat5e Patch Cable Grey
FLY-10	R 127	Linkbasic 10 Meter UTP Cat5e Patch Cable Grey
FLY-1B	R 17	Linkbasic 1 Meter UTP Cat5e Patch Cable Blue
FLY-1G	R 17	Linkbasic 1 Meter UTP Cat5e Patch Cable Green
FLY-1R	R 17	Linkbasic 1 Meter UTP Cat5e Patch Cable Red
FLY-1S	R 35	Linkbasic 1 Meter FTP Cat5e Patch Cable Blue
FLY-1Y	R 17	Linkbasic 1 Meter UTP Cat5e Patch Cable Yellow
FLY-2	R 29	Linkbasic 2 Meter UTP Cat5e Patch Cable Grey
FLY-20	R 247	Linkbasic 20 metre UTP Cat5E Flylead Grey
FLY-2B	R 29	Linkbasic 2 Meter UTP Cat5e Patch Cable Blue
FLY-2G	R 29	Linkbasic 2 Meter UTP Cat5e Patch Cable Green
FLY-2R	R 29	Linkbasic 2 Meter UTP Cat5e Patch Cable Red
FLY-2Y	R 29	Linkbasic 2 Meter UTP Cat5e Patch Cable Yellow
FLY-3	R 40	Linkbasic 3 Meter UTP Cat5e Patch Cable Grey
FLY-30	R 374	Linkbasic 30 metre UTP Cat5E Flylead Grey
FLY-3B	R 40	Linkbasic 3 Meter UTP Cat5e Patch Cable Blue
FLY-3G	R 40	Linkbasic 3 Meter UTP Cat5e Patch Cable Green
FLY-3R	R 40	Linkbasic 3 Meter UTP Cat5e Patch Cable Red
FLY-3S	R 58	Linkbasic 3 Meter FTP Cat5e Patch Cable Blue
FLY-3Y	R 40	Linkbasic 3 Meter UTP Cat5e Patch Cable Yellow
FLY-5	R 69	Linkbasic 5 Meter UTP Cat5e Patch Cable Grey
FLY-50	R 633	Linkbasic 30 metre UTP Cat5E Flylead Grey
FLY-5B	R 69	Linkbasic 5 Meter UTP Cat5e Patch Cable Blue
FLY-5G	R 69	Linkbasic 5 Meter UTP Cat5e Patch Cable Green
FLY-5R	R 69	Linkbasic 5 Meter UTP Cat5e Patch Cable Red
FLY-5Y	R 69	Linkbasic 5 Meter UTP Cat5e Patch Cable Yellow
FLY-6-0.2	R 17	Linkbasic 22cm UTP Cat6 Patch Cable - Grey
FLY-6-0.2N	R 15	Linkbasic 22cm UTP CAT6 Nano thin patch cable - Grey
FLY-6-0.5	R 18	Linkbasic 0.5 Meter UTP Cat6 Patch Cable Grey
FLY-6-1	R 25	Linkbasic 1 Meter UTP Cat6 Patch Cable Grey
FLY-6-10	R 144	Linkbasic 10 Meter UTP Cat6 Patch Cable Grey
FLY-6-1B	R 25	Linkbasic 1 Meter UTP Cat6 Patch Cable Blue
FLY-6-1G	R 25	Linkbasic 1 Meter UTP Cat6 Patch Cable Green
FLY-6-1R	R 25	Linkbasic 1 Meter UTP Cat6 Patch Cable Red
FLY-6-1Y	R 25	Linkbasic 1 Meter UTP Cat6 Patch Cable Yellow
FLY-6-2	R 37	Linkbasic 2 Meter UTP Cat6 Patch Cable Grey
FLY-6-2B	R 37	Linkbasic 2 Meter UTP Cat6 Patch Cable Blue
FLY-6-2G	R 37	Linkbasic 2 Meter UTP Cat6 Patch Cable Green
FLY-6-2R	R 37	Linkbasic 2 Meter UTP Cat6 Patch Cable Red
FLY-6-2Y	R 37	Linkbasic 2 Meter UTP Cat6 Patch Cable Yellow
FLY-6-3	R 52	Linkbasic 3 Meter UTP Cat6 Patch Cable Grey
FLY-6-3B	R 52	Linkbasic 3 Meter UTP Cat6 Patch Cable Blue
FLY-6-3G	R 52	Linkbasic 3 Meter UTP Cat6 Patch Cable Green
FLY-6-3R	R 52	Linkbasic 3 Meter UTP Cat6 Patch Cable Red
FLY-6-3Y	R 52	Linkbasic 3 Meter UTP Cat6 Patch Cable Yellow
FLY-6-5	R 81	Linkbasic 5 Meter UTP Cat6 Patch Cable Grey
FLY-6-5B	R 81	Linkbasic 5 Meter UTP Cat6 Patch Cable Blue
FLY-6-5G	R 81	Linkbasic 5 Meter UTP Cat6 Patch Cable Green
FLY-6-5R	R 81	Linkbasic 5 Meter UTP Cat6 Patch Cable Red

FLY-6-5Y	R 81	Linkbasic 5 Meter UTP Cat6 Patch Cable Yellow
FLY-6A-1	R 35	Linkbasic 1 meter UTP CAT 6A patch cable grey
FLY-6A-2	R 58	Linkbasic 2 meter UTP CAT 6A patch cable grey
FLY-6A-3	R 75	Linkbasic 3 meter UTP Cat 6a patch cable grey
FLY-6A-5	R 109	Linkbasic 5 meter UTP Cat 6A patch cable grey
FLY10M	R 46	Unbranded RJ45 CAT5e Flylead - 10m
GCPCAT6002-WH	R 16	Gizzu CAT6 UTP Fly Lead Ethernet Network cable 20cm - White, 1Gbps Data Transfer Rate, UTP CCA conductor material
MT-C5020	R 23	MT-Viki CAT5 cable Grey - 2m
MT-C6020	R 29	MT-Viki CAT6 cable Grey - 2m
MT-C6050	R 52	MT-Viki CAT6 cable Blue - 5m, Copper Clad aluminum, MT-C6050
NBES0301	R 2,405	Apc NetBotz Spot Fluid Sensor - 15 ft.
NET-BOOT-B-V	R 24	VCOM RJ45 boots - Blue (pack of 20), NM001-L
NET-BOOT-R	R 1	Unbranded RJ45 Boot - Red, 10000740
NET-BOOT-R-V	R 24	VCOM RJ45 boots - Red (pack of 20), NM001-R
NET-BOOT-Y	R 1	Unbranded RJ45 Boot - Yellow, 10000760
NET-CAT5-BK-3M-LQ	R 33	Unbranded 3m CAT5e moulded flylead - Black
NET-CAT5-BL-0.5M-LQ	R 14	Unbranded 0.5m CAT5e moulded flylead - Blue
NET-CAT5-BL-10M-LQ	R 74	Unbranded 10m CAT5e moulded flylead - Blue
NET-CAT5-BL-15M-LQ	R 137	Unbranded 15m CAT5e moulded flylead - Blue
NET-CAT5-BL-1M-LQ	R 21	Unbranded 1m CAT5e moulded flylead - Blue, LCA01-C5EU-1
NET-CAT5-BL-2M-LQ	R 26	Unbranded 2m CAT5e moulded flylead - Blue, LCA01-C5EU-2
NET-CAT5-BL-3M-LQ	R 33	Unbranded 3m CAT5e moulded flylead - Blue, LCA01-C5EU-3
NET-CAT5-BL-5M-LQ	R 39	Unbranded 5m CAT5e moulded flylead - Blue, LCA01-C5EU-5
NET-CAT5-GN-0.5M-LQ	R 14	Unbranded 0.5m CAT5e moulded flylead - Green
NET-CAT5-GN-10M-LQ	R 68	Unbranded 10m CAT5e moulded flylead - Green
NET-CAT5-GN-15M-LQ	R 95	Unbranded 15m CAT5e moulded flylead - Green
NET-CAT5-GN-1M-LQ	R 21	Unbranded 1m CAT5e moulded flylead - Green
NET-CAT5-GN-2M-LQ	R 26	Unbranded 2m CAT5e moulded flylead - Green
NET-CAT5-GN-3M-LQ	R 33	Unbranded 3m CAT5e moulded flylead - Green
NET-CAT5-GN-5M-LQ	R 39	Unbranded 5m CAT5e moulded flylead - Green
NET-CAT5-GY-0.5M-LQ	R 14	Unbranded 0.5m CAT5e moulded flylead - Grey
NET-CAT5-GY-10M-LQ	R 76	Unbranded 10m CAT5e moulded flylead - Grey
NET-CAT5-GY-15M-LQ	R 107	Unbranded 15m CAT5e moulded flylead - Grey
NET-CAT5-GY-1M-LQ	R 21	Unbranded 1m CAT5e moulded flylead - Grey, LCA01-C5EU-1
NET-CAT5-GY-20M-LQ	R 145	Unbranded 20m CAT5e moulded flylead - Grey
NET-CAT5-GY-2M-LQ	R 24	Unbranded 2m CAT5e moulded flylead - Grey, LCA01-C5EU-2
NET-CAT5-GY-30M-LQ	R 240	Unbranded 30m CAT5e moulded flylead - Grey
NET-CAT5-GY-3M-LQ	R 32	Unbranded 3m CAT5e moulded flylead - Grey, LCA01-C5EU-3
NET-CAT5-GY-5M-LQ	R 39	Unbranded 5m CAT5e moulded flylead - Grey, LCA01-C5EU-5
NET-CAT5-OR-3M-LQ	R 33	Unbranded 3m CAT5e moulded flylead - Orange
NET-CAT5-R-0.5M-LQ	R 14	Unbranded 0.5m CAT5e moulded flylead - Red
NET-CAT5-R-10M-LQ	R 68	Unbranded 10m CAT5e moulded flylead - Red
NET-CAT5-R-15M-LQ	R 95	Unbranded 15m CAT5e moulded flylead - Red
NET-CAT5-R-1M-LQ	R 21	Unbranded 1m CAT5e moulded flylead - Red
NET-CAT5-R-20M-LQ	R 128	Unbranded 20m CAT5e moulded flylead - Red
NET-CAT5-R-2M-LQ	R 26	Unbranded 2m CAT5e moulded flylead - Red
NET-CAT5-R-30M-LQ	R 174	Unbranded 30m CAT5e moulded flylead - Red, LCA01-C5EU-30
NET-CAT5-R-3M-LQ	R 33	Unbranded 3m CAT5e moulded flylead - Red

NET-CAT5-R-5M-LQ	R 39	Unbranded 5m CAT5e moulded flylead - Red
NET-CAT5-Y-0.5M-LQ	R 14	Unbranded 0.5m CAT5e moulded flylead - Yellow
NET-CAT5-Y-10M-LQ	R 68	Unbranded 10m CAT5e moulded flylead - Yellow
NET-CAT5-Y-15M-LQ	R 95	Unbranded 15m CAT5e moulded flylead - Yellow
NET-CAT5-Y-1M-LQ	R 21	Unbranded 1m CAT5e moulded flylead - Yellow
NET-CAT5-Y-20M-LQ	R 128	Unbranded 20m CAT5e moulded flylead - Yellow
NET-CAT5-Y-2M-LQ	R 26	Unbranded 2m CAT5e moulded flylead - Yellow
NET-CAT5-Y-3M-LQ	R 33	Unbranded 3m CAT5e moulded flylead - Yellow
NET-CAT5-Y-5M-LQ	R 39	Unbranded 5m CAT5e moulded flylead - Yellow
NET-CAT5FLYM-BU-3M	R 35	Unbranded 3m CAT5E moulded flylead - Blue
NET-CAT5FLYM-BU-7M	R 53	Unbranded 7m CAT5E moulded flylead - Blue
NET-CAT5FLYM-GN-0.5M	R 14	Unbranded 0.5m CAT5E moulded flylead - Green
NET-CAT5FLYM-GN-15M	R 100	Unbranded 15m CAT5E moulded flylead - Green
NET-CAT5FLYM-GN-2M	R 26	Unbranded 2m CAT5E moulded flylead - Green
NET-CAT5FLYM-GN-3M	R 35	Unbranded 3m CAT5E moulded flylead - Green
NET-CAT5FLYM-GN-5M	R 40	Unbranded 5m CAT5E moulded flylead - Green
NET-CAT5FLYM-GN-7M	R 53	Unbranded 7m CAT5E moulded flylead - Green
NET-CAT5FLYM-GY-7M	R 53	Unbranded 7m CAT5E moulded flylead - Grey
NET-CAT5FLYM-R-0.5M	R 14	Unbranded 0.5m CAT5E moulded flylead - Red
NET-CAT5FLYM-R-15M	R 100	Unbranded 15m CAT5E moulded flylead - Red
NET-CAT5FLYM-R-1M	R 22	Unbranded 1m CAT5E moulded flylead - Red
NET-CAT5FLYM-R-20M	R 132	Unbranded 20m CAT5E moulded flylead - Red
NET-CAT5FLYM-R-3M	R 35	Unbranded 3m CAT5E moulded flylead - Red
NET-CAT5FLYM-R-7M	R 53	Unbranded 7m CAT5 moulded flylead - Red
NET-CAT5FLYM-Y-0.5M	R 14	Unbranded 0.5m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-15M	R 100	Unbranded 15m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-1M	R 22	Unbranded 1m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-20M	R 132	Unbranded 20m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-2M	R 26	Unbranded 2m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-3M	R 35	Unbranded 3m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-5M	R 40	Unbranded 5m CAT5E moulded flylead - Yellow
NET-CAT5FLYM-Y-7M	R 53	Unbranded 7m CAT5E moulded flylead - Yellow
NET-CAT6-BK-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Black, LCA01-C6U-0.2
NET-CAT6-BK-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Black
NET-CAT6-BK-0.5M-LQ	R 21	Unbranded 0.6m CAT6 moulded flylead - Black
NET-CAT6-BK-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Black
NET-CAT6-BK-15M-LQ	R 127	Unbranded 15m CAT6 moulded flylead - Black
NET-CAT6-BK-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Black
NET-CAT6-BK-20M-LQ	R 190	Unbranded 20m CAT6 moulded flylead - Black
NET-CAT6-BK-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Black
NET-CAT6-BK-30M-LQ	R 269	Unbranded 30m CAT6 moulded flylead - Black
NET-CAT6-BK-3M-LQ	R 40	Unbranded 3m CAT6 moulded flylead - Black
NET-CAT6-BK-5M-LQ	R 47	Unbranded 5m CAT6 moulded flylead - Black
NET-CAT6-BL-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Blue, LCA01-C6U-0.2
NET-CAT6-BL-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Blue
NET-CAT6-BL-0.5M-LQ	R 21	Unbranded 0.5m CAT6 moulded flylead - Blue
NET-CAT6-BL-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Blue
NET-CAT6-BL-15M-LQ	R 121	Unbranded 15m CAT6 moulded flylead - Blue
NET-CAT6-BL-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Blue, LCA01-C6U-1

NET-CAT6-BL-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Blue, LCA01-C6U-2
NET-CAT6-BL-30M-LQ	R 269	Unbranded 30m CAT6 moulded flylead - Blue
NET-CAT6-BL-3M-LQ	R 35	Unbranded 3m CAT6 moulded flylead - Blue, LCA01-C6U-3
NET-CAT6-BL-5M-LQ	R 49	Unbranded 5m CAT6 moulded flylead - Blue, LCA01-C6U-5
NET-CAT6-GN-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Green, LCA01-C6U-0.2
NET-CAT6-GN-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Green
NET-CAT6-GN-0.5M-LQ	R 21	Unbranded 0.5m CAT6 moulded flylead - Green
NET-CAT6-GN-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Green
NET-CAT6-GN-15M-LQ	R 121	Unbranded 15m CAT6 moulded flylead - Green
NET-CAT6-GN-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Green
NET-CAT6-GN-20M-LQ	R 189	Unbranded 20m CAT6 moulded flylead - Green
NET-CAT6-GN-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Green
NET-CAT6-GN-30M-LQ	R 269	Unbranded 30m CAT6 moulded flylead - Green
NET-CAT6-GN-3M-LQ	R 35	Unbranded 3m CAT6 moulded flylead - Green
NET-CAT6-GN-5M-LQ	R 47	Unbranded 5m CAT6 moulded flylead - Green
NET-CAT6-GY-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Grey, LCA01-C6U-0.2
NET-CAT6-GY-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Grey
NET-CAT6-GY-0.5M-LQ	R 21	Unbranded 0.5m CAT6 moulded flylead - Grey
NET-CAT6-GY-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Grey
NET-CAT6-GY-15M-LQ	R 138	Unbranded 15m CAT6 moulded flylead - Grey
NET-CAT6-GY-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Grey, LCA01-C6U-1
NET-CAT6-GY-20M-LQ	R 189	Unbranded 20m CAT6 moulded flylead - Grey
NET-CAT6-GY-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Grey, LCA01-C6U-2
NET-CAT6-GY-30M-LQ	R 269	Unbranded 30m CAT6 moulded flylead - Grey
NET-CAT6-GY-3M-LQ	R 35	Unbranded 3m CAT6 moulded flylead - Grey, LCA01-C6U-3
NET-CAT6-GY-5M-LQ	R 49	Unbranded 5m CAT6 moulded flylead - Grey, LCA01-C6U-5
NET-CAT6-OR-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Orange, LCA01-C6U-0.2
NET-CAT6-OR-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Orange
NET-CAT6-OR-0.5M-LQ	R 21	Unbranded 0.5m CAT6 moulded flylead - Orange
NET-CAT6-OR-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Orange
NET-CAT6-OR-15M-LQ	R 121	Unbranded 15m CAT6 moulded flylead - Orange
NET-CAT6-OR-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Orange
NET-CAT6-OR-20M-LQ	R 189	Unbranded 20m CAT6 moulded flylead - Orange
NET-CAT6-OR-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Orange
NET-CAT6-OR-3M-LQ	R 35	Unbranded 3m CAT6 moulded flylead - Orange
NET-CAT6-OR-5M-LQ	R 47	Unbranded 5m CAT6 moulded flylead - Orange
NET-CAT6-R-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Red, LCA01-C6U-0.2
NET-CAT6-R-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Red
NET-CAT6-R-0.5M-LQ	R 21	Unbranded 0.5m CAT6 moulded flylead - Red
NET-CAT6-R-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Red, LCA01-C6U-10
NET-CAT6-R-15M-LQ	R 121	Unbranded 15m CAT6 moulded flylead - Red, LCA01-C6U-15
NET-CAT6-R-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Red
NET-CAT6-R-20M-LQ	R 189	Unbranded 20m CAT6 moulded flylead - Red, LCA01-C6U-20
NET-CAT6-R-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Red
NET-CAT6-R-5M-LQ	R 47	Unbranded 5m CAT6 moulded flylead - Red
NET-CAT6-Y-0.2M-LQ	R 16	Unbranded 0.2m CAT6 moulded flylead - Yellow, LCA01-C6U-0.2
NET-CAT6-Y-0.3M-LQ	R 17	Unbranded 0.3m CAT6 moulded flylead - Yellow
NET-CAT6-Y-0.5M-LQ	R 21	Unbranded 0.5m CAT6 moulded flylead - Yellow
NET-CAT6-Y-10M-LQ	R 82	Unbranded 10m CAT6 moulded flylead - Yellow

NET-CAT6-Y-15M-LQ	R 121	Unbranded 15m CAT6 moulded flylead - Yellow
NET-CAT6-Y-1M-LQ	R 22	Unbranded 1m CAT6 moulded flylead - Yellow
NET-CAT6-Y-2M-LQ	R 26	Unbranded 2m CAT6 moulded flylead - Yellow
NET-CAT6-Y-30M-LQ	R 269	Unbranded 30m CAT6 moulded flylead - Yellow
NET-CAT6-Y-3M-LQ	R 35	Unbranded 3m CAT6 moulded flylead - Yellow
NET-CAT6-Y-5M-LQ	R 47	Unbranded 5m CAT6 moulded flylead - Yellow
NET-CAT6A-1M-Y-LQ	R 52	LinkQnet 1m CAT6A Flylead (SFTP) LSZH - Yellow
NET-CAT6A-3M-GY-LQ	R 69	LinkQnet 3m CAT6A Flylead (SFTP) LSZH - Grey
NET-CAT6A-3M-Y-LQ	R 69	LinkQnet 3m CAT6A Flylead (SFTP) LSZH - Yellow
NET-CAT6A-5M-BL-LQ	R 90	LinkQnet 5m CAT6A Flylead (SFTP) LSZH - Blue
NET-CAT6A-5M-GY-LQ	R 90	LinkQnet 5m CAT6A Flylead (SFTP) LSZH - Grey
NET-CAT6A-5M-Y-LQ	R 90	LinkQnet 5m CAT6A Flylead (SFTP) LSZH - Yellow
NET-CAT6ASTCON	R 18	Unbranded RJ45 CAT6A stranded connector, 10009006
NET-CAT6FLYM-GRN-25M	R 198	Unbranded 25m CAT6 moulded flylead - Green
NET-CAT6FLYM-OR-10M	R 86	Unbranded 10m CAT6 moulded flylead - Orange
NET-CAT6FLYM-OR-15M	R 132	Unbranded 15m CAT6 moulded flylead - Orange
NET-CAT6FLYM-OR-7M	R 66	Unbranded 7m CAT6 moulded flylead - Orange
NET-CAT6FLYM-R-0.3M	R 17	Unbranded 0.3m CAT6 moulded flylead - Red
NET-CAT6FLYM-R-25M	R 198	Unbranded 25m CAT6 moulded flylead - Red
NET-CAT6FLYM-R-7M	R 66	Unbranded 7m CAT6 moulded flylead - Red
NET-CAT6FLYM-Y-0.3M	R 17	Unbranded 0.3m CAT6 moulded flylead - Yellow
NET-CAT6FLYM-Y-10M	R 86	Unbranded 10m CAT6 moulded flylead - Yellow
NET-CAT6FLYM-Y-25M	R 198	Unbranded 25m CAT6 moulded flylead - Yellow
NET-CAT6FLYM-Y-5M	R 51	Unbranded 5m CAT6 moulded flylead - Yellow
NET-CAT6FLYM-Y-7M	R 66	Unbranded 7m CAT6 moulded flylead - Yellow
NET-CAT6SHIELDED-CON	R 7	Full CAT6 shielded RJ45 connectors MP-CTAS-88-C6
NET-CAT6STCON-2P	R 7	Full RJ45 CAT6 2-P stranded shield connector, MP-FS88-C6
NET-RJ12CON	R 3	Unbranded RJ12 connector, 368-02234-D
NET014	R 69	Unbranded RJ45 & RJ11 Faceplate
NW102-11201	R 18	UGreen CAT6 UTP flat Ethernet Blue cable - 1m, 26AWG Copper-Clad Aluminium (CCA)
NW102-11202	R 23	UGreen RJ45 CAT6 2m LAN Network cable - Blue, 1Gbps, 250MHz, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW102-15996	R 14	UGreen RJ45 CAT6 0.5m LAN Network cable - Blue, 1Gbps, 250MHz, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW102-20158	R 14	Ugreen NW102-20158 CAT6 UTP Ethernet cable 0.5m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20159	R 18	Ugreen NW102-20159 CAT6 UTP Ethernet cable 1m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20160	R 18	Ugreen NW102-20160 CAT6 UTP Ethernet cable 2m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20161	R 23	Ugreen NW102-20161 CAT6 UTP Ethernet cable 3m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20162	R 35	Ugreen NW102-20162 CAT6 UTP Ethernet cable 5m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20164	R 74	Ugreen NW102-20170 CAT6 UTP Ethernet cable 10m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20165	R 91	Ugreen NW102-20170 CAT6 UTP Ethernet cable 15m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20166	R 125	Ugreen NW102-20170 CAT6 UTP Ethernet cable 20m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm

		Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20168	R 190	Ugreen NW102-20170 CAT6 UTP Ethernet cable 30m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-20170	R 360	Ugreen NW102-20170 CAT6 UTP Ethernet cable 50m - Black, 26AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-50172	R 15	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 0.5m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-50173	R 15	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 1m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-50174	R 23	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 2m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-50175	R 30	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 3m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-50176	R 46	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 5m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector
NW102-50177	R 64	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 8m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector, 8-core twisted pair stranding Method
NW102-50178	R 76	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 10m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector, 8-core twisted pair stranding Method
NW102-50180	R 116	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 15m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector, 8-core twisted pair stranding Method
NW102-50181	R 144	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 20m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector, 8-core twisted pair stranding Method
NW102-50182	R 208	Ugreen NW102 CAT6 U/UTP flat Ethernet cable 30m - Black, 32AWG Copper-Clad Aluminium conductor, 6mm Outer Diameter (OD), Pure Copper Gold-Plated connector, 8-core twisted pair stranding Method
NW102-80829	R 18	UGreen RJ45 CAT6 1m LAN Network cable - Red, 1Gbps, 250MHz, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW102-80830	R 23	UGreen CAT6 UTP Ethernet cable 2m - Red, 26AWG Copper Clad Aluminium conductors, Gold-Plated RJ45 connectors, Snag-less moulding
NW102-80833	R 18	UGreen RJ45 CAT6 1m LAN Network cable - Green, 1Gbps, 250MHz, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW102-80834	R 23	UGreen RJ45 CAT6 2m LAN Network cable - Green, 1Gbps, 250MHz, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW102-85211	R 14	UGreen RJ45 CAT6 0.5m LAN Network cable - Green, 250 MHz Maximum transmission Frequency, unshielded twisted pair, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW102-95507	R 14	UGreen RJ45 CAT6 Ethernet 0.5m LAN Network cable - Red, 1Gbps, 250MHz, Copper-coated Aluminium (CCA) conductor material, CAT6 cable supporting up to 1 Gbps High-Speed Internet, Gold-Plated connectors
NW102-95804	R 14	UGreen RJ45 CAT6 0.5m LAN Network cable - Yellow, 1Gbps, 250MHz, copper-coated Aluminium (CCA) conductor material, 26 AWG Wire Gauge
NW153-80429	R 41	Ugreen CAT8 Nylon Braided Ethernet cable - 40Gbps with Modular plugs - 1m, CAT8 Class round Ethernet cable, Double Aluminium foil ground wire (F/FTP) shielding Type, 5.5mm Outer Diameter, 30AWG wire Gauge, RJ45 with Gold-Plated contacts connector Type
NW153-80431	R 53	Ugreen CAT8 Nylon Braided Ethernet cable - 40Gbps with Modular plugs - 2m, CAT8 Class round Ethernet cable, Double Aluminium foil ground wire (F/FTP) shielding Type, 5.5mm Outer Diameter, 30AWG wire Gauge, RJ45 with Gold-Plated contacts connector Type
NW153-80432	R 84	Ugreen CAT8 Nylon Braided Ethernet cable - 40Gbps with Modular plugs - 3m, CAT8 Class round Ethernet cable, Double Aluminium foil ground wire (F/FTP) shielding Type, 5.5mm Outer Diameter, 30AWG wire Gauge, RJ45 with Gold-Plated contacts connector Type
NW153-80433	R 117	Ugreen CAT8 Nylon Braided Ethernet cable - 40Gbps with Modular plugs - 5m, CAT8 Class round Ethernet cable,

		Double Aluminium foil ground wire (F/FTP) shielding Type, 5.5mm Outer Diameter, 30AWG wire Gauge, RJ45 with Gold-Plated contacts connector Type
PC-3MG	R 19	UniQue Patch Cable-3.0m-Grey, Retail Box
PC-5MG	R 29	NetiX UTP CAT5e Copper Clad Aluminium Ethernet patch cable 5m - Light Grey, Moulded RJ45 connectors
PCD-01001-0E	R 32	Molex patch cord CAT5e UTP LS0H 568B - 1 metre Grey
PCD-01001-0H	R 18	Molex patch cord CAT5e UTP LS0H 568A/B - 1 metre Blue
PCD-01001-0R	R 20	Molex patch cord CAT5e UTP LS0H 568A/B - 1 metre Red
PCD-01001-BK	R 17	Molex patch cord CAT5e UTP LS0H 568B - 1 metre Black
PCD-01003-0J	R 28	Molex patch cord CAT5e UTP LS0H 568A/B - 2 metre Green
PCD-01005-0E	R 36	Molex patch cord CAT5e UTP LS0H 568B - 2 metre Grey
PCD-01005-0H	R 245	Molex patch cord CAT5e UTP LS0H 568A/B - 2 metre Blue
PCD-01005-0J	R 35	Molex patch cord CAT5e UTP LS0H 568A/B - 3 metre Green
PCD-01005-0K	R 36	Molex patch cord CAT5e UTP LS0H 568A/B - 3 metre Yellow
PCD-01005-0R	R 39	Molex patch cord CAT5e UTP LS0H 568A/B - 3 metre Red
PCD-01005-BK	R 32	Molex patch cord CAT5e UTP LS0H 568B - 3 metre Black
PCD-01009-OE	R 53	Molex patch cord CAT5e UTP LS0H 568B - 5 metre Grey - 10 Pack
PCD-02001-0E	R 45	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Grey
PCD-02001-0E	R 43	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Grey
PCD-02001-0H	R 47	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Blue
PCD-02001-0H	R 43	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Blue
PCD-02001-0J	R 47	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Green
PCD-02001-0J	R 44	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Green
PCD-02001-0K	R 47	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Yellow
PCD-02001-0K	R 44	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Yellow
PCD-02001-0R	R 47	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Red
PCD-02001-BK	R 44	Molex patch cord C6 UTP LS0H 568A/B - 1 metre Black
PCD-02003-0E	R 68	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Grey
PCD-02003-0E	R 61	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Grey
PCD-02003-0H	R 66	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Blue
PCD-02003-0H	R 61	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Blue
PCD-02003-0K	R 66	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Yellow
PCD-02003-0K	R 62	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Yellow
PCD-02003-0R	R 66	Molex patch cord C6 UTP LS0H 568A/B - 2 metre Red
PCD-02005-0E	R 80	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Grey
PCD-02005-0E	R 79	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Grey
PCD-02005-0H	R 83	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Blue
PCD-02005-0H	R 78	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Yellow
PCD-02005-0J	R 83	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Green
PCD-02005-0K	R 83	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Yellow
PCD-02005-0K	R 79	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Yellow
PCD-02005-0R	R 83	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Red
PCD-02005-BK	R 79	Molex patch cord C6 UTP LS0H 568A/B - 3 metre Black
PCD-02009-0E	R 127	Molex patch cord C6 UTP LS0H 568A/B - 5 metre Grey
PCD-02009-0E	R 113	Molex patch cord C6 UTP LS0H 568A/B - 5 metre Grey
PCD-02019-0E	R 220	Molex patch cord C6 UTP LS0H 568A/B - 10 metre Grey
PCD-02019-0E	R 204	Molex patch cord C6 UTP LS0H 568A/B - 10 metre Grey
PCD-04001-0E	R 102	Molex patch cord CAT6 F/UTP LS0H 568A/B - 1 metre
PCD-04005-0E	R 161	Molex patch cord CAT6 F/UTP LS0H 568A/B - 3 metre
PCD-07000-0E	R 147	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre grey

PCD-07000-0E	R 144	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre grey
PCD-07000-0H	R 154	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre Blue
PCD-07000-0H	R 144	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre Blue
PCD-07000-0J	R 154	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre Green
PCD-07000-0J	R 146	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre Green
PCD-07000-0K	R 154	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre Yellow
PCD-07000-0K	R 146	Molex patch cord Cat 6A shielded LS0H 568A/B - 1 metre Yellow
PCD-07001-0E	R 209	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre grey
PCD-07001-0E	R 184	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre grey
PCD-07001-0H	R 197	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Blue
PCD-07001-0H	R 184	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Blue
PCD-07001-0J	R 197	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Green
PCD-07001-0J	R 186	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Green
PCD-07001-0K	R 197	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Yellow
PCD-07001-0K	R 186	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Yellow
PCD-07001-0R	R 197	Molex patch cord Cat 6A shielded LS0H 568A/B - 2 metre Red
PCD-07002-0E	R 229	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre grey
PCD-07002-0H	R 239	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre Blue
PCD-07002-0H	R 224	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre Blue
PCD-07002-0J	R 239	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre Green
PCD-07002-0K	R 239	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre Yellow
PCD-07002-0K	R 227	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre Yellow
PCD-07002-0R	R 239	Molex patch cord Cat 6A shielded LS0H 568A/B - 3 metre Red
PCD-07004-0E	R 333	Molex patch cord Cat 6A shielded LS0H 568A/B - 5 metre grey
PCD-07004-0E	R 304	Molex patch cord Cat 6A shielded LS0H 568A/B - 5 metre grey
PCD-07009-0E	R 569	Molex patch cord Cat 6A shielded LS0H 568A/B - 10 metre grey
PCD-07009-0E	R 511	Molex patch cord Cat 6A shielded LS0H 568A/B - 10 metre grey
Q555-15mGrey	R 29	Unique Cat-5 High Quality Patch cable - 15 metres - Grey
Q555-20mGrey	R 39	Unique Cat 5 High Quality Patch cable - 20 metres - Grey
Q555-30MGREY	R 49	NetiX UTP CAT5e Copper Clad Aluminium Ethernet patch cable 30m - Light Grey, Moulded RJ45 connectors
Q555-40MGREY	R 69	NetiX UTP CAT5e Copper Clad Aluminium Ethernet patch cable 40m - Light Grey, Moulded RJ45 connectors
Q555-50mGrey	R 79	NetiX UTP CAT5e Copper Clad Aluminium Ethernet patch cable 50m - Light Grey, Moulded RJ45 connectors
RJ11M1.8M	R 14	Microworld 1.8m RJ11 Male to RJ11 Male cable; flat telephone cable; Grey; telephone, modem and fax connections; RoHS compliant
RJ45-FTP	R 114	Microworld CAT5 shielded RJ45 connectors - 100 pack
RJ9	R 35	Microworld Mod curly telephone cord RJ9 - 3m
SWN2208G/10	R 104	Philips SWN2208G/10 5m CAT Cable
TBC7FLY01M	R 40	Tbyte CAT7 1m flylead
TBC7FLY02M	R 48	Tbyte CAT7 2m flylead
TBC7FLY03M	R 58	Tbyte CAT7 3m flylead
TBC7FLY05M	R 75	Tbyte CAT7 5m flylead
TC-FLY02	R 46	Linkbasic 2M Shielded UV Protected Cat5e Flylead
TC-FLY05	R 98	Linkbasic 5M Shielded UV Protected Cat5e Flylead
TC-FLY10	R 173	Linkbasic 10M Shielded UV Protected Cat5e Flylead
TC-FLY15	R 247	Linkbasic 15M Shielded UV Protected Cat5e Flylead
TC-FLY20	R 339	Linkbasic 20M Shielded UV Protected Cat5e Flylead
TC-FLY30	R 489	Linkbasic 30M Shielded UV Protected Cat5e Flylead
TC-FLY50	R 748	Linkbasic 50M Shielded UV Protected Cat5e Flylead
UACC-CABLE-PATCH-EL-0.15M-W-24	R 1,609	Ubiquiti Nano-Thin patch cable with 2.5 GbE and PoE support - 0.15m, UACC-CABLE-PATCH-EL-0.15M-W-24,

		Designed to show Etherlighting effects, Translucent Booted RJ45
UACC-CABLE-PATCH-EL-1M-W	R 206	Ubiquiti Nano-Thin patch cable with 2.5 GbE support - 1m - White, UACC-CABLE-PATCH-EL-1M-W, Designed to showcase Etherlighting effects, Translucent Booted RJ45, Nano-thin patch cable with 10 GbE support
UACC-CABLE-PATCH-EL-2M-W	R 466	Ubiquiti Nano-Thin patch cable with 2.5 GbE support - 2m - White, UACC-CABLE-PATCH-EL-2M-W, Designed to showcase Etherlighting effects, Translucent Booted RJ45, Nano-thin patch cable with 10 GbE support
UACC-CABLE-PATCH-EL-3M-W	R 299	Ubiquiti Nano-Thin patch cable with 2.5 GbE support - 3m - White, UACC-CABLE-PATCH-EL-3M-W, Designed to showcase Etherlighting effects, Translucent Booted RJ45, Nano-thin patch cable with 10 GbE support
UACC-CABLE-PATCH-EL-5M-W	R 351	Ubiquiti Nano-Thin patch cable with 2.5 GbE support - 5m - White, UACC-CABLE-PATCH-EL-5M-W, Designed to showcase Etherlighting effects, Translucent Booted RJ45, Nano-thin patch cable with 10 GbE support
UACC-CABLE-PATCH-EL-C6A-8M-V	R 431	Ubiquiti UniFi Premium patch cable Ultra-Thin Braided - 8m, Ultra-Thin Braided patch cable, Designed and optimized for 10 GbE Networking, Translucent Booted RJ45, UACC-Cable-Patch-EL-C6A-8M-W
UB-TC-P	R 2,970	Ubiquiti TOUGHCable Pro Outdoor Shielded Ethernet Cable, 305 Meters
VIC-UTP-R45-BLUE	R 196	Unbranded UTP (RJ45) Blue - RJ45 UTP Cable 1.8 m
VK-20014-GR	R 115	Volkano Network series RJ-45 network cable, CAT5, 3 meter, Grey
VK-20015-GR	R 155	Volkano Network series RJ-45 network cable, CAT5, 5 meter, Grey
VK-20064-WT	R 241	VolkanoX Giga Series Cat 7 Ethernet cable 3 meter - White Gold tips, This Ethernet cable is flat and Flexible
VK-20065-WT	R 287	VolkanoX Giga Series Cat 7 Ethernet cable 5 meter - White Gold tips, This Ethernet cable is flat and Flexible
VK-20066-WT	R 356	VolkanoX Giga Series Cat 7 Ethernet cable 10 meter - White Gold tips, This Ethernet cable is flat and Flexible
VK-20067-WT	R 437	VolkanoX Giga Series Cat 7 Ethernet cable 25 meter - White Gold tips, This Ethernet cable is flat and Flexible
VK-20178-GR	R 207	Volkano Network series RJ-45 CAT5 10m network cable
VK-20184-BK	R 230	Volkano Connect Series CAT6 Network cable 10m
ZA-CAT6-10M	R 59	NetiX CAT6 UTP patch cable - Grey - 10m
ZM6A-S05M-02	R 167	Siemon CAT6A Shielded Modular Cord - 5m White
ZM6A-S10M-02	R 277	Siemon CAT6A Shielded Modular Cord - 10m White

< Return to the menu

Network Cables & Connectors : Network wall box & accessories

Product code	Price	Description
14-0013	R 29	NetiX RJ11 Surface Mount Box Double, Retail Box
235111	R 37	EQUIP WALLBOX, CAT5E UTP 1-PORT. CAT5e surface mounted wall box, unshielded, according to EIA/ TIA 548A/ B, IDC/ LSA terminals, 1-port, White
235112	R 55	EQUIP WALLBOX, CAT5E UTP 2-PORT. CAT5e surface mounted wall box, unshielded, according to EIA/ TIA 548A/ B, IDC/ LSA terminals, 2-port, White
235211	R 44	EQUIP WALLBOX, CAT6E UTP 1-PORT
235212	R 68	EQUIP WALLBOX, CAT6E UTP 2-PORT. CAT6e surface mounted wall box, unshielded, according to EIA/ TIA 548A/ B, IDC/ LSA terminals, 2-port, White
29-0020A	R 49	Netix RJ45 single surface mount box
29-0021	R 39	Netix Cat 6 Surface Mount Box Single, Retail Box, No Warranty
771467	R 89	Intellinet Locking Cat6 UTP Mount Box - 2 Port, UTP, Mount Box, Locking Function, White, Retail Box, No Warranty
77632	R 145	Goobay 77632 1 port RJ45 CAT6 UTP Surface Mount installation box - White
77633	R 160	Goobay 77633 2 Port RJ45 CAT6 UTP Surface Mount installation box - White
CAB-KSFP115X70-1	R 7	UltraLAN Single Port Faceplate - 115 x 70mm
CAB-KSFP115X70-2	R 10	UltraLAN Double Port Faceplate - 115x70mm, Supports up to two CAT5e or CAT6 keystone jacks
CAB-RJ45-RJ45	R 15	UltraLAN RJ45 Female to Female coupler
CAB-SMBC51K	R 21	UltraLAN CAT5e Single Port Surface Mount box
CAB-SMBC52K	R 29	UltraLAN CAT5e Double Port Surface Mount box
CAB-SMBC61K	R 26	UltraLAN CAT6 Single Port Surface Mount box
CAB-SMBC62K	R 29	UltraLAN CAT6 Double Port Surface Mount box

CAB080	R 29	Unbranded RJ11 Male To Phone Female Adsl Female
CABCLIP	R 58	Unbranded Network Cable Marker Clips
CAT5-BOX-1	R 21	Miro CAT5 Wall Box - Single RJ45, Wallbox termination point for CAT5 cable installations
CAT5-BOX-2	R 38	Miro CAT5 Wall Box - Dual RJ45, Wallbox termination point for CAT5 cable installations with 2x LAN ports.
CAT5EDWB	R 48	Syntech OEM CAT5E Double wall box
CAT5EDWB	R 49	Unbranded OEM CAT5E Double wall box
CAT5ESWB	R 37	RCT CAT5E Single Port RJ45 Wallbox
CAT5ESWB	R 29	RCT CAT5E Single Port RJ45 Wallbox
CAT6-BOX-1	R 26	Miro CAT6 Wall Box White - Single RJ45
CAT6-BOX-2	R 45	Miro CAT6 Wall Box - Dual RJ45
CAT6DWB	R 47	Unbranded CAT6 Double Wall Box
CAT6DWB	R 63	Unbranded CAT6 Double Wall Box
CAT6SWB	R 58	RCT CAT6 Single Port Wall Box
CAT6SWB	R 38	RCT CAT6 Single Port Wall Box, Â© 2018 Laptop Direct
CLIP-01	R 12	Siemon Colour Coded Cable Clip - Black (25 per bag)
CLIP-05	R 12	Siemon Colour Coded Cable Clip - Yellow (25 per bag)
CLIP-06	R 41	Siemon Colour Coded Cable Clip - Blue (25 per bag)
CLIP-07	R 12	Siemon Colour Coded Cable Clip - Green (25 per bag)
KD-WP13	R 29	UniQue/NetiX UTP CATE Wall Mount Box W/PCB Dual Port
LB-SM1	R 21	Linkbasic Cat5e Single Surface Mount Box
LB-SM2	R 29	Linkbasic Cat5e Double Surface Mount Box
LB-SM3	R 35	Linkbasic Cat6 Single Surface Mount Box
LB-SM4	R 52	Linkbasic Cat6 Double Surface Mount Box
LB-SM5	R 46	Linkbasic Cat 6A single Surface Mount box
LB-SM6	R 69	Linkbasic Cat 6A double Surface Mount box
MX-BL-02	R 17	Siemon MAX Outlet Blank (10 per bag) - White
NET-CAT5WALL-DB-LQ	R 29	Unbranded Double CAT5 Wall Box
NET-CAT5WALL-LQ	R 26	LinkQnet RJ45 CAT5e Wall Box
NET-CAT5WALL-LQ-B	R 26	LinkQnet RJ45 Cat5E Wall Box (Logo), Single-Port RJ45 outlet, Durable housing, Accepts 23~26 AWG Network cable
NET-CAT6-INLINE-U	R 43	Unitek RJ45 coupler Ethernet connector, Supports speed up to 1000 Mbps for connecting CAT7/CAT6 Ethernet cable, A1026BK
NET-CAT6WALL-DB-LQ	R 45	Unbranded Double CAT6 wallbox
NET-CAT6WALL-LQ	R 35	LinkQnet RJ45 CAT6 Wall Box LQ, LKE101-C6U
NET004	R 35	Unbranded RJ45 Wall Box Single
NET005	R 46	Unbranded RJ45 Wall Box Double
NET011	R 114	Microworld 4 way RJ45 Wall Box
NET013	R 92	Microworld CAT7 Wall Box Double, Supports up to CAT7 SFTP keystone, Requires keystone jacks
RJ45-BC	R 120	Switchcom RJ45 Inline Connector Female
WB-C5-D	R 156	Switchcom distribution Surface Mount box Double CAT5
WB-C6	R 33	Switchcom distribution Surface Mount box single RJ45 CAT6e

< Return to the menu

Network Cables & Connectors : USB to Ethernet network

Product code	Price	Description
133454	R 262	Equip USB Type C to RJ45 Gigabit Network Adapter
153454	R 549	Manhattan SuperSpeed USB Type C to Gigabit Network Adapter with Power Delivery Port - Gigabit (10/100/1000 Mbps) Ethernet port, Power Delivery up to 60 W (20 V / 3 A), Colour Black, Retail Box
20265-20265	R 309	UGreen USB 3.0 Type-A Male to Gigabit Ethernet Adapter with 3-port USB Hub - Black, 3x USB 3.0 5Gbps Ports

2IN1LAN	R 229	Microworld USB 3.0 Type-A & Type-C to Gigabit Ethernet Adapter, Aluminum Alloy material
39038	R 447	Goobay 39038 USB 3.0 Gigabit Ethernet Network converter, 0.1 m cable length
470-ABBT	R 396	Dell USB 3.0 to Ethernet Adaptor { Compatible with --> XPS12 }
470-ABND	R 542	DELL 470-ABND Adapter - USB-C to RJ-45 Gigabit Ethernet, PXE support, RJ-45 10/100/1000Mb LAN
470-BCFV	R 427	Dell 470-BCFV USB-C to 2.5Gbps Ethernet Adapter
4X90S91830	R 512	Lenovo 4X90S91830 ThinkPad USB 3.0 Ethernet Adapter
4X90S91831	R 403	Lenovo 4X90S91831 USB-C to Ethernet Adapter
66255	R 643	Goobay 66255 USB-C to RJ45 Gigabit Adapter - White
7891774000050	R 149	NetiX USB 3.0 Gigabit to RJ45 Ethernet LAN, RJ45 10/100/1000 Mbps Network Adapter - compact sized Ethernet Adapter, Auto-sensing capability, USB 3.0 Interface, Backward compatibility with USB2.0, Supports auto MDIX, Colour Black
900126	R 314	Port USB Type-C to RJ45 5Gbps 30cm Adapter - Black, Â©2020 Laptop Direct
A72040-B	R 191	Astrum NA400 USB 3.0 to Gigabit LAN Adapter slim
A72045-B	R 191	Astrum NA450 USB-C to Gigabit LAN Adapter slim
ADA-USB-C-GB-5G-U	R 353	Unitek TYPE-C to Gigabit Ethernet 5GBPS adapter U1312A
CAB-USB-ETH-ADA-3M	R 293	Unitek USB-C to Gigabit Ethernet Adapter cable, C18148AGY01-3M, USB 5Gbps, Aluminium Alloy material
CAC-1519-CLUB3D	R 500	Club 3D CAC-1519 USB3.2 Gen1 Type-C to Gigabit Ethernet Adapter - M/F
CAC-1520-CLUB3D	R 920	Club 3D USB 3.2 Gen1 Type C to RJ45 2.5Gbps Adapter
CD-UE10A	R 115	Cudy UE10A USB Type-A to Gigabit Ethernet Adapter, RTL8153b Chipset, 1x Gigabit RJ45 Port, Requires a USB 3.0 Type-A or higher
CD-UE10C	R 115	Cudy UE10C USB-C to Gigabit Ethernet Adapter, RTL8153b Chipset, 1x Gigabit RJ45 Port, Requires a USB-C 3.0 or higher Port
CD-UE25A	R 201	Cudy USB Type-A to 2.5Gbps Ethernet Adapter, UE25A, 1x 2.5 GbE RJ45 Port, Requires a USB 3.0 Type-A or higher Port
CD-UE25C	R 201	Cudy USB-C to 2.5Gbps Ethernet Adapter, UE25C, 1x 2.5 GbE RJ45 Port, Requires a USB-C 3.0 or higher Port on the Host device
CM199-50737	R 251	Ugreen Type-C to Gigabit Ethernet Adapter - Silver, US236 ABS model, RTL8153b Chipset, Type-C 3.1 Gen 1 Male Input, RJ45 Gigabit Ethernet Port Output, Up to 5Gbps Data Transfer Rate, 10cm cable length
CM648-25051	R 345	UGreen CM648 USB Type-A 3.2 Gen 1 to 2.5GbE Ethernet Adapter, up to 2.5Gbps Network Speed, Aluminium housing material
CM648-25052	R 342	UGreen CM648 USB 3.0 Type-C to 2.5Gbit Ethernet Adapter, USB Type-C 3.1 Gen 1 Male Input Interface, RJ45 2.5G Ethernet Port Output Interface, up to 5Gbps USB Data transfer Speed, Aluminium housing material
CNV-USB-CONSOLE-1.8M	R 486	Unitek Y-SP02001B 1.8m USB to RJ45, PVC flat cable jacket
CNV-USB-ETH-Y-1468-U	R 247	UNITEK Y-1468 USB2.0 to 10/100Mbps Ethernet Converter; 1 x USB-A; 1 x RJ45; IPv4/IPv6; Wake-on-LAN; Plug and play; Bus-powered; 15cm cable; 61 x 23 x 17mm; Black
CNV-USB3-A-ETH-U	R 338	Unitek USB 3.0 Type-A to Gigabit Ethernet Adapter, Y-3464, Space Grey Colour
CNV-USB3-C-ETH-ADAPT	R 328	Unitek USB 3.1 Type-C to Gigabit Ethernet Adapter, Y-3465A, Aluminium-Alloy housing, 30cm cable length, USB-C & USB Type-A upstream, 1000 Mbps Ethernet downstream
CNV-USB3-ETH-2.5G-TC	R 582	Unitek Type-C to 2.5 Gigabit Ethernet Adapter, U1313C, 30cm cable length, USB-C & USB Type-A upstream, 2.5Gbps Ethernet downstream, Space Grey Colour
CNV-USB3-ETH-CONV-U	R 333	Unitek Y-3470 Black USB 3.0 to Gigabit Ethernet Adapter
CNV-USB3-TYPE-C-ADA	R 468	Unitek U1323a USB-C to Gigabit Ethernet Adapter with 100W Power Delivery, 15cm cable length, Durable Aluminium-Alloy housing
CNV-USB3C-ETH-LQ	R 196	Linkqnet XF-URJC USB 3.0 Type-a/c Gigabit Ethernet Adapter
CR110-20254	R 175	UGREEN USB 2.0 10/100Mbps Ethernet Adapter (Black)
CR111-20256	R 233	Ugreen CM111 USB 3.0 to RJ5 Gigabit Ethernet Adapter - Black, AX88179 Chipset, USB 3.0 a Male Input, RJ45 Gigabit Ethernet Port Output, Up to 5Gbps USB Speed, Durable ABS casing
CT-AML100-AG-0.15M	R 144	CableTime USB 2.0 to Rj45 Ethernet Adapter - Max 100Mbps
CT-CML100-AG-0.15M	R 144	CableTime Thunderbolt 3 USB C to Rj45 10/100M Ethernet Adapter. The Cabletime CT-CML100-AG-0.15M

		USB-C to RJ45 Ethernet Adapter is a compact and durable solution for connecting USB-C enabled devices to wired networks. Its plug-and-play functionality and lightweight design make it ideal for professionals, students, and remote workers seeking a stable internet connection. The aluminum alloy casing ensures durability and efficient heat dissipation, while the 10/100Mbps Ethernet speed supports various online activities.
DELOCK-66857	R 684	Delock Black Cable grommet for table mounting with brush - 280 x 80 x 28 mm
GAPCGB	R 158	Gizzu High Speed Type-C to Gigabit LAN Adapter
M49146	R 296	Verbatim USB-c To Gigabit Ethernet Adapter 10cm Cable
NA-DUBE250	R 626	D-Link DUB-E250 Type-C / Thunderbolt to 2.5Gbps Network Adapter, 4600 Mbps Full-Duplex, 2.5 Gigabit Ethernet connectivity
NA-JCE131	R 319	J5 create JCE131 - USB3.1 Type-C to Gigabit Network Adapter, with aluminium housing, 68x23x19mm, ideal for desktop or notebook/new Macbook - for Windows/MAC/Linux
NA-JCE145	R 739	J5 Create JCE145 - USB3 Type-C to 2.5 Gigabit network adapter, with aluminum housing, 68x23x15mm 100mm cable, ideal for desktop or notebook/new macbook - for Windows/MAC/Linux
NA-JUE125	R 179	J5 create JUE125 - USB2.0 Type-A to 10/100 network adapter, with aluminium housing, 48x25x15mm - for Windows/MAC/Linux
NA-JUE230	R 516	J5 create JUE230 - 2x USB3.0 to Gigabit network adapter (for 2x NB/PC to share 1 x Gigabit network connection), with aluminium housing, 68x23x19mm - for Windows/MAC/Linux
NA-SCTL1200	R 233	Sunix CTL1200 - USB type-C to 10/100 Network Adapter, 46x22x13mm 80mm cable - for Windows/MAC/Linux; 10/100Mbps; USB 2.0 480Mbps interface; IEEE 802.3 and 802.3u; Auto MDIX; Full and half duplex; Plug-and-play; Windows; macOS; Linux; Chromebook; USB bus powered; 46 x 22 x 13mm; 80mm cable; 25g
NBDE470-ABBT	R 436	Dell USB 3 to Ethernet Adaptor
NBDE470-BCFV	R 447	Dell 470-BCFV USB-C to 2.5Gbps Ethernet Adapter
NET-TL-UA520C	R 246	TP-Link UA520C Type-C to HDMI 4K 60Hz Adapter, 100mm Long Braided cable, Aluminum Alloy Case
NET-TL-UE200	R 149	TP-Link UE200 USB 2.0 to 100 Mbps Ethernet Network Adapter, 1x USB 2.0 Port Input Interface, 1x 10/100 Mbps RJ45 Ethernet Port Output Interface, RTL8152b Chipset
NET-TL-UE300	R 171	TP-Link TL-UE300 USB 3.0 to Gigabit Ethernet Network Adapter
NET-TL-UE300C	R 194	TP-Link UE300C USB 3.0 Type-C to Gigabit Ethernet Network Adapter, 1x 10/100/1000 Mbps RJ45 Ethernet Port, 1x USB 3.0 Port, RTL8153 Chipset
NET-TL-UE302C	R 336	TP-Link UE302C USB 3.0 Type-C to 2.5 Gigabit Ethernet Network Adapter, USB 3.0 Type-C Port Input Interface, 2.5 Gigabit RJ45 Ethernet Port Output Interface
NET-TL-UE306	R 164	TP-Link UE306 USB 3.0 to 1GB Ethernet Network Adapter, 1 Gigabit RJ45 Ethernet Port, 1x USB 3.0 Port, AX88179 Chipset
PJT-LCN800	R 207	Microworld USB-C HUB 1000M LAN PD
TP-UE300	R 171	TP-Link UE300 USB 3.0 to Gigabit Ethernet Network, RTL8153 Chipset
TP-UE300	R 201	TP-Link UE300 USB 3.0 to Gigabit Ethernet Network, RTL8153 Chipset
TP-UE300C	R 194	TP-Link UE300C USB 3.0 Type-C to Gigabit Ethernet Network Adapter, 1x 10/100/1000 Mbps RJ45 Ethernet Port, 1x USB 3.0 Port, RTL8153 Chipset
TXA041	R 92	Microworld TXA041 10/100 Mbps USB LAN adaptor, 1 x RJ45, RTL8152b Chipset Realtek
UE10A	R 139	Cudy UE10A USB-A Gigabit Ethernet Adapter; 10_100_1000 Mbps RJ45; USB-A 3.0 plug and play; wide OS support; Wake on LAN; compact networking dongle
UE10C	R 139	Cudy UE10C USB Type-C to Gigabit Ethernet Adapter; RTL8153B chipset; 10 100 1000 Mbps; USB-C 3.0 to RJ45; broad OS support; compact 6.9x2.84x1.35cm; 26g
UE200	R 206	TP-Link UE200 USB 2.0 to 100Mbps Ethernet Network Adapter, 1 USB 2.0 connector, 1 10/100Mbps Ethernet port, Plug and Play in Windows (XP/Vista/7/8/8.1), Mac OS X (10.9 and later), Linux OS, Foldable and portable design
UE300	R 175	TP-Link UE300 USB 3.0 to Gigabit Ethernet Network Adapter, 1 USB 3.0 connector, 1 Gigabit Ethernet port, Fastest USB 3.0 and Gigabit solution ensure high speed transfer rate, Foldable and portable Design, Plug and Play
UE300	R 199	TP-Link UE300 USB 3.0 to Gigabit Ethernet Network Adapter, 1 USB 3.0 connector, 1 Gigabit Ethernet port, Fastest USB 3.0 and Gigabit solution ensure high speed transfer rate, Foldable and portable Design, Plug and Play

UE300	R 229	TP-Link UE300 USB 3.0 to Gigabit Ethernet Network, RTL8153 Chipset
UE300C	R 200	TP-Link UE300C USB 3.0 Type-C to Gigabit Ethernet Network Adapter, SPEC: 1 USB 3.0 Type-C Connector, 1 Gigabit Ethernet Port, Foldable and Portable Design, FEATURE: Plug and Play in Windows 10,macOS, iPadOS, ChromeOS, Linux
UE300C	R 251	TP-Link UE300C USB 3.0 Type-C to Gigabit Ethernet Network Adapter, SPEC: 1 USB 3.0 Type-C Connector, 1 Gigabit Ethernet Port, Foldable and Portable Design, FEATURE: Plug and Play in Windows 10,macOS, iPadOS, ChromeOS, Linux
UE300C	R 189	TP-Link USB Type-C to RJ45 Gigabit Ethernet Network Adapter - Fastest USB 3.0 Type-C and RJ45 Gigabit Solution, Up to 1000Mbps Transfer Rate, Foldable and Portable Design, Plug and Play In Windows 11/10, Mac OS X, Chrome OS and Linux OS, Retail Box
UNQ-USB-RJXT	R 79	UniQue USB To Female RJ45 Extension Adapter - Base Connectors: USB Type A Male, RJ45 Female, Remote Connectors: USB Type A Female, RJ45 Female, Up To 45,72 m Length, Hi-speed USB, Extends The Distance Of a USB Device, Self-powered, No External Power Source Required, Uses Standard Cat5/Cat5E/Cat6 Patch Cord (Not Included), 3 Months Warranty
USB-CNV-A-GIGA	R 1,696	Dtech USB 3.0 to Gigabit Ethernet Adapter, USB-CNV-A-GIGA
USBCLAN	R 196	Microworld USB Type C to LAN
VK-20062-CH	R 437	VolkanoX Core LAN Series USB Type-C to Gigabit LAN adaptor - Charcoal, Metal body, RJ-45 LAN
VK-20166-GM	R 391	Volkano LAN Series USB 3.0 to Gigabit LAN Network adaptor, VK-20166-GM
VK20166GM	R 356	Volkano LAN Series USB 3.0 to Gigabit LAN Network adaptor, VK-20166-GM

< Return to the menu

Power Cable 220V / 230V for PC & laptops

Product code	Price	Description
089G404A18NCX	R 29	UniQue Standard Single Head Power 2 Pin Cable 1.8m - Standard computer power cable with 90 Degree 2-prong plug on one end and kettle plug connection on the other end | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 2-pin South African plug with 90-degree connector to IEC C13 kettle connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: 2-pin kettle power cable, 90-degree computer power cord, IEC C13 power lead, PC monitor power cable
112100	R 67	EQUIP CABLE, POWER EXT 1.8M - M-F
112210	R 98	EQUIP CABLE, POWER EXT 1.6M - 2 X M TO 1
142257-006	R 371	HP 10A C14 to C13 1.37m power cable, Â© 2020 Laptop Direct
2010103015748	R 29	Unique standard Clover Leaf power cable, Standard Laptop power cable with 3-prong standard plug on one end and the Clover shape connection on the other, Plugs into your laptops Power Supply unit, OEM Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C5 clover connector | Cable length: 1.8m | Maximum rating: 250V 2.5A | Also referred to as: Clover leaf power cable, Mickey Mouse power cord, laptop charger power cable, IEC C5 power lead
2XIEC	R 115	Unbranded Dedicated 3 pin Power Plug to 2x IEC & 1x Clover Connector Cable
391399	R 69	Manhattan 1.8m Power Cable, Black, Connects most desktop computers to Schuko outlets, IEC 60320 C13 socket connector, 10 A / 250 V, 3-blade, Schuko CEE 7, 16A / 250V, Molded connections with strain relief.
4L67A08366	R 494	Lenovo 4L67A08366 2.8m 10A 100-250V C13 to C14 Jumper cord | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female jumper extension cable | Cable length: 2.8m | Maximum rating: 100-250V 10A | Also referred to as: Lenovo jumper cord, server power extension cable, UPS rack power lead, C13 to C14 extension cable
4L67A08366	R 746	Lenovo 4L67A08366 2.8m 10A 100-250V C13 to C14 Jumper cord | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female jumper extension cable | Cable length: 2.8m | Maximum rating: 100-250V 10A | Also referred to as: Lenovo jumper cord, server power extension cable, UPS rack power lead, C13 to C14 extension cable
50081	R 171	Goobay 50081 Power Extension 2m Lead with C13 socket and C14 plug - Black | Cable type: 220V, 230V, 240V Power extension cable | Cable configuration: IEC C14 male to IEC C13 female extension lead | Cable length: 2m |

		Maximum rating: 250V 10A | Also referred to as: IEC extension cable, C13 to C14 jumper cord, UPS/server power extension, computer kettle lead extension
A003M-2W	R 104	3M DEDICATED POWER CABLE- 2 WAY
A003M-2W CLOVER	R 104	3M Dedicated 2 x Clover Power Cable - 2 Way
A003M-2W I+C	R 104	3M Dedicated 1 x IEC and 1 x Clover Power Cable - 2 Way
A009	R 52	Unbranded Power cord - dedicated 3-pin SANS 164-1 red SA plug to kettle plug (IEC) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug (red top) to IEC C13 female connector | Cable length: typically 1.8m | Maximum rating: 250V 10A | Also referred to as: SA to IEC kettle power cable, dedicated PC power cord, UPS/monitor power lead, IEC C13 mains cable
A037	R 69	IEC Power Extension Cable (Male to Female)(IEC C13 - IEC C14)
A32502-B	R 138	Astrum PC215 1.5M 2Pin EU Power Cable
A32503-B	R 107	Astrum PC312 1.2M 16A Clover SA Power Cable; 3 pin clover; South African 16A plug; 18 AWG copper; black; compatible with laptop chargers, monitors and printers
AC-6NDF807FMBK1.8	R 37	Syntech oem PWR Dedicated to Figure 8 Cable 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: Dedicated red 3-pin SA plug to Figure 8 (IEC C7/C8) power cable | Cable length: 1.8m | Maximum rating: 250V 2.5A | Also referred to as: Figure 8 power cord, C7/C8 AC power cable, OEM figure-8 lead, AV equipment power cable
AC-6NDF807FMBK1.8	R 52	Oem PWR Dedicated 3-pin SANS 164-1 red plug to Figure 8 Cable 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded red plug to IEC C7 Figure 8 connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated Figure 8 power cable, SA plug to C7 cable, 2-pin Figure 8 power cord, audio/video device power cable
AC-6NF807FMBK1.8	R 46	Microworld Dedicated 3pin SA plug to Figure 8 Power Cable 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C5 clover connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated clover power cable, red plug to C5 cable, laptop charger power cord, UPS/inverter clover lead
AC-6NF807FMBK1.8	R 114	Unbranded Dedicated Figure 8 Power Cable - 1.8m
AD9908	R 39	Geeko International 3 Pin Power Adapter Converter, Retail Packaging | Product type: Power adaptor converter from international plug standards to a 3-pin SANS 164-1 (Type M) SA plug (NOT A cable) | Input connector: International / universal 3-pin adaptor interface | Output connector: South African 3-pin mains compatibility | Maximum rating: 250V 10A | Packaging: Retail packaging | Also referred to as: Travel power adaptor, 3-pin plug converter, universal plug adaptor, mains power converter
C1920	R 63	Microworld C19 to IEC C20 plug Adapter, 16A 250V
CA-Po	R 52	Unbranded 2m Power cable - 3-pin SANS 164-1 SA plug to IEC C13 Female | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C13 female connector | Cable length: 2m | Maximum rating: 250V 10A | Also referred to as: SA to IEC kettle power cable, dedicated PC power cord, UPS/monitor power lead, IEC C13 mains cable
CA-Po2D	R 117	Unbranded 2 way 2.8m power cable - Dedicated SA Plug to IEC Female
CA-Po3D	R 132	Unbranded 3 way 3.8m power cable - Dedicated SA Plug to IEC C13 Female | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 3 x IEC C13 female connectors | Cable length: 3.8m | Maximum rating: 250V 10A | Also referred to as: 3-way IEC power splitter, tri-head kettle cable, SA plug to multiple IEC C13 outputs, power distribution lead for PC/office/UPS setups
CA-PoC19	R 269	Corsair 34-000306 power cable with IEC C19 16A connector
CA-PoCD	R 62	Unbranded 2m Power cable Clover to Dedicated red plug
CA-PoD	R 62	Unbranded 2m Power cable - Dedicated 3-pin SANS 164-1 SA plug to IEC C13 Female | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C13 female connector | Cable length: 2m | Maximum rating: 250V 10A | Also referred to as: SA to IEC kettle cable, dedicated power cord, UPS/PC power cable, IEC C13 mains lead
CA-PoE	R 39	Unbranded 2m Power Extension cable - IEC male to IEC female | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 2m | Maximum rating:

		250V 10A | Also referred to as: IEC extension cable, UPS power extension lead, C13 to C14 power cord, computer power extension cable
CAB-C13-C14-2M-LK-BK	R 343	Linkqnet 2m C13 female to C14 male lockable power cable Black, PC1021 | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C13 female to IEC C14 male lockable connector | Cable length: 2m | Maximum rating: 250V 10A | Also referred to as: Locking IEC extension cable, C13 to C14 server power lead, UPS extension power cord, PDU power cable
CAB-C13-C14-2M-LK-BL	R 343	Linkqnet 2m C13 female to C14 male lockable power cable Blue, PC962 | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C13 female to IEC C14 male lockable connector | Cable length: 2m | Maximum rating: 250V 10A | Also referred to as: Locking IEC extension cable, C13 to C14 server power lead, UPS extension power cord, PDU power cable
CAB-C13-C14-2M-LK-RD	R 343	Linkqnet 2m C13 female to C14 male lockable power cable Red, PC1386| Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C13 female to IEC C14 male lockable connector | Cable length: 2m | Maximum rating: 250V 10A | Also referred to as: Locking IEC extension cable, C13 to C14 server power lead, UPS extension power cord, PDU power cable
CAB-C19	R 230	Mecer Dedicated C19 to RED 3 pin plug power cable (Red top with dedicated earth pin) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C19 connector to 3-pin South African SANS 164-1 dedicated red plug with earth pin | Cable length: 1.8m | Maximum rating: 250V 16A | Also referred to as: Dedicated C19 power cable, red plug UPS cable, inverter/server power lead, high-current SA power cord
CAB-C19-C20-2M-LK-BK	R 406	Linkqnet 2m C19 female to C20 male lockable power cable Black, PC1285| Cable type: 220V, 230V, 240V High Current Power cable | Cable configuration: IEC C20 male connector to IEC C19 female lockable connector | Cable length: 2m | Maximum rating: 250V 16A | Also referred to as: C19 to C20 server power cable, IEC lock power lead, UPS PDU power extension cable, data centre power cord
CAB-C19-C20-2M-LK-BL	R 406	Linkqnet 2m C19 female to C20 male lockable power cable Blue, PC1358 | Cable type: 220V, 230V, 240V High Current Power cable | Cable configuration: IEC C20 male connector to IEC C19 female lockable connector | Cable length: 2m | Maximum rating: 250V 16A | Also referred to as: C19 to C20 server power cable, IEC lock power lead, UPS PDU power extension cable, data centre power cord
CAB-C19-C20-2M-LK-RD	R 406	Linkqnet 2m C19 female to C20 male lockable power cable Red, PC1402 | Cable type: 220V, 230V, 240V High Current Power cable | Cable configuration: IEC C20 male connector to IEC C19 female lockable connector | Cable length: 2m | Maximum rating: 250V 16A | Also referred to as: C19 to C20 server power cable, IEC lock power lead, UPS PDU power extension cable, data centre power cord
CAB-PWR-1C1IEC-D-3M	R 70	Unbranded 3M dedicated power cable to IEC and Clover, PC-6DICH13BK2.8
CAB-PWR-1H-B-CLO-1.8	R 53	Unbranded 1.8m single Blue dedicated to Clover Power cable
CAB-PWR-1H-B-IEC-1.8	R 85	Unbranded 1.8m Blue dedicated to IEC Female Power cable
CAB-PWR-1H-BR-1.8M	R 81	Unbranded 1.8m single headed British power cable, PC-3UKCIC073BK1.8
CAB-PWR-1H-BR-CL-1.8	R 78	Unbranded 1.8m British to clover power cable, PC-3UKCH073BK1.8
CAB-PWR-1H-CD-1.8M	R 52	LinkQNet 1.8m single headed clover dedicated power cable, PC-6DCH073BK1.8 | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C5 clover connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: cloverleaf power cable, laptop power cable, SA plug to IEC C5 cable, Mickey Mouse power cord
CAB-PWR-1H-CD-1.8M	R 53	Unbranded 1.8m single headed clover dedicated power cable, PC-6DCH073BK1.8 (Red plug) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C5 clover connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: cloverleaf power cable, laptop power cable, SA plug to IEC C5 cable, Mickey Mouse power cord
CAB-PWR-1H-CD-3M	R 71	Unbranded 3M single headed Clover dedicated power cable, PC-6DCH073BK3
CAB-PWR-1H-D-1.8M	R 49	LinkQNet 1.8m single headed dedicated power cable, IEC, PC-6DCIC073BK1.8 (Red plug) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C13 female connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated IEC power cable, red plug to kettle lead, UPS/inverter power cord, computer power cable, IEC C13 mains lead
CAB-PWR-1H-D-1.8M	R 53	Unbranded 1.8m single headed dedicated power IEC C13 cable, PC-6DCIC073BK1.8 (Red plug) | Cable type:

		220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C13 female connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated IEC power cable, red plug to kettle lead, UPS/inverter power cord, computer power cable, IEC C13 mains lead
CAB-PWR-1H-D-10M	R 194	LinkQnet 10m single headed dedicated power cable, PC-6DCIC13BK10 | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C13 female connector | Cable length: 10m | Maximum rating: 250V 10A | Also referred to as: dedicated red plug power cable, SA to IEC kettle lead, UPS/server power cable, computer power cord
CAB-PWR-1H-D-20M	R 293	Linkqnet 20m single headed dedicated power cable, PC-6DCIC13BK20 (Long Red 3-pin SA plug to IEC device) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C13 female connector | Cable length: 20m | Maximum rating: 250V 10A | Also referred to as: extra long IEC power cable, dedicated red plug power cord, UPS/server extension cable, IEC C13 mains lead
CAB-PWR-1H-D-4M	R 87	Unbranded 4m single headed dedicated power cable, PC-6DCIC13BK4
CAB-PWR-1H-D-5M	R 104	Unbranded 5m single headed dedicated power cable, PC-6DCIC13BK5
CAB-PWR-1H-DR-1.8M	R 43	Linkqnet 1.8m single headed dedicated cable - right angle, PC-6D9CIC073BK1.8 | Cable type: 220V, 230V, 240V Power cable | Cable configuration: Dedicated 3-pin South African SANS 164-1 plug to IEC C13 kettle connector (right-angle)| Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: right-angle IEC power cable, PC power cord, monitor power cable, UPS/inverter power lead, single-headed dedicated SA plug cable
CAB-PWR-1H-N-3M	R 68	Unbranded 3m normal to Kettle Female plug, IEC C13 Female connector
CAB-PWR-1HC15-D-1.8M	R 49	Unbranded 1.8m single C15 (Hot Socket) dedicated power cable, AC-6DHIC073BK1.8 (Red plug) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C15 female high-temperature connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: hot socket IEC power cable, C15 kettle lead, server/network power cable, UPS high-temperature power cord
CAB-PWR-1HC15-D-1.8M	R 51	Unbranded 1.8m single C15 (Hot Socket) dedicated power cable, AC-6DHIC073BK1.8 (Red plug) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C15 female high-temperature connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: hot socket IEC power cable, C15 kettle lead, server/network power cable, UPS high-temperature power cord
CAB-PWR-1IEC-2CLO-4M	R 95	Unbranded 4m 2 x Clover and 1 x IEC dedicated power cable, PC-6DI2CH073BK3.8
CAB-PWR-2H-1CLO-4M	R 113	Unbranded 4m dedicated to 2 x IEC female to 1 x Clover, PC-6D2ICC13BK3.8
CAB-PWR-2H-D-3M	R 79	Unbranded 3m dedicated power cable to 2 heads, PC-6D2IC13BK2.8
CAB-PWR-2H-IEC-2PIN	R 81	LinkQNet 2 headed 1x IEC & 2 pin Female Socket dedicated plug, 1x IEC C13 Female connector, 1x 2 - pin Euro Female connector. Connect 1 x IEC device and 1 x 2pin Euro device to one outlet (dedicated red plug) | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 1 x IEC C13 female connector and 1 x 2-pin Euro female socket | Cable length: typically 1.8m - 2m | Maximum rating: 250V 10A | Also referred to as: multi-head power splitter cable, SA plug to IEC Euro distribution lead, office power adapter cable, mixed device power cable
CAB-PWR-3H-D-4M	R 105	Unbranded 4m 3 headed dedicated power cable, PC-6D3IC13BK3.8
CAB-PWR-4H-D-5M	R 155	Linkqnet 5m 4 headed dedicated power cable, PC-6D4IC13BK4.8 | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 4 x IEC C13 female connectors | Cable length: 4.8m | Maximum rating: 250V 10A | Also referred to as: multi-headed IEC power cable, 4-way kettle splitter cable, server/UPS power distribution lead, SA plug to IEC C13 multi-outlet cable
CAB-PWR-D-1IEC-FIG8	R 66	unbranded 2.8m multi-headed dedicated power cable - South African 3 pin plug to 1x IEC and 1x figure 8 connector
CAB-PWR-D-2CLO	R 82	LinkQNet 3M dedicated to 2 x Clover cable, PC-6D2CH073BK2.8 | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 2 x IEC C5 cloverleaf female connectors | Cable length: 2.8m - 3m | Maximum rating: 250V 10A | Also referred to as: dual clover power cable, SA to 2x clover splitter cable, laptop power distribution lead, multi-device cloverleaf power cable
CAB-PWR-D-C19-3M	R 242	UniQue C19 Single Head Power Cable 3m - for use with Aerocool 1600W/2000W mining PSU only, OEM. | Cable

		type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 Type M plug to IEC C19 connector | Cable length: 3m | Maximum rating: 250V 16A | Also referred to as: C19 PSU power cable, mining PSU power cord, high-current IEC power lead, Aerocool PSU power cable
CAB-PWR-D-FIG-8-1.8M	R 38	Unbranded 1.8m dedicated Figure 8 power cable, AC-6NDF807FMBK1.8 | Cable type: 220V, 230V, 240V Power cable | Cable configuration: Dedicated 3-pin SA plug to Figure 8 (IEC C7/C8) power cable | Cable length: 1.8m | Maximum rating: 250V 2.5A | Also referred to as: Figure 8 power cord, C7/C8 AC power cable, figure-8 lead, AV equipment power cable
CAB-PWR-D-NSA-CLOVER	R 56	Unbranded 1.8m partially dedicated 3 pin SA to clover cable
CAB-PWR-D-NSA-IECF	R 59	Unbranded 1.8m partially dedicated 3 pin SANS 164-2 SA to IEC female cable (new SA 3-pin SANS 164-2 plugs)
CAB-PWR-DNSA-2IEC1CL	R 117	LinkQnet 4m Multi-headed dedicated SANS 164-2 Type N Slimline 3 pin Power cable to 2x IEC and 1x Clover | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-2 Type N slimline plug to 2 x IEC C13 female connectors and 1 x IEC C5 clover connector | Cable length: 4m | Maximum rating: 250V 10A | Also referred to as: slimline multi-head power cable, SA Type N to IEC mixed splitter cable, 2-way kettle clover distribution lead, office power multi-outlet cable
CAB-PWR-EURO-D-1M	R 53	Unbranded 1m dedicated plug to 2- pin Euro Socket
CAB-PWR-EURO-MF-1M	R 53	LinkQnet 1m 2 pin Euro plug to 2 pin Euro Socket extension cord. Extend your 2-pin euro-plug cable by 1 meter.
CAB-PWR-EURO-N-1M	R 56	LinkQNet 1m normal plug to 2 pin Euro Socket. Extend a standard SA 3-pin power plug to a 2-pin device without using a dedicated 3-pin to 2-pin adapter.
CAB-PWR-IEC-C15-1.8M	R 58	Unbranded 1.8m kettle male C14 to female C15 (Hot) extension
CAB-PWR-IEC-C15-3M	R 75	LinkQNet 3M kettle male to C15 female power extension, PC-MICHIC13BK3 | Cable type: 220V, 230V, 240V Power extension cable | Cable configuration: IEC C14 male to IEC C15 female high-temperature power cable | Cable length: 3m | Maximum rating: 250V 10A | Also referred to as: C15 hot-condition power cable, IEC C14 to C15 extension lead, server power extension cable, high-temperature IEC power cord
CAB-PWR-IEC-CLV-FIG8	R 100	Unbranded 3.8m dedicated to IEC to Clover and Figure 8 power cable, PC-6DCCF8073BK3.8
CAB-PWR-IECM-2IECF	R 101	LinkQnet 1.8m IEC C14 male to 2 headed IEC C14 female IEC C14 M > 2x IEC C14 F
CAB-PWR-KMKF-1M	R 46	Linkqnet 1m kettle male to kettle female power extension cable (IEC C13 - IEC C14) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 1m | Maximum rating: 250V 10A | Also referred to as: IEC kettle extension cable, C13 to C14 power lead, UPS extension cable, server power cord
CAB-PWR-MIEC-CLVR15C	R 54	Unbranded 15cm clover T0 IEC male { C14 } power Adapter, PC-LINMICCH073BK0.15
CAB-PWR-MIEC-FIG8	R 53	linkQNet 15cm Figure 8 to IEC male C14 power Adapter, PC-LINMICF8073BK0.15 | Cable type: 220V, 230V, 240V Power adapter cable | Cable configuration: IEC C14 male connector to IEC C7 Figure-8 female connector | Cable length: 15cm | Maximum rating: 250V 10A | Also referred to as: Figure-8 to IEC adapter cable, C14 to C7 power adapter, IEC male to Figure-8 converter, UPS/monitor power adapter lead
CAB-PWR-SHUCKO-IEC	R 54	Unbranded 1.8m Schuko Euro to IEC Female Power cable
CAB002	R 29	Unique CAB002 standard single head power cable 1.5m, Standard Computer power cable with 3-prong plug on one end and IEC C13 female kettle plug connection on the other, OEM | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 standard plug to IEC C13 female connector | Cable length: 1.5m | Maximum rating: 250V 10A | Also referred to as: computer power cable, kettle lead, SA to IEC C13 power cord, PC/monitor power cable, OEM mains lead
CAB020	R 40	Unbranded IEC Male to IEC Female Power Cable 1.8m long | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: UPS extension cable, PC power extension lead, IEC C13-C14 extension cord, computer power supply cable
CAB020	R 35	Unbranded IEC Male to IEC Female Power Cable 1.8m long (Cable from Uninterrupted Power supply / UPS to PC / computer) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: UPS extension cable, PC power extension lead, IEC C13-C14 extension cord, computer power supply cable
CAB021	R 52	Microworld C19 to C20 1.8m cable, 3x 1.5mm2 cables | Cable type: 220V, 230V, 240V High current power cable |

		Cable configuration: IEC C19 female to IEC C20 male extension cable | Cable length: 1.8m | Maximum rating: 250V 16A | Conductor size: 3 x 1.5mm2 | Also referred to as: server power cable, UPS PDU jumper cable, high-load IEC extension lead, data centre power cord
CAB022	R 46	Microworld right angle C13 to C14 1.8m cable, 3x 0.75 mm2 cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female right-angle extension cable | Cable length: 1.8m | Maximum rating: 250V 10A | Conductor size: 3 x 0.75 mm2 | Also referred to as: right-angle IEC extension cable, C13 to C14 jumper cable, UPS/server power cable, computer power lead
CAB024	R 46	Microworld C14 to C15 1.8m cable, 3 x 0.75 mm2 cables | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C15 female high-temperature power cable | Cable length: 1.8m | Maximum rating: 250V 10A | Conductor size: 3 x 0.75 mmÂ² | Also referred to as: high-temperature IEC power cable, server power cable, C15 kettle lead, UPS rack power cord
CAB037	R 35	Microworld 3 pin standard power plug to Clover connector cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C5 clover connector | Cable length: 1.5m | Maximum rating: 250V 10A | Also referred to as: SA 3-pin to clover power cable, Mickey Mouse power cord, laptop power supply cable, inverter/UPS clover lead
CAB081	R 25	Microworld 2 pin Euro Plug to Clover Cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 2-pin Europlug SANS 164-5 Type C to IEC C5 clover connector | Cable length: 1.5m | Maximum rating: 250V 2.5A | Also referred to as: Clover cable, Mickey Mouse power cable, Laptop charger power cord
CAB25	R 46	Microworld C13 to C19 1.8m cable, 3 x 1.5 mm2 cables
CB-CLOVER NEWZA	R 43	Unbranded Clover Power cable with new South African plug | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-2 Type N slimline plug to IEC C5 clover connector | Maximum rating: 250V 16A | Also referred to as: slimline SA clover cable, Type N to C5 power lead, laptop cloverleaf power cable, Mickey Mouse power cord
CB-CLOVER-REDPLUG	R 61	Unbranded Power Cord - Clover to Red plug
CB-FIG8	R 43	RCT 3-pin SANS 164-1 SA plug to Figure 8 plug power cord 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C7 Figure 8 connector | Cable length: 1.8m | Maximum rating: 250V 2.5A | Also referred to as: figure 8 power cable, SA plug to C7 cable, 2-prong appliance power cord, non-earthed device power cable
CB-POWER-2	R 77	RCT Y Dedicated Power Cable, IEC Plugs x 2 with dedicated SA plug
CNT-C20M-1-CLV-F-C7	R 338	LinkQnet C20 male connecter Clover Female C7, 8760
DAISY2	R 98	Unbranded Dedicated 2 Way IEC Power Cable
DAISY3	R 132	Unbranded Dedicated 3 Way IEC Power Cable
FIG2IEC2MTR	R 52	Microworld IEC C14 to Figure 8 (IEC C7) cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C7 female (Figure 8) power cable | Cable length: 2m | Maximum rating: 250V 2.5A | Also referred to as: figure 8 power cable, C7 laptop adapter cable, IEC shotgun power cord, small appliance IEC lead
FIG82PIN	R 35	Microworld 2 pin Power to Figure 8 powercord - 2m, IEC C7 (Figure 8) Female to 2 pin Male plug | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 2-pin South African plug to IEC C7 Figure 8 (C8 male device inlet) connector | Cable length: 2m | Maximum rating: 250V 2.5A | Also referred to as: Figure 8 power cable, C7/C8 power lead, SA 2-pin to figure-8 cable, AV device power cord
GSPIEC1	R 55	Gizzu Surge Protector 10A Kettle plug cable 1.5m, up to 2200W Max Power support
IEC-C	R 58	Unbranded Male IEC to Clover Cable 1.8m
MK122SO/A	R 308	Apple Power Adapter extension cable, Model A1689, MK122SO/A. 1.8m. MagSafe and MagSafe 2 power adapters, 10W and 12W USB-A power adapters, and 29W, 30W, 61W, and 87W USB-C power adapters.
MW2N3SO/A	R 426	Apple 1.8m Power Adapter extension cable
NET-GST18-F	R 61	Lucktek GST18 plug female - Office, LK-GST18/F
NET-GST18-M	R 61	Lucktek GST18 plug male - Office, LK-GST18/m
P-C-M/F	R 173	Switchcom 2m Male - Female Power Lead
PC-6D2CHBK2.8	R 92	Unbranded Cable Dedicated 3 pin plug to 2x Clover connectors cable 2.8m
PC-6D2IC13BK2.8	R 78	1x Dedicated SANS 164-1 Red South African power plug to 2x IEC C13. Cable 2.8m | Cable type: 220V, 230V,

		240V Power distribution cable | Cable configuration: 1 x South African SANS 164-1 dedicated moulded plug to 2 x IEC C13 female connectors | Cable length: 2.8m | Maximum rating: 250V 10A | Also referred to as: dual IEC power splitter cable, SA plug to 2 x IEC C13 cable, dual kettle power lead, multi-head power distribution cable
PC-6D2IC13BK2.8	R 92	1x Dedicated SANS 164-1 Red South African power plug to 2x IEC C13 . Cable 2.8m | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 1 x South African SANS 164-1 dedicated moulded plug to 2 x IEC C13 female connectors | Cable length: 2.8m | Maximum rating: 250V 10A | Also referred to as: dual IEC power splitter cable, SA plug to 2 x IEC C13 cable, dual kettle power lead, multi-head power distribution cable
PC-6D2IC13BK2.8	R 99	1x Dedicated SANS 164-1 Red South African power plug to 2x IEC C13. Cable 2.8m | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 1 x South African SANS 164-1 dedicated moulded plug to 2 x IEC C13 female connectors | Cable length: 2.8m | Maximum rating: 250V 10A | Also referred to as: dual IEC power splitter cable, SA plug to 2 x IEC C13 cable, dual kettle power lead, multi-head power distribution cable
PC-6D3IC13BK3.8	R 112	Syntech oem PWR Dedicated to 3 Headed Cable 3.8m
PC-6D3IC13BK3.8	R 104	Syntech oem PWR Dedicated to 3 Headed Cable 3.8m
PC-6D3IC13BK3.8	R 109	Syntech oem PWR Dedicated to 3 Headed Cable 3.8m
PC-6D4HKB4.8	R 121	Microworld Cable Dedicated 3 pin power plug to 4x IEC C13 female connectors 4.8m long | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 4 x IEC C13 female connectors | Cable length: 4.8m | Maximum rating: 250V 10A | Also referred to as: multi-head IEC power splitter cable, 4-way kettle distribution lead, SA plug to multiple IEC C13 outputs, server/office power distribution cable
PC-6DCH073BK1.8	R 49	Unbranded Dedicated SA power plug to Clover cable 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to IEC C5 clover connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: cloverleaf power cable, laptop power cable, SA plug to C5 cable, Mickey Mouse power cord
PC-6DCH07BK1.8	R 46	Microworld 3 pin red dedicated power plug to Clover connector cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C5 clover connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated clover power cable, red plug to C5 cable, laptop charger power cord, UPS/inverter clover lead
PC-6DCH13BK5	R 98	Unbranded 5m Dedicated Clover Cable
PC-6DCHF8073BK2.8	R 81	Unbranded Dedicated 3 pin Power plug to 1x Figure 8 & 1x Clover connector cable
PC-6DCIC073BK1.8	R 49	Syntech oem PWR Dedicated to Single Headed Kettle Cable 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated PT15 red plug to IEC C13 female kettle connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated IEC power cable, red plug kettle lead, UPS/inverter power cord, IEC C13 extension cable
PC-6DCIC073BK1.8	R 49	Syntech oem PWR Dedicated to Single Headed Kettle Cable 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated PT15 red plug to IEC C13 female kettle connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dedicated IEC power cable, red plug kettle lead, UPS/inverter power cord, IEC C13 extension cable
PC-6DCIC13BK5	R 98	Unbranded 5m Dedicated IEC Kettle Cord
PC-6DHBK1.8	R 46	Microworld Dedicated 3pin power plug to Single IEC connector cable 1.8m long | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin dedicated red plug South African SANS 164-1 plug to IEC C13 kettle connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: computer power cable, IEC kettle power cord, monitor power lead, single IEC power cable, desktop power cord
PC-6DICH073BK2.8	R 59	Syntech oem PWR Dedicated to Clover and Kettle Cable 2.8m
PC-6DICH13BK2.8	R 92	Unbranded Dedicated 3 pin Power plug to 1x Clover & 1x IEC connector cable
PC-6DICH13BK2.8	R 99	UniQue Dedicated Single Head with Clover Leaf Power Cable, 2.8m - Standard computer power cable with 3-prong dedicated plug on one end and 1 x kettle plug connections on the other | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 1 x IEC C13 female connector and 1 x IEC C5 cloverleaf female connector | Cable length: 2.8m | Maximum rating: 250V 10A | Also referred to as: IEC and clover splitter cable, dedicated multi-head power cable, SA plug to C13 and C5 power

		lead, mixed device power distribution cable
PC-6DICH13BK2.8	R 77	Unbranded 2.8m dedicated power cable to IEC and Clover, PC-6DICH13BK2.8 | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: 3-pin South African SANS 164-1 dedicated moulded plug to 1 x IEC C13 female connector and 1 x IEC C5 cloverleaf female connector | Cable length: 2.8m | Maximum rating: 250V 10A | Also referred to as: IEC and clover splitter cable, dedicated multi-head power cable, SA plug to C13 and C5 power lead, mixed device power distribution cable
PC-6DIF8073BK2.8	R 75	Unbranded Dedicated 3 pin Power plug to 1x Figure 8 & 1x IEC connector cable
PC-6PDCIC073BK1.8	R 46	Microworld Dedicated new SA plug to IEC | Cable type: 220V, 230V, 240V Power cable | Cable configuration: Dedicated 3-pin South African SANS 164-2 Type N plug to IEC C13 kettle connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: SA 3-pin to kettle plug cable, computer power cord, IEC C13 power lead, UPS/PC power cable
PC-MICCIC13BK3	R 75	Unbranded male IEC to IEC female 3M cable, 1mm x 3 cores
PCPOW01	R 39	unique single head iec power cable - 1.5m long, plug and play, 3-prong dedicated plug on one end and a single iec or kettle plug, suitable for various electronic devices, offering a reliable power supply solution, and 3 months warranty | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African plug to IEC C13 kettle connector | Cable length: 1.5m | Maximum rating: 250V 10A | Also referred to as: IEC kettle power cable, PC power cord, monitor power lead, universal 3-prong to C13 power cable
PCPOWCHN1	R 29	UniQue 3 PIN Single Head 1.8M Power Cord - power cord features a 3-pin plug on one end and a single HD connector on the other, designed for use with devices requiring a Chinese-compatible power connection. It is 1.8 meters long, providing flexibility in placement. The cord is suitable for various electronic devices, offering a reliable power supply solution | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to Chinese single-head IEC-style device connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: China-compatible power cable, SA 3-pin to Chinese device power cord, IEC-style single head power lead, electronics power supply cable
PCPOWDL	R 49	UniQue Dual Head 1.8m Power Cable - power solution featuring a grounded 3-prong South African plug on one end and two IEC (kettle plug) outputs on the other. It allows users to connect multiple devices, such as computers and monitors, from a single power source. With a 220-watt rating, it is suitable for SLI and multi-rail power supply setups | Cable type: 220V, 230V, 240V Power distribution cable | Cable configuration: Dedicated 3-pin South African SANS 164-1 plug to 2 x IEC C13 female connectors | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: dual IEC splitter cable, SA plug to dual kettle plug cable, multi-device power cable, PC/monitor power distribution lead
PCPOWEC	R 29	UniQue 1M Extension Power Cable - is a 1-meter-long power cable extension designed to provide additional reach for electrical connections. It is branded by UniQue and is ideal for extending the range of power cables in residential or office setups | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 1m | Maximum rating: 250V 10A | Also referred to as: IEC extension cable, C13 to C14 power lead, UPS extension cord, computer power extension cable
PCPOWUK1	R 29	UniQue UK 3 pin Single Head 1.8M Power cable - UK Type Compliant power cable, featuring a standard UK 3-pin plug. It is 1.8 meters long, making it suitable for various applications requiring a reliable power connection | Cable type: 220V, 230V, 240V Power cable | Cable configuration: UK BS 1363 3-pin plug to IEC-style single head device connector | Cable length: 1.8m | Maximum rating: 250V 13A | Also referred to as: UK power cable, British 3-pin mains lead, IEC device power cord, appliance power supply cable
POW-CLOVER	R 155	Switchcom dedicated 3 pin to Clover cable - 0.5m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C5 clover connector | Cable length: 0.5m | Maximum rating: 250V 10A | Also referred to as: dedicated clover power cable, red plug to C5 cable, UPS/inverter clover lead, laptop power supply cord
POW-DR	R 58	Scoop 2m right angled IEC power cord with dedicated plug top | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C13 female right-angle connector to 3-pin South African SANS 164-1 dedicated moulded plug | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: right-angle kettle power cable, SA dedicated plug power cord, UPS/PC power cable, IEC C13 mains lead

POW-M-F	R 58	Unbranded 2m IEC Male to Female Power Lead (IEC C14 Male to IEC C14 Female cable) | Cable type: 220V, 230V, 240V Power extension cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 2m | Maximum rating: 250V 10A | Also referred to as: IEC extension cable, C13 to C14 jumper cord, UPS/server power lead, computer kettle extension cable
POW001	R 46	Microworld Power Cable IEC male to 2x IEC Female 1.8m long | Cable type: 220V, 230V, 240V Power splitter cable | Cable configuration: IEC C14 male connector to dual IEC C13 female connectors | Cable length: 1.8m | Maximum rating: 250V 10A shared output | Also referred to as: IEC splitter cable, C14 to 2x C13 power lead, UPS dual output cable, dual computer power cord
POW8	R 46	Unbranded Dedicated Figure 8 Power Cord | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin dedicated red plug South African SANS 164-1 plug to IEC C7 Figure 8 connector (dedicated polarity version) | Cable length: 1.8m | Maximum rating: 250V 2.5A | Also referred to as: Figure 8 power cable, C7/C8 power lead, SA 3-pin to figure-8 cable, unbranded POW8 power cord
POWC	R 28	Unbranded SA dedicated 3 pin plug to Clover connector Power cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C5 clover connector (dedicated inverter/UPS style power lead) | Cable length: 0.5m | Maximum rating: 250V 6A | Also referred to as: SA 3-pin to clover power cable, Ubiquiti devices inverter power cord, Ubiquiti devices PoE / UPS power lead
POWC-N	R 22	Unbranded Type-N to Clover C5 Power cord - 0.5m, rated up to 250V 2.5A (clover standard) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS SANS 164-2 Type N to C5 clover | Cable length: 0.5m | Maximum rating: 250V 2.5A (clover standard)
POWC-S	R 22	Unbranded Schuko to Clover (C5) Power cord - 0.5m, rated up to 250V 16A
POWCND5	R 26	Unbranded SA 3pin plug to Clover connector Power cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C5 clover connector (POWCND5 standard inverter/UPS cable) | Cable length: 0.5m | Maximum rating: 250V 10A | Also referred to as: SA 3-pin to clover cable, Ubiquiti devices inverter power lead, Ubiquiti devices UPS clover power cord
POWERCORD	R 29	Microworld power cable - 1.5m 3 pin plug to kettle plug | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C13 kettle connector | Cable length: 1.5m | Maximum rating: 250V 10A | Also referred to as: SA 3-pin to kettle plug cable, computer power cord, monitor power cable, inverter/UPS power lead
POWERCORD-1	R 23	Microworld Power cord for use with invertor, Small head plug, Not Standard South African plug (Type D plug SANS 164-3) | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-3 Type D small head inverter plug to IEC C13 kettle connector | Cable length: 1.5m | Maximum rating: 250V 10A
POWI	R 45	Unbranded dedicated SA 3 pin Power cord to IEC female - 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 dedicated red plug with earth pin to IEC C13 female connector | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: red plug IEC power cable, SA dedicated earth power cord, UPS/inverter power lead, IEC computer power cable
POWI-3	R 86	Unbranded SA 3 pin plug to 3way IEC Power cord, 3x IEC C13 Female connectors, Black Colour
POWIEC1.8M	R 46	Unbranded IEC Male to Female Power cord - 1.8m | Cable type: 220V, 230V, 240V Power cable | Cable configuration: IEC C14 male to IEC C13 female extension power cable | Cable length: 1.8m | Maximum rating: 250V 10A | Also referred to as: IEC extension cable, C13 to C14 jumper cord, UPS/server power lead, computer power extension cable
POWU	R 29	Ubiquiti Dedicated 3 pin to Clover Cable 0.5m long | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 plug to IEC C5 clover connector (Ubiquiti dedicated power lead) | Cable length: 0.5m | Maximum rating: 250V 10A | Also referred to as: Ubiquiti power cable, POE injector power cord, SA 3-pin to clover cable, UPS/inverter power lead
PWR-C13-IEC-LK-DOWN	R 200	LinkQnet IEC Kettle Female lockable 90 degree down angle| Product type: Rewireable IEC connector (NOT a complete cable) | Configuration: IEC C13 female locking connector with 90degrees downward angle housing | Function: Cable-end termination for creating secure IEC power cables | Maximum rating: 250V 10A | Also referred to as: lockable IEC C13 connector, down-angle IEC plug, rewireable UPS/PC power connector, C13 cable-end housing

PWR-C13-IEC-LK-RIGHT	R 200	LinkQnet IEC Kettle Female lockable right angle| Product type: Rewireable IEC connector (NOT a complete cable) | Configuration: IEC C13 female locking connector with 90degrees right-angle housing | Function: Cable-end termination for building custom locking IEC power cables | Maximum rating: 250V 10A | Also referred to as: lockable IEC C13 connector, right-angle IEC cable end, rewireable UPS/PC power connector, IEC Lock female plug housing
PWR-C13F-C6M-LQ	R 447	LinkQnet Clover C6 to IEC C13 Adapter | Product type: Power adapter (NOT A cable) | Configuration: IEC C5 clover power cable to IEC C6 device inlet adapter | Function: Allows clover (C5) power leads to connect to C6-style laptop PSU input | Maximum rating: 250V 10A | Also referred to as: clover to C6 adapter, IEC power conversion adapter, LinkQnet laptop PSU adapter, power inlet converter
PWR-C7-C8-DOWN-R	R 61	Unbranded C7 to C8 (Figure 8) 90 degree Adapter down, C7-C8DOWN
PWR-C7-C8-RIGHT-R	R 61	Unbranded C7 to C8 (Figure 8) Adapter right angle, C7-C8LFTRHT
PWR-IEC-LCK-LSZH	R 253	Linkqnet C19 IEC LSZH lockable rewireable connector| Product type: Rewireable IEC connector (NOT a cable) | Configuration: IEC C19 female locking connector (LSZH, cable-end termination) | Function: Used to build secure IEC power cables that lock into C20 device inlets | Maximum rating: 250V 16A | Material: LSZH (Low Smoke Zero Halogen) housing | Also referred to as: IEC Lock C19 connector, rewireable server power connector, anti-vibration IEC cable end, Linkqnet/Linkqage C19 lockable plug
PWR-IEC90F	R 53	Multicomp IEC kettle female 90 degree, JA-2231-A | Product type: Rewireable IEC connector (NOT a complete cable) | Configuration: IEC C13 female 90-degree right-angle connector housing | Function: Cable-end termination for custom IEC power cables | Maximum rating: 250V 10A | Also referred to as: 90degrees IEC kettle connector, right-angle C13 socket, JA-2231-A IEC cable-end housing, Multicomp IEC connector
PWR-IEC90M	R 56	Multicomp IEC kettle male 90 degree, JA-2233-A
PWR-IECF-HOT-C15	R 68	Multicomp IEC kettle female (Hot Socket), JA-2231-H
PWR-IECF-LOCK	R 139	Unbranded C13 Female rewireable lockable IEC Connector LSZH
PWR-IECF-RA	R 56	Multicomp IEC kettle female right angle, JA-2231-2
PWR-IECM-RA	R 51	Multicomp IEC kettle male right angle, JA-2233-2 | Product type: Rewireable IEC connector (NOT a cable) | Configuration: IEC C14 male right-angle connector | Function: Cable-end termination for building IEC extension and UPS/server power cables | Maximum rating: 250V 10A | Mounting type: Cable mount, screw terminal rewireable connector | Also referred to as: right-angle kettle male plug, IEC C14 rewireable connector, Multicomp JA-2233-2, right-angle IEC power plug
PWR-SCHUKO-CLOV-1.8M	R 78	LinkQNet 1.8m Schuko to clover power cable | Cable type: 220V, 230V, 240V Power cable | Cable configuration: Schuko (CEE 7/7) plug to IEC C5 Cloverleaf connector | Cable length: 1.8m | Maximum rating: 250V 2.5A | Also referred to as: Euro to clover power cable, laptop power cable, Mickey Mouse adapter cable, IEC C5 Schuko lead
RCT-POWER CORD	R 192	RCT 3pin SA Power Plug to IEC C19, Input Power Cord for 3000GT UPS | Cable type: 220V, 230V, 240V Power cable | Cable configuration: 3-pin South African SANS 164-1 Type M plug to IEC C19 connector | Cable length: 1.8m | Maximum rating: 250V 16A | Also referred to as: UPS input power cord, SA 3-pin to IEC C19 cable, high-current server power cable, 3000VA UPS power lead
SPLITERPOWER	R 46	Microworld 3 pin SA Power plug to 2 Way IEC plug cable 1.7 M | Cable type: 220V, 230V, 240V Power splitter cable | Cable configuration: 3-pin South African SANS 164-1 Type M plug to dual IEC C13 female connectors | Cable length: 1.7m | Maximum rating: 250V 10A shared output | Also referred to as: IEC splitter power cable, UPS dual output power lead, 1-to-2 IEC power cord, dual computer power cable
USA-EU-APT	R 29	Unbranded USA to EU 2 pin 220V Adapter | Product type: Travel plug adapter (Note that this is NOT a voltage converter, check acceptable voltage range before using the adapter - SA is 230V 50Hz, USA is 120V 60Hz) | Plug configuration: USA 2-pin flat plug to EU 2-pin round Europlug (Type C) | Voltage: 220-240V compatible (pass-through only) | Also referred to as: USA to EU travel adapter, Type A to Type C plug converter, 2-pin Europlug adapter, travel power plug adapter
ZCLOVER	R 69	Unbranded 3 Point UK square pin plug to clover connector black, 1.8m long
ZPWRCORD	R 61	Power Cord (Kettle Cord) 3 Pin South African
ZPWRCORD-C	R 62	Unbranded 3 pin South African Clover Power cord - 1.8 meters

< Return to the menu

Power Cable for DC devices

Product code	Price	Description
71399	R 183	Goobay Black DC Extension 3m Cable - 5.5 x 2.1mm
71400	R 275	Goobay Black DC Extension 10m Cable - 5.5 x 2.1mm
71401	R 183	Goobay Black DC Extension 3m Cable - 5.5 x 2.5mm
71402	R 275	Goobay Black DC Extension 10m Cable - 5.5 x 2.5mm
CAB-RAW-12CORE-BK	R 6	Unitek CB-BK12C-100M Black 12 core 7x0 10cu OD 6.8mm cable - Price per metre
CAB-RAW-1PAIR-0.22MM	R 6	Unbranded 1 pair Mylar screened 0.22mm cable - Price per meter
CAB-RAW-1PAIR-0.5MM	R 8	Unbranded 1 pair Mylar screened 0.5mm cable - Price per meter, RSAK201-2
CAB-RAW-2PAIR-0.5M	R 13	Unbranded 2 pair 0.5mm Mylar cable - Price per meter, I000020
CAB-RAW-2PAIR-MYLAR	R 9	Unbranded 2 pair 0.2mm Mylar screened cable - Price per meter
CAB-RAW-4PAIR-0.5MM	R 24	Unbranded 4 pair Mylar screened 0.5mm cable, RSAK204-2
CAB-RAW-4PAIR-MYLAR	R 13	Unbranded 4 pair Mylar screened cable 0.2mm - Price per meter, RSAK244-2
CAB-RAW-PWR	R 20	Unbranded 1.5mm 3 Core power cable Black - Price per meter, F0000137
CAB-RAW-PWR-0.75MM	R 20	Unbranded 0.75mm Cabtyre 3 Core cable - Black - price per meter, E000126
CAB-RAW-PWR-1.0MM-WH	R 16	Unbranded 3x 1.0mm Core power cable White, F0000121
CAB-RAW-PWR-1.5MM	R 17	Unbranded 1.5mm 3 Core power cable White - Price per meter, F0000139
CAB-RAW-PWR-2.5MM	R 31	Unbranded 2.5mm 3 Core power cable White - Price per meter, F0000139
GPCDCM2F	R 21	GIZZU DC 12V Male to Female Extender 1.2M Power Cable
MUPS-DC-DC050	R 33	Unbranded DC to DC 50cm pigtail for MUPS, Used to Power a device from the Micro UPS
MUPS-DC-YCBL	R 45	Unbranded DC to DC Male 80cm Y-Splitter cable for MUPS, Ideally used along with the UltraLAN Micro UPS devices to Power two devices simultaneously from one DC Output jack on the Micro UPS
NET-TEL-INDOOR-4PR	R 14	Unbranded 4 pair indoor telephone cable - price per meter
SPLIT01	R 58	Microworld Splitter Cable For Modem And WiFi (To use one power supply for 2 devices)

< Return to the menu

Power cables internal PSU

Product code	Price	Description
20-24PIN	R 46	Unbranded ATX Converter 20 pin Male to 24 pin Female Power Cable
24-24PIN	R 35	Unbranded ATX Extender PSU 24-24 pin Cable 30cm
24PTO24X2	R 69	Unbranded 2x 24pin to 1x 24pin ATX Cable, Can run 2 power supplies together
338646	R 29	Manhattan P4 Adapter Cable - 5.25 Male to P4 - 20 cm, Retail Box
344715	R 59	Manhattan ATA 133 RND UV 18inc
50684	R 133	Goobay 50684 1 Molex male to 2 Molex Female Y Power cable
51358	R 133	Goobay 51358 4 pin to 8 pin ATX12 P4 PC Power cable
51359	R 133	Goobay 51359 ATX12 P4 PC 4 pin Power extension cable
51360	R 133	Goobay 51360 2 Molex to 6 pin PCI-e Power cable
51361	R 138	Goobay 51361 8 pin PC Power extension cable
60000	R 183	Goobay 60000 8 pin Female to Dual 6 2 male for PCI-e Power Supply cable
93239	R 171	Goobay 93239 24 pin ATX / eATX Power extension cable for PC Motherboard
93241	R 137	Goobay 93241 2 Molex to 8 pin Power cable
93635	R 144	Goobay 93635 6 pin to 8 pin PCI Express Power cable
AC-033-CN1NAN-A1	R 711	Thermaltake TtMod Red & Black Sleeve Cable
AC-034-CN1NAN-A1	R 711	Thermaltake TtMod Green & Black Sleeve Cable
AC-035-CN1NAN-A1	R 711	Thermaltake TtMod Blue & Black Sleeve Cable
AC-036-CN1NAN-A1	R 711	Thermaltake TtMod Orange & Black Sleeve Cable
AC-038-CO1OTN-F1	R 44	Thermaltake Riing RGB Controller Cable
AC-046-CN1NAN-A1	R 630	Thermaltake TtMod Black and Pink Sleeve Cable Pack, 24 Pin ATX Extension Cable x 1, 4 4 Pin EPS Cable x 1, 8 Pin PCI-e Cable x 2, 6 Pin PCI-e Cable x 2, 24 Pin Cable Comb x 4, 8 Pin Cable Comb x 12, 6 Pin Cable Comb x

		8
AC-047-CN1NAN-A1	R 630	Thermaltake TtMod Black / Yellow Colour Sleeve Cable Pack, 24 Pin ATX Extension Cable x 1, 4 4 Pin EPS Cable x 1, 8 Pin PCI-e Cable x 2, 6 Pin PCI-e Cable x 2, 24 Pin Cable Comb x 4, 8 Pin Cable Comb x 12, 6 Pin Cable Comb x 8
AC-049-CN1NAN-A1	R 711	Thermaltake TtMod Rainbow Colour Sleeve Cable Pack, 24 Pin ATX Extension Cable x 1, 4 4 Pin EPS Cable x 1, 8 Pin PCI-e Cable x 2, 6 Pin PCI-e Cable x 2, 24 Pin Cable Comb x 4, 8 Pin Cable Comb x 12, 6 Pin Cable Comb x 8
AC-053-CN1OTN-C1	R 458	Thermaltake Gaming PCI-E 3.0 X16 Riser Cable
ADD2PSU	R 207	Unbranded PSU Switching on PCB
ATX001	R 12	Unbranded 4-Pin ATX Power Extension Cable
ATX002	R 14	Unbranded 6pin to 8pin Motherboard Power Cable
ATX006	R 25	Microworld 6pin Male to 6pin Male 30cm
ATX007	R 23	Microworld 20cm 6 pin Gfx Female to 8 pin Male Cable; graphics card power adapter; internal PC power cable; compatible desktop PC upgrades
ATX009	R 29	Microworld 6 pin Female to 2x 8pin Male
ATX010	R 25	Microworld 6 pin Male to 6pin 2 Male
CAB-PWR-8-8WAY	R 84	Lindy 44cm Eps12v/eatx/btx 12v 8-pin Mainboard Power Extension Cable
CAB-PWR-SLI-PCIE-6+2	R 54	Lindy Internal power cable SLI graphics for PCIe cards withj 6-pin or 8-pin power connection
CAB-SATAM-Y-SATAF	R 47	Unbranded SATA male to 3x SATA Female 15 pin power cables
CAB064	R 35	Unbranded Power Molex to SATA 90 Degree L Shape
CC-9310001-WW	R 1,288	Corsair Premium PCIe 4.0 x16 Extension Cable - 300mm
CH-BA2ioo	R 109	Bitfenix BFA-MSC-2io30oK-RP alchemy multi sleeved(2) cable - 2pin i/o 30cm extension cable (for power / reset / HDD .. Etc from case control panel to MB) - Orange
CP-8920293	R 1,633	Corsair Premium Individually Sleeved Dc Cable Pro Kit; Type 5 (Shift And Sl Psu); White
E0006	R 23	Microworld SATA Male 15 pin to 6 pin power cable; E0006; Microworld; 30 cm cable; Plug and play; PC graphics card power; PCI Express expansion power
FA-BA3F30G	R 97	Bitfenix BFA-MSC-3F30GK-RP alchemy multisleeved(3) cable - 30cm 3 pin power extension cable for cpu fan or system fan - Green
FA-BA3F30L	R 97	Bitfenix BFA-MSC-3F30BK-RP alchemy multisleeved(3) cable - 30cm 3 pin power extension cable for cpu fan or system fan - bLue
FA-BA3F30o	R 85	Bitfenix BFA-MSC-3F30oK-RP alchemy multisleeved(3) cable - 30cm 3 pin power extension cable for cpu fan or system fan - Orange
FA-BA3F30S	R 97	Bitfenix BFA-MSC-3F30SK-RP alchemy multisleeved(3) cable - 30cm 3 pin power extension cable for cpu fan or system fan - Silver
FA-BA3F30W	R 97	Bitfenix BFA-MSC-3F30WK-RP alchemy multisleeved(3) cable - 30cm 3 pin power extension cable for cpu fan or system fan - White
FA-BA3F60G	R 109	Bitfenix BFA-MSC-3F60GK-RP alchemy multisleeved(3) cable - 60cm 3 pin power extension cable for cpu fan or system fan - Green
FA-BA3F60L	R 85	Bitfenix BFA-MSC-3F60BK-RP alchemy multisleeved(3) cable - 60cm 3 pin power extension cable for cpu fan or system fan - bLue
FA-BA3F60o	R 97	Bitfenix BFA-MSC-3F60oK-RP alchemy multisleeved(3) cable - 60cm 3 pin power extension cable for cpu fan or system fan - Orange
FA-BA3F60S	R 109	Bitfenix BFA-MSC-3F60SK-RP alchemy multisleeved(3) cable - 60cm 3 pin power extension cable for cpu fan or system fan - Silver
FA-BA3F60W	R 97	Bitfenix BFA-MSC-3F60WK-RP alchemy multisleeved(3) cable - 60cm 3 pin power extension cable for cpu fan or system fan - White
FA-BA3F90G	R 109	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or system fan - Green
FA-BA3F90K	R 120	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or

		system fan - blacK
FA-BA3F90L	R 109	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or system fan - Blue
FA-BA3F90o	R 109	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or system fan - Orange
FA-BA3F90R	R 120	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or system fan - Red
FA-BA3F90S	R 109	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or system fan - Silver
FA-BA3F90W	R 109	Bitfenix BFA-MSC-3F90KK-RP alchemy multisleeved(3) cable - 90cm 3 pin power extension cable for cpu fan or system fan - White
FAN010	R 75	Unbranded Fan Power Extension, 8x fan connectors
M24TOM14	R 127	Unbranded 24pin ATX to 14pin ATX cable
MOCAB	R 12	Unbranded Molex 4 Pin To Converter Cable For Power
MOCAB10	R 14	Unbranded 2x Molex 4 pin to 8 pin power cable for graphics cards (2x 4 Pin LP4 Molex Power Cable to 8 pin PCIe Graphics connector F1270)
MOCAB11	R 29	Unbranded 2x SATA Male to 8 pin graphics card power connector
MOCAB12	R 35	Unbranded 8 pin Female to 2x 6 2 pin Male power connectors
MOCAB13	R 35	Microworld 6 pin Female PCI-e to 6 pin Male PCI-e; internal PC power cable; graphics card power connection; desktop PC upgrades; PCI-e power connection
MOCAB2	R 23	Unbranded Molex to 6 pin Power Converter for graphics card
MOCAB8	R 17	Unbranded Molex 4 pin to 4 pin 8pin CPU Power connector
MOLEX002	R 23	Unbranded 4pin Molex Male to Molex Female cable
MOLEX003	R 46	Unbranded Molex to 4x Fan Header
PPB001	R 35	Unbranded On/off Power Button
PS-AA4PS2	R 16	Unbranded 1x 4Pin molex to 2x Sata power converter - oem pack
PS-BA4ATXG	R 54	Alchemy multisleeved cable - 45cm - 4pin ATX PSU-MB extension cable - Green
PS-BA4ATXL	R 112	Alchemy multisleeved cable - 45cm - 4pin ATX PSU-MB extension cable - Blue
PS-BA4ATXo	R 112	Alchemy multisleeved cable - 45cm - 4pin ATX PSU-MB extension cable - Orange
PS-BA4ATXW	R 112	Alchemy multisleeved cable - 45cm - 4pin ATX PSU-MB extension cable - White
PS-BAM1SA45G	R 95	Bitfenix alchemy multisleeved cable - 45cm - 1x 4pin Molex to 1x SATA power cable - Green
PS-BAM3MS	R 95	Bitfenix alchemy multisleeved cable - 60cm - 1x Molex to 3x Molex spliter/extension (4pin power) Silver
PS-BAM3MW	R 95	Bitfenix alchemy multisleeved cable - 60cm - 1x Molex to 3x Molex spliter/extension (4pin power) - White
PS-CA8920070B	R 496	Corsair cp-8920070 Blue - 24pin ATX sleeved modular cable, 610mm - for AX760/860
PS-CA8920071G	R 496	Corsair cp-8920071 Green - 24pin ATX sleeved modular cable, 610mm - for AX760/860
PS-CA8920135W	R 496	Corsair cp-8920135 White - 24pin ATX sleeved modular digital cable, 610mm - for RMx series; RMi series
PS-CA8920137B	R 352	Corsair cp-8920137 Blue - 24pin ATX sleeved modular digital cable, 610mm - for RMx series; RMi series
PS-CA8920138G	R 352	Corsair cp-8920138 Green - 24pin ATX sleeved modular digital cable, 610mm - for RMx series; RMi series
PS-CA8920145R	R 1,204	Corsair CP-8920145 Red Premium Individually Sleeved flexible paracorded modular cable starter kit with 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, with carry bag - for RMX series; RMi series, SF series
PS-CA8920147L	R 883	Corsair CP-8920147 Blue premium individually sleeved flexible paracorded modular cable starter kit with 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin , with carry bag - for RMX series ; RMi series, SF series
PS-CA8920150LK	R 1,204	Corsair CP-8920150 Blue & black premium individually sleeved flexible paracorded modular cable starter kit with 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, with carry bag - for RMX series; RMi series, SF series
PS-CA8920152R	R 1,358	Corsair CP-8920152 Red premium individually sleeved flexible paracorded modular cable Pro kit with 9x cable combs - include 1x 610mm ATX (20 4pin) 2x 750mm EPS12V(4 4pin) 6x PCi-E 8(6 2)pin (4x650mm) 8x

		SATA(2x750mm) 8x molex(2x750mm), with carry bag - for RMX series; RMi series, SF series
PS-CA8920154L	R 1,358	Corsair CP-8920154 Blue premium individually sleeved flexible paracorded modular cable Pro kit with 9x cable combs - include 1x 610mm ATX (20 4pin) 2x 750mm EPS12V(4 4pin) 6x PCi-E 8(6 2)pin (4x650mm) 8x SATA(2x750mm) 8x molex(2x750mm), with carry bag - for RMX series; RMi series, SF series
PS-CA8920159R	R 407	corsair CP-8920159 Red premium individually sleeved flexible paracorded cable with cable comb - 24pin ATX, 610mm with 1 connector - for RMX series; RMi series, SF series
PS-CA8920160W	R 551	corsair CP-8920160 White premium individually sleeved flexible paracorded cable with cable comb - 24pin ATX, 610mm with 1 connector - for RMX series; RMi series, SF series
PS-CA8920161L	R 407	Corsair CP-8920161 Blue premium individually sleeved flexible paracorded cable with cable comb - 24pin ATX, 610mm with 1 connector - for RMX series; RMi series, SF series
PS-CA8920162RK	R 407	Corsair CP-8920162 Red & Black premium individually sleeved flexible paracorded cable with cable comb - 24pin ATX, 610mm with 1 connector - for RMX series; RMi series, SF series
PS-CA8920163WK	R 407	Corsair CP-8920163 White & Black premium individually sleeved flexible paracorded cable with cable comb - 24pin ATX, 610mm with 1 connector - for RMX series; RMi series, SF series
PS-CA8920164LK	R 407	Corsair CP-8920164 Blue & Black premium individually sleeved flexible paracorded cable with cable comb - 24pin ATX, 610mm with 1 connector - for RMX series; RMi series, SF series
PS-CA8920166R	R 462	corsair CP-8920166 Red premium individually sleeved flexible paracorded cable with 2x cable combs - 2x EPS12V(4pin 4pin), 2x 750mm with 2 connectors - for RMX series; RMi series, SF series
PS-CA8920168L	R 342	Corsair CP-8920168 Blue premium individually sleeved flexible paracorded cable with 2x cable combs - 2x EPS12V(4pin 4pin), 2x 750mm with 2 connectors - for RMX series; RMi series, SF series
PS-CA8920173L	R 462	Corsair CP-8920173 Blue premium individually sleeved flexible paracorded cable with 2x cable combs - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors - for RMX series; RMi series, SF series
PS-CA8920174R	R 462	corsair CP-8920174 Red premium individually sleeved flexible paracorded cable with 2x cable combs - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors - for RMX series; RMi series, SF series
PS-CA8920187R	R 205	Corsair CP-8920187 Red premium individually sleeved flexible paracorded cable with cable comb - SATA, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920188L	R 263	Corsair CP-8920188 Blue premium individually sleeved flexible paracorded cable with cable comb - SATA, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920189W	R 263	Corsair CP-8920189 White premium individually sleeved flexible paracorded cable with cable comb - SATA, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920190RK	R 205	Corsair CP-8920190 Red & Black premium individually sleeved flexible paracorded cable with cable comb - SATA, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920191WK	R 263	Corsair CP-8920191 White & Black premium individually sleeved flexible paracorded cable with cable comb - SATA, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920192LK	R 205	corsair CP-8920192 Blue & Black premium individually sleeved flexible paracorded cable with cable comb - SATA, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920193K	R 179	Corsair CP-8920193 Black premium individually sleeved flexible paracorded cable with cable comb - 4pin molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920194L	R 179	Corsair CP-8920194 Blue premium individually sleeved flexible paracorded cable with cable comb - 4pin molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920195R	R 179	Corsair CP-8920195 Red premium individually sleeved flexible paracorded cable with cable comb - 4pin molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920196W	R 179	Corsair CP-8920196 White premium individually sleeved flexible paracorded cable with cable comb - 4pin molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920197RK	R 179	Corsair CP-8920197 Red & Black premium individually sleeved flexible paracorded cable with cable comb - 4pin molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920198WK	R 230	Corsair CP-8920198 White & Black premium individually sleeved flexible paracorded cable with cable comb - 4pin molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920199LK	R 230	Corsair CP-8920199 Blue & Black premium individually sleeved flexible paracorded cable with cable comb - 4pin

		molex, 750mm with 4 connectors - for RMX series; RMi series, SF series
PS-CA8920202K	R 861	corsair CP-8920202 black premium individually sleeved flexible paracorded modular cable kit - include 1x 300mm ATX (20 4pin) 1x 400mm EPS12V(4 4pin) 2x 400mm PCi-E 8(6 2) pin 4x SATA(445mm) 4x 4pin molex(445mm) - for RMX series; RMi series, SF series - shorters cables for compact case
PS-CA8920216R	R 1,328	Corsair CP-8920216 Red premium individually sleeved flexible paracorded modular cable starter kit (type4 Gen4), 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920218L	R 1,240	Corsair CP-8920218 Blue premium individually sleeved flexible paracorded modular cable starter kit (type4 Gen4), 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920219RK	R 1,240	Corsair CP-8920219 Red Black premium individually sleeved flexible paracorded modular cable starter kit (type4 Gen4), 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920220WK	R 1,328	Corsair CP-8920220 White Black premium individually sleeved flexible paracorded modular cable starter kit (type4 Gen4), 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920221LK	R 1,240	Corsair CP-8920221 Blue Black premium individually sleeved flexible paracorded modular cable starter kit (type4 Gen4), 4x cable combs - include 1x 610mm ATX (20 4pin) 1x 750mm EPS12V(4 4pin) 2x 650mm PCi-E 8(6 2) pin, heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920223R	R 2,060	Corsair CP-8920223 Red premium individually sleeved flexible paracorded modular cable Pro kit with 9x cable combs (type4 Gen4), 9x cable combs - include 1x 610mm ATX (20 4pin) 2x 750mm EPS12V(4 4pin) 6x PCi-E 8(6 2)pin (4x650mm) 8x SATA(2x750mm) 8x molex(2x750mm), heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920225L	R 2,213	Corsair CP-8920225 Blue premium individually sleeved flexible paracorded modular cable Pro kit with 9x cable combs (type4 Gen4), 9x cable combs - include 1x 610mm ATX (20 4pin) 2x 750mm EPS12V(4 4pin) 6x PCi-E 8(6 2)pin (4x650mm) 8x SATA(2x750mm) 8x molex(2x750mm), heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920228LK	R 2,060	Corsair CP-8920228 Blue Black premium individually sleeved flexible paracorded modular cable Pro kit with 9x cable combs (type4 Gen4), 9x cable combs - include 1x 610mm ATX (20 4pin) 2x 750mm EPS12V(4 4pin) 6x PCi-E 8(6 2)pin (4x650mm) 8x SATA(2
PS-CA8920229K	R 562	Corsair CP-8920229 Black premium individually sleeved flexible paracorded cable (type4 Gen4) - 24pin ATX, 610mm with 1 connector, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1600i, SF se
PS-CA8920230R	R 572	corsair CP-8920230 Red premium individually sleeved flexible paracorded cable (type4 Gen4) - 24pin ATX, 610mm with 1 connector, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920231W	R 620	Corsair CP-8920231 White premium individually sleeved flexible paracorded cable (type4 Gen4) - 24pin ATX, 610mm with 1 connector, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920238W	R 519	Corsair CP-8920238 White premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x EPS12V(4pin 4pin), 2x 750mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920240RK	R 478	corsair CP-8920240 Red Black premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x EPS12V(4pin 4pin), 2x 750mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable

		combs - for RMX, RMi series, HX, HXi
PS-CA8920241WK	R 519	corsair CP-8920241 White black premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x EPS12V(4pin 4pin), 2x 750mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi
PS-CA8920244R	R 518	Corsair CP-8920244 Red premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1
PS-CA8920246L	R 503	Corsair CP-8920246 Blue premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX
PS-CA8920247RK	R 503	Corsair CP-8920247 Red Black premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920248WK	R 503	Corsair CP-8920248 White Black premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi
PS-CA8920249LK	R 503	corsair CP-8920249 blue black premium individually sleeved flexible paracorded cable (type4 Gen4) - 2x PCiE (6 or 8pin), 2x 650mm with 2 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi
PS-CA8920252W	R 616	corsair CP-8920252 White premium individually sleeved flexible paracorded cable (type4 Gen4) - 4x PCiE (6 or 8pin), 2x 650mm with 4 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX
PS-CA8920254RK	R 616	Corsair CP-8920254 Red Black premium individually sleeved flexible paracorded cable (type4 Gen4) - 4x PCiE (6 or 8pin), 2x 650mm with 4 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series
PS-CA8920255WK	R 616	Corsair CP-8920255 White black premium individually sleeved flexible paracorded cable (type4 Gen4) - 4x PCiE (6 or 8pin), 2x 650mm with 4 connectors, heatshrink-less connectors, with modular interlocking cable combs - for RMX, RMi series, HX, HXi
PS-CA8920275	R 708	Corsair CP-8920275 5V Load Balancer - 1x 8-pin PCIe or EPS12V input to 8x SATA 4x PATA with consistent 5V power outputs
PS-EA24E24G	R 102	Enermax 24pin EPS 12v (intel) to 24pin GES (AMD) converter
PYO2SATA	R 35	Microworld 6pin SATA Power Y Splitter Cable Adapter; 1 x SATA Power 15-pin plug; 2 x SATA Power 15-pin receptacles; 6 inch cable; PVC jacket; 16.0 x 2.5 x 1.5 cm; 28 g; HDD SSD optical drive power
SATA001	R 69	Unbranded SATA 6 7 Data Power Cable 45cm extension
SATAPOWER	R 15	Unbranded Power Cable - Molex To 1x Sata 10 cm
SER010	R 29	Microworld 1.5m Serial 9 pin Male to 9pin Male cable; RS232 serial communication; Compatible with serial-enabled PCs, modems and industrial equipment; Durable molded connectors; Flexible cable construction
YCAB	R 12	Unbranded Molex Splitter Cable 1x Male to 2x Female

< Return to the menu

RF Cables Antennae

Product code	Price	Description
500425	R 139	Intellinet Omni-Directional Antenna 2.4 GHz, 5 dBi Connects CFD200, CFD400 and CFD600 cable to regular WLAN Access Points and Routers
503716	R 129	Intellinet Antenna Cable Adapter, N-type Plug to RP-TNC Jumper Cable, 1 ft. (.3 m) Connects your wireless antenna to wireless devices with TNC Connectors (Linksys and Cisco)
522137	R 99	Intellinet CFD200 Antenna Cable, N-type Male/RP-SMA Male, 0.19 dB loss per ft., 6 ft (1.80 m)
522175	R 159	Intellinet CFD200 Antenna Cable N-type Male/ RP-SMA Male, 0.19 dB loss per ft., 25 ft (7.5 m)
6001498940858	R 79	Aerial King Lead Male - Male 5m Cable - Blister Pack, Retail Box

6009504700168	R 59	Aerial King Splitter Plug In 2-Way F-M-M Blister, Retail Box
6009504700175	R 59	Aerial King Splitter Plug In 2-Way M-F-F Blister, Retail Box
6009504700212	R 59	Aerial King Lead 2m Male / Male Blister, Retail Box
6009504700229	R 39	Aerial King Fly Lead 2m Male to Female, Retail Box
6009504706412	R 59	Aerial King Lead 2m F Connector Male - Blister Pack, Retail Box
790406	R 99	Intellinet Antenna Cable SMA plug to Reverse SMA plug, 10 ft. (3.0 m)
ACRPSMA	R 139	MikroTik RouterBOARD flex-guide (Rpsma to rpsma cable 500mm), Up to 6GHz, Signal loss below 0.65dB, ACRPSMA
ANT-4GD	R 247	RF Pro 3G/4G 6dBi Desktop Antenna with SMA Male, Designed for LTE / GSM / 3G / WiFi wireless communications, 4m cable, Magnetic Base
ARF195	R 13	Acconet Low Loss 195 Series Cable (per Meter) & #8211; Loss 0.62dB/m @ 2.5GHz & Loss 0.98dB/m @ 5.8GHz
ARF400	R 62	Acconet Low Loss 400 Series Cable (per Meter) - Loss 0.22dB/m @ 2.5GHz Loss 0.35dB/m @ 5.8GHz
BNCM	R 7	Microworld BNCM Terminal Block convertor, BNC Male Connector Interface, 2 pin screw Terminal Block Output, Solder-Free connection installation Method, Durable Plastic construction housing, Converts BNC connection to Screw-Terminal wiring, Designed for CCTV installations and Video equipment, Suitable for testing and electronics projects
CAB-RAW-RG59	R 8	Unbranded RG59 powerax raw cable, AI-500RG59-BLK
CAB-RG59BC+P55-305	R 1,724	UltraLAN RG59 Siamese coaxial & Power cable - 305m roll, Solid Copper conductor
CAB-RG59BNC-CRIMP	R 10	UltraLAN RG59 BNC crimp connector - Male
CAB-RG59BNC-CRIMP-F	R 24	UltraLAN BNC Female crimp connector for RG59 CCTV / Video use, featuring a 3-piece Design including - the Main Body /crimp Sleeve / Gold-Plated center pin
CAB-RG59CCS+PS5-305	R 1,518	UltraLAN RG59 CCS Siamese coaxial & Power cable - 305m roll, Copper coated Steel Coaxial Cable
CAB-T-RG59	R 171	UltraLAN RG59 / coaxial Crimping Tool
CNT-F-PLUG-T	R 1	Unbranded F-Connector water tight (F-Type), CNT-F-PLUG-T
DELOCK-86356	R 178	Delock RP-SMA female to RP-SMA female keystone, 86356
JACK-N-M-TNC-M	R 35	Acconet N(m) - TNC(m)RP Inter Series Adapter; inter series connector; N male to TNC male RP; metal RF coax adapter; telecom antenna connector conversion; wireless networking RF accessory
JACK-NM-NF90	R 21	Acconet 90 Degree Jack, N(M) - N(F)
LMR400	R 6,611	Unbranded LMR400 1m N-type Male to Male cable, LMR400 low-loss Coaxial Cable
MK- ACRPSMA	R 293	MikroTik RouterBOARD flex-guide (RPSMA to RPSMA cable 500mm), Up to 6GHz, Signal loss below 0.65dB, ACRPSMA
MMCX-200-SMA-90	R 298	Miro MMCX(m) 90 Deg. to SMA(m) 90 Deg. - 200mm Pigtail, RG316
MOD003	R 104	Unbranded Pigtail to Modem 1m long
MT-ACSMAUFL	R 128	MikroTik U.fl-SMA male pigtails for wAP LTE kit, Can be used to connect your LTE card to an external antenna if you are using wAP R kit, There are special openings in the enclosure of the wAP R designed for these pigtails
MT-SMASMA	R 140	MikroTik 1m SMA male to SMA male cable
N(F)-195.	R 45	Acconet N-Type (Female) Connector for ARF195 Cable
N(F)-400.	R 78	AccoNet N-type (Female) Connector for ARF400 cable
N(M)-0.5M-SMA(M)RP	R 219	Acconet 0.5m SMA R/P to N-Type (Male) LMR Cable
N(M)-10M-SMA(M)	R 308	Miro N(M) to SMA(M) - 10 Meter Cable (ARF195)
N(M)-195.	R 77	Acconet N-Type (Male) Connector for ARF195 Cable
N(M)-1M-N(M)	R 281	Miro N(m) to N(m) - 1 Meter ARF400 Cable
N(M)-1M-SMA(M)RP-PC	R 222	Acconet 1m SMA R/P to N-Type (Male) LMR Cable
N(M)-2M-N(M)	R 509	Miro N(m) to N(m) - 2 Meter ARF400 Cable
N(M)-400.	R 78	Acconet N-Type (Male) Connector for ARF400 Cable
NE-DACB06	R 645	D-Link ANT24-CB06N HDF-400 , extension cable for ANT24 series antenna - 6 meter
NET-BNCBOOT-BLU	R 1	Unbranded Boot for BNC RG59 - BLUE, 10004330
NET-BNCBOOT-GREY	R 2	Unbranded Boot for BNC RG58 RG59 - Grey, 10004190 / 10004130
NET-BNCM-RCAF-V	R 8	VCOM BNC male to RCA female connector, M5545

NET-SMA60TS900B0120	R 121	Unbranded LTE cable assembly RF SMATS9 Modem adaptor, 120mm Adapter cable TS9 plug to SMA cable
PS-10-VT-DSTV	R 59	Unique DSTV/Satellite Surge Protector - OEM
RB-FLEX	R 161	MikroTik RouterBOARD ACRPSMA Flex-guide (RPSMA to RPSMA cable 500mm), up to 6GHz, Signal loss below 0.65dB
RB-WES	R 109	RF Pro 0.5M RPSMA Male to RPSMA Female Cable
RBACRPSMA-LMR	R 98	Unbranded RP-SMA to RP-SMA 300 mm RF Cable, Low-Loss Short-Length Antenna Cable
RBACRPSMA-V2	R 144	Unbranded flex-guide RF cable, Super low-loss 50cm Long RPSMA cable
RCT-RG59-100M	R 574	RCT RG59 PowAx with 0.75mm Rip Cord Black - 100m
RF-N-F	R 136	Switchcom RF Pro MMCX to N-type Female bulkhead
RG174-1.5M	R 46	Unbranded RG174 1.5m Cable for Antennas on Routers
RG174-10M	R 115	Unbranded RG174 10m Cable for Antennas on Routers
RG174-1M	R 40	Unbranded RG174 1m Cable for Antennas on Routers
RG174-2M	R 52	Unbranded RG174 2m Cable for Antennas on Routers
RG174-3M	R 58	Unbranded RG174 3m Cable for Antennas on Routers
RG174-5M	R 81	Unbranded RG174 5m Cable for Antennas on Routers
RG174PT	R 58	Unbranded RG174 Pigtail 1m
RG59POW-SA	R 558	Unbranded commercial RJ59 coaxial 0.65mm power cable - 100m roll
RG59POW3-SA	R 1,609	Unbranded commercial RJ59 coaxial 0.65mm power cable - 300m roll
RG59POW5-SA	R 2,690	Unbranded commercial RJ59 coaxial 0.65mm power cable - 500m roll
RGPT1.5M	R 46	Microworld RG174 Pigtail Extension 1.5m; pigtail extension; Microworld; RF antenna cable; WiFi antenna applications; router antenna extension; wireless networking
RGPT1M	R 46	Unbranded RG174 Pigtail Extension 1m
RGPT2M	R 52	Microworld RG174 Pigtail Extension - 2m long; Application: compatible antenna connections; Uses: WiFi antenna, router antenna, wireless networking; Product type: antenna extension cable
RGPT3M	R 58	Micropoint RG174 Pigtail Extension - 3m long; pigtail extension; RF connections; antenna connections; wireless networking applications
SMA(M)RP-1M-SMA(M)R	R 95	Unbranded SMA(M)RP to SMA(M)RP 1m precrimped cable
SMA001	R 35	Microworld SMA connector
TR-58502	R 999	Securnix Siamese Coax cable RG59 Power cable 300m - wooden Drum - CCA
TR-ACS643	R 39	Securnix RG59 in line Male to Male barrel connector - pack of 10, CCTV BNC joiner for coaxial cables, Quick and Easy to Fit
TR-ACS650	R 9	Securnix DC plug Fly Lead Female
TVP1.5	R 29	UniQue Male to Female TV Antenna 1.5m Coaxial Cable
TVP5.0	R 49	UniQue Male to Female TV Antenna 5m Coaxial Cable, Retail Box
UFL-30-SMA-FRP	R 98	Miro UFL to SMA(f) RP - 30cm Pigtail for Mini PCI Cards, RG174, UFL Pigtail for linking a UFL based wireless mini-PCI cards to a standard antenna
UFL-SMAF	R 40	Unbranded U.FL to SMA Female Bulkhead cable
WL-SMA-0.5	R 132	RF Pro 0.5M SMA R/P to N-Type Male LMR Cable
WL-SMA-1	R 132	RF Pro 1M SMA R/P to N-Type Male LMR Cable
WL-SMAM-1	R 115	Unbranded 1m SMA male to SMA male cable
WL-SMAM-5	R 224	Unbranded 5m SMA male to SMA male cable
WL-SMAM-7	R 259	Unbranded 7m SMA male to SMA male cable

< Return to the menu

Riser card

Product code	Price	Description
AC-058-CO1OTN-C1	R 1,263	Thermaltake PCIE 4.0 X16 Riser Gaming Cable
CH-CA8900419	R 861	Corsair cc-8900419 - 300mm PCi-E 3.0 16x extension cable with EMI shielding - to extend VGA card for vertical mounting or other ideal place

MCA-U000C-KPCI30-300	R 483	Coolermaster Riser cable PCI-e 3.0 x16 - 300mm, PCI-e x16 male to PCI x16 90 degree female, 1.1A per contact pin
PCIE-5	R 230	Microworld PCI-e Riser with 6 pin

< Return to the menu

RS232 / US3342 communication / industrial

Product code	Price	Description
AC-SiDPA301D00	R 1,236	Sunix DPA301D00 DevicePort Advanced mode ethernet enabled with WiFi support - 1x serial/232/422/485 over Ethernet, auto-detect & port-mapping, 921.6 Kbps, sunix DPL2000Q chipset, 315mm cable, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by ac-adapter
CNV-USB-SER-ADA-DB9M	R 293	Unitek USB 2.0 to Serial RS232 cable (DB9 male), Y-108C01, Flexible Baud rate support up to 3mbps., Bus-Powered
IC485SN	R 1,014	Aten IC485SN RS-232/RS-485 Interface Converter

< Return to the menu

RS485 / RS422 communication / industrial

Product code	Price	Description

< Return to the menu

Screws

Product code	Price	Description
CAB-C-CN	R 2	UltraLAN cage nuts & washers
CS-SP-8-60	R 118	Unbranded Coach screws and plugs 8 x 60mm
INS-CS	R 5	Unbranded Coach Screw and plug
INS-RBM08	R 7	Unbranded M8 Rawl Bolt shielded Zinc - M8 x 65mm
INS-RBM10	R 10	Unbranded M10 Rawl Bolt shielded Zinc - M10 x 75mm
M.2SCREW	R 58	Microworld screw for M.2 NVMe SSD - 100 pack
NET-SCREW	R 3	Unbranded cage nuts and bolts (Each), JD01B
PCSCREW	R 58	Microworld KB5*10 screws - 100 pieces/bag, Flat head style, PC Case fan screw, M5 x 10mm size
RB-M8	R 121	Switchcom Rawl bolts M8
S-DW-25	R 145	Switchcom Dry Wall screw 6x25mm - 100 pack
TOOL10	R 138	Microworld screw Set - 360 pieces, M3*8, M3.5*6, M3.5*6, M3*6 6, M3.5*6, M3*5, M5*10, M5*10, M5*10
TOOL12	R 230	Microworld 780 pieces screw Set, For Hard Disk Drive / HDD fan / Motherboard / Power Supply / Server / PSU
TOOL7	R 144	Microworld 300 pieces screw Set for PC/Notebook, M2 x 3mm, M2 x 4mm, M2 x 6mm, M2 x 8mm, M3 x 4mm, M3 x 5mm, M2.5 x 4mm, M2.5 x 5mm, M2.5 x 6mm, M2.5 x 8mm. PC and laptop screws KM Screw set. M2 x 3mm/30pc, M2 x 4mm/30pcs, M2 x 6mm/30pcs, M2 x 8mm/30pcs, M3 x 4mm/30pcs, M3 x 5mm/30pcs, M2.5 x 4mm/30pcs, M2.5 x 5mm/30pcs, M2.5 x 6mm/30pcs, M2.5 x 8mm/30pcs
TOOL8	R 98	Microworld screw Set - 228 pieces, M3*4, M3*8, M3.5*6, M3.5*6, M3*6 6, M3.5*6, M3*5, M5*10, M5*10, M3.5*5, M3.5*5
TOOL9	R 115	Microworld screw Set - 280 pieces, M3*4, M3*8, M3.5*6, M3.5*6, M3*6 6, M3.5*6, M3*5, M5*10, M5*10, M3.5*5, M3.5*5

< Return to the menu

Serial / Parallel / keyboard cables

Product code	Price	Description
68875	R 321	Goobay 68875 USB Serial RS-232 converter cable - Transparent - 1.5m
95433	R 275	Goobay 95433 USB to D-Sub / IEEE 1284 Female Printer cable - Transparent - 1.5m
ADA-25M25M-V	R 40	VCOM DB25 male to DB25 male Adapter
ADA010	R 14	Microworld Adapter Serial 9 pin Male to 9 pin Male
ADA011	R 18	Unbranded Adapter Serial 9 pin Female to 9 pin Female
ADA023	R 35	Microworld RS232 9 pin Female Serial to RJ45 Convertor; modular unassembled design; console and serial communication; compatible routers and switches
ADA024	R 35	Microworld RS232 9 pin Male Serial to RJ45 Convertor; compatible console networking connections
AP1103	R 184	Mecer USB to 1 Serial (9 Pin) Port Cable
CAB-TEL-CURL-RJ9-B	R 29	Unbranded RJ9 curly telephone cable Black, 13-00269-1
CAB-TEL-CURL-RJ9-C	R 29	Unbranded RJ9 curly telephone cable cream, 13-00017-3
CAB-TEL-CURLY-RJ11-B	R 29	Unbranded RJ11 curly telephone cable Black, 13-00269-02
CAB-USB-1M-U	R 35	Unitek Y-C430GBK 1m USB 2.0 Type-A male to Type-B male cable
CAB-USB2.0-SER-1.5M	R 289	Unitek Y-108301 1.5m USB 2.0 to DB9 RS422 / 485 Serial converter cable, 1x USB Type-A 480 Mbps, 1 x RS422 / RS485 DB9 female D-Sub Connector, 1.5m cable length
CATUSB1.8AB	R 38	RCT Cables USB Printer Type A Male to Type B Male
CNT-COV-DB9-U	R 21	Unitek M-HOOD9 DB9 metal cover
CNT-DB25F	R 18	Unbranded DB25 female connector, A-SC-D25F
CNT-DB25F-U	R 8	Unitek CN-BKDB25F001 DB25 female connector
CNT-HD15F-V	R 18	Unbranded HD15 female connector
CNV-DB25F-DB25F-U	R 21	Unbranded AD-DB25-FF-A DB25 female to DB25 female mini Adapter
CNV-DB25M-RJ45-V	R 54	Unbranded DB25 male to RJ45 plastic Adapter
CNV-DB9F-RJ45F-U	R 40	Unitek DB9 female to RJ45 plastic adaptor, AD-DB9F-RJ45F
CNV-MUSB-SER-ADA-U	R 269	Unitek Y-1051 Micro USB To Rs232 Serial Cable
CNV-USB-SER-ADA-L	R 215	Lindy USB to RS232 9 pin serial Adapter (42855)
CNV-USB-SERIAL-LQ	R 227	LinkQnet 1.5m USB 2.0 to DB9 RS232 Serial converter, FTDI Chipset
COMPLATE	R 35	Unbranded Serial Back Plate Single 28cm
CR104-20222	R 148	UGREEN USB 2.0 to RS-232 Serial Adapter Cable (USB-A Male to DB9 Male); serial communication cable; industrial networking tool; black adapter cable; plug and play connectivity
DELOCK-64055	R 1,210	Delock USB 2.0 Type-A to Serial RS-422 / RS-485 (DB9), 64055, Surge protection 600 W and extended temperature range
KD061AA	R 99	HP Parallel Port Adapter for use wirth listed HP computers only. HP Compaq dc5800 Microtower PC, HP Compaq dc5800 Small Form Factor PC, HP Compaq dc7900 Convertible Minitower PC, HP Compaq dc7900 Small Form Factor PC.
LPT-30	R 35	Mecer 25 pin Parallel Port Header cable with bracket
NEXL-IEEE1284	R 79	Geeko 1.8m USB IEEE-1284 Parallel Printer Adapter Cable, Retail Box
PRN002	R 79	Unique parallel Printer cable 1.5 meter
PRN003	R 40	Unbranded Printer 25 pin Male to 36 pin Female - 3.0m long
PS2EXT	R 23	Microworld PS2 extension cable 1.5m
PS2TOUSB	R 23	Unbranded PS2 Male to USB Female
SER001	R 35	Unbranded Male 9 pin to Female 9 pin Serial Cord 1.5m long
SER005	R 150	Microworld USB Type-A male to Serial 9 pin male convertor
TXB025	R 207	Microworld USB to RS485 converter
TXB027	R 86	Microworld RS232 to RS485 converter
TXB038	R 459	Microworld Ethernet to RS232/RS485 convertor

U-RS102	R 312	Chronos USB to 2 Port Serial Converter
UC232A	R 229	Aten USB to PDA/Serial (DB9) Adapter with PC & Mac drivers 35cm
USB-RS23201	R 99	UniQue USB 2.0 To RS232 Serial 1m Cable, USB-RS23201
USB2PAR25M	R 114	Microworld USB to Male Parallel 25pin Cable
USB2PS2	R 29	Unbranded USB to PS2 Cables
USBCSER	R 173	Microworld USB Type-C to Serial Male cable, 1.5m length
USBPRN1.8	R 29	Microworld 1.8m USB Printer cable

< Return to the menu

SFP Cables

Product code	Price	Description
7Z57A03558	R 1,267	Lenovo 7Z57A03558 3m Passive 25G SFP28 DAC Cable
ARU-IO-DAC10GSFP+-1M	R 1,183	HP R9D19A Aruba Instant On 10G SFP to SFP 1m DAC Cable
ARU-IO-DAC10GSFP+-3M	R 1,247	HP R9D20A Aruba Instant On 10G SFP to SFP 3m DAC Cable
AXC761-10000S	R 2,290	Netgear AXC761 ProSafe 1m SFP Direct Attach Copper cable, SFP Connector on both sides, Drives 10 Gigabit Ethernet (1m distance), Copper twin-axial cable
AXM761-10000S	R 7,786	Netgear AXM761 ProSafe 10GBase-SR " short reach" SFP module, Up to 300m, 10GBase-SR for Multi-mode 50/125& #181; m OM3 or OM4 Fiber, LC Duplex Connector
AXM761P10-10000S	R 39,634	Netgear AXM761 ProSafe 10GBase-SR " Short Reach" SFP module - 10 Pack, Up to 300m, 10GBase-SR for Multi-mode 50/125& #181; m OM3 or OM4 Fiber, LC Duplex Connector
CAB-DAC15M-SFP28	R 1,892	QNap SFP28 25GbE twinaxial Direct Attach cable - 1.0m
CAB-DAC30M-SFP28	R 2,145	QNap SFP28 25GbE twinaxial Direct Attach cable - 3.0m
CD-SFP-RJ45P	R 684	Cudy SFP to RJ45 10Gbps Ethernet module, SM10GL, 10Gbps Data rate, SFP Form Factor, Copper mode, 10Gbps at 30m, Up to 1Gbps at 100m
DELOCK-83572	R 1,887	Delock 2m mini SAS HD SFF-8644-mini to SAS-SFF-8088 cable
DELOCK-83572	R 2,622	Delock 2m mini SAS HD SFF-8644-mini to SAS-SFF-8088 cable
EC-ET5402-DAC-3M	R 897	Edge-corE 10G SFP DAC 3m cable
FIB-SFP-ULCQ004XC-CNM1	R 1,696	UltraLAN QSFP 40G DAC cable - 1 meter, hot-pluggable QSFP footprint
FIB-SFP-ULSQ851XL-CDS1	R 489	UltraLAN QSFP module - MM 40G 150m 850nm, Supports 1.06 to 10.5Gb/s Bit rates per channel, Hot pluggable QSFP Form Factor
LSWM1STK	R 11,671	H3C SFP cable 0.65m, LSWM1STK
LSWM2STK	R 1,310	H3C Switch accessory - 1.2m SFP passive Direct Attach Copper TWINAX cable, LSWM2STK
MT-RBQSFP28	R 3,830	MikroTik QSFP28 100G module SM 2km 1310nm, QSFP28, LC, Maximum Data rate 100G, Single Mode, 2 km, Wavelength 1271 / 1291 / 1311 / 1331 nm
MT-RBQSFP28-1M-DAC	R 669	MikroTik QSFP28 100G Direct Attach cable - 1m, QSFP28, Maximum Data rate 100 Gbps
MT-RBQSFP28-3M-DAC	R 979	MikroTik QSFP28 100G Direct Attach cable - 3m, QSFP28, Maximum Data rate 100 Gbps
OPT-SFP-DAC-10G-5	R 489	Optcore 10G SFP passive Direct Attach Copper cable (PCC) - 5m
OPT-SFP-DAC-25G-1A	R 413	Optcore 25G SFP28 passive Direct Attach Copper cable (PCC) - 1m
OPT-SFP-DAC-3	R 896	Optcore 100G QSFP28 passive Direct Attach Copper cable (PCC) - 3m
OPT-SFP/SFP+25G-DAC-3M	R 436	Optcore 25G SFP28 DAC Cable - 3m
RBQ+DA0001	R 436	MikroTik Q DA0001 40 Gbps Direct Attach QSFP 1m cable
SFP-D100G1	R 748	Scoop Direct Attached QSFP28 1m 100Gbps Uplink cable, 2x QSFP28 modules connectors, 100Gbps Data rate, SFP Form Factor, Copper mode
SFP-D25G0.5	R 316	Linkbasic Direct Attached Copper 0.5m 25Gbps SFP28 Uplink cable, 2x SFP28 modules connectors, 0.5m cable length, 25Gbps Data rate, 25Gbps Data rate, SFP Form Factor, Copper mode
SFP-DC0.5	R 201	Scoop Direct Attached Copper 0.5m 10G SFP Uplink Cable
SFP-DC3	R 247	Scoop Direct Attached Copper 3m 10G SFP Uplink Cable
SFP-DC5	R 374	Scoop Direct Attached Copper 5m 10G SFP Uplink Cable
SFP-DQ1	R 546	Scoop SFP-DQ1 direct attached cable 1m 40G QSFP , 40Gbps Data rate, Copper (30AWG) Integrated Media

SFP-DQB100	R 1,208	Scoop Direct Breakout Cable 100G QSFP
SFP-DQB4	R 978	Scoop SFP-DQB4 Direct Breakout Cable 3m 40G QSFP , 40Gbps Data rate, Copper (30AWG) Integrated Media
SFP-STACK-KIT	R 1,494	H3C SFP stacking cable 150cm, Including 2x 1000Base-T SFP module and one stacking cable, 1250 Mbps Data rate, 30 AWG Copper wire, SFP-STACK-KIT
SM5220-1M	R 393	TP-Link TL-SM5220-1M Omada 1M Direct Attach SFP Cable for 10 Gigabit Connections, SPEC: Up to 1 m Distance
SM5220-3M	R 432	TP-Link TL-SM5220-3M 3 meters 10G SFP Direct Attach cable, 10 Gbps Data rate, Silver plated Copper conductor
TP-SM5220-1M	R 336	TP-Link SM5220 Omada 1m Direct Attach SFP cable, SM5220-1M, 10 Gbps Data rate, Silver plated Copper conductor
UACC-DAC-0.5M	R 316	Ubiquiti UniFi 10Gbps Direct Attach 0.5m cable, UACC-DAC-SFP10-0.5m, 2x SFP modules, 1.25Gbps / 10Gbps Data rate, SFP Form Factor, Copper mode
UACC-DAC-1M	R 339	Ubiquiti UniFi 10 Gbps SFP Direct Attach cable - 1m, 1m Direct Attach SFP compatible cable capable of sustaining 10 Gbps Throughput, UACC-DAC-SFP10-1M, SFP to SFP connector Type
UACC-DAC-SFP10-1M	R 512	Ubiquiti UniFi 10 Gbps SFP Direct Attach cable - 1m, 1m Direct Attach SFP compatible cable capable of sustaining 10 Gbps Throughput, UACC-DAC-SFP10-1M, SFP to SFP connector Type
UACC-DAC-SFP28-0.5M	R 528	Ubiquiti SPF 25 Gbps Direct Attach cable - 0.5m, UACC-DAC-SFP28-0.5M, Copper Wire, SFP28 to SFP28 Connector Type, Black jacket
UB-DAC-SFP10-0.5M	R 329	Ubiquiti UniFi 10 Gbps SFP Direct Attach cable - 0.5m, 0.5m Direct Attach SFP compatible cable capable of sustaining 10 Gbps Throughput, UACC-DAC-SFP10-0.5M, SFP to SFP connector Type
UB-DAC-SFP10-1M	R 373	Ubiquiti UniFi 10 Gbps SFP Direct Attach cable - 1m, 1m Direct Attach SFP compatible cable capable of sustaining 10 Gbps Throughput, UACC-DAC-SFP10-1M, SFP to SFP connector Type
UB-DAC-SFP10-3M	R 453	Ubiquiti UniFi 10 Gbps SFP Direct Attach cable - 3m, 3m Direct Attach SFP compatible cable capable of sustaining 10 Gbps Throughput, UACC-DAC-SFP10-3M, SFP to SFP connector Type
UB-UACC DAC SFP10 3M	R 638	Ubiquiti SFP 10 Gbps Direct Attach cable - 3m, UACC-DAC-SFP10-3M, 10 Gbps supported Data rate, Copper Wire, SFP to SFP Connector Type, Black jacket Colour

< Return to the menu

Thunderbolt cables

Product code	Price	Description
ATB-GBL	R 759	Microworld Thunderbolt to Gigabit LAN cable
CA-T3-1	R 997	J5create JTCX03 Thunderbolt 3 (work as type-C) cable 1m - 24pin male to male - for 40Gb/s fast data Transfer 100W/5A fast charge - retail pack
MMEL2	R 1,190	Apple Thunderbolt 3 (USB-C) to Thunderbolt 2 Adapter
MW5H3ZM/A	R 3,220	Apple Thunderbolt 4 (USB-C) Pro cable - 3m, Model A2162
MW5J3ZM/A	R 2,749	Apple Thunderbolt 4 (USB-C) Pro cable - 1.8 m
MWP02ZM/A	R 3,335	Apple Thunderbolt 4 Pro Cable - 3m, MWP02ZM/A
MYH93ZM/A	R 1,070	Apple Thunderbolt 3 (USB-C) to Thunderbolt 2 Adapter, Model A1790
OWCCBLTB5C0.8M	R 477	OWC Thunderbolt 5 0.8m cable - Black, USB Type-C connectors at both ends, Thunderbolt 5 Standard Version, Data transfer up to 80Gb/s Bi-Directional, Video Bandwidth up to 120Gb/s, Power Delivery up to 240W, cable length 0.8 m
USB42	R 459	Mlink USB 4.0 Thunderbolt Type-C cable - 2m, Built-In E-Mark Chip, 5A / 48V / PD240w Super-Fast charge, USB4.0 40Gbps Data transmission, Support 8K 60Hz, USB42

< Return to the menu

Trunking & conduit pipes

Product code	Price	Description
90668	R 401	Goobay Silver Half-Round Aluminium 50mm 1.1m Cable Duct
90723	R 367	Goobay Black Half-Round Aluminium 33mm 1.1m Cable Duct

90727	R 367	Goobay White Half-Round Aluminium 33mm 1.1m Cable Duct
90781	R 160	Goobay Black Cable Duct Corner Connection 33mm for Extending Cable Ducts
BRK-SW01-3	R 752	Lumi SW01-3 White Aluminum Slatwall Panel
C-PVC-20	R 29	Unbranded Conduit 20mm Pipe PVC - 4m length
C-PVC-S-20	R 1	Unbranded 20mm PVC saddle
HT-TS-25X16	R 85	Miro 2.9 Meter Solid Trunking 25x16mm
INS-T-YNBT4	R 127	Unbranded 100x40mm trunking - 3 meter piece
INS-T-YT1	R 20	Unbranded 16x16mm trunking - 2 meter length
INS-T-YT1(3)	R 30	Unbranded 16x16mm Trunking - 3 meter
INS-T-YT2	R 40	Unbranded 25x16mm trunking - 3 meter piece
INS-T-YT4	R 58	Unbranded 40x25mm trunking - 3 meter piece
INS-T-YT5	R 92	Unbranded 40x40mm trunking - 3 meter piece
NET-6113202	R 641	O-line OBO rapid 1302 x 53 2 Compartment 2 Cover X 2m. Trunking base and cover with base perforation for direct wall mounting. Grey. Body Length (mm) 2000, Height (mm) 160, Width (mm) 53 , Finish: PVC, Standard Colour: Grey
NET-6113210	R 24	O-line Obo cover joint strip - White, Suitable for 130mm duct width
NET-6113212	R 31	O-line Obo cover joint strip - Grey, Suitable for 130mm duct width
NET-6113230	R 163	O-line OBO rapid 90 clip-on external bend. White. External corner for changing the direction of the rapid 45-2 installation trunking. Can be adjusted between 80 to 110degrees.
NET-6113232	R 147	O-line OBO rapid 90 clip-on external bend. Grey. External corner for changing the direction of the rapid 45-2 installation trunking. Can be adjusted between 80 to 110degrees.
NET-6113270	R 313	Unbranded Obo Flat Clip-on Vertical Bend/elbow. The O-Line OBO Rapid Flat 90Â° Bend/Elbow is designed for 130mm duct systems, offering a flat angle for efficient space utilization. Its durable construction ensures long-lasting performance, making it a reliable choice for various cable management applications.
NET-6113272	R 337	Unbranded O-line Obo Rapid Flat 90 Degree Bend/elbow. This grey O-LINE OBO flat clip-on vertical bend/elbow offers a clean, practical solution for changing cable routing direction within Rapid 45-2 trunking systems. Its flat-profile, clip-on design ensures quick installation and long-term reliability, ideal for refined, functional cable management.
NET-6113282	R 45	O-line OBO flat clip-on Vertical bend / Elbow - Grey, Suitable for 130mm duct width
NET-6113300	R 74	O-line OBO clip-on T-piece Adapter - White, Suitable for 130mm duct width
NET-6113302	R 153	O-line OBO clip-on T-piece Adapter - Grey, Suitable for 130mm duct width
NET-6560002	R 132	O-line OBO 45 degree 16A dedicated SA Power Socket with Switch
NET-9811229	R 67	O-line OBO Onesto P/Skirt blank module White
NET-CORD-COVER-1CH	R 293	Unbranded 1-channel Floor Cable Cover - 75mm X 15mm - Sold Per Meter. The NET-CORD-COVER-1CH is a single-channel black cord cover designed to keep cables organized, safe, and out of sight. Ideal for homes and offices, it offers easy installation and a clean, professional appearance. Its durable PVC material ensures long-lasting performance while reducing tripping hazards and cable damage. Perfect for enhancing both safety and aesthetics in any space.
NET-FINE-RIB-RUBBER	R 102	Unbranded Fine Ribbed Rubber Flooring - 500mm X 3mm - Sold Per Meter. Fine ribbed rubber flooring in black designed for heavy-duty use in gyms, workshops, garages, and commercial spaces. Easy to install, durable, and slip-resistant. Offers a professional finish, withstands high traffic, and provides safety and comfort underfoot. Ideal for indoor and outdoor applications where long-lasting flooring is required.
NET-RUBBER-3CH	R 1,494	Unbranded 3-channel 350mm Wide Rubber Cable Ramp
NET-TRUNK-100X40	R 224	Unbranded Trunking 100mm X40mm - Ega 3m Length.The NET-TRUNK-100X40 is a durable and versatile 100mm x 40mm cable trunking system, perfect for organizing and protecting cables in various environments. With its 3-meter length and snap-on lids, it offers both functionality and ease of use. Ideal for electrical and data installations, this trunking ensures a neat and professional finish. Buy now from our site and streamline your cable management solutions.
NET-TRUNK-16-16	R 20	Trunking 16mm x 16mm EGA, 2m length, 1616S

NET-TRUNK-16-16-STOP	R 5	Trunking compartment stop end, 16 x 16mm, 9400 *Stop end only - used with 16mm x 16mm trunking*
NET-TRUNK-25-16	R 48	Trunking 25mm x 16mm EGA, 3m length, 2516s
NET-TRUNK-40-16	R 64	Trunking 40mm x 16mm EGA 3m length, 4016S
NET-TRUNK-40-25	R 87	Trunking 40mm x 25mm EGA 3m length, 4025S
NET-TRUNK-40-40	R 84	Trunking 40mm x 40mm EGA 3m length, 4040S
NET-TRUNK-DDT10GR	R 312	Decorduct 82.5 x 55 x 2.5m. 1 compartment, Grey, DDT10GR
NET-TRUNK-DDT10WH	R 312	unbranded decorduct white 82.5x55x2.5m 1 comp. the decorduct net-trunk-ddt10wh is a high-quality, white single-compartment cable duct designed for safe and organized electrical and data cabling. its durable pvc construction and modular design ensure long-lasting performance and easy installation in homes and offices. ideal for neat, professional cable management solutions.
NET-TRUNK-DDT11BL	R 29	Unbranded Decorduct Black 1 Comp End Cap. The Decorduct NET-TRUNK-DDT11BL is a black 1-compartment end cap designed for Decorduct trunking systems. Made from durable PVC, it ensures a professional finish by securely enclosing cables. The snap-fit installation requires no tools, making it a convenient choice for various environments such as offices, workshops, and retail spaces.
NET-TRUNK-DDT11WH	R 29	Unbranded Decorduct White 1 Comp End Cap. The Decorduct NET-TRUNK-DDT11WH is a white 1-compartment end cap designed for cable trunking systems. Made from durable PVC, it offers easy installation without the need for tools. Its self-extinguishing property ensures safety, making it suitable for various applications in both residential and commercial environments.
NET-TRUNK-DDT12GR	R 24	Unbranded Decorduct Grey 1 Comp Bend. The Decorduct 1 Compartment Bend Grey (NET-TRUNK-DDT12GR) is designed to facilitate smooth cable routing around corners in trunking systems. Made from durable PVC and finished in grey, it ensures a neat and professional appearance. Ideal for various wiring applications, this bend is a must-have for efficient cable management. Buy now from our site and enhance your cable organization.
NET-TRUNK-DDT12WH	R 31	Unbranded Decorduct White 1 Comp Bend. The Decorduct 1 Compartment Bend White (NET-TRUNK-DDT12WH) is designed to facilitate smooth directional changes in trunking systems, ensuring neat and organized cable management. Its white finish allows it to blend seamlessly with most interior decors, providing a clean and professional appearance. Ideal for both residential and commercial installations, this bend offers durability and ease of installation, making it a reliable choice for various applications.
NET-TRUNK-DDT13BL	R 25	Unbranded Decorduct Black 1 Comp Joiner. The Decorduct NET-TRUNK-DDT13BL 1 Compartment Joiner is a high-quality accessory designed to connect Decorduct trunking units, facilitating organized and efficient cable management. Its durable construction and easy installation make it suitable for various applications, including home offices, commercial spaces, and data centers. The black finish ensures a professional appearance that complements modern interiors.
NET-TRUNK-DDT13WH	R 20	Unbranded Decorduct White 1 Comp Joiner. The Decorduct NET-TRUNK-DDT13WH is a white 1-compartment joiner designed for use with Decorduct trunking systems. It offers a seamless connection, ensuring efficient cable management in various settings. Its durable construction and easy installation make it a reliable choice for both residential and commercial applications.
NET-TRUNK-DDT20BL	R 423	Decorduct 165 x 55 x 2.5m, 3 compartments, 2 cover black, DDT20BL
NET-TRUNK-DDT20GR	R 452	Decorduct 165 x 55 x 2.5m, 3 compartments, 2 cover, GREY, DDT20GR
NET-TRUNK-DDT20TT	R 423	Decorduct 165 x 55 x 2.5m, 3 compartments, 2 cover, TITANIUM, DDT20TT
NET-TRUNK-DDT20WH	R 481	Decorduct 165 x 55 x 2.5m, 3 compartments, 2 cover, WHITE, DDT20WH
NET-TRUNK-DDT21BL	R 31	Unbranded Decorduct Black 165x55 End Cap. The Decorduct DDT21 End Cap Black is designed to provide a neat and secure termination for Decorduct 165x55 trunking systems. Its durable PVC construction and easy installation make it a reliable choice for various cable management needs. Buy now from our site and ensure a professional finish for your installations.
NET-TRUNK-DDT21GR	R 33	Unbranded Decorduct Grey 1655x55 End Cap. The DECORDUCT 165 x 55 End Cap in grey delivers easy, snap-on finishing for double-compartment trunking, protecting cables while offering a neat, professional look. Lightweight but durable PVC construction ensures clean cable management installations. Order today and buy now from our siteâ€"shop now from our online store.
NET-TRUNK-DDT21WH	R 33	Unbranded Decorduct White 165x55 End Cap. The Decorduct 165x55 End Cap in white is a simple and effective

		finishing accessory for cable trunking, offering tool-free snap-on installation and neat aesthetic completion. Its durable PVC build and recyclable design deliver both practicality and sustainabilityâ€"ideal for any residential or commercial setup. Buy now from our site to complete your cable management system cleanly.
NET-TRUNK-DDT22BL	R 45	Unbranded Decorduct Black 165x55 Bend. The Decorduct 165X55 Bend Black offers a reliable and sleek solution for managing cables with style and ease. Made from durable PVC in a clean black finish, it installs quickly and hides wiring discreetly. Buy now from our site to add professional cable routing to your setup; shop now from our online store.
NET-TRUNK-DDT22GR	R 41	Unbranded Decorduct Grey 165x55 Bend
NET-TRUNK-DDT22WH	R 39	Unbranded Decorduct White 165x55 Bend. The Decorduct 165X55 Bend White NET-TRUNK-DDT22WH is a high-quality PVC cable bend designed for efficient and organized cable routing. Its durable construction and sleek white finish make it suitable for various applications, including residential, commercial, and industrial settings. Buy now from our site and ensure a neat and professional cable management solution for your installations.
NET-TRUNK-DDT23BL	R 26	Unbranded Decorduct Black 165x55 Joiner. The Decorduct NET-TRUNK-DDT23BL is a black 165mm x 55mm trunking joiner designed for seamless connection of Decorduct trunking systems. Its durable PVC construction and snap-fit design ensure easy installation and a professional finish. Ideal for organizing cables in various environments, this joiner offers both functionality and aesthetics. Buy now from our site and enhance your cable management solutions.
NET-TRUNK-DDT23GR	R 28	Unbranded Decorduct Grey 165x55 Joiner. The Decorduct 165X55 Joiner Grey (NET-TRUNK-DDT23GR) is a durable PVC accessory designed to connect sections of Decorduct trunking systems. With its easy installation and secure fit, it ensures efficient cable management in various environments. Buy now from our site and enhance your cable organization with this reliable joiner.
NET-TRUNK-DDT23WH	R 26	Unbranded Decorduct White 165x55 Joiner. The Decorduct 165x55 Joiner in white is a modular accessory designed to connect sections of Decorduct trunking systems, ensuring a continuous and organized cable pathway. Made from durable PVC, it is lightweight, recyclable, and features self-extinguishing properties for added safety. Its white finish allows it to blend seamlessly with most interiors, providing a professional and clean appearance. Ideal for both residential and commercial installations, this joiner is an essential component for maintaining a neat and efficient cable management system. Buy now from our site to enhance your installation with this reliable and aesthetically pleasing joiner.
NET-TRUNK-DDT40GR	R 152	Unbranded Decorduct Grey 2.5m Cover Only. The Decorduct NET-TRUNK-DDT40GR is a 2.5-meter grey cable cover designed for the Decorduct DDT40 trunking system. Made from durable plastic, it offers an easy snap-on installation, making it ideal for concealing and protecting cables in various settings. Shop now from our online store and enhance your cable management solutions.
NET-TRUNK-DDT40WH	R 132	Unbranded Decorduct White 2.5m Cover Only. The NET-TRUNK-DDT40WH is a 2.5-meter white cable trunking cover designed for efficient cable management in various settings. Its durable construction and sleek design make it an ideal choice for both residential and commercial applications. Buy now from our site to enhance your cable management solutions.
NET-TRUNK-DDT50BL	R 36	Unbranded Decorduct Black Modular Cover & Cradle. This modular cradle and cover in black is a PVC cable management solution offering tool-free installation and safe, self-extinguishing protection. It is lightweight, durable, and made from recyclable materials - ideal for neat, safe, and efficient cable routing.
NET-TRUNK-DDT50GR	R 30	Unbranded Decorduct Grey Modular Cover & Cradle. The Decorduct Modular Cover & Cradle in Grey is a versatile and eco-friendly cable management solution. Its modular design and tool-free installation make it ideal for both residential and commercial setups. Enhance your space with this reliable product, available now for purchase.
NET-TRUNK-DDT50WH	R 33	Unbranded Decorduct White Modular Cover & Cradle. The Decorduct Modular Cover & Cradle in white is a practical solution for organizing cables in various settings. Its tool-free installation and self-extinguishing properties make it a safe and efficient choice for maintaining a clutter-free environment. Ideal for home offices, commercial spaces, and data centers, this product ensures cables are neatly managed and easily accessible. Buy now from our site and enhance your workspace organization.
NET-TRUNK-DDT51BL	R 36	Unbranded Decorduct Black Crabtree Power Cover & Cradle. The Decorduct Crabtree Power Cover & Cradle Black is a sleek, durable solution for organizing and protecting power connections. Ideal for home, office, and

		commercial installations, it keeps cables neat and prevents accidental disconnections. Easy to install and compatible with standard Decorduct systems, this product enhances both safety and aesthetic appeal in any space.
NET-TRUNK-DDT51GR	R 37	Unbranded Decorduct Crabtree Power Cover Grey & Cradle. The Decorduct Crabtree Power Cover Grey & Cradle (NET-TRUNK-DDT51GR) is a modular cable management solution designed for both residential and commercial applications. Its tool-free installation, self-extinguishing properties, and recyclable materials make it a practical and eco-friendly choice for organizing cables in various settings. Whether you ' re setting up a home office or a commercial workspace, this product ensures a tidy and professional appearance. Shop now from our online store.
NET-TRUNK-DDT51WH	R 36	Unbranded Decorduct Crabtree Power Cover White & Cradle. Enhance your cable management with the NET-TRUNK-DDT51WH Decorduct Power Cover and Cradle. Designed for easy installation and a sleek finish, this white unit is perfect for various applications. Buy now from our site and enjoy a clutter-free environment.
NET-TRUNK-FCOV	R 91	Unbranded H175 Pvc Rubber Floor Cable Cover - Per Meter. The NET-TRUNK-FCOV is a high-quality 1-channel PVC rubber floor cable cover, sold per meter, designed to protect and conceal cables running across floors. Its durable material and flexible design make it ideal for various environments, including offices, home theaters, and event setups. The slip-resistant surface reduces the risk of accidents, while the easy installation process ensures a secure fit without the need for adhesives. Buy now from our site and keep your cables organized and protected.
NET-TRUNK-FIN-40X40	R 143	Unbranded finger trunking 40 x 40, 4040N
NET-TRUNK-HMON-25-GR	R 59	Unbranded Grey Decorduct 25mm X 8mm X 2m Half Moon Trunk. The Decorduct 25mm x 8mm x 2m Half Moon Trunking in Grey is an essential accessory for anyone looking to organize and conceal cables effectively. Its compact design and neutral grey color make it suitable for various applications, from home offices to commercial spaces. Made from durable PVC, it ensures long-lasting protection for your cables. Buy now from our site and experience a clutter-free environment.
NET-TRUNK-HMON-25-WH	R 74	Unbranded Decorduct White 25mm X 8mm X 2m Half Moon Trunk. Organize and conceal your cables with the Decorduct 25mm x 8mm x 2m Half Moon Trunking in white. Its sleek design and easy installation make it perfect for home and office environments. Buy now from our site and enjoy a clutter-free space.
NET-TRUNK-HMON-35-GR	R 84	Unbranded Decorduct Grey 35mm X 10mm X 2m Half Moon Trunk. The DECORDUCT 35MM x 10MM x 2M Half Moon Trunk Grey offers a clean and professional solution for cable management. Made from durable PVC, it protects and organizes cables while maintaining a modern look. Easy to install and lightweight, it is suitable for home, office, and commercial applications.
NET-TRUNK-HMON-35-WH	R 84	Unbranded Decorduct White 35mm X 10mm X 2m Half Moon Trunk. The Decorduct NET-TRUNK-HMON-35-WH is a 2-meter length of white PVC half-moon trunking designed to conceal and protect cables. With dimensions of 35mm width and 10mm height, it is suitable for standard cables and features an adhesive backing for easy installation. Ideal for residential and commercial applications, it provides a neat and organized appearance by hiding cables from view.
NET-TRUNK-HMON-50-GR	R 112	Unbranded Decorduct Grey 50mm X 15mm X 2m Half Moon Trunk. The Decorduct 50mm x 15mm x 2m Half Moon Trunk in Grey offers a sleek and durable solution for concealing and organizing electrical cables. Made from high-quality PVC, it ensures long-lasting performance and protection for your wiring. Its curved design provides a modern aesthetic, making it suitable for various interior styles. Ideal for both residential and commercial applications, this trunking system is easy to install and can be customized to fit specific needs.
NET-TRUNK-HMON-50-WH	R 116	Unbranded Decorduct White 50mm X 15mm X 2m Half Moon Trunk. The Decorduct 50mm x 15mm x 2m Half Moon Trunking in white offers a stylish and practical solution for concealing and organizing cables. Its curved design and durable PVC construction make it suitable for various applications, ensuring a neat and professional finish in any setting.
NET-TRUNK-HMON-70-GR	R 132	Unbranded Decorduct Grey 70mm X 20mm X 2m Half Moon Trunk. The Decorduct 70mm x 20mm x 2m Half Moon Trunk in Grey is a versatile cable management solution suitable for various applications. Its durable PVC construction and sleek design make it an excellent choice for organizing and concealing cables in both residential and commercial settings.
NET-TRUNK-HMON-70-WH	R 146	Unbranded Decorduct White 70mm X 20mm X 2m Half Moon Trunk. The Decorduct 70mm x 20mm x 2m Half

		Moon Trunk White offers a professional and clean solution for cable management. Ideal for home and office environments, it keeps electrical and data cables organized, protected, and easy to maintain. Its durable PVC construction and elegant white finish make installation simple and visually appealing.
NET-TRUNK-SKT003	R 38	Unbranded Skt003 Decorduct White Thynk 3 Mod Blank 75x50. The Decorduct Thynk 3 Module Blank 75x50 White (NET-TRUNK-SKT003) is a durable and aesthetically pleasing solution for cable management. Its high-quality PVC construction ensures longevity, while the neutral white finish allows it to blend seamlessly with various interior designs. Ideal for both residential and commercial applications, this blank module offers a professional finish to your installations.
NET-TRUNK-UP0002	R 1,403	Unbranded Decorduct Utility Pole 3.5m Aluminium Covers. The Decorduct 3.5m Aluminium Utility Pole with Covers is a high-quality solution designed to manage and conceal cables effectively. Made from durable aluminium with PVC covers, it ensures a tidy and professional setup. The kit includes all necessary components for installation, making it an ideal choice for various applications requiring cable management.
NET-TRUNK-UP0005	R 137	Unbranded Decorduct Utility Pole Unimod Outlet Kit. The Decorduct Utility Pole Unimod Outlet Kit is a high-quality solution for efficient cable management. Its modular design allows for easy customization, making it suitable for various setups. The durable PVC construction ensures longevity, while the white finish blends seamlessly with different interiors. Ideal for both home and commercial environments, this kit helps maintain an organized and professional workspace.
PWR-DED-SOCKET-POLE	R 100	Decorduct 3pin dedicated socket for power pole
SOLTRK3M10040W	R 139	Solarix PVC Trunking 3 Metre Length 100mm X 40mm White - Used To Protect Cables And Wiring Which Hasn ' t Been Installed Within The Wall, Provides A Clean Appearance To Cabling Installations, Ideal For Use In Residential, Commercial Or Industrial Construction, Colour White, Retail Box, No Warranty
T-16X16-2	R 17	Switchcom 16x16mm PVC Trunking - 2m
T-20X10	R 17	Switchcom 20x10mm PVC Trunking - 2m
YT1	R 20	Unbranded EGA Trunking 16mm x 16mm - 2m long
YT2	R 40	Unbranded EGA Trunking 25mm x 16mm - 3m long
YT4	R 63	Unbranded EGA Trunking 40mm x 25mm - 3m long
YT5	R 92	Unbranded EGA Trunking 40mm x 40mm - 3m long
YT7	R 224	Ubiquiti Half Moon Trunking - 70mm x 10mm x 2m

< Return to the menu

USB cable adapters / converters

Product code	Price	Description
133455	R 56	Equip 133455 USB 3.0 Type-C male to Type-A female Adapter, 0.15m cable length
133456	R 293	Equip USB Type C to SATA Cable
133471	R 206	Equip USB 3.0 to SATA Adapter
161657	R 159	Manhattan iLynk HUB Micro & Mini USB Adapter & USB port
30391	R 49	Ugreen 30391 Type-C to Micro USB Adapter
3USB01	R 69	Microworld USB 3.0 (male) MBD to 2x USB 0.2cm long *USB 3.0 Male motherboard ==> 2x USB 3.0 Male*
470-ACFH	R 501	Dell 470-ACFH adapter 7.5mm barrel to USB-C, For 45W - 65W barrel power adapters
7-0460	R 39	Netix Hi-Speed USB Female to USB Female Adapter, OEM, No Warranty
900133	R 135	PORT USB Type-C to USB3.0 5Gbps 15cm Adapter - Black
900133	R 119	PORT USB Type-C to USB3.0 5Gbps 15cm Adapter - Black, Â© 2020 Laptop Direct
93321	R 516	Goobay 93321 USB extension Adapter up to 40m via Cat cable, CAT5 / Cat 5A / CAT6
ADA-USB3-AM-USB-C-U	R 64	Unitek USB3.1 USB-A to Type-C 5Gbps adapter A1034N
ADA-USB3-TYPE-C-L	R 94	Lindy Type C Male to Type A Female USB 3.1 Adapter
ADA-USB3.1-M-F	R 115	Unitek USB-C to USB Type-A OTG Adapter, USB-C upstream, USB Type-A downstream, Zinc-alloy housing
ADA003	R 14	Microworld USB Female to USB Female Adapter *USB 2.0 Type A Female == USB2.0 Type A Female*
ADA006	R 12	Microworld Mini USB Male to USB Female Adapter *USB Mini == USB2.0 Type A Female; Plug and play; Compact adapter; Peripheral connectivity; Data transfer; Compatible cameras, GPS devices and MP3 players

ADA007	R 17	Microworld Micro USB Male to USB Female - OTG cable *USB2.0 Micro Male == USB2.0 Type A Female, On The Go*
ADA013	R 92	Microworld ADA013 USB 2.0 to SATA Cable; Supports 2.5 inch SATA HDD and SSD; Up to 480 Mbps theoretical speed; USB 1.1 backward compatible; Hot swap support; Windows and Mac OS compatible; Black; 12 inch cable
ADA025	R 23	Microworld USB Type-B Male to USB Type-A Female adaptor
ADA1000	R 23	Microworld Micro USB to female USB adaptor *USB2.0 Micro == USB2.0 Type A Female*
AP09021-BK	R 99	Bone Collection Link II USB Adapter for Apple iPod, iPhone & iPad - Charge and sync your iPod, iPhone or iPad with your Mac or Windows PC - Black, Retail Box
AP1325	R 184	Good Way AP1325 USB to Parallel Bi-Directional Cable, Plug and Play, 512-byte Buffer Size, Power Adapter Not Required.
APDA120B-1	R 99	Apacer DA120 Type-C to Micro USB Adapter, No Warranty
CA-CUSCK	R 43	Coolermaster C-3X00-K1S0 Universal Sync Charge cable - blacK - with micro usb apple 2in1 connector - 30cm
CAA-1521-CLUB3D	R 128	Club 3D CAA-1521 USB 3.1 Type-C to USB 3.0 Type-A adaptor, 5 Gbit/s Data Transfer Rate
CAB076	R 58	Microworld Male USB to 30 pin IPAD Cable
CAC-1525-CLUB3D	R 121	Club 3d CAC-1525 USB 3.2 Type-a To Type-c Adapter - M To F
CNV-SLUB6310	R 193	Soarland 19 pin USB 3.0 to 2-port Type-A Adapter, SLUB6310
CNV-USB-C-SER-1.5M-U	R 164	UNITEK 1.5M TYPE-C TO SERIAL ADAPTER BLK Y-1105K
CNV-USB-IEEE1284-ADA	R 191	Unitek USB to Parallel Converter (CN36M)
Co-CU2M-A	R 43	Adata ACM2ADPPL-RBK USB Type-C to USB 2.0 micro-b female converter, For external USB 3.0 enclosure/HDD or Mobile device, 25 x 11 x 6 mm, retail pack
Co-CU3AF-J	R 208	J5create JUCX05 USB 3.1 type-C to USB 3.0 type-A female - Converter (10cm short cable) for USB2.0/3.0/3.1 type-A cable/device - retail pack
CON-OTG	R 12	Mecer USB2.0 / USB3.0 (Female) to Micro USB (Male) Adapter; OTG connectivity; plug and play adapter; mobile data transfer accessory; compact travel connector
CON-OTG-C	R 23	Mecer USB Type C (Male) to USB2.0 / USB3.0 (Female) Adaptor. Connect USB devices to USB-C ports with this compact USB Type-C to USB2.0/USB3.0 adapter â€" fast, reliable, and plug-and-play.
CON-USB-C	R 23	Mecer USB 3.0 to Type-C female adapter. Converts USB Type-C connectors to USB 3.0 type A
CT-OTG-AMCF-AGL	R 53	CableTime 5Gbps USB-C Female to USB-A Male Adapter. The Cabletime CT-OTG-AMCF-AGL USB 3.0 to USB-C OTG Adapter offers a seamless connection between USB-C devices and USB-A peripherals. Its high-speed data transfer and charging capabilities, combined with a durable design and portable features, make it an essential accessory for users seeking efficient and reliable connectivity solutions.
DELOCK-18612	R 374	Delock 18612 10-piece USB Gender Adapter Kit
DELOCK-65096	R 76	Delock 65096 90deg USB-b Mini Male - Female Down Adapter
DELOCK-65097	R 77	Delock 65097 90degree USB-b Mini Male - Female Up Adapter
DELOCK-65341	R 196	Delock 65341 USB 3.0 Male - Female Right 90degree Horizontal Adapter
DELOCK-65342	R 245	Delock 65342 USB 3.0 Male - Female Left 270degree Horizontal Adapter
DELOCK-65517	R 169	Delock 65517 Adapter Micro USB Female - Terminal Block 6-Pin
DELOCK-65518	R 169	Delock 65518 Adapter Mini USB Female - Terminal Block 6-Pin
DELOCK-65562	R 337	Delock 65562 USB 3.1 Af Terminal Block 14p Adapter
DELOCK-86360	R 155	Delock Black Keystone Module USB 3.0 A female > USB 3.0 A female 90degrees angled
DTHPJ7B60AA	R 347	HP USB to Serial Port Adapter
GAL004	R 46	Microworld Tab 30pin Male to USB A female Cable; tablet connectivity cable; legacy device connectivity; compatible tablet accessories
GAPCU3OTG	R 31	Gizzu Type-C to USB 3.0 OTG Adapter, Up to 5Gbps transmission rate, 20cm length, USB Type-C (Male) to USB 3.0 Type-A (Female), Copper conductor
GC-USB3-2P	R 92	Mecer 2 Port USB3.0 Cable With Bracket
iC-JEE254	R 306	J5create JEE254 Interface Converter, 44x33x10mm 505mm cable - 2.5" /3.5" SATA6G -> USB 3.1 type-C interface; up to 10Gbps; plug and play; hot swap; 505mm cable; 44 x 33 x 10mm; Windows macOS Linux

		Chrome OS
INTUSB4	R 196	Microworld 4 Port USB 2 Front Panel; USB 2.0; 4 x USB ports; desktop USB connectivity; front-access USB expansion
MIN001	R 40	Microworld Mini USB Male to Female USB 10cm long *10cm USB2.0 Mini Male == USB2.0 Type-A Female*
N2Z63AA	R 321	HP USB-C to USB 3.0 Adapter
NBHPN2Z63AA	R 262	HP N2Z63AA USB-C to USB 3.0 Adapter, Connectors - Type-C / Type-A
NET-UC400	R 96	TP-Link Superspeed 3.0 USB-C to USB Type-A Adapter cable, OTG (On the Go) compatibility
NET007	R 23	Microworld USB Panel Mount Chord
NET100	R 138	Microworld 2x USB 3.0 Port Backplate; 2 x USB 3.0 ports; USB 3.0 backplate; desktop PC accessory; rear PC connectivity
SAM001	R 46	Microworld USB Male to Samsung Male Tablet Charger
SER002	R 86	Microworld USB to Serial RS232 9 pin MALE Cable 1M
SND-USBC-K	R 128	Nitho USB Type-C Adapter - Black
SPLIT07	R 35	Microworld USB extension cable 9 pin female to 2 male
UC400	R 95	TP-Link UC400 USB-C to USB 3.0 Adapter, SPEC: 1x USB 3.0 Port, 1x USB-C Connector, FEATURE: Compact Design, Plug and Play, Hot Swapping Supported
UC400	R 154	TP-Link UC400 USB-C to USB 3.0 Adapter, SPEC: 1x USB 3.0 Port, 1x USB-C Connector, FEATURE: Compact Design, Plug and Play, Hot Swapping Supported
USA-19HS	R 477	Eaton Keyspan USB to Serial Adapter - USB-A Male to DB9 RS232 Male, 3 ft. (0.91 m), TAA
USB005	R 81	Microworld USB 2.0 to USB 3.0 Converter Cable.
USB006	R 150	Microworld USB to MIDI converter
USB007	R 114	Microworld USB 3.0 to 2.5" SATA connector
USB01	R 173	Microworld USB to 9 pin Female Serial Cable *USB2.0 Type-A Male == 9 Pin Female Serial*
USB1000	R 29	Microworld 90 Degree USB 3.0 Male to USB 3.0 Female; 1 x USB 3.0 Type-A male; 1 x USB 3.0 Type-A female; right angle USB connection; cable routing adapter
USB102	R 25	Microworld USB Female to Micro USB Female Adapter *USB2.0 Type-A Female == USB2.0 Micro Female*
USB2PAR	R 58	Microworld USB to Parallel Cable (25pin Female)
USB2SER	R 114	Micropoint USB to 9 Pin Serial Cable 1.8M 9 Pin to 25 pin convertor
USB3002	R 35	Microworld 270 degree USB 3.0 Adapter, Supports High-Speed USB 3.0 Data transfer
USB3MUSBCF	R 75	Microworld USB 3.0 to USB Type C Female Adaptor. Converts a USB 3.1 Type C to a standard USB 3.0 type A connector
USB3TO2	R 35	Microworld USB 3 Header to USB 2 Header; USB 3.0 20-pin internal header; USB 2.0 9-pin internal header; Maximum speed: 480 Mbps; Internal motherboard adapter; Front panel USB; RGB controllers; Fan hubs; AIO coolers; Internal card readers
USB3TOUSB3	R 46	Microworld USB 3 male to USB 3 female adaptor
USBC2C	R 29	Microworld Female USB C to Female USB C adaptor *USB 3.0 type-C Female == USB 3.0 type-C Female*
USBC2MUSBFEM	R 46	Microworld USB Type C to Mini USB Female Connector; Compact adapter; USB Type-C male; Mini USB female; For compatible Mini USB peripheral connectivity
V27	R 138	Appacs V27 Aux USB-C to USB-C Adapter
VANTEC CBL-4CA USB C TO A ADF	R 92	Vantec USB 3.1 Type A to Type C adapter - OTG cable for USB Type A Storage devices on USB Type C android devices
VK-20036-BK	R 92	Volkano Adapt series Black USB Type C to USB OTG adaptor
WAT-USB2AC-P3CRJ	R 196	LinkQnet waterproof USB 2.0 Type-A Female to Female Socket, USB2AC-P3CRJ *USB 2.0 Type A Female == USB 2.0 Type A Female Panel mounting socket with threaded locking*
WAT-USB3AC-P3CRJ	R 152	Unbranded Waterproof USB 3.0 Type-A Female to Female Socket, USB3AC-P3CRJ
WX-AD103	R 99	WINX LINK Simple Type-C to USB Adapter
WX-AD104	R 99	WINX LINK Simple USB to Type-C Adapter
WX-AD105	R 99	WINX LINK Simple Type-C & USB Adapter Combo (Only one adapter)

< Return to the menu

USB cable to DC power

Product code	Price	Description
CAB-TYPE-C-3PIN	R 114	LVSUN Type-C to 3 pin DC cable, PD2.0
CAB-USB-2.35-0.7MMDC	R 48	Lindy 1.5m USB to 0.7mm Inner / 2.5mm Outer DC Cable
CAB-USB-3PIN	R 53	USB Type-A Quick Charge 3.0 to 3-Pin DC. To be used with LVSUN Universal Multi Function DC Power Tips (sold separately). Requires USB-CHRG-87W-QC3-BLK Lvsun 87w Qc3.0 Universal Notebook Charger (LS-PD87-2C).
CAB-USB-4.8-1.7MMDC	R 48	Lindy 1.5m USB to 4.8mm Inner / 1.7mm Outer DC Cable
CAB-USB-5.5-2.5M-1.5	R 54	Unitek Y-C4046BK 1.5m USB to 5.5 / 2.5m DC Adapter
MUPS-USB-DC	R 33	UltraLAN USB Type-A to DC Male Power cable - 1m, MUPS-USB-DC, Type N (OD : 5.5mm & ID : 2.5mm) barrel Power connector
TIE001	R 35	Microworld USB A Male to 5.5mm Tip Cord
TIE003	R 35	Microworld USB A Male to 2.5mm Tip Cord
TIE004	R 35	Microworld USB A Male to 2.0mm Tip Cord

< Return to the menu

USB Cables

Product code	Price	Description
10IN1	R 25	Microworld 10 in 1 USB Charge Cable
12834207	R 141	Equip USB 3.1 Type C Cable
128394	R 37	EQUIP CABLE, USB3.0 CONNECTION 1M BLACK
128523	R 24	Equip 128523 USB 2.0 to Micro USB Black (5V) Cable 1.8m, USB Type A Male to Micro Type B Male, Double shielded
128750	R 24	Equip 128750 USB 2.0 Type-A extension cable Male to Female - 1.8m - Transparent Silver, Copper conductor material, 28AWG conductor size, Shielded, Data Transfer Rate up to 480 Mbps
128850	R 28	EQUIP CABLE, USB2.0 EXTENSION 1.8M BLACK
128851	R 38	EQUIP CABLE, USB2.0 EXTENSION 3M BLACK.USB2.0 Extension cable, A/ M to A/ F, 3M Black, Complaint with USB2.0 specification, Double shielded, Gold Plated contacts, RoHs
128852	R 52	EQUIP CABLE, USB2.0 EXTENSION 5M BLACK. USB2.0 Extension cable, A/ M to A/ F, 5M Black, Complaint with USB2.0 specification, Double shielded, Gold Plated contacts, RoHs
128860	R 31	Equip 128860 USB 2.0 Printer Cable Type A Male to Type B Male Black 1.8m, Double shielded, Gold flash contact
128863	R 24	Equip 128863 USB 2.0 Printer Cable Type A Male to Type B Male Black 1m, Double shielded, Gold flash contact
128871	R 17	Equip 128871 USB 2.0 Extension Black Cable 3m, USB Type A Male to Type A Male, Double shielded, Gold flash contact
128871	R 27	Equip 128871 USB 2.0 Extension Black Cable 3m, USB Type A Male to Type A Male, Double shielded, Gold flash contact
12888107	R 56	Equip USB 2.0 Type C to Type A Cable
12888307	R 52	Equip USB 2.0 Type C Cable
130845	R 311	LaCie 1.2m USB2.0 Flat Cable A male B male
130847	R 311	LaCie USB2.0 Flat Cable A male A female 1.2m
130855	R 330	LaCie 1.2m eSATA-eSATA Flat Cable
130857	R 311	LaCie USB2.0 Flat Cable A male mB male 1.2m
133311V3	R 344	EQUIP CABLE, USB2.0 ACTIVE EXTENSION 15M. Complaint to USB 2.0 specifications, Plug and Play, USB bus-powered, 15M
30618 - Special	R 50	(On Promotion) Hama USB 2.0 3M Extension Cable (OEM in bag, Serialized, premium range). Ideal to extend the range to your printer, keyboard or mouse.
307239	R 79	Manhattan 1m Micro USB AM to Micro USB Female cable, Extends a USB cable to a maximum of 5m (16ft), Supports speeds of up to 480Mbps, Hi-Speed USB for ultra-fast data transfer rates with zero data degradation.
307406	R 79	Manhattan 1.8m Micro USB AM to Micro USB Female cable, HI-Speed USB 2.0 Extension Cable, Colour: Black, Extends a USB cable to a maximum of 5m (16ft), Supports speeds of up to 480Mbps, Hi-Speed USB for ultra-fast

		data transfer rates with zero data degradation. (Note that this is a Micro USB A-type MALE - the Female is Micro USB A or B)
307413	R 69	Manhattan 1m Micro USB BM to Micro USB Female, HI-Speed USB 2.0 Extension Cable, Colour:Black, Extends a USB cable to a maximum of 5m (16ft), Supports speeds of up to 480Mbps, Hi-Speed USB for ultra-fast data transfer rates with zero data degradation.
307420	R 79	Manhattan 1.8m Micro USB BM to Micro USB Female cable, HI-Speed USB 2.0 Extension Cable, Colour: Black, Extends a USB cable to a maximum of 5m (16ft), Supports speeds of up to 480Mbps, Hi-Speed USB for ultra-fast data transfer rates with zero data degradation. (Note that this is a Micro USB B-type MALE only > Micro USB Female connects with either A or B)
307437	R 49	Manhattan 1M Micro USB B male to USB Micro A male - Colour: Black, USB 2.0 Connector, Supports speeds of up to 480Mbps.
307444	R 59	Manhattan 1.8M Micro USB B male to USB Micro A male - Colour:Black, USB 2.0, Supports speeds of up to 480Mbps.
307451	R 49	Manhattan 1M Micro USB A male to USB Micro A male cable - Colour:Black, USB 2.0, Nickle-plated contacts, Supports speeds of up to 480Mbps.
307468	R 59	Manhattan 1.8M Micro USB A male to USB Micro A male cable - Colour: Black, USB 2.0, Supports speeds of up to 480Mbps, Nickle-plated contacts.
307482	R 49	Manhattan 1M Micro USB B male to USB Micro B male cable - Colour: Black, USB 2.0, Supports speeds of up to 480Mbps, Nickle-plated contacts.
307499	R 59	Manhattan 1.8M Micro USB B male to USB Micro B male cable - Colour: Black, USB 2.0, Supports speeds of up to 480Mbps, Nickle-plated contacts.
332804	R 59	Manhattan AM-MINI B4M 1.8M CABLE - USB2.0
353373	R 99	Manhattan USB 3.1 Gen2 Cable - Type-C Male / Type-A Male, 1m, 3A, Black
354998	R 149	Manhattan SuperSpeed USB C Device Cable - USB 3.1, Gen 1, Type-C Male to Type-B SuperSpeed Male, 5 Gbps, 2 m (6 ft.), Black, Retail Box
394239	R 189	Manhattan iLynk Lightning Cable Type A Male to 8 Pin Male, 1 m (3 ft.), Purple, Retail Box
68900	R 140	Goobay 68900 USB 2.0 Hi-Speed 1.8m Cable - Black
68902	R 167	Goobay USB 2.0 Hi-Speed 5m Printer cable - Black, Supports High-Speed Data transfer rates up to 480 Mbps
68904	R 155	Goobay 68904 USB 2.0 Hi-Speed extension cable - Black - 3m
68905	R 167	Goobay 68905 USB 2.0 Hi-Speed extension cable - Black - 5m
6959144007809	R 229	Promate LinkmateDuo White Dual-ended Charge and Sync cable for Apple Lightning and Micro-USB Devices.
75739	R 229	Goobay Black/Grey USB-C Textile 60W PD 1.5m Cable
77741	R 206	Goobay Blue USB-C Silicone 1.5m Cable
77742	R 206	Goobay Yellow USB-C Silicone 1.5m Cable
77743	R 206	Goobay White USB-C Silicone 1.5m Cable
77744	R 206	Goobay Turquoise USB-C Silicone 1.5m Cable
77745	R 206	Goobay Purple USB-C Silicone 1.5m Cable
77746	R 206	Goobay Pink USB-C Silicone 1.5m Cable
9161815121203	R 39	Promate linkMate.U3 Premium Super-Speed Type-A to Type-B USB 3.0 Cable, connects to compatible printer, scanner or other USB peripherals for super-speed data transmission. Made from flexShield PVC coated copper material, this USB 3.0 cable delivers data transmission of up to 5 Gbps with error-free performance and supports hot-plugging feature, Works with all USB 3.0 devices, the linkMate.U3 is also fully backward compatible with all USB 2.0
93181	R 144	Goobay 93181 USB 2.0 Type-A male to Micro-B Hi-Speed cable - Black - 1.8m
939-001799	R 6,370	Logitech VC strong USB 3.1 cable 10m length
939-001799-S	R 6,496	Logitech VC strong USB 3.1 cable 10m length - Serialised, USB 3.2 Gen 2 Active Optical cable, USB Type-A (Male) to USB Type-C (Male), USB 10 Gbps Throughput, 200 newtons tensile strength, 1000 kg Crush load
939-001802	R 15,393	Logitech VC strong USB 3.1 cable 25m length, USB 3.2 Gen 2 active optical cable, USB Type-A (Male) to USB Type-C (Male), Superspeed USB 10Gbps Throughput, 200 newtons tensile strength, 1000 kg crush load

93928	R 178	Goobay 93928 USB 3.0 Male to Male Superspeed cable - Black - 1.8m
93929	R 183	Goobay 93929 USB 3.0 Male to Male Superspeed cable - Black - 3m
93998	R 164	Goobay 93998 USB 3.0 Superspeed extension cable - Black - 1.8m
93999	R 178	Goobay 93999 USB 3.0 Superspeed extension cable - Black - 3m
95119	R 459	Goobay 95119 Active USB 2.0 extension cable - Black - 10m, Integrated booster for a Lossless signal transmission, Maximum of 2 extensions can be connected for a total length of 20 metres, No Power adaptor required
95169	R 171	Goobay 95169 USB 3.0 Type-A to Micro-B Superspeed cable - Black - 1m
95726	R 196	Goobay 95726 USB 3.0 Superspeed extension cable - Black - 5m
A006-USB	R 35	Mecer A006-USB USB Printer Cable
A33003-B	R 138	Astrum OC020 Mini USB Male to USB Female OTG Cable; USB 2.0; OTG support; up to 480 Mbps; 20 cm cable; copper conductor; triple braid shielding; PVC jacket; Black
A33004-B	R 138	Astrum OD020 Black Micro USB Male to USB Female OTG Cable; USB 2.0; OTG; up to 480Mbps; 20cm cable; copper conductor; triple braid shielding; PVC jacket; 3.5mm cable OD; compatible Android devices with OTG support
A33101-B	R 138	Astrum UE201 USB 2.0 Male to Female 1.8m Extension Cable; up to 480Mbps; copper conductor; triple braid shielding; PVC jacket; black; 28AWG; 3.5mm cable OD
A33103-B	R 138	Astrum USB Extension Cable, USB2.0 CABLE 3.0M TYPE A-F EXTENSION BLACK
A33105-B	R 138	Astrum UE205 USB v2.0 5m USB-A Male to Female Extension Cable; up to 480Mbps; copper conductor; triple braid shielding; PVC jacket; black; USB extension cable
A33301-B	R 138	Astrum UM201 Black USB 2.0 Male to Male 1.8m Device Cable
A33401-B	R 138	Astrum UD115 Black USB 2.0 to Micro USB Charge & Sync 1.5m Cable; USB 2.0 Type-A to Micro USB; 1.5m cable; Black; up to 480Mbps; up to 2A charging; Copper conductor; Braid triple shielding; PVC jacket; Charge and sync
A33515-B	R 138	Astrum UC115 Black USB 2.0 to Mini USB Charge & Sync 1.5m Cable
A33601-B	R 138	Astrum UB201 Black USB 2.0 Male to Male 1.8m Printer Cable; USB 2.0; USB Type-A Male to USB Type-B Male; 1.8m cable; up to 480Mbps; copper conductor; triple braid shielding; PVC jacket; black; printer and scanner cable
A33603-B	R 138	Astrum UB203 USB 2.0 Male to Male 3.0m Printer Cable; 480Mbps; nickel plated connectors; bare copper conductor; fully shielded; PVC jacket; black; printer cable; scanner cable
A33605-B	R 138	Astrum UB205 USB 2.0 Male to Male 5.0m Printer Cable; 480Mbps; Copper conductor; Triple braid shielding; PVC jacket; Black; Printer and scanner cable
A33610-B	R 91	Astrum UB203 USB 2.0 Male to Male 3.0m Printer Cable; up to 480Mbps; copper conductor; triple braid shielding; PVC jacket; black; plug-and-play; printer and scanner compatible
A33820-B	R 138	Astrum UT320 USB-C - USB2.0 Cable, Type-c male - USB male, data/ sync for mobile/ tablets, 1.8A, 2.0Meter, Black
A34704-B	R 138	Astrum UB318 USB 3.0 Male to Male 1.8m Printer Cable, Usb am male - bm male, USB3.0, Printer / device cable for multi use, 1.8 Meter, Black
A53062-B	R 138	Astrum UT620 USB 3.0 to USB-C Charge & Sync Cable; 1m cable; braided design; aluminum connectors; up to 3.0A charging; up to 5Gbps data transfer; plug and play; USB-C smartphones and tablets; Black
A53102PB	R 138	Astrum VERVE UM20 USB - MICRO USB 2.0A 1.0M CABLE
A53102PW	R 138	Astrum Verve UM20 White 2A USB-A to Micro USB Charge & Sync 1.0m Cable
A53112PB	R 138	Astrum VERVE UC20 USB - USB-C 2.0A 1.0M CABLE
A53113BB	R 138	Astrum VERVE UC30 USB - USB-C 3.0A 1.0M BRAIDED
A53113BW	R 138	Astrum VERVE UC30 USB - USB-C 3.0A 1.0M BRAIDED
A53131PB	R 138	Astrum VERVE CC60 Black USB-C to USB-C 60W 1.0M Cable
ADA017	R 17	Microworld Micro USB Male to Mini USB Female Connector *USB Micro Male == USB Mini Female*
ADA070	R 29	Microworld Micro USB Female to Micro USB Male OTG
AM-20001-BK	R 92	Amplify USB Type C cable

AMP-20001-BK	R 75	Amplify Pro Charge Series micro USB charge cable, Black
AMP-20003-BKBL	R 68	Amplify Linked series black/blue 2m Micro USB braided cable
AMP-20003-BKRD	R 69	Amplify Pro Linked series Micro USB braided cable - 2 meter - black/red
AMP-20005-BK	R 115	Amplify Linked series Black 3 in 1 charge cable - Micro USB, Type-C, Lightning
AMP-20009-BKSA	R 92	Amplify Linked series Black 1m USB to Lightning braided cable
AMP20001BK	R 152	Amplify Black Pro Charge Series micro USB charge cable
AMP6008/BK	R 79	Amplify USB Male to Male cable - 2m, Black, Nickel plated connector
AMP6011/BK	R 86	Amplify USB to Mini USB Cable - Charge & Data - 1.8m, Black, Nickel plated connector
AP09031-W	R 79	Bone Collection Link II Mini USB Type ' B ' (5-pin) USB plug - Compatible with all USB devices such external hard drives, digital cameras - White, Retail Box
AUAB2015BB	R 32	Astrum UAB20B 1.5m USB 2.0 480Mbps USB-A to USB-B Braided Printer Cable; copper conductor; USB 1.1 backward compatible; black; printer and scanner cable
AUAB2020B	R 28	Astrum UAB20 Black 2m USB 2.0 USB-A to USB-B 480Mbps Printer Cable; 480Mbps; 2m cable; Black; USB 1.1 backward compatible; Printer and scanner connectivity
AUAB2050B	R 43	Astrum UAB20 5m USB 2.0 480Mbps USB-A to USB-B Printer Cable; copper conductor; triple shielding; PVC jacket; 3.5mm cable diameter; black; USB 1.1 backward compatible; printers; scanners; multifunction devices
AUAC2010BB	R 31	Astrum UAC20B Black 1.0m USB 2.0 3A Braided USB-A to USB-C Cable; up to 480Mbps data transfer; 3A charging; 5V/3A; 15W maximum charging power; braided jacket; tin copper EMI/RFI shielding; SR bend protection
AUAF2020B	R 25	Astrum UAF20 Black 2.0m USB 2.0 480Mbps USB-A Extension Compatible Cable; soft PVC jacket; tin copper EMI/RFI shielding; 3.5mm cable diameter; moulded connectors; long strain relief; USB 1.1 backward compatible
AUCL2010BB	R 54	Astrum UCL20B Black 1.0m Braided USB-C to Lightning Cable; 3A charging; USB 2.0; up to 480Mbps; braided nylon jacket; reinforced connectors; nickel-plated connectors; black; compatible Lightning devices
BHR6032GL	R 144	Xiaomi 6A Type-A to Type-C USB Cable
BO-20007-GD	R 92	Bounce Cord series Micro USB cable braided 1.2meter - rose gold
BO-20008-GD	R 109	Bounce Cord series 2m Champagne Gold Micro USB Braided Cable
BO-20009-GD	R 115	Bounce Cord series 2m Champagne Gold USB Type-C Braided Cable
CA-A22-AK	R 98	Adata AMCL22IN1-100CMK-CBK USB 2.0 2-in-1 universable sync charge cable, black - aluminum housing nylon braided cable - Apple MFi certified - 100cm - USB2.0 to miCroUSB type-C
CA-AU-AK	R 48	Adata AMUCAL-100CMK-CBK U-cable - Aluminium with metallic braiding, Black - 100cm - reversible USB type-A to microUSB sync charge, with 24 AWG copper wire for 2.4A fast charge
CA-AU-ARG	R 51	Adata AMUCAL-100CMK-CRG U-cable - Aluminium with metallic braiding, Rose Gold - 100cm - reversible USB type-A to microUSB sync charge, with 24 AWG copper wire for 2.4A fast charge
CA-CCG2-J	R 230	J5create JUCX03 type-C to type-C Gen2 (10Gb/s) fast data Transfer 60W/3A fast charge - 90cm - retail pack
CA-CCG2-JK	R 263	J5 Create JUCX19L12B - USB-C to USB-C Gen2 cable, black, 1.2m, 10Gbps, 100W PD
CA-CCG3-J	R 376	J5create JUC28L08 type-C to type-C USB4 Gen3 (40Gb/s) - built-In E-Marker chip with Thunderbolt4 support, support DisplayPort Alt Mode, 100W (20V/5A) PD, support 7680x4320@60Hz 8K UHD - 80cm - retail pack
CA-CCU2-J	R 198	J5create JUCX04 type-C to type-C usb2 cable, supports Power Delivery 2.0 up to 5V / 3A - 90cm - retail pack
CA-CCU2-J+o	R 342	J5create JUCP14 type-C to type-C usb2 cable OLED dynamic power meter (6-in-1 displays meter for voltage/ amp/ watt/ mAh/ timer/ direction), supports Power Delivery 2.0 up to 100 Watts/5 Amps - 120cm - retail pack
CA-CCU2-J2	R 220	J5create JUCX25L18 Type-C to Type-C 2m cable, with pd qc up to 100W 20v/5a, Double-braided polyester cover with stretch resistant, Metalized Mylar shielding, Built-In e-marker Chip with Thunderbolt support
CA-CCU2-J3	R 286	J5create JUCX25L30 Type-C to Type-C 3m cable, with PD QC up to 100W 20v/5a, Double-braided polyester cover with stretch resistant, Metalized Mylar shielding, Built-In E-marker Chip with Thunderbolt support
CA-CCU2R-J+o	R 319	J5create JUCP15 type-C to type-C usb2 Right-angled cable OLED dynamic power meter (6-in-1 displays meter for voltage/ amp/ watt/ mAh/ timer/ direction), supports Power Delivery 2.0 up to 100 Watts/5 Amps - 120cm - retail pack
CA-CU2A-J+o	R 286	J5 create JUCP13 usb2 type-C to type-A cable OLED dynamic power meter (5-in-1 displays meter for voltage/ amp/ watt/ mAh/ timer), supports Power Delivery 2.0 up to 60 Watts/3 Amps - 120cm - retail pack

CA-CU2C-J	R 135	J5create JUCX09 usb3.1 type-C to Usb2 miCro - 180cm cable; USB 2.0; up to 480Mbps; up to 3A charging; reversible USB-C connector; white; retail pack
CA-CU2M-J	R 135	J5create JUCX10 usb3.1 type-C to Usb2 Mini; 480Mbps; 3A charging; 180cm cable; plastic housing; black; retail pack
CA-CU3A-A	R 86	Adata ACA3AL-100CM-CSV USB3.1 (gen1/5Gb/s) type-C to type-A cable - 5Gb/s data Transfer - 100cm - retail pack
CA-CU3A-J	R 208	J5create JUCX06 USB3.1 type-C to USB3 type-A - 90cm; 5Gbps transfer; 3A charging; reversible USB-C connector; retail pack
CA-CU3M-J	R 198	J5create JUCX07 USB3.1 type-C to USB3 Micro-b (for external USB 3.0 enclosure/HDD) - up to 5Gbps; 3A; 90cm cable; plastic housing; approximately 30g; external HDD enclosure cable; retail pack
CA-JALC15-K	R 319	J5create JALC15 Black sync charge cable, right-angled design - type-C/Thunderbolt to Lightning 8pins - aluminum housing PET tough braided wire cable - Apple MFi certified - 120cm
CA-JML11-R	R 153	J5create JML10/JML11 Rose gold 2-in-1 universable sync charge cable - aluminum housing nylon braided cable - Apple MFi certified - 100cm - USB3.0 to miCroUSB Lightning 8pins
CA-JMLC10-R	R 242	J5create JMLC10 Rose gold 3-in-1 universable sync charge cable - aluminum housing nylon braided cable - Apple MFi certified - 100cm - USB to miCroUSB Lightning 8pins type-C
CA-U1MP	R 29	Usb 2.0 type A to Mini Usb - 1m - with 2 x USB2.0 to supply more power (normally to use with 2.5" enclosure that don't need ac-adapter)
CA-U2	R 40	2m usb 2.0 cable (type A - type B)
CA-U2C	R 35	Samsung ea-CB5MU05E Usb2.0 to Micro usb cable
CA-U2E	R 40	Unbranded 2m usb 2.0 extension cable (type A male - type A female) - passive , non-powered
CA-U2M	R 25	Usb 2.0 type A to Mini Usb - 2m
CA-U2VR	R 30	Vizo starlet USB-2M-RD 2m usb 2.0 cable (type A - type B) - UV Led Red, retail pack
CA-U2VY	R 32	Vizo starlet USB-2M-YL 2m usb 2.0 cable (type A - type B) - UV Led Yellow, retail pack
CA-U3	R 40	Unbranded 3m USB 2.0 cable (type A - type B) - for usb2.0 / usb3.0 host or device
CA-U31E	R 52	Lian-li pw-ioU3 Usb 3.0 cable 1m Extension (type A - type A) - for usb 2.0 or 3.0 host , but not for usb2.0 device
CA-U32	R 38	Usb 3.0 cable 2m (type A - type B) - for usb 2.0 or 3.0 host, but not for usb2.0 device
CA-U32E	R 85	Unbranded Usb 3.0 cable 2m Extension (type A male - type A female) - for usb 2.0 or 3.0 host, but not for usb 2.0 device *2m USB3.0 Type A Male == USB3.0 Type A Female for USB3.0 devices*
CA-U32M	R 77	Unbranded Usb 3.0 cable 2m (type A - Micro type B) - for usb 2.0 or 3.0 host but not for usb 2.0 device
CA-U33	R 48	Unbranded USB 3.0 3m cable (Type-A to Type-B), For USB 2.0 or 3.0 Host, But not for USB 2.0 device *3m USB3.0 Type A == USB3.0 Type B for USB3.0 devices*
CA-U33E	R 91	Unbranded Usb 3.0 cable 3m Extension (type A male - type A female) - for usb 2.0 or 3.0 host, but not for usb 2.0 device *3m USB3.0 Type A Male == USB3.0 Type A Female for USB3.0 devices*
CA-U33M	R 76	Unbranded Usb 3.0 cable 3m (type A - Micro type B) - for usb 2.0 or 3.0 host but not for usb 2.0 device
CA-U35	R 109	Usb 3.0 cable 5m (type A - type B) - for usb 2.0 or 3.0 host, but not for usb2.0 device
CA-U35E	R 183	Vantec CB-USBARC-3 USB 3.0 cable 5m Extension cable (type A - type A) active - for USB 2.0 or 3.0 host, but not for usb2.0 device - retail pack
CA-U3E	R 75	3m usb 2.0 extension cable (type A male - type A female) - 1 port - ideal for wireless network USB adapter or other USB device
CA-U5	R 63	5m usb 2.0 cable (type A - type B)
CAB-5IN1-USB2-MICRO	R 76	Unitek Y-C4007BK 5-in-1 Premium USB2.0 Micro USB Cable Pack
CAB-HDMI2.0-MM-2M-U	R 178	Unitek C1048GB 2m HDMI2.0 4k Male To Male Cable
CAB-HDMI2.0-MM-3M-U	R 201	Unitek 3m HDMI2.0 4k male to male cable (C1049GB)
CAB-MICRO-GOOSE-1M	R 132	LinkQnet 1m USB to Micro USB gooseneck cable, SNK-AM-MICROB-1M
CAB-MICUSB-LIG-0.3BL	R 126	Unitek Y-C440ABL Blue 0.3m USB to Micro USB & Lightning cable
CAB-MICUSB-LIG-1M-RT	R 135	Unitek Y-C440D 1m retract USB to lightning cable
CAB-USB-1.5M-U	R 54	Unitek USB 2.0 to Micro USB Charging Cable, Y-C434GBK
CAB-USB-2M-U	R 35	Unitek Y-C4001GBK 2m USB 2.0 Type-A male to USB Type-B male cable

CAB-USB-3IN1-1.2-U	R 110	Unitek 1.2m 3-IN-1 USB charging cable (Type-C / Micro USB / Lightning), C4049RD
CAB-USB-3IN1-M	R 171	Unitek Y-C4036ARG 1m USB 2.0 to Micro USB Multi Charging Cable with USB-C / Lightning Adapter - Rose Gold
CAB-USB-3IN1-U	R 196	Unitek Y-C4036ASL 1m 3in1 USB 2.0 cable MFi, Type-C, Lightning, Micro USB
CAB-USB-5M-AMBM-L	R 74	Lindy 5m USB2.0 A-male To B-male Cable - Anthra (36675)
CAB-USB-A-USB-B-1.5M	R 20	Unitek 1.5m USB Type-A to USB-B Printer cable, C14167A, 480 Mbps transfer Speed, PVC material
CAB-USB-AB2	R 35	Baobab USB 2.0 A Male to B Male Printer Connection Flat Cable - Blue (1.8m)
CAB-USB-AM-AF-15M	R 680	Unitek USB Type-A Male to Type-A Female extension cable - 15m, Y-3003c, USB 5Gbps Male upstream, USB 5Gbps Female downstream
CAB-USB-AM2 Special	R 43	(On Promotion) Baobab USB2.0 A/M To Mini-A 5 Pin Male Cable
CAB-USB-AMBM-0.5M-L	R 29	Lindy 0.5m USB 2.0 cable Type-A male to Type-B male Anthra line, 36681
CAB-USB-AMBM-3M-L	R 120	Lindy Anthra Line 3m USB 3.0 Typ A to B Cable
CAB-USB-C-100W-0.8M	R 293	Unitek C14100BK 0.8m USB4 Type-C Male to Male 100W cable, 30AWG tinned Copper conductors, TPE cable jacket, USB-C PD Maximum 100 W 20V 5A (From PD charger) Input, USB-C PD Maximum 100W 20V 5A Output
CAB-USB-C-3.1-2M-U	R 240	Unitek USB-C Power Delivery 3.1 240W Braided cable - 2m, C14110GY-2M, Nylon Braided cable, Built-In E-marker Chipset ensures safe charging
CAB-USB-EXT-10M-BK-U	R 377	Unitek USB 2.0 active extension cable over 10m, Y-278
CAB-USB-EXT-10M-U	R 354	Unitek USB 10m active extension cable, Y-272
CAB-USB-EXT-5M-BLK-U	R 147	Unitek Y-277 Black 5m USB 2.0 active extension cable
CAB-USB-EXTA-20M-U	R 489	Unitek Y-279 20m USB 2.0 active extension cable, Additional USB Type-A Port for Power Supply
CAB-USB-EXTP-0.5M-U	R 25	Unitek Y-C447GBK 0.5m Passive USB 2.0 Extension Cable *0.5m USB2.0 Type A Male == USB2.0 Type A Female*
CAB-USB-EXTP-1M-LIN	R 36	Lindy Anthra Line 1m USB 2.0 Type A Extension Cable
CAB-USB-EXTP-1M-U	R 38	Unitek 1m passive USB 2.0 extension cable, Y-C428GBK
CAB-USB-EXTP-2M-U	R 45	Unitek Y-C450GBK 2m Passive Usb2 Extension Cable *2m USB2.0 Type A Male => USB2.0 Type A Female*
CAB-USB-EXTP-3M-U	R 53	Unitek Y-C417GBK 3m Passive Usb2 Extension Cable *3m USB 2.0 Type A Male == USB 2.0 Type A Female*
CAB-USB-EXTP-5M-U	R 68	Unitek Y-C418GBK 5m Passive Usb2 Extension Cable *5m USB2.0 Type A Male == USB2.0 Type A Female*
CAB-USB-MICBM-1M-U	R 30	Unitek USB 2.0 to Micro USB charging cable, Y-C451GBK, For Sync and charging
CAB-USB-MICBM-3M-U	R 61	Unitek 3m USB Type-A Male to Micro USB male cable, Y-C435GBK
CAB-USB-MICBM-AF-0.2	R 15	Unitek Y-C438GBK USB 2.0 Micro-B male to USB Type-A female OTG cable
CAB-USB-MICRO-0.5ML	R 29	Lindy Anthra Line 0.5m USB 2.0 Type A to Micro-B Cable
CAB-USB-MICRO-2M-U	R 38	Unitek Y-C455GBK 2m Usb2.0 Male To Micro Male Cable *2m USB2.0 Type A Male == USB2.0 Micro type-B Male*
CAB-USB-MINI-1.5M-U	R 35	Unitek 1.5m Mini USB 2.0 cable, Y-C1432EBK, 28AWG cable, PVC material
CAB-USB-MINI-3M-U	R 45	Unitek 3m USB 2.0 Male to Mini USB cable, Y-C1433EBK
CAB-USB-TYPE-C-0.5ML	R 64	Lindy Anthra Line 0.5m USB 2.0 Type C to A Cable
CAB-USB2-3M-CL	R 146	Lindy Cromo Line 3m USB 2.0 Type A to B Cable
CAB-USB2-AMBM-3M-U	R 53	Unitek 3m USB 2.0 Type-A Male to USB Type-B Male cable, Y-C420GBK
CAB-USB2-AMBM-3M-U	R 180	Unitek 3m USB 2.0 Type-A Male to USB Type-B Male cable, Y-C420GBK
CAB-USB2-AMBM-5M-U	R 86	Unitek 5m USB2.0 A(M) to USB2.0 B(M) Cable (Y-C421GBK)
CAB-USB2-CM-2M-PD-U	R 144	Unitek 2m USB2.0 PD 100W type-c cable (C14059BK)
CAB-USB2-EXT-20M-U	R 649	Unitek Y-274 Aluminium 20m Usb2.0 Extension Cable *20m USB2.0 Type A Male == USB2.0 Type A Female DC Powered*
CAB-USB2-MICROB-1ML	R 36	Lindy 1m USB 2.0 Type-A male to Micro-B cable Anthra, 36732
CAB-USB2-MINI-05ML	R 29	Lindy 0.5m USB 2.0 Type A Male to Mini-B cable (36721)
CAB-USB2-MM1.5M-U	R 24	Unitek Y-C442GBK 1.5m Black USB 2.0 Male-male Cable *1.5m USB2.0 Type A Male => USB2.0 Type A Male*
CAB-USB3-3IN1-C14049	R 110	Unitek 3-in-1 1.2m USB Type-A to USB-C / Micro USB / Lightning multi charging cable, C14049BK
CAB-USB3-AM-MICB-F2M	R 196	Lindy 2m USB 3.0 Flat A-m To Micro-b Cable
CAB-USB3-AMAM-2M-LIN	R 98	Lindy 3m USB 3.0 Type-A male to USB 3.0 Type-A male cable - Anthra, 36752
CAB-USB3-AMAM-3ML	R 120	Lindy 3m USB 3.0 Type-A male to USB 3.0 Type-A male cable - Anthra, 36753

CAB-USB3-AMAM-5M-LI	R 146	Lindy 5m USB 3.0 Type-A Male to Type-A Male Black cable, 36754, PVC housing material, Gold Connector plating, Brass pin construction, 24AWG conductor Gauge Power, 28AWG conductor Gauge Data, Aluminium magnesium braid shielding, 5Gbps supported Bandwidth
CAB-USB3-AMBM-1.5M-U	R 75	Unitek 1.5m USB 3.0 Type-A male to USB 3.0 Type-B male cable, Y-C4006GBK
CAB-USB3-AMBM-1.8M	R 78	Unbranded 1.8m USB 3.0 Type-A male to Type-B male cable, Cab-usb 3-AM-AF-1.8M
CAB-USB3-AMBM-1.8M-K	R 61	Unbranded 1.8m USB 3.0 Type-A male to Type-B male cable
CAB-USB3-AMBM-5M-LIN	R 137	Lindy Anthra Line 5m USB 3.0 Type A to B Cable
CAB-USB3-AMCM-3M-U	R 144	Unitek USB 3.0 to USB-C charging cable, Y-C474bk
CAB-USB3-CM-AF-20CM	R 97	Unitek Y-C476BK 20cm USB 3.0 Type-c Male To Type-a Female Extension Cable; 20cm; Up to 5Gbps data transfer; 4mm cable diameter; Reversible Type-C connector; Nickel plated connectors; Black; Sync and charging support
CAB-USB3-CM-AM-1M-U	R 74	Unitek Y-C474BK Type-a USB 3.0 To Type-C Charging And Sync Cable; up to 5Gbps data transfer; 1m length; reversible USB-C connector; charging and sync; black; 4.0mm cable diameter
CAB-USB3-CM-CM-1M-U	R 132	Unitek Y-C477BK USB 3.0 Type-C Cables; up to 5Gbps; 1m cable; black; USB 2.0 and USB 1.1 backward compatible; copper construction; data synchronisation and charging
CAB-USB3-EXTA-10MU	R 851	Unitek 10m USB 3.0 active extension cable, Y-3005
CAB-USB3-EXTA-5M-U	R 454	Unitek 5m USB 3.0 active extension cable Aluminium, Y-3004
CAB-USB3-EXTP-2M-U	R 70	Unitek Y-C459GBK 2m Usb3.0 Extension Cable *2m USB3.0 Type A Male == USB3.0 Type A Female*
CAB-USB3-MICRO-2M-CL	R 196	Lindy 2m CROMO USB 3.0 Type A Male to Micro-B Cable
CAB-USB3-MICRO-3MVB	R 78	VCOM 3m USB 3.0 Type-A male to Micro-B male cable, CU311-3.0 blister
CAB-USB3-MICROB-3M-L	R 127	Lindy 36768 3m USB 3.2 Type-A to Micro-B cable Anthra
CAB-USB3-TC-0.5M-U	R 215	Unitek 0.5m USB-C extension cable with 4K@60hz / 100W Power Delivery / 10Gbps Data (USB 3.2 Gen2), C14086BK
CAB-USB3-TC-1.5M-U	R 260	Unitek USB 3.1 4K 100W PD 10Gbps Type-C extension cable, C14086BK
CAB-USB3.0-M-M-1.5M	R 54	Unitek 1.5m USB 3.0 Male to Male cable, C14102BK, USB Type-A to USB Type-A cable Type, 28AWG cable, Data transfer rates up to 5Gbps
CAB-USB3.1-C-EXTA-5M	R 422	Unitek U305A 5m USB 3.1 GEN1 Type-C active extension cable
CAB-USB3.1C-A-EXTA5M	R 422	Unitek U304A 5m USB 3.1 GEN1 Type-C to Type-A Active extension cable
CAB004	R 35	Microworld USB Extension Cable Male to Female 1.8m *1.8m USB2.0 Type A Male == USB2.0 Type A Female*
CAB005	R 46	Microworld USB Extension Cable Male to Female 3.0m long; suitable for compatible USB peripherals and computer connections
CAB007	R 81	Microworld USB 3.0 Extension Cable 3m long
CAB009	R 104	Microworld USB 3.0 Extension Cable 5m long *5m USB3.0 Type-A Male == USB3.0 Type-A Female*
CAB011	R 114	Microworld USB Extension Cable Male to Female 5.0m with Booster *5m USB 2.0 Male == USB 2.0 Female*
CAB026	R 21	Microworld USB A Male to Mini Male USB Cable 1.2m long *1.2m USB2.0 Type-A Male == USB2.0 Mini Male*
CAB029	R 23	Unbranded USB Male to USB Male Data Cord 1.8m long
CAB040	R 40	Unbranded 2x USB to Mini USB Camera Cable
CAB072	R 311	Microworld USB 2.0 Extension Cable 20m with Booster
CAB343-BBL	R 103	Volkano Slim Series Blue Micro USB Cable
CAB70	R 201	Microworld USB 2.0 Extension Cable Male to female 10m long with Booster
CAB71	R 259	Microworld USB Extension Cable Male to Female 15m with Booster
CAB98	R 35	Microworld USB Male to Male 3m Blue color
CAB999	R 35	Microworld right angle USB 2.0 to USB Type-B cable
CAC-1404-CLUB3D	R 718	Club 3D CAC-1404 USB 3.2 Gen1 active Repeater cable 5m 28AWG cable, USB 3.2 Gen1 male Input, USB 3.2 Gen1 Female Output
CAC-1526-CLUB3D	R 121	Club 3D CAC-1526 USB 3.2 Gen1 Type-C to Micro USB Cable - M/M 1m /3.28ft
CAC-1527-CLUB3D	R 549	Club 3D CAC-1527 USB Type-C Y charging cable to 2x USB Type-C Maximum 100W, PD2.0/3.0, QC2.0/3.0, charge two USB Type-C devices simultaneously up to 98W Maximum - only 1 in PPS Mod
CAC-1535-CLUB3D	R 875	Club 3D CAC-1535 USB 3.2 Gen2 Type C to C Active Bi-directional Cable - 8K60Hz M/M 5m/16.4ft

CAC-1589-CLUB3D	R 3,275	Club 3D CAC-1589 USB Gen 2 Type C Active Optical Cable - A/V Unidirectional M/M 20 m/ 65.62 ft
CAUSB2 1.8	R 33	Unbranded USB cable 1.8m
CBB21UF	R 276	Urban Factory Cable Apple mini Display with audio HDMI
CER3-15-V1-WH-P	R 92	Orico White 1.5m USB3.0 AM to AF Round Cable, USB extension cable
CH-BAiUo	R 109	Bitfenix BFA-MSC-iUSB30SK-RP alchemy multisleeved(1) cable - 30cm - internal usb header extension cable - orange
CNE-USBM1B	R 82	Canyon UM-1 Micro USB cable - 1m - Black
CNV-USB-SER-ADA-V2	R 242	Unitek Y-108 1.5m USB2.0 to Serial Converter
CNV-USB1-EXT-RJ45-U	R 420	Unitek USB1.1 extension over RJ45 - Up to 60m, Y-UE01001
Co-U2M	R 23	Unbranded Usb 2.0 type A to Mini Usb - Converter
CT-AMCMG1-AG-1M	R 84	CableTime 1m Wholesle USB-A to USB-C Cord 5Gbps Data and 3A Charging Cable. The Cabletime CT-AMCMG1-AG-1M is a 1-meter USB 3.0 Type-A to Type-C cable designed for fast data transfer and charging. With a data rate of up to 5Gbps and a charging current of up to 3A, it is suitable for connecting USB-A devices to USB-C devices. The cable features a durable black matted PVC jacket with a braided nylon cover, ensuring long-lasting performance.
CT-C160-U3-AMBM-BL2	R 167	CableTime CA12L PVC USB 3.0 Type-A male to Type-B male Printer cable - 2m, 5Gbps USB 3.0 transmission rate, Nickle plated
CT-C160-U32(3A)CMAM2	R 150	CableTime CA32L PVC USB Type-A 2.0 to USB Type-C 3A charge cable - 2m, Nickle plated, 480 Mbps transmission rate, 5V/3A Max charging Power
CT-C165-05G-B1	R 136	CableTime CA20H PVC USB Type-A 2.0 to Micro-B 2.4A charge cable - 1m, 480 Mbps transmission rate, 5V / 2.4A charging Power Max
CT-CM60-PBL1-1M	R 56	CableTime PD60W Blue 1m 60w USB-C Charge Cable
CU325	R 29	Unbranded USB 2.0 cable Type-A male to USB Micro - 1.2m
DELOCK-65914	R 144	Delock USB 10 Gbps USB Type-C Male to Female angled up/down, 65914
DELOCK-65915	R 144	Delock USB 10 Gbps USB Type-C Male to female angled left/right, 65915
DELOCK-83601	R 221	Delock 1m USB 2.0 Type-C to Type-B cable, 83601
DLC3106U/00	R 46	Philips USB to Micro USB cable - 2m
DLC5204A/00	R 52	Philips DLC5204A/00 USB A To C 1.2m Cable
DLC5204C/00	R 58	Philips Premium Braided USB-C to USB-C cable - 1.2m
DLC5204T/00	R 98	Philips 3-in-1 cable - Lightning / USB-C / Micro USB, 1.2m
DLC5206A/00	R 58	Philips DLC5206A/00 USB-A To USB-C Cable
EXTN1	R 81	Microworld USB Extension Cable 5m long without Booster; male to female; no booster; up to 480 Mbps; suitable for compatible USB peripherals
FWR004	R 25	Microworld USB A to Firewire 4 pin Male Cable; USB Type-A male; 4-pin FireWire male; male to male; 1.5m cable; fully moulded construction; transparent finish; legacy device connectivity
GC-USB3-2PL	R 92	Mecer 2 Port USB 3.0 cable with low profile bracket
GCPU2AB15	R 18	Gizzu USB 2.0 Printer cable - 1.5m, Copper conductor material, Up to 480 Mbps transmission rate
GCPU2L012-01	R 38	Gizzu USB-A to Lightning 12W 1M Cable
GCPU2L012-02	R 46	Gizzu USB-A to Lightning 12W 2M Cable
GCPU3UE10A	R 382	Gizzu USB 3.0 Active extension cable - 10m, Supports up to 5Gbps Data transfer rates, Copper conductor
GCPU3UE2	R 44	Gizzu USB 3.0 extension cable 2m, USB 3.0 Type-A (Male) to USB 3.0 Type-A (Female), Copper conductor, 2 metres cable length
GCPU3UE5	R 75	Gizzu USB 3.0 extension cable 5m - Blue, USB 3.0 Type-A (Male) to USB 3.0 Type-A (Female), PVC jacket and Copper conductor, 5 metres cable length, Supports up to 5Gbps Data transmission rates
GCPU3UE5A	R 181	Gizzu USB 3.0 Active extension cable 5m - Black, USB 3.0 Type-A (Male) to USB 3.0 Type-A (Female), 5Gbps Data Transfer Rate, Copper conductor, 5 metres cable length
GCUCMB1MB - Special	R 107	GIZZU Black USB-C to USB Micro B 1m Cable
GLF-CBL-GC-98M	R 56	Golf GC-98 Micro USB PVC tube cable - 1m, Fast charging 2.4A
KS-2000-GREY	R 138	Microworld USB Mobile Data Cable 4 in 1 Charger and sync Grey

KS-2000-PIN	R 138	Microworld USB Mobile Data Cable 4 in 1 Charger and sync Grey
KS-2101-BLK	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync Black
KS-2101-BLU	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync Blue
KS-2101-LIM	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync Lime
KS-2101-ORG	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync Orange
KS-2101-PNK	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync Pink
KS-2101-RED	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync Red
KS-2101-WHT	R 46	Microworld USB Mobile Data Cable 5 in 1 Charger and sync White
L706-65383	R 281	UGreen USB4 Gen4 240W USB-C to USB-C cable 1m - Black, 240W (PD 3.1) charging Power, Up to 16K@60Hz (DisplayPort 2.1), Dual 8K@60Hz, Triple 4k@144hz, Double-braided Nylon with Triple shielding, Smart E-marker Chip, Aluminium Connector housing
LC88	R 40	LDNIO Charging and Data Cable 2 in 1 For Apple, USB to Micro USB and Lightning connector
LS20MU	R 29	Ldnio Charging and Data Cable for Micro USB 1m long, USB to Micro USB
LS30A	R 40	Ldnio Charging and Data Cable for Apple 3m long, USB to Lightning connector
LS64	R 86	Ldnio LS64 Micro 2m USB Cable. Micro USB; 2 meters; Fast charging up to 5A; 120 copper strands for charging; 32 copper strands for data; Durable design; Compatible with smartphones, tablets, power banks
MT-U1030-S	R 46	MT-Viki USB 2.0 extension cable - 3m, USB 2.0 Male to Female cable, MT-U1030-S
MT-UD20	R 345	MT-Viki MT-UD20 20M USB2.0 Extension Cable
N301-10-SV-PRO	R 44	Orico Silver Micro USB ChargeSync 1m Cable
NA-JUC700	R 804	J5 create JUC700 USB3.0 to type-A data transfer cable with KVM switch - support USB3.0 touch screen display video extend/mirror DSS(Dual Systsem Swap) wormhole technology (allows copy/past Display/Keyboard/Mouse sharing between two devices/platform), PC only (windows-to-windows), 1.5m, USB3.0 5Gbps - for Windows only
NET-06C-60-HUB	R 304	Lucktek grommet USB 2.0 3x USB jack / 2x audio with 1.2m cable, LK-06C-60
OPPDCUSB2MA-AF	R 59	Digitech USB Extension Cable, OEM
PCC641	R 195	Polaroid PCC641 3-in-1 charging cable, Micro USB / Type-C / Lightning
RC1477U	R 2	Okion Spin-N-Go Retractable Cable Kit
RK-20005-BK	R 126	Rocka RK-20005-BKUSB Type-C to USB 3.0 1.5m cable - Black, Supports High-Speed 5Gbps Data transfer, Reinforced Black Metal Flexi jacket for durability, Supports charging and syncing, Plug-and-play functionality, 1.5 meter length for Flexible usage, Designed for Daily wear and Portable convenience
RK-20008-MX	R 126	Rocka RK-20008-MX Black Micro USB cable 1.8m, Supports charging and Data transfer, USB Type-A to Micro USB connectors, Durable PVC Outer jacket, 2.1A current support
SC-JCC154	R 485	J5create JCC154g type-C/Thunderbolt3 to HDMi Cable (male - direct to display) with separate 5V type-A pass-through, ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160@60Hz), 1200mm cable to HDMi 1800mm cable to type-C/Thunderbolt3 - USB-powered
SJV4110GL	R 102	Xiaomi Mi USB Type-C Braided 1m Cable - Red
SY-03MU	R 35	LDNIO Charging and Data Cable USB to Micro USB 1m long
SY-LS372C	R 46	LDNIO USB to Type-C cable 2m
SY-LS421-C	R 69	LDNIO SY-LS421-C Elbow USB Type-C cable, 2.4A Output, 100cm length, Type-C 90 angle Elbow Data cable Sync & charge
SY-LS421-S	R 63	LDNIO 90 degree elbow USB Micro to USB 1m cable, 2.4A current, Charge & Sync
SY-LS63I	R 63	LDNIO Toughness 2.4A Lightning USB cable 1m, 2.4A current charge & Sync, USB Type-A to Lightning cable
SY-XS07C	R 46	LDNIO Type charging cable USB Type-A to USB Type-C 1 meter
U118L-B	R 45	Appacs U118 Round magnetic charging cable - 360Â° Lightning
U118M-B	R 45	Appacs U118 Round magnetic charging cable - 360Â° Micro-USB
U180L-B	R 35	Appacs U180 Right angle data cable - Lightning
U1872M	R 92	Microworld U1872M USB to Micro USB 90 degree 2m cable, charging & Data Sync
U187M	R 52	Appacs U187M USB To Micro USB - 90 Degree Cable
U212C-G	R 58	Appacs U212 Voice control data cable - Type-C

U212L-G	R 58	Appacs U212 Voice control data cable - Lightning
U212M-G	R 58	Appacs U212 Voice control data cable - Micro-USB
U217L-B	R 46	Appacs U217 Starlight smart power off charging cable - Lightning
U217M-B	R 46	Appacs U217 Starlight smart power off charging cable - Micro-USB
U23CC	R 92	Appacs U23CC USB-C TO USB-C 1M Cable
U23PD	R 86	Appacs U23PD TYPE USB-C to Lightning 1m Cable
U28F	R 58	Appacs U28F USB 3in1 Charge Cable - Charge Only
UCE260	R 1,781	Aten UCE260 USB 2.0 Cat 5 Extender (up to 60m)
UQ-USBEXT1.5M	R 29	UniQue USB Extension Cable - 1.5 Meter, Male To Female Cable, High-Quality Construction, Reliable Data Transfer, Durable Connectors, Connects To USB Peripherals Such As Printers, Keyboards, Mice, And External Hard Drives, Works With All USB-Enabled Devices, 3 Months Warranty
UQ-USBEXT10M	R 99	UniQue USB Extension Cable - 10 Meter, Male To Female Cable, High-Quality Construction, Reliable Data Transfer, Durable Connectors, Connects To USB Peripherals Such As Printers, Keyboards, Mice, And External Hard Drives, Works With All USB-Enabled Devices, 3 Months Warranty
UQ-USBEXT3M	R 39	UniQue USB Extension Cable - 3 Meter, Male To Female Cable, High-Quality Construction, Reliable Data Transfer, Durable Connectors, Connects To USB Peripherals Such As Printers, Keyboards, Mice, And External Hard Drives, Works With All USB-Enabled Devices, 3 Months Warranty
US103-10314	R 26	Ugreen USB 2.0 extension cable - Male to Female - 1m, 28AWG wire Gauge, 4.5mm OD, Up to 480 Mbps transfer Speed, Braided Nylon material
US103-10315	R 30	Ugreen USB 2.0 extension cable - Male to Female - 1.5m, 28AWG wire Gauge, 4.5mm OD, Up to 480 Mbps transfer Speed, Braided Nylon material
US103-10316	R 35	UGreen USB 2.0 extension cable - 2m - Male to Female, 480 Mbps Data transfer, Connector Configuration - Type-A Male to Type-A Female, Conductor material - tin-plated Copper, Shielding Type - foil and braid, Connector plating - nickel-plated, cable Outer Diameter - 4.5 mm
US103-10317	R 41	Ugreen USB 2.0 extension cable - Male to Female - 3m, 28AWG wire Gauge, 4.5mm OD, Up to 480 Mbps transfer Speed, Braided Nylon material
US103-10318	R 76	Ugreen USB 2.0 extension cable - Male to Female - 5m, 28AWG wire Gauge, 4.5mm OD, Up to 480 Mbps transfer Speed, Braided Nylon material
US128-10370	R 55	Ugreen USB 3.0 Male to Male cable - 1m, Up to 5 Gbps Data Transfer Rate, Oxygen-Free Copper conductors, Triple shielding, Gold-Plated connector plating, Up to 2A current support, 28 AWG
US128-10371	R 76	Ugreen USB 3.0 Male to Male cable - 2m, Up to 5 Gbps Data Transfer Rate, Oxygen-Free Copper conductors, Triple shielding, Gold-Plated connector plating, Up to 2A current support, 28 AWG
US129-10368	R 55	Ugreen USB 3.0 extension cable - Male to Female - 1m, Up to 5Gbps Data transfer Speed, 28AWG wire Core, Tin-plated bare Copper conductor material, Gold-Plated connector finish, Foil & braid shielding
US129-10373	R 74	Ugreen USB 3.0 extension cable - Male to Female - 2m, Up to 5Gbps Data transfer Speed, 28AWG wire Core, Tin-plated bare Copper conductor material, Gold-Plated connector finish, Foil & braid shielding
US129-30127	R 87	Ugreen USB 3.0 extension cable - Male to Female - 3m, Up to 5Gbps Data transfer Speed, 28AWG wire Core, Tin-plated bare Copper conductor material, Gold-Plated connector finish, Foil & braid shielding
US130-10840	R 41	Ugreen USB to Micro USB cable - 0.5m, Up to 5Gbps Data transfer Speed, 3A Max AC Adapter current, 22AWG tin-plated Copper Core material
US130-10841	R 59	Ugreen USB to Micro USB cable - 1m, Up to 5Gbps Data transfer Speed, 3A Max AC Adapter current, 22AWG tin-plated Copper Core material
US132-10355	R 30	Ugreen US132 USB to Mini USB 2.0 cable - 1m, up to 480 Mbps Data transfer Speed, 28AWG tin-plated Copper wire Core, 4mm Outer Diameter (OD)
US132-30472	R 38	Ugreen US132 USB to Mini USB 2.0 cable - 2m, up to 480 Mbps Data transfer Speed, 28AWG tin-plated Copper wire Core, 4mm Outer Diameter (OD)
US135-10350	R 38	Ugreen US135 USB 2.0 to USB-B Printer cable - 1.5m, Data transmission up to 480 Mbps, Gold-Plated connector Type, 28AWG tin-plated Copper Core cable Core, 4.5mm Outer Diameter (OD)
US135-10351	R 56	Ugreen US135 USB 2.0 to USB-B Printer cable - 3m, Up to 480 Mbps Data transfer Speed, Gold-Plated

		connectors, Flexible PVC jacket, 28AWG tin-plated Copper Core wiring
US135-20847	R 46	Ugreen US135 USB 2.0 to USB-B Printer cable - 2m, Up to 480 Mbps Data transfer Speed, Gold-Plated connectors, Flexible PVC jacket, 28AWG tin-plated Copper Core wiring
US210-10372	R 78	Ugreen US210 USB Type-A to USB Type-B Printer cable 2m - Black, 5Gb/s Data transfer, Nylon braid
USB-CBL-AM-M8	R 22	Unbranded Micro USB to USB Type-A cable - 0.8m
USB-RJXT	R 229	Microworld USB Extension 50m Over Ethernet
USB003	R 23	Unbranded USB to Micro USB - 1.5m long
USB101	R 23	Microworld USB Female to Micro USB Female Micro USB Male *USB2.0 Type-A Female == USB2.0 Micro Female USB2.0 Micro Male*
USB103	R 81	Microworld USB (m) to (f) (m) micro (m) cable
USB10M	R 81	Microworld USB A to USB B Device cable 10m long *10m USB 2.0 Type-A == USB 2.0 Type-B*
USB2TOM	R 29	Xmate USB 2.0 to Micro USB cable
USB2USB	R 14	Unbranded USB to USB Splitter Cable
USB3-A-MF-1.8M	R 69	Microworld USB 3.0 Male to USB 3.0 Female Extension cable 1.8m long *1.8m USB3.0 Type-A Male == USB3.0 Type-A Female*
USB3-AA-MM1.5M	R 92	Microworld USB 3.0 A Male to Male Data cable 1.5m long *1.5m USB 3.0 Type A Male == USB 3.0 Type A Male*
USB3.0	R 58	Microworld Micro USB 3.0 B to USB 3.0 Male cable 1.8m long *1.8m USB3.0 Micro Type-B Super Speed Male == USB3.0 Type-A Male*
USB3.0AM-USB3.0BM/60CM	R 39	Manhattan USB 3.0 cable Type-A male to Type-B 60cm
USB3.0M	R 92	Microworld USB 3.0 to Mini USB Cable 1.8m long *1.8m USB3.0 Type-A Male == USB3.0 Mini*
USB3001	R 29	Microworld 90 Degree USB 3 Male to USB 3 Female cable *90 degree USB3.0 Type-A Male == USB3.0 Type-A Female*
USB3M	R 40	Unbranded USB 2.0 A to USB 2.0 B cable 3m long
USB3THDDC3.0	R 69	UniQue High Speed USB Type A Male to Micro USB Type B 10 Pin Male Cable - USB 3.0 Type-A to Micro USB Type-B Male Interface, Fast Data Transfer, Sync And Charge Of Your Digital Devices, Up To 4.8Gbps Transfer Rate, Ideal for External Hard Drive Enclosures, Printers, Some Smart Phones With The Common Micro-B USB 3.0 Port, Cable Length 3 Metres, Colour Blue, Retail Box
USB3THDDC5.0	R 79	UniQue High Speed USB Type A Male to Micro USB Type B 10 Pin Male Cable- USB 3.0 Type-A to Micro USB Type-B Male Interface, Fast Data Transfer, Sync And Charge Of Your Digital Devices, Up To 4.8Gbps Transfer Rate, Ideal for External Hard Drive Enclosures, Printers, Some Smart Phones With The Common Micro-B USB 3.0 Port, Cable Length 5 Metres, Colour blue, Retail Box
USB5M	R 58	Digital world 5m USB type A to type B Printer Cable (Colour may differ from image)
USBA-B5MHD	R 115	Cirago USB Type-A to USB Type-B Long Gray Printer cable - 5m, Heavy Duty NRCS approved, USBA-B5MHD
USBAM TO AF	R 80	Microworld 3m USB extension cable v2.0 (Male - Female). Extend USB2.0 cables by 3meters. Ideal for printers and other USB devices that requires an existing USB cable to be longer.
USBC101	R 69	Microworld USB C to Female USB 3.0 cable *USB3.0 Type-C Male == USB3.0 Type-A Female*
USBC23B	R 75	Microworld USB C to USB 3 B Cable 1.8m long *1.8m USB3.0 Type-C == USB 3.0 Type-B*
USBC2B	R 63	Unbranded USB C to USB B Cable 1.8m long
USBC401	R 40	Microworld USB Type C to USB 3.0 Micro connector cable *USB3.0 Type-C Male == USB3.0 Micro Male*
USBC501	R 35	Microworld USB Type C to Mini USB cable *USB Type-C == USB Mini*
USBC601	R 58	Microworld USB Type-C to USB Type-C 1m cable
USBC602	R 92	Microworld USB Type-C to USB Type-C 2m cable
USBCA2C	R 104	Microworld USB 3 A to USB Type C cable 1.8m long *1.8m USB3.0 Type-A Male == USB3.0 Type-C Male*
USBCONS	R 150	Microworld USB Console cable
USBGIGLAN	R 201	Microworld USB 3.0 to Gigabit Lan
USBMF	R 29	Microworld USB cable extension with Switch - 30cm, USB Male to Female extension cord with 303 rocker Switch, This cable is only for Power Supply and not for Data transfer
USBPRICAB-1.5M	R 19	UniQue USB2.0 printer cable 1.5M Type A to Type B; Hi-Speed 480 Mbps; compatibility HP Canon Lexmark Epson; plug and play

USBPRICAB-5M	R 49	Unique 5m USB 2.0 Type-A Male to USB 2.0 Type-B Male Printer cable
VK-20016-BK	R 115	Volkano Print series USB printer cable 1.8 meter, Black
VK-20017-BK	R 138	Volkano Extend series USB extension cable, 2 meter, Black
VK-20025-BK	R 126	Volkano Anode series 2.5 meter Micro USB charge / data cable, Black
VK-20037-BK	R 103	Volkano VK-20037-BK Micro USB female to USB Type-C, Up to 2A charge current, 3.7 - 5V DC voltage
VK-20060-LPK	R 103	Volkano Fashion series cable Micro USB 1.8m - Lumo-Pink. Braided quality for daily heavy duty usage.
VK-20060-MX	R 114	Volkano Fashion Series cable Micro USB 1.8m - Assorted (Random color sent - Red, blue). Braided quality for daily heavy duty usage.
VK-20060-RG	R 137	Volkano Fashion Series cable Micro USB 1.8m - Rose Gold. Braided quality for daily heavy duty usage.
VK-20060-SBL	R 92	Volkano Fashion Series cable Micro USB 1.8m - Sky Blue. Braided quality for daily heavy duty usage.
VK-20068-BK	R 184	VolkanoX couple Series Micro USB Premium twin pack 1m charge / Data cable - Black, Gold plated connectors, Micro USB to USB cable, 2 x cables per pack
VK-20082-BK	R 98	Volkano Slim Series flat PVC Micro USB cable 1.2m - Black. Flat anti-tangle cable for easy storage and portability.
VK-20082-RD	R 92	Volkano Slim Series flat PVC Micro USB cable 1.2m - Red. Flat anti-tangle cable for easy storage and portability.
VK-20082-WT	R 92	Volkano Slim Series flat PVC Micro USB cable 1.2m - White. Flat anti-tangle cable for easy storage and portability.
VK-20083-BK	R 103	Volkano Slim Series flat PVC Micro 90 degrees USB cable 1.2m - Black. This Slim Series 1.2 m flat PVC Micro USB cable in black features a 90Â° connector for spaceâ€'saving charging and data transfer. Its flat design resists tangles and fits tight spaces.
VK-20086-BK	R 138	Volkano Slim Series flat PVC 3-in-1 (Type-C / Lightning / Micro) cable 1m - Black. This Volkano Slim Series 3â€'inâ€'1 flat PVC cable in black provides charging and data syncing for USBâ€'C, Lightning and Microâ€'USB devices. Its reinforced flat design resists tangles and supports fast USB 2.0 performance.
VK-20092-BK	R 115	Volkano Iron Series round Metallic Spring USB Type-A to Micro USB cable 1.2m - Black. This Iron Series 1.2 m USBâ€'A to Microâ€'USB cable in black delivers reliable charging and fast data syncing with reinforced metallic housing and pure copper core. Type: USB-A to Micro USB; Length: 1.2m; Reinforced spring cable; Pure copper core; Charging and data transfer; Color: Black; Durable tangle-free build; Universal compatibility
VK-20092-CG	R 161	Volkano Iron Series round Metallic Spring USB Type-A to Micro USB cable 1.2m - Champagne Gold. Durable and stylish, the Volkano Iron Series 1.2 m Micro USB Cable in Champagne Gold features a coiled metallic sleeve for extra protection. Ideal for charging and syncing Micro USB devices, it offers strength and reliability for everyday use.
VK-20092-SL	R 161	Volkano Iron Series round Metallic Spring USB Type-A to Micro USB cable 1.2m - Silver. The Volkano Iron Series metallic spring Micro USB cable in Silver is 1.2 m long with reinforced connectors, durable spring sleeve, and supports fast charging plus data sync-ideal for reliable daily mobile use.
VK-20095-BK	R 161	Volkano Iron Series round Metallic Spring Type-C cable 1.2m - Black
VK-20096-BK	R 172	Volkano Iron Series round Metallic Spring 3-in-1 (Type-C / Lightning / Micro) cable 1m - Black
VK-20107-AGN	R 115	Volkano Weave Series Fabric Braided Micro USB Cable 1.2m - Army Green. The Volkano Weave Series 1.2 m Fabric Braided Micro USB Cable in Army Green delivers reliable charging and data syncing with durable braided nylon protection. Ideal for daily use with Micro USB smartphones, tablets, and other devices.
VK-20107-BK	R 137	Volkano Weave Series Fabric Braided Micro USB Cable 1.2m - Black. The Volkano Weave Series 1.2 m Fabric Braided Micro USB Cable offers durable construction with fast charging and data syncing. Its black braided nylon exterior resists tangling and wear, making it ideal for everyday Micro USB device use.
VK-20111-BK	R 172	Volkano Weave Series Fabric Braided 3 in 1 - Type-C / Lightning / Micro Cable, 1m length, Black. What ' s in the box: 1 x Volkano Weave Series Fabric Braided 3â€'inâ€'1 Cable 1 m - Black (VKâ€'20111â€'BK)
VK-20131-BK	R 207	Volkano Smart Series auto disconnect Micro USB cable 1.8m, 2A Power support, Automatically disconnects Power when the device is fully charged for 3 hours after which it rechecks charge
VK-20132-BK	R 207	Volkano Smart Series auto disconnect Type-C USB cable, 3A Power support, Automatically disconnects Power when the device is fully charged for 3 hours after which it rechecks charge
VK-20145-BK	R 207	Volkano Weave Series Fabric Braided Type-C Cable 3m - Black
VK-20146-BK	R 206	Volkano Weave Series fabric Braided Micro USB cable 3m - Black
VK-20168-BK	R 207	Volkano Weave Series Type-C to Type-C cable 3m 18W Black

VK-20187-BK	R 207	VolkanoX Data Series USB 3.0 extension - 3m
VK-20189-BK	R 172	VolkanoX Data Series USB 3.0 Type-A to Type-A cable - 1.8m, Copper conductor, Male to Male connectors
VK-20202-BK	R 155	VolkanoX Data Series USB 3.0 Micro USB cable - 1.8m, Pure Copper conductor, USB 3.0 up to 5 Gbps Data transfer, 10W charge rate
VK-20261-BK	R 160	Volkano Flexi Series USB to Micro USB 18W 1.5m cable - Black. The Volkano Flexi Series USBâ€'A to Micro USB 1.5 m cable delivers fast 18 W charging and reliable data sync in a flexible, durable build.
VK-20261-WT	R 160	Volkano Flexi Series USB to Micro USB 18W 1.5m cable - White. The Volkano Flexi Series USBâ€'A to Micro USB 1.5 m cable delivers fast 18 W charging and reliable data sync in a flexible, durable build.
VK-20262-BK	R 217	Volkano Flexi Series USB to Micro USB 18W 2.5m cable - Black. olkano Flexi Series 2.5m USB-A to Micro-USB cable, black; 18W fast charging; flexible and tangle-resistant; ideal for Micro-USB devices; suitable for Android phones and power banks; 2.5 metre length; durable flexi build; home or office use; extended reach charging cable; high compatibility design
VK-20262-WT	R 217	Volkano Flexi Series USB to Micro USB 18W 2.5m cable - White. Volkano Flexi Series 2.5m USB-A to Micro-USB cable, white; 18W fast charging; tangle-resistant flexible design; Micro-USB compatible; legacy Android phone charger; white aesthetic finish; ideal for home or office; extended length; durable charging cable
VK-4100-UM1	R 148	Rugged by Volkano Water and Dust-Proof USB to Micro-USB cable - 1.2m
VK-PDQ202-BK	R 103	Volkano On-The-Go USB to Micro USB cable - 1m
WX-CB103SET	R 899	WINX USB 30-IN-1 charging cables complete Set - USB Type-C / Lightning / Micro USB, WX-CB103SET, Nylon Braided, 100cm cable length, 2.4A Fast Charge support
WX-CB104	R 32	WINX Link simple USB to Micro USB cable, 2.4A Fast Charge support, Nylon Braided cable Design, 100cm length, WX-CB104
WZUSBFL3BW	R 29	Whizzy Designer 3 Pack Micro USB Charge And Data Sync Cable - 22cm Cable Length, USB Ver 2.0 Type A Male to Micro USB Type B Male, PVC Sleeve Anti Tangle Cable, Colour Black and White, Retail Box
WZUSBFL3COBGP	R 29	Whizzy Designer 3 Pack Micro USB Charge And Data Sync Cable - 22cm Cable Length, USB Ver 2.0 Type A Male to Micro USB Type B Male, PVC Sleeve Anti Tangle Cable, Colour Pink Blue and Green, Retail Box
WZUSMC25PINK	R 39	Whizzy Extra Long Micro USB Charge And Data Sync Cable - 2.5 Metres Cable Length, USB Ver 2.0 Type A Male to Micro USB Type B Male, Nylon Sleeve Anti Tangle Cable, Colour Pink, Retail Box
WZUSMC25WHITE	R 39	Whizzy Extra Long Micro USB Charge And Data Sync Cable - 2.5 Metres Cable Length, USB Ver 2.0 Type A Male to Micro USB Type B Male, Nylon Sleeve Anti Tangle Cable, Colour White, Retail Box
WZUSMCRWHITE	R 39	Whizzy Reversible Micro USB Charge And Data Sync Cable - Plug The Cable Into A Micro USB Port In Any Way, 1.0 Metre Cable Length, USB Ver 2.0 Type A Male to Micro USB Type B Male, Nylon Sleeve Anti Tangle Cable, Colour White, Retail Box

< Return to the menu

USB data share cables (specialised)

Product code	Price	Description
CAB317U2	R 2	Okion LinkMe USB 2.0 Fast Direct Link Cable PLUS USB LAN function
CAB321U2	R 2	Okion Link-Vi Vista/XP/Windows USB2.0 Data Direct Link Cable Kit
CAB322U2	R 2	Okion High Speed Pc/Mac File Share Cable Simple solution for upgrading from PC to Mac, or files sharing between 2 mac computers.
CM204-50773	R 201	Ugreen USB Type-A to RJ45 Console cable - 1.5m
NA-JUC100	R 235	J5 create JUC100 USB data transfer cable with KM switch - with wormhole technology (allows copy/past Keyboard/Mouse sharing between two devices/platform), Windows to Windows, Windows to iPad, Windows to Android, 1.8m, USB2.0 480Mbps
NA-JUC500	R 298	J5 create JUC500 USB3.0 to type-A data transfer cable with KM switch - with wormhole technology (allows copy/past Keyboard/ Mouse sharing between two devices/ platform), Mac to Mac/ Windows to Windows/ Mac to Windows/ Mac to iPad cross-platform multitasking, 1.5m, USB 3.0 5Gbps - for Windows MAC

< Return to the menu

USB to Video (adapters & cables)

Product code	Price	Description
133451	R 182	Equip USB Type C to HD15 VGA Adapter
133453	R 275	Equip USB Type C to DVI-I Dual Link Adapter
133457	R 229	Equip USB Type C to Mini DisplayPort Adapter
133458	R 217	Equip USB Type C to DisplayPort Adapter
133462	R 424	Equip USB Type C to VGA Female/USB A Female/PD Adapter
133463	R 504	Equip USB Type C to Mini DisPlayPort Female/USB A Female/PD Adapter
133467	R 247	Equip USB Type C to DisPlayPort Male to Male Cable
152310	R 949	Manhattan SuperSpeed USB 3.0 to DVI-I Converter - Supports Additional DVI-I Display, Accommodates HDMI or VGA Display with Adapter, Retail Box
152327	R 1,359	Manhattan SuperSpeed USB 3.0 to DisplayPort Adapter - Converts USB 3.0 A to DisplayPort Output, 4K, Black, Retail Box
152600	R 869	Manhattan USB-C 4-in-1 Audio/Video Converter - USB 3.1 Type-C Male to HDMI/DP/VGA/DVI Female, Black, Retail Box
1WC36AA	R 286	HP USB-C to HDMI 2.0 Adapter, Supports HDMI 2.0
200314	R 69	Hama Video Adapter USB-C Plug To Displayport Socket 4k. USB-C to HDMI cable, supports 4096x2160 4K UHD, slimline plug, German quality control, kink protection, DP Alt Mode, Thunderbolt 3/4 compatible, compact and flexible design
A38066-S	R 176	Astrum DA660 USB-C to VGA 4K HDMI Adapter
ADA-USB3-AM-CF-LQ	R 39	Linkqnet USB3.0 Type-A Male to USB Type-C Female Adapter
C to HDMI ADAPTER	R 238	USB-C to HDMI : Allow you to expand your new Laptop's, MacBook's or ChromeBook screen onto a HDTV OR HD supported display, computer monitor or projector. Hulu, Netflix, iTunes. PLUG N PLAY.4K RESOLUTION SUPPORT with compatible equipment and backwards compatible to 720, 1080p; High Definition Audio.
CAC-1567-CLUB3D	R 523	Club 3D CAC-1567 USB Type C to DisplayPort 1.4 8K60Hz HBR3 Active Adapter
CM449-20518	R 445	UGreen CM449 USB Type-A to HDMI VGA 1080p Display Adapter, 1x HDMI 1.3, 1x VGA, 1920x1080 @ 60Hz supported VGA Resolution
CNV-V1416B	R 489	Unitek 8K USB-C to HDMI 2.1 Adapter with HDCP2.3, V1416B, Aluminium-Alloy housing, 15cm cable length, 4K 120Hz supported, 8K @ 60Hz High Definition
CSV-2511-CLUB3D	R 391	Club 3D CSV-2511 USB-C Bi-Directional 8K 60Hz Video Data PD Switch
DS-JCD3199	R 1,988	J5create JCD3199 12-in-1 dual 4K HDMi dock - 140W type-C PowerDelivery 3.1 15W Wireless charging, with 2x 4K HDMi (3840x2160@60Hz) 2x USB3 type-C (Gen2/10Gbps Gen1/5Gbps) 2x USB3 type-A (Gen2/10Gbps Gen1/5Gbps) gigabit Lan dual card reader 3.5mm audio in/out; for windows or MAC, 130x130x48mm - USB3 Type-C - with extra vertical stand
GAPCDP	R 60	Gizzu 4K60Hz Type-C to DisplayPort Adapter, Type-C (Male) to DisplayPort (Female), Up to 4K@60Hz Resolution support, Aluminium housing, 16cm cable length
HD6007WHGL	R 334	Targus HD6007WHGL HyperDrive USB-C to HDMI 4K 60Hz cable - White, DP Alt mode
MW5M3ZM/A	R 1,443	Apple USB-C Digital AV Multiport Adapter, Model A2119
SC-ACV	R 419	Adata ACVGAPL-ADP-CWH type-C USB3.1 to VGA (d-sub) extension converter/cable (female, work with existing VGA cable), ideal for desktop or notebook/new mac book, support up to FHD (1920x1080), 26x149x13mm - USB-powered
SC-JCA366	R 1,988	J5create JCA366 type-C (gen1) to 4x HDMi (female, work with existing cable), with multi-monitor assistant software support up to 32 segment windows, 4 Display Modes (extended / mirror/ primary/ rotation), ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160@60Hz), 102x80x16mm 500mm cable - usb-powered, aluminum housing
TL-UC400	R 109	TP-Link UC400 SuperSpeed 3.0 USB-C to USB-A Adapter. The TP-LINK TL-UC400 adapter is a compact, high-speed solution for connecting USB-A peripherals to USB-C enabled devices. With support for SuperSpeed USB 3.0 (up to 5000 Mbps), plug-and-play functionality and wide OS compatibility-including OTG support-it delivers convenient, reliable connectivity for mobile users and professionals in South Africa.

UC3238	R 414	Aten UC3238 2.7m USB Type-C to 4K HDMI converter, 1 x USB-C male, 1 x HDMI Type-A male, 3840x2160 @ 60 Hz Maximum Resolution, HDCP 2.2, HDMI 2.0
UQ-USB3TVGAF	R 199	UniQue USB To VGA Female Adapter - USB 3.0 Male To VGA Female Interface, Supports up to 1920×1080@60Hz Video, Mirror And Extended Modes, Aluminium housing Material, Compatible With PCs, Notebooks, HDTVs, Monitors, Displays, Projectors, Plug And Play, 3 Months Warranty
VK-20216-CH	R 655	VolkanoX Core Duo HDMI Type-C to Dual HDMI adaptor, Supports 4K Ultra HD, USB 2.0 Data & charge Port

< Return to the menu

USB Type-C cables & connectors

Product code	Price	Description
128347	R 86	Equip USB 3.2 Gen 1 Type-C to Type-C cable - 2.0m - Black, PD 60W, 5Gbps Max speed, 128347
128352	R 160	Equip USB 3.2 Gen 2 Type-C to Type-C cable - 2.0m - White, PD 60W, 4K / 60Hz, 5Gbps speed, 128352
133412	R 229	Equip USB-C to HDMI cable - 2.0m - 4K / 30Hz, 133412
133427	R 229	Equip USB-C to DisplayPort cable - 2.0m - 4K / 60Hz, 133427, Support Resolution up to 3840x2160 @ 60Hz, DisplayPort 1.2 Male
133486	R 332	Equip USB-C to RJ45 Gigabit Network 100W USB PD Adapter, 25cm cable length, PD 3.0 (100W) USB Power Delivery, USB 3.2 Gen1 (5Gbps), 1x Gigabit LAN, 13348
133491	R 251	Equip 133491 USB-C to HDMI 2.0 4K / 60Hz adaptor - 15cm, USB-C DP Alt mode to HDMI, USB-C Male Connector, HDMI-A Female Connector, Aluminum material, HDMI 2.0 standards, 4K / 60Hz Max Resolution
133495	R 389	Equip 133495 USB-C & USB Type-A to 2.5 Gigabit Ethernet Adapter, 2.5GbE LAN, USB-C Male Connector, RJ45 Female Connector, Aluminum material
32590002400	R 40	Genius USB Type-C to USB 3.0 Type-A Adapter, C2A
32590006400	R 90	Genius USB Type-C to Type-C cable - 1m
32590007400	R 78	Genius USB Type-A to Type-C cable - 1m, QC3.0
470-BCFW	R 510	Dell 470-BCFW USB-C to HDMI 2.1 Adapter, USB-C (Male Connector), HDMI 2.1 (Female Connector), Support Resolution 4096x2160 (4K) at 144Hz, Maximum 7680x4320 (8K) at 60Hz, Support HDCP
470-BCFW	R 511	Dell 470-BCFW USB-C to HDMI 2.1 Adapter, USB-C (Male Connector), HDMI 2.1 (Female Connector), Support Resolution 4096x2160 (4K) at 144Hz, Maximum 7680x4320 (8K) at 60Hz, Support HDCP
49296	R 183	Goobay 49296 USB-C to USB Type-A textile cable with Metal plugs - Space Grey / Silver - 1m, 60W Maximum performance
49297	R 183	Goobay 49297 USB-C to USB Type-A textile cable with Metal plugs - Space Grey / Silver - 2m, 60W Maximum performance
49302	R 183	Goobay 49302 USB-C to USB-C textile cable with Metal plugs - Space Grey / Silver - 1m, 60W Maximum performance
49303	R 194	Goobay 49303 USB-C to USB-C textile cable with Metal plugs - Space Grey / Silver - 2m, 60W Maximum performance
4X90Q59480	R 876	Lenovo 4X90Q59480 USB-C to USB-C cable - 2m, 5Gbps Data transfer Speed, 20V / 3A 60W Power
56620	R 144	Goobay 56620 USB-C to USB Type-A OTG Superspeed adapter - Silver
66508	R 240	Goobay 66508 Sync & charge Superspeed USB-C 3.2 Gen 1 cable - 2m, Power of up to 60W
66509	R 263	Goobay 66509 Sync & charge Superspeed USB-C 3.2 Gen 1 cable - 3m, Power of up to 60W
67976	R 196	Goobay 67976 Sync & charge Superspeed USB-C 3.2 Gen 1 cable - 1m, Power of up to 60W
67996	R 194	Goobay 67996 USB-C to Micro-B 3.0 cable - Black - 1m
70193	R 194	Goobay White USB-C Supersoft Textile 1m Cable with Metal Plugs; Supersoft textile outer covering; Silicone sheath; Metal plugs; USB 2.0; 60W maximum power; 3A; Up to 480 Mbps data transfer; Kink protection on both ends; Designed for over 10,000 bending cycles
710-A0150114R5	R 101	HuntKey 2m USB-C to USB-C cable 5A / 100W - Black
710-A0150162R5	R 101	HuntKey 2m USB-C to USB-C cable 5A / 100W - White
710-A0150238R5	R 101	HuntKey 2m USB-C to USB-C cable 5A / 100W - Blue
71221	R 213	Goobay 71221 Sync & charge Super speed USB-C to USB Type-A 3.0 charging cable - 2m

73141	R 224	Goobay 73141 Sync & charge Super speed USB-C to USB Type-A 3.0 charging cable - 3m
73953	R 194	Goobay Black USB-C Supersoft Textile 1m Cable with Metal Plugs; USB 2.0; maximum data transfer 480 Mbit/s; maximum charging power 60 W; maximum current 3 A; supersoft textile outer jacket; silicone sheath; reinforced metal plugs; kink protection; designed for over 10,000 bending cycles
74056	R 201	Goobay USB-C to Audio jack 3.5mm cable, Both sides kink protection, 0.15 m cable length, Textile Fabric material cable Sheath
A37030-B	R 138	Astrum PA300 passive Adapter USB-C Male to USB Type-A Female
ADA-USB-CM-CF-90DEG	R 87	Unitek USB4 90 degrees right angle Adapter, A1039GY01, 8K@60Hz Video Output, 40Gbps transmission Speed, 240W fast charging
ADA-USB-CM-CF-LSHAPE	R 87	Unitek USB4 90 degrees L-shape adaptor, A1040GY, 8K@60Hz Video Output, 40Gbps transmission Speed, 240W fast charging
ADA-USB-CM-CF-U	R 64	Unitek USB4.0 Type-C Male to Female Adapter, A1038GY, 8K@60Hz Max Output Resolution, 1x USB-C (Upstream), 1x USB-C (Downstream), 40Gbps Data Transfer Rate, Aluminum Alloy, Supports 240W charging
ADA-USB-V1427A01	R 656	Unitek USB C/A Dual HDMI Adapter, V1427A01, 60cm cable length, Dual 1080p Display, Resolution up to 1920x1080 @ 60Hz
ADA-USB4-ADAPTER	R 87	Unitek USB Type-C to USB Type-C USB4 40Gbps Adapter, A1036GY, 8K@60Hz Video Output, 40Gbps transmission Speed, 240W fast charging
AHD20B02B	R 63	Astrum HD20B 2m Gold-Plated 4K@60Hz HDMI 2.0 Braided Cable; 18Gbps bandwidth; 4K at 60Hz; 3840 x 2160; HDR; BT.2020; 24-bit colour; 32-channel audio; 48-thread cotton braided; gold-plated connectors; EDID; DDC2B; hot swap; HDMI 1.x compatible
AUAC2020B	R 31	Astrum UAC20 Black 2m USB-A to USB-C Cable; USB 2.0; up to 480Mbps data transfer; 5V/2A charging; soft PVC jacket; tin copper EMI/RFI shielding; SR strain protection; USB 1.1 backward compatible
AUAC2020BB	R 41	Astrum UAC20B Black 2.0m USB 2.0 3A Braided USB-A to USB-C Cable; 15W maximum; up to 480Mbps data transfer; braided jacket; tin copper EMI/RFI shielding; SR bend protection; custom moulded connectors
AUAC3010BB	R 59	Astrum UAC30B USB 3.0 Superspeed 5Gbps 3A Braided USB-A to USB-C Cable; up to 5Gbps; 5V/3A; 15W max; braided jacket; tin copper EMI/RFI shielding; SR bend protection; 1.0m; black
AUCC24020BB	R 69	Astrum UCC240B Black 2.0m USB-C 240W EPR E-Marker PD Cable; 48V/5A; USB 2.0; up to 480Mbps; braided nylon; zinc alloy connectors; high-conductivity copper; laptop and gaming laptop charging
AUCC6010B	R 31	Astrum UCC60 Black 1.0m USB-C to USB-C 60W 3A PD Compatible with Cable; compatible smartphones, tablets and laptops
AUCC6010BB	R 38	Astrum UCC60B Black 1.0m Braided 60W 3A USB-C to USB-C PD Compatible Cable; suitable for compatible smartphones tablets laptops power banks and USB-C devices
AVMAC2012G	R 138	Astrum AVMAC2012G VMAC20 1.2M USB A-C M-M BRAID GR Cable. 1.2 m braided USB-A to USB-C cable; reinforced connectors; supports standard data and charging; grey finish; durable design
AVMAC2020G	R 127	Astrum AVMAC2020G VMAC20 2.0M USB A-C M-M BRAID GR Cable. USB-A to USB-C male; 2.0 m braided; supports data & charging; gold-plated connectors
AVMCC10012G	R 63	Astrum AVMCC10012G VMCC100 C-C 100W M-M 1.2M Braid GO Cable. Connector Type: USB-C male to USB-C male; Power Delivery: Up to 100W; Length: 1.2 meters; Material: Braided cable
AVMCC10012W	R 138	Astrum AVMCC10012W VMCC100 White C-C 100W M-M 1.2M Braid Cable. USB-C to USB-C; 1.2M length; 100W power delivery; 480 Mbps data transfer; braided nylon exterior; white color; compatible with USB-C devices
AVMCC6012D	R 54	Astrum AVMCC6012D VMCC60 1.2M C-C 60W M-M Braid GR Cable. USB-C to USB-C; 1.2 m; 60 W PD; 480 Mbps; braided VerveMesh; alloy connectors
AVMCC6012W	R 138	Astrum AVMCC6012W VMCC60 White 1.2M C-C 60W M-M Braid Cable. Length: 1.2M; Connector Type: USB-C to USB-C; Power Delivery: 60W; Data Transfer Rate: Up to 480 Mbps; Material: Braided Nylon; Color: White
AVMCC6020D	R 63	Astrum AVMCC6020D VMCC60 2.0M C-C 60W M-M Braid GR Cable. Length: 2m; Power Handling: 60W; Connector Type: Male-to-Male; Construction: Braided; Color: Grey; Compatibility: Universal
AVMCC6020G	R 63	Astrum AVMCC6020G VMCC60 2.0M C-C 60W M-M Braid GO Cable. 60W PD 20V 3A; 480 Mbps; 2.0 m length; braided VerveMesh; aluminum connectors; >10 000 bend durability; USB-C male to male

AVMCC6020W	R 63	Astrum AVMCC6020W VMCC60 White 2.0M C-C 60W M-M Braid Cable. USB-C to USB-C braided cable; 2.0 m; 60 W power delivery; 480 Mbps data; >10 000 bend cycles
BHR0878GL	R 128	Xiaomi 3A Braided USB Type-C to USB Type-C cable 1m - White, 60W Maximum charging Power, 480 Mbps Data Transfer Rate, 3A Maximum current, QC2.0, QC3.0, PD3.0, Radius 3.2mm
BHR087AGL	R 279	Xiaomi USB4 6A USB Type-C To USB Type-C Braided Cable 2m- (120W, 480 Mbps)
BHR087BGL	R 721	Xiaomi USB4 6A USB Type-C To USB Type-C Braided Cable 1m- (120W, 40Gbps, 8K)
BHR087GGL	R 107	Xiaomi 3A USB Type-A to USB Type-C cable 1m - White, 60W Maximum charging Power, 480 Mbps Data Transfer Rate, 3A Maximum current, QC2.0, QC3.0, PD3.0, Radius 3.4mm
BHR087KGL	R 214	Xiaomi 6A Braided USB Type-C to USB Type-C cable (1m) - White, 3.8mm cable radius, 120W Maximum charging Power, 480 Mbps Data transmission rate, QC2.0, QC3.0, PD3.0
BHR08W0GL	R 123	Xiaomi 3A Braided USB Type-C cable - 10cm 60W, 90 degrees right-angle Connector Design, USB Type-C to USB Type-C, 60W Maximum Power Output, Up to 60W fast charging support, High-Density Braided cable Sleeve
CA-CCU2-A1K	R 59	Adata 1m USB-C to USB-C cable - Black, 480 Mbps Data transfer, CACC-100PN-BK, Nylon Braided texture, 5A Power charging
CA-CCU2-A1W	R 59	Adata 1m USB-C to USB-C cable - White, 480 Mbps Data transfer, CACC-100PN-WH, Nylon Braided texture, 5A Power charging
CA-CCU2-A2K	R 76	Adata 2m USB-C to USB-C cable - Black, 480 Mbps Data transfer, CACC-200PN-BK, Nylon Braided texture, 5A Power charging
CA-CCU2-A2W	R 76	Adata 2m USB-C to USB-C cable - White, 480 Mbps Data transfer, CACC-200PN-WH, Nylon Braided texture, 5A Power charging
CAB-3IN1-C14101A-1.5	R 123	Unitek 3-in-1 USB-C to Lightning / USB-C / Micro USB Multi charging cable - 1.5m, Lightning (Charging & Data 480 Mbps), USB-C (Charging only), Micro USB (Charging only)
CAB-MAG-USB-C-1M-CL	R 171	Unitek 1m 100W Magnetic USB-C cable - Cream, C14141SCL, PD 100W Host Power (PD), 480 Mbps Data Transfer Rate, USB-C to USB-C cable Type, Nylon Braided
CAB-MAG-USB-C-1M-WH	R 171	Unitek C14141A Series 1m 100W Magnetic winding Design USB 2.0 Type-C cable - White, PD 100W Host Power (PD), 480 Mbps Data Transfer Rate, 1m cable length, ABS & Nylon Braided material
CAB-TC-BM-1M	R 64	Unitek USB-C to USB-B Data and charging cable - 1m, C14140ABK03, 480 Mbps transfer Speed
CAB-TC-BM-2M	R 78	Unitek USB-C to USB-B Data and charging cable - 2m, C14140ABK03, 480 Mbps transfer Speed
CAB-TC-BM-3M	R 98	Unitek USB-C to USB-B Data and charging cable - 3m, C14140ABK03, 480 Mbps transfer Speed
CAB-TC-BM-5M	R 132	Unitek 5m USB-C to USB-B Data and charging cable, C14140ABK03, 480 Mbps transfer Speed
CAB-TC-PD100W-1.8M	R 269	Unitek C14146ABK 1.8m 100W PD 2-in-1 USB Type-C charging cable, PD100W Host Power (PD), 1x USB-C (Upstream), 2x USB-C 100W (Downstream), 1.8m cable length, Silicone material
CAB-TYPE-C-1M-U	R 240	Unitek USB-C 100W PD fast charging cable with 4K@60Hz and 10Gbps Data, C14082ABK, 10Gbps Data Transfer Rate, Up to 100W Power Delivery, 4K@60Hz audio & Video Output, 1m cable length
CAB-TYPE-C-2M-U	R 240	Unitek Full-Featured USB-C 100W PD cable - 2m, C14091ABK
CAB-USB-100W-0.5M	R 98	Unitek 100W USB-C cable 90 degrees - 0.5m, C14123BK0.5M, USB PD3.0 / QC3.0 fast charging cable
CAB-USB-100W-1M	R 123	Unitek 100W USB-C cable 90 degrees - 1m, C14123BK-1M, USB PD3.0 / QC3.0 fast charging cable
CAB-USB-100W-2M	R 143	Unitek 100W USB-C cable 90 degrees - 2m, C14123BK-2M, USB PD3.0 / QC3.0 fast charging cable
CAB-USB-100W-3M	R 179	Unitek 100W USB-C cable 90 degrees - 3m, C14123BK-3M, USB PD3.0 / QC3.0 fast charging cable
CAB-USB-100W-5M	R 182	Unitek 100W USB-C cable 90 degrees - 5m, C14123BK-5M, USB PD3.0 / QC3.0 fast charging cable
CAB-USB-C-100W-0.5M	R 113	Unitek C14147A USB 2.0 Type-C 100W Power Delivery cable with Dual 90 degree connectors - 0.5m, USB-C PD 100W Host Power (PD), 480 Mbps Data Transfer Rate, 4.5mm cable OD
CAB-USB-C-100W-1M	R 132	Unitek C14147A USB 2.0 Type-C 100W Power Delivery cable with Dual 90 degree connectors - 1m, USB-C PD 100W Host Power (PD), 480 Mbps Data Transfer Rate, 4.5mm cable OD
CAB-USB-C-KEYCHAIN	R 84	Unitek Full-Featured USB4 keychain cable with 240W PD, C14179A, USB-C PD 240W Host Power (PD), 8K@60Hz Max Output Resolution, 40Gbps Data Transfer Rate, 13cm cable length, TPE material
CAB-USB-C14116BK-1.8	R 123	Unitek Toshiba USB-C to DC charging cable DC jack 5.5 x 2.5 mm, C14116bk-1.8m, 1.8m length
CAB-USB-C14117BK-1.8	R 123	Unitek HP USB-C to DC charging cable DC jack 4.5 x 3.0 mm, C14117bk-1.8M, 1.8m length
CAB-USB-C14118BK-1.8	R 123	Unitek Lenovo 65W USB-C to DC Charging Cable DC Jack 4.0 x 1.7 mm, C14118bk-1.8m

		1.8M Length
CAB-USB-C14119BK-1.8	R 123	Unitek Acer USB Type-C to DC charging cable DC jack 5.5 x 1.7 mm, C14119bk-1.8m, 1.8m length
CAB-USB-C14120BK-1.8	R 123	Unitek Dell USB-C to DC charging cable DC jack 4.5 mm x 3 mm, C14120bk-1.8M, 1.8m length
CAB-USB2.0-CM-1M	R 87	Unitek USB 2.0 PD 60W USB-C charging cable with LED Display - 1m - Black, C14158ABK01, 480 Mbps Data Transfer Rate, USB-C to USB-C cable Type
CAB-USB2.0-CM-2M	R 123	Unitek PD 60W USB-C charging cable with LED Display - 2m, C14158ABK01, 480 Mbps Data Transfer Rate, TPE & Nylon Braided material, Monitor Real-Time charging wattage with ITS Smart LED
CAB-USB3-5M-G2-ACT-L	R 1,232	Lindy 43308 5m Active USB 3.2 Gen2 10Gbps Type-C cable, PD 5A / 20V (100W), TPE housing material, Nickel plated Connector plating, Gold pin plating, 5.3mm jacket Diameter, UHD 8K 7680x4320 @60Hz including 4K 4096x2160 @120hz maximum Resolution
CAB-USB3-CM-CM-2M-U	R 143	Unitek USB-C PD60W charging cable with 5Gbps - 2m, Y-C477BK01-2M, PD60W Power Delivery, USB 3.0 specification for Data transfer speeds up to 5Gbps
CAB-USB3-CM-CM-3M-U	R 152	Unitek USB-C PD60W charging cable with 5Gbps - 3m, Y-C477BK01-3M, PD60W Power Delivery, USB 3.0 specification for Data transfer speeds up to 5Gbps
CAB-USB3C-MICRO-1M-U	R 84	Unitek Y-C475BK 1m USB3.0 Type-C to Micro-B Cable; USB Type-C male; Micro-B male; reversible USB-C connector; charging; data synchronization; black; Grade A materials
CAB-USBC-FIB-OPT-10M	R 2,395	Unitek 8K Fiber Optic Full-Featured USB-C cable - 10m, C14178A-10M, 60W (20V/3A) Host Power (PD), 8K@30Hz Max Output Resolution, 10Gbps Data Transfer Rate
CAB-USBC-FIB-OPT-15M	R 2,591	Unitek 15m Fibre Optic USB-C cable, C14178A-15M, 8K@30Hz Max Output Resolution, 60W (20v/3a) Host Power (PD), 10Gbps Data Transfer Rate
CAB-USBC-FIB-OPT-5M	R 2,200	Unitek 5m Fibre Optic USB-C cable, C14178A-5M, 8K@30Hz Max Output Resolution, 60W (20v/3a) Host Power (PD), 10Gbps Data Transfer Rate
CAB-VR-LINK-C14094A	R 293	Unitek C14094A 5m 60W 5Gbps VR Link Pro cable with 90 degree USB Type-C Connector, PD 60W Host Power (PD), 1x USB-C 5Gbps (Upstream), 1x USB-C 5Gbps (Downstream), 5m cable length, Aluminum Alloy material
CAC-1522-CLUB3D	R 549	Club 3D 1m Type-C Gen2 1m Active cable Male to Male, USB-C DP 1.2 alternate mode, 10Gbps Bandwidth, 100W wattage, 4K60Hz Max Resolution
CAC-2580-CLUB3D	R 3,080	Club 3D 15m 8K 60Hz 10Gbps 60W USB-C AOC cable, CAC-2580, USB-C Video Input, USB-C Video Output, USB-C DP 1.4 alternate mode, 10Gbps Bandwidth, UniDirectional, AOC Active Optical cable, 60W wattage, 8K 60Hz Max Resolution
CAC-3030-CLUB3D	R 279	Club 3D 2m USB-C Magnetic coil 240W PD3.1 cable - Blue, CAC-3030, Tangle-Free convenience, Magnetic self-coiling Design, 480 Mbps Bandwidth, Power Delivery 3.1
CAC-3031-CLUB3D	R 279	Club 3D 2m USB-C Magnetic coil 240W PD3.1 cable - Pink, CAC-3031, Tangle-Free convenience, Magnetic self-coiling Design, 480 Mbps Bandwidth, Power Delivery 3.1
CAC-3032-CLUB3D	R 279	Club 3D 2m USB-C Magnetic coil 240W PD3.1 cable - White, CAC-3032, Tangle-Free convenience, Magnetic self-coiling Design, 480 Mbps Bandwidth, Power Delivery 3.1
CM297-70444	R 323	Ugreen Type-C to 4K HDMI Adapter - Silver, Type-C Male Input, HDMI Female Output, Tinned Copper cable Core, Up to 4K@60Hz supported Resolution, Aluminium Case material, 10cm cable length
CND-CCMG60AB15W	R 233	Canyon CCMG60 OnWire White 1m 60W Magnet Braided Charge & Sync Cable. 60W fast charging; USB-C and Lightning compatible; tangle-resistant durable design; high-speed data sync; home, office, travel use
CNS-CC100SC20W	R 129	Canyon CC100SC White 2m USB-C - USB-C 100W Cable, PD 100W support, Cable-organizer included, Compatible with Apple devices, Laptop and smartphone fast charge
CNS-CC60SC10B	R 161	Canyon CC60SC10 Black 1m 60W USB-C - USB-C Silicone Cable, 480MB/s, USB 2.0, MFL Certificate
CNS-CC60SC10PS	R 161	Canyon CC60SC10 Pink Sand 1m 60W USB-C - USB-C Silicone Cable, 480MB/s, USB 2.0, MFL Certificate
CNS-CLNM60SC10DB	R 261	Canyon CLNM60 Blue USB-C to Lightning 60W MFI 1m Silicon Cable, 480MB/s, USB 2.0
CNS-CLNM60SC10PS	R 261	Canyon CLNM60 Pink USB-C to Lightning 60W MFI 1m Silicon Cable, 480MB/s, USB 2.0
CNS-CLNM60SC10W	R 261	Canyon CLNM60 White USB-C to Lightning 60W MFI 1m Silicon Cable, 480MB/s, USB 2.0
CNS-USBC44B	R 377	Canyon UC-44 USB Type-C to USB Type-C cable 240W - 1m - Black, ROHS certifications, Fast charging up to 240W, 20Gbps 4K Data
CNS-USBC44W	R 377	Canyon UC-44 USB Type-C to USB Type-C cable 240W - 1m - White, ROHS certifications, Fast charging up to

		240W, 20Gbps 4K Data
CNV-USB-C-EXTENDER	R 587	Unitek U1335A 5m USB 3.2 Gen2 10Gbps Type-C extension cable, 1x USB-C 10Gbps (Upstream), 1x USB-C 10Gbps (Downstream), 1x USB-C DC 5V, 5m cable length, 7.0mm cable OD
CNV-USB-TC-DISP1.4-U	R 319	Unitek USB Type-C to DisplayPort 1.4, V1415A, Aluminum housing / Space Gray, 15cm cable length, Supports resolutions up to 4k@144hz or 8K@60Hz, Stream with HDCP2.3
CNV-USB3C-HDMI-V1404	R 706	Unitek Type-C to Dual HDMI 2.0 4K Adapter, V1404B, Aluminium-Alloy housing, Supports Dual Display Output up to 4k@60hz., 15cm cable length, HDMI 2.0A downstream
CT-160-PU31-CMVGA1	R 229	CableTime Silver USB Type C to VGA Adapter for MacBook Pro. The Cabletime CT-160-PU31-CMVGA1 USB-C to VGA Adapter is a reliable solution for connecting USB-C devices to VGA displays. Its compact design, high-resolution support, and durable construction make it an excellent choice for both professional and personal use. Enjoy seamless connectivity and crisp visuals with this versatile adapter.
CT-AMCMG1-AG-2M	R 93	CableTime 2m Wholesle USB A to USB C Cord 5Gbps Data and 3A Charging Cable. The Cabletime CT-AMCMG1-AG-2M is a high-quality USB 3.0 A Male to USB Type-C Male cable, offering fast data transfer and charging capabilities. Its durable construction and compatibility with a wide range of devices make it an essential accessory for users seeking reliable and efficient connectivity solutions.
CT-C160-PU31-CMHD	R 229	CableTime 0.2m 4K 60Hz USB-C To HDMI Cable. The CT-C160-PU31-CMHD USB-C to HDMI adapter offers a straightforward solution for connecting USB-C devices to HDMI displays. Its plug-and-play functionality ensures ease of use, while its compact design makes it highly portable. Ideal for various applications, this adapter provides a reliable and high-quality connection for your devices.
CT-C160-PU31CMAUDAS1	R 184	CableTime CP79G USB Type-C to 3.5 mm audio Aux jack Adapter, Audio-Stereo 3.5mm Female, Aluminum material
CT-CM100-PB1	R 178	CableTime CU02H PVC USB Type-C to USB Type-C 100W / 5A cable - 1m, 5A / 20V 100W Power, Black PVC molded Shell, Nickle plated
CT-CM60-PBL2-2M	R 64	CableTime Blue 2M 60w USB-C Charge Cable. The CT-CM60-PBL2-2M is a high-performance USB-C cable designed for fast charging and efficient data transfer. Its durable braided construction ensures longevity, making it a reliable choice for everyday use.
DC06-3IN1	R 59	Ezra 3-in-1 1m White USB Data cable, USB Type-A to Type-C / Micro USB /Lightning, Supports simultaneous charging of multiple devices, Short Circuit and over Voltage protection
DC234-TPC	R 99	Ezra Type-C to Type-C 2m PD20W White cable, Intelligent control charging, Overcharge protection, Fast tansmission Speed, 5.0mm OD Diameter
DC295-TPC	R 69	Ezra QC3.0 Quick Charge 15W 3A USB Type-A to Type-C cable - 1m, Intelligent control charging, Overcharge protection, Fast tansmission Speed, OD 5.0mm diamter
DC296-TC60W	R 49	Ezra Type-C to Type-C 1.8m 60W White Data cable, 3.8mm OD Diameter
DELOCK-87971	R 269	Delock charging cable Type-C to HP 4.5 x 3.0mm Male, 87971
DELOCK-87972	R 269	Delock charging cable Type-C to HP 7.4 x 5.0mm Male, 87972
DELOCK-87974	R 269	Delock charging cable Type-C to DELL 4.5 x 3.0mm Male, 87974
DELOCK-87975	R 269	Delock charging cable Type-C to Dell 7.4 x 5.0mm Male, 87975
DLC3106A/00	R 58	Philips USB Type-A to USB Type-C charging cable - 2m, DLC3106A/00
DLC5130A/00	R 69	Philips USB Type-A to USB Type-C cable RGB breathing lights 18W - 1m, Support 3A fast charging, RGB ambilight, Supports USB 2.0 High Speed 480 Mbps Data Transfer Rate
DLC5130C/00	R 92	Philips USB Type-C cable RGB breathing lights 60W - 1m, Support 60W fast charging, RGB ambilight, Supports USB 2.0 High Speed 480 Mbps Data Transfer Rate
DS-USB-C-BI-D1078A	R 978	Unitek USB-C Bi-Direction Switch, D1078A, 50cm cable length, USB-C 10Gbps upstream, USB-C 10Gbps downstream
GAPCH	R 75	Gizzu 4K Type-C to HDMI Adapter high Resolution, 4K@60Hz Output
GAPCV	R 51	Gizzu 1080p Type-C to VGA Adapter, 60Hz Refresh Rate
GCPCC060048G-01	R 24	GIZZU 60W 480Mbps Type-C 1m Cable
GCPCC060048G-02	R 35	GIZZU 60W 480Mbps Type-C 2m Cable
GCPCC0605G-01	R 58	Gizzu Type-C 3.2 to Type-C 5Gbps 60W 1M Cable

GCPCC0605G-02	R 74	Gizzu Type-C 3.2 to Type-C 5Gbps 60W 2M Cable
GCPCC10010G-01	R 74	Gizzu Type-C 3.2 to Type-C 10Gbps 100W 1M Cable
GCPCC10010G-02	R 102	Gizzu Type-C 3.2 to Type-C 10Gbps 100W 2M Cable
GCPCC10010G90-01	R 82	Gizzu 100W 10Gbps Type-C angled 1m cable, Up to 4K@60Hz (3840x2160) Max Resolution, USB 3.2 Gen2 (10Gbps) Data Interface, 100W (20v/5a) Max Power Output, PD3.0 charging standard
GCPCC240048G-01	R 45	GIZZU 240W 480Mbps Type-C 1m Cable
GCPCC240048G-02	R 67	Gizzu Type-C to Type-C 480Mps 240W 2M Cable
GCPCC24020G-01	R 108	Gizzu Type-C 3.2 to Type-C 20Gbps 240W 1M Cable
GCPCC24020G-02	R 135	Gizzu Type-C 3.2 to Type-C 20Gbps 240W 2M Cable
GCPU2C060048G-01	R 29	Gizzu USB-A 2.0 to Type-C 480Mps 60W 1M Cable
GCPU2C060048G-02	R 36	Gizzu USB-A 2.0 to Type-C 480Mps 60W 2M Cable
GCPU2C1	R 33	Gizzu USB to Type-C cable - 1m, 5A support, Durable PVC design
GCPU2C2	R 38	Gizzu USB to Type-C cable - 2m, 5A support, Durable PVC design
GCPU3C06010G-01	R 53	Gizzu USB-A 3.2 to Type-C 10Gbps 60W 1M Cable
GCPU3C06010G-02	R 68	Gizzu USB-A 3.2 to Type-C 10Gbps 60W 2M Cable
HJ4001WHGL	R 193	Targus HJ4001WHGL HyperJuice 1m Silicone USB-C to USB-C 240W charging cable - White, Portable and Tangle-Free Silicone Design (Phone not included)
HJ4002WHGL	R 225	Targus HJ4002WHGL HyperJuice 2m Silicone USB-C to USB-C 240W charging cable - White, Portable and Tangle-Free Silicone Design (Phone not included)
IPLCU04RSE	R 291	Cirago 3-in-1 Sync charge cable - Rose Gold, Lightning / USB-C / Micro USB connectors
IPLCU04WHT	R 290	Cirago 3-in-1 Sync charge cable - White, Lightning / USB-C / Micro USB connectors
IPLCUBR04GRY	R 319	Cirago 3-in-1 charge and Sync cable Braided - Space Gray, Lightning / USB-C / Micro USB connectors
L530-65866	R 178	UGreen 240W USB Type-C cable with LED Display 1m, 240W Power Delivery via USB PD 3.1 Standard, Live LED Display shows Real-Time wattage Voltage and current, E-marker Chip provides Over-Current over-voltage over-temperature and short-circuit protection, Data transfer speeds up to 480 Mbps, Nylon Braided exterior with Aluminium Alloy connectors rated for 10000 bends, Backward compatible with 100W and 140W devices
L530-65867	R 217	UGreen 240W USB Type-C cable with LED Display 2m, Supports up to 240W Power Delivery via USB PD 3.1 Standard, Built-In LED Display shows live wattage, Voltage, And current readings, Backward compatible with 140W and 100W devices, Features E-marker Chip, Nylon Braided exterior rated for over 10000 bends, Alloy connectors ensure durability, 2 metre cable length provides extended reach
L531-95673	R 178	UGreen 100W fast charging retractable USB Type-C cable 1m - Purple, USB Type-C to USB Type-C Connector Design, Supports up to 100W fast charging with PD 3.0 and PPS protocols, Retractable mechanism offers Four adjustable lengths of 36 cm, 60 cm, 82 cm, And 100 cm, Data transfer Speed reaches 480 Mbps via USB 2.0 Standard, Integrated E-marker Intelligent Chip ensures safe Power detection, Reinforced connectors built for durable Daily use
M31843	R 218	Verbatim 31843 Sync & charge USB Type-A to USB-C 18W 120 cm, 3.8mm Diameter, Up to 480 Mbps Data transfer Speed, 18W (Quick Charge) Max Power Output
M31844	R 246	Verbatim 31844 Sync & charge cable USB-C to Lightning 120 cm, 3.8mm Diameter, Up to 480 Mbps Data transfer Speed, 60W Max Power Output, PD 3.0 charging standards
M31845	R 222	Verbatim 31845 Sync & charge USB Type-C to USB Type-C 60W 120 cm, 3.8mm cable Diameter, Up to 480 Mbps Data Transfer Rate, Max 60W Output Power, Supports PD 3.0 & QC 3.0
M31846	R 121	Verbatim 31846 Sync & charge USB Type-C to USB Type-C 100W 120 cm, 3.8mm cable Diameter, Up to 480 Mbps Data Transfer Rate, Max 100W Output Power, Supports PD 3.0 & QC 3.0
M31847	R 261	Verbatim 31847 Sync & Charge cable USB-C to USB-C 240W 40Gbps - 120cm, 5.1mm Diameter, Up to 40Gbps Data transfer Speed, 240W Max Power Output, PD 3.1 charging standards
M31848	R 172	Verbatim 31848 Sync & charge USB Type-C to USB Type-C 100W Display 120 cm, 5.1mm Diameter, Up to 480 Mbps Data transfer Speed, 100W Max Power Output, Charging standards PD 3.0 & QC 3.0
M31849	R 351	Verbatim 31849 Sync & charge cable USB-C to USB-C 240W 40 Gbps Display 120 cm, 5.1mm Diameter, Up to 40Gbps Data transfer Speed, 240W Max Power Output, PD 3.1 charging standards

M31850	R 182	Verbatim 31850 Sync & charge USB-C to USB-C 60W Magnetic 120 cm - Grey, Up to 480 Mbps Data transfer Speed, Up to 60W Max Power Output, Supports PD 3.0 & QC 3.0
M31852	R 182	Verbatim 31852 Sync & charge USB-C to USB-C 60W Magnetic 120 cm - Blue, Up to 480 Mbps Data transfer Speed, Up to 60W Max Power Output, Supports PD 3.0 & QC 3.0
M31853	R 182	Verbatim 31853 Sync & charge USB-C to USB-C 60W Magnetic 120 cm - Pink, Up to 480 Mbps Data transfer Speed, Up to 60W Max Power Output, Supports PD 3.0 & QC 3.0
M31854	R 198	Verbatim 31854 Sync & charge USB Type-C to USB Type-C 100W Magnetic 120 cm - Grey, 4.6mm cable Diameter, up to 480 Mbps Data Transfer Rate, Maximum 100W Output Power, supports PD 3.0 & QC 3.0
M31855	R 198	Verbatim 31855 Sync & charge USB Type-C to USB Type-C 100W Magnetic 120 cm - Green, 4.6mm cable Diameter, up to 480 Mbps Data Transfer Rate, Maximum 100W Output Power, supports PD 3.0 & QC 3.0
M31856	R 198	Verbatim 31856 Sync & charge USB Type-C to USB Type-C 100W Magnetic 120 cm - Blue, 4.6mm cable Diameter, up to 480 Mbps Data Transfer Rate, Maximum 100W Output Power, supports PD 3.0 & QC 3.0
M31857	R 198	Verbatim 31857 Sync & charge USB Type-C to USB Type-C 100W Magnetic 120 cm - Pink, 4.6mm cable Diameter, up to 480 Mbps Data Transfer Rate, Maximum 100W Output Power, supports PD 3.0 & QC 3.0
M31863	R 198	Verbatim 31863 Sync & charge cable USB-C to USB-C 100W Magnetic 120 cm - Black, 4.6mm cable Diameter, Up to 480 Mbps Data Transfer Rate, Maximum 100W Output Power, Supports PD 3.0 & QC 3.0
M31864	R 182	Verbatim 31864 Sync & charge USB-C to USB-C 60W Magnetic 120 cm - Green, Up to 480 Mbps Data transfer Speed, Up to 60W Max Power Output, Supports PD 3.0 & QC 3.0
MDGC4EE/A	R 771	Beats USB-C to USB-C Woven Cables (1.5 m) - Bolt Black (2-Pack). These braided Beats USB-C to USB-C Woven Cablesâ€"each 1.5 m long and available as a 2-packâ€"combine robust woven build quality with fast 60 W charging and USB 2.0 data support. Ideal for users across South Africa who need durable, tangle-free charging and syncing solutions for a wide range of USB-C devices.
MDGD4EE/A	R 449	Beats USB-C to USB-C Woven Cable (1.5 m) - Surge Stone
MDGE4EE/A	R 449	Beats USB-C to USB-C Woven Cable (1.5 m) - Nitro Navy. Enjoy a blend of durability, sleek style and high-speed performance with the Beats USB-C to USB-C Woven Cable in striking Nitro Navy. This long-lasting, fast-charging and universally compatible cable is an essential accessory for powering and syncing your USB-C devices with confidence.
MDGF4EE/A	R 449	Beats USB-C to USB-C Woven Cable (1.5 m) - Rapid Red. The Beats USB-C to USB-C Woven Cable (1.5 m) in Rapid Red is a high-durability charging and data cable. Featuring a braided, tangle-free design and reinforced connectors, it supports fast 60 W charging and USB 2.0 data transfer. Built for compatibility with a wide range of USB-C devices, it offers reliable performance across Apple, Android, and Beats products.
MJ1L2ZM/A	R 644	Apple USB-C VGA Multiport Adapter, MJ1L2ZM/A, Up to 1080p HD, Standard USB Port
MOVEV31843	R 104	Verbatim 31843 Sync & charge USB Type-A to USB-C 18W 120 cm, 3.8mm Diameter, Up to 480 Mbps Data transfer Speed, 18W (Quick Charge) Max Power Output
MOVEV31844	R 246	Verbatim 31844 Sync & charge cable USB-C to Lightning 120 cm, 3.8mm Diameter, Up to 480 Mbps Data transfer Speed, 60W Max Power Output, PD 3.0 charging standards
MOVEV31848	R 173	Verbatim 31848 Sync & charge USB Type-C to USB Type-C 100W Display 120 cm, 5.1mm Diameter, Up to 480 Mbps Data transfer Speed, 100W Max Power Output, Charging standards PD 3.0 & QC 3.0. Ideal for charging and syncing your devices.
MOVEV31849	R 298	Verbatim 31849 Sync & charge cable USB-C to USB-C 240W 40 Gbps Display 120 cm, 5.1mm Diameter, Up to 40Gbps Data transfer Speed, 240W Max Power Output, PD 3.1 charging standards. Verbatim USB4 USB-C to USB-C Cable with LED Power Display for syncing and charging.
MQKJ3ZM/A	R 392	Apple USB-C Woven Charge Cable - 1m, MQKJ3ZM/A
MUF82ZM/A	R 1,564	Apple USB-C Digital AV Adapter, MUF82ZM/A, HDMI Port, USB Port
MW2Q3ZM/A	R 219	Apple USB-C to 3.5 mm Headphone jack Adapter, Model A2155
MW493ZM/A	R 426	Apple 60W USB-C charge cable 1m, Model A2795
MW5L3ZM/A	R 414	Apple USB-C to USB Adapter, Model A1632
MW5M3ZM/A	R 1,564	Apple USB-C Digital AV Multiport Adapter, Model A2119
MW613ZM/A	R 1,070	Apple USB-C to MagSafe 3 cable (2m) - Silver, Model A2363

MW613ZM/A	R 1,019	Apple USB-C to MagSafe 3 cable (2m) - Silver, Model A2363
MW653ZM/A	R 817	Apple USB-C to SD Card Reader, Model A2082
MYQT3ZM/A	R 633	Apple 240W USB-C charge cable 2m, Model A2794
MYQT3ZM/A	R 566	Apple 240W USB-C charge cable 2m, Model A2794
NBDE470-BCFW	R 528	Dell 470-BCFW USB-C to HDMI 2.1 Adapter, USB-C (Male Connector), HDMI 2.1 (Female Connector), Support Resolution 4096x2160 (4K) at 144Hz, Maximum 7680x4320 (8K) at 60Hz, Support HDCP
NBLE4X90K86567	R 680	Lenovo 4X90K86567 USB-C to HDMI Plus Power Adapter
PD240M08	R 344	OCPC PD 240W USB Type-C 0.8m cable, 240 Watt (48v/5a) Power supports up to, 40Gbps Data transfer Speed, 8k/60hz Video Output
PD240M2	R 459	OCPC PD 240W USB Type-C 2m cable, 240 Watt (48v/5a) Power supports up to, 40Gbps Data transfer Speed, 8k/60hz Video Output
RK-20009-MX	R 138	Rocka RK-20009-MX Type-C cable - 1.8m length, Supports fast charging and Data Sync, Durable Braided Nylon, USB Type-A to USB-C, Universal compatibility, Safe charging with overcurrent and short Circuit protection, Stylish Design
SC-JCA152	R 430	J5create JCA152 Type-C USB 3.0 to 4K HDMI Type-C 100W Power Delivery, Support upto 4K HDMI 3840x2160 @ 30Hz / 2560x1440 @ 144Hz, Supports Mirror and extended modes
UACC-USB1M-B	R 604	Ubiquiti USB-C cable with charge - Display Black - 1m, UACC-Cable-USB-100W-1M-BK, Stranded tinned copper Conductor Type
UC232C	R 276	Aten USB-C to RS-232 Adapter, Up to 921.6 Kbps Data rate, 1 x DB-9 Male Serial, 1x USB Type-C Male Port, 45cm cable length, Bus powered
US154-30701	R 49	UGreen Type-C to USB Type-A Adapter (Male to Female 15cm) - Black, Type-C (USB 3.1 Gen1) Male Input, USB 3.0 a Female Output, Up to 5Gbps Data transfer Speed, OTG functionality for Mobile device connectivity, 15cm cable length
US173-30155	R 39	Ugreen US173 White USB-A to USB Type-C Adapter. Type-C male to USB-A 3.0 female; 5 Gbps data; OTG support; weight 18.7 g; dim 15.5x9.5x2.0 cm
US184-20882	R 79	UGreen Type-C to USB 3.0 5Gbps Sync cable 1m - fast charging 3A - Black, Charging & Data Sync, Up to 5Gbps Data transfer Speed, 2.4A Maximum charging current, QC3.0, Tin-plated Oxygen-Free Copper Core material
US184-20883	R 91	UGreen Type-C to USB 3.0 5Gbps Sync cable 1.5m - fast charging 3A - Black, Charging & Data Sync, Up to 5Gbps Data transfer Speed, 2.4A Maximum charging current, QC3.0, Tin-plated Oxygen-Free Copper Core material
US184-20884	R 99	UGreen Type-C to USB 3.0 5Gbps Sync cable 2m - fast charging 3A - Black, Charging & Data Sync, Up to 5Gbps Data transfer Speed, 2.4A Maximum charging current, QC3.0, Tin-plated Oxygen-Free Copper Core material
US241-50446	R 78	UGreen USB Type-C to Type-B Male printing cable 2m - Black, USB 2.0 Standard with Data transfer speeds up to 480 Mbps, USB Type-C Male Connector compatible with Thunderbolt 3 Ports, USB-B 2.0 Male Connector for printers and scanners, cable length of 2m for Flexible Desk setups, Black Colour finish, Triple shielding
US276-50533	R 61	UGREEN USB-A 3.0 to USB-C Adapter (Gray)
US280-50568	R 52	UGreen USB Type-A Male to USB Type-C Female Adapter - Black, Aluminum Alloy casing material, USB 2.0 Male connector, USB Type-C Female connector
US355-80150	R 266	Ugreen Gen2 Type-C Male to Male Data cable - 240W fast charging, Max 240W (PD 3.0), 10Gbps Superspeed Data transfer, 4K@60Hz Video & Audio Output, Thunderbolt 3 compatibility, Durable Aluminium casing & Braided cable
US372-30205	R 193	UGREEN USB-C Male to USB-C Female Gen2 Alu Case Braided Extension Cable 1m (Space Gray)
USB-ADAPT-V1429A	R 171	Unitek USB-C to DVI 1080p Female Adapter, V1429A, 1080P@60Hz Max Output Resolution, 1x Host USB-C, 15cm cable length, ABS housing
USB-CHARGER-P1132ABK	R 777	Unitek rexo 140W 4 port GaN Wall charger with Smart Display, P1132ABK-EU, 1x USB Type-A, 3 x USB-C, 140W Power Supply
USB30C	R 69	Microworld Super-Fast charge USB 3.0 to Type-C cable - 2m, Data transmission charging
USBC	R 201	Microworld USB 3.1 Type-C to RJ45 Console cable - 1.8m, Light Grey Colour, PVC Copper material
USBC2MIN	R 46	Microworld USB Type-C to Mini USB Female - 25cm, USB Type-C (Male) to Mini USB (Female), Data transfer and

		charging, Up to 480 Mbps (USB 2.0 standard) Data transfer Speed
USBCAD	R 58	Microworld USB-C Male to Female 90 degree Adapter - 2 pack, Right & left angled 90 degree extension Adapter compatible, Data Speed up to 10gbp/s
USBCM2USBCMGRY	R 254	Cirago USB-C to USB-C Heavy Duty cable - Grey - 1m, 5.0A charging Output, 100W of Power Output, Up to 10 Gbps Data transfer speed
USBCM2USBCMSLV	R 254	Cirago USB-C to USB-C Heavy Duty cable - Silver - 1m, 5.0A charging Output, 100W of Power Output, Up to 10 Gbps Data transfer speed
VK-20061-RG	R 115	Volkano Fashion Series cable Type-C 1.8m - Heavy duty - Rose Gold. The Volkano Fashion Series 1.8 m USBâ€'C to USBâ€'C cable in rose gold provides reliable charging and data sync with a reinforced connector spring. Its length and stylish build suit daily and travel use.
VK-20085-BK	R 118	Volkano Slim Series Flat PVC Type-C Cable 1.2m - Black. USB Male, Type-C Male, flat cable, tangle-free, reinforced cable, accurate connection, fast charging, data transfers, Type-C compatible, reversible connector, USB Type-C devices.
VK-20095-BK-6	R 138	Volkano Iron Series round Metallic Spring USB Type-A to Type-C cable 1.8m - Black.
VK-20095-CG	R 115	Volkano Iron Series round Metallic Spring USB Type-A to Type-C cable 1.2m - Champagne Gold.
VK-20095-CG-6	R 172	Volkano Iron Series round Metallic Spring USB Type-A to Type-C cable 1.8m - Champagne Gold.
VK-20095-SL	R 207	Volkano Iron Series round Metallic Spring USB Type-A to Type-C cable 1.2m - Silver.
VK-20110-BK	R 138	Volkano Weave Series Braided Type-C cable 1.2m 60W - Black, 60W PD Power delivery. The Volkano Weave 1.2 m 60 W Braided Typeâ€'C Cable delivers fast charging and reliable data sync. Its nylon weave and reinforced ends resist wear while the reversible connector ensures easy plugâ€'in every time.
VK-20167-BK	R 138	Volkano Weave Series Type-C to Type-C cable - 1.2m, 60W PD Power delivery. The Volkano Weave Series 1.2m Type-C to Type-C Cable offers fast 60 W charging and reliable data transfer in a durable braided nylon design. Tangle-resistant and reinforced, it is ideal for powering and syncing USB-C devices on the go.
VK-20172-BK	R 276	Volkano Weave Series 4-in-1 cable two pack - 1.2m & 1.8m. Stay connected with the Volkano Weave Series two-pack: 1.2 m and 1.8 m braided cables featuring Microâ€'USB, USBâ€'C, Lightning and USBâ€'A to C adapter. Durable and tangle-free, they support charging and data sync up to 60 W across all devices.
VK-20227-BK	R 118	Volkano Slim Series Type-C to Type-C cable 1.2m - Black. A compact PVC cable that resists tangles and delivers reliable charging and data transfer.
VK-20229-BK	R 206	Volkano Weave Series USB-C Male to USB-C Female - 1.2m, 100W PD Fast Charge.The Volkano Weave Series 1.2 m USB-C Male to USB-C Female Cable supports 100 W Power Delivery fast charging and data transfer. The braided nylon design offers durability and tangle resistance, making it perfect for extending your USB-C devices on the go.
VK-20238-BK	R 207	Volkano Weave Series 100W 3-in-1 charge cable (3x Type-C) - Black. The Volkano Weave Series 100 W 3â€'inâ€'1 USBâ€'C cable powers and syncs three devices at once. With braided nylon build and metal ends, it delivers 60 W 20 W 20 W in a single streamlined cable.
VK-20239-BK	R 241	Volkano Weave Series 60W Magnetic Type-C cable - Black. The Volkano Weave 60 W Magnetic Typeâ€'C Cable delivers fast charging and data sync in a durable braided design. Its built-in magnets keep the cable neatly coiled for tangle-free storage-ideal for daily mobile device use.
VK-20263-BK	R 138	Volkano Flexi Series USB to Type-C 30W 1.5m cable - Black. A flexible design makes the cable durable, ideal for charging and data transfer.
VK-20263-GR	R 137	Volkano Flexi Series USB to Type-C 30W 1.5m cable - Green. A flexible design makes the cable durable, ideal for charging and data transfer.
VK-20263-PK	R 137	Volkano Flexi Series USB to Type-C 30W 1.5m cable - Pink. A flexible design makes the cable durable, ideal for charging and data transfer.
VK-20263-WT	R 138	Volkano Flexi Series USB to Type-C 30W 1.5m cable - White. A flexible design makes the cable durable, ideal for charging and data transfer.
VK-20264-BK	R 171	Volkano Flexi Series USB to Type-C 30W 2.5m cable - Black. Volkano Flexi Series USB-A to Type-C cable, black; 2.5m length; 30W fast charging; flexible and tangle-resistant; USB-C compatible; ideal for smartphones, tablets, power delivery; reinforced cable build; home and office use; modern tech accessory.

VK-20264-PK	R 171	Volkano Flexi Series USB to Type-C 30W 2.5m cable - Pink. Quick Specs: 2.5 m USB-A to USB-C cable, supports 30 W charging, pink colour, long and flexible, reversible USB-C connector, data power cable.
VK-20264-WT	R 171	Volkano Flexi Series USB to Type-C 30W 2.5m cable - White. Volkano Flexi Series 2.5m USB-A to Type-C cable, white; 30W fast charging; USB-C compatible; flexible and tangle-resistant design; ideal for smartphones, tablets, power delivery; long cable for extended reach; modern white finish; reliable USB-C charging solution
VK-20265-BK	R 137	Volkano Flexi Series Type-C to Type-C 60W 1.5m cable - Black. The Volkano Flexi Series Type-C to Type-C 60 W 1.5 m cable provides reliable fast charging and data transfer in a durable, flexible build.
VK-20265-GR	R 137	Volkano Flexi Series Type-C to Type-C 60W 1.5m cable - Green. The Volkano Flexi Series Type-C to Type-C 60 W 1.5 m cable provides reliable fast charging and data transfer in a durable, flexible build.
VK-20265-PK	R 137	Volkano Flexi Series Type-C to Type-C 60W 1.5m cable - Pink. The Volkano Flexi Series Type-C to Type-C 60 W 1.5 m cable provides reliable fast charging and data transfer in a durable, flexible build.
VK-20265-WT	R 137	Volkano Flexi Series Type-C to Type-C 60W 1.5m cable - White. The Volkano Flexi Series Type-C to Type-C 60 W 1.5 m cable provides reliable fast charging and data transfer in a durable, flexible build.
VK-20266-BK	R 172	Volkano Flexi Series Type-C to Type-C 60W 2.5m cable - Black. Data transfer and charging. Improved charging. 30V 2A, 60 Watts. Pure copper. High flexible PVC sleeve. The Volkano Flexi Series Type-C to Type-C 60 W 2.5 m Cable is a highâ€'power charging and data cable with extended reach.
VK-20266-GR	R 171	Volkano Flexi Series Type-C to Type-C 60W 2.5m cable - Green. Data transfer and charging. Improved charging. 30V 2A, 60 Watts. Pure copper. High flexible PVC sleeve. The Volkano Flexi Series Type-C to Type-C 60 W 2.5 m Cable is a highâ€'power charging and data cable with extended reach.
VK-20266-PK	R 171	Volkano Flexi Series Type-C to Type-C 60W 2.5m cable - Pink. Data transfer and charging. Improved charging. 30V 2A, 60 Watts. Pure copper. High flexible PVC sleeve. The Volkano Flexi Series Type-C to Type-C 60 W 2.5 m Cable is a highâ€'power charging and data cable with extended reach.
VK-20266-WT	R 171	Volkano Flexi Series Type-C to Type-C 60W 2.5m cable - White. Data transfer and charging. Improved charging. 30V 2A, 60 Watts. Pure copper. High flexible PVC sleeve. The Volkano Flexi Series Type-C to Type-C 60 W 2.5 m Cable is a high-power charging and data cable with extended reach.
VK-20271-BK	R 172	Volkano Flexi Series 3-in-1 Charging Cable - Black. The Volkano Flexi Series 3-in-1 Charging Cable delivers up to 18 W fast charging and data sync across USB-C, Micro USB or Lightning.
VK-20271-GR	R 137	Volkano Flexi Series 3-in-1 Charging Cable - Green. The Volkano Flexi Series 3-in-1 Charging Cable delivers up to 18 W fast charging and data sync across USB-C, Micro USB or Lightning.
VK-20271-PK	R 137	Volkano Flexi Series 3-in-1 Charging Cable - Pink. The Volkano Flexi Series 3-in-1 Charging Cable delivers up to 18 W fast charging and data sync across USB-C, Micro USB or Lightning.
VK-20271-WT	R 171	Volkano Flexi Series 3-in-1 Charging Cable - White. The Volkano Flexi Series 3-in-1 Charging Cable delivers up to 18 W fast charging and data sync across USB-C, Micro USB or Lightning.
VK-4100-CC1	R 171	Rugged by Volkano Water and Dust-Proof Type-C to Type-C cable - 1.2m
VK-4100-U31	R 206	Rugged by Volkano Water and Dust-Proof USB to 3-in-1 cable - 1.2m
VK-4100-UC1	R 171	Rugged by Volkano Water and Dust-Proof USB to Type-C cable - 1.2m
VK-PDQ-301-BK	R 114	Volkano On-The-Go USB to Type-C 18W Braided 1m cable - Black
VK-PDQ-303-BK	R 115	Volkano On-The-Go Type-C to Type-C 30W cable 1m - Black
VK-PDQ-304-BK	R 137	Volkano On-The-Go 3-in-1 Braided cable 1m - Black
VK-PDQ103-BK	R 126	Volkano On The Go 3-in-1 Braided cable, Outputs - USB Type-C / Lightning / Micro USB
VK-PDQ204-BK	R 115	Volkano On-The-Go USB to Type-C cable - 1m
VK20095BK	R 185	Volkano Iron Series round Metallic Spring Type-C cable 1.2m - Black, VK-20095-BK
VK20167BK	R 202	Volkano Weave Series Type-C to Type-C cable - 1.2m 18W Black, VK-20167-BK
WX-CB106	R 39	WINX Link simple USB to Type-C cable, 2.4A Fast Charge support, Nylon Braided cable Design, 100cm length, WX-CB106
WX-CB107	R 114	WINX Link Pro Type-C 1m cable, Supports 8K (7680x4320) Resolution at 60Hz, Up to 40Gbps Data transmission, Thunderbolt 4 & USB4.0 (Up to 40Gbps) Data Interface, 240W (48v/5a) Max Power Output, PD 3.1 charging standard, Aluminium Alloy casing & Braided Nylon Mesh

< Return to the menu

UV reactive cables

Product code	Price	Description
PS-AA4PS	R 10	Asus 4Pin molex to Sata power converter
PS-VAMG	R 22	Vantec MCK-iOUV-GR EZ-Grip Molex Connector Kit - UV reactive Green; 10 molex connector with one molex remover
PS-VAMG BARGAIN SPECIAL	R 19	(On Promotion) Vantec MCK-iOUV-GR EZ-Grip Molex Connector Kit - UV reactive Green; 10 molex connector with one molex remover (2 or less packs left)
PS-VAMK	R 22	Vantec MCK-iOUV-BK EZ-Grip Molex Connector Kit - UV reactive black; 10 molex connector with one molex remover
PS-VAMK BARGAIN SPECIAL	R 19	(On Promotion) Vantec MCK-iOUV-BK EZ-Grip Molex Connector Kit - UV reactive black; 10 molex connector with one molex remover (1 pack left)
PS-VAML	R 22	Vantec MCK-iOUV-BL, EZ-Grip Molex Connector Kit - UV reactive bLue ; 10 molex connector with one molex remover
PS-VAML BARGAIN SPECIAL	R 19	(On Promotion) Vantec MCK-iOUV-BL, EZ-Grip Molex Connector Kit - UV reactive bLue ; 10 molex connector with one molex remover (3 or less packs left)
PS-VAMR	R 22	Vantec MCK-iOUV-RD EZ-Grip Molex Connector Kit - UV reactive Red; 10 molex connector with one molex remover
PS-VAMR BARGAIN SPECIAL	R 19	(On Promotion) Vantec MCK-iOUV-RD EZ-Grip Molex Connector Kit - UV reactive Red; 10 molex connector with one molex remover (11 or less packs left)
PS-VAMY	R 22	Vantec MCK-iOUV-YL EZ-Grip Molex Connector Kit - UV reactive Yellow; 10 molex connector with one molex remover
TT-A2103 Special	R 50	(On Promotion) Thermaltake ATA133 EL Cable 480 mm - Blue. Blue light (UV Reactive Effect) ATA133 Cable.

< Return to the menu

VGA cables & connectors

Product code	Price	Description
118801	R 47	Equip 118801 VGA 15pin Male to 15pin Female extension cable 3.0m, HDB15 3 7 Cable, M/F Plug to Jack Connector, Built with knurled bolt and ferrite beads, Packaging - equip Polybag
118802	R 63	Equip 118802 VGA 15pin Male to 15pin Female extension cable 5.0m, HDB15 3 7 Cable, M/F Plug to Jack Connector, Built with knurled bolt and ferrite beads, Packaging - equip Polybag
118804	R 113	Equip 118804 VGA 15pin Male to 15pin Female extension cable 10.0m, HDB15 3 7 Cable, M/F Plug to Jack Connector, Built with knurled bolt and ferrite beads, Packaging - equip Polybag
118806	R 182	Equip 118806 VGA 15pin Male to 15pin Female extension cable 20.0m, HDB15 3 7 Cable, M/F Plug to Jack Connector, Built with knurled bolt and ferrite beads, Packaging - equip Polybag
118807	R 45	Equip 118807 VGA 15pin Male to 15pin Female extension cable 1.8m, HDB15 3 7 Cable, M/F Plug to Jack Connector, Built with knurled bolt and ferrite beads, Packaging - equip Polybag
118812	R 79	Equip 118812 VGA 15pin Male to 15pin Male cable 5.0m, HDB15 3 7 Cable, M/M Plug Connector, Packaging - equip Polybag
118814	R 113	Equip 118814 VGA 15pin Male to 15pin Male cable 10.0m, HDB15 3 7 Cable, M/M Plug Connector, Packaging - equip Polybag
118815	R 178	Equip 118815 VGA 15pin Male to 15pin Male cable 15.0m, HDB15 3 7 Cable, M/M Plug Connector, Packaging - equip Polybag
118816	R 217	Equip 118816 VGA 15pin Male to 15pin Male cable 20.0m, HDB15 3 7 Cable, M/M Plug Connector, Packaging - equip Polybag
118817	R 91	Equip 118817 VGA 15pin Male to 15pin Male cable 1.8m, HDB15 3 7 Cable, M/M Plug Connector, Packaging - equip Polybag
124320	R 32	Equip 124320 VGA malr to VGA male gender changer
20122	R 59	uGreen DVI-I 24 5 Male to VGA HD15 Female Adapter, Retail Box
304559	R 99	Manhattan SVGA Y-Cable HD15M (Male) to Dual HD15F (Female),15cm ï¿½Splits SVGA connection between two

		monitors, Retail Box
371179	R 269	Manhattan SVGA Extension Cable - HD15 Male / HD15 Female with Ferrite Cores, 20 m, Retail Box
373685	R 169	Manhattan SVGA Extension Cable - HD15 Male / HD15 Female with Ferrite Cores, 7.5 m (25 ft.), Black, Retail Box
373708	R 129	Manhattan SVGA Monitor Cable (373708)- HD15 Male / HD15 Male with Ferrite Cores, 7.5 m (25 ft.), Black, Retail Box
5KL2H06509	R 79	Dell 15 pin Male to 15 Pi Male VGA cable - 2m
61259	R 263	Goobay 61259 VGA to HDMI converter with 3.5 mm jack audio, Full HD 1080p 60Hz supported Video
93368	R 194	Goobay 93368 Full HD SVGA Monitor 1.8m Gold-Plated cable
93369	R 217	Goobay 93369 Full HD SVGA Monitor 3m Gold-Plated cable
93370	R 240	Goobay 93370 Full HD SVGA Monitor 5m Gold-Plated cable
93378	R 298	Goobay 93378 Full HD SVGA Monitor 10m Gold-Plated cable
93613	R 183	Goobay Full HD SVGA VGA male (15-pin) to VGA female (15-pin) Monitor Extension 1.8m Gold-Plated Cable
A34001-B	R 56	Astrum SV101 HD Male to Male VGA Monitor 1.8m Cable; HD 15-pin male x HD 15-pin male; Full HD support; ferrite cores; double shielding; tinned copper braid; silver plated connectors; PVC jacket; black
A34003-B	R 75	Astrum SV103 HD Male to Male VGA Monitor 3.0m Cable; HD 15-pin male x male; Full HD support; ferrite cores; double shielded; tinned copper braid; PVC jacket; black; screw-in connectors
A34005-B	R 105	Astrum SV105 HD Male to Male VGA Monitor 5.0m Cable; HD 15-pin male to male; Full HD support; ferrite cores; double shielded braid; silver plated connectors; PVC jacket; 8.0mm cable diameter; black
A34010-B	R 171	Astrum Black VGA 10.0m M-M Monitor Cable
A34015-B	R 194	Astrum VGA Monitor Cable, VGA CABLE 15.0M M-M MONITOR Black
A34030-B	R 344	Astrum SV130 HD Male to Male VGA Monitor 30.0m Cable
A37022-S	R 138	Astrum Silver Passive VGA F-F Extension Adapter
A38051-B	R 138	Astrum DA510 Black VGA Male to HDMI Female Audio Adapter; VGA male input; HDMI female output; 3.5mm audio input; Micro USB power; Full HD 1920 x 1080 at 60Hz; Plug and play; Supports VGA XGA SVGA SXGA UGA; Black; Approx 16g
AA340VGA5M	R 59	UniQue DB15 Male To DB15 Male 5m VGA Cable
ADA-VGA-2-HDMI-AUDIO	R 293	Unitek V1112A 1080p VGA to HDMI Adapter, 1920x1080p Max Output Resolution, 1x HDMI (Downstream), 1x VGA (Upstream), 1x 3.5mm Aux jack (Audio in / out), 18cm cable length, ABS & Aluminum Alloy material
ADA009	R 29	Microworld VGA Male to VGA Female Adapter
ADA012	R 17	Microworld VGA Male to VGA Male Adapter
ADA014	R 46	Microworld VGA Male to VGA Female 90 Degree angle adaptor
ADAUV10G	R 116	Astrum DAUV10 Full HD 1920 x 1200 USB-C to VGA Adapter; 15cm cable; USB-C to VGA adapter; compatible laptops, monitors and projectors
C-VGA-5	R 194	Unbranded 5m VGA Male to Male cable
CAB-SVGA-MM-10M-C506	R 171	Unitek Y-C506G 10m SVGA Male To Male 3c 6 Cable
CAB-SVGA-MM-15M-U	R 299	Unitek Y-C507G 15m Svga Male To Male Cable
CAB-SVGA-MM-2M-513G	R 81	Unitek Y-C513G 2m Svga Male To Male 3c 6 Cable
CAB-SVGA-MM-5M-C505G	R 122	Unitek Y-C505G 5m SVGA male to male 3c 6 cable
CAB059	R 18	Microworld VGA Female to VGA Female Adapter
CAB060	R 29	Microworld VGA to 3 RGB RCA cable 1.5m long
CAB069	R 40	Microworld VGA to 3 RCA S-Video Cable 10cm Long
CAB74	R 81	Microworld VGA to 1x RCA Yellow 1x S-Video
CM513-50945	R 168	UGreen VGA to HDMI converter, Male to Female, 1080p Full HD, Black, VGA Male Input, HDMI Female Output, 3.5mm Stereo Port Audio Input, Type-C 5V/1A Power Supply, 1080P@60Hz Maximum supported Resolution, 15 cm converter cable length, 1 m Type-C Power cable, 1 m Audio cable
CNV-VGA-HDMI-LQ	R 293	LinkQnet VGA Male to HDMI Female with audio converter, 1080p Maximum Resolution
DVI TO VGA	R 25	Microworld DVI-I (24 5) Male to VGA Female Connector
DVI-VGA	R 29	DVI to VGA Adaptor
DVI010	R 23	Microworld DVI-A Analogue to VGA adaptor

DVI011	R 58	Microworld DVI-D Single Link 18 1 to VGA adapter; up to 1080p; compatible PCs and graphics cards; VGA monitors and projectors; no drivers required; compact design
DVIF-MVGA	R 23	Microworld VGA Male to DVI-I Female Connector; 24 5 pin; 15-pin D-Sub; analogue video; metal housing; screw-lock connectors; plug and play; monitor and projector connectivity
GCPCV18	R 102	Gizzu Black 1.8m Full HD Type-C to VGA Cable; 1080p at 60Hz; VGA output; aluminium housing; PVC jacket; plug and play; black; compatible with DisplayPort Alt Mode devices
GCPVV18	R 37	Gizzu 1080p VGA cable - 1.8m, 1080p Max Resolution
GCPVV3	R 53	Gizzu 1080p VGA cable - 3m, 1080p Max Resolution
HDM-CNV-VH	R 1,696	Dtech VGA to HDMI converter, HDM-CNV-VH, Up to 1080p
HDMI-VGA	R 58	Mecer HDMI / Mini HDMI / Micro HDMI to VGA W/Audio Adaptor
HDMVGA	R 58	Microworld HDMI Male to VGA Male cable - 1.8m, 24K Gold-Plated Connector, This converter Adapter cable is not a Bi-Directional cable Adapter
MT-V1030	R 104	MT-Viki VGA 3m Male to Male 3 9 cable
MT-V1050	R 115	MT-Viki VGA Male to Male 5m 6 9 cable
MT-V1100	R 196	MT-Viki VGA Male to Male 10m 6 9 cable
MT-V3050-S	R 69	MT-Viki 5m VGA Male to VGA Male cable
MT-V3100-S	R 104	MT-Viki 10m VGA Male to VGA Male cable
MT-V3200-S	R 288	MT-Viki MT-V3200-S 20M VGA Male to Male(3 6) Cable
PC2TVOLD	R 184	Microworld VGA to AV Converter
SUR007	R 299	Microworld VGA male audio to HDMI male Converter cable 1.8m long
UQ-EXTVGA100M	R 429	UniQue 100M 1080P VGA And Audio Extender - Plug And Play, Connect Up to 100M, 1080P Full HD VGA Port, RJ45 Port For Cat5e/6, Single Network Extension, Audio Port, LED Power Indicator, Includes Receiver And Sender, DC 5V Power Supply, Retail Box, 3 Months Warranty
UQ-VGATHDMIWA	R 99	UniQue VGA Audio to HDMI converter; compact white design; plug-and-play; 1080p video; USB powered; compatible with PC, laptop, projector, Retail Box, No Warranty
VG101-11630	R 87	Ugreen VG101 VGA Male to Male cable - 1.5m, Gold-Plated connectors, 1920x1200 (WUXGA) Resolution support
VG101-11631	R 114	Ugreen VG101 VGA Male to Male cable - 3m, Gold-Plated connectors, 1920x1200 (WUXGA) Resolution support
VG101-11632	R 170	UGREEN Black 5m 1080p VGA Male to Male Cable; 1080p Full HD support; oxygen-free copper; gold plated connectors; black PVC jacket; PC to monitor projector connection; 15-pin VGA interface; office and classroom use
VGA001	R 184	Microworld VGA001 VGA to AV Converter; DB15 VGA input; Composite BNC and RCA output; S-Video output; HD15 VGA output; NTSC and PAL support; 640 x 480 to 2560 x 1600 supported; Image adjustment controls; USB power; Includes VGA, S-Video, RCA and USB power cables. (Note: Only 1 Unit)
VGA100	R 46	Microworld VGA Splitter Cable
VGA100M	R 631	Microworld VGA & Audio Network extender 100m, VGA (HD15) 3.5mm Audio jack Input, Outpur - RJ45 (Ethernet Port) VGA (Receiver side) Audio out, CAT5 / Cat5E / CAT6 supported cable, Up to 1920 x 1440 @ 60Hz Resolution support, External 5V/2A DC Power Supply (Included), 1x VGA transmitter, 1x VGA receiver, 2x Power Adapter
VGA2HDTV	R 98	Microworld VGA to HDMI converter box, Built-In Aux Port enables conversion of both Video and Audio signals to an hdmi-enabled Display, 1080p Output
VGA60M	R 344	Microworld VGA Network extender 60m, VGA (HD15) Input, RJ45 (Ethernet Port) Output, Up to 60m at 1920x1080 Resolution, 1x VGA sender, 1x VGA receiver
VGAFEMALE10MTR	R 92	Microworld VGA Extension Cable Male to female 10m
VGAFEMALE20MTR	R 155	Microworld VGA Extension Cable Male to female 20m
VGAFEMALE3MTR	R 37	Microworld VGA Extension Cable Male to female 3.0m long
VGAHDMI	R 114	Microworld Male VGA to Female HDMI 1.4 Audio, up to 1080P@60Hz Resolution
VGAHDMISIG-1	R 224	Microworld Male VGA to Female HDMI with USB Audio
VGAMALE1.5M	R 35	Microworld VGA cable 1.5m Male to Male
VGAMALE10MTR	R 92	Microworld VGA Male to VGA Male cable 10m long

VGAMALE15MTR	R 184	Microworld VGA Male to VGA Male 15m cable
VGAMALE15MTR-S	R 150	Microworld VGA 15 metre Male to Male cable
VGAMALE20.0MH	R 242	Micropoint VGA Male to VGA Male cable 20m long High Quality
VGAMALE20MTR-S	R 242	Microworld VGA 20 metre Male to Male cable
VGAMALE30MTR	R 230	Microworld VGA Male to VGA Male cable 30m long
VGAMALE3MTR	R 58	Microworld VGA Cable Male to male 3.0m long
VGANET	R 46	Microworld VGA Over CAT5 Passive 1 PC; 15-pin VGA; RJ45 female; CAT5 cable; up to 10m; passive operation; no external power; black
VK-20018-BK	R 149	Volkano View series VGA cable, 1.5 meter, Black
VK-20046-BK	R 368	Volkano Append series VGA male to HDMI female converter, 10cm cable, with Sound

< Return to the menu

Video Cables

Product code	Price	Description
0B47069	R 564	Lenovo 0B47069 HDMI to VGA Monitor Cable, 20 cm cable, 1920x1080 at 60Hz maximum resolution
118811	R 97	Equip 118811 VGA 15pin Male to 15pin Male cable 3.0m, HDB15 3 7 Cable, M/M Plug Connector, Packaging - equip Polybag
118943	R 86	EQUIP cable, DVI-A (Analogue) to VGA adapter. 2m black. DVI (DVI /Male) to VGA (VGA / Male) 2m, Adapts different video interfaces. Not compatible with DVI-D.
119322	R 67	EQUIP CABLE, HDMI TO DVI 2M BLACK
119325	R 106	EQUIP cable, HDMI to DVI-D (18 1 / 19 pin single link). 5 Meters.
119332	R 125	EQUIP CABLE, DISPLAY PORT CABLE 2M. DP to DP (M/ M), Complaint with display port standard, double shielded, carries both video and audio signals, supports resolution up to 2560 x 1600
119336	R 182	Equip 119336 DisplayPort to DVI-D 2m cable, DisplayPort male to DVI-D Dual-link (24 1) male
119343	R 90	EQUIP CABLE, HDMI A TO HDMI A 3.0M
119349	R 321	EQUIP CABLE, HDMI A TO HDMI A 10M
133435	R 113	Equip DisplayPort (m) to VGA (F) adaptor
177344	R 1,399	Manhattan VGA Cat5/5e/6 Extender - Extends video and audio signals up to 300 m (984 ft.).
2A-127G	R 171	Aten 2A-127G HDMI (female) to DVI-D (male) converter. Max resolution: 1080p; 1920 x 1200
2JA63AA	R 470	HP 2JA63AA Displayport to HDMI True 4k Adapter, Supports 4K resolution and 60hz refresh rate
308489	R 99	Manhattan Mini DVI 32P to VGA HD15F Cable, Connects a mini-DVI source to VGA display cable, Delivers a single, high-quality signal to a VGA display – ideal for Mac computers, Fully shielded to reduce EMI and other interference sources, Gold-plated connectors provide maximum connectivity, Molded PVC boot and strain relief.
308489 Special	R 101	(On Promotion) Manhattan Mini DVI 32P to VGA HD15F Cable, Connects a mini-DVI source to VGA display cable, Delivers a single, high-quality signal to a VGA display ideal for Mac computers, Fully shielded to reduce EMI and other interference sources, Gold-plated connectors provide maximum connectivity, Molded PVC boot and strain relief.
308496	R 149	Manhattan Mini DVI 32P to DVI 25F Cable, Connects a mini-DVI source to DVI-D dual-link display cable, Delivers a single, high-quality signal to DVI-D dual-link display – ideal for Mac computers, Fully shielded to reduce EMI and other interference sources, Gold-plated connectors provide maximum connectivity, Molded PVC boot and strain relief.
312721	R 149	Manhattan SVGA Monitor Cable HD15M (Male) to HD15M (Male), 4.5 metres- Connects VGA source to VGA display-Black, Retail Box, Limited Lifetime Warranty
328838	R 169	Manhattan Digital Video Cable - DVI-D Dual Link, 2M (6 ft), Retail Box
336529	R 29	Manhattan S-Video cable 1.8m / 6ft, Retail Box
354127	R 359	Manhattan DisplayPort Cable, DisplayPort Male / DisplayPort Male, 7.5 m, Black, Retail Box
361293	R 69	Manhattan 1.5m S-Video Male to Male cable, Blue, Heavy-gauge cable with nylon mesh protective jacket, Corrosion-resistant gold-plated contacts for best data transmission, Heavy-duty strain relief.
361330	R 79	Manhattan 3m S-Video Male to Male Cable, Blue, Heavy-gauge cable with nylon mesh protective jacket,

		Corrosion-resistant gold-plated contacts for best data transmission, Heavy-duty strain relief.
361354	R 89	Manhattan 4.5m S-Video Male to Male Cable, Blue, Heavy-gauge cable with nylon mesh protective jacket, Corrosion-resistant gold-plated contacts for best data transmission, Heavy-duty strain relief.
393713	R 369	Manhattan iLynk AV Cable - Composite video, 30-pin connector, USB
470-ABNE	R 194	Dell 470-ABNE Adapter - USB-C to USB-A 3.0
470-ABZX	R 258	Dell 470-ABZX HDMi to VGA Adaptor, Maximum video resolution of 1080p
492-BBXU	R 378	Dell 492-BBXU DisplayPort to HDMI 2.0 4K Adapter; 4K at 60 Hz; 20.32 cm; 20-pin DisplayPort male; 19-pin HDMI Type A female; HDMI 1.2, 1.4 and 2.0; Plug and play; For monitors, projectors and HDTVs
4X90K86567	R 1,127	Lenovo 4X90K86567 USB-C to HDMI Plus Power Adapter
4X90M42956	R 477	Lenovo 4X90M42956 USB-C to VGA Adapter, 1920x1200 maximum resolution
57Y4393	R 811	Lenovo Accessories Display Port to VGA Monitor Cable (1.8m)
900125	R 335	Port USB Type-C to VGA 15cm 1080p@60Hz Adapter - Black, Â© 2020 Laptop Direct
900127	R 238	Port USB Type-C to Display Port 2K@60Hz 15cm Adapter - Black, Â© 2020 Laptop Direct
9221032812	R 49	Digitech 1rca-S Vhs(Dmm220p) 1.2m Black Cable, Retail Box
93574	R 229	Goobay DVI-D Dual Link Gold-Plated 1.8m Cable; 24 1 pin male to male; gold-plated contacts; copper conductors; double shielding; ferrite cores at both ends; black; supports up to 2560 x 1600 subject to device capabilities; for compatible computers, monitors and projectors
A-DVI-M/VGA-F	R 432	Unbranded DVI Digital to VGA Female Adapter
A34601-C	R 138	Astrum RC301 3RCA Male to Male AV Stereo 1.5m Cable; composite video; stereo audio; 100% copper conductors; gold-plated connectors; braided shielding; flexible PVC jacket; colour coded connectors
A34605-C	R 138	Astrum RC303 3RCA Male to Male AV Stereo 3.0m Cable; composite video; stereo audio; gold-plated connectors; copper conductors; braided shield; flexible PVC jacket; colour coded connectors
A37024-A	R 138	Astrum DVI-I VGA Adapter, PASSIVE ADAPTER DVI-I - VGA M-F 24 5PINS
A37025-B	R 138	Astrum PA250 Black DVI-I Male to HDMI Female Passive Adapter
A37034-C	R 106	Astrum PA340 USB 2.0 to RS232 DB9 Serial Monitor Adapter; USB Type-A male; DB9 RS232 male; RS232 interface; plug and play; up to 921.6 kbps; 28AWG cable; 4.5mm cable diameter; 18g; barcode scanners; GPS; serial modems; industrial equipment
A38011-Q	R 91	Astrum DA110 Mini DisplayPort Male to HDMI Female Adapter; Thunderbolt compatible; up to 4K resolution; supports audio and video; gold plated connectors; integrated conversion IC; white; 0.13m cable; plug and play
A38021-Q	R 91	Astrum DA210 4K Ultra HD DisplayPort to HDMI Adapter; DisplayPort male; HDMI female; Plug and play; Gold plated connectors; DPCP and HDCP support; 12cm cable; 120 x 40 x 10mm; 20g; Desktop; Laptop; Monitor; TV; Projector
A38022-Q	R 117	Astrum DA220 Full HD 1080P DisplayPort to VGA Adapter; Plug and play; Gold plated connectors; Integrated digital conversion IC; Display extension; Display mirroring; 240 x 40 x 10mm; 45g
A38045-B	R 117	Astrum DA450 Black HDMI 1080P to VGA Adapter with Audio; 3.5mm audio output; Micro USB power input; Full HD 1920 x 1080 support; 15cm cable; Plug-and-play; Approx. 12g
A38052-B	R 138	Astrum DA520 DVI-I to VGA Active Adapter, DVI-I 24 1pin male - VGA female, Support HD Video, Plug & Play, Black
A38055-S	R 176	Astrum DA550 USB3.0 to VGA Active Adapter, USB male - vga female, Up to 1080P, Support USB2.0, WIN10 / 8 / 7, Extended Dis, Black
A38064-Q	R 114	Astrum DA640 4K Ultra HD USB-C to DisplayPort Adapter; 3840 x 2160 at 30Hz; Thunderbolt 3 compatible; plug and play; audio and video support; 16.5cm cable; 190 x 21 x 11mm; approximately 30g
A6927310	R 239	Dell A6927310 VGA 15pin Cable Male to Male - Black - 1m
AD-DVI-VGA Special	R 43	(On Promotion) DVI-I to VGA converter (Converts DVI port on graphics card to normal VGA port). Baobab DVI-I/M 25 5P to HD15/F.
ADA-15M15M-MINI-U	R 35	Unitek HD15 Male to HD15 Male Male mini adaptor
ADA-DISP-HDMI-4K-U	R 271	Unitek Y-6332 DisplayPort to HDMI Converter (Support 4K)
ADA-DISPM-MDISPF	R 137	Lindy DisplayPort Male to Mini DisplayPort Female Adapter Cable
ADA-HDMI-F-DVIM-L	R 156	Lindy HDMI Female - DVI Male Adapter

ADA-MINIDIS-DVIF-U	R 138	Unitek Y-6326BK Mini Displayport To Dvi Female Cable
ADA-MINIDIS-DVIF-UWH	R 98	Unitek Y-6326WH Mini Displayport To Dvi Female W Cable
ADA-MINIDIS-VGAF-W-U	R 123	Unitek Y-6327WH Mini DisplayPort to VGA Converter; Supports up to 1920 x 1200 WUXGA; Supports up to 1080p HDTV; Plug and play; No additional drivers; Intel Thunderbolt compliant; White; 10.5 x 3 x 10.5 cm; 0.20 kg
ADA-USB-C-HDMI-U	R 536	UNITEK TYPE-C TO HDMI (4K) VGA MST ADAPTER V1126A
ADA-USB3-TYPEC-USB-A	R 54	Unitek Y-A025CGY USB3.1 USB-C male to USB-A female Adapter; up to 5Gbps; USB 2.0 and USB 1.1 backward compatible; up to 5V2A charging with USB-C PD; aluminium-alloy housing; space grey; compact portable design
ADA-USB3.1C-VGAF-UN	R 407	Unitek Y-6315 USB3.1 Type-C to VGA Converter; Full HD 1920 x 1080 at 60Hz; DisplayPort Alternate Mode; aluminium housing; 15 cm cable; dimensions: 4.5 x 2.84 x 1.39 cm; weight: 0.20 kg
ADA-USBC-MICRO-USB	R 54	Unitek Y-A027AGY Type-C to Micro USB Adapter; charging and data synchronization; up to 480Mbps; aluminium housing; space grey; compact portable design; 96 x 33 mm
ADA002	R 35	Microworld Mini HDMI Male to HDMI Female Adapter; Type A; video and audio transfer; up to Full HD 1080p device dependent; plug and play; compact design; cameras; camcorders; tablets; HDTVs; monitors; projectors
ADA004	R 25	Microworld HDMI Male to HDMI Female 90 degree Adapter; Left to right connection; HDMI Type A; Plug and play; Cable routing for tight spaces; Compatible with TVs, monitors, laptops, gaming consoles and media devices
ADA005	R 17	Unbranded HDMI Male to HDMI Female 90 degree
ADA005	R 29	Unbranded HDMI Male to HDMI Female 90 degree
ADA016	R 109	Unbranded Micro HDMI to VGA adapter with 10cm cable
ADA019	R 35	Unbranded DVI (24 1) Male To HDMI Male Adapter
ADA026	R 35	Unbranded DVI (24 5) Male To HDMI Male Adapter
AV-41S	R 89	Geeko 4 Way RCA Splitter with 4 Way Audio, Video RCA Switch Box RCA Cable-,4 Way Port Splitter RCA Audio Video AV Switch Box, Easy to use Input selector switch, Compatibility with any devices that use RCA Audio and Video cables, Retail Box, No Warranty
BNC005	R 75	Microworld VGA to Component Colour Cable 1.5m long
BNC2VGA	R 229	Unbranded Bns S-Video to VGA convertor
CA-CHH	R 64	MiCro-HDMi (type-D / 2.8x6.4mm) to HDMi 1.5m cable (for mobile device with miCro-HDMi) - bulk pack
CA-DD2	R 120	DVi-i to Dvi cable - 2m
CA-DD3	R 98	DVi-i to Dvi cable - 3m
CA-DD5	R 164	DVi-i to Dvi-i cable - 5m
CA-DPDP2	R 131	DisplayPort to DisplayPort cable - 2m - bulk pack
CA-DPDP2-J	R 319	J5create JDC42 4K DisplayPort to DisplayPort, 2m - support 4K HD 3D, copper OFC conductors with triple shielding, gold plated connector - retail pack
CA-DPH4K-J	R 374	J5create JDA158 DisplayPort to HDMi(4K) Adapter, 125mm cable (active powered) - support up to 4096x2160 4K UHD @60Hz, white, for MAC or PC - retail pack
CA-DPV	R 120	HP AS615AA DisplayPort to VGA adapter cable
CA-HDMiDVi2	R 104	HDMi to DVi CAble (for vga card with HDMi) - 1.8m - bulk pack
CA-HDMiDVi3	R 127	HDMi to DVi Cable (for vga card with HDMi) - 3.0m - bulk pack
CA-HDMiDVi5	R 153	HDMi to DVi CAble (for vga card with HDMi) - 5.0m - bulk pack
CA-HH10	R 230	HDMi to HDMi (HDMiv1.4) 10m Cable with 3D support - bulk pack
CA-HH15	R 596	HDMi to HDMi (HDMiv1.4) 15m Cable with 3D support - bulk pack
CA-HH20	R 716	HDMi to HDMi (HDMiv1.4) Active 20m Cable with 3D support - bulk pack
CA-HH3	R 76	HDMi to HDMi (HDMiv1.4) 3m Cable with 3D support - bulk pack
CA-HH5	R 143	HDMi to HDMi (HDMiv1.4) 5m Cable with 3D support - bulk pack
CA-HV-S	R 286	Sunix H2V97C0 HDMI to VGA Cable - 80mm cable, with EMi shielding for anti-jamming signal, support up to WUXGA 1920x1200 - retail pack
CA-MDPD	R 260	Aavara Mini DisplayPort to DVi adapter cable - for new ATi HD5970 , HD5850x2 , HD5870x2 / Apple new notebooks- MacBook, MacBook Pro, MacBook Air, iMac, Powerbook G4
CA-MDPD+A	R 618	Sapphire Mini DisplayPort to DVi Active adapter cable (usb-powered) - for 3rd display unit when using ATi eyefinity

CA-MDPD-J	R 183	J5create JDA132 Mini Display Port to DVi Adapter 100mm cable - support up to WUXGA 1920x1200/ 1080P @60Hz, white, for MAC or PC - retail pack
CA-MDPDP	R 101	Sapphire Mini DisplayPort to DisplayPort adapter cable - for VGA / Apple new notebooks- MacBook, MacBook Pro, MacBook Air, iMac, Powerbook G4
CA-MDPDP4Kx2-J	R 792	J5create JDA146 Mini DisplayPort to DP(4K) x2 female MST hub with Cable (150mm) - support up to dual 4096x2160 4K UHD @30Hz, support extended/ expansion/ mirror mode, USB-powered, white, for MAC or PC - retail pack
CA-MDPDPDH-J	R 374	J5create JDA173 Mini DisplayPort to DP Dvi HDMi adapter with 100mm cable - support up to 4096x2160 4K (DP HDMi), white, for MAC or PC - retail pack
CA-MDPH-J	R 131	J5create JDA152 Mini Display Port to HDMi adapter 100mm cable - support up to WUXGA 1920x1200/ 1080P @60Hz, white, for MAC or PC - retail pack
CA-MDPH4K+V-J	R 363	J5 create JDA172 miniDisplayPort to HDMi or VGA (d-sub) converter/cable (female, work with existing cable), ideal for desktop or notebook/new mac book, support up to Full HD@VGA (1920x1080@60Hz) or 4K HDMI (3840x2160@30Hz), supports mirror and extended modes (VGA and HDMi cannot be used at the same time.), 38x75x15mm 150mm cable - bus-powered
CA-MDPV	R 253	Aavara Mini DisplayPort to VGA adapter cable - for new ATi HD5970 , HD5850x2 , HD5870x2 / Apple new notebooks- MacBook, MacBook Pro, MacBook Air, iMac, Powerbook G4
CA-MDPV-J	R 319	J5create JDA112 Mini Display Port to VGA adapter 100mm cable - support up to WUXGA 1920x1200/ 1080P @60Hz, White, for MAC or PC - retail pack
CA-MHH	R 64	Mini-HDMi (type-C / 3.2x11.2mm) to HDMi 1.5m cable (for vga card with Mini-HDMi) - bulk pack
CA-MHV	R 131	Mini-HDMi (type-C / 3.2x11.2mm) to VGA cable (for vga card with Mini-HDMi) - bulk pack
CA-SDPD2001	R 872	Sunix DPD2001 - DisplayPort/mini-DisplayPort to 2x DisplayPort MST hub (with bundled mini-DP to DP DP to DP cable), up to 3840x1200 (2x displays) or 7680x1080/ 3840x2160 (when 2 units installed with 4 displays), BUS powered (AC-adapter free)
CA-SDPU3000	R 972	Sunix DPU3000 - mini-Display Port to 3x Displays (Display Port Hdmi DVi) MST hub, up to 5760x1080 (3x displays) or 5760x2160 (when 2 units installed with 6 displays), BUS powered (AC-adapter free) - with bundled mini-DP to mini-DP mini-DP to DP cables
CA-SVCoM	R 16	S-Video to Component cable - bulk pack ((meaning packaged in a bag, does not include a box)
CAB-1394-AA2	R 46	Baobab 1394a 400 1394a 400 1.8m cable, 6-pin to 6pin
CAB-3RCA-PREM-1M-L	R 54	Lindy 1m Premium AV Cable 3xPhono Male To 3xPhono Male
CAB-40150	R 368	20M SVGA Male to Male-133A
CAB-DISPLAY-1.4-10MU	R 1,657	Unitek C1616GY 10m 8K Fiber Optic DisplayPort 1.4 cable, 8K @ 60Hz, 4K @144Hz, 1440p @ 240Hz
CAB-DISPLAY-1.4-5M	R 293	Unitek C1624BK-5M Unitek 5m DisplayPort 1.4 8K Male to Male cable, Gold-Plated connector, 1 x 8K Ultra High Speed DisplayPort 1.4 cable, Braided shielding, Foil shielding, Flexible PVC jacket
CAB-DISPLAY-1.4-5M-U	R 1,462	Unitek C1615GY 5m 8K Fiber Optic DisplayPort 1.4 cable, 8K @ 60Hz, 4K @144Hz, 1440p @ 240Hz
CAB-DISPLAY-M-M-3M-U	R 196	Unitek Y-C609BK Black 3m Displayport M-m Cable
CAB-DISPLAYMM-2M-U	R 201	Unitek Y-C608BK 2m Displayport V1.2 Male - Male Cable
CAB-DISPLAYMM-5M-U	R 205	Unitek 5m DisplayPort male to DisplayPort male cable, Y-C610BK
CAB-DISPM-HDMIM-1.8U	R 222	UNITEK Y-5118CA 1.8m DisplayPort Male to HDMI Male Adapter Cable; PC resolution up to 1920 x 1200; HDTV resolution up to 1080p; audio pass-through when supported; plug and play; black
CAB-DISPM-VGAF-0.2MU	R 269	Unitek Y-5118E 0.2m DisplayPort to VGA Female Converter; PC resolution up to 1920 x 1200; HDTV up to 1080p; no software required; black; 4.5 x 4.5 x 1.5 cm
CAB-DISPM-VGAM-1.8MU	R 358	Unitek Y-5118F 1.8M DisplayPort to VGA Male Cable; PC resolution: up to 1920 x 1200; HDTV: up to 1080p; Plug and play; No driver required; Black; PVC cable; DisplayPort male; VGA male
CAB-DP-MINIDP	R 58	Mecer Display Port (Female) to Mini Display Port (Male) Adaptor
CAB-DVI-A-HD15M-2M	R 196	Lindy 2m Black DVI-A To VGA Male Cable
CAB-DVI-HDMI-10M-VM	R 230	VCOM 10m DVI to HDMI metal hood braid cable, CG483G-10.0
CAB-DVI-HDMI-5M-VM	R 196	VCOM 5m DVI to HDMI metal hood braid cable, CG483G.5.0
CAB-DVIDL-MM-5M-U-GY	R 216	Unitek 5m DVI D male (24 1) to DVI D male (24 1) 8.5mm cable, Y-C210DGY

CAB-DVIVL-MM-10M-UGY	R 288	Unitek 10m DVI D male (24 1) to DVI D male (24 1) 8.5mm cable, Y-C211DGY
CAB-HDMI-DVI-M-10M-U	R 274	Unitek 10m HDMI male to DVI-D (24 1) male, Y-C222DGY
CAB-HDMI-DVID-MM-2ML	R 123	Lindy 36272 Black Line 2m HDMI To Dvi-d Male To Male Cable
CAB-MINIDP-2M-C613BK	R 155	Unitek Y-C613BK 2m Mini Displayort Cable
CAB-MINIDP-3M-C614BK	R 120	Unitek Y-C614BK 2m mini DisplayPort male to mini DisplayPort male cable
CAB-MINIDP-DP	R 58	Mecer Mini Display Port (Female) to Display Port (Male) Adaptor
CAB-MINIDP-DP-2M-U	R 152	Unitek 2m mini DisplayPort to DisplayPort, Y-C611BK
CAB-MINIDP-DP-3M-U	R 196	Unitek 3m mini DisplayPort to DisplayPort, Y-C612BK
CAB-RAW-SVGA	R 14	Unitek LE001 Svga 3 6, 28awg, Od 7.8mm Cable - Sold Per Meter
CAB-SVGA-MM-20M-C508	R 327	Unitek 20m SVGA Male to Male cable, Y-C508G
CAB-SVGA-MM-3M-504G	R 127	Unitek Y-C504G 3m Svga Male To Male 3c 6 Cable
CAB-TC-DP-5M-BLST	R 363	Unbranded 5m Type-C to DisplayPort cable 4K2K 60Hz
CAB-TC-DPP-2M-V1409A	R 331	Unitek 4K 60Hz USB-C to DisplayPort 1.2 Cable, V1409A
CAB-TC-HDMI-5M-BLST	R 416	Unbranded 5m Type-C to HDMI cable 4K24K 60Hz
CAB-TC-MINIDP-5M-BLS	R 363	Unbranded 5m Type-C to mini DisplayPort cable 4K2K 60Hz
CAB-TC-VGA-5M-BLST	R 416	Unbranded 5m Type-C to VGA cable 1080p 60Hz
CAB-USB-EXT-5M-U	R 212	Unitek Y-271 USB 2.0 5m Extension Cable
CAB-USB3C-DP-1.8M-U	R 350	Unitek V400AWH 1.8m USB Type-C male to DisplayPort male cable
CAB015	R 69	Unbranded DVI Cable Male to male 3.0m long
CAB039	R 104	Unbranded DVI-D to HDMI Cable 3.0m long
CAB042	R 35	Unbranded DVI to 3 RCA Cables 1.8m long
CAB044	R 92	Unbranded Display Port Cable Male to Male 1.8m long
CAB045	R 12	Unbranded S-Video Female to RCA Male Adaptor
CAB047	R 69	Unbranded DVI to VGA Splitter Cable
CAB058	R 127	Unbranded Display Port Male to HDMI Male Cable 1.8m long
CAB068	R 12	Unbranded S-video Male to RCA Female Adapter
CAB077	R 14	Microworld S-video Male to S-video Male Cable 1.8m long
CAB402	R 19	UniQue SVHS TO SVHS (3M) 3-0085NI, No Warranty
CAB403	R 39	UniQue SVHS TO SVHS (2M) GOLD 385G, OEM, No Warranty
CAB73	R 104	Microworld Mini Display Port to VGA (f) Cable; 10 cm cable length; display adapter cable; laptop to VGA monitor; projector connectivity; legacy VGA displays
CAC-1007-CLUB3D	R 596	Club 3D CAC-1007 DisplayPort 1.4 Active Repeater 4K120Hz HBR3 F/F
CAC-1023-CLUB3D	R 500	Club 3D DisplayPort 1.4 Extension Cable 8K60Hz DSC 1.2 HBR3 HDR Bidirectional M/F 3m/9.84ft
CAC-1060-CLUB3D	R 634	Club 3D CAC-1060 3m Displayport 1.4 HBR3 8K Male-male Cable
CAC-1069B-CLUB3D	R 902	Club 3D CAC-1069B 4m Displayport 1.4 Hbr3 8k Male-male Cable
CAC-1080-CLUB3D	R 785	CLUB 3D CAC-1080 DISPLAYPORT 1.4 TO HDMI2.0 HDR 4096 X 2160P
CAC-1120-CLUB3D	R 307	Club 3D Mini DisplayPort 1.4 to DisplayPort Extension Cable 8K60Hz DSC 1.2 HBR3 HDR Bidirectional F/M 1m/3.28ft
CAC-1164-CLUB3D	R 614	Club 3D 2m M/M MiniDisplayPort 1.4 HBR3 Cable
CAC-1180-CLUB3D	R 484	Club 3D CAC-1180 Mini Displayport 1.4 To HDMI 2.0 Hdr 4096 X 2160p
CAC-1325-CLUB3D	R 481	Club 3D High Speed HDMI Extension Cable 4K60Hz M/F 5m/16.4ft 26 AWG
CAC-1510-CLUB3D	R 957	Club 3D USB Type-C to DVI-I Dual Link active Adapter, CAC-1510
CAC-1512-CLUB3D	R 765	Club 3D 5m USB Type-C to VGA active cable Male to Male, CAC-1512
CAC-1517-CLUB3D	R 656	Club 3D CAC-1517 1.2m USB 3.1 Type-C to DisplayPort 1.2 UHD Cable; USB-C male to DisplayPort male; 3840 x 2160 at 60Hz; 4K UHD; AMD FreeSync; 3D up to 1080p at 120Hz; up to 8 channel audio; DisplayPort Alt Mode; Thunderbolt 3 compatible; white; 47g
CAC-1557-CLUB3D	R 868	Club 3D 1.8m USB Type-C to DisplayPort 1.4 mm bi-directional cable, CAC-1557
CAC-1630-CLUB3D	R 1,799	CLUB 3D USB Type C HDMI MiniDisplayPort 1.2 to HDMI 4K60Hz HDR M/M Active Adapter 32AWG
CAC-2067-CLUB3D	R 316	Club 3D CAC-2067 1m Displayport 1.4 To Displayport Hbr3 Male To Male Cable

CAC-2068-CLUB3D	R 400	Club 3D CAC-2068 2m/6.56ft M/M DisplayPort 1.4 HBR3 Cable
CAC-2070-CLUB3D	R 568	Club 3D CAC-2070 DisplayPort 1.2 to HDMI 2.0 UHD Active Adapter
CNT-HD15M	R 20	Unbranded HD15 male connector, VGA-15P/YCS15P
CNV-AV-VGA-7505	R 484	Lenkeng S-Video RCA & VGA in to VGA out, FLY7505
CNV-DISPLAYM-VGAF-L	R 244	Lindy DisplayPort to VGA Active Converter
CNV-DP-HDMIF - Special	R 107	Displayport Male To HDMI Female converter - Black (DPIC-025) - 1 converter included. This converts and connects a Displayport source (such as a DisplayPort graphics card) to a HDMI display (monitor, projector, etc)
CNV-HDMI-VGAF-3IN1-U	R 243	Unitek Y-6355 HDMI to VGA Converter with Audio (Micro/Mini HDMI Adapter)
CNV-HDMIM-VGAF-U	R 204	Unitek Y-6333 HDMI male to VGA Female With Audio
CNV-MINI-MDISP-VGAF	R 64	Unbranded mini DisplayPort to VGA female adaptor, DPIC-030
CNV-MINID-VGAF-HDMIF	R 246	Unbranded mini Display male to VGA & HDMI female adaptor, DPIC-031
CNV-MINIDP-DP-15CM-L	R 127	Lindy 15cm mini DP to DisplayPort cable (41021)
CNV-MINIDP-DVIF	R 458	Unitek Y-6302 Active Mini Displayport Male To Dvi Female Cable
CNV-USB-VGA-LQ	R 319	LinkQnet USB 3.0 to VGA Female Adapter cable, 1080p maximum Resolution
CNV-USBC-VGA-LQ	R 196	LinkQnet USB-C to VGA Female adaptor, XF-CVF01
CNV-USBC-VGA-U	R 309	Unitek V1413A USB Type-C to VGA Female, USB-C to VGA 1080p Full HD Adapter with Nylon-Braided cable, USB-C upstream, VGA downstream
CNV-V1127A	R 311	Unitek HDMI2.0 4K Switch 2-to-1 bi-direct (V1127a). 4K@60Hz HDMI, Two-way usage: 2 In 1 Out / 1 In 2 Out, One-click switch, Aluminium housing with compact design
CNV-V1407A	R 825	Unitek USB Type-c To Dual DisplayPort MST up To 8K (Multi-Stream Transport (MST) at dual 5K@60Hz) (V1407A)
CNV-Y-3801	R 942	Unitek Y-3801 USB3.0 to DVI Converter VGA Adapter; Full HD 1080P; maximum 2048 x 1152 at 32bit; mirror mode; extended desktop; multi-screen; screen rotation; USB bus-powered; DVI 24 5pin female; Windows compatible
CNV-Y-5119DF	R 174	Unitek Mini DisplayPort to DVI female converter, Y-5119DF
Co-CHV-S	R 200	Sunix H2V57C0 miCro-HDMi (type-D/ 2.8x6.4mm) to VGA 10cm converter Cable (for mobile device with miCro-HDMi) - retail pack
Co-DPD	R 109	DisplayPort to DVi converter - bulk pack
Co-DPD-J	R 181	J5create JDA134 DisplayPort to DVi 90mm Converter cable, (female, work with existing HDMi cable) - support up to Full HD 1920x1200 / 1080P @60Hz, white, for MAC or PC - retail pack
Co-DPH-J	R 209	J5create JDA154 DisplayPort to HDMi 100mm Converter cable, (female, work with existing HDMi cable) - 2.7Gbps, support up to WUXGA 1920x1200@60Hz, white, for MAC or PC - retail pack
CO-DPH-S	R 151	Sunix D2H13N0 DisplayPort to HDMI Converter/dongle - HDMI 1.4b with 4K UHD (2160p - 3840x2160), with EMi shielding for anti-jamming signal - retail pack
Co-DPH4K-J	R 220	J5create JDA158 DisplayPort to HDMi2.0 160mm Converter cable (female, work with existing HDMi cable), Active powered - support up to 4096x2160 4K UHD (2160P - 3840x2160@60hz/ FHD 1920x1080@120Hz), white, for MAC or PC - retail pack
Co-DPH4K-SA	R 297	Sunix D2H13MD DisplayPort to HDMI Converter/ Dongle Active powered - HDMI 2.0 with 4K UHD (2160P - 3840x2160@60hz/ FHD 1920x1080@120Hz), with EMi shielding for anti-jamming signal - retail pack
Co-DPV	R 167	Sunix D2V17C0 Display Port to VGA Dongle - support up to WUXGA 1920x1200 - retail pack
Co-DPV-J	R 363	J5create JDA114 DisplayPort to Vga 90mm Converter cable, (female, work with existing HDMi cable) - support up to Full HD 1920x1200 / 1080P @60Hz, white, for MAC or PC - retail pack
Co-DViDSUB	R 54	DVi-i to D-sub converter (for vga card with DVi-i) - bulk packaging no box (sold as 1 unit in bag)
Co-HDMiDSUB+A	R 63	HDMi to D-SUB(VGA) converter (for vga card with HDMi) 3.5mm Audio out - bulk pack
Co-HV+A-J	R 198	j5 Create JDA203 HDMI to D-Sub (VGA) 3.5mm audio out converter White, support upto Full HD 1920x1200 / 1080p @60Hz, For Mac or PC, 60 x 25 x 13 mm
Co-MDPH4K-J	R 352	J5create JDA159 Mini DisplayPort or thunderbolt2 to HDMi2.0 125mm Converter cable (female, work with existing HDMi cable) - support up to 4096x2160 4K UHD @30Hz, white, for MAC or PC - retail pack
Co-MDPH4K-SA	R 352	Sunix D2H23MD Mini DisplayPort to HDMI Converter/ Dongle Active - HDMI 2.0 with 4K UHD (2160P -

		3840x2160@60hz/ FHD 1920x1080@120Hz), with EMi shielding for anti-jamming signal - retail pack
Co-MDPV	R 175	Sunix D2V27C0 Mini Display Port to VGA Dongle - support up to WUXGA 1920x1200 - retail pack
Co-VAH	R 584	J5create JDA214 Vga USB Audio input to HDMi output converter - 254mm cable - support up to Full HD 1920x1200 - retail pack (NOTE: Only from PC/ Notebook to Monitor/ TV or Projector)
CON004	R 114	Microworld HDMI to VGA 3.5mm Audio
CON008	R 98	Microworld HDMI Male to VGA Female Adapter; 720p; 1080i; 1080p; 3.5mm audio output; no external power required; plug and play; includes 3.5mm audio cable
CSV-1534-CLUB3D	R 1,630	Club 3D CSV-1534 USB 3.1 Type-C to HDMI 2.0 4K Adapter with USB 2.0 USB Type-C PD 60W Charging Mini Dock; 4096 x 2160 at 60Hz; 1 x USB 2.0 Type-A; USB Type-C PD up to 60W; DisplayPort Alt Mode; HDCP 1.3 and 2.2; 78 x 60 x 19mm; 51g
CSV-1550-CLUB3D	R 1,799	Club 3D CSV-1550 USB Type-c 3.2 Gen1 Triple Displayport 1.4, Triple Monitor 4k60hz
CSV-1552-CLUB3D	R 1,024	Club 3D MST Hub USB3.2 Gen2 Type-C (DP Alt-Mode) to DisplayPort HDMI, 4K 60Hz, USB3.2 Gen 1 Type-C male Input, 1x DisplayPort female, 1x HDMI female
CSV-1577-CLUB3D	R 1,955	Club 3D CSV-1577 Thunderbolt 3 to Dual DisplayPort 1.2 4K Adapter; 2 x DisplayPort outputs; Dual screen up to 4096 x 2160 at 60Hz; Single screen up to 5120 x 2880 at 60Hz; Intel Alpine Ridge; 15W Thunderbolt powered; 9.3 x 5.6 x 1.6 cm; 91g; Mac OS Sierra and Windows 10
CSV-6400-CLUB3D	R 2,708	Club 3D CSV-6400 Multi Stream Transport (MST) Hub DisplayPort 1.2 Quad Monitor USB Powered
DELOCK-65170	R 235	Delock 65170 Adapter VGA Female - Terminal Block; 15 pin female; 16 pin terminal block; 3.81 mm pitch; industrial wiring adapter; open cable end connections; custom VGA wiring
DELOCK-65268	R 292	Delock 9-pin Sub-d F Terminal Block
DELOCK-65269	R 307	Delock 65269 D-Sub 9-Pin Male Adapter - Terminal Block 10-Pin; 3.81 mm pitch; bare wire connection; industrial electronics; control wiring; railway modelling
DELOCK-65317	R 345	Delock 65317 Adapter Sub-D 25-Pin Female - Terminal Block 27-Pin; 3.81 mm pitch; female D-Sub with nuts; 54.20 x 53.04 x 16.05 mm; industrial and hobby applications
DELOCK-65318	R 376	Delock 65318 Adapter Sub-D 25-Pin Male - Terminal Block 27-Pin; 3 x 9 pin terminal configuration; 25 pins connected; screw terminals; 3.81 mm pitch; max 30 V; max 0.3 - 0.9 A; 54.20 x 53.04 x 16.05 mm; 0.035 kg
DELOCK-65370	R 224	Delock 65370 Adapter USB 3.0-A Female - Terminal Block 10-Pin
DELOCK-65424	R 338	Delock 65424 Adapter VGA Male - Terminal Block 16-Pin; 3.81 mm pitch; Dimensions: 54 x 31 x 17 mm; Insulating anti-slip pad; Industrial wiring adapter
DELOCK-85113	R 253	Delock DisplayPort Female to Female panel Mount (4K) cable, 85113, 1x DisplayPort 20 pin female panel-moun & 1x DisplayPort 20 pin female panel-mount, 3840x2160 @ 60 Hz Maximum screen Resolution, 25 cm length
DELOCK-85974	R 1,142	Delock 1.75m Type-C / DP / Mini DP to HDMI cable, 85974, 1x Mini DisplayPort male, 1x DisplayPort male, 1x USB Type-C male, 1x HDMI-A male
DIS002	R 127	Unbranded Display Port Male To HDMI Female Connector
DIS002-1	R 127	Unbranded DisplayPort male to HDMI female
DIS002-2	R 127	Unbranded DisplayPort to HDMI female
DIS005	R 104	Unbranded Mini Display Port to Display Port cable
DIS006	R 150	Unbranded Mini Display Port to Mini Display Port cable
DIS2VGA	R 114	Unbranded Display Port (male) To VGA (female) adaptor
DMS59-VGA	R 69	Microworld DMS 59 pin to 2x VGA Splitter
DP2DP5M	R 114	Unbranded Display port Male to Display port Male cable 5m long
DP2MDP01	R 81	Unbranded Display Port (m) To Mini Display Port (f) adaptor
DPTOVGA	R 91	Unbranded Display Port Male To VGA Female Adapter
DTDE492-BBXU	R 401	Dell 492-BBXU DisplayPort to HDMI 2.0 4K Adapter; 4K at 60 Hz; 20.32 cm; 20-pin DisplayPort male; 19-pin HDMI Type A female; HDMI 1.2, 1.4 and 2.0; Plug and play; For monitors, projectors and HDTVs
DTHP2JA63AA	R 454	HP 2JA63AA Displayport to HDMI True 4k Adapter, Supports 4K resolution and 60hz refresh rate
DTHPVN567AA	R 258	HP DisplayPort Cable kit, Connects a DisplayPort connector on an HP Business Desktop computer to a DisplayPort connector on a monitor.
DVI-VGA1.8M	R 79	UniQue DVI Male to VGA Female 1.8m Cable. Please Note: The DVI connector on this cable can only be inserted

		into a DVI-I interface.
DVI001	R 69	Unbranded Display Port to DVI-D cable 1.8m long
DVI002	R 114	Unbranded Display Port Mini Male to DVI-D Male cable
DVI003	R 104	Unbranded DVI-D to DVI-D (24 1) cable 5m long
DVI004AC	R 92	Microworld DVI-D to VGA - Adapter
DVI004AC	R 129	Unique DVI-D To VGA Female Adapter
DVI005	R 184	Unbranded DVI-D to DVI-D 24 1 cable 10m long
DVI006	R 35	Microworld DVI-D Male to HDMI Female Adapter; DVI-D 24 1 pin; HDMI Type A female; Digital video; Full HD 1920 x 1080; Plug and play; No drivers required; Compatible with PCs, graphics cards, monitors and TVs; No audio support via DVI
DVI008	R 46	Unbranded DVI-D Male to DVI-D Female adaptor
DVI009	R 35	Microworld DVI-I Female to DVI-I Female (24 5) adaptor; digital and analog DVI-I; cable joining and extension adaptor; black; no drivers required
DVI012	R 46	Unbranded DVI-D (M) to DVI-I (F) adaptor
DVI020	R 46	Microworld DVI-I Male to DVI-I Female Adaptor; Digital and analog DVI-I support; Compatible computer monitors and displays; Video connectivity adaptor; Compact DVI-I connection solution
DVI2VGA	R 92	Unbranded DVI-D (24 1) to VGA Cable 1.8m long
DVI2VGA1.8M	R 69	Unbranded DVI-I (24 5) to VGA Cable 1.8m long
DVIFHDMI	R 35	Unbranded DVI-I Female to HDMI Male adaptor
DVIHDMI	R 46	Microworld DVI-I Female to HDMI Female Connector; DVI-I to HDMI connectivity; compact video adapter; compatible display equipment
DVIMALE1.8	R 104	Unbranded DVI-I to DVI-I Dual Link Digital 24 5 cable
DVIMALE1.8M	R 58	Microworld DVI-D to DVI-D Dual Link Digital cable; DVI-D 24 1 pin; male to male; computer to monitor connection; digital video transmission
F7W96AA	R 252	HP DisplayPort to DVI Adapter
F7W97AA	R 298	HP DisplayPort To VGA Adapter, Â© 2014 Laptop Direct
FY2210	R 198	Kenton HDMI to VGA Converter, Retail Box
GAL002	R 196	Microworld MHL to HDMI Cable for Samsung Galaxy S3
GAL005	R 196	Microworld MHL to HDMI Cable for Samsung Galaxy S5
GAPU3V	R 196	Gizzu USB 3.0 to VGA Adapter, 1920x1080 @ 60Hz Resolution support, Aluminium housing, USB 3.0 Input (Male) to VGA Output (Female), 25cm cable length
GCDD2M14FFP	R 105	GIZZU DisplayPort to DisplayPort 2m V1.4 Cable Polybag
HDM004	R 35	Microworld HDMI Male to VGA Female Cable; 12cm length; male to female connector; HDMI to VGA display adapter; compatible monitors and projectors
HDM006	R 138	Microworld HDMI Mini Male to VGA Female 10cm long cable; compact video adapter cable; Mini HDMI source; VGA display connection
HDM007	R 403	Microworld HDMI to Display Port (Active); HDMI male input; DisplayPort female output; 3840 x 2160 4K support; 3D video; HDMI audio; DisplayPort 1.1a / 1.2; HDMI 1.3b / 1.4 / 2.0; 23 cm cable; silver; plug and play
HDM020	R 138	Unbranded Mini Display Port To HDMI (F)
HDM021	R 81	Unbranded Mini Display Port to HDMI MALE 1.8M
HDM022	R 104	Unbranded Micro USB MALE to HDMI FEMALE with 10cm Cable
HDM040	R 17	Microworld Micro HDMI Male to HDMI Female
HUB-USB-5P-D1036A	R 554	Unitek usb3.0 5-port USB-c HDMI dual card reader. uHUB P5 Exquisite 5-in-1 USB-C Hub with HDMI and Dual Card Reader.
HUB-USB3C-1P+2P+VGA	R 630	Unitek Y-9102 Type-C 1-Port USB3.0 2-Port USB2.0 Hub with Power Delivery and VGA Converter; USB Power Delivery; USB PD Revision 2.0 Version 1.1; aluminium housing; plug and play; 0.30 kg shipping weight
M49145	R 272	Verbatim USB-c To VGA Adapter - USB 3.1 Gen 1/ VGA 10cm Cable
MD2DP01	R 58	Microworld Mini Display Port Male to Display Port female adaptor; HD video and audio support; plug and play; no drivers required; black; compatible laptops and desktops; compatible DisplayPort monitors and displays

MDP2DVI	R 98	Microworld Mini Display Port Male to DVI Female adaptor; 10cm cable; Mini DisplayPort to DVI adaptor; compact display connectivity; desktop and workstation use
MM108-40259	R 171	UGreen DVI-D 24 1 to VGA Active Video Adapter (Male to Female) - Black, 15 pin VGA Female Output, 1080p @ 60Hz Max Resolution, 3D support, Built-In Intelligent signal Processor, Up to 20 m transmission distance, Micro-USB Port for supplemental Power, 30cm cable length
MT-HAV03	R 229	MT-Viki MT-HAV03 HDMI to CVBS adaptor
MT-V1400	R 863	MT-Viki MT-V1400 40meter VGA Male TO Male(3 9) Cable
MT-V1500	R 978	MT-Viki MT-V1500 50Meter VGA Male TO Male(3 9) Cable
MT-V3300-S	R 334	MT-Viki MT-V3300-S 30Meter VGA Male to Male(3 6) Cable
N9K76AA	R 424	HP USB-C to VGA Adapter, Video output VGA female Connecter, Host input USB Type-C male Connecter
NBDE470-ABNE	R 252	Dell 470-ABNE Adapter - USB-C to USB-A 3.0
NBDE470-ABZX	R 321	Dell HDMi to VGA Adaptor
NBHP1WC36AA	R 289	HP 1WC36AA USB-C to HDMI 2.0 Adapter, Supports HDMI 2.0
NBHPF3W43AA	R 213	NBHPF3W43AA, { Compatible with --> HP EliteBook 825 G2, HP Elitebook 845 G2, HP Revolve 810 G2, HP EliteBook 1040, HP ZBook 14, HP ZBook 15, HP ZBook 17, HP ProBook 655 G1, HP ProBook 650 G1, HP ProBook 645 G1, HP ProBook 640 G1, HP Elitebook 820 G1, HP Elitebook 850 G1, HP Elitebook 840 G1, HP Revolve 810 G1, HP mt40, HP 9470m, 2570p, 2170p, 8770w, 8570w, 8470w, 8570p, 8470p, 6475b, 6470b, 6570b }
NBHPF7W96AA	R 208	HP DisplayPort to DVI Adapter
NBHPF7W97AA	R 248	HP DisplayPort To VGA Adapter
NBHPH4F02AA	R 244	HP HDMI to VGA Adapter, {Compatible with --> HP 9470m, Spectre XP, Folio 13}
NBHPN9K76AA	R 355	HP N9K76AA USB-C to VGA Adapter, Video output VGA female Connecter, Host input USB Type-C male Connecter
NBLE0B47072	R 1,561	Lenovo 0B47072 USB 3.0 to DVI/VGA Monitor Adapter
NBLE4X90M42956	R 529	Lenovo 4X90M42956 USB-C to VGA Adapter, 1920x1200 maximum resolution
RCT ADP-DPVGA	R 112	RCT DisplayPort to VGA adaptor - Black
RCT ADP-HDMIVGA	R 146	RCT HDMI to VGA with audio adaptor - Black
RCT ADP-MDPHDMI	R 112	RCT mini DisplayPort to HDMI adaptor
RCT ADP-U3MCF	R 48	RCT ADP U3MCF USB 3.0 Type-C female to USB Type-A male adaptor
RCT HDMI CABLE-15M	R 669	RCT HDMI CABLE 15M, RCT Mouded 19 Pin Plug to Plug HDMI Cable
RCT HDMI CABLE-5M	R 160	RCT HDMI CABLE 5M, RCT Mouded 19 Pin Plug to Plug HDMI Cable
SC-DUBV210	R 564	D-link DUB-V210 type-C/Thunderbolt3 USB3 to HDMi VGA (d-sub) converter/cable (female, work with existing cable), ideal for desktop or notebook/new mac book, support up to Full HD@VGA (1920x1080@60Hz) or 4K HDMi (3840x2160@30Hz)
SC-JCA111	R 474	J5create JCA111 type-C USB3.1 to VGA (D-sub) converter/cable (female, work with existing VGA cable), ideal for desktop or notebook/new mac book, support up to Full HD (1920x1080), 23x68x14mm 145mm cable - USB-powered, aluminium housing | display out : d-sub (female), 3.5mm audio : N, main body dimension - mm : 23x68x14, cable length - mm : 145
SC-JCA140	R 307	J5create JCA140 type-C USB3.1 to DisplayPort Converter/ Cable (female, work with existing DP cable), ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160), 23x68x14mm 145mm cable - USB-powered, aluminium housing | type : type-C, display out : DP (female), 3.5mm audio : N, main body dimension - mm : 23x68x14, cable length - mm : 145
SC-JCA141	R 170	J5create JCA141 type-C USB3.1 to DisplayPort Cable (male), ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160), 59x22x11mm 1200mm cable - USB-powered, aluminium housing | type : type-C, display out : DP (male), 3.5mm audio : N, main body dimension - mm : 59x22x11, cable length - mm : 1200
SC-JCA153	R 374	J5create JCA153 type-C USB3.1 to HDMi Converter/ Cable (female), work with existing HDMi cable), ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160), 23x68x14mm 145mm cable - USB-powered, aluminium housing | type : type-C, display out : HDMi (female), 3.5mm audio : N, main body

		dimension - mm : 23x68x14, cable length - mm : 145
SC-JCA174	R 330	J5 create JCA174 type-C USB3.1 to HDMI or VGA (d-sub) converter/cable (female, work with existing cable), ideal for desktop or notebook/new mac book, support up to Full HD@VGA (1920x1080@60Hz) or 4K HDMI (3840x2160@60Hz), supports mirror and extended modes (when connected to both the VGA and HDMi, only mirror mode is supported), 38x75x15mm 150mm cable - USB-powered
SC-JCA365	R 1,071	J5create JCA365 type-A/C to 2x HDMi (female, work with existing cable), 2 Display Modes (extended / mirror), ideal for desktop or notebook/new mac book, support up to 1x2K 1x4K HD (3840x2160@30Hz), 61x68x15mm 200mm cable - usb-powered, aluminum
SC-JCC111	R 430	J5Create JCC111 type-C USB3.1 to VGA (d-sub) cable (male - direct to display), ideal for desktop or notebook/new mac book, support up to Full HD (1920x1080), 15x47x30mm 185mm cable - USB-powered, aluminium housing
SC-JCC153	R 529	J5 Create JCC153 type-C USB3.1 to HDMi cable (male - direct to display), ideal for desktop or notebook/new mac book, support up to 4K HD (3840x2160), 23x68x14mm 155mm cable - USB-powered, aluminium housing
SC-JUA161C	R 440	J5create JUA161C miCroUSB type-C USB3.0 to VGA (d-sub) converter/cable (female, work with existing VGA cable), ideal for desktop or notebook/new mac book, support up to Full HD (1920x1080), 26x68x15mm 150mm cable - USB-powered, aluminum housing
SC-JUA214	R 562	J5 create JUA214 USB3.0 to VGA(D-SUB) Adapter (female, work with existing cable), ideal for desktop or notebook, support up to QWXGA (2048x1152 @ 32bit), USB-powered, support primary / extended / mirror modes - support up to 4 displays with 4 units (pc) / 2 displays with 2 units (mac), 26x68x15mm 80mm cable, for PC or MAC (except rotation mode), plastic white
SC-JUA330U	R 827	J5 Create JUA330U USB3.0 to DVi (with DVi-to-HDMi DVi-to-DSUB converter), ideal for desktop or notebook, support up to QWXGA (2048x1152 @ 32bit), USB-powered, support primary/ extended/ mirror modes - support up to 4 display with 4 units (PC)/ 2 display with 2 units (mac), aluminium housing with black colour
SC-JUA355	R 883	J5 create JUA355 USB3.0 to HDMi, ideal for desktop or notebook, support up to QWXGA (2048x1152 @ 32bit), USB-powered, support primary/ extended/ mirror modes - support up to 4 display with 4 units (pc)/ 2 display with 2 units (mac), 23x68x15mm 130mm cable, aluminium housing with silver colour
SC-JUA365	R 960	j5 create JUA365 USB3.0 to 2x HDMi, ideal for desktop or notebook, support Dual HDMi - UHD (3840x2160@30Hz) FHD (1920x1080@60Hz), USB-powered, support primary/ extended/ mirror modes - 66x68x15mm 200mm cable, aluminum housing with silver color
SC-JVAW62	R 1,325	J5create JVAW62 hdmi wireless display adapter - support mirror or extend mode , with dedicated type-C transmitter (typE-C require support for DisplayPort alternate mode), 802.11AC 2.4Ghz/5Ghz dual band range upto 15m, 1080P FHD
SC-JVAW75	R 2,155	J5 Create JVAW75 â€“ Wireless Display Adapter, HDMI output, 4K UHD resolution, dual-band Wi-Fi, Miracast/AirPlay support
SC-SC2HC3M0	R 442	Sunix C2HC3M0 type-C USB3.1 to Hdmi extension converter/cable (female, work with existing HDMi cable), ideal for desktop or notebook/new mac book, support up to 4K HD (4096x2160@60Hz / 1920x1080@120Hz), 46x22x13.2mm 80mm cable - USB-powered
SC-SVGA2795	R 1,071	Sunix VGA2795 USB3.0 to 4K DisplayPort, ideal for desktop or notebook, with 64mb memory, support up to 4K UHD (3840x2160), USB-powered, support mirror/ extended/ multi-screen mode - support up to 6 display with 6 units, 56x87x22mm 60mm cable
SC-V410DU3	R 905	Vantec nbv-410DU3 USB3.0 to 4K DisplayPort, ideal for desktop or notebook, support up to 4K FHD (3840x2160), USB-powered (no AC-adapter), support mirror/ extended/ multi-screen mode - support up to 6 display with 6 units, 83x47x14mm, black
SER011	R 40	Microworld 3m Serial 9 pin Male to 9pin Male cable; Compatible PCs, modems and industrial equipment; Durable molded connectors; Flexible cable construction
SUR003	R 344	Unbranded USB to DVI / HDMI / VGA
SWV2532W/10	R 53	Philips 100 Series 1.5m 3RCA - 3RCA Composite A/V cable; composite video; stereo audio; nickel-plated connectors; bare copper shielding; flexible PVC jacket; rubber strain relief; colour-coded connectors; 0.10kg
SWV2532W/10	R 35	Philips 100 Series 1.5m 3RCA - 3RCA Composite A/V cable; composite video; stereo audio; nickel-plated connectors; bare copper shielding; flexible PVC jacket; rubber strain relief; colour-coded connectors; 0.10kg

SWV4125S/10	R 101	Philips 200 Series 3.0m 3RCA - 3RCA Component Video Cable
SWV4126S/10	R 90	Philips 200 Series 1.5m 3RCA - 3RCA Component video cable
SWV7125S/10	R 112	Philips 300 Series 3.0m 3RCA - 3RCA Component video cable. Depend on this cable for excellent hi-definition picture with added shielding for better performance.
SWV7126S/10	R 101	Philips 300 Series 1.5m 3RCA - 3RCA Component video cable
TUC-VGA	R 329	Trendnet TUC-VGA USB-C to VGA HDTV Adapter
USB2DVI-JR	R 476	Chronos USB To DVI & VGA Adapter, USB 2.0 To DVI & VGA Converter (Connect your monitor to a PC VIA a USB port),
USB3TOVGA	R 196	Microworld USB 3.0 to VGA Adapter; USB 2.0 compatible; VGA output; 480P/576P/720P/1080P; resolving power 1920 x 1080; Windows 7/8/8.1/10/11; macOS; Android; ABS; 150mm wire; 45mm x 45mm x 15.5mm
USBC201	R 81	Microworld USB-C 3.1 Male to VGA Female Cable; VGA monitor and projector connectivity; Compatible USB-C source required; Compact adapter design
USBC2DP	R 138	Microworld USB Type-C to female DP DisplayPort adaptor
USBCDP	R 184	Microworld USB Type-C to DisplayPort 1.8m cable
USBCDV1	R 288	Microworld USB Type-C male to DVI male cable
VC920	R 309	Aten VC920 Mini DisplayPort(Male) to VGA(Female) Adapter
VC925	R 161	Aten VC925 DisplayPort to VGA Adapter
VC960	R 263	Aten VC960 Mini DisplayPort to DVI Adapter
VC960	R 408	Aten VC960 Mini DisplayPort to DVI Adapter
VC965	R 184	Aten VC965 DisplayPort to DVI Adapter
VC980	R 217	Aten VC980 Mini DisplayPort to HDMI Adapter
VC981	R 414	Aten VC981 Mini DisplayPort to 4K HDMI Active Adapter
VC985	R 276	Aten VC985 DisplayPort to HDMI Adapter
VGAFEMALE5MTR	R 35	Microworld VGA Extension Cable Male to female 5m
VK-20195-WT	R 207	Volkano miniport Series Mini DisplayPort to VGA Socket adaptor
VK-20214-BK	R 207	VolkanoX View Series DisplayPort cable - 2m, 4K Ultra HD, Double shielded, 3840x2160 at 60Hz, Pure Copper
VN567AA	R 275	HP Display Port Cable kit
WSHP2KW87A6	R 1,166	HP 2KW87A6 miniDP to DP Adapter Cable - 12 Pack { Compatible with --> Z240 SFF, Z240 Tower, Z440, Z640, Z840 }
WSHP2MY05AA	R 170	HP 2MY05AA Single miniDP to DP Adapter Cable

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Calculators

Product code	Price	Description
0513C002AA	R 67	Canon LS-100T-RD, Red 10 Digit Mini Desktop calculator. Large display, Grand total memory, Tax calculation.
0513C003AA	R 66	Canon LS-100T-GR, Green 10 Digit Mini Desktop calculator. Large display, Grand total memory, Tax calculation.
2494B002AA	R 304	CANON P1 Dtsc 12 Digit Battery Low Indicator/ Ac Adapter Optional/ Tax/ Cost, Sales, Margin/ Ink Roller
2496B001AC	R 1,595	Canon MP-1211-LTSC, 12 digit 2 Colour LCD printing calculator. AC power only (Adapter included) . Printing speed : 4.3 lines/sec., 2 printing colours - blue and red, Tax, business (Cost, sell, margin), currency conversion .1 Memory, Cash change, GT, Item count, Percentage, Non add # Key, Shift Key Decimal and rounding (Up 5/4 down) , Constant Muliplication and division, 00/000. Energy efficient, Uses M-310/EP-102 Ink cartridge, and MP-57 roll paper.
2AP18AA#B1S	R 2,587	HP 2AP18AA Prime G2 Graphing calculator, 33 digits, 10 lines, Alphanumeric Keyboard, 32 MB mddr Memory, 256 MB Flash Memory, USB Port, 8.9 cm diagonal full-color multi-touch Display 320x240 16-bit color touch screen
4585B001AB	R 168	Canon AS-2400 Calculator, This 14-digit desktop calculator combines a stylish Arc design with substantial environmental credentials - making it ideal for eco-conscious organisations and individuals.
4598B001AB	R 41	Canon AS-8 Calculators, 8-digit LCD; handheld calculator; battery powered; 1 x LR1130; memory functions;

		percentage calculation; sign change; automatic power-off; 360-degree folding hard cover; recycled Canon materials; 97 x 60 x 11.4mm; 41g
4898B001AA	R 136	Canon AS-220RTS 12-digit mini-desktop calculator, incorporates a stylish Arc design enabling it to suit all offices, Other features include 120-steps Check and Correct, Auto Check function, and angled display.
5730B001AB	R 63	Canon F-715SG Black Scientific Calculator with 2 line display, 250 functions, 17 store and recall memories, least common multiple and greatest common divisor, Quotient and remainer calculation
5730B002AB	R 63	Canon F-715SG White with magenta on the arrow key and hard cover . Scientific 2 line display, 250 functions, 17 store and recall memories, least common multiple and greatest common divisor, Quotient and remainer calculation
6009608649523	R 69	Marlin 56 Functions Scientific Calculator - 10 Digit, 56 Programmed Scientific Functions, Auto Power Off, Battery Power Source, Colour Black, Retail Packaging, No Warranty
CA2PK	R 99	Sentry Twin Pack Home and Office Calculators - 12 Digit Desk Top Calculator and 8 Digit Pocket Calculator, Multi-coloured keys, Dual Power, Auto Power Off, Ergonomic Design, Durable Keys, Suitable For Daily Use, Ideal For School, Home Or Office Use, Colour Black, Retail Packaging, No Warranty
CA3PK	R 129	Sentry Triple Pack Home and Office Calculators - 12 Digit Desk Top Calculator, 8 Digit Pocket Calculator, Scientific Calculator With 240 Programmed Functions, Multi-Coloured Keys, Dual Power, Auto Power Off, Ergonomic Design, Durable Keys, Suitable For Daily Use, Ideal For School, Home Or Office Use, Colour Black, Retail Packaging, No Warranty
CAS220RTS	R 131	Canon AS-220RTS Calculator; 12-digit desktop calculator; large LCD display; tax calculation; business calculation; 120-step check and correct; auto check; dual power; solar and LR44 battery; memory functions; mark-up calculation; auto power off; 150 x 134 x 36mm; 150g
CAS2400	R 160	Canon AS-2400 14-digit desktop calculator, combines a stylish Arc design with substantial environmental credentials - making it ideal for Eco-conscious organizations and individuals, solar and mercury-free battery, Rounding and decimal selection, Auto-power off, Stylish and professional, Adjustable (2-level) LCD Display Panel.
CAS8	R 153	Canon AS-8 Calculator; pocket handheld; LR1130 battery; 97x60x11mm; 41g; memory functions M M- RM CM; folding protective cover; auto power off
CLS123KMPK	R 235	Canon LS123K Pink 12 digit Desktop Calculator, Solar, Large Display, Tax calculation, Grand total, Memory, Slim Body Design
CMP1411LTS	R 2,315	Canon MP1411-LTS 14-digit Printing Calculator; ink ribbon 2-color print; AC powered; 4.1 lines/sec print speed; tax cost sell margin; 334 x 219 x 74.5 mm; 1.4 kg; office accounting use
EL-145T-BL	R 241	Sharp EL-145T Desk Calculator - 14 Digit Tax
EL-2607V	R 1,667	Sharp EL-2607V Premium fast Printer Calculator - AC Powered, 12 Display digits, Mains Backup, 327 x 221 x 78 mm, Black & Red printing colours, 4.3 lines/sec printing Speed, Standard 58 x 80 mm paperroll, Ink Ribbon
EL-330F	R 230	Sharp EL330AB White Mini-Desk Calculator; 8-digit angled LCD; twin power; solar and LR44 battery; Cost Sell Margin; Tax calculation; 3-key memory; automatic power down; 14.7 x 10.2 x 3.1 cm; 0.096 kg
EL-331FB	R 241	Sharp EL331F White Calculator
EL-CC12D	R 207	Sharp EL-CC12D Desk calculator - 300 step check and correct - Black, 12-digits
EL-S25BBL	R 172	Sharp EL-S25 Blue Calculator
EL-T3314	R 1,782	Sharp EL-T3314 printing Calculator, Ability to change between 14 and 10-digit Display. The Sharp EL-T3314 printing calculator offers switchable 14- and 10-digit thermal printing for clear, precise calculations. Ideal for accountants, office use, and students, it combines reliability and ease of use in a compact design perfect for professional tasks.
EL-W506T-BGY	R 494	Sharp EL-W506T-BGY Black Scientific Calculator - 640 functions
EL-W535SA-BBL	R 322	Sharp EL535 Scientific Calculator 330 Functions - Blue Colour *Image is a representation of the calculator shape and layout, the colour is blue
EL-W535SA-BRD	R 322	Sharp EL535 Scientific Calculator 330 Functions - Red Colour *Image is a representation of the layout of the calculator, colour is RED
EL-W535SA-BWH	R 322	Sharp EL535 Scientific Calculator 330 Functions - White Colour *Image represents calculator, actual colour is white
EL1387	R 621	Sharp EL387V White Multi Function Calculator
EL2128	R 586	Sharp EL2128V Black Calculator

EL231	R 110	Sharp EL231 White LB Pocket Calculator; 8-digit LCD; large display; raised keys; percentage; square root; memory; battery powered; 1 x AA battery; white; 6.9 x 11.55 x 2.05 cm; 0.068 kg
EL231	R 189	Sharp EL231 White LB Pocket Calculator; 8-digit LCD; large display; raised keys; percentage; square root; memory; battery powered; 1 x AA battery; white; 6.9 x 11.55 x 2.05 cm; 0.068 kg
EL334	R 264	Sharp EL-334 Mini White Desk Calculator
EL387V	R 866	Sharp El387v Twin Power Calculator
EL531	R 184	Sharp EL531 WH-BK Black Scientific Calculator
EL531	R 169	Sharp EL531 WH-BK Black Scientific Calculator
EL738XTB	R 770	Sharp EL-738 FB - Advanced Financial Calculator with Scientific functions - Black, 2 line LCD Display, Chain calculation, Finance functions, Statistics mode
F2231AA#B12	R 1,552	HP 12C Platinum Black & Silver (Algebraic or RPN) Financial Calculator; Over 130 built in functions; 399 step programming; 20 memory registers; 1 line LCD; 15 digit precision; CR2032 battery; 12.9 x 7.9 x 1.5 cm; 0.116 kg
F2234A#B12	R 1,782	HP 17Bii Plus Black & Silver Business Calculator (Algebraic or RPN) - HP Solve
FC100V	R 838	Casio FC100V Silver Financial Calculator
FX-82ZAPLUSII-BK	R 356	Casio FX-82 ZA Plus II standard Scientific Calculator - Black, 10 2 digits digits, Dot Matrix Display
FX-82ZAPLUSII-BK	R 349	Casio FX-82 ZA Plus II standard Scientific Calculator - Black, 10 2 digits digits, Dot Matrix Display
FX-82ZAPLUSII-BL	R 349	Casio FX-82 ZA Plus II standard Scientific Calculator - Blue, 10 2 digits digits, Dot Matrix Display
FX-82ZAPLUSII-BU	R 356	Casio FX-82 ZA Plus II standard Scientific Calculator - Blue, 10 2 digits digits, Dot Matrix Display
FX-82ZAPLUSII-PINK	R 349	Casio FX-82 ZA Plus II standard Scientific Calculator - Pink, 10 2 digits digits, Dot Matrix Display
FX-82ZAPLUSII-PK	R 356	Casio FX-82 ZA Plus II standard Scientific Calculator - Pink, 10 2 digits digits, Dot Matrix Display
FX82MS	R 248	Casio FX-82 MS Black Scientific Calculator
FX82ZAPLUS	R 352	Casio FX-82 ZA Plus Scientific Calculator Black, Developed in Collaberation with South African Educators for the SA Syllabus
FX82ZAPLUSBU	R 352	Casio FX 82ZA Scientific Calculator Blue, Developed in Collaberation with South African Educators for the SA Syllabus
FX82ZAPLUSPK	R 352	Casio FX 82ZA Scientific Calculator Pink, Developed in Collaberation with South African Educators for the SA Syllabus
FX991ZAP	R 793	Casio FX-991 ZA Plus Scientific Calculator Silver, Developed in collaboration with SA educators for the South African Curriculum
H12CP	R 1,874	HP F2231AA Black 12c Desktop Calculator; 10-digit LCD; RPN entry system; 120 functions; TVM NPV IRR support; business finance use; battery powered; black finish
HL815BKS	R 117	Casio 815L Black Pocket Calculator
HL815BKS	R 187	Casio 815L Black Pocket Calculator
HP17BII	R 2,144	HP 17BII FINANCIAL CALCULATOR
MS-20UC-BK-S-EC	R 246	Casio MS-20UC Black 12 Digit Desktop Calculator
MS-20UC-BU-S-EC	R 246	Casio MS-20UC Blue 12 Digit Desktop Calculator
MS-20UC-GN-S-EC	R 246	Casio MS-20UC Green 12 Digit Desktop Calculator
MS-20UC-LB-S-EC	R 246	Casio MS-20UC Light Blue 12 Digit Desktop Calculator
MS-20UC-PK-S-UC	R 246	Casio MS-20UC Pink 12 Digit Desktop Calculator
MS-20UC-PL-S-EC	R 246	Casio MS-20UC Purple 12 Digit Desktop Calculator
MS-20UC-RD-S-EC	R 246	Casio MS-20UC Red 12 Digit Desktop Calculator
MS-20UC-RG-S-EC	R 246	Casio MS-20UC Orange 12 Digit Desktop Calculator
MS-20UC-WE-S-EC	R 246	Casio MS-20UC White 12 Digit Desktop Calculator
NW239AA	R 785	HP 10BII PLUS BUSINESS CALCULATOR
NW239AA#B12	R 690	HP 10BII Algerbraic Business Calculator - non Programmable, up to 12 digits of accuracy, Store up to 22 numbers in memory registers, SAT, PSAT/NMSQT, and College Board AP (Advanced Placement) Tests, LCD Display size (diagonal), Over 170 Built-in functions, Auto power off After 5 minutes.
PRCA-AS-220RTS	R 127	Canon AS-220RTS 12-digit mini-desktop calculator, incorporates a stylish Arc design enabling it to suit all offices,

		Other features include 120-steps Check and Correct, Auto Check function, and angled display.
PRCA-AS-2400	R 154	Canon As-2400 14-digit Desktop Calculator, Combines A Stylish Arc Design With Substantial Environmental Credentials - Making It Ideal For Eco-conscious Organizations And Individuals, Solar And Mercury-free Battery, Rounding And Decimal Selection, Auto-power Off, Stylish And Professional, Adjustable (2-level) Lcd Display Panel.
PRCA-AS-8	R 37	Canon AS-8 compact and stylish 8-digit handheld calculator, features the smart arc design and a 360-degree upward folding durable cover, making the AS-8 ideal for use in an office or on the go, Upper, lower case, Large LCD display.
PRCAMP-1211LTSC	R 1,611	Canon MP-1211-LTSC Calculator, MP - 1211-LTSC 12 DIGIT/ TAX/ COST, SALES, MARGIN/ 2 COLOUR DISPLAY/ Cash change function/ Ink Ribbon)
TIBAiiPlus	R 977	Texas Instruments BA ii Plus Financial Calculator, Black
TIBAiiPluspro	R 1,322	Texas Instruments BA ii Plus Professional Financial Calculator, Black

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Cell Phones / Smart Phones

Cell / Smart Phone Accessories

Product code	Price	Description
0161815525895	R 99	Promate Overt.iP5 iPhone 5 Stylus-Stand and Screen Protector Kit, Retail Box
10086	R 99	Wileyfox Spark Genuine Protective Case - Red, Retail Box
10087	R 99	Wileyfox Spark X Genuine Protective Case - Black, Retail Box
10088	R 99	Wileyfox Spark X Genuine Protective Case - Red, Retail Box
101721	R 99	Manhattan PopCharge Auto Duo - Automotive USB Charger with 2 Ports, Converts a Cigarette Lighter Socket into a USB Power Source, Retail Box
1161815161436	R 69	Promate Pancy Green, Black & Brown Multi-coloured Protective Case for iPhone 5
1161815168930	R 99	Promate Philis White Modish Protective Case for iPhone 5
1161815193963	R 59	Promate proShield.S3-C Premium Clear Screen Protector for Samsung Galaxy S3 (Phone not included)
1161815415300	R 709	Promate Aircharger Wireless Power charging pad for iPhone 4 for Home or Office use (Smartphone not included) Note: Air receiver charging case sold separately.
1161815922129	R 49	Promate Lazar Compact Shell Case with In-built Flexible Rear Stand for iPhone 5 -BLACK
161815161437	R 69	Promate Pancy Green, White & Light Blue Multi-Coloured Protective Case for iPhone 5
161815201331-W	R 169	Promate Tacca iPhone 5 Luxurious Genuine Leather Flip Cover with Secure Snap-on shell,Protective Book-Style design cover & leather strap to enhance the portability Colour: White
1959144000140	R 159	Promate Zino Gray Protective Leather Sleeve BlackBerry Z10
200114858	R 121	Zagg InvisibleShield Glass Elite Apple iPhone 16 /15 screen, 5x stronger, Anti-microbial treatment, EZ apply installation Tray (iPhone not included)
200114859	R 121	Zagg InvisibleShield Glass Elite Apple iPhone 16 Plus / 15 Plus screen, Anti-Reflective Technology, Smudge-free Surface (iPhone not included)
200114860	R 121	Zagg InvisibleShield Glass Elite Apple iPhone 16 Pro screen, 5x stronger, Anti-microbial treatment, EZ apply installation Tray (iPhone not included)
200114861	R 121	Zagg InvisibleShield Glass Elite Apple iPhone 16 Pro Max screen, Anti-Reflective Technology, Smudge-free Surface (iPhone not included)
200114866	R 138	Zagg InvisibleShield Glass Elite Privacy Apple iPhone 16 /15 screen, Two-Way Privacy Filter, Anti-microbial treatment, EZ apply installation Tray
200114867	R 138	Zagg InvisibleShield Glass Elite Privacy Apple iPhone 16 Plus / 15 Plus screen, Two-Way Privacy Filter, Anti-microbial treatment, EZ apply installation Tray
200114868	R 138	Zagg InvisibleShield Glass Elite Privacy Apple iPhone 16 Pro screen, Two-Way Privacy Filter, Anti-microbial treatment, EZ apply installation Tray
200114869	R 138	Zagg InvisibleShield Glass Elite Privacy Apple iPhone 16 Pro Max screen, Two-Way Privacy Filter, Anti-microbial

		treatment, EZ apply installation Tray (iPhone not included)
200114878	R 190	Zagg InvisibleShield Glass XTR4 Apple iPhone 16 / 15 screen, EZ apply installation Process, Antibacterial Technology, Eyesafe RPF60 Technology Blue Light Filter (iPhone not included)
200114879	R 190	Zagg InvisibleShield Glass XTR4 Apple iPhone 16 Plus / 15 Plus screen, EZ apply installation Process, Antibacterial Technology, Eyesafe RPF60 Technology Blue Light Filter (iPhone not included)
200114880	R 190	Zagg InvisibleShield Glass XTR4 Apple iPhone 16 Pro screen, EZ apply installation Process, Antibacterial Technology, Eyesafe RPF60 Technology Blue Light Filter (iPhone note included)
200114881	R 190	Zagg InvisibleShield Glass XTR4 Apple iPhone 16 Pro Max screen, EZ apply installation Process, Antibacterial Technology, Eyesafe RPF60 Technology Blue Light Filter (iPhone not included)
215067194-PINK	R 239	Geeko Z07-5 Monopod Selfie Stick for Mobile Phone - Pink, Retail Box
2161815168199	R 169	Promate Propack.9900 Blackberry 9900 Kit, Retail Box, 1 Year Warranty. Leather case TPU Case, Car charger, Bluetooth earphone, Cleaning cloth, Screen protector.
2161815171137	R 69	Promate Ramon-Protective Orange Sleeve with quick-release puller - iPhone 5 (Phone not included)
2161815175883	R 79	Promate proShield.H8X-C Premium Clear Screen Protector for HTC 8X.(Phone not included)
2GOPOUCHRED	R 199	SonicGear Red SPX 200 2Go! Pouch - Protect, Store and Play Music from Mobile Phones, iPods, MP3, MP4 players (3.5mm jack)
2IN1LENS	R 127	Microworld 2 in 1 Clip-on Lens for cell phones
35290	R 115	Iomega Superhero Iphone Backup & Charger
3959144000117	R 169	Promate Zetro Blue Ultra Slim Leather Sleeve for BlackBerry Z10
3IN1CAB	R 92	Microworld 3 in 1 Retractable Cable Set for phones
4161815149127R	R 109	Promate Nitro.Red Multi-Colored Flexi-Grip Designed Case For Samsung Galaxy Note 2., Red
4161815171135LP	R 39	Promate Ramon iPhone 5 Protective Sleeve with quick-release puller for iPhone 5 Colour: Light Pink
4161815193113	R 49	Promate proShield.S3MN-M Protective Matt Screen Protector for Samsung Galaxy S3 Mini.
4161815219851-B	R 79	Promate B.Shell BlackBerry 9900 Colour: Black, Retail Box
4161815219851-P	R 79	Promate B.Shell BlackBerry 9900 Colour: Purple, Retail Box
4161815315225	R 49	Promate Cove iPhone 5 Trendy Tough Shell Case, perfect for on-the-go users, Made with highly durable polycarbonate with inner exible grip material
4161815719122	R 109	Promate Gsleeve Black Leather Sleeve for Samsung S2
4161815719122-W	R 109	Promate Gsleeve White Sleeve for Samsung S2
4161815925813	R 69	Promate proShield.iP5-C Premium Clear Screen Protector for iPhone 5.(Phone not included)
425384	R 299	Manhattan UV Phone Sanitizer - UV-C Sanitizing Box, White, Retail Box
461504	R 89	Manhattan Magnetic Car Air-Vent Phone Mount - Adjustable Clip-on, Quick Attach and Release, Non-Skid Pad, Black, Retail Box, No Warranty.
461818	R 129	Manhattan Universal Car Mount for Smartphones - Suction-Cup Mount to Fit Devices up to 9.5 cm (3.7 in.) Wide, Retail Box
4959144000116	R 169	Promate Zetro Brown Ultra Slim Leather Sleeve for BlackBerry Z10
5161815031308	R 259	Promate Chargmate.8 All in One Multi-regional USB power adapter with dual USB charging port for Mobile phones, Blackberry, iPad, iPhone, PDA ' s, MP3/MP4 and a car power charging socket adapter, LED Indicator
5161815141533	R 49	Promate Notik-Checkered Blue Protective Shell Case for iPhone 5
5161815191897	R 199	Promate Aircase.9700 receiver charger case for Blackberry9700 , High-quality matt surface case finish,form fitted for untimate device protection,easy control to all controls and ports,over current protection and short circuit protection (phone not included - aircase charger required)
5959144000108	R 199	Promate Zemi White Classy Leather Flip Cover for BlackBerry Z10
5959144000115	R 169	Promate Zetro White Ultra Slim Leather Sleeve for BlackBerry Z10
5959144000139	R 159	Promate Zino White Protective Leather Sleeve BlackBerry Z10
5959144000382	R 159	Promate Portfolio Grey Protective Stand Case and Stylus for iPhone 5
6161815122142	R 69	Promate Lunet Brown & Black Dual Coloured Protective Case for Iphone 5
6161815141532	R 49	Promate Notik-Checkered Red Protective Shell Case for iPhone 5
6161815193913	R 49	Promate proShield.S3-M Premium Matte Screen Protector for Samsung Galaxy S3.

6161815925811	R 69	Promate proShield.iP5-M Premium Matte Screen Protector for iPhone 5.(Phone not included)
6959144000046	R 299	Promate linkMate.LTA USB to Lightning Sync/Charge & 3.5mm Audio Cables Kit, made for charge and sync the latest generation of Apple Smartphone, tablets, iPads, iPhones, iPhone 5, ensures fast data transmission and charging. Bundled with 3.5 mm Audio Line-in cable with 1.5m (5ft.), delivers superior audio quality by connecting to your functional audio device. Low-noise for a clear and crisp sound, Made from flexShield PVC coated copper material and a length of 1m (3ft.).
6959144000060	R 89	Promate proShield.BBZ10-C Premium Clear Screen Protector for Black Berry Z10.(Phone not included)
6959144000107	R 199	Promate Zemi Black Classy Leather Flip Cover for BlackBerry Z10
6959144000114	R 169	Promate Zetro Black Ultra Slim Leather Sleeve for BlackBerry Z10
6959144000138	R 159	Promate Zino Black Protective Leather Sleeve BlackBerry Z10
6959144000299	R 589	Promate Syntax Cover Charger And Bluetooth Keyboard For iPhone 5 (Phone not included)
6959144000305	R 179	Promate Zimba Blackberry Z10 Protective Flip Leather book-style Case with inner card insert slot for holding credit cards, magnetic clasp lock provides overall protection for mobile phone - Colour: Black
6959144000381	R 159	Promate Portfolio Sandy Textured Protective Stand Case and Stylus for iPhone 5
6959144000473	R 69	Promate Proshield.S4-C Samsung Galaxy S4 Screen Protector
6959144000480	R 89	Promate Proshield.S4-M Samsung Galaxy S4 Screen Protector
6959144000572	R 129	Promate Alma-S4 - Classy Leather Flip Cover with Clasp Lock for Samsung Galaxy S4 - White (Phone not included)
6959144000589	R 129	Promate Alma-S4 - Classy Leather Flip Cover with Clasp Lock for Samsung Galaxy S4 - Blue
6959144000602	R 169	Promate Tama-S4 Black Book-Style Leather Flip Cover for Samsung Galaxy S4 (Phone not included)
6959144000633	R 169	Promate Tama-S4 Samsung Galaxy S4 Elegant Book-Style Leather Flip Cover, Colour: Orange, Elegant Book-Style Leather Flip Cover for Samsung Galaxy S4,Case inspired fully by multifunctional and practical usage of your smartphone, Tama-S4 will grab your attention form the first look. The inner shell holds your Samsung Galaxy S4 Securely, gently protected by the book-style front cover with magnetic lock. Tama-S4's inner card slots allow you to use even more of your phones features. You can choose from a variety of colors with a vertical reading or horizontal viewing options on your screen, for watching movies, talking on the phone or simply playing interactive games. (Phone not included)
6959144000640	R 89	Promate Akton S4 Samsung Galaxy S4 Elegant Multi-Colored Flexi-Grip Case for Samsung Galaxy S4 Colour: Red, Tough Flexi-grip designed case for Samsung Galaxy S4,Akton-S4 is a Promate Case collection for Samsung Galaxy S4, designed UniQuely for both style and durability which incorporates the latest technology for strength and comfort. The case fits snugly on the Galaxy S4 whilst offering full protection from knocks and scrapes; it also ensures that you will have complete access to the phone's external features.
6959144000657	R 89	Promate Akton S4 Samsung Galaxy S4 Elegant Multi-Colored Flexi-Grip Case for Samsung Galaxy S4 Colour: Black, Tough Flexi-grip designed case for Samsung Galaxy S4,Akton-S4 is a Promate Case collection for Samsung Galaxy S4, designed UniQuely for both style and durability which incorporates the latest technology for strength and comfort. The case fits snugly on the Galaxy S4 whilst offering full protection from knocks and scrapes; it also ensures that you will have complete access to the phone's external features.
6959144000664	R 89	Promate Akton-S4-Elegant Multi-Colored Flexi-Grip Case for Samsung Galaxy S4-Red
6959144000671	R 89	Promate Akton-S4 - Elegant Multi-Colored Flexi-Grip Case for Samsung Galaxy S4-Grey
6959144000688	R 89	Promate Akton S4 Samsung Galaxy S4 Elegant Multi-Colored Flexi-Grip Case for Samsung Galaxy S4 Colour: Blue, Tough Flexi-grip designed case for Samsung Galaxy S4,Akton-S4 is a Promate Case collection for Samsung Galaxy S4, designed UniQuely for both style and durability which incorporates the latest technology for strength and comfort. The case fits snugly on the Galaxy S4 whilst offering full protection from knocks and scrapes; it also ensures that you will have complete access to the phone's external features.
6959144000695	R 89	Promate Akton-S4-Elegant Multi-Colored Flexi-Grip Case for Samsung Galaxy S4-Pink
6959144000787	R 159	Promate Zimba-S4-Premium Book-Style Flip Leather Case with Card Insert for Samsung Galaxy S4 - White (Phone not included)
6959144000800	R 159	Promate Zimba-S4 Gray Premium Book-Style Flip Leather Case with Card Insert for Samsung Galaxy S4
6959144000824	R 119	Promate Karizmo-S4 Grey Flexi-Grip Case for Samsung Galaxy S4 (Phone not included)

6959144000831	R 119	Promate Karizmo-S4 Pink Flexi-Grip Case for Samsung Galaxy S4 (Phone not included)
6959144000848	R 119	Promate Karizmo-S4 Samsung Galaxy S4 Elegant Flexi-Grip Case Colour: Yellow Elegant Protective flexi-grip case for Samsung Galaxy S4,Fun and fully protective flexible case for Samsung Galaxy S4, Karizmo-S4 is allowing you to bring color combined with fashion and use your phone with style. Featuring direct access to your smartphones' ports and secure snap- on back shell design will enhance the look, whilst protecting it from the daily scruffs and scratches.
6959144000855	R 119	Promate Karizmo-S4 Samsung Galaxy S4 Elegant Flexi-Grip Case Colour: White, Elegant Protective flexi-grip case for Samsung Galaxy S4,Fun and fully protective flexible case for Samsung Galaxy S4, Karizmo-S4 is allowing you to bring color combined with fashion and use your phone with style. Featuring direct access to your smartphones' ports and secure snap- on back shell design will enhance the look, whilst protecting it from the daily scruffs and scratches.
6959144000862	R 119	Promate Karizmo-S4 Blue Flexi-Grip Case for Samsung Galaxy S4 (Phone not included)
6959144000954	R 129	Promate Amos-S4 Black -Flexi-Grip Designed Shell Case for Samsung Galaxy S4
6959144000954-B	R 129	Promate Amos S4 Samsung Galaxy S4 Flexi-Grip Designed Shell Case Colour: Black, Flexi-grip designed shell Snap-On Case for Samsung Galaxy S4,Amos-S4 is a newly designed case to fit perfectly the Samsung Galaxy S4 with easy snap- on shape. Ultra-light and fully flexible, protecting your smartphone form daily scratches and scuffs, Amos-S4 is the case that will meet everybody's expectations when it comes to design and practicality. Coming in multi-color collection and featuring full access to all the phones ports, Amos-S4 is the phone for all.
6959144000961	R 129	Promate Amos S4 Samsung Galaxy S4 Flexi-Grip Designed Shell Case Colour: White, Flexi-grip designed shell Snap-On Case for Samsung Galaxy S4,Amos-S4 is a newly designed case to fit perfectly the Samsung Galaxy S4 with easy snap- on shape. Ultra-light and fully flexible, protecting your smartphone form daily scratches and scuffs, Amos-S4 is the case that will meet everybody's expectations when it comes to design and practicality. Coming in multi-color collection and featuring full access to all the phones ports, Amos-S4 is the phone for all.
6959144000985	R 129	Promate Amos-S4 Red Flexi-Grip Designed Shell Case for Samsung Galaxy S4
6959144000992	R 129	Promate Amos S4 Samsung Galaxy S4 Flexi-Grip Designed Shell Case Colour: Blue Flexi-grip designed shell Snap-On Case for Samsung Galaxy S4, Amos-S4 is a newly designed case to fit perfectly the Samsung Galaxy S4 with easy snap- on shape. Ultra-light and fully flexible, protecting your smartphone form daily scratches and scuffs, Amos-S4 is the case that will meet everybody's expectations when it comes to design and practicality. Coming in multi-color collection and featuring full access to all the phones ports, Amos-S4 is the phone for all.
6959144001241	R 79	Promate Gripmate Universal Smartphone Secure Finger Grip and Kick-stand Colour: Maroon gripmate ate is a UniQuely designed universal secure grip stand for smartphones. This compact and multifunctional device could be easily attached to the smartphone back shell and start exploring the variety of standing positions for your mobile usage. Slide your fingers in between the slots and securely hold your device whilst typing, playing games or just browsing on the touchscreen. Coming in multi-color collection, gripmate ate will enhance your smartphone enjoyment with added functionality. (Phone not included)
6959144001258	R 79	Promate Gripmate ate Universal Smartphone Secure Finger Grip and Kick-stand Colour: Pink gripmate ate is a UniQuely designed universal secure grip stand for smartphones. This compact and multifunctional device could be easily attached to the smartphone back shell and start exploring the variety of standing positions for your mobile usage. Slide your fingers in between the slots and securely hold your device whilst typing, playing games or just browsing on the touchscreen. Coming in multi-color collection, griPmate ate will enhance your smartphone enjoyment with added functionality. (Phone not included)
6959144001395	R 159	Promate Sansa-S4 Samsung Galaxy S4 Stylish Leather Flip-Cover and Shell Case Colour:White, Stylish Leather flip-cover and shell case for Samsung Galaxy S4,The Sansa-S4 is an attractive leather flip cover with a hard shell rear casing for Samsung Galaxy S4. It has a tough snap-on protective back shell that replaces the original back case of the smartphone and with attached high quality leather hinged to cover the front. Made from high impact polycarbonate plastic shell and leather cover, the Sansa- S4 protects your phone from everyday knocks, scuffs and scratches, yet still allows you complete and unfettered access to the phones main functions. (Phone not included)
6959144001418	R 159	Promate Sansa-S4 Samsung Galaxy S4 Stylish Leather Flip-Cover and Shell Case Colour:Black Stylish Leather flip-cover and shell case for Samsung Galaxy S4,The Sansa-S4 is an attractive leather flip cover with a hard shell

		rear casing for Samsung Galaxy S4. It has a tough snap-on protective back shell that replaces the original back case of the smartphone and with attached high quality leather hinged to cover the front. Made from high impact polycarbonate plastic shell and leather cover, the Sansa- S4 protects your phone from everyday knocks, scuffs and scratches, yet still allows you complete and unfettered access to the phones main functions. (Phone not included)
6959144001425	R 159	Promate Sansa-S4 Samsung Galaxy S4 Stylish Leather Flip-Cover and Shell Case Colour: Blue, Stylish Leather flip-cover and shell case for Samsung Galaxy S4,The Sansa-S4 is an attractive leather flip cover with a hard shell rear casing for Samsung Galaxy S4. It has a tough snap-on protective back shell that replaces the original back case of the smartphone and with attached high quality leather hinged to cover the front. Made from high impact polycarbonate plastic shell and leather cover, the Sansa- S4 protects your phone from everyday knocks, scuffs and scratches, yet still allows you complete and unfettered access to the phones main functions. (Phone not included)
6959144001432	R 159	Promate Sansa-S4 Samsung Galaxy S4 Stylish Leather Flip-Cover and Shell Case, Colour: Red Stylish Leather flip-cover and shell case for Samsung Galaxy S4,The Sansa-S4 is an attractive leather flip cover with a hard shell rear casing for Samsung Galaxy S4. It has a tough snap-on protective back shell that replaces the original back case of the smartphone and with attached high quality leather hinged to cover the front. Made from high impact polycarbonate plastic shell and leather cover, the Sansa- S4 protects your phone from everyday knocks, scuffs and scratches, yet still allows you complete and unfettered access to the phones main functions. (Phone not included)
6959144001487	R 119	Promate Figaro-S4 - Shiny Custom-Fit Shell Case for Samsung Galaxy S4 - Blue
6959144001494	R 119	Promate Figaro-S4 -Shiny Custom-Fit Shell Case for Samsung Galaxy S4 - Red
6959144001807	R 159	Promate Pless-S4 Samsung Galaxy S4 Multifunctional Case with a Stand and a Holder Ring Colour: Black, Multifunctional Case with a Stand and a Holder Ring for Galaxy S4,Pless-S4 is a trendy multifunctional case designed for Galaxy S4. While protecting from daily knocks and scratches, Pless-S4 is enhanced with a special silicon wrap placed the back of the phone, which offers optimum functionality. Use the holder ring on top to conveniently carry your phone at all times, without a chance of dropping it. Simply convert the wrap to a stand and try the various viewing angles. Pless-S4 is a truly functional case, which helps you get the best of your GALAXY S4. Choose from a color that satisfies you and experience the possibilities.
6959144001814	R 159	Promate Pless-S4 Samsung Galaxy S4 Multifunctional Case with a Stand and a Holder Ring Colour: Pink, Multifunctional Case with a Stand and a Holder Ring for Galaxy S4,Pless-S4 is a trendy multifunctional case designed for Galaxy S4. While protecting from daily knocks and scratches, Pless-S4 is enhanced with a special silicon wrap placed the back of the phone, which offers optimum functionality. Use the holder ring on top to conveniently carry your phone at all times, without a chance of dropping it. Simply convert the wrap to a stand and try the various viewing angles. Pless-S4 is a truly functional case, which helps you get the best of your GALAXY S4. Choose from a color that satisfies you and experience the possibilities. Phone Not Incl
6959144001814-W	R 159	Promate Pless-S4 Samsung Galaxy S4 Multifunctional Case with a Stand and a Holder Ring Colour: White, Multifunctional Case with a Stand and a Holder Ring for Galaxy S4,Pless-S4 is a trendy multifunctional case designed for Galaxy S4. While protecting from daily knocks and scratches, Pless-S4 is enhanced with a special silicon wrap placed the back of the phone, which offers optimum functionality. Use the holder ring on top to conveniently carry your phone at all times, without a chance of dropping it. Simply convert the wrap to a stand and try the various viewing angles. Pless-S4 is a truly functional case, which helps you get the best of your GALAXY S4. Choose from a color that satisfies you and experience the possibilities.
6959144001821	R 159	Promate Pless-S4 Samsung Galaxy S4 Multifunctional Case with a Stand and a Holder Ring Colour: Blue, Multifunctional Case with a Stand and a Holder Ring for Galaxy S4,Pless-S4 is a trendy multifunctional case designed for Galaxy S4. While protecting from daily knocks and scratches, Pless-S4 is enhanced with a special silicon wrap placed the back of the phone, which offers optimum functionality. Use the holder ring on top to conveniently carry your phone at all times, without a chance of dropping it. Simply convert the wrap to a stand and try the various viewing angles. Pless-S4 is a truly functional case, which helps you get the best of your GALAXY S4. Choose from a color that satisfies you and experience the possibilities.
6959144001944	R 99	Promate Sansaiqi-S4 Samsung Galaxy S4 Flip-Case with Wireless Charging Receiver Colour:Blue SansaQi-S4 is an innovative 2-in-1 Qi wireless charging receiver and a case. Finely designed clip-on back shell perfectly replaces the back cover of your Samsung Galaxy S4. Streamline and smart SansaQi-S4 allows you to charge your Galaxy

		S4 by simply placing onto the QI wireless charging pad. Fully protecting your smartphone's front and back side, meanwhile combining a functional receiver using the latest technology to let you charge your phone with ease. SansaQi-S4 is the choice for every Samsung S4 user. (Phone not included)
6959144001951	R 99	Promate Sansaiqi-S4 Samsung Galaxy S4 Flip-Case with Wireless Charging Receiver Colour:White SansaQi-S4 is an innovative 2-in-1 Qi wireless charging receiver and a case. Finely designed clip-on back shell perfectly replaces the back cover of your Samsung Galaxy S4. Streamline and smart SansaQi-S4 allows you to charge your Galaxy S4 by simply placing onto the QI wireless charging pad. Fully protecting your smartphone's front and back side, meanwhile combining a functional receiver using the latest technology to let you charge your phone with ease. SansaQi-S4 is the choice for every Samsung S4 user. (Phone not included)
6959144002071	R 89	Promate Akton-Q5 Blackberry Q5 Multi-colored flexi-grip designed case Colour: Black
6959144002095	R 89	Promate Akton-Q5 Blackberry Q5 Multi-colored flexi-grip designed case Colour: Pink Akton-Q5 is a flexi grip case for BBQ5, designed UniQuely for both style and durability. Akton-Q5 incorporates the latest technology for strength and comfort, fitting snugly on the BlackberryQ5. This case offers full protection from knocks and scrapes; ensuring at the same time that you will have full access to the phones ports and features. Akton-Q5 is a phone's collection that offers full variety of colors to match your everyday lifestyles need.
6959144002101	R 89	Promate Akton-Q5 Blackberry Q5 Multi-colored flexi-grip designed case Colour: Grey
6959144002200	R 99	Promate VitaQi-S4 Samsung Galaxy S4 Back Shell-cover Case with In-built Wireless Charging Receiver Colour: White, VitaQi-S4 is an innovative 2-in-1 Qi wireless charging receiver and a back case. Finely designed clip-on back shell perfectly replaces the back cover of your Samsung Galaxy S4. Streamline and smart SansaQi-S4 allows you to charge your Galaxy S4 by simply placing onto the QI wireless charging pad. Fully protecting your smartphone's back side, meanwhile combining a functional receiver using the latest technology to let you charge your phone with ease. VitaQi-S4 is the choice for every Samsung S4 user
6959144002415	R 159	Promate Tava 5C Book-Style Flip Case with Card Slot for iPhone5c Colour: Black
6959144002422	R 159	Promate Tava 5C Book-Style Flip Case with Card Slot for iPhone5c Colour: White
6959144002439	R 159	Promate Tava 5C Book-Style Flip Case with Card Slot for iPhone5c Colour: Blue
6959144002446	R 159	Promate Tava 5C Book-Style Flip Case with Card Slot for iPhone5c Colour: Red
6959144002866	R 129	Promate Amos N3 Protective flexi-grip designed shell case for Samsung Note 3 Colour: Black
6959144002880	R 129	Promate Amos N3 Protective flexi-grip designed shell case for Samsung Note 3 Colour: Red
6959144002897	R 129	Promate Amos N3 Protective flexi-grip designed shell case for Samsung Note 3 Colour: Purple
6959144003566	R 99	Promate Pocket.i5 iPhone 5 Shock Proof rubberized case with an in built card holder for iPhone 5/5s Colour:Maroon Shock Proof Case with Card Holder and sim-card remover for iPhone 5/5S,There's no better way to stay organized, but with Pocket.i5, a shock proof rubberized case with an in built card holder for iPhone 5/5s. You can now keep your important business cards and other payment cards close to your iPhone. You could even use it as a kick stand which allows landscape viewing of your iPhone with ease. Now never lose your sim-card remover with a specialized cutout to store your sim-card remover and an additional sim-card.
6959144003573	R 99	Promate Pocket.i5 iPhone 5 Shock Proof rubberized case with an in built card holder for iPhone 5/5s Colour:Grey Shock Proof Case with Card Holder and sim-card remover for iPhone 5/5S,There's no better way to stay organized, but with Pocket.i5, a shock proof rubberized case with an in built card holder for iPhone 5/5s. You can now keep your important business cards and other payment cards close to your iPhone. You could even use it as a kick stand which allows landscape viewing of your iPhone with ease. Now never lose your sim-card remover with a specialized cutout to store your sim-card remover and an additional sim-card
6959144003603	R 99	Promate Ride.i5 iPhone 5 Shock Proof rubberized case with a detachable Bike Mount Colour:Grey Shock Proof Case rubberized case with a detachable bike mount for iPhone 5/5S,Ride.i5, an iPhone 5/5s case made for outdoor adventure junkies. Ride.i5 comes with a detachable bike mount which delivers the best riding experience with your iPhone. It encases your iPhone in a hard rubberized shell protecting it from bumps and scratches. At the same time, keeping all your iPhone features fully accessible. It can also be used as a kick stand for multiple viewing angles. (Phone not included)
6959144003610	R 99	Promate Ride.i5 iPhone 5 Shock Proof rubberized case with a detachable Bike Mount Colour:Grey Shock Proof Case rubberized case with a detachable bike mount for iPhone 5/5S,Ride.i5, an iPhone 5/5s case made for

		outdoor adventure junkies. Ride.i5 comes with a detachable bike mount which delivers the best riding experience with your iPhone. It encases your iPhone in a hard rubberised shell protecting it from bumps and scratches. At the same time, keeping all your iPhone features fully accessible. It can also be used as a kick stand for multiple viewing angles.
6959144003825	R 169	Promate Twix.i5-Hybrid Backup battery Dual case for iPhone5/5s-Blue
6959144003832	R 169	Promate Twix.i5-Hybrid Backup battery Dual case for iPhone5/5s-Red (Phone not included)
6959144003900	R 99	Promate Spidyi5 iPhone 5 Mesh Designed Promate Protective Case for iPhone 5/5S Colour:Black UniQue 3-D mesh style Protective Case for iPhone 5/5S,Get your Spidey senses tingling with Spidyi5, a 3-D web style protective case for iPhone 5/5S. The UniQue mesh style design helps to promote airflow around your phone, preventing it from absorbing heat dissipated and overheating your phone when running several battery intensive applications at the same time. Spidyi5 offers both, protection from bumps and bruises as well as makes your phone look like a piece of modern art. (Phone not included)
6959144003917	R 99	Promate Spidyi5 iPhone 5 Mesh Designed Promate Protective Case for iPhone 5/5S Colour:Red UniQue 3-D mesh style Protective Case for iPhone 5/5S,Get your Spidey senses tingling with Spidyi5, a 3-D web style protective case for iPhone 5/5S. The UniQue mesh style design helps to promote airflow around your phone, preventing it from absorbing heat dissipated and overheating your phone when running several battery intensive applications at the same time. Spidyi5 offers both, protection from bumps and bruises as well as makes your phone look like a piece of modern art. (Phone not included)
6959144003924	R 99	Promate Spidyi5 iPhone 5 Mesh Designed Promate Protective Case for iPhone 5/5S Colour:Green UniQue 3-D mesh style Protective Case for iPhone 5/5S,Get your Spidey senses tingling with Spidyi5, a 3-D web style protective case for iPhone 5/5S. The UniQue mesh style design helps to promote airflow around your phone, preventing it from absorbing heat dissipated and overheating your phone when running several battery intensive applications at the same time. Spidyi5 offers both, protection from bumps and bruises as well as makes your phone look like a piece of modern art.
6959144003931	R 99	Promate Spidyi5 iPhone 5 Mesh Designed Promate Protective Case for iPhone 5/5S Colour:Blue UniQue 3-D mesh style Protective Case for iPhone 5/5S,Get your Spidey senses tingling with Spidyi5, a 3-D web style protective case for iPhone 5/5S. The UniQue mesh style design helps to promote airflow around your phone, preventing it from absorbing heat dissipated and overheating your phone when running several battery intensive applications at the same time. Spidyi5 offers both, protection from bumps and bruises as well as makes your phone look like a piece of modern art. (Phone not included)
6959144003948	R 99	Promate Spidyi5 iPhone 5 Mesh Designed Promate Protective Case for iPhone 5/5S Colour:White UniQue 3-D mesh style Protective Case for iPhone 5/5S,Get your Spidey senses tingling with Spidyi5, a 3-D web style protective case for iPhone 5/5S. The UniQue mesh style design helps to promote airflow around your phone, preventing it from absorbing heat dissipated and overheating your phone when running several battery intensive applications at the same time. Spidyi5 offers both, protection from bumps and bruises as well as makes your phone look like a piece of modern art.
6959144004051	R 99	Promate Grand iPhone 5 Apple MFI Certified Leather case made with 3000 mAh Lithium-Polymer Battery for iPhone 5/5s Colour: Black (Phone not included)
6959144004068	R 99	Promate Grand iPhone 5 Apple MFI Certified Leather case made with 3000 mAh Lithium-Polymer Battery for iPhone 5/5s Colour: Blue
6959144004570	R 159	Promate Charm.S4 Premium Patterned-Leather Back Cover - for Samsung Galaxy S4 - Black
6959144004587	R 159	Promate Charm.S4 Premium Patterned-Leather Back Cover - for Samsung Galaxy S4 - Blue
6959144004594	R 159	Promate Charm.S4 Premium Patterned-Leather Back Cover - for Samsung Galaxy S4 - Maroon
6959144004600	R 159	Promate Charm.S4 Premium Patterned-Leather Back Cover - for Samsung Galaxy S4 - Grey
6959144004624	R 89	Promate Grosso-i5 iPhone 5 Striped Flexi-Grip Snap Case for iPhone 5/5S Colour: Green Snap-On Scratch-Resistant Flexible Case, securely fit for iPhone 5/5S,Fun and flexible case for iPhone 5/5s, GROSSO.i5 brings colors to life. Featuring a secure snap-on back shell design that enhances the look of your iPhone, whilst protecting it from daily scruffs and scratches. Its scratch resistant surface leaves your case looking good as new. Its custom design allows complete access to all the ports and buttons on your iPhone. GROSSO.i5, a case that brings

		colour to your life.
6959144004631	R 89	Promate Grosso-i5 iPhone 5 Striped Flexi-Grip Snap Case for iPhone 5/5S Colour: Pink Snap-On Scratch-Resistant Flexible Case, securely fit for iPhone 5/5S,Fun and flexible case for iPhone 5/5s, GROSSO.i5 brings colors to life. Featuring a secure snap-on back shell design that enhances the look of your iPhone, whilst protecting it from daily scruffs and scratches. Its scratch resistant surface leaves your case looking good as new. Its custom design allows complete access to all the ports and buttons on your iPhone. GROSSO.i5, a case that brings colour to your life.
6959144004648	R 89	Promate Grosso-i5 iPhone 5 Striped Flexi-Grip Snap Case for iPhone 5/5S Colour: Red Snap-On Scratch-Resistant Flexible Case, securely fit for iPhone 5/5S,Fun and flexible case for iPhone 5/5s, GROSSO.i5 brings colors to life. Featuring a secure snap-on back shell design that enhances the look of your iPhone, whilst protecting it from daily scruffs and scratches. Its scratch resistant surface leaves your case looking good as new. Its custom design allows complete access to all the ports and buttons on your iPhone. GROSSO.i5, a case that brings colour to your life.
6959144004655	R 89	Promate Grosso-i5 iPhone 5 Striped Flexi-Grip Snap Case for iPhone 5/5S Colour: Purple Snap-On Scratch-Resistant Flexible Case, securely fit for iPhone 5/5S,Fun and flexible case for iPhone 5/5s, GROSSO.i5 brings colors to life. Featuring a secure snap-on back shell design that enhances the look of your iPhone, whilst protecting it from daily scruffs and scratches. Its scratch resistant surface leaves your case looking good as new. Its custom design allows complete access to all the ports and buttons on your iPhone. GROSSO.i5, a case that brings colour to your life.
6959144004679	R 89	Promate Grosso-S4 Snap-On Scratch-Resistant Flexible Case - Green (Phone not included)
6959144004686	R 89	Promate Grosso-S4 Snap-On Scratch-Resistant Flexible Case - Pink (Phone not included)
6959144004693	R 89	Promate Grosso-S4 Snap-On Scratch-Resistant Flexible Case - Red
6959144004709	R 89	Promate Grosso-S4 Snap-On Scratch-Resistant Flexible Case - Purple
6959144004778	R 89	Promate Lanko.S4-Hand-Crafted Leather Case, Protective, elegant & Flexible ,Dual Compact Shell with Flexible Inner Grip-for Samsung Galaxy S4 - Black
6959144004785	R 89	Promate Lanko.S4-Hand-Crafted Leather Case, Protective, elegant & Flexible ,Dual Compact Shell with Flexible Inner Grip-for Samsung Galaxy S4-Blue
6959144004792	R 89	Promate Lanko.S4-Hand-Crafted Leather Case, Protective, elegant & Flexible ,Dual Compact Shell with Flexible Inner Grip-for Samsung Galaxy S4 - Pink
6959144004808	R 89	Promate Lanko.S4 - Hand-Crafted Leather Case, Protective, elegant & Flexible, Dual Compact Shell with Flexible Inner Grip-for Samsung Galaxy S4 - Brown
6959144004822	R 89	Promate Lanko.i5 iPhone 5 Hand-Crafted Leather Case, Protective, elegant & Flexible for iPhone 5/5s Colour:Black Flexible snap-on case wrapped in hand crafted leather for iPhone5/5S,Lanko.i5 is an elegant case that protects your iPhone 5/5s in a high quality polycarbonate shell wrapped in hand-crafted leather. This durable case snaps on the back of your iPhone keeping a slim form factor while protecting against bumps and scratches. Lanko.i5 is customized to provide full access to ports, buttons and Cameras on your iPhone.
6959144004839	R 89	Promate Lanko.i5 iPhone 5 Hand-Crafted Leather Case, Protective, elegant & Flexible for iPhone 5/5s Colour:Blue Flexible snap-on case wrapped in hand crafted leather for iPhone5/5S,Lanko.i5 is an elegant case that protects your iPhone 5/5s in a high quality polycarbonate shell wrapped in hand-crafted leather. This durable case snaps on the back of your iPhone keeping a slim form factor while protecting against bumps and scratches. Lanko.i5 is customized to provide full access to ports, buttons and Cameras on your iPhone.
6959144004846	R 89	Promate Lanko.i5 iPhone 5 Hand-Crafted Leather Case, Protective, elegant & Flexible for iPhone 5/5s Colour:Pink Flexible snap-on case wrapped in hand crafted leather for iPhone5/5S,Lanko.i5 is an elegant case that protects your iPhone 5/5s in a high quality polycarbonate shell wrapped in hand-crafted leather. This durable case snaps on the back of your iPhone keeping a slim form factor while protecting against bumps and scratches. Lanko.i5 is customized to provide full access to ports, buttons and Cameras on your iPhone.
6959144004853	R 89	Promate Lanko.i5 iPhone 5 Hand-Crafted Leather Case, Protective, elegant & Flexible for iPhone 5/5s Colour:Brown Flexible snap-on case wrapped in hand crafted leather for iPhone5/5S,Lanko.i5 is an elegant case that protects your iPhone 5/5s in a high quality polycarbonate shell wrapped in hand-crafted leather. This durable

		case snaps on the back of your iPhone keeping a slim form factor while protecting against bumps and scratches. Lanko.i5 is customized to provide full access to ports, buttons and Cameras on your iPhone.
6959144004983	R 159	Promate Orator-I5 iPhone 5 Sound Amplifier case for Iphone 5/5s with headphone cable management Colour: Black
6959144004990	R 159	Promate Orator-I5 iPhone 5 Sound Amplifier case for iPhone 5/5s with headphone cable management Colour: Blue (Phone not included)
6959144005003	R 159	Promate Orator-I5 iPhone 5 Sound Amplifier case for iPhone 5/5s with headphone cable management Colour: Pink
6959144005027	R 159	Promate Orator-S4 Sound Amplifier case for Samsung Galaxy S4 with headphone cable management Colour:Black
6959144005034	R 159	Promate Orator-S4 Sound Amplifier case for Samsung Galaxy S4 with headphone cable management, Colour: Blue
6959144005041	R 159	Promate Orator-S4 Sound Amplifier case for Samsung Galaxy S4 with headphone cable management, Colour: Pink (Phone not included)
6959144005195	R 49	Promate Gritty-i5 iPhone 5 Anti-Slip Sandy finishing protective case for Iphone 5/5s Colour:White Anti-Slip Sandy finishing with micro-fiber interior protective case for iPhone5/5S. Gritty.i5 for iPhone 5/5s is made of a high-quality anti-slip texturized polycarbonate plastic that provides long-lasting protection from accidental drops, scratches, abrasions and damage. The micro-fiber interior provides soft, impact-absorbing protection, keeping your phone free from scratches or bumps.
6959144005201	R 49	Promate Gritty-i5 iPhone 5 Anti-Slip Sandy finishing protective case for Iphone 5/5s Colour:Maroon Anti-Slip Sandy finishing with micro-fiber interior protective case for iPhone5/5S. Gritty.i5 for iPhone 5/5s is made of a high-quality anti-slip texturized polycarbonate plastic that provides long-lasting protection from accidental drops, scratches, abrasions and damage. The micro-fibre interior provides soft, impact-absorbing protection, keeping your phone free from scratches or bumps.
6959144005218	R 49	Promate Gritty-i5 iPhone 5 Anti-Slip Sandy finishing protective case for Iphone 5/5s Colour:Green Anti-Slip Sandy finishing with micro-fiber interior protective case for iPhone5/5S. Gritty.i5 for iPhone 5/5s is made of a high-quality anti-slip texturized polycarbonate plastic that provides long-lasting protection from accidental drops, scratches, abrasions and damage. The micro-fiber interior provides soft, impact-absorbing protection, keeping your phone free from scratches or bumps.
6959144005232	R 129	Promate Gritty.S4-Anti-slip sandy textured protective case - Black
6959144005263	R 129	Promate Gritty.S4-Anti-slip sandy textured protective case - Green
6959144005843	R 99	Promate Slab.i5 iPhone 5 Wedge Patterned Flexi-Grip Case with hidden card holder for iPhone 5/5S Colour: Green Wedge Patterned Flexi-Grip Case with hidden card holder for iPhone 5/5S,Show off your signature style with Slab.i5, a sleek case for your iPhone 5/5S. Combining luxury with ultimate protection, this fitted flexi-grip snap on case is covered with an easy-to-grip back surface that is richly printed with a modern abstract design. It also features a hidden card holder that may be used to store your credit cards, metro cards, etc. Pleasing to touch, this lightweight and durable custom case allows optimal access to all sensors, ports, and controls on your iPhone 5/5s, while offering superior comfort.
6959144005867	R 99	Promate Slab.i5 iPhone 5 Wedge Patterned Flexi-Grip Case with hidden card holder for iPhone 5/5S Colour: Pink Wedge Patterned Flexi-Grip Case with hidden card holder for iPhone 5/5S,Show off your signature style with Slab.i5, a sleek case for your iPhone 5/5S. Combining luxury with ultimate protection, this fitted flexi-grip snap on case is covered with an easy-to-grip back surface that is richly printed with a modern abstract design. It also features a hidden card holder that may be used to store your credit cards, metro cards, etc. Pleasing to touch, this lightweight and durable custom case allows optimal access to all sensors, ports, and controls on your iPhone 5/5s, while offering superior comfort.
6959144005973	R 159	Promate Cameo.S4-Cameo-Drip Patterned Flexi-Grip Snap On Case for Samsung Galaxy S4-Black (Phone not included)
6959144005980	R 159	Promate Cameo.S4-Cameo-Drip Patterned Flexi-Grip Snap On Case for Samsung Galaxy S4-Blue (S4 Not Incl)
6959144005997	R 159	Promate Cameo.S4-Cameo-Drip Patterned Flexi-Grip Snap On Case for Samsung Galaxy S4-Grey
6959144006000	R 159	Promate Cameo.S4 - Cameo-Drip Patterned Flexi-Grip Snap On Case for Samsung Galaxy S4-Pink

6959144007069	R 239	Promate Primeshield.Ip5 Premium Ultra-Thin Tempered Optical Glass Screen Protector For iPhone 5 (Phone not included)
6959144007793	R 99	Promate Linkmate Duo Dual-ended Charge and Sync cable for Apple Lightning and Micro-USB Devices, Black
6959144007946	R 89	Promate Crystal - Clear Shell Protective Case For iPhone 5/5s (Phone not included)
6959144008127	R 59	Promate ProShield S5-C Premium Clear Screen Protector for Galaxy S5
6959144008134	R 59	Promate ProShield S5-M Premium Matte Screen Protector for Galaxy S5
6959144008165	R 199	Promate PrimeShield S5 Ultra-Thin Tempered Optical Glass Screen Protector For Samsung Galaxy S5
6959144008288	R 89	Promate Akton S5 Multi-colored flexi-grip designed Protective Shell Case for Samsung Galaxy S5 Colour: Black (Phone not included)
6959144008295	R 89	Promate Akton S5 Multi-colored flexi-grip designed Protective Shell Case for Samsung Galaxy S5 Colour: Red, (Phone not included)
6959144008301	R 89	Promate Akton S5 Multi-colored flexi-grip designed Protective Shell Case for Samsung Galaxy S5 Colour: Grey, (Phone not included)
6959144008318	R 89	Promate Akton S5 Multi-colored flexi-grip designed Protective Shell Case for Samsung Galaxy S5 Colour:Blue, (Phone not included)
6959144008325	R 89	Promate Akton S5 Multi-colored flexi-grip designed Protective Shell Case for Samsung Galaxy S5 Colour: Pink, (Phone not included)
6959144008516	R 69	Promate Gshell S5 Ultra-thin Colored Protective Shell Case for Samsung Galaxy S5 Colour: Black
6959144008523	R 69	Promate Gshell S5 Ultra-thin Colored Protective Shell Case for Samsung Galaxy S5 Colour: White
6959144008530	R 69	Promate Gshell S5 Ultra-thin Colored Protective Shell Case for Samsung Galaxy S5 Colour: Blue
6959144008547	R 69	Promate Gshell S5 Ultra-thin Colored Protective Shell Case for Samsung Galaxy S5 Colour: Orange
6959144008554	R 69	Promate Gshell S5 Ultra-thin Colored Protective Shell Case for Samsung Galaxy S5, Colour: Pink
6959144008561	R 69	Promate Gshell S5 Ultra-thin Colored Protective Shell Case for Samsung Galaxy S5 Colour: Purple
6959144009070	R 129	Promate Gritty S5 Anti-slip sandy textured protective case for Samsung Galaxy S5 Colour: Black, (Phone not included)
6959144009087	R 129	Promate Gritty S5 Anti-slip sandy textured protective case for Samsung Galaxy S5 Colour: White, (Phone not included)
6959144009094	R 129	Promate Gritty S5 Anti-slip sandy textured protective case for Samsung Galaxy S5 Colour:Maroon, (Phone not included)
6959144009100	R 129	Promate Gritty S5 Anti-slip sandy textured protective case for Samsung Galaxy S5 Colour: Green, (Phone not included)
6959144009322	R 89	Promate Crystal-S5 Crystal Clear Shell Protective Case For Samsung Galaxy S5 Colour: Clear White
6959144009445	R 159	Promate Fenes S5 Bookcover with window, Colour: Pink, (Phone not included)
6959144009452	R 159	Promate Fenes S5 Bookcover with window, Colour: White, (Phone not included)
6959144009469	R 159	Promate Fenes S5 Bookcover with window, Colour: Blue,(phone not included)
6959144009476	R 159	Promate Fenes S5 Bookcover with window, Colour: Black (Phone not included)
6959144009483	R 159	Promate Zimba S5 Bookcover case, Colour: Brown, (Phone not included)
6959144009513	R 159	Promate Folio S5 Bookcover with inside card pocket, Colour: Gold, (Phone not included)
6959144009520	R 159	Promate Folio S5 Bookcover with inside card pocket, Colour: Red, (Phone not included)
6959144009537	R 159	Promate Folio S5 Bookcover with inside card pocket, Colour: Blue (Phone not included)
6959144009544	R 159	Promate Folio S5 Bookcover with inside card pocket, Colour: Grey, (Phone not included)
6959144009568	R 159	Promate Lucent S5 Bookcover with T-Screen Window Colour: Blue
6959144009575	R 159	Promate Lucent S5 Bookcover with T-Screen Window, Colour: Red, (Phone not included)
6959144009582	R 159	Promate Lucent S5 Bookcover with T-Screen Window, Colour: White, (Phone not included)
6959144009599	R 159	Promate Lucent S5 Bookcover with T-Screen Window, Colour: Dark Blue (Phone not included)
6959144009612	R 129	Promate Filion S5 Bookcover, Colour: Blue, (Phone not included)
6959144009629	R 129	Promate Filion S5 Bookcover, Colour: Red, (Phone not included)
6959144009636	R 129	Promate Filion S5 Bookcover, Colour: Black, (Phone not included)
6959144009643	R 129	Promate Filion S5 Bookcover, Colour: Brown, (Phone not included)

6959144009803	R 199	Promate Kitkater Universal Android OTG Data link with Micro-SD Card Reader
6959144010243	R 89	Promate Akton-M8 Multi-colored flexi-grip designed case for HTC One M8 Colour:Clear White (HTC Not Incl)
6959144010250	R 89	Promate Akton-M8 Multi-colored flexi-grip designed case for HTC One M8 Colour: Clear Green (HTC Not Incl)
6959144010267	R 89	Promate Akton-M8 Multi-colored flexi-grip designed case for HTC One M8 Colour: Red (Phone not included)
6959144010755	R 149	Promate Powercase S5 2100mAh Ultra-Slim Power Case For Samsung Galaxy S5 Colour: White, (Phone not included)
6959144011349	R 129	Promate Therma-Duo Radiation Neutralizing Patch
6959144011660	R 299	Promate Zap Wireless Camera Remote Control for iOS & Android Devices
6959144011936	R 209	Promate Admin S5 Bookcover with clip, Colour: Black (Phone not included)
6959144011943	R 209	Promate Admin S5 Bookcover with clip, Colour: White (Phone not included)
6959144012438	R 169	Promate Akton-i6 Multi-colored flexi-grip designed case for iPhone 6 Colour: Black
6959144012445	R 169	Promate Akton-i6 Multi-colored flexi-grip designed case for iPhone 6 Colour: Red
6959144012629	R 169	Promate Bump-i6 Ultra-Thin Bumper Case For iPhone 6 Colour: Blue (Phone not included)
6959144012643	R 119	Promate Crystal-i6 Crystal Clear Shell Protective Case For iPhone 6 Colour: Clear
6959144013244	R 239	Promate linkMate-trio Integrated 3 in 1 Smart USB Cable for Charge and Sync Lightning, 30 Pin and Micro-USB - 1 Meter - White
6959144013633	R 169	Promate Slit-i6 Classy Snap-On leather case with card slot For iPhone 6 Colour: Brown
6959144013671	R 169	Promate Armor-i6 Rugged & Impact Resistant Protective Case For iPhone 6 Colour: White
6959144013688	R 169	Promate Armor-i6 Rugged & Impact Resistant Protective Case For iPhone 6 Colour: Yellow (Phone not included)
6959144013695	R 169	Promate Armor-i6 Rugged & Impact Resistant Protective Case For iPhone 6 Colour: Maroon (Phone not included)
6959144013718	R 129	Promate Lanko-i6 Leather Flexible Snap-on Case - Black
6959144013725	R 129	Promate Lanko-i6 Leather Flexible Snap-on Case - Pink
6959144013732	R 129	Promate Lanko-i6 Leather Flexible Snap-on Case - Blue
6959144013909	R 169	Promate Glare-i6 Premium Glittering Protective Case Colour: Black
6959144013923	R 169	Promate Glare-i6 Premium Glittering Protective Case Colour: Gold
6959144013992	R 199	Promate Tava-i6 Premium Book-Style Flip Case with Card Slot for iPhone 6 Colour: Black (Phone not included)
6959144014005	R 199	Promate Tava-i6 Premium Book-Style Flip Case with Card Slot for iPhone 6 Colour: Grey (Phone not included)
6959144014029	R 199	Promate Tava-i6 Premium Book-Style Flip Case with Card Slot for iPhone 6 Colour: White (Phone not included)
6959144014036	R 199	Promate Tava-i6 Premium Book-Style Flip Case with Card Slot for iPhone 6 Colour: Brown
6959144014203	R 149	Promate selfieCase-i5 Ultra-Slim Protective case with Built-in Wireless Camera Shutter - Black (Iphone not Incl)
6959144014272	R 129	Promate Cloud-i6 Ultra-Slim Snap-On Case with dual transparent colors For iPhone 6
6959144016481	R 119	Promate Crystal-i6P Crystal Clear Shell Protective Case - Clear (Phone not included)
6959144016634	R 159	Promate Slit-i6P Classy Snap-On leather case with card slot - Grey
6959144016696	R 169	Promate Armor-i6 White Rugged & Impact Resistant Protective Case For iPhone 6
6959144017594	R 319	Promate monoPro-BT Premium Monopod with Selfie shutter for Mobiles, GoPro & Digital Cameras
6959144017662	R 229	Promate selfieCase-i6 Ultra-Slim Protective case with Built-in Wireless Camera Shutter - Black
6959144017679	R 229	Promate selfieCase-i6 Ultra-Slim Protective case with Built-in Wireless Camera Shutter - Red
6959144017686	R 199	Promate primeShield.iP6P Ultra-Thin Tempered Optical Glass Screen Protector
6959144017884	R 459	Promate aidCase-i6 - 2800mAh Lithium Polymer Super Slim Battery Case for Apple iPhone 6 & iPhone 6s
6959144017891	R 459	Promate aidCase-i6 - 2800mAh Lithium Polymer Super Slim Battery Case for Apple iPhone 6 & iPhone 6s
6959144017914	R 509	Promate aidCase-i6P 4000mAh Lithium Polymer Super Slim Battery Case - Black for iPhone 6 Plus
6959144017921	R 509	Promate aidCase-i6P 4000mAh Lithium Polymer Super Slim Battery Case - Gold for iPhone 6 Plus
6959144019635	R 109	Promate Frost-S6 Premium Ultra-Slim Matte Finish Case - Black (Phone not included)
6959144019642	R 109	Promate Frost-S6 Premium Ultra-Slim Matte Finish Case - Gold (Phone not included)
6959144019789	R 119	Promate Crystal-S6 Crystal Clear Shell Protective Case (Phone not included)
702315012	R 136	Zagg Cases Luxe Snap Apple iPhone 16 Pro - Clear, MagSafe compatible, Crystal-Clear Design, Drop protection, Scratch & smudge resistant
702315037	R 136	Zagg Case PH CrystlPal Lite snap Apple iPhone 16 Pro Max - Clear, Drop resistant up to 2m, Strengthened with graphene, Anti-yellowing, Wireless Charging compatible

702315042	R 173	Zagg Cases Crystal Palace Snap Apple iPhone 16 - Clear, Crystal Clarity, 4m drop protection, Strengthened with graphene, Anti-Scratch finish, Secure grip, Wireless Charging compatible
702315043	R 173	Zagg Cases CrystalPalace Snap Apple iPhone 16 Plus - Clear, Crystal Clarity, 4m drop protection, Strengthened with graphene, Anti-Scratch finish, Secure grip, Wireless Charging compatible (iPhone not included)
702315110	R 173	Zagg Cases Milan Snap Apple iPhone 16 - Iridescent, Durable polycarbonate material, MagSafe, Scratch & smudge resistant
702315111	R 173	Zagg Cases Milan Snap Apple iPhone 16 Plus - Iridescent, Durable polycarbonate material, MagSafe, Scratch & smudge resistant
702315112	R 173	Zagg Cases Milan Snap Apple iPhone 16 Pro - Iridescent, Durable polycarbonate material, MagSafe, Scratch & smudge resistant
702315113	R 173	Zagg Cases Milan Snap Apple iPhone 16 Pro Max - Iridescent, Durable polycarbonate material, MagSafe, Scratch & smudge resistant (iPhone not included)
702315252	R 213	Zagg Cases Denali Snap KS Apple iPhone 16 Pro - Black, 5m drop protection, Strengthened with graphene, Heat dissipation, Dual layer protection, Secure grip, Integrated kickstand, Wireless Charging compatible (iPhone not included)
702315253	R 213	Zagg Cases Denali Snap KS Apple iPhone 16 Pro Max - Black, 5m drop protection, Strengthened with graphene, Heat dissipation, Dual layer protection, Secure grip, Integrated kickstand, Wireless Charging compatible (iPhone not included)
7161815122141	R 69	Promate Lunet Blue & Light Blue Dual Coloured Protective Case for iPhone 5
7161815181421	R 69	Promate Sansa Samsung Galaxy S3 Stylish leather flip-cover and shell case Detachable cover to replace original Samsung S3 cover Colour:White and White, The Sansa is an attractive leather flip cover with a hard shell rear casing for the Samsung Galaxy S3. Fitting snugly to your mobile phone, the Sansa protects from any knocks, scuffs, scrapes and scratches. Ultra-slim, ultra-lightweight and extremely portable, the Sansa is the perfect accessory for the Galaxy S3 user who wants to bring their phone to the next level.
7161815187423	R 69	Promate proShield.GN2-C Premium Clear Screen Protector for Samsung Galaxy Note II.
7161815697182	R 119	Promate Figaro-S4-Shiny Custom-Fit Shell Case for Samsung Galaxy S4 - Black
8161815122140	R 69	Promate Lunet White & Black Dual Coloured Protective Case for Iphone 5
8161815185381	R 99	Promate Rocha Black Slim-line pouch leather protective case for iPhone 5
8161815185381-G	R 99	Promate Rocha iPhone 5 Slim-line pouch leather protective case Cover-Grey
8161815191894	R 359	Promate airCase.i4 Air Charger Receiver Charging Case for iPhone 4-Black, (Phone not included)
8806086651530	R 129	Samsung Case Clear Cover - Compatible with Galaxy S6 Black
8806086652513	R 79	Samsung Case Clear Cover - Compatible with Galaxy S6 Gold
9161815201332	R 169	Promate Tacca iPhone 5 Luxurious Genuine Leather Flip Cover with Secure Snap-on shell, Protective Book - Style design cover & leather strap to enhance the portability Colour: WHITE
9161815914461	R 179	Promate Indent Slim-Fit Cutaway Design Flip Cover for iPhone 5 - WHITE
959144000110	R 199	Promate Zemi Grey Classy Leather Flip Cover for BlackBerry Z10
959144000141	R 159	Promate Zino Blue Protective Leather Sleeve BlackBerry Z10
A53530-B	R 171	Astrum A53530-B SH300 Professional Bike Mobile Holder Clip, Mobile holder for Motor Bike / Bike, Rotating Clip for easy remove, 3m Glue for Case / Mobile, Metal Base, Screws, Anti Theft design, Metal frame.
A53531-B	R 148	Astrum A53531-B SH310 Professional Bike Mobile Holder X, Mobile holer for Motor Bike / Bike, Metal base for handle / Mirror, X Shape for easy operation, Rubber corners, One button release.
A53532-B	R 263	Astrum A53532-B SH320 Professional Bike Mobile Holder USB Charging, Mobile holder for Motor Bike / Bike, Metal Handle grip with Rubber, Mirror Clip, Anti theft design, Metal Screw, Side nob for adjustment, Aluminum Base. USB Charger
A53533-B	R 224	Astrum A53533-B SH330 Professional Bike Mobile Holder, Mobile holder for Motor Bike / Bike, Metal Handle grip with Rubber, Mirror Clip, Anti theft design, Metal Screw, Side nob for adjustment, Aluminum Base.
A53545-B	R 98	Astrum Air Vent Megnatic Mobile Holder, Mobile HOLDER AIR VENT MAGNET 3.0-6.0" BLACK
A53546-B	R 98	Astrum SH460 Bike Phone Mount Bicycle Holder, Fit 3.5 - 5.7" mobiles, 360 Degrees rotating & angle design, Easy clip-in shape, Black

CA-ACW0050-K	R 319	Adata ACW0050-1C-5V-CBK wireless charging pad Black - Qi certified - 6mm ultra slim, 5V/2A miCroUSB input, 5V/1A output, 92x85x6mm
CA-ACW0050-W	R 170	Adata ACW0050-1C-5V-CWH wireless charging pad White - Qi certified - 6mm ultra slim, 5V/2A miCroUSB input, 5V/1A output, 92x85x6mm
CA-Ai-PW	R 177	Adata AMFiPL-100CM-CWH i-cable - Plastic White - Apple MFi certified - 100cm - Lightning 8pins sync charge
CA-Pi30FS-G	R 91	Pqi 6PCJ-008R0002A i-cable lightning 30 Flat Stand Green- Apple MFi certified - 30cm - Lightning 8pins sync charge with Flat cable Stand function
CA-Pi30FS-L	R 91	Pqi 6PCJ-008R0001A i-cable lightning 30 Flat Stand Blue- Apple MFi certified - 30cm - Lightning 8pins sync charge with Flat cable Stand function
CA-Pi30FS-o	R 91	Pqi 6PCJ-008R0005A i-cable lightning 30 Flat Stand Orange- Apple MFi certified - 30cm - Lightning 8pins sync charge with Flat cable Stand function
CA-Pi30FS-Pi	R 91	Pqi 6PCJ-008R0004A i-cable lightning 30 Flat Stand Pink- Apple MFi certified - 30cm - Lightning 8pins sync charge with Flat cable Stand function
CA-Pi30FS-PU	R 91	Pqi 6PCJ-008R0003A i-cable lightning 30 Flat Stand PUrple- Apple MFi certified - 30cm - Lightning 8pins sync charge with Flat cable Stand function
CA-PU30FS-K	R 56	Pqi 6PCE-008R0001A U-cable 30 Flat Stand Black - 30cm - miCroUSB with Flat cable Stand function
CA-PU30FS-W	R 56	Pqi 6PCE-008R0002A U-cable 30 Flat Stand White - 30cm - miCroUSB with Flat cable Stand function
CB-CCTS4G	R 54	Coolermaster C-SSBF-CTS4-DD - Carbon Texture folio for S4 - Grey , with stand function, for Samsung Galaxy S4, 138x73x12mm (Phone not included)
CB-CiPCA	R 31	Coolermaster C-IF4C-HFCW-3Q Claw translucent Aqua - protection case for iPhone4/4S, thermoplastic urethane with honey-combed design for better grip, 120x65x14.5mm
CB-CiPCG	R 31	Coolermaster C-IF4C-HFCW-3G Claw translucent Green protection case for iPhone4/4S, thermoplastic urethane with honey-combed design for better grip, 120x65x14.5mm, iPhone NOT included.
CB-CiPCK	R 31	Coolermaster C-IF4C-HFCW-3K Claw translucent black - protection case for iPhone4/4S, thermoplastic urethane with honey-combed design for better grip, 120x65x14.5mm
CB-CiPCL	R 31	Coolermaster C-IF4C-HFCW-3B Claw translucent Blue - protection case for iPhone4/4S, thermoplastic urethane with honey-combed design for better grip, 120x65x14.5mm
CB-CiPCP	R 31	Coolermaster C-IF4C-HFCW-3N Claw translucent Pink protection case for iPhone4/4S, thermoplastic urethane with honey-combed design for better grip, 120x65x14.5mm, iPhone NOT included.
CB-CiPCY	R 31	Coolermaster C-IF4C-HFCW-3Y Claw translucent Yellow protection case for iPhone4/4S, thermoplastic urethane with honey-combed design for better grip, 120x65x14.5mm, iPhone NOT included.
CB-CiPDo	R 56	Coolermaster C-iF0U-WFDo-iC iPhone4 series Dorest pouch - with suede leather card holder suede leather cord phone puller, 85x148x15mm, 6.6g - grey, synthetic wool suede leather, water repellent.
CB-CiPEX	R 56	Coolermaster C-iF0U-WFEX-iC iPhone4 series Exmoor folio with suede leather flap, 80x139x20mm, 20.1g - grey, synthetic wool and suede leather, water repellent.
CB-CiPTG	R 66	Coolermaster C-IF4C-SCTV-1o Traveler Gold - stainless steel protection case for iPhone4/4S, ultra light impact resistant polycarbonate, with neck wrist strap support, 117x62x12.6mm
CB-CiPTK	R 76	Coolermaster C-IF4C-SCTV-1K Traveler black - stainless steel protection case for iPhone4/4S, ultra light impact resistant polycarbonate, with neck wrist strap support, 117x62x12.6mm
CB-CiPTL	R 67	Coolermaster C-IF4C-SCTV-1B Traveler Blue - stainless steel protection case for iPhone4/4S, ultra light impact resistant polycarbonate, with neck wrist strap support, 117x62x12.6mm
CB-CiPTR	R 67	Coolermaster C-IF4C-SCTV-1R Traveler Red - stainless steel protection case for iPhone4/4S, ultra light impact resistant polycarbonate, with neck wrist strap support, 117x62x12.6mm
CB-CiPTS	R 67	Coolermaster C-IF4C-SCTV-1S Traveler Silver - stainless steel protection case for iPhone4/4 S, ultra light impact resistant polycarbonate, with neck wrist strap support, 117x62x12.6mm
CB-CTi5A100K	R 185	Coolermaster C-IF5C-A100-KK Traveler i5A-100 protection case Black - with built-in heat dissipation pad, Aluminium with Diamond Cut - for iPhone5, toll-free slide-n-lock design, 125x60x9mm/ 17g (Phone not included)
CB-CTi5A100S	R 185	Coolermaster C-IF5C-A100-SS Traveler i5A-100 Protection Case Silver - with built-in heat dissipation pad, Aluminium with Diamond Cut - for iPhone5, toll-free slide-n-lock design, 125x60x9mm/ 17g (Phone not included)

CB-CTi5C100	R 113	Coolermaster C-IF5C-C100-00 Traveler i5C-100 protection case - with 8mm checker, dotted bumper to prevent slipping, with iMD (In-Mold Decoration) scratch resistance, Polycarbonate - for iPhone5, 125x60x9mm/ 11g (Phone not included)
CB-CTi5C110	R 113	Coolermaster C-IF5C-C110-00 Traveler i5C-110 protection case - with 1mm checker, dotted bumper to prevent slipping, with iMD (In-Mold Decoration) scratch resistance, Polycarbonate - for iPhone5, 125x60x9mm/ 11g (Phone not included)
CB-CTN2U100CK	R 56	Coolermaster C-SS2F-CTN2-KK Traveler N2U-100 Carbon fibre Black, with stand function, for Samsung Galaxy Note II, 156x83x16mm with built-in pockets (Phone not included)
CB-CTU5P100ii	R 89	Coolermaster C-US5U-PLWF-ii Traveler U5P-100 sleeve, Khaki, synthetic wool, water repellent, 168x95x3mm with built-in pocket - for 5" Smartphone (Samsung Galaxy Note II, iPhone 5, hTC Butterfly and One X, Sony Xperia Z...etc) (Phone not included)
CB-CTU5P100KR	R 92	Coolermaster C-US5U-PLWF-KR Traveler U5P-100 sleeve, Black & Red, synthetic wool, water repellent, 168x95x3mm with built-in pocket - for 5" smartphone (Samsung Galaxy Note II, iPhone 5, HTC Butterfly and One X, Sony Xperia Z...etc)
CBL04UF	R 115	Microworld Ipad / Iphone / Ipad Sync charge cable Pink
CBS7-BL	R 29	Orico Desktop Cable Management Blue, Conveniently manage your data cables, Suitable for data cables within 5mm diameter, High-quality materials such as silicone to boost sound elasticity and crush resistance
CBS7-GY	R 29	Orico Desktop Cable Management Grey, Conveniently manage your data cables, Suitable for data cables within 5mm diameter, High-quality materials such as silicone to boost sound elasticity and crush resistance
CBS7-OR	R 29	Orico Desktop Cable Management Orange, Conveniently manage your data cables, Suitable for data cables within 5mm diameter, High-quality materials such as silicone to boost sound elasticity and crush resistance
CBS7-PK	R 29	Orico Desktop Cable Management Pink, Conveniently manage your data cables, Suitable for data cables not thicker than 5mm, High-quality materials such as silicone to boost sound elasticity and crush resistance
CHG5	R 92	Unbranded Universal car phone charger 5in1, For Nokia / BlackBerry / LG / Samsung / Sony Ericsson
CM829-55769	R 274	UGreen CM829 Smart Finder Tag Tracker - Android, Bluetooth Tracker, Up to 80dB Ring alert, Location history, Up to 18-month Battery Life, Works with Samsung SmartThings
CM916-75646	R 178	UGreen CM916 Smart Bluetooth Tracker for Android and iOS, Bluetooth connectivity, Apple find my (iOS) or Google find Hub (Android), Rechargeable Lithium Battery, Up to 365 days Battery Life, USB Type-C charging Interface, Apple Certified and Google Certified, USB Type-C charging, Built-In audible Finder
CMI-GSCXC-BK1	R 131	Coolermaster Storm controller cradle V1, Mobile phone cradle Attachment, Up to 220 degree of adjustment, 6.5-8.5 cm expanding range
CNE-CCHM4	R 105	Canyon CH-4 vent Magnetic Car holder - Black, Lock-unlock Button, 4 powerful magnets inside, One-Touch Phone lock and release, 2 Metal plates in the Set, Rubber coating Surface
CNE-CCHM6	R 137	Canyon CH-6 Car holder for smartphones, Magnetic suction Function, with 2 plates (Rectangle / circle), Adjustable 360 degrees viewing, can be mounted on a Dashboard and a windshield
CO-PiDK	R 56	Pqi 6ZC251401R002A iDongle Black - micro-USB to Lightning adapter - ideal for miCrousb interface Flash Drive or powerbank - Apple MFi certified, 18.9x10.1x5.7mm - retail pack
Co-PiDW	R 56	Pqi 6ZC251401R001A iDongle White - micro-USB to Lightning adapter - ideal for miCrousb interface flash drive or powerbank - Apple MFi certified, 18.9x10.1x5.7mm - retail pack
CR-JCHSD31	R 154	J5 Create JCHSD31W - USB-C microSDXC reader, UHS-I, up to 104MB/s transfer speed
CR-JCHSD34	R 298	J5 Create JCHSD34W- USB-C reader with dual SD microSD slots, UHS-II, up to 312MB/s
CR-PC210	R 229	PQi RF05-0016R011J Connect210 5-in-1 miCroUSB (5 or 11 pin) MHL connection kit - with MHL/HDMi out miCroSDHC/SDXC SDHC/SDXC miCroUSB USB - Black with leds indicator - 67x25x11mm
DELOCK-20652	R 59	Delock Webcam cover for Laptop / Tablet / Smartphone, 20652
DLK3532Q/00	R 268	Philips Car Mount with QI Wireless charging, up to 10W Wireless Power Output
DS-JUD650	R 1,056	j5 Create JUD650 Android Dock Phone/ Tablet Workstation - with angle adjustable stand, support Android Mirror for phone/tablet display on PC screen, support standard KB mouse input on mobile device, 5 quick buttons (volume down up/ screen capture/ screen record/ file transfer), HDMi D-sub video output, miCroUSB 4x USB2.0 downstream for KB/mouse/flash drive, 3.5mm audio in/out - with AC-adapter

EF-GG960FREGWW	R 46	Samsung Hyperknit Cover for S9
EF-PG965TBEGWW	R 46	Samsung Silicone Cover for S9
EF-ZG965CBEGWW	R 46	Samsung Clear View Standing Cover for S9
EXT002	R 196	Microworld Device Extension Arm with Remote Bluetooth
EXT003	R 92	Microworld Device Extension Arm with Built in Bluetooth button
FD-P128iC-G	R 804	Pqi 6i01-128GR3001 iConnect 128Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors flash drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 MB/sec, with backup software
FD-P128iC-S	R 689	Pqi 6i01-128GR1001 iConnect 128Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors flash drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software
FD-P64iC-S	R 493	Pqi 6i01-064GR1001 iConnect 64Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software
GAL006	R 564	Microworld 5 in 1 MHL for Samsung Phones
GC-CMMSH	R 518	Corsair / elgato 10AAE9901 Multi Mount Smartphone Holder - padded and expandable up to 8,5 cm
GDS4145GL	R 467	Xiaomi Mi 20W Wireless Charging Stand
GM-Ri4	R 114	Razer gaming gear - iPhone4 series protection casing - heavy duty silicone industrial-strength silicone, rubberised finish and design for better grip
GM-Ri4B3	R 114	Razer gaming gear - iPHONE4 series protection casing - Battlefield3 edition - heavy duty silicone industrial - strength silicone, rubberised finish and design for better grip
H5	R 35	Appacs H5 Universal Magnetic Phone Holder, Aluminum Alloy material
HL66	R 129	Ezra Universal Mobile Phone Holder with suction cup, 360 degree omnidirectional support, 60mm - 100mm Telescopic clip
HL67	R 89	Ezra Universal Mobile holder with Air inlet clip - 360 degree omnidirectional support, 60mm - 100mm Telescopic clip
I112	R 99	iLuv Protection Film for iPod Nano
IAT1000	R 185	Cirago iAlertTag with Bluetooth 4.0, Wireless Bluetooth phone and key tracker
IN-CINSFAVE	R 1,873	Insta360 Snap Selfie Screen with Light; CINSFAVE; 3.5" LCD touchscreen; 480 x 800 pixels; 550 nits; 60Hz; 56 LED fill light; 3 colour temperatures; 5 brightness levels; USB-C; DisplayPort Alt Mode; magnetic attachment; 103 x 67.5 x 8.2mm; 88.6g; white; rear camera selfies and vlogging
IPC1001BLK	R 82	Cirago Slim case for iPhone 4s / 4 - Black, IPC1001BLK, Built-In 3-way kickstand, Durable case with Anti-Slip Surface, Metal hinge gliding kickstand mechanism (tablet not included)
IPC4000GRN	R 71	Cirago NuSound-Pod for iPhone - Green, Holds your phone vertically / horizontally, 19.5 dB of Volume amplified, Connect your Sync/charge cable from bottom of the egg
IPC4001PNK	R 89	Cirago NuSound-Pod for iPhone - Pink, Holds your phone vertically / horizontally, 19.5 dB of Volume amplified, Connect your Sync/charge cable from bottom of the egg
IPC4002BLU	R 71	Cirago NuSound-Pod for iPhone - Blue, Holds your phone vertically / horizontally, 19.5 dB of Volume amplified, Connect your Sync/charge cable from bottom of the egg
L158	R 219	iLuv International USB power adapter iPods and iPads 2 and the New iPad, Retail Box , 3 Months warranty. Travel pack.
LMB-019	R 299	LAVOD Waterproof bag for iPhone 4/4S or 4.5" Moblile Cell Phone with earphones
LP113-80906	R 132	UGreen Multifunction Gooseneck Phone stand, Black finish, Flexible Gooseneck Arm bends and holds position for Hands-Free viewing, Clamp base attaches securely to flat surfaces, Tool-Free installation with no drilling or permanent fixing required, Compatible with smartphones of varying sizes, Manual adjustment Operation with no Power source required, C
LP586-15062	R 415	UGreen Selfie Stick Tripod with Bluetooth Remote, 4" - 7.2" devices, Extends to 160 cm, Folds to just 32 cm for Easy Carry, Bluetooth Remote for Hands-Free shooting
LUXA-LHA0055 BARGAIN SPECIAL	R 14	(On Promotion) LUXA2 Modica iPhone 4 Cover - Hard PC Plastic Case, Exact Fit for iPhone4, Ultra-Slim 0.8mm Design, Dark Brown With Leaf Pattern. LIMITED STOCK.
M07363	R 276	Hyperkin M07363 Armor3 Trigger Kit for smartphones, Easy to clamp on triggers, 1 pair
M32133	R 210	Verbatim My Finder Coin Bluetooth Item Finder - 1 pack - Black, MYFC-01B, Bluetooth 5.2, Built in buzzer,

		User-replaceable CR2032 Battery, IP66 Waterproof and dustproof rating, Works with apple ' s Find My App
M32134	R 409	Verbatim My Finder Coin Bluetooth Item Finder - 2 pack - Black / White, MYFC-02BW, Bluetooth 5.2, Built in buzzer, User-replaceable CR2032 Battery, IP66 Waterproof and dustproof rating, Works with apple ' s Find My App
M32135	R 692	Verbatim My Finder Coin Bluetooth Item Finder - 3 Pack - Black / White / Purple, MYFC-03BWP, Bluetooth 5.2, Built in buzzer, User-replaceable CR2032 Battery, IP66 Waterproof and dustproof rating, Works with apple ' s Find My App
MA6A4ZM/A	R 1,081	Apple iPhone 16 Clear Case with MagSafe, Scratch-resistant coating, Built-In magnets that align perfectly with iPhone 16 Pro Max
MA7D4ZM/A	R 449	Apple iPhone 16 Plus Clear Case with MagSafe, Scratch-resistant coating, Built-In magnets that align perfectly with iPhone 16 Pro Max *Phone not included*
MA7E4ZM/A	R 1,081	Apple iPhone 16 Pro Clear Case with MagSafe, Scratch-resistant coating, Built-In magnets that align perfectly with iPhone 16 Pro Max *Phone not included*
MA7F4ZM/A	R 1,081	Apple iPhone 16 Pro Max Clear Case with MagSafe, Scratch-resistant coating, Built-In magnets that align perfectly with iPhone 16 Pro Max (Phone not included)
MA7V4ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Lake Green, Model A3316 (Phone not included)
MC-SFCLEAR	R 1,500	MocollRecovery Film Screen Protector Pandora Film box 50 pack - Clear, Premium TPU material
MC-SFMATTE	R 1,500	Mocoll Recovery Film Screen Protector Pandora Film box 50 pack - Matte, Premium TPU material
MC2W4ZM/A	R 1,081	Apple iPhone 13 Clear Case with MagSafe, Model A2710 (iPhone not included)
MD3N4ZM/A	R 851	Apple iPhone 16e Silicone Case - Black (iPhone not included)
MD3P4ZM/A	R 851	Apple iPhone 16e Silicone Case - White (iPhone not included)
MD3Q4ZM/A	R 851	Apple iPhone 16e Silicone Case - Winter Blue (iPhone not included)
MD3W4ZM/A	R 299	Apple iPhone 16e Silicone Case - Fuchsia (iPhone not included)
MD3X4ZM/A	R 851	Apple iPhone 16e Silicone Case - Lake Green (iPhone not included)
MHL73ZM/A	R 1,081	Apple iPhone 12 or 12 Pro Silicone Case with MagSafe Black, Model A2497, Silicone Case material, Microfiber cushioning material, 6.1" size, Wireless Charger compatible, Qi-Compatible (iPhone not included)
MHLM3ZM/A	R 1,081	Apple iPhone 12 / 12 Pro Clear Case with MagSafe, Model A2500, Polycarbonate case material, 6.1" size, Compatible with QI Wireless chargers, Magnetic (iPhone not included)
MM2W3ZM/A	R 1,081	Apple iPhone 13 Mini clear case with Magsafe, Model A2709, MM2W3ZM/A (iPhone not included)
MMMP3ZM/A	R 2,657	Apple Magic Trackpad - Black Multi-Touch Surface, Wireless and Rechargeable, Multi-Touch gestures and Force Touch Technology, Includes a woven USB-C to Lightning cable, MMMP3ZM/A
MPT33ZM/A	R 1,081	Apple iPhone 14 Plus silicone case with Magsafe - Midnight, Model A2911, MPT33ZM/A (iPhone not included)
MPU43ZM/A	R 1,081	Apple iPhone 14 Plus Clear Case with Magsafe, Model A2915, MPU43ZM/A
MT0Q3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Clay, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MT103ZM/A	R 1,081	Apple iPhone 15 Plus Silicone Case with Magsafe - Black, Model A3124, MT103ZM/A (iPhone not included)
MT123ZM/A	R 1,081	Apple iPhone 15 Plus Silicone Case with Magsafe - Storm Blue, Model A3124, MT123ZM/A (iPhone not included)
MT1L3ZM/A	R 1,081	Apple iPhone 15 Pro Silicone Case with MagSafe - Winter Blue, Model A3125, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MT1P3ZM/A	R 851	Apple iPhone 15 Pro Max Silicone Case with Magsafe - Storm Blue, Model A3126, MT1P3ZM/A (iPhone not included)
MT1Q3ZM/A	R 920	Apple iPhone 15 Pro Max Silicone Case with Magsafe - Clay, Model A3126, MT1Q3ZM/A (iPhone not included)
MT1U3ZM/A	R 1,081	Apple iPhone 15 Pro Max Silicone Case with Magsafe - Light Pink, Model A3126, MT1U3ZM/A (iPhone not included)
MT1Y3ZM/A	R 1,081	Apple iPhone 15 Pro Max Silicone Case with MagSafe - Winter Blue, Model A3126, Silicone Case material, Microfiber cushioning material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MT203ZM/A	R 1,081	Apple iPhone 15 Clear Case with Magsafe, Model A3127, MT203ZM/A (iPhone not included)
MT213ZM/A	R 1,081	Apple iPhone 15 Plus Clear Case with Magsafe, Model A3128, MT213ZM/A (iPhone not included)
MT223ZM/A	R 1,081	Apple iPhone 15 Pro Clear Case with Magsafe, Model A3129, MT223ZM/A (iPhone not included)
MT233ZM/A	R 1,081	Apple iPhone 15 Pro Max Clear Case with Magsafe, Model A3130, MT233ZM/A (iPhone not included)

MT243ZM/A	R 1,403	Apple iPhone FineWoven Wallet with MagSafe - Taupe, Model A3131, Microtwill case material, Compatible with --> iPhone 15 Series / iPhone 14 Series / iPhone 13 Series / iPhone 12 Series, Credit card pocket, Magnetic, MagSafe (iPhone not included)
MT253ZM/A	R 1,403	Apple iPhone FineWoven Wallet with MagSafe - Mulberry, Model A3131, Microtwill case material, Compatible with --> iPhone 15 Series / iPhone 14 Series / iPhone 13 Series / iPhone 12 Series, Credit card pocket, Magnetic, MagSafe (iPhone not included)
MT263ZM/A	R 1,403	Apple iPhone FineWoven Wallet with MagSafe - Pacific Blue, Model A3131, Microtwill case material, Compatible with --> iPhone 15 Series / iPhone 14 Series / iPhone 13 Series / iPhone 12 Series, Credit card pocket, Magnetic, MagSafe (iPhone not included)
MT273ZM/A	R 1,403	Apple iPhone FineWoven Wallet with MagSafe - Evergreen, Model A3131, Microtwill case material, Compatible with --> iPhone 15 Series / iPhone 14 Series / iPhone 13 Series / iPhone 12 Series, Credit card pocket, Magnetic, MagSafe (iPhone not included)
MT2N3ZM/A	R 1,162	Apple iPhone FineWoven Wallet with MagSafe - Black, Model A3131, microtwill case material, Compatible with --> iPhone 15 Series / iPhone 14 Series / iPhone 13 Series / iPhone 12 Series, Credit card pocket, Magnetic, MagSafe (iPhone not included)
MT393ZM/A	R 1,403	Apple iPhone 15 FineWoven case with Magsafe - Black, Model A3132, MT393ZM/A (iPhone not included)
MT3C3ZM/A	R 1,403	Apple iPhone 15 FineWoven case with Magsafe - Taupe, Model A3132, MT3C3ZM/A (iPhone not included)
MT3E3ZM/A	R 1,484	Apple iPhone 15 FineWoven case with MagSafe - Mulberry, Model A3132, Microtwill case material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MT3G3ZM/A	R 1,484	Apple iPhone 15 FineWoven case with MagSafe - Pacific Blue, Model A3132, MT3G3ZM/A (iPhone not included)
MT3J3ZM/A	R 1,403	Apple iPhone 15 FineWoven case with MagSafe - Evergreen, Model A3132, Microtwill case material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MT423ZM/A	R 1,403	Apple iPhone 15 Plus FineWoven case with Magsafe - Black, Model A3133, MT423ZM/A (iPhone not included)
MT473ZM/A	R 1,403	Apple iPhone 15 Plus FineWoven case with MagSafe - Taupe, Model A3133, Microtwill case material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MT4A3ZM/A	R 1,403	Apple iPhone 15 Plus FineWoven case with MagSafe - Mulberry, Model A3133, Microtwill case material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MT4D3ZM/A	R 1,403	Apple iPhone 15 Plus FineWoven case with Magsafe - Pacific Blue, Model A3133, MT4D3ZM/A (iPhone not included)
MT4J3ZM/A	R 1,081	Apple iPhone 15 Pro FineWoven case with MagSafe - Taupe, Model A3134, Microtwill case material, 6.1" size, Qi-Compatible, Bottom protection (iPhone not included)
MT4L3ZM/A	R 1,403	Apple iPhone 15 Pro FineWoven case with MagSafe - Mulberry, Model A3134, Microtwill case material, 6.1" size, Qi-Compatible, Bottom protection (iPhone not included)
MT4Q3ZM/A	R 1,081	Apple iPhone 15 Pro FineWoven case with MagSafe - Pacific Blue, Model A3134, Microtwill case material, 6.1" size, Qi-Compatible, Bottom protection (iPhone not included)
MT4V3ZM/A	R 1,081	Apple iPhone 15 Pro Max FineWoven case with MagSafe - Black, Model A3135, Microtwill case material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MT4W3ZM/A	R 1,484	Apple iPhone 15 Pro Max FineWoven case with MagSafe - Taupe, Model A3135, Microtwill case material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MT503ZM/A	R 1,403	Apple iPhone 15 Pro Max FineWoven case with MagSafe - Evergreen, Model A3135, Microtwill case material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MW2L3ZM/A	R 1,472	Apple 96W USB-C Power Adapter
MW2L3ZM/A	R 1,419	Apple 96W USB-C Power Adapter
MW4T3ZM/A	R 1,081	Apple iPhone 14 Plus Clear Case with MagSafe, Model A2915, Polycarbonate case material, 6.7" size, Wireless Charger compatible
MW5Q3ZM/A	R 1,081	Apple iPhone 14 Clear Case with MagSafe, Model A2914, Polycarbonate case material, 6.1" size, Wireless Charger compatible
MWGCO4192A	R 149	MyWiGo CO4192A Silicon blue bumper for MyWigo Turia 2 - Blue
MWGCO4192O	R 149	MyWiGo CO4192O Silicon Orange bumper for MyWigo Turia 2 - Orange

MWGCO4592	R 149	MyWiGo CO4592 Flip Cover for EXCITE III - Blue
MWGCO4593	R 149	MyWiGo CO4593 Flip Cover for EXCITE III - White
MWN93ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Pink, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNA3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Sunshine, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNC3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Soft Mint, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWND3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Light Blue, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNJ3ZM/A	R 1,081	Apple iPhone 15 Pro Silicone Case with MagSafe - Pink, Model A3125, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNK3ZM/A	R 1,081	Apple iPhone 15 Pro Silicone Case with MagSafe - Sunshine, Model A3125, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNM3ZM/A	R 1,081	Apple iPhone 15 Pro Silicone Case with MagSafe - Light Blue, Model A3125, Silicone Case material, Microfiber cushioning material, 6.1" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNN3ZM/A	R 1,081	Apple iPhone 15 Pro Max Silicone Case with MagSafe - Pink, Model A3126, Silicone Case material, Microfiber cushioning material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNP3ZM/A	R 1,081	Apple iPhone 15 Pro Max Silicone Case with MagSafe - Sunshine, Model A3126, Silicone Case material, Microfiber cushioning material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNQ3ZM/A	R 1,081	Apple iPhone 15 Pro Max Silicone Case with MagSafe - Soft Mint, Model A3126, Silicone Case material, Microfiber cushioning material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MWNR3ZM/A	R 1,081	Apple iPhone 15 Pro Max Silicone Case with MagSafe - Light Blue, Model A3126, Silicone Case material, Microfiber cushioning material, 6.7" size, Bottom protection, Qi-Compatible (iPhone not included)
MX4F2ZM/A	R 368	Apple AirTag Loop - White, MX4F2ZM/A
MX532ZE/A	R 610	Apple AirTag - 4 pack, MX542ZE/A, User-replaceable CR2032 coin Cell Battery, Bluetooth for proximity finding, Apple-designed U1 Chip for Ultra Wideband and Precision finding, NFC tap for lost mode
MX542ZE/A	R 1,955	Apple AirTag - 4 pack, MX542ZE/A, User-replaceable CR2032 coin Cell Battery, Bluetooth for proximity finding, Apple-designed U1 Chip for Ultra Wideband and Precision finding, NFC tap for lost mode
MXL73ZM/A	R 1,024	Apple 46mm Ultramarine Sport Loop, 130-200mm strap size
MXLX3ZM/A	R 1,024	Apple 46mm Stone Gray Sport Band - S/M, S/M (140-190mm) strap size
MXLY3ZM/A	R 1,024	Apple 46mm Stone Gray Sport Band - M/L, M/L (160-210mm) strap size
MXM63ZM/A	R 1,024	Apple 46mm Starlight Sport Band - S/M, S/M (140-190mm) strap size
MXN53ZM/A	R 1,265	Apple 70W USB-C Power Adapter, Model A2743
MXN53ZM/A	R 1,244	Apple 70W USB-C Power Adapter, Model A2743
MXPD3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Black, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Wireless Charger compatible (Phone not included)
MXPG3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Clay, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Wireless Charger compatible (Phone not included)
MXPH3ZM/A	R 1,081	Apple iPhone 15 Silicone Case with MagSafe - Light Pink, Model A3123, Silicone Case material, Microfiber cushioning material, 6.1" size, Wireless Charger compatible (Phone not included)
MXQR3ZM/A	R 449	Apple iPhone 15 Plus Silicone Case with MagSafe - Black, Model A3124, Silicone Case material, Microfiber cushioning material, Wireless Charger compatible, 6.7" size (Phone not included)
MXRK3ZM/A	R 1,081	Apple iPhone 15 Clear Case with MagSafe, Model A3127, Thermoplastic Polyurethane case material, 6.1" size, Wireless Charger compatible
MXRL3ZM/A	R 1,081	Apple iPhone 15 Plus Clear Case with MagSafe, Model A3128
MXTG3ZM/A	R 1,024	Apple 49mm Ice Blue Ocean band extension - Natural Titanium finish
MXTH3ZM/A	R 1,909	Apple 49mm Navy Ocean band - Natural Titanium finish, One size fits most (130-200mm)
MXTJ3ZM/A	R 1,024	Apple 49mm Navy Ocean band extension - Natural Titanium finish

MXTL3ZM/A	R 1,990	Apple 49mm Black Ocean band - Natural Titanium finish
MXTM3ZM/A	R 1,024	Apple 49mm Black Ocean band extension - Natural Titanium finish
MXTQ3ZM/A	R 1,909	Apple 49mm Black Trail Loop - S/M - Natural Titanium finish, S/M (130-180mm) strap size
MXTR3ZM/A	R 1,909	Apple 49mm Black Trail Loop - M/L - Natural Titanium finish, M/L (145-220mm) strap size
MXTT3ZM/A	R 1,909	Apple 49mm Blue Trail Loop - S/M - Natural Titanium finish, S/M (130-180mm) strap size
MYP83ZM/A	R 1,909	Apple 49mm Ice Blue Ocean band - Black Titanium finish
MYP93ZM/A	R 1,024	Apple 49mm Ice Blue Ocean band extension - Black Titanium finish
MYPC3ZM/A	R 1,024	Apple 49mm Navy Ocean band extension - Black Titanium finish, One size fits most (130-200mm)
MYPD3ZM/A	R 1,909	Apple 49mm Black Ocean band - Black Titanium finish, one size fits most (130-200mm)
MYPF3ZM/A	R 1,024	Apple 49mm Black Ocean band extension - Black Titanium finish
MYPQ3ZM/A	R 1,909	Apple 49mm Dark Green Alpine Loop - Small - Black Titanium finish, Small (130-160mm) strap size
MYPR3ZM/A	R 1,909	Apple 49mm Dark Green Alpine Loop - Medium - Black Titanium finish, Medium (145-190mm) strap size
MYPT3ZM/A	R 1,909	Apple 49mm Dark Green Alpine Loop - Large - Black Titanium finish, Large (165-210mm) strap size
MYPX3ZM/A	R 1,909	Apple 49mm Navy Alpine Loop - Medium - Black Titanium finish, Medium (145-190mm) strap size
MYPY3ZM/A	R 1,909	Apple 49mm Navy Alpine Loop - Large - Black Titanium finish, Large (165-210mm) strap size
MYQ03ZM/A	R 1,909	Apple 49mm Tan Alpine Loop - Small - Black Titanium finish, Small (130-160mm) strap size
MYQ13ZM/A	R 1,909	Apple 49mm Tan Alpine Loop - Medium - Black Titanium finish, Medium (145-190mm) strap size
MYQ23ZM/A	R 1,909	Apple 49mm Tan Alpine Loop - Large - Black Titanium finish, Large (165-210mm) strap size
MYY13ZM/A	R 1,081	Apple iPhone 16 Silicone Case with MagSafe - Black, Soft Microfiber lining, Built-In magnets that align perfectly with iPhone 16, Model A3313 (Phone not included)
MYY23ZM/A	R 1,081	Apple iPhone 16 Silicone Case with MagSafe - Denim, Soft Microfiber lining, Built-In magnets that align perfectly with iPhone 16, Model A3313 (Phone not included)
MYY33ZM/A	R 1,081	Apple iPhone 16 Silicone Case with MagSafe - Stone Grey, Soft Microfiber lining, Built-In magnets that align perfectly with iPhone 16, Model A3313 (Phone not included)
MYY43ZM/A	R 1,081	Apple iPhone 16 Silicone Case with MagSafe - Plum, Soft Microfiber lining, Built-In magnets that align perfectly with iPhone 16, Model A3313 (Phone not included)
MYY63ZM/A	R 1,081	Apple iPhone 16 Silicone Case with MagSafe - Ultramarine, Soft Microfiber lining, Built-In magnets that align perfectly with iPhone 16, Model A3313 (Phone not included)
MYY83ZM/A	R 1,081	Apple iPhone 16 Silicone Case with MagSafe - Lake Green, Soft Microfiber lining, Built-In magnets that align perfectly with iPhone 16, Model A3313 (Phone not included)
MYY93ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Black, Model A3314 (Phone not included)
MYYA3ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Denim, Model A3314 (Phone not included)
MYYC3ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Stone Gray, Model A3314 (Phone not included)
MYYD3ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Plum, Model A3314 (Phone not included)
MYYE3ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Fuchsia, Model A3314 (Phone not included)
MYYF3ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Ultramarine, Model A3314 (Phone not included)
MYYH3ZM/A	R 1,081	Apple iPhone 16 Plus Silicone Case with MagSafe - Lake Green, Model A3314 (Phone not included)
MYYJ3ZM/A	R 1,081	Apple iPhone 16 Pro Silicone Case with MagSafe - Black, Model A3315 (iPhone not included)
MYYK3ZM/A	R 1,081	Apple iPhone 16 Pro Silicone Case with MagSafe - Denim, Model A3315 (Phone not included)
MYYL3ZM/A	R 1,081	Apple iPhone 16 Pro Silicone Case with MagSafe - Stone Gray, Model A3315 (iPhone not included)
MYYM3ZM/A	R 1,081	Apple iPhone 16 Pro Silicone Case with MagSafe - Plum, Model A3315 (Phone not included)
MYYN3ZM/A	R 1,081	Apple iPhone 16 Pro Silicone Case with MagSafe - Fuchsia, Model A3315 (Phone not included)
MYYP3ZM/A	R 1,081	Apple iPhone 16 Pro Silicone Case with MagSafe - Ultramarine, Model A3315 (Phone not included)
MYYT3ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Black, Model A3316 (iPhone not included)
MYYU3ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Denim, Model A3316 (Phone not included)
MYYV3ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Stone Gray, Model A3316 (Phone not included)
MYYW3ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Plum, Model A3316 (Phone not included)
MYYX3ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Fuchsia, Model A3316 (Phone not included)
MYYY3ZM/A	R 1,081	Apple iPhone 16 Pro Max Silicone Case with MagSafe - Ultramarine, Model A3316 (Phone not included)

NE-PAB-K	R 2,321	PQi 6W31-001TR1002 AirBank - Black - All-in-One Wireless Access Point 1Tb portable network-able storage (10/100 UTP 802.11b/g/n wireless), powered by USB3.0 or built-in battery, supports up to 5 simultaneous mobile/pc connections with one-click sync/backup function, 135x77x20.5mm compact size - UTP USB3.0
NPH	R 482	Microworld Magnetic Neck Phone Holder, Outer layer is covered with Skin-Friendly Silicone
NTNRL44	R 149	Nesty 10 Inch Multipurpose USB Powered Selfie RGB LED Ring. 10-inch RGB LED ring light; 3 color modes; 10 brightness levels; USB powered; extendable tripod (45 cm to 1.70 m); 360-degree rotatable gimbal head; smartphone mount (5.2 cm to 10.5 cm); ABS plastic and carbon steel build; 5W LED power; 198 cm power cord
NTNRL66	R 179	Nesty 12" Multipurpose USB Powered Selfie RGB LED Ring Light. 12 Inch LED Ring; USB Powered; 3 Colour Modes; 10 Brightness Levels; Tripod 45-170cm; Vertical & Horizontal Shooting; Weight 1.2 kg, 6 Month Warranty
NTNRL77	R 269	Nesty Multipurpose USB Powered 14 inch selfie RGB LED Ring, Extendable Telescopic Tripod stand, 36 cm Light source, 3 Colour Lighting modes, USB Powered, Supports Vertical and horizontal shooting, 10x Adjustable Brightness Output Levels, NTNRL77
P170S	R 173	Microworld P170S Selfie Stick, Aluminum Alloy ABS material, Wireless Remote, 65-1700mm Mount holder, 310mm folded length, CR1632 Battery, compatible with iOS & Android
PC-PPC47T	R 68	Pqi 6ZF020121R001A Protect Case Transparent - 4.7" for iPhone 6/ 6s - with strap hole, full coverage anti-dust design, reinforced lens protection - made in Japan
PC-PPC55F-G	R 79	Pqi 6ZF020222R002A Protect Case Flip Gold - 5.5" for iPhone 6 PLus/ 6s Plus - touch-sensitive, slide-to-answer without having to flip the cover, as 3 angles stand, embossed leather with water-resistant design
PC-PPC55F-K	R 79	Pqi 6ZF020222R001A Protect Case Flip Black - 5.5" for iPhone 6 PLus / 6s Plus - touch-sensitive, slide-to-answer without having to flip the cover, as 3 angles stand, embossed leather with water-resistant design
PC-PPC55T	R 67	Pqi 6ZF020221R001A Protect Case Transparent - 5.5" for iPhone 6 Plus/ 6s Plus - with strap hole, full coverage anti-dust design, reinforced lens protection - made in Japan
PC-PSP47	R 36	Pqi 6ZF010121R001A Screen Protector - 4.7" for iPhone 6/ 6s, supports iPhone ' s 3D Touch, anti-blue light
PC-PSP55	R 56	Pqi 6ZF010221R001A Screen Protector - 5.5" for iPhone 6 Plus/ 6s Plus, supports iPhone ' s 3D Touch, anti-blue light
PCH	R 132	Microworld charger for Huawei Watch 2 Pro, Magnetic charging cradle, Dock with a USB Type-A cable attached
PH200-BR	R 29	Geeko Universal Ring Smartphone Grip - Versatile swivel grip, Vertical or horizontal kickstand capability Compatible with iPhone and most Smart phones and Tablets-Bronze, Retail Box, No Warranty
PH200-G	R 29	Geeko Universal Ring Smartphone Grip - Versatile swivel grip , Vertical or horizontal kickstand capability Compatible with iPhone and most Smart phones and Tablets - Gold, Retail Box, No Warranty
PH200-S	R 29	Geeko Universal Ring Smartphone Grip - Versatile swivel grip, Vertical or horizontal kickstand capability Compatible with iPhone and most Smart phones and Tablets-Silver, Retail Box, No Warranty
PHNHOLDER	R 132	Microworld Phone Fold Magnetic holder, 1 - 5 inch device size supported
PP-MiNANo	R 17	Moby NS-Nanohc Protective Paster - for iPOD Nano, for both side panels
PP-MiViDEo	R 21	Moby NS-ivideo Protective Paster - for iPOD video, for both side panels
PR2-SV	R 58	Orico Ring grip cellphone stand silver
RARP-18	R 114	Microworld PU leather credit card Phone Holder - Black, 65 x 100 mm product size, PU leather material
RK-5018-CL	R 125	Rocka Shield Series Anti-Shock TPU Cover - Huawei P8 Lite 2017 - clear
RT-601	R 69	Ezra Mobile Phone Holder with Air inlet clip, Square shaped back, 360 degree omnidirectional support, Triangular stabilisation, Single hand adjustment
RT-60A	R 69	Ezra Mobile Phone Holder With Air Inlet Clip, Shield Shaped Back - 360 degree Omnidirectional Support, Triangular Stabilisation, Single Hand Adjustment
RT-665	R 99	Ezra Mobile Phone stand with suction cup Mount, Diamond shaped back - 360 degree omnidirectional support, Triangular stabilisation, Single hand adjustment
RT-66D	R 99	Ezra Mobile Phone stand with suction cup Mount, Square shaped back - horizontal or Vertical, 360degree Omni Directional support, Triangular stabilisation, Single hand adjustment
S5ORIGAMIBLK	R 118	Cirago Origami stand case for Galaxy S5 - Black, Front screen and back protection, Kick stand
S5ORIGAMINVY	R 118	Cirago Origami stand case for Galaxy S5 - Navy, Front screen and back protection, Kick stand

S5WINSMARTVBLK	R 118	Cirago Smart-View stand case for Samsung Galaxy S5 - Black, Kick stand, Front screen and back protection (Phone not included)
S5WINSMARTVNVY	R 109	Cirago Smart-View stand case for Samsung Galaxy S5 - Navy, Kick stand, Front screen and back protection (Phone not included)
SMT001	R 58	Microworld JS008 360 degree AL Tracking gimbal
SP-SGGS3S-K	R 344	Samsung Galaxy Gear S3 Strap - Black, alligator grain leather, 8" strap with 9 hole adjustments - for S3 classic and S3 frontier
SP-SGGS3S-R	R 344	Samsung Galaxy Gear S3 Strap - Red, alligator grain leather, 8" strap with 9 hole adjustments - for S3 classic and S3 frontier
SP-VS	R 254	Vantec pvs-100 VGear SMOOVIE Pocket Video Stabilizer
USB-W-CAR-CHARGER	R 338	Unitek QI2 Magnetic Wireless Car Charger, P1404A, 15W Max Output, 1x (Upstream) USB-C, 480Mbps Data Transfer Rate, 1.5m cable length, 1x vent Mount
USB010	R 138	Wise Tiger USB Lightning Cable 1.5m for Apple
VB-301-BK	R 138	Volkano Crater Series Adjustable Car Cellphone Cradle Black
VK-5016-BK	R 206	Volkano Flow series Black large car airvent phone holder
VK-6503-BK	R 230	Volkano Insta Series Ring Light tripod Vlogging kit, 9cm LED Ring light, Phone holder, Microphone holder, Adjustable Microphone Boom arm, Colour temperature and brightness light adjustment, 9 cm light Diameter, Up to 6.2 phone size
VK-6510-BK	R 460	Volkano Insta Series 12 inch Ring light on tripod - Black, 3200K - 6500 K LED Colour temperature, 180 cm tripod length, 35 cm folded length, White Yellow mixed-light 9 brightness levels light colours, 4800 Lux brightness, 12 inch selfie fill light with tripod and phone clip
VK-6511-BK	R 287	Volkano Insta Series floor tripod phone holder, VK-6511-BK, Extends out to 2.1m, Holds All Cellular devices up to 6.7"
VK-6517-BK	R 287	Volkano Follow Me Series auto Tracking phone stand, 360 degree motorized Tracking, Battery powered, Horizontal or vertical phone mounting
VK-8022-GR	R 287	Volkano Clasp Series 10W Wireless Quick Charge car phone holder - vent, QI quick Wireless charging, Quick-release phone holder, Suitable for phones up to 6" , Clips onto your vehicle Air Vent, 5 - 10 W auto adjust Output Power
VS901-BK	R 126	Rocka Selfie stick Black - Lifestyle Series Black, 1x Monopod, 1x Clamp, 1x Bluetooth Remote Shutter
VW-T11	R 230	Microworld VW-T11 Bluetooth Smartphone Gamepad
W50001-C-YELLOW	R 29	Tweety 40 CD Wallet Colour::YELLOW, Retail Box, No warranty
W5558-CP-MUSTAR	R 29	Tweety Cell phone Pouch :MUSTARD, Retail Box, No warranty
WRISTBAND	R 58	Microworld Wristband MP3 / Ipod Holder Pink
WX-CC103	R 213	WINX View Essential Magnetic Phone Holder, Black Magnetic Phone Holder for cars and dashboards, Memory soft-aluminium Arm bends freely in any direction, One-Click Vacuum suction cup base mounts securely to Dashboard, Adjusts through 90& #176; of Tilt for personalized viewing angle, Full 360& #176; rotation on Magnetic head for Portrait or Landscape orientation, Compatible with MagSafe-compatible phones and Magnetic Phone Cases, Tpu-over-aluminium Arm provides a comfortable grip feel
WX-CC105	R 112	WINX View simple Car Phone Holder - Black, Black finish with durable Mechanical construction, Air Vent clip Mount for Standard Car vents, Parallelogram principle Design for Secure grip, Adjustable grip accommodates 4 to 7 inch smartphones, Easy installation and removal mechanism, Stable hold for Everyday road conditions
WX-CS101	R 403	Winx 3in1 Charging Stand
Z07-5-BLACK	R 189	Geeko Z07-5 Monopod Selfie Stick for Mobile Phone - Black
Z07-5-PINK	R 189	Geeko Z07-5 Monopod Selfie Stick for Mobile Phone - Pink
Z07-5-WHITE	R 189	Geeko Z07-5 Monopod Selfie Stick for Mobile Phone - White.

< Return to the menu

Cell Phone spare parts

Product code	Price	Description

< Return to the menu

Mobile bluetooth headsets

Product code	Price	Description

< Return to the menu

Phone contracts & pre-paid

Product code	Price	Description

< Return to the menu

Smart Phones

Product code	Price	Description
2406APNFAG	R 10,133	XIAOMI Google 14T, Ai, 5G, 256GB Storage, 12GB RAM, 6.67" 144Mhz AMOLED Screen, Titan Black Mobile Phone
F150-ACTION-A5PRO-BLACK	R 2,655	IIIF150 Action A5Pro 6.88" Rugged cellphone - Black, 6.88" HD HAA Display, Dual Display, 8GB RAM, 256GB storage, Dual SIM, Fingerprint recognition, 5100mAh Battery, 16MP rear camera, 5MP front camera, 2TB Max TF card capacity, Android 15 Go OS, WiFi 2.4GHz, GPS, Glonass, Beidou, AGPS/E-Compass, 3.5mm Earphone, Supports 4G LTE
F150-ACTION-A5PRO-PURPLE	R 2,619	IIIF150 Action A5Pro 6.88" Rugged cellphone - Purple, 6.88" HD HAA Display, Dual Display, 8GB RAM, 256GB storage, Dual SIM, Fingerprint recognition, 5100mAh Battery, 16MP rear camera, 5MP front camera, 2TB Max TF card capacity, Android 15 Go OS, WiFi 2.4GHz, GPS, Glonass, Beidou, AGPS/E-Compass, 3.5mm Earphone, Supports 4G LTE
Huawei Nova 8i Moonlight Silver	R 5,635	Huawei Nova 8i Dual SIM 6.67" IPS 2376x1080 8GB 128GB 4G Smartphone - Moonlight Silver, 802.11 a/b/g/n/ac 2.4 GHz / 5 GHz WiFi, Bluetooth 5.0, Type-C USB, 3.5 mm earjack, GPS, AGPS, Glonass, Beidou, Galileo, Ambient light sensor, Fingerprint sensor, Gyroscope, Compass, Gravity sensor, 64 MP High-Res Lens camera, 8 MP ultra-wide angle Lens camera, 2 MP depth Lens camera, 2 MP Macro Lens camera, 16 MP selfie front camera, 4x Cortex-A73 2.0 GHz 4x Cortex-A53 1.8 GHz CPU, Adreno 610 GPU, EMUI 11.0 (Based on Android 10) Operating System
Huawei Nova 8i Starry Black	R 5,635	Huawei Nova 8i Dual SIM 6.67" IPS 2376x1080 8GB 128GB 4G Smartphone - Starry Black, 802.11 a/b/g/n/ac 2.4 GHz / 5 GHz WiFi, Bluetooth 5.0, Type-C USB, 3.5 mm earjack, GPS, AGPS, Glonass, Beidou, Galileo, Ambient light sensor, Fingerprint sensor, Gyroscope, Compass, Gravity sensor, 64 MP High-Res Lens camera, 8 MP ultra-wide angle Lens camera, 2 MP depth Lens camera, 2 MP Macro Lens camera, 16 MP selfie front camera, 4x Cortex-A73 2.0 GHz 4x Cortex-A53 1.8 GHz CPU, Adreno 610 GPU, EMUI 11.0 (Based on Android 10) Operating System
Huawei Nova Y9a Midnight Black	R 5,060	Huawei NOVA Y9a Dual SIM 6.63" IPS 2400x1080 8GB RAM 128GB ROM 4G Smartphone - Midnight Black, 2 x Cortex-A75 based 2.0 GHz 6 x Cortex-A55 based 1.8 GHz CPU, Mali-G52 MC2 GPU, EMUI 10.1 (Based on Android 10) Operating System, 8GB RAM 128 GB ROM, 64 MP 8 MP 120 degree ultra-wide angle Lens 2 MP depth Lens 2 MP Macro Lens camera ' s, 16 MP front camera, 802.11 a/b/g/n/ac 2.4 GHz and 5 GHz, Bluetooth, USB Type-C, 3.5 mm earjack, GPS, AGPS, Glonass, Beidou, Ambient light sensor, Gyroscope, Compass, Gravity sensor, Fingerprint sensor
MD1Q4AF/A	R 14,099	Apple iPhone 16e 6.1" with A18 Chip 128GB 5G Smartphone - Black, Model A3409, A18 Chip 16-core Neural Engine, Face ID, Nano-SIM and eSim, USB-C connector, 6.1" 2532-by-1170-pixel Super Retina XDR OLED Display, 2-in-1 camera system, 5G, Gigabit LTE, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors
MD1R4AF/A	R 14,099	Apple iPhone 16e 6.1" with A18 Chip 128GB 5G Smartphone - White, Model A3409, A18 Chip 16-core Neural Engine, Face ID, Nano-SIM and eSim, USB-C connector, 6.1" 2532-by-1170-pixel Super Retina XDR OLED Display, 2-in-1 camera system, 5G, Gigabit LTE, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors
MTP03HX/A	R 16,296	Apple iPhone 15 128GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Black, A16 Bionic Chip, Face ID,

		Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP03HX/A
MTP13HX/A	R 13,904	Apple iPhone 15 128GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Pink, A16 Bionic Chip, Face ID, Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP13HX/A
MTP23HX/A	R 14,663	Apple iPhone 15 128GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Yellow, A16 Bionic Chip, Face ID, Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP23HX/A
MTP43HX/A	R 16,296	Apple iPhone 15 128GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Blue, A16 Bionic Chip, Face ID, Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP43HX/A
MTP63HX/A	R 16,675	Apple iPhone 15 256GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Black, A16 Bionic Chip, Face ID, Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP63HX/A
MTP73HX/A	R 16,767	Apple iPhone 15 256GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Pink, A16 Bionic Chip, Face ID, Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP73HX/A
MTP93HX/A	R 16,767	Apple iPhone 15 256GB 6.1" 2556x1179 OLED with A16 Bionic Chip - Blue, A16 Bionic Chip, Face ID, Nano-SIM, USB-C connector, 6.1" 2556x1179 OLED Display Super Retina XDR Display, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP main camera, 12MP Ultra wide camera, 5G Cellular, Wi-Fi 6, Bluetooth 5.3, NFC with reader mode, Barometer, High Dynamic range gyro, High-g accelerometer, Proximity Sensor, Dual ambient light sensors, MTP93HX/A
MXVU3QN/A	R 21,356	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 128GB - Black Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXVV3QN/A	R 19,159	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 128GB - White Titanium Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXVW3QN/A	R 19,159	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 128GB - Pink Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP

		Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXVX3QN/A	R 19,159	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 128GB - Ultramarine Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXVY3QN/A	R 19,159	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 128GB - Teal Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXWN3QN/A	R 20,976	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 256GB - Black Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXWV3QN/A	R 22,023	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 256GB - White Titanium Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXY13QN/A	R 22,023	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 256GB - Pink Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXY23QN/A	R 22,023	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 256GB - Ultramarine Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MXY53QN/A	R 22,023	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 256GB - Teal Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MY2D3QN/A	R 25,645	Apple iPhone 16 Plus 6.7" OLED 2796x1290 A18 Chip 512GB - Ultramarine Smartphone, Model A3290, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.7-inch all-screen OLED Display, 2796-by-1290-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer,

		High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYE73QN/A	R 18,964	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 128GB - Black Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYE93QN/A	R 18,964	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 128GB - White Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYEA3QN/A	R 18,964	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 128GB - Pink Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYEC3QN/A	R 18,964	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 128GB - Ultramarine Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYED3QN/A	R 18,964	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 128GB - Teal Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYEG3QN/A	R 18,009	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 256GB - Pink Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYEK3QN/A	R 21,735	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 512GB - Black Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYER3QN/A	R 21,735	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 512GB - Ultramarine Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7,

		Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
MYEU3QN/A	R 21,735	Apple iPhone 16 6.1" OLED 2556x1179 A18 Chip 512GB - Teal Smartphone, Model A3287, A18 Chip 16-core Neural Engine Chip, Face ID, USB-C connector, Super Retina XDR Display, 6.1-inch all-screen OLED Display, 2556-by-1179-pixel Resolution at 460 PPI, HDR Display, Haptic Touch, 1000 nits Max brightness, 48MP Fusion camera, 12MP Ultra Wide, QI2 Wireless charging up to 15W, QI Wireless charging up to 7.5W, Barometer, High Dynamic range gyro, High-G accelerometer, Proximity Sensor, Dual ambient Light sensors, iOS 18, Wi-Fi 7, Bluetooth 5.3, 5G, Gigabit LTE, NFC with reader mode
REALME-12-Pro+	R 12,387	Realme 12 Pro RMX3840 6.7" 2412x1080 12GB RAM 512GB storage 5G Smart phone - Submarine Blue, Snapdragon 6 Gen 1 Chipset, Octa-core 4nm CPU, Adreno 710 GPU, 120Hz Curved Vision Display, 6.7inch screen size, 2412 x 1080 FHD Resolution, 32MP telephoto Portrait camera, Sony IMX882 OIS camera, 4096 x 3072 Resolution, 5G 5G Dual mode, Wi-Fi, Bluetooth 5.2, Beidou, GPS, Glonass, Galileo, QZSS, Super Linear Dual Speakers, Supports Dolby Atmos, Dual-mic noise cancellation, Hi-Res audio certification, 2 Nano SIM Card slots, Type-C Port, Power Button, Volume buttons, Geomagnetic Sensor, Proximity Sensor, Light Sensor, Acceleration Sensor, Gyroscope, In-display Fingerprint Sensor, Realme UI 5.0 Operating System based on Android 14
REALME-12Pro+	R 12,387	Realme 12 Pro RMX3840 6.7" 2412x1080 12GB RAM 512GB storage 5G Smart phone - Navigator Beige, Snapdragon 6 Gen 1 Chipset, Octa-core 4nm CPU, Adreno 710 GPU, 120Hz Curved Vision Display, 6.7inch screen size, 2412 x 1080 FHD Resolution, 32MP telephoto Portrait camera, Sony IMX882 OIS camera, 4096 x 3072 Resolution, 5G 5G Dual mode, Wi-Fi, Bluetooth 5.2, Beidou, GPS, Glonass, Galileo, QZSS, Super Linear Dual Speakers, Supports Dolby Atmos, Dual-mic noise cancellation, Hi-Res audio certification, 2 Nano SIM Card slots, Type-C Port, Power Button, Volume buttons, Geomagnetic Sensor, Proximity Sensor, Light Sensor, Acceleration Sensor, Gyroscope, In-display Fingerprint Sensor, Realme UI 5.0 Operating System based on Android 14
REALME-C53	R 3,444	Realme C53 RMX3760 6.74" 1080x2400 pixels 6GB RAM 128GB storage 4G Smart phone - Mighty Black, 6GB LPDDR4x RAM, Powerful Octa-core Chipset, 12nm CPU, Arm Mali-G57 GPU, 128GB ROM, 6.74" 90Hz Display, 560nits peak brightness, 50MP AI camera, Octa-core Chipset, 8MP AI selfie, 2 Nano card slots 1 Micro SD slot, WiFi, Bluetooth, Magnetic induction Sensor, Light Sensor, Proximity Sensor, Gyro-meter Sensor, Acceleration Sensor, GPS/AGPS / Glonass / Galileo, 3.5mm Headset jack, Type-C, 3-card slot, Realme UI T Edition Operating System Based on Android 13
SM-A165FZKDAFA	R 2,897	Samsung Galaxy A16 LTE 4GB 128GB Dual Sim Black- Screen Size 6.7 inches, Screen Resolution 1080 x 2340 (FHD), Super AMOLED Display, Rear Camera Resolution (Multiple) 50.0 MP 5.0 MP 2.0 MP, Front Camera Resolution 13.0 MP, External Storage Support MicroSD (Up to 1.5TB), GPS, Glonass, Beidou, Galileo, QZSS, Wifi Connectivity 802.11a/b/g/n/ac 2.4GHz 5GHz, Wifi Direct Support, Bluetooth Version 5.3, NFC Support, Accelerometer, Fingerprint Sensor, Geomagnetic Sensor, Light Sensor, Virtual Proximity Sensing, Battery Capacity 5000 mAh, USB Type-C Interface, Colour Black, Retail Box
SM-G556	R 8,313	Samsung SM-G556 Galaxy XCover7 6.6" 5G 6GB RAM 128GB storage Android Phone, PLS LCD 1080x2408 (FHD) Resolution Display, 60Hz Max Refresh Rate, 50.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 1TB), Dual-SIM, Nano-SIM (4FF), E-sim, USB Type-C, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, NFC, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Light Sensor, Proximity Sensor
SP-SGS6-W	R 10,342	Samsung Galaxy S6 White - with Fingerprint security & access, built-in Heart Rate Sensor, iP67 certificated Dust & Water Resistant, Multi-Screen switch (support 2x APPs running at the same time) air gestures without touching screen, 143.4x70.5x6.8mm, 138g, built-in 5MP 16MP dual camera with F1.9 aperture, Dual Quad-core processor (2.1Ghz 1.5Ghz), 5.1" QHD Full HD Super AMOLED display (2560x1440, 577PPi), 4K UHD video recording at 30FPS, built-in 32GB (no SDXC slot), micro-USB 2.0, Bluetooth 2x MiMo dualband 802.11AC WiFi - 64bit Android 5.0 Lollipop, 2550mAH battery
SP-SGS6E-W	R 11,499	Samsung Galaxy S6 Edge White - with dual curved edge display Fingerprint security / access, built-in Heart Rate Sensor, iP67 certificated Dust Water Resistant, Multi-Screen switch (support 2x APPs running at the same time) air gestures without touching screen, 142x70.1x7mm, 132g, built-in 5MP 16MP dual camera with F1.9 aperture,

	Dual Quad-core processor (2.1Ghz 1.5Ghz), 5.1" QHD Full HD Super AMOLED display (2560x1440, 577PPi), 4K UHD video recording at 30FPS, built-in 64Gb (no SDXC slot), micro-USB 2.0, bluetooth 2x MiMo dualband 802.11AC WiFi - 64bit Android 5.0 Lollipop, 2600mAH battery

< Return to the menu

Smart Watch accessories

Product code	Price	Description
BHR07Y8GL	R 429	Xiaomi Smart Band 10 Magnetic Kona leather strap - Glacier White, Glacier White Colour, Kona leather (Silicone leather) strap material, Stainless Steel Buckle material, 140-190mm suitable wrist circumference
BHR07Y9GL	R 429	Xiaomi Smart Band 10 knitted Silk strap - Ebony Black, Ebony Black Colour, Silk and calf leather strap material, Stainless Steel Buckle material, 140-210mm suitable wrist circumference
BHR07YHGL	R 599	Xiaomi Smart Band 10 asymmetrical Metal strap - Silver, Silver Colour, Stainless Steel strap material, 135-195mm suitable wrist circumference
BHR07YJGL	R 429	Xiaomi Smart Band 10 knitted Silk strap - Feather Brown, Feather Brown Colour, Silk and calf leather strap material, Stainless Steel Buckle material, 140-210mm suitable wrist circumference
BHR07YLGL	R 301	Xiaomi Smart Band 10 leather strap - Grey, Calf leather strap material, Elephant Grey Colour, Stainless Steel Buckle material, 135-210mm suitable wrist circumference
BHR7303GL	R 35	Xiaomi Black Smart Band 8 Chain Strap - (Only Strap - watch not included)
BHR7305GL	R 35	Xiaomi Yellow Smart Band 8 Braided Strap - (Only Strap - watch not included)
BHR7308GL	R 35	Xiaomi Green Smart Band 8 Checkered Strap - (Strap Only, watch not included)
BHR7311GL	R 35	Xiaomi Black and white Smart Band 8 Double Wrap Strap - (Strap Only, watch not included)
BHR7312GL	R 35	Xiaomi Sunrise Orange Smart Band 8 Strap - (Strap Only - watch not included)
BHR7314GL	R 35	Xiaomi Aqua Blue Smart Band 8 Strap - (Only Strap)
GARCH	R 114	Microworld Type-C charger for Garmin Watch, Garmin watches use a proprietary 4 pin Connector on the Watch end.
M07391	R 368	Hyperkin M07391 Street Fighter Ryu ' s Gloves Band for Apple Watch, Compatible with All Apple Watch models, Easily slides into your Apple Watch in seconds
M07391-ARD	R 368	Hyperkin M07391-ARD street Fighter raging demon band Apple Watch, Compatible with All Apple Watch models, Easily slides into your Apple Watch in seconds
M07391-RB	R 368	Hyperkin M07391-RB Street Fighter Ryus belt band for Apple Watch, Compatible with All Apple Watch models, Easily slides into your Apple Watch in seconds
M07391-RWW	R 368	Hyperkin M07391-RWW Street Fighter Ryu ' s World warrior band for Apple Watch, Compatible with All Apple Watch models, Easily slides into your Apple Watch in seconds
M07494-HD	R 368	Hyperkin M07494-HD Official Tetris Limited Edition Quick Release band - Heart Drop, Compatible with Apple Watch via adapters, S/M 38mm/40mm Adapter included, M/L 42mm/44mm Adapter included, Compatible with most Android -based smartwatches and traditional watches via Quick Release
M07494-HG	R 368	Hyperkin M07494-HG Official Tetris Limited Edition Quick Release band - Hyper Gradient, Compatible with Apple Watch via adapters, S/M 38mm/40mm Adapter included, M/L 42mm/44mm Adapter included, Compatible with most Android -based smartwatches and traditional watches via Quick Release
M07494-TS	R 368	Hyperkin M07494-TS Official Tetris Limited Edition Quick Release band - Tetrimino Stack, Compatible with Apple Watch via adapters, S/M 38mm/40mm Adapter included, M/L 42mm/44mm Adapter included, Compatible with most Android -based smartwatches and traditional watches via Quick Release
MAX94ZM/A	R 1,024	Apple 40mm Black Sport Band - S/M, S/M (130-180mm) Strap Size
MAXA4ZM/A	R 1,024	Apple 40mm Black Sport Band - M/L, M/L (150-200mm) strap size
MAXF4ZM/A	R 1,024	Apple 40mm Stone Gray Sport Band - S/M, S/M (130-180mm) strap size
MAXG4ZM/A	R 495	Apple 40mm Stone Gray Sport Band - M/L, M/L (150-200mm) strap size
MAXJ4ZM/A	R 1,024	Apple 40mm Ultramarine Sport Loop, 130-200mm strap size
MLYY3ZM/A	R 368	Apple AirTag Loop - Pink Citrus, MLYY3ZM/A
MN6M3ZM/A	R 495	Apple 41mm Pride Edition Nike Sport Loop, MN6M3ZM/A, Band fits 130 - 190 mm wrists, 38 / 40 / 41 mm Watch

		size, Woven Nylon fabrication material
MN6N3ZM/A	R 495	Apple 45mm Pride Edition Nike Sport Loop, MN6N3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Woven Nylon fabrication material
MQE93ZM/A	R 1,909	Apple 49mm White Ocean band, MQE93ZM/A, Band fits 130 - 200 mm wrists, 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MQEA3ZM/A	R 495	Apple 49mm White Ocean band extension, MQEA3ZM/A, Band fits 130 - 250 mm wrists, 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT0H3ZE/A	R 759	Apple Watch Magnetic fast charger to USB-C cable - 1m, Model A2515
MT0H3ZE/A	R 618	Apple Watch Magnetic fast charger to USB-C cable - 1m, Model A2515
MT2H3ZM/A	R 920	Apple AirTag FineWoven key Ring - Black, MT2H3ZM/A
MT2J3ZM/A	R 920	Apple AirTag FineWoven Key Ring - Mulberry, MT2J3ZM/A
MT2K3ZM/A	R 920	Apple AirTag FineWoven Key Ring - Pacific Blue, MT2K3ZM/A
MT2L3ZM/A	R 920	Apple AirTag FineWoven Key Ring - Taupe, MT2L3ZM/A
MT2M3ZM/A	R 920	Apple AirTag FineWoven Key Ring - Coral, MT2M3ZM/A
MT2W3ZM/A	R 1,024	Apple 41mm Storm Blue Sport band - S/M, MT2W3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer cation material (iPhone not included)
MT2X3ZM/A	R 1,024	Apple 41mm Storm Blue Sport band - M/L, MT2X3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MT2Y3ZM/A	R 1,024	Apple 41mm Light Pink Sport band - S/M, MT2Y3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MT303ZM/A	R 1,024	Apple 41mm Light Pink Sport band - M/L, MT303ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MT313ZM/A	R 1,024	Apple 41mm Red Sport Band - S/M, MT313ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MT323ZM/A	R 495	Apple 41mm Red Sport Band - M/L, MT323ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MT333ZM/A	R 495	Apple 41mm Mulberry Sport Band - S/M, MT333ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MT343ZM/A	R 495	Apple 41mm Mulberry Sport Band - M/L, MT343ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT353ZM/A	R 1,024	Apple 41mm Winter Blue Sport Band - S/M, MT353ZM/A, Band fits 130 - 180 mm wrists, 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT363ZM/A	R 1,024	Apple 41mm Winter Blue Sport Band - M/L, MT363ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT373ZM/A	R 1,024	Apple 41mm clay Sport Band - S/M, MT373ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3A3ZM/A	R 495	Apple 41mm clay Sport Band - M/L, MT3A3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3D3ZM/A	R 1,024	Apple 45mm Midnight Sport Band - S/M, MT3D3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3F3ZM/A	R 1,024	Apple 45mm Midnight Sport Band - M/L, MT3F3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3K3ZM/A	R 1,024	Apple 45mm Starlight Sport Band - M/L, MT3K3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3Q3ZM/A	R 1,024	Apple 45mm Storm Blue Sport Band - S/M, MT3Q3ZM/A, Band fits 140 - 190 mm wrists, 45 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3R3ZM/A	R 1,024	Apple 45mm Storm Blue Sport Band - M/L, MT3R3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3U3ZM/A	R 1,024	Apple 45mm Light Pink Sport Band - S/M, MT3U3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch

		size, Fluoroelastomer fabrication material (Watch not included)
MT3V3ZM/A	R 1,024	Apple 45mm Light Pink Sport Band - M/L, MT3V3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3W3ZM/A	R 1,024	Apple 45mm (Product) Red Sport Band - S/M, Band fits 140 - 190 mm wrists, Watch size 42 / 44 / 45 / 49 mm, Fluoroelastomer fabrication material (Watch not included)
MT3X3ZM/A	R 1,024	Apple 45mm Red Sport Band - M/L, MT3X3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT3Y3ZM/A	R 495	Apple 45mm Mulberry Sport Band - S/M, MT3Y3ZM/A, Band fits 140 - 190 mm wrists, 45 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT403ZM/A	R 1,024	Apple 45mm Mulberry Sport Band - M/L, MT403ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT463ZM/A	R 1,024	Apple 45mm clay Sport Band - S/M, MT463ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT493ZM/A	R 1,024	Apple 45mm clay Sport Band - M/L, MT493ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MT553ZM/A	R 1,024	Apple 41mm Starlight Sport Loop, MT553ZM/A, Band fits 130 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MT573ZM/A	R 1,024	Apple 41mm Cypress Sport Loop, MT573ZM/A, Band fits 130 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MT583ZM/A	R 1,024	Apple 41mm Winter Blue Sport Loop, MT583ZM/A, Band fits 130 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MT5E3ZM/A	R 1,024	Apple 45mm Starlight Sport Loop, MT5E3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MT5F3ZM/A	R 1,024	Apple 45mm Light Pink Sport Loop, MT5F3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MT5G3ZM/A	R 1,024	Apple 45mm Cypress Sport Loop, MT5G3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MT5H3ZM/A	R 1,024	Apple 45mm Winter Blue Sport Loop, MT5H3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MT5J3ZM/A	R 1,909	Apple 49mm Blue Alpine Loop - Small, MT5J3ZM/A, Band fits 130 - 160 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5L3ZM/A	R 1,461	Apple 49mm Blue Alpine Loop - medium, MT5L3ZM/A, Band fits 145 - 190 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5M3ZM/A	R 1,909	Apple 49mm Blue Alpine Loop - large, MT5M3ZM/A, Band fits 165 - 210 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5N3ZM/A	R 1,909	Apple 49mm Indigo Alpine Loop - Small, MT5N3ZM/A, Band fits 130 - 160 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5Q3ZM/A	R 1,909	Apple 49mm Indigo Alpine Loop - medium, MT5Q3ZM/A, Band fits 145 - 190 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5R3ZM/A	R 1,909	Apple 49mm Indigo Alpine Loop - Large, Watch size 44 / 45 / 49 mm band fits 165 - 210 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5T3ZM/A	R 1,909	Apple 49mm Olive Alpine Loop - Small, MT5T3ZM/A, Band fits 130 - 160 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5U3ZM/A	R 1,461	Apple 49mm Olive Alpine Loop - medium, MT5U3ZM/A, Band fits 145 - 190 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5V3ZM/A	R 2,254	Apple 49mm Olive Alpine Loop - Large, MT5V3ZM/A, Band fits 165 - 210 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5W3ZM/A	R 1,909	Apple 49mm Orange/Beige Trail Loop - S/M, MT5W3ZM/A, Band fits 130 - 180 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)

MT5X3ZM/A	R 1,909	Apple 49mm Orange/Beige Trail Loop - M/L, MT5X3ZM/A, Band fits 145 - 220 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT5Y3ZM/A	R 1,909	Apple 49mm Green/Gray Trail Loop - S/M, MT5Y3ZM/A, Band fits 130 - 180 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT603ZM/A	R 1,909	Apple 49mm Green/Gray Trail Loop - M/L, MT603ZM/A, Band fits 145 - 220 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT613ZM/A	R 1,909	Apple 49mm Blue/Black Trail Loop - S/M, MT613ZM/A, Band fits 130 - 180 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT623ZM/A	R 1,909	Apple 49mm Blue/Black Trail Loop - M/L, MT623ZM/A, Band fits 145 - 220 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT643ZM/A	R 495	Apple 49mm Blue Ocean band extension, MT643ZM/A, Band fits 130 - 250 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MT663ZM/A	R 495	Apple 49mm Orange Ocean band extension, MT663ZM/A, Band fits 130 - 250 mm wrists, 44 / 45 / 49 mm Watch size (Watch not included)
MTJ33ZM/A	R 1,461	Apple 41mm Pacific Blue Magnetic Link - S/M, MTJ33ZM/A, Band fits 130 - 160 mm wrists, 38 / 40 / 41 mm Watch size (Watch not included)
MTJ43ZM/A	R 1,461	Apple 41mm Pacific Blue Magnetic Link - M/L, MTJ43ZM/A, Band fits 140 - 180 mm wrists, 38 / 40 / 41 mm Watch size (Watch not included)
MTJ53ZM/A	R 1,461	Apple 41mm evergreen Magnetic Link - S/M, MTJ53ZM/A, Band fits 130 - 160 mm wrists, 38 / 40 / 41 mm Watch size (Watch not included)
MTJ63ZM/A	R 1,461	Apple 41mm evergreen Magnetic Link - M/L, MTJ63ZM/A, Band fits 140 - 180 mm wrists, 38 / 40 / 41 mm Watch size (Watch not included)
MTJ73ZM/A	R 1,461	Apple 41mm Taupe Magnetic Link - S/M, MTJ73ZM/A, Band fits 130 - 160 mm wrists, 38 / 40 / 41 mm Watch size (Watch not included)
MTJ83ZM/A	R 1,461	Apple 41mm Taupe Magnetic Link - M/L, MTJ83ZM/A, Band fits 140 - 180 mm wrists, 38 / 40 / 41 mm Watch size (Watch not included)
MTJ93ZM/A	R 1,461	Apple 45mm Pacific Blue Magnetic Link - S/M, MTJ93ZM/A, Band fits 140 - 180 mm wrists, 42 / 44 / 45 / 49 mm Watch size (Watch not included)
MTJA3ZM/A	R 1,461	Apple 45mm Pacific Blue Magnetic Link - M/L, MTJA3ZM/A, Band fits 165 - 205 mm wrists, 42 / 44 / 45 / 49 mm Watch size (Watch not included)
MTJC3ZM/A	R 1,461	Apple 45mm evergreen Magnetic Link - S/M, MTJC3ZM/A, Band fits 140 - 180 mm wrists, 42 / 44 / 45 / 49 mm Watch size (Watch not included)
MTJD3ZM/A	R 1,461	Apple 45mm evergreen Magnetic Link - M/L, MTJD3ZM/A, Band fits 165 - 205 mm wrists, 42 / 44 / 45 / 49 mm Watch size (Watch not included)
MTJE3ZM/A	R 1,461	Apple 45mm Taupe Magnetic Link - S/M, MTJE3ZM/A, Band fits 140 - 180 mm wrists, 42 / 44 / 45 / 49 mm Watch size (Watch not included)
MTJF3ZM/A	R 1,461	Apple 45mm Taupe Magnetic Link - M/L, MTJF3ZM/A, Band fits 165 - 205 mm wrists, 42 / 44 / 45 / 49 mm Watch size (Watch not included)
MTJM3ZM/A	R 1,909	Apple 41mm Graphite Milanese Loop, MTJM3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Stainless Steel fabrication material
MTJN3ZM/A	R 1,380	Apple 41mm Silver Milanese Loop, MTJN3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Stainless Steel fabrication material (Watch not included)
MTJQ3ZM/A	R 1,909	Apple 45mm Graphite Milanese Loop, MTJQ3ZM/A, Band fits 150 - 200 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Stainless Steel fabrication material (Watch not included)
MTJR3ZM/A	R 1,909	Apple 45mm Silver Milanese Loop, MTJR3ZM/A, Band fits 150 - 200 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Stainless Steel fabrication material (Watch not included)
MTL23ZM/A	R 495	Apple 41mm game Royal / Orange Nike Sport Loop, MTL23ZM/A, Band fits 130 - 190 mm wrists, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MTL33ZM/A	R 495	Apple 41mm sequoia / Orange Nike Sport Loop, MTL33ZM/A, Band fits 130 - 190 mm wrists, 38 / 40 / 41 mm

		Watch size, Nylon fabrication material (Watch not included)
MTL43ZM/A	R 495	Apple 45mm bright Green / Blue Nike Sport Loop, MTL43ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm ch size, Nylon fabrication material (iPhone not included)
MTL63ZM/A	R 495	Apple 45mm sequoia / Orange Nike Sport Loop, MTL63ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (iPhone not included)
MU2F3ZM/A	R 1,024	Apple 45mm Midnight Sport Band - X/L, MU2F3ZM/A, Band fits 195 - 245 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MU983ZM/A	R 6,394	Apple 38mm Link bracelet, MU983ZM/A, Band fits 135 - 195 mm wrists, 38 / 40 / 41 mm Watch size, Stainless Steel fabrication material (Watch not included)
MU993ZM/A	R 6,394	Apple 38mm Space Black Link bracelet, MU993ZM/A, Band fits 135 - 195 mm wrists, 38 / 40 / 41 mm Watch size, Stainless Steel fabrication material (Watch not included)
MU9A3ZM/A	R 6,038	Apple 42mm Link bracelet, MU9A3ZM/A, Band fits 150 - 200 mm wrists, 42 / 44 / 45 mm Watch size, Stainless Steel fabrication material (Watch not included)
MU9C3ZM/A	R 6,038	Apple 42mm Space Black Link bracelet, MU9C3ZM/A, Band fits 150 - 200 mm wrists, 42 / 44 / 45 mm Watch size, Stainless Steel fabrication material (Watch not included)
MU9P3ZM/A	R 495	Apple 41mm pride Edition Sport Loop, MU9P3ZM/A, Band fits 130 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Woven Nylon fabrication material (Watch not included)
MU9R3ZM/A	R 1,024	Apple 45mm Pride Edition Sport Loop, MU9R3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Woven Nylon fabrication material (Watch not included)
MUH73ZM/A	R 2,346	Apple 41mm Mulberry modern buckle - Small, MUH73ZM/A, Band fits 135 - 150 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUH83ZM/A	R 2,346	Apple 41mm Mulberry modern buckle - medium, MUH83ZM/A, Band fits 145 - 165 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUH93ZM/A	R 2,346	Apple 41mm Mulberry modern buckle - Large, MUH93ZM/A, Band fits 160 - 180 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUHA3ZM/A	R 2,346	Apple 41mm Lavender Blue modern buckle - Small, MUHA3ZM/A, Band fits 135 - 150 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUHC3ZM/A	R 2,346	Apple 41mm Lavender Blue modern buckle - Medium, MUHC3ZM/A, Band fits 145 - 165 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUHD3ZM/A	R 2,346	Apple 41mm Lavender Blue modern buckle - Large, MUHD3ZM/A, Band fits 160 - 180 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUHE3ZM/A	R 2,346	Apple 41mm Tan Modern Buckle - Small, MUHE3ZM/A, Band fits 135 - 150 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUHF3ZM/A	R 2,346	Apple 41mm Tan Modern Buckle - Medium, MUHF3ZM/A, Band fits 145 - 165 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUHG3ZM/A	R 2,346	Apple 41mm Tan Modern Buckle - Large, MUHG3ZM/A, Band fits 160 - 180 mm wrists, 38 / 40 / 41 mm Watch size, 68% post-consumer recycled Polyester (Watch not included)
MUJV3ZM/A	R 495	Apple 41mm Black / Blue Nike Sport Loop, MUJV3ZM/A, Band fits 130 - 190 mm wrists, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MUJW3ZM/A	R 495	Apple 41mm Starlight / Pink Nike Sport Loop, MUJW3ZM/A, Band fits 130 - 190 mm wrists, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MUJX3ZM/A	R 495	Apple 45mm Black / Blue Nike Sport Loop, MUJX3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MUJY3ZM/A	R 495	Apple 45mm Starlight / Pink Nike Sport Loop, MUJY3ZM/A, Band fits 145 - 220 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MUQ13ZM/A	R 1,024	Apple 41mm Pride Edition Sport Band - S/M, MUQ13ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)
MUQ23ZM/A	R 495	Apple 41mm Pride Edition Sport Band - M/L, MUQ23ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (iPhone not included)

MUQ33ZM/A	R 1,024	Apple 45mm Pride Edition Sport Band - S/M, MUQ33ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUQ43ZM/A	R 1,024	Apple 45mm Pride Edition Sport Band - M/L, MUQ43ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUQ53ZM/A	R 495	Apple 40mm Black Unity Sport Band - S/M, MUQ53ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUQ63ZM/A	R 495	Apple 40mm Black Unity Sport Band - M/L, MUQ63ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUQ73ZM/A	R 495	Apple 44mm Black Unity Sport Band - S/M, MUQ73ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUQ83ZM/A	R 495	Apple 44mm Black Unity Sport Band - M/L, MUQ83ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUK3ZM/A	R 495	Apple 41mm Pure Platinum Nike Sport Band - S/M, MUUK3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUL3ZM/A	R 495	Apple 41mm Pure Platinum Nike Sport Band - M/L, MUUL3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUN3ZM/A	R 495	Apple 41mm Midnight Sky Nike Sport Band - S/M, MUUN3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUP3ZM/A	R 495	Apple 41mm Midnight Sky Nike Sport Band - M/L, MUUP3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUQ3ZM/A	R 495	Apple 41mm desert stone Nike Sport Band - S/M, MUUQ3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUR3ZM/A	R 495	Apple 41mm Desert Stone Nike Sport Band - M/L, MUUR3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUT3ZM/A	R 495	Apple 41mm Blue Flame Nike Sport Band - S/M, MUUT3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUU3ZM/A	R 495	Apple 41mm Blue Flame Nike Sport Band - M/L, MUUU3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUV3ZM/A	R 495	Apple 41mm Cargo Khaki Nike Sport Band - S/M, MUUV3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUW3ZM/A	R 495	Apple 41mm Cargo Khaki Nike Sport Band - M/L, MUUW3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUX3ZM/A	R 495	Apple 41mm Magic Ember Nike Sport Band - S/M, MUUX3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUUY3ZM/A	R 495	Apple 41mm Magic Ember Nike Sport Band - M/L, MUUY3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV03ZM/A	R 495	Apple 45mm Pure Platinum Nike Sport Band - S/M, MUV03ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material
MUV13ZM/A	R 495	Apple 45mm Pure Platinum Nike Sport Band - M/L, MUV13ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV33ZM/A	R 495	Apple 45mm Midnight Sky Nike Sport Band - S/M, MUV33ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV53ZM/A	R 495	Apple 45mm Midnight Sky Nike Sport Band - M/L, MUV53ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV63ZM/A	R 495	Apple 45mm Desert Stone Nike Sport Band - S/M, MUV63ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV73ZM/A	R 495	Apple 45mm Desert Stone Nike Sport Band - M/L, MUV73ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV83ZM/A	R 495	Apple 45mm Blue Flame Nike Sport Band - S/M, MUV83ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm

		Watch size, Fluoroelastomer fabrication material (Watch not included)
MUV93ZM/A	R 495	Apple 45mm Blue Flame Nike Sport Band - M/L, MUV93ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUVC3ZM/A	R 495	Apple 45mm Cargo Khaki Nike Sport Band - S/M, MUVC3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUVD3ZM/A	R 495	Apple 45mm Cargo Khaki Nike Sport Band - M/L, MUVD3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUVE3ZM/A	R 495	Apple 45mm Magic Ember Nike Sport Band - S/M, MUVE3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MUVF3ZM/A	R 495	Apple 45mm Magic Ember Nike Sport Band - M/L, MUVF3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MW4L3ZM/A	R 1,024	Apple 41mm Ocean Blue Sport Loop, MW4L3ZM/A, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MW4M3ZM/A	R 1,024	Apple 41mm soft Mint Sport Loop, MW4M3ZM/A, 38 / 40 / 41 mm Watch size, Nylon fabrication material (Watch not included)
MW4P3ZM/A	R 1,024	Apple 45mm Ocean Blue Sport Loop, MW4P3ZM/A, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MW4Q3ZM/A	R 1,024	Apple 45mm soft Mint Sport Loop, MW4Q3ZM/A, 42 / 44 / 45 / 49 mm Watch size, Nylon fabrication material (Watch not included)
MW6A3ZE/A	R 667	Apple Watch Magnetic charging cable (1m), Model A2255
MWMP3ZM/A	R 495	Apple 41mm sunshine Sport Band - S/M, MWMP3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMQ3ZM/A	R 495	Apple 41mm sunshine Sport Band - M/L, MWMQ3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMR3ZM/A	R 495	Apple 41mm Soft Mint Sport Band - S/M, MWMR3ZM/A, Band fits 130 - 180 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMT3ZM/A	R 495	Apple 41mm Soft Mint Sport Band - M/L, MWMT3ZM/A, Band fits 150 - 200 mm wrists, 38 / 40 / 41 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMU3ZM/A	R 1,024	Apple 45mm Light Blue Sport Band - S/M, MWMU3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMV3ZM/A	R 1,024	Apple 45mm Light Blue Sport Band - M/L, MWMV3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMW3ZM/A	R 495	Apple 45mm Sunshine Sport Band - S/M, MWMW3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMX3ZM/A	R 495	Apple 45mm Sunshine Sport Band - M/L, MWMX3ZM/A, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWMY3ZM/A	R 495	Apple 45mm Soft Mint Sport Band - S/M, MWMY3ZM/A, Band fits 140 - 190 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material (Watch not included)
MWN03ZM/A	R 495	Apple 45mm Soft Mint Sport Band - M/L, Band fits 160 - 210 mm wrists, 42 / 44 / 45 / 49 mm Watch size, Fluoroelastomer fabrication material
MX2E2ZE/A	R 667	Apple Watch Magnetic charging cable - 1m, MX2E2ZE/A
MXKW3ZM/A	R 1,024	Apple 42mm Ink Sport Loop, Strap size 130-200mm
MXKX3ZM/A	R 1,024	Apple 42mm Blue Cloud Sport Loop, Strap fits 130-200mm wrists
MXL03ZM/A	R 1,024	Apple 42mm Ultramarine Sport Loop, 130-200mm strap size
MXL23ZM/A	R 1,024	Apple 42mm Lake Green Sport Loop, 130-200mm strap size
MXL33ZM/A	R 1,024	Apple 46mm Ink Sport Loop, 145-220mm strap size
MXL43ZM/A	R 1,024	Apple 46mm Ink Sport Loop - XL, XL (170-245mm) strap size
MXL53ZM/A	R 1,024	Apple 46mm Blue Cloud Sport Loop
MXL83ZM/A	R 1,024	Apple 46mm Lake Green Sport Loop, 130-200mm strap size

MXL93ZM/A	R 1,024	Apple 42mm Lake Green Sport Band - S/M, S/M (130-180mm) strap size
MXLA3ZM/A	R 1,024	Apple 42mm Lake Green Sport Band - M/L, M/L (150-200mm) strap size
MXLE3ZM/A	R 1,024	Apple 42mm Denim Sport Band - S/M, S/M (130-180mm) strap size
MXLF3ZM/A	R 495	Apple 42mm Denim Sport Band - M/L, M/L (150-200mm) strap size
MXLG3ZM/A	R 1,024	Apple 42mm Stone Gray Sport Band - S/M, S/M (130-180mm) strap size
MXLH3ZM/A	R 495	Apple 42mm Stone Gray Sport Band - M/L, M/L (150-200mm) strap size
MXLJ3ZM/A	R 1,024	Apple 42mm Black Sport Band - S/M, S/M (130-180mm) strap size
MXLK3ZM/A	R 1,024	Apple 42mm Black Sport Band - M/L, M/L (150-200mm) strap size
MXLL3ZM/A	R 1,024	Apple 42mm Starlight Sport Band - S/M, S/M (130-180mm) strap size
MXLM3ZM/A	R 1,024	Apple 42mm Starlight Sport Band - M/L, M/L (150-200mm) strap size
MXLN3ZM/A	R 1,024	Apple 42mm Light blush Sport Band - S/M, S/M (130-180mm) strap size
MXLP3ZM/A	R 1,024	Apple 42mm Light blush Sport Band - M/L, M/L (150-200mm) strap size
MXLQ3ZM/A	R 1,024	Apple 46mm Lake Green Sport Band - S/M, S/M (140-190mm) strap size
MXLR3ZM/A	R 495	Apple 46mm Lake Green Sport Band - M/L, M/L (160-210mm) strap size
MXLV3ZM/A	R 1,024	Apple 46mm Denim Sport Band - S/M, S/M (140-190mm) Strap Size
MXLW3ZM/A	R 1,024	Apple 46mm Denim Sport Band - M/L, M/L (160-210mm) strap size
MXM23ZM/A	R 1,024	Apple 46mm Black Sport Band - S/M, S/M (140-190mm) strap size
MXM43ZM/A	R 1,024	Apple 46mm Black Sport Band - M/L, M/L (160-210mm) strap size
MXM53ZM/A	R 1,024	Apple 46mm Black Sport Band - XL, XL (195-245mm) strap size
MXM73ZM/A	R 1,024	Apple 46mm Starlight Sport Band - M/L, M/L (160-210mm) strap size
MXM83ZM/A	R 1,024	Apple 46mm Light blush Sport Band - S/M, S/M (140-190mm) strap size
MXM93ZM/A	R 1,024	Apple 46mm Light blush Sport Band - M/L, M/L (160-210mm) strap size

< Return to the menu

Smart Watches

Product code	Price	Description
A61531-C	R 334	Astrum MT310 Watch 2.01" 240x296 IPX68 with BT calls Sports - Blue, 2.01-inch 240x296 IPS HD full Touchscreen, IPX68 dust and Water-Resistant, 47.5 x 39.2 x 10.6mm Watch head size, 250mm Watch strap length, IPX68 dust and Water-Resistant, 230mAh Battery, Up to 4-6 days (Without Calling) working, Up to 20-25 days Standby, Up to 4.5 hours (Calling and Music) continuous use, Up to 3 hours charging time, USB-C charging cable, Blood Oxygen, Blood Pressure, 24 hours Heart Rate, Sedentary reminder, Sleep monitoring
A61541-S	R 355	Astrum MT410 Watch 1.39" 360x360 with BT calls Sports - Silver, 1.39-inch 360x360 IPS HD full Touchscreen Display, 45.9 x 9.9mm Watch head size, 245mm Watch strap length, IPX68 dust and Water-Resistant, 280mAh Battery, Up to 4-6 days (Without Calling) working, Up to 30 days Standby, Up to 3 hours (Calling and Music) continuous use, Up to 3 hours charging time, USB-C charging cable, Blood Oxygen, Blood Pressure, 24 hours Heart Rate, Sedentary reminder, Sleep monitoring
A61551-S	R 466	Astrum MT510 Smart Watch 1.32" AMOLED 466x466 IPX68 with Bluetooth calls - Silver, 1.32-inch 33.5mm AMOLED HD full Touchscreen Display, 43 x 9.9mm Watch head size, 250mm Watch strap length, 260mAh Battery, Up to 3-5 days (Without Calling) working, Up to 25 days Standby, Up to 3 hours (Calling and Music) continuous use, Up to 3 hours charging time, USB-C charging cable, Blood Oxygen, Blood Pressure, 24 hours Heart Rate, Menstrual reminder, Sleep monitoring
A61631-B	R 585	Astrum SN93 Smart Watch round IP68 metal Black, 1.4 inch screen size, 240x240 screen Resolution, Bluetooth, IP68 waterproof, 15 Sport modes, 10-25 days battery life
A61651-K	R 401	Astrum MT30 1.91" 240x296 ultra-retina round Smart Watch - Orange, Lightweight Zinc alloy body., 1.91-inch 240x296 ultra-retina round HD full Touchscreen, 24 hours continuous Heart Rate monitoring, Blood Pressure, Blood Oxygen, Body temperature, Sleep monitoring, Sedentary reminder, IP67 water resistant
A61652-T	R 401	Astrum MT31 Smart Watch 1.52" HD IP67 with call Sports HR BP Body temp, Bluetooth, 1.52 inch 360 x 360 HD full Touchscreen Display, IP67 Water resistance, Food grade Silicone strap material, 260mm strap length, 32mm strap width, 128MB Flash Memory, 300mAh Battery, Up to 7-10 days usage time, Up to 8 hours call/Music usage

		time, Up to 3 hours charging time, Wireless charging, Zinc Alloy Case
AMP-5027-BK	R 356	Amplify Sport Athletic Series Square Black Fitness Watch
AMP-5027-GD	R 356	Amplify Sport Athletic Series Square Gold Fitness Watch
BHR07PYGL	R 1,021	Xiaomi Smart Band 10 Advanced Fitness Tracker with AMOLED Display - Black, 1.72" 212x520 AMOLED Display Type, Hbm 1500nits screen brightness, Ambient Light Sensor, 5ATM Water resistant level, Bluetooth 5.4, Accelerometer Gyroscope electronic compass, PPG Sensor, 233mAh Battery LiPo, 21 days for normal use Standby time, Approx. 1 hour charging time
BHR07Y5GL	R 1,442	Xiaomi Smart Band 10 Ceramic Edition - White, 1.72" 212x520 AMOLED Display, Screen brightness hbm 1500nits, Ambient Light Sensor, Water resistant Level 5ATM, TPU wrist strap material Standard, Bluetooth Wireless connectivity, Accelerometer, Gyroscope, Electronic compass, PPG Sensor, 21 days for normal use, 9 days aod use, Approx 1 hour charging time, Mi Fitness supported App
BHR08CIGL	R 2,040	Xiaomi Redmi 6 Obsidian Black Smart Watch, AMOLED Smartwatch, Bluetooth Calling, GPS, 5ATM Water Resistant, 12D Battery, Android/iOS Compatible
BHR08CUGL	R 1,957	Xiaomi Redmi 2.07" AMOLED Watch 6 - Silver Grey, 2.07" AMOLED Display Type, 12 days typical Battery Life, Built-In GPS, Optical Heart Rate and Blood Oxygen Sensor, Ambient Light Sensor, Geomagnetic Sensor, 5ATM Water resistance, Bluetooth Calling
BHR08CWGL	R 2,038	Xiaomi REDMI Watch 6 Glacier Blue Smart Watch; 2.07" AMOLED; 432 x 514 pixels; 60Hz; 2000 nits; built-in GPS; 150 sports modes; heart rate; SpO2; sleep and stress tracking; 5ATM; Bluetooth 5.4; 550mAh; up to 12 days normal use; aluminium alloy frame; 31g
BHR08ISGL	R 3,825	Xiaomi Watch S5 46mm Silver Smartwatch, 21-day typical Battery Life on single charge, 1.48" AMOLED Display with 480x480 Resolution, 2500 nits Peak brightness for sunlight Clarity, GPS, 24/7 Heart Rate and SpO2 Blood Oxygen monitoring with alerts, Advanced sleep Tracking with sleep Algorithm 2.0, 150 Sport modes for various activities, 5ATM Water resistance rating for swimming, Bluetooth 5.4 Calling with Built-In Microphone and Speaker, NFC contactless payments supporting mastercard and visa, compatible with Android and iOS operating systems, runs Xiaomi HyperOS 3 on Android 16
BHR08IVGL	R 3,825	Xiaomi Watch S5 46mm Black Smartwatch, 21-day typical Battery Life on single charge, 1.48" AMOLED Display with 480 x 480 Resolution, 2500 nits Peak brightness for sunlight Clarity, GPS, 24/7 Heart Rate and SpO2 Blood Oxygen monitoring with alerts, Advanced sleep Tracking with sleep Algorithm 2.0, 150 Sport modes for various activities, 5ATM Water resistance rating for swimming, Bluetooth 5.4 Calling with Built-In Microphone and Speaker, NFC contactless payments supporting mastercard and visa, Compatible with Android and iOS operating systems, Runs Xiaomi HyperOS 3 on Android 16
BHR08W9GL	R 1,701	Xiaomi Smart Band 10 Pro 1.74" AMOLED - Black, 1.74" 480x336 pixels Resolution, 2000 nits Peak brightness, 60Hz Refresh Rate, Bluetooth 5.4 connectivity, Up to 21 days Battery Life, 350mAh Battery capacity, 5ATM Water resistance rating, 150 Sports modes, Health monitoring, Optical Heart Rate Sensor, Optical SpO2 Sensor, Professional sleep monitoring, Accelerometer, Gyroscope, Ambient Light Sensor, Geomagnetic Sensor, High-strength Aluminium Alloy middle Frame, TPU strap material, 13.5 - 20.5 cm adjustable strap length
BHR08WBGL	R 1,701	Xiaomi Smart Band 10 Pro 1.74" AMOLED - Glacier Silver, 1.74" 480x336 pixels Resolution, 2000 nits Peak brightness, 60Hz Refresh Rate, Bluetooth 5.4 connectivity, Up to 21 days Battery Life, 350mAh Battery capacity, 5ATM Water resistance rating, 150 Sports modes, Health monitoring, Optical Heart Rate Sensor, Optical SpO2 Sensor, Professional sleep monitoring, Accelerometer, Gyroscope, Ambient Light Sensor, Geomagnetic Sensor, High-strength Aluminium Alloy middle Frame, TPU strap material, 13.5 - 20.5 cm adjustable strap length
BHR09AEGL	R 597	Xiaomi Smart Band 11 Active in Black, 1.47-inch TFT Display with 60Hz Refresh Rate, typical Battery Life lasts up to 21 days on a single charge, Built-In continuous Heart Rate monitoring and Blood Oxygen (SpO2) Tracking, Includes support for 50 Sports modes including swimming, Water resistance rating of 5ATM
BHR09AFGL	R 597	Xiaomi Smart Band 11 Active in Grey, 1.47-inch TFT Display with 60Hz Refresh Rate, typical Battery Life lasts up to 21 days on a single charge, Built-In continuous Heart Rate monitoring and Blood Oxygen (SpO2) Tracking, Includes support for 50 Sports modes including swimming, Water resistance rating of 5ATM
BHR09AGGL	R 597	Xiaomi Smart Band 11 Active in Pink, 1.47-inch TFT Display with 60Hz Refresh Rate, typical Battery Life lasts up to 21 days on a single charge, Built-In continuous Heart Rate monitoring and Blood Oxygen (SpO2) Tracking,

		Includes support for 50 Sports modes including swimming, Water resistance rating of 5ATM
BHR09CVGL	R 1,275	Xiaomi Redmi Watch 6 Lite Smartwatch in Grey, 1.96-inch AMOLED Display with 410 x 502 Pixel Resolution and 2.8mm narrow Bezel, Built-In Multi-System Satellite positioning for accurate Tracking, Up to 18 days Battery Life on Light usage or up to 12 days on normal usage, All-Day Heart Rate & SpO2 monitoring capabilities, Bluetooth Calling support to make and receive calls from the wrist, 150 Sport modes including Professional swim mode, 9-axis motion Tracking Sensor for precise movement analysis, 5 ATM Water resistance rating for swimming and showering, Slim 9.9mm flat-edge Design with quick-release TPU strap, Bluetooth 5.3 connectivity Standard, Compatible with Android smartphones and iPhone via the Mi Fitness App, Peak brightness of 1500 nits with Always-On Display support
BHR09CWGL	R 1,275	Xiaomi Redmi Watch 6 Lite Smartwatch in Black, 1.96-inch AMOLED Display with 410 x 502 Pixel Resolution and 2.8mm narrow Bezel, Built-In Multi-System Satellite positioning for accurate Tracking, Up to 18 days Battery Life on Light usage or up to 12 days on normal usage, All-Day Heart Rate & SpO2 monitoring capabilities, Bluetooth Calling support to make and receive calls from the wrist, 150 Sport modes including Professional swim mode, 9-axis motion Tracking Sensor for precise movement analysis, 5 ATM Water resistance rating for swimming and showering, Slim 9.9mm flat-edge Design with quick-release TPU strap, Bluetooth 5.3 connectivity Standard, Compatible with Android smartphones and iPhone via the Mi Fitness App, Peak brightness of 1500 nits with Always-On Display support
BHR09CXGL	R 849	Xiaomi Redmi Watch 6 Silver Smartwatch, 1.85-inch AMOLED Display with 390 x 450 Pixel Resolution, Peak brightness of 1200 nits for Outdoor visibility, Up to 18 days Battery Life on Light usage, Bluetooth 5.3 Calling directly from the wrist, Continuous Heart Rate and SpO2 monitoring, IP68 Water resistance rating, Over 140 Sports modes available, Slim 9.9mm Profile with flat-edge Design, Compatible with Android smartphones and iPhone via Mi Fitness App, Includes quick-release TPU strap, 24-hour Heart Rate Monitoring System included
BHR09CYGL	R 849	Xiaomi Redmi Watch 6 Orange Smartwatch, 1.85-inch AMOLED Display with 390 x 450 Pixel Resolution, Peak brightness of 1200 nits for Outdoor visibility, Up to 18 days Battery Life on Light usage, Bluetooth 5.3 Calling directly from the wrist, Continuous Heart Rate and SpO2 monitoring, IP68 Water resistance rating, Over 140 Sports modes available, Slim 9.9mm Profile with flat-edge Design, Compatible with Android smartphones and iPhone via Mi Fitness App, Includes quick-release TPU strap, 24-hour Heart Rate Monitoring System included
BHR09CZGL	R 849	Xiaomi Redmi Watch 6 Active Black Smartwatch, 1.85-inch AMOLED Display with 390 x 450 Pixel Resolution, Peak brightness of 1200 nits for Outdoor visibility, Up to 18 days Battery Life on Light usage, Bluetooth 5.3 Calling directly from the wrist, Continuous Heart Rate and SpO2 monitoring, IP68 Water resistance rating, Over 140 Sports modes available, Slim 9.9mm Profile with flat-edge Design, Compatible with Android smartphones and iPhone via Mi Fitness App, Includes quick-release TPU strap, 24-hour Heart Rate Monitoring System included
BHR8035GL	R 3,313	Xiaomi Smart Watch 2 Black Smart Watch
BHR8784GL	R 721	Xiaomi Redmi Watch 5 Active - Black, 5ATM Water resistance, Bluetooth 5.3, Xiaomi HyperOS Operating System, Heart Rate Sensor (with Blood Oxygen Sensor), Accelerometer, 135mm-205mm TPU strap size, Up to 18 days of Battery Life, 2-inch LCD Display
BHR8789GL	R 1,060	Xiaomi Redmi Watch 5 Lite - Black, 1.96" AMOLED ultra-clear Display, Built-In five-system GNSS, Dual-mic Noise Reduction, Bluetooth Calling, Up to 18 days of Battery Life, 5ATM Water resistance, Xiaomi HyperOS Operating System, 135mm - 205mm TPU strap size
BHR9441GL	R 508	Xiaomi Smart Band 9 Active - Beige White, 1.47" 172x320 TFT Display, 5 ATM Water resistant Level, TPU wrist strap material, 3 axis accelerometer, PPG Sensor, 300mAh Li-Ion Battery, 18 days for normal use Standby time, Less than 120 minutes charging time, Mi Fitness supported App
BHR9444GL	R 508	Xiaomi Smart Band 9 Active 1.47" 172x320 Smart Watch, 172x320 pixels Resolution, 1.47-inch TFT Touch Display, Reinforced Glass cover, 100 Watch faces, PPG Sensor, Accelerometer, Magnetic charging, Less than 120 minutes charging time, Up to 18 days typical usage time, 300mAh Battery capacity, 50 Fitness modes, 5ATM Water resistant, Luetooth, 135-215mm band strap adjustable length
CNE-ST02BB	R 1,903	Canyon ST-02 4G Senior tracker with GPS Function & SOS Button, UniSOC 8910dm CPU, IP67 Waterproof, Single SIM, 1000mAh Battery
CNS-SW61BR	R 346	Canyon Semifreddo SW-61 1.19 ' ' AMOLED 390x390 Smart Watch - Purple, RTL8762dt CPU, Oncell TP, 192KB

		RAM, 3.7V 190mAh Battery, Rosegold alumimum Alloy case middle Frame plastic bottom case Pink and Purple Silicone strap Rose Gold strap buckle, SMS alerts, Heart Rate Monitor and accelerometer, Blood Pressure, Oxygen saturation level, Sleep monitoring, Smart Alarm Clock
CNS-SW86RR	R 295	Canyon Otto SW-86 1.3" LTPS 360x360 Touch Smart Watch - Red, Realtek 8762DK CPU, 192 MB internal Memory size, 3.7V 280mAh Battery, Gun Aluminum Alloy case middle Frame Plastic bottom case warm Red Silicone strap gun strap buckle
CNS-SW86SS	R 295	Canyon Otto SW-86 1.3" LTPS 360x360 Touch Smart Watch - Silver, Realtek 8762DK CPU, 192 MB internal Memory size, 3.7V 280mAh Battery, Silver Aluminum Alloy case middle Frame Plastic bottom case White Silicone strap Silver strap buckle Host
GW-X	R 344	Microworld Kalobee GW-X 1.43" AMOLED Smartwatch, 1.43-inch AMOLED Display with 466 x 466 pixels Resolution, Aluminum Case and Silicone strap Design, Bluetooth Version 5.2 connectivity, 300mAh Battery providing up to 7 days of usage, IP67 Waterproof rating resistant to sweat and splashes, Heart Rate monitoring, Blood Oxygen (SpO2) monitoring, Sleep monitoring, Built-In Microphone and Speaker for Bluetooth Calling, Multiple Sports modes, Always-On Display supported, Magnetic or Wireless Charging Method, Compatible with Android and iOS devices.
MWWA3QA/A	R 7,337	Apple Watch Series 10 GPS 42mm Silver Aluminium Case with Denim Sport Band - S/M, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWC3QA/A	R 6,670	Apple Watch Series 10 GPS 42mm Silver Aluminium Case with Denim Sport Band - M/L, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWD3QA/A	R 7,337	Apple Watch Series 10 GPS 42mm Silver Aluminium Case with Blue Cloud Sport Loop, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWE3QA/A	R 7,337	Apple Watch Series 10 GPS 42mm Jet Black Aluminium Case with Black Sport Band - S/M, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWF3QA/A	R 6,291	Apple Watch Series 10 GPS 42mm Jet Black Aluminium Case with Black Sport Band - M/L, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor,

		Wi-Fi 4, Bluetooth
MWWH3QA/A	R 7,337	Apple Watch Series 10 GPS 42mm Rose Gold Aluminium Case with Light Blush Sport Band - S/M, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWJ3QA/A	R 7,337	Apple Watch Series 10 GPS 42mm Rose Gold Aluminium Case with Light Blush Sport Band - M/L, Model A2997, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, USB-C Magnetic fast charging cable, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWL3QA/A	R 8,280	Apple Watch Series 10 GPS 46mm Silver Aluminium Case with Denim Sport Band - S/M, Model A2999, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWM3QA/A	R 8,280	Apple Watch Series 10 GPS 46mm Silver Aluminium Case with Denim Sport Band - M/L, Model A2999, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWP3QA/A	R 7,337	Apple Watch Series 10 GPS 46mm Jet Black Aluminium Case with Black Sport Band - S/M, Model A2999, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWT3QA/A	R 8,280	Apple Watch Series 10 GPS 46mm Rose Gold Aluminium Case with Light Blush Sport Band - S/M, Model A2999, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWWU3QA/A	R 7,337	Apple Watch Series 10 GPS 46mm Rose Gold Aluminium Case with Light Blush Sport Band - M/L, Model A2999, GPS connectivity, 64GB capacity, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels Always-On Retina LTPO3 wide-angle OLED Display, Up to 2000 nits maximun brightness, Microphone with voice isolation, Side Button, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MWX63QA/A	R 7,993	Apple Watch Series 10 GPS Cellular 42mm Jet Black Aluminium Case with Black Sport Band - S/M, Model A3001, S10 SIP with 64-bit Dual-Core Processor, 374 by 446 pixels LTPO3 OLED Always-On Retina Display, up to 2000 nits brightness, Digital crown with Haptic feedback, side Button, All-Day Battery Life up to 18 hours of normal use, electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On

		altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWXD3QA/A	R 12,156	Apple Watch Series 10 GPS Cellular 42mm Natural Titanium Case with Stone Grey Sport Band - S/M, Model A3001, S10 SIP with 64-bit Dual-Core Processor, 374 by 446 pixels LTPO3 OLED Always-On Retina Display, up to 2000 nits brightness, Digital crown with Haptic feedback, side Button, All-Day Battery Life up to 18 hours of normal use, electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWXE3QA/A	R 7,809	Apple Watch Series 10 GPS Cellular 42mm Natural Titanium Case with Stone Grey Sport Band - M/L, Model A3001, S10 SIP with 64-bit Dual-Core Processor, 374 by 446 pixels LTPO3 OLED Always-On Retina Display, up to 2000 nits brightness, Digital crown with Haptic feedback, side Button, All-Day Battery Life up to 18 hours of normal use, electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWY13QA/A	R 8,464	Apple Watch Series 10 GPS Cellular 46mm Silver Aluminium Case with Denim Sport Band - M/L, Model A3003, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels LTPO3 OLED Always-On Retina Display, Up to 2000 nits brightness, Side Button, Digital crown with Haptic feedback, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWY33QA/A	R 8,464	Apple Watch Series 10 GPS Cellular 46mm Jet Black Aluminium Case with Black Sport Band - S/M, Model A3003, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels LTPO3 OLED Always-On Retina Display, Up to 2000 nits brightness, Side Button, Digital crown with Haptic feedback, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWY43QA/A	R 8,464	Apple Watch Series 10 GPS Cellular 46mm Jet Black Aluminium Case with Black Sport Band - M/L, Model A3003, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels LTPO3 OLED Always-On Retina Display, Up to 2000 nits brightness, Side Button, Digital crown with Haptic feedback, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWY73QA/A	R 8,464	Apple Watch Series 10 GPS Cellular 46mm Rose Gold Aluminium Case with Light Blush Sport Band - M/L, Model A3003, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels LTPO3 OLED Always-On Retina Display, Up to 2000 nits brightness, Side Button, Digital crown with Haptic feedback, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWYA3QA/A	R 12,432	Apple Watch Series 10 GPS Cellular 46mm Natural Titanium Case with Stone Grey Sport Band - M/L, Model A3003, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels LTPO3 OLED Always-On Retina Display, Up to 2000 nits brightness, Side Button, Digital crown with Haptic feedback, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water Temperature Sensor
MWYD3QA/A	R 7,993	Apple Watch Series 10 GPS Cellular 46mm Slate Titanium Case with Black Sport Band - S/M, Model A3003, S10 SIP with 64-bit Dual-Core Processor, 416 by 496 pixels LTPO3 OLED Always-On Retina Display, Up to 2000 nits brightness, Side Button, Digital crown with Haptic feedback, All-Day Battery Life up to 18 hours of normal use, Electrical heart Sensor, Third-generation Optical heart Sensor, Temperature Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Depth Gauge, Water

		Temperature Sensor
MX4D3QA/A	R 14,709	Apple Watch Ultra 2 GPS Cellular 49mm Natural Titanium Case with Navy Ocean Band, Model A2986, 64GB capacity, S9 SIP with 64-bit Dual-Core Processor, 410 by 502 pixels Always-On Retina LTPO2 OLED Display, Up to 3000 nits Maximum brightness, Double Tap gesture, Digital crown with Haptic feedback, Side Button, Customisable action Button, Dual Speakers, Three-Mic Array, Depth Gauge, Up to 36 hours Battery Life, USB-C Magnetic fast charging cable, Compass, Always-On altimeter, Blood Oxygen Sensor, Electrical heart Sensor, Third-generation Optical heart Sensor, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MX4P3QA/A	R 14,709	Apple Watch Ultra 2 GPS Cellular 49mm Black Titanium Case with Black Ocean Band, Model A2986, 64GB capacity, S9 SIP with 64-bit Dual-Core Processor, 410 by 502 pixels Always-On Retina LTPO2 OLED Display, Up to 3000 nits Maximum brightness, Double Tap gesture, Digital crown with Haptic feedback, Side Button, Customisable action Button, Dual Speakers, Three-Mic Array, Depth Gauge, Up to 36 hours Battery Life, USB-C Magnetic fast charging cable, Compass, Always-On altimeter, Blood Oxygen Sensor, Electrical heart Sensor, Third-generation Optical heart Sensor, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MX4R3QA/A	R 14,709	Apple Watch Ultra 2 GPS Cellular 49mm Black Titanium Case with Dark Green Alpine Loop - Medium, Model A2986, 64GB capacity, S9 SIP with 64-bit Dual-Core Processor, 410 by 502 pixels Always-On Retina LTPO2 OLED Display, Up to 3000 nits Maximum brightness, Double Tap gesture, Digital crown with Haptic feedback, Side Button, Customisable action Button, Dual Speakers, Three-Mic Array, Depth Gauge, Up to 36 hours Battery Life, USB-C Magnetic fast charging cable, Compass, Always-On altimeter, Blood Oxygen Sensor, Electrical heart Sensor, Third-generation Optical heart Sensor, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MX4V3QA/A	R 14,709	Apple Watch Ultra 2 GPS Cellular 49mm Black Titanium Case with Black Trail Loop - M/L, Model A2986, 64GB capacity, S9 SIP with 64-bit Dual-Core Processor, 410 by 502 pixels Always-On Retina LTPO2 OLED Display, Up to 3000 nits Maximum brightness, Double Tap gesture, Digital crown with Haptic feedback, Side Button, Customisable action Button, Dual Speakers, Three-Mic Array, Depth Gauge, Up to 36 hours Battery Life, USB-C Magnetic fast charging cable, Compass, Always-On altimeter, Blood Oxygen Sensor, Electrical heart Sensor, Third-generation Optical heart Sensor, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Water Temperature Sensor, Wi-Fi 4, Bluetooth
MXE93QA/A	R 4,589	Apple Watch SE GPS 40mm Midnight Aluminium Case with Midnight Sport Band - M/L, Model A2722, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEA3QA/A	R 4,589	Apple Watch SE GPS 40mm 324x394 Display with Midnight Aluminium Case With Ink Sport Loop, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 324x394 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 40mm x 34mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth
MXEC3QA/A	R 4,589	Apple Watch SE GPS 40mm 324 x 394 Display with Silver Aluminium case with Denim Sport Band S/M, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 324 x 394 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 40mm x 34mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth, S/M (130-180mm)
MXED3QA/A	R 4,589	Apple Watch SE GPS 40mm 324x394 Display with Silver Aluminium Case With Denim Sport Band M/L, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 324x394 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 40mm x 34mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth

MXEE3QA/A	R 4,589	Apple Watch SE GPS 40mm Silver Aluminium Case with Blue Cloud Sport Loop, Model A2722, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEF3QA/A	R 4,589	Apple Watch SE (2nd gen) GPS 40mm Starlight Aluminium Case with Starlight Sport Band - S/M, Model A2722, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEG3QA/A	R 4,589	Apple Watch SE GPS 40mm Starlight Aluminium Case with Starlight Sport Band - M/L, Model A2722, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEH3QA/A	R 4,589	Apple Watch SE GPS 40mm 324x394 Display with Starlight Aluminium Case With Lake Green Sport Loop, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 324x394 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 40mm x 34mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth
MXEJ3QA/A	R 4,876	Apple Watch SE (2nd gen) GPS 44mm Midnight Aluminium Case with Midnight Sport Band - S/M, Model A2723, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEK3QA/A	R 4,876	Apple Watch SE (2nd gen) GPS 44mm Midnight Aluminium Case with Midnight Sport Band - M/L, Model A2723, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEP3QA/A	R 4,405	Apple Watch SE GPS 44mm Midnight Aluminium Case with Ink Sport Loop, Model A2723, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEQ3QA/A	R 4,876	Apple Watch SE (2nd gen) GPS 44mm Silver Aluminium Case with Denim Sport Band - S/M, Model A2723, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXER3QA/A	R 4,405	Apple Watch SE GPS 44mm 368x448 Display with Silver Aluminium Case With Denim Sport Band M/L, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 368x448 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 44mm x 38mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi 4, Bluetooth 5.3, Fits 160-210mm wrists
MXET3QA/A	R 4,876	Apple Watch SE GPS 44mm 368x448 Display with Silver Aluminium Case With Blue Cloud Sport Loop S/M, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 368x448 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal

		use, 44mm x 38mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi 4, Bluetooth 5.3
MXEU3QA/A	R 4,405	Apple Watch SE (2nd Gen) GPS 44mm Starlight Aluminium Case with Starlight Sport Band - S/M, Model A2723, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEV3QA/A	R 4,876	Apple Watch SE (2nd gen) GPS 44mm Starlight Aluminium Case with Starlight Sport Band - M/L, Model A2723, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0
MXEW3QA/A	R 4,405	Apple Watch SE GPS 44mm 368x448 Display with Starlight Aluminium Case With Lake Green Sport Loop, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 368x448 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 44mm x 38mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi 4, Bluetooth 5.3
MXGA3QA/A	R 5,060	Apple Watch SE GPS Cellular 40mm Midnight Aluminium Case with Ink Sport Loop, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGC3QA/A	R 4,635	Apple Watch SE GPS Cellular 40mm Midnight Aluminium Case with Midnight Sport Band - S/M, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGD3QA/A	R 5,060	Apple Watch SE GPS Cellular 40mm Midnight Aluminium Case with Midnight Sport Band - M/L, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGE3QA/A	R 4,451	Apple Watch SE GPS Cellular 40mm Silver Aluminium Case with Blue Cloud Sport Loop, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGF3QA/A	R 5,060	Apple Watch SE GPS Cellular 40mm Silver Aluminium Case with Denim Sport Band - S/M, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGG3QA/A	R 3,979	Apple Watch SE GPS Cellular 40mm Silver Aluminium Case with Denim Sport Band - M/L, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGH3QA/A	R 5,060	Apple Watch SE GPS Cellular 40mm Starlight Aluminium Case with Lake Green Sport Loop, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to

		1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGJ3QA/A	R 5,060	Apple Watch SE GPS Cellular 40mm Starlight Aluminium Case with Starlight Sport Band - S/M, Model A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGK3QA/A	R 5,060	Apple Watch SE GPS Cellular 40mm Starlight Aluminium Case with Starlight Sport Band - M/L, A2725, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGL3QA/A	R 5,164	Apple Watch SE (2nd gen) GPS Cellular 44mm Midnight Aluminium Case with Midnight Sport Band - S/M, Model A2724, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGM3QA/A	R 5,164	Apple Watch SE (2nd gen) GPS Cellular 44mm Midnight Aluminium Case with Midnight Sport Band - M/L, Model A2724, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGN3QA/A	R 5,164	Apple Watch SE GPS Cellular 44mm Midnight Aluminium Case with Ink Sport Loop, Model A2724, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGP3QA/A	R 5,129	Apple Watch SE GPS Cellular 44mm 368x448 Display with Silver Aluminium Case With Denim Sport Band S/M, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 368x448 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 44mm x 38mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi 4, Bluetooth 5.3, LTE and UMTS
MXGQ3QA/A	R 5,129	Apple Watch SE GPS Cellular 44mm Silver Aluminium Case with Denim Sport Band - M/L, Model A2724, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGR3QA/A	R 5,543	Apple Watch SE GPS Cellular 44mm Silver Aluminium Case with Blue Cloud Sport Loop, Model A2724, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGT3QA/A	R 5,509	Apple Watch SE (2nd gen) GPS Cellular 44mm Starlight Aluminium Case with Starlight Sport Band - S/M, Model A2724, W3 Apple Wireless Chip, S8 SIP with 64-bit Dual-Core Processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS

MXGU3QA/A	R 5,164	Apple Watch SE (2nd gen) GPS Cellular 44mm Starlight Aluminium Case with Starlight Sport Band - M/L, Model A2724, W3 Apple Wireless Chip, S8 SiP with 64-bit dual-core processor, 368x448 pixels Retina LTPO OLED Display, Up to 1000 nits brightness, Built-In Rechargeable Lithium-ion Battery up to 18 hours, Second-generation Optical heart Sensor, High-G accelerometer, Up to 256 g-forces with fall detection and Crash detection, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi, Bluetooth 5.0, LTE and UMTS
MXGV3QA/A	R 5,543	Apple Watch SE GPS Cellular 44mm 368x448 Display with Starlight Aluminium case with Lake Green Sport Loop, 32GB capacity, S8 SIP with 64-bit Dual-Core Processor, Retina LTPO OLED 368x448 pixels Display, Up to 1000 nits Maximum brightness, Digital crown with Haptic feedback, Side Button, All-Day Battery Life up to 18 hours of normal use, 44mm x 38mm x 10.7mm size, Second-generation Optical heart Sensor, Compass, Always-On altimeter, High-G accelerometer, High Dynamic range Gyroscope, Ambient Light Sensor, Wi-Fi 4, Bluetooth 5.3, LTE and UMTS
NP104	R 689	Microworld NP104 Nesty 104 Ultra Smart Watch - Orange, 2.01" 240x296 Display, 300mAh Battery capacity, Bluetooth, Wireless Charger, Metal Body, Multiple Sports modes, Heart Rate monitoring, Blood Pressure, Blood Oxygen, Make a Phone call, Message receiving, IP67 Water resistance
NTNP104	R 399	Nesty NP 104 Ultra Smart Sports Watch With Calling Function - Square Shape Full Touch 2.01 Inch TFT Colour Screen, Resolution 240 x 296, IP67 Water Resistant, Usage Fitness And Outdoor Smart Watch, Metal Body with Tempered Glass Construction, Multiple Sports Health Activity Modes, Heart Rate Monitoring Sensor, Blood Oxygen, Calories Counter, Alarm Clock, Calendar, Calculator, Multiple International Times Zones, Make Voice Calls and Receive Messages, Built-In Microphone And Speaker, Bluetooth V 5.3, Rechargeable Lithium 300mAh Battery Capacity, Includes Wireless Charging Dock, Colour Grey and Gold, Retail Box, 6 Months Warranty.
NTNP104BLK	R 399	Nesty NP 104 Ultra Smart Sports Watch With Calling Function - Square Shape Full Touch 2.01 Inch TFT Colour Screen, Resolution 240 x 296, IP67 Water Resistant, Usage Fitness And Outdoor Smart Watch, Metal Body with Tempered Glass Construction, Multiple Sports Health Activity Modes, Heart Rate Monitoring Sensor, Blood Oxygen, Calories Counter, Alarm Clock, Calendar, Calculator, Multiple International Times Zones, Make Voice Calls and Receive Messages, Built-In Microphone And Speaker, Bluetooth V 5.3, Rechargeable Lithium 300mAh Battery Capacity, Includes Wireless Charging Dock, Colour Silver and Black, Retail Box, 6 Months Warranty.
PA87S	R 833	Polaroid PA87 Full Touch Active square Watch - Silver, 1.7 IPS Full Touch screen 240x280, Bluetooth, 200mAh Battery, 24 hour Heart Rate Monitor, SP02 Monitor, Stress Monitor, Body temp Monitor
PA88	R 1,004	Polaroid PA88 Full Touch Active Watch - Black, 1.28" Colour screen with round LCD 240x240 pixels, Supports GPS from Mobile phone, Bluetooth 5, 200mAh Battery, 10 days usage time, 45 days Standby time, VC31 Heart Rate Sensor, IP68 Waterproof, 24 Heart Rate Monitor, Blood Oxygen indicator
POLS11SL	R 1,240	Polaroid Polartec Fit Sports 1.32" 360x360 Watch - Silver, Bluetooth Calling, Camera, IP67 Waterproof, 4-5 days Battery Life, 1.32" Full Touch HD Curved screen, 360 * 360 Resolution, BT call support, 500MB Music store Function, Sport motion Tracking GPS
SK51	R 574	Microworld Kalobee SK51 1.53" Business Series Watch, 1.53-inch AMOLED Display featuring 466 x 466 pixels Resolution and 326 PPI, Zinc Alloy Case material construction, BLE 5.3 connectivity supporting calls via Built-In Microphone and Speaker, 300mAh Battery capacity providing 5-10 days Standard usage with Magnetic charging, IP68 Waterproof rating for Water resistance, 24/7 Heart Rate Tracker including Blood Oxygen (SpO2) monitoring, Over 70 Sports modes, Remote camera Control and Music playback capabilities, 100 Built-In Watch faces with customizable UI themes available, Compatible with both Android and iOS operating systems
SK7	R 574	Microworld Kalobee SK7 Ultra HD 1.53-inch AMOLED Smartwatch, Metal Body construction with IP68 Water resistance rating, Bluetooth Calling functionality supports answering and making calls directly from the Watch, Built-In AI voice assistant for weather updates and Music Control, Health monitoring includes Heart Rate Tracking using HX3918 Sensor, Blood Oxygen levels / Blood Pressure / ECG monitoring, Sleep analysis capabilities, 500 mAh high-capacity Polymer Battery provides 4-5 days working time, Magnetic Wireless Charging reaches full capacity in approximately 200 minutes, Compatible with Android 5.0 and iOS 10.0 devices multiple Sports modes Real-Time SMS notifications
SW2I	R 748	Unbranded Honor Choice Watch 2i 1.85" AMOLED Smart Watch, 390 x 450 Resolution 322 PPI, 330mAh Battery Battery Life, Providing up to 14 days of typical usage, Integrated Microphone and Speaker, Bluetooth Calling, 24/7

		monitoring of Heart Rate, Supports 109 Sports modes, Rated IP68 and 1 ATM
TANK-M3-ULTRA-BLK	R 1,429	Kospet Tank M3 Ultra SmartWatch - 1.96" Corning Gorilla Glass 3 Touchscreen, 410 x 502 Display Resolution, 256M NOR Storage, 4 Buttons, 5 ATM & IP69K Water - Resistance Grade, Stainless Steel Body Material, 170 Sports Modes & Smart Recognition, Built-In Compass & Barometric Altimeter, 480mAh Battery Capacity, Pure Cobalt Battery, Approx. 2 Hours Charging, 15-15 Days Battery Life, 5 - 8 Days Heavy Usage, Bluetooth 5.3 Connectivity, App, SMS, Phone Call Notifications, Android 5.1 And Above, iOS 10.0 And Above System Requirements
TANK-S2-PINK	R 1,399	Kospet Tank S2 Ultra Smartwatch - 1.32" , Corning Gorilla Glass 3 Touchscreen, Amoled Material, 466 x 466 Display Resolution, 499 PPI, 1000 nits Peak Brightness, 256M Nor Storage, TPU Silicone Body Material, Polycarbonate 15% Glass fiber, Buil-in Speaker And Microphone, 4 Buttons, 5 ATM & IP69K5 ATM & IP69K Water-Resistance Grade, 350mAh Battery Capacity, Pure Cobalt Battery Type, Approx. 2.5 Hours Charging Duration, 8 - 12 Days Battery Life, 5 - 7 Days Heavy Usage, Health & Wellness Monitoring, Bluetooth 5.3 Connectivity, App, SMS, Phone Call, Notifications, Android 5.1 And Above, iOS 10.0 And Above, Kospet Fit App, Pink Colour Suitable For Women
TANK-S2-WHITE	R 1,399	Kospet Tank S2 Ultra Smartwatch - 1.32" , Corning Gorilla Glass 3 Touchscreen, Amoled Material, 466 x 466 Display Resolution, 499 PPI, 1000 nits Peak Brightness, 256M Nor Storage, TPU Silicone Body Material, Polycarbonate 15% Glass fiber, Buil-in Speaker And Microphone, 4 Buttons, 5 ATM & IP69K5 ATM & IP69K Water-Resistance Grade, 350mAh Battery Capacity, Pure Cobalt Battery Type, Approx. 2.5 Hours Charging Duration, 8 - 12 Days Battery Life, 5 - 7 Days Heavy Usage, Health & Wellness Monitoring, Bluetooth 5.3 Connectivity, App, SMS, Phone Call, Notifications, Android 5.1 And Above, iOS 10.0 And Above, Kospet Fit App, White Colour Suitable For Women
TANK-X2-ULTRA	R 1,449	Kospet Tank X2 Ultra SmartWatch - 1.64" Corning Gorilla Glass 3 Touchscreen, 280 x 456 Display Resolution, 256M NOR Storage, 2 Buttons, 5 ATM & IP69K Water - Resistance Grade, Stainless Steel Body Material, 170 Sports Modes & Smart Recognition, Built-In Compass & Barometric Altimeter, 290mAh Battery Capacity, Pure Cobalt Battery, Approx. 2 Hours Charging, 8-12 Days Battery Life, 5 - 7 Days Heavy Usage, Bluetooth 5.3 Connectivity, App, SMS, Phone Call Notifications, Android 5.1 And Above, iOS 10.0 And Above System Requirements
VK-5019-BK	R 207	Volkano Step Up Series Activity Watch - Black, Two buttons, Measures steps, Measures distance & calories, Digital time Display. Kids activity watch black, tracks steps distance calories, silicone strap, LCD display, LR1130 battery. Quick Specs: kids activity watch black, step distance calories, LCD display, silicone strap, LR1130 battery
VK-5019-BL	R 207	Volkano Step Up Series Activity Watch - Teal, Step counter, Two buttons, Measures steps, Measures distance & calories, Digital time Display. Kids activity watch, tracks steps distance calories, LCD display, silicone straps, LR1130 battery. Quick Specs: kids activity watch, teal silicone strap, steps distance calories, LCD display, LR1130 battery
VK-5019-GL	R 184	Volkano Step Up Series Activity Watch - Girls, Pink / Purple & White straps, Two buttons, Measures steps, Measures distance & calories, Digital time Display. Quick Specs: kids activity watch, step distance calorie tracker, LCD digital display, silicone straps, LR1130 battery Quick Specs: kids activity watch girls, step distance calories, LCD display, silicone straps, LR1130 battery
VK-5023-BK	R 207	Volkano Track series Stopwatch - Black. Professional stopwatch, black finish, date and alarm function, precise to 1/100 sec, compact and durable, easyâ€'toâ€'use.
VK-5050-BK	R 805	Volkano Valencia Series Ladies Smart Watch - Black, Metal Mesh strap. Touchscreen, heart rate sensor, sleep monitor, call and message alerts, Bluetooth, IP67 water resistant, 5-day battery, black mesh strap.
VK-5050-GD	R 805	Volkano Valencia Series Ladies Smart Watch - Rose Gold, Metal Mesh strap. Touchscreen display, heart rate monitor, sleep tracker, notifications, Bluetooth, IP67, 5-day battery, metal mesh strap, rose gold.
VK-5064-BK	R 736	Volkano Spirit Series Smart Watch - Black. Stylish and functional smartwatch, fitness tracking, smartphone notification, highâ€'resolution touch display, heart rate, blood oxygen, blood pressure, over 100 sport modes, lightweight, waterâ€'resistant, long battery life.
VK-5064-SL	R 808	Volkano Spirit Series Smart Watch - Starlight Silver. Stylish and functional smartwatch, fitness tracking, smartphone notification, highâ€'resolution touch display, heart rate, blood oxygen, blood pressure, over 100 sport

		modes, lightweight, waterâ€'resistant, long battery life.
VK-5066-SL	R 805	Volkano Tide Series Waterproof Smart Watch - Silver. The Volkano Tide Series smart watch offers heart rate monitoring, sleep tracking, pedometer, 5-day battery, and 3 ATM water resistance in a sleek silver designâ€"ideal for fitness tracking and everyday wear.
VK-5080-BK[V2]	R 958	Volkano Stamina series GPS Smart Watch with heart rate monitor. The Volkano Stamina GPS Smart Watch delivers reliable GPS tracking, heart rate and blood oxygen monitoring, with 14 sport modes and 7â€'day battery life. Ready for fitness or outdoor activities.
VK-5085-GD	R 655	Volkano Soul Series Smart Watch - Gold. The Volkano Soul Series Smart Watch (VK-5085) delivers Bluetooth calling, heart rate tracking, 100 multisport modes and up to 7 days standby in a sleek 1.39" round display.
VK-5085-SL	R 655	Volkano Fit Soul Series Smart Watch - Silver. The Volkano Soul Series Smart Watch (VK-5085) delivers Bluetooth calling, heart rate tracking, 100 multisport modes and up to 7 days standby in a sleek 1.39" round display.
VK-5092-BK	R 379	Volkano Torque Series Black Smart Watch; Bluetooth calling; heart rate monitor; multi sport tracking; touchscreen; water resistant; compatible with Android Apple; includes charging cable; durable everyday wearable
VK-5092-GD	R 379	Volkano Torque Series Rose Gold Smart Watch; Bluetooth calling; heart rate monitor; multi sport tracking; touchscreen; water resistant; compatible with Android Apple; includes charging cable; durable everyday wearable
VK-5094-BK	R 287	Volkano VK-5094 Syncron Series Black Smart Watch; Bluetooth call alerts; heart rate monitor; activity tracking; IP67 water resistant; touchscreen display; Android iOS compatible
VK-5094-DB	R 287	Volkano VK-5094 Syncron Series Dark Blue Smart Watch; Bluetooth call alerts; heart rate monitor; activity tracking; IP67 water resistant; touchscreen display; Android iOS compatible
VK-5094-LL	R 287	Volkano VK-5094 Syncron Series Lilac Smart Watch; Bluetooth call alerts; heart rate monitor; activity tracking; IP67 water resistant; touchscreen display; Android iOS compatible
VK-5096-OR	R 655	Volkano Splash series Orange 1.3" TFT JieLi7012F 260 mAh Round Smartwatch. 1.3-inch full touch TFT display, 320x320 resolution, Bluetooth calling, health monitoring, heart rate monitor, blood oxygen monitor, calorie monitor, 22 sport modes, smart notifications, IP67 water and dust resistant, hypo-allergenic silicone strap, Volkano Active App, Android and iOS compatible, magnetic USB charging cable, 260mAh Li-Polymer battery, up to 5 days usage time, up to 15 days standby time, durable ABS body, adjustable strap, side control button, customizable watch faces, Bluetooth v5.3 chipset JieLi7012F
VK-5096-RD	R 632	Volkano Splash series Round Smartwatch - Red. Quick Specs: Bluetooth 5.3; 1.3" TFT 320 x 320 Full Touch Display; IP67 Water Resistant; Heart Rate and Blood Oxygen Monitor; 22 Sport Modes; Up to 5 Days Battery Life; Compatible with Android and Apple; 260 mAh Battery; Includes Magnetic Charging Cable. The red Volkano Splash Series Round Smartwatch offers fitness tracking, health monitoring and Bluetooth calling in a stylish wearable that suits everyday South African life. With long battery life, IP67 protection and app support, it is ready for work, workouts or weekends. Shop now from our online store.
VK-5097-BK	R 808	Volkano Trinity series Smartwatch with Metal Mesh strap - Black. 1.96 inch AMOLED display, Bluetooth 5.3, heart rate monitor, blood pressure sensor, step and sleep tracking, 100 activity modes, call and message alerts, 250mAh battery, Volkano Fit app, up to 7 days battery life.
VK-5097-GD	R 808	Volkano Trinity Series Smartwatch with Metal Mesh strap - Gold. The Volkano Trinity Series Smart Watch in Rose Gold blends fashion with health and connectivity.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Computer Chassis

ATX Desktop Cases (includes PSU)

Product code	Price	Description
ASUS_UWM_A31COMBO_2	R 9,659	Asus gaming chassis RX 7600 GPU PRIME 750W PSU; gaming PC bundle; mid range gaming build; desktop tower chassis; 750W power supply; RX 7600 graphics card; custom PC components; upgrade ready gaming

		system
BU560 + CP4000	R 906	HuntKey BU560 Black ATX Gaming case 400W PSU, 165mm Max CPU Cooler height, 350mm Max Graphics card length, 7 extend slots, 1x CD-ROM slot 5.25, I/O panel - 1x USB 3.0 / 2x USB 2.0 / audio
C160	R 699	Unique C160 ATX MIDI Tower case with 400Watt Power Supply, 2x 5.25" bays, 4 expansion slots
CC-9011296-WW	R 1,714	Corsair Frame 4000D RS ARGB Mid-Tower E-ATX PC Case - Black, 3x RS ARGB PWM fans, 3D-Y Airflow Steel, 430mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 horizontal or 3 Vertical Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass Case Window, 2x internal 3.5" Drive bays, 2x internal 2.5" Drive bays
CC-9011296-WW	R 1,714	Corsair Frame 4000D RS ARGB Mid-Tower E-ATX PC Case - Black, 3x RS ARGB PWM fans, 3D-Y Airflow Steel, 430mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 horizontal or 3 Vertical Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass Case Window, 2x internal 3.5" Drive bays, 2x internal 2.5" Drive bays
CC-9011297-WW	R 1,714	Corsair Frame 4000D RS ARGB Mid-Tower E-ATX PC Case - White, 3x RS ARGB PWM fans, 3D-Y Airflow Steel, 430mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 horizontal or 3 Vertical Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass Case Window, 2x internal 3.5" Drive bays, 2x internal 2.5" Drive bays
CH-iDF2+1065	R 19,449	In-Win ca03 D-Frame 2.0 (500pcs limited edition with exclusive serial number) - open frame chassis with gold plated steel tubing 2x sided tempered glass - bundled In Win S3-1065W full-modular transparent PSU with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - TIG (Tungsten Inert Gas) welding tubing, two-way open design with quick release fasteners, anti-flip foot pads, support up to 415mm long card, 90degree reversed motherboard tray; 1x front USB 3.1 type C 3x usb 3.0 audio in/out - 4x multifunction hdd bracket for 3.5" or 2.5" (position adjustable) - up to 5x 120mm fans with modular brackets, support up to 2 x 360mm radiators - E-ATX with 8x expansion cards
CH-iHF2Y+1065	R 16,099	In-Win ca02 H-Frame 2.0 black Yellow led (500pcs limited edition with exclusive serial number) - open frame chassis with black luminous frames 2x sided tempered glass, 6-modes LED lighting with brightness adjust buttons on front panel - bundled In Win S2-1065W full-modular transparent PSU with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - TIG (Tungsten Inert Gas) welding tubing, two-way open design with quick release fasteners, anti-flip foot pads, support up to 440mm long card, 90degree reversed motherboard tray; 1x front USB 3.1 type C 3x USB 3.0 audio in/out - 2x external accessed hot swap HDD brackets 4x multifunction hdd bracket for 3.5" or 2.5" (position adjustable) - up to 4x 120mm fans, support up to 360mm radiators - E-ATX with 8x expansion cards
FSP10	R 3,130	FSP M580 ATX Gaming Chassis and HV Pro 650W Power Supply Bundle, 270 degrees Panoramic views Curved Glass exterior Design, 160mm Maximum CPU Cooler height, 445mm VGA card length, 7 Expansion slots, External I/O Port - 2x USB 3.0 / Type-C, 1 1 3.5" HDD bay, 2 1 2.5" SSD bays, 360mm Max radiator support, FSP HV Pro 650W non Modular PSU, Active PFC, 85% efficiency, Sleeve fan 120mm, 1x MB 20 4, 2x 4 4 pin, 2x PCI-e 6 2, 4x SATA, 2x Molex (Peripheral), 1x floppy
TRITRON3BLK	R 861	Armaggeddon Tritron 3 Black ATX Gaming Case with 3xARGB Fans. Dual-chamber design; Tempered glass side panel; 3 x ARGB 120mm fans included; Supports ATX, Micro-ATX, Mini-ITX motherboards; GPU clearance up to 305mm; CPU cooler height up to 165mm; 2 x 2.5" SSD or 2 x 3.5" HDD drive bays; 7 PCI slots; Front I/O: 1 x USB 3.0, 2 x USB 2.0, 1 x Audio, 1 x Mic; Fan support: Front: 3 x 120mm, Rear: 1 x 120mm, Top: 2 x 120mm; Liquid cooling support: Front: 120mm radiator, Top: 240mm radiator; Dimensions: 378mm(L)x190mm(W)x447mm (H)
TRITRON3WHT	R 861	Armaggeddon Tritron 3 White ATX Gaming Case with 3xARGB Fans. Motherboard: ATX/micro-ATX/mini-ITX; GPU max 305 mm; CPU cooler max 165 mm; 1 USB3.0, 2 USB2.0; 7 PCI slots; Drives: SSD HDD bays; Structure dim: 335x190x435 mm; External dim: 380x190x447 mm

< Return to the menu

ATX Desktop Cases (no PSU)		
Product code	**Price**	**Description**

710-434760D1R6	R 804	HuntKey GX760A Fortune ATX Gaming Case - White, Supports up to 10 fans, Two side Tempered Glass, Snap-fit quick-release panel, Support top 360 Liquid Cooler, 160mm CPU Cooler high-limited, 400mm VGA long-limited, 7x PCI-e slot, I/O connector - 1x USB 3.0 / 1x USB 2.0 / 1x HD Audio
710-434760D4R6	R 804	HuntKey GX760A Fortune ATX Gaming Case - Black, Supports up to 10 fans, Two side Tempered Glass, Snap-fit quick-release panel, Support top 360 Liquid Cooler, 160mm CPU Cooler high-limited, 400mm VGA long-limited, 7x PCI-e slot, I/O connector - 1x USB 3.0 / 1x USB 2.0 / 1x HD Audio
A21-ARGB-BLACK	R 1,960	The Asus A21 PLUS microATX case offers support for hidden-connector motherboards, 360 mm radiators and 380 mm graphics cards, with two color options, four pre-installed ARGB fans and clean cable management.
A31PLUS-BK	R 1,873	Asus A31 Plus Black ATX Gaming Chassis
A31PLUS-WH	R 1,868	Asus A31 Plus White ATX Gaming Chassis
A32PLUS-BK	R 2,038	Asus A32 Plus ARGB ATX Gaming Chassis - Black, 2x 3.5 or 3x 2.5" b Drive bays, 7 Expansion slots, Front I/O Port - 1x Headphone / Microphone / 1x USB 3.2 Gen 2x1 Type-C / 2x USB 3.0, 165 mm Maximum CPU Cooler height, 420 mm Maximum GPU length, 220 mm Maximum PSU length, 90 mm Maximum Cable Management Space
ACCM-BD02063.11	R 799	Aerocool B509A Black Mid tower case - Midi Tower Form Factor, ATX, Micro ATX, Mini-ITX Supported Motherboard Form Factor, Side Window, Suitable For Gaming, Tempered Glass Panels, Anti-Dust Filter, Cable Management, LED Indicators, Includes ARGB Fans x 6, 2.5" , 3.5" Supported HDD Sizes, Color Black, Retail Box, 6 Months Warranty.
AIRSTREAMR200	R 1,839	Armaggeddon AirStream R200 Gaming case EATX Full Tower, Tempered Glass side panel, Steel material, 4x 2.5" SSD internal Drive bay, 3x 3.5" Hard Disk Drive Drive bay, 7 expansion slots, 1x USB 3.0 High Speed, 2x USB 2.0 ports, 1x HD audio Port, 1x Microphone Port, 370mm Maximum graphic card length, 180mm Maximum CPU cooler length, No PSU
AQUARONPROBLK	R 884	Armaggeddon Aquaron Pro Transparent view ATX Gaming case - Black, 1x USB 3.0 (Type-A), 1x USB 2.0 (Type-A), 1x HD audio & Microphone jack, 3x 2.5" SSD Drive bay, 1x 3.5" Hard Disk Drive bay, 7x Expansion slots
AQUARONPROPNK	R 965	Armaggeddon Aquaron Pro Transparent view ATX Gaming case - Pink, 1x USB 3.0 (Type-A), 1x USB 2.0 (Type-A), 1x HD audio & Microphone jack, 3x 2.5" SSD Drive bay, 1x 3.5" Hard Disk Drive bay, 7x Expansion slots
AQUARONPROWHT	R 919	Armaggeddon Aquaron Pro Transparent view ATX Gaming case - White, 1x USB 3.0 (Type-A), 1x USB 2.0 (Type-A), 1x HD audio & Microphone jack, 3x 2.5" SSD Drive bay, 1x 3.5" Hard Disk Drive bay, 7x Expansion slots
AQUARONXCURVE258BLK	R 1,264	Armaggeddon Aquaron X-Curve 285 Micro ATX Gaming Case - Black, Pillarless Gaming Case, Curved Tempered Glass panel, Cable Management and system cooling, Stealth Cable Management, Accommodates up to 445mm length graphic cards, 160mm Maximum CPU Cooler, Dedicated Liquid cooling radiator bay, 1x USB 3.0, 2x USB 2.0, 1x HD Audio Port, 3x 2.5" SSD Drive bay (Max), 2x 3.5" HDD Drive bay (Max)
AQUARONXCURVE258WHT	R 1,333	Armaggeddon Aquaron X-Curve 285 Micro ATX Gaming Case - White, Pillarless Gaming Case, Curved Tempered Glass panel, Cable Management and system cooling, Stealth Cable Management, Accommodates up to 445mm length graphic cards, 160mm Maximum CPU Cooler, Dedicated Liquid cooling radiator bay, 1x USB 3.0, 2x USB 2.0, 1x HD Audio Port, 3x 2.5" SSD Drive bay (Max), 2x 3.5" HDD Drive bay (Max)
AQUARONXTREMEBLK	R 1,908	Armaggeddon Aquaron Xtreme E-ATX Gaming Case - Black, Front and side Transparent Fish Tank, Hidden PSU and cables, Dedicated Liquid cooling radiator bay, Front IO - 1x USB 3.0 / 1x USB 3.1 (Type-C) / 1x HD Audio Port, 3x 2.5" " SSD Drive bay or 3.5" " HDD Drive bay, 7x PCI slots, 420mm Maximum VGA card, 185mm Maximum CPU Cooler
AQUARONXTREMEPNK	R 1,954	Armaggeddon Aquaron Xtreme E-ATX Gaming Case - Pink, Front and side Transparent Fish Tank, Hidden PSU and cables, Dedicated Liquid cooling radiator bay, Front IO - 1x USB 3.0 / 1x USB 3.1 (Type-C) / 1x HD Audio Port, 3x 2.5" " SSD Drive bay or 3.5" " HDD Drive bay, 7x PCI slots, 420mm Maximum VGA card, 185mm Maximum CPU Cooler. The Armaggeddon Aquaron Xtreme in pink delivers a compelling blend of performance and visual appeal. Built with SPCC steel and tempered glass panels, it supports E-ATX motherboards, long GPUs up to 420 mm, and up to 360 mm radiatorsâ€"ideal for demanding builds and custom cooling. With efficient cable

		management and extensive airflow options, itâ€™s a solid choice for gamers and creators alike.
ASUS A32 PLUS TG ARGB BLK	R 1,933	ASUS A32 PLUS Black ATX case, ATX, m-ATX, Mini-ITX, 2x3.5" , 3x2.5" bay, Top Radiator: 120/240/360mm. Dim:479 x 220 x 450 mm. Weight: 8.9kg
ASUS PRIME AP303 TG BLACK	R 1,712	Asus Prime AP303 Black - Tempered Glass Panel Chassis, ATX, m-ATX, Mini-ITX, 2x2.5" ; 1x2.5" /3.5" , Top Radiator: 120/140/240/280/360mm, Dimensions:215x425x485 mm
ASUS ROG HYPERION GR701	R 7,744	Asus ROG Hyperion GR701, 9 3(additional vertical) 5x2.5" / 2x2.5" / 3.5" , ARGB, 20.8kg, 8 x 639 x 659 mm
ASUS TUF GAMING GT502 HORIZON TG ARGB BLACK	R 3,884	Asus TUF Gaming GT502 Horizon TG ARGB Black Mid Tower, ATX, m-ATX, Mini-ITX, 4 x 2.5" /3.5" Combo Bay Radiator: 120/140/240/280/360mm, 285x450x446mm, 12kg
AX27 RGB ELITE	R 552	Antec AX27 RGB ELITE ATX Gaming Chassis - Black, Tempered Glass side panel, I/O Ports - USB 3.0 x1 / USB 2.0 x2 / Mic & HD-Audio, 7 Expansion slots, 2x 2.5" Drive bays, 155mm CPU Cooler Max height, 295mm GPU Max length, 295mm Max PSU length
AX61 ELITE	R 684	Antec AX61 Elite Mid-Tower ATX Gaming case, 4mm Tempered Glass side panel, Front Access & controls Power - LED control Button / 2x USB 2.0 / 1x USB 3.0 / HD-Audio, 7 Expansion slots, 320mm Max GPU length, 160mm Max CPU Cooler height
AX85 ARGB	R 748	Antec AX85 ATX, Micro-ATX, ITX ARGB Mid-Tower Gaming Chassis - Black
B509A Flow-G-BK-v1	R 585	Aerocool B509A Black Mid Tower ATX Case, Includes 6x 120mm ARGB fan, 5x 2.5" bays or 3x 3.5" bays, 7 Expansion slots, Supports GPU up to 340mm, Supports CPU Cooler up to 158mm, I/O Ports - USB 3.0 x 1 / USB 2.0 x 2 / HD Audio & Mic, 21mm internal Cable Management depth, Up to 185mm ATX PSU Power Supply
BU560	R 642	HuntKey BU560 Black Gaming case without PSU
C1-R-BK-v1	R 921	APNX C1-R Premium Black Mid-Tower ATX Case, 4x PWM ARGB fan included, 3x Max 3.5" Drive bays, 3x Max 2.5" Drive bays, 7 Expansion slots, Supports GPU up to 395mm, Supports CPU Cooler up to 166mm, I/O Ports - USB 3.0 x 2 / USB Type-C x 1 / HD Audio & mic., 40mm internal Cable Management depth
C1-R-CF-v1	R 1,162	Aerocool APNX C1-R Premium ChromaFlair Mid-Tower ATX Case, 4x PWM ARGB fan included, 3x 2.5" or 3x 3.5" bays, 7 Expansion slots, Supports GPU up to 395mm, Supports CPU Cooler up to 166mm, I/O Ports - 2x USB 3.0 / 1x USB Type-C / HD Audio & mic., 40mm internal Cable Management depth
C1-R-WT-v1	R 949	APNX C1-R Premium White Mid-Tower ATX Case, 4x PWM ARGB fan included, 3x Max 3.5" Drive bays, 3x Max 2.5" Drive bays, 7 Expansion slots, Supports GPU up to 395mm, Supports CPU Cooler up to 166mm, I/O Ports - USB 3.0 x 2 / USB Type-C x 1 / HD Audio & mic., 40mm internal Cable Management depth
C3 ARGB W	R 1,517	Antec C3 ARGB ATX Mid-Tower Gaming Chassis - White, 4mm Tempered Glass side panel, 7 Expansion slots, 1/1 3.5" /2.5" bays, 3x 3.5" bays, 415mm Max GPU length, 160mm Max CPU Cooler height, 195mm Max PSU length
C5 ARGB B	R 1,802	Antec C5 ARGB ATX Dual Mid Tower Gaming Chassis - Black, 4 mm Tempered Glass side panel, 1x 3.5" bays, 2x 2.5" bays, 410mm Max GPU length, 160mm Max CPU Cooler height, 240mm Max PSU length
C5 ARGB W	R 1,832	Antec C5 ARGB ATX Dual Mid Tower Gaming Chassis - White, 4 mm Tempered Glass side panel, 1x 3.5" bays, 2x 2.5" bays, 410mm Max GPU length, 160mm Max CPU Cooler height, 240mm Max PSU length
C5 CURVED B	R 1,617	Antec C5 Curved ARGB ATX ARGB Dual Chamber Mid-Tower Gaming Chassis - Black, Dual-Chamber Design with 4mm Curved Tempered Glass side panels, Vertical cooling Architecture supports up to 10 fans, Accommodates GPUS up to 410 mm in length, Supports CPU coolers up to 160 mm height, Includes 4 Pre-Installed Antec P12 PWM ARGB fans, Built-In Controller for RGB Lighting Management, Front I/O features USB 3.0 x2 and Type-C 3.2 Gen 2, Magnetic dust filters included on top and bottom
C5 CURVED W	R 1,708	Antec C5 Curved ARGB ATX ARGB Dual Chamber Mid-Tower Gaming Chassis - White, Dual-Chamber Design with 4mm Curved Tempered Glass side panels, Vertical cooling Architecture supports up to 10 fans, Accommodates GPUS up to 410 mm in length, Supports CPU coolers up to 160 mm height, Includes 4 Pre-Installed Antec P12 PWM ARGB fans, Built-In Controller for RGB Lighting Management, Front I/O features USB 3.0 x2 and Type-C 3.2 Gen 2, Magnetic dust filters included on top and bottom
C6 CURVED AIR B	R 1,636	Antec C6 Curved Air ATX Mid-Tower Gaming Chassis - Black, Features a Curved three-sided 4mm Tempered Glass side panel, Accommodates Graphics cards up to 450mm in length including RTX 5090, Max CPU Cooler height of 180mm, Supports radiators up to 360mm on top and 120mm at rear, Includes three Pre-Installed fans with two 120mm PWM Reverse fans and one 140mm PWM fan, Vertical cooling Design supports up to Six fans for

		efficient Airflow, Front I/O includes - USB 3.0 x 2 / Type-C 3.2 Gen 2 (10Gbps) / Headphone / Mic jack, Back-Connect Motherboard support for cleaner cable routing, Side-mounted PSU chamber with rotatable module
C6 CURVED AIR W	R 1,779	Antec C6 Curved Air ATX Mid-Tower Gaming Chassis - White, Features a Curved three-sided 4mm Tempered Glass side panel, Accommodates Graphics cards up to 450mm in length including RTX 5090, Max CPU Cooler height of 180mm, Supports radiators up to 360mm on top and 120mm at rear, Includes three Pre-Installed fans with two 120mm PWM Reverse fans and one 140mm PWM fan, Vertical cooling Design supports up to Six fans for efficient Airflow, Front I/O includes - USB 3.0 x 2 / Type-C 3.2 Gen 2 (10Gbps) / Headphone / Mic jack, Back-Connect Motherboard support for cleaner cable routing, Side-mounted PSU chamber with rotatable module
C7 ARGB B	R 1,915	Antec C7 ARGB E-ATX Mid Tower Gaming Chassis - Black, 4 mm Tempered Glass side panel, 7 Expansion slots, Front Access - LED control Button / USB 3.0 x2 / Type-C 10Gbps x1 / Headphone / Mic Combo jack, 450mm Max GPU length, 180mm Max CPU Cooler height, 210mm Max PSU length
C8	R 1,615	Antec C8 ATX, Micro-ATX, ITX Gaming Chassis - Black
C8 ARGB B	R 2,126	Antec C8 ARGB eATX Dual Full Tower Gaming Chassis - Black, 4 mm Tempered Glass side panel, 8 Expansion slots, 2x 3.5" bays, 2x 2.5" bays, 440mm Max GPU length, 175mm Max CPU Cooler height, 210mm Max PSU length
C8 CURVED WOOD	R 2,044	Antec C8 CURVED WOOD E-ATX Dual Chamber Gaming Chassis - Black, Glass Wood, 4mm Tempered Glass side panel, 8 Expansion slots, 1x 3.5" Drive bays, 2x 2.5" Drive bays, 440mm Max GPU length, 175mm Max CPU Cooler height, 210mm Max PSU length
C915BG	R 748	Microworld Gaming ATX Case with 4 LED fans, Red & Blue Colour, 2x 3.5 HDD bays, 2x 2.5 SSD bays, Front USB & Audio - 2x USB 2.0 / 1x USB 3.0, Support up to 300mm graphic card length
CA-1B4-00M1WN-00	R 1,090	Thermaltake Commander G41 Mid-Tower Chassis
CA-1B5-00M1WN-00	R 1,090	Thermaltake Commander G42 Window Mid-Tower Chassis
CA-1C6-00M1WN-00	R 1,389	Thermaltake Core V51 Window Mid-Tower Chassis
CA-1C6-00M8WN-00	R 1,792	Thermaltake Core V51 Riing Edition PC Chassis
CA-1C7-00M1WN-00	R 1,263	Thermaltake Core V41 Window Mid-tower Chassis
CA-1D7-00C1WN-00	R 1,608	Thermaltake Core X2 mATX Cube Chassis
CA-1D9-00M1WN-00	R 895	Thermaltake Versa N21 Window Mid-tower Chassis
CA-1D9-00M6WN-00	R 975	Thermaltake Versa N21 Snow Window Mid-tower Chassis
CA-1E1-00M1WN-00	R 1,677	Thermaltake Suppressor F51 Window E-ATX Mid-Tower Chassis
CA-1E2-00M1WN-00	R 883	Thermaltake Versa N23 Mid-Tower Chassis
CA-1E3-00M1WN-03	R 1,458	Thermaltake Suppressor F31 Tempered Glass Edition Mid Tower Chassis
CA-1E7-00M1WN-03	R 4,138	Thermaltake Core P5 Tempered Glass Edition ATX Wall-Mount Chassis
CA-1E7-00M1WN-05	R 2,838	Thermaltake Core P5 tempered glass V2 Black Edition ATX wall-mount chassis, Mid Tower case Type, Tempered glass x 1 (5mm thickness) side panel, 1x 3.5" or 2.5" (Hard Disk Drive tray), 2x 2.5" or 3.5" (Hard Disk Drive bracket), 3x 3.5" or 2.5" (Behind the M/B tray), 8x expansion slots, 4x USB 3.0, 1x HD audio
CA-1E8-00M6WN-00	R 2,482	Thermaltake Cube Core X5 Tempered Glass Snow Edition ATX Chassis, Cube case with two tempered glass windows and two preinstalled 120mm fans, supporting up to E-ATX MB.
CA-1E9-00M1WN-00	R 1,286	Thermaltake Core X31 Mid Tower Chassis
CA-1E9-00M1WN-02	R 1,723	Thermaltake Core X31 RGB Edition PC Chassis
CA-1F1-00D1NN-00	R 1,573	Thermaltake Core P100 Pedestal Tower
CA-1F2-00F1WN-00	R 5,391	Thermaltake Core W100 Super Tower Chassis
CA-1F4-00D1NN-00	R 1,907	Thermaltake Core P200 Pedestal Tower
CA-1F8-00M1WN-00	R 1,838	Thermaltake Core X71 Full Tower Chassis PC Chassis
CA-1G3-00M1WN-00	R 734	Thermaltake Versa N26 Window Mid-Tower Chassis
CA-1G4-00M1WN-00	R 1,723	Thermaltake Core P3 ATX Wall-Mount Chassis
CA-1G4-00M1WN-06	R 2,367	Thermaltake Core P3 tempered Glass Edition ATX open Frame chassis, Mid Tower case Type, 5mm tempered glass x 1 side panel, SPCC material, 2x 3.5" or 3 x 2.5" (Outside the chassis), 2x 3.5" or 2.5" (Inside the chassis), 8 expansion slots, 2x USB 3.0, 2x USB 2.0, 1x HD audio
CA-1G4-00M1WN-09	R 2,643	Thermaltake Core P3 TG Pro Mid Tower ATX case, 1x 4mm Tempered Glass, SPCC material, 2x 3.5" or 3 x 2.5"

		Drive bays, 8 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 1x HD audio, 180mm CPU Cooler height limitation, 200mm PSU length limitation, 330mm VGA length limitation :
CA-1G4-00M6WN-05	R 2,240	Thermaltake Core P3 Tempered Glass Snow Edition ATX Open Frame Chassis, Mid Tower, Side Panel 5mm Tempered Glass x 1 , Color White, Material SPCC, Drive Bays -Accessible 2 x 3.5" or 3 x 2.5" (Outside the chassis), Expansion Slots 8, I/O Port USB 3.0 x 2, USB 2.0 x 2, HD Audio x 1
CA-1G5-00M1WN-00	R 895	Thermaltake Versa U21 Window Mid-tower Chassis
CA-1G8-00M1WN-00	R 975	Thermaltake Versa C21 RGB ATX Mid-Tower Chassis
CA-1G9-00M1WN-00	R 814	Thermaltake Versa C22 RGB ATX Mid-Tower Chassis
CA-1G9-00M6WN-00	R 814	Thermaltake Versa C22 RGB Snow Edition ATX Mid-Tower Chassis
CA-1H1-00F1WN-00	R 3,402	Thermaltake The Tower 900 E-ATX Vertical Super Tower Case
CA-1H2-00M1WN-00	R 998	Thermaltake View 28 RGB Gull-Wing Window ATX Mid-Tower Chassis
CA-1H2-00M1WN-01	R 1,148	Thermaltake View 28 RGB Riing Edition Gull-Wing Window ATX Mid-Tower Chassis
CA-1H6-00M1WN-00	R 757	Thermaltake Versa N27 Black Window ATX Mid-tower Chassis
CA-1H6-00M6WN-00	R 757	Thermaltake Versa N27 Snow Window ATX Mid-tower Chassis
CA-1H7-00M1WN-00	R 1,148	Thermaltake Versa C23 Tempered Glass RGB Edition Mid-tower Chassis
CA-1H8-00M1WN-00	R 1,378	Thermaltake View 31 Tempered Glass Edition ATX Mid Tower Chassis
CA-1H8-00M1WN-01	R 1,734	Thermaltake View 31 Tempered Glass Rgb Edition Atx Mid Tower Chassis
CA-1H8-00M1WN-02	R 1,803	Thermaltake view 31 tempered glass ARGB edition Mid Tower chassis Black, Mid Tower case Type, 4mm tempered glass x 2 (Left & right) side panel, SPCC material, 3x 3.5" or 2.5" (Hard Disk Drive cage) Drive bays-hidden, 8 2 expansion slots, 2x USB 3.0, 2x USB 2.0, 1x HD audio, 1x RGB button
CA-1I2-00F1WN-00	R 3,344	Thermaltake Core P7 Tempered Glass Edition Full Tower Chassis
CA-1I3-00M1WN-00	R 987	Thermaltake View 21 Tempered Glass Edition Mid-Tower Chassis
CA-1I3-00M1WN-05	R 1,838	Thermaltake View 21 Tempered Glass RGB Plus Edition ATX mid tower case with two tempered glass windows and four preinstalled 120mm Pure Plus 12 RGB fans.
CA-1I6-00M6WN-00	R 895	Thermaltake Versa C24 RGB Snow Edition Mid-Tower Chassis
CA-1I7-00F1WN-01	R 3,356	Thermaltake View 71 Tempered Glass RGB Edition Full Tower Chassis
CA-1I7-00F1WN-03	R 3,448	Thermaltake view 71 tempered glass ARGB Edition full Tower chassis Black, Full Tower case Type, 5mm tempered glass x 4 (Left & right & front & top) side panel, SPCC material, 2.5" x4 or 3.5" x4 (Hard Disk Drive rack) Drive bays-accessible, 2.5" x6 or 3.5" x3 Drive bays-hidden, 8 2 expansion slots, 2x USB 3.0, 2x USB 2.0, 1x HD audio, 1x RGB button
CA-1I7-00F6WN-00	R 3,114	Thermaltake View 71 Tempered Glass Snow Edition Full-tower case with four tempered glass windows and two preinstalled 140mm Riing white fans, supporting up to E-ATX MB.
CA-1I9-00F1WN-00	R 8,450	Thermaltake View 91 Tempered Glass RGB Edition Super Tower Chassis
CA-1J1-00S1WN-00	R 688	Thermaltake Versa H17 Window Mid Tower Case
CA-1J6-00M1WN-00	R 849	Thermaltake Versa H27 Tempered Glass Edition ATX mid-tower chassis with one tempered glass window and one preinstalled 120mm fan.
CA-1J7-00M1WN-00	R 1,677	Thermaltake View 37 Riing Edition Mid-Tower Chassis
CA-1J7-00M1WN-01	R 2,160	Thermaltake View 37 RGB Edition Mid-Tower Chassis
CA-1J8-00M1WN-00	R 3,448	Thermaltake Core P90 Tempered Glass Edition Mid-Tower Chassis
CA-1L7-00M1WN-00	R 803	Thermaltake Versa J24 Tempered Glass Edition ATX mid-tower chassis with one tempered glass window and one preinstalled 120mm fans.
CA-1L8-00M1WN-00	R 803	Thermaltake versa J25 tempered glass Mid Tower ATX case, CA-1L8-00M1WN-00, 1x 4mm tempered glass, SPCC material, 7 expansion slots, 2x USB 3.0, 1x HD audio
CA-1M3-00M1WN-00	R 1,539	Thermaltake H200 tg RGB ATX Mid Tower chassis Black, Middle Tower case Type, 4mm tempered glass x1 (Left) side panel, SPCC material, 2x 3.5" or 3x 2.5" Drive bays-hidden, 7 expansion slots, 2x USB 3.0, 1x HD audio, 1x RGB button
CA-1M3-00M6WN-00	R 1,608	Thermaltake H200 TG Snow RGB ATX Mid Tower chassis White, Middle Tower case Type, 4mm tempered glass x1 (Left) side panel, SPCC material, 2x 3.5" or 3x 2.5" Drive bays-hidden, 7 expansion slots, 2x USB 3.0, 1x HD audio, 1x RGB button

CA-1M7-00M1WN-00	R 1,447	Thermaltake Level 20 MT ARGB Mid Tower Chassis, Case Type: Mid Tower, Side Panel: 4mm Tempered Glass x 2 (Left & Front), Color Exterior & Interior: Black, Material: SPCC, Cooling System Front (Intake): 120 x 120 x 25mm Addressable RGB fan x 3, Rear (exhaust): 120 x 120 x 25 mm fan x 1, Drive Bays -Acc
CA-1N2-00M6WN-00	R 1,608	Thermaltake Commander C31 TG Snow ARGB Edition Mid-tower case with tempered glass side panel and two preinstalled 200mm 5V ARGB LED front fans and one 120mm standard rear fan, supporting up to ATX MB.
CA-1N3-00M1WN-00	R 1,838	Thermaltake Commander C32 Dual 200MM ARGB Fans Tempered Glass ATX Mid-Tower Chassis, Case Type: Mid Tower, Side Panel 4mm Tempered Glass x1, Color Exterior & Interior: Black, Material: SPCC, Cooling System Rear (exhaust): 120 x 120 x 25 mm fan, Front (intake): 200 x 200 x 30 mm ARGB fan x2, Drive Bays - Hidden: 3 x 3.5" or 2.5" (HDD Bracket)
CA-1N5-00M6WN-00	R 1,608	Thermaltake Commander C34 TG Snow ARGB Edition Mid-tower case with tempered glass side panel and two preinstalled 200mm 5V ARGB front fans and one 120mm standard rear fan, supporting up to ATX MB.
CA-1N6-00M1WN-00	R 1,654	Thermaltake Commander C35 Dual 200MM ARGB Fans Tempered Glass ATX Mid-Tower Chassis, Case Type: Mid Tower, Side Panel 4mm Tempered Glass x1, Color Exterior & Interior: Black, Material: SPCC, Cooling System Rear (exhaust): 120 x 120 x 25 mm fan, Front (intake): 200 x 200 x 30 mm ARGB fan x2, Drive Bays - Hidden: 3 x 3.5" or 2.5" (HDD Bracket)
CA-1O2-00F9WN-00	R 4,046	Thermaltake A700 aluminum tempered Glass Edition full Tower chassis Black, Full Tower case Type, 5mm tempered glass x 2 (Left & right) side panel, SPCC material, 2.5" x4 or 3.5" x4 (Hard Disk Drive rack) Drive bays-accessible, 2.5" x6 or 3.5" x3 Drive bays-hidden, 8 expansion slots, 2x USB 3.0 , 2x USB 2.0 , 1x HD audio , 1x Type-C
CA-1O3-00M1WN-00	R 1,677	Thermaltake S500 tempered Glass Edition Mid Tower chassis Black, Middle Tower case Type, 4mm tempered glass x 1 (Left) side panel, SPCC material, 2.5" x 2 or 3.5" x 2 (Hard Disk Drive rack) Drive bays-accessible, 2.5" x 1 (Hard Disk Drive bracket), 2.5" x 2 or 3.5" x 1 (Hard Disk Drive bracket), 8x expansion slots, 2x USB 3.0 , 2x USB 2.0 , 1x HD audio , 1x Reset button
CA-1P1-00M1WN-00	R 1,562	Thermaltake Commander G31 TG ARGB Mid-Tower ATX chassis, 4mm Tempered Glass x1 side panel, SPCC material, 7 2 expansion slots, 300mm VGA length limitation, 165mm CPU cooler height limitation, 1x USB 3.0, 2x USB 2.0, 1x HD audio, 1x RGB Switch, 2x 3.5" or 2.5" (Hard Disk Drive rack) & 2x 2.5" (Hard Disk Drive bracket) Drive bays
CA-1P2-00M1WN-00	R 1,562	Thermaltake Commander G32 TG ARGB Mid-Tower ATX chassis, 4mm Tempered Glass x1 side panel, SPCC material, 2x 3.5" or 2.5" (Hard Disk Drive rack) & 2x 2.5" (Hard Disk Drive bracket) Drive bays, 7 2 expansion slots, 1x USB 3.0 , 2x USB 2.0, 1x HD audio , 1x RGB Switch , 165mm CPU cooler height limitation, 300mm VGA length limitation
CA-1P3-00M1WN-00	R 1,562	Thermaltake Commander G33 TG ARGB Mid-Tower ATX chassis, 4mm Tempered Glass x1 side panel, SPCC material, 2x 3.5" or 2.5" (Hard Disk Drive rack) & 2x 2.5" (Hard Disk Drive bracket) Drive bays, 7 2 expansion slots, 1x USB 3.0, 2x USB 2.0, 1x HD audio, 1x RGB Switch, 165mm CPU cooler height limitation, 300mm VGA length limitation
CA-1P4-00M1WN-00	R 1,826	Thermaltake H550 Tempered Glass ARGB Edition Mid Tower ATX chassis, 4mm Tempered Glass x1 side panel, SPCC material, 2x 3.5" or 2.5" (Hard Disk Drive rack) & 2x 2.5" (Hard Disk Drive bracket) Drive bays, 7 2 expansion slots, 1x USB 3.0, 2x USB 2.0, 1x HD audio, 1x RGB Switch, 165mm CPU cooler height limitation, 300mm VGA length limitation
CA-1P5-00M1WN-00	R 1,274	Thermaltake S300 Tempered Glass Edition Mid Tower ATX chassis, 4mm Tempered Glass x 1 side panel, SPCC material, 2x 3.5" or 2.5" (Hard Disk Drive rack) & 2 x 3.5" (Without Hard Disk Drive rack) Drive bays accessible, 2x 2.5" (Hard Disk Drive bracket) Drive bays hidden, 7 expansion slots, 1x USB 3.0, 2x USB 2.0, 1x HD audio, 170mm CPU cooler height limitation, 280mm VGA length limitation
CA-1P5-00M6WN-00	R 1,481	Thermaltake S300 Tempered Glass Snow Edition Mid-Tower ATX chassis, 4mm Tempered Glass x 1 side panel, SPCC material, 2x 3.5" or 2.5" (Hard Disk Drive rack) & 2x 3.5" (Without Hard Disk Drive rack) Drive bays accessible, 2x 2.5" (Hard Disk Drive bracket) Drive bays hidden, 7 expansion slots, 1x USB 3.0, 2x USB 2.0, 1x HD audio, 170mm CPU cooler height limitation, 280mm VGA length limitation
CA-1P6-00F1WN-00	R 3,436	Thermaltake Level 20 HT Full Tower EATX chassis, 4x Tempered Glass (4mm thickness) side panel, SPCC material, 4x 3.5" or 2.5" (with Hard Disk Drive cage) Drive bays accessible, 1x 2.5" (with Hard Disk Drive bracket)

		Drive bays hidden, 8 expansion slots, 1x Type-C, 2x USB 2.0, 2x USB 3.0, 1x HD audio, 260mm CPU cooler height limitation, 400mm VGA length limitation
CA-1P6-00F6WN-00	R 3,436	Thermaltake Level 20 HT Snow Edition Full Tower EATX chassis, 4x Tempered Glass (4mm thickness) side panel, SPCC material, 4x 3.5" or 2.5" (with Hard Disk Drive cage) Drive bays accessible, 1x 2.5" (with Hard Disk Drive bracket) Drive bays hidden, 8 expansion slots, 1x Type-C, 2x USB 2.0, 2x USB 3.0, 1x HD audio, 260mm CPU cooler height limitation, 400mm VGA length limitation
CA-1P8-00M1WN-00	R 2,367	Thermaltake Level 20 RS ARGB Mid Tower ATX chassis, 4mm Tempered Glass x 2 side panel, SPCC material, 2x 2.5" or 2x 3.5" (Hard Disk Drive rack) Drive bays accessible, 1x 2.5" (Hard Disk Drive bracket) & 2x 2.5" or 1x 3.5" (Hard Disk Drive bracket) Drive bays hidden, 8 expansion slots, USB 3.0 x 2, USB 2.0 x 2, HD audio x 1, RGB button x 1, 172mm CPU cooler height limitation, 282mm VGA length limitation
CA-1Q2-00M1WN-00	R 4,310	Thermaltake Core P8 TG Full Tower case, Tempered Glass x 3 side panel, SPCC material, 1x 2.5" (with pump bracket) Drive bays - accessible, 3x 3.5" or 6x 2.5" Drive bays - hidden, 8x Expansion slots, I/O Port - 1x USB 3.1 (Gen 2) Type-C / 2x USB 3.0 / x 2 USB 2.0 / 1 x HD audio, 180mm CPU Cooler height limitation, 280mm VGA length limitation, 200mm PSU length limitation
CA-1Q4-00M6WN-00	R 4,448	Thermaltake AH T600 Snow Full Tower EATX chassis, 5mm Tempered Glass x 2 side panel, SPCC material, 2x 3.5" or 3x 2.5" Drive bays accessible, 8 expansion slots, 1x Type-C, 2x USB 3.0, 1x USB 2.0, 1x HD audio, 195mm CPU cooler height limitation, 300mm VGA length limitation
CA-1Q5-00M1WN-00	R 1,309	Thermaltake V250 Tempered Glass ARGB Mid Tower ATX chassis, 4mm Tempered Glass x 1 side panel, SPCC material, 2x 3.5" or 2x 2.5" Drive bays accessible, 2x 2.5" Drive bays hidden, 7 expansion slots, 1x USB 3.0, 2x USB 2.0, 1x HD audio, 1x r button, 160mm CPU cooler height limitation, 320mm VGA length limitation
CA-1Q5-00M1WN-03	R 1,378	Thermaltake V250 TG Black ARGB Air Mid Tower case, 4mm Tempered Glass side panel, SPCC material, 2x 3.5" & 2x 2.5" Drive bays, 7 Expansion slots, 160mm CPU Cooler height limitation, 320mm VGA length limitation
CA-1Q6-00M1WN-00	R 2,942	Thermaltake view 51 Tempered Glass ARGB Edition Full Tower EATX chassis, 3x Tempered Glass (4mm thickness) side panel, SPCC material, 2x 2.5" (with Hard Disk Drive bracket) Drive bays accessible, 2x 3.5" or 2.5" (with Hard Disk Drive cage) Drive bays hidden, 8 expansion slots, 1x Type-C, 2x USB 2.0, 2x USB 3.0, 1x HD audio, 1x RGB buttom, 175mm CPU cooler height limitation, 300mm VGA length limitation
CA-1Q8-00M1WN-00	R 10,348	Thermaltake DistroCase 350P Mid Tower Chassis
CA-1Q9-00S1WN-00	R 711	Thermaltake S100 Tempered Glass Micro Chassis
CA-1R1-00S1WN-00	R 998	Thermaltake V150 Tempered Glass Micro Chassis
CA-1R3-00S1WN-00	R 1,608	Thermaltake The Tower 100 Black Mini Tower Chassis
CA-1R3-00S6WN-00	R 1,608	Thermaltake The Tower 100 Snow Mini Tower Chassis
CA-1R4-00S1WN-00	R 1,263	Thermaltake AH T200 Black Micro-ATX Chassis (AHT200)
CA-1R4-00S6WN-00	R 2,413	Thermaltake AH T200 Snow Micro-ATX Chassis (AHT200)
CA-1R5-00M1WN-00	R 849	Thermaltake Versa T25 Tempered Glass Mid-Tower Chassis
CA-1S2-00M6WN-01	R 1,665	Thermaltake Divider 300 TG Snow ARGB ATX Chassis
CA-1V2-00M1WN-00	R 3,218	Thermaltake Core P6 TG Black Mid Tower case, 4mm Tempered Glass x3 side panel, SPCC material, 4 x 3.5" or 8 x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x 1 / USB 3.0 x 2 / USB 2.0 x 2 / HD audio x 1, 180mm CPU Cooler height limitation, 300mm VGA length limitation, 200mm PSU length limitation
CA-1V2-00M6WN-00	R 3,333	Thermaltake Core P6 TG Snow Mid Tower case, 4mm Tempered Glass x3 side panel, SPCC material, 4 x 3.5" or 8 x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x 1 / USB 3.0 x 2 / USB 2.0 x 2 / HD audio x 1, 180mm CPU Cooler height limitation, 300mm VGA length limitation, 200mm PSU length limitation
CA-1V2-00MCWN-00	R 3,678	Thermaltake Core P6 Tempered Glass Racing Green Mid Tower Chassis, 3x 4mm Tempered Glass panel, SPCC material, 4 x 3.5" or 8 x 2.5" Drive bays, 7 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 2x USB 2.0 / 1x HD audio, 180mm CPU Cooler height limitation
CA-1X1-00M1WN-00	R 2,988	Thermaltake The Tower 500 Mid Tower ATX chassis, 3x 4mm Tempered Glass side panels, SPCC material, 4x 3.5" & 8x 2.5" Drive bays, 9 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 4x USB 3.0 / 1x HD audio, 275mm CPU Cooler height limitation, 325mm VGA length limitation, 200mm PSU length limitation
CA-1X1-00M6WN-00	R 2,988	Thermaltake The Tower 500 Mid Tower ATX chassis - Snow, 3x 4mm Tempered Glass side panels, SPCC material, 4x 3.5" & 8x 2.5" Drive bays, 9 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 4x USB 3.0 / 1x

		HD audio, 275mm CPU Cooler height limitation, 325mm VGA length limitation, 200mm PSU length limitation
CA-1X2-00M1WN-00	R 1,263	Thermaltake S200 TG ARGB mid ATX Tower chassis, 1x 3mm Tempered Glass side panel, SPCC material, 7 Expansion slots, 2x 3.5" & 2x 2.5" Drive bays, I/O Port - 2x USB 3.0 / 1x HD audio, 166mm CPU Cooler Max height, 300mm VGA Max length, 190mm PSU Max length 190mm
CA-1X2-00M6WN-00	R 1,343	Thermaltake S200 TG ARGB mid ATX Tower chassis - Snow, 1x 3mm Tempered Glass side panel, SPCC material, 7 Expansion slots, 2x 3.5" & 2x 2.5" Drive bays, I/O Port - 2x USB 3.0 / 1x HD audio, 166mm CPU Cooler Max height, 300mm VGA Max length, 190mm PSU Max length 190mm
CA-1X4-00M1WN-00	R 1,780	Thermaltake H590 Tempered Glass ARGB Mid Tower Chassis - Black, 1x 4mm Tempered Glass panel, SPCC material, 7 Expansion slots, I/O Port - 2x USB 3.0 / 1x HD audio / 1x LED Button, 160mm CPU Cooler height limitation, 360mm VGA length limitation, 180mm PSU length limitation
CA-1X4-00M6WN-00	R 1,758	Thermaltake H590 Tempered Glass ARGB Mid Tower Chassis - White, 1x 4mm Tempered Glass panel, SPCC material, 7 Expansion slots, I/O Port - 2x USB 3.0 / 1x HD audio / 1x LED Button, 160mm CPU Cooler height limitation, 360mm VGA length limitation, 180mm PSU length limitation
CA-1X5-00M1WN-00	R 2,873	Thermaltake Ceres 500 TG ARGB Mid Tower ATX chassis, 1x 3mm Tempered Glass side panel, SPCC material, 2x 3.5" & 6x 2.5" Drive bays, 7 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 1x HD audio, 185mm CPU Cooler Max height, 395mm VGA Max length, 220mm PSU Max length
CA-1X5-00M6WN-00	R 2,769	Thermaltake Ceres 500 Tempered Glass ARGB Mid Tower ATX Chassis - White, 1x 3mm Tempered Glass side panel, SPCC material, 2x 3.5" & 6x 2.5" Drive bays, 7 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 1x HD audio, 185mm CPU Cooler Max height, 395mm VGA Max length, 220mm PSU Max length
CA-1X6-00F1WN-00	R 3,494	Thermaltake CTE C750 Tempered Glass ARGB Full Tower Chassis - Black, 2x 4mm Tempered Glass panel, SPCC / ABS material, 7 x 3.5" or 12 x 2.5" Drive bays, 7 Expansion slots, IO Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x4 / HD audio x1, 190mm CPU Cooler Max height, 220mm PSU Max length
CA-1X6-00F6WN-00	R 3,586	Thermaltake CTE C750 Tempered Glass ARGB Full Tower Chassis - White, 2x 4mm Tempered Glass panel, SPCC / ABS material, 7 x 3.5" or 12 x 2.5" Drive bays, 7 Expansion slots, IO Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x4 / HD audio x1, 190mm CPU Cooler Max height, 220mm PSU Max length
CA-1X6-00F6WN-01	R 4,023	Thermaltake CTE C750 TG ARGB Snow eATX Full Tower Chassis - Snow White, 4mm Tempered Glass x 2, SPCC / ABS material, 7x 3.5" or 12x 2.5" Drive bays, 7 Expansion slots, 190mm CPU Cooler Max height, 370mm VGA Max length with radiator, 220mm PSU Max length
CA-1X8-00F1WN-01	R 3,310	Thermaltake CTE T500 Tempered Glass ARGB Full Tower Chassis - Black, 2x 4mm Tempered Glass panel, SPCC / ABS material, 4x 3.5" or 6x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 195mm CPU Cooler Max height, 385mm VGA Max length, 180mm PSU Max length
CA-1X8-00F6WN-01	R 3,321	Thermaltake CTE T500 Tempered Glass ARGB Full Tower Chassis - White, 2x 4mm Tempered Glass panel, SPCC / ABS material, 4x 3.5" or 6x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 195mm CPU Cooler Max height, 385mm VGA Max length, 180mm PSU Max length
CA-1Y2-00M1WN-00	R 1,954	Thermaltake Ceres 300 Tempered Glass ARGB Mid Tower Chassis - Black, 1x 4mm Tempered Glass panel, SPCC material, 1x 3.5" or 2x 2.5" Drive bays, 7 x Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 185mm CPU Cooler Max height, 220mm PSU Max length
CA-1Y2-00M6WN-00	R 2,137	Thermaltake Ceres 300 Tempered Glass ARGB Mid Tower Chassis - White, 1x 4mm Tempered Glass panel, SPCC material, 1x 3.5" or 2x 2.5" Drive bays, 7 x Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 185mm CPU Cooler Max height, 220mm PSU Max length
CA-1Y2-00MEWN-00	R 2,137	Thermaltake Ceres 300 Tempered Glass ARGB Mid Tower Chassis - Matcha Green, 1x 4mm Tempered Glass panel, SPCC material, 1x 3.5" or 2x 2.5" Drive bays, 7 x Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 185mm CPU Cooler Max height, 220mm PSU Max length
CA-1Y6-00M1WN-00	R 2,286	Thermaltake S250 TG ARGB eATX Mid Tower Chassis - Black, 1x 4mm Tempered Glass, SPCC material, 2x 3.5" & 2x 2.5" or 4x 2.5" Drive bays, 7 Expansion slots, I/O Port - 2x USB 3.0, 1x HD audio, 165mm CPU Cooler height limitation, 400mm VGA length limitation, 220mm PSU length limitation
CA-1Y6-00M6WN-00	R 2,470	Thermaltake S250 TG ARGB eATX Mid Tower Chassis - Snow White, 1x 4mm Tempered Glass, SPCC material, 2x 3.5" & 2x 2.5" or 4x 2.5" Drive bays, 7 Expansion slots, I/O Port - 2x USB 3.0, 1x HD audio, 165mm CPU Cooler height limitation, 400mm VGA length limitation, 220mm PSU length limitation

CA-1Y7-00M1WN-00	R 1,608	Thermaltake View 270 TG ARGB eATX Mid Tower Chassis, 2x Tempered Glass panel, SPCC material, 2x 3.5" Drive bays, 1x 2.5" or 2x 2.5" Drive bays, 2x 3.5" Drive bays, 1x 2.5" or 2x 2.5" Drive bays, 7 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 1x HD audio, 180mm CPU Cooler Max height, 420mm VGA Max length, 220mm PSU Max length
CA-1Y7-00M6WN-00	R 1,723	Thermaltake View 270 TG ARGB eATX Mid Tower Chassis - Snow White, 2x Tempered Glass panel, SPCC material, 2x 3.5" Drive bays, 1x 2.5" or 2x 2.5" Drive bays, 2x 3.5" Drive bays, 1x 2.5" or 2x 2.5" Drive bays, 7 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 1x HD audio, 180mm CPU Cooler Max height, 420mm VGA Max length, 220mm PSU Max length
CA-1Z1-00M1WN-00	R 3,448	Thermaltake Case The Tower 600 Black Full Tower, 3mm Tempered Glass x 3, 1x 3.5" Drive bay, 2x 2.5" or 3x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x4 / HD Audio x1, 210mm CPU Cooler height limitation, 280mm VGA length limitation, 220mm PSU length limitation
CA-1Z1-00M6WN-00	R 3,505	Thermaltake Case The Tower 600 Snow Full Tower, 3mm Tempered Glass x 3, 1x 3.5" Drive bay, 2x 2.5" or 3x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x4 / HD Audio x1, 210mm CPU Cooler height limitation, 280mm VGA length limitation, 220mm PSU length limitation
CA-1Z3-00M1WN-00	R 2,470	Thermaltake Case Ceres 350 MX Mid Tower eATX Chassis, Tempered Glass x 2, 1x 3.5" Drive bay, 2x 2.5" or 3x 2.5" Drive bays, 7 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD Audio x1, 185mm CPU Cooler Max height, 360mm VGA Max length, 220mm PSU Max length
CC-9011218-WW	R 3,393	Corsair 7000D Airflow Tempered Glass Full Tower ATX case Black, No PSU, 450 mm Maximum GPU length, 225 mm Maximum PSU length, 190 mm Maximum CPU cooler height, 8 horizontal 3 vertical Expansion slots, 6x 3.5" & 4x 2.5" case Drive bays, Case front IO - 4x USB 3.0 / 1x USB 3.1 Type-C / 1x audio In/Out
CC-9011219-WW	R 3,393	Corsair 7000D Airflow Tempered Glass Full ATX Tower - White, 450 mm Maximum GPU length, 225 mm Maximum PSU length, 190 mm Maximum CPU cooler height, 8 horizontal 3 vertical Expansion slots, 6x 3.5" & 4x 2.5" case Drive bays, Tempered Glass case windowed, 4x USB 3.0, 1x USB 3.1 Type-C, 1x audio In/Out, ATX case Power Supply
CC-9011226-WW	R 4,888	Corsair iCUE 7000X RGB Tempered Glass Full Tower ATX Smart case - Black, 450 mm Maximum GPU length, 225 mm Maximum PSU length, 190 mm Maximum CPU cooler height, 8 vertical 3 horizontal Expansion slots, 6x 3.5" & 3x 2.5" case Drive bays, Tempered Glass Case Windowed, 4x USB 3.0, 1x USB 3.1 Type C, 1x Audio in/out
CC-9011227-WW	R 3,911	Corsair iCUE 7000X RGB Tempered Glass Full Tower ATX Smart case - White, 450 mm Maximum GPU length, 225 mm Maximum PSU length, 190 mm Maximum CPU cooler height, 8 vertical 3 horizontal Expansion slots, 6x 3.5" & 3x 2.5" case Drive bays, Tempered Glass Case Windowed, 4x USB 3.0, 1x USB 3.1 Type C, 1x Audio in/out
CC-9011251-WW	R 1,012	Corsair 3000D Airflow ATX Mid-Tower Tempered Glass PC case - Black, 360mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 Vertical case Expansion slots, 2x 3.5" or 2x 2.5" case Drive bays, Case front IO - 2x USB 3.2 Gen 1 Type-A / Headphone / Mic combo jack
CC-9011252-WW	R 1,179	Corsair 3000D Airflow ATX Mid-Tower Tempered Glass PC case - White, 360mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 Vertical case Expansion slots, 2x 3.5" or 2x 2.5" case Drive bays, Case front IO - 2x USB 3.2 Gen 1 Type-A / Headphone / Mic combo jack
CC-9011255-WW	R 1,691	Corsair 3000D RGB Airflow ATX Mid-Tower Tempered Glass PC case - Black, 360mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 Vertical case Expansion slots, 2x 3.5" or 2x 2.5" case Drive bays, Case front IO - 2x USB 3.2 Gen 1 Type-A / Headphone / Mic combo jack
CC-9011256-WW	R 1,691	Corsair 3000D RGB Airflow ATX Mid-Tower Tempered Glass PC case - White, 360mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 Vertical case Expansion slots, 2x 3.5" or 2x 2.5" case Drive bays, Case front IO - 2x USB 3.2 Gen 1 Type-A / Headphone / Mic combo jack
CC-9011263-WW	R 2,467	Corsair 2500D Airflow Mid-Tower Dual Chamber ATX PC case - Black, 400mm Maximum GPU length, 180mm Maximum CPU Cooler height, 225mm Maximum PSU length, 4 horizontal case Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass case Window
CC-9011264-WW	R 2,398	Corsair 2500D Airflow Mid-Tower Dual Chamber ATX PC case - White, 400mm Maximum GPU length, 180mm Maximum CPU Cooler height, 225mm Maximum PSU length, 4 horizontal case Expansion slots, Case front IO - 1x

		USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass case Window
CC-9011272-WW	R 1,070	Corsair 480T RGB Airflow Tempered Glass Mid-Tower, 2x 3.5" , 5x 2.5" Drive Bays, Front: 3x 120mm (1x installed)/ 2x 140mm, Top: 3x 120 mm / 2x 140mm, Rear: 1x 120mm, 120-360mm Radiator Compatible, 446mm x 214mm x 476mm, GPU - 400mm, PSU - 220mm, Cooler Height - 170mm, I/O: 2x USB3.0, 1x Headphone, 1x Mic, Power, Reset
CC-9011276-WW	R 1,149	Corsair 3500X Tempered Glass Mid-Tower eATX PC case - Black, Steel & Tempered Glass material, 410mm Maximum GPU length, 170mm Maximum CPU Cooler height, 180mm Maximum PSU length, 7 horizontal (Or 4 Vertical) case Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C, 2x USB 3.2 Gen 1 Type-A, 1x audio In/Out, 2 internal 3.5" Drive bays, 2 internal 2.5" Drive bays
CC-9011291-WW	R 1,369	Corsair Frame 4000D Mid-Tower E-ATX PC Case - White, No fans, 3D-Y Airflow Steel, 430mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 horizontal or 3 Vertical Case Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x Audio In/Out, Tempered Glass Case Window, 2 internal 3.5" Drive bays, 2 internal 2.5" Drive bays, Tempered Glass left side panel
CC-9011297-WW	R 1,714	Corsair Frame 4000D RS ARGB Mid-Tower E-ATX PC Case - White, 3x RS ARGB PWM fans, 3D-Y Airflow Steel, 430mm Maximum GPU length, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 7 horizontal or 3 Vertical Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass Case Window, 2x internal 3.5" Drive bays, 2x internal 2.5" Drive bays
CC-9011298-WW	R 4,934	Corsair iCUE Link 5000T LX RGB Mid-Tower PC eATX Case - Black, Tempered Glass, 2 internal 3.5" Drive bays, 3 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 250mm Maximum PSU length, 450mm Maximum GPU length, Case front IO - 1x USB 3.2 Gen 2 Type-C / 4x USB 3.2 Gen 1 Type-A / 1x audio In/Out, ATX Case Power Supply, Reverse connector Motherboard support, 46mm cable routing Space
CC-9011299-WW	R 5,118	Corsair iCUE Link 5000T LX RGB Mid-Tower PC eATX Case - White, Tempered Glass, 2 internal 3.5" Drive bays, 3 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 250mm Maximum PSU length, 450mm Maximum GPU length, Case front IO - 1x USB 3.2 Gen 2 Type-C / 4x USB 3.2 Gen 1 Type-A / 1x audio In/Out, ATX Case Power Supply, Reverse connector Motherboard support, 46mm cable routing Space
CC-9011300-WW	R 4,139	Corsair 5000T Mid-Tower High-Performance PC Case, 4x 2.5" Drive Bays, 2x 3.5" Drive Bays, Fan layout: Front 3x 120mm, 2x 140mm; Top 3x 120mm ,2x 140mm, Side 3x 120mm, Rear 1x 120mm, 4x USB 3.0, 1x USB 3.1 Type-C, Colour: Black, Mini-ITX, Micro-ATX, ATX, E-ATX
CC-9011302-WW	R 2,519	Corsair Frame 4000x RS Mid-Tower eATX PC Case - Black, 4x RS fans, Tempered Glass Case Window, 1 internal 3.5" Drive bays, 2 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, Case front IO - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, 430mm Maximum GPU length, 7 horizontal or 3 Vertical Case Expansion slots, Reverse Connector Motherboard support, 37mm cable routing Space
CC-9011303-WW	R 2,519	Corsair Frame 4000x RS Mid-Tower eATX PC Case - White, 4x RS fans, Tempered Glass Case Window, 1 internal 3.5" Drive bays, 2 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, Case front IO - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, 430mm Maximum GPU length, 7 horizontal or 3 Vertical Case Expansion slots, Reverse Connector Motherboard support, 37mm cable routing Space
CC-9011307-WW	R 2,473	Corsair FRAME 5000D RS Black High-Airflow Mid-Tower PC Case. 4x RS140 fans; Triple 360mm radiator support; GPU anti-sag arm; InfiniRail Fan Mounting; RapidRoute 2.0 cable management; Compatible with ATX, Micro-ATX, Mini-ITX; High-performance airflow; 555 x 301 x 585 mm; 17kg
CC-9011307-WW	R 2,377	Corsair Frame 5000D RS High-Airflow Mid-Tower PC Case - Black, Includes Four RS140 fans with daisy-chain connections, Features Triple 420mm radiator support across top, Front, And side panels, Accommodates GPUS up to 450mm in length, Max CPU Cooler height of 175mm supported, Front I/O includes one USB 3.2 Gen 2 Type-C Port, Front I/O includes Four USB 3.2 Gen 1 Type-A Ports, Rear I/O includes 140mm and 120mm radiator support, InfiniRail fan mounting system allows tool-friendly fan repositioning, RapidRoute 2.0 pegboard Motherboard Tray with 42mm cable routing Space, Includes GPU anti-sag stabilisation Arm, Tempered Glass left side panel for Component visibility

CC-9011308-WW	R 2,059	Corsair Frame 5000d RS White High-Airflow Mid-Tower PC Case. 4 x RS140 fans; Triple 360mm radiator support; InfiniRail system; RapidRoute 2.0 cable management; GPU anti-sag arm; Modular design; 52 x 24.5 x 52 cm; 11.5 kg
CC-9011309-WW	R 2,818	Corsair FRAME 5000D RS Black ARGB High-Airflow Mid-Tower PC Case. 4 x ARGB fans; Triple 360mm radiator support; GPU anti-sag arm; RapidRoute 2.0 cable management; Fully modular; Tempered glass panel; Enthusiast tier
CC-9011309-WW	R 2,905	Corsair Frame 5000D RS ARGB High-Airflow Mid-Tower PC Case - Black, Tempered Glass left side panel, Four Pre-Installed RS140 ARGB fans included, Triple 420mm radiator support, Rear supports up to a 140mm radiator, Accommodates Graphics cards up to 450 mm Long, CPU Cooler height support up to 175 mm, Front I/O features one USB 3.2 Gen 2 Type-C Port, Front I/O includes Four USB 3.2 Gen 1 Type-A Ports, Front I/O includes one Audio In/Out jack, RapidRoute 2.0 pegboard Motherboard Tray for Cable Management, InfiniRail fan mounting system allows Flexible fan placement, GPU anti-sag stabilisation Arm included, Compatible with Reverse Connector motherboards
CC-9011310-WW	R 2,818	Corsair FRAME 5000D RS White ARGB High-Airflow Mid-Tower PC Case. 4x ARGB Fans; Triple 360mm Radiator Support; GPU Anti-Sag Arm; RapidRoute 2.0 Cable Management; White Modular Design; High-Airflow Cooling
CC-9011312-WW	R 1,599	Corsair FRAME 4000D RS Black Mid-Tower PC Case; 2x 3.5" , 2x 2.5" Drive Bays; Up to 360mm Radiator compatible; 3x RS Fans Incl
CC-9011313-WW	R 1,599	Corsair FRAME 4000D RS White Mid-Tower PC Case; 2x 3.5" , 2x 2.5" Drive Bays; Up to 360mm Radiator compatible; 3x RS Fans Incl
CC-9011314-WW	R 2,933	Corsair FRAME 4500X RS-R Black ARGB Panoramic Glass Mid-Tower PC Case. single-piece curved glass panels; dual 360mm radiator support; 3x RS-R ARGB 120mm fans; GPU Anti-sag Arm; InfiniRail Fan System; motherboard RGB control; dimensions 562x295x593mm; weight 15.1kg
CC-9011314-WW	R 3,258	Corsair Frame 4500x RS-R ARGB Panoramic Glass Mid-Tower PC Case - Black, Single-piece Curved Tempered Glass front and side panel for Panoramic View, Dual 360mm radiator support across top and side, Three included RS-R ARGB 120mm reverse-rotor fans, Max GPU length of 460 mm with anti-sag stabilization Arm, Max CPU Cooler height of 185 mm, InfiniRail fan mounting system for simplified installation, Front I/O includes one USB 3.2 Gen 2x2 Type-C Port / two USB 3.2 Gen 1 Type-A Ports / Audio In/Out, Compatible with Reverse Connector motherboards
CC-9011316-WW	R 3,669	Corsair FRAME 4500X LX-R Black RGB iCUE LINK Panoramic Glass Mid-Tower PC Case. 3 x 120mm RGB fans; dual 360mm radiator support; GPU Anti-sag Arm; iCUE LINK Hub; tempered glass panels; mid-tower form factor; high-end enthusiast build
CC-9011318-WW	R 4,198	Corsair AIR 5400 RS-R Black ARGB Triple Chamber Mid-Tower PC Case. 3x RS-R 120mm ARGB fans; Dual airflow ducts; Curved glass French doors; RapidRoute 2.0 cable management; ATX/Micro-ATX/Mini-ITX compatible; High-performance cooling; sleek design; 541x274x514mm; 12.5kg
CC-9011319-WW	R 4,198	Corsair AIR 5400 RS-R White ARGB Triple Chamber Mid-Tower PC Case. Triple-chamber design; 3 x 120mm ARGB fans; dual curved glass French doors; supports reverse connector motherboards; RapidRoute 2.0 cable management; dimensions 47.1 x 24.4 x 49.2 cm; weight 11.3 kg; ideal for high-performance gaming or showcase builds
CC-9011320-WW	R 4,888	Corsair AIR 5400 LX-R Black RGB iCUE LINK Triple Chamber Mid-Tower PC Case. 3x RGB fans included; dual curved glass doors; RapidRoute 2.0 cable management; supports ATX/Micro-ATX/Mini-ITX; maximum GPU length 450 mm; weight 15.8 kg; dimensions 552x551x321 mm
CC-9011320-WW	R 5,459	Corsair Air 5400 LX-R RGB iCUE Link Triple chamber Mid-Tower PC Case - Black, Triple-chamber Airflow Architecture isolates CPU cooling Zone from Main Component chamber, Dual Curved Tempered Glass French Door side panels for unobstructed Component viewing, Includes three iCUE Link LX-R RGB 120mm reverse-rotor fans and system Hub Pre-Installed, Accommodates Graphics cards up to 360mm in length, Accepts CPU Air coolers with a Maximum height of 180mm, Radiator support for 360mm or 240mm radiators, Front I/O features one USB 3.2 Gen 2x2 Type-C Port and two USB 3.2 Gen 1 Type-C Ports, Includes one Audio In/Out jack on the front panel, RapidRoute 2.0 Cable Management system with 134mm of routing Space included, Compatible with Reverse Connector motherboards for improved Airflow and aesthetics

CC-9011321-WW	R 4,888	Corsair AIR 5400 LX-R White RGB iCUE LINK Triple Chamber Mid-Tower PC Case.,dual airflow ducts, dual curved glass panels, 3x iCUE LINK LX-R RGB fans, System Hub, ATX/Micro-ATX/Mini-ITX compatible; thermal optimized; cable management; RGB customizable
CC-9011322-WW	R 2,551	Corsair 3500X RS-R ARGB Mid-Tower PC Case - Black, Tempered Glass wraparound front and side panels for full Component visibility, Three Pre-Installed Corsair RS120-r ARGB fans included, Radiator support of 360mm on the top and side panels, Maximum GPU length capacity of 425mm, Maximum CPU Cooler height clearance of 170mm, Front I/O includes one USB 3.2 Gen 2x2 Type-C Port, Front I/O also features two USB 3.2 Gen 1 Type-A Ports and Audio In/Out, Seven horizontal Expansion slots available for Graphics cards, Includes two 3.5" and two 2.5" internal Drive bays, 45mm cable routing Space for organized interior Management
CC-9011323-WW	R 2,551	Corsair 3500X RS-R ARGB Mid-Tower PC Case - White, Wraparound Tempered Glass front and side panels for full View of components, Three Pre-Installed RS-R ARGB fans included with RGB Lighting support, Supportsmotherboards with Reverse Connector Designs, Radiator mounting supports up to 360mm on top and side panels Plus 120mm rear Mount, Max GPU clearance of 425mm with Vertical GPU Mount support available, CPU Cooler height support reaches 170mm for High-Performance Air cooling, Front I/O features one USB 3.2 Gen 2x2 Type-C Port and two USB 3.2 Gen 1 Type-A Ports, Includes combined Audio In/Out jack on front panel connectivity, 2x internal 3.5" Drive bays and 2x internal 2.5" Drive bays for storage Expansion, Includes dust filtration and 45mm cable routing Space for clean Airflow Management
CC-9011324-WW	R 2,473	Corsair 3500X LX-R Black RGB iCUE LINK Mid-Tower PC Case. Tempered glass; 3 x RGB iCUE LINK fans; iCUE LINK System Hub; ATX/Micro-ATX/Mini-ITX support; Up to 370mm GPU; 7 expansion slots; Front USB 3.1 Type-C; Weight: 7.6kg; Dimensions: 453x230x450mm
CC-9011324-WW	R 3,695	Corsair 3500X lx-r RGB iCUE Link Mid-Tower PC Case - Black, Black Mid-Tower PC Case with wraparound Tempered Glass panels, Main Technology iCUE Link EcoSystem for single-cable Power and Data connectivity, Three Pre-Installed iCUE Link LX120-R ARGB fans included in the Box, Max GPU length capacity of 425 mm accommodates Large Graphics cards, Max CPU Cooler height support is 170 mm for Standard Air coolers, Radiator support includes up to 360mm on the top and side simultaneously, Front I/O features one USB 3.2 Gen 2x2 Type-C Port and two USB 3.2 Gen 1 Type-A Ports, Integrated Audio In/Out connectivity available at the front panel, Includes iCUE Link system Hub for simplified RGB fan Control Management
CC-9011326-WW	R 5,693	Corsair Frame 4000D LCD RS ARGB Premium Mid-Tower eATX PC Case - Black, Includes 4x RS120 PWM ARGB fans, Tempered Glass Case Window, 2 internal 3.5" Drive bays, 4 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 430mm Maximum GPU length, Case front IO - 1x USB 3.2 Gen 2 Type-C / (2x) USB 3.2 Gen 1 Type-C / (1x) Audio In/Out, 7 horizontal or 3 Vertical Case Expansion slots, Reverse Connector Motherboard support, 37mm cable routing Space, Xeneon Edge 14.5" Touchscreen display
CC-9011327-WW	R 5,693	Corsair Frame 4000D LCD RS ARGB Premium Mid-Tower eATX PC Case - White, Includes 4x RS120 PWM ARGB fans, Tempered Glass Case Window, 2 internal 3.5" Drive bays, 4 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 430mm Maximum GPU length, Case front IO - 1x USB 3.2 Gen 2 Type-C / (2x) USB 3.2 Gen 1 Type-C / (1x) Audio In/Out, 7 horizontal or 3 Vertical Case Expansion slots, Reverse Connector Motherboard support, 37mm cable routing Space, Xeneon Edge 14.5" Touchscreen display
CC-9011330-WW	R 3,169	Corsair Frame 5000D Workstation Modular Mid-Tower PC Case, Maximum GPU length of 450mm with included anti-sag stabilisation Arm, Radiator support up to 420mm at the front, Top, And side simultaneously, 175mm Maximum CPU Cooler height clearance, Front I/O includes one USB 3.2 Gen 2x2 Type-C Port / Four USB 3.2 Gen 1 Type-A Ports / Combo Mic/Headphone jack, 8 horizontal Plus 3 Vertical PCI Expansion slots for multi-card configurations, 42mm rear Cable-Routing Space with RapidRoute system, Tempered Glass left side panel with Sound dampening Steel side panels
CC-9011334-WW	R 1,254	Corsair 3200D RS Black Mid-Tower PC Case; Supports 360mm AIO radiators in the top or front; 375mm GPU clearance (400mm with fans removed); Abundant cooling options with 9x 120mm fan mounts; 3x RS120 Fans included; Angled bottom fan mount for direct GPU cooling; Built-in GPU Anti-sag Stabilization Arm; Compatible with reverse-connector motherboards

CC-9011335-WW	R 1,139	Corsair 3200D RS White Mid-Tower PC Case; Supports 360mm AIO radiators in the top or front; 375mm GPU clearance (400mm with fans removed); Abundant cooling options with 9x 120mm fan mounts; 3x RS120 Fans included; Angled bottom fan mount for direct GPU cooling; Built-in GPU Anti-sag Stabilization Arm; Compatible with reverse-connector motherboards
CC-9011336-WW	R 1,024	Corsair 3200D RS Smoke Mid-Tower PC Case; Supports 360mm AIO radiators in the top or front; 375mm GPU clearance (400mm with fans removed); Abundant cooling options with 9x 120mm fan mounts; 3x RS120 Fans included; Angled bottom fan mount for direct GPU cooling; Built-in GPU Anti-sag Stabilization Arm; Compatible with reverse-connector motherboards
CC-9011340-WW	R 2,243	Corsair Frame 4000D RS Wood Modular high Airflow Mid-Tower eATX PC Case - Black & Walnut, 4x RS fans, Tempered Glass Case Window, 1 internal 3.5" Drive bays, 2 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 430mm Maximum GPU length, 7 horizontal or 3 Vertical Case Expansion slots, Case front IO - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, 37mm cable routing Space
CC-9011341-WW	R 2,243	Corsair Frame 4000D RS Wood Modular high Airflow Mid-Tower eATX PC Case - White & Oak, 4x RS fans, Tempered Glass Case Window, 1 internal 3.5" Drive bays, 2 internal 2.5" Drive bays, 170mm Maximum CPU Cooler height, 220mm Maximum PSU length, 430mm Maximum GPU length, 7 horizontal or 3 Vertical Case Expansion slots, Case front IO - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, 37mm cable routing Space
CC-9011344-WW	R 1,311	Corsair 3200D RS ARGB Black Mid-Tower PC Case; Supports 360mm AIO radiators in the top or front; 375mm GPU clearance (400mm with fans removed); Abundant cooling options with 9x 120mm fan mounts; 3x RS120 ARGB Fans included; Angled bottom fan mount for direct GPU cooling; Built-in GPU Anti-sag Stabilization Arm; Compatible with reverse-connector motherboards
CC-9011344-WW	R 1,584	Corsair 3200D RS ARGB Mid-Tower PC Case - Black, Includes three Pre-Installed RS120 ARGB PWM fans, Max GPU length of 400mm with front fans removed, Accepts up to a 360mm radiator on the top or front panel, Compatible with reverse-connector motherboards, Features a Built-In GPU anti-sag stabilization Arm for Heavy Graphics cards, Tempered Glass left side panel with locking screw, Front I/O includes USB 3.2 Gen 2x2 Type-C Port up to 20Gb/s, Supports one 3.5" HDD or two 2.5" SSDs, Max CPU Cooler height of 165mm
CC-9011345-WW	R 1,369	Corsair 3200D RS ARGB White Mid-Tower PC Case; Supports 360mm AIO radiators in the top or front; 375mm GPU clearance (400mm with fans removed); Abundant cooling options with 9x 120mm fan mounts; 3x RS120 ARGB Fans included; Angled bottom fan mount for direct GPU cooling; Built-in GPU Anti-sag Stabilization Arm; Compatible with reverse-connector motherboards
CC-9011345-WW	R 1,584	Corsair 3200D RS ARGB Mid-Tower PC Case in White, including reverse-connector Designs, Includes three Pre-Installed RS120 ARGB PWM fans with AirGuide Technology, Tempered Glass side panel with locking screw for showcasing builds, Built-In adjustable GPU anti-sag stabilization Arm supports Heavy Graphics cards, Max GPU length of 400 mm accommodates Large components, Radiator support up to 360mm in front and top positions, Front I/O features USB 3.2 Gen 2x2 Type-C Port with 20Gb/s Bandwidth, Built-In cable shroud provides 24mm of routing Space behind the Motherboard Tray, Includes storage for two 2.5" SSDs and one 3.5" HDD
CC-9011346-WW	R 1,369	Corsair 3200D RS ARGB Smoke Mid-Tower PC Case; Supports 360mm AIO radiators in the top or front; 375mm GPU clearance (400mm with fans removed); Abundant cooling options with 9x 120mm fan mounts; 3x RS120 ARGB Fans included; Angled bottom fan mount for direct GPU cooling; Built-in GPU Anti-sag Stabilization Arm; Compatible with reverse-connector motherboards
CC-9011346-WW	R 1,584	Corsair 3200d RS ARGB Mid-Tower PC Case - Smoke, Accommodates GPUS up to 400mm Long and CPU coolers up to 165mm tall, Radiator support includes 360mm at the front or top positions, Includes three RS120 ARGB PWM fans Pre-Installed at the front, Front I/O features a USB 3.2 Gen 2x2 Type-C Port with 20Gb/s Bandwidth, Built-In GPU anti-sag stabilization Arm for Heavy Graphics cards, Combination Drive plate supports one 3.5" HDD or two 2.5" SSDs, Features smoked Tempered Glass left side panel with locking screw, Includes Built-In cable shroud and abundant Cable Tie locations
CC-9011351-WW	R 3,867	Corsair Warthog RS Airflow ATX Mid-Tower Case - Black, ATX Motherboard support, Tempered Glass side panel, Includes 2x RS200mm fans and 1x RS120mm fan, Max GPU length of 405 mm, Max CPU Cooler height of 190

		mm, Front radiator support for 360mm radiators, Top radiator support for 360mm radiators, Side radiator support for 360mm radiators, Rear fan support for 120mm and 140mm fans, Front I/O includes 2x USB 3.2 Gen1 Type-A Ports, Front I/O includes 1x USB 3.2 Gen2 Type-C Port, Front I/O includes Headphone / Microphone Combo jack, Front I/O includes Power and Reset buttons, No RGB Lighting included, No PSU included in package
CC-9011352-WW	R 3,867	Corsair warthog RS Airflow ATX Mid-Tower Case - Olive, Thick-steel Ruggedised construction with Integrated Carry handles, 3D y-pattern front and top panels increase Airflow by 12.7% over Standard flat cutouts, Three Pre-Installed PWM fans including two RS200 200mm front intakes and one RS120 rear exhaust, InfiniRail fan mounting system supports fans up to 200mm at the front and 140mm at the roof, Dual 360mm radiator support across front, Top, And side mounting locations, Reverse Connector Motherboard support, RapidRoute 2.0 pegboard Cable Management with Six cinching straps and Wire loom pairs, GPU anti-sag stabilisation Arm supports Graphics cards up to 405mm in length, Front I/O includes two USB 3.2 Gen 1 Type-A Ports and one USB 3.2 Gen 2 Type-C Port, Slide-on side panels with fixed securing pegs for improved durability, Tempered Glass side panel included, Olive drab military-inspired aesthetic finish
CH-AAX61E	R 675	Antec AX61 Elite RGB Mid-Tower ATX Gaming case, 4mm Tempered Glass side panel, Front Access & controls Power - LED control Button / 2x USB 2.0 / 1x USB 3.0 / HD-Audio, 7 Expansion slots, 320mm Max GPU length, 160mm Max CPU Cooler height
CH-AAX85	R 737	Antec AX85 ARGB ATX Mid-Tower Gaming Case Black, 4x 120mm ARGB fans Pre-Installed Tempered Glass side panel, Up to 360mm front radiator support, 370mm (Without front fan) Max GPU length, 160mm Max CPU Cooler height, Up to 370mm (Without HDD cage) PSU length, 2x 3.5" /2.5" Combo Drive bays, 2x 2.5" Drive bays, Front I/O - 2x USB 3.0 / LED control Button / Headphone / Mic Combo jack
CH-ABC-W	R 2,707	Adata XPG BattleCruiser White EATX case with 4 Tempered Glass panels, Support vertical VGA mounting, with XPG ARGB combo controller, Magnetic front panel, Dual-chamber design - with 4x 4mm Tempered Glass panels, All steel exterior, Dedicated chamber for PSU Hard Disk Drive bay, No PSU (Bottom placed PSU design), Support upto 400mm Graphics card, 3x radiator upto 360mm, 1x USB 3.0 Type-C (Gen1 5Gbps) 2x USB 3.0 audio In/Out, 3x 3.5" hidden bays 6x 2.5" hidden bays, 4x ARGB LED fans upto 8 with magnetic dust filters, E-ATX
CH-AD-W	R 1,492	Adata / Xpg Defender White - with magnetic meshed front panel, vertical VGA mount bracket included, dual-chamber design - with 3mm tempered glass side panel, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design)
CH-ADP-W	R 1,988	Adata / Xpg Defender Pro White - with front ARGB controller, magnetic meshed front panel, vertical VGA mount bracket included , dual-chamber design - with 3mm tempered glass side panel, all steel exterior, dedicated chamber for psu hdd bay, no psu
CH-AF-K	R 1,578	Antec FLUX eATX Wood Mid Tower Gaming Chassis - Black, 4 mm Tempered Glass side panel, 7 Expansion slots, 2/2 3.5" /2.5" bays, 1x 2.5" bays, 408mm Max GPU length, 180mm Max CPU Cooler height, 235mm Max PSU length
CH-Ai-K	R 1,458	Adata Xpg Invader Black - with front ARGB downlight controller, magnetic front panel, dual-chamber design - with 4mm tempered glass side panel, all steel exterior, dedicated chamber for PSU HDD bay, no PSU (bottom placed PSU design), support up to 400mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2/4x 3.5" hidden 4/2x 2.5" hidden - 2x 120mm fans up to 9 with magnetic dust filters - ATX
CH-Ai-W	R 1,458	Adata Xpg Invader White - with front ARGB downlight controller, magnetic front panel, dual-chamber design - with 4mm tempered glass side panel, all steel exterior, dedicated chamber for PSU HDD bay, no PSU (bottom placed PSU design), support up to 400mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2/4x 3.5" hidden 4/2x 2.5" hidden - 2x 120mm fans up to 9 with magnetic dust filters - ATX
CH-ASA-K	R 1,458	Adata / Xpg Starker Air black - with front LED controller, magnetic meshed front panel, vertical VGA mount bracket included, dual-chamber design - with 4mm tempered glass side panel, all steel exterior, dedicated chamber for PSU hdd bay, no psu
CH-ASA-W	R 1,458	Adata / Xpg Starker Air White - with front LED controller, magnetic meshed front panel, vertical VGA mount bracket included, dual-chamber design - with 4mm tempered glass side panel, all steel exterior, dedicated chamber for psu hdd bay, no psu
CH-BCWW-L	R 1,923	Bitfenix CLS-500-WWWB1 Colossus with Windowed side panel - White with blue led - all white, with front door

		open to left or right, top S3 security with lock (for storage compartment I/O port peripherals cable), SoftTouch surface treatment, no psu (bottom placed multi-direction psu design), tool-free PCI slots design; 2x USB 3.0 2x USB 2.0 eSATA audio in/out - 4/5x 5.25" , 1/0 3.5" , 7x 3.5" /2.5" internal, all 3.5" 5.25" bay tool-free - 2 x 230mm LED fan up to 7 with on/off switch - E-ATX
CH-BSHXWW	R 2,079	Bitfenix SNX-500-WWW1 Shinobi White XL Windowed full tower - with 1x 2.5A supercharge USB port, support optional coloured mesh strips, SoftTouch surface treatment, no psu (bottom placed multi-direction psu design), support 487mm very long card when hdd cage removed; 4x USB 3.0 1x usb2.0 audio in/out - 4/5x 5.25" external, 7x 3.5" internal, 1/0x 2.5" internal, rotatable removable Flex Cage hdd cage, all 5.25" bay tool-free - 3x 120mm Spectre fan up to 9 - XL-ATX / E-ATX
CH-C03W2o	R 920	Corsair CC-9011054-WW Carbide Series spec-03 Windowed side panel with 2x Orange LED fan, No psu (bottom placed psu design), all black, support up to 426mm graphics card; 2x USB 3.0 audio in/out - 2x 5.25" , 3x 3.5" 2x 2.5" hidden - 2x 120mm Orange led fan 1x120mm up to 6 - ATX
CH-C220TRA-W	R 1,717	Corsair CC-9011174-WW graphite series 220T Rgb White - frameless tempered glass, steel grill front panel for high airflow, no psu, support up to 360mm radiator, support up to 300mm graphics card; 2x USB 3.0 audio in/out - 2x 3.5" 2x2.5" hidden - Lighting Node CORE controls 3x SP120 RGB LED fans up to 6 with 3x dust filters - ATX
CH-C2500DA-K	R 2,184	Corsair CC-9011263-WW 2500D Airflow - Black Tempered glass side panel - meshed front side top panel - with dual chamber design for psu hdd cables, support reverse connector motherboards, support 4x vertical GPU mounting (via optional CC-8900706 m
CH-C2500DA-W	R 2,184	Corsair CC-9011264-WW 2500D Airflow - White Tempered glass side panel - meshed front side top panel - with dual chamber design for psu hdd cables, support reverse connector motherboards, support 4x vertical GPU mounting (via optional CC-8900707 m
CH-C2500X-K	R 2,818	Corsair CC-9011265-WW 2500X - blacK Tempered glass side front panel - meshed side top panel - with dual chamber design for psu hdd cables, support reverse connector motherboards, support 4x vertical GPU mounting (via optional CC-8900706 mount kit)
CH-C4000D-WT	R 1,771	Corsair CC-9011199-WW Carbide series 4000D - all White Tempered glass side panel - with RapidRoute cable management, support 2x vertical GPU mounting (via optional cc-8900243 riser cable), front bottom top dust filters, all steel exterior, dedicated chamber for psu hdd bay, no PSU (bottom placed PSU design), support up to 360mm graphics card, 3x radiators up to 360mm; 1x USB 3 type-C 1x USB 3.0 audio in/out - 2x 3.5" hidden 2x 2.5" hidden - 2x 120mm fan up to 6 - ATX
CH-C4000DARQ-WT	R 3,979	Corsair CC-9011232-WW carbide series 4000D Airflow Rgb QL edition - all White Tempered glass side panel - meshed front panel - with RapidRoute cable management, support 2x vertical GPU mounting (via optional cc-8900419 riser cable), front bottom top
CH-C4000XR-WT	R 2,464	Corsair CC-9011205-WW Carbide series 4000X RGB - all White with front side dual Tempered glass side panel - with RapidRoute cable management, support 2x vertical GPU mounting (via optional cc-8900243 riser cable), front bottom top dust filters, all steel exterior, dedicated chamber for psu hdd bay, no PSU (bottom placed psu design), support up to 360mm graphics card, 3x radiators up to 360mm; 1x usb3 type-C 1x USB 3.0 audio in/out - 2x 3.5" hidden 2x 2.5" hidden - Node CORE controls 3x SP120 RGB fans up to 6 - ATX
CH-C400C-W	R 2,210	Corsair CC-9011095-WW Carbide series 400 Clear - White with black interior - with hinged and latched full size windowed side panel, front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" 3x 2.5" hidden - 1x 140mm fan 1x 120mm up to 5 - ATX
CH-C460XRGBW	R 3,095	Corsair CC-9011129-WW Crystal Series 460X with White color scheme - RGB with 3-button RGB LED Controller - all Black - with 2x tempered glass panels (front side), front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" hidden 3x 2.5" hidden - 3x SP120 RGB LED fans up to 6 - ATX
CH-C465XRGBK	R 3,095	Corsair CC-9011188-WW Crystal series 465X RGB Black - support 2x vertical VGA mounting, with iCUE Lighting Node RGB lighting controller, dual-chamber design - with 2x 4mm tempered glass panels (front side), front top

		bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" hidden 4x 2.5" hidden - 3x LL120 RGB LED fan (16x RGB LEDs per fan in 2 separate light loops) up to 6 - ATX
CH-C465XRGBW	R 2,818	Corsair CC-9011189-WW Crystal series 465X RGB White - support 2x vertical VGA mounting, with iCUE Lighting Node RGB lighting controller, dual-chamber design - with 2x 4mm tempered glass panels (front side), front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" hidden 4x 2.5" hidden - 3x LL120 RGB LED fan (16x RGB LEDs per fan in 2 separate light loops) up to 6 - ATX
CH-C5000D-WT	R 3,303	Corsair CC-9011209-WW Obsidian Series 5000D White Tempered glass - remove-able solid steel front top panels - support 2x vertical VGA mounting via optional riser cable kits, RapidRoute cable management easy-access hinged door - support 4x radiators (120/ 240/ 280/ 360mm), No PSU (bottom placed PSU design), support up to 420mm graphics card ; 1x usb3.1 type-C 2x USB 3.0 audio in/out - 2x3.5" hidden, 4x 2.5" - 2x 120mm fan up to 10, with PWM fan repeater control up to 6x fans, 4x dust filters (front/ top/ psu/ side) - E-ATX
CH-C5000DA-WT	R 3,069	Corsair CC-9011211-WW Obsidian Series 5000D Airflow White Tempered glass - remove-able meshed front top panels for maximized air flow - support 2x vertical VGA mounting via optional riser cable kits, RapidRoute cable management easy-access hinged door - support 4x radiators (120/240/280/360mm), No PSU (bottom placed psu design), support up to 420mm graphics card; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2x3.5" hidden, 4x 2.5" - 2x 120mm fan up to 10, with PWM fan repeater control up to 6x fans, 4x dust filters (front/ top/ psu/ side) - E-ATX
CH-C5000DAR-WT	R 4,024	Corsair CC-9011243-WW obsidian series 5000D Airflow RGB White grey Tempered glass - removeable meshed front top panels for maximized air flow - support 2x vertical VGA mounting via optional riser cable kits, RapidRoute cable management easy-access hinge
CH-C5000TR-K	R 6,633	Corsair CC-9011230-WW obsidian series 5000T Rgb Black, 208x RGB LEDs (160 48), with hinged tempered glass side panel, removable front top meshed panels- support 2x vertical VGA mounting via optional riser cable kits, RapidRoute cable management
CH-C5000TR-W	R 6,633	Corsair CC-9011231-WW obsidian series 5000T Rgb White grey, 208x RGB LEDs (160 48), with hinged tempered glass side panel, removable front top meshed panels - support 2x vertical VGA mounting via optional riser cable kits, RapidRoute cable management
CH-C5000XR-WT	R 3,922	Corsair CC-9011213-WW Obsidian Series 5000X RGB White, with 4x tool-free Tempered glasses - support 2x vertical VGA mounting via optional riser cable kits, RapidRoute cable management easy-access hinged door - support 4x radiators (120/240/280/360mm), No PSU (bottom placed PSU design), support up to 420mm graphics card; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2x3.5" hidden, 4x 2.5" - 2x 120mm fan up to 10 - Node CORE fan control hub 3x SP120 Elite RGB fans up to 10, 4x dust filters (front/ top/ psu/ side) - E-ATX
CH-C5000XRQ-WT	R 5,538	Corsair CC-9011233-WW obsidian series 5000X Rgb Ql edition - all White , with 4x tool-free Tempered glasses - support 2x vertical VGA mounting via optional riser cable kits , RapidRoute cable management easy-access hinged door - support 4x radiators
CH-C570XRGB	R 2,818	Corsair CC-9011098-WW Crystal Series 570X-RGB with 3-button RGB LED Controller - all black - with 4x tempered glass panels (front top sides), front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" hidden 2x 2.5" hidden - 3x SP120 RGB LED fans up to 6 (top front removable fan trays) - ATX
CH-C570XRGBM	R 2,934	Corsair CC-9011126-WW Crystal Series 570X-RGB with 3-button RGB LED Controller - Black with 4x Mirrored tempered glass panels (front top sides) RGB backlit Case Lighting: built-in vertical graphics card mounting (require PCI-E riser cable), front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2x 3.5" hidden 2x 2.5" hidden - 3x SP120 RGB LED fans up to 6 (top front removable fan trays) - ATX
CH-C570XRGBR	R 2,929	Corsair CC-9011111-WW Crystal series 570X with RED colour scheme - RGB with 3-button RGB LED Controller - all Black - with 4x tempered glass panels (front top sides), front top bottom full-sized dust filters, all steel exterior,

		dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" hidden 2x 2.5" hidden - 3x SP120 RGB LED fans up to 6 (top front removable fan trays) - ATX
CH-C570XRGBW	R 2,929	Corsair CC-9011110-WW Crystal series 570X with White colour scheme - RGB with 3-button RGB LED Controller - all Black - with 4x tempered glass panels (front top sides), front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu (bottom placed psu design), support up to 370mm graphics card, 3x radiator up to 360mm; 2x USB 3.0 audio in/out - 2x 3.5" hidden 2x 2.5" hidden - 3x SP120 RGB LED fans up to 6 (top front removable fan trays) - ATX
CH-C600TWW	R 4,089	Corsair CC600TWM-WHT graphite 600T White edition, with windowed side panel (meshed windowed both included), no psu (bottom placed psu design), white black interior; 1x USB 3.0 4x usb2.0 1 x ieee1394 audio in/out - 4x 5.25" , 6x 3.5" /2.5" hidden - 2 x 200mm white led fan 1x 120mm up to 7 when using meshed side panel - with fan speed controller knob - ATX (Components and PSU not included)
CH-C6500DA-K	R 3,703	Corsair CC-9011259-WW 6500D Airflow - Black Tempered glass side panel - meshed front side top panel - with dual chamber design for psu hdd cables, support reverse connector motherboards, support 4x vertical GPU mounting via optional CC-8900717 mounting Kit)
CH-C678C-TGK	R 7,407	Corsair CC-9011167-WW Carbide Series 678C - Tempered Glass, black - with noise damping side/top/front panels fan-speed controller, support 2x vertical GPU mount, no psu, support 3x radiators up to 360mm, support up to 370mm graphics card; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2x 3.5" 2x2.5" hidden - 2xSP140 PWM fans up to 9 - E-ATX
CH-C678C-TGW	R 6,744	Corsair CC-9011170-WW Carbide Series 678C - Tempered Glass, White - with noise damping side/top/front panels fan-speed controller, support 2x vertical GPU mount, no psu, support 3x radiators up to 360mm, support up to 370mm graphics card; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2x 3.5" 2x2.5" hidden - 2xSP140 PWM fans up to 9 - E-ATX
CH-C680XR-TGK	R 4,471	Corsair CC-9011168-WW Crystal Series 680X RGB Tempered Glass Black - front side top triple tempered glass, support 2x vertical GPU mount (cc-8900243 - 300mm PCi-E 3.0 16x extension cable required), dual-chamber design, front top bottom full-sized dust filters, all steel exterior, dedicated chamber for psu hdd bay, no psu, support up to 330mm graphics card, 4x radiators up to 360mm; 2x USB 3.0 audio in/out - 3x 3.5" hidden 4x 2.5" hidden - 3x LL120 RGB fan (16x RGB LEDs per fan in 2 separate light loops) up to 8 - E-ATX
CH-C680XR-TGW	R 4,599	Corsair CC-9011169-WW Crystal Series 680X RGB Tempered Glass White - front side top triple tempered glass, support 2x vertical GPU mount, dual-chamber design, front top bottom full-sized dust filters, all steel exterior, dedicated chamber for PSU hdd bay, no psu, support up to 330mm graphics card, 4x radiators up to 360mm; 2x USB 3.0 audio in/out - 3x 3.5" hidden 4x 2.5" hidden - 3x LL120 RGB fan (16x RGB LEDs per fan in 2 separate light loops) up to 8 - E-ATX
CH-C7000XR-WT	R 5,346	Corsair CC-9011227-WW obsidian series 7000X Rgb White, with 3x tool-free Tempered glasses - support 3-slot vertical VGA mounting via optional riser cable kits, RapidRoute cable management easy-access hinged door - support 4x radiators (120/240/280/360)
CH-C780T-W	R 3,672	Corsair CC-9011059 Graphite 780T - White Black with rounded corner latched windowed side panel white led 3-speed fan controller, support up to 2x 360mm radiator, support 355mm long card, no psu (bottom placed psu design), 2x USB3.0 2x USB2.0 audio in/out - 2x 5.25" , 3x 2.5" , 6x 3.5" /2.5" hidden in 2x modular drive cage - 2x 140mm white led fan 1x 140mm up to 9 with 3-speed fan speed controller - XL-ATX
CH-CoBR	R 1,967	Corsair CC-9011121-WW Carbide series spec Omega windowed (tempered glass front side panel) Black Red - no psu, support up to 360mm radiator, support up to 370mm graphics card; 2x USB 3.0 audio in/out - x 3.5" x2.5" hidden - with red LED light strip 1x120mm red-led 1x120mm fan up to 6 - ATX
CH-CoRB	R 1,967	Corsair CC-9011120-WW Carbide Series Spec Omega Windowed (tempered glass front side panel) Red & Black - no psu, support up to 360mm radiator, support up to 370mm graphics card; 2x USB 3.0 audio in/out - ?x 3.5" ?x2.5" hidden - with red LED light strip 1x120mm red-led 1x120mm fan up to 6 - ATX
CH-CoWB	R 2,210	Corsair CC-9011119-WW Carbide Series Spec Omega windowed (tempered glass front side panel) White & Black - no psu, support up to 360mm radiator, support up to 370mm graphics card; 2x USB 3.0 audio in/out - ?x 3.5" ?x2.5" hidden - with white LED light strip 1x120mm white-led 1x120mm fan up to 6 - ATX

CH-CoWB-RTG	R 2,226	Corsair CC-9011141-WW carbide series spec Omega White Black - RGB Tempered Glass (front side panel) - no psu - ATX Case, support upto 360mm radiator , support upto 370mm graphics card ; 2x usb 3.0 audio in/out - 2x 3.5" 2x2.5" hidden - with white RGB light strip 2x120mm HD RGB upto 6 - ATX
CH-GC103G	R 907	Gigabyte C103G Black Tempered-Glass Case -- mid-tower chassis with tinted glass panel, optimized airflow, and modern hardware support.
CH-GC201P	R 1,310	Gigabyte GB-C201P - ATX panoramic case, black, tempered glass, airflow optimized
CH-GC201PW	R 1,390	Gigabyte GB-C201P1 - ATX panoramic case, white, tempered glass, airflow optimized
CH-GC301G	R 1,666	Gigabyte C301G - 4mm tempered Glass - black, support vertical graphics card mount (riser kit required), integrated RGB Fusion 2.0 in 4 zones, built-in ARGB and PWM connector 6 ports hub with control button, dedicated chamber for PSU hdd bay, no PSU (bottom placed PSU design), support up to 3x radiators (360/280/140/120mm), support up to 400mm graphics card; 1x usb3 type-C (Gen2 10GBPs) 2x USB 3.0 audio in/out - 2/0x 3.5" 2/4x 2.5" hidden - 4x 120mm ARGB fan up to 7 with 2x detachable dust filters (bottom top), anti-vibration rubber feet - ATX
CH-GC301GW	R 1,734	Gigabyte C301GW - 4mm tempered Glass - White, support vertical graphics card mount (riser kit required), integrated RGB Fusion 2.0 in 4 zones, built-in ARGB and PWM connector 6 ports hub with control button, dedicated chamber for psu hdd bay, no PSU (bottom placed PSU design), support up to 3x radiators (360/280/140/120mm), support up to 400mm graphics card; 1x usb3 type-C (Gen2 10GBPs) 2x USB 3.0 audio in/out - 2/0x 3.5" 2/4x 2.5" hidden - 4x 120mm ARGB fan up to 7 with 2x detachable dust filters (bottom top), anti-vibration rubber feet - ATX
CH-GC400G	R 2,337	Gigabyte Aorus C400 Glass ATX Mid-Tower Chassis, Tempered Glass, 8 Expansion slots, 2 3 (Replace from bottom fans) 3.5" Drive support, 2 1 (Replace from 3.5") 2.5" Drive support, I/O panel - USB 3.2 Gen2 Type-C x1 / USB 3.0 x2 / audio in & out (Supports HD audio), Max 168mm CPU height, Max GPU length 360mm, Max 160mm PSU length, Vertical GPU Mount, Dust filters, Supports RGB Fusion
CH-GC500G	R 3,708	Gigabyte C500 Aorus Glass eATX Tempered Glass Tower case - Black, 2x 3.5" /2.5" Drive bays, 2x 2.5" Drive bays, I/O panel - 1x USB 3.1 Gen2 Type-C / 2x USB 3.0 / audio in & out, 190mm CPU height, 420mm GPU length, 220mm PSU length, RGB Lighting, C500G
CH-GC500P	R 1,881	Gigabyte C500 Panoramic Black Mid Tower ATX Case, 4mm Black Tempered Glass side panel, 270 degrees Panoramic View, 4x ARGB fans Pre-Installed, Supports 420mm Liquid cooling, 7 Expansion slots, 2x 3.5" / 2.5" Drive bays, 1 2 (Replace from 3.5") 2.5" Drive bays, I/O panel - USB 3.2 Gen2 Type-C x1 / USB 3.0 x2 / Reset Button / audio in & out, Max 176mm CPU height, Max 410mm GPU length, Max 200mm PSU length, Vertical GPU Mount, Dust filters, Supports RGB Fusion
CH-GC500PW	R 1,878	Gigabyte C500 Panoramic White Mid Tower ATX Case, 4mm White Tempered Glass side panel, 270 degrees Panoramic View, 4x ARGB fans Pre-Installed, Supports 420mm Liquid cooling, 7 Expansion slots, 2x 3.5" / 2.5" Drive bays, 1 2 (Replace from 3.5") 2.5" Drive bays, I/O panel - USB 3.2 Gen2 Type-C x1 / USB 3.0 x2 / Reset Button / audio in & out, Max 176mm CPU height, Max 410mm GPU length, Max 200mm PSU length, Vertical GPU Mount, Dust filters, Supports RGB Fusion
CH-GC601G	R 5,461	Gigabyte AC601G Black Tempered-Glass Case -- compact ATX chassis with full glass side panel, enhanced cooling layout, and clean cable routing.
CH-GC700G	R 7,814	Gigabyte C700G - 4mm tempered Glass - black, with fan speed RGB controller, support up to 2x vertical graphics cards mount (riser kit required), Intergrated RGB Fusion 2.0 in 4 zones, dedicated chamber for PSU hdd bay, no PSU (bottom placed PSU design), support up to 3x radiators (up to 420mm), support up to 490mm graphics card; 1x HDMi 1x USB 3.1 type-C (Gen2 10GBPs) 4x USB 3.0 audio in/out - 4/0x 3.5" 6/10x 2.5" hidden - 5x 120mm fan (2xARGB 3xPWM) up to 8 with detachable dust filter (bottom), anti-vibration rubber feet - E-ATX
CH-i101-W	R 1,502	In Win ci698 101 mid tower chassis - White with tool-less full-sized tempered glass side panel, blue LED logo on front panel, no psu (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra support, bottom removable dust filter; 2x usb3.0 audio in/out - 2x 3.5" /2.5" 2x 2.5" - upto 6 fans , support up to 360mm radiator - ATX with 7x expansion cards
CH-i101CR-K	R 1,823	In Win 101C Mid Tower Chassis with USB 3.1 type-C RGB (support Asus aura sync Msi mystic light Gigabyte RGB fusion) - Black with tool-less full-sized tempered glass side panel, neon RGB LED logo panel on front panel, no psu (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra support,

		bottom removable dust filter; 2x USB 3.0 audio in/out - 2x 3.5" /2.5" 2x 2.5" - up to 6 fans, support up to 360mm radiator - ATX with 7x expansion cards
CH-i101CR-W	R 1,823	In Win 101C Mid Tower Chassis with USB 3.1 type-C RGB (support Asus aura sync Msi mystic light Gigabyte RGB fusion) - White with tool-less full-sized tempered glass side panel, neon RGB LED logo panel on front panel, no psu (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra support, bottom removable dust filter; 2x usb 3.0 audio in/out - 2x 3.5" /2.5" 2x 2.5" - up to 6 fans, support up to 360mm radiator - ATX with 7x expansion cards
CH-i101TR	R 1,768	In Win ci698 101 Tuf Gaming Edition with RGB led (front panel side window) mid tower chassis - black with tool-less full-sized tempered glass side panel, no psu (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra support, bottom removable dust filter; 2x usb 3.0 audio in/out - 2x 3.5" /2.5" 2x 2.5" - up to 6 fans, support up to 360mm radiator - ATX with 7x expansion cards
CH-i102-W	R 1,535	In-Win 102 mid tower chassis - White with tool-less full-sized 3mm tempered glass side panel, no psu (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra support, bottom removable dust filter; 2x USB 3.0 audio in/out - 2x 3.5" /2.5" 2x 2.5" - up to 6 fans with dust filter, support up to 360mm radiator - ATX with 7x expansion cards
CH-i103-K	R 1,712	In-Win 103 mid tower chassis - Black with tool-less full-sized 3mm tempered glass side panel RGB logo in front panel, no PSU (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra weight support, bottom removable dust filter; 2x USB 3.0 audio in/out - 2x 3.5" 4x 2.5" - up to 6 fans with dust filter, support up to 360mm radiator - ATX with 7x expansion cards
CH-i103-W	R 1,712	In-Win 103 mid tower chassis - White with tool-less full-sized 3mm tempered glass side panel RGB logo in front panel, no PSU (rear-top positioned chamber), support up to 421mm long card, graphics card holder for extra weight support, bottom removable dust filter; 2x USB 3.0 audio in/out - 2x 3.5" 4x 2.5" - up to 6 fans with dust filter, support up to 360mm radiator - ATX with 7x expansion cards
CH-i127	R 1,567	In Win 127 Mid Tower Chassis - tempered glass, front aRGB logo display, front mesh panel with honeycomb vents, quick-release side panel removal button, 1.2 mm thick steel and tempered glass, dedicated top chambers design for heat separation, no psu
CH-i127N	R 1,921	In Win n127 Nebula Mid Tower Chassis - nebula panel with tempered glass inner/outer parallel mirrors, infinite depth perception, front aRGB logo display, front mesh panel with honeycomb vents, quick-release side panel removal button
CH-i216-K	R 2,044	In-Win 216 mid tower chassis - black silver highlight, support 2x vertical graphics cards mount via optional riser kit, tool-less full-sized 3mm tempered glass side panel, no psu (rear-bottom positioned chamber), support up to 380mm long card, 2x usb
CH-i216-W	R 2,099	In-Win 216 mid tower chassis - White wood-Grain finish, support 2x vertical graphics cards mount via optional riser kit, tool-less full-sized 3mm tempered glass side panel, no psu (rear-bottom positioned chamber), support up to 380mm long card, 2x USB
CH-i301-W	R 1,878	In-Win 301 Mini Tower Chassis - White with tool-less full-sized tempered glass side panel, neon LED logo i/o panel on front panel, 1.2mm SECC, no psu (front-top positioned), dual chamber design for heat separation, support up to 330mm long card with VGA holder, bottom dust filter; 2x front usb 3.0 audio in/out - 1/0x 3.5" 2/3x 2.5" - up to 5x fans, support up to 2x radiators - micro-ATX
CH-i301CR-W	R 2,155	In-Win 303C Mid Tower Chassis with USB 3.1 type-C RGB (support Asus aura sync Msi mystic light Gigabyte RGB fusion) - White - tool-less full-sized tempered glass side panel, neon RGB LED logo i/o panel on front panel, 1.2mm SECC, no psu (rear-top positioned), dual chamber design for heat separation, support up to 330mm long card with VGA holder, bottom dust filter; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 1/0x 3.5" 2/3x 2.5" - up to 5x fans, support 2x radiators (up to 240mm) - micro-ATX
CH-i303-K	R 2,210	In-Win cf06 303 Mid Tower Chassis - Black with tool-less full-sized tempered glass side panel, neon LED logo i/o panel on front panel, 1.2mm SECC, no psu (front-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter; 2x front USB 3.0 2x USB 2.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - up to 7x fans, support up to 2x 360mm radiators - ATX with 7x expansion cards
CH-i303-KAR	R 2,874	In Win cf06 303 mid tower chassis - blacK Asus rog edition RGB (RGB LED ASUS logo front panel) , With

		tool-less full-sized tempered glass side panel with ROG LED logo , 1.2mm SECC, no psu (rear-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter, 2x front usb3.0 2x usb2.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - upto 7x fans, support upto 2x 360mm radiators - ATX with 7x expansion cards, No PSU
CH-i303-W	R 2,210	In-Win cf06 303 mid tower chassis - White with tool-less full-sized tempered glass side panel, neon LED logo i/o panel on front panel, 1.2mm SECC, no psu (front-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter; 2x front usb 3.0 2x usb 2.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - up to 7x fans, support up to 2x 360mm radiators - ATX with 7x expansion cards
CH-i303-WMR	R 3,150	In-Win cf06 303 mid tower chassis - White Msi dragon edition RGB (RGB LED on side window front panel), with tool-less full-sized tempered glass side panel, 1.2mm SECC, no psu (rear-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter; 2x front USB 3.0 2x USB 2.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - up to 7x fans, support up to 2x 360mm radiators - ATX with 7x expansion cards
CH-i303CR-K	R 2,542	In-Win 303C Mid Tower Chassis with USB 3.1 type-C RGB (support Asus aura sync Msi mystic light Gigabyte RGB fusion) - Black - tool-less full-sized tempered glass side panel, neon RGB LED logo I/O panel on front panel, 1.2mm SECC, no psu (rear-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - up to 7x fans, support up to 2x 360mm radiators - ATX with 7x expansion cards
CH-i303CR-W	R 2,542	In-Win 303C Mid Tower Chassis with USB 3.1 type-C RGB (support Asus aura sync Msi mystic light Gigabyte RGB fusion) - White - tool-less full-sized tempered glass side panel, neon RGB LED logo I/O panel on front panel, 1.2mm SECC, no psu (rear-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - up to 7x fans, support up to 2x 360mm radiators - ATX with 7x expansion cards
CH-i305-K	R 1,902	In-Win 305 Mid Tower Chassis - Black with aluminium finish, tool-less full-sized tempered glass side panel, neon LED logo i/o panel on front panel, 1.2mm SECC, no psu (rear-top positioned), dual chamber design for heat separation, support up to 350mm long card with VGA holder, bottom dust filter; 2x front USB 3.0 2x USB 2.0 audio in/out - 2/1x 3.5" 1/3x 2.5" - up to 7x fans, support up to 2x 360mm radiators - ATX with 7x expansion cards
CH-i307-W	R 4,211	In-Win 307 mid tower chassis - White with 144x addressable RGB LEDs on front panel (customizable via GLOW software with 12 lighting modes), with built-in microphone reacts to the room's acoustics and displays the sounds waves on front panel, tool-less full-sized tempered glass side panel, 1.2mm SECC, no psu (rear-top positioned), support up to 350mm long card with VGA holder, bottom dust filter; 1x USB 3.1 type-C 2x USB 3.0 audio in/out - 2x 3.5" 2x 2.5" - up to 7x fans, support up to 360mm radiators - ATX with 7x expansion cards
CH-i309-KG	R 5,306	In-Win 309 mid tower chassis - black Gaming edition - with reinterpreted three classic games (magi jump / racing / blox) through front panel included gamepad - with 144x addressable RGB LEDs on front panel control buttons (customizable via GLOW sof
CH-i315-K	R 4,200	In Win 315 Black full tower chassis - with 3x tempered glass panels (side front top), quick-release side panel, no psu (bottom placed), dual chambers design for heat separation, support up to 350mm long card with anti-sag support
CH-i515	R 2,134	In Win 515 mid tower chassis - tempered glass, front aRGB logo display, 2x mesh panels with honeycomb vents, quick-release side panel removal button magnetic side panel for upper chamber, 1.2 mm thick steel and tempered glass, dedicated top chamber
CH-i515N	R 2,360	In Win n515 Nebula mid Tower Chassis - nebula panel with tempered glass inner/outer parallel mirrors, infinite depth perception, front aRGB logo display, 2x mesh panels with honeycomb vents, quick-release side panel removal button magnetic side panel
CH-i805	R 1,902	In Win CF05 805 Mid tower chassis - 3x tempered glass panels for 270 degree wide-angle visual perspective, white LED side logo, brushed-hairline aluminium top panel, no psu (bottom placed), support up to 320mm long card; 1x USB 3.1 type C 1x USB 3.0 2x USB 2.0 audio in/out - 2x 3.5" or 2.5" in movable hdd mounting cage, 2x 2.5" - 1x120mm rear up to 5 fans, support up to 280mm radiator - ATX with 8x expansion cards

CH-i805i	R 4,982	In Win cf05 805 Infinity mid tower chassis - 3x tempered glass panels for 270 degree wide-angle visual perspective RGB colours Infinity front panel (via mirror led strips), white LED side logo, brushed-hairline aluminium top panel, no psu (bottom placed), support up to 320mm long card; 1x USB 3.1 type C 1x USB 3.0 2x USB 2.0 audio in/out - 2x 3.5" or 2.5" in movable hdd mounting cage, 2x 2.5" - 1x120mm rear up to 5 fans, support up to 280mm radiator - ATX with 8x expansion cards
CH-i905o	R 3,982	In Win 905 full tower chassis with OLED display (customizable or PC health display), silver - with dual tempered glass side panels, with white logo display), quick-release side panel, no PSU (bottom placed), dual chambers design for heat separation, support up to 330mm long card, brushed-hairline 4mm aluminium; 1x USB 3.1 Gen2 type C 2x front USB 3.0 audio in/out - 1x 3.5" 4x 2.5" - up to 6x120mm fans with anti-dust filter, support up to 3x radiators (120 240 360mm) - support up to E-ATX - up to 7x expansion cards
CH-i909-K	R 8,402	In Win 909 full tower chassis, Black black interior - with dual 5mm tempered glass side panels, with white logo display), no psu (bottom placed), quad chambers design for heat separation, support up to 440mm long card, brushed-hairline aluminium; 1x USB 3.1 type C 3x front USB 3.0 audio in/out - 4/0x 3.5" (in hot swap HDD cage) 6/10 x 2.5" - up to 8 fan with magnetic aluminium dust filter, support up to 360mm radiators, support up to 4x radiators (120 240 280 360mm) - support up to E-ATX - up to 8x expansion cards
CH-i909-S	R 8,402	In Win 909 full tower chassis, Silver black interior - with dual 5mm tempered glass side panels, with white logo display), no psu (bottom placed), quad chambers design for heat separation, support up to 440mm long card, brushed-hairline aluminium; 1x USB 3.1 type C 3x front USB 3.0 audio in/out - 4/0x 3.5" (in hot swap HDD cage) 6/10 x 2.5" - up to 8 fan with magnetic aluminium dust filter, support up to 360mm radiators, support up to 4x radiators (120 240 280 360mm) - support up to E-ATX - up to 8x expansion cards
CH-i915-K	R 6,492	In Win 915 Full Tower Chassis, Black Black interior - with multifunctional button controls ventilation top cover LED lighting effects, automatic top cover for ventilation, Illuminated RGB LED Control with 13 lighting effect, dual 3mm tempered glass side panels with silkscreened design, no psu, dedicated bottom chambers design for heat separation with adjustable HDD/PSU divider, support up to 410mm long card, brushed-hairline aluminium; 1x USB 3.1 type C 2x front USB 3.0 audio in/out - support up to 13x2.5" or 4x3.5" 9x2.5" drives - up to 9 fan with magnetic aluminium dust filter, support up to 360mm radiators, support up to 4x radiators (120 240 280 360mm) - support up to E-ATX - up to 8x expansion cards
CH-i915-S	R 9,154	In Win 915 full tower chassis, Silver black interior - with multifunctional button controls ventilation top cover LED lighting effects, automatic top cover for ventilation, Illuminated RGB LED Control with 13 lighting effect, dual 3mm tempered glass side panels with silkscreened design, no psu, dedicated bottom chambers design for heat separation with adjustable HDD/PSU divider, support up to 410mm long card, brushed-hairline aluminium; 1x USB 3.1 type C 2x front USB 3.0 audio in/out - support up to 13x2.5" or 4x3.5" 9x2.5" drives - up to 9 fan with magnetic aluminium dust filter, support up to 360mm radiators, support up to 4x radiators (120 240 280 360mm) - support up to E-ATX - up to 8x expansion cards
CH-iA-CA	R 972	In-Win Alice Camouflage mini tower chassis - vertical case with top access i/o port with dust cover, polyester with 3.7kg light weight, customizable cover, no PSU (bottom positioned), dual chamber design for heat separation, support up to 300mm long card; 2x front USB 3.0 audio in/out - 1x 3.5" 3x 2.5" - up to 4x 120mm fans, support 2x radiators up to 360mm - ATX
CH-iA-JW	R 2,389	In Win Airforce Justice White - DiY assembling chassis with 19-piece toolless module - with tempered glass side panel, no psu, support up to 390mm long card; 1x usb3.1 Gen2 type C 2x front USB 3.0 audio in/out - 2/0x 3.5 4/6x 2.5" - 4x 120mm AL120
CH-iA-PB	R 2,389	In Win Airforce Phantom Black - DiY assembling chassis with 19-piece toolless module - with tempered glass side panel, no psu, support up to 390mm long card; 1x usb3.1 Gen2 type C 2x front USB 3.0 audio in/out - 2/0x 3.5 4/6x 2.5" - 4x 120mm AL120
CH-iA5-K	R 1,638	In-Win A5 midi tower chassis - Black with tool-less full-sized tempered glass side panel, Vertical Airflow Layout, 1.2mm SECC, no psu (front-top positioned), dual chamber design for heat separation, support up to 340mm long card with VGA holder, bottom dust filter; 1x type-C Gen2x2 (20Gbps), 2x front usb3 audio in/out - 2/0x 3.5" 0/4x 2.5" - 1x AM120S slim ARGB fan up to 5x fans, support up to 240mm radiator - E-ATX
CH-iA5-W	R 1,811	In-Win A5 midi tower chassis - White with tool-less full-sized tempered glass side panel, Vertical Airflow Layout,

		1.2mm SECC, no psu (front-top positioned), dual chamber design for heat separation, support up to 340mm long card with VGA holder
CH-iDF2G+1065	R 18,169	In-Win ca03 D-Frame 2.0 Black & Green - open frame chassis with gold plated steel tubing 2x sided tempered glass - bundled In Win S3-1065W full-modular transparent PSU with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - TIG (Tungsten Inert Gas) welding tubing, two-way open design with quick release fasteners, anti-flip foot pads, support up to 415mm long card, 90degree reversed motherboard tray; 1x front USB 3.1 type C 3x USB 3.0 audio in/out - 4x multifunction hdd bracket for 3.5" or 2.5" (position adjustable) - up to 5x 120mm fans with modular brackets, support up to 2 x 360mm radiators - E-ATX with 8x expansion slots
CH-iDF2W+1065	R 18,169	In-Win ca03 D-Frame 2.0 White & Blue - open frame chassis with gold plated steel tubing 2x sided tempered glass - bundled In Win S3-1065W full-modular transparent PSU with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - TIG (Tungsten Inert Gas) welding tubing, two-way open design with quick release fasteners, anti-flip foot pads, support up to 415mm long card, 90degree reversed motherboard tray; 1x front USB 3.1 type C 3x usb 3.0 audio in/out - 4x multifunction hdd bracket for 3.5" or 2.5" (position adjustable) - up to 5x 120mm fans with modular brackets, support up to 2 x 360mm radiators - E-ATX with 8x expansion slots
CH-IDM	R 4,089	In-Win dubili Modular ATX Full Tower case, 8x PCI-e Expansion slots, 430 mm GPU length, 180 mm (Max) CPU Heatsink height, I/O Ports - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 / HD audio, 4x 2.5" internal Drive bays, 2x 3.5" / 2.5" internal Drive bays
CH-iHF2G+1065	R 16,099	In-Win ca02 H-Frame 2.0 Black & Green - open frame chassis with black aluminium frames 2x sided tempered glass, 6-modes LED lighting with brightness adjust buttons on front panel - bundled In Win S2-1065W full-modular transparent PSU with 65w emit outputs (for lighting cooling USB charging when PCis off), 165mm silent fan - TIG (Tungsten Inert Gas) welding tubing, two-way open design with quick release fasteners, anti-flip foot pads, support up to 440mm long card, 90degree reversed motherboard tray; 1x front usb 3.1 type C 3x usb 3.0 audio in/out - 2x external accessed hot swap HDD brackets 4x multifunction hdd bracket for 3.5" or 2.5" (position adjustable) - up to 4x 120mm fans, support up to 360mm radiators - E-ATX with 8x expansion slots
CH-IMFB	R 3,039	In-Win ModFree Base Edition Full Tower eATX case, Tempered Glass, 9x PCI-e Expansion slots, 369 mm GPU card length, 200 mm CPU Heatsink height, I/O Ports - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 / HD audio combo (CTIA - Speaker /Mic), 2x 2.5" internal Drive bays, 1x 3.5" or 2x 2.5" with Hard Disk Drive bracket internal Drive bays
CH-LA550W	R 1,858	Lian-li pc-A550 Alpha550, all White, RGB ready (3xfan LED strip with 21 buttons remote control), 4x tempered glasses with vertical GPU mounting ready, no psu (bottom placed design), support for 400mm very long cards, hairline brush anodized aluminum; 1x USB 3.1 type-C 2x USB 3.0 audio in/out, 5x 2.5" 2x 3.5" hidden (tool-free anti-vibration removable - side accessed) - with fan mount rack for 3x140mm fan or 360mm radiator, 4x120mm fan up to 7, full size magnetic dust filters on top/front slide out dust filter at bottom - ATX
CH-LA550X	R 1,845	Lian-li pc-A550 Alpha550, all black, RGB ready (3xfan LED strip with 21 buttons remote control), 4x tempered glasses with vertical GPU mounting ready, no psu (bottom placed design), support for 400mm very long cards, hairline brush anodized aluminum; 1x USB 3.1 type-C 2x USB 3.0 audio in/out, 5x 2.5" 2x 3.5" hidden (tool-free anti-vibration removable - side accessed) - with fan mount rack for 3x140mm fan or 360mm radiator, 4x120mm fan up to 7, full size magnetic dust filters on top/front slide out dust filter at bottom - ATX
CH-LA61WX	R 2,861	Lian-li pc-A61, midi tower, Windowed all black, No psu (bottom placed design), support for 420mm very long cards, removable front pancel, hairline brush anodized aluminum; 4x usb 3.0 audio in/out, 4/1x 5.25" , 6/9x 3.5" hidden (tool-free anti-vibration removable - side accessed), 1x 2.5" - 4x120mm fan with washable filter up to 6 - ATX
CH-LB16B	R 2,439	Lian-li pc-B16 , midi tower , Black , with lockable front door sound dimmer foam on all panels , No psu (bottom placed design) , support for 420mm very long cards , made in Taiwan , hairline brush anodized aluminum ; 4x usb3.0 audio in/out , 4/1x 5.25" , 6/9x 3.5" hidden (tool-free anti-vibration removable - side accessed) , 1x 2.5" - 4x120mm fan with washable filter upto 6 - ATX
CH-LB25SB	R 1,655	Lian-Li pc-B25S blue ring midi tower, Black with cold blue ring design, No psu (bottom placed design), made in Taiwan, hairline brush anodized aluminium, dual -layer side panel with sound dimmer structure, removable

		motherboard tray, removable front panel with jointer, removable top cover for modding purpose; e-SATA 2x front usb3.0/usb2.0 audio in/out - 3/2x 5.25" , 0/1x3.5" , 6x 3.5" hidden (anti-vibration removable drive cage - side accessed) - 3x120mm 1x140mm fan with washable filter 3-speed fan controller, 1x 120mm external angle adjustable aluminium fan duct, with noise reduction foam - atx
CH-LDK01X	R 8,934	Lian-li DK-01 Computer Desk (900mm wide) - tempered glass desktop aluminium, no psu, support 360mm radiator/ 175mm high CPU cooler/ 400mm long VGA card, tool-free PCI slots design; 4x USB 3.0 audio in/out - 1x slim 5.25" (or 2.5" hdd), 10x 3.5" internal, with keyboard tray - 7x 120mm fan with filter - E-ATX
CH-LDK02X	R 14,364	Lian-li DK-02 Computer Desk (1250mm wide for dual systems) - tempered glass desktop aluminium, no psu (support 2x PSU), support 2x240mm radiator/ 2x 175mm high CPU cooler/ 300mm 400mm long VGA card, tool-free PCI slots design; 4 4x USB 3.0 2x audio in/out - 1x slim 5.25" (or 2.5" hdd), 8 9x 3.5" /2.5" internal, with keyboard tray - 8x 120mm fan with filter - mini-iTX E-ATX
CH-LDK04X	R 19,369	Lian-li DK-04 Computer Desk case - it is a desk, it is a computer chassis - revolutionary! Tempered glass aluminium desktop , with PW-PCi-E38 PCi-E16x riser cable (to install VGA card horizontally), with built-in LED50RGB-2 LED RGB colour changing kit, no psu (support 2x PSU), support up to 120x480mm radiator/ 140mm high CPU cooler/ 320mm long VGA card, tool-free PCI slots design; 4x USB 3.0 2x audio in/out - 1x 5.25" (or 2.5" hdd), 7 3x 3.5" /2.5" internal, with keyboard tray - 8x 120mm fan with filter up to 12 - ATX | removable mb tray : Y - slide out, lock : Y, mb size support : atx, psu : x, colour : black, case fan bundled - mm : 8x120, HxWxD mm : 780/ 1170x1200x750, 5.25" : 1, 3.5" hidden : 8/ 0, 2.5" hidden : 0/ 8, front USB 3.0 / usb2.0 : 4 / 0, windowed side panel : top
CH-LDKQ1H	R 7,664	Lian-li DK-Q1H computer desk (650mm wide / 805-835mm height) - tempered glass desktop aluminm , no psu , support 240mm radiator / 150mm high cpu cooler / 390mm long vga card , tool-free pci slots design ; 4x usb 3.0 audio in/out - 1x slim 5.25" (or 2.5" hdd), 2/6 x 2.5" , 4/0x 3.5" internal - 5x 120mm fan with filter speed controller - ATX
CH-LDKQ2	R 11,745	Lian-li DK-Q2 Computer Desk (1000mm wide/ 785-815mm height) - tempered glass desktop aluminium, with PW-PCi-E38 PCi-E16x riser cable (to install VGA card horizontally), no psu, support 120x480x60mm radiator/ 90mm high CPU cooler/ 440mm long VGA card, tool-free PCI slots design; 4x USB 3.0 audio in/out - 1x slim 5.25" (or 2.5" hdd), 7x 2.5" /3.5" internal - 8x 120mm fan with filter up to 12, speed controller - ATX
CH-LJ60B	R 2,247	Lian-li pc-J60, Midi Tower, Black, No psu (bottom placed design - with psu bracket - 180Â° reversible), support dual radiator (120x360 120x240mm)/ 160mm high CPU cooler/ 410mm long VGA card, dual chamber design with cover, removable front top panel, made in Taiwan, hairline brush anodized aluminium; 2x USB 3.0 audio in/out, 5x 3.5" hidden (tool-free anti-vibration removable - side accessed), 1x 2.5" - 1x140mm 2x120mm fan with washable filter up to 6 - ATX
CH-LJ60WRX	R 2,528	Lian-li pc-J60, Midi Tower, Windowed Black & Red highlight, No psu (bottom placed design - with psu bracket - 180Â° reversible), support dual radiator (120x360 120x240mm)/ 160mm high CPU cooler/ 410mm long VGA card, dual chamber design with cover, removable front top panel, made in Taiwan, hairline brush anodized aluminium; 2x USB 3.0 audio in/out, 5x 3.5" hidden (tool-free anti-vibration removable - side accessed), 1x 2.5" - 1x140mm 2x120mm fan with washable filter up to 6 - atx
CH-Lo12WX	R 4,376	Lian-li PC-O12WX All Black ATX case with 2x tempered glass panels, Dual vertical Graphics cards Mount ready, 2x tempered glass panels (Side front), Dual chamber design for heat separation, 550 x 203 x 508 mm compact size, All Black, No PSU (Support optional ATX PSU), Support upto 360mm radiator / 150mm high CPU cooler / 430mm Long VGA card, Made in taiwan, Hairline brush anodized aluminum, 1x USB 3.1 Type-C 2x USB 3.0 audio In/Out - 4x 2.5" , 4x 3.5" hidden - upto 5x 120 mm fan with filters - E-ATX
CH-LO8WGN	R 5,277	Lian-li PC-o8W Green & Black - 2x full-sized tempered glass panels (side front), 3x dedicated zone for heat separation, with built-in LED50RGB-2 LED RGB colour changing kit, 428x404x341mm, all black, No psu, support dual radiator (120x240x54 120x360x70mm)/ 170mm high CPU cooler/ 370mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 4x front USB 3.0 audio in/out - 2x 2.5" , 6x 3.5" hidden (in anti-vibration removable drive cage) - 6x 120mm fan with filters up to 8 - E-ATX
CH-Lo9WRX	R 5,261	Lian-li PC-o9WRX Black & Red highlight - 2x tempered glass panels (side front), 3x dedicated zone for heat separation, with built-in LED50RGB-2 LED RGB colour changing kit, 428x404x341mm, all black, No psu, support

		dual radiator (120x360mm)/ 160mm high CPU cooler/ 420mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 4x front USB 3.0 audio in/out - 2x 2.5" , 6x 3.5" hidden (in anti-vibration removable drive cage) - 5x 120mm fan with filters up to 11 - E-ATX
CH-Lo9WX	R 5,590	Lian-li PC-o9WX all black - 2x tempered glass panels (side front), 3x dedicated zone for heat separation, with built-in LED50RGB-2 LED RGB colour changing kit, 428x404x341mm, all black, No psu, support dual radiator (120x360mm)/ 160mm high CPU cooler/ 420mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 4x front USB 3.0 audio in/out - 2x 2.5" , 6x 3.5" hidden (in anti-vibration removable drive cage) - 5x 120mm fan with filters up to 11 - E-ATX
CH-LV2130B	R 5,005	Lian-li pc-V2320, full tower, Black, front door with lock, with wheels, No psu (bottom placed design with psu bracket- 180deg reversable), made in Taiwan, hairline brush anodized aluminum, support upto 480mm long card with holder bar, anti-vibration spring kit; 4x front usb3.0/usb2.0 audio in/out- 4x 5.25" , 11/14x 3.5" (8/11x side accessed 3x behine MB tray) 4x 2.5" - 4x140mm 1x120mm upto 7- E-atx / XL-ATX- upto 10x expansion cards
CH-LV700B	R 2,338	Lian-li pc-V700, Black, No psu (front bottom placed design), mini-tower (400 x 210 x 496mm) for ATX, with support for 440mm very long cards, tool-less side panel, made in Taiwan, hairline brush anodized aluminium, 1x e-SATA 2 x front USB 3.0 1x USB 2.0 audio in/out - tool-free 1x 5.25" , 6x 3.5" (4x side-accessed with hot swap backplane kit) 2 x 2.5" side-accessed internal - 3x120mm 1x 140mm fan, tool-less PCI card holder - atx
CH-LV700WX	R 2,363	Lian-li pc-V700WX ATX Chassis with Windowed side panel, all Black with black interior, No psu (front bottom placed design), mini-tower (400x210x496mm) for ATX, with support for 440mm very long cards, tool-less side panel, made in Taiwan, hairline brush anodized aluminum, 1x e-SATA 2 x front usb 3.0 1x usb2.0 audio in/out - tool-free 1x 5.25" , 6x 3.5" (4x side-accessed with hotswap backplane kit) 2x 2.5" side-accessed internal - 3x120mm 1x 140mm fan, tool-less PCI card holder - atx.
CH-LX500BN	R 3,414	Lian-li pc-X500 , midi tower , Black , No psu (bottom placed design) , right/left side-accessed 3.5" 5.25" device , dual chamber 380mm short depth design , made in Taiwan , hairline brush anodized aluminum , dual -layer side panel with sound dimmer structure , removable front panel with jointer ; 1394 firewire e-SATA 4 x front usb audio in/out - 2x 5.25" , 1x3.5" , 4x 3.5" hidden (anti-vibration drive cage - side accessed) - 4x120mm speed adjustable fan upto 5 , 1 x 585mm full height washable air filter in front - atx
CMT223S	R 848	FSP CMT223S, Silent, ATX, Micro-ATX, Mini-ITX, Gaming Chassis, Mid Tower, 4x 120mm Fans included, Plastic Side Panel, Black
CMT260	R 549	FSP CMT260 Glass Side Panel (GPU 325mm|CPU 170mm) ATX, Micro ATX, Mini-ITX Gaming Chassis - Black
CS-1103-S-BK-V1	R 899	Aerocool CS-1103 Mid Tower Case - Supports ATX, Micro-ATX, and Mini-ITX motherboards, Comes with a brushed aluminum style front panel, Supports air cooling in the front, rear, and side of the case, Supports liquid cooling in the front of the case, Supports CPU coolers up to 151mm, Supports high-end graphics cards up to 335mm, Supports up to 1 x 5.25" ODD, 3 x 3.5" HDDs (2 x 3.5" /2.5") and 4 x 2.5" SSDs, Color Black, Retail Box, 3 Months Warranty.
CX MIRROR B	R 1,206	Antec CX Mirror ARGB ATX Mid-Tower Gaming Chassis - Black, Tempered Glass side panel, Front I/O Power - LED control Button / 1x USB 2.0 / 1x USB 3.0 / 1x USB Type-C 3.2 Gen 1 (5Gbps) / Headphone / Mic Combo jack, 7 Expansion slots, 1x 3.5" / 2x 2.5" Drive bays, 415mm Max GPU length, 155mm Max CPU Cooler height, 180mm Max PSU length
CX300 ARGB B	R 779	Antec CX300 ARGB ATX Gaming Chassis - Black, 4mm Tempered Glass side panel, 2 / 1 3.5" /2.5" Drive bays, 2x 2.5" Drive bays, 7 Expansion slots, 420mm Max GPU length, 170mm Max CPU Cooler height, 245mm Max PSU length
CX300 ARGB W	R 856	Antec CX300 ARGB ATX, Micro-ATX, ITX RGB Mid-Tower Gaming Chassis - White
CX700 ARGB B	R 1,096	Antec CX700 ARGB ATX, Micro-ATX, ITX ARGB Mid-Tower Gaming Chassis Type-C - Black
CX700 ARGB W	R 1,236	Antec CX700 ARGB ATX, Micro-ATX, ITX Mid-Tower Gaming Chassis Type-C - White
CX705 ARGB B	R 884	Antec CX705 ARGB ATX Mid-Tower Gaming Chassis - Black, 4mm Tempered Glass side Window, Front I/O Power - Reset / USB 2.0 x1 / USB 3.0 x1 / USB Type-C 3.2 Gen 1 (5Gbps) x1 / Headphone / Mic Combo jack, 7 Expansion slots, 2x 3.5" & 1x 2.5" Drive bays, 430mm Max GPU length, 175mm Max CPU Cooler height, 270mm Max PSU length
DF-DS900-WHITE	R 1,161	darkFlash DS900 ATX Computer Case - White, Tempered Glass, 425mm Max GPU clearance, 7x PCI-e slot,

		170mm Max CPU Cooler clearance, 2/2 SSD / HDD Drive bays, I/O - 1x USB 3.0 / 1x USB 2.0 / Type-C / HD Audio / LED Switch
FLUX	R 1,600	Antec FLUX eATX Wood Mid Tower Gaming Chassis - Black, 4 mm Tempered Glass side panel, 7 Expansion slots, 2/2 3.5" /2.5" bays, 1x 2.5" bays, 408mm Max GPU length, 180mm Max CPU Cooler height, 235mm Max PSU length
FLUX PRO	R 3,020	Antec FLUX PRO E-ATX Mid Tower Gaming Chassis - Black, 4 mm Tempered Glass side panel, 8 Expansion slots, 4 / 4 3.5" / 2.5" Drive bays, 2x 2.5" Drive bays, 455mm Max GPU length, 190mm Max CPU Cooler height, 470mm Max PSU length, Bottom dust Filter
FLUX PRO W	R 3,145	Antec Flux Pro E-ATX Mid Tower Gaming Chassis - White, 8 Expansion slots, 4 / 4 3.5" / 2.5" Drive bays, 2x 2.5" Drive bays, 455mm Max GPU length, 190mm Max CPU Cooler height, 470mm Max PSU length, Bottom dust Filter
FLUX REAR	R 1,359	Antec FLUX Rear Black ARGB ATX Mid Tower Gaming Chassis; ATX Micro-ATX ITX support; 5 PWM ARGB fans; tempered glass side panel; top 360mm radiator support; front USB 3.0 and Type-C 3.2 Gen 2
FLUX SE	R 1,659	Antec FLUX SE E-ATX Mid-Tower Gaming Chassis Wood front panel - Black, Includes 5 Pre-Installed PWM fans with Built-In Hub Control, Max GPU length clearance of 408 mm, Max CPU Cooler height support of 180 mm, Front radiator support up to 420mm, Top radiator support up to 360mm, Rear radiator support for 120/140mm radiators, Premium walnut Wood and Metal Mesh front panel Design, Front I/O includes - Power / Reset / two USB 3.0 Ports / one Type-C 10Gbps Port / Headphone / Mic Combo jack, Dual Tool-Free sound-dampening side panels included, Back-Connect Motherboard compatible for cleaner cable routing
FLUX W	R 1,697	Antec Flux Mid-Tower E-ATX Gaming Chassis Wood front panel - White, Real birch Wood, 4mm Tempered Glass side panel, 7 Expansion slots, 2/2 3.5" / 2.5" Drive bays, 1x 2.5" Drive bays, 408mm Max GPU length, 180mm Max CPU Cooler height, 235mm (with HDD) Max PSU length
FORGE 120A AIRFLOW	R 803	MSI FORGE 120A AIRFLOW Mid Tower ATX Case, I/O Ports - 2x USB 3.2 Gen 1 Type-A / 1x audio / 1x Mic / 1x LED On/Off Button / 1x Reset Button, 3x 2.5" & 2x 2.5" / 3.5" Drive Mount support, 7 Expansion slots, 330 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 200 mm Maximum PSU length, 3, Built-In Auto-RGB fans, Tempered Glass side panel displays RGB Lighting, Magnetic dust Filter on the top vents
FORGE 130A AIRFLOW	R 688	MSI MAG FORGE 130A AIRFLOW ATX Gaming Chassis - Black, I/O Ports - 2x USB 5Gbps (Type-A) / 1x Audio-Out / 1x Mic-In, 3x 2.5" Drive bays, 2 x 2.5" /3.5" Combo bays, 7 Expansion slots, 330 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 160 mm Power Supply support
GB-C301GW V2	R 1,208	Gigabyte C301 Glass White v2 eATX Chassis, 7 Expansion slots, 2x 3.5" /2.5" Drive bays, 2x 2.5" Drive bays, I/O panel - USB 3.1 Gen2 Type-C x1 / USB 3.0 x2 / audio in & out (Supports HD audio) / LED Switch, 170mm CPU height, 400mm GPU length, 180mm PSU length, RGB Lighting (Support RGB Fusion)
GB-C500P ST	R 1,369	Gigabyte C500 Panoramic Stealth ATX Chassis, 7 Expansion slots, 2x 3.5" Drive support, 1 2 (Replace from 3.5") 2.5" Drive support, I/O panel - USB 3.2 Gen2 Type-C x1 / USB 3.0 x2 / Reset Button / Audio in & out (Supports HD Audio), Max 360mm radiator support, Max 176mm CPU height, Max 410mm GPU length, Max 200mm PSU length, Yes (5-slot total clearance) Vertical GPU Mount, Supports RGB Fusion
GB-C500PI ST	R 1,369	Gigabyte C500 Panoramic Stealth White ATX Chassis; 1x 3.5" / 2x 2.5" Drive Bays; 360mm Radiator compatible; 4x 120mm ARGB fan incl
GS450C	R 458	HuntKey GS450C Black Gaming ATX Case, 2x 3.5" HDD, 2x 2.5" SSD, 160mm CPU Cooler Max height, 320mm VGA Max length, 7x PCI-e slot, I/O connector - 1x USB 3.0 / 2x USB 2.0 / Audio
GX760+GS120(4)WITE	R 863	HuntKey GX760A Fortune ATX Gaming Case - White 4 Fans, Supports up to 10 fans, Two side Tempered Glass, Snap-fit quick-release panel, Support top 360 Liquid Cooler, 160mm CPU Cooler high-limited, 400mm VGA long-limited, 7x PCI-e slot, I/O connector - 1x USB 3.0 / 1x USB 2.0 / 1x HD Audio
HK360	R 446	HuntKey HK360 Black ATX case without PSU, 0.45mm SPCC Metal material, 1x 3.5" Hard Disk Drive bays, 2x 2.5" SSD bays, 155mm CPU Cooler high-limited, 330mm VGA long-limited, 7x PCI-e slot, I/O connector - 2x USB / audio
HVN-CA-BF360-01	R 1,263	Aerocool HAVN BF 360 White eATX Case, Adjustable GPU bracket, Supports up to 7 fans (0 included), 2x 3.5" or 4x 2.5" , Front I/O - USB 3.2 Gen 2 Type-C x1 / USB 3.2 Gen 1 Type-A x2 / Audio jack x1 / Power & Reset Button x1, 7 Expansion slots, Up to 195 mm CPU Tower Cooler clearance, Up to 410 mm Graphics card clearance, 1 - 4.5 slots GPU support, Up to 200mm ATX Power Supply support

HVN-CA-BF360-02	R 1,263	Aerocool HAVN BF 360 Black eATX Case, Adjustable GPU bracket, Supports up to 7 fans (0 included), 2x 3.5" or 4x 2.5" , Front I/O - USB 3.2 Gen 2 Type-C x1 / USB 3.2 Gen 1 Type-A x2 / Audio jack x1 / Power & Reset Button x1, 7 Expansion slots, Up to 195 mm CPU Tower Cooler clearance, Up to 410 mm Graphics card clearance, 1 - 4.5 slots GPU support, Up to 200mm ATX Power Supply support
HVN-CA-BF360-03	R 2,489	Aerocool HAVN BF 360 Flow White eATX Case, Adjustable GPU bracket, Supports up to 7 fans (2x180mm / 1x140mm included), 1x Front I/O - USB 3.2 Gen 2 Type-C x1 / USB 3.2 Gen 1 Type-A x2 / Audio jack x1 / Power & Reset Button , Up to 195 mm CPU Tower Cooler clearance, Up to 410 mm length Graphics card clearance, 1 - 4.5 slots GPU support, 260mm Power Supply clearance
HVN-CA-BF360-04	R 2,489	Aerocool HAVN BF 360 Flow Black eATX Case, Adjustable GPU bracket, Supports up to 7 fans (2x180mm / 1x140mm included), 1x Front I/O - USB 3.2 Gen 2 Type-C x1 / USB 3.2 Gen 1 Type-A x2 / Audio jack x1 / Power & Reset Button , Up to 195 mm CPU Tower Cooler clearance, Up to 410 mm length Graphics card clearance, 1 - 4.5 slots GPU support, 260mm Power Supply clearance
HVN-CA-HS420-06	R 2,745	Aerocool HAVN HS 420 Base Edition Black eATX Case - No GPU Bracket, Supports up to 11 fans, 4x 3.5" or 8x 2.5" bays, 1x front I/O - USB 3.2 Gen 2 Type-C x1 / USB 3.2 Gen 1 Type-A x2 / Audio jack x1 / Power & Reset Button, 6 Expansion slots, Up to 480 mm Graphics card clearance, Up to 185 mm CPU Tower Cooler clearance, 2 - 5 slots GPU support, Up to 220mm length Power Supply support
KCAS-PG-750	R 951	Aerocool KCAS PLUS Gold 750W RGB PSU - ATX 24 PIN, 2x 4 4PIN CPU, 8x SATA, 4x PATA, 3x PCIe 6 2PIN.
KCAS-PG-850	R 1,124	Aerocool KCAS PLUS Gold 850W RGB PSU - ATX 24 PIN, 2x 4 4PIN CPU, 8x SATA, 4x PATA, 3x PCIe 6 2PIN.
M220-BA	R 635	FSP M220 ATX Mid Tower Gaming Chassis - Black, 165mm Maximum CPU Cooler height, 340mm Graphics card length, 360mm Max radiator support, 7 Expansion slots, External I/O Port - 1x USB 3.0 / 2x USB 2.0, 1 1 3.5" HDD bays, 2 2.5" SSD bays
M220-WA	R 677	FSP M220 ATX Mid Tower Gaming Chassis - White, Glass side panel, 165mm Maximum CPU Cooler height, 340mm Graphics card length, 360mm Max radiator support, 7 Expansion slots, External I/O Port - 1x USB 3.0 / 2x USB 2.0, 1 1 3.5" HDD bays, 2x 2.5" SSD bays
M340-BA	R 1,103	FSP M340 ARGB ATX Gaming Chassis - Black, 170mm Maximum CPU Cooler height, 425mm VGA card length, 360mm Max radiator support, 7 Expansion slots, External I/O Port - USB 3.0 x1 / USB 2.0 x1 / Type-C, 1 1 (Share with SSD) 3.5" HDD bays, 1 2.5" SSD bay, Dual Glass panels
M580-BA	R 1,873	FSP M580 ATX Gaming Chassis - Black, 160mm Maximum CPU Cooler height, 445mm VGA card length, 360mm Max radiator support, 7 Expansion slots, External I/O Port - USB 3.0 x2 / Type-C, 1 1 3.5" HDD bays, 2 1 2.5" SSD bays, 270 degree Panoramic views Curved Glass exterior Design, Supporting back-connect Motherboard, Equipped with Reverse ARGB fans
M580-WA	R 1,996	FSP M580 ARGB ATX Mid Tower Gaming Chassis - White, External I/O Port - USB 3.0 x2 / Type-C, 160mm Maximum CPU Cooler height, 445mm VGA card length, 1 1 3.5" HDD bays, 2 1 2.5" SSD bays, 360mm Max radiator support, Supporting back-connect Motherboard, Equipped with Reverse ARGB fans
MAG FORGE 112R	R 1,378	MSI MAG FORGE 112R Tempered Glass ATX case, Magnetic dust Filter, Tool-less Tempered Glass side panel., 240 mm radiator support, 330 mm GPU length support, 160 mm CPU Cooler height support, Up to 200mm PSU lengthi/o Ports - 2x USB 3.2 Gen1 Type-A / 1x audio / 1x Mic, Insta-Light Loop Button
MAG FORGE 130A AIRFLOW	R 721	MSI MAG FORGE 130A AIRFLOW ATX Gaming Chassis - Black, I/O Ports - 2x USB 5Gbps (Type-A) / 1x Audio-Out / 1x Mic-In, 3x 2.5" Drive bays, 2 x 2.5" /3.5" Combo bays, 7 Expansion slots, 330 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 160 mm Power Supply support
MAG FORGE 320R AIRFLOW	R 1,101	MSI MAG Forge 320R Airflow ATX Gaming Chassis, 1x 2.5" Drive Mount support, 2x 2.5" / 3.5" Combo Tray Drive Mount support, I/O Ports - 2x USB 3.2 Gen 1 Type-A / 1x Audio-Out / 1x Mic-In / 1x LED Switch, 7x Case Expansion slots, 390 mm Maximum GPU length, 150 mm Maximum GPU height, 160 mm Maximum CPU Cooler length
MAG PANO 130R PZ	R 1,275	MSI MAG Pano 130R PZ ATX Gaming Chassis - Black, I/O Ports - 2x USB 5Gbps (Type-A) / 1x USB 20Gbps (Type-C) / 1x Audio-Out / Mic-In / 1x Reset Button / 1x Power Button, Up to 3x 2.5" SSD Drive Mount support, Up to 2x 3.5" HDD Drive Mount support, 7 Expansion slots, 400 mm Maximum GPU length, 165 mm Maximum CPU Cooler height, 180 mm Maximum PSU length
MAG PANO 130R PZ WH	R 1,448	MSI MAG Pano 130R PZ ATX Gaming Chassis - White, I/O Ports - 2x USB 5Gbps (Type-A) / 1x USB 20Gbps

		(Type-C) / 1x Audio-Out / Mic-In / 1x Reset Button / 1x Power Button, Up to 3x 2.5" SSD Drive Mount support, Up to 2x 3.5" HDD Drive Mount support, 7 Expansion slots, 400 mm Maximum GPU length, 165 mm Maximum CPU Cooler height, 180 mm Maximum PSU length
MAG PANO M100R PZ	R 1,781	MSI MAG PANO M100R PZ mATX Gaming Chassis - Black
MB-GX870-AEXW+W	R 5,859	Gigabyte X870 Aorus Elite X3D WiFi ICE -- AM5 motherboard with advanced VRM, PCIe 5.0, DDR5 support, integrated Wi-Fi, and ICE white accents.
MB600-WGNN-S00	R 574	Cooler Master MasterBox 600 ATX Case - White, Tempered Glass side panel, 7 Expansion slots, 2x 3.5" Drive bays, 2 2.5" Drive bays, I/O panel - 2x USB 3.2 Gen 1 Type-A / 1x USB 3.2 Gen 2x2 Type-C / 1x 3.5mm Combo, ARGB fans Hub, 170mm clearance - CPU Cooler, 170mm clearance - PSU, 360mm clearance - Graphics, 33-35 mm cable routing - behind Motherboard Tray
MCB-B520-KGNN-RGA	R 1,512	Coolermaster Masterbox MB520 Tempered Glass ATX Black case, 3x 120mm ARGB fans, 7 expansion slots, 2x 2.5" / 3.5" Drive bays (Combo), 4x 2.5" Drive bays, I/O panel includes - 2x USB 3.2 Gen 1 (Formerly USB 3.0) / 1x 3.5mm audio jack / 1x 3.5mm Mic jack / 1x ARGB controller / 1x ARGB 2-TO-3 splitter, Bottom Mount ATX Power Supply support
MCB-E300L-KN5N-B02	R 507	Cooler Master MasterBox E300L Silver Chassis
MCB-K501L-KGNN-SR1	R 991	Cooler Master Masterbox K501L RGB ATX Desktop Chassis, 2x 3.5" , 2x 2.5" Drive Bays, Front: 1x 120mm RGB LED, Rear: 1x 120mm (1x 120mm Installed), I/O: 1x USB 2.0, 1x USB 3.2 Gen 1, 1x 3.5mm Audio Jack, 1x 3.5mm Mic Jack
MCB-Q500L-KANN-S00	R 906	Coolermaster Q500L Black ATX Chassis with Glass Side Panel
MF360-KINN-S00	R 1,149	Cooler Master MasterFrame 360 Panorama S Limited Edition ATX PC Case, 3.5 PCI Expansion slots, 1x HDD or 2x SSD, Front IO - 2x USB Type-A 3.2 Gen 1 5Gbps / 1x USB-C 4.0 Gen 2x2 20Gbps / 1x 3.5mm Headset jack (Audio Mic), 1x PCI-e 5.0 Riser cable / 2x ARGB Spotlight, 360 x 220 x 118mm Maximum dimensions for front collectibles Display, 110mm cable routing - behind MB Tray, 145mm CPU Cooler max, 210mm Power Supply max, 430mm Graphics card max
MF600-SGNN-S00	R 1,149	Cooler Master MasterFrame 600 Premium Modular ATX Case - Silver, Tempered Glass side panel, 8 PCI Expansion slots, 2x 2.5" / 3.5" Drive bays (Combo), 3x 2.5" Drive bays, I/O panel - 2x USB 3.2 Gen 1 Type-A / 1x USB 3.2 Gen 2x2 Type-C / 1x 3.5mm Headset jack (Audio Mic), 458 mm radiator support - front, 190 mm clearance - CPU Cooler, 235 mm clearance - PSU, 485 mm clearance - Graphics card, 43 mm cable routing - behind Motherboard Tray
MPG GUNGNIR 110R WHITE	R 1,149	MSI MPG Gungnir 110R ATX Gaming case - White, Front IO - 2x USB 3.2 Gen 1 Type-A / 1x Mic / 1x audio / 1x USB 3.2 Gen 2 Type-C, 2.5 ' SSD x 2 3.5" with 2.5" combo tray x 2 Driver bays, 7 case expansion slots, 340mm Maximum GPU length, 170mm Maximum CPU cooler length, ARGB Lighting
MPG GUNGNIR 300R AIRFLOW	R 2,068	MSI MPG Gungnir 300R Airflow E-ATX case - White, Mid-Tower case Form Factor, 2x USB 3.2 Gen 1 Type-A, I/O Ports - 1x Power Button / 1x Reset Button / 1x LED Switch Button / 1x Mic-In / Audio-Out / 1x USB 3.2 Gen 2x2 Type-C, 6x 2.5" & 2x 2.5" / 3.5" Drive Mount support, 7 Expansion slots, 360 mm Maximum GPU length, 175 mm Maximum CPU Cooler height, Above 220mm Maximum PSU length
MPG VELOX 100P	R 2,551	MSI MPG VELOX AIRFLOW 100P ATX GAMING CASE
NIMTR1100BLK	R 873	*Incorrect image* Armaggeddon Nimitz TR1100 Black mATX case, Transparent glass side panel, Steel material, 2x 2.5" SSD internal Drive bay, 3x 3.5" Hard Disk Drive Drive bay, 7 expansion slots, 1x USB 3.0 High Speed, 2x USB 2.0 ports, 1x HD audio Port, 1x Microphone Port, 300mm Maximum graphic card length
NX292 ARGB	R 723	Antec NX292 eATX ARGB Mid-Tower Gaming Chassis - Black, Tempered Glass side panel, 7 Expansion slots, 2x 2.5" bay, 2/1 3.5" /2.5 bay, 320mm Max GPU length, 155mm Max CPU Cooler height, 300mm Max PSU length
NX416L	R 1,103	Antec NX416L ATX ARGB Mid-Tower Gaming Chassis - Black, Tempered Glass side panel, 7 Expansion slots, 280mm Max GPU length, 165mm Max CPU Cooler height, 240mm Max PSU length
OB603 GAMING CASE	R 1,149	Microworld OB603 ATX Gaming Case with RGB fans, ATX Mid-Tower PC Case Design, Black finish Colour with included RGB fans, Features 7x PCI-e Expansion slots, Includes USB 3.0 x 2 Ports Plus Type-C and HD Audio on I/O panel, Drive storage includes Space for 3 SSDs and 2 hdds. supports AIO Liquid coolers up to 360mm at top or front positions, CPU Cooler height clearance is 165mm with length limit of 400mm
P20CE	R 1,272	Antec P20CE Mid-Tower E-ATX Gaming Chassis - Black, 7 Expansion slots, Solid side panel, 2x 3.5" / 2.5" Drive

		bays, 2x 2.5" Drive bays, 375mm Max GPU length, 170mm Max CPU Cooler height, 410mm Max PSU length
P500A-G-BK	R 1,208	Aerocool P500A Black Mid Tower ATX Case, Includes 4x 120mm ARGB fan, 4 port ARGB control Hub, 1 3.5" Drive bays, 3x 2.5" Drive bays, 7 Expansion slots, Supports GPU up to 420mm, Supports CPU Cooler up to 180mm, Up to 280mm Power Supply, I/O Ports - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 Type-A / HD Audio & Mic, 30mm internal Cable Management depth
P500A-G-WT	R 1,208	Aerocool P500A White Mid Tower ATX Case, Includes 4x 120mm ARGB fan, 4 port ARGB control Hub, 1 3.5" Drive bays, 3x 2.5" Drive bays, 7 Expansion slots, Supports GPU up to 420mm, Supports CPU Cooler up to 180mm, Up to 280mm Power Supply, I/O Ports - 1x USB 3.2 Gen 2x2 Type-C / 2x USB 3.2 Gen 1 Type-A / HD Audio & Mic, 30mm internal Cable Management depth
P500C-G-BK-v1	R 957	Aerocool P500C Black Mid tower case - Includes 120mm ARGB Fan x 4 and 4-port ARGB control hub - ATX - 3x 2.5" or 2x3.5" - 360m (Components not included)
P500C-G-WT-v1	R 957	Aerocool P500C White Mid tower case - Includes 120mm ARGB Fan x 4 and 4-port ARGB control hub - ATX - 3x 2.5" or 2x3.5" - 360m (Components not included)
P7 S	R 896	Antec P7 S ATX Mid Tower Chassis - Black, 7 Expansion slots, 2 / 1 3.5" /2.5" Drive bays, 1x 2.5" Drive bays, 175mm CPU Cooler Max height, 405mm GPU Max length, 270mm Max PSU length
PANO 110R PZ	R 1,481	MSI MAG Pano 110R PZ Mid-Tower ATX Case - Black, I/O Ports - 1x USB 20gbs (Type-C) / 2x USB 5gbs (Type-A) / 1x Audio-Out / Mic-In / 1x LED Button / 1x Power Button, 2x 2.5" / 2x 3.5" / 2x 2.5" /3.5" Combo Drive Mount support, 7 Expansion slots, 400 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 200 mm Maximum PSU length, 70-degree Panoramic Design with Tempered Glass, Pre-Installed Reverse Blade fans, Argb-fan control board
PANO 110R PZ WHITE	R 1,711	MSI MAG Pano 110R PZ Mid-Tower ATX Case - White, I/O Ports - 1x USB 20gbs (Type-C) / 2x USB 5gbs (Type-A) / 1x Audio-Out / Mic-In / 1x LED Button / 1x Power Button, 2x 2.5" / 2x 3.5" / 2x 2.5" /3.5" Combo Drive Mount support, 7 Expansion slots, 400 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 200 mm Maximum PSU length, 70-degree Panoramic Design with Tempered Glass, Pre-Installed Reverse Blade fans, Argb-fan control board
PERFORMANCE 1 FT ARGB	R 2,123	Antec Performance FT1 E-ATX, ATX, M-ATX, ITX ARGB Full-Tower Gaming Chassis - Black
PRIMEAP202-BK	R 2,211	Asus Prime AP202 Curved Tempered Glass Micro-ATX Chassis - Black, 2x 2.5" /3.5" Combo Drive bays, 4 Expansion slots, Front I/O Port - 1x Headphone / Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen 2x2 Type-C, 30 mm Maximum Cable Management Space, 175 mm Maximum CPU Cooler height, 420 mm Maximum GPU length, 200 mm Maximum PSU length
Prism-G-BK-v3	R 900	Aerocool Prism ARGB Black Mid tower case - 120mm ARGB Fan x 4; 6-port ARGB control hub - ATX - 2x 2.5" or 2x3.5" - 360 Radiator
PROARTPA401WOODEDITION	R 2,378	ASUS ProArt PA401 Wood Edition ATX Gaming Chassis
R-CC560-BKAMA4-G-2	R 936	DeepCool CG560 v2 ATX Gaming Chassis - Black, Front I/O Ports - USB 3.0 x1 / USB 2.0 x1 / Audio x1, 2x 3.5" Drive bays, 2 1 2.5" Drive bays, 7 Expansion slots, 165mm CPU Cooler height limit, 370mm GPU length limit, 170mm Power Supply length limit
R-CG530-BKAGA7-G	R 1,336	DeepCool CG530 4F ARGB ATX Gaming Chassis - Black, Front I/O Ports - USB 3.0 x2 / Gen2 Type-C x1 / Audio & Mic x1, 2x 3.5" Drive bays, 2 1 2.5" Drive bays, 7 Expansion slots, 160mm CPU Cooler height limit, 410mm GPU length limit, 210mm Power Supply length limit
R-CG530U-BKAGA4-G	R 1,408	Deep Cool CG530U 4F ATX Gaming Chassis - Black, Front I/O Ports - USB 3.0 x2 / Gen2 Type-C x1 / Audio/Mic x1 / LED, 2x 3.5" Drive bays, 2 1 2.5" Drive bays, 7 Expansion slots, 160mm CPU Cooler height limit, 410mm GPU length limit
R-CG580-BKADA4-G-2	R 1,323	Deep Cool CG580 4F v2 ARGB ATX Gaming Chassis - Black, Front I/O Ports - USB 3.0 x2 / Gen2 Type-C x1 / Audio & Mic x1, 2x 3.5" Drive bays, 2 2.5" Drive bays, 7 Expansion slots, 176mm CPU Cooler height limit, 410mm GPU length limit, 210mm Maximum length Power Supply
R-CG580-WHADA4-G-2	R 1,323	DeepCool CG580 4F v2 ARGB ATX Gaming Chassis - White, Front I/O Ports - USB 3.0 x2 / Gen2 Type-C x1 / Audio & Mic x1, 2x 3.5" Drive bays, 2 2.5" Drive bays, 7 Expansion slots, 176mm CPU Cooler height limit, 410mm GPU length limit, 210mm Power Supply length limit
R-CG590MESH-BKANA2-G	R 1,400	Deep Cool CG590 Mesh 2F ATX ARGB Gaming Chassis - Black, Tempered Glass side panel, 2 included fans, 410

		mm Max GPU length, 160 mm Max CPU Cooler height, Front I/O - USB 3.0 x2 / Gen2 Type-C x1 / HD Audio x1, RGB Lighting
R-CG590U-BKAGA5-G	R 1,888	Deep Cool CG590U 5F ATX ARGB Gaming Chassis - Black, Tempered Glass side panel, 5x included fans, 410 mm Max GPU length, 160 mm Max CPU Cooler height, Front I/O - USB 3.0 x2 / Gen2 Type-C x1 / Audio/Mic x1, RGB Lighting
R-CH260-WHNWM0-G-1	R 1,107	Deep Cool CH260 Wood mATX Gaming Chassis - White, Tempered Glass side panel, 388 mm Max GPU length, 174 mm Max CPU Cooler height, Front I/O - USB 3.0 x2 / Gen2 Type-C x1 / Audio/Mic x1
ROGGR701HYPERION-BK	R 8,922	Asus ROG Hyperion GR701 E-ATX ARGB Gaming Chassis - Black, 5x 2.5" bay Drive bays, 2 x 2.5" /3.5" Combo bay, 9 Expansion slots, Front I/O Port - 1x Headphone / Microphone, 4x USB 3.2 Gen1, 1x USB 3.2 Gen2 Type-C, LED control Button, Left side & right side Tempered Glass, 190 mm Maximum CPU Cooler height, 460 mm Maximum GPU length, 240 mm Maximum PSU length, 34 mm Maximum Cable Management Space
ROGSTRIXHELIOSIIGX601SBLA	R 8,213	Asus ROG Strix Helios II ARGB eATX Gaming Chassis - Black, Mid Tower Case size, 4x 2.5" Drive bay, 2 x 2.5" /3.5" Drive Combo bay, 8 Expansion slots, Front I/O Port - 1x Headphone / Microphone / 2x USB 3.2 Gen 2x2 Type-C / 4x USB 3.2 Gen1, 3 side Tempered Glass, 190 mm Maximum CPU Cooler height, 220 mm Maximum PSU length, 33 mm Maximum Cable Management Space, ARGB Aura Sync
SDA2-850GEN5	R 3,226	FSP Dagger Pro ATX3.0 (PCIe 5.0) 850w Fully Modular PSU
Trinity Mini-G-BK-v3	R 567	Aerocool Trinity Mini Black tower case - 2x 140mm and 1x 120mm RGB included - Micro ATX - 2x3.5" or 3x 2.5" - 240mm radiator
Trinity Mini-G-WT-v3	R 532	Aerocool Trinity Mini White tower case - 2x 140mm and 1x 120mm RGB included - Micro ATX - 2x3.5" or 3x 2.5" - 240mm radiator
TRITON1BLK	R 746	Armaggeddon Tritron 1 Dual Chamber Tempered Glass side panel Gaming PC case, Front - 1x USB 3.0 / 2x USB 1.0 / 1x audio Port / 1x Mic Port, 1x 2.5" SSD internal Drive bay, 1x 3.5" Hard Disk Drive (Compatible 2xhdd), 7 x PCI slots, 320mm GPU length, 165mm Maximum height CPU Cooler
TRITON1WHT	R 746	Armaggeddon Tritron 1 Dual Chamber Tempered Glass side panel Gaming PC case - White,3x ARGB Fans, Front - 1x USB 3.0 / 2x USB 1.0 / 1x audio Port / 1x Mic Port, 1x 2.5" SSD internal Drive bay, 1x 3.5" Hard Disk Drive (Compatible 2xhdd), 7 x PCI slots, 320mm GPU length, 165mm Maximum height CPU Cooler
TRITONPRO300BLK	R 804	Armaggeddon Tritron Pro 300 Black Dual camber Tempered Glass side panel ATX case, Front panel - 1x USB 3.0 / 2x USB Port / 1x audio Port / 1x Mic Port, 1x 2.5" SSD internal Drive bay, 1x 3.5" Hard Disk Drive, 7x PCI slots, 320mm GPU length, 165mm Maximum height CPU Cooler
TRITONPRO300WHT	R 804	Armaggeddon Tritron Pro 300 White Dual camber Tempered Glass side panel ATX case, Front panel - 1x USB 3.0 / 2x USB Port / 1x audio Port / 1x Mic Port, 1x 2.5" SSD internal Drive bay, 1x 3.5" Hard Disk Drive, 7x PCI slots, 320mm GPU length, 165mm Maximum height CPU Cooler
TRONHOLO3BLK	R 758	Armaggeddon Tron Holo 3 Gaming ATX case - Black, Front panel - 1x USB 3.0 / 2x USB 2.0 Port / 1x HD audio Port / 1x Microphone Port, 1x 2.5" SSD internal Drive bay, 2x 3.5" Hard Disk Drive bay, 330mm Maximum VGA card, 160mm Maximum CPU Cooler, Fans not included
TRONHOLO5BLK	R 804	Armaggeddon Tron Holo 5 Gaming ATX case - Black, Front panel - 1x USB 3.0 / 2x USB 2.0 Port / 1x HD audio Port / 1x Microphone Port, 1x 2.5" SSD internal Drive bay, 1x 3.5" Hard Disk Drive bay, 330mm Maximum VGA card, 165mm Maximum CPU Cooler, Fans not included
TUFGAMING-GT502HORIZON-BK	R 3,827	Asus TUF GAMING GT502 Horizon ARGB ATX Gaming Chassis
U500-B	R 1,958	FSP U500 E-ATX Workstation Chassis - Black, 9 Expansion slots, 4x 3.5" HDD bays, 6x 2.5" SSD bays, External I/O Port - 2x USB 3.0 / 1x USB Type-C, 480mm Maximum radiator support, 180mm Maximum CPU Cooler height, 420mm with Graphics card holder Maximum Graphics card length
U580-BA	R 1,788	FSP U580 ARGB ATX Ultra Tower Gaming Chassis - Black, 160mm Maximum CPU Cooler height, 415mm VGA card length, 360mm Max radiator support, 9 Expansion slots, External I/O Port - 2x USB 3.0 / Type-C, 1 1 3.5" HDD, 2 1 2.5" SSD
U660-B	R 2,546	FSP U660 ATX Ultra Tower (Multi-HDD) Desktop Chassis - Black, 9 Expansion slots, 18x 3.5" HDD Drive bays, 1 3 2.5" SSD bays, External I/O Port - 2x USB 3.0 / 1x USB Type-C, 360mm Maximum radiator support, 180mm Maximum CPU Cooler height, 280mm Maximum Graphics card length
V1-BK-V1	R 1,149	Aerocool APNX V1 premium Black mid-tower ATX case - Supports up to 10 fans - 6x2.5" or 2x 3.5" - 360mm

		radiator; supports 10 fans; 360mm radiator compatible; 6 x 2.5 inch SSD or 2 x 3.5 inch HDD; high airflow chassis; black finish
V1-W-BK-v3	R 1,309	Aerocool APNX V1 Premium Black and Wood Mid-Tower ATX Case, Supports up to 10 fans, 6x 2.5" or 2x 3.5" bays, 7 Expansion slots, Supports GPU up to 395mm, Supports CPU Cooler up to 170mm, 2x I/O Ports - 1x USB 3.2 Gen2 Type-C / 2x USB3.2 Gen1 Type-A / Audio & mic., 90mm internal Cable Management depth
V1-W-WT-v3	R 1,493	Aerocool APNX V1 Premium White and Wood Mid-Tower ATX Case, Supports up to 10 fans, 6x 2.5" or 2x 3.5" bays, 7 Expansion slots, Supports GPU up to 395mm, Supports CPU Cooler up to 170mm, 2x I/O Ports - 1x USB 3.2 Gen2 Type-C / 2x USB3.2 Gen1 Type-A / Audio & mic., 90mm internal Cable Management depth
VC-08A43	R 689	Microworld VC-08A43 ATX case Black with no PSU, 340 x 180 x 410 mm chassis dimension, 2x 3.5" Drive bays, 4x 2.5" Drive bays, 7 Expansion slots, 2x USB 2.0, HD audio
VCX10M RGB	R 366	Antec VCX10M RGB Micro-ATX ARGB Mini Tower Gaming Chassis - Black, Tempered Glass front and side panel, 4 Expansion slots, Front Access & controls Power - LED control Button / 1x USB 2.0 / 1x USB 3.0 / HD-Audio, 1x 3.5" Drive bays, 2x 2.5" Drive bays, 260mm Max GPU length, 165mm Max CPU Cooler height, 190mm Max PSU length, Top dust Filter
VCX300 ARGB	R 550	Antec VCX300 ARGB ATX Gaming Chassis, Tempered Glass side Window material, I/O Ports - USB 3.0 x1 / USB 2.0 x2 / Mic - hdaudio, 7 Expansion slots, 2x 2.5" Drive bays, 1x 3.5" Drive bays, 165mm CPU Cooler Max height, 320mm GPU Max length, 325mm Max PSU length
VSK4000B	R 504	Antec VSK4000B ATX Mid-Tower Chassis - Black, 3x 5.25" external Drive bays, 1x external floppy Drive bay, 5x 3.5" internal HDD bays, Front Ports - 2x USB 3.0 / Audio In/Out, 7 Expansion slots, Up to 340mm VGA card length Max
VX310 ARGB	R 481	Antec VX310 ARGB ATX Gaming Chassis, Tempered Glass side panel, 7 Expansion slots, 1x 3.5" & 3x 2.5" Drive bays, 165mm CPU Cooler Max height, 320mm GPU Max length, 325mm Max PSU length
XCURVEGIGA10WHT	R 2,172	Armaggeddon Aquaron X-Curve GiGa 10 White ATX Gaming Case with 10 ARGB Fans; curved tempered glass; dual chamber; 0.5mm SPCC steel; dimensions: 46.2 x 28 x 43.5cm; graphics card clearance: 410mm; CPU cooler clearance: 165mm; 2 x USB 3.0; 1 x USB Type-C; 7 x PCI slots; 1 x 2.5-inch SSD bay; 1 x 3.5-inch HDD bay; supports compatible radiators up to 360mm

< Return to the menu

ATX Desktop Cases (OEM)

Product code	Price	Description

< Return to the menu

Chassis Accessories

Product code	Price	Description
04G265000600AK	R 597	Asrock Deksmini Power Adapter - 120w 19v 3pin
170703	R 139	Manhattan 5 ft. Electro-Luminescent cable - Neon Green
170710	R 139	Manhattan 5 ft. Electro-Luminescent cable - Blazing Yellow
170734	R 139	Manhattan 5 ft. Electro-Luminescent cable - Flaming Red
170741	R 139	Manhattan 5 ft. Electro-Luminescent cable - Electric Blue
761345-30757-4	R 89	Antec Dark Fleet Hot Swap Module (hot-swap backplane pcb for 2 x SATA hdd) - for DF-85 (Dark Fleet enclosure/chassis)
90-BCA000-00XAYZ	R 137	ASRock DESKMINI ARGB LED Strip
90-BXG2T0-A0XCR3W	R 116	Asrock Deksmini Vesa Mount Kit
AC-023-AN1NAN-A1	R 331	Thermaltake Commander FP 10 Port Hub for PWM Fans
AC-024-BN1NAN-A1	R 826	Thermaltake Commander F6 RGB LCD Multi Fan Controller
AC-037-LN1NAN-A1	R 688	Thermaltake Lumi Color 256C RGB Magnetic LED Strip Control Pack
AC-066-OO1NAN-A1	R 3,104	Thermaltake LCD panel kit for The Tower 200 Mini Chassis - Black, 3.9" TFT LCD Display Type, 128x480 (RGB) Display Resolution
AC-066-OO6NAN-A1	R 3,104	Thermaltake LCD panel kit for The Tower 200 Mini Chassis - White, 3.9" TFT LCD Display Type, 128x480 (RGB)

		Display Resolution
AC-069-OO1NAN-A1	R 745	Thermaltake Dr. Power III Universal ATX Power Supply tester, ATX Power supplies, Up to ATX12V V3.1, Incorporates the PCI-e 12 4 pin connector, Detects SENSE0 / SENSE1 sideband signals
AC-071-CO1OTN-C1	R 1,033	Thermaltake PCI-e 4.0 Dual 90 degree Riser cable 130mm, 1.3mm cable thickness, PCI Express x16 Male to PCI Express x16 Female, 16 Gbps Data rate
AC-074-ON1NAN-A1	R 745	Thermaltake Chassis stand kit for The Tower 300 - Black, 145 x 266 x 459 mm Display stand, 55 x 281 x 342 mm bottom cover panel
AC-074-ON4NAN-A1	R 745	Thermaltake Chassis stand kit for The Tower 300 - Bumblebee, 145 x 266 x 459 mm Display stand, 55 x 281 x 342 mm bottom cover panel
AC-074-ON6NAN-A1	R 745	Thermaltake Chassis stand kit for The Tower 300 - Snow White, 145 x 266 x 459 mm Display stand, 55 x 281 x 342 mm bottom cover panel
AC-074-ONCNAN-A1	R 745	Thermaltake Chassis stand kit for The Tower 300 - Turquoise, 145 x 266 x 459 mm Display stand, 55 x 281 x 342 mm bottom cover panel
AC-074-ONDNAN-A1	R 745	Thermaltake Chassis stand kit for The Tower 300 - Racing Green, 145 x 266 x 459 mm Display stand, 55 x 281 x 342 mm bottom cover panel
AC-074-ONENAN-A1	R 745	Thermaltake Chassis stand kit for The Tower 300 - Matcha Green, 145 x 266 x 459 mm Display stand, 55 x 281 x 342 mm bottom cover panel
ASUS RS200 ROG STRIX RISER CA	R 917	Asus ROG Strix 240 mm PCI-E 3.0 x 16 Riser Cable with 90 degree adapter, patent SafeSlot design, EMI Shielding
ATLAS MYSTIC ARGB	R 412	MSI ATLAS MYSTIC ARGB Graphics Card Holder
BRACKET6	R 46	Micoworld Low Profile Bracket Unpopulated X 1 Slot
BRK-CPB-1	R 376	Lumi CPB-1 Bracket Thin Client Holder; steel construction; matte black; 5kg maximum capacity; adjustable 17-70mm depth range; under-desk, clamp and VESA-compatible mounting; pole clamp; security straps included
BRK-CPB-6	R 812	Lumi Bracket 8.8 - 20cm Cpu Holder - (H) 53cm, Max 10kg (Case not included)
BRK-CPB-7	R 258	Lumi CPB-7 Bracket Intel Nuc Holder; steel construction; matte black; VESA compatible; 3kg maximum weight capacity; designed for Intel NUC; monitor arm compatible; economy performance tier
BRK-DVD-212B	R 468	Lumi Bracket Dvd, 2 Shelves 6mm Black Glass, 8kg 380mm(w) X 280mm(d), Back Piller 400mm
CC-8900496	R 56	Corsair 5000X/5000D/5000D AIRFLOW Top Airflow Panel - White
CH-AAFP-G	R 122	Antec 761345-30134 front panel with Green highlight for SOnata Designer 500 / sonata plus / solo / P150
CH-AAFP-o	R 118	Antec 761345-30132 front panel with Orange highlight for SOnata Designer 500 / sonata plus / solo / P150
CH-AAFP-P	R 112	Antec 761345-30135 front panel with Pink highlight for SOnata Designer 500 / sonata plus / solo / P150
CH-AASKM	R 710	Antec Accessory - SKeleton Mesh - mesh protection for Antec Skeleton
CH-AASP160W	R 184	Antec SP160W windowed side panel for p160 chassis
CH-ADFHSM1	R 84	Antec Dark Fleet Hot Swap Module (hot-swap backplane pcb for 2 x SATA hdd) - for DF-30 / DF-35
CH-ADFHSM2	R 86	Antec Dark Fleet Hot Swap Module (hot-swap backplane pcb for 2 x SATA hdd) - for DF-85
CH-BABC-SHW	R 29	Bitfenix BFC-SNB-150-ODDW-RP 5.25" white optical device Bay Cover with eject button for SHinobi, with SofTouch surface treatment.
CH-BAMS-G	R 101	Bitfenix BFC-SNB-150-GX-SP Mesh Strips - Green - for Shinobi
CH-BAMS-L	R 101	Bitfenix BFC-SNB-150-BX-SP Mesh Strips - Blue - for Shinobi ATX Case
CH-BAMS-R	R 101	Bitfenix BFC-SNB-150-RX-SP Mesh Strips - Red - for Shinobi ATX Case
CH-BAMS-W	R 101	Bitfenix BFC-SNB-150-WX-SP Mesh Strips - White - for Shinobi ATX Case
CH-BAP-BoM	R 292	Bitfenix Meshed, Black with Orange highlight, front bezel.
CH-BAP-BoS	R 292	Bitfenix Solid with SofTouch treatment, front bezel, Black with Orange highlight.
CH-BAP-BPM	R 308	Bitfenix Black with Pink highlight, Meshed front bezel.
CH-BAP-BPS	R 308	Bitfenix Black with Pink highlight, front bezel. Solid with SofTouch treatment.
CH-BAP-BRM	R 292	Bitfenix Black with Red highlight, meshed, front bezel.
CH-BAP-BRS	R 292	Bitfenix Solid with SofTouch treatment, front bezel - Black Red highlight.
CH-BAP-BSM	R 292	Bitfenix Black with Silver highlight meshed, front bezel.
CH-BAP-WBM	R 292	Bitfenix Meshed front bezel, White with Black highlight.

CH-BAP-WBS	R 292	Bitfenix front bezel, White with Black highlight, Solid with SofTouch treatment.
CH-BAP-WoM	R 308	Bitfenix Meshed front bezel. White with Orange highlight.
CH-BAP-WoS	R 292	Bitfenix front bezel. White with Orange highlight. Solid with SofTouch treatment.
CH-BAP-WPM	R 308	Bitfenix Meshed front bezel. White with Pink highlight.
CH-BAP-WPS	R 308	Bitfenix front bezel, White with Pink highlight, Solid with SofTouch treatment
CH-BAW-CB	R 251	Bitfenix BFC-CLS-500-WWWA-RP Windowed side panel - Colossus White (Case not included)
CH-BAW-CW	R 251	Bitfenix BFC-CLS-500-WWWA-RP Windowed side panel - Colossus White (Case not included)
CH-BAW-K	R 194	Bitfenix Windowed black side panel.
CH-BAW-o	R 194	Bitfenix Orange Windowed side panel.
CH-BAW-R	R 194	Bitfenix Red Windowed side panel.
CH-BAW-W	R 194	Bitfenix White windowed side panel.
CH-CA1000SWS	R 276	Coolermaster RA-1000-SWN1 - windowed side panel - silver , for coolermaster cosmos RC-1000 , RC-1010
CH-CA8900103L	R 289	Corsair CC-8900103 bLue - 8 sets of long short anodized aluminum thumbscrews - for Crystal Series 570X series
CH-CA8900104G	R 289	Corsair CC-8900104 Gold - 8 sets of long short anodized aluminum thumbscrews - for Crystal Series 570X series
CH-CA8900244K	R 447	Corsair cc-8900244 black - front panel extension cable kit (power reset LED /- USB3.0 USB2.0 audio), 30cm flexible mesh paracord sleeved cable
CH-CA8900245W	R 406	Corsair cc-8900245 White - front panel extension cable kit (power reset LED /- USB3.0 USB2.0 audio), 30cm flexible mesh paracord sleeved cable
CH-CA8900246R	R 413	Corsair cc-8900246 Red - front panel extension cable kit (power reset LED /- USB3.0 USB2.0 audio), 30cm flexible mesh paracord sleeved cable
CH-CA8900247L	R 459	Corsair cc-8900247 blue - front panel extension cable kit (power reset LED /- USB3.0 USB2.0 audio), 30cm flexible mesh paracord sleeved cable
CH-CA8900680	R 1,370	Corsair cc-8900680 front top panel - bamboo, for 5000X/5000D/5000D Airflow/5000D Airflow Rgb
CH-CA8900696	R 1,140	Corsair 2500 panel kit - Teak
CH-CA8900697	R 1,140	Corsair 2500 panel kit - Bamboo
CH-CA8900699	R 1,298	Corsair 2500 panel kit - Aluminum Silver
CH-CA8900704	R 319	Corsair 2500 vertical GPU mount - Black
CH-CA8900706	R 1,140	Corsair 2500 Series Vertical GPU Mount kit - Black, Includes a Vertical bracket, 175mm PCI-e 4.0 Riser cable, 4x PCI covers, Screws, Standoffs for installation, Compatible with 2500D and 2500X cases
CH-CA8900707	R 1,140	Corsair 2500 vertical GPU mount - white
CH-CA8900716	R 1,691	Corsair 6500 panel kit - aluminum Silver
CH-CA8930002	R 628	Corsair cl-8930002 commander PRO expansion kit (requires Lighting Node PRO or Commander PRO) - with 4x Individually addressable RGB LED strips 4x extension cables
CH-CA9011104	R 374	Corsair cl-9011104 GPU node for corsair link kit - with 2x Pci-E 8pin connector
CH-CAiSH	R 894	Corsair iCUE Link system Hub - daisy chain upto 14x iCUE Link devices, with 100 600mm iCUE Link cable 1x PCI-e Power cable, CL-9011116-WW
CH-CMM3WST	R 733	Coolermaster MCA-C3P1-KGW00 Module for Mastercase 3 - Windowed Side panel - Tempered glass - full-sized window with lock mechanism *Note that this is a part, and the full case is not included*
CH-CMM5TM	R 291	Coolermaster MCA-0005-KTC01 Module for Mastercase 5 - Top-cover Magnetic grip
CH-EASS	R 107	Enermax UC-SST8 Security Screws kit - with 2 type of security screws (8 8) 2 type of security screw drivers keys
CH-iAPRK	R 712	In-Win PCi-E 3.0 Riser Kit (50mm cable vertical card bracket) - to extend VGA card for vertical mounting or other ideal place
CH-LAAD02	R 85	Lian-li AD-02 , air duct for cpu , 120mm fan - compatiable with most of case
CH-LAAD06	R 136	Lian-li aluminum black air duct for CPU, dual hinge design for angle adjustment, includes 1x 120mm fan , to work with existing 120mm rear case fan to create a air-flow zone.
CH-LABZ503B	R 143	Lian-li BZ-503 Black - 3x 5.25" bezel with meshed panel filter key-lock
CH-LABZ516X	R 100	Lian-li BZ-516X all black - mounting bracket for LT-LLRGB C (Led50RGB-2) in 5.25"
CH-LAC02B	R 68	Lian-li C-02 Black aluminum bezel for 5.25" optical drive with eject button - only compatible with Lian-Li case

CH-LAoH01S	R 93	Lian-li oH-01 Silver - anti-vibration thumb screws (20pcs)
CH-LAPCi01B	R 87	Lian-li PCi-01 Black - tool-less pci/pci-e card holder for 7x expansion cards - for most of Lian-li case
CH-LAPCi01R	R 152	Lian-li PCi-01 Red - tool-less pci/pci-e card holder for 7x expansion cards - for most of Lian-li case
CH-LAPCi01S	R 61	Lian-li PCi-01 Silver - tool-less pci/pci-e card holder for 7x expansion cards - for most of Lian-li case
CH-LAPTKi01	R 33	Lian-Li PT-Ki01 stick-insulation noise reduction for front panel, 2pcs of 52x10mm
CH-LAT60-1R	R 100	Lian-li T60-1 , Red - optional dual 120/140mm fan bracket for pc-T60
CH-LAT703B	R 281	Lian-li T-703 Black top cover - with mesh opening for 3x120mm fan , ideal for liquid cooling system - for pc-A70 , pc-A7010 series
CH-LAT703S	R 281	Lian-li T-703 Silver top cover - with mesh opening for 3x120mm fan , ideal for liquid cooling system - for pc-A70 , pc-A7010 series
CH-LAT713B	R 281	Lian-li T-713 Black top cover - with mesh opening for 3x120mm fan , ideal for liquid cooling system - for pc-A71 , pc-A7110 series
CH-LAT713S	R 235	Lian-li T-713 Silver top cover - with mesh opening for 3x120mm fan , ideal for liquid cooling system - for pc-A71 , pc-A7110 series
CH-LAT80-2B	R 368	Lian-li pc-T80-2 Black - fan/radiator HDD dual function tray for pc-T80 only
CH-LATS02S	R 51	Lian-li TS-02 Silver - MB thumb screws (9x long 3x short)
CH-LAW65B	R 179	Lian-li W-65 Black windowed side panel - for middle tower of pc-6x series (pc-60Plus II, pc-A6010) / pc-7x series (pc-7AYCF)
CH-LAW65PB	R 191	Lian-li W-65P Black windowed side panel with VGA vent - for middle tower of pc-6x series (pc-60Plus II, pc-A6010) / pc-7x series (pc-7AYCF)
CH-LAW65PS	R 191	Lian-li W-65P Silver windowed side panel with VGA vent - for middle tower of pc-6x series (pc-60Plus II, pc-A6010) / pc-7x series (pc-7AYCF)
CH-LAW65S	R 179	Lian-li W-65 Silver windowed side panel - for middle tower of pc-6x series (pc-60Plus II, pc-A6010) / pc-7x series (pc-7AYCF)
CH-LAW75B	R 346	Lian-li W-75 Black windowed side panel - for full tower of pc-A7x series
CH-LAW75PB	R 483	Lian-li W-75P Black windowed side panel with VGA vent - for full tower of pc-A7x series , pc-P80
CH-LAW75PS	R 483	Lian-li W-75P Silver windowed side panel with VGA vent - for full tower of pc-A7x series
CH-LAW75S	R 346	Lian-li W-75 Silver windowed side panel - for full tower of pc-A7x series
CH-LAWV1010B	R 624	Lian-li W-V1010 Black windowed side panel - for middle tower of PC-V1010/1110
CH-LAWV1010S	R 624	Lian-li W-V1010 Silver windowed side panel - for middle tower of PC-V1010/1110
CH-LAWV2010B	R 710	Lian-li W-V2010 Black windowed side panel - for full tower of PC-V2010/2110
CH-LAWV2010S	R 710	Lian-li W-V2010 Silver windowed side panel - for full tower of PC-V2010/2110
CH-LLC2-3X	R 229	Lian-li LanCool 2-3X - 3 bays hot-swap backplan kit for LanCool 2 (ii) HDD cage
CH-Lo11DM-1X-3	R 795	Lian-li o11DMini-1X black PCI-E 3.0 riser kit for PC-o11 Dynamic Mini - for vertical VGA installation - 3 slots back panel bracket with 200mm PCI-E extension cable
CH-Lo11DXL-2	R 229	Lian-li o11DXL-2 extension panel of EEB motherboard for PC-o11DXL
CH-VAMPG	R 123	ViZo MTP-101-GR Master Panel Gray , for 5.25" bay , with IDE eSATA SATA interface (data cable power cable included) , with on/off switch
CH-VAMPW	R 128	ViZo MTP-101-WH Master Panel White , for 5.25" bay , with IDE eSATA SATA interface (data cable power cable included) , with on/off switch
CL-9011116-WW	R 863	Corsair iCUE Link system Hub - daisy chain upto 14x iCUE Link devices, with 100 600mm iCUE Link cable 1x PCI-e Power cable, CL-9011116-WW
CL-9011119-WW	R 334	Corsair iCUE LINK cable - 1x 600mm, CL-9011119-WW
CL-9011120-WW	R 219	Corsair iCUE Link cable - 2x 200mm, CL-9011120-WW
CL-9011121-WW	R 334	Corsair iCUE Link cable - 2x 100mm, CL-9011121-WW
CL-9011127-WW	R 219	Corsair iCUE Link cable - 1x 600mm - White, CL-9011127-WW
CL-9011128-WW	R 240	Corsair iCUE Link cable - 2x 200mm - White, CL-9011128-WW
CL-9011132-WW	R 322	Corsair iCUE Link Y-Splitter cable - 1x 600mm - White, CL-9011132-WW
CL-O014-PL00SW-A	R 653	Thermaltake Pacific Lumi Plus LED Strip 3-Pack

CL-W133-CU00BL-A	R 998	Thermaltake Pacific RGB G1/4 PETG Tube 16mm OD 12mm ID (6 Pack Fittings)
CL-W153-AL00BU-A	R 1,033	Thermaltake Pacific Hard Tube Bending Kit for ID 10mm x OD 12mm Hard Tube
CL-W160-CU00WT-A	R 1,136	Thermaltake Pacific 12mm OD 10mm ID PETG Fitting Kit â€“ Starter
CL-W170-CU00SL-B	R 699	Thermaltake Pacific M-Pro G1/4 PETG 12mm Fitting Kit - Chrome
DT5000	R 343	Jetart Muti-Function Xpanel, A User-Friendly, Fine-Touch, Hdd Cooler Built-In Full Aluminum Control Panel, Digital Knob Control, Built-In Hdd Cooler, Fan Speed & Thermal Control, Fan Speed & Overheating Alarm, Usb,1394, Earphone & Microphone Ports, Blue Lcd Monitor.Ships With: Dt5000 Module Case, Usb Adapter, Ieee 1394 Adapter, Earphone / Microphone Adapter, 3 X Fan Power Extending Wire, Thermal Sensor Wire. (NOT PWM)
DT6000	R 240	Jetart Xpanel, A User-Friendly, Fine-Touch, Hdd Cooler Built-In Full Aluminum Control Panel, Digital Knob Control, Built-In Hdd Cooler, Fan Speed & Thermal Control, Fan Speed & Overheating Alarm, Blue Lcd Monitor.Ships With: Dt6000 Module Case, 6 X Fan Power Extending Wire, Thermal Sensor Wire, Screws. (NOT PWM)
EE-IAH	R 68	ICYDOCK Hybrid external e-SATA ac power connector on PCI bracket - from SATA on motherboard to External E-SATA 4pin molex from psu to power connector - for ICYDOCK external enclosure.
FA-CA9011118	R 861	Corsair iCUE LINK cable kit - 1x 600mm & 2x 200mm & 2x 100mm cables, CL-9011118-WW
FA-CA9011119	R 217	Corsair iCUE LINK cable - 1x 600mm, CL-9011119-WW
FA-CA9011120	R 322	Corsair iCUE Link cable - 2x 200mm, CL-9011120-WW
FA-CA9011121	R 342	Corsair iCUE Link cable - 2x 100mm, CL-9011121-WW
FA-CA9011124	R 342	Corsair iCUE Link Y-Splitter cable - 1x 600mm, CL-9011124-WW
FA-CA9011125	R 253	Corsair iCUE LINK connector kit - 5x active 5x passive replacement connectors, CL-9011125-WW
FA-CA9011126	R 883	Corsair iCUE Link cable kit - 1x 600mm 2x 200mm 2x 100mm cables - White, CL-9011126-WW
FA-CA9011127	R 217	Corsair iCUE Link cable - 1x 600mm - White, CL-9011127-WW
FA-CA9011128	R 229	Corsair iCUE Link cable - 2x 200mm - White, CL-9011128-WW
FA-CA9011129	R 228	Corsair iCUE Link cable - 2x 100mm - White, CL-9011129-ww
FA-CA9011130	R 351	Corsair iCUE Link cable - 1x 600mm with straight & 90-degree angled connectors - White, CL-9011130-ww
FA-CA9011131	R 261	Corsair iCUE Link cable - 2x 200mm with straight 7 90-degree angled connectors - White, CL-9011131-WW
FA-CA9011132	R 217	Corsair iCUE Link Y-Splitter cable - 1x 600mm - White, CL-9011132-WW
FA-CA9011134	R 183	Corsair iCUE Link cable - 2x 135mm with 2x Slim 90-degree angled connectors - White, CL-9011134-ww
FA-CARC-HD	R 198	Corsair co-8950022 RGB fan LED controller - for HD RGB fans (speed/ color/ mode)
FA-CARD-K	R 76	Corsair Co-8950015 anti-vibration Rubber Dammper kit of 4 - Black - for ML120/ ML140 series
FA-CARD-L	R 76	Corsair Co-8950018 anti-vibration Rubber Dammper kit of 4 - blue - for ML120/ ML140 series
FA-CARD-W	R 59	Corsair Co-8950017 anti-vibration Rubber Damper kit of 4 - White - for ML120/ ML140 series
FA-LPTAF14-2B	R 207	Lian-li PT-AF14-2B - removable / washable dust filter mount kit for 140mm system fan or case - 4 screws design (Fan not incl)
FA-VV60	R 21	Vantec vdk-60 60mm system fan vibration dampener kit, clear - ultra-light silicon gel to reduce noises
FA-VV92	R 12	vantec vdk-92 92mm system fan vibration dampener kit, clear - ultra-light silicon gel to reduce noises
GC-USB-2P	R 69	GIGABYTE 10-Pin 2-Port USB cable
iT-CGA78790020	R 153	CFi GA78790020 - 2x HDD Inner Tray kit for 2059, 7879, 9849 mini-itx case
JC502	R 122	Giada JC502 VESA Mount for DN24 and DN25, High-Quality Metal, 10 x 10 cm VESA, 7.5 x 7.5 cm VESA
JC530	R 122	Giada JC530 Vesa Mount for F210, perfect to keep your system safe and secure at home or on the go!
LKCP-1163	R 196	Mecer 4-Dial PC Cable Lock
LT-ARGB	R 436	Adata/Xpg RGB led strip - with mode/speed/light controller, 30 RGB leds, support daisy-chain up to 4 cables, SATA powered - 60cm
LT-C40/26x2B	R 222	Coolermaster MCA-U000R-BLS000 universal led strip (kit of 2) - Blue - acrylic aluminum housing with magnetic grip, SATA powered - 40 leds/ 26cm
LT-C40/26x2G	R 222	Coolermaster MCA-U000R-GLS000 Universal led strip (kit of 2) - Green - acrylic aluminium housing with magnetic grip, SATA powered - 40 leds/ 26cm
LT-C40/26x2R	R 258	Coolermaster MCA-U000R-RLS000 Universal led strip (kit of 2) - Red - acrylic aluminium housing with magnetic grip, SATA powered - 40 leds / 26cm
LT-CLC100CS	R 330	Corsair CL-8930010 LC100 Connecting Shafts - 8x included low-profile connectors 2x corner hinges

LT-CLC100EK	R 1,955	Corsair CL-9011115 LC100 Expansion Kit - 9x interconnected mini triangle lighting panels (9 LEDs per panel) up to 18, magnetic attachment, 8x included low-profile connectors 2x corner hinges - compatible with Lighting Node PRO/ COMMANDER CORE XT
LT-CLC100SK	R 2,344	Corsair CD-9011114 LC100 Starter Kit - Lighting Node PRO RGB lighting controller 9x interconnected mini triangle lighting panels (9 LEDs per panel) up to 18, magnetic attachment, 8x included low-profile connectors 2x corner hinges
LT-CLS100E1400	R 1,380	Corsair CD-9010005-WW/LL LS100 Expansion Long - smart lighting strip - 1400mm LED strips with 84 individually addressable RGB LEDs, with 1500mm RGB extension cables 14 metal plates 2x cable management clips, magnetic adhesive backing
LT-CLS100E250x2	R 424	Corsair CD-9010001-WW/SS LS100 Expansion Short - smart lighting strip - 2x 250mm LED strips with 2x15 individually addressable RGB LEDs, with 2x 300mm RGB extension cables 2x9 metal plates 2x cable management clips, magnetic adhesive backing
LT-CLS100E450x2	R 585	Corsair CD-9010001-WW/LL LS100 Expansion Long - smart lighting strip - 2x 450mm LED strips with 2x27 individually addressable RGB LEDs, with 2x 300mm RGB extension cables 2x9 metal plates 2x cable management clips, magnetic adhesive backing
LT-CLS100SK	R 2,376	Corsair CD-9010001-EU LS100 Starter Kit - smart lighting strip with media synchronization audio visualization - 4x LED strips with individually addressable RGB LEDs (2x 450mm with 27x2 LED 2x 250mm with 15x2 LED), with 4x 300mm RGB extension cables 16 metal plates 8x cable management clips, magnetic adhesive backing, support upto 138 LEDs per channel or 192 LEDs total for 2 channels in total - AC Powered
MB-AAF	R 68	1x Firewire (6pin) cable set - connect from on-board firewire header to 1x pci bracket
MB-AAU1F	R 60	Generic 1x usb 1x Firewire (6pin) cable set - connect from on-board usb firewire header to 1x pci bracket
MB-AAU1FM	R 71	1x usb 1x Firewire-Mini (4pin) cable set - connect from on-board usb firewire header to 1x pci bracket
MB-VASPKB	R 21	Vantec SPK-08UV-BK Slot Protector Kit - UV reactive Black - for 3 x memory slot 5 x PCI slot
MB-VASPKG	R 21	Vantec SPK-08UV-GR Slot Protector Kit - UV reactive Green - for 3 x memory slot 5 x pci slot
MB-VASPKR	R 21	Vantec SPK-08UV-RD Slot Protector Kit - UV reactive Red - for 3 x memory slot 5 x PCI slot
MB-VASPKY	R 21	Vantec SPK-08UV-YL Slot Protector Kit - UV reactive Yellow - for 3 x memory slot 5 x PCI slot
MP-106	R 259	UniQue Multimedia Bay 2xUSB Port 1 IEEE 1394 Port Audio In/Out DB9, Retail Box
MSI BOLSTER	R 331	Msi Bolster Unit for cases, Stylish and Solid Graphics Card support featuring gaming red rubber pads which help to buffer vibrations and strengthen the Graphics Cards position in the PCIe slot
NA-VTAU03H	R 144	Vantec cb-TAU03H ezSHARE Pro , USB2.0 Data Link Cable for PC-to-PC / PC-MAC / MAC-MAC (peer-to-peer) networking , with 3 x USB downstream hub , 2M , retail pack
PS-CA8920232L	R 572	Corsair CP-8920232 Blue Premium individually sleeved Flexible paracorded cable 24 pin ATX, 610mm with 1 connector, Heatshrink-less connectors, Modular interlocking cable combs, For RMx / RMI Series / HX / HXI / AX / AX1600i / SF Series
PS-CA8920242LK	R 424	Corsair CP-8920251 Blue & Black Premium individually sleeved Flexible paracorded cable (Type4 Gen4), 4x PCI-e (6 or 8 pin), 2x 650mm with 4 connectors, Heatshrink-less connectors, with Modular interlocking cable combs, For RMX / RMI series / HX / HXI / AX / AX1600i / SF series
PS-CA8920251R	R 616	Corsair CP-8920251 Red Premium individually sleeved Flexible paracorded cable (Type4 Gen4), 4x PCI-e (6 or 8 pin), 2x 650mm with 4 connectors, Heatshrink-less connectors, with Modular interlocking cable combs, For RMX / RMI series / HX / HXI / AX / AX1600i / SF series
PS-CA8920253L	R 616	Corsair CP-8920251 Blue Premium individually sleeved Flexible paracorded cable (Type4 Gen4), 4x PCI-e (6 or 8 pin), 2x 650mm with 4 connectors, Heatshrink-less connectors, with Modular interlocking cable combs, For RMX / RMI series / HX / HXI / AX / AX1600i / SF series
PS-VAVD	R 55	vantec vdk-psu Vibration Dampener kit for psu - ultra-light silicon gel to reduce noises
SY-HAQK549AA	R 929	Hp QK549AA iWC (Integrated Work Center) for SFF (Small Form Factor) - stand for SFF pc up to 24" LCD with 100x100mm vesa mount - 3-way adjustable (tilt pivot height), with storage area for KB mouse

< Return to the menu

HP Chassis Accessories

Product code	Price	Description
1VD82AA	R 436	HP 1VD82AA 800/600/400 G3 Serial and PS/2 Adapter
3TK82AA	R 367	HP 3TK82AA Internal Serial Port (600/705/800)
6KD15AA	R 344	HP 6KD15AA quick release bracket 2, Attach your HP Desktop Mini to an HP Display
DTHP3TK82AA	R 404	HP 3TK82AA Internal Serial Port (600/705/800)
DTHP3XJ17AA	R 427	HP 3XJ17AA Business PC security lock v3
DTHPG1K23AA	R 156	HP Desktop Mini Chassis Tower Stand, { Compatible with --> HP PD 600 G1 Mini, HP ED 800 G1 Mini }
DTHPX9L44A6	R 191	HP X9L44A6 (Bulk 48) 3.5" HDD Grommet Screws
DTHPZ9H61A6	R 179	HP Z9H61A6 (Bulk 48) G3/4 2.5" HD/SSD M3 Grommet Screw Kit
WSHP1ZX71AA	R 13,547	HP 1ZX71AA DX175 removable Hard Disk Drive Frame/carrier, Compatible with --> HP Z1 G3 24in AIO non-touch / HP Z2 mini G3 entry / HP Z2 mini G3 performance / HP Z240 SFF / HP Z240 Tower / HP Z440 / HP Z640 / HP Z840 / HP Z4 G4 / HP Z6 G4 / HP Z8 G4
WSHP2FZ76AA	R 854	HP 2FZ76AA Z8 Rack Rail Upgrade Kit, Compatible with --> HP Z240 SFF Workstation / HP Z240 Tower Workstation / HP Z440 Workstation / HP Z640 Workstation / HP Z840 Workstation / HP Z4 G4 worksation / HP Z6 G4 Workstation / HP Z8 G4 Workstation
WSHP2FZ77AA	R 4,821	HP 2FZ77AA Z640/Z840/Z8G4 Rail Rack Kit, Compatible with --> HP Z220 CMT Workstation / HP Z230 Tower Workstation / HP Z420 Workstation / HP Z620 Workstation / HP Z820 Workstation / HP Z240 SFF Workstation / HP Z240 Tower Workstation / HP Z440 Workstation / HP Z640 Workstation / HP Z840 Workstation
WSHP3DY47AA	R 499	HP 3DY47AA Z4 G4 dust Filter, Compatible with --> HP XW9400 / XW4550 / XW4600 / XW6600 / XW8600 / Z800 / Z200 / Z600 / Z400 6-dimm / Z400 / Z600 RDIMM / Z210 SFF / Z210 cmt / Z220 SFF / Z220 cmt / Z230 SFF / Z230 Tower / Z420 / Z620 / Z820 / Z240 SFF / Z240 Tower / Z440 / Z640 / Z840 / Z4 G4 / Z6 G4 / Z8 G4
WSHP3FJ80AA	R 4,486	Intel 3FJ80AA VROC NVMe SSD Standard controller Module, For the HP Z4 and Z6 G4 Workstations, For the HP Z8 G4 Workstation, Designed for NVMe-Based SSDs, Manage RAID Volumes Directly, No RAID Host Bus Adapter (HBA) Required, Supports RAID 0 / 1 / 10, Supports Xeon Skylake-W Processors, Supports Xeon Skylake-SP Processors, Supports Windows 7 & 10
WSHP3FJ81AA	R 15,173	Intel 3FJ81AA VROC NVMe SSD Premium Controller Module, For the HP Z4 and Z6 G4 Workstations, For the HP Z8 G4 Workstation, Designed for NVMe-Based SSDs, Manage RAID Volumes Directly, No RAID Host Bus Adapter (HBA) Required, Supports RAID 0 / 1 / 5 / 10, Supports Xeon Skylake-W Processors, Supports Xeon Skylake-SP Processors, Supports Windows 7 & 10
WSHPK3R64AA	R 1,166	HP 9.5mm Slim SuperMulti DVD Writer, Compatible with --> HP Z240 SFF Workstation / HP Z240 Tower Workstation / HP Z440 Workstation / HP Z640 Workstation / HP Z840 Workstation
WSHPK3R65AA	R 2,659	HP K3R65AA 9.5mm Slim BDXL Blu-Ray Writer, Compatible with --> HP Z240 SFF Workstation / HP Z240 Tower Workstation / HP Z440 Workstation / HP Z640 Workstation / HP Z840 Workstation

< Return to the menu

microATX / uATX Desktop Cases

Product code	Price	Description
A23PLUS-BK	R 1,696	Asus A23 Plus ARGB Micro-ATX Gaming Chassis - Black, 1x 2.5" Drive bays, 2x 2.5" /3.5" Combo bay, 5 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen2 Type-C, 165 mm Maximum CPU Cooler height, 380 mm Maximum GPU length, 210 mm Maximum PSU length, ARGB Aura Sync
AQUARONBLK	R 689	Armaggeddon Aquaron Micro ATX Gaming case - Black, Two-Piece Panoramic Tempered Glass, Front and side Transparent Fish Tank, Stealth Cable Management, Dedicated Liquid cooling radiator bay, 1x 2.5" SSD Drive bay, 1 x 3.5" Hard Disk Drive bay, 165mm Maximum CPU Cooler, 310mm Maximum VGA card
AQUARONDUPLEX2CBLK	R 723	Armaggeddon Aquaron Duplex 2 Chroma Black MicroATX Gaming Case
AQUARONDUPLEX2CWHT	R 758	Armaggeddon Aquaron Duplex 2 White Chroma MicroATX Gaming Case
AQUARONDUPLEXBLK	R 781	Armaggeddon Aquaron Duplex Black Micro-ATX Gaming Case
AQUARONDUPLEXONEWHT	R 758	Armaggeddon Aquaron Duplex One RGB Micro ATX Gaming Case - White, Dual Chamber Case, PSU shroud, Tempered Glass side panel, Stealth Cable Management with hidden cable routing, Dedicated Liquid cooling

		radiator bay, 3x RGB fans included, Front IO - 1x USB 3.0 / 2x USB / 1x HD Audio Port / 1x mic. Input, 1x 2.5" SSD Drive bay, 1x 3.5" HDD Drive bay, 4x PCI slots, 280mm Maximum VGA card, 165mm Maximum CPU Cooler
AQUARONDUPLEXPNK	R 919	Armaggeddon Aquaron Duplex Pink Micro-ATX Gaming Case
AQUARONDUPLEXPROBLK	R 1,034	Armaggeddon Aquaron Duplex Pro Black Micro-ATX Gaming Case (Empty barebone case)
AQUARONDUPLEXPROPNK	R 1,195	Armaggeddon Aquaron Duplex Pro Micro-ATX Gaming Case - Pink, Dual Chamber Case, PSU shroud to optimise Air-Flow, Cable Management and system cooling, Stealth Cable Management with hidden cable routing, Dedicated Liquid cooling radiator bay, Front IO - 1x USB 3.0 / 1x USB 2.0 / 1x HD Audio Port, 4x PCI slots, 1x 2.5" SSD Drive bay, 1x 3.5" HDD Drive bay, 420mm Maximum VGA card, 165mm Maximum CPU Cooler
AquaronDUPLEXWHT	R 873	Armaggeddon Aquaron Duplex Micro-ATX Gaming Case - White, Dual Chamber Case with PSU shroud, Stealth Cable Management with hidden cable routing, Dedicated Liquid cooling radiator bay, Fronto IO - 1x USB 3.0 / 2x USB 2.0 / 1x HD Audio Port Mic (3.5mm), 1x 2.5" SSD Drive bay, 1x 3.5" HDD Drive bay, 4x PCI slots, 310mm Maximum VGA card, 165mm Maximum CPU Cooler
AQUARONPNK	R 758	Armaggeddon Aquaron Micro ATX Gaming case - Pink, Two-Piece Panoramic Tempered Glass, Front and side Transparent Fish Tank, Stealth Cable Management, Dedicated Liquid cooling radiator bay, 1x 2.5" SSD Drive bay, 1 x 3.5" Hard Disk Drive bay, 165mm Maximum CPU Cooler, 310mm Maximum VGA card
AQUARONWHT	R 735	Armaggeddon Aquaron Micro ATX Gaming case - White, Two-Piece Panoramic Tempered Glass, Front and side Transparent Fish Tank, Stealth Cable Management, Dedicated Liquid cooling radiator bay, 1x 2.5" SSD Drive bay, 1 x 3.5" Hard Disk Drive bay, 165mm Maximum CPU Cooler, 310mm Maximum VGA card
AQUARONWIBOBLK	R 746	Armaggeddon Aquaron WiBO Micro-ATX Gaming Case - Black, 1x USB 3.0, 2x USB 2.0, 1x HD Audio Port, 3x 2.5" SSD Drive bay (Max), 1x 3.5" HDD Drive bay, 330mm Maximum VGA card, 155mm Maximum CPU Cooler
AQUARONWIBOWHT	R 781	Armaggeddon Aquaron WiBO Micro-ATX Gaming Case - White, 1x USB 3.0, 2x USB 2.0, 1x HD Audio Port, 3x 2.5" SSD Drive bay (Max), 1x 3.5" HDD Drive bay, 330mm Maximum VGA card, 155mm Maximum CPU Cooler
ASUS A21 PLUS TG ARGB BLACK	R 1,196	Asus A21 Plus TG ARGB Micro-ATX Case - Black, 1x 2.5" bay, 2x 2.5" /3.5" Combo bay, 5 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1, 165 mm Maximum CPU Cooler height, 380 mm Maximum GPU length, 210 mm Maximum PSU length
ASUS A21 PLUS TG ARGB WHITE	R 1,034	Asus A21 Plus TG ARGB Micro-ATX Case - White, 1x 2.5" bay, 2x 2.5" /3.5" Combo bay, 5 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1, 165 mm Maximum CPU Cooler height, 380 mm Maximum GPU length, 210 mm Maximum PSU length
ASUS A21 PLUS/ARGB	R 1,235	Asus A21 Plus Micro-ATX Case, 1x 2.5" bay, 2x 2.5" /3.5" Combo bay, 5 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1, 165 mm Maximum CPU Cooler height, 380 mm Maximum GPU length, 210 mm Maximum PSU length
ASUS A23 PLUS TG ARGB BLACK	R 1,034	Asus A23 Plus TG ARGB Micro-ATX Case - Black, 1x 2.5" Drive bay, 2 x 2.5" /3.5" Combo bay, 5 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen2 Type-C, 165 mm Maximum CPU Cooler height, 380 mm Maximum GPU length, 210 mm Maximum PSU length, ARGB Aura Sync
ASUS AP201/BLK/TG	R 1,615	Asus Prime AP201 Tempered Glass MicroATX Case; tempered glass panel; GPU support 338mm; radiator support 360mm; ATX PSU support 180mm; USB Type C front IO; 6 fan support; dimensions 460 x 205 x 350mm; weight 6.3kg
ASUS_UWM_AP202COMBO_1	R 10,119	Asus UWM 1 AP202 ARGB chassis; RTX 5050 GPU; Asus PRIME 750W PSU; gaming PC bundle; ARGB case; 750W power; mid-range gaming build; ATX compatible system
C2M ARGB B	R 850	Antec C2m ARGB Compact Micro ATX Gaming Chassis - Black, 4mm Tempered Glass side Window, Front I/O Power - USB 3.0 x1 / USB Type-C 3.2 Gen 2 (10Gbps) x1 / Headphone / Mic Combo jack, 5 Expansion slots, 1x 3.5" & 1x 2.5" Drive bays, 415mm Max GPU length, 165mm Max CPU Cooler height, 225mm Max PSU length, 30mm Cable-Routing clearance
C2M ARGB W	R 884	Antec C2m ARGB Compact Micro ATX Gaming Chassis - White, 4mm Tempered Glass side Window, Front I/O Power - USB 3.0 x1 / USB Type-C 3.2 Gen 2 (10Gbps) x1 / Headphone / Mic Combo jack, 5 Expansion slots, 1x 3.5" & 1x 2.5" Drive bays, 415mm Max GPU length, 165mm Max CPU Cooler height, 225mm Max PSU length, 30mm Cable-Routing clearance
C3 ARGB B	R 1,379	Antec C3 ARGB ATX, Micro-ATX, ITX ARGB Mid-Tower Gaming Chassis - Black
CA-1D4-00S1NN-00	R 722	Thermaltake Versa H15 Mid M-ATX Gaming Chassis

CA-1J3-00M1WN-00	R 860	Thermaltake View 22 Tempered Glass Edition Mid-Tower Chassis
CA-1R1-00S1WN-02	R 1,320	Thermaltake V150 TG ARGB Breeze Edition Black Micro-ATX Chassis
CA-1R4-00SAWN-00	R 2,413	Thermaltake AH T200 Pink Micro-ATX Chassis (AHT200)
CA-1Y4-00S1WN-00	R 2,861	Thermaltake The Tower 300 Micro Tower Chassis - Black, 3x 3mm Tempered Glass, SPCC material, 3x 3.5" or 3x 2.5" Drive bays, 4 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 210mm CPU Cooler height limitation, 280mm VGA length limitation with Power cover, 220mm PSU length limitation
CA-1Y4-00S4WN-00	R 3,436	Thermaltake The Tower 300 Bumblebee Micro Tower Chassis, 3mm Tempered Glass x 3, SPCC material, 3x 3.5" or 3x 2.5" Drive bays, 4 Expansion slots, I/O Port - 1x USB 3.2 (Gen 2) Type-C / 2x USB 3.0 / 1x HD audio, 210mm CPU Cooler height limitation, 280mm VGA length limitation with Power cover, 220mm PSU length limitation
CA-1Y4-00S6WN-00	R 2,976	Thermaltake The Tower 300 Micro Tower Chassis - Snow White, 3x 3mm Tempered Glass, SPCC material, 3x 3.5" or 3x 2.5" Drive bays, 4 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 210mm CPU Cooler height limitation, 280mm VGA length limitation with Power cover, 220mm PSU length limitation
CA-1Y8-00S1WN-02	R 1,033	Thermaltake Case Versa H16 TG ARGB mATX Mid Tower Black, 3mm Tempered Glass x 1, 2x 3.5 Drive bays, 2x 2.5" or 1x 3.5" Drive bays, 3x 2.5" Drive bays, 4 Expansion slots, I/O Port - USB 3.0 x2 / USB 2.0 x1 / Microphone x1 / Earphone x1, 175mm CPU Cooler height limitation, 330mm VGA length limitation, 170mm PSU length limitation
CA-1Y8-00S6WN-01	R 1,263	Thermaltake Case Versa H16 TG ARGB mATX Mid Tower Snow, 3mm Tempered Glass x 1, 2x 3.5 Drive bays, 2x 2.5" or 1x 3.5" Drive bays, 3x 2.5" Drive bays, 4 Expansion slots, I/O Port - USB 3.0 x2 / USB 2.0 x1 / Microphone x1 / Earphone x1, 175mm CPU Cooler height limitation, 330mm VGA length limitation, 170mm PSU length limitation
CC-9011265-WW	R 2,266	Corsair 2500X Mid-Tower Dual Chamber Micro ATX PC case - Black, 400mm Maximum GPU length, 180mm Maximum CPU Cooler height, 225mm Maximum PSU length, 4 horizontal case Expansion slots, Case front IO - 1x USB 3.2 Gen 2 Type-C / 2x USB 3.2 Gen 1 Type-A / 1x audio In/Out, Tempered Glass case Window
CC-9011347-WW	R 1,233	Corsair 2800X RS-R ARGB Micro-ATX PC Case - Black, Wraparound Tempered Glass front and side panels, 3x Pre-Installed RS120-r ARGB reverse-rotor fans included, 410mm Maximum GPU clearance length, Top radiator support up to 360mm for AIO Liquid coolers, Max CPU Cooler height of 170 mm, Front I/O includes USB 3.2 Gen 2x2 Type-C Port, Front I/O includes USB 3.2 Gen 1 Type-A Port, Built-In adjustable GPU anti-sag stabilisation Arm, Supports up to 10x 120mm fans for Airflow flexibility, Combination Drive plate supports 1x 3.5" HDD or 2x 2.5" SSDs
CC-9011348-WW	R 1,233	Corsair 2800X RS-R ARGB Micro-ATX PC Case - White, Wraparound Tempered Glass front and side panels, 3x Pre-Installed RS120-r ARGB reverse-rotor fans included, 410mm Maximum GPU clearance length, Top radiator support up to 360mm for AIO Liquid coolers, Max CPU Cooler height of 170 mm, Front I/O includes USB 3.2 Gen 2x2 Type-C Port, Front I/O includes USB 3.2 Gen 1 Type-A Port, Built-In adjustable GPU anti-sag stabilisation Arm, Supports up to 10x 120mm fans for Airflow flexibility, Combination Drive plate supports 1x 3.5" HDD or 2x 2.5" SSDs
CH-BAE-KW	R 1,203	Bitfenix AEG-300-KKWN1 Aegis - Black Windowed Icon display, with 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX
CH-BAE-KWi	R 1,249	Bitfenix AEG-300-KKWL1 Aegis - Black Windowed Icon display, with programmable icon display (240x320 2.8" TFT LCD) 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX
CH-BAE-LWi	R 1,205	Bitfenix AEG-300-BKWL1 Aegis - Blue Windowed Icon display, with programmable icon display (240x320 2.8" TFT LCD) 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX
CH-BAE-RW	R 1,626	Bitfenix AEG-300-RKWN1 Aegis - Red Windowed Icon display, with 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed

		multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX (Only Chassis)
CH-BAE-RWi	R 1,214	Bitfenix AEG-300-RKWL1 Aegis - Red Windowed Icon display, with programmable icon display (240x320 2.8" TFT LCD) 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x usb 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX
CH-BAE-WW	R 1,682	Bitfenix AEG-300-WKWN1 Aegis - White Windowed Icon display, with 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX (Only Chassis)
CH-BAE-WWi	R 1,282	Bitfenix AEG-300-WKWL1 Aegis - White Windowed Icon disply, with programmable icon display (240x320 2.8" TFT LCD) 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX
CH-BAE-YW	R 1,017	Bitfenix AEG-300-YKWN1 Aegis - Yellow Windowed Icon display, with 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX (Only Contents), Â© 2015 Laptop Direct
CH-BAE-YWi	R 1,214	Bitfenix AEG-300-YKWL1 Aegis - Yellow Windowed Icon display, with programmable icon display (240x320 2.8" TFT LCD) 3-speeds fan controller, closed panels for noise shielding, with reservoir bracket pump bracket, 200mm width slim design, no psu (bottom placed multi-direction psu design), 2x usb 3.0 audio in/out - 4x 3.5" internal 4x 2.5" internal (1x2.5" 2x 3.5" drive cages) - 1x 120mm fan up to 8 - micro-ATX
CH-BPA-KWi	R 1,392	Bitfenix PAN-300-KKWL1 Pandora - black Windowed Icon display, with programmable icon display (240x320 2.4" TFT LCD), 160mm width slim design, soft curved design with brushed aluminium panels, dual top compartment for 240mm radiator and 3.5" SATA hotswap bay, dual-hinge door open both way, Pre-modded for Alchemy LED Strips, steel side panel, no psu (bottom placed multi-direction psu design), 2x USB 3.0 audio in/out - 2x 3.5" internal, 3x 2.5" internal - 2x 120mm fans - micro-ATX (Contents of Case not included)
CH-C2500XR-K	R 3,536	Corsair CC-9011267-WW 2500X RGB - blacK Tempered glass side front panel - meshed side top panel - with dual chamber design for psu hdd cables , support reverse connector motherboards , support 4x vertical GPU mounting (via optional CC-8900706 mount kit)
CH-C2500XR-W	R 4,255	Corsair CC-9011268-WW 2500X RGB - White Tempered glass side front panel - meshed side top panel - with dual chamber design for psu hdd cables, support reverse connector motherboards, support 4x vertical GPU mounting (via optional CC-8900707 mounting Kit)
CH-GC102G	R 1,011	Gigabyte C102 Glass mATX Tower Case - Black, Tempered Glass side panel, 5 Expansion slots, 2x 3.5" Drive support, 2 1 2.5" Drive support, I/O panel - 2x USB 3.0 / Reset Button / audio in & out, 165mm CPU height Maximum, 410mm GPU length Maximum, 200mm PSU length Maximum, GB-C102G
CH-GC102GW	R 929	Gigabyte C102 Glass ICE mATX Tower Case - White, Tempered Glass side panel, 5 Expansion slots, 2x 3.5" Drive support, 2 1 2.5" Drive support, I/O panel - 2x USB 3.0 / Reset Button / audio in & out, 165mm CPU height Maximum, 410mm GPU length Maximum, 200mm PSU length Maximum, GB-C102G
CH-i327	R 2,155	In Win 327 Mini Tower Chassis - tempered glass, front aRGB logo display, front mesh panel with honeycomb vents, quick-release side panel removal button, 1.2 mm thick steel and tempered glass, dedicated top chambers design for heat separation, no PSU (top placed), support up to 310mm long card with anti-sag support; 1x usb3 type C(Gen2x2 / 20Gbps) 2x usb3 audio in/out - 1/0x 3.5" 2/3x 2.5" - 3x 120mm RGB fans up to 5, support 3x radiators up to 240mm - micro-ATX with 4x expansion cards
CH-iA3-K	R 1,712	In-Win A3 mini tower chassis - black with tool-less full-sized tempered glass side panel, Vertical Airflow Layout, 1.2mm SECC, no psu (front-top positioned), dual chamber design for heat separation, support up to 340mm long card with VGA holder, bottom dust filter; 1x type-C Gen2x2 (20Gbps), 2x front usb3 audio in/out - 1/0x 3.5" 2/3x 2.5" - 1x AM120S slim ARGB fan up to 5x fans, support up to 240mm radiator - micro-ATX
CH-iA3-W	R 1,712	In-Win A3 mini tower chassis - White with tool-less full-sized tempered glass side panel, Vertical Airflow Layout,

		1.2mm SECC, no PSU (front-top positioned), dual chamber design for heat separation, support up to 340mm long card with VGA holder
CL-W457-PL12SW-A	R 1,093	Thermaltake Water Cooler LA240 ARGB Sync AIO Liquid Cooler, 2510 4 pin pump connector, ARGB 3 pin pump connector, Copper Water Block material, 2x 120x120x25 mm fans, 79.3 CFM Air Flow (One fan), 2510 4 pin fan connector, 350 mm length rubber tube, Aluminum radiator material, CPU Socket - Intel LGA 2066 / 2011-3 / 2011 / 1851 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150 / AMD AM5 / AM4 / AM3 / AM3
CL-W462-PL12SW-A	R 1,494	Thermaltake Water Cooler LA360-S ARGB Sync AIO Liquid Cooler with display, 2.4" 240x320 segment LCD CPU Display, USB 2.0 Interface, Copper material Water Block, 2510 4 pin connector pump, ARGB 3 pin connector pump, 380mm length rubber tube, 3x 120mm fans, Aluminum radiator material, CPU Socket - Intel LGA 2066 / 2011-3 / 2011 / 1851 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150 / AMD AM5 / AM4 / AM3 / AM3
COREVISIONBLK	R 2,644	Armaggeddon Tessaraxx Core Vision Micro-ATX Gaming case - Black with 8" WXGA LCD Display, 1x 2.5" SSD internal Drive bay, 1 x 3.5" Hard Disk Drive bay, 410mm Maximum VGA card, 165mm Maximum CPU Cooler, Tempered Glass side panel Design to view interior, Stealth Cable Management
COREVISIONPNK	R 2,644	Armaggeddon Tessaraxx Core Vision Micro-ATX Gaming Case - Pink, 8" WXGA LCD Display (Activity Monitor), Tempered Glass side panel, Stealth Cable Management with hidden cable routing, Up to 410mm graphic cards, Dedicated Liquid cooling radiator bay, Front Ports - 1x USB 3.0 / 1x USB 3.1 (Type-C) / 1 x HD Audio Port / 1x 2.5" SSD internal Drive bay / 1x 3.5" HDD Drive bay, 410mm Maximum VGA card, 165mm Maximum CPU Cooler
COREVISIONWHT	R 2,644	Armaggeddon Tessaraxx Core Vision Micro-ATX Gaming case - White with 8" WXGA LCD Display, 1x 2.5" SSD internal Drive bay, 1 x 3.5" Hard Disk Drive bay, 410mm Maximum VGA card, 165mm Maximum CPU Cooler, Tempered Glass side panel Design to view interior, Stealth Cable Management
CST130A	R 549	FSP CST130A Micro-ATX Gaming chassis, 3x 120mm RGB fans included, Tempered Glass side pane L, I/O Ports - 1x USB 3.0 / 2x USB 2.0 Type-A / 1x audio-out / 1x mic-in, 4 Expansion slots, 165mm Maximum CPU Cooler height, 240mm radiator size support, 2x 3.5" Hard Disk Drive bays, 1x 2.5" SSD bay
CX200M ELITE B	R 681	Antec CX200M Elite Micro-ATX, ITX ARGB Mini-Tower Gaming Chassis - Black
CX500M ARGB	R 938	Antec CX500M Micro-ATX, ITX ARGB Mini-Tower Gaming Chassis Type-C - Black
CX500M W	R 1,022	Antec CX500M Micro-ATX RGB Mini-Tower Gaming Chassis Type-C - White, Tempered Glass side panel, 2x 3.5" / 1x 2.5" Drive bays, 1x 2.5" Drive bays, 5 Expansion slots, 415mm Max GPU length, 165mm Max CPU Cooler height, 210mm Max PSU length
DEEPFREEZEDUPLEX2CWH	R 861	Armaggeddon DeepFreeze Duplex 2 Chroma White MicroATX Gaming Case; 0.4mm SPCC steel; tempered glass side panel; 3 x Chroma fans; 285mm maximum graphics card length; 160mm maximum CPU cooler height; 240mm top radiator support; 1 x 2.5-inch SSD bay; 1 x 3.5-inch HDD bay; 4 x PCI slots; 1 x USB 3.0; 1 x USB 2.0; dimensions: 325 x 197 x 387mm; weight: 3.8kg
E302-KGNN-S00	R 495	Cooler Master Elite 302 mATX Case 3x 120mm ARGB - Black, 4 Expansion slots, 1 3.5" Drive bays, 1 2.5" Drive bays, I/O panel - 1x USB 3.2 Gen1 Type-A / 1x USB 3.2 Gen1 Type-C / 1x 3.5mm Combo (Audio Mic), 163.5mm clearance - CPU Cooler, 160mm clearance - PSU, 365mm clearance - Graphics (Without front fans & radiator), 18.5mm cable routing
E302-KGNN60-S00	R 879	Cooler Master Elite 302 mATX Case Plus Elite Nex White 600 230V Black ATX PSU, MPW-6001-ACBW-BE1 PSU, E302-KGNN-S00 Case, 163.5mm clearance - CPU Cooler, 160mm clearance - PSU, 365mm clearance - Graphics, 18.5mm cable routing, ATX 12V ver. 2.41 PSU, Active PFC, 120mm Fan, Sleeve fan bearing, 85% efficiency
FORGE M100R WHITE	R 941	MSI MAG Forge M100R Micro ATX Tower Case - White, I/O Ports - 2x USB 2.0 Type-A / 1x USB 3.2 Gen 1 Type-A / 1x audio / 1x Mic, 2x 2.5" & 1x 2.5" / 3.5" & 1x 3.5" Drive Mount support, 4 Expansion slots, 300 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 300 mm Maximum PSU length, Tempered Glass side pane displaying RGB Lighting effects, can Install up to 6x system fans
FSP09	R 3,445	FSP S380 mATX ARGB Gaming Chassis and Vita GM 750W Power Supply Bundle, 160mm Maximum CPU Cooler height, 445mm VGA card length, 5 Expansion slots, External I/O Port - 2x USB 3.0 / Type-C, 2x 3.5" HDD bays, 2 1 2.5" SSD bays, 360mm Max radiator support, FSP Vita GM 750W Gold Fully Modular PSU, 80 Plus certification, Efficiency - 90%, Hybrid fan 120mm, 1x MB 20 4, 2x 4 4 pin, PCI-e 12V-2x6 x1, PCI-e 6 2 x4, 8x SATA, 4x molex (Peripheral)
HAGANEH3R	R 1,967	Armaggeddon Hagane H3 Micro ATX Gaming case Black and Red, Twin extra large 200mm fans built-in, Four way

		panoramic view chasis, Full view transparent side and front panel, Cable management with hidden cable routing, Support up to 4x 2.5" solid state drives, Support up to 300mm graphics cards, Tempered front and top glass panel, Chasis material : Steel plate (0.6mm) Front and side tempered glass, Modernized layout for organised cable routing
MAG FORGE M100A	R 679	MSI Forge M100A Micro ATX Tower case, I/O Ports - 2x USB 2.0 Type-A / 1x Mic / 1x audio / 1x USB 3.2 Gen 1 Type-A, 4 Expansion slots, 300 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 2x 2.5" Drive Mount support, 2x 2.5" Drive Mount support, 1x 2.5" / 3.5" Drive Mount support
MCB-B311L-KGNN-S02	R 1,012	Cooler Master MasterBox MB311 mATX chassis with Tempered Glass panel, 2 x 120mm ARGB fans, Mesh front panel, Bottom Mount ATX Power Supply support, 2x 3.5" Drive bays, 2x 2.5" Drive bays, 4 Expansion slots, 344mm clearance - Graphics, 2x USB 3.2 Gen 1 (Formerly USB 3.0), 1x 3.5mm audio jack, 1x 3.5mm Mic jack, 1x ARGB 2-to-3 splitter, 1x ARGB controller
OCCSHYMATXBK	R 1,839	OCPC Micro mATX PC Case - Black, 3 Expansion slots, 2x 2.5" Drive bays, ATX PSU support. FreeStyle open case.
OV502 GAMING CASE	R 689	Microworld OV502 mATX Gaming Case with RGB fans - White, Supports mATX and ITX motherboards, Includes 1 SSD bay and 1 HDD bay, Front I/O features 2x USB 3.0 Ports Plus HD Audio, Rear supports one Built-In 120mm Fan, Side panel accommodates two Built-In 120mm fans, Top position allows for two 120mm fans or a 240mm AIO Cooler, CPU Cooler height support is up to 160mm, Maximum CPU length clearance is 330mm, Provides Four PCI-e Expansion slots
OV502 GANING CASE	R 689	Microworld OV502 mATX Gaming Case with RGB fans - Black, Supports mATX and ITX motherboards, Includes 1 SSD bay and 1 HDD bay, Front I/O features 2x USB 3.0 Ports Plus HD Audio, Rear supports one Built-In 120mm Fan, Side panel accommodates two Built-In 120mm fans, Top position allows for two 120mm fans or a 240mm AIO Cooler, CPU Cooler height support is up to 160mm, Maximum CPU length clearance is 330mm, Provides Four PCI-e Expansion slots
PAG PANO M110A	R 631	MSI PAG PANO M110A Micro-ATX Gaming Chassis - Black, 1x 2.5" Drive bays, 2x 3.5" Drive bays, I/O Ports - 1x USB 5Gbps (Type-A) / 1x USB (Type-A) / 1x Audio-Out / Mic-In, 5 Expansion slots, 160 mm Maximum PSU length, 330 mm Maximum GPU length, 160 mm Maximum CPU Cooler length
PCB-CH-BLACKBOX	R 850	Unbranded Black Box Micro-ATX Chassis 300W PSU
PRIMEAP201MESH-BK	R 1,272	Asus Prime AP201 Mesh Micro ATX Chassis - Black, 1x 2.5" Drive bays, 3x 2.5" /3.5" Combo bays, 4 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen2 Type-C, 170 mm Maximum CPU Cooler height, 338 mm Maximum GPU length, 140-180 mm Maximum PSU length, 32 mm Maximum Cable Management Space
PRIMEAP202-WH	R 2,209	Asus Prime AP202 Curved Tempered Glass Micro-ATX Chassis - White, 2x 2.5" /3.5" Combo Drive bays, 4 Expansion slots, Front I/O Port - 1x Headphone / Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen 2x2 Type-C, 30 mm Maximum Cable Management Space, 175 mm Maximum CPU Cooler height, 420 mm Maximum GPU length, 200 mm Maximum PSU length
PRO FORGE M050A	R 516	MSI PRO FORGE M050A Micro-ATX Gaming Chassis - Black, 2x 2.5" Drive bays, 2x 2.5" / 3.5" Combo Tray, I/O Ports - 1x audio out / 1x Mic in / 2x USB (Type-A) / 1x USB 5Gbps (Type-A), 300 mm Maximum GPU length, 160 mm Maximum CPU Cooler length
PRO FORGE M051A	R 458	MSI PRO FORGE M051A Micro-ATX Mini Tower Case, I/O Ports - 1x Mic in / 1x audio out / 2x USB (Type-A) / 1x USB 5Gbps (Type-A), 2x 2.5" Drive Mount support, 2x 2.5" / 3.5" Combo Tray Drive Mount support, 4 Expansion slots, 300 mm Maximum GPU length, 160 mm Maximum CPU Cooler height, 170 mm Maximum PSU length
R-CG330-BKNGM3-G	R 978	Deep Cool CG330 3F Panoramic Dual-Chamber Micro-ATX Gaming Chassis - Black, Tempered Glass side panel, 3 included fans, 410mm Max GPU length, 164mm Max CPU Cooler height, Front I/O - USB 3.0 x1 / USB 2.0 x2 / Audio x1, RGB Lighting
R-CH160-BKNGM0-G	R 848	Deep Cool CH160 Plus Micro-ATX Chassis - Black, 1x front I/O Ports - USB 3.0 x2 / Gen2 Type-C x1 / Audio/Mic, 1 3.5" Drive bays, 1 1 2.5" Drive bays, 4 Expansion slots, 164mm CPU Cooler height limit, 342mm GPU length limit
R-CH160-WHNGM0-G	R 848	DeepCool CH160 PLUS White Compact Micro-ATX PC case; white chassis; tempered glass; mesh airflow design; supports Micro-ATX and Mini-ITX; GPU up to 342mm; CPU cooler up to 164mm; 240mm radiator

		support; ATX/SFX PSU compatible; 4 expansion slots; gaming and workstation builds
R-CH260-BKNWM0-G-1	R 1,105	DeepCool CH260 Wood mATX Gaming Chassis - Black, Front I/O Ports - USB 3.0 x2 / Type-C Gen2 x1 / Audio/Mic x1, 1 3.5" Drive bays, 1 2.5" Drive bays, 4 Expansion slots, 174mm CPU Cooler height limit, 388mm GPU length limit, 150mm Power Supply Maximum length
R-CH370-BKAGM1-E-1	R 1,363	DeepCool CH370 Micro-ATX Gaming Chassis - Black, Front I/O Ports - USB 3.0 x2 / Audio x1, 2x 3.5" Drive bays, 2 1 2.5" Drive bays, 4 Expansion slots, 165mm CPU Cooler height limit, 378mm GPU length limit, 160mm Power Supply Maximum length (Power supply not included)
S120-B	R 380	FSP S120 mATX Mid Tower Desktop Chassis - Black, 1x 3.5" HDD bay, 2x 2.5" SSD bays, 160mm Maximum CPU Cooler height, 255mm Maximum Graphics card length
TESSARAXXCORE1AIR	R 1,091	Armaggeddon Tessaraxx Core 1 Air Micro-ATX Gaming Case, Front I/O - 1x USB 3.0 / 2x USB Port / 1x HD Audio Port / 1x Mic Port, 3x 2.5" SSD internal Drive bays, 2x 3.5" HDD bay, 4x PCI slots, 340mm GPU length Max, 190mm CPU Cooler Max. Micro-ATX; GPU up to 340mm; CPU Cooler 190mm; 3x 2.5" SSD; 2x 3.5" HDD; 4 PCI Slots; Front I/O USB3/USB2/Audio; Multiple fan and radiator mounts; Durable black steel
VC-08M02	R 650	Microworld VC-08M02 mATX case Black with no PSU, 265x165x350mm chassis dimension, 2x 3.5" Drive bays, 3x 2.5" Drive bays, 4 Expansion slots, 2x USB2.0 1x USB3.0, HD audio
VCX10M ARGB	R 429	Antec VCX10M ARGB Micro-ATX Mini-Tower Gaming Chassis - Black, 4 Expansion slots, 1 3.5" Drive bays, 2 2.5" Drive bays, 260mm Max GPU length, 165mm Max CPU Cooler height, 190mm Max PSU length
VX100M	R 384	Antec VX100M Micro-ATX, ITX ARGB Mini -Tower Gaming Chassis - Black

< Return to the menu

Mini-ITX / Mini cases

Product code	Price	Description
CA-1B8-00S1WN-00	R 803	Thermaltake Core V1 Mini Chassis
CA-1B8-00S6WN-01	R 918	Thermaltake Core V1 Snow Edition Mini ITX Chassis
CA-1E6-00S1WN-00	R 826	Thermaltake Suppressor F1 Mini ITX Chassis
CA-1H9-00T1WN-00	R 1,792	Thermaltake Core P1 TG Mini-ITX Wall-Mount Chassis
CA-1J1-00S1NN-00	R 791	Thermaltake Versa H17 Micro Case
CA-1J4-00S1WN-00	R 688	Thermaltake Versa H18 Window Micro Case
CA-1X9-00S1WN-00	R 2,287	Thermaltake The Tower 200 Mini-ITX Chassis - Black, 1x 3mm Tempered Glass panel, SPCC material, 2x 3.5" / 2x 2.5" or 4x 2.5" Drive bays, 3 Expansion slots, I/O Port USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 200mm CPU Cooler height limitation, 280mm VGA length limitation, 220mm PSU length limitation, Display not included
CA-1X9-00S4WN-00	R 3,206	Thermaltake The Tower 200 Bumblebee Mini Chassis, Mini-ITX, 3mm Tempered Glass x 1, SPCC material, 3 Expansion slots, I/O Port - 1xusb 3.2 (Gen 2) Type-C, 200mm CPU Cooler height limitation, 280mm VGA length limitation with Power cover, 220mm PSU length limitation
CA-1X9-00S6WN-00	R 3,206	Thermaltake The Tower 200 Mini-ITX Chassis - White, 1x 3mm Tempered Glass panel, SPCC material, 2x 3.5" / 2x 2.5" or 4x 2.5" Drive bays, 3 Expansion slots, I/O Port USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 200mm CPU Cooler height limitation, 280mm VGA length limitation, 220mm PSU length limitation, Display not included
CA-1X9-00SAWN-00	R 3,206	Thermaltake The Tower 200 Bubble Pink Mini-ITX Chassis, 3mm Tempered Glass x 1, 2x 3.5" & 2x 2.5" Drive bays, 3 Expansion slots, I/O Port - USB 3.2 (Gen 2) Type-C x1 / USB 3.0 x2 / HD audio x1, 200mm CPU Cooler height limitatio, 280mm VGA length limitation with Power cover, 220mm PSU length limitation
CH-BCMi-K	R 1,626	Bitfenix BFC-CLI-300-KKLS1-RP Colossus Mini-iTX Black - all black with blue/green/red switch-able lighting, with front door, SoftTouch surface treatment, no psu (bottom placed multi-direction psu design), tool-free PCI slots design; 2x USB 3.0 audio in/out - 1x 5.25" , 5x 3.5" (3 in removable hdd cage), 8x 2.5" internal, all 3.5" 5.25" bay tool-free - 2 x 120mm fan up to 5 - mini-itx
CH-C2000DA-W	R 2,172	Corsair CC-9011245-WW Carbide series 2000D Airflow - all White 5x removable steel meshed panels - support, front side rear dust filters, dedicated chamber for psu hdd bay, no psu (SFX up to 130mm required, bottom placed psu design)

CH-C2000DAR-K	R 3,161	Corsair CC-9011246-WW Carbide series 2000D Airflow Rgb - all Black 5x removable steel messhed panels - support, front side rear dust filters, dedicated chamber for psu hdd bay, no psu (SFX up to 130mm required, bottom placed psu design)
CH-C2000DAR-W	R 3,171	Corsair CC-9011247-WW Carbide series 2000D Airflow Rgb - all White 5x removable steel meshed panels - support, front side rear dust filters, dedicated chamber for psu hdd bay, no psu (SFX up to 130mm required, bottom placed psu design)
CH-C2060	R 1,657	CFi 2060 mini-itx case (also works as NAS storage chassis), black ,with front door keylock, 2x front-accessed hot-swap hdd trays (iT-CGA78790020), with Internal 300w SFX power supply, compact size (35x21.4x22cm), 2x front usb3.0 audio in/out, 1x standard 5.25" , 4x 3.5" (2x internal 3.5" 2x front hot-swap 3.5" with backplane kit), 1x80mm 1x120mm blue led fans (mini-itx only) no power cord included.
CH-IA-To	R 972	In-Win Alice Totem Mini Tower Chassis - vertical case with top access i/o port with dust cover, polyester with 3.7kg light weight, customizable cover, no PSU (bottom positioned), dual chamber design for heat separation, support up to 300mm long card; 2x front usb 3.0 audio in/out - 1x 3.5" 3x 2.5" - up to 4x 120mm fans, support 2x radiators up to 360mm - ATX
CH-IA1PK+650	R 3,658	In-Win A1 Plus Black Mini-ITX Gaming Chassis 650W 80 plus gold psu, aRGB lighting fan stand, built-in Qi wireless charger on top panel for mobile or mouse, windowed side panel, brushed-hairline aluminium, support upto 320mm long card; 2x front usb3.0 audio in/out - 2x 2.5" , 2x Sirius Loop ASL120 RGB fan upto 4 - mini-itx with 2x expansion slots
CH-iA1PK+750	R 4,255	In Win A1 Prime Black Mini-ITX Gaming chassis 750W 80 Plus Gold PSU, ARGB Lighting fan stand, Windowed side panel, Brushed-hairline Aluminium, Support upto 320mm Long card, 2x front USB 3.0 audio In/Out, 2x 2.5" bays, 2x sirius Loop ASL120 RGB fan, Mini-ITX with 2x Expansion slots
CH-iA1PP+650	R 3,924	In-Win A1 Plus Pink Mini-ITX Gaming Chassis 650W 80 plus gold psu, aRGB lighting fan stand, built-in Qi wireless charger on top panel for mobile or mouse, windowed side panel, brushed-hairline aluminium, support up to 320mm long card; 2x front usb3.0 audio in/out - 2x 2.5" , 2x Sirius Loop ASL120 RGB fan up to 4 - mini-itx with 2x expansion slots
CH-iA1PW+750	R 4,255	In-Win A1 Prime White Mini-ITX Gaming Chassis 750W 80 plus gold PSU, aRGB lighting fan stand, windowed side panel, brushed-hairline aluminium, support up to 320mm long card; 2x front USB 3.0 audio in/out - 2x 2.5" , 2x Sirius Loop ASL120 RGB fan
CH-iB1+200	R 1,933	In-Win B1 black mini-itx desktop case with vertical stand 200W 80 plus gold PSU, windowed side panel with tempered glass, brushed-hairline aluminium; 1x front USB 3.0 audio in/out - 2x 2.5" , 1x 80mm fan - mini-itx
CH-iB1W+200	R 2,266	In-Win B1 pure White mini-itx desktop case with vertical stand 200W 80 plus gold PSU, White wood finish side panel, brushed-hairline aluminium; 1x front USB 3.0 audio in/out - 2x 2.5" , 1x 80mm fan - mini-ITX
CH-iCKK+150	R 2,210	In-Win Chopin Black mini-itx Chassis 150W 80 plus bronze psu, perforated mesh side top panels, brushed-hairline aluminium, 4x customizable I/O panel colour, tower/ desktop convertible; 2x front USB 3.0 audio in/out - 2x 2.5" - support mini-ITX only
CH-iCMKK+200	R 2,486	In Win Chopin Max mini-itx chassis black black 200W 80 plus gold psu, perforated mesh side top panels, brushed-hairline aluminium, 4x customizable i/o panel colour, tower / desktop convertable; 2x front USB 3.0 1x usb3 type C (Gen2x2)
CH-iCSK+150	R 2,210	In Win Chopin Silver & Black mini-itx chassis 150W 80 plus bronze psu, perforated mesh side top panels, brushed-hairline aluminium, 4x customizable I/O panel colour, tower/ desktop convertible; 2x front USB 3.0 audio in/out - 2x 2.5" - support mini-ITX only
CH-iCSK+200	R 2,376	In Win Chopin pro mini-itx chassis Silver Black (Titanium Grey) 200W 80 plus gold psu, perforated mesh side top panels, brushed-hairline aluminium, 4x customizable i/o panel colour, tower / desktop convertable; 2x front USB 3.0 audio in/out
CH-iE-BW	R 1,582	In Win Explorer Bone White - DiY assembling chassis with 10-piece toolless module, support 1x 3-slot vertical graphics card - with tempered glass side panel, no psu (SFX or ATX up to 160mm long), support up to 330mm long card; 1x usb3.1 Gen2 type C
CH-iE-JW	R 1,582	In Win Explorer Justice White - DiY assembling chassis with 10-piece toolless module, support 1x 3-slot vertical graphics card - with tempered glass side panel, no psu (SFX or ATX up to 160mm long), support up to 330mm long

		card; 1x usb3.1 Gen2 type C
CH-LQ07U3S	R 754	Lian-li PC-Q07 Mini-ITX Chassis with USB3.0 Ports, Silver, No PSU (use optional standard PSU, with PSU bracket, 180° reversible for PSU fan facing CPU or side panel), mini size (193x280x208mm), made in Taiwan, hairline brush anodized aluminum, removable motherboard side panel, 2x front USB3.0 - 1x standard 5.25" , 1x 3.5" hidden (anti-vibration removable drive cage) - only for Mini-ITX.
CH-LQ09W+110E	R 1,625	Lian-Li pc-Q09 White mini-itx desktop chassis, external 110w ac-adapter, mini size (110x265x200mm), made in Taiwan, hairline brush anodized aluminium, 2x front USB 3.0 or usb2.0 - 1x slim 5.25" , 1x 2.5" hidden, with VESA mount kit for wall or at the back of LCD - only for mini-itx
CH-LQ30XW	R 1,142	Lian-li pc-Q30X mini-itx chassis (curve design with front window), mini tower, all black, No psu (use optional SFX psu), support 130mm high CPU cooler / 200mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 2x USB 3.0 audio i/o 1x expansion slot - no 5.25" , 4x 2.5" in removable HDD cage - 1x 140mm fan, 2x expansion slots - only for mini-itx/ mini-DTX
CH-LQ34G+KMP	R 1,494	Lian-li pc-Q34 mini-ITX Chassis - Gold wireless Kb Mouse Pad, 228x330x250mm mini tower, Black, No psu (use optional standard psu, 180Â° reversible for psu fan facing CPU or side panel), front panel with hinge for easy access, support 180mm high CPU cooler/ 220mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 2x USB 3.0 audio I/O - up to 3x 3.5" up to 2x 2.5" (1x removable HDD cage) - support 1x 120mm optional fan, 2x expansion slots - only for mini-itx/ mini-DTX | removable mb tray : N, lock : N, removable top cover front : N, mb size support : mini-itx / mini-DTX, psu : No - 180 reversable, colour : black, case fan bundled - mm : x, case fan optional - mm : 1x 120 : rear, expansion slot : 2, HxWxD mm : 228x330x250, weight - kg : 1.85, 5.25" : x, 3.5" : x, 3.5" hidden : 3 / 2, 2.5" hidden : 1 / 2, removable drv cage / tray : 1x cage 1x tray, front eSATA : N, front USB 3.0 / usb2.0 : 2 / 0, front audio : Y, card reader : N, front door : N, windowedpanel : N
CH-LQ34R+KMP	R 1,494	Lian-li pc-Q34 mini-ITX Chassis - Red wireless Kb Mouse Pad, 228x330x250mm mini tower, Black, No psu (use optional standard psu, 180Â° reversible for psu fan facing CPU or side panel), front panel with hinge for easy access, support 180mm high CPU cooler/ 220mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 2x USB 3.0 audio I/O - up to 3x 3.5" up to 2x 2.5" (1x removable HDD cage) - support 1x 120mm optional fan, 2x expansion slots - only for mini-itx/ mini-DTX | removable mb tray : N, lock : N, removable top cover front : N, mb size support : mini-itx / mini-DTX, psu : No - 180 degree reversable, colour : black, case fan bundled - mm : x, case fan optional - mm : 1x 120 : rear, expansion slot : 2, HxWxD mm : 228x330x250, weight - kg : 1.85, 5.25" : x, 3.5" : x, 3.5" hidden : 3 / 2, 2.5" hidden : 1 / 2, removable drv cage / tray : 1x cage 1x tray, front eSATA : N, front USB 3.0 / usb2.0 : 2 / 0, front audio : Y, card reader : N, front door : N, windowedpanel : N
CH-LQ37WX	R 2,836	Lian-li PC-Q37WX all black - 2x tempered glass panels (side front), 2x dedicated zone for heat separation, 237x345x346mm compact size, all black, No psu (use optional SFX psu) , support upto 120x240mm radiator / 130mm high CPU cooler/ 320mm long VGA card, made in Taiwan, hairline brush anodized aluminium, 2x front usb3.0 audio in/out - 2x 2.5" , 2x 3.5" hidden - up to 2x80mm 4x120mm fan, 2x expansion slots - only for mini-itx/ mini-DTX
CH-LQ38WX	R 1,356	Lian-li pc-Q38W mini-itx chassis - Windowed side panel, all black, 180x295x372mm mini tower or desktop chassis, no psu (use optional SFX psu (or standard psu with mounting bracket), support 240mm radiator/ 140mm high CPU cooler/ 315mm long VGA card, hairline brush anodized aluminum, 2x USB 3.0 audio i/o - up to 1x 3.5" up to 2x 2.5" - support 2x 120mm optional fan, 2x expansion slots - only for mini-itx / mini-DTX
CH-LQ39WX	R 2,906	Lian-li PC-Q39WX all black - tempered glass side panel, dual chamber design for dedicated heat separation, 252x438x346mm compact size, all black, No psu (use optional SFX psu), support up to 120x240mm radiator/ 130mm high CPU cooler/ 320mm long VGA card, hairline brush anodized aluminum, 1x USB 3.1 type-C 2x front USB 3.0 audio in/out - 3x 2.5" , 2x 3.5" hidden - up to 1x140mm 4x120mm fan, 3x full size magnetic dust filter on top front bottom, 3x expansion slots - only for mini-itx/ mini-DTX
CH-LQ50X	R 1,829	Lian-li pc-Q50 mini-itx chassis - Black, 170x285x360mm mini HTPC tower or desktop chassis, no PSU (use optional SFX PSU), support 120mm radiator/ 150mm high CPU cooler/ 320mm long VGA card, hairline brush anodized aluminum, 1x USB 3.1 type-C 2x USB 3.0 audio i/o - up to 2x 3.5" up to 2x 2.5" - support 1x 120mm optional fan, 2x expansion slots - only for mini-itx/ mini-DTX
F202-BB200	R 3,712	GIADA F202 FANLESS CEL N2807 2GB RAM,Support 1 * mini PCIe slot, 1 * mini SATA Interface

H702	R 538	Huntkey H702 Mini ITX Case Small volume, supports small-size Mini-ITX motherboards; Powered by an adaptor, safe with great cooling effect; Special adaptor has longer service life and is 25 percent smaller than ordinary adaptors; Small case with thick steel plates and sufficient strength; Best choice for an APU or ion platform to play high-definition programs; Comes with a case rack for stability, Black.
OC-CS-HYM2-ITX-BK	R 1,379	OCPC Mini II ITX PC Case - Black, 1 Expansion slots, 1x 2.5" Drive bays, SFX PSU support. Mini-ITX open chassis.
OC-CS-HYM2-ITX-WH	R 1,379	OCPC Mini II ITX PC Case - White, 1 Expansion slots, 1x 2.5" Drive bays, SFX PSU support. Mini-ITX open chassis.
OC-CS-VIT-ITX-BK	R 1,839	OCPC Vittoria Mini-ITX Black Case, Front I/O Ports - 2x USB 3.0, Aluminum / Tempered Glass materials, Support up to 62mm high CPU Cooler, 2x 2.5" SSD / HDD Drive bays, Dual slots up to 305mm PCI slot
OC-CS-VIT-ITX-WH	R 1,724	OCPC Vittoria ITX PC Case - White, Aluminum / Tempered Glass, Mini-ITX Motherboard support, 2x USB 3.0 front I/O Ports, Support up to 62mm high CPU Cooler, 2x 2.5" SSD / HDD Drive bays
PERFORMANCE 1M	R 4,248	Antec PERFORMANCE 1M Mini-ITX Chassis - Black, Solid side panel, I/O Ports - Power / USB Type-C x1, 3 Expansion slots, 2.5" x1 Drive bays, 350mm Max GPU length, 125mm total GPU thickness CPU Cooler height, 78mm Max GPU thickness, 85mm Max CPU Cooler height

< Return to the menu

Open air computer cases

Product code	Price	Description
CH-AMSK90	R 975	Antec Mini SKeleton , with external 90w power supply / ac-adapter , open to air design with handle , removable mb tray , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb eSATA audio in/out ; 1x 5.25" , 4x internal 2.5" ; 1x150mm 3-speed multi color led fan 1x 70mm fan - mini-itx only - expansion card required to be low-profile
CH-iXF2KG+1065	R 16,099	In-Win X-Frame 2.0 Black & Green - test bench/ open air with dual orientation (desktop/ tower) detachable stand with 360 degree free rotation - bundled In Win S1-1065W full-modular transparent PSU aluminium crimson green top cover with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - 8mm thick aluminium carry handles, slide out screw storage block for easy access to screws; 1x front USB 3.1 type C 3x USB 3.0 audio in/out - 1x multifunction bracket for 2.5" or pump or reservoir, 1x 5.25" 3x 3.5" or 7x 2.5" - up to 3x 120mm fans, support up to 360mm radiators - E-ATX with 8x expansions slots
CH-iXF2KR+1065	R 16,099	In-Win X-Frame 2.0 black & Red - test bench/ open air with dual orientation (desktop/ tower) detachable stand with 360 degree free rotation - bundled In Win S1-1065W full-modular transparent PSU aluminium crimson red top cover with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - 8mm thick aluminium carry handles, slide out screw storage block for easy access to screws; 1x front USB 3.1 type C 3x USB 3.0 audio in/out - 1x multifunction bracket for 2.5" or pump or reservoir, 1x 5.25" 3x 3.5" or 7x 2.5" - up to 3x 120mm fans, support up to 360mm radiators - E-ATX with 8x expansions slots
CH-iXF2WL+1065	R 16,099	In-Win X-Frame 2.0 White & Blue - test bench/ open air with dual orientation (desktop/ tower) detachable stand with 360 degree free rotation - bundled In Win S1-1065W full-modular transparent PSU aluminium crimson blue top cover with 65w emit outputs (for lighting cooling USB charging when PC is off), 165mm silent fan - 8mm thick aluminium carry handles , slide out screw storage block for easy access to screws; 1x front USB 3.1 type C 3x USB 3.0 audio in/out - 1x multifunction bracket for 2.5" or pump or reservoir, 1x 5.25" 3x 3.5" or 7x 2.5" - up to 3x 120mm fans, support up to 360mm radiators - E-ATX with 8x expansions slots
CH-Lo5X	R 3,159	Lian-li PC-o5X wall-mountable open to air case with tempered glass side panel, 390x384x148mm slim, all black, No psu (SFX psu required), support 85mm high CPU cooler/ 190mm long VGA card (support SLi via optional riser cable), made in Taiwan, hairline brush anodized aluminium, 2x front USB 3.0 audio in/out - 1x slim 5.25" , 1/6 x 2.5" , 2/5 x 3.5" hidden (3x storage in anti-vibration removable drive cage) - 1x 140mm fan - mini-itx
MINING-CASE-ALU	R 976	Unbranded Aluminum Frame for mining rig - Only Frame. 720mm(w) x 400mm(h) x 365mm(d)

< Return to the menu

Power supply unit / PC PSU

Product code	Price	Description
4713105957549	R 2,629	Aerocool P7-850w 80 Platinum Certified PSU, Retail Box
A850GLS MLG EDITION	R 2,298	MSI A850GLS MLG EDITION 850W 80 Plus Gold Full Modular Power Supply, 80 Plus Gold (Up to 90%) efficiency rating, 135 mm fan size, Fluid Dynamic bearing, Active PFC, 1x ATX (24 pin), 2x EPS (8 pin), 1x (600W) PCI-e 5.1 (16 pin), 4x PCI-e (6 2 pin), 8x SATA (15 pin), 3x Peripheral (4 pin), 1x FDD (4 pin)
AD-Z300180	R 1,954	Microworld 1650W mining Power Supply, 20 4P, SATA SATA IDE x 4, P8 (4 4), PCI-e (6 2) (6 2) x 6, PCI-e (6 2) (6 2) x 2
AERO-PB-550	R 608	Aerocool AERO Bronze 550W PSU - ATX 24 PIN; 1x 4 4PIN CPU; 4x SATA; 2x PATA; 1x PCIe 6 2PIN
AERO-PB-650	R 679	Aerocool AERO Bronze 650W PSU - ATX 24 PIN; 1x 4 4PIN CPU; 5x SATA; 4x PATA; 2x PCIe 6 2PIN
AERO-PB-750	R 794	Aerocool AERO Bronze 750W PSU - ATX 24 PIN; 1x 4 4PIN CPU; 5x SATA; 4x PATA; 2x PCIe 6 2PIN
APS400GB	R 352	Astrum PS400S 300W ATX Power Supply; 220V AC; 24-pin ATX; 1 x 8-pin / 4 4-pin EPS12V; 1 x 6-pin PCI-E; 3 x SATA; 2 x 4-pin Molex; 120mm fan; OVP; OPP; OCP; OTP; SCP; UVP; 150 x 140 x 85mm; 850g
APS500GB	R 422	Astrum PS500S 400W ATX Power Supply; 120mm cooling fan; 24-pin motherboard connector; OVP protection; OCP protection; SCP protection; compatible desktop PC power supply
ASUS PRIME-750B-BLACK	R 905	Asus Prime 750W 80 Plus Bronze Non-Modular ATX12V Power Supply unit, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 2x PCI-e 8 pin, 6x SATA, 3x Peripheral, Dual ball fan bearings
ASUS PRIME-750G	R 1,725	Asus Prime 750W Fully Modular 80 Plus Gold ATX 3.0 PSU - Black, Active PFC, ATX12V Intel Form Factor, ATX 3.1 Standard, 80Plus Gold efficiency, 750W total Output, 1x MB 20 4 pin, 2x CPU 4 4 pin, PCI-e 1x 16pin (12V-2x6), 2x PCI-e 6 2 pin, 5x SATA, 4x Peripheral
ASUS PRIME-850G	R 1,810	Asus Prime 850W Fully Modular 80 Plus Gold ATX 3.0 PSU - Black, Active PFC, ATX12V Intel Form Factor, ATX 3.1 Standard, 80Plus Gold efficiency, 850W total Output, 1x MB 20 4 pin, 2x CPU 4 4 pin, PCI-e 1x 16pin (12V-2x6), 3x PCI-e 6 2 pin, 5x SATA, 4x Peripheral
ASUS PRO Q870M-C-CSM	R 4,853	ASUS PRO Q870M-C-CSM Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel Q870 Chipset, 4x DDR5 DIMM Memory slots, 2x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x1 slot, 2x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Intel I219lm 1GB Ethernet LAN, USB 10Gbps Port (USB Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Port (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 1x PS/2 Keyboard (Purple) Port, 1x PS/2 Mouse (Green) Port, 3x audio jacks
ASUS PRO-WS-1600P	R 8,969	Asus Pro WS 1600W Platinum Fully Modular 80 Plus Platinum ATX PSU, ATX12V Intel Form Factor, Active PFC, ATX 3.1 Standard, 80Plus Platinum efficiency, 3000W total Output, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 4x PCI-e 5.1 16 pin, 4x PCI-e 6 2 pin, 9x SATA, 3x Peripheral
ASUS ROG-LOKI-1000P-SFX-L-GAM	R 8,148	Asus ROG LOKI SFX-L 1000W Platinum, MB 24/20-pin x 1/ CPU 4 4-pin x 2/ PCI-E 16-pin x 1/ PCI-E 8-pin x 3/ SATA x 6/ PERIPHERAL x 4, Power Cord x1, 1.815KG
ASUS ROG-STRIX-1000P-GAMING	R 5,457	Asus ROG Strix 1000W Platinum Fully Modular ATX 3.1 PSU, 80Plus Platinum efficiency, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin (Both PSU & Component side), 4x PCI-e 6 2 pin, 6x SATA, 3x Peripheral, 0dB fan Button
ASUS ROG-STRIX-1200P-GAMING-	R 4,832	Asus ROG Strix equalizer 1200W 80 Plus Platinum ATX 3.1 Modular Power Supply, ATX12V Intel Form Factor, Active PFC, ATX 3.1 Standard, 80Plus Platinum efficiency, 1200W total Output, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, PCI-e 1x 16pin (12V-2x6), 4x PCI-e 6 2 pin, 6x SATA, 3x Peripheral
ASUS ROG-THOR-1200P3-GAMING	R 8,172	Asus ROG Thor 1200W 80 Plus Platinum III ATX Modular Power Supply, Active PFC, ATX 3.1 Standard, 80Plus Platinum efficiency, 1200W total Output, ARGB Aura Sync, A Cybenetics noise Level certification, 0dB Technology, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin, 4x PCI-e 6 2 pin, 7x SATA, 6x Peripheral
ASUS ROG-THOR-1600T3-GAMING	R 16,516	Asus ROG Thor 1600W Titanium III Fully Modular 80 Plus Power Supply unit, Active PFC, ATX 3.1 Standard, 80Plus Titanium efficiency, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 4x PCI-e 6 2 pin, 2x PCI-e 16 pin, 10x SATA, 9x Peripheral, ARGB Aura Sync
ASUS TUF-GAMING-1000G	R 3,034	Asus TUF Gaming 1000W Fully Modular 80 Plus Gold PSU, ATX12V Intel Form Factor, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin, 4x PCI-e 8 pin, 5x SATA, 4x Peripheral
ASUS TUF-GAMING-750B-EVO	R 1,469	Asus TUF Gaming 750W Bronze Evo Fully Modular 80 Plus Bronze ATX 3.0 PSU, ATX12V Intel Form Factor, Active PFC, ATX 3.1 Standard, 80Plus Bronze efficiency, 750W total Output, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 3x

		PCI-e 6 2 pin, 4x SATA, 2x Peripheral
ASUS TUF-GAMING-750G-EVO	R 2,496	Asus TUF Gaming 750W Gold Evo Fully Modular 80 Plus Gold ATX 3.0 PSU - Black, ATX12V Intel Form Factor, Active PFC, ATX 3.1 Standard, 80Plus Gold efficiency, 750W total Output, 1x MB 20 4 pin, 2x CPU 4 4 pin, PCI-e 1x 16 pin (12V-2x6), 2x PCI-e 6 2 pin, 4x SATA, 2x Peripheral
ASUS-PRO-WS-2200P	R 11,899	Asus Pro WS 2200W 80 Plus platunum Modular Power Supply, 2200 W continuous Output wattage, 80 Plus Platinum efficiency rating, ATX 3.1 Standard compliance, Full Modular cable Design, Native 12V-2x6 PCI-e Gen 5.1 connectors, Supports up to Four Geforce RTX 5080 Graphics cards, Dual-ball bearing fan construction, Extruded Aluminium heatsinks included, 1x MB 24 / 20 pin Connector, 2x CPU 4 4 pin connectors, 4x PCI-e 5.1 16 pin connectors, 12x SATA connectors, Black Colour finish
ASUS-PRO-WS-3000P	R 19,257	Asus Pro WS 3000W Platinum Fully Modular 80 Plus Platinum ATX PSU, ATX12V Intel Form Factor, Active PFC, ATX 3.1 Standard, 80Plus Platinum efficiency, 3000W total Output, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 4x PCI-e 5.1 16 pin, 4x PCI-e 6 2 pin, 12x SATA, 3x Peripheral
ATOM B650	R 798	Antec Atom B650 Non-Modular Power Supply
ATOM G750	R 1,021	Antec Atom G 750W ATX PSU Black, ATX 12V 2.4, Active PFC, 650W Output capacity, 135mm silent fan, 80 Plus Platinum, 1x MB 24 (20 4) pin EPS 12V, 2x 8 (4 4) pin EPS 12V, 4x 8 (6 2) pin PCI-e, 6x SATA, 3x Molex, 1x FDD
ATOM G850	R 1,107	Antec ATOM G850 850W 80 Plus Gold Semi-Modular Power Supply, Active PFC, 120mm Silent fan, 80 Plus Gold certifications, 1x MB 24(20 4) pin, 2x 8 (4 4) pin EPS 12V, 4x 8 (6 2) pin PCI-e, 6x SATA, 3x Molex
ATOM V350	R 378	Antec Atom V350 Non-Modular Power Supply
ATOM V450	R 409	Antec Atom V450 450W Non-Modular Power Supply: 450W Output, CircuitShieldâ„¢ protections (OPP/OVP/UVP/SCP), 120mm silent fan, Thermal Manager for optimal heat and noise management, Non-modular design, Input: 230Vac, 4A, 47-63Hz, Output: 3.3V/16A, 5V/15A
ATOM V550	R 509	Antec Atom V550 Non-Modular Power Supply
ATOM V650	R 637	Antec ATOM V650 Non-Modular ATX 12V 2.31 Power Supply, 120mm silence fan, 1x MB 24 (20 4) pin, 1x 8 (4 04) pin EPS 12V, 2x 8 (6 2) pin PCI-e, 5x SATA, 2x Molex, 1x FDD
ATOM V750	R 683	Antec Atom V750 Non-Modular Power Supply
CP-9020253-WW	R 3,738	Corsair RM Series RM1000x Shift 80 Plus Gold Fully Modular ATX Power Supply, Side cable Interface, 1x ATX connector, ATX12V version 3, 2x EPS connector, FDB fan bearing technology, 140mm fan size, 7x PCI-e connector, 16x SATA connector, 8x PATA connector
CP-9020258-WW	R 3,508	Corsair RM Series RM1200e -- 1200 Watt 80 PLUS Gold Fully Modular ATX PSU; ATX 3.1 and PCIE 5.1. The CORSAIR RM1200e is a 1200W fully modular ATX 3.1 power supply that offers 80 PLUS Gold efficiency and PCIe 5.1 compliance. Designed for high-performance PCs, it features a compact size, silent operation with Zero RPM Fan Mode, and industrial-grade capacitors for long-term reliability. Ideal for gamers and professionals seeking stable power for demanding systems.
CP-9020259-WW	R 5,348	Corsair HX1000i Fully Modular Ultra-Low Noise Platinum ATX 1000 Watt Power Supply, 2x EPS connector, Fluid Dynamic bearing, 140mm fan size, Multi GPU ready, 8x SATA connector, 8x PATA connector, 5 PCI-e connector, Platinum 80 Plus efficiency
CP-9020265-WW	R 5,348	Corsair iCUE LINK HXi SHIFT Series; iCUE LINK HX1000i SHIFT; 1000 Watt; Cybenetics Platinum; Fully Modular; Power Supply; C14 Version
CP-9020275-WW	R 3,853	Corsair RM Series RM1000x Shift - 1000 Watt 80 Plus Gold Fully Modular ATX PSU - White, PCI-e 5.0, ATX12V Version 3.1, 2x EPS connector, FDB fan bearing Technology, 140mm fan size, 16x SATA connector, 8x PATA connector, 4x PCI-e connector, 1x ATX connector
CP-9020277-WW	R 863	Corsair CX Series CX550 550 Watt 80 Plus Bronze Certified PSU, 1x EPS connector, Sleeve fan bearing technology, 120mm fan size, 3x SATA connector, 2x PCI-e connector
CP-9020278-WW	R 1,024	Corsair CX Series CX650 650 Watt 80 Plus Bronze Certified PSU, 1x EPS connector, Sleeve fan bearing technology, 120mm fan size, 3x SATA connector, 2x PCI-e connector
CP-9020279-WW	R 1,127	Corsair CX Series CX750 750 Watt 80 Plus Bronze Certified PSU, 1x EPS connector, Sleeve fan bearing technology, 120mm fan size, 3x SATA connector, 2x PCI-e connector
CP-9020292-WW	R 2,289	Corsair RM Series RM750e White -- 750 Watt 80 PLUS Gold Fully Modular ATX PSU; ATX 3.1 and PCIE 5.1. The Corsair RM750e White is a high-end, fully modular 750 W power supply delivering efficient, stable power for

		modern high-performance PCs. With ATX 3.1 and PCIe 5.1 compliance, compact design, whisper-quiet operation and a long warranty, it is an excellent choice for gamers and content creators seeking reliability and clean builds.
CP-9020295-WW	R 2,369	Corsair RM Series RM750e â€" 750 Watt 80 PLUS Gold Fully Modular ATX PSU; ATX 3.1 and PCIE 5.1
CP-9020296-WW	R 2,484	Corsair RM Series RM850e â€" 850 Watt 80 PLUS Gold Fully Modular ATX PSU; ATX 3.1 and PCIE 5.1
CP-9020297-WW	R 3,853	Corsair RM Series RM1000e â€" 1000 Watt 80 PLUS Gold Fully Modular ATX PSU; ATX 3.1 and PCIE 5.1
CP-9020297-WW	R 3,693	Corsair RMe Series RM1000e Fully Modular Low-Noise ATX Power Supply, Delivers 1000 W continuous Power, Cybenetics gold-certified efficiency rating, Native PCI-e Gen5 support with a single 12V-2x6 (12 4) Connector for up to 600W GPUS, Intel ATX 3.1 Certified specification, Zero rpm mode, Ultra-flexible embossed cables with Low-Profile combs simplify Cable Management, 1x Modular ATX 24 pin, 2x EPS / ATX 12V 8 pin (4 4), 1x 12V-2x6 (12 4) pin, 1x 12V-2x6 to Dual 8 pin (6 2), 2x PCI-e 8 pin (6 2), 1x SATA (4 straight SATA), 1x SATA / PATA (2 straight SATA) (2 straight PATA)
CP-9020299-WW	R 3,169	Corsair RM850X Shift 80 Plus Gold Fully Modular ATX Power Supply, Fully Modular Design allows connection of only required cables, Supports ATX 3.1 Standard for current-generation systems, Includes a 12V-2x6 / PCI-e Gen5 Connector for compatible Graphics cards, Equipped with a 140 mm fan for cooling, ATX Form Factor fits Standard Cases, 80 Plus Gold efficiency rating Certified
CP-9020300-WW	R 3,554	Corsair RM Series RM1000x Shift 1000 Watt 80 Plus Gold Fully Modular ATX PSU, ATX 3.1, PCI-e 5.1, Gold Cybenetics efficiency, 4x PATA Connector, 2x EPS Connector, 12x SATA Connector, 4x PCI-e Connector, 1x ATX Connector, FDB fan bearing Technology, 140mm fan size
CP-9020302-WW	R 1,898	Corsair RM Series RM650e â€" 650 Watt 80 PLUS Gold Fully Modular ATX PSU; ATX 3.1 and PCIE 5.1
CP-9020307-WW	R 5,463	Corsair HX Series HX1200i 1200W 80 Plus Platinum Certified Fully Modular ATX 3.1 PSU, PCI-e 5.1 support, Platinum Cybenetics efficiency, 6x PATA connector, 2x EPS connector, 8x SATA connector, Fluid Dynamic bearing, Fully Modular, 5x PCI-e connector, Zero rpm mode, Multi GPU ready, 140mm fan size, 1200 watts continuous Power
CP-9020309-WW	R 6,268	Corsair HX Series HX1500i 1500W 80 Plus Platinum Certified Fully Modular ATX 3.1 PSU, PCI-e 5.1 support, Platinum cybenetics efficiency, 6x PATA connector, 2x EPS connector, 8x SATA connector, Fluid Dynamic bearing, Fully Modular, 5x PCI-e connector, Zero rpm mode, Multi GPU ready, 140mm fan size, 1500 watts continuous Power
CP4000	R 506	HuntKey CP400W 400W ATX Power Supply with 12cm fan, 4 4 pin CPU connector, (6 2) pin PCI-e connector, 3 SATA / 3 HDD / 1 FDD Hard Disk Interface
CSK1000 PRO	R 1,443	Antec CSK1000 PRO ATX3.1 Semi-Modular 1000W Power Supply, PCI-e 5.1 support, 1000W continuous total capacity, Active PFC, 80 Plus Bronze Certified efficiency, 1 x 24 (20 4) pin Motherboard, 2 x 8 (4 4) pin CPU, 4x 8 (6 2) pin PCI-e, 1x 16 (12 4) pin 12V-2x6 (600W) PCI-e 5.1, 6x SATA connectors SATA, 3x 4 pin Molex Molex, 120mm Silent fan, Thermal manager Smart fan curve
CSK850 PRO	R 1,194	Antec CSK 850W Pro PCI-e 5.1 Gen5 80 Plus Bronze Semi-Modular Power Supply, Active PFC, 120mm Silent fan, 80 Plus Bronze 230V EU, 1x 24 (20 4) pin MB, 1x 16 (12 4) pin PCI-e 5.1 12V-2 x 6 (600W), 2x 8 (4 4) pin CPU, 4x 8 (6 2) pin PCI-e, 6x SATA, 3x Molex
Elite V3 230V 300W A/WO Cable	R 449	Cooler Master Elite 300W PFC Active Power Supply without Cable
FSP350-50EGN	R 1,273	FSP 350W 80 Plus Gold ATX Non-Modular Power Supply, 80 Plus Gold Certified efficiency up to 90%, Active PFC for stable Power Delivery, Intel ATX 12V V2.52 compliant, Smart fan Speed Control Circuit, 1x 24 pin Motherboard Power Connector, 2x 4 pin Power connectors, 10x SATA connectors across two leads, Silver Colour finish
GA-X870-AORUS-ELITE-WIFI7-ICE	R 6,205	Gigabyte X870 Aorus Elite WiFi 7 ICE AMD Ryzen 7000 / 8000 / 900 Series Socket AM5 ATX Motherboard, AMD X870 Chipset, 4x DDR5 DIMM Memory slots, 2x USB4 USB Type-C Ports, Supporting USB4 and DisplayPort Video, 1x HDMI Port, Realtek 2.5GbE LAN Chip, MediaTek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot (PCIEX16), 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x2, 4x SATA 6Gb/s connectors, 4x M.2 Socket 3 connectors PCIe 5.0 x4/x2, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2x2 support, USB 3.2 Gen 2 Type-A Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
GP-P450B	R 741	Gigabyte P450B 450W 80 Bronze Certified, MB 24/20-pin x 1, CPU 4 4-pin x 1, PCI-E 6 2-pin x 2, SATA x 6, Peripheral x 3

GP-P550B	R 725	Gigabyte P550B 550W 80 Bronze Certified, MB 24/20-pin x 1, CPU 4 4-pin x 2, PCI-E 6 2-pin x 4, SATA x 8, Peripheral x 3
GP-P650G	R 943	Gigabyte P650G Gold Certified 650W ATX Power Supply unit, Active PFC, 120mm hydraulic bearing (Hybrid) fan, 90% at typical load efficiency, 1x ATX/MB 20 4 pin, 2x CPU/EPS 4 4 pin, 4x PCI-e 6 2 pin, 6x SATA, 4 pin Peripheral
GPM700S-B	R 748	Mecer 700W 80 Energy Star 6.0 Universal ATX 2.2 with 2x (4 4) Connector (SABS), Channel Well
GPT500S	R 552	Mecer 500W 80 energy star 6.0 Universal ATX 2.2 (SABS) Power Supply, 5 SATA connectors, 1 x 4 4 pin EPS CPU connectors, 2 x 6 2 pin PCI-e PCI connectors, 1 x 20 4 pin ATX Motherboard connectors, 2 molex connectors, 1 x floppy floppy connectors, 80 Plus Certified
GS-500	R 794	HuntKey GS500 400W ATX Power Supply unit, 80 Plus Certified, 85% energy efficiency, active PFC
GS-600	R 804	Huntkey GS600 500W Power Supply with 12cm Fan, Rated Power 500W, 12V Single-rail, > 85% Energy Efficiency & 80 PLUS Certified, Reliable Power with Active PFC, Excellent Heat Dissipation & Soundless Performance
HD2-850	R 1,093	Mecer HD2-850 850W 80 Energy Star 6.0 Universal ATX 2.2 PSU, 1x (4 4), 2x 6 2, 8x SATA connectors
HD2-850+	R 1,357	FSP Hydro K Pro 850W 80 Bronze Energy Star 6.0 ATX3.0 PSU, Active PFC, 88% at typical load efficiency, Hybrid fan 120mm, 1x ATX 24, 2x 4 4 pin, 4x PCI-e 6 2, 8x SATA, 2x Molex (Peripheral), 2x floppy
HP2-700MGEN5	R 1,278	FSP Hydro M Pro 700W 80Plus Bronze Gen5 Semi-Modular ATX Power Supply, 80 Plus 230V EU Bronze certification, Active PFC, 120mm Hybrid fan, 1x ATX 20 4, 2x CPU 4 4 pin, 1x PCI-e 12V-2x6, 2x PCI-e 6 2, 8x SATA, 3x Molex (Peripheral), 1x floppy
HP2-800MGEN5	R 1,447	FSP Hydro M Pro 800W 80Plus Bronze Gen5 Semi-Modular ATX Power Supply, 80 Plus 230V EU Bronze certification, Active PFC, 120mm Hybrid fan, 1x ATX 20 4, 2x CPU 4 4 pin, 1x PCI-e 12V-2x6, 2x PCI-e 6 2, 8x SATA, 3x Molex (Peripheral), 1x floppy
IP-S300EQ3-2	R 403	Mecer 300W 85 Plus Energy Star 5.0 Universal ATX EPS2.31 (SABS)
KCAS-PG-650	R 871	Aerocool kcas Plus Gold 650W RGB ATX Power Supply unit, ATX 24 pin, 2x 4 4 pin CPU, 6x SATA, 3x PATA, 2x PCI-e 6 2 pin, Built-In apfc, RGB Lighting - control up to 16.8 million colours and 3 LED Lighting modes, Up to 90% efficiency with Official 80Plus Gold Certificate, Mesh sleeves, Silent 12cm fan
LUX-PB-650	R 447	Aerocool Lux Bronze 650W ATX Power Supply unit, ATX 24 pin, 1x 4 4 pin CPU, 5x SATA, 4x PATA, 2x PCI-e 6 2 pin, 80Plus 230V EU Bronze Certified for up to 88% efficiency, Built-In apfc, Silent 12cm Black fan, ATX12V VER.2.4
LUX-PB-750	R 516	Aerocool Lux Bronze 750W ATX Power Supply unit, ATX 24 pin, 1x 4 4 pin CPU, 5x SATA, 4x PATA, 2x PCI-e 6 2pin., 80Plus 230V EU Bronze Certified for up to 88% efficiency, Built-In apfc, Silent 12cm Black fan, ATX12V VER.2.4
LUX-PB-750	R 699	Aerocool LUX 750W Power Supply Unit - 750W Maximum Output Power, Built in APFC Rates > 0.9, Silent 12cm Black Fan with Optimized Thermal Fan Speed Control, Compatible with all Intel Form Factors Up to ATX12V Version 2.4, Retail Box, 6 Months Warranty.
LUX-PG-1000	R 917	Aerocool Lux Gold 1000W ATX Power Supply unit, 1x ATX 24 pin, 1x 4 4 pin CPU, 8x SATA, 4x PATA, 4x PCI-e 6 2 pin, 80Plus Gold Certified for up to 90% efficiency, Built-In apfc, Silent 12cm Black fan, ATX12V VER.2.4, Soft Black flat cables
MAG A500N-H	R 573	MSI MAG A500N-H 500W ATX Non-Modular Power Supply, Hydraulic bearing, 1x ATX (24 pin), 2x EPS (4 4 pin), 120 mm fan size, 1x PCI-e (6 2 pin), 3x SATA (15 pin), 2x Molex (4 pin), 1x FDD (4 pin), Active PFC
MAG A550BN	R 745	MSI MAG A550BN 550W 80 Bronze rated Power Supply unit, 120mm low noise fan, Active PFC design, ATX PSU form factor, 1x 20 4 pin ATX, 1x 4 4 pin EPS, 2x 6 2 pin PCI-e, 5x SATA, 2x Peripheral molex, 1x FDD
MAG A550BN	R 804	MSI MAG A550BN 550W 80 Bronze rated Power Supply unit, 120mm low noise fan, Active PFC design, ATX PSU form factor, 1x 20 4 pin ATX, 1x 4 4 pin EPS, 2x 6 2 pin PCI-e, 5x SATA, 2x Peripheral molex, 1x FDD
MAG A650BN	R 848	MSI MAG A650BN 650W 80 Bronze rated Power Supply unit, 120mm low noise fan, Active PFC design, ATX PSU form factor, 1x 20 4 pin ATX, 1x 4 4 pin EPS, 2x 6 2 pin PCI-e, 5x SATA, 2x Peripheral molex, 1x FDD
MAG A650BN	R 849	MSI MAG A650BN 650W 80 Bronze rated Power Supply unit, 120mm low noise fan, Active PFC design, ATX PSU form factor, 1x 20 4 pin ATX, 1x 4 4 pin EPS, 2x 6 2 pin PCI-e, 5x SATA, 2x Peripheral molex, 1x FDD
MAG A650BN PCIE5 III	R 1,034	MSI MAG A650BN PCIE5 III 650W 80 Plus Bronze ATX PSU, 120 mm fan size, Hydraulic bearing, Active PFC, 1x

		ATX (24 pin), 2x EPS (4 4 pin), 1x (300W) PCI-e 5.1 (16 pin), 2x PCI-e (6 2 pin), 3x SATA (15 pin), 2x Peripheral (4 pin)
MAG A750BN PCIE5	R 1,447	MSI A750BN PCIE5 750W 80 Bronze rated ATX Power Supply unit, 120 mm fan size, Sleeve bearing fan, Active PFC, 1x ATX (24 pin), 2x EPS (4 4 pin), 1x (300W) PCI-e 5.0 (16 pin), 2x PCI-e (6 2 pin), 5x SATA (15 pin), 2 Molex (4 pin), 1x FDD (4 pin)
MAG A750GL	R 2,174	MSI MAG A750GL 750W PCI-e 5.0 ATX 3.0 80 Plus Gold PSU, Full Modular, 120 mm fan size, Fluid Dynamic bearing, Active PFC, 1x ATX (24 pin), 2x EPS (4 4 pin), 1x (450W) PCI-e 5.0 (16 pin), 3x PCI-e (6 2 pin), 8x SATA (15 pin), 4x molex (4 pin), 1x FDD (4 pin)
MAG A850GL	R 2,013	MSI MAG A850GL 850W PCI-e 5.0 ATX 3.0 80 Plus Gold PSU, Full Modular, 120 mm fan size, Fluid Dynamic bearing, Active PFC, 1x ATX (24 pin), 2x EPS (4 4 pin), 1x (600W) PCI-e 5.0 (16 pin), 4x PCI-e (6 2 pin), 8x SATA (15 pin), 4x molex (4 pin), 1x FDD (4 pin)
MAG A850GL PCIE5	R 2,002	MSI MAG A850GL PCIE5 850W ATX 3.1 80 Plus Gold Modular Power Supply, 80 Plus Gold (Up to 90%) efficiency rating, Full Modular, 120 mm fan size, Fluid Dynamic bearing, Active PFC, 1x ATX (24 pin), 2x EPS (4 4 pin), 1x (600W) PCI-e 5.0 (16 pin), 4x PCI-e (6 2 pin), 8x SATA (15 pin), 4x Peripheral (4 pin), 1x FDD (4 pin)
MAG A850GL PCIE5 WHITE	R 2,128	MSI A850GL PCIE5 80 Gold Modular 850W ATX Power Supply unit - White, 80 Plus Gold efficiency rating, 120 mm fan, Fluid Dynamic bearing fan bearing, Active PFC, 1x ATX (24 pin), 2x EPS (4 4 pin), 1 (600W) PCI-e 5.0 (16 pin), 4x PCI-e (6 2 pin), 8x SATA (15 pin), 4x molex (4 pin), 1x FDD (4 pin)
MEGA1000	R 1,701	Antec Mega 1000W 80 Plus Gold ATX 3.1 PCI-e 5.1 Fully Modular Power Supply, Active PFC, 120mm HDB Silent fan, 80 Plus Gold certifications, 1x MB 24 (20 4) pin, 1x 16 (12 4) pin PCI-e 5.1 12V-2x6, 2x 8 (4 4) pin CPU, 3x 8 (6 2) pin PCI-e, 7x SATA, 2x Molex
MEGA850	R 1,530	Antec Mega 850W 80 Plus Gold ATX 3.1 PCI-e 5.1 Fully Modular Power Supply, Active PFC, 120mm HDB Silent fan, 1x MB 24 (20 4) pin, 1x 16 (12 4) pin PCI-e 5.1 12V-2x6, 2x 8 (4 4) pin CPU, 3x 8 (6 2) pin PCI-e, 7x SATA, 2x Molex
MPE-7502-ACAAG-EU	R 1,107	Cooler Master MWE Gold - 750W v2 80 Plus Gold ATX Power Supply unit, ATX 12V ver. 3.1, 120mm fan, HDB fan bearing, 1x ATX 24 pin connectors, 2x EPS 8 pin / 4 4 pin connectors, 6x SATA connectors, 3 Peripheral 4 pin connectors, 4x PCI-e 6 2 pin connectors
MPG A1000GS PCIE5	R 2,632	MSI MPG A1000gs 1000W PCI-e 5 80 Plus Gold Modular Power Supply, 135 mm fan size, Fluid Dynamic bearing, Active PFC, 1x ATX (24 pin), 2x EPS (4 4 pin), 2x (600W) PCI-e 5.1 (16 pin), 1x PCI-e (6 2 pin), 8x SATA (15 pin), 4x Peripheral (4 pin)
MPS-B001-AZBP-NBEU	R 3,136	Cooler Master X Silent Edge Platinum 1100W 230V A/EU Cable, high efficiency fanless PSU; 1100W Platinum; fully modular; ATX 3.1 support; multi PCIe and SATA connectors; silent operation; advanced protections
MPW-6001-ACBW-BE1	R 454	Cooler Master Elite Nex W600 230V A/EU Black cable & Mesh ATX Power Supply unit, Active PFC, ATX 12V ver. 2.41, 120mm Fan, Sleeve fan bearing, 85% efficiency, 1x ATX 24 pin connectors, 1x EPS 8 pin / 4 4 pin connectors, 5x SATA connectors, 3x Peripheral 4 pin connectors, 2x PCI-e 6 2 pin connectors
MPX-7501-AMAAB	R 1,210	Coolermaster Masterwatt Bronze 750w Atx Power Supply, 80 Bronze, Semi Modular
P11-1K0570000R	R 2,321	HuntKey MVP P1000 1000W 80 Plus Platinum ATX 3.1 Power Supply, 120 mm ball bearing, Active PFC, 5 Molex (Peripheral), 7x SATA, 4x PCI-e 6 2 pin, 1x PCI-e 12V 2 x 6 pin, 4x CPU 8 pin / 4 4 pin, 1x ATX 20 4 pin, PCI-e 5.1 Standard, 12V-2x6 GPU Power Connector, P11-1K0570000R
P11-1K2570000R	R 2,585	HuntKey MVP P1200 1200W 80 Plus Platinum ATX 3.1 Power Supply, 120 mm ball bearing, Active PFC, 5 Molex (Peripheral), 7x SATA, 4x PCI-e 6 2 pin, 1x PCI-e 12V 2 x 6 pin, 4x CPU 8 pin / 4 4 pin, 1x ATX 20 4 pin, PCI-e 5.1 Standard, 12V-2x6 GPU Power Connector, P11-1K2570000R
P11-950560001R	R 1,668	HuntKey 850W MVP K850 Gold ATX Power Supply, ATX 3.1 & PCI-e 5.1 ready, 80 Plus Gold energy rating, Dual ball bearing fan, 20 4 pin mainboard connector, 1x (4 4-4 4) pin CPU connector, 2x (6 2-6 2) pin GPU connector, 1x 12V-2 x 6 GPU connector, 4x SATA, 3x PATA
P28-600120001R	R 689	HuntKey 500W Eco 80 Plus Power Supply, Dual ball bearing fan, 20 4 pin mainboard connector, 1x (4 4-4 4) pin CPU connector, 1x (6 2-6 2) pin GPU connector, 3x SATA, 3x PATA, 500W rated Power
P28-750120000R	R 725	HuntKey 650W Eco 80 Plus Power Supply, Dual ball bearing fan, 20 4 Pin mainboard connector, 1x (4 4-4 4) pin CPU connector, 1x (6 2-6 2) pin GPU connector, 3x SATA, 3x PATA, 650W rated Power
P28-850120000R	R 794	HuntKey 750W Eco 80 Plus Power Supply, Dual ball bearing fan, 20 4 pin mainboard connector, 1x (4 4-4 4) pin

		CPU connector, 1x (6 2-6 2) pin GPU connector, 3x SATA, 3x PATA, 750W rated Power
PCIE-8	R 1,609	Microworld 1000W PCI-e 5.0 80 Gold Power Supply Unit
PPA10A4000	R 2,424	FSP Vita GM 1000W Gold Power Supply - ATX 3.1, PCI-e 5.1, 80 Plus Gold, 120mm hydraulic bearing fan, High-grade japanese capacitors
PPA12A1012	R 4,842	FSP Hydro PTM Pro ATX 3.0 (PCI-e) 1200W Fully Modular Power Supply, 80Plus Platinum efficiency rating, ATX 3.0 Standard, 12V-2x6 / PCI-e Gen5 Connector, 135mm fan size, 1x ATX 20 4, 3x 4 4 pin, 1x 12VHPWR, 6x PCI-e 6 2, 14x SATA, 5x Molex (Peripheral), 1x floppy
PPA12A1020	R 4,842	FSP Hydro G Pro 1200W Modular ATX 3.0 Power Supply unit, Platinum 80 Plus certification, Active PFC, 135mm FDB fan, 1x ATX 20 4, 3x 4 4 pin, 8x PCI-e 6 2, 14x SATA, 5x Peripheral Molex, 1x floppy
PPA5505402	R 683	FSP HV Pro 550W Plus non-mod ATX PSU, 85% efficiency, 1x ATX 24, 2x 4 4 pin, 2x PCI-e 6 2, 4x SATA, 2x molex (Peripheral), 1x floppy
PPA6005607	R 891	FSP Hydro Pro K 600W Non-Modular Power Supply
PPA6505406	R 851	FSP HV Pro 650W Plus non Modular ATX Power Supply unit, Active PFC, 120mm Sleeve fan, 1x MB 20 4, 2x 4 4 pin, 2x PCI-e 6 2, 4x SATA, 2x Molex (Peripheral), 1x floppy
PPA7507900	R 1,569	FSP Vita GM 750W Gold Fully Modular Power Supply unit, ATX12V V3.1 Form Factor, Gold 80 Plus certification, 90% efficiency, 120mm fan, 1x Motherboard 20 4, 2x 4 4 pin, 1x PCI-e 12V-2, 4x PCI-e 6 2, 8x SATA, 4x Molex (Peripheral)
PPA7507911	R 1,569	FSP Vita GM 750W 80 Plus Gold Modular ATX Power Supply, ATX12V V3.1 Form Factor, Gold 80 Plus certification, 90% efficiency, Hybrid fan 120mm Fan, 1x MB 20 4, 2x 4 4 pin, 1x PCI-e 12V-2X6, 4x PCI-e 6 2, 8x SATA, 4x molex (Peripheral)
PPA8504200	R 1,826	1x FSP Vita GM 850W Gold Fully Modular Power Supply unit, ATX12V V3.1 Form Factor, Gold 80 Plus certification, 90% efficiency, 4x Motherboard 20 4, 2x 4 4 pin, 1x PCI-e 12V-2, 4x PCI-e 6 2, 8x SATA, 4x Molex (Peripheral)
PPA8504211	R 1,826	FSP Vita GM 850W 80 Plus Gold Modular ATX Power Supply, ATX12V V3.1 Form Factor, Gold 80 Plus certification, 90% efficiency, Hybrid fan 120mm Fan, 1x MB 20 4, 2x 4 4 pin, 1x PCI-e 12V-2X6, 4x PCI-e 6 2, 8x SATA, 4x molex (Peripheral)
PREM-G1-1000	R 2,519	Aerocool Premier G1 Gold 1000W PSU - ATX 3.1 PCIe5.1 - ATX 24 PIN; 1x 4 4PIN CPU; 1x CPU 8PIN; 12x SATA; 2x PATA; 9x PCIe 6 2PIN
PREM-G1-750	R 1,829	Aerocool Premier G1 Gold 750W PSU - ATX 3.1 PCIe5.1 - ATX 24 PIN; 1x 4 4PIN CPU; 1x CPU 8PIN; 12x SATA; 2x PATA; 9x PCIe 6 2PIN;
PREM-G1-850	R 2,059	Aerocool Premier G1 Gold 850W PSU - ATX 3.1 PCIe5.1 - ATX 24 PIN; 1x 4 4PIN CPU; 1x CPU 8PIN; 12x SATA; 2x PATA; 4x PCIe 6 2PIN
PRIME-750B-BLACK	R 861	Asus Prime 750W 80 Plus Bronze Non-Modular ATX12V Power Supply unit, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 2x PCI-e 8 pin, 6x SATA, 3x Peripheral, Dual ball fan bearings
PRIME-850G	R 1,696	Asus Prime 850W 80Plus Gold Black Edition PCI-e 5.0 Modular Power Supply, 850W total Output capacity with ATX 3.1 compliance, Fully Modular Design with etched cables, 80Plus Gold and Cybenetics Gold Certified for up to 92% efficiency, Includes bundled 16 pin PCI-e Gen 5.1 cable for RTX 50 and RX 9000 Series GPUS, Power excursions supported up to twice the rated Output, Equipped with a 135mm dual-ball bearing fan, Utilizes low-esr capacitors and Premium components
PRIME-AP-750G	R 2,124	Asus Prime 750w Atx3.1 & Pcie5.1 80 Plus Gold Fully Modular
PS-A1000CSK	R 1,427	Antec CSK1000 PRO ATX3.1 Semi-Modular 1000W Power Supply, PCI-e 5.1 support, 1000W continuous total capacity, Active PFC, 80 Plus Bronze Certified efficiency, 1 x 24 (20 4) pin Motherboard, 2 x 8 (4 4) pin CPU, 4x 8 (6 2) pin PCI-e, 1x 16 (12 4) pin 12V-2x6 (600W) PCI-e 5.1, 6x SATA connectors SATA, 3x 4 pin Molex Molex, 120mm Silent fan, Thermal manager Smart fan curve
PS-A430NM	R 758	Antec Neo power 430w (12v : 384w) , with Modular cable management , High Efficiency (85%) , active PFC , 1 x 6pin PCI-E power connector , dedicated output circuits for 3.3V, 5V, and tripple 12V circut voltage feedback detection antec Low noise technology ; 1x 80mm low noise fans with advanced thermal control , with OCP , OVP , OPP , SCP , UVP
PS-A450AV	R 405	Antec Atom V450 450W Non-Modular Power Supply: 450W Output, CircuitShieldâ„¢ protections

		(OPP/OVP/UVP/SCP), 120mm silent fan, Thermal Manager for optimal heat and noise management, Non-modular design, Input: 230Vac, 4A, 47-63Hz, Output: 3.3V/16A, 5V/15A
PS-A550AV	R 504	Antec Atom V550 550W Non-Modular Power Supply: 550W Output, CircuitShieldâ„¢ protections (OPP/OVP/UVP/SCP), 120mm silent fan, Thermal Manager for optimal heat and noise management, Non-modular design, Input: 230Vac, 5A, 47-63Hz, Output: 3.3V/18A, 5V/16A
PS-A650AB	R 790	Antec Atom B650 650W 80 Plus Bronze Non-Modular Power Supply: 80 PLUSÂ® BRONZE Certified, CircuitShieldâ„¢ protections (OPP/OVP/UVP/SCP), 120mm silent fan, Flat cables, Active Power Factor Correction (APFC), Input: 200-240Vac, 6.3A, 50Hz, Output: 3.3V/15A
PS-A650AV	R 630	Antec Atom V650 650W Non-Modular Power Supply, No Power cord, 120mm silence fan, 1x MB 24(20 4) pin, 1x 8(4 4) pin EPS 12V, 2x 8(6 2) pin PCI-e, 5x SATA, 2x Molex, 1x FDD
PS-A750AV	R 676	1x Antec Atom V750 750W Non-Modular Power Supply, 1x 24 pin Main connector, 1x 8(4 4) pin EPS12V, 2x 8(6 2) pin PCI-e, 5x SATA, 2x Molex, FDD, 120mm Silent fan
PS-A850CSK	R 1,181	Antec CSK 850W Pro PCI-e 5.1 Gen5 80 Plus Bronze Semi-Modular Power Supply, Active PFC, 120mm Silent fan, 80 Plus Bronze 230V EU, 1x 24 (20 4) pin MB, 1x 16 (12 4) pin PCI-e 5.1 12V-2 x 6 (600W), 2x 8 (4 4) pin CPU, 4x 8 (6 2) pin PCI-e, 6x SATA, 3x Molex
PS-ANL550	R 1,083	Antec Neo-Link 550 - 550w EPS12V psu for P190
PS-C1000RME	R 3,685	Corsair CP-9020250 RMe Series RM1000e 1000W Fully Modular Low-Noise ATX Power Supply, 12x full Modular cable management (All detachable flat cable system), 80 Plus Gold efficiency, Low-Noise Power Supply, Zero rpm mode, No Power cord, Flat cable system, 1x 24 pin (4 pin detachable), 4x 8 pin (2 6) PCI-e Power connectors, 7x SATA 4x 4 pin molex
PS-C550CXFMR	R 1,802	Corsair CP-9020216 CX550F Full Mudular RGB, black - with all Japanese 105Â°C capacitors, 8x full modular cable management (all detachable flat cable system), Eps12V, ATX 12V V2.3 - 550w, 80PLUS bronze certified for energy saving, 24pin (4pin detachable), with active-PFC, 2x8pin (2 6) PCI-E power, 1x 120mm RGB fan with 8x LEDs control button, 7x SATA 4x 4pin molex - no power cord
PS-C550CXFMRW	R 2,044	Corsair CP-9020225 CX550F Full Mudular RGB, White - with all Japanese 105Â°C capacitors, 8x full modular cable management (all detachable flat cable system), Eps12V, ATX 12V V2.3 - 550w, 80PLUS bronze certified for energy saving, 24pin (4pin detachable), with active-PFC, 2x8pin (2 6) PCI-E power, 1x 120mm RGB fan with 8x LEDs control button, 7x SATA 4x 4pin molex - no power cord
PS-C850RMXS	R 3,163	Corsair CP-9020252 RM850X Shift - ATX3.0 PCIe5.0 compliant, all Japanese 105Â°C capacitors, Side accessed 12x full Modular cable management (all detachable flat cable system), support 0 RPM silent mode, 2x EPS12V V2.92 - 850w (12v: 850w)
PS-CAT400	R 551	CFi AT Power Supply 400W - for CFi duplicator or old PC, Not for newer PC ' s
PS-G1000GMPG5	R 2,874	Gigabyte GP-UD1000GM PG5 - 1000W PSU, 80 Gold, Fully Modular, ATX 3.0, PCI-E Gen5, 12VHPWR, 135mm silent fan, OVP/UVP/OPP/SCP protection
PS-G1000GMPG5W	R 2,874	Gigabyte UD1000GM Pro Gen5 1000W -- fully modular 80 Gold PSU with PCIe Gen5 12VHPWR support and high-efficiency power delivery.
PS-G1000PMPG5	R 3,315	Gigabyte AE1000PM PG5 IC - GP-AE1000PM PG5 - 1000W Platinum-rated modular power supply, high efficiency and reliability.
PS-G1200PM+L	R 6,218	Gigabyte Aorus GP-AP1200PM 1200W 80PLUS Platinum Modular PSU Digital LCD, Customizable for PC health / text / image / GIF / Video), RGB, 12x full Modular cable management (All detachable flat cable system), EPS12v - 24 pin (4 pin detachable), 2x EPS12v, 10x 8 pin (2 6) PCI-e power, 16x SATA 6x 4 pin molex, Mesh braided cable design, 140mm Double ball bearing fan, No power cord
PS-G1300GMPG5	R 5,251	Gigabyte GP-UD1300GM PG5 - 1300W PSU, 80 Gold, Fully Modular, ATX 3.0, PCI-E Gen5, 12VHPWR, 135mm silent fan, OVP/UVP/OPP/SCP protection
PS-G1600PMPG5	R 6,246	Gigabyte GP-UD1600GM PG5 - 1600W PSU, 80 Gold, Fully Modular, ATX 3.0, PCI-E Gen5, 12VHPWR, 135mm smart fan, OVP/UVP/OPP/SCP protection
PS-G450B	R 722	Gigabyte gp-p450B 450w 80plus Bronze, Eps12V- 24pin (4pin detachable), 1x EPS12V, 2x 8pin (2 6) PCI-E power, 6x SATA 1x 4pin molex, flat cables design, 120mm HYB fan (HYdraulic Bearing) - with OCP/ OVP/ UVP/ OPP/ SCP/ OTP protections - no power cord

PS-G650GG5	R 1,193	Gigabyte P650G Gen5 650W -- 80 Gold power supply with PCIe Gen5 compatibility and reliable, efficient modular cabling.
PS-G750B	R 1,093	Gigabyte P750BS 750W -- 80 Bronze certified PSU offering stable performance and durable, cost-effective power delivery.
PS-G750GM	R 1,756	Gigabyte gp-p750GM 750w 80plus Gold, 10x full Modular cable management (all detachable flat cable system), Eps12V- 24pin (4pin detachable), 2x EPS12V, 4x 8pin (2 6) PCI-E power, 8x SATA 1x 4pin molex, mesh braided cable design, 120mm HYB fan (HYdraulic Bearing) - with OCP/ OVP/ UVP/ OPP/ SCP /OTP protections, with Japanese Capacitors - no power cord
PS-G750GMPG5	R 1,823	Gigabyte GP-UD750GM PG5 - 750W PSU, 80 Gold, Fully Modular, ATX 3.0, PCI-E Gen5, 12VHPWR, 135mm silent fan, Japanese capacitors
PS-G750GMPG5W	R 1,823	Gigabyte UD750GM Pro Gen5 750W -- fully modular 80 Gold PSU with PCIe Gen5 12VHPWR support and enhanced efficiency.
PS-G850GM	R 1,823	Gigabyte gp-p850GM 850w 80plus Gold, 10x full Modular cable management (all detachable flat cable system), Eps12V- 24pin (4pin detachable), 2x EPS12V, 4x 8pin (2 6) PCI-E power, 8x SATA 1x 4pin molex, mesh braided cable design, 120mm HYB fan (HYdraulic Bearing) - with OCP/ OVP/ UVP/ OPP/ SCP/ OTP protections, with Japanese Capacitors - no power cord
PS-G850GMPG5	R 2,155	Gigabyte GP-UD850GM PG5 - 850W PSU, 80 Gold, Fully Modular, ATX 3.0, PCI-E Gen5, 12VHPWR, 135mm smart fan, OVP/UVP protection
PS-G850GMPG5W	R 2,210	Gigabyte GP-UD850GM PG5 ICE 850w 80plus Gold Modular Pci-e Gen 5 White - 9x full Modular cable management (all detachable flat cable system), Intel ATX 12V v3.1 - 24pin (4pin detachable), 2x EPS12V, 1x 16pin PCI-E Gen5.1 Power, 4x 8pin (2 6) PCI-E power, 8x SATA 3x 4pin molex, flat all black cable design, 120mm HYB fan (HYdraulic Bearing) - with OCP/ OVP/ UVP/ OPP/ SCP/ OTP protections, with 100% Japanese Capacitors - no power cord
PS-G850PMPG5	R 2,652	Gigabyte GP-AE850PM PG5 AORUS ELITE P850W 80 Platinum Modular PCIe 5.1 Power Supply Unit
PS-G850PMPG5W	R 2,762	Gigabyte AE850PM PG5 ICE - GP-AE850PM PG5 - 850W Platinum-rated modular power supply, designed for performance PCs
PS-i1250PM	R 3,064	In-Win iW-PS-P1250W P125 Modular - 1250w (12v: 1250w) - japanese aluminium electrolytic 105Â°C-rated capacitors, 5V and 3.3V DC to DC converter design, 12x full Modular cable management, support 0 RPM silent mode, 2x EPS12V V2.92 ATX12V V2.4, 80Plus gold
PS-LTP-0450NPCNEU-2	R 745	Thermaltake Litepower 450W (230V) Power Supply, Max. Output Capacity 450W, PCI-E Connector 6 2pin PCI-E Connector x 2, 120mm fan, Â© 2019 Laptop Direct
PS-LTP-0550NPCNEU-2	R 895	Thermaltake Litepower 550W (230V) Power Supply, Max. Output Capacity 550W, PCI-E Connector 6 2pin PCI-E Connector x 2, 120mm fan, Â© 2019 Laptop Direct
PS-LTP-0650NPCNEU-2	R 920	Thermaltake Litepower 650W (230V) Power Supply, Max. Output Capacity 650W, PCI-E Connector 6 2pin PCI-E Connector x 2, 120mm fan
PS-SPD-0550NNFABE-3	R 860	Thermaltake Smart BX3 Bronze 550W ATX PSU, Active PFC, 12cm FDB fan, 2x PCI-e 6 2 pin, Fan will not spin until the load exceeds 20%, No physical fan Switch
PS-SPR-0500NHSAWE-1	R 837	Thermaltake Smart RGB 500W Power Supply, Max. Output Capacity 500W, PCI-E Connector 6 2pin PCI-E Connector x 2, RGB 256Color 120mm fan, 80 Plus White
PS-TPD-0550FNFAGE-2	R 1,287	Thermaltake ToughPower GF1 550W - TT Premium Edition ATX modular Power Supply, Active PFC, 14cm hydraulic bearing fan, 4x PCI-e 6 2 pin, Meet 80 Plus Gold at 115VAC input
PS-TPD-0650F3FAGE-2	R 1,765	Thermaltake ToughPower GF2 ARGB 650W Gold - TT Premium Edition ATX modular Power Supply, 780W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, 4x PCI-e 6 2 pin
PS-TPD-0650FNFAGE-2	R 1,608	Thermaltake TP GF 650W GOLD Power Supply
PS-TPD-0750F3FAGE-2	R 2,128	Thermaltake GF2 ARGB 750W Gold PSU Power Supply unit, RGB fan, 750W Maximum Output capacity, 900W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, Meet 80 Plus Gold at 115VAC input., 4x PCI-e 6 2 pin
PS-TPD-0750FNFAGE-2	R 1,838	Thermaltake TP GF 750W GOLD Power Supply
PS-TPD-0750FNFAGE-H	R 2,470	Thermaltake ToughPower GF A3 Gold 750W ATX 3.0 PSU - Premium Edition, Active PFC, 12cm FDB fan, 80 Plus

		Gold Certified, 4x PCI-e 6 2 pin, 1x PCI-e 12 4 pin (300W)
PS-TPD-0750FNFAGE-W	R 2,873	Thermaltake ToughPower GF1 750W ATX PSU - Snow Edition, 14cm hydraulic bearing fan, 80 Plus Gold Certified Fully Modular, 4x PCI-e 6 2 pin
PS-TPD-0850F3FAGE-2	R 2,414	Thermaltake ToughPower GF2 ARGB 850W Gold - TT Premium Edition ATX modular Power Supply, 1020W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, 6x PCI-e 6 2 pin
PS-TPD-0850FNFAGE-H	R 2,792	Thermaltake ToughPower GF A3 Gold 850W ATX 3.0 PSU - Premium Edition, Active PFC, 12cm FDB fan, 80 Plus Gold Certified, 4x PCI-e 6 2 pin, 1x PCI-e 12 4 pin (450W)
PS-TPD-0850FNFAGE-W	R 2,643	Thermaltake ToughPower GF1 850W ATX PSU - Snow Edition, 14cm hydraulic bearing fan, 80 Plus Gold Certified Fully Modular, 6x PCI-e 6 2 pin
PS-TPD-1000FNFAGE-1	R 3,011	Thermaltake ToughPower GF1 1000W - TT Premium Edition PSU Power Supply unit, ATX form factor, 1000W Maximum Output capacity, 1200W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, Meet 80 Plus Gold at 115VAC input., 6x PCI-e 6 2 pin
PS-TPD-1050FNFAGE-H	R 3,462	Thermaltake ToughPower GF A3 Gold 1050W ATX 3.0 PSU - Premium Edition, Active PFC, 12cm FDB fan, 80 Plus Gold Certified, 5x PCI-e 6 2 pin, 1x PCI-e 12 4 pin (600W)
PS-TPD-1200FNFAGE-1	R 3,735	Thermaltake ToughPower GF1 1200W - TT Premium Edition PSU Power Supply unit, ATX form factor, 1200W Maximum Output capacity, 1440W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, Meet 80 Plus Gold at 115VAC input., 6x PCI-e 6 2 pin
PS-TPD-1200FNFAGE-4	R 4,253	Thermaltake GF3 1200W Gold ATX 3.0 Power Supply unit, Active PFC, 13.5cm fluid bearing fan, Meet 80 Plus Gold at 115VAC input. efficiency, 4x PCI-e 6 2 pin, 1x PCI-e 12 4 pin
PS-TPG-0650FPCGEU-R	R 1,493	Thermaltake Toughpower Grand RGB 650W Gold Fully Modular, ATX 12V v2.4 and EPS v2.92, 650W Max. Output Capacity, Active PFC, Meet 80 PLUS Gold at 115Vac input.
PS-TPG-0750FPCGEU-R	R 2,068	Thermaltake Toughpower Grand RGB 750W Gold Full Modular Power Supply
PS-TPG-0850FPCGEU-R	R 2,183	Thermaltake Toughpower Grand RGB 850W Gold Full Modular Power Supply
PS-TPG-1050F1FAPE-1	R 3,794	Thermaltake ToughPower grand RGB 1050W Platinum PSU Power Supply unit, RGB fan, ATX form factor, 1050W Maximum Output capacity, 1260W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, Meet 80 Plus Platinum at 115VAC input., 8x PCI-e 6 2 pin
PS-TPG-1200F1FAPE-1	R 4,714	Thermaltake ToughPower Grand RGB 1200W Platinum ATX Modular Power Supply, RGB fan, ATX form factor, 1440W peak Output capacity, Active PFC, 14cm hydraulic bearing fan, TPG-1200F1FAP-1200W
PS-TPT-0750FNFAGE-3	R 1,838	Thermaltake ToughPower GT 750W Power Supply, Active PFC, 12cm hydraulic bearing fan, 1x Main Power (24 pin), 2x ATX 12V (4 4 pin), 4x PCI-e (6 2 pin), 1x PCI-e (12 4 pin), 6x SATA (5 pin), 4x Peripheral (4 pin)
PS-TPT-0850FNFAGE-3	R 1,953	Thermaltake ToughPower GT 850W Power Supply, Active PFC, 12cm hydraulic bearing fan, 1x Main Power (24 pin), 2x ATX 12V (4 4 pin), 4x PCI-e (6 2 pin), 1x PCI-e (12 4 pin), 6x SATA (5 pin), 4x Peripheral (4 pin)
PS-TR2-0500NPCBEU-B	R 791	Thermaltake TR2 500W Bronze Power Supply
PSU1600W	R 3,399	UniQue 1600 Watt Power Supply Unit, Retail Box, 3 months
PSU500	R 499	Unique 500 Watt Power Supply unit - OEM, 1x 20 4 pin main connector, 1x P4 4 pin 12V connectors, 3x 4 pin molex Peripheral connectors, 3x SATA connectors, 1x floppy Drive connector
PSU550	R 649	Unique 550W ATX Power Supply, 120mm sleeve fan, 1x PCI-e (6 2), 1 x 20 4 pin, 6x SATA, 1x CPU8 (4 4) pin, 3x Peripheral, 1x FDD
PSU750W	R 804	Unbranded 750W Gaming PSU Power Supply
PSUFSPHG2-1000	R 3,796	FSP Hydro G Pro 1000W 80 Gold Modular ATX12V V2.52 Power Supply unit, 90% efficiency at typical load, 120mm FDB fan
R-PL650D-FC0B-EU-V2	R 850	DeepCool PL650D 650W 80Plus Bronze ATX3.1 Semi-Modular Power Supply, ATX12V V3.1 Type, 80Plus Bronze efficiency certification, 120mm Fan, Hybrid (Hydro bearing) fan
R-PL750D-FC0B-EU-V2	R 936	Deep Cool DeepCool PL750D 750W 80Plus Bronze ATX3.1 Semi-Modular Power Supply, ATX12V V3.1 Type, 80Plus Bronze efficiency certification, 120mm Fan, Hybrid (Hydro bearing) fan
R-PQ850G-FD1B-JGEU-V1	R 1,527	DeepCool PQ850M 850W 80 PLUS GOLD Fully Modular Power Supply; 80 PLUS Gold; fully modular; ATX form factor; 120mm FDB fan; Japanese capacitors; 850W output; gaming and workstation use; high efficiency power supply
R-PQA00G-FD1B-JGEU-V1	R 1,869	DeepCool Gamerstorm PQ1000G 1000W 80Plus Gold Fully Modular Power Supply, Certified 80 Plus Gold with at

		least 90% efficiency under typical 50% loads, Features Native PCI-e 5.1 12V-2x6 Connector for up to 450W GPU Power, Complies with ATX12V V3.1 Standard for handling random Power spikes, Includes full japanese electrolytic capacitors for stable Output, Equipped with a 120 mm FDB fan that adjusts Speed dynamically
ROG-STRIX-1000P-GAMING	R 3,742	Asus ROG Strix 1000W 80 Plus Platinum ATX 3.1 Fully-Modular Power Supply, ATX12V Intel Form Factor, Active PFC, ATX 3.1 Standard, 80Plus Platinum efficiency, 1000W total Output, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin (Both PSU & Component side), 4x PCI-e 6 2 pin, 6x SATA, 3x Peripheral
ROG-STRIX-1200P-GAMING	R 4,249	Asus ROG Strix 1200W 80 Plus Platinum ATX 3.1 Modular Power Supply, Active PFC, 80 Plus Platinum efficiency, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, PCI-e 1x 16 pin (Both PSU & Component side), 4x PCI-e 6 2 pin, 6x SATA, 3x Peripheral
ROG-THOR-1000P2-GAMING	R 6,966	Asus ROG Thor 1000W Platinum II 80Plus Platinum Fully Modular Power Supply unit, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 12 pin, 8x PCI-e 6 2 pin, 12x SATA, 6x Peripheral, ARGB Aura Sync, 0dB fan button
ROG-THOR-1000P3-GAMING	R 6,798	Asus ROG Thor 1000W Platinum III Modular ATX 3.1 Power Supply, Active PFC, 80Plus Platinum efficiency, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin, 4x PCI-e 6 2 pin, 7x SATA, 6x Peripheral, ARGB Aura Sync, A Cybenetics noise Level certification, 0dB Technology
ROG-THOR-1200P3-GAMING	R 7,649	Asus ROG Thor 1200W 80 Plus Platinum III ATX Modular Power Supply, Active PFC, ATX 3.1 Standard, 80Plus Platinum efficiency, 1200W total Output, ARGB Aura Sync, A Cybenetics noise Level certification, 0dB Technology, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin, 4x PCI-e 6 2 pin, 7x SATA, 6x Peripheral
RW-GR550AC	R 1,029	Rogueware Reality Series 550w Fully Modular 80 Gold Active Pfc Power Supply
RW-GR750AC	R 1,489	Rogueware Reality Series 750w Fully Modular 80 Gold Active Pfc Power Supply
SATAPSU	R 252	M-Link 450W Power Supply with SATA Connectors
SATAPSU-BK	R 288	Mlink 450W ATX Power Supply unit - Matt Black
SDA2-750GEN5	R 2,724	FSP Dagger Pro ATX3.0 (PCIe 5.0) 750w Fully Modular PSU
SMRT-G1-1000	R 1,714	Aerocool SMART G1 Gold 1000W PSU - ATX 3.1; PCIe 5.1 support; 135mm fan; 12 x SATA; 2 x PATA; 2 x PCIe 6 2 pin; high performance desktop PSU
SMRT-G1-650	R 1,254	Aerocool SMART G1 Gold 650W PSU - ATX 3.1 PCIe5.1 - ATX 24 PIN; 1x 4 4PIN CPU/2x CPU 8PIN; 12x SATA; 2x PATA; 2x PCIe 6 2PIN
SMRT-G1-750	R 1,369	Aerocool SMART G1 Gold 750W PSU - ATX 3.1 PCIe5.1 - ATX 24 PIN; 2x 4 4PIN CPU/2x CPU 8PIN; 12x SATA; 2x PATA; 3x PCIe 6 2PIN
SMRT-G1-850	R 1,484	Aerocool SMART G1 Gold 850W PSU - ATX 3.1 PCIe5.1 - ATX 24 PIN; 2x 4 4PIN CPU/2x CPU 8PIN; 12x SATA; 2x PATA; 3x PCIe 6 2PIN
TUF-GAMING-1000G	R 2,806	Asus TUF Gaming 1000W Fully Modular 80 Plus Gold PSU, ATX12V Intel Form Factor, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin, 4x PCI-e 8 pin, 5x SATA, 4x Peripheral
TUF-GAMING-1000G-EVO	R 2,717	Asus TUF Gaming 1000W 80 Plus Gold Evo ATX 3.1 Modular Power Supply, 1000 Watt Power Output for High-Performance Gaming builds, 80 Gold efficiency rating, Full Modular cable Design, ATX 3.1 Standard compliance, 12V-2x6 PCI-e Gen5 Connector included, PCI-e Gen 5.1 16-pin-to-16-pin cable included, Three PCI-e 8-pin-to-6 2pin cables included, 135 mm fan fitted to unit
TUF-GAMING-1000G-EVO	R 2,733	Asus TUF Gaming 1000W 80 Plus Gold Evo ATX 3.1 Modular Power Supply, 1000 Watt Power Output for High-Performance Gaming builds, 80 Gold efficiency rating, Full Modular cable Design, ATX 3.1 Standard compliance, 12V-2x6 PCI-e Gen5 Connector included, PCI-e Gen 5.1 16-pin-to-16-pin cable included, Three PCI-e 8-pin-to-6 2pin cables included, 135 mm fan fitted to unit
TUF-GAMING-1000G-WHITE	R 2,972	Asus TUF Gaming 1000W Fully Modular 80 Plus Gold White Edition PSU, ATX12V, Active PFC, ATX 3.1 standard, 80Plus Gold efficiency, 1x MB 24/20- pin, 2x CPU 4 4- pin, 1x PCI-e 16 pin (Both PSU & Component side), 4x PCI-e 8 pin, 5x SATA, 4x Peripheral, 0dB Technology
TUF-GAMING-1000P	R 3,566	Asus TUF Gaming 1000W 80 Plus Platinum ATX 3.1 Modular Power Supply, 80 Platinum efficiency rating, Full Modular cable Design, ATX 3.1 Standard support, 12V-2x6 / PCI-e Gen5 Connector included, 1000 W Maximum Output wattage, 135 mm fan size for cooling, 1x 675mm PCI-e Gen 5.1 16-pin-to-16-pin cable, 3x 675mm PCI-e 1-to-1 cables (8 pin to 6 2 pin), 2x SATA 1-to-3 cables and one Peripheral 1-to-3 cable, 1x 610mm Motherboard Power cable and two 750mm CPU cables.
TUF-GAMING-1000P	R 2,733	Asus TUF Gaming 1000W 80 Plus Platinum ATX 3.1 Modular Power Supply, 80 Platinum efficiency rating, Full

		Modular cable Design, ATX 3.1 Standard support, 12V-2x6 / PCI-e Gen5 Connector included, 1000 W Maximum Output wattage, 135 mm fan size for cooling, 1x 675mm PCI-e Gen 5.1 16-pin-to-16-pin cable, 3x 675mm PCI-e 1-to-1 cables (8 pin to 6 2 pin), 2x SATA 1-to-3 cables and one Peripheral 1-to-3 cable, 1x 610mm Motherboard Power cable and two 750mm CPU cables.
TUF-GAMING-1200P	R 4,077	Asus TUF Gaming 1200W 80 Plus Platinum Modular Power Supply, 1200 W wattage Output, 80 Plus Platinum efficiency rating, Full Modular Design with Premium embossed cables, ATX 3.1 and PCI-e 5.1 Standard compliance, Native 12V-2x6 Connector for Next-Gen GPUS, GaN mosfet Technology for improved Power efficiency, Cybenetics Platinum certification, Cybenetics Lambda a - noise rating, 135 mm dual-ball bearing fan included, TUF 5K military-grade capacitors with extended lifespan
TUF-GAMING-750B-EVO	R 1,110	Asus TUF Gaming 750W 80Plus Bronze Evo Modular Power Supply, ATX12V Intel Form Factor, Active PFC PFC Type, ATX 3.1 Standard, 80Plus Bronze efficiency, 750W total Output, 1x MB 24 / 20 pin, 2x CPU 4 4 pin, 3x PCI-e 6 2 pin, 4x SATA, 2x Peripheral
TUF-GAMING-850G-EVO	R 2,548	Asus TUF Gaming Evo 850W 80 Plus Gold Modular Power Supply, Active PFC, ATX12V Intel Form Factor, ATX 3.1 Standard, 80Plus Gold efficiency, Total Output - 850W, 1x MB 20 4 pin, 2x CPU 4 4 pin, 1x PCI-e 16 pin (12V-2x6), 3x PCI-e 6 2 pin, 4x SATA, 2x Peripheral
UPS-RACKMOUNT	R 679	Rack Mount Kit for Mecer Rackmountable UPS
VITA-850BD	R 1,448	FSP Vita BD 850W 80Plus Bronze ATX3.1 Non-Modular Power Supply, ATX12V V3.1 Form Factor, 230V EU Bronze 80 Plus certification, Active PFC, 120mm Sleeve bearing fan, 1 MB 24 pin, 1x CPU 8 pin / CPU 4 4 pin, 2x PCI-e 6 2 pin (4 connectors), 1x PCI-e 12V-2x6, 1x SATA (4 connectors), 1x Molex/SATA (2 / 2 connectors)
VOLTRON250BRONZESBLK	R 493	Armaggeddon Voltron 250 Black 250W Bronze S Power Supply
VOLTRON250BRONZESWHT	R 493	Armaggeddon Voltron White 250 Bronze S Power Supply. 250W; 80 Bronze; 12V@16A; 120mm fan; dual voltage 115/230V
VOLTROND500RGB	R 976	Armaggeddon Voltron D500 RGB 500W Pure Rated PSU
VOLTRONGOLD600BLK	R 1,597	Armaggeddon Voltron Black Gold 600 80 Plus 600W Power Supply
VOLTRONGOLD600WHT	R 1,597	Armaggeddon Voltron White Gold 600 80 Plus 600W Power Supply
VXPLUS-PW-500	R 391	Aerocool VX Plus 500W ATX12V ver 2.3 Power Supply unit, 1x 24 pin Motherboard, 1x 4 4 pin 12V CPU 1x 6 2 pin VGA, 3x SATA, 3x PATA, 1x FDD
VXPLUS-PW-600	R 506	Aerocool VX Plus 600W ATX12V ver 2.3 Power Supply unit, 1x 24 pin Motherboard, 1x 4 4 pin 12V CPU 2x 6 2 pin VGA, 4x SATA, 3x PATA, 1x FDD
VXPLUS-PW-700	R 569	Aerocool VX Plus 700W ATX12V ver 2.3 Power Supply unit, 1x 24 pin Motherboard, 1x 4 4 pin 12V CPU 2x 6 2 pin VGA, 6x SATA, 3x PATA, 1x FDD

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Computers - Accessories for branded PCs

HP Computer Accessories

Product code	Price	Description
DTHP2DW53AA	R 446	HP N6N00AA B300 PC Mounting Bracket, Contains --> HP B300 PC Mounting Bracket / 700 mm DisplayPort cable / 700mm USB A to B cable / 4x 6 mm screws / 4x 10 mm screws / Quick Installation Guide
DTHP3EJ57AA	R 1,416	HP 3EJ57AA Desktop Mini LockBox V2
K3R63AA	R 827	HP K3R63AA 9.5mm Slim DVD-ROM Drive K3R63AA
WSHPEM165AA	R 313	HP Internal USB Port Kit
WSHPK3R63AA	R 1,323	HP K3R63AA 9.5mm Slim DVD-ROM Drive K3R63AA

< Return to the menu

Lenovo IBM accessories

Product code	Price	Description

< Return to the menu

Miniature PC accessories

Product code	Price	Description
77R1934215A11	R 312	Giada ROHS Adapter 19V 3.42A for mini pc's i58b / F300 / G300
JC553	R 122	Giada JC553 VESA Wall Mounting kit, Designed for Giada fanless Media players
JZ183	R 183	Giada Vesa mount for F1x, I58, I57, I39, and D67 Giada Mini PC's (PC not included)
SY-SAVMHD	R 168	Sapphire Vesa Mount kit for Edge HD2 / HD3 mini pc

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Computers - barebone / accessories

SFF small computers

Product code	Price	Description
SY-SX100	R 4,452	Shuttle X100, Ultra slim SFF pc, built-in WiFi; for 667mhz socket 479 mobile Core2 Duo/ Core Duo/ Core Solo/ P4/ Celeron - i945PM iCH7-M chipset size: 210x296x55mm, external AC-adapter, support 1 x 3.5" SATA hdd, built-in card reader (sd/ mmc/ ms/ mspro) Slot-in DVD /-RW VGA: ATi mobility Radeon X1400 128mb MXM module - DV-i DVi to D-sub converter TV-OUT; no ps/2 MB: 2x dual channel DDR2-533 so-dimm, 3.5" s-ata2, on-board ALC880HD 7.1 audio with optical spdif in out iEEE1394a (6 pin) 5 x USB (4 1) gigabit LAN WiFi

< Return to the menu

Shuttle XPC accessories

Product code	Price	Description
SY-SAPF100	R 344	Shuttle PF100 side carry bag, black, PP Fabric, 279x314x63mm - for X100, X200
SY-SAPF27	R 574	Shuttle PF27 VFD module MCE remote control for G2, G5 series shuttle chassis
SY-SAPF30	R 213	Shuttle PF30 backpack, Black, Nylon Polyester Dobby, 490x300x205mm - for all shuttle XPC, Shuttle XPC compatible, durable IT equipment bag, structured storage, professional carry solution
SY-SAPF60	R 229	Shuttle PF60 side carry bag, Black, Ballistic Nylon PU, 365x265x185mm - for all shuttle XPC; Ballistic Nylon PU; 365 x 265 x 185mm; compatible with Shuttle XPC systems; portable compact PC transport bag; professional carry solution

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Computers - Built Systems

Acer computers

Product code	Price	Description
DT.R0EEA.001	R 9,256	Acer Veritron VN2590G 2000 Mini Desktop, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core 6x Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient Cores), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, Windows 11 Pro, Gigabit Ethernet, USB 3.2 Gen 1 Type-A Ports, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 2 Type-C Ports
DT.R1PEA.00N	R 14,949	Acer Veriton 2000 VS2720g Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 8GB DDR5 Memory, 1TB M.2 Solid State Drive, Wi-Fi 6.0, Bluetooth 5.0, USB Keyboard and Mouse, Windows 11 Pro, 3x USB 3.2 Gen 1 Type-A Ports (Front), 1x USB 3.2 Gen 1 Type-C Ports (Front), 3x audio jacks, 1x HDMI Port, 1x DisplayPort, 1x VGA Port, 4x USB 2.0 Ports, 1x Ethernet (RJ-45) Port, 300W PSU

< Return to the menu

AI computers

Product code	Price	Description

DGXSPARK-FOUNEDIT	R 109,036	PNY nVidia DGX Spark with 128 GB LPDDR5x unified Memory Desktop AI supercomputer, GPU - Blackwell Architecture, CPU - 20 Core Arm, 10 Cortex-X925 10 Cortex-A725 Arm, nVidia Grace Blackwell Architecture, 5th Generation Tensor Cores, 4th Generation RT Cores, 1 pflops Tensor Performance, 4 TB NVME.M2 with self-encryption storage, 4x USB Type-C, 1x 10 GbE RJ-45 Connector, ConnectX-7 Smart Network Interface card, Wifi 7, Bluetooth, HDMI multichannel Audio Output, 1x HDMI 2.1A 1 petaFLOP FP4 performance

< Return to the menu

All-In-One computers

Product code	Price	Description
12SC008YSA	R 22,194	Lenovo ThinkCentre Neo 50a 24 Gen 5 23.8" IPS Full HD 1920x1080 AIO PC, Intel Core 5 210H Eight 8 Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 90W 89% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 250nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI -in 1.4, 1x HDMI -out 2.1 TMDS, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer and 15W charging (Front), 1x Headphone / Microphone Combo JACK(3.5mm) (Front)
12SC00A5SA	R 23,137	Lenovo ThinkCentre Neo 50a 24 Gen 5 23.8" IPS Full HD 1920x1080 AIO PC, Intel Core 7 240H Ten 10 Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 90W 89% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 250nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI -in 1.4, 1x HDMI -out 2.1 TMDS, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer and 15W charging (Front), 1x Headphone / Microphone Combo JACK(3.5mm) (Front). For office work, business applications, remote work, home computing, multitasking, admin tasks, video conferencing.
12SD0013SA	R 18,272	Lenovo ThinkCentre Neo 50a 24 Gen 5 23.8" IPS Full HD 1920x1080 AIO PC, Intel Core 13th Gen i7-13620H up to 4.9GHz 24MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient cores), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3WX2 Speakers, Monitor stand, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI-in 1.4, 1x HDMI out 2.1 TMDS, 1x Gigabit Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Side), 1x Headphone / Microphone Combo jack (3.5mm) (Side)
13QH000UUM	R 24,896	Lenovo Neo 50a 24 Gen6 23.8" Full HD 1920x1080 Non-Touch AIO PC, Intel Core Ultra 7 256V Eight 8 Core Lunar Lake Turbo boost up to 4.8GHz 12MB Cache Processor with Intel ARC 140V Graphics (4 perfomance Cores & 4 low Power efficient Cores), 16GB LPDDR5 OnBoard Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, WiFi, Bluetooth, Windows 11 Pro 64bit, 5MP camera & Dual Mic, Monitor stand, 90W Adapter, 3W x2 Speakers, 23.8" Full HD (1920x1080) IPS Anti-Glare 250nits Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI 2.1 TMDS, 1x HDMI -in, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Side), 1x Headphone / Microphone Combo jack (3.5mm) (Side)
13QH000WUM	R 22,092	Lenovo Neo 50a 24 Gen6 23.8" Full HD 1920x1080 Non-Touch AIO PC, Intel Core Ultra 5 226V Eight (8) Core Lunar Lake Turbo boost up to 4.5GHz 8MB Cache Processor with Intel Arc 130V Graphics (6 perfomance Cores & 8 low Power Efficient Cores), 16GB LPDDR5 OnBoard Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, WiFi, Bluetooth, Windows 11 Pro 64bit, 5MP camera & Dual Mic, Monitor stand, 90W Adapter, 3W x2 Speakers, 23.8" Full HD (1920x1080) IPS Anti-Glare 250nits Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI 2.1 TMDS, 1x HDMI -in, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Side), 1x Headphone / Microphone Combo jack (3.5mm) (Side)

628J2ET	R 33,716	HP 628J2ET EliteOne 840 G9 23.8" IPS Full HD 1920x1080 AIO Touch Desktop PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient cores), 32GB DDR5-4800 Memory, 1TB PCI-e NVMe Solid State Drive, HP Wireless Keyboard & Optical Mouse, Intel WiFi 6, Bluetooth 5, Windows 11 Pro 64-bit, HP height adjustable stand, HP camera, 5 W Stereo Speakers, 1x Headphone / Microphone combo (Side), 1x USB Type-C 20Gbps (Charging) (Side), 1x USB Type-A 10Gbps (Side), 1x USB Type-C 10Gbps, 2x USB Type-A 10Gbps, 2x USB Type-A 5Gbps, 1x HDMI-in 1.4, 1x DisplayPort 1.4, 1x RJ-45
74-AGS24MLK225001015H	R 21,106	Dell Inspiron 5430 AIO 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display - White, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR4-3200 Memory, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Wi-Fi 6E, Bluetooth, Dell Pro Wireless Keyboard and Mouse, Windows 11 Home 64bit, 5MP IR Tilt camera, 3x USB 3.2 Gen 1 Ports, 1x USB 3.2 Gen 2 Port with PowerShare, 1x USB 3.2 Type-C Gen 2 Port (Side), 1x HDMI out 1.4 / HDCP 1.4 Port, 1x HDMI-in 1.4 / HDCP 1.4 Port, 1x RJ45 Ethernet Port, 1x Universal Headset jack, SD-card slot
74-AGS24MLK225001035H	R 18,346	Dell Inspiron 5430 AIO 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display - White, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, Wi-Fi 6E, Bluetooth, Dell Pro Wireless Keyboard and Mouse, Windows 11 Home 64bit, 5MP IR Tilt camera, 3x USB 3.2 Gen 1 Ports, 1x USB 3.2 Gen 2 Port with PowerShare, 1x USB 3.2 Type-C Gen 2 Port (Side), 1x HDMI out 1.4 / HDCP 1.4 Port, 1x HDMI-in 1.4 / HDCP 1.4 Port, 1x RJ45 Ethernet Port, 1x Universal Headset jack, SD-card slot
74-AGS27MLK225002001	R 31,501	Dell Inspiron 7730 AIO 27" Full HD 1920x1080 narrow border Infinity Touch Display with wide viewing angle - White, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 32GB DDR4-3200 Memory, 1TB M.2 PCI-e Solid State Drive, NVIDIA GeForce MX570A with 2GB GDDR6 graphics memory, No Optical Drive, Wi-Fi 6E, Bluetooth, Dell Pro Wireless Keyboard and Mouse, Windows 11 Pro 64bit, 5MP IR Tilt camera, 1x USB 3.2 Type-C Gen 2 Port, 3x USB 3.2 Gen 1 Ports with Power on/wake-up support, 1x HDMI out 1.4b / HDCP 2.3 Port, 1x HDMI-in 1.4b / HDCP 1.4 Port, 1x RJ45 Ethernet Port, 1x USB 3.2 Gen 2 Port with PowerShare, 1x Universal Headset jack, SD-card slot
74-EC24250RPLUR007	R 31,531	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 13th Gen i5-1334U up to 4.6GHz 12MB Cache Ten 10x Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
998K8ET	R 15,649	HP ProOne 240 G10 23.8" IPS Full HD 1920x1080 All in one PC, Intel Core 13th Gen i5-1335U up to 4.6GHz 12MB Cache Ten 10x Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, HP 125 Wired Keyboard & Wired Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 5 MP camera (Pull-up) with Integrated Dual Array Digital microphones, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, 2x USB 2.0 Type-A, 1x HDMI 1.4, 1x Headphone / Microphone combo, 1x Gigabit LAN, 90 W external Power Adapter
998L1ET	R 12,785	HP AIO ProOne 245 G10 23.8" Full HD 1920x1080 Desktop PC, AMD Ryzen 3 7320U Processor 2.4GHz up to 4.1GHz Burst Frequency 4MB L3 Cache Quad-Core Processor with Radeon 610 Graphics, 8GB DDR5-6400 Memory, 512GB M.2 PCI-e Solid State Drive, HP 125 USB Wired Keyboard & Mouse, Windows 11 Pro 64bit, 5MP camera, Integrated Dual Array Digital microphones, 1x USB Type-C 5Gbps signalling rate, 2x USB Type-A 5Gbps signalling rate, 2x USB 2.0 Type-A, 1x HDMI 1.4, 1x Headphone / Microphone Combo, 1x RJ-45 network port
998M5ET	R 21,550	HP 998M5ET ProOne 440 G9 AIO 23.8" Full HD 1920x1080 IPS WLED backlit PC, Intel Core 13th Gen i7-13700T up to 4.9GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient cores), 16GB DDR4-2666 Memory, 2 slots / Maximum 64 GB, 512GB M.2 2280 PCI-e NVMe Solid State Drive, DVD writer Optical Drive, HP USB Keyboard HP USB Optical Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro

		64bit, Adjustable Height Stand, 5 MP camera (Pull-up) with Integrated Dual Array Digital microphones, 1x USB Type-C 10Gbps (Side), 1x USB Type-A 10Gbps (Charging) (Side), 1x HDMI 1.4, 2x USB Type-A 5Gbps (Charging), 2x USB Type-A 10Gbps (Charging), 1x DisplayPort 1.4a
998M7ET	R 23,309	HP 998M7ET ProOne 440 G9 AIO 23.8" Full HD 1920x1080 Touch Screen IPS WLED backlit PC, Intel Core 13th Gen i7-13700T up to 4.9GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient cores), 16GB DDR4-2666 Memory, 2 slots / Maximum 64 GB, 512GB M.2 2280 PCI-e NVMe Solid State Drive, DVD writer Optical Drive, HP USB Keyboard HP USB Optical Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Adjustable Height Stand, 5 MP camera (Pull-up) with Integrated Dual Array Digital microphones, 1x USB Type-C 10Gbps (Side), 1x USB Type-A 10Gbps (Charging) (Side), 1x HDMI 1.4, 2x USB Type-A 5Gbps (Charging), 2x USB Type-A 10Gbps (Charging), 1x DisplayPort 1.4a
9H733ET	R 28,336	HP ProOne 440 G9 AIO 23.8" Full HD 1920x1080 IPS Touch WLED backlit PC, Intel Core 14th Gen i7-14700T up to 5GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR4-2666 Memory, 2 slots / Maximum 64 GB, 1TB M.2 2280 PCI-e NVMe Solid State Drive, DVD writer Optical Drive, HP USB Keyboard HP USB Optical Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Adjustable Height Stand, 5 MP camera (Pull-up) with Integrated Dual Array Digital microphones, 1x USB Type-C 10Gbps (Side), 1x USB Type-A 10Gbps (Charging) (Side), 1x HDMI 1.4, 2x USB Type-A 5Gbps (Charging), 2x USB Type-A 10Gbps (Charging), 1x DisplayPort 1.4a
A55NMET	R 32,470	HP EliteStudio 8 G1i 23.8 Touch AI Ultra 7-265 64GB 1TB Win 11 Pro All In One, Intel Core Ultra 7-265; 64GB DDR5 RAM; 1TB NVMe SSD; 23.8 inch FHD touch IPS display; Windows 11 Pro; WiFi 7; Bluetooth 5.4; Thunderbolt 4; 6.3kg; business AI all in one PC
A55NNET	R 38,014	HP EliteStudio 8 G1i 27 Touch AI Ultra 7-265 64GB 2TB Win 11 Pro All in One.; Intel Core Ultra 7 265; 64GB DDR5 RAM; 2TB NVMe SSD; 27 inch QHD touchscreen; Windows 11 Pro; WiFi 7; Bluetooth 5.4; 20 core CPU; business workstation; 7.8kg; USB-C Thunderbolt 4; enterprise security
ASUS P440VAK-C516512B0X	R 21,331	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, P440VAK-C516512B0X
ASUS P440VAK-C516512W0W	R 20,181	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - White, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Home 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, Normal Stand. This stunning All-in-One PC delivers a streamlined business computing experience with a 23.8-inch Full HD display, Intel Core 5 210H processor, 16GB DDR5 memory, and a fast 512GB NVMe SSD. It is designed for efficient multitasking, smooth performance, and reliable everyday productivity in professional or home office environments.
ASUS P440VAK-C716512B0X	R 24,034	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 7 240H Ten 10 Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, Normal Stand, P440VAK-C716512B0X
BTO101_QB24250_EMEA	R 32,497	Dell QB24250 Pro 24 All-in-One Plus 23.8" Full HD 1920x1080 100Hz Non-Touch PC, Intel Core Ultra 5 245 Fourteen (14) Core Arrow Lake Turbo boost up to 5.1GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Adjustable stand, Intel Wi-Fi 6E, Bluetooth, Dell Pro Keyboard and Mouse, 160W PSU, Windows 11 Pro, 1 Global Headset jack, 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port, 3x USB 3.2 Gen 2 (10 Gbps) Ports, 2x USB 3.2 Gen 1

		(5 Gbps) Ports with SmartPower on, 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port, 1 DisplayPort 1.4a Port, 1x HDMI out 2.1 Port, 1x HDMI-in 1.4 Port, RJ45 Ethernet Port (1 Gbps)
BTO103_QB24250_EMEA	R 36,493	Dell QB24250 Pro 24 All-in-One Plus 23.8" Full HD 1920x1080 100Hz Non-Touch PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Adjustable stand, Intel Wi-Fi 6E, Bluetooth, Dell Pro Keyboard and Mouse, 160W PSU, Windows 11 Pro, 1 Global Headset jack, 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port, 3x USB 3.2 Gen 2 (10 Gbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports with SmartPower on, 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port, 1 DisplayPort 1.4a Port, 1x HDMI out 2.1 Port, 1x HDMI-in 1.4 Port, RJ45 Ethernet Port (1 Gbps)
BTO103_QC24251_EMEA	R 34,845	Dell Pro 24 QC24251 All-in-One 35W 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, Dell Pro Wireless Keyboard and Mouse, Windows 11 Pro, Height adjustable stand for Dell Pro 24 All-in-One 35 / 65W, POP up camera, Microphone, Speaker, 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare (Side), 1 Global Headset jack (Side), 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Below Display), 2x USB 3.2 Gen 1 (5 Gbps) Ports, 2x USB 2.0 Ports with SmartPower on, 1x DisplayPort , RJ45 Ethernet Port (1 Gbps)
BY6U8ET	R 32,251	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, Wi fi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (front), 1x 3.5 mm Universal Audio jack (front), 1x USB Type-C 20Gbps (15W charging) (front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
BY6U8ET	R 33,521	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, Wi fi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (front), 1x 3.5 mm Universal Audio jack (front), 1x USB Type-C 20Gbps (15W charging) (front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode). For Office productivity, video conferencing, remote work, business applications, multitasking.
BY6U9ET	R 45,573	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Non-Touch Screen Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB (1x32GB) DDR5 Memory, 1TB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
BY6V0ET	R 30,494	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Touch Screen Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB (1x32GB) DDR5 Memory, 1TB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)

DELOPTLXAIO7410i716G512GB11F	R 28,487	Dell Optiplex 7410 Plus AIO 23.8" Full HD 1920x1080 Non-Touch Desktop PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient Cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wireless Keyboard & Mouse, WiFi 6, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Gen 2x2 Type-C Port, 1x HDMI out 1.4 / HDCP 2.3 Port, 1x HDMI-in 2.1 / HDCP 1.4 Port, 1x DisplayPort 1.4a, 1x RJ45 Ethernet Port 10/100/1000 Mbps Port, 2x USB 3.2 Gen 1 Type-A Ports with Smart Power on, 2x USB 3.2 Gen 2 Type-A Ports, 1x audio Line-Out Port, 1x USB 3.2 Gen 2 Type-A Port with PowerShare, 1x Universal audio Port
DQ.R03EA.016	R 18,974	Acer AIO VZ4714g 23.8" Full HD 1920x1080 Non-Touch Desktop PC, Intel Core 13th Gen i5-13400 up to 4.6GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient Cores), 8GB DDR4-3200 DIMM Memory, 512GB M.2 PCI-e Solid State Drive M.2 PCI-e, DVD writer Optical Drive, WiFi, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro 64bit, 5MP IR Full HD Webcam, Height adjustable, Pivot, Tilt, Card Reader (Front), 2x USB 3.2 Gen1 Type-A Port (Front), 1x USB 3.2 Gen2x2 Type-C Port (Front), 1x HDMI, 1x DisplayPort Ports, 1 LAN Port, 1x USB 2.0 Type-A Port, 2x USB 3.2 Gen2 Type-A Port
DTAS90PT03X5-M05WX0	R 23,826	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, P440VAK-C516512B0X
DTAS90PT03X5-M05X10	R 27,599	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 32GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, P440VAK-C732512B0X
DTAS90PT03X5-M07E10	R 18,399	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, Normal Stand, P440VAK-C58512B0X
DTAS90PT03X5-M08AF0	R 22,999	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 7 240H Ten 10 Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, Normal Stand, P440VAK-C716512B0X
DTAS90PT03X7-M09SC0	R 21,446	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - White, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Home 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand, Normal Stand, P440VAK-C516512W0W
DTDEBTO004QC24251EM	R 28,519	Dell Pro 24 QC24251 All-in-One 35W 23.8" Full HD 1920x1080 Desktop PC, Intel Core 14th Gen i5-14500T up to 4.8GHz 20MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient Cores), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, Dell Pro Wireless Keyboard and Mouse, Windows 11 Pro, Height adjustable stand for Dell Pro 24 All-in-One 35 / 65W, POP up camera, Microphone, Speaker, 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare (Side), 1 Global Headset jack (Side), 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Below Display), 2x USB 3.2 Gen 1 (5 Gbps) Ports, 2x USB 2.0

		Ports with SmartPower on, 1x DisplayPort , RJ45 Ethernet Port (1 Gbps)
DTDEBTO103QC24251EM	R 28,634	Dell Pro 24 QC24251 All-in-One 35W 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, Dell Pro Wireless Keyboard and Mouse, Windows 11 Pro, Height adjustable stand for Dell Pro 24 All-in-One 35 / 65W, POP up camera, Microphone, Speaker, 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare (Side), 1 Global Headset jack (Side), 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Below Display), 2x USB 3.2 Gen 1 (5 Gbps) Ports, 2x USB 2.0 Ports with SmartPower on, 1x DisplayPort , RJ45 Ethernet Port (1 Gbps)
DTDEBTO154QC24250EM	R 42,549	Dell Pro 24 All-in-One QC24250 23.8" Full HD 1920x1080 65W Desktop PC, Intel Core Ultra 7 265U Twelve (12) Core Arrow Lake Turbo boost up to 5.3GHz 12MB Cache Processor with Intel Graphics (2 perfomance Cores & 8 efficient Cores & 2 low Power Efficient-cores), 16GB DDR5 non-ECC Memory, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Wi-Fi 6E a, Bluetooth, Windows 11 Pro, Height adjustable stand for Dell Pro 24 All-in-One 35W / 65W, 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare (Side), 1 Global Headset jack (Side), 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Bottom), 3x USB 3.2 Gen 2 (10 Gbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports with SmartPower on, 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port, 1x DisplayPort 1.4a Port, 1x HDMI out 2.1 Port, 1x HDMI-in, 1x RJ45 Ethernet Port (1 Gbps), 1 SD-card slot
DTDEEC24250002STC7HO	R 35,603	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Home 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
DTDEEC24250002STC7PR	R 33,510	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
DTDEEC24250003SC7HOM	R 33,659	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Home 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
DTDEEC24250003SC7PRO	R 40,651	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
DTDEEC24250006SC7PRO	R 31,578	Dell EC27250 27" Full HD 1920x1080 All-in-One Desktop PC (front), Intel Core 7 150U Ten 10 Core Raptor Lake

		Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient, 16GB DDR5-5200 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, Keyboard & Mouse, Windows 11 Pro, 3x USB 3.2 Gen 1 (5 Gbps) Ports, 1x USB 3.2 Gen 2 (10 Gbps) Port, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 1x SD-card slot
DTDEEC27250004SI5PRO	R 24,505	Dell EC27250 27" Full HD 1920x1080 All-in-One Desktop PC, Intel Core 13th Gen i5-1334U up to 4.6GHz 12MB Cache Ten (10) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 16GB DDR5-5200 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, Keyboard & Mouse, Windows 11 Pro, 3x USB 3.2 Gen 1 (5 Gbps) Ports, 1x USB 3.2 Gen 2 (10 Gbps) Port, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 1x SD-card slot
DTDEEC27250005SC7PRO	R 34,154	Dell EC27250 27" Full HD 1920x1080 All-in-One Non-Touch Screen Desktop PC, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient, 16GB DDR5-5200 Memory, 1TB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, Keyboard & Mouse, Windows 11 Pro, 3x USB 3.2 Gen 1 (5 Gbps) Ports, 1x USB 3.2 Gen 2 (10 Gbps) Port, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 1x SD-card slot
DTDEEC27250008STC7PR	R 43,779	Dell EC27250 27" Full HD 1920x1080 All-in-One Touch Screen Desktop PC, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient, 16GB DDR5-5200 Memory, 1TB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, Keyboard & Mouse, Windows 11 Pro, 3x USB 3.2 Gen 1 (5 Gbps) Ports, 1x USB 3.2 Gen 2 (10 Gbps) Port, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 1x SD-card slot
DTDEN005O7420AIO35W	R 21,062	Dell Optiplex 7420 All-in-One 23.8" Full HD 1920x1080 Desktop PC, Intel Core 14th Gen i5-14500T up to 4.8GHz 20MB Cache fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient Cores), 35W CPU, 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, 35W CPU, Windows 11 Pro, Full HD HDR camera, Height adjustable stand for Optiplex All-in-One, 1x USB 3.2 Gen 2 Type-A Port with PowerShare Port, 1x Universal audio Port, 1x USB 3.2 Gen 2 Type-C Port, 1 DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 2.0 Type-A Ports with SmartPower, 1x RJ45 Gigabit Ethernet Port, 1x audio Line-Out Port
DTHPBY6U7ET	R 31,777	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 5 225T Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, Wi fi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (front), 1x 3.5 mm Universal Audio jack (front), 1x USB Type-C 20Gbps (15W charging) (front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
DTHPBY6U8ET	R 36,590	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, Wi fi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (front), 1x 3.5 mm Universal Audio jack (front), 1x USB Type-C 20Gbps (15W charging) (front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
DTHPBY6U9ET	R 45,862	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Non-Touch Screen Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB (1x32GB) DDR5 Memory, 1TB M.2 PCI-e Solid State Drive Value,

		WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
DTHPBY6V0ET	R 47,967	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Touch Screen Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB (1x32GB) DDR5 Memory, 1TB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
DTHPBY6V1ET	R 32,444	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Touch Screen Desktop PC, Intel Core Ultra 5 225T Ten (10) Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB (16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode)
DTHPD10FFET	R 18,629	HP ProOne 240 G10 23.8" IPS Full HD 1920x1080 All in one PC - Black, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, HP 125 Wired Keyboard & Wired Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 5 MP camera (Pull-up) with Integrated Dual Array Digital microphones, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, 2x USB 2.0 Type-A, 1x HDMI 1.4, 1x Headphone / Microphone combo, 1x Gigabit LAN, 90 W external Power Adapter
DTHPD15H0ET	R 65,428	HP Elite Studio 8 G1i AIO 24" Full HD 1920x1080 Touch PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 64GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, USB keybard and Mouse, WiFi 7, Bluetooth, Windows 11 Pro 64bit, Height adjustable stand, 280 W internal Power Supply, 1x USB Type-A 10Gbps, 1x 3.5mm Universal Audio jack, 1x USB Type-C 20Gbps, 1x USB Type-A 10Gbps, 1x HDMI out 2.1, 1x RJ-45 Gigabit Ethernet, 1x DisplayPort 2.1, 1x Thunderbolt 4 with USB Type-C 40Gbps signaling rate), 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, D15H0ET
DTHPD15H1ET	R 47,655	HP EliteStudio 8 G1i 27" QHD 2560x1440 Non-Touch AI All in one Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 32GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, Wireless Keyboard and Mouse, Wi-Fi 7, Bluetooth 5.4, Windows 11 Pro, Height adjustable stand, 280 W internal Power Supply, 1x 3.5 mm Universal Audio jack, 1x HDMI out 2.1, 1x RJ-45, 1x DisplayPort 2.1, 1x Thunderbolt 4 with USB Type-C, USB Type-C, USB Type-A, D15h1et
DTHPD15H4ET	R 82,494	HP EliteStudio 8 G1i 27" QHD 2560x1440 Touch AI All in one Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 64GB DDR5-5600 Memory, 2TB M.2 PCI-e Solid State Drive, Wireless Keyboard and Mouse, Wi-Fi 7, Bluetooth 5.4, Windows 11 Pro, Height adjustable stand, 280 W internal Power Supply, 1x 3.5 mm Universal Audio jack, 1x HDMI out 2.1, 1x RJ-45, 1x DisplayPort 2.1, 1x Thunderbolt 4 with USB Type-C, USB Type-C, USB Type-A, D15H4ET
DTHPD15HKET	R 47,134	HP Elite Studio 8 G1i AIO 24" Full HD 1920x1080 Non-Touch PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 32GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, USB keybard and Mouse, WiFi 7, Bluetooth,

		Windows 11 Pro 64bit, Height adjustable stand, 280 W internal Power Supply, 1x USB Type-A 10Gbps, 1x 3.5mm Universal Audio jack, 1x USB Type-C 20Gbps, 1x USB Type-A 10Gbps, 1x HDMI out 2.1, 1x RJ-45 Gigabit Ethernet, 1x DisplayPort 2.1, 1x Thunderbolt 4 with USB Type-C 40Gbps signaling rate), 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, D15HKET
DTHPD15HLET	R 64,303	HP Elite Studio 8 G1i AIO 24" Full HD 1920x1080 Non-Touch PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 64GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, USB keybard and Mouse, WiFi 7, Bluetooth, Windows 11 Pro 64bit, Height adjustable stand, 280 W internal Power Supply, 1x USB Type-A 10Gbps, 1x 3.5mm Universal Audio jack, 1x USB Type-C 20Gbps, 1x USB Type-A 10Gbps, 1x HDMI out 2.1, 1x RJ-45 Gigabit Ethernet, 1x DisplayPort 2.1, 1x Thunderbolt 4 with USB Type-C 40Gbps signaling rate), 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, D15HLET
DTHPD6PJ5ET	R 34,110	HP ProStudio 4 All in one G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 5 225T Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 24GB (1x24GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode), D6PJ5ET
DTHPD6PJ7ET	R 39,028	HP ProStudio 4 All in One G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB L3 Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 24GB (1x24GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode), D6PJ7ET
DTHPD6PJ9ET	R 38,861	HP ProStudio 4 All in One G1i 23.8" Full HD 1920x1080 Desktop PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB L3 Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 24GB (1x24GB) DDR5 Memory, 1TB M.2 PCI-e Solid State Drive Value, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, ProStudio 4 G1i adjustable stand, 250 nits brightness, Integrated Intel I219-lm GbE, 5 MP RGB fixed camera, 2x2 W down-firing Speakers, 1x USB Type-A 10Gbps (Front), 1x 3.5 mm Universal Audio jack (Front), 1x USB Type-C 20Gbps (15W charging) (Front), 1x USB Type-A 10Gbps, 1x HDMI-in 1.4, 1x HDMI out 2.1, 1x RJ-45, 2x USB Type-A 5Gbps (Keyboard wake capable), 1x USB Type-C 10Gbps (with DisplayPort Alt mode), D6PJ9ET
DTLE12SA003USA	R 23,428	Lenovo ThinkCentre Neo 50a 27 Gen 5 27" IPS Full HD 1920x1080 AIO PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 135W 90% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 300nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI in 1.4, 1x HDMI out 2.1 TMDS, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer only (Side), 1x Headphone / microphonecombo jack (3.5mm) (Side)
DTLE12SC008YSA	R 22,939	Lenovo ThinkCentre Neo 50a 24 Gen 5 23.8" IPS Full HD 1920x1080 AIO PC, Intel Core 5 210H Eight 8 Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 90W 89% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 250nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI -in 1.4, 1x HDMI -out 2.1 TMDS, 1x Ethernet (RJ-45), 1x

		USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer and 15W charging (Front), 1x Headphone / Microphone Combo JACK(3.5mm) (Front)
DTLE12SC00A5SA	R 22,945	Lenovo ThinkCentre Neo 50a 24 Gen 5 23.8" IPS Full HD 1920x1080 AIO PC, Intel Core 7 240H Ten 10 Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 90W 89% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 250nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI -in 1.4, 1x HDMI -out 2.1 TMDS, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer and 15W charging (Front), 1x Headphone / Microphone Combo JACK(3.5mm) (Front)
DTLE13QF001GSA	R 25,647	Lenovo ThinkCentre Neo 50a Gen 6 LNL 27" Full HD 1920x1080 Non-Touch All-in-One PC, Intel Core Ultra 7 256V Eight 8 Core Lunar Lake Turbo boost up to 4.8GHz 12MB Cache Processor with Intel ARC 140V Graphics (4 perfomance Cores & 4 low Power efficient Cores), 16GB soldered LPDDR5X-8533 Memory), 512GB M.2 PCI-e Solid State Drive 27" IPS Anti-Glare 300nits 99% sRGB screen, Wi-Fi 6 Bluetooth, Wireless Keyboard & , Mouse, Windows 11 Pro, 3W x2 Harman Speakers, 5.0MP camera, Microphone, 90W 89% Adapter Power Supply, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI 2.1, 1x HDMI-in, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer and 15W charging (Side), 1x Headphone / Microphone Combo jack (3.5mm) (Side)
DTLE13QH000SSA	R 23,734	Lenovo Neo 50a 24 Gen6 23.8" Full HD 1920x1080 Non-Touch AIO PC, Intel Core Ultra 7 256V Eight 8 Core Lunar Lake Turbo boost up to 4.8GHz 12MB Cache Processor with Intel ARC 140V Graphics (4 perfomance Cores & 4 low Power efficient Cores), 16GB LPDDR5 OnBoard Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, WiFi, Bluetooth, Windows 11 Pro 64bit, 5MP camera & Dual Mic, Monitor stand, 90W Adapter, 3W x2 Speakers, 23.8" Full HD (1920x1080) IPS Anti-Glare 250nits Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI 2.1 TMDS, 1x HDMI -in, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Side), 1x Headphone / Microphone Combo jack (3.5mm) (Side)
DTLE13QH000WSA	R 22,341	Lenovo Neo 50a 24 Gen6 23.8" Full HD 1920x1080 Non-Touch AIO PC, Intel Core Ultra 5 226V Eight (8) Core Lunar Lake Turbo boost up to 4.5GHz 8MB Cache Processor with Intel Arc 130V Graphics (6 perfomance Cores & 8 low Power Efficient Cores), 16GB LPDDR5 OnBoard Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, WiFi, Bluetooth, Windows 11 Pro 64bit, 5MP camera & Dual Mic, Monitor stand, 90W Adapter, 3W x2 Speakers, 23.8" Full HD (1920x1080) IPS Anti-Glare 250nits Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI 2.1 TMDS, 1x HDMI -in, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Side), 1x Headphone / Microphone Combo jack (3.5mm) (Side)
E3202WBAK-I58512W0X	R 17,709	Asus E3202WBAK AIO 21.5" Full HD 1920x1080 Non-Touch Desktop PC - White, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi, Bluetooth, Windows 11 Pro 64bit, Anti-Glare Display, 1000:1 contrast ratio, 60Hz Refresh Rate, 178 degrees viewing angle (H/V), 250nits brightness, Realtek RTL8111h 10/100/1000 GbE LAN, 720p HD camera, Built-In Microphone, Built-In Speakers, 1x Kensington lock (Side), 1x 2-in-1 Card Reader SD / MMC (Side), 1x 3.5mm combo audio jack (Side), 1x USB 2.0 Type-A (Side), 1x DC-in, 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A
E5202WHA-I382B0X	R 16,099	Asus E5202WHA ExpertCenter E5 21.5" Full HD 1920x1080 Non-Touch AIO Desktop PC Black, Intel Core i3-11100B 3.6GHz up to 4.4GHz 12MB Cache Quad Core Processor with intergrated Intel UHD Graphics, 8GB DDR4 SO-DIMM Memory (1x8GB), 256GB M.2 PCI-e Solid State Drive, Wireless Grey Keyboard & Wireless Optical Mouse, Wi-Fi 5 (802.11ac), Bluetooth 5, Windows 11 Pro 64bit, 720p HD camera, Built-In Array Microphone, Built-In Speaker, 1x headphone out (Side), 1x 3-in-1 Card Reader SD / MMC / ms (Side), 1x USB 3.2 Gen 1 Type-A (Side), 1x USB 3.2 Gen 2 Type-C (Side), 1x DC-in, 1x Kensington lock, 1x Serial Port, 1x RJ45 Gigabit Ethernet, 1x HDMI out 2.0A, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A, Realtek RTL8111h

		10/100/1000 GbE LAN
E5402WHAT-I582B0X	R 21,159	Asus ExpertCenter E5 E5402WHAT AIO 23.8" Full HD 1920x1080 Touch PC, Intel Core i5-11500B 3.3GHz up to 4.6GHz 12MB Cache Hex Core Processor with intergrated Intel UHD Graphics, 8GB DDR4-3200 Memory, 256GB M.2 PCI-e Solid State Drive, Wi-Fi 5, Bluetooth, Windows 11 Pro 64bit, E5402WHAT, Anti-Glare Display, 1000:1 contrast (Typ), 60Hz Refresh Rate, 178 degrees viewing angle (H/V), 250nits brightness, Realtek RTL8111h 10/100/1000 GbE LAN, 720p HD camera, Built-In Array Microphone, Built-In Speakers, 1x Headphone out (Side), 1x 3-in-1 Card Reader SD / MMC / ms (Side), 1x USB 3.2 Gen 1 Type-A (Side), 1x USB 3.2 Gen 2 Type-C (Side), 1x Kensington lock, 1x Serial Port, 1x RJ45 Gigabit Ethernet, 1x HDMI out 2.0A, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A
E5402WVAK-I58512B0X	R 20,423	Asus ExpertCenter E5 E5402wva AIO 23.8" Full HD 1920x1080 Non-Touch PC, Intel Core 13th Gen i5-1340P up to 4.6GHz 12MB Cache Twelve (12) Core Processor with intergrated Intel Iris Xe Graphics (4 performace Cores & 8 efficient Cores), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 5, Bluetooth, Windows 11 Pro 64bit, 1000:1 contrast, 60Hz Refresh Rate, 250nits brightness, has stand, 1x 2-in-1 Card Reader SD / MMC (Side), 1x 3.5mm combo audio jack (Side), 1x USB 3.2 Gen 1 Type-A (Side), 1x USB 3.2 Gen 2 Type-C, 1x Thunderbolt 4 supports Display / Power Delivery (Side), 1x Kensington lock, 1x Serial Port, 1x RJ45 Gigabit Ethernet, 1x HDMI out 2.1b, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A
E5402WVART-BPD102X	R 22,993	Asus ExpertCenter E5 E5402wvart AIO 23.8" Full HD 1920x1080 Touch PC, Intel Core 7 150U Ten 10x Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-4800 Memory, 1TB M.2 PCI-e Solid State Drive, Wireless Keyboard and Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 1000:1 contrast, 60Hz Refresh Rate, 250nits brightness, HAS Stand, 1x 2-in-1 Card Reader SD / MMC (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 3.2 Gen 1 Type-A (Side), 1x USB 3.2 Gen 2 Type-C (Side), 1x Thunderbolt 4 supports Display / Power Delivery (Side), 1x Kensington lock, 1x RJ45 Gigabit Ethernet, 1x HDMI out 2.1b, 1x DisplayPort 1.4, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A
EC24250_RPLU-R_003	R 39,662	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10x Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
EC24250_RPLU-R_007S	R 32,056	Dell EC24250 23.8" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Non-Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 13th Gen i5-1334U up to 4.6GHz 12MB Cache Ten 10x Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
EC27250_RPLU-R_003S	R 37,674	Dell EC27250 27" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10x Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, nVidia Geforce MX 570A 2GB Graphics, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
EC27250_RPLU-R_007	R 50,502	Dell EC27250 27" Full HD 1920x1080 Anti-Glare narrow border AIT Infinity Touch Display All-in-One PC, Pearl White cover Fabric Speaker grill, Intel Core 7 150U Ten 10x Core Raptor Lake Turbo boost up to 5.4GHz 12MB

		L3 Cache Processor (2 perfomance Cores & 8 efficient), 32GB DDR5-5200 Memory, 2x SO-DIMM slots, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Dell Pro Wireless Keyboard and Mouse, Intel Wi-Fi 6E AX211, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 3x USB 3.2 Gen 1 (5 Gbps) Ports with wake-up support (S3/modern Standby), 1x USB 3.2 Gen 2 (10 Gbps) Port with PowerShare, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x SD-card slot, 5MP IR Tilt camera
EC27250_RPLU-R_010_HOM	R 36,501	Dell EC27250 27" Full HD 1920x1080 All-in-One Desktop PC, Intel Core 7 150U Ten 10 Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient, 32GB DDR5-5200 Memory, 2TB M.2 PCI-e Solid State Drive, WiFi 6, BT, Wireless Keyboard & Mouse, Windows 11 Home, 3x USB 3.2 Gen 1 (5 Gbps) Ports, 1x USB 3.2 Gen 2 (10 Gbps) Port, 1x HDMI out 1.4b, 1x HDMI-in 1.4, 1x RJ45 Ethernet Port, 1x headset (Headphone and Microphone Combo) Port, 1x USB 3.2 Type-C Gen 2 (10 Gbps) Port (Side), 1x SD-card slot
F0GH01HLSA	R 13,944	Lenovo IdeaCentre AIO 3 24IAP7 23.8" Full HD 1920x1080 IPS PC, Intel Core 12th Gen i5-12450H up to 4.4GHz 12MB Cache Eight 8x Core Processor with intergrated Intel UHD Graphics (4 performace Cores & 4 efficient Cores), 16GB SO-DIMM DDR4-3200, 512GB M.2 PCI-e Solid State Drive, Calliope Wireless Keyboard & Mouse, AIO stand, Wi-Fi 6, Bluetooth, Windows 11 Home 64bit, 2x USB 2.0, 2x USB 3.2 Gen 2, 1x HDMI 1.4, 1x Gigabit Ethernet (RJ-45)
M3400WFAK-58512W0W	R 14,949	Asus M3400 Series 23.8" Full HD 1920x1080 IPS Non-Touch All-in-One Desktop PC - White, AMD Ryzen 5 7520U Quad Core up to 4.3GHz 4MB L3 Cache Processor with AMD Radeon 610M Graphics 1900MHz, 8GB LPDDR5 on board Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth 5.3, Wireless Keyboard & Mouse, Windows 11 Home 64bit, Realtek RTL8111h 10/100/1000 Mbps LAN, 720p front-facing camera, Built-In Array Microphone, Built-In Speakers, 1x Kensington lock (Side), 1x 2-in-1 Card Reader SD / MMC (Side), 1x 3.5mm combo audio jack (Side), 1x USB 2.0 Type-A (Side), 1x HDMI in 1.4, 1x HDMI out 1.4, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-C, 3x USB 3.2 Gen 1 Type-A
N007O7410AIOPEMEA	R 29,194	Dell Optiplex 7410 AIO 23.8" Full HD 1920x1080 Non-Touch Desktop PC, Intel Core 13th Gen i5-13500 up to 4.8GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wireless Keyboard & Mouse, WiFi 6, Bluetooth, Windows 11 Pro 64bit, Height adjustable stand, 1x USB 3.2 Gen 2x2 Type-C Port, 1x HDMI out 1.4/hdcp 2.3 Port, 1x HDMI-in 2.1/hdcp 1.4 Port, 1x DisplayPort 1.4a, 1x RJ45 Ethernet Port 10/100/1000 Mbps Port, 2x USB 3.2 Gen 1 Type-A Ports with Smart Power on, 2x USB 3.2 Gen 2 Type-A Ports, 1x audio line-out Port, 1x USB 3.2 Gen 2 Type-A Port with PowerShare, 1x Universal audio Port
N012O7410AIOPEMEA	R 23,805	Dell Optiplex 7410 AIO 23.8" Full HD 1920x1080 Non-Touch Desktop PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wireless Keyboard & Mouse, WiFi 6, Bluetooth, Windows 11 Pro 64bit, Height adjustable stand, 1x USB 3.2 Gen 2x2 Type-C Port, 1x HDMI out 1.4/hdcp 2.3 Port, 1x HDMI-in 2.1/hdcp 1.4 Port, 1x DisplayPort 1.4a, 1x RJ45 Ethernet Port 10/100/1000 Mbps Port, 2x USB 3.2 Gen 1 Type-A Ports with Smart Power on, 2x USB 3.2 Gen 2 Type-A Ports, 1x audio line-out Port, 1x USB 3.2 Gen 2 Type-A Port with PowerShare, 1x Universal audio Port
NEO 30a 12B1003ASA	R 15,196	Lenovo ThinkCentre Neo 30a All-in-One 21.5" Full HD 1920x1080 WVA Anti-Glare 250nits Desktop PC, Intel Core 12th gen i3-1220P up to 4.4GHz 12MB Cache Ten (10) Core Processor with intergrated Intel UHD Graphics (2 Performace cores & 8 Efficient cores), 4GB DDR4-3200 SO-DIMM Memory, 256GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, Intel AX201 11ax, 2x2 Bluetooth 5.2, USB Calliope Keyboard Black, USB Calliope Mouse, Windows 11 Pro 64, 3W x2 Speakers, 720p camera, Integrated 100/1000M Ethernet, 2x USB 2.0, 2x USB 3.2 Gen 2, 1x HDMI out
Neo 30a 12CA004MSA	R 18,354	Lenovo ThinkCentre Neo 30a 27 All-in-One 27" Full HD 1920x1080 IPS Anti-Glare 250nits Desktop PC, Intel Core 12th gen i5-12450H up to 4.4GHz 12MB Cache Eight (8) Core Processor with intergrated Intel UHD Graphics (4 Performace cores & 4 Efficient cores), 8GB DDR4-3200 SO-DIMM Memory, 256GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, Wifi 6, Bluetooth 5.2, USB Calliope Keyboard Black, USB Calliope Mouse, Windows 11 Pro 64, Integrated 100/1000M Ethernet, 1x HDMI -out, 2x USB 2.0, 2x USB 3.2 Gen 2, 1x Ethernet (RJ-45), 3W x2

		Speakers, 5.0MP camera, 2x Array Microphone
NEO 50a 12SA003USA	R 22,999	Lenovo ThinkCentre Neo 50a 27 Gen 5 27" IPS Full HD 1920x1080 AIO PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 135W 90% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 300nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI in 1.4, 1x HDMI out 2.1 TMDS, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer only (Side), 1x Headphone / microphonecombo jack (3.5mm) (Side)
NEO 50a 12SC008YSA	R 22,425	Lenovo ThinkCentre Neo 50a 24 Gen 5 23.8" IPS Full HD 1920x1080 AIO PC, Intel Core 5 210H Eight 8 Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5-5200 Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 3W x2 Speakers, 90W 89% Adapter Power Supply, Full HD (1920x1080) IPS Anti-Glare 250nits 99% sRGB Display, 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB Type-A (Hi-Speed USB / USB 2.0), 1x HDMI -in 1.4, 1x HDMI -out 2.1 TMDS, 1x Ethernet (RJ-45), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer and 15W charging (Front), 1x Headphone / Microphone Combo JACK(3.5mm) (Front)
O7420AIO-i5-16256GB-3YP	R 22,695	Dell Optiplex 7420 All-in-One 23.8" Full HD 1920x1080 Desktop PC, Intel Core 12th Gen i5-12500T up to 4.4GHz 18MB Cache Hex (6) Core Processor with intergrated Intel UHD Graphics 770 (6 performace Cores), 16GB DDR5 Memory, 256GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, Wireless Keyboard and Mouse, Windows 11 Pro, Full HD HDR camera, Height adjustable stand for Optiplex All-in-One, 1x USB 3.2 Gen 2 Type-A Port with PowerShare Port, 1x Universal audio Port, 1x USB 3.2 Gen 2 Type-C Port, 1x DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 2.0 Type-A Ports with SmartPower, 1x RJ45 Gigabit Ethernet Port, 1x audio Line-Out Port
P440VAK-C516512B0X	R 22,999	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand
P440VAK-C732512B0X	R 20,815	Asus ExpertCenter P440 AIO 23.8" Full HD 1920x1080 PC - Black, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 32GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Normal Stand
P470VAK-C516512B0X	R 26,322	Asus ExpertCenter P470 AIO 27" Full HD 1920x1080 PC - Black, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Normal Stand, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A
P470VAK-I58512B0X	R 16,789	Asus ExpertCenter P470 AIO 27" Full HD 1920x1080 PC - Black, Intel Core 13th Gen i5-13420H up to 4.6GHz 12MB Cache Eight Core (8) Processor with intergrated Intel UHD Graphics (4 performace & 4 efficient cores), 8GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Normal Stand, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A
P470VAK-I716512B0X	R 19,549	Asus ExpertCenter P470 AIO 27" Full HD 1920x1080 PC - Black, Intel Core 13th Gen i7-13620H up to 4.9GHz 24MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient cores),

		16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, Normal Stand, Built-In Array Microphone, Built-In Speakers, 1080p Full HD camera, 1x Kensington lock (Side), 1x 3.5mm Combo Audio jack (Side), 1x USB 2.0 Type-A (Side), 1x RJ45 Gigabit Ethernet, 1x HDMI out 1.4, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A
PC-SHUTTLE-P21WL01-3	R 28,737	Shuttle P21WL01 21.5" Full HD 1920x1080 Industrial Touch panel PC, Intel Core i3-8145UE 2.2GHz Processor, 4GB DDR4 SO-DIMM RAM, 1x HDMI 1.4b 4096 x 2160 @ 30Hz, 1 x DVI-I 1920x1080 @ 60Hz, 2x Intel Gigabit LAN, 1x RS-232 (DB-9), 2x RS-232/422/485 (DB-9, 4x USB3.2 Gen 1 (Type-A), 1x line-out, 1x mic-in
PC-SHUTTLE-X50V7-BK	R 9,299	Shuttle X50V7 AIO 15.6" WXGA HD 1366x768 Touch Screen PC Black, Intel Celeron Dual Core 4205U 1.8GHz 2MB L3 Cache Processor with Intel UHD Graphics, 2x DDR4 SO-DIMM slots, 2.5" Drive bay, M.2 slot, Integrated Card Reader, Integrated 2.0 Megapixel (1600 x 1200) HD Webcam, Passive heatpipe cooling, Resistive 5-wire single-touch technology, Integrated electret condenser Microphone, 2x 2 W Speakers, HDMI and VGA Port, Gigabit Ethernet, WLAN AC and Bluetooth, 2x USB 3.2 Gen 1 (5 Gbps), 2x USB 2.0, Microphone Input (3.5 mm jack)
PC-SHUTTLE-X50V8-BK	R 11,390	Shuttle XPC X50V8 All-in-One Barebone PC, Intel Celeron N5205U 1.9GHz 2MB Cache Dual Core Processor with Intel UHD Graphics, Support DDR4-2666 Memory, 1x 2 slots, 1x 2.5" SATA3 device bay, No OS, Intel I219 Ethernet LAN, 2x USB 2.0 Port, 2x USB3.2 Gen1 Port, HDMI, 1x Mic in, 1x Headphone, 1x D-Sub, Kensington lock, 15.6" 1366x768 pixels Display, Single Touch Touch Screen, 2MP Full HD web Cam, Electret Condenser Microphone, 2x USB3.2 Gen1 Port (Side), SD Card Reader (Side), Realtek RTL8821ce Wireless LAN
PCB-AIO-FIB24-I5161TB-D5O	R 18,001	PCBuilder Fusion 24" Intel Core i5-12400 16GB DDR5 1TB Windows 11 Pro AIO Desktop PC, Intel Core i5-12400 LGA1700 6-core CPU (Up to 4.4GHz), Intel H610 Chipset with Intel UHD Integrated Graphics 730, 16GB DDR5-4800 MHz SO-DIMM Memory (2 x 8GB), 1TB PCI-e Gen4 NVMe M.2 SSD storage, Microsoft Windows 11 Pro Operating System, 24" LED IPS Full HD 1920x1080 screen with Anti-Glare, 5MP Webcam with 78 degrees Field of View and Dual DMIC microphones, Gigabit Ethernet LAN and Intel Wi-Fi 802.11 AC/a/b/g/n connectivity, Bluetooth V5.1 Wireless support, PCBuilder Alpha Silent Wireless Keyboard and Mouse Combo included.
SY-AE5202-3Q5SP	R 16,673	Asus E5202whak-i38512B0X ExpertCenter E5 Aio 22 - i3 quad cores (8-threads) 8Gb 512Gb NVMe M.2 SSD windows 11 Pro - 22" FHD LCD bundled wireless keyboard mouse - nanoedge with 2.4mm slim bezel speaker with DTS audio Dual microphone array 720P HD webcam with privacy shield TPM - Intel tiger lake Core i3-11100B - quad cores hyper-threading (8-threads), 3.6/4.4Ghz (with VT-x VT-d no TXT, 10nm, 8GT/sec DMi, 51.2GB/sec memory bandwidth; 12mb L2 cache), 8Gb DDR4-3200 so-dimm (2x slots up to 64), 512Gb NVMe M.2 SSD (2 slots with Raid support) optional 2.5" SATA, SDHC/SDXC reader, 4-way adjustable Stand (Tilt Height Swivel Pivot), intel UHD graphics (350/1400hz GPU, 16EU upto 32Gb) with HDMi DP out (support extra LCD), Realtek RTL8111h gigabit LAN 802.11AC wifi BT, 1x USB3 type-C/Thunderbolt4 (40Gbps) 1x USB3 type-C (Gen2/10Gbps) 3x USB3 type-A (Gen1/5Gbps) 2x USB2 1x serial/com port 3.5mm audio out; external 150W ac-adapter, with vesa wall mount kit
SY-AE5402-5H5SP	R 22,491	Asus E5402WHA ExpertCenter E5 23.8" Full HD 1920x1080 Non-Touch AIO Desktop PC Black, 5.65" Full HD 1920x1080 screen at back, Intel Core i5-11500B 3.3GHz up to 4.6GHz 12MB Cache hEX Core Processor with intergrated Intel UHD Graphics, 8GB DDR4 SO-DIMM Memory (1x8GB), 512GB M.2 PCI-e Solid State Drive, Wireless Grey Keyboard & Wireless Optical Mouse, Wi-Fi 5 (802.11ac), Bluetooth 5, Windows 11 Pro 64bit, Realtek RTL8111h 10/100/1000 GbE LAN, 720p HD camera, Built-In Array Microphone, Built-In Speaker, 1x headphone out (Side), 1x 3-in-1 Card Reader SD / MMC / MS (Side), 1x USB 3.2 Gen 1 Type-A (Side), 1x USB 3.2 Gen 2 Type-C (Side), 1x DC-in, 1x Kensington lock, 1x Serial Port, 1x RJ45 Gigabit Ethernet, 1x HDMI out 2.0A, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A, E5402wha-i58512B0X
SY-AE5402T-5HSP	R 22,632	Asus E5402whaT-i58512B2X ExpertCenter E5 Aio 24 Touch - i5 6 cores (12-threads) 8Gb 512Gb NVMe M.2 SSD windows 11 Pro - 24" FHD LCD bundled wireless keyboard mouse - nanoedge with 2.4mm slim bezel speaker with DTS audio Dual microphone array 720P HD webcam with privacy shield TPM - intel tiger lake Core i5-11500B - 6 cores hyper-threading (12-threads), 3.3/4.6Ghz (with VT-x VT-d no TXT, 10nm, 8GT/sec DMi, 51.2GB/sec memory bandwidth; 12mb L2 cache), 8Gb DDR4-3200 so-dimm (2x slots up to 64), 512Gb NVMe M.2 SSD (2 slots with Raid support) optional 2.5" SATA, SDHC/SDXC reader, 4-way adjustable Stand (Tilt Height Swivel Pivot), intel UHD graphics (350/1450hz GPU, 32EU upto 32Gb) with HDMi DP out (support extra LCD), Realtek RTL8111h gigabit LAN 802.11AC wifi BT, 1x USB3 type-C/Thunderbolt4 (40Gbps) 1x USB3

		type-C (Gen2/10Gbps) 3x USB3 type-A (Gen1/5Gbps) 2x USB2 1x serial/com port 3.5mm audio out; external 150W ac-adapter, with vesa wall mount kit
V222FAK-I5812W0X	R 14,719	Asus V222FAK VivoAIO 21.5" IPS Full HD 1920x1080 16:9 non-touch Desktop PC - White, Intel Core i5-10210U 1.6GHz up to 4.2GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics, 8GB DDR4-2666 SO-DIMM Memory (1x8GB), 1TB 5400rpm SATA Hard Disk Drive, 256GB M.2 PCIe Solid State Drive, Wi-Fi 5 (802.11ac) Bluetooth 5.0, Windows 11 Pro 64bit, 720p HD camera, Sonicmaster Premium audio, 2x 3 W Speaker, Built-in Mic, 1x USB 2.0 side, 1x Kensington lock side, 1x audio jack (Mic/headphone combo) side, 4x USB 3.1 Gen 1, 1x HDMI out, 1x RJ45 LAN
V30a-24 11LA0039SA	R 16,578	Lenovo V30a-24 23.8" IPS Anti-Glare Full HD 1920x1080 Non-Touch AIO PC, Intel Core i5 ice Lake Quad Core i5-1035G1 1.0GHz with Turbo boost up to 3.6GHz 6MB L3 Cache Processor with Intel UHD Graphics for 10th Gen Processor, 4GB DDR4-3200 Memory, 1TB 5400rpm SATA Hard Disk Drive, DVD writer Optical Drive, USB Keyboard & Mouse, WiFi, Bluetooth, Windows 10 Pro, 3WX2 Speakers, 3-in-1 Card Reader, Integrated 100/1000m Ethernet, 2x USB 2.0, 1x USB 3.2 Gen 1, 1x HDMI out 1.4, 1x HDMI-in, 1x Ethernet (RJ-45), 1x power connector, 2x USB 2.0 (Side), 1x USB 3.2 Gen 1 (Side), 1x Card Reader (Side), 1x Headphone / Microphone combo jack (3.5mm) (Side)

< Return to the menu

AMD based computers

Product code	Price	Description
PCB_HOME_R38G-V1-T	R 6,303	PCBuilder AMD Ryzen 3 3200G Home Master Windows 11 Desktop PC, AMD Ryzen 5 3200G 4-core 3.6GHz AM4 CPU, A520 Chipset AM4 Micro-ATX Motherboard, 8GB DDR4-2666 Desktop Memory, 256GB M.2 NVMe SSD, 350W ATX Non-Modular Power Supply, PCBuilder Secure Micro-ATX Chassis, Microsoft Windows 11 Home
PCB_HOME_R516G-V1	R 8,555	PCBuilder AMD Ryzen 5 3400G Home Master Windows 11 Desktop PC, AMD Ryzen 5 3400G 4-core 3.7GHz AM4 CPU, A520 Chipset AM4 Micro-ATX Motherboard, 16GB DDR4-3200 Desktop Memory, 480GB M.2 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker mATX Chassis, Microsoft Windows 11 Home
PCB_HOME_R58G-V1	R 7,197	PCBuilder AMD Ryzen 5 3400G Home Master Windows 11 Desktop PC, AMD Ryzen 5 3400G 4-core 3.7GHz AM4 CPU, A520 Chipset AM4 Micro-ATX Motherboard, 8GB DDR4-3200 Desktop Memory, 480GB M.2 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker mATX Chassis, Microsoft Windows 11 Home
PCB_HOME_R58G-VGA	R 9,003	PCBuilder AMD Ryzen 5 3400G GT730 Home Master Windows 11 Desktop PC, AMD Ryzen 5 3400G 4-core 3.7GHz AM4 CPU, A520 Chipset AM4 Micro-ATX Motherboard, Geforce GT730 2GB GDDR5 Graphics card, 8GB DDR4-3200 Desktop Memory, 480GB M.2 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker mATX Chassis, Microsoft Windows 11 Home
PCB_HOME_R716G	R 11,700	Syntech PCBuilder AMD Ryzen 7 5700G Home Master Windows 11 Desktop PC, AMD Ryzen 7 5700G 8-core 3.8GHz AM4 CPU, A520 Chipset AM4 Micro-ATX Motherboard, 8GB DDR4-3200 Desktop Memory, 500GB M.2 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker mATX Chassis, Microsoft Windows 11 Home
PCB_MAVERICK_02	R 39,599	PCBuilder Ryzen 5 7600 Maverick Windows 11 Gaming PC, Asus B840 Chipset AM5 ATX Motherboard, 32GB DDR5-6000 Gaming Memory kit, Geforce RTX 5070 12GB GDDR7 Graphics card, Gen4 1TB NVMe Solid State Drive (SSD), 750W Modular 80 Plus Gold PSU, PCBuilder holdfast ATX Gaming Chassis, PCBuilder Blizzard Freeze 360mm AIO CPU Liquid Cooler, Microsoft Windows 11 Home
PCB_MAXIMUS_01	R 48,598	PCBuilder Ryzen 7 7800X3D Maximus Windows 11 Gaming PC, AMD Ryzen 7 7800X3D 8-core 4.2GHz AM5 CPU, Asus B840 Chipset AM5 ATX Motherboard, Patriot 32GB DDR5 6000MHz Gaming Memory kit, Asus Radeon RX 9070 XT 16GB GDDR6 Graphics card, Crucial Gen4 1TB NVMe Solid State Drive (SSD), 750W Modular 80 Plus Gold PSU, Asus A31 Plus Mid Tower ATX Chassis, PCBuilder Hydro Chill 360mm ARGB AIO Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_MICHELANGELO_01	R 52,200	PCBuilder Ryzen 9 9900X MichelAngelo Windows 11 Creator PC, Asus B650 Chipset AM5 ATX Motherboard, Patriot 32GB DDR5 6000MHz Gaming Memory kit, Asus Geforce RTX 5070 12GB GDDR7 Graphics card, Crucial Gen5 1TB NVMe Solid State Drive (SSD), 1000W Modular 80 Plus Gold PSU, Asus ProArt PA401 Wood Edition ATX Chassis, Asus Prime LC 240 ARGB Liquid CPU Cooler, Microsoft Windows 11 Home

PCB_MONET_01	R 46,804	PCBuilder Ryzen 7 9700X Monet Windows 11 Creator PC, AMD Ryzen 7 9700X 8-core 3.8GHz AM5 CPU, Asus B650 Chipset AM5 ATX Motherboard, Patriot 32GB DDR5 6000MHz Gaming Memory kit, Asus Geforce RTX 5060 16GB GDDR7 Graphics card, Crucial Gen5 1TB NVMe Solid State Drive (SSD), 750W Modular 80 Plus Gold PSU, Asus ProArt PA401 Wood Edition ATX Chassis, Asus Prime LC 240 ARGB Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_PATHFINDER_01	R 19,803	PCBuilder Ryzen 5 5600X pathfinder Windows 11 Gaming PC, AMD Ryzen 5 5600X 6-core 3.7GHz AM4 CPU, Asus B550M Chipset AM4 mATX Motherboard, Patriot 16GB DDR4-3600 Gaming Memory kit, Asus Radeon RX7600 8GB GDDR6 Graphics card, Crucial Gen3 1TB NVMe Solid State Drive (SSD), 550W Modular Gold PSU, PCBuilder protector mATX Gaming Chassis, Microsoft Windows 11 Home
PCB_RECON_02	R 24,298	PCBuilder Ryzen 5 8400F Recon Windows 11 Gaming PC, AMD Ryzen 5 8400F 6-core 4.2GHz AM5 CPU, MSI B650 Chipset AM5 mATX Motherboard, 16GB DDR5-6000 Gaming Memory kit, nVidia Geforce RTX 5050 8GB GDDR6 Graphics card, Gen4 1TB NVMe Solid State Drive (SSD), 650W 80Plus Bronze Non-Modular Power Supply, PCBuilder Hideout mATX Gaming Chassis, 120mm CPU Air Cooler, Microsoft Windows 11 Home
PCB_REMBRANDT_01	R 90,000	PCBuilder Ryzen 9 9950X Rembrandt Windows 11 Creator PC, AMD Ryzen 9 9950X 16-core 4.3GHz AM5 CPU, Asus X870 Chipset AM5 ATX Motherboard, Patriot 64GB DDR5 6000MHz Gaming Memory kit, Asus Geforce RTX 5080 16GB GDDR7 Graphics card, Crucial Gen5 2TB NVMe Solid State Drive (SSD), 1000W Modular 80 Plus Gold PSU, Asus ProArt PA401 Wood Edition ATX Gaming Chassis, Asus Prime LC 240 ARGB Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_SENTINEL_01	R 17,101	Syntech PCBuilder Ryzen 5 5600X sentinel Windows 11 Gaming PC, AMD Ryzen 5 5600X 6-core 3.7GHz AM4 CPU, Asus A520M Chipset AM4 mATX Motherboard, Patriot 16GB DDR4-3600 Gaming Memory kit, Asus Geforce RTX 3050 6GB GDDR6 Graphics card, Crucial Gen3 1TB NVMe Solid State Drive (SSD), 550W Modular Gold PSU, PCBuilder protector mATX Gaming Chassis, Microsoft Windows 11 Home
PCB_SPECIALIST_06	R 26,996	PCBuilder Ryzen 5 7600 Specialist Windows 11 Gaming PC, AMD Ryzen 5 7600 6-core 3.8GHz AM5 CPU, MSI B650 Chipset AM5 mATX Motherboard, Patriot 32GB DDR5 6000MHz Gaming Memory kit, MSI nVidia Geforce RTX 5060 8GB GDDR7 Graphics card, Crucial Gen4 1TB NVMe Solid State Drive (SSD), 600W Non-Modular 80 Plus Bronze PSU, PCBuilder Fortress ATX Gaming Chassis, PCBuilder Hydro Chill 240mm ARGB AIO Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_SPECIALIST_07	R 30,598	PCBuilder Ryzen 5 7600 Specialist Windows 11 Gaming PC, MSI B650 Chipset AM5 mATX Motherboard, 32GB DDR5-6000 Gaming Memory kit, nVidia Geforce RTX 5060 8GB GDDR7 Graphics card, Gen4 1TB NVMe Solid State Drive (SSD), 650W Non-Modular 80 Plus Bronze PSU, PCBuilder hideout mATX Gaming Chassis, PCBuilder Blizzard Frost 240mm ARGB AIO Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_UPK_12	R 7,524	Syntech PCBuilder AMD Ryzen 5 5600GT LEVEL UP Core Upgrade Kit, MSI A520M Chipset AM4 Micro-ATX Motherboard, 16GB DDR4-3200 Gaming Memory
PCB_UPK_22	R 7,988	PCBuilder AMD Ryzen 5 5600XT LEVEL UP Core Upgrade Kit, AMD Ryzen 5 5600XT 6-core 3.7GHz AM4 CPU, MSI A520M Chipset AM4 Micro-ATX Motherboard, 16GB DDR4-3600 Gaming Memory
PCB_UPK_23	R 7,048	PCBuilder AMD Ryzen 5 5600X LEVEL UP Core Upgrade Kit, AMD Ryzen 5 5600X 6-core 3.7GHz AM4 CPU, MSI A520M Chipset AM4 Micro-ATX Motherboard, 16GB DDR4-3600 Gaming Memory
PCB_UPK_24	R 3,763	PCBuilder AMD Ryzen 3 3200G LEVEL UP Core Upgrade Kit, AMD Ryzen 5 3200G 4-core 3.6GHz AM4 CPU, MSI A520M Chipset AM4 Micro-ATX Motherboard, 8GB DDR4-2666 Gaming Memory
PCB_VALKYRIE_01	R 55,799	PCBuilder Ryzen 7 9800X3D Valkyrie Windows 11 Gaming PC, AMD Ryzen 7 9800X3D 8-core 4.7GHz AM5 CPU, MSI B650 Chipset AM5 mATX Motherboard, Patriot 32GB DDR5 6000MHz Gaming Memory kit, MSI nVidia Geforce RTX 5070 Ti 16GB GDDR7 Graphics card, Crucial Gen5 1TB NVMe Solid State Drive (SSD), 750W Non-Modular 80 Plus Bronze PSU, MSI MAG Pano M100R PZ mATX ARGB Gaming Chassis, MSI MAG CoreLiquid I360 White AIO Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_VALOUR_01	R 53,997	PCBuilder Ryzen 7 9700X Valour Windows 11 Gaming PC, AMD Ryzen 7 9700X 8-core 3.8GHz AM5 CPU, Asus B850 Chipset AM5 ATX Motherboard, Patriot 32GB DDR5 6000MHz Gaming Memory kit, Asus Geforce RTX 5070 Ti 16GB GDDR7 Graphics card, Crucial Gen4 1TB NVMe Solid State Drive (SSD), 750W Modular 80 Plus Gold PSU, PCBuilder lookout ATX Gaming Chassis, Microsoft Windows 11 Home
PCB_WARDEN_02	R 14,396	PCBuilder Ryzen 5 8600G Warden Windows 11 Gaming PC, Asus A620M Chipset AM5 mATX Motherboard, AMD

	Ryzen 5 8600G 6-core 3.6GHz AM5 CPU, 16GB DDR5-5600 Memory kit, Gen4 480GB NVMe Solid State Drive (SSD), 550W Modular PSU, PCBuilder protector mATX Gaming Chassis, Microsoft Windows 11 Home

< Return to the menu

Apple Computers

Product code	Price	Description
MCR24SO/A	R 41,998	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 24GB RAM & 512GB SSD - Silver, 24GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MCR24SO/A	R 43,493	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 24GB RAM & 512GB SSD - Silver, 24GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MD2Q4SO/A	R 41,998	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 24GB RAM & 512GB SSD - Green, 24GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MD2Q4SO/A	R 43,493	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 24GB RAM & 512GB SSD - Green, 24GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MD2T4SO/A	R 41,998	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 24GB RAM & 512GB SSD - Blue, 24GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MD2T4SO/A	R 43,493	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 24GB RAM & 512GB SSD - Blue, 24GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MD3H4SO/A	R 38,062	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Silver, Nano-Texture Glass, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MD3H4SO/A	R 39,422	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Silver,

		Nano-Texture Glass, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MNH73SO/A	R 16,342	Apple Mac Mini PC with M2 Pro 10-core CPU with 16-core GPU, 512GB Solid State Drive, 16GB unified Memory, Supports up to three displays :, 4x Thunderbolt 4 Ports, 2x USB Type-A Ports (Up to 5Gb/s), HDMI Port, Gigabit Ethernet Port, 3.5 mm Headphone jack, Built-In Speaker, Wi-Fi 6E, Bluetooth 5.3
MQH73SO/A	R 34,811	Apple Mac Studio PC, Apple M2 Max Chip with 12 Core CPU 30 Core GPU, 512GB Solid State Drive, 32GB unified Memory, Support for up to eive displays, HDMI Display Video Output, 4x Thunderbolt 4 Ports, 2x USB Type-A Ports, 3.5 mm Headphone jack, 2x USB-C Ports (Up to 10Gb/s) (Front), SDXC card slot (UHS-II) (Front), Built-In Speaker, 3.5 mm Headphone jack, Wi-Fi 6E, Bluetooth 5.3
MQRC3SO/A	R 22,862	Apple 24" iMac with M3-chip with 8-core CPU 8-core GPU & 256GB SSD & 8GB unified RAM - Blue, 256GB SSD storage, 8GB unified Memory Memory, Apple M3 chip 8-core CPU with 4 performance cores and 4 efficiency cores 8-core GPU Hardware-accelerated ray tracing 16-core Neural Engine , 23.5" 4.5K 4480-by-2520 Retina Display, 500 nits brightness, 3.5 mm Headphone jack, 2x USB 3 Ports up to 10Gb/s, 2x Thunderbolt / USB 4 Ports, Gigabit Ethernet, 1080p FaceTime HD camera, Wi-Fi, Bluetooth, Magic Keyboard, Magic Mouse
MQRT3SO/A	R 32,913	Apple 24" iMac with M3-chip with 8-core CPU 10-core GPU & 256GB SSD & 8GB unified RAM - Pink, 256GB SSD storage, 8GB unified Memory Memory, Apple M3 chip. 8-core CPU with 4 performance Cores and 4 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 23.5" 4.5K 4480-by-2520 Retina Display, 500 nits brightness, 3.5 mm Headphone jack, 2x USB 3 Ports up to 10Gb/s, 2x Thunderbolt / USB 4 Ports, Gigabit Ethernet, 1080p FaceTime HD camera, Wi-Fi, Bluetooth, Magic Keyboard, Magic Mouse
MWUC3SO/A	R 30,012	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Silver, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUC3SO/A	R 31,096	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Silver, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUE3SO/A	R 30,012	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Green, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUE3SO/A	R 31,096	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Green, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUF3SO/A	R 30,012	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Blue, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits

		brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUF3SO/A	R 31,096	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Blue, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUG3SO/A	R 30,012	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Pink, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUG3SO/A	R 31,096	Apple 24" 4.5K iMac M4-chip with 8-core CPU & 8-core GPU with 16GB RAM & 256GB SSD - Pink, 16GB unified Memory, Apple M4 Chip with 8-core CPU with 4 performance Cores and 4 efficiency Cores, 8-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480 x 2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUU3SO/A	R 34,124	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Silver, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUU3SO/A	R 35,351	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Silver, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUV3SO/A	R 38,062	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Silver, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUV3SO/A	R 39,422	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Silver, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUY3SO/A	R 34,124	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Green, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 /

		DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWUY3SO/A	R 35,351	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Green, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV03SO/A	R 38,062	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Green, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV03SO/A	R 39,422	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Green, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV13SO/A	R 34,124	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Blue, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV13SO/A	R 35,351	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Blue, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV33SO/A	R 38,062	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Blue, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV33SO/A	R 39,422	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Blue, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV43SO/A	R 34,124	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Pink, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording,

		High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV43SO/A	R 35,351	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 256GB SSD - Pink, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV53SO/A	R 38,062	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Pink, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3
MWV53SO/A	R 39,422	Apple 24" 4.5K iMac M4-chip with 10-core CPU & 10-core GPU with 16GB RAM & 512GB SSD - Pink, 16GB unified Memory, Apple M4 Chip with 10-core CPU with 4 performance Cores and 6 efficiency Cores, 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 24" 4.5K 4480x2520 Retina Display, 500 nits brightness, 4x Thunderbolt 4 Ports with support for Thunderbolt 4 up to 40Gb/s / USB 4 up to 40Gb/s / USB 3.1 Gen 2 / DisplayPort, 3.5 mm Headphone jack, Gigabit Ethernet, 12MP center Stage camera, 1080p HD Video recording, High-Fidelity six-speaker system with force-cancelling woofers, Wi-Fi 6E, Bluetooth 5.3

< Return to the menu

ASUS Computers

Product code	Price	Description
90PF0561-M02JV0-ARTX5090	R 85,904	Asus ROG G700 Intel Core Ultra 5 RTX 5090 OC 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus ROG Astral Geforce RTX 5090 32GB GDDR7 OC Graphics card, 16GB DDR5 UDIMM Memory expandable to 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU Cooler for Thermal Management, Windows 11 Home Operating System Pre-Installed
90PF0561-M02JV0-DRTX5050	R 27,024	Asus ROG G700 Intel Core Ultra 5 RTX 5050 Dual 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor featuring 10 Cores and 4.9GHz Max Speed, Asus Dual Geforce RTX 5050 Graphics card with 8GB GDDR6 Memory, 16GB DDR5 UDIMM Memory expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage for fast load times, Liquid CPU Cooler combined with an airflow-optimised Chassis Design, Windows 11 Home Operating System Pre-Installed on the unit,
90PF0561-M02JV0-DRTX5060	R 29,209	Asus ROG G700 Intel Core Ultra 5 RTX 5060 Dual 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F CPU features 10 Cores and 10 threads up to 4.9GHz with 20MB Cache, Asus Dual Geforce RTX 5060 Graphics card includes 8GB GDDR7 Memory on Blackwell Architecture, 16GB DDR5 UDIMM RAM expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD for fast load times, Liquid CPU Cooler maintains Performance during extended use, Windows 11 Home Operating System ready to use
90PF0561-M02JV0-DRTX5060T	R 33,970	Asus ROG G700 Intel Core Ultra 5 RTX 5060 Ti Dual 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores 10 threads and up to 4.9GHz Speed, Asus Dual Geforce RTX 5060 Ti Graphics card featuring 16GB GDDR7 Memory, 16GB DDR5 UDIMM RAM expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU cooling solution for Thermal Management, Windows 11 Home Operating System Pre-Installed
90PF0561-M02JV0-DRX9060X	R 30,934	Asus ROG G700 Intel Core Ultra 5 RX 9060 XT Dual 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F 10-core Processor operating at up to 4.9GHz with 20MB Cache, Asus Dual Radeon RX 9060 XT Graphics card with 16GB GDDR6 Memory, 16GB DDR5 UDIMM RAM expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU cooling system with optimized Airflow Design, Windows 11 Home Operating System Pre-Installed
90PF0561-M02JV0-PRTX5060	R 29,242	Asus ROG G700 Intel Core Ultra 5 RTX 5060 Prime 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus Prime Geforce RTX 5060 Graphics card with

		8GB GDDR7 Memory, 16GB DDR5 UDIMM Memory expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD Storage Capacity, Liquid CPU cooling system with optimized Airflow Chassis Design, Windows 11 Home Operating System Pre-Installed
90PF0561-M02JV0-PRTX5060T	R 34,384	Asus ROG G700 Intel Core Ultra 5 RTX 5060 Ti Prime 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F with 10 Cores, 10 threads and up to 4.9GHz Speed, Asus Prime Geforce RTX 5060 Ti Graphics card featuring 16GB GDDR7 Memory, 16GB DDR5 UDIMM RAM expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU cooling system with optimised Airflow Chassis Design, Windows 11 Home Operating System Pre-Installed
90PF0561-M02JV0-PRTX5070	R 35,258	Asus ROG G700 Intel Core Ultra 5 RTX 5070 Prime 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with up to 4.9GHz Speed and 20MB Cache, Asus Prime Geforce RTX 5070 Graphics card featuring 12GB GDDR7 Memory, 16GB DDR5 UDIMM Memory expandable to a Maximum of 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU cooling system for Thermal Management, Windows 11 Home Pre-Installed Operating System
90PF0561-M02JV0-PRX9060X	R 32,199	Asus ROG G700 Intel Core Ultra 5 RX 9060 XT Prime 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus Prime Radeon RX 9060 XT Graphics card with 16GB GDDR6 Memory, 16GB DDR5 UDIMM Memory expandable to 128GB Maximum, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU Cooler for Thermal Management, Windows 11 Home Operating System Pre-Installed
90PF0561-M02JV0-PRX9070X	R 37,834	Asus ROG G700 Intel Core Ultra 5 RX 9070 XT Prime 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus Prime Radeon RX 9070 XT 16GB GDDR6 OC Graphics card, AMD rdna 4 Architecture with enhanced ray tracing and AI accelerators, 16GB DDR5 UDIMM Memory expandable up to 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU Cooler for Thermal Management, Windows 11 Home Pre-Installed Operating System
90PF0561-M02JV0-TRTX5070	R 37,834	Asus ROG G700 Intel Core Ultra 5 RTX 5070 TUF 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus TUF Gaming Geforce RTX 5070 OC Edition Graphics card with 12GB GDDR7 Memory, 16GB DDR5 UDIMM RAM expandable up to 128GB Maximum capacity, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage for fast Data Access, Windows 11 Home Operating System Pre-Installed on the unit, Liquid CPU Cooler for Thermal Management during Operation
90PF0561-M02JV0-TRTX5070T	R 44,619	Asus ROG G700 Intel Core Ultra 5 RTX 5070 Ti TUF 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus TUF Gaming Geforce RTX 5070 Ti OC Edition Graphics card with 16GB GDDR7 Memory, nVidia Blackwell Architecture supporting dlss 4 and fourth-gen ray tracing Cores, 16GB DDR5 UDIMM Memory expandable up to 128GB, 1TB M.2 2280 NVMe PCI-e 4.0 SSD storage, Liquid CPU Cooler for Thermal Management, Windows 11 Home Pre-Installed
90PF0561-M02JV0-TRTX5080	R 54,049	Asus ROG G700 Intel Core Ultra 5 TX 5080 TUF 16GB DDR5 1TB NVMe Windows 11 Home PC, Intel Core Ultra 5 225F Processor with 10 Cores and up to 4.9GHz Speed, Asus TUF Gaming Geforce RTX 5080 OC Edition Graphics card with 16GB GDDR7 Memory, nVidia Blackwell Architecture featuring dlss 4 and fourth-gen ray tracing Cores, 16GB DDR5 UDIMM Memory expandable up to 128GB Maximum capacity, 1TB M.2 2280 NVMe PCI-e 4.0 SSD for fast storage Performance, Liquid CPU Cooler, Windows 11 Home Pre-Installed Operating System
ASUS P500MV-I516512B2W	R 13,914	Asus ExpertCenter P500MV Mini Tower 15l, Intel Core 13th Gen i5-13420H up to 4.6GHz 12MB Cache Eight Core (8) Processor with intergrated Intel UHD Graphics (4 performace & 4 efficient Cores), 16GB DDR5 SO-DIMM, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Home 64bit, 180W Power Supply, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A
ASUS P500SV-C58512G0W	R 12,189	Asus ExpertCenter P500SV SFF PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Home 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C

		(Front), 2x USB 3.2 Gen 1 Type-A (Front). The ASUS ExpertCenter P500 SFF is a compact, business-focused desktop designed to deliver reliable performance in modern office environments.
ASUS P500SV-C58512G1X	R 14,489	Asus ExpertCenter P500SV SFF PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
ASUS P500SV-C716512G0W	R 12,534	Asus ExpertCenter P500SV SFF PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Home 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
ASUS P500SV-C716512G1X	R 21,734	Asus ExpertCenter P500SV SFF PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
ASUS P500SV-I516512B1X	R 13,799	Asus ExpertCenter P500 SFF PC, Intel Core 13th Gen i5-13420H up to 4.6GHz 12MB Cache Eight Core 8x Processor with intergrated Intel UHD Graphics (4 performace & 4 efficient Cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
D500SC-i582B0X	R 11,499	Asus Pro Essential D500SC SFF Desktop PC, Intel Core i5-11400 2.6GHz up to 4.4GHz 12MB Cache Hex Core Processor with intergrated Intel UHD Graphics 730, 8GB DDR4-2666 Memory, 256GB M.2 PCI-e Solid State Drive, DVD Writer optical drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1x headphone (Front), 1x 2-in-1 Card Reader SD / MMC (Front), 1x 3.5mm combo audio jack (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x headphone out, 1x Mic in, 1x line-in, 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 2x PS2, 1x Serial Port, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A, High definition 7.1 channel audio
D500SD-I382B6X	R 11,500	Asus ExpertCenter D5 SFF Desktop PC, Intel Core 12th gen i3-12100 up to 4.3GHz 12MB Cache Quad (4x) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR4-3200 Memory, 256GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, Wi-Fi 5, Bluetooth, USB Keyboard & Mouse, Windows 11 Home 64bit, Intel WGI219v 10/100/1000 GbE LAN, High Definition 7.1 channel audio, 1x Headphone out, 1x Line-In, 1x Mic in, 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 2x PS2, 4x USB 2.0 Type-A, 1x Headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x 2 in 1 Card Reader SD / MMC (Front)
D501MER-I58512B0X	R 12,649	Asus ExpertCenter D501MER Mini Tower 15l PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10 Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 8GB DDR5 UDIMM Memory, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, Wi-Fi 6, Bluetooth, Windows 11 Pro, 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x 7.1 channel Audio, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A, 1x Headphone (Front), 1x 3.5mm Combo Audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), D501MER-I58512B0X
D501SER-514400123X	R 12,649	Asus ExpertCenter D501SER SFF Small Form Factor 8.6l PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 16GB DDR5 UDIMM Memory, 512GB M.2 PCI-e Solid State Drive, Wired Keyboard & Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x 7.1 channel

		Audio (Microphone, Line-Out, Line-In), 1x Kensington lock, 1x padlock Loop, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A, 1x Headphone (Front), 1x 3.5 mm Combo Audio jack (Mic in or Headphone out) (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front)
D700MC-I342B0X	R 11,499	Asus D700MC ExpertCentre D7 Mini Tower, Intel Core i3-10105 3.7GHz up to 4.4GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630 , 4GB DDR4 u-dimm Memory (Maximum 128GB), 256GB M.2 PCIe Solid State Drive, DVD writer Optical Drive, USB Wired Keyboard & optical Mouse, Windows 11 Processor, 1x headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x USB 3.2 Gen 2 Type-C (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x DisplayPort 1.2, 2x PS2, 3 x audio jacks, 4x USB 2.0 Type-A, 2x PCI-e 3.0 x 1, 1x PCI-e 4.0 x16
D700MC-I581B0X	R 11,499	Asus D700MC ExpertCentre D7 Mini Tower, Intel Core i5-11400 2.6GHz up to 4.4GHz 12MB Cache Hex Core Processor with intergrated Intel UHD Graphics 730, 8GB DDR4 u-dimm Memory (Maximum 128GB), 1TB 7200rpm SATA Hard Disk Drive, DVD writer Optical Drive, Wi-Fi 5 (802.11ac), Bluetooth 4.2, USB Wired Keyboard & optical Mouse, Windows 11 Pro, 1x headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x USB 3.2 Gen 2 Type-C (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x DisplayPort 1.2, 2x PS2, 3 x audio jacks, 4x USB 2.0 Type-A, 2x PCI-e 3.0 x 1, 1x PCI-e 4.0 x16
D700MC-I78512B0X	R 12,649	Asus D700MC ExpertCentre D7 Mini Tower, Intel Core i7-10700 2.9GHz up to 4.8GHz 16MB Cache Eight Core Processor with intergrated Intel UHD Graphics 630, 8GB DDR4 u-dimm Memory (Maximum 128GB), 512GB M.2 PCIe Solid State Drive, DVD writer Optical Drive, USB Wired Keyboard & optical Mouse, Windows 11 Processor, 1x headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x USB 3.2 Gen 2 Type-C (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x DisplayPort 1.2, 2x PS2, 3 x audio jacks, 4x USB 2.0 Type-A, 2x PCI-e 3.0 x 1, 1x PCI-e 4.0 x16
DTAS90PF05A1-M00RM0	R 17,055	Asus ExpertCenter P500SV SFF PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), P500SV-C58512G1X
DTAS90PF05A1-M00RM0B	R 14,949	Asus ExpertCenter P500SV SFF PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), VA249HG Asus Monitor, P500SV-C58512G1XB
DTAS90PF05A1-M00RN0	R 19,479	Asus ExpertCenter P500SV SFF PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), P500SV-C716512G1X
DTAS90PF05A1-M00RN0B	R 20,699	Asus ExpertCenter P500SV SFF PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), VA249HG Asus Monitor, P500SV-C716512G1XB
DTAS90PF05A1-M01640	R 15,832	Asus ExpertCenter P500SV SFF PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz

		12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Home 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), P500SV-C58512G0W
G700TF-05225F129W	R 20,698	Asus ROG G700 Intel Ultra 5 255F Gaming PC, Intel Core Ultra 5 225F Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with no OnBoard Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5 Memory, 1TB M.2 PCI-e Solid State Drive, Gaming RGB Keyboard, Gaming RGB Mouse, Wi-Fi 6, Bluetooth, Windows 11 Home 64bit, High Definition 7.1 channel Audio, 1000W Power Supply, 1x RJ45 Gigabit Ethernet, 1x DisplayPort 1.4, 3x audio jacks, 4x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-A, 4x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C, 1x Headphone (Front), 1x Mic in (Front), 1x USB 3.2 Gen 1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
GM700TZ-R9800X185W	R 38,073	Asus ROG GM700 AMD Ryzen 7 9800X3D Gaming PC, AMD Ryzen 7 9800X 3D Processor 4.7GHz up to 5.2GHz 8 Processor, 2x 16GB DDR5 UDIMM Memory, 2TB M.2 2280 NVMe PCI-e 4.0 SSD, AMD Radeon RX 9060 XT Prime 16GB GDDR6 OC Graphics card, Wi-Fi 6, Bluetooth, 600W Power Supply, Windows 11 Home, 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x DisplayPort 1.4, 3x audio jacks, 4x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-A, 2x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C, 1x Headphone (Front), 1x Mic in (Front), 1x USB 3.2 Gen 2 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
P500MV-C316512B0X	R 11,625	Asus ExpertCenter P500MV Mini Tower 15l, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A
P500MVI78512B2X	R 16,725	Asus ExpertCenter P500MV Mini Tower 15l, Intel Core 13th Gen i7-13620H up to 4.9GHz 24MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient cores), 8GB DDR5 SO-DIMM, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, P500MV-I78512B2X
P500SV-C58512G1X	R 17,732	Asus ExpertCenter P500SV SFF PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
P500SV-C716512G1X	R 21,458	Asus ExpertCenter P500SV SFF PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, Wired Keyboard & Mouse, Windows 11 Pro 64bit, 180W Power Supply, 1x RJ45 Gigabit Ethernet, 1x HDMI1.4, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone / Line-Out / Line-In), 1x Kensington lock, 4x USB 2.0 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)
RC73XA-ZP2410B0W	R 26,097	Asus ROG Xbox Ally X 7" Handheld Gaming Console, AMD Ryzen AI Z2, 24GB LPDDR5x Memory, AMD Radeon GPU, 1TB M.2 PCI-e Solid State Drive, Windows 11 Home 64bit, 7-inch Full HD 1920x1080 IPS Touch Glossy Display, Gorilla Glass victus, 120Hz Refresh Rate, 500 nits brightness, AMD FreeSync Premium, 2, 1x 3.5mm Combo Audio jack, 1x USB 3.2 Gen 2 Type-C support DisplayPort / Power Delivery, 1x Type-C support USB 4 (Thunderbolt 4 compliance /DisplayPort 1.4 with FreeSync support / Power Delivery 3.0), 1x UHS-II MicroSD Card Reader, AI Noise-Canceling Technology, Built-In Array Microphone, 2-speaker system with Smart amplifier Technology, Wi-Fi 6E, Bluetooth 5.2, 80 WHrs 4-cell Li-Ion Battery, Aura Sync, Built-In Fingerprint Sensor, Multiple

		joysticks and buttons
RC73YA-ZE16512W0W	R 11,384	Asus ROG Xbox Ally 7" Handheld Gaming Console, AMD Ryzen Z2 Processor 2.8GHz, 16GB LPDDR5x Memory, AMD Radeon Graphics, 512GB M.2 PCI-e Solid State Drive, Windows 11 Home 64bit, 7-inch Full HD IPS Touch Glossy Display, Gorilla Glass victus, 120Hz Refresh Rate, AMD FreeSync Premium, 1x 3.5mm Combo Audio jack, 2x USB 3.2 Gen 2 Type-C support DisplayPort / Power Delivery, 1x UHS-II MicroSD Card Reader, AI Noise-Canceling Technology, Built-In Array Microphone, 2-speaker system with Smart amplifier Technology, Wi-Fi 6E, Bluetooth 5.2, 4-cell Li-Ion 60whrs Battery, 6-axis imu gyro, Multiple joysticks and buttons
SY-AD500-3Q4HP	R 10,393	Asus Pro Essential D500SA SFF Desktop PC Black, Intel Core i3-10105 3.7GHz up to 4.4GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630 , 4GB DDR4-2666 Memory, 1TB 5400rpm SATA Hard Disk Drive, Wi-Fi 5, Bluetooth, Windows 11 Pro 64bit, 1x PCI, 1x M.2 (For Wi-Fi card), 2x M.2 Socket, 2x PCI-e x 1, 1x PCI-e x 16, 1x Headphone (Front), 4x USB 3.2 Gen 1 Type-A (Front), 1x Microphone & Headphone (Combo jack) (Front), 4x USB 2.0, 1x PS/2 (Keyboard), 1x PS/2 (Mouse), 1x HDMI 1.4, 1x DisplayPort, 1x RJ45 LAN, 1x D-Sub, 3x audio jacks, D500sc-i341B0X
SY-AD500-5H82SP	R 11,911	Asus Pro Essential D500SC SFF Desktop PC, Intel Core i5-11400 2.6GHz up to 4.4GHz 12MB Cache Hex Core Processor with intergrated Intel UHD Graphics 730, 8GB DDR4-2666 Memory, 256GB M.2 PCI-e Solid State Drive, DVD Writer optical drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1x headphone (Front), 1x 2-in-1 Card Reader SD / MMC (Front), 1x 3.5mm combo audio jack (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x headphone out, 1x Mic in, 1x line-in, 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 2x PS2, 1x Serial Port, 2x USB 2.0 Type-A, 2x USB 3.2 Gen 1 Type-A, High definition 7.1 channel audio, D500sc-i582B0X
SY-AD700-3Q42SP	R 16,031	Asus D700MC ExpertCentre D7 Mini Tower, Intel Core i3-10105 3.7GHz up to 4.4GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630 , 4GB DDR4 u-dimm Memory (Maximum 128GB), 256GB M.2 PCIe Solid State Drive, DVD writer Optical Drive, USB Wired Keyboard & optical Mouse, Windows 11 Processor, 1x headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x USB 3.2 Gen 2 Type-C (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x DisplayPort 1.2, 2x PS2, 3 x audio jacks, 4x USB 2.0 Type-A, 2x PCI-e 3.0 x 1, 1x PCI-e 4.0 x16
SY-AD700-3Q4HP	R 10,357	Asus D700mc-i341B0X ExpertCenter D7 mini tower - i3 Quad core (8-threads) 4Gb 1Tb 3.5" hdd Windows 11 Pro - Intel coMet lake LGA 1200 i3-10105 (4 cores Hyper-Threading/ 8 threads, 3.7Ghz box cpu / 4.4Ghz turbo boost), 4Gb DDR4-2666 (4 slots u)
SY-AD700-5H8HP	R 12,081	Asus D700MC ExpertCentre D7 Mini Tower, Intel Core i5-11400 2.6GHz up to 4.4GHz 12MB Cache Hex Core Processor with intergrated Intel UHD Graphics 730, 8GB DDR4 u-dimm Memory (Maximum 128GB), 1TB 7200rpm SATA Hard Disk Drive, DVD writer Optical Drive, Wi-Fi 5 (802.11ac), Bluetooth 4.2, USB Wired Keyboard & optical Mouse, Windows 11 Pro, 1x headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x USB 3.2 Gen 2 Type-C (Front), 1x RJ45 Gigabit Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x DisplayPort 1.2, 2x PS2, 3 x audio jacks, 4x USB 2.0 Type-A, 2x PCI-e 3.0 x 1, 1x PCI-e 4.0 x16, D700mc-i581B0X
SY-AD700-7o85SP	R 16,040	Asus D700mc-i78512B0X ExpertCenter D7 mini tower - i7 8-Core (16-threads) 8Gb 512Gb SSD Windows 11 Pro - Intel coMet lake lga 1200 i7-10700 (8 cores Hyper-Threading / 16 threads, 2.9Ghz box CPU / 4.8Ghz turbo boost), 8Gb DDR4-2666 (4 slots up to 128gb), 512Gb nGff/M.2 Gen3x4 SSD installed support up to 2, 3x optional 3.5" HDD, built-in UHD630 graphics (24EU, 350/1200mhz) with DP HDMi D-SUB out, on-board gigabit LAN 7.1 audio, 2x pci-e(1x), 1x pci-e 3.0(16x), 1x USB3 type-C (Gen2/10Gbps) 2x USB3 type-A (Gen2/10Gbps) 2x USB3 type-A (Gen1/5Gbps) 6x USB2 3.5mm audio in out 1x serial/com 1x parallel port, with bundled KB Mouse-300w psu
SY-AD700-7o8HP	R 14,262	Asus D700MC ExpertCentre D7 Mini Tower, Intel Core i7-10700 2.9GHz up to 4.8GHz 16MB Cache Eight Core Processor with intergrated Intel UHD Graphics 630, 8GB DDR4 u-dimm Memory (Maximum 128GB), 1TB SATA 7200rpm 3.5" Hard Disk Drive, DVD writer Optical Drive, USB Wired Keyboard & optical Mouse, Windows 11 Processor, 1x headphone (Front), 1x 3.5mm combo audio jack (Front), 2x USB 2.0 Type-A (Front), 2x USB 3.2 Gen 1 Type-A (Front), 2x USB 3.2 Gen 2 Type-A (Front), 1x USB 3.2 Gen 2 Type-C (Front), 1x RJ45 Gigabit

		Ethernet, 1x HDMI 1.4, 1x VGA Port, 1x DisplayPort 1.2, 2x PS2, 3 x audio jacks, 4x USB 2.0 Type-A, 2x PCI-e 3.0 x 1, 1x PCI-e 4.0 x16, D700mc-i781B0X
TM500MH-0R5220043W	R 23,399	Asus TUF Gaming TM500 AMD Ryzen 5 220 Gaming PC, AMD Ryzen 5 220 Processor 3.2GHz up to 4.9 GHz 6 Core Processor, 16GB DDR5 Memory, 1TB M.2 2280 NVMe PCI-e 4.0 SSD, nVidia Geforce RTX 5050 Dual 8GB GDDR6 OC Graphics card, Wi-Fi 6, Bluetooth, Gaming RGB Keyboard, Gaming RGB Mouse, 330W Power Supply, Windows 11 Home, 1x RJ45 Gigabit Ethernet, 1x HDMI 2.1b, 1x DisplayPort 1.4, 1x 7.1 channel Audio (Microphone, Line-Out, Line-In), 1x Kensington lock, 2x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x 3.5mm Combo Audio jack (Front), 1x USB 3.2 Gen 1 Type-C (Front), 2x USB 3.2 Gen 1 Type-A (Front)

< Return to the menu

Compute card

Product code	Price	Description
SY-iCC-C	R 2,611	Intel CD1C64GK Compute Card - 114x38x12mm - onboard Celeron 4Gb DDR3L Memory 64Gb eMMC SSD - with DisplayPort HDMi dual display - Intel Apollo Lake celeron n3450 - Quad core, 1.1Ghz up to 2.2Ghz turbo-boost (with VT-x, 14nm, 5GT/sec DMi, 19.2GB/sec memory bandwidth, 2mb L2 cache), 4Gb DDR3L-1866 (1.35v) on-board 64Gb eMMC/SSD, on-board intel HD500 200/700mhz graphic with DisplayPort HDMi outputs, wireless-AC 7265 867mbps dual-band WiFi BT (Required slot-in Docking station Sold Separately)
SY-iCC-D	R 1,724	Intel DK132EPJR Compute Card slot-in Docking station - 152x145x20.5mm - with 3x USB RJ45 Gigabit LAN dual display outputs (miniDP HDMi) Intel Compute card dock station for Compute Card
SY-iCC-i5	R 9,076	Intel CD1IV128MK Compute Card - 114x38x12mm - on-board i5 8Gb DDR3L Memory 128Gb 6000p SSD - with DisplayPort HDMi dual display - Intel kabylake Core i5-7Y57 - Dual core hyper-threading (4-threads), 1.2Ghz up to 3.3Ghz turbo-boost (with VT-x VT-d, 14nm, 7W TDP, 29.8GB/sec memory bandwidth; 4mb L2 cache), 8Gb DDR3L-1866 (1.35v) on-board 128Gb 6000p NVMe SSD, on-board Intel HD615 300/900mhz graphic with DisplayPort HDMi outputs, wireless-AC 8265 867mbps dual-band WiFi BT, (Required slot-in Docking station Sold Separately)
SY-iCC-M3	R 6,082	Intel CD1M3128MK Compute Card - 114x38x12mm - on-board M3 4Gb DDR3L Memory 128Gb NVMe pci-e SSD - with DisplayPort HDMi dual display - Intel kabylake Core M3-7Y30 - Dual core hyper-threading (4-threads), 1Ghz up to 2.6Ghz turbo-boost (with VT-x VT-d, 14nm, 4.5W TDP, 29.8GB/sec memory bandwidth; 4mb L2 cache), 4Gb DDR3L-1866 (1.35v) on-board 128Gb NVMe SSD, on-board Intel HD615 300/900mhz graphic with DisplayPort HDMi outputs, wireless-AC 8265 867mbps dual-band wifi BT
SY-iCC-P	R 3,383	Intel CD1C64GK Compute Card - 114x38x12mm - onboard Pentium 4Gb DDR3L Memory 64Gb eMMC SSD - with DisplayPort HDMi dual display - Intel Apollo Lake Pentium n4200 - Quad core, 1.1Ghz up to 2.5Ghz turbo-boost (with VT-x, 14nm, 5GT/sec DMi, 19.2GB/sec memory bandwidth, 2mb L2 cache), 4Gb DDR3L-1866 (1.35v) on-board 64Gb eMMC SSD, on-board Intel HD500 200/700mhz graphic with DisplayPort HDMi outputs, wireless-AC 7265 867mbps dual-band wifi BT

< Return to the menu

Dell computers

Dell computers : Dell Desktop PC / Computer

Product code	Price	Description
74-BTO004QCS1250EMEA	R 26,605	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad (4) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
74-BTO006QCM1250EMEA	R 24,922	Dell QCM1250 Pro Micro Desktop, Intel Core 14th Gen i5-14500T up to 4.8GHz 20MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse

		Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
74-BTO011QCS1250EMEA	R 30,658	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
74-BTO011QCS1250EMEA	R 28,487	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
74-BTO012QVS1260EMEA	R 28,912	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Home 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
74-BTO013QVT1260EMEA	R 32,734	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
74-BTO101QVS1260EMEA	R 20,291	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
74-BTO101QVT1260EMEA	R 18,131	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core Ultra 5 225 Ten 10 Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Home 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
74-BTO102QCM1250EMEA	R 21,012	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
74-BTO102QCS1250EMEA	R 22,691	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 8GB DDR5-5600

		Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
74-BTO103FCT2250EMEA	R 47,243	Dell Pro Max Tower T2 FCT2250 Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Keyboard & Mouse, Windows 11 Pro 64bit, 1x USB 3.2 Gen 1 (5Gbps) Port (Front), 1x USB 3.2 Gen 1 (5Gbps) Port with PowerShare (Front), 1x USB 3.2 Gen 2 (10Gbps) Type-C Port (Front), 1x USB 3.2 Gen 2x2 (20Gbps) Type-C Port with PowerShare (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports with SmartPower, 2x USB 3.2 Gen 2 (10Gbps) Ports, 1x USB 3.2 Gen 2x2 (20Gbps) Type-C Port, 1x RJ45 (1GbE) Ethernet Port, 2x DisplayPort 1.4a HBR3 Ports
74-BTO106QCM1250EMEA	R 26,811	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
74-BTO107QCS1250EMEA	R 30,097	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
74-TRACERRPL24056452H	R 39,406	Dell XPS 8960 MT PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient Cores), 16GB (2x8GB) DDR5-4400 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia Geforce RTX 4060 8GB Graphics card, 802.11ax Wireless, Bluetooth, Dell Wireless Keyboard and Mouse, Windows 11 Home 64bit, SD card slot, 3.5 mm Headphone / Microphone Combo jack (Front), 2x USB 3.2 Gen 1 Type-A (Front), USB 3.2 Gen 1 Type-A with Power share (Front), USB 3.2 Gen2 Type-C with PowerShare (Front), Kensington lock slot, 7.1 audio 6-connector Stack of re-taskable audio Ports, DisplayPort 1.4 (UMA only), 2x USB 3.2 Type-A Gen 1, 1x USB 3.2 Type-C Gen 2x2, 2x USB 2.0 Type-A, Gigabit Ethernet
BTO001_QVS1260_EMEA	R 15,542	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i3-14100 up to 4.7GHz 12MB Cache Quad 4x Core Processor with intergrated Intel UHD Graphics 730 (4 performace Cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6 MT7920, 2x2, 802.11ax, Bluetooth Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (Tdms) Port, 1x RJ45 Ethernet Port
BTO001_QVT1260_EMEA	R 14,295	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad (4) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6 MT7920, 2x2, 802.11ax, MU-MIMO, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
BTO001_QVT1260_EMEA	R 10,243	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad (4) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6 MT7920, 2x2, 802.11ax, MU-MIMO, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1

		Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
BTO003_QVS1260_EMEA	R 19,427	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
BTO004_QVS1260_EMEA	R 19,286	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
BTO005_QVT1260_EMEA	R 22,616	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
BTO008_QCM1250_EMEA	R 19,915	Dell QCM1250 Pro Micro Desktop, Intel Core 14th Gen i5-14500T up to 4.8GHz 20MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 16GB DDR5-5600 Memory (2x8GB), 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO009_QCS1250	R 17,063	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th Gen i5-14500 up to 5.0GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
BTO009_QCS1250_EMEA	R 20,279	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th Gen i5-14500 up to 5.0GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
BTO011_QCS1250_EMEA	R 25,689	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
BTO012_QCT1250_EMEA	R 27,549	Dell Pro Tower QCT1250 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Pro 64bit, 180W Power Supply unit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports,

		1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port
BTO012_QVS1260_EMEA	R 18,324	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
BTO014_QVT1260_EMEA	R 28,715	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
BTO014_QVT1260_EMEA	R 23,510	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
BTO101_QVT1260_EMEA	R 19,480	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6 MT7920, 2x2, 802.11ax, MU-MIMO, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
BTO102_QCM1250	R 16,469	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO102_QCM1250_EMEA	R 23,747	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO102_QCS1250	R 16,282	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
BTO102_QVS1260_EMEA	R 23,433	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1

		Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
BTO104_QCT1250_EMEA	R 21,954	Dell Pro Tower QCT1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Pro 64bit, 180W Power Supply unit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port
BTO105_QCS1250_EMEA	R 23,444	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
BTO106_QCM1250	R 27,461	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO106_QCM1250_EMEA	R 24,153	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO106_QCM1250_EMEA	R 27,158	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO107_QCM1250_EMEA	R 36,306	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
BTO107_QCT1250_EMEA	R 24,667	Dell Pro Tower QCT1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Pro 64bit, 180W Power Supply unit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port
BTO108_QCS1250_EMEA	R 28,669	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to

		5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
BTO110_QCT1250_EMEA	R 26,817	Dell Pro Tower QCT1250 Desktop PC, Intel Core Ultra 7 265U Twelve (12) Core Arrow Lake Turbo boost up to 5.3GHz 12MB Cache Processor with Intel Graphics (2 perfomance Cores & 8 efficient Cores & 2 low Power Efficient-cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Pro 64bit, 180W Power Supply unit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port
DTDEBTO001QVS1260EM	R 18,859	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i3-14100 up to 4.7GHz 12MB Cache Quad 4x Core Processor with intergrated Intel UHD Graphics 730 (4 performace Cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6 MT7920, 2x2, 802.11ax, Bluetooth Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (Tdms) Port, 1x RJ45 Ethernet Port
DTDEBTO001QVT1260EM	R 19,204	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad (4) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
DTDEBTO004QCS1250EM	R 25,299	Dell Pro Slim QCS1250 Desktop PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad (4) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
DTDEBTO004QVS1260EM	R 23,459	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
DTDEBTO005QVT1260EM	R 20,009	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
DTDEBTO006QCM1250EME	R 25,874	Dell QCM1250 Pro Micro Desktop, Intel Core 14th Gen i5-14500T up to 4.8GHz 20MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port

DTDEBTO012QVS1260EM	R 23,804	Dell Pro Slim Essential QVS1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 Ports with SmartPower on, 2x USB 3.2 Gen 1 Ports, 1x DisplayPort 1.4 Port, 1x HDMI 2.1 (TDMS) Port, 1x RJ45 Ethernet Port
DTDEBTO014QVT1260EM	R 23,919	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
DTDEBTO103QVT1260EM	R 24,379	Dell Pro Tower Essential QVT1260 Desktop PC, Intel Core Ultra 5 225 Ten 10 Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Dell Wired Keyboard, Dell Optical Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Gen 1 Type-C Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 with SmartPower on Ports, 2x USB 3.2 Gen 1 Ports, 1x RJ45 Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a Port
DTDEBTO105QCS1250EM	R 24,609	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
DTDEBTO106QCM1250EME	R 28,461	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 5 235T Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
DTDEBTO107QCM1250EM	R 33,809	Dell QCM1250 Pro Micro Desktop, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive PCI-e, Wi-Fi 6E, Bluetooth, Dell Multimedia USB Keyboard & Optical Mouse Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x headset (Headphone and Microphone Combo) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with SmartPower on, 1x USB 3.2 Gen 1 (5 Gbps) Port, 2x USB 2.0 (480 Mbps) Ports, 1x DisplayPort 1.4a, 1x HDMI 2.1 Port, 1x RJ45 Gigabit Ethernet Port
DTDEBTO108QCS1250EM	R 29,899	Dell Pro Slim QCS1250 Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x DisplayPort 1.4a (HBR3) Port, 1x HDMI 2.1 (TMDS) Port
DTDEBTO113QCT1250EM	R 24,609	Dell Pro Tower QCT1250 Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports,

		1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port
DTDEBTO115QCT1250EM	R 28,749	Dell Pro Tower QCT1250 Desktop PC, Intel Core Ultra 7 265U Twelve (12) Core Arrow Lake Turbo boost up to 5.3GHz 12MB Cache Processor with Intel Graphics (2 perfomance Cores & 8 efficient Cores & 2 low Power Efficient-cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keybard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port
DTDEBTO522QCT1255EM	R 23,574	Dell Pro QCT1255 Tower PC, AMD Ryzen 5 8600G 4.3GHz up to 5.0GHz 16MB Cache 6 Core Processor with AMD Radeon 760M Graphics, 16GB DDR5 Memory, 2 slots Max 64GB, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x Universal Audio Port (Front), 2x USB 2.0 Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x RJ45 Gigabit Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a
DTDEEBT2250U7161611P	R 58,982	Dell Tower Plus EBT2250 Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB DDR5-5200 Memory, 1TB M.2 PCI-e Solid State Drive, NVIDIA GeForce RTX 5060 8GB GDDR7 Graphics card, Wi-Fi 7, Bluetooth, Dell Pro Keyboard and Mouse, Windows 11 Pro, 3x USB 3.2 Type-A Gen 1 (Front), 1x USB 3.2 Type-C Gen 2 (No Video/Audio Output) (Front), 1x headset jack (Front), 1x SD card slot (Front), 4x USB 2.0 Type-A, 2x USB 3.2 Type-A Gen 1, 1x Thunderbolt 4 (Includes 4K Video Output), 1x HDMI (Includes 4K Video Output), 1x RJ45 Ethernet Port, 2.5GbE, 1x Stereo Audio (Line in / line out), 1x S/PDIF Optical, 1x Kensington lock slot
DTDEEBT2250U7321511P	R 76,324	Dell Tower Plus Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB DDR5-5200 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia Geforce RTX 5070 12GB GDDR7 Graphics card, Wi-Fi 7, Bluetooth, Dell Pro Keyboard and Mouse, Windows 11 Pro, 3x USB 3.2 Type-A Gen 1 (Front), 1x USB 3.2 Type-C Gen 2 (No Video/Audio Output) (Front), 1x headset jack (Front), 1x SD card slot (Front), 4x USB 2.0 Type-A, 2x USB 3.2 Type-A Gen 1, 1x Thunderbolt 4 (Includes 4K Video Output), 1x HDMI (Includes 4K Video Output), 1x RJ45 Ethernet Port, 2.5GbE, 1x Stereo Audio (Line in / line out), 1x S/PDIF Optical, 1x Kensington lock slot
DTDEEBT2250U9322511P	R 109,916	Dell Tower Plus Desktop PC, Intel Core Ultra 9 285K Twenty four (24) Core Arrow Lake Turbo boost up to 5.7GHz 36MB Cache Processor with Intel Graphics (8 perfomance Cores & 16 efficient Cores), 32GB DDR5-5200 Memory, 2x 1TB M.2 PCI-e Solid State Drive, NVIDIA GeForce RTX 5080 16GB GDDR7 Graphics card, Wi-Fi 7, Bluetooth, Dell Pro Keyboard and Mouse, Windows 11 Pro, 3x USB 3.2 Type-A Gen 1 (Front), 1x USB 3.2 Type-C Gen 2 (No Video/Audio Output) (Front), 1x headset jack (Front), 1x SD card slot (Front), 4x USB 2.0 Type-A, 2x USB 3.2 Type-A Gen 1, 1x Thunderbolt 4 (Includes 4K Video Output), 1x HDMI (Includes 4K Video Output), 1x RJ45 Ethernet Port, 2.5GbE, 1x Stereo Audio (Line in / line out), 1x S/PDIF Optical, 1x Kensington lock slot
DTDEFCT225071614W11P	R 43,234	Dell Pro Max Tower T2 FCT2250 Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 512GB DDR5 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia RTX A400 4GB GDDR6 Graphics card, 4 mDP to DP adapters, Keyboard & Mouse, Windows 11 Pro 64bit, 1x USB 3.2 Gen 1 (5Gbps) Port (Front), 1x USB 3.2 Gen 1 (5Gbps) Port with PowerShare (Front), 1x USB 3.2 Gen 2 (10Gbps) Type-C Port (Front), 1x USB 3.2 Gen 2x2 (20Gbps) Type-C Port with PowerShare (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports with SmartPower, 2x USB 3.2 Gen 2 (10Gbps) Ports, 1x USB 3.2 Gen 2x2 (20Gbps) Type-C Port, 1x RJ45 (1GbE) Ethernet Port, 2x DisplayPort 1.4a HBR3 Ports
DTDEFCT225073218W11P	R 63,548	Dell Pro Max Tower T2 FCT2250 Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB DDR5 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia RTX A1000 8GB GDDR6 Graphics card, 4 mDP to DP adapters, Keyboard & Mouse, Windows 11 Pro 64bit, 1x USB 3.2 Gen 1 (5Gbps) Port (Front), 1x USB 3.2 Gen 1 (5Gbps) Port with PowerShare (Front), 1x USB 3.2 Gen 2 (10Gbps) Type-C Port (Front), 1x USB 3.2 Gen 2x2 (20Gbps) Type-C Port with PowerShare (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) Ports with

		SmartPower, 2x USB 3.2 Gen 2 (10Gbps) Ports, 1x USB 3.2 Gen 2x2 (20Gbps) Type-C Port, 1x RJ45 (1GbE) Ethernet Port, 2x DisplayPort 1.4a HBR3 Ports
EBT2250_ARL_127	R 74,463	Dell Tower Plus Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB DDR5-5200 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia RTX 5070 12GB GDDR7 Graphics card, Wi-Fi 7, Bluetooth, Dell Pro Keyboard and Mouse, Windows 11 Pro, 3x USB 3.2 Type-A Gen 1 (Front), 1x USB 3.2 Type-C Gen 2 (No Video/Audio Output) (Front), 1x headset jack (Front), 1x SD card slot (Front), 4x USB 2.0 Type-A, 2x USB 3.2 Type-A Gen 1, 1x Thunderbolt 4 (Includes 4K Video Output), 1x HDMI (Includes 4K Video Output), 1x RJ45 Ethernet Port, 2.5GbE, 1x Stereo Audio (Line in / line out), 1x S/PDIF Optical, 1x Kensington lock slot
ECT1250_ARLS_102	R 19,649	Dell ECT1250 Tower Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-5600 Memory, 1TB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x Global Headset jack (Front), Media Card Reader (Front), 1x DisplayPort 1.4 Port, 1x HDMI 2.1 Port, 2x USB 3.2 Type-A Ports, 2x USB 2.0 Type-A Ports, 1x RJ45 Ethernet Port (1Gbps)
ECT1250_RPLS-R_003	R 13,768	Dell ECT1250 Tower Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x Global Headset jack (Front), Media Card Reader (Front), 1x DisplayPort 1.4 Port, 1x HDMI 2.1 Port, 2x USB 3.2 Type-A Ports, 2x USB 2.0 Type-A Ports, 1x RJ45 Ethernet Port (1Gbps)
ECT1250_RPLS-R_003	R 14,148	Dell ECT1250 Tower Desktop PC, Intel Core 14th Gen i5-14400 up to 4.7GHz 20MB Cache Ten Core 10x Processor with intergrated Intel UHD Graphics 730 (6 performace & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x Global Headset jack (Front), Media Card Reader (Front), 1x DisplayPort 1.4 Port, 1x HDMI 2.1 Port, 2x USB 3.2 Type-A Ports, 2x USB 2.0 Type-A Ports, 1x RJ45 Ethernet Port (1Gbps)
ECT1250_RPLS-R_007	R 15,335	Dell ECT1250 Tower Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x Global Headset jack (Front), Media Card Reader (Front), 1x DisplayPort 1.4 Port, 1x HDMI 2.1 Port, 2x USB 3.2 Type-A Ports, 2x USB 2.0 Type-A Ports, 1x RJ45 Ethernet Port (1Gbps)
ECT1250_RPLS-R_013	R 10,836	Dell ECT1250 Tower Desktop PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad 4x Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x Global Headset jack (Front), Media Card Reader (Front), 1x DisplayPort 1.4 Port, 1x HDMI 2.1 Port, 2x USB 3.2 Type-A Ports, 2x USB 2.0 Type-A Ports, 1x RJ45 Ethernet Port (1Gbps)
QCT1250-U7-16512GB-RTXA400	R 25,896	Dell Pro Tower QCT1250 Desktop PC, Intel Core Ultra 7 265U Twelve (12) Core Arrow Lake Turbo boost up to 5.3GHz 12MB Cache Processor with Intel Graphics (2 perfomance Cores & 8 efficient Cores & 2 low Power Efficient-cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, nVidia RTX A400 4GB GDDR6 Graphics card, 4 mDP Ports, WiFi 6, Bluetooth, Dell Pro Keyboard and Mouse, Windows 11 Pro 64bit, 180W Power Supply unit, 2x USB 2.0 (480 Mbps) Ports (Front), 1x USB 3.2 Gen 1 (5 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1 Global Headset jack (Front), 2x USB 2.0 (480 Mbps) with SmartPower on Ports, 2x USB 3.2 Gen 1 (5 Gbps) Ports, 1x RJ45 (1 Gbps) Ethernet Port, 1x HDMI 2.1 (TMDS) Port, 1x DisplayPort 1.4a (HBR3) Port

< Return to the menu

Dell computers : Dell Inspiron 530 PC / Computer

Product code	Price	Description

< Return to the menu

Dell computers : Dell Inspiron 560 PC / computer

Product code	Price	Description

< Return to the menu

Dell computers : Dell Inspiron 580 PC / Computer

Product code	Price	Description

< Return to the menu

Dell computers : Dell OptiPlex PC / Computer

Product code	Price	Description
DT-OPTI3080i3-256G8G11P	R 11,249	Dell OptiPlex 3080 SFF; Intel i3-10105; 8GB RAM; 256GB M.2 NVMe SSD; DVDRW; Windows 11 Pro; HDMI and DisplayPort; Keyboard and mouse included
DT-OPTI3080i3-512G8G11P	R 11,939	Dell Optiplex 3080 SFF Desktop PC, Intel Core i3-10105 3.7GHz up to 4.4GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630, 8GB DDR4-2666 Memory (1x8GB), 512GB M.2 2280 NVMe SSD Solid State Drive, DVD writer Optical Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1x RJ-45 Port 10/100/1000 Mbps (Rear), 2x USB 2.0 Type-A Ports (Front), 2x USB 2.0 Type-A Ports with Smart Power on (Rear), 2x USB 3.2 Gen 1 Type-A Ports (Front), 2x USB 3.2 Gen 1 Type-A Ports (Rear), 1x Universal Audio jack (Front), 1x DisplayPort 1.4 Port (Rear), 1x HDMI 1.4b Port (Rear), 1x SERIAL/PS2 slot (Optional), 1x audio Line-In/out Port retasking (Rear)
DT-OPTI3090i3-256G8G	R 12,168	Dell Optiplex 3090 SFF PC, Intel Core i3-10105 3.7GHz up to 4.4GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630, 8GB (1x8GB) DDR4 UDIMM non-ECC Memory, 2 slots, 256GB M.2 PCI-e NVMe Class 35 Solid State Drive, DVD writer Optical Drive Optical Disk Drive, Dell USB Keyboard & Mouse, Windows 11 Pro 64bit, 1x RJ-45 Port 10/100/1000 Mbps (Rear), 2 USB 2.0 Type-A Ports (Front), 2x USB 2.0 Type-A Ports with Smart power on (Rear), 4x USB 3.2 Gen 1 Type-A Ports (Rear), 1x Universal audio jack (Front), 2x DisplayPorts 1.4 (Rear)
DT-OPTI3090i3T-256G8G	R 13,219	Dell Optiplex 3090 MFF Micro Form Factor PC, Intel Core i3-10105T 3.0GHz up to 3.9GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630, 8GB (1x8GB) DDR4-2666 Memory, 256GB M.2 NVMe PCI-e Solid State Drive, No Optical Drive, USB Keyboard & Mouse, WiFi, Bluetooth, Windows 11 Pro, 1x USB 3.2 Gen1 Type-A Port (Front), 1x Universal audio jack (Front), 1x re-tasking line out/line in audio Port (Front), 1x RJ-45 Port 10/100/1000 Mbps, 1x USB 3.2 Gen1 Type-A Port with Smart Power on, 3x USB 3.2 Gen1 Type-A Ports, 2x DisplayPort 1.4, 1x kensignton cable-lock slot

< Return to the menu

Dell computers : Dell Vostro PC / Computer

Product code	Price	Description
74-N6004VDT3030MTEMEA	R 13,171	Dell Vostro 3030 Mini Tower PC, Intel Core 12th Gen i5-12400 up to 4.4GHz 18MB Cache Hex (6x) Core Processor with intergrated Intel UHD Graphics 730 (6 performace Cores), 8GB DDR5 RAM, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Type-C Gen 1 Port (Front), 1x Universal Headset jack (Front), 2x USB 2.0 Ports with Power on/wake support, 2x USB 3.2 Gen 1 Port, 1x audio Line-Out Port, 1x DisplayPort 1.4 Port, 1x RJ-45 Ethernet Port, 1x HDMI 1.4b Port, N6004VDT3030MTEMEA01
74-N6006VDT3030MTEMEA	R 19,097	Dell Vostro 3030 Mini Tower PC, Intel Core 12th Gen i7-12700 up to 4.9GHz 25MB Cache Twelve (12x) Core Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient Cores), 16GB DDR5 RAM, 1TB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Wi-Fi 6, Bluetooth 5.3, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Type-C Gen 1 Port (Front), 1x Universal Headset jack (Front),

		2x USB 2.0 Ports with Power on/wake support, 2x USB 3.2 Gen 1 Port, 1x audio Line-Out Port, 1x DisplayPort 1.4 Port, 1x RJ-45 Ethernet Port, 1x HDMI 1.4b Port
74-N6007VDT3030MTEMEA	R 13,004	Dell Vostro 3030 Mini Tower PC, Intel Core 12th Gen i7-12700 up to 4.9GHz 25MB Cache Twelve (12x) Core Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient Cores), 8GB DDR5 RAM, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Type-C Gen 1 Port (Front), 1x Universal Headset jack (Front), 2x USB 2.0 Ports with Power on/wake support, 2x USB 3.2 Gen 1 Port, 1x audio Line-Out Port, 1x DisplayPort 1.4 Port, 1x RJ-45 Ethernet Port, 1x HDMI 1.4b Port
DELLVO3681i3-256G8G	R 11,244	Dell Vostro 3681 SFF Desktop PC, Intel Core i3-10100 3.6GHz up to 4.3GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630, 8GB DDR4-3200 Memory, 256GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, WiFi, Bluetooth, USB Keyboard & Mouse, Windows 10 Pro 64bit, 4x USB 3.2 Gen 1 Type-A, 4x USB 2.0 Type-A, 1 combo audio jack, 1 line out, 1x VGA Port, 1x HDMI out, 1x RJ-45
N6007VDT3030MTEMEA01	R 16,715	Dell Vostro 3030 Mini Tower PC, Intel Core 12th Gen i7-12700 up to 4.9GHz 25MB Cache Twelve (12x) Core Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient Cores), 8GB DDR5 RAM, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2x USB 2.0 Ports (Front), 1x USB 3.2 Gen 1 Port (Front), 1x USB 3.2 Type-C Gen 1 Port (Front), 1x Universal Headset jack (Front), 2x USB 2.0 Ports with Power on/wake support, 2x USB 3.2 Gen 1 Port, 1x audio Line-Out Port, 1x DisplayPort 1.4 Port, 1x RJ-45 Ethernet Port, 1x HDMI 1.4b Port

< Return to the menu

Dell computers : Dell Workstation Computer

Product code	Price	Description
74-N009PT3680MTEMEAVP	R 39,057	Dell Precision Tower 3680 PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient Cores), 32GB DDR5-4400 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia T1000 8GB GDDR6 Graphics card with 4 mDP to DP adapters, Windows 11 Pro 64bit, 500W (80 Plus Platinum) PSU, 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with PowerShare (Front), 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port with PowerShare (Front), 1x Universal audio Port (Front), 2x DisplayPort 1.4a HBR2 Ports, 2x USB 2.0 (480 Mbps) Ports with SmartPower, 1x RJ45 (1 GbE) Ethernet Port, 2x USB 3.2 Gen 2 (10 Gbps) Ports, 2x USB 3.2 Gen 2 (10 Gbps) Type-C Ports, 1x audio Line-Out, N009PT3680MTEMEA_VP
PWT1260-U7-161TB-8GFX	R 44,861	Dell Pro Precision 7 T1 PW7T1260 Workstation PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB DDR5-5600 Memory, 1TB M.2 2230 TLC PCI-e Gen4 SSD, nVidia A1000 8GB GDDR6 Graphics card, Dell Wired Keyboard & Mouse, Windows 11 Pro 64bit
T3680-I7-16GB1TB-8GFX	R 38,596	Dell Precision Tower 3680 PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient Cores), 16GB DDR5-4400 Memory, 1TB M.2 PCI-e Solid State Drive, nVidia RTX A1000 8GB GDDR6 Graphics card with 4 mDP to DP adapters, Windows 11 Pro 64bit, 500W (80 Plus Platinum) PSU, 1x USB 3.2 Gen 1 (5 Gbps) Port (Front), 1x USB 3.2 Gen 1 (5 Gbps) Port with PowerShare (Front), 1x USB 3.2 Gen 2 (10 Gbps) Type-C Port (Front), 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C Port with PowerShare (Front), 1x Universal Audio Port (Front), 2x DisplayPort 1.4a HBR2 Ports, 2x USB 2.0 (480 Mbps) Ports with SmartPower, 1x RJ45 (1 GbE) Ethernet Port, 2x USB 3.2 Gen 2 (10 Gbps) Ports, 2x USB 3.2 Gen 2 (10 Gbps) Type-C Ports, 1x audio Line-Out
T5860-W3-2423-321TB-3YPS	R 55,438	Dell Precision 5860 Tower Workstation, Intel Xeon w3-2423 2.1GHz up to 4.3GHz 15MB Cache Hex 6x Core Processor with no intergrated Graphics (6 Performance-cores), 32GB DDR5-4800 RDIMM ECC Memory (2x16GB), 1TB M.2 PCI-e Solid State Drive Class 40, nVidia T1000 8GB GDDR6 Graphics card with 4 mDP to DP adapters, Windows 11 Pro for workstations (6 Cores) 64bit, 750W Chassis, 2x SATA flexbay L6, 2x USB 3.2 Gen 1 Ports (Front), 1x USB 3.2 Gen 2 Type-C Port with PowerShare (Front), 1x USB 3.2 Gen 2 Type-C Port (Front), 1x Universal audio Port (Front), 1x SD-card slot (Front), 3x USB 3.2 Gen 2 Type-C Ports, 2x USB 3.2 Gen 1 Ports, 1x USB 3.2 Gen 1 Port with Smart Power on, 1x RJ45 1 GbE Ethernet Port, 1x RJ45 10 GbE Ethernet Port, 1

	Line-Out Port

< Return to the menu

HP PCs		
HP PCs : HP Compaq 500B Series Computers		
Product code	**Price**	**Description**

< Return to the menu

HP PCs : HP Convertible MiniTower PC		
Product code	**Price**	**Description**

< Return to the menu

HP PCs : HP MicroTower computers		
Product code	**Price**	**Description**

< Return to the menu

HP PCs : HP MiniTower computers		
Product code	**Price**	**Description**

< Return to the menu

HP PCs : HP SFF Small Form Factor PC		
Product code	**Price**	**Description**
99N06ET	R 15,982	HP 99N06ET Pro SFF 400 G9 Desktop PC, Intel Core 13th Gen i5-13500 up to 4.8GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 8GB DDR4-3200 Memory (1x8GB), 2 slots / Max 64 GB, 512GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, WiFi 6, Bluetooth, HP USB 125 Keyboard HP 125 Wired Mouse, Windows 11 Pro 64 Bit, 1x Headphone / Microphone combo (Front), 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1 audio-out, 1x RJ-45 Gigabit LAN, 1x HDMI 1.4, 3x USB Type-A 5Gbps, 1x DisplayPort 1.4, 2x USB Type-A 480 Mbps
9H7N7ET	R 24,563	HP ProDesk 4 G1i SFF PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi fi 6E Bluetooth, USB Wired keyboard mouse, Win 11 Pro, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x Audio-Out, 3x USB Type-A 480 Mbps, 1x DisplayPort 2.1
D15H5ET	R 34,878	HP ProDesk 4 G1i SFF PC, Intel Core Ultra 5 225 Ten 10 Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 32GB (2x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6E Bluetooth, USB Wired keyboard mouse, Win 11 Pro, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x Audio-Out, 3x USB Type-A 480 Mbps, 1x DisplayPort 2.1
DTHP9H7N8ET	R 29,784	HP ProDesk 4 G1i SFF PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6E Bluetooth, USB Wired keyboard mouse, Win 11 Pro, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x Audio-Out, 3x USB Type-A 480 Mbps, 1x DisplayPort 2.1
DTHPD15H5ET	R 33,531	HP ProDesk 4 G1i SFF PC, Intel Core Ultra 5 225 Ten 10 Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 32GB (2x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6E Bluetooth, USB Wired keyboard mouse, Win 11 Pro, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x Audio-Out, 3x USB Type-A 480 Mbps, 1x DisplayPort 2.1
DTHPD15H6ET	R 42,019	HP ProDesk 4 G1i SFF PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB

		Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 32GB (1x32GB) DDR5 Memory, 1TB M.2 PCI-e Solid State Drive, WiFi 6E Bluetooth, USB Wired keyboard mouse, Windows 11 Pro 64bit, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x Audio-Out, 3x USB Type-A 480 Mbps, 1x DisplayPort 2.1, D15H6ET
DTHPD6PK3ET	R 26,917	HP ProDesk 4 G1i SFF PC, Intel Core Ultra 5 225 Ten 10 Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 24GB (1x24GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi fi 6E Bluetooth, USB Wired keyboard mouse, Win 11 Pro, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x Audio-Out, 3x USB Type-A 480 Mbps, 1x DisplayPort 2.1, D6PK3ET

< Return to the menu

HP PCs : HP Tower computers

Product code	Price	Description
99N09ET	R 14,868	HP 99N09ET Pro Tower 400 G9 Desktop PC, Intel Core 13th Gen i5-13500 up to 4.8GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 8GB DDR4-3200 RAM, 2 slots / Max 64 GB, 512GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, WiFi 6, Bluetooth, HP USB 125 Keyboard HP 125 Wired Mouse, Windows 11 Pro 64bit, 1x Headphone / Microphone combo (Front), 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1 audio-out, 1x RJ-45 Gigabit LAN, 1x HDMI 1.4, 3x USB Type-A 5Gbps, 1x DisplayPort 1.4, 2x USB Type-A 480 Mbps
9H7P0ET	R 17,015	HP ProDesk 4 G1i Tower PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro 64bit, Intel I219lm GbE Network Interface, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x audio Line-In/Line-Out, 3x USB 2.0 Type-A, 1x DisplayPort 2.1
9H7P0ET	R 30,324	HP ProDesk 4 G1i Tower PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro 64bit, Intel I219lm GbE Network Interface, 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x audio Line-In/Line-Out, 3x USB 2.0 Type-A, 1x DisplayPort 2.1
9M966AT	R 11,671	HP 9M966AT Pro Tower 290 G9 Desktop PC, Intel Core 12th Gen i3-12100 up to 4.3GHz 12MB Cache Quad (4x) Core Processor with intergrated Intel UHD Graphics 730 (4 performace Cores), 8GB DDR4-3200 Memory, 2 slots / Max 64 GB, 512GB M.2 2280 PCI-e NVMe Solid State Drive, DVD writer Optical Drive, HP 125 USB Wired Keyboard HP 125 Wired Mouse, Windows 11 Pro 64bit, 1x Headphone / Microphone Combo (Front), 4x USB Type-A 5Gbps (Front), 1x HDMI, 1 line in, 1 line out, 1x RJ-45 Gigabit LAN, 1x VGA, 4x USB 2.0
9M976AT	R 12,960	HP 9M976AT Pro Tower 290 G9 Desktop PC, Intel Core 12th gen i5-12500 up to 4.6GHz 18MB Cache Hex (6x) Core Processor with intergrated Intel UHD Graphics 770 (6 Performace cores), 8GB DDR4-3200 Memory, 2 slots / Max 64 GB, 512GB M.2 2280 PCI-e NVMe Solid State Drive, DVD writer Optical Drive, HP 125 USB Wired Keyboard HP 125 Wired Mouse, Windows 11 Pro 64bit, 1x Headphone / Microphone combo (Front), 4x USB Type-A 5Gbps (Front), 1x HDMI, 1 line in, 1 line out, 1x RJ-45 Gigabit LAN, 1x VGA, 4x USB 2.0
9M979AT	R 16,688	HP 9M979AT Pro Tower 290 G9 Desktop PC, Intel Core 12th gen i7-12700 up to 4.9GHz 25MB Cache Twelve (12) Core Processor with intergrated Intel UHD Graphics 770 (6 Performace & 4 Efficient cores), 16GB DDR4-3200 Memory, 2 slots / Max 64 GB, 512GB M.2 2280 PCI-e NVMe Solid State Drive, DVD writer Optical Drive, HP 125 USB Wired Keyboard HP 125 Wired Mouse, Windows 11 Pro 64bit, 1x Headphone / Microphone combo (Front), 4x USB Type-A 5Gbps (Front), 1x HDMI, 1 line in, 1 line out, 1x RJ-45 Gigabit LAN, 1x VGA, 4x USB 2.0
DTHPD15H7ET	R 37,163	HP Elite Tower 8 G1i Desktop PC, Intel Core Ultra 5 235 Fourteen (14) Core Arrow Lake Turbo boost up to 5.0GHz 24MB Cache Processor with Intel Graphics (6 perfomance Cores & 8 efficient Cores), 32GB DDR5-5600 (1x32GB) Memory, 4 slots / Max 128 GB, 1TB M.2 PCI-e Solid State Drive, No Optical Drive, Wi-Fi 7, Bluetooth, USB

		Keyboard USB Mouse, Windows 11 Pro 64bit, USB Type-C 20Gbps (Front), 4x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x audio Line-In/Line-Out, 3x USB 2.0 Type-A, 2x DisplayPort 2.1, 280 W external Power Adapter, D15H7ET
DTHPD15HBET	R 66,487	HP Elite Tower 8 G1i Desktop PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 30MB Cache Processor with Intel Graphics (8 Perfomance Cores & 12 Efficient Cores), 64GB DDR5-5600 (2x32GB) Memory, 4 slots / Max 128 GB, 2TB M.2 PCI-e Solid State Drive, No Optical Drive, Wi-Fi 7, Bluetooth, USB Keyboard USB Mouse, Windows 11 Pro 64bit, USB Type-C 20Gbps (Front), 4x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 2x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1x audio Line-In/Line-Out, 3x USB 2.0 Type-A, 2x DisplayPort 2.1, 280 W external Power Adapter, D15HBET
DTHPD19YKEA	R 26,534	HP Pro Tower 400 G9 Desktop PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient cores), 16GB DDR5-4800 RAM, 2 slots / Max 64 GB, 512GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, WiFi 6, Bluetooth, HP USB 125 Keyboard HP 125 Wired Mouse, Windows 11 Pro 64bit, 1x Headphone / Microphone combo (Front), 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1 audio-out, 1x RJ-45 Gigabit LAN, 1x HDMI 1.4, 3x USB Type-A 5Gbps, 1x DisplayPort 1.4, 2x USB Type-A 480 Mbps, D19YKEA
DTHPD19YMEA	R 20,894	HP Pro Tower 400 G9 Desktop PC, Intel Core 13th Gen i5-13500 up to 4.8GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 8GB DDR5-4800 RAM, 2 slots / Max 64 GB, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, WiFi 6, Bluetooth, HP USB 125 Keyboard HP 125 Wired Mouse, Windows 11 Pro 64bit, 1x Headphone / Microphone combo (Front), 1x USB Type-C 10Gbps (Front), 3x USB Type-A 10Gbps (Front), 1 audio-out, 1x RJ-45 Gigabit LAN, 1x HDMI 1.4, 3x USB Type-A 5Gbps, 1x DisplayPort 1.4, 2x USB Type-A 480 Mbps, D19YMEA
DTHPD6RQ1EA	R 24,412	HP Pro Tower 290 G9 PCI Desktop PC, Intel Core 14th Gen i7-14700 up to 5.4GHz 33MB Cache Twenty Core (20) Processor with intergrated Intel UHD Graphics 770 (8 performace & 12 efficient cores), 8GB DDR4-3200 Memory, 2 slots / Max 64GB, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, 125 USB Wired Keyboard HP 125 Wired Mouse, Windows 11 Pro, 2x USB Type-A 10Gbps Ports (Front), 3x USB Type-A 5Gbps Ports (Front), 1x USB Type-C Port (Front), 1x Headphone / Microphone Combo (Front), 2x USB 2.0 Type-A Port, 1x HDMI, 1x DisplayPort, 1x Serial, 1x line in, 1x line out, 6RQ1EA
DTHPD6RQ3EA	R 19,327	HP Pro Tower 290 G9 PCI Desktop PC, Intel Core 14th Gen i3-14100 up to 4.7GHz 12MB Cache Quad 4x Core Processor with intergrated Intel UHD Graphics 730 (4 performace Cores), 8GB DDR4-3200 Memory, 2 slots / Max 64GB, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, 125 USB Wired Keyboard HP 125 Wired Mouse, Windows 11 Pro, 2x USB Type-A 10Gbps Ports (Front), 3x USB Type-A 5Gbps Ports (Front), 1x USB Type-C Port (Front), 1x Headphone / Microphone Combo (Front), 2x USB 2.0 Type-A Port, 1x HDMI, 1x DisplayPort, 1x Serial, 1x line in, 1x line out, 6RQ3EA
DTHPD6RR1EA	R 21,200	HP Pro Tower 290 G9 PCI Desktop PC, Intel Core 14th Gen i5-14500 up to 5.0GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores) , 8GB DDR4-3200 Memory, 2 slots / Max 64GB, 512GB M.2 PCI-e Solid State Drive, No Optical Drive, 125 USB Wired Keyboard HP 125 Wired Mouse, Windows 11 Pro, 2x USB Type-A 10Gbps Ports (Front), 3x USB Type-A 5Gbps Ports (Front), 1x USB Type-C Port (Front), 1x Headphone / Microphone Combo (Front), 2x USB 2.0 Type-A Port, 1x HDMI, 1x DisplayPort, 1x Serial, 1x line in, 1x line out, 6RR1EA

< Return to the menu

HP PCs : HP Ultra-Slim Desktop PC		
Product code	**Price**	**Description**
BY6U6ET	R 26,370	HP ProDesk 4 G1i Mini PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi fi 6E Bluetooth, HP Keyboard & Mouse, Windows 11 Pro 64bit, 1x USB Type-C 20Gbps (Front), 2x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 3x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1 Power connector, 2x DisplayPort 2.1, 2 external antenna connector
DD2Q9ET	R 29,623	HP EliteBoard G1a Keyboard PC, AMD Ryzen AI Pro 350 2GHz up to 5GHz 16MB L3 Cache Eight Core Processor

		with AMD Radeon 860m Graphics, 24GB (1x24GB) DDR5-5600 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, HP 675 Wireless Mouse, Wi-Fi 7, Bluetooth, Windows 11 Pro 64bit, IDS detached cable, 65 W Power Supply, HP Long Life 2-cell Battery, 1x USB Type-C 40Gbps signaling rate (USB Power Delivery / DisplayPort 2.1b), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 1x Nano Security lock slot, DD2Q9ET
DD2R0ET	R 22,907	HP EliteBoard G1a Keyboard PC, AMD Ryzen 5 330 2GHz up to 4.5GHz 8MB L3 Cache Quad Core Processor with AMD Radeon 820M Graphics, 16GB (1x16GB) DDR5-5600 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, HP 675 Wireless Mouse, Wi-Fi 7, Bluetooth, Windows 11 Pro 64bit, IDS detached cable, 65 W Power Supply, HP Long Life 2-cell Battery, 1x USB Type-C 40Gbps signaling rate (USB Power Delivery / DisplayPort 2.1b), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 1x Nano Security lock slot, DD2R0ET
DTHPBY6U5ET	R 24,756	AXIZ HP ProDesk 4 G1i Mini PC, Intel Core Ultra 5 225T Ten (10) Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi fi 6E Bluetooth, HP Keyboard & Mouse, Windows 11 Pro 64bit, 1x USB Type-C 20Gbps (Front), 2x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 3x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1 Power connector, 2x DisplayPort 2.1, 2 external antenna connector
DTHPBY6U6ET	R 28,733	AXIZ HP ProDesk 4 G1i Mini PC, Intel Core Ultra 7 265T Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB L3 Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB (1x16GB) DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi fi 6E Bluetooth, HP Keyboard & Mouse, Windows 11 Pro 64bit, 1x USB Type-C 20Gbps (Front), 2x USB Type-A 10Gbps (Front), 1x Headphone / Microphone Combo (Front), 3x USB Type-A 5Gbps, 1x HDMI 2.1, 1x RJ-45, 1 Power connector, 2x DisplayPort 2.1, 2 external antenna connector

< Return to the menu

HP PCs : HP Workstations

Product code	Price	Description

< Return to the menu

Intel based computers

Product code	Price	Description
GAMI5	R 13,799	Mlink Gaming i5 PC, B760 DDR5 Motherboard, Intel Core 13th Gen i5-13400 up to 4.6GHz 20MB Cache Ten Core 10 Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient Cores), 16GB DDR5-5600 RAM, 512GB M.2 PCI-e Solid State Drive, nVidia 1650 4GB GDDR6 Graphics card, No Operating System
I5GAMINGPC	R 15,524	Micropoint I5GAMINGPC GAMING I5 PC 8GB, 512GB, 4GB GPU, NO OS
MAG CODEX X5 12TE-1056ZA	R 34,038	MSI MAG Codex X5 prebuilt Gaming Desktop, MSI Pro Z690-A WiFi Motherboard, Intel Core i7-12700KF 3.6GHz up to 5.0GHz 25MB Cache twelve Core (12) Processor with no intergrated Graphics, 16GB (2x8GB) DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, MSI 3070 Ti Ventus 3X 8GB OC Graphics card, 750W 80 Power Supply unit, Water cooling, WiFi 6, Windows 11 Home 64bit
PCB-AIO-FIB24-I38480-D5	R 12,153	PCBuilder Fusion 24" Intel Core i3-12100 8GB DDR5 512GB Windows 11 AIO Desktop PC, 24" LED IPS 1920x1080 Display, Intel Core 12th gen i3-12100 up to 4.3GHz 12MB Cache Quad (4x) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), Patriot 8GB DDR5 4800 MHz SO-DIMM Notebook Memory, Hiksemi Wave(P) 512GB PCIe Gen3 2280 NVMe M.2 SSD, Windows 11 Home, 3W Speaker Output Power, 5MP (2560x1920p) camera, Dual DMIC camera Mic, 75x75mm VESA Mount, Intel 9650 Wireless LAN, Bluetooth, Liftable (Height-Adjustable) stand Type, Tilt, 1x HDMI 1.4, 1x VGA, 2x USB 2.0 (Up to 480mbs), 1x RJ45 Gigabit Ethernet (10/100/1000 Mbps), 2x USB 3.2 (Up to 5Gbps), 1x 3.5mm Aux (Line-Out), 1x 3.5mm Aux (Mic-In), 1x USB 2.0 (Up to 480 Mbps) (Side), 1x Type-C (Up to 480 Mbps) (Side), 1x 3.5mm Aux (Dual Line-Out & Mic-In) (Side)
PCB-AIO-FIB24-I5161000-D5	R 15,302	PCBuilder Fusion 24" Intel Core i5-12400 16GB DDR5 1TB Windows 11 AIO Desktop PC, 24" LED IPS 1920x1080 Display, Intel Core 12th Gen i5-12400 up to 4.4GHz 18MB Cache Hex (6) Core Processor with intergrated Intel UHD Graphics 730 (6 performace Cores), Hiksemi 16GB DDR5-4800 MHz SO-DIMM Notebook Memory, Crucial E100 1TB PCI-e Gen4 2280 NVMe M.2 SSD, Windows 11 Home, 3W Speaker Output Power, 5MP (2560x1920p) camera, Dual DMIC camera Mic, 75x75mm VESA Mount, Intel 9650 Wireless LAN, Bluetooth,

		Liftable (Height-Adjustable) stand Type, Tilt, 1x HDMI 1.4, 1x VGA, 2x USB 2.0 (Up to 480mbs), 1x RJ45 Gigabit Ethernet (10/100/1000 Mbps), 2x USB 3.2 (Up to 5Gbps), 1x 3.5mm Aux (Line-Out), 1x 3.5mm Aux (Mic-In), 1x USB 2.0 (Up to 480 Mbps) (Side), 1x Type-C (Up to 480 Mbps) (Side), 1x 3.5mm Aux (Dual Line-Out & Mic-In) (Side)
PCB_DEFENDER_05	R 11,698	MSI PCBuilder AMD AM4 Ryzen 5 5600GT defender Windows 11 Gaming PC, AMD Ryzen 5 5600GT 6-core 3.6GHz AM4 CPU, MSI A520 Chipset AM4 mATX Motherboard, Patriot 16GB DDR5 3600MHz Gaming Memory kit, Crucial Gen3 500GB NVMe Solid State Drive (SSD), 550W Modular Gold PSU, PCBuilder protector mATX Gaming Chassis, Microsoft Windows 11 Home
PCB_HOME_I38G-V4	R 9,451	PCBuilder Intel i3-14100 Home Master Windows 11 Desktop PC, Intel i3-14100 4-core 3.5GHz LGA1700 CPU, H610M Chipset Intel LGA1700 Micro-ATX Motherboard, 8GB DDR4-3200 Desktop Memory, 480GB M.2 Gen3 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker Micro-ATX Chassis
PCB_HOME_I38G-V4-T	R 9,446	PCBuilder Intel Core i3-14100 Home Master Windows 11 Desktop PC, Intel UHD Graphics 730 Integrated Graphics included, H610 Chipset LGA1700 Micro-ATX Motherboard installed, 8GB DDR4-3200 Desktop Memory capacity, 480GB M.2 NVMe SSD storage Drive, Microsoft Windows 11 Home Operating System Pre-Installed,
PCB_HOME_I516G	R 11,698	MSI PCBuilder Intel i5-12400 Home Master Windows 11 Desktop PC, Intel i5-12400 6-core 2.5GHz LGA1700 CPU, H610 Chipset Intel LGA1700 Micro-ATX Motherboard, 16GB DDR4-3200 Desktop Memory, 500GB M.2 Gen3 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker Micro-ATX Chassis, Microsoft Windows 11
PCB_HOME_I516G-V1-T	R 11,702	PCBuilder Intel Core i5-12400 Home Master Windows 11 Desktop PC, Intel Core i5-12400 6-core LGA1700 CPU with base Clock Speed of 2.5GHz and boost up to 4.4GHz, Integrated Intel UHD Graphics 730 Processor Graphics, H610 Chipset LGA1700 Micro-ATX Motherboard, 16GB DDR4-3200 Desktop Memory configured as 8GB x 2 modules, 480GB M.2 NVMe SSD Storage Capacity, Microsoft Windows 11 Home Operating System Pre-Installed
PCB_HOME_I716G-V2	R 16,654	PCBuilder Intel i7-14700 Home Master Windows 11 Desktop PC, Intel i7-14700 20-core 2.1GHz LGA1700 CPU, B760M Chipset Intel LGA1700 Micro-ATX Motherboard, 16GB DDR4-3200 Desktop Memory (8GB x 2), 480GB M.2 Gen3 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker Micro-ATX Chassis
PCB_ODYSSEY_01	R 62,998	PCBuilder Ryzen 7 9850X3D Odyssey Windows 11 Gaming PC, AMD Ryzen 7 9850X3D AM5 CPU with 8 Cores and 16 threads Boost Clock Speed up to 5.6GHz, Asus B850 Chipset AM5 ATX Motherboard, 32GB DDR5-6000 Gaming Memory kit (16GB x2), nVidia Geforce RTX 5080 16GB GDDR6 Graphics card, Boost Clock Speed of 2655MHz and Memory Speed of 30Gbps, 1TB Gen4 NVMe SSD with Read Speed up to 7, 100MB/s, PCBuilder Lookout ATX Mid Tower Chassis with Tempered Glass side panel, PCBuilder Blizzard Freeze 360mm AIO Liquid Cooler with three 120mm fans, 850W 80 Plus Bronze Semi-Modular Power Supply (ATX 3.1), Microsoft Windows 11 Home Pre-Installed
PCB_OFFICE_I38G-V4	R 11,973	PCBuilder Intel i3-14100 Office Master Windows 11 Desktop PC, Intel i3-14100 4-core 3.5GHz LGA1700 CPU, H610M Chipset Intel LGA1700 Micro-ATX Motherboard, 8GB DDR4-3200 MHz Desktop Memory, 480GB M.2 Gen3 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker Micro-ATX Chassis, Microsoft Windows 11 Pro
PCB_OFFICE_I516G-V3	R 13,770	Intel i5-12400 6-Core 2.5GHz LGA1700, 16GB DDR4 3200MHz, 500GB M.2 NVMe, H610 Chipset LGA1700 Bunker Micro-ATX Chassis with Microsoft Windows 11 Pro
PCB_OFFICE_I516G_CSM	R 15,303	PCBuilder Intel i5-14400 Office Master Windows 11 Desktop PC, Intel i5-14400 10-core 2.5GHz LGA1700 CPU, B760m-c CSM Chipset Intel LGA1700 Micro-ATX Motherboard, 16GBDDR5 5600MHz Desktop Memory, 480GB M.2 Gen4 NVMe SSD, 300W ATX Non-Modular Power Supply, PCBuilder bunker Micro-ATX Chassis, Microsoft Windows 11 Pro
PCB_SCOUT_05	R 15,300	MSI PCBuilder AMD Ryzen 5 5500 Scout Windows 11 Gaming PC, AMD Ryzen 5 5500 6-core 3.6GHz AM4 CPU, MSI A520 Chipset AM4 mATX Motherboard, Patriot 16GB DDR5 3600MHz Gaming Memory kit, MSI Geforce RTX 3050 6GB GDDR6 Graphics card, Crucial Gen3 1TB NVMe Solid State Drive (SSD), 550W Modular Gold PSU, PCBuilder protector mATX Gaming Chassis, Microsoft Windows 11 Home
PCB_SEEKER_02	R 36,000	PCBuilder Ryzen 5 7600 Seeker Windows 11 Gaming PC, AMD Ryzen 5 7600 6-core 3.8GHz AM5 CPU, Asus B840 Chipset AM5 mATX Motherboard, 32GB DDR5-6000 Gaming Memory kit, Radeon RX 9060 XT 16GB GDDR6 Graphics card, Gen4 1TB NVMe Solid State Drive (SSD), 650W Non-Modular 80 Plus Bronze PSU,

		PCBuilder Fortress ATX Gaming Chassis, PCBuilder Blizzard Freeze 360mm ARGB AIO Liquid CPU Cooler, Microsoft Windows 11 Home
PCB_UPK_ROGZ890-245K	R 20,683	PCBuilder Intel Core Ultra 5 245K LEVEL UP Core Upgrade Kit, Intel Core Ultra 5 245K 14-core 4.20GHz LGA1851 CPU, Asus Z890 Chipset Intel LGA1851 ATX Motherboard, 32GB DDR5-6400 Memory, PCBuilder Hydro Chill 240mm AIO Liquid CPU Cooler
PCB_UPK_ROGZ890-265KF	R 23,973	PCBuilder Intel Core Ultra 7 265KF LEVEL UP Core Upgrade Kit, Asus Z890 Chipset Intel LGA1851 ATX Motherboard, 32GB DDR5-6400 Memory, 1TB Gen4 M.2 NVMe Solid State Drive, PCBuilder Hydro Chill 240mm AIO Liquid CPU Cooler
PYRA1	R 19,549	AZZA Pyramid PC, i5 11th Gen CPU, H510 DDR4 mainboard, 32GB DDR4-3600 RAM with Heatsink kit, 1TB M.4 NVMe Gen4 SSD with Heatsink, nVidia RTX 3050 6GB GDDR6 GPU, 750W PSU

< Return to the menu

Lenovo computers / IBM

Product code	Price	Description
12RQ002TSA	R 12,059	Lenovo ThinkCentre M75q Gen 5 Tiny PC, AMD Ryzen 3 8300GE 3.5GHz up to 4.9GHz 8MB Cache Quad-Core Processor with Radeon 740M Graphics, 1x 8GB DDR5-5200 SO-DIMM Memory, 2x DDR5 SO-DIMM slots, 512GB M.2 PCI-e Solid State Drive, USB traditional Keyboard, USB Calliope Mouse, Wi-Fi 6, Bluetooth, Windows 11 Pro 64bit, 90W 89% Adapter Power Supply, 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x USB Type-A (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 4x USB Type-A Ports, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x Gigabit Ethernet
12U8006ASA	R 16,835	Lenovo ThinkCentre M70s Gen 5 SFF PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient Cores), 8GB UDIMM DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard and Mouse, Wi-Fi 6E, Bluetooth 5.3, Windows 11 Pro 64bit, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with 15W charging (Front), 4x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 4x USB Type-A, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4a, 1x Ethernet (RJ-45)
12YQ000ESA	R 24,380	Lenovo M70s Gen 6 SFF PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wifi 6E, Bluetooth, USB Keyboard Mouse, Windows 11 Pro 64, 1WX1 Speakers, 260W 90% Power Supply, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 4x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), 1x HDMI 2.1, 2x DisplayPort 1.4a, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm), 12YQ000ESA
13B90029SA	R 11,555	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
13B90053SA	R 12,826	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45), 13B90053SA
13B90053SA-BUN4Q2	R 14,661	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone /

		Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45), 13B90053SA, Includes Lenovo ThinkVision S22-4e 21.5" IPS Full HD 1920x1080 100Hz WLED backlight Monitor
13B90059SA	R 16,148	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45), 13B90059SA
13B90059SA-BUN5Q2	R 16,814	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 5 210H Eight 8x Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45), 13b90059sa, Includes Lenovo ThinkVision S24-4e 23.8" IPS Full HD 1920x1080 100Hz WLED backlit Monitor, HDMI, VGA
13DM0038SA	R 18,399	Lenovo ThinkCentre Neo 50s G6 SFF Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro, 1W x1 Speaker, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), with 15W charging, 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm), 13dm0035sa
13DM0039SA	R 19,999	Lenovo Neo 50s G6 SFF PC, Intel Core Ultra 7 265U Twelve (12) Core Arrow Lake Turbo boost up to 5.3GHz 12MB Cache Processor with Intel Graphics (2 perfomance Cores & 8 efficient Cores & 2 low Power Efficient-cores), 8GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi, BT, USB jkeyboard & Mouse, Windows 11 Pro 64, 3-in-1 Card Reader, 260W 90% Power Supply, 1WX1 Speakers, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with 15W charging (Front), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm)
13HR001JSA	R 17,441	Lenovo ThinkCentre Neo 50q Gen 6 Tiny PC, Intel Core Ultra 5 226V Eight 8x Core Lunar Lake Turbo boost up to 4.5GHz 8MB Cache Processor with Intel ARC 130V Graphics (6 perfomance Cores & 8 low Power efficient Cores), 16GB soldered LPDDR5X-8533 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2Wx1 Speakers, 65W 89% Adapter Power Supply, USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), USB Type-A, USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
DTLE13B9005ASA	R 16,212	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 13th Gen i5-13420H up to 4.6GHz 12MB Cache Eight Core (8) Processor with intergrated Intel UHD Graphics (4 performace & 4 efficient cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
DTLE13DK000XSA	R 21,246	Lenovo ThinkCentre Neo 30s Gen 5 SFF PC, Intel Core 13th Gen i7-13620H up to 4.9GHz 24MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient cores), 16GB SO-DIMM DDR5-5200 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1W x1 Speakers, 180W 85% Power Supply, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), 2x

		USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x VGA, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm)
DTLE13DK0011SA	R 16,761	Lenovo ThinkCentre Neo 30s Gen 5 SFF PC, Intel Core 13th Gen i5-13420H up to 4.6GHz 12MB Cache Eight Core 8x Processor with intergrated Intel UHD Graphics (4 performace & 4 efficient Cores), 16GB SO-DIMM DDR5-5200 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1W x1 Speakers, 180W 85% Power Supply, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x VGA, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm)
DTLE13DM0038SA	R 17,527	Lenovo ThinkCentre Neo 50s G6 SFF Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro, 1W x1 Speaker, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), with 15W charging, 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm), 13dm0035sa
DTLE13HR001JSA	R 17,419	Lenovo ThinkCentre Neo 50q Gen 6 Tiny PC, Intel Core Ultra 5 226V Eight 8x Core Lunar Lake Turbo boost up to 4.5GHz 8MB Cache Processor with Intel ARC 130V Graphics (6 perfomance Cores & 8 low Power efficient Cores), 16GB soldered LPDDR5X-8533 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2Wx1 Speakers, 65W 89% Adapter Power Supply, USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), USB Type-A, USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
LENOVO NEO 50q 13B9002FSA	R 11,592	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core 6x Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 65W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
LENOVO NEO 50q 13HR000HSA	R 19,930	Lenovo ThinkCentre Neo 50q Gen 6 Tiny PC, Intel Core Ultra 7 256V Eight 8 Core Lunar Lake Turbo boost up to 4.8GHz 12MB Cache Processor with Intel ARC 140V Graphics (4 perfomance Cores & 4 low Power efficient Cores), 16GB soldered LPDDR5X-8533 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2Wx1 Speakers, 90W 89% Adapter Power Supply, USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), USB Type-A, USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
LENOVO NEO 50q 13HR001JSA	R 18,849	Lenovo ThinkCentre Neo 50q Gen 6 Tiny PC, Intel Core Ultra 5 226V Eight 8x Core Lunar Lake Turbo boost up to 4.5GHz 8MB Cache Processor with Intel ARC 130V Graphics (6 perfomance Cores & 8 low Power efficient Cores), 16GB soldered LPDDR5X-8533 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 2Wx1 Speakers, 65W 89% Adapter Power Supply, USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), USB Type-A, USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
LENOVO NEO 50s 13DM0038SA	R 17,756	Lenovo ThinkCentre Neo 50s G6 SFF Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro, 1W x1 Speaker, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), with 15W charging, 2x USB Type-A

		(USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm), 13dm0035sa
M90s 11TW000ESA	R 24,420	Lenovo ThinkCentre M90s Gen 3 SFF PC, Intel Core 12th Gen i7-12700 up to 4.9GHz 25MB Cache Twelve (12x) Core Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient Cores), 16GB DDR5-4400 Memory, 512GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1WX1 Speakers, 380W Power Supply, 1x USB-C 3.2 Gen 2 (Support Data transfer and 15W charging) (Front), 2x USB 3.2 Gen 1 (Front), 2x USB 3.2 Gen 2 (Front), 1x Headphone / Microphone combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 4x USB 3.2 Gen 1, 1x HDMI 2.1 TMDS, 2x DisplayPort 1.4, 1x Gigabit Ethernet (RJ-45), 1x Line-Out (3.5mm)
NEO 30s 13DK000XSA	R 20,482	Lenovo ThinkCentre Neo 30s Gen 5 SFF PC, Intel Core 13th Gen i7-13620H up to 4.9GHz 24MB Cache Ten Core (10) Processor with intergrated Intel UHD Graphics 770 (6 performace & 4 efficient cores), 16GB SO-DIMM DDR5-5200 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64bit, 1W x1 Speakers, 180W 85% Power Supply, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x VGA, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm)
NEO 50 11SE008JSA	R 12,817	Lenovo ThinkCentre Neo 50t Tower G3 Desktop PC, Intel Core 12th Gen i5-12400 up to 4.4GHz 18MB Cache Hex (6x) Core Processor with intergrated Intel UHD Graphics 730 (6 performace cores), 8GB DDR4-3200 Memory, 256GB M.2 PCI-e Solid State Drive, DVD writer Optical Drive, USB Keyboard and Mouse, Intel 9560 AC WiFi 5, Bluetooth, Windows 11 Pro 64 Bit, 3-in-1 Card Reader, 2x USB 3.2 Gen 1 (Front), 2x USB 3.2 Gen 2 (Front), 1x USB-C 3.2 Gen 1 (Support Data transfer and 5V @ 3A charging) (Front), 1x Headphone / Microphone combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 4x USB 2.0, 1x VGA, 1x HDMI 1.4b, 1x DisplayPort 1.4, 1x Serial (9 pin), 1x Ethernet (RJ-45), 1x headphone (3.5mm)
NEO 50q 13B90029SA	R 12,995	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 90W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
NEO 50q 13B9002FSA	R 13,386	Lenovo ThinkCentre Neo 50q G5 Tiny PC, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core 6x Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient Cores), 8GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6E, Bluetooth, USB Keyboard & Mouse, Windows 11 Pro 64 Bit, 2W x1 Speakers, 65W 89% Adapter Power Supply, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4b, 1x Ethernet (GbE RJ-45)
NEO 50s 12XD003PSA	R 14,834	Lenovo ThinkCentre Neo 50s Gen 5 SFF PC, Intel Core 14th gen i3-14100 up to 4.7GHz 12MB Cache Quad (4) Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-4800 Memory, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse WiFi, Bluetooth, Windows 11 Pro 64bit, 3-in-1 Card Reader, 1WX1 Speakers, 180W 85% Power Supply, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with 15W charging (Front), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 4x USB Type-A (Hi-Speed USB / USB 2.0), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x VGA, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm)
NEO 50s 12XD00A3SA	R 11,966	Lenovo ThinkCentre Neo 50s Gen 5 SFF PC, Intel Core 13th gen i3-13100 up to 4.5GHz 12MB Cache Quad 4x Core Processor with intergrated Intel UHD Graphics 730 (4 Performace cores), 8GB DDR5-4820 Memory, 512GB M.2 PCIe Solid State Drive, DVD writer Optical Drive, USB Keyboard & Mouse, WiFi 6, Bluetooth, Windows 11 Pro 64bit, 3-in-1 Card Reader, 1Wx1 Speakers, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (front), with 15W charging, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1) (front), 1x headphone / microphone combo jack (3.5mm) (front), 1x

		microphone (3.5mm) (front), 4x USB-A (Hi-Speed USB / USB 2.0), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x VGA, 1x Ethernet (RJ-45), 1x line-out (3.5mm)
NEO 50s 13DM0038SA	R 18,193	Lenovo ThinkCentre Neo 50s G6 SFF Desktop PC, Intel Core Ultra 5 225 Ten 10x Core Arrow Lake Turbo boost up to 4.9GHz 20MB Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient Cores), 16GB DDR5-5600 Memory, 512GB M.2 PCI-e Solid State Drive, WiFi 6, Bluetooth, USB Keyboard and Mouse, Windows 11 Pro, 1W x1 Speaker, 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) (Front), with 15W charging, 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 2x USB Type-A (Hi-Speed USB / USB 2.0), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), One supports Smart Power on, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x Ethernet (RJ-45), 1x Line-Out (3.5mm), 13dm0035sa
P3 30GS000TSA	R 26,711	Lenovo ThinkStation P3 Tower Desktop PC, Intel Core 13th Gen i7-13700 up to 5.2GHz 30MB Cache Sixteen Core (16) Processor with intergrated Intel UHD Graphics 770 (8 performace & 8 efficient cores), 16GB DDR5-4400 RAM, 512GB M.2 PCI-e Solid State Drive, USB Keyboard & Mouse, Windows 11 Pro 64bit, OnBoard Intel RSTe SATA RAID, 500W Platinum Fixed Power Supply, SD Card Reader, 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) Data transfer only (Front), 2x USB Type-A (USB 5Gbps / USB 3.2 Gen 1) (Front), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Microphone (3.5mm) (Front), 4x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), 1x HDMI 2.1 TMDS, 2x DisplayPort 1.4, 1x Ethernet (GbE RJ-45), 1x Line-Out (3.5mm)
V50 11HB004KSA	R 8,739	Lenovo V50s SFF PC, Intel Core i3-10100 3.6GHz up to 4.3GHz 6MB Cache Quad Core Processor with intergrated Intel UHD Graphics 630, 4GB DDR4-2666 Memory, 1TB 7200rpm SATA Hard Disk Drive, DVD writer Optical Drive, WiFi, Bluetooth, USB Keyboard and Mouse, Windows 10 Pro 64bit, 7-IN-1 Card Reader, 1x 1.5W Speaker, 1x Headphone / Microphone combo jack (3.5mm) front, 4x USB 3.2 Gen 1 front, 1x Microphone (3.5mm) front, 1x Serial (9 pin), 1x VGA, 1x HDMI 1.4 out, 1x Ethernet (RJ-45), 2x USB 2.0, 2x USB 3.2 Gen 1, 1x line-out (3.5mm)

< Return to the menu

Mecer computers

Product code	Price	Description

< Return to the menu

Miniature PCs

Product code	Price	Description
90MS0371-M00030	R 83,675	Asus ascent GX10 AI nVidia Grace Blackwell GB10 128GB DDR4 1TB SSD ultra-small Super Computer, 20 Core Arm 10 Cortex X925 10 Cortex A725 Arm CPU, 5th Generation Tensor Cores, 4th Generation RT Cores, 1 pflop Tensor Performance, 128 GB LPDDR5x system Memory, 256-bit Memory Interface, Up to 273 Gb/s Memory Bandwidth, 1TB M.2 2242 NVMe PCI-e 4.0 x 4 SSD, 3 x USB 3.2 Gen 2x2 Type-C, 1x USB 3.2 Gen 2x2 Type-C, 1x RJ-45 Connector 10 GbE, 1 x nVidia ConnectX-7 Network Interface card @ 200 Gbps Network Interface card, Wi-Fi 7, Bluetooth, 1x HDMI 2.1A, nVidia DGXOS OS
Acer DT.R4ZEA.004	R 18,445	Acer Veriton VN2595GT Mini Desktop PC, Intel Core 5 120U Ten 10 Core Raptor Lake Turbo boost up to 5GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5600 RAM, 512GB M.2 PCI-e 4.0 NVMe Solid State Drive, Acer USB Keyboard & Mouse, Windows 11 Pro 64-bit, Gigabit LAN, 2x USB 3.2 Gen 2 Type-C Ports, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 2 Type-A Ports, 3x USB 2.0 Ports, 1x DisplayPort, 1x HDMI
ASUS EXPERTCENTER PN42	R 4,829	Asus NUC L6/ Intel N4500 -CEL/ IntelUHD Graphics/ 1X SLOT DDR4/ 1X M.2 SSD/ 1xHDMI/ 1xDP/ 4 x USB/ Wi-FI/ LAN/ BT/ COM PORT/ Versa Bracket
ASUS ExpertCenter PN43	R 4,369	Asus L6 Ultra-compact Mini PC Barebone, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, Siupports 1x DDR4-3200 SO-DIMM Memory, 1x M.2 slot for SSD, Wi-Fi 6, Bluetooth, 2.5G LAN, 4x USB 3.2 Gen 1 Type-A (Front), 1x Mic in (Front), 1x audio jack (Front), 3x USB 2.0, 1x DisplayPort 1.4, 1x HDMI 2.1 (Up to 4K@60Hz)

ASUS MPC VM31	R 7,301	ASUS MPC VM31 NUC L7 Mini PC, AMD Ryzen 3 30 Four 4x Core Turbo boost up to 4.1GHz 4MB L3 Cache Processor with AMD Radeon 610M Graphics, 8GB LPDDR5 OnBoard Memory, 1x M.2 2280 slot, Wi-Fi, Bluetooth, 1x USB 3.2 Gen2 Type-C (with DP1.4 10Gbps) (Front), 2x USB 3.2 Gen2 Type-A (10Gbps) (Front), 1x audio jack (Line out/Mic in/Headphone out) (Front), 2x USB 3.2 Gen2 Type-A (10Gbps), 1x USB 3.2 Gen2 Type-C (with DP1.4 10Gbps), 1x USB 2.0, 1x DisplayPort 1.4, 1x HDMI 2.0 (Up to 4K@60Hz), 1x 2.5G RJ45 LAN
ASUS NUC14-CELS8T250W11P	R 9,371	Asus NUC 14 L10 Essential Mini PC, Intel Twin Lake N150 3.4GHz 6MB Cache Quad Core Processor with Intel Graphics, 8GB DDR5 RAM, 1x SO-DIMM slot, 250GB M.2 PCI-e Solid State Drive, WiFi, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Gen2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x 3.5mm Headset jack (Front), 1x USB 3.2 Gen2 Type-C with DisplayPort 1.4, 2x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 1x HDMI 2.1 (TMDS), 1x DisplayPort 1.4, 1x Realtek Ethernet Controller
ASUS NUC14-CELT8T250	R 8,049	Asus NUC 14 L9 Essential Mini PC, Intel Twin Lake N250 3.8GHz 6MB Cache Quad Core Processor with Intel Graphics, 8GB DDR5 RAM, 1x SO-DIMM slot, 250GB M.2 PCI-e Solid State Drive, WiFi, Bluetooth, 1x USB 3.2 Gen2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x 3.5mm Headset jack (Front), 1x USB 3.2 Gen2 Type-C with DisplayPort 1.4, 2x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 1x HDMI 2.1 (TMDS), 1x DisplayPort 1.4, 1x Realtek Ethernet Controller
ASUS NUC15-C3-5S8K512GB	R 14,489	Asus NUC 15 Pro Slim L9 Mini PC, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor with Intel Graphics (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5 RAM, 512GB M.2 PCI-e Solid State Drive, Wi-Fi, Bluetooth, No OS, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 1x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 2x HDMI 2.1 (TMDS compatible), 1x RJ45 LAN
ASUS NUC15-C5S8K512	R 12,246	Asus NUC 15 Pro Slim L9 Mini PC, Intel Core 5 210H Eight 8x Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 RAM, 512GB M.2 PCI-e Solid State Drive, Wi-Fi, Bluetooth, No OS, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 1x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 2x HDMI 2.1 (TMDS compatible), 1x RJ45 LAN
ASUS NUC15-C5T16K512W11P	R 19,031	Asus NUC 15 Pro Slim L10 Mini PC, Intel Core 5 210H Eight 8x Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 16GB DDR5 RAM, 512GB M.2 PCI-e Solid State Drive, Wi-Fi, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 1x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 2x HDMI 2.1 (TMDS compatible), 1x RJ45 LAN
ASUS NUC15-C7T16T500W11P	R 21,159	Asus NUC 15 Pro Slim L10 Mini PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), 16GB DDR5 RAM, 500GB M.2 PCI-e Solid State Drive, Wi-Fi, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 1x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 2x HDMI 2.1 (TMDS compatible), 1x RJ45 LAN
ASUSMPC2	R 10,599	Asus NUC 15 Pro Mini PC - Intel Core 5 210H Integrated Processor, 8GB, 2 x SODIMM Up to DDR5 5600MHz Memory, 512GB 1 x M.2 2280 PCIe Gen5x4 SSD, Support NVMe Up to 2TB Storage, Intel Graphics, WiFi 7BE202 and Bluetooth 5.4 Wireless Connecivity, Audio Up to 7.1 Multichannel, HDMI and DP TypeC Ports, No Operating System, Retail Box
ASUSMPC4	R 11,499	Asus NUC 15 Pro Mini PC - Intel Core 5 210H Integrated Processor, 16GB, 2 x SODIMM Up to DDR5 5600MHz Memory, 512GB 1 x M.2 2280 PCIe Gen5x4 SSD, Support NVMe Up to 2TB Storage, Intel Graphics, WiFi 7BE202 and Bluetooth 5.4 Wireless Connecivity, Audio Up to 7.1 Multichannel, HDMI and DP TypeC Ports, No Operating System, Retail Box
BQ612-0000040N0G-GIA	R 3,748	Giada BQ612 Mini PC Barebone, Supports Intel LGA1700 Socket 12th/13th Gen Processor, 2x SO-DIMM Memory slots, 1x M.2 PCI-e SSD slot, 1x 2.5" SATA bay, 1x VGA, 1x HDMI, Realtek rtl 8111H Gigabit Ethernet, 2x RJ45, 1x USB Type-C 3.2 Gen1, 2x USB3.2 Gen1, 6x USB 2.0, 2x RS232 Serial Port, 1x mic-in, 1x audio-out
BQ614-0000040N0G-GIA V2	R 3,931	Giada BQ614 B760 Chipset high-end Rich-Client Barebone system - Black, Supports Intel LGA1700 Socket Processor, 2 x SO-DIMM DDR5 slots, 1x M.2 PCIE3.0 x4 SSD slot, 1x 2.5" SATA 3 slot, 1 x 1GbE RJ45, 1x 2.5GbE RJ45, 1x HDMI (Maximum 4096 x 2160 @60 Hz), 1 x DisplayPort 1.4 (Maximum 7680x4320 @60 Hz), 3

		Display Multi-Display, 1x USB Type-C 3.2 Gen2 (Supports DP1.4 Output), 2x USB 3.2 Gen2, 2x USB 3.2 Gen1, 2x USB 2.0, 1x RS232 Serial Port, 1x Mic-In, 1 x Audio-Out
BXNUC10i3FNHN	R 4,083	Intel NUC BXNUC10I3FNHN kit, Intel Core i3-10110U 2.1GHz up to 4.1GHz 4MB Cache Dual Core Processor with intergrated Intel UHD Graphics, M.2 and 2.5" Drive internal Drive form factor, 2x DDR4-2666 Memory slots, HDMI 2.0b, USB-C (DP1.2), SDXC with UHS-II support, SDXC with UHS-II support, 7 USB ports, 7.1 Digital audio (Back channel front channel), Intel Ethernet connection I219-v, Intel Wi-Fi 6 AX201, Bluetooth, Consumer infrared RX sensor, 1x Thunderbolt 3
BXNUC10i5FNH	R 8,050	Intel Next Unit of Computing Kit - Intel 10th Generation Core i5-10210U 4.10GHz Dual Core Processor, 2 x Dual Channel DDR4 - 2666 Memory Slots (Max 64GB supported) Low Voltage 1.2v SO-Dimm, Intel UHD Graphics 4K, Integrated Gigabit Ethernet, Thunderbolt 3, Internal support for 2.5" HDD or SSD (up to 9.5mm thickness)(Raid-0, Raid-1), 7.1 digital (HDMI mDP); L R mic (F), 2x front (Type-A, Type-C) and 3x rear USB 3.1 Gen2 (2x Type-A, Type-C); 2x USB 2.0 via internal headers, R 1 x Full Length mini-PCI-e slot for M.2, Intel Wireless AX MAC BT, HDMI 2.0a; USB-C (DP1.2)
BY6U5ET	R 24,080	Hp Prodesk 4 Mini G1i Intel Core Ultra 5 225t Processor, 16Gb DDR5-5600 2 Slots / Max 64Gb, 512Gb M.2 2280 Ssd, No Optical Drive, Intel Graphics, Windows 11 Pro 64, Intel I219-lm Gigabit Network Connection Intel Ax211 Wi-fi 6e Bluetooth 5.3, Front: (1) Usb Type-C 20Gbps signaling rate, 2x USB Type-A 10Gbps signaling rate, 1x Headphone/microphone combo, Rear: 3x USB Type-A 5Gbps signaling rate, 1x HDMI 2.1, 1x RJ-45, 1x Power connector, 2x DisplayPort 2.1, 2x External antenna connector
CUBI 5 12M CORE I5 12TH G	R 6,670	MSI CUBI 5 12M BAREBONE i5, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 2x DDR4-3200 SO-DIMM slots, 1x M.2 SSD slot, 1x 2.5" Hard Disk Drive / SSD slot, 2x USB 3.2 Gen 2 Type-A (Front), 1x mic-in / headphone-out combo (Front), 1x Thunderbolt 4 (USB Type-C Port) (Front), 2x USB 3.2 Gen 2 Type-A, 1x dp-out (1.4), 1x HDMI -out (2.0b), 2x RJ45, Bluetooth, Wireless LAN
CUBI 5 1M CORE 3	R 5,518	MSI Cubi NUC 1M Mini PC, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor with Intel Graphics (2 Perfomance Cores & 4 Efficient Cores), Supports 2x DDR5 SO-DIMM Memory, Supports 2x M.2 Solid State Drive, No OS, 1x SATA connectors, 1x 2.5" Drive bay, 1x Card Reader, 1x Mic-In/headphone-out Combo (Front), 2x USB 3.2 Gen 2 (10G) Type-A (Front), 2x (V2.1) HDMI out, 2x Thunderbolt 4, 100x100 mm VESA, 120W Power Supply
CUBI N JSL PENTIUM	R 3,666	MSI Cubi N JSL Barebones Mini PC, Intel Pentium N6000 1.1GHz up to 3.3GHz 4MB Cache Quad Core Processor with Intel UHD Graphics, 1x 2.5" HDD/SSD or 1x M.2 SSD combo, 2x DDR4-2933 SO-DIMM slots, Realtek ALC233 sound, 1x USB 3.2 Gen2 Type-A (Front), 1x mic-in / headphone-out (Front), 2x USB 3.2 Gen1 Type-A, 1x DC jack, 1x RJ45, 1x VGA out, 1x HDMI out, Intel Wireless AX201, Gigabit LAN, Bluetooth, Support 100x100 mm VESA Mount
CUBI NUC 1M C7 150U	R 10,923	MSI Cubi NUC 1M Mini PC, Intel Core 7 150U Ten 10x Core Raptor Lake Turbo boost up to 5.4GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), Supports 2x DDR5 SO-DIMM Memory, Supports 2x M.2 Solid State Drive, No OS, 1x SATA connectors, 1x 2.5" Drive bay, 1x Card Reader, 1x Mic-In/headphone-out Combo (Front), 2x USB 3.2 Gen 2 (10G) Type-A (Front), 2x (V2.1) HDMI out, 2x Thunderbolt 4, 100x100 mm VESA, 120W Power Supply
D108-V0-8845HS50N0G-GIA	R 11,692	Giada D108 AMD Ryzen 7 8845HS book-size Signage player, AMD Ryzen 7 8845HS Octa Core 3.8GHz with Turbo boost up to 5.1GHz 16MB L3 Cache Processor with AMD Radeon 780M Graphics, 2x SO-DIMM DDR5 slots, 1x M.2 NVMe slot, 4x HDMI (Maximum 3840x2160 @ 60Hz), 5x USB 3.2 Gen2, 1x USB 2.0, 1x RS232 DB9, 1x Mic-In, 1x Audio-Out, 1 x 1GbE RJ45
D612-1235U40N0G-GIA	R 7,488	Giada D612 Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 2x DDR4 Memory slots, 1x M.2 SSD slot, 4x HDMI, 1x Intel I219lm Gigabit Ethernet, 1x USB3.2 Gen2, 2x USB 2.0, 1x USB Type-C 3.2 Gen2, 1x RS232 Serial Port, Mic-In & Audio-Out
D613-1315U40N0G-GIA	R 6,998	Giada D613 Mini PC, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core (6) Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient cores), 2x DDR4-3200 Memory slots, 1x M-Key M.2 (2242 / 2280) slot for Solid State Drive, WiFi 6, 4 x HDMI (Max 4096x2304 @ 60Hz), 1x Intel I219lm Gigabit

		Ethernet, 1x USB3.2 Gen2, 2x USB 2.0, 1x Type-C 3.2 Gen2, 1x RS232 Serial Port, 1 x 2-in-1 audio connector
D613-U1-1315U50N0G-GIA	R 7,142	Giada D613-U1 Intel Core i3-1315U book-size Barebone Signage player, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core 6x Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient Cores), 2x SO-DIMM DDR5 slots, 1x M.2 PCI-e Solid State Drive slot, 4x HDMI, 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 2.0, 1x RS232 Serial Port, 1x 2-in-1 Headset Audio, 1x Intel I226-lm Controller, 1x 2.5 GbE RJ45
D613-U1-1335U50N0G-GIA	R 9,239	Giada D613-U1 Digital Signage player, Intel Core 13th Gen i5-1335U up to 4.6GHz 12MB Cache Ten 10x Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 2x DDR5 SO-DIMM slots up to 96GB, 1 x M-Key M.2 (2280) PCIE4.0 x4 for SSD, 4 x HDMI (Maximum 4096x2304 @ 60Hz), 1x 2.5 GbE RJ45 LAN, 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 2.0, 1x RS232 Serial Port, 1 x 2-in-1 Headset Audio, WatchDog timer
D614-U1-100UXX50N0G-GIA	R 7,144	Giada D614-U1 book-size Signage player, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor with Intel Graphics (2 Perfomance Cores & 4 Efficient Cores), 2x DDR5 SO-DIMM slots, 1x M.2 SSD slot, 1x 2.5 GbE RJ45 Network, 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 2.0, 1x RS232, 1 x 2-in-1 Headset
D614-U1-120UXX50N0G-GIA	R 9,663	Giada D614-U1 book-size Signage player, Intel Core 5 120U Ten 10x Core Raptor Lake Turbo boost up to 5GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 2x DDR5 SO-DIMM slots, 1x M.2 SSD slot, 1x 2.5 GbE RJ45 Network, 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 2.0, 1x RS232, 1 x 2-in-1 Headset
DF612-1215U40N0G-GIA	R 7,699	Giada DF612 Mini PC, Intel Core 12th gen i3-1215U up to 4.4GHz 10MB Cache Hex (6x) Core Processor with intergrated Intel UHD Graphics (2 Performace cores & 4 Efficient cores), 2x DDR4 Memory slots, 1x M.2 SSD slot, 1x Intel I219lm Gigabit Ethernet, 1x Realtek RTL8111h Gigabit Ethernet, 2x RJ45, 4x USB3.2 Gen2, 2x USB 2.0, 1x USB Type-C 3.2 Gen2, 1x RS232 Serial Port, 1x Mic-In, 1x Audio-Out, 2x HDMI, 1x DisplayPort
DF612-1235U40N0G-GIA	R 8,053	Giada DF612 Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 2x DDR4 Memory slots, 1x M.2 SSD slot, 1x Intel I219lm Gigabit Ethernet, 1x Realtek RTL8111h Gigabit Ethernet, 2x RJ45, 4x USB3.2 Gen2, 2x USB 2.0, 1x USB Type-C 3.2 Gen2, 1x RS232 Serial Port, 1x Mic-In, 1x Audio-Out, 4x HDMI
DK310-J641242M0G-GIA	R 7,347	Giada DK310 Mini PC, Intel Celeron J6426 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics, 4GB LPDDR4 Memory, 1x Full-size Mini-PCIe for mSATA, 1x DisplayPort, 1x Realtek rtl 8111H Gigabit Ethernet, 4x USB3.2 Gen2 (10Gbps), 1x RS232, 1x 2-in-1 Headset, 2x connector for Wi-Fi/BT, WatchDog timer
DK310-J642642M0G-GIA	R 5,247	Giada DK310 Mini PC, Intel Pentium J6426 2.0GHz up to 3.0GHz 4MB Cache Quad Core Processor with Intel UHD Graphics, 4GB LPDDR4 Memory, 1x Full-size Mini-PCIe for mSATA, 1x DisplayPort, 1x Realtek rtl 8111H Gigabit Ethernet, 4x USB3.2 Gen2 (10Gbps), 1x RS232, 1x 2-in-1 Headset, 2x connector for Wi-Fi/BT, WatchDog timer
DM6-V1605B40M0G-GIA	R 9,241	Giada DM6 V1605B mini PC, AMD Ryzen V1605B 2.0GHz 4 CORE/8 threads CPU, 2x DDR4 SO-DIMM Memory slots, 4 x HDMI (Maximum 3840x2160 @ 60Hz), Realtek RTL8111H Gigabit Ethernet, 2 x USB 3.1, 2 x USB 2.0, 1 x RS232, 1 x audio-out, 1 x mic-in, 1 x full-size Mini-PCIe for WiFi/BT/3G/4G, 1 x SIM slot, 1 x 2.5" SATA, 1 x full-size mSATA
DN24-CM4	R 4,057	Giada DN24 Rasberry Pi CM4 Lite 32GB 2GB
DN24-CM4-4GB	R 4,199	Giada DN24 Rasberry Pi Dual-HDMI Arm Multimedia player, CM4 Lite, 2GB LPDDR4-3200 RAM, 32GB eMMC storage, 4 Cores Cortex-A72 Processing Units, 4K60 H.265 Video decoders, 2x HDMI 2.0 Display Interface Maximum 3840x2160 @ 60Hz, Broadcom BCM54210 Gigabit Ethernet, 3x USB 3.2 Gen1, 1x USB 2.0, 1x RS232 Serial Port, 1x 2-in-1 Headset, Raspberry Pi OS Operating System
DN25-CM5	R 4,547	Giada DN25 Rasberry Pi CM5 Lite 32GB 2GB
DN74-3399R42E5G-GIA V2	R 4,202	Giada DN74 RK3399 Mini PC, 1.8GHz Rockchip RK3399 CPU, 4GB LPDDR4 Memory, 32GB eemc strorage, Mali-T860MP4 GPU, 1x HDMI (Maximum 4K@60Hz), 1x HDMI (Maximum 2K@30Hz), 1x PEF7071 PHY Network controller, 1x USB3.2 Gen1 (OTG), 3x USB 2.0, 2x RS232, 1x Mic-In, 1x Audio-Out, 1x Full-size Mini-PCIe for 3G/4G, 1x SIM slot, WiFi, Android 7.1 operating systems
DN76-3568R41E4G-GIA	R 3,502	Giada DN76 RK3568 Dual-HDMI Arm player, Rockchip RK3568 CPU, 2GB DDR4 OnBoard memry, 32GB eMMC,

		Arm Mali-G52 GPU, 1x HDMI 2.0 (Max 4096x2160 @60 Hz), 1x HDMI 1.4 (Max 2560x1440 @30 Hz), 1x USB 3.2 Gen1 (OTG), 1x USB 3.2 Gen1, 2x USB 2.0, 1x RS232 Serial Port, (Mic-In & Audio-Out, Android 11 Operating System
DN83-R3528A41E5G-GIA	R 2,803	Giada DN83 Rockchip RK3528A fanless Arm player, 2GB OnBoard LPDDR4 Memory, 32GB OnBoard eMMC, 1x TF Card Reader, 1x Realtek RTL8211e PHY Network Controller, 1 x SIM slot, Mali-450MP2 GPU, 1x HDMI (3840x2160 @ 60Hz), 1x USB 3.2 Gen1, 1x USB 2.0 OTG, 2x USB 2.0, 1x RS232 Serial Port, 1 x Mic-In, 1 x Audio-Out, Android 13 / debian 11 Operating System
DN84-V0-RK357642E6G-GIA	R 4,617	Giada DN84 RK3576 Mini PC, Rockchip RK3576 CPU, OnBoard 4GB LPDDR4 Memory, 64GB eMMC, GPU Mali-G52MC3 Graphics, 2x HDMI, Android 14 / DEBIAN12 Operating System, Realtek RTL8211f Gigabit Ethernet, 1x SIM slot, USB 3.2 Gen1, USB 2.0 (OTG)
DN84-V0-RK357643E6G-GIA	R 5,112	Giada DN84 RK3576 Mini PC, Rockchip RK3576 CPU, OnBoard 8GB LPDDR4 Memory, 64GB eMMC, GPU Mali-G52MC3 Graphics, 2x HDMI, Android 14 / DEBIAN12 Operating System, Realtek RTL8211f Gigabit Ethernet, 1x SIM slot, USB 3.2 Gen1, USB 2.0 (OTG)
DS-D5AC11T5-8S2	R 17,791	Hikvision OPS module i5 11th Gen CPU 8GB Memory 256GB SSD Win 10, Gigabit LAN Port, Bluetooth 4.2, 4x USB 3.0, 2x USB 2.0, 1x Type-C, 1x HDMI, 1x DisplayPort, 2 antenna
DT.R4ZEA.004	R 17,824	Acer Veriton VN2595GT Mini Desktop PC, Intel Core 5 120U Ten 10 Core Raptor Lake Turbo boost up to 5GHz 12MB L3 Cache Processor (2 perfomance Cores & 8 efficient), 16GB DDR5-5600 RAM, 512GB M.2 PCI-e 4.0 NVMe Solid State Drive, Acer USB Keyboard & Mouse, Windows 11 Pro 64-bit, Gigabit LAN, 2x USB 3.2 Gen 2 Type-C Ports, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 2 Type-A Ports, 3x USB 2.0 Ports, 1x DisplayPort, 1x HDMI
DTASL10-C58500W11P	R 14,949	Asus RNUC15CRKU NUC L10 Mini PC, Intel Core 5 210H Eight 8x Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5-5600 Memory, 500GB M.2 SSD slots, Wi-Fi, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x Kensington lock (Side), 2x HDMI 2.1 TMDS compatible (4K@60Hz), 2x Thunderbolt 4 Ports (including DP 2.1 and USB4), 1x USB 3.2 Gen2 Type-A, 1x USB 2.0 Type-A, 1x RJ45 LAN, RNUC15CRKC500000
DTASL10-CEL8250W11P	R 8,739	Asus RNUC14MNK NUC L10 Mini PC, Intel Twin Lake N150 3.4GHz 6MB Cache Quad Core Processor with Intel Graphics, 1x 8GB DDR5 Memory slot, 1x 250GB M.2 SSD slot, WiFi, Bluetooth, Windows 11 Home 64bit, 1x USB 3.2 Gen2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x 3.5mm Headset jack (Front), 1x USB 3.2 Gen2 Type-C with DisplayPort 1.4, 2x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 1x HDMI 2.1 (TMDS), 1x DisplayPort 1.4, 1x RJ45 LAN, 1x Kensington lock, RNUC14MNK1500002
F106D-FVN510042N0G-GIA	R 5,809	Giada F106D-FV Digital Signage player, Intel Celeron Dual Core N5100 1.10GHz with Turbo boost up to 2.80GHz 4MB L3 Cache Processor with Intel UHD Graphics, 4GB RAM, 32GB eMMC storage, 1x DisplayPort (Maximum 3840x2160 @60Hz), 1x HDMI (Maximum 4096 x 2160 @60Hz), 1x RJ45, 1x RS232 Serial Port, 1x Audio-Out, 1x Mic-In, 1x SIM slot, 1x e-key M.2 (2230) for WiFi/BT, 1x Full-size Mini-PCIe for mSATA or 3G/4G
F108D-FV-N10040N0G-GIA	R 5,320	Giada F108D N100 Mini PC, Intel Alder Lake-N N100 3.40GHz (Fanless) Processor with Intel UHD Graphics, 1x DDR4-3200 slot, 1x M-Key M.2 (2280) slot, WatchDog timer, 2 x Realtek rtl 8111H Gigabit Ethernet, 1 x DP, 2 x HDMI, 2 x USB3.2 Gen2, 4 x USB 2.0, 2 x RS232, 1 x Mic-In, 1 x Audio-Out
F109D-V0-N100XX50E6G-GIA	R 5,528	Giada F109D Twin Lake fanless book-size Embedded Computer, Intel Processor N150, 1x SO-DIMM DDR5-4800 slot, 1x M.2 slot, WatchDog timer, 2x1 GbE RJ45, Intel UHD Graphics, 1 x DisplayPort (Maximum 4096x2160 @ 60Hz), 2 x HDMI (Maximum 4096x2160 @ 60Hz), 2x USB 3.2 Gen2, 4x USB 2.0, 2x RS232 Serial Port, 1x Mic-In, 1x Audio-Out
F109D-V0-N150XX50E6G-GIA	R 5,948	Giada F109D book-size fanless Embedded Computer, Intel Twin Lake N150 3.4GHz 6MB Cache Quad Core Processor with Intel Graphics, 1x SO-DIMM DDR5 slot, 1x M.2 PCIE3.0 x4 slot, 2x1 GbE RJ45 Ethernet Interface, 1 x DP (Maximum 4096x2160 @60Hz), 2 x HDMI (Maximum 4096x2160 @60Hz), 2x USB 3.2 Gen2, 4x USB 2.0, 2x RS232 Serial Port, 1x Mic-In, 1x Audio-Out
F109D-V0-N9750E6G-GIA	R 6,019	Giada F109D Intel N150 1xDDR5 4800 Mhz 1x DP 2xHDMI
G-K13	R 11,899	GMKtec NucBox K13 Mini PC - Intel Core Ultra 7 256V Processor, 8 Cores, 8 Threads, TSMC N3B Process, 2.2GHz Base Frequency, Up to 4.8GHz Max Turbo, 12MB Intel Smart Cache, Up to 115 TOPS, 16GB LPDDR5 Up

		to 8533MT/s Non-Upgradable Memory, 512GB M.2 2280 PCIe NVMe Dual SSD Design, Support Up to 8TB Per Slot, Intel Arc 140V GPU, 400MHz Base Frequency, Up to 64 TOPS, Triple Display Output Via HDMI Plus Dual USB4, Support Up to 4K, WiFi 6E, Bluetooth 5.2 and 5G Ethernet LAN Connectivity, Windows 11 Pro, Retail Box
G-M3PRO	R 10,599	GMKtec NucBox M3 Pro Mini PC - 13th Gen Intel Core i5-13500H Processor, 12 Cores, 16 Threads, Intel 7 Process, Up to 4.7GHz Max Boost Clock, 18MB Cache, 16GB DDR4 2 x SO-DIMM 3200MT/s, Dual Channel Up to 64GB Max Support, 1TB M.2 2280 NVMe PCIe 3.0 SSD, Dual HDMI Plus Type-C Triple Display Output, Up to 4K Resolution, WiFi 6 at 120Mbps and Bluetooth 5.2 Connectivity, Windows 11 Pro, Retail Box
G-M7ULTRA	R 10,999	GMKtec NucBox M7 Ultra Mini PC - AMD Ryzen 7 Pro 6850U Processor, 8 Cores, 16 Threads, TSMC 6nm FinFET Process, 2.7GHz Base Frequency, Up to 4.7GHz Max Boost, 16GB DDR5 4800MHz 2 x SO-DIMM Memory, 1TB PCIe 3.0 M.2 2280 SSD, Quad Display Output Via HDMI Plus DisplayPort Plus 2 x USB4, Support Up to 8K Resolution, WiFi 6E, Bluetooth 5.2 Connectivity, Windows 11 Pro, Retail Box
GK3PLUS-N5095-LP8/256G-PR	R 4,714	Decibell Mini PC with Celeron N5905 CPU 8GB RAM 256GB SSD Win 11 Pro, Intel Celeron N5095 Processor up to 2.90 GHz, 8GB DDR4 SO-DIMM Memory, 256GB M.2 2280 NVMe PCI-e SSD storage, Windows 11 Pro Operating System Pre-Installed, Dual HDMI 2.1 Video Outputs for Multi-Monitor setups, Integrated WiFi5/WiFi6 and Bluetooth 4.2 Wireless connectivity, RJ45 Gigabit Ethernet Port, Includes 2x USB 3.0 Ports and 2x USB 2.0 Ports for peripherals, 3.5mm Phone jack for Audio Input/Output
H611-11300H43N8G-GIA	R 6,899	Giada H611 I5-11300h high-end medical Computer, Intel Core i5 Tiger Lake Quad Core i5-11300H 2.6GHz with Turbo boost up to 4.4GHz 8MB L3 Cache Processor with Intel Iris Xe Graphics, Supports SO-DIMM DDR4-3200 Memory, Supports M.2 SSD, 1x Realtek rtl 8111H Gigabit Ethernet, 1 x DisplayPort (Max 7680x4320 @60 Hz), 2x HDMI (Max 4096x2304 @60 Hz), 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 2.0, 1x RS232, 1x Mic-In, 1x Audio-Out, TPM2.0, WatchDog timer
LENOVO NEO Ultra 13BG001ASA	R 63,894	Lenovo ThinkCentre Neo Ultra G2 Tiny Mini PC, Intel Core Ultra 7 265 Twenty (20) Core Arrow Lake Turbo boost up to 5.3GHz 30MB Cache Processor with Intel Graphics (8 perfomance Cores & 12 efficient Cores), 32GB DDR5--5600 Memory, 1TB M.2 PCI-e Solid State Drive, 4x M.2 slots, RTX5060 8GB Graphics, Wi-Fi 7, Bluetooth, EOS Wireless Keyboard, Windows 11 Pro 64bit, 2Wx1 Speakers, 350W 92% Power Supply, 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2) (Front), 2x USB Type-A (USB 10Gbps / USB 3.2 Gen 2) (Front), 1x Headphone / Microphone Combo jack (3.5mm) (Front), 1x Thunderbolt 4 / USB4 40Gbps, 1x USB Type-A (USB 5Gbps / USB 3.2 Gen 1), 3x USB Type-A (USB 10Gbps / USB 3.2 Gen 2), 1x HDMI 2.1, 1x HDMI 2.1b, 1x DisplayPort 1.4b, 3x DisplayPort 2.1b, Gigabit Ethernet RJ-45
M2A-I7	R 18,974	Acemagic M2A-I7 i7-12700H 32GB RAM 1TB SSD RTX 3060 Graphics Windows 11 Home Gaming PC, Intel Core i7-12700H Processor, nVidia Geforce RTX 3060 Graphics card with 12GB GDDR6 Memory, 32GB DDR5-4800 Dual channel RAM, 1TB M.2 2280 PCIE3.0 x 4 NVMe SSD storage, Windows 11 Home Operating System, M.2 2230 Wifi 6 support with BT5.2 connectivity, 2x 2.5G RJ45 Gigabit Ethernet Ports, 1x USB4 Type-C Port supporting 8K@60Hz Display Output, 3x USB 3.2 Gen2 Type-A Ports, 3x USB 3.2 Gen1 Type-A Ports, 2x HDMI 2.0 Video Outputs, 1x DP1.4 Video Output
MHL64SO/A	R 45,759	Apple Mac Studio M5 Max MHL64SO/A, M5 Max Chip with 18 Core CPU & 32 Core GPU, 36GB unified Memory, 512GB SSD, Four Thunderbolt 5 (USB-C) Ports, Thunderbolt 5 (Up to 120Gb/s), DisplayPort 2.1, Two USB 3 (USB Type-A) Ports, HDMI 2.1 Port, 10GB Ethernet, 3.5 mm Headphone jack, SDXC card slot (UHS-II), Two USB-C Ports (Up to 10Gb/s), Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHL64SO/A	R 44,623	Apple Mac Studio M5 Max MHL64SO/A, M5 Max Chip with 18 Core CPU & 32 Core GPU, 36GB unified Memory, 512GB SSD, Four Thunderbolt 5 (USB-C) Ports, Thunderbolt 5 (Up to 120Gb/s), DisplayPort 2.1, Two USB 3 (USB Type-A) Ports, HDMI 2.1 Port, 10GB Ethernet, 3.5 mm Headphone jack, SDXC card slot (UHS-II), Two USB-C Ports (Up to 10Gb/s), Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHL74SO/A	R 101,959	Apple Mac Studio M5 Ultra MHL74SO/A, M5 Ultra chip with 30 core CPU & 64core GPU, 96GB unified Memory, 1tB SSD, Four Thunderbolt 5 (USB-C) Ports, Thunderbolt 5 (Up to 120Gb/s), DisplayPort 2.1, Two USB 3 (USB Type-A) Ports, HDMI 2.1 Port, 10GB Ethernet, 3.5 mm Headphone jack, SDXC card slot (UHS-II), Two USB-C Ports (Up to 10Gb/s), Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7,

		Bluetooth 6
MHL74SO/A	R 98,874	Apple Mac Studio M5 Ultra MHL74SO/A, M5 Ultra chip with 30 core CPU & 64core GPU, 96GB unified Memory, 1tB SSD, Four Thunderbolt 5 (USB-C) Ports, Thunderbolt 5 (Up to 120Gb/s), DisplayPort 2.1, Two USB 3 (USB Type-A) Ports, HDMI 2.1 Port, 10GB Ethernet, 3.5 mm Headphone jack, SDXC card slot (UHS-II), Two USB-C Ports (Up to 10Gb/s), Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQK4SO/A	R 16,434	Apple Mac Mini M6 MHQK4SO/A, M6 Chip with 12 Core CPU and 12 Core GPU, 16GB unified Memory, 256GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 4 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQK4SO/A	R 16,186	Apple Mac Mini M6 MHQK4SO/A, M6 Chip with 12 Core CPU and 12 Core GPU, 16GB unified Memory, 256GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 4 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQL4SO/A	R 20,148	Apple Mac Mini M6 MHQL4SO/A, M6 Chip with 12 Core CPU and 12 Core GPU, 16GB unified Memory, 512GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 4 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQL4SO/A	R 19,773	Apple Mac Mini M6 MHQL4SO/A, M6 Chip with 12 Core CPU and 12 Core GPU, 16GB unified Memory, 512GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 4 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQM4SO/A	R 23,679	Apple Mac Mini M6 MHQM4SO/A, M6 Chip with 12 Core CPU and 12 Core GPU, 24GB unified Memory, 512GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 4 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQM4SO/A	R 23,274	Apple Mac Mini M6 MHQM4SO/A, M6 Chip with 12 Core CPU and 12 Core GPU, 24GB unified Memory, 512GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 4 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQN4SO/A	R 31,280	Apple Mac Mini M5 Pro MHQN4SO/A, Apple M5 Pro Chip with 15 Core CPU and 16 Core GPU, 24GB unified Memory, 512GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 3.5 mm Headphone jack, 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 5 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MHQN4SO/A	R 30,623	Apple Mac Mini M5 Pro MHQN4SO/A, Apple M5 Pro Chip with 15 Core CPU and 16 Core GPU, 24GB unified Memory, 512GB SSD, Two USB-C Ports with support for USB 3 (Up to 10Gb/s), 3.5 mm Headphone jack, 2.5Gb Ethernet Port, HDMI Port, Three Thunderbolt 5 (USB-C) Ports, Built-In Speaker, 3.5 mm Headphone jack, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6
MP100PRO-I3-1215U-8/256	R 6,324	Blackview MP100 Pro i3 Mini PC, Intel Core 12th Gen i3-1215U up to 4.4GHz 10MB Cache Hex (6x) Core Processor with intergrated Intel UHD Graphics (2 performace Cores & 4 efficient Cores), 8GB DDR4-3200 Memory, 256GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth 5.2, Windows 11 Pro 64bit, Gigabit Ethernet LAN, 1 x DisplayPort, 1x HDMI 2.0, 2x USB Type-C, 2x USB 3.2 Gen 2, 1x USB 2.0, 1x 3.5mm Audio in / out jack, VESA Mount included
MP100PRO-I3-1215U-8/512	R 7,244	Blackview MP100 Pro i3 Mini PC, Intel Core 12th Gen i3-1215U up to 4.4GHz 10MB Cache Hex (6x) Core Processor with intergrated Intel UHD Graphics (2 performace Cores & 4 efficient Cores), 8GB DDR4-3200 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth 5.2, Windows 11 Pro 64bit, Gigabit Ethernet LAN, 1 x DisplayPort, 1x HDMI 2.0, 2x USB Type-C, 2x USB 3.2 Gen 2, 1x USB 2.0, 1x 3.5mm Audio in / out jack, VESA Mount included
N3ES-I31215U-8/256-PRO	R 6,324	Decibell N3ES Mini Desktop PC, Intel Core 12th gen i3-1215U up to 4.4GHz 10MB Cache Hex (6x) Core

		Processor with intergrated Intel UHD Graphics (2 Performace cores & 4 Efficient cores), 8GB RAM, 256GB M.2 PCI-e Solid State Drive, Windows 11 Pro, 4x USB 3.0, 2x USB 2.0, 1x HDMI, 1x DisplayPort, 1x 3.5mm Phone jack, 1x RJ45, 1x USB Type-C
N601-ULTRA 5-125H	R 9,657	Giada N601 Ultra 5 Intel Meteor Lake AI Mini PC with Thunderbolt4, Wi-Fi 7 and 8K Resolution, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 2x SO-DIMM DDR5-5600 slots, M2. slot supports up to PCI-e 5.0 x4, 1x HDMI (Maximum 4096x2304 @60Hz), 1x DisplayPort 1.4 (Maximum 7680x4320 @60Hz), 1 x Intel I226-v Gigabit Ethernet, 1x 2.5GbE RJ45, 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 3.2 Gen 1, 1x Thunderbolt 4, 1x 2-in-1 Headset (Mic-In & Audio-Out)
N601-ULTRA 7-55H	R 13,860	Giada N601 Ultra 7 Intel Meteor Lake AI Mini PC with Thunderbolt4, Wi-Fi 7 and 8K Resolution, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo boost up to 4.8GHz 24MB L3 Cache Processor (6 perfomance Cores & 8 efficient Cores & 2 low Power efficient Cores), 2x SO-DIMM DDR5-5600 slots, M2. slot supports up to PCI-e 5.0 x4, 1x HDMI (Maximum 4096x2304 @60Hz), 1x DisplayPort 1.4 (Maximum 7680x4320 @60Hz), 1 x Intel I226-v Gigabit Ethernet, 1x 2.5GbE RJ45, 1x USB Type-C 3.2 Gen2, 1x USB 3.2 Gen2, 2x USB 3.2 Gen 1, 1x Thunderbolt 4, 1x 2-in-1 Headset (Mic-In & Audio-Out)
NUC15-C5S8500W11P	R 13,999	Asus NUC 15 Pro Slim L10 Mini PC, Intel Core 5 210H Eight 8x Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), 8GB DDR5 RAM, 500GB M.2 PCI-e Solid State Drive, Wi-Fi, Bluetooth, Windows 11 Pro 64bit, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 1x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 2x HDMI 2.1 (TMDS compatible), 1x RJ45 LAN
PC-AP300	R 5,689	Aopen Industrial player IE-AP300, Intel Atom E3940 1.6GHz up to 1.8GHz 2MB Cache Quad Core Processor with Intel HD 500 Graphics, Supports DDR3L-1866 Memory, 64GB storage, 1x VGA, 1x DisplayPort 1.2, Support Dual 10/100/1000 Mbps LAN, 1x full size Mini PCI-e slot for mSATA, 1x full size Mini PCI-e slot
PC-DE3450Z	R 6,337	Aopen DE3450Z mini PC Media player fanless, Intel Celeron N3350 1.1GHz up to 2.4GHz 2MB Cache Dual Core Processor with Intel HD 500 Graphics, 4GB DDR3L SO-DIMM Memory, 64GB storage, Realtek HD audio ALC269Q, Realtek Gigabit Ethernet, 2x USB 3.0 front, RS232 DB9 front, 2x HDMI Port, 2x USB 3.0 Port
PC-DEX5550	R 15,118	Aopen DEX5550 mini PC 4K high-definition Media player, Intel Core i5-7200U 2.5GHz up to 3.1GHz 3MB Cache Dual Core Processor with intergrated Intel HD Graphics 620, 8GB DDR4-2133 SO-DIMM Memory (2 x 4GB), 128GB Solid State Drive, Windows 10 Home 64bit, 1x M.2 slot, 2x Gigabit LAN, 2x USB 3.0, 2x HDMI2.0, 2x USB 3.0, 1x line-out, 2x Com Port
PC-NUC-BPCAL02	R 10,452	Shuttle BPCAL02 fanless Mini PC, Intel Core 12th Gen i3-1215UE up to 4.4GHz 10MB Cache Hex (6) Core Processor with intergrated Intel UHD Graphics (2 performace Cores & 4 efficient Cores), 2x DDR5 SO-DIMM Memory slots, 1x M.2 PCI-e SSD slot, 2x Intel 2.5G LAN, 2 x HDMI 2.0b 4096x2160 @ 60Hz, 1x RS-232 (DB-9), 4x USB3.2 Gen 2 (Type-A), 4x USB 2.0, 1x Line-Out, 1x Mic-In, 90W external Adapter
PC-NUC-DH32U5	R 13,564	Shuttle DH32U5 Industrial Quad display Barebones PC, Intel 11th generation Core i5 Tiger Lake Quad Core i5-1135G7 0.9GHz with Turbo boost up to 4.2GHz 8MB L3 Cache Processor with Intel Iris Xe Graphics, 2 x DDR4 SO-DIMM slots, 2.5" Drive bay, M.2 slot, 4x USB 3.2 Gen2 Ports (Front), 1x Microphone-In (Front), 1x Earphone-Out (Front), 1x SD Card Reader (Front), 2x RJ45 Gigabit LAN Port, 4x HDMI Port, 4x USB 3.2 Gen1 Ports, 1x RS232, 1x RS232/422/485
PC-NUC-DH470	R 6,148	Shuttle DH470 Triple Display PC, Supprts Intel LGA1200 Processor, Intel H470 Express Chipset, 2x DDR4 SO-DIMM slots, 1x 2.5" Hard Disk Drive / SSD bay, 1x M.2 2280 Type m key Socket, 1x M.2 2230 Type e key Socket, 1x HDMI 2.0, 2x DisplayPort, Realtek ALC662 High Definition audio, 2x USB 3.2 Gen2 Ports (Front), 2x USB 3.2 Gen1 Ports (Front), 1x Microphone-In (Front), 1x Earphone-Out (Front), 1x SD Card Reader (Front), 2x RJ45 Gigabit LAN Port withled, 2x USB 3.2 Gen1 Ports, 2x USB 3.2 Gen2 Ports, 1x RS232, 1x RS232/RS422/RS485
PC-NUC-DH610	R 5,770	Shuttle DH610 Triple Display PC Barebone, Support Intel 12 / 13 / 14th LGA1700 Socket Core Processor, Intel H610 Express Chipset, 2x DDR4 SO-DIMM slots, 1x 2.5" Hard Disk Drive / SSD bay, 1x M.2 2280 Type M Key Socket, 1x HDMI 2.0, 2x DisplayPort, Triple Video Outputs, 1x Intel GbE LAN, 1x 2.5 GbE LAN, 2x USB 3.2 Gen1 Ports (Front), 2x USB 2.0 Ports (Front), 1x Microphone-In (Front), 1x Line-Out (Front), 2x USB 3.2 Gen1 Ports, 2x

		USB 2.0 Ports, 1x RS232
PC-NUC-DL30N	R 5,066	Shuttle XPC Slim DL30n Barebone PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, Support DDR5-4800 SO-DIMM, 1x 2.5" HDD / SSD bay, Fanless 1-litre PC suitable for 24/7 Operation, 1xhdmi 2.0b, 1xdisplayport, 1xvga Video Outputs, Support Triple Independent Display, 4x USB 3.2 Gen1 Ports (Front), 1x Mic-In (Front), 1x audio out (Front), 2x Intel 2.5GbE LAN, 4x USB 3.2 Gen1 Ports, 1x RS232 / RS422 / RS485, 1x RS232
PC-NUC-DN11H5	R 9,077	Shuttle Shuttle XPC Slim DN11H5 semi-ruggedized Barebone Mini-PC, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo boost up to 4.5GHz 18MB L3 Cache Processor (4 perfomance Cores & 8 efficient Cores & 2 low Power efficient Cores), Up to 96 GB of DDR5 SO-DIMM Memory, 3x M.2 2280 SSD slots, 4x 2.5 Gbit Ethernet, 6x USB 3.2 Gen 2 (10 Gbit) Type-A, 2x USB 3.2 Gen 2 (10 Gbit) Type-C, 2x HDMI 2.0b, 2x DisplayPort 1.4
PC-NUC-NA10H7	R 9,225	Shuttle NA10H7 Barebone Mini PC, AMD Ryzen 7 8845HS Octa Core 3.8GHz with Turbo boost up to 5.1GHz 16MB L3 Cache Processor with AMD Radeon 780M Graphics, 2x SO-DIMM DDR5-5600 slots, Supports M.2 PCI-e Gen4 x4 NVMe SSD, SD Card Reader (Left side), 4x USB 3.2 Gen2 Type-A (Front), 1x audio Combo Port (Front), 2x HDMI 2.0, 2x USB 4 Type-C (Maximum 40 Gbps) with DisplayPort Function, 1x USB 3.2 Gen 2 Type-A, 1x USB 2.0, 2x 2.5Gbps Ethernet LAN
PC-NUC-NC40U	R 4,027	Shuttle NC40U NUC PC VESA Mount Barebone, Intel Celeron 7305 five 5x Core Alder Lake 8MB Smart Cache Processor with Intel UHD Graphics (1 perfomance Core & 4 efficient Cores), 2x DDR4 SLOTS1 x 2.5" HDD/SSD bay, 2x M.2 2280 slots, HDMI 4096x2160 @60Hz, DisplayPort 4096x2160 @60Hz, 1x Type-C output, 3 Independent displays, 6x USB 3.2 ports, Line out / Mic in, Intel Gigabit LAN
PC-NUC-NC40U5	R 6,925	Shuttle NC40U NUC PC VESA Mount Barebone, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 2x DDR4 slots, 1x 2.5" HDD/SSD bay, 2x M.2 2280 slots, HDMI 4096x2160 @ 60Hz, DisplayPort 4096x2160 @60Hz, 1x Type-C Output, 3 Independent displays, 6x USB 3.2 Ports, Line out / Mic in, Intel Gigabit LAN
PC-NUC-NC40U7	R 10,296	Shuttle NC40U NUC PC VESA Mount Barebone, Intel Core 12th Gen i7-1255U up to 4.7GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 2x DDR4 slots, 1x 2.5" HDD/SSD bay, 2x M.2 2280 slots, HDMI 4096x2160 @ 60Hz, DisplayPort 4096x2160 @60Hz, 1x Type-C Output, 3 Independent displays, 6x USB 3.2 Ports, Line out / Mic in, Intel Gigabit LAN
PC-NUC-NE10N	R 4,014	Shuttle NE10N Shuttle XPC Nano Barebone PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, 1x DDR4 SO-DIMM slot. M.2 SSD slot, Senary SN6140-cnzr Audio Controller, Motorcomm YT6801 LAN Controller, 2x USB 3.2 Gen 2 (Front), 1x Mic-In (Front), 1x audio out (Front), 1x DisplayPort, 1x RJ45, 2x USB 2.0, 2x USB 3.2 Gen2, 1x HDMI
PC-NUC-NS02AV2	R 3,674	Shuttle 8C Cortex A53 Android 12V player version 2, Android 8.1 Oreo pre-installed, 4Kx2K @ 60fps with H.265 coding, 2 GB DDR3L OnBoard, 16GB eMMC Flash Memory OnBoard, Rockchip RK3368 Octa Core Cortex-A53 CPU, Integrated SD Card Reader, 2x USB 2.0 (Front), HDMI 2.0 supports 2160p / 60Hz and cec, 2x USB 2.0, Gigabit LAN (RJ45)
PC-NUC-NT10H5	R 9,880	Shuttle NT10h Barebone Mini PC, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo boost up to 4.5GHz 18MB L3 Cache Processor (4 perfomance Cores & 8 efficient Cores & 2 low Power efficient Cores), Support 2x DDR5 SO-DIMM slots Memory, 1x M.2 PCI-e SSD slot, Quadruple Video Outputs, 4x USB 3.2 Gen 2 (Front), 1x 3.5mm Headphone Mic in Combo jack (Front), 2x HDMI, 1x USB 2.0, 1x USB 3.2 Gen2, 2x USB 4.0 Type-C (with DisplayPort / Power Delivery), 2x RJ45, 1x Card Reader
PC-NUC-SPCEL12	R 4,815	Shuttle Edge SPCEL12 robust Industry PC, Intel Celeron J6412 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics, 2x DDR4-3200 SO-DIMM slots, 1x M.2 PCI-e SSD slot, 2x USB 3.2 Gen 2 (Type-A), 1x USB 2.0 Type-A, 1x RJ45 (Intel 2.5G LAN), 1x Micro SD card, 1x SIM Card slot, 1x 2x HDMI 2.0b (4096 x 2160 60Hz), DisplayPort 1.4
PC-NUC-SPCEL12-POE	R 5,491	Shuttle Edge SPCEL12 robust Industry PC - PoE, Intel Celeron J6412 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics, 2x DDR4-3200 SO-DIMM slots, 1x M.2 PCI-e SSD slot, 2x USB 3.2 Gen 2 (Type-A), 1x USB 2.0 Type-A, 1x RJ45 (Intel 2.5G LAN), 1x Micro SD card, 1x SIM Card slot, 1x 2x HDMI 2.0b (4096 x 2160 60Hz), DisplayPort 1.4
PC-NUC-XC60J	R 4,204	Shuttle XC60J Industrial Vesa Mount 8x Com Cel J3355. Mini computer PC. FORM FACTOR Mini-ITX MB, 3.5 L

		chassis, PROCESSOR Intel Celeron J3355 10W CPU, CHIPSET Intel Apollo Lake SoC platform, MEMORY (2) DDR3L SO-DIMM slots 1866MHz support, dual channel up to 8GB, VIDEO OUTPUT HDMI VGA port dual display Integrated in CPU, AUDIO Realtek ALC662 2.1 channel High Definition Audio, ETHERNET Intel i211 Gigabit Ethernet
PC-NUC-XH410G	R 5,364	Shuttle XPC XH410G barebone PC, Supports Socket LGA1200 10th Gen Processor, 2x DDR4 SO-DIMM slots, 2.5" Drive bay, M.2 slot, 1x Microphone Input (3.5 mm) (Front), 1x Headphones Output (3.5 mm (Front), Line out), 2x USB 3.2 Gen 1 (Front), 2x USB 2.0 (Front), 1x HDMI 2.0A, 1x VGA / D-Sub, 2x USB 3.2 Gen 1, 2x USB 2.0, 1x Gigabit LAN
PC-SHUTTLE-EN01J4	R 7,926	Shuttle EN01 DIN Mount edge PC, Intel Celeron J4025 2.0GHz up to 2.9GHz 4MB Cache Dual Core Processor with Intel UHD 600 Graphics, 8GB LPDDR4 RAM, 64GB eMMC storage, Integrated Card Reader, Gigabit LAN, HDMI 1.4b, 2x USB 3.2 Gen 1 Type-A, Micro USB 2.0
PCB_CUBE_100U12G_HOME	R 8,999	PCBuilder Cube Intel Core 3 Mini PC, Intel Core 3 100U Six 6x Core Raptor Lake Turbo boost up to 4.7GHz 10MB L3 Cache Processor with Intel Graphics (2 perfomance Cores & 4 efficient Cores) 12GB DDR5 Memory, 512GB M.2 PCI-e Solid State Drive, Wi-Fi 6, Bluetooth, Windows 11 Home, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 1x Type-C (USB4 up to 40Gbps) 7680x4320 (8K@60Hz) (Front), 2x USB 3.2 (Up to 10Gbps) (Front), 2x USB 3.2 (Up to 10Gbps), 1x DP 3840x2160 (4k@144hz), 1x HDMI 2.1 3840x2160 (4K@60Hz), 2x RJ45 Gigabit Ethernet (2.5Gbps)
PCB_CUBE_100U12G_OFFICE	R 11,249	PCBuilder Cube Mini PC, Intel Core 3 100U Six 6x Core Raptor Lake Turbo boost up to 4.7GHz 10MB L3 Cache Processor with Intel Graphics (2 perfomance Cores & 4 efficient Cores) i, 12GB DDR5-5600 SO-DIMM Memory, 512GB Gen3 M.2 NVMe SSD, Windows 11 Pro 64bit, Wi-Fi 6, Bluetooth, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 1x Type-C (USB4 up to 40Gbps) (Front), 2x USB 3.2 (Up to 10Gbps) (Front), 2x USB 3.2 (Up to 10Gbps), 1x DP 3840x2160, 1x HDMI 2.1 3840x2160, 2x RJ45 Gigabit Ethernet
PCB_CUBE_100U16G_OFFICE	R 15,304	PCBuilder Cube Intel Core 3 100U 16GB DDR5 512GB Windows 11 Pro Mini PC, Intel Core 3 100U Six 6x Core Raptor Lake Turbo boost up to 4.7GHz 10MB L3 Cache Processor with Intel Graphics (2 perfomance Cores & 4 efficient Cores), 16GB DDR5-4800 SO-DIMM Memory, 512GB Gen3 M.2 NVMe SSD, Intel Wi-Fi 6, Bluetooth, Microsoft Windows 11 Pro, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 1x Type-C (USB4 up to 40Gbps) 7680x4320 (8K@60Hz) (Front), 2x USB 3.2 (Up to 10Gbps) (Front), 2x USB 3.2 (Up to 10Gbps), 1x DP 3840x2160 (4k@144hz), 1x HDMI 2.1 3840x2160 (4K@60Hz), 2x RJ45 Gigabit Ethernet (2.5Gbps)
PCB_CUBE_100U8G_HOME	R 10,353	PCBuilder Cube Intel Core 3-100U 8GB DDR5 512GB Windows 11 Home Mini PC, Intel Core 3 100U Processor with 6 Cores and up to 4.70GHz Speed, 8GB DDR5-4800 SO-DIMM Memory installed, Expandable to 96GB via 2x Dual-Channel DDR5 slots, Microsoft Windows 11 Home Pre-Installed, 512GB Gen3 M.2 NVMe SSD storage included, Support for up to 2 additional M.2 PCI-e 4.0 NVMe drives, Intel Wi-Fi 6 and Bluetooth V5.2 connectivity, Dual 2.5Gbps RJ45 Ethernet Ports, USB Type-C Port supporting USB4 speeds up to 40Gbps, Front panel includes 2x USB 3.2 Ports and 1x 3.5mm Audio jack, Rear panel features DisplayPort, HDMI 2.1, And 2x USB 3.2 Ports, Display support for up to three monitors with 8K@60Hz capability, Includes Kensington lock slot for Security
PCB_CUBE_3500U16GB_OFFICE	R 11,246	PCBuilder Cube Ryzen 5 3500U 16GB DDR4 512GB Windows 11 Pro Mini PC, AMD Ryzen 5 3500U Processor with 4 Cores and up to 3.70GHz Speed, 16GB DDR4-3200 SO-DIMM Memory installed, 512GB Gen3 M.2 NVMe Solid State Drive storage, Radeon Vega 8 Graphics Integrated GPU, Microsoft Windows 11 Pro Operating System included, Wi-Fi 5 and Bluetooth V5.0 Wireless connectivity, RJ45 Gigabit Ethernet Port for Wired Networking, HDMI 1.4 Display Output supporting 4K@30Hz Resolution, DP 1.4 Display Output supporting 4K@60Hz Resolution
PCB_CUBE_3500U8GB_HOME	R 7,648	PCBuilder Cube Ryzen 5 3500U 8GB DDR4 512GB Windows 11 Home Mini PC, PCBuilder Cube Ryzen 5 3500U Mini PC, AMD Ryzen 5 3500U Processor with 4 Cores and 8 threads base Clock Speed of 2.10GHz up to 3.70GHz, Radeon Vega 8 Integrated Graphics, 8GB DDR4-3200 SO-DIMM Memory installed, 512GB M.2 NVMe SSD storage with PCI-e 3.0 Interface, Microsoft Windows 11 Home Operating System Pre-Installed, Wi-Fi, Bluetooth, RJ45 Gigabit Ethernet, HDMI 1.4 Port supporting 4K@30Hz Output, DisplayPort 1.4 Port supporting 4K@60Hz Output, VESA mountable Design included with bracket
PCB_CUBE_I516G_HOME	R 10,800	PCBuilder CUBE Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 16GB DDR4-3200 SO-DIMM Memory,

		1TB M.2 PCIe Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB)
PCB_CUBE_I516G_OFFICE_V2	R 13,049	PCBuilder Cube Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 2 x 8GB DDR4-3200 SO-DIMM Memory, 512GB Gen3 M.2 NVMe Solid State Drive, Windows 11 Pro 64bit, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB 3.2 (Up to 10Gbps) (Front), 1x Type-C Thunderbolt 4 (Up to 40Gbps) 7680x4320 (8K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096 x 2160 (4K@60Hz), 2x USB 3.2 Gen 2 (Up to 10Gbps)
PCB_CUBE_I58G_HOME_V2	R 9,003	PCBuilder Cube Intel i5-1235U 8GB DDR4 512GB Windows 11 Home Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace Cores & 8 efficient Cores), 1 x 8GB DDR4-3200 SO-DIMM Memory, 512GB Gen3 M.2 NVMe Solid State Drive (SSD), Wi-Fi 6, Bluetooth, Microsoft Windows 11 Home, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB 3.2 (Up to 10Gbps) (Front), 1x Type-C Thunderbolt 4 (Up to 40Gbps) (Front), 1x 2.5Gbps RJ45 Gigabit Ethernet (Front), 2x HDMI 2.1, 2x USB 3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB)
PCB_CUBE_I5_16G_CHROMEOS	R 8,103	PCBuilder Cube Intel i5-1235U 16GB DDR4 256GB ChromeOS Flex Mini PC, 2 x 8GB DDR4-3200 SO-DIMM Memory, 256GB Gen3 M.2 NVMe Solid State Drive, Intel Wi-Fi 6 Wireless LAN, V5.2 Bluetooth, 1x 3.5mm Aux (Dual Line-Out Mic-In), 2x USB 3.2 (Up to 10Gbps), 1x Type-C Thunderbolt 4 (Up to 40Gbps), 1x RJ45 Gigabit Ethernet (2.5Gbps), 2x HDMI 2.1, 2x USB 3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader
PCB_CUBE_N100_4G_HOME	R 4,495	PCBuilder CUBE-N100 Mini PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, 4GB DDR4-3200 SO-DIMM Memory, 128GB 2.5" Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB)
PCB_CUBE_N100_8G_CHROMEOS	R 3,963	PCBuilder Cube Intel N100 8GB DDR4 128GB ChromeOS Flex Mini PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, 1x 8GB DDR4-3200 SO-DIMM Memory, 128GB Gen3 M.2 NVMe Solid State Drive, ChromeOS Operating System, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In), 2x USB 3.2 Gen 1 (Up to 5Gbps), 1x Type-C (DP & PD passthrough) 4096 x 2160 (4K@60Hz), 1x RJ45 Gigabit Ethernet (2.5Gbps), 2x HDMI 2.1 4096 x 2160 (4K@60Hz), 2x USB 3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB)
PCB_CUBE_N100_8G_HOME	R 6,751	PCBuilder CUBE-N100 Mini PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, 8GB DDR4-3200 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB)
PNY_NVIDIA DGXSPARK-EU	R 121,673	PNY nVidia DGX Spark with 128 GB LPDDR5x unified Memory, GPU - Blackwell Architecture, CPU - 20 Core Arm, 10 Cortex-X925 10 Cortex-A725 Arm, nVidia Grace Blackwell Architecture, 5th Generation Tensor Cores, 4th Generation RT Cores, 1 pflops Tensor Performance, 4 TB NVME.M2 with self-encryption storage, 4x USB Type-C, 1x 10 GbE RJ-45 Connector, ConnectX-7 Smart Network Interface card, Wifi 7, Bluetooth, HDMI multichannel Audio Output, 1x HDMI 2.1A
PRO DP10 13M	R 11,499	MSI PRO DP10 13M Mini PC, Intel Core 13th Gen i5-1340P up to 4.6GHz 12MB Cache Twelve (12) Core Processor with intergrated Intel Iris Xe Graphics (4 performace Cores & 8 efficient Cores), 8GB DDR4 Memory, 256GB M.2 PCI-e Solid State Drive, Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 Type-C (Front), 1x Mic-In/headphone-out combo (Front), 3x USB 3.2 Gen 1 Type-A (Front), 1x DisplayPort (1.4), 1x HDMI out, 2x USB 3.2 Gen 1 Type-A, Intel Wi-Fi, Bluetooth, 2.5G LAN port
PRO DP10 13M-I3	R 9,199	MSI PRO DP10 13M Mini PC, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core (6) Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient cores), 8GB DDR4 Memory, 256GB M.2 PCI-e Solid State Drive, Windows 11 Pro 64bit, 1x USB 3.2 Gen 2 Type-C (Front), 1x Mic-In/headphone-out combo

		(Front), 3x USB 3.2 Gen 1 Type-A (Front), 1x DisplayPort (1.4), 1x HDMI out, 2x USB 3.2 Gen 1 Type-A, Intel Wi-Fi, Bluetooth, 2.5G LAN port
RASPBERRY4GB	R 3,564	Raspberry Pi 5 4GB Mini PC, Broadcom BCM2712 2.4GHz quad-core 64-bit Arm Cortex-A76 CPU, Dual 4KP60 HDMI Display Output, VideoCore VII GPU, Supporting OpenGL ES 3.1 & vulkan 1.2, 4GB LPDDR4X-4267 SDRAM, Dual-Band 802.11ac Wi-Fi, Bluetooth 5.0, MicroSD card slot, 2x USB 3.0 Ports, 2x USB 2.0 Ports, Gigabit Ethernet with PoE support, PCI-e 2.0 x1 Interface
RASPBERRY8GB	R 4,944	Raspberry Pi 5 4GB Mini PC, Broadcom BCM2712 2.4GHz quad-core 64-bit Arm Cortex-A76 CPU, Dual 4KP60 HDMI Display Output, VideoCore VII GPU, Supporting OpenGL ES 3.1 & vulkan 1.2, 8GB LPDDR4X-4267 SDRAM, Dual-Band 802.11ac Wi-Fi, Bluetooth 5.0, MicroSD card slot, 2x USB 3.0 Ports, 2x USB 2.0 Ports, Gigabit Ethernet with PoE support, PCI-e 2.0 x1 Interface
RNUC14MNK2500002	R 4,024	Asus RNUC14MNK NUC L6 Mini PC, Intel Twin Lake N250 3.8GHz 6MB Cache Quad Core Processor with Intel Graphics, 1x DDR5 Memory slot, 1x M.2 SSD slot, WiFi, Bluetooth, 1x USB 3.2 Gen2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x 3.5mm Headset jack (Front), 1x USB 3.2 Gen2 Type-C with DisplayPort 1.4, 2x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 1x HDMI 2.1 (TMDS), 1 x DisplayPort 1.4, 1 x RJ45 LAN, 1x Kensington lock
RNUC14MNK2500002	R 4,011	Asus RNUC14MNK NUC L6 Mini PC, Intel Twin Lake N250 3.8GHz 6MB Cache Quad Core Processor with Intel Graphics, 1x DDR5 Memory slot, 1x M.2 SSD slot, WiFi, Bluetooth, 1x USB 3.2 Gen2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x 3.5mm Headset jack (Front), 1x USB 3.2 Gen2 Type-C with DisplayPort 1.4, 2x USB 3.2 Gen 2 Type-A, 1x USB 2.0 Type-A, 1x HDMI 2.1 (TMDS), 1 x DisplayPort 1.4, 1 x RJ45 LAN, 1x Kensington lock
RNUC15CRKC500002	R 9,486	Asus RNUC15CRKU NUC L6 Mini PC, Intel Core 5 210H Eight (8) Core Raptor Lake Turbo boost up to 4.8GHz 12MB L3 Cache Processor with Intel Graphics (4 perfomance Cores & 4 efficient), Dual DDR5-5600, Dual M.2 SSD slots, Wi-Fi, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x Kensington lock (Side), 2x HDMI 2.1 TMDS compatible (4K@60Hz), 2x Thunderbolt 4 Ports (including DP 2.1 and USB4), 1x USB 3.2 Gen2 Type-A, 1x USB 2.0 Type-A, 1x RJ45 LAN
RNUC15CRKC700002	R 12,246	Asus NUC 15 Pro L6 Mini PC, Intel Core 7 240H Ten 10x Core Raptor Lake Turbo boost up to 5.2GHz 24MB L3 Cache Processor with Intel Graphics (6 perfomance Cores & 4 efficient), Dual DDR5-5600, Dual M.2 SSD slots, Wi-Fi, 1x USB 3.2 Gen2x2 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 1x Kensington lock (Side), 2x HDMI 2.1 TMDS compatible (4K@60Hz), 2x Thunderbolt 4 Ports (including DP 2.1 and USB4), 1x USB 3.2 Gen2 Type-A, 1x USB 2.0 Type-A, 1x RJ45 LAN
RNUC16GDKU560002	R 11,096	Asus NUC 16 Pro L6 Mini PC, Intel Core Ultra 5 325 Eight (8) Core Panther Lake Turbo boost up to 4.5GHz 12MB Cache Processor with Intel Graphics (4 perfomance Cores & 4 low Power efficient Cores), Dual DDR5-6400 slots, Dual M.2 SSD 2280 slots, Wi-Fi, Bluetooth, 1x USB 3.2 Gen 2x1 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 2x USB 3.2 Gen2 Type-A, 2x HDMI 2.1, 2x RJ45 LAN
RNUC16GDKU760002	R 13,856	Asus NUC 16 Pro L6 Mini PC, i7 Intel Core Ultra 7 356H Twelve (12) Core Panther Lake Turbo boost up to 4.7GHz 18MB Cache Processor with Intel Graphics (4 perfomance Cores & 8 efficient Cores & 4 low Power efficient Cores), Dual DDR5-7200 slots, Dual M.2 SSD 2280 slots, Wi-Fi, Bluetooth, 1x USB 3.2 GEN2X1 Type-C (Front), 2x USB 3.2 Gen2 Type-A (Front), 2x Thunderbolt 4 Type-C with DisplayPort 2.1, 2x USB 3.2 Gen2 Type-A, 2x HDMI 2.1, 2x RJ45 LAN
S01+C	R 1,783	Mecer Xtreme S01 C Windows PC-on-Stick Cherry Trail Quad Core CPU Computer, Intel Cherry Trail Quad Core Z8350 CPU (1.44GHz / 1.92GHz 2MB Cache), 2GB DDR3 Memory, 32GB NAND Flash Memory (eMMC), Embedded 802.11 b/g/n Wireless LAN and Bluetooth 4.0, Built-in Micro SD Card Reader (up to 64GB SD Card), Built-in Sound, 1x USB 2.0, 2x Micro USB 2.0, 1x HDMI Microsoft Windows 10 Home Single Language, Dimension - 112 x 37 x 14mm, Weight 65g
SY-APN64-5T+SMW	R 13,526	Asus PN64-I5-8G-512G-W11H PN64 mini PC - i5 Twelve core (16-threads) 512Gb Ssd 8Gb Ddr5 Windows Home 11 - 120x130x58mm mini size PC TPM - Intel Alder Lake Core i5-12500H - Quad Performance-cores with Hyper-Threading 8x Energy-efficient-cores
SY-G710510H	R 9,638	Gigabyte i7 gb-bri7h-10510 High (with type2280 M.2 2.5" HDD mounting support) - Brix ultra compact PC - 120x120x47mm mini size PC - 4K HDMI, Black - Intel comet lake Core i7-10510U - Quad core hyper-threading (8-threads), 1.8/4.9Ghz (with VT-x VT-d no TXT, 14nm, 4GT/sec DMi, 38.4GB/sec memory bandwidth; 8mb L2 cache), optional 2x DDR4-2400/2666 so-dimm (2 slots up to 64gb), 1x SATA6G M.2 type2280 PCIe Gen3x4

		(PCIe or SATA or Optane mode), no card reader, on-board Intel HD620 300/1150mhz graphic (18x EU) with 2x HDMI Intel i219V gigabit LAN wireless-AC 3168 433mbps dual-band wifi BT, 7.1 audio via HDMi 1x USB3 type-C (Gen2 10Gbps) 5x USB3 type-A (Gen2 10Gbps) serial port 3.5mm audio in/out combo jack optical SPDiF out consumer infrared sensor; external 19V/65W ac-adapter, with 75x75mm 100x100mm vesa wall mount kit
SY-G710710H	R 11,154	Gigabyte i7 gb-bri7h-10710 High (with type2280 M.2 2.5" HDD mounting support) - Brix ultra compact PC - 120x120x47mm mini size PC - 4K HDMi, Black - Intel comet lake Core i7-10710U - 6 cores hyper-threading (12-threads), 1.1/4.7Ghz (with VT-x VT-d no TXT, 14nm, 4GT/sec DMi, 41.6GB/sec memory bandwidth; 12mb L2 cache), optional 2x DDR4-2400/2666 so-dimm (2 slots up to 64gb), 1x SATA6G M.2 type2280 PCIe Gen3x4 (PCIe or SATA or Optane mode), no card reader, on-board Intel HD620 300/1150mhz graphic (18x EU) with 2x HDMI Intel i219V gigabit LAN wireless-AC 3168 433mbps dual-band wifi BT, 7.1 audio via HDMi 1x USB3 type-C (Gen2 10Gbps) 5x USB3 type-A (Gen2 10Gbps) serial port 3.5mm audio in/out combo jack optical SPDiF out consumer infrared sensor; external 19V/65W AC-adapter, with 75x75mm 100x100mm vesa wall mount kit
SY-GR4300	R 8,236	Gigabyte Ryzen gb-brr3h-4300 - brixs ultra compact PC - 120x120x47mm mini size PC - with M.2 2.5" HDD mounting support, 4x display outputs 2.5 Gigabit LAN - AMD ryzen3 4300u - Quad core, 2.7/ 3.7Ghz (7nm, 2mb L2 cache 4mb L3 cache), optional
SY-GR4500	R 9,065	Gigabyte Ryzen gb-brr5h-4500 - brixs ultra compact PC - 120x120x47mm mini size PC - with M.2 2.5" HDD mounting support, 4x display outputs 2.5 Gigabit LAN - AMD Ryzen 5 4500U - 6 cores, 2.3Ghz up to 4Ghz max-boost (3mb L2 8mb L3 cache), optional
SY-GR5300	R 9,065	Gigabyte Ryzen GB-BER3H-5300 - brix ultra compact PC - 134x139x52mm mini size PC - with 1x M.2 2.5" HDD mounting support, 4x display outputs (2xHDMi miniDP DP) 2.5G LAN, black - AMD ryzen3 5300u - quad cores hyper-threading (8-threads)
SY-GR5500	R 10,227	Gigabyte Ryzen GB-BER5HS-5500 - brix ultra compact PC - 134x139x52mm mini size PC - with 3x M.2 2.5" HDD mounting support, 4x display outputs (2xHDMi miniDP DP) 2.5G LAN, black - AMD Ryzen5 5500U- 6 cores hyper-threading (12-threads)
SY-GR5700	R 13,047	Gigabyte Ryzen GB-BER7HS-5700 - brix ultra compact PC - 134x139x52mm mini size PC - with 3x M.2 2.5" HDD mounting support, 4x display outputs (2xHDMi miniDP DP) 2.5G LAN, black - AMD Ryzen7 5700U- 8 cores hyper-threading (16-threads)
SY-i5BNH+MHSW	R 10,891	Intel NUC7-i5BNHXF NUC (Next Unit of Computing) - 115x111x51mm mini size PC, on-board 4Gb DDR4 Memory 1Tb HDD 16Gb optane SSD Windows 10 pre-installed - 4K Full-HD, Black & Silver - Intel 7th generation Kabylake Core i5-7260U - Dual core hyper-threading (4-threads), 2.2/3.4Ghz (with VT-x VT-d TXT, 14nm, 5GT/sec DMi, 34.1GB/sec memory bandwidth; 4mb L2 cache), 4Gb DDR4-2133 so-dimm installed (2 slots up to 32gb), 16Gb Optane SSD 1Tb 2.5" HDD miCroSDXC card reader (up to 256Gb), on-board Intel HD640 300/950mhz 4K HD graphic with 1x DP(type-C) 1x HDMi out Gigabit LAN wireless-AC 8265 867mbps dual-band WiFi BT 7.1 audio via HDMi/DP 1x USB3.1 type-C 4x USB3.0 3.5mm audio in/out combo jack consumer infrared sensor; external 19V/65W AC-adapter, with vesa wall mount kit, with antenna for optional WiFi/BT combo module - Windows 10 pre-installed
SY-i5RNG	R 24,428	Intel nuc13RNGi5 NUC 13 Extreme Kit - 337x318x129mm, support triple-slot discrete GPUs - Intel Z690 Chipset, Intel rAptor lake lga1700 i5-13600K - 6x Performance-cores with Hyper-Threading 8x Energy-efficient-cores, 20(12 8) threads
SY-i7BTM	R 14,952	Intel NUC11BTMI7 NUC 11 Extreme kit, Intel Core i7-11700B 3.2GHz up to 4.8GHz 24MB Cache Eight Core Processor with intergrated Intel UHD Graphics, Supports 2x DDR4-3200 SO-DIMM up to 64GB, 4x NGFF/M.2X4 TYPE2280 Socket with RAID 0 / 1 support (2x Gen3x4 2x GEN4X4), SDXC Card Reader with UHS-II support, No 2.5" SATA, 1x HDMI out 2x USB 3.1 Type-C / ThunderBolt3, On-Board I225LM Gigabit LAN, Wireless 6E AX210 Dual-Band WiFi, Bluetooth 7.1 audio via HDMI/DP, 2x USB 3.0 Gen2 Type-C/Thunderbolt 4, 8x USB 3.0 Gen2 Type-A, 3.5mm audio in out
SY-i7iNH+M	R 14,926	Intel NUC8i7iNHx NUC (Next Unit of Computing) - 117x112x51mm mini size PC - onboard 8Gb LPDDR3-1866 Memory, with 9.5mm 2.5" HDD mounting support - 4K Full-HD, black silver - Intel 8th generation whiskeylake Core

		i7-8565U - Quad core hyper-threading (8-threads), 1.8Ghz up to 4.6Ghz turbo-boost (with VT-x VT-d no TXT, 14nm, 37.5GB/sec memory bandwidth; 8mb L2 cache), onboard 8Gb LPDDR3-1866 (no slot), nGff/M.2x4 type2280 socket (PCIe or SATA or Optane mode) 1x SATA6G SDXC card reader, on-board Radeon 540X discrete VGA (1219mhz, 512 stream processors, 39GT/sec texture fillrate, 1250 GFLOPS, 2Gb 64bit DDR5, 48Gb/sec memory bandwidth) with 1x HDMi out 1x miniDP USB 3.1 type-C/DP/Thunderbolt3 out i219V gigabit LAN wireless-AC 9560 1730mbps dual-band wifi BT 7.1 audio via HDMi/DP 4x USB3.1 Gen2 10Gbps (1x type-C 3x type-A) 3.5mm audio in/out consumer infrared sensor; external 19V/90W ac-adapter, with vesa wall mount kit
SY-i7PNH	R 13,004	Intel NUC8-v7PNH NUC (Next Unit of Computing) - 117x112x53mm mini size PC with 9.5mm 2.5" HDD mounting support - Intel whiskeylake Core i7-8665U - Quad core hyper-threading (8-threads), 1.9/4.8Ghz (with vPro SiPP TXT VT-x VT-d, 14nm, 4GT/sec DMi, 37.5GB/sec memory bandwidth; 8mb L2 cache), optional 2x DDR4-2400 so-dimm up to 64gb, nGff/M.2x4 type2280 socket (PCIe or SATA or Optane mode) 1x SATA6G, on-board Intel HD620 300/1150mhz 4K HD graphic with 2x HDMI out USB 3.1 type-C/DP/Thunderbolt3 out i219-LM gigabit LAN wireless-AC 9560 1730mbps dual-band WiFi BT 7.1 audio via HDMI/DP 1x USB3.1 type-C (Gen2 10Gbps) 3x USB3.1 type-A (Gen2 10Gbps) 1x USB2.0 serial port (via header); external 19V/65W AC-adapter, with vesa wall mount kit
SY-i7TNHVL	R 12,825	Intel BNUC11TNHV70L00 NUC (Next Unit of Computing) with VPro TPM - 117x112x54mm mini size PC with 9.5mm 2.5" HDD mounting support extra LAN - 4K Full-HD, black - Intel 11th generation tiger lake Core i7-1185G7 - Quad core hyper-threading (8-threads), 3 / 4.8Ghz (with Vpro VT-x VT-d no TXT, 10nm, 4GT/sec DMi, 41.6GB/sec memory bandwidth; 12mb L2 cache), optional 2x DDR4-3200 so-dimm up to 64gb, nGff/M.2x4 type2280 socket (1 x Gen4x4 m-key) 1x SATA6G, on-board Intel Iris Xe Graphics (96EU, 1350mhz) 4K HD graphic with 2x HDMi out 2x type-C/DP/Thunderbolt out 2x i225LM gigabit LAN wireless 6 AX201 dual-band WiFi BT 7.1 audio via HDMi/DP 2x USB3 Gen2 type-C/DP/Thunderbolt 3x USB3 Gen2 type-A 3x USB2.0; external ac-adapter, with vesa wall mount kit
SY-i9BTM	R 21,008	Intel NUC11BTMI9 NUC 11 Extreme kit, Intel Core i9-11900KB 3.3GHz up to 4.9GHz 24MB Cache W Eight Core Processor with intergrated Intel UHD Graphics, Supports 2x DDR4-3200 SO-DIMM up to 64GB, 4x NGFF/M.2X4 TYPE2280 Socket with RAID 0 / 1 support (2x Gen3x4 2x GEN4X4), SDXC Card Reader with UHS-II support, No 2.5" SATA, 1x HDMI out 2x USB 3.1 Type-C / ThunderBolt3, On-Board I225LM Gigabit LAN, Wireless 6E AX210 Dual-Band WiFi, Bluetooth 7.1 audio via HDMI/DP, 2x USB 3.0 Gen2 Type-C/Thunderbolt 4, 8x USB 3.0 Gen2 Type-A, 3.5mm audio in out
SY-PC3165G11H	R 8,472	PCBuilder Cube Mini PC, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core 6x Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient Cores), 16GB DDR4-3200 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096 x 2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096 x 2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB), PCB_CUBE_I316G_HOME
SY-PC3165G11P	R 12,131	PCBuilder Cube Mini PC, Intel Core 13th Gen i3-1315U up to 4.5GHz 10MB Cache Six Core 6x Processor with intergrated Intel UHD Graphics (2 performace & 4 efficient Cores), 16GB DDR4-3200 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Pro, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096 x 2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096 x 2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB), PCB_CUBE_I316G_OFFICE
SY-PC5161T11H	R 10,700	PCBuilder CUBE Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 16GB DDR4-3200 SO-DIMM Memory, 1TB M.2 PCIe Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB), PCB_CUBE_I516G_HOME
SY-PC5161T11P	R 11,589	PCBuilder CUBE Mini PC, Intel Core 12th Gen i5-1235U up to 4.4GHz 12MB Cache Ten (10x) Core Processor with

		intergrated Intel Iris Xe Graphics (2 performace cores & 8 efficient cores), 16GB DDR4-3200 SO-DIMM Memory, 1TB M.2 PCIe Solid State Drive, Windows 11 Pro, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB), PCB_CUBE_I516G_OFFICE
SY-PCC41G11H	R 4,454	PCBuilder CUBE-N100 Mini PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, 4GB DDR4-3200 SO-DIMM Memory, 128GB 2.5" Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB), PCB_CUBE_N100_4G_HOME
SY-PCC85G11H	R 6,688	PCBuilder CUBE-N100 Mini PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, 8GB DDR4-3200 SO-DIMM Memory, 512GB M.2 PCI-e Solid State Drive, Windows 11 Home, Intel Wi-Fi 6, Bluetooth, VESA Mount, 1x 3.5mm Aux (Dual Line-Out Mic-In) (Front), 2x USB3.2 Gen 1 (Up to 5Gbps) (Front), 1x Type-C (DP & PD passthrough) 4096x2160 (4K@60Hz) (Front), 1x RJ45 Gigabit Ethernet (2.5Gbps) (Front), 2x HDMI 2.1 4096x2160 (4K@60Hz), 2x USB3.2 Gen 2 (Up to 10Gbps), 1x MicroSD Card Reader (Up to 32GB), PCB_CUBE_N100_8G_HOME
UN100S	R 3,909	Minisforum UN100S Mini PC, Intel N100 3.4GHz 6MB Cache Quad Core Processor with Intel UHD Graphics, DDR4 single channel slot, 1x M.2 2280 PCI-e 3.0 SSD slot, Wi-Fi 5, Bluetooth 5.1, No Operating System, 1x TF card slot, 1x 2.5" SATA 3.0 Hard Disk Drive slot, 1x RJ45 1000m Ethernet Port, 2x USB 2.0 Type-A Port, 2x USB3.2 Gen2 Type-A Port, 1x USB3.2 Gen2 Type-C (Alt Data DP and PD), 1x HDMI, 1x DisplayPort, 1x DMIC, 1x audio jack
VM23-F4-N335042E6G-GIA V2	R 5,532	Giada VM23 Media player - fanless 4K Digital Signage solution, 2.40 GHz Dual Core CPU with Intel HD Graphics 500, 2GB OnBoard LPDDR4-2133 MHz, 32GB OnBoard eMMC, 1x Realtek rtl 8111H Gigabit Ethernet, 1x DisplayPort, 1x HDMI, 2x USB3.2 Gen1, 2x USB 2.0, 1x RS232 Serial Port, 1x Mic-In, 1x Audio-Out, 2x connector for WiFi/BT antenna, WatchDog timer
VM27-N621042E6G-GIA	R 7,001	Giada VM27 Mini PC, Intel Celeron N6210 1.2GHz up to 2.6GHz 1.5MB Cache Dual Core Processor with Intel UHD Graphics, 4GB LPDDR4-2666 Memory on board, 64GB eMMC storage, 1 x Full-size Mini-PCIe for mSATA, WatchDog timer, Auto Power on, 1 x Realtek rtl 8111H Gigabit Ethernet, 1 x e-key M.2 (2230) for Wi-Fi/BT, 1 x DisplayPort, 1x HDMI, 4 x USB3.2 Gen2 (10 Gbps), 1 x RS232, 1 x mic-in, 1 x audio-out, 2 x connector for Wi-Fi/BT

< Return to the menu

Shuttle XPC build to spec

Product code	Price	Description

< Return to the menu

Thin clients

Product code	Price	Description
11D29EA	R 17,996	HP Mobile Thin Client MT440 G3, Intel Celeron 7305 Five (5) Core Alder Lake 8MB Smart Cache Processor with Intel UHD Graphics (1 perfomance Core & 4 efficient Cores), 8GB (2x4GB) DDR4-3200 Memory, 256GB M.2 PCI-e Solid State Drive, 14 Full HD 1920x1080 LED UWVA LED backlit Display, Wi fi Bluetooth, Windows 10 IoT Enterprise 2021 LTSC for entry level tc
RX300 Thin Client	R 4,208	NComputing RX303P1 Thin Client Terminal with built-in WiFi & vSpace Software, incl Perp. vSpace License 1 Yr HW Warranty VESA Bracket (Rasberry Pi based)
SY-JRC705	R 1,159	J5create JRC705 (zRDP405) Zero RDP ultra thin client over gigabit lan or Wifi - support upto 50 users with 1 xeon server, designed specifically for the Windows VDI based solution microsoft Remote Desktop Protocol, RemoteFX hardware decoder, H.264 hardware windows media player decoder, 4x USB2.0, VGA HDMi dual outputs, 3.5mm in out, 114x114x28mm, with 100x100 vesa wall mount kit

< Return to the menu

Virtual computing		
Product code	**Price**	**Description**
700-0022	R 817	NComputing Dual Display Dongle SDA-DVI (Requires a monitor license. Dual Monitor Support License offered only on vSpace Pro versions, free as of version 11.2)

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Consumables

Data Backup Media (Optical & Tape)

Data Backup Media (Optical & Tape) : DAT / DLT / SDLT cartridges

Product code	Price	Description
C7978A	R 966	HP Storageworks Ultrium Universal Cleaning Cartridge
HC7977A	R 1,457	Hp Lto7 Ultrium 15tb Tape
HC7978A	R 1,153	HP ULTRIUM UNIVERSAL CLEANING CARTRIDGE
HC8S06A	R 3,055	Hp Rdx Usb 3.0 Internal Docking Station
HQ2046A	R 6,839	HP RDX 2TB Removable Disk Cartridge

< Return to the menu

Data Backup Media (Optical & Tape) : Discs: Blu-Ray

Product code	Price	Description
Di-BV43615	R 240	Verbatim 43615 Blu-ray BD-RE (2x), SERL, hard-coated scratch guard plus, RE-Writable, 25GB v2.0 single layer - 5pack jewel box
Di-BV43661	R 633	Verbatim 43661 Blu-ray BD-R SL, 8cm mini, 7.5Gb, hard-coated scratch guard plus, Single Layer - 5pack jewel box.
Di-BV43663	R 730	Verbatim 43663 Blu-ray BD-RE (2x) Discs, 8cm mini, 7.5Gb, SERL, hard-coated scratch guard plus, RE-Writable, single layer - 5pack jewel box.
M43615	R 198	Verbatim BLU-RAY BD-RE SL 25GB 5PK Jewel Case, Hard Coat protective layer, Extremely long archival life, Excellent playback performance, for use in BD writers and recorders, wavelength of 405nm.

< Return to the menu

Data Backup Media (Optical & Tape) : Discs: CD

Product code	Price	Description
43266	R 288	Verbatim 43266 8cm CD-R 210MB 5 pack with jewel case, 24x speed
CDCAS4P-01	R 49	Unique 4 CD Jewel Case
Di-CV43148	R 277	verbatim 43148 DataLifePlus, SERL, 700mb / 80min, blank cd-rw (12x) - 10pack jewel box.
Di-CV43325	R 162	Verbatim 43325 AZO 52x Printable CD-R - Jewel Cased 10 Pack datalifeplus, super AZO, fast dry printable 700mb / 80min blank cd-r (52x) - 10pack jewel box
Di-CV43351	R 251	Verbatim 43351 extra protection surface 700mb80min bLank cd-r (52x) - 50pack spindle
Di-CV43352	R 146	verbatim 43352 datalifeplus Crystal super AZO, 700mb / 80min blank cd-r (52x) - 25pack spindle
Di-CV43411	R 513	Verbatim 43411 extra protection surface 700mb80min blank cd-r (52x) - 100pack spindle
Di-CV43725	R 53	verbatim 43725 , 700/mb 80min bLank cd-r (52x) - 10pack spindle - wagon packing - no stand
Di-CV43728	R 135	VERBATIM 52x CD-R 50 Pack Wagon Wheel, 700MB Capacity, Superior Resistance to UV Irradiation, Lowest Error Rate.
Di-CV43745	R 308	verbatim 43745 datalifeplus , fast dry printable , 700mb80min , blank cd-r (52x) - 50pack spindle
M43148	R 279	Verbatim 8X-12X 700MB CD-RW - 10 Pack; 80 minute recording time; 8X-12X write speed; rewritable media; minimum 1000 rewrite cycles; scratch resistant surface; spindle pack; data backup; music recording; photo

		storage
M43325	R 161	Verbatim 43325 CD-R 52 X 700MB Fast Dry - 10 Pack Jewel Case; 80 minute audio; 52x write speed; AZO recording technology; Fast Dry wide inkjet printable surface; 23mm-118mm print area; write once media; archival storage
M43351	R 252	Verbatim CD-R 52X 700MB Extra Protection 50 Pack Spindle, Superior resistance to UV irradiation, Lowest error rate against a range of CD writers.
M43352	R 145	Verbatim CD-R 52X 700MB Crystal AZO 25 Pack Spindle, Superior resistance to UV irradiation, Lowest error rate against a range of CD writers.
M43411	R 517	Verbatim CD-R 52X 700MB Extra Protection 100Pack Spindle, Superior resistance to UV irradiation, Lowest error rate against a range of CD writers.
M43437	R 178	Verbatim Cd-r 52x 700mb Extra Protection Non A20 - 10 Pack
M43725	R 166	VERBATIM CD-R 52X SPEED 700MB 10PACK WRAP EXTRA PROTECTION (Wrapped CDs, not boxed)
M43745	R 326	Verbatim CD-R 700MB 52X Wide White Printable 50 Pack Spindle, No ID Brand, Superior resistance to UV irradiation, Lowest error rate against a range of CD writers.
M49992	R 152	Verbatim Cd Single Sleeves 50 In A Pack
MEVEV43148	R 278	Verbatim 43148 CD-RW 12x - 10 Pack Jewel Case; rewritable discs; 12x write speed; jewel case packaging; optical storage; data backup media
MEVEV43325	R 161	Verbatim 43325 CD-R AZO Wide Inkjet Printable - 10 Pack Jewel Case, 700MB 80min, AZO dye, 52x speed, wide inkjet printable surface, 10 pack jewel case, optical data storage discs
MEVEV43351	R 252	Verbatim 43351 CD-R Extra Protection layer 50 x CD-R spindle pack; 700MB per disc; write once media; compatible with CD burners; data backup and music storage
MEVEV43352	R 145	Verbatim 43352 CD-R AZO Crystal - 25 Pack Spindle; AZO crystal recording layer; spindle pack; data backup media; music recording; Optical storage discs; compatible CD burners
MEVEV43411	R 516	Verbatim 43411 CD-R Extra Protection - 100 Pack Spindle; write once media; extra protection coating; data music backup discs; optical storage solution
MEVEV43725	R 52	VERBATIM CD-R 80 Min 700MB 52X crystal 10 Pack spindle (CDs Wrapped, not boxed)
MEVEV43745	R 327	Verbatim 43745 CD-R 52x DataLifePlus Wide Inkjet Professional 50pk Spindle, 700MB Capacity, Non ID Branded, 23x118mm Print Area, Superior Resistance to UV Irradiation.

< Return to the menu

Data Backup Media (Optical & Tape) : Discs: DVD

Product code	Price	Description
4902030786700	R 23	TDK DVD R 5 Pack Recordable 16x 120min 4.7GB recordable DVD Media
4902030786717	R 23	TDK DVD-R 5 Pack Recordable 16x 120min 4.7GB recordable DVD Media
4COSDVDRMINI	R 39	PrinQ 4COS DVD-R Mini 1.47GB Jewel Case-Single, Retail Box
4COSDVDRWMINI	R 69	PrinQ 4COS DVD-RW Mini 1.47GB Jewel Case-Single, Retail Box
Di-DV43508	R 183	verbatim 43508 DataLifePlus , Photo Printable , advanced AZO , 4.7gb 120min , dvd R (16x) - 10pack jewel box
Di-DV43512	R 327	verbatim 43512 Wide Photo Printable No ID Brand , 4.7gb 120min dvd R (16x) - 50pack spindle
Di-DV43521	R 166	verbatim 43521 Wide Photo Printable ID brand , 4.7gb 120min dvd-R (16x) - 10pack jewel box
Di-DV43533	R 316	verbatim 43533 Wide Photo Printable, No ID brand, 4.7gb 120min dvd-R (16x) - 50pack spindle
Di-DV43538	R 173	Verbatim 43538 Wide Photo Printable, advanced AZO , 4.7gb/120min, dvd-R (16x) - 25pack spindle
Di-DV43667	R 896	verbatim 43667 inkjet pritable Double Layer, 8.5gb 215min, dvd R DL (8x) - 25pack spindle
Di-DV43729	R 59	Verbatim 43729 4.7GB/120min, DVD-R (16x) 10pack spindle - wagon packing - no stand.
M43229	R 225	Verbatim 43229 DVD RW Matt Silver 4X (Jewel Case); data backup and media storage; SERL technology; 12cm optical disc
M43285	R 137	Verbatim 43285 DVD-RW Matt Silver 4x (Jewel Case); 4.7GB 4x rewritable disc; Matt Silver surface; jewel case packaging; optical storage media; data backup and archiving; compatible DVD-RW drives; 4x write speed; reusable disc
M43498	R 188	Verbatim DVD R Matt Silver 16X 10Pack Spindle, RW-Alliance specifications, AZO recording layer, Highest Level

		of recording stability, Superior Archival life
M43508	R 184	Verbatim DVD R Printable 16X 10 Pack, Wide Inkjet Printable, AZO recording layer, Superior Archival life, Highest Level of recording stability.
M43512	R 328	Verbatim DVD R Printable 16X 50 Pack Spindle, Wide Inkjet Printable, AZO recording layer, Highest Level of recording stability, Superior Archival life.
M43521	R 166	Verbatim DVD-R Printable 16X 4.7GB 10 Pack, Wide Inkjet Printable, AZO recording layer, Highest Level of recording stability, Superior Archival life.
M43523	R 191	Verbatim DVD-R Matt Silver 16X 10 Pack Spindle, AZO recording layer, Highest Level of recording stability, Superior Archival life
M43533	R 314	Verbatim DVD-R Printable 16X 50 Pack Spindle, Inkjet Printable No ID Brand, AZO recording layer, Highest Level of recording stability, Superior Archival life.
M43538	R 202	Verbatim DVD-R Wide Photo Printable 25 Pack Spindle, AZO recording layer, Highest Level of recording stability, Superior Archival life.
M43667	R 1,016	Verbatim DVD R 8.5GB 8X Dual Layer Printable 25 Spindle, RW-Alliance specifications, Highest Level of recording stability, Superior Archival life, AZO recording layer.
M43742	R 246	Verbatim BD-R SL 25B 6X, 10 Pack Spindle, high capacity storage, wavelength of 405nm, 3 to 5 times the storage capacity of a standard recordable DVD disc, Hard Coat protective layer, Excellent playback performance, BD-R Specification Version 1.2.
MEVEV43285	R 137	Verbatim 43285 DVD-RW Matt Silver 5 Pack; rewritable optical discs; matt silver surface; 5 discs pack; standard DVD burner compatible; data backup storage; home and office use
MEVEV43508	R 184	Verbatim 43508 DVD R Wide Inkjet Printable ID Brand - 10 Pack; wide inkjet printable surface; recordable DVD media; data backup discs; multimedia storage; compatible DVD writers; optical storage solution
MEVEV43512	R 328	Verbatim 43512 DVD R Wide Inkjet Printable No ID Brand - 50 Pack; 4.7GB per disc; inkjet printable surface; DVD R format; spindle pack; data backup; video recording; file archiving; optical storage media
MEVEV43521	R 167	Verbatim 43521 DVD-R Wide Inkjet Printable ID Brand - 10 Pack; inkjet printable wide surface; DVD-R media; data storage discs; model 43521; 10 x discs; standard DVD compatibility
MEVEV43533	R 314	Verbatim 43533 DVD-R Wide Inkjet Printable ID Brand - 50 Pack; wide inkjet printable surface; Verbatim 43533; spindle pack optical media; data backup and archiving; printable DVD storage discs
VER94005	R 1,071	Verbatim 9.4GB DVD-RAM Type 4 Double sided media - 5 pack

< Return to the menu

Data Backup Media (Optical & Tape) : Storage: CD / DVD / BluRay

Product code	Price	Description
434515	R 69	Manhattan 12 Capacity Baseball Design CD/DVD Wallet - hold up to 12 disks Retail Box
5024460005141	R 35	Memorex Non-cartridge type 4.7GB DVD-RAM disc
5024460007077	R 115	Memorex Lighscribe DVD-R 10 Pack Jewel Case 4.7GB DVD media; 120 minute video; write once; up to 16x recording; LightScribe compatible; 10 discs; individual jewel cases; optical storage media
7666234224518	R 79	Esquire-Official FIFA 2010 Licensed Product CD / DVD Soccer Ball HOLDER : Holds 60 CD's or DVD's-Purchase as a memoire of the 2010 Soccer World Cup in South Africa!, Retail Packaged
7666234224822	R 29	Esquire-Official FIFA 2010 Licensed Product CD Wallet ZAKUMI Running Pose:Holds 24 CD or DVD with Zipper and Hook-Purchase as a mémoire of the 2010 Soccer World Cup in South Africa!, Retail Packaged
7666234229186	R 29	Esquire-Official FIFA 2010 Licensed Product CD Wallet ZAKUMI Celebration Pose:Holds 24 CD or DVD with Zipper and Hook-Purchase as a m ' moire of the 2010 Soccer World Cup in South Africa!, Retail Packaged
7666234229254	R 29	Esquire-Official FIFA 2010 Licensed Product CD Wallet ZAKUMI Signature Pose: Holds 24 CD or DVD with Zipper and Hook-Purchase as a mémoire of the 2010 Soccer World Cup in South Africa!, Retail Packaged
7666234229322	R 29	Esquire-Official FIFA 2010 Licensed Product CD Wallet FIFA Emblem Holds 24 CD or DVD with Zipper and Hook Purchase as a mémoire of the 2010 Soccer World Cup in South Africa!, Retail Packaged
CDCAS4P	R 69	UniQue Jewel Case 4 pieces, Retail Box
CDP002	R 39	UniQue 40 CD Wallet - printed design, Retail Box, No Warranty

Di-VA49976	R 92	verbatim 49976 Paper CD/DVD Sleeves - 100 sheets
DS-D101	R 771	dacal DC-101G; CD library II; storage up to 150 CD/DVD with USB interface , support daisy chain up to 127 unit - management software bundled
DSY-CF1350	R 79	Disney Cars 48 CD Wallet, Retail Packaged
DSY-CF1600	R 59	Disney Minnie Mouse 24 CD Wallet, Retail Packaged
EDT32240	R 139	Esquire Ebox 240 Cd Holder - Black, Retail Box
EPN-3232	R 39	Esquire E-Box 32 CD Green Transparent Holder, Retail Box
ESQ32240	R 169	Esquire Ebox 240pcs Cd Holder Sparkling Grey, Retail Box
EZF1510-B	R 49	Esquire Ebox Little Cd/ Dvd Bag Black, Retail Box
EZF1510-R	R 49	Esquire Ebox Little Cd/ Dvd Bag Red, Retail Box
EZQ2224-BW	R 49	Esquire Ebox 24pcs Cd Holder Black & White Soccer Ball, Retail Box
EZQ2224-BY	R 49	Esquire Ebox 24pcs Cd Holder Black & Yellow Soccer ball, Retail Box
M49976	R 206	Verbatimn CD Sleeves 100 Pack
MEVEV49976	R 91	Verbatimn 49976 CD Sleeves - 100 Pack; CD/DVD paper sleeves; clear viewing window; flap closure; writable label area; protects from dust and scratches; space-saving storage; white paper sleeves; 1 disc per sleeve (disks not included, these are just sleeves)
PPD-2P	R 49	E-Box Plastic Cd Sleeves 100 Pack, Retail Box
SN12520	R 239	Esquire Ebox 520 Cd Holder - Black And Red, Retail Box
VK-70003-BK	R 69	Volkano Iron Series Sun Visor CD Holder 12 Discs
W50001-C-ORANGE	R 29	Tweety 40 CD Wallet Colour::ORANGE
W50001-C-PINK	R 29	Tweety 40 CD Wallet Colour::PINK
W50001-C-PURPLE	R 29	Tweety 40 CD Wallet Colour::PURPLE

< Return to the menu

Printer consumables

Printer consumables : 3D Printer filament & accessories

Product code	Price	Description
3301010060	R 310	Creality CR-PLA Filament - White - 1kg
3301010061	R 310	Creality CR-PLA Filament - Black 1kg
3301010062	R 310	Creality CR-PLA - Filament Red - 1Kg
3301010063	R 310	Creality CR-PLA Filament - Yellow - 1kg
3301010064	R 310	Creality CR-PLA Filament - Blue - 1Kg
3301010066	R 310	Creality CR-PLA - Filament Grey - 1Kg
3301010071	R 322	Creality CR-PLA - Filament Silver - 1Kg
3301010122	R 264	Creality Ender PLA Black Filament 1kg
3301010123	R 264	Creality Ender PLA Grey Filament 1Kg
3301010125	R 264	Creality Ender PLA Blue Filament 1Kg
3301010298	R 310	Creality CR-PLA Filament - Matte Navy Blue - 1kg
3301010300	R 310	Creality CR-PLA Filament - Matte Strawberry Red - 1Kg
3301010301	R 310	Creality CR-PLA Filament - Matte Avocado Green - 1kg
3301010305	R 299	Creality Ender PLA Filament - White 1kg
3301010308	R 299	Creality Ender PLA Filament - Grey 1kg
3301010309	R 299	Creality Ender PLA Filament - Red 1kg
3301010310	R 299	Creality Ender PLA Filament - Blue 1kg
3301010311	R 299	Creality Ender PLA Filament - Jade Green 1kg
3301010312	R 299	Creality Ender PLA Filament - Beige 1Kg
3301010313	R 299	Creality Ender PLA Filament - Apple Green 1kg
3301010337	R 471	Creality Ender PLA Value pack - Black & White - 2kg
3301010402	R 391	Creality Hyper PLA RFID - Red

3301010404	R 391	Creality Hyper PLA Filament RFID - Blue
3301010405	R 391	Creality Hyper PLA Filament RFID - White
3301010459	R 391	Creality Hyper PLA Filament RFID - Gold
3301010460	R 391	Creality Hyper PLA Filament RFID - Purple
3301010461	R 391	Creality Hyper PLA Filament RFID - Viva Magenta
3301010462	R 391	Creality Hyper PLA Filament RFID - Peach Fuzz
3301010463	R 391	Creality Hyper PLA Filament RFID - Very Peri
3301010464	R 391	Creality Hyper PLA Filament RFID - Skin
3301010465	R 391	Creality Hyper PLA Filament RFID - Brown
3301010466	R 391	Creality Hyper PLA Filament RFID - Grey
3301010467	R 391	Creality Hyper PLA Filament RFID - Orange
3301010468	R 391	Creality Hyper PLA Filament RFID - Green
3301010469	R 391	Creality Hyper PLA Filament RFID - Yellow
3301010501	R 276	Soleyin UltraPLA 1kg 1.75mm - Grey. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010503	R 264	Soleyin UltraPLA 1kg 1.75mm - Glass Green. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010505	R 276	Soleyin UltraPLA 1kg 1.75mm - White. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010506	R 264	Soleyin UltraPLA 1kg 1.75mm - Pineapple Yellow. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010508	R 264	Soleyin UltraPLA 1kg 1.75mm - Light Green. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010509	R 264	Soleyin UltraPLA 1kg 1.75mm - Rosehip. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010510	R 264	Soleyin UltraPLA 1kg 1.75mm - Strawberry Milk. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010512	R 264	Soleyin UltraPLA 1kg 1.75mm - Matte White.3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010513	R 264	Soleyin UltraPLA 1kg 1.75mm - Matte Black. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010517	R 264	Soleyin UltraPLA 1kg 1.75mm - Matte Gray. 3D print filament, vibrant colours, 300mm/s speed, Eco-friendly, Strong adhesion, Quick cooling and shaping.
3301010606	R 264	Creality Soleyin Ultra PLA; Gray; PLA; 1.75mm filament; 1kg spool; 30-300mm/s printing speed; 190-230 C printing temperature; 45-60 C heated bed; 1.25 g/cm3 density; 21 x 21 x 7 cm packaging
3301020032	R 310	Creality ABS Filament - Red - 1Kg
3301040040	R 460	Creality TPU Filament - Black 1kg
3301120001	R 425	Creality Silk Filament - Golden - 1Kg
3301120002	R 425	Creality Silk Filament - Red Copper
3301120003	R 460	Creality Silk Filament - Rainbow - 1kg
3301120004	R 425	Creality Silk Filament - White 1Kg
3301120009	R 425	Creality Silk Filament - Golden Red - 1Kg
3301130001	R 540	Creality Wood Filament - White Pine 1Kg
3301140001	R 322	Creality PLA Filament - Fluorescent Red - 1Kg
3301140002	R 322	Creality PLA Filament - Fluorescent Yellow - 1Kg
3301140003	R 322	Creality PLA Filament - Fluorescent Orange - 1Kg
3301140004	R 322	Creality PLA Filament - Fluorescent Green - 1Kg
3302020063	R 322	Creality LCD Resin 500g - Transparent
3302020064	R 322	Creality LCD Resin 500g - Skin

3302020065	R 322	Creality LCD Resin 500g - Black
3302020082	R 322	Creality LCD Resin 500g - Transparent Red
3302020085	R 517	Creality LCD Resin 1kg - White
3302020087	R 517	Creality LCD Resin 1kg - Blue Transparent
3302020089	R 517	Creality LCD Resin 1kg - Grey
3302020090	R 517	Creality LCD Resin 1kg - Black
3302020091	R 517	Creality LCD Resin 1kg - Skin
3302020092	R 517	Creality LCD Resin 1kg - Transparent
4005010125	R 1,126	Creality Space Pi V2; single filament spool; 45-75 degree Celsius; 1-48 hour drying; 360 degree hot-air circulation; PTC heating; 145W; 220-240V 50/60Hz; 1.75mm and 2.85mm filament; spool up to 190mm diameter x 68mm width; 39 x 10 x 27.9cm; 1.5kg
4005010153	R 1,666	Creality Space Pi V2 Plus Dual-spool Filament Dryer; 2 spool capacity; 45-75 degrees C; 1-48 hour timer; 360 degree hot-air circulation; PTC heating; 12 filament presets; real-time temperature and humidity monitoring; 160 W; EU plug
AHHSBK-10	R 299	Anycubic PLA High Speed Filament 1kg - Pearl Black, FDM (Fused deposition modeling) Printer Technology, Ace compatibility, Recommended 0.2 mm or above nozzle size, 260degreesc Max nozzle temperature, 600 mm/s Max printing Speed, 7 s cooling time, Compatible with Standard and High-Speed FDM printers
AHHSBR-10	R 299	Anycubic PLA High Speed Filament 1kg - Bright Red, FDM (Fused deposition modeling) Printer Technology, Ace compatibility, Recommended 0.2 mm or above nozzle size, 260degreesc Max nozzle temperature, 600 mm/s Max printing Speed, 7 s cooling time, Compatible with Standard and High-Speed FDM printers
AHHSBW-10	R 299	Anycubic PLA High Speed Filament 1kg - Bright White, FDM (Fused deposition modeling) Printer Technology, Ace compatibility, Recommended 0.2 mm or above nozzle size, 260degreesc Max nozzle temperature, 600 mm/s Max printing Speed, 7 s cooling time, Compatible with Standard and High-Speed FDM printers
AHPEBK-10	R 189	Anycubic PETG Solid Filament 1kg - Black, Dry out before use required, Ace compatibility, Recommended 0.2 mm or above nozzle size, 230-250 Degrees C printing temperature, 50-250 mm/s recommended printing Speed
AHPEBW-10	R 189	Anycubic PETG Solid Filament 1kg - White, Dry out before use required, Ace compatibility, Recommended 0.2 mm or above nozzle size, 230-250 Degrees C printing temperature, 50-250 mm/s recommended printing Speed
AHPEGE-10	R 189	Anycubic PETG Solid Filament 1kg - Grey, Dry out before use required, Ace compatibility, Recommended 0.2 mm or above nozzle size, 230-250 Degrees C printing temperature, 50-250 mm/s recommended printing Speed
AHPLBK-10	R 190	Anycubic PLA Basic Filament 1kg - Black, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLBR-10	R 190	Anycubic PLA Basic Filament 1kg - Brown, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLBW-10	R 190	Anycubic PLA Basic Filament 1kg - White, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLBY-10	R 190	Anycubic PLA Basic Filament 1kg - Blue Grey, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLBZ-10	R 190	Anycubic PLA Basic Filament 1kg - Bronze, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported

AHPLCG-10	R 190	Anycubic PLA Basic Filament 1kg - Green, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLCL-10	R 190	Anycubic PLA Basic Filament 1kg - Clear, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLCY-10	R 190	Anycubic PLA Basic Filament 1kg - Cyan, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLDB-10	R 190	Anycubic PLA Basic Filament 1kg - Blue, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200 mm/s recommended printing Speed, 8s cooling time
AHPLGD-10	R 190	Anycubic PLA Basic Filament 1kg - Gold, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLGE-10	R 190	Anycubic PLA Basic Filament 1kg - Grey, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLGY-10	R 190	Anycubic PLA Basic Filament 1kg - Texture Grey, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLLB-10	R 190	Anycubic PLA Basic Filament 1kg - Beige, PLA Filament for FDM 3D printers with 1.75mm compatibility, Printing temperature range is 190-230 & #176; C, Heated bed temperature requirement is 55-56 & #176; C, Recommended printing Speed is 50-200 mm/s, Nozzle size recommended is 0.2 mm or above, ACE compatibility is supported, Maximum Volume Speed (Flow rate) is 12 mm& #179; /s
AHPLLE-10	R 190	Anycubic PLA Basic Filament 1kg - Light Grey, PLA Filament for FDM 3D printers, Precise 1.75mm Diameter, Compatible with FDM 3D printers using 1.75mm Filament, Printing temperature range 190-230 Degrees C, Heated bed temperature 55-56 Degrees C, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, ACE compatibility supported
AHPLMG-10	R 190	Anycubic PLA Basic Filament 1kg - Magenta, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200 mm/s recommended printing Speed, 8s cooling time
AHPLOG-10	R 190	Anycubic PLA Basic Filament 1kg - Olive Green, PLA Filament consumable Type, Compatible with FDM 3D printers using 1.75mm Filament, ACE compatibility compatible, Printing temperature range 190-230 Degrees C, Heated bed temperature range 55-56 V, Recommended printing Speed 50-200 mm/s, Nozzle size recommended 0.2 mm or above, Precise extrusion with bubble-free Output
AHPLP19-10	R 289	Anycubic PLA Filament 1kg - Spring Leaf, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200mm/s recommended printing Speed, 9s cooling time
AHPLPBK-10	R 289	Anycubic PLA Filament 1kg - Black, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200mm/s recommended printing Speed, 9s cooling time
AHPLPBW-10	R 289	Anycubic PLA Filament 1kg - White, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm

		or above nozzle size, 190-230 Degrees C printing temperature, 50-200mm/s recommended printing Speed, 9s cooling time
AHPLPGE-10	R 289	Anycubic PLA Filament 1kg - Grey, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200mm/s recommended printing Speed, 9s cooling time
AHPLPO-10	R 190	Anycubic PLA Basic Filament 1kg - Purple, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 8s cooling time, 50-200 mm/s recommended printing Speed
AHPLRR-10	R 190	Anycubic PLA Basic Filament 1kg - Red, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 8s cooling time, 50-200 mm/s recommended printing Speed
AHPLSL-10	R 190	Anycubic PLA Basic Filament 1kg - Silver, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 8s cooling time, 50-200 mm/s recommended printing Speed
AHPLSP-10	R 190	Anycubic PLA Basic Filament 1kg - Pink, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2 mm or above nozzle size, 190-230 Degrees C printing temperature, 8s cooling time, 50-200 mm/s recommended printing Speed
AHPLTE-10	R 190	Anycubic PLA Basic Filament 1kg - Texture Red, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200 mm/s recommended printing Speed, 8s cooling time
AHPLVO-10	R 190	Anycubic PLA Basic Filament 1kg - Orange, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200 mm/s recommended printing Speed, 8s cooling time
AHPLVY-10	R 190	Anycubic PLA Basic Filament 1kg - Yellow, PLA Filament consumable Type, FDM 3D printers with 1.75mm Filament compatibility, Dry out before use recommended, Ace compatibility, Recommended 0.2mm or above nozzle size, 190-230 Degrees C printing temperature, 50-200 mm/s recommended printing Speed, 8s cooling time
AHSC07-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Black / Gold, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC08-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Black / Blue, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC09-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Black / Green, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC10-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Black / Purple, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC11-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Pink / Gold, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC12-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Red / Gold, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC13-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Red / Blue, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC14-10	R 338	Anycubic PLA Silk Tri-Colour Filament 1kg - Blue / Green / Purple, Blue Green Purple Tri-Colour gradient in one Spool, Silk-like lustrous finish shifts with viewing angle, Compatible with All 1.75 mm FDM printers using a 0.4 mm

		or larger nozzle, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50 and 250 mm/s
AHSC15-10	R 338	Anycubic PLA Silk Tri-Colour Filament 1kg - Red / Yellow / Green, Red Yellow Green Tri-Colour gradient in one Spool, Silk-like lustrous finish shifts with viewing angle, Compatible with All 1.75 mm FDM printers using a 0.4 mm or larger nozzle, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50 and 250 mm/s
AHSC16-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Blue / Green, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC17-10	R 338	Anycubic PLA Silk Dual Filament 1kg - Black / Red, Compatible with All 1.75 mm FDM printers, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50-250 mm/s, Nozzle size recommendation of 0.4 mm or above
AHSC18-10	R 338	Anycubic PLA Silk Tri-Colour Filament 1kg - Red / Blue / Yellow, Red Blue Yellow Tri-Colour gradient in one Spool, Silk-like lustrous finish shifts with viewing angle, Compatible with All 1.75 mm FDM printers using a 0.4 mm or larger nozzle, Printing temperature range of 210-240 Degrees C, Heated bed temperature requirement of 55-56 Degrees C, Recommended printing Speed between 50 and 250 mm/s
AHSCCO-10	R 299	Anycubic PLA Silk Filament 1kg - Copper, Dry out before use recommended, Ace compatibility, Recommended 0.4 mm or above nozzle size, 210-240 Degrees C printing temperature, 50-250 mm/s recommended printing Speed
AHSCSL-10	R 299	Anycubic PLA Silk Filament 1kg - Silver, Dry out before use recommended, Ace compatibility, Recommended 0.4 mm or above nozzle size, 210-240 Degrees C printing temperature, 50-250 mm/s recommended printing Speed
AHSCWH-10	R 299	Anycubic PLA Silk Filament 1kg - White, Dry out before use recommended, Ace compatibility, Recommended 0.4 mm or above nozzle size, 210-240 Degrees C printing temperature, 50-250 mm/s recommended printing Speed
AHXKGG-10	R 452	Anycubic PLA Galaxy Filament 1kg - Green, 1kg Spool of aesthetic Filament with Iridescent starry finish, Contains micro-sparkle powders infused for shimmering effect, Uses Standard PLA print settings without special Configuration, Printing temperature range of 200-230 Degrees C, Heated bed temperature required between 60-65 Degrees C, Recommended printing Speed of 40-260 mm/s, Nozzle size of 0.4 mm or above recommended, ACE Pro compatibility
AHXKGL-10	R 452	Anycubic PLA Galaxy Filament 1kg - Blue, 1kg Spool of aesthetic Filament with Iridescent starry finish, Contains micro-sparkle powders infused for shimmering effect, Uses Standard PLA print settings without special Configuration, Printing temperature range of 200-230 Degrees C, Heated bed temperature required between 60-65 Degrees C, Recommended printing Speed of 40-260 mm/s, Nozzle size of 0.4 mm or above recommended, ACE Pro compatibility
AHXKGP-10	R 452	Anycubic PLA Galaxy Filament 1kg - Purple, 1kg Spool of aesthetic Filament with Iridescent starry finish, Contains micro-sparkle powders infused for shimmering effect, Uses Standard PLA print settings without special Configuration, Printing temperature range of 200-230 Degrees C, Heated bed temperature required between 60-65 Degrees C, Recommended printing Speed of 40-260 mm/s, Nozzle size of 0.4 mm or above recommended, ACE Pro compatibility
AHYGBK-10	R 266	Anycubic PLA Matte Filament 1kg - Black, 1 kg FDM Filament Spool for 3D printing, Matte texture minimizes visible layer lines, Compatible with All 1.75 mm FDM printers using 0.2 mm nozzle or above, Printing temperature range between 190 and 230 Degrees C, Heated bed temperature required from 60 to 65 Degrees C, Recommended printing Speed of 50 to 250 mm/s, Ace compatibility
AHYGBW-10	R 266	Anycubic PLA Matte Filament 1kg - White, 1 kg FDM Filament Spool for 3D printing, Matte texture minimizes visible layer lines, Compatible with All 1.75 mm FDM printers using 0.2 mm nozzle or above, Printing temperature range between 190 and 230 Degrees C, Heated bed temperature required from 60 to 65 Degrees C, Recommended printing Speed of 50 to 250 mm/s, Ace compatibility
AHYGNG-10	R 266	Anycubic PLA Matte Filament 1kg - Nardo Grey, 1 kg FDM Filament Spool for 3D printing, Matte texture minimizes visible layer lines, Compatible with All 1.75 mm FDM printers using 0.2 mm nozzle or above, Printing temperature range between 190 and 230 Degrees C, Heated bed temperature required from 60 to 65 Degrees C, Recommended printing Speed of 50 to 250 mm/s, Ace compatibility

E07020358	R 13	Anycubic Photon Mono M7 Pro Resin 3D Printer LCD cable, Genuine Replacement Control screen cable for Resin printers, Compatible with the Photon Mono M7 Pro Resin 3D Printer model, Flat Ribbon Design connects the Control screen to the mainboard
E07030332	R 87	Anycubic Print Head signal cable for FDM 3D printers, Compatible with Anycubic Kobra 3 / Kobra 3 Combo / Kobra 3 v2 / Kobra 3 Max models, Restores reliable communication between the Print Head and mainboard, Designed to OEM specification for a proper Fit
E18020021	R 298	Anycubic motor for Mono 4 Replacement part, Z-axis stepper motor for Anycubic Photon Mono 4 Printer, Designed specifically for Resin/LCD Printer Technology, Controls precise Vertical movement of the build plate, Official genuine Replacement part for Photon Series printers, Stepper motor with 1.8 degrees step angle for positioning, Restores reliable print-layer motion and stability, Compatible with Anycubic Photon Mono 4 model only
EASY3D-FILAMENT-HOLDER	R 114	EasythreeD filament holder
EASY3D-FILAMENT-ORANGE	R 345	EasythreeD PLA filament - 1kg - Orange
EASY3D-FILAMENT-PINK	R 345	EasythreeD PLA filament - 1kg - Pink
EASY3D-FILAMENT-RED	R 345	EasythreeD PLA filament - 1kg - Red
HFGBE-10	R 414	Anycubic PLA Glow Filament - Blue (Blue Glow), Compatible with All 1.75 mm FDM printers using a 0.4 mm or larger nozzle, Glows Blue continuously for up to two hours after sunlight charge, Eco-Friendly luminescent material free of Heavy metals and radioactive particles, Printing temperature range is 200-230 ° C with heated bed Set between 60-70 ° C, Recommended printing Speed ranges from 50-250 mm/s, Maximum Volume Speed (Flow rate) of 12 mm³ /s
HFGBL-10	R 414	Anycubic PLA Glow Filament - White (Blue Glow), Compatible with All 1.75 mm FDM printers, Brief charge under sunlight activates up to two hours of continuous Blue Glow, Eco-Friendly material free of Heavy metals and radioactive particles, Printing temperature range of 200-230 degree C, Heated bed temperature between 60-70 degree C, Recommended printing Speed of 50-250 mm/s, Requires nozzle size of 0.4 mm or larger, Excellent resistance to bending and tearing for durable prints, Suitable for decorative items like Night lights and figurines
HFGGN-10	R 414	Anycubic PLA Glow Filament - Green (Green Glow), Aesthetic Filament designed for FDM printers, Glows Green continuously for up to 2 hours after a short charge under sunlight, Eco-Friendly luminescent material free of Heavy metals and radioactive particles, Compatible with All 1.75 mm FDM printers using a 0.4 mm or larger nozzle, Printing temperature range is 200-230 Degrees C with a heated bed Set between 60-70 Degrees C, Recommended printing Speed ranges from 50 to 250 mm/s, Maximum Volume Speed (Flow rate) is 12 mm³ /s, Recommended for printing decorative items such as Night lights and glow-in-the-dark figurines.
HPCBK-10	R 598	Anycubic PC Filament 1kg - Black, Anycubic PC Filament is an engineering-grade polycarbonate Filament, Printing temperature ranges from 270-290 ° C, Heated bed temperature required is 100-120 ° C, Recommended printing Speed is 40-250 mm/s, Maximum Volume Flow rate is 12 mm³ /s, Reusable Filament Spool with threaded connection system is included
HPCTW-10	R 598	Anycubic PC Filament 1kg - Translucent White, Dry out before use required, Ace compatibility, Recommended 0.2 mm or above nozzle size, 270-290 Degrees C printing temperature, 40-250 mm/s recommended printing Speed
HPCWH-10	R 598	Anycubic PC Filament 1kg - White, Dry out before use required, Ace compatibility, Recommended 0.2 mm or above nozzle size, 270-290 Degrees C printing temperature, 40-250 mm/s recommended printing Speed
HPFVR-10	R 489	Anycubic PETG-CF Satin Carbon Fiber Filament 1kg - Syrup Brown, FDM (Fused deposition modeling) Printer Technology, PETG-CF supporting filaments, Dry out before use required, Ace compatibility, Recommended 0.4 mm or above nozzle size, Hardened Steel nozzle material, 240-270 Degrees C printing temperature, 40-250 mm/s recommended printing Speed, 6s cooling time
HTABK-10	R 598	Anycubic TPU 68D Filament 1kg - Black, Flexible functional-grade thermoplastic Polyurethane, Hardness rating of 68D for Impact resistance, Printing temperature range of 210-250 ° C, Recommended printing Speed of 40-250 mm/s, Heated bed temperature requirement of 35-60 ° C, Compatible with Anycubic ACE Intelligent Spool identification system, Supports All nozzle materials including Standard 0.4 mm or above
HTABW-10	R 598	Anycubic TPU 68D Filament 1kg - White, Flexible 68D TPU formulation for functional parts, Printing Speed range of 40-250 mm/s, Nozzle temperature range of 210-250 ° C, Heated bed temperature of 35-60 ° C, Compatible with All nozzle materials, Recommended nozzle size of 0.4 mm or above, Supports Anycubic ACE

		Intelligent Spool identification
HTADB-10	R 598	Anycubic TPU 68D Filament in Blue - 1 kg Spool size, Flexible thermoplastic Polyurethane with 68D hardness, Printing temperature range of 210-250 Degrees C, Printing Speed between 40-250 mm/s, Suitable for All nozzle materials with recommended size of 0.4 mm or above
HTAGE-10	R 598	Anycubic TPU 68D Filament in Grey - 1 kg Spool size, Flexible thermoplastic Polyurethane with 68D hardness, Printing temperature range of 210-250 Degrees C, Printing Speed between 40-250 mm/s, Suitable for All nozzle materials with recommended size of 0.4 mm or above
HTANG-10	R 598	Anycubic TPU 68D Filament in Neon Green - 1 kg Spool size, Flexible thermoplastic Polyurethane with 68D hardness, Printing temperature range of 210-250 Degrees C, Printing Speed between 40-250 mm/s, Suitable for All nozzle materials with recommended size of 0.4 mm or above
HTARR-10	R 598	Anycubic TPU 68D Filament in Red - 1 kg Spool size, Flexible thermoplastic Polyurethane with 68D hardness, Printing temperature range of 210-250 Degrees C, Printing Speed between 40-250 mm/s, Suitable for All nozzle materials with recommended size of 0.4 mm or above
HTAVY-10	R 598	Anycubic TPU 68D Filament in Yellow - 1 kg Spool size, Flexible thermoplastic Polyurethane with 68D hardness, Printing temperature range of 210-250 Degrees C, Printing Speed between 40-250 mm/s, Suitable for All nozzle materials with recommended size of 0.4 mm or above
HTFAF-10	R 452	Anycubic PETG-CF Satin Carbon Fiber Filament 1kg - Indigo Blue, FDM (Fused deposition modeling) Printer Technology, PETG-CF supporting filaments, Dry out before use required, Ace compatibility, Recommended 0.4 mm or above nozzle size, Hardened Steel nozzle material, 240-270 Degrees C printing temperature, 40-250 mm/s recommended printing Speed, 6s cooling time
HTFBK-10	R 452	Anycubic PETG-CF Satin Carbon Fiber Filament 1kg - Black, FDM (Fused deposition modeling) Printer Technology, PETG-CF supporting filaments, Dry out before use required, Ace compatibility, Recommended 0.4 mm or above nozzle size, Hardened Steel nozzle material, 240-270 Degrees C printing temperature, 40-250 mm/s recommended printing Speed, 6s cooling time
HTFIG-10	R 452	Anycubic PETG-CF Satin Carbon Fiber Filament 1kg - Titanium Grey, FDM (Fused deposition modeling) Printer Technology, PETG-CF supporting filaments, Dry out before use required, Ace compatibility, Recommended 0.4 mm or above nozzle size, Hardened Steel nozzle material, 240-270 Degrees C printing temperature, 40-250 mm/s recommended printing Speed, 6s cooling time
RFPLAXNZ0AF	R 449	XYZprinting PLA Filament Neon Green, Compatible Model - da Vinci PRO / 1.0A / 1.0AiO Filament
RFPLCXNZ04H	R 449	XYZprinting PLA Filament Clear Green, Compatible Model - da Vinci 1.0 Junior & Mini Filament
RFPLDXTW00H	R 225	XYZprinting 3D Pen Filament, 12m x 6 colours in a pack
S010360	R 225	Anycubic Kobra S1 Max/Combo 0.25mm brass nozzle, S010360, Direct anycubic Replacement part, Compatible with --> Kobra S1 Max and Kobra S1 Max Combo
S010361	R 225	Anycubic S1 hotend All Metal hardened Steel 0.4mm nozzle, S010361, Compatible with --> anycubic Kobra S1 and Kobra S1 Combo FDM 3D printers
S010362	R 225	Anycubic S1 hotend All Metal hardened Steel 0.6mm nozzle, S010362, Compatible with --> Anycubic Kobra S1 and Kobra S1 Combo FDM 3D printers
S010363	R 225	Anycubic S1 hotend All Metal hardened Steel 0.8mm nozzle, S010363, Compatible with --> Anycubic Kobra S1 and Kobra S1 Combo FDM 3D printers
S010364	R 131	Anycubic Kobra 3 Max 0.4mm Stainless Steel nozzle, S010364, FDM Printer Technology, Compatible with --> Kobra 3 Max and Kobra 3 Max Combo FDM 3D printers
SAF-ABSPRE-21	R 264	SA Filament ABS Premium Filament 1kg - Silver. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-26	R 264	SA Filament ABS Premium Filament 1kg - Cool White. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A01	R 264	SA Filament ABS Premium Filament 1kg - White. SA Filament ABS Premium 1kg White, 1.75 mm ABS filament for strong, heat-resistant 3D prints. Ideal for prototypes, mechanical parts, and professional models. Locally made,

		sealed for quality.
SAF-ABSPRE-A02	R 264	SA Filament ABS Premium Filament 1kg - Black. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A03	R 264	SA Filament ABS Premium Filament 1kg - Grey. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A04	R 264	SA Filament ABS Premium Filament 1kg - Blue. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A05	R 264	SA Filament ABS Premium Filament 1kg - Red. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A06	R 264	SA Filament ABS Premium Filament 1kg - Yellow. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A07	R 264	SA Filament ABS Premium Filament 1kg - Green. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A08	R 264	SA Filament ABS Premium Filament 1kg - Orange. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A10	R 264	SA Filament ABS Premium Filament 1kg - Pink. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-A14	R 264	SA Filament ABS Premium Filament 1kg - Natural / Ivory. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-B0301	R 264	SA Filament ABS Premium Filament 1kg - Dark Grey. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-ABSPRE-B0302	R 264	SA Filament ABS Premium Filament 1kg - Light Grey. SA Filament ABS Premium 1kg Silver - High-strength 1.75mm ABS filament with tight tolerances for durable, professional-grade 3D printing results. Premium: Enhanced strength, higher heat deflection, better adhesion.
SAF-PLA-101	R 287	SA Filament PLA White filament 1kg . 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. White.
SAF-PLA-102	R 287	SA Filament PLA Black filament 1kg - 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Black.
SAF-PLA-103	R 287	SA Filament PLA Grey filament 1kg - 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Grey.
SAF-PLA-104	R 287	SA Filament PLA Red filament 1kg - 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Red.
SAF-PLA-105	R 287	SA Filament PLA Blue filament 1kg - 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Blue.
SAF-PLA-201	R 322	SA Filament 2x 350g PLA Black Plus White - Twin pack. 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Black Plus White - Twin pack.
SAF-PLA-B011	R 287	SA Filament PLA Filament 1kg - 1.75mm. Olive drab. Standard PLA: Biodegradable, easier printing at 190 -230degC, bed at room temp. Olive drab.
SAF-PLA-B0301	R 287	SA Filament PLA Filament 1kg - Dark Grey. 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230

		degC, bed at room temp.
SAF-PLA-B0302	R 287	SA Filament PLA Filament 1kg - Light Grey. 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Light Grey.
SAF-PLA-B0417	R 287	SA Filament PLA Filament 1kg - Air-Force Blue. 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Air-Force Blue.
SAF-PLA-B0719	R 287	SA Filament PLA Filament 1kg - Military Green. 1.75mm. Standard PLA: Biodegradable, easier printing at 190 -230 degC, bed at room temp. Military Green.
SAF-PLA-D04	R 333	SA Filament PLA UV Neon Filament 1kg - Luminous Blue. Experience vivid, UV-reactive brilliance with SA Filament UV Neon PLA - a 1kg spool of neon-infused PLA that glows fiercely under blacklight. Available in bold fluorescent shades, it delivers smooth, vibrant prints at standard PLA settings while ensuring eye-catching visual impact.
SAF-PLA-D05	R 333	SA Filament PLA UV Neon Filament 1kg - Fire Red. Experience vivid, UV-reactive brilliance with SA Filament UV Neon PLA - a 1kg spool of neon-infused PLA that glows fiercely under blacklight. Available in bold fluorescent shades, it delivers smooth, vibrant prints at standard PLA settings while ensuring eye-catching visual impact.
SAF-PLA-D06	R 333	SA Filament PLA UV Neon Filament 1kg - Lunar Yellow. Experience vivid, UV-reactive brilliance with SA Filament UV Neon PLA - a 1kg spool of neon-infused PLA that glows fiercely under blacklight. Available in bold fluorescent shades, it delivers smooth, vibrant prints at standard PLA settings while ensuring eye-catching visual impact.
SAF-PLA-D07	R 333	SA Filament PLA UV Neon Filament 1kg - Luminous Green. Experience vivid, UV-reactive brilliance with SA Filament UV Neon PLA - a 1kg spool of neon-infused PLA that glows fiercely under blacklight. Available in bold fluorescent shades, it delivers smooth, vibrant prints at standard PLA settings while ensuring eye-catching visual impact.
SAF-PLA-D10	R 333	SA Filament PLA UV Neon Filament 1kg - Pink. Experience vivid, UV-reactive brilliance with SA Filament UV Neon PLA - a 1kg spool of neon-infused PLA that glows fiercely under blacklight. Available in bold fluorescent shades, it delivers smooth, vibrant prints at standard PLA settings while ensuring eye-catching visual impact.
SAF-PLA-D12	R 333	SA Filament PLA UV Neon Filament 1kg - Magenta. Experience vivid, UV-reactive brilliance with SA Filament UV Neon PLA - a 1kg spool of neon-infused PLA that glows fiercely under blacklight. Available in bold fluorescent shades, it delivers smooth, vibrant prints at standard PLA settings while ensuring eye-catching visual impact.
SAF-PLAHYP-A0135	R 356	SA Filament PLA Hyper Filament 1kg - Cool White. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-A02	R 356	SA Filament PLA Hyper Filament 1kg - Black. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-A03	R 356	SA Filament PLA Hyper Filament 1kg - Grey. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-A04	R 356	SA Filament PLA Hyper Filament 1kg - Blue. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-A05	R 356	SA Filament PLA Hyper Filament 1kg - Red. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-A06	R 356	SA Filament PLA Hyper Filament 1kg - Yellow. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-A08	R 356	SA Filament PLA Hyper Filament 1kg - Orange. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-B0301	R 356	SA Filament PLA Hyper Filament 1kg - Dark Grey. SA Filament PLA Hyper is engineered for ultra-fast 3D printing

		speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAHYP-B0302	R 356	SA Filament PLA Hyper Filament 1kg - Light Grey. SA Filament PLA Hyper is engineered for ultra-fast 3D printing speeds up to 600mm/s, offering superior strength, smoother finishes, and enhanced heat resistance-ideal for professionals and hobbyists seeking performance and precision in every print.
SAF-PLAPLUS-B0105	R 322	SA Filament PLA Plus Filament 1kg - Pearl White. Material Line: PLA Plus (PLA); Net Weight: 1 kg.PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-B013	R 322	SA Filament PLA Plus Filament 1kg - Gun Metal. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C0126	R 322	SA Filament silk PLA Plus Gloss Filament 1kg - White. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C0226	R 322	SA Filament Silk PLA Plus Gloss Filament 1kg - Black. LA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C03	R 322	SA Filament Silk PLA Plus Gloss Filament 1kg - Grey. PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C0403	R 322	SA Filament PLA Plus Filament 1kg - Sky Blue. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C0434	R 322	SA Filament Silk PLA Plus Filament 1kg - Steel Blue. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C0436	R 322	SA Filament Silk PLA Plus Filament 1kg - Royal Blue. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C06	R 322	SA Filament Silk PLA Plus Filament 1kg - Yellow. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C08	R 322	SA Filament Silk PLA Plus Filament 1kg - Orange. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-C13	R 322	SA Filament Silk PLA Plus Filament 1kg - Brown. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-H04	R 322	SA Filament PLA Plus Chrome Filament 1kg - Blue. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-H07	R 322	SA Filament PLA Plus Chrome Filament 1kg - Green. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-H10	R 322	SA Filament PLA Plus Chrome Filament 1kg - Pink. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA Plus ' s mechanical benefits.
SAF-PLAPLUS-H21	R 322	SA Filament PLA Plus Chrome Filament 1kg - Silver. Material Line: PLA Plus (PLA); Net Weight: 1 kg. PLA Plus: Enhanced strength, higher heat deflection, better adhesion. Silk PLA : Adds shiny, silky surface finishes with PLA

		Plus ' s mechanical benefits.
SAF-PLAPRE-K04	R 356	SA Filament Premium PLA Filament 500g - Blue Glow in the Dark. Discover the magic of SA Filament ' s PLA Premium Glow-in-the-Dark, designed for effortless printing and spectacular after-dark brilliance.
SAF-PLAPRE-K07	R 356	SA Filament Premium PLA Filament 500g - Green Glow in the Dark. Discover the magic of SA Filament ' s PLA Premium Glow-in-the-Dark, designed for effortless printing and spectacular after-dark brilliance.
SBZ2BG-10	R 261	Anycubic Standard Resin v2 - Beige, Photopolymer Resin material, 365-405 nm Wavelength, 3 mins curing time, Compatible with All 405nm LCD/DLP printers
SBZ2BK-10	R 261	Anycubic Standard Resin v2 - Black, Photopolymer Resin material, 365-405 nm Wavelength, 3 mins curing time, Compatible with All 405nm LCD/DLP printers
SBZ2CL-10	R 261	Anycubic Standard Resin v2 - Clear, Photopolymer Resin material, 365-405 nm Wavelength, 3 mins curing time, Compatible with All 405nm LCD/DLP printers
SBZ2HG-10	R 261	Anycubic Standard Resin v2 1kg - HD Grey, Compatible with All 405nm LCD/DLP printers, Tensile strength of 35-45 MPa, Volume shrinkage rate of 4.3-5.6%, Hardness rating of 80-83 HD, Cleaning requires 95% ipa for at least 3 minutes
SBZ2WH-10	R 261	Anycubic Standard Resin v2 - White, Photopolymer Resin for 3D printing, Compatible with All 405nm uv-curing LCD and DLP printers, Tensile strength ranging from 35 to 45 MPa, Volume shrinkage rate of 4.3-5.6%, Hardness rating of 80-83 HD, Print temperature range of 20-50 ° C, Cleaning requires 95% ipa for at least 3 minutes
SSX2BK-10	R 298	Anycubic Water wash Resin 2.0 - Black - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C
SSX2CL-10	R 298	Anycubic Water wash Resin 2.0 - Clear - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C
SSX2GY-10	R 298	Anycubic Water wash Resin 2.0 - Grey, Hydrophilic group-modified light-curing Resin material, Compatible with 365-405 nm MSLA/LCD printers, Water washable cleaning Method requires Medium washing duration of at least 5 minutes, Cured hardness measurement of 82-85 HD, Tensile strength range of 38-43 MPa, Volume shrinkage rate between 2.2% and 5.5%
SSX2SB-10	R 298	Anycubic Water wash Resin 2.0 - Smoky Black - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C
SSX2TB-10	R 298	Anycubic Water wash Resin 2.0 - Translucent Blue - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C
SSX2TG-10	R 298	Anycubic Water wash Resin 2.0 - Translucent Green - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C
SSX2TR-10	R 298	Anycubic Water wash Resin 2.0 - Translucent Red - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C
SSX2WH-10	R 298	Anycubic Water wash Resin 2.0 - White - 1 kg, Compatible with 365-405 nm msla/LCD Resin printers, Rinses clean with Water in Medium washing duration, Hydrophilic group-modified light-curing Resin material, Post-cured hardness of 82-85 HD, Print temperature range of 20-50 Degrees C

< Return to the menu

Printer consumables : Inkjet printer ink

Product code	Price	Description
0321C001AA	R 381	Canon PGI-470XL PGBK Black Single Ink Cartridge - MG5740, MG7740, TS5040, TS6040, TS8040, TS9040, Yield: 500
0346C001AA	R 360	Canon CLI-471XL Black Single Ink Cartridge - MG5740, MG7740, TS5040, TS6040, TS8040, TS9040, Yield : 4425

0347C001AA	R 360	Canon CLI-471XL Cyan Single Ink Cartridge - MG5740, MG7740, TS5040, TS6040, TS8040, TS9040, Yield: 665
0348C001AA	R 360	Canon CLI-471XL Magenta Single Ink Cartridge - MG5740, MG7740, TS5040, TS6040, TS8040, TS9040, Yield: 660
0349C001AA	R 360	Canon CLI-471XL Yellow Single Ink Cartridge - MG5740, MG7740, TS5040, TS6040, TS8040, TS9040, Yield: 685
0350C001AA	R 360	Canon CLI-471XL Grey Single Ink Cartridge - MG7740, TS8040, TS9040, Yield: 3350
0375C001AA	R 368	Canon PGI-470 PGBK - Black MG5740, MG7740, TS5040, Yield : 300
0400C001AA	R 276	Canon CLI-471BK Black ink cartridge, 1105 pages yield, For Pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040 printers
0401C001AA	R 276	Canon CLI-471C Cyan ink cartridge, 345 pages yield, For Pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040 printers
0402C001AA	R 276	Canon CLI-471M Magenta ink cartridge, 298 pages yield, For Pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040 printers
0403C001AA	R 276	Canon CLI-471Y Yellow ink cartridge, 330 pages yield, For Pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040 printers
0404C001AA	R 276	Canon CLI-471 Grey Single Ink Cartridge - MG7740, TS8040, TS9040, Yield: 330
0615B001AA	R 490	Canon PG-40 Black ink cartridge 16ml, Compatible with --> Canon IP1300 / IP1600 / IP1700 / IP1800 / IP1900 / IP2200 / IP2500 / IP2600 / JX200 / JX210P / JX500 / JX510P / MP140 / MP150 / MP160 / MP170 / MP180 / MP190 / MP210 / MP220 / MP450 / MP450X / MP460 / MP470 / MX300 / MX310 printers
0617B001AA	R 597	Canon CL-41 color ink cartridge, 308 pages yield, For Pixma IP 1600 / IP 2200 / MP 150 / MP 170 / MP 450 / IP 1700 / MP 160 / MP 180 / MP 460 / IP 1300 / MP 210 / MX 300 / MX 310 / MP 220 / MP 140 / IP 2600 / MP 190 printers
0620B001AA	R 312	Canon CLI-8BK Black ink cartridge, 940 pages yield, For Pixma IP4200 / IP4300 / IP4500 / IP5200 / IP5300 / IP6600D / IP6700D / PRO9000 / MP500 / MP530 / MP600 / MP610 / MP800 / MP810 / MP830 / MP970 / MX850 printrers
0622B001AA	R 312	Canon CLI-8M Magenta ink Cartridge, 490 pages yield, For Pixma IP4200 / IP4300 / IP4500 / IP5200 / IP5300 / IP6600D / IP6700D / PRO9000 / MP500 / MP530 / MP600 / MP610 / MP800 / MP810 / MP830 / MP970 / MX850 printrers
0624B001AA	R 242	Canon CLI-8C Cyan ink cartridge, 940 pages yield, For Pixma IP4200 / IP4300 / IP4500 / IP5200 / IP5300 / IP6600D / IP6700D / PRO9000 / MP500 / MP530 / MP600 / MP610 / MP800 / MP810 / MP830 / MP970 / MX850 printrers
0625B001AA	R 345	Canon CLI-8M Magenta ink cartridge, 940 pages yield, For Pixma IP4200 / IP4300 / IP4500 / IP5200 / IP5300 / IP6600D / IP6700D / PRO9000 / MP500 / MP530 / MP600 / MP610 / MP800 / MP810 / MP830 / MP970 / MX850 printrers
0626B001AA	R 345	Canon 0626B001AA CLI8R Red Ink 0626B001AA
0628B001AA	R 362	Canon PGI-5 Black ink tank, 360 page yield, Compatible with --> IP3300 / IP4200 / IP4300 / IP5200 / IP5300 / IP6600D / IP6700D / PRO9000 / PRO9000MKII / MP500 / MP800 / IX4000 / IX5000 / MP970 printers
0663C001AA	R 199	Canon GI-490PGBK Black Ink Bottle - G1400, G1410, G1411, G2400, G2410, G2411, G3400, G3410, G3411, G4400, G4410, G4411 - Yield 6 000
0664C001AA	R 171	Canon GI-490 Cyan Ink Bottle - G1400, G1410, G1411, G2400, G2410, G2411, G3400, G3410, G3411, G4400, G4410, G4411 - Yield 7 000
0665C001AA	R 171	Canon GI-490 Magenta Ink Bottle - G1400, G1410, G1411, G2400, G2410, G2411, G3400, G3410, G3411, G4400, G4410, G4411 - Yield 7 000
0666C001AA	R 171	Canon GI-490 Yellow Ink Bottle - G1400, G1410, G1411, G2400, G2410, G2411, G3400, G3410, G3411, G4400, G4410, G4411 - Yield 7 000
10N0016	R 499	Lexmark 10N0016 16 Black Print Cartridge - for use with Lexmark i3, X1100, X1110, X1130, X1140, X1150, X1155, X1170, X1180, X1185, X1190, X1195, X1250, X1270, X1280, X1290, X2230, X2240, X2250, X74, X75, Z13, Z23, Z24, Z25, Z33, Z34, Z35, Z511, Z513, Z515, Z517, Z601, Z602, Z603, Z604, Z605, Z611, Z612, Z613, Z614, Z615, Z617, Z640, Z645, Z647
10N0026	R 499	Lexmark Inkjet #26 Color Ink/Print Cartridge

10NX227BP	R 499	Lexmark 27 Cyan Magenta Yellow Colour Original Ink Cartridge
1511B001AA	R 394	Canon CLI-36 4-colour ink tank, 191 page yield, Compatible with --> Canon Pixma mini 260 / mini 320 / IP100 / 100V printers
15MX971BP	R 311	LEXMARK #71 INKJET CARTRIDGE
18C2180BP	R 499	Lexmark 37XL Colour CMY Original Ink Cartridge - for use with Lexmark X3650, X4630, X4650, X5650, X5650es, X6650, X6675, X6675 Pro Series, X6675 Professional, Z2420
1992C001AA	R 363	Canon CLI-481Y XXL Yellow Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
1994C001AA	R 312	Canon CLI-481PB XXL Photo Blue Ink Cartridge - TS8140, TS9140
1VV21AE	R 178	HP 1VV21AE GT53XL 135ml Black original ink bottle, 6000 page yield, Compatible with --> Ink Tank 315 / Ink Tank Wireless 415 / Smart Tank 500 AIO / Smart Tank 515 AIO / Smart Tank 530 AIO / Smart Tank 615 AIO printers
2023C001AA	R 345	Canon PGI-480PGBK XL Black Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
2044C001AA	R 315	Canon CLI-481C XL Cyan Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
2045C001AA	R 315	Canon CLI-481M XL Magenta Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
2046C001AA	R 315	Canon CLI-481Y XL Yellow Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
2047C001AA	R 315	Canon CLI-481BK XL Black Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
2048C001AA	R 315	Canon CLI-481PB XL Photo Blue Ink Cartridge - TS8140, TS9140
2077C001AA	R 276	Canon PGI-480 PGBK Black ink cartridge, 300 pages yield, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 15ml ink tank allows you to print up to 300 pages of A4 documents
2098C001AA	R 233	CANON CLI-481C Cyan ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
2099C001AA	R 233	CANON CLI-481M Magenta ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
2100C001AA	R 233	CANON CLI-481Y Yellow ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
2101C001AA	R 233	CANON CLI-481BK Black ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
2101C005AA	R 771	CANON CLI-481 MULTIPACK B/C/M/Y ink. TS704, S6140, TS6240, TS8140, TS8240, TS9140, TS7540, TS8540, TS9540
2102C001AA	R 233	Canon CLI-481 photo blue ink tank
2145B001AA	R 408	Canon PG-37 Black Ink Tank, 220 Pages yield, Compatible with --> PIXMA iP1800 / iP1900 / iP2500 / iP2600 / MP140 / MP190 / MP210 / MP220 / MP470 / MX300 / MX310 printers
2444B001AA	R 176	Canon PGI-7BK Black Ink Tank (Yield = 570 Pages) FOR MX7600, iX7000
2890C001AA	R 2,907	Canon PFI-320 Black Ink Tank Cartridge, 300ml Volume, Compatible with --> imagePROGRAF TM-200 / TM-300 / TM-305 printers
2932B001AA	R 338	Canon PGI-520 Black ink tank, 324 pages yield, Compatible with --> IP3600 / 4600 / MP980 printers
2933B001AA	R 322	Canon CLI-521 Black Single Ink cartridge, 1505 pages yield, Compatible with iP3600 / iP4600 / iP4700 / MP540 / MP550 / MP560 / MP620 / MP630 / MP640 / MP980 / MP990 / MX860 / MX870 printers
2934B001AA	R 322	Canon CLI-521 Cyan Single Ink cartridge, 446 pages yield, Compatible with iP3600 / iP4600 / iP4700 / MP540 / MP550 / MP560 / MP620 / MP630 / MP640 / MP980 / MP990 / MX860 / MX870 printers
2934B005AA	R 322	Canon CLI-521 Cyan Ink Tank (Yield = 446 Pages). Model / Description : iP3600, iP4600, iP4700, MP540, MP550, MP560, MP620, MP630, MP640, MP980, MP990, MX860, MX870
2935B001AA	R 322	Canon CLI-521 Magenta Single Ink cartridge, 446 pages yield, Compatible with iP3600 / iP4600 / iP4700 / MP540 / MP550 / MP560 / MP620 / MP630 / MP640 / MP980 / MP990 / MX860 / MX870 printers
2936B001AA	R 270	Canon CLI-521 Yellow Single Ink cartridge, 446 pages yield, Compatible with iP3600 / iP4600 / iP4700 / MP540 / MP550 / MP560 / MP620 / MP630 / MP640 / MP980 / MP990 / MX860 / MX870 printers
2969B001AA	R 539	Canon PG-512 Black ink cartridge, 401 pages yield, Compatible with --> IP2700 / MP240 / MP250 / MP270 / MP280 / MX320 / MX330 / MX340 / MX350 / MX360 / MX410 / MX420 printers
2970B001AA	R 449	Canon PG-510 Black Ink Tank, 220 page yield, Compatible with --> IP2700 / MP230 / MP240 / MP250 / MP270

		/ MP280 / MP230 / MX320 / MX330 / MX340 / MX350 / MX360 / MX410 / MX420 printers
2971B001AA	R 670	Canon CL-513 XL Tri-color ink cartridge, 349 pages yield, for Pixma IP2700 / IP2702 / MP230 / MP240 / MP250 / MP260 / MP270 / MP280 / MP480 / MP490 / MX320 / MX330 / MX340 / MX350 / MX360 / MX410 / MX420 printers
2972B001AA	R 545	Canon CL-511 Tri-Colour ink cartridge, 244 pages yield, For IP2700 / MP240 / MP250 / MP270 / MP230 / MP280 / MX320 / MX330 / MX340 / MX350 / MX360 / MX410 / MX420 printers
2972B007AA	R 545	Canon CL-511 CLR - Colour Ink Cartridge, EO& E : IP2700, MP240, MP250, MP270, MP230, MP280, MX320, MX330, MX340, MX350 , MX360 , MX410 , MX420, 244
3385C001AA	R 233	Canon GI-40 BK Black ink bottle, 6000 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
3400C001AA	R 159	Canon GI-40 C Cyan ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
3401C001AA	R 159	Canon GI-40 M Magenta ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
3402C003AA	R 159	Canon GI-40 Y Yellow ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
3710C001AA	R 610	Canon PG-460XL High Yield Black Ink cartridge, 400 page yield, Compatible with --> TS5340 printer
3711C001AA	R 436	Canon PG-460 Black Ink cartridge, 180 page yield, Compatible with --> TS5340 printer
3711C004AA	R 853	Canon PG-460/CL-461 Multipack Ink cartridges, 180 colour & 180 black page yield, Compatible with --> TS5340 Printer
3728C001AA	R 535	Canon CL-461XL High Yield Tri-Colour Ink cartridge, 300 page yield, Compatible with --> TS5340 Printer
3729C001AA	R 476	Canon CL-461 Tri-Colour Ink cartridge, 180 page yield, Compatible with --> TS5340 Printer
3JA23AE	R 426	HP #963 Cyan Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA24AE	R 426	HP #963 Magenta Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA25AE	R 431	HP #963 Yellow Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA26AE	R 581	HP #963 Black Original Ink Cartridge, 1000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA27AE	R 679	HP #963XL High Yield Cyan Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA28AE	R 676	HP #963XL High Yield Magenta Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA29AE	R 676	HP #963XL High Yield Yellow Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3JA30AE	R 907	HP #963XL High Yield Black Original Ink Cartridge, 2000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
3YL77AE	R 196	HP #912 Cyan Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YL78AE	R 193	HP #912 Magenta Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YL79AE	R 197	HP #912 Yellow Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YL80AE	R 314	HP #912 Black Original Ink Cartridge, 300 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YL81AE	R 382	HP #912xl high yield Cyan original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YL82AE	R 385	HP #912xl high yield Magenta original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YL83AE	R 380	HP #912xl high yield Yellow original ink cartridge, 825 page yield. Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers.
3YL84AE	R 736	HP #912xl high yield Black original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
3YM60AE	R 232	HP 3YM60AE 305 Tri-color original Ink cartridge, 100 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
3YM61AE	R 232	HP 3YM61AE 305 Black original Ink cartridge, 120 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers

3YM62AE	R 437	HP 3YM62AE 305XL High Yield Black original Ink cartridge, 240 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
3YM63AE	R 398	HP 3YM63AE 305XL High Yield Tri-Colour original Ink cartridge, 200 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / plus 4110 / plus 4120 / plus 4122 / plus 4130 All-in-One printers
3YM63AE#301	R 9	HP 3YM63AE 305XL High Yield Tri-Colour original Ink cartridge, 200 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / plus 4110 / plus 4120 / plus 4122 / plus 4130 All-in-One printers
3YM74AE	R 243	HP 3YM74AE 653 Tri-Colour Original Ink Advantage Cartridge, 200 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
3YM75AE	R 279	HP 3YM75AE 653 Black Original Ink Advantage Cartridge, 360 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
3YP61AE	R 505	HP Black/Tri-colour GT Printhead Kit
4192C001AA	R 396	Canon PFI-300 MBK Matt Black Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
4193C001AA	R 396	Canon PFI-300 PBK Photo Black Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
4194C001AA	R 396	Canon PFI-300 C Cyan Ink Tank, 82 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4195C001AA	R 396	Canon PFI-300 M Magenta Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4196C001AA	R 396	Canon PFI-300 Y Yellow Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4197C001AA	R 396	Canon PFI-300 PC Photo Cyan Ink Tank, 116 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4198C001AA	R 396	Canon PFI-300 PM Photo Magenta Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4199C001AA	R 396	Canon PFI-300 R Red Ink Tank, 129 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4200C001AA	R 392	Canon PFI-300 GY Grey Ink Tank, 44 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
4411C001AA	R 311	Canon GI-46 Black Ink Tank cartridge, 6 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
4427C001AA	R 513	Canon GI-46 Cyan Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
4428C001AA	R 513	Canon GI-46 Magenta Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
4429C001AA	R 513	Canon GI-46 Yellow Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
4528C001AA	R 247	Canon GI-41 Black Ink Tank, 6 000 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
4532B001AA	R 367	CANON PGI-425 PGBK CARTRIDGE / PIXMA IP4945,with yield of 324 pages at IDC 5% coverage. iP4840, IP4940, MG5140, MG5240, MG5340, MG6140, MG6240, MG8140 ,MG8240, MX884.
4543C001AA	R 175	Canon GI-41 Cyan Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
4544C001AA	R 175	Canon GI-41 Magenta Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
4545C001AA	R 175	Canon GI-41 Yellow Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
4556B001AA	R 322	CANON CLI-426Bk Black ink tank EMB Compatible for - pixma ip4840 / MG5140, MG5240, MG6140, MG8140
4556B005AA	R 312	Canon CLI-426 Black Ink Cartridge compatible for iP4840, IP4940, MG5140, MG5240, MG5340, MG6140, MG6240, MG8140 ,MG8240, MX884.
4557B001AA	R 322	CANON CLI-426C Cyan ink tank,Compatible for - for pixma ip4840 / MG5140, MG5240, MG6140, MG8140. Yield 446 pages., Â© 2015 Laptop Direct
4557B005AA	R 837	Canon CLI-426 Black ink cartridge, 1505 pages yield, Compatible with --> Canon Pixma IP4840 / IP4940 / MG5140 / MG5240 / MG5340 / MG6140 / MG6240 / MG8140 / MG8240 / MX884 Printer
4558B001AA	R 322	Canon CLI-426 M EMB Magenta Printer Ink for iP4840, IP4940, MG5140, MG5240, MG5340, MG6140, MG6240, MG8140 ,MG8240, MX884 Yield – 447 pages

4559B001AA	R 322	Canon CLI-426 Y EMB. Yellow ink for printers: iP4840, IP4940, MG5140, MG5240, MG5340, MG6140, MG6240, MG8140, MG8240, MX884 Yield – 446 pages.
4560B001AA	R 322	CANON CLI-426GY Grey ink tank EMB,Compatible for - for Pixma ip4840, MG5140, MG5240, MG6140, MG8140
4672C001AA	R 291	Canon GI-43 Cyan ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
4680C001AA	R 291	Canon GI-43 Magenta ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
4689C001AA	R 291	Canon GI-43 Yellow ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
4698C001AA	R 291	Canon GI-43 Black ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
4707C001AA	R 291	Canon GI-43 Grey ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
4716C001AA	R 291	Canon GI-43 Red ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
4868B005AA	R 2,279	Canon PGI-29 MBK / PBK / DGY / GY / LGY Multi Pack Ink Cartridge Suitable for: Canon PIXMA PRO-1, Capacity per ink tank: 36 ml.
4K0V6PE	R 208	HP 4K0V6PE 925 Cyan Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0V7PE	R 207	HP 4K0V7PE 925 Magenta Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0V8PE	R 207	HP 4K0V8PE 925 Yellow Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0V9PE	R 422	HP 4K0V9PE 925 Black Original Ink cartridge, 500 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0W0PE	R 408	HP 4K0W0PE 925e Evomore Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0W1PE	R 408	HP 4K0W1PE 925e Evomore Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0W2PE	R 412	HP 4K0W2PE 925e Evomore Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4K0W3PE	R 842	HP 4K0W3PE 925e Evomore Black Original Ink cartridge, 1000 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
4S6X6PE	R 414	HP 4S6X6PE 938 Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
4S6X7PE	R 415	HP 4S6X7PE 938 Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
4S6X9PE	R 866	HP 4S6X9PE 938e Evomore Cyan Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
4S6Y0PE	R 853	HP 4S6Y0PE 938e Evomore Magenta Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
4S6Y1PE	R 866	HP 4S6Y1PE 938e Evomore Yellow Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
4S6Y2PE	R 1,288	HP 4S6Y2PE 938e Evomore Black Original Ink cartridge, 2500 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
51604A	R 225	HP # 04A BLACK PLAIN PAPER INK CARTRIDGE - QUIETJET / QUIETJET PLUS & THINKJET
5216B001	R 628	Canon PG-440XL High Yield Black ink cartridge, 550 pages yield, Compatible with --> MG2140 / MG2240 / MG3140 / MG3240 / MG4140 / MG4240 / MX374 / MX394 / MX434 / MX454 / MX514 / MX524 printers
5219B001	R 422	Canon PG-440 Black ink cartridge, 200 page yield, Compatible with --> MG2140 / MG2240 / MG3140 / MG3240 / MG3540 / MG4140 / MG4240 / MX374 / MX394 / MX434 / MX454 / MX514 / MX524 printers
5220B001	R 537	Canon CL-441 XL Tri-colour ink cartridge, 400 pages yield, for pixma MG2140 / MG2240 / MG3140 / MG3240 / MG3540 / MG4140 / MG4240 / MX374 / MX394 / MX434 / MX454 / MX474 / MX514 / MX524 / MX534 printers
5221B001	R 482	Canon CL-441 Tri-color ink cartridge, 180 pages yield, for Pixma MG2140 / MG2240 / MG3140 / MG3240 / MG3540 / MG4140 / MG4240 / MX374 / MX394 / MX434 / MX454 / MX474 / MX514 / MX524 / MX534
5698C001AA	R 1,518	Canon PFI-050BK Black Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 /

		TC-20m printers
5699C001AA	R 1,518	Canon PFI-050C Cyan Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
5700C001AA	R 1,518	Canon PFI-050M Magenta Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
5701C001AA	R 1,518	Canon PFI-050Y Yellow Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
5859C001AA	R 151	Canon GI-41S Black Ink Tank, 6 000 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
5874C001AA	R 120	Canon GI-41S Cyan Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
5875C001AA	R 120	Canon GI-41S Magenta Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
5876C001AA	R 120	Canon GI-41S Yellow Ink Tank, 7700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
592-11812	R 799	Dell Single Use Extra-High Capacity Black Ink Cartridge for Dell V525w/ V725w All In One Inkjet Printer
592-11813	R 599	Dell Single Use Extra-High Capacity Cyan Ink Cartridge for Dell V525w/ V725w All-in-One Wireless Inkjet Printer
592-11814	R 599	Dell (Series 33) Magenta V525W & V725 Original Extra High Capacity Ink Cartridge
592-11815	R 599	Dell Single Use Extra-High Capacity Yellow Ink Cartridge for Dell V525w/ V725w All-in-One Inkjet Printer
6176C001AA	R 222	Canon MC-G05 Maintenance Cartridge for GX1050 / GX2040 / GX2050 printers, 6000 pages yield
6176C001AA	R 219	Canon MC-G05 Maintenance Cartridge for GX1050 / GX2040 / GX2050 printers, 6000 pages yield
6202C001AA	R 703	CANON PG-485XL High Yield Black Ink cartridge, 300 pages yield, Compatible with --> Pixma TS7640i / TS7740i printers
6224C001AA	R 821	CANON CL-486XL High Yield Colour Ink cartridge, 300 pages yield, Compatible with --> Pixma TS7640i / TS7740i printers
6285C001AA	R 215	Canon GI-45C Cyan Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
6286C001AA	R 215	Canon GI-45M Magenta Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
6287C001AA	R 215	Canon GI-45Y Yellow Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
6288C001AA	R 386	Canon GI-45BK Black Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
6434B001AA	R 414	Canon PGI-450XL Black Cartridge with yield of 500 pages at IDC 5% coverage. iP7240, MG5440, MG6340, MX924.
6472B001AA	R 365	Canon CLI-451XL Black Cartridge with yield of 1130 pages at IDC 5% coverage - iP7240, MG5440, MG5540, MG6340, MG7140, MX924 NEWiP7240, MG5440, MG5540, MG6340, MG7140, MX924
6473B001AA	R 391	Canon CLI-451XL Cyan Cartridge with yield of 665 pages at IDC 5% coverage - iP7240, MG5440, MG5540, MG6340, MG7140, MX924
6474B001AA	R 391	Canon CLI-451XL Magenta Cartridge with yield of 660 pages at IDC 5% coverage - iP7240, MG5440, MG5540, MG6340, MG7140, MX924
6475B001AA	R 391	Canon CLI451XLY CLI-451 High Yield Yellow (iP7240, MG5440, MG6340) Yield = 685 pages - P7240, MG5440, MG5540, MG6340,MG7140, MX924
6476B001AA	R 391	Canon CLI-451XL Grey Ink Cartridge.Yield: 275 of 10x15cm color photos Volume: 11ml. Compatible with Canon Pixma iP7240 / MG6340 / MG5440 / MG7140 Printers
6499B001AA	R 317	Canon PGI-450 PGBK Ink Cartridges Black, EO& E : iP7240, MG5440, MG5540,MG5640, MG6340,MG7140,MG7540, MX924, IX6840, iP8740, 300
6523B001AA	R 276	Canon CLI-451 BK Black Ink Cartridge - for ip7240 / MG5440 / MG6340 / MX924 (330 pages)
6524B001AA	R 276	Canon CLI-451 Cyan Ink Cartridge compatible with iP7240, MG5440, MG5540, MG6340, MG7140, MX924, IX6840, iP8740.
6524B004AA	R 736	Canon CLI-451 C / M / Y / BK MULTIPACK, for: iP7240, MG5440, MG5540, MG5640, MG6340, MG7140, MG7540, MX924, IX6840, iP8740
6525B001AA	R 276	Canon CLI-451 Magenta Single cartridge with yield of 298 pages at IDC 5% coverage - iP7240, MG5440, MG5540,

		MG6340,MG7140, MX924
6526B001AA	R 276	Canon CLI-451 Yellow Single cartridge with yield of 330 pages at IDC 5% coverage, Compatible with iP7240, MG5440, MG5540, MG6340, MG7140, MX924
6527B001AA	R 276	Canon CLI-451 Grey Ink Cartridge - for use with Canon MG6340 printers. 780 pages.
6ZA11AE	R 281	HP 6ZA11AE Black printhead, Compatible with --> Smart Tank Wireless 455
6ZA17AE	R 277	HP 6ZA17AE Black Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
6ZA18AE	R 277	HP 6ZA18AE Tri-Colour Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
6ZD21AE	R 112	HP 6ZD21AE 47 Black original Ink cartridge, 1300 page yield, Compatible with --> HP DeskJet Ink Advantage 4800 / 4828 printers
6ZD61AE	R 104	HP 6ZD61AE 47 Tri-color original Ink cartridge, 700 page yield, Compatible with --> HP DeskJet Ink Advantage 4800 / 4828 printers
8282B001AA	R 374	Canon PG-445XL Black Ink Cartridge - Black, iP2840, MG2440, MG2540, MG2540S, MG2545, MG2940, MG3040, MX494, TS3140, Yield: 400
8283B001AA	R 298	Canon PG-445 EMB - Black InkJet CARTRIDGE
8283B001AA	R 302	Canon PG-445 EMB - Black InkJet CARTRIDGE
8283B004AA	R 569	CANON ink tank PG-445 / CL-446 MULTIPACK MG2440, MG2540, iP2840, MG2940
8284B001AA	R 397	Canon CL-446 XL Colour Cartridge with yield of 300 pages at IDC 5% coverage. MG2440/ MG2540.
8285B001AA	R 353	Canon CL-446 EMB - Colour Ink Cartridge EO& E : MG2440/ MG2540/ iP2840/ MG2940, 180
9185B001AA	R 600	Canon PGI-1400XL Black Cartridge with yield of 1200 pages at IDC 5% coverage. For use with MB2040, MB2340.
9185B004AA	R 1,433	Canon PGI-1400XL Black Cartridge with yield of 1200 pages at IDC 5% coverage. For use with MB2040, MB2340.
9202B001AA	R 386	Canon PGI-1400XL Cyan Cartridge with yield of 900 pages at IDC 5% coverage. Printer Model / Description : MB2040, MB2340, Yield : 900 pages
9203B001AA	R 386	Canon PGI-1400XL Magenta Cartridge with yield of 900 pages at IDC 5% coverage. Printer Model / Description : MB2040, MB2340, Yield : 900 pages, Â© 2015 Laptop Direct
9204B001AA	R 386	Canon PGI-1400XL Yellow Cartridge with yield of 900 pages at IDC 5% coverage. Printer Model / Description : MB2040, MB2340, Yield : 900 pages.
9257B001AA	R 736	Canon PGI-2400XL Black Cartridge with yield of 2500 pages at IDC 5% coverage. Printer Model / Description : IB4040, MB5040, MB5340, Yield : 2500 pages
9257B004AA	R 1,772	Canon PGI-2400XL Black Cartridge with yield of 2500 pages at IDC 5% coverage. Printer Model / Description : IB4040, MB5040, MB5340, Yield : 2500 pages
9274B001AA	R 524	Canon PGI-2400XL Cyan Cartridge with yield of 1500 pages at IDC 5% coverag. Printer Model / Description : IB4040, MB5040, MB5340, Yield : 1500 pages.
9275B001AA	R 524	Canon PGI-2400XL Magenta Cartridge with yield of 1500 pages at IDC 5% coverage. Printer Model / Description : IB4040, MB5040, MB5340, Yield : 1500 pages.
9276B001AA	R 524	Canon PGI-2400XL Yellow Cartridge with yield of 1500 pages at IDC 5% coverage. Printer Model / Description : IB4040, MB5040, MB5340.
BT5000C	R 213	Brother BT5000C Cyan Ink for Brother DCPT500W Ink Tank Printer, 5000 pages
BT5000M	R 213	Brother BT5000M Magenta Ink for Brother DCPT500W Ink Tank Printer, 5000 pages
BT5000Y	R 213	Brother BT5000Y Yellow Ink for Brother DCPT500W Ink Tank Printer, 5000 pages
BT6000BK	R 247	Brother BT6000BK Black Ink for Brother DCPT500W Ink Tank Printer, 6000 pages
BTD100BK	R 161	Brother BTD100BK Black Ink Bottle, 7500 pages yield. compatible with --> DCP-T230 / DCP-T430w / DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
BTD100C	R 132	Brother BTD100C Cyan Ink Bottle, 5000 pages yield. compatible with --> DCP-T230 / DCP-T430w / DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
BTD100M	R 132	Brother BTD100M Magenta Ink Bottle, 5000 pages yield. compatible with --> DCP-T230 / DCP-T430w / DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
BTD100Y	R 132	Brother BTD100Y Yellow Ink Bottle, 5000 pages yield. compatible with --> DCP-T230 / DCP-T430w /

		DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
BTD60BK	R 247	Brother BTD60BK Black Ink for Brother DCPT710 and MFCT910DW only, 6000 PGS
C13T00S14A	R 178	Epson 103 Ecotank Black ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
C13T00S24A	R 173	Epson 103 Ecotank Cyan ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
C13T00S34A	R 229	Epson 103 Ecotank Magenta ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
C13T00S34A	R 173	Epson 103 Ecotank Magenta ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
C13T00S44A	R 229	Epson 103 Ecotank Yellow ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
C13T00S44A	R 173	Epson 103 Ecotank Yellow ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
C13T00S64A	R 581	Epson T00S64A Black Ink cartridge, 65ml, Compatible with --> EcoTank L3151 / L3150 / L3111 / L3110 printers, C13T00S64A
C13T03P14A	R 305	Epson 110 EcoTank Pigment Black Ink bottle 120 ml, 6000 pages yield, Compatible with --> EcoTank M3170 / M3140 / M2170 / M2140 / M1180 / M1170 / M1140 / M1120 / M1100 / ET-M3180 printers
C13T03V14A	R 259	Epson 101 EcoTank Black Ink bottle (127ml), Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
C13T03V24A	R 138	Epson 101 EcoTank Cyan Ink bottle (70ml), 6000 pages yield, Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
C13T03V34A	R 138	Epson 101 EcoTank Magenta Ink bottle (70ml), 6000 pages yield, Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
C13T03V44A	R 155	Epson 101 EcoTank Yellow Ink bottle (70ml), 6000 pages yield, Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
C13T03V64A	R 673	Epson 101 EcoTank Multipack (Black / Yellow / Magenta/ Cyan) Ink bottles (337ml), Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
C13T05A10N	R 2,662	Epson T05A1 Black XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A100
C13T05A20N	R 2,996	Epson T05A2 Cyan XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A200
C13T05A30N	R 3,180	Epson T05A3 Magenta XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A300
C13T05A40N	R 3,071	Epson T05A4 Yellow XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A400
C13T06C14A	R 391	Epson T06C14A 112 EcoTank Pigment Black Ink Bottle, 127.0 ml, Compatible with --> Epson EcoTank printers
C13T06C24A	R 270	Epson T06C24A 112 EcoTank Cyan Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
C13T06C34A	R 276	Epson T06C34A 112 EcoTank Magenta Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
C13T06C34A	R 299	Epson T06C34A 112 EcoTank Magenta Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
C13T06C44A	R 299	Epson T06C44A 112 EcoTank Yellow Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
C13T06C44A	R 270	Epson T06C44A 112 EcoTank Yellow Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
C13T07C14A	R 408	Epson C13T07C14A Pigment Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
C13T07D14A	R 397	Epson 115 Photo Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
C13T07D24A	R 397	Epson 115 Cyan 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
C13T07D34A	R 397	Epson 115 Magenta 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 /

		EcoTank L8160 printers
C13T07D44A	R 397	Epson C13T07D44A Yellow 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
C13T07D54A	R 397	Epson 115 Grey 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
C13T11D140	R 1,627	Epson T11D140 Black XL Ink cartridge, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D140
C13T11D240	R 2,961	Epson T11D2 Cyan XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D240
C13T11D440	R 2,961	Epson T11D4 Yellow XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D440
C13T11E140	R 2,553	Epson T11E140 Black XXL Ink cartrdige, 10000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11E140
C13T26614010	R 437	Epson 266 Globe single Black Ink cartridge, Compatible with --> Epson WorkForce WF-100w Printer
C13T26704010	R 345	Epson 267 Globe Single Colour Ink, Cyan, Yellow, Magenta, Compatible with --> Epson Workforce WF-100W printer
C13T49N100	R 408	Epson T49N100 Dye Sublimation Black Ink, 140ml, Compatible with --> SureColor SC-F100 / SC-F100 / SC-F500 / SC-F500 printers
C13T49N200	R 414	Epson T49N200 Dye Sublimation Cyan Ink, 140ml, Compatible with --> SureColor SC-F100 / SC-F100 / SC-F500 / SC-F500 printers
C13T49N300	R 414	Epson T49N300 Dye Sublimation Magenta Ink, 140ml, Compatible with --> SureColor SC-F100 / SC-F100 / SC-F500 / SC-F500 printers
C13T49N400	R 408	Epson T49N400 Dye Sublimation Yellow Ink, 140ml, Compatible with --> SureColor SC-F100 / SC-F100 / SC-F500 / SC-F500 printers
C13T66414A	R 81	Epson T6644 EcoTank Black Ink bottle 70ml, Compatible with --> EcoTank L655 / EcoTank L605 / L565 / EcoTank L550 / EcoTank L486 / L455 / EcoTank L386 / EcoTank L382 / L365 / EcoTank L355 / EcoTank L310 / L3070 / EcoTank L3060 / EcoTank L3050 / L300 / EcoTank L220 / EcoTank L210 / L1455 / EcoTank L1300 / EcoTank L120 / L110 / T6641 / T6642 / T6643 / T6644 printers
C13T66424A	R 108	Epson T6644 EcoTank Cyan Ink bottle 70ml, Compatible with --> EcoTank L655 / EcoTank L605 / L565 / EcoTank L550 / EcoTank L486 / L455 / EcoTank L386 / EcoTank L382 / L365 / EcoTank L355 / EcoTank L310 / L3070 / EcoTank L3060 / EcoTank L3050 / L300 / EcoTank L220 / EcoTank L210 / L1455 / EcoTank L1300 / EcoTank L120 / L110 / T6641 / T6642 / T6643 / T6644 printers
C13T66434A	R 108	Epson T6644 EcoTank Magenta Ink bottle 70ml, Compatible with --> EcoTank L655 / EcoTank L605 / L565 / EcoTank L550 / EcoTank L486 / L455 / EcoTank L386 / EcoTank L382 / L365 / EcoTank L355 / EcoTank L310 / L3070 / EcoTank L3060 / EcoTank L3050 / L300 / EcoTank L220 / EcoTank L210 / L1455 / EcoTank L1300 / EcoTank L120 / L110 / T6641 / T6642 / T6643 / T6644 printers
C13T66444A	R 108	Epson T6644 EcoTank Yellow Ink bottle 70ml, Compatible with --> EcoTank L655 / EcoTank L605 / L565 / EcoTank L550 / EcoTank L486 / L455 / EcoTank L386 / EcoTank L382 / L365 / EcoTank L355 / EcoTank L310 / L3070 / EcoTank L3060 / EcoTank L3050 / L300 / EcoTank L220 / EcoTank L210 / L1455 / EcoTank L1300 / EcoTank L120 / L110 / T6641 / T6642 / T6643 / T6644 printers
C13T66464A	R 454	Epson T66464A Ink bottle Multipack CMYK, 7500 pages yield, Compatible with --> L110 / L110 / L121 / L1300 / L210 / L220 / L300 / L3050 / L310 / L355 / L355 / L365 / L386 / L455 / L486 / L550 printers, C13T66464A
C13T67314A	R 242	Epson T6731 Black Ink Bottle 70ml, Compatible with --> Epson EcoTank L800 / L805 / L810 / L850 / L1800 printers
C13T67324A	R 242	Epson T6732 Cyan Ink Bottle 70ml, Compatible with --> Epson EcoTank L800 / L805 / L810 / L850 / L1800 printers
C13T67334A	R 242	Epson T6733 Magenta Ink Bottle 70ml, Compatible with --> Epson EcoTank L800 / L805 / L810 / L850 / L1800 printers
C13T67344A	R 242	Epson T6734 Yellow Ink Bottle 70ml, Compatible with --> Epson EcoTank L800 / L805 / L810 / L850 / L1800

		printers
C13T67354A	R 242	Epson T6735 Light Cyan Ink Bottle 70ml, Compatible with --> Epson EcoTank L800 / L805 / L810 / L850 / L1800 printers
C13T67364A	R 259	Epson T6736 Light Magenta Ink Bottle 70ml, Compatible with --> Epson EcoTank L800 / L805 / L810 / L850 / L1800 printers
C13T944240	R 1,081	Epson WF-C5XXX Series Cyan Ink L Cartridge, 3000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
C13T944340	R 1,139	Epson WF-C5XXX Series Magenta Ink L Cartridge, 3000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
C13T944440	R 1,139	Epson WF-C5XXX Series Yellow Ink L Cartridge, 3000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
C13T945340	R 1,604	Epson WF-C5XXX Series Magenta Ink XL Cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
C13T945440	R 1,581	Epson WF-C5XXX Series Yellow Ink XL Cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
C13T946140	R 2,812	Epson WF-C5XXX Series Black Ink XXL Cartridge, 10000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5290dw printers
C13T965140	R 2,645	Epson T9651 Ink cartridge Black XL, 10000 pages yield, Compatible with --> WF-M52XX / 57xx Epson printers
C2P10AE	R 412	HP 651 Tri-color Original Ink Advantage Cartridge
C2P11AE	R 367	HP 651 Tri-color Original Ink Advantage Cartridge (C2P11AE) 300 pages. Deskjet Ink Advantage 5575 / 5645
C2P19AE	R 474	HP No 934 Black Ink Cartridge
C2P20AE	R 319	HP No 935 Cyan Ink Cartridge
C2P21AE	R 319	HP No 935 Magenta Ink Cartridge
C2P22AE	R 319	HP No 935 Yellow Ink Cartridge
C2P23AE	R 890	HP No 934XL Black Ink Cartridge
C2P24AE	R 526	HP No935XL Cyan Ink Cartridge For HP OfficeJet 6830
C2P25AE	R 526	HP No935XL Magenta Ink Cartridge For HP OfficeJet 6830
C2P26AE	R 526	HP No935XL Yellow Ink Cartridge For HP OfficeJet 6830
C39C	R 199	Brother LC 39C Cyan Ink cartridge, 260 page yield, Compatible with --> MFCJ220 / DCPJ125 printers
C39M	R 199	Brother LC 39M Magenta Ink cartridge, 260 page yield, Compatible with --> MFCJ220 / DCPJ125 printers
C39Y	R 199	Brother LC 39Y Yellow Ink cartridge, 260 page yield, Compatible with --> MFCJ220 / DCPJ125 printers
C6656AE	R 737	HP No56 Black Print Cartridge- HP - Deskjet 450c / 5145 / 5500 / 5650 / 5850 / 9600 - Officejet 4110 / 4215 / 5505 / 5609 / PSC 1205 / PSC 1312 / PSC 2105 / PSC 2210 / PSC 2410 / PSC 2510 - Photosmart 2405 / 7150 / 7260 / 7345 / 7445 / 7550 / 7655 / 7755 / 7960
C6657AE	R 1,241	HP No57 Tri-Color InkJet Print Cartridge (17 ml) - HP PhotoSmart 100 / 230 / 7150 / 7350 / 7550
C8766HE	R 844	HP # 135 TRI-COLOUR INKJET PRINT CARTRIDGE
C9351AE	R 437	HP # 21 BLACK INK CARTRIDGE BLISTER PACK
C9352AE	R 614	HP # 22 TRI-COLOUR INKJET PRINT CARTRIDGE (5ML)
CB337HE	R 550	HP No 141 Tri-Colour Inkjet Print Cartridge with Viviera Ink
CC640HE	R 421	HP 121 Black Ink Cartridge with Vivera Ink; upto 200 pgs @5%
CCL38C	R 548	Canon CL-38 Colour Cartridge (Colour FINE Cartridge for iP1800 / IP1900 / 2500 / MP140 / 210 / MX300 / 310)
CCL41C	R 735	CANON INK CARTRIDGE CL-41 COLOUR IP1200 / IP1300 / IP1600 / IP1700 / IP2200 / IP6210D / IP6220D / MP150 / IP1900
CCL426B	R 335	Canon CLI-426 Black ink cartridge iP4840, MG5140, MG5240, MG6140, MG8140
CCL426C	R 335	Canon Cl-426 Cyan Ink Cartridge For Ip4840/ Mg5140/ Mg5240/ Mg6140 (446 Page Yield)
CCL426GY	R 335	Canon Cl-426 Grey Ink Cartridge For Mg6140/ Mg8145 (1395 Page Yield)
CCL426M	R 335	Canon CLI-426 Magenta iP4840, MG5140, MG5240, MG6140, MG8140
CCL426MP	R 985	Canon Cli-426 Multipack Ink Cartridge For Ip4940/ Ip4840/ Mg5140
CCL426Y	R 335	Canon CLI-426 Yellow ink cartridge iP4840, MG5140, MG5240, MG6140, MG8140

CCL441C	R 527	Canon CL-441 Colour Ink Cartridge (Yield model: MG2140 - 180 PAGES). For CCL441C / MG2140.
CCL441CXL	R 704	CANON INK CARTRIDGE COLOUR CCL441C XL MG2140
CCL446	R 378	Canon CL-446 EMB - Tri Colour ink cartridge. Compatible with Canon PIXMA MG2440 / MG2540 / MG2940 / iP2840
CCL446XL	R 434	Canon CL-446 XL EMB - Tri Colour ink cartridge
CCL461	R 495	Canon CL-461 Tri-Colour Ink cartridge, 180 page yield, Compatible with --> TS5340 Printer
CCL461XL	R 556	Canon CL-461XL High Yield Tri-Colour Ink cartridge, 300 page yield, Compatible with --> TS5340 Printer
CCL511	R 566	Canon CL-511 CL-511 Colour Ink Cartridge
CCL513	R 812	Canon CL-513 Color Cartridge - High Yield
CCL521B	R 335	CANON INK CARTRIDGE CLI-521 BLK IP3600 IP4600 IP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 MP990 MX860 MX870
CCL521C	R 335	CANON INK CARTRIDGE CLI-521 CYAN IP3600 IP4600 IP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 MP990 MX860 MX870
CCL521G	R 335	CANON INK CARTRIDGE CLI-521 GREY-ONLY FOR THE MP980/990
CCL521M	R 335	CANON INK CARTRIDGE CLI-521 MAGENTA IP3600 IP4600 IP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 MP990 MX860 MX870
CCL521MP	R 1,000	CANON INK CARTRIDGE CLI-521 C/M/Y MULTI PACK IP3600 IP4600 IP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 MP990 MX860 MX870
CCL521Y	R 335	CANON INK CARTRIDGE CLI-521 YELLLOW IP3600 IP4600 IP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 MP990 MX860 MX870
CCL52P	R 727	CANON CL-52 INK PHOTO CARTRIDGE IP 6210D / 6220
CCLI36C	R 410	CANON INK CARTRIDGE CLI-36 COLOUR MINI260 & IP100
CCLI42B	R 337	Canon CLI-42 BK - Black ink cartridge - PRO 100
CCLI42C	R 337	Canon CLI-42 C - Cyan Ink Cartridge - PRO 100
CCLI42GY	R 337	Canon CLi-42 GY Original Canon Grey Ink Cartridge - PRO 100
CCLI42LGY	R 337	Canon CLI-42 LGY - Light Grey inkjet ink cartridge
CCLI42M	R 337	CANON CLI42 M - MAGENTA INK - PRO 100
CCLI42PC	R 337	Canon CLI-42 PC - Photo Cyan Ink Tank - PRO 100
CCLI42PM	R 337	CANON CLI42 PM - PHOTO MAGENTA INK -PRO 100
CCLI42Y	R 337	Canon CLI-42 Y - Genuine Original Canon CLI-42Y Yellow Ink Cartridge - PRO 100
CCLI451B	R 286	Canon CLI-451 Black Inkjet Ink Cartridge. (iP7240, MG5440, MG6340) Yield = 1105 pages
CCLI451BXL	R 406	CANON INK CARTRIDGE CL451BXL BLACK IP7240 / MG5440 / MG630 (4425 YIELD)
CCLI451C	R 286	Canon CLI-451 Cyan (iP7240, MG5440, MG6340) Inkjet Ink Cartridge. Yield = 304 pages.
CCLI451CXL	R 406	CANON INK CARTRIDGE CL451CXL CYAN IP7240 MG5440 MG630 (665 YIELD)
CCLI451GY	R 286	Canon CL451GY Grey Ink cartridge, 7ml, Compatible with --> Canon Pixma MG5440 / MG6340 / MG7140 / IP7240 printers
CCLI451GYXL	R 406	CANON INK CARTRIDGE CL451GYXL IP7240 / MG5440 / MG630 (3350 PAGE YIELD)
CCLI451M	R 286	Canon CLI-451 Magenta (iP7240, MG5440, MG6340) Single inkjet cartridge, Yield = 298 pages
CCLI451MP	R 1,177	CANON CLI451C/M/Y/BK MULTI PACK INKS
CCLI451MXL	R 406	CANON INK CARTRIDGE CL451MLXL MAGENTA IP7240 / MG5440 / MG630 (660 YIELD)
CCLI451Y	R 286	Canon CLI-451 Yellow InkJet cartridge (iP7240, MG5440, MG6340) Yield = 330 pages
CCLI451YXL	R 406	CANON INK CARTRIDGE CL451YXL YELLOW IP7240 / MG5440 / MG630 (685 YIELD)
CCLI471B	R 286	Canon Cli-471 Bk Emb Black For Mg5740 Mg7740 (Page Yield 1105)
CCLI471C	R 286	Canon Cli-471 C Emb Cyan Single Ink Cartridge For Mg5740/ Mg7740 (Page Yield 304)
CCLI471GY	R 286	Canon Cli-471 Gy Emb Grey Single Ink Cartridge For Mg5740 Mg7740 (Page Yield 780)
CCLI471M	R 286	Canon Cli-471 M Emb Magenta Single Ink Cartridge For Mg5740/ Mg7740 (Page Yield 298)
CCLI471Y	R 286	Canon Cli-471 Y Emb Yellow Single Ink Cartridge For Mg5740 Mg7740 (Page Yield 330)
CCLI481BK	R 242	Canon CLI 481 BK EMB Black Single Ink Cartridge
CCLI481BK	R 299	CANON CLI-481BK Black ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540

		printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CCLI481C	R 242	Canon Cli 481 C Emb Cyan Ink Cartridge
CCLI481C	R 299	CANON CLI-481C Cyan ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CCLI481M	R 242	Canon Cli 481 M Emb Magenta Ink Cartridge
CCLI481M	R 299	CANON CLI-481M Magenta ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CCLI481MP	R 1,004	Canon CLI-481 BK/C/M/Y EMB Multi pack inks, Compatible with --> TS6140 / TS6240 / TS8140 / TS8240 / TS9140 / TS7540 / TS8540 printers
CCLI481PB	R 242	Canon Cli 481 Pb Emb Photo Blue Ink Cartridge
CCLI481Y	R 242	Canon CLI 481 Y Emb Yellow Ink Cartridge
CCLI65BK	R 473	Canon CLI-65 BK Black Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65C	R 473	Canon CLI-65 C Cyan Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65GY	R 473	Canon CLI-65 GY Grey Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65LGY	R 473	Canon CLI-65 LGY Light Grey Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65M	R 473	Canon CLI-65 M Magenta Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65PC	R 473	Canon CLI-65 PC Photo Cyan Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65PM	R 473	Canon CLI-65 PM Photo Magenta Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI65Y	R 473	Canon CLI-65 Y Yellow Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CCLI8B	R 333	Canon CLI-8 Black Ink Tank(Yield varies per model: iP4200 / 4300 /4500 / 5200 / 5300 / 6600D / 6700D / MP500 / 530 / 600 / 610 / 800 / 810 / 830 / MX850 / Pro9000)
CCLI8C	R 333	Canon CLI-8G Green Ink Tank (Yield = 450 Pages)
CCLI8M	R 333	Canon CLI-8 Magenta Ink Tank (Yield varies per model: iP3300 / 3500 / 4200 / 4300 / 4500 / 5200 / 5300 / 6600D / 6700D / MP500 / 520 / 600 / 610 / 800 / 830 / 970 / MX700 / 850 / iX4000 / iX5000 / Pro9000)
CD972AE	R 381	HP 920XL Cyan Officejet Ink Cartridge 700 pages @ 5%
CD974AE	R 381	HP 920XL Yellow Officejet Ink Cartridge 700 pages @ 5%
CD975AE	R 953	HP 920XL Black Officejet Ink Cartridge 1200 pages @ 5%
CE410X	R 2,483	HP #305X CLJ M475 HIGH CAPACITY BLACK CONTRACT TONER
CGI40BK	R 242	Canon GI-40 BK Black ink bottle, 6000 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CGI40C	R 165	Canon GI-40 C Cyan ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CGI40M	R 165	Canon GI-40 M Magenta ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CGI40Y	R 165	Canon GI-40 Y Yellow ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CGI41BK	R 256	Canon GI-41 Black Ink Tank, 6 000 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CGI41C	R 181	Canon GI-41 Cyan Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CGI41M	R 181	Canon GI-41 Magenta Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CGI41SBK	R 159	Canon GI-41S Black Ink Tank, 3100 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2430 / G2460 / G2470 / G3420 / G3460 / G3430 / G3470 printers
CGI41SC	R 126	Canon GI-41S Cyan Ink Tank, 4400 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2430 / G2460 / G2470 / G3420 / G3460 / G3430 / G3470 printers
CGI41SM	R 126	Canon GI-41S Magenta Ink Tank, 4400 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2430 / G2460 / G2470 / G3420 / G3460 / G3430 / G3470 printers
CGI41SY	R 126	Canon GI-41S Yellow Ink Tank, 4400 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2430 / G2460 / G2470 / G3420 / G3460 / G3430 / G3470 printers
CGI41Y	R 181	Canon GI-41 Yellow Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CGI43BK	R 302	Canon GI-43 Black ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers

CGI43C	R 302	Canon GI-43 Cyan ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CGI43GY	R 302	Canon GI-43 Grey ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CGI43M	R 302	Canon GI-43 Magenta ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CGI43R	R 302	Canon GI-43 Red ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CGI43Y	R 302	Canon GI-43 Yellow ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CGI45BK	R 401	Canon GI-45BK Black Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
CGI45C	R 224	Canon GI-45C Cyan Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
CGI45M	R 224	Canon GI-45M Magenta Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
CGI45Y	R 224	Canon GI-45Y Yellow Ink bottle, 3000 pages yield, Compatible with --> Pixma GX2040 Printer
CGI46BK	R 335	Canon GI-46 Black Ink Tank cartridge, 6 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CGI46C	R 557	Canon GI-46 Cyan Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CGI46M	R 557	Canon GI-46 Magenta Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CGI46Y	R 557	Canon GI-46 Yellow Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CGI490B	R 207	Canon Gi-490 Black Ink Cartridge For G1400/ G2400/ G3400 (6000 Page Yield)
CGI490C	R 178	Canon Gi-490 Cyan Ink Cartridge For G1400/ G2400/ G3400 (7000 Page Yield)
CGI490M	R 178	Canon Gi-490 Magenta Ink Cartridge For G1400 G2400 G3400 (7000 Page Yield)
CGI490Y	R 178	Canon Gi-490 Yellow Ink Cartridge For G140/ G2400/ G3400 (7000 Page Yield)
CH561HK	R 301	HP 122 Black Ink Cartridge - 120 Pages (Replacing the CH561HE)
CH562HK	R 366	HP 122 Tri-colour Ink Cartridge-100 Pages
CL486C	R 769	Canon PG486 Colour Ink cartridge, 180 pages yield, Compatible with --> Canon Pixma TS7640i / TS7740i Multifunction Inkjet printers
CL486XLC	R 968	Canon PG486XL High Yield Colour Ink cartridge, 500 pages yield, Compatible with --> Canon Pixma TS7640i / TS7740i Multifunction Inkjet printers
CLI471XLB	R 374	Canon CLI-471 XL high yield Black ink cartridge, 4425 page yield, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CLI471XLC	R 374	Canon CLI-471 High Yield Cyan Ink Cartridge - MG5740, MG7740 = 665 pages
CLI471XLGY	R 374	Canon CLI-471 High Yield Grey Ink Cartridge - MG7740 = 3,350 pages
CLI471XLM	R 374	CANON CLI-471XL M EMB - Magenta Ink Cartridge, MG5740, MG7740, 660 PAGES
CLI471XLY	R 374	Canon CLI-471 High Yield Yellow Ink Cartridge - MG5740, MG7740 = 685 pages
CLI481XLBK	R 327	CANON CLI-481XL BK EMB - Black ink cartridge, Compatible with --> Canon Pixma TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers
CLI481XLC	R 327	CANON CLI-481XL C EMB - Cyan ink cartridge, Compatible with --> Canon Pixma TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers
CLI481XLM	R 327	CANON CLI-481XL M EMB - Magenta ink cartridge, Compatible with --> Canon Pixma TS6140/ TS8140/ TS9140/ TR7540/ TR8540 printers
CLI481XLPB	R 327	CANON CLI-481XL PB EMB - Photo Blue ink cartridge, Compatible with --> Canon Pixma TS6140/ TS8140/ TS9140/ TR7540/ TR8540 printers
CLI481XLY	R 327	CANON CLI-481XL Y EMB - Yellow ink cartridge, Compatible with --> Canon Pixma TS6140/ TS8140/ TS9140/ TR7540/ TR8540 printers
CN045AE	R 1,214	HP #950 XL BLACK OFFICEJET INK CARTRIDGE FOR HP OJPRO 8600 P
CN050AE	R 499	HP 951 Cyan Original Ink Cartridge
CN051AE	R 499	HP 951 Magenta Original Ink Cartridge
CN054AE	R 26	HP #933XL CYAN OFFICEJET INK CARTRIDGE OJ 6700, Â© 2014 Laptop Direct
CN055AE	R 28	HP #933XL MAGENTA OFFICEJET INK CARTRIDGE OJ 6700
CN057AE	R 415	HP No932 Black Officejet Ink Cartridge - Officejet 6700 Premium

CNBRBT5000C	R 233	Brother BT5000C Cyan Ink cartridge, 5000 page yield, Compatible with --> Brother DCP-T500W / DCP-T700W / DCP-T800W / DCP-T300 Ink Tank printers
CNBRBT5000M	R 233	Brother BT5000M Magenta Ink cartridge, 5000 page yield, Compatible with --> Brother DCP-T500W / DCP-T700W / DCP-T800W / DCP-T300 Ink Tank printers
CNBRBT5000Y	R 233	Brother BT5000Y Yellow Ink cartridge, 5000 page yield, Compatible with --> Brother DCP-T500W / DCP-T700W / DCP-T800W / DCP-T300 Ink Tank printers
CNBRBTD60BK	R 271	Brother BTD60BK Ink cartridge Black, 6500 Page yield, Compatible with --> DCP-T310 / DCP-T510W / DCP-T510W / DCP-T710W / DCP-T710W / MFC-T910DW / MFC-T910DW printers
CNBRLC3719XLBK	R 557	Brother LC3719XLBK High yield black ink cartridge, 3000 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930DW
CNBRLC3719XLC	R 392	Brother LC3719XLC High yield Cyan ink cartridge, 1500 pages, for MFC-J2330DW/ MFC-J2730DW/ MFC-J3530DW/ MFC-J3930DW
CNBRLC3719XLM	R 392	Brother LC3719XLM High yield Magenta ink cartridge, 1500 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930D, Â© 2018 Laptop Direct
CNBRLC3719XLY	R 392	Brother LC3719XLY High yield Yellow ink cartridge, 1500 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930DW, Â© 2018 Laptop Direct
CNBRLC472XLBK	R 557	Brother LC472XLBK Black Ink cartridge, 3000 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
CNBRLC472XLC	R 392	Brother LC472XLC Cyan Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
CNBRLC472XLM	R 392	Brother LC472XLM Magenta Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
CNBRLC472XLY	R 392	Brother LC472XLY Yellow Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
CNBRLC535XLC	R 253	Brother DCPJ105 High yield cyan ink cartridge
CNBRLC535XLM	R 253	Brother DCPJ105 High yield magenta ink cartridge
CNBRLC535XLY	R 253	Brother LC535XL DCPJ105 High yield yellow ink cartridge
CNBRLC539XLBK	R 253	Brother DCPJ105 High yield black ink cartridge - 2400 PGS
CNBRLC565XLC	R 329	Brother MFCJ3520 Cyan high yield ink
CNBRLC565XLM	R 329	Brother MFCJ3520C Magenta high yield ink
CNBRLC565XLY	R 329	Brother LC565XLY MFCJ3520 Yellow high yield ink
CNBRLC569XLBK	R 468	Brother MFCJ3520 Black high yield ink
CNBRLC77LXM	R 430	Brother LC77LXM / CJ6510DW High Yield Magenta Ink Cartridge
CNBRLC77LXY	R 430	CJ6510DW High Yield Yellow Ink Cartridge
CNBRLC77XLBK	R 695	Brother Black Single cartridge with yield of 2400 pages @ IDC 5% coverage
CNBRLC77XLC	R 430	Brother Cyan Single cartridge with yield of 1200 pages @ IDC 5% coverage
CNCACL-446C	R 359	Canon CL-446 EMB - Colour Ink Cartridge
CNCACL-446XLC	R 412	Canon CL-446 XL EMB - Tri Colour ink cartridge
CNCACL-461C	R 470	Canon CL-461 Tri-Colour Ink cartridge, 180 page yield, Compatible with --> TS5340 Printer
CNCACL-461XLC	R 528	Canon CL-461XL High Yield Tri-Colour Ink cartridge, 300 page yield, Compatible with --> TS5340 Printer
CNCACL38	R 521	Canon CL-38 Colour Cartridge (Colour FINE Cartridge for iP1800 / IP1900 / 2500 / MP140 / 210 / MX300 / 310)
CNCACL41	R 589	CL-41 Colour Cartridge (155 pages at 5%: iP1200/ 1300/ 1600/1700/ 1800/ IP1900/ 2200/ 2500/ 6210D/ 6220D/ MP140/ 150/ 210/ 460/ MX300/ 310)
CNCACL441CL	R 500	Canon CL-441 Colour Ink Cartridge (Yield model:MG2140 - 180 PAGES)
CNCACL441HCL	R 559	CL-441 Colour Ink Cartridge High Yield (Yield model:MG2140 -500 PAGES)
CNCACL51	R 802	Canon CL-51 High Capacity Colour Ink Cartridge - iP2200, iP6210D, iP6220D, MP150 = 275 pages
CNCACL511C	R 538	Canon CL-511 CL-511 Colour Ink Cartridge
CNCACL513C	R 661	Canon CL-513 Colour High Yield Genuine InkJet Cartridge
CNCACLI36	R 390	Canon CLI-36 Colour Ink Tank (mini 260 / iP100)

CNCACLI426BK	R 317	Canon CLI-426 Black ink cartridge iP4840, MG5140, MG5240, MG6140, MG8140
CNCACLI426C	R 317	Canon CLI-426 Cyan ink cartridge iP4840, MG5140, MG5240, MG6140, MG8140
CNCACLI426GY	R 317	Canon CLI-426 Grey ink cartridge iP4840, MG5140, MG5240, MG6140, MG8140
CNCACLI426M	R 317	Canon CLI-426 Magenta iP4840, MG5140, MG5240, MG6140, MG8140
CNCACLI426Y	R 317	Canon CLI-426 Yellow ink cartridge iP4840, MG5140, MG5240, MG6140, MG8140
CNCACLI451BK	R 273	Canon CLI-451 Black Inkjet Ink Cartridge. (iP7240, MG5440, MG6340) Yield = 1105 pages
CNCACLI451C	R 273	Canon CLI-451 Cyan (iP7240, MG5440, MG6340) Inkjet Ink Cartridge. Yield = 304 pages.
CNCACLI451GY	R 273	Canon CLI-451 Grey (iP7240, MG5440, MG6340) Yield = 780 pages
CNCACLI451M	R 273	Canon CLI-451 Magenta (iP7240, MG5440, MG6340) Single inkjet cartridge, Yield = 298 pages
CNCACLI451XLBK	R 385	Canon CLI-451 High Yield Black (iP7240, MG5440, MG6340) Yield = 4425 pages
CNCACLI451XLC	R 385	Canon CLI-451 High Yield Cyan (iP7240, MG5440, MG6340) Yield Inkjet cartridge = 665 pages
CNCACLI451XLGY	R 385	CLI-451 High Yield Grey (iP7240, MG5440, MG6340) Yield = 3350 pages
CNCACLI451XLM	R 385	Canon CLI-451 High Yield Magenta (iP7240, MG5440, MG6340) Yield = 660 pages
CNCACLI451XLY	R 385	Canon CLI451XLY CLI-451 High Yield Yellow (iP7240, MG5440, MG6340) Yield = 685 pages
CNCACLI451Y	R 273	Canon CLI-451 Yellow InkJet cartridge (iP7240, MG5440, MG6340) Yield = 330 pages
CNCACLI471BK	R 273	Canon CLI-471 Black Ink Cartridge - MG5740, MG7740 = 1,105 pages
CNCACLI471C	R 273	Canon CLI-471 Cyan Ink Cartridge - MG5740, MG7740 = 304 pages
CNCACLI471GY	R 273	Canon CLI-471 Grey Ink Cartridge - MG7740 = 780 pages
CNCACLI471M	R 273	Canon CLI-471 Magenta Ink cartridge - MG5740, MG7740 = 298 pages
CNCACLI471XLBK	R 355	Canon CLI-471 XL high yield Black ink cartridge, 4425 page yield, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CNCACLI471XLC	R 355	Canon CLI-471 High Yield Cyan Ink Cartridge - MG5740, MG7740 = 665 pages
CNCACLI471XLGY	R 355	Canon CLI-471 High Yield Grey Ink Cartridge - MG7740 = 3,350 pages
CNCACLI471XLM	R 355	Canon CLI-471 High Yield Magenta Ink Cartridge - MG5740, MG7740 = 660 pages
CNCACLI471XLY	R 355	Canon CLI-471 High Yield Yellow Ink Cartridge - MG5740, MG7740 = 685 pages
CNCACLI471Y	R 273	Canon CLI-471 Yellow Ink Cartridge - MG5740, MG7740 = 330 pages
CNCACLI481BK	R 230	Canon CLI-481 Black Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540 = Yield 1105 pages
CNCACLI481C	R 230	CANON CLI-481C Cyan ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers
CNCACLI481M	R 230	CANON CLI-481M Magenta ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers
CNCACLI481PB	R 230	CANON CLI-481PB Photo Blue ink cartridge, Compatible with --> TS6140/ TS8140/ TS9140/ TR7540/ TR8540 printers
CNCACLI481XLBK	R 311	Canon CLI-481 High Yield Black Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
CNCACLI481XLC	R 311	Canon CLI-481 High Yield Cyan Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
CNCACLI481XLM	R 311	Canon CLI-481 High Yield Magenta Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
CNCACLI481XLPB	R 311	Canon CLI-481 High Yield Photo Blue - Only TS8140, TS9140
CNCACLI481XLY	R 311	Canon CLI-481 High Yield Yellow Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
CNCACLI481Y	R 230	CANON CLI-481Y Yellow ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers
CNCACLi521BK	R 317	Canon CLi-521 Black Ink Tank (Yield varies per model: iP3600, iP4600, MP540, MP620, MP630, MP980)
CNCACLi521C	R 317	Canon CLi-521 Cyan Ink Tank (Yield varies per model: iP3600, iP4600, MP540, MP620, MP630, MP980)
CNCACLi521GY	R 317	Canon CLi-521 Grey Ink Tank (MP980)
CNCACLI521GYB	R 317	Canon CLI-521 Grey Ink Tank BLISTER PACK - MP980, MP990 = 1,395 pages
CNCACLi521M	R 317	Canon CLi-521 Magenta Ink Tank (Yield varies per model: iP3600, iP4600, MP540, MP620, MP630, MP980)
CNCACLi521Y	R 317	CLi-521 Yellow Ink Tank (Yield varies per model: iP3600, iP4600, MP540, MP620, MP630, MP980)
CNCAGI-40BK	R 230	Canon GI-40 BK Black ink bottle, 6000 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CNCAGI-40C	R 158	Canon GI-40 C Cyan ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CNCAGI-40M	R 158	Canon GI-40 M Magenta ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers

CNCAGI-40Y	R 158	Canon GI-40 Y Yellow ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CNCAGI-41BK	R 244	Canon GI-41 Black Ink Tank, 6 000 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CNCAGI-41C	R 171	Canon GI-41 Cyan Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CNCAGI-41M	R 171	Canon GI-41 Magenta Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CNCAGI-41Y	R 171	Canon GI-41 Yellow Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G1420 / G2420 / G2460 / G3420 / G3460 printers
CNCAGI-43BK	R 286	Canon GI-43 Black ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CNCAGI-43C	R 286	Canon GI-43 Cyan ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CNCAGI-43GY	R 286	Canon GI-43 Grey ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CNCAGI-43M	R 286	Canon GI-43 Magenta ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CNCAGI-43R	R 286	Canon GI-43 Red ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CNCAGI-43Y	R 286	Canon GI-43 Yellow ink bottle, 3800 pages yield, Compatible with --> G540 / G640 printers
CNCAGI-46BK	R 317	Canon GI-46 Black Ink Tank cartridge, 6 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CNCAGI-46C	R 529	Canon GI-46 Cyan Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CNCAGI-46M	R 529	Canon GI-46 Magenta Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CNCAGI-46Y	R 529	Canon GI-46 Yellow Ink Tank cartridge, 14 000 pages yield, Compatible with --> Canon Maxify GX6040 / GX7040 printes
CNCAGI-490BK	R 197	Canon GI-490 Black Ink Bottle - G1400, G2400, G3400 = 6,000 pages
CNCAGI-490C	R 169	Canon GI-490 Cyan Ink Bottle - G1400, G2400, G3400 = 7,000 pages
CNCAGI-490M	R 169	Canon GI-490 Magenta Ink Bottle - G1400, G2400, G3400 = 7,000 pages
CNCAGI-490Y	R 169	Canon GI-490 Yellow Ink Bottle - G1400, G2400, G3400 = 7,000 pages
CNCAPFI-102BK	R 1,472	Canon PFI-102BK Ink Tank cartridge Black 130ml, Pigment-based ink, for iPF500 / iPF510 / iPF600 / iPF605 / iPF610 / iPF650 / iPF655 / iPF750 / iPF755 iPF700 / iPF710 / iPF710 MFP / iPF720 / iPF750 / iPF750 MFP / iPF755 / iPF755 MFP / iPF760 / iPF760 MFP / iPF765 / iPF765 MFP
CNCAPFI-102C	R 1,472	Canon PFI-102C Ink Tank cartridge Cyan 130ml, Pigment-based ink, for iPF500 / iPF510 / iPF600 / iPF605 / iPF610 / iPF650 / iPF655 / iPF750 / iPF755 iPF700 / iPF710 / iPF710 MFP / iPF720 / iPF750 / iPF750 MFP / iPF755 / iPF755 MFP / iPF760 / iPF760 MFP / iPF765 / iPF765 MFP
CNCAPFI-102M	R 1,472	Canon PFI-102M Ink Tank cartridge Magenta 130ml, Pigment-based ink, for iPF500 / iPF510 / iPF600 / iPF605 / iPF610 / iPF650 / iPF655 / iPF750 / iPF755 iPF700 / iPF710 / iPF710 MFP / iPF720 / iPF750 / iPF750 MFP / iPF755 / iPF755 MFP / iPF760 / iPF760 MFP / iPF765 / iPF765 MFP
CNCAPFI-102MBK	R 1,472	Canon PFI-102MBK Ink Tank cartridge Matte Black 130ml, Pigment-based ink, for iPF500 / iPF510 / iPF600 / iPF605 / iPF610 / iPF650 / iPF655 / iPF750 / iPF755 iPF700 / iPF710 / iPF710 MFP / iPF720 / iPF750 / iPF750 MFP / iPF755 / iPF755 MFP / iPF760 / iPF760 MFP / iPF765 / iPF765 MFP
CNCAPFI-102Y	R 1,472	Canon PFI-102Y Ink Tank cartridge Yellow 130ml, Pigment-based ink, for iPF500 / iPF510 / iPF600 / iPF605 / iPF610 / iPF650 / iPF655 / iPF750 / iPF755 iPF700 / iPF710 / iPF710 MFP / iPF720 / iPF750 / iPF750 MFP / iPF755 / iPF755 MFP / iPF760 / iPF760 MFP / iPF765 / iPF765 MFP
CNCAPFI-107BK	R 1,472	Canon PFI-107BK Ink Tank cartridge Black 130ml, Dye-based ink, for iPF680 / iPF685 / iPF780 / iPF785
CNCAPFI-107C	R 1,472	Canon PFI-107C Ink Tank cartridge Cyan 130ml, Dye-based ink, for iPF680 / iPF685 / iPF780 / iPF785
CNCAPFI-107M	R 1,472	Canon PFI-107M Ink Tank cartridge Magenta 130ml, Dye-based ink, for iPF680 / iPF685 / iPF780 / iPF785
CNCAPFI-107MBK	R 1,472	Canon PFI-107MBK Ink Tank cartridge Matte Black 130ml, Pigment-based ink, for iPF680 / iPF685 / iPF780 / iPF785
CNCAPFI-107Y	R 1,472	Canon PFI-107Y Ink Tank cartridge Yellow 130ml, Dye-based ink, for iPF680 / iPF685 / iPF780 / iPF785
CNCAPFI-1100B	R 1,780	Canon PFI-1100 BLUE Canon Ink Tank (Blue) 160ml, For imagePROGRAF PRO-2000 and PRO-4000

		Large-Format Printers
CNCAPFI-1100C	R 1,780	Canon PFI-1100 C Canon Ink Tank (Cyan) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100CO	R 1,780	Canon PFI-1100 CO Canon Ink Tank (CHROMA OPTIMISER), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100GY	R 1,780	Canon PFI-1100 GY Canon Ink Tank (Grey) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100M	R 1,780	Canon PFI-1100 M Canon Ink Tank (Magenta) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100MBK	R 1,780	Canon PFI-1100 MBK Canon Ink Tank (Matt Black) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100PBK	R 1,780	Canon PFI-1100 PBK Canon Ink Tank (Photo Black) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100PC	R 1,780	Canon PFI-1100 PC Canon Ink Tank (Photo Cyan) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100PGY	R 1,780	Canon PFI-1100 PGY Canon Ink Tank (Photo Grey) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100R	R 1,780	Canon PFI-1100 R Canon Ink Tank (Red) 160ml For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1100Y	R 1,780	Canon PFI-1100 Y Canon Ink Tank (Yellow) 160ml, For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300B	R 3,375	Canon PFI-1300 B Canon Ink Tank 330ml (Blue), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300C	R 3,375	Canon PFI-1300 C Canon Ink Tank 330ml (Cyan), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300CO	R 3,375	Canon PFI-1300 CO Canon Ink Tank 330ml (CHROMA OPTIMISER), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300GY	R 3,375	Canon PFI-1300 GY Canon Ink Tank 330ml (Grey), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300M	R 3,375	Canon PFI-1300 M Canon Ink Tank 330ml (Magenta), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300MBK	R 3,375	Canon PFI-1300 MBK Canon Ink Tank 330ml (Matt Black), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300PBK	R 3,375	Canon PFI-1300 PBK Canon Ink Tank 330ml (Photo Black), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300PC	R 3,375	Canon PFI-1300 PC Canon Ink Tank 330ml (Photo Cyan), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300PG	R 3,375	Canon PFI-1300 PGY Canon Ink Tank 330ml (Photo Grey), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300PM	R 3,375	Canon PFI-1300 PM Canon Ink Tank 330ml (Photo Magenta), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300R	R 3,375	Canon PFI-1300 R Canon Ink Tank 330ml (Red), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1300Y	R 3,375	Canon PFI-1300 Y Canon Ink Tank 330ml (Yellow), For imagePROGRAF PRO-2000 and PRO-4000 Large-Format Printers
CNCAPFI-1700B	R 6,034	Canon PFI-1700B Ink Tank cartridge Blue 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 Large-Format Printers
CNCAPFI-1700C	R 6,034	Canon PFI-1700C Ink Tank cartridge Cyan 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers

CNCAPFI-1700CO	R 6,034	Canon PFI-1700CO Ink Tank cartridge Chroma Optimizer 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 Large-Format Printers
CNCAPFI-1700GY	R 6,034	Canon PFI-1700GY Ink Tank cartridge Grey 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI-1700M	R 6,034	Canon PFI-1700M Ink Tank cartridge Magenta 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI-1700MBK	R 6,034	Canon PFI-1700MBK Ink Tank cartridge Matte Black 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI-1700PBK	R 6,034	Canon PFI-1700PBK Ink Tank cartridge Photo Black 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI-1700PC	R 6,034	Canon PFI-1700PC Ink Tank cartridge Photo Cyan 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI-1700PGY	R 6,034	Canon PFI-1700PGY Ink Tank cartridge Photo Grey 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 Large-Format Printers
CNCAPFI-1700PM	R 6,034	Canon PFI-1700PM Ink Tank cartridge Photo Magenta 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI-1700R	R 6,034	Canon PFI-1700R Ink Tank cartridge Red 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 Large-Format Printers
CNCAPFI-1700Y	R 6,034	Canon PFI-1700Y Ink Tank cartridge Yellow 700ml, Pigment-based ink, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S Large-Format Printers
CNCAPFI1000B	R 1,083	Canon PFI-1000 Blue Ink Cartridge - 80ml
CNCAPFI1000C	R 1,083	Canon PFI-1000 Cyan Ink Cartridge - 80 ml
CNCAPFI1000CO	R 1,083	Canon PFI-1000 Chroma Optimiser Ink Cartridge
CNCAPFI1000GY	R 1,083	Canon PFI-1000 Grey Ink Cartridge - 80ml
CNCAPFI1000M	R 1,083	Canon PFI-1000 Magenta Ink Cartridge - 80ml
CNCAPFI1000MBK	R 1,083	Canon PFI-1000 Matte Black Ink Cartridge - 80 ml
CNCAPFI1000PBK	R 1,083	Canon PFI-1000 Photo Black Ink Cartridge - 80 ml
CNCAPFI1000PC	R 1,083	Canon PFI-1000 Photo Cyan Ink Cartridge
CNCAPFI1000PGY	R 1,083	Canon PFI-1000 Photo Grey Ink Cartridge - 80ml
CNCAPFI1000PM	R 1,083	Canon PFI-1000 Photo Magenta Ink Cartridge
CNCAPFI1000R	R 1,083	Canon PFI-1000 Red Ink Cartridge - 80ml
CNCAPFI1000Y	R 1,083	Canon PFI-1000 Yellow Ink Cartridge - 80ml
CNCAPG-445BK	R 302	Canon PG-445 EMB - Black
CNCAPG-445MULTI	R 576	Canon PG-445/446 Multipack - MG2440, MG2540, iP2840, MG2940 / MX494
CNCAPG-445XLBK	R 377	Canon PG-445XL EMB - Black inkjet ink cartridge
CNCAPG-460BK	R 430	Canon PG-460 Black Ink cartridge, 180 page yield, Compatible with --> TS5340 printer
CNCAPG-460MULTI	R 842	Canon PG-460/CL-461 Multipack Ink cartridges, 180 colour & 180 black page yield, Compatible with --> TS5340 Printer
CNCAPG-460XLBK	R 601	Canon PG-460XL High Yield Black Ink cartridge, 400 page yield, Compatible with --> TS5340 printer
CNCAPG37BK	R 404	Canon PG-37 Black Cartridge (Black FINE Cartridge for iP1800 / IP1900/ 2500/ MP140/ 210/ MX300/ 310)
CNCAPG40	R 483	Canon PG-40 Black Cartridge (195 pages at 5%: iP1200 / 1300 / 1600 / 1700 / 1800 / IP1900 / 2200 / 2500 / MP140 / 160 / 210 / 460 / MX300 / 310)
CNCAPG440BK	R 416	Canon PG-440 Black Ink Cartridge (Yield model:MG2140 - 200 PAGES)
CNCAPG440HBK	R 620	Canon PG-440 Black Ink Cartridge High Yield (Yield model:MG2140 - 500 PAGES)
CNCAPG50	R 685	Canon PG-50 HC Black Cartridge (300 pages at 5%: iP2200 / MP150 / 160 / 460 / MX300 / 310)
CNCAPG510BK	R 443	Canon Pgi-510 Black Cartridge
CNCAPG512BK	R 531	Pgi-512 Black Cartridge - High Yield Inkjet ink cartridge
CNCAPGI-1400XLBK	R 592	Canon Black PRCAMB2040 PGI-1400XL Black Ink Cartridge
CNCAPGI-1400XLC	R 381	Canon PRCAMB2040 PGI-1400XL Cyan Ink Cartridge

CNCAPGI-1400XLM	R 381	Canon PRCAMB2040 PGI-1400XL Magenta Ink Cartridge
CNCAPGI-1400XLY	R 381	Canon PRCAMB2040 PGI-1400XL Yellow Ink Cartridge
CNCAPGI-2400XLBK	R 720	Canon PRCAIM4040 PGI-2400XL Black Ink Cartridge
CNCAPGI-2400XLC	R 550	Canon PRCAIB4040 Canon PGI-2400XL Cyan Ink Cartridge
CNCAPGI-2400XLM	R 550	Canon PRCAIB4040,PGI-2400XL Magenta Ink Cartridge
CNCAPGI-2400XLY	R 550	Canon PGI-2400XL PRCAIB4040 Yellow Ink Cartridge
CNCAPGI1400XLMULTI	R 1,413	Canon PGI-1400XL Black/ Cyan/ Magenta/ Yellow Multipack - MB2040, MB2340
CNCAPGI2400XLMULTI	R 1,748	Canon pgi-2400xl high yield Black / Cyan / Magenta / Yellow multi-pack ink cartridges, for maxify iB4040 / iB4140 / MB5040 / MB5140 / MB5340 / MB5440
CNCAPGI35BK	R 237	Canon PGI-35 Black Ink Tank (iP100)
CNCAPGI425BK	R 362	Canon PGI-425 PG Black for use in iP4840, MG5140, MG5240, MG6140, MG8140
CNCAPGI450XLBK	R 408	Canon PGI-450 High Yield Black (iP7240, MG5440, MG6340) Yield = 500 pages
CNCAPGI470BK	R 363	Canon PGI-470 Black Ink Cartridge - MG5740, MG7740 = 300 pages
CNCAPGI470XLBK	R 376	Canon PGi-470 XL pigment high yield black ink cartridge, 500 page yield, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CNCAPGI480BK	R 273	Canon PGI-480 PGBK Black ink cartridge, Compatible with --> TS6140/ TS8140/ TS9140/ TR7540/ TR8540 printers
CNCAPGI480XLBK	R 340	Canon PGI-480 High Yield Black Ink Cartridge - TS6140, TS8140, TS9140, TS7540, TS8540
CNCAPGi520BK	R 334	Canon PGi-520 Black Ink Tank (Yield varies per model: iP3600, iP4600, MP540, MP620, MP630, MP980)
CNEPC13T00S14A	R 162	Epson 103 Ecotank Black ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers, C13T00S14A
CNEPC13T00S24A	R 162	Epson 103 Ecotank Cyan ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers, C13T00S24A
CNEPC13T00S34A	R 162	Epson 103 Ecotank Magenta ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
CNEPC13T00S44A	R 162	Epson 103 Ecotank Yellow ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
CNEPC13T00S64A	R 555	Epson T00S64A Black Ink cartridge, 65ml, Compatible with --> EcoTank L3151 / L3150 / L3111 / L3110 printers, C13T00S64A
CNEPC13T01L14A	R 210	Epson 110S EcoTank Pigment black ink bottle, 2000 pages yield, Compatible with --> Epson EcoTank M1100 / M3100 / M2140 / M1120 / M3180 / M3170 / M3140 / M1180 / M1140 / M2170 / M1170 / M2100 / M1190 printers
CNEPC13T03V14A	R 277	Epson 101 EcoTank Black Ink bottle (127ml), Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers, C13T03V14A
CNEPC13T03V24A	R 139	Epson 101 EcoTank Cyan Ink bottle (70ml), 6000 pages yield, Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
CNEPC13T03V34A	R 139	Epson 101 EcoTank Magenta Ink bottle (70ml), 6000 pages yield, Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
CNEPC13T03V44A	R 139	Epson 101 EcoTank Yellow Ink bottle (70ml), 6000 pages yield, Compatible with --> Epson ITS EcoTank L6170 / L4150 / L6160 / L6190 printers
CNEPC13T06C14A	R 370	Epson T06C14A 112 EcoTank Pigment Black Ink Bottle, 127.0 ml, Compatible with --> Epson EcoTank printers
CNEPC13T06C24A	R 301	Epson T06C24A 112 EcoTank Cyan Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
CNEPC13T06C34A	R 301	Epson T06C34A 112 EcoTank Magenta Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
CNEPC13T06C44A	R 301	Epson T06C44A 112 EcoTank Yellow Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
CNEPC13T07C14A	R 370	Epson C13T07C14A Pigment Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
CNEPC13T07D14A	R 370	Epson 115 Photo Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
CNEPC13T07D24A	R 370	Epson 115 Cyan 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers

CNEPC13T07D34A	R 370	Epson 115 Magenta 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
CNEPC13T07D44A	R 370	Epson C13T07D44A Yellow 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
CNEPC13T07D54A	R 370	Epson 115 Grey 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
CNEPC13T09C14A	R 240	Epson T09C14A 108 EcoTank Ink bottle Black, 70ml, Compatible with --> L8050 / L18050 printers
CNEPC13T09C24A	R 240	Epson T09C24A 108 EcoTank Ink Cyan, 70ml, Compatible with --> L8050 / L18050 printers
CNEPC13T09C34A	R 240	Epson T09C34A 108 EcoTank Ink Magenta, 70ml, Compatible with --> L8050 / L18050 printers
CNEPC13T09C44A	R 240	Epson T09C44A 108 EcoTank Ink Yellow, 70ml, Compatible with --> L8050 / L18050 printers
CNEPC13T09C54A	R 240	Epson T09C54A 108 EcoTank Ink Light Cyan, 70ml, Compatible with --> L8050 / L18050 printers
CNEPC13T09C64A	R 240	Epson T09C64A 108 EcoTank Ink Light Magenta, 70ml, Compatible with --> L8050 / L18050 printers
CNHP1VV21AE	R 183	HP 1VV21AE GT53XL 135ml Black original ink bottle, 6000 page yield, Compatible with --> Ink Tank 315 / Ink Tank Wireless 415 / Smart Tank 500 AIO / Smart Tank 515 AIO / Smart Tank 530 AIO / Smart Tank 615 AIO printers
CNHP3JA23AE	R 442	HP #963 Cyan Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA24AE	R 442	HP #963 Magenta Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA25AE	R 409	HP #963 Yellow Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA26AE	R 604	HP #963 Black Original Ink Cartridge, 1000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA27AE	R 703	HP #963XL High Yield Cyan Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA28AE	R 703	HP #963XL High Yield Magenta Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA29AE	R 703	HP #963XL High Yield Yellow Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3JA30AE	R 938	HP #963XL High Yield Black Original Ink Cartridge, 2000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CNHP3YL77AE	R 200	HP #912 Cyan Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YL78AE	R 200	HP #912 Magenta Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YL79AE	R 200	HP #912 Yellow Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YL80AE	R 321	HP #912 Black Original Ink Cartridge, 300 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YL81AE	R 392	HP #912xl high yield Cyan original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YL82AE	R 392	HP #912xl high yield Magenta original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YL83AE	R 392	HP #912xl high yield Yellow original ink cartridge, 825 page yield. Compatible with --> HP OfficeJet All-in-One 8012/ 8014/ 8015/ 8022/ 8023/ 8024/ 8025 printers.
CNHP3YL84AE	R 754	HP #912xl high yield Black original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CNHP3YM60AE	R 238	HP 3YM60AE 305 Tri-color original Ink cartridge, 100 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
CNHP3YM61AE	R 238	HP 3YM61AE 305 Black original Ink cartridge, 120 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
CNHP3YM62AE	R 447	HP 3YM62AE 305XL High Yield Black original Ink cartridge, 240 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers

CNHP3YM63AE	R 407	HP 3YM63AE 305XL High Yield Tri-Colour original Ink cartridge, 200 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / plus 4110 / plus 4120 / plus 4122 / plus 4130 All-in-One printers
CNHP3YM74AE	R 248	HP 3YM74AE 653 Tri-Colour Original Ink Advantage Cartridge, 200 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
CNHP3YM75AE	R 290	HP 3YM75AE 653 Black Original Ink Advantage Cartridge, 360 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
CNHP3YP17AE	R 531	HP 3YP17AE Ink Tank Tri-Colour printhead, Compatible with --> 670 / 675 / 720 / 725 / 750 / 755 / 790 / 795 Series printers
CNHP3YP61AE	R 519	HP 3YP61AE Black & Tri-Colour GT Printhead Kit, Compatible with --> HP DeskJet GT 5810 and 5820 All-in-One Printers (printheads need to be changed in a pair) / HP Ink Tank 110 series / HP Ink Tank 310 series / HP Ink Tank Wireless 410 series / HP Smart Tank / Wireless 450 series (printheads can be changed individually)
CNHP4K0V6PE	R 214	HP 4K0V6PE 925 Cyan Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0V7PE	R 214	HP 4K0V7PE 925 Magenta Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0V8PE	R 214	HP 4K0V8PE 925 Yellow Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0V9PE	R 431	HP 4K0V9PE 925 Black Original Ink cartridge, 500 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0W0PE	R 421	HP 4K0W0PE 925e Evomore Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0W1PE	R 421	HP 4K0W1PE 925e Evomore Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0W2PE	R 421	HP 4K0W2PE 925e Evomore Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4K0W3PE	R 869	HP 4K0W3PE 925e Evomore Black Original Ink cartridge, 1000 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
CNHP4S6X5PE	R 430	HP 4S6X5PE 938 Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP4S6X6PE	R 430	HP 4S6X6PE 938 Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP4S6X7PE	R 430	HP 4S6X7PE Blister 938 Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP4S6X8PE	R 668	HP 4S6X8PE 938 Black Original Ink cartridge, 1250 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP4S6X9PE	R 887	HP 4S6X9PE 938e Evomore Cyan Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP4S6Y0PE	R 887	HP 4S6Y0PE 938e Evomore Magenta Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP4S6Y1PE	R 887	HP 4S6Y1PE 938e Evomore Yellow Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
CNHP6ZA11AE	R 289	HP 6ZA11AE Black printhead, Compatible with --> Smart Tank Wireless 455
CNHP6ZA17AE	R 289	HP 6ZA17AE Black Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
CNHP6ZA18AE	R 289	HP 6ZA18AE Tri-Colour Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
CNHP6ZD21AE	R 113	HP 6ZD21AE 47 Black original Ink cartridge, 1300 page yield, Compatible with --> HP DeskJet Ink Advantage 4800 / 4828 printers
CNHP6ZD61AE	R 106	HP 6ZD61AE 47 Tri-color original Ink cartridge, 700 page yield, Compatible with --> HP DeskJet Ink Advantage

		4800 / 4828 printers
CNHPC2P10AE	R 428	HP 651 Black Original Ink Advantage Cartridge (C2P10AE)
CNHPC2P11AE	R 377	HP 651 Tri-color Original Ink Advantage Cartridge (C2P11AE) 300 pages
CNHPC2P23AE	R 915	HP No 934XL Black Ink Cartridge
CNHPCE410X	R 2,383	HP No 305X HP 305X Black LaserJet Toner Cartridge
CNHPCH561HE	R 309	HP No 122 Black Cartridge (120PGS)
CNHPCH561HK	R 309	HP 122 Black Ink Cartridge - 120 Pages (Replacing the CH561HE)
CNHPCH562HE	R 375	HP No 122 Tri-Colour Cartridge (100 PGS)
CNHPCH562HK	R 375	HP 122 Tri-colour Ink Cartridge-100 Pages
CNHPCN045AE	R 1,233	HP No 950XL Black OfficeJet Ink Cartridge
CNHPCN046AE	R 853	HP #951 XL CYAN OFFICEJET INK CARTRIDGE FOR HP OJPRO 8600
CNHPCN047AE	R 853	HP No 951XL Magenta OfficeJet Ink Cartridge
CNHPCN048AE	R 853	HP No 951XL Yellow OfficeJet Ink Cartridge
CNHPCN050AE	R 513	HP 951 Cyan Original Ink Cartridge
CNHPCN051AE	R 513	HP 951 Magenta Original Ink Cartridge
CNHPCN052AE	R 513	HP 951 Yellow Original Ink Cartridge
CNHPCN053AE	R 1,003	HP No 932XL Black OfficeJet Ink Cartridge
CNHPCN054AE	R 440	HP No 933XL Cyan OfficeJet Ink Cartridge
CNHPCN056AE	R 428	HP No 933XL Yellow OfficeJet Ink Cartridge
CNHPCN621AE	R 1,712	HP 970 Black Original Ink Cartridge
CNHPCN622AE	R 1,740	HP 971 Cyan Original Ink Cartridge
CNHPCN623AE	R 1,740	HP 971 Magenta Original Ink Cartridge
CNHPCN624AE	R 1,740	HP 971 Yellow Original Ink Cartridge
CNHPCN625AE	R 2,749	HP 970XL Black Ink Cartridge
CNHPCN626AE	R 2,502	HP 971XL High Yield Cyan Original Ink Cartridge
CNHPCN627AE	R 2,697	HP 971XL High Yield Magenta Original Ink Cartridge
CNHPCN628AE	R 2,697	HP 971XL High Yield Yellow Original Ink Cartridge
CNHPCZ101AK	R 283	HP 650 Black Original Ink Advantage Cartridge
CNHPCZ102AK	R 246	HP 650 Tri-color Original Ink Advantage Cartridge - 200 pages
CNHPCZ109AE	R 251	HP # 655 BLACK INK CARTRIDGE FOR HP DJ 4615
CNHPCZ110AE	R 232	HP No 655 Cyan Ink Cartridge
CNHPCZ111AE	R 251	HP # 655 MAGENTA INK CARTRIDGE FOR HP DJ 4615
CNHPCZ112AE	R 251	HP No 655 Yellow Ink Cartridge
CNHPD8J07A	R 1,968	HP 980 Cyan Original Ink Cartridge
CNHPD8J09A	R 1,968	HP 980 YellowOriginal Ink Cartridge
CNHPD8J10A	R 2,303	HP 980 Black Original Ink Cartridge
CNHPF6T77AE	R 1,823	HP 913A Cyan PageWide Ink Cartridge-3000 Pages
CNHPF6T78AE	R 1,823	HP 913A Magenta PageWide Ink Cartridge-3000 Pages
CNHPF6T79AE	R 1,823	HP 913A Yellow PageWide Ink Cartridge-3000 Pages
CNHPF6T81AE	R 2,766	HP 973X Cyan PageWide Ink Cartridge-7000 Pages
CNHPF6T82AE	R 2,766	HP 973X Magenta PageWide Ink Cartridge-7000 Pages
CNHPF6T83AE	R 2,766	HP 973X Yellow PageWide Ink Cartridge-7000 Pages
CNHPF6U12AE	R 504	HP 953 Cyan Ink Cartridge-700 Pages
CNHPF6U13AE	R 504	HP 953 Magenta Ink Cartridge-700 Pages
CNHPF6U14AE	R 504	HP 953 Yellow Ink Cartridge-700 Pages
CNHPF6U16AE	R 833	HP 953XL Cyan Ink Cartridge-1600 Pages
CNHPF6U17AE	R 833	HP 953XL Magenta Ink Cartridge-1600 Pages
CNHPF6U18AE	R 833	HP 953XL Yellow Ink Cartridge-1600 Pages
CNHPF6V16AE	R 321	HP 123 Tri-color Original Ink Cartridge (F6V16AE), 120pages

CNHPF6V17AE	R 269	HP 123 Black Original Ink Cartridge (F6V17AE), 100 pages
CNHPF6V24AE	R 270	HP 652 Tri-color Original Ink Advantage Cartridge (F6V24AE)
CNHPF6V25AE	R 315	HP 652 Black Original Ink Advantage Cartridge (F6V25AE)
CNHPJ3M68A	R 2,353	HP 981A Cyan PageWide Ink Cartridge-6000 Pages
CNHPJ3M69A	R 2,353	HP 981A Magenta PageWide Ink Cartridge-6000 Pages
CNHPJ3M70A	R 2,353	HP 981A Yellow PageWide Ink Cartridge-6000 Pages
CNHPJ3M71A	R 1,610	HP 981A Black PageWide Ink Cartridge-6000 Pages
CNHPL0R09A	R 3,081	HP 981X High Yield Cyan PageWide Ink Cartridge-10000 Pages
CNHPL0R10A	R 3,081	HP 981X High Yield Magenta PageWide Ink Cartridge-10500 Pages
CNHPL0R11A	R 3,081	HP 981X High Yield Yellow PageWide Ink Cartridge-10000 Pages
CNHPL0R12A	R 2,260	HP 981X High Yield Black PageWide Ink Cartridge-11000 Pages
CNHPL0R13A	R 4,471	HP 981Y Extra High Yield Cyan PageWide Ink Cartridge-16000 Pages
CNHPL0R14A	R 4,471	HP 981Y Extra High Yield Magenta PageWide Ink Cartridge-16000 Pages
CNHPL0R15A	R 4,471	HP 981Y Extra High Yield Yellow PageWide Ink Cartridge-16000 Pages
CNHPL0R16A	R 3,452	HP 981Y Extra Black PageWide Ink Cartridge-20000 Pages
CNHPL0R95AE	R 1,709	HP 913A Black PageWide Ink Cartridge-3500 Pages
CNHPL0S07AE	R 2,915	HP 973X Black PageWide Ink Cartridge-10000 Pages
CNHPL0S58AE	R 715	HP 953 Black Ink Cartridge-1000 Pages
CNHPL0S70AE	R 1,187	HP 953XL Black Ink Cartridge-2000 Pages
CNHPM0H54AE	R 161	HP M0H54AE GT52 Cyan 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
CNHPM0H55AE	R 161	HP M0H55AE GT52 Magenta 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
CNHPM0H56AE	R 161	HP M0H56AE GT52 Yellow 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
CNHPM0J90AE	R 4,905	HP 991X M0J90AE high yield Cyan PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
CNHPM0J94AE	R 4,905	HP 991X M0J94AE high yield Magenta PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
CNHPM0J98AE	R 4,905	HP 991X M0J98AE high yield Yellow PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
CNHPM0K02AE	R 4,495	HP 991X M0K02AE high yield Black PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
CNHPT6L87AE	R 229	HP T6L87AE (no.903) Cyan ink cartridge, 315 page yield, Pigment-based ink, for hp officejet pro 6960 / 6970
CNHPT6L91AE	R 229	HP T6L91AE (no.903) Magenta ink cartridge, 315 page yield, Pigment-based ink, for hp officejet pro 6960 / 6970
CNHPT6L95AE	R 229	HP T6L95AE (no.903) Yellow ink cartridge, 315 page yield, Pigment-based ink, for hp officejet pro 6960 / 6970
CNHPT6L99AE	R 394	HP T6L99AE (no.903) Black ink cartridge, 300 page yield, Pigment-based ink, for hp officejet pro 6960 / 6970
CNHPT6M03AE	R 438	HP 903XL Cyan Ink Cartridge-825 Pages
CNHPT6M07AE	R 438	HP 903XL Magenta Ink Cartridge
CNHPT6M11AE	R 438	HP 903XL Yellow Ink Cartridge-825 Pages
CNHPT6M15AE	R 876	HP 903XL Black Ink Cartridge-825 Pages
CPFI050BK	R 1,663	Canon PFI-050BK Black Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
CPFI050C	R 1,663	Canon PFI-050C Cyan Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
CPFI050M	R 1,663	Canon PFI-050M Magenta Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
CPFI050Y	R 1,663	Canon PFI-050Y Yellow Ink tank cartridge, 70ml capacity, Compatible with --> imagePROGRAF TC-20 /

		TC-20m printers
CPFI1000B	R 1,256	Canon PFI-1000 Photo Black Ink Cartridge
CPFI1000C	R 1,256	Canon PFI-1000 Cyan Ink Cartridge
CPFI1000CO	R 1,256	Canon PFI-1000 Chromo Optimizer Cartridge
CPFI1000GY	R 1,256	Canon PFI-1000 Grey Ink Cartridge
CPFI1000M	R 1,256	Canon PFI-1000 Magenta Ink Cartridge
CPFI1000MBK	R 1,256	Canon PFI-1000 Matt Black Ink Cartridge
CPFI1000PBK	R 1,256	Canon PFI-1000 Photo Black Ink Cartridge
CPFI1000PC	R 1,256	Canon PFI-1000 Photo Cyan Ink Cartridge
CPFI1000PGY	R 1,256	Canon PFI-1000 Photo Grey Ink Cartridge
CPFI1000PM	R 1,256	Canon PFI-1000 Photo Magenta Ink Cartridge
CPFI1000R	R 1,256	Canon PFI-1000 Photo Magenta Ink Cartridge
CPFI1000Y	R 1,256	Canon PFI-1000 Yellow Ink Cartridge
CPFI101BLUE	R 2,085	Canon Ink tank (Blue) PFI-101B
CPFI101PM	R 2,085	Canon Ink tank (photo magenta) PFI-101PM
CPFI101R	R 2,085	Canon Ink tank (red) PFI-101R
CPFI101Y	R 2,085	Canon Ink tank (yellow) PFI-101Y
CPFI102BK	R 1,754	Canon Ink tank (black) PFI-102BK
CPFI102C	R 1,754	Canon Ink tank (cyan) PFI-102C
CPFI102M	R 1,754	Canon Ink tank (matte black) PFI-102MBK
CPFI102MBK	R 1,754	Canon Ink tank (matte black) PFI-102MBK
CPFI102Y	R 1,754	Canon Ink tank (yellow) PFI-102Y inkjet ink
CPFI103GY	R 2,085	Canon Ink tank (grey) PFI-103GY ink
CPFI103PGY	R 2,085	Canon Ink tank (photo grey) PFI-103PGY
CPFI104M	R 1,709	CANON INK TANK (MAGENTA) PFI-104M
CPFI107BK	R 1,754	CANON PFI-107 INK TANK 130ML BLACK
CPFI107C	R 1,754	CANON PFI-107 INK TANK 130ML CYAN
CPFI107M	R 1,754	CANON PFI-107 INK TANK 130ML MAGENTA
CPFI107MBK	R 1,754	CANON PFI-107 INK TANK 130ML MATTE BLACK
CPFI107Y	R 1,754	CANON PFI-107 INK TANK 130ML YELLOW
CPFI1100B	R 2,280	Canon PFI-1000 Blue Ink Cartridge
CPFI1100C	R 2,280	Canon PFI-1000 Cyan Ink Cartridge
CPFI1100CO	R 2,280	Canon PFI-1000 Chromo Optimizer Cartridge
CPFI1100GY	R 2,280	Canon PFI-1000 Grey Ink Cartridge
CPFI1100M	R 2,280	Canon PFI-1000 Magenta Ink Cartridge
CPFI1100MBK	R 2,280	Canon PFI-1000 Matt Black Ink Cartridge
CPFI1100PBK	R 2,280	Canon PFI-1100 PBK Photo Black Canon Ink Tank 160ml, Compatible with --> imagePROGRAF PRO-2000 / PRO-4000 Large-Format printers
CPFI1100PC	R 2,280	Canon PFI-1000 Photo Cyan Ink Cartridge
CPFI1100PGY	R 2,280	Canon PFI-1000 Photo Grey Ink Cartridge
CPFI1100PM	R 2,280	Canon PFI-1000 Photo Magenta Ink Cartridge
CPFI1100R	R 2,280	Canon PFI-1000 Red Ink Cartridge
CPFI1100Y	R 2,280	Canon PFI-1000 Yellow Ink Cartridge
CPFI110Y	R 2,280	Canon PFI-110 Yellow 160ml Pigment ink cartridge, Compatible with --> imagePROGRAF TX-2000 / TX-3000 / TX-4000 Printers
CPFI120C	R 1,725	Canon PFI-120 Cyan Ink Cartridge (130mL)
CPFI120K	R 1,725	Canon PFI-120 Matte Black Ink Cartridge (130mL)
CPFI120M	R 1,754	Canon PFI-120 Magenta original Ink cartridge, 130ml Volume, Compatible with --> Canon imagePROGRAF TM-200 / TM-205 / TM-200 L24ei / TM-300 / TM-305 / TM-300 L36ei printers

CPFI120MBK	R 1,725	Canon PFI-120 Matte Black original Ink cartridge, 130ml Volume, Compatible with --> Canon imagePROGRAF TM-200 / TM-205 / TM-200 L24ei / TM-300 / TM-305 / TM-300 L36ei printers
CPFI120Y	R 1,725	Canon PFI-120 Yellow original Ink cartridge, 130ml Volume, Compatible with --> Canon imagePROGRAF TM-200 / TM-205 / TM-200 L24ei / TM-300 / TM-305 / TM-300 L36ei printers
CPFI1300B	R 4,219	Canon PFI-1000 Blue Ink Cartridge
CPFI1300C	R 4,219	Canon PFI-1300 C - Cyan Original Ink Tank
CPFI1300CO	R 4,219	Canon PFI-1300 Chroma Optimiser Ink Tank
CPFI1300GY	R 4,219	CANON PFI-1300 INK TANK GREY PRINTER PRO - 2000 EUR
CPFI1300M	R 4,219	CANON PFI-1300 INK TANK MAGENTA PRINTER PRO - 2000 EUR
CPFI1300MBK	R 4,219	CANON PFI-1300 INK TANK MATTE BLACK PRINTER PRO - 2000 EUR
CPFI1300PBK	R 4,219	CANON PFI-1300 INK TANK PHOTO BLACK PRINTER PRO - 2000 EUR
CPFI1300PC	R 4,219	CANON PFI-1300 INK TANK PHOTO CYAN PRINTER PRO - 2000 EUR
CPFI1300PGY	R 4,219	CANON PFI-1300 INK TANK PHOTO GREY PRINTER PRO - 2000 EUR
CPFI1300PM	R 4,219	CANON PFI-1300 INK TANK PHOTO MAGENTA PRINTER PRO - 2000 EUR
CPFI1300R	R 4,219	CANON PFI-1300 INK TANK RED PRINTER PRO - 2000 EUR
CPFI1300Y	R 4,219	CANON PFI-1300 INK TANK YELLOW PRINTER PRO - 2000 EUR
CPFI1700B	R 7,451	CANON PFI-1700 INK TANK BLUE PRINTER PRO - 2000 EUR
CPFI1700C	R 7,451	CANON PFI-1700 INK TANK CYAN PRINTER PRO - 2000 EUR
CPFI1700CO	R 7,451	CANON PFI-1700 INK TANK CHROMA OPT PRINTER PRO - 2000 EUR
CPFI1700GY	R 7,451	CANON PFI-1700 INK TANK GREY PRINTER PRO - 2000 EUR
CPFI1700M	R 7,451	CANON PFI-1700 INK TANK MAGENTA PRINTER PRO - 2000 EUR
CPFI1700MBK	R 7,451	CANON PFI-1700 INK TANK MATTE BLACK PRINTER PRO - 2000 EUR
CPFI1700PBK	R 7,451	CANON PFI-1700 INK TANK PHOTO BLACK PRINTER PRO - 2000 EUR
CPFI1700PC	R 7,451	CANON PFI-1700 INK TANK PHOTO CYAN PRINTER PRO - 2000 EUR
CPFI1700PGY	R 7,451	CANON PFI-1700 INK TANK PHOTO GREY PRINTER PRO - 2000 EUR
CPFI1700PM	R 7,451	CANON PFI-1700 INK TANK PHOTO MAGENTA PRINTER PRO - 2000 EUR
CPFI1700R	R 7,451	CANON PFI-1700 INK TANK RED PRINTER PRO - 2000 EUR
CPFI1700Y	R 7,451	CANON PFI-1700 INK TANK YELLOW PRINTER PRO - 2000 EUR
CPFI207BK	R 3,197	Canon PFI-207 Black Ink Tank cartridge, 300ml volume, Compatible with --> imagePROGRAF IPF680 / IPF685 / IPF780 / IPF785 printers
CPFI207C	R 3,197	Canon PFI-207 Cyan Ink Tank cartridge, 300ml volume, Compatible with --> imagePROGRAF IPF680 / IPF685 / IPF780 / IPF785 printers
CPFI207M	R 3,197	Canon PFI-207 Magenta Ink Tank cartridge, 300ml volume, Compatible with --> imagePROGRAF IPF680 / IPF685 / IPF780 / IPF785 printers
CPFI207MBK	R 3,197	Canon PFI-207 Matte Black Ink Tank cartridge, 300ml volume, Compatible with --> imagePROGRAF IPF680 / IPF685 / IPF780 / IPF785 printers
CPFI207Y	R 3,197	Canon PFI-207 Yellow Ink Tank cartridge, 300ml volume, Compatible with --> imagePROGRAF IPF680 / IPF685 / IPF780 / IPF785 printers
CPFI300C	R 408	Canon PFI-300 C Cyan Ink Tank, 82 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300CO	R 408	Canon PFI-300 CO Chroma Optimizer Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300GY	R 408	Canon PFI-300 GY Grey Ink Tank, 44 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300M	R 408	Canon PFI-300 M Magenta Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300MBK	R 408	Canon PFI-300 MBK Matt Black Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300PBK	R 408	Canon PFI-300 PBK Photo Black Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300PC	R 408	Canon PFI-300 PC Photo Cyan Ink Tank, 116 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300PM	R 408	Canon PFI-300 PM Photo Magenta Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CPFI300R	R 408	Canon PFI-300 R Red Ink Tank, 129 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer

CPFI300Y	R 408	Canon PFI-300 Y Yellow Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CPFI301PGY	R 3,073	CANON LUCIA PFI-301PGY PHOTO GREY ORIGINAL INK TANK 330ML IMAGEPROGRAF IPF8000/8000S/8100/9000/9000S/9100
CPFI307BK	R 3,031	Canon Pfi-307 Black Ink Tank For imagePROGRAF iPF830, iPF840, and iPF850 Printers
CPFI307C	R 3,031	Canon PFI-307C Cyan Ink Cartridge (330 mL) For imagePROGRAF iPF830, iPF840, and iPF850 Printers
CPFI307M	R 3,031	Canon PFI-307M Magenta Ink Cartridge (330 mL) For imagePROGRAF iPF830, iPF840, and iPF850 Printers
CPFI307MBK	R 3,031	Canon PFI-307MBK Matte Black Ink Cartridge (330 mL) For imagePROGRAF iPF830, iPF840, and iPF850 Printers
CPFI307Y	R 3,031	Canon PFI-307Y Yellow Ink Cartridge (330 mL) For imagePROGRAF iPF830, iPF840, and iPF850 Printers
CPFI310BK	R 3,281	Canon PFI-310 Black Ink Tank Cartridge, 330ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI310C	R 3,281	Canon PFI-310 Cyan Ink Tank Cartridge, 330ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI310M	R 3,281	Canon PFI-310 Magenta Ink Tank Cartridge, 330ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI310MBK	R 3,281	Canon PFI-310 Matte Black Ink Tank Cartridge, 330ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI320BK	R 3,227	Canon PFI-320 Black Ink Tank Cartridge, 300ml Volume, Compatible with --> mageprograf TM-200 / TM-300 / TM-305 printers
CPFI320C	R 3,227	Canon PFI-320 Cyan Ink Tank Cartridge, 300ml Volume, Compatible with --> mageprograf TM-200 / TM-300 / TM-305 printers
CPFI320M	R 3,197	Canon PFI-320 Magenta Ink Tank Cartridge, 300ml Volume, Compatible with --> mageprograf TM-200 / TM-300 / TM-305 printers
CPFI320MBK	R 3,227	Canon PFI-320 Matt Black Ink Tank Cartridge, 300ml Volume, Compatible with --> mageprograf TM-200 / TM-300 / TM-305 printers
CPFI320Y	R 3,227	Canon PFI-320 Yellow Ink Tank Cartridge, 300ml Volume, Compatible with --> mageprograf TM-200 / TM-300 / TM-305 printers
CPFI703BK	R 5,226	CANON INK TANK (BLACK) PFI-703BK 700ML
CPFI703C	R 5,226	CANON INK TANK (CYAN) PFI-703C 700ML
CPFI703M	R 5,076	CANON INK TANK (MAGENTA) PFI-703M 700ml
CPFI703MBK	R 5,076	CANON INK TANK (MATTE BLACK) PFI-703MBK 700ML
CPFI703Y	R 5,226	CANON INK TANK (YELLOW) PFI-703Y 700ml
CPFI706BK	R 7,451	CANON PFI-706 BLACK INK TANK (700ML)
CPFI706C	R 7,451	CANON PFI-706 CYAN INK TANK (700ML)
CPFI706PGY	R 7,451	CANON PFI-706 PHOTO GREY INK TANK (700ML)
CPFI706PM	R 5,825	CANON PFI-706 PHOTO MAGENTA INK TANK (700ML)
CPFI706Y	R 7,451	CANON PFI-706 YELLOW INK TANK (700ML)
CPFI710BK	R 5,892	Canon PFI-710 Black Ink Tank Cartridge, 700ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI710C	R 5,892	Canon PFI-710 Cyan Ink Tank Cartridge, 700ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI710M	R 5,892	Canon PFI-710 Magenta Ink Tank Cartridge, 700ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI710MBK	R 5,892	Canon PFI-710 Matte Black Ink Tank Cartridge, 700ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPFI710Y	R 5,892	Canon PFI-710 Yellow Ink Tank Cartridge, 700ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
CPG37	R 424	Canon PG-37 Black Cartridge (Black FINE Cartridge for iP1800 / IP1900/ 2500/ MP140/ 210/ MX300/ 310)
CPG40B	R 509	Canon PG-40 Black Cartridge with yield of 329 pages at IDC 5% coverage, Compatible with iP1200/ iP1300/ iP1600/ iP1700/ iP2200/ iP6210D/ iP6220D/ MP150/ iP1900

CPG440B	R 439	Canon PG-440 Black Ink Cartridge (Yield model:MG2140 - 200 PAGES)
CPG440XL	R 767	Canon PG-440XL Black Cartridge with yield of 550 pages at IDC 5% coverage
CPG445	R 319	CANON BLACK CART PG445 (MG2440, MG2540, MG3540) Black inkjet ink cartridge
CPG445446MP	R 722	Canon PG-445/446 Multipack Printer ink, Compatible with --> MG2440 / MG2540 / IP2840 / MG2940 / MX494 printers
CPG445XL	R 397	Canon PG-445XL EMB - Black inkjet ink cartridge
CPG460	R 453	Canon PG-460 Black Ink cartridge, 180 page yield, Compatible with --> TS5340 printer
CPG460CL461MP	R 1,002	Canon PG-460/CL-461 Multipack Ink cartridges, 180 colour & 180 black page yield, Compatible with --> TS5340 Printer
CPG460XL	R 748	Canon PG-460XL High Yield Black Ink cartridge, 400 page yield, Compatible with --> TS5340 printer
CPG485BK	R 556	Canon PG485 Black Ink cartridge, 180 pages yield, Compatible with --> Canon Pixma TS7640i / TS7740i Multifunction Inkjet printers
CPG485XLBK	R 845	Canon PG485XL High Yield Black Ink cartridge, 300 pages yield, Compatible with --> Canon Pixma TS7640i / TS7740i Multifunction Inkjet printers
CPG510B	R 466	Canon Pgi-510 Black Cartridge
CPG512	R 560	Canon Pgi-512 Black Cartridge - High Yield Inkjet ink cartridge
CPGI1400XLBK	R 739	CANON BLACK INK PGI 1400XLBK MB2040 MB2340/ 1200 PAGES
CPGI1400XLC	R 401	Canon PRCAMB2040 PGI-1400XL Cyan Ink Cartridge
CPGI1400XLM	R 401	Canon PRCAMB2040 PGI-1400XL Magenta Ink Cartridge. For MB2040 / MB2340.
CPGI1400XLMP	R 1,603	Canon Pgi-1400xl Multi Pack (Black, Cyan, Yellow And Magenta)
CPGI1400XLY	R 401	Canon PRCAMB2040 PGI-1400XL Yellow Ink Cartridge
CPGI2400XLBK	R 873	Canon PRCAIM4040 PGI-2400XL Black Ink Cartridge. IB4040 MB5040 MB5340/ 2500 PAGES
CPGI2400XLC	R 694	Canon PRCAIB4040 Canon PGI-2400XL Cyan Ink Cartridge. For IB4040 MB5040 MB5340 / 1500 PAGES
CPGI2400XLM	R 694	Canon PRCAIB4040, PGI-2400XL Magenta Ink Cartridge. IB4040, MB5040, MB5340 / 1500 PAGES
CPGI2400XLMP	R 1,956	Canon Pgi-2400xl Multipack (Black, Cyan, Magenta And Yellow)
CPGI2400XLY	R 694	Canon PGI-2400XL PRCAIB4040 Yellow Ink Cartridge. For use with IB4040, MB5040, MB5340 / 1500 PAGES
CPGI29C	R 874	Canon PGI-29 Colour Chroma optimize Cartridge (YIELDS FOR A3) 90 Pages Pixma PRO-1
CPGI29CO	R 874	Canon PGI-29 Colour Chroma optimize Cartridge (YIELDS FOR A3) 90 Pages Pixma PRO-1
CPGI29DGY	R 874	Canon PGI-29 Dark Grey Cartridge (YIELDS FOR A3) 120 Pages Pixma PRO-1
CPGI29GY	R 874	Canon PGI-29 Grey Cartridge (YIELDS FOR A3) 180 Pages Pixma PRO-1
CPGI29LGY	R 874	Canon PGI-29 Light Grey Cartridge (YIELDS FOR A3) 350 Pages Pixma PRO-1
CPGI29M	R 874	Canon PGI-29 Matt Black Cartridge (YIELDS FOR A3) 500 Pages Pixma PRO-1
CPGI29MB	R 874	Canon PGI-29 Matt Black Cartridge (YIELDS FOR A3) 500 Pages Pixma PRO-1
CPGI29MULTICO	R 4,410	Canon PGI-29 Multipack - Matte Black / Photo Black / Dark Grey / Grey /Light Grey / Chroma Optimiser, 29ml x 6 inks, Compatible with --> Pixma PRO 1 printer
CPGI29MULTNOCO	R 3,710	Canon PGI-29 Multipack - Matte Black / Photo Black / Dark Grey / Grey /Light Grey, 29ml x 5 inks, Compatible with --> Pixma PRO 1 printer
CPGI29PB	R 874	Canon PGI-29 Photo Black Cartridge (YIELDS FOR A3) 110 Pages Pixma PRO-1
CPGI29PC	R 874	Canon PGI-29 Photo Cyan Cartridge (YIELDS FOR A3) 400 Pages Pixma PRO-1
CPGI29PM	R 874	Canon PGI-29 Photo Magenta Cartridge (YIELDS FOR A3) 220 Pages Pixma PRO-1
CPGI29R	R 874	Canon PGI-29 Red Cartridge (YIELDS FOR A3) 450 Pages Pixma PRO-1
CPGI29Y	R 874	Canon PGI-29 Yellow Cartridge (YIELDS FOR A3) 290 Pages Pixma PRO-1
CPGI35	R 250	Canon PGI-35 Black Ink Tank (iP100)
CPGI425B	R 381	Canon PGI-425 PG Black for use in iP4840, MG5140, MG5240, MG6140, MG8140
CPGI425BKTP	R 737	Canon PGI-425 Black twin pack Ink cartridge, Compatible with --> IP4840 / MG5140 / MG5240 / MG6141 printers
CPGI450B	R 329	Canon PGI-450 Black (iP7240, MG5440, MG6340) Yield = 300 pages
CPGI450BXL	R 430	Canon PGI-450XL Black Cartridge with yield of 500 pages at IDC 5% coverage
CPGI470B	R 383	Canon Pgi-470 Pgbk Black Ink Cartridge For Mg5740 Mg7740 (Page Yield 300)

CPGI470XLB	R 396	Canon Pgi-470xl Pgbk Black Ink Cartridge For Mg5740 Mg7740 (500 Pages)
CPGI480PGBK	R 286	Canon PGI-480 PGBK Black Ink Cartridge
CPGI480XL	R 358	CANON PGI-480XL PGBK - Black Ink Cartridge, 500 pages yield, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers
CPGI520B	R 352	Canon PGi-520 Black Ink Tank (Yield varies per model: iP3600, iP4600, MP540, MP620, MP630, MP980)
CPGI5B	R 387	Canon PGI-5 Black Ink Tank (360 pages at 5%: iP3300 / 3500 / 4200/ 4300 /4500 / 5200 / 5300 / MP500 / 520 / 530 / 600 / 610 / 800 / 830 / 970 / MX700 / 850 / iX4000 / iX5000 / Pro9000)
CPGI72C	R 326	Canon PGI-72 CO - Chromo Optimizer - ink tank - PRO10
CPGI72CO	R 326	Canon PGI-72 CO - Chromo Optimizer - ink tank - PRO10
CPGI72GY	R 326	Canon PGI-72 GY - Grey inkjet ink - PRO 10
CPGI72M	R 326	Canon PGI-72 MBK - Matt Black inkjet ink - PRO10
CPGI72MB	R 326	Canon PGI-72 MBK - Matt Black inkjet ink - PRO10
CPGI72PB	R 326	Original Canon PGI-72 PBK - Photo Black
CPGI72PC	R 326	Canon PGI-72 PC - Photo Cyan ink
CPGI72PM	R 326	Canon PGI-72 PM - Photo Magenta ink
CPGI72R	R 326	CANON PGI-72 R - RED INK - PRO 10
CPGI72Y	R 326	Canon PGi-72 Y Original Canon Yellow Ink Cartridge
CPGI7B	R 376	CANON INK CARTRIDGE PGI-7 BLACK MX7600 IX7000
CPGI9C	R 371	Canon PGI-9 Cyan Ink Tank for Pro9500 / MX7600
CPGI9G	R 371	CANON INK CARTRIDGE PGI-9 GREEN PRO9500/PRO9500MKII
CPGI9GR	R 371	CANON INK CARTRIDGE PGI-9 GREY PRO9500/PRO9500MKII
CPGI9M	R 371	CANON INK CARTRIDGE PGI-9 MAGENTA PRO9500/PRO9500MKII MX7600 IX7000
CPGI9MB	R 371	CANON INK CARTRIDGE PGI-9 MATT BLACK PRO9500/PRO9500MKII
CPGI9PB	R 371	CANON INK CARTRIDGE PGI-9 PHOTO BLACK PRO9500/PRO9500MKII MX7600 IX7000
CPGI9PC	R 371	Canon PGI-9 Photo Cyan Ink Tank for Pro9500
CPGI9PM	R 371	Canon PGI-9 Photo Magenta Ink Tank for Pro9500
CPGI9R	R 371	Canon PGI-9 Red Ink Tank for Pro9500
CPGI9Y	R 371	Canon PGI-9 Yellow Ink Tank for Pro9500/MX7600
CT-C1400B	R 583	Canon pgi-1400xl Bk, 1200pages - for maxify MB2040, MB2140, MB2340, MB2740
CT-C1400BCMY	R 1,413	Canon pgi-1400xl Bk/C/M/Y multi-pack, Compatible with --> maxify MB2040 / MB2140 / MB2340 / MB2740 printers, The 70.9ml high yield XL black ink prints up to 2500 A4 documents
CT-C1400C	R 375	Canon pgi-1400xl Cyan , 1020pages - for maxify MB2040, MB2340
CT-C1400M	R 375	Canon pgi-1400xl Magenta ink cartridge, 780pages, for maxify MB2040 / MB2140 / MB2340 / MB2740
CT-C1400Y	R 375	Canon pgi-1400xl Yellow , 935pages - for maxify MB2040, MB2340
CT-C21B	R 116	Canon BCi-21BK black Ink - for BC-20BJC-2000, 2100, 5000, 5100, 5500S100Multipass C70, C75, C80FAX B180C, B210C, B215C, B230C
CT-C21C	R 293	Canon BCi-21C color Ink - for BC-20BJC-2000, 2100, 5000, 5100, 5500S100Multipass C70, C75, C80FAX B180C, B210C, B215C, B230C
CT-C2400B	R 715	Canon pgi-2400xl Black ink cartridge, 2500 pages, for maxify iB4040 / iB4140 / MB5040 / MB5140 / MB5340 / MB5440
CT-C2400BCMY	R 1,778	Canon pgi-2400xl Black / Cyan / Magenta / Yellow multi-pack ink cartridges, for maxify iB4040 / iB4140 / MB5040 / MB5140 / MB5340 / MB5440
CT-C2400C	R 546	Canon pgi-2400xl Cyan ink cartridge, 1755 pages, for maxify iB4040 / iB4140 / MB5040 / MB5140 / MB5340 / MB5440
CT-C2400M	R 546	Canon pgi-2400xl Magenta ink cartridge, 1295 pages, for maxify iB4040 / iB4140 / MB5040 / MB5140 / MB5340 / MB5440
CT-C2400Y	R 546	Canon pgi-2400xl Yellow ink cartridge, 1520 pages, for maxify iB4040 / iB4140 / MB5040 / MB5140 / MB5340 / MB5440
CT-C24C	R 388	canon bci-24c color ink , 170 pages - for i250, i320, i350, i450, i455, i470D, i475D ; s200, s200x, s300, s300 photo

		; ip1000, ip1500, ip2000 ; mp110, mp130, mp360, mp370, mp390 ; mpc190, mpc200
CT-C24Cx2	R 535	canon bci-24c Color ink Twin pack , 170 pages - for i250, i320, i350, i450, i455, i470D, i475D ; s200, s200x, s300, s300 photo ; ip1000, ip1500, ip2000 ; mp110, mp130, mp360, mp370, mp390 ; mpc190, mpc200
CT-C29GY	R 657	Canon PGi-29GY GraY ink - for pixma Pro-1
CT-C29PC	R 657	Canon PGi-29PC Photo Cyan ink - for pixma Pro-1
CT-C29R	R 657	Canon PGi-29R Red ink - for pixma Pro-1
CT-C29Y	R 657	Canon PGi-29Y Yellow ink - for pixma Pro-1
CT-C300C	R 428	Canon PFI-300 C Cyan Ink Tank, 82 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300Co	R 428	Canon PFI-300 CO Chroma Optimizer Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300GY	R 428	Canon PFI-300 GY Grey Ink Tank, 44 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300M	R 428	Canon PFI-300 M Magenta Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300MBK	R 428	Canon PFI-300 MBK Matt Black Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300PBK	R 428	Canon PFI-300 PBK Photo Black Ink Tank, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300PC	R 428	Canon PFI-300 PC Photo Cyan Ink Tank, 116 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300PM	R 428	Canon PFI-300 PM Photo Magenta Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300R	R 428	Canon PFI-300 R Red Ink Tank, 129 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C300Y	R 428	Canon PFI-300 Y Yellow Ink Tank, 87 photos on A3, Compatible with --> imagePROGRAF PRO-300 printer
CT-C35	R 236	Canon PGi-35 pigment black ink - for pixma ip100 , ip100B
CT-C36	R 388	Canon CLi-36 Colour Ink - for pixma ip100, ip110
CT-C37	R 390	Canon PG-37 pigment black ink , 220pages - for pixma ip1200, ip1300, ip1600, ip1700, ip1800, ip1900, ip2200, ip2500, ip2600MP140, MP190, MP210, MP220, MX300, MX310
CT-C38	R 505	Canon CL-38 color ink cartridge, 205pages, for pixma ip1200 / ip1300 / ip1600 / ip1700 / ip1800 / ip1900 / ip2200 / ip2500 / ip2600 / ip6210D / ip6220DMP140 / MP190 / MP210 / MP220 / MX300 / MX310
CT-C3C	R 230	canon bci-3eC cyan ink - for ink-tank BC-33s400, s450, s4500, s500, s520, s530, s600, s630, s6300, s750BJC-3000, 6000, 6100, 6200, 6500smartbase MP700, MP730, MPC400, MPC600FMultipass C100i550, i6500, i850
CT-C3M	R 230	canon bci-3eM magenta ink - for ink-tank BC-33s400, s450, s4500, s500, s520, s530, s600, s630, s6300, s750BJC-3000, 6000, 6100, 6200, 6500smartbase MP700, MP730, MPC400, MPC600FMultipass C100i550, i6500, i850
CT-C3PC	R 163	canon bci-3e PC photo cyan ink - for ink-tank BC-34BJC-3000, 6000, 6100, 6200, 6500S400, S450, S4500Multipass C100
CT-C3Y	R 230	canon bci-3eY yellow ink - for ink-tank BC-33s400, s450, s4500, s500, s520, s530, s600, s630, s6300, s750BJC-3000, 6000, 6100, 6200, 6500smartbase MP700, MP730, MPC400, MPC600FMultipass C100i550, i6500, i850
CT-C40	R 481	Canon PG-40 pigment black ink , 355pages - for pixma ip1200, ip1300, ip1600, ip1700, ip1800, ip1900, ip2200, ip2500, ip2600MP140, MP190, MP150, MP160, MP180, MP210, MP220, MP460, MX300, MX310fax-jx200, jx210p
CT-C40B	R 270	Canon GI-40 BK Black ink bottle, 6000 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CT-C40C	R 159	Canon GI-40 C Cyan ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CT-C40M	R 159	Canon GI-40 M Magenta ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CT-C40Y	R 159	Canon GI-40 Yellow ink bottle, 7700 pages yield, Compatible with --> GM2040 / G5040 / G6040 printers
CT-C41	R 585	Canon CL-41 color ink cartridge, 308 pages, for pixma ip1200 / ip1300 / ip1600 / ip1700 / ip1800 / ip1900 / ip2200 / ip2500 / ip2600 / ip6210D / ip6220DMP140 / MP190 / MP210 / MP220 / MX300 / MX310
CT-C41B	R 243	Canon GI-41 Black Ink Tank, 6 000 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
CT-C41C	R 170	Canon GI-41 Cyan Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
CT-C41M	R 170	Canon GI-41 Magenta Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma

		G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
CT-C41Y	R 170	Canon GI-41 Yellow Ink Tank, 7 700 page yield, Compatible with --> Canon Pixma G2420 / Canon Pixma G2460 / Canon Pixma G3420 / Canon Pixma G3460 printers
CT-C425B	R 360	Canon PGi-425Bk pigment black - for pixma ip4840, iP4940MG5140, MG5240, MG5340, MG6140, MG6240, MG8140, MG8240MX714, MX884, MX894
CT-C426B	R 316	Canon CLi-426Bk black ink - for pixma ip4840, iP4940MG5140, MG5240, MG5340, MG6140, MG6240, MG8140, MG8240MX714, MX884, MX894
CT-C426C	R 316	Canon CLi-426C Cyan ink - for pixma ip4840, iP4940MG5140, MG5240, MG5340, MG6140, MG6240, MG8140, MG8240MX714, MX884, MX894
CT-C426G	R 316	Canon CLi-426Gy Grey ink - for pixma MG6140, MG6240, MG8140, MG8240
CT-C426M	R 316	Canon CLi-426M Magenta ink - for pixma ip4840, iP4940MG5140, MG5240, MG5340, MG6140, MG6240, MG8140, MG8240MX714, MX884, MX894
CT-C426Y	R 316	Canon CLi-426Y Yellow ink - for pixma ip4840, iP4940MG5140, MG5240, MG5340, MG6140, MG6240, MG8140, MG8240MX714, MX884, MX894
CT-C42Y	R 291	Canon cli-42Y Yellow ink - for pixma pro-100
CT-C43B	R 276	Canon gi-43 Bk ink bottle, 3700pages - for pixma G540, G640
CT-C43C	R 276	Canon gi-43 Cyan ink bottle, 800pages - for pixma G540, G640
CT-C43G	R 298	Canon gi-43 Grey ink bottle, 800pages - for pixma G540, G640
CT-C43M	R 276	Canon gi-43 Magenta ink bottle, 800pages - for pixma G540, G640
CT-C43R	R 276	Canon gi-43 Red ink bottle, 800pages - for pixma G540, G640
CT-C43Y	R 276	Canon gi-43 Yellow ink bottle, 800pages - for pixma G540, G640
CT-C440	R 414	Canon PG-440 black - 180pages - for pixma MG2140, MG2240, MG3140, MG3240, MG3540, MG4140, MG4240MX374, MX394, MX434, MX454, MX474, MX514, MX524, MX534
CT-C440XL	R 616	Canon PG-440XL black - 600pages - for pixma MG2140, MG2240, MG3140, MG3240, MG3540, MG4140, MG4240MX374, MX394, MX434, MX454, MX474, MX514, MX524, MX534
CT-C441	R 514	Canon CL-441 color ink , 180pages - for pixma MG2140, MG2240, MG3140, MG3240, MG3540, MG4140, MG4240MX374, MX394, MX434, MX454, MX474, MX514, MX524, MX534
CT-C441XL	R 555	Canon CL-441XL color ink , 400pages - for pixma MG2140, MG2240, MG3140, MG3240, MG3540, MG4140, MG4240MX374, MX394, MX434, MX454, MX474, MX514, MX524, MX534
CT-C445	R 299	Canon PG-445 black - 180pages - for pixma MG2440, MG2540, MG2940, iP2840
CT-C445+446	R 573	Canon PG-445 black CL-446 color multi-pack, Compatible with --> pixma MG2440 / MG2540 / MG2940 / MG3040 / iP2840 / MX494 printers, one 8ml black and one 8ml colour cartridge
CT-C445XL	R 373	Canon PG-445XL black ink cartridge - 400pages - for pixma MG2440, MG2540, MG2940, iP2840
CT-C446	R 358	Canon CL-446 color ink , 180pages - for pixma MG2440, MG2540, MG2940, iP2840
CT-C446XL	R 405	Canon CL-446XL colour ink, 300pages - for pixma MG2440, MG2540, MG2940, iP2840
CT-C450B	R 293	Canon PGi-450pgbk pigment black ink - 375pages - for pixma iP7240, MG5440, MG6340 , MX924, iX6840
CT-C450BXL	R 406	Canon PGi-450pgbk XL pigment black ink - 620pages - for pixma iP7240, MG5440, MG6340 , MX924, iX6840
CT-C451B	R 263	Canon CLi-451Bk black ink - 1645pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840
CT-C451BXL	R 383	Canon CLi-451Bk XL black ink cartridge, 5000 pages, for pixma iP7240 / iP8740 / MG5440 / MG5540 / MG5640 / MG6340 / MG7140 / MG7540 / MX924 / iX6840
CT-C451C	R 255	Canon CLi-451C cyan ink - 332pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840
CT-C451CXL	R 383	Canon CLi-451C XL cyan ink - 700pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840
CT-C451G	R 263	Canon CLi-451Gy grey ink - 780pages - for pixma iP7240, iP8740, MG6340 , MG7140, MX924
CT-C451GXL	R 373	Canon CLi-451Gy XL grey ink - 3350pages - for pixma iP7240, iP8740, MG6340 , MG7140, MX924
CT-C451M	R 255	Canon CLi-451M magenta ink - 333pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840

CT-C451MXL	R 383	Canon CLi-451M XL magenta ink - 670pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840
CT-C451Y	R 252	Canon CLi-451Y yellow ink - 329pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840
CT-C451YXL	R 383	Canon CLi-451Y XL yellow ink - 700pages - for pixma iP7240, iP8740, MG5440, MG5540, MG5640, MG6340, MG7140, MX924, iX6840
CT-C460	R 416	Canon PG-460 Black Ink cartridge, 180 page yield, Compatible with --> TS5340 printer
CT-C460+461	R 817	Canon PG-460/CL-461 Multipack Ink cartridges, 180 colour & 180 black page yield, Compatible with --> TS5340 Printer
CT-C460XL	R 583	Canon PG-460XL High Yield Black Ink cartridge, 400 page yield, Compatible with --> TS5340 printer
CT-C461	R 455	Canon CL-461 Tri-Colour Ink cartridge, 180 page yield, Compatible with --> TS5340 Printer
CT-C461XL	R 524	Canon CL-461XL High Yield Tri-Colour Ink cartridge, 300 page yield, Compatible with --> TS5340 Printer
CT-C46B	R 316	Canon gi-46 Black ink Bottle, 6000pages - for maxify GX3040, GX4040, GX6040, GX7040
CT-C46C	R 526	Canon gi-46 Cyan ink bottle, 14000pages - for maxify GX3040, GX4040, GX6040, GX7040
CT-C46M	R 526	Canon gi-46 Magenta ink bottle, 14000pages - for maxify GX3040, GX4040, GX6040, GX7040
CT-C46Y	R 526	Canon gi-46 Yellow ink bottle, 14000pages - for maxify GX3040, GX4040, GX6040, GX7040
CT-C470B	R 352	Canon PGi-470pgbk pigment black ink cartridge, 300pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C470BXL	R 368	Canon PGi-470pgbk XL pigment black ink cartridge, 500pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471B	R 263	Canon CLi-471Bk black ink cartridge, 1105 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471BXL	R 353	Canon CT-C471BXL XL Black ink cartridge, 4425 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471C	R 263	Canon CT-C471C Cyan ink cartridge, 345 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471CXL	R 353	Canon CLi-471C XL Cyan ink cartridge, 680 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471G	R 263	Canon CLi-471GY Grey ink cartridge, 347 pages, for pixma MG7740 / TS8040 / TS9040
CT-C471GXL	R 353	Canon CLi-471GY XL Grey ink cartridge, 680 pages, for pixma MG7740 / TS8040 / TS9040
CT-C471M	R 263	Canon CT-C471M Magenta ink cartridge, 345 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471MXL	R 353	Canon CLi-471M XL Magenta ink cartridge, 680 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471Y	R 263	Canon CT-C471Y Yellow ink cartridge, 345 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C471YXL	R 353	Canon CLi-471C XL Yellow ink cartridge, 680 pages, 680 pages, for pixma MG5740 / MG7740 / TS5040 / TS6040 / TS8040 / TS9040
CT-C480B	R 271	Canon PGI-480 PGBK Black ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 15ml ink tank allows you to print up to 300 pages of A4 documents
CT-C480BXL	R 338	Canon PGi-480pgbk XL pigment black ink - 400 pages yield / Compatible with --> Pixma TS6140 / TR7540 / TR8540 / TS8140 / TS9140 printers
CT-C481B	R 222	CANON CLI-481BK Black ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CT-C481BXL	R 309	Canon CLi-481Bk XL black ink cartridge - 3120 pages yield, Compatible with --> For pixma TS6140 / TR7540 / TR8540 / TS8140 / TS9140 printers
CT-C481C	R 222	CANON CLI-481C Cyan ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CT-C481CXL	R 309	Canon CLi-481C XL cyan ink cartridge - 519 pages yield, Compatible with --> Pixma TS6140 / TR7540 /

		TR8540 / TS8140 / TS9140 printers
CT-C481M	R 222	CANON CLI-481M Magenta ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CT-C481MXL	R 309	Canon CLi-481M XL magenta ink cartridge - 466 pages yield, Compatible with --> Pixma TS6140 / TR7540 / TR8540 / TS8140 / TS9140 printers
CT-C481PL	R 222	CANON CLI-481PB Photo Black ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CT-C481PLXL	R 309	Canon CLi-481pb Photo bLue XL ink - 4710pages - for pixma TS8140, TS8240, TS9140 (Order on request)
CT-C481Y	R 222	CANON CLI-481Y Yellow ink cartridge, Compatible with --> TS6140 / TS8140 / TS9140 / TR7540 / TR8540 printers, The 7ml ink tank allows you to print up to 398 of 10 x 15cm colour photos
CT-C481YXL	R 309	Canon CLi-481Y XL yellow ink cartridge - 519 pages yield, Compatible with --> Pixma TS6140 / TR7540 / TR8540 / TS8140 / TS9140 printers
CT-C490B	R 196	Canon gi-490 Black 135ml ink bottle, 6000 pages, for pixma G1400 / G2400 / G3400 / G4400
CT-C490C	R 170	Canon gi-490 Cyan 70ml ink bottle, 7000 pages, for pixma G1400 / G2400 / G3400 / G4400
CT-C490M	R 170	Canon gi-490 Magenta 70ml ink bottle, 7000 pages, for pixma G1400 / G2400 / G3400 / G4400
CT-C490Y	R 170	Canon gi-490 Yellow 70ml ink bottle, 7000 pages, for pixma G1400 / G2400 / G3400 / G4400
CT-C51	R 776	Canon CLI-51 High Yield Colour ink, 275 page yield, Compatible with --> Pixma IP2200, IP62XX, IP63XX, MP150, MP160, MP170 / MP180 / MP450 / MP460 / MX300 / MX310 / FAX-JX200 / JX210P / JX500 / JX510P printers
CT-C510	R 440	Canon PG-510 black ink , 220pages - for pixma ip2700, ip2702, mp230, mp240, mp250, mp260, mp270, mp280, mp480, mp490mx320. mx330, mx340, mx350, mx360, mx410, mx420
CT-C511	R 535	Canon CL-511 color ink , 244pages - for pixma ip2700, ip2702, mp230, mp240, mp250, mp260, mp270, mp280, mp480, mp490mx320. mx330, mx340, mx350, mx360, mx410, mx420
CT-C512	R 537	Canon PG-512 black ink , high yield 401 pages - for pixma ip2700, ip2702, mp230, mp240, mp250, mp260, mp270, mp280, mp480, mp490mx320. mx330, mx340, mx350, mx360, mx410, mx420
CT-C513	R 665	Canon CL-513 color ink , high yield 349 pages - for pixma ip2700, ip2702, mp230, mp240, mp250, mp260, mp270, mp280, mp480, mp490mx320. mx330, mx340, mx350, mx360, mx410, mx420
CT-C520B	R 323	Canon PGi-520Bk pigment black - for pixma ip3600, ip4600, ip4700, mp540, mp550, mp560, mp620, mp630, mp640, mp980, mp990mx860, MX870
CT-C521B	R 316	Canon CLi-521Bk black ink - for pixma ip3600, ip4600, ip4700, mp540, mp550, mp560, mp620, mp630, mp640, mp980, mp990mx860, MX870
CT-C521C	R 306	Canon CLi-521C Cyan ink - for pixma ip3600, ip4600, ip4700, mp540, mp550, mp560, mp620, mp630, mp640, mp980, mp990mx860, MX870
CT-C521CMY	R 815	Canon CLi-521C/M/Y Cyan Magenta Yellow ink multi-pack - for pixma ip3600, ip4600, ip4700, mp540, mp550, mp560, mp620, mp630, mp640, mp980, mp990mx860, MX870
CT-C521GY	R 306	Canon CLi-521GY Grey ink cartridge - for pixma mp990
CT-C521M	R 306	Canon CLi-521M Magenta ink - for pixma ip3600, ip4600, ip4700, mp540, mp550, mp560, mp620, mp630, mp640, mp980, mp990mx860, MX870
CT-C521Y	R 306	Canon CLi-521Y Yellow ink - for pixma ip3600, ip4600, ip4700, mp540, mp550, mp560, mp620, mp630, mp640, mp980, mp990mx860, MX870
CT-C65BK	R 376	Canon CLI-65 BK Black Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65C	R 376	Canon CLI-65 C Cyan Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65GY	R 432	Canon CLI-65 GY Grey Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65LGY	R 423	Canon CLI-65 LGY Light Grey Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65M	R 376	Canon CLI-65 M Magenta Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65PC	R 376	Canon CLI-65 PC Photo Cyan Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65PM	R 432	Canon CLI-65 PM Photo Magenta Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C65Y	R 376	Canon CLI-65 Y Yellow Ink cartridge, 12.6 ml, Compatible with --> Pixma PRO-200 Printer
CT-C6B	R 230	canon bci-6BK black ink - for ip4000, ip5000, ip6000d, ip8500 mp750, mp760, mp780 ; i865, i905d, i9100, i950,

		i965, i990, i9950 ; s800, s820, s8200, s830d, s900, s9000 ; bjc-8200
CT-C6Y	R 230	canon bci-6Y Yellow ink - for ink-tank BC-50 ; ip3000, ip4000, ip5000, ip6000d, ip8500 ; mp750, mp760, mp780 ; i560, i8656, i905d, i9100, i950, i965, i990, i9950 ; s800, s820, s830d, s900, s9000 ; bjc-8200
CT-C72C	R 316	Canon pgi-72C Cyan ink - for pixma Pro-10
CT-C72Co	R 316	Canon PGi-72Co Chroma Optimizer ink - for pixma Pro-10
CT-C72GY	R 316	Canon pgi-72GY GreY ink - for pixma Pro-10
CT-C72M	R 316	Canon pgi-72M Magenta ink - for pixma Pro-10
CT-C72MBK	R 316	Canon pgi-72MBK Matte BlacK ink - for pixma Pro-10, 10S (Order on request)
CT-C72PBK	R 316	Canon pgi-72PBK Photo BlacK ink - for pixma Pro-10
CT-C72PC	R 316	Canon pgi-72PC Photo Cyan ink - for pixma Pro-10
CT-C72PM	R 316	Canon pgi-72PM Photo Magenta ink - for pixma Pro-10
CT-C72R	R 316	Canon pgi-72GR Red ink - for pixma Pro-10
CT-C72Y	R 316	Canon pgi-72Y Yellow ink - for pixma Pro-10
CT-C9CL	R 344	Canon PGi-9 CLear - clear ink - for pixma iX7000, MX7600
CT-E0540	R 334	Epson t0540 (C13T05404010) - gloss optimizer , Frog ink - for stylus photo R800 , R1800
CT-E0543	R 447	Epson t0543 (C13T05434010) - magenta , Frog ink - for stylus photo R800 , R1800
CT-E0547	R 447	Epson t0547 (C13T05474010) - Red , Frog ink - for stylus photo R800 , R1800
CT-E0548	R 447	Epson t0548 (C13T05484010) - matte black , Frog ink - for stylus photo R800 , R1800
CT-E0549	R 447	Epson t0549 (C13T05494010) - blue , Frog ink - for stylus photo R800 , R1800
CT-E0802	R 320	Epson t0802 cyan , hummingbird inks - for stylus P50, PX660, PX720WD, PX730WD, PX810FW, 820FWD, R270, R290, RX610, RX685, T59, TX659, TX710W
CT-E0923	R 288	Epson t0923 (T09234AT10834A10) - magenta , springbok ink - for stylus C91, CX4300, T26, T27, TX106, TX109, TX117, TX119
CT-E1031	R 378	Epson T1032 (C13T10314A10) - black, 25.9ml, seal ink - for stylus office T1100, T30, T40W, TX550W
CT-E1572	R 745	Epson T1572 (C13T15724010) - Cyan Black, Turtle Ink - for stylus photo R3000
CT-E1575	R 803	Epson T1575 (C13T15754010) - Light Cyan, Turtle Ink - for stylus photo R3000
CT-E1576	R 745	Epson T1576 (C13T15764010) - Light Magenta, Turtle Ink - for stylus photo R3000
CT-E1578	R 745	Epson T1578 (C13T15784010) - Matte Black, Turtle ink - for stylus photo R3000
CT-E1591	R 497	Epson t1591 (C13T15914010) - photo black , Kingfisher ink - for stylus photo R2000
CT-E1598	R 515	Epson t1598 (C13T15984010) - matte black , Kingfisher ink - for stylus photo R2000
CT-E16MXL	R 189	Epson (C13T16334010) - no.16 Magenta XL , 6.5ml - for WF-2010/2510/2520/2530/2540
CT-E16YXL	R 189	Epson (C13T16344010) - no.16 Yellow XL , 6.5ml - for WF-2010/2510/2520/2530/2540
CT-E17C	R 201	Epson (C13T17024A10) - no.17 Cyan , claria home ink - for XP-33, XP-103, XP-203, XP-207, XP-306, XP-406
CT-E17CXL	R 412	Epson (C13T17124A10) - No.17XL Cyan, Claria Home Ink, 6.5ml - for XP-33, XP-103, XP-203, XP-207, XP-306, XP-406
CT-E17MXL	R 412	Epson (C13T17134A10) - No.17XL Magenta, Claria Home Ink, 6.5ml - for XP-33, XP-103, XP-203, XP-207, XP-306, XP-406
CT-E17Y	R 206	Epson (C13T17044A10) - no.17 Yellow , claria home ink - for XP-33, XP-103, XP-203, XP-207, XP-306, XP-406
CT-E17YXL	R 412	Epson (C13T17144A10) - No.17XL Yellow, Claria Home Ink, 6.5ml - for XP-33, XP-103, XP-203, XP-207, XP-306, XP-406
CT-E55140	R 108	Epson T0551 Black Singlepack Ink Cartridges, Duck, Singlepack, 1 x 8,0 ml Black STYLUS PHOTO R240 / R245 / RX420 / RX425 / RX520
CT-E55240	R 108	Epson T0552 Cyan Singlepack Ink Cartridges, Duck, Singlepack, 1 x 8,0 ml - STYLUS PHOTO R240 / R245 / RX420 / RX425 / RX520
CT-E55340	R 108	Epson T0553 Magenta Singlepack Ink Cartridges, Duck, Singlepack, 1 x 8,0 ml - STYLUS PHOTO R240 / R245 / RX420 / RX425 / RX520
CT-E55440	R 108	Epson T0554 Yellow Singlepack Ink Cartridges, Duck, Singlepack, 1 x 8,0 ml- STYLUS PHOTO R240 / R245 / RX420 / RX425 / RX520
CT-E6644	R 137	Epson T6644 Yellow ink bottle 70ml Ink Cartridges, 4-colour ink bottles for L-Series, Singlepack, 1 x 70,0 ml Yellow

CT-E6731	R 242	Epson t6731 - black ink bottle , 70ml - business inkjet L800
CT-E6732	R 242	Epson t6732 - cyan ink bottle , 70ml - business inkjet L800
CT-E6733	R 242	Epson t6733 - magenta ink bottle , 70ml - business inkjet L800
CT-E6734	R 236	Epson t6734 - yellow ink bottle , 70ml - business inkjet L800
CT-E6735	R 242	Epson t6735 - light cyan ink bottle , 70ml - business inkjet L800
CT-E6736	R 236	Epson t6736 - light magenta ink bottle , 70ml - business inkjet L800
CT-E7021	R 1,072	Epson T7021 - Black, Eiffel tower XL, 2400pages - Workforce pro WP-4000/ 4015DN/ 4025DN/ 4025DW/ 4500/ 4515DN/ 4525DNF/ 4535DWF/ 4545DTWF
CT-E7022	R 1,072	Epson t7022 - Cyan, Eiffel tower XL , 2000pages- Workforce pro WP-4000/ 4015DN/ 4025DN/ 4025DW/ 4500/ 4515DN/ 4525DNF/ 4535DWF/ 4545DTWF
CT-E7023	R 1,072	Epson t7023 - Magenta, Eiffel tower XL , 2000pages- Workforce pro WP-4000/ 4015DN/ 4025DN/ 4025DW/ 4500/ 4515DN/ 4525DNF/ 4535DWF/ 4545DTWF
CT-E7024	R 1,072	Epson t7024 - Yellow, Eiffel tower XL , 2000pages- Workforce pro WP-4000/ 4015DN/ 4025DN/ 4025DW/ 4500/ 4515DN/ 4525DNF/ 4535DWF/ 4545DTWF
CT-H121B	R 463	HP CC640HE (no.121) black ink, 200pages - for HP deskjet D1663, D2563, D5563; officejet F2483, F4283, F4583, C4683, C4783
CT-H121BC	R 639	HP CN637HE (no.121) Black Color ink , 200 165pages - for hp deskjet D1663, D2563, D5563 ; officejet F2483, F4283, F4583, C4683, C4783
CT-H121C	R 532	HP CC643HE (no.121) color ink, 165pages - for HP deskjet D1663, D2563, D5563; officejet F2483, F4283, F4583, C4683, C4783
CT-H122B	R 305	HP CH561HE (no.122) black ink , 120pages - for hp deskjet 1050, 1510 , 2000 series , 3000seriesO-in-1 J610 , 2050a , 3050a
CT-H122C	R 382	HP CH562HE (no.122) color ink , 100pages - for hp deskjet 1000 series , 2000 series , 3000series / O-in-1 J610 , 2050a , 3050a
CT-H123B	R 269	HP F6V17AE (no.123) Black ink cartridge, 120pages - for hp deskjet 2130 series
CT-H123C	R 322	HP F6V16AE (no.123) Color ink cartridge, 100pages, for hp deskjet 2130 series
CT-H12C	R 860	HP C4804A (no.12) cyan ink, 55ml - for hp business inkjet 3000
CT-H130B	R 1,120	HP C8767AE (no.130) black ink , 21ml - for hp deskjet 460 series, 5743, 5943, 6543, 6623, 6843, 6943, 6983, 9803photosmart 2573, 2613, 2713, D5063, 8053, 8153, 8453, 8753officejet 6313 , 7213, 7313, 7413business inket K7103
CT-H134C	R 1,309	HP C9363HE (no.134) colour ink, 14ml - for HP deskjet 460 series, H470 series, D4163, 5743, 5943, 6543, 6623, 6843, 6943, 6983, 9803 photosmart 2613, 2713, 325, 335, 375, 385, 428, 475, D5063, D5163, 8053, 8153, B8350, B8353, 8453, 8753PSC 1613, 2353, 2573 officejet 6213, 7213, 7313, 7413 mobile 100,150 business inkjet K7103
CT-H135C	R 953	HP C8766HE (no.135) colour ink, 7ml - for HP deskjet 460 series, H470 series, D4163, 5743, 5943, 6543, 6623, 6843, 6943, 6983, 9803photosmart 2573, 2613, 2713, 325, 335, 375, 385, 428, 475, D5063, D5163, 8053, 8153, B8350, B8353, 8453, 8753 PSC 1513, 1613, 2353 officejet 6213, 6313, 7213, 7313, 7413, C3180, C3183, C4183/ mobile 100, 150/ business inkjet K7103
CT-H13B	R 455	HP c4814ae (no.13) Black ink , 28ml - for hp business inkjet K850 series , 1000 , 1200series
CT-H13C	R 422	HP c4815ae (no.13) Cyan ink , 14ml - for hp business inkjet K850 series , 1000 , 1200series
CT-H13M	R 455	HP c4816ae (no.13) Magenta ink , 14ml - for hp business inkjet K850 series , 1000 , 1200series
CT-H13Y	R 455	HP c4817ae (no.13) Yellow ink , 14ml - for hp business inkjet K850 series , 1000 , 1200series
CT-H140B	R 453	HP CB335HE (no.140) black ink , 4.5ml - for hp deskjet D4263, D4363 / photosmart D5363 / officejet C4243, C4273, C4283, C4383, C4483, C4583, C5283, J5783, J6413
CT-H141C	R 596	HP CB337HE (no.141) color ink , 3.5ml - for hp deskjet D4263, D4363photosmart D5363 officejet C4243, C4273, C4283, C4383, C4483, C4583, C5283, J5783, J6413
CT-H16P	R 403	HP C1816AE (no.16) photo ink, 22.8ml - for HP deskjet 610, 690, 692, 693, 695 / officejet 700, 710, 725
CT-H21B	R 465	HP C9351AE (no.21) Black ink , 190pages - for hp deskjet 1360, D1460, D1560, 3920, 3940, D2360, D2460 ; officejet 1410, J3680, 4355, F2180, F2280, F380, F4180, J5520
CT-H21XLB	R 465	HP C9351CE (no.21XL) Black ink , 475pages - for hp deskjet 1360, D1460, D1560, 3920, 3940, D2360, D2460 ;

		officejet 1410, J3680, 4355, F2180, F2280, F380, F4180, J5520
CT-H22C	R 654	HP C9352AE (no.22) Color ink , 165pages - for hp deskjet 1360, D1460, D1560, 3920, 3940, D2360, D2460 ; officejet 1410, J3680, 4355, 5610, F2180, F2280, F380, F4180, J5520
CT-H22XLC	R 654	HP C9352CE (no.22XL) Color ink , 415pages - for hp deskjet 1360, D1460, D1560, 3920, 3940, D2360, D2460 ; officejet 1410, J3680, 4355, 5610, F2180, F2280, F380, F4180, J5520
CT-H28C	R 765	HP C8728AE (no.28) color ink , 8ml - for hp deskjet 3320, 3325, 3420, 3425, 3520, 3535, 3550, 3647, 3650, 3745, 3845 ; PSC 1110, 1200, 1205, 1210, 1213, 1215, 1217, 1219, 1310, 1311, 1312, 1315, 1317 ; officejet 4110, 4215, 4255, 4219
CT-H305B	R 237	HP 3YM61AE 305 Black original Ink cartridge, 120 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
CT-H305C	R 240	HP 3YM60AE 305 Tri-color original Ink cartridge, 100 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
CT-H305XLB	R 446	HP 3YM62AE 305XL High Yield Black original Ink cartridge, 240 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
CT-H305XLBx2	R 628	HP 6ZA94AE 305XL 2-Pack High Yield Tri-Colour / Black original Ink cartridge, 200 page colour & 240 page black yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / plus 4110 / plus 4120 / plus 4122 / plus 4130 All-in-One printers
CT-H305XLC	R 407	HP 3YM63AE 305XL High Yield Tri-Colour original Ink cartridge, 200 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / plus 4110 / plus 4120 / plus 4122 / plus 4130 All-in-One printers
CT-H38C	R 528	HP c9415a (no.38) Cyan pigment ink with vivera , 27ml - for hp photosmart B8850, B9180
CT-H38LG	R 528	HP c9414a (no.38) Large gray pigment ink with vivera , 27ml - for hp photosmart B8850, B9180
CT-H38LM	R 528	HP c9419a (no.38) Large Magenta pigment ink with vivera , 27ml - for hp photosmart B8850, B9180
CT-H38M	R 528	HP c9416a (no.38) Magenta pigment ink with vivera , 27ml - for hp photosmart B8850, B9180
CT-H38PB	R 528	HP c9413a (no.38) Photo Black pigment ink with vivera , 27ml - for hp photosmart B8850, B9180
CT-H44M	R 621	HP 51644ME (no.44) Magenta ink , 42ml - for hp DesignJet 350, 450, 455, 488, 750, 755
CT-H51641	R 357	Hp #41 Tri-colour Inkjet Cartridge 39ml; 460 Pgs Yield @ 5%
CT-H52C	R 160	HP M0H54AE gt 52 Cyan 70ml ink bottle, 8000pages, for deskjet gt 5810 / 5820
CT-H52M	R 160	HP M0H55AE gt 52 Magenta 70ml ink bottle, 8000pages, for deskjet gt 5810 / 5820
CT-H52Y	R 160	HP M0H56AE gt 52 Yellow 70ml ink bottle, 8000pages, for deskjet gt 5810 / 5820
CT-H53BXL	R 182	HP 1VV21AE gt 53 Black XL 135ml ink bottle, 6000pages - for ink tank 515, 530, 615
CT-H56B	R 838	HP No 56 Black Ink Cartridge (19ml) 450 @ 5% - for hp deskjet 450 series, 5145, 5150, 5151, 5550, 5552, 5652, 5655, 5850, 9650, 9670, 9680 / photosmart 7150, 7260, 7345, 7350, 7450, 7459, 7550, 7660, 7755, 7760, 7762, 7960 / PSC 1110, 1200, 1205, 1210
CT-H57C	R 1,526	HP No 57 Tri Colour Cartridge (17ml) 391 pages @ 15% - for hp deskjet 450 series, 5145, 5150, 5151, 5550, 5552, 5652, 5655, 5850, 9650, 9670, 9680 / photosmart 100, 130, 145, 230, 245, 7150, 7260, 7345, 7350, 7450, 7459, 7550, 7660, 7755, 7760, 7762, 7960 / PSC 1110
CT-H59G	R 345	HP C9359AE (no.59) Grey photo ink - for hp photosmart 145, 245, 7660, 7760, 7960
CT-H650B	R 285	HP cz101ae no.650 Black ink , 360pages - for hp 1015, 1515, 2515, 2545, 2645, 3545, 4515, 4645
CT-H650C	R 247	HP cz102ae no.650 Colors ink , 200pages - for hp 1015, 1515, 2515, 2545, 2645, 3545, 4515, 4645
CT-H651B	R 420	HP cp210ae no.651 Black ink cartridge, 600 pages, for hp 5575 series
CT-H651C	R 370	HP cp211ae no.651 Colors ink cartridge, 300 pages, for hp 5575 series
CT-H652B	R 315	HP f6v25ae no.652 Black ink, 360pages - for HP 3835
CT-H652C	R 271	HP f6v24ae no.652 Colours Ink, 200pages - for HP 3835
CT-H653B	R 292	HP 3YM75AE 653 Black Original Ink Advantage Cartridge, 360 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
CT-H653C	R 245	HP 3YM74AE 653 Tri-Colour Original Ink Advantage Cartridge, 200 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
CT-H655B	R 246	HP cz109ae (no.655) black ink , 550pages - for hp o-in-3525 series,4615 series
CT-H655C	R 265	HP cz110ae (no.655) cyan ink , 600pages - for hp o-in-3525 series , 4615 series

CT-H655M	R 265	HP cz111ae (no.655) magenta ink , 600pages - for hp o-in-3525 series , 4615 series
CT-H655Y	R 265	HP cz112ae (no.655) yellow ink , 600pages - for hp o-in-3525 series , 4615 series
CT-H6ZA17AE	R 284	HP 6ZA17AE Black Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
CT-H6ZA18AE	R 275	HP 6ZA18AE Tri-Colour Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
CT-H72Y	R 2,022	HP c9373a (no.72) Yellow ink, 130ml - for HP designjet T610, T620, T770, T790, T1100, T1200, T1300, T2300
CT-H88H-B+Y	R 1,224	HP c9381a (no.88) Head - Black Yellow - for HP business officejet pro K550, K5400all-in-one L7480, L7580, L7590, L7680, L7780, K8600
CT-H88H-M+C	R 1,224	HP c9382a (no.88) Head - Magenta Cyan - for HP business officejet pro K550, K5400all-in-one L7480, L7580, L7590, L7680, L7780, K8600
CT-H88XLC	R 559	HP C9391A (no.88XL) Large Cyan ink , 17ml - for hp business officejet pro K550, K5400, L7480, L7580, L7590, L7680, L7780, K8600
CT-H88XLM	R 559	HP C9392A (no.88XL) Large Magenta ink , 17ml - for hp business officejet pro K550, K5400, L7480, L7580, L7590, L7680, L7780, K8600
CT-H903B	R 389	HP T6L99AE (no.903) Black ink cartridge, 300 pages, for hp officejet pro 6960 / 6970
CT-H903C	R 224	HP T6L87AE (no.903) Cyan ink cartridge, 315 pages, for hp officejet pro 6960 / 6970
CT-H903M	R 224	HP T6L91AE (no.903) Magenta ink cartridge, 315pages, for hp officejet pro 6960 / 6970
CT-H903XLB	R 860	HP T6M15AE (no.903XL) Black ink cartridge, 825 pages, for hp officejet pro 6960 / 6970
CT-H903XLC	R 430	HP T6M03AE (no.903XL) Cyan ink cartridge, 825 pages, for hp officejet pro 6960 / 6970
CT-H903XLM	R 430	HP T6M07AE (no.903XL) Magenta ink cartridge, 825 pages, for hp officejet pro 6960 / 6970
CT-H903XLY	R 430	HP T6M11AE (no.903XL) Yellow ink cartridge, 825 pages, for hp officejet pro 6960 / 6970
CT-H903Y	R 224	HP T6L95AE (no.903) Yellow ink cartridge, 315pages, for hp officejet pro 6960 / 6970
CT-H907XLB	R 923	HP T6M19AE (no.907XL) Black ink cartridge, 1500 pages, for hp officejet pro 6960 / 6970
CT-H912B	R 316	HP 3YL80AE (no.912) Black ink, 300pages - for hp officejet pro 8013, 8023
CT-H912C	R 197	HP #912 Cyan Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CT-H912M	R 197	HP #912 Magenta Original Ink Cartridge, 315 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CT-H912XLB	R 757	HP #912xl high yield Black original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CT-H912XLC	R 394	HP #912xl high yield Cyan original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
CT-H912XLM	R 394	HP 3YL82AE (no.912XL) Magenta ink, 825pages - for hp officejet pro 8013, 8023
CT-H912XLY	R 394	HP #912xl high yield Yellow original ink cartridge, 825 page yield. Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers.
CT-H912Y	R 197	HP 3YL83AE (no.912XL) Yellow ink, 825pages - for hp officejet pro 8013, 8023
CT-H913B	R 1,642	HP L0R95AE (no.913) Black ink Page Wide cartridge, 3500 pages, for hp pagewide 352 / 377 / 452 / 477
CT-H913C	R 1,688	HP F6T77AE (no.913) Cyan ink Page Wide cartridge, 3000 pages, for hp pagewide 352 / 377 / 452 / 477
CT-H913M	R 1,688	HP F6T78AE (no.913) Magenta ink Page Wide cartridge, 3000 pages, for hp pagewide 352 / 377 / 452 / 477
CT-H913Y	R 1,688	HP F6T79AE (no.913) Yellow ink Page Wide cartridge, 3000 pages, for hp pagewide 352 / 377 / 452 / 477
CT-H920XLB	R 1,144	HP CD975AE (no.920XL) black ink , 1200 pages - for hp officejet 6000 series, 6500series, 7000series, 7500series
CT-H920XLC	R 442	HP CD972AE (no.920XL) cyan ink , 700 pages - for hp officejet 6000 series, 6500series, 7000series, 7500series
CT-H920XLM	R 442	HP CD973AE (no.920XL) magenta ink , 700 pages - for hp officejet 6000 series, 6500series, 7000series, 7500series
CT-H920XLY	R 442	HP CD974AE (no.920XL) yellow ink , 700 pages - for hp officejet 6000 series, 6500series, 7000series, 7500series
CT-H932B	R 481	HP cn057ae no.932 Black ink , 400 pages - for hp officejet 6700 , 7110, 7610, 7612
CT-H932XLB	R 984	HP cn053ae no.932XL Black ink ,1000 pages -for hp officejet 6700 ,7110, 7610, 7612110

CT-H933XLC	R 434	HP cn054ae no.933XL Cyan ink , 825 pages - for hp officejet 6700 , 7110, 7610, 7612
CT-H933XLM	R 447	HP cn055ae no.933XL Magenta ink , 825 pages - for hp officejet 6700 , 7110, 7610, 7612
CT-H933XLY	R 424	HP cn056ae no.933XL Yellow ink , 825 pages - for hp officejet 6700 , 7110, 7610, 7612
CT-H934B	R 430	HP c2P19ae no.934 Black ink , 400 pages - for hp officejet pro 6830
CT-H934XLB	R 899	HP c2P23ae no.934XL Black ink , 1000 pages - for hp officejet pro 6830
CT-H935C	R 322	HP c2P20ae no.935 Cyan ink , 400 pages - for hp officejet pro 6830
CT-H935M	R 322	HP c2P21ae no.935 Magenta ink , 400 pages - for hp officejet pro 6830
CT-H935XLC	R 483	HP c2P24ae no.935XL Cyan ink, 825 pages - for HP officejet pro 6830
CT-H935XLM	R 483	HP c2P25ae no.935XL Magenta ink , 825 pages - for hp officejet pro 6830
CT-H935XLY	R 483	HP c2P26ae no.935XL Yellow ink, 825 pages - for HP officejet pro 6830
CT-H935Y	R 322	HP c2P22ae no.935 Yellow ink , 400 pages - for hp officejet pro 6830
CT-H940H-B+Y	R 1,359	HP c4900a (no.940) Head - Black Yellow - for officejet pro 8000, 8500
CT-H940H-M+C	R 1,359	HP 940 CYAN/MAGENTA OfficeJet PRINTHEAD FOR OfficeJet PRO 8000/8500
CT-H940XLB	R 823	HP C4906AE (no.940XL) Black ink , 1200pages - for hp business officejet pro 8000, 8500 series
CT-H940XLBCMY	R 2,341	HP C2N93AE (no.940XL) Black Cyan Magenta Yellow ink - for hp business officejet pro 8000, 8500 series
CT-H940XLC	R 560	HP C4907AE (no.940XL) Cyan ink , 700pages - for hp business officejet pro 8000, 8500 series
CT-H940XLM	R 565	HP C4908AE (no.940XL) Magenta ink , 700pages - for hp business officejet pro 8000, 8500 series
CT-H940XLY	R 555	HP C4909AE (no.940XL) Yellow ink , 700pages - for hp business officejet pro 8000, 8500 series
CT-H950B	R 653	HP cn049AE (no.950) Black ink , 1000pages - for hp business officejet pro 8100 series , 8600 series, 8610, 8620, 251DW, 276DW
CT-H950XLB	R 1,252	HP cn045AE (no.950XL) Black ink , 2300pages - for hp business officejet pro 8100 series , 8600 series, 8610, 8620, 251DW, 276DW
CT-H951C	R 503	HP cn050AE (no.951) Cyan ink, 700pages - for HP business officejet pro 8610, 8620
CT-H951M	R 503	HP cn051AE (no.951) Magenta ink, 700pages - for HP business officejet pro 8610, 8620
CT-H951XLC	R 837	HP cn046AE (no.951XL) Cyan ink , 1500pages - for hp business officejet pro 8100 series , 8600 series, 8610, 8620, 251DW, 276DW
CT-H951XLM	R 837	HP cn047AE (no.951XL) Magenta ink , 1500pages - for hp business officejet pro 8100 series , 8600 series, 8610, 8620, 251DW, 276DW
CT-H951XLY	R 837	HP cn048AE (no.951XL) Yellow ink , 1500pages - for hp business officejet pro 8100 series , 8600 series, 8610, 8620, 251DW, 276DW
CT-H951Y	R 503	HP cn052AE (no.951) Yellow ink, 700pages - for HP business officejet pro 8610, 8620
CT-H953B	R 673	HP L0S58AE (no.953) Black ink cartridge, 1000pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953C	R 474	HP F6U12AE (no.953) Cyan ink cartridge, 700 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953M	R 474	HP F6U13AE (no.953) Magenta ink cartridge, 700 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953XLB	R 1,203	HP L0S70AE (no.953XL) Black ink cartridge, 2000 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953XLC	R 848	HP F6U16AE (no.953XL) Cyan ink cartridge, 1600 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953XLM	R 848	HP F6U17AE (no.953XL) Magenta ink cartridge, 1600 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953XLY	R 848	HP F6U18AE (no.953XL) Yellow ink cartridge, 1600 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H953Y	R 474	HP F6U14AE (no.953) Yellow ink cartridge, 700 pages, for hp officejet pro 8210 / 8218 / 8710 / 8715 / 8720 / 8725 / 8730
CT-H963B	R 567	HP #963 Black Original Ink Cartridge, 1000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CT-H963C	R 415	HP #963 Cyan Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers

CT-H963M	R 415	HP #963 Magenta Original Ink Cartridge, 700 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CT-H963XLB	R 956	HP #963XL High Yield Black Original Ink Cartridge, 2000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CT-H963XLC	R 707	HP #963XL High Yield Cyan Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CT-H963XLM	R 707	HP 3JA28AE (no.963XL) Magenta ink, 1600pages - for hp officejet pro 9010, 9013, 9020, 9023
CT-H963XLY	R 707	HP #963XL High Yield Yellow Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
CT-H963Y	R 403	HP 3JA29AE (no.963XL) Yellow ink, 1600pages - for hp officejet pro 9010, 9013, 9020, 9023
CT-H970B	R 1,681	HP CN621AE (no.970) Black ink , 3000pages - for hp business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H970XLB	R 2,329	HP CN625AE (no.970XL) Black ink , 9200pages - for hp business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H971C	R 1,708	HP CN622AE (no.971) Cyan ink , 2500pages - for hp business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H971M	R 1,708	HP CN623AE (no.971) Magenta ink , 2500pages - for hp business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H971XLC	R 2,333	HP CN626AE (no.971XL) Cyan ink , 6600pages - for hp business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H971XLM	R 2,333	HP 971XL High Yield Magenta Original Ink Cartridge
CT-H971XLY	R 2,333	HP CN628AE (no.971XL) Yellow ink , 6600pages - for hp business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H971Y	R 1,708	HP CN624AE (no.971) Yellow ink, 2500pages - for HP business officejet pro X451DW, X476DW, X551DW, X576DW
CT-H973XLB	R 2,521	HP L0S07AE (no.973XL) Black ink, 10000pages - for hp pagewide 452, 477
CT-H973XLC	R 2,392	HP F6T81AE (no.973XL) Cyan ink, 7000pages - for hp pagewide 452, 477
CT-H973XLM	R 2,392	HP F6T82AE (no.973XL) Magenta ink, 7000pages - for hp pagewide 452, 477
CT-H973XLY	R 2,392	HP F6T83AE (no.973XL) Yellow ink, 7000pages - for hp pagewide 452, 477
CT-H980B	R 1,932	HP d8j10a no.980a Black ink , 10000pages - for HP officejet X555, X585
CT-H980C	R 1,932	HP d8j07a no.980a Cyan ink , 6600pages - for HP officejet X555, X585
CT-H980Y	R 1,932	HP d8j09a no.980a Yellow ink , 6600pages - for HP officejet X555, X585
CT-H981B	R 1,576	HP J3M71A (no.981) Black ink, 6000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981C	R 2,305	HP J3M68A (no.981) Cyan ink, 6000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981M	R 2,305	HP J3M69A (no.981) Magenta ink, 6000pages - for hp pagewide enterprise 556, 586 , 5865 (Order on request)
CT-H981XLB	R 2,218	HP L0R12A (no.981XL) Black ink, 11000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XLC	R 3,018	HP L0R09A (no.981XL) Cyan ink, 10000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XLM	R 3,025	HP L0R10A (no.981XL) Magenta ink, 10000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XLY	R 3,025	HP L0R11A (no.981XL) Yellow ink, 10000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XXLB	R 3,445	HP L0R16A (no.981XXL) Black ink, 20000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XXLC	R 4,421	HP L0R13A (no.981XXL) Cyan ink, 16000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XXLM	R 4,463	HP L0R14A (no.981XXL) Magenta ink, 16000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981XXLY	R 4,463	HP L0R15A (no.981XXL) Yellow ink, 16000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H981Y	R 2,309	HP J3M70A (no.981) Yellow ink, 6000pages - for hp pagewide enterprise 556, 586, 5865 (Order on request)
CT-H991XB	R 4,411	HP M0K02AE (no.991X) Black ink, 20000pages - for hp pagewide pro 750dw, 772dn, 774dn, 777z, 779dn (Order on request)
CT-H991XC	R 4,751	HP M0J90AE (no.991X) Cyan ink, 16000pages - for hp pagewide pro 750dw, 772dn, 774dn, 777z, 779dn (Order on request)
CT-H991XM	R 4,751	HP M0J94AE (no.991X) Magenta ink, 16000pages - for hp pagewide pro 750dw, 772dn, 774dn, 777z, 779dn

		(Order on request)
CT-H991XY	R 4,751	HP M0J98AE (no.991X) Yellow ink, 16000pages - for hp pagewide pro 750dw, 772dn, 774dn, 777z, 779dn (Order on request)
CT-L14N0900	R 414	Lexmark #100 - 14N0900 cyan ink - for s301, s305, s405, s505, s605 / pro205, pro705, pro805, pro905
CT-L14N0901	R 219	Lexmark #100 - 14N0901 magenta ink - for s301, s305, s405, s505, s605 / pro205, pro705, pro805, pro905
CT-L14N0902	R 265	Lexmark #100 - 14N0902 yellow ink - for s301, s305, s405, s505, s605 / pro205, pro705, pro805, pro905
CT-L14N1068	R 637	Lexmark #100XL - 14N1068 black ink , high-yield - 510pages - for s301, s305, s405, s505, s605, s815, pro205pro705, pro805, pro905
CT-L14N1069	R 414	Lexmark #100XL - 14N1069 cyan ink, high-yield - for s301, s305, s405, s505, s605, pro205 / pro705, pro805, pro905
CT-L14N1070	R 455	Lexmark #100XL - 14N1070 magenta ink, high-yield - for s301, s305, s405, s505, s605, pro205 / pro705, pro805, pro905
CT-L14N1071	R 455	Lexmark #100XL - 14N1071 yellow ink , high-yield - for s301, s305, s405, s505, s605, pro205 / pro705, pro805, pro905
CT-L18C0031	R 713	Lexmark #31 - 18c0031 photo ink - for all-in-one X2500, X2510, X2530, X2550, X2650, x2670, X3300, X3350, X3530, X3550, X3650, P4330, P4350, X4530, X4550, X4580, X4650, X5070, X5075, X5250, X5270, X5470, X5490, X5495, X5650, P6250, P6350, X6650, X6675, X7170, X7310, X7350, X8350 / Z1300, Z1310, Z1320, Z1380, Z1410, Z1420, Z2320, Z2420, Z815, Z845, P915,
CT-L18C0033	R 499	Lexmark #33 - 18c0033 color ink - for P315, P450, P9xx, P43xx, P62xx, P63xx, X33xx, X52xx, X54xx, X71xx, X73xx, X83xx, Z81x
CT-L18C0035	R 754	Lexmark #35 - 18c0035 colour ink , high yield - for p4330, p4350, p6250, p6350, p915 / x2500, x2510, x2530, x2550, x3330, x3350, x3530, x3550, x4530, x4550, x5070, x5075, x5250, x5270, x5450, x5470, x5490, x5495, x7170, x7310, x7350, x8350 / z1300, z1310, z1320, z1410, z1420, Z815, z845
CT-L18C1429	R 461	Lexmark #29 - 18c1429 colour ink - for x2500, x2510, x2530, x2550, x5070, x5075, x5490, x5495 / z1300, z1310, z1320, z845
CT-L18C1524	R 449	Lexmark #24 - 18c1524 colour ink - for X3530, X3550, X4530, X4550 / Z1410, Z1420
CT-L18C2090	R 401	Lexmark #14 - 18c2090 Black Ink - for Z2320, x2650, x2670
CT-L18C2130	R 416	Lexmark #36 - 18c2130 black ink - for Z2420, X5650, X6650, x6675
CT-L18Y0144	R 529	Lexmark #44XL - 18Y0144 black ink - for x4850, x4875, x4950, x4975, x6570, x6575, x7675, x9350, x9575 / z1520
CT-L18YX143	R 638	Lexmark #43XL - 18YX143 colour ink - for p350 / x4850, x4875, x4950, x4975, x6570, x6575, x7675, x9350, x9575 / z1520
CZ101AE	R 284	HP # 650 BLACK INK CARTRIDGE
CZ101AK	R 284	HP #650 BLACK INK CARTRIDGE
CZ102AK	R 242	HP 650 Tri-color Original Ink Advantage Cartridge - 200 pages
CZ109AE	R 242	HP # 655 BLACK INK CARTRIDGE FOR HP DJ 4615
CZ110AE	R 244	HP # 655 CYAN INK CARTRIDGE FOR HP DJ 4615
CZ111AE	R 244	HP # 655 MAGENTA INK CARTRIDGE FOR HP DJ 4615
CZ112AE	R 244	HP # 655 YELLOW INK CARTRIDGE FOR HP DJ 4615
DR-2125	R 1,725	Brother DR-2125 Imaging Drum unit, 12 000 pages yield, Compatible with --> DCP7030 / HL2140 / HL2150n / MFC7320 / MFC7440n printers
DT400BLK	R 1,281	Ricoh DT400 Black Ink cartridge, 10000 page yield, Compatible with --> MPC300 / MPC400 / MPC401 printers
ES020688	R 1,059	Epson S020688 PJIC7 DiscProducer Ink cartridge Cyan, 31.3ml, Compatible with --> DiscProducer PP-100 / PP-100ap / PP-100iii / PP-100n / PP-100n / PP-50 / PP-50bd / PP-50ii / PP-100ii
ES020689	R 1,059	Epson S020689 PJIC7 DiscProducer Ink cartridge Light Cyan, 31.3ml, Compatible with --> DiscProducer PP-100 / PP-100ap / PP-100iii / PP-100n / PP-100n / PP-50 / PP-50bd / PP-50ii / PP-100ii
ES020690	R 1,059	Epson S020690 PJIC7 DiscProducer Ink cartridge Light Magenta, 31.3ml, Compatible with --> DiscProducer PP-100 / PP-100ap / PP-100iii / PP-100n / PP-100n / PP-50 / PP-50bd / PP-50ii / PP-100ii
ES020691	R 1,059	Epson S020691 PJIC7 DiscProducer Ink cartridge Magenta, 31.3ml, Compatible with --> DiscProducer PP-100 / PP-100ap / PP-100iii / PP-100n / PP-100n / PP-50 / PP-50bd / PP-50ii / PP-100ii

ES020692	R 1,059	Epson S020692 PJIC7 DiscProducer Ink cartridge Yellow, 31.3ml, Compatible with --> DiscProducer PP-100 / PP-100ap / PP-100iii / PP-100n / PP-100n / PP-50 / PP-50bd / PP-50ii / PP-100ii
ES020693	R 1,059	Epson S020693 PJIC7 DiscProducer Ink cartridge Black, 31.5ml, Compatible with --> DiscProducer PP-100 / PP-100ap / PP-100iii / PP-100n / PP-100n / PP-50 / PP-50bd / PP-50ii / PP-100ii
ET00S14A	R 151	Epson 103 Ecotank Black ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
ET00S24A	R 151	Epson 103 Ecotank Cyan ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers, Â© 2021 Laptop Direct
ET00S34A	R 151	Epson 103 Ecotank Magenta ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
ET00S44A	R 151	Epson 103 Ecotank Yellow ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers, Â© 2021 Laptop Direct
ET00S64A	R 518	Epson 103 EcoTank BMCY Multipack, 7500 pages yield Black, 6000 pages yield Colour, Compatible with --> EcoTank 1110& #8206; / L1210 / L1250 / L3100 / L3101 / L3110 / L3111 / L3150 / l3151& #8206; / L3156 / L3160 / L3210 / L3211 / L3250 / L3251 / L3256 / L3260 / L3266 / L5190 & #8206; / L5290 / L5296 printers
ET01L14A	R 196	Epson T01L14A 110S EcoTank Pigment black ink bottle, 2000 pages yield, Compatible with --> Epson EcoTank M1100 / M3100 / M2140 / M1120 / M3180 / M3170 / M 3140 / M1180 / M1140 / M2170 / M1170 / M2100 / M1190 printers
ET03P14A	R 277	Epson 110 EcoTank XL Pigment black ink bottle, 6000 pages yield, Compatible with --> Epson EcoTank M 1100 / M 3100 / M 2140 / M 1120 / M 3180 / M 3170 / M 3140 / M 1180 / M 1140 / M 2170 / M 1170 / M 2100 / M 1190 printers
ET03V14A	R 259	Epson 101 Ecotank Black Ink Bottle
ET03V14A	R 349	Epson 101 EcoTank Black ink bottle 127ml, 7500 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
ET03V24A	R 129	Epson 101 Ecotank Cyan Ink Bottle
ET03V24A	R 199	Epson 101 EcoTank Cyan ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
ET03V34A	R 129	Epson 101 Ecotank Magenta Ink Bottle
ET03V34A	R 199	Epson 101 EcoTank Magenta ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
ET03V44A	R 129	Epson 101 Ecotank Yellow Ink Bottle
ET03V44A	R 199	Epson 101 EcoTank Yellow ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
ET03V64A	R 754	Epson 101 EcoTank BCMY mulitipack Ink, C13T03V64A, 127 ml Black Ink Volume, 210 ml Colour Ink Volume, 6000 pages Colour Ink page yield, 7500 pages Black Ink page yield, Compatible with --> Epson EcoTank L4150 / L4160 / L4260 / L6160 / L6170 / L6190 / L6260 / L6270 / L6290 / L14150 series printers
ET05A100	R 1,982	Epson T05A100 Black XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A100
ET05A200	R 4,471	Epson T05A200 Cyan XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A200
ET05A300	R 4,471	Epson T05A300 Magenta XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A300
ET05A400	R 4,471	Epson T05A400 Yellow XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A400
ET06C14A	R 373	Epson T06C14A 112 EcoTank Pigment Black Ink Bottle, 127.0 ml, Compatible with --> Epson EcoTank printers
ET06C24A	R 280	Epson T06C24A 112 EcoTank Cyan Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
ET06C34A	R 280	Epson T06C34A 112 EcoTank Magenta Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
ET06C44A	R 280	Epson T06C44A 112 EcoTank Yellow Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
ET06C64A	R 1,277	Epson 112 EcoTank 4-colour Multipack, C13T06C64A, 4x 70ml bottles, Up to 4500 pages Yield Black, Up to 7500

		pages yield Colour, Compatible with --> L100 / L110 / L120 / L130 / L1300 / L1455 / L200 / L210 / L220 / L300 / L310 / L350 / L355 / L365 / L380 / L382 / L386 / L395 / L455 / L486 / L495 / L550 / L555 / L565 / L605 / L655; EcoTank ET-14000 / ET-2500 / ET-2550 / ET-2600 / ET-2650 / ET-4500 / EcoTank ITS L3050 / L3060 / L3070 printers
ET07C14A	R 373	Epson C13T07C14A Pigment Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
ET07D14A	R 373	Epson C13T07D14A Photo Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
ET07D24A	R 373	Epson C13T07D24A Cyan 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
ET07D34A	R 373	Epson C13T07D34A Magenta 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
ET07D44A	R 373	Epson C13T07D44A Yellow 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
ET07D54A	R 373	Epson C13T07D54A Grey 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
ET09C14A	R 224	Epson T09C14A 108 EcoTank Ink bottle Black, 70ml, Compatible with --> L8050 / L18050 printers
ET09C24A	R 224	Epson T09C24A 108 EcoTank Ink Cyan, 70ml, Compatible with --> L8050 / L18050 printers
ET09C34A	R 224	Epson T09C34A 108 EcoTank Ink Magenta, 70ml, Compatible with --> L8050 / L18050 printers
ET09C44A	R 224	Epson T09C44A 108 EcoTank Ink Yellow Black, 70ml, Compatible with --> L8050 / L18050 printers
ET09C54A	R 224	Epson T09C54A 108 EcoTank Ink Light Cyan, 70ml, Compatible with --> L8050 / L18050 printers
ET09C64A	R 224	Epson T09C64A 108 EcoTank Ink Light Magenta, 70ml, Compatible with --> L8050 / L18050 printers
ET11D140	R 2,984	Epson T11D140 Black XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D140
ET11D240	R 2,839	Epson T11D240 Cyan XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D240
ET11D340	R 2,839	Epson T11D340 Magenta XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D340
ET11D440	R 1,982	Epson T11D440 Yellow XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D440
ET12814012	R 281	Epson T1281 Standard Capacity Black Ink Cartridge Fox For Stylus S22 Sx125 Sx425w Bx305f
ET12824012	R 258	Epson T1282 Standard Capacity Cyan Ink Cartridge Fox For Stylus S22 Sx125 Sx425w Bx305f
ET12834012	R 274	Epson T1283 Standard Capacity Magenta Ink Cartridge Fox For Stylus S22 Sx125 Sx425w Bx305f
ET12844012	R 258	Epson T1284 Standard Capacity Yellow Ink Cartridge Fox For Stylus S22 Sx125 Sx425w Bx305f
ET40C140	R 1,390	Epson T40C140 Singlepack UltraChrome XD2 Black Ink cartridge, 50ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40C240	R 884	Epson T40C240 Singlepack UltraChrome XD2 Cyan Ink cartridge, 26ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40C340	R 884	Epson T40C340 Singlepack UltraChrome XD2 Magenta Ink cartridge, 26ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40C440	R 884	Epson T40C440 Singlepack UltraChrome XD2 Yellow Ink cartridge, 26ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40D140	R 1,919	Epson T40D140 Singlepack UltraChrome XD2 Black Ink cartridge, 80ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40D240	R 1,328	Epson T40D240 Singlepack UltraChrome XD2 Cyan Ink cartridge, 50ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40D340	R 1,328	Epson T40D340 Singlepack UltraChrome XD2 Magenta Ink cartridge, 50ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET40D440	R 1,328	Epson T40D440 Singlepack UltraChrome XD2 Yellow Ink cartridge, 50ml, Compatible with --> SureColor

		SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers
ET41F240	R 3,702	Epson T41F240 Singlepack UltraChrome XD2 Cyan Ink cartridge, 350ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers
ET41F340	R 3,702	Epson T41F340 Singlepack UltraChrome XD2 Magenta Ink cartridge, 350ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers
ET41F440	R 3,702	Epson T41F440 Singlepack UltraChrome XD2 Yellow Ink cartridge, 350ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers
ET41F540	R 3,702	Epson Singlepack UltraChrome XD2 T41F540 Black Ink cartridge, 350ml, Compatible with --> SureColor SC-T3400 / SC-T3400n / SC-T5400 / SC-T5400n printers
ET41R240	R 1,632	Epson T41R240 Singlepack UltraChrome XD2 Cyan Ink cartridge, 110ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers
ET41R340	R 1,632	Epson T41R340 Singlepack UltraChrome XD2 Magenta Ink cartridge, 110ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers
ET41R440	R 1,632	Epson T41R440 Singlepack UltraChrome XD2 Yellow Ink cartridge, 110ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers
ET41R540	R 1,632	Epson Singlepack UltraChrome XD2 T41R540 Black Ink cartridge, 110ml, Compatible with --> SureColor SC-T3400 / SC-T3400n / SC-T5400 / SC-T5400n printers
ET44J140	R 6,411	Epson T44J140 Singlepack Photo Black UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J240	R 6,411	Epson T44J240 Singlepack Cyan UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J340	R 6,411	Epson T44J340 Singlepack Vivid Magenta UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J440	R 6,411	Epson T44J440 Singlepack Yellow UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J540	R 6,411	Epson T44J540 Singlepack Light Cyan UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J640	R 6,411	Epson T44J640 singlepack Vivid Light Magenta UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J740	R 6,411	Epson T44J740 singlepack Light Black UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J840	R 6,411	Epson T44J840 singlepack Matt Black UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44J940	R 6,411	Epson T44J940 singlepack Light Light Black UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44JA40	R 6,411	Epson T44JA40 singlepack Orange UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
ET44JB40	R 6,411	Epson T44JB40 singlepack Green UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printrs
ET44JD40	R 6,411	Epson T44JD40 singlepack Violet UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printrs
ET44Q140	R 3,617	Epson T44Q140 Singlepack Photo Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q240	R 3,617	Epson T44Q240 Singlepack Cyan UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q340	R 3,617	Epson T44Q340 Singlepack Vivid Magenta UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q440	R 3,617	Epson T44Q440 Singlepack Yellow UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers

ET44Q540	R 3,617	Epson T44Q540 Singlepack Light Cyan UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q640	R 3,617	Epson T44Q640 Singlepack Vivid Light Magenta UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q740	R 3,617	Epson T44Q740 Singlepack Light Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q840	R 3,617	Epson T44Q840 Singlepack Matt Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44Q940	R 3,617	Epson T44Q940 Singlepack Light Light Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44QA40	R 3,617	Epson T44QA40 Singlepack Orange UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44QB40	R 3,617	Epson T44QB40 Singlepack Green UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET44QD40	R 3,617	Epson T44QD40 Singlepack Violet UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
ET544100	R 3,318	Epson T544100 Black UltraChrome Ink cartridge, 220ml, Compatible with --> Stylus Pro 4000 / 9600 printers
ET544200	R 3,318	Epson Stylus Pro 4000/9600 Cyan Ink Cartridge
ET544700	R 3,318	Epson Stylus Pro 4000/9600 Light Black Ink Cartridge
ET54X100	R 2,920	Epson Singlepack Photo Black T54X100 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X200	R 2,920	Epson Singlepack Cyan T54X200 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X300	R 2,920	Epson Singlepack Vivid Magenta T54X300 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X400	R 2,920	Epson Singlepack Yellow T54X400 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X500	R 2,920	Epson Singlepack Light Cyan T54X500 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X600	R 2,920	Epson Singlepack Vivid Light Magenta T54X600 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X700	R 2,920	Epson Singlepack Light Black T54X700 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X800	R 2,920	Epson Singlepack Matt Black T54X800 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54X900	R 2,920	Epson Singlepack Light Light Black T54X900 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
ET54XA00	R 2,920	Epson T54XA00 Singlepack Orange UltraChrome HDX/HD Ink cartridge, 350ml, Compatible with --> SureColor SC-P6000 / SC-P7000 / SC-P8000 / SC-P9000 Series printers
ET54XB00	R 2,920	Epson T54XB00 Singlepack Green UltraChrome HDX/HD Ink cartridge, 350ml, Compatible with --> SureColor SC-P6000 / SC-P7000 / SC-P8000 / SC-P9000 Series printers
ET55K100	R 5,192	Epson Singlepack Photo Black T55K100 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55K200	R 5,192	Epson Singlepack Cyan T55K200 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55K300	R 5,192	Epson Singlepack Vivid Magenta T55K300 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55K400	R 5,192	Epson Singlepack Yellow T55K400 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers

ET55K500	R 5,192	Epson Singlepack Light Cyan T55K500 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55K600	R 5,192	Epson Singlepack Very Light Magenta T55K600 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55K700	R 5,192	Epson Singlepack Light Black T55K700 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55K800	R 5,192	Epson Singlepack Matt Black T55K800 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColorP 7000 / P9000 / P7000v / P9000v printers
ET55K900	R 5,192	Epson Singlepack Light Light Black T55K900 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55KA00	R 5,192	Epson Singlepack Orange T55KA00 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55KB00	R 5,192	Epson Singlepack Green T55KB00 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET55KD00	R 5,192	Epson Singlepack Violet T55KD00 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
ET580600	R 1,505	Epson Stylus Pro 3800/3880 Light Magenta Ink Cartridge
ET5961PB	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Photo Black Ink Cartridge
ET596200	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Cyan Ink Cartridge
ET596300	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Vivid Magenta Ink Cartridge
ET5964	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Yellow Ink Cartridge
ET5965	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Light Cyan Ink Cartridge
ET5966	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Vivid Light Magenta Ink Cartridge
ET5967	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Light Black Ink Cartridge
ET5968	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Matte Black Ink Cartridge
ET5969	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Light Light Black Ink Cartridge
ET596A	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Orange Ink Cartridge
ET596B	R 4,162	Epson Stylus Pro 7890 7900 9890 350ml Green Ink Cartridge
ET596C	R 4,687	Epson Stylus Pro 7890 7900 9890 350ml White Ink Cartridge
ET603100	R 2,552	Epson Singlepack Photo Black T603100 Ink cartridge, 220ml, Compatible with --> Epson Stylus Pro 7800 / 7880 / 9800 / 9880 printers
ET603200	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Cyan Ink Cartridge
ET603300	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Vivid Magenta Ink Cartridge
ET603400	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Yellow Ink Cartridge
ET603500	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Light Cyan Ink Cartridge
ET603600	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Vivid Light Magenta Ink Cartridge
ET603700	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Light Black Ink Cartridge
ET603900	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Light Light Black Ink Cartridge
ET603B00	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Magenta Ink Cartridge
ET603C00	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Light Magenta Ink Cartridge
ET606100	R 2,823	Epson Stylus Pro 4800/4880 220ml Photo Black Ink Cartridge
ET606200	R 2,823	Epson Stylus Pro 4800/4880 220ml Cyan Ink Cartridge
ET606300	R 2,823	Epson Stylus Pro 4800/4880 220ml Vivid Magenta Ink Cartridge
ET606400	R 2,823	Epson Stylus Pro 4800/4880 220ml Yellow Ink Cartridge
ET606500	R 2,823	Epson Stylus Pro 4800/4880 220ml Light Cyan Ink Cartridge
ET606600	R 2,823	Epson Stylus Pro 4800/4880 220ml Vivid Light Magenta Ink Cartridge
ET606700	R 2,823	Epson Stylus Pro 4800/4880 220ml Light Black Ink Cartridge
ET606900	R 2,823	Epson Stylus Pro 4800/4880 220ml Light Light Black Ink Cartridge
ET612800	R 2,552	Epson Stylus Pro 7800/7880/9800/9880 220ml Matte Black Ink Cartridge

ET636100	R 7,446	Epson T636100 Photo Black Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET636600	R 7,446	Epson T636600 Light Magenta Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET636800	R 7,446	Epson T636800 Matt Black Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET642000	R 1,420	Epson T642000 cleaning cartridge 150ml singlepack, Compatible with --> Epson Stylus Pro WT7900 designer Edition & Epson Stylus Pro WT7900 printers
ET6532	R 2,690	Epson T653200 Cyan Ink Cartridge For Stylus Pro 4900 (200ml)
ET6534	R 2,690	Epson T653400 Yellow Ink Cartridge For Stylus Pro 4900 (200ml)
ET6537	R 2,690	Epson T653700 Light Black Ink Cartridge For Stylus Pro 4900 (200ml)
ET653B00	R 2,690	Epson Stylus Pro 4900 Green Ink Cartridge (200ml)
ET66414A	R 201	EPSON T6641 BLACK INK BOTTLE 70ML FOR L110 L300 L210 L355 L550
ET66424A	R 223	Epson T6642 Cyan Ink Bottle 70ml For L110/ L300/ L210/ L355/ L550
ET66434A	R 223	EPSON T6643 MAGENTA INK BOTTLE 70ML FOR L110 L300 L210 L355 L550
ET66434A	R 179	Epson T6643 Magenta Ink bottle, 70ml, Compatible with --> L110 / L300 / L210 / L355 / L550 printers
ET66444A	R 223	EPSON T6644 YELLOW INK BOTTLE 70ML FOR L110 L300 L210 L355 L550
ET66464A	R 410	Epson T66464A Ink bottle Multipack CMYK, 7500 pages yield, Compatible with --> L110 / L110 / L121 / L1300 / L210 / L220 / L300 / L3050 / L310 / L355 / L355 / L365 / L386 / L455 / L486 / L550 printers, C13T66464A
ET67314A	R 246	EPSON T6731 BLACK INK BOTTLE 70ML FOR L800
ET67324A	R 239	EPSON T6732 CYAN INK BOTTLE 70ML FOR L800
ET67334A	R 239	EPSON T6733 MAGENTA INK BOTTLE 70ML FOR L800
ET67344A	R 239	EPSON T6734 YELLOW INK BOTTLE 70ML FOR L800
ET67354A	R 239	EPSON T6735 LIGHT CYAN INK BOTTLE 70ML FOR L800
ET67364A	R 239	EPSON T6736 LIGHT MAGENTA INK BOTTLE 70ML FOR L800
ET688100	R 3,012	Epson Surecolor Sc-s30610 Gs2 700ml Black Ink Cartridge
ET688200	R 2,851	Epson T688200 Singlepack UltraChrome GS2 Cyan Ink cartridge 700ml, Compatible with --> Epson SureColor SC-S50610 (5C) / SC-S50610 (4C) / SC-S30610 printers
ET688300	R 2,760	Epson Surecolor Sc-s30610 Gs2 700ml Magenta Ink Cartridge
ET688400	R 3,048	Epson Surecolor Sc-s30610 Gs2 700ml Yellow Ink Cartridge
ET693100	R 3,640	Epson Surecolor Sc T3200 T5200 T7200 350ml Black Ink Cartridge
ET693200	R 3,640	Epson Surecolor Sc T3200 T5200 T7200 350ml Cyan Ink Cartridge
ET693300	R 3,640	Epson Surecolor Sc T3200 T5200 T7200 350ml Magenta Ink Cartridge
ET693400	R 3,640	Epson Surecolor Sc T3200 T5200 T7200 350ml Yellow Ink Cartridge
ET693500	R 3,640	Epson Surecolor Sc T3200 T5200 T7200 350ml Matt Black Ink Cartridge
ET694100	R 6,462	Epson Surecolor Sc T3200 T5200 T7200 700ml Black Ink Cartridge
ET694200	R 6,462	Epson Surecolor Sc T3200 T5200 T7200 700ml Cyan Ink Cartridge
ET694300	R 6,462	Epson Surecolor Sc T3200 T5200 T7200 700ml Magenta Ink Cartridge
ET694400	R 6,462	Epson Surecolor Sc T3200 T5200 T7200 700ml Yellow Ink Cartridge
ET694500	R 6,462	Epson Surecolor Sc T3200 T5200 T7200 700ml Matt Black Ink Cartridge
ET696000	R 1,482	Epson T696000 GS3 cleaning Cartridge, Compatible with --> Surecolor SC-S40610 / SC-S60610 / SC-S80610 printers
ET699300	R 983	Epson T699300 ink cleaner - Printer ink cleaner, 250ml, Compatible with --> SureColor SC-S30600 / SC-S30600 hpc / SC-S30610 / SC-S30610 hpc / SC-S40600 / SC-S40610 / SC-S50600 / SC-S50610 / SC-S60600 / SC-S60610 / SC-S70600 / SC-S70610 printers
ET724000	R 919	Epson T724000 Waste Ink bottle, Compatible with --> SureColor F6200 / F7170 / F7200 / F9200 / SC-F2000 / SC-F6200 / SC-F7000 / SC-F7200 / SC-F9200 / SC-S30600 / SC-S30610 / SC-S40600 / SC-S40610 / SC-S50600 / SC-S50610 / SC-S60600 / SC-S60610 / SC-S70600 / SC-S70610 / SC-S80600 / SC-S80610 printers
ET77414A	R 302	Epson T7741 Black Ink Bottle 140ml For M Series
ET800000	R 6,475	Epson Surecolor P10000 / P20000 - 700ml Light Gray Ink Cartridge
ET800001	R 6,912	Epson T800100 Photo Black Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers

ET800002	R 6,912	Epson T800200 Cyan Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800003	R 6,912	Epson T800300 Vivid Magenta Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800004	R 6,912	Epson T800400 Yellow Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800005	R 6,912	Epson T800500 Light Cyan Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800006	R 6,912	Epson T800600 Vivid Light Magenta Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800007	R 6,912	Epson T800700 Dark Grey Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800008	R 6,912	Epson T800800 Matt Black Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET800009	R 6,912	Epson T800900 Grey Singlepack UltraChrome Pro Ink cartridge, 700ml, Compatible with --> SureColor SC-P20000 / SC-P10000 printers
ET824300	R 3,863	Epson Surecolor P6000 P7000 P8000 P9000 350ml Vivid Magenta Ink Cartridge
ET824500	R 3,863	Epson Surecolor P6000 P7000 P8000 P9000 350ml Light Cyan Ink Cartridge
ET865140	R 4,377	Epson T8651 XXL DURABrite Ultra Black Ink cartridge, 10 000 page yield, Compatible with --> Epson WorkForce Pro WF-M5190dw / WF-M5690dwf printers
ET866140	R 2,111	Epson T8661 XL DURABrite Ultra Black Ink cartridge, 2500 page yield, Compatible with --> Epson WorkForce Pro WF-M5190dw / WF-M5690dwf printers
ET891100	R 2,057	Epson Sc-s40610 / 60610 / 80610 Gs3 Surecolor 700ml Black Ink Cartridge
ET891200	R 2,057	Epson Sc-s40610 / 60610 / 80610 Gs3 Surecolor 700ml Cyan Ink Cartridge
ET891300	R 2,057	Epson Sc-s40610 / 60610 / 80610 Gs3 Surecolor 700ml Magenta Ink Cartridge
ET891400	R 2,057	Epson Sc-s40610 / 60610 / 80610 Gs3 Surecolor 700ml Yellow Ink Cartridge
ET891500	R 2,057	Epson Sc-s80610 Gs3 Sure Color Light Cyan 700ml Ink Cartridge
ET891600	R 2,057	Epson Sc-s80610 Gs3 Sure Color Light Magenta 700ml Ink Cartridge
ET891700	R 2,057	Epson T891700 UltraChrome ink cartridges Light Black, 700ml, Compatible with --> SureColor SC-S80610 / SureColor SC-S60610 / SureColor SC-S40610 printers
ET891800	R 2,057	Epson Sc-s80610 Gs3 Sure Color Orange 700ml Ink Cartridge
ET891900	R 2,057	Epson Sc-s80610 Gs3 Sure Color Red 700ml Ink Cartridge
ET891A00	R 6,189	Epson Sc-s80610 Gs3 Sure Color White 600ml Ink Cartridge
ET891B00	R 7,290	Epson Sc-s80610 Gs3 Sure Color Metallic Silver 350ml Ink Cartridge
ET913100	R 2,322	Epson Surecolor Sc-p5000 200ml Photo Black Ink Cartridge
ET913200	R 2,322	Epson Surecolor Sc-p5000 200ml Cyan Ink Cartridge
ET913300	R 2,322	Epson Surecolor Sc-p5000 200ml Vivid Magenta Ink Cartridge
ET913400	R 2,322	Epson Surecolor Sc-p5000 200ml Yellow Ink Cartridge
ET913500	R 2,322	Epson Surecolor Sc-p5000 200ml Light Cyan Ink Cartridge
ET913600	R 2,322	Epson Surecolor Sc-p5000 200ml Vivid Light Magneta Ink Cartridge
ET913700	R 2,322	Epson Surecolor Sc-p5000 200ml Light Black Ink Cartridge
ET913800	R 2,322	Epson Surecolor Sc-p5000 200ml Matte Black Ink Cartridge
ET913900	R 2,322	Epson Surecolor Sc-p5000 200ml Light Light Black Ink Cartridge
ET913A00	R 2,322	Epson Surecolor Sc-p5000 200ml Orange Ink Cartridge
ET913B00	R 2,322	Epson Surecolor Sc-p5000 200ml Green Ink Cartridge
ET913D00	R 2,322	Epson Surecolor Sc-p5000 200ml Violet Ink Cartridge
ET944240	R 1,965	Epson WF-C5xxx T9442 Series Cyan ink L Cartridge, 3000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
ET945140	R 2,355	Epson WF-C5XXX T9451 series Black ink XL cartridge, 5000 page yield, Compatible with --> WorkForce Pro

		WF-C5790DWF series / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C5290DW / WF-C5210DW printers
ET945240	R 2,355	Epson WF-C5xxx T9452 Series Cyan ink XL Cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
ET945340	R 2,355	Epson WF-C5xxx T9453 Series Magenta ink XL Cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
ET945440	R 1,982	Epson WF-C5xxx T9454 Series Yellow ink XL Cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C5290dw / WF-C5210dw printers
ET946140	R 4,710	Epson WF-C5X90 T9461 Series Black ink XXL Cartridge, 10000 page yield, Compatible with --> WorkForce Pro WF-C5790dwf Series / WF-C5790dwf / WF-C5290dw printers
ET965140	R 4,491	Epson T9651 Ink cartridge Black XL, 10000 pages yield, Compatible with --> WF-M52xx / 57xx Epson printers
ET966140	R 5,189	Epson T9661 Ink cartridge Black XXL, 40000 pages yield, Compatible with --> WF-M52XX / 57xx Epson printers
F6U12AE	R 489	HP 953 Cyan Ink Cartridge-700 Pages
F6U13AE	R 491	HP 953 Magenta Ink Cartridge - 700 Pages
F6U14AE	R 489	HP 953 Yellow Original Ink Cartridge, 700 Yield
F6U16AE	R 813	HP #953XL High Yield Cyan Original Ink Cartridge - 1600 Pages
F6U17AE	R 800	HP #953XL High Yield Magenta Original Ink Cartridge - 1600 Pages
F6U18AE	R 813	HP #953XL High Yield Yellow Original Ink Cartridge - 1600 Pages Yield
F6V16AE	R 312	HP 123 Tri-color Original Ink Cartridge (F6V16AE), 120pages
F6V17AE	R 259	HP 123 Black Original Ink Cartridge (F6V17AE), 100 pages
F6V24AE	R 263	HP No652 Tri-colour Ink Cartridge - Ink Advantage 3835
F6V25AE	R 308	HP 652 Black Original Ink Advantage Cartridge (F6V25AE) - Ink Advantage 3835
GC41HYBLK	R 1,247	Ricoh GC41BK Black Gel Ink Cartridge, 1200 pages yield, Compatible with --> SG 3110dn / SG 3100nw / SG 3120 / SG 7100 printers
GC41HYCYN	R 1,173	Ricoh GC41C Cyan Gel Ink Cartridge, 1200 pages yield, Compatible with --> SG 3110dn / SG 3100nw / SG 3120 / SG 7100 printers
GC41HYMGT	R 1,173	Ricoh GC41M Magenta Gel Ink Cartridge, 1200 pages yield, Compatible with --> SG 3110dn / SG 3100nw / SG 3120 / SG 7100 printers
GC41HYYLW	R 1,173	Ricoh GC41Y Yellow Gel Ink Cartridge, 1200 pages yield, Compatible with --> SG 3110dn / SG 3100nw / SG 3120 / SG 7100 printers
H1VV21AE	R 206	HP 1VV21AE GT53xl 135ml Black original Ink bottle, 6000 pages yield, Compatible with --> HP Smart Tank 585 AIO / 725 AIO / 725 AIO / 750 AIO / 750 AIO / 795 AIO / 795 AIO printers
H3ED58A	R 5,877	HP 3ED58A 713 DesignJet Printhead, Compatible with --> DesignJet T200 / T600 Series printers
H3ED67A	R 947	HP 3ED67A 712 Cyan DesignJet Ink cartridge, 29ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED68A	R 947	HP 3ED68A 712 Magenta DesignJet Ink cartridge, 29ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED69A	R 947	HP 3ED69A 712 Yellow DesignJet Ink cartridge, 29ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED70A	R 1,115	HP 3ED70A 712 Black DesignJet Ink cartridge, 38ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED71A	R 1,737	HP 3ED71A 712 Black DesignJet Ink cartridge, 80ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED77A	R 1,962	HP 3ED77A 712 Cyan DesignJet Ink cartridge - 3 Pack, 29ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED78A	R 1,962	HP 3ED78A 712 Magenta DesignJet Ink cartridge - 3 Pack, 29ml Volume, Compatible with --> DesignJet T200 / T600 Series printers
H3ED79A	R 1,962	HP 3ED79A 712 Yellow DesignJet Ink cartridge - 3 Pack, 29ml Volume, Compatible with --> DesignJet T200 /

		T600 Series printers
H3JA23AE	R 498	Hp # 963 Cyan Ink Cartridge For Officejet Pro 9000 Series (Page Yield 700)
H3JA24AE	R 498	Hp # 963 Magenta Ink Cartridge For Officejet Pro 9000 Series (Page Yield 700)
H3JA25AE	R 498	Hp # 963 Yellow Ink Cartridge For Officejet Pro 9000 Series (Page Yield 700)
H3JA26AE	R 795	Hp # 963 Black Ink Cartridge For Officejet Pro 9000 Series (Page Yield 1000)
H3JA27AE	R 907	Hp # 963xl High Yield Cyan Ink Cartridge For Pro 9000 Series (Page Yield 1600)
H3JA28AE	R 907	Hp # 963xl High Yield Magenta Ink Cartridge For Pro 9000 Series (Page Yield 1600)
H3JA29AE	R 907	Hp # 963xl High Yield Yellow Ink Cartridge For Pro 9000 Series (Page Yield 1600)
H3JA30AE	R 1,173	Hp # 963xl High Yield Black Ink Cartridge For Pro 9000 Series (Page Yield 2000) *TV license required*
H3WX25A	R 3,077	HP 3WX25A 728 Matte Black DesignJet Ink cartridge, 130ml Volume, Compatible with --> T830 printers
H3YL77AE	R 226	Hp # 912 Cyan Ink Cartridge For Officejet Pro 8000 Series (Page Yield 315)
H3YL78AE	R 226	Hp # 912 Magenta Ink Cartridge For Officejet Pro 8000 Series (Page Yield 315)
H3YL79AE	R 226	Hp # 912 Yellow Ink Cartridge For Officejet Pro 8000 Series (Page Yield 315)
H3YL80AE	R 362	Hp # 912 Black Ink Cartridge For Officejet Pro 8000 Series (Page Yield 300)
H3YL81AE	R 442	Hp # 912xl High Yield Cyan Ink Cartridge For Officejet Pro 8000 Series (Page Yield 825)
H3YL82AE	R 442	Hp # 912xl High Yield Magenta Ink Cartridge For Officejet Pro 8000 Series (Page Yield 825)
H3YL83AE	R 442	Hp # 912xl High Yield Yellow Ink Cartridge For Officejet Pro 8000 Series (Page Yield 825)
H3YL84AE	R 965	Hp # 912xl High Yield Black Ink Cartridge For Officejet Pro 8000 Series (Page Yield 825)
H3YM60AE	R 268	HP 3YM60AE 305 Tri-color original Ink cartridge, 100 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
H3YM61AE	R 268	HP 3YM61AE 305 Black original Ink cartridge, 120 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
H3YM62AE	R 504	HP 3YM62AE 305XL High Yield Black original Ink cartridge, 240 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
H3YM63AE	R 459	HP 3YM63AE 305XL High Yield Tri-Colour original Ink cartridge, 200 page yield, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / plus 4110 / plus 4120 / plus 4122 / plus 4130 All-in-One printers
H3YM74AE	R 281	HP 3YM74AE 653 Tri-Colour Original Ink Advantage Cartridge, 200 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
H3YM75AE	R 327	HP 3YM75AE 653 Black original Ink Advantage cartridge, 360 page yield, Compatible with --> HP DeskJet plus 6075 / 6475 printers
H3YP17AE	R 715	HP 3YP17AE Ink Tank Tri-Colour printhead, Compatible with --> 670 / 675 / 720 / 725 / 750 / 755 / 790 / 795 Series printers
H3YP61AE	R 700	HP 3YP61AE Black & Tri-Colour GT Printhead Kit, Compatible with --> HP DeskJet GT 5810 and 5820 All-in-One Printers (printheads need to be changed in a pair) / HP Ink Tank 110 series / HP Ink Tank 310 series / HP Ink Tank Wireless 410 series / HP Smart Tank / Wireless 450 series (printheads can be changed individually)
H498N4A	R 2,722	HP 498N4A 738 130ml Black DesignJet Ink cartridge, Compatible with --> DesignJet T850 Large Format Multifunction Wireless Plotter 36" / HP DesignJet T850 Large Format Wireless Plotter 36" / DesignJet T950 printers
H498N5A	R 2,722	HP 498N5A 738 130ml Cyan DesignJet Ink cartridge, Compatible with --> DesignJet T850 Large Format Multifunction Wireless Plotter 36" / HP DesignJet T850 Large Format Wireless Plotter 36" / DesignJet T950 printers
H498N6A	R 2,722	HP 498N6A 738 130ml Magenta DesignJet Ink cartridge, Compatible with --> DesignJet T850 Large Format Multifunction Wireless Plotter 36" / HP DesignJet T850 Large Format Wireless Plotter 36" / DesignJet T950 printers
H498N7A	R 2,722	HP 498N7A 738 130ml Yellow DesignJet Ink cartridge, Compatible with --> DesignJet T850 Large Format Multifunction Wireless Plotter 36" / HP DesignJet T850 Large Format Wireless Plotter 36" / DesignJet T950 printers
H498N8A	R 5,258	HP 498N8A #738 Black DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet T850 Printer Series
H4K0V6PE	R 240	HP 4K0V6PE 925 Cyan Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123

		All-in-One Printer
H4K0V7PE	R 240	HP 4K0V7PE 925 Magenta Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4K0V8PE	R 240	HP 4K0V8PE 925 Yellow Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4K0V9PE	R 484	HP 4K0V9PE 925 Black Original Ink cartridge, 500 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4K0W0PE	R 472	HP 4K0W0PE 925e Evomore Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4K0W1PE	R 472	HP 4K0W1PE 925e Evomore Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4K0W2PE	R 472	HP 4K0W2PE 925e Evomore Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4K0W3PE	R 1,091	HP 4K0W3PE 925e Evomore Black Original Ink cartridge, 1000 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
H4S6X5PE	R 485	HP 4S6X5PE 938 Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6X6PE	R 485	HP 4S6X6PE 938 Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6X7PE	R 485	HP 4S6X7PE 938 Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6X8PE	R 868	HP 4S6X8PE 938 Black Original Ink cartridge, 1250 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6X9PE	R 1,113	HP 4S6X9PE 938e Evomore Cyan Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6Y0PE	R 1,113	HP 4S6Y0PE 938e Evomore Magenta Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6Y1PE	R 1,113	HP 4S6Y1PE 938e Evomore Yellow Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H4S6Y2PE	R 1,620	HP 4S6Y2PE 938e Evomore Black Original Ink cartridge, 2500 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
H51645A	R 1,719	HP #45 LARGE BLACK INKJET CARTRIDGE 42ml; 830pgs yield @ 5%
H676M6A	R 5,258	HP 676M6A #738 Cyan DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet T850 Printer Series
H676M7A	R 5,258	HP 676M7A #738 Magenta DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet T850 Printer Series
H676M8A	R 5,258	HP 676M8A #738 Yellow DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet T850 Printer Series
H6ZA11AE	R 325	HP 6ZA11AE Black printhead, Compatible with --> Smart Tank Wireless 455
H6ZA17AE	R 325	HP 6ZA17AE Black Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
H6ZA18AE	R 325	HP 6ZA18AE Tri-Colour Printhead, Compatible with --> HP Smart Tank 500 / 510 / 530 / 610 / Plus 550 / 570 / 650 All-in-One printers
H6ZD21AE	R 127	HP 6ZD21AE 47 Black original Ink cartridge, 1300 page yield, Compatible with --> HP DeskJet Ink Advantage 4800 / 4828 printers
H6ZD61AE	R 120	HP 6ZD61AE 47 Tri-color original Ink cartridge, 700 page yield, Compatible with --> HP DeskJet Ink Advantage 4800 / 4828 printers
HB3JA27AE	R 936	HP #963XL High Yield Cyan Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
HB3JA28AE	R 936	HP #963XL High Yield Magenta Original Ink Cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers

HB3JA29AE	R 936	HP Blister #963xl High Yield Yellow Original Ink cartridge, 1600 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
HB3JA30AE	R 1,206	HP #963xl High Yield Black original Ink cartridge, 2000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
HB3P06A	R 9,507	HP B3P06A 727 Printhead, Compatible with --> DesignJet T920 / T1500 series printers
HB3P19A	R 2,619	HP B3P19A 727 Cyan DesignJet Ink cartridge, 130ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HB3P20A	R 2,423	HP B3P20A 727 Magenta DesignJet Ink cartridge, 130ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HB3P21A	R 2,423	HP B3P21A 727 Yellow DesignJet Ink cartridge, 130ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HB3P22A	R 2,619	HP B3P22A 727 Matt Black DesignJet Ink cartridge, 130ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HB3P23A	R 2,423	HP B3P23A 727 Photo Black DesignJet Ink cartridge, 130ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HB3P24A	R 2,619	HP B3P24A 727 Grey DesignJet Ink cartridge, 130ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HB3YL81AE	R 464	HP #912xl high yield Cyan original ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
HB3YL82AE	R 464	HP #912xl High Yield Magenta original Ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
HB3YL83AE	R 464	HP #912xl high yield Yellow original ink cartridge - Blister Pack, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
HB3YL84AE	R 995	HP #912xl High Yield Black original Ink cartridge, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
HB3YM74AE	R 300	HP 3YM74AE 653 Tri-Colour Original Ink Advantage Cartridge, 200 page yield, Compatible with --> HP Deskjet Plus 6075 / 6475 printers
HB3YM75AE	R 347	HP 3YM75AE 653 Black original Ink Advantage cartridge, 360 page yield, Compatible with --> HP DeskJet plus 6075 / 6475 printers
HB4K0V6PE	R 260	HP 4K0V6PE 925 Cyan Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0V7PE	R 260	HP 4K0V7PE 925 Magenta Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0V8PE	R 260	HP 4K0V8PE 925 Yellow Original Ink cartridge, 400 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0V9PE	R 509	HP 4K0V9PE 925 Black Original Ink cartridge, 500 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0W0PE	R 497	HP 4K0W0PE 925e Evomore Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0W1PE	R 497	HP 4K0W1PE 925e Evomore Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0W2PE	R 497	HP 4K0W2PE 925e Evomore Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4K0W3PE	R 1,126	HP 4K0W3PE 925e Evomore Black Original Ink cartridge, 1000 pages yield, Compatible with --> HP OfficeJet Pro 8123 All-in-One Printer
HB4S6X5PE	R 506	HP 4S6X5PE 938 Cyan Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HB4S6X6PE	R 506	HP 4S6X6PE 938 Magenta Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers

HB4S6X7PE	R 506	HP 4S6X7PE Blister 938 Yellow Original Ink cartridge, 800 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HB4S6X8PE	R 893	HP 4S6X8PE 938 Black Original Ink cartridge, 1250 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HB4S6X9PE	R 1,142	HP 4S6X9PE 938e Evomore Cyan Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HB4S6Y0PE	R 1,142	HP 4S6Y0PE 938e Evomore Magenta Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HB4S6Y1PE	R 1,142	HP 4S6Y1PE 938e Evomore Yellow Original Ink cartridge, 1650 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HB4S6Y2PE	R 1,655	HP 4S6Y2PE 938e Evomore Black Original Ink cartridge, 2500 pages yield, Compatible with --> HP OfficeJet Pro 9720 / 9730 / 9120 AIO / 9110b / 9120b AIO / 9130 AIO / 9130b AIO printers
HBCH561HE	R 368	HP BLISTER #122 BLACK INK CARTRIDGE - DESKJET A10
HBCH562HE	R 443	HP BLISTER #122 TRI-COLOUR INK CARTRIDGE - DESKJET A10
HBL123BB	R 725	HP BL123BB Blister 123 Black Dual pack, Compatible with --> HP DeskJet 2130 / 2620 / 2630 / 3639 / 3830 printers
HBL123BC	R 782	HP BL123BC Blister 123 Black & Tri-Colour pack, Compatible with --> HP DeskJet 2130 / 2620 / 2630 / 3639 / 3830 printers
HBL305XL	R 1,075	HP BL305XL Blister Pack 305XL Black & Tri-Colour Ink cartridges, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
HBL305XLBB	R 1,119	HP BL305XLBB Blister Pack 305XL Black Dual pack Ink cartridges, 240 pages yield per ink, Compatible with --> HP DeskJet 2710 / 2720 / 2721 / 2722 / 2723 / 2724 / Plus 4110 / Plus 4120 / Plus 4122 / Plus 4130 All-in-One printers
HBL650BB	R 757	HP Blister 650 Black Ink cartridge - Dual pack, 360 pages yield each, Compatible with --> HP DeskJet Ink Advantage 2645 / 3545 printers
HBL650BC	R 716	HP Blister 650 Black & Tri-Colour Ink cartridge, 360 pages yield Black, Compatible with --> HP DeskJet Ink Advantage 2645 / 3545 printers
HBL652BB	R 827	HP Blister 652 Black Ink cartridge - Dual pack, 360 pages yield each, Compatible with --> HP DeskJet Ink Advantage 1115 / 2135 AIO / 3635 AIO / 3775 AIO / 3785 AIO / 3787 AIO / 3790 AIO / 3835 AIO / 4535 AIO / 4675 AIO / 5075 AIO / 5275 AIO printers
HBL652BC	R 778	HP BL652BC Blister 652 Black & Tri Colour Ink cartridges, 360 pages yield Black, 200 pages yield Colour compatible with --> HP DeskJet Ink Advantage 1115 / 2135 AIO / 3635 AIO / 3775 AIO / 3785 AIO / 3787 AIO / 3790 AIO / 3835 AIO / 4535 AIO / 4675 AIO / 5075 AIO / 5275 AIO printers
HBL912XL4	R 2,266	HP BL912XL4 #912xl High Yield C/M/Y/K original Ink cartridge - Blister pack, 825 page yield All colours, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
HBL912XLBB	R 1,800	HP BL912XLBB #912xl High Yield Black original Ink cartridge - Dual Blister Pack, 825 page yield, Compatible with --> HP OfficeJet All-in-One 8012 / 8014 / 8015 / 8022 / 8023 / 8024 / 8025 printers
HBL953XL4	R 4,209	HP #953xl High Yield Magenta / Cyan / Yellow / Black original Ink cartridges - pack, 1600 pages yield for colours, 2000 pages yield Black, Compatible with --> HP OfficeJet Pro 8210 / 8218 printers / HP OfficeJet Pro 8710 / 8715 / 8718 / 8719 / 8720 / 8725 / 8730 / 8740 All-in-One printers / HP OfficeJet Pro 7740 wide Format All-in-One Printer
HBL953XLBB	R 2,757	HP #953xl High Yield Black original Ink cartridge - Dual pack, 2000 pages yield each, Compatible with --> HP OfficeJet Pro 8210 / 8218 printers / HP OfficeJet Pro 8710 / 8715 / 8718 / 8719 / 8720 / 8725 / 8730 / 8740 All-in-One printers / HP OfficeJet Pro 7740 wide Format All-in-One Printer
HBL963XL4	R 3,503	HP BL963XL4 #963xl High Yield C/M/Y/K original ink cartridge Blister 4-pack, 2000 page yield Black, 1600 page yield Colours, Compatible with --> OfficeJet 9013 / 9023 printers
HBL963XLBB	R 2,208	HP L963XLBB #963xl High Yield Black original Ink cartridge Dual Pack, 2000 page yield, Compatible with --> OfficeJet 9013 / 9023 printers
HBT6L87AE	R 296	HP #903 Cyan original Ink cartridge, 315 pages yield, Compatible with --> HP OfficeJet Pro 6970 / 6960 / 6950

		All-in-One printers
HBT6L91AE	R 296	HP #903 Magenta original Ink cartridge, 315 pages yield, Compatible with --> HP OfficeJet Pro 6970 / 6960 / 6950 All-in-One printers
HBT6L95AE	R 296	HP #903 Yellow original Ink cartridge, 315 pages yield, Compatible with --> HP OfficeJet Pro 6970 / 6960 / 6950 All-in-One printers
HBT6L99AE	R 465	HP #903 Black original Ink cartridge, 300 pages yield, Compatible with --> HP OfficeJet Pro 6970 / 6960 / 6950 All-in-One printers
HC1Q12A	R 4,784	HP C1Q12A 727 Matte Black DesignJet Ink cartridge, 300ml Volume, Compatible with --> DesignJet T920 / T1500 / T2500 / T930 / T2530 / T1530 Printers
HC1Q13A	R 3,697	HP C1Q13A #764 Cyan DesignJet Ink cartridge, 300ml, Compatible with --> DesignJet DJ3500 printer
HC1Q14A	R 3,697	HP C1Q14A #764 Magenta DesignJet Ink cartridge, 300ml, Compatible with --> DesignJet DJ3500 printer
HC1Q15A	R 3,697	HP C1Q15A #764 Yellow DesignJet Ink cartridge, 300ml, Compatible with --> DesignJet DJ3500 printer
HC1Q16A	R 3,463	HP C1Q16A #764 Matt Black DesignJet Ink cartridge, 300ml, Compatible with --> DesignJet DJ3500 printer
HC1Q17A	R 3,697	HP C1Q17A #764 Photo Black DesignJet Ink cartridge, 300ml, Compatible with --> DesignJet DJ3500 printer
HC1Q18A	R 3,697	HP C1Q18A #764 Grey DesignJet Ink cartridge, 300ml, Compatible with --> DesignJet DJ3500 printer
HC2P10AE	R 482	HP 651 Tri-color Original Ink Advantage Cartridge; IA 5575/ 5645; YIELD 600
HC2P11AE	R 425	HP 651 Tri-color Original Ink Advantage Cartridge (C2P11AE) 300 pages. Deskjet Ink Advantage 5575 / 5645
HC2P19AE	R 549	HP No 934 Black Ink Cartridge
HC2P20AE	R 369	HP 935 CYAN INK CARTRIDGE
HC2P21AE	R 369	HP No 935 Magenta Ink Cartridge
HC2P22AE	R 369	HP No 935 Yellow Ink Cartridge
HC2P23AE	R 1,148	HP No 934XL Black Ink Cartridge
HC2P24AE	R 725	HP No 935XL Cyan Ink Cartridge
HC2P25AE	R 725	HP No 935XL Magenta Ink Cartridge
HC2P26AE	R 725	HP No 935XL Yellow Ink Cartridge
HC4954A	R 7,494	HP C4954A #81 Light Cyan Dye Ink Printhead and cleaner, 13ml, Compatible with --> HP DesignJet 5000 / 5500 printers
HC9351AE	R 530	HP #21 BLACK INKJET CARTRIDGE 5ml; up to 200 pages @ 5%
HC9352AE	R 861	HP #22 TRI-COLOUR INKJET CARTRIDGE 5ml; up to 170 pages @ 5%
HC9370A	R 2,330	HP #72 PHOTO BLACK INK CARTRIDGE WITH VIVERA INK 130ML
HC9371A	R 2,330	HP #72 CYAN INK CARTRIDGE WITH VIVERA INK 130ML
HC9372A	R 2,330	HP #72 MAGENTA INK CARTRIDE WITH VIVERA INK 130ML
HC9373A	R 2,330	HP #72 YELLW INK CARTRIDGE WITH VIVERA INK 130ML
HC9374A	R 2,157	HP #72 GREY INK CARTRIDGE WITH VIVERA INK 130ML
HC9380A	R 2,437	HP #72 GREY AND PHOTO BLACK PRINTHEAD
HC9383A	R 2,437	HP #72 MAGENTA AND CYAN PRINTHEAD
HC9384A	R 2,437	HP #72 MATTE BLACK AND YELLOW PRINTHEADS
HC9403A	R 2,330	HP #72 MATTE BLACK INK CARTRIDGE WITH VIVERA INK 130ML
HC9404A	R 2,703	HP C9404A #70 Black and Cyan Printhead, Compatible with --> HP DesignJet Z3200 44in Photo / HP DesignJet Z3200 24in PostScript Photo / HP DesignJet Z3200 44in PostScript Photo printers
HC9408A	R 2,703	HP C9408a #70 Green and Blue Printhead, Compatible with --> HP DesignJet Z3200 44in Photo / HP DesignJet Z3200 24in PostScript Photo / HP DesignJet Z3200 44in PostScript Photo printers
HC9410A	R 2,703	HP C9410A #70 Gloss Enhancer and Grey Printhead, HP DesignJet Z3200 44in Photo / HP DesignJet Z3200 24in PostScript Photo / HP DesignJet Z3200 44in PostScript Photo printers
HC9457A	R 3,030	HP C9457A #70 Green DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44in Photo / HP DesignJet Z3200 24in PostScript Photo / HP DesignJet Z3200 44in PostScript Photo printers
HC9459A	R 2,293	HP C9459A #70 Gloss Enhancer DesignJet Ink cartridge, 120ml, HP DesignJet Z3200 44in Photo / HP DesignJet Z3200 24in PostScript Photo / HP DesignJet Z3200 44in PostScript Photo printers
HCB335HE	R 518	HP #140 Black Inkjet Cartridge Vivera Ink ; 4.5ml; up to 200pgs

HCC640HE	R 510	HP 121 Black Ink Cartridge with Vivera Ink; up to 200 pgs @5%
HCC643HE	R 713	HP 121 Tri-colour Ink Cartridge with Vivera Ink; 165 pgs @ 5%
HCD949A	R 2,624	HP 73 MATTE BL & CHROMATIC RED PRINTHEAD FOR USE IN SELECTED HP DESIGNJET PRINTERS
HCD951A	R 3,030	HP #73 CHROMATIC RED INK CARTRIDGE 130ML
HCD972AE	R 462	HP 920XL Cyan Officejet Ink Cartridge 700 pages @ 5%
HCD973AE	R 462	HP 920XL Magenta Officejet Ink Cartridge 700 pages @ 5%
HCD974AE	R 462	HP 920XL Yellow Officejet Ink Cartridge 700 pages @ 5%
HCD975AE	R 1,273	HP 920XL Black Officejet Ink Cartridge 1200 pages @ 5%
HCF283X	R 2,351	HP 83X HIGH YIELD BLACK LASERJET TONER CARTRIDGE
HCH561HE	R 349	HP 122 Black Ink Cartridge - Deskjet AIO 1050, 2050 120 pgs @ 5%
HCH561HK	R 349	HP 122 Black Ink Cartridge - 120 Pages (Replacing the CH561HE)
HCH562HE	R 423	HP 122 Tri-colour Ink Cart Deskjet AIO1050, 2050 100 pgs @5%
HCH562HK	R 424	Hp 122 Tricolor Ink Cartridge For Deskjet 1000 J110 Series (165 Page Yield)
HCH575A	R 5,028	HP #726 MATTE BLACK INK CARTRIDGE 300ML
HCH645A	R 5,353	HP #761 YELLOW PRINTHEAD/ DESIGNJET T7100
HCH646A	R 5,353	HP #761 MAGENTA AND CYAN PRINTHEAD/ DESIGNJET T7100
HCH647A	R 5,353	HP #761 GREY AND DARK GREY PRINTHEAD/ DESIGNJET T7100
HCH648A	R 5,353	HP #761 MATT BLACK PRINTHEAD/ DESIGNJET T7100
HCM991A	R 5,276	HP 761 400ML MATTE BLACK INK CARTRIDGE
HCM992A	R 5,855	HP #761 YELLOW INK CARTRIDGE/ DESIGNJET T7100 400ML
HCM993A	R 5,855	HP #761 MAGENTA INK CARTRIDGE/ DESIGNJET T7100 400ML
HCM994A	R 5,855	HP #761 CYAN INK CARTRIDGE/ DESIGNJET T7100 400ML
HCM995A	R 5,855	HP #761 GREY INK CAARTRIDGE/ DESIGNJET T7100 400ML
HCM996A	R 5,855	HP #761 DARK GREY INK CARTRIDGE/ DESIGNJET T7100 400ML
HCM997A	R 8,946	HP #761 MATT BLACK INK CARTRIDGE/ DESIGNJET T7100 775ML
HCN045AE	R 1,505	HP #950 XL BLACK OFFICE JET INK CARTRIDGE FOR HP OJPRO 8600 P
HCN048AE	R 1,077	HP #951 XL YELLOW OFFICE JET INK CARTRIDGE FOR HP OJPRO 8600
HCN050AE	R 693	HP 951 Cyan Original Ink Cartridge
HCN051AE	R 693	HP 951 Magenta Original Ink Cartridge
HCN052AE	R 693	Hp 951 Yellow Officejet Ink Cartridge
HCN053AE	R 1,246	Hp 932xl Black Officejet Ink Cartridge
HCN054AE	R 497	Hp 933xl Cyan Officejet Ink Cartridge
HCN055AE	R 519	Hp 933xl Magenta Officejet Ink Cartridge
HCN056AE	R 519	Hp 933xl Yellow Officejet Ink Cartridge
HCN057AE	R 481	HP No932 Black Officejet Ink Cartridge - Officejet 6700 Premium
HCN621AE	R 2,046	HP # 970 BLACK INK CARTRIDGE FOR OFFICEJET PRO X SERIES
HCN622AE	R 2,077	HP 971 Cyan Original Ink Cartridge
HCN623AE	R 2,077	Hp 971 Magenta Ink Cartridge For Officejet Pro X Series 2500pp
HCN624AE	R 2,077	Hp 971 Yellow Ink Cartridge For Officejet Pro X Series 2500pp
HCN625AE	R 3,214	Hp 970 Xl Black Ink Cartridge For Officejet Pro X Series 9200 Pp
HCN626AE	R 3,156	Hp 971 Xl Cyan Ink Cartridge For Officejet Pro X Series 6600 Pp
HCN627AE	R 3,156	Hp 971 Xl Magenta Ink Cartridge For Officejet Pro X Series 6600pp
HCN628AE	R 3,156	Hp 971 Xl Yellow Ink Cartridge For Officejet Pro X Series 6600 Pp
HCN629A	R 5,015	HP CN629A #772 Magenta DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCN630A	R 5,015	HP CN630A #772 Yellow DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCN631A	R 5,015	HP CN631A #772 Light Magenta DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers

HCN632A	R 5,015	HP CN632A #772 Light Cyan DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCN633A	R 5,015	HP CN633A #772 Photo Black DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCN634A	R 5,015	HP CN634A #772 Light Grey DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCN635A	R 5,015	HP CN635A #772 Matt Black DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCN636A	R 5,015	HP CN636a #772 Cyan DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z5200 / Z5400 printers
HCZ101AK	R 320	Hp 650 Black Ink Advantage Cartridge For Deskjet 1015 (360 Page Yield)
HCZ102AK	R 278	Hp 650 Tricolor Ink Advantage Cartridge For Deskjet 1015 (200 Page Yield)
HCZ109AE	R 283	HP # 655 BLACK INK CARTRIDGE FOR HP DJ 4615
HCZ110AE	R 283	HP # 655 CYAN INK CARTRIDGE FOR HP DJ 4615
HCZ111AE	R 283	HP # 655 MAGENTA INK CARTRIDGE FOR HP DJ 4615
HCZ112AE	R 283	HP No 655 Yellow Ink Cartridge
HCZ129A	R 1,223	HP 711 38ML BLACK INK CARTRIDGE, DESIGNJET T120 SERIES
HCZ130A	R 964	HP 711 29ML CYAN INK CARTRIDGE, DESIGNJET T120 SERIES
HCZ131A	R 1,036	HP 711 29ML MAGENTA INK CARTRIDGE, DESIGNJET T120 SERIES
HCZ132A	R 964	HP 711 29ML YELLOW INK CARTRIDGE, DESIGNJET T120
HCZ133A	R 1,775	HP 711 80ML BLACK INK CARTRIDGE, DESIGNJET T120 SERIES
HCZ134A	R 2,208	HP 711 3-PACK 29ML CYAN INK CARTRIDGES, DESIGNJET T120 SERIES
HCZ135A	R 2,208	HP 711 3-PACK 29ML MAGENTA INK CARTRIDGES, DESIGNJET T120
HCZ136A	R 2,044	HP 711 3-PACK 29ML YELLOW INK CARTRIDGES, DESIGNJET
HD8J07A	R 2,334	HP 980 Cyan Original Ink Cartridge
HD8J09A	R 2,334	HP 980 Yellow Original Ink Cartridge
HD8J10A	R 2,712	HP 980 Black Original Ink Cartridge
HF6T83AE	R 3,234	HP #973X High Yield Yellow Original PageWide Cartridge
HF6U12AE	R 565	HP 953 Cyan Ink Cartridge-700 Pages
HF6U13AE	R 565	HP 953 Magenta Ink Cartridge - 700 Pages
HF6U14AE	R 565	HP 953 Yellow Original Ink Cartridge, 700 Yield
HF6U16AE	R 1,054	HP #953XL High Yield Cyan Original Ink Cartridge - 1600 Pages
HF6U17AE	R 1,054	HP #953XL High Yield Magenta Original Ink Cartridge - 1600 Pages
HF6U18AE	R 1,054	HP #953XL High Yield Yellow Original Ink Cartridge - 1600 Pages Yield
HF6V16AE	R 361	HP 123 Tri-color Original Ink Cartridge (F6V16AE), DJ 2130; 120pages
HF6V17AE	R 303	HP 123 Black Original Ink Cartridge (F6V17AE), 100 pages
HF6V24AE	R 305	HP No652 Tri-colour Ink Cartridge - Ink Advantage 3835
HF6V25AE	R 355	HP 652 Black Original Ink Advantage Cartridge (F6V25AE) - Ink Advantage 3835
HF9J65A	R 3,077	HP 728 130-ml Yellow DesignJet Ink Cartridge
HF9J66A	R 3,077	HP 728 130-ml Magenta DesignJet Ink Cartridge
HF9J67A	R 3,077	HP 728 130-ml Cyan DesignJet Ink Cartridge
HF9J68A	R 5,892	HP 728 300-ml Matte Black DesignJet Ink Cartridge
HF9J76A	R 4,765	HP F9J76A 727 Cyan DesignJet Ink cartridge, 300ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HF9J77A	R 4,765	HP F9J77A 727 Magenta DesignJet Ink cartridge, 300ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HF9J78A	R 4,765	HP F9J78A 727 Yellow DesignJet Ink cartridge, 300ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HF9J79A	R 4,765	HP F9J79A 727 Photo Black DesignJet Ink cartridge, 300ml volume, Compatible with --> DesignJet T920 /

		T1500 series printers
HF9J80A	R 4,765	HP F9J80A 727 Grey DesignJet Ink cartridge, 300ml volume, Compatible with --> DesignJet T920 / T1500 series printers
HF9J86A	R 3,150	HP F9J86A #744 Photo Black and Cyan Printhead, Compatible with --> DesignJet Z2600 and Z5600 printers
HF9J87A	R 3,150	HP F9J87A #744 Magenta and Yellow Printhead, Compatible with --> DesignJet Z2600 and Z5600 printers
HF9J88A	R 3,150	HP F9j88a #744 Matt Black and Chromatic Red Printhead, Compatible with --> DesignJet Z2600 and Z5600 printers
HF9J95A	R 3,100	HP F9J95A #745 DesignJet Magenta Ink cartridge, 130ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9J96A	R 3,100	HP F9J96A #745 DesignJet Yellow Ink cartridge, 130ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9J97A	R 3,100	HP F9J97A #745 DesignJet Cyan Ink cartridge, 130ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9J98A	R 3,100	HP F9J98A #745 DesignJet Photo Black Ink cartridge, 130ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9J99A	R 3,100	HP F9J99A #745 DesignJet Matt Black Ink cartridge, 130ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K00A	R 3,100	HP F9K00A #745 DesignJet Chromatic Red Ink cartridge, 130ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K01A	R 5,065	HP F9K01A #745 DesignJet Magenta Ink cartridge, 300ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K02A	R 5,065	HP F9K02A #745 DesignJet Yellow Ink cartridge, 300ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K03A	R 5,065	HP F9K03A #745 DesignJet Cyan Ink cartridge, 300ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K04A	R 5,065	HP F9K04A #745 DesignJet Photo Black Ink cartridge, 300ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K05A	R 5,065	HP F9K05A #745 DesignJet Matt Black Ink cartridge, 300ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K06A	R 5,065	HP F9K06A #745 DesignJet Chromatic Red Ink cartridge, 300ml, Compatible with --> DesignJet Z5600 44-in PostScript / DesignJet Z2600 24-in PostScript printers
HF9K15A	R 5,892	HP 728 300-ml Yellow DesignJet Ink Cartridge
HF9K16A	R 5,892	HP 728 300-ml Magenta DesignJet Ink Cartridge
HF9K17A	R 5,892	HP 728 CYAN INK CARTRIDGE FOR T7 830 (300ML)
HJ3M68A	R 2,768	HP 981A Cyan PageWide Ink Cartridge-6000 Pages
HJ3M69A	R 2,768	HP 981A Magenta PageWide Ink Cartridge - 6000 Pages
HJ3M70A	R 2,768	HP 981A Yellow PageWide Ink Cartridge - 6000 Pages
HJ3M71A	R 1,930	HP 981A Black PageWide Ink Cartridge - 6000 Pages
HL0R13A	R 5,157	HP 981Y Extra High Yield Cyan PageWide Ink Cartridge - 16000 Pages
HL0R14A	R 5,157	HP 981Y Extra High Yield Magenta PageWide Ink Cartridge - 16000 Pages
HL0R15A	R 5,157	HP 981Y Extra High Yield Yellow PageWide Ink Cartridge - 16000 Pages
HL0R16A	R 4,008	HP 981Y Extra Black PageWide Ink Cartridge - 20000 Pages
HL0R95AE	R 2,042	HP 913A Black PageWide Ink Cartridge FOR HP PAGEWIDE PRO 352dn / 377dn (3500 PAGE YIELD)
HL0S58AE	R 917	HP #953 Black Original Ink Cartridge - 1000 Pages Yields
HL0S70AE	R 1,452	HP #953XL High Yield Black Original Ink Cartridge - 2000 Pages Yield
HM0H54AE	R 181	HP M0H54AE GT52 Cyan 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
HM0H55AE	R 181	HP M0H55AE GT52 Magenta 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
HM0H56AE	R 181	HP M0H56AE GT52 Yellow 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
HM0J90AE	R 5,647	HP 991X M0J90AE high yield Cyan PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP

		PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
HM0J94AE	R 5,647	HP 991X M0J94AE high yield Magenta PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
HM0J98AE	R 5,647	HP 991X M0J98AE high yield Yellow PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
HM0K02AE	R 5,185	HP 991X M0K02AE high yield Black PageWide Ink Cartridge, 20000 Page yield, Pigment-based ink, for HP PageWide Pro 750dw Printer (Y3Z46B) / HP PageWide Pro 772dn Multifunction Printer (Y3Z54B) / HP PageWide Pro 777z Multifunction Printer (Y3Z55B)
HP2V25A	R 3,038	HP P2V25A #746 DesignJet Printhead, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers
HP2V27A	R 2,933	HP P2V27A 731 DesignJet Printhead, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V62A	R 2,281	HP P2V62A 730 Cyan DesignJet Ink cartridge, 130ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V63A	R 2,281	HP P2V63A 730 Magenta DesignJet Ink cartridge, 130ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V64A	R 2,281	HP P2V64A 730 Yellow DesignJet Ink cartridge, 130ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V65A	R 2,281	HP P2V65A 730 Matt Black DesignJet Ink cartridge, 130ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V66A	R 2,281	HP P2V66A 730 Grey DesignJet Ink cartridge, 130ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V67A	R 2,281	HP P2V67A 730 Photo Black DesignJet Ink cartridge, 130ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V68A	R 4,379	HP P2V68A 730 Cyan DesignJet Ink cartridge, 300ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V69A	R 4,379	HP P2V69A 730 Magenta DesignJet Ink cartridge, 300ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V70A	R 4,379	HP P2V70A 730 Yellow DesignJet Ink cartridge, 300ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V71A	R 4,379	HP P2V71A 730 Matt Black DesignJet Ink cartridge, 300ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V72A	R 4,379	HP P2V72A 730 Grey DesignJet Ink cartridge, 300ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V73A	R 4,379	HP P2V73A 730 Photo Black DesignJet Ink cartridge, 300ml Volume, Compatible with --> HP DesignJet T1700 / T1600 / T2600 Series printers
HP2V78A	R 4,007	HP P2V78A #746 DesignJet Magenta Ink cartridge, 300ml, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers
HP2V79A	R 4,007	HP P2V79A #746 DesignJet Yellow Ink cartridge, 300ml, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers
HP2V80A	R 4,007	HP P2V80A #746 DesignJet Cyan Ink cartridge, 300ml, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers
HP2V81A	R 4,007	HP P2V81A #746 DesignJet Chromatic Red Ink cartridge, 300ml, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers
HP2V82A	R 4,007	HP P2V82A #746 DesignJet Photo Black Ink cartridge, 300ml, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers
HP2V83A	R 4,007	HP P2V83A #746 DesignJet Matt Black Ink cartridge, 300ml, Compatible with --> HP DesignJet Z6 / Z9 / Z6dr printers

HP2V84A	R 4,007	HP P2V84A #747 Chromatic Green DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z9 / Z9 dr printers
HP2V85A	R 4,007	HP P2V85A #747 Chromatic Blue DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z9 / Z9 dr printers
HP2V86A	R 4,007	HP P2V86A #747 Grey DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z9 / Z9 dr printers
HP2V87AG	R 3,931	HP P2V87A #747 Gloss Enhancer DesignJet Ink cartridge, 300ml, Compatible with --> HP DesignJet Z9 / Z9 dr printers
HT6L87AE	R 276	HP #903 Cyan Original Ink Cartridge - 315 Pages Yield
HT6L91AE	R 276	HP #903 Magenta Original Ink Cartridge - 315 Pages Yield
HT6L95AE	R 276	HP #903 Yellow Original Ink Cartridge - 315 Pages Yield
HT6L99AE	R 445	Hp 903 Black Ink Cartridge For Officejet Pro 6860 (300 Page Yield)
HT6M03AE	R 494	HP #903XL High Yield Cyan Original Ink Cartridge - 825 Pages Yield
HT6M07AE	R 494	HP #903XL High Yield Magenta Original Ink Cartridge - 825 Pages Yield
HT6M11AE	R 494	HP #903XL High Yield Yellow Original Ink Cartridge - 825 Pages Yield
HT6M15AE	R 1,104	HP #903XL High Yield Black Original Ink Cartridge - 825 Pages Yield
HW2220A	R 1,611	HP W2220A 222A Black Original LaserJet Toner Cartridge, 1300 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2221A	R 1,897	HP W2221A 222A Cyan Original LaserJet Toner Cartridge, 1200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2221X	R 2,628	HP W2221X 222X High Yield Cyan Original LaserJet Toner Cartridge, 2500 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2222A	R 1,897	HP W2222A 222A Yellow Original LaserJet Toner Cartridge, 1200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2222X	R 2,628	HP W2222X 222X High Yield Yellow Original LaserJet Toner Cartridge, 2500 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2223A	R 1,897	HP W2223A 223A Magenta Original LaserJet Toner Cartridge, 1200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2223X	R 2,628	HP W2223X 222X High Yield Magenta Original LaserJet Toner Cartridge, 2500 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
IP121XLTC	R 299	HP 121XL High Yield Tri-color Original Ink Cartridge for HP Officejet D2563, D1560 - 121XL Tri-colour Ink Cartridge
IP22XLTC	R 299	Ink-Power generic tri-colour ink cartridge for HP 22xl for use with HP DeskJet D1311 / D1320 / D1330 / D1341 / D1420 / D1430 / D1445 / D1520 / D1530 / D2330 / D2460 / F340 / HP OfficeJet 4315 / 5610 / J3680 / HP PSC 1410 / HP 3180
IP88XLM	R 99	HP 88XL High Yield Magenta Original Ink Cartridge
IP901XLTC	R 299	Inkpower Generic for Hp No. 901 XL Tri-colour Inkjet Print Cartridge
IP920XLBK	R 149	Inkpower Generic for Hp No. 920XL Black Inkjet Print Cartridge
IP933XLC	R 149	InkPower Generic Replacement Cartridge for 933XL Cyan Ink Cartridge CN054AA - for use with HP OfficeJet 6100 e-Printer, HP OfficeJet 6600 e-All-in-One, HP OfficeJet 6700 Premium, HP OfficeJet 7110 wide format Printer, Retail Box
IP933XLM	R 149	InkPower Generic Replacement for 933XL Magenta Ink Cartridge CN055AA -for use with HP OfficeJet 6100 e-Printer, HP OfficeJet 6600 e-All-in-One, HP OfficeJet 6700 Premium, HP OfficeJet 7110 wide format Printer, Retail Box
IP940XLBK	R 149	Inkpower Generic for Hp No. 940XL Black Inkjet Print Cartridge
IP953XLC	R 399	Inkpower Generic Replacement Cartridge F6U16AE for HP Officejet Ink Cartridge 953XL High Yield Cyan - Page Yield 1600 Pages with 5% Coverage for use with HP OfficeJet Pro 7720 Wide Format All-in-One Printer (Y0S18A), HP OfficeJet Pro 7730 Wide Format All-in-One Printer (Y0S19A), HP OfficeJet Pro 8218 Printer (J3P68A), HP OfficeJet Pro 7740 Wide Format All-in-One Printer (G5J38A), HP OfficeJet Pro 8715 All-in-One Printer (J6X76A), HP OfficeJet Pro 8725 All-in-One Printer (M9L80A), HP OfficeJet Pro 8210 Printer (D9L63A), HP OfficeJet Pro

		8710 All-in-One Printer (D9L18A), HP OfficeJet Pro 8720 All-in-One Printer (D9L19A), HP OfficeJet Pro 8730 All-in-One Printer (D9L20A), Cyan, Retail Box, No Warranty
IP953XLM	R 399	Inkpower Generic Replacement Cartridge F6U17AE for HP Officejet Ink Cartridge 953XL High Yield Magenta - Page Yield 1600 Pages with 5% Coverage for use with HP OfficeJet Pro 7720 Wide Format All-in-One Printer (Y0S18A), HP OfficeJet Pro 7730 Wide Format All-in-One Printer (Y0S19A), HP OfficeJet Pro 8218 Printer (J3P68A), HP OfficeJet Pro 7740 Wide Format All-in-One Printer (G5J38A), HP OfficeJet Pro 8715 All-in-One Printer (J6X76A), HP OfficeJet Pro 8725 All-in-One Printer (M9L80A), HP OfficeJet Pro 8210 Printer (D9L63A), HP OfficeJet Pro 8710 All-in-One Printer (D9L18A), HP OfficeJet Pro 8720 All-in-One Printer (D9L19A), HP OfficeJet Pro 8730 All-in-One Printer (D9L20A), Magenta, Retail Box, No Warranty
IP953XLY	R 399	Inkpower Generic Replacement Cartridge F6U18AE for HP Officejet Ink Cartridge 953XL High Yield Yellow - Page Yield 1600 Pages with 5% Coverage for use with HP OfficeJet Pro 7720 Wide Format All-in-One Printer (Y0S18A), HP OfficeJet Pro 7730 Wide Format All-in-One Printer (Y0S19A), HP OfficeJet Pro 8218 Printer (J3P68A), HP OfficeJet Pro 7740 Wide Format All-in-One Printer (G5J38A), HP OfficeJet Pro 8715 All-in-One Printer (J6X76A), HP OfficeJet Pro 8725 All-in-One Printer (M9L80A), HP OfficeJet Pro 8210 Printer (D9L63A), HP OfficeJet Pro 8710 All-in-One Printer (D9L18A), HP OfficeJet Pro 8720 All-in-One Printer (D9L19A), HP OfficeJet Pro 8730 All-in-One Printer (D9L20A), Yellow, Retail Box ,No Warranty
IPC426BK	R 79	Inkpower Generic for Canon Ink CLI-426 for use with IP4840/IP4940/MG5140/MG5240/MG5340/MG6140 Black Inkjet Cartridge
IPC426M	R 79	Inkpower Generic for Canon Ink CLI-426 for use with IP4840 / IP4940 / MG5140 / MG5240 / MG5340 / MG6140 Magenta Inkjet Cartridge
IPC450XLBK	R 79	InkPower Generic Canon Ink PGI-450XL for use with iP7240, MG5440, MG5540,MG5640, MG6340,MG7140 Black Inkjet Cartridge
IPC451XLBK	R 79	Inkpower Generic for Canon Ink PGI-451XL for use with iP7240, MG5440, MG5540, MG5640, MG6340, MG7140, MG7540 Black Inkjet Cartridge, Retail Box
IPC451XLC	R 79	Inkpower Generic for Canon Ink PGI-451XL for use with iP7240, MG5440, MG5540, MG5640, MG6340, MG7140, MG7540 Cyan Inkjet Cartridge, Retail Box
IPC451XLY	R 79	Inkpower Generic for Canon Ink PGI-451XL for use with iP7240, MG5440, MG5540, MG5640, MG6340, MG7140, MG7540 Yellow Inkjet Cartridge, Retail Box
IPC470XLBK	R 299	Inkpower Generic Replacement for Canon PGI 470XL Black Ink Cartridge - Page Yield 500 Pages with 5% Coverage for use with Canon Pixma Printers- MG5740, MG5720, MG5721, MG5722, MG5750, MG5751,MG5752, MG5753, MG6820, MG6821, MG6822, MG6850 MG6851, MG6852, MG6853, MG6860, MG7720, MG7721, MG7722, MG7723, MG7740, MG7750, MG7751, MG7752, MG7753, MG7760, Pixma TS5040, TS6040, TS8040, TS9040, Black, Retail Box , No Warranty
IPC471XLBK	R 299	Inkpower Generic Replacement for Canon PGI 471XL Black Ink Cartridge - Page Yield 300 Pages with 5% Coverage for use with Canon Pixma Printers- MG5740, MG5720, MG5721, MG5722, MG5750, MG5751,MG5752, MG5753, MG6820, MG6821, MG6822, MG6850 MG6851, MG6852, MG6853, MG6860, MG7720, MG7721, MG7722, MG7723, MG7740, MG7750, MG7751, MG7752, MG7753, MG7760, Pixma TS5040, TS6040, TS8040, TS9040, Black, Retail Box , No Warranty
IPC471XLC	R 299	Inkpower Generic Replacement for Canon PGI 471XL Cyan Ink Cartridge - Page Yield 300 Pages with 5% Coverage for use with Canon Pixma Printers- MG5740, MG5720, MG5721, MG5722, MG5750, MG5751,MG5752, MG5753, MG6820, MG6821, MG6822, MG6850 MG6851, MG6852, MG6853, MG6860, MG7720, MG7721, MG7722, MG7723, MG7740, MG7750, MG7751, MG7752, MG7753, MG7760, Pixma TS5040, TS6040, TS8040, TS9040, Cyan, Retail Box, No Warranty
IPC471XLM	R 299	Inkpower Generic Replacement for Canon PGI 471XL Magenta Ink Cartridge - Page Yield 300 Pages with 5% Coverage for use with Canon Pixma Printers- MG5740, MG5720, MG5721, MG5722, MG5750, MG5751,MG5752, MG5753, MG6820, MG6821, MG6822, MG6850 MG6851, MG6852, MG6853, MG6860, MG7720, MG7721, MG7722, MG7723, MG7740, MG7750, MG7751, MG7752, MG7753, MG7760, Pixma TS5040, TS6040, TS8040, TS9040, Magenta, Retail Box, No Warranty
IPC471XLY	R 299	Inkpower Generic Replacement for Canon PGI 471XL Yellow Ink Cartridge - Page Yield 300 Pages with 5%

		Coverage for use with Canon Pixma Printers- MG5740, MG5720, MG5721, MG5722, MG5750, MG5751,MG5752, MG5753, MG6820, MG6821, MG6822, MG6850 MG6851, MG6852, MG6853, MG6860, MG7720, MG7721, MG7722, MG7723, MG7740, MG7750, MG7751, MG7752, MG7753, MG7760, Pixma TS5040, TS6040, TS8040, TS9040, Yellow, Retail Box, No Warranty
IPC520BK	R 79	Inkpower Generic for Canon Ink PGI-520BK for use with PIXMA iP3600 iP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 Black Inkjet Cartridge, Retail Box
IPC521BK	R 79	Inkpower Generic for Canon Ink C521BK for use with PIXMA iP3600 iP4700 MP540 MP550 MP560 MP620 MP630 MP640 MP980 Black Inkjet Cartridge, Retail Box
IPC521C	R 79	Inkpower Generic for Canon C521 for use with Canon Pixma IP3600, IP4600, IP4700, MP540, MP550, MP560, MP620, MP630, MP640, MP980, MP990, MX860, MX870 Cyan Ink Cartridge, Retail Box
IPC521M	R 79	Inkpower Generic for Canon C521 for use with Canon Pixma IP3600, IP4600, IP4700, MP540, MP550, MP560, MP620, MP630, MP640, MP980, MP990, MX860, MX870 Magenta Ink Cartridge, Retail Box
IPC5BK	R 149	Inkpower Generic For Canon PGI 5 Black Ink Cartridge - High Yield Pigment Cartridge, For Use With PIXMA IP 3300, IP4300, IP4200, IP4300, IP4500, IP5200, IP6600D, IP6700D, PRO 9000, MP500, MP530, MP600, MP600R, MX850, MP970, MP960, MP950, MP830, MP810, MP800, Retail Box
IPC8BK	R 149	Inkpower Generic for Canon CLI-8 Black Dye Ink Cartridge- For Use With Canon Pixma IP 3300 / Pixma IP 3500 / Pixma IP 4200 Series / Pixma IP 4200 X / Pixma IP 4200 / Pixma IP 4300 / Pixma IP 4500 Series / Pixma IP 4500 X / Pixma IP 4500 / Pixma IP 5200 R / Pixma IP 5200 Series / Pixma IP 5200 / Pixma IP 5300 / Pixma IX 4000 R / Pixma IX 4000 Series / Pixma IX 4000 / Pixma IX 5000 / Pixma MP 500 / Pixma MP 510 / Pixma MP 520 Series / Pixma MP 520 X / Pixma MP 520 / Pixma MP 530 / Pixma MP 600 R / Pixma MP 600 Series / Pixma MP 600 / Pixma MP 610 / Pixma MP 800 R / Pixma MP 800 Series / Pixma MP 800 / Pixma MP 810 / Pixma MP 830 / Pixma MP 970 / Pixma MX 700 / Pixma MX 850, Retail Box
IPC8C	R 149	Inkpower Generic for Canon CLI-8 Cyan Dye Ink Cartridge- For Use With Canon Pixma IP 3300 / Pixma IP 3500 / Pixma IP 4200 Series / Pixma IP 4200 X / Pixma IP 4200 / Pixma IP 4300 / Pixma IP 4500 Series / Pixma IP 4500 X / Pixma IP 4500 / Pixma IP 5200 R / Pixma IP 5200 Series / Pixma IP 5200 / Pixma IP 5300 / Pixma IX 4000 R / Pixma IX 4000 Series / Pixma IX 4000 / Pixma IX 5000 / Pixma MP 500 / Pixma MP 510 / Pixma MP 520 Series / Pixma MP 520 X / Pixma MP 520 / Pixma MP 530 / Pixma MP 600 R / Pixma MP 600 Series / Pixma MP 600 / Pixma MP 610 / Pixma MP 800 R / Pixma MP 800 Series / Pixma MP 800 / Pixma MP 810 / Pixma MP 830 / Pixma MP 970 / Pixma MX 700 / Pixma MX 850, Retail Box
IPC8M	R 149	Inkpower Generic for Canon CLI-8 Magenta Dye Ink Cartridge- For Use With Canon Pixma IP 3300 / Pixma IP 3500 / Pixma IP 4200 Series / Pixma IP 4200 X / Pixma IP 4200 / Pixma IP 4300 / Pixma IP 4500 Series / Pixma IP 4500 X / Pixma IP 4500 / Pixma IP 5200 R / Pixma IP 5200 Series / Pixma IP 5200 / Pixma IP 5300 / Pixma IX 4000 R / Pixma IX 4000 Series / Pixma IX 4000 / Pixma IX 5000 / Pixma MP 500 / Pixma MP 510 / Pixma MP 520 Series / Pixma MP 520 X / Pixma MP 520 / Pixma MP 530 / Pixma MP 600 R / Pixma MP 600 Series / Pixma MP 600 / Pixma MP 610 / Pixma MP 800 R / Pixma MP 800 Series / Pixma MP 800 / Pixma MP 810 / Pixma MP 830 / Pixma MP 970 / Pixma MX 700 / Pixma MX 850, Retail Box
IPC8Y	R 149	Inkpower Generic for Canon CLI-8 Yellow Dye Ink Cartridge- For Use With Canon Pixma IP 3300 / Pixma IP 3500 / Pixma IP 4200 Series / Pixma IP 4200 X / Pixma IP 4200 / Pixma IP 4300 / Pixma IP 4500 Series / Pixma IP 4500 X / Pixma IP 4500 / Pixma IP 5200 R / Pixma IP 5200 Series / Pixma IP 5200 / Pixma IP 5300 / Pixma IX 4000 R / Pixma IX 4000 Series / Pixma IX 4000 / Pixma IX 5000 / Pixma MP 500 / Pixma MP 510 / Pixma MP 520 Series / Pixma MP 520 X / Pixma MP 520 / Pixma MP 530 / Pixma MP 600 R / Pixma MP 600 Series / Pixma MP 600 / Pixma MP 610 / Pixma MP 800 R / Pixma MP 800 Series / Pixma MP 800 / Pixma MP 810 / Pixma MP 830 / Pixma MP 970 / Pixma MX 700 / Pixma MX 850, Retail Box
IPL100XLM	R 99	Ink-power Generic Magenta Ink Cartridge for Lexmark 100XL for use with Lexmark S305 / S405 / S505 / S605 / S815 / Pro 205 / Pro 705 / Pro 805 / Pro 901 / Pro 905
IPTN650	R 299	Inkpower Generic for Brother Ink TN650 Black Toner, Retail Box
L0S58AE	R 698	HP #953 Black Original Ink Cartridge - 1000 Pages Yields
L0S70AE	R 1,147	HP #953XL High Yield Black Original Ink Cartridge - 2000 Pages Yield
L80C8HME	R 3,019	LEXMARK 808HME MAGENTA HIGH YIELD TONER CARTRIDGE

LC3719XLBK	R 506	Brother LC3719XLBK High yield black ink cartridge, 3000 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930DW
LC3719XLC	R 357	Brother LC3719XLC High yield Cyan ink cartridge, 1500 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930DW
LC3719XLM	R 357	Brother LC3719XLM High yield Magenta ink cartridge, 1500 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930DW
LC3719XLY	R 357	Brother LC3719XLY High yield Yellow ink cartridge, 1500 pages, for MFC-J2330DW / MFC-J2730DW / MFC-J3530DW / MFC-J3930DW
LC39BK	R 265	Brother Black Single cartridge with yield of 300 pages @ IDC 5% coverage
LC472XLBK	R 403	Brother LC472XLBK Black Ink cartridge, 3000 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
LC472XLC	R 288	Brother LC472XLC Cyan Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
LC472XLM	R 288	Brother LC472XLM Magenta Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
LC472XLY	R 288	Brother LC472XLY Yellow Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
LC47BK	R 299	Brother LC47BK Ink cartridge Black, 500 pages yield, Compatible with --> DCP-110c / DCP-115c / DCP-120c / DCP-5440cn / FAX-1840c / MFC-210c / MFC-215c / MFC-3220c / MFC-3240c / MFC-3820cn / MFC-410cn / MFC-5440cn / MFC-5840cn / MFC-620cn / MFC-640cw printers
LC535XLC	R 230	High yield cyan ink cartridge, 1300 PGS
LC535XLM	R 230	High yield magenta ink cartridge, 1300 PGS
LC535XLY	R 230	High yield yellow ink cartridge, 1300 PGS
LC539XLBK	R 230	High yield black ink cartridge, 2400 PGS
LC565XLC	R 299	High yield cyan ink cartridge, 1200 PGS
LC565XLM	R 299	High yield magenta ink cartridge, 1200 PGS
LC565XLY	R 299	High yield yellow ink cartridge, 1200 PGS
LC569XLBK	R 426	Brother MFCJ3520 High yield black ink cartridge, 2400 PGS
LC675XLM	R 299	Brother High Yield MAGENTA Ink - LC675XL
LC675XLY	R 299	Brother High Yield YELLOW Ink - LC675XLn - 1200 PGS
LC679XLBK	R 414	Brother LC679XLBK High Yield Black Ink Cartridge
LC77XLBK	R 633	Brother Black Single cartridge with yield of 2400 pages @ IDC 5% coverage
LC77XLC	R 391	Brother Cyan Single cartridge with yield of 1200 pages @ IDC 5% coverage
LE14N1069BP	R 499	Lexmark N1069BP no 100xl Cyan High Yield Ink cartridge, 600 pages yield, Compatible with --> S300 /S301 / S302 /S305 / S402 /S405 / S502 / S605 / S815 / S816 / PRO202 / PRO205 / PRO206 / PRO207 / PRO702, PRO703 / PRO705 /PRO706 / PRO802 / PRO803 / PRO805 / PRO902 / PRO903 / PRO904 / PRO905 / PRO901 / PRO701 / S505 printers
LE14N1070BP	R 499	Lexmark N1070BP no 100xl Magenta High Yield Ink cartridge, 600 pages yield, Compatible with --> S300 /S301 / S302 /S305 / S402 /S405 / S502 / S605, S815 / S816 / PRO202 / PRO205 / PRO206 / PRO207 / PRO702 / PRO703 / PRO705 /PRO706 / PRO802 / PRO803 / PRO805 / PRO902 / PRO903 / PRO904 / PRO905 / PRO901 / PRO701 / S505 printers
M0H54AE	R 155	HP M0H54AE GT52 Cyan 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
M0H55AE	R 155	HP M0H55AE GT52 Magenta 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
M0H56AE	R 155	HP M0H56AE GT52 Yellow 70ml ink bottle, 8000 page yield, Dye-based ink, for deskjet gt 5810 / 5820
MBT5000C	R 227	Brother Bt5000 Cyan Ink For Dcpt500w Dcpt710w Mfcj910dw (5000 Page Yield)
MBT5000M	R 227	Brother Bt5000 Magenta Ink For Dcpt500w Dcpt710w Mfcj910dw (5000 Page Yield)
MBT5000Y	R 227	Brother Bt5000 Yellow Ink For Dcpt500w Dcpt710w Mfcj910dw (5000 Page Yield)
MBT6000BK	R 265	Brother Bt6000 Black Ink For Dcpt500w Only (6000 Page Yield)
MBTD100BK	R 265	Brother BTD100bk Black Ink Bottle, 7500 pages yield, Compatible with --> DCP-T230 / DCP-T430w /

		DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
MBTD100C	R 227	Brother BTD100C Cyan Ink Bottle, 5000 pages yield, Compatible with --> DCP-T230 / DCP-T430w / DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
MBTD100M	R 227	Brother BTD100m Magenta Ink Bottle, 5000 pages yield, Compatible with --> DCP-T230 / DCP-T430w / DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
MBTD100Y	R 227	Brother BTD100y Yellow Ink Bottle, 5000 pages yield, Compatible with --> DCP-T230 / DCP-T430w / DCP-T530dw / DCP-T536dw / DCP-T730dw / DCP-T830dw / MFC-T930dw printers
MBTD60BK	R 265	Brother BTD60BK Ink cartridge Black, 6500 Page yield, Compatible with --> DCP-T310 / DCP-T510W / DCP-T510W / DCP-T710W / DCP-T710W / MFC-T910DW / MFC-T910DW printers
MDR1000	R 494	Brother Mdr1000 For Hl1210w Drum Unit (10 000 Page Yield)
MDR2125	R 2,021	Brother DR-2125 Drum Unit; laser printing; up to 12000 pages; monochrome printing; compatible with Brother HL-2140 HL-2150N HL-2170W DCP-7030 DCP-7040 MFC-7320 MFC-7440N MFC-7840W; genuine Brother consumable; 35.4 x 22.8 x 11.8 cm; 0.74kg
MDR2305	R 1,906	Brother Dr2305 Drum Unit For Hl2365dw (12 000 Page Yield)
MDR3405	R 2,586	Brother Mdr3405 Drum Unit For Hll5200 Mfcl5700 5900 6900dw (50 000 Page Yield)
MDR361CL	R 2,711	Brother Dr361cl Drum Unit For Hl8350cdw Mfcl8850cdw Mfcl8600cdw (25 000 Page Yield)
MDR461CL	R 3,451	Brother Dr461 Drum Unit For Mfcl9750 Hll8360 Mfcl8960 (1800 Page Yeild)
MLC3719XLBK	R 543	Brother Lc3719 High Yield Black Ink Cartridge For Mfcj3530 (3000 Page Yield)
MLC3719XLC	R 382	BROTHER LC3719 HIGH YIELD CYAN INK CARTRIDGE FOR MFCJ3530 (3000 PAGE YIELD)
MLC3719XLM	R 382	Brother Lc3719 High Yield Magenta Ink Cartridge For Mfcj3530 (3000 Page Yield)
MLC3719XLY	R 382	Brother Lc3719 High Yield Yellow Ink Cartridge For Mfcj3530 (3000 Page Yield)
MLC472XLBK	R 543	Brother LC472XLBK Black Ink cartridge, 3000 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
MLC472XLC	R 382	Brother LC472XLC Cyan Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
MLC472XLM	R 382	Brother LC472XLM Magenta Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
MLC472XLY	R 382	Brother LC472XLY Yellow Ink cartridge, 1500 pages yield, Compatible with --> MFC-J3540dw / MFC-J3940dw / MFC-J2340dw printers
MLC535XLC	R 247	BROTHER DCPJ105 MFCJ200 HIGH YIELD CYAN INK CATRIDGE
MLC535XLM	R 247	BROTHER DCPJ105 MFCJ200 HIGH YIELD MAGENTA INK CATRIDGE
MLC535XLY	R 247	Brother High yield yellow ink cartridge, 1300 PGS, ©2014 Laptop Direct
MLC539XLBK	R 247	Brother LC539XLBK High yield black ink cartridge, 2400 PGS
MLC565XLC	R 321	Brother MLC565XLC High yield cyan ink cartridge, 1200 PGS
MLC565XLM	R 321	Brother LC565XLM High yield magenta ink cartridge, 1200 PGS
MLC565XLY	R 321	Brother MLC565XLY High yield yellow ink cartridge, 1200 PGS
MLC569XLBK	R 456	Brother MFCJ3520 Black high yield ink
MTZ121	R 293	BROTHER LAMINATED TAPE (8M X 9MM) BLACK ON CLEAR
RC-485	R 89	Inkpower Generic for Epson TO485 Light Cyan Inkjet Cartridge for use with Epson Stylus R200/R220/R300/R320/R340/Rx500/RX600/RX620/RX640, Retail Box
RC-486	R 89	Ink-Power generic for Epson TO486 magenta Inkjet cartridge for use with Epson Stylus R200 / R220 / R300 / R320 / R340 / RX500 / RX600 / RX620 / RX641
T00S14A	R 158	Epson 103 Ecotank Black ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
T00S24A	R 158	Epson 103 Ecotank Cyan ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
T00S34A	R 158	Epson 103 Ecotank Magenta ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 / L3111 / L3110 printers
T00S44A	R 158	Epson 103 Ecotank Yellow ink bottle 65ml, 4500 page yield, Compatible with --> Ecotank L5190 / L3150 /

		L3111 / L3110 printers
T00S64A	R 534	Epson T00S64A Black Ink cartridge, 65ml, Compatible with --> EcoTank L3151 / L3150 / L3111 / L3110 printers, C13T00S64A
T01C100	R 739	Epson T01C1 Black XL Ink Supply Unit, 10 000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01C200	R 771	Epson T01C2 Cyan XL Ink Supply Unit, 5000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01C300	R 771	Epson T01C3 Magenta XL Ink Supply Unit, 5000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01C400	R 771	Epson T01C4 Yellow XL Ink Supply Unit, 5000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01D100	R 3,790	Epson T01D1 Black XXL Ink Supply Unit, 50 000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01D200	R 2,703	Epson T01D2 Cyan XXL Ink Supply Unit, 20 000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01D300	R 2,711	Epson T01D3 Magenta XXL Ink Supply Unit, 20 000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01D400	R 2,711	Epson T01D4 Yellow XXL Ink Supply Unit, 20 000 pages yield, Compatible with --> WF-C529R / WF-C579R Printer
T01L14A	R 198	Epson 110S EcoTank Pigment black ink bottle, 2000 pages yield, Compatible with --> Epson EcoTank M 1100 / M 3100 / M 2140 / M 1120 / M 3180 / M 3170 / M 3140 / M 1180 / M 1140 / M 2170 / M 1170 / M 2100 / M 1190 printers
T02Q100	R 4,134	Epson T02Q100 HC high capacity Black Ink cartridge, 50 000 pages yield, Compatible with --> WorkForce Enterprise WF-C20600 Colour Printer
T02Q200	R 6,613	Epson T02Q200 HC high capacity Cyan Ink cartridge, 50 000 pages yield, Compatible with --> WorkForce Enterprise WF-C20600 Colour Printer
T02Q300	R 6,613	Epson T02Q300 HC high capacity Magenta Ink cartridge, 50 000 pages yield, Compatible with --> WorkForce Enterprise WF-C20600 Colour Printer
T02Q400	R 6,613	Epson T02Q400 HC high capacity Yellow Ink cartridge, 50 000 pages yield, Compatible with --> WorkForce Enterprise WF-C20600 Colour Printer
T02S100	R 3,724	Epson T02S100 High Capacity Black Ink cartridge, 50 000 pages yield, Compatible with --> WF-C20750 Printer
T02S200	R 5,574	Epson T02S200 High Capacity Cyan Ink cartridge, 50 000 pages yield, Compatible with --> WF-C20750 Printer, C13T02S200
T02S300	R 5,574	Epson T02S300 High Capacity Magenta Ink cartridge, 50 000 pages yield, Compatible with --> WF-C20750 Printer, C13T02S300
T02S400	R 5,574	Epson T02S400 High Capacity Yellow Ink cartridge, 50 000 pages yield, Compatible with --> WF-C20750 Printer, C13T02S400
T02Y100	R 3,122	Epson C13T02Y100 Black Ultra High Capacity ink cartridge, 50 000 pages yield, Compatible with --> WF-C21000 Printer
T02Y200	R 4,549	Epson C13T02Y200 Cyan Ultra High Capacity ink cartridge, 50 000 pages yield, Compatible with --> WF-C21000 Printer
T02Y300	R 4,576	Epson C13T02Y300 Magenta Ultra High Capacity ink cartridge, 50 000 pages yield, Compatible with --> WF-C21000 Printer
T02Y400	R 4,576	Epson C13T02Y400 Yellow Ultra High Capacity ink cartridge, 50 000 pages yield, Compatible with --> WF-C21000 Printer
T03P14A	R 277	Epson 110 EcoTank XL Pigment black ink bottle, 6000 pages yield, Compatible with --> Epson EcoTank M 1100 / M 3100 / M 2140 / M 1120 / M 3180 / M 3170 / M 3140 / M 1180 / M 1140 / M 2170 / M 1170 / M 2100 / M 1190 printers
T03V14A	R 261	Epson 101 EcoTank Black ink bottle 127ml, 7500 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
T03V24A	R 138	Epson 101 EcoTank Cyan ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 /

		L6160 / L4160 / L4150 printer
T03V24A	R 199	Epson 101 EcoTank Cyan ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
T03V34A	R 138	Epson 101 EcoTank Magenta ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
T03V34A	R 199	Epson 101 EcoTank Magenta ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
T03V44A	R 138	Epson 101 EcoTank Yellow ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
T03V44A	R 199	Epson 101 EcoTank Yellow ink bottle 70ml, 6000 page yield, Compatible with --> EcoTank L6190 / L6170 / L6160 / L4160 / L4150 printer
T03V64A	R 652	Epson T03V64A Multipack Ink bottles, 6000 pages Colour, 7500 pages Black, Compatible with --> L14150 / L4150 / L4160 / L4260 / L4260 / L4266 / L6160 / L6160 / L6170 / L6190 / L6260 / L6270 / L6270 / L6276 / L6290 / L6290 printers, C13T03V64A
T04Q100	R 2,544	Epson T04Q100 Extra High capacity Black Ink cartridge, 60000 pages yield, Compatible with --> WorkForce Enterprise WF-M20590 / WF-M20590f / WF-M21000 printers
T05A100	R 1,662	Epson T05A100 Black XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A100
T05A200	R 3,747	Epson T05A200 Cyan XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A200
T05A300	R 3,758	Epson T05A300 Magenta XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A300
T05A400	R 3,758	Epson T05A400 Yellow XL Ink Supply Unit, 20 000 pages yield, Compatible with --> WorkForce Pro WF-C878r / WF-C879r A3 Colour Multifunction printers, C13T05A400
T05B140	R 5,379	Epson T05B140 Black XXL Ink Supply Unit, 86 000 pages yield, Compatible with --> WorkForce Pro WF-C879r A3 Colour Multifunction printers, C13T05B140
T05B240	R 6,972	Epson T05B240 Cyan XXL Ink Supply Unit, 50 000 pages yield, Compatible with --> WorkForce Pro WF-C879r A3 Colour Multifunction printers, C13T05B240
T05B340	R 6,972	Epson T05B340 Magenta XXL Ink Supply Unit, 50 000 pages yield, Compatible with --> WorkForce Pro WF-C879r A3 Colour Multifunction printers, C13T05B340
T05B440	R 6,972	Epson T05B440 Yellow XXL Ink Supply Unit, 50 000 pages yield, Compatible with --> WorkForce Pro WF-C879r A3 Colour Multifunction printers, C13T05B440
T06C14A	R 355	Epson T06C14A 112 EcoTank Pigment Black Ink Bottle, 127.0 ml, Compatible with --> Epson EcoTank printers
T06C24A	R 282	Epson T06C24A 112 EcoTank Cyan Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
T06C34A	R 282	Epson T06C34A 112 EcoTank Magenta Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
T06C44A	R 282	Epson T06C44A 112 EcoTank Yellow Ink Bottle, 70.0 ml, Compatible with --> Epson EcoTank printers
T06C64A	R 1,186	Epson 112 EcoTank 4-colour Multipack, C13T06C64A, 4x 70ml bottles, Up to 4500 pages Yield Black, Up to 7500 pages yield Colour, Compatible with --> L100 / L110 / L120 / L130 / L1300 / L1455 / L200 / L210 / L220 / L300 / L310 / L350 / L355 / L365 / L380 / L382 / L386 / L395 / L455 / L486 / L495 / L550 / L555 / L565 / L605 / L655; EcoTank ET-14000 / ET-2500 / ET-2550 / ET-2600 / ET-2650 / ET-4500 / EcoTank ITS L3050 / L3060 / L3070 printers
T07C14A	R 396	Epson C13T07C14A Pigment Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
T07D14A	R 385	Epson C13T07D14A Photo Black 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
T07D24A	R 385	Epson C13T07D24A Cyan 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
T07D34A	R 385	Epson C13T07D34A Magenta 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers

T07D44A	R 385	Epson C13T07D44A Yellow 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
T07D54A	R 385	Epson C13T07D54A Grey 70ml Ink Bottle, 6200 pages yield, 2300 Photos, Compatible with --> EcoTank L8180 / EcoTank L8160 printers
T08G100	R 3,344	Epson T08G1 Black Ink cartridge, 50 000 pages yield, Compatible with --> WorkForce Enterprise AM-C5000 / AM-C6000 printers, C13T08G100
T08G200	R 3,257	Epson T08G2 Cyan Ink cartridge, 30 000 pages yield, Compatible with --> WorkForce Enterprise AM-C5000 / AM-C6000 printers, C13T08G200
T08G300	R 3,257	Epson T08G3 Magenta Ink cartridge, 30 000 pages yield, Compatible with --> WorkForce Enterprise AM-C5000 / AM-C6000 printers, C13T08G300
T08G400	R 3,257	Epson T08G4 Yellow Ink cartridge, 30 000 pages yield, Compatible with --> WorkForce Enterprise AM-C5000 / AM-C6000 printers, C13T08G400
T08H100	R 3,344	Epson T08H1 Black Pigment-based Ink cartridge, 50 000 pages yield, Compatible with --> WorkForce Enterprise AM-C4000 Printer, C13T08H100
T08H200	R 3,526	Epson T08H2 Cyan Pigment-based Ink cartridge, 30 000 pages yield, Compatible with --> WorkForce Enterprise AM-C4000 Printer, C13T08H200
T08H300	R 3,526	Epson T08H3 Magenta Pigment-based Ink cartridge, 30 000 pages yield, Compatible with --> WorkForce Enterprise AM-C4000 Printer, C13T08H300
T08H400	R 3,526	Epson T08H4 Yellow Pigment-based Ink cartridge, 30 000 pages yield, Compatible with --> WorkForce Enterprise AM-C4000 Printer, C13T08H400
T08N140	R 4,859	Epson C13T08N140 XL Ink cartridge Black, 31500 pages yield, Compatible with --> WorkForce Enterprise AM-C400 Printer
T08N240	R 6,074	Epson C13T08N240 XL Ink cartridge Cyan, 28000 pages yield, Compatible with --> WorkForce Enterprise AM-C400 Printer
T08N340	R 6,074	Epson C13T08N340 XL Ink cartridge Magenta, 28000 pages yield, Compatible with --> WorkForce enterprise AM-C400 Printer
T08N440	R 6,074	Epson C13T08N440 XL Ink cartridge Yellow, 28000 pages yield, Compatible with --> WorkForce enterprise AM-C400 Printer
T08Q140	R 3,373	Epson T08Q1 Black XL Ink cartridge, 31500 pages yield, Compatible with --> WorkForce Enterprise AM-C400 Printer, T08Q140
T08Q240	R 3,746	Epson T08Q2 Cyan XL Ink cartridge, 28000 pages yield, Compatible with --> WorkForce Enterprise AM-C400 Printer, T08Q240
T08Q340	R 3,746	Epson T08Q3 Magenta XL Ink cartridge, 28000 pages yield, Compatible with --> WorkForce Enterprise AM-C400 Printer, T08Q340
T08Q440	R 3,746	Epson T08Q4 Yellow XL Ink cartridge, 28000 pages yield, Compatible with --> WorkForce Enterprise AM-C400 Printer, T08Q440
T096440	R 319	EPSON STYLUS PHOTO R2880 T0964 YELLOW CARTRIDGE
T09C14A	R 237	Epson T09C14A 108 EcoTank Ink bottle Black, 70ml, Compatible with --> L8050 / L18050 printers
T09C24A	R 237	Epson T09C24A 108 EcoTank Ink Cyan, 70ml, Compatible with --> L8050 / L18050 printers
T09C24A	R 406	Epson T09C24A 108 EcoTank Ink Cyan, 70ml, Compatible with --> L8050 / L18050 printers
T09C34A	R 237	Epson T09C34A 108 EcoTank Ink Magenta, 70ml, Compatible with --> L8050 / L18050 printers
T09C44A	R 237	Epson T09C44A 108 EcoTank Ink Yellow Black, 70ml, Compatible with --> L8050 / L18050 printers
T09C54A	R 237	Epson T09C54A 108 EcoTank Ink Light Cyan, 70ml, Compatible with --> L8050 / L18050 printers
T09C64A	R 237	Epson T09C64A 108 EcoTank Ink Light Magenta, 70ml, Compatible with --> L8050 / L18050 printers
T11D140	R 1,793	Epson T11D140 Black XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D140
T11D240	R 1,705	Epson T11D240 Cyan XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D240
T11D340	R 1,705	Epson T11D340 Magenta XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw /

		WF-C5890dwf printers, C13T11D340
T11D440	R 1,705	Epson T11D440 Yellow XL Ink cartrdige, 5000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11D440
T11E140	R 2,734	Epson T11E140 Black XXL Ink cartrdige, 10000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11E140
T11N140	R 739	Epson T11N140 XL Black Ink bag, 10000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11N140
T11N240	R 771	Epson T11N240 XL Cyan Ink bag, 5000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11N240
T11N340	R 771	Epson T11N340 XL Magenta Ink bag, 5000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11N340
T11N440	R 771	Epson T11N440 XL Yellow Ink bag, 5000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11N440
T11P140	R 3,790	Epson T11P140 XXL Black Ink bag, 50000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11P140
T11P240	R 2,711	Epson T11P240 XXL Cyan Ink bag, 20000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11P240
T11P340	R 2,711	Epson T11P340 XXL Magenta Ink bag, 20000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11P340
T11P440	R 2,711	Epson T11P440 XXL Yellow Ink bag, 20000 pages yield, Compatible with --> WorkForce Pro EM-C800R / EP-C800R printers, C13T11P440
T12F140	R 5,244	Epson T12F140 Black XXL Ink cartrdige, 40000 pages yield, Compatible with --> Epson WF-C5390dw / WF-C5890dwf printers, C13T11E140
T15H140	R 3,480	Epson T15H1 XXL Black Ink cartridge, 69000 pages yield, Compatible with --> WorkForce Enterprise AM-M5500 A3 Mono Printer
T2661	R 396	Epson 266 Globe Black Ink Cartridge Singlepack - 1 x 5,8 ml - WF-100
T2670	R 316	Epson Globe Colour 267 Singlepack ink cartridge - 1 x 6,7 ml - Compatibility: WF-100
T271140	R 649	Epson 27XL Black Singlepack DURABrite Ultra Ink Cartridge, DURABrite Ultra, 27XL, Alarm clock, Singlepack, 1 x 17,7 ml Black
T271240	R 649	Epson 27XL Cyan Singlepack DURABrite Ultra Ink Cartridge, DURABrite Ultra, Alarm clock, Singlepack, 1 x 10,4 ml Cyan,
T271340	R 649	Epson 27XL Magenta Singlepack DURABrite Ultra Ink Cartridge, DURABrite Ultra, 27XL, Alarm clock, Singlepack, 1 x 10,4 ml Magenta
T271440	R 649	Epson 27XL Yellow Singlepack DURABrite Ultra Ink Cartridge, DURABrite Ultra, 27XL, Alarm clock, Singlepack, 1 x 10,4 ml Yellow
T279140	R 909	Epson T2791 27XXL DURABrite Ultra Black Ink Cartridge 34.1ml, 2200 page yield, Alarm clock, C13T279140, Compatible with WF-3620 / WF-3640 / WF-7110 / WF-7610 / WF-7620
T40C140	R 1,071	Epson UltraChrome XD2 Black T40C140 50ml Ink Cartridge
T40C240	R 646	Epson UltraChrome XD2 Cyan T40C240 26ml Ink Cartridge
T40C440	R 646	Epson UltraChrome XD2 Yellow T40C440 26ml Ink Cartridge
T40D140	R 1,495	Epson UltraChrome XD2 Black T40D140 80ml Ink Cartridge
T40D240	R 1,014	Epson UltraChrome XD2 Cyan T40D240 50ml Ink Cartridge
T40D34N	R 1,014	Epson T40D3 Singlepack UltraChrome XD2 Magenta Ink cartridge, 50ml, Compatible with --> SureColor SC-T3100 / SC-T3100m MFP / SC-T3100n / SC-T5100 / SC-T5100m / SC-T5100n printers, T40D34N
T40D440	R 1,014	Epson UltraChrome XD2 Yellow T40D440 50ml Ink Cartridge
T41F240	R 2,970	Epson UltraChrome XD2 T41F240 Cyan 350ml Ink Cartridge
T41F34N	R 2,970	Epson T41F3 Singlepack UltraChrome XD2 Magenta Ink cartridge, 350ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers, T41F34N

T41F440	R 2,970	Epson UltraChrome XD2 T41F440 Yellow 350ml Ink Cartridge
T41F540	R 2,970	Epson UltraChrome XD2 T41F540 Black 350ml Ink Cartridge
T41R240	R 1,273	Epson UltraChrome XD2 T41R240 Cyan 110ml Ink Cartridge
T41R34N	R 1,273	Epson T41R3 Singlepack UltraChrome XD2 Magenta Ink cartridge, 110ml, Compatible with --> SureColor SC-T3400 / SC-3400n / SC-T3405 / SC-T3405n / SC-5400 / SC-5400n / SC-T5400m MFP / SC-T5405 printers, T41R34N
T41R440	R 1,273	Epson UltraChrome XD2 T41R440 Yellow 110ml Ink Cartridge
T41R540	R 1,273	Epson UltraChrome XD2 T41R540 Black 110ml Ink Cartridge
T44J140	R 5,259	Epson T44J140 Singlepack Photo Black UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44J240	R 5,259	Epson T44J240 Singlepack Cyan UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44J440	R 5,259	Epson T44J440 Singlepack Yellow UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44J540	R 5,259	Epson T44J540 Singlepack Light Cyan UltraChrome PRO 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44J740	R 5,259	Epson T44J740 singlepack Light Black UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44J940	R 5,259	Epson T44J940 singlepack Light Light Black UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44JA40	R 5,259	Epson T44JA40 singlepack Orange UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printers
T44JB40	R 5,259	Epson T44JB40 singlepack Green UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printrs
T44JD40	R 5,259	Epson T44JD40 singlepack Violet UltraChrome Pro 12 ink tank, 700ml, Compatible with --> P7500 / P9500 printrs
T44Q140	R 2,915	Epson T44Q140 Singlepack Photo Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44Q240	R 2,915	Epson T44Q240 Singlepack Cyan UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44Q440	R 2,915	Epson T44Q440 Singlepack Yellow UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44Q540	R 2,915	Epson T44Q540 Singlepack Light Cyan UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44Q64N	R 2,915	Epson T44Q6 Singlepack Vivid Light Magenta UltraChrome Pro 12 Ink Tank, 350ml, Compatible with --> P7500 / P9500 printers
T44Q740	R 2,915	Epson T44Q740 Singlepack Light Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44Q84N	R 2,915	Epson T44Q8 Singlepack Matt Black UltraChrome Pro 12 Ink Tank, 350ml, Compatible with --> P7500 / P9500 printers, T44Q84N
T44Q940	R 2,915	Epson T44Q940 Singlepack Light Light Black UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44QA40	R 2,915	Epson T44QA40 Singlepack Orange UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44QB40	R 2,915	Epson T44QB40 Singlepack Green UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T44QD40	R 2,915	Epson T44QD40 Singlepack Violet UltraChrome PRO 12 ink tank, 350ml, Compatible with --> P7500 / P9500 printers
T46S1	R 513	Epson Singlepack Photo Black T46S1 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700

		Printer
T46S2	R 504	Epson Singlepack Cyan T46S2 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T46S3	R 504	Epson Singlepack Vivid Magenta T46S3 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T46S4	R 506	Epson Singlepack Yellow T46S4 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T46S5	R 513	Epson Singlepack Light Cyan T46S5 UltraChrome Pro 10 Ink 25ml, compatible with --> SureColor SC-P700 Printer
T46S60N	R 706	Epson Singlepack Vivid Light Magenta T46S6 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T46S7	R 508	Epson Singlepack Gray T46S7 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T46S80N	R 706	Epson Singlepack Matte Black T46S8 UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T46S9	R 505	Epson Singlepack Light Gray T46S9 UltraChrome Pro 10 Ink 25ml, compatible with --> SureColor SC-P700 Printer
T46SD	R 538	Epson Singlepack Violet T46SD UltraChrome Pro 10 Ink 25ml, Compatible with --> SureColor SC-P700 Printer
T48M100	R 5,000	Epson T48M1 Singlepack UltraChrome Pro 6 Photo Black High Capacity Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48M100
T48M200	R 5,000	Epson T48M2 Singlepack UltraChrome Pro 6 Cyan High Capacity Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48M200
T48M30N	R 4,879	Epson T48M3 Singlepack UltraChrome Pro 6 Magenta High Capacity Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48M30N
T48M400	R 5,000	Epson T48M4 Singlepack UltraChrome Pro 6 Yellow High Capacity Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48M400
T48M80N	R 5,000	Epson T48M8 Singlepack UltraChrome Pro 6 Matte Black High Capacity Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48M80N
T48ME00	R 5,000	Epson T48ME Singlepack UltraChrome Pro 6 Grey High Capacity Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48ME00
T48U100	R 2,768	Epson T48U1 Singlepack UltraChrome Pro 6 Photo Black Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48U800
T48U200	R 2,768	Epson T48U2 Singlepack UltraChrome Pro 6 Cyan Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48U800
T48U400	R 2,768	Epson T48U4 Singlepack UltraChrome Pro 6 Yellow Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48U800
T48UE00	R 2,768	Epson T48UE Singlepack UltraChrome Pro 6 Grey Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-P6500d / SC-P6500de / SC-P6500e / SC-P8500d / SC-P8500dm printers, T48U800
T49H10N	R 535	Epson T49H1 Black Ink Bottle, 140ml, Compatible with --> SureColor T3170x 24" Desktop Printer, T49H10N
T49H20N	R 535	Epson T49H2 Cyan Ink Bottle, 140ml, Compatible with --> SureColor T3170x 24" Desktop Printer, T49H20N
T49H300	R 535	Epson Sc-T3100X Magenta 140ml Bottle
T49H400	R 535	Epson Sc-T3100X Yellow 140ml Bottle
T50M100	R 5,000	Epson Singlepack T50M1 UltraChrome XD3 High Capacity Photo Black Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50M100
T50M200	R 5,000	Epson Singlepack T50M2 UltraChrome XD3 High Capacity Cyan Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50M200
T50M30N	R 5,000	Epson Singlepack T50M3 UltraChrome XD3 High Capacity Magenta Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50M100
T50M400	R 5,000	Epson Singlepack T50M4 UltraChrome XD3 High Capacity Yellow Ink cartridge, 700ml, Compatible with -->

		Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50M400
T50M80N	R 5,000	Epson Singlepack T50M8 UltraChrome XD3 High Capacity Matte Black Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50M80N
T50MF00	R 5,000	Epson Singlepack T50MF UltraChrome XD3 High Capacity Red Ink cartridge, 700ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50MF00
T50U100	R 2,768	Singlepack T50U1 UltraChrome XD3 Photo Black Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50U100
T50U200	R 2,768	Singlepack T50U2 UltraChrome XD3 Cyan Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50U200
T50U30N	R 2,768	Singlepack T50U3 UltraChrome XD3 Magenta Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50U300
T50U400	R 2,768	Singlepack T50U4 UltraChrome XD3 Yellow Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50U400
T50U80N	R 2,768	Singlepack T50U8 UltraChrome XD3 Matte Black Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50U80N
T50UF00	R 2,768	Singlepack T50UF UltraChrome XD3 Red Ink cartridge, 350ml, Compatible with --> Epson SureColor SC-T3700d / SC-T3700de / SC-T3700e / SC-T5700d / SC-T5700dm / SC-T7700d / SC-T7700dm printers, T50UF00
T54X100	R 2,325	Epson Singlepack Photo Black T54X100 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X200	R 2,325	Epson Singlepack Cyan T54X200 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X30N	R 2,325	Epson Singlepack Vivid Magenta T54X300 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X400	R 2,325	Epson Singlepack Yellow T54X400 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X500	R 2,325	Epson Singlepack Light Cyan T54X500 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X60N	R 2,325	Epson Singlepack Vivid Light Magenta T54X60N UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X700	R 2,325	Epson Singlepack Light Black T54X700 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X80N	R 2,325	Epson Singlepack Matt Black T54X80N UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54X900	R 2,325	Epson Singlepack Light Light Black T54X900 UltraChrome Ink cartridge, 350ml, Compatible with --> SureColor P6000 / P7000 / P8000 / P9000 printers
T54XA00	R 2,325	Epson T54XA00 Singlepack Orange UltraChrome HDX/HD Ink cartridge, 350ml, Compatible with --> SureColor SC-P6000 / SC-P7000 / SC-P8000 / SC-P9000 Series printers
T54XB00	R 2,325	Epson T54XB00 Singlepack Green UltraChrome HDX/HD Ink cartridge, 350ml, Compatible with --> SureColor SC-P6000 / SC-P7000 / SC-P8000 / SC-P9000 Series printers
T54XD00	R 2,325	Epson TT54XD00 Singlepack Violet UltraChrome HDX/HD Ink cartridge, 350ml, Compatible with --> SureColor

		SC-P6000 / SC-P7000 / SC-P8000 / SC-P9000 Series printers
T55K100	R 4,207	Epson Singlepack Photo Black T55K100 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K200	R 4,207	Epson Singlepack Cyan T55K200 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K30N	R 4,207	Epson Singlepack Vivid Magenta T55K30N UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K400	R 4,207	Epson Singlepack Yellow T55K400 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K500	R 4,207	Epson Singlepack Light Cyan T55K500 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K60N	R 4,207	Epson Singlepack very Light Magenta T55K60N UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K700	R 4,207	Epson Singlepack Light Black T55K700 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55K80N	R 4,207	Epson Singlepack Matt Black T55K80N UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor 7000 / P9000 / P7000v / P9000v printers
T55K900	R 4,207	Epson Singlepack Light Light Black T55K900 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55KA00	R 4,207	Epson Singlepack Orange T55KA00 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55KB00	R 4,207	Epson Singlepack Green T55KB00 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T55KD00	R 4,207	Epson Singlepack Violet T55KD00 UltraChrome HDX/HD Ink cartridge, 700ml, Compatible with --> SureColor P7000 / P9000 / P7000v / P9000v printers
T5961	R 3,338	Epson T5961 Singlepack Photo Black UltraChrome HDR Ink Cartridge 350 ml
T5962	R 3,232	Epson Singlepack Cyan UltraChrome HDR Ink Cartridge 350 ml. Singlepack Cyan T596200 UltraChrome HDR 350 ml
T5963	R 3,232	Epson T5963 Singlepack Vivid Magenta UltraChrome HDR Ink Cartridge 350 ml. Singlepack Vivid Magenta T596300 UltraChrome HDR 350 ml.
T5964	R 3,358	Epson T5964 Singlepack Yellow UltraChrome HDR Ink Cartridge 350 ml. Singlepack Yellow T596400 UltraChrome HDR 350 ml.
T5965	R 3,358	Epson T5965 Singlepack Light Cyan UltraChrome HDR Ink Cartridge 350 ml. Singlepack Light Cyan T596500 UltraChrome HDR 350 ml.
T5966	R 3,232	Epson T5966 Singlepack Vivid Light Magenta UltraChrome HDR Ink Cartridge 350 ml
T596A00	R 3,232	Epson C13T596A00 9900 Orange UltraChrome HDR 350 ml Ink Cartridge
T596B00	R 3,232	Epson T596B Singlepack Green UltraChrome HDR Ink Cartridge 350ml
T6031	R 2,087	Epson C13T603100 Pro 7880/9880 Photo Black Ink
T6032	R 2,019	Epson C13T603200 9880 Cyan 220 ml Ink Cartridge
T6033	R 2,103	Epson T603300 UltraChrome singlepack Vivid Magenta Ink cartridge, 220ml, Compatible with --> Epson Stylus Pro 7880 / Epson Stylus Pro 7880 colorburst
T603500	R 2,103	Epson C13T603500 9800 Light Cyan 220 ml Ink Cartridge
T603700	R 2,019	Epson T603700 Singlepack Light Black Ink Cartridge, 1 x 220,0 ml Light Black
T606300	R 2,347	Epson C13T606300 4880 Vivid Magenta T606300 220 ml Ink Cartridge
T636800	R 5,251	Epson C13T636800 9900 Matte Black UltraChrome HDR 700 ml Ink Cartridge
T636900	R 6,071	Epson C13T636900 9900 Light Light Black UltraChrome HDR 700 ml Ink Cartridge
T636B00	R 5,420	Epson T636B Singlepack Green UltraChrome HDR Ink Cartridge 700ml
T6531	R 1,987	Epson T6531 Photo Black Ink Cartridge (200ml)
T6539	R 1,987	Epson C13T653900 4900 Light Light Black Ink Cartridge 200ml

T6641	R 86	Epson T6641 Ink Bottle - Black 70ml.
T6642	R 118	Epson T6642, Cyan Ink Bottle
T6643	R 118	Epson T6643, Magenta Ink Bottle
T6644	R 118	Epson T6644 Ink Bottle - Yellow 70ml,
T66464A	R 415	Epson T66464A Ink bottle Multipack CMYK, 7500 pages yield, Compatible with --> L110 / L110 / L121 / L1300 / L210 / L220 / L300 / L3050 / L310 / L355 / L355 / L365 / L386 / L455 / L486 / L550 printers, C13t66464a
T67314A	R 243	Epson T67314A, C13T67314A, T6731 BLACK INK BOTTLE 70ml
T67324A	R 243	Epson T67324A, C13T67324A, T6732 CYAN INK BOTTLE 70ml
T67334A	R 243	Epson T67334A, C13T67334A, T6733 MAGENTA INK BOTTLE 70ml
T67344A	R 243	Epson T67344A, C13T67344A, T6734 YELLOW INK BOTTLE 70ml
T67354A	R 243	Epson T67354A, C13T67354A, T6735 LIGHT CYAN INK BOTTLE 70ml
T6736A4	R 243	Epson T6736A4, C13T67364A, T6736 LIGHT MAGENTA INK BOTTLE 70ml
T693100	R 2,915	Epson Regular Capacity T6931 Photo Black Ink Cartridge C13T693100
T69320N	R 2,915	Epson T6932 Singlepack UltraChrome XD Ink cartridge Cyan, 350ml, Compatible with --> SC-T5000 / SC-T3000 / SC-T7000 / SC-T5200 / SC-T7200 / SC-T3200 Large Format printers
T69330N	R 2,915	Epson T6933 Singlepack UltraChrome XD Ink cartridge Magenta, 350ml, Compatible with --> SC-T5000 / SC-T3000 / SC-T7000 / SC-T5200 / SC-T7200 / SC-T3200 Large Format printers
T69340N	R 2,915	Epson T6934 Singlepack UltraChrome XD Ink cartridge Yellow, 350ml, Compatible with --> SC-T5000 / SC-T3000 / SC-T7000 / SC-T5200 / SC-T7200 / SC-T3200 Large Format printers
T693500	R 2,915	Epson Regular Capacity Epson T6935 Matte Black Ink Cartridge C13T693500
T694100	R 5,259	Epson T6941 Series Extra High capacity Ink cartridge UltraChrome XD Photo Black, 700ml capacity, Compatible with --> Epson SureColor SC-T3000 / SC-T3200 / SC-T5000 / SC-T5200 / SC-T7000 / SC-T7200 printers
T69420N	R 5,259	Epson T6942 Series Extra High capacity Ink cartridge UltraChrome XD Cyan, 700ml capacity, Compatible with --> Epson SureColor SC-T3000 / SC-T3200 / SC-T5000 / SC-T5200 / SC-T7000 / SC-T7200 printers
T69430N	R 5,259	Epson T6943 Series Extra High capacity Ink cartridge UltraChrome XD Magenta, 700ml capacity, Compatible with --> Epson SureColor SC-T3000 / SC-T3200 / SC-T5000 / SC-T5200 / SC-T7000 / SC-T7200 printers
T69440N	R 5,259	Epson T6944 Series Extra High capacity Ink cartridge UltraChrome XD Yellow, 700ml capacity, Compatible with --> Epson SureColor SC-T3000 / SC-T3200 / SC-T5000 / SC-T5200 / SC-T7000 / SC-T7200 printers
T694500	R 5,259	Epson T6945 Series Extra High capacity Ink cartridge UltraChrome XD Matte Black, 700ml capacity, Compatible with --> Epson SureColor SC-T3000 / SC-T3200 / SC-T5000 / SC-T5200 / SC-T7000 / SC-T7200 printers
T6L87AE	R 240	HP #903 Cyan Original Ink Cartridge - 315 Pages Yield
T6L91AE	R 242	HP #903 Magenta Original Ink Cartridge - 315 Pages Yield
T6L95AE	R 243	HP #903 Yellow Original Ink Cartridge - 315 Pages Yield
T6L99AE	R 389	HP #903 Black Original Ink Cartridge - 300 Pages Yields
T6M03AE	R 426	HP #903XL High Yield Cyan Original Ink Cartridge - 825 Pages Yield
T6M07AE	R 431	HP #903XL High Yield Magenta Original Ink Cartridge - 825 Pages Yield
T6M11AE	R 428	HP #903XL High Yield Yellow Original Ink Cartridge - 825 Pages Yield
T6M15AE	R 857	HP #903XL High Yield Black Original Ink Cartridge - 825 Pages Yield
T754140	R 3,002	Epson T7541 XXL DURABrite Pro Black Ink Cartridge 202ml, 10000 page yield, C13T754140, Compatible with WF-8090 / WF-8590 printers
T754240	R 2,661	Epson T7542 XXL DURABrite Pro Cyan Ink Cartridge 69ml, 7000 page yield, C13T754240, Compatible with WF-8090 / WF-8590 printers
T754340	R 2,661	Epson T7543 XXL DURABrite Pro Magenta Ink Cartridge 69ml, 7000 page yield, C13T754340, Compatible with WF-8090 / WF-8590 printers
T754440	R 2,661	Epson T7544 XXL DURABrite Pro Yellow Ink Cartridge 69ml, 7000 page yield, C13T754440, Compatible with WF-8090 / WF-8590 printers
T7741	R 316	Epson T7741, T7741 Pigment Black ink bottle 140ml
T79014010	R 1,041	Epson 79XL DURABrite Ultra Black ink cartridge 41.8ml, 2600 page yield, Tower of Pisa, C13T79014010, Compatible with WF-4630 / WF-4640 / WF-5110 / WF-5190 / WF-5620 / WF-5690 printers

T79024010	R 775	Epson C13T79024010, DURABrite Ultra, 79XL, Tower of Pisa, Singlepack, 1 x 17 ml Cyan XL, 2000pages
T79034010	R 775	Epson C13T79034010, DURABrite Ultra, 79XL, Tower of Pisa, Singlepack, 1 x 17 ml Magenta XL, 2000pgs
T79044010	R 775	Epson C13T79044010, DURABrite Ultra, 79XL, Tower of Pisa, Singlepack, 1 x 17 ml Yellow XL, 2000pages
T800000	R 5,259	Epson Surecolor P10000 / P20000 - 700ml Light Gray Ink Cartridge
T800100	R 5,259	Epson Singlepack Photo Black T800100 UltraChrome PRO 700ml Ink Cartridge - SC-P10000/20000
T800200	R 5,259	Epson C13T800200 Cyan UltraChrome PRO 700ml Ink Cartridge
T80030N	R 5,259	Epson T8003 P10000 Ink cartridges Vivid Magenta, 700ml capacity, Compatible with --> SureColor SC-P10000 / SureColor SC-P20000 printers
T800400	R 5,259	Epson SC-P10000 / P20000 Yellow UltraChrome PRO 700ml Ink
T800500	R 5,259	Epson C13T800500 Light Cyan UltraChrome PRO 700ml Ink Cartridge
T80060N	R 5,259	Epson T8006 P10000 Ink cartridges Light Magenta, 700ml capacity, Compatible with --> SureColor SC-P10000 / SureColor SC-P20000 printers
T800700	R 4,649	Epson C13T800700 Dark Gray UltraChrome PRO 700ml Ink Cartridge
T80080N	R 5,259	Epson T8008 P10000 Ink cartridges Matte Black, 700ml capacity, Compatible with --> SureColor SC-P10000 / SureColor SC-P20000 printers
T800900	R 5,259	Epson SC-P10000 / P20000 Gray UltraChrome PRO 700ml Ink, Â© 2020 Laptop Direct
T838440	R 6,178	Epson T8384 Yellow XL extra large Ink cartridge, 20 000 pages yield, Compatible with --> WorkForce Pro WF-R5690 / WF-R5190 printers, C13T838440
T839140	R 1,495	Epson T8391 Black XL Ink bag cartridge, 20000 pages yield, Compatible with --> WorkForce Pro WF-R8590 / WorkForce Pro WF-R8590 D3twfc / WorkForce Pro WF-R8590dtwf printers
T839440	R 5,250	Epson T8394 Yellow XL Ink Supply Unit, 20 000 pages yield, 192.4 mL, Compatible with --> WorkForce Pro WF-R8590 series printers
T858100	R 2,834	Epson T8581 ink cartridge Black, 50K pages yield, Compatible with --> WF-C2XXX Printer
T858200	R 4,846	Epson T858200 Ink cartridge Cyan, 50K pages yield, Compatible with --> WF-C2XXX / Epson WorkForce Enterprise WF-C20590 printers
T858300	R 4,846	Epson T858300 Ink cartridge Magenta, 50K pages yield, Compatible with --> WF-C2XXX / Epson WorkForce Enterprise WF-C20590 printers
T858400	R 4,846	Epson T858300 Ink cartridge Yellow, 50K pages yield, Compatible with --> WF-C2XXX / Epson WorkForce Enterprise WF-C20590 printers
T8651	R 3,763	Epson T8651 XXL DURABrite Ultra Black Ink Cartridge 221ml, 10000 page yield, C13T865140, Compatible with WF-M5190 / WF-M5690 printers
T869140	R 7,868	Epson T8691 Black XXL Ink Supply Unit, 75000 pages yield, 1520.5ml, Compatible with --> WorkForce Pro WF-R8590 Printer, C13T869140
T869240	R 8,211	Epson T8692 Cyan XXL ink supply, 75 000 Pages yield, 735.2 ml, Compatible with --> WorkForce Pro WF-R8590 printer, C13T869240
T869440	R 8,211	Epson T8694 Yellow XXL ink supply, 75 000 Pages yield, 735.2 ml, Compatible with --> WorkForce Pro WF-R8590 printer, C13T869440
T887100	R 3,946	Epson T8871 Extra High Capacity Black ink cartridge, 50000 pages yield, Compatible with --> WF-C17590 Printer
T887200	R 7,046	Epson T8872 Extra High Capacity Cyan ink cartridge, 50000 pages yield, Compatible with --> WF-C17590 Printer
T887300	R 7,046	Epson T8873 Extra High Capacity Magenta ink cartridge, 50000 pages yield, Compatible with --> WF-C17590 Printer
T887400	R 7,046	Epson T8874 Extra High Capacity Yellow ink cartridge, 50000 pages yield, Compatible with --> WF-C17590 Printer
T913100	R 1,826	Epson Surecolor Sc-p5000 200ml Photo Black Ink Cartridge
T913200	R 1,826	Epson T9132 Cyan Ink Cartridge (200ml) Consumables: Ink Cartridges, Ultrachrome HDR, T6531, Singlepack, 1 x 200,0 ml Photo Black, Standard
T91330N	R 1,826	Epson T9133 P5000 Ink cartridge Vivid Magenta, 200ml capacity, Compatible with --> SureColor SC-P5000

		printers
T913400	R 1,826	Epson T9134 Yellow Ink Cartridge (200ml)Consumables: Ink Cartridges, Ultrachrome HDR, T6531, Singlepack, 1 x 200,0 ml Photo Black, Standard
T913500	R 1,826	Epson T9135 Light Cyan Ink Cartridge (200ml)Consumables: Ink Cartridges, Ultrachrome HDR, T6531, Singlepack, 1 x 200,0 ml Photo Black, Standard
T91360N	R 1,826	Epson T9136 P5000 Ink cartridge Light Magenta, 200ml capacity, Compatible with --> SureColor SC-P5000 printers
T913700	R 1,826	Epson Surecolor Sc-p5000 200ml Light Black Ink Cartridge
T91380N	R 1,826	Epson T9138 P5000 Ink cartridge Matte Black, 200ml capacity, Compatible with --> SureColor SC-P5000 printers
T913900	R 1,826	Epson T9139 Light Light Black Ink Cartridge (200ml)Consumables: Ink Cartridges, Ultrachrome HDR, T6531, Singlepack, 1 x 200,0 ml Photo Black, Standard
T913A00	R 1,826	Epson T913A Orange Ink Cartridge (200ml) Consumables: Ink Cartridges, Ultrachrome HDR, T6531, Singlepack, 1 x 200,0 ml Photo Black, Standard
T913B00	R 1,826	Epson Surecolor Sc-p5000 200ml Green Ink Cartridge
T913D00	R 1,826	Epson Surecolor Sc-p5000 200ml Violet Ink Cartridge
T945140	R 1,495	Epson WF-C5XXX series Black ink XL cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790DWF series / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C5290DW / WF-C5210DW printers
T945240	R 1,708	Epson WF-C5XXX series Cyan ink XL cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790DWF series / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C5290DW / WF-C5210DW printers
T945340	R 1,708	Epson WF-C5XXX series Magenta ink XL cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790DWF series / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C5290DW / WF-C5210DW printers
T945440	R 1,708	Epson WF-C5XXX series Yellow ink XL cartridge, 5000 page yield, Compatible with --> WorkForce Pro WF-C5790DWF series / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C5290DW / WF-C5210DW printers
T946140	R 2,883	Epson WF-C5X90 series Black ink XXL cartridge, 10000 page yield, Compatible with --> WorkForce Pro WF-C5790DWF series / WF-C5790DWF / WF-C5290DW printers
T965140	R 2,860	Epson T9651 Ink cartridge Black XL, 10000 pages yield, Compatible with --> WF-M52XX / 57xx Epson printers
T966140	R 5,244	Epson T9661 Ink cartridge Black XXL, 40000 pages yield, Compatible with --> WF-M52XX / 57xx Epson printers
T973100	R 1,717	Epson T9731 Ink cartridge Black XL, 402.1ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printers
T973200	R 3,529	Epson T973200 XL Cyan Ink Supply Unit, 192.4ml XL Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printres
T973300	R 3,540	Epson T9733 Ink cartridge Magenta XL, 192.4ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printers
T973400	R 3,529	Epson T9734 Ink cartridge Yellow XL, 192.4ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printers
T974100	R 5,047	Epson T974100 XXL Black Ink Supply Unit, 1520.5ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printres
T974200	R 9,297	Epson T974200 XXL Cyan Ink Supply Unit, 735.2ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printres
T974300	R 9,297	Epson T974300 XXL Magenta Ink Supply Unit, 735.2ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printres
T974400	R 9,297	Epson T974400 XXL Yellow Ink Supply Unit, 735.2ml, Compatible with --> WF-C869RDTWFC / C869RDTWF / C869RD3TWFC printres
TJ-100BK	R 89	TopJet Generic Replacement Ink Cartridge for Lexmark 100XL LE14N1068BP - Page Yield 500 pages with 5%

		Coverage for Lexmark S305 / S405 / S505 / S605 / S815 / Pro 205 / Pro 705 / Pro 707 / Pro 805 / Pro 905 - High Yield Black
TJ-100C	R 89	TopJet Cyan Generic Replacement Ink Cartridge for Lexmark 100XL LE14N1069BP - Page Yield 600 pages with 5% Coverage for Lexmark S305 / S405 / S505 / S605 / S815 / Pro 205 / Pro 705 / Pro 707 / Pro 805 / Pro 905 - High Yield Cyan
TJ-100M	R 89	TopJet Magenta Generic Replacement Ink Cartridge for Lexmark 100XL LE14N1070BP - Page Yield 600 pages with 5% Coverage for Lexmark S305 / S405 / S505 / S605 / S815 / Pro 205 / Pro 705 / Pro 707 / Pro 805 / Pro 905 - High Yield Magenta
TJ-100Y	R 89	Topjet Yellow Generic Replacement Ink Cartridge for Lexmark 100XL LE14N1071BP - Page Yield 600 pages with 5% Coverage for Lexmark S305 / S405 / S505 / S605 / S815 / Pro 205 / Pro 705 / Pro 707 / Pro 805 / Pro 905 - High Yield Yellow
TJ-121	R 299	TopJet Generic Replacement Ink Cartridge for Hp 121XL CC641HE - Page Yield 600 pages with 5% Coverage for Hp Deskjet D1560 / D1663 / F2423 / F2480 / F2483 / F2493 / D2563 / D2663 / F4473 / F4483 / F4583 / D5563 / C4683 / C4783 / C4793 / C4795 - High Yield Black
TJ-122BK	R 299	TopJet Generic Replacement Ink Cartridge for Hp 122XL CH563HE - Page Yield 450 pages with 5% Coverage for use with Hp Deskjet 1000/1050/2000/2050/3000/3050 - High Yield Black
TJ-122COL	R 299	TopJet Generic Replacement Ink Cartridge for Hp 122XL CH564HE - Page Yield 300 pages with 5% Coverage for Hp Deskjet 1000 / 1050 / 2000 / 2050 / 3000 / 3050 / 1510 - High Yield Tri-Color
TJ-426BK	R 149	TopJet Generic Replacement Ink Cartridge for Canon CLI-426BK - Page Yield 200 pages with 5% Coverage for Canon Pixma MG5340/ MG6140/ MG6240/ MG8140/ MG8240/ IP4840/ IP4940/ MX714/ MX884/ MX894 - Black, Retail Box
TJ-520BK	R 149	TopJet Generic Replacement Ink Cartridge for Canon PGI-520BK - Page Yield 300 pages with 5% Coverage for Canon-Pixma - IP-4700/ IP-4600/ IP-4600X/ MP-540/ MP-620/ MP-630/ MP-980/ MX-860/ IP-3600/ MP-550/ MP-560/ MP-640/ MP-990/ MX-870/ MX-876 - Black , Retail Box
TJ-655BK	R 149	TopJet Generic Replacement Ink Cartridge for Hp 655 CZ109AE - Page Yield 480 pages with 5% Coverage for Hp Deskjet Ink Advantage 3525/4615/5525/4625 - High Yield Black
TJ-655C	R 149	TopJet Cyan Generic Replacement Ink Cartridge for Hp 655 CZ110AE - Page Yield 480 pages with 5% Coverage for Hp Deskjet Ink Advantage 3525/4615/5525/4625 - High Yield Cyan
TJ-655M	R 149	TopJet Magenta Generic Replacement Ink Cartridge for Hp 655 CZ111AE - Page Yield 480 pages with 5% Coverage for Hp Deskjet Ink Advantage 3525/4615/5525/4625 - High Yield Magenta
TJ-655Y	R 149	TopJet Yellow Generic Replacement Ink Cartridge for Hp 655 CZ112AE - Page Yield 480 pages with 5% Coverage for Hp Deskjet Ink Advantage 3525/4615/5525/4625 - High Yield Yellow
TJ-920BK	R 149	TopJet Generic Replacement Ink Cartridge for Hp 920XL CD975AE - Page Yield 1000 pages with 5% Coverage for Hp Officejet 6500 / 6500A - High Yield Black
TJ-920C	R 149	TopJet Cyan Generic Replacement Ink Cartridge for Hp 920XL CD972AE - Page Yield 700 pages with 5% Coverage for Hp Officejet 6500 / 6500A - High Yield Cyan
TJ-920Y	R 129	TopJet Generic Replacement Ink Cartridge for Hp 920XL CD974AE- Page Yield 700 pages with 5% Coverage for Hp Officejet 6500 / 6500A - High Yield Yellow
TJ-951M	R 199	TopJet Magenta Generic Replacement Ink Cartridge for Hp 951XL CN047AE - Page Yield 1500 pages with 5% Coverage for Hp Officejet Pro 251DW / 276DW / 8100 / 8600 / 8610 / 8620 - High Yield Magenta
TJ-CL446XL-COL	R 599	TopJet Generic Replacement Tri Colour Ink Cartridge for Canon CL446XL-Single Tri-Colour Cartridge, Page Yield 300 Pages with 5% Coverage for use with Canon iP2840, MG2440, MG2540, MG2540S, MG2545S, MG2940, MG3040, MX494, TS3140, Retail Box, No Warranty
TJ-HP801XL-TRI COL	R 399	TopJet Generic Replacement Single Tri Colour Officejet Ink Cartridge CC656A for HP901XL- Tri-Colour Cyan, Magenta, Yellow, Single Ink Cartridge, Page Yield 350 Pages with 5% Coverage for use with HP Officejet 4500 Desktop All-in-One Printer (CM753A), HP Officejet 4500 All-in-One Printer (CB867A), HP Officejet 4500 Wireless All-in-One Printer (CN547A), HP Officejet J4660 All-in-One Printer (CB786A), HP Officejet J4580 All-in-One Printer (CB780A), High Yield Colour, Retail Box, No Warranty
TJ-HP901XLBK	R 399	TopJet Generic Replacement Single Black Officejet Ink Cartridge CC654AE for HP901XL - Black Single Ink

		Cartridge, Page Yield 700 Pages with 5% Coverage for use with HP Officejet 4500 Desktop All-in-One Printer (CM753A), HP Officejet 4500 All-in-One Printer (CB867A), HP Officejet 4500 Wireless All-in-One Printer (CN547A), HP Officejet J4660 All-in-One Printer (CB786A), HP Officejet J4580 All-in-One Printer (CB780A), High Yield Black, Retail Box, No Warranty
TK8375K	R 1,971	Kyocera TK-8375K Black Laser Toner Cartridge, 30000 page yield, Compatible with --> TASKalfa 3554ci Printer
To-L80C80M0	R 1,655	Lexmark 80C80M0 808 Magenta - return program toner, 1000 pages - for Lexmark CX310, CX410, CX510 (Order on request)

< Return to the menu

Printer consumables : Laser printer toner

Product code	Price	Description
0263B002AA	R 1,839	Canon FX-10 Black Toner Cartridge, Duty Cycle: Up to 2000 pages at 5% coverage - Compatible with Canon Fax L100 / L120z / L-100 / 120 / L95 / L140 / L160 / MF4010 / MF4140 / MF4150 / MF4690PL / MF4350d / MF4370dn
0288C001AA	R 6,668	Canon CRG 039H Black High Yield Toner Cartridge, 25000 pages yield, Compatible with --> i-SENSYS LBP351x / LBP352x printers
0452C002AA	R 5,855	Canon 041 Black Toner Unit
0454C001AA	R 4,771	Canon 040Y Yellow Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
0455C001AA	R 7,199	Canon CRG 040HY Yellow High Capacity Laser Toner Cartridge, 10 000 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
0456C001AA	R 4,771	Canon 040M Magenta Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
0458C001AA	R 4,771	Canon 040C Cyan Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
0460C001AA	R 3,805	Canon 040B Black Laser Toner Cartridge, 6300 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
071	R 236	Microworld 071 compatible Black Laser Toner Cartridge for Canon 071, 1200 page yield, Compatible with --> Canon i-SENSYS LBP122dw / MF275dw / MF272dw / LBP120 / MF270 Series printers
106R02739	R 5,205	Xerox 106R02739 Toner High Capacity For Wc3655 (14 400 Page Yield)
106R02782	R 3,290	Xerox 106R02782 Print Cartridge Dual Pack For P3052 3260 Wc3215 3225 (6000 Page Yield)
106R03508	R 3,552	Xerox 106R03508 C400 C405 Standard Capacity Black Toner Cartridge (2500 Page Yield)
106R03509	R 4,760	Xerox 106R03509 C400 C405 Standard Capacity Yellow Toner Cartridge (2500 Page)
106R03510	R 4,760	Xerox 106R03510 C400 C405 Standard Capacity Cyan Toner Cartridge (2500 Page Yield)
106R03511	R 4,760	Xerox 106R03511 C400 C405 Standard Capacity Magenta Toner Cartridge (2500 Page Yield)
106R03581	R 4,135	Xerox 106R03581 B400 B405 Standard Capacity Black Toner Cartridge (5900 Page Yield)
108R00796	R 3,672	Xerox 108r00796 High Capacity Black Toner Cartridge For 3635mfp (10000 Page Yield)
1239C002AA	R 1,977	Canon 045Y Laser Toner Cartridge Yellow, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
1240C002AA	R 1,977	Canon 045M Laser Toner Cartridge Magenta, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
1241C002AA	R 1,977	Canon 045C Laser Toner Cartridge Cyan, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
1242C002AA	R 1,779	Canon 045BK Laser Toner Cartridge Black, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
1243C002AA	R 2,490	Canon 045H Yellow High Yield Laser Toner cartridge, 2200 page yield, Compatible with --> i-SENSYS LBP611CN / LBP613CDW / MF631CN / MF633CDW / MF635CX printers
1244C002AA	R 2,490	Canon 045H Magenta High Yield Laser Toner cartridge, 2200 page yield, Compatible with --> i-SENSYS LBP611CN / LBP613CDW / MF631CN / MF633CDW / MF635CX printers
1245C002AA	R 2,490	Canon 045H Cyan High Yield Laser Toner cartridge, 2200 page yield, Compatible with --> i-SENSYS

		LBP611CN / LBP613CDW / MF631CN / MF633CDW / MF635CX printers
1246C002AA	R 2,385	Canon 045H Black High Yield Laser Toner cartridge, 2800 page yield, Compatible with --> i-SENSYS LBP611CN / LBP613CDW / MF631CN / MF633CDW / MF635CX printers
1247C002AA	R 2,981	Canon 046Y Laser Toner Cartridge Yellow, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
1248C002AA	R 2,981	Canon 046M Laser Toner Cartridge Magenta, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
1249C002AA	R 2,981	Canon 046C Laser Toner Cartridge Cyan, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx / i-SENSYS LBP613Cdw
1250C002AA	R 2,205	Canon 046BK Laser Toner Cartridge Black, 2200 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
1251C002AA	R 5,039	Canon 046HY high yield Laser Toner Cartridge Yellow, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
1252C002AA	R 5,039	Canon 046HM high yield Laser Toner Cartridge Magenta, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
1253C002AA	R 5,039	Canon 046HC high yield Laser Toner Cartridge Cyan, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
1254C002AA	R 3,648	Canon 046HBK high yield Laser Toner Cartridge Black, 6300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx/ i-SENSYS LBP613Cdw
1275104	R 1,004	OKI 01275104 Black Laser Toner cartridge, 20 000 page yield, Compatible with --> ES7411 printers
1394C002AA	R 1,078	Canon C-EXV 54 Black Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
1395C002AA	R 1,532	Canon C-EXV 54 Cyan Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
1396C002AA	R 1,532	Canon C-EXV 54 Magenta Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
1397C002AA	R 1,532	Canon C-EXV 54 Yellow Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
1710188-001	R 1,296	Konica Minolta Magicolor 2, Yellow Toner Cartridge (6000 Prints)
1710188-004	R 1,296	Magicolor 2, Black Toner Cartridge (10 000 Prints)
1977B002AA	R 1,864	Canon Cartridge 716 Yellow Toner Cartridge. I-SENSYS LBP5050 / LBP5050n / MF8030Cn / 8040Cn / 8050Cn / 8080Cw (1500 pages)
1978B002AA	R 1,864	Canon Cartridge 716 Magenta (I-SENSYS LBP5050 / LBP5050n / MF8030Cn / 8040Cn / 8050Cn / 8080Cw = 1500 pages)
1979B002AA	R 1,864	Canon Cartridge 716 Cyan Laser Toner Cartridge (I-SENSYS LBP5050 / LBP5050n / MF8030Cn / 8040Cn / 8050Cn / 8080Cw = 1500 pages)
1980B002AA	R 2,008	Canon Cartridge 716 Black Toner Cartridge (I-SENSYS LBP5050 / LBP5050n / MF8030Cn / 8040Cn / 8050Cn / 8080Cw = 2300 pages)
2024-BK	R 415	Calidad HP 24A (Q2624A) Compatible Black Laser Toner, 2000 Page Yield
2049-BK-T	R 415	Calidad HP 49A (Q5949A) Compatible Black Laser Toner, 2500 Page Yield
20N5XC0	R 5,499	Lexmark 20N5XC0 CS/CX 43x Cyan Return Programme Toner Cartridge, 6 700 page yield, Compatible with --> CS43x / CX43x printers
20N5XK0	R 2,867	Lexmark 20N5XK0 CS/CX 43x Black Return Programme Toner Cartridge, 6 000 page yield, Compatible with --> CS43x / CX43x printers
20N5XM0	R 5,499	Lexmark 20N5XM0 CS/CX 43x Magenta Return Programme Toner Cartridge, 6 700 page yield, Compatible with --> CS43x / CX43x printers
20N5XY0	R 5,499	Lexmark 20N5XY0 CS/CX 43x Yellow Return Programme Toner Cartridge, 6 700 page yield, Compatible with --> CS43x / CX43x printers
2164C002AA	R 1,757	Canon 047 Black Laser Toner cartridge, 1600 pages yield, Compatible with --> LBP110 series / MF110 series /

		MF112 series / MF113 series printers
2168C002AA	R 1,953	Canon 051 BK Black Laser Toner cartridge, 1700 pages yield, Compatible with --> imageCLASS MF269DW / LBP162DW / MF269DW / MF267DW / MF264DW printers
2169C002AA	R 2,797	Canon 051H BK Black High Yield Laser Toner cartridge, 4000 pages yield, Compatible with --> imageCLASS MF269DW / LBP162DW / / MF267DW / MF264DW printers
2199C002AA	R 3,403	Canon 052 Black Laser Toner standard, 3100 page yield, Compatible with --> imageCLASS LBP214dw / MF426dw / MF424dw Printers
24B6008	R 3,011	Lexmark 24B6008 Cyan Laser Toner Cartridge, 3000 pages yield, Compatible with --> C2132 / XC2130 / XC2132 printers
24B6009	R 3,011	Lexmark 24B6009 Magenta Laser Toner Cartridge, 3000 pages yield, Compatible with --> C2132 / XC2130 / XC2132 printers
24B6010	R 3,011	Lexmark 24B6010 Yellow Laser Toner Cartridge, 3000 pages yield, Compatible with --> C2132 / XC2130 / XC2132 printers
24B6011	R 3,498	Lexmark 24B6011 Black Laser Toner Cartridge, 6000 pages yield, Compatible with --> C2132 / XC2130 / XC2132 printers
24B6018	R 10,857	Lexmark 24B6018 Cyan Laser Toner Cartridge, 18 000 pages yield, Compatible with --> XS795 / XS798 printers
24B6019	R 10,857	Lexmark 24B6019 Magenta Laser Toner Cartridge, 18 000 pages yield, Compatible with --> XS795 / XS798 printers
24B6021	R 10,857	Lexmark 24B6021 Yellow Laser Toner Cartridge, 18 000 pages yield, Compatible with --> XS795 / XS798 printers
24B6213	R 5,131	Lexmark 24B6213 Black Laser Toner Cartridge, 10 000 pages yield, Compatible with --> M1140 / XM1140 printers
24B6326	R 5,926	Lexmark 24B6326 Black High Yield Toner Cartridge, 25 000 pages yield, Compatible with --> XM9145 / XM9155 / XM9165 printers
24B6327	R 1,940	Lexmark 24B6327 Photo Conductor unit, 115 000 pages yield, Compatible with --> XM9145 / XM9155 / XM9165 printers
24B6508	R 8,403	Lexmark 24B6508 Cyan Laser Toner Cartridge, 20 000 pages yield, Compatible with --> XC6152 / XC8155 Printer
24B6509	R 8,403	Lexmark 24B6509 Magenta Laser Toner Cartridge, 20 000 pages yield, Compatible with --> XC6152 / XC8155 Printer
24B6510	R 8,403	Lexmark 24B6510 Yellow Laser Toner Cartridge, 20 000 pages yield, Compatible with --> XC6152 / XC8155 Printer
24B6511	R 6,075	Lexmark 24B6511 Black Laser Toner Cartridge, 24 000 pages yield, Compatible with --> XC6152 / XC8155 Printer
24B6717	R 6,960	Lexmark 24B6717 Cyan Laser Toner Cartridge, 13000 pages yield, Compatible with --> XC4140 / XC4150 printers
24B6718	R 6,960	Lexmark 24B6718 Magenta Laser Toner Cartridge, 13000 pages yield, Compatible with --> XC4140 / XC4150 printers
24B6719	R 6,960	Lexmark 24B6719 Yellow Laser Toner Cartridge, 13000 pages yield, Compatible with --> XC4140 / XC4150 printers
24B6720	R 6,421	Lexmark 24B6720 Black Laser Toner Cartridge, 20 000 pages yield, Compatible with --> XC4140 / XC4150 printers
24B6888	R 13,447	Lexmark M1242 Mx1242 Black Toner Cartridge (21 000 Page Yield) (Bsd)
2511-CY-V	R 313	Calidad HP 126A Cyan (CE311A) compatible Laser Toner, 1000 Page Yield
2512-YL-V	R 284	Calidad HP 126A Yellow (CE312A) compatible Laser Toner, 1000 Page Yield
2513-MG-V	R 284	Calidad HP 126A Magenta (CE313A) compatible Laser Toner, 1000 Page Yield
2659B002AA	R 3,164	Canon Cartridge 718 Yellow - Yellow, Printer Model / Description : LBP7200Cdn / 7210Cdn / 7660Cdn / 7680Cx / MF83xx / 85xx, Yield : 2900 pages

2660B002AA	R 3,164	Canon Cartridge 718 Magenta, LBP7200Cdn / 7210Cdn / 7660Cdn / 7680Cx / MF83xx / 85xx, Yield : 2900
2661B002AA	R 3,164	canon Cartridge 718 Cyan - Cyan, Printer Model / Description : LBP7200Cdn / 7210Cdn / 7660Cdn / 7680Cx / MF83xx / 85xx, Yield : 2900
2662B002AA	R 3,220	Canon Cartridge 718 Black - Black, Printer Model / Description : LBP7200Cdn / 7210Cdn / 7660Cdn / 7680Cx / MF83xx / 85xx, Yield : 3400
3006C002AA	R 3,771	Canon 056L Black Laser Toner cartridge, 5100 pages yield, Compatible with --> i-SENSYS LBP325x / i-SENSYS MF542x / i-SENSYS MF543x Printers
3008C002AA	R 7,837	Canon 056H BK High Yield Black Laser Toner cartridge, 21 000 pages yield, Compatible with --> imageCLASS LBP325dn / LBP320 Series / MF540 series printers
3009C002AA	R 3,014	Canon 057 BK Black Laser Toner cartridge, 3100 pages yield, Compatible with --> imageCLASS MF445dw / LBP226dw printers
3010C002AA	R 5,273	Canon 057H BK Black High Yield Laser Toner cartridge, 10 000 pages yield, Compatible with --> I-SENSYS LBP223dw / LBP226dw / LBP228x / MF443dw / MF445dw / MF446x / MF449x
3013C002AA	R 2,720	Canon 055 Yellow Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3014C002AA	R 2,720	Canon 055 Magenta Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3015C002AA	R 2,720	Canon 055 Cyan Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3016C002AA	R 2,262	Canon 055 Black Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3017C002AA	R 5,724	Canon 055H High Yield Yellow Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3018C002AA	R 5,724	Canon 055H High Yield Magenta Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3019C002AA	R 5,724	Canon 055H High Yield Cyan Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3020C002AA	R 4,163	Canon 055H High Yield Black Laser Toner cartridge, 7600 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
3021C002AA	R 1,822	Canon 054 Yellow Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3022C002AA	R 1,822	Canon 054 Magenta Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3023C002AA	R 1,822	Canon 054 Cyan Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3024C002AA	R 1,938	Canon 054 Black Laser Toner cartridge, 1500 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3025C002AA	R 2,645	Canon 054H High Yield Yellow Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3026C002AA	R 2,645	Canon 054H High Yield Magenta Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3027C002AA	R 2,645	Canon 054H High Yield Cyan Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3028C002AA	R 2,645	Canon 054H High Yiled Black Laser Toner cartridge, 3100 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
3479B002AA	R 2,175	Canon Cartridge 719 black - LBP6300dn / LBP6650dn / MF5880dn / LBP6300dn / 6310dn / 6650dn / 6680x / 6670dn / MF5840dn / 5880dn / 5940dn / 5980dw, 2100 pages
3480B002AA	R 4,026	Canon Cartridge 719H for use with LBP6300dn / LBP6650dn / MF5880dn / LBP6300dn / 6310dn / 6650dn / 6680x / 6670dn / MF5840dn / 5880dn / 5940dn / 5980dw, 6400 pages

3480B006AA	R 1,668	Canon C-EXV 40 Black Laser Toner cartridge, 6000 pages yield, Compatible with --> IR1133 series printers
3483B002AA	R 2,091	Canon Toner Cartridge 726 Black (LBP6200d =2100 pages)
3484B002AA	R 1,749	Canon Cartridge 725 Black -Black, for LBP6000 / 6020 / MF3010, Yield : 1600 pages
3500B002AA	R 1,978	Canon Cartridge 728 Black MF4410, MF4430, MF4450, MF4550D, MF4570DN
3807-BKWW	R 412	Calidad Samsung compatible Laser Toner K407 Black, 1500 Page Yield
3807-CYWW	R 438	Calidad Samsung compatible Laser Toner C407 Cyan, 1000 Page Yield
3807-MGWW	R 438	Calidad Samsung compatible Laser Toner M407 Magenta, 1000 Page Yield
3807-YLWW	R 438	Calidad Samsung compatible Laser Toner Y407 Yellow, 1000 Page Yield
3813-BKWW-T	R 369	Calidad Samsung compatible Black Toner for Samsung MLTD105S
3836-BKWW	R 466	Calidad Samsung compatible Laser Toner K406 Black, 1500 Page Yield
3836-CYWW	R 481	Calidad Samsung compatible Laser Toner C406 Cyan, 1000 Page Yield
3836-MGWW	R 481	Calidad Samsung compatible Laser Toner M406 Magenta, 1000 Page Yield
3836-YLWW	R 481	Calidad Samsung compatible Laser Toner Y406 Yellow, 1000 Page Yield
3850-BKWW	R 733	Calidad Samsung compatible Laser Toner K504 Black, 2500 Page Yield
3850-CYWW	R 733	Calidad Samsung compatible Laser Toner C504 Cyan, 1800 Page Yield
3850-MGWW	R 733	Calidad Samsung compatible Laser Toner M504 Magenta, 1800 Page Yield
3850-YLWW	R 733	Calidad Samsung compatible Laser Toner Y504 Yellow, 1800 Page Yield
43979223	R 1,289	OKI 43979223 Black Laser Toner cartridge, 12 000 page yield, Compatible with --> ES4140 / ES4160 MFP / ES4180 MFP printers
44036021	R 3,554	OKI 44036021, C910/C920WT 15,000 page yield toner
44036022	R 3,554	Oki C910 Magenta Toner 15,000 page yield
44036023	R 3,718	Oki C910 Cyan Toner 15,000 page yield
44036024	R 1,524	Oki C910 Black Toner 15,000 page yield toner, Â© 2014 Laptop Direct
44036025	R 2,331	OKI 44036025 Yellow Laser Toner cartridge, 15 000 page yield, Compatible with --> ES9410 / ES9420WT printers
44036026	R 2,331	OKI 44036026 Magenta Laser Toner cartridge, 15 000 page yield, Compatible with --> ES9410 / ES9420WT printers
44036027	R 2,331	OKI 44036027 Cyan Laser Toner cartridge, 15 000 page yield, Compatible with --> ES9410 / ES9420 printers
44036028	R 971	OKI 44036028 Black Laser Toner cartridge, 15 000 page yield, Compatible with --> ES9410 / ES9420 printers
44059125	R 2,420	OKI 44059125 Yellow Laser Toner cartridge, 7 000 page yield, Compatible with --> ES8430 printers
44059127	R 2,420	OKI 44059127 Cyan Laser Toner cartridge, 7 000 page yield, Compatible with --> ES8430 printers
44059128	R 1,339	OKI 44059128 Black Laser Toner cartridge, 7 500 page yield, Compatible with --> ES8430 printers
44059229	R 2,529	OKI 44059229 Yellow Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8460 MFP printers
44059230	R 2,529	OKI 44059230 Magenta Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8460 MFP printers
44059231	R 2,529	OKI 44059231 Cyan Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8460 MFP printers
44059232	R 802	OKI 44059232 Black Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8460 MFP printers
44059257	R 1,760	OKI 44059257 Yellow Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8451 / ES8461 printers
44059258	R 1,760	OKI 44059258 Magenta Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8451 / ES8461 printers
44059259	R 1,760	OKI 44059259 Cyan Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8451 / ES8461 printers
44059260	R 500	OKI 44059260 Black Laser Toner cartridge, 9 000 page yield, Compatible with --> ES8451 / ES8461 printers
44315317	R 1,998	OKI 44315317 Yellow Laser Toner cartridge, 6 000 page yield, Compatible with --> ES6410 printers
44315318	R 1,998	OKI 44315318 Magenta Laser Toner cartridge, 6 000 page yield, Compatible with --> ES6410 printers
44315319	R 1,998	OKI 44315319 Cyan Laser Toner cartridge, 6 000 page yield, Compatible with --> ES6410 printers
44315320	R 872	OKI 44315320 Black Laser Toner cartridge, 8 000 page yield, Compatible with --> ES6410 printers
44318617	R 2,861	OKI 44318617 Yellow (Y) Laser Toner cartridge, 11500 pages yield, Compatible with --> OKI ES7411 / ES7411WT / Pro7411WT printers
44318618	R 2,861	OKI 44318618 Magenta (M) Laser Toner cartridge, 11500 pages yield, Compatible with --> OKI ES7411 / ES7411WT / Pro7411WT printers
44318620	R 799	OKI 44318620 Black Laser Toner cartridge, 10 000 page yield, Compatible with --> ES3032 / ES7411 printers

44318657	R 9,490	Oki 44318657 C710/C711N/C711DN/C711WT White Toner 6,5k, Â© 2014 Laptop Direct
44469741	R 2,247	OKI 44469741 Magenta Laser Toner cartridge, 5 000 page yield, Compatible with --> ES5430 / ES3451 / ES5461 printers
44469814	R 558	OKI 44469814 Black Laser Toner cartridge, 5 000 page yield, Compatible with --> ES5430 / ES3451 / ES5461 printers
44661802	R 7,202	OKI 44661802, B840, Print Cartridge, 20K
44844505	R 5,312	Oki C831 / C841 Yellow Toner 10, 000 pages OKI 44844505
44844506	R 5,312	OKI 44844506, C831n/C831dn/C841dn, Toner Magenta, 10k, Â© 2014 Laptop Direct
44844507	R 5,312	OKI 44844507, C831n / C831dn / C841dn, Toner Cyan, 10k
44844508	R 2,452	OKI 44844508 Black (K) Laser Toner cartridge, 10000 page yield, Compatible with C831 / C841 printers
44844513	R 2,960	OKI 44844513 Yellow Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8431 / ES8441 printers
44844514	R 2,960	OKI 44844514 Magenta Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8431 / ES8441 printers
44844515	R 2,960	OKI 44844515 Cyan Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8431 / ES8441 printers
44844516	R 1,636	OKI 44844516 Black Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8431 / ES8441 printers
44917607	R 1,547	OKI 44917607 Black Laser Toner cartridge, 12 000 page yield, Compatible with --> ES4131 / ES4191 MFP printers
44973509	R 2,577	OKI 44973509 Yellow Laser Toner Cartridge, 6 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
44973510	R 2,577	OKI 44973510 Magenta Laser Toner Cartridge, 6 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
44973511	R 2,577	OKI 44973511 Cyan Laser Toner Cartridge, 6 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
44973512	R 746	OKI 44973512 Black Laser Toner Cartridge, 7 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
45396201	R 4,032	Oki MC760/70/80 Yellow Toner 11500 pages, Â© 2014 Laptop Direct
45396202	R 4,032	Oki MC760/70/80 Magenta Toner 11500 pages, Â© 2014 Laptop Direct
45396203	R 3,854	Oki MC760/70/80 Cyan Toner 11500 pages, Â© 2014 Laptop Direct
45396204	R 2,535	Oki MC760/70/80 Black Toner 15,000 pages, Â© 2014 Laptop Direct
45396213	R 1,922	OKI 45396213 Yellow Laser Toner cartridge, 11500 page yield, Compatible with --> ES7470 / ES7480 printers
45396214	R 1,922	OKI 45396214 Magenta Laser Toner cartridge, 11500 page yield, Compatible with --> ES7470 / ES7480 printers
45396215	R 1,922	OKI 45396215 Cyan Laser Toner cartridge, 11500 page yield, Compatible with --> ES7470 / ES7480 printers
45396216	R 772	OKI 45396216 Black Laser Toner cartridge, 15000 page yield, Compatible with --> ES7470 / ES7480 printers
45396301	R 3,572	Oki MC760/70/80 Yellow Toner 6,000 page yield, Â© 2014 Laptop Direct
45396302	R 3,572	Oki MC760/70/80 Magenta Toner 6,000 pages, Â© 2014 Laptop Direct
45396303	R 3,572	Oki MC760/70/80 Cyan Toner 6,000 pages. OKI 45396303., Â© 2014 Laptop Direct
45396304	R 1,792	Oki MC760/70/80 Black Toner 8,000 pages, Â© 2014 Laptop Direct
45439002	R 6,836	OKI 45439002, MB770, Print Cartridge, 36K
45460502	R 2,381	OKI 45460502 Black Laser Toner cartridge, 36 000 page yield, Compatible with --> ES7131 / ES7170 printers
45488802	R 5,872	OKI 45488802, B721/B731/MB760/MB770, Print Cartridge, 18K
45536425	R 4,158	OKI 45536425 White (WT) Laser Toner cartridge, 10000 pages yield, Compatible with --> OKI ES9541 / Pro9541 / Pro9541Ec / Pro9541Ev printers
45536553	R 3,144	OKI 45536553 Cyan (C) Laser toner cartridge, 42000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45536554	R 3,144	OKI 45536554 Magenta (M) Laser toner cartridge, 42000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers

45536555	R 3,144	OKI 45536555 Cyan (C) Laser toner cartridge, 42000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45536556	R 3,681	OKI 45536556 Black (K) Laser toner cartridge, 51000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45643509	R 1,868	OKI 45643509 Yellow Laser Toner cartridge, 33 600 page yield, Compatible with --> ES9465 / ES9475 printers
45643510	R 1,954	OKI 45643510 Magenta Laser Toner cartridge, 33 600 page yield, Compatible with --> ES9465 / ES9475 printers
45643511	R 1,868	OKI 45643511 Cyan Laser Toner cartridge, 33 600 page yield, Compatible with --> ES9465 / ES9475 printers
45643512	R 1,254	OKI 45643512 Black Laser Toner cartridge, 38 400 page yield, Compatible with --> ES9465 / ES9475 printers
45807116	R 1,547	OKI 45807116 Black Laser Toner Cartridge, 12 000 page yield, Compatible with --> ES4132 / ES4192 MFP / ES5112 / ES5162 printers
45807119	R 2,446	OKI 45807119 Black (K) Laser Toner, 3000 Page Yield, Compatible with Oki B412dn / Oki B412dnw / Oki B432dn / Oki B432dnw / Oki B512dn / Oki B512dnw / Oki MB472dnw / Oki MB492dn / Oki MB562dnw
45862819	R 1,511	OKI 45862819 Yellow Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8453 / ES8473 printers
45862820	R 1,511	OKI 45862820 Magenta Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8453 / ES8473 printers
45862821	R 1,511	OKI 45862821 Cyan Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8453 / ES8473 printers
45862822	R 741	OKI 45862822 Black Laser Toner cartridge, 15 000 page yield, Compatible with --> ES8453 / ES8473 printers
46490621	R 2,162	OKI 46490621 Yellow Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46490622	R 2,162	OKI 46490622 Magenta Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46490623	R 2,162	OKI 46490623 Cyan Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46490624	R 1,055	OKI 46490624 Black Laser Toner cartridge, 7000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46564701	R 2,057	OKI 46564701 Yellow Laser Toner cartridge, 33 600 page yield, Compatible with --> ES9466 / ES9476 printers
46564702	R 2,057	OKI 46564702 Magenta Laser Toner cartridge, 33 600 page yield, Compatible with --> ES9466 / ES9476 printers
46564703	R 2,057	OKI 46564703 Cyan Laser Toner cartridge, 33 600 page yield, Compatible with --> ES9466 / ES9476 printers
46564704	R 1,380	OKI 46564704 Black Laser Toner cartridge, 38 400 page yield, Compatible with --> ES9466 / ES9476 printers
46564804	R 2,038	OKI 46564804 Black Developer cartridge, 105 000 page yield, Compatible with --> ES9465 / ES9475 printers
505A/280A	R 138	Microworld 505A/280A compatible Black Laser Toner Cartridge for HP, 2300 page yield, Compatible with --> P2035 / P2035n / P2050 / P2055d / P2055dn / P2055x / 400 M401n / M401dn / M401dw / MFP M425dn / MFP M425dw printers
5091C002AA	R 2,755	Canon 069 Yellow Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5092C002AA	R 2,755	Canon 069 Magenta Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5093C002AA	R 2,755	Canon 069 Cyan Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5094C002AA	R 2,314	Canon 069 Black Laser Toner Cartridge, 2100 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5095C002AA	R 5,975	Canon 069H Yellow High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5096C002AA	R 5,975	Canon 069H Magenta High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers

5097C002AA	R 5,975	Canon 069H Cyan High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5098C002AA	R 4,787	Canon 069H Black High Capacity Laser Toner Cartridge, 7600 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
5099C002AA	R 1,700	CANON 067 YELLOW Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
50F5000	R 1,616	Lexmark 505 Return Program Toner Cartridge (MS310, MS410, MS510, MS610), 1,500 pgs
50F5H00	R 3,713	Lexmark 505H High Yield Return Program Toner Cartridge, Â© 2014 Laptop Direct
50F5H0E	R 3,713	LEXMARK 505HE MS310 / MS410 / MS510 / MS610 Black High Yield Toner Cartridge
50F5U0E	R 8,431	LEXMARK 505UE MS510 / MS610 Black Ultra High Yield Toner Cartridge
50F5X0E	R 5,598	LEXMARK 505XE MS410 / MS510 / MS610 Black Extra High Yield Toner Cartridge
5100C002AA	R 1,700	CANON 067 MAGENTA Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
5101C002AA	R 1,700	CANON 067 CYAN Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
5102C002AA	R 1,504	CANON 067 BLACK Laser Toner Cartridge, 1350 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
5103C002AA	R 2,306	Canon 067H Yellow High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
5104C002AA	R 2,306	Canon 067H Magenta High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
5105C002AA	R 2,306	Canon 067H Cyan High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
5106C002AA	R 2,237	Canon 067H Black High Capacity Laser Toner Cartridge, 3130 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
51B5000	R 1,426	Lexmark MS/MX 317 417 517 617 Return Program Toner Cartridge, YIELD: 2500 PGS
51B5H00	R 3,488	Lexmark MS/MX 417 517 617 High Yield Return Program Toner Cartridge, YIELD : 8500 PGS
51B5H00	R 3,823	Lexmark 51b5h00 Black High Yield Return Program Cartridge (8500 Page Yield)
51F5H00	R 3,404	Lexmark 515h High Yield Return Program Toner Cartridge
52D5H0E	R 10,689	LEXMARK 525HE MS710 / MS711 / MS810 / MS811 / MS812 Black High Yield Toner Cartridge
52D5X0E	R 13,203	LEXMARK 525XE MS711 / MS811 / MS812 Extra High Yield Toner Cartridge
55B0ZA0	R 897	Lexmark 55B0ZA0 Monochrome Laser Printer photoconductor unit, 40 000 pages yield, Compatible with --> Lexmark MS431dn / MX431adn / MS331dn / MX331adn printers
5639C002AA	R 3,098	Canon 070 Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> MF465dw / MF462dw / LBP247dw / LBP246dw Laser printers
5640C002AA	R 6,062	Canon CRG 070H Black High Yield Laser Toner Cartridge, 10200 pages yield, Compatible with --> imageCLASS MF465dw / MF462dw / LBP247dw / LBP240 Series printers
5645C002AA	R 1,439	Canon 071 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
5646C002AA	R 2,037	Canon 071h High Yield Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
56F5000	R 3,719	Lexmark Ms Mx 321 421 521 621 622 Black Return Program Toner Cartridge (15 000 Page Yield) MS321/ MS421/ MS521/ MS621/ MX321/ MX421/ MX521/ MX522/ MX622
56F5H0E	R 7,232	Lexmark L56f5h0e Ms Mx 321 421 521 621 622 Black High Yield Corporate Toner Cartridge (15 000 Page Yield) MS321/ MS421/ MS521/ MS621/ MX321/ MX421/ MX521/ MX522/ MX622

56F5U0E	R 8,266	Lexmark 56F5U0E Black Ultra High Yield Corporate Toner Cartridge, MS521dn/ MS621dn/ MS622de/ MX521ade/ MX521de/ MX522adhe/ MX622ade/ MX622adhe
56F5X0E	R 8,611	Lexmark Msmx 421 521 621 421 521 522 622 Black Extra High Yield Corporate Toner Cartridge (20 000 Page Yeild)
56F5X0E	R 7,990	Lexmark Msmx 421 521 621 421 521 522 622 Black Extra High Yield Corporate Toner Cartridge (20 000 Page Yeild)
58D5H0E	R 4,986	Lexmark 58D5H0E Black High Yield contract Laser Toner cartridge, 15000 page yield, Compatible with --> MS821dn / MX826ade / MS821n / MX822ade / MS823dn / MX721ade / MS825dn / MS822de / MS826de / MS823n / MX722adhe / MS725dvn / MX722ade printers
58D5U0E	R 11,940	Lexmark 58D5U0E Black Ultra High Yield Corporate Laser Toner Cartridge, 55 000 page yield, Compatible with --> MX822adxe / MX826ade / MX822ade / MX826adxe / MS823dn / MS825dn / MS826de / MS823n / MX722adhe / MS725dvn / MX722ade printers
58D5X0E	R 9,077	Lexmark 58D5X0E Black Extra High Yield Corporate Laser Toner Cartridge, 35 000 page yield, Compatible with --> MX822adxe / MX826ade / MX822ade / MX826adxe / MS823dn / MS825dn / MS826de / MS823n / MX722adhe / MS725dvn / MX722ade printers
60F5000	R 2,236	Lexmark 605 Return Program Toner Cartridge (MX310, MX410, MX510, MX511, MX611), 2,500 pgs, Â© 2014 Laptop Direct
60F5H0E	R 5,598	LEXMARK 605HE MX310 / MX410 / MX510 / MX511 / MX610 / MX611 Black High Yield Toner Cartridge
60F5X0E	R 8,431	LEXMARK 605XE MX510 / MX511 / MX610 / MX611 Extra High Yield Toner Cartridge
6269B002AA	R 1,819	Canon 731 Yellow Toner Cartridge, Duty Cycle Up to 1500 pages at 5% coverage Compatible with I-SENSYS LBP7100Cn, LBP7110Cw, MF8230Cn, MF8280Cw
6270B002AA	R 1,819	Canon 731 Magenta Toner Cartridge Duty Cycle Up to 1500 pages at 5% coverage.Compatible with I-SENSYS LBP7100Cn, LBP7110Cw, MF8230Cn, MF8280Cw
6271B002AA	R 1,819	Canon 731 Cyan Toner Cartridge ,duty Cycle Up to 1500 pages at 5% coverage Compatible with I-SENSYS LBP7100Cn, LBP7110Cw, MF8230Cn, MF8280Cw
6272B002AA	R 1,578	Canon 731 Black Toner Cartridge:Duty Cycle Up to 1400 pages at 5% coverage Compatible with I-SENSYS LBP7100Cn, LBP7110Cw, MF8230Cn, MF8280Cw
6273B002AA	R 2,023	Canon Duty Cycle Up to 2400 pages at 5% coverage Compatible with I-SENSYS LBP7100Cn, LBP7110Cw, MF8230Cn, MF8280Cw
62D5H0E	R 8,494	Lexmark 625HE HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
62D5X0E	R 13,203	LEXMARK 625XE MX711 / MX810 / MX811 / MX812 Extra High Yield Toner Cartridge
6362C002AA	R 2,308	Canon 075 Yellow Laser Toner Cartridge, 1000 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6363C002AA	R 2,308	Canon 075 Magenta Laser Toner Cartridge, 1000 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6364C002AA	R 2,308	Canon 075 Cyan Laser Toner Cartridge, 1000 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6365C002AA	R 2,033	Canon 075 Black Laser Toner Cartridge, 1000 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6366C002AA	R 3,202	Canon 075H High Yield Yellow Laser Toner Cartridge, 2500 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6367C002AA	R 3,202	Canon 075H High Yield Magenta Laser Toner Cartridge, 2500 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6368C002AA	R 3,202	Canon 075H High Yield Cyan Laser Toner Cartridge, 2500 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
6369C002AA	R 3,261	Canon 075H High Yield Black Laser Toner Cartridge, 3500 pages yield, Compatible with --> Canon i-SENSYS MF664cdw / MF667cdw / LBP646cdw / LBP647cdw Laser printers
64G0H00	R 5,199	LEXMARK MX910 / MX911 / MX912 High Yield Toner Cartridge - 32 000 pgs
66S0Z00	R 957	Lexmark 66S0Z00 Black Return Programme Laser Toner Cartridge, 75000 pages yield, Compatible with -->

		MS632dwe / MS631dw / MX532adwe / MS531dw / MX632adwe printers
66S5H00	R 9,430	Lexmark 66S5H00 Black Return Programme Laser Toner Cartridge, 28400 pages yield, Compatible with --> MX532adwe / MS531dw printers
66S5X00	R 9,088	Lexmark 66S5X00 Black 31K Return Programme Laser Toner Cartridge, 31000 pages yield, Compatible with --> MS632dwe / MX632adwe printers
70C0D10	R 1,327	LEXMARK 700D1 CS310N / CS310DN / CS410N / CS410DN / CS410DTN / CS510DE / CS510DTE / CX310N / CX310DN / CX410E / CX410DE / CX410DTE / CX510DE / CX510DHE / CX510DTHE BLACK DEVELOPER UNIT - 40 000 PGS
70C0D20	R 1,327	Lexmark 700D2 Cyan Developer Unit - EXMARK 700D2 CS310N / CS310DN / CS410N / CS410DN / CS410DTN / CS510DE / CS510DTE / CX310N / CX310DN / CX410E / CX410DE / CX410DTE / CX510DE / CX510DHE / CX510DTHE CYAN DEVELOPER UNIT - 40 000 PGS
70C0D30	R 1,327	LEXMARK 700D3 Magenta Developer Unit - 40000 PGS, CS310n, CS310dn, CS410n, CS410dn, CS410dtn, CS510de, CS510dte, CX310n, CX310dn, CX410e, CX410de, CX410dte, CX510de, CX510dhe, CX510dthe
70C0D40	R 1,327	LEXMARK 700D4 CS310N / CS310DN / CS410N / CS410DN / CS410DTN / CS510DE / CS510DTE / CX310N / CX310DN / CX410E / CX410DE / CX410DTE / CX510DE / CX510DHE / CX510DTHE YELLOW DEVELOPER UNIT - 40 000 PGS
70C8HCE	R 3,545	LEXMARK 708HCE CS310/ CS410/ CS510 Cyan High Yield Toner Cartridge
70C8HKE	R 2,628	LEXMARK 708HKE CS310 / CS410 / CS510 Black High Yield Toner Cartridge
70C8HME	R 3,545	LEXMARK 708HME CS310 / CS410 / CS510 Magenta High Yield Toner Cartridge
70C8HYE	R 3,545	LEXMARK 708HYE CS310 / CS410 / CS510 Yellow High Yield Toner Cartridge
70C8XCE	R 3,795	LEXMARK 708XCE CS510 Cyan Extra High Yield Toner Cartridge
70C8XKE	R 3,748	LEXMARK 708XKE CS510 Black Extra High Yield Toner Cartridge
70C8XME	R 3,795	LEXMARK 708XME CS510 Magenta Extra High Yield Toner Cartridge
70C8XYE	R 3,795	Lexmark 708XYE CS510 Yellow Extra High Yield Toner Cartridge
71B50C0	R 1,953	Lexmark CS/CX 317 417 517 Cyan Return Program Toner Cartridge, YIELD : 2300 PGS
71B50K0	R 1,863	Lexmark CS/CX 317 417 517 Black Return Program Toner Cartridge, YIELD : 3000 PGS
71B50M0	R 1,953	Lexmark CS/CX 317 417 517 Magenta Return Program Toner Cartridge, YIELD : 2300 PGS
71B50Y0	R 1,953	Lexmark CS/CX 317 417 517 Yellow Return Program Toner Cartridge, YIELD : 2300 PGS
72K0FK0	R 3,200	Lexmark CS 827 Black Return Programme Developer and Photoconductor Unit Pack
72K0FK0	R 3,518	Lexmark CS 827 Black Return Programme Developer and Photoconductor Unit Pack
72K0FV0	R 10,325	Lexmark Colour (CMY) Return Programme Developer Kit and Photoconductors Pack, Yield: 175000 pgs, Â© 2019 Laptop Direct
72K5XYE	R 11,858	Lexmark CS820 Yellow Extra High Yield Corporate Cartridge, 22000 pages yield, Compatible with --> CX860de / CS820de / CX825de printers
73B50C0	R 6,590	Lexmark CS/CX 827 Cyan Return Program Toner Cartridge, YIELD : 15 000
73B50K0	R 5,075	Lexmark CS/CX 827 Black Return Program Toner Cartridge, YIELD : 20 000
73B50M0	R 6,089	Lexmark CS/CX 827 Magenta Return Program Toner Cartridge, YIELD : 15 000
73B50Y0	R 6,590	Lexmark CS/CX 827 Yellow Return Program Toner Cartridge, YIELD : 15 000
74C5HCE	R 7,030	Lexmark Cs72x Cyan High Yield Corporate Toner
74C5HKE	R 7,597	Lexmark Cs72x Black High Yield Corporate Toner
74C5HME	R 7,030	LEXMARK CS725 Magenta High Yield Corporate Cartridge (12K), 12,000 pages, CS725
74C5HYE	R 7,030	LEXMARK CS725 Yellow High Yield Corporate Cartridge (12K), 12,000 pages, CS725
74C5SME	R 4,276	Lexmark 74C5SME Cs720 Cs725 Cx725 Magenta Standard Yield Corporate Cartridge (7000 Page Yield)
75B50C0	R 5,291	Lexmark CS/CX 727 CS728 Cyan Return Program Toner Cartridge, YIELD: 2300
75B50K0	R 3,992	Lexmark CS/CX 727 CS728 Black Return Program Toner Cartridge, YIELD: 13000
75B50M0	R 5,291	Lexmark CS/CX 727 CS728 Magenta Return Program Toner Cartridge, YIELD: 2300
75B50Y0	R 5,291	Lexmark CS/CX 727 CS728 Yellow Return Program Toner Cartridge, YIELD: 2300
7616A005AA	R 1,850	Canon 703 Black Toner Cartridge ,Compatible Printers LBP2900 LBP3000 LBP2000
76C00C0	R 6,164	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Cyan Toner Cartridge (11500 Page Yield)

76C00C0	R 5,689	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Cyan Toner Cartridge (11500 Page Yield)
76C00K0	R 6,011	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Black Toner Cartridge (18500 Page Yield)
76C00K0	R 5,544	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Black Toner Cartridge (18500 Page Yield)
76C00M0	R 6,164	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Magenta Toner Cartridge (11500 Page Yield)
76C00M0	R 5,689	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Magenta Toner Cartridge (11500 Page Yield)
76C00Y0	R 6,164	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Yellow Toner Cartridge (11500 Page Yield)
76C00Y0	R 5,689	Lexmark Cs921 Cs923 Cx920 Cx921 Cx922 Cx923 Cx924 Yellow Toner Cartridge (11500 Page Yield)
76C0HC0	R 14,242	Lexmark CS923, CX921, CX922, CX923, CX924 Cyan High Yield Toner Cartridge, Yield: 34000 PGS
76C0HM0	R 14,242	Lexmark CS923, CX921, CX922, CX923, CX924 Magenta High Yield Toner Cartridge, YIELD: 34000 PGS
76C0HY0	R 14,242	Lexmark CS923, CX921, CX922, CX923, CX924 Yellow High Yield Toner Cartridge, YIELD: 34000 PGS
78C5XCE	R 4,263	Lexmark 78C5XCE Cyan Extra High Yield Corporate Laser Toner Cartridge, 5000 pages yield, Compatible with --> CX622ade / CS421dn / CS521dn / CX625adhe / CX522ade / CS622de / CX421adn printers
78C5XYE	R 4,402	Lexmark 78C5XYE Yellow Extra High Yield Contract Toner Cartridge, 5000 pages yield, Compatible with --> CX622ade / CS421dn / CS521dn / CX625adhe / CX522ade / CS622de / CX421adn printers
80C8SCE	R 2,366	LEXMARK 808SCE CX310/ CX410/ CX510 Cyan Toner Cartridge
80C8SKE	R 1,642	Lexmark 808SKE BLACK TONER CARTRIDGE
80C8SME	R 2,366	LEXMARK 808SME CX310 / CX410 / CX510 Magenta Toner Cartridge
80C8SYE	R 2,366	LEXMARK 808SYE CX310 / CX410 / CX510 Yellow Toner Cartridge
80C8XCE	R 3,190	LEXMARK 808XKE CX510 Black Extra High Yield Toner Cartridge
80C8XKE	R 3,504	LEXMARK 808XCE CX510 Cyan Extra High Yield Toner Cartridge
80C8XME	R 3,190	LEXMARK 808XME CX510 Magenta Extra High Yield Toner Cartridge
80C8XYE	R 3,190	LEXMARK 802XYE CX510 Yellow Extra High Yield Toner Cartridge
8489A002AA	R 1,392	Canon EP-27 Page yield (Black): up to 2 500 pages, for use with Canon i-SENSYS LBP3200, MF3110, MF5650, MF5750 and MF5770, Â© 2015 Laptop Direct
85D0HC0	R 9,297	Lexmark 85D0HC0 Cyan Laser Toner Cartridge, 16500 pages yield, Compatible with --> CX930dse / CX931dse printers
85D0HK0	R 6,701	Lexmark 85D0HK0 Black Laser Toner Cartridge, 28000 pages yield, Compatible with --> CX930dse / CX931dse printers
85D0HM0	R 9,297	Lexmark 85D0HM0 Magenta Laser Toner Cartridge, 16500 pages yield, Compatible with --> CX930dse / CX931dse printers
85D0HY0	R 9,297	Lexmark 85D0HY0 Yellow Laser Toner Cartridge, 16500 pages yield, Compatible with --> CX930dse / CX931dse printers
86C0HK0	R 3,518	Lexmark CX/92x Black High Yield Toner Cartridge, YIELD: 34000PGS
9106B002AA	R 951	Canon C-EXV 48 Black Laser toner cartridge, 16500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
9107B002AA	R 1,631	Canon C-EXV 48 Cyan Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
9108B002AA	R 1,631	Canon C-EXV 48 Magenta Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
9109B002AA	R 1,631	Canon C-EXV 48 Yellow Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
9424A004AA	R 1,222	Canon Cartridge 707 Black Laser Toner Cartridge (LBP5000 / LBP5100 = 2500 pages)
9435B002AA	R 2,109	Canon Cartridge 737 Black - Black, for (I-SENSYS MF211, MF212w, 216, MF217w, MF226dn, MF229w), Yield : 2400 pages
9436B002AA	R 1,532	Canon C-EXV 50 Black Laser Toner cartridge, 17600 pages yield Compatible with --> Imagerunner IR1435 printers
ABR2060B	R 93	Astrum R2060B Black Toner Cartridge For Brother 7055 7060 2130
ABRT1000B	R 76	Astrum Toner for Brother DCP1610w / MFC1910w printers
ABRT2355B	R 98	Astrum Toner for Brother 2355b Printer

ABRT3290B	R 152	Astrum Toner for Brother 3290 / 3185 printers
ACNC054B	R 185	Astrum Toner Black for Canon MF622 / 641 / 642 & HP CF540 printers
ACNC054C	R 185	Astrum Toner Cyan for Canon MF622 / 641 / 642 & HP CF540 printers
ACNC054M	R 185	Astrum Toner Magenta for Canon MF622 / 641 / 642 & HP CF540 printers
ACNC054Y	R 185	Astrum Toner Yellow for Canon MF622 / 641 / 642 & HP CF540 printers
ACNC716B	R 196	Astrum C716B Black Toner Cartridge for CANON 716 / IP540A
ACNC716C	R 196	Astrum C716C Cyan Toner Cartridge for CANON 716 / IP541A
ACNC716M	R 196	Astrum C716M Magenta Toner Cartridge for CANON 716 / IP543A
ACNC716Y	R 196	Astrum C716Y Yellow Toner Cartridge for CANON 716 / IP542A
ACNC718B	R 102	Astrum C718B Black Toner Cartridge for CANON 718 / IP530B
ACNC718C	R 102	Astrum C718B Black Toner Cartridge for CANON 718 / IP530B
ACNC718M	R 102	Astrum C718M Magenta Toner Cartridge for CANON 718 / IP533M
ACNC718Y	R 102	Astrum C718Y Yellow Toner Cartridge for CANON 718 / IP532Y
ACNC729C	R 102	Astrum C729C Cyan Toner Cartridge for CANON 729 / IP311A
ACNC729M	R 102	Astrum C729M Magenta Toner Cartridge for CANON 729 / IP313A
ACNC729Y	R 102	Astrum C729Y Yellow Toner Cartridge for CANON 729 / IP312A
ACNC737B	R 108	Astrum Toner Black for Canon MF211 / 212 / 216 / 217 / 226 printers
AHPIP05A	R 141	Astrum IP05A Black Toner Cartridge for HP 05A P2035/2055 CANON C719
AHPIP106A	R 185	Astrum Black Toner for HP 1000 / 1200 / 1220 printers
AHPIP12A	R 108	Astrum Compatible Toner for HP 12A 1000 / 3000 Canon C703 Black
AHPIP217A	R 108	Astrum Toner for HP CF217a Black
AHPIP226A	R 141	Astrum Toner for HP 26A CF226a Black
AHPIP278A	R 115	Astrum IP213A Magenta Toner Cartridge for HP 131 PRO200 CANON C731
AHPIP283A	R 115	Astrum IP283A Black Toner Cartridge for HP 80A CF283A / M127
AHPIP285A	R 115	Astrum Black Toner for HP 85A P1102 / M1212 & Canon 725 printrers
AHPIP400A	R 169	Astrum Black Toner for HP 201A & Canon 045
AHPIP401A	R 169	Astrum Cyan Toner for HP 201A & Canon 045
AHPIP402A	R 169	Astrum Yellow Toner for HP 201A & Canon 045
AHPIP403A	R 169	Astrum Magenta Toner for HP 201A & Canon 045
AHPIP410A	R 114	Astrum Black Toner for HP 477 / 452 / 377 & Canon 046
AHPIP410B	R 114	Astrum IP410B Black Toner Cartridge for FOR HP 305 PRO 300/400
AHPIP411A	R 114	Astrum Cyan Toner for HP 477 / 452 / 377 & Canon 046
AHPIP411C	R 114	Astrum IP411C Cyan Toner Cartridge for HP 305 PRO 300/400
AHPIP412A	R 114	Astrum Yellow Toner for HP 477 / 452 / 377 & Canon 046
AHPIP412Y	R 114	Astrum IP412Y Yellow Toner Cartridge for HP 305 PRO 300/400
AHPIP413A	R 114	Astrum Magenta Toner for HP 477 / 452 / 377 & Canon 046
AHPIP413M	R 114	Astrum IP413M Magenta Toner Cartridge for HP 305 PRO 300/400
AHPIP49A	R 148	Astrum IP49A Black Toner Cartridge for HP 49A / 53A 1160/1320/3390 C708
AHPIP531C	R 75	Astrum IP531C Cyan Toner Cartridge for HP 304A CM2320 /CP2027. Astrum IP531C Cyan Toner for HP 304A CC531A - HP Color LaserJet CP2020, CP2025, CP2025n, CP2025dn, CP2025x, CP2027, CP2027n, CP2027dn, CM2320, CM2320n, CM2320nf, CM2320fxi MFP
AHPIP532Y	R 75	Astrum IP532Y Yellow Toner Cartridge for HP 304A CM2320 /CP2027. Astrum IP532Y Yellow Toner for HP 304A CC532A - HP Color LaserJet CP2020, CP2025, CP2025n, CP2025dn, CP2025x, CP2027, CP2027n, CP2027dn, CM2320, CM2320n, CM2320nf, CM2320fxi MFP.
AHPIP533M	R 75	Astrum IP533M Magenta Toner Cartridge for HP 304A CM2320/CP2027
APN210B	R 191	Astrum Toner for Pantum PC210 Recon Black 1500 pages yield
ASMS101S	R 147	Astrum S101S Black Toner Cartridge for Samsung MLT101S ML2160/340
ASMS103L	R 75	Astrum S103L Black Toner Cartridge for Samsung MTL103L 4728/4729/2950
ASMS104S	R 147	Astrum S104S Black Toner Cartridge for Samsung 1660/1670/1860/3200

ASMS105L	R 207	Astrum Black Toner for Samsung 1910 / 1915 / 2525 / 4600 / 650 printers
ASMS109S	R 75	Astrum S109S Black Toner Cartridge for Samsung MLT109S SCX4300
ASMS111L	R 152	Astrum ASMS111L Samsung MLT-D111L Compatible Black Toner Cartridge. 1500pages. Samsung Xpress SL-M2010, SL-M2010W, SL-M2020, SL-M2020W, SL-M2021, SL-M2021W, SL-M2022, SL-M2022W, SL-M2023, SL-M2023W, SL-M2024, SL-M2024W, SL-M2026, SL-M2026W, SL-M2027, SL-M2027W, SL-M2028, SL-M2028W, SL-M2029, SL-M2029W, SL-M2060FH, SL-M2070, SL-M2070F, SL-M2070FH, SL-M2070FW, SL-M2070HW, SL-M2070W, SL-M2071, SL-M2071F, SL-M2071FH, SL-M2071FW, SL-M2071HW, SL-M2071W, SL-M2073, SL-M2073FW, SL-M2073W, SL-M2074, SL-M2074F, SL-M2074FW, SL-M2074W, SL-M2077, SL-M2077F, SL-M2077FW, SL-M2077W, SL-M2078, SL-M2078F, SL-M2078FW, SL-M2078W, SL-M2079, SL-M2079F, SL-M2079FW, SL-M2079W
ASMS116L	R 163	Astrum Black Toner for Samsung MTL116L - M2625 / 2825 / 2876 printers
ASMS203B	R 273	Astrum Black Laser Toner for Samsung M4020 / M3320 / M3820 printers
ASMS404B	R 160	Astrum Black Toner for Samsung C430 / C480 printers
ASMS407C	R 75	Astrum S407C Cyan Toner Cartridge for Samsung CLT407S
ASMS407M	R 75	Astrum S407M Magenta Toner Cartridge for Samsung CLT407S
ASMS407Y	R 75	Astrum S407Y Yellow Toner Cartridge for Samsung CLT407S
ASMS409B	R 75	Astrum S409B Black Toner Cartridge for Samsung CLT409S
ASMS409C	R 75	Astrum S409C Cyan Toner Cartridge for Samsung CLT409S
ASMS409M	R 75	Astrum S409M Magenta Toner Cartridge for Samsung CLT409S
ASMS409Y	R 75	Astrum S409Y Yellow Toner Cartridge for Samsung CLT409S
ASMS506C	R 75	Astrum S506C Cyan Toner Cartridge for Samsung CLT506S
ASMS506M	R 75	Astrum S506M Magenta Toner Cartridge for Samsung CLT506S
ASMS506Y	R 75	Astrum S506Y Yellow Toner Cartridge for Samsung CLT506S
B225000	R 856	Lexmark B225000 Black Return Program Laser Toner cartridge, 1200 pages yield, Compatible with --> Lexmark MB2236ADWE / B2236DW / MB2236ADW printers
B235000	R 1,854	Lexmark B235000 Black Return Program Toner Cartridge
B245H00	R 2,852	Lexmark B245H00 Black High Yield Return Program Toner Cartridge
BU-635CL	R 1,035	Brother BU-635CL Belt Unit, 100 000 pages yield (3 pages/job), Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw Colour Laser printers
C047	R 1,951	Canon 047 Black Laser Toner cartridge, 1600 pages yield, Compatible with --> LBP110 series / MF110 series / MF112 series / MF113 series printers
C13T04D100	R 219	Epson T04D100 manitenance box, Compatible with --> EcoTank M3180 / EcoTank M3170 / EcoTank M3140 / EcoTank M2170 / EcoTank M2140 / EcoTank M1180 / EcoTank M1170 / EcoTank M1140 / EcoTank L6190 / EcoTank L6176 / EcoTank L6170 / EcoTank L6160 / XP-5100 / WF-2860DWF / ET-3700 / ET-4750 / L6000 / ET-15000 printers
C3250K0	R 1,487	Lexmark C3250K0 OM Black Return Program Laser Toner cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224ADWE / MC3326ADWE / C3224DW / MC3224DWE / C3326DW printers
C3250M0	R 1,894	Lexmark C3250M0 OM Magenta Return Program Laser Toner cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224ADWE / MC3326ADWE / C3224DW / MC3224DWE / C3326DW printers
C3250Y0	R 1,894	Lexmark C3250Y0 OM Yellow Return Program Laser Toner cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224ADWE / MC3326ADWE / C3224DW / MC3224DWE / C3326DW printers
C3906A	R 999	HP HC3906A 06A Black LaserJet Toner cartridge, 2500 page yield, Compatible with --> HP 5l / 5ml / 6l / 3100 printers
C4096A	R 1,999	HP C4096A 96A Black original LaserJet Toner cartridge, 5000 pages yield, Compatible with --> HP LaserJet 2100 & 2200 Printers
C4152A	R 1,900	HP C4152A Yellow Toner Cartridge - 8500 Pages (in original sealed OEM bag - no retail box)
C701C	R 3,585	Canon 701 Cyan Toner Cartridge (LBP-5200 / MF8180C = 4000 pages)
C703	R 2,048	Canon Cartridge 703 Black Laser Toner Cartridge (LBP2900/3000 = 2000 pages)
C706	R 4,430	Canon Cartridge 706 Laser Toner Cartridge (MF6550/MF6560PCL/MF6580PCL -5000pages)

C710H	R 6,377	Canon Cartridge 710H High Yield Black Laser Toner Cartridge (LBP3460 = 12,000 pages)
C711C	R 5,205	Canon Cartridge 711 Cyan Laser Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF9170 = 6000 pages)
C711M	R 5,205	Canon Cartridge 711 Magenta Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF9170 = 6000 pages)
C711Y	R 5,205	Canon Cartridge 711 Yellow Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF9170 = 6000 pages)
C712	R 1,910	CANON CARTRIDGE 712 LBP3010 / LBP3100
C713	R 2,094	CANON CARTEIDGE 713 LBP3250
C716B	R 2,213	CANON CARTRIDGE 716 BLACK LBP5050 / LBP5050N /MF80XXCN
C716C	R 2,062	CANON CARTRIDGE 716 CYAN LBP5050 / LBP5050N / MF80XXCN
C716M	R 2,062	Canon cartridge 716 magenta LBP5050 / LBP5050N / MF80XXCN.
C716Y	R 2,062	Canon 716 Yellow toner for LBP5050 / LBP5050N / MF80XXCN
C717C	R 4,089	CANON CARTRIDGE 717 CYAN MF8450
C717Y	R 4,089	CANON CARTRIDGE 717 YELLOW MF8450 (4,000 pages)
C718B	R 3,479	CANON CARTRIDGE 718 BLACK LBP7200CDN / MF83XXCDN
C718C	R 3,420	Canon 718 Cyan Toner for LBP7200Cdn / MF83xxCdn.
C718M	R 3,420	Canon 718 magenta toner for LBP7200CDN / MF83XXCDN
C718Y	R 3,420	Canon 718 Yellow Laser Toner
C719	R 2,387	Canon Toner 719 Black for LBP6300DN / LBP6650DN / MF5880DN
C719H	R 4,321	Canon 719H Black High Yield Laser Toner Cartridge
C720	R 4,611	Canon C720 Toner Black for MF6680dn
C723BH	R 5,674	Canon 723H Black Toner Cartridge
C724	R 4,202	Canon 724 Black Toner Cartridge for Canon Laser LBP6750dn.
C724H	R 6,334	Canon 724H High Capacity Toner - Black
C725	R 1,942	CANON CARTRIDGE 725 BLACK LBP6000
C726	R 2,299	Canon 726 Black Toner
C728	R 2,181	CANON CARTRIDGE 728 BLACK MF4410 MF4430 MF4450 MF4550D MF4570DN MF4580DN/L-150 L170
C729B	R 1,442	Canon 729 (Black) Toner Cartridge
C729C	R 1,694	CANON CARTRIDGE 729 CYAN TONER LBP7010/7018C
C729D	R 2,408	CANON DRUM CARTRIDGE 729 LBP7010/7018C
C729M	R 1,694	C729M Genuine Magenta Canon 729M Toner
C729Y	R 1,694	Canon 729 Yellow Toner for LBP7010/7018C
C731B	R 1,764	Canon 731 back toner LBP7100CN/LBP7110CW 1K
C731BH	R 2,229	Canon 731 black toner high capacity
C731C	R 2,015	CANON 731 CYAN TONER LBP7100CN/LBP7110CW 1.5K
C731M	R 2,015	Canon 731 Magenta Toner
C731Y	R 2,015	CANON 731 YELLOW TONER LBP7100CN / LBP7110CW 1.5K
C732B	R 4,430	CANON 732 BLACK TONER LBP7780CX
C732C	R 5,958	CANON 732 CYAN TONER LBP7780CX
C732M	R 5,958	Canon 732 Magenta (For use with the LBP7780CX) 6400 Pages. Magenta laser toner.
C732Y	R 5,958	CANON 732 YELLOW TONER LBP 7780CX
C737	R 2,319	Canon C737 Black Laser Toner Cartridge, 2400 pages yield, Compatible with --> Canon Laser i-SENSYS MF211 / MF212 / W216 / MF217w / MF226dn / MF229w printers
C8543X	R 7,949	HP # 43X LASERJET 9040 BLACK PRINT CARTRIDGE.
C935961	R 335	Epson C12C935961 Roller paper feed for Cassette, Compatible with --> WF-M21000 / WF-C20750 / WF-M20590 / WF-C20600 printers
C9730A	R 7,430	HP #645A CLJ 5500 BLACK PRINT CARTRIDGE.
C9731A	R 10,220	HP # 645A CLJ 5500 CYAN PRINT CARTRIDGE.
C9732A	R 9,392	HP Yellow Laserjet Cartridge - HP L/J 5500 up to 12; 000 pgs
C9733A	R 10,220	HP Magenta Laserjet Cartridge - HP L/J 5500 up to 12; 000 pgs
CA30	R 4,096	CANON CARTRIDGE A-30 PC6 / 7 / 11 & FC1 / 2 / 3 / 5 / 22

CANON C-EXV 48 TONER BLACK	R 781	Canon C-EXV 48 Toner Black for C1325/1335
CANON C-EXV 48 TONER CYAN	R 1,425	Canon C-EXV 48 Toner Cyan for C1325/1335
CANON C-EXV 48 TONER MAGENT	R 1,425	Canon C-EXV 48 Toner Magenta for C1325/1335
CANON C-EXV 48 TONER YELLOW	R 1,425	Canon C-EXV 48 Toner Yellow for C1325/1335
CC364A	R 4,158	HP #64A LASERJET P4014/P4015/P4515 BLACK PRINT CARTRIDGE.
CC530A	R 3,048	HP # 304A Color LaserJet CP2025 Black Print Cartridge. Prints approximately 3 500 pgs using the ISO/IEC 19798 yield standard, Retail Box, Â© 2013 Laptop Direct
CC531A	R 2,931	HP # 304A Color LaserJet CP2025 Cyan Print Cartridge. Prints approximately 2 800 pgs using the ISO/IEC 19798 yield standard, Retail Box, Â© 2013 Laptop Direct
CC532A	R 2,931	HP # 304A Color LaserJet CP2025 Yellow Print Cartridge. Prints approximately 2 800 pgs using the ISO/IEC 19798 yield standard, Retail Box, Â© 2013 Laptop Direct
CCEXV50	R 1,883	Canon C-EXV 50 Black Laser Toner cartridge, 17600 pages yield Compatible with --> Imagerunner IR1435 printers
CCRG039BK	R 4,422	Canon CRG 039 Laser Toner Cartridge Black, 11000 pages yield, Compatible with --> i-SENSYS LBP351x / i-SENSYS LBP352x printers
CCRG039HBK	R 7,080	Canon CRG 039H Black High Yield Toner Cartridge, 25000 pages yield, Compatible with --> i-SENSYS LBP351x / LBP352x printers
CCRG040BK	R 4,091	Canon CRG 040BK Black Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
CCRG040C	R 5,099	Canon CRG 040C Cyan Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
CCRG040HBK	R 5,548	Canon CRG 040H BK High Yield Toner Cartridge Black, 10000 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
CCRG040HY	R 7,636	Canon CRG 040HY Yellow High Capacity Laser Toner Cartridge, 10 000 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
CCRG040M	R 5,099	Canon CRG 040Y Magenta Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
CCRG040Y	R 5,099	Canon CRG 040Y Yellow Laser Toner Cartridge, 5400 page yield, Compatible with --> i-SENSYS LBP712cx / i-SENSYS LBP710cx printers
CCRG041BK	R 6,232	Canon CRG 041 Black Laser Toner Cartridge, 10 000 pages yield, Compatible with --> Canon LBP312x / MF525x / MF522x Printer
CCRG041HBK	R 8,081	Canon CRG 041H BK High Yield Toner Cartridge Black, 20 000 pages yield, Compatible with --> i-SENSYS LBP312x Printer
CCRG045BK	R 1,973	Canon CRG045BK Black Laser Toner Cartridge, 1400 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045C	R 2,180	Canon CRG045C Cyan Laser Toner Cartridge, 1400 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045HBK	R 2,607	Canon CRG045HBK Black High Yield Laser Toner Cartridge, 2800 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045HC	R 2,716	Canon CRG045HC Cyan High Yield Laser Toner Cartridge, 2200 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045HM	R 2,716	Canon CRG045HM Magenta High Yield Laser Toner Cartridge, 2200 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045HY	R 2,716	Canon CRG045HY Yellow High Yield Laser Toner Cartridge, 2200 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045M	R 2,180	Canon CRG045M Magenta Laser Toner Cartridge, 1400 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers
CCRG045Y	R 2,180	Canon CRG045Y Yellow Laser Toner Cartridge, 1400 page yield, Compatible with --> i-SENSYS LBP611cn / i-SENSYS LBP613cdw / i-SENSYS MF631cn / i-SENSYS MF633cdw / i-SENSYS MF635cx printers

CCRG046BK	R 2,418	Canon CRG 046HBK Black High Capacity Laser Toner Cartridge, 6300 page yield, Compatible with --> i-SENSYS LBP653cdw / LBP654cx / MF732cdw / MF734cdw / MF735cx / LBP613cdw printers
CCRG046C	R 3,229	Canon CRG046C Cyan Laser Toner Cartridge Cartridge, 2300 page yield, Compatible with --> i-SENSYS LBP653cdw / i-SENSYS LBP654cx / i-SENSYS MF732cdw / i-SENSYS MF734cdw / i-SENSYS MF735cx / i-SENSYS LBP613cdw
CCRG046HBK	R 3,926	Canon Crg046 High Capacity Black Toner For Lbp65x Series Mf73x Series (5000 Pages Yield)
CCRG046HC	R 5,379	Canon Crg046 High Capacity Cyan Toner For Lbp65x Series Mf73x Series (5000 Pages Yield)
CCRG046HM	R 5,379	Canon Crg046 High Capacity Magenta Toner For Lbp65x Series Mf73x Series (5000 Pages Yield)
CCRG046HY	R 5,379	Canon Crg046 High Capacity Yellow Toner For Lbp65x Series Mf73x Series (5000 Pages)
CCRG046M	R 3,229	Canon Crg46 Magenta Toner For Lbp65x Series Mf73x Series (2300 Pages Yield)
CCRG046Y	R 3,229	Canon Crg046 Yellow Toner For Lbp65x Series Mf73x Series (2300 Pages Yield)
CCRG051BK	R 2,155	Canon 051 BK Black Laser Toner cartridge, 1700 pages yield, Compatible with --> imageCLASS MF269DW / LBP162DW / MF269DW / MF267DW / MF264DW printers
CCRG051HBK	R 3,037	Canon 051H BK Black High Yield Laser Toner Cartridge, 4000 pages yield, Compatible with --> imageCLASS MF269dw / LBP162dw / MF267dw / MF264dw printers
CCRG054BK	R 2,140	Canon 054 Black Laser Toner cartridge, 1500 pages yield, Compatible with --> LBP 620 series / LBP 61x series / MF63X / MF64X series printers
CCRG054C	R 2,018	Canon 054 Cyan Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63x / MF64x series printers
CCRG054HBK	R 2,878	Canon 054H High Yield Black Laser Toner cartridge, 3100 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CCRG054HC	R 2,878	Canon 054H High Yield Cyan Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CCRG054HM	R 2,878	Canon 054H High Yield Cyan Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CCRG054HY	R 2,878	Canon 054H High Yield Yellow Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CCRG054M	R 2,018	Canon 054 Magenta Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CCRG054Y	R 2,018	Canon 054 Yellow Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CCRG055BK	R 2,479	Canon 055 Black Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055C	R 2,957	Canon 055 Cyan Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055HBK	R 4,464	Canon 055H High Yield Black Laser Toner cartridge, 7600 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055HC	R 6,094	Canon 055H High Yield Cyan Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055HM	R 6,094	Canon 055H High Yield Magenta Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055HY	R 6,094	Canon 055H High Yield Yellow Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055M	R 2,957	Canon 055 Magenta Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG055Y	R 2,957	Canon 055 Yellow Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CCRG056BK	R 6,094	Canon 056 BK Black Standard Laser Toner Cartridge, 10 000 pages yield, Compatible with --> imageCLASS LBP325x / MF542x / MF543x Series printers

CCRG056HBK	R 8,302	Canon 056H BK High Yield Black Laser Toner cartridge, 21 000 pages yield, Compatible with --> imageCLASS LBP325dn / LBP320 Series / MF540 series printers
CCRG056LBK	R 4,054	Canon 056 BK Black Laser Toner cartridge, 5100 pages yield, Compatible with --> imageCLASS LBP325dn / LBP320 Series / MF540 series printers
CCRG057BK	R 3,264	Canon 057 BK Black Laser Toner cartridge, 3100 pages yield, Compatible with --> imageCLASS MF445dw / LBP226dw printers
CCRG057HBK	R 5,623	Canon 057H BK Black High Yield Laser Toner cartridge, 10 000 pages yield, Compatible with --> I-SENSYS LBP223dw / LBP226dw / LBP228x / MF443dw / MF445dw / MF446x / MF449x
CCRG059HBK	R 6,665	Canon CRG 059H Black High Yield Ink cartridge, 15 500 pages yield, Compatible with --> Canon LBP852Cx / LBP850c Series Printers
CCRG059HC	R 11,179	Canon CRG 059HC Cyan High Yield Ink cartridge, 13 500 pages yield, Compatible with --> LBP850c Series Printer
CCRG059HM	R 11,179	Canon CRG 059HM Magenta High Yield Ink cartridge, 13 500 pages yield, Compatible with --> LBP850c Series Printer
CCRG059HY	R 11,179	Canon CRG 059HY Yellow High Yield Ink cartridge, 13 500 pages yield, Compatible with --> LBP850c Series Printer
CCRG064BK	R 4,251	Canon 064 Black Laser Toner Cartridge, 6000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064C	R 5,298	Canon 064 Cyan Laser Toner Cartridge, 5000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064HBK	R 6,246	Canon 064H High Yield Black Laser Toner Cartridge, 13400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064HC	R 8,548	Canon 064H High Yield Cyan Laser Toner Cartridge, 10400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064HM	R 8,548	Canon 064H High Yield Magenta Laser Toner Cartridge, 10400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064HY	R 8,548	Canon 064H High Yield Yellow Laser Toner Cartridge, 10400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064M	R 5,298	Canon 064 Magenta Laser Toner Cartridge, 5000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG064Y	R 5,298	Canon 064 Yellow Laser Toner Cartridge, 5000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CCRG067BK	R 1,686	CANON 067 BLACK Laser Toner Cartridge, 1350 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CCRG067C	R 1,891	CANON 067 CYAN Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CCRG067HBK	R 2,451	Canon 067H Black High Capacity Laser Toner Cartridge, 3130 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CCRG067HC	R 2,523	Canon 067H Cyan High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CCRG067HM	R 2,523	Canon 067H Magenta High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CCRG067HY	R 2,523	Canon 067H Yellow High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CCRG067M	R 1,891	CANON 067 MAGENTA Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CCRG067Y	R 1,891	CANON 067 YELLOW Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw /

		LBP633cdw / LBP631cw printers
CCRG069BK	R 2,532	Canon 069 Black Laser Toner Cartridge, 2100 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069C	R 2,993	Canon 069 Cyan Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069HBK	R 5,116	Canon 069H Black High Capacity Laser Toner Cartridge, 7600 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069HC	R 6,358	Canon 069H Cyan High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069HM	R 6,358	Canon 069H Magenta High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069HY	R 6,358	Canon 069H Yellow High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069M	R 2,993	Canon 069 Magenta Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG069Y	R 2,993	Canon 069 Yellow Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CCRG070BK	R 3,352	Canon CRG 070 Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> imageCLASS MF465dw / MF462dw / LBP247dw / LBP240 Series printers
CCRG070HBK	R 6,448	Canon CRG 070H Black High Yield Laser Toner Cartridge, 10200 pages yield, Compatible with --> imageCLASS MF465dw / MF462dw / LBP247dw / LBP240 Series printers
CCRG071	R 1,618	Canon 071 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
CCRG071H	R 2,243	Canon 071h High Yield Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
CCXV47BK	R 984	Canon C-EXV 48 Black Laser toner cartridge, 16500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CCXV47C	R 2,706	Canon C-EXV 48 Cyan Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CCXV47M	R 2,706	Canon C-EXV 48 Magenta Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CCXV47Y	R 2,706	Canon C-EXV 48 Yellow Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CE16	R 2,663	CANON CARTRIDGE E-16 PERSONAL COPIER FC-100 / 120 / 204 / 224 / 336 / PC-860 / 890
CE249A	R 6,488	HP Color LaserJet Transfer Kit, Â© 2014 Laptop Direct
CE251A	R 6,875	HP # 504A CP3525/CM3530 MFP CYAN PRINT CARTRIDGE.
CE255A	R 3,541	HP # 55A LaserJet P3015 Black Print Cartridge. Prints approximately 6 000 pgs using the ISO/IEC 19752 yield standard, Retail Box, Â©2013 Laptop Direct
CE255X	R 5,634	HP 55X Black Toner High Yeild- LaserJet P3010/P3015, 12,000 pgs
CE255XD	R 10,386	HP 55X Black Toner Dual Pack Page Yield 12,500 pages per cartridge Compatible with HP LaserJet Enterprise 500 MFP M525dn, 500 MFP M525f, flow MFP M525c, P3015, P3015d, P3015dn, P3015n, P3015x HP LaserJet Pro MFP M521dn, MFP M521dw
CE260A	R 3,840	HP # 647A CLJ CP4525/ CP4025 BLACK PRINT CARTRIDGE.
CE260X	R 6,610	HP # 649X CLJ CP4525 BLACK PRINT CARTRIDGE.
CE261A	R 6,959	HP # 648A CLJ CP4525/CP4025 CYAN PRINT CARTRIDGE.
CE262A	R 6,959	HP # 648A CLJ CP4525/ CP4025 YELLOW PRINT CARTRIDGE.
CE263A	R 6,959	HP CE263A 648A Magenta Original LaserJet Toner Cartridge; up to 11000 pages; compatible with HP Color LaserJet CP4025 and CP4525 printers; laser print technology; 390 x 164 x 214mm; 1.3kg
CE270A	R 5,757	HP CE270A 650A Black LaserJet Toner Cartridge; up to 13500 pages; original HP toner; compatible with HP

		Color LaserJet Enterprise M750 and CP5525 series; 492 x 188 x 225mm; 1.80kg
CE272A	R 10,813	HP Colour Laserjet CP5525 Yellow Print Cartridge (15,000pages)
CE273A	R 9,788	HP CE273A 650A Magenta LaserJet Toner Cartridge; 15000 page yield; HP Color LaserJet Enterprise M750 compatible; 492 x 188 x 225mm; weight: 1.80kg
CE285UNI	R 127	Microworld CE285UNI compatible Black Laser Toner Cartridge for multiple brands, 1600 page yield, Compatible with --> HP LaserJet Pro : M1132 MFP / Pro M1212nf / Pro M1214nfh / Pro M1217nfw / Pro P1100 / Pro P1102 / Pro P1102w / Pro P1104 / Pro P1104w / P1005 / P1006 / P1007 / P1008 / P1009 / M1120 MFP / M1120n MFP / M1522n MFP / M1522nf MFP / P1505 / P1505n / Canon : i-SENSYS LBP-6000 / i-SENSYS LBP-6000b / i-SENSYS LBP-6020 / i-SENSYS LBP-6020b / i-SENSYS LBP-6030 / i-SENSYS LBP-6030b / i-SENSYS LBP-6030w / i-SENSYS MF-3010 / i-SENSYS LBP-3010 / i-SENSYS LBP-3100 / i-SENSYS LBP-3250hp
CE30	R 4,096	Canon E-30 Black (Personal Copier FC-100 / 120 / 204 / 224 / 336 / ,PC-860 / 890 - Yield = 2000 pages)
CE340A	R 4,147	HP # 651A LJ ENTERPRISE 700 COLOR MFP M775 SERIES BLACK PRINT CARTRIDGE
CE341A	R 10,609	HP 651A Cyan Toner - HP Laserjet Enterprise 700 - M775, 1,800 pgs
CE342A	R 10,234	HP # 651A LJ ENTERPRISE 700 COLOR MFP M775 SERIES YELLOW PRINT CARTRIDGE
CE343A	R 10,318	HP # 651A LJ ENTERPRISE 700 COLOR MFP M775 SERIES MAGENTA PRINT CARTRIDGE
CE390A	R 4,257	HP LASERJET M4555 MFP BLACK PRINT CARTRIDGE.
CE390X	R 6,879	HP LASERJET M4555 MFP BLACK PRINT CARTRIDGE.
CE400A	R 3,581	HP LASERJET ENTERPRISE 500 COLOR M551 BLACK PRINT CARTRIDGE.
CE400X	R 4,817	HP LASERJET ENTERPRISE 500 COLOR M551 BLACK PRINT CARTRIDGE.
CE401A	R 5,335	HP LASERJET ENTERPRISE 500 COLOR M551 CYAN PRINT CARTRIDGE.
CE402A	R 5,335	HP 507A Yellow Toner - HP Colour LaserJet Enterprise 500 - M551, 6,000 pgs
CE403A	R 5,335	HP 507A Magenta Toner - HP Colour LaserJet Enterprise 500 - M551, 6,000 pgs
CE410A	R 2,099	HP 305A Standard Capacity Black Laserjet Toner Cartridge, Â© 2014 Laptop Direct
CE411A	R 2,960	HP # 305A CYAN LASERJET TONER CARTRIDGE FOR LASERJET PRO 300 AND 400 COLOR SERIES
CE412A	R 2,960	HP 305A Yellow Laserjet Toner Cartridge, Â© 2014 Laptop Direct
CE413A	R 2,953	HP # 305A MAGENTA LASERJET TONER CARTRIDGE FOR LASERJET PRO 300 AND 400 COLOR SERIES
CE505A	R 2,186	HP CE505A 05A Black LaserJet Toner Cartridge, 2300 pages yield, HP P2035 P2055 compatible, black print, standard capacity, laser toner, office documents
CE505D	R 4,049	HP No 05A Black DUAL-PACK LaserJet Toner Cartridge - LASERJET P2035/ P2055
CE505X	R 3,920	HP # CE505XC BLACK CONTRACT LASERJET TONER CARTRIDGE. HP CE505X 05X Black High Yield Toner Cartridge; up to 6500 pages; compatible with HP LaserJet P2035 P2055 series; monochrome printing; office use; original HP toner.
CE740A	R 3,738	HP # 307A COLOR LASERJET CP5225 BLACK PRINT CARTRIDGE.
CE740A	R 4,350	Hp 307a Black Toner Cartridge For Cp5225 (7000 Page Yield)
CE741A	R 6,584	HP # 307A COLOR LASERJET CP5225 CYAN PRINT CARTRIDGE, 7300 pages
CE742A	R 6,584	HP CE742A 307A Yellow LaserJet Toner Cartridge; 7300 pages yield; CP5225 compatible; OEM cartridge; yellow color; office printing; high volume use
CE743A	R 6,568	HP 307A Magenta Toner For HP Colour LaserJet CP5225, 6000 pgs
CEP27	R 1,980	Canon EP-27 black toner cartridge.
CEXV48BLACK	R 1,136	Canon C-EXV 48 Black Laser Toner Cartridge, 16500 pages yield compatible with --> imageRUNNER C1325 / C1335 printers
CEXV48CYAN	R 1,990	Canon C-EXV 48 Cyan Laser Toner Cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CEXV48MAGENTA	R 1,990	Canon C-EXV 48 Magenta Laser Toner Cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CEXV48YELLOW	R 1,990	Canon C-EXV 48 Yellow Laser Toner Cartridge, 11500 pages yield compatible with --> imageRUNNER C1325 / C1335 printers
CEXV49BLACK	R 1,528	Canon C-EXV 49 Black Laser Toner Cartridge, 19000 pages yield, Compatible with --> Canon imageRUNNER C3320i / C3325i / C3330i / C3520i / C3525i / C3530i / DX C3720i / DX C3725i / DX C3730i printers

CEXV49CYAN	R 2,294	Canon C-EXV 49 Cyan Laser Toner Cartridge, 19000 pages yield, Compatible with --> Canon imageRUNNER C3320i / C3325i / C3330i / C3520i / C3525i / C3530i / DX C3720i / DX C3725i / DX C3730i printers
CEXV49MAGENTA	R 2,294	Canon C-EXV 49 Magenta Laser Toner Cartridge, 19000 pages yield, Compatible with --> Canon imageRUNNER C3320i / C3325i / C3330i / C3520i / C3525i / C3530i / DX C3720i / DX C3725i / DX C3730i printers
CEXV49YELLOW	R 2,294	Canon C-EXV 49 Yellow Laser Toner Cartridge, 19000 pages yield, Compatible with --> Canon imageRUNNER C3320i / C3325i / C3330i / C3520i / C3525i / C3530i / DX C3720i / DX C3725i / DX C3730i printers
CEXV52BLACK	R 2,950	Canon C-EXV 52 Black Laser toner cartridge, 82 000 pages yield, Compatible with --> Canon imageRUNNER C7570 / C7565 / C7580 / DX C7770i / DX C7765i / DX C7780i printers
CEXV52CYAN	R 6,608	Canon C-EXV 52 Cyan Laser toner cartridge, 66 500 pages yield, Compatible with --> Canon imageRUNNER C7570 / C7565 / C7580 / DX C7770i / DX C7765i / DX C7780i printers
CEXV52MAGENTA	R 6,608	Canon C-EXV 52 Magenta Laser toner cartridge, 66 500 pages yield, Compatible with --> Canon imageRUNNER C7570 / C7565 / C7580 / DX C7770i / DX C7765i / DX C7780i printers
CEXV52YELLOW	R 6,608	Canon C-EXV 52 Yellow Laser toner cartridge, 66 500 pages yield, Compatible with --> Canon imageRUNNER C7570 / C7565 / C7580 / DX C7770i / DX C7765i / DX C7780i printers
CEXV54BLACK	R 1,365	Canon C-EXV 54 Black Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
CEXV54CYAN	R 1,883	Canon C-EXV 54 Cyan Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
CEXV54MAGENTA	R 1,883	Canon C-EXV 54 Magenta Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
CEXV54YELLOW	R 1,883	Canon C-EXV 54 Yellow Laser Toner Cartridge, 8500 pages yield, Compatible with --> Canon IR-C7580i / Canon IR-C7570i / Canon IR-C7565i printers
CEXV59BLACK	R 1,990	Canon C-EXV59 Black Laser Toner Cartridge, 30 000 pages yield, Compatible with --> , Canon imageRUNNER 2625i / 2630i / 2645i printers
CF214A	R 4,994	HP 14A Black Toner - HP Laserjet Enterprise 700 - M725, 10,000 pgs, Â© 2014 Laptop Direct
CF214X	R 5,454	HP # 14X HP LJ ENTERPRISE 700 M712 SERIES BLACK PRINT CARTRIDGE
CF226A	R 2,773	HP # 26A BLACK LASERJET M402/MFP M426 CARTRIDGE, 3100 pages
CF226X	R 4,836	HP #26X BLACK LASERJET M402/MFP M426 CARTRIDGE, 9000 pages
CF230A	R 1,471	HP CF230A no.30A Black toner cartridge, 1600 page yield
CF237A	R 4,158	HP CF237A 37A Black Toner cartridge, 11000 Page yield
CF237X	R 5,996	HP CF237X 37X High Yield Black Toner cartridge, 25000 Page Yield
CF237Y	R 9,431	HP CF237Y 37Y Extra High Yield Black Toner cartridge, 41000 Page Yield
CF244A	R 1,068	HP #44A Black original LaserJet Toner cartridge, 1000 page yield, Compatible with --> HP LaserJet Pro M15 / M15A / M15W / MFP M28A / MFP M28W printers
CF252XM	R 13,188	HP CF252XM no.410X Cyan Magenta Yellow toner cartridges, 5000 page yield per cartridge, for HP color laserjet M377 / M452 / M477 series
CF256A	R 344	Microworld CF256A compatible Black Laser Toner Cartridge for HP 56A, 7400 page yield, Compatible with --> HP LaserJet MFP M433a / M436n / M436nda / M436 Series printers
CF256X	R 1,001	HP 56X Black LaserJet Toner Cartridge - 13700 pages
CF259A	R 2,344	HP #59 Black Laser Toner cartridge, 3000 pages yield, Compatible with --> HP LaserJet Pro M404DN / M404DW / M404N / MFP M428DW / MFP M428FDN / MFP M428FDW printers
CF259X	R 4,812	HP #59X High Yield Black Laser Toner cartridge, 10000 pages yield, Compatible with --> HP LaserJet Pro M404DN / M404DW / M404N / MFP M428DW / MFP M428FDN / MFP M428FDW printers
CF280A	R 2,552	HP 80A BLACK LASERJET TONER CARTRIDGE,YIELD 2700 PP
CF280X	R 4,339	HP # 80X BLACK LASERJET TONER CARTRIDGE FOR PRO 400 MFP M425 AND M401 SERIES.
CF280XD	R 8,226	HP 80X Black LaserJet Toner Cartridge (6900PGS)
CF281A	R 4,170	HP 81A Black Toner - HP LaserJet For Enterprise MFP M630 / M604 / M605 / M606
CF281X	R 6,940	HP 81X Black Toner High Yield For HP LaserJet Enterprise MFP M630 / M604 / M605 / M606

CF287A	R 5,390	HP # 87A BLACK LASERJET M506/MFP M527 CARTRIDGE.
CF287X	R 7,435	HP #87X BLACK LASERJET M506/MFP M527 CARTRIDGE. 18000 pages.
CF289A	R 3,471	HP 89A Black LaserJet Toner Cartridge, 5000 pages - LJ Enterprise M507/ M528
CF289X	R 5,152	HP 89X Black LaserJet Toner Cartridge, 10000 pages - LJ Enterprise M507/ M528
CF289Y	R 6,319	HP 89Y Black LaserJet Toner Cartridge, 20000 pages - LJ Enterprise M507/ M528
CF301A	R 11,486	HP # 827A CLJ M880 CYAN PRINT CARTRIDGE
CF302A	R 11,256	HP # 827A CLJ M880 YELLOW PRINT CARTRIDGE.
CF303A	R 11,252	HP # 827A CLJ M880 MAGENTA PRINT CARTRIDGE.
CF310A	R 7,409	HP No 826A Black LaserJet Toner Cartridge (CF310A), Page Yield : 29000
CF311A	R 12,604	HP # 826A CLJ M855 CYAN PRINT CARTRIDGE.
CF312A	R 12,166	HP # 826A CLJ M855 YELLOW PRINT CARTRIDGE
CF313A	R 12,166	HP # 826A CLJ M855 MAGENTA PRINT CARTRIDGE
CF320A	R 4,969	HP #652A CLJ M651/M680 BLACK PRINT CARTRIDGE.
CF325X	R 6,879	HP 25X Black LaserJet Toner Cartridge - LASERJET M806 / M830 BLACK PRINT CARTRIDGE. PRINTS APPROXIMATELY 34500 PGS USING THE ISO / IEC 19752 YIELD STANDARD
CF331A	R 9,100	HP 654A Cyan Original LaserJet Toner Cartridge
CF360-508A	R 459	Microworld CF360-508A compatible Black Laser Toner Cartridge for HP 508A, 6000 page yield, Compatible with --> HP Colour LaserJet Enterprise M552dn / M553n / M553dn / M553x / HP Colour LaserJet Enterprise M552dn / M553x / M553dn / M553n / HP Colour LaserJet Enterprise Flow MFP M577dn / M577c / M577z / M577f printers
CF360A	R 3,807	HP # 508A BLACK LASERJET ENTERPRISE M552/M553 CARTRIDGE. YIELD 6000 PGS.
CF360X	R 5,243	HP 508X High Yield Black Original LaserJet Toner Cartridge M552/ M553. YIELD 12500 PGS.
CF361-508	R 459	Microworld CF361-508A compatible Cyan Laser Toner Cartridge for HP 508A, 5000 page yield, Compatible with --> HP Colour LaserJet Enterprise M552dn / M553n / M553dn / M553x / HP Colour LaserJet Enterprise M552dn / M553x / M553dn / M553n / HP Colour LaserJet Enterprise Flow MFP M577dn / M577c / M577z / M577f printers
CF361A	R 4,655	HP 508A Cyan Original LaserJet Toner Cartridge For HP Colour LaserJet Ent M552/M553
CF361X	R 7,347	HP 508X High Yield Cyan Original LaserJet Toner Cartridge. YIELD 9500 PGS
CF362-508A	R 459	Microworld CF362-508A compatible Yellow Laser Toner Cartridge for HP 508A, 5000 page yield, Compatible with --> HP Colour LaserJet Enterprise M552dn / M553n / M553dn / M553x / HP Colour LaserJet Enterprise M552dn / M553x / M553dn / M553n / HP Colour LaserJet Enterprise Flow MFP M577dn / M577c / M577z / M577f printers
CF362A	R 4,785	HP #508A Yellow LASERJET ENTERPRISE M552/M553 CARTRIDGE. YIELD 5000 PGS
CF362X	R 7,347	HP # 508X CYAN LASERJET ENTERPRISE M552/M553 CARTRIDGE. YIELD 9500 PGS.
CF363-508A	R 459	Microworld CF363-508A compatible Magenta Laser Toner Cartridge for HP 508A, 5000 page yield, Compatible with --> HP Colour LaserJet Enterprise M552dn / M553n / M553dn / M553x / HP Colour LaserJet Enterprise M552dn / M553x / M553dn / M553n / HP Colour LaserJet Enterprise Flow MFP M577dn / M577c / M577z / M577f printers
CF363A	R 4,785	Hp #508A Magenta Laserjet Enterprise M552/M553 Cartridge. YIELD 5000 PGS.
CF370AM	R 8,183	HP No 305A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
CF380A	R 2,266	HP #312A CLJ M476 BLACK PRINT CARTRIDGE.
CF380X	R 2,676	HP #312X CLJ M476 BLACK PRINT CARTRIDGE.
CF381A	R 2,983	HP #312A CLJ M476 CYAN PRINT CARTRIDGE.
CF382A	R 3,020	HP # 312A CLJ M476 YELLOW PRINT CARTRIDGE.
CF383A	R 3,020	HP #312A CLJ M476 MAGENTA PRINT CARTRIDGE.
CF410A	R 2,099	HP 410A Black Original LaserJet Toner Cartridge - Hp Color Laserjet Pro M452 / M477
CF410X	R 3,436	HP 410X High Yield Black Original LaserJet Toner Cartridge For Color Laserjet Pro M452 / M477. 6500 pages.
CF411A	R 2,765	HP 410A Cyan Original LaserJet Toner Cartridge (CF411A), Hp Color Laserjet Pro M452 / M477, 2300pages, Â© 2015 Laptop Direct
CF411X	R 4,600	HP 410X High Yield Cyan Original LaserJet Toner Cartridge (CF411X), Hp Color Laserjet Pro M452 / M477, 5000 pages
CF412A	R 2,662	HP 410A Yellow Original LaserJet Toner Cartridge (CF412A), Hp Color Laserjet Pro M452 / M477, 2300 pages

CF412X	R 4,600	HP 410X High Yield Yellow Original LaserJet Toner Cartridge (CF412X), Hp Color Laserjet Pro M452 / M477, 5000 pages, Â© 2015 Laptop Direct
CF413A	R 2,711	HP 410A Magenta Original LaserJet Toner Cartridge (CF413A) , Hp Color Laserjet Pro M452 / M477, 2300 pages
CF413X	R 4,600	HP 410X High Yield Magenta Original LaserJet Toner Cartridge (CF413X), for HL3150CDN / HL3170CDW / MFC9330CDW / MFC9140CDN, 5000 pages
CF462X	R 10,631	HP 656X High Yield Yellow Original LaserJet Toner Cartridge (CF462X), YIELD : 22000
CF470X	R 7,199	HP # 657X High Yield Black Original LaserJet Toner Cartridge (CF470X), 28 000 Yield
CFX10	R 1,921	Canon FX-10 Cartridge with yield of 2000 pages at IDC 5% coverage, Compatible with Fax L-100 / 120 / L95 / L140 / L160 / MF4010/MF4140/MF4150/MF4690PL/MF4350d/MF4370dn
CFX7	R 3,626	Canon fx-7 black toner for fax l2000 2000ip (5000 page yield)
CMCART	R 5,551	Canon Cartridge M digital copier PC1210D / 1230D / 1270D
CNBRTN1000	R 695	BROTHER TONER CARTRIDGE - DCP1610W/MFC1910W - 1 000 PAGES
CNBRTN2060	R 481	Brother HL2130 Toner cartridge (Yield: 700 pages)
CNBRTN2280	R 1,137	Brother TN2280 Toner cartridge for HL2270DW (Yield: 2 600 Pages)
CNBRTN2355	R 1,137	BROTHER TN-2355 TONER for HL 2365DW (2600 page yield)
CNBRTN261BK	R 1,264	Brother TN-261BK Black Toner Cartridge for HL-3150CDN Black Toner Cartridge 2500 PGS
CNBRTN265C	R 1,517	Brother TN-265 Cyan toner cartridge for HL3150CDN / HL3170CDW / MFC9330CDW / MFC9140CDN 2,200 pages
CNBRTN265M	R 1,517	Brother TN-265 Magenta Toner Cartridge for HL-3150CDN Magenta Toner Cartridge 2 200 PGS
CNBRTN265Y	R 1,517	Brother TN-265Y Toner Cartridge
CNBRTN3350	R 1,832	Brother TN-3350 Toner Cartridge for use in Brother HL-5450DN, HL-5440D, HL-6180DW & MFC-8910DW printers TN-3350
CNBRTN3437	R 2,148	Brother TN3437 Black Toner Cartridge, 8000 Pages, Compatible Printers: HL-L5200DW/ MFC-L5700DN/ MFC-L5900DW/ MFC-L6900DW/ HL-L6400DW
CNBRTN3467	R 2,401	Brother TN3467 Toner cartridge - 12 000PGS
CNBRTN3487	R 2,401	Brother TN3487 Black Toner Cartridge - 20000 Pages
CNBRTN348BK	R 1,895	Brother TN-348 Black Toner Cartridge - High yield black toner cartridge HL4570CDW
CNBRTN348C	R 3,412	Brother Cyan Single cartridge with yield of 6000 pages @ IDC 5% coverage for use with HL4570CDW
CNBRTN348M	R 3,412	Brother Magenta Single cartridge with yield of 6000 pages @ IDC 5% coverage for use on HL4570CDW
CNBRTN348Y	R 3,412	Brother TN-348 Yellow Toner Cartridge. Up to 6000 pages. For HL-4150CDN, HL-4570CDW.
CNBRTN369BK	R 1,643	BROTHER MFC8850CDW HIGH YIELD BLACK TONER(6000 PAGES)
CNBRTN369C	R 2,906	Brother High yield cyan TN369C MFC8850CDW toner cartridge - 6000 pages
CNBRTN369M	R 2,906	Brother High yield TN369 magenta toner cartridge, MFC8850CDW 6,000 PAGES
CNBRTN369Y	R 2,906	Brother TN369Y High yield yellow toner cartridge, 6 000 pages
CNBRTN469BK	R 2,022	Brother TN-469BK High yield black toner cartridge, 9000 pages yield, Compatible with -> HLL8360CDW Colour laser printer
CNBRTN469C	R 3,159	Brother TN469C High Yield Cyan Toner cartridge, 9000 page yield, Compatible with --> MFCL9570 / HLL8360 / MFCL8690 printers
CNBRTN469M	R 3,159	Brother TN469M High Yield Magenta Toner cartridge, 9000 page yield, Compatible with --> MFCL9570 / HLL8360 / MFCL8690 printers
CNBRTN469Y	R 3,159	Brother TN469Y High Yield Yellow Toner cartridge, 9000 page yield, Compatible with --> MFCL9570 / HLL8360 / MFCL8690 printers
CNCA703	R 1,825	Canon Cartridge 703 Black Laser Toner Cartridge (LBP2900/3000 = 2000 pages)
CNCA711BK	R 3,739	Canon Cartridge 711 Black Laser Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF8450 / MF9170 = 6000 pages)
CNCA711C	R 4,807	Canon Cartridge 711 Cyan Laser Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF9170 = 6000 pages)
CNCA711M	R 4,807	Canon Cartridge 711 Magenta Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF9170 = 6000 pages)
CNCA711Y	R 4,807	Canon Cartridge 711 Yellow Toner Cartridge (I-SENSYS LBP5300 / LBP5360 / MF9170 = 6000 pages)
CNCA712	R 1,695	Canon Cartridge 712 Black Laser Toner Cartridge (I-SENSYS LBP3010 / LBP3100 = 1500 pages)

CNCA716BK	R 1,981	Canon Cartridge 716 Black Toner Cartridge (I-SENSYS LBP5050 / LBP5050n = 2300 pages)
CNCA716C	R 1,839	Canon Cartridge 716 Cyan Laser Toner Cartridge (I-SENSYS LBP5050 / LBP5050n = 1500 pages)
CNCA716M	R 1,839	Canon Cartridge 716 Magenta (I-SENSYS LBP5050 / LBP5050n = 1500 pages)
CNCA716Y	R 1,839	Canon Cartridge 716 Yellow Toner Cartridge (I-SENSYS LBP5050 / LBP5050n = 1500 pages)
CNCA718BLK	R 3,176	Canon Cartridge 718 Black Toner Cartridge (I-SENSYS LBP 7200Cdn=2900 pages)
CNCA718C	R 3,121	Canon Cartridge 718 Cyan (I-SENSYS LBP 7200Cdn=2900 pages)
CNCA718M	R 3,121	Canon Cartridge 718 Magenta Toner Cartridge (I-SENSYS LBP 7200Cdn=2900 pages)
CNCA718Y	R 3,121	Canon Cartridge 718 Yellow Laser Toner Cartridge (I-SENSYS LBP 7200Cdn=2900 pages)
CNCA719BK	R 2,146	Canon Cartridge 719 black - LBP6300dn / LBP6650dn / MF5880dn
CNCA719HBK	R 3,972	Canon Cartridge 719H for use with LBP6300dn / LBP6650dn / MF5880dn
CNCA725BK	R 1,725	Canon Cartridge 725 Black Toner (1600pages)
CNCA726	R 2,063	Canon Toner Cartridge 726 Black (LBP6200d =2100 pages)
CNCA728	R 1,952	Canon Cartridge 728 Black MF4410, MF4430, MF4450, MF4550D, MF4570DN
CNCA729BK	R 1,252	Canon Cartridge 729 Black Laser Cartridge. yeild (LBP7010C/7018C = 1600 pages)
CNCA737	R 2,082	Canon Cartridge 737 Black (I-SENSYS MF211, MF212w, 216, MF217w, MF226dn, MF229w)
CNCAC-EXV48BLK	R 828	Canon C-EXV 48 Black Laser toner cartridge, 16500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CNCAC-EXV48C	R 1,521	Canon C-EXV 48 Cyan Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CNCAC-EXV48M	R 1,521	Canon C-EXV 48 Magenta Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CNCAC-EXV48Y	R 1,521	Canon C-EXV 48 Yellow Laser toner cartridge, 11500 pages yield Compatible with --> Imagerunner C1325 / C1335 printers
CNCACRG039	R 4,068	Canon CRG 039 Toner Cartridge Black, 11000 pages yield, for i-SENSYS LBP351x / i-SENSYS LBP352x
CNCACRG039H	R 6,577	Canon CRG 039H high yieldToner Cartridge Black, 25000 pages yield, for i-SENSYS LBP351x / i-SENSYS LBP352x
CNCACRG040BK	R 3,755	Canon CRG 040B Toner Cartridge Black, 5400 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040C	R 4,706	Canon CRG 040C Toner Cartridge Cyan, 5400 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040HBK	R 5,130	Canon CRG 040HB high yield Toner Cartridge Black, 10000 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040HC	R 7,101	Canon CRG 040HC high yield Toner Cartridge Cyan, 10000 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040HM	R 7,101	Canon CRG 040HM high yield Toner Cartridge Magenta, 10000 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040HY	R 7,101	Canon CRG 040HY high yield Toner Cartridge Yellow, 10000 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040M	R 4,706	Canon CRG 040M Toner Cartridge Magenta, 5400 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG040Y	R 4,706	Canon CRG 040Y Toner Cartridge Yellow, 5400 page yield, for i-SENSYS LBP712Cx / i-SENSYS LBP710Cx
CNCACRG041BK	R 5,776	Canon CRG 041BK Toner Cartridge Black, 10000 page yield, for i-SENSYS LBP312x
CNCACRG041HBK	R 7,522	Canon CRG 041HBK high yield Toner Cartridge Black, 20000 page yield, for i-SENSYS LBP312x
CNCACRG045BK	R 1,755	Canon CRG 045BK Toner Cartridge Black, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045C	R 1,950	Canon CRG 045C Toner Cartridge Cyan, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045HBK	R 2,353	Canon CRG 045HBK high yield Toner Cartridge Black, 2800 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045HC	R 2,455	Canon CRG 045HC high yield Toner Cartridge Cyan, 2200 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045HM	R 2,455	Canon CRG 045HM high yield Toner Cartridge Magenta, 2200 page yield, for i-SENSYS LBP611Cn / i-SENSYS

		LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045HY	R 2,455	Canon CRG 045HY high yield Toner Cartridge Yellow, 2200 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045M	R 1,950	Canon CRG 045M Toner Cartridge Magneta, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG045Y	R 1,950	Canon CRG 045Y Toner Cartridge Yellow, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
CNCACRG046BK	R 2,175	Canon CRG 046BK Toner Cartridge Black, 2200 page yield, for, i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
CNCACRG046C	R 2,941	Canon CRG 046C Toner Cartridge Cyan, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx / i-SENSYS LBP613Cdw
CNCACRG046HBK	R 3,598	Canon CRG 046HBK high yield Toner Cartridge Black, 6300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx/ i-SENSYS LBP613Cdw
CNCACRG046HC	R 4,971	Canon CRG 046HC high yield Toner Cartridge Cyan, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
CNCACRG046HM	R 4,971	Canon CRG 046HM high yield Toner Cartridge Magenta, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
CNCACRG046HY	R 4,971	Canon CRG 046HY high yield Toner Cartridge Yellow, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
CNCACRG046M	R 2,941	Canon CRG 046M Toner Cartridge Magenta, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
CNCACRG046Y	R 2,941	Canon CRG 046Y Toner Cartridge Yellow, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
CNCACRG047BK	R 1,734	Canon 047 Black Laser Toner cartridge, 1600 pages yield, Compatible with --> LBP110 series / MF110 series / MF112 series / MF113 series printers
CNCACRG051BK	R 1,926	Canon 051 BK Black Laser Toner cartridge, 1700 pages yield, Compatible with --> imageCLASS MF269DW / LBP162DW / MF269DW / MF267DW / MF264DW printers
CNCACRG051HBK	R 2,759	Canon 051H BK Black High Yield Laser Toner cartridge, 4000 pages yield, Compatible with --> imageCLASS MF269DW / LBP162DW / / MF267DW / MF264DW printers
CNCACRG052BK	R 3,326	Canon 052 Black Laser Toner standard, 3100 page yield, Compatible with --> imageCLASS LBP214dw / MF426dw / MF424dw Printers
CNCACRG052HBK	R 5,517	Canon 052 Black High Yield Laser Toner, 9200 page yield, Compatible with --> imageCLASS LBP214dw / MF426dw / MF424dw Printers
CNCACRG054BK	R 1,911	Canon 054 Black Laser Toner cartridge, 1500 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054C	R 1,796	Canon 054 Cyan Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054HBK	R 2,609	Canon 054H High Yiled Black Laser Toner cartridge, 3100 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054HC	R 2,609	Canon 054H High Yield Cyan Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054HM	R 2,609	Canon 054H High Yield Magenta Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054HY	R 2,609	Canon 054H High Yield Yellow Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054M	R 1,796	Canon 054 Magenta Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
CNCACRG054Y	R 1,796	Canon 054 Yellow Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers

CNCACRG055BK	R 2,232	Canon 055 Black Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055C	R 2,683	Canon 055 Cyan Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055HBK	R 4,107	Canon 055H High Yield Black Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055HC	R 5,647	Canon 055H High Yield Cyan Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055HM	R 5,647	Canon 055H High Yield Magenta Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055HY	R 5,647	Canon 055H High Yield Yellow Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055M	R 2,683	Canon 055 Magenta Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG055Y	R 2,683	Canon 055 Yellow Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
CNCACRG056HBK	R 7,731	Canon 056H BK High Yield Black Laser Toner cartridge, 21 000 pages yield, Compatible with --> imageCLASS LBP325dn / LBP320 Series / MF540 series printers
CNCACRG057BK	R 2,974	Canon 057 BK Black Laser Toner cartridge, 3100 pages yield, Compatible with --> imageCLASS MF445dw / LBP226dw printers
CNCACRG057HBK	R 5,201	Canon 057H BK Black High Yield Laser Toner cartridge, 10 000 pages yield, Compatible with --> I-SENSYS LBP223dw / LBP226dw / LBP228x / MF443dw / MF445dw / MF446x / MF449x
CNCACRG064BK	R 3,905	Canon 064 Black Laser Toner Cartridge, 6000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064C	R 4,894	Canon 064 Cyan Laser Toner Cartridge, 5000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064HBK	R 5,789	Canon 064H High Yield Black Laser Toner Cartridge, 13400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064HC	R 7,964	Canon 064H High Yield Cyan Laser Toner Cartridge, 10400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064HM	R 7,964	Canon 064H High Yield Magenta Laser Toner Cartridge, 10400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064HY	R 7,964	Canon 064H High Yield Yellow Laser Toner Cartridge, 10400 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064M	R 4,894	Canon 064 Magenta Laser Toner Cartridge, 5000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG064Y	R 4,894	Canon 064 Yellow Laser Toner Cartridge, 5000 pages yield, Compatible with --> LBP722cx / MF832cdw printers
CNCACRG067BK	R 1,484	CANON 067 BLACK Laser Toner Cartridge, 1350 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CNCACRG067C	R 1,677	CANON 067 CYAN Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CNCACRG067HBK	R 2,206	Canon 067H Black High Capacity Laser Toner Cartridge, 3130 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CNCACRG067HC	R 2,274	Canon 067H Cyan High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CNCACRG067HM	R 2,274	Canon 067H Magenta High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers

CNCACRG067HY	R 2,274	Canon 067H Yellow High Capacity Laser Toner Cartridge, 2350 pages yield, Compatible with --> LBP631cw / LBP633cdw / i-SENSYS MF651cw / MF655cdw / MF657cdw / LBP631cw / LBP633cdw / MF651cw / MF655cw / MF657cw printers
CNCACRG067M	R 1,677	CANON 067 MAGENTA Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CNCACRG067Y	R 1,677	CANON 067 YELLOW Laser Toner Cartridge, 1250 pages yield, Compatible with --> MF655cdw / MF657cdw / LBP633cdw / LBP631cw printers
CNCACRG069BK	R 2,283	Canon 069 Black Laser Toner Cartridge, 2100 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069C	R 2,717	Canon 069 Cyan Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069HBK	R 4,722	Canon 069H Black High Capacity Laser Toner Cartridge, 7600 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069HC	R 5,895	Canon 069H Cyan High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069HM	R 5,895	Canon 069H Magenta High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069HY	R 5,895	Canon 069H Yellow High Capacity Laser Toner Cartridge, 5500 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069M	R 2,717	Canon 069 Magenta Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG069Y	R 2,717	Canon 069 Yellow Laser Toner Cartridge, 1900 pages yield, Compatible with --> i-SENSYS MF752cdw / MF754cdw / LBP673cdw printers
CNCACRG070BK	R 3,057	Canon CRG 070 Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> imageCLASS MF465dw / MF462dw / LBP247dw / LBP240 Series printers, CRG070BK
CNCACRG071BK	R 1,324	Canon 071 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
CNCACRG071HBK	R 1,872	Canon 071h High Yield Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
CNCACRG731B	R 1,557	Canon 731 Black 1K (LBP7100CN / LBP7110CW) 1400 Pages Black Cartridge
CNCACRG731C	R 1,794	Canon 731 Cyan (LBP7100CN / LBP7110CW) 1 500 Pages Laser Toner cartridge
CNCACRG731HB	R 1,995	Canon 731 Black (LBP7100CN / LBP7110CW) 2400 Pages - Black toner cartridge
CNCACRG731M	R 1,794	Canon 731 Magenta (for use with LBP7100CN / LBP7110CW) 1500 Pages
CNCACRG731Y	R 1,794	Canon 731 Yellow (for use with LBP7100CN / LBP7110CW) 1500 Pages
CNCAFX10	R 1,814	Canon FX-10 Black fax laser toner cartridge (for use with Fax L-100 / 120 / L95- Yield = 2000pages)
CNCAPGI450BK	R 313	Canon PGI-450 Black (iP7240, MG5440, MG6340) Yield = 300 pages
CNHP3WT90A	R 527	HP 3WT90A LaserJet Toner collection unit, 90 000 pages yield, Compatible with --> HP Colour LaserJet Enterprise M751n / M751dn / E75245dn / M856dn / M856x / E85055dn / MFP M776dn / MFP M776z / MFP M776zs
CNHP5KZ38A	R 270	HP 5KZ38A TCU Laser Toner Collection Unit, Compatible with --> HP color Laser MFP 178nw / 179fnw printers
CNHPC1P70A	R 1,289	HP ADF Roller Replacement Kit, Average yield: 100,000 pages
CNHPC8543X	R 7,659	HP 43X High Yield Black Original LaserJet Toner Cartridge 30000 Pages
CNHPCB435A	R 1,693	HP Laser Jet CB435A Black Toner Cartridge; up to 1500 pages; compatible with HP LaserJet P1005 and P1006; laser print technology; dimensions: 375 x 113 x 125mm; weight: 0.6kg; office and business printing
CNHPCB436A	R 1,945	HP CB436A 36A Black Original LaserJet Toner Cartridge; Up to 2000 pages; Laser printing; CB436A; 36A toner; Compatible with HP LaserJet P1505 and M1522 series; Office printing; 375 x 113 x 125mm; Weight: 0.6kg
CNHPCB540A	R 1,824	HP CB540A 125A Black LaserJet Toner Cartridge; 2200 page yield; Laser printing; HP ColorSphere toner; Compatible with HP CP1215 CP1515n CP1518ni CM1312 printers; 365 x 100 x 110mm; 0.6kg; Professional office printing

CNHPCB541A	R 1,677	HP CB541A 125A Cyan Original LaserJet Toner Cartridge; laser print technology; cyan colour; 1400 page yield; compatible with HP CP1215 CP1515n CP1518ni CM1312; business printing; 365 x 100 x 110mm; 0.6kg
CNHPCB542A	R 1,677	HP CB542A 125A Yellow Toner Cartridge; Up to 1400 pages; Compatible with HP Color LaserJet CP1215 CP1515n CP1518ni CM1312 MFP; Laser printing; 365 x 100 x 110mm; 0.6kg
CNHPCB543A	R 1,807	HP CB543A 125A Magenta Toner Cartridge; 1400 page yield; compatible with HP Color LaserJet CP1215 CP1515n CP1518ni CM1312 MFP; ColorSphere toner technology; laser printing; 365 x 100 x 110mm; weight:0.6kg
CNHPCC364A	R 4,301	HP No 64A HP Black Toner for LJ P4014/4015
CNHPCC530A	R 3,076	HP CC530A 304A Black Original LaserJet Toner Cartridge; up to 3500 pages; original HP toner; compatible with HP Color LaserJet CP2025 and CM2320 series; laser printing; 385 x 109 x 125mm; weight: 0.72kg
CNHPCC531A	R 3,033	HP CC531A 304A Cyan LaserJet Toner Cartridge; up to 2800 pages; ColorSphere toner; compatible with HP Color LaserJet CP2025 and CM2320 series; cyan colour; office printing; 385 x 109 x 125mm; 0.72kg
CNHPCC532A	R 3,033	HP CC532A 304A Yellow Toner Cartridge; up to 2800 pages; ColorSphere toner; compatible with HP Color LaserJet CP2025 and CM2320 series; yellow toner; office printing; 0.72kg -->
CNHPCC533A	R 3,033	HP CC533A 304A Magenta LaserJet Toner Cartridge; up to 2800 pages yield; office and business use; magenta toner; standard capacity; 385 x 109 x 125 mm; 0.72 kg
CNHPCE250A	R 3,547	HP CE250A 504A Black LaserJet Toner Cartridge; 5000 page yield; ColorSphere toner; compatible with HP Color LaserJet CM3530 and CP3525 series; 390 x 164 x 206mm; weight: 1.2kg
CNHPCE251A	R 6,963	HP CE251A 504A Cyan LaserJet Toner Cartridge; 7000 page yield; HP ColorSphere toner; compatible with HP Color LaserJet CP3525 and CM3530 series; cyan; 390 x 164 x 206mm; 1.2kg
CNHPCE252A	R 6,963	HP CE252A 504A Yellow LaserJet Toner Cartridge; 7000 page yield; HP ColorSphere toner; compatible with HP Color LaserJet CP3525 and CM3530 series; yellow toner; 390 x 164 x 206mm; 1.2kg
CNHPCE253A	R 6,963	HP CE253A 504A Magenta LaserJet Toner Cartridge; 7000 page yield; HP ColorSphere toner; laser printing; compatible with HP Color LaserJet CP3525 and CM3530 series; 390 x 164 x 206mm; 1.2kg
CNHPCE255A	R 3,647	HP No 55A LaserJet P3015 black toner (6000PGS)
CNHPCE255X	R 5,671	HP No 55X LaserJet P3015 black toner (12500PGS)
CNHPCE255XD	R 10,744	HP 55X 2-pack High Yield Black Original LaserJet Toner Cartridges
CNHPCE260A	R 3,971	HP CE260A 647A Black Original LaserJet Toner Cartridge; up to 8500 pages; compatible with HP Color LaserJet Enterprise CP4025 CP4525 CM4540 series; 390 x 164 x 214mm; 1.3kg; business printing; standard yield toner cartridge
CNHPCE261A	R 7,198	HP CE261A 648A Cyan Toner Cartridge; 11000 page yield; compatible with HP Color LaserJet CP4025 and CP4525 series; professional business printing; 390 x 164 x 214mm; 1.3kg
CNHPCE262A	R 7,198	HP CE262A 648A Yellow Original LaserJet Toner Cartridge, 11000 page yield, enterprise printers CP4025 CP4525, office and business printing use
CNHPCE263A	R 7,198	HP CE263A 648A Magenta Original LaserJet Toner Cartridge; up to 11000 pages; compatible with HP Color LaserJet CP4025 and CP4525 printers; laser print technology; 390 x 164 x 214mm; 1.3kg
CNHPCE270A	R 6,094	HP CE270A 650A Black LaserJet Toner Cartridge; up to 13500 pages; original HP toner; compatible with HP Color LaserJet Enterprise M750 and CP5525 series; 492 x 188 x 225mm; 1.80kg
CNHPCE271A	R 9,201	HP CE271A 650A Cyan LaserJet Toner Cartridge; up to 15000 pages; compatible with HP Color LaserJet Enterprise M750 series; 492 x 188 x 225mm; weight: 1.80kg
CNHPCE272A	R 9,201	HP CE272A 650A Yellow LaserJet Toner Cartridge; 15000 page yield; HP ColorSphere technology; compatible with HP Color LaserJet Enterprise M750 series; 492 x 188 x 225mm; weight:1.80kg
CNHPCE273A	R 9,201	HP CE273A 650A Magenta LaserJet Toner Cartridge; 15000 page yield; HP Color LaserJet Enterprise M750 compatible; 492 x 188 x 225mm; weight: 1.80kg
CNHPCE278A	R 1,940	HP CE278A 78A Black LaserJet Toner Cartridge; approx 2100 pages yield; CE278A; 375 x 113 x 125 mm; 0.58 kg; office printing; HP LaserJet compatible
CNHPCE278AF	R 3,685	Contains Two HP #78A Laserjet Black Standard Capacity Print Cartridge. Prints ~2,100 Pages Per Cartridge Using ISO/IEC 19752 Yield Standard for P1566/P1606DN
CNHPCE285A	R 1,696	HP CE285A 85A Black LaserJet Toner Cartridge, 1600 pages yield, HP 85A compatible printers P1102 M1212

		series, office document printing, standard capacity cartridge. Compatibility: HP LaserJet Pro P1100 Series, HP LaserJet Pro M1100 Series (MFP), HP LaserJet Pro M1200 Series (MFP) as listed below
CNHPCE285AF	R 3,217	HP 85A Black Laser Toner cartridge - Dual pack, 1600 page yield, Compatible with --> HP LaserJet Pro M1132 / M1136 MFP / M1139 MFP / M1212NF MFP / M1216NFH MFP / M1217NFW / P1102 / P1102W printers --> HP LaserJet Pro M1132 / M1136 MFP / M1139 MFP / M1212NF MFP / M1216NFH MFP / M1217NFW / P1102 / P1102W printers
CNHPCE310A	R 1,280	HP CE310A 126A Black LaserJet Toner Cartridge; 1200 pages yield; HP CP1025 CP1025nw M175 M275 compatible; laser printing; standard capacity; office document printing. For HP colour laserjet CP1025 series, M175 series, M275
CNHPCE311A	R 1,424	HP No 126A HP CLJ CP1025 Cyan Print Cartridge. Compatible printers: HP LaserJet Pro CP1025, HP LaserJet Pro CP1025nw, HP LaserJet Pro 100 Color MFP M175nw, HP TopShot LaserJet Pro M275 MFP, HP Color LaserJet Pro M176n, HP Color LaserJet Pro M177fw.
CNHPCE312A	R 1,424	HP No 126A HP CLJ CP1025 Yellow Print Cartridge. Compatible printers: HP LaserJet Pro CP1025, CP1025nw, M275, M175 series.
CNHPCE313A	R 1,424	HP 126A MAGENTA LASERJET PRINT CARTRIDGE FOR CP1025. Compatible printers: HP Color LaserJet CP1025, CP1025nw, M175, M275 series.
CNHPCE320A	R 1,768	HP CE320A 128A Black Original LaserJet Toner Cartridge; up to 2000 pages; compatible with HP Color LaserJet Pro CP1525 and CM1415 series; professional office printing; 365 x 100 x 110mm; weight: 0.60kg
CNHPCE321A	R 1,681	HP CE321A 128A Cyan LaserJet Toner Cartridge; 1300 page yield; compatible with HP Color LaserJet Pro CP1525 and CM1415 series; 365 x 100 x 110mm; 0.8kg
CNHPCE322A	R 1,681	HP No 128A HP Colour LaserJet CP1525/CM1415 Yellow Print Cartridge (1,300PGS)
CNHPCE323A	R 1,561	HP No 128A HP Colour LaserJet CP1525/CM1415 Magenta Print Cartridge (1,300PGS)
CNHPCE340A	R 4,240	HP 651A Black LJ Toner for MFP M775, Yield 13500
CNHPCE341A	R 10,674	HP No 651A HP 651A Cyan LaserJet Toner Cartridge
CNHPCE342A	R 10,674	HP No 651A HP 651A Yellow LaserJet Toner Cartridge
CNHPCE343A	R 10,674	HP No 651A HP 651A Magenta LaserJet Toner Cartridge
CNHPCE390A	R 4,295	HP No 90A Black toner cartridge (10000PGS)
CNHPCE390X	R 7,116	HP No 90X Black toner cartridge (24000PGS)
CNHPCE390XD	R 13,149	Hp 90x Ce390xd Black Toner Cartridge Dual Pack, 24000 page yield per cartridge, for HP LaserJet Enterprise M4555 mfp
CNHPCE400A	R 3,704	HP No 507A HP 507A Black LaserJet Toner Cartridge
CNHPCE400X	R 4,983	HP #507X BLACK LASERJET TONER CARTRIDGE
CNHPCE401A	R 5,518	HP No 507A HP 507A Cyan LaserJet Toner Cartridge
CNHPCE402A	R 5,518	HP No 507A HP 507A Yellow LaserJet Toner Cartridge
CNHPCE403A	R 5,518	HP No 507A HP 507A Magenta LaserJet Toner Cartridge
CNHPCE410A	R 2,091	HP No 305A HP 305A Black LaserJet Toner Cartridge
CNHPCE411A	R 2,979	HP 305A Cyan Laserjet Toner Cartridge
CNHPCE412A	R 2,979	HP No 305A HP 305A Yellow LaserJet Toner Cartridge
CNHPCE413A	R 2,979	HP 305A Magenta Laserjet Toner Cartridge
CNHPCE505A	R 2,210	HP CE505A 05A Black LaserJet Toner Cartridge, 2300 pages yield, HP P2035 P2055 compatible, black print, standard capacity, laser toner, office documents
CNHPCE505D	R 4,188	HP No 05A Black DUAL-PACK LaserJet Toner Cartridge
CNHPCE505X	R 4,055	HP CE505X 05X Black High Yield Toner Cartridge; up to 6500 pages; compatible with HP LaserJet P2035 P2055 series; monochrome printing; office use; original HP toner
CNHPCE740A	R 3,762	HP CE740A 307A Black LaserJet Toner Cartridge; up to 7000 pages; compatible with HP Color LaserJet CP5225 series; professional office printing; ColorSphere toner; black output; 492 x 188 x 225mm; 2.62kg
CNHPCE741A	R 6,626	HP CE741A 307A Cyan Original LaserJet Toner Cartridge; up to 7300 pages; compatible with HP Color LaserJet Professional CP5225 series; ColorSphere toner; laser printing; 492 x 188 x 225mm; weight: 1.8kg
CNHPCE742A	R 6,148	HP CE742A 307A Yellow LaserJet Toner Cartridge; up to 7300 pages; laser printing; HP ColorSphere toner;

		compatible with HP Colour LaserJet CP5220 and CP5225 series; 492 x 188 x 225mm; 1.8kg
CNHPCE743A	R 6,626	HP CE743A 307A Magenta LaserJet Toner Cartridge; up to 7300 pages; HP Color LaserJet Professional CP5225 compatible; ColorSphere toner; original HP cartridge; office printing; 492 x 188 x 225mm; 1.8kg
CNHPCF031A	R 5,132	HP No 646A HP CLJ CM 4540 Cyan Print Cartridge (12,500PGS)
CNHPCF032A	R 5,132	HP No 646A HP CLJ CM 4540 Yellow Print Cartridge (12,500PGS)
CNHPCF210A	R 1,578	HP No 131A Black LaserJet Toner Cartridge (1600PGS)
CNHPCF210X	R 2,160	HP #131X Black Laserjet Toner Cartridge
CNHPCF211A	R 2,131	HP No 131A Cyan LaserJet Toner Cartridge (1800PGS)
CNHPCF212A	R 2,131	HP No 131A Yellow LaserJet Toner Cartridge (1800PGS)
CNHPCF213A	R 2,131	HP No 131A Magenta LaserJet Toner Cartridge (1800PGS)
CNHPCF214A	R 5,040	HP No 14A HP 14A Black LaserJet Toner Cartridge
CNHPCF214X	R 5,507	HP 14X Black Laserjet Toner for CF236A & CF238A, Yield 17500 pages
CNHPCF217A	R 1,534	HP CF217A no.17a black toner cartridge, 1600 page yield, for HP laserjet M102 / M130 series
CNHPCF226A	R 2,868	HP No 26A Black Original LaserJet Toner Cartridge
CNHPCF226X	R 4,914	HP No 26X High Yield Black Original LaserJet Toner Cartridge
CNHPCF226XD	R 9,320	HP CF226XD no.26X high yield black toner cartridge Dual Pack, 9000 page yield per cartridge, for HP M402 / M426 series
CNHPCF230A	R 1,557	HP CF230A no.30A Black toner cartridge, 1600 page yield
CNHPCF230X	R 2,154	HP CF230X no.30A Nlack high yield toner, 3500 pages yield, for HP M203 / M227 series
CNHPCF237A	R 4,301	HP CF237A 37A Black Toner cartridge, 11000 Page yield
CNHPCF237X	R 6,656	HP CF237X 37X High Yield Black Toner cartridge, 25000 Page Yield
CNHPCF237Y	R 9,203	HP CF237Y 37Y Extra High Yield Black Toner cartridge, 41000 Page Yield
CNHPCF244A	R 1,104	HP 44A Black Original LaserJet Toner Cartridge, 1,000 pages
CNHPCF252XM	R 13,644	HP CF252XM no.410X Cyan Magenta Yellow toner cartridges, 5000 page yield per cartridge, for HP color laserjet M377 / M452 / M477 series
CNHPCF253XM	R 7,234	HP CF253XM no.201X Cyan Magenta Yellow toner cartridges, 2300 page yield per cartridge, for HP color laser M252 / M277
CNHPCF256A	R 813	HP 56A Black LaserJet Toner Cartridge - 7400 pages
CNHPCF256X	R 1,034	HP 56X Black LaserJet Toner Cartridge - 13700 pages
CNHPCF259A	R 2,338	HP #59 Black Laser Toner cartridge, 3000 pages yield, Compatible with --> HP LaserJet Pro M404DN / M404DW / M404N / MFP M428DW / MFP M428FDN / MFP M428FDW printers
CNHPCF259X	R 4,897	HP #59X High Yield Black Laser Toner cartridge, 10000 pages yield, Compatible with --> HP LaserJet Pro M404DN / M404DW / M404N / MFP M428DW / MFP M428FDN / MFP M428FDW printers
CNHPCF280A	R 2,563	HP No 80A HP 80A Black LaserJet Toner Cartridge (2700PGS)
CNHPCF280X	R 4,413	HP No 80X HP 80X Black LaserJet Toner Cartridge (6900PGS)
CNHPCF281A	R 4,262	HP 81A Black Original LaserJet Toner Cartridge
CNHPCF281X	R 7,046	HP 81X High Yield Black Original LaserJet Toner Cartridge
CNHPCF283A	R 1,597	HP 83A Black LaserJet Toner Cartridge (CF283A) - Laserjet M127 Series
CNHPCF283AF	R 2,862	HP 83A Dual Pack Black Toner - 2 X 1500 Pages
CNHPCF283X	R 1,986	HP 83X Black LaserJet Toner Cartridge (CF283X)
CNHPCF287A	R 5,369	HP No 87A Black Original LaserJet Toner Cartridge
CNHPCF287X	R 7,255	HP No 87X High Yield Black Original LaserJet Toner Cartridge
CNHPCF287XD	R 13,747	HP CF287XD no.87 Black high yield toner cartridge Dual Pack, 18000 page yield per cartridge
CNHPCF289A	R 3,417	HP 89A Black LaserJet Toner Cartridge, 5000 pages
CNHPCF289X	R 5,235	HP 89X Black LaserJet Toner Cartridge, 10000 pages
CNHPCF289Y	R 6,199	HP 89Y Black LaserJet Toner Cartridge, 20000 pages
CNHPCF300A	R 2,589	HP No 827A Black LaserJet Toner Cartridge (CF300A)
CNHPCF301A	R 11,639	HP No 827A Cyan LaserJet Toner Cartridge (CF301A)
CNHPCF302A	R 11,639	HP No 827A Yellow LaserJet Toner Cartridge (CF302A)

CNHPCF303A	R 11,639	HP No 827A Magenta LaserJet Toner Cartridge (CF303A)
CNHPCF310A	R 7,665	HP No 826A Black LaserJet Toner Cartridge (CF310A)
CNHPCF311A	R 12,586	HP No 826A Cyan LaserJet Toner Cartridge (CF311A)
CNHPCF312A	R 12,586	HP No 826A Yellow LaserJet Toner Cartridge (CF312A)
CNHPCF313A	R 12,586	HP No 826A Magenta LaserJet Toner Cartridge (CF313A)
CNHPCF320A	R 5,141	HP 652A Black Original LaserJet Toner Cartridge (CF320A)
CNHPCF321A	R 8,271	HP 653A Cyan Original LaserJet Toner Cartridge (CF321A)
CNHPCF322A	R 8,271	HP 653A Yellow Original LaserJet Toner Cartridge (CF322A)
CNHPCF323A	R 8,271	HP 653A Magenta Original LaserJet Toner Cartridge (CF323A)
CNHPCF325X	R 7,116	HP 25X Black LaserJet Toner Cartridge
CNHPCF330X	R 6,749	HP 654X High Yield Black Original LaserJet Toner Cartridge
CNHPCF331A	R 9,414	HP 654A Cyan Original LaserJet Toner Cartridge
CNHPCF332A	R 9,414	HP 654A Yellow Contract LaserJet Toner Cartridge
CNHPCF333A	R 9,331	HP 654A Magenta Contract LaserJet Toner Cartridge
CNHPCF341A	R 4,083	HP No 126A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
CNHPCF350A	R 1,404	HP 130A Black LaserJet Toner Cartridge (CF350A) - NEW
CNHPCF351A	R 1,449	HP 130A Magenta LaserJet Toner Cartridge (CF351A) - NEW
CNHPCF352A	R 1,449	HP 130A Yellow LaserJet Toner Cartridge (CF352A) - NEW
CNHPCF353A	R 1,344	HP 130A Magenta LaserJet Toner Cartridge (CF353A)
CNHPCF360A	R 3,841	HP 508A Black Original LaserJet Toner Cartridge
CNHPCF360X	R 4,982	HP No 508X High Yield Black Original LaserJet Toner Cartridge, 12500 pages
CNHPCF361A	R 4,816	HP 508A Cyan Original LaserJet Toner Cartridge
CNHPCF361X	R 6,898	HP No 508X High Yield Cyan Original LaserJet Toner Cartridge, 9500 pages
CNHPCF362A	R 4,816	HP cf362A no.508A Yellow toner, 5000pages - for HP colour M552 / M553
CNHPCF362X	R 6,898	HP No 508X High Yield Yellow Original LaserJet Toner Cartridge, 9500 pages
CNHPCF363A	R 4,816	HP 508A Magenta Original LaserJet Toner Cartridge
CNHPCF363X	R 6,898	HP No 508X High Yield Magenta Original LaserJet Toner Cartridge, 9500 pages
CNHPCF370AM	R 8,466	HP No 305A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
CNHPCF371AM	R 4,822	HP No 128A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
CNHPCF380A	R 2,284	HP 312A Black LaserJet Toner Cartridge (CF380A)
CNHPCF380X	R 2,768	HP 312X Black LaserJet Toner Cartridge (CF380X)
CNHPCF381A	R 3,054	HP 312A Cyan LaserJet Toner Cartridge (CF381A)
CNHPCF382A	R 3,054	HP 312A Yellow LaserJet Toner Cartridge (CF382A)
CNHPCF383A	R 3,054	HP 312A Magenta LaserJet Toner Cartridge (CF383A)
CNHPCF400A	R 1,694	HP 201A Black Original LaserJet Toner Cartridge
CNHPCF400X	R 2,274	HP No 201X High Capacity Black Original LaserJet Toner Cartridge, 2800 pages
CNHPCF400XD	R 4,347	HP CF400XD no.201X Black toner cartridge Dual pack, 2800 page yield, for HP color laser M252 / M277
CNHPCF401A	R 1,999	HP 201A Cyan Original LaserJet Toner Cartridge
CNHPCF401X	R 2,523	HP No 201X High Capacity Cyan Original LaserJet Toner Cartridge, 2300
CNHPCF402A	R 1,999	HP 201A Yellow Original LaserJet Toner Cartridge
CNHPCF402X	R 2,523	HP No 201X High Capacity Yellow Original LaserJet Toner Cartridge, 2300
CNHPCF403A	R 1,999	HP 201A Magenta Original LaserJet Toner Cartridge
CNHPCF403X	R 2,523	HP No 201X High Capacity Magenta Original LaserJet Toner Cartridge, 2300 pages
CNHPCF410A	R 2,132	HP 410A Black Original LaserJet Toner Cartridge, 2300 pages
CNHPCF410X	R 3,555	HP 410X High Yield Black Original LaserJet Toner Cartridge
CNHPCF410XD	R 6,794	HP 410X 2-pack High Yield Black Original LaserJet Toner Cartridges, Per cartridge: 6,500 pages
CNHPCF411A	R 2,754	HP 410A Cyan Original LaserJet Toner Cartridge (CF411A) 2300pages
CNHPCF411X	R 4,759	HP 410X High Yield Cyan Original LaserJet Toner Cartridge (CF411X) 5000 pages
CNHPCF412A	R 2,754	HP 410A Yellow Original LaserJet Toner Cartridge (CF412A) 2300pages

CNHPCF412X	R 4,759	HP 410X High Yield Yellow Original LaserJet Toner Cartridge (CF412X) 5000 pages
CNHPCF413A	R 2,754	HP 410A Magenta Original LaserJet Toner Cartridge (CF413A) 2300pages
CNHPCF413X	R 4,759	HP 410X High Yield Magenta Original LaserJet Toner Cartridge (CF413X), 5000 pages
CNHPCF440AM	R 8,683	HP 312A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
CNHPCF450A	R 5,009	HP 655A CF450A Black Toner cartridge, 12500 Page yield
CNHPCF451A	R 6,223	HP 655A CF451A Cyan Toner cartridge, 10500 Page yield
CNHPCF452A	R 6,223	HP 655A CF452A Yellow Toner cartridge, 10500 Page yield
CNHPCF453A	R 6,223	HP 655A CF453A Magenta Toner cartridge, 10500 Page yield
CNHPCF460X	R 7,794	HP CF460X 656X high yield Black Toner cartridge, 27000 Page yield for HP Color LaserJet Enterprise M652dn (J7Z99A) / HP Color LaserJet Enterprise M652n (J7Z98A) / HP Color LaserJet Enterprise M653dn (J8A04A) / HP Color LaserJet Enterprise M653x (J8A05A)
CNHPCF461X	R 10,997	HP CF461X 656X high yield Cyan Toner cartridge, 22000 Page yield for HP Color LaserJet Enterprise M652dn (J7Z99A) / HP Color LaserJet Enterprise M652n (J7Z98A) / HP Color LaserJet Enterprise M653dn (J8A04A) / HP Color LaserJet Enterprise M653x (J8A05A)
CNHPCF462X	R 10,204	HP CF462X 656X high yield Yellow Toner cartridge, 22000 Page yield for HP Color LaserJet Enterprise M652dn (J7Z99A) / HP Color LaserJet Enterprise M652n (J7Z98A) / HP Color LaserJet Enterprise M653dn (J8A04A) / HP Color LaserJet Enterprise M653x (J8A05A)
CNHPCF463X	R 10,997	HP CF463X 656X high yield Magenta Toner cartridge, 22000 Page yield for HP Color LaserJet Enterprise M652dn (J7Z99A) / HP Color LaserJet Enterprise M652n (J7Z98A) / HP Color LaserJet Enterprise M653dn (J8A04A) / HP Color LaserJet Enterprise M653x (J8A05A)
CNHPCF470X	R 7,447	HP CF470X 657X high yield Black Toner cartridge, 28000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)
CNHPCF471X	R 9,352	HP CF471X 657X high yield Cyan Toner cartridge, 23000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)
CNHPCF472X	R 9,352	HP CF472X 657X high yield Yellow Toner cartridge, 23000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)
CNHPCF473X	R 9,352	HP CF473X 657X high yield Magenta Toner cartridge, 23000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)
CNHPCF530A	R 1,113	HP CF530A no. 205a Black toner, 1100 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
CNHPCF531A	R 1,220	HP CF531A no. 205a Cyan toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
CNHPCF532A	R 1,220	HP CF532A no. 205a Yellow toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
CNHPCF533A	R 1,220	HP CF533A no. 205a Magenta toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
CNHPCF540A	R 1,416	HP CF540A no. 203a Black toner cartridge, 1400 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPCF540X	R 2,110	HP CF540X no. 203x High Yield Black toner cartridge, 3200 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPCF541A	R 1,654	HP CF541A no. 203a Cyan toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw

CNHPCF541X	R 2,225	HP CF541X no. 203x High Yield Cyan toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPCF542A	R 1,654	HP CF542A no. 203a Yellow toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPCF542X	R 2,225	HP CF542X no. 203x High Yield Yellow toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPCF543A	R 1,654	HP CF543A no. 203a Magneta toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPCF543X	R 2,225	HP CF543X no. 203x High Yield Magenta toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
CNHPD8J08A	R 1,968	HP 980 Magenta Original Ink Cartridge
CNHPQ2612A	R 1,927	HP No 12A Black Ultra Precise Cartridge for the LaserJet 1010/12/15 & 3015/20/30 (2000PGS)
CNHPQ2612AF	R 3,660	HP 12A Black Toner Dual Pack - 2 x 2000 Pages
CNHPQ5942A	R 4,838	HP Q5942A 42A Black LaserJet Toner Cartridge; up to 10000 pages; laser print technology; HP 4200 4250 4350 compatible; office printing; high yield cartridge
CNHPQ5949A	R 2,516	HP Q5949A 49A Black LaserJet Toner Cartridge; 2500 pages yield; HP LaserJet 1160 1320 3390 3392 compatible; standard capacity; office printing; crisp text output; 1 x cartridge
CNHPQ5949X	R 4,438	HP No 49X Black toner cartridge High Volume (6000PGS)
CNHPQ5950A	R 5,428	HP Q5950A 643A Black LaserJet Toner Cartridge; up to 11000 pages; standard yield; compatible with HP Color LaserJet 4700 series; single cartridge; 40.0 x 14.8 x 26.8cm; 2.2kg
CNHPQ5951A	R 7,718	HP Q5951A 643A Cyan LaserJet Toner Cartridge; approx 10000 page yield; business office printing; HP ColorSphere toner; standard capacity cartridge
CNHPQ5952A	R 7,718	HP Q5952A 643A Yellow LaserJet Toner Cartridge; approx 10000 pages yield; 1.7kg weight; 400 x 148 x 268mm package; business office printing; HP ColorSphere technology
CNHPQ5953A	R 7,718	HP Q5953A 643A Magenta LaserJet Toner Cartridge; 10000 page yield; HP Color LaserJet 4700 compatible; office printing; business documents; plug and print installation
CNHPQ7516A	R 5,320	HP No 16A Black Print Cartridge for the LaserJet 5200 series (12 000PGS)
CNHPQ7553A	R 2,458	HP Q7553A 53A Black LaserJet Toner Cartridge; 3000 page yield; Laser print technology; compatible P2010 P2014 P2015 M2727 series; black monochrome office printing; standard yield cartridge
CNHPQ7553X	R 4,497	HP Q7553X 53X High Yield Black LaserJet Toner Cartridge, high yield 7000 pages, laser print technology, black toner, office printing, 390 x 122 x 196 mm, 1.3 kg, HP LaserJet compatible - for HP laserJet P2014, P2015 series, M2727 series
CNHPSU040A	R 2,187	Samsung - CLT-C506L H-Yld Cyan Toner Crtg - CLP-680ND/CLX-6260 Series - CLP-680ND/CLX-6260 Series - (3500 Page Yield)
CNHPSU173A	R 2,187	Samsung - CLT-K506L H-Yield Blk Toner Crtg - CLP-680ND/CLX-6260 Series - Black Toner - (6000 Page Yield)
CNHPSU307A	R 2,187	Samsung - CLT-M506L H-Yield Magenta Crtg - (3500 Page Yield)
CNHPSU434A	R 397	Samsung Clt-w504 Toner Collection Unit
CNHPSU517A	R 2,187	Samsung - Clt-y506l H-yield Yellow Toner Cartridge - (3500 Page Yield)
CNHPSU819A	R 1,217	Samsung MLT-D111S, standard yield black toner , 1000pages - for Samsung SL-M2020 series *1000 pages Standard yield* Samsung Xpress SL-M2010, M2010W, M2020, M2020W, M2021, M2021W, M2022, M2022W, M2023, M2023W, M2024, M2024W, M2026, M2026W, M2027, M2027W, M2028, M2028W, M2029, M2029W, M2060FH, M2070, M2070F, M2070FH, M2070FW, M2070HW, M2070W, M2071, M2071F, M2071FH, M2071FW, M2071HW, M2071W, M2073, M2073FW, M2073W, M2074, M2074F, M2074FW, M2074W, M2077, M2077F, M2077FW, M2077W, M2078, M2078F, M2078FW, M2078W, M2079, M2079F, M2079FW, M2079W

CNHPSU837A	R 1,501	Samsung - MLT-D116L, SL-M2825ND, SL-M2825DW, SL-M2675F, SL-M2875FD, SL-M2875FW Toner (3 000 Page Yield)
CNHPSU887A	R 3,499	Samsung - MLT-D203E, SL-M3820ND, SL-M4020ND, SL-M3870FD, SL-M4070FR Toner (10 000 Page Yield)
CNHPSU917A	R 4,521	Samsung MLT-D203U Ultra High Yield Black Cartridge - Page Yield - 15,000 pages
CNHPSU965A	R 2,339	Samsung - MLT-D205L H-Yield Blk Toner Crtg - ML-3310/ML-3710/SCX-4833/SCX-4835FD - Single Mono Toner Cartridge - (5000 Page Yield)
CNHPT0B27A	R 3,539	HP 982X High Yield Cyan Original PageWide Cartridge
CNHPT0B28A	R 3,539	HP 982X High Yield Magenta Original PageWide Cartridge
CNHPT0B29A	R 3,539	HP 982X High Yield Yellow Original PageWide Cartridge
CNHPT0B30A	R 3,232	HP 982X High Yield Black Original PageWide Cartridge
CNHPU0SL1AM	R 6,109	HP No 131A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
CNHPW1103A	R 240	HP W1103A #103A Black Original Neverstop Laser Toner Reload Kit, 2500 page yield, Compatible with --> HP Neverstop Laser 1000A / 1000W / MFP 1200A printers
CNHPW1103AD	R 457	HP W1103AD #103A Dual pack Black original Neverstop Laser Toner reload kit, 2x 2500 page yield, Compatible with --> HP Neverstop Laser 1000A / 1000W / MFP 1200A printers
CNHPW1106A	R 1,050	HP #106A Black original Laser Toner cartridge, 1000 pages yield, Compatible with --> HP Laser MFP 135w printer
CNHPW1331A	R 2,447	HP 331A Black Original Laser Toner Cartridge, 5000 page yield, Compatible with --> HP Laser MFP 432fdn printer
CNHPW1331X	R 3,548	HP 331X Black High Yield original Laser Toner cartridge, 15000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
CNHPW1335A	R 813	HP 335A Black original LaserJet Toner cartridge, 7400 page yield, Compatible with --> HP LaserJet MFP M438N / MFP M442DN / MFP M443NDA printers
CNHPW1335X	R 1,034	HP 335X Black High Yield original LaserJet Toner cartridge, 13700 page yield, Compatible with --> HP LaserJet MFP M438N / MFP M442DN / MFP M443NDA printers
CNHPW1360A	R 941	HP W1360A #136A Black original LaserJet Toner cartridge, 1150 pages yield, Compatible with --> HP LaserJet M211d / M211dw / MFP M236d / MFP M236dw / MFP M236sdn / MFP M236sdw printers
CNHPW1360X	R 1,625	HP W1360X #136x Black original LaserJet Toner cartridge, 2600 pages yield, Compatible with --> HP LaserJet M211d / M211dw / MFP M236d / MFP M236dw / MFP M236sdn / MFP M236sdw printers
CNHPW1450A	R 1,473	HP W1450A 145A Black original LaserJet Toner Cartridge, 1700 pages yield, Compatible with --> LaserJet Pro 3003 / MFP 3103 printers
CNHPW1450X	R 2,323	HP W1450X 145X Black original LaserJet Toner Cartridge, 3800 pages yield, Compatible with --> LaserJet Pro 3003 / MFP 3103 printers
CNHPW1470A	R 4,200	HP 147A Black LaserJet Toner cartridge, 10 500 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
CNHPW1470X	R 6,741	HP 147X Black High Yield LaserJet Toner cartridge, 25 200 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
CNHPW1470Y	R 9,281	HP 147Y Black Extra High Yield LaserJet Toner cartridge, 42 000 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
CNHPW1500A	R 945	HP W1500A 150A Black original LaserJet Toner cartridge, 975 pages yield, Compatible with --> HP LaserJet M111a / M111w / MFP M141a / MFP M141w printers
CNHPW1510A	R 2,289	HP W1510A 151A Black LaserJet Toner Cartridge, 3050 pages yield, Compatible with --> HP LaserJet Pro 4003w / 4003dw / 4003dn Printers
CNHPW1510X	R 4,750	HP W1510X 151X Black High Capacity LaserJet Toner Cartridge, 9700 pages yield, Compatible with --> HP LaserJet Pro 4003w / 4003dw / 4003dn Printers
CNHPW1530A	R 373	HP W1530A 153A Black original LaserJet Toner Reload Kit, 2500 pages yield, Compatible with --> Jet Tank

		1502 / 1602 / 2502 / 2602 printers
CNHPW1530X	R 606	HP W1530X 153X Black original LaserJet Toner Reload Kit, 5000 pages yield, Compatible with --> Jet Tank 1502 / 1602 / 2502 / 2602 printers
CNHPW1540A	R 205	HP W1540X 154A Standard Yield Black original LaserJet Tank Toner Reload Kit, 2500 pages yield, Compatible with --> MFP / 1602A / 1602W / 1604W / 2602dn / 2602sdn / 2602sdw / 2603dn / 2603sdn / 2603sdw / 2604dn / 2604sdn / 2604sdw / 2605dsw / 2606dc / 2606dn / 2606dw / 2606dn / 2606dw / 2606sdn / 2606sdw printers
CNHPW1540X	R 328	HP W1540X 154X High Yield Black original LaserJet Tank Toner Reload Kit, 5000 pages yield, Compatible with --> MFP / 1602A / 1602W / 1604W / 2602dn / 2602sdn / 2602sdw / 2603dn / 2603sdn / 2603sdw / 2604dn / 2604sdn / 2604sdw / 2605dsw / 2606dc / 2606dn / 2606dw / 2606dn / 2606dw / 2606sdn / 2606sdw printers
CNHPW2000A	R 3,624	HP 658A Black LaserJet Toner Cartridge, 7000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2000X	R 9,707	HP 658X Black High Yield LaserJet Toner Cartridge, 33000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2001A	R 5,114	HP 658A Cyan LaserJet Toner Cartridge, 6000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2001X	R 16,987	HP 658X Cyan High Yield LaserJet Toner Cartridge, 28000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2002A	R 5,512	HP 658A Yellow LaserJet Toner Cartridge, 6000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2002X	R 16,987	HP 658X Yellow High Yield LaserJet Toner Cartridge, 28000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2003A	R 5,114	HP 658A Magenta LaserJet Toner Cartridge, 6000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2003X	R 16,987	HP 658X Magenta High Yield LaserJet Toner Cartridge, 28000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
CNHPW2010A	R 3,727	Hp #659a Black Original Laserjet Toner For Lj Enterprise Mfp M776 Series (16000 Yield)
CNHPW2010X	R 5,841	Hp #659x High Yield Black Original Laserjet Toner For Lj Enterprise Mfp M776 Series (34000 Yield)
CNHPW2011A	R 8,407	Hp #659a Cyan Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
CNHPW2011X	R 12,965	Hp #659x High Yield Cyan Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
CNHPW2012A	R 8,407	Hp #659a Yellow Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
CNHPW2012X	R 12,965	Hp #659x High Yield Yellow Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
CNHPW2013A	R 8,407	Hp #659a Magenta Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
CNHPW2013X	R 12,029	Hp #659x High Yield Magenta Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
CNHPW2030A	R 1,886	HP #415 Black LaserJet Toner cartridge, 2400 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2030X	R 3,575	HP #415X Black High Yield LaserJet Toner cartridge, 7500 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2031A	R 2,441	HP #415 Cyan LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2031X	R 5,266	HP #415X Cyan High Yield LaserJet Toner cartridge, 6000 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2032A	R 2,441	HP #415 Yellow LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2032X	R 5,266	HP #415X Yellow High Yield LaserJet Toner cartridge, 6000 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2033A	R 2,441	HP #415 Magenta LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
CNHPW2033X	R 5,266	HP #415X Magenta High Yield LaserJet Toner cartridge, 6000 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers

CNHPW2070A	R 957	HP #117A Black original Laser Toner cartridge, 1000 pages yield, Compatible with --> HP Color Laser 178nw / 179fnw printers
CNHPW2071A	R 1,058	HP #117A Cyan original Laser Toner cartridge, 700 pages yield, Compatible with --> HP Color Laser 178nw / 179fnw printers
CNHPW2072A	R 1,058	Hp #117a Magenta Laserjet Toner Cartridge For Laser 150/mfp 178/179 (Page Yield 700)
CNHPW2073A	R 1,058	HP #117A Magenta original Laser Toner cartridge, 700 pages yield, Compatible with --> HP Color Laser 178nw / 179fnw printers
CNHPW2120A	R 3,738	HP W2120A 212A Black original LaserJet Toner cartridge, 5550 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2120X	R 5,468	HP W2120X High Yield 212X Black original LaserJet Toner cartridge, 13000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2121A	R 4,683	HP W2121A 212A Cyan original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2121X	R 7,722	HP W2121X 212X High Yield Cyan original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2122A	R 4,683	HP W2122A 212A Yellow original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2122X	R 7,722	HP W2122X 212X High Yield Yellow original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2123A	R 4,683	HP W2123A 212A Magenta original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2123X	R 7,722	HP W2123X 212X High Yield Magenta original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
CNHPW2130A	R 2,494	HP 213A Black original LaserJet Toner Cartridge, 3500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2130X	R 4,053	HP 213X Black High Yield original LaserJet Toner Cartridge, 9000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2131A	R 3,533	HP 213A Cyan original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2131X	R 5,362	HP 213X Cyan High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2132A	R 3,533	HP 213A Yellow original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2132X	R 5,362	HP 213X Yellow High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2133A	R 3,533	HP 213A Magenta original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2133X	R 5,362	HP 213X Magenta High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
CNHPW2210A	R 1,378	Hp #207A Black Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1350 Pages)
CNHPW2210X	R 2,087	HP #207X Black Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 3150 Pages)

CNHPW2211A	R 1,619	Hp #207A Cyan Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1250 Pages)
CNHPW2211X	R 2,199	Hp #207X Cyanlaserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
CNHPW2212A	R 1,619	Hp #207a Yellow Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1250 Pages)
CNHPW2212X	R 2,199	Hp #207x Yellow Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
CNHPW2213A	R 1,619	Hp #207A Magenta Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1250 Pages)
CNHPW2213X	R 2,199	Hp #207x Magenta Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
CNHPW2300A	R 1,771	HP 230A original Black LaserJet Toner Cartridge, 2000 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2300X	R 3,542	HP 230X original Black LaserJet Toner Cartridge, 7500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2301A	R 2,137	HP 230A original Cyan LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2301X	R 4,352	HP 230X original Cyan LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2302A	R 2,137	HP 230A original Yellow LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2302X	R 4,352	HP 230X original Yellow LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2303A	R 2,137	HP 230A original Magenta LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2303X	R 4,352	HP 230X original Magenta LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
CNHPW2410A	R 1,073	Hp #216A Black Laserjet Toner Cartridge For Cljpro M182/183 (Yield 1050 Pages)
CNHPW2411A	R 1,158	Hp #216a Cyan Laserjet Toner Cartridge For Cljpro M182/183 (Yield 850 Pages)
CNHPW2412A	R 1,158	Hp #216A Yellow Laserjet Toner Cartridge For Cljpro M182/183 (Yield 850 Pages)
CNHPW2413A	R 1,158	Hp #216a Magenta Laserjet Toner Cartridge For Cljpro M182/183 (Yield 850 Pages)
CNOKZ09006127	R 1,607	OKI 9006127 C650 Cyan Laser Toner cartridge, 7000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006128	R 1,607	OKI 9006128 C650 Magenta Laser Toner cartridge, 7000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006129	R 1,607	OKI 9006129 C650 Yellow Laser Toner cartridge, 7000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006130	R 1,318	OKI 9006130 C650 Black Laser Toner cartridge, 7000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ43979102	R 2,073	OKI B410/B430/B440/MB400 Series Black Toner 3,500 pages
CNOKZ44469704	R 2,302	OKI 44469704 Yellow Laser Toner cartridge, 2000 pages yield, Compatible with --> C310dn / C310n / C330dn / C510dn / C511 / C511dn / C530dn / C531 / C531dn / MC351 / MC352dn / MC361 / MC361dn / MC362dn / MC362dnw / MC561 / MC561dn / MC562 / MC562dn / MC562dnw / MC562w printers
CNOKZ44469705	R 2,302	OKI 44469705 Magenta Laser Toner cartridge, 2000 pages yield, Compatible with --> C310dn / C310n / C330dn / C510dn / C511 / C511dn / C530dn / C531 / C531dn / MC351 / MC352dn / MC361 / MC361dn / MC362dn / MC362dnw / MC561 / MC561dn / MC562 / MC562dn / MC562dnw / MC562w printers
CNOKZ44469706	R 2,302	OKI 44469706 Cyan Laser Toner cartridge, 2000 pages yield, Compatible with --> C310dn / C310n / C330dn / C510dn / C511 / C511dn / C530dn / C531 / C531dn / MC351 / MC352dn / MC361 / MC361dn / MC362dn / MC362dnw / MC561 / MC561dn / MC562 / MC562dn / MC562dnw / MC562w printers
CNOKZ44469803	R 1,708	OKI 44469803 Black Laser Toner cartridge, 3500 pages yield, Compatible with --> C310dn / C310n / C330dn / C510dn / C511 / C511dn / C530dn / C531 / C531dn / MC351 / MC352dn / MC361 / MC361dn / MC362dn / MC362dnw / MC561 / MC561dn / MC562 / MC562dn / MC562dnw / MC562w printers
CNOKZ44574702	R 2,220	OKI 44574702 Black Toner cartridge, 3000 page yield, Compatible with --> B411 / 431 / MB461 / MB471 / MB491 printers

CNOKZ44917602	R 4,671	OKI 44917602 B431 / MB491 Black Laser Toner cartridge, 12000 pages yield, Compatible with --> B431 / B431d / B431dn / MB491 / MB491dn printers
CNOKZ44917607	R 1,967	OKI 44917607 Black Laser Toner cartridge, 12 000 page yield, Compatible with --> ES4131 / ES4191 MFP printers
CNOKZ44973509	R 3,276	OKI 44973509 Yellow Laser Toner Cartridge, 6 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
CNOKZ44973510	R 3,276	OKI 44973510 Magenta Laser Toner Cartridge, 6 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
CNOKZ44973511	R 3,276	OKI 44973511 Cyan Laser Toner Cartridge, 6 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
CNOKZ44973512	R 949	OKI 44973512 Black Laser Toner Cartridge, 7 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
CNOKZ44973533	R 2,201	OKI 44973533 Yellow Laser Toner cartridge, 1500 pages yield, Compatible with --> C301 / C301dn / C321 / C321dn / MC332 / MC332dn / MC342 / MC342dn / MC342dnw / MC342dw / MC342w printers
CNOKZ44973534	R 2,201	OKI 44973534 Magenta Laser Toner cartridge, 1500 pages yield, Compatible with --> C301 / C301dn / C321 / C321dn / MC332 / MC332dn / MC342 / MC342dn / MC342dnw / MC342dw / MC342w printers
CNOKZ44973535	R 2,201	OKI 44973535 Cyan Laser Toner cartridge, 1500 pages yield, Compatible with --> C301 / C301dn / C321 / C321dn / MC332 / MC332dn / MC342 / MC342dn / MC342dnw / MC342dw / MC342w printers
CNOKZ44973536	R 2,109	OKI 44973536 Black Laser Toner cartridge, 2200 pages yield, Compatible with --> C301 / C301dn / C321 / C321dn / MC332 / MC332dn / MC342 / MC342dn / MC342dnw / MC342dw / MC342w printers
CNOKZ44992401	R 1,670	OKI 44992401 Black Toner cartridge, 1500 page yield, compatible with --> B401 / B401d / B401dn / MB441 / MB441dn / MB451 / MB451dn / MB451dnw / MB451w printers
CNOKZ44992402	R 2,040	OKI 44992402 B401 / MB441 / 451 Black Laser Toner cartridge, 2500 pages yield, Compatible with --> B401 / B401d / B401dn / MB441 / MB441dn / MB451 / MB451dn / MB451dnw / MB451w
CNOKZ45396213	R 1,950	OKI 45396213 Yellow Laser Toner cartridge, 11500 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ45396214	R 1,950	OKI 45396214 Magenta Laser Toner cartridge, 11500 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ45396215	R 1,950	OKI 45396215 Cyan Laser Toner cartridge, 11500 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ45396216	R 784	OKI 45396216 Black Laser Toner cartridge, 15000 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ45439002	R 6,406	OKI B731/MB770 Black Toner Cartridge = 36,000 pages
CNOKZ45460502	R 2,703	OKI 45460502 Black Laser Toner cartridge, 36 000 page yield, Compatible with --> ES7131 / ES7170 printers
CNOKZ45488802	R 6,576	Oki 45488802 for B721dn/B731dnw/MB760DNF/MB770dnf/MB770dfnf Toner 18k
CNOKZ45536425	R 5,288	OKI 45536425 White (WT) Laser Toner cartridge, 10000 pages yield, Compatible with --> OKI ES9541 / Pro9541 / Pro9541Ec / Pro9541Ev printers
CNOKZ45536428	R 8,988	OKI 45536428 Clear (CL) Laser Toner cartridge, 20000 pages yield, Compatible with --> OKI ES9541 / Pro9541 / Pro9541Ec / Pro9541Ev printers
CNOKZ45536553	R 3,997	OKI 45536553 Cyan (C) Laser Toner cartridge, 42000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45536554	R 3,997	OKI 45536554 Magenta (M) Laser Toner cartridge, 42000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45536555	R 3,997	OKI 45536555 Cyan (C) Laser Toner cartridge, 42000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45536556	R 4,681	OKI 45536556 Black (K) Laser Toner cartridge, 51000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45807102	R 1,628	OKI 45807102 Black Laser Toner cartridge, 3000 pages yield, Compatible with --> B412dn / B412dnw / B432dn / B432dnw / B512dn / B512dnw / MB472dnw / MB492dn / MB562dnw printers
CNOKZ45807106	R 2,101	OKI 45807106 High Capacity Black Toner cartridge, 7000 pages yield, Compatible with --> OKI B412dn / B412dnw / B432dn / B432dnw / B512dn / B512dnw / MB472dnw / MB492dn / MB562dnw printers
CNOKZ45807111	R 2,922	OKI 45807111 Extra High capacity Black Toner cartridge, 12 000 pages yield, Compatible with --> B432 / 512 /

		MB492 / MB562 printers
CNOKZ45807116	R 1,940	OKI 45807116 Black Laser Toner Cartridge, 12 000 page yield, Compatible with --> ES4132 / ES4192 MFP / ES5112 / ES5162 printers
CNOKZ45862814	R 2,822	OKI 45862814 C873 Yellow High Capacity Laser Toner cartridge, 10 000 pages yield, Compatible with --> MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862815	R 2,822	OKI 45862815 C873 Magenta High Capacity Laser Toner cartridge, 10 000 pages yield, Compatible with --> MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862816	R 2,822	OKI 45862816 C873 Cyan High Capacity Laser Toner cartridge, 10 000 pages yield, Compatible with --> MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862818	R 2,000	OKI 45862818 C873 Black High Capacity Laser Toner cartridge, 15 000 pages yield, Compatible with --> MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862819	R 1,605	OKI 45862819 Yellow Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ45862820	R 1,605	OKI 45862820 Magenta Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ45862821	R 1,605	OKI 45862821 Cyan Laser Toner cartridge, 10 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ45862822	R 799	OKI 45862822 Black Laser Toner cartridge, 15 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ45862837	R 3,365	OKI 45862837 MC853/873 Yellow Laser Toner cartridge, 7300 pages yield, Compatible with --> MC853 / MC853dn / MC853dnct / MC853dnv / MC853dnw / MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862838	R 3,365	OKI 45862838 MC853/873 Magenta Laser Toner cartridge, 7300 pages yield, Compatible with --> MC853 / MC853dn / MC853dnct / MC853dnv / MC853dnw / MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862839	R 3,365	OKI 45862839 MC853/873 Cyan Laser Toner cartridge, 7300 pages yield, Compatible with --> MC853 / MC853dn / MC853dnct / MC853dnv / MC853dnw / MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ45862840	R 1,455	OKI 45862840 MC853/873 Black Laser Toner cartridge, 7000 pages yield, Compatible with --> MC853 / MC853dn / MC853dnct / MC853dnv / MC853dnw / MC873 / MC873dn / MC873dnct / MC873dnv / MC873dnw / MC883dn / MC883dnct / MC883dnv printers
CNOKZ46490621	R 2,749	OKI 46490621 Yellow Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46490622	R 2,749	OKI 46490622 Magenta Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46490623	R 2,749	OKI 46490623 Cyan Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46490624	R 1,341	OKI 46490624 Black Laser Toner cartridge, 7000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46507613	R 4,181	OKI 46507613 C712n Yellow Laser Toner cartridge, 11 500 pages yield, Compatible with --> C712dn / C712dnw / C712n / C712nw printers
CNOKZ46507614	R 4,181	OKI 46507614 C712n Magenta Laser Toner cartridge, 11 500 pages yield, Compatible with --> C712dn / C712dnw / C712n / C712nw printers
CNOKZ46507615	R 4,181	OKI 46507615 C712n Cyan Laser Toner cartridge, 11 500 pages yield, Compatible with --> C712dn / C712dnw / C712n / C712nw printers
CNOKZ46507616	R 1,182	OKI 46507616 C712n Black Laser Toner cartridge, 11 000 pages yield, Compatible with --> C712dn / C712dnw / C712n / C712nw printers
CNOKZ46508709	R 3,350	OKI 46508709 C332/MC363 Yellow Laser Toner cartridge, 3000 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508710	R 3,350	OKI 46508710 C332/MC363 Magenta Laser Toner cartridge, 3000 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508711	R 3,350	OKI 46508711 C332/MC363 Cyan Laser Toner cartridge, 3000 pages yield, Compatible with --> C332 / C332dn

		/ C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508712	R 1,656	OKI 46508712 C332/MC363 Black Laser Toner cartridge, 3500 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508713	R 2,041	OKI 46508713 C332/MC363 Yellow Laser Toner cartridge, 1500 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508714	R 2,041	OKI 46508714 C332/MC363 Magenta Laser Toner cartridge, 1500 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508715	R 2,041	OKI 46508715 C332/MC363 Cyan Laser Toner cartridge, 1500 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46508716	R 1,334	OKI 46508716 C332/MC363 Black Laser Toner cartridge, 1500 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
CNOKZ46861305	R 3,801	OKI 46861305 High Capacity Yellow Toner cartridge, 10 000 pages yield, Compatible with --> C834 / C844 printers
CNOKZ46861306	R 3,801	OKI 46861306 High Capacity Magenta Toner cartridge, 10 000 pages yield, Compatible with --> C834 / C844 printers
CNOKZ46861307	R 3,801	OKI 46861307 High Capacity Cyan Toner cartridge, 10 000 pages yield, Compatible with --> C834 / C844 printers
CNOKZ46861308	R 1,511	OKI 46861308 High Capacity Black Toner cartridge, 10 000 pages yield, Compatible with --> C834 / C844 printers
CNOKZ47095701	R 3,663	OKI 47095701 Yellow Toner cartridge, 5000 pages yield, Compatible with --> C824 / C834 / C844 printers
CNOKZ47095702	R 3,663	OKI 47095702 Magenta Toner cartridge, 5000 pages yield, Compatible with --> C824 / C834 / C844 printers
CNOKZ47095703	R 3,663	OKI 47095703 Cyan Toner cartridge, 5000 pages yield, Compatible with --> C824 / C834 / C844 printers
CNOKZ47095704	R 1,612	OKI 47095704 Black Toner cartridge, 5000 pages yield, Compatible with --> C824 / C834 / C844 printers
CRG052	R 3,638	Canon 052 Black Laser Toner standard, 3100 page yield, Compatible with --> imageCLASS LBP214dw / MF426dw / MF424dw Printers
CRG052H	R 5,957	Canon 052 Black High Yield Laser Toner, 9200 page yield, Compatible with --> imageCLASS LBP214dw / MF426dw / MF424dw Printers
CT-H967XLB	R 935	HP 3JA31AE 967XL High Yield Black ink, 3000 page yield, Compatible with --> HP OfficeJet Pro 9020 / 9023 printers
CT-H980M	R 1,984	HP d8j08a no.980a Magenta ink , 6600pages - for HP officejet X555, X585
CT-H982B	R 2,009	HP T0B26A (no.982) Black ink, 10000pages - for hp pagewide enterprise 765, 780, 785
CT-H982C	R 2,004	HP T0B23A (no.982) Cyan ink, 8000pages - for hp pagewide enterprise 765, 780, 785
CT-H982M	R 1,707	HP T0B24A (no.982) Magenta ink, 8000pages - for hp pagewide enterprise 765, 780, 785, Â© 2018 Laptop Direct
CT-H982XLB	R 3,172	HP T0B30A (no.982XL) Black ink, 20000pages - for hp pagewide enterprise 765, 780, 785
CT-H982XLC	R 3,472	HP T0B27A (no.982XL) Cyan ink, 16000pages - for hp pagewide enterprise 765, 780, 785
CT-H982XLM	R 3,472	HP T0B28A (no.982XL) Magenta ink, 16000pages - for hp pagewide enterprise 765, 780, 785
CT-H982XLY	R 3,472	HP T0B29A (no.982XL) Yellow ink, 16000pages - for hp pagewide enterprise 765, 780, 785
CT-H982Y	R 1,707	HP T0B25A (no.982) Yellow ink, 8000pages - for hp pagewide enterprise 765, 780, 785
CT06BLACK	R 2,307	Canon Toner T06 Black Laser Toner cartridge, 20 000 pages yield, Compatible with --> imageRUNNER IR1643 Printer
CT09	R 1,807	Canon T09 Black Laser toner cartridge, 7600 pages page yield, Compatible with --> Canon imageRUNNER x C1127i / C1127if / C1127p printers
CT10BK	R 1,417	Canon T10 Black Laser Toner Cartridge, 10000 pages yield, Compatible with --> Canon imageRUNNER C1533if / Canon imageRUNNER 1538if printers
CT10C	R 2,096	Canon T10 Cyan Laser Toner Cartridge, 10000 pages yield, Compatible with --> Canon imageRUNNER C1533if / Canon imageRUNNER 1538if printers
CT10M	R 2,096	Canon T10 Magenta Laser Toner Cartridge, 10000 pages yield, Compatible with --> Canon imageRUNNER C1533if / Canon imageRUNNER 1538if printers
CT10Y	R 2,096	Canon T10 Yellow Laser Toner Cartridge, 10000 pages yield, Compatible with --> Canon imageRUNNER

		C1533if / Canon imageRUNNER 1538if printers
CT12BK	R 1,761	Canon T12 Black Laser Toner Cartridge, 7400 pages yield, Compatible with --> Canon i-SENSYS X C1333i / Canon i-SENSYS X 1333if / Canon i-SENSYS X 1333p printers
CT12C	R 2,416	Canon T12 Cyan Laser Toner Cartridge, 5300 pages yield, Compatible with --> Canon i-SENSYS X C1333i / Canon i-SENSYS X 1333if / Canon i-SENSYS X 1333p printers
CT12M	R 2,416	Canon T12 Magenta Laser Toner Cartridge, 5300 pages yield, Compatible with --> Canon i-SENSYS X C1333i / Canon i-SENSYS X 1333if / Canon i-SENSYS X 1333p printers
CT12Y	R 2,416	Canon T12 Yellow Laser Toner Cartridge, 5300 pages yield, Compatible with --> Canon i-SENSYS X C1333i / Canon i-SENSYS X 1333if / Canon i-SENSYS X 1333p printers
CTCART	R 3,572	Canon L400 Toner Cartridges
CTL1100HC	R 1,445	Pantum CTL1100C Cyan High Yield Laser Toner Cartridge, 1500 page yield, Compatible with --> CP1100 / CM1100 printers
CTL1100HK	R 1,445	Pantum CTL1100K Black High Yield Laser Toner Cartridge, 2000 page yield, Compatible with --> CP1100 / CM1100 printers
CTL1100HM	R 1,445	Pantum CTL1100M Magenta High Yield Laser Toner Cartridge, 1500 page yield, Compatible with --> CP1100 / CM1100 printers
CTL1100HY	R 1,445	Pantum CTL1100Y Yellow High Yield Laser Toner Cartridge, 1500 page yield, Compatible with --> CP1100 / CM1100 printers
CTL2000HC	R 2,069	Pantum CTL2000HC Cyan Laser Toner Cartridge, 3500 page yield, Compatible with --> CP2200 / CM2200 printers
CTL2000HK	R 2,069	Pantum CTL2000HK Black Laser Toner Cartridge, 3500 page yield, Compatible with --> CP2200 / CM2200 printers
CTL2000HM	R 2,069	Pantum CTL2000HM Magenta Laser Toner Cartridge, 3500 page yield, Compatible with --> CP2200 / CM2200 printers
CTL2000HY	R 2,069	Pantum CTL2000HY Yellow Laser Toner Cartridge, 3500 page yield, Compatible with --> CP2200 / CM2200 printers
CTL2105HC	R 953	Pantum CTL2105 Cyan High Capacity Laser Toner Cartridge, 2500 page yield, Compatible with --> Pantum CM2105 printers
CTL2105HK	R 953	Pantum CTL2105 Black High Capacity Laser Toner Cartridge, 3000 page yield, Compatible with --> Pantum CM2105 printers
CTL2105HM	R 953	Pantum CTL2105 Magenta High Capacity Laser Toner Cartridge, 2500 page yield, Compatible with --> Pantum CM2105 printers
CTL2105HY	R 953	Pantum CTL2105 Yellow High Capacity Laser Toner Cartridge, 2500 page yield, Compatible with --> Pantum CM2105 printers
DR-114	R 460	Brother DR-114 Imaging Drum unit, 10000 pages, Compatible with --> HL-L1232w / DCP-L1632w printers
DR-3355	R 2,300	Brother DR-3355 Imaging Drum unit, 50000 pages yield, Compatible with --> DCP8250 / MFC8950 / DCP8110 / MFC8510 / MFC8520 / HL5440 / HL5450 / HL5470 / HL6180 / MFC8910 printers
DR-665CL	R 2,645	Brother DR-665CL Colour Imaging Drum unit, 50 000 pages yield, Compatible with --> HL-L8430CDW / MFC-L8730CDW / MFC-L8970CDW / DCP-L8630CDW printers, Printing colours - Black / Cyan / Magenta / Yellow
DT50BLK	R 2,285	Ricoh DT50 Black Laser Toner Cartridge, 43000 pages yield, Compatible with --> Ricoh Aficio MP 9002 Printer
E260A11E	R 3,102	LEXMARK E260, E360, E460 RETURN PROGRAMME TONER CARTRIDGE (3500 PAGES), Â© 2014 Laptop Direct
E260A31E	R 3,058	Lexmark E260A31E E260, E360, E460 Return Programme Toner Cartridge Corporate (3500 pages)
E360H31E	R 5,827	Lexmark E360H31E High Yield Return Programme Black Toner Cartridge, 9000 pages yield, Compatible with --> E360d/ 360dn/ 360dt/ 360dtn/ 460dn/ 460dtn/ 460dtw/ 460dw printers
ET636200	R 7,446	Epson T636200 Cyan Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET636300	R 7,446	Epson T636300 Magenta Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET636400	R 7,446	Epson T636400 Yellow Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET636500	R 7,446	Epson T636500 Light Cyan Ink Cartridge For Stylus Pro 7700 9700 (700ml)

ET636700	R 7,446	Epson T636700 Light Black Ink Cartridge For Stylus Pro 7700 9700 (700ml)
ET6369	R 7,446	Epson T636900 Light Light Black Ink Cartridge For Stylus Pro 7890 7900 9890 (700ml)
ET636A00	R 7,446	Epson T636a00 Orange Ink Cartridge For Stylus Pro 7890 7900 9890 (700ml)
ET6531	R 2,690	Epson Stylus Pro Ink 200ml 4900 Black Ink Cartridge
ET6533	R 2,690	Epson T653300 Magenta Ink Cartridge For Stylus Pro 4900 (200ml)
ET6535	R 2,690	Epson T653500 Light Cyan Ink Cartridge For Stylus Pro 4900 (200ml)
ET6536	R 2,690	Epson T653600 Light Magenta Ink Cartridge For Stylus Pro 4900 (200ml)
ET6538	R 2,690	Epson T653800 Matt Black Ink Cartridge For Stylus Pro 4900 (200ml)
ET6539	R 2,690	Epson T653900 Light Light Black Ink Cartridge For Stylus Pro 4900 (200ml)
ET653A00	R 2,690	Epson Stylus Pro 4900 Orange Ink Cartridge (200ml)
G-S-MLTD111L3N	R 299	Compatible Generic Samsung Black MLT-D111L High Yield Toner Cartridge delivers sharp, clear, and professional-quality prints every time. Designed to work seamlessly with selected Samsung printers, it offers reliable performance and consistent results for both home and office use. With its high yield capacity, you can print more pages while saving on costs. Easy to install and efficient, this compatible toner cartridge is a practical choice for everyday printing needs. Retail Box packaging. No warranty. Samsung Xpress SL-M2010, M2010W, M2020, M2020W, M2021, M2021W, M2022, M2022W, M2023, M2023W, M2024, M2024W, M2026, M2026W, M2027, M2027W, M2028, M2028W, M2029, M2029W, M2060, M2060FH, M2060FW, M2060NW, M2060W, M2070, M2070F, M2070FW, M2070HW, M2070L, M2070W, M2071, M2071F, M2071FH, M2071FW, M2071HW, M2071W, M2073, M2073FW, M2073W, M2074, M2074F, M2074FW, M2074W, M2077, M2077F, M2077FW, M2077W, M2078, M2078F, M2078FW, M2078W, M2079, M2079F, M2079FW, M2079W
H3MZ76A	R 8,799	Hp 220v Heated Pressure Roller For Hp Color Pagewide Mfp 780/785/e77650/e77660 Series
H3WT90A	R 754	HP 3WT90A LaserJet Toner collection unit, 90 000 pages yield, Compatible with --> HP Colour LaserJet Enterprise M751n / M751dn / E75245dn / M856dn / M856x / E85055dn / MFP M776dn / MFP M776z / MFP M776zs
H5KZ38	R 318	HP 5KZ38 Toner Collection unit, Compatible with --> HP Colour Laser MFP 179fnw / 150nw / 150nw / 150A / 150A / MFP 178nw / MFP 178nw printers
HC8543X	R 8,738	HP C8543X 43X High Yield Black LaserJet Toner Cartridge; up to 30000 pages; compatible with HP LaserJet 9000 series; enterprise printing; microfine toner technology; original HP toner; 595 x 396 x 198mm; weight: 4.24kg; monochrome printing
HC9390A	R 3,030	HP C9390A #70 Light Cyan DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9448A	R 3,030	HP C9448A #70 Matt Black DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9449A	R 3,030	HP C9449A #70 Photo Black DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9450A	R 3,030	HP C9450A #70 Grey DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9451A	R 3,030	HP C9451A #70 Light Grey DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9452A	R 3,030	HP C9452A #70 Cyan DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9453A	R 3,030	HP C9453A #70 Magenta DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B

		printers
HC9454A	R 3,030	HP C9454A #70 Yellow DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9455A	R 3,030	HP C9455A #70 Light Magenta DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9458A	R 3,030	HP C9458A #70 Blue DesignJet Ink cartridge, 130ml, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9730A	R 9,175	HP C9730A 645A Black Original LaserJet Toner Cartridge; up to 13000 pages yield; office use; high volume printing; 2.3kg cartridge; 500x160x265mm package; HP Smart technology; business printing
HC9731A	R 12,577	HP C9731A 645A Cyan Original LaserJet Toner Cartridge; up to 12000 pages yield; business office printing; LaserJet compatible; standard capacity cartridge
HC9732A	R 12,577	HP C9732A 645A Yellow LaserJet Toner Cartridge; 12000 page yield; compatible 5500 5550 series; yellow color; business printing; high capacity cartridge
HC9733A	R 12,577	HP C9733A 645A Magenta LaserJet Toner Cartridge; Up to 12000 pages; Standard capacity; HP Color LaserJet 5500 series; HP Color LaserJet 5550 series; 500 x 160 x 265mm; 2.3kg
HCB381A	R 8,333	HP Cyan Cartridge Colour Sphere Tech CP6015/CM6030/6040mfp 21K pgs
HCB382A	R 8,333	HP Yellow Cartridge Colour Sphere Tech CP6015/CM6030/6040mfp 21K pgs
HCB383A	R 8,333	HP Magenta Cartridge Colour Sphere Tech CP6015/CM6030/6040mfp 21K pgs
HCB390A	R 1,712	HP CB390A 825A Black LaserJet Toner Cartridge; up to 19500 pages; standard yield; compatible with HP Color LaserJet CM6030 CM6040 CP6015 series; 584 x 130 x 195mm; 0.85kg
HCB435A	R 2,021	HP CB435A 35A Black LaserJet Toner Cartridge; 1500 page yield; Standard capacity; Smart print technology; 375 x 113 x 125mm; 0.6kg; Business printing; Office documents
HCB435AD	R 3,294	HP Laserjet P1006 Black Cartridge Dual Pack
HCB436A	R 2,304	HP CB436A 36A Black LaserJet Toner Cartridge; 2000 page yield; compatible M1120 M1522 P1505; office printing; standard yield; black toner; laser printing
HCB436AD	R 4,457	HP Laserjet P1006 Black Cartridge Dual Pack
HCB540A	R 2,329	HP CB540A 125A Black LaserJet Toner Cartridge; up to 2200 pages yield; laser printing; office document use; original HP cartridge
HCB541A	R 2,149	Hp Cb541a 125a Cyan Laserjet Toner Cartridge; ~1400 Page Yield; Hp Color Laserjet Compatible; Standard Yield Cartridge; Office Printing Use; 365 X 100 X 110 Mm; 0.6 Kg
HCB542A	R 2,149	HP CB542A 125A Yellow LaserJet Toner Cartridge; up to 1400 pages yield; 0.6 kg weight; 365 x 100 x 110 mm packaging; compatible CP1215 CP1515n CP1518ni CM1312 series; standard yield office printing
HCB543A	R 2,149	HP CB543A 125A Magenta LaserJet Toner Cartridge; 1400 page yield; HP Color LaserJet compatible; CP1215 CP1515 CP1518 CM1312; standard yield office printing
HCC364A	R 4,958	HP HCC364A 64A Black Laser Toner Cartridge; up to 10000 pages; original HP toner; LaserJet compatible; monochrome printing; 391 x 193 x 300mm; weight: 1.71kg; business printing cartridge
HCC530A	R 3,579	HP Black LaserJet Cartridge for CP2025 & CM2320; up to 3500 pgs @ 5%
HCC531A	R 3,529	HP HCC531A 304A Cyan Toner Cartridge; up to 2800 pages; laser printing; compatible with HP CP2025 and CM2320 series; business colour printing; 38.5 x 10.9 x 12.5cm; 0.72kg
HCC532A	R 3,529	HP CC532A 304A Yellow LaserJet Toner Cartridge; 2800 page yield; CP2025 CM2320 compatible; standard yield office printing; original HP cartridge; easy install
HCC533A	R 3,529	HP CC533A 304A Magenta LaserJet Toner Cartridge; 2800 page yield; standard yield office toner; laser print technology; magenta color output; business document printing
HCE250A	R 4,108	HP CE250A 504A Black Original LaserJet Toner Cartridge; 5000 pages yield; Laser print cartridge; Office business printing; Compatible CP3525 CM3530; 1.2kg cartridge; Standard yield HP toner
HCE251A	R 7,954	HP CE251A 504A Cyan Original LaserJet Toner Cartridge; up to 7000 pages yield; HP ColorSphere technology;

		CP3525 CM3530 compatible; 390 x 164 x 206 mm; 1.2 kg; business printing use
HCE252A	R 7,954	HP CE252A 504A Yellow Toner Cartridge, up to 7000 pages yield, business colour printing, CP3525 CM3530 printers, 390 x 164 x 206 mm, 1.74 kg, HP ColorSphere toner
HCE253A	R 7,954	HP CE253A 504A Magenta LaserJet Toner Cartridge; 7000 pages yield; office printing; color documents; HP ColorSphere toner; CE253A model; LaserJet compatible
HCE255A	R 4,221	HP CE255A 55A Black Original LaserJet Toner Cartridge; 6000 page yield; black laser printing; compatible P3015 M521 M525 series; standard capacity office toner; 1.25 kg cartridge weight; enterprise business printing
HCE255X	R 6,500	HP Black XL LaserJet Cartridge for P23015& 2055 up to 12; 500 pgs @ 5%
HCE260A	R 4,586	HP CE260A 647A Black Original LaserJet Toner Cartridge; up to 8500 pages; CP4025 CP4525 CM4540 compatible; business office printing; standard yield; 390 x 164 x 214 mm; 1.84 kg
HCE261A	R 8,219	HP CE261A 648A Cyan LaserJet Toner Cartridge; Up to 11000 pages; HP ColorSphere toner; Compatible with HP Color LaserJet Enterprise CP4025 Series; Compatible with HP Color LaserJet Enterprise CP4525 Series; Business professional printing
HCE262A	R 8,219	HP Yellow L/J Cartridge for CP4025/4525 up to 11K pgs @ 5%
HCE263A	R 8,219	HP CE263A 648A Magenta LaserJet Toner Cartridge; 11000 page yield; enterprise HP LaserJet CP4025 CP4525 compatible; magenta colour output; 1.3kg cartridge; office printing high volume
HCE270A	R 6,976	HP CE270A 650A Black LaserJet Toner Cartridge; up to 13500 pages; original HP toner; compatible with HP Color LaserJet Enterprise M750 and CP5525 series; 492 x 188 x 225mm; 1.80kg
HCE271A	R 11,281	HP CE271A 650A Cyan LaserJet Toner Cartridge; 15000 pages yield; laser printer cartridge; enterprise office printing; HP M750 compatible; original HP supply; standard capacity toner
HCE272A	R 11,281	HP CE272A 650A Yellow LaserJet Toner Cartridge; LaserJet Enterprise M750 compatible; 15000 page yield; laser print technology; business color printing; yellow toner; original HP cartridge
HCE273A	R 11,281	HP CE273A 650A Magenta LaserJet Toner Cartridge; 15000 page yield; HP Color LaserJet Enterprise M750 compatible; 492 x 188 x 225mm; weight: 1.80kg
HCE278A	R 2,299	HP CE278A 78A Black LaserJet Toner Cartridge; approx 2100 pages yield; CE278A; 375 x 113 x 125 mm; 0.58 kg; office printing; HP LaserJet compatible
HCE278AF	R 4,263	Hp 78a Black Dual Pack Laserjet Toner Cartridge For M1536 Series (1100 Page Yield Each)
HCE285A	R 2,025	HP CE285A 85A Black LaserJet Toner Cartridge, 1600 pages yield, HP 85A compatible printers P1102 M1212 series, office document printing, standard capacity cartridge. Compatibility: HP LaserJet Pro P1100 Series, HP LaserJet Pro M1100 Series (MFP), HP LaserJet Pro M1200 Series (MFP) as listed below
HCE285AF	R 3,737	Hp 85a Black Dual Pack Laserjet Toner Cartridge For M1210 Series (1600 Page Yield Each). 2 pack. Comptiable with: HP LaserJet Pro P1100 Series, HP LaserJet Pro M1100 Series (MFP), HP LaserJet Pro M1200 Series (MFP) --> HP LaserJet Pro M1132 / M1136 MFP / M1139 MFP / M1212NF MFP / M1216NFH MFP / M1217NFW / P1102 / P1102W printers
HCE310A	R 1,557	HP CE310A 126A Black LaserJet Toner Cartridge; 1200 pages yield; HP CP1025 CP1025nw M175 M275 compatible; laser printing; standard capacity; office document printing. For HP colour laserjet CP1025 series, M175 series, M275
HCE311A	R 1,718	HP CE311A 126A Cyan LaserJet Toner Cartridge. Compatible printers: HP LaserJet Pro CP1025, HP LaserJet Pro CP1025nw, HP LaserJet Pro 100 Color MFP M175nw, HP TopShot LaserJet Pro M275 MFP, HP Color LaserJet Pro M176n, HP Color LaserJet Pro M177fw
HCE312A	R 1,718	HP CE312A 126A Yellow LaserJet Toner Cartridge; 1000 pages yield; HP CP1025 compatible; CE312A model; 363 x 83 x 86 mm; 0.30 kg; Office printing; Color documents. Compatible printers: HP LaserJet Pro CP1025, CP1025nw, M275, M175 series.
HCE313A	R 1,718	HP CE313A 126A Magenta LaserJet Toner Cartridge, 1000 page yield, CP1025 compatibility, standard capacity, 0.30kg, 363x83x86mm. Compatible printers: HP Color LaserJet CP1025, CP1025nw, M175, M275 series.
HCE320A	R 2,105	HP 128A BLACK CARTRIDGE FOR CP1525/CM1415,PAGE YIELD 2000
HCE321A	R 2,008	HP 128A CYAN CARTRIDGE FOR CP1525/CM1415, PAGE YIELD 1300
HCE322A	R 2,008	HP 128A YELLOW CARTRIDGE FOR CP1525/CM1415, PAGE YIELD 1300
HCE323A	R 2,008	HP 128A MAGENTA CARTRIDGE FOR CP1525/CM1415, PAGE YIELD 1300

HCE340A	R 4,888	HP 651A Black LJ Toner for MFP M775, Yield 13500
HCE341A	R 12,133	HP 651A Cyan LJ Toner for MFP M775, Yield 16000
HCE342A	R 12,133	HP 651A Yellow LJ Toner for MFP M775, Yield 16000
HCE343A	R 12,133	HP 651A Magenta LJ Toner for MFP M775, YIELD 16000
HCE390A	R 4,952	HP #90 BLACK LASERJET TONER CARTRIDGE, HP LaserJet M4555 MPS
HCE390X	R 8,127	HP #90X BLACK LASERJET TONER CARTRIDGE, HP LaserJet M4555 MPS
HCE400A	R 4,285	HP #507A BLACK LASERJET TONER CARTRIDGE
HCE400X	R 5,726	HP #507X BLACK LASERJET TONER CARTRIDGE
HCE401A	R 6,328	HP #507A CYAN LASERJET TONER CARTRIDGE
HCE402A	R 6,328	HP #507A YELLOW LASERJET TONER CARTRIDGE
HCE403A	R 6,328	HP #507A MAGENTA LASERJET TONER CARTRIDGE
HCE410A	R 2,469	HP 305A Standard Capacity Black Laserjet Toner Cartridge
HCE410X	R 3,007	HP 305X Large Capacity Black Laserjet Toner Cartridge
HCE411A	R 3,469	HP 305A Cyan Laserjet Toner Cartridge
HCE412A	R 3,469	HP 305A Yellow Laserjet Toner Cartridge
HCE413A	R 3,469	HP 305A Magenta Laserjet Toner Cartridge
HCE505A	R 2,604	HP CE505A 05A Black LaserJet Toner Cartridge; up to 2300 pages; HP LaserJet P2035 P2055 compatible; standard yield office printing; 0.85kg; black toner; original HP cartridge
HCE505D	R 4,831	HP No 05A Black DUAL-PACK LaserJet Toner Cartridge (CE505D)
HCE505X	R 4,681	HP CE505X 05X High Yield Black LaserJet Toner Cartridge; Up to 6500 pages; HP LaserJet compatible; 340 x 113 x 225mm; 1.05kg; Business printing; Office documents; Monochrome output
HCE741A	R 7,575	HP CE741A 307A Cyan LaserJet Toner Cartridge; 7300 page yield; HP CP5225 compatibility; laser print cartridge; standard yield; office printing; professional colour output
HCE742A	R 7,575	HP CE742A 307A Yellow LaserJet Toner Cartridge; 7300 pages yield; CP5225 compatible; OEM cartridge; yellow color; office printing; high volume use
HCE743A	R 7,575	HP CE743A 307A Magenta LaserJet Toner Cartridge; 7300 page yield; CP5225 compatible; laser printer cartridge; business printing; standard capacity
HCF210A	R 2,030	HP #131A Black Laserjet Toner Cartridge
HCF210X	R 2,546	HP #131X Black Laserjet Toner Cartridge
HCF211A	R 2,514	HP #131A Cyan Laserjet Toner Cartridge
HCF212A	R 2,514	HP #131A Yellow Laserjet Toner Cartridge
HCF213A	R 2,514	HP #131A Magenta Laserjet Toner Cartridge
HCF214A	R 5,790	HP 14A Black Laserjet Toner for CF236A & CF238A, Yield 10000
HCF214X	R 6,316	HP 14X Black Laserjet Toner for CF236A & CF238A, Yield 17500
HCF217A	R 1,843	HP CF217A no.17a black toner cartridge, 1600 pages yield, Compatoble with --> HP laserjet M102 / M130 series
HCF226A	R 3,344	HP #26A BLACK TONER CARTRIDGE; LJPRO M402/M426; YIELD 3100
HCF226X	R 5,648	HP #26X BLACK LASERJET M402/MFP M426 CARTRIDGE, 9000 pages
HCF226XD	R 10,608	HP CF226XD 26X Black Laser Toner Dual Pack, 2x 9000 Pages yield, Compatible with --> HP Laserjet Pro M402D / M402DN / M402DW / M402n / MFP M426DW / MFP M426FDN / MFP M426fdw
HCF230A	R 1,868	HP CF230A no.30A Black toner cartridge, 1600 page yield
HCF230X	R 2,729	HP CF230X no.30A Nlack high yield toner, 3500 pages yield, for HP M203 / M227 series
HCF237A	R 4,958	HP CF237A 37A Black Toner cartridge, 11000 Page yield
HCF237X	R 7,609	HP CF237X 37X High Yield Black Toner cartridge, 25000 Page Yield
HCF237Y	R 10,477	HP CF237Y 37Y Extra High Yield Black Toner cartridge, 41000 Page Yield
HCF244A	R 1,359	HP #44A Black original LaserJet Toner Cartridge, 1000 page yield, Compatible with --> HP LaserJet Pro M15 / M15a / M15w / MFP M28a / MFP M28w printers
HCF252XM	R 15,476	HP CF252XM no.410X Cyan Magenta Yellow toner cartridges, 5000 page yield per cartridge, for HP color laserjet M377 / M452 / M477 series

HCF253XM	R 8,259	HP CF253XM no.201X Cyan Magenta Yellow toner cartridges, 2300 page yield per cartridge, for HP color laser M252 / M277
HCF256A	R 1,030	HP 56A Black LaserJet Toner Cartridge - 7400 pages
HCF256X	R 1,279	HP 56X Black LaserJet Toner Cartridge - 13700 pages
HCF259A	R 2,747	Hp 59a Black Laserjet Toner Cartridge For Ljm304m404mfp M428 (Page Yield 3000)
HCF259X	R 5,628	Hp 59x Black Laserjet Toner Cartridge For Ljm304m404mfp M428 (Page Yield 10000)
HCF280A	R 3,001	HP 80A Standard Capacity Black Laserjet Toner Cartridge
HCF280X	R 5,083	HP 80X Large Capacitiy Black Laserjet Toner Cartridge
HCF280XD	R 10,145	HP No 80X HP 80X Black LaserJet Toner Cartridge (6900PGS)
HCF281A	R 4,913	HP 81A Black Original LaserJet Toner Cartridge M630/ M604/ M605/ M606 10500
HCF281X	R 8,048	HP 81X High Yield Black Original LaserJet Toner Cartridge M630/ M604/ M605/ M606 25000
HCF283A	R 1,914	HP # 83A BLACK LASERJET TONER CARTRIDGE
HCF283AF	R 3,337	Hp 83a Black Dual Pack Laserjet Toner Cartridge For Mfp M127 125 (1500 Page Yield Each)
HCF287A	R 6,160	HP # 87A BLACK LASERJET M506/MFP M527 CARTRIDGE. YIELD 9000.
HCF287X	R 8,284	HP No 87X High Yield Black Original LaserJet Toner Cartridge. LJPRO M506/ M527 ; YIELD 18,000pages
HCF287XD	R 15,593	HP CF287XD 87x Black Laser Toner Cartridge - Dual pack, 18000 pages yield per Toner, Compatible with --> HP LaserJet Enterprise M506, MFP M527, LaserJet Pro M501 printers
HCF289A	R 3,962	Hp 89a Black Laserjet Toner Cartridge For Ljm507m528 (Page Yield 5000)
HCF289X	R 6,009	Hp 89x Black Laserjet Toner Cartridge For Ljm507m528 (Page Yield 10000)
HCF289Y	R 7,093	Hp 89y Black Laserjet Toner Cartridge For Ljm507m528 (Page Yield 20000)
HCF300A	R 3,030	HP 827A Black Toner - HP LaserJet Enterprise M806 / MFP M830z, 29,500 pgs
HCF301A	R 13,220	HP 827A Cyan Toner - HP LaserJet Enterprise M806 / MFP M830z, 32,000 pgs
HCF302A	R 13,220	HP No 827A Yellow LaserJet Toner Cartridge (CF302A)
HCF303A	R 13,220	HP 827A Magenta Toner - HP LaserJet Enterprise M806 / MFP M830z, 32,000 pgs
HCF310A	R 8,745	HP No 826A Black LaserJet Toner Cartridge (CF310A)
HCF311A	R 14,285	HP 826A Cyan Toner - HP Color LaserJet Enterprise M855 Series, 31,500 pgs
HCF312A	R 14,285	HP 826A Yellow Toner - HP Color LaserJet Enterprise M855 Series, 31,500 pgs
HCF313A	R 14,285	HP 826A Magenta Original LaserJet Toner Cartridge
HCF320A	R 5,902	HP 652A Black Original LaserJet Toner Cartridge (CF320A)
HCF321A	R 9,427	HP 653A Cyan Original LaserJet Toner Cartridge (CF321A)
HCF322A	R 9,427	HP 653A Yellow Original LaserJet Toner Cartridge (CF322A)
HCF323A	R 9,427	HP 653A Magenta Original LaserJet Toner Cartridge (CF323A)
HCF325X	R 8,127	HP 25X Black LaserJet Toner Cartridge
HCF330X	R 7,714	HP 654X High Yield Black Original LaserJet Toner Cartridge, NEW
HCF331A	R 10,714	HP 654A Cyan Original LaserJet Toner Cartridge CF331A
HCF332A	R 10,714	HP 654A YELLOW ORIGINAL LASERJET TONER CARTRIDGE (CF332A)
HCF333A	R 10,620	HP 654A Magenta Contract LaserJet Toner Cartridge CF331A
HCF341A	R 4,711	HP No 126A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
HCF350A	R 1,696	HP 130A Black LaserJet Toner Cartridge (CF350A)
HCF351A	R 1,746	HP 130A Cyan Toner - HP Colour LaserJet PRO M177FW, 1,000 pgs
HCF352A	R 1,746	HP 130A YELLOW LASERJET TONER CARTRIDGE
HCF353A	R 1,746	HP 130A Yellow Toner - HP Colour LaserJet PRO M177FW, 1,000 pgs
HCF360A	R 4,439	Hp Laserjet Cf360a Black Print Cartridge For M552/m553
HCF360X	R 6,160	HP 508X High Yield Black Original LaserJet Toner Cartridge M552/ M553
HCF361A	R 5,537	HP 508A Cyan Original LaserJet Toner Cartridge FOR M552/ M553
HCF361X	R 8,484	HP 508X High Yield Cyan Original LaserJet Toner Cartridge FOR M552/ M553
HCF362A	R 5,537	Hp Laserjet CF362A Yellow Print Cartridge For M552/M553
HCF362X	R 8,484	HP 508X High Yield Yellow Original LaserJet Toner Cartridge FOR M552/ M553
HCF363A	R 5,537	HP LASERJET CF363A MAGENTA PRINT CARTRIDGE FOR M552/M553

HCF363X	R 8,484	HP 508X High Yield Magenta Original LaserJet Toner Cartridge FOR M552/ M553
HCF370AM	R 9,646	HP No 305A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
HCF371AM	R 5,544	HP No 128A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
HCF372AM	R 9,818	HP No 304A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
HCF373AM	R 5,897	HP No 125A 3-pack Cyan/Yellow/Magenta Original LaserJet Toner Cartridges
HCF380A	R 2,686	HP 312A Black Toner - HP Colour Laserjet M476, 2,400 pgs
HCF380X	R 3,232	HP 312X Black LaserJet Toner Cartridge (CF380X)
HCF381A	R 3,554	HP 312A Cyan Toner - HP Colour Laserjet M476, 2,700 pgs
HCF382A	R 3,554	HP 312A Yellow Toner - HP Colour Laserjet M476, 2,700 pgs (CF381A)
HCF383A	R 3,554	HP 312A Magenta Toner - HP Colour Laserjet M476, 2,700 pgs (CF381A)
HCF400A	R 2,022	HP 201A Black Original LaserJet Toner Cartridge MFP M277 / M252
HCF400X	R 2,675	HP 201X High Yield Black Original LaserJet Toner Cartridge MFP M277 / M252
HCF401A	R 2,365	HP 201A Cyan Original LaserJet Toner Cartridge MFP M277/ M252
HCF401X	R 2,955	HP 201X CYAN HIGH YIELD TONER CARTRIDGE FOR COLOUR LASERJET PRO M252dw M252n M274n M277dw M277n(2300 PAGE YIELD)
HCF402A	R 2,365	HP 201A Yellow Original LaserJet Toner Cartridge
HCF402X	R 2,955	HP 201X High Yield Yellow Original LaserJet Toner Cartridge MFP M277/ M252
HCF403A	R 2,365	HP 201A Magenta Original LaserJet Toner Cartridge
HCF403X	R 2,955	HP 201X High Yield Magenta Original LaserJet Toner Cartridge M277/ M252
HCF410A	R 2,516	HP 410A Black Original LaserJet Toner Cartridge - Hp Color Laserjet Pro M452 / M477
HCF410X	R 4,117	HP 410X High Yield Black Original LaserJet Toner Cartridge For Color Laserjet Pro M452 / M477. 6500 pages.
HCF411A	R 3,215	HP 410A Cyan Original LaserJet Toner Cartridge (CF411A), Hp Color Laserjet Pro M452 / M477, 2300pages
HCF411X	R 5,472	HP 410X High Yield Cyan Original LaserJet Toner Cartridge (CF411X), Hp Color Laserjet Pro M452 / M477, 5000 pages
HCF412A	R 3,215	HP 410A Yellow Original LaserJet Toner Cartridge (CF412A), Hp Color Laserjet Pro M452 / M477, 2300 pages
HCF412X	R 5,472	HP 410X High Yield Yellow Original LaserJet Toner Cartridge (CF412X), Hp Color Laserjet Pro M452 / M477, 5000 pages
HCF413A	R 3,215	HP 410A Magenta Original LaserJet Toner Cartridge (CF413A) , Hp Color Laserjet Pro M452 / M477, 2300 pages
HCF413X	R 5,472	HP 410X High Yield Magenta Original LaserJet Toner Cartridge (CF413X), for HL3150CDN / HL3170CDW / MFC9330CDW / MFC9140CDN, 5000 pages
HCF440AM	R 9,890	HP 312A MULTIPACK CMY LaserJet PRO 400M477YI Laser Toner - 2700pages
HCF450A	R 5,755	HP 655A CF450A Black Toner cartridge, 12500 Page yield
HCF451A	R 7,121	HP 655A CF451A Cyan Toner cartridge, 10500 Page yield
HCF452A	R 7,121	HP 655A CF452A Yellow Toner cartridge, 10500 Page yield
HCF453A	R 7,121	HP 655A CF453A Magenta Toner cartridge, 10500 Page yield
HCF460X	R 8,889	Hp 656x High Yield Black Toner Cartridge For M652 653 E65050 60 (Page Yield 27000)
HCF461X	R 12,496	HP 656X High Yield Cyan Original LaserJet Toner Cartridge (CF461X), YIELD : 22000
HCF462X	R 12,496	HP 656X High Yield Yellow Original LaserJet Toner Cartridge (CF462X), YIELD : 22000
HCF463X	R 12,496	HP 656X High Yield Magenta Original LaserJet Toner Catridge (CF463X), YIELD : 22000
HCF470X	R 8,500	HP # 657X High Yield Black Original LaserJet Toner Cartridge (CF470X), 28 000 Yield
HCF471X	R 10,644	HP CF471X 657X high yield Cyan Toner cartridge, 23000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)
HCF472X	R 10,644	HP CF472X 657X high yield Yellow Toner cartridge, 23000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)
HCF473X	R 10,644	HP CF473X 657X high yield Magenta Toner cartridge, 23000 Page yield, for HP Color LaserJet Enterprise Flow MFP M681z (J8A13A) / HP Color LaserJet Enterprise Flow MFP M682z (J8A17A) / HP Color LaserJet Enterprise MFP M681dh (J8A10A) / HP Color LaserJet Enterprise MFP M681f (J8A11A)

HCF530A	R 1,369	HP CF530A no. 205a Black toner, 1100 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
HCF531A	R 1,488	HP CF531A no. 205a Cyan toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
HCF532A	R 1,488	HP CF532A no. 205a Yellow toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
HCF533A	R 1,488	HP CF533A no. 205a Magenta toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
HCF540A	R 1,709	HP CF540A no. 203a Black toner cartridge, 1400 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF540X	R 2,491	HP CF540X no. 203x High Yield Black toner cartridge, 3200 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF541A	R 1,977	HP CF541A no. 203a Cyan toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF541X	R 2,620	HP CF541X no. 203x High Yield Cyan toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF542A	R 1,977	HP CF542A no. 203a Yellow toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF542X	R 2,620	HP CF542X no. 203x High Yield Yellow toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF543A	R 1,977	HP CF543A no. 203a Magneta toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HCF543X	R 2,620	HP CF543X no. 203x High Yield Magenta toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
HD8J08A	R 2,334	HP 980 Magenta Original Ink Cartridge
HF6T77AE	R 2,171	HP 913A Cyan Original PageWide Cartridge for 352dn/ 377dn (3000 PAGE YIELD)
HF6T78AE	R 2,171	HP 913A Magenta Original PageWide Cartridge 352dn/ 377dn (3000 PAGE YIELD)
HF6T79AE	R 2,171	HP 913A Yellow Original PageWide Cartridge 352dn/ 377dn (3000 PAGE YIELD)
HF6T81AE	R 3,234	HP # 973X High Yield Cyan Original PageWide Cartridge 452dw/ 477dw HP MANAGED P55250dw & MFP P57750dw (7000 PAGE YIELD)
HF6T82AE	R 3,234	HP 973X High Yield Magenta Original PageWide Cartridge FOR HP PAGEWIDE PRO 452dw/ 477dw HP MANAGED P55250dw & MFP P57750dw (7000 PAGE YIELD)
HL0S07AE	R 3,403	HP #973X High Yield Black Original PageWide Cartridge FOR HP PAGEWIDE PRO 452dw/ 477dw HP MANAGED P55250dw & MFP P57750dw (10000 PAGE YIELD)
HM406C	R 299	TopJet Generic Replacement Cyan Toner Cartridge for Samsung CLT-C406S - Page Yield 1000 Pages with 5% Coverage, For use with Samsung CLP-360 N, CLP-360 ND, CLP-360 Series, CLP-360, CLP-365 W, CLP-365, CLX-3300 Series, CLX-3300, CLX-3305 FN, CLX-3305 FW, CLX-3305 W, CLX-3305, Xpress C 410 W, Xpress C 460 FW, Xpress C 460 Series, Xpress C 460 W, Retail Box
HM406M	R 299	TopJet Generic Replacement Magenta Toner Cartridge for Samsung CLT-M406S - Page Yield 1000 Pages with 5% Coverage, For use with Samsung CLP-360 N ,CLP-360 ND ,CLP-360 Series ,CLP-360 ,CLP-365 W , CLP-365 ,CLX-3300 Series ,CLX-3300 ,CLX-3305 FN ,CLX-3305 FW ,CLX-3305 W ,CLX-3305 ,Xpress C 410 W ,Xpress C

		460 FW ,Xpress C 460 Series ,Xpress C 460 W, Retail Box
HP S-Print SAMSUNG MLT-D203U	R 4,173	Samsung mlt-d203U Extended yield black laser toner cartridge, 15 000 pages yield, Compatible with --> Samsung SL-M4020 / SL-M4070 printers
HQ2612A	R 2,285	HP12A Black Laserjet Cartridge - HP LaserJet 1010 up to 2k pgs
HQ2612AF	R 4,236	Hp 12a Black Dual Pack Laserjet Toner Cartridge For 1000 Series (2000 Page Yield Each)
HQ2613X	R 3,014	HP Q2613X 13X High Yield Black LaserJet Toner Cartridge, 4000 page yield, HP LaserJet 1300 compatible, high yield office printing, 333 x 142 x 198 mm, 0.83 kg
HQ5942A	R 5,563	HP Q5942A 42A Black LaserJet Toner Cartridge; up to 10000 pages; laser print technology; HP 4200 4250 4350 compatible; office printing; high yield cartridge
HQ5949AA	R 2,948	HP Q5949A 49A Black LaserJet Toner Cartridge; 2500 pages yield; HP LaserJet 1160 1320 3390 3392 compatible; standard capacity; office printing; crisp text output; 1 x cartridge
HQ5950A	R 6,226	HP Q5950A 643A Black LaserJet Toner Cartridge; up to 11000 pages; standard yield; compatible with HP Color LaserJet 4700 series; single cartridge; 40.0 x 14.8 x 26.8cm; 2.2kg
HQ5951A	R 8,805	HP Q5951A 643A Cyan LaserJet Toner Cartridge; approx 10000 page yield; business office printing; HP ColorSphere toner; standard capacity cartridge
HQ5952A	R 8,805	HP Q5952A 643A Yellow LaserJet Toner Cartridge; approx 10000 pages yield; 1.7kg weight; 400 x 148 x 268mm package; business office printing; HP ColorSphere technology
HQ5953A	R 8,805	HP Q5953A 643A Magenta LaserJet Toner Cartridge; 10000 page yield; HP Color LaserJet 4700 compatible; office printing; business documents; plug and print installation
HQ7516A	R 6,104	HP Black Laserjet Cartridge - HP L/J 5200 up to 12K pgs
HQ7553A	R 2,882	HP Q7553A 53A Black LaserJet Toner Cartridge; 3000 page yield; Laser print technology; compatible P2010 P2014 P2015 M2727 series; black monochrome office printing; standard yield cartridge
HQ7553X	R 5,178	HP Q7553X 53X High Yield Black LaserJet Toner Cartridge, high yield 7000 pages, laser print technology, black toner, office printing, 390 x 122 x 196 mm, 1.3 kg, HP LaserJet compatible - for HP laserJet P2014, P2015 series, M2727 series
HT0B27A	R 4,105	HP 982X High Yield Cyan Original PageWide Cartridge
HT0B28A	R 4,105	HP 982X High Yield Magenta Original PageWide Cartridge
HT0B29A	R 4,105	HP 982X High Yield Yellow Original PageWide Cartridge
HT0B30A	R 3,759	HP 982X High Yield Black Original PageWide Cartridge
HU0SL1AM	R 6,993	HP No 131A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges for M276/ M252
HW1103A	R 271	Hp #103a Black Original Laser Recharge Kit For Hp Neverstop Laser 1000/w Laser Mfp 1200/w (Page Yield 2500)
HW1103AD	R 514	Hp #103AD 2pack Black Original Laser Recharge Kit For Hp Neverstop Laser 1000/w Laser Mfp 1200/w (Page Yield 2500 Each)
HW1106A	R 1,297	Hp # 106a Black Laserjet Toner For Laser 107/mfp 135/137 (Page Yield 1000)
HW1331A	R 2,870	HP 331A Black original Laser Toner cartridge, 5000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
HW1331X	R 4,109	HP 331X Black High Yield original Laser Toner cartridge, 15000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
HW1335A	R 1,030	HP 335A Black original LaserJet Toner Cartridge, 7400 page yield, Compatible with --> HP LaserJet MFP M438n / MFP M442dn / MFP M443nda printers
HW1335X	R 1,279	HP 335x Black High Yield original LaserJet Toner Cartridge, 13700 page yield, Compatible with --> HP LaserJet MFP M438n / MFP M442dn / MFP M443nda printers
HW1360A	R 1,174	HP W1360A #136A Black original LaserJet Toner cartridge, 1150 pages yield, Compatible with --> HP LaserJet M211d / M211dw / MFP M236d / MFP M236dw / MFP M236sdn / MFP M236sdw printers
HW1360X	R 1,944	HP W1360X #136x Black original LaserJet Toner cartridge, 2600 pages yield, Compatible with --> HP LaserJet M211d / M211dw / MFP M236d / MFP M236dw / MFP M236sdn / MFP M236sdw printers
HW1450A	R 1,773	HP W1450A 145A Black original LaserJet Toner Cartridge, 1700 pages yield, Compatible with --> LaserJet Pro 3003 / MFP 3103 printers
HW1450X	R 2,731	HP W1450X 145X Black original LaserJet Toner Cartridge, 3800 pages yield, Compatible with --> LaserJet Pro

		3003 / MFP 3103 printers
HW1470A	R 4,844	HP 147A Black LaserJet Toner Cartridge, 10 500 page yield, Compatible with --> HP LaserJet Enterprise Flow MFP M634h / MFP M635z / MFP M636z / HP LaserJet Enterprise M610dn / M611dn / M611x / M612dn / M612x / MFP M634z / MFP M635fht printers
HW1470X	R 7,704	HP 147X Black High Yield LaserJet Toner cartridge, 25 200 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
HW1470Y	R 10,563	HP 147Y Black Extra High Yield LaserJet Toner cartridge, 42 000 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
HW1470YC	R 11,789	HP W1470YC 147YC Black Extra High Yield Contract LaserJet Toner Cartridge, 42 000 page yield, Compatible with --> HP LaserJet Enterprise Flow MFP M634h / MFP M635z / MFP M636z / HP LaserJet Enterprise M610dn / M611dn / M611x / M612dn / M612x / MFP M634z / MFP M635fht printers
HW1500A	R 1,179	HP W1500A 150A Black original LaserJet Toner cartridge, 975 pages yield, Compatible with --> HP LaserJet M111a / M111w / MFP M141a / MFP M141w printers
HW1510A	R 2,692	HP W1510A 151A Black LaserJet Toner Cartridge, 3050 pages yield, Compatible with --> HP LaserJet Pro 4003w / 4003dw / 4003dn Printers
HW1510X	R 5,462	HP W1510X 151X Black High Capacity LaserJet Toner Cartridge, 9700 pages yield, Compatible with --> HP LaserJet Pro 4003w / 4003dw / 4003dn Printers
HW1530A	R 419	HP W1530A 153A Black original LaserJet Toner Reload Kit, 2500 pages yield, Compatible with --> Jet Tank 1502 / 1602 / 2502 / 2602 printers
HW1530X	R 797	HP W1530X 153X Black original LaserJet Toner Reload Kit, 5000 pages yield, Compatible with --> Jet Tank 1502 / 1602 / 2502 / 2602 printers
HW1540A	R 231	HP W1540X 154A Standard Yield Black original LaserJet Tank Toner Reload Kit, 2500 pages yield, Compatible with --> MFP / 1602A / 1602W / 1604W / 2602dn / 2602sdn / 2602sdw / 2603dn / 2603sdn / 2603sdw / 2604dn / 2604sdn / 2604sdw / 2605dsw / 2606dc / 2606dn / 2606dw / 2606dn / 2606dw / 2606sdn / 2606sdw printers
HW1540X	R 369	HP W1540X 154X High Yield Black original LaserJet Tank Toner Reload Kit, 5000 pages yield, Compatible with --> MFP / 1602A / 1602W / 1604W / 2602dn / 2602sdn / 2602sdw / 2603dn / 2603sdn / 2603sdw / 2604dn / 2604sdn / 2604sdw / 2605dsw / 2606dc / 2606dn / 2606dw / 2606dn / 2606dw / 2606sdn / 2606sdw printers
HW2000A	R 4,195	Hp 658a Black Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 7000)
HW2000X	R 11,043	Hp 658x Black Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 33000)
HW2001A	R 6,321	Hp 658a Cyan Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 6000)
HW2001X	R 19,240	Hp 658x Cyan Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 28000)
HW2002A	R 6,321	Hp 658a Yellow Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 6000)
HW2002X	R 19,240	Hp 658x Yellow Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 28000)
HW2003A	R 6,321	Hp 658a Magenta Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 6000)
HW2003X	R 19,240	Hp 658x Magenta Laserjet Toner Cartridge For Clj Enterm751 (Page Yield 28000)
HW2010A	R 4,311	Hp #659a Black Original Laserjet Toner For Lj Enterprise Mfp M776 Series (16000 Yield)
HW2010X	R 6,691	Hp #659x High Yield Black Original Laserjet Toner For Lj Enterprise Mfp M776 Series (34000 Yield)
HW2011A	R 9,580	Hp #659a Cyan Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
HW2011X	R 14,712	Hp #659x High Yield Cyan Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
HW2012A	R 9,580	Hp #659a Yellow Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
HW2012X	R 14,712	Hp #659x High Yield Yellow Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
HW2013A	R 9,580	Hp #659a Magenta Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
HW2013X	R 14,712	Hp #659x High Yield Magenta Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
HW2030A	R 2,239	Hp 415a Black Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 2400)
HW2030X	R 4,454	Hp 415x Black Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 7500)
HW2031A	R 2,864	Hp 415a Cyan Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 2100)
HW2031X	R 6,043	Hp 415x Cyan Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 6000)

HW2032A	R 2,864	Hp 415a Yellow Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 2100)
HW2032X	R 6,043	Hp 415x Yellow Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 6000)
HW2033A	R 2,864	Hp 415a Magenta Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 2100)
HW2033X	R 6,043	Hp 415x Magenta Laserjet Toner Cartridge For Hp Ljm454mfp M479 (Yield 6000)
HW2070A	R 1,192	Hp #117a Black Laserjet Toner Cartridge For Laser 150/mfp 178/179 (Page Yield 1000)
HW2071A	R 1,307	Hp #117a Cyan Laserjet Toner Cartridge For Laser 150/mfp 178/179 (Page Yield 700)
HW2072A	R 1,307	Hp #117a Magenta Laserjet Toner Cartridge For Laser 150/mfp 178/179 (Page Yield 700)
HW2073A	R 1,307	Hp #117a Magenta Laserjet Toner For Laser 150/mfp 178/179 (Page Yield 700)
HW2120A	R 4,324	HP W2120A 212A Black original LaserJet Toner cartridge, 5550 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2120X	R 6,272	HP W2120X High Yield 212X Black original LaserJet Toner cartridge, 13000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2121A	R 5,388	HP W2121A 212A Cyan original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2121X	R 8,809	HP W2121X 212X High Yield Cyan original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2122A	R 5,388	HP W2122A 212A Yellow original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2122X	R 8,809	HP W2122X 212X High Yield Yellow original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2123A	R 5,388	HP W2123A 212A Magenta original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2123X	R 8,809	HP W2123X 212X High Yield Magenta original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
HW2130A	R 2,923	HP 213A Black original LaserJet Toner Cartridge, 3500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2130X	R 4,678	HP 213X Black High Yield original LaserJet Toner Cartridge, 9000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2130Y	R 7,509	HP 213Y Black Extra High Yield original LaserJet Toner Cartridge, 18000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2131A	R 4,093	HP 213A Cyan original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2131X	R 6,152	HP 213X Cyan High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2131YY	R 9,007	HP 213Y Cyan Extra High Yield original LaserJet Toner Cartridge, 12000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2132A	R 4,093	HP 213A Yellow original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2132X	R 6,152	HP 213X Yellow High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2132Y	R 9,007	HP 213Y Yellow Extra High Yield original LaserJet Toner Cartridge, 12000 pages yield, Compatible with --> HP

		Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2133A	R 4,093	HP 213A Magenta original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2133X	R 6,152	HP 213X Magenta High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2133Y	R 9,007	HP 213Y Magenta Extra High Yield original LaserJet Toner Cartridge, 12000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
HW2140Z	R 8,890	HP 214Z Ultra High Yield Black original LaserJet Toner Cartridge, 31000 pages yield, Compatible with --> HP Color LaserJet Enterprise 6700dn / 6701dn Printers
HW2141Z	R 13,336	HP 214Z Ultra High Yield Cyan original LaserJet Toner Cartridge, 26000 pages yield, Compatible with --> HP Color LaserJet Enterprise 6700dn / 6701dn Printers
HW2142Z	R 13,336	HP 214Z Ultra High Yield Yellow original LaserJet Toner Cartridge, 26000 pages yield, Compatible with --> HP Color LaserJet Enterprise 6700dn / 6701dn Printers
HW2142ZC	R 14,876	HP W2142ZC 214Z Ultra High Yield Yellow Contract LaserJet Toner Cartridge, 26000 pages yield, Compatible with --> Colour LaserJet Enterprise 6700 / 6701dn printers
HW2143Z	R 13,336	HP 214Z Ultra High Yield Magenta original LaserJet Toner Cartridge, 26000 pages yield, Compatible with --> HP Color LaserJet Enterprise 6700dn / 6701dn Printers
HW2170Z	R 8,422	HP 217Z Ultra High Yield Black original LaserJet Toner Cartridge, 32000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
HW2171Z	R 10,060	HP 217Z Ultra High Yield Cyan original LaserJet Toner Cartridge, 24000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
HW2172Z	R 10,060	HP 217Z Ultra High Yield Yellow original LaserJet Toner Cartridge, 24000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
HW2173Z	R 10,060	HP 217Z Ultra High Yield Magenta original LaserJet Toner Cartridge, 24000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
HW2210A	R 1,666	Hp #207A Black Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1350 Pages)
HW2210X	R 2,465	HP #207X Black Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 3150 Pages)
HW2211A	R 1,937	Hp #207A Cyan Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1250 Pages)
HW2211X	R 2,590	Hp #207X Cyanlaserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
HW2212A	R 1,937	Hp #207a Yellow Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1250 Pages)
HW2212X	R 2,590	Hp #207x Yellow Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
HW2213A	R 1,937	Hp #207A Magenta Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 1250 Pages)
HW2213X	R 2,590	Hp #207x Magenta Laserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
HW2220X	R 2,315	HP W2220X 222X High Yield Black Original LaserJet Toner Cartridge, 3200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
HW2300A	R 2,109	HP 230A original Black LaserJet Toner Cartridge, 2000 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2300X	R 4,103	HP 230X original Black LaserJet Toner Cartridge, 7500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2301A	R 2,521	HP 230A original Cyan LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2301X	R 5,015	HP 230X original Cyan LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2302A	R 2,521	HP 230A original Yellow LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers

HW2302X	R 5,015	HP 230X original Yellow LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2303A	R 2,521	HP 230A original Magenta LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2303X	R 5,015	HP 230X original Magenta LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
HW2410A	R 1,323	Hp #216A Black Laserjet Toner Cartridge For Cljpro M182/183 (Yield 1050 Pages)
HW2411A	R 1,419	Hp #216a Cyan Laserjet Toner Cartridge For Cljpro M182/183 (Yield 850 Pages)
HW2412A	R 1,419	Hp #216A Yellow Laserjet Toner Cartridge For Cljpro M182/183 (Yield 850 Pages)
HW2413A	R 1,419	Hp #216a Magenta Laserjet Toner Cartridge For Cljpro M182/183 (Yield 850 Pages)
IMC2000BLK	R 1,820	Ricoh IMC2000 Black Laser Toner Cartridge, 16 500 pages yield, Compatible with --> IM C2000 / IM C2500 printers
IMC2000CYN	R 2,489	Ricoh IMC2000 Cyan Laser Toner Cartridge, 5500 pages yield, Compatible with --> IM C2000 / IM C2500 printers
IMC2000MGT	R 2,489	Ricoh IMC2000 Magenta Laser Toner Cartridge, 5500 pages yield, Compatible with --> IM C2000 / IM C2500 printers
IMC2000YLW	R 2,489	Ricoh IMC2000 Yellow Laser Toner Cartridge, 5500 pages yield, Compatible with --> IM C2000 / IM C2500 printers
IMC4500BLK	R 2,355	Ricoh IMC4500 Black Laser Toner Cartridge, 33 000 pages yield, Compatible with --> IM C4500 / IM C5500 / IM C6000 printers
IP121XLC	R 299	Inkpower Generic for HP 121XL Colour Inkjet Cartridge - CC644HE for use with Deskjet D1560/ D1663/ F2423/ F2480/ F2483/ F2493/ D2563/ D2663/ F4473/ F4483/ F4583/ D5563/ C4683/ C4783/ C4793/ C4795 - Page Yield up to 350 Pgs - Tri-Colour, Retail Box
IP323A	R 299	Inkpower Generic Toner for HP 128 - CE323A for use with HP models: LaserJet CM1415fnw; LaserJet Pro: CM1415fn, CM1415fnw, CP1525nw-Page Yield 1300pgs- Magenta, Retail Box
IP351A	R 299	Ink-power Generic Cyan Toner Cartridge for HP 130A for use with HP Color LaserJet Pro MFP M177fw / MFP M176n
IP352A	R 299	Ink-power Generic Yellow Toner Cartridge for HP 130A for use with HP Color LaserJet Pro MFP M177fw / MFP M176n
IP353A	R 299	Ink-power Generic Magenta Toner Cartridge for HP 130A for use with HP Color LaserJet Pro MFP M177fw / MFP M176n
IP3961	R 399	Inkpower Generic for Hp122A LaserJet 2550L/2550ln/2550n/2820/2840/3000/ Cyan Toner Cartridge (*Generic, not OEM)
IP3962	R 399	Inkpower Generic for Hp122A LaserJet 2550L/2550ln/2550n/2820/2840/3000/ Yellow Toner Cartridge (*Generic, nor OEM)
IP3963	R 399	Inkpower Generic for Hp122A LaserJet 2550L/2550ln/2550n/2820/2840/3000/ Magenta Toner Cartridge (*Generic, nor OEM)
IP51A	R 399	Inkpower Generic for Hp 51A Black LaserJet Toner Cartridge, Retail Box
IP540A	R 299	Inkpower Generic for HP 125A for use with HP Color LaserJet CP1215, CP1515, CP1518, CM1312 Black Toner Cartridge, Retail Box
IP541A	R 299	Inkpower Generic for HP 125A for use with HP Color LaserJet CP1215, CP1515, CP1518, CM1312 Cyan Toner Cartridge, Retail Box
IP542A	R 299	Inkpower Generic for HP 125A for use with HP Color LaserJet CP1215, CP1515, CP1518, CM1312 Yellow Toner Cartridge, Retail Box
IP543A	R 299	Inkpower Generic for HP 125A for use with HP Color LaserJet CP1215, CP1515, CP1518, CM1312 Magenta Toner Cartridge, Retail Box
IP6001	R 399	Inkpower Generic for Hp 124A Col LaserJet 2600/2605/1600 Cyan
IP6002	R 399	Inkpower Generic for Hp 124A Col LaserJet 2600/2605/1600 Yellow (*Generic, not OEM)
IP6003	R 399	Inkpower Generic for HP 124A for use with HP Color LaserJet 1600, CM1017, 2600n, 2605, 2605dn, 2605dtn,

		CM1015 Magenta Toner Cartridge, Retail Box
IPCLTC409S	R 299	Inkpower Generic for CLP-320 Samsung Toner Cyan, Retail Box
IPCLTM409S	R 299	InkPower Generic Replacement for Samsung M409 CLT M409S Magenta Toner Cartridge - Page Yield 1000 Pages with 5% Coverage For Use with Samsung CLP-310, CLP-310K, CLP-310N, LP-310NK, CLP-310 Series, CLP-315, CLP-315K, CLP-315N, CLP-315W, CLP-315WK, CLX-3170FN, CLX-3170N, CLX-3175, CLX-3175FN, CLX-3175FW, CLX-3175N, Retail Box, No Warranty
IPS105L	R 299	Ink-power Generic Toner Cartridge for Samsung MLT-D105L for use with Samsung ML-1915 / ML-1910 / ML-2525 / ML-2580N / ML-2525W / SCX-4600 / SCX-4623F / SCX-4623FN / SF-650 / SF-650P
IPS116L	R 399	Inkpower Generic Replacement Toner Cartridge for Samsung MLT-D116L - Page yield 3000 pages with 5% Coverage for SL-M2675FN / SL-M2825DW / SL-M2875FD / SL-M2875FW / Xpress M2625 / M2625D / M2675F / M2675FN / M2825DW / M2825ND / M2835DW/ M2875FD / M2875FW / M2885FW-Black , Retail Box
IPS407C	R 299	Ink-Power Generic Cyan Toner Cartridge for Samsung CLT-K407S for use with Samsung CLP-320 / CLP-325 / CLX-3185
IPS407M	R 299	Ink-Power Generic Magenta Toner Cartridge for Samsung CLT-K407S for use with Samsung CLP-320 / CLP-325 / CLX-3185
IPS409C	R 299	Inkpower Generic Toner Cartridge for Samsung CLT-C409S for use with CLP-310 / CLP-310N / CLP-315 / CLP-315W / CLX-3170 / CLX-3175 / CLX-3175FN / CLX-3175FW / CLX-3175N -- Page Yield 1000pgs-Cyan, Retail Box
L12026XW	R 1,541	LEXMARK E120N PHOTO CONDUCTOR
L20N5XC0	R 5,963	Lexmark 20N5XC0 CS/CX 43x Cyan Return Programme Toner Cartridge, 6 700 page yield, Compatible with --> CS43x / CX43x printers
L20N5XK0	R 3,164	Lexmark 20N5XK0 CS/CX 43x Black Return Programme Toner Cartridge, 6 000 page yield, Compatible with --> CS43x / CX43x printers
L20N5XM0	R 5,963	Lexmark 20N5XM0 CS/CX 43x Magenta Return Programme Toner Cartridge, 6 700 page yield, Compatible with --> CS43x / CX43x printers
L20N5XY0	R 5,963	Lexmark 20N5XY0 CS/CX 43x Yellow Return Programme Toner Cartridge, 6 700 page yield, Compatible with --> CS43x / CX43x printers
L22Z0008	R 3,562	Lexmark XS955 Black Extra high yield toner cartridge.
L22Z0009	R 15,104	Lexmark 22Z0009 XS955 Cyan Extra High Yield Toner Cartridge, 22 000 page yield, Compatible with --> Lexmark XS950de / XS955de / XS955dhe printers
L22Z0010	R 15,104	Lexmark XS955 Magenta extra high yield toner cartridge.
L22Z0011	R 11,514	Lexmark XS955 yellow extra yield high yield toner cartridge.
L24016SE	R 2,710	Lexmark E232, E240, E33X, E34X return programme toner cartridge
L24B5700	R 4,620	Lexmark 24B5700 XS748 Black High Yield Return Programme Toner Cartridge, 12 000 pages yield, Compatible with --> XS748de Printer
L24B5701	R 5,777	Lexmark 24B5701 XS748 Cyan High Yield Return Programme Toner Cartridge, 10 000 pages yield, Compatible with --> XS748de Printer
L24B5702	R 5,777	Lexmark 24B5702 XS748 Magenta High Yield Return Programme Toner Cartridge, 10 000 pages yield, Compatible with --> XS748de Printer
L24B5703	R 5,777	Lexmark 24B5703 XS748 Yellow High Yield Return Programme Toner Cartridge, 10 000 pages yield, Compatible with --> XS748de Printer
L24B5995	R 10,660	Lexmark C6160 Cyan Toner Cartridge (20 000 Page Yield) (Bsd)
L24B5996	R 10,660	Lexmark C6160 Magenta Toner Cartridge (20 000 Page Yield) (Bsd)
L24B5997	R 10,660	Lexmark C6160 Yellow Toner Cartridge (20 000 Page Yield) (Bsd)
L24B5998	R 4,883	Lexmark C6160 Black Toner Cartridge (20 000 Page Yield) (Bsd)
L24B6015	R 11,947	Lexmark 24B6015 Black Laser Toner Cartridge, 35 000 pages yield, Compatible with --> M5155 / M5163 / M5170 / XM5163 / XM5170 / XM5263 printers
L24B6020	R 11,947	Lexmark 24B6020 Black Laser Toner Cartridge, 35 000 pages yield, Compatible with --> XM7155 / XM7155x / XM7163 / XM7163x / XM7170 / XM7170x / XM7263 printers

L24B6035	R 7,669	Lexmark 24B6035 Black Laser Toner Cartridge, 16 000 pages yield, Compatible with --> M1145 / XM1145 printers
L24B6512	R 12,496	Lexmark 24B6512 XC8160 Cyan Laser Toner Cartridge, 50 000 pages yield, Compatible with --> XC8160 Printer
L24B6513	R 12,496	Lexmark 24B6513 XC8160 Magenta Laser Toner Cartridge, 50 000 pages yield, Compatible with --> XC8160 Printer
L24B6514	R 12,496	Lexmark 24B6514 XC8160 Yellow Laser Toner Cartridge, 50 000 pages yield, Compatible with --> XC8160 Printer
L24B6515	R 8,118	Lexmark 24B6515 XC8160 Black Laser Toner Cartridge, 50 000 pages yield, Compatible with --> XC8160 Printer
L24B6516	R 5,416	Lexmark 24B6516 C4150 Cyan Laser Toner Cartridge, 10 000 pages yied, Compatible with --> C4150 Printer
L24B6517	R 5,416	Lexmark 24B6517 C4150 Magenta Laser Toner Cartridge, 10 000 pages yied, Compatible with --> C4150 Printer
L24B6518	R 5,416	Lexmark 24B6518 C4150 Yellow Laser Toner Cartridge, 10 000 pages yied, Compatible with --> C4150 Printer
L24B6519	R 5,622	Lexmark 24B6519 C4150 Black Laser Toner Cartridge, 16 000 pages yied, Compatible with --> C4150 Printer
L24B6842	R 14,361	Lexmark 24B6842 C9235 Cyan Laser Toner Cartridge, 30K page yield, Compatible with --> C9235 / XC9225 / XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6843	R 14,361	Lexmark 24B6843 C9235 Magenta Laser Toner Cartridge, 30K page yield, Compatible with --> C9235 / XC9225 / XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6844	R 14,361	Lexmark 24B6844 C9235 Yellow Laser Toner Cartridge, 30K page yield, Compatible with --> C9235 / XC9225 / XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6845	R 8,745	Lexmark 24B6845 C9235 Black Laser Toner Cartridge, 30K page yield, Compatible with --> C9235 / XC9225 / XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6846	R 12,552	Lexmark 24B6846 Cyan Laser Toner Cartridge, 30 000 pages yield, Compatible with --> XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6847	R 12,179	Lexmark 24B6847 Magenta Laser Toner Cartridge, 30 000 pages yield, Compatible with --> XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6848	R 12,179	Lexmark 24B6848 Yellow Laser Toner Cartridge, 30 000 pages yield, Compatible with --> XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6849	R 3,094	Lexmark 24B6849 Black Laser Toner Cartridge, 30 000 pages yield, Compatible with --> XC9235 / XC9245 / XC9255 / XC9265 printers
L24B6889	R 11,362	Lexmark M1246 Mx1246 Black Toner Cartridge (21 000 Page Yeild)
L24B6890	R 9,518	Lexmark 24b6890 Black Toner Cartridge, Compatible To M3250/xm3250
L24B7005	R 6,980	Lexmark 24B7005 Black Laser Toner Cartridge, 18 000 pages yield, Compatible with --> M1342 / XM1342 printers
L24B7178	R 4,372	Lexmark C2240 Xc2235 Cyan Toner Cartridge (6 000 Page Yield) (Bsd)
L24B7179	R 4,372	Lexmark C2240 Xc2235 Magenta Toner Cartridge (6 000 Page Yield) (Bsd)
L24B7180	R 4,372	Lexmark C2240 Xc2235 Yellow Toner Cartridge (6000 Page Yield)(bsd)
L24B7181	R 3,119	Lexmark C2240 Xc2235 Black Toner Cartridge (6000 Page Yield) (Bsd)
L24B7182	R 4,372	Lexmark Xc4240 Cyan Toner Cartridge (6 000 Page Yield) (Bsd)
L24B7183	R 4,372	Lexmark Xc4240 Magenta Toner Cartridge (6 000 Page Yield) (Bsd)
L24B7184	R 4,372	Lexmark Xc4240 Yellow Toner Cartridge (6 000 Page Yield) (Bsd)
L24B7185	R 3,119	Lexmark Xc4240 Black Toner Cartridge (9 000 Page Yeild) (Bsd)
L24B7499	R 5,222	Lexmark 24B7499 Cyan Laser Toner Cartridge, 6 000 pages yield, Compatible with --> C2326 / XC2326 printers
L24B7500	R 5,222	Lexmark 24B7500 Magenta Laser Toner Cartridge, 6 000 pages yield, Compatible with --> C2326 / XC2326 printers
L24B7501	R 5,222	Lexmark 24B7501 Yellow Laser Toner Cartridge, 6 000 pages yield, Compatible with --> C2326 / XC2326 printers

L24B7502	R 2,686	Lexmark 24B7502 Black Laser Toner Cartridge, 5 500 pages yield, Compatible with --> C2326 / XC2326 printers
L24B7515	R 5,791	Lexmark 24B7515 Cyan Laser Toner Cartridge, 14.2K pages yield, Compatible with --> XC4342 / XC4352 printers
L24B7516	R 5,791	Lexmark 24B7516 Magenta Laser Toner Cartridge, 14.2K pages yield, Compatible with --> XC4342 / XC4352 printers
L24B7517	R 5,791	Lexmark 24B7517 Yellow Laser Toner Cartridge, 14.2K pages yield, Compatible with --> XC4342 / XC4352 printers
L24B7518	R 6,048	Lexmark 24B7518 Black Laser Toner Cartridge, 25K pages yield, Compatible with --> XC4342 / XC4352 printers
L24B7535	R 6,491	Lexmark 24B7535 Black Laser Toner Cartridge, 18K pages yield, Compatible with --> XM3142 Printer
L24B7578	R 14,441	Lexmark 24B7578 Cyan Return Program Laser Toner Cartridge, 46900 pages yield, Compatible with --> XC9635 / XC 9645 / XC9655 printers
L24B7579	R 14,441	Lexmark 24B7579 Magenta Return Program Laser Toner Cartridge, 46900 pages yield, Compatible with --> XC9635 / XC 9645 / XC9655 printers
L24B7580	R 14,441	Lexmark 24B7580 Yellow Return Program Laser Toner Cartridge, 46900 pages yield, Compatible with --> XC9635 / XC 9645 / XC9655 printers
L24B7581	R 9,396	Lexmark 24B7581 Black Return Program Laser Toner Cartridge, 47700 pages yield, Compatible with --> XC9635 / XC 9645 / XC9655 printers
L25B3079	R 9,991	Lexmark M/xm 5255 5270 5365 5370 Black Toner Cartridge (45 000 Page Yield)
L25B3101	R 9,991	Lexmark 25B3101 XM7355 Black Laser Toner Cartridge, 45 000 page yield, Compatible with --> XM7355 Printer
L25B3107	R 9,991	Lexmark 25B3107 Black Laser Toner Cartridge, 45 000 pages yield, Compatible with --> XM7370 Printer
L50F5000	R 1,833	Lexmark 505 Return Program Toner Cartridge
L50F5H00	R 4,064	Lexmark 505H High Yield Return Program Toner Cartridge, Â© 2014 Laptop Direct
L50F5H0E	R 4,064	LEXMARK 505HE HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L50F5U0E	R 9,080	LEXMARK 505UE ULTRA HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE, Â© 2014 Laptop Direct
L50F5X00	R 6,067	Lexmark 505X Extra High Yield Return Program Toner Cartridge, Â© 2014 Laptop Direct
L50F5X0E	R 6,067	LEXMARK 505XE EXTRA HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L51B5000	R 1,631	Lexmark MS/MX 317 417 517 617 Return Program Toner Cartridge, YIELD: 2500 PGS
L51B5X00	R 6,459	Lexmark Ms/mx5/617 Extra High Yield Return Open Channel Black Toner Cartridge (20k Page Yield)
L52D5000	R 3,974	LEXMARK 525 RETURN PROGRAM TONER CARTRIDGE
L52D5H00	R 11,482	Lexmark 525H High Yield Return Program Toner Cartridge
L52D5H0E	R 11,482	LEXMARK 525HE HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L52D5X00	R 14,155	Lexmark 525X Extra High Yield Return Program Toner Cartridge
L53B5000	R 3,730	Lexmark Ms817/818 Standard Yield Return Open Channel Black Toner Cartridge (11k Page Yield)
L53B5H00	R 7,597	Lexmark Ms 817 818 Black High Yield Return Programme Toner Cartridge (25 000 Page Yield)
L54G0H00	R 6,945	Lexmark MS911 High Yield Toner Cartridge - 32500 Pgs
L55B0ZA0	R 1,068	Lexmark 55B0ZA0 Monochrome Laser Printer photoconductor unit, 40000 pages yield, Compatible with --> Lexmark MS431dn / MX431adn / MS331dn / MX331adn printers
L55B5000	R 1,973	Lexmark 55B5000 Black Monochrome Laser Printer Return Program Toner cartridge, 3000 pages yield, Compatible with --> Lexmark MS431dn / MX431adn / MS331dn / MX331adn printers
L55B5H0E	R 7,695	Lexmark 55B5H0E Black High Yiled Monochrome Laser Printer Corporate Toner cartridge, 15000 pages yield, Compatible with --> Lexmark MS431dn / MX431adn / MS331dn / MX331adn printers
L55B5X0E	R 8,406	Lexmark 55B5X0E Black Extra High Yield Monochrome Laser Printer Corporate Toner cartridge, 20000 pages yield, Compatible with --> Lexmark MS431dn / MX431adn printers
L56F5000	R 4,070	Lexmark Ms Mx 321 421 521 621 622 Black Return Program Toner Cartridge (15 000 Page Yield) MS321/ MS421/ MS521/ MS621/ MX321/ MX421/ MX521/ MX522/ MX622

L56F5H00	R 7,805	Lexmark Ms Mx 321 421 521 621 622 Black High Yield Return Program Toner Cartridge (15 000 PAGE YIELD) MS321/ MS421/ MS521/ MS621/ MX321/ MX421/ MX521/ MX522/ MX622
L56F5H0E	R 7,805	Lexmark L56f5h0e Ms Mx 321 421 521 621 622 Black High Yield Corporate Toner Cartridge (15 000 Page Yield) MS321/ MS421/ MS521/ MS621/ MX321/ MX421/ MX521/ MX522/ MX622
L56F5U0E	R 8,905	Lexmark 56F5U0E Black Ultra High Yield Corporate Toner Cartridge, MS521dn/ MS621dn/ MS622de/ MX521ade/ MX521de/ MX522adhe/ MX622ade/ MX622adhe
L58D5000	R 4,107	Lexmark Ms/mx 725 820 720 Black Return Program Toner Cartridge (7 500 Page Yield)
L58D5H0E	R 5,417	Lexmark 58d5h0e Black High Yield Corporate Laser Toner Cartridge, 15 000 page yield, Compatible with --> , MS821dn / MX822adxe / MX826ade / MS821n / MX822ade / MX826adxe / MS823dn / MX721ade / MS825dn / MS822de / MS826de / MS823n / MX722adhe / MS725dvn / MX721adhe / MX722ade printers
L58D5U0E	R 12,812	Lexmark 58D5U0E Black Ultra High Yield Corporate Laser Toner Cartridge, 55 000 page yield, Compatible with --> MX822adxe / MX826ade / MX822ade / MX826adxe / MS823dn / MS825dn / MS826de / MS823n / MX722adhe / MS725dvn / MX722ade printers
L58D5X0E	R 9,767	Lexmark 58D5X0E Black Extra High Yield Corporate Laser Toner Cartridge, 35 000 page yield, Compatible with --> MX822adxe / MX826ade / MX822ade / MX826adxe / MS823dn / MS825dn / MS826de / MS823n / MX722adhe / MS725dvn / MX722ade printers
L60F5000	R 2,491	Lexmark 605 Return Program Toner Cartridge
L60F5H00	R 6,067	Lexmark 605H High Yield Return Program Toner Cartridge
L60F5H0E	R 6,067	LEXMARK 60F5H0E for 605HE / MX611 HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L60F5X0E	R 9,080	LEXMARK 60F5X0E / 605XE EXTRA HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L62D5000	R 3,959	Lexmark 625 Return Program Toner Cartridge
L62D5H00	R 9,147	Lexmark 625H High Yield Return Program Toner Cartridge
L62D5H0E	R 9,147	Lexmark 625HE HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L63B5000	R 3,503	Lexmark 63B5000 Mx717/718 Standard Yield Return Open Channel Black Toner Cartridge (11k Page Yield)
L63B5H00	R 6,914	Lexmark Mx 717 718 Black High Yield Return Programme Toner Cartridge (25 000 Page Yield)
L64016HE	R 11,827	Lexmark 64016HE for use with T640 / T642 / T644 21,000 page yield Return Program Print Cartridge
L64016SE	R 4,786	Lexmark 64016SE for T640 / T642 / T644 6K Return Program Print Cartridge
L64040HW	R 11,827	LEXMARK 64040HW for T640 T642 T644 HIGH YIELD RETURN PROGRAMME PRINT CARTRIDGE CORPORATE (21000 PAGES)
L64G0H00	R 5,644	LEXMARK HIGH YIELD TONER CARTRIDGE (32.5K) MX910/ MX911/ MX912
L70C0P00	R 4,347	Lexmark 700P Photo Conductor Unit
L70C0Z50	R 8,285	Lexmark 70C0Z50 Black and Colour Imaging Kit, 40 000 pages yield, Compatible with --> CS310dn / CX510dhe / CX410e / CS510de / CX410de / CS317dn / CS517de / CS310n / CX410dte / CX510de / CX510dthe / CS410dtn / CX317dn / CX310n / CS417dn / CS410n / CX517de / CX310dn / CS510dte / CX417de / CS410dn printers
L70C80C0	R 1,752	Lexmark 708C Cyan Return Program Toner Cartridge
L70C80K0	R 1,361	Lexmark 708K Black Return Program Toner Cartridge
L70C80M0	R 1,752	Lexmark 708M Magenta Return Program Toner Cartridge
L70C80Y0	R 1,752	Lexmark 708Y Yellow Return Program Toner Cartridge
L70C8HCE	R 3,885	LEXMARK 708HCE CYAN HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L70C8HKE	R 2,909	LEXMARK 708HKE BLACK HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L70C8HME	R 3,885	LEXMARK 708HME MAGENTA HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L70C8HYE	R 3,885	LEXMARK 708HYE YELLOW HIGH YIELD TONER CARTRIDGE CORPORATE CARTRIDGE
L71B50C0	R 2,191	Lexmark CS/CX 317 417 517 Cyan Return Program Toner Cartridge, YIELD : 2300 PGS
L71B50K0	R 2,095	Lexmark CS/CX 317 417 517 Black Return Program Toner Cartridge, YIELD : 3000 PGS
L71B50M0	R 2,191	Lexmark CS/CX 317 417 517 Magenta Return Program Toner Cartridge, YIELD : 2300 PGS
L71B50Y0	R 2,191	Lexmark CS/CX 317 417 517 Yellow Return Program Toner Cartridge, YIELD : 2300 PGS
L72K0DK0	R 1,871	Lexmark Cx/cs 820 825 827 860 8155 6152 6160 Black Return Programme Developer Unit (300 000 Page Yield)
L72K0P00	R 1,763	Lexmark Photoconductor C6160 Cs820de Cx825de Cx860de Xc6152de Xc8155de Xc8160dte â€“ 1 Pack
L72K0Q00	R 5,058	LEXMARK Photoconductor - 3 Pack, 175,000 pages, C6160 / CS820de / CS820dte / CS820dtfe / CX820de /

		CX820dtfe / CX825de / CX825dte / CX825dtfe / CX860de / CX860dte / CX860dtfe / XC6152de / XC6152dtfe / XC8155de / XC8155dte / XC8160de / XC8160dte
L72K50C0	R 5,241	LEXMARK CS820, CX82x, CX860 Cyan Return Programme Toner Cartridge, 8,000 pages, CS820/CX820/CX825/CX860
L72K50K0	R 4,655	LEXMARK CS820, CX82x, CX860 Black Return Programme Toner Cartridge, 8,000 pages, CS820/CX820/CX825/CX860
L72K50M0	R 5,241	LEXMARK CS820, CX82x, CX860 Magenta Return Programme Toner Cartridge, 8,000 pages, CS820/CX820/CX825/CX860
L72K50Y0	R 5,241	LEXMARK CS820, CX82x, CX860 Yellow Return Programme Toner Cartridge, 8,000 pages, CS820/CX820/CX825/CX860
L72K5XCE	R 12,724	LEXMARK CS820 Cyan Extra High Yield Corporate Cartridge (22K), 22,000 pages, CS820
L72K5XKE	R 8,666	LEXMARK CS820, CX82x, CX860 Black Extra High Yield Corporate Cartridge (33K), 33,000 pages, CS820/CX820/CX825/CX860
L72K5XME	R 12,724	LEXMARK CS820 Magentat Extra High Yield Corporate Cartridge (22K), 22,000 pages, CS820
L72K5XYE	R 12,724	LEXMARK CS820 Yellow Extra High Yield Corporate Cartridge (22K), 22,000 pages
L74C0Z50	R 6,847	LEXMARK CS720 CS725 CX725 CYAN MAGENTA YELLOW IMAGING KIT (150 000)
L74C50C0	R 2,898	Lexmark Cs720 Cs725 Cx725 Cyan Return Programme Toner Cartridge (3000 Page Yield)
L74C50CE	R 2,984	Lexmark 74C50CE Cs720 Cs725 Cx725 Cyan Toner Cartridge (3000 Page Yield)
L74C50K0	R 2,224	Lexmark Cs720 Cs725 Cx725 Black Return Programme Toner Cartridge (3000 Page Yield)
L74C50KE	R 2,289	Lexmark L74c50ke Cs720 Cs725 Cx725 Black Toner Cartridge (3000 Page Yield)
L74C50M0	R 2,898	Lexmark Cs720 Cs725 Cx725 Magenta Return Programme Toner Cartridge (3000 Page Yield)
L74C50ME	R 2,984	Lexmark 74C50ME Cs720 Cs725 Cx725 Magenta Toner Cartridge (3000 Page Yield)
L74C50Y0	R 2,898	Lexmark Cs720 Cs725 Cx725 Yellow Return Programme Toner Cartridge (3000 Page Yield)
L74C50YE	R 2,984	Lexmark 74C50YE Cs720 Cs725 Cx725 Yellow Toner Cartridge (3000 Page Yield)
L74C5SCE	R 4,662	Lexmark 74C5SCE Cs720 Cs725 Cx725 Cyan Standard Yield Toner (7000 Page Yield)
L74C5SKE	R 4,102	Lexmark 74C5SKE Cs720 Cs725 Cx725 Black Standard Yield Toner Cartridge (7000 Page Yield)
L74C5SME	R 4,662	Lexmark 74C5SME Cs720 Cs725 Cx725 Magenta Standard Yield Corporate Cartridge (7000 Page Yield)
L74C5SYE	R 4,662	LEXMARK CS720, CS725, CX725 Yellow Standard Yield Corporate Cartridge (7K), 7,000 pages, CS720, CS725, CX725
L76C0HC0	R 15,728	Lexmark CS923, CX921, CX922, CX923, CX924 Cyan High Yield Toner Cartridge, Yield: 34000 PGS
L76C0HK0	R 9,306	Lexmark Cs/cx 923 924 Black High Yield Toner Cartridge (34 000 Page Yield)
L76C0HM0	R 15,728	Lexmark CS923, CX921, CX922, CX923, CX924 Magenta High Yield Toner Cartridge, YIELD: 34000 PGS
L76C0HY0	R 15,728	Lexmark CS923, CX921, CX922, CX923, CX924 Yellow High Yield Toner Cartridge, YIELD: 34000 PGS
L76C0PK0	R 3,084	Lexmark 76C0PK0 Black Photo Conductor unit, 100 000 page yield, Compatible with --> CS921 / CS923 / CX920 printers
L76C0PV0	R 9,021	Lexmark 76C0PV0 Colour (CMY) Photo Conductor unit, 90 000 page yield, Compatible with --> CS921 / CS923 / CX920 printers
L78C0D10	R 1,905	Lexmark 78C0D10 Black Developer, 125K pages yield, Compatible with --> CS421dn / CS521 / CS622 / CX421 / CX522 / CX622 printers
L78C0D20	R 1,905	Lexmark 78C0D20 Cyan Developer, 125K pages yield, Compatible with --> CS421dn / CS521 / CS622 / CX421 / CX522 / CX622 printers
L78C0D30	R 1,905	Lexmark 78C0D30 Magenta Developer, 125K pages yield, Compatible with --> CS421dn / CS521 / CS622 / CX421 / CX522 / CX622 printers
L78C0D40	R 1,905	Lexmark 78C0D40 Yellow Developer, 125K pages yield, Compatible with --> CS421dn / CS521 / CS622 / CX421 / CX522 / CX622 printers
L78C0Z50	R 8,717	Lexmark 78C0Z50 Black and Colour Imaging Kit, 125K pages yield, Compatible with --> MC2640adwe / C2535dw / CX622ade / CS421dn / CS521dn / CX625adhe / C2425dw / CX522ade / CS622de / MC2425adw / CX421adn / MC2535adwe printers
L78C0ZK0	R 5,537	Lexmark 78C0ZK0 Black Return Programme Imaging Kit, 125K pages yield, Compatible with --> MC2640adwe /

		C2535dw / CX622ade / CS421dn / CS521dn / CX625adhe / C2425dw / CX522ade / CS622de / MC2425adw / CX421adn / MC2535adwe printers
L78C0ZV0	R 7,273	Lexmark 78C0ZV0 Black and Color Return Programme Imaging Kit, C2240/ C2325dw/ C2425dw/ C2535dw/ CS421dn/ CS521dn/ CS622de/ CX421adn/ CX522ade/ CX622ade/ CX625ade/ CX625adhe/ MC2325adw/ MC2425adw/ MC2535adwe/ MC2640adwe (BSD)
L78C50C0	R 1,756	Lexmark Cscx 421 521 522 622 625 Cyan Return Programme Toner Cartridge (1 400 Page Yield)
L78C50K0	R 2,001	Lexmark Cscx 421 521 522 622 625 Black Return Programme Toner Cartridge (2000 Page Yield)
L78C50M0	R 1,756	Lexmark Cscx 421 521 522 622 625 Magenta Return Programme Toner Cartridge (1 400 Page Yield)
L78C50Y0	R 1,756	Lexmark Cscx 421 521 522 622 625 Yellow Return Programme Toner Cartridge (1 400 Page Yield)
L78C5UCE	R 5,513	Lexmark 78C5UCE Cyan Ultra High Yield Contract Toner Cartridge, 7000 pages yield, Compatible with --> CX622ade / CX622ade / CS521dn / CS521dn / CX625adhe / CX625adhe / CS622de / CS622de printers
L78C5UKE	R 3,924	Lexmark 78C5UKE Black Ultra High Yield Contract Toner Cartridge, 10500 pages yield, Compatible with --> CX622ade / CX622ade / CS521dn / CS521dn / CX625adhe / CX625adhe / CS622de / CS622de printers
L78C5UME	R 5,513	Lexmark 78C5UME Magenta Ultra High Yield Contract Toner Cartridge, 7000 pages yield, Compatible with --> CX622ade / CX622ade / CS521dn / CS521dn / CX625adhe / CX625adhe / CS622de / CS622de printers
L78C5UYE	R 5,513	Lexmark 78C5UYE Yellow Ultra High Yield Contract Toner Cartridge, 7000 pages yield, Compatible with --> CX622ade / CX622ade / CS521dn / CS521dn / CX625adhe / CX625adhe / CS622de / CS622de printers
L78C5XC0	R 4,796	Lexmark 78C5XC0 Cyan Extra High Yield Return Programme Toner Cartridge (5 000 Page Yield), CS/CX 421 521 522 622 62
L78C5XCE	R 4,796	Lexmark Cs/cx 421 521 622 522 625 Cyan Extra High Yield Contract Toner Cartridge (5 000 Page Yield)
L78C5XK0	R 4,017	Lexmark 78C5XK0 Black Extra High Yield Return Programme Toner Cartridge (8 500 Page Yield), CS/CX 421 521 522 622 625
L78C5XKE	R 4,017	Lexmark Cs/cx 421 521 622 522 625 Black Extra High Yield Contract Toner Cartridge (8 500 Page Yield)
L78C5XM0	R 4,796	Lexmark 78C5XM0 Magenta Extra High Yield Return Programme Toner Cartridge (5 000 Page Yield), CS/CX 421 521 522 622 625
L78C5XME	R 4,796	Lexmark Cs/cx 421 521 622 522 625 Magenta Extra High Yield Contract Toner Cartridge (5 000 Page Yield)
L78C5XY0	R 4,796	Lexmark 78C5XY0 Yellow Extra High Yield Return Programme Toner Cartridge (5 000 Page Yield), CS/CX 421 521 522 622 625
L78C5XYE	R 4,796	Lexmark Cs/cx 421 521 622 522 625 Yellow Extra High Yield Contract Toner Cartridge (5 000 Page Yield)
L80C80C0	R 1,752	Lexmark 808c Cyan Return Program Toner Cartridge For Cx310n Cx310dn Cx410e Cx410de Cx410dte Cx510de Cx510dhe Cx510dthe (1000 Page Yield)
L80C80K0	R 1,361	Lexmark 808k Black Return Program Toner Cartridge For Cx310n Cx310dn/ Cx410e/ Cx410de/ Cx410dte/ Cx510de/ Cx510dhe/ Cx510dthe (1000 Page Yield)
L80C80M0	R 1,752	Lexmark 808m Magenta Return Program Toner Cartridge For Cx310n/ Cx310dn/ Cx410e/ Cx410de/ Cx410dte/ Cx510de/ Cx510dhe/ Cx510dthe (1000 Page Yield)
L80C80Y0	R 1,752	Lexmark 808y Yellow Return Program Toner Cartridge For Cx310n/ Cx310dn/ Cx410e/ Cx410de/ Cx410dte/ Cx510de/ Cx510dhe/ Cx510dthe (1000 Page Yield)
L80C8HCE	R 3,019	Lexmark 808HCE CYAN HIGH YIELD TONER CARTRIDGE
L80C8HKE	R 2,731	Lexmark 808HKE BLACK HIGH YIELD TONER CARTRIDGE
L80C8HYE	R 3,019	Lexmark 808HYE YELLOW HIGH YIELD TONER CARTRIDGE
L80C8XCE	R 3,506	Lexmark 808XC Cyan Extra High Yield Return Program Toner Cartridge
L80C8XKE	R 3,841	Lexmark 808CE CYAN EXTRA HIGH YIELD TONER CARTRIDGE
L80C8XME	R 3,506	Lexmark 808XM Magenta Extra High Yield Return Program Toner Cartridge
L80C8XYE	R 3,506	Lexmark 802XYE YELLOW EXTRA HIGH YIELD TONER CARTRIDGE
L82K5XCE	R 8,795	Lexmark 82K5XCE Cyan Extra High Yield Corporate Cartridge (22 000 Page Yield), CX 825, 860
L82K5XME	R 8,795	Lexmark 82K5XME Magenta Extra High Yield Corporate Cartridge (22 000 Page Yield), CX 825, 860
L82K5XYE	R 8,795	Lexmark 82K5XYE Yellow Extra High Yield Corporate Cartridge (22 000 Page Yield), CX 825, 860
L84C5HCE	R 9,273	LEXMARK CX725 Cyan High Yield Corporate Cartridge (16K), 16,000 pages, CX725
L84C5HKE	R 8,682	LEXMARK CX725 Black High Yield Corporate Cartridge (25K), 25,000 pages, CX725

L84C5HME	R 9,273	LEXMARK CX725 Magenta High Yield Corporate Cartridge (16K), 16,000 pages, CX725
L84C5HYE	R 9,273	LEXMARK CX725 Yellow High Yield Corporate Cartridge (16K), 16,000 pages, CX725
L86C0HK0	R 3,971	Lexmark CX/92x Black High Yield Toner Cartridge, YIELD: 34000PGS
LB225000	R 1,025	Lexmark B225000 Black Return Program Laser Toner Cartridge, 1200 pages yield, Compatible with --> Lexmark MB2236adwe / B2236dw / MB2236adw printers
LB225H00	R 1,761	Lexmark B225H00 High Yield Black Return Program Laser Toner cartridge, 3000 pages yield, Compatible with --> Lexmark MB2236adwe / B2236dw / MB2236adw printers
LB235000	R 2,085	Lexmark Mb/b 2338 2442 2456 2650 Black Return Program Toner Cartridge (3000 Page Yield)
LB245H00	R 3,147	Lexmark Mb/b 2442 2456 2650 Black High Yield Program Toner Cartridge (6000 Page Yield)
LB285000	R 3,763	Lexmark B285000 Black Return Program Laser Toner Cartridge, 7500 pages yield, Compatible with --> Lexmark Lexmark B2865dw / MB2770adwhe printers
LC2350C0	R 1,470	Lexmark C2350c0 Cyan Return Program Toner Cartridge C2325/ C2425/ C2535/ Mc2325/ Mc2425/ Mc2535/ Mc2640
LC2350K0	R 1,592	Lexmark C2350k0 Black Return Program Toner Cartridge C2325/ C2425/ C2535/ Mc2325/ Mc2425/ Mc2535/ Mc2640
LC2350M0	R 1,470	Lexmark C2350m0 Magenta Return Program Toner Cartridge C2325/ C2425/ C2535/ Mc2325/ Mc2425/ Mc2535/ Mc2640
LC2350Y0	R 1,470	Lexmark C2350y0 Yellow Return Program Toner Cartridge C2325 / C2425 / C2535 / Mc2325 / Mc2425 / Mc2535 / Mc2640
LC235HC0	R 2,406	Lexmark C/mc 2325 2425 2535 2640 Cyan High Yield Return Programme Toner Cartridge (2300 Page Yield)
LC235HK0	R 2,406	Lexmark C/mc 2325 2425 2535 2640 Black High Yield Return Programme Toner Cartridge (3 000 Page Yield)
LC235HM0	R 2,406	Lexmark C/mc 2325 2425 2535 2640 Magenta High Yield Return Programme Toner Cartridge (2 300 Page Yield)
LC235HY0	R 2,406	Lexmark C/mc 2325 2425 2535 2640 Yellow High Yield Return Programme Toner Cartridge (2 300 Page Yield)
LC245XC0	R 2,827	Lexmark C/m 2425 2535 2640 Cyan Extra High Yield Return Programme Toner Cartridge (3 500 Page Yield)
LC245XK0	R 2,884	Lexmark C/m 2425 2535 2640 Black Extra High Yield Return Programme Toner Cartridge (6 000 Page Yield)
LC245XM0	R 2,827	Lexmark C/m 2425 2535 2640 Magenta Extra High Yield Return Programme Toner Cartridge (3 500 Page Yield)
LC245XY0	R 2,827	Lexmark C/m 2425 2535 2640 Yellow Extra High Yield Return Programme Toner Cartridge (3 500 Page Yield)
LC3250C0	R 2,128	Lexmark C3250C0 OM Cyan Return Program Laser Toner Cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224adwe / MC3326adwe / C3224dw / MC3224dwe / C3326dw printers
LC3250K0	R 1,695	Lexmark C3250K0 OM Black Return Program Laser Toner Cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224adwe / MC3326adwe / C3224dw / MC3224dwe / C3326dw printers
LC3250M0	R 2,128	Lexmark C3250M0 OM Magenta Return Program Laser Toner Cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224adwe / MC3326adwe / C3224dw / MC3224dwe / C3326dw printers
LC3250Y0	R 2,128	Lexmark C3250Y0 OM Yellow Return Program Laser Toner Cartridge, 1500 pages yield, Compatible with --> Lexmark MC3224adwe / MC3326adwe / C3224dw / MC3224dwe / C3326dw printers
LC734X20G	R 1,144	LEXMARK C734, C736, X734, X736, X738 20K PHOTO CONDUCTOR UNIT
LC746H1KG	R 5,406	Lexmark 651H11E C746, C748 Black High Yield Return Program Toner Cartridge
LC792X1CG	R 14,883	LEXMARK C792 CYAN EXTRA HIGH YIELD RETURN PROGRAM PRINT CARTRIDGE
LC792X1KG	R 8,609	LEXMARK C792 BLACK EXTRA HIGH YIELD RETURN PROGRAM PRINT CARTRIDGE
LC792X1MG	R 14,883	LEXMARK C792 MAGENTA EXTRA HIGH YIELD RETURN PROGRAM PRINT CARTRIDGE
LC792X1YG	R 14,883	LEXMARK C792 YELLOW EXTRA HIGH YIELD RETURN PROGRAM PRINT CARTRIDGE
LC950X71G	R 7,696	LEXMARK C950, X950/2/4 PHOTO CONDUCTOR UNIT 1-PACK
LE260A11E	R 3,413	Lexmark E260A11E E260, E360, E460 Return Program Toner Cartridge
LE260A31E	R 3,366	Lexmark E260A31E E260, E360, E460 Return Programme Toner Cartridge Corporate (3500 pages)
LE260X22G	R 1,369	Lexmark E260, E360, E460, X264, X36x, X46x Photo Conductor Kit (30000 Pages)
LE460X31E	R 8,184	Lexmark E460X31E E460 Extra High Yield Return Programme Toner Cartridge Corporate (15,000 pages)
LT650A11E	R 4,953	Lexmark T650A11E for use with T650, T652, T654 Return Program Print Cartridge
LT650H31E	R 13,470	Lexmark T650H31E for T65X 25,000 PAGE EMEA CORPORATE CARTRIDGE (Lexmark T650H31E)
LX264A11G	R 3,477	LEXMARK X264; X363; X364 RETURN PROGRAM TONER CARTRIDGE

LX264H31G	R 6,311	Lexmark X264/X36X 9,000 pages Corporate Cartridge. Pack of 1, Inkjet Cartridges - OEM Lexmark X264H31G
LX463A11G	R 3,413	LEXMARK X463; X464; X466 RETURN PROGRAM TONER CARTRIDGE
LX651H31E	R 10,548	LEXMARK X651H31E for X651/2 X654/6 X658. HIGH YIELD RETURN PROGRAMME CORPORATE CARTRIDGE (25000 PAGES)
LX950X2CG	R 17,549	LEXMARK X950, X952, X954 Cyan Extra High Yield Toner Cartridge
LX950X2KG	R 4,124	LEXMARK X950, X952, X954 Black Extra High Yield Toner Cartridge
LX950X2MG	R 17,549	LEXMARK X950, X952, X954 Magenta Extra High Yield Toner Cartridge
LX950X2YG	R 17,549	LEXMARK X950, X952, X954 Yellow Extra High Yield Toner Cartridge
M43979102	R 2,455	Oki B410 B430 B440 Mb460 Mb470 Mb480 Black Toner Cartridge (3500 Page Yield)
M44574702	R 2,622	OKI 44574702 Black Toner cartridge, 3000 page yield, Compatible with --> B411 / 431 / MB461 / MB471 / MB491 printers
M44661802	R 9,845	Oki B840 Black Print Cartridge (20 000 Page Yield)
M44992401	R 1,999	OKI 44992401 Black Toner cartridge, 1500 page yield, compatible with --> B401 / B401d / B401dn / MB441 / MB441dn / MB451 / MB451dn / MB451dnw / MB451w printers
M44992402	R 2,419	OKI 44992402 B401 / MB441 / 451 Black Laser Toner cartridge, 2500 pages yield, Compatible with --> B401 / B401d / B401dn / MB441 / MB441dn / MB451 / MB451dn / MB451dnw / MB451w
M45439002	R 7,347	OKI 45439002, MB770, Print Cartridge, 36K
M45460502	R 2,887	OKI 45460502 Black Laser Toner cartridge, 36 000 page yield, Compatible with --> ES7131 / ES7170 printers
M45488802	R 7,540	OKI 45488802, B721/B731/MB760/MB770, Print Cartridge, 18K
M45807102	R 2,670	OKI 45807102 Black Laser Toner cartridge, 3000 pages yield, Compatible with --> B412dn / B412dnw / B432dn / B432dnw / B512dn / B512dnw / MB472dnw / MB492dn / MB562dnw printers
M45807106	R 2,748	OKI 45807106 High Capacity Black Toner cartridge, 7000 pages yield, Compatible with --> OKI B412dn / B412dnw / B432dn / B432dnw / B512dn / B512dnw / MB472dnw / MB492dn / MB562dnw printers
M45807111	R 3,780	OKI 45807111 Extra High capacity Black Toner cartridge, 12 000 pages yield, Compatible with --> B432 / 512 / MB492 / MB562 printers
M45807116	R 2,111	Oki Es4132/92/5112/62 Black Toner Cartridge (12 000 Page Yield)
M46490621	R 3,218	OKI 46490621 Yellow Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
M46490622	R 3,218	OKI 46490622 Magenta Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
M46490623	R 3,218	OKI 46490623 Cyan Laser Toner cartridge, 6000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
M46508714	R 2,420	OKI 46508714 C332/MC363 Magenta Laser Toner cartridge, 1500 pages yield, Compatible with --> C332 / C332dn / C332dnw / MC363 / MC363dn / MC363dnw printers
MDR279CL	R 2,832	Brother DR279CL CMYK complete Original Drum Set, 20000 pages yield, Compatible with --> HL-L3280cdw / MFC-L8390cdw / MFC-L3760cdw printers
MP2014AD	R 1,014	Ricoh MP2014AD Black Laser Toner Cartridge, 4000 pages yield yield, Compatible with --> MP 2014ad Printer
MP2555SP	R 1,983	Ricoh MP2555SP Black Laser Toner Cartridge, 24 000pages yield, Compatible with --> MP 3554p / MP 2555spdf / MP 3055sp / MP 3055asp / MP 3555sp / MP 3555asp printers
MP301EBLK	R 883	Ricoh MP301e Black Laser Toner Cartridge, 7 000 page yield, Compatible with --> MP 301spf Printer
MP5054	R 2,709	Ricoh Black Laser Toner Cartridge, 37000 pages yield, Compatible with --> MP6054 / MP4054 / MP4055 / MP5054 / MP5055 printers
MPC2011SPBLK	R 1,853	Ricoh MP2011SP Black Laser Toner Cartridge, 15 000 pages yield, Compatible with --> MP C2011sp / MP C2003sp / MP C2004 / MP C2503 / MP C2504 printers
MPC2011SPCYN	R 2,934	Ricoh MP2011SP Cyan Laser Toner Cartridge, 15 000 pages yield, Compatible with --> MP C2011sp / MP C2003sp / MP C2004 / MP C2503 / MP C2504 printers
MPC2011SPMGT	R 2,934	Ricoh MP2011SP Magenta Laser Toner Cartridge, 15 000 pages yield, Compatible with --> MP C2011sp / MP C2003sp / MP C2004 / MP C2503 / MP C2504 printers
MPC2011SPYLW	R 2,934	Ricoh MP2011SP Yellow Laser Toner Cartridge, 15 000 pages yield, Compatible with --> MP C2011sp / MP

		C2003sp / MP C2004 / MP C2503 / MP C2504 printers
MPC6003BLK	R 2,681	Ricoh MPC6003 Black Laser Toner Cartridge, 33000 pages yield, Compatible with --> MP C6003 / MP C4503 printers
MPC6003CYN	R 5,430	Ricoh MPC6003 Cyan Laser Toner Cartridge, 22500 pages yield, Compatible with --> MP C6003 / MP C4503 printers
MPC6003MGT	R 5,430	Ricoh MPC6003 Magenta Laser Toner Cartridge, 22500 pages yield, Compatible with --> MP C6003 / MP C4503 printers
MPC6003YLW	R 5,430	Ricoh MPC6003 Yellow Laser Toner Cartridge, 22500 pages yield, Compatible with --> MP C6003 / MP C4503 printers
MRICOH1230	R 888	RICOH TYPE 1230D - 2015/16/18/D/2020/MP1500/1600 DSM615TONER
MRICOH1270	R 804	RICOH TYPE 1270D-1515/ / F/ PS/ MF/ MP161/ L/ DSM415 TONER
MRICOH2220	R 1,019	RICOH TYPE 2220D -1022/ 27/ 32/ 2022/ 32/ 2212 TONER
MRICOH407166	R 2,023	Ricoh 407166 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> Ricoh SP112su mono / SP112 mono printers
MRICOH407254	R 3,113	Ricoh 407254 SP204 Black Laser Toner Cartridge, 2600 pages yield, Compatible with --> SP 201he / SP 204sf / SP 203 / SP 211 / SP 213 / SP 220 printers
MRICOH842009	R 823	Ricoh 842009 Black Laser Toner Cartridge, 9000 pages yield, Compatible with --> Ricoh Aficio MP2001sp / MP2501e printers
MTN1000	R 794	Brother Tn1000 Black Toner For Hl1210w Dcp1610w Mfc1910w (1000 Pages)
MTN2060	R 469	Brother TN-2060 Black Laser Toner Cartridge For Brother HL2130 Toner 700 PGS.
MTN2280	R 1,227	Brother TN 2280 Toner cartridge-Brother HL2270DW Toner Cartridge 2 600 PAGES
MTN2355	R 1,325	Brother Tn2355 Black Toner For Hl2365dw Mfcl2700/2740dw Mfcl2700dw (2600 Page Yield)
MTN2500	R 856	Brother TN-2500 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> MFC-L2885dw / MFC-L2805dw / HL-L2461dw / HL-L2460dn / HL-L2400d / DCP-L2640dw / DCP-L2625dw / DCP-L2600d Mono Laser printers
MTN261BK	R 1,350	Brother TN-261BK Black Toner Cartridge
MTN265C	R 1,598	Brother TN-265 Cyan toner cartridge for HL3150CDN / HL3170CDW / MFC9330CDW / MFC9140CDN 2,200 pages
MTN265M	R 1,598	Brother TN-265 Magenta Toner Cartridge
MTN265Y	R 1,598	Brother TN-265Y Toner Cartridge
MTN277BK	R 1,350	Brother TN-277 BK Black toner cartridge, 3000 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
MTN277C	R 1,598	Brother TN-277 C Cyan toner cartridge, 2300 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
MTN277M	R 1,598	Brother TN-277 M Magenta toner cartridge, 2300 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
MTN277Y	R 1,594	Brother TN-277 Y Yellow toner cartridge, 2300 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
MTN279BK	R 1,165	Brother TN-279BK Black Laser Toner Cartridge, 1500 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw printers
MTN279C	R 1,350	Brother TN279C Cyan Laser Toner Cartridge, 1200 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / DCP-L3520cdw / DCP-L3560cdw / MFC-L3720cdw / MFC-L8390cdw printers
MTN279M	R 1,350	Brother TN279M Magenta Laser Toner Cartridge, 1200 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / DCP-L3520cdw / DCP-L3560cdw / MFC-L3720cdw / MFC-L8390cdw printers
MTN279XLBK	R 1,536	Brother TN-279XLBK High Yield Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
MTN279XLC	R 1,845	Brother TN-279XLC High Yield Cyan Laser Toner Cartridge, 2300 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
MTN279XLM	R 1,845	Brother TN-279XLM High Yield Magenta Laser Toner Cartridge, 2300 pages yield, Compatible with -->

		MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
MTN279XLY	R 1,845	Brother TN-279XLY High Yield Yellow Laser Toner Cartridge, 2300 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
MTN279XXC	R 2,339	Brother TN-279XXC Extra High Yield Cyan Laser Toner Cartridge, 4000 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
MTN279XXLM	R 2,339	Brother 279XXLM Super High Yield Magenta Laser toner cartridge, 4000 pages yield Compatible with --> MFC-L8390CDW Professional Colour Laser printer
MTN279XXY	R 2,339	Brother 279XXLY Super High Yield Yellow Laser toner cartridge, 4000 pages yield Compatible with --> MFC-L8390CDW Professional Colour Laser printer
MTN279Y	R 1,350	Brother TN279Y Yellow Laser Toner Cartridge, 1200 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / DCP-L3520cdw / DCP-L3560cdw / MFC-L3720cdw / MFC-L8390cdw printers
MTN3350	R 1,906	The Brother TN-3350 Toner Cartridge
MTN3437	R 2,462	Brother TN3437 Black Toner Cartridge, 8000 Pages, Compatible Printers: HL-L5200DW/ MFC-L5700DN/ MFC-L5900DW/ MFC-L6900DW/ HL-L6400DW
MTN3467	R 2,711	Brother Tn3467 Black Toner For Hll5200 Mfcl5700 5900 6900dw (12 000 Page Yield)
MTN3487	R 2,462	Brother TN3487 Black Toner Cartridge, 20000 Pages, for HLL6400DW / MFCL6900DW
MTN348BK	R 1,968	Brother TN-348 Black Toner Cartridge
MTN348C	R 3,449	Brother TN-348 Cyan Toner Cartridge
MTN348M	R 3,449	Brother TN-348M Magenta Toner Cartridge
MTN348Y	R 3,449	Brother TN-348 Yellow Toner Cartridge. Up to 6000 pages. For HL-4150CDN, HL-4570CDW.
MTN3607	R 1,473	Brother TN3607 Laser Toner Cartridge, 3000 pages yield, Compatible with --> MFC-L5710dw / DCP-L5510dw / MFC-L6910dn / HL-L5210dw / HL-L6410dn / HL-L6210dw printers
MTN3607XXL	R 2,711	Brother TN3607 XXL Laser Toner Cartridge, 11K pages yield, Compatible with --> MFC-L5710dw / DCP-L5510dw / MFC-L6910dn / HL-L5210dw / HL-L6410dn / HL-L6210dw printers
MTN3617XL	R 3,079	Brother TN-3617XL High Yield Black Laser Toner Cartridge, 25000 pages yield, Compatible with --> HL-L6210dw / HL-L6410dn / MFC-L6710dw / MFC-L6910dn printers
MTN369BK	R 1,721	Brother MTN369BK HIGH YEILD BLACK TONER CATRIDGE (6000 PAGES)
MTN369C	R 2,956	Brother High yield cyan TN369C toner cartridge - 6000 pages
MTN369M	R 2,956	Brother High yield TN369 magenta toner cartridge, 6000 Pages
MTN369Y	R 2,956	Brother TN369Y High yield yellow toner cartridge, 6 000 pages
MTN469BK	R 2,339	Brother Tn469 High Yield Black Toner For Mfcl9570 Hll8360 Mfcl8690 Cartridge (1150 Page Yeild)
MTN469C	R 3,204	Brother Tn469 High Yield Cyan Toner For Mfcl9570 Hll8360 Mfcl8690 Cartridge (1900 Page Yeild)
MTN469M	R 3,204	Brother TN-469M High yield Magenta toner cartridge, 9000 pages yield, Compatible with --> HLL8360CDW Colour laser printer
MTN469Y	R 3,204	Brother TN-469Y High yield Yellow toner cartridge, 9000 pages yield, Compatible with --> HLL8360CDW Colour laser printer
MTN871XXLM	R 3,821	Brother TN-871XXL High Yield Magenta Laser Toner Cartridge, 12000 pages yield, Compatible with --> HL-L9430cdn / MFC-L9630cdn printers
PC110	R 1,172	Pantum PC110 Black Laser Toner Cartridge, 1500 page yield, Compatible with --> P2000 / P2050 printers
PC110H	R 1,333	PANTUM P2000 LASER TONER HIGH CAPACITY - 2300 PAGES For use with: p1000 / p1050 / p2000 / p2050 series m5000 / m5005 / m6000 / m6005 series
PC210	R 1,034	PANTUM PC210 TONER - 1600 PAGE YIELD
PC210N	R 781	Pantum PC210N Standard Capacity Black Toner Cartridge, No Warranty. Pantum M6550NW Mono Printer. 1000 pages.
PC252	R 949	Pantum PC252 Black Laser Toner Cartridge, 1600 pages yield, Compatible with --> P2512w Printer
PC310	R 1,701	PANTUM PC310 LASER TONER 3000pages - Black - FOR P3205DN
PC310H	R 2,294	PANTUM PC310H LASER TONER 6000 pages - Black - FOR P3205DN
PTL410	R 926	PTL410 1500pgs toner for Pantum printers : Pantum P3300dw Mono Printer; Pantum M7200 Multifunction Printer; Pantum M7300 Multifunction Printer; PM7100 printers

PTL410H	R 1,264	PTL410 3000pgs toner for Pantum printers : Pantum P3300dw Mono Printer; Pantum M7200 Multifunction Printer; Pantum M7300 Multifunction Printer; PM7100 printers
PTL410X	R 1,954	Pantum TL410X Extra High Yield Black Laser Toner Cartridge, 6000 page yield, Compatible with --> P3300 / M7100 / M7200 / M7300 printers
PTL425H	R 1,042	Pantum TL425H Black High Yield Laser Toner Cartridge, 3000 page yield, Compatible with --> M7105 printers
PTL425U	R 2,069	Pantum TL425U Black Ultra High Yield Laser Toner Cartridge, 11000 page yield, Compatible with --> M7105 printers
PTL425X	R 1,264	Pantum TL425X Black Extra High Yield Laser Toner Cartridge, 6000 page yield, Compatible with --> M7105 printers
PTL5120	R 1,425	Pantum TL5120 Black Laser Toner Cartridge, 3000 page yield, Compatible with --> BP5100 / BM5100 printers
PTL5120H	R 1,949	Pantum TL5120H Black High Yield Laser Toner Cartridge, 6000 page yield, Compatible with --> BP5100 / BM5100 printers
PTL5120X	R 2,701	Pantum TL5120X Black Extra High Yield Laser Toner Cartridge, 15000 page yield, Compatible with --> BP5100 / BM5100 printers
PTL550U	R 3,243	Pantum TL550U Black Ultra High Yield Laser Toner Cartridge, 20000 page yield, Compatible with --> P5500 / M7650 printers
PTL550X	R 2,987	Pantum TL550X Black Extra High Yield Laser Toner Cartridge, 15000 page yield, Compatible with --> P5500 / M7650 printers
PTLC2315H	R 919	Pantum TLC2315 Black Laser Toner Cartridge, 1600 pages yield, Compatible with --> BP2305 / BP2305w / BM2305aw printers
PTLC4205	R 976	Pantum TLC4205 Black Laser Toner Cartridge, 1500 pages yield, Compatible with --> BP4205 / BM4245 Series printers
PTLC4205H	R 1,241	Pantum TLC4205h Black High Yield Laser Toner Cartridge, 3000 pages yield, Compatible with --> BP4205 / BM4245 Series printers
PTLC4205X	R 1,609	Pantum TLC4205x Black Extra High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> BP4205 / BM4245 Series printers
Q5942A	R 3,972	HP Q5942A 42A Black LaserJet Toner Cartridge; up to 10000 pages; laser print technology; HP 4200 4250 4350 compatible; office printing; high yield cartridge
Q5949A	R 2,432	HP Q5949A 49A Black LaserJet Toner Cartridge; 2500 pages yield; HP LaserJet 1160 1320 3390 3392 compatible; standard capacity; office printing; crisp text output; 1 x cartridge
Q5949X	R 4,172	HP Laserjet Q5949X Dual Pack Black Print Toner Cartridge - LASERJET 1320 / 3390 / 3392 BLACK PRINT CARTRIDGE. AVERAGE CARTRIDGE YIELD 6 000 PGS. DECLARED YIELD VALUE IN ACCORDANCE WITH ISO / IEC 19752
Q5950A	R 5,246	HP #643A COLOR LASERJET 4700 BLACK PRINT CARTRIDGE.
Q5951A	R 7,461	HP #643A COLOR LASERJET 4700 CYAN PRINT CARTRIDGE
Q5952A	R 7,461	HP Q5952A 643A Yellow LaserJet Toner Cartridge; approx 10000 pages yield; 1.7kg weight; 400 x 148 x 268mm package; business office printing; HP ColorSphere technology
Q5953A	R 7,461	HP Q5953A 643A Magenta LaserJet Toner Cartridge; 10000 page yield; HP Color LaserJet 4700 compatible; office printing; business documents; plug and print installation
Q7516A	R 5,143	HP 16A Black Toner - HP LaserJet 5200, 12,000 pgs
Q7553A	R 2,429	HP Q7553A 53A Black LaserJet Toner Cartridge; 3000 page yield; Laser print technology; compatible P2010 P2014 P2015 M2727 series; black monochrome office printing; standard yield cartridge
Q7553X	R 4,030	HP Q7553X 53X High Yield Black LaserJet Toner Cartridge, high yield 7000 pages, laser print technology, black toner, office printing, 390 x 122 x 196 mm, 1.3 kg, HP LaserJet compatible - for HP laserJet P2014, P2015 series, M2727 series
SAMSUNG CLT-K406S	R 681	SAMSUNG Black Toner cartridge with yield of 1500 pages, IDC 5% coverage.
SAMSUNG CLT-K506L	R 766	Samsung Black Toner cartridge with yield of 6000 pages @ IDC 5% coverage. CLP-680, CLX-6260
SAMSUNG CLT-M404S	R 670	Samsung Magenta Toner cartridge with yield of 1000 pages @ IDC 5% coverage
SAMSUNG MLT-D203E	R 1,839	Samsung SAMSUNG MLT-D203E Single cartridge with yield of 10 000 pages @ IDC 5% coverage

SP311HE	R 3,900	Ricoh SP311HE High Yield Black Laser Toner Cartridge, 3500 pages yield, Compatible with --> Ricoh SP 311dnw / SP 311dn / SP311sfn / SP311sfnw printers
SP311LE	R 2,966	Ricoh SP311LE Black Laser Toner Cartridge, 2000 pages yield, Compatible with --> Ricoh SP 311dnw / SP 311dn / SP311sfn / SP311sfnw printers
SP3400BLK	R 2,750	Ricoh SP3400 Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> SP 3400le / SP 3400 / SP 3500sf / SP 3510sf printers
SP4500E	R 2,326	Ricoh 407340 SP4500E Black Toner, 6000 pages yield, Compatible with --> SP 4500E Printer
SPC310EBLK	R 2,651	Ricoh SPC310e Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> SP C231 / SP C232 / SP C311 / SP C312 / SP C320 / SP C242 / SP C342 printers
ST975A	R 1,546	Samsung CLT-C404S Cyan Toner Cartridge, YIELD : 1500
ST986A	R 1,301	Samsung CLT-C406S Cyan Toner Cartridge, YIELD : 1000
SU016A	R 3,310	Samsung CLT-C503L High Yield Cyan Toner Cartridge
SU027A	R 2,105	Samsung - CLT-C504S Cyan Toner Cartridge - CLP-415/CLX-4195 Series, SL-C1810W/SL-C1860FW - Cyan Toner - (1800 (Page Yield)
SU036A	R 1,929	Samsung CLT-C505L High Yield Cyan Toner Cartridge
SU040A	R 2,577	Samsung - CLT-C506L H-Yld Cyan Toner Crtg - CLP-680ND/CLX-6260 Series - CLP-680ND/CLX-6260 Series - (3500 Page Yield)
SU086A	R 2,978	Samsung CLT-C609S Cyan Toner Cartridge, YIELD : 7000
SU109A	R 1,273	Samsung CLT-K404S Black Toner Cartridge, YIELD: 1000
SU149A	R 3,384	Samsung CLT-K503L High Yield Black Toner Cartridge
SU160A	R 2,414	Samsung CLT-K504S Black Toner Cartridge, YIELD : 2500
SU169A	R 1,929	Samsung CLT-K505L High Yield Black Toner Cartridge
SU173A	R 2,577	Samsung - CLT-K506L H-Yield Blk Toner Crtg - CLP-680ND/CLX-6260 Series - Black Toner - (6000 Page Yield)
SU220A	R 2,585	Samsung CLT-K609S Black Toner Cartridge, YIELD : 7000
SU228A	R 1,491	Samsung CLT-K659S Black Toner Cartridge
SU243A	R 1,546	Samsung CLT-M404S Magenta Toner Cartridge, YIELD: 1000
SU274A	R 1,076	Samsung CLT-M409S Magenta Toner Cartridge
SU283A	R 3,310	Samsung CLT-M503L High Yield Magenta Cartridge
SU294A	R 2,503	Samsung - CLT-M504S Magenta Toner Cartridge - CLP-415/CLX-4195 Series, SL-C1810W/SL-C1860FW - Magenta Toner - (1800 Page Yield)
SU303A	R 1,929	Samsung CLT-M505L, SL-C2680FX Magenta Toner cartridge with yield of 3500 pages @ IDC 5% coverage, Â© 2018 Laptop Direct
SU307A	R 2,577	Samsung - CLT-M506L H-Yield Magenta Cartridge - (3500 Page Yield)
SU352A	R 2,978	Samsung - CLT-M609S Magenta Toner Cartridge - (7000 Page Yield)
SU434A	R 446	Samsung Clt-w504 Toner Collection Unit
SU453A	R 1,273	Samsung CLT-Y404S Yellow Toner Cartridge, YIELD: 1000
SU464A	R 1,302	Samsung CLT-Y406S Yellow Toner Cartridge, YIELD : 1000
SU493A	R 3,310	Samsung CLT-Y503L High Yield Yellow Toner Cartridge
SU504A	R 2,503	Samsung - CLT-Y504S Yellow Toner Cartridge - CLP-415/CLX-4195 Series, SL-C1810W/SL-C1860FW - Yellow Toner - (1800 Page Yield)
SU513A	R 1,929	Samsung CLT-Y505L High Yield Yellow Toner Cartridge
SU517A	R 2,577	Samsung - Clt-y506l H-yield Yellow Toner Cartridge - (3500 Page Yield)
SU563A	R 2,500	Samsung - CLT-Y609S Yellow Toner Cartridge - (7000 Page Yield)
SU571A	R 3,463	Samsung CLT-Y659S Yellow Toner Cartridge
SU705A	R 2,109	Samsung - CNSAMLT-D101S ML-2160/SCX-3405 - Single Mono Toner Cartridge - (1500 Page Yield)
SU819A	R 1,485	Samsung MLT-D111S, standard yield black toner , 1000pages - for Samsung SL-M2020 series *1000 pages Standard yield* Samsung Xpress SL-M2010, M2010W, M2020, M2020W, M2021, M2021W, M2022, M2022W, M2023, M2023W, M2024, M2024W, M2026, M2026W, M2027, M2027W, M2028, M2028W, M2029, M2029W, M2060FH, M2070, M2070F, M2070FH, M2070FW, M2070HW, M2070W, M2071, M2071F, M2071FH, M2071FW,

		M2071HW, M2071W, M2073, M2073FW, M2073W, M2074, M2074F, M2074FW, M2074W, M2077, M2077F, M2077FW, M2077W, M2078, M2078F, M2078FW, M2078W, M2079, M2079F, M2079FW, M2079W
SU837A	R 1,805	Samsung - MLT-D116L, SL-M2825ND, SL-M2825DW, SL-M2675F, SL-M2875FD, SL-M2875FW Toner (3 000 Page Yield)
SU856A	R 1,952	Samsung MLT-D117S Black Toner Single cartridge with yield of 2500 pages @ IDC 5% coverage SCX-4650, Â© 2018 Laptop Direct
SU871A	R 6,642	Samsung MLT-D201L High Yield Black Toner Cartridge, Â© 2018 Laptop Direct
SU887A	R 4,055	Samsung - MLT-D203E, SL-M3820ND, SL-M4020ND, SL-M3870FD, SL-M4070FR Toner (10 000 Page Yield)
SU899A	R 3,108	Samsung - MLT-D203L H-Yield Black Toner Cartridge - SL-M3820ND; SL-M4020ND; SL-M3870FD; SL-M4070FR; SL-M4070 - Single Mono Toner Cartridge - (5000 Page Yield)
SU917A	R 5,205	Samsung MLT-D203U Ultra High Yield Black Cartridge - Page Yield - 15,000 pages, Â© 2018 Laptop Direct
SU953A	R 4,263	Samsung MLT-D205E Extra High Yield Black Toner Cartridge
SU965A	R 2,748	Samsung - MLT-D205L H-Yield Blk Toner Crtg - ML-3310/ML-3710/SCX-4833/SCX-4835FD - Single Mono Toner Cartridge - (5000 Page Yield)
SU976A	R 1,511	Samsung MLT-D205S Black Toner Cartridge, YIELD: 2000
SV025A	R 4,710	Samsung MLT-D303E Extra High Yield Black Cartridge
SV067A	R 4,743	Samsung MLT-D307L High Yield Black Toner Cartridge
SV097A	R 5,904	Samsung - CNSAMLT-D309L ML-5510/ML-6510ND - Single Mono Toner Cartridge - (30000 Page Yield)
SV210A	R 1,956	Samsung SCX-D6555A Black Toner Cartridge, Â© 2018 Laptop Direct
SV232A	R 4,190	Samsung CLT-C603L High Yield Cyan Toner Cartridge
SV247A	R 4,190	Samsung CLT-M603L High Yield Magenta Toner Cartridge
T636200	R 5,707	Epson C13T636200 9900 Cyan UltraChrome HDR 700 ml Ink Cartridge
T636500	R 6,035	Epson C13T636500 9900 Light Cyan UltraChrome HDR 700 ml Ink Cartridge
T6535	R 1,987	Epson C13T653500 4900 Light Cyan Ink Cartridge 200ml Ink Cartridge
TJ-109	R 299	TopJet Generic Replacement Toner Cartridge for Samsung MLT-D109 - Page Yield: 2000 pages with 5% coverage for SCX-4300 Printer - Black, Retail Box
TJ-116L	R 399	TopJet Generic Replacement Toner Cartridge for Samsung MLT-D116L - Page yield 3000 pages with 5% Coverage for SL-M2675FN / SL-M2825DW / SL-M2875FD / SL-M2875FW / Xpress M2625 / M2625D / M2675F / M2675FN / M2825DW / M2825ND / M2835DW/ M2875FD / M2875FW / M2885FW-Black , Retail Box
TJ-322A	R 299	TopJet Generic Toner for Hp 128A - CE322A for use with Hp models: LaserJet CM1415fnw; LaserJet Pro: CM1415fn / CM1415fnw / CP1525nw-Page Yield 1300pgs-Yellow
TJ-323A	R 299	TopJet Generic Toner for Hp 128A - CE323A for use with Hp models: LaserJet CM1415fnw; LaserJet Pro: CM1415fn / CM1415fnw / CP1525nw-Page Yield 1300pgs - Magenta
TJC-543A	R 299	TopJet Generic Replacement Toner Cartridge for HP 125A - CB543A - Page Yield: 1400 pages with 5% coverage for use with HP Colour LaserJet CP1213/ CP1214/ CP1215/ CP1216/ CP1217/ CP1513n/ CP1514n/ CP1515n/ CP1516n/ CP1517ni/ CP1518ni/ CP1519ni/ CM1312cbMFP/ CM1312ebMFP/ CM1312wbMFP/ CM1312MFP/ CM1312ciMFP - Magenta, Retail Box
TJS-407BK	R 299	TopJet Generic for CLP320 / 325 / CLX-3185 / 3185FW - 407 Black Toner Page Yield:1500 *note that this is a generic / refurbished / compatible replacement and not OEM*
TJS-407C	R 299	TopJet Generic Replacement Toner Cartridge for Samsung CLT-C407S - Page Yield: 1000 pages with 5% coverage for CLP-320/ CLP-320N/ CLP-321N/ CLP-325/ CLP-325W/ CLP-326/ CLX-3180/ CLX-3185FW/ CLX-3185N/ CLX-3186 - Cyan, Retail Box
TJS-407M	R 299	TopJet Generic Replacement Toner Cartridge for Samsung CLT-M407S - Page Yield: 1000 pages with 5% coverage for CLP-320/ CLP-320N/ CLP-321N/ CLP-325/ CLP-325W/ CLP-326/ CLX-3180/ CLX-3185FW/ CLX-3185N/ CLX-3186 - Magenta, Retail Box
TJS-409C	R 299	TopJet Generic Replacement Toner Cartridge for Samsung CLT-C409S - Page Yield: 1000 pages with 5% coverage for CLP-310/ CLP-310N/ CLP-315/ CLP-315W/ CLX-3170/ CLX-3175/ CLX-3175FN/ CLX-3175FW/ CLX-3175N - Cyan, Retail Box
TJS-K406	R 399	TopJet Generic for Samsung CLT-K406S/K 406S Toner Cartridge Black for use with Samsung C-460W,Samsung

		C-460FW,Samsung CLP-360,Samsung CLP-365,Samsung CLP-365W,Samsung C-410W,Samsung CLP360ND,Samsung CLP-360N,Samsung C-467,Samsung CLX-3305FW,Samsung CLX-3305W, Retail Box
TK1110	R 1,939	KYOCERA TONER KIT FS1040 / FS 112MFP (TK1110)
TK1120	R 2,030	KYOCERA TONER KIT FS 1060DN / FS-1125MFP (TK1120)
TK1130	R 1,850	Kyocera TK1130 Laser Toner Cartridge, 3000 page yield, Compatible with --> Kyocera EcoSys M2030dn / M2530dn / FS-1030mfp / FS-1130mfp printers
TK1140	R 2,074	KYOCERA TONER KIT (TK1140) FS1135MFP
TK1160	R 2,644	Kyocera TK1160 Black Laser Toner Cartridge, 7200 page yield, Compatible with --> EcoSys P2040dw / P2040dn Printer
TK1170	R 1,935	Kyocera TK1170 Microfine Black Laser Toner Cartridge, 7 200 pages yeild, Compatible with --> EcoSys M2040dn / M2540dn / M2640idw printers
TK130	R 2,170	KYOCERA FS-1300/1350/1128MFP TONER KIT (TK130)
TK160	R 1,636	Kyocera TK-160 toner cartridge.
TK170	R 2,713	Kyocera TK-170 Black Toner Kit
TK3100	R 2,042	KYOCERA TONER KIT FOR FS-2100D/DN (TK3100)
TK3130	R 3,238	KYOCERA TONER KIT FOR FS-4200DN & FS-4300DN (TK3130)
TK3150	R 2,176	Kyocera TK3150 Microfine Laser Toner Cartridge, 14 500 page yield, Compatible with --> Kyocera EcoSys M3040idn / M3540idn Printer
TK3160	R 1,988	Kyocera TK3160 Black Laser Toner Cartridge, 12 500 page yield, Compatible with --> EcoSys 3645 / 3145 / 3155 / 3260 printers
TK3190	R 3,146	Kyocera TK3190 Black Laser Toner Cartridge, 25 000 page yield, Compatible with --> EcoSys 3655 / 3660 / 3155 / 3260 printers
TK350B	R 2,374	Kyocera TK-350 Black Laser Toner Cartridge
TK4105	R 1,440	Kyocera 1800/1801/2200/2201 Black Toner (Tk4105)
TK4145	R 1,571	Kyocera TK4145 Black Laser Toner Cartridge, 16 000 page yield, Compatible with --> TASKalfa 2020 / 2021 / 2320 / 2321 printers
TK475	R 2,418	Kyocera TK475 Black Laser Toner Cartridge, 15 000 page yield, Compatible with --> FS-6025mfp / FS-6030mfp / FS-6525mfp / FS-6530mfp printers
TK5205K	R 1,262	Kyocera TK5205K Black Laser Toner Cartridge, 18000 page yield, Compatible with --> TASKalfa 358ci / TASKalfa 356ci printers
TK5205Y	R 2,459	Kyocera TK5205Y Yellow Laser Toner Cartridge, 12000 page yield, Compatible with --> TASKalfa 358ci / TASKalfa 356ci printers
TK5220C	R 1,542	Kyocera TK5220C Cyan Laser Toner Cartridge, 1200 page yield, Compatible with --> 5021 / 5521 printers
TK5220K	R 1,224	Kyocera TK5220K Black Laser Toner Cartridge, 1200 page yield, Compatible with --> 5021 / 5521 printers
TK5220M	R 1,542	Kyocera TK5220M Magenta Laser Toner Cartridge, 1200 page yield, Compatible with --> 5021 / 5521 printers
TK5220Y	R 1,542	Kyocera TK5220Y Yellow Laser Toner Cartridge, 1200 page yield, Compatible with --> 5021 / 5521 printers
TK5240C	R 2,374	Kyocera TK-5240C Cyan Laser Toner Cartridge, 4000 page yield, Compatible with --> Ecosys M5526cdn / M5526cdw / P5026cdn / P5026cdw printers
TK5240K	R 1,635	Kyocera TK-5240k Black Laser Toner Cartridge, 4000 page yield, Compatible with --> Ecosys M5526cdn / M5526cdw / P5026cdn / P5026cdw printers
TK5240M	R 2,374	Kyocera TK-5240M Magenta Laser Toner Cartridge, 4000 page yield, Compatible with --> Ecosys M5526cdn / M5526cdw / P5026cdn / P5026cdw printers
TK5240Y	R 2,374	Kyocera TK-5240Y Yellow Laser Toner Cartridge, 4000 page yield, Compatible with --> Ecosys M5526cdn / M5526cdw / P5026cdn / P5026cdw printers
TK5270K	R 2,846	Kyocera TK5270K Black Laser Toner Cartridge, 8000 pages yield, Compatible with --> M6230cidn / M6630cidn / P6230cdn printers
TK5270M	R 3,378	Kyocera TK5270M Magenta Laser Toner Cartridge, 6000 pages yield, Compatible with --> M6230cidn / M6630cidn / P6230cdn printers
TK5270Y	R 3,378	Kyocera TK5270Y Yellow Laser Toner Cartridge, 6000 pages yield, Compatible with --> M6230cidn /

		M6630cidn / P6230cdn printers
TK6115	R 2,231	Kyocera TK6115 Microfine Black Laser Toner Cartridge, 15 000 pages yeild, Compatible with --> EcoSys M4132idn / M4125idn printers
TK6325	R 2,924	Kyocera K6325 Black Laser Toner Cartridge, 35000 pages yield, Compatible with --> TASKalfa 4002i / 6002i / 5003i / 6003i / 5002i printers
TK7105	R 1,954	KYOCERA BLACK TONER KIT 3010I 20K (TK7105)
TK7125	R 1,864	Kyocera TK7125 Microfine Black Laser Toner Cartridge, 20000 pages yeild, Compatible with --> TASKalfa 3212i Printer
TK7225	R 2,814	Kyocera K7225 Black Laser Toner Cartridge, 35 000 page yield, Compatible with --> TASKalfa 4012i Printer
TK8115C	R 1,680	Kyocera TK-8115C Cyan Laser Toner Cartridge, 6000 page yield, Compatible with --> EcoSys M8124cidn / M8130cidn printers
TK8115K	R 1,869	Kyocera TK-8115K Black Laser Toner Cartridge, 12000 page yield, Compatible with --> EcoSys M8124cidn / M8130cidn printers
TK8115M	R 1,680	Kyocera TK-8115M Magenta Laser Toner Cartridge, 6000 page yield, Compatible with --> EcoSys M8124cidn / M8130cidn printers
TK8115Y	R 1,680	Kyocera TK-8115Y Yellow Laser Toner Cartridge, 6000 page yield, Compatible with --> EcoSys M8124cidn / M8130cidn printers
TK8345C	R 2,404	Kyocera TK8345C Cyan Laser Toner Cartridge, 12 000 page yield, Compatible with --> TASKalfa 2552 / 2553 printers
TK8345K	R 1,578	Kyocera TK8345K Black Laser Toner Cartridge, 20 000 page yield, Compatible with --> TASKalfa 2552 / 2553 printers
TK8345M	R 2,404	Kyocera TK8345M Magenta Laser Toner Cartridge, 12 000 page yield, Compatible with --> TASKalfa 2552 / 2553 printers
TK8345Y	R 2,404	Kyocera TK8345Y Yellow Laser Toner Cartridge, 12 000 page yield, Compatible with --> TASKalfa 2552 / 2553 printers
TK8375C	R 3,577	Kyocera K8375C Cyan Laser Toner Cartridge, 20000 page yield, Compatible with --> TASKalfa 3554ci Printer
TK8375M	R 3,577	Kyocera TK-8375M Magenta Laser Toner Cartridge, 20000 page yield, Compatible with --> TASKalfa 3554ci Printer
TK8375Y	R 3,577	Kyocera TK-8375y Yellow Laser Toner Cartridge, 20000 page yield, Compatible with --> TASKalfa 3554ci Printer
TK8735K	R 3,478	Kyocera TK8735K Black Laser Toner Cartridge, 30 000 page yield, Compatible with --> TASKalfa 7052ci / 8052ci / 7353ci printers
TL-2315	R 403	Microworld TL-2315 Compatible Black Laser Toner Cartridge for Pantum, 1600 page yield, Compatible with --> BP2305 / BP2305w / BM2305 / BM2305aw printers
TL410X	R 288	Microworld TL410X compatible Black Laser Toner Cartridge for Pantum, 6000 page yield, Compatible with --> P3010d / P3010dw / P3300dn / P3300dw, M6700d / M6700dw / M6800fdw / M7100dn / M7100dw, M7200fd / M7200fdn / M7200fdw / M7300fdn / M7300fdw printers
TN-1000	R 633	Brother TN-1000 Black Laser Toner Cartridge, 1000 pages yield, Compatible with --> HL-1110 / HL-1210w / DCP-1510 / DCP-1610w / MFC-1810 / MFC-1815 / MFC-1910w printers
TN-114	R 978	Brother TN-114 Black Laser Toner Cartridge, 1500 pages yield, Compatible with --> HL-L1232w / DCP-L1632w printers
TN-2060	R 437	Brother TN-2060 Black Laser Toner Cartridge, 700 pages yield, Compatible with --> DCP7055 / HL2130 printers
TN-2280	R 1,035	Brother TN-2280 Black Laser Toner Cartridge, 2600 pages yield, Compatible with --> HL2240d / HL2270dw / MFC7360 / MFC7860dw printers
TN-2355	R 926	Brother TN-2355 Laser Black Toner Cartridge, 2600 pages yield, Compatible with --> HLL2365dw / MFCL2700dw / MFCL2740dw printers
TN-2500	R 690	Brother TN-2500 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> MFC-L2885dw / MFC-L2805dw / HL-L2461dw / HL-L2460dn / HL-L2400d / DCP-L2640dw / DCP-L2625dw / DCP-L2600d Mono Laser printers

TN-2500XL	R 1,150	Brother TN-2500XL High Yield Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> MFC-L2885dw / MFC-L2805dw / DCP-L2640dw / HL-L2461dw / HL-L2460dn / HL-L2400d / DCP-L2625dw / DCP-L2600d printers
TN-2500XXL	R 1,553	Brother TN-2500XXL Super High Yield Black Laser Toner Cartridge, 5000 pages yield, Compatible with --> MFC-L2885dw / MFC-L2805dw / DCP-L2640dw / HL-L2461dw / HL-L2460dn / HL-L2400d / DCP-L2625dw / DCP-L2600d printers
TN-261BK	R 1,150	Brother TN-261BK Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> HL3150cdn / HL3170cdw / MFC9140cdn / MFC9330cdw printers
TN-265C	R 1,380	Brother TN-265C Cyan Laser Toner Cartridge, 2200 pages yield, Compatible with --> HL3150cdn / HL3170cdw / MFC9330cdw / MFC9140cdn printers
TN-265M	R 1,380	Brother TN-265M Magenta Laser Toner Cartridge, 2200 pages yield, Compatible with --> HL-3150cdn / HL-3170cdw / MFC-9140cdn / MFC-9330cdw printers
TN-265Y	R 1,380	Brother TN-265Y Yellow Laser Toner Cartridge, 2200 pages yield, Compatible with --> HL3150cdn / HL3170cdw / MFC9330cdw / MFC9140cdn printers
TN-277BK	R 1,150	Brother TN-277BK Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> L3210cw / L3510cdw / L3750cdw / L3270cdw / L3551cdw printers
TN-277C	R 1,380	Brother TN-277C Cyan Laser Toner Cartridge, 2300 pages yield, Compatible with --> L3210cw / L3510cdw / L3750cdw / L3270cdw / L3551cdw printers
TN-277M	R 1,380	Brother TN-277M Magenta Laser Toner Cartridge, 2300 pages yield, Compatible with --> L3210cw / L3510cdw / L3750cdw / L3270cdw / L3551cdw printers
TN-277Y	R 1,380	Brother TN-277Y Yellow Laser Toner Cartridge, 2300 pages yield, Compatible with --> L3210cw / L3510cdw / L3750cdw / L3270cdw / L3551cdw printers
TN-279BK	R 978	Brother TN-279BK Black Laser Toner Cartridge, 1500 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw printers
TN-279C	R 1,047	Brother TN279C Cyan Laser Toner Cartridge, 1200 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / DCP-L3520cdw / DCP-L3560cdw / MFC-L3720cdw / MFC-L8390cdw printers
TN-279M	R 1,047	Brother TN279M Magenta Laser Toner Cartridge, 1200 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / DCP-L3520cdw / DCP-L3560cdw / MFC-L3720cdw / MFC-L8390cdw printers
TN-279XLBK	R 1,075	Brother TN-279XLBK High Yield Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
TN-279XLC	R 1,300	Brother TN-279XLC High Yield Cyan Laser Toner Cartridge, 2300 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
TN-279XLM	R 1,300	Brother TN-279XLM High Yield Magenta Laser Toner Cartridge, 2300 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
TN-279XLY	R 1,300	Brother TN-279XLY High Yield Yellow Laser Toner Cartridge, 2300 pages yield, Compatible with --> MFC-L3760cdw / MFC-L3520cdw / MFC-L3560cdw / MFC-L3720cdw / MFC-L8390cdw Colour Laser printers
TN-279XXLBK	R 1,380	Brother 279XXLBK Super High Yield Black Laser toner cartridge, 4500 pages yield Compatible with --> MFC-L8390CDW Professional Colour Laser printer
TN-279XXLC	R 2,070	Brother 279XXLC Super High Yield Cyan Laser toner cartridge, 4000 pages yield Compatible with --> MFC-L8390CDW Professional Colour Laser printer
TN-279XXLM	R 2,070	Brother 279XXLM Super High Yield Magenta Laser toner cartridge, 4000 pages yield Compatible with --> MFC-L8390CDW Professional Colour Laser printer
TN-279XXLY	R 2,070	Brother 279XXLY Super High Yield Yellow Laser toner cartridge, 4000 pages yield Compatible with --> MFC-L8390CDW Professional Colour Laser printer
TN-279Y	R 1,047	Brother TN279Y Yellow Laser Toner Cartridge, 1200 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / DCP-L3520cdw / DCP-L3560cdw / MFC-L3720cdw / MFC-L8390cdw printers
TN-3350	R 1,668	Brother TN-3350 Black Laser Toner Cartridge, 8 000 pages yield, Compatible with --> HL5440d / HL5450dn / HL6180dw / MFC8510dn / MFC8910dw / MFC8950dw printers
TN-3437	R 1,955	Brother TN3437 Black Laser Toner Cartridge, 8000 pages yield, Compatible with --> HL-L5200dw /

		MFC-L5700dn / MFC-L5900dw / MFC-L6900dw / HL-L6400dw printers
TN-3467	R 2,185	Brother TN-3467 Super High Yield Black Laser Toner Cartridge, 12 000 pages yield, Compatible with --> MFC-L5700dn / MFC-L5900dw / MFC-L6900dw / MFC-L6900dwt / HL-L5200dw / L5200dwt / L6400dw / L6400dwt / L6400dwtt printers
TN-3487	R 2,185	Brother TN-3487 Super High Yield Black Laser Toner Cartridge, 20 000 pages yield, Compatible with --> HLL6400dw / MFCL6900dw printers
TN-348BK	R 1,725	Brother TN-348BK High Yield Black Laser Toner Cartridge, 6000 pages yield, Compatible with --> HL4150cdn / HL4570cdw / MFC9460cdn / MFC9970cdw printers
TN-348C	R 3,105	Brother TN-348C Cyan High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> HL4150cdn / HL4570cdw / MFC9460cdn / MFC9970cdw printers
TN-348M	R 3,105	Brother TN-348M Magenta High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> HL4150cdn / HL4570cdw / MFC9460cdn / MFC9970cdw printers
TN-348Y	R 3,105	Brother TN-348Y Yellow High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> HL4150cdn / HL4570cdw / MFC9460cdn / MFC9970cdw printers
TN-3607	R 1,265	Brother TN3607 Laser Toner Cartridge, 3000 pages yield, Compatible with --> MFC-L5710dw / DCP-L5510dw / MFC-L6910dn / HL-L5210dw / HL-L6410dn / HL-L6210dw printers
TN-3607XXL	R 2,024	Brother TN3607 XXL Laser Toner Cartridge, 11K pages yield, Compatible with --> MFC-L5710dw / DCP-L5510dw / MFC-L6910dn / HL-L5210dw / HL-L6410dn / HL-L6210dw printers
TN-3617XL	R 2,760	Brother TN-3617XL High Yield Black Laser Toner Cartridge, 25000 pages yield, Compatible with --> HL-L6210dw / HL-L6410dn / MFC-L6710dw / MFC-L6910dn printers
TN-369BK	R 1,495	Brother TN-369BK High yield black toner cartridge, 6000pages
TN-369C	R 2,645	Brother TN-369C Cyan High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> HLL8350cdw / MFCL8600cdw / MFCL8850cdw printers
TN-369M	R 2,645	Brother TN-369M Magenta High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> HLL8350cdw / MFCL8600cdw / MFCL8850cdw printers
TN-369Y	R 2,645	Brother TN-369Y Yellow High Yield Laser Toner Cartridge, 6000 pages yield, Compatible with --> HLL8350cdw / MFCL8600cdw / MFCL8850cdw printers
TN-469BK	R 1,840	Brother TN-469BK High Yield Black Laser Toner Cartridge, 9000 pages yield, Compatible with - > HLL8360cdw / MFCL8690cdw / MFCL9570cdw Printers
TN-469BK	R 2,289	Brother TN-469BK High Yield Black Laser Toner Cartridge, 9000 pages yield, Compatible with - > HLL8360cdw / MFCL8690cdw / MFCL9570cdw Printers
TN-469C	R 2,875	Brother TN-469C High Yield Cyan Laser Toner Cartridge, 9000 pages yield, Compatible with - > HLL8360cdw / MFCL8690cdw / MFCL9570cdw Printers
TN-469M	R 2,875	Brother TN-469M High Yield Magenta Laser Toner Cartridge, 9000 pages yield, Compatible with - > HLL8360cdw / MFCL8690cdw / MFCL9570cdw Printers
TN-469Y	R 2,875	Brother TN-469Y High Yield Yellow Laser Toner Cartridge, 9000 pages yield, Compatible with - > HLL8360cdw / MFCL8690cdw / MFCL9570cdw Printers
TN-665BK	R 1,495	Brother TN-665BK Standard Black Laser Toner Cartridge, 3000 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-665C	R 1,495	Brother TN-665C Standard Cyan Laser Toner Cartridge, 1800 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-665M	R 1,495	Brother TN-665M Standard Magenta Laser Toner Cartridge, 1800 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-665XXLBK	R 1,955	Brother TN-665XXLBK Super High Yield Black Laser Toner Cartridge, 7500 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-665XXLC	R 3,565	Brother TN-665XXLC Super High Yield Cyan Laser Toner Cartridge, 7500 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-665XXLM	R 3,565	Brother TN-665XXLM Super High Yield Magenta Laser Toner Cartridge, 7500 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers

TN-665XXLY	R 3,565	Brother TN-665XXLY Super High Yield Yellow Laser Toner Cartridge, 7500 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-665Y	R 1,495	Brother TN-665Y Standard Yellow Laser Toner Cartridge, 1800 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-667BK	R 1,846	Brother TN-667BK Ultra High Yield Black Laser Toner Cartridge, 10000 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-667C	R 2,933	Brother TN-667C Ultra High Yield Cyan Laser Toner Cartridge, 10000 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-667M	R 2,933	Brother TN-667M Ultra High Yield Magenta Laser Toner Cartridge, 10000 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-667Y	R 2,933	Brother TN-667Y Ultra High Yield Yellow Laser Toner Cartridge, 10000 pages yield, Compatible with --> HL-L8430cdw / MFC-L8730cdw / MFC-L8970cdw / DCP-L8630CDW printers
TN-871XXLBK	R 2,530	Brother TN-871XXL High Yield Black Laser Toner Cartridge, 15 000 pages yield, Compatible with --> HL-L9430cdn / MFC-L9630cdn printers
TN-871XXLC	R 3,450	Brother TN-871XXL High Yield Cyan Laser Toner Cartridge, 12 000 pages yield, Compatible with --> HL-L9430cdn / MFC-L9630cdn printers
TN-871XXLM	R 3,450	Brother TN-871XXL High Yield Magenta Laser Toner Cartridge, 12 000 pages yield, Compatible with --> HL-L9430cdn / MFC-L9630cdn printers
TN-871XXLY	R 3,450	Brother TN-871XXL High Yield Yellow Laser Toner Cartridge, 12 000 pages yield, Compatible with --> HL-L9430cdn / MFC-L9630cdn printers
TN2280	R 1,093	Brother Black Single cartridge with yield of 2600 pages @ IDC 5% coverage
TN2355	R 1,093	BROTHER TN-2355 TONER for HL 2365DW (2600 page yield)
TN240C	R 58	Brother TN240C cyan toner cartridge; laser printing; up to 1400 pages; cyan colour output; compatible with DCP-9010CN HL-3040CN HL-3070CW MFC-9010CN MFC-9120CN MFC-9320CW; office and home use; weight:0.42kg
TN265C	R 1,380	Brother TN-265 Cyan toner cartridge for HL3150CDN / HL3170CDW / MFC9330CDW / MFC9140CDN 2,200 pages
TN265M	R 1,254	Brother TN-265 Magenta Toner Cartridge
TN277C	R 1,265	Brother TN-277 C Cyan toner cartridge, 2300 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
TN277M	R 1,265	Brother TN-277 M Magenta toner cartridge, 2300 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
TN277Y	R 1,265	Brother TN-277 Y Yellow toner cartridge, 2300 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
TN3370	R 1,725	Brother TN3370 High Yield Toner for MFC8910DN
TN3437	R 2,070	Brother TN3437 Black Toner Cartridge, 8000 Pages, Compatible Printers: HL-L5200DW / MFC-L5700DN / MFC-L5900DW / MFC-L6900DW / HL-L6400DW
TN348BK	R 1,955	Brother Black Single cartridge with yield of 6000 pages @ IDC 5% coverage
TN348C	R 2,415	Brother Cyan Single cartridge with yield of 6000 pages @ IDC 5% coverage
TN348M	R 2,415	Brother Magenta Single cartridge with yield of 6000 pages @ IDC 5% coverage
TN369Y	R 2,070	Brother High yield yellow toner cartridge, 6 000 PGS
To-C039B	R 3,949	Canon 039 Black Laser Toner, 11000 pages yield, Compatible with - I-sensys LBP351X / LBP352X printers
To-C039BH	R 6,387	Canon 039H High Yield Toner cartridge Black, 25000 pages yield, Compatible with --> i-SENSYS LBP351X / i-SENSYS LBP352X printers
To-C040B	R 3,424	Canon 040B Toner Cartridge Black, 6300 page yield, Compatible with --> i-SENSYS LBP712Cx / i-SENSYS LBP710Cx printers
To-C040C	R 4,292	Canon 040C Toner Cartridge Cyan, 5400 page yield, Compatible with --> i-SENSYS LBP712Cx / i-SENSYS LBP710Cx printers
To-C040HB	R 4,677	Canon 040HB high yield Toner Cartridge Black, 12500 page yield, Compatible with --> i-SENSYS LBP712Cx /

		i-SENSYS LBP710Cx printers
To-C040HC	R 6,475	Canon 040HC High Yield Toner cartridge Cyan, 10000 page yield, Compatible with --> i-SENSYS LBP712Cx / i-SENSYS LBP710Cx printers
To-C040HM	R 6,475	Canon 040HM High Yield Toner cartridge Magenta, 10000 page yield, Compatible with --> i-SENSYS LBP712CX / i-SENSYS LBP710CX printers
To-C040HY	R 6,475	Canon 040HY High Yield Toner cartridge Yellow, 10000 page yield, Compatible with --> i-SENSYS LBP712CX / i-SENSYS LBP710CX printers
To-C040M	R 4,292	Canon 040M Toner Cartridge Magenta, 5400 page yield, Compatible with --> i-SENSYS LBP712Cx / i-SENSYS LBP710Cx printers
To-C040Y	R 4,292	Canon 040Y Toner cartridge Yellow, 5400 page yield, Compatible with --> i-SENSYS LBP712CX / i-SENSYS LBP710CX printers
To-C041	R 5,267	Canon 041 Black Laser Toner, 10000 Pages yield, Compatible with - LBP312X printer
To-C041H	R 6,859	Canon 041HBK high yield Toner Cartridge Black, 20000 page yield, Compatible with --> i-SENSYS LBP312x / LBP525 printers
To-C045B	R 1,600	Canon 045BK Toner Cartridge Black, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045C	R 1,779	Canon 045C Toner Cartridge Cyan, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045HB	R 2,337	Canon 045HBK high yield Toner Cartridge Black, 2800 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045HC	R 2,439	Canon 045HC high yield Toner Cartridge Cyan, 2200 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045HM	R 2,439	Canon 045HM high yield Toner Cartridge Magenta, 2200 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045HY	R 2,439	Canon 045HY high yield Toner Cartridge Yellow, 2200 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045M	R 1,779	Canon 045M Toner Cartridge Magneta, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C045Y	R 1,779	Canon 045Y Toner Cartridge Yellow, 1400 page yield, for i-SENSYS LBP611Cn / i-SENSYS LBP613Cdw / i-SENSYS MF631Cn / i-SENSYS MF633Cdw / i-SENSYS MF635Cx
To-C046B	R 1,983	Canon 046BK Toner Cartridge Black, 2200 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
To-C046C	R 2,682	Canon 046C Toner Cartridge Cyan, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx / i-SENSYS LBP613Cdw
To-C046HB	R 3,280	Canon 046HBK high yield Toner Cartridge Black, 6300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx/ i-SENSYS LBP613Cdw
To-C046HC	R 4,532	Canon 046HC high yield Toner Cartridge Cyan, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
To-C046HM	R 4,532	Canon 046HM high yield Toner Cartridge Magenta, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
To-C046HY	R 4,532	Canon 046HY high yield Toner Cartridge Yellow, 4000 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
To-C046M	R 2,682	Canon 046M Toner Cartridge Magenta, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
To-C046Y	R 2,682	Canon 046Y Toner Cartridge Yellow, 2300 page yield, for i-SENSYS LBP653Cdw / i-SENSYS LBP654Cx / i-SENSYS MF732Cdw / i-SENSYS MF734Cdw / i-SENSYS MF735Cx
To-C047	R 1,655	Canon 047 Black Laser Toner cartridge, 1600 pages yield, Compatible with --> LBP110 series / MF110 series / MF112 series / MF113 series printers
To-C051	R 1,895	Canon 051 BK Black Laser Toner cartridge, 1700 pages yield, Compatible with --> imageCLASS MF269DW /

		LBP162DW / MF269DW / MF267DW / MF264DW printers
To-C052	R 3,033	Canon 052 Black laser printer toner cartridge, 3100 pages yield at IDC 5% coverage, Compatible with --> i-SENSYS LBP212dw / i-SENSYS LBP214dw / i-SENSYS LBP215x / i-SENSYS MF421dw / i-SENSYS MF426dw / i-SENSYS MF428x / i-SENSYS MF429x printers
To-C052H	R 5,030	Canon 052H High Yield Black laser printer toner cartridge, 9200 pages yield at IDC 5% coverage, Compatible with --> i-SENSYS LBP212dw / i-SENSYS LBP214dw / i-SENSYS LBP215x / i-SENSYS MF421dw / i-SENSYS MF426dw / i-SENSYS MF428x / i-SENSYS MF429x printers
To-C054B	R 1,899	Canon 054 Black Laser Toner cartridge, 1500 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054C	R 1,638	Canon 054 Cyan Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054HB	R 2,592	Canon 054H High Yiled Black Laser Toner cartridge, 3100 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054HC	R 2,592	Canon 054H High Yield Cyan Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054HM	R 2,592	Canon 054H High Yield Magenta Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054HY	R 2,592	Canon 054H High Yield Yellow Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054M	R 1,766	Canon 054 Magenta Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C054Y	R 1,766	Canon 054 Yellow Laser Toner cartridge, 1200 pages yield, Compatible with --> LBP 61x series / MF63X / MF64X series printers
To-C055B	R 2,194	Canon 055 Black Laser Toner cartridge, 2300 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055C	R 2,636	Canon 055 Cyan Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055HB	R 4,079	Canon 055H High Yield Black Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055HC	R 5,519	Canon 055H High Yield Cyan Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055HM	R 5,519	Canon 055H High Yield Magenta Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055HY	R 5,519	Canon 055H High Yield Yellow Laser Toner cartridge, 5900 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055M	R 2,636	Canon 055 Magenta Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C055Y	R 2,636	Canon 055 Yellow Laser Toner cartridge, 2100 pages yield, Compatible with --> LBP 65x series / MF73X / MF74X printers
To-C056	R 5,029	Canon 056 BK Black Laser Toner cartridge, 5100 pages yield, Compatible with --> imageCLASS LBP325dn / LBP320 Series / MF540 series printers
To-C056L	R 3,204	Canon 056L Black Laser Toner cartridge, 5100 pages yield, Compatible with --> i-SENSYS LBP325x / i-SENSYS MF542x / i-SENSYS MF543x Printers
To-C057	R 2,709	Canon 057 BK Black Laser Toner cartridge, 3100 pages yield, Compatible with --> imageCLASS MF445dw / LBP226dw printers
To-C057H	R 4,977	Canon 057H BK Black High Yield Laser Toner cartridge, 10 000 pages yield, Compatible with --> I-SENSYS LBP223dw / LBP226dw / LBP228x / MF443dw / MF445dw / MF446x / MF449x
To-C071	R 1,317	Canon 071 Black Laser Toner Cartridge, 1200 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers

To-C071H	R 1,860	Canon 071h High Yield Black Laser Toner Cartridge, 2500 pages yield, Compatible with --> i-SENSYS LBP122dw / MF275dw / MF272dw printers
To-C701B	R 2,676	canon 701 Black toner , 5000pages - for canon color laser LBP-5200color laser a-i-o MF8180C
To-C701Y	R 2,740	canon 701 Yellow toner , 4000pages - for canon color laser LBP-5200color laser a-i-o MF8180C
To-C703	R 1,772	canon 703 Black toner , 2000pages - for canon laser LBP-2900, 3000
To-C708	R 2,109	Canon 708 Black toner, 2500 pages, for canon laser LBP-3300 / LBP3360
To-C708H	R 3,724	Canon cartridge 708H Laser Cartridge (LBP3300 / LBP3360 = 6000 pages)
To-C710	R 3,595	Canon Cartridge 710 Laser Toner Cartridge (LBP3460 = 6000 pages)
To-C710H	R 5,743	canon 710H Black toner , 12000pages - for canon laser LBP-3460
To-C711B	R 3,629	canon 711 Black toner , 6000pages - for canon laser LBP-5300, 5360, MF8450, MF9130, MF9170, MF9220CDN , MF9280CDN
To-C711C	R 4,667	canon 711 Cyan toner , 6000pages - for canon laser LBP-5300, 5360, MF9130, MF9170, MF9220CDN , MF9280CDN
To-C711M	R 4,667	canon 711 Magenta toner , 6000pages - for canon laser LBP-5300, 5360, MF9130, MF9170, MF9220CDN , MF9280CDN
To-C711Y	R 4,667	canon 711 Yellow toner , 6000pages - for canon laser LBP-5300, 5360, MF9130, MF9170, MF9220CDN , MF9280CDN
To-C712	R 1,646	canon 712 Black toner , 1500pages - for canon laser LBP-3010/3110
To-C713	R 1,814	canon 713 Black toner , 2000pages - for canon laser LBP-3250
To-C714	R 2,542	canon 714 Black toner , 4500pages - for canon laser fax-L3000 series
To-C715	R 2,165	Canon To-C715 715 Black toner, 3000 pages, for canon laser LBP-3310 / 3370
To-C715H	R 3,828	canon 715H Black toner , 7000pages - for canon laser LBP-3310/3370
To-C716B	R 1,922	Canon To-C716B 716 Black toner, 2300 pages, for canon laser LBP-5050 / 5050N / MF8030CN / MF8040CN / MF8050CN / MF8080CW
To-C716C	R 1,784	Canon To-C716C 716 Cyan toner, 1500 pages, for canon laser LBP-5050 / 5050N / MF8030CN / MF8040CN / MF8050CN / MF8080CW
To-C716M	R 1,784	canon 716 Magenta toner , 1500pages - for canon laser LBP-5050, 5050N, MF8030CN, MF8040CN . MF8050CN, MF8080CW
To-C716Y	R 1,784	canon 716 Yellow toner , 1500pages - for canon laser LBP-5050, 5050N, MF8030CN, MF8040CN . MF8050CN, MF8080CW
To-C717C	R 3,675	canon 717 Cyan toner , 4000pages - for canon laser MF8450
To-C717M	R 3,675	canon 717 Magenta toner , 4000pages - for canon laser MF8450 (Sold as a single unit of one colour only)
To-C717Y	R 3,675	canon 717 Yellow toner , 4000pages - for canon laser MF8450
To-C718B	R 3,014	CANON CARTRIDGE 718 BLACK LBP7200CDN / MF83XXCDN
To-C718C	R 2,961	canon 718 Cyan toner , 2900pages - for canon laser LBP-7200CDN, 7210CDN, 7660CDN, 7680CXMF8330CDN, MF8350CDN , MF8360CDN, MF8380CDW / MF8540CDN / MF8550CDN / MF8580CDW
To-C718M	R 2,961	canon 718 Magenta toner , 2900pages - for canon laser LBP-7200CDN, 7210CDN, 7660CDN, 7680CXMF8330CDN, MF8350CDN , MF8360CDN, MF8380CDW / MF8540CDN / MF8550CDN / MF8580CDW
To-C718Y	R 2,961	canon 718 Yellow toner , 2900pages - for canon laser LBP-7200CDN, 7210CDN, 7660CDN, 7680CXMF8330CDN, MF8350CDN , MF8360CDN, MF8380CDW / MF8540CDN / MF8550CDN / MF8580CDW
To-C719	R 2,131	Canon To-C719 719 Black toner, 2100 pages, for canon laser LBP-6300dn / 6310dn / 6650DN / 6670DN / 6680X / MF5880dn / MF5940DN / MF6140DN / MF6180DW / MF411DW / MF416DW / MF418X / MF419X
To-C719H	R 3,769	canon 719H Black toner , 6400pages - for canon laser LBP-6300dn, 6310dn, 6650DN, 6670DN, 6680X, MF5940DN, MF6140DN, MF6180DW
To-C720	R 4,146	Canon To-C720 720 Black toner, 5000 pages, for canon laser I-Sense MF6680DN
To-C724	R 3,662	Canon 724 Black Laser Toner Cartridge, 6000 page yield, Compatible with --> i-Sensys LBP6750 printers
To-C724H	R 5,572	canon 724H Black toner , 12500pages - for canon laser Lbp-6750DN, 6780X
To-C725	R 1,714	canon 725 Black toner , 1600pages - for canon laser I-Sense LBP6000 , LBP6020MF3010
To-C726	R 1,956	Canon 726 Black toner , 2100pages - for canon laser I-Sense LBP6200 series

To-C728	R 1,939	Canon To-C728 728 Black toner, 2100 pages, for canon laser I-Sense MF4110 / MF4430 / MF4450 / MF4550D / MF4570DN / MF4580DN / MF4730 / MF4750 / MF4780W / MF4870DN / MF4890DW
To-C729B	R 1,189	canon 729 Black toner , 1200pages - for canon laser LBP-7010C/7018C
To-C729C	R 1,416	canon 729 Cyan toner , 1000pages - for canon laser LBP-7010C/7018C
To-C729M	R 1,416	canon 729 Magenta toner 1000pages - for canon laser LBP-7010C/7018C
To-C729Y	R 1,416	canon 729 Yellow toner , 1000pages - for canon laser LBP-7010C/7018C
To-C731B	R 1,420	canon 731 Black toner , 1400pages - for canon laser LBP-7100CN, 7110CW. 8280CW
To-C731BH	R 1,819	canon 731H Black toner , 2400pages - for canon laser LBP-7100CN, 7110CW. 8280CW
To-C731C	R 1,635	canon 731 Cyan toner , 1500pages - for canon laser LBP-7100CN, 7110CW. 8280CW
To-C731M	R 1,635	canon 731 Magenta toner , 1500pages - for canon laser LBP-7100CN, 7110CW. 8280CW
To-C731Y	R 1,635	canon 731 Yellow toner,1500pages - for canon laser LBP-7100CN, 7110CW. 8280CW
To-C732B	R 3,716	canon 732 Black toner , 6100pages - for canon laser LBP-7780CX
To-C732BH	R 5,141	canon 732H Black toner , 12000pages - for canon laser LBP-7780CX
To-C732C	R 5,031	canon 732 Cyan toner , 6400pages - for canon laser LBP-7780CX
To-C732M	R 5,031	canon 732 Magenta toner , 6400pages - for canon laser LBP-7780CX
To-C732Y	R 5,031	canon 732 Yellow toner , 6400pages - for canon laser LBP-7780CX
To-C737	R 2,068	Canon To-C737 737 Black toner, 2400 pages, for canon laser I-Sense MF211 / 212W / 217W / 226DN / 229DW / 232W / 237W / 244DW / 247DW / 249DW
To-CEP27	R 1,785	canon ep-27 black toner , 2500pages - for canon laser LBP-3200MF-3110, 3220, 3240, 5650 , 5750 , 5770
To-CEXV48B	R 789	canon C-EXV48 Black toner, 16500pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV48C	R 1,440	canon C-EXV48 Cyan toner, 11500pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV48M	R 1,440	Canon C-EXV48 Magenta toner, 11500pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV48Y	R 1,440	canon C-EXV48 Yellow toner, 11500pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV50	R 1,433	canon C-EXV50 Black toner, 17600pages - for canon imagerunner 1435 series (Order on request)
To-CFX10	R 1,655	Canon FX-10 Cartridge with yield of 2000 pages at IDC 5% coverage, Compatible with Fax L-100 / 120 / L95 / L140 / L160 / MF4010 /MF4140 /MF4150 /MF4690PL /MF4350d /MF4370dn
To-CFX3	R 1,214	canon FX-3 black toner , 2700pages - for canon laser fax L250, L200, L220, L240, L260, L280i, L290, L295, L300 , L350, L360MultiPass L-60, L-90
To-CT	R 2,524	Canon cartridge-T Black laser toner cartridge, 3500 pages yield, Compatiible with --> canon laser fax L380 / L400 printers
To-H00	R 1,625	HP C3900A no.00a black toner , 8100pages - for HP 4V, 4MV
To-H05A	R 2,169	HP CE505A no.05A black toner, 2300pages - for HP laserjet P2035, P2055 series
To-H05Ax2	R 3,624	HP CE505D no.05A black toner , Dual pack , 2300pages - for HP laserjet P2035, P2055 series
To-H05X	R 3,694	HP CE505X no.05X black toner , 6500pages - for HP laserjet P2055 series
To-H05Xx2	R 3,694	HP CE505XD no.05X Dual pack Black Toner, 6500pages - for HP laserjet P2055 series
To-H10	R 3,616	HP Q2610A no.10a black toner , 6000pages - for HP laserjet 2300
To-H103A	R 236	HP W1103a no.103A black toner reload kit, 2500pages - for HP neverstop 1000, 2000 series
To-H103Ax2	R 430	HP W1103ad no.103AD Dual black toner reload kits, 2x 2500pages - for HP neverstop 1000, 2000 series
To-H106	R 1,067	HP W1106A no.106a Black Toner, 1000pages - for HP laserjet M107, M135, M137 series
To-H10x2	R 5,436	HP Q2610D - 2 x no.10a black toner , Dual pack , 6000pages - for HP laserjet 2300
To-H117B	R 940	HP W2070A no.117a Black toner, 1000pages - for HP color laser M150, M178, M179 series
To-H117C	R 1,038	HP W2071A no.117a Cyan Toner, 700pages - for HP color laser M150, M178, M179 series
To-H117M	R 1,038	HP W2072A no.117a Yellow Toner, 700pages - for HP color laser M150, M178, M179 series
To-H117Y	R 1,038	HP W2073A no.117a Magenta Toner, 700pages - for HP color laser M150, M178, M179 series
To-H11X	R 5,834	HP Q6511X no.11X black toner , 12000pages - for HP laserjet 2410, 2420, 2430
To-H12	R 1,892	HP q2612a no.12a - black toner , 2000pages - for HP laserjet 1010, 1012, 1015, 1018 , 1020, 1022, 1050laserjet a-i-o M1005, 3015, 3020, 3030, 3050, 3052, 3055 , M1319mfp
To-H121B	R 1,126	HP C9700A no.121a Black toner , 5000pages - for HP color laser 1500 series , 2500 series
To-H122B	R 1,717	HP Q3960A no.122a Black toner , 5000pages - for HP color laser 2550 series ; color laserjet a-i-o 2820 / 2840

To-H122C	R 1,464	HP Q3961A no.122a Cyan toner , 4000pages - for HP color laser 2550 series ; color laserjet a-i-o 28202840
To-H122M	R 1,464	HP Q3963A no.122a Magenta toner , 4000pages - for HP color laser 2550 series ; color laserjet a-i-o 2820 / 2840
To-H122Y	R 1,707	HP Q3962A no.122a Yellow toner , 4000pages - for HP color laser 2550 series ; color laserjet a-i-o 28202840
To-H123C	R 788	HP Q3971A no.123a Cyan toner , 2000pages - for HP color laser 2550 series ; color laserjet a-i-o 2820 / 2840
To-H123M	R 788	HP Q3973A no.123a Magenta toner , 2000pages - for HP color laser 2550 series ; color laserjet a-i-o 28202840
To-H123Y	R 788	HP Q3972A no.123a Yellow toner , 2000pages - for HP color laser 2550 series ; color laserjet a-i-o 28202840
To-H124M	R 1,971	HP Q6003A no.124a Magenta toner , 2000pages - for HP color laserjet 1600 , 2600N , 2605 series , CM1015MFP , CM1017MFP
To-H125B	R 1,809	HP CB540A no.125a Black toner , 2200pages - for HP color laserjet CP1215 , CP1515 , CP1518 series, CM1312
To-H125Bx2	R 3,363	HP CB540AD no.125a Black toner, Dual pack, 2200pages - for HP colour laserjet CP1215, CP1515, CP1518 series, CM1312
To-H125C	R 1,663	HP CB541A no.125a cyan toner , 1400pages - for HP color laserjet CP1215 , CP1515 , CP1518 series, CM1312
To-H125CMY	R 4,646	HP No 125A 3-pack Cyan/Yellow/Magenta Original LaserJet Toner Cartridges. 1400pages - for HP color laserjet CP1215 , CP1515 , CP1518 series, CM1312
To-H125M	R 1,774	HP CB543A no.125a magenta toner , 1400pages - for HP color laserjet CP1215 , CP1515 , CP1518 series, CM1312
To-H125Y	R 1,663	HP CB542A no.125a yellow toner , 1400pages - for HP color laserjet CP1215 , CP1515 , CP1518 series, CM1312
To-H126Bx2	R 2,101	HP CE310AD no.126a Black toner, Dual pack, 1200pages - for HP colour laserjet CP1025 series, M175 series, M275
To-H126C	R 1,281	HP CE311A no.126a Cyan toner , 1000pages - for HP color laserjet CP1025 series, M175 series , M275. Compatible printers: HP LaserJet Pro CP1025, HP LaserJet Pro CP1025nw, HP LaserJet Pro 100 Color MFP M175nw, HP TopShot LaserJet Pro M275 MFP, HP Color LaserJet Pro M176n, HP Color LaserJet Pro M177fw.
To-H126CMY	R 3,532	HP CF341A no.126a Cyan Magenta Yellow toner , 1000pages - for HP color laserjet CP1025 series, M175 series , M275
To-H126M	R 1,281	HP CE313A no.126A Magenta toner , 1000pages - for HP color laserjet CP1025 series, M175 series , M275. Compatible printers: HP Color LaserJet CP1025, CP1025nw, M175, M275 series.
To-H126Y	R 1,281	HP CE312A no.126a Yellow toner , 1000pages - for HP color laserjet CP1025 series, M175 series , M275. Compatible printers: HP LaserJet Pro CP1025, CP1025nw, M275, M175 series.
To-H128B	R 1,590	HP CE320A no.128a Black toner - for HP color laserjet CP1525 series , CM1415 series
To-H128Bx2	R 2,898	HP CE320AD no.128a Black toner, Dual pack - for HP colour laserjet CP1525 series, CM1415 series
To-H128C	R 1,544	HP CE321A no.128a Cyan toner - for HP color laserjet CP1525 series , CM1415 series
To-H128CMY	R 4,172	HP cf371am no.128a Cyan Magenta Yellow toner - for HP color laserjet CP1525 series, CM1415 series HP No 128A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges
To-H128M	R 1,548	HP CE323A no.128a Magenta toner - for HP color laserjet CP1525 series , CM1415 series
To-H128Y	R 1,544	HP CE322A no.128a Yellow toner - for HP colour laserjet CP1525 series, CM1415 series
To-H12x2	R 3,102	HP q2612ad no.12a x2 Dual pack - black toner , 2x 2000pages - for HP laserjet 1010, 1012, 1015, 1018 , 1020, 1022, 1050laserjet a-i-o M1005, 3015, 3020, 3030, 3050, 3052, 3055 , M1319mfp
To-H130B	R 1,374	HP CF350A no.130a Black toner - for HP color laserjet pro M176N, M177FW
To-H130C	R 1,417	HP CF351A no.130a Cyan toner - for HP color laserjet pro M176N, M177FW
To-H130M	R 1,333	HP CF353A no.130a Magenta toner - for HP color laserjet pro M176N, M177FW
To-H130Y	R 1,417	HP CF352A no.130a Yellow toner - for HP color laserjet pro M176N, M177FW
To-H131AB	R 1,710	HP cf210a no.131A Black toner , 1600pages - for HP color laserjet M276 series, M251 series
To-H131AC	R 2,092	HP cf211a no.131A Cyan toner , 1800pages - for HP color laserjet M276 series, M251 series
To-H131ACMY	R 5,285	HP U0SL1AM no.131A Cyan Yellow Magenta toner , 1800pages - for HP color laserjet M276 series, M251 series
To-H131AM	R 2,092	HP cf213a no.131A Magenta toner , 1800pages - for HP color laserjet M276 series, M251 series
To-H131AY	R 2,092	HP cf212a no.131A Yellow toner , 1800pages - for HP color laserjet M276 series, M251 series
To-H131XB	R 2,121	HP cf210x no.131X Black toner , 2400pages - for HP color laserjet M276 series, M251 series
To-H131XBx2	R 3,413	HP cf210xd no.131X Black toner, Dual pack, 2400pages - for HP colour laserjet M276 series, M251 series
To-H136A	R 923	HP W1360A #136A Black original LaserJet Toner cartridge, 1150 pages yield, Compatible with --> HP LaserJet

		M211d / M211dw / MFP M236d / MFP M236dw / MFP M236sdn / MFP M236sdw printers
To-H136X	R 1,651	HP W1360X #136x Black original LaserJet Toner cartridge, 2600 pages yield, Compatible with --> HP LaserJet M211d / M211dw / MFP M236d / MFP M236dw / MFP M236sdn / MFP M236sdw printers
To-H13X	R 2,873	HP Q2613X 13X High Yield Black LaserJet Toner Cartridge, 4000 page yield, HP LaserJet 1300 compatible, high yield office printing, 333 x 142 x 198 mm, 0.83 kg
To-H147A	R 4,484	HP 147A Black LaserJet Toner cartridge, 10 500 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
To-H147X	R 6,615	HP 147X Black High Yield LaserJet Toner cartridge, 25 200 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
To-H147Y	R 9,107	HP 147Y Black Extra High Yield LaserJet Toner cartridge, 42 000 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
To-H14A	R 4,498	HP cf214A no.14A black toner , 10000pages - for HP LaserJet Enterprise 700 mFP M712 , M725
To-H14X	R 5,061	HP cf214X no.14X black toner , 17500pages - for HP LaserJet Enterprise 700 mFP M712 , M725
To-H15A	R 1,960	HP C7115A no.15A black toner , 2500pages - for HP laserJet 1000w, 1005w, 1200, 1220, 3300mfp, 3320mfp, 3330mfp, 3380mfp
To-H15X	R 2,157	HP C7115X no.15X black toner , 3500pages - for HP laserJet 1000w, 1005w, 1200, 1220, 3300mfp, 3320mfp, 3330mfp, 3380mfp
To-H16	R 4,509	HP Q7516A no.16a black toner , 12000pages - for HP laserjet 5200 series
To-H17	R 1,505	HP CF217A no.17a black toner, 1600 pages, for HP laserjet M102 / M130 series
To-H201B	R 1,694	HP cf400a no.201a Black toner, 1500pages - for HP colour laser M252/M277
To-H201C	R 1,961	HP cf401a no.201a Cyan toner, 1400pages - for HP colour laser M252/M277
To-H201M	R 1,961	HP cf403a no.201a Magenta toner, 1400pages - for HP colour laser M252/M277
To-H201XB	R 2,178	HP cf400x no.201X Black toner, 2800pages - for HP colour laser M252/M277
To-H201XBx2	R 3,919	HP To-H201XBx2 cf400xd no.201X Black toner (Dual pack), 2800 pages, for HP color laser M252 / M277
To-H201XC	R 2,416	HP cf401x no.201X Cyan toner, 2300pages - for HP colour laser M252/M277
To-H201XCMY	R 6,523	HP To-H201XCMY CF253XM no.201X Cyan Magenta Yellow toner, 2300 pages, for HP color laser M252 / M277
To-H201XM	R 2,416	HP cf403x no.201X Magenta Toner, 2300pages - for HP colour laser M252/M277
To-H201XY	R 2,476	HP cf402x no.201X Yellow Toner, 2300pages - for HP colour laser M252/M277
To-H201Y	R 1,961	HP cf402a no.201a Yellow toner, 1400pages - for HP colour laser M252/M277
To-H203B	R 1,390	HP CF540A no. 203a Black toner cartridge, 1400 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203C	R 1,624	HP CF541A no. 203a Cyan toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203M	R 1,624	HP CF543A no. 203a Magneta toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203XB	R 2,111	HP CF540X no. 203x High Yield Black toner cartridge, 3200 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203XC	R 2,184	HP CF541X no. 203x High Yield Cyan toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203XM	R 2,184	HP CF543X no. 203x High Yield Magenta toner cartridge, 2500 pages yield, Compatible with --> HP Color

		LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203XY	R 2,184	HP CF542X no. 203x High Yield Yellow toner cartridge, 2500 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H203Y	R 1,624	HP CF542A no. 203a Yellow toner cartridge, 1300 pages yield, Compatible with --> HP Color LaserJet Pro M254dw / HP Color LaserJet Pro M254nw / HP Color LaserJet Pro MFP M280nw / HP Color LaserJet Pro MFP M281fdn / HP Color LaserJet Pro MFP M281fdw
To-H205B	R 1,094	HP CF530A no. 205a Black toner, 1100 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
To-H205C	R 1,197	HP CF531A no. 205a Cyan toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
To-H205M	R 1,197	HP CF533A no. 205a Magenta toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
To-H205Y	R 1,197	HP CF532A no. 205a Yellow toner, 900 pages yield, Compatible with --> HP Color LaserJet Pro MFP M180n (T6B70A) / HP Color LaserJet Pro MFP M181fw (T6B71A)
To-H207AB	R 1,352	HP w2210a no.207A Black toner, 1350pages - for HP color laserjet M250, M280 series
To-H207AC	R 1,639	HP w2211a no.207A Cyan toner, 1250pages - for HP color laserjet M250, M280 series
To-H207AM	R 1,639	HP w2213a no.207A Magenta toner, 1250pages - for HP color laserjet M250, M280 series
To-H207AY	R 1,639	HP w2212a no.207A Yellow toner, 1250pages - for HP color laserjet M250, M280 series
To-H207XB	R 1,970	HP w2210x no.207X Black toner, 3150pages - for HP color laserjet M250, M280 series
To-H207XC	R 2,075	Hp #207X Cyanlaserjet Toner Cartridge For Cljpro M255/m283 (Yield 2450 Pages)
To-H207XM	R 2,075	HP w2213x no.207X Magenta toner, 2450pages - for HP color laserjet M250, M280 series
To-H207XY	R 2,075	HP w2212x no.207X Yellow toner, 2450pages - for HP color laserjet M250, M280 series
To-H212AB	R 3,508	HP W2120A 212A Black original LaserJet Toner cartridge, 5550 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212AC	R 4,395	HP W2121A 212A Cyan original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212AM	R 4,395	HP W2123A 212A Magenta original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212AY	R 4,395	HP W2122A 212A Yellow original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212XB	R 5,204	HP W2120X High Yield 212X Black original LaserJet Toner cartridge, 13000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212XC	R 7,395	HP W2121X 212X High Yield Cyan original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212XM	R 7,395	HP W2123X 212X High Yield Magenta original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H212XY	R 7,395	HP W2122X 212X High Yield Yellow original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
To-H216B	R 1,053	HP w2410a no.216a Black toner, 1050pages - for HP color laser M182, M183
To-H216C	R 1,139	HP w2411a no.216a Cyan toner, 850pages - for HP color laser M182, M183
To-H216M	R 1,139	HP w2413a no.216a Magenta toner, 850pages - for HP color laser M182, M183
To-H216Y	R 1,139	HP w2412a no.216a Yellow toner, 850pages - for HP color laser M182, M183
To-H25X	R 6,539	HP CF325X no.25X black toner , 3500pages - for HP laserJet 1000w, 1005w, 1200, 1220, 3300mfp, 3320mfp, 3330mfp, 3380mfp / M806, M830 series
To-H26A	R 2,918	HP To-H26A CF226A no.26A black toner, 3100 pages, for HP M402 / M426 series
To-H26X	R 4,823	HP To-H26X CF226X no.26X high yield black toner, 9000 pages, for HP M402 / M426 series
To-H26Xx2	R 8,387	HP To-H26XD CF226XD no.26X high yield black toner Dual Pack, 9000 pages, for HP M402 / M426 series

To-H304B	R 2,801	HP CC530A no.304a Black toner , 3500pages - for HP color laserjet CM2320 series , CP2025 series
To-H304Bx2	R 3,930	HP CC530AD no.304a Black toner, Dual pack, 3500pages - for HP color laserjet CM2320 series, CP2025 series
To-H304C	R 2,761	HP CC531A no.304a Cyan toner , 2800pages - for HP color laserjet CM2320 series , CP2025 series
To-H304CMY	R 7,196	HP cf372am no.304a Cyan Magenta Yellow toner , 2800pages - for HP color laserjet CM2320 series , CP2025 series
To-H304Y	R 2,761	HP CC532A no.304a Yellow toner , 2800pages - for HP color laserjet CM2320 series , CP2025 series
To-H305AB	R 2,053	HP CE410A no.305A Black toner , 2200pages - for HP color laserjet M351, M375, M451, M475
To-H305C	R 2,923	HP CE411A no.305a Cyan toner , 2600pages - for HP color laserjet M351, M375, M451, M475
To-H305CMY	R 7,326	HP No 305A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges. HP cf370am no.305a Cyan Magenta Yellow toner , 2600pages - for HP color laserjet M351, M375, M451, M475.
To-H305M	R 2,923	HP CE413A no.305a Magenta toner , 2600pages - for HP color laserjet M351, M375, M451, M475
To-H305XB	R 2,363	HP CE410X no.305X Black toner , 4000pages - for HP color laserjet M351, M375, M451, M475
To-H305XBx2	R 4,063	HP CE410XD no.305X Black toner, Dual pack, 4000pages - for HP color laserjet M351, M375, M451, M475
To-H305Y	R 2,923	HP CE412A no.305a Yellow toner , 2600pages - for HP color laserjet M351, M375, M451, M475
To-H307B	R 3,692	HP CE740A no.307a Black toner , 7000pages - for HP color laser 5225 series
To-H307C	R 6,502	HP CE741A no.307a Cyan toner , 6000pages - for HP color laser 5225 series
To-H307M	R 6,502	HP CE743A no.307A Magenta toner for HP color laser 5225 series. up to 7300 pages; HP Color LaserJet Professional CP5225 compatible; ColorSphere toner; original HP cartridge; office printing; 492 x 188 x 225mm; 1.8kg
To-H307Y	R 6,094	HP CE742A 307A Yellow LaserJet Toner Cartridge; 7300 pages yield; CP5225 compatible; OEM cartridge; yellow color; office printing; high volume use
To-H308	R 2,140	HP Q2670A no.308a black toner , 6000pages - for HP color laser 3500 series , 3550 series , 3700 series
To-H309C	R 2,140	HP Q2671A no.309a Cyan toner , 4000pages - for HP color laser 3500 series , 3550 series
To-H309M	R 2,140	HP Q2673A no.309a Magenta toner , 4000pages - for HP color laser 3500 series , 3550 series
To-H309Y	R 2,140	HP Q2672A no.309a Yellow toner , 4000pages - for HP color laser 3500 series , 3550 series
To-H30A	R 1,528	HP To-H30A CF230A no.30A black toner, 1600 pages, for HP M203 / M227 series
To-H30X	R 2,136	HP To-H30X CF230X no.30A black high yield toner, 3500 pages, for HP M203 / M227 series
To-H311C	R 1,701	HP Q2681A no.311a Cyan toner , 6000pages - for HP color laser 3700 series
To-H312AB	R 2,098	HP CF380A no.312A Black toner , 2400pages - for HP color laserjet M476
To-H312C	R 2,726	HP CF381a no.312a Cyan toner , 2700pages - for HP color laserjet M476
To-H312CMY	R 7,829	HP To-H312CMY CF440AM no.312a Cyan Magenta Yellow toner, 2700pages, for HP color laserjet M476
To-H312M	R 2,726	HP CF383a no.312a Magenta toner , 2700pages - for HP color laserjet M476
To-H312XB	R 2,520	HP CF380X no.312X Black toner , 4400pages - for HP color laserjet M476
To-H312XBx2	R 4,523	HP To-H312XBx2 CF380XD no.312X Black toner Dual pack, 4400 pages, for HP color laserjet M476
To-H312Y	R 2,726	HP CF382a no.312a Yellow toner , 2700pages - for HP color laserjet M476
To-H314B	R 1,915	HP Q7560A no.314a Black toner , 6500pages - for HP color laserjet 2700series, 3000 series
To-H314C	R 1,689	HP No 314A Cyan toner cartridge (3,500 PGS at 5% coverage). HP Q7561A no.314a Cyan toner , 3500pages - for HP color laserjet 2700series, 3000 series
To-H314M	R 1,689	HP To-H314M Q7563A no.314a Magenta toner, 3500 pages, for HP color laserjet 2700 / 3000 series
To-H331A	R 2,407	HP 331A Black original Laser Toner cartridge, 5000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
To-H331X	R 3,481	HP 331X Black High Yield original Laser Toner cartridge, 15000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
To-H335A	R 799	HP 335A Black original LaserJet Toner cartridge, 7400 page yield, Compatible with --> HP LaserJet MFP M438N / MFP M442DN / MFP M443NDA printers
To-H335X	R 1,015	HP 335X Black High Yield original LaserJet Toner cartridge, 13700 page yield, Compatible with --> HP LaserJet MFP M438N / MFP M442DN / MFP M443NDA printers
To-H35	R 1,555	HP cb435a no.35a black toner, 1500pages - for HP laserjet P1005, P1006
To-H35x2	R 2,185	HP cb435ad no.35a x2 dual pack black toner , 1500pages - for HP laserjet P1005 , P1006

To-H36	R 1,770	HP cb436a no.36a black toner , 2000pages - for HP laserjet P1505 series , M1120 series , M1522 MFP series
To-H37	R 4,222	HP CF237A 37A Black Toner cartridge - 11000 Page yield, Compatible with --> Flow MFP M631h / Flow MFP M632z / M607dn / M607n / M608dn / M608n / M608x / M609dn / M609x / MFP M631dn / MFP M631z / MFP M632fht / MFP M632h printers
To-H37X	R 6,190	HP CF237X no.37X black Toner, 25000pages - for HP laserjet M608, M609, M631, M632 series (Order on request)
To-H37Y	R 8,814	HP CF237Y 37Y Extra High Yield Black Toner cartridge, 41000 Page Yield, Compatible with --> M608dn / M608n / M608x / M609dh / M609dn / M609x / Flow MFP M631h / Flow MFP M632z / Flow MFP M633z / MFP M631z / MFP M632fht / MFP M632h / MFP M633fh printers
To-H410AB	R 2,093	HP To-H410AB CF410A no.410A Black standard yield toner, 2300 pages, for HP color laserjet M377 / M452 / M477 series
To-H410AC	R 2,703	HP To-H410AC CF411A no.410A Cyan standard yield toner, 2300 pages, for HP color laserjet M377 / M452 / M477 series
To-H410AM	R 2,703	HP To-H410AM CF413A no.410A Magenta standard yield toner, 2300 pages, for HP color laserjet M377 / M452 / M477 series
To-H410AY	R 2,703	HP To-H410AY CF412A no.410A Yellow standard yield toner, 2300 pages, for HP color laserjet M377 / M452 / M477 series
To-H410XB	R 3,404	HP To-H410XB no.410X Black high yield toner, 6500 pages, for HP color laserjet M377 / M452 / M477 series
To-H410XBx2	R 6,127	HP CF410XD no.410X Black toner, Dual pack, 6500pages - for HP color laserjet M377, M452, M477 series (ORDER ON REQUEST)
To-H410XC	R 4,557	HP To-H410XC CF411X no.410X Cyan high yield toner, 5000 pages, for HP color laserjet M377 / M452 / M477 series
To-H410XCMY	R 12,304	HP To-H410XCMY CF252XM no.410X Cyan Magenta Yellow toner, 5000 pages, for HP color laserjet M377 / M452 / M477 series
To-H410XM	R 4,557	HP To-H410XM CF413X no.410X Magneta high yield toner, 5000 pages, for HP color laserjet M377 / M452 / M477 series
To-H410XY	R 4,557	HP To-H410XY CF412X no.410X Yellow high yield toner, 5000 pages, for HP color laserjet M377 / M452 / M477 series
To-H415AB	R 1,884	HP W2030A no.415A Black Toner, 2400pages - for HP color laserjet M454, M479 series
To-H415AC	R 2,430	HP W2031A no.415A Cyan Toner, 2100pages - for HP color laserjet M454, M479 series
To-H415AM	R 2,430	HP W2032A no.415A Yellow Toner, 2100pages - for HP color laserjet M454, M479 series
To-H415AY	R 2,430	HP W2033A no.415A Magenta Toner, 2100pages - for HP color laserjet M454, M479 series
To-H415XB	R 3,794	HP W2030X no.415X Black Toner, 7500pages - for HP color laserjet M454, M479 series
To-H415XC	R 5,167	HP W2031X no.415X Cyan Toner, 6000pages - for HP color laserjet M454, M479 series
To-H415XM	R 5,167	HP W2032X no.415X Yellow Toner, 6000pages - for HP color laserjet M454, M479 series
To-H415XY	R 5,167	HP W2033X no.415X Magenta Toner, 6000pages - for HP color laserjet M454, M479 series
To-H42A	R 4,186	HP Q5942A 42A Black LaserJet Toner Cartridge; up to 10000 pages; laser print technology; HP 4200 4250 4350 compatible; office printing; high yield cartridge
To-H42X	R 6,312	HP Q5942X no.42X black toner , 20000pages - for HP laserjet 4250 series , 4350 series
To-H44	R 1,076	HP #44A Black original LaserJet Toner cartridge, 1000 page yield, Compatible with --> HP LaserJet Pro M15 / M15A / M15W / MFP M28A / MFP M28W printers
To-H45	R 5,464	HP Q5945A no.45a black toner, 18000pages - for HP laserjet 4345MFP, M4345mfp
To-H49A	R 2,312	HP Q5949A 49A Black LaserJet Toner Cartridge; 2500 pages yield; HP LaserJet 1160 1320 3390 3392 compatible; standard capacity; office printing; crisp text output; 1 x cartridge
To-H49X	R 4,188	HP Q5949X no.49X black toner, 6000 pages - for HP laserjet 1320 series a-i-o multi-function
To-H503C	R 4,170	HP Q7581A no.503a Cyan toner , 6000pages - for HP color laserjet 3800mfp, CP3505 series
To-H503M	R 4,170	HP Q7583A no.503a Magenta toner , 6000pages - for HP color laserjet 3800mfp, CP3505 series
To-H503Y	R 4,170	HP Q7582A no.503a Yellow toner , 6000pages - for HP color laserjet 3800mfp, CP3505 series
To-H504AB	R 3,067	HP CE250A no.504A Black toner , 5000pages - for HP color laserjet CP3525, CM3530 series
To-H504C	R 6,025	HP CE251A no.504a Cyan toner , 7000pages - for HP color laserjet CP3525, CM3530 series

To-H504M	R 6,025	HP CE253A no.504a Magenta toner , 7000pages - for HP color laserjet CP3525, CM3530 series
To-H504XB	R 4,296	HP CE250X no.504X Black toner , 10500pages - for HP color laserjet CP3525, CM3530 series
To-H504Y	R 6,025	HP CE252A no.504a Yellow toner, 7000pages - for HP colour laserjet CP3525, CM3530 series
To-H507AB	R 3,305	HP CE400A no.507A Black toner , 5500pages - for HP color M551 , M570, M575 series
To-H507C	R 4,923	HP CE401A no.507a Cyan toner, 6000pages - for HP colour M551, M570, M575 series
To-H507M	R 4,923	HP CE403A no.507a Magenta toner , 6000pages - for HP color M551 , M570, M575 series
To-H507XB	R 4,539	HP CE400X no.507X Black toner, 11000pages - for HP colour M551, M570, M575 series
To-H507Y	R 4,923	HP CE402A no.507a Yellow toner, 6000pages - for HP colour M551, M570, M575 series
To-H508AB	R 3,769	HP cf360A no.508A Black toner, 6000pages - for HP colour M552 / M553
To-H508AC	R 4,727	HP cf361A no.508A Cyan toner, 5000pages - for HP colour M552 / M553
To-H508AM	R 4,727	HP cf363A no.508A Magenta toner, 5000pages - for HP colour M552/ M553
To-H508AY	R 4,727	HP cf362A no.508A Yellow toner, 5000pages - for HP colour M552 / M553
To-H508XB	R 4,938	HP cf360X no.508X Black toner, 12500pages - for HP colour M552 / M553
To-H508XC	R 6,838	HP To-H508XC cf361X no.508X Cyan high yield toner, 9500 pages, for HP color M552 / M553 / M577
To-H508XM	R 6,838	HP To-H508XM cf363X no.508X Magenta high yield toner, 9500 pages, for HP color M552 / M553 / M577
To-H508XY	R 6,838	HP To-H508XY cf362X no.508X Yellow high yield toner, 9500 pages, for HP color M552 / M553 / M577
To-H51A	R 3,322	HP Q7551A no.51A black toner , 6500pages - for HP laserJet P3005 series, M3027mfp series, M3035mfp series
To-H53A	R 2,192	HP Q7553A 53A Black LaserJet Toner Cartridge; 3000 page yield; Laser print technology; compatible P2010 P2014 P2015 M2727 series; black monochrome office printing; standard yield cartridge
To-H53X	R 4,131	HP Q7553X 53X High Yield Black LaserJet Toner Cartridge, high yield 7000 pages, laser print technology, black toner, office printing, 390 x 122 x 196 mm, 1.3 kg, HP LaserJet compatible - for HP laserJet P2014, P2015 series, M2727 series
To-H55A	R 3,536	HP CE255A no.55A black toner , 6000pages - for HP laserJet P3010 series, P3015 series , M525 series
To-H55X	R 5,536	HP CE255X no.55X black toner , 12500pages - for HP laserJet P3010 series, P3015 series , M525 series
To-H55Xx2	R 9,298	HP CE255XD (2x no.55X - Dual pack) black toner, 12500pages - for HP laserJet P3010 series, P3015 series, M525 series
To-H56A	R 799	HP cf256a no.56A black Toner, 7400pages - for HP laserjet M433 series, M436 series (Order on request)
To-H56X	R 1,015	HP cf256x no.56X Black Toner, 13700pages - for HP laserjet M436 series
To-H59A	R 2,378	HP CF259A no.59A black Toner, 3000pages - for HP M404, M428 series
To-H59X	R 4,806	HP CF259X no.59X black Toner, 10000pages - for HP M404, M428 series
To-H61X	R 2,604	HP C8061X no.61X black toner, 10000pages - for HP laser all-in-one 4100 series
To-H641B	R 3,747	HP C9720A no.641a Black toner , 9000pages - for HP color laser 4600 series , 4650 series
To-H641C	R 5,175	HP C9721A no.641a Cyan toner , 8000pages - for HP color laser 4600 series , 4650 series
To-H641M	R 4,985	HP C9723A no.641a Magenta toner , 8000pages - for HP color laser 4600 series , 4650 series
To-H642B	R 3,634	HP CB400A no.642a Black toner , 7500pages - for HP CP4005 series
To-H642C	R 5,356	HP Colour Laser Jet CB401A Cyan Print Cartridge - 7500 pages - HP CB401A no.642a Cyan toner , 7500pages - for HP CP4005 series
To-H642Y	R 5,356	HP CB402A no.642a Yellow toner , 7500pages - for HP CP4005 series
To-H643B	R 4,944	HP Q5950A 643A Black LaserJet Toner Cartridge; up to 11000 pages; standard yield; compatible with HP Color LaserJet 4700 series; single cartridge; 40.0 x 14.8 x 26.8cm; 2.2kg
To-H643C	R 7,030	HP Q5951A 643A Cyan LaserJet Toner Cartridge; approx 10000 page yield; business office printing; HP ColorSphere toner; standard capacity cartridge
To-H643M	R 7,030	HP Q5953A 643A Magenta LaserJet Toner Cartridge; 10000 page yield; HP Color LaserJet 4700 compatible; office printing; business documents; plug and print installation
To-H643Y	R 7,030	HP Q5952A 643A Yellow LaserJet Toner Cartridge; approx 10000 pages yield; 1.7kg weight; 400 x 148 x 268mm package; business office printing; HP ColorSphere technology
To-H644C	R 5,522	HP Q6461A no.644a Cyan toner , 12000pages - for HP color laserjet 4730mfp
To-H645B	R 4,863	HP C9730A no.645a Black toner , 13000pages - for HP color laser 5500 series
To-H645C	R 11,122	HP C9731A no.645a Cyan toner , 12000pages - for HP color laser 5500 series

To-H645M	R 8,757	HP C9733A no.645a Magenta toner , 12000pages - for HP color laser 5500 series
To-H645Y	R 8,757	HP C9732A no.645a Yellow toner , 12000pages - for HP color laser 5500 series
To-H646C	R 5,038	HP CF031A no.646a Cyan toner - for HP color laserjet all-in-1 CM4540 series
To-H646M	R 5,330	HP CF033A no.646a Magenta toner - for HP color laserjet all-in-1 CM4540 series
To-H646XB	R 4,670	HP CE264X no.646X Black toner , 17000pages - for HP color all-in-one CM4540 series
To-H646Y	R 5,038	HP CF032A no.646a Yellow toner - for HP color laserjet all-in-1 CM4540 series
To-H647	R 3,617	HP CE260A no.647a black toner, 8500 pages - for HP color laserjet CP4025 series , CP4525 seriesall-in-one CM4540 series
To-H648C	R 6,557	HP ce261A no.648a Cyan toner, 11000 pages - for HP color laserjet CP4025 CP4525 series
To-H648M	R 6,557	HP CE263A 648A Magenta Original LaserJet Toner Cartridge; up to 11000 pages; compatible with HP Color LaserJet CP4025 and CP4525 printers; laser print technology; 390 x 164 x 214mm; 1.3kg
To-H648Y	R 6,557	HP ce262A no. 648a Yellow toner, 11000 pages - for HP color laserjet CP4025 CP4525 series
To-H649	R 5,521	HP ce260x no. 649x black toner , 17000pages - for HP color laserjet CP4025 series , CP4525 series
To-H64A	R 3,872	HP CC364A no.64A black toner , 10000pages - for HP laserjet P4014series , P4015 series , P4515 series
To-H64X	R 5,277	HP CC364X no.64X black toner , 24000pages - for HP laserjet P4014series , P4015 series , P4515 series
To-H650B	R 5,599	HP CE270A 650A Black LaserJet Toner Cartridge; up to 13500 pages; original HP toner; compatible with HP Color LaserJet Enterprise M750 and CP5525 series; 492 x 188 x 225mm; 1.80kg
To-H650C	R 9,122	HP CE271A 650A Cyan LaserJet Toner Cartridge; up to 15000 pages; compatible with HP Color LaserJet Enterprise M750 series; 492 x 188 x 225mm; weight: 1.80kg
To-H650M	R 9,122	HP CE273A 650A Magenta LaserJet Toner Cartridge; 15000 page yield; HP Color LaserJet Enterprise M750 compatible; 492 x 188 x 225mm; weight: 1.80kg
To-H650Y	R 9,122	HP CE272A 650A Yellow LaserJet Toner Cartridge; 15000 page yield; HP ColorSphere technology; compatible with HP Color LaserJet Enterprise M750 series; 492 x 188 x 225mm; weight:1.80kg
To-H651B	R 3,816	HP ce340a no.651a Black toner, 13500 pages - for HP LaserJet Enterprise 700 Colour MFP M775
To-H651C	R 9,810	HP ce341a no.651a Cyan toner, 16000 pages - for HP LaserJet Enterprise 700 Colour MFP M775
To-H651M	R 9,810	HP ce343a no.651a Magenta toner, 16000 pages - for HP LaserJet Enterprise 700 Colour MFP M775
To-H651Y	R 9,810	HP ce342a no.651a Yellow toner, 16000 pages - for HP LaserJet Enterprise 700 Colour MFP M775
To-H652AB	R 4,723	HP cf320a no.652A Black toner , 11500pages - for HP color laserjet M651, M680
To-H653C	R 7,600	HP cf321a no.653a Cyan toner, 16500 pages - for HP color laserjet M680
To-H653M	R 7,600	HP cf323a no.653a Magenta toner, 16500 pages - for HP color laserjet M680
To-H653Y	R 7,600	HP cf322a no.653a Yellow toner , 16500pages - for HP color laserjet M680
To-H654C	R 8,574	HP cf331A no.654a Cyan toner , 15000pages - for HP color laserjet M651
To-H654M	R 8,574	HP cf333A no.654a Magenta toner, 15000 pages - for HP color laserjet M651
To-H654XB	R 6,148	HP cf330x no.654X Black toner , 20500pages - for HP color laserjet M651
To-H654Y	R 8,574	HP cf332A no.654a Yellow toner, 15000 pages - for HP color laserjet M651
To-H655B	R 4,798	HP CF450A no.655a Black Toner, 12500pages - for HP color laser M652, M653, M681, M682 series (Order on request)
To-H655C	R 5,958	HP CF451A no.655a Cyan Toner, 10500pages - for HP color laser M652, M653, M681, M682 series (Order on request)
To-H655M	R 5,958	HP CF453A no.655a Magenta Toner, 10500pages - for HP color laser M652, M653, M681, M682 series (Order on request)
To-H655Y	R 5,958	HP CF452A no.655a Yellow Toner, 10500pages - for HP color laser M652, M653, M681, M682 series (Order on request)
To-H656B	R 7,398	HP CF460X no.656x Black Toner, 27000pages - for HP color laser M652, M653 series (Order on request)
To-H656C	R 10,439	HP CF461X no.656x Cyan toner , 22000pages - for HP color laser M652, M653 series (Order on request)
To-H656M	R 10,439	HP CF463X no.656x Magenta Toner, 22000pages - for HP color laser M652, M653 series (Order on request)
To-H656Y	R 10,114	HP CF462X no.656x Yellow Toner, 22000pages - for HP color laser M652, M653 series (Order on request)
To-H657B	R 7,069	HP CF470X no.657x Black Toner, 28000pages - for HP color laser M681, M682 series (Order on request)
To-H657C	R 8,877	HP CF471X no.657x Cyan toner, 23000pages - for HP color laser M681, M682 series (Order on request)

To-H657M	R 8,877	HP CF473X no.657x Magenta Toner, 23000pages - for HP color laser M681, M682 series (Order on request)
To-H657Y	R 8,877	HP CF472X no.657x Yellow Toner, 23000pages - for HP color laser M681, M682 series (Order on request)
To-H658AB	R 3,371	HP W2000A no.658A Black toner, 7000pages - for HP color laserjet M751
To-H658AC	R 5,127	HP W2001A no.658A Cyan toner, 6000pages - for HP color laserjet M751 (Order on request)
To-H658AM	R 5,127	HP W2003A no.658A Magenta toner, 6000pages - for HP color laserjet M751 (Order on request)
To-H658AY	R 5,127	HP W2002A no.658A Yellow toner, 6000pages - for HP color laserjet M751 (Order on request)
To-H658XB	R 9,295	HP W2000X no.653X Black toner, 33000pages - for HP color laserjet M751 (Order on request)
To-H658XC	R 16,267	HP W2001X no.653X Cyan toner, 28000pages - for HP color laserjet M751 (Order on request)
To-H658xM	R 16,267	HP W2003A no.658A Magenta toner, 6000pages - for HP color laserjet M751
To-H658xY	R 16,267	HP W2003X no.653X Magenta toner, 28000pages - for HP color laserjet M751
To-H70	R 4,425	HP Q7570A no.70a black toner, 15000 pages - for HP laserJet M5025mfp, M5035mfp series
To-H78	R 1,904	HP ce278a no.78a black toner, 2100 pages - for HP laserjet P1566 series, P1606 series all-in-one M1536DNF
To-H78x2	R 3,090	HP ce278ad no.78a x2 Dual pack - black toner , 2x 2100pages - for HP laserjet P1566 series , P1606 seriesall-in-one M1536DNF
To-H80A	R 2,607	HP CF280A no.80A black toner , 2700pages - for HP laserjet 400, M401, M425
To-H80X	R 4,008	HP CF280X no.80X black toner, 6900 pages - for HP laserjet 400, M401, M425
To-H80Xx2	R 7,917	HP CF280XD no.80X black toner, Dual pack, 6900pages - for HP laserjet 400, M401, M425
To-H81A	R 3,916	HP CF281A no.81A black toner , 10500pages - for HP laserjet M630 series
To-H81X	R 6,417	HP CF281X no.81X black toner , 25000pages - for HP laserjet M630 series
To-H823	R 4,968	HP CB380A no.823a black toner , 16500pages - for HP color laser CP6015 series
To-H824C	R 7,779	HP CB381A no.824a Cyan toner , 21000pages - for HP color laserjet CP6015 series , cm6030 , cm6040 series r
To-H824M	R 7,779	HP CB383A no.824a Magenta toner , 21000pages - for HP color laserjet CP6015 series , cm6030 , cm6040 series
To-H824Y	R 7,779	HP CB382A no.824a Yellow toner, 21000 pages - for HP color laserjet CP6015 series , cm6030 , cm6040 series
To-H825	R 1,467	HP CB390A no.825a black toner , 19500pages - for HP color laserjet cm6030 , cm6040 series
To-H826B	R 7,044	HP CF310A no.826a Black toner , 29000pages - for HP color laserjet M855 series
To-H826C	R 11,567	HP CF311A no.826a Cyan toner , 31500pages - for HP color laserjet M855 series
To-H826M	R 11,567	HP CF313A no.826A Magenta toner , 31500pages - for HP color laserjet M855 series
To-H826Y	R 11,567	HP CF312A no.826a Yellow toner , 31500pages - for HP color laserjet M855 series
To-H827B	R 2,399	HP No 827A Black LaserJet Toner Cartridge (CF300A) - 29500pages - for HP color laserjet M880 series
To-H827C	R 10,697	HP CF301A no.827a Cyan toner , 32000pages - for HP color laserjet M880 series
To-H827M	R 10,697	HP CF303A no.827a Magenta toner , 32000pages - for HP color laserjet M880 series
To-H827Y	R 10,697	HP CF302A no.827a Yellow toner , 32000pages - for HP color laserjet M880 series
To-H83	R 1,569	HP CF283A no.83a - black toner , 1500pages - for HP laserjet Pro M125 , M127 , M225 series
To-H83X	R 1,885	HP CF283X no.83X - black toner, 2200pages - for HP laserjet Pro M201, M202, M225 series
To-H83x2	R 2,808	HP CF283AD no.83a - Black Toner, Dual pack, 1500pages - for HP laserjet Pro M125, M127, M201, M225 series
To-H83Xx2	R 3,084	HP To-H83Xx2 CF283XD no.83X black toner Dual pack, 2200 pages, for HP laserjet Pro M125 / M127 / M201 / M225 series
To-H85	R 1,665	HP CE285A 85A Black LaserJet Toner Cartridge, 1600 pages yield, HP 85A compatible printers P1102 M1212 series, office document printing, standard capacity cartridge. Compatibility: HP LaserJet Pro P1100 Series, HP LaserJet Pro M1100 Series (MFP), HP LaserJet Pro M1200 Series (MFP) as listed below
To-H85x2	R 2,670	HP 85A Black Laser Toner cartridge - Dual pack, 1600 page yield, Compatible with --> HP LaserJet Pro M1132 / M1136 MFP / M1139 MFP / M1212NF MFP / M1216NFH MFP / M1217NFW / P1102 / P1102W printers --> HP LaserJet Pro M1132 / M1136 MFP / M1139 MFP / M1212NF MFP / M1216NFH MFP / M1217NFW / P1102 / P1102W printers
To-H87A	R 5,142	HP To-H87A CF287A no.87A black toner, 9000 pages, for HP laserJet M501 / M506 / M527 series
To-H87AS	R 3,163	HP CF287AS no.87AS black toner, 6000pages - for HP laserJet M501, M506, M527 series (ORDER ON REQUEST)
To-H87X	R 7,121	HP CF287X no.87X black toner, 18000pages - for HP laserJet M501, M506, M527 series (Order on request)
To-H87Xx2	R 12,400	HP CF287XD no.87X black toner Dual pack, 18000pages - for HP laserJet M501, M506, M527 series (Order on

		request)
To-H89A	R 3,353	HP CF289A no.89A Black Toner, 5000pages - for HP laserJet M507, M528 series (Order on request)
To-H89X	R 5,013	HP CF289X no.89X Black Toner, 10000pages - for HP laserJet M507, M528 series (Order on request)
To-H89Y	R 6,515	HP 89Y Extra High Yield Black original LaserJet Toner cartridge, 20 000 pages yield, Compatible with --> HP LaserJet M507 / M528 series
To-H90A	R 3,912	HP ce390A no.90A black toner , 10000pages - for HP laserjet M601, M602, M603 , m4555
To-H90X	R 6,539	HP No 90X Black toner cartridge (24000PGS)
To-H90Xx2	R 12,267	HP ce390XD no.90X, Dual pack, black toner, 24000pages - for HP laserjet M602, M603, m4555 (not for M601) (Order on request)
To-L12016SE	R 2,202	Lexmark 0012016SE, 2000pages - for Lexmark E120 series
To-L24016SE	R 2,504	Lexmark 0024016SE E232, E240, E33X, E34X return programme toner cartridge
To-L250A11E	R 3,444	Lexmark 00250A11E , 2500pages - for Lexmark E25x series , E35x series
To-L260A11E	R 2,974	Lexmark 00260A11E , 3500pages - for Lexmark E26x series , E36x series, EX46x series
To-L34016HE	R 3,885	Lexmark 0034016HE , 6000pages - for Lexmark E33x series , E34x series
To-L352H11E	R 6,725	Lexmark 00352H11E , 9000pages - for Lexmark E25x series , E35x series
To-L64016HE	R 11,842	Lexmark 0064016HE , 21000pages - for Lexmark T640 series, T642 series, T644 series
To-L64016SE	R 4,722	Lexmark 0064016SE , 6000pages - for Lexmark T640 series, T642 series, T644 series
To-L80C80C0	R 1,655	Lexmark 80C80C0 808 Cyan - return program toner, 1000 pages - for Lexmark CX310, CX410, CX510 (Order on request)
To-L80C80K0	R 1,259	Lexmark 80C80K0 808 blacK - return program Toner, 1000 pages - for Lexmark CX310, CX410, CX510 (Order on request)
To-L80C80Y0	R 1,655	Lexmark 80C80Y0 808 Yellow - return program toner, 1000 pages - for Lexmark CX310, CX410, CX510 (Order on request)
To-LC5220CS	R 4,291	Lexmark LC5220CS for use with C522/ C524/ C530/ C532/ C534 3k CYAN Return Program Cartridge
To-LC5220KS	R 3,779	Lexmark C5220KS Black Laser Toner cartridge, 4000 pages yield, Compatible with --> Lexmark C522 / C524 / C53X printers
To-LC5220MS	R 4,291	Lexmark 00C5220MS , Magenta , 3000pages - for Lexmark C522, C524, C53x series Laser toner
To-LC5220YS	R 4,291	Lexmark 00C5220YS , Yellow , 3000pages - for Lexmark C522, C524, C53x series
To-LC5240CH	R 5,722	Lexmark 00C5240CH , Cyan , 5000pages - for Lexmark C524, C532, C534 series
To-LC5240KH	R 5,710	Lexmark 00C5240KH , blacK , 8000pages - for Lexmark C524, C534 series
To-LC5240MH	R 5,722	Lexmark 00C5240MH , Magenta , 5000pages - for Lexmark C524, C532, C534 series
To-LC5240YH	R 5,722	Lexmark 00C5240YH , Yellow , 5000pages - for Lexmark C524, C532, C534 series
To-LC5340CX	R 6,638	Lexmark 00C5340CX , Cyan , 7000pages - for Lexmark C534 series
To-LC5340MX	R 6,638	Lexmark 00C5340MX , Magenta , 7000pages - for Lexmark C534 series laser toner
To-LC5340YX	R 6,638	Lexmark 00C5340YX , Yellow , 7000pages - for Lexmark C534 series
To-LC540A1CG	R 1,889	Lexmark C540A1CG - return program toner cartridge , Cyan , 1000pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC540A1KG	R 1,434	Lexmark C540A1KG - return program toner cartridge , blacK , 1000pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC540A1MG	R 1,889	Lexmark C540A1MG - return program toner cartridge , Magenta , 1000pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC540A1YG	R 1,889	Lexmark C540A1YG - return program toner cartridge , Yellow , 1000pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC540H1CG	R 2,632	Lexmark C540H1CG - return program toner cartridge , Cyan , 2000pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC540H1KG	R 2,203	Lexmark C540H1KG - return program toner cartridge , blacK , 2500pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC540H1MG	R 2,632	Lexmark C540H1MG - return program toner cartridge , Magenta , 2000pages - for Lexmark C540, C543, C544, C546, X543, X544

To-LC540H1YG	R 2,632	Lexmark C540H1YG - return program toner cartridge , Yellow , 2000pages - for Lexmark C540, C543, C544, C546, X543, X544
To-LC734A1CG	R 6,952	Lexmark C734A1CG - return program toner cartridge , Cyan , 6000pages - for Lexmark C734, C736, X734, X736, X738
To-LC734A1KG	R 4,350	Lexmark C734A1KG - return program toner cartridge , blacK , 8000pages - for Lexmark C734, C736, X734, X736, X738
To-LC734A1MG	R 6,952	Lexmark C734A1MG - return program toner cartridge , Magenta , 6000pages - for Lexmark C734, C736, X734, X736, X738
To-LC734A1YG	R 6,952	Lexmark C734A1MG - return program toner cartridge , Yellow , 6000pages - for Lexmark C734, C736, X734, X736, X738
To-LC736H1CG	R 11,019	Lexmark C736H1CG - return program toner cartridge , Cyan , 10000pages - for Lexmark C736, X736, X738
To-LC736H1KG	R 6,140	Lexmark C736H1KG - return program toner cartridge , blacK , 12000pages - for Lexmark C736, X736, X738
To-LC736H1MG	R 11,019	Lexmark C736H1MG - return program toner cartridge , Magenta , 10000pages - for Lexmark C736, X736, X738
To-LC736H1YG	R 11,019	Lexmark C736H1YG - return program toner cartridge , Yellow , 10000pages - for Lexmark C736, X736, X738
To-LE360H11E	R 5,742	Lexmark LE360H11E Black High Yield Return Program Laser Toner Cartridge, 9000pages yield, Compatible with --> Lexmark E36x series / EX46x series printers
To-LT650A11E	R 4,892	Lexmark T650A11E standard , 7000pages - for Lexmark T65x series
To-LT650H11E	R 13,622	Lexmark T650H11E high yield , 25000pages - for Lexmark T65x series
To-LX203A11G	R 2,569	Lexmark 0X203A11G , 2500pages - for Lexmark X203, X204 series
To-LX264A11G	R 3,334	Lexmark X264A11G , 3500pages - for Lexmark X264, X363, X364 series
To-LX264H11G	R 5,742	Lexmark X264H11G ,9000pages - for Lexmark X264, X363, X364 series
To-LX644A11E	R 7,873	Lexmark 0X644A11E , 10000pages - for Lexmark x642, X644, X646 series
To-LX644H11E	R 11,842	Lexmark X642e / X644 / X646dte 21,000 page Return Program High Yield Print Cartridge
To-LX644X11E	R 12,752	Lexmark 0X644X11E , 32000pages - for Lexmark X644, X646 series
To-S101S	R 1,633	Samsung mlt-d101S , standard yield black toner , 1500pages - for samsung ML-2165SCX-3405SF-760P
To-S103L	R 2,027	Samsung mlt-d103L , high yield black toner , 2500pages - for samsung ML-295x seriesscx-472x series printer
To-S103S	R 1,479	Samsung mlt-d103S , standard yield black toner , 1500pages - for samsung ML-295x seriesscx-472x series printer
To-S104S	R 1,204	Samsung mlt-d104S, Standard Yield Black Toner, 1500pages - for samsung ML-1860, ML-1865W, SCX-3205W, SF-760P
To-S104X	R 649	Samsung mlt-d104X , standard yield black toner , 700pages - for samsung ML-1860 , ML-1865W, SCX-3205W , SF-760P
To-S108	R 1,630	Samsung mlt-d108s - Black Toner, 1500pages - for Samsung ML-1640/2240
To-S111S	R 1,214	Samsung MLT-D111S , standard yield black toner , 1000pages - for Samsung SL-M2020 series *1000 pages Standard yield* Samsung Xpress SL-M2010, M2010W, M2020, M2020W, M2021, M2021W, M2022, M2022W, M2023, M2023W, M2024, M2024W, M2026, M2026W, M2027, M2027W, M2028, M2028W, M2029, M2029W, M2060FH, M2070, M2070F, M2070FH, M2070FW, M2070HW, M2070W, M2071, M2071F, M2071FH, M2071FW, M2071HW, M2071W, M2073, M2073FW, M2073W, M2074, M2074F, M2074FW, M2074W, M2077, M2077F, M2077FW, M2077W, M2078, M2078F, M2078FW, M2078W, M2079, M2079F, M2079FW, M2079W
To-S116L	R 1,473	Samsung mlt-d116L , high yield black toner , 3000pages - for samsung SL-M2625, 2626, 2825, 2826, 2835, M2675, 2676, 2875, 2876 , 2885
To-S116S	R 681	Samsung mlt-d116S , standard yield black toner , 1200pages - for samsung SL-M2625, 2626, 2825, 2826, 2835, M2675, 2676, 2875, 2876 , 2885
To-S117S	R 1,623	Samsung mlt-d117S Standard Yield Black Toner, 2500pages - for Samsung SCX-4655 series
To-S119	R 1,111	Samsung mlt-119s - Black Toner, 2000pages - for samsung ML-1610/1615/1620/1625/2010/2015/2020/2510/2570/2571 ; SCX-4321/4521
To-S1610	R 173	Samsung ml-1610d2 - Black Toner, 2000pages - for samsung ML-1610/1615
To-S203E	R 3,403	Samsung SAMSUNG MLT-D203E Single cartridge with yield of 10 000 pages @ IDC 5% coverage
To-S203U	R 4,218	Samsung mlt-d203U Extended yield black toner, 15000 pages, for samsung SL-M4020 / 4070
To-S205E	R 3,773	Samsung mlt-d205E high yield black toner, 10000 pages, for samsung ML-3710 / 3712 / SCX-5637 / 5737 / 5639 /

		5739
To-S205L	R 2,109	Samsung mlt-d205L , high yield black toner , 5000pages - for samsung ML-3310ND, 3312ND , 3710NDSCX-4833FD , 4833FR
To-S205S	R 1,259	Samsung mlt-d205S , standard yield black toner , 2500pages - for samsung ML-3310ND, 3312ND , 3710NDSCX-4833FD , 4833FR
To-S208	R 3,652	Samsung mlt-d208L , high yield black toner , 10000pages - for samsung SCX-5635, SCX-5835
To-S208x2	R 1,152	Samsung mlt-p208a (2x mlt-d208L twin pack), Large yield black toner, 10000pages - for samsung SCX-5635, SCX-5835
To-S209L	R 2,210	Samsung mlt-d209L, High Yield Black Toner, 5000pages - for Samsung ML-2855, scx-4824, 4828 series
To-S2850A	R 1,902	Samsung ml-d2850A - Black Toner, 2000pages - for samsung ML-2850/2851
To-S300C	R 734	Samsung clp-C300A - Cyan Toner, 1000pages - for Samsung CLP-300, CLP-300N, CLX-3160FN, CLP-2160N
To-S300K	R 872	Samsung clp-K300A - Black Toner, 2000pages - for samsung CLP-300, CLP-300N, CLX-3160FN, CLP-2160N
To-S300M	R 734	Samsung clp-M300A - Magenta Toner, 1000pages - for Samsung CLP-300, CLP-300N, CLX-3160FN, CLP-2160N
To-S300Y	R 734	Samsung clp-Y300A - Yellow Toner, 1000pages - for Samsung CLP-300, CLP-300N, CLX-3160FN, CLP-2160N
To-S305	R 3,948	Samsung mlt-d305L, Large yield black toner, 15000pages - for samsung ML-3750ND (Order on request)
To-S307E	R 3,675	Samsung mlt-d307E , high yield black toner , 20000pages - for samsung ml-4510ND, 5010ND, 5015ND
To-S307L	R 3,307	Samsung mlt-d307L , high yield black toner , 15000pages - for samsung ml-4510ND, 5010ND, 5015ND
To-S307S	R 2,731	Samsung mlt-d307S high yield black toner, 7000 pages, for samsung ml-4510ND / 5010ND / 5015ND
To-S309L	R 4,429	Samsung mlt-d309L , high yield black toner , 30000pages - for samsung ml-5510ND, 6510ND
To-S309S	R 2,982	Samsung MLT-D309S Black Toner for use with ML-5510N / 5510ND / 5512ND / 6510ND / 6512ND
To-S404C	R 1,065	Samsung clt-C404s Cyan toner standard yield, 1000 Pages, for SL-C43x / SL-C48x
To-S404K	R 1,065	Samsung clt-K404s blacK toner standard yield, 1500 pages, for samsung SL-C43x / SL-C48x series
To-S404M	R 1,065	Samsung clt-M404s Magenta toner standard yield, 1000 Pages, for SL-C43x / SL-C48x
To-S404Y	R 1,065	Samsung clt-Y404s Yellow toner standard yield, 1000 Pages, for SL-C43x / SL-C48x
To-S406C	R 1,065	Samsung clt-C406s Cyan toner , standard yield , 1000pages - for samsung CLP-365 / CLX-3305 / SL-C410 / SL-C460 series
To-S406K	R 1,104	Samsung clt-K406s blacK toner , standard yield , 1500pages - for samsung CLP-365 / CLX-3305 / SL-C410 / SL-C460 series
To-S406M	R 1,065	Samsung clt-M406s Magenta toner , standard yield , 1000pages - for samsung CLP-365 / CLX-3305 / SL-C410 / SL-C460 series
To-S406Y	R 1,065	Samsung clt-Y406s Yellow toner , standard yield , 1000pages - for samsung CLP-365 / CLX-3305 / SL-C410 / SL-C460 series
To-S407C	R 938	Samsung clt-C407s Cyan toner , standard yield , 700pages - for samsung CLP-320, 325CLX-3185
To-S407K	R 1,258	Samsung clt-K407s black toner , standard yield , 1000pages - for samsung CLP-320, 325CLX-3185
To-S407Kx2	R 1,139	Samsung clt-P407B (2x clt-K407s kit) Twin Pack black toner standard yield, 1000 pages, for samsung CLP-320 / 325 / CLX-3185
To-S407M	R 1,187	Samsung clt-M407s Magenta toner , standard yield , 700pages - for samsung CLP-320, 325CLX-3185
To-S407Y	R 1,214	Samsung clt-Y407s Yellow toner , standard yield , 700pages - for samsung CLP-320, 325CLX-3185
To-S409C	R 1,037	Samsung clt-C409s Cyan toner , standard yield , 1000pages - for samsung clp-310, 315CLX-3175, 3170FN
To-S409M	R 1,037	Samsung clt-M409s Magenta toner , standard yield , 1000pages - for samsung clp-310, 315CLX-3175, 3170FN
To-S503C	R 2,559	Samsung clt-C503L / SU016A Cyan toner, high yield, 5000pages - for samsung SL-C3010DW, SL-C3060FW (Order on request)
To-S503M	R 2,559	Samsung clt-M503L / SU283A Magenta toner, high yield, 5000pages - for samsung SL-C3010DW, SL-C3060FW (Order on request)
To-S503Y	R 2,559	Samsung clt-Y503L / SU493A Yellow toner, high yield, 5000pages - for samsung SL-C3010DW, SL-C3060FW (Order on request)
To-S504C	R 1,778	Samsung clt-C504s Cyan toner , standard yield , 1800pages - for samsung CLP-415 series , CLX-4195 series , sl-C1860FW
To-S504K	R 1,711	Samsung clt-K504s blackK toner , standard yield , 2500pages - for samsung CLP-415 series , CLX-4195 series ,

		sl-C1860FW
To-S504M	R 1,778	Samsung clt-M504s Magenta toner , standard yield , 1800pages - for samsung CLP-415 series , CLX-4195 series , sl-C1860FW
To-S504Y	R 1,778	Samsung clt-Y504s Yellow toner , standard yield , 1800pages - for samsung CLP-415 series , CLX-4195 series , sl-C1860FW
To-S505C	R 1,371	Samsung clt-C505L Cyan toner, standard yield, 3500pages - for samsung C2620DW, C2670FW, C2680FX (Order on request)
To-S505K	R 1,371	Samsung clt-K505L Black toner, standard yield, 6000pages - for samsung C2620DW, C2670FW, C2680FX (Order on request)
To-S505M	R 1,371	Samsung clt-M505L Magenta toner , standard yield , 3500pages - for samsung C2620DW, C2670FW, C2680FX (Order on request), Â© 2019 Laptop Direct
To-S505Y	R 1,371	Samsung clt-Y505L Yellow toner, standard yield, 3500pages - for samsung C2620DW, C2670FW, C2680FX (Order on request)
To-S506C	R 2,146	Samsung clt-c506L Cyan toner , Large yield , 3500pages - for samsung CLP-680 series , CLX-6260 series
To-S506CS	R 1,616	Samsung CLT-C506S for use with CLP-680, CLX-6260 Cyan Toner - Low Yield (Order on request)
To-S506KL	R 2,146	Samsung clt-k506L Large Yield Black Toner, 6000pages - for Samsung CLP-680 series, CLX-6260 series
To-S506KS	R 1,415	Samsung clt-k506S blacK toner , Standard yield , 2000pages - for samsung CLP-680 series , CLX-6260 series
To-S506M	R 2,146	Samsung clt-m506L Magenta toner , Large yield , 3500pages - for samsung CLP-680 series , CLX-6260 series Samsung Magenta Toner cartridge with yield of 3500 pages @ IDC 5% coverage for CLP-680, CLX-6260
To-S506MS	R 1,613	Samsung clt-m506S Magenta Toner, Standard yield, 1500pages - for samsung CLP-680 series, CLX-6260 series (Order on request)
To-S506Y	R 2,146	Samsung clt-y506L Yellow toner , Large yield , 3500pages - for samsung CLP-680 series , CLX-6260 series
To-S506YS	R 1,613	Samsung clt-y506S Yellow toner, Standard yield, 1500pages - for samsung CLP-680 series, CLX-6260 series (Order on request)
To-S508C	R 2,121	Samsung clt-C508L Cyan toner , standard yield , 4000pages - for samsung clp-620ND, 670NDSCX-6220FX
To-S508K	R 1,903	Samsung clt-K508L black toner , standard yield , 5000pages - for samsung clp-620ND, 670NDSCX-6220FX
To-S508M	R 2,205	Samsung clt-M508L Magenta toner , standard yield , 4000pages - for samsung clp-620ND, 670NDSCX-6220FX
To-S508Y	R 2,240	Samsung clt-Y508L Yellow toner , standard yield , 4000pages - for samsung clp-620ND, 670NDSCX-6220FX
To-S603C	R 3,096	Samsung clt-C603L / SV232A Cyan toner, high yield, 10000pages - for samsung SL-C4010ND, SL-C4060FX (Order on request)
To-S603K	R 3,152	Samsung clt-K603L / SV241A blacK toner, high yield, 15000pages - for samsung SL-C4010ND, SL-C4060FX (Order on request)
To-S603M	R 3,118	Samsung clt-C603M / SV247A Magenta toner, high yield, 10000pages - for samsung SL-C4010ND, SL-C4060FX (Order on request)
To-S603Y	R 3,118	Samsung clt-C603L / SV253A Yellow toner, high yield, 10000pages - for samsung SL-C4010ND, SL-C4060FX (Order on request)
To-S609K	R 1,201	Samsung clt-K609s black toner , standard yield , 7000pages - for samsung clp-77xND series
To-S609M	R 2,393	Samsung clt-M609s Magenta toner , standard yield , 7000pages - for samsung clp-77xND series
To-S609Y	R 2,293	Samsung clt-Y609s Yellow toner , standard yield , 7000pages - for samsung clp-77xND series
To-S6320R2	R 124	Samsung scx-6320R2 - image unit (drum kit) , 20000pages - for samsung SCX-6122FN, SCX-6320F, SCX-6322DN, SCX-6220, SCX-6520FN
To-S659C	R 3,283	Samsung clt-C659s Cyan toner, standard yield, 20000pages - for samsung CLX-8650ND / 8640ND series (Order on request)
To-S659K	R 1,349	Samsung clt-K659s blacK toner, standard yield, 20000pages - for samsung CLX-8650ND / 8640ND series (Order on request)
To-S659M	R 3,283	Samsung clt-M659s Magenta toner, standard yield, 20000pages - for samsung CLX-8650ND / 8640ND series (Order on request)
To-S659Y	R 3,283	Samsung clt-Y659s Yellow toner, standard yield, 20000pages - for samsung CLX-8650ND / 8640ND series (Order on request)

To-S660CB	R 2,440	Samsung clp-C660B Cyan toner , high yield , 5000pages - for samsung CLP-610 series , CLP-660 series , CLX-6210 series , CLX-6240 series
To-S660MB	R 2,440	Samsung clp-M660B Magenta toner , high yield , 5000pages - for samsung CLP-610 series , CLP-660 series , CLX-6210 series , CLX-6240 series
To-S660YB	R 2,440	Samsung clp-Y660B Yellow toner , high yield , 5000pages - for samsung CLP-610 series , CLP-660 series , CLX-6210 series , CLX-6240 series
U46861301	R 3,878	Printronix LP844C Yellow Laser Toner Cartridge, 10 000 pages yield, Compatible with --> Printronix LP844C Printer
U46861302	R 3,878	Printronix LP844C Magenta Laser Toner Cartridge, 10 000 pages yield, Compatible with --> Printronix LP844C Printer
U46861303	R 3,878	Printronix LP844C Cyan Laser Toner Cartridge, 10 000 pages yield, Compatible with --> Printronix LP844C Printer
U46861304	R 3,878	Printronix LP844C Black Laser Toner Cartridge, 10 000 pages yield, Compatible with --> Printronix LP844C Printer
U52129301	R 2,495	Printronix LP654C Yellow Laser Toner Cartridge, 6000 pages yield, Compatible with --> Printronix LP654C laser printer
U52129302	R 2,495	Printronix LP654C Magenta Laser Toner Cartridge, 6000 pages yield, Compatible with --> Printronix LP654C laser printer
U52129303	R 2,495	Printronix LP654C Cyan Laser Toner Cartridge, 6000 pages yield, Compatible with --> Printronix LP654C laser printer
U52129304	R 2,495	Printronix LP654C Black Laser Toner Cartridge, 7000 pages yield, Compatible with --> Printronix LP654C laser printer
W1103A	R 75	Microworld W1103A compatible Black Laser Toner Cartridge for HP 103A, 2500 page yield, Compatible with --> HP Neverstop Laser Series 1000A / 1000n / 1000W / 1001 / 1020 / HP Neverstop Laser MFP Series 1200A / 1200n / 1200W / 1201 / 1202 printers
W1106A	R 173	Microworld W1106A Black Laser Toner Cartridge for HP 106A, 1000 pages yield, Compatible with --> HP Laser 107A / 107W / Laser MFP 135A / 135W / Laser MFP 137fnw printers
W1331A	R 2,366	HP 331A Black original Laser Toner cartridge, 5000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
W1331X	R 3,429	HP 331X Black High Yield original Laser Toner cartridge, 15000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
W1335A	R 787	HP 335A Black original LaserJet Toner cartridge, 7400 page yield, Compatible with --> HP LaserJet MFP M438N / MFP M442DN / MFP M443NDA printers
W1335X	R 1,014	HP 335X Black High Yield original LaserJet Toner cartridge, 13700 page yield, Compatible with --> HP LaserJet MFP M438N / MFP M442DN / MFP M443NDA printers
W1450A	R 1,510	HP W1450A 145A Black original LaserJet Toner Cartridge, 1700 pages yield, Compatible with --> LaserJet Pro 3003 / MFP 3103 printers
W1450X	R 2,246	HP W1450X 145X Black original LaserJet Toner Cartridge, 3800 pages yield, Compatible with --> LaserJet Pro 3003 / MFP 3103 printers
W1470A	R 4,061	HP 147A Black LaserJet Toner cartridge, 10 500 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
W1470X	R 6,700	HP 147X Black High Yield LaserJet Toner cartridge, 25 200 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
W1470Y	R 8,963	HP 147Y Black Extra High Yield LaserJet Toner cartridge, 42 000 page yield, Compatible with --> HP LaserJet Enterprise flow MFP M634H / MFP M635Z / MFP M636Z / HP LaserJet Enterprise M610DN / M611DN / M611X / M612DN / M612X / MFP M634Z / MFP M635FHT printers
W1500A	R 950	HP W1500A 150A Black original LaserJet Toner cartridge, 975 pages yield, Compatible with --> HP LaserJet

		M111a / M111w / MFP M141a / MFP M141w printers
W1510A	R 2,209	HP W1510A 151A Black LaserJet Toner Cartridge, 3050 pages yield, Compatible with --> HP LaserJet Pro 4003w / 4003dw / 4003dn Printers
W1510X	R 4,768	HP W1510X 151X Black High Capacity LaserJet Toner Cartridge, 9700 pages yield, Compatible with --> HP LaserJet Pro 4003w / 4003dw / 4003dn Printers
W2000A	R 3,503	HP 658A Black LaserJet Toner Cartridge, 7000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2000X	R 9,383	HP 658X Black High Yield LaserJet Toner Cartridge, 33000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2001A	R 5,328	HP 658A Cyan LaserJet Toner Cartridge, 6000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2001X	R 16,420	HP 658X Cyan High Yield LaserJet Toner Cartridge, 28000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2002A	R 5,328	HP 658A Yellow LaserJet Toner Cartridge, 6000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2002X	R 16,420	HP 658X Yellow High Yield LaserJet Toner Cartridge, 28000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2003A	R 5,328	HP 658A Magenta LaserJet Toner Cartridge, 6000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2003X	R 16,420	HP 658X Magenta High Yield LaserJet Toner Cartridge, 28000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
W2010A	R 3,703	Hp #659a Black Original Laserjet Toner For Lj Enterprise Mfp M776 Series (16000 Yield)
W2010X	R 5,647	Hp #659x High Yield Black Original Laserjet Toner For Lj Enterprise Mfp M776 Series (34000 Yield)
W2011A	R 8,126	Hp #659a Cyan Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
W2011X	R 11,899	Hp #659x High Yield Cyan Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
W2012A	R 8,348	Hp #659a Yellow Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
W2012X	R 11,899	Hp #659x High Yield Yellow Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
W2013A	R 8,352	Hp #659a Magenta Original Laserjet Toner For Lj Enterprise Mfp M776 Series (13000 Yield)
W2013X	R 8,497	Hp #659x High Yield Magenta Original Laserjet Toner For Lj Enterprise Mfp M776 Series (29000 Yield)
W2030A	R 1,824	HP #415 Black LaserJet Toner cartridge, 2400 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2030A	R 265	HP #415 Black LaserJet Toner cartridge, 2400 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2030X	R 3,726	HP #415X Black High Yield LaserJet Toner cartridge, 7500 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2031A	R 2,366	HP #415 Cyan LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2031A	R 265	HP #415 Cyan LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2031X	R 4,873	HP #415X Cyan High Yield LaserJet Toner cartridge, 6000 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2032A	R 2,366	HP #415 Yellow LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2032A	R 265	HP #415 Yellow LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2032X	R 5,090	HP #415X Yellow High Yield LaserJet Toner cartridge, 6000 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2033A	R 2,366	HP #415 Magenta LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers

W2033A	R 265	HP #415 Magenta LaserJet Toner cartridge, 2100 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2033X	R 5,090	HP #415X Magenta High Yield LaserJet Toner cartridge, 6000 pages yield, Compatible with --> HP color LaserJet Pro M454DN / M454DW / MFP M479DW / MFP M479FDN / MFP M479FDW / MFP M479FNW printers
W2070A	R 265	Microworld W2070A compatible Black Laser Toner Cartridge for HP 117A, 1000 page yield, Compatible with --> HP Colour Laser Series 150A / 150nw / HP Colour Laser MFP Series 178nw / 179fnw printers
W2071A	R 265	Microworld W2071A compatible Cyan Laser Toner Cartridge for HP 117A, 700 page yield, Compatible with --> HP Colour Laser Series 150A / 150nw / HP Colour Laser MFP Series 178nw / 179fnw printers
W2072A	R 265	Microworld W2072A compatible Yellow Laser Toner Cartridge for HP 117A, 700 page yield, Compatible with --> HP Colour Laser Series 150A / 150nw / HP Colour Laser MFP Series 178nw / 179fnw printers
W2073A	R 265	Microworld W2073A compatible Magenta Laser Toner Cartridge for HP 117A, 700 page yield, Compatible with --> HP Colour Laser Series 150A / 150nw / HP Colour Laser MFP Series 178nw / 179fnw printers
W2120A	R 3,710	HP W2120A 212A Black original LaserJet Toner cartridge, 5550 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2120X	R 5,406	HP W2120X High Yield 212X Black original LaserJet Toner cartridge, 13000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2121A	R 4,653	HP W2121A 212A Cyan original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2121X	R 7,465	HP W2121X 212X High Yield Cyan original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2121X	R 575	HP W2121X 212X High Yield Cyan original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2122A	R 4,635	HP W2122A 212A Yellow original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2122X	R 7,465	HP W2122X 212X High Yield Yellow original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2123A	R 4,653	HP W2123A 212A Magenta original LaserJet Toner cartridge, 4500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2123X	R 7,465	HP W2123X 212X High Yield Magenta original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2123X	R 575	HP W2123X 212X High Yield Magenta original LaserJet Toner cartridge, 10000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP M578c / MFP M578z / M554dn Printer / M555dn / M555x / M578dn printers
W2130A	R 2,466	HP 213A Black original LaserJet Toner Cartridge, 3500 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2130X	R 3,918	HP 213X Black High Yield original LaserJet Toner Cartridge, 9000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2130Y	R 6,349	HP 213Y Black Extra High Yield original LaserJet Toner Cartridge, 18000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2131A	R 3,416	HP 213A Cyan original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2131X	R 5,183	HP 213X Cyan High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2131Y	R 7,806	HP 213Y Cyan Extra High Yield original LaserJet Toner Cartridge, 12000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn

		/ 6800zfw printers
W2132A	R 3,493	HP 213A Yellow original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2132X	R 5,183	HP 213X Yellow High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2132Y	R 7,806	HP 213Y Yellow Extra High Yield original LaserJet Toner Cartridge, 12000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2133A	R 3,416	HP 213A Magenta original LaserJet Toner Cartridge, 3000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2133X	R 5,183	HP 213X Magenta High Yield original LaserJet Toner Cartridge, 6000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2133Y	R 7,783	HP 213Y Magenta Extra High Yield original LaserJet Toner Cartridge, 12000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 5800dn / 5800f / 6700dn / 5800zf / 6701dn / 5700dn / 6800zfw printers
W2140Z	R 7,534	HP 214Z Ultra High Yield Black original LaserJet Toner Cartridge, 31000 pages yield, Compatible with --> HP Color LaserJet Enterprise 6700dn / 6701dn Printers
W2170Z	R 7,132	HP 217Z Ultra High Yield Black original LaserJet Toner Cartridge, 32000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
W2171Z	R 8,731	HP 217Z Ultra High Yield Cyan original LaserJet Toner Cartridge, 24000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
W2172Z	R 8,731	HP 217Z Ultra High Yield Yellow original LaserJet Toner Cartridge, 24000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
W2173Z	R 8,731	HP 217Z Ultra High Yield Magenta original LaserJet Toner Cartridge, 24000 pages yield, Compatible with --> HP Colour LaserJet Enterprise MFP 6800dn / 6800zf / 6800zfsw / 6800zfw printers
W2210A	R 265	Microworld W2210A compatible Black Laser Toner Cartridge for HP 207A, 1350 page yield, Compatible with --> Colour LaserJet Pro Series M255dw / Colour LaserJet Pro MFP Series M282nw / M283fdn / M283fdw printers
W2211A	R 265	Microworld W2211A compatible Cyan Laser Toner Cartridge for HP 207A, 1250 page yield, Compatible with --> Colour LaserJet Pro Series M255dw / Colour LaserJet Pro MFP Series M282nw / M283fdn / M283fdw printers
W2212A	R 265	Microworld W2212A compatible Yellow Laser Toner Cartridge for HP 207A, 1250 page yield, Compatible with --> Colour LaserJet Pro Series M255dw / Colour LaserJet Pro MFP Series M282nw / M283fdn / M283fdw printers
W2213A	R 265	Microworld W2213A compatible Magenta Laser Toner Cartridge for HP 207A, 1250 page yield, Compatible with --> Colour LaserJet Pro Series M255dw / Colour LaserJet Pro MFP Series M282nw / M283fdn / M283fdw printers
W2220A	R 1,320	HP W2220A 222A Black Original LaserJet Toner Cartridge, 1300 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
W2220X	R 1,942	HP W2220X 222X High Yield Black Original LaserJet Toner Cartridge, 3200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
W2221A	R 1,589	HP W2221A 222A Cyan Original LaserJet Toner Cartridge, 1200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
W2221X	R 2,218	HP W2221X 222X High Yield Cyan Original LaserJet Toner Cartridge, 2500 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
W2222A	R 1,589	HP W2222A 222A Yellow Original LaserJet Toner Cartridge, 1200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers

W2223A	R 1,589	HP W2223A 223A Magenta Original LaserJet Toner Cartridge, 1200 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
W2223X	R 2,218	HP W2223X 222X High Yield Magenta Original LaserJet Toner Cartridge, 2500 pages yield, Compatible with --> LaserJet Pro 3203 / 3288 MFP / 3303 / 3388 printers
W2300A	R 1,712	HP 230A original Black LaserJet Toner Cartridge, 2000 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2300X	R 3,496	HP 230X original Black LaserJet Toner Cartridge, 7500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2301A	R 2,082	HP 230A original Cyan LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2301X	R 4,295	HP 230X original Cyan LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2302A	R 2,075	HP 230A original Yellow LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2302X	R 4,325	HP 230X original Yellow LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2303A	R 2,067	HP 230A original Magenta LaserJet Toner Cartridge, 1800 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
W2303X	R 4,295	HP 230X original Magenta LaserJet Toner Cartridge, 5500 pages yield, Compatible with --> HP LaserJet Pro 4201 / 4202 / 4203 / 4301 / 4302 / 4303 printers
X950X2KG	R 3,771	LEXMARK X950, X952, X954 Black Extra High Yield Toner Cartridge, Â© 2014 Laptop Direct
X950X2MG	R 16,394	LEXMARK X950, X952, X954 Magenta Extra High Yield Toner Cartridge, Â© 2014 Laptop Direct

< Return to the menu

Printer consumables : Printer consumables / spares

Product code	Price	Description
1156C009AA	R 766	Canon MC-32 Maintenance Cartridge, Compatible with --> imagePROGRAF TC-20 / TC-20m printers
1173001	R 3,762	Oki Fuser Unit - C910 / C920, Yield: 50 000
1173101	R 3,784	OKI Printer Transfer Belt - C910 / C920, YIELD: 50 000
1206601	R 2,047	OKI 01206601 Fuser Unit, 100 000 page yield, Compatible with --> ES2632A3 / ES8430 / ES8451 MFP / ES8460 MFP / ES8461 printers
1206701	R 2,047	OKI 01206701 Transfer Belt, 80 000 page yield, Compatible with --> ES2632A3 / ES8430 / ES8451 MFP / ES8460 MFP / ES8461 printers
1247401	R 2,026	OKI 01247401 Yellow Image Drum unit, 20 000 page yield, Compatible with --> ES8430 / ES8451 MFP / ES8460 MFP / ES8461 MFP printers
1247402	R 2,026	OKI 01247402 Magenta Image Drum unit, 20 000 page yield, Compatible with --> ES8430 / ES8451 MFP / ES8460 MFP / ES8461 MFP printers
1247403	R 2,026	OKI 01247403 Cyan Image Drum unit, 20 000 page yield, Compatible with --> ES8430 / ES8451 MFP / ES8460 MFP / ES8461 MFP printers
1247404	R 1,576	OKI 01247404 Black Image Drum unit, 20 000 page yield, Compatible with --> ES8430 / ES8451 MFP / ES8460 MFP / ES8461 MFP printers
1272901	R 1,884	OKI 01272901 Yellow Image Drum Unit, 20 000 page yield, Compatible with --> ES6410 printers
1272902	R 1,800	OKI 01272902 Magenta Image Drum Unit, 20 000 page yield, Compatible with --> ES6410 printers
1272903	R 1,800	OKI 01272903 Cyan Image Drum Unit, 20 000 page yield, Compatible with --> ES6410 printers
1272904	R 887	OKI 01272904 Black Image Drum Unit, 20 000 page yield, Compatible with --> ES6410 printers
1275101	R 1,686	OKI 1275101 Yellow (Y) Imaging Drum, 20000 pages yield, Compatible with --> OKI ES7411 / ES7411WT / Pro7411WT printers
1275102	R 1,686	OKI 1275102 Magenta (M) Imaging Drum, 20000 pages yield, Compatible with --> OKI ES7411 / ES7411WT / Pro7411WT printers

1275103	R 1,686	OKI 1275103 Cyan (C) Imaging Drum, 20000 pages yield, Compatible with --> OKI ES7411 / ES7411WT / Pro7411WT printers
1275105	R 3,614	OKI 1275105 White (WT) Imaging Drum, 6000 pages yield, Compatible with --> OKI ES7411 / ES7411WT / Pro7411WT printers
1282903	R 2,509	OKI 01282903 Image Drum Unit, 20 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
1283601	R 2,363	OKI 01283601 Black Image Drum, 25 000 page yield, Compatible with --> ES4131 / ES4132 / ES4191 MFP / ES4192 MFP / ES5112 / ES5162 printers
1333301	R 1,923	OKI 01333301 Yellow Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
1333302	R 1,923	OKI 01333302 Magenta Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
1333303	R 1,923	OKI 01333303 Cyan Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
1333304	R 1,923	OKI 01333304 Black Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
2165C001AA	R 2,262	Canon 049 BK Black drum unit, 12 000 pages yield, Compatible with --> Canon imageCLASS LBP110 / MF110 / MF112 / MF113 printers
2170C001AA	R 2,484	Canon 051 Drum unit, 23 000 pages yield, Compatible with --> LBP162dw / MF264dw / MF267dw / MF269dw printers
42918105	R 4,161	Oki C9600/9800/9850 Yellow Drum 30,000 pages, Â© 2014 Laptop Direct
42918106	R 4,161	Oki C9600/9800/9850 Magenta Drum 30,000 pages, Â© 2014 Laptop Direct
42918107	R 4,161	Oki C9600/9800/9850 Cyan Drum 30,000 page yield toner, Â© 2014 Laptop Direct
42918108	R 4,161	Oki C9600/9800/9850 Black Drum 30,000 page yield toner
42918182	R 3,563	OKI 42918182 Magenta Image Drum Unit, 30 000 page yield, Compatible with --> ES3640a3 / ES3640pro / ES3640pro MFP printers
43381705	R 1,620	Oki C5600/5700 Yellow Drum 20,000 page, Â© 2014 Laptop Direct
43381706	R 1,620	Oki C5600/5700 Magenta Drum 20,000 pages - OKI 43381706, Â© 2014 Laptop Direct
43381707	R 1,620	OKI 43381707, C5600/5700, Drum Cyan, 20K, Â© 2014 Laptop Direct
43381708	R 1,695	Oki C5600/5700 Black Drum 20k, Â© 2014 Laptop Direct
43870005	R 1,620	Oki C5650/5750 Yellow Drum 20k, Â© 2014 Laptop Direct
43870006	R 1,427	Oki C5650/5750 Magenta Drum 20k, Â© 2014 Laptop Direct
43870008	R 1,695	Oki C5650/5750 Black Drum 20k, Â© 2014 Laptop Direct
43870021	R 1,620	Oki C5850/5950/MC560 Yellow Drum 20k, Â© 2014 Laptop Direct
43870022	R 1,620	Oki C5850/5950/MC560 Magenta Drum 20k, Â© 2014 Laptop Direct
43870024	R 1,620	Oki C5850/5950/MC560 Black Drum 20,000 pages, Â© 2014 Laptop Direct
43979002	R 4,278	OKI 43979002, Drum, 25K
44035518	R 6,027	Oki C910 Magenta Drum 20,000 page yield toner
44035519	R 5,762	Oki 44035519 / C910 Cyan Drum 20,000 page yield toner
44035521	R 3,586	OKI 44035521 Yellow Image Drum Unit, 20 000 page yield, Compatible with --> ES9410 / ES9420WT printers
44035524	R 2,185	OKI 45009001 Black Image Drum Unit, 20 000 page yield, Compatible with --> ES9410 / ES9420 printers
44064009	R 2,870	Oki C810/C830/MC860 Yellow Drum 20,000 pages, Â© 2014 Laptop Direct
44064010	R 2,870	Oki C810/C830/MC860 Magenta Drum 20,000 pages, Â© 2014 Laptop Direct
44064011	R 2,870	Oki C810 / C830 / MC860 Cyan Drum 20k OKI 44064011
44064012	R 3,003	Oki C810/C830/MC860 Black Drum 20k, Â© 2014 Laptop Direct
44289103	R 3,458	OKI 44289103 Fuser Unit for Colour Laser, 60000 pages, Compatible with OKI C610 Colour Printer / OKI C711 Colour Printer
44315105	R 2,939	Oki C610 Yellow Drum 20,000 pages, Â©2014 Laptop Direct
44315106	R 2,939	Oki C610 Magenta Drum 20,000 pages
44315107	R 2,939	Oki C610 Cyan Drum 20,000 pages OKI 44315107
44315108	R 1,665	Oki C610 Black Drum 20,000 pages OKI 44315108
44318505	R 3,479	Oki C711 Yellow Drum 20,000 pages
44318506	R 3,479	Oki C711 Magenta Drum 20k, Â© 2014 Laptop Direct
44318507	R 3,479	Oki C711 Cyan Drum 20,000 pages

44318508	R 1,960	Oki 44318508, C710/C711N/C711DN/C711WT, Drum Black, 20K, Â©2014 Laptop Direct
44341902	R 2,700	OKI 44341902 Transfer Belt Unit for Colour Laser, 60000 pages, Compatible with OKI C610 Colour Printer / OKI C711 Colour Printer
44472202	R 1,786	OKI 44472202, Belt Unit C310/ 330/ 510, 60K
44472603	R 1,786	OKI 44472603, Fuser Unit C310/ 330/ 511, 60K
44494202	R 3,610	OKI 44494202 Drum C310/C330/C510 20000 pages. Compatible with: Oki C310dn toner cartridges, Oki C310n toner cartridges, Oki C330dn toner cartridges, Oki C510dn toner cartridges, Oki C530dn toner cartridges, Oki MC351 toner cartridges, Oki MC361 toner cartridges, Oki MC361DN toner cartridges, Oki MC561 toner cartridges, Oki MC561dn toner cartridges.
44574302	R 2,816	OKI 44574302, B411/B431/MB461/71/91, Drum, 25,000 pages
44574307	R 2,974	OKI 44574307, Drum, 25k
44844405	R 4,209	OKI 44844405 Yellow (Y) Drum Kit for laser printer, 30000 page yield, Compatible with C831 / C841 printers
44844406	R 4,023	OKI 44844406 Magenta (M) Drum Kit for laser printer, 30000 pages yield, Compatible with C831 / C841 printers
44844407	R 4,023	OKI 44844407 Cyan (C) Drum Kit for laser printer, 30000 page yield, Compatible with C831 / C841 printers
44844408	R 4,023	OKI 44844408 Black (K) Drum Kit for laser printer, 30000 page yield, Compatible with C831 / C841 printers
44844417	R 2,660	OKI 44844417 Yellow (Y) Imaging Drum, 20000 pages yield, Compatible with --> Pro8432WT printer
44844418	R 2,660	OKI 44844418 Magenta (M) Imaging Drum, 20000 pages yield, Compatible with --> Pro8432WT printer
44844419	R 2,660	OKI 44844419 Cyan (C) Imaging Drum, 20000 pages yield, Compatible with --> Pro8432WT printer
44844420	R 2,363	OKI 44844420 Black Image Drum Unit, 30 000 page yield, Compatible with --> ES8431 / ES8441 printers
44844469	R 3,272	OKI 44844469 Yellow Drum for laser printer, 30000 page yield, Compatible printers MC853 / MC873
44844470	R 3,424	OKI 44844470 Magenta Drum for laser printer, 30000 page yield, Compatible printers MC853 / MC873
44844471	R 3,272	OKI 44844471 Cyan Drum for laser printer, 30000 page yield, Compatible printers MC853 / MC873
44844472	R 3,424	OKI 44844472 Black Drum for laser printer, 30000 page yield, Compatible printers MC853 / MC873
44844473	R 2,662	OKI 44844473 Yellow Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
44844474	R 2,662	OKI 44844474 Magenta Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
44844475	R 2,662	OKI 44844475 Yellow Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
44844476	R 1,852	OKI 44844476 Black Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
44846204	R 2,450	OKI 44846204 Transfer Belt Unit for laser printers, 80000 page yield, Compatible with OKI C822 / OKI C822dn / OKI C822n / OKI C831 / OKI C831cdtn / OKI C831dn / OKI C831n / OKI C841 / OKI C841cdtn / OKI C841dn / OKI C841n / OKI MC853 / OKI MC853dn / OKI MC853dnct / OKI MC853dnv / OKI MC873 / OKI MC873dn / OKI MC873dnct / OKI MC873dnv
44848805	R 2,529	Genuine Oki 44848805 FUSER-UNIT-C831/841., Â© 2014 Laptop Direct
44848806	R 2,784	OKI 44848806 Fuser Unit for laser printer, 100000 page yield, Compatible with C831 / C841
44968301	R 3,225	OKI 44968301, Drum C310/C330/C510, 20K
45103719	R 6,984	OKI 45103719 Yellow (Y) Imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45103720	R 6,984	OKI 45103720 Magenta (M) Imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45103721	R 6,984	OKI 45103721 Cyan (C) Imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45103722	R 3,911	OKI 45103722 Black (B) Imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45380003	R 3,060	Oki Fuser-Unit MC760/770/780/ES7460/80 60,000 pages, Â© 2014 Laptop Direct
45381102	R 2,509	OKI 5381102, MC760dn / C760dnf / MC770dnf / MC780dfnf, Belt, 60k, Â© 2014 Laptop Direct
45395701	R 6,203	Oki MC760/770/780 Yellow Drum 30,000 page yield toner, Â© 2014 Laptop Direct
45395702	R 6,203	Oki MC760/770/780 Magenta Drum 30,000 page yield toner, Â© 2014 Laptop Direct
45395703	R 6,203	Oki MC760/770/780 Cyan Drum 30,000 pages, Â© 2014 Laptop Direct
45395704	R 3,723	Oki MC760/770/780 Black Drum 30,000 page, Â© 2014 Laptop Direct

45435104	R 5,563	OKI 45435104, B721dn / B731dnw / MB760DNFax / MB770dnfax / MB770dfnfax, 200k Maintenance Kit, 200k, Â© 2014 Laptop Direct
45456302	R 2,331	OKI 45456302 Black Image Drum, 72 000 page yield, Compatible with --> ES7131 / ES7170 printers
45531113	R 4,191	Oki C931 Fuser 150, 000 pages (OKI 45531113) FUSER-C931 / ES9431 / 9541
45531223	R 3,810	OKI 45531223 Belt Unit, 150 000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
45639502	R 630	OKI 45639502 Waste Toner Box, 120 000 page yield, Compatible with --> ES9465 / ES9475 printers
45643801	R 966	OKI 46564901 Colour Image Drum, 105 000 page yield, Compatible with --> ES9465 / ES9475 printers
4589C001AA	R 198	Canon MC-G02 LFP Maintenance Toner, Compatible with --> Canon Pixma Pixma G3560 / G3520 / G2560 / G2520 / G1520 / G3460 / G3420 / G2460 / G2420 / G1420 / G650 / G640 / G550 / G540 printers
4628C001AA	R 426	Canon MC-G01 LFP Maintenance Toner, Compatible with --> Canon GX6050 / GX7050 / GX6040 / GX7040 printers
46358502	R 1,429	OKI 46358502 Fuser Unit, 60 000 page yield, Compatible with --> C532dn, MC563dn, MC573dn printers
46394902	R 1,786	OKI 46394902 Transfer Belt Unit, 60 000 page yield, Compatible with --> C532dn, MC563dn, MC573dn printers
46438001	R 3,543	OKI 46438001 Yellow (Y) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C823n / C833 / C843 printer
46438002	R 3,543	OKI 46438002 Magenta (M) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C823n / C833 / C843 printer
46438003	R 3,543	OKI 46438003 Cyan (C) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C823n / C833 / C843 printer
46438004	R 3,543	OKI 46438004 Black (K) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C823n / C833 / C843 printer
46484105	R 1,084	OKI 46484105 Yellow (Y) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C532 / MC573 printers
46484106	R 1,135	OKI 46484106 Magenta (M) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C532 / MC573 printers
46484107	R 1,135	OKI 46484107 Cyan (C) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C532 / MC573 printers
46484108	R 1,084	OKI 46484108 Black (K) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C532 / MC573 printers
46484121	R 919	OKI 46484121 Yellow Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46484122	R 919	OKI 46484122 Magenta Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46484123	R 919	OKI 46484123 Cyan Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
46507305	R 2,336	OKI 46507305 Yellow (Y) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C612 printer
46507306	R 2,336	OKI 46507306 Magenta (M) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C612 printer
46507307	R 2,336	OKI 46507307 Cyan (C) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C612 printer
46507413	R 2,075	OKI 46507413 Yellow (Y) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
46507414	R 2,075	OKI 46507414 Magenta (M) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
46507415	R 2,075	OKI 46507415 Cyan (C) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
46507416	R 1,556	OKI 46507416 Black (K) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
46564901	R 1,952	OKI 46564901 Black Image Drum, 210 000 page yield, Compatible with --> ES9465 / ES9475 printers
50F0Z00	R 1,076	Lexmark 500Z Return Program Imaging Unit (MS310, MS410, MS510, MS610, MX310, MX410, MX510, MX511, MX611), 60000 pgs, Â© 2014 Laptop Direct
50F0Z0E	R 1,076	Lexmark 50F0Z0E Black Return Program Imaging Drum Unit, 60 000 pages yield, Compatible with --> , B2442dw / MS421dw / MB2442adwe / MS521dn / MX521ade / MX622ade / MS621dn / MX522adhe / MS622de / B2546dw / MX622adhe / MB2546adwe / MS321dn / MX321adw / MX321adn / MS421dn / MX421ade / B2338dw / MB2338adw / MX331adn printers
54G0W00	R 1,019	LEXMARK MS911de / MX910de / MX910dxe / MX911de / MX912de / XM9145 / XM9155 / XM9165 Waste Toner

		Bottle - 90,000 pages
54G0W00	R 1,198	LEXMARK MS911de/ MX910de/ MX910dxe/ MX911de/ MX912de/ XM9145/ XM9155/ XM9165 Waste Toner Bottle - 90,000 pages
56F0Z00	R 1,036	Lexmark 56F0Z00 Black Return Program Imaging Unit
56F0Z0E	R 1,216	Lexmark 56F0Z0E Corporate Imaging Unit, Â© 2019 Laptop Direct
5794C001AA	R 404	Canon MC-G03 Maintenance Cartridge, Compatible with --> GX4020 / GX3020 Maxify MegaTank printers
5813C001AA	R 193	Canon MC-G04 Maintenance Cartridge, Compatible with --> Pixma G2570 / G2470 / G4570 / G4470 / G1530 / G1430 / G3571 / G3471 / G3572 / G3472 / G3570 / G3470 printers
5HH67A	R 10,652	HP 4YL17A LaserJet 220V Fuser kit, 150 000 page yield, Compatible with --> HP coloor LaserJet Enterprise M856dn / Flow MFP M776z / Flow MFP M776zs / MFP M776dn printers
70C0Z50	R 7,683	Lexmark 700z5 Black And Colour Imaging Unit - 40000 Pgs - Cs310n, Cs310dn, Cs410n, Cs410dn, Cs410dtn, Cs510de, Cs510dte, Cx310n, Cx310dn, Cx410e, Cx410de, Cx410dte, Cx510de, Cx510dhe, Cx510dthe
72K0W00	R 969	Lexmark 72K0W00 Waste Toner bottle, 115 000 pages yield, Compatible with --> C6160 / CS820de / CS820dte / CS820dtfe / CX820de / CX820dtfe / CX825de / CX825dte / CX825dtfe / CX860de / CX860dte / CX860dtfe / XC6152de / XC6152dtfe / XC8155de / XC8155dte / XC8160de / XC8160dte printers
74C0W00	R 707	LEXMARK Waste Toner Bottle, 90,000 pages, C4150 / CS720de / CS720dte / CS725de / CS725dte / CX725de / CX725dhe / CX725dthe / XC4150
74C0ZK0	R 1,586	Lexmark 74C0ZK0 Black Return Programme Imaging Unit, 150 000 pages yield, Compatible with --> CS720 / CS725 / CX725 C4150 / CS720de / CS720dte / CS725de / CS725dte / CX725de / CX725dhe / CX725dthe / XC4150 printers
78C0W00	R 685	Lexmark 78C0W00 Waste Toner bottle, 25000 pages yield, Compatible with --> MC2640adwe / C2325dw / C2535dw / CX622ade / CS421dn / CS521dn / CX625adhe / C2425dw / CX522ade / CS622de / MC2425adw / CX421adn / MC2535adwe printers
8520B002	R 3,138	Canon C-EXV47 Black drum unit, 39 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335
8521B002	R 3,606	Canon C-EXV47 Cyan drum unit, 33 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335
8522B002	R 3,606	Canon C-EXV47 Magenta drum unit, 33 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335
8523B002	R 3,606	Canon C-EXV47 Yellow drum unit, 33 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335
9437B002AA	R 1,362	Canon C-EXV 50 Black Drum Unit, 35500 pages yield Compatible with --> Imagerunner IR1435 printers
ABRDR2305	R 130	Astrum Brother Toner drum unit DR2305 for HLL2365dw / MFCL2700d printers
ACL002	R 805	Evolis ACL002 Advanced Cleaning Kit
BU-223CL	R 1,840	Brother BU-223CL Transfer Belt Unit, 50000 pages yield compatible with --> HL-HL3210cw / HL-L3230cdw / HL-L3270cdw / HL-L3290cdw / MFC-HL3710cw / MFC-L3750cdw / MFC-L3770cdw printers
BU-229CL	R 1,840	Brother BU-229CL Transfer Belt Unit, 60000 pages yield, Compatible with --> HL-L3220cdw / HL-L3280cdw / HL-L3295cdw / HL-L3300cdw / HL-L8245cdw / MFC-L3720cdw / MFC-L3765cdw / MFC-L3780cdw / MFC-L8395cdw printers
BU-330CL	R 805	Brother BU-330CL belt unit, 50 000 pages yield, Compatible with --> MFC-L8900cdwmt Printer
BU220CL	R 1,840	Belt Unit, 50 000 PGS BU220CL
BU320CL	R 1,955	Brother BU320CL Belt unit, 50 000 pages
C049D	R 2,479	Canon 049 BK Black drum unit, 12 000 pages yield, Compatible with --> Canon imageCLASS LBP110 / MF110 / MF112 / MF113 printers
C13T671400	R 960	Epson T6714 Maintenance box, Compatible with --> WF-C20590 Printer
C13T671600	R 437	Epson C13T671600 maintenance box, Compatible with --> WorkForce Pro WF-M5799DW / WF-M5299DW / WF-M5298DW / WF-C5790DWF / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C529RDTW / WF-C529R / WF-C5290DW / WF-C5210DW printers
C717M	R 4,089	Canon C717M Magenta Colour Laser Toner Cartridge (I-SENSYS MF8450)
C890191	R 720	Epson Maintenance Tank for Stylus Pro 7800/ 9800/ 4880/ 7880/ 9880/ 11880/ 7900/ 9900/ 7890/ 9890
C934591	R 396	Epson C9345 Ink Maintenance Box, Compatible with --> WF-78xx / ET-58xx / ET-166xx / L65xx / L151xx printers
C934911	R 685	Epson C934911 staples for A3 RIPS, Compatible with --> WF-C879r Printer, C12C934911

C935941	R 335	Epson C12C935941 Roller Paper Feed for Paper Tray, Compatible with --> WF-C21000 / WF-C20750 printers
C937181	R 904	Epson C937181 Maintenance Box, Compatible with --> WorkForce Enterprise AM-C4000 / AM-C5000 / AM-C6000 printers, C12C937181
CANON MC-G02	R 177	Canon MC-G02 LFP Maintenance Toner, Compatible with --> Canon Pixma G3560 / G3520 / G2560 / G2520 / G1520 / G3460 / G3420 / G2460 / G2420 / G1420 / G650 / G640 / G550 / G540 printers
CCEXV47DBK	R 2,876	Canon C-EXV47 Black Drum Unit, 39 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335 printers
CCEXV47DC	R 3,513	Canon C-EXV47 Cyan Drum Unit, 33 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335 printers
CCEXV47DM	R 3,513	Canon C-EXV47 Magenta Drum Unit, 33 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335 printers
CCEXV47DY	R 3,513	Canon C-EXV47 Yellow Drum Unit, 33 000 pages yield, Compatible with --> imageRUNNER 1325 / 1335 printers
CCEXV50DRUM	R 1,317	Canon C-EXV 50 Black Drum Unit, 35500 pages yield Compatible with --> Imagerunner IR1435 printers
CCRG051DRUM	R 2,711	Canon 051 Drum unit, 23 000 pages yield, Compatible with --> LBP162dw / MF264dw / MF267dw / MF269dw printers
CCRG053DRUMBK	R 5,780	Canon CRG 053 Black original Drum Unit, 70 000 pages yield, Compatible with --> Canon LBP852cx Printer
CF257A	R 3,085	HP 57A Original LaserJet Imaging Drum, YIELD : 80000
CF358A	R 2,279	HP No 828A Black LaserJet Imaging Drum (CF358A) Page Yield : 30000
CF359A	R 6,066	HP No 828A Cyan LaserJet Imaging Drum (CF359A). Page yield 30,000 pages
CF364A	R 6,348	HP No 828A Yellow LaserJet Imaging Drum (CF364A). 30,000 page yield.
CF365A	R 6,173	HP # 828A MAGENTA LASERJET TONER CARTRIDGE. 30,000 PAGE YIELD.
CMC08	R 1,558	Canon Mc-08 Maintenance Cartridge
CMC10	R 1,558	Canon Maintenance Cartridge Mc-10, for Canon Wide Format Inkjet Printers iPF650 / iPF755 / iPF655 / IPF750
CMC20	R 408	Canon Mc-20 Maintenance Cartridge
CMC30	R 1,558	Canon Maintenance Cartridge Mc-30, imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000
CMC31	R 1,558	Canon MC-31 Maintenance Cartridge, Compatible with --> imagePROGRAF TM-200 / TM-300 / TM-305 printers
CMC32	R 896	Canon MC-32 Maintenance Cartridge, Compatible with --> imagePROGRAF TC-20 Large Format Printer
CMCG01	R 461	Canon MC-G01 LFP Maintenance Toner, Compatible with --> Canon GX6050 / GX7050 / GX6040 / GX7040 printers
CMCG02	R 206	Canon MC-G02 LFP Maintenance Toner, Compatible with --> Canon Pixma G3560 / G3520 / G2560 / G2520 / G1520 / G3460 / G3420 / G2460 / G2420 / G1420 / G650 / G640 / G550 / G540 printers
CMCG03	R 419	Canon MC-G03 Maintenance Cartridge for GX3040 / GX4040 printers
CMCG04	R 201	Canon MC-G04 Maintenance Cartridge, Compatible with --> Pixma G2570 / G2470 / G4570 / G4470 / G1530 / G1430 / G3571 / G3471 / G3572 / G3472 / G3570 / G3470 printers
CMCG05	R 230	Canon MC-G05 Maintenance Cartridge for GX1050 / GX2040 / GX2050 printers, 6000 pages yield
CNBRDR1000	R 506	Brother DR1000 Drum Unit, 10 000 pgs
CNBRDR2125	R 1,895	Brother DR-2125 Drum Unit; laser printing; up to 12000 pages; monochrome printing; compatible with Brother HL-2140 HL-2150N HL-2170W DCP-7030 DCP-7040 MFC-7320 MFC-7440N MFC-7840W; genuine Brother consumable; 35.4 x 22.8 x 11.8 cm; 0.74kg
CNBRDR2255	R 1,643	Brother DR-2255 Drum Unit for HL2270DW (Yield: 12 000 Pages)
CNBRDR2305	R 1,643	Brother DR2305 Drum Unit 12000 pages
CNBRDR261CL	R 2,781	Brother DR-261CL Drum Unit HL3151CDN BLACK DRUM 15000 PAGES
CNBRDR3355	R 2,528	Brother DR-3355 Drum Unit, ©2014 Laptop Direct
CNBRDR3405	R 2,528	Brother DR3405 Drum Unit - 50 000PGS
CNBRDR340CL	R 2,844	Brother DR340CL Drum Unit for HL-4570CDW / 4150CDN / MFC9970CDW / 9460CDN 25 000 PGS
CNBRDR361CL	R 2,654	Brother DR361CL MFC8850CDW DRUM, 25 000 pages
CNBRDR461CL	R 3,159	Brother DR461CL Drum Unit, 50000 pages yield, Compatible with --> HLL8360CDW Colour laser printer
CNCACRG049BK	R 2,232	Canon 049 BK Black drum unit, 12 000 pages yield, Compatible with --> Canon imageCLASS LBP110 / MF110 / MF112 / MF113 printers

CNCAMC-05	R 915	Canon Maintenance Cartridge MC-05, for imagePROGRAF iPF500 / iPF510 / iPF5000 / iPF5100
CNCAMC-10	R 1,187	Canon Maintenance Cartridge Mc-10, for Canon Wide Format Inkjet Printers iPF650 / iPF755 / iPF655 / IPF750
CNCAMC-16	R 1,064	Canon Maintenance Cartridge Mc-16, for imagePROGRAF iPF600 / iPF605 / iPF610 / iPF6000S / iPF6100 / iPF6200 / iPF6300 / iPF6300S / iPF6350 / iPF6400
CNCAMC-30	R 1,187	Canon Maintenance Cartridge Mc-30, imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000
CNCAMC-G01	R 438	Canon MC-G01 LFP Maintenance Toner, Compatible with --> Canon GX6050 / GX7050 / GX6040 / GX7040 printers
CNCAMC-G02	R 196	Canon MC-G02 LFP Maintenance Toner, Compatible with --> Canon Pixma G3560 / G3520 / G2560 / G2520 / G1520 / G3460 / G3420 / G2460 / G2420 / G1420 / G650 / G640 / G550 / G540 printers
CNCAPF-03	R 7,246	Canon Print Head Pf-03, for imagePROGRAF iPF500 / iPF510 / iPF600 / iPF605 / iPF610 / iPF700 / iPF710 / iPF720 / iPF810 / iPF815 / iPF820 / iPF825 / iPF5000 / iPF5100 / iPF6000S / iPF6100 / iPF6200 / iPF8000 / iPF8000S / iPF8100 / iPF9000 / iPF9000S / iPF9100
CNCAPF-05	R 7,246	Canon Print Head Pf-05, for imagePROGRAF iPF6300 / iPF6300S / iPF6350 / iPF6400 / iPF6400S / iPF6400SE / iPF6450 / iPF8300 / iPF8300S / iPF8400 / iPF8400S / iPF8400SE / iPF9400 / iPF9400S
CNCAPF-10	R 10,004	Canon Print Head Pf-10, for imagePROGRAF PRO-2000 / PRO-4000 / PRO-4000S / PRO-6000S
CNHP3MZ76A	R 7,713	HP Heated Pressure Roller 220V for use with HP PageWide Enterprise Color Flow MFP 785z
CNHP3WT88A	R 6,491	HP 3WT88A LaserJet 220V fuser KIT, 150 000 pages yield, compatible with --> HP Colour LaserJet Enterprise M751n / M751dn printers
CNHP3WT89A	R 9,279	HP 3WT89A LaserJet intermediate transfer belt kit, 150 000 pages yield, Compatible with --> M751n / M751dn / M856dn / M856x / MFP M776dn / MFP M776z / MFP M776zs printers
CNHP4YL17A	R 7,212	HP 4YL17A LaserJet 220V fuser kit, 150 000 page yield, Compatible with --> HP coloor LaserJet Enterprise M856DN / Flow MFP M776Z / Flow MFP M776ZS / MFP M776DN printers
CNHP527F9A	R 896	HP 527F9A LaserJet Toner Collection unit, 150000 pages yield
CNHP527G0A	R 7,198	HP 527G0A LaserJet 110V Fuser kit, 225000 pages yield
CNHP527G1A	R 6,659	HP 527G1A LaserJet 220V Fuser kit, 225000 Pages yield
CNHP527G2A	R 11,386	HP 527G2A LaserJet 110V enhanced Fuser kit, 200000 pages yield
CNHP527G6A	R 7,788	HP 527G6A LaserJet 110V enhanced Fuser kit, 225000 page yield
CNHP527G8A	R 7,683	HP 527G8A LaserJet image transfer belt, 225000 pages yield
CNHP527G9A	R 9,003	HP 527G9A LaserJet image transfer belt kit, 225000 pages yield
CNHP527H2A	R 960	HP 527H2A LaserJet tray 2 roller kit, 150000 page yield
CNHP527H3A	R 960	HP 527H3A LaserJet MP tray roller kit, 150000 pages yield
CNHPB3M78A	R 6,015	HP LaserJet 220V Maintenance Kit, 225,000 pages
CNHPB5L09A	R 986	HP Officejet Enterprise Ink Collection Unit 115,000 pages
CNHPB5L36A	R 4,293	HP LaserJet 220v Fuser Kit M552 / M553 (Only one 220V unit included)
CNHPB5L37A	R 414	HP Color LaserJet B5L37A Toner Collection Unit Approximately 54,000 pages (1 unit only)
CNHPC1N54A	R 8,028	HP LaserJet 110v Fuser Maintenance Kit, 130,000 pages
CNHPC1N58A	R 7,958	HP LaserJet 220v Fuser Maintenance Kit, 130,000 pages
CNHPC2H57A	R 11,760	HP LaserJet 220v Maintenance/Fuser Kit, 200,000 pages
CNHPC9153A	R 15,378	HP LaserJet 9000 P.M. kit (220V), Average yield: 350,000 pages
CNHPCB389A	R 7,780	HP LaserJet 220V PM Kit, Average yield: 225,000 pages For Managed E77822/ E77825/ E77830
CNHPCE246A	R 6,084	Hp Colour Laserjet 110v Fuser Kit For Hp Color Pagewide Mfp 785z / E77650z / E77660z/ E776z Series
CNHPCE247A	R 4,715	HP Color LaserJet 220V Fuser Kit, 150,000 pages
CNHPCE249A	R 6,532	HP Color LaserJet Transfer Kit, 150,000 pages
CNHPCE254A	R 370	HP LaserJet CP3525 Toner Collection Unit, Approximately 36,000 pages
CNHPCE265A	R 457	HP 648A Toner Collection Unit, 36,000 pages
CNHPCE314A	R 2,025	HP No 126A HP CLJ CP1025 Imaging Drum; 14000 black pages; 7000 color pages; HP Color LaserJet compatible; 0.50kg weight; 363 x 92 x 160mm package; laser imaging unit; office printing component
CNHPCE484A	R 5,828	HP Fuser 110V Preventative Maint Kit, 150,000 pages
CNHPCE506A	R 4,222	HP CP3525 MFP 220V Fuser Kit, 150,000 pages

CNHPCE515A	R 6,189	HP LaserJet 220V Fuser Kit, 150,000 pages
CNHPCE516A	R 7,017	Hp Laserjet Image Transfer Kit For M525/flow M525
CNHPCE732A	R 7,037	Hp Laserjet Ent M4555 Mfp 220v Pm Kit for Clj 5500
CNHPCE978A	R 7,238	HP Color LaserJet CP5525 220V Fuser Kit, Up to 150,000 pages
CNHPCE980A	R 635	Hp Colour Laserjet Cp5525 Toner Kit For Managed E82540/ E82550/ E82560 (Toner collection)
CNHPCF065A	R 7,021	Hp Laserjet Printer 220v Maintenance Kit For M602
CNHPCF219A	R 1,727	HP 19A CF219A LaserJet Imaging Drum, 12000 Pages yield
CNHPCF232A	R 2,093	HP CF232A 32A Imaging Drum, 23000 Page Yield
CNHPCF254A	R 7,669	Hp Laserjet 220v Maintenance Kit For M712
CNHPCF257A	R 3,121	HP 57A Original LaserJet Imaging Drum
CNHPCF358A	R 2,291	HP No 828A Black LaserJet Imaging Drum (CF358A)
CNHPCF359A	R 6,339	HP No 828A Cyan LaserJet Imaging Drum (CF359A)
CNHPCF364A	R 6,339	HP No 828A Yellow LaserJet Imaging Drum (CF364A)
CNHPCF365A	R 5,881	HP No 828A Magenta LaserJet Imaging Drum (CF365A)
CNHPD7H14A	R 11,410	Hp Laserjet Transfer And Roller For M880
CNHPF2G77A	R 7,254	Hp Laserjet Printer 220v Maintenance Kit For M577/ Flow M577
CNHPJ8J88A	R 7,593	Hp Laserjet 220v Maintenance Kit For M570
CNHPJ8J95A	R 1,387	Hp 300 Adf Roller Replacement for M527/flow M527
CNHPL0H24A	R 8,012	Hp Laserjet 110v Maintenance Kit For M607/m608/m609/e60055/e60065/e60075 Series
CNHPL0H25A	R 8,012	Hp Laserjet 220v Maintenance Kit For M607/ M608/ M609/ E60055/ E60065/ E60075 Series
CNHPL2718A	R 937	HP 100 ADF Roller Replacement Maintenance Kit
CNHPP1B91A	R 7,889	Hp Laserjet 110v Maintenance Kit. (Note: 110Volt unit - not for SA. South Africa requires P1B92A)
CNHPP1B92A	R 7,889	Hp Laserjet 220v Maintenance Kit For E57540/ Flow E57540
CNHPP1B93A	R 9,016	Hp Laserjet Image Transfer Belt Kit For M680/ Flow M680
CNHPP1B94A	R 616	Hp Laserjet Toner Collection Unit For M680/ Flow M680
CNHPQ5422A	R 6,117	Hp Laserjet 4250/4350 220v Maintenance Kit For Cp4005, Average yield: 225,000 pages
CNHPSS847A	R 1,415	Samsung MLT-W706 Waste Toner Collector
CNHPSS850A	R 508	Samsung MLT-W708 Waste Toner Collector
CNHPSU403A	R 2,160	Samsung CLT-R406 Imaging Unit - CLP-365/CLX-3305 Series, SL-C410W/SL-C460W/SL-C460FW, SL-C430W, SL-C480W, SL-C480FW - OPC Drum - (16K/4K Page Yield)
CNHPSU426A	R 255	Samsung CNSACLT-W406S CLP-360/365, CLX-3300/3305 Waste Toner Container
CNHPSU437A	R 520	Samsung CNSACLT-W506 CLP-680ND/CLX-6260 Series, SL-C2680FX - Waster Toner Bottle - (14K/3.5K Page Yield)
CNHPSV134A	R 1,297	Samsung - MLT-R116 Imaging Unit - SL-M2825ND; SL-M2825DW; SL-M2675F, SL-M2875FD, SL-M2875FW, SL-M2835DW/SL-M2885FW - Photoconductor/Drum unit - (9000 Page Yield)
CNHPSV145A	R 3,008	Samsung MLT-R303 Imaging Unit
CNHPSV167A	R 4,303	Samsung MLT-R358 Black Imaging Unit
CNHPW1104A	R 1,433	HP #104A Black original Laser imaging drum, 20000 page yield, Compatible with --> HP Neverstop Laser 1000A / 1000W / MFP 1200A printers
CNHPW1120A	R 2,516	HP #120A original Laser imaging drum, 16000 pages yield, Compatible with --> HP color Laser MFP 178nw / 179fnw printers
CNHPW1332A	R 2,992	HP 332A Black Original Laser Imaging Drum, 30 000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
CNHPW1B43A	R 1,645	Hp Pagewide Printer Wiper Kit For E52545/ Flow E52545
CNHPW1B44A	R 2,720	Hp Pagewide Service Fluid Container For 4200
CNHPW1B45A	R 328	Hp Pagewide Roller Kit For 4200
CNHPW1B47A	R 497	HP ADF Roller Replacement Kit
CNHPW2004A	R 4,856	HP 660A Original LaserJet Imaging Drum, 65000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer

CNHPW5U23A	R 2,044	Hp 200 Adf Roller Replacement Kit For Hp Color Pagewide Mfp E58650
CNOKZ01282903	R 3,191	OKI 01282903 Image Drum Unit, 20 000 page yield, Compatible with --> ES5431 / ES3452 / ES5462 printers
CNOKZ01283601	R 2,703	OKI 01283601 Black Image Drum, 25 000 page yield, Compatible with --> ES4131 / ES4132 / ES4191 MFP / ES4192 MFP / ES5112 / ES5162 printers
CNOKZ01333301	R 1,953	OKI 01333301 Yellow Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ01333302	R 1,953	OKI 01333302 Magenta Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ01333303	R 1,953	OKI 01333303 Cyan Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ01333304	R 1,953	OKI 01333304 Black Image Drum, 30000 page yield, Compatible with --> ES7470 / ES7480 printers
CNOKZ09006125	R 2,648	OKI 9006125 C650 Transfer Belt, 60 000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006126	R 2,648	OKI 9006126 C650 Fuser, 60 000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006131	R 1,986	OKI 9006131 C650 Black Imaging Drum, 50 000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006132	R 1,986	OKI 9006132 C650 Cyan Imaging Drum, 50 000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006133	R 1,986	OKI 9006133 C650 Magenta Imaging Drum, 50 000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ09006134	R 1,986	OKI 9006134 C650 Yellow Imaging Drum, 50 000 pages yield, Compatible with --> OKI C650 / C650dn printers
CNOKZ43979002	R 4,791	Oki 43979002 Drum for B410, B430, B440 25k
CNOKZ44289103	R 4,100	Oki C610/C711 Fuser Unit 60k
CNOKZ44341902	R 2,454	OKI 44341902 Transfer Belt Unit for Colour Laser, 60000 pages, Compatible with OKI C610 Colour Printer / OKI C711 Colour Printer
CNOKZ44472202	R 2,000	Oki 44472202 C310/C330/C331/MC351/MC361/MC352dn/MC362dn/MC561/C510/C511/C531/MC562 Belt Unit 60k
CNOKZ44472603	R 2,000	Oki Z44472603 C310/C330/C331/MC351/MC361/MC352dn/MC362dn/MC561/C510/C511/C531/MC562 Fuser Unit 60k
CNOKZ44574302	R 2,256	Oki 44574302 for B411DN/B431DN/MB461/MB471W/MB491 Image Drum 25k
CNOKZ44574307	R 3,330	Oki 44574307 for B401d/MB441/MB451 Drum 25k
CNOKZ44844469	R 2,567	OKI MC853/873 Yellow Drum = 30,000 pages
CNOKZ44844470	R 2,567	OKI MC853/873 Magenta Drum = 30,000 pages
CNOKZ44844471	R 2,567	OKI MC853/873 Cyan Drum = 30,000 pages
CNOKZ44844472	R 2,567	OKI MC853/873 Black Drum = 30,000 pages
CNOKZ44844473	R 2,828	OKI 44844473 Yellow Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ44844474	R 2,828	OKI 44844474 Magenta Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ44844475	R 2,828	OKI 44844475 Cyan Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ44844476	R 1,967	OKI 44844476 Black Image Drum, 30 000 page yield, Compatible with --> ES8453 / ES8473 printers
CNOKZ44846204	R 2,402	Oki C831/C841 Transfer Belt 80,000 pages
CNOKZ44848805	R 2,481	Oki C831/C841 Fuser Unit 100,000 page yield
CNOKZ44968301	R 3,611	Oki 44968301 C511dn/C531dn/C510/C530/MC561/MC562dw Drum 20k
CNOKZ45103719	R 8,880	OKI 45103719 Yellow (Y) imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45103720	R 8,880	OKI 45103720 Magenta (M) imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45103721	R 8,880	OKI 45103721 Cyan (C) imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45103722	R 4,974	OKI 45103722 Black (B) Imaging Drum, 40000 pages yield, Compatible with --> OKI PRO9431 / PRO9431EC / PRO9431EV / PRO9541 / PRO9541EC / PRO9541EV / PRO9542 / PRO9542EC / PRO9542EV printers
CNOKZ45103723	R 4,884	OKI 45103723 White (WT) Imaging Drum, 20000 pages yield, Compatible with --> OKI ES9541 / Pro9541 / Pro9541Ec / Pro9541Ev printers
CNOKZ45103724	R 4,884	OKI 45103724 clear (CL) imaging Drum, 20000 pages yield, Compatible with --> OKI ES9541 / PRO9541 / PRO9541ec / PRO9541ev printers
CNOKZ45380003	R 2,736	Oki Fuser-Unit MC760/770/780/ES7460/80 60,000 pages

CNOKZ45381102	R 2,845	Oki Belt-Unit MC760/770/780/ES7460/80 60,000 pages
CNOKZ45435104	R 5,204	OKI B721/31/MB760/70/ES7131/7170 Maintenance Kit = 200,000 pages
CNOKZ45456302	R 2,958	OKI 45456302 Black Image Drum, 72 000 page yield, Compatible with --> ES7131 / ES7170 printers
CNOKZ45531113	R 5,329	Oki C931 Fuser 150,000 pages (OKI 45531113)
CNOKZ45531223	R 4,845	OKI 45531223 belt unit, 150 000 pages yield, Compatible with --> OKI PRO9431 / PRO9431ec / PRO9431ev / PRO9541 / PRO9541ec / PRO9541ev / PRO9542 / PRO9542ec / PRO9542ev printers
CNOKZ45531503	R 534	Oki C931 Waster Toner Box (OKI 45531503)
CNOKZ46358502	R 2,000	OKI 46358502 Fuser Unit, 60 000 page yield, Compatible with --> C532dn, MC563dn, MC573dn printers
CNOKZ46394902	R 2,000	OKI 46394902 Transfer Belt Unit, 60 000 page yield, Compatible with --> C532dn, MC563dn, MC573dn printers
CNOKZ46484121	R 1,170	OKI 46484121 Yellow Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46484122	R 1,170	OKI 46484122 Magenta Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46484123	R 1,170	OKI 46484123 Cyan Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46484124	R 1,170	OKI 46484124 Black Image Drum, 30 000 page yield, Compatible with --> ES5432 / ES5442 / ES5473 / ES5463 printers
CNOKZ46507413	R 1,840	OKI 46507413 Yellow (Y) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
CNOKZ46507414	R 1,840	OKI 46507414 Magenta (M) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
CNOKZ46507415	R 1,840	OKI 46507415 Cyan (C) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
CNOKZ46507416	R 1,387	OKI 46507416 Black (K) Laser printer Drum Unit, 30 000 page yield, Compatible with --> C712 printer
CNOKZ46857505	R 2,642	OKI 46857505 Yellow (Y) Laser Imaging Drum, 30 000 page yield, Compatible with --> OKI C824 / C834 / C844 Colour printers
CNOKZ46857506	R 2,642	OKI 46857506 Magenta (M) Laser Imaging Drum, 30 000 page yield, Compatible with --> OKI C824 / C834 / C844 Colour printers
CNOKZ46857507	R 2,642	OKI 46857507 Cyan (C) Laser Imaging Drum, 30 000 page yield, Compatible with --> OKI C824 / C834 / C844 Colour printers
CNOKZ46857508	R 2,642	OKI 46857508 Black (B) Laser Imaging Drum, 30 000 page yield, Compatible with --> OKI C824 / C834 / C844 Colour printers
CNOKZ47074503	R 2,167	OKI 47074503 Laser Belt Unit, 80 000 page yield, Compatible with --> OKI C824 / C834 / C844 Colour printers
CNOKZ47219604	R 2,156	OKI 47219604 Laser Fuser Unit, 100 000 page yield, Compatible with --> OKI C824 / C834 / C844 Colour printers
CPF03	R 10,292	Canon Print head PF-03
CPF04	R 9,526	Canon PF-04 Print head
CPF05	R 10,292	Canon Print Head PF-05
CPF06	R 10,292	Canon PF-06 Print Head, Compatible with --> Canon imagePROGRAF TX-2000 / TX-3000 / TX-4000 printers
CPF08	R 6,611	Canon PF-08 Printhead, Compatible with --> imagePROGRAF TC-20 / TC-20M Large Format Printers
CWT2100	R 483	Pantum CM2105 Series Waste Toner Bottle, 15000 page yield, Compatible with CP2100 / CM2100 Series printers
DR-1000	R 460	Brother DR1000 Imaging Drum Unit, 10 000 pages yield, Compatible with --> DCP1610w / HL1210w / MFC1910w printers
DR-2255	R 1,495	Brother DR-2255 Imaging Drum unit, 12 000 pages yield, Compatible with --> HL-2240d / HL-2240d / HL-2130 / HL-2270dw / MFC-7360 / MFC-7860dw printers
DR-2305	R 1,495	Brother DR-2305 Imaging Drum unit, 12 000 pages yield, Compatible with --> HLL2365dw / MFCL2700dw / MFCL2740dw printers
DR-2500	R 1,840	Brother DR-2500 Drum Unit, Up to 15000 pages yield, Compatible with --> DCP-L2640dw / MFC-L2805dw / MFC-L2885dw / HL-L2400D / HL-L2460DN / HL-L2461DW / DCP-L2600D / DCP-L2625DW printers
DR-261CL	R 2,530	Brother DR-261CL Imaging Drum unit, 15 000 pages yield, Compatible with --> HL3150cdn / HL3170cdwith MFC9140cdn / MFC9330cdw printers
DR-273CL	R 2,300	Brother DR-273CL complete Imaging Drum Set, 18 000 pages yield, Compatible with --> L3210cw / L3510cdw /

		L3750cdw / L3270cdw / L3551cdw printers
DR-279CL	R 2,530	Brother DR279CL CMYK complete Original Drum Set, 20000 pages yield, Compatible with --> HL-L3280cdw / MFC-L8390cdw / MFC-L3760cdw printers
DR-3405	R 2,300	Brother DR-3405 Imaging Drum Unit, 50 000 pages yield, Compatible with --> HLL5200dw / HLL6400dw / MFCL5700dn / MFCL5900dw / MFCL6900dw printers
DR-340CL	R 2,760	Brother DR-340CL Imaging Drum unit, 25 000 pages yield, Compatible with --> HL4150cdn / HL4570cdw / MFC9460cdn / MFC9970cdw printers
DR-3607	R 3,450	Brother DR3607 Imaging Drum unit, 75K pages yield, Compatible with --> MFC-L5710dw / DCP-L5510dw / MFC-L6910dn / HL-L5210dw / HL-L6410dn / HL-L6210dw printers
DR-361CL	R 2,415	Brother DR-361CL Imaging Drum unit, 25 000 pages yield, Compatible with --> DCP-L8400cdn / DCP-L8450cdw / HL-L8250cdn / HL-L8350cdw / HL-L8350cdwt / HL-L8350 / HL-L9200cdwt / HL-L9300cdwtt / MFC-L8600cdw / MFC-L8650cdw / MFC-L8850cdw / MFC-L9550cdw / MFC-L9550cdwt printers
DR-461CL	R 2,875	Brother DR-461CL Imaging Drum unit Unit, 50000 pages yield, Compatible with --> HLL8360cdw Colour Laser Printer
DR-851CL	R 4,025	Brother DR-851CL Imaging Drum unit, 100 000 pages yield, Compatible with --> HL-L9430cdn / MFC-L9630cdn printers
DR2125	R 1,265	Brother DR-2125 Drum Unit; laser printing; up to 12000 pages; monochrome printing; compatible with Brother HL-2140 HL-2150N HL-2170W DCP-7030 DCP-7040 MFC-7320 MFC-7440N MFC-7840W; genuine Brother consumable; 35.4 x 22.8 x 11.8 cm; 0.74kg
DR2255	R 1,380	Brother DR2255 Drum unit - Up to 12,000 pages. For Brother HL-2240D, Brother HL-2240D, Brother HL-2130, Brother HL-2270DW, Brother MFC-7360, Brother MFC-7860DW
DR340CL	R 2,588	Brother Drum unit 25000 pages
EC890191	R 965	Epson C890191 Maintenance Tank, Compatible with --> Epson Stylus Pro 7880 / 7890 / 7900 / 9890 / 9880 / 9900 printers
EC890501	R 815	Epson C890501 Maintenance Tank, Compatible with --> Stylus Pro 7700 / 9700 printers
EC934461	R 124	Epson C934461 Maintenance Box, Compatible with --> XP-3100 / XP-4100 / WF-2810 / WF-2830 / WF-2850 printers, C12C934461
EC934591	R 388	Epson C9345 Ink Maintenance Box, Compatible with --> WF-78xx / ET-58xx / ET-166xx / L65xx / L151xx printers, C934591
ES020476	R 738	EPSON PJMB100 MAINTENANCE CARTRIDGE FOR DISCPRODUCER
ES210044	R 2,310	Epson S210044 Maintenance kit for GS3 inks, 2x Air Filter, 1x wiper unit, 1x flushing pad, 1x pair gloves, C13S210044, Compatible with --> SureColor SC-S40610 / SC-S60610 / SC-S80610 printers
ES210057	R 1,022	Epson ES210057 Maintenance Tank, Compatible with --> SureColor T3100 / 5100 / 3100n / 5100n printers
ES210115	R 2,000	Epson S210115 Maintenance Box for SureColor T-Series and SureColor P-Series, Compatible with --> SureColor T5770dm / T7770dm / T3770dr / P6570d / P6570de / P6570e / P8570dl / T3770de / T3770e / T5770dr / T7770dl / P8570d / T7770d printers
ET04D100	R 194	Epson T04D100 EcoTank Ink Maintenance Box, Compatible with --> EcoTank ET-3xxx / ET-5xxx / ET-4xxx series Printers
ET619000	R 805	Epson Business InkJet B300/500DN Maintenance Kit Box.
ET619100	R 696	Epson Maintenance Tank For Borderless 4900
ET6193	R 1,673	Epson Maintenance Tank T3000/t5000/sc-p20000
ET671300	R 541	Epson T6713 Maintenance Box, Compatible with --> WF-C17590 / WF-C20590 / WF-C20600 / WF-C21000 / WF-M20590 / WF-M21000 printers
ET671600	R 877	Epson T6716 Maintenance Box, 45 000 pages yield, Compatible with --> WorkForce Pro WF-M5799dw / WF-M5299dw / WF-M5298dw / WF-C5790dwf / WF-C5790dwf / WF-C5710dwf / WF-C5710dwf / WF-C529rdtw / WF-C529r / WF-C5290dw / WF-C5210dw printers
ET699700	R 972	Epson Maintenance Tank For P Series
H3WT88A	R 7,423	HP 3WT88A LaserJet 220V fuser KIT, 150 000 pages yield, compatible with --> HP Colour LaserJet Enterprise M751n / M751dn printers

H3WT89A	R 10,562	HP 3WT89A LaserJet intermediate transfer belt kit, 150 000 pages yield, Compatible with --> M751n / M751dn / M856dn / M856x / MFP M776dn / MFP M776z / MFP M776zs printers
H498N0A	R 10,129	HP 739 DesignJet Printhead replacement kit, Compatible with --> HP DesignJet T850 series of printers
H527F9A	R 1,202	HP 527F9A LaserJet Toner Collection unit, 150000 pages yield
H527G3A	R 11,793	HP 527G3A LaserJet 220V Fuser assembly kit, Compatible with --> p Colour LaserJet Enterprise 6701dn / 6700dn printers
H527G8A	R 8,766	HP 527G8A LaserJet image transfer belt, 225000 pages yield
H527G9A	R 10,252	HP 527G9A LaserJet image transfer belt kit, 225000 pages yield
H527H2A	R 1,196	HP 527H2A LaserJet tray 2 roller kit, 150000 page yield
H527H3A	R 1,196	HP 527H3A LaserJet MP tray roller kit, 150000 pages yield
H6H122A	R 1,691	HP 6H122A LaserJet ADF Maintenance kit, Compatible with --> HP Colour LaserJet Enterprise Flow MFP 6800zf / MFP 6800zfsw / MFP 6800zfw / MFP 6801zfsw / MFP 6801zfw / MFP 6800dn printers
H6M1P3A	R 1,691	HP 6M1P3A LaserJet ADF Maintenance kit, Compatible with --> HP Colour LaserJet Enterprise Flow MFP 6800zfsw / MFP 6800zf Printer / MFP 6800dn Printers
HB3M78A	R 7,037	Hp Laserjet 220v Maintenance Kit For Clj 5500
HB5L09A	R 1,225	Hp Officejet Ink Collection Unit For X585
HB5L36A	R 4,948	Hp Laserjet 220v Fuser Kit For M4345
HB5L37A	R 466	Hp Colour Laserjet Toner Collection Unit For M4345
HC1N54A	R 9,154	Hp Laserjet 110vfuser Maintenance Kit For M880
HC1N58A	R 9,074	Hp Laserjet 220v Fuser Maintenance Kit For M880
HC1P70A	R 1,566	Hp Adf Roller Replacement Kit For M880
HC1Q10A	R 6,889	HP 711 DesignJet Printhead Replacement Kit
HC2H57A	R 13,355	Hp Lserjet 220v Maintenance/fuser Kit For E57540/flow E57540
HC9153A	R 17,463	HP Laserjet 9000 P.m. Kit (220v) For Hp Color Pagewide MFP 785z / e77650z / e77660z / e776z Series
HC9405A	R 2,703	HP C9405A #70 Light Cyan and Light Magenta Printhead, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9406A	R 2,703	HP C9406A #70 Magenta and Yellow Printhead, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HC9407A	R 2,703	HP C9407A #70 Photo Black and Light Grey Printhead, Compatible with --> HP DesignJet Z3200 44-in Photo Printer Q6719A / Z3200 24-in PostScript Photo Printer Q6720B / Z3200 44-in PostScript Photo Printer Q6721B printers
HCB384A	R 2,088	HP Colour LaserJet Black Image Drum - CP6015/CM6030/6040mfp
HCB385A	R 5,502	HP Colour LaserJet Cyan Image Drum - CP6015/CM6030/6040mfp
HCB386A	R 5,502	HP Colour LaserJet Yellow Image Drum - CP6015/CM6030/6040mfp
HCB387A	R 5,663	HP Colour LaserJet Magenta Image Drum
HCB389A	R 8,873	Hp Laserjet 220v Pm Kit For Managed E77822/ E77825/ E77830
HCB459A	R 1,059	Hp Colour Laserjet T2 Roller Kit For Clj 4700
HCB463A	R 5,637	Hp Colour Laserjet Transfer Kit For Clj 4700
HCE246A	R 6,965	Hp Colour Laserjet 110v Fuser Kit For Hp Color Pagewide Mfp 785z / E77650z / E77660z/ E776z Series
HCE247A	R 5,435	HP Color LaserJet 220 volt fuser kit
HCE249A	R 7,485	Hp Colour Laserjet Transfer Kit
HCE254A	R 417	Hp Laserjet Cp3525 Toner Collection Unit For Cp3520
HCE265A	R 556	Hp 648a Toner Collection Unit For M855
HCE314A	R 2,396	HP CE314A 126A LaserJet Imaging Drum; 14000 black pages; 7000 color pages; HP Color LaserJet compatible; 0.50kg weight; 363 x 92 x 160mm package; laser imaging unit; office printing component
HCE487C	R 2,692	Hp Colour Laserjet Adf Roller Kit For Clj 4700
HCE506A	R 4,878	Hp Cp3525 Mfp 220v Fuser Kit For Cp3520
HCE515A	R 7,083	HP LASERJET 220V FUSER KIT

HCE516A	R 8,016	Hp Laserjet Image Transfer Kit For M525/flow M525. SKU: HCE516A; Compatible: HP M525, Flow M525; Page yield: 150000 pages; Package: 59.6 x 49.6 x 23.4 cm; Weight: 5 kg;
HCE732A	R 8,054	Hp Laserjet Ent M4555 Mfp 220v Pm Kit for Clj 5500
HCE977A	R 8,287	Hp Colour Laserjet Cp5525 110v Fuser Kit For Managed E82540/ E82550/ E82560
HCE978A	R 8,281	Hp Colour Laserjet Cp5525 220v Fuser Kit For Managed E82540/ E82550/ E82560
HCE980A	R 831	Hp Colour Laserjet Cp5525 Toner Kit For Managed E82540/ E82550/ E82560
HCF065A	R 8,020	Hp Laserjet Printer 220v Maintenance Kit For M602
HCF219A	R 2,060	HP 19A CF219A LaserJet Imaging Drum, 12000 Pages yield
HCF232A	R 2,472	HP CF232A 32A Imaging Drum, 23000 Page Yield
HCF254A	R 8,749	Hp Laserjet 220v Maintenance Kit For M712
HCF257A	R 3,629	HP 57 LASERJET IMAGING DRUM FOR LASERJET M436n dn nda (80000 PAGE YIELD)
HCF358A	R 2,695	HP No 828A Black LaserJet Imaging Drum (CF358A)
HCF359A	R 7,252	HP No 828A Cyan LaserJet Imaging Drum (CF359A)
HCF364A	R 7,252	HP No 828A Yellow LaserJet Imaging Drum (CF364A)
HCF365A	R 7,252	HP # 828A MAGENTA LASERJET TONER CARTRIDGE
HCH649A	R 2,685	HP #761 MAINTENANCE CARTRIDGE/ DESIGNJET T7100
HD7H14A	R 12,962	Hp Laserjet Transfer And Roller For M880
HF2G77A	R 8,917	Hp Laserjet Printer 220v Maintenance Kit For M577/ Flow M577
HF9J81A	R 11,752	HP 711 DesignJet Printhead Replacement Kit
HJ8J87A	R 9,357	Hp Laserjet 110v Maintenance Kit For M607/m608/m609/e60055/e60065/e60075 Series
HJ8J88A	R 8,664	Hp Laserjet 220v Maintenance Kit For M570
HJ8J95A	R 1,676	Hp 300 Adf Roller Replacement for M527/flow M527
HL0H24A	R 9,136	Hp Laserjet 110v Maintenance Kit For M607/m608/m609/e60055/e60065/e60075 Series
HL0H25A	R 9,136	Hp Laserjet 220v Maintenance Kit For M607/ M608/ M609/ E60055/ E60065/ E60075 Series
HP1B91A	R 8,997	Hp Laserjet 110v Maintenance Kit
HP1B92A	R 8,997	Hp Laserjet 220v Maintenance Kit For E57540/ Flow E57540
HP1B93A	R 10,266	Hp Laserjet Image Transfer Belt Kit For M680/ Flow M680
HP1B94A	R 809	Hp Laserjet Toner Collection Unit For M680/ Flow M680
HQ5422A	R 7,002	Hp Laserjet 4250/4350 220v Maintenance Kit For Cp4005
HQ5999A	R 5,367	Hp Laserjet 4345mfp 220v Maintenance Kit for Hp Color Pagewide Mfp 785z / E77650z / E77660z/ E776z Series
HW1104A	R 1,729	Hp #104a Original Laser Imaging Drum For Hp Neverstop Laser 1000/w Laser Mfp 1200/w
HW1120A	R 2,948	Hp #120a Imaging Unit For Laser 150/mfp 178/179
HW1332A	R 3,746	HP 332A Black Original Laser Imaging Drum, 30 000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
HW1B43A	R 2,111	Hp Pagewide Printer Wiper Kit For E52545/ Flow E52545
HW1B45A	R 397	Hp Pagewide Roller Kit For 4200
HW2004A	R 6,008	Hp 660a Original Laserjet Imaging Drum For Clj Enterm751 (Page Yield 65000)
HW5U23A	R 2,416	Hp 200 Adf Roller Replacement Kit For Hp Color Pagewide Mfp E58650
L20N0W00	R 380	Lexmark 20N0W00 Waste Toner bottle, 15 000 pages yield, Compatible with --> , CX331adwe / MC3224adwe / CS431dw / MC3326adwe / C3224dw / MC3224dwe / C3326dw / CS331dw / CX431adw printers
L24B6025	R 1,094	Lexmark 24B6025 Black Imaging Drum unit, 100 000 pages yield, Compatible with --> M5155 / M5163 / M5170 / XM5163 / XM5170 / XM5263 / XM7155 / XM7155x / XM7163 / XM7163x / XM7170 / XM7170x / XM7263 / XM7270 printers
L24B6040	R 1,061	Lexmark 24B6040 Black original Imaging Drum, 60000 pages yield compatible with --> M1140 / M1145 / M3150 / XM1140 printers
L50F0Z00	R 1,259	Lexmark 500Z Black Return Program Imaging Unit, Â© 2014 Laptop Direct
L50F0ZA0	R 2,120	Lexmark 500ZA Black Imaging Unit
L52D0Z00	R 1,298	Lexmark 520Z Black Return Program Imaging Unit
L52D0ZA0	R 2,159	Lexmark 520ZA Black Imaging Unit

L54G0P00	R 1,851	LEXMARK PHOTOCONDUCTOR UNIT (125K) MS911de / MX910de / MX910dxe / MX911de / MX912de
L56F0Z00	R 1,216	Lexmark 56f0z00 Black Return Programme Imaging Unit Toner Cartridge, B2338dw/ B2442dw/ B2546dn/ B2546dw/ B2650dn/ B2650dw/ M1242/ M1246/ M3250/ MS321dn/ MS321dn LV TAA US FAA Mono/ MS421dn/ MS421dw/ MS521dn/ MS621dn/ MS622de/ MB2338adw/ MB2442adwe/ MB2546ade/ MB2546adwe/ MB2650ade/ MB2650adwe/ MX321ad
L56F0ZA0	R 1,813	Lexmark 56F0ZA0 Imaging Unit, 60 000 page yield, Compatible with --> B2442dw / MX521de / MS421dw / MB2442adwe / MS521dn / MX521ade / MX622ade / MS621dn / MX522adhe / MS622de / B2546dw / MX622adhe / MB2546adwe / B2650dw / MS321dn / MX321adw / MX321adn / MB2650adwe / MS421dn / MX421ade / B2338dw / MB2338adw printers
L58D0Z00	R 1,753	Lexmark 58d0z00 Black Return Programme Imaging Unit, B2865dw/ M5255/ M5270/ MS725dvn/ MS821dn/ MS821n/ MS822de/ MS823dn/ MS823n/ MS825dn/ MS826de/ MB2770adhwe/ MX721ade/ MX721adhe/ MX722ade/ MX722adhe/ MX725adve/ MX822adxe/ MX824ade/ MX826ade/ MX826adxe/ XM5365/ XM5370/ XM7355/ XM737
L58D0Z0E	R 1,753	Lexmark 58D0Z0E Corporate Imaging Unit, MS725dvn/ MS821dn/ MS821n/ MS822de/ MS823dn/ MS823n/ MS825dn/ MS826de/ MX721ade/ MX721adhe/ MX722ade/ MX722adhe/ MX725adve/ MX822ade/ MX822adxe/ MX826ade/ MX826adxe
L71C0W00	R 537	Lexmark 71C0W00 waste Cartridge, 170K pages yield, Lexmark CX735adse / CS730de / CS730 / CS735 / CX730 / CX735 printers
L74C0ZK0	R 1,801	Lexmark 74c0zk0 Cs720 Cs725 Cx725 Xc4140 Xc4150 Black Return Programme Imaging Unit (150 000 Page Yield)
L74C0ZV0	R 5,726	Lexmark 74C0ZV0 Cs720 Cs725 Cx725 Colour (Cmy) Return Programme Imaging Kit
L78C0W00	R 844	Lexmark 78C0W00 Waste Toner Bottle, C2240/ C2325dw/ C2425dw/ C2535dw/ CS421dn/ CS521dn/ CS622de/ CX421adn/ CX522ade/ CX622ade/ CX625ade/ CX625adhe/ MC2325adw/ MC2425adw/ MC2535adwe/ MC2640adwe (BSD)
LB220Z00	R 1,752	Lexmark B225Z00 Black Laser Imaging Drum, 12 000 pages yield, Compatible with --> Lexmark MB2236adwe / B2236dw / MB2236adw printers
LC540X75G	R 321	LEXMARK C540 WASTE TONER BOTTLE. For Lexmark C540n, C543dn, C544dn, C544dtn, C544dw, C544n, C546dtn, X543dn, X544dn, X544dtn, X544dw, X544n, X546dtn, X548de, X548dte.
LC792X77G	R 422	LEXMARK C792, X792 WASTE TONER BOTTLE
M43979002	R 5,525	Oki 43979002 Drum for B410, B430, B440 25k. OKI 01-09-0414.
M44574302	R 2,944	Oki 44574302 for B411DN/B431DN/MB461/MB471W/MB491 Image Drum 25k
M44574307	R 3,874	OKI 44574307, Drum, 25k (25,000 pages). For use with OKI B401/ MB441/ MB451
M45456302	R 2,935	OKI 45456302 Black Image Drum, 72 000 page yield, Compatible with --> ES7131 / ES7170 printers
MDR2255	R 1,721	DR-2255 Page Yield (Black) up to 12 000 pages
MDR261CL	R 2,832	Brother DR-261CL Drum Unit HL3151CDN BLACK DRUM 15000 PAGES
MDR273CL	R 2,586	Brother DR273CL complete Drum Set, 18 000 pages yield, Compatible with --> L3210cw / L3510cdw / L3750cdw / L3270cdw / L3551cdw printers
MDR3355	R 2,823	Brother DR-3355 Drum Unit
MDR340CL	R 3,202	Brother DR340CL Drum Unit - 25000 pages
MDR3607	R 3,821	Brother DR3607 Imaging Drum unit, 75K pages yield, Compatible with --> MFC-L5710dw / DCP-L5510dw / MFC-L6910dn / HL-L5210dw / HL-L6410dn / HL-L6210dw printers
MRICOH405783	R 1,104	Ricoh 405783 Waste Ink collector, 27 000 pages yield, Compatible with --> SG 3110 / SG 3100 / SG 3120 printers
PDL410	R 1,724	Pantum DL410 Imaging Drum unit, 12000 page yield, Compatible with --> P3300 / M7100 / M7200 / M7300 printers
PDL425	R 1,478	Pantum DL425X Extra High Yield Imaging Drum unit, 25000 page yield, Compatible with --> M7105 Printer
PDL5120	R 1,839	Pantum DL5120 Imaging Drum Unit, 30000 page yield, Compatible with --> BP5100dw / BM5100adw / BM5100fdw printers
PDL550H	R 2,253	Pantum DL550H High Yield Imaging Drum unit, 60000 page yield, Compatible with --> P5500 / M7650 printers

PDLC4205S	R 1,264	Pantum DLC4205s Imaging Drum unit, 12000 page yield, Compatible with --> BP4205 / BM4245 Series printers
PRHPC8091A	R 728	Laserjet 4345mfp Stapler Cartridge for stapler/stacker (5,000 staples)
PRHPJ8J96A	R 360	HP J8J96A Staple Cartridge Refill, With 5000 staples in the refill cartridge
PRHPQ7432A	R 534	HP Q7432A staple cartridge pack, Compatible with - - > M577C / 577f / M527C / 527dn / 527f
S210048	R 1,354	Epson S210048 standard Cassette Maintenance roller, Compatible with --> WF-C869r Series printers, C13S210048
S210057	R 757	Epson Maintenance box :LFP desktop
S210116	R 1,365	Epson S210116 borderless Maintenance Box, Compatible with --> SureColor T5770dm / T7770dm / T3770dr / P6570d / P6570de / P6570e / P8570dl / T3770de / T3770e / T5770dr / T7770dl / P8570d / T7770d Printers
SAMSUNG CLT-W506	R 246	Samsung Waste Toner Container - 14,000 pages Mono, 3,500 pages colour @ IDC 5% coverage - CLP-680ND, CLX-6260 Series
SAMSUNG MLT-R307	R 2,473	Samsung Drum Unit with yield of 60,000 pages @ IDC 5% coverage
SU403A	R 2,547	Samsung CLT-R406 Imaging Unit - CLP-365/CLX-3305 Series, SL-C410W/SL-C460W/SL-C460FW, SL-C430W, SL-C480W, SL-C480FW - OPC Drum - (16K/4K Page Yield)
SU408A	R 2,792	Samsung CNSACLT-R407S CLP-320/CLX-3185/3185FW Imaging Unit
SU418A	R 1,532	SAMSUNG CLT-R659 Imaging Drum Unit, 40 000 page Yield, Compatible with --> CLX-8650ND / CLX-8640ND printers, Â© 2018 Laptop Direct
SU421A	R 3,944	Samsung CNSACLT-T508 CLP-670ND/CLX-6220FX Transfer Belt
SU426A	R 286	Samsung CNSACLT-W406S CLP-360/365, CLX-3300/3305 Waste Toner Container
SU430A	R 253	Samsung CNSACLT-W409S CLP-310 Waste Toner Container
SU437A	R 699	Samsung CNSACLT-W506 CLP-680ND/CLX-6260 Series, SL-C2680FX - Waster Toner Bottle - (14K/3.5K Page Yield)
SV134A	R 1,576	Samsung - MLT-R116 Imaging Unit - SL-M2825ND; SL-M2825DW; SL-M2675F, SL-M2875FD, SL-M2875FW, SL-M2835DW/SL-M2885FW - Photoconductor/Drum unit - (9000 Page Yield)
SV145A	R 3,524	Samsung MLT-R303 Imaging Unit, Â© 2018 Laptop Direct
SV154A	R 3,565	Samsung MLT-R307 Imaging Unit, YIELD: 60000
SV162A	R 4,279	Samsung MLT-R309 Imaging Unit, YIELD: 80000
SV167A	R 4,960	Samsung MLT-R358 Black Imaging Unit, Â© 2018 Laptop Direct
T04D000	R 198	Epson T04D000 Maintenance Box, Compatible with --> ET-7700 EcoTank / ET-7750 EcoTank printers
T04D100	R 198	Epson T04D100 Maintenance Box L4000/L6000 ITS printers Epson
T295000	R 87	Epson T2950 WorkForce WF-100W Maintenance Box
T619000	R 623	Epson C13T619000, T619 Maintenance Kit B300 / B500DN / B510, T616, B300 / B500DN / B510, 35,000 pages
T619300	R 1,291	Epson Replacement SureColo Maintenance Box T619300. Replacement waste ink tank for use in selected SureColor T & F series printers.
T6710	R 454	Epson T6710 Maintenance Box, C13T671000, Compatible with WF-5190 / WF-5690 / WF-4630 / WF-4640 / WF-5110 / WF-5620 / WF-M5194 / WF-M5694 / WF-R4640 / WF-R5190 / WF-R5690 / WP-4010 / WP-4020 / WP-4023 / WP-4090 / WP-4520 / WP-4530 / WP-4533 / WP-4540 / WP-4590 printers
T6711	R 477	Epson T6711 Maintenance Box, 50000 pages yield, Compatible with --> WorkForce 7710dwf / 720dtw / 3620dwf / 7610dwf / 7110dtw printers
T671300	R 332	Epson T6713 Maintenance Box, Compatible with --> WF-C17590 / WF-C20590 / WF-C20600 / WF-C21000 / WF-M20590 / WF-M21000 printers
T671400	R 971	Epson T6714 Maintenance box, Compatible with --> WF-C20590 Printer
T6716	R 454	Epson T6716 maintenance box, 45000 pages yield, Compatible with --> WorkForce Pro WF-M5799DW / WF-M5299DW / WF-M5298DW / WF-C5790DWF / WF-C5790DWF / WF-C5710DWF / WF-C5710DWF / WF-C529RDTW / WF-C529R / WF-C5290DW / WF-C5210DW printers
T699700	R 628	Epson Maintenance Box T699700 Ink
To-CEXV47BD	R 2,302	Canon C-EXV47 Black Drum, 39000pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV47CD	R 2,820	canon C-EXV47 Cyan Drum, 33000pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV47MD	R 3,634	Canon C-EXV47 Magenta Drum, 33000pages - for canon imagerunner 1325 series, 1335 series (Order on request)

To-CEXV47YD	R 2,836	Canon C-EXV47 Yellow Drum, 33000pages - for canon imagerunner 1325 series, 1335 series (Order on request)
To-CEXV50D	R 1,764	canon C-EXV50 Drum kit, 35500pages - for canon imagerunner 1435 series (Order on request)
To-H104D	R 1,408	HP #104A Black original Laser imaging drum, 20000 page yield, Compatible with --> HP Neverstop Laser 1000A / 1000W / MFP 1200A printers
To-H120D	R 2,269	HP W1120A #120A original Laser imaging drum, 16000 pages yield, Compatible with --> HP color Laser MFP 178nw / 179fnw printers
To-H126D	R 1,823	HP ce314a no.126a Drum kit - for HP colour laser 1025 series, M175, M176, M275, CP1025; 14000 black pages; 7000 color pages; HP Color LaserJet compatible; 0.50kg weight; 363 x 92 x 160mm package; laser imaging unit; office printing component
To-H19D	R 1,695	HP CF219A no.19a Drum kit - for HP color laser 2550 series, 2820 series, 2840 series (ORDER ON REQUEST)
To-H32D	R 2,055	HP CF232A no.32a Drm kit, 23000pages - for HP laserjet M203 seris, M227 series (ORDER ON REQUEST)
To-H332D	R 3,202	HP 332A Black Original Laser Imaging Drum, 30 000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
To-H458	R 6,126	HP CB458A 220v Fuser kit - for HP color laser CM6040 series
To-H57D	R 3,064	HP CF257A no.57a Drm kit, 80000pages - for HP laserjet M433 seris, M436 series (ORDER ON REQUEST)
To-H824DB	R 1,814	HP cb384a no.824a Drum kit - Black , 35000pages - for HP color laser cp6015 series , CM6040 series
To-H824DC	R 4,855	HP cb385a no.824a Drum kit - Cyan , 35000pages - for HP color laser cp6015 series , CM6040 series
To-H824DM	R 5,098	HP cb387a no.824a Drum kit - Magenta , 35000pages - for HP color laser cp6015 series , CM6040 series
To-H824DY	R 4,855	HP cb386a no.824a Drum kit - Yellow , 35000pages - for HP color laser cp6015 series , CM6040 series
To-H828B	R 2,086	HP cf358a no.828a Drum kit - Black , 30000pages - for HP color laser M855 , M880 series
To-H828C	R 5,774	HP CF359A no.828a Drum kit - Cyan , 30000pages - for HP color laser M855 , M880 series
To-H828M	R 5,831	HP CF365A no.828a Drum kit - Magenta, 30000pages - for HP color laser M855, M880 series (Order on request)
To-H828Y	R 5,774	HP CF364A no.828a Drum kit - Yellow, 30000pages - for HP color laser M855, M880 series (Order on request)
To-L12026XW	R 1,375	Lexmark 0012026XW drum kit photo conductor - for Lexmark E120 series
To-L12A8302	R 2,113	Lexmark 0012A8302 drum kit photo conductor , 30000 pages - for Lexmark E23x series , E24x series, E33x series , E34x series
To-LC53030X	R 1,202	Lexmark 00C53030X drum kit photo conductor , 20000 pages - for Lexmark C53x series
To-LE250X22G	R 1,289	Lexmark E250X22G drum kit photo conductor , 30000 pages - for Lexmark E25x series , E35x series , E45x series
To-LE260X22G	R 1,267	Lexmark E260X22G drum kit photo conductor , 30000 pages - for Lexmark E260, E360, E460, X264, X36x series, X46x series
To-S116R	R 1,280	Samsung mlt-d116R , Imaging kit - for samsung SL-M2625, 2626, 2825, 2826, M2675, 2676, 2875, 2876
To-S307R	R 2,747	Samsung mlt-R307 , Imaging kit , 60000pages - for samsung ml-4510ND, 5010ND, 5015ND
To-S309R	R 3,186	Samsung mlt-R309 , Imaging kit , 60000pages - for samsung ml-5510ND, 6510ND
To-S406R	R 2,121	Samsung clt-R406 image unit (drum kit) , 4000pages - for samsung CLP-365 / CLX-3305 / SL-C410 / SL-C460 series
To-S409R	R 2,229	Samsung clt-R409s image unit (drum kit) , blk : 24000 pages ; color : 6000 pages - for samsung clp-310, 315
To-S508T	R 3,355	Samsung clt-T508 image unit (drum kit) , standard yield , 50000pages - for samsung clp-620ND, 670NDSCX-6220FX
To-S659R	R 1,393	SAMSUNG CLT-R659 Imaging Drum Unit, 40 000 page Yield, Compatible with --> CLX-8650ND / CLX-8640ND printers (Order on request)
To-S660TB	R 1,035	Samsung clp-T660B image unit (drum kit), high yield , 5000pages - for Samsung CLP-610 series, CLP-660 series, CLX-6210 series, CLX-6240 series
U47074502	R 3,267	Printronix LP844C Transfer Belt, 80 000 pages yield, Compatible with --> Printronix LP844C Printer
U47219631	R 3,267	Printronix LP844C Fuser Unit 230V, 100 000 pages yield, Compatible with --> Printronix LP844C Printer
U56130201	R 2,716	Printronix LP654C Yellow Laser Imaging Drum, 50 000 pages yield, Compatible with --> Printronix LP654C laser printer
U56130202	R 2,716	Printronix LP654C Magenta Laser Imaging Drum, 50 000 pages yield, Compatible with --> Printronix LP654C laser printer
U56130203	R 2,716	Printronix LP654C Cyan Laser Imaging Drum, 50 000 pages yield, Compatible with --> Printronix LP654C laser

		printer
U56130204	R 2,716	Printronix LP654C Black Laser Imaging Drum, 50 000 pages yield, Compatible with --> Printronix LP654C laser printer
W1332A	R 3,118	HP 332A Black Original Laser Imaging Drum, 30 000 page yield, Compatible with --> HP LaserJet 408dn / HP LaserJet 408mfp / HP LaserJet 432fdn printers
W2004A	R 5,395	HP 660A Original LaserJet Imaging Drum, 65000 page yield, Compatible with --> HP Color LaserJet Enterprise M751dn printer
WT-229CL	R 460	Brother WT-229CL Waste Toner Bottle, 50000 pages yield, Compatible with --> HL-L3280cdw / MFC-L3760cdw / MFC-L8390cdw printers
WT220CL	R 403	Waste Toner Box, 50 000 PGS WT220CL
WT223CL	R 414	Brother WT223CL Waste toner box, 50 000 pages yield, Compatible with --> L3210CW / L3510CDW / L3750CDW / L3270CDW / L3551CDW printers
WT320CL	R 357	Brother Waste toner box, 50 000 Pages

< Return to the menu

Printer consumables : Printer paper and transparency

Product code	Price	Description
0775B001AA	R 667	Canon GP-501 A4 glossy photo paper - 100 sheets, Ideal for regular photo printing, 200gsm, Thickness 210 microns
1033A002AB	R 169	Canon HR-101N A4 (50 sheets), High resolution Paper. (50 Sheets). Coated paper for printing high quality documents, spreadsheets and presentations with Vidid photos and graphic images. 106gsm, Thickness 120 microns.
1262B005AA	R 385	Canon FA-ME1 A4 (20 sheets) for Fine Art Museum Etching. A natural white 100% cotton rag paper supplied by Hahnemuhle, with the texture of traditional art paper, ideas for digital artists, galleries and museums. 350gsm, thickness 570 Microns
1686B0115AA	R 351	Canon SG-201 4x6 semi gloss paper (50 sheet), 260gsm weight, 0.26 mm thickness
1686B018AA	R 275	Canon SG-201 8" x 10" (20 sheets) SG-201 20x25cm (8x10") (20 Sheets). Satin finish for photographs with a soft finish, 260gsm, thickness 260 microns.
1686B021AA	R 386	Canon SG-201 A4 (20 sheets), for SG-201 A4 (20 Sheets). Satin finish for photographs with a soft finish, 260gsm, thickness 260 microns.
1686B026AA	R 644	Canon SG-201 A3 (20 sheets) Satin finish for photographs with a soft finish, 260gsm, thickness 260 microns.
1686B032AA	R 1,089	Canon SG-201 A3 (20 sheets), Printer SG-201 A3 (20 Sheets). Satin finish for photographs with a soft finish, 260gsm, thickness 260 microns.
1711C001AA	R 604	Canon FA-SM1 A4 - 20 sheets, Premium Fine Art Smooth - A4 - 25 Sheets. 310 gsm. 0.44mm thick
2311B020BB	R 650	Canon PP-201 A3 - 20 Sheets, Plus Glossy A3 - 275gsm, 0.27 thick
2311B021AA	R 865	Canon PP-201 A3 (20 Sheets). High gloss finish for superior quality photo printing. 260gsm, thickness 270 microns.
2311B060AA	R 208	Canon PP-201 Square - 5 x 5, Plus Glossy II 5 x 5" (13 X 13cm), - 20 sheet pack, Â© 2020 Laptop Direct
2768B016AB	R 501	Canon PT-101 A4 (20 Sheets), for Pro Platinum. Professioonal studio high gloss finish. High brightness surface. 300gsm, thickness 300 microns.
2768B018AB	R 645	Canon PT-101 A3 (10 Sheets) For PT-101 A3 (10 Sheets)Pro Platinum. Professioonal studio high gloss finish.High brightness surface.300gsm, thickness 300 microns.
3114B001AA	R 253	Canon KP-72IP - Ink & Paper Set Postcard size (100mm x 148mm) for 72 prints
3115B001AA	R 430	Canon KP-108IN Color Ink Paper Set Postcard size for 108 prints, CP - SERIES
3203C002AA	R 9	Canon Nail sticker NL-101 2, Printable nail Stickers 2 sheets - compatible with TS9500 and TS8200 Series ONLY
6211B006AA	R 390	Canon LU-101 A4 (20 Sheets) Lusture texture for a traditional photolab look, excellent for colour and black and white prints. 260gsm, Thickness 0.26mm.Perfect for studios and exhibitions.
6211B007AA	R 844	Canon LU-101 A3 (20) MT NEW, Printer LU-101 A3 (20 Sheets) Lusture texture for a traditional photolab look, excellent for colour and black and white prints. 260gsm, Thickness 0.26mm.Perfect for studios and exhibitions.
6211B008AA	R 1,297	Canon LU-101 A3 (20) MT NEW, Printer LU-101 A3 (20 Sheets) Lusture texture for a traditional photolab look,

		excellent for colour and black and white prints. 260gsm, Thickness 0.26mm.Perfect for studios and exhibitions.
7981A005AA	R 376	Canon MP-101 A4 matte photo paper - 50 sheets, 170g/m
8657B017AA	R 1,441	Canon PM-101 A2 - 20 Sheets, Pro Premium Matte A2 - 20 Sheets. 210 gsm, 0.31mm thick
BHR6756GL	R 173	Xiaomi 1S 3" Instant Photo Paper
BROTHER CAFTGP1	R 230	Brother CAFTGP1 - glue pen Set, 2 glue pens for foil
BROTHER CAFTKIT1	R 748	Brother CAFTKIT1 - foil starter kit, Glue pen holder, 2x presser tool, Glue pen, Gold foil, Silver foil, Protective sheet 12" x 12" , Compatible with --> SDX125 / SDX225
BROTHER CAFTSGLD1	R 115	Brother CAFTSGLD1 - foil transfer sheets, 4x 4" x 8" sheets, Gold, 4 gold colour foil transfer sheets 100mm x 200mm
BROTHER CAFTSSIL1	R 115	Brother CAFTSSIL1 - foil transfer sheets, 4x 4" x 8" sheets, Silver, 4 Silver Colour foil transfer sheets 100mm x 200mm
BROTHER CAMATLOW12	R 345	Brother CAMATLOW12 12" x 12" low tack adhesive mat
BROTHER CASCP1	R 288	Brother CASCP1 - 3.9" scraper
CAMCAKP108IN	R 421	Canon KP - 108 IP (Ink & Paper set Postcard size for 108 prints)
CAMCAKP36IP	R 230	Canon KP - 36 IP (Ink & Paper set Postcard size for 36 prints)
CC533A	R 2,931	HP # 304A Color LaserJet CP2025 Magenta Print Cartridge. Prints approximately 2 800 pgs using the ISO/IEC 19798 yield standard, Retail Box, Â© 2013 Laptop Direct
CG965A	R 432	HP Professional Glossy Laser Paper 150 gsm - 150 sheet / A4 / 210 x 297 mm
CGP5014X6	R 469	Canon GP501 Everyday Gloss Photo Paper 4x6 100 sheets
CGP501A4	R 818	Canon A4 Glossy Photo Paper (100 sheets) GP-501
CGS2018X10	R 321	Canon SG-201 20x25cm 260gsm Semi-Gloss Photo Paper Plus (Pack of 20 Sheets)
CKP108IP	R 447	KP-108IN Ink & Paper set - Postcard size
CKP36IP	R 238	Canon KP-36IP Ink & Paper Set 36 Sheets 4X6 36 Prints.
CLU101A3PLUS	R 1,632	Canon luster A3 (1 BOX OF 50 SHEETS) - Satin finish - 260 GSM
CMP101A4	R 440	Canon MP 101 Matte Photo Paper (A4, 170GSM, 50 Sheets)
CP203020S	R 286	Canon Zoe Zink Paper ZP-2030 20 Sheets, 20 Sheet stickable media for Zoe Mini Printer
CP203050S	R 476	Canon Zoe Zink Paper ZP-2030 50 Sheets, 50 sheet Stickable media for Zoe Mini Printer
CPP2014X6	R 371	Canon PP-201 4X6 PP-201 4X6 (1 BOX OF 50 Sheets Professional Photo Paper.)
CPP201A3	R 874	Canon PP-201 A3 Glossy Photo Paper - 20 Sheets
CPP201A4	R 422	Canon Photo Paper Plus Glossy PP 201 A4 Pack of 20 Sheets
CR757A	R 156	HP EVERYDAY GLOSSY PHOTO PAPER-100 SHT/10 X 15 CM - REPLACES THE Q5441A
CSG20110X12	R 521	20 sheets of 260gsm a4 semi-gloss photo paper. 10" X 12" (1 BOX OF 20 SHEETS SEMI-GLOSS) - SATIN FINISH - 260GSM
CSG2014X6	R 410	Canon SG-201 (4 x 6 inch) 260gsm Semi-Gloss Photo Paper Plus (Pack of 50 Sheets)
CSG201A3	R 868	Canon semi-gloss paper SG-201 A3 Satin finish
CSG201A4	R 451	Canon SG-201 260g A4 Photo Paper Plus Semi-Gloss Satin (20 Sheets)
CT-CEP20S	R 439	Canon E-P20S ink paper (4" x6" - 25 sheets) - for Silver and color printing - for selphy ES30, ES3, ES40
CT-CKP108iP	R 493	Canon KP-108iP/N ink paper (4" x6" - 108 sheets) - for selphy CP510, CP520, CP530, CP720, CP730, CP740, CP750, CP760, CP770, CP780, CP790, CP800, CP810, CP900, CP910
ERCGS-190GSM-20	R 89	EBox Resin Coated Glossy Photo Paper-Single sided A4 210x297mm-190gsm- 20 Sheets per pack
ERCGSS-260GSM-20	R 89	EBox resin coated glossy Satin photo paper, Microporous heavy duty single sided A4 210x 297 mm, 260gsm, 20 sheets per pack, Retail box
ES041061	R 236	EPSON A4 PHOTO INKJET PAPER (100sheet)
ES041595	R 2,034	Epson Enhanced Paper Matte 189gsm 610mm X 30.5m
ES042167	R 224	Epson Premium glossy photo paper 10 x 15 cm (2x 40 sheets), 80 sheets 255g/m2 10x15 cm, C13S042167
ESMPS-190GSM-20	R 89	EBox Satin Photo Paper- Microporous Medium Duty- Single sided A4 210x297mm-190gsm-20 Sheets per pack
H3VK91A	R 840	HP 3VK91A Professional Business Gloss Media 180gsm - A4 - 150 sheets, Glossy Media finish, 210 x 297 mm Media dimensions
H7MV79A	R 749	HP 7MV79A Professional Business paper Matte - 180 g/m2 - A4 (210x297 mm) - 150 sheets

H7MV80A	R 543	HP 7MV80A Professional Business Paper Matte - 200g/m2 - A4 (210 x 297 mm) - 150 sheets
H7MV82A	R 348	HP 7MV82A Laser Everyday Business paper - A4 - Glossy - 120gsm - 150 sheets
H7MV83A	R 695	HP 7MV83A Professional Business Paper Glossy - 200g/m2 - A4 (210 x 297 mm) - 150 sheets
H7MV84A	R 1,607	HP 7MV84A Professional Business Glossy Media 180gsm - A3 - 150 sheets, 297x420 mm paper size
HC0F20A	R 3,788	HP 2 PACK EVERYDAY ADHESIVE MATTE PROPYLENE 1067MM X 22.9M (42 X 75FT)
HC3875A	R 7,396	HP CLEAR FILM 174GSM; 36" ROLL x 22.9m
HC3876A	R 4,971	HP CLEAR FILM 174GSM 24" ROLL x 22.9m
HC6019B	R 1,320	HP COATED PAPER 90GSM 24" ROLL x 45.7m
HC6020B	R 1,742	HP COATED PAPER 90GSM 36" ROLL x 45.7m
HC6029C	R 1,651	HP HEAVYWEIGHT COATED 130GSM 24" ROLL x 30.5M
HC6030C	R 1,882	HP HEAVYWEIGHT COATED 130GSM 36" ROLL x 30.5M
HC6035A	R 564	HP BRIGHT WHITE INKJET PAPER 90GSM 24" ROLL x 45.7M
HC6036A	R 960	HP BRIGHT WHITE INKJET PAPER 90GSM 36" ROLL x 45.7M
HC6569C	R 2,313	HP HEAVYWEIGHT COATED 130GSM 42" ROLL x 30.5M
HC6810A	R 1,773	HP BRIGHT WHITE INKJET PAPER 90GSM 36" ROLL x 91M
HCG460B	R 3,037	HP PREMIUM MATTE PHOTO PAPER -914MM x 30.5M (36IN x 100 FT)
HCH003B	R 4,816	HP PVC-free Wall Paper-1372 mm x 30.5 m
HCH103A	R 14,210	Hp Pvc Free Wallpaper - 175gsm 1372mm x 91.4m
HCR673A	R 306	HP Premium Plus Semi-gloss Photo Paper-20 sht/A4/210 x 297 mm
HCR757A	R 185	Hp Everyday Gloss Photo Paper 10x15 100 Sheet
HQ1396A	R 311	HP Universal Bond Paper-610 mm x 45.7 m
HQ1397A	R 440	HP Universal Bond Paper-914 mm x 45.7 m
HQ1398A	R 543	HP Universal Bond Paper-1067 mm x 45.7 m
HQ1404A	R 1,016	HP Q1404A Universal Coated Plotter paper 95gsm - 610mm x 45.7m, Matte finish Type
HQ1405A	R 1,464	HP Q1405A Universal Coated Plotter paper roll 95gsm - 36" x 45.7m, Matte finish Type, 91.4 cm width size
HQ1412A	R 1,076	Hp Universal 24 X 100 Heavyweight Coated Paper Hp ' s Universal Coated Line Heavy Weight Coated Paper. 120GSM 24" ROLL x 30.5M.
HQ1413A	R 1,413	Hp Universal 36 X 100 Heavyweight Coated Paper Hp ' s Universal Coated Line Heavy Weight Coated Paper. 120GSM 36" ROLL x 30.5M.
HQ1414A	R 1,940	Hp Universal 42 X 100 Heavyweight Coated Paper Hp ' s Universal Coated Line Heavy Weight Coated Paper. 120GSM 42" ROLL x 30.5M
HQ1426B	R 1,903	HP Universal Gloss Photo Paper 190GSM 61CM X 30.5M
HQ1441A	R 1,274	HP LF Coated Paper A0 Metric 33.11 x 150 FT - 841 x 45.7M
HQ1442A	R 1,048	Genuine HP Large Format Universal Coated White Paper (HP Q1442A 90GSM A1 roll 594mm x 45.7m)
HQ2014A	R 1,545	HPE Q2014A LTO-7 Ultrium RW Bar Code Label Pack
HQ2015A	R 1,545	HPE Q2015A LTO-8 Ultrium RW bar code label pack, 100x Data cartridge labels, 10x cleaning cartridge labels
HQ2510A	R 427	HP Everyday Glossy Photo Paper-100 sht/A4/210 x 297 mm
HQ5456A	R 272	HP Q5456A Advanced Glossy Photo Paper A4 25 Sheets; inkjet compatible; 250 g/m2 heavyweight; glossy finish; 210 x 297 mm; premium photo printing; fade resistant output
HQ6626B	R 1,801	Hp Super Heavyweight Pluss Matt Paper 610mm X 30.5m (24 X 100ft)
HQ6627B	R 2,054	Hp Super Heavyweight Plus Matte Paper 914mm X 30.5m (36 X 100ft)
HQ8004A	R 773	HP Universal Bond Paper-594 mm x 91.4 m
HQ8005A	R 1,157	HP Universal Bond Paper-841 mm x 91.4 m
HQ8692A	R 234	HP Advanced Glossy Photo Paper - 100 sht/10 x 15 cm border-less, 10x15 cm, 100 sheets; glossy finish; 250 g/m2 heavyweight paper; border-less photo printing; inkjet compatible; quick dry surface; fade resistant prints; 100 x 150 mm size
HQ8697A	R 694	HP Q8697A Advanced Glossy Photo Paper, 20 sheets; 250gsm; inkjet compatible; A3 297x420mm; glossy finish; instant dry; photo printing; premium quality print media
HQ8917A	R 3,110	HP Everyday Pigment Ink Gloss Photo Paper-914 mm x 30.5 m

HQ8918A	R 2,984	HP Everyday Pigment Ink Gloss Photo Paper-1067 mm x 30.5 m
HQ8920A	R 2,145	HP Everyday Pigment Ink Satin Photo Paper-610 mm x 30.5 m
HQ8921A	R 2,255	HP Everyday Pigment Ink Satin Photo Paper-914 mm x 30.5 m
HQ8922A	R 2,592	HP Everyday Pigment Ink Satin Photo Paper-1067 mm x 30.5 m
HQ8923A	R 2,598	HP Everyday Pigment Ink Satin Photo Paper-1524 mm x 30.5 m
K5740021	R 166	KODAK T-SHIRT TRANSFERS FOR LIGHT FABRIC A4 10 SHEETS
K5740512	R 143	KODAK BASIC GLOSS PHOTO PAPER A4 20 SHEETS 180GM.
LP150A3G	R 188	PENGUIN LAM POUCHES 150 MICRON GLOSS 100/packet A3
M891000	R 695	PPC Bond sheets 80gsm - Size A0 - 100 sheets Per Pack
M891001	R 290	PPC Bond sheets 80gsm - Size A1 - 100 sheets Per Pack
M891002	R 145	PPC Bond sheets 80gsm - Size A2 - 100 sheets Per Pack
MDK11202	R 473	Brother Shipping Label (62mm X 100mm) 300 Labels Per Roll
MDK11204	R 269	Brother Multi-purpose Label (17mm X 54mm) 400 Labels Per Roll
MDK11208	R 370	Brother Large Address Label (38mm X 90mm) 400 Labels Per Roll
MDK22205	R 445	Brother Continuous Length Paper Tape (62mm X 30.48m) Wide
MECAGP501-4x6	R 439	Canon GP-501 4x6 Glossy Photo Paper EveryDay Use (1 box of 100 sheets)
MECAGP501-A4	R 658	Canon GP-501 A4 Glossy Photo Paper EveryDay Use (1 box of 100 sheets)
MECAMP101-4	R 412	MP101 A4 Matte Photo Paper (1 Box of 50 Sheets)
MECAPP201-3	R 710	Canon PP-201 A3 photo paper plus glossy - 20 sheets, 265 gsm
MECAPP201-4	R 394	Canon PP-201 A4 (20 Sheets), High gloss finish for superior quality photo printing, 260gsm
MEHPQ2015A	R 1,236	HPE Q2015A LTO-8 Ultrium RW Bar Code Label Pack (100x Data Cartridge Labels & 10x Cleaning Cartridge Labels)
Mondi A4 80g White Paper	R 495	Mondi A4 80g White Paper - 5x 500 ream packs
PA-CDF101	R 162	Canon DF-101 Iron-on T-shirt transfer for Dark-coloured Fabrics - A4, 5 sheets - compatible with PIXMA PRO-100, iX6800, iP8700, MG7500, MG6700, MG5600, PRO-100S, MG7700, MG5700, MG3600, TS9000, TS8000, TS6000, TS5000, TS9100, TS8100, TS6100, TR8500, TR7500, TS51xx, TS9500, TS8200, TS6200, TS700, TS8300, TS6300, TS5300
PA-CFAPM1A4	R 194	Canon FA-PM1 A4 fine art paper preminum photorag - 20sheets , 210g/m²
PA-CFAPR1A4	R 277	Canon FA-PR1 A4 fine art paper photorag - 20sheets , 188g/m²
PA-CGP50146	R 405	Canon GP-501 4" x6" glossy photo paper - 100sheets , 170g/m²
PA-CGP501A4	R 653	Canon GP-501 A4 glossy photo paper - 100sheets , 170g/m2
PA-CHR101NA3	R 927	Canon HR-101N A3 High Resolution paper - Matte finish, 20sheets, 106g/m2
PA-CHR101NA4	R 177	Canon HR-101N A4 High Resolution paper - Matte finish, 50sheets, 106g/mÂ²
PA-CLF101	R 140	Canon LF-101 Iron-on T-shirt transfer for Light-coloured Fabrics - A4, 5 sheets - compatible with PIXMA PRO-100, iX6800, iP8700, MG7500, MG6700, MG5600, PRO-100S, MG7700, MG5700, MG3600, TS9000, TS8000, TS6000, TS5000, TS9100, TS8100, TS6100, TR8500, TR7500, TS51xx, TS9500, TS8200, TS6200, TS700, TS8300, TS6300, TS5300
PA-CMP101A3	R 627	Canon MP-101 A3 matte photo paper - 40sheets, 170g/m2
PA-CMP101A4	R 409	Canon MP-101 A4 matte photo paper - 50sheets , 170g/m²
PA-CPP20146	R 352	Canon PP-201 4" x6" photo paper plus glossy - 50sheets , 270g/m²
PA-CPP20157	R 160	Canon PP-201 5" x7" photo paper plus glossy - 20sheets , 270g/m²
PA-CPP201A3	R 705	Canon PP-201 A3 photo paper plus glossy - 20sheets , 270g/m²
PA-CPP201A4	R 365	Canon PP-201 A4 photo paper plus glossy - 20sheets , 270g/m²
PA-CPR1011417	R 352	Canon PR-101 14" x17" photo paper pro - 20sheets , 245g/m²
PA-CPR10146	R 110	Canon PR-101 4" x6" photo paper pro - 20sheets , 245g/m²
PA-CPR201A3+	R 378	Canon PR-201 A3 photo paper pro ii - 10sheets , 245g/m²
PA-CSG2011012	R 450	Canon SG-201 10" x12" photo paper plus semi-glossy - 20sheets, 260g/mÂ²
PA-CSG20146	R 354	Canon SG-201 4" x6" photo paper plus semi-glossy - 50sheets , 260g/m²
PA-CSG201A3	R 651	Canon SG-201 A3 photo paper plus semi-glossy - 20sheets , 260g/m²

PA-CSG201A3+	R 1,158	Canon SG-201 A3 (20 sheets) Satin finish for photographs with a soft finish, 260g/m2 media weight, Semi-gloss photo paper, Semi-gloss photo paper
PA-CSG201A4	R 390	Canon SG-201 A4 photo paper plus semi-glossy - 20sheets , 260g/m²
PA-CXS20L	R 360	Canon XS-20L Selphy Square QX10 consumables 20 pack, 4119C002AA, 20 sheets of Premium photo paper and a single ink cassette.
PA-CZP2030-20	R 270	Canon Zoe Zink Paper ZP-2030 20 Sheets, 20 Sheet stickable media for Zoe Mini Printer
PA-CZP2030-50	R 460	Canon Zoe Zink Paper ZP-2030 50 Sheets, 50 sheet Stickable media for Zoe Mini Printer
PA-H3837	R 461	HP C3837A Premium High-gloss White Film , A4 , 50sheets , 230g/m²
PAP003	R 79	Typek Rotatrim A4 paper 80 grams 1x reams per box - 500 sheets - White
PAPER-RETAIL	R 574	Unbranded Box (5 Reams) 80gsm A4 White Printer Paper
Q2011A	R 1,157	HPE Q2011A LTO-5 Ultrium RW Bar Code Label Pack, Â© 2019 Laptop Direct
Q2013A	R 1,157	HPE Q2013A LTO-6 Ultrium RW Bar Code Label Pack, Â© 2019 Laptop Direct
Q2014A	R 1,157	HPE Q2014A LTO-7 Ultrium RW Bar Code Label Pack, Â© 2019 Laptop Direct
Q2015A	R 1,157	HPE Q2015A LTO-8 Ultrium RW bar code label pack, 100x Data cartridge labels, 10x cleaning cartridge labels, Â© 2019 Laptop Direct
Q2510A	R 367	HP Everyday Glossy Photo Paper-100 sht/A4/210 x 297 mm
Q5456A	R 230	HP ADVANCED GLOSSY PHOTO PAPER 250 G/M2-A4/ 210 X 297 MM/ 25 SHEETS Q5456A
Q8691A	R 109	HP ADVANCED GLOSSY PHOTO PAPER 250g/m2 - 10 X 15 CM BORDERLESS / 25 SHEETS Q8691A
Q8692A	R 201	HP Glossy 100 sheet(s) 250 g/m2 100 x 150 mm photo paper Compatible with HP Deskjet 1000, 2000, 2050 J510a, 3000, 3050 J610a, D5560, F2480, F4280, F4580, Ink Advantage 2515, Ink Advantage 5525, Ink Advantage 6525
Q8696A	R 121	HP 25 sht/13 x 18 cm Advanced Glossy Photo Paper Compatibility HP Deskjet, HP Envy, HP Officejet, HP Officejet Pro, HP Photosmart
TEJ4019GL	R 214	Xiaomi Mi Portable Photo Printer Paper
To-H126B	R 1,152	HP CE310A 126A Black LaserJet Toner Cartridge; 1200 pages yield; HP CP1025 CP1025nw M175 M275 compatible; laser printing; standard capacity; office document printing. For HP colour laserjet CP1025 series, M175 series, M275
To-H304M	R 2,761	HP CC533A no.304a Magenta toner , 2800pages - for HP color laserjet CM2320 series , CP2025 series

< Return to the menu

Printer consumables : Ribbons for printers

Product code	Price	Description
01600BK11045	R 132	Zebra Original Wax Ribbon - 110mm x 450m, Economy Wax, 25mm core for ZT Series
02300BK11045	R 265	Zebra RR 2300 Standard Wax Thermal Transfer Ribbon 110mm x 450m, Compatible with --> Zebra Mid Range and Industrial Printers 105SL / 110PAX4 / 110XiIIIPlus / 140XiIIIPlus / 170PAX4 / 170XiIIIPlus / R110Xi / R4Mplus / S4M / Z4Mplus / Z6Mplus / ZM400 / ZM600 / 105S / 105Se / 110PAX3 / 140Xi / 140XiII / 140XiIII / 160S / 170PAX / 170PAX3 / 170Xi / 170XiII / 170XiIII / 90Xi / 90XiII / 90XiIII / 90XiIIIPlus / 96XiIII / 96XiIIIPlus / R-140 / R110PAX3 / S300 / S400 / S500 / S600 / Z4000 / Z4M / Z6000 / Z6M / ZT200 printers
02300GS08407	R 673	Zebra Wax Ribbon 84mm x 74m 2300 Standard 12mm core
255048-401	R 7,944	Printronix 255048-401 Ribbons Extended Life Cartridge - 4 pack, 30000 pages yield, Compatible with --> P7015 / P7215 / P7220 / P8010 / P8210 / P8215 / P8220 Dot Matrix printers
255049-101	R 1,729	Printronix 255048-401 Ribbons Standard Life Cartridge - Single Pack, 17000 pages yield, Compatible with --> P7005 / P7010 / P7015 / P7215 / P7220 / P8005 / P8010 / P8205 / P8210 / P8215 / P8220 Dot Matrix printers
255661-101	R 1,729	Printronix 255661-101 Standard Life Cartridge for TallyGenicom, 17000 pages yield, Compatible with --> TallyGenicom TG6600 / TG6800 Cartridge printers
260059-002	R 4,596	Printronix 260059-002 25m char Extended Life Ribbon - 6 pack, Compatible with --> PRINTRONIX S809 / S828 Dot Matrix printers
3070166	R 304	Lexmark Re-inking Standard Black Ribbon For 23xx/24xx 25xx/25xx Standard Yield
4202A002AA	R 644	Canon M-310 / EP-102 ribbon 12-pack for the MP1211-D / DE / DL / DLE / LTS, MP1411-DL / LTS

44173405	R 567	OKI 44173405, ML5720/ML5790, Black Ribbon, 8M Chars, Â© 2014 Laptop Direct
44173406	R 1,057	OKI 44173406, ML5721/ML5791, Black Ribbon, 13M Char, Â© 2014 Laptop Direct
45U3891-PTX	R 1,463	Printronix 45U3891 Standard LifeCartridge Ribbon for Ricoh, Compatible with --> Ricoh infoprint 6500 V1p / V5p / V05 / V10 / V15 / V20 dot matrix printers
800300-301EM	R 610	Zebra Ribbon mono - Black - 2000 images, Food-safe, Compatible with --> ZC100/ZC300
800300-309EM	R 897	Zebra Ribbon Mono - White - 1500 Images, Compatible with --> ZC100/ZC300
800300-309EM	R 1,093	Zebra Ribbon Mono - White - 1500 Images, Compatible with --> ZC100/ZC300
800300-320EM	R 1,622	Zebra Ribbon Color-KdO - 700 Images, Compatible with --> ZC300
800300-320EM	R 1,725	Zebra Ribbon Color-KdO - 700 Images, Compatible with --> ZC300
800350-252EM	R 1,162	Zebra YMCKO Colour Ribbon for ZC350, Color-YMCKO, 58mm x 148m, 300 images, Black / Cyan / Magenta / Yellow printing colours
800350-264EM	R 1,144	Zebra SrDYMCKO Colour Ribbon for ZC350, 200 images, Black / Cyan / Magenta / Silver / Yellow printing colours, Thermal Transfer print Technology
9005591	R 1,496	OKI RIB-MX-CRB-Standard-17K pages, MX Ribbons - Cartridge Type
BP-9000E	R 506	AUI BP9000e consumable Ribbon, Compatible with BP-9000E DT Matrix Printer
C13S015337BA	R 115	Epson Ribbon cartridge - Rib - LQ-590 - Black
C13S015633	R 52	Epson Black Ribbon Cartridge for LQ-350 / LQ-300 Series Dot Matrix printers, Up to 2.5 million characters duty cycle, C13S015633
CEP102	R 862	Canon EP-102 Ink Ribbon, Compatible with --> MP1411 LTSC / MP1611 LTSC
CNEPC13S015327	R 109	Epson FX-2190II Black Ribbon Cartridge, 12 000 000 characters page yield, Compatible with --> FX-2190II / FX-2190IIN printers, C13S015327
CNOKZ01126301	R 481	OKI 01126301 ML-5520 / 5521 / 5590 / 5591 Black Ribbon - 4 Million Characters
CNOKZ09002309	R 371	OKI 9002309 380 / 390 / ML3390 / ML3391 2mil characters Ribbon, Compatible with --> Microline ML3390 / ML3390eco / ML3391 / ML3391eco 24pin printers
CNOKZ09005591	R 1,723	OKI RIB-MX-CRB-Standard-17K pages, MX Ribbons - Cartridge Type
CNOKZ40629303	R 1,397	OKI 40629303 ML-4410 15Mil Characters Ribbon, Compatible with --> Microline ML4410 printer
CNOKZ43503601	R 412	OKI 43503601 ML-6300 Black 4Mil Characters Ribbon, Compatible with --> Microline ML6300 Flatbed printer
CNOKZ43571802	R 205	OKI 43571802 Black ink Ribbon, 4 Million Characters, Compatible with --> ML-1120 / ML-1190 printers,
CNOKZ44173405	R 666	OKI 01-09-5720 ML5720 / ML5790 RIBBON. 8m Characters.
CNOKZ44173406	R 1,186	OKI 44173406, ML5721 / ML5791, Black Ribbon, 13Million Characters
CNOKZ9002303	R 273	OKI 09002303 ML182 / 183 / 192 / 193 / 280 / 320 / 321 / 3320 / 3321 Fabric Cassette - 3 Million Characters
CNOKZ9002308	R 1,244	OKI 9002308 ML-3410 10mil characters Ribbon, Compatible with --> Microline ML3410 Printer
CNOKZ9002311	R 1,090	OKI 9002311 393 / 395 5mil characters Ribbon, Compatible with --> Microline ML393 / ML395 / ML395b / ML395c printers
ERC-32	R 49	Epson ERC-32 Cartridge Ribbon - Black, Ribbon life is up to 4 million characters.
ERC-38B	R 52	Epson ERC-38B Ribbon Black, Compatible with --> TM-U230 / TM-U220 / TM-U220 series printers
ERC-38B/R	R 52	Epson ERC-38B/R Ribbon Black/Red compatible with TM-U230 and TM-U220 series printers as listed. Dual colour: Black and Red.
ES015086	R 221	EPSON LQ2170 / FX2170 FABRIC RIBBON SIDM BLACK RIBBON CARTRIDGE FOR LQ-20XX / 21XX FX-21XX
ES015262	R 212	EPSON LQ670 / 680 / 2550 / 2500 / 860 BLACKK RIBBON SIDM BLACK RIBBON CARTRIDGE FOR LQ-670 / 680 / PRO / 860 / 1060 / 25XX
ES015327	R 220	EPSON FX2190 BLACK RIBBON SIDM BLACK RIBBON CARTRIDGE FOR FX-2190
ES015329	R 188	Epson Fx890 Black Ribbon Sidm Black Ribbon Cartridge For Fx-890
ES015336	R 296	EPSON LQ2090 BLACK RIBBON SIDM BLACK RIBBON CARTRIDGE FOR LQ-2090
ES015337	R 212	Epson Lq590 Black Ribbon Sidm Black Ribbon Cartridge For Lq-590
ES015352	R 138	EPSON ERC05 BLACK RIBBON ERC-05B
ES015354	R 135	EPSON HX20 / ERC09 BLACK RIBBON ERC-09B
ES015366	R 156	EPSON M290 / TM295 / ERC27 BLACK RIBBON ERC-27B
ES015369	R 172	EPSON S015369 ERC31 BLACK RIBBON FOR TM930 925 U590

ES015371	R 175	EPSON ERC32 BLACK RIBBON ERC-32B
ES015374	R 153	EPSON TMU210 / 300A / ERC38 BLACK RIBBON ERC-38B
ES015376	R 153	EPSON TM210/300A/ERC38 BLACK/RED RIBBON ERC-38BR
ES015384	R 318	Epson Black Ribbon Sidm Cartridge For Dfx-9000
ES015610	R 170	Epson SIDM Black Ribbon Cartridge for LQ-690 printer, 10 Million Chars, S015610
ES015614BA	R 211	EPSON S015614 DUAL PACK BLACK RIBBON FOR LX300 300II MX80 LX300 850 FX800 850 870
ES015633BA	R 163	EPSON SIDM BLACK RIBBON CARTRIDGE FOR LQ-350, 300, 570, 580, 8xx
ES015637BA	R 161	EPSON BLACK RIBBON FOR LX-350 / LX-300 / / II DOT MATRIX PRINTERS
ES015642BA	R 206	EPSON S015642 BLACK RIBBON FOR LX1350 LX1170II LX1170 (4 MILLION CHARACTERS)
ES015647BA	R 163	EPSON S015647 DUAL PACK BLACK RIBBON FOR LX350 300 300 (4 MILLION CHARACTERS EACH)
FB-60051	R 599	SEIKO FB 60051 BP 6000 Black Ribbon Cartridge, Compatible with --> Seikosha SBP1051 / 10051 / 10 / 10ai / 10ax / 10cx / 10l / 10tx / 10 Plus / BP7800 / 5780 / 6000 / 9000 / BP9000 Plus / FB840 / FB900 / BX900 printers
FB-70001	R 306	AUI FB-7600 consumable Ribbon, FB-70001, Compatible with --> FB-7600 printer
G4RIBBON	R 144	Microworld Ribbon for G4 Printer, Thermal Transfer Ribbon
KA02100-0201	R 493	Fujitsu KA02100-0201 7 million Character Ribbon for DL3100 Serial Dot Matrix Printer
L3070166	R 301	Lexmark Standard Yield Black Re-inking Ribbon
L3070169	R 539	Lexmark 3070169 HIGH YIELD BLACK RE-INKING RIBBON
M01126301	R 524	OKI 01126301 ML-5520 / 5521 / 5590 / 5591 Black Ribbon - 4 Million Characters
M09002309	R 406	OKI 9002309 380 / 390 / ML3390 / ML3391 2mil characters Ribbon, Compatible with --> Microline ML3390 / ML3390eco / ML3391 / ML3391eco 24pin printers
M09002311	R 1,306	OKI 9002311 393 / 395 5mil characters Ribbon, Compatible with --> Microline ML393 / ML395 / ML395b / ML395c printers
M09005591	R 2,183	OKI 09005591 standard Black Ribbon, 17000 pages yield, Compatible with --> MX1100 / MX8000 series printers
M40629303	R 1,641	OKI 40629303 ML-4410 15Mil Characters Ribbon, Compatible with --> Microline ML4410 printer
M43503601	R 527	OKI 43503601 ML-6300 Black 4Mil Characters Ribbon, Compatible with --> Microline ML6300 Flatbed printer
M43571802	R 224	Oki Ml1120 Black Ribbon (4 Million Characters) (M43571803)
M44173405	R 842	OKI 01-09-5720 ML5720/ML5790 RIBBON
M44173406	R 1,469	OKI 01-09-5721 ML5721/ML5791 RIBBON
M9002303	R 297	OKI 09002303 ML182 / 183 / 192 / 193 / 280 / 320 / 321 / 3320 / 3321 Fabric Cassette - 3 Million Characters
M9002308	R 1,475	OKI 9002308 ML-3410 10mil characters Ribbon, Compatible with --> Microline ML3410 Printer
MSBP1051	R 507	Seikosha SBP1051 Black Ribbon Cartridge, Compatible with --> BP-6000 / 7800 / 9000 / BX-900 / FB-900 / SBP-10 printers
MTZ131	R 339	BROTHER LAMINATED TAPE (8M X 12MM) BLACK ON CLEAR
MTZ231	R 355	Brother Black on White 12mm x 8m P-Touch TZ Tape, ©2014 Laptop Direct
MTZ232	R 355	Brother Red on White 12mm x 8m P-touch Tape, ©2014 Laptop Direct
MTZ241	R 422	BROTHER LAMINATED TAPE (8m X 18mm) BLACK ON WHITE
MTZ521	R 339	BROTHER LAMINATED TAPE (8M X 9MM) BLACK ON BLUE
MTZ641	R 422	BROTHER LAMINATED TAPE (8M X 9MM) BLACK ON YELLOW
NET-LAB-BRR-TZ221	R 495	Brother Tz221 9mm Black On White Tape
PRK3050-8	R 2,144	Compuprint Ribbon Black for 3065 printer - 8 pack
PRKN2080	R 525	Compuprint Black Ribbon (10MC) for 2056e DT Matrix Printer, PRKN2080
PRKN3050-8	R 2,330	Compuprint Ribbon Black for 3065 Dot Matrix Printer - 8 pack
PT179499001	R 2,906	Printronix 179499001 P7000 Black Ultra Capacity Ink Ribbon, 90m characters yield, Compatible with --> Printronix P7000 / P7005 / P7010 / P7015 / P7205 / P7210 / P7215 / P7220 Spool Printer Series
PT255049101	R 1,965	Printronix 255049101 Black Ink Ribbon, 17 000 pages yield, Compatible with --> Printronix P-7000 / P-8000 printers
RB-E15086	R 132	Epson s015086 black ribbon - for epson FX-2170/2180/2190, LQ-2180/2170/2070/2080 (Order on request)
RB-E15262	R 64	Epson s015262 black ribbon - for epson LQ-670/680/pro/860/1060/25xx (Order on request)

RB-E15327	R 163	Epson s015327 black ribbon - for epson FX-2190
RB-E15329	R 66	Epson s015329 black ribbon - for epson FX-890
RB-E15336	R 276	Epson s015336 black ribbon - for epson LQ2090
RB-E15337	R 162	Epson s015337 black ribbon - for epson LQ-590, LQ-590ii (Order on request)
RB-E15384	R 320	Epson s015384 black ribbon - for epson DFX-9000 (Order on request)
RB-E15613	R 98	Epson s015613 twin-pack black ribbon - for epson LQ200, 300, 400, 450, 500, 550, 570, 800, 850, 870
RB-E15637	R 52	Epson s015637 black ribbon - 4 million Chars - for epson LX-350 , LX-300 II
RB-E15642	R 93	Epson s015642 black ribbon - 4 million Characterss - for epson LX-1170, 1350
RB-o0391	R 271	OKi 01-09-0391 / 01108002 ribbon - for microline 182, 184, 192, 193, 280, 320, 321, 3320, 3321
RB-o0392	R 204	OKi 01-09-0392 / 43571803 ribbon - for microline 1120/1190
RB-o0820	R 323	OKi 01-09-0820 / 01108702 ribbon - for microline 380, 390, 391 , 3391
RB-o1620	R 1,289	OKi 01-09-1620 / 01171302 ribbon - for microline 4410
RB-o1691	R 842	OKi 01-09-1691 / 01179402 ribbon - for microline 3410
RB-o1754	R 321	OKi 01-09-1754 / 01109102 ribbon - for microline 390 flatbed
RB-o1755	R 495	OKi 01-09-1755 / 43503602 ribbon - for microline 6300 flatbed
RB-o5500	R 481	OKi 01-09-5500 / 01126302 ribbon - for microline 5520, 5521, 5590, 5591
S015066	R 347	Epson S015066 Black Fabric Ribbon Cartridge; up to 6 million characters; compatible with Epson DLQ-3000 DLQ-3000 DLQ-3500; dot matrix printer consumable; business and industrial printing; 15.8 x 11.8 x 3.6cm; 0.14kg
S015086	R 147	Epson S015086 Black Fabric Ribbon Cartridge; dot matrix printing; up to 12 million characters; compatible with FX-2170 FX-2180 LQ-2070 LQ-2080 LQ-2170 LQ-2180; impact printer consumable; business printing solution
S015307	R 156	Epson S015307 Black Fabric Ribbon Cartridge; genuine Epson; compatible with LQ-630 and LQ-690; dot matrix printing; 24-pin print head support; up to 2 million characters; office printing; invoice printing; weight: 0.13kg; size: 33 x 4 x 8.5cm
S015327	R 107	Epson SIDM Black Ribbon Cartridge for FX-2190 (C13S015327BA) Consumables: Ribbons, Singlepack, Black, 12 Million Chars
S015327	R 132	Epson SIDM Black Ribbon Cartridge for FX-2190 (C13S015327BA) Consumables: Ribbons, Singlepack, Black, 12 Million Chars
S015329	R 82	Epson S015329 FX-890 Ribbon cartridge, Compatible with --> FX-890ii Impact printer / FX-890ii n Network Impact printer / FX-890 Impact printer / FX-890n Impact printer
S015329	R 81	Epson S015329 FX-890 Ribbon cartridge, Compatible with --> FX-890ii Impact printer / FX-890ii n Network Impact printer / FX-890 Impact printer / FX-890n Impact printer
S015337	R 99	Epson S015337 Black Fabric Ribbon Cartridge; 5 million character yield; compatible with Epson LQ-590 LQ-590II LQ-590II N; dot matrix printing; long-life ribbon; business printing solution; easy installation
S015384	R 328	Epson S015384 SIDM Black Ribbon Cartridge for DFX-9000 (C13S015384); compatible with Epson DFX-9000; dot matrix impact printing; 15 million character yield; ribbon cassette; business printing consumable
S015610BA	R 181	Epson S015610BA, C13S015610BA, LQ-690 Black Fabric Ribbon
S015633BA	R 49	Epson C13S015633BA, SIDM Black Ribbon Cartridge for LQ-350 / LQ-300/ / II (C13S015633BA)
S015637	R 49	Epson S015637, C13S015637BA, Black Ribbon Cartridge for LX-350/LX-300/ / II (C13S015637BA)
S015637	R 52	Epson S015637, C13S015637BA, Black Ribbon Cartridge for LX-350/LX-300/ / II (C13S015637BA)
S015642BA	R 93	Epson SIDM Black Ribbon Cartridge for LX-1350 / LX-1170II / LX-1170 printers (C13S015642BA), Singlepack, Black, 4 Million Chars
S015646BA	R 153	Epson SIDM Black Ribbon Cartridge for LQ-350 / 300 / 300 II dotmatrix printers, Dualpack (C13S015646BA), Black, 2.5 Million Chars
SP-30001	R 212	AUI SP-330 Printer Ribbon, 3 million characters in draft mode, Compatible with --> SP-330 Dot Matrix Printer
T062471	R 1,007	Tally 062471 Black Ribbon Cartridge, 20 million characters, Compatible with --> T2265 / 2285 / LA650 / LA800 / 2365 / 2380 printers
T099061	R 539	Tally 099061 T2600 Black Ribbon Cartridge, 6 million characters, Compatible with --> T2600 Printer
T255661	R 2,172	Tally T255661 Black Ribbon Cartridge, 17000 pages yield, Compatible with --> 6600 / 6610 / 6615 / 6620

		printers
T255670	R 2,491	Tally T255670 Black Ribbon - single unit, 30000 pages yield, Compatible with --> 6610 / 6615 / 6620 printers
TZ111	R 265	Black on Clear 6mm x8m tz Tape
TZ131	R 345	BROTHER LAMINATED TAPE (8M X 12MM) BLACK ON CLEAR, Â© 2014 Laptop Direct
TZ151	R 460	Brother TZ151 Black on Clear Laminated Labelling Tape
TZ222	R 345	Brother TZ-222 Red On White Gloss Labelling Tape (9mm x 8m)
TZ231	R 368	Black on White 12mm x 8m P-Touch TZ Tape
TZ232	R 368	Red on White 12mm x 8m P-touch Tape
TZ233	R 368	Blue on White Brother P-touch TZ Tape 12mm x 8m Blue on White
TZ243	R 449	Brother Blue on White 18mm (0.7") Blue on White tape for P-Touch 8m (26.2 ft)
TZ325	R 391	Brother White on Black Tz tape
TZ334	R 449	Gold on Black - 12mm x 8m TZ Tape
TZ345	R 506	Brother TZe-345 3/4 In. White On Black P-touch Tape, TZ-345 White on Black
TZ451	R 506	Brother Black on Red 24mm (0.94") Black on Red tape for P-Touch 8m (26.2 ft)
TZ521	R 345	Black on Blue. Brother tz521 black on blue (9mm x8m).
TZ531	R 368	Black on Blue 12mm x 8m TZ Tape
TZ551	R 506	Brother TZ551 Black on Blue
TZ621	R 345	Laminated Label - 9mm Black on Yellow Tape
TZ721	R 345	TZ721 Black On Green 9mm x 8m TZ Tape

< Return to the menu

Printer consumables : Tape cartridges for printers

Product code	Price	Description
02300GS06407	R 535	Zebra 2300 european wax 64mm x 74m wax Ribbon, 12mm Core, Compatible with Zebra R2844-z / TLP2844 / TLP2844-z / TLP3842 / TLP3844-z R402 / TLP2742 / TLP3742 / G-serie s Desktop Printer series
05095GS06407	R 1,564	Zebra 5095 performance resin 64mm x 74m Thermal Transfer Ribbon, 12mm (0.5in) Core, Compatible with --> G-series / TLP284x / TLP384x / TLP274x / TLP264x / T402 / r402 / R-2844z Desktop printers
M89074010050	R 764	PPC Bond Roll 80gsm - 50mm Core - 1524mm width x 100m length
M8907405076	R 324	PPC Bond Roll 80gsm - 76mm Core - 1524mm width x 50m length
MDK11201	R 276	Brother Standard Address Label (29mm X 90mm) 400 Labels Per Roll
MDK11209	R 461	Brother Small Address Label (29mm X 62mm) 800 Labels Per Roll
MK223B	R 190	Brother 9mm MK223B Blue on White
MK233B	R 196	Brother MK233B Blue on White. Brand: Brother; Model: MK233B; Color: Blue on White; Size: 12 mm x 8 m; Type: Non-laminated OEM tape; Compatibility: Brother P-touch; Use: Home, Office, Filing; Cartridge: Snap-in OEM;
MK621B	R 190	Brother MK621B Black on Yellow. Brand: Brother; Model: MK621B; Color: Black on Yellow; Size: 9 mm x 8 m; Type: Non-laminated OEM tape; Compatibility: Brother P-touch; Use: Home, Office, Filing; Cartridge: Snap-in OEM;
MK631	R 189	Brother MK631 12mm Black on Yellow Non-Laminated tape - 8m, Compatible with Brother P Touch printers; thermal transfer printing; indoor labeling; compatible with Brother P-touch label makers; office and home organization tape
MTZ132	R 339	Brother Laminated Tape (8m x 12mm) Red on Clear, TZ-132, Compatible with --> Brother PT-1830vp / PT-1950vp / PT-2420 / PT-2460 / PT-3600 / PT-9600 / RL-700 printers
MTZ133	R 339	Brother Laminated Tape (8m x 12mm) Blue on Clear, TZ-133, Compatible with --> Brother PT-1830vp / PT-1950vp / PT-2420 / PT-2460 / PT-3600 / PT-9600 / RL-700 printers
MTZ141	R 409	Brother TZ141 Laminated Tape 18mm x 8m - Black on Clear, Compatible with --> P-Touch PT-2420 / PT-9600 / PT-18r / PT-1830vp / PT-1950vp / PT-2430 / PT-1230 / RL-700 / PT-2100vp / PT-3600 / PT-2460 label printers
MTZ211	R 293	Brother MTZ211 Black on White Laminator tape 6mm - 8m length, Compatible with --> PT-E560btvp / PT-E310btvp / PT-D610bt / PT-D460BT / PT-P950nw / PT-P710bt / PT-H110 / PT-E110vp / PT-E800t / PT-P300bt

		/ PT-P900w / PT-D210 / PT-P700 Label Printers
MTZ221	R 339	BROTHER 9MM BLACK ON WHITE LAMINATED TAPE - 8M
MTZ222	R 339	Brother TZ222 Laminated Tape (8m x 9mm) - Red on White, Compatible with PT-D610bt / PT-D460bt / PT-D800w / PT-P710bt / PT-P950nw / PT-H110 / PT-E110vp / PT-P300bt / PT-P900w / PT-D210 / PT-P750w / PT-E550wvp / PT-P700 / PT-E300vp / PT-H110b / PT-E800t
MTZ233	R 355	Brother 12mm Blue On White Laminated Tape - 8m
MTZ251	R 492	Brother 24mm Black On White Laminated Tape - 8m
MTZ315	R 355	Brother TZ315 Laminated Tape (8m x 6mm) - White on Black, Compatible with PT-D610bt / PT-D460bt / PT-D800w / PT-P710bt / PT-P950nw / PT-H110 / PT-E110vp / PT-P300bt / PT-P900w / PT-D210 / PT-P750w / PT-E550wvp / PT-P700 / PT-E300vp / PT-H110b / PT-E800t
MTZ325	R 389	Brother Laminated Tape (8m x 9mm) White on Black, TZ-325
MTZ335	R 430	Brother 12mm White On Black Laminated Tape - 8m
MTZ355	R 554	Brother TZ-355 Laminated Tape - 24mm x 8m - White on Black, Compatible with --> PT-1400 / PT-1500 / PT-1500pc / PT-1600 / PT-1900 / PT-1910 / PT-1950 / PT-2110 / PT-2200 / PT-2210 / PT-2300 / PT-2310 / PT-2400 / PT-2410 / PT-2430pc / PT-2500pc / PT-2600 / PT-2610 / PT-2700 / PT-2710 / PT-2730 / PT-2730vp / PT-330 / PT-350 / PT-3600 / PT-520 / PT-530 / PT-540 / PT-550 / PT-580c / PT-7500 / PT-7600 / PT-9200dx / PT-9200pc / PT-9400 / PT-9500pc / PT-9600 / PT-9700pc / PT-9800pcn / PT-D600 / PT-D600vp / PT-D800w / PT-E500 / PT-E550w / PT-E800w / PT-H500li / PT-P700 / PT-P750w / PT-P750wvp / PT-P900 / PT-P900w / PT-P950nw label printers
MTZ421	R 339	Brother TZ421 Laminated Tape (8m x 9mm) - Black on Red, Compatible with PT-D610bt / PT-D460bt / PT-D800w / PT-P710bt / PT-P950nw / PT-H110 / PT-E110vp / PT-P300bt / PT-P900w / PT-D210 / PT-P750w / PT-E550wvp / PT-P700 / PT-E300vp / PT-H110b / PT-E800t
MTZ431	R 355	Brother MTZ431 Laminated Tape (8m x 12mm) - Black on Red, Compatible with PT-D610bt / PT-D460bt / PT-D800w / PT-P710bt / PT-P950nw / PT-H110 / PT-E110vp / PT-P300bt / PT-P900w / PT-D210 / PT-P750w / PT-E550wvp / PT-P700 / PT-E300vp / PT-H110b / PT-E800t
MTZ441	R 355	Brother Laminated Tape (8m x 18mm) Black on Red, TZ-441
MTZ451	R 492	Brother TZ451 Gloss Laminated Tape (8m x 24mm) - Black on Red, Compatible with --> PT-1830vp, PT-1950vp, PT-2420, PT-2460, PT-3600, PT-9600, RL-700 printers
MTZ531	R 355	Brother TZ531 Laminated Tape (8m x 12mm) - Black on Blue, Compatible with PT-D610bt / PT-D460bt / PT-D800w / PT-P710bt / PT-P950nw / PT-H110 / PT-E110vp / PT-P300bt / PT-P900w / PT-D210 / PT-P750w / PT-E550wvp / PT-P700 / PT-E300vp / PT-H110b / PT-E800t
MTZ535	R 422	Brother TZ535 Laminated Tape (8m x 12mm) - White on Blue, Compatible with PT-D610bt / PT-D460bt / PT-D800w / PT-P710bt / PT-P950nw / PT-H110 / PT-E110vp / PT-P300bt / PT-P900w / PT-D210 / PT-P750w / PT-E550wvp / PT-P700 / PT-E300vp / PT-H110b / PT-E800t
MTZ541	R 422	Brother Laminated Tape (8m x 18mm) Black on Blue, TZ-541
MTZ551	R 492	Brother Laminated Tape (8m x 24mm) Black on Blue
MTZ621	R 339	Brother 9mm Black On Yellow Laminated Tape - 8m
MTZ631	R 355	Brother 12mm Black On Yellow Laminated Tape - 8m
MTZ651	R 492	Brother 24mm Black On Yellow Laminated Tape - 8m
MTZ721	R 339	Brother Laminated Tape (8m x 9mm) Black on Green, TZ-721
MTZ731	R 355	Brother Laminated Tape (8m x 12mm) Black on Green, TZ-731
MTZ741	R 422	Brother Laminated Tape (8m x 18mm) Black on Green, TZ-741
MTZ751	R 497	Brother Laminated Tape (8m x 24mm) Black on Green, TZ-751
MTZFA3	R 401	Brother 12mm Blue On White Iron-on Fabric Tape - 3m
NET-LABEL-12MM-8M-W	R 406	Brother TZ231 label tape Black on white 12mm x 8m, HTZ231/3BF3C06
T12.5*74+35-65YELLOW CABL	R 69	Niimbot D11 / D110 / D101 / H1S - 12.5 x 109mm Thermal label tape - Yellow x160, 12.5 x 109mm size, 160 label quantity, Rectangle design
TZ121	R 311	Black on Clear- The brother ptouch tape is 3/8" x 26 ' black on clear.
TZ132	R 345	Red on Clear Laminated tape

TZ135	R 345	White on Clear - 12mm x 8m tape cartridge
TZ141	R 414	Brother TZ141 Black on Clear tape
TZ161	R 575	Brother Black TZ161 on Clear
TZ211	R 311	Black on White 6mm x 8m laminated tape
TZ221	R 345	Black on White - Brother tz221 black on white (9mm x 8m)
TZ223	R 345	Red on White - red on white laminated tape 9 mm x 8 meters
TZ241	R 449	BROTHER LAMINATED TAPE (8m X 18mm) BLACK ON WHITE
TZ242	R 449	Brother TZ242 Red on White Tape
TZ251	R 506	Brother TZ251 Black on White
TZ252	R 506	Brother TZ252 Red on White tape
TZ261	R 690	Brother TZ261 Black on White tape
TZ263	R 690	Brother Blue TZ263 on White TZ Tape Brother P-touch 36mm
TZ315	R 368	White on Black 6mm x 8m laminated tape cassette
TZ335	R 449	White on Black - Brother tz335 white on black (12mm x 8m) tape cartridge
TZ354	R 575	Brother TZ354 Gold on Black Tape
TZ355	R 575	Brother TZ355 White on Black tape
TZ421	R 345	Black on Red. The brother tze421 (tz421) p-touch tape is 3/8" x 26 ' black on red.
TZ431	R 368	Black on Red 12mm Black on Red Tape
TZ435	R 449	White on Red - Brother tz435 white on red (12mm x 8m)
TZ441	R 449	Brother TZ441 Black on Red Laminated Labelling tape
TZ535	R 449	White on Blue. Brother tz535 white on blue (12mm x 8m).
TZ541	R 449	Brother TZ541 Black on Blue
TZ611	R 311	Black on Yellow 6mm x 8m tape cartridge
TZ631	R 368	Black on Yellow 12mm Tape
TZ641	R 449	BROTHER LAMINATED TAPE (8M X 9MM) BLACK ON YELLOW
TZ651	R 506	Brother TZ651 Black on Yellow Tape
TZ661	R 690	Brother TZ661 Black on Yellow
TZ731	R 368	Brother Black On Green 12mm x 8m tape cartridge
TZ741	R 449	Brother TZ741 Black on Green tape
TZ751	R 506	Brother TZ751 Black on Green 24mm Gloss Laminated Labelling Tape
TZB31	R 414	Black on Orange 12mm 2mm Black on Orange Fluorescent TX Laminated Tape
TZC31	R 414	Black on Yellow 12mm
TZC51	R 575	Black on Yellow 24mm x 5m tape catridge
TZE M365	R 575	Brother TZe-M365 36mm White on Matt Black Laminated Tape, 8m length
TZE MPPH31	R 230	Brother TZe-MPPH31 12mm Black on hearts tape, 4m length
TZE R231	R 253	Brother TZE R231 12mm Black on White Ribbon tape - 4m, Compatible with --> PT-E560btvp / PT-D610bt / PT-D460BT Desktop / PT-P950nw / PT-P710bt Bluetooth / PT-H110 / PT-E110vp / PT-P300bt Bluetooth / PT-P900w / PT-D210 / PT-P700 label printes
TZE-PR935	R 322	Brother TZe-PR935 12mm White on Premium Silver tape, 4m length
TZFX231	R 449	Brother TZe-FX231 12mm Black on White Flexible ID label tape, 8m length, Compatible with --> PT-E560btvp / PT-E310btvp / PT-D610bt / PT-D460BT / PT-P950nw / PT-P710bt / PT-H110 / PT-E110vp / PT-H110bw / PT-E800t printers
TZS221	R 449	Brother TZe-S221 9mm Black on White strong adhesive Laminated Tape, 8m length, Compatible with --> PT-E560btvp / PT-E310btvp / PT-D610bt / PT-D460BT / PT-P950nw / PT-P710bt / PT-H110 / PT-E110vp / PT-H110bw / PT-E800t printers
TZS261	R 748	Brother TZe-S261 36mm Black on White Flexible and strong adhesive Laminated Tape, 8m length, Compatible with --> PT-P950nw / PT-P900w / PT-E800t Printers

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Demo products

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Digital cameras

Camera bags

Product code	Price	Description
2161815113212	R 89	Promate Amba Silver Aluminum Hard Shell Camera Case with Memory Foam Protector Inner Bubble Pad Protector
3161815113211	R 89	Promate Amba Purple Aluminum Hard Shell Camera Case with Memory Foam Protector Inner Bubble Pad Protector
4161815201818	R 129	Promate Terara Compact Shell Camera Case with Memory Foam Pad Protector, Inner Bubble Pad Protector
4161815201818-R	R 129	Promate Terara Compact Shell Camera Case with Memory Foam Pad Protector, Inner Bubble Pad Protector
4161815201818.B	R 129	Promate Terara Black Compact Shell Camera Case with Memory Foam Pad Protector ,Inner Bubble Pad Protector
4161815219851-G	R 79	Promate Camleash-Duo Dual Quick-Strap Camera Sling for Compact and DSLR cameras
BCR01UF	R 334	Urban Factory B-colors Brown/Blue Bag for Camera & Lens
BCR04UF	R 334	Urban Factory B-colors Raspberry/Yellow Bag for Camera & Lens
BCR05UF	R 334	Urban Factory B-colors Chocolate/Green Bag for Camera & Lens
BCR07UF	R 334	Urban Factory B-colors Purple/Green Bag for Camera & Lens
BCR09UF	R 334	Urban Factory B-colors Brown/Beige Bag for Camera & Lens
CB-VAR-B	R 143	Vax vax-8001 Aribau Black - for compact digital camera, with EVA shock resistant structure, water repellent zipper, inner protective memory foam, belt hook neck stripe - 127x87x69mm
CB-VAR-G	R 143	Vax vax-8005 Aribau Green - for compact digital camera, with EVA shock resistant structure, water repellent zipper, inner protective memory foam, belt hook neck stripe - 127x87x69mm
CB-VAR-o	R 114	Vax vax-8002 Aribau Orange - for compact digital camera, with EVA shock resistant structure, water repellent zipper, inner protective memory foam, belt hook neck stripe - 127x87x69mm
CB-VAR-R	R 114	Vax vax-8003 Aribau Red - for compact digital camera, with EVA shock resistant structure, water repellent zipper, inner protective memory foam, belt hook neck stripe - 127x87x69mm
CB-VBA-B	R 131	Vax vax-170000 Bailen Black - for compact digital camera, with inner pocket for memory card, inner protective memory foam, belt loop neck stripe - 120x70x35mm
CB-VBA-G	R 98	Vax vax-170004 Bailen Green - for compact digital camera, with inner pocket for memory card, inner protective memory foam, belt loop neck stripe - 120x70x35mm
CB-VBA-MG	R 98	Vax vax-170002 Bailen Metallic Grey - for compact digital camera, with inner pocket for memory card, inner protective memory foam, belt loop neck stripe - 120x70x35mm
CB-VBA-P	R 98	Vax vax-170003 Bailen Purple - for compact digital camera, with inner pocket for memory card, inner protective memory foam, belt loop neck stripe - 120x70x35mm
CB-VBA-R	R 98	Vax vax-170001 Bailen Red - for compact digital camera, with inner pocket for memory card, inner protective memory foam, belt loop neck stripe - 120x70x35mm
CB-VBA-W	R 98	Vax vax-170005 Bailen White - for compact digital camera, with inner pocket for memory card, inner protective memory foam, belt loop neck stripe - 120x70x35mm
CB-VCL-B	R 183	Vax Bo260001 Clot Black beltpack bag for DSLR/digital video camera, neoprene and EVA interior, with removable inner Velcro divider, with external pocket for battery/memory card.
CB-VCL-o	R 220	Vax Bo260004 Clot Olive beltpack bag for DSLR / digital video camera, neoprene and EVA interior, with removable inner Velcro divider, with external pocket for battery/memory card.
CB-VCL-P	R 220	Vax Bo260003 Clot Purple beltpack bag for DSLR / digital video camera, neoprene and EVA interior, with removable inner Velcro divider, with external pocket for battery/memory card.
CB-VCL-R	R 183	Vax Bo260002 Clot Red beltpack bag for DSLR / digital video camera, neoprene and EVA interior, with removable

		inner Velcro divider, with external pocket for battery/memory card.
CRC01UF	R 403	Urban Factory City Reflex Camera Case
CRC02UF	R 403	Urban Factory City Reflex Case in Denim
DC-CAWPDC9	R 2,343	Canon WP-DC9 water proof case, up-to 40m under water - for digital iXUS 850iS
TBC411IND	R 499	Case Logic DSLR Compact Backpack - Holds DSLR, Lens and Accessories, Dedicated, Padded, Rear iPad Compartment, Padded, Touch-Fastening Dividers, Personal Gear on Top, Cameras on Bottom, Interior Mesh Pocket for Accessories, Side Accessory Pockets, Padded Mesh Back Panel and Shoulder Straps, Top Handle, Dobby Nylon Construction-Indigo Blue, Retail Box
W5401-1C	R 69	Tweety Digital Camera Bag, Retail Box, No warranty

< Return to the menu

Camera memory

Product code	Price	Description

< Return to the menu

Digital camera accessories

Product code	Price	Description
0295B001AA	R 8,860	Wireless Controller, Receiver And Transmitter Set, for taking pictures up to 100m away.
0343B001AA	R 507	Canon ET-67B lens Hood for EF-S 60mm f/2.8 Macro Lens
0576C001AA	R 104	Canon E-49 49mm Lens Cap
0972B002AA	R 5,285	Canon BP-970G Lithium Ion Rechargeable Battery
1244B001AA	R 680	Canon EW-83J Lens Hood for Canon EF 17-55mm f/2.8 IS USM Lens
1727C001AA	R 5,319	Canon EVF-DC2 Electronic Viewfinder
1950B001AA	R 1,212	Canon OC-E3 Off Camera Shoe Cord 3
1951B001AA	R 733	Canon EW-88 Lens Hood for 16-35mm f/2.8L II USM
2192B001AA	R 545	Canon Dioptric Adjustment Lens EG (3) for Select Canon EOS Cameras
2200B001AA	R 545	Canon Eg Anti-Fog Eyepiece for Select Canon DSLRsEOS-1D Mark III ,EOS 1D ,Mark IV ,EOS 1D X ,EOS 1D C ,EOS 1Ds ,Mark III ,EOS 5D ,Mark III ,EOS 7D Cameras
2365A001AA	R 214	Canon ML/ADAP58 Macrolite Adapter 58mm For filter thread mounting
2378A001AA	R 129	Canon Eyecup Eb For EOS 10D ,EOS 20D ,EOS 20Da ,EOS 30D ,EOS 40D ,EOS 50D ,EOS 5D ,EOS 5D ,Mark II ,EOS 60D ,EOS A2 ,EOS A2E ,EOS D30 ,EOS D60 ,EOS Digital Rebel ,EOS ELAN II ,EOS ELAN IIE ,EOS Rebel 2000 ,EOS Rebel G ,EOS Rebel G II ,EOS Rebel K2, EOS Rebel TI ,EOS Rebel X
2428A001AA	R 54	Canon RF-3 Camera Cover (Body Cap) for EOS Bodies & Extension Tube Fronts
2438A001AA	R 1,417	Canon TTL Hot Shoe Adapter 3, All EOS for off camera flash use
2447A001AA	R 570	Canon OFF-CAMERA SHOE ADAPTER OA-2, To fit flashgun base for off camera use
2469A002AA	R 365	Canon RS-60E3 Remote Switch For G10, G11, G12, G16, EOS Digital Rebel series, 60D, 70D, Elan II/IIE, Elan 7/7E, Rebel Ti /2000/G/GII/X/XS, IX/IX Lite, SX50 HS and EOS Rebel T1i, T2, T2i, T3, T3i, T4i, T5, T5i
2476A001AA	R 894	Canon Camera Remote Switch RS-80N3 For EOS-3, 1v HS/1v, 1D-series, 1Ds-series, 5D-series, 6D-series 7D, D30, D60, 10D, 20D, 30D, 40D and 50D.
2477A004AA	R 2,837	Canon Camera Timer Remote Controller TC-80N3 For EOS-3, 1V HS, 1V, 1D, 1D Mark II, 1Ds, 1Ds Mark III, 5D, 5D Mark II, 5D Mark III, 7D, 10D, 20D, 30D, 40D, 50D, D30, D60 and D2000 cameras.
2478A004AA	R 5,122	Canon ST-E2 Speedlite Transmitter For all IR slave Speedlites
2563B001AA	R 412	Canon AVC-DC400 Video Interface Cable
2588A001AA	R 373	Canon 52mm UV Protector Filter
2589B002AA	R 1,807	Canon Battery Pack 1780 BP-819
2590B003AA	R 1,280	Canon Battery Charger CG-800 for all 8 Series Batteries
2591B002AA	R 3,985	Canon DM-100 Directional Stereo Microphone
2595A001AA	R 468	Canon 58mm UV Protector Filter
2598A001AA	R 945	Canon 67mm UV Protector Filter

2599A001AA	R 785	Canon 72mm UV Protector Filter
2602A001AA	R 929	Canon 77mm UV Protector Filter
2609B001AA	R 1,371	Canon CB-2LYE BATTERY CHARGER For NB-6L /NB-6LH, PS S90 /D10 /Ixus 95 IS / 105 IS/ 210 IS/ 300HS /310HS/ S95 /D20 /SX 240HS /SX 260HS /SX 170/ SX 510HS /S120 HS /D30 /SX600 /SX700 /S200 / SX520
2637A001AA	R 229	Canon ET-60 Lens Hood For EF 75 - 300 mm f 4.0 - 5.6
2639A001AA	R 254	Canon EW-60C Lens Hood for EF 28-80mm f/3.5-5.6, II, III, IV, V, 18-55mm & 28-90mm Lenses
2640A001AA	R 497	Canon EW-60II Lens Hood for EF 24mm f/2.8 Lens
2645A001AA	R 358	Canon ES-62 Lens Hood with Hood Adapter 62 for EF 50mm f/1.8 II Lens
2660A001AA	R 490	Canon ES-71 II Lens Hood For EF 50 mm f 1.4
2665A003AA	R 657	Canon ET-74 Lens Hood for EF 70-200mm f/4L Lens
2676A001AA	R 508	Canon EW-78BII Lens Hood for EF 28-135mm f/3.5-5.6 IS Lens
2723A001AA	R 45	Canon Lens Dust Cap E (Rear Lens Cap) FOR ALL EF LENSES
2740B002AA	R 1,240	Canon BP-808 Lithium-Ion Battery 890
2858A001AA	R 139	Canon EB rubber Eyecup for Dioptric lenses EB
3039B001AA	R 943	Canon Li-Ion Rechargeable Battery Pack LP - E5, EOS 450D / 1000D / 500D
3174A003AA	R 1,412	Canon BP-522 Lithium Battery Pack (7.4v, 2200mAh)
3185B002AA	R 2,651	Canon Battery Pack 2700 BP-827 (for select Canon cameras)
3186B001AA	R 2,054	Canon VL - 5 Video Light
3349B001AA	R 950	Canon LC - E6E Compact Charger For EOS 5D Mk II / Mk III / 7D / 60D / 70D
3388	R 344	Microworld camera and Phone Tripod 3388 with Remote, Three-Dimensional head, 1.5kg Maximum load, 4 leg sections, 18mm Maximum leg Diameter, 43cm Tripod storage height, 125cm Tripod Maximum height
3531B001AA	R 1,050	Canon ET - 87 Lens Hood, EF 70 - 200 mm f 2.8 L IS USM Mk II
3565B001AA	R 849	Canon ET-73 Lens Hood for Canon EF 100mm f/2.8L Macro IS Lens
3574B001AA	R 2,854	Canon CAMERA POWERED VIDEO FLASH LIGHT VFL - 2
3963B001AA	R 761	Canon EW-78E Lens Hood for EF-S 15-85mm f/3.5-5.6 IS Lens
4076B001AA	R 542	Canon AVC-DC400ST Stereo AV Cable for 5D Mk II & 7D
4409B005AA	R 8,516	Canon EF 1.4X III Telephoto Extender for Canon Super Telephoto Lenses
4410B005AA	R 8,516	Canon EF Mark III extenders: extend the focal lengths of your Canon EF lenses
4464B001AA	R 4,756	Canon SM-V1 Surround Sound Microphone
4515B002AA	R 1,027	Canon Li-Ion Rechargeable Battery Pack LP - E8, EOS 550D / 600D / 650D / 700D
4520B001AA	R 1,252	Canon LC-E8E Battery Charger For EOS 550D / 600D / 650D / 700D Cameras
4524B001AA	R 357	Canon RC-6 Camera Wireless Remote Control
4587B002AA	R 3,614	Canon Camcorder Battery Pack Li-Ion BP-E 955
4588B002AA	R 5,021	Canon BP-975 7000 Battery Pack With info display
4660A001AA	R 664	Canon ET-67 Lens Hood For EF 100mm f 2.8 USM MACRO
4677A001AA	R 626	Canon EW-78D Lens Hood for EF 28-200mm f/3.5-5.6 and EF-S 18-200mm f/3.5-5.6 IS Lenses
4728B001AA	R 639	Canon Filter Adapter for 67mm filters, SX 30 / SX 40 / SX520 / SX60
4991B001AA	R 585	Canon Hand Strap E2 ALL EOS models
5072B003AA	R 1,248	Canon Compact Power Adapter CA-110 for For new BP-110 battery
5108B002AA	R 1,017	Canon Li-Ion Rechargeable Battery Pack LP - E10 For EOS 1100D / 1200D
5110B001AA	R 1,097	Canon LC-E10E Compact Battery Charger For EOS 1100D / 1200D cameras
5247B003AA	R 2,844	Canon Speedlite 270EX MKII
5261B001AA	R 7,568	Canon BG-E11 Battery Grip for EOS 5D Mark III
5667B003AA	R 1,333	Canon ACK-DC80 AC Adapter Kit for Select Digital Cameras SX 40 / G 1X
5668B001AA	R 1,564	Canon Battery Pack NB - 10L, SX 40 / SX 50 / G 1X / G15 / G16 / SX60
5670B001AA	R 1,319	Canon CB-2LCE BATTERY CHARGER For NB-10L, SX 40 / SX 50 / G 1X / G15 / G16 / SX60
5672B001AA	R 138	Canon E-82 II 82mm Lens Cap
5673B001AA	R 95	Canon E - 58 MK II FRONT LENS CAP
5751B002AA	R 2,783	Canon Li-Ion Rechargeable Battery Pack LP - E4N for EOS 1DX

6055B002AA	R 1,325	Canon Battery Pack BP-718
6056B002AA	R 2,084	Canon BP-727 High Capacity Intelligent Battery Pack
6057B003AA	R 1,745	Canon CG - 700 Compact Power Adapter
6098B005AA	R 2,286	Canon EF-M TO EOS MOUNT ADAPTER
6212B001AA	R 1,110	Canon Battery Pack NB - 11LH, IXUS 125HS / PS A4000 / PS A2300 / PS A2400 / PS A3400 / IXUS 240HS / PS A2500 / PS A2600 / PS A3500 / IX 132 / IX 135 / IX 140 / IX145 / IX150 / IX155 / IX 265/SX400
6316B001AA	R 135	Canon E-67 II 67mm Lens Cap
6318B001AA	R 137	Canon E-77 II 77mm Lens Cap
6319B001AA	R 301	Canon EW-54 Lens Hood for EF-M 18-55mm f/3.5-5.6 IS STM Lens
6363B001AA	R 6,785	Canon GPS Receiver GP-E2 for EOS 1DX, 5D Mk III, 7D, needs Firmware v2.03, 6D, 650D, EOS M
6555B001AA	R 120	Canon E-52 II Lens Cap for 52mm EF-M Lens
6760B002AA	R 965	Canon Li-Ion Rechargeable Battery Pack LP - E12, EOS M / 100D
6782B001AA	R 1,188	Canon LC-E12E Compact Battery Charger For EOS M / 100D
6925B001AA	R 1,070	Canon FA-DC58D Filter Adapter for PowerShot G15
6959144011578	R 299	Promate Monopro-5 Extendable Selfie Monopod for Cameras and Smartphones Colour: Grey, Retail Box
6959144012155	R 499	Promate Bolster Universal SLR Holster with Quick Release Latch - Camouflage
7084A002AA	R 2,559	Canon NI-MH Rechargeable Battery Pack NP-E3, EOS 1D / 1D MkII / 1Ds
7276A001AA	R 660	Canon EW-83E Lens Hood For 16-35mmf2.8 / EF 17-40mm f4 / EF-S 10-22mm
8021A001AA	R 647	Canon EW-83F Lens Hood for 24-70mm f/2.8L Lens
8025A001AA	R 350	Canon EW-63B Lens Hood for EF 28-105mm f/4-5.6 USM Lens
8171A001AA	R 129	Canon Eyecup Ef for Digital Rebel Cameras EOS 1000D / 450D / 500D
8172A001AA	R 137	Canon Ef Rubber Frame for Dioptric Lens For Digital Rebel XT, XTi Rebel K2, T2, T2i, T3, T3i, T4i, Ti, XS, XSi IX Lite
8268B001AA	R 381	Canon EW-63C Lens Hood for EF-S 18-55mm f/3.5-5.6 IS STM Lens
8471B001AA	R 4,630	Canon BG-E14 Battery Grip for Canon EOS 70D
8582B001AA	R 254	Canon ET-63 Lens Hood for EF-S 55-250mm f/4-5.6 IS STM Lens
8597B002AA	R 1,847	Canon Battery Pack 2000 BP-820
8598B002AA	R 2,584	Canon BP-828 Battery
8724B001AA	R 1,029	Canon Battery Pack NB - 6LH, PS S90 / D10 / Ixus 95 IS / 105 IS / 210 IS / 300HS / 310HS / S95 / D20 / SX 240HS / SX 260HS / SX 170 / SX 510HS / S120 HS / D30 / SX600 / SX700 / S200 / SX520
9130B001AA	R 6,000	Canon BG-E16 Battery Grip for EOS 7D Mark II
9198A001AA	R 1,309	Canon EF - 12 II EXTENSION TUBE, 12 mm Extension for EF & EF-S Lenses
9199A001AA	R 2,620	Canon EF - 25 II EXTENSION TUBE, 25 mm for EF & EF-S Lenses
9370A001AA	R 550	Canon IFC-400PCU USB Interface Cable For all digital cameras with smaller A - type socket
9389B003AA	R 13,395	Canon MR-14EX II Macro Ring Flash
9426B001AA	R 1,564	Canon Battery Pack NB-12L, PS G1Xii / PS N100/LEGRIA MINI X
9447A001AA	R 806	Canon ET-65B Lens Hood for 70-300mm f/4.5-5.6 DO-IS & f/4-5.6 IS USM Lenses
9486B002AA	R 1,646	Canon LP-E6 Rechargeable Lithium-Ion Battery Pack (7.2V, 1800mAh)
9529B001AA	R 444	Canon EW-73C Lens Hood For EF-S 10-18mm f4.5-5.6 IS STM
9530B001AA	R 635	Canon Lens Hood EW-83M for EF 24-105mm f/3.5-5.6 IS STM
9553B001AA	R 575	Canon LH-DC80 Lens Hood for PowerShot G1 X Mark II Digital Camera
9582A002AA	R 957	Canon BP-2L14 Battery Pack - 1450mAh
9626B002AA	R 1,746	Canon CT-V1 Wireless Pan Cradle (For Canon video cameras)
9823A001AA	R 591	Canon EW-73B Lens Hood For EF-S 17-85mm f4-5.6 IS USM / EFS 18 - 135 IS
9839B001AA	R 1,701	Canon Battery Pack NB-13L, G7X
9841B001AA	R 1,381	Canon CB-2LHE BATTERY CHARGER For NB-13L, G7X
9843B001AA	R 549	Canon LH-DC90 Lens Hood for PowerShot SX60 HS
9967B002AA	R 1,189	Canon LP-E17 Lithium-Ion Battery Pack
CB-VVE-O	R 101	Vax Bo270004 Verdi camera strap - black Orange - with side pocket for battery memory card

CB-VVE-P	R 101	Vax Bo270005 Verdi camera strap - black Purple - with side pocket for battery memory card
CCK114	R 12	Okion Digital Camera Cleaning Kit
CCK115	R 12	Okion Camera & Camcorder 3-in-1 Compact Cleaning Kit
DC-CAACKDC10	R 951	Canon ACK-DC10 ac adapter for digital iXUS 30, 40, 50, 55, 60, 65, 70, 75, 80iS , 100iS, 110iS, 115HS, 117HS, 120iS, 130, 220HS, wireless
DC-CACADC20	R 488	Canon CA-DC20E compact power adapter for digital iXUS 60, 65, zoom , i7 zoom , wireless
DC-CACBCE5	R 1,526	Canon CBC-E5 car battery charger for LP-E5 lithium battery- EOS450D, 500D, 1000D
DC-CAHFDC1	R 2,084	Canon HF-DC1 external High power Flash - powershot A410, A420, A430, A450, A460, A470, A480, A490, A495, A800, A810, A1200, A1300, A2200, A2300, A2400iS, A3400iS, A4000iS, A510, A520, A530, A540, A550, A560, A570iS, A580, A590iS, A610, A620, A630, A640, A650iS, A700, A710iS, A720iS, A1000iS, A1100iS, A2000iS, A2100iS, A3000iS, A3100iS, A3200iS, A3300iS, E1, D10, D20, S80, S2iS , S3iS, SX100iS, SX110iS, SX120iS, SX130iS, SX150iS, SX160iS, SX200iS, SX210iS, SX220HS, SX230HS, SX240HS, SX260HS, SX10iS, SX20iS, S90, S95, S100, S110, SX1iS, G7, G9, G10, G11, G12 / digital iXUS 50, 55, 60, 65, 70, 75, 700, 750, 80iS, 800iS, 85iS, 850iS, 860iS, 870iS, 90iS, 95iS, 100iS, 105, 110iS, 115HS, 117HS, 120iS, 130, 200iS, 220HS , 230HS, 240HS, 300HS, 1000HS, 1100HS, 900Ti, 950iS, 960iS, 970iS, 980iS, 990iS, Zoom , i7 Zoom , wireless
DC-CALADC52D	R 408	Canon LA-DC52D conversion lens adapter - for powershot A80, A95
DC-CALADC52F	R 408	Canon LA-DC52F conversion lens adapter - for powershot A510, A520, A540
DC-CANB9L	R 788	Canon NB-9L Li-on battery for digital camras iXUS 500HS, 510HS, 1000HS, 1100HS / powershot N
DV-CABP214	R 784	Canon BP-214 , 1500mah , long-life battery for DC-50, HR10
Elgato Cold Shoe 10AAR9901	R 334	Elgato Cold Shoe - Premium mounting solution, 1/4 inch Thread, Lock, Fix and Dampening
Elgato Multi Mount 10AAB9901	R 851	Corsair/ Elgato 10AAB9901 Extendable from 55 cm / 22 in. up to 125 cm / 49 in., the stock Multi Mount with center ball head, 1/4" screw, and padded 6 cm / 2.35 in
GC-CMM-CS	R 332	Corsair / Elgato 10AAR9901 Multi Mount system - Cold Shoe - 180-degree tilt 360-degree swivel , with 4x 1/4-inch thread - for light, off-camera flash, microphone,
GC-CMM-HC	R 539	Corsair / Elgato 21/10AAQ9901 Multi Mount system - Heavy Clamp - 360-degree rotatable ball head for camera/ light/ mic with 4x 1/4-inch thread
GC-CMM-WM	R 608	Corsair / Elgato 10AAo9901 Multi Mount system - Wall Mount - 360-degree rotatable ball head for camera/ light/ mic with 1x 1/4-inch thread, 80mm pole extension
GC-CMMFA	R 735	Corsair / elgato 10AAC9901 Multi Mount Flex Arm kit - 4 steel tubes with ball joints (24 17 8 8cm)
GC-CMMFAS	R 505	Corsair/ Elgato 10AAH9901 Multi Mount Flex Arm S - 2x steel tubes with ball joints (17 8cm)
GC-CMMS	R 980	Corsair Mini Mount stand, 1/4" screw ball head, From 37cm adjustable hight
GC-CMMSA	R 568	Corsair / Elgato 10AAG9901 Multi Mount Solid Arm - auxiliary holding arm for cameras, lights and others (26cm)

< Return to the menu

Digital camera lenses

Product code	Price	Description
0284B007AA	R 7,861	Canon EF-S 60mm f/2.8 Macro USM
0570C005AA	R 2,460	Canon EF 50mm f/1.8 STM Lens. Filter Thread / Lens / Comment: 49, Lens Hood: ES-68
1056B005AA	R 37,850	Canon EF 85mm f/1.2L II USM Camera Lens, Filter Thread/Lens/Comment - 72 / Lens Hood - Es-79 Ii
1242B005AA	R 16,598	Canon EF-S 17 - 55 mm f 2.8 IS USM, 77, EW-83J
1257B005AA	R 28,388	Canon EF 50 mm f 1.2 L USM, Filter Thread/Lens/Comment - 72 / Lens Hood - Es-78
2509A004AA	R 8,985	Canon EF 20 mm f 2.8 USM, Filter Thread/Lens/Comment - 72 / Lens Hood - Ew-75 Ii
2510A004AA	R 8,591	Canon EF 28 mm f 1.8 USM Camera Lens, Filter Thread/Lens/Comment - 58 / Lens Hood - Ew-63 Ii
2515A004AA	R 7,285	Canon EF 50 mm f 1.4 USM Camera Lens, Filter Thread/Lens/Comment - 58 / Lens Hood - Es-71 Ii
2519A004AA	R 7,280	Canon EF 85mm f/1.8 USM Camera Lens, Filter Thread/Lens/Comment - 58 / Lens Hood - Et-65 Iii
2530A017AA	R 25,625	Canon EF 300 mm f 4.0 L IS USM, 77, BIH
2750B005AA	R 35,963	Canon EF 24 mm f 1.4L II USM, Filter Thread/Lens/Comment - 77 / Lens Hood - Ew-83K
2752B005CA	R 9,462	Canon EF-S 18-200mm f3.5-5.6 IS Lens
3552B005AA	R 39,312	Canon TS-E 24mm f/3.5L II Tilt-Shift Lens, 82, EW-88B

3554B005AA	R 17,471	Canon Lens EF 100mm f/2.8L Macro IS USM, 67, ET - 73
3560B005AA	R 15,288	Canon EF-S 15 - 85mm f 3.5-5.6 IS USM, 72, EW - 78E
4411B005AA	R 112,116	Canon EF 300 mm f 2.8 L IS Mk II USM, 52 Drop-in, ET-120
4426B005AA	R 26,935	Canon EF 70 - 300 mm f 4 - 5.6 L IS USM, 67, ET-73B
4427B005AA	R 24,753	Canon EF 8 - 15mm f 4.0 L FISHEYE USM
4657A011AA	R 9,899	Canon EF 100mm f/2.8 Macro USM Lens, 58, ET - 67
5124B005AA	R 172,478	Canon EF 500 mm f 4.0 L IS USM Mk II, 52 Drop-in, ET-138
5175B005AA	R 36,401	Canon EF 24 - 70 mm f 2.8 L USM Mk II, 82, EW-88C
5176B005AA	R 199,478	Canon EF 200 - 400mm f 4 L IS USM Extender 1.4x, 52 Drop-in, ET-120 (WII)
5985B005AA	R 4,367	Canon 22mm f2 STM Pancake M-Mount Lens
6310B005AA	R 4,447	Canon EF 40 mm f 2.8 STM, 52, ES-52
6313B005AA	R 19,365	Canon EF 24 - 70 mm f4 L USM, 77, EW-83L
6473A015AA	R 4,367	Canon EF 75 - 300 mm f 4.0 - 5.6 III, 58, ET-60
8546B005AA	R 6,698	Canon EF-S 55-250mm f4-5.6 IS STM Lens
9517B005AA	R 5,822	Canon EF-M 55-200mm f/4.5-6.3 IS STM Lens
9518B005AA	R 20,385	Canon EF 16-35mm f4 L IS USM Lens
9519B005AA	R 5,014	Canon EF-S 10 - 18 mm f 4.5 - 5.6 IS STM, 67, EW-73C
9520B005AA	R 61,152	Canon EF 11 - 24 mm f 4 L USM, Filter Thread/ Lens/ Comment: Gelatin, Lens Hood: BIH
9521B005AA	R 8,006	Canon EF 24-105mm f/3.5-5.6 IS STM, 77, EW - 83M
9524B005AA	R 40,769	Canon EF 100-400mm f4.5-5.6 L IS II USM Lens
CEF75300	R 6,313	CANON EF 75-300mm f/4.0-5.6 III USM Digital Camera Lens, Affordable telephoto zoom lens, USM autofocus motor, Super Spectra coatings, Lightweight design, 58mm filter size, 1.5m closest focusing distance.

< Return to the menu

Digital photo cameras

Digital photo cameras : 1 to 5 MegaPixel Cameras

Product code	Price	Description

< Return to the menu

Digital photo cameras : 10 to 15 MegaPixel Cameras

Product code	Price	Description

< Return to the menu

Digital photo cameras : 16 to 20 MegaPixel Cameras

Product code	Price	Description
0106C002AA	R 14,845	Canon Powershot G3X, with WiFi NFC GPS via mobile, F2.8-5.6/24mm ultra wide lens, HS High-Sensitivity Cmos sensor, dual customisable lens rings, support optional 58mm filter or add-on lens, RAW and DPP support, Neutral Density Filter, 5.9 shots/sec continuous shooting, iSO 12800 - 20 MegaPixel, 200x zoom (25 x 4 with digital tele-converter), DIGIC6 with iSAPS, Intelligent 5-axis Enhanced Dynamic image stabilizer with 3.5-stop, 3.2" PureColour II foldable touch-screen LCD - 1620k pixels, 1080p full HD video 1920x1080@60fps, video Max length - 4Gb or 120min, miCro HDMi/USB/AV output, support speedlites external flash, support wireless remote shooting via mobile remote remote switch RS-60E3; SDXC/SD/SDHC/MMC, Li-on battery
1717C015AA	R 7,482	Canon PowerShot G9X Mark II Black, Wrist Strap WS-D12, Battery Pack NB-13L, Battery Charger CB-2LHE, AC Cable, User Manual Kit
2208C013AA	R 23,753	Canon PowerShot G1X MkIII Digital Camera, Lens Cap, Lens Cap String, Neck Strap NS-DC12, Strap Adapters (for NS-DC12), Battery Pack NB-13L, Battery Charger CB-2LHE, AC Power Cable, User Manual Kit (Getting Started guide)
2956C022AA	R 9,714	Canon Powershot SX740HS Silver 20.3 Mp; 4k, 40x Zoom Lens; 80x Zoomplus; Wi-fi, Bluetooth; Digic 8; Battery Nb-13l; Charger Cb-2lhe And Image Sync Incl Wrist Strap Ws-800

7284C001AA	R 6,797	Canon IXUS 285 HS 20.2MP Compact Digital Camera, 12x Optical Zoom Lens with 25mm Wide-Angle start, 20.2 Megapixel CMOS Sensor and digic 4 Processor, Full HD Video recording at 1920x1080 pixels in MP4 Format, Wi-Fi and NFC connectivity for Smart device sharing, Intelligent Optical Image stabilizer for Sharp stills and movies, 3.0 inch LCD screen, MicroSD Memory card compatibility, ISO sensitivity range from 80 to 3200 for low Light Performance, Auto Zoom feature for Automatic framing at the Touch of a Button, Creative shot mode creates five additional Unique images instantly, Wireless Remote shooting capability from compatible Smart devices
CSX740HSBK	R 10,751	Canon Powershot SX740HS Black 20.3 MP; 4K, 40x zoom lens; 80x ZoomPlus; Wi-Fi, Bluetooth; Digic 8; Battery NB-13L; Charger CB-2LHE and Image Sync incl Wrist strap WS-800
CSX740HSSL	R 10,751	Canon Powershot SX740HS Silver 20.3 Mp; 4k, 40x Zoom Lens; 80x Zoomplus; Wi-fi, Bluetooth; Digic 8; Battery Nb-13l; Charger Cb-2lhe And Image Sync Incl Wrist Strap Ws-800

< Return to the menu

Digital photo cameras : 21 to 25 MegaPixel Cameras

Product code	Price	Description
1263C084AA	R 21,764	Canon EOS 80D Body 24 MegaPixel Digital Camera with EF-S 18-135 IS USM Lens, Kit includes: EOS 80D Body, EF-S 18-135 IS USM Lens, Neck strap, LC-E6E charger, LP-E6N Battery, interface cable, video cable, software
1895C036AA	R 14,193	Canon EOS 800D 18-55 IS STM Lens Kit (24 Million Pixels) Kit includes: EOS 800D Body, Neck strap, LC-E17E charger, LP-E17 Battery, interface cable, video cable, software
2209C081AA	R 7,422	Canon EOS M100 BK M15-45 S - EOS M100 body, EF-M15-45 mm f/3.5-6.3 IS STM, Lens Cap E-49, Lens Dust Cap EB, Camera Cover R-F-4, Strap EM-300DB, Interface Cable IFC-600PCU, Battery Charger LC-E12, Battery Pack LP-E12, Power Cable
2681C073AA	R 10,409	Canon EOS M50 WH BODY - Digital Camera EOS M50 body, Camera Cover R-F-4, Strap EM-200DB, Battery Charger LC-E12E, AC Cable, Battery Pack LP-E12, User Manual Kit
3454C030AA	R 16,130	Canon EOS 250D body Black, Eyecup EF, Camera Cover R-F-3, Neck Strap EW-400D-N, Battery Pack LP-E17, Battery Charger LC-E17E, Power Cable, EF-S18-55mm f/4-5.6 IS STM, Lens Cap E-58II, Lens Dust Cap E, EF50mm, f/1.8 STM, Lens Cap E-49, Lens Dust Cap E, User Manu, Â© 2019 Laptop Direct
3454C033AA	R 18,466	Canon EOS EOS 250D body Black, Eyecup EF, Camera Cover R-F-3, Neck Strap EW-400D-N, Battery Pack LP-E17, Battery Charger LC-E17E, Power Cable, EF-S18-55mm f/3.5-5.6 III, Lens Cap E-58II, Lens Dust Cap E, EF75-300mm F/4-5.6III, Lens Cap E-58II, Lens Dust Cap E, Â© 2019 Laptop Direct

< Return to the menu

Digital photo cameras : 26 to 40 MegaPixel Cameras

Product code	Price	Description
1483C052AA	R 39,128	Canon EOS 5D Mk IV Body Kit (30 Million Pixels), Kit includes: EOS 5D Mk IV Body, Neck strap, LC - E6 charger, LP - E6N Battery
1483C058AA	R 58,315	Canon EOS 5D Mk IV & 24-105 L Mk II Lens Kit (30 Million Pixels) Kit includes: EOS 5D Mk IV Body, EF24-105mm f4L IS Mk II USM Lens, Neck strap, LC - E6 charger, LP - E6N Battery
1897C041AA	R 27,902	Canon EOS 6D Mk II Body Kit (26 Million Pixels), Kit includes: EOS 6D Mk II Body, Neck strap, LC - E6 charger, LP - E6N Battery

< Return to the menu

Digital photo cameras : 41 to 60 MegaPixel Cameras

Product code	Price	Description

< Return to the menu

Digital photo cameras : 7 MegaPixel Cameras

Product code	Price	Description

< Return to the menu

Digital photo cameras : 8 MegaPixel Cameras		
Product code	**Price**	**Description**
CR000SW	R 1,729	Fondi OnReal Camera - 8MegaPixel Photo Capture, 1080P 30FPS Full HD Video Quality, Built-in Wi-Fi, 120 degree Wide Viewing Angle, 400mAh Lithium-ion Rechargeable Battery, Compatible with Android 4.0 and above - White
iP-CZS-K	R 1,285	Canon Zoemini S Black, - 8MP camera photo printer 2-in-1, front large selfie mirror ring-light remote shutter, ultra compact pocket size (121x80.3x21.5mm, 188g), built-in bluetooth 4.0, Zero ink (ZiNK) technology, 700mAh Li-polymer 2 cell rechargeable battery, auto power off; with miCroSDXC card reader, 314x600dpi, mono/color: 1.2ppm, 10s input tray, 2x3" photos or stickers
iP-CZS-W	R 1,259	Canon Zoemini S White, - 8MP camera photo printer 2-in-1, front large selfie mirror ring-light remote shutter, ultra compact pocket size (121x80.3x21.5mm, 188g), built-in Bluetooth 4.0, Zero ink (ZiNK) technology, 700mAh Li-polymer 2 cell rechargeable battery, auto power off; with miCroSDXC card reader, 314x600dpi, mono/color: 1.2ppm, 10s input tray, 2x3" photos or stickers (Order on request)

< Return to the menu

Digital photo cameras : 9 MegaPixel Cameras		
Product code	**Price**	**Description**

< Return to the menu

Film Camera [not digital]		
Product code	**Price**	**Description**

< Return to the menu

Video cameras / Video recorders		
Product code	**Price**	**Description**

< Return to the menu

Web cameras		
Product code	**Price**	**Description**

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Digital projectors		
Product code	**Price**	**Description**

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Displays		
Product code	**Price**	**Description**

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Drives		
Current Drives (mechanical)		
Current Drives (mechanical) : 2.5" SATA Notebook hard drives		
Product code	**Price**	**Description**

DS700-1024MB	R 2,499	Dato DS700 1TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 550MB/s Read Speed, Up to 500MB/s Write Speed, 3D NAND Flash
HD-SN1000E128	R 2,700	Seagate 2.5" Exos Enterprise 7E2000 - ST1000NX0313 / ST1000NX0423, designed for 24x7 SAN/NAS, 1Tb/1000Gb, 15mm, 128mb cache, SATA3(6Gb/s), support NCQ, 7200rpm, 4.16ms, sustained data rate: 136mb/sec - (Order on request)
HD-SN1000T128	R 1,194	Seagate ST1000LM035 1Tb/1000Gb, 2.5" , 7mm Thin, 128mb cache, SATA3(6GB/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording), sustained data rate: 140mb/sec | RPM : 5400, Cache - mb : 128, mode : Sata6G, height - mm : 7, warranty- years : 2, size - GB : 1000, average latency - ms : 13, Encryption : N, sustained data rate - mb/ sec : 140
HD-SN2000E128	R 4,862	Seagate 2.5" Exos enterprise 7E2000 - ST2000NX0253 / ST2000NX0403 , dedsigned for 24x7 SAN/NAS, 2Tb/2000Gb, 15mm, 128mb cache, SATA3(6Gb/s), support NCQ, 7200rpm, 4.16ms, sustained data rate: 136mb/sec - (Order on request)
HD-SN2000T128	R 2,062	Seagate ST2000LM007 2Tb/2000Gb, 2.5" , 7mm Thin, 128mb cache, SATA3(6GB/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording), sustained data rate: 140mb/sec | RPM : 5400, Cache - mb : 128, mode : Sata6G, height - mm : 7, warranty- years : 2, size - GB : 2000, average latency - ms : 13, Encryption : N, sustained data rate - mb/ sec : 140
HD-SN4000	R 3,325	Seagate ST4000LM024 Barracuda 4Tb/4000Gb, 2.5" , 15mm, 128mb cache, SATA3(6Gb/s), support NCQ , 5400rpm, with SMR (Shingled Magnetic Recording) Multi-Tier Caching, sustained data rate: 140mb/sec
HDD744	R 1,390	Seagate ST1000LM035 1Tb/1000Gb, 2.5" , 7mm Thin, 128mb cache, SATA3(6GB/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording), sustained data rate: 140mb/sec
HDD747	R 1,996	Seagate ST2000LM007 2Tb/2000Gb, 2.5" , 7mm Thin, 128mb cache, SATA3(6GB/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording), sustained data rate: 140mb/sec
HM121HI	R 526	Samsung SpinPoint M5S 120GB 2.5" SATA2 5400rpm 8MB Cache Hard Disk Drive, 5.56 ms average rotational Latency, HM121HI
HTS541515A9E630	R 1,247	HGST Travelstar 5K1500 1.5TB 2.5" 5400rpm 32MB Cache SATA3 6Gb/s Hard Disk Drive, 9.5mm thick, HTS541515A9E630
Labour_drive_1	R 431	Labour cost for drive installation per hour (standard operation - up to 1 hour / each drive)
MK1252GSX	R 438	Toshiba 120GB 2.5" 5400rpm 8MB SATA2 3Gb/s Hard Disk Drive, MK1252GSX
MQ01ABB200	R 3,157	Toshiba 2TB 2.5" 5400rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 15mm thick, MQ01ABB200
MQ02ABD100H	R 1,386	Toshiba 1TB with 8GB MLC NAND Flash 2.5" 5400rpm 64MB Cache SATA3 6Gb/s 64MB Cache Hybrid Hard Disk Drive, MQ02ABD100H
MQ04ABD200	R 1,579	Toshiba MQ04 2TB 2.5" 5400rpm 128MB Cache SATA3 6Gb/s Hard Disk Drive, 2.5" 15mm Form Factor, MQ04ABD200
P220S1TB25	R 3,328	Patriot P220 1TB 2.5" Solid State Drive
SEDC600M/1920G	R 25,724	Kingston DC600M 1920G (Mixed-Use) 2.5" Enterprise SATA SSD, Data Center SSD Series (DC)
SEDC600M/3840G	R 49,596	Kingston DC600M 3840G (Mixed-Use) 2.5â€• Enterprise SATA SSD, Data Center SSD Series (DC)
SEDC600M/7680G	R 74,705	Kingston DC600M 7680G (Mixed-Use) 2.5â€• Enterprise SATA SSD, Data Center SSD Series (DC)
SEDC600M/960G	R 13,294	Kingston DC600M 960G (Mixed-Use) 2.5â€• Enterprise SATA SSD, Data Center SSD Series (DC)
SKC600/1024G	R 3,506	Kingston KC600 1TB 2.5 SATA3 TLC SSD Solid State Drive, Built-in Hardware XTS-AES 256bit Encryption with TCG security, with RAID protection LDPC (Low density Parity check) ECC, Smi SM2259 controller, 550MB/sec read speed, 520MB/sec write speed,
SKC600/256G	R 1,321	Kingston KC600 256GB 2.5 SATA3 TLC SSD Solid State Drive, Built-In Hardware XTS-AES 256bit Encryption with TCG Security, with RAID protection LDPC (Low density Parity check) ECC, Smi SM2259 Controller, 550MB/sec Read Speed, 500MB/sec Write Speed, 150TB total bytes written (TBW)
SKC600/512G	R 3,276	Kingston KC600 512GB 2.5 SATA3 TLC SSD Solid State Drive, Built-In Hardware XTS-AES 256bit Encryption with TCG Security, with RAID protection LDPC (Low density Parity check) ECC, Smi SM2259 Controller, 550MB/sec Read Speed, 520MB/sec Write Speed, 300TB total bytes written (TBW)
SSD25S3T1TBLT	R 2,299	OCPC XTL-200 1TB 2.4" SATA3 6Gb/s Solid State Drive, Interface SATA 3 6Gb/s, Form Factor 2.5" with 7mm height, Sequential Read Speed up to 520 MB/s, Sequential Write Speed up to 480 MB/s, DRAM-less Architecture

		Design
ST2000LM003	R 1,648	Seagate Spinpoint M9T 2TB 2.5" 5400rpm 32MB Cache SATA3 6Gbps Hard Disk Drive, 5.56 ms average Latency, 7mm thick, ST2000LM003
ST2000LM007	R 1,699	Seagate Mobile 2TB 2.5" 5400rpm 128MB Cache SATA3 6Gb/s Hard Disk Drive, SMR (Shingled Magnetic recording), 140MB/sec sustained Data rate, 7mm thin, ST2000LM007
ST250LT012	R 493	Seagate Momentus Thin 250GB 2.5" 5400rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 5.6 ms average Latency, 7 mm height, ST250LT012
ST320LT012	R 555	Seagate Momentus Thin 320GB 2.5" 5400rpm 16MB Cache SATA2 Notebook Hard Drive, SATA 3Gb/s Interface, 7mm thick, 5.6 ms average Latency, ST320LT012
ST5000LM000	R 5,456	Seagate Barracuda 5TB 2.5" 5400rpm 128MB Cache SATA3 6Gb/s Hard Disk Drive, 140MB/sec sustained Data rate, 15mm height, ST5000LM000
ST500LM030	R 667	Seagate ST500LM030 Barracuda 500Gb, 2.5" , 7mm Thin, 128mb cache, SATA3(6Gb/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording)
ST9250410AS	R 665	Seagate Momentus 250GB 2.5" 7200rpm SATA II 16MB Cache Hard Disk Drive, ST9250410AS, SATA 3Gb/s Interface, 9.5mm height, 4.17ms average Latency
WD10JUCT	R 1,029	Western Digital AV-25 1TB 2.5" 5400rpm 16MB Cache SATA2 internal Notebook Drive, SATA 3Gb/s Interface, 9.5 mm thickness, WD10JUCT
WD20SPZX	R 2,529	Western Digital Blue 2TB SATA 2.5 5400rpm 128MB Cache Hard Disk Drive, 7mm thin, SMR Recording Technology, WD20SPZX

< Return to the menu

Current Drives (mechanical) : 3.5" SATA hard drives

Product code	Price	Description
HD-S1000D	R 1,180	Seagate ST1000DM003, 1000gb/1Tb, Sata6G, Barracuda, 7200rpm, 64mb cache, with OptiCache AcuTrac SmartAlign
HD-S2000D256	R 2,528	seagate Barracuda ST2000DM008, 2000gb/2Tb, Desktop hdd, SATA3(6Gb/s), 7200rpm, 256mb cache, with OptiCache AcuTrac SmartAlign, sustained data rate - 220mb/sec
HD-S3000D256	R 2,038	Seagate Barracuda ST3000DM007, 3000gb/3Tb, Desktop hdd, SATA3(6Gb/s), 7200rpm, 256mb cache, with OptiCache AcuTrac SmartAlign, sustained data rate - 185mb/sec
HD-S4000D256	R 2,039	Seagate Barracuda ST4000DM004, 4000gb/4Tb, Desktop hdd, Sata3(6Gb/s), 5900rpm, 256mb cache, with OptiCache AcuTrac SmartAlign, sustained data rate - 190mb/sec
HD-S6000D	R 3,343	Seagate ST6000DM001, 6000Gb/6Tb, Desktop hdd, Sata3(6Gb/s), 7200rpm, 128mb cache, with OptiCache AcuTrac SmartAlign
HD-S8000D	R 3,910	Seagate ST8000DM002, 8000Gb/8Tb, Desktop hdd, Sata3(6GB/s), 5900rpm, 256mb cache, with OptiCache AcuTrac SmartAlign
HD-SN5000	R 5,749	Seagate ST5000LM000 Barracuda 5Tb/5000Gb, 2.5" , 15mm, 128mb cache, SATA3(6Gb/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording) Multi-Tier Caching, sustained data rate: 140mb/sec
HD-W10000Go	R 13,973	Western Digital Gold WD101KRYZ 10Tb/10000gb, SATA3(6Gb/s), dual processors unit, Dual actuator, NoTouch ramp load, Dynamic fly height, dual-plane balance control with 3D active balance, StableTrac technology, multi-axis shock sensor, RAFF vibration protection, with NCQ, TLER (Time-Limited Error Recovery), 7200rpm, 256mb, Host to/from drive (sustained): 249mb/sec, locking latch, backplane compatibility, designed for 24x7 datacenter
HD-W1000LP	R 1,065	Western Digital Blue WD10EZEX 1000gb/1Tb 7200rpm, 64mb cache, Sata6G, NoTouch Ramp Load technology, Low power consumption, sustained data rate - 150mb/sec
HD-W2000L	R 1,288	Western Digital Blue WD20EZRZ 2Tb/2000gb, Sata3(6GB/s), 5400rpm, 64mb cache, Host to/from drive (sustained): 147mb/sec, with IntelliSeek NoTouch ramp load technology. RPM : 5400, Cache - mb : 64, mode : sata6G, warranty- years : 2, size - GB : 2000, dual processor : N, host to/ from drive - mb/ sec : 147
HD-W3000L	R 1,351	Western Digital Blue WD30EZRZ 3Tb/3000gb, Sata3(6GB/s), 5400rpm, 64mb cache, Host to/from drive (sustained): 147mb/sec, with IntelliSeek NoTouch ramp load technology. RPM : 5400, Cache - mb : 64, mode : sata6G,size - GB : 3000, dual processor : N, host to/ from drive - mb/ sec : 147

HD-W4000Go	R 6,148	Western Digital Gold WD4002FRYZ 4Tb/4000gb, SATA3(6Gb/s), dual processors unit, Dual actuator, NoTouch ramp load, Dynamic fly height, dual-plane balance control with 3D active balance, StableTrac technology, multi-axis shock sensor, RAFF vibration protection, with NCQ, TLER (Time-Limited Error Recovery), 7200rpm, 128mb, Host to/from drive (sustained): 201mb/sec, locking latch, backplane compatibility, designed for 24x7 datacenter
HD-W4000L	R 1,883	Western Digital Blue WD40EZRZ 4Tb/4000gb, Sata3(6GB/s), 5400rpm, 64mb cache, Host to/from drive (sustained): 150mb/sec, with IntelliSeek NoTouch ramp load technology, RPM : 5400, Cache - mb : 64, mode : sata6G, warranty- years : 2, size - GB : 4000, dual processor : N, host to/ from drive - mb/ sec : 150
HD-W6000Go	R 8,384	Western Digital Gold WD6002FRYZ 6Tb/6000gb, SATA3(6Gb/s), dual processors unit, Dual actuator, NoTouch ramp load, Dynamic fly height, dual-plane balance control with 3D active balance, StableTrac technology, multi-axis shock sensor, RAFF vibration protection, with NCQ, TLER (Time-Limited Error Recovery), 7200rpm, 128mb, Host to/from drive (sustained): 226mb/sec, locking latch, backplane compatibility, designed for 24x7 datacenter
HD-W6000L	R 3,692	Western Digital Blue WD60EZRZ 6Tb/6000gb, Sata3(6GB/s), 5400rpm, 64mb cache, Host to/from drive (sustained): 175mb/sec, with IntelliSeek NoTouch ramp load technology, RPM : 5400, Cache - mb : 64, mode : sata6G, warranty- years : 2, size - GB : 6000, dual processor : N, host to/ from drive - mb/ sec : 175
HD-W8000Go	R 11,179	Western Digital Gold WD8002FRYZ 8Tb/8000gb, Sata3(6Gb/s), dual processors unit, Dual actuator, NoTouch ramp load, Dynamic fly height, dual-plane balance control with 3D active balance, StableTrac technology, multi-axis shock sensor, RAFF vibration protection, with NCQ, TLER (Time-Limited Error Recovery), 7200rpm, 128mb, Host to/from drive (sustained): 205mb/sec, locking latch, backplane compatibility, designed for 24x7 datacenter
HD-W8000L	R 4,419	Western Digital Blue WD80EAZZ 8000gb/8Tb 5400rpm, 128mb cache, SATA3(6Gb/s), NoTouch Ramp Load technology, Low power consumption, sustained data rate - 185mb/sec
HDD794	R 1,502	Seagate Skyhawk 3TB - 5900RPM SATA3(6GB/s) - 64MB Cache, supports up to 64 cameras, up to 8 Drive Bays supported
HDEB00SGEA51F	R 16,599	Toshiba MG Series Enterprise 20TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, HDEB00SGEA51F, CMR Technology
HDEB00SGEA51F	R 16,375	Toshiba MG Series Enterprise 20TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, HDEB00SGEA51F, CMR Technology
HDEB034GEA51F	R 18,699	Toshiba MG Series Enterprise 24GB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, HDEB034GEA51F, CMR Technology
HDEB034GEA51F	R 19,102	Toshiba MG Series Enterprise 24GB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, HDEB034GEA51F, CMR Technology
HDEPW11GEA51F	R 5,231	Toshiba MG Series 12TB 3.5" SATA3 7200rpm 256MB Cache Enterprise Hard Disk Drive, 512e disk Format, MG07ACA12TE, 242 MiB/s Maximum sustained Data transfer Speed
HDEPZ10GEA51F	R 15,123	Toshiba MG Series 18TB 3.5" SATA3 7200rpm 512MB Cache Enterprise Hard Disk Drive, 512e disk Format, MG09ACA18TE
HDEPZ10GEA51F	R 13,999	Toshiba MG Series Enterprise 18TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, 512e disk Format, MG09ACA18TE
HDEPZ11GEA51F	R 11,999	Toshiba MG Series Enterprise 16TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, 512e disk Format, HDEPZ11GEA51F
HDEPZ11GEA51F	R 13,720	Toshiba MG Series Enterprise 16TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, 512e disk Format, HDEPZ11GEA51F
HDEPZ12GEA51F	R 11,599	Toshiba MG Series 14TB 3.5" 7200rpm 256mn Cache SATA3 6Gb/s Enterprise Hard Disk Drive, 512e disk Format, LFF Form Factor
HDEPZ12GEA51F	R 13,001	Toshiba MG Series 14TB 3.5" 7200rpm 256mn Cache SATA3 6Gb/s Enterprise Hard Disk Drive, 512e disk Format, LFF Form Factor
HDEPZ13GEA51F	R 11,199	Toshiba MG Series Enterprise 12TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, 512e disk Format, HDEPZ13GEA51F
HDEPZ13GEA51F	R 11,753	Toshiba MG Series Enterprise 12TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, 512e disk Format, HDEPZ13GEA51F
HDS721050CLA662	R 891	HGST DeskStar 7K1000 500GB 3.5" 7200rpm 16MB Cache SATA3 6Gb/s Hard Disk Drive, 4.17 ms average

		Latency, HDS721050CLA662
HDWD110EZSTA	R 746	Toshiba P300 1TB 3.5" SATA3(6Gb/s) 7200rpm 64MB Hard Drive
HDWT380UZSVA	R 4,449	Toshiba S300 series 8TB 7200rpm 256MB Cache SATA III 6.0GB/s Surveillance Hard Disk Drive, 4.17 ms average Latency, 64 cameras supported
HUA723030ALA640	R 1,949	HGST UltraStar A7K3000 3TB 3.5" 7200rpm 64MB Cache SATA3 6Gb/s Hard Disk Drive, 512e disk Format, HUA723030ALA640
MD03ACA300	R 1,865	Toshiba MD03ACA 3TB 3.5" 7200rpm 64MB SATA3 6Gb/s Enterprise Hard Disk Drive, MD03ACA300
MG03ACA300	R 6,049	Toshiba MG03ACA 3TB 3.5" 7200rpm 64MB Cache SATA3 6Gb/s Hard Disk Drive, MG03ACA300, 24x7 operation
MG07ACA12TA	R 8,136	Toshiba MG07ACA 12TB 3.5" LFF 7200rpm 256MB Cache SATA3 6Gbps Hard Disk Drive, 242 MiB/s Data transfer speed, MG07ACA12TA
ST10000NM001G	R 7,243	Seagate Exos X16 ST10000NM001G 10TB HDD 3.5" 7200rpm 6GB/s 512e/4Kn SATA Hard Dsk Drive, 256MB Cache, 245MB/s Maximum sustained transfer rate OD
ST10000NM017B	R 8,163	Seagate Exos 7E10 10TB 7200rpm 3.5" SATA 7200rpm Hard Disk Drive, 6Gb/s, 256MB Cache, 263MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency, ST10000NM017B
ST1000DM014	R 1,722	Seagate Barracuda 1TB 3.5" SATA 6Gb/s 256MB Cache 7200rpm Hard Disk Drive, ST1000DM014, 4096 bytes per Sector, 220MB/s Max sustained Data rate OD read, SMR recording technology
ST1000LM048	R 1,610	Seagate 1TB SATA III 7mm Hard Disk Drive (5400rpm) 16MB Cache
ST1000LM048	R 1,508	Seagate 1TB SATA III 7mm Hard Disk Drive (5400rpm) 16MB Cache
ST1000LM048	R 1,703	Seagate 1TB SATA III 7mm Hard Disk Drive (5400rpm) 16MB Cache
ST12000NM002H	R 7,305	Seagate Exos X24 12TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, Fpr 24/7 Enterprise workloads, 272MB/s Maximum sustained transfer rate OD, ST12000NM002H
ST12000NM002H	R 9,229	Seagate Exos X24 12TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, Fpr 24/7 Enterprise workloads, 272MB/s Maximum sustained transfer rate OD, ST12000NM002H
ST14000NM001G	R 9,194	Seagate Exos X16 14TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s SATA 512e/4Kn Hard Drive, 261MB/s Maximum sustained transfer rate OD, 4.16ms average Latency, ST14000NM001G
ST16000NM000J	R 12,819	Seagate Exos X18 16TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Enterprise Hard Disk Drive, 4.16 ms average Latency, 261MB/s Maximum sustained transfer rate OD, ST16000NM000J
ST16000NM002H	R 12,126	Seagate Exos X24 16TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s SED model Enterprise Hard Disk Drive, Fast Format 4Kn/512e, 285MB/s Maximum sustained transfer rate OD
ST16000NM002H	R 12,706	Seagate Exos X24 16TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s SED model Enterprise Hard Disk Drive, Fast Format 4Kn/512e, 285MB/s Maximum sustained transfer rate OD
ST16000NM002H	R 14,642	Seagate Exos X24 16TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s SED model Enterprise Hard Disk Drive, Fast Format 4Kn/512e, 285MB/s Maximum sustained transfer rate OD
ST16000NM002H	R 16,223	Seagate Exos X24 16TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s SED model Enterprise Hard Disk Drive, Fast Format 4Kn/512e, 285MB/s Maximum sustained transfer rate OD
ST20000DM001	R 9,685	Seagate Barracuda 20TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, ST20000DM001, 512e bytes per Sector, 190MB/s Max sustained Data rate OD, CMR recording Technology
ST20000NM002H	R 15,340	Seagate Exos X24 20TB 3.5" 7200rpm 512MB Cache SATA 6Gb/s Server Hard Disk Drive, Helium Sealed-Drive Design, Conventional Magnetic recording (CMR), 285MB/s Maximum sustained transfer rate OD, Single Interface Port
ST20000NM002H	R 17,136	Seagate Exos X24 20TB 3.5" 7200rpm 512MB Cache SATA 6Gb/s Server Hard Disk Drive, Helium Sealed-Drive Design, Conventional Magnetic recording (CMR), 285MB/s Maximum sustained transfer rate OD, Single Interface Port
ST20000NM002H	R 18,239	Seagate Exos X24 20TB 3.5" 7200rpm 512MB Cache SATA 6Gb/s Server Hard Disk Drive, Helium Sealed-Drive Design, Conventional Magnetic recording (CMR), 285MB/s Maximum sustained transfer rate OD, Single Interface Port
ST20000NM007D	R 12,171	Seagate Exos 20TB 3.5" SATA 6Gb/s Enterprise Hard Disk Drive, SED model FastFormat (512e/4Kn), 256 MB Cache multi-segmented, 285MB/s Maximum sustained transfer rate OD, 4.16 MS average Latency,

		ST20000NM007D
ST20000NM007D	R 21,214	Seagate Exos 20TB 3.5" SATA 6Gb/s Enterprise Hard Disk Drive, SED model FastFormat (512e/4Kn), 256 MB Cache multi-segmented, 285MB/s Maximum sustained transfer rate OD, 4.16 MS average Latency, ST20000NM007D
ST2000DM008	R 2,509	Seagate Barracuda ST2000DM008 2TB 3.5" HDD Desktop Internal drives; SATA 6GB/s Interface; 220MB/s Sustained TR; 256MB cache; RPM 7200
ST2000DM008	R 1,932	Seagate Barracuda ST2000DM008 2TB 3.5" HDD Desktop Internal drives; SATA 6GB/s Interface; 220MB/s Sustained TR; 256MB cache; RPM 7200
ST2000DM008	R 2,666	Seagate Barracuda 2TB 3.5" 7200rpm SATA3 6Gb/s 256MB Cache Hard Disk Drive, 220MB/s sustained Data transfer, ST2000DM008
ST2000LM015	R 2,174	Seagate 2TB SATA III 7mm Hard Disk Drive (5400rpm) 16MB Cache
ST2000NM000B	R 2,819	Seagate Exos 7E10 2TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Fast Format Hard Disk Drive, 256MB Cache, 215MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency, ST2000NM000B
ST24000NM002H	R 19,151	Seagate Exos X24 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, Helium Sealed-Drive Design, 285MB/s Maximum sustained transfer rate OD, 512e Sector size, 4Kn Sector size
ST24000NM002H	R 19,146	Seagate Exos X24 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, Helium Sealed-Drive Design, 285MB/s Maximum sustained transfer rate OD, 512e Sector size, 4Kn Sector size
ST28000NM000C	R 19,231	Seagate Exos 28TB 3.5" 7200rpm SATA3 6Gb/s Factory Recertified Enterprise Hard Disk Drive, Helium Sealed-Drive Design, 512e Sector size, 190MB/s Maximum sustained transfer rate OD, 4.16ms average Latency, ST28000NM000C
ST28000NM003K	R 20,986	Seagate Exos M 28TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, CMR recording Technology, Helium Sealed-Drive Design, 512e Sector size, 270MB/s Maximum sustained transfer rate OD, 4.16ms average Latency
ST30000NM004K	R 22,778	Seagate Exos M 30TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, CMR recording Technology, Helium Sealed-Drive Design, 512e Sector size, 275MB/s Maximum sustained transfer rate OD, 4.16ms average Latency
ST30000NM004K	R 23,332	Seagate Exos M 30TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, CMR recording Technology, Helium Sealed-Drive Design, 512e Sector size, 275MB/s Maximum sustained transfer rate OD, 4.16ms average Latency
ST30000NM004K	R 18,822	Seagate Exos M 30TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, CMR recording Technology, Helium Sealed-Drive Design, 512e Sector size, 275MB/s Maximum sustained transfer rate OD, 4.16ms average Latency
ST30000NM004K	R 24,400	Seagate Exos M 30TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Hard Disk Drive, CMR recording Technology, Helium Sealed-Drive Design, 512e Sector size, 275MB/s Maximum sustained transfer rate OD, 4.16ms average Latency
ST32000NM004K	R 24,264	Seagate Exos M 32TB 3.5" 512MB Cache 7200rpm SATA3 6Gb/s Hard Disk Drive, 512e Sector size, 285 MB/s Max sustained transfer rate OD, 4.16 ms average Latency, ST32000NM004K
ST4000DM004	R 2,703	Seagate Barracuda 4TB 3.5" SATA 6.0 Gb/s 5900rpm 256MB Cache Hard Drive, Maximum data transfer rate 190MB/s, Average latency 6.0 ms
ST4000DM004	R 2,284	Seagate Barracuda 4TB 3.5" SATA 6.0 Gb/s 5900rpm 256MB Cache Hard Drive, Maximum data transfer rate 190MB/s, Average latency 6.0 ms
ST4000DM004	R 2,567	Seagate Barracuda 4TB 3.5" SATA 5400rpm 256MB Cache Hard Drive, 190MB/s Maximum sustained transfer rate OD, ST4000DM004
ST4000NM000B	R 7,422	Seagate Exos 7E10 ST4000NM000B 4TB 7200rpm 3.5" SATA 512e/4Kn Fast Format Hard Disk Drive, 6Gb/s, 256MB Cache, 215MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency
ST4000NM000B	R 4,140	Seagate Exos 7E10 4TB 7200rpm 3.5" SATA 512e/4Kn Fast Format Hard Disk Drive, 6Gb/s, 256MB Cache, 215MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency, ST4000NM000B
ST5000LM000	R 4,050	Seagate ST5000LM000 Barracuda 5Tb/5000Gb, 2.5" , 15mm, 128mb cache, SATA3(6Gb/s), support NCQ, 5400rpm, with SMR (Shingled Magnetic Recording) Multi-Tier Caching, sustained data rate: 140mb/sec, Â© 2018

		Laptop Direct
ST6000NM019B	R 5,298	Seagate Exos 7E10 6TB 7200rpm 3.5" SATA 512e/4Kn Fast Format Hard Disk Drive, 6Gb/s, 256MB Cache, 250MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency, ST6000NM019B
ST8000DM004	R 4,574	Seagate Barracuda 8TB 3.5" SATA 6Gb/s Hard Disk Drive, 190MB/s Maximum sustained transfer rate OD, 256MB Cache multi-segmented, ST8000DM004
ST8000DM004	R 4,166	Seagate Barracuda 8TB 3.5" SATA 6Gb/s Hard Disk Drive, 190MB/s Maximum sustained transfer rate OD, 256MB Cache multi-segmented, ST8000DM004
ST8000NM017B	R 6,692	Seagate Exos 7E10 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Hard Disk Drive, 255MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency, ST8000NM017B
ST8000NM017B	R 7,196	Seagate Exos 7E10 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Hard Disk Drive, 255MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency, ST8000NM017B
ST8000NM018B	R 6,396	Seagate Exos 7E10 8TB 7200rpm 3.5" SATA Fast Format Hard Disk Drive, 512n, 6Gb/s, 256MB Cache, 263MB/s Maximum sustained transfer rate OD, 4.16 ms average Latency
WD122KRYZ	R 6,628	Western Digital Gold 12TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Enterprise Hard Disk Drive, Up to 267MB/s transfer rate, CMR recording Technology, WD122KRYZ
WD2002FYPS	R 3,128	Western Digital RE4-GP 3.5" 7200rpm 64MB Cache SATA2 3Gb/s Enterprise / RAID Hard Disk Drive, WD2002FYPS
WD20EZBX	R 1,609	Western Digital Blue 2TB 3.5" 256MB Cache 7200rpm SATA3 6Gb/s Hard Disk Drive, WD20EZBX, Up to 215MB/s transfer rate, SMR recording Technology
WD20EZRZ	R 894	Western Digital Blue 2TB 5400rpm 3.5" SATA3 Desktop Hard Disk Drive, 64 MB Cache size, CMR recording technology
WD3200AAJS	R 634	Western Digital Caviar Blue 320GB 3.5" SATA II 7200rpm 8MB Cache Hard Disk Drive, 4.20 ms (Nominal) average Latency, WD3200AAJS
WD5000AVDS	R 802	Western Digital GreenPower 500GB 3.5" SATA2 7200rpm 32MB Cache Hard Disk Drive, WD5000AVDS
WD5000AZRX	R 1,497	Western Digital Caviar Green 500GB 3.5" 64MB Cache SATA3 Hard Disk Drive, SATA 6Gb/s Interface, Intellipower rotational speed, WD5000AZRX
WSHPK4T76AA	R 9,401	HP K4T76AA 4TB SATA 6Gb/s 7200 Hard Disk Drive

< Return to the menu

Current Drives (mechanical) : Apple Macbook drives

Product code	Price	Description
TS256GJDL330	R 3,304	Transcend 256GB JetDrive Lite 330 Flash Expansion Card for Mac - MLC - Seq. Read: Up to 95MB/s Seq. Write: Up to 60MB/s - Flush tailor-made design.
TS480GJDM725	R 5,196	Transcend 480GB JetDrive 725 SSD for Mac - SATA3 MLC - Seq. Read: Up to 495MB/s Seq. Write: Up to 427MB/s - Includes USB3.0 aluminium enclosure for external use - T5 & P5 Screwdrivers included

< Return to the menu

Current Drives (mechanical) : NAS Hard drives

Product code	Price	Description
9000537	R 2,025	LaCie 3TB grey drawer for 2big Thunderbolt2 & USB3
9000539	R 2,510	LaCie 4TB grey drawer for 2big Thunderbolt2 & USB3
9000540	R 3,493	LaCie 6TB grey drawer for 2big Thunderbolt2 & USB3
CAS-NAS-SNV3510-400G	R 4,436	Synology SNV3510 400GB M.2 22110 NVMe PCI-e 3.0 x4 Solid State Drive, 3000 MB/s sustained Sequential read speed, 750 MB/s sustained Sequential write speed
CAS-NAS-SNV3510-800G	R 7,768	Synology SNV3510 800GB M.2 22110 NVMe PCI-e 3.0 x4 Solid State Drive, 3100 MB/s sustained Sequential read speed, 1000 MB/s sustained Sequential write speed
HAT3320-20T	R 15,869	Synology Plus Series HAT3320 20TB 3.5" 7200rpm SATA3 6Gb/s NAS Hard Disk Drive, 295 MB/s Maximum sustained Data transfer Speed
HAT3320-8T	R 8,394	Synology Plus Series HAT3320 8TB 3.5" 7200rpm SATA3 6Gb/s NAS Hard Disk Drive, 281 MB/s Maximum

		sustained Data transfer Speed
HAT5310-16T	R 17,249	Synology HAT5310 16TB 3.5" 7200rpm SATA3 6Gb/s NAS Hard Disk Drive, 512e Sector size, 512 MiB Buffer size, 281 MiB/s Maximum sustained Data transfer speed (typical), HAT5310-16T
HAT5320-20T	R 20,469	Synology HAT5300 20TB 3.5" 7200rpm SATA3 6Gb/s Enterprise Series NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed, 24/7 usage
HAT5320-24T	R 24,149	Synology HAT5300 24TB 3.5" 7200rpm SATA3 6Gb/s Enterprise Series NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed, 24/7 usage
HAT5320-4T	R 7,819	Synology HAT5300 4TB 3.5" 7200rpm SATA3 6Gb/s Enterprise Series NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed, 24/7 usage
HAT5320-8T	R 11,384	Synology HAT5300 8TB 3.5" 7200rpm SATA3 6Gb/s Enterprise Series NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed, 24/7 usage
HD-S10000E	R 8,102	Seagate ST10000NM0016 Enterprise, dual processor multi-drive firmware maximized, on-demand power savings with PowerChoice, 10TB/10000gb, SATA3(6Gb/s), 7200rpm, 256mb cache, sustained data rate - 254mb/sec, designed for 24x7 digital video surveillance or business-critical applications (NAS, video surveillance... ETC)
HD-S10000EN	R 8,132	Seagate ST10000NE0004 Enterprise Nas hdd (IronWolf Pro), designed for multi-bay NAS systems with Power balance AcuTrac Technology, Hot-Plug Support design for raid, 10000gb/10Tb, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 230mb/sec
HD-S10000N	R 7,653	Seagate ST10000VN0004 10000gb/10Tb NAS hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, SATA3(6Gb/s), 256mb cache, 5900rpm, sustained data rate - 210mb/sec
HD-S12000E	R 7,745	Seagate ST12000NM0007 / ST12000NM0017 Enterprise Capacity 3.5" 12TB SATA 3 RAID Edition Hard Drive - Serial ATA III (SATA3) 6GB/s with 256MB Cache @ 7200rpm, Designed for multi-bay NAS systems with Power balance AcuTrac Technology, Hot-Plug Support design for raid, Sustained data rate - 230mb/sec - 5 years warrenty
HD-S12000N	R 11,600	Seagate ST12000VN0007 12000gb/12Tb Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, Sata3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 210mb/sec
HD-S14000EN	R 11,732	Seagate Ironwolf Pro ST14000NE0008 14TB 3.5" HDD NAS Drives; SATA 6GB/s Interface; 1-16 Bays Supported; MUT: 300TB/Year; RV: Yes; Dual Plane Balance: Yes; Hot-Plug Support: Yes; MTBF 1.2M Hr ' s; 256MB cache; RPM 7200
HD-S16000N	R 13,169	Seagate ST16000VN001 16000gb/16Tb Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, Sata3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 210mb/sec
HD-S18000N	R 9,452	Seagate ST18000NT001 18000gb/18Tb Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 285mb/sec
HD-S20000E	R 11,154	Seagate ST20000NM007D Enterprise (Exos x20), designed for massive scale-out data centers and centralized surveillance, with Power balance helium sealed-drive design with 2.5M MTBF, 20000gb/20Tb, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate
HD-S20000N	R 15,152	Seagate ST20000NT001 20000gb/20Tb Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, Sata3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 285mb/sec
HD-S2000E	R 3,030	seagate ST2000NM0033 constellation ES.3 , dual processor multi-drive firmware maximized, on-demand power savings with PowerChoice, 2TB/2000gb, sata6G, 7200rpm, 128mb cache, sustained data rate - 175mb/sec, designed for 24x7 digital video surveillance or business-critical applications (NAS, video surveillance, etc)
HD-S2000N256	R 3,276	Seagate Ironwolf ST2000VN003 2TB 3.5" SATA 6Gb/s NAS Hard Disk Drive NAS drives, 1-8 bays Drive bays supported, CMR recording technology, 180MB/s Maximum sustained transfer rate OD, 256 MB Cache, ST2000VN003
HD-S4000N256	R 3,789	Seagate ST4000VN006 4000gb/4Tb Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane

		balance NASWorks error recovery control, Sata3(6Gb/s), 256mb cache, 5900rpm, sustained data rate - 180mb/sec
HD-S4000N256P	R 4,736	Seagate ST4000NT001 4000gb/4Tb Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, Sata3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 250mb/sec
HD-S6000N256	R 5,368	Seagate ST6000VN001 Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, 6000gb/6Tb, Sata3(6Gb/s), 256mb cache, 5400rpm, sustained data rate - 190mb/sec
HD-S6000N256P	R 5,496	Seagate ST6000VN033 Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, 6000gb/6Tb, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 210mb/sec
HD-S8000E	R 6,236	Seagate Enterprise Capacity 3.5" HDD 8TB RAID Edition - Serial ATA III (SATA3) 6GB/s with 256MB Cache @ 7200rpm. dual processor multi-drive firmware maximized , on-demand power savings with PowerChoice , 8TB/ 8000gb, sata6G , 7200rpm, 256mb cache , sustained data rate - 237mb/ sec , designed for 24x7 digital video surveillance or business-critical applications (NAS , video surveillance, etc) - 5 years warrenty, cost per GB : 0.877375, RPM : 7200, Cache - mb : 256, mode : sata6G, warranty- years : 5, size - GB : 8000, dual processor : Y, sustained data rate - mb/ sec : 237, Annualized Failure Rate (AFR) : 0.0044, MTBF - million hours : 2
HD-S8000EN	R 6,808	Seagate ST8000NE0001/ ST8000NE0021 Enterprise Nas hdd (IronWolf Pro), designed for multi-bay NAS systems with Power balance AcuTrac Technology, Hot-Plug Support design for raid, 8000gb/8Tb, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 230mb/sec
HD-S8000N	R 6,153	Seagate ST8000VN0002/ ST8000VN0022 8000gb/8Tb NAS hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 216mb/sec
HD-W10000R+P	R 6,365	Western Digital Red (plus) for NAS WD101EFBX 10000gb/10Tb 7200rpm, 256mb cache, Sata3(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 215mb/sec
HD-W10000RP	R 7,645	Western Digital Red Pro WD101KFBX, 10Tb/10000gb, SATA3(6Gb/s), 256mb cache, Host to/from drive (sustained): 210mb/sec, 7200rpm, with multi-axis shock sensor, co-virbration protection (designed for multi-bay (8-16) bay NAS), 24x7 business-critical applications with NASware optimized for RAID configured NAS system, with SCT (SMART Command Transport), Intelligent error recovery command completion to prevent data corruption in the event of power loss noise and vibration control
HD-W12000Go	R 16,767	Western Digital GOld for Enterprise WD121KRYZ 12000gb/12Tb 7200rpm, 256mb cache, Sata3(6Gb/s), Dual Processor, 2.5m MTBF, sustained data rate - 255mb/sec
HD-W12000R+P	R 7,596	Western Digital Red (plus) for NAS WD120EFBX 12000gb/12Tb 7200rpm, 256mb cache, SATA3(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 215mb/sec
HD-W12000RP	R 7,708	Western Digital Red Pro for NAS WD121KFBX 12000gb/12Tb 7200rpm, 256mb cache, SATA3(6Gb/s), 3D Active Balance Plus, support 24x drive bays, 300Tb/year, 1m MTBF, sustained data rate - 240mb/sec
HD-W14000Go	R 19,562	Western Digital GOld for enterprise WD141KRYZ 14000gb/14Tb 7200rpm, 512mb cache, Sata3(6Gb/s), Dual Processor, 2.5m MTBF, sustained data rate - 267mb/sec
HD-W14000RP	R 7,765	Western Digital Red Pro for NAS WD141KFGX 14000gb/14Tb 7200rpm, 512mb cache, SATA3(6Gb/s), 3D Active Balance Plus, support 24x drive bays, 300Tb/year, 1m MTBF, sustained data rate - 255mb/sec
HD-W16000Go	R 24,592	Western Digital GOld for Enterprise WD161KRYZ 16000gb/16Tb 7200rpm, 512mb cache, Sata3(6Gb/s), Dual Processor, 2.5m MTBF, sustained data rate - 262mb/sec
HD-W16000RP	R 7,821	Western Digital Red Pro for NAS WD161KFGX 16000gb/16Tb 7200rpm, 512mb cache, SATA3(6Gb/s), 3D Active Balance Plus, support 24x drive bays, 300Tb/year, 1m MTBF, sustained data rate - 259mb/sec
HD-W18000Go	R 27,666	Western Digital Gold for Enterprise WD181KRYZ 18000gb/18Tb 7200rpm, 512mb cache, Sata3(6Gb/s), Dual Processor, 2.5m MTBF, sustained data rate - 269mb/sec
HD-W18000RP	R 12,343	Western Digital Red Pro for NAS WD181KFGX 18000gb/18Tb 7200rpm, 512mb cache, SATA3(6Gb/s), 3D Active Balance Plus, support 24x drive bays, 300Tb/year, 1m MTBF, sustained data rate - 272mb/sec
HD-W20000RP	R 12,314	Western Digital Red Pro for NAS WD201KFGX 20000gb/20Tb 7200rpm, 512mb cache OptiNAND technology,

		SATA3(6Gb/s), 3D Active Balance Plus, support 24x drive bays, 300Tb/year, 1m MTBF, sustained data rate - 268mb/sec
HD-W2000R+	R 1,903	Western Digital Red (plus) for NAS WD20EFZX 2000gb/2Tb 5400rpm, 128mb cache, Sata3(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W3000R+	R 2,064	Western Digital Red (plus) for NAS WD30EFZX 3000gb/3Tb 5400rpm, 128mb cache, Sata3(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W4000R+	R 2,560	Western Digital Red (plus) for NAS WD40EFZX 4000gb/4Tb 5400rpm, 128mb cache, Sata(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W4000RP	R 3,200	Western Digital Red Pro WD4001FFSX, 4Tb/4000gb, Sata3(6Gb/s), 64mb cache, Host to/from drive (sustained): 171mb/sec, 7200rpm, with multi-axis shock sensor, co-virbration protection (designed for multi-bay (8-16) bay NAS), 24x7 business-critical applications with NASware optimized for RAID configured NAS system, with SCT (SMART Command Transport), Intelligent error recovery command completion to prevent data corruption in the event of power loss noise and vibration control
HD-W6000R+	R 3,411	Western Digital Red (plus) for NAS WD60EFZX 6000gb/6Tb 5400rpm, 128mb cache, Sata3(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W6000RP	R 5,273	Western Digital Red Pro WD6001FFWX, 6Tb/6000gb, SATA3(6Gb/s), 128mb cache, Host to/from drive (sustained): 214mb/sec, 7200rpm, with multi-axis shock sensor, co-virbration protection (designed for multi-bay (8-16) bay NAS), 24x7 business-critical applications with NASware optimized for RAID configured NAS system, with SCT (SMART Command Transport), Intelligent error recovery command completion to prevent data corruption in the event of power loss noise and vibration control
HD-W8000R+	R 4,640	Western Digital Red (plus) for NAS WD80EFZX / WD80EFZZ 8000gb/8Tb 5400rpm, 128mb cache, Sata3(6Gb/s), 3D Active Balance Plus, support 8x drive bays, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W8000RP	R 5,291	Western Digital Red Pro WD8001FFWX, 8Tb/8000gb, SATA 3(6Gb/s), 128mb cache, Host to/from drive (sustained): 205mb/sec, 7200rpm, with multi-axis shock sensor, co-virbration protection (designed for multi-bay (8-16) bay NAS), 24x7 business-critical applications with NASware optimized for RAID configured NAS system, with SCT (SMART Command Transport), Intelligent error recovery command completion to prevent data corruption in the event of power loss noise and vibration control | RPM : 7200, Cache - mb : 128, mode : sata6G, warranty- years : 5, size - GB : 8000, host to/ from drive - mb/ sec : 205
HDD-HAT3300-4T	R 4,923	Synology Plus Series HAT3300 4TB 3.5" 5400rpm SATA 6Gb/s NAS Hard Disk Drive, 202 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3300-4T
HDD-HAT3300-6T	R 6,993	Synology Plus Series HAT3300 6TB 3.5" 5400rpm SATA 6Gb/s NAS Hard Disk Drive, 202 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3300-6T
HDD-HAT3310-12T	R 12,169	Synology Plus Series HAT3310 12TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3310-12T
HDD-HAT3310-16T	R 14,543	Synology Plus Series HAT3310 16TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3310-16T
HDD-HAT3310-8T	R 5,023	Synology Plus HAT3310 Series 8TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, 260 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3310-8T
HDD-HAT3320-8T	R 8,343	Synology Plus Series HAT3320 8TB 3.5" 7200rpm SATA3 6Gb/s NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed
HDD-HAT5300-4T	R 4,513	Synology HAT5300 4TB 3.5" 7200rpm SATA Hard Disk Drive, 512e Sector size, 256 MiB Buffer size, 243 MiB/s Maximum sustained Data transfer speed (typical), HAT5300-4T
HDD-HAT5310-20T	R 22,041	Synology HAT5310 20TB 3.5" 7200rpm SATA Hard Disk Drive, 512e Sector size, 512 MiB Buffer size, 281 MiB/s Maximum sustained Data transfer speed (typical), HAT5310-20T
HDD-HAT5320-24T	R 22,795	Synology HAT5300 24TB 3.5" 7200rpm SATA3 6Gb/s Enterprise Series NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed, 24/7 usage
HDD-HAT5320-4T	R 6,851	Synology HAT5300 4TB 3.5" 7200rpm SATA3 6Gb/s Enterprise Series NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer Speed, 24/7 usage
HDEB026ZSA51F	R 8,799	Toshiba N300 NAS System Hard Drive Disk - 10TB Capacity, 3.5 Inch Form Factor, SATA 6 Gbit/s Interface, Up to

		7,200 rpm Rotational Speed, 512MB Buffer Size, 24/7 Operation, Halogen Free, Retail Box
HDEB026ZSA51F	R 7,416	Toshiba N300 NAS System Hard Drive Disk - 10TB Capacity, 3.5 Inch Form Factor, SATA 6 Gbit/s Interface, Up to 7,200 rpm Rotational Speed, 512MB Buffer Size, 24/7 Operation, Halogen Free, Retail Box
HDWG440EZSTAU	R 2,933	Toshiba N300 4TB 3.5" 7200rpm SATA3 6Gb/s 256MB Cache NAS Hard Disk Drive, 1 to 8 Drive bays supported, 232 MB/s typical Data transfer speed, 4.17 ms average Latency
HDWG460EZSTAU	R 3,220	Toshiba N300 6TB 3.5" 7200rpm SATA3 6Gb/s 256MB Cache NAS Hard Disk Drive, 1 to 8 Drive bays supported, 250 MB/s typical Data transfer speed, 4.17 ms average Latency
HDWG740EZSTCU	R 4,699	Toshiba N300 4TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s NAS Hard Disk Drive, HDWG740EZSTCU, 24/7 continuous Operation
HDWG740EZSTCU	R 5,116	Toshiba N300 4TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s NAS Hard Disk Drive, HDWG740EZSTCU, 24/7 continuous Operation
HDWG760EZSTAU	R 5,899	Toshiba N300 6TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s NAS Hard Disk Drive, HDWG760EZSTAU, 24/7 continuous Operation
HDWG760EZSTAU	R 6,440	Toshiba N300 6TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s NAS Hard Disk Drive, HDWG760EZSTAU, 24/7 continuous Operation
HDWG780EZSTAU	R 6,199	Toshiba N300 8TB 3.5" 7200rpm SATA3 6Gb/s 512MB Cache NAS Hard Disk Drive, 1 to 8 Drive bays supported, 4.17 ms average Latency
HDWG780EZSTAU	R 6,682	Toshiba N300 8TB 3.5" 7200rpm SATA3 6Gb/s 512MB Cache NAS Hard Disk Drive, 1 to 8 Drive bays supported, 4.17 ms average Latency
MG08ADA400N	R 2,605	Toshiba MG08-D Series 4tb SATA3 256mb Cache Enterprise Hard Disk Drives
ST10000NT001	R 10,673	Seagate Ironwolf Pro 10TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, CMR recording technology, Unlimited Drive bays supported, 256MB Cache, 512e Sector size, 263MB/s Maximum sustained transfer rate OD, ST10000NT001
ST10000NT001	R 8,237	Seagate Ironwolf Pro 10TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, CMR recording technology, Unlimited Drive bays supported, 256MB Cache, 512e Sector size, 263MB/s Maximum sustained transfer rate OD, ST10000NT001
ST10000VN000	R 7,614	Seagate Ironwolf 10TB 3.5" 256MB Cache 7200 rpm NAS Hard Disk Drive, Maximum 210 MB/s read speed, 4.2 ms Latency, 512e disk Sector Format
ST10000VN000	R 7,911	Seagate Ironwolf 10TB 3.5" 256MB Cache 7200rpm NAS Hard Disk Drive, Maximum 210 MB/s read speed, 4.2 ms Latency, 512e disk Sector Format, ST10000VN000
ST10000VN000	R 9,201	Seagate Ironwolf 10TB 3.5" 256MB Cache 7200 rpm NAS Hard Disk Drive, Maximum 210 MB/s read speed, 4.2 ms Latency, 512e disk Sector Format
ST10000VN0004	R 8,362	Seagate Ironwolf 10TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, 180tb/year Multi-User Technology, 210MB/s Max sustained transfer rate OD
ST12000NE0008	R 6,328	Seagate Ironwolf Pro ST12000NE0008 12TB 3.5" HDD NAS Drives; SATA 6GB/s Interface; 1-16 Bays Supported; MUT: 300TB/Year; RV: Yes; Dual Plane Balance: Yes; Hot-Plug Support: Yes; MTBF 1.2M Hr ' s; 256MB cache; RPM 7200
ST12000NT001	R 9,471	Seagate Ironwolf Pro 12TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST12000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 270MB/s Maximum sustained transfer rate OD
ST12000NT001	R 10,248	Seagate Ironwolf Pro 12TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST12000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 270MB/s Maximum sustained transfer rate OD
ST12000VN0008	R 9,056	Seagate ST12000VN0008 Ironwolf NAS 12TB 3.5" 7200rpm 256MB Cache NAS SATA 6GB/s Hard Drive, 210MB/s Max. Sustained Transfer Rate OD
ST12000VN0008	R 5,683	Seagate ST12000VN0008 Ironwolf NAS 12TB 3.5" 7200rpm 256MB Cache NAS SATA 6GB/s Hard Drive, 210MB/s Max. Sustained Transfer Rate OD
ST12000VN0008	R 9,187	Seagate Ironwolf NAS 12TB 3.5" 7200rpm 256MB Cache NAS SATA 6Gb/s Hard Drive, 210MB/s Maximum sustained transfer rate OD, ST12000VN0008

ST12000VN0008	R 11,763	Seagate Ironwolf NAS 12TB 3.5" 7200rpm 256MB Cache NAS SATA 6Gb/s Hard Drive, 210MB/s Maximum sustained transfer rate OD, ST12000VN0008
ST16000NT001	R 12,082	Seagate Ironwolf Pro 16TB 3.5" 7200 rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, CMR recording technology, 512e Sector size, 270MB/s Maximum sustained transfer rate OD, ST16000NT001
ST16000NT001	R 8,565	Seagate Ironwolf Pro 16TB 3.5" 7200 rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, CMR recording technology, 512e Sector size, 270MB/s Maximum sustained transfer rate OD, ST16000NT001, Â© 2023 Laptop Direct
ST16000NT001	R 15,954	Seagate Ironwolf Pro 16TB 3.5" 7200 rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, CMR recording technology, 512e Sector size, 270MB/s Maximum sustained transfer rate OD, ST16000NT001
ST16000NT001	R 3,525	Seagate Ironwolf Pro 16TB 3.5" 7200 rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, CMR recording technology, 512e Sector size, 270MB/s Maximum sustained transfer rate OD, ST16000NT001
ST20000NT001	R 15,687	Seagate Ironwolf Pro ST20000NT001 20TB 3.5" SATA 7200 rpm 6Gb/s NAS Hard Disk Drive, Up to 24-bay Drive bays supported, CMR recording technology, 256 MB Cache, 512e Sector size, 7200 rpm, 285MB/s Maximum sustained transfer rate OD
ST20000NT001	R 13,481	Seagate Ironwolf Pro ST20000NT001 20TB 3.5" SATA 7200 rpm 6Gb/s NAS Hard Disk Drive, Up to 24-bay Drive bays supported, CMR recording technology, 256 MB Cache, 512e Sector size, 7200 rpm, 285MB/s Maximum sustained transfer rate OD
ST2000VN003	R 3,364	Seagate Ironwolf ST2000VN003 2TB 3.5" SATA 6Gb/s NAS Hard Disk Drive NAS drives, 1-8 bays Drive bays supported, CMR recording technology, 180MB/s Maximum sustained transfer rate OD, 256 MB Cache
ST2000VN003	R 3,518	Seagate Ironwolf 2TB 3.5" SATA 6Gb/s NAS Hard Disk Drive NAS drives, 1-8 bays Drive bays supported, CMR recording technology, 180MB/s Maximum sustained transfer rate OD, 256 MB Cache, ST2000VN003
ST2000VN003	R 2,469	Seagate Ironwolf 2TB 3.5" SATA 6Gb/s NAS Hard Disk Drive NAS drives, 1-8 bays Drive bays supported, CMR recording technology, 180MB/s Maximum sustained transfer rate OD, 256 MB Cache, ST2000VN003
ST2000VN003	R 3,997	Seagate Ironwolf 2TB 3.5" SATA 6Gb/s NAS Hard Disk Drive NAS drives, 1-8 bays Drive bays supported, CMR recording technology, 180MB/s Maximum sustained transfer rate OD, 256 MB Cache, ST2000VN003
ST2000VN004	R 1,673	Seagate IronWolf 2TB - 5900RPM SATA3(6GB/s) - 64MB Cache. Optimized for NAS with AgileArray, 1-8 Drive Bays supported
ST24000NT002	R 18,134	Seagate Ironwolf Pro 24TB 3.5" 7200rpm SATA3 6Gb/s 512MB Cache NAS Hard Disk Drive, 550 TB/year, ST24000NT002, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 285MB/s Maximum sustained transfer rate OD
ST24000NT002	R 18,058	Seagate Ironwolf Pro 24TB 3.5" 7200rpm SATA3 6Gb/s 512MB Cache NAS Hard Disk Drive, 550 TB/year, ST24000NT002, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 285MB/s Maximum sustained transfer rate OD
ST30000NT011	R 22,734	Seagate Ironwolf Pro 30TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s NAS Hard Disk Drive, Unlimited Drive bays supported, CMR recording Technology, Helium Drive Design, 512e Sector size, 275MB/s Maximum sustained transfer rate OD
ST4000NT001	R 4,774	Seagate Iron Wolf Pro 4.0TB 3.5" NAS HDD - SATA III - 6Gbps With 256MB Cache
ST4000NT001	R 3,403	Seagate Iron Wolf Pro 4.0TB 3.5" NAS HDD - SATA III - 6Gbps With 256MB Cache
ST4000NT001	R 4,798	Seagate Ironwolf ST4000NT001 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, Unlimited Drive bays supported, CMR recording technology, 250MB/s Maximum sustained transfer rate OD, 7200rpm spindle speed, 256MB Cache
ST4000VN006	R 3,747	Seagate Ironwolf ST4000VN006 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400 rpm spindle speed, 256 MB Cache
ST4000VN006	R 2,446	Seagate Ironwolf ST4000VN006 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400 rpm spindle speed, 256 MB Cache
ST4000VN006	R 3,703	Seagate Ironwolf ST4000VN006 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400 rpm spindle speed, 256 MB Cache

ST4000VN006	R 4,970	Seagate Ironwolf ST4000VN006 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400 rpm spindle speed, 256 MB Cache
ST4000VN006	R 3,851	Seagate Ironwolf 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400rpm spindle speed, 256MB Cache, ST4000VN006
ST4000VN006	R 3,842	Seagate Ironwolf 4TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400rpm spindle speed, 256MB Cache, ST4000VN006
ST6000NT001	R 4,401	Seagate Ironwolf Pro 6TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 512e bytes per Sector, 250MB/s Maximum sustained transfer rate OD, 24x7 Performance
ST6000VN001	R 3,205	Seagate ST6000VN001 Nas hdd (IronWolf), designed for multi-bay NAS systems with Dual-Plane balance NASWorks error recovery control, 6000gb/6Tb, Sata3(6Gb/s), 256mb cache, 5400rpm, sustained data rate - 190mb/sec, Â©2020 Laptop Direct
ST6000VN006	R 5,450	Seagate Ironwolf 6TB 3.5" SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording Technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400rpm spindle speed, 256MB Cache, ST6000VN006
ST6000VN006	R 4,478	Seagate Ironwolf 6TB 3.5" 5400rpm SATA 6Gb/s NAS Hard Disk Drive, 1-8 bays Drive bays supported, CMR recording Technology, 202MB/s Maximum sustained transfer rate OD (MB/s), 5400rpm spindle speed, 256MB Cache, ST6000VN006
ST8000NT001	R 7,286	Seagate Ironwolf Pro 8TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST8000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 255MB/s Maximum sustained transfer rate OD
ST8000NT001	R 6,945	Seagate Ironwolf Pro 8TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST8000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 255MB/s Maximum sustained transfer rate OD
ST8000NT001	R 8,397	Seagate Ironwolf Pro 8TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST8000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 255MB/s Maximum sustained transfer rate OD
ST8000NT001	R 5,082	Seagate Ironwolf Pro 8TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST8000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 255MB/s Maximum sustained transfer rate OD
ST8000NT001	R 5,072	Seagate Ironwolf Pro 8TB 3.5" 7200rpm SATA 6Gb/s 256MB Cache NAS Hard Disk Drive, 550 TB/year, ST8000NT001, Unlimited Drive bays supported, CMR recording technology, 512e Sector size, 255MB/s Maximum sustained transfer rate OD
ST8000VN002	R 6,117	Seagate Ironwolf 8TB 3.5" 5400rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 202MB/s Maximum sustained transfer rate OD, ST8000VN002
ST8000VN002	R 6,450	Seagate Ironwolf 8TB 3.5" 5400rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 202MB/s Maximum sustained transfer rate OD, ST8000VN002
ST8000VN002	R 7,182	Seagate Ironwolf 8TB 3.5" 5400rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 202MB/s Maximum sustained transfer rate OD, ST8000VN002
ST8000VN004	R 6,019	Seagate Ironwolf ST8000VN004 8TB 3.5" HDD NAS Drives; SATA 6GB/s Interface; 1-8 Bays Supported; MUT: 180TB/Year; RV: Yes; Dual Plane Balance: Yes; Error Recovery Control: Yes; 256MB cache; RPM 7200
ST8000VN004	R 6,333	Seagate Ironwolf ST8000VN004 8TB 3.5" HDD NAS Drives; SATA 6GB/s Interface; 1-8 Bays Supported; MUT: 180TB/Year; RV: Yes; Dual Plane Balance: Yes; Error Recovery Control: Yes; 256MB cache; RPM 7200
ST8000VN004	R 7,736	Seagate Ironwolf 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 210MB/s Maximum sustained transfer rate OD, ST8000VN004
ST8000VN004	R 6,692	Seagate Ironwolf 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 210MB/s Maximum sustained transfer rate OD, ST8000VN004

ST8000VN004	R 6,135	Seagate Ironwolf 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 210MB/s Maximum sustained transfer rate OD, ST8000VN004
ST8000VN004	R 7,921	Seagate Ironwolf 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s NAS Hard Disk Drive, 1-8 bays supported, CMR recording Technology, 210MB/s Maximum sustained transfer rate OD, ST8000VN004
Synology HAT3300-4T	R 4,484	Synology Plus Series HAT3300 4TB 3.5" 5400rpm SATA 6Gb/s NAS Hard Disk Drive, 202 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3300-4T
Synology HAT3300-6T	R 6,094	Synology Plus Series HAT3300 6TB 3.5" 5400rpm SATA 6Gb/s NAS Hard Disk Drive, 202 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3300-6T
Synology HAT3310-12T	R 9,544	Synology Plus Series HAT3310 12TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3310-12T
Synology HAT3310-16T	R 13,569	Synology Plus Series HAT3310 16TB 3.5" 7200rpm SATA 6Gb/s NAS Hard Disk Drive, 281 MB/s Maximum sustained Data transfer speed, CMR technology, Designed for 24/7 operation, HAT3310-16T
Synology HAT5300-12T	R 14,719	Synology HAT5300-12T 12TB 3.5 ' ' 7200rpm SATA 6Gb/s 256MB Cache Enterprise Hard Disk Drive, 242 MiB/s Maximum sustained Data transfer speed
Synology HAT5300-8T	R 7,947	Synology HAT5300-8T 8TB 3.5 ' ' 7200rpm SATA 6Gb/s 256MB Cache Enterprise Hard Disk Drive, 230 MiB/s Maximum sustained Data transfer speed
Synology HAT5310-20T	R 18,744	Synology HAT5310 20TB 3.5" 7200rpm SATA Hard Disk Drive, 512e Sector size, 512 MiB Buffer size, 281 MiB/s Maximum sustained Data transfer speed (typical), HAT5310-20T
Synology SAT5210-3840G	R 24,149	Synology SAT5210 3.84TB 2.5" SATA 6Gb/s Solid State Drive, 530 MB/s read speed, 500 MB/s write speed, 2.5" 7mm Form Factor
WD120EFGX	R 10,349	Western Digital Red Plus 12TB 3.5" 512MB Cache 7200rpm SATA3 6Gb/s NAS Hard Disk Drive, Up to 260MB/s transfer rate, CMR recording Technology, 180tb/year Endurance (TBW)
WD161KFGX	R 12,534	Western Digital Red Pro 16TB 7200rpm SATA3(6Gb/s) 265MB Cache 3.5" Internal Hard Drive. 16TB; 7200rpm; 512MB cache; SATA 6Gb/s; 259MB/s transfer; 3.5 inch; CMR; NASware 3.0; up to 24 bays

< Return to the menu

Current Drives (mechanical) : SAS hard drives

Product code	Price	Description
01DC402	R 6,762	Lenovo 01DC402 Storage 1.8TB 10K 2.5" SAS Hard Disk Drive
01DC477	R 10,865	Lenovo 01DC477 Storage 800GB 3DWD 2.5" SAS SSD (Samsung PM1635)
01DC626	R 11,820	Lenovo 01DC626 storage 10TB 7.2K 3.5" NL-SAS Hard Disk Drive
4XB7A09101	R 6,444	Lenovo 4XB7A09101 Storage 2.4TB 10K 2.5" SAS Hard Disk Drive
CH-LABZ503S	R 151	Toshiba AL13SEL300 - 3.5" SAS6G - 300gb , 10500 rpm, 64mb cache with ECC , designed for 24x7 business-critical NAS/DAS/SAN applications , 30dBA , 2 million hours MTBF- 5 year warrenty
CWD1001FYYG	R 1,984	Western Digital RE 1TB 3.5" 7200rpm 32MB Cache SAS 6Gb/s Hard Disk Drive, CWD branded, 170 MB/s sustained transfer rate, WD1001FYYG
CWD2001FYYG	R 2,989	Western Digital RE 2TB 3.5" 7200rpm 32MB Cache SAS 6Gb/s Hard Disk Drive, CWD branded, 170 MB/s sustained transfer rate, WD2001FYYG
CWD6001BKHG	R 2,644	Western Digital XE 600GB 2.5" 10000rpm 32MB Cache SAS 6Gb/s Hard Disk Drive, RAFF NoTouch ramp load Technology, 15mm height, 204MB/sec transfer rate, CWD branded, WD6001BKHG
HD-SAS10000E127	R 5,610	Seagate ST10000NM0206 Enterprise sas (Exos 7E8), 10Tb/10000Gb, SAS12G, 7200 rpm, 256mb cache, 4.16ms, buffer-to-disk - 249mb/sec (ORDER ON REQUEST)
HD-SAS18000E	R 8,106	Seagate ST18000NM004J Enterprise sas (Exos X18), 18TB/18000gb, SAS12G, 7200rpm, 256mb cache, with PowerBalance PowerChoice RAID Rebuild, dual processor multi-drive firmware maximized, sustained data rate - 261mb/sec, designed for 24x7 digital video surveillance or business-critical applications (NAS, video surveillance... etc) - (Order on request)
HD-SAS2000E127	R 2,436	Seagate ST2000NM0045 Enterprise SAS 2Tb/2000gb SAS12G 7200 rpm 128mb cache 3.5" Hard Drive, SAS 12Gb/s, 4.16ms Average Latency, Max Sustainable Transfer Rate 215mb/sec
HD-SAS4000E127	R 2,865	Seagate ST4000NM0025 Enterprise sas (Exos 7E8), 4Tb/4000Gb, SAS12G, 7200 rpm, 128mb cache, 4.16ms,

		buffer-to-disk - 215mb/sec
HD-SAS6000E127	R 4,139	seagate ST6000NM0105 Enterprise sas (Exos 7E8), 6Tb/6000Gb, SAS12G, 7200 rpm, 256mb cache, 4.16ms, buffer-to-disk - 226mb/sec - (Order on request)
HD-SN1000SAS	R 3,219	Seagate ST1000NX0323/ ST1000NX0363 - 1Tb(1000Gb), 2.5" 15mm, SAS12G, on-demand power savings with PowerChoice, 7200rpm, 128mb cache, designed for 24x7 digital video surveillance or business-critical applications (SAN, NAS, video surveillance... ETC), buffer-to-disk - 136mb/sec
HD-SN2000SAS	R 5,287	Seagate Enterprise Capacity 2.5" ST2000NX0323 2Tb SAS12G Hard Drive, 15mm Thick, on-demand power savings with PowerChoice, 7200rpm, 128mb cache, designed for 24x7 digital video surveillance or business-critical applications (SAN, NAS, video surveillance â€¦ ETC), buffer-to-disk - 136mb/sec
HD-SN300SAS10	R 2,030	seagate Savvio 10K.6 - ST300MM0026 300gb, 2.5" SAS6G, 10000 rpm, 64mb cache, 15mm height, 2.9ms , buffer-to-disk - 204mb/sec
HD-SN300SAS15	R 2,658	seagate Savvio 15K.3 - ST9300653SS 300gb, 2.5" SAS6G/SATA6G , 15000 rpm, 64mb cache, 15mm height, 2.0ms , buffer-to-disk - 202mb/sec
HD-SN500SAS	R 1,577	Seagate ST9500620SS - 500Gb, 2.5" 15mm, SAS6G/SATA6G, on-demand power savings with PowerChoice, 7200rpm, 64mb cache, designed for 24x7 digital video surveillance or business-critical applications (SAN, NAS, video surveillance... ETC)
HD-SN600SAS10	R 2,499	seagate Savvio 10K.6 - ST600MM0026 600gb, 2.5" SAS6G/SATA6G , 10000 rpm, 64mb cache, 15mm height, 2.9ms , buffer-to-disk - 204mb/sec
HD-SN600SAS15	R 4,617	Seagate Enterprise 15K - ST600MP0015 600gb, 2.5" SAS12G, 15000 rpm, 128mb cache, 15mm height, 2ms, buffer-to-disk - 233mb/sec
HD-SN900SAS10	R 6,200	seagate Savvio 10K.6 - ST900MM0026 900gb, 2.5" SAS6G/SATA6G , 10000 rpm, 64mb cache, 15mm height, 2.9ms , buffer-to-disk - 204mb/sec - 5 year warrenty
HDD-HAS5300-12T	R 9,176	Synology HAS5300 Enterprise 12TB 3.5" SAS 12Gb/s NAS Hard Disk Drive, 512e Sector size, 7200 rpm, 256 MiB Buffer size, 242 MiB/s Maximum sustained Data transfer speed (typical)
HDD-HAS5300-8T	R 6,529	Synology HAS5300 Enterprise 8TB 3.5" SAS 12Gb/s NAS Hard Disk Drive, 7200 rpm, 256 MB Buffer size, 230 MiB/s Maximum sustained Data transfer speed (typical), HAS5300-8T
HDD-HAT5300-12T	R 13,677	Synology HAS5300 Enterprise 12TB 3.5" SAS 12Gb/s NAS Hard Disk Drive, 512e Sector size, 7200 rpm, 256 MiB Buffer size, 242 MiB/s Maximum sustained Data transfer speed (typical)
LenDCC-7XB7A00028	R 6,899	Lenovo 7XB7A00028 ThinkSystem 2.5" 1.8TB 10K SAS 12GB Hot Swap 512e Hard Disk Drive
ST1800MM0129	R 3,079	Seagate Exos 10E2400 1.8TB 2.5" 10K rpm 256MB Cache SAS 12Gb/s Hard Disk Drive, 2.9 ms average Latency, 16GB eMLC NAND Flash enhanced caching, ST1800MM0129
ST20000NM007H	R 11,246	Seagate Exos X24 20TB 3.5" 7200rpm 512MB Cache SAS 12Gb/s Hard Disk Drive, Helium Sealed-Drive Design, 285MB/s Maximum sustained transfer rate OD, 512e Sector size, 4Kn Sector size, Dual Interface Ports
ST24000NM007H	R 24,503	Seagate Exos X24 24TB 3.5" 7200rpm 512MB Cache SAS 12Gb/s Server Hard Disk Drive, Helium Sealed-Drive Design, Conventional Magnetic recording (CMR), 285MB/s Maximum sustained transfer rate OD, Dual Interface Ports
ST9146853SS	R 2,210	Seagate Savvio 15K.3 146GB 2.5" 15000rpm 16MB Cache SAS Hard Disk Drive, 2ms average latency., 15mm height
Synology HAS5300-8TB	R 5,749	Synology HAS5300 Enterprise 8TB 3.5" 7200rpm 256MB Cache SAS 12Gb / s NAS Hard Disk Drive, 230 MiB/s Maximum sustained Data transfer speed (typical), HAS5300-8T

< Return to the menu

Current Drives (mechanical) : Video Streaming & Surveilance Hard Drives

Product code	Price	Description
DT01ABA050V	R 1,034	Toshiba 500GB 3.5" 5700rpm 32MB Cache SATA3 6.0Gb/s Surveilance Hard Disk Drive, DT01ABA050V
DT01ABA300V	R 1,929	Toshiba DT01-V 3TB 3.5" 5940rpm 32MB Cache SATA3 6Gb/s AV Hard Disk Drive, 1493 Mbit/s Max Data Transfer Rate, DT01ABA300V
HD-S10000SA	R 7,153	Seagate ST10000VE0008 10Tb/10000Gb SkyHawk Ai, Surveillance optimised with ImagePerfect AI firmware, Ai stream up to 64x HD cameras, Sata6G, 256mb cache, 7200rpm, sustained data rate - 250mb/sec, designed for

		24x7 digital video surveillance or business-critical applications
HD-S1000SU256	R 1,747	Seagate Skyhawk ST1000VX013 1TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, Up to 8 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD (MB/s), 256 MB Cache, ST1000VX013
HD-S12000SA	R 9,440	seagate ST12000VE0008 12Tb/12000Gb SkyHawk Ai, Surveillance optimised with ImagePerfect AI firmware, Ai stream up to 64x HD cameras, Sata6G, 256mb cache, 7200rpm, sustained data rate - 250mb/sec, designed for 24x7 digital video surveillance or business-critical applications
HD-S16000E	R 8,397	Seagate ST16000NM001G Enterprise (Exos X16), designed for massive scale-out data centres and centralised surveillance, with Power balance helium sealed-drive design with 2.5M MTBF, 16000gb/16Tb, Sata3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 261mb/sec
HD-S16000SA	R 10,809	seagate ST16000VE000 16Tb/16000Gb SkyHawk Ai, Surveillance optimised with ImagePerfect AI firmware, Ai stream up to 64x HD cameras, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 250mb/sec, designed for 24x7 digital video surveillance or business-critical applications
HD-S18000E	R 10,521	Seagate ST18000NM000J/ ST18000NM001J Exos 18 Enterprise, designed for massive scale-out data centres and centralised surveillance, with Power balance helium sealed-drive design with 2.5M MTBF, 18000gb/18Tb, SATA3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 270mb/sec
HD-S20000SA	R 11,844	Seagate ST20000VE002 20Tb/20000Gb SkyHawk Ai, Surveillance optimised with ImagePerfect AI firmware, Ai stream up to 64x HD cameras, Sata3(6Gb/s), 256mb cache, 7200rpm, sustained data rate - 260mb/sec, designed for 24x7 digital video surveillance or business
HD-S2000SU256	R 2,571	Seagate ST2000VX015 2000gb/2Tb Surveillance hdd (SkyHawk), SATA3(6GB/s), 256mb cache, 5900rpm, sustained data rate - 180mb/sec, designed for 24x7 digital video surveillance or business-critical applications
HD-S4000E	R 3,659	Seagate ST4000NM0033 constellation ES.3, dual processor multi-drive firmware maximized, on-demand power savings with Power Choice, 4TB/4000gb, sata3 (6GB/s), 128mb cache, 7200rpm, sustained data rate - 175mb/sec, designed for 24x7 digital video surveillance or business-critical applications (NAS, video surveillance, etc)
HD-S4000SU256	R 2,964	Seagate ST4000VX013 4000gb/4Tb Surveillance hdd (SkyHawk), SATA3(6Gb/s), 256mb cache, 5900rpm, sustained data rate - 180mb/sec, designed for 24x7 digital video surveillance or business-critical applications
HD-S6000E	R 4,505	Seagate ST6000NM0024 Enterprise, dual processor multi-drive firmware maximized, on-demand power savings with PowerChoice, 6TB/6000gb, sata6G, 7200rpm, 128mb cache, sustained data rate - 216mb/sec, designed for 24x7 digital video surveillance or business-critical applications (NAS, video surveillance, etc)
HD-S6000SV256	R 4,477	seagate ST6000VX001 6Tb/6000Gb SV hdd (SkyHawk), Sata3(6Gb/s), 256mb cache, 5900rpm, sustained data rate - 185mb/sec, designed for 24x7 digital video surveillance or business-critical applications
HD-S8000SA	R 6,402	Seagate ST8000VE0004 8Tb/8000Gb SkyHawk Ai, Surveillance optimised with ImagePerfect AI firmware, Ai stream up to 64x HD cameras, Sata6G, 256mb cache, 7200rpm, sustained data rate - 235mb/sec, designed for 24x7 digital video surveillance or business-critical applications
HD-S8000SV	R 5,804	Seagate SV35.5 ST8000VX0002, 8Tb/8000Gb, Sata3(6GB/s), 256mb cache, 7200rpm, sustained data rate - 230mb/sec, designed for 24x7 digital video surveillance or business-critical applications. RPM : 7200, Cache - mb : 256, mode : sata6G, warranty- years : 3, size - GB : 8000, dual processor : N, sustained data rate - mb/ sec : 230, Annualized Failure Rate (AFR) : < 1%, MTBF - million hours : 1
HD-SN500V	R 866	Seagate ST500VT000 500Gb for Video surveillance, dedsigned for 24x7 DVR/iPTV operation with low power consumption, 0.55% AFR low failure rate, 2.5" , 7mm Thin, 16mb cache, SATA3(6Gb/s), support NCQ, 5400rpm, sustained data rate: 100mb/sec
HD-W10000PP	R 5,691	Western Digital Purple Pro for surveillance WD101PURP 10000gb/10Tb 7200rpm, 256mb cache OptiNAND technology, SATA3(6Gb/s), AllFrame Ai Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/32, 550Tb/year, 2m MTBF
HD-W1000P	R 1,213	Western Digital Purple WD10PURX 1Tb/1000Gb , with AllFrame technology designed for 24x7 up to 32x cameras surveillance, co-work with works with ATA streaming, sata6G, with intellipower (5400-7200rpm for powersaving), 64mb cache, 110mb/sec, designed for 24x7 digital video surveillance or business-critical applications (NAS, video surveillance … ETC)
HD-W12000PP	R 7,261	Western Digital Purple Pro for surveillance WD121PURP 12000gb/12Tb 7200rpm, 256mb cache OptiNAND

		technology, SATA3(6Gb/s), AllFrame Ai Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/32, 550Tb/year, 2.5m MTBF
HD-W14000PP	R 9,011	Western Digital Purple Pro for surveillance WD141PURP 14000gb/14Tb 7200rpm, 512mb cache OptiNAND technology, SATA3(6Gb/s), AllFrame Ai Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/32, 550Tb/year, 2.5m MTBF
HD-W18000PP	R 9,116	Western Digital Purple Pro for surveillance WD181PURP 18000gb/18Tb 7200rpm, 512mb cache OptiNAND technology, SATA3(6Gb/s), AllFrame Ai Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/32, 550Tb/year, 2.5m MTBF
HD-W2000P2	R 2,781	Western Digital Purple for surveillance WD22PURZ 2000gb/2Tb 5400rpm, 256mb cache, SATA3(6Gb/s), AllFrame Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/8, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W3000P	R 1,557	Western Digital Purple WD30PURX 3Tb/3000gb , with AllFrame technology designed for 24x7 upto 32x cameras surveillance , co-work with works with ATA streaming , sata6G , with intellipower (5400-7200rpm for powersaveing) , 64mb cache , 145mb/sec , designed for 24x7 digital video surveillance or business-critical applications (NAS , video surveillance ï¿½ ETC) - 3 years warranty, Â©2014 Laptop Direct
HD-W3000P2	R 1,950	Western Digital Purple for surveillance WD33PURZ 3000gb/3Tb 5400rpm, 256mb cache, SATA3(6Gb/s), AllFrame Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/8, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W4000P	R 1,960	Western Digital Purple WD40PURX 4Tb/4000gb , with AllFrame technology designed for 24x7 upto 32x cameras surveillance , co-work with works with ATA streaming , sata6G , with intellipower (5400-7200rpm for powersaveing) , 64mb cache , 150mb/sec , designed for 24x7 digital video surveillance or business-critical applications (NAS , video surveillance … ETC) - 3 years warranty
HD-W4000P2	R 2,156	Western Digital Purple for surveillance WD42PURZ 4000gb/4Tb 5400rpm, 256mb cache, SATA3(6Gb/s), AllFrame Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/16, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W6000P2	R 2,933	Western Digital Purple for surveillance WD62PURZ 6000gb/6Tb 5400rpm, 256mb cache, SATA3(6Gb/s), AllFrame Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/16, 180Tb/year, 1m MTBF, sustained data rate - 175mb/sec
HD-W8000P1	R 4,754	Western Digital Purple for surveillance WD84PURZ 8000gb/8Tb 5400rpm, 128mb cache, Sata3(6Gb/s), AllFrame Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/16, 180Tb/year, 1m MTBF, sustained data rate - 194mb/sec
HD-W8000PP	R 4,840	Western Digital Purple Pro for Surveillance WD8001PURP 8000gb/8Tb 7200rpm, 256mb cache OptiNAND technology, SATA3(6Gb/s), AllFrame Ai Technology WDDA Proactive Storage Management, cameras/drive bays supported: 64/32, 550Tb/year, 2m MTBF, sustained data rate
HDEB028GEA51F	R 8,240	Toshiba MG10 Enterprise Hard Disk Drive - 8TB Capacity, 3.5 Inch Form Factor, 7200rpm Rotation Speed, 512MiB Buffer Size, 200 000h MTBF, Lower Operational Power Profile, Providing Excellent Power Efficiency (W/TB) for Better TCO
HDEB028ZSA51F	R 7,299	Toshiba S300 Surveillance Hard Drive Disk - 8TB Capacity, 3.5 Inch Form Factor, SATA 6 Gbit/s Interface, Up to 5,400 rpm Rotational Speed, 256MB Buffer Size, Up to 64 Cameras Supported, 24/7 Operation, Halogen Free, Retail Box
HDEB028ZSA51F	R 6,381	Toshiba S300 Surveillance Hard Drive Disk - 8TB Capacity, 3.5 Inch Form Factor, SATA 6 Gbit/s Interface, Up to 5,400 rpm Rotational Speed, 256MB Buffer Size, Up to 64 Cameras Supported, 24/7 Operation, Halogen Free, Retail Box
HDET02KZSA51F	R 7,416	Toshiba S300 10TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Supports up to 64 Video cameras
HDET02LZSA51F	R 6,299	Toshiba S300 Surveillance SATA Hard Drive Disk - 8TB Capacity, 3.5 Inch form factor, SATA 6Gbit/s Interface, 7.200rpm rotation speed, 512MB Buffer size, 24/7 operation, Up to 64 cameras supported
HDET02LZSA51F	R 6,381	Toshiba S300 Surveillance SATA Hard Drive Disk - 8TB Capacity, 3.5 Inch form factor, SATA 6Gbit/s Interface, 7.200rpm rotation speed, 512MB Buffer size, 24/7 operation, Up to 64 cameras supported

HDETV10ZSA51F	R 7,416	Toshiba S300 10TB 3.5" 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Supports up to 64 Video cameras
HDKPB04Z0A01	R 1,183	Toshiba S300 series 2TB 5400rpm 64MB Cache SATA III 6.0GB/s Surveillance Hard Disk Drive, 5.56 ms average Latency, 24/7 operation
HDKPB04Z0A01S	R 2,335	Toshiba S300 Series 2TB 5400rpm 64MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, 5.56 ms average Latency, 24/7 operation, 1 to 8 Drive bays supported
HDKPB06Z0A01S	R 4,311	Toshiba S300 Series 6TB 5400rpm 64MB Cache 3.5" SATA3 6Gb/s Surveillance Hard Disk Drive, 5.56 ms average Latency, Up to 64 cameras supported, 1 to 8 Drive bays supported
HDKPB06Z0A02S	R 4,999	Toshiba Surveillance S300 6TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s internal Hard Disk Drive, HDKPB06Z0A02S, 24 x 7 reliability and Performance, Supports up to 64 Video cameras
HDKPB06Z0A02S	R 4,311	Toshiba Surveillance S300 6TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s internal Hard Disk Drive, HDKPB06Z0A02S, 24 x 7 reliability and Performance, Supports up to 64 Video cameras
HDKPB08Z0A02S	R 3,099	Toshiba S300 Surveillance SATA Hard Drive - 3.5 Inch foam factor, 4TB Capacity, 4500 RPM Rotational Speed, 128MB Cache, 157MB/s Transfer rate, Up to 180 TB/year workload rating
HDKPB08Z0A02S	R 2,910	Toshiba S300 Surveillance SATA Hard Drive - 3.5 Inch foam factor, 4TB Capacity, 4500 RPM Rotational Speed, 128MB Cache, 157MB/s Transfer rate, Up to 180 TB/year workload rating
HDKPB20Z0A01S	R 2,335	Toshiba Surveillance S300 3.5-inch 2TB Serial ATA III Internal Hard Drive - Capacity 2TB, 3.5" SATA Hard Drive, 5400 rpm, 64MB buffer, 24/7 operation, Supports up to 32 video cameras.
HDWT720UZSVA	R 2,414	Toshiba S300 series 2TB 5400rpm 64MB Cache 3.5" SATA III 6.0GB/s Surveillance Hard Disk Drive, 5.56 ms average Latency, HDWT720UZSVA
HDWT840UZSVA	R 3,105	Toshiba S300 series 4TB 5400rpm 128MB Cache 3.5" SATA 3 6.0Gb/s Surveillance Hard Disk Drive, 5.56 MS average Latency, 153 MB/s Maximum Data transfer speed
HDWT860UZSVA	R 4,485	Toshiba S300 Series 6TB 3.5" 5400rpm 256MB Cache SATA 3 6.0Gb/s Surveillance Hard Disk Drive, 5.56 ms average Latency, 64 cameras supported, 184MB/s Maximum Data transfer Speed
HDWV110UZSVA	R 1,208	Toshiba S300 series 1TB 5700rpm 64MB Cache 3.5" SATA III 6.0GB/s Surveillance Hard Disk Drive, 5.56 ms average Latency
ST10000VE000	R 8,863	Seagate Skyhawk AI 10TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s 7200rpm Surveillance Hard Drive, CMR recording Technology, Air Drive Design, 16 Drive bays supported, 32 AI channels, Up to 120 AI Real Time Capture events/sec, 245MB/s Maximum sustained transfer rate OD, ST10000VE000
ST10000VE001	R 7,767	Seagate Skyhawk AI 10TB 3.5" SATA 256 MB Cache Surveillance Hard Disk Drive, 245MB/s Maximum sustained transfer rate OD (MB/s), 256 MB Cache, CMR recording technology
ST10000VE001	R 7,625	Seagate Skyhawk AI 10TB 3.5" SATA 256 MB Cache Surveillance Hard Disk Drive, 245MB/s Maximum sustained transfer rate OD (MB/s), 256 MB Cache, CMR recording technology
ST10000VE001	R 7,188	Seagate Skyhawk AI 10TB 3.5" SATA 256 MB Cache Surveillance Hard Disk Drive, 245MB/s Maximum sustained transfer rate OD (MB/s), 256 MB Cache, CMR recording technology
ST10000VE001	R 8,196	Seagate Skyhawk AI 10TB 3.5" SATA 256 MB Cache Surveillance Hard Disk Drive, 245MB/s Maximum sustained transfer rate OD, 256MB Cache, CMR recording technology
ST10000VE001	R 8,221	Seagate Skyhawk AI 10TB 3.5" SATA 256 MB Cache Surveillance Hard Disk Drive, 245MB/s Maximum sustained transfer rate OD, 256MB Cache, CMR recording technology
ST10000VX0004	R 7,938	Seagate Skyhawk 10TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Designed for 24x7 Digital Video Surveillance, 8 Drive bays supported, Up to 64 cameras supported, 210MB/s Maximum sustained transfer rate OD, ST10000VX0004
ST1000VX013	R 1,395	Seagate Skyhawk ST1000VX013 1TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, Up to 8 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD (MB/s), 256 MB Cache
ST1000VX013	R 2,033	Seagate Skyhawk ST1000VX013 1TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, Up to 8 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD (MB/s), 256 MB Cache
ST12000VE001	R 8,760	Seagate Skyhawk AI 12TB 3.5 ' ' 7200rpm 256MB Cache SATA 6Gb/s Surveillance Hard Disk Drive, 512e, CMR

		recording technology, Helium Drive design, 250MB/s Maximum sustained transfer rate OD (MB/s)
ST12000VE003	R 9,241	Seagate Skyhawk AI 12TB 3.5" 512MB Cache SATA3 6Gb/s suveillance Hard Disk Drive, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, Up to 120 AI Real time capture events/sec, Up to 96 AI Real time compare events/sec, Up to 64 HD cameras supported, 285MB/s Max Data Transfer Rate
ST12000VE003	R 9,486	Seagate Skyhawk AI 12TB 3.5" 512MB Cache SATA3 6Gb/s suveillance Hard Disk Drive, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, Up to 120 AI Real time capture events/sec, Up to 96 AI Real time compare events/sec, Up to 64 HD cameras supported, 285MB/s Max Data Transfer Rate
ST16000VE002	R 6,952	Seagate Skyhawk AI 16TB 3.5 ' ' SATA 6Gb/s 256MB Cache Surveillance Hard Drive, 7200rpm, 250MB/s Maximum sustained transfer rate OD
ST16000VE004	R 12,028	Seagate Skyhawk AI 16TB 3.5" 7200rpm 512MB Cache SATA 6Gb/s Surveillance Hard Drive, 7200rpm, 285MB/s Maximum sustained transfer rate OD, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32x AI channels, Up to 120 AI Real Time capture events/sec
ST16000VE004	R 11,868	Seagate Skyhawk AI 16TB 3.5" 7200rpm 512MB Cache SATA 6Gb/s Surveillance Hard Drive, 7200rpm, 285MB/s Maximum sustained transfer rate OD, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32x AI channels, Up to 120 AI Real Time capture events/sec
ST16000VE004	R 12,706	Seagate Skyhawk AI 16TB 3.5" 7200rpm 512MB Cache SATA 6Gb/s Surveillance Hard Drive, 7200rpm, 285MB/s Maximum sustained transfer rate OD, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32x AI channels, Up to 120 AI Real Time capture events/sec
ST20000VE003	R 14,605	Seagate Skyhawk AI 20TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, 285MB/s Max Data Transfer Rate
ST20000VE003	R 15,917	Seagate Skyhawk AI 20TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, 285MB/s Max Data Transfer Rate
ST2000VX017	R 2,686	Seagate Skyhawk ST2000VX017 2TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 8 Drive bays supported, Up to 64 cameras supported
ST2000VX017	R 2,515	Seagate Skyhawk ST2000VX017 2TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 8 Drive bays supported, Up to 64 cameras supported
ST2000VX017	R 2,677	Seagate Skyhawk ST2000VX017 2TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 8 Drive bays supported, Up to 64 cameras supported
ST2000VX017	R 2,635	Seagate Skyhawk ST2000VX017 2TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 8 Drive bays supported, Up to 64 cameras supported
ST2000VX017	R 2,713	Seagate Skyhawk ST2000VX017 2TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 8 Drive bays supported, Up to 64 cameras supported
ST2000VX017	R 2,716	Seagate Skyhawk 2TB 3.5" 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 8 Drive bays supported, Up to 64 cameras supported
ST24000VE002	R 18,899	Seagate Skyhawk AI 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, ST24000VE002, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, 285MB/s Max Data Transfer Rate
ST24000VE002	R 19,905	Seagate Skyhawk AI 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, ST24000VE002, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI

		channels, 285MB/s Max Data Transfer Rate
ST24000VE002	R 16,920	Seagate Skyhawk AI 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, ST24000VE002, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, 285MB/s Max Data Transfer Rate
ST24000VE002	R 16,549	Seagate Skyhawk AI 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, ST24000VE002, CMR recording Technology, Helium Drive Design, Unlimited Drive bays supported, 32 AI channels, 285MB/s Max Data Transfer Rate
ST4000VX016	R 3,069	Seagate Skyhawk 4TB 3.5" SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256 MB Cache
ST4000VX016	R 2,861	Seagate Skyhawk 4TB 3.5" SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256 MB Cache
ST4000VX016	R 4,347	Seagate Skyhawk 4TB 3.5" SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256 MB Cache
ST4000VX016	R 3,052	Seagate Skyhawk 4TB 3.5" SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256 MB Cache
ST4000VX016	R 3,046	Seagate Skyhawk 4TB 3.5" SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256MB Cache, ST4000VX016
ST4000VX016	R 3,123	Seagate Skyhawk 4TB 3.5" 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, SATA 6Gb/s Interface, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256MB Cache, ST4000VX016
ST6000VX009	R 4,359	Seagate Skyhawk ST6000VX009 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported
ST6000VX009	R 4,392	Seagate Skyhawk ST6000VX009 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported
ST6000VX009	R 4,162	Seagate Skyhawk ST6000VX009 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported
ST6000VX009	R 4,610	Seagate Skyhawk 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording Technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported,
ST6000VX009	R 4,199	Seagate Skyhawk 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording Technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported,
ST6000VX009	R 4,330	Seagate Skyhawk 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording Technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported,
ST6000VX009	R 4,598	Seagate Skyhawk 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording Technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported,
ST6000VX009.	R 4,278	Seagate Skyhawk ST6000VX009 6TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, 180MB/s Max sustained transfer rate OD, 256MB Cache, Up to 16 Drive bays supported, Up to 64 cameras supported
ST8000VE001	R 6,391	Seagate ST8000VE001 Skyhawk AI 8TB 3.5 ' ' 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate
ST8000VE001	R 5,808	Seagate ST8000VE001 Skyhawk AI 8TB 3.5 ' ' 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate

ST8000VE001	R 6,180	Seagate ST8000VE001 Skyhawk AI 8TB 3.5 ' ' 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate
ST8000VE001	R 6,404	Seagate ST8000VE001 Skyhawk AI 8TB 3.5 ' ' 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate
ST8000VE001	R 6,162	Seagate ST8000VE001 Skyhawk AI 8TB 3.5 ' ' 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate
ST8000VE001	R 6,874	Seagate ST8000VE001 Skyhawk AI 8TB 3.5 ' ' 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate
ST8000VE001.	R 6,325	Seagate ST8000VE001 Skyhawk AI 8TB 3.5" 7200rpm SATA Surveillance Hard Disk Drive, SATA 6Gb/s Interface, 256MB Cache, 4Kn, 235 MBps internal Data rate
ST8000VX010	R 6,008	Seagate Skyhawk ST8000VX010 8TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD (MB/s), 256 MB Cache
ST8000VX010	R 5,923	Seagate Skyhawk ST8000VX010 8TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256MB Cache
ST8000VX010	R 7,373	Seagate Skyhawk ST8000VX010 8TB 3.5" SATA 6Gb/s Surveillance Hard Disk Drive, CMR recording technology, Up to 16 Drive bays supported, Up to 64 cameras supported, 180MB/s Max sustained transfer rate OD, 256MB Cache
WD102PURP	R 8,888	Western Digital Purple Pro Smart 10TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Suveillance Hard Disk Drive, Up to 272MB/s transfer rate, CMR recording Technology, Up to 64 single-stream cameras, Engineered for Advanced AI-Enabled recorders
WD10PURZ	R 1,101	Western Digital Purple (WD10PURZ) - 1TB 3.5" SATA3 (6Gb/s) Surveillance HDD, Intellipower Speed Management, 64MB Cache, 150MB/s Host to/from (Sustained), AllFrame, HD Video Optimised
WD11PURZ	R 2,252	Western Digital Purple 1TB 3.5" SATA3 Surveillance Hard Disk Drive, Intellipower speed management, 64MB Cache, Up to 110MB/s transfer rate, CMR recording technology, AllFrame Firmware technology, Up to 64 HD cameras compatibility
WD122PURP	R 10,205	Western Digital Purple Pro Smart 12TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Suveillance Hard Disk Drive, Up to 272MB/s transfer rate, CMR recording Technology, Up to 64 single-stream cameras, Engineered for Advanced AI-Enabled recorders
WD142PURP	R 7,433	Western Digital Purple PRO with AI 14TB SATA 3.5 512 MB Cache HDD
WD181PURP	R 11,707	Western Digital Purple Pro 18TB 3.5" SATA3 6.0Gbps 7200rpm Surveillance Hard Disk Drive, 512MB Cache, Up to 255MB/s transfer rate
WD20PURZ	R 1,604	Western Digital Purple 2TB 3.5" 5400rpm 64MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Intellipower Speed management, 150MB/s Host to/from (Sustained), AllFrame, HD Video optimised
WD221PURP	R 14,309	Western Digital Purple PRO with AI 22TB SATA 3.5 512 MB Cache HDD
WD23PURZ	R 2,673	Western Digital Purple - 2.0TB 3.5" SATA3 6.0Gbps Surveillance HDD, Intellipowerâ„¢ Speed Management, 256MB Cache, 150MB/s Host to/from (Sustained), AllFrame, HD Video Optimised
WD241PURP	R 20,301	Western Digital Purple Pro 24TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Video Analytics Hard Disk Drive, Up to 287MB/s transfer rate, CMR recording Technology, 550 TB/year Endurance (TBW), Up to 64 single-stream cameras, WD241PURP
WD260PURP	R 21,993	Western Digital Purple Pro 26TB 3.5" 7200rpm 512MB Cache SATA3 6Gb/s Video Analytics Hard Disk Drive, Up to 287MB/s transfer rate, 550 TB/year Endurance (TBW), WD260PURP
WD43PURZ	R 2,053	Western Digital Purple - 4.0TB 3.5" SATA3 6.0Gbps Surveillance HDD, Intellipowerâ„¢ Speed Management, 64MB Cache, 150MB/s Host to/from (Sustained), AllFrame, HD Video Optimised
WD43PURZ	R 3,104	Western Digital Purple 4TB 3.5" 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Up to 175MB/s transfer rate, CMR recording Technology, Supports up to 180 TB/yr workload rate and up to 16 bays, Up to 64 HD cameras, Up to 16 Drive bays
WD44PURZ	R 3,727	Western Digital Purple 4TB 3.5" 128MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Up to 175MB/s

		transfer rate, WD44PURZ
WD64PURZ	R 4,599	Western Digital Purple 6TB 3.5" SATA3 Surveillance Hard Disk Drive, Intellipower speed management, 256MB Cache, Up to 175MB/s transfer rate, CMR recording technology, AllFrame Firmware technology, Up to 64 HD cameras compatibility
WD64PURZ	R 5,068	Western Digital Purple 6TB 3.5" SATA3 Surveillance Hard Disk Drive, Intellipower speed management, 256MB Cache, Up to 175MB/s transfer rate, CMR recording technology, AllFrame Firmware technology, Up to 64 HD cameras compatibility
WD64PURZ	R 4,484	Western Digital Purple 6TB 3.5" 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, Intellipower speed management, 256MB Cache, Up to 175MB/s transfer rate, CMR recording technology, AllFrame Firmware technology, Up to 64 HD cameras compatibility
WD8002PURP	R 4,635	Western Digital Purple Pro 8TB 3.5" 7200rpm 256MB Cache SATA3 6Gb/s Surveillance Hard Disk Drive, WD8002PURP, CMR recording Technology, Up to 265MB/s transfer rate, Up to 64 single-stream cameras
WD84PURZ	R 5,003	Western Digital WD84PURZ Purple 8TB 3.5" SATA 5640 rpm 128 MB Cache Surveillance Hard Disk Drive
WD85PURZ	R 7,499	Western Digital Purple 8TB 3.5" 5640 rpm 256MB Cache SATA3 6Gbps Surveillance Hard Disk Drive, CMR recording Technology, Up to 64 HD cameras, Up to 16 Drive bays, AllFrame Firmware Technology, Up to 215MB/s transfer rate

< Return to the menu

Current Solid State Drives SSD

Current Solid State Drives SSD : 2.5" SATA3 Notebook SSD

Product code	Price	Description
4XB7A17076	R 2,658	Lenovo 4XB7A17076 ThinkSystem 2.5" 5300 480GB entry SATA 6GB Hot Swap SSD, 540 Mbps Sequential read rate, 410 Mbps Sequential write rate
AK-SATA-120G	R 574	Arktek 120GB 2.5" SATA3 6Gb/s Solid State Drive, 7mm thick
AP1TBAS350-1	R 2,499	Apacer AS350 Panther 1TB 2.5" SATA III Internal Solid State Drive (SSD), Retail Box
AP2TBAS350XR-1	R 4,799	Apacer AS350X 2TB SSD 2.5" SATA - Compatible with SATA III 6.0 Gb/s Interface, Sequential Read/Write Speed up to 560/540MB/s, IOPs (4K Random Write) Up to 80,000, ECC Support Up to 72bit/1KB, Low Power Consumption (Active/Idle) 275/80mA
AP512GAS350-1	R 1,299	Apacer AS350 Panther 512GB 2.5 inch SATA III Internal Solid State Drive (SSD), 7mm Form Factor, Up to 560MB/s Sustained Read Performance, Up to 540MB/s Sustained Write Performance 3D TLC NAND Flash, Up to 30,176IOPs 4K Random Write, Up to 72bit/1KB ECC Support, Retail Box
AP512GAS350XR-1	R 1,399	Apacer AS350X 512GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 560MB/s Sequential read performance, Up to 540MB/s Sequential write performance
AS128GX	R 539	Astrum S512GX 128GB 2.5" SATA3 Solid State Drive, 518MB/s Read Speed, 470MB/s Write Speed
AS200TX	R 3,449	Astrum S200TX 2TB 2.5" SATA3 Solid State Drive, 529 MB/s Read Speed, 520 MB/s Write Speed
AS256GX	R 919	Astrum S512GX 256GB 2.5" SATA3 Solid State Drive, 544MB/s Read Speed, 490MB/s Write Speed
AS512GX	R 1,494	Astrum S512GX 512GB 2.5" SATA3 Solid State Drive, 545MB/s Read Speed, 490MB/s Write Speed
ASU650SS-1TT-R	R 2,471	Adata Ultimate SU650 1TB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max), 1120TB Terabytes written (TBW)
ASU650SS-1TT-R	R 2,638	Adata Ultimate SU650 1TB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max), 1120TB Terabytes written (TBW)
ASU650SS-256GT-R	R 804	Adata SU650 256GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential Read Speed, Up to 450MB/s Sequential Write Speed
ASU650SS-256GT-R	R 1,157	Adata SU650 256GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential Read Speed, Up to 450MB/s Sequential Write Speed
ASU650SS-2TT-R	R 4,771	Adata Ultimate SU650 2TB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max), 1120TB Terabytes written (TBW)
ASU650SS-2TT-R	R 4,943	Adata Ultimate SU650 2TB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max), 1120TB Terabytes written (TBW)

ASU650SS-2TT-R	R 3,646	Adata Ultimate SU650 2TB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max), 1120TB Terabytes written (TBW)
ASU650SS-512GT-R	R 1,321	Adata SU650 512GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential Read Speed, Up to 450MB/s Sequential Write Speed
ASU650SS-512GT-R	R 1,499	Adata SU650 512GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential Read Speed, Up to 450MB/s Sequential Write Speed
ASU650SS-512GT-R	R 1,544	Adata SU650 512GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND Flash, Up to 520MB/s Sequential Read Speed, Up to 450MB/s Sequential Write Speed
ASU750SS-256GT-C	R 413	Adata ultimate SU750 256Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC - with SLC caching LDPC (Low Density Parity Check) ECC, with AES-256 security Agile ECC VPR (Virtual Parity Recovery) technology, compressible data (ATTo) read/write: 550/520mb/sec, incompressible data (AS-SSD) read/write: 550/450mb/sec, Random Read/Write 4K: 65000/75000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF
ASU800SS-1TT-C	R 2,240	Adata SU800 3D Ultimate 1TB 2.5" Solid State Drive
ASU800SS-256GT-C	R 722	Adata Ultimate SU800 256Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC with 3Gb SLC 256mb DDR3 caching, with RAID engine data shaping support LDPC (Low Density Parity Check) ECC, with DEVSLP (Device Sleep) technology for energy saving, Toggle NAND flash, SMi SM2258 controller, 25nm, compressible data (ATTo) read/write: 560/520mb/sec, incompressible data (AS-SSD) read/write: 550/500mb/sec, Random Read/Write 4K: 80000/85000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF with with 90TBW
AULT-SU680-256GR	R 745	Adata SU680 256GB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max)
AULT-SU680-512GR	R 1,355	Adata SU680 512GB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max)
AULT-SU680-ITR	R 2,608	Adata SU680 1TB 2.5" SATA 6Gb/s Solid State Drive, 3D NAND, Up to 520MB/s Sequential read (Max), Up to 450MB/s Sequential write (Max)
CT2000BX500SSD1	R 4,440	Crucial BX500 2TB 2.5" SATA 6.0Gb/s SSD Solid State Drive, 540 MB/s read speed, 500 MB/s write speed, 7.0mm unit height
CT240BX500SSD1	R 822	Crucial BX500 240GB 3D NAND SATA3(6Gb/s) 2.5" Solid State Drive
CX128GBNX100S	R 774	CipherX CX128 Pro 128GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support. Affordable SSD for consumer devices such as laptops, PCs, miniPCs, All-in-one PCs with SATA 3 interface (maxuimum theoretical burst throughput of 6.0 Gbit/s).
CX256GBNX100S	R 1,124	CipherX CX256 Pro 256GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support. Affordable SSD for consumer devices such as laptops, PCs, miniPCs, All-in-one PCs with SATA 3 interface (maxuimum theoretical burst throughput of 6.0 Gbit/s).
CX512GBNX100S	R 1,814	CipherX CX512 Pro 512GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support. Affordable SSD for consumer devices such as laptops, PCs, miniPCs, All-in-one PCs with SATA 3 interface (maxuimum theoretical burst throughput of 6.0 Gbit/s).
DS700-256GB	R 899	Dato DS700 256GB 2.5" SATA3 6Gb/s Solid State Drive, 545 MB/s Max Read Speed, 435 MB/s Max Write Speed
GP-SSD240	R 391	Gigabyte 240GB 2.5" SATA3(6Gb/s) SSD, SEQ READ: 500MB/S, SEQ WRITE: 420MB/S
HD-AN100SX1000	R 1,149	Adata SX1000L server SSD , 100Gb 2.5" " SATA6G SSD , with DuraClass DuraWrite for maximum read/write performance and endurance , RAISE (Redundant Array of Independent Silicon Elements) for advanced error correction AES-128 encryption , with SCT (SMART Command Transport) 48-bit Address Command Set - synchronous NAND flash , sandforce SF-2281 chipset , 128K sequential read/write : 540/180mb/sec , Random Read/Write 4K : 75000/40000 ioPS , Random Read/Write 8K : 55000/20000 ioPS - 1.5 millions MTBF - 5 years warranty
HD-AN1920SU650	R 6,190	Adata Ultimate SU650 1920Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC - 12Gb SLC 1Gb DDR3 caching , with AES-256 security Agile ECC VPR (Virtual Parity Recovery) technology, compressible data (ATTo) read/write: 520/320mb/sec, incompressible data (AS-SSD) read/write: 520/450mb/sec, Random Read/Write 4K: 40000/75000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF with 1120TBW
HD-AN240SU650	R 894	Adata Ultimate SU650 240Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC 3Gb SLC 256mb DDR3 caching, with AES-256

		security Agile ECC VPR (Virtual Parity Recovery) technology, compressible data (ATTo) read/write: 520/320mb/sec, incompressible data (AS-SSD) read/write: 520/450mb/sec, Random Read/Write 4K: 40000/75000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF with with 140TBW
HD-AN3840SU630	R 6,909	Adata ultimate SU630 3840Gb 2.5" SATA3(6Gb/s) SSD, 3D QLC with SLC caching LDPC (Low Density Parity Check) ECC, Maxio MAS0902A controller, compressible data (ATTo) read/write: 520/450mb/sec, incompressible data (AS-SSD) read/write: 500/440mb/sec, Random Read/Write 4K: 40000/65000 ioPS, with BGC (Background Garbage Collection) - 1.5 millions MTBF with 400TBW - (Order on request)
HD-AN480SU650	R 1,580	Adata Ultimate SU650 480Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC - 3Gb SLC 256mb DDR3 caching, with AES-256 security Agile ECC VPR (Virtual Parity Recovery) technology, compressible data (ATTo) read/write: 520/320mb/sec, incompressible data (AS-SSD) read/write: 520/450mb/sec, Random Read/Write 4K: 40000/75000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF with with 210TBW
HD-AN512SU800	R 2,652	Adata Ultimate SU800 512Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC with 6Gb SLC 512mb DDR3 caching, with RAID engine data shaping support LDPC (Low Density Parity Check) ECC, with DEVSLP (Device Sleep) technology for energy saving, Toggle NAND flash, SMi SM2258 controller, 25nm, compressible data (ATTo) read/write: 560/520mb/sec, incompressible data (AS-SSD) read/write: 550/500mb/sec, Random Read/Write 4K: 85000/85000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF with with 180TBW
HD-AN960SU650	R 3,105	Adata ultimate SU650 960Gb 2.5" SATA3(6Gb/s) SSD, 3D-TLC - 12Gb SLC 1Gb DDR3 caching, with AES-256 security Agile ECC VPR (Virtual Parity Recovery) technology, compressible data (ATTo) read/write: 520/320mb/sec, incompressible data (AS-SSD) read/write: 520/450mb/sec, Random Read/Write 4K: 40000/75000 ioPS, with BGC (Background Garbage Collection) - 2 millions MTBF with with 560TBW
HD-iN800-S3520	R 8,257	Intel S3520 DC 800GB 2.5" SATA3(6Gb/s) Solid State Drive, 256bit AES encryption, 16nm, 2.5" 7mm, SATA6G (SATA3), SATA6G read/write : 450/380 mb/sec ; random ioPS 4K read/write : 65500/17000, 2 millions MTBF with 1663TB TBW Endurance Rating - 5 years warranty
HD-KN1024KC600	R 5,196	Kingston SKC600/1024G KC600 - 1Tb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 520mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 600TB TBW (Order on request)
HD-KN1920DC600E	R 25,762	Kingston DC600ME 2.5" 1.92TB Enterprise SATA3 6Gb/s Solid State Drive, Up to 560MB/s Read Speed, 530MB/s Write Speed, 1 DWPD Endurance, TCG Opal 2.0, SED, Low Latency, High reliability
HD-KN1920DC600M	R 23,668	Kingston SEDC600M/1920G enterprise Data Center DC600M (Mixed-use) series - designed for 24x7 business-critical applications, firmware-controlled PLP (Power Loss Protection) with Tantalum Capacitors, with 256bit AES encryption SmartECC to protect against read errors, with Enterprise SMART Tools - 1920Gb 2.5" SATA6G 3D TLC SSD, read: 560mb/sec / write 530mb/sec, Random Read/Write 4K: 94000/78000 ioPS, 2 millions MTBF, 1 DWPD with 3504TB TBW
HD-KN2048KC600	R 10,558	Kingston SKC600/2048G KC600 - 2Tb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 520mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 1200TB TBW (Order on request)
HD-KN240A400	R 1,590	Kingston SA400S37/240G A400 SSD, TLC Solid-State Drive, 2.5" 240Gb, SATA3(6Gb/s), Phison's 3111-S11 single-core controller/ dual-channel with LDPC (Low-Density Parity Check), compressible data (ATTo) read/write: 500/350mb/sec, 1 millions MTBF with 80TB TBW
HD-KN240XFR	R 1,878	Kingston SHFR200/240G Hyper-X Fury RGB SSD - 240Gb 2.5" SATA6G 3D TLC SSD - Marvell 88SS1074 processor (4-channel) with LDPC (Low-Density Parity Check), compressible data read/write: 520/350 mb/sec; Maximum ioPS 4K read/write: 79000/25000 - 1 millions MTBF with 120TB TBW
HD-KN256KC600	R 1,933	Kingston SKC600/256G KC600 - 256Gb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 500mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 600TB TBW - (Order on request)
HD-KN3840DC600E	R 43,741	Kingston DC600ME 2.5" 3.84TB Enterprise SATA3 6Gb/s Solid State Drive, Up to 560MB/s Read Speed,

		530MB/s Write Speed, 1 DWPD Endurance, TCG Opal 2.0, SED, Low Latency, High reliability
HD-KN3840DC600M	R 47,325	Kingston SEDC600M/3840G enterprise Data Center DC600M (Mixed-use) series - designed for 24x7 business-critical applications, firmware-controlled PLP (Power Loss Protection) with Tantalum Capacitors, with 256bit AES encryption SmartECC to protect against read errors, with Enterprise SMART Tools - 3840Gb 2.5" SATA6G 3D TLC SSD, read: 560mb/sec / write 530mb/sec, Random Read/Write 4K: 94000/59000 ioPS, 2 millions MTBF, 1 DWPD with 7008TB TBW
HD-KN480A400	R 2,210	Kingston SA400S37/480G A400 SSD, TLC Solid-State Drive, 2.5" 480Gb, SATA3(6Gb/s), Phison's 3111-S11 single-core controller/ dual-channel with LDPC (Low-Density Parity Check), compressible data (ATTo) read/write: 500/450mb/sec, 1 millions MTBF with 160TB TBW
HD-KN480DC600E	R 8,880	Kingston DC600ME 2.5" 480GB Enterprise SATA3 6Gb/s Solid State Drive, Up to 560MB/s Read Speed, 470MB/s Write Speed, 1 DWPD Endurance, TCG Opal 2.0, SED, Low Latency, High reliability
HD-KN480DC600M	R 9,839	Kingston SEDC600M/480G enterprise Data Center DC600M (Mixed-use) series - designed for 24x7 business-critical applications, firmware-controlled PLP (Power Loss Protection) with Tantalum Capacitors, with 256bit AES encryption SmartECC to protect against read errors, with Enterprise SMART Tools - 480Gb 2.5" SATA6G 3D TLC SSD, read: 560mb/sec / write 470mb/sec, Random Read/Write 4K: 94000/41000 ioPS, 2 millions MTBF, 1 DWPD with 876TB TBW
HD-KN512KC600	R 3,260	Kingston SKC600/512G KC600 - 512Gb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 520mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 600TB TBW - (Order on request)
HD-KN7680DC600M	R 77,955	Kingston SEDC600M/7680G enterprise Data Center DC600M (Mixed-use) series - designed for 24x7 business-critical applications, firmware-controlled PLP (Power Loss Protection) with Tantalum Capacitors, with 256bit AES encryption SmartECC to protect against read errors, with Enterprise SMART Tools - 7680Gb 2.5" SATA6G 3D TLC SSD, read: 560mb/sec / write 530mb/sec, Random Read/Write 4K: 94000/34000 ioPS, 2 millions MTBF, 1 DWPD with 14016TB TBW - (Order on request)
HD-KN960A400	R 3,813	Kingston SA400S37/960G A400 SSD, TLC Solid-State Drive, 2.5" 960Gb, SATA3(6Gb/s), Phison ' s 3111-S11 single-core controller/ dual-channel with LDPC (Low-Density Parity Check), compressible data (ATTo) read/write: 500/450mb/sec, 1 millions MTBF with 30(0TB TBW
HD-KN960DC600E	R 13,378	Kingston DC600ME 2.5" 960GB Enterprise SATA3 6Gb/s Solid State Drive, Up to 560MB/s Read Speed, 530MB/s Write Speed, 1 DWPD Endurance, TCG Opal 2.0, SED, Low Latency, High reliability
HD-KN960DC600M	R 14,152	Kingston SEDC600M/960G Enterprise Data Center DC600M (Mixed-use) series - designed for 24x7 business-critical applications, firmware-controlled PLP (Power Loss Protection) with Tantalum Capacitors, with 256bit AES encryption SmartECC to protect against read errors, with Enterprise SMART Tools - 960Gb 2.5" SATA6G 3D TLC SSD, read: 560mb/sec / write 530mb/sec, Random Read/Write 4K: 94000/65000 ioPS, 2 millions MTBF, 1 DWPD with 1752TB TBW
HS-SSD-C100/120G	R 459	Hikvision C100 Consumer Class 2.5" 120GB SATA 3 SSD Solid State Drive, 550MB/s Maximum read speed, 420MB/s Maximum write speed, 3D TLC NAND Flash
HS-SSD-C100/960G	R 1,724	Hikvision C100 Consumer Class 2.5" 960GB SATA 3 SSD Solid State Drive, 560MB/s Maximum read speed, 500MB/s Maximum write speed, 3D TLC NAND Flash
HS-SSD-D300-PRO-1920G	R 29,866	Hiksemi D300 Pro Tantalum Capacitor 1920GB 2.5" SATA3 6Gb/s Enterprise Solid State Drive, 536 MB/s Sequential read speed, 505 MB/s Sequential write speed, 10512 TBW Endurance
HS-SSD-D300-PRO-3840G	R 44,615	Hiksemi D300 Pro Tantalum Capacitor 3840GB 2.5" SATA3 6Gb/s Enterprise Solid State Drive, 536 MB/s Sequential read speed, 504 MB/s Sequential write speed, 21024 TBW Endurance
HS-SSD-D300-PRO-960G	R 15,457	Hiksemi D300 Pro 960GB 2.5" SATA3 6Gb/s Enterprise Solid State Drive, 536MB/s Sequential Read Speed, 504MB/s Sequential Write Speed, 5256 TB Endurance, DRAM Cache
HS-SSD-E100-1024G	R 3,206	Hiksemi City E100 1TB 2.5" SATA Solid State Drive, 560MB/s Maximum Sequential read speed, 500MB/s Maximum Sequential write speed
HS-SSD-E100-2048G	R 5,657	Hiksemi City E100 2TB 2.5" SATA Solid State Drive, 560MB/s Maximum Sequential read speed, 500MB/s Maximum Sequential write speed

HS-SSD-E100-256G	R 915	Hiksemi E100 City Series 256GB 2.5" SATA3 6Gb/s Solid State Drive, 550MB/s Maximum Sequential Read Speed, 520MB/s Maximum Sequential Write Speed, 240TB TBW, 3D NAND storage Medium
HS-SSD-E100-512G	R 1,846	Hiksemi E100 City Series 512GB 2.5" SATA3 6Gb/s Solid State Drive, 550MB/s Maximum Sequential Read Speed, 520MB/s Maximum Sequential Write Speed, 240TB TBW, 3D NAND storage Medium
HS-SSD-WAVE-S-1024G	R 3,206	Hikvision Wave(S) 1TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential read Speed, Up to 400MB/s Sequential write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-S-1024G	R 2,983	Hikvision Wave(S) 1TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential read Speed, Up to 400MB/s Sequential write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-S-128G	R 537	Hiksemi Wave(S) 128GB 2.5" SATA3 6Gb/s Solid State Drive, 460 MB/s Sequential Read Speed, 370 MB/s Sequential Write Speed, 40TB Terabytes written (TBW)
HS-SSD-WAVE-S-2048G	R 5,657	Hiksemi Wave(S) 2TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential Read Speed, Up to 510MB/s Sequential Write Speed, Up to 680TB Terabytes written (TBW)
HS-SSD-WAVE-S-2048G	R 4,472	Hiksemi Wave(S) 2TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential Read Speed, Up to 510MB/s Sequential Write Speed, Up to 680TB Terabytes written (TBW)
HS-SSD-WAVE-S-256G	R 925	Hikvision Wave(S) 256GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential read Speed, Up to 400MB/s Sequential write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-S-256G	R 867	Hikvision Wave(S) 256GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential read Speed, Up to 400MB/s Sequential write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-S-256G	R 899	Hiksemi Wave Series 2.5" SSD - 256GB Capacity, 2.5 Inch Form Factor, SATA III Interface, Up to 510Mbps Max Sequential Read Speed, Up to 460Mbps Max Sequential Write Speed, Up to 68K Max Random 4K Read IOPS, Up to 76K Max Random 4K Write IOPS, Up to 1920TB TBW, 3D NAND Storage Medium, Retail Box
HS-SSD-WAVE-S-512G	R 1,846	Hikvision Wave(S) 512GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential read Speed, Up to 400MB/s Sequential write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-S-512G	R 1,375	Hikvision Wave(S) 512GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 530MB/s Sequential read Speed, Up to 400MB/s Sequential write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-S-512G	R 1,399	Hiksemi Wave Series SATA3(6GB/s) SSD - 512GB Capacity, 2.5 Inch Form Factor, SATA III Interface, Up to 510Mbps Max Sequential Read Speed, Up to 460Mbps Max Sequential Write Speed, 3D NAND Storage Medium, 0-70°C Operation Temperature, Retail Box
K001S3A25KTA320	R 1,750	Kimtigo KTA-320 1TB 2.5" SATA Solid State Drive, Read speeds up to 530MB/s, Write speeds up to 510MB/s
K512S3A25KTA320	R 1,124	Kimtigo KTA-320 512GB 2.5" SATA3 Solid State Drive, Read speeds up to 530MB/s, Write speeds up to 510MB/s
KM512GSIV32	R 1,494	Kingmax 512GB 2.5" SATA3 6Gb/s Solid State Drive, 7mm thickness, 540 MB/s Sequential Read Speed, 480 MB/s Sequential Write Speed, 300t TBW (SSD Endurance)
KM960GSMV32	R 1,954	Kingmax 960GB 2.5" SATA SSD Solid State Drive, 500 MB/s Sequential read (Up to), 480 MB/s Sequential write (Up to)
LNS100-1TRB	R 3,057	Lexar NS100 1TB 2.5" SATA III (6Gb/s) Solid State Drive. Capacity:1TB; Interface: 2.5" SATA III (6Gb/s); FormFactor: 2.5" 7mm; ReadSpeed: up to 550MB/s; TBW: 512TBW
LNS100-256RB	R 1,148	Lexar NS100 256GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 520MB/s Read Speed, 128TBW (Total bytes written)
LNS100-2TRB	R 3,620	Lexar NS100 2TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 550MB/s Read Speed, 1000TBW (Total bytes written)
LNS100-512RB	R 1,895	Lexar NS100 512GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 550MB/s Read Speed, 256TBW (Total bytes written)
LTC10Z480GG8	R 1,436	Kioxia Exceria 480GB 2.5" SATA3 6Gb/s internal Solid State Drive, 2.5" 7mm height, BiCS Flash TLC Flash Memory Type, 555 MB/s Max Sequential Read Speed, 540 MB/s Max Sequential Write Speed
LTC10Z960GG8	R 2,414	Kioxia Exceria 960GB 2.5" SATA3 6Gb/s internal Solid State Drive, 2.5" 7mm height, BiCS Flash TLC Flash Memory Type, 555 MB/s Max Sequential Read Speed, 540 MB/s Max Sequential Write Speed
M49350	R 943	Verbatim 49350 Vi550 S3 128GB 2.5" SATA Solid State Drive, Up to 560 MB/s read speed, Up to 430 MB/s write speed, 3D NAND Flash
M49351	R 1,292	Verbatim 49351 Vi550 S3 256GB 2.5" SATA Solid State Drive, Up to 560 MB/s read speed, Up to 460 MB/s write

		speed, 3D NAND Flash
M49352	R 2,313	Verbatim 49352 Vi550 S3 512GB 2.5" SATA Solid State Drive, Up to 560 MB/s read speed, Up to 535 MB/s write speed, 3D NAND Flash
M49353	R 3,684	Verbatim 49353 Vi550 S3 1TB 2.5" SATA Solid State Drive, Up to 560 MB/s read speed, Up to 535 MB/s write speed, 3D NAND Flash
MTFDDAK1T9TGA-1BC1ZABYYR	R 50,541	Micron 5400 Pro 1920GB 2.5" 7mm SATA3 6Gb/s Non-SED Solid State Drive, 540 MB/s Sequential Read Speed, 520 MB/s Sequential Write Speed
MTFDDAK1T9TGA-1BC1ZABYYR	R 21,019	Micron 5400 Pro 1920GB 2.5" 7mm SATA3 6Gb/s Non-SED Solid State Drive, 540 MB/s Sequential Read Speed, 520 MB/s Sequential Write Speed
MTFDDAK3T8TGA-1BC1ZABYYR	R 90,791	Micron 5400 Pro 3840GB 2.5" 7mm SATA3 6Gb/s Non-SED Solid State Drive, 540 MB/s Sequential Read Speed, 520 MB/s Sequential Write Speed, 10512 TBW SSD Endurance
MTFDDAK960TGA-1BC1ZABYYR	R 36,511	Micron 5400 Pro 960GB 2.5" 7mm SATA3 6Gb/s Non-SED Solid State Drive, 540 MB/s Maximum read transfer rate, 520 MB/s Maximum write transfer rate
MZ-77E1T0BW	R 6,150	Samsung MZ-77E1T0BW 870 Evo series 1TB 2.5" SATA3 SSD Solid State Drive, Samsung MKX controller, Samsung 1 GB low power DDR4 SDRAM, Up to 560 MB/s Sequential read, Up to 530 MB/s Sequential write
MZ-77E2T0BW	R 26,136	Samsung MZ-77E2T0BW 870 EVO 2TB SSD, Read Speed up to 560 MB/s, Write Speed up to 530 MB/s, Random Read Max 98000 IOPS, MKX Controller, 600 TBW, 2GB LPDDR4 Cache, V-Nand
MZ-77E2T0BW	R 10,175	Samsung MZ-77E2T0BW 870 Evo series 2TB 2.5" SATA SSD Solid State Drive, Samsung 512 MB low power DDR4 SDRAM Cache Memory, Up to 560 MB/s Sequential read, Up to 530 MB/s Sequential write
MZ-77E4T0BW	R 58,806	Samsung MZ-77E4T0BW 870 EVO 4TB SSD, Read Speed up to 560 MB/s, Write Speed up to 530 MB/s, Random Read Max 98000 IOPS, MKX Controller, 600 TBW, 2GB LPDDR4 Cache, V-Nand
MZ-77E4T0BW	R 12,062	Samsung 870 Evo 4TB 2.5" SATA3 6Gb/s internal Solid State Drive, Samsung V-NAND 3bit MLC, Samsung MKX controller, Samsung 4GB low Power DDR4 SDRAM Cache Memory, Up to 560 MB/s Sequential read Speed, Up to 530 MB/s Sequential write Speed
MZ-77E500BW	R 8,494	Samsung MZ-77E500BW 870 EVO 500GB SSD, Read Speed up to 560MB/s, Write Speed up to 530MB/s, Random Read Max 98000 IOPS, MKX Controller, 300 TBW, 512MB LPDDR4 Cache, V-Nand
NFS01-128G	R 322	Neo Forza 128GB SATA III 2.5" 6GB/sec Solid State Drive, 400MB/s read speed, 400MB/s write speed, 3D TLC
NT01SA500-512GB	R 516	NETAC SA500 512GB 2.5" SATAIII SSD, Retail Box
NT01SA500-S3X-SSD1TB	R 2,126	Netac SA500 1TB SATA SSD is a fast and reliable upgrade for your PC or laptop. It comes in a 2.5-inch SATA III design and delivers up to 530MB/s read and 475MB/s write speeds for quicker boot and loading. With 480TBW endurance, it is built to last. Retail box
P210S1TB25	R 3,243	Patriot P210 2.5" 1TB SATA III internal Solid State Drive, 520 MB/s Sequential read speed, 430 MB/s Sequential write speed
P210S1TB25	R 3,962	Patriot P210 2.5" 1TB SATA III internal Solid State Drive, 520 MB/s Sequential read speed, 430 MB/s Sequential write speed
P210S256G25	R 989	Patriot P210 256GB 2.5" SATA3 Solid State Drive, Up to 500 Mbps Maximum Sequential read, Up to 400 Mbps Maximum Sequential write
P210S2TB25	R 6,325	Patriot P210 2TB 2.5" SATA3 Solid State Drive Drive, 520 MB/s Sequential read speed, 430 MB/s Sequential write speed
P210S2TB25	R 7,105	Patriot P210 2TB 2.5" SATA3 Solid State Drive Drive, 520 MB/s Sequential read speed, 430 MB/s Sequential write speed
P210S512G25	R 1,689	Patriot P210 512GB 2.5" SATA3 Solid State Drive, Up to 520 Mbps Maximum Sequential read, Up to 430 Mbps Maximum Sequential write
P220S128G25	R 534	Patriot P220 128GB 2.5" Solid State Drive
P220S256G25	R 844	Patriot P220 256GB 2.5" Solid State Drive
P220S2TB25	R 7,129	Patriot P220 2TB 2.5" SATA3 6Gb/s Solid State Drive, Up to 550MB/s Sequential read Speed, Up to 500MB/s Sequential write Speed, Up to 960TB Terabytes written (TBW)
P220S512G25	R 2,013	Patriot P220 512GB 2.5" Solid State Drive
PBE120GS25SSDR	R 690	Patriot Burst Elite 120GB 2.5" Solid State Drive

PBE240GS25SSDR	R 978	Patriot Burst Elite 240GB 2.5" Solid State Drive
PBE480GS25SSDR	R 1,689	Patriot Burst Elite 480GB 2.5" SATA 3 Solid State Drive, Up to 450MB/s read speeds, Static and dynamic wear leveling
PBE960GS25SSDR	R 3,105	Patriot Burst Elite 960GB 2.5" SATA III Solid State Drive
PBE960GS25SSDR	R 3,949	Patriot Burst Elite 960GB 2.5" SATA3 6Gb/s Solid State Drive, up to 450MB/s Sequential Read Speed, up to 320MB/s Sequential Write Speed, 400TB Terabytes written (TBW)
RE100-25-1TB	R 2,644	Acer RE100-25 1TB 2.5" SATA3 6Gb/s Solid State Drive, 557MB/s read Speed, 515MB/s write Speed
RE100-25-256GB	R 1,149	Acer RE100-25 256GB 2.5" SATA3 6Gb/s Solid State Drive, 562MB/s read Speed, 528MB/s write Speed
RE100-25-512GB	R 1,954	Acer RE100-25 512GB 2.5" SATA3 6Gb/s Solid State Drive, 562MB/s read Speed, 529MB/s write Speed
RWS200TNX100S	R 3,564	Rogueware NX100S 2TB SATA 3 2.5" 3D NAND Solid State Drive, Up to 560 MB/s Sequential read, Up to 520 MB/s Sequential write, Up to 75K IOPS random read/write, 2.5" low profile Form Factor
RWS256GNX100SH	R 378	Rogueware Nx100s 256gb Sata3 2.5" 3d Nand Solid State Drive
RWS512GNX100SH	R 604	Rogueware NX100s 512Gb SATA3 2.5" 3D Nand Solid State Drive
S270SATA240GB	R 844	MSI Spatium S270 240GB 2.5" SATA3 6Gbps Solid State Drive, Phison S11 controller, 3D NAND Flash Memory, 500MB/s Sequential read, 400MB/s Sequential write
S270SATA480GB	R 1,291	MSI Spatium S270 480GB 2.5" SATA3 6Gbps Solid State Drive, Phison S11 controller, 3D NAND Flash Memory, 500MB/s Sequential read, 450MB/s Sequential write
SA400S37/240G	R 1,517	Kingston SA400S37/240G A400 SSD, TLC Solid-State Drive, 2.5" 240Gb, SATA3(6Gb/s), Phison's 3111-S11 single-core controller/ dual-channel with LDPC (Low-Density Parity Check), compressible data (ATTo) read/write: 500/350mb/sec, 1 millions MTBF with 80TB TBW
SA400S37/480G	R 2,345	Kingston SA400S37/480G A400 SSD, TLC Solid-State Drive, 2.5" 480Gb, SATA3(6Gb/s), Phison's 3111-S11 single-core controller/ dual-channel with LDPC (Low-Density Parity Check), compressible data (ATTo) read/write: 500/450mb/sec, 1 millions MTBF with 160TB TBW
SA400S37/960G	R 3,673	Kingston SA400S37/960G A400 Series 960GB 2.5" SATA3(6Gb/s) (7mm height) Solid State Drive
SA400S37/960G	R 3,928	Kingston A400 960GB 2.5" SATA3 7mm 6Gb/s Solid State Drive, Up to 500MB/s read speed, Up to 450MB/s write speed
SA500-2TB	R 4,254	Netac SA500 2TB 2.5" SATA3 6Gb/s Solid State Drive, 530MB/s sequencial read Speed, 475MB/s sequencial write Speed, 3D QLC NAND Flash
SAMSUNG MZ-77E1T0BW	R 6,036	Samsung MZ-77E1T0BW 870 EVO 1TB SSD, Read Speed up to 560 MB/s, Write Speed up to 530 MB/s, Random Read Max 98000 IOPS, MKX Controller, 600 TBW, 2GB LPDDR4 Cache, V-Nand
SAMSUNG MZ-77E2T0BW	R 10,176	Samsung MZ-77E2T0BW 870 EVO 2TB SSD, Read Speed up to 560 MB/s, Write Speed up to 530 MB/s, Random Read Max 98000 IOPS, MKX Controller, 600 TBW, 2GB LPDDR4 Cache, V-Nand
SAMSUNG MZ-77E4T0BW	R 12,189	Samsung MZ-77E4T0BW 870 EVO 4TB SSD, Read Speed up to 560 MB/s, Write Speed up to 530 MB/s, Random Read Max 98000 IOPS, MKX Controller, 600 TBW, 2GB LPDDR4 Cache, V-Nand
SDSS31100TBB-000G0	R 3,238	SanDisk 320 - 1TB 2.5" SATA3 6Gb/s Solid State Drive, 545MB/s Sequential read Performance, 7mm thick, SDSS31100TBB-000G0
SDSS31200TBB-000G0	R 6,302	SanDisk 320 2TB 2.5" SATA Solid State Drive; compatible desktop PCs and laptops; flash memory storage
SDSS31250GBB-000G0	R 1,170	SanDisk 320 - 250GB 2.5" SATA3 6Gb/s Solid State Drive, 545MB/s Sequential read Performance, 7mm thick, SDSS31250GBB-000G0
SDSSDA-240G-G26	R 551	SanDisk SSD PLUS 240GB 2.5" 7mm Form Factor SATA Solid State Drive, SATA III 6 Gb/s Interface, Sequential Read Speeds up to 520 MB/s, Sequential Write Speeds up to 350 MB/s, 1.75 Million Hours MTBF, Shock & Vibration Resistant
SDSSDA-480G-G26	R 884	SanDisk SSD Plus 480GB 2.5" SATA3 6Gb/s Solid State Drive, Sequential read speeds up to 520 MB/s, Sequential write speeds up to 445 MB/s, 1.75 million hours MTBF, Shock & vibration resistant, 7mm thick
SEDC600ME/1920G	R 25,844	Kingston DC600ME (Mixed-Use) 1920GB TCG Opal 2.5" Enterprise SATA SSD
SEDC600ME/3840G	R 47,520	Kingston Data Center SSD Series (DC) DC600ME 3840GB (Mixed-Use) TCG Opal 2.5" Enterprise SATA SSD
SEDC600ME/480G	R 9,975	Kingston Data Center Series (DC) DC600ME 480GB (Mixed-Use) TCG Opal 2.5" Enterprise SATA SSD
SEDC600ME/7680G	R 74,825	Kingston Data Center Series (DC) DC600ME 7680GB (Mixed-Use) TCG Opal 2.5" Enterprise SATA SSD
SEDC600ME/960G	R 13,414	Kingston Data Center Series (DC) DC600ME 960GB (Mixed-Use) TCG Opal 2.5" Enterprise SATA SSD

SKC600/1024G	R 5,458	Kingston SKC600/1024G KC600 - 1Tb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 520mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 600TB TBW
SKC600/1024G	R 5,669	Kingston KC600 1TB 2.5 SATA3 TLC SSD Solid State Drive, Built-in Hardware XTS-AES 256bit Encryption with TCG security, with RAID protection LDPC (Low density Parity check) ECC, Smi SM2259 controller, 550MB/sec read speed, 520MB/sec write speed,
SKC600/2048G	R 10,082	Kingston SKC600/2048G KC600 - 2Tb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 520mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 1200TB TBW
SKC600/256G	R 1,855	Kingston SKC600/256G KC600 - 256Gb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 500mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 600TB TBW
SKC600/512G	R 3,114	Kingston SKC600/512G KC600 - 512Gb 2.5" SATA3(6Gb/s) TLC SSD - built-in hardware XTS-AES 256bit encryption with TCG security, with RAID protection LDPC (Low Density Parity Check) ECC, SMi SM2259 controller, read: 550mb/sec / write 520mb/sec, Random Read/Write 4K: 90000/80000 ioPS, 1 millions MTBF with 600TB TBW
SP001TBSS3A55S25	R 2,808	Silicon Power Ace A55 1Tb SATA III Solid State Drive. 1,500,000 hours. 7mm 2.5 inch. Performance Read(max.) 500 MB/s. Performance Write(max.) 450 MB/s.
SP002TBP34A60M28	R 6,307	Silicon Power P34A60 2Tb Pcie Gen 3x4 Nvme Solid State Drive
SP002TBSS3A55S25	R 4,672	Silicon Power Ace A55 2Tb SATA III Solid State Drive
SP256GBSS3A55S25	R 872	Silicon Power Ace A55 256Gb SATA III Solid State Drive
SS-WN1000G	R 3,863	WesternDigital Green WDS100T2G0A / WDS100T3G0A 2.5" SSD, 1Tb/1000Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read: 545mb/sec, 1 millions MTBF
SS-WN1000L	R 3,771	Western Digital Blue SA510 WDS100T2B0A 2.5" SSD, 1Tb/1000Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/84000 ioPS, 1.75 millions MTBF with 400TBW
SS-WN1000R	R 3,851	Western Digital WD Red SA500 1.0TB 2.5" SATA 3D NAND NAS Solid State Drive, Up to 560MB/s Sequential read, Up to 530MB/s Sequential write, WDS100T1R0A
SS-WN2000G	R 7,543	Western Digital Green WDS200T3G0A 2.5" SSD, 2Tb/2000Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read: 545mb/sec, 1 millions MTBF
SS-WN2000L	R 7,416	Western Digital Blue SA510 WDS200T2B0A 2.5" SSD, 2Tb/2000Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/84000 ioPS, 1.75 millions MTBF with 500TBW
SS-WN2000R	R 7,658	Western Digital Red SA500 WDS200T1R0A 2.5" NAS SATA SSD, 2Tb/2000Gb, 3D TLC with SLC cache, Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/85000 ioPS, 2 millions MTBF with 1300TBW
SS-WN240G	R 746	Western Digital Green WDS240G2G0A/ WDS240G3G0A 2.5" SSD, 240Gb, 3D TLC withwith SLC cache, SATA6G - Sequential Read read: 545mb/sec, 1 millions MTBF
SS-WN250L	R 804	Western Digital Blue SA510 WDS250G2B0A / WDS250G3B0A 2.5" SSD, 250Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read/write: 555/440mb/sec, Random Read/Write 4K: 80000/78000 ioPS, 1.75 millions MTBF with 100TBW
SS-WN4000L	R 13,764	Western Digital Blue SA510 WDS400T2B0A 2.5" SSD, 4Tb/4000Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/82000 ioPS, 1.75 millions MTBF with 600TBW
SS-WN4000R	R 14,121	Western Digital Red SA500 WDS400T1R0A 2.5" NAS SATA SSD, 4Tb/4000Gb, 3D TLC with SLC cache, Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/82000 ioPS, 2 millions MTBF with

		2500TBW
SS-WN480G	R 2,276	Western Digital Green WDS480G2G0A / WDS480G3G0A 2.5" SSD, 480Gb, 3D TLC with SLC cache, SATA6G - Sequential Read read: 545mb/sec, 1 millions MTBF
SS-WN500L	R 2,299	Western Digital Blue SA510 500GB SATA 2.5" SATA3 3D NAND Cache Solid State Drive, 560MB/s Sequential read performance, 510MB/s Sequential write performance, WDS500G3B0A
SS-WN500R	R 2,621	Western Digital WD Red SA500 500GB 2.5" SATA 3D NAND NAS Solid State Drive, Up to 560MB/s Sequential read, Up to 530MB/s Sequential write, WDS500G1R0A
SSD-128G-3	R 403	128GB MLC SATA III Solid State Drive
SSD-1TB-3	R 2,358	1TB SATA III 2.5" 6Gb/sec Solid State Drive
SSD-256G-3	R 679	256GB MLC SATA III Solid State Drive
SSD-512G-3	R 1,323	512GB MLC SATA III Solid State Drive
SSD-CIPH-CX128GB	R 861	CipherX CX128 Pro 128GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support
SSD-CIPH-CX1TB	R 2,529	CipherX CX1000 Pro 1TB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support
SSD-CIPH-CX256GB	R 1,954	CipherX CX256 Pro 256GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support, CX256GBNX100S
SSD-CIPH-CX512GB	R 2,529	CipherX CX512 Pro 512GB 2.5" SATA3 6Gb/s Solid State Drive, 3D NAND TLC, NANDXtend ECC Data Protect, SLC caching, TCG and AES Encryption support, CX512GBNX100S
SSD25S3T128GLT	R 489	OCPC XTL-200 128GB 2.5" SATA3 6Gb/s Solid State Drive, 2.5" internal Form Factor, SATA 3 6Gb/s Interface, Max up to 500MB/s Read Speed, Max up to 400MB/s Write Speed, DRAM-less Architecture
SSD25S3T256GLT	R 661	OCPC XTL-200 256GB 2.5" SATA 3 Solid State Drive, 2.5" internal SSD with PVC housing, SATA 3 6Gb/s Interface, QLC Flash Technology, Max Read Speed up to 500MB/s, Max Write Speed up to 420MB/s
SSDSC2BW180A3H	R 682	Intel 520 Series 180GB 2.5" SATA3 6Gb/s Solid State Drive, SSDSC2BW180A3H
SSDSC2BW180A4	R 687	Intel 530 Series 180GB 2.5" 7mm SATA3 6Gb/s Solid State Drive, 540MB/s read speed, 490 MB/s write speed, SSDSC2BW180A4
SSDSC2CW180A3	R 682	Intel 520 Series 180GB 2.5" SATA3 6Gb/s Solid State Drive, 550MB/s Sequential read speed, 520 MB/s Sequential write speed, SSDSC2CW180A3
SSDWRKXTFM1TB	R 7,581	Angelbird SSD wrk XT for Mac 1TB
SSDWRKXTFM2TB	R 15,420	Angelbird SSD wrk XT for Mac 2TB
SSDWRKXTFM512GB	R 4,191	Angelbird SSD wrk XT for Mac 512GB
TS120GSSD220S	R 789	Transcend SSD220 Series 120GB 2.5" SATA3(6Gb/s) TLC Based Solid State Drive - Max Seq. R/W: 550MB/s, 420MB/s - SLC caching technology, SM2256KAB Controller, 3.5" bracket not included
TS128GSSD230S	R 1,241	Transcend SSD230S Series 128GB 2.5" SATA 6Gb/s Solid State Hard Drive, 3D NAND TLC Solid State Drive, Aluminium Casing, 7mm, Max Sequential Read 560MB/s, Max Sequential Write 500MB/s, DDR3 DRAM cache, SM2258 Controller
TS128GSSD472K-VS1	R 1,034	TRANSCEND SSD472K 128G SATA III Extended Temperature Embedded SSD - 3D NAND with DRAM cache - 300TBW
TS1TSSD225S	R 4,265	Transcend SSD225S 1TB 2.5" 3D TLC Solid State Drive, Up to 550 MB/s read speed, Up to 500 MB/s write speed, No DDR3 DRAM Cache
TS250GSSD225S	R 1,387	Transcend SSD225S 250GB 2.5" 3D TLC Solid State Drive, Up to 500 MB/s read speed, Up to 330 MB/s write speed, No DDR3 DRAM Cache
TS256GSSD230S	R 2,256	Transcend SSD230S Series 256GB 2.5" SATA 6Gb/s Solid State Hard Drive, 3D NAND TLC Solid State Drive, Aluminium Casing, 7mm, Max Sequential Read 560MB/s, Max Sequential Write 520MB/s, DDR3 DRAM cache, SM2258 Controller
TS256GSSD472K-VS1	R 4,967	Transcend SSD472k 256GB 2.5" SATA3 6Gb/s Solid State Drive, Up to 560MB/s Read Speed, Up to 520MB/s Write Speed, 112-layer 3D NAND Flash Type
TS2TSSD225S	R 8,691	Transcend SSD225S 2TB 2.5" 3D TLC Solid State Drive, Up to 550 MB/s read speed, Up to 500 MB/s write speed, No DDR3 DRAM Cache

TS2TSSD230S	R 22,575	Transcend SSD230S Series 2 TB 2.5" SATA3(6Gb/s) Solid State Drive - 3D TLC NAND Flash Memory - Aluminium Casing - 7mm - Max Seq. R/W: 560MB/s, 520MB/s - DDR3 DRAM cache - SM2258 Controller
TS4TSSD230S	R 19,189	Transcend SSD230S 4TB 2.5" 3D TLC NAND Solid State Drive, 560MB/s read speed, 520MB/s write speed
TS500GSSD225S	R 1,952	Transcend SSD225S 500GB 2.5" 3D TLC Solid State Drive, Up to 530 MB/s read speed, Up to 480 MB/s write speed, No DDR3 DRAM Cache
TS512GSSD230S	R 2,674	Transcend SSD230S Series 512GB 2.5" SATA 6Gb/s Solid State Hard Drive, 3D NAND TLC Solid State Drive, Aluminium Casing, 7mm, Max Sequential Read 560MB/s, Max Sequential Write 520MB/s, DDR3 DRAM cache, SM2258 Controller
WDS100T1R0A	R 1,983	Western Digital Red SA500 1TB 2.5" 7mm SATA 6Gb/s 3D NAND Internal Solid State Drive
WDS100T3B0A	R 1,461	Western Digital Blue SA510 1TB 2.5" SATA3 3D NAND Cache Solid State Drive, 560MB/s Sequential read performance, 520MB/s Sequential write performance
WDS240G3G0A	R 666	Western Digital Green 240GB 2.5" SATA3 6Gb/s Solid State Drive, 545MB/s Sequential read performance
WDS500G1R0A	R 1,305	Western Digital Red SA500 500GB 2.5" 7mm SATA 6Gb/s 3D NAND Internal Solid State Drive
XA1920ME10063	R 7,763	Seagate Nytro 1000 2TB 2.5" SATA Solid State Drive (1551) mainstream Endurance - SATA non SED, 3DWPD, 3dtlc, 7mm thick, XA1920ME10063, SATA 6Gb/s Interface
ZA1000CM10002	R 2,223	Seagate Barracuda 1TB 2.5" SATA 6Gb/s Solid State Drive, 7mm thick, 3D TLC NAND Flash Memory, 560 MB/s Sequential read speed, 540 MB/s Sequential write speed, ZA2000CM10002
ZA1000CM10003	R 2,644	Seagate Barracuda 120 - 1TB 2.5" SATA3 6Gb/s Solid State Drive, 7mm thick, 3D TLC NAND Flash Memory, 560 MB/s Sequential read speed, 540 MB/s Sequential write speed, ZA1000CM10003
ZA1000CM1002	R 1,990	Seagate Barracuda 1TB SATA III 2.5" 6GB/sec Solid State Drive, Read 540MB/s, Write 520MB/s, 2.5 ' ' internal
ZA2000CM10003	R 4,063	Seagate Barracuda 120 - 2TB 2.5" SATA3 6Gb/s Solid State Drive, 7mm thick, 3D TLC NAND Flash Memory, 560 MB/s Sequential read speed, 540 MB/s Sequential write speed, ZA2000CM10003
ZA250CM10002	R 1,296	Seagate Barracuda 250GB 2.5" SATA 6Gb/s Solid State Drive, 7mm thick, 3D TLC NAND Flash Memory, 560 Sequential read speed, 530 Sequential write speed, ZA250CM10002
ZA250CM10003	R 1,296	Seagate Barracuda 120 - 250GB 2.5" SATA3 6Gb/s Solid State Drive, 7mm thick, 3D TLC NAND Flash Memory, 560 Sequential read speed, 540 Sequential write speed, ZA250CM10003
ZA250CM1002	R 794	Seagate Barracuda 250GB SATA III 2.5" 6GB/sec Solid State Drive, Read 540MB/s, Write 520MB/s, 2.5 ' ' internal
ZA960CV10001	R 2,095	Seagate Barracuda Q1 960GB 2.5" SATA3 6Gb/s Solid State Drive, 2.5in x 7mm Form Factor, 3D QLC NAND Flash Memory, 500 MB/s Sequential write speed, 550 MB/s Sequential read speed

< Return to the menu

Current Solid State Drives SSD : 2.5" U.2 PCIe NVMe SSD

Product code	Price	Description
KCM61RUL1T92	R 20,691	Kioxia Condor CM6-R 1.92TB 2.5" U.3 NVMe PCI-e 4.0 x4 Enterprise Solid State Drive, 15mm thickness, BiCS Flash TLC Flash Memory, 6900 MB/s Sequential read speed, 2800 MB/s Sequential write speed, KCM61RUL1T92
KCM61RUL3T84	R 26,108	Kioxia Condor CM6-R 3.84TB 2.5" U.3 NVMe PCI-e 4.0 x4 Enterprise Solid State Drive, 15mm thickness, BiCS Flash TLC Flash Memory, 6900 MB/s Sequential read speed, 4200 MB/s Sequential write speed, KCM61RUL3T84
KCM61VUL3T20	R 19,805	Kioxia Condor CM6-V Series 3.2TB SFF 2.5" PCI-e 4.0 NVMe 1.4 Solid State Drive, 15mm thick, 3DWPD, 1.4m IOPS, BiCS Flash TLC, 6900 MB/s sustained 128 kib Sequential read, 4000 MB/s sustained 128 kib Sequential write, KCM61VUL3T20
SEDC3000ME/15T3	R 158,559	Kingston Data Center Series (DC) DC3000ME 15.36TB U.2 PCIe 5.0 NVMe TCG Opal Enterprise SSD
SEDC3000ME/3T8	R 53,197	Kingston Data Center Series (DC) DC3000ME 3.84TB U.2 PCIe 5.0 NVMe TCG Opal Enterprise SSD

< Return to the menu

Current Solid State Drives SSD : E1.S PCIe SSD

Product code	Price	Description

< Return to the menu

Current Solid State Drives SSD : Half Slim Solid State Drives

Product code	Price	Description
TS256GHSD452T	R 1,264	Transcend SSD452T 256GB Half Slim SATA3 Solid State Drive, Half-slim (MO-297) Form Factor, 7 15 pin pin count, 3D NAND Flash, Up to 560 MB/s read speed, Up to 520 MB/s write speed

< Return to the menu

Current Solid State Drives SSD : M.2 SATA & PCIe SSD

Product code	Price	Description
74-TS1TMTE300S	R 2,268	Transcend MTE300s 1TB M.2 NVMe Gen3 x4 2230 Solid State Drive, DRAM less, 3D NAND Flash Type, Up to 2000 MB/s read speed, Up to 1100 MB/s write speed
AA618641	R 2,597	Dell M.2 PCIe NVMe Class 40 2280 SSD Drive - 512GB
AC-GCMT4032	R 795	Gigabyte CMT4032 - 2x Gen3x4 M.2/nGff (2280/22110 M-key, NVMe mode only), PCI-Express(8x), with extra low-profile for 2U rackmount or slim desktop
AC-GCMT4034	R 1,668	Gigabyte CMT4034 - 4x Gen3x4 M.2/nGff (2280/22110 M-key, NVMe mode only), PCI-Express(16x), with extra low-profile for 2U rackmount or slim desktop
Adata_IM2P33F3A256GB2230	R 575	Adata IM2P33F3A 256GB M.2 2230 PCI-e 3.0 x4 NVMe Solid State Drive - oem, Single-sided, 2200 MB/s Sequential read speed, 1200 MB/s Sequential write speed
Adata_SM2P41C3256GB2230	R 690	Adata SM2P41C3 256GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive - oem, Single-sided, 3800 MB/s Sequential read speed, 1800 MB/s Sequential write speed
AGAMMIXS70B-1T-CS	R 1,838	Adata XPG Gammix S70 Blade 1TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, Innogrit IG5236 controller, Up to 7400MB/s Sequential read (Maximum), Up to 6800MB/s Sequential write (Maximum)
AGAMMIXS70B-4T-CS	R 6,898	Adata XPG Gammix S70 Blade 4TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, Innogrit IG5236 controller, Up to 7400MB/s Sequential read (Maximum), Up to 6800MB/s Sequential write (Maximum)
AK-M2-128GP	R 746	Arktek 128GB M.2 2280 PCI-e Gen3 Solid State Drive, SMI controller, 1800 MB/s Maximum Sequential read, 600 MB/s Maximum Sequential write speed
AK-M2-256GP	R 1,149	Arktek 256GB M.2 2280 PCI-e Gen3 Solid State Drive, SMI controller, 1950 MB/s Maximum Sequential read, 1200 MB/s Maximum Sequential write speed
ALEG-710-1TCS	R 2,884	Adata Legend 710 1TB M.2 2280 NVMe Gen3x4 Solid State Drive, 3D NAND Flash, Up to 2400MB/s Sequential read (Maximum), Up to 1800MB/s Sequential write (Maximum)
ALEG-710-1TCS	R 1,315	Adata Legend 710 1TB M.2 2280 NVMe Gen3x4 Solid State Drive, 3D NAND Flash, Up to 2400MB/s Sequential read (Maximum), Up to 1800MB/s Sequential write (Maximum)
ALEG-710-256GCS	R 1,205	Adata Legend 710 256GB M.2 2280 NVMe Gen3x4 Solid State Drive, 3D NAND Flash, Up to 2400MB/s Sequential read (Maximum), Up to 1800MB/s Sequential write (Maximum)
ALEG-710-512GCS	R 1,838	Adata Legend 710 512GB M.2 2280 NVMe Gen3x4 Solid State Drive, 3D NAND Flash, Up to 2400MB/s Sequential read (Maximum), Up to 1800MB/s Sequential write (Maximum)
ALEG-800-500GCS	R 998	Adata Legend 800 500GB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 3D TLC NAND Flash Type, Up to 3500MB/s Sequential Read Speed, Up to 2200MB/s Sequential Write Speed, 600TBW Endurance rating
ALEG-850-2TCS	R 2,815	Adata Legend 850 2TB M.2 2280 NVMe PCI-e Gen4 x4 mode SSD with detachable heatsink, SMI SM2269xt controller (4-channel), Built-In Hardware AES-256 Encryption, 5000 MB/s read speed, 4500 MB/s write speed
ALEG-850L-2000GCS	R 2,988	Adata Legend 850 Lite 2TB M.2 Gen4x4 Solid State Drive
ALEG-960M-ITCS	R 4,368	Adata Legend 960 Max 1TB M.2 2280 NVMe PCI-e Gen4 x4 Solid State Drive with detachable 7.3mm heatsink, SMI SM2264 controller, 3D NAND Flash, 7400MB/s Sequential read speed, 6800MB/s Sequential write speed speed
APE100T	R 2,299	Astrum P100T 1TB M.2 2280 PCI-e 3.0 NVMe SMI Solid State Drive, SMI (Silicon motion inc) controller, 3200 MB/s Read Speed, 2500 MB/s Write Speed
APE256G	R 1,091	Astrum P256G 256GB M.2 2280 PCI-e 3.0 NVMe SMI Solid State Drive, 1800 MB/s Read Speed, 1200 MB/s write speeds
APE512G	R 1,839	Astrum P512G 512GB M.2 2280 PCI-e 3.0 NVMe SMI Solid State Drive, 2500 MB/s Read Speed, 1800 MB/s write speeds

ASX8200PNP-256GT-C	R 873	Adata SX8200PNP 265GB M.2 PCIE Solid State Drive
CAS-NAS-SNV3410-400G	R 10,351	Synology SNV3410 400GB M.2 2280 NVMe PCI-e 3.0 x4 Solid State Drive, 3000 MB/s sustained Sequential read speed, 750 MB/s sustained Sequential write speed
CAS-NAS-SNV5420-400G	R 11,639	Synology SNV5420 400GB M.2 2280 PCI-e 3.0 x4 NVMe NAS Solid State Drive, 3000 MB/s sustained Sequential Read Speed, 650 MB/s sustained Sequential Write Speed, 700 TB Terabytes written
CAS-NAS-SNV5420-800G	R 18,127	Synology SNV5420 800GB M.2 22110 PCI-e 3.0 x4 NVMe NAS Solid State Drive, 3000 MB/s sustained Sequential Read Speed, 1000 MB/s sustained Sequential Write Speed, 1400 TB Terabytes written
CSSD-F2000GBMP700PRO	R 9,718	Corsair MP700 Pro 2TB M.2 2280 NVMe PCI-e Gen5.0 x4 SSD with Cooler, Active Cooler Heatsink, 700tbw Endurance, Up to 12400MB/s SSD Max Sequential Read Speed, Up to 11800MB/s SSD Max Sequential Write Speed, AES 256-bit Encryption
CT1000P510SSD8	R 2,617	Crucial P510 1TB M.2 Gen5 NVMe 3D NAND SSD
CT2000P310SSD2	R 4,798	Crucial P310 2TB M.2 2230 NVMe PCI-e Gen4 x4 Solid State Drive, 440TB SSD Endurance (TBW), 7100 MB/s Sequential Read Speed, 6000 MB/s Sequential Write Speed
CT480E100SSD8	R 1,950	Crucial E100 480GB M.2 2280 PCI-e PCI-e Gen4 x4 NVMe Solid State Drive, 60 TBW SSD Endurance, 4700 MB/s Sequential Read Speed, 2500 MB/s Sequential Write Speed
CX256GBM2230	R 971	CipherX Pro S Series 256GB M.2 2230 PCI-e 4.0 Gen4 x4 NVMe Solid State Drive, 5600 Mbps Read Speed, 4800 Mbps Write Speed
CX512GBM2230	R 1,673	CipherX Pro s Series 512GB M.2 2230 PCI-e 4x4 NVMe Solid State Drive, 5600 MB/s Read Speed, 4800 MB/s Write Speed
CX512GBM2280	R 1,929	CipherX Pro 330 512GB M.2 2280 PCI-e Gen3 x4 NVMe Solid State Drive, 1x DWPD
DATO-DP700-256GB-M2	R 999	Dato DP700 PRO M.2 2280 PCIe NVMe SSD - 256GB Capacity, PCIe Gen 3x4 / NVMe 1.4 Form Factor, 3,300MB/s Max Sequential Read Speed, 3,100MB/s Max sequential write speed, 0°C to 70°C Operating Temperature, -45°C to 85°C Storage Temperature
DATO-DP700PRO-512GB	R 1,499	Dato 512GB M.2 PCI-E 2280 Solid State Drive
DATO-DP700PRO-512GB	R 1,494	Dato 512GB M.2 PCI-E 2280 Solid State Drive
DS700-1024MB-PCIE	R 2,799	Dato DP700 PCIe Gen3x4 NVMe SSD - 1TB Capacity, M.2 2280 Form Factor, PCIe Gen3x4 NVMe 1.3 Interface, Up to 2,500Mbps Max Sequential Read Speed, Up to 1,700Mbps Max Sequential Write Speed, Optimized For Gaming, Creative Tasks, Enterprise Workloads, Retail Box
FA100-512GB	R 2,069	Acer FA100 512GB M.2 2280 PCI-e Gen3 x4 NVMe 1.4 Solid State Drive, 3200MB/s Maximum Sequential reading speed, 2200MB/s Maximum Sequential writing speed, FA100-512GB
FA200-2TB	R 4,600	Acer FA200 2TB M.2 2280 PCI-e Gen4 x4 NVMe 2.0 Solid State Drive, 7200 MB/s Sequential Read Speed, 6200 MB/s Sequential Write Speed, 1000 TBW
GM7000HS-2TB	R 5,404	Acer Predator 2TB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 SSD with Heatsink, 7400 MB/s Maximum Sequential Read Speed, 6700 MB/s Maximum Sequential Write Speed
HD-AG1TL710	R 3,758	Adata ALEG-710-1TCS 1Tb/1000Gb Legend710 series (with removable aluminum heatsink) - NGFF (M.2) 3D QLC SSD with NVMe PCIe Gen3 x4 mode, type 2280 - 22x80x3.13mm (single sided), supports HMB (Host Memory Buffer), with SRT RST 256bit AES encryption
HD-AG1TL800	R 3,536	Adata ALEG 800-1000GCS 1Tb/1000Gb Legend 800 series with detachable heatsink - NGFF(M.2) 3D TLC SSD with NVMe PCIe Gen4 x4 mode SSD, type 2280 - 22x80x6.1mm, HMB (Host Memory Buffer) with LDPC (Low Density Parity Check) ECC, built-in hardware AES-256
HD-AG1TL860	R 3,979	Adata SLEG-860-1000GC - LEGEND 860 PCIe 4.0 M.2 SSD, 1TB, up to 6000MB/s read, PS5-compatible, supports Intel & AMD.
HD-AG1TL900	R 3,619	Adata SLEG-900-1TCS Legend 900 series with detachable heatsink - NGFF(M.2) 3D TLC SSD with NVMe PCIe Gen4 x4 mode SSD, type 2280 - 22x80x3.13mm, HMB (Host Memory Buffer) with LDPC (Low Density Parity Check) ECC , read: 7000mb/sec / write 4700mb/sec
HD-AG1TL970P	R 4,422	ADATA SLEG-970P-1TCI - 1TB SSD, M.2 NVMe PCI-E Gen4, 7400MB/s read, 6800MB/s write, heatsink cooling, DRAM cache
HD-AG1TM980B	R 4,026	Adata Mars 980 Blade 1TB M.2 PCI-e Gen5 x4 NVMe Solid State Drive, SMAR-980B-1TCS, 3D NAND Flash, SM2508 controller, Up to 14000 MB/s Sequential Read Speed, Up to 10000 MB/s Sequential Write Speed, 740 TB

		Terabytes written (TBW)
HD-AG1TM980P	R 4,587	Adata Mars 980 Pro 1TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive with Heatsink, SMAR-980P-1TCI, Up to 14000 MB/s Sequential Read Speed, Up to 10000 MB/s Sequential Write Speed, 740 TB Terabytes written (TBW)
HD-AG1TS60	R 3,606	Adata Gammix S60 1TB M.2 PCI-e Gen4 x4 NVMe Solid State Drive, AGAMMIXS60-1T, 3D NAND Flash, Up to 5000 MB/s Sequential Read Speed, Up to 3200 MB/s Sequential Write Speed, 250TB Terabytes written (TBW)
HD-AG1TS70B	R 4,367	Adata AGAMMIXS70B-1T-CS 1Tb(1024Gb) S70 Blade series with heatsink - nGff/M.2 3D TLC SSD with NVMe 1.4 PCIe Gen4x4 mode, type 2280 - 25x80x4.3mm, with 32Gb SLC 1Gb DDR3L caching, LDPC (Low Density Parity Check) ECC, with SRT RST 256bit AES encryption
HD-AG1TSU650	R 3,692	Adata ASU650NS38-1TT-C SU650 series NGFF (M.2) 3D TLC SSD, 1Tb/1000Gb, type 2280 - 22x80x3.5mm (single sided), with SLC caching, LDPC (Low Density Parity Check) ECC, 256bit AES encryption, 16nm, Maxio MAS0902A controller, burst performance read
HD-AG250L710	R 1,314	Adata Legend 710 256GB M.2 2280 NVMe Gen3x4 Solid State Drive, 3D NAND Flash, Up to 2400MB/s Sequential read (Maximum), Up to 1800MB/s Sequential write (Maximum)
HD-AG2TL710	R 5,691	Adata ALEG-710-2TCS 2Tb/2000Gb Legend710 series (with removable aluminum heatsink) - NGFF (M.2) 3D QLC SSD with NVMe PCIe Gen3 x4 mode, type 2280 - 22x80x3.13mm (single sided), supports HMB (Host Memory Buffer), with SRT RST 256bit AES encryption
HD-AG2TL860	R 6,831	Adata Legend 860 2TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
HD-AG2TL900	R 6,844	Adata SLEG-900-2TCS Legend 900 series with detachable heatsink - NGFF(M.2) 3D TLC SSD with NVMe PCIe Gen4 x4 mode SSD, type 2280 - 22x80x3.13mm, HMB (Host Memory Buffer) with LDPC (Low Density Parity Check) ECC, read: 7000mb/sec / write 5400mb/sec
HD-AG2TL970P	R 8,236	ADATA SLEG-970P-2TCI - 2TB SSD, M.2 NVMe PCI-E Gen4, 7400MB/s read, 6800MB/s write, heatsink cooling, DRAM cache
HD-AG2TM980B	R 8,347	Adata Mars 980 Blade 2TB M.2 PCI-e Gen5 x4 NVMe Solid State Drive, SMAR-980B-2TCS, 3D NAND Flash, SM2508 controller, Up to 14000 MB/s Sequential Read Speed, Up to 13000 MB/s Sequential Write Speed, 1480 TB Terabytes written (TBW)
HD-AG2TM980P	R 7,561	Adata Mars 980 Pro 2TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive with Heatsink, SMAR-980P-2TCI, Up to 14000 MB/s Sequential Read Speed, Up to 13000 MB/s Sequential Write Speed, 1480 TB Terabytes written (TBW)
HD-AG2TS60	R 6,831	Adata Gammix S60 2TB M.2 PCI-e Gen4 x4 NVMe Solid State Drive, AGAMMIXS60-2T, 3D NAND Flash, Up to 5000 MB/s Sequential Read Speed, Up to 4200 MB/s Sequential Write Speed, 450TB Terabytes written (TBW)
HD-AG2TS70B	R 8,126	Adata AGAMMIXS70B-1T-CS 2Tb(2048Gb) S70 series with heatsink - nGff/M.2 3D TLC SSD with NVMe 1.4 PCIe Gen4x4 mode, type 2280 - 25x80x4.3mm, with 32Gb SLC 1Gb DDR3L caching, LDPC (Low Density Parity Check) ECC, with SRT RST 256bit AES encryption
HD-AG4TL970P	R 15,148	ADATA SLEG-970P-4TCI - 4TB SSD, M.2 NVMe PCI-E Gen4, 7400MB/s read, 6800MB/s write, heatsink cooling, DRAM cache
HD-AG4TM980B	R 14,002	Adata Mars 980 Blade 4TB M.2 PCI-e Gen5 x4 NVMe Solid State Drive, SMAR-980B-4TCS, 3D NAND Flash, SM2508 controller, Up to 14000 MB/s Sequential Read Speed, Up to 13000 MB/s Sequential Write Speed, 2960 TB Terabytes written (TBW)
HD-AG4TM980P	R 15,369	Adata Mars 980 Pro 4TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive with Heatsink, SMAR-980P-4TCI, Up to 14000 MB/s Sequential Read Speed, Up to 13000 MB/s Sequential Write Speed, 2960 TB Terabytes written (TBW)
HD-AG500L710	R 1,804	Adata ALEG-710-512GCS Legend 710 series 500Gb (with removable aluminum heatsink) - NGFF (M.2) 3D QLC SSD with NVMe PCIe Gen3 x4 mode, type 2280 - 22x80x3.13mm (single sided), supports HMB (Host Memory Buffer), with SRT RST 256bit AES encryption
HD-AG500S20G	R 2,165	Adata ASPECTRIXS20G-500G-C 500Gb Spectrix S20G series with cooling XPG heatsink RGB led - nGff/M.2 3D TLC SSD with NVMe 1.3 PCIe (Gen3.0) x4 mode, type 2280 - 22x80x7.55mm, with 16Gb SLC 512mb DDR3L caching, LDPC (Low Density Parity Check) ECC, with SRT RST 256bit AES encryption, Realtek RTS5763DL 4-ch controller, burst performance read/write: 2500/1800 mb/sec; random ioPS 4K read/write: 160000/170000, 2millions MTBF with 300TB TBW
HD-AG512L800	R 2,165	Adata ALEG 800-512GCS 512Gb Legend 800 series with detachable heatsink - NGFF(M.2) 3D TLC SSD with

		NVMe PCIe Gen4 x4 mode SSD, type 2280 - 22x80x6.1mm, HMB (Host Memory Buffer) with LDPC (Low Density Parity Check) ECC, built-in hardware AES-256 encryped
HD-AG512L860	R 2,000	Adata SLEG-860-500GCS - LEGEND 860 PCIe 4.0 M.2 SSD, 512GB, up to 6000MB/s read, PS5-compatible, supports Intel & AMD
HD-AG512L900	R 2,110	Adata SLEG-900-512GCS Legend 900 series with detachable heatsink - NGFF(M.2) 3D TLC SSD with NVMe PCIe Gen4 x4 mode SSD, type 2280 - 22x80x3.13mm, HMB (Host Memory Buffer) with LDPC (Low Density Parity Check) ECC, read: 6200mb/sec / write 2300mb/sec
HD-AG512S40G	R 2,177	ADATA AS40G-512GT-C Spectrix S40G series 512Gb with cooling XPG heatsink RGB led - nGff/M.2 3D TLC SSD with NVMe 1.3 PCIe (Gen3.0) x4 mode, type 2280 - 22x80x3.5mm, with 16Gb SLC 512mb DDR3L caching, LDPC (Low Density Parity Check) ECC, with SRT RST 256bit AES encryption, SMi SM2262EN 8-ch controller, burst performance read/write: 3500/1900 mb/sec; random ioPS 4K read/write: 300000/240000, 2millions MTBF with 320TB TBW
HD-AG512S60	R 1,933	Adata Gammix S60 512GB M.2 PCI-e Gen4 x4 NVMe Solid State Drive, AGAMMIXS60-512G, 3D NAND Flash, Up to 4700 MB/s Sequential Read Speed, Up to 1700 MB/s Sequential Write Speed, 110TB Terabytes written (TBW)
HD-iG1000-760P	R 3,219	Intel SSDPEKKW010T8X1 760P series 1024Gb/1Tb - nGff (M.2) 3D2 TLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), ith 16Gb SLC 512mb DDR3L caching, LDPC (Low Density Parity Check) ECC, with SRT RST 256bit AES encryption, SMi SM2262 8-ch controller, burst performance read/write: 3230/1625 mb/sec; random ioPS 4K read/write: 340000/275000, 1.6millions MTBF with 576 TBW
HD-iG1024-660P	R 2,759	Intel 660P series 1Tb/1024Gb nGff (M.2) 3D2 QLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), with SLC caching, LDPC (Low Density Parity Check) ECC, SRT RST 256bit AES encryption, no RSE, 16nm, SMi SM2258 controller, burst performance read/write: 1800/1800 mb/sec; random ioPS 4K read/write: 150000/220000, 1.6millions MTBF with 200 TBW
HD-iG120-oS800P	R 1,264	Intel SSDPEK1W120GA Optane Ssd 800P 118Gb with 3D XPoint (suport RST work as HDD cache) - nGff (M.2) with NVMe PCIe (Gen3.0) x2 mode, type 2280 - 22x80x2.38mm (single sided), with RST, burst performance read/write: 1450/640 mb/sec; random ioPS read/write: 250000/145000, 1.6millions MTBF with 365 TBW
HD-iG128-545S	R 1,264	Intel 545s series 128Gb nGff (M.2) 3D2 TLC SSD, type 2280 - 22x80x2.38mm (single sided), with SLC caching, LDPC (Low Density Parity Check) ECC, 256bit AES encryption, 16nm, SMi SM2258 controller, burst performance read/write: 550/540 mb/sec; random ioPS 4K read/write: 70000/80000, 1.6millions MTBF with 288 TBW
HD-iG2000-760P	R 5,059	Intel SSDPEKKW020T8X1 760P series 2048Gb/2Tb - nGff (M.2) 3D2 TLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), ith 32Gb SLC 1Gb DDR3L caching, LDPC (Low Density Parity Check) ECC, with SRT RST 256bit AES encryption, SMi SM2262 8-ch controller, burst performance read/write: 3230/1625 mb/sec; random ioPS 4K read/write: 340000/275000, 1.6millions MTBF with 288 TBW
HD-iG2048-660P	R 6,411	Intel 660P series 2Tb/2048Gb nGff (M.2) 3D2 QLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), with SLC caching, LDPC (Low Density Parity Check) ECC, SRT RST 256bit AES encryption, no RSE, 16nm, SMi SM2258 controller, burst performance read/write: 1800/1800 mb/sec; random ioPS 4K read/write: 150000/220000, 1.6millions MTBF with 200 TBW
HD-iG256-oH10	R 1,264	Intel HBRPEKNX0101A01 Optane H10 256GB QLC M.2 SSD 16GB Optane Solid State Drive, with 3D XPoint (Support RST work as Hard Disk Drive Cache), NGFF (M.2) with NVMe PCI-e (GEN3.0) x4 mode, Type 2280 - 22 x 80 x 2.38 mm (Single sided), with RST, Burst performance read/write : 1450 / 650 MB/sec, Random IOPS read/write : 230000 / 150000, 1.6 million hours MTBF with 75 TBW
HD-iG512-760P	R 2,184	Intel SSDPEKKW512G801 760P series 512Gb - nGff (M.2) 3D2 TLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), with 1Gb DDR4 caching, SRT RST 256bit AES encryption, SMi SM2262 8-ch controller, burst performance read/write: 3230/1625 mb/sec; random ioPS 4K read/write: 340000/275000, 1.6millions MTBF with 288 TBW
HD-KG1000FYR5	R 8,734	Kingston sFYR2S/1T0 1000Gb/1Tb FurY Renegade Gen5x4 series with aluminum heat spreader - NGFF(M.2) 3D TLC SSD with NVMe 2.0 PCIe Gen5x4 mode SSD, type 2280 -22x80x2.3mm, Silicon Motion SM2508 controller (ARM Cortex R8 quad-cores / 8-channel) with ddr4 cache, LDPC (Low Density Parity Check) ECC, built-in hardware AES-256 encryption, read: 14200mb/sec / write 11000mb/sec, Random read / write 4K ioPS: 2200000 / 2150000, 2millions MTBF with 1000TB TBW

HD-KG1000NV3	R 3,703	Kingston NV3 1TB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 3D NAND, 6000 MB/s Sequential read Speed, 4000 MB/s Sequential write Speed
HD-KG1000NV3M3	R 4,654	Kingston NV3M3 1TB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 4000MB/s Sequential Write Speed Speed, 3D NAND, 320TB Endurance (TBW)
HD-KG2000FYR5	R 12,604	Kingston sFYR2S/2T0 2000Gb/2Tb FurY Renegade Gen5x4 series with aluminum heat spreader - NGFF(M.2) 3D TLC SSD with NVMe 2.0 PCIe Gen5x4 mode SSD, type 2280 - 22x80x2.3mm, Silicon Motion SM2508 controller (ARM Cortex R8 quad-cores / 8-channel) with ddr4 cache, LDPC (Low Density Parity Check) ECC, built-in hardware AES-256 encryption, read: 14700mb/sec / write 14000mb/sec, Random read / write 4K ioPS: 2200000 / 2200000, 2millions MTBF with 2000TB TBW
HD-KG2000NV3	R 7,086	Kingston NV3 2TB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 3D NAND, 6000 MB/s Sequential read Speed, 5000 MB/s Sequential write Speed
HD-KG2000NV3M3	R 8,833	Kingston NV3M3 2TB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 5000MB/s Sequential Write Speed Speed, 3D NAND, 640TB Endurance (TBW)
HD-KG2048KC3000	R 9,839	Kingston KC3000 series 2TB M.2 3D TLC SSD with NVMe PCIe (Gen4.0) x4 mode SSD, type 2280 - 23x80x3.5mm, Phison PS5016-E18 controller (quad-cores / 8-channel) with 2Gb ddr4 cache, LDPC (Low Density Parity Check) ECC
HD-KG4000FYR	R 18,575	Kingston sFYRD/4000G Gen4x4 FurY Renegade series 4000Gb/4Tb - NGFF(M.2) 3D TLC SSD with NVMe PCIe (Gen4.0) x4 mode SSD, type 2280 - 23x80x3.5mm, Phison PS5016-E18 controller (quad-cores / 8-channel) with 2Gb ddr4 cache, LDPC (Low Density Parity Check)
HD-KG4000FYR+K	R 18,797	Kingston Fury Renegade SFYRSK/4000G 4TB M.2 PCI-e 4.0 x4 NVMe SSD with aluminum heatsink, Phison E18 controller, 3D TLC NAND, 7300 MB/s Sequential read speed, 7000 MB/s Sequential write speed
HD-KG4000FYR5	R 23,994	Kingston sFYR2S/1T0 4000Gb/4Tb FurY Renegade Gen5x4 series with aluminum heat spreader - NGFF(M.2) 3D TLC SSD with NVMe 2.0 PCIe Gen5x4 mode SSD, type 2280 - 22x80x2.3mm, Silicon Motion SM2508 controller (ARM Cortex R8 quad-cores / 8-channel) with ddr4 cache, LDPC (Low Density Parity Check) ECC, built-in hardware AES-256 encryption, read: 14800mb/sec / write 14000mb/sec, Random read / write 4K ioPS: 2200000 / 2200000, 2millions MTBF with 1000TB TBW
HD-KG4000NV3	R 13,599	Kingston NV3 4TB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 3D NAND, 6000 MB/s Sequential read Speed, 5000 MB/s Sequential write Speed
HD-KG4096KC3000	R 13,710	Kingston sKC3000D/4096G Gen4x4 KC3000 series 4000Gb/4Tb - NGFF(M.2) 3D TLC SSD with NVMe PCIe (Gen4.0) x4 mode SSD, type 2280 - 23x80x3.5mm, Phison PS5016-E18 controller (quad-cores / 8-channel) with 2Gb ddr4 cache, LDPC (Low Density Parity Check) ECC
HD-KG480DC2000	R 9,563	Kingston DC2000B Enterprise 480GB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 3D TLC NAND, Phison E18DC controller with hardware-based Power loss protection, 7000 MB/s Sequential Read Speed, 800 MB/s Sequential Write Speed, 350TB total bytes written (TBW)
HD-KG500NV3	R 2,364	Kingston NV3 500GB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 3D NAND, 5000 MB/s Sequential read Speed, 3000 MB/s Sequential write Speed
HD-KG500NV3M3	R 2,929	Kingston NV3M3 500GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 3000MB/s Sequential Write Speed, 3D NAND, 160TB Endurance (TBW), SNV3SM3/500G
HD-KG512KC3000	R 5,627	Kingston sKC3000S/512G Gen4x4 KC3000 series 512Gb - NGFF(M.2) 3D TLC SSD with NVMe PCIe (Gen4.0) x4 mode SSD, type 2280 - 23x80x2.21mm, Phison PS5016-E18 controller (quad-cores / 8-channel) with 512mb ddr4 cache, LDPC (Low Density Parity Check) ECC
HD-KG8000FYR5	R 47,547	Kingston Fury Renegade G5 8TB M.2 2280 CIE Gen5 x4 NVMe Solid State Drive, 3D TLC NAND, Low Profile Aluminum heat spreader, SM2508 controller with LPDDR4 Cache, SFYR2D/8T1, Up to 14800MB/s Read Speed, Up to 14000MB/s Write Speed Speed, 8.0pb TBW Endurance (Total bytes written)
HD-KG960DC2000	R 12,832	Kingston DC2000B Enterprise 960GB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 3D TLC NAND, Phison E18DC controller with hardware-based Power loss protection, 7000 MB/s Sequential Read Speed, 1300 MB/s Sequential Write Speed, 700TB total bytes written (TBW)
HD-SG1920-i510	R 7,114	Seagate ZP1920NM30001 / ZP1920NM30011 Ironwolf 510 1920Gb, designed for NAS / 24x7 multi-user storage - nGff (M.2) 3D MLC SSD SLC cache, NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided),

		LDPC (Low Density Parity Check) ECC, burst performance read/write: 3150/850 mb/sec; random ioPS 4K read/write: 270000/25000, 3500TBW
HD-SG2000-BQ5	R 4,271	Seagate ZP2000CV3A001 Baracuda Q5 2Tb/2000Gb - nGff (M.2) 3D QLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), LDPC (Low Density Parity Check) ECC, burst performance read/write: 2400/1800 mb/sec, 531TBW
HD-SG480-i510	R 2,883	Seagate ZP480NM30001 / ZP480NM30011 Ironwolf 510 480Gb, designed for NAS / 24x7 multi-user storage - nGff (M.2) 3D MLC SSD SLC cache, NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), LDPC (Low Density Parity Check) ECC, burst performance read/write: 2650/600 mb/sec; random ioPS 4K read/write: 193000/20000, 875TBW
HD-SG500-BQ5	R 982	Seagate ZP500CV3A001 Baracuda Q5 500Gb - nGff (M.2) 3D QLC SSD with NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), LDPC (Low Density Parity Check) ECC, burst performance read/write: 2300/900 mb/sec, 119TBW
HD-SG960-i510	R 4,480	Seagate ZP960NM30001 / ZP960NM30011 Ironwolf 510 960Gb, designed for NAS / 24x7 multi-user storage - nGff (M.2) 3D MLC SSD SLC cache, NVMe PCIe (Gen3.0) x4 mode, type 2280 - 22x80x2.38mm (single sided), LDPC (Low Density Parity Check) ECC, burst performance read/write: 3150/1000 mb/sec; random ioPS 4K read/write: 345000/28000, 1750TBW
HDS-SMN1-MZ1LB1T9HALS07	R 8,044	Samsung PM983 1.92TB NVMe PCI-e 3.0 x4 V4 M.2 22110 Solid State Drive, 1.3 DWPD, Up to 3100 MB/s Sequential read, Up to 2000 MB/s Sequential write
HDS-SMN1-MZ1LB3T8HMLA07	R 16,094	Samsung PM983 3.84TB NVMe PCI-e 3.0 x4 V4 M.2 22110 Solid State Drive, 1.3 DWPD, Up to 3100 MB/s Sequential read, Up to 2000 MB/s Sequential write
HDS-SMN1-MZ1LB960HAJQ07	R 4,594	Samsung PM983 960GB NVMe PCI-e 3.0 x4 V4 M.2 22110 Solid State Drive, 1.3 DWPD, Up to 3100 MB/s Sequential read, Up to 2000 MB/s Sequential write
HS-SSD-E1000(STD)/256G/2280	R 804	Hikvision E1000 256GB M.2 PCI-e NVMe PCI-e GEN3 x42280 SSD Solid State Drive, 1950MB/s read speed, 1260MB/s write speed
HS-SSD-E1000(STD)/512G/2280	R 1,264	Hikvision E1000 512GB M.2 PCI-e NVMe PCI-e GEN3 x42280 SSD Solid State Drive, 2000MB/s read speed, 1610MB/s write speed
HS-SSD-E2000 (STD)/512G	R 1,344	Hikvision 512GB NVMe PCI-e Gen 3 x 4 2280 SSD M.2 Flash Drive, 3300MB/s Maximum read speed, 2100 MB/s Maximum write speed
HS-SSD-FUTURE-1024G	R 3,720	Hiksemi Future 1TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 7450MB/s Maximum Sequential read speed, 6600MB/s Maximum Sequential write speed, 3D TLC storage medium
HS-SSD-FUTURE-1024G	R 4,503	Hiksemi Future 1TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 7450MB/s Maximum Sequential read speed, 6600MB/s Maximum Sequential write speed, 3D TLC storage medium
HS-SSD-FUTURE-2048G	R 6,068	Hiksemi Future 2TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 7450MB/s Maximum Sequential read speed, 6750MB/s Maximum Sequential write speed, 3D TLC storage medium
HS-SSD-FUTURE-2048G	R 8,189	Hiksemi Future 2TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 7450MB/s Maximum Sequential read speed, 6750MB/s Maximum Sequential write speed, 3D TLC storage medium
HS-SSD-FUTURE-512G	R 2,738	Hiksemi Future 512GB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 7050MB/s Maximum Sequential read, 4200MB/s Maximum Sequential write, 900TB TBW, 3D TLC storage Medium
HS-SSD-FUTURE-512G	R 2,201	Hiksemi Future 512GB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 7050MB/s Maximum Sequential read, 4200MB/s Maximum Sequential write, 900TB TBW, 3D TLC storage Medium
HS-SSD-FUTURE-CORE-1024G	R 5,120	Hiksemi Future Core 1TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive, 14300 MB/s Maximum Sequential Read Speed, 8800 MB/s Maximum Sequential Write Speed, 980TB TBW, 3D TLC storage Medium
HS-SSD-FUTURE-CORE-2048G	R 9,942	Hiksemi Future Core 2TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive, 14800 MB/s Maximum Sequential Read Speed, 13200 MB/s Maximum Sequential Write Speed, 1900TB TBW, 3D TLC storage Medium
HS-SSD-FUTURE-CORE-4096G	R 14,628	Hiksemi Future Core 4TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive, 14800 MB/s Maximum Sequential Read Speed, 13200 MB/s Maximum Sequential Write Speed, 3900TB TBW, 3D TLC storage Medium
HS-SSD-FUTURE-L-1024G	R 4,337	Hikvision Future Lite 1TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, Up to 7000MB/s Sequential Read Speed, Up to 6000MB/s Sequential Write Speed, Up to 750TB Terabytes written (TBW)
HS-SSD-FUTURE-L-2048G	R 6,204	Hikvision Future Series 2TB M.2 2280 PCI-e Gen 4 x4 NVMe Solid State Drive, Up to 7100MB/s Sequential Read

		Speed, Up to 6350MB/s Sequential Write Speed, Up to 1500TB Terabytes written (TBW)
HS-SSD-FUTURE-L-512G	R 2,646	Hiksemi Future Lite 512GB M.2 NVME Solid State Drive. High-performance 512GB NVMe M.2 2280 SSD; PCIe Gen4 x4; 6320 MB/s read; 3111 MB/s write; 375 TBW;
HS-SSD-FUTURES-1024G	R 4,253	Hikvision Future Series 1TB M.2 2230 PCI-e Gen 4 x4 NVMe Solid State Drive, Up to 7400MB/s Sequential read Speed, Up to 6730MB/s Sequential write Speed, Up to 1800TB Terabytes written (TBW)
HS-SSD-FUTURES-1024G	R 1,883	Hikvision Future Series 1TB M.2 2230 PCI-e Gen 4 x4 NVMe Solid State Drive, Up to 7400MB/s Sequential read Speed, Up to 6730MB/s Sequential write Speed, Up to 1800TB Terabytes written (TBW)
HS-SSD-V310N-1024G	R 6,803	Hiksemi V310N 1TB M.2 2280 SATA3 6Gb/s Surveillance Solid State Drive, 560MB/s Read Speed, 520MB/s Write Speed, 1776TB TBW, 3D TLC storage Medium, SATA 3 Interface, SATA 3 Interface
HS-SSD-V310N-512G	R 3,651	Hiksemi V310N 512GB M.2 2280 SATA3 6Gb/s Surveillance SSD, 555MB/s Maximum Read Speed, 515MB/s Maximum Write Speed, 615TB TBW, 3D TLC storage Medium
HS-SSD-WAVE-P-1024G	R 3,818	Hikvision Wave(P) 1TB M.2 2280 PCI-e 3.0 NVMe Solid State Drive, Up to 2450 MB/s Sequential read Speed, Up to 2450 MB/s Sequential write Speed, Up to 240TB Terabytes written (TBW)
HS-SSD-WAVE-P-1024G	R 3,522	Hikvision Wave(P) 1TB M.2 2280 PCI-e 3.0 NVMe Solid State Drive, Up to 2450 MB/s Sequential read Speed, Up to 2450 MB/s Sequential write Speed, Up to 240TB Terabytes written (TBW)
HS-SSD-WAVE-P-128G	R 665	Hiksemi Wave(P) 128GB M.2 PCI-e 3.0 NVMe 3D NAND Solid State Drive, Up to 1200 MB Sequential Read Speed, Up to 950 MB/s Sequential Write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-P-128G	R 550	Hiksemi Wave(P) 128GB M.2 PCI-e 3.0 NVMe 3D NAND Solid State Drive, Up to 1200 MB Sequential Read Speed, Up to 950 MB/s Sequential Write Speed, Up to 80TB Terabytes written (TBW)
HS-SSD-WAVE-P-256G	R 1,153	Hikvision Wave(P) 256GB M.2 2280 PCI-e 3.0 NVMe Solid State Drive, Up to 2270 MB/s Sequential read Speed, Up to 1800 MB/s Sequential write Speed, Up to 100TB Terabytes written (TBW)
HS-SSD-WAVE-P-256G	R 1,026	Hikvision Wave(P) 256GB M.2 2280 PCI-e 3.0 NVMe Solid State Drive, Up to 2270 MB/s Sequential read Speed, Up to 1800 MB/s Sequential write Speed, Up to 100TB Terabytes written (TBW)
HS-SSD-WAVE-P-512G	R 1,957	Hikvision Wave(P) 512GB M.2 2280 PCI-e 3.0 NVMe Solid State Drive, Up to 2500 MB/s Sequential read Speed, Up to 1025 MB/s Sequential write Speed, Up to 120TB Terabytes written (TBW)
HS-SSD-WAVE-P-512G	R 1,795	Hikvision Wave(P) 512GB M.2 2280 PCI-e 3.0 NVMe Solid State Drive, Up to 2500 MB/s Sequential read Speed, Up to 1025 MB/s Sequential write Speed, Up to 120TB Terabytes written (TBW)
Hynix_256GBSSD2230_1	R 748	Hynix BC901 256GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive - OEM, 3600 MB/s Read Speed, 1900 MB/s Write Speed, 0K72Y5
Hynix_256GBSSD2280	R 575	Hynix BC711 256GB M.2 2280 PCI-e 3.0 x4 NVMe 1.3 Solid State Drive - OEM, 1700 MB/s Read Speed, 1300 MB/s Write Speed, HFM256GD3JX013N
KBG50ZNV1T02	R 2,874	Kioxia BG5 Series 1TB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, Single-sided, BiCS Flash TLC Flash Memory, 3500 MB/s Sequential read speed, 2900 MB/s Sequential write speed, KBG50ZNV1T02
KING_OM3PGP4_256GB_2230	R 690	Kingston OM3PGP4 256GB M.2 2230 PCI-e Gen4 x4 NVMe Solid State Drive - oem, 4500 MB/s read speed, 3000 MB/s write speed
Kioxia_256GBSSD2230	R 690	Kioxia BG5 Series 256GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive - oem, Single-sided, BiCS Flash TLC Flash Memory, 3400 MB/s Sequential read speed, 1900 MB/s Sequential write speed
KSG60ZMV512G	R 3,258	Toshiba (Kioxia) SG6 Series 512GB M.2 2280 SATA3 6Gb/s Solid State Drive, 584MB/s read speed, KSG60ZMV512G
LNM620X001T-RNNNG	R 2,988	Lexar NM620 1TB M.2 2280 PCI-e 3.0 Solid State Drive, Up to 3500MB/s Read Speed, Up to 3000MB/s Write Speed, 500TBW total bytes written, 3D TLC NAND Flash
LNM620X002T-RNNNG	R 5,391	Lexar NM620 2TB M.2 2280 NVMe Solid State Drive. capacity:2TB; interface:PCIe Gen3 x4 NVMe; form factor:M.2 2280; read up to 3500 MB/s; write up to 3000 MB/s
LNM620X256G-RNNNG	R 1,148	Lexar NM620 256GB M.2 2280 NVMe Solid State Drive. PCIe Gen3×4 NVMe SSD; M.2 2280; up to 3,500MB/s read; up to ~1,300MB/s write; 125TBW
LNM620X512G-RNNNG	R 1,803	Lexar NM620 512GB M.2 2280 NVMe Solid State Drive. 512GB capacity; M.2 2280 form factor; PCIe Gen3 x4 NVMe; up to 3 300/2 400 MB/s read/write; approx 80x22x2.25mm; weight ~9g
LNM990X004T-RNNNG	R 9,198	Lexar LNM889 4TB M.2 2280 PCI-e Gen5 x4 Solid State Drive, Sequential Read Speed up to 14000 MB/s, Sequential Write Speed up to 11000 MB/s, 3000 TBW

LNQ780X001T-RNNNG	R 3,321	Lexar LNQ780 1TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 600TBW total bytes written, Up to 6000MB/s Read Speed, Up to 2500MB/s Write Speed
LSF10Z001TG8	R 3,105	Kioxia Exceria Basic NVMe Internal SSD - 1TB Capacity, M.2 2280-S3-M Form Factor, PCIe 4.0 Interface, NVMe 2.0d Interface Protocol, 7200Mbps Max Sequential Read Speed, 6600Mbps Max Sequential Write Speed, 300TBW Endurance, 0 °C (Ta) to 85 °C (Tc) Operating Temperature, Retail Box
LVC10Z001TG8	R 3,450	Kioxia Exceria G3 M.2 PCIe SSD - 1TB Capacity, M.2 2280-S3-M Form Factor, PCIe 5.0 Interface, BiCS Flash Memory Type, Up to 10, 000Mbps Max Sequential Read Speed, Up to 8,900Mbps Max Sequential Write Speed, 600TBW Endurance, 0 Â°C (Ta) to 85 Â°C (Tc) Operating Temperature, Retail Box. Reliable PCIe 5.0 storage.
LVC10Z002TG8	R 4,771	Kioxia Exceria G3 1TB M2. 2280 PCI-e 5.0 NVMe Solid State Drive, BiCS Flash QLC Flash Memory Type, 10000 MB/s Max Sequential Read Speed, 8900 MB/s Max Sequential Write Speed
LVD10Z001TG8	R 3,276	Kioxia Exceria Plus G4 1TB M.2 2280 PCI-e 5.0 NVMe Solid State Drive, BiCS Flash TLC Flash Memory Type, 10000 MB/s Max Sequential Read Speed, 7900 MB/s Max Sequential Write Speed
LVD10Z002TG8	R 5,346	Kioxia Exceria Plus G4 2TB M.2 2280 PCI-e 5.0 NVMe Solid State Drive, BiCS Flash TLC Flash Memory Type, 10000 MB/s Max Sequential Read Speed, 8200 MB/s Max Sequential Write Speed
LVE10Z1T02G8	R 3,736	Kioxia Exceria Pro G2 1TB M.2 2280 PCI-e 5.0 NVMe Solid State Drive, BiCS Flash TLC Memory Type, 14400 MB/s Max Sequential Read Speed, 12700 MB/s Max Sequential Write Speed
LVE10Z2T04G8	R 6,496	Kioxia Exceria Pro G2 2TB M.2 2280 PCI-e 5.0 NVMe Solid State Drive, BiCS Flash TLC Memory Type, 14900 MB/s Max Sequential Read Speed, 13400 MB/s Max Sequential Write Speed
M.2-128G3-42	R 288	Mecer 128GB SATA3 6GB/sec M.2 Solid State Drive (2242), 42.0mm x 22.0mm x 3.5mm
M.2-1TB-NVMe	R 2,875	Unbranded 1TB M.2 NVMe PCIe SSD Solid State Drive
M.2-256G-NVMe	R 909	Mecer 256GB NVMe 8GT/sec M.2 Solid State Drive (2280)
M.2-32G-3	R 184	Mecer 32GB SATA III 6Gb/sec M.2 Solid State Drive
M.2-512G-NVMe	R 1,725	Mecer 512GB NVMe 8GT/sec M.2 Solid State Drive (2280)
M31825	R 2,927	Verbatim VI5000 512GB M.2 2280 PCI-e Gen4 x4 NVMe M.2 Solid State Drive, 31825, 5000MB/s read speed, 2500MB/s write speed
M31826	R 4,493	Verbatim VI5000 1TB M.2 2280 PCI-e Gen4 x4 NVMe M.2 Solid State Drive, 31826, 5000MB/s read speed, 4500MB/s write speed
M31827	R 8,144	Verbatim VI5000 2TB M.2 2280 PCI-e Gen4 x4 NVMe M.2 Solid State Drive, 31827, 5000MB/s read speed, 4300MB/s write speed
M49362	R 1,310	Verbatim VI560 S3 256GB M.2 2280 SATA3 Solid State Drive, Serial ATA Interface 6.0 Gbps, Up to 520MB/s read speeds, Up to 470MB/s write speeds, 49362
M49363	R 1,801	Verbatim VI560 S3 512GB M.2 2280 SATA3 Solid State Drive, Serial ATA Interface 6.0 Gbps, Up to 520MB/s read speeds, Up to 480MB/s write speeds, 49363
M49364	R 4,611	Verbatim VI560 S3 1TB M.2 2280 SATA3 Solid State Drive, Serial ATA Interface 6.0 Gbps, Up to 520MB/s read speeds, Up to 490MB/s write speeds
M49367	R 5,009	Verbatim VI7000 1TB M.2 2280 PCI-e NVMe Gen4 Solid State Drive, 49367, Up to 7000MB/s read speed, Up to 5000MB/s write speed
M49368	R 3,736	Verbatim VI7000 2TB M.2 2280 PCI-e NVMe Gen4 Solid State Drive, 49368, Up to 7000MB/s read speed, Up to 5000MB/s write speed
M49373	R 1,645	Verbatim VI3000 256GB M.2 2280 PCI-e Gen3 x4 NVMe Solid State Drive, 49373, 3100MB/s read speed, 1300MB/s write speed
M49374	R 2,236	Verbatim VI3000 512GB M.2 2280 PCI-e Gen3 x4 NVMe Solid State Drive, 49374, 3100MB/s read speed, 2100MB/s write speed
M49375	R 3,927	Verbatim VI3000 1TB M.2 2280 PCI-e Gen3 x4 NVMe Solid State Drive, 49375, 3100MB/s read speed, 2200MB/s write speed
M49376	R 5,318	Verbatim VI3000 2TB M.2 2280 PCI-e Gen3 x4 NVMe Solid State Drive, 49376, 3100MB/s read speed, 2200MB/s write speed
Micron_512GBSSD2230	R 1,380	Micron 2500 Series 512GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive - OEM, 5000 MB/s Read Speed, 3600 MB/s Write Speed, MTFDKB512QGN

MOVEV49363	R 1,686	Verbatim VI560 S3 512GB M.2 2280 SATA3 Solid State Drive, Serial ATA Interface 6.0 Gbps, Up to 520MB/s read speeds, Up to 480MB/s write speeds, 49363
MZ-V9P1T0BW	R 8,755	Samsung MZ-V9P1T0BW 990 Pro 1TB NVMe PCI-e Gen 4.0 x4 Solid State Drive, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC storage Memory, Samsung 1GB low Power DDR4 SDRAM Cache Memory
MZ-V9P1T0BW	R 6,426	Samsung MZ-V9P1T0BW 990 Pro 1TB NVMe PCI-e Gen 4.0 x4 Solid State Drive, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC storage Memory, Samsung 1GB low Power DDR4 SDRAM Cache Memory
MZ-V9P1T0CW	R 9,800	SAMSUNG MZ-V9P1T0CW 990 Pro 1TB M.2 2280 PCI-e Gen 4.0 x4 NVMe SSD with heatsink, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC, Samsung in-house controller, Samsung 2GB low Power DDR4 SDRAM Cache Memory
MZ-V9P1T0CW	R 6,610	SAMSUNG 990 Pro 1TB M.2 2280 PCI-e Gen 4.0 x4 NVMe SSD with heatsink, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC, Samsung in-house controller, Samsung 2GB low Power DDR4 SDRAM Cache Memory, MZ-V9P1T0CW
MZ-V9P2T0BW	R 18,294	Samsung MZ-V9P2T0BW 990 Pro 2TB NVMe PCI-e Gen 4.0 x4 Solid State Drive, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC storage Memory, Samsung 2GB low Power DDR4 SDRAM Cache Memory
MZ-V9P2T0BW	R 11,498	Samsung MZ-V9P2T0BW 990 Pro 2TB NVMe PCI-e Gen 4.0 x4 Solid State Drive, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC storage Memory, Samsung 2GB low Power DDR4 SDRAM Cache Memory
MZ-V9P2T0CW	R 19,341	SAMSUNG MZ-V9P2T0CW 990 Pro 2TB M.2 2280 PCI-e Gen 4.0 x4 NVMe SSD with heatsink, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC, Samsung in-house controller, Samsung 2GB low Power DDR4 SDRAM Cache Memory
MZ-V9P2T0CW	R 10,923	SAMSUNG MZ-V9P2T0CW 990 Pro 2TB M.2 2280 PCI-e Gen 4.0 x4 NVMe SSD with heatsink, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC, Samsung in-house controller, Samsung 2GB low Power DDR4 SDRAM Cache Memory
MZ-V9P4T0BW	R 31,363	SAMSUNG 990 PRO 4 TB NVMe SSD - Read Speed up to 7450 MB/s, Write Speed to up 6900 MB/s, Random Read up to 1400000 IOPS, Random Write up to 1550000 IOPS; PCIe 4.0 x4, NVMe 2.0; V-Nand 3bit MLC; In-house controller; 4GB Low Power DDR4
MZ-V9P4T0BW	R 12,521	Samsung 990 Pro 4TB M.2 2280 PCI-e Gen 4.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, Samsung 4GB low Power DDR4 SDRAM Cache Memory, AES 256-bit Encryption, Up to 7450 MB/s Sequential Read Speed, Up to 6900 MB/s Sequential Write Speed
MZ-V9P4T0CW	R 32,669	SAMSUNG 990 PRO 4 TB NVMe SSD W/Heatsink - Read Speed up to 7450 MB/s, Write Speed to up 6900 MB/s, Random Read up to 1600000 IOPS, Random Write up to 1550000 IOPS; PCIe 4.0 x4, NVMe 2.0; V-Nand 3bit MLC; In-house controller; 4GB Low Power DDR4
MZ-V9P4T0CW	R 12,304	Samsung 990 Pro 4TB M.2 2280 PCI-e Gen 4.0 x4, NVMe 2.0 Solid State Drive with Heatsink, Up to 7450 MB/s Sequential Read Speed, Up to 6900 MB/s Sequential Write Speed, Samsung V-NAND TLC, Samsung in-house Controller, Samsung 4GB low Power DDR4 SDRAM Cache Memory
MZ-V9S1T0BW	R 5,690	Samsung 990 Evo Plus 1TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7150 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
MZ-V9S1T0BW	R 8,232	Samsung 990 Evo Plus 1TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7150 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
MZ-V9S2T0BW	R 8,624	Samsung 990 Evo Plus 2TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7250 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
MZ-V9S2T0BW	R 16,596	Samsung 990 Evo Plus 2TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7250 MB/s Sequential Read Speed, Up

		to 6300 MB/s Sequential Write Speed
MZ-V9S4T0BW	R 30,056	Samsung 990 Evo Plus 4TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7250 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
MZ-V9S4T0BW	R 12,648	Samsung 990 Evo Plus 4TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7250 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
MZ-VAP1T0BW	R 7,070	Samsung 9100 Pro 1TB M.2 2280 PCI-e 5.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC, Samsung in-house controller, Samsung 1GB low Power DDR4x SDRAM, AES 256-bit Encryption, Up to 14700 MB/s Sequential Read Speed, Up to 13300 MB/s Sequential Write Speed
MZ-VAP1T0BW	R 9,147	Samsung 9100 Pro 1TB M.2 2280 PCI-e 5.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC, Samsung in-house controller, Samsung 1GB low Power DDR4x SDRAM, AES 256-bit Encryption, Up to 14700 MB/s Sequential Read Speed, Up to 13300 MB/s Sequential Write Speed
MZ-VAP2T0BW	R 18,949	Samsung 9100 Pro 2TB M.2 2280 PCI-e 5.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC, Samsung in-house controller, Samsung 2GB low Power DDR4x SDRAM, AES 256-bit Encryption, Up to 14700 MB/s Sequential Read Speed, Up to 13400 MB/s Sequential Write Speed
MZ-VAP2T0BW	R 11,660	Samsung 9100 Pro 2TB M.2 2280 PCI-e 5.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC, Samsung in-house controller, Samsung 2GB low Power DDR4x SDRAM, AES 256-bit Encryption, Up to 14700 MB/s Sequential Read Speed, Up to 13400 MB/s Sequential Write Speed
MZ-VAP4T0BW	R 37,897	Samsung 9100 Pro 4TB M.2 2280 PCI-e 5.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC, Samsung in-house controller, Samsung 4GB low Power DDR4x SDRAM, AES 256-bit Encryption, Up to 14800 MB/s Sequential Read Speed, Up to 13400 MB/s Sequential Write Speed
MZ-VAP4T0BW	R 15,293	Samsung 9100 Pro 4TB M.2 2280 PCI-e 5.0 x4 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC, Samsung in-house controller, Samsung 4GB low Power DDR4x SDRAM, AES 256-bit Encryption, Up to 14800 MB/s Sequential Read Speed, Up to 13400 MB/s Sequential Write Speed
P300P128GM28	R 895	Patriot P300 128GB M.2 PCIe NVMe SSD
P300P1TBM28	R 3,279	Patriot P300 1TB M.2 PCIe NVMe Solid State Drive
P300P1TBM28	R 3,449	Patriot P300 1TB M.2 2280 PCI-e Gen3 x 4 Solid State Drive, Up to 2100MB/s Sequential read speed, Up to 1650MB/s Sequential write
P300P256GM28	R 1,193	Patriot P300 256GB M.2 PCIe NVMe Solid State Drive
P300P256GM28	R 1,323	Patriot P300 256GB M.2 2280 PCI-e Gen3 x 4 Solid State Drive, Up to 1700MB/s Sequential read speed, Up to 1100MB/s Sequential write
P300P2TBM28	R 6,632	Patriot P300 2TB M.2 2280 PCI-e Gen3 x4 NVMe 1.3 Solid State Drive, Up to 2100MB/s Sequential read Speed, Up to 1650MB/s Sequential write Speed, 960TB TBW
P300P512GM28	R 1,898	Patriot P300 512GB M.2 2280 PCI-e NVMe Gen3x4 Solid State Drive, Up to 1700MB/s Sequential read, Up to 1100MB/s Sequential write
P300P512GM28	R 2,298	Patriot P300 512GB M.2 2280 PCI-e NVMe Gen3x4 Solid State Drive, Up to 1700MB/s Sequential read, Up to 1100MB/s Sequential write
P400LP1KGM28H	R 3,680	Patriot P400 Lite 1TB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 Solid State Drive, Up to 3500MB/s Sequential read, Up to 2700MB/s Sequential write, Thermal throttling Technology, High efficiency Slim graphene heatshield
P400LP1KGM28H	R 4,235	Patriot P400 Lite 1TB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 Solid State Drive, Up to 3500MB/s Sequential read, Up to 2700MB/s Sequential write, Thermal throttling Technology, High efficiency Slim graphene heatshield
P400LP2KGM28H	R 7,004	Patriot P400 Lite 2TB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 Solid State Drive, Up to 3500MB/s Sequential read, Up to 2700MB/s Sequential write, Thermal throttling Technology, High efficiency Slim graphene heatshield
P400LP2KGM28H	R 7,253	Patriot P400 Lite 2TB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 Solid State Drive, Up to 3500MB/s Sequential read, Up to 2700MB/s Sequential write, Thermal throttling Technology, High efficiency Slim graphene heatshield
P400LP500GM28H	R 2,243	Patriot P400 Lite 500GB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 Solid State Drive, Up to 3500MB/s Sequential read, Up to 2400MB/s Sequential write, Thermal throttling Technology, High efficiency Slim graphene heatshield
P400LP500GM28H	R 2,565	Patriot P400 Lite 500GB M.2 2280 PCI-e Gen4 x4 NVMe 1.4 Solid State Drive, Up to 3500MB/s Sequential read,

		Up to 2400MB/s Sequential write, Thermal throttling Technology, High efficiency Slim graphene heatshield
P400VP1TBM28H	R 4,384	Patriot P400 V4 1TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 6000 MB/s Read Speed, 6000 MB/s Write Speed, 320TB Endurance (TBW)
P410P1TBM28H	R 3,795	Patriot P410 1TB PCIe Gen4 x4 M.2 2280 Solid State Drive. Capacity: 1TB; Form Factor: M.2 2280; Interface: PCIe Gen4 x4; Protocol: NVMe 1.4; Sequential Read Speed: Up to 5,000MB/s; Sequential Write Speed: Up to 4,500MB/s; TBW: 320TB; Operating Temperature: 0°C to 70°C
RWS256GNX200MH	R 401	Rogueware NX200M 256GB M.2 Gen3 Nvme 3d Nand Solid State Drive
RWS512GNX200M	R 765	Rogueware NX200M 512GB M.2 2280 PCI-e Gen3 x4 NVMe 3D NAND Solid State Drive, Up to 2100MB/s Sequential read, Up to 1500MB/s Sequential write
RWS512GNX200MH	R 689	Rogueware NX200M 512Gb M.2 Gen3 Nvme 3d Nand Solid State Drive
SAMSUNG MZ-V9P1T0BW	R 6,439	Samsung MZ-V9P1T0BW 990 Pro 1TB NVMe PCI-e Gen 4.0 x4 Solid State Drive, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC storage Memory, Samsung 1GB low Power DDR4 SDRAM Cache Memory
SAMSUNG MZ-V9P1T0CW	R 6,726	SAMSUNG MZ-V9P1T0CW 990 Pro 1TB M.2 2280 PCI-e Gen 4.0 x4 NVMe SSD with heatsink, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC, Samsung in-house controller, Samsung 2GB low Power DDR4 SDRAM Cache Memory
SAMSUNG MZ-V9P2T0BW	R 11,821	Samsung MZ-V9P2T0BW 990 Pro 2TB NVMe PCI-e Gen 4.0 x4 Solid State Drive, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC storage Memory, Samsung 2GB low Power DDR4 SDRAM Cache Memory
SAMSUNG MZ-V9P2T0CW	R 11,959	SAMSUNG MZ-V9P2T0CW 990 Pro 2TB M.2 2280 PCI-e Gen 4.0 x4 NVMe SSD with heatsink, Read speed up to 7450 MB/s, Write speed to up 6900 MB/s, Samsung V-NAND 3-bit MLC, Samsung in-house controller, Samsung 2GB low Power DDR4 SDRAM Cache Memory
SAMSUNG MZ-V9P4T0CW	R 12,649	Samsung MZ-V9P4T0CW 990 PRO 4 TB NVMe SSD W/Heatsink - Read Speed up to 7450 MB/s, Write Speed to up 6900 MB/s, Random Read up to 1400000 IOPS, Random Write up to 1550000 IOPS; PCIe 4.0 x4, NVMe 2.0; V-Nand 3bit MLC; In-house controller; 2GB Low Power DDR4, 2400TBW
SAMSUNG MZ-V9S1T0BW	R 5,691	Samsung 990 Evo Plus 1TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7150 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
SAMSUNG MZ-V9S2T0BW	R 10,406	Samsung 990 Evo Plus 2TB M.2 2280 PCI-e 4.0 x4 / 5.0 x2 NVMe 2.0 Solid State Drive, Samsung V-NAND TLC storage Memory, Samsung in-house controller, HMB Cache Memory, Up to 7250 MB/s Sequential Read Speed, Up to 6300 MB/s Sequential Write Speed
SAMSUNG MZ-VAP1T0BW	R 8,164	Samsung MZ-VAP1T0BW 9100 PRO 1 TB NVMe SSD - Read Speed up to 14 700 MB/s; Write Speed to up 13 300 MB/s; Random Read up to 1,850,000 IOPS
SAMSUNG MZ-VAP2T0BW	R 11,671	Samsung MZ-VAP2T0BW 9100 PRO 2 TB NVMe SSD - Read Speed up to 14 700 MB/s; Write Speed to up 13 300 MB/s; Random Read up to 1 85
SAMSUNG MZ-VAP4T0BW	R 14,949	Samsung MZ-VAP4T0BW 9100 PRO 4 TB NVMe SSD - Read Speed up to 14 800 MB/s; Write Speed to up 13 400 MB/s
Samsung_PM991A256GB2230	R 633	Samsung PM991A 256GB M.2 2280 PCI-e 3.0 x4 NVMe Solid State Drive - OEM, 3100 MB/s Read Speed, 1300 MB/s Write Speed, MZ9LQ256NBJD
Samsung_PM991A256GB2280	R 575	Samsung PM991A 256GB M.2 2280 PCI-e 3.0 x4 NVMe 1.3 Solid State Drive - OEM, 3100 MB/s Read Speed, 1300 MB/s Write Speed, MZ-VLQ256B
Samsung_PM9B1256GB2242	R 1,380	Samsung PM9B1 512GB M.2 2242 PCI-e 4.0 x4 NVMe Solid State Drive - OEM, 3100 MB/s Read Speed, 1300 MB/s Write Speed, MZAL4512HBLU
SDSP51100TAN-000E0	R 3,529	SanDisk Optimus 5100 1TB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 7100MB/s Sequential read Performance, 6700MB/s Sequential write Performance, SDSP51100TAN-000E0
SDSP51400TAN-000E0	R 11,804	SanDisk Optimus 5100 4TB M.2 2280 NVMe Solid State Drive; M.2 2280; PCIe 4.0 x4 NVMe; read up to 6900MB/s; write up to 6700MB/s; QLC 3D CBA NAND; nCache 4.0; 80 x 22 x 2.38mm; 5.7g
SDSP51500GAN-000E0	R 1,889	SanDisk Optimus 5100 500GB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 6600MB/s Sequential read Performance, 5600MB/s Sequential write Performance, SDSP51500GAN-000E0

SDSP71100TAN-000E0	R 4,277	SanDisk Optimus GX 7100 1TB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 7250MB/s Sequential read Performance, 6900MB/s Sequential write Performance, 1M IOPS random read, SDSP71100TAN-000E0
SDSP71500GAN-000E0	R 2,241	Sandisk Optimus GX 7100 500GB M.2 2280 NVMe Solid State Drive; 22 mm x 80 mm; For compatible desktop PCs and laptops
SDSP82200TAN-000E0	R 10,748	SanDisk Optimus GX Pro 8100 2TB M.2 2280 PCI-e 5.0 x4 NVMe Solid State Drive - without Heatsink, 14900MB/s Sequential read Performance, 14000MB/s Sequential write Performance, 2.3M IOPS random read
SDSSDA3N-1T00-G26	R 4,310	SanDisk SSD Plus 1TB M.2 2280 PCI-e 3.0 x4 NVMe Solid State Drive, 3200MB/s Sequential read Performance, SDSSDA3N-1T00-G26
SEDC2000BM8/960G	R 13,247	Kingston Data Center SSD Series (DC) DC2000B 960G PCIe 4.0 M.2 2280 Enterprise SSD
SFYR2S/1T0	R 8,283	Kingston FURY Renegade G5 1024GB PCIe 5.0 M.2 NVMe SSD
SGAMMIXS55-1T-C	R 2,194	Adata XPG S55 1TB M.2 2230 PCI-e Gen 4x4 Solid State Drive, 3D NAND, Up to 5000MB/s Sequential read Speed, Up to 3700MB/s Sequential write Speed, 450TB Terabytes written
SKC3000D/4096G	R 13,039	Kingston sKC3000D/4096G Gen4x4 KC3000 series 4000Gb/4Tb - NGFF(M.2) 3D TLC SSD with NVMe PCIe (Gen4.0) x4 mode SSD, type 2280 - 23x80x3.5mm, Phison PS5016-E18 controller (quad-cores / 8-channel) with 2Gb ddr4 cache, LDPC (Low Density Parity Check) ECC
SLEG-860-1000GCS	R 3,736	Adata Legend 860 1TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
SLEG-860-1000GCS	R 3,333	Adata Legend 860 1TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
SLEG-860-2000GCS	R 7,301	Adata Legend 860 2TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
SLEG-860-2000GCS	R 5,518	Adata Legend 860 2TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
SLEG-860-500GCS	R 2,241	Adata Legend 860 500GB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
SLEG-860-500GCS	R 1,838	Adata Legend 860 500GB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 6000MB/s Sequential read (Max), Up to 5000MB/s Sequential write (Max), 640TB Terabytes written (TBW)
SLEG-900P-1TCS	R 3,391	Adata Legend 900 Pro 1TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 7000MB/s Sequential Read Speed (Max), Up to 5400MB/s Sequential Write Speed (Max), 1200TB Terabytes written (TBW)
SLEG-900P-1TCS	R 2,758	Adata Legend 900 Pro 1TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 7000MB/s Sequential Read Speed (Max), Up to 5400MB/s Sequential Write Speed (Max), 1200TB Terabytes written (TBW)
SLEG-900P-2TCS	R 5,461	Adata Legend 900 Pro 2TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 7000MB/s Sequential Read Speed (Max), Up to 5400MB/s Sequential Write Speed (Max), 1200TB Terabytes written (TBW)
SLEG-900P-2TCS	R 4,483	Adata Legend 900 Pro 2TB M.2 2280 PCI-e Gen4 x4 Solid State Drive, 3D NAND Flash, Up to 7000MB/s Sequential Read Speed (Max), Up to 5400MB/s Sequential Write Speed (Max), 1200TB Terabytes written (TBW)
SLEG-970P-1TCI	R 2,643	Adata Legend 970 Pro 1TB M.2 2280 PCI-e Gen5 x4 Solid State Drive, 3D TLC NAND Flash, IG5666 controller, Up to 14000MB/s Sequential read (Max), Up to 11000MB/s Sequential write (Max), 2960 TBW Terabytes written
SLEG-970P-2TCI	R 4,023	Adata Legend 970 Pro 2TB M.2 2280 PCI-e Gen5 x4 Solid State Drive, 3D TLC NAND Flash, IG5666 controller, Up to 14000MB/s Sequential read (Max), Up to 11000MB/s Sequential write (Max), 2960 TBW Terabytes written
SNV3S-500G	R 2,389	Kingston SNV3S 500GB M.2 2280 PCI-e 4.0 x4 NVMe Solid State Drive, 5000 MB/s Sequential Read Speed, 3000 MB/s Sequential Write Speed, 3D NAND
SNV3S/1000G	R 3,510	Kingston NV3 1TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 4000MB/s Sequential Write Speed
SNV3S/1000G	R 3,077	Kingston NV3 1TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 4000MB/s Sequential Write Speed
SNV3S/1000G	R 2,931	Kingston NV3 1TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 4000MB/s Sequential Write Speed
SNV3S/2000G	R 7,024	Kingston NV3 2TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 5000MB/s Sequential Write Speed

SNV3S/2000G	R 5,576	Kingston NV3 2TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 5000MB/s Sequential Write Speed
SNV3S/4000G	R 14,066	Kingston NV3 4TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 5000MB/s Sequential Write Speed
SNV3S/4000G	R 10,406	Kingston NV3 4TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 5000MB/s Sequential Write Speed
SNV3S/500G	R 2,345	Kingston NV3 500GB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 3000MB/s Sequential Write Speed
SNV3S/500G	R 2,002	Kingston NV3 500GB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 3000MB/s Sequential Write Speed
SNV3S/500G	R 1,896	Kingston NV3 500GB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 3000MB/s Sequential Write Speed
SNV3SM3-1T0	R 4,534	Kingston NV3M3 1TB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 4000MB/s Sequential Write Speed Speed, 3D NAND, 320TB Endurance (TBW), SNV3SM3/1T0
SNV3SM3-500G	R 2,944	Kingston NV3M3 500GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 3000MB/s Sequential Write Speed, 3D NAND, 160TB Endurance (TBW), SNV3SM3/500G
SNV3SM3/1T0	R 4,612	Kingston NV3M3 1TB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 4000MB/s Sequential Write Speed Speed, 3D NAND, 320TB Endurance (TBW), SNV3SM3/1T0
SNV3SM3/2T0	R 8,361	Kingston NV3M3 2TB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 6000MB/s Sequential Read Speed, 5000MB/s Sequential Write Speed Speed, 3D NAND, 640TB Endurance (TBW), SNV3SM3/2T0
SNV3SM3/500G	R 2,908	Kingston NV3M3 500GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 3000MB/s Sequential Write Speed, 3D NAND, 160TB Endurance (TBW), SNV3SM3/500G
Solidigm_P41Plus_256GB_2230	R 914	Solidigm P41 Plus 256GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive - oem, 4125MB/s read Speed, 3325MB/s write Speed, M Key Type
SP001TBP34A60M28	R 3,357	Silicon Power P34A60 1TB M.2 NVMe 2280 PCI-e Gen3x4 Solid State Drive, Up to 2200 MB/s performance read (Maximum), Up to 1600 MB/s performance write (Maximum)
SP256GBP34A60M28	R 1,050	Silicon Power P34A60 256Gb Pcie Gen 3x4 Nvme Solid State Drive
SPATIUM M390 NVME 1TB	R 2,528	MSI Spatium M390 1TB NVMe M.2 2280 PCI-e Gen3x4 Solid State Drive, 3D NAND Flash Memory, Phison E15t controller, Sequential read up to 3300 MB/s, Sequential write up to 3000 MB/s
SPATIUM M461 NVME 1TB	R 3,160	MSI Spatium M461 1TB M.2 PCI-e Gen 4x4 NVMe 1.4 Solid State Drive, Phison E21T controller, 3D NAND Flash Memory, M.2 2280 Form Factor, 5000 MB/s Sequential read speed, 3200 MB/s Sequential write speed
SS-WG1000L	R 1,581	Western Digital Blue WDS100T2B0B nGff (M.2) 3D TLC SSD, 1Tb/1000Gb with SLC cache, SATA6G, type 2280 - 80x22x2.4mm (single sided) - Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/84000 ioPS, 1.75 millions MTBF with 400TBW
SS-WG1000R	R 3,307	Western Digital WD Red SA500 1.0TB M.2 SATA 3D NAND NAS 2280 Solid State Drive, Up to 560MB/s Sequential read, Up to 530MB/s Sequential write, WDS100T1R0B
SS-WG2000L	R 2,801	WesternDigital bLue WDS200T2B0B nGff (M.2) 3D TLC SSD, 2Tb/2000Gb with SLC cache, SATA6G, type 2280 -80x22x2.4mm (single sided) - Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/84000 ioPS, 1.75 millions MTBF with 500TBW
SS-WG2000R	R 4,179	Western Digital Red SA500 WDS200T1R0B nGff (M.2) NAS SATA SSD, type 2280 - 80x22x2.4mm (single sided), 2Tb/2000Gb, 3D TLC with SLC cache, Sequential Read read/write: 560/530mb/sec, Random Read/Write 4K: 95000/85000 ioPS, 2 millions MTBF with 1300T
SS-WG2000RSN700	R 4,856	Western Digital Red SN700 WDS200T1R0C nGff (M.2) NAS SSD, NVMe PCIe (Gen3.0) x4 mode, type 2280 - 80x22x2.4mm (single sided), 2Tb/2000Gb, 3D TLC with SLC cache, Sequential Read read/write: 3400/2900mb/sec, Random Read/Write 4K: 480000/540000 ioPS
SS-WG250L	R 607	Western Digital Blue 250GB M.2 2280 SATA3 6Gb/s Solid State Drive, TLC, Read : 540MB/s read speed, 500MB/s write speed, WDS250G2B0B
SS-WG250RSN700	R 1,063	Western Digital Red SN700 WDS250G1R0C nGff (M.2) NAS SSD, NVMe PCIe (Gen3.0) x4 mode, type 2280 - 80x22x2.4mm (single sided), 250Gb, 3D TLC with SLC cache, Sequential Read read/write: 3100/1600mb/sec,

		Random Read/Write 4K: 220000/180000 ioPS
SS-WG4000RSN700	R 10,255	Western Digital Red SN700 WDS400T1R0C nGff (M.2) NAS SSD, NVMe PCIe (Gen3.0) x4 mode, type 2280 - 80x22x2.4mm (single sided), 4Tb/2000GB, 3D TLC with SLC cache, Sequential Read read/write : 3400/3100mb/sec, Random Read/Write 4K: 550000/520000 ioPS
SS-WG500L	R 1,005	Western Digital Blue SA510 500GB M.2 2280 SATA3 3D NAND internal Solid State Drive, 560MB/s Sequential Read Performance, 510MB/s Sequential Write Performance, WDS500G3B0B
SS-WG500R	R 1,072	Western Digital WD Red SA500 500GB M.2 SATA 3D NAND NAS 2280 Solid State Drive, Up to 560MB/s Sequential read, Up to 530MB/s Sequential write, WDS500G1R0B
SSDM2PCIEF1TB	R 2,759	OCPC MFL-300 1TB M.2 2280 PCI-e Gen3 x4 NVMe Solid State Drive, Up to 3300 MB/s Sequential Read Speed, Up to 3000 MB/s Sequential Write Speed, 150000 IOPS random read Performance, 110000 IOPS random write Performance, 3D NAND Technology used
SSDPFPNU512GZ	R 1,865	Solidigm P41 Plus 512GB M.2 2230 PCI-e 4.0 x4 NVMe Solid State Drive, 4125MB/s read Speed, 3325MB/s write Speed, M Key Type
Synology SNV3410-400G	R 10,349	Synology SNV3410 400GB M.2 2280 NVMe PCI-e 3.0 x4 Solid State Drive, 3000 MB/s sustained Sequential read speed, 750 MB/s sustained Sequential write speed
TS120GMTS420S	R 315	Transcend MTS420 Series 120GB M.2 2242 SATA 6Gb/s SSD - TLC NAND Flash Memory - Max Seq. R/W: 560MB/s, 520MB/s - DDR3 DRAM cache - LDPC coding
TS120GMTS820S	R 299	Transcend MTS820 Series 120GB M.2 2280 SATA 6Gb/s SSD Solid State Drive, TLC NAND Flash Memory, 80mm x 22mm x 3.58mm, Max Sequential Read 560MB/s, Max Sequential Write 520MB/s, DDR3 DRAM cache, LDPC coding
TS128GMTE110S	R 969	Transcend MTE110 Series 128GB M.2 2280 PCIe Gen3 x4 SSD - NVMe Supported - 3D TLC NAND Flash Memory - 80mm x 22mm x 3.58mm - Max Seq. R/W: 1800MB/s, 1500MB/s - LDPC coding
TS128GMTS400S	R 1,176	Transcend MTS400 Series 128GB M.2 2242 SATA3(6Gb/s) SSD - MLC NAND Flash Memory - 42mm x 22mm x 3.58mm - Max Seq. R/W: 560MB/s, 460MB/s - DDR3 DRAM cache
TS1TMTE115S	R 4,265	Transcend MTE115S 1TB M.2 2280 NVMe PCI-e Gen3 x4 3D TLC Solid State Drive, 3D NAND Flash, Up to 3200 MB/s read speed, Up to 2000 MB/s write speed
TS1TMTE220S	R 8,240	Transcend MTE220 Series 1 TB M.2 2280 PCIe Gen3 x4 SSD - NVMe Supported - 3D TLC NAND Flash Memory - 80mm x 22mm x 3.58mm - Max Seq. R/W: 3500MB/s, 2800MB/s -DRAM & SLC Cache - LDPC coding
TS1TMTE245S	R 4,514	Transcend MTE245S 1TB M.2 2280 PCI-e Gen 4x4 NVMe Solid State Drive, 3D TLC, 5300 MB/s read speed, 4600 MB/s write speed
TS1TMTE250H	R 16,931	Transcend MTE250h 1TB PCI-e Gen4 x4 M.2 NVMe 2280 Solid State Drive, 3D NAND Flash Type, Up to 7200 MB/s read speed, Up to 6200 MB/s write speed
TS1TMTE255S	R 6,208	Transcend MTE255s 1TB M.2 2280 PCI-e Gen 4x4 NVMe Solid State Drive, Single-Sided, Graphene Heatsink, 3D NAND Flash, Up to 7400 MB/s Read Speed, Up to 5200 MB/s Write Speed, 600 TBW Terabytes written
TS1TMTE260S	R 5,643	Transcend MTE260s 1TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive, 14000 MB/s Read Speed, 9800 MB/s Write Speed, Graphene heat spreader, 750TBW, 3D NAND Flash
TS1TMTE410S	R 5,496	Transcend MTE410s 1TB M.2 PCI-e Gen4 x4 2242 Solid State Drive, 3D NAND Flash, Up to 5000 MB/s read speed, Up 3500 MB/s write speed
TS1TMTS425S	R 3,386	Transcend MTS425S 1TB M.2 SATA3 2242 Solid State Drive, Cacheless TLC, 3D NAND Flash, 550MB/s Sequential read speed, 500MB/s Sequential read speed
TS1TMTS825S	R 4,176	Transcend MTS425S 1TB M.2 SATA3 2242 Solid State Drive, Cacheless TLC, 3D NAND Flash, 550MB/s Sequential read speed, 500MB/s Sequential read speed
TS1TMTS830S	R 1,495	Transcend MTS830 Series 1 TB M.2 2280 SATA3(6Gb/s) SSD - 3D TLC NAND Flash Memory - 80mm x 22mm x 3.58mm - Max Seq. R/W: 560MB/s, 520MB/s - DDR3 DRAM cache - LDPC coding
TS250GMTE115S	R 1,398	Transcend MTE115S 250GB M.2 2280 NVMe PCI-e Gen3 x4 3D TLC Solid State Drive, 3D NAND Flash, Up to 3200 MB/s read speed, Up to 1300 MB/s write speed
TS250GMTE245S	R 1,624	Transcend MTE245S 250GB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 3D NAND flash, 3200 MB/s read speed, 1800 MB/s write speed
TS250GMTS425S	R 1,014	Transcend MTS425S 250GB M.2 SATA3 2242 Solid State Drive, Cacheless TLC, 3D NAND Flash, 500MB/s

		Sequential read speed, 330MB/s Sequential read speed
TS250GMTS825S	R 1,354	Transcend MTS825S 250GB M.2 SATA3 2280 Solid State Drive, 3D NAND Flash Flash Type, Up to 500MB/s Sequential read speed, Up to 330MB/s Sequential write speed, No DDR3 DRAM Cache
TS256GMTE220S	R 2,359	Transcend MTE220 Series 256GB M.2 2280 PCIe Gen3 x4 SSD - NVMe Supported - 3D TLC NAND Flash Memory - 80mm x 22mm x 3.58mm - Max Seq. R/W: 3500MB/s, 2800MB/s -DRAM & SLC Cache - LDPC coding
TS256GMTE300S	R 1,546	Transcend MTE300s 256GB M.2 NVMe Gen3 x4 2230 Solid State Drive, DRAM less, 3D NAND Flash Type, Up to 2000 MB/s read speed, Up to 950 MB/s write speed
TS256GMTE410S	R 1,546	Transcend MTE410s 256GB M.2 PCI-e Gen4 x4 2242 Solid State Drive, 3D NAND Flash, Up to 3300 MB/s read speed, Up 1600 MB/s write speed
TS256GMTE710T-I	R 1,494	Transcend MTE710T-I 256GB M.2 NVMe Wide Temperature Embedded NVMe Solid State Drive, 2280-d2-m (Double-sided) M.2 Type, NVMe PCI-e Gen4 x4, 112-layer 3D NAND Flash, Up to 3800 MB/s read speed, Up to 3200 MB/s write speed
TS256GMTS430S	R 2,256	Transcend MTS430 Series 256GB M.2 2242 SATA3(6Gb/s) SSD - 3D TLC NAND Flash Memory - Max Seq. R/W: 560MB/s, 520MB/s - DDR3 DRAM cache - LDPC coding
TS256GMTS830S	R 583	Transcend MTS830 Series 256GB M.2 2280 SATA 6Gb/s SSD - 3D TLC NAND Flash Memory - 80mm x 22mm x 3.58mm - Max Seq. R/W: 560MB/s, 520MB/s - DDR3 DRAM cache - LDPC coding
TS2TMTE115S	R 8,691	Transcend MTE115S 2TB M.2 2280 NVMe PCI-e Gen3 x4 3D TLC Solid State Drive, 3D NAND Flash, Up to 3200 MB/s read speed, Up to 1900 MB/s write speed
TS2TMTE220S	R 20,994	Transcend MTE220 Series 2TB M.2 2280 PCIe Gen3 x4 SSD, NVMe Supported, 3D TLC NAND Flash Memory, 80mm x 22mm x 3.58mm, 3500MB/s Max Read speed, 2700MB/s Max write speed, DRAM & SLC Cache, LDPC coding
TS2TMTE245S	R 8,973	Transcend MTE245S 2TB M.2 2280 PCI-e Gen 4x4 NVMe Solid State Drive, 3D TLC, 5300 MB/s read speed, 4600 MB/s write speed
TS2TMTE250S	R 23,139	Transcend MTE250S 2TB M.2 NVMe PCI-e Gen 4x4 2280 Solid State Drive with graphine heatsink, M.2 2280 Type, Double-sided, 3D NAND Flash, 7100 MB/s Sequential read speed, 6500 MB/s Sequential write speed, DRAM Cache
TS2TMTE255S	R 9,030	Transcend MTE255s 2TB M.2 2280 PCI-e Gen 4x4 NVMe Solid State Drive, Single-Sided, Graphene Heatsink, 3D NAND Flash, Up to 7400 MB/s Read Speed, Up to 6500 MB/s Write Speed, 1200 TBW Terabytes written
TS2TMTE260S	R 10,158	Transcend MTE260s 2TB M.2 2280 PCI-e Gen5 x4 NVMe Solid State Drive, 14000 MB/s Read Speed, 11000 MB/s Write Speed, Graphene heat spreader, 1500TBW, 3D NAND Flash
TS2TMTE310S	R 9,537	Transcend MTE310S 2TB M.2 2230 PCI-e Gen4 x4 Solid State Drive, 5000 MB/s read speed, 4000 MB/s write speed, Single-Sided, 3D NAND Flash
TS2TMTE410S	R 9,537	Transcend MTE410s 2TB M.2 PCI-e Gen4 x4 2242 Solid State Drive, 3D NAND Flash, Up to 5000 MB/s read speed, Up 4300 MB/s write speed
TS2TMTS425S	R 5,643	Transcend MTS425S 2TB M.2 2242 SATA Solid State Drive - Cacheless, SATA 3 6Gb/s Bus Interface, 3D NAND Flash, Up to 550MB/s Sequential read speed, Up to 550MB/s Sequential write speed
TS2TMTS825S	R 5,643	Transcend MTS825S 2TB M.2 SATA3 2280 Solid State Drive, 3D NAND Flash Flash Type, Up to 560MB/s Sequential read speed, Up to 500MB/s Sequential write speed, No DDR3 DRAM Cache
TS4TMTE245S	R 22,011	Transcend MTE245S 4TB M.2 2280 PCI-e Gen 4x4 NVMe Solid State Drive, 3D TLC, 5300 MB/s read speed, 4000 MB/s write speed
TS4TMTE260S	R 20,317	Transcend MTE260s M.2 2280 4TB PCI-e Gen5 x4 NVMe Solid State Drive, Double-sided, Graphene Heatsink, 3D NAND Flash, Up to 14500 MB/s Sequential Read Speed, Up to 13500 MB/s Sequential Write Speed, 3000 TBW Terabytes written
TS500GMTE115S	R 1,952	Transcend MTE115S 500GB M.2 2280 NVMe PCI-e Gen3 x4 3D TLC Solid State Drive, 3D NAND Flash, Up to 3200 MB/s read speed, Up to 2000 MB/s write speed
TS500GMTE245S	R 2,776	Transcend MTE245S 500GB M.2 2280 PCI-e Gen 4x4 NVMe Solid State Drive, 3D TLC, 4800 MB/s read speed, 4000 MB/s write speed
TS500GMTS425S	R 2,177	Transcend MTS425S 500GB M.2 SATA3 2242 Solid State Drive, Cacheless TLC, 3D NAND Flash, 530MB/s Sequential read speed, 480MB/s Sequential read speed

TS500GMTS825S	R 1,806	Transcend MTS825S 500GB M.2 SATA3 2280 Solid State Drive, 3D NAND Flash Flash Type, Up to 530MB/s Sequential read speed, Up to 480MB/s Sequential write speed, No DDR3 DRAM Cache
TS512GMTE220S	R 3,667	Transcend MTE220 Series 512GB M.2 2280 PCIe Gen3 x4 SSD - NVMe Supported - 3D TLC NAND Flash Memory - 80mm x 22mm x 3.58mm - Max Seq. R/W: 3500MB/s, 2800MB/s -DRAM & SLC Cache - LDPC coding
TS512GMTE400S	R 2,697	Transcend MTE400 512GB M.2 NVMe Gen3 x4 2242 Solid State Drive, DRAM less, 3D NAND Flash Type, up to 2000 MB/s read speed, up to 900 MB/s write speed
TS512GMTE410S	R 3,046	Transcend MTE410s 512GB M.2 PCI-e Gen4 x4 2242 Solid State Drive, 3D NAND Flash, Up to 5000 MB/s read speed, Up 3500 MB/s write speed
TS512GMTE480T	R 2,874	Transcend MTE480t 512GB M.2 2242 PCI-e Gen4 x4 NVMe Solid State Drive, 112-layer 3D NAND Flash Type, Up to 5000 MB/s Read Speed, Up to 4100 MB/s Write Speed, Up to 2640 TBW
TS512GMTS430S	R 918	Transcend MTS430 Series 512GB M.2 2242 SATA3(6Gb/s) SSD - 3D TLC NAND Flash Memory - Max Seq. R/W: 560MB/s, 520MB/s - DDR3 DRAM cache - LDPC coding
TS512GMTS830S	R 1,264	Transcend MTS830 series 512GB M.2 2280 SATA 6GB/s SSD Solid State Drive, 3D TLC NAND Flash Memory, 80mm x 22mm x 3.58mm, Maximum sequential read 560MB/s, Maximum sequential write 520MB/s, DDR3 DRAM Cache, LDPC coding
Union_AM620_256GB_2242	R 690	Union AM620 256GB M.2 2242 PCI-e 3.0 x4 NVMe Solid State Drive - oem, 2100MB/s Read Speed, 1200MB/s Write Speed, SSS1B60641
VP4000M1TBM23	R 4,255	Patriot VP4000 Mini 1TB M.2 2230 PCI-e Gen4 x4 Gaming SSD, For steam deck and ROG Ally, M.2 2230 Form Factor, Up to 5000MB/s Sequential read speed, Up to 3500MB/s Sequential write speed
VP4000M1TBM23	R 4,248	Patriot VP4000 Mini 1TB M.2 2230 PCI-e Gen4 x4 Gaming SSD, For steam deck and ROG Ally, M.2 2230 Form Factor, Up to 5000MB/s Sequential read speed, Up to 3500MB/s Sequential write speed
VP4000M2TBM23	R 7,556	Patriot VP4000 Mini 2TB M.2 2230 PCI-e Gen4 x4 Gaming SSD, For steam deck and ROG Ally, M.2 2230 Form Factor, Up to 5000MB/s Sequential read speed, Up to 3500MB/s Sequential write speed
VP4000M2TBM23	R 7,465	Patriot VP4000 Mini 2TB M.2 2230 PCI-e Gen4 x4 Gaming SSD, For steam deck and ROG Ally, M.2 2230 Form Factor, Up to 5000MB/s Sequential read speed, Up to 3500MB/s Sequential write speed
VP4000M500GM23	R 2,760	Patriot VP4000 Mini 500GB M.2 2230 PCI-e Gen4 x4 Gaming Solid State Drive, Compatible with --> steam deck and ROG Ally, Up to 5000MB/s Sequential read, Up to 3500MB/s Sequential write
VP4000M500GM23	R 2,571	Patriot VP4000 Mini 500GB M.2 2230 PCI-e Gen4 x4 Gaming Solid State Drive, Compatible with --> steam deck and ROG Ally, Up to 5000MB/s Sequential read, Up to 3500MB/s Sequential write
VP4300-2TBM28H	R 24,265	Patriot VP4300 2TB PCI-e M.2 2280 Gen4 x4 Solid State Drive, Up to 7400MB/s Sequential read speed, Up to 6800MB/s Sequential write speed
VP4300L1TBM28H	R 3,910	Patriot Viper VP4300 Lite 1TB M.2 PCI-e Gen4 x4 SSD for PS5, M.2 2280 Form Factor, Up to 7400MB/s Sequential read speed, Up to 6400MB/s Sequential write speed
VP4300L1TBM28H	R 4,707	Patriot Viper VP4300 Lite 1TB M.2 PCI-e Gen4 x4 SSD for PS5, M.2 2280 Form Factor, Up to 7400MB/s Sequential read speed, Up to 6400MB/s Sequential write speed
VP4300L2TBM28H	R 6,670	Patriot Viper VP4300 Lite 2TB M.2 PCI-e Gen4 x4 SSD for PS5, M.2 2280 Form Factor, Up to 7400MB/s Sequential read speed, Up to 6400MB/s Sequential write speed
VP4300L2TBM28H	R 8,446	Patriot Viper VP4300 Lite 2TB M.2 PCI-e Gen4 x4 SSD for PS5, M.2 2280 Form Factor, Up to 7400MB/s Sequential read speed, Up to 6400MB/s Sequential write speed
VP4300L4TBM28H	R 12,639	Patriot Viper VP4300 Lite 4TB M.2 2280 PCI-e Gen4 x4 NVMe 2.0 Gaming Solid State Drive, Up to 7400MB/s Sequential Read Speed, Up to 6400MB/s Sequential Write Speed, PS5 compatible
VP4300L4TBM28H	R 15,426	Patriot Viper VP4300 Lite 4TB M.2 2280 PCI-e Gen4 x4 NVMe 2.0 Gaming Solid State Drive, Up to 7400MB/s Sequential Read Speed, Up to 6400MB/s Sequential Write Speed, PS5 compatible
WDS100T1X0M	R 3,928	Western Digital Black SN8100 1TB M.2 2280 PCI-e Gen 5.0 x4 NVMe Solid State Drive, No Heatsink, 14900 MB/s Sequential read Performance, 11000 MB/s Sequential write Performance, 600TBW Endurance, TLC 3D CBA NAND Technology
WDS100T2X0E	R 2,135	Western Digital Black SN850X 1TB PCIE Gen4 M.2 3D NAND NVMe SSD with out Heatsink
WDS100T2XHE	R 2,391	Western Digital Black SN850X 1TB M2 PCI-e Gen4 x4 3D NAND Cache NVMe Solid State Drive, 7300MB/s Sequential read performance, 6300MB/s Sequential write performance, with heatsink

WDS100T5BOE	R 3,104	Western Digital Blue SN5100 1TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 7100MB/s Sequential read Performance, 6700MB/s Sequential write Performance, 1000K IOPS random read, 1300K IOPS random write, 600TB Endurance (TBW)
WDS100T5BOE	R 3,656	Western Digital Blue SN5100 1TB M.2 2280 PCI-e 4.0 NVMe Solid State Drive, 7100MB/s Sequential read Performance, 6700MB/s Sequential write Performance, 1000K IOPS random read, 1300K IOPS random write, 600TB Endurance (TBW)
WDS200T1R0B	R 6,324	Western Digital Red SSD - 2.0TB M.2 SATA3 SSD, TLC 3D NAND, Read: 540MB/s, Write: 500MB/s, 97,000/79,000 IOPS, 100TBW Endurance, M.2 2280
WDS200T1X0M	R 5,455	Western Digital Black SN8100 2TB M.2 2280 PCI-e Gen 5.0 x4 NVMe Solid State Drive, No Heatsink, 14900 MB/s Sequential read Performance, 14000 MB/s Sequential write Performance, 1200TBW Endurance, TLC 3D CBA NAND Technology
WDS200T2XHE	R 4,096	Western Digital Black SN850X 2TB M2 PCI-e Gen4 x4 3D NAND Cache NVMe Solid State Drive, 7300MB/s Sequential read performance, 6600MB/s Sequential write performance, with heatsink
WDS200T4G0E	R 2,490	Western Digital Green SN3000 2TB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive, 5000MB/s Sequential Read Speed, 4200MB/s Sequential Write Speed, 250 TBW Endurance
WD_SN530_256GB	R 518	Western Digital SN530 256GB M.2 2280 PCI-e 3.0 x4 NVMe 1.3 Solid State Drive - oem, 2400 MB/s Read Speed, 950 MB/s Write Speed
WD_SN530_256GB2230	R 633	Western Digital SN530 256GB M.2 2230 PCI-e 3.0 x4 NVMe 1.4 Solid State Drive - oem, 2400 MB/s Read Speed, 950 MB/s Write Speed
WD_SN740_256GB	R 690	Western Digital SN740 256GB M.2 2280 PCI-e Gen4 x4 NVMe Solid State Drive - ooem, 4000 MB/s read speed, 2000 MB/s write speed
WD_SN740_256GB_2230	R 690	Western Digital SN740 256GB M.2 2230 PCI-e Gen4 x4 NVMe Solid State Drive - oem, 4000 MB/s read speed, 2000 MB/s write speed
ZP2000CV30001	R 4,597	Seagate Barracuda Q5 2TB M.2 2280 PCI-e Gen3 x4 NVMe 1.3 Solid State Drive, 3D QLC NAND Flash Memory, 2400 MB/s Sequential read speed, 1800 MB/s Sequential write speed

< Return to the menu

Current Solid State Drives SSD : mSATA SSD

Product code	Price	Description
AP256GAS2280P4X-1	R 999	Apacer AS2280 M.2 PCIe SSD - 256GB Capacity, PCIe Gen3 x 4 Interface, NVMe 1.3 Standard, Extremely Thin And M.2 Interface, 2100MB/s Sequential Read Performance, 1700MB/s Sequential Write Performance, Up to 530K IOPs, 0°C ~ 70°C Operating Temperature, -40°C ~ 85°C Storage Temperature, Retail Box
AP256GAS350XR-1	R 799	Apacer AS350X SATA3(6GB/s) SSD - 256GB Capacity, 2.5 Inch Size, SATA III 6.0GB/ s Interface, Up to 560MB/s Sequential Read Performance, Up to 540MB/s Sequential Write Performance, Up to 93K IOPs, 15G Vibration, 0°C ~ 70°C Operating Temperature, -40°C ~ 85°C Storage Temperature
HD-iM180-530	R 919	Intel SSDMCEAW180A401 530 series mSATA SSD , for mSATA mobile device/ultrabook or SRT mb with mSATA slot , 48x30x4mm , with 256bit AES encryption , 180Gb , 20nm , SATA6G read/write : 540/490 mb/sec ; random ioPS 4K read/write : 41000/80000 , 1.2millions MTBF - 5 years warranty
HD-KM1024KC600	R 5,494	Kingston SKC600MS/1024G mSATA 3D TLC SSD SATA6G, 1024Gb KC600, SMi SM2259 controller processor (4-channel), built-in hardware AES-256 encryption, LDPC (Low Density Parity Check) ECC, compressible data read/write: 550/520mb/sec; Maximum ioPS 4K re
HD-KM256KC600	R 1,856	Kingston SKC600MS/256G mSATA 3D TLC SSD SATA6G, 256Gb KC600, SMi SM2259 controller processor (4-channel), built-in hardware AES-256 encryption, LDPC (Low Density Parity Check) ECC, compressible data read/write: 550/500mb/sec; Maximum ioPS 4K read
HD-KM512KC600	R 3,128	Kingston SKC600MS/512G mSATA 3D TLC SSD SATA6G, 512Gb KC600, SMi SM2259 controller processor (4-channel), built-in hardware AES-256 encryption, LDPC (Low Density Parity Check) ECC, compressible data read/write: 550/520mb/sec; Maximum ioPS 4K read
SKC600MS/1024G	R 5,216	Kingston SKC600MS/1024G mSATA 3D TLC SSD SATA6G, 1024Gb KC600, SMi SM2259 controller processor (4-channel), built-in hardware AES-256 encryption, LDPC (Low Density Parity Check) ECC, compressible data

		read/write: 550/520mb/sec; Maximum ioPS 4K re
SKC600MS/256G	R 1,773	Kingston SKC600MS/256G mSATA 3D TLC SSD SATA6G, 256Gb KC600, SMi SM2259 controller processor (4-channel), built-in hardware AES-256 encryption, LDPC (Low Density Parity Check) ECC, compressible data read/write: 550/500mb/sec; Maximum ioPS 4K read
TS128GMSA230S	R 1,274	Transcend 230S 128GB mSATA SATA3 SSD Solid State Drive, 3D TLC, 550 MB/s Sequential read speed, 400 MB/s Sequential write speed
TS256GMSA230S	R 1,918	Transcend MSA230 256GB mSATA SSD Solid State Drive, 3D NAND Flash Type, 530 MB/s Sequential read, 400 MB/s Sequential write
TS512GMSA230S	R 2,821	Transcend MSA230 512GB mSATA SSD Solid State Drive, 3D NAND Flash Type, 560 MB/s Sequential read, 500 MB/s Sequential write

< Return to the menu

Current Solid State Drives SSD : PCIe card SSD

Product code	Price	Description
AP240GPT920Z8G-1	R 1,199	Apacer PT920 Commando 240GB PCI Express SSD, Retail Box
HD-C1600-NX500	R 16,697	Corsair CSSD-N1600GBNX500 NX500 Series 1.6Tb/1600Gb NVMe PCi-E Gen3 (4x) MLC SSD, with full-height low-profile bracket, Phison PS5007-E7 controller (quad-cores / 8-channel), built-in hardware AES-256 encryption, max read/write: 3000/2300mb/sec, maximum 4K ioPS read/write: 300000 / 270000 - 2 millions MTBF with 2793 TBW
HD-C400-NX500	R 4,577	Corsair CSSD-N400GBNX500 NX500 series 400Gb NVMe PCi-E Gen3 (4x) MLC SSD, with full-height low-profile bracket, Phison PS5007-E7 controller (quad-cores/ 8-channel), built-in hardware AES-256 encryption, max read/write: 3000/2400mb/sec, maximum 4K ioPS read/write: 300000/ 270000 - 2 millions MTBF with 698 TBW
HD-i400-750	R 6,669	Intel SSDPEDMW400G401 SSD 750 series, PCI-e 3.0 (4x) with NVMe, 400Gb, 20nm MLC Solid-State Drive, native read: 2200mb/sec / write 900mb/sec, MAX Read/Write 4K: 430000/230000 ioPS, 1.2millions MTBF with 219TB TBW
HD-K800-DCP	R 13,562	Kingston SEDC1000H/800G DCP1000 Data Center Professional - 800Gb NVMe PCi-E Gen3 (8x) MLC SSD, with full-height low-profile bracket, max read/write: 6800/5000mb/sec, maximum 4K ioPS read/write: 300000 / 145000 - 2 millions MTBF with 884 TBW
TS480GJDM820	R 3,778	Transcend 480GB JetDrive 820 SSD for Mac PCIe Gen3 x2, TLC NAND Flash Memory, Sequential Read Up to 950MB/s, Sequential Write Up to 950MB/s, T6 & PH00 Screwdrivers included

< Return to the menu

Current Solid State Drives SSD : U.3 NVME SSD

Product code	Price	Description

< Return to the menu

External HDD & SSD Drives

External HDD & SSD Drives : External 1.8" HDD

Product code	Price	Description

< Return to the menu

External HDD & SSD Drives : External 2.5" HDD

Product code	Price	Description
0G04843	R 1,124	HGST 0G04843 G-Drive 1TB 2.5" USB Type-C 7200rpm Mobile external Drive - Gold
0G04844	R 1,106	HGST 0G04844 G-Drive 1TB 2.5" USB Type-C 7200rpm Mobile external Drive - Grey
0G04876	R 1,320	HGST 0G04876 G-Drive 1TB 2.5" USB Type-C 7200rpm Mobile external Drive - Silver
301558	R 2,652	LaCie Rugged Mini Drive 1Tb USB3.0 External Hard drive
53194	R 1,605	Verbatim Store'N'Go Black 1Tb 2.5" USB 3.0 Portable Hard Drive; bus powered; black; 5400 RPM; compact design; 119 x 81 x 14.5mm; 158g; Nero Backup Software included

53195	R 2,126	Verbatim Store ' n ' Go 2TB USB 3.0 Black 2.5" Portable Hard Drive
9000298	R 3,393	LaCie Rugged Mini Drive 2Tb USB 3.0 2.5" External Hard Drive
9000633	R 4,499	LaCie Rugged Mini 4Tb USB 3.0 2.5" External Hard Drive
AHD650-1TU3-CBK	R 1,838	Adata HD650 series, 1Tb/1000Gb Black, triple-layer construction with silicone material, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 132x99x21.5mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
AHD650-1TU3-CBL	R 1,838	Adata HD650 1TB USB 3.2 Gen 1 external Hard Disk Drive - Blue, USB 3.2 Gen 1 (USB 5Gbps) Interface
AHD650-1TU3-CRD	R 1,838	Adata HD650 series, 1Tb/1000Gb Red & Black, triple-layer construction with silicone material, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 132x99x21.5mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
AHD650-2TU31-CBK	R 2,068	Adata HD650 2TB USB 3.2 Gen 1 external Hard Disk Drive - Durable Black, USB 3.2 Gen 1 (USB 5Gbps) Interface
AHD650-2TU31-CBL	R 2,068	Adata HD650 2TB USB 3.2 Gen 1 external Hard Disk Drive - Blue, USB 3.2 Gen 1 (USB 5Gbps) Interface
AHD650-4TU31-CBK	R 2,413	Adata HD650 4TB USB 3.2 Gen 1 external Hard Disk Drive - Durable Black, USB 3.2 Gen 1 (USB 5Gbps) Interface
AHD710-1TU3-CBK	R 1,838	ADATA DashDrive External 2.5" 1TB USB 3.0 Portable Black Drive-Shockproof and Waterproof-Powered by USB port (Black), Retail Box
AHD710-1TU3-CBL	R 1,838	Adata HD710M DashDrive External 2.5" 1TB USB 3.0 Portable Black Drive - Shockproof and Waterproof - Powered by USB port Blue
AHD710P-1TU31-CRD	R 1,838	Adata HD710 Pro 1TB USB 3.2 Gen 1 (USB 5Gbps) external Hard Disk Drive - Red, Military-grade Shock proofing with triple-layered protective construct, Ergonomic Waterproof Port cover, Neat Cable Management, Guarded by durable triple-layered construction
AHD710P-2TU31-CBK	R 2,471	Adata HD710 Pro 2TB USB 3.2 Gen 1 (USB 5Gbps) external Hard Disk Drive - Black, Military-grade Shock proofing with triple-layered protective construct, Ergonomic Waterproof Port cover, Neat Cable Management, Guarded by durable triple-layered construction
AHD710P-2TU31-CBK	R 1,838	Adata HD710 Pro 2TB USB 3.2 Gen 1 (USB 5Gbps) external Hard Disk Drive - Black, Military-grade Shock proofing with triple-layered protective construct, Ergonomic Waterproof Port cover, Neat Cable Management, Guarded by durable triple-layered construction
AHV620S-1TU3-CBL	R 1,734	Adata AHV620s-1TU3-CBL HV620s series, 1Tb/1000Gb Blue Slim, glossy finish with scratch-prevention design, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 115x78x11.5mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
AHV620S-2TU3.1-CBK	R 2,183	Adata HV620 Black USB 3.1 2TB 2.5" External Hard disk Drive
CAS-SATA-USB3-S1103A	R 243	Unitek Usb3 To 2.5inch SATA 6G Hard disk enclosure (S1103A) - max 2TB
EH-A1000HD330K	R 1,806	Adata HD330 series 1Tb/1000Gb Black, with silicon casing with shock absorption G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 133x89x16mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A1000HV300K	R 1,788	Adata HV300 series 1Tb/1000Gb Black, 10mm slim design, G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 126x81x10mm, with OStoGO HDDtoGo utilities 60days trial norton internet security
EH-A1000HV300W	R 1,911	Adata HV300 series 1Tb/1000Gb White, 10mm slim design, G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 126x81x10mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A2000HD330K	R 2,290	Adata HD330 series 2Tb/2000Gb Black, with silicon casing with shock absorption G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 133x89x16mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A2000HV300K	R 2,228	Adata HV300 series 2Tb/2000Gb Black, 10mm slim design, G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 126x81x10mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A2000HV300R	R 2,443	Adata HV300 series 2Tb/2000Gb Red, 10mm slim design, G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 126x81x10mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security

EH-A2000HV300W	R 2,443	Adata HV300 series 2Tb/2000Gb White, 10mm slim design, G Shock Sensor Protection with warning LED, AES-256 bit encryption, with HDD transmission status LED, USB 3.0 (USB 2.0 backward compatible), USB-powered, 126x81x10mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-L1000R	R 2,054	Lacie/ Seagate STFR1000800 2.5" 1Tb/1000Gb Rugged series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 type-C Gen1/5Gbps with type-C to type-A type-C to type-C cable, 135x86x18.7mm (Order on request)
EH-L1000RM	R 1,400	LaCie / seagate LAC301558 2.5" 1Tb/1000Gb Rugged Mini series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 Gen1/5Gbps, 135x86x18.7mm - (Order on request)
EH-L2000R	R 2,704	Lacie/ Seagate STFR2000800 2.5" 2Tb / 2000Gb Rugged series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 type-C Gen1/5Gbps with type-C to type-A type-C to type-C cable, 135x86x18.7mm (Order on request)
EH-L2000RM	R 2,720	LaCie / seagate LAC9000298 2.5" 2Tb/2000Gb Rugged Mini series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 Gen1/5Gbps, 135x86x18.7mm - (Order on request)
EH-L4000R	R 3,567	Lacie / seagate STFR4000800 2.5" 4Tb/4000Gb Rugged series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 type-C Gen1/5Gbps with type-C to type-A type-C to type-C cable, 135x86x26mm - (Order on request)
EH-L4000RM	R 3,564	Lacie / seagate LAC9000633 2.5" 4Tb/4000Gb Rugged Mini series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 Gen1/5Gbps, 135x86x18.7mm - (Order on request)
EH-L5000R	R 4,217	Lacie / Seagate STFR5000800 2.5" 5Tb/5000Gb Rugged series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 type-C Gen1/5Gbps with type-C to type-A type-C to type-C cable, 135x86x26mm - (Order on request)
EH-L5000RM	R 4,170	Lacie / seagate STJJ5000400 2.5" 5Tb/5000Gb Rugged Mini series (1.2m drop resistance 1-ton car crush resistance water/rain resistance), USB3 Gen1/5Gbps, 135x86x18.7mm - (Order on request)
EH-S1000BP	R 1,903	Seagate STJL1000400 Basic Portable series, Black, 1Tb/1000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
EH-S1000EP	R 1,760	Seagate ST910004EXD101 Expansion Portable External Hard Drive, Black, 1Tb/1000GB (2.5") - 80x17.6x141.3mm, USB2.0 Connectivity, No Software to Install, Built-In Power Management.
EH-S1500EP	R 1,504	Seagate STAX1500202 Expansion Portable, black, 1.5Tb/1500gb (2.5") - 80x17.6x141.3mm, USB 3.0 (USB 2.0 backward compatible)
EH-S2000BP	R 2,524	Seagate STJL2000400 Basic Portable series, Black, 2Tb/2000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
EH-S2000EP	R 2,076	Seagate STBX2000401 Expansion series, black, 2Tb/2000gb (2.5" , 5400rpm), USB3.0 (USB 2.0 backward compatible), 122x81x15.5mm
EH-S4000BP	R 2,919	Seagate STJL4000400 Basic Portable series, Black, 4Tb/4000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
EH-S4000EP	R 3,012	Seagate STEA4000400 Expansion series, Black, 4Tb/4000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible), 122x81x15.5mm - dimension mm: 122x81x15.5, interface: USB 3.0/ USB 2.0, size - GB: 4000, backup button: N
EH-S4000GK+G	R 2,945	Seagate Game Drive for XBox 4TB 2.5" 5400rpm USB 3.0 Black with Green LED, STKX4000402
EH-S5000BP	R 3,207	Seagate STJL5000400 Basic Portable series, Black, 5Tb/5000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
EH-S5000EP	R 3,373	Seagate STEA5000402 / STEF5000400 Expansion Portable series, black, 5Tb/5000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible), 122x81x21mm
EH-W1000EP	R 1,191	Western Digital Elements Portable 1TB 2.5" 5400rpm USB 3.0 external Hard Disk Drive, 8MB Cache, USB powered, Compact & sleek, WDBUZG0010BBK
EH-W1000MP-K	R 1,267	Western Digital MyPassport 1TB 2.5" USB 3.0 external Hard Disk Drive Black, USB powered auto Backup, 256-bit Password protection (Hardware Encryption), WDBYVG0010BBK
EH-W2000EP	R 1,408	Western Digital 2TB Elements 2.5" 5400rpm 8MB Cache USB 3.0 External Hard Drive, WDBU6Y0020BBK
EH-W2000MP-K	R 1,528	Western Digital 2TB 2.5" My Passport Black slim USB 3.0 powered portable Drive, USB 3.2 Gen 1 Interface,

		WDBYVG0020BBK
EH-W4000EP	R 2,272	Western Digital WDBU6Y0040BBK Element Portable, Black, 4Tb/4000gb (2.5" , 5400rpm, 128mb), USB3.0 (USB 2.0 backward compatible), 111x82x21mm
EH-W4000MP-K	R 2,233	Western Digital 4TB 2.5" My Passport Black slim USB 3.0 powered Portable Drive, USB 3.2 Gen 1 Interface, 5400rpm, 128MB Cache, WDBPKJ0040BBK
EH-W5000MP-K	R 2,798	Western Digital 5TB 2.5" My Passport Black slim USB 3.0 powered Portable Drive, USB 3.2 Gen 1 Interface, 5400rpm, 128MB Cache, WDBPKJ0050BBK
HDD674	R 1,709	Seagate STEA2000400 Expansion Portable Drive 2TB; 2.5" ; USB 3.0; External HDD Black
HDD779	R 2,714	Seagate STEA4000400 Expansion Portable Drive 4TB; 2.5" ; USB 3.0; External HDD Black
HDTB410EK3AA	R 861	Toshiba HDTB410EK3AA Canvio Connect Ready 1TB 2.5" USB 3.0 External Hard Drive Black, Remote Access Software / 10GB Cloud Storage / Autoback up Software
HDTB440EK3CA	R 1,701	Toshiba Canvio Basic 2.5" 4TB USB 3.0 Black external hard drive - matt finish, USB 3.0 cable (Type A to Micro-B)
HDTB510EK3AA	R 1,599	Toshiba 1TB Canvio Basics USB 3.0 Portable Hard Drive, Retail Box
HDTB510EK3AA	R 1,528	Toshiba Canvio Basics 1TB 2.5" USB 3.2 Gen 1 External Hard Drive, USB 3.2 Gen Interface, 5.0 Gbit/s Maximum transfer rate
HDTB510EK3AAH	R 1,528	Toshiba Canvio Basics 1TB 2.5" USB 3.2 Gen 1 External Hard Drive, USB 3.2 Gen Interface, 5.0 Gbit/s Maximum transfer rate
HDTB520EK3AA	R 1,699	Toshiba Canvio Basics 2TB USB 3.0 Portable Hard Drive, Retail Box
HDTB520EK3AA	R 2,011	Toshiba Canvio Basics 2TB 2.5" External Hard Drive, USB 3.2 Gen Interface, 5.0 Gbit/s Maximum transfer rate
HDTB520EK3AAH	R 2,011	Toshiba Canvio Basics 2TB 2.5" External Hard Drive, USB 3.2 Gen Interface, 5.0 Gbit/s Maximum transfer rate
HDTB540EK3CA	R 2,931	Toshiba Canvio Basics 4TB 2.5" External Hard Drive, USB 3.2 Gen Interface, 5.0 Gbit/s Maximum transfer rate
HDTB540EK3CA	R 2,999	Toshiba Canvio Basics 4TB 2.5" External Hard Drive, USB 3.2 Gen Interface, 5.0 Gbit/s Maximum transfer rate
HDTCA10EK3AAH	R 1,666	Toshiba Canvio Advance 1TB 2.5" USB 3.2 Gen1 2 Portable External Hard Drive - Black, Textured Surface
HDTCA10ER3AAH	R 1,666	Toshiba Canvio Advance 1TB 2.5" USB 3.2 Gen1 2 Portable External Hard Drive - Red, Textured Surface
HDTCA10EW3AAH	R 1,666	Toshiba Canvio Advance 1TB 2.5" USB 3.2 Gen1 2 Portable External Hard Drive - Beige, Textured Surface
HDTCA20ER3AA	R 2,184	Toshiba Canvio Advance 2TB USB 3.2 Gen1 2.5" Portable External Hard Drive - Red, 5.0 Gbit/s Maximum transfer rate, Textured finish enclosure
HDTCA20ER3AAH	R 2,184	Toshiba Canvio Advance 2TB USB 3.2 Gen1 2.5" Portable External Hard Drive - Red, 5.0 Gbit/s Maximum transfer rate, Textured finish enclosure
HDTCA20EW3AAH	R 2,184	Toshiba Canvio Advance 2TB USB 3.2 Gen1 2.5" Portable External Hard Drive - Beige, 5.0 Gbit/s Maximum transfer rate, Textured finish enclosure
HDTCA40EK3CA	R 3,347	Toshiba Canvio Advance 4TB Black USB 3.2 Gen 1 External Hard Drive, 5.0 Gbit/s Maximum transfer rate, Maximum 900mA USB Bus Power Maximum 900mA, Textured finish
HDTCA40ER3CA	R 3,347	Toshiba Canvio Advance 4TB USB 3.2 Gen1 2.5" Portable External Hard Drive - Red, 5.0 Gbit/s Maximum transfer rate, Textured finish enclosure
HDTCA40EW3CA	R 3,347	Toshiba Canvio Advance 4TB USB 3.2 Gen1 2.5" Portable External Hard Drive - Beige, 5.0 Gbit/s Maximum transfer rate, Textured finish enclosure
HDTP310AK3AA	R 1,321	Toshiba Canvio Ready 1TB 2.5" USB 3.2 Gen 1 Portable Hard Drive, Two-tone Matte and Gloss finish enclosure, 5.0 Gbit/s Maximum transfer rate
HDTP320AK3AA	R 1,724	Toshiba Canvio Ready 2TB 2.5" USB 3.2 Gen 1 Portable Hard Drive, 5.0 Gbit/s Maximum transfer rate, Two-tone Matte and Gloss finish
HDTP340AK3CA	R 2,473	Toshiba Canvio Ready 4TB 2.5" USB 3.2 Gen 1 Portable Hard Drive, Two-tone Matte and Gloss finish enclosure, 5.0 Gbit/s Maximum transfer rate
HDTX110EK3AAU	R 1,978	Toshiba Canvio Gaming 1TB 2.5" USB 3.2 Gen1 External Hard Drive - Black, Compatible - PlayStation / XBox / PC, Up to 5.0 Gbit/s Maximum transfer rate, USB Bus power, Sleek Black finish
HDTX120EK3AAU	R 1,719	Toshiba Canvio Gaming 2TB 2.5" USB 3.2 Gen1 External Hard Drive - Black, Compatible - PlayStation / XBox / PC, Up to 5.0 Gbit/s Maximum transfer rate, USB Bus power, Sleek Black finish, HDTX120EK3AA
HDTX120ESCAAU	R 1,546	Toshiba Canvio Flex 2TB 2.5" USB 3.2 Gen1 Type-C External Hard Drive - Silver, USB Type-C cable, Compatible - Mac / PC / Tablet, Elegant Silver finish, Up to 5.0 Gbit/s Maximum transfer rate, exFAT File System, USB Bus

		power
HDTX140EK3CA	R 3,506	Toshiba Canvio Gaming 4TB 2.5" USB 3.2 Gen1 External Hard Drive Black, Compatible - PlayStation / XBox / PC, Up to 5.0 Gbit/s Maximum transfer rate, USB Bus power, Sleek Black finish, HDTX140EK3CA
HDTX140ESCCA	R 3,506	Toshiba Canvio Flex 4TB 2.5" USB 3.2 Gen1 Type-C External Hard Drive - Silver, USB Type-C cable, Compatible - Mac / PC / Tablet, Elegant Silver finish, Up to 5.0 Gbit/s Maximum transfer rate, exFAT File System, USB Bus Power
HDTX140ESCCAU	R 3,506	Toshiba Canvio Flex 4TB 2.5" USB 3.2 Gen1 Type-C External Hard Drive - Silver, USB Type-C cable, Compatible - Mac / PC / Tablet, Elegant Silver finish, Up to 5.0 Gbit/s Maximum transfer rate, exFAT File System, USB Bus Power
LAC301558	R 1,404	Seagate LaCie Rugged Mini 1TB 2.5" USB 3.0 External Hard Drive, 130MB/s Maximum transfer speed, USB 3.2 Gen 1 Micro-B connection Interface
LAC9000124	R 1,634	LaCie Porsche Design P ' 9231 2TB USB 2.0 Portable external Hard Disk Drive - OEM packaged, LAC9000124, Aluminum casing
LAC9000298	R 2,992	LaCie 2.0TB 2.5" Rugged Mini External Portable Hard Drive - Silver & Orange - USB 3.0 - Shock resistance, drop resistance, and a rubber sleeve for added protection. It ' s also rain-resistant, and pressure-resistant - you can drive over it with a one-ton car, and it still works! Its small size makes it perfect to take with you wherever you go, and its Rugged exterior provides protection against accidental drops, bumps, or pressure.
LAC9000633	R 3,866	LaCie 4.0TB 2.5" Rugged Mini External Portable Hard Drive - Silver & Orange - USB 3.0 - Shock resistance, drop resistance, and a rubber sleeve for added protection. It ' s also rain-resistant, and pressure-resistant - you can drive over it with a one-ton car, and it still works! Its small size makes it perfect to take with you wherever you go, and its Rugged exterior provides protection against accidental drops, bumps, or pressure.
M47683	R 2,349	Verbatim Store ' n ' Save 2TB USB 3.0 Hard Disk Drive
M53112	R 985	Verbatim 53112 1TB 2.5" USB 3.2 Gen 1 Mobile Hard Drive - Certified refurbished, Up to 4800 mbits/second Data Transfer Rate, 5400rpm rotational Speed, Bus Powered via USB 3.0 cable
M53177	R 1,842	VERBATIM 2.5 USB 3 2TB HARD DRIVE BLACK
M53194	R 1,780	Verbatim Store ' n ' Go 1TB Black USB 3.0 Hard Drive
M53195	R 2,358	Verbatim Store ' n ' Go 2TB Black USB 3.0 Hard Drive
M53197	R 1,780	Verbatim Store ' n ' Go 1TB Silver USB 3.0 Hard Drive
M53223	R 3,412	Verbatim 53223 Store ' n ' Go 2.5" 4TB USB 3.0 Portable Hard Drive - Black, 15mm thick, USB 3.0 Superspeed
M53401	R 2,202	Verbatim 1Tb Store ' N ' Go Secure Portable HDD With Keypad Access USB 3.1 Gen1
M53402	R 1,044	Verbatim Store ' n ' Go 256GB Portable Solid State Drive with Keypad Access
M53403	R 3,007	Verbatim 2Tb Store 'N' Go Secure Portable HDD With Keypad Access USB 3.1 Gen1
M53650	R 2,090	Verbatim 53650 1TB USB 3.1 Gen 1 Fingerprint Secure Hard Drive, Up to 8 authorised users plus 1 administrator, USB-C to USB Type-A cable and USB-C Adapter
M53651	R 2,560	Verbatim 53651 2TB USB 3.1 Gen 1 Fingerprint Secure Hard Drive, Up to 8 authorised users plus 1 administrator, USB-C to USB Type-A cable and USB-C Adapter
MOVEV53194	R 1,474	Verbatim Store'N'Go Black 1Tb 2.5" USB 3.0 Portable Hard Drive; bus powered; black; 5400 RPM; compact design; 119 x 81 x 14.5mm; 158g; Nero Backup Software included
MOVEV53195	R 1,942	Verbatim 2tb 2.5" 9.5mm USB 3.0 Black Portable Hard Drive
SP010TBPHD66SS3K	R 1,413	Silicon Power Vault A66 1Tb USB 3.2 Gen 1 Portable Hard Disk Drive
SP010TBPHD85BS3K	R 1,456	Silicon Power Vault A85b 1Tb USB 3.2 Gen 1 Portable Hard Disk Drive; aluminium casing; USB-A interface; plug and play; 128GB storage; portable storage device; Windows Mac Linux compatible; keychain strap hole; cap protected connector
SP010TBPHDA80S3K	R 1,456	Silicon Power Vault A80 1Tb USB 3.2 Gen 1 Hard Disk Drive
SP020TBPHD66SS3K	R 2,101	Silicon Power Vault A66 2Tb USB 3.2 Gen 1 Portable Hard Disk Drive
SP020TBPHD85BS3K	R 2,144	Silicon Power Vault A85b 2Tb USB 3.2 Gen 1 Portable Hard Disk Drive
SP020TBPHDA80S3K	R 2,145	Silicon Power Vault A80 2Tb USB 3.2 Gen 1 Portable Hard Disk Drive
STFD1000400	R 1,147	Seagate LaCie Porsche Design P'922 1TB USB-C Mobile Drive - Silver, USB 3.0, Aluminum enclosure, STFD1000400

STFR1000800	R 2,928	LaCie Rugged USB-C 1TB Mobile Hard Disk Drive
STFR1000800	R 2,489	Seagate LaCie Rugged 1TB 2.5" USB Type-C 3.0 Portable Hard Drive, USB 3.1 Gen 1 Type-C connection Interface, 130MB/s Maximum read speed
STFR1000800	R 1,354	Seagate LaCie Rugged 1TB 2.5" USB Type-C 3.0 Portable Hard Drive, USB 3.1 Gen 1 Type-C connection Interface, 130MB/s Maximum read speed, STFR1000800
STFR2000403	R 1,949	Seagate LaCie STFR2000403 Secure USB-C 2TB External 2.5" Hard Drive - (OEM Packaged/Not Retail), USB 3.1 Type-C Port Hard Drive, Thunderbolt 3 Compatible, Seagate Secure Encryption Technology, Bus-Powered - No External Power Required
STFR2000800	R 3,620	LaCie 2.0TB 2.5" Rugged Portable External Hard Drive USB Type C, USB 3.0 Compatible - Drop Shock, Dust, Rain Resistant
STFR2000800	R 3,157	LaCie 2.0TB 2.5" Rugged Portable External Hard Drive USB Type C, USB 3.0 Compatible - Drop Shock, Dust, Rain Resistant
STFR2000800	R 3,234	LaCie 2.0TB 2.5" Rugged Portable External Hard Drive USB Type C, USB 3.0 Compatible - Drop Shock, Dust, Rain Resistant
STFR2000800	R 2,069	Seagate LaCie Rugged 2TB 2.5" USB 3.1 Type-C external Hard Disk Drive, STFR2000800
STFR4000800	R 4,759	LaCie 4.0TB 2.5" Rugged Portable External Hard Drive USB Type C, USB 3.0 Compatible - Drop Shock, Dust, Rain Resistant
STFR4000800	R 4,184	LaCie 4.0TB 2.5" Rugged Portable External Hard Drive USB Type C, USB 3.0 Compatible - Drop Shock, Dust, Rain Resistant
STFR4000800	R 4,314	LaCie 4.0TB 2.5" Rugged Portable External Hard Drive USB Type C, USB 3.0 Compatible - Drop Shock, Dust, Rain Resistant
STFR4000800	R 3,076	Seagate LaCie Rugged 4TB 2.5" USB 3.1 Gen1 Type-C external Hard Disk Drive, STFR4000800, 130 MB/s Maximum Sequential read rate
STFR5000800	R 5,434	LaCie STFR5000800 Rugged 5TB Storage Capacity USB-C external hard drive, USB 3.0 Type-C Interface Up to 130 MB/s Data Transfer Speed Bus Powered
STFR5000800	R 5,112	LaCie STFR5000800 Rugged 5TB Storage Capacity USB-C external hard drive, USB 3.0 Type-C Interface Up to 130 MB/s Data Transfer Speed Bus Powered
STFR5000800	R 5,047	LaCie STFR5000800 Rugged 5TB Storage Capacity USB-C external hard drive, USB 3.0 Type-C Interface Up to 130 MB/s Data Transfer Speed Bus Powered
STFR5000800	R 3,654	LaCie Rugged 5TB USB 3.0 Type-C External Hard Drive, USB 3.0 Type-C Interface up to 130 MB/s Data transfer speed, Bus powered, Crush & Shock Impact resistance, STFR5000800
STHG2000402	R 1,776	Seagate LaCie 2TB USB Type-C 3.1 Space Grey aluminum enclosure External Hard Drive - (OEM Packaged/Not Retail), STHG2000402
STHG4000402	R 2,888	Seagate LaCie 5TB USB Type-C 3.1 Space Grey aluminum enclosure External Hard Drive, STHG4000402
STHG5000402	R 3,590	Seagate LaCie 5TB USB Type-C 3.1 Space Grey aluminum enclosure External Hard Drive, STHG4000402
STJJ5000400	R 4,255	Lacie Rugged Mini 5Tb USB 3.0 Hard Disk Drive
STJJ5000400	R 4,740	LaCie STJJ5000400 Rugged Mini; 5TB; USB 3.0; 2.5"
STJL1000400	R 1,846	Seagate STJL1000400 Basic Portable 1TB; 2.5" ; USB 3.0; External HDD - Black
STJL2000400	R 1,872	Seagate STJL2000400 Basic Portable series, Black, 2Tb/2000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
STJL2000400	R 2,446	Seagate STJL2000400 Basic Portable series, Black, 2Tb/2000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
STJL4000400	R 2,699	Seagate STJL4000400 Basic Portable series, Black, 4Tb/4000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
STJL5000400	R 2,980	Seagate STJL5000400 Basic Portable series, Black, 5Tb/5000gb (2.5" , 5400rpm), USB 3.0 (USB 2.0 backward compatible)
STKM1000400	R 1,483	Seagate 1TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM1000400	R 1,638	Seagate 1TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered,

		Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM1000400	R 1,494	Seagate 1TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM1000400	R 1,666	Seagate 1TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface, STKM1000400
STKM1000400	R 1,839	Seagate 1TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface, STKM1000400
STKM2000400	R 1,970	Seagate 2TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM2000400	R 2,184	Seagate 2TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM2000400	R 2,299	Seagate 2TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface, STKM2000400
STKM2000400	R 2,069	Seagate 2TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface, STKM2000400
STKM2000400	R 1,699	Seagate Expansion Portable Hard Drive - 2TB Capacity, 2.5" Inches Size, USB 3.0 Cable Interface, exFAT File Format, Passive Cooling, BUS Power Source, Compatible With Windows And Mac, Plug And Play, Retail Box,
STKM4000400	R 2,645	Seagate 4TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM4000400	R 2,873	Seagate 4TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface
STKM4000400	R 2,989	Seagate 4TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface, STKM4000400
STKM4000400	R 3,151	Seagate 4TB Expansion portable USB 3.0 External Hard Drive, Micro USB 3.0 Interface, Bus powered, Preformatted exFAT, 1x USB 3.2 / USB 3.1 Gen 1 connection Interface, STKM4000400
STKM4000400	R 3,099	Seagate Expansion Portable Drive External Hard Drive - 4TB External Capacity, 2.5 Inch Form Factor, USB 3.0 Port Interface, Drag and Drop File Saving, Compatible with Most Windows, macOS, and Chrome OS System, Color Black, Retail Box
STKM5000400	R 3,561	Seagate 5TB 2.5" expansion portable Hard Disk Drive USB 3.0, USB Bus power, Passive cooling system, Micro-USB 3.0 Interface
STKM5000400	R 3,656	Seagate 5TB 2.5" expansion portable Hard Disk Drive USB 3.0, USB Bus power, Passive cooling system, Micro-USB 3.0 Interface, STKM5000400
STKM5000400	R 3,505	Seagate 5TB 2.5" expansion portable Hard Disk Drive USB 3.0, USB Bus power, Passive cooling system, Micro-USB 3.0 Interface, STKM5000400
STKY1000400	R 1,463	Seagate One Touch 1TB 2.5" USB 3.2 Gen 1 external Hard Disk Drive - Black, STKY1000400, Windows & MacOS OS support, Aluminum material, USB Bus Power
STKZ4000400	R 2,938	Seagate One Touch 4TB 2.5" USB 3.0 Portable - Black, Aluminum enclosure, 120 MB/s Max speed, STKZ4000400
STKZ5000400	R 3,332	Seagate One Touch 5TB 2.5" USB 3.0 Portable - Black, Aluminum enclosure, 120 MB/s Max speed, STKZ5000400
STLR2000400	R 2,261	Seagate LaCie 2TB USB 3.2 Gen 1 Type-C External Hard Drive with aluminum enclosure - Space Grey, STLR2000400
STLR2000400	R 2,612	Seagate LaCie 2TB USB 3.2 Gen 1 Type-C External Hard Drive with aluminum enclosure - Space Grey, STLR2000400
STLR2000400	R 2,555	Seagate LaCie 2TB USB 3.2 Gen 1 Type-C External Hard Drive with aluminum enclosure - Space Grey, STLR2000400
STLR4000400	R 3,976	Seagate LaCie 4TB USB 3.1 Type-C external Drive with Silver aluminum enclosure, Fast USB-C 130 MB/s File transfers, STLR4000400
STLR4000400	R 3,003	Seagate LaCie 4TB USB 3.1 Type-C external Drive with Silver aluminum enclosure - OEM Packaged / Not Retail,

		Fast USB-C 130 MB/s File transfers, STLR4000400
STLR5000400	R 3,654	Seagate LaCie 5TB USB-C USB 3.1 aluminum enclosure Silver - OEM Packaged / Not Retail, Micro-USB 3.0 Interface, USB Bus Power, STLR5000400
STLV2000201	R 2,673	Seagate Game Drive for PlayStation 5 - 2TB 2.5" USB 3.0 external Hard Disk Drive, STLV2000201
STLV5000200	R 3,751	Seagate Game Drive for PS5 5TB 2.5" USB 3.0 external Hard Disk Drive, STLV5000200, Blue LED Lighting, Work with All models of PS5 and PS4, 5TB 2.5" SATA3 6Gb/s Drive
TS1TSJ25A3K	R 2,188	Transcend StoreJet 25A3 Series - 1.0TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered - Trendy Slim Design
TS1TSJ25C3S	R 2,652	Transcend 25C3S StoreJet 1TB 2.5" USB 3.1 Type-C & A Hard Disk Drive - aluminum
TS1TSJ25H3B	R 2,291	Transcend StoreJet 25H3B Series - 1TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered - Rugged Design - BLUE
TS1TSJ25H3P	R 2,291	Transcend StoreJet 25H3 Series, 1.0TB 2.5" External Hard Drive with SuperSpeed USB 3.0, Plug & Play, One Touch Auto Backup, USB Powered, Military Drop Tested. (1TB / 1000GB robust external drive)
TS1TSJ25M3S	R 2,188	Transcend Storejet M3S 1TB 2.5" USB 3.1 Gen 1 Slim Hard Disk Drive, Advanced three-stage shock protection system, Durable anti-shock rubber outer case, Advanced internal hard drive suspension system
TS2TSJ25A3K	R 2,674	Transcend StoreJet 25A3 Series - 2.0TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered - Trendy Slim Design
TS2TSJ25H3B	R 2,753	Transcend StoreJet 25H3B Series - 2TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered - Rugged Design - BLUE
TS2TSJ25H3P	R 2,753	Transcend StoreJet 25H3 Series - 2.0TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered - Purple Rugged Design
TS2TSJ25M3C	R 2,765	Transcend StoreJet 25MC Slimline Series - 2TB 2.5" External HDD - USB Type C port with Type C to C and Type C to A cables, Plug & Play, USB Powered - Military Drop Tested Anti-Shock Protection - Iron Grey
TS4TSJ25H3P	R 4,740	Transcend StoreJet 25H3 Series - 4.0TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered - Rugged Design - Purple
TS4TSJ25M3C	R 4,740	Transcend StoreJet 25MC Slimline Series - 4TB 2.5" External HDD - USB Type C port with Type C to C and Type C to A cables, Plug & Play, USB Powered - Military Drop Tested Anti-Shock Protection - Iron Grey
W0S02989	R 776	Hitachi LifeStudio Mobile Plus 500GB USB 2.0 Portable external Hard Disk Drive - Light Grey / Turquoise
W0S03698	R 776	HGST Touro S Ultra 500GB USB 3.0 7200rpm Portable external Hard Disk Drive - Grey
WDBY8L0020BRD	R 2,631	Western Digital My Passport Series 2TB 2.5" USB 3.0 External Hard Drive - Red, WDBY8L0020BRD
WDBYFT0020BYL	R 2,055	Western Digital My Passport 2TB 2.5" USB 3.0 Hard Disk Drive - Yellow, USB powered, Compact & sleek, Auto Backup with WD Backup, Password protection (Hardware Encryption), WDBYFT0020BYL
WDBYVG0010BBK-WESN	R 1,569	Western Digital My Passport 1TB portable Slim style hard drives with USB 3.2 Gen 1 - WD Discovery software - Black
WDBYVG0020BBK-WESN	R 1,724	Western Digital 2TB 2.5" My Passport Black slim USB 3.0 powered portable Drive, USB 3.2 Gen 1 Interface

< Return to the menu

External HDD & SSD Drives : External 3.5" HDD

Product code	Price	Description
EH-L10T1BD	R 10,084	Seagate LaCie 1big Dock Thunderbolt 3 - 10TB external drive, Transfer speeds of up to 240MB/s, 10TB Ironwolf Pro 7200 rpm SATA 3.5" Hard Disk Drive, 2x Thunderbolt 3, 1x USB 3.0 Type-A, DisplayPort 1.4 Output for 8K displays, SDXC and Compact Flash card slots
EH-L10TD2P	R 7,917	Lacie / seagate STHA10000800 3.5" 10Tb D2 Professional series, aluminum housing, 240mb/s, USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 189x130x60mm, black - (Order on request)
EH-L14TD2P	R 11,848	Lacie / seagate STHA14000800 3.5" 14Tb D2 Professional series, aluminum housing, 240mb/s, USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 189x130x60mm, black
EH-L16T1BD	R 12,724	Seagate LaCie 1big Dock Thunderbolt 3 - 16TB external drive, Transfer speeds of up to 240MB/s, 16TB Ironwolf Pro 7200 rpm SATA 3.5" Hard Disk Drive, 2x Thunderbolt 3, 1x USB 3.0 Type-A, DisplayPort 1.4 Output for 8K displays, SDXC and Compact Flash card slots

EH-L16TD2P	R 12,626	Lacie / seagate STHA16000800 D2 Professional series 16Tb 3.5" , aluminum housing, 240mb/s, USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 189x130x60mm, black - (Order on request)
EH-L4T1BD	R 6,153	Seagate LaCie 1big Dock Thunderbolt 3 - 4TB external drive, Transfer speeds of up to 240MB/s, 4TB Ironwolf Pro 7200 rpm SATA 3.5" Hard Disk Drive, 2x Thunderbolt 3, 1x USB 3.0 Type-A, DisplayPort 1.4 Output for 8K displays, SDXC and Compact Flash card slots, STHS4000800
EH-L4TD2P	R 4,051	Lacie / seagate STHA4000800 3.5" 4Tb D2 Professional series, aluminum housing, 240mb/s, USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 189x130x60mm, black - (Order on request)
EH-L6TD2P	R 4,590	Lacie / seagate STHA6000800 3.5" 6Tb D2 Professional series, aluminum housing, 240mb/s, USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 189x130x60mm, black - (Order on request)
EH-L8T1BD	R 8,519	Seagate LaCie 1big Dock Thunderbolt 3 - 8TB external drive, Transfer speeds of up to 240MB/s, 8TB Ironwolf Pro 7200 rpm SATA 3.5" Hard Disk Drive, 2x Thunderbolt 3, 1x USB 3.0 Type-A, DisplayPort 1.4 Output for 8K displays, SDXC and Compact Flash card slots, STHS8000800
EH-L8TD2P	R 6,412	Lacie / seagate STHA8000800 3.5" 8Tb D2 Professional series, aluminum housing, 240mb/s, USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 189x130x60mm, black - (Order on request)
EH-S10TEDU3	R 5,522	Seagate STEB10000400 Expansion Desktop, black, 10Tb/10000gb (3.5") - 37.79x125.91x207.08mm, USB 3.0 (USB 2.0 backward compatible)
EH-S10ToTH	R 5,177	Seagate STLC10000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 10Tb (3.5"), with AES-256 hardware encryption, auto backup for social network content
EH-S12TEDU3	R 6,899	Seagate STEB12000400 Expansion Desktop, black, 12Tb/12000gb (3.5") - 37.79x125.91x207.08mm, USB 3.0 (USB 2.0 backward compatible)
EH-S12ToTH	R 6,408	Seagate STLC12000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 12Tb (3.5"), with AES-256 hardware encryption, auto backup for social network content
EH-S14ToTH	R 7,244	Seagate STLC14000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 14Tb (3.5"), with AES-256 hardware encryption, auto backup for social network content
EH-S16TEDU3	R 9,910	Seagate STEB16000400 Expansion Desktop, Black, 16Tb/16000gb (3.5") - 37.79x125.91x207.08mm, USB3.0 (USB 2.0 backward compatible)
EH-S16TGH	R 10,709	Seagate 16TB FireCuda Gaming Hub with customisable LED - USB 3.2 Gen 1, 1.2 m USB 3.0 cable, Power Adapter, STKK16000400
EH-S16ToTH	R 9,214	Seagate STLC14000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 16Tb (3.5"), with AES-256 hardware encryption, auto backup for social network content
EH-S18ToTH	R 11,762	Seagate STLC14000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 18Tb (3.5"), with AES-256 hardware encryption, auto backup for social network content
EH-S4TEDU3	R 2,989	Seagate STBV4000200 Expansion Desktop, Black, 4Tb/4000gb (3.5") - 37.79x125.91x207.08mm, USB 3.0 (USB 2.0 backward compatible)
EH-S4TGD	R 7,350	seagate STJF4000400 firecuda Gaming Dock, 4Tb/4000gb (3.5") with NVMe M.2 expansion slot RGB LED, with auto backup for social network content, 2 years free seagate-cloud storage, 2x Thunderbolt3 (40Gbps) DisplayPort gigabit lan 3.5mm audio in/out 5x USB3 type-A Gen2/10Gbps - 590x114x51mm
EH-S4ToTH	R 2,522	Seagate STLC4000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 4Tb/4000gb (3.5"), with AES-256 hardware encryption, auto backup for social network content, four months Adobe Creative Cloud
EH-S6TEDU3	R 3,467	Seagate STEB6000403 Expansion Desktop, black, 6Tb/6000gb (3.5") - 37.79x125.91x207.08mm, USB 3.0 (USB 2.0 backward compatible)
EH-S6ToTH	R 3,218	Seagate STLC6000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 6Tb/6000gb (3.5"), with AES-256 hardware encryption, auto backup for social network content, four months Adobe Creative Cloud
EH-S8TEDU3	R 4,367	Seagate STEB8000402 Expansion Desktop, black, 8Tb/8000gb (3.5") - 37.79x125.91x207.08mm, USB 3.0 (USB 2.0 backward compatible)
EH-S8TGH	R 4,115	Seagate 8TB FireCuda Gaming Hub with customisable LED - USB 3.2 Gen 1, 1.2 m USB 3.0 cable, Power Adapter, STKK8000400

EH-S8ToTH	R 3,904	Seagate STLC8000400 One Touch Hub, USB 3.0 (USB 2.0 backwards compatible) with front USB3 type-A type-C downstream, black, 8Tb/8000gb (3.5"), with AES-256 hardware encryption, auto backup for social network content, four months Adobe Creative Cloud
M47685	R 2,831	Verbatim 47685 Store ' n ' save 4TB 3.5" USB 3.0 Hard Drive Gen 2 Black
STHA10000800	R 9,217	LaCie d2 Professional 10TB 7200rpm USB-C external drive, Up to 240MB/s Interface Transfer Rate
STHA10000800	R 6,402	LaCie D2 Professional 10TB 7200rpm USB-C external Drive, Up to 240MB/s Interface transfer rate, STHA10000800, 1x USB 3.1 Interface, Thunderbolt 3 compatibility
STHA14000800	R 11,290	LaCie STHA14000800 D2 Professional; 14TB; USB-C; 240MB/s transfer rate; Seagate Barracuda Pro inside; USB 3.0; Aluminium unibody; 1-month complimentary membership to adobe Creative Cloud All Apps plan, Â© 2020 Laptop Direct
STHA16000800	R 12,793	Seagate LaCie d2 Professional 16TB USB Type-C External 3.5" Hard Drive, 240MB/s transfer rate, Seagate Barracuda Pro inside, USB 3.0, Aluminium unibody, STHA16000800
STHA16000800	R 12,864	Seagate LaCie d2 Professional 16TB USB Type-C External 3.5" Hard Drive, 240MB/s transfer rate, Seagate Barracuda Pro inside, USB 3.0, Aluminium unibody, STHA16000800, Â© 2020 Laptop Direct
STHA16000800	R 11,505	Seagate LaCie d2 Professional 16TB USB Type-C External 3.5" Hard Drive, 240MB/s transfer rate, Seagate Barracuda Pro inside, USB 3.0, Aluminium unibody, STHA16000800
STHA20000800	R 17,184	LaCie d2 Professional 20TB USB 3.2 Gen 2 Type-C External Hard Drive, 290 MB/s read speed Maximum, 290 MB/s write speed Maximum, Seagate Ironwolf Pro 7200 rpm Enterprise-Class Hard Disk Drive
STHA4000800	R 5,923	LaCie d2 Professional 4TB 7200rpm USB-C external drive, Up to 240MB/s Interface Transfer Rate
STHA4000800	R 4,921	LaCie d2 Professional 4TB 7200rpm USB-C external drive, Up to 240MB/s Interface Transfer Rate
STHA8000800	R 9,046	LaCie d2 Professional USB-C 8TB External Hard Disk Drive
STKP10000400	R 5,636	Seagate Expansion 10TB 3.5" USB 3.0 external Hard Disk Drive Black, STKP10000400, 1x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B), 18W power Adapter
STKP10000400	R 5,173	Seagate Expansion 10TB 3.5" USB 3.0 external Hard Disk Drive Black, STKP10000400, 1x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B), 18W power Adapter, Â© 2021 Laptop Direct
STKP10000400	R 5,530	Seagate Expansion 10TB 3.5" USB 3.0 external Hard Disk Drive Black, STKP10000400, 1x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B), 18W power Adapter
STKP16000400	R 11,027	Seagate Expansion 16TB 3.5" USB 3.0 external Hard Disk Drive Black, STKP16000400
STKP20000400	R 12,246	Seagate Expansion Desktop 20TB 3.5" USB 3.0 external Hard Disk Drive, 18W Power Adapter, 45cm USB 3.0 cable
STKP24000400	R 14,891	Seagate Expansion Desktop Drive 24TB 3.5" USB 3.0 external Hard Disk Drive, 18W Power Adapter, 45cm USB 3.0 Type-A cable, STKP24000400
STKP4000400	R 2,818	Seagate 4TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable
STKP4000400	R 2,038	Seagate 4TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable
STKP4000400	R 2,224	Seagate 4TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable
STKP6000400	R 3,141	Seagate 6TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable
STKP6000400	R 3,463	Seagate 6TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable
STKP6000400	R 3,391	Seagate 6TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable, STKP6000400
STKP8000400	R 4,181	Seagate STKP8000400 8TB 3.5" Expansion Desktop USB 3.0 External Hard Drive
STKP8000400	R 4,544	Seagate STKP8000400 8TB 3.5" Expansion Desktop USB 3.0 External Hard Drive
STKP8000400	R 4,403	Seagate 8TB 3.5" expansion Desktop External Hard Drive USB 3.0, Micro-USB 3.0 Interface, Includes USB 3.0 cable, STKP8000400
STKP8000400	R 4,758	Seagate STKP8000400 8TB 3.5" Expansion Desktop USB 3.0 External Hard Drive

STLC10000400	R 4,608	Seagate 10.0TB 3.5" One Touch HUB - USB 3.0 - Back Up and Protect Photos, Videos and More - Automatically - AC Powered
STLC4000400	R 2,304	Seagate 4TB 3.5" One Touch HUB - USB 3.0 - Back Up and Protect Photos, Videos and More - Automatically - AC Powered
TS4TSJ35T3	R 4,819	Transcend StoreJet 4TB 3.5" Aluminium Turbo External SATA HDD - USB 3.0, Plug & Play, Hot Swap, External Power
TS8TSJ35T3	R 6,429	Transcend StoreJet 8TB 3.5" Aluminum Turbo External SATA HDD - USB 3.0, Plug & Play, Hot Swap, External Power
WDBCPZ0020HAL	R 1,950	Western Digital My Book Studio 2TB USB 3.0 Desktop Hard Drive, WDBCPZ0020HAL

< Return to the menu

External HDD & SSD Drives : External RAID drives

Product code	Price	Description
EH-L120T12BT	R 146,723	Lacie / seagate STFJ120000400 3.5" 120Tb 12Big Thunderbolt 3 series (Raid5/6 storage with 12x 7200rpm HDDs), 2600MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 447x237x161mm, silver - (Order on request)
EH-L168T12BT	R 203,350	Lacie / seagate STFJ168000400 3.5" 168Tb 12Big Thunderbolt 3 series (Raid5/6 storage with 12x 7200rpm HDDs), 2600MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 447x237x161mm, silver - (Order on request)
EH-L16T2BD	R 16,729	LaCie / Seagate 2Big Dock 16TB Thunderbolt External Drive, 16TB Capacity (2x 8TB Hard Drives), 2x Thunderbolt 3, 1x USB 3.0 Type-C, 1x USB 3.0 Type-A, 1x DisplayPort, CompactFlash & SD Card Slots, 440 MB/s Max Data Transfer Rate, Aluminum enclosure with improved internal heat dissipation, Thermoregulated Noctua cooling fan, System monitoring and email alerts for failure and warning events, Front-facing drive status LEDs, STGB16000800
EH-L16T2BR	R 20,077	Lacie / seagate STHJ16000800 3.5" 16Tb 2Big Raid series (Raid0/1 storage with 2x 7200rpm HDDs), USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 217x118x93mm, black - (Order on request)
EH-L20T2BD	R 18,652	LaCie / Seagate 2Big Dock 20TB Thunderbolt External Drive, 20TB Capacity (2x 10TB Hard Drives), 2x Thunderbolt 3, 1x USB 3.0 Type-C, 1x USB 3.0 Type-A, 1x DisplayPort, CompactFlash & SD Card Slots, 440 MB/s Max Data Transfer Rate, Aluminum enclosure with improved internal heat dissipation, Thermoregulated Noctua cooling fan, System monitoring and email alerts for failure and warning events, Front-facing drive status LEDs, STGB20000800
EH-L24T6BT	R 36,248	Lacie / Seagate STFK24000400 3.5" 24Tb 6Big Thunderbolt 3 series (Raid5/6 storage with 6x 7200rpm HDDs), 1400MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 237x228x161mm, silver - (Order on request)
EH-L28T2BD	R 26,729	LaCie / Seagate 2Big Dock 28TB Thunderbolt External Drive, 28TB Capacity (2x 14TB Hard Drives), 2x Thunderbolt 3, 1x USB 3.0 Type-C, 1x USB 3.0 Type-A, 1x DisplayPort, CompactFlash & SD Card Slots, 440 MB/s Max Data Transfer Rate, Aluminum enclosure with improved internal heat dissipation, Thermoregulated Noctua cooling fan, System monitoring and email alerts for failure and warning events, Front-facing drive status LEDs, STGB28000800
EH-L28T2BR	R 24,037	LaCie / Seagate 3.5" 28TB 2Big RAID series External Hard Drive USB Type-C, RAID0/1 storage with 2x 7200rpm hard drives, USB 3.0 Type-C Gen2 / 10Gbps with Type-C to Type-A Type-C to Type-C cable, 217 x 118 x 93 mm, Black, STHJ28000800
EH-L32T2BD	R 28,634	LaCie / Seagate 2Big Dock 32TB Thunderbolt External Drive, 3 2TB Capacity (2x 16TB Hard Drives), 2x Thunderbolt 3, 1x USB 3.0 Type-C, 1x USB 3.0 Type-A, 1x DisplayPort, CompactFlash & SD Card Slots, 440 MB/s Max Data Transfer Rate, Aluminum enclosure with improved internal heat dissipation, Thermoregulated Noctua cooling fan, System monitoring and email alerts for failure and warning events, Front-facing drive status LEDs, STGB32000800
EH-L48T12BT	R 78,475	Lacie / seagate STFJ48000400 3.5" 48Tb 12Big Thunderbolt 3 series (Raid5/6 storage with 12x 7200rpm HDDs) , 2600MB/s , 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable , 447x237x161mm , silver - (Order on request)

EH-L48T6BT	R 36,248	Lacie / Seagate STFK48000400 3.5" 48Tb 6Big Thunderbolt 3 series (Raid5/6 storage with 6x 7200rpm HDDs), 1400MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 237x228x161mm, silver - (Order on request)
EH-L4T2BR	R 3,740	Lacie / seagate STHJ4000800 3.5" 4Tb 2Big Raid series (Raid0/1 storage with 2x 7200rpm HDDs), USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 217x118x93mm, black - (Order on request)
EH-L60T6BT	R 41,441	Lacie / seagate STFK60000400 3.5" 60Tb 6Big Thunderbolt 3 series (Raid5/6 storage with 6x 7200rpm HDDs), 1400MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 237x228x161mm, silver - (Order on request)
EH-L72T12BT	R 102,026	Lacie / seagate STFJ72000400 3.5" 72Tb 12Big Thunderbolt 3 series (Raid5/6 storage with 12x 7200rpm HDDs) , 2600MB/s , 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable , 447x237x161mm , silver - (Order on request)
EH-L8T2BD	R 12,018	LaCie / Seagate 2Big Dock 8TB Thunderbolt External Drive, 8TB Capacity (2x 4TB Hard Drives), 2x Thunderbolt 3, 1x USB 3.0 Type-C, 1x USB 3.0 Type-A, 1x DisplayPort, CompactFlash & SD Card Slots, 440 MB/s Max Data Transfer Rate, Aluminum enclosure with improved internal heat dissipation, Thermoregulated Noctua cooling fan, System monitoring and email alerts for failure and warning events, Front-facing drive status LEDs, STGB8000800
EH-L8T2BR	R 8,461	Lacie / seagate STHJ8000800 3.5" 8Tb 2Big Raid series (Raid0/1 storage with 2x 7200rpm HDDs), USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 217x118x93mm, black - (Order on request)
EH-L96T12BT	R 114,884	Lacie / seagate STFJ96000400 3.5" 96Tb 12Big Thunderbolt 3 series (Raid5/6 storage with 12x 7200rpm HDDs), 2600MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 447x237x161mm, silver - (Order on request)
EH-L96T6BT	R 100,864	Lacie STFK96000400 3.5" 96Tb 6Big Thunderbolt 3 series (Raid5/6 storage with 6x 7200rpm HDDs), 1400MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 237x228x161mm, silver
STGW4000800	R 4,024	Seagate LaCie Rugged RAID Pro 4TB USB-C Orange - OEM packaged / not Retail, Integrated SD reader, USB 3.0, RAID 0 / 1, Shock resistant, Dust and Water resistant, 240MB/s Max Speed, STGW4000800
STLG20000400	R 27,672	Seagate LaCie STLG20000400 2Big Dock 20TB Dual Thunderbolt 3 & DisplayPort RAID Drive, Ports for 2x 4K or 1x 8K displays, 2x 3.5" bays, 2x USB Type-C (Thunderbolt 3 40Gb/s), 1x USB Type-C (USB 3.1 / USB 3.2 Gen 1), 1x USB Type-A (USB 3.1 / USB 3.2 Gen 1), 1x DisplayPort, 550 MB/s transfer rates
STLG20000400	R 28,894	Seagate LaCie STLG20000400 2Big Dock 20TB Dual Thunderbolt 3 & DisplayPort RAID Drive, Ports for 2x 4K or 1x 8K displays, 2x 3.5" bays, 2x USB Type-C (Thunderbolt 3 40Gb/s), 1x USB Type-C (USB 3.1 / USB 3.2 Gen 1), 1x USB Type-A (USB 3.1 / USB 3.2 Gen 1), 1x DisplayPort, 550 MB/s transfer rates
STLG28000400	R 34,586	Seagate LaCie 2Big Dock 28TB Thunderbolt 3, 2x 14TB Seagate Ironwolf Pro Enterprise-Class drives, DisplayPort Ports for 2x4k or 1x 8K displays, RAID, 2x Thunderbolt 3 (Up to 40 Gb/s), 1x USB 3.2 Gen 1 (Up to 5 Gb/s) USB-C, STLG28000400, Â© 2022 Laptop Direct
STLG32000400	R 34,315	Seagate LaCie 2Big Dock 32TB Thunderbolt 3, 2x 16TB Seagate Ironwolf Pro Enterprise-Class drives, DisplayPort Ports for 2x4k or 1x 8K displays, RAID, 2x Thunderbolt 3 (Up to 40 Gb/s), 1x USB 3.2 Gen 1 (Up to 5 Gb/s) USB-C, STLG32000400
STLG32000400	R 36,568	Seagate LaCie 2Big Dock 32TB Thunderbolt 3, 2x 16TB Seagate Ironwolf Pro Enterprise-Class drives, DisplayPort Ports for 2x4k or 1x 8K displays, RAID, 2x Thunderbolt 3 (Up to 40 Gb/s), 1x USB 3.2 Gen 1 (Up to 5 Gb/s) USB-C, STLG32000400

< Return to the menu

External HDD & SSD Drives : External SSD drives

Product code	Price	Description
AD-SD620-1TCBK	R 1,699	Adata SD620 External Solid State Drive - 1TB Capacity, USB 3.2 Gen 2 Interface, Up to 550Mbps Sequential Read Speed, Up to 480Mbps Sequential Write Speed, Support For Latest Generation Games, Built Fast and Tough, Color Black, Retail Box
AD-SD620-512GCBK	R 1,199	Adata SD620 External Solid State Drive - 512GB Capacity, USB 3.2 Gen 2 Interface, Up to 550Mbps Sequential Read Speed, Up to 480Mbps Sequential Write Speed, Support For Latest Generation Games, Built Fast and

		Tough, Color Black, Retail Box
AELI-SE880-1TCBU	R 2,988	Adata Elite SE880 1TB USB 3.0 Gen2 x2 20Gbps Type-C external TLC Solid State Drive - Blue, Type-C Type-A, Metallic housing, OStoGO HDDtoGo utilities, up to 2000 MB/s Sequential write speed, up to 2000 MB/s Sequential read speed, USB 3.2 Type-C to C cable, USB 3.2 Type-C to A cable, AELI-SE880-1TCBU
AP1TBAS724M-1	R 1,999	Apacer External 1TB Solid State Drive AS724 USB Drive - Includes: USB-C (20GBPS) Cable, USB-C to USB_A (10GBPS) Adapter
BDS70-1T	R 2,299	Synology BeeDrive BDS70 1TB USB3.2 Gen2 Personal Backup Hub, USB3.2 Gen2 (10Gbps) Interface, up to 1050MB/s Speed
BDS70-2T	R 3,909	Synology BeeDrive BDS70 2TB USB3.2 Gen2 Personal Backup Hub, USB3.2 Gen2 (10Gbps) Interface, up to 1050MB/s Speed
CAS-NASBOX-BDS70-1T	R 3,052	Synology BeeDrive BDS70 1TB USB3.2 Gen2 Personal Backup Hub, USB3.2 Gen2 (10Gbps) Interface, up to 1050MB/s Speed
COBBLE-1TB-BUNDLE-B	R 1,921	Asus Cobble M.2 Type-C USB 3.2 Gen2 x1 enclosure and Crucial E100 1TB NVMe Bundle - Black, 10Gbps Speed, Support for up to 4TB capacity, Crucial E100 1TB PCI-e Gen4 2280 NVMe M.2 SSD, 80 TBW SSD Endurance (TBW), 5000 MB/s Sequential Read Speed, 4500 MB/s Sequential Write Speed
COBBLE-1TB-BUNDLE-G	R 1,921	Asus Cobble M.2 Type-C USB 3.2 Gen2 x1 enclosure and Crucial E100 1TB NVMe Bundle - Grey, 10Gbps Speed, Support for up to 4TB capacity, Crucial E100 1TB PCI-e Gen4 2280 NVMe M.2 SSD, 80 TBW SSD Endurance (TBW), 5000 MB/s Sequential Read Speed, 4500 MB/s Sequential Write Speed
COBBLE-2TB-BUNDLE-B	R 3,447	Asus Cobble M.2 Type-C USB 3.2 Gen2 x1 enclosure and Crucial E100 2TB NVMe Bundle - Black, 10Gbps Speed, Support for up to 4TB capacity, Crucial E100 2TB PCI-e Gen4 2280 NVMe M.2 SSD, 100 TBW SSD Endurance (TBW), 5000 MB/s Sequential Read Speed, 4500 MB/s Sequential Write Speed
COBBLE-2TB-BUNDLE-G	R 3,447	Asus Cobble M.2 Type-C USB 3.2 Gen2 x1 enclosure and Crucial E100 2TB NVMe Bundle - Grey, 10Gbps Speed, Support for up to 4TB capacity, Crucial E100 2TB PCI-e Gen4 2280 NVMe M.2 SSD, 100 TBW SSD Endurance (TBW), 5000 MB/s Sequential Read Speed, 4500 MB/s Sequential Write Speed
COBBLE-480GB-BUNDLE-B	R 1,396	Asus Cobble M.2 Type-C USB 3.2 Gen2 x1 enclosure and Crucial E100 480GB NVMe Bundle - Black, 10Gbps Speed, Support for up to 4TB capacity, Crucial E100 480GB PCI-e Gen4 2280 NVMe M.2 SSD, 60 TBW SSD Endurance (TBW), 4700 MB/s Sequential Read Speed, 2500 MB/s Sequential Write Speed
COBBLE-480GB-BUNDLE-G	R 1,396	Asus Cobble M.2 Type-C USB 3.2 Gen2 x1 enclosure and Crucial E100 480GB NVMe Bundle - Grey, 10Gbps Speed, Support for up to 4TB capacity, Crucial E100 480GB PCI-e Gen4 2280 NVMe M.2 SSD, 60 TBW SSD Endurance (TBW), 4700 MB/s Sequential Read Speed, 2500 MB/s Sequential Write Speed
CT1000X10SSD9	R 2,999	Crucial x10 1TB USB 3.2 Gen2 2x2 external Portable Solid State Drive, Up to 2100MB/s Sequential Read Speed, Up to 2000MB/s Sequential Write Speed, Type-C to Type-C cable x1
CT2000X10PROSSD9	R 6,138	Crucial X10 Pro 2TB Type-C Portable Solid State Drive
EH-A1000SC730	R 2,984	Adata SC730-1T-CACTI - 1TB SSD, USB 3.2 Gen2 Type-A & Type-C, 550MB/s read, 500MB/s write, IP68 waterproof, shockproof
EH-A1000SC740	R 2,907	Adata SC740-1000G-CBU - 1TB SSD, USB 3.2 Gen2 Type-C, 1050MB/s read, 950MB/s write, NVMe architecture, U3 speed
EH-A1000SC750	R 3,049	Adata SC750-1000G-CC - 1TB SSD, USB 3.2 Gen2 Type-C, 1050MB/s read, 950MB/s write, U3 speed, compact design
EH-A1000SD620	R 2,808	Adata SD620-1TCBK - 1TB SSD, USB 3.2 Gen2 Type-A, 440MB/s read, 420MB/s write, rugged design, anti-shock casing
EH-A1000SD810	R 3,157	Adata SD810 1TB USB 3.2 Gen2 x2 external Solid State Drive, Up to 2000MB/s read & Write Speed, Lightweight, Compact, Aluminum Alloy, IP68 Water/dust resistant, MIL-STD-810G drop protection, Multi-os compatible, SD810-1000G-CBK
EH-A1000SE880	R 3,104	Adata AELI-SE880-1TCGY SE880 series, External TLC SSD 1Tb Black, usb3 Gen2x2 (20Gbps / 2000mb/sec) type-C type-A, metallic housing, 65x35x12mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A1000SE920	R 4,325	Adata SE920 1TB USB4 40Gbps Type-C external Solid State Drive, USB4 40Gbps Type-C, Up to 3800MB/s Read Speed, 3700MB/s Write Speed, Active cooling, IP68 Water/dust resistant, MIL-STD-810G drop protection, Multi-os

		compatible, Aluminum Alloy, SE920-1TCBK
EH-A2000SC740	R 6,080	Adata SC740-2000G-CBU - 2TB SSD, USB 3.2 Gen2 Type-C, 1050MB/s read, 950MB/s write, NVMe architecture, U3 speed
EH-A2000SC750	R 6,025	Adata SC750-2000G-CC - 2TB SSD, USB 3.2 Gen2 Type-C, 1050MB/s read, 950MB/s write, U3 speed, portable
EH-A2000SD620	R 5,970	Adata SD620-2TCBK - 2TB SSD, USB 3.2 Gen2 Type-A, 440MB/s read, 420MB/s write, impact-resistant, rugged design
EH-A2000SD810	R 5,954	Adata SD810 2TB USB 3.2 Gen2 x2 external Solid State Drive, Up to 2000MB/s read & Write Speed, Lightweight, Compact, Aluminum Alloy, IP68 Water/dust resistant, MIL-STD-810G drop protection, Multi-os compatible, SD810-2000G-CBK
EH-A2000SE880	R 5,941	Adata AELI-SE880-2TCGY SE880 series, External TLC SSD 2Tb Black, USB 3 Gen2x2 (20Gbps / 2000mb/sec) type-C type-A, metallic housing, 65x35x12mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A2000SE920	R 7,729	Adata SE920 2TB USB4 40Gbps Type-C external Solid State Drive, USB4 40Gbps Type-C, Up to 3800MB/s Read Speed, 3700MB/s Write Speed, Active cooling, IP68 Water/dust resistant, MIL-STD-810G drop protection, Multi-os compatible, Aluminum Alloy, SE920-2TCBK
EH-A250SC685-K	R 949	Adata SC685 series, external TLC SSD 250Gb, Black, USB3 Gen2 (10Gbps / 530mb/sec) type-C type-A, 84.7x54.8x9.5mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security, with transmission status LED
EH-A256SE760	R 1,037	Adata ASE760-256GU32G2 SE760 series, external TLC SSD 256Gb Black, USB 3 Gen2(10Gbps / 1000mb/sec) type-C type-A, metallic housing with hairline-brushed finish, 122x44x14mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A4000SE920	R 15,479	Adata SE920 4TB USB4 40Gbps Type-C external Solid State Drive, USB4 40Gbps Type-C, Up to 3800MB/s Read Speed, 3700MB/s Write Speed, Active cooling, IP68 Water/dust resistant, MIL-STD-810G drop protection, Multi-os compatible, Aluminum Alloy, SE920-4TCBK
EH-A500SC730	R 1,735	Adata SC730-512-CACTI - 500GB SSD, USB 3.2 Gen2 Type-A & Type-C, 550MB/s read, 500MB/s write, waterproof, shockproof
EH-A500SC740	R 1,684	Adata SC740-500G-CBU - 500GB SSD, USB 3.2 Gen2 Type-C, 1050MB/s read, 950MB/s write, U3 speed, compact
EH-A500SC750	R 1,712	Adata SC750-500G-CCBK - 500GB SSD, USB 3.2 Gen2 Type-C, 1050MB/s read, 950MB/s write, U3 speed, lightweight
EH-A500SD620	R 1,585	Adata SD620-512GCBK - 500GB SSD, USB 3.2 Gen2 Type-A, 440MB/s read, 420MB/s write, impact-resistant, rugged design
EH-A500SD810	R 1,846	Adata SD810 500GB USB 3.2 Gen2 x2 external Solid State Drive, Up to 2000MB/s read & Write Speed, Lightweight, Compact, Aluminum Alloy, IP68 Water/dust resistant, MIL-STD-810G drop protection, Multi-os compatible, SD810-500G-CBK
EH-A500SE880	R 1,793	Adata AELI-SE880-500GCGY SE880 series, External TLC SSD 500Gb black, USB 3 Gen2x2 (20Gbps / 2000mb/sec) type-C type-A, metallic housing, 65x35x12mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A512SE760	R 1,878	Adata ASE760-512GU32G2 SE760 series, external TLC SSD 512Gb black, USB3 Gen2(10Gbps / 1000mb/sec) type-C type-A, metallic housing with hairline-brushed finish, 122x44x14mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A512SE770G	R 2,697	Adata ASE770G-512GU32G2-CBK SE770G series with RGB, external TLC SSD 512Gb Black, USB3 Gen2(10Gbps / 1000mb/sec) type-C type-A, metallic housing with hairline-brushed finish, 99.5x57.5x18mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A512SE900G	R 2,697	Adata ASE900G-512GU32G2-CBK SE900G series with RGB, external TLC SSD 512Gb Black, USB 3.0 Gen2x2 (20Gbps / 2000mb/sec) type-C type-A, metallic housing, 110.8x66x16.5mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-K1000SPSD	R 4,056	Kingston SPSD/1TB 1000Gb Dual Portable Solid-State Drive, external TLC SSD, USB3 Gen2 (10Gbps), 3D TLC, read/write upto 1050/950MB/s, with transmission status LED, 72x21x9mm flash drive mini size - type-C type-A

		Dual interface
EH-K1000XS1000	R 4,096	Kingston XS1000 Series 1TB USB 3.2 Gen 2 external Solid State Drive, USB 3.2 Gen 2 10Gbps, 3D TLC Flash, Up to 1050 MB/s read speed, Up to 1000 MB/s read speed, Transmission status LED, Type-C or Type-A, SXS1000/1000G
EH-K1000XS2000	R 6,964	Kingston SXS2000/1000G XS2000 series 1000Gb, external TLC SSD, 20Gbps USB3 Gen2x2 type-C, 3D TLC, metallic housing with removable rubber sleeve for iP55 protection (dustproof/ waterproof/ shockproof), with transmission status LED, 70x33x14mm - type-C
EH-K1920iKVP	R 11,830	Kingston IronKey Vault Privacy 80 1920GB external TLC Solid State Drive, Innovative OS-independent Hardware, FIPS 197 Certified with XTS-AES 256-bit Encryption with touch-screen for Data protection, Common criteria EAL5 (CC EAL5) Certified secure microprocessor with TAA compliant, Multi-password (Admin/user) option with pin/Passphrase modes with configurable Password rules, Dual Read-only (Write protect) modes for Malware protection, 5Gbps USB 3.0 Gen1 (5Gbps), Up to 250MB/sec read & write speed, 3D TLC, Type-C or Type-A, iKVP80ES/1920G
EH-K2000SPSD	R 6,964	Kingston SPSD/2TB 2000Gb Dual Portable Solid-State Drive, external TLC SSD, USB3 Gen2 (10Gbps), 3D TLC, read/write upto 1050/950MB/s, with transmission status LED, 72x21x9mm flash drive mini size - type-C type-A Dual interface
EH-K2000XS1000	R 7,075	Kingston XS1000 Series 2TB USB 3.2 Gen 2 external Solid State Drive, USB 3.2 Gen 2 10Gbps, 3D TLC Flash, Up to 1050 MB/s read speed, Up to 1000 MB/s read speed, Transmission status LED, Type-C or Type-A, SXS1000/2000G
EH-K2000XS2000	R 9,729	Kingston SXS2000/2000G XS2000 series 2000Gb, external TLC SSD, 20Gbps USB3 Gen2x2 type-C, 3D TLC, metallic housing with removable rubber sleeve for iP55 protection (dustproof/ waterproof/ shockproof), with transmission status LED, 70x33x14mm - type-C
EH-K4000XS2000	R 18,023	Kingston SXS2000/4000G XS2000 Series 4TB external TLC Solid State Drive, 20Gbps USB 3.0 Gen2X2 Type-C 20Gbps, 3D TLC, Metallic housing with removable rubber Sleeve for IP55 protection, Type-C or Type-A, 2000MB/s read speed, 2000MB/s write speed
EH-K500SPSD	R 2,874	Kingston SPSD/512GB 512Gb Dual Portable Solid-State Drive, external TLC SSD, USB3 Gen2 (10Gbps), 3D TLC, read/write upto 1050/950MB/s, with transmission status LED, 72x21x9mm flash drive mini size - type-C type-A Dual interface
EH-K500XS2000	R 3,095	Kingston SXS2000/500G XS2000 series 500Gb, external TLC SSD, 20Gbps USB3 Gen2x2 type-C, 3D TLC, metallic housing with removable rubber sleeve for iP55 protection (dustproof/ waterproof/ shockproof), with transmission status LED, 70x33x14mm - type-C
EH-K960iKVP	R 7,738	Kingston IronKey Vault Privacy 80 960GB external TLC Solid State Drive, Innovative OS-independent Hardware, FIPS 197 Certified with XTS-AES 256-bit Encryption with touch-screen for Data protection, Common criteria EAL5 (CC EAL5) Certified secure microprocessor with TAA compliant, Multi-password (Admin/user) option with pin/Passphrase modes with configurable Password rules, Dual Read-only (Write protect) modes for Malware protection, 5Gbps USB 3.0 Gen1 (5Gbps), Up to 250MB/sec read & write speed, 3D TLC, Type-C or Type-A, iKVP80ES/960G
EH-S1000HB	R 3,614	Seagate stHB1000401 1Tb/1000Gb External Ssd - game drive for xbox, 93x79x9mm compact size, USB 3.0 (USB 2.0 backward compatible)
EH-S1000JP	R 5,404	Seagate stJP1000400 FireCuda 1Tb/1000Gb NVMe External Gaming SSD with RGB led, 93x79x9mm compact size, USB3 type-C Gen2x2 (20Gbps), Backward compatible with Gen1 Gen2, 173x32x10mm
EH-S1000oT-K	R 3,566	Seagate STJE1000400 One-Touch series 1Tb External SSD - Black woven fabric, 400mb/sec, 75x56x10mm, USB 3.0 type-A, USB-powered, with sync plus 1-year Mylio Create 2 months adobe creative cloud photography plan
EH-S500HB	R 1,365	Seagate stHB500401 500Gb External Ssd - game drive for xbox, 93x79x9mm compact size, USB 3.0 (USB 2.0 backward compatible), Â© 2019 Laptop Direct
EH-S500JP	R 3,023	seagate stJP500400 500Gb FireCuda NVMe external gaming ssd with RGB led, 93x79x9mm compact size, USB3 type-C Gen2x2 (20Gbps), backward compatible with Gen1 Gen2, 173x32x10mm, Â© 2020 Laptop Direct
EH-S500oT-K	R 1,164	Seagate STJE500400 One-Touch series 500Gb External SSD - Black woven fabric, 400mb/sec, 75x56x10mm, USB 3.0 type-A, USB-powered, with sync plus 1-year Mylio Create 2 months adobe creative cloud photography

		plan
EXT-256GB	R 1,149	Microworld EXT-256GB 256GB USB3.2 Type-C Port 10Gbps Portable SSD
EXT-512GB	R 2,184	Microworld EXT-512GB 512GB USB3.2 Type-C Port 10Gbps Portable SSD
HS-ESSD-ELITE9-1T	R 3,235	Hiksemi Elite Magnet 1TB USB Type-C Portable Solid State Drive, 2000MB/s Max Read Speed, 1850MB/s Max Write Speed
HS-ESSD-ELITE9-2T	R 5,673	Hiksemi Elite Magnet 2TB USB Type-C Portable Solid State Drive, 2000MB/s Max Read Speed, 1850MB/s Max Write Speed
HS-ESSD-T100-1024G	R 3,279	Hikvision T100 Pocket Series 1TB USB 3.0 Type-C Portable SSD, 450MB/s Max transmission Speed
HS-ESSD-T100-512G	R 1,972	Hikvision T100 512GB Pocket USB 3.0 Type-C external Solid State Drive, Up to 450MB/s read speeds
HS-ESSD-T100-512G	R 560	Hikvision T100 512GB Pocket USB 3.0 Type-C external Solid State Drive, Up to 450MB/s read speeds
HS-ESSD-T300S-1T	R 3,048	Hiksemi T300S sheild 1TB USB 3.1 Type-C Portable SSD, 560MB/s Max Read Speed, 500MB/s Max Write Speed, Aluminum Alloy, Blue Light, Grey Colour
HS-ESSD-T300S-512G	R 1,829	Hiksemi T300s sheild 512GB USB 3.1 Type-C Portable SSD, 560MB/s Max Read Speed, 500MB/s Max Write Speed, Aluminum Alloy, Blue Light, Grey Colour
HS-ESSD-T300S-512G	R 635	Hiksemi T300s sheild 512GB USB 3.1 Type-C Portable SSD, 560MB/s Max Read Speed, 500MB/s Max Write Speed, Aluminum Alloy, Blue Light, Grey Colour
IKVP80ES/1920G	R 11,737	Kingston IronKey Vault Privacy 80 1920GB XTS-AES 256-bit Encrypted External SSD, IK Vault Privacy Ext SSD
IKVP80ES/3840G	R 21,558	Kingston IronKey Vault Privacy 80 3840GB XTS-AES 256-bit Encrypted External SSD, IK Vault Privacy Ext SSD
IKVP80ES/960G	R 7,665	Kingston IronKey Vault Privacy 80 960GB XTS-AES 256-bit encrypted external Solid State Drive, Type-C connector, USB 3.2 Gen 1 Interface, Up to 250MB/s read speed, 250MB/s write speed
KM500GKE35BK	R 1,093	Kingmax KE-35 500GB USB3.2 Gen 2 Portable Type-C Solid State Drive - Black, Up to 1000MB/s Sequential Read Speed
LAC9000488	R 2,243	LaCie Rugged 1TB Thunderbolt and USB 3.0 external Mobile SSD Drive - OEM packaged, 1x USB 3.0 Port, 1x tethered Thunderbolt cable, Thunderbolt 10Gbps, USB 3.0 5Gbps, LAC9000488
LAC9000602	R 2,232	LaCie Rugged 1TB Thunderbolt and USB 3.0 external Mobile SSD Drive - OEM packaged, 1x USB 3.0 Port, 1x tethered Thunderbolt cable, Thunderbolt 10Gbps, USB 3.0 5Gbps, LAC9000602
LSL300001T-RNBNG	R 2,850	Lexar SL300 1TB Black External Portable Solid State Drive. capacity: 1TB; interface: USB 3.2 Gen2; read up to 1050 MB/s; write up to 1000 MB/s; dimensions: 100.6x50x10.5 mm; weight: 42 g; rugged IP54; dual USB-C/USB-A cable
LSL300002T-RNBNG	R 4,540	Lexar SL300 2TB USB 3.2 Gen2 external Solid State Drive - Black, Up to 1050MB/s Read Speed, Up to 1000MB/s Write Speed, USB Type-C and USB Type-A All in one cable
LSL400X001T-RNSNG	R 3,919	Lexar SL400 Professional Go Silver 1TB Type-C Portable External Solid State Drive. USB-C 3.2 Gen 2; up to 1050MB/s read / 1000MB/s write; IP65 dust & water resistant; drop-protected to 1 m; weight ~13g; dimensions 68.8x43.5x8.25 mm
LSL400X002T-RNSNG	R 3,908	Lexar SL400 Professional Go Silver 2TB Type-C Portable External Solid State Drive. Capacity:2TB; Interface:USB3.2 Gen2 Type-C; Read:1050MB/s; Write: 1000MB/s; Size: 25.5x43.5x8.25mm; Weight:13g; IP65; Drop-resist 1m;
LXD10S001TG8	R 1,666	Kioxia Exceria Plus 1TB Portable Type-C External Solid State Drive, Retail Box
LXD20K001TG8	R 2,199	Kioxia Exceria Plus G2 Portable SSD - 1TB Capacity, USB 3.2 Gen 2 Interface, UASP Mode Interface Protocol, USB Type-C Connector Type, 1050MB/s Max Sequential Read Speed, 1000MB/s Max Sequential Write Speed, RoHS Compliant
LXD20K001TG8	R 2,011	Kioxia Exceria Plus G2 Portable SSD - 1TB Capacity, USB 3.2 Gen 2 Interface, UASP Mode Interface Protocol, USB Type-C Connector Type, 1050MB/s Max Sequential Read Speed, 1000MB/s Max Sequential Write Speed, RoHS Compliant
LXD20K002TG8	R 4,656	Kioxia Exceria Plus G2 Portable SSD - 2TB Capacity, USB 3.2 Gen 2 Interface, UASP Mode Interface Protocol, USB Type-C Connector Type, 1050MB/s Max Sequential Read Speed, 1000MB/s Max Sequential Write Speed, RoHS Compliant
LXD20K500GG8	R 1,206	Kioxia Exceria Plus G2 500GB USB 3.2 Gen2 Portable Solid State Drive, UASP mode Interface Protocol, 1050 MB/s Max Sequential Read Speed, 1000 MB/s Max Sequential Write Speed, 300mm USB Type-C to a cable,

		300mm USB Type-C to c cable
M32021	R 3,776	Verbatim 32021 Turbometal 1TB USB 4.0 Solid State Drive, USB 4.0 (40 Gbps) Interface, Up to 3700 MB/s Read Speed, Up to 3600 MB/s Write Speed, Metal enclosure material
M32022	R 5,703	Verbatim 32022 Turbometal 2TB USB 4.0 Solid State Drive, USB 4.0 (40 Gbps) Interface, Up to 3700 MB/s Read Speed, Up to 3600 MB/s Write Speed, Metal enclosure material
M32023	R 10,906	Verbatim 32023 Turbometal 4TB USB 4.0 Solid State Drive, USB 4.0 (40 Gbps) Interface, Up to 3700 MB/s Read Speed, Up to 3600 MB/s Write Speed, Metal enclosure material
M32030	R 1,389	Verbatim Metal Mini 512GB USB 3.2 Gen 2x2 external Solid State Drive, M.2 SSD Form Factor, Up to 2000MB/s Read Speed, Up to 1750MB/s Write Speed, Metal enclosure, 32030
M32031	R 3,591	Verbatim Metal Mini 1TB USB 3.2 Gen 2x2 external Solid State Drive, M.2 SSD Form Factor, Up to 2000MB/s Read Speed, Up to 1750MB/s Write Speed, Metal enclosure, 32031
M32060	R 2,564	Verbatim 32060 Snapback 512GB USB 3.2 Gen 2x2 external Solid State Drive - Mocha Metallic, Up to 20Gbps transfer Speed, Up to 1900MB/s read speeds, Up to 1800MB/s write speeds
M32061	R 1,857	Verbatim 32061 Snapback 1TB USB 3.2 Gen 2x2 external Solid State Drive - Mocha Metallic, Up to 20Gbps transfer Speed, Up to 2000MB/s read speeds, Up to 1800MB/s write speeds
M32062	R 3,162	Verbatim 32062 Snapback 2TB USB 3.2 Gen 2x2 external Solid State Drive - Mocha Metallic, Up to 20Gbps transfer Speed, Up to 2000MB/s read speeds, Up to 1800MB/s write speeds
M32075	R 4,122	Verbatim 32075 Snapback 1TB USB 3.2 Gen 2x2 external Solid State Drive - Blue Metallic, Up to 20Gbps transfer Speed, Up to 2000MB/s read speeds, Up to 1800MB/s write speeds
M32076	R 3,162	Verbatim 32076 Snapback 2TB USB 3.2 Gen 2x2 external Solid State Drive - Blue Metallic, Up to 20Gbps transfer Speed, Up to 2000MB/s read speeds, Up to 1800MB/s write speeds
M32190	R 4,089	Verbatim 32190 1TB USB 3.2 Gen 2 Pocket Solid State Drive - Black / Grey, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material
M32191	R 4,089	Verbatim 32191 1TB USB 3.2 Gen 2 Pocket Solid State Drive - Black / Blue, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material
M32192	R 4,089	Verbatim Pocket 1TB USB 3.2 Gen 2 Black / Red external Solid State Drive, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material, M.2 SSD Form Factor, 32192
M32193	R 4,089	Verbatim Pocket 1TB USB 3.2 Gen 2 Black / Orange external Solid State Drive, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material, M.2 SSD Form Factor, 32193
M32194	R 5,364	Verbatim Pocket 2TB USB 3.2 Gen 2 Black / Grey external Solid State Drive, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material, M.2 SSD Form Factor, 32194
M32195	R 5,364	Verbatim 32195 2TB USB 3.2 Gen 2 Pocket Solid State Drive - Black / Blue, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material
M32196	R 5,364	Verbatim 32196 2TB USB 3.2 Gen 2 Pocket Solid State Drive - Black / Red, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material
M32197	R 5,364	Verbatim 32197 2TB USB 3.2 Gen 2 Pocket Solid State Drive - Black / Orange, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Fireproof polycarbonate enclosure material
M32415	R 1,833	Verbatim Black/Grey USB 3.2 Gen 2 256Gb Pocket Solid State Drive; USB Type-C; read speed up to 1000MB/s; write speed up to 1000MB/s; black/grey; 96.13 x 45.12 x 10mm; weight 58g; keyring attachment; cable holder; Windows and Mac compatible; Nero Backup for Windows
M32416	R 1,833	Verbatim Black/Blue USB 3.2 Gen 2 256Gb Pocket Solid State Drive; USB Type-C; read speed up to 1000MB/s; write speed up to 1000MB/s; interface rate up to 10Gbps; black/blue; dimensions 96.1 x 45.1 x 10mm; weight approximately 58g; keyring and cable holder; Nero Backup software for Windows
M32417	R 1,833	Verbatim Black/Red USB 3.2 Gen 2 256Gb Pocket Solid State Drive; Type-C; read speed up to 1000MB/s; write speed up to 1000MB/s; black/red; 96.1 x 45.1 x 10mm; 58g; keyring and cable holder; Nero Backup for Windows
M32418	R 1,833	Verbatim Black/Orange USB 3.2 Gen 2 256Gb Pocket Solid State Drive; USB Type-C; read speed up to 1000MB/s; write speed up to 1000MB/s; black and orange; 96.1 x 45.1 x 10mm; 58g; keyring and cable holder; USB-C cable included; Nero Backup software for Windows

M47443	R 1,147	Verbatim 47443 VX500 480GB USB 3.2 Gen2 external Solid State Drive, Aluminium enclosure material, Up to 500 MB/sec read Speed, Up to 440 MB/sec write Speed, Comes with USB Type-A and USB-C cables
M47444	R 2,867	Verbatim 47444 VX500 1TB USB 3.2 Gen2 external Solid State Drive, Aluminium enclosure material, Up to 500 MB/sec read Speed, Up to 440 MB/sec write Speed, Comes with USB Type-A and USB-C cables
M47454	R 2,849	Verbatim 47454 VX500 2TB USB 3.2 Gen2 external Solid State Drive, Aluminium enclosure material, Up to 500 MB/sec read Speed, Up to 440 MB/sec write Speed, Comes with USB Type-A and USB-C cables
M53230	R 2,958	Verbatim 53230 Store ' n ' Go Portable 1TB 2.5" USB 3.2 Gen1 Type-C Solid State Drive
M53249	R 830	Verbatim 53249 Store ' n ' Go Portable 256GB 2.5" USB 3.2 Gen1 Type-C Solid State Drive
M53250	R 2,121	Verbatim 53250 Store ' n ' Go Portable 512GB 2.5" USB 3.2 Gen1 Type-C Solid State Drive
M53656	R 2,184	Verbatim 53656 Executive Fingerprint Secure 512GB USB 3.2 Gen 1 Type-C Solid State Drive, Aluminium and plastic enclosure material, Up to 324 MB/sec read speed, Up to 358 MB/sec write speed
M53657	R 2,696	Verbatim 53657 Executive Fingerprint Secure 1TB USB 3.2 Gen 1 Type-C Solid State Drive, Aluminium and plastic enclosure material, Up to 344 MB/sec read speed, Up to 356 MB/sec write speed
M69284	R 763	Verbatim 69284 MyMedia 256GB USB 3.2 Gen 2 external Solid State Drive, Up to 520MB/s read speed, Up to 400MB/s write speed, Sleek Space Grey Aluminium Design
MOVEV32021	R 2,759	Verbatim 32021 Turbometal 1TB USB 4.0 Solid State Drive, USB 4.0 (40 Gbps) Interface, Up to 3700 MB/s Read Speed, Up to 3600 MB/s Write Speed, Metal enclosure material
MOVEV32022	R 5,589	Verbatim 32022 Turbometal 2TB USB 4.0 Solid State Drive, USB 4.0 (40 Gbps) Interface, Up to 3700 MB/s Read Speed, Up to 3600 MB/s Write Speed, Metal enclosure material
MOVEV32030	R 1,274	Verbatim Metal Mini 512GB USB 3.2 Gen 2x2 external Solid State Drive, M.2 SSD Form Factor, Up to 2000MB/s Read Speed, Up to 1750MB/s Write Speed, Metal enclosure, 32030
MOVEV32031	R 3,475	Verbatim Metal Mini 1TB USB 3.2 Gen 2x2 external Solid State Drive, M.2 SSD Form Factor, Up to 2000MB/s Read Speed, Up to 1750MB/s Write Speed, Metal enclosure, 32031
MOVEV32060	R 2,448	Verbatim 32060 Snapback 512GB USB 3.2 Gen 2x2 external Solid State Drive - Mocha Metallic, Up to 20Gbps transfer Speed, Up to 1900MB/s read speeds, Up to 1800MB/s write speeds. Its MagSafe-compatible design makes it ideal for seamless smartphone use, especially with modern USB-C devices.
MOVEV47443	R 1,241	Verbatim 47443 VX500 480GB USB 3.2 Gen2 external Solid State Drive, Aluminium enclosure material, Up to 500 MB/sec read Speed, Up to 440 MB/sec write Speed, Comes with USB Type-A and USB-C cables
MOVEV47444	R 1,724	Verbatim 47444 VX500 1TB USB 3.2 Gen2 external Solid State Drive, Aluminium enclosure material, Up to 500 MB/sec read Speed, Up to 440 MB/sec write Speed, Comes with USB Type-A and USB-C cables
MU-PC1T0H	R 2,873	Samsung T7 Portable 1TB USB 3.2 Gen2 10Gbps Solid State Drive - Blue, Up to 1050 MB/s read speed, Up to 1000 MB/s write speed, AES 256-bit Hardware Encryption, MU-PC1T0H
PDP311TB23UCK	R 3,739	Patriot PDP31 1TB Type-C USB 3.2 Gen 2 Portable SSD - Red / Black, M.2 2230 SSD Form Factor, 1000MB/s Sequential Read Speed, 1000MB/s Sequential Write Speed, Aluminum Alloy Shell & Transparent Window
PDP31500G23UCK	R 2,174	Patriot PDP31 500GB Type-C USB 3.2 Gen 2 Portable SSD - Red / Black, M.2 2230 SSD Form Factor, 1000MB/s Sequential Read Speed, 1000MB/s Sequential Write Speed, Aluminum Alloy Shell & Transparent Window
PI128GCUW30C	R 1,208	Patriot iluxe Cube 128GB Smart Backup solution for iPhone / iPad, 2x USB 3.2 Gen1 Type-C 5Gbps, H2 industrial-grade Memory Embedded, Only backs up images and content not already loaded onto the iluxe cube., Easily Backup and Restore your image from iPhone, USB-C compatible to PD fast charging (Up to 30 watts)
PI128GCUW30C	R 1,093	Patriot iluxe Cube 128GB Smart Backup solution for iPhone / iPad, 2x USB 3.2 Gen1 Type-C 5Gbps, H2 industrial-grade Memory Embedded, Only backs up images and content not already loaded onto the iluxe cube., Easily Backup and Restore your image from iPhone, USB-C compatible to PD fast charging (Up to 30 watts)
PI1TBCUW30C	R 3,503	Patriot iLuxe Cube 1TB USB 3.2 Gen 1 Type-C Smart Backup solution - White, Ultimate Smart Backup solution for your iPhone and iPad, 5Gbps read/write Speed, Only backs up images and content not already loaded onto the iLuxe Cube, Ultimate Smart Backup solution for your iPhone and iPad, up to 30 watts PD Power Delivery. Basic specs: 1TB embedded H2 memory, USB 3.2 Gen1 Typeâ€'C 5Gbps, PD fast charge to 30W, 4.4 x 2.7 x 2.3 cm, 15 g
PI256GCUW30C	R 2,070	Patriot iluxe Cube 256GB Smart Backup solution for iPhone / iPad, 2x USB 3.2 Gen1 Type-C 5Gbps, H2 industrial-grade Memory Embedded, Only backs up images and content not already loaded onto the iluxe cube.,

		Easily Backup and Restore your image from iPhone, USB-C compatible to PD fast charging (Up to 30 watts)
PI256GCUW30C	R 1,490	Patriot iLuxe Cube 256GB USB 3.2 Gen 1 Type-C Smart Backup solution - White, Ultimate Smart Backup solution for your iPhone and iPad, 5Gbps read/write Speed, Only backs up images and content not already loaded onto the iLuxe Cube, Ultimate Smart Backup solution for your iPhone and iPad, up to 30 watts PD Power Delivery. Basic specs: 256GB capacity, USB 3.2 Gen 1 Typeâ€'C 5 Gbps, USBâ€'C PD charging up to 30W, H2 embedded memory, Apple MFi certified, compatible iOS12 macOS, Windows XP
PI512GCUW30C	R 1,801	Patriot iLuxe Cube 512GB USB 3.2 Gen 1 Type-C Smart Backup solution - White, Ultimate Smart Backup solution for your iPhone and iPad, 5Gbps read/write Speed, Only backs up images and content not already loaded onto the iLuxe Cube, Ultimate Smart Backup solution for your iPhone and iPad, up to 30 watts PD Power Delivery
PTP512GPEC	R 1,553	Patriot Transporter 512GB USB-C 3.2 Gen 2 external Portable SSD, 1000 MB/s read speed Sequential, 1000 MB/s write speed Sequential, Aluminum material, USB Bus Power, PTP512GPEC
PTPL1TBPEC	R 3,025	Patriot Transporter Lite 1TB external Portable Solid State Drive, USB 3.2 Gen 2, 1000 MB/s Read Speed, 1000 MB/s Write Speed
PTPL1TBPEC	R 4,409	Patriot Transporter Lite 1TB external Portable Solid State Drive, USB 3.2 Gen 2, 1000 MB/s Read Speed, 1000 MB/s Write Speed
PTPL2TBPEC	R 5,405	Patriot Transporter Lite 2TB external Portable Solid State Drive, USB 3.2 Gen 2, 1000 MB/s Read Speed, 1000 MB/s Write Speed
PTPL2TBPEC	R 7,651	Patriot Transporter Lite 2TB external Portable Solid State Drive, USB 3.2 Gen 2, 1000 MB/s Read Speed, 1000 MB/s Write Speed
PTPL4TBPEC	R 11,500	Patriot Transporter Lite 4TB External Portable Solid State Drive. Capacity: 4TB; Interface: USB 3.2 Gen 2 Type-C; Sequential Read Speed: Up to 1000MB/s; Sequential Write Speed: Up to 1000MB/s; Endurance: 1600TBW; Operating Temperature: 0°C to 70°C; Storage Temperature: -25°C to 85°C; Dimensions: 107mm x 32.5mm x 9.7mm; Weight: 40g; Material: Aluminum; Compatibility: Windows 7/8/8.1/10/11, macOS 10.3 or later
PTPL512GPEC	R 1,834	Patriot Transporter Lite 512GB external Portable Solid State Drive, USB 3.2 Gen 2, 1000 MB/s Read Speed, 1000 MB/s Write Speed
PTPL512GPEC	R 2,497	Patriot Transporter Lite 512GB external Portable Solid State Drive, USB 3.2 Gen 2, 1000 MB/s Read Speed, 1000 MB/s Write Speed
PVP301TB28UDG	R 2,300	Patriot PVP30 1TB Portable Solid State Drive, Up to 1000MB/s read / write Performance, USB 3.2 Gen 2 controller Interface, USB Type-C & Type-A Form Factor
PVP301TB28UDG	R 4,322	Patriot PVP30 1TB Portable Solid State Drive, Up to 1000MB/s read / write Performance, USB 3.2 Gen 2 controller Interface, USB Type-C & Type-A Form Factor
PVP302TB28UDG	R 3,738	Patriot PVP30 2TB Portable Solid State Drive, Up to 1000MB/s read / write Performance, USB 3.2 Gen 2 controller Interface, USB Type-C & Type-A Form Factor
PVP302TB28UDG	R 10,681	Patriot PVP30 2TB Portable Solid State Drive, Up to 1000MB/s read / write Performance, USB 3.2 Gen 2 controller Interface, USB Type-C & Type-A Form Factor
PVP30512G28UDG	R 1,438	Patriot PVP30 512GB Portable Solid State Drive, Up to 1000MB/s read / write Performance, USB 3.2 Gen 2 controller Interface, USB Type-C & Type-A Form Factor
SAMSUNG MU-PC2T0T	R 6,094	Samsung MU-PC2T0T 2 TB USB 3.2 Gen 2 Portable SSD - Password Protection, Hardware AES Encryption, USB Type A and Type C cables, Transfer Speed up to 1050 MB/s - Titan Grey
SAMSUNG MU-PC4T0T	R 11,499	Samsung MU-PC4T0T T7 Portable 4TB USB 3.2 Gen2 10Gbps Solid State Drive, AES 256-bit Hardware Encryption, Up to 1050 MB/sec Sequential read Speed, Up to 1000 MB/sec Sequential write Speed, USB 3.2 Gen2 10Gbps Interface
SAMSUNG MU-PG1T0B	R 7,014	Samsung MU-PG1T0BW T9 1TB USB 3.2 Portable SSD, Up to 2000 MB/s Sequential read speed, Up to 1950 MB/s Sequential write speed, Up to 3-meter drop resistant, USB 3.2 Gen 2x2 (20Gbps) Interface, AES 256-bit Hardware Encryption
SAMSUNG MU-PG2T0B	R 12,074	Samsung MU-PG2T0BW T9 2TB USB 3.2 Portable SSD, Up to 2000 MB/s Sequential read speed, Up to 1950 MB/s Sequential write speed, Up to 3-meter drop resistant, USB 3.2 Gen 2x2 (20Gbps) Interface, AES 256-bit Hardware Encryption
SAMSUNG MU-PG4T0B	R 16,099	Samsung MU-PG4T0BW T9 4TB USB 3.2 Portable SSD, Up to 2000 MB/s Sequential read speed, Up to 2000

		MB/s Sequential write speed, Up to 3-meter drop resistant, USB 3.2 Gen 2x2 (20Gbps) Interface, AES 256-bit Hardware Encryption
SC610-2000G-CBK	R 2,599	Adata SC610 2TB USB 3.0 Gen2 10Gbps Type-A external TLC Solid State Drive, Metallic housing with hairline-brushed finish, OStoGO HDDtoGo utilities, Up to 550 MB/s Sequential read speed, Up to 500 MB/s Sequential write speed, SC610-2000G-CBK/RD
SC740-1000G-CBU	R 3,161	Adata SC740 1TB Rugged USB 3.2 Gen2 (USB 10Gbps) external Solid State Drive, Up to 1050 MB/s Sequential Read Speed (Max), Up to 1000 MB/s Sequential Write Speed (Max)
SC740-1000G-CBU	R 1,899	Adata SC740 1TB Rugged USB 3.2 Gen2 (USB 10Gbps) external Solid State Drive, Up to 1050 MB/s Sequential Read Speed (Max), Up to 1000 MB/s Sequential Write Speed (Max)
SC740-2000G-CBU	R 5,806	Adata SC740 2TB Rugged USB 3.2 Gen2 (USB 10Gbps) external Solid State Drive, Up to 1050 MB/s Sequential Read Speed (Max), Up to 1000 MB/s Sequential Write Speed (Max)
SC740-500G-CBU	R 1,781	Adata SC740 500GB Rugged USB 3.2 Gen2 (USB 10Gbps) external Solid State Drive, Up to 1050 MB/s Sequential Read Speed (Max), Up to 1000 MB/s Sequential Write Speed (Max)
SC740-500G-CBU	R 1,199	Adata SC740 500GB Rugged USB 3.2 Gen2 (USB 10Gbps) external Solid State Drive, Up to 1050 MB/s Sequential Read Speed (Max), Up to 1000 MB/s Sequential Write Speed (Max)
SD620-1TCBK	R 3,046	Adata SD620 1TB Rugged USB 3.2 Gen 2 (10Gbps) external Solid State Drive - Black, Up to 550MB/s Sequential Read Speed (Max), Up to 480MB/s Sequential Write Speed (Max)
SD620-2TCBK	R 5,576	Adata SD620 2TB Rugged USB 3.2 Gen 2 (10Gbps) external Solid State Drive - Black, up to 550MB/s Sequential Read Speed (Max), up to 480MB/s Sequential Write Speed (Max)
SD620-512GCBK	R 1,666	Adata SD620 512GB Rugged USB 3.2 Gen 2 (10Gbps) external Solid State Drive - Black, up to 550MB/s Sequential Read Speed (Max), up to 480MB/s Sequential Write Speed (Max)
SDSQXAA-128G-IN6MS	R 561	SanDisk Creator 128GB MicroSD card UHS-I with Adapter, Up to 190MB/s read speeds, Up to 90MB/s Write Speed, SDSQXAA-128G-IN6MS
SDSQXAV-512G-IN6MS	R 2,191	SanDisk Creator 512GB MicroSD card UHS-I with Adapter, Up to 190MB/s read speeds, Up to 130MB/s Write Speed, SDSQXAV-512G-IN6MS
SDSSDE10-1T00-G25	R 2,389	SanDisk Portable 1TB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 2-meter drop protection., Up to 600 MB/s read speeds, SDSSDE10-1T00-G25
SDSSDE30-1T00-G26	R 1,731	SanDisk Portable SSD 1TB - up to 520MB/s Read Speed, USB 3.2 Gen 2, Up to two-meter drop protection
SDSSDE30-2T00-G26	R 2,917	SanDisk Portable SSD 2TB - up to 520MB/s Read Speed, USB 3.2 Gen 2, Up to two-meter drop protection
SDSSDE31-1T00-G25	R 2,713	SanDisk Portable (V3) 1TB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 1000MB/s Sequential read Performance, Durable for up to 2 meter drops, SDSSDE31-1T00-G25
SDSSDE31-2T00-G25	R 5,876	SanDisk Portable (V3) 2TB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 1000MB/s Sequential read Performance, Durable for up to 2 meter drops, SDSSDE31-2T00-G25
SDSSDE31-500G-G25	R 2,087	SanDisk Portable (V3) 500GB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 1000MB/s Sequential read Performance, Durable for up to 2 meter drops, SDSSDE31-500G-G25
SDSSDE61-1T00-G25	R 2,419	SanDisk Extreme 1TB USB 3.2 Gen 2 portable Solid State Drive, Up to 1050MB/s read speed, Up to 1000MB/s write speeds, 2 meter drop protection and IP55 resistance, USB-C connector, USB-C to USB Type-A adaptor
SDSSDE61-1T00-G25B	R 2,415	SanDisk Extreme 1TB USB 3.2 Gen 2 Type-C Portable Solid State Drive - Sky Blue, USB-C to USB-C cable, USB-C to USB Type-A Adapter, 1050MB/s Read Speed, 1000MB/s Write Speed, SDSSDE61-1T00-G25B
SDSSDE61-2T00-G25	R 3,605	Sandisk Extreme 2TB portable Solid State Drive USB 3.2 Gen 2, Up to 1050 MB/s read, Up to 1000 MB/s write speeds USB 3.2 Gen 2, 2 meter drop protection and IP55 resistance
SDSSDE61-4T00-G25	R 6,617	SanDisk Extreme 4TB USB 3.2 Gen 2 Portable Solid State Drive, Up to 1050 MB/s read Speed, Up to 1000 mb.s write speeds, 2 meter drop protection, IP55 resistance
SDSSDE61-500G-G25	R 1,779	SanDisk Extreme 500GB USB 3.2 Gen 2 portable Solid State Drive, Up to 1050MB/s read speed, Up to 1000MB/s write speeds, 2 meter drop protection and IP55 resistance, USB-C connector, USB-C to USB Type-A adaptor
SDSSDE61-8T00-RR25	R 15,869	SanDisk Extreme Portable 8TB USB 3.2 Gen 2 Solid State Drive - Royal Blue, Upto 1050MB/s Read Speed, 1000MB/s Write Speed, IP65, 3meter drop resistance, USB-C to USB-C cable, USB-C to USB Type-A Adapter, SDSSDE61-8T00-RR25
SDSSDE611T00G25	R 4,110	SanDisk Extreme Portable V2 1TB USB 3.2 Gen 2 Solid State Drive - Black, 1050MB/s read speed

SDSSDE62C-2T00-G25	R 5,577	SanDisk Creator Phone 2TB USB 3.2 Gen 2 Type-C Solid State Drive, Compatible with MagSafe, Up to 1000 MB/s read speeds, 4K ProRes 60fps Video Capture, IP65, USB-C cable, SDSSDE62C-2T00-G25
SDSSDE70-1T00-G25	R 5,327	SanDisk Extreme Portable (V3) 1TB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 2000MB/s Sequential read Performance, 256-bit AES Encryption, IP65 rating, 3-meter drop protection, USB-C to USB-C cable, SDSSDE70-1T00-G25
SDSSDE70-2T00-G25	R 9,152	SanDisk Extreme Portable (V3) 2TB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 2000MB/s Sequential read Performance, 256-bit AES Encryption, IP65 rating, 3-meter drop protection, USB-C to USB-C cable, SDSSDE70-2T00-G25
SDSSDE70-4T00-G25	R 17,858	SanDisk Extreme Portable (V3) 4TB USB 3.2 Gen 2 Type-C Solid State Drive, Up to 2000MB/s Sequential read Performance, 256-bit AES Encryption, IP65 rating, 3-meter drop protection, USB-C to USB-C cable, SDSSDE70-4T00-G25
SDSSDE81-1T00-G25	R 3,012	SanDisk Extreme Pro V2 1TB USB 3.2 Gen 2 x2 portable Solid State Drive, Forged aluminum enclosure, 2 meter drop protection and IP55 resistance, 2000MB/s Sequential read performance, 2000MB/s Sequential write performance
SDSSDE81-2T00-G25	R 4,862	SanDisk Extreme Pro V2 2TB USB 3.2 Gen 2 x2 portable Solid State Drive, Forged aluminum enclosure, 2 meter drop protection and IP55 resistance, 2000MB/s Sequential read performance, 2000MB/s Sequential write performance
SDSSDE81-4T00-G25	R 7,921	SanDisk Extreme PRO 4TB Portable SSD - Read/Write Speeds up to 2000MB/s, USB 3.2 Gen 2x2, Forged Aluminum Enclosure, 2-meter drop protection and IP55 resistance
SDSSDT40C-4T00-E25	R 15,110	SanDisk Creator Desk Drive 4TB USB 3.2 Gen 2 external Solid State Drive, 1000MB/s Read Speed, 900MB/s Write Speed, USB Type-C cable, USB Type-C to USB Type-A cable, SDSSDT40C-4T00-E25
SDSSDT40C-8T00-E25	R 30,378	SanDisk Creator Desk Drive 8TB USB 3.2 Gen 2 external Solid State Drive, 1000MB/s Read Speed, 900MB/s Write Speed, USB Type-C cable, USB Type-C to USB Type-A cable, SDSSDT40C-8T00-E25
STCM1000400	R 2,179	Seagate Fast 1TB USB 3.0 Type-C external Mobile Drive Solid State Drive, Up to 540 MB/s read speed, Up to 500 MB/s write speed, STCM1000400
STCM500401	R 1,086	Seagate Fast 500GB USB 3.0 Type-C external Mobile Drive Solid State Drive, Up to 540 MB/s read speed, Up to 500 MB/s write speed, STCM500401
STEZ500400	R 1,354	LaCie Rugged 500GB Thunderbolt and USB-3 external Mobile SSD Drive - OEM packaged, 1x USB 3.0 Port, 1x tethered Thunderbolt cable, STEZ500400
STFT512400	R 1,904	Seagate 512GB USB 3.0 external Mobile SSD for XBox 360 or Xbox One SSD, USB 3.0 Type-A Interface, Bus powered, STFT512400
STHK500800	R 1,144	Seagate LaCie 500GB USB-C Portable Solid State Drive, 540MB/s transfer speed, Compatible with Mac & Windows, USB 3.0 & USB-C, Diamond Cut Design, STHK500800
STHM1000400	R 2,734	LaCie Moblie 1TB USB Type-C 3.0 external Drive SSD - OEM packaged, Mobile High-Performance, Up to 540 MB/s read speed, STHM2000400
STHM2000400	R 3,444	LaCie Moblie 2TB USB Type-C 3.0 external Drive SSD - OEM packaged, Mobile High-Performance, Up to 540 MB/s read speed, STHM2000400
STHM500400	R 1,086	LaCie 500GB USB 3.0 Type-C external Mobile Drive Extreme performance SSD - OEM packaged, USB 3.1 Gen 2 Interface, 10 Gbps USB 3.1 Gen 2 Interface transfer rate, 540 MB/s Max Data Transfer Rate, STHM500400
STHR1000800	R 3,542	LaCie STHR1000800 Rugged SSD 1TB; 950MB/s transfer with encryption; Mac; Windows; Thunderbolt 3; USB 3.0; USB-C; Palm sized; IP67 rated, Â© 2020 Laptop Direct
STHZ1000800	R 4,480	LaCie STHZ1000800 Rugged Pro SSD 1TB; features a Firecuda NVMe SSD for max Thunderbolt 3 speeds and extreme in-field durability; 2.8GB/s file transfer & rendering; IP67 rated; USB-C and Thunderbolt 3; Black, Â© 2020 Laptop Direct
STJD1000400	R 1,839	Seagate Expansion 1TB USB 3.0 external Mobile Solid State Drive, Up to 400MB/s transfer speed, 20cm USB 3.0 cable, STJD1000400
STJD500400	R 1,117	Seagate Expansion 500GB USB 3.0 external Mobile Solid State Drive, Up to 400MB/s transfer speed, 20cm USB 3.0 cable, STJD500400
STJE1000402	R 2,002	Seagate One Touch 1TB 2.5" USB 3.0 Type-C external Mobile Solid State Drive - White, Up to 400 MB/s transfer

		speeds, USB 3.0 Type-C Interface, STJE1000402
STJE500400	R 1,144	Seagate One Touch 500GB 2.5" USB 3.0 Type-C external Mobile Solid State Drive - Black, Up to 400 MB/s transfer speeds, USB 3.0 Type-C Interface, STJE500400
STJE500407	R 1,097	Seagate One Touch 500GB 2.5" USB 3.0 Type-C external Mobile Solid State Drive - Camo Green, Up to 400 MB/s transfer speeds, USB 3.0 Type-C Interface, STJE500407
STJR2000400	R 3,732	Seagate Storage Expansion 2TB PCI-e SSD card for XBox Series X / S, STJR2000400
SXS1000/1000G	R 4,453	Kingston XS1000 Series 1TB USB 3.2 Gen 2 external Solid State Drive, USB 3.2 Gen 2 10Gbps, 3D TLC Flash, Up to 1050 MB/s read speed, Up to 1000 MB/s read speed, Transmission status LED, Type-C or Type-A, SXS1000/1000G
SXS1000/2000G	R 7,381	Kingston XS1000 Series 2TB USB 3.2 Gen 2 external Solid State Drive, USB 3.2 Gen 2 10Gbps, 3D TLC Flash, Up to 1050 MB/s read speed, Up to 1000 MB/s read speed, Transmission status LED, Type-C or Type-A, SXS1000/2000G
TS128GESD310C	R 1,128	Transcend ESD310C 128GB USB3.2 Type-A & C OTG Compact Portable Solid State Drive, USB 10Gbps connection Interface on Type-C, 3D NAND Flash, Up to 1050 MB/s Read Speed (Maximum), Up to 700 MB/s Write Speed (Maximum)
TS1TESD270C	R 4,401	Transcend ESD270C 1TB USB 3.1 / Type-C OTG portable SSD Solid State Drive, USB 3.1 Gen 2 connection Interface, Up to 520 MB/s read speed (Maximum), Up to 460 MB/s write speed (Maximum)
TS1TESD310C	R 4,401	Transcend ESD310C 1TB USB 3.2 Type-C & A OTG Compact Portable SSD, 1050 MB/s Maximum read speed, 950 MB/s Maximum write speed, 1x USB Type-A 3.1/3.2 Gen 2, 1x USB-C 3.1/3.2 Gen 2, 3D NAND Flash
TS1TESD310P	R 4,401	Transcend ESD310 1TB USB3.2 Type-A & C OTG Compact Portable SSD - Pink, USB 10Gbps connection Interface, 3D NAND Flash, Up to 1050 MB/s read speed (Maximum), Up to 950 MB/s write speed (Maximum)
TS1TESD360C	R 3,950	Transcend ESD360C 1TB USB3.2 Type-C (USB 20Gbps) & Type-A Portable SSD, USB 20Gbps connection Interface, 3D NAND Flash, Up to 2000 MB/s Read Speed (Maximum), Up to 2000 MB/s Write Speed (Maximum)
TS1TESD380C	R 4,740	Transcend ESD380C 1TB USB3.2 Gen 2x2 Type-C & A Portable Solid State Drive, Ruggedized silicone rubber case in military Green, USB 3.2 Gen 2x2 connection Interface, 3D NAND Flash, Up to 2000 MB/s read speed (Maximum), Up to 2000 MB/s write speed (Maximum)
TS1TESD410C	R 4,288	Transcend ESD410c 1TB USB3.2 Type-C & A IPX5 water resistant & Rugged SSD, 3D NAND Flash, Up to 2000 MB/s read speed, Up to 2000 MB/s write speed
TS1TESD420C	R 4,288	Transcend ESD420c 1TB USB 3.2 Type-C (20Gbps) Magnetic Portable SSD - Iron Grey, MagSafe compatiable, 3D NAND Flash, Up to 2000 MB/s Read Speed (Maximum), Up to 2000 MB/s Write Speed (Maximum)
TS250GESD270C	R 823	Transcend ESD270c 250GB USB 3.1 / Type-C OTG portable SSD Solid State Drive, USB 3.1 Gen 2 connection Interface, Up to 520 MB/s read speed (Maximum), Up to 460 MB/s write speed (Maximum)
TS256GESD310C	R 1,206	Transcend ESD310C 256GB USB 3.2 Type-C & A OTG Compact Portable SSD, 1050 MB/s Maximum read speed, 950 MB/s Maximum write speed, 1x USB Type-A 3.1/3.2 Gen 2, 1x USB-C 3.1/3.2 Gen 2, 3D NAND Flash
TS2TESD310C	R 7,901	Transcend ESD310C 2TB USB 3.2 Type-C & A OTG Compact Portable SSD, 1050 MB/s Maximum read speed, 950 MB/s Maximum write speed, 1x USB Type-A 3.1/3.2 Gen 2, 1x USB-C 3.1/3.2 Gen 2, 3D NAND Flash
TS2TESD310P	R 6,771	Transcend ESD310 2TB USB3.2 Type-A & C OTG Compact Portable SSD - Pink, USB 10Gbps connection Interface, 3D NAND Flash, Up to 1050 MB/s read speed (Maximum), Up to 950 MB/s write speed (Maximum)
TS2TESD360C	R 6,771	Transcend ESD360C 2TB USB3.2 Type-C (USB 20Gbps) & Type-A Portable SSD, USB 20Gbps connection Interface, 3D NAND Flash, Up to 2000 MB/s Read Speed (Maximum), Up to 2000 MB/s Write Speed (Maximum)
TS2TESD410C	R 8,747	Transcend ESD410c 2TB USB3.2 Type-C & A IPX5 water resistant & Rugged SSD, 3D NAND Flash, Up to 2000 MB/s read speed, Up to 2000 MB/s write speed
TS2TESD420C	R 8,747	Transcend ESD420c 2TB USB 3.2 Type-C (20Gbps) Magnetic Portable SSD - Iron Grey, MagSafe compatiable, 3D NAND Flash, Up to 2000 MB/s Read Speed (Maximum), Up to 2000 MB/s Write Speed (Maximum)
TS480GJDM825	R 5,196	Transcend JetDrive 825 480GB SSD for Mac - PCIe Gen3 x2 - TLC NAND Flash Memory - Seq. Read: Up to 950MB/s Seq. Write: Up to 950MB/s - PCIe Thunderbolt 2 Enclosure - T6 & PH00 Screwdrivers included
TS4TESD360C	R 22,575	Transcend ESD360C 4TB USB3.2 Type-C (USB 20Gbps) & Type-A Portable SSD, USB 20Gbps connection Interface, 3D NAND Flash, Up to 2000 MB/s Read Speed (Maximum), Up to 2000 MB/s Write Speed (Maximum)
TS4TESD410C	R 17,157	Transcend ESD410c 4TB USB3.2 Type-C & A IPX5 water resistant & Rugged SSD, 3D NAND Flash, Up to 2000

		MB/s read speed, Up to 2000 MB/s write speed
TS4TESD420C	R 17,157	Transcend ESD420c 4TB USB 3.2 Type-C (20Gbps) Magnetic Portable SSD - Iron Grey, MagSafe compatiable, 3D NAND Flash, Up to 2000 MB/s Read Speed (Maximum), Up to 2000 MB/s Write Speed (Maximum)
TS500GESD270C	R 2,031	Transcend ESD270c 500GB USB 3.1 / Type-C OTG portable SSD Solid State Drive, USB 3.1 Gen 2 connection Interface, Up to 520 MB/s read speed (Maximum), Up to 460 MB/s write speed (Maximum)
TS500GESD380C	R 1,264	Transcend ESD380C 512GB USB3.2 Gen 2x2 Type-C & A Portable Solid State Drive, Ruggedized silicone rubber case in military Green, USB 3.2 Gen 2x2 connection Interface, 3D NAND Flash, Up to 2000 MB/s read speed (Maximum), Up to 2000 MB/s write speed (Maximum)
TS512GESD300C	R 2,359	Transcend ESD300 512GB USB3.2 Type-C OTG Compact Portable SSD - Baby Blue, 3D NAND Flash, USB 10Gbps connection Interface, Up to 1050 MB/s read speed (Maximum), Up to 950 MB/s write speed (Maximum)
TS512GESD310C	R 2,359	Transcend ESD310C 512GB USB 3.2 Type-C & A OTG Compact Portable SSD, 1050 MB/s Maximum read speed, 950 MB/s Maximum write speed, 1x USB Type-A 3.1/3.2 Gen 2, 1x USB-C 3.1/3.2 Gen 2, 3D NAND Flash
TS512GESD310P	R 2,359	Transcend ESD310 512GB USB3.2 Type-A & C OTG Compact Portable SSD - Pink, USB 10Gbps connection Interface, 3D NAND Flash, Up to 1050 MB/s read speed (Maximum), Up to 950 MB/s write speed (Maximum)
TS960GJDM855	R 6,946	Transcend JetDrive 855 960GB NVMe SSD for Mac - PCIe Gen3 x4 - TLC NAND Flash Memory - Seq. Read: Up to 1600MB/s Write: Up to 1300MB/s - PCIe Thunderbolt 2 Enclosure - T6 & PH00 Screwdrivers included, Â© 2018 Laptop Direct

< Return to the menu

External HDD & SSD enclosures

External HDD & SSD enclosures : External 2.5inch HDD enclosures

Product code	Price	Description
2.5SATA	R 92	Microworld External Chassis 2.5" SATA USB 2.0 *No drive included
2.5SATA3.0	R 115	Microworld External Chassis 2.5" SATA USB 3.0 Type A *No drive included
2.5TYPEC	R 138	Microworld SATA Transparent Type-C Chassis, USB Type-C Output, Up to 2tb supported capacity, Transparent ABS Plastic material, Up to 5Gbps transfer Speed
2539U3-BK	R 253	Orico 2.5" USB 3.0 External Three Proofing HDD Black, Supports up to 2TB drives, Transmission speed of up to 5Gbps, Supports USAP acceleration protocol, Shockproof shock sponge mat, ABS Material Silicone, USB3.0 Micro B *No drive included
2588C3-BK	R 286	Orico 2588C3 2.5" Type-C Hard Drive enclosure, Tool free, Type-C SATA Interface *No drive included
900035	R 206	Port Connect 900035 2.5" USB-C external Hard Disk Drive enclosure Black *No drive included
900035	R 288	Port Connect 900035 2.5" USB-C external Hard Disk Drive enclosure Black *No drive included
AEX500U3-CRD	R 193	Adata XPG EX500U3-CRD - 2.5" SATA External Enclosure, Black & Red, support up to 9.5mm 2.5" hdd, USB 3.0 (USB 3.1 Gen1 6Gbps), Ruggedized Gaming Style, tool-free detachable lock, usb powered, 125x90x17mm *No drive included
CAS-K2568KPA	R 541	Maiwo K2568KPA Black Keypad Encrypted SATA 2.5" To USB 3.0 Hard Drive Enclosure *No drive included. Works with Windows, Mac and Linux. Aes-256 Encryption; Superspeed Usb 3.0 To Transfer Speeds Up To 5GBPS; ACCESS Data Via The Built-In Keypad; Prevents Unauthorized Access To Your Personal Data. Requires 2.5" laptop hard drive or SSD (up to 9.5MM thickness, maximum 3TB)
CAS-SATA-HDD-SSD-2.5	R 196	Maiwo K104 Tool-Free USB 3.0 SATA3(6Gb/s) Hard Disk Enclosures for 2.5" HDD/ SSD *No drive included
CAS-SATA-USB3-HDD3.5	R 338	Maiwo K10435 USB3.0 to SATA Converter HHD Case for 2.5" 3.5" Hard Disk *No drive included
CAS-SATA-USBC	R 436	Maiwo USB 3.0 Type-C 2.5" SATA enclosure, K2527
CAS-TYPE-C-USB3-2.5	R 319	Maiwo 2.5inch USB type-c waterproof enclosure (K2529) *No drive included
CAS-USB-SATA-Y3036A	R 271	Unitek Y3036A USB 3.1 Type-C 5Gbps to SATA 6G 2.5" Hard Disk enclosure, USB Type-A male upstream, SATA6g downstream
CAS-USB3-SATA-Y-3036	R 283	Unitek USB3.1 To SATA 6G 2.5 inch Enclosure (Y-3036) *No drive included
CAS-USB3.1C-SATA-U	R 769	Unitek Y-3363 USB3.1 to SATA6G 2.5" SATA HDD/ SSD enclosure; USB3.1 SuperSpeed ; up to 10Gbps; USB Type-C female; SATA interface; aluminium tool-free design; automatic sleep after 30 minutes; 131 x 76 x 14mm; 0.3kg *No drive included

CAS-USB3.2-SATA6G-U	R 260	Unitek S1103D USB3.2 to 2.5" SATA Hard Disk Drive or SSD enclosure, USB-C Female upstream, SATA Female downstream, 1 x USB-C to c Data cable (50cm), Fits most 7mm / 9.5mm 2.5" SATAI / II / III Hard Disk Drive & SSD, Transparent design
CM300-70499	R 351	UGreen CM300 2.5" USB Type-C Hard Drive enclosure - Silver, Up to 6Gbps Data transfer Speed, Up to 9.5 mm disk thickness, 6TB Maximum disk capacity
CM321-70609	R 125	UGreen CM321 USB 3.0 Type-A to 2.5" SATA converter - Black, USB 3.0 to SATA 3 Interface Type, Up to 6TB Maximum supported capacity, Up to 5Gbps USB Data transfer Speed, USB Bus Powered, 50cm cable length
CM321-70610	R 139	UGreen CM321 USB Type-C to 2.5" SATA HDD/SSD converter cable 5Gbps - Black, USB Type-C to SATA Adapter, Up to 5TB Maximum Drive capacity, Up to 5Gbps Maximum Data transfer Speed, ASM1153e Chipset, 50cm cable length
EC600-BCBK	R 194	Adata EC600 2.5" USB 3.2 Gen2 (10Gbps) external HDD/SSD enclosure, USB 3.2 Gen2 (10Gbps), Tool-Free installation, Safety lock, 2.5" SATA compatibility, 85% pcr Plastic, Fsc-certified packaging, EC600-bcbk
EE-AEC600	R 190	Adata EC600 2.5" USB 3.2 Gen2 (10Gbps) external HDD/SSD enclosure, USB 3.2 Gen2 (10Gbps), Tool-Free installation, Safety lock, 2.5" SATA compatibility, 85% pcr Plastic, Fsc-certified packaging, EC600-bcbk
EE-AEX500	R 153	Adata XPG EX500U3-CRD - 2.5" SATA External Enclosure, Black & Red, support up to 9.5mm 2.5" hdd, USB 3.0 (USB 3.1 Gen1 6Gbps), Ruggedized Gaming Style, tool-free detachable lock, usb powered, 125x90x17mm *No drive included
EE-L10QB	R 435	Lian-Li ex-10Q Black - 2.5" Sata external enclosure, Usb3.0 5 Gbps (usb2.0 backwards compatible), black, aluminium, USB powered, 132x80x18mm *No drive included
EE-L10QL	R 296	Lian-Li ex-10Q Blue - 2.5" Sata external enclosure, Usb3.0 5 Gbps (usb2.0 backwards compatible), black, aluminium, USB powered, 132x80x18mm *No drive included
EE-L10QR	R 288	Lian-Li ex-10Q Red - 2.5" Sata external enclosure, Usb3.0 5 Gbps (usb2.0 backwards compatible), black, aluminium, USB powered, 132x80x18mm *No drive included
EE-V25289BA	R 344	Vi-Power VPA-25289B-800 1.8" /2.5" external enclosure , aluminum , eye-pattern approved , IDE hdd to usb 2.0 ieee1394A ieee1394B (800mb/sec) ; powered by usb or firewire , include usb cable firewire cable (6-6/4 pin) *No drive included
HD25DU2	R 144	Chronos 2.5 inch SATA HDD to USB2.0 External Enclosure *No drive included
M53106	R 171	Verbatim Store N Go 2.5" USB 3.2 Gen1 Enclosure Kit
MT1-BA31BP-B	R 1,263	Stardom iTank Mini Series storage for one 2.5" SATA3 disk with USB 3.2 Gen 2 Type-C Interface, USB-C for USB and Thunderbolt 3, Selectable powered option USB or DC, Changeable disk Tray, Disk Hot-Swap, LED disk status, External Mobile storage solution, USB 3.2 Gen 2 up to 10 Gbps Interface, 1x 2.5" 9.5mm SATA 3 HDD/SSD compatible Drive, Black unit, MT1-ba31bp
TS0GSJ25CK3	R 270	Transcend SSD/HDD Rugged Upgrade Kit - Everything you need to reuse the 2.5-inch hard drive removed from your notebook in a shock absorbing enclosure - includes USB cable, enclosure, 9.5mm spacer *No drive included
TS0GSJ25S3	R 220	Transcend StoreJet 2.5" USB3.0 SATA3 Aluminium Hard Drive Enclosure - Silver - Supports 7mm SSD Drives *No drive included
U25TY31-P-C	R 370	CipherX 2.5" SATA Transparent USB 3.2 Type-C HDD / SSD enclosure, SATA to USB 3.2 Type-C, Up to 9.5mm, Smart LCD Display
US221-30847	R 155	UGREEN 2.5" Hard Drive Box.Input: USB A 3.0 Male; Output: (7 15)Pin SATA 3.0 Port; Drive Interface: 2.5" SATA I/II/III
US221-30848	R 148	UGREEN 2.5" Hard Drive Box. Input USB A 3.0; Male Output (7 15)Pin SATA 3.0 Port; Drive Interface 2.5" SATA I/II/III
US221-50743	R 178	Ugreen USB Type-C 2.5" SATA 3 External Hard Drive enclosure, USB Type-C to USB 3.0 Interface, 5Gbps Super Speed, Support up to 6TB drives, 450MB/s Max Speed, JMS578 Chip Set
WX-HD101	R 151	WINX STORE Fast 2.5" USB 3.2 Enclosure
WX-HD101	R 149	Winx Store Hard Drive Disk Fast 2.5 Inch USB3 Enclosure - USB-A 3.2 PC interface, Comply with USB3.2 Gen 1 protocol standard, Theoretical speed up to 5Gbps, Support 2.5 inches, 7/9.5mm thickness SSD/HDD, Tool-free DIY replacement of SSDs and HDDs.
WX-HD102	R 186	WINX STORE Fast 2.5" Type-C Enclosed

< Return to the menu

External HDD & SSD enclosures : External 3.5inch HDD enclosures

Product code	Price	Description
1125SS-BK-PRO	R 144	Orico 1125SS 2.5" to 3.5" HDD / SSD Caddy Black, Support 7mm / 9.5mm / 12.5mm 2.5 inch SATA HDDs and SSDs
1125SS-V1-BK-BP	R 207	Orico 1125SS 2.5" to 3.5" HDD / SSD Caddy Black, Support 7mm / 9.5mm / 12.5mm 2.5 inch SATA HDDs and SSDs
3.5SATA	R 229	Microworld External Chassis 3.5" SATA USB 2.0 Black (USB Cable not included)
3.5USB3-BLK	R 286	Microworld External Chassis 3.5" SATA USB 3.0 Black
702966	R 299	Manhattan 5.25" USB 2.0 Aluminium IDE Drive Enclosure
AENC3530B	R 181	Astrum AENC3530B ENU3530 3.5" External HDD/SSD Enclosure. Interface: USB 3.0; Data Transfer Speed: Up to 5Gbps; Drive Compatibility: 3.5-inch and 2.5-inch SATA SSD/HDD; Capacity Support: Up to 8TB; Operating System Compatibility: Windows, macOS, Linux; Cooling: Built-in heat dissipation design; Dimensions: 272mm x 120mm x 57mm (L x H x W)
CAS-USB3-SATA-ENC-U	R 338	Unitek Usb3.1 (Gen1) To 2.5" /3.5" Hard Disk Enclosure
DS-USB3.0-A-S1308A	R 1,369	Unitek S1308A 2-bay USB 3.0 3.5" Hard Drive enclosure, USB-B Host Port compatibility, 2x SATA Connector, 5Gbps Data Transfer Rate, 1.2m cable length, Aluminum Alloy material
DS500U3	R 4,024	Orico DS500U3 3.5" 5 bay LFF USB 3.0 Hard Drive enclosure, Up to 90TB with 18TB Hard Disk drives, Magnetic-type (Tool free), USB 3.0 5Gbps speed
EE-i452SUSS	R 504	iCYDOCK mb452MK, Silver, multi-drive exchangeability with hot-swapable removable inner tray, SATA3G to USB 2.0 eSATA, 3.5" external enclosure, aluminum, built-in stand, key-lock, bundled with external e-SATA adapter (connect from on board s-ata to pci back plate); compatible inner hdd tray: iCYDOCK MB123SK, MB122SKGF / Vantec MRK-200ST; compatible mobile rack: Vantec MRK-200ST; support icydock Hybrid external adapter (e-SATA ac power connector on pci bracket)
EE-i559SUF	R 835	iCYDOCK MB559UEA-1S, Silver, multi-drive exchangeability with hot-swapable removable inner tray, ultra-thin (194x142.6x42.6mm) anti-shank design, SATA3G to USB 2.0 Firewire ieee1394A (400mb/sec), 3.5" external enclosure, aluminum, built-in stand, latch-lock, with security slot for cable lock; Interchangeable tray compatible with external enclosure: MB561S-4S, MB559US, MB559UEA / mobile rack: MB876SK, MB453SPF, MB454SPF, MB455SPF, MB153, MB154; support icydock Hybrid external adapter (e-SATA ac power connector on pci bracket)
EE-i559SUFBK	R 1,193	iCYDOCK MB559UEB-1SB, Black, multi-drive exchangeability with hot-swapable removable inner tray, ultra-thin (194x142.6x42.6mm) anti-shank design, SATA3G to USB 2.0 Firewire ieee1394A/1394B(800mb/sec), 3.5" external enclosure, aluminum, silver white, built-in stand, latch-lock, with security slot for cable lock; Interchangeable tray compatible with external enclosure: MB561S-4S, MB559US, MB559UEA / mobile rack: MB876SK, MB453SPF, MB454SPF, MB455SPF, MB153, MB154; support icydock Hybrid external adapter (e-SATA ac power connector on PCI bracket)
EE-i559SUFK	R 894	iCYDOCK MB559UEA-1SB, Black, multi-drive exchangeability with hot-swapable removable inner tray, ultra-thin (194x142.6x42.6mm) anti-shank design, SATA3G to USB 2.0 Firewire ieee1394A (400mb/sec), 3.5" external enclosure, aluminum, built-in stand, latch-lock, with security slot for cable lock; Interchangeable tray compatible with external enclosure: MB561S-4S, MB559US, MB559UEA / mobile rack: MB876SK, MB453SPF, MB454SPF, MB455SPF, MB153, MB154; support icydock Hybrid external adapter (e-SATA ac power connector on pci bracket)
EE-i559U3SS	R 876	iCYDOCK mb559U3S-1s, Silver, multi-drive ex-changeability with hot-swapable removable inner tray, ultra-thin (194x142.6x42.6mm) anti-shank design, SATA6G to USB 3.0 eSATA, 3.5" external enclosure, aluminium, built-in stand, latch-lock, with security slot for cable lock; Interchangeable tray compatible with external enclosure: MB561S-4S, MB559US, MB559UEA/ mobile rack: MB876SK, MB453SPF, MB454SPF, MB455SPF, MB153, MB154
EE-i664SUFK	R 711	iCYDOCK MB664UEA-1SB, blacK, multi-drive exchangeability with hot swappable screw-less design, ultra-thin

		(134x32x190mm) anti-shank design , SATA to Usb 2.0 FirewireA (400mb/sec), 3.5" external enclosure, aluminum, built-in stand, latch -lock, with security slot for cable lock; support icydock Hybrid external adapter (e-SATA ac power connector on pci bracket)
EE-V290S2	R 283	Vantec nexstar valut nst-v290s2, with 6-digit password buttons for security, 2.5" Sata to Usb2.0 external enclosure, black , screw-less design, USB powered, with carry bag
EE-V7500UD	R 574	Vi-Power VPM-7500UD standalone, built-in PSU, support 4X5.25" IDE device (optical drive, 3.5" IDE or mobile rack), built-in PSU, with audio (RCA) out, USB 2.0
K3U-U3	R 334	Mecer K3U-U3 external chassis with SATA2 to USB 3.0 Interface (3.5") Drive not included. Mecer K3U-U3 external 3.5-inch SATA I/II HDD chassis; USB 3.0 interface; tool-free; hot-swap; LED indicator; portable storage solution
MR-i155	R 2,529	iCYDOCK mb155sp-b , 5x hot-swappable 3.5" in 3x 5.25" bay - SATA6G mobile rack (ideal for raid 0/1/1E/0 1/10/5/5EE/6) , anti-shank design , aluminum , black , latch-lock , detachable 92mm rear fan , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure Fan working/failure status ; Interchangeable tray (iT-i5XiT or iT-i45XiT) compatiable with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF, MB153SP, MB154SP, MB155SP
ORICO-6558US3-C	R 2,414	Orico 4 Bay 2.5" / 3.5" HDD duplicator, USB 3.0 Type-B Output Interface, 5Gbps Max Speed, 18TB per bay & total 90TB supported capacity, External Power Supply
RCT-A3U-U3	R 332	RCT 3.5" USB 3.0 External Enclosure, Excellent heat dissipation
UI-35M9	R 229	UniQue 3.5" Aluminium External USB 2.0 IDE Hard Drive Enclosure with Power, Retail Box
US222-50422	R 370	UGreen Black 3.5" 5Gbps SATA Hard Drive USB 3.0 Enclosure; up to 16TB support; 5Gbps with UASP; tool-free plug-and-play

< Return to the menu

External HDD & SSD enclosures : External CD/DVD enclosures

Product code	Price	Description
EE-V525UF	R 171	vantec Nexstar2 NST-525UF, iDE 5.25" external Enclosure, plastic/perspx, white, USB 2.0 fire-wire ieee1394a, 40mm cooling fan

< Return to the menu

External HDD & SSD enclosures : External M.2 SSD enclosures

Product code	Price	Description
AEC700GU32G2-CGY	R 515	Adata EC700G M.2 external enclosure with RGB Lighting, Support 2242 / 2260 / 2280 ngf f / M.2 SSD (NVMe or SATA mode), USB 3.0 Gen2 (10Gbps) Type-C, with Type-C Type-A cable, Black, Aluminum, USB powered, Tooless design
AENP4310B	R 196	Astrum ENP4310 10 Gbps Speed NVMe M.2 SSD Enclosure for PCIe & NGFF. Interface: USB 3.1 Gen 2 Type-C; Supported SSDs: NVMe PCIe, SATA NGFF M.2; SSD Sizes: 2230, 2242, 2260, 2280; Maximum Capacity: 2TB; Material: Aluminum alloy; Dimensions: 105 x 35 x 10 mm; Weight: 30g; Compatibility: Windows 7 , macOS 10.6 , Linux; Installation: Tool-free, screwless design;
AENP4310GB	R 213	Astrum ENP4310G RGB 10 Gbps Speed NVMe M.2 SSD PCIe & NGFF Enclosure. Interface: USB 3.1 Gen 2 Type-C; Supported SSDs: NVMe PCIe, SATA NGFF; SSD Sizes: 2230/2242/2260/2280; Max Capacity: 2TB; Material: Aluminum alloy; Dimensions: 105 x 35 x 10 mm; Weight: 30g; OS Support: Windows 7 , macOS 10.6 , Linux; Installation: Tool-free; Lighting: RGB LED
ASUS ESD-S1C/BLK/G/AS	R 1,040	Asus OG Strix Arion M.2 NVMe SSD Enclosure â€" USB3.2 GEN2 Type-C (10 Gbps), Dual USB-C to C and USB-C to A Cables, Screwdriver-Free, Thermal Pads Included, Fits PCIe 2280/2260/2242/2230 M key/B M Key
ASUS ESD-T1A/BLK/G/AS	R 807	Asus ESD-T1A M.2 NVMe PCI-e Solid State Drive enclosure - USB 3.2 Gen 2, 10 Gbit/s Data Transfer Rate
ASUS HYPER M.2 X16 GEN5 CARD	R 1,469	Asus Hyper M.2 x16 Gen5 card (PCI-e 5.0/4.0), Supports up to four NVMe M.2 (2242 / 2260 / 2280 / 22110) devices at up to 512Gbps for RAID, Active fan with Heatsink
BS-DB2804SN	R 1,724	Microworld four bay 2-in-1 M.2 NVMe & SATA SSD Dock, This Dock does not support cloning functionality., Up to 32TB Maximum support, Compact Aluminum Design

BS-DB280NA	R 1,494	Microworld DB280na Dual M.2 NVMe & SATA SSD cloner, a single disk supports 4TB for a total capacity of 8TB
BS-SD06A	R 919	Microworld Dual bay M.2 SSD Dock with Clone, 4TB support Max, 5Gbps Data Speed, One key Clone
CAB-S1206A	R 1,559	Unitek Solidforce S1206a, Type-c To PCIE/NVME M.2 SSD Dual Bay Enclosure, With Offline Clone Function. The drive can function as separate drives, or you can clone from drive A to drive B perfectly, without a PC.
CAS-ANTI-LOSS-NVME	R 367	Unitek SolidForce Smart Anti-Loss M.2 SSD enclosure, S1251A, 1x M.2 slot, 1 x USB-C (Upstream), M.2 PCI-e NVMe SSD compatibility, 10Gbps Data Transfer Rate, 30cm cable length, Aluminum Alloy, Intelligent anti-loss protection via Apple ' s find my Network
CAS-TYPE-C-M.2-SSD-B	R 465	Maiwo USB 3.1 Type-C to M.2 NGFF enclosure, K1687P
CAS-TYPE-C-M2-SSD-BK	R 260	Maiwo USB 3.1 Type-C M.2 2280 NGFF SATA enclosure, K16NC, Superspeed up to 10Gbps
CAS-USB-ENCL-S1222A	R 1,362	Unitek SolidForce USB-C to PCiE/NVMe M.2 SSD enclosure Plus SATA 3 Adapter with Offline Clone, Aluminium-Alloy cover and ABS Frame, USB-C Female upstream, 30cm cable length, S1222A
CAS-USB-ENCL-S1225A	R 836	Unitek SolidForce Reefer either USB-C to M.2 NVMe/SATA Solid State Drive enclosure, Support for M.2 NVMe & SATA SSD, Hollowed design for superior heat dissipation, Aluminium-Alloy housing, S1225A
CAS-USB-ENCL-S1226A	R 2,519	Unitek SolidForce Reefer Pro USB 40Gbps to M.2 PCiE/NVMe Solid State Drive enclosure, Micro-B Female upstream, S1226A
CAS-USB3-TC-M.2-U	R 707	Unitek USB3.1 Type-c to M.2 SSD enclosure Black (S1203ABK)
CAS-USB3-TC-M2-GY-U	R 668	Unitek USB 3.1 Type-C to M.2 enclosure - Grey, S1230A, Aluminium-Alloy housing, USB-C 10Gbps upstream, NVMe / SATA M.2 SSD downstream, M.2 SSD drives sized 2230 / 2242 / 2260 / 2280
CM400-10902	R 278	Ugreen CM400-10902 Type-C to M.2 M-Key PCI-e NVMe SSD enclosure, Aluminum Alloy ABS material, Type-C USB 3.1 Gen2 Input, Up to 10Gbps transmission rate, Tool-Free installation
CM400-90264	R 397	Ugreen CM400-90264 M.2 NVMe / SATA SSD enclosure (10Gbps) - Silver, Aluminum Alloy ABS material, Type-C USB 3.1 Gen2 Input, Up to 10Gbps transmission rate, Tool-Free installation, NVMe & SATA supported Drive protocols
CM767-35267	R 235	UGreen CM767 (10Gbps) M.2 NVMe SSD Enclosure. USB-C 10Gbps interface; supports M.2 2230-2280 NVMe/SATA up to 8TB; aluminium alloy housing; tool-free install; portable external SSD enclosure
CNV-M.2-SATA-K1683L	R 240	MAIWO K1683L M.2 Enclosure for SATA NGFF SSD 2 in 1 USB-A & USB C 3.1 Gen 1 to SATA B Key M&B-Key External Solid State Drive Enclosure 6Gbps with UASP Compatible with Samsung WD
CNV-MULTIVIEW-RX	R 5,865	Lenkeng IMCS-RX-MULTIVIEW 4k @60hz HDMI Over 1G IP Multiview Processor With Poe
CNV-PCI-X-KT015	R 392	Maiwo M.2 2280 PCI-e x4 NVMe & M.2 2280 SATA with PCI-e x4 slot card, KT015
CNV-PCI-X-KT016L	R 382	Maiwo PCI-e x4 to M.2 2280 PCI-e SSD adaptor card, KT016l
CX-18Pro	R 572	CipherX CX-18Pro M.2 NVMe / NGFF SATA USB 3.2 10Gbps Type-C Solid State Drive enclosure, Smart Display screen
CX-22PRO-B	R 574	CipherX CX-22PRO-B M.2 2230 / 2242 USB 3.2 Type-C 10Gbps NVMe SSD enclosure with Display, LED RGB lights, SATA/NGFF support, Shows drives status on LCD Display, Black Colour
CX-22PRO-S	R 574	CipherX CX-22PRO-S M.2 2230 / 2242 USB 3.2 Type-C 10Gbps NVMe SSD enclosure with Display, LED RGB lights, SATA/NGFF support, Shows drives status on LCD Display, Silver Colour
CX-E6	R 328	CipherX CX-E6 M.2 2230 to 2280 NVMe USB 3.1 Type-C Solid State Drive enclosure
CX-U25Pro	R 319	CipherX 2.5" SATA to USB 3.2 Type-C HDD/SSD external enclosure, Supports up to 9.5mm thick drives, LCD Display screen
DELOCK-42635	R 875	Delock M.2 PCI-e Type-C external enclosure, 42635, NVM Express (NVMe), Supports M.2 modules in format 2280 / 2260 / 2242 / 2230 with key M or key B M based on SATA or PCIe (NVMe) up to 10 Gbps Data transfer rate
DS-TYPE-C-DUAL/ENCLO	R 1,559	Unitek SyncStation Marshmallow USB-C to PCI-e / NVMe M.2 SSD Dual bay Docking Station with Offline Clone, S1207A, PCI-e Gen4 / Gen3, USB3.2 Gen2 10Gbps Data Transfer Rate
DS-USB4-S1243B	R 2,102	Unitek S1243B USB4.0 Type-C 4-Bay M.2 SSD Docking Station with 1:3 Offline cloning Function, 4x M.2 slot card slot, DC 12V 3A Host Power (PD), 1 x 40Gbps (Female) USB-C, M.2 PCI-e NVMe SSD compatibility, 80cm cable length, Aluminum Alloy material
EE-AEC680	R 275	Adata EC680 external M.2 USB 3.2 Gen2 Type-C PCI-e SSD enclosure, Up to 1050 MB/s Read Speed, Up to 1000 MB/s Write Speed, Tool-Free installation, Supports 2230 / 2242 / 2260 / 2280 M.2 NVMe SSDs, Grey Aluminum Alloy casing with fin Design for heat dissipation, EC680-CCGY

EE-AEC700G	R 639	Adata EC700G M.2 external enclosure with RGB Lighting, Support 2242 / 2260 / 2280 ngf f / M.2 SSD (NVMe or SATA mode), USB 3.0 Gen2 (10Gbps) Type-C, with Type-C Type-A cable, Black, Aluminum, USB powered, Tooless design
ESD-A1A-BLK-G	R 668	Asus Cobble M.2 2280 USB 3.2 Gen2 10Gbps Solid State Drive enclosure - Black, Support for up to 4TB capacity
ESD-A1A-GRY-G	R 668	Asus Cobble M.2 2280 USB 3.2 Gen2 10Gbps Solid State Drive enclosure - Grey, Support for up to 4TB capacity
EV330U31CK	R 587	Patriot EV330 PCI-e M.2 2230 SSD enclosure, Supports capacities ranging from 120GB to 2TB, 1000 MB/s R/W Performance, USB 3.2 Gen 2 controller Interface, USB Type-C Form Factor, 100% Aluminum Alloy Shell & Transparent Window
HDD-USB3-SSD-ENCL	R 336	Unitek USB3.0 M.2 SSD (NGFF/SATA) Aluminium Enclosure
K10635P2	R 693	CipherX K10635P2 Portable Dual bay USB 3.2 Gen2 Type-C HDD/SSD Adapter, For 2.5" / 3.5" SATA and M.2 NVMe PCI-e / SATA (NGFF), Supports up to 20TB SATA drives, USB 3.2 Gen2 Type-C Adapter converter, includes 2x USB cables
M2PF-C3-BK-EP	R 194	Orico M2PF-C3 M.2 SATA USB 3.1 Gen1 Type-C 5Gbps enclosure, 2TB Maximum capacity, Aluminum alloy ABS plastic
MSATA2	R 236	Microworld M.2 to USB 3.0 SSD Enclosure Adapter
OCAZZM2ECSD	R 229	OCPC OCAZZM2ECSD Azzurro Duo SSD M.2 Enclosure, dual-slot M.2 NVMe SATA enclosure; USB3.1 Type-C 10Gbps; tool-free install; supports 2230-2280; aluminium 120x59.6x23.9mm; up to 2TB per slot; portable high-performance storage
PV810UPNGM	R 460	Patriot TXD PCI-e M.2 2280 USB 3.2 Gen2 SSD enclosure, USB 3.2 Gen2 (10Gbps) controller, USB3.2 Type-C Interface, PCI-e Gen3 x4 & NVMe 1.3 support, Up to 1000MB/s Read Speed, Up to 1000MB/s Write Speed, Supports capacity from 120GB up to 8TB, 100% Aluminum Alloy Shell, Built in Heatsink & Thermal Pad
RCT SSE-NVS100CU	R 255	RCT M.2 NVMe & M.2 SATA to USB C Enclosure with USB Type A adaptor - Black (M.2 not included)
SP512GBP34A60M28	R 1,736	Silicon Power P34A60 512Gb Pcie Gen 3x4 Nvme Solid State Drive
SP512GBSS3A55S25	R 1,557	Silicon Power Ace A55 512Gb SATA III Solid State Drive
TN02	R 315	CipherX TN02 M.2 NGFF 2280 SATA USB 3.1 Type-C Solid State Drive enclosure, Supports 2230 to 2280 SATA drives
TS-CM10G	R 620	Transcend CM10G M.2 SATA SSD enclosure kit, USB 3.1 Gen 2 (USB 10Gbps) connection Interface
TS1TMTE310S	R 4,966	Transcend MTE310S 1TB M.2 2230 PCI-e Gen4 x4 Solid State Drive, 5000 MB/s read speed, 3500 MB/s write speed, Single-Sided, 3D NAND Flash
TS512GMTE310S	R 2,674	Transcend MTE310S 512GB M.2 2230 PCI-e Gen4 x4 Solid State Drive, 3300 MB/s read speed, 1700 MB/s write speed, Single-Sided, 3D NAND Flash
UNIQ-SSDC-03	R 299	UniQue M.2 PCIe NVME And NFFF Type-C SSD Enclosure - M.2 NVME/NGFF To USB3.1 Interface, Compatible With Laptops And Desktops, Smart TV With USB Interface, Android System With OTG Function, Up To 10Gbps Transfer Speed, No Warranty
UNIQ-SSDC-05	R 219	UniQue M.2 PCIe NVME And NFFF Type-C SSD Enclosure - M.2 NVME/NGFF To USB3.1 Interface, Compatible With Laptops And Desktops, Smart TV With USB Interface, Android System With OTG Function, Up To 10Gbps Transfer Speed, No Warranty
USB-C-NVME-S1241B01	R 313	Unitek USB-C to M.2 PCI-e NVMe SSD enclosure, S1241B01, 2230 / 2242 / 2260 / 2280mm supports SSD sizes, 10Gbps transfer Speed, 30cm cable length, Aluminium Alloy material, SSDs up to 8TB
USB-C-NVME-S1242A	R 1,438	Unitek S1242A SolidForce Reefer TurboCool USB 4.0 Type-C 40Gbps M.2 PCI-e NVMe enclosure, 1x M.2 slot, USB-C PD 100W Host Power (PD), 1x USB-C 40Gbps (Upstream), 15cm cable length, Aluminum Alloy material
USB3TONVME	R 229	Microworld USB 3.0 NVMe external enclosure
VANTEC CB-M2NVME-C3	R 851	Vantec Multi-Function M.2 / SATA storage Adapter with Clone Function, USB 3.2 Gen2 x1 Type-C, M.2 NVMe, M.2 SATA, Standard SATA (For 2.5" /3.5"), 16TB M.2 Drive capacity, 24TB SATA Drive capacity. Clone M.2 and SATA drives.
VANTEC ENC NST-211C3-RGB	R 518	Vantec NST-211C3-RGB M.2 NVMe & M.2 SATA Solid State Drive to USB 3.1 Gen 2 Type-C with RGB LED, Standard USB 3.1 Gen 2x1 USB Type-C external Interface, Anodized aluminum with Heat Sink, Bus-powered, USB Type-C to USB Type-C cable
VANTEC ENC NST-230C3-BK	R 633	Vantec NexStar SX; M.2 NVMe SSD to USB 3.2 Gen2x2; 20G; Type C; Black Enclosure (NST-230C3-BK)

VANTEC NST-205C3-SG	R 391	VANTEC NST-205C3-SG M.2 NVMe SSD To USB 3.2 Gen 2x1 Type C Enclosure, Revised Toolless

< Return to the menu

External HDD & SSD enclosures : Hard Drive Docking Stations

Product code	Price	Description
6518US3-V2-SA-BK	R 344	Orico 1 bay USB 3.0 2.5" / 3.5" Hard Disk Drive, SSD horizontal Dock Black, Supports up to 4TB SATA Drive
CAS-SATA-USB3-S1105A	R 659	Unitek SyncStation Marshmallow 2.5" USB 3.0 to SATA6g 2.5" Docking Station with UASP Function, USB 3.0 5Gbps Superspeed, USB-C upstream, Offline Clone Function
CM198-50857	R 569	UGreen CM198 3.5/2.5 inch SATA HDD / SSD USB 3.0 Docking Station, EU 12V/3A Power Supply, Transfer speeds up to 5Gbps
CSV-1568-CLUB3D	R 4,199	Club 3D CSV-1568 USB Gen2 Type-C Triple display DP 1.4 alt mode Smart PD charging Dock with 120 Watt PSU, 1x USB Gen2 Type-C female for connecting to Host, 1x USB Gen2 Type-C female (Data), 2x USB Gen2 Type-A female, 1x USB Gen1 Type-A female, 1x USB Type-A (Red) Smart charging Port 5v / 2.4A Maximum, 2x HDMI female (DP alt mode), 1x DP female (DP alt mode), 1x VGA female, 1x RJ45, 1x 3.5 mm phone Socket (Microphone and headphone), 1x TOSLINK, 1x AntiTheft lock, 1x DC power 20.5V CAN be alternate to the USB Type-C PD Maximum 100W, 1x USB Type-C (PD Maximum 100W)
CUDY-UH500	R 376	Cudy 6-in-1 4K 5Gbps USB-C HDMI Hub, UH500, 1x USB-C 3.2 Gen 1 Male connector (5 Gbps) upstream connection, 1x HDMI 1.4, 4K (4096x2160) 30Hz Max Resolution, Extend / Mirror Video Output modes, 4x USB Type-A 3.2 Gen 1 Ports (5 Gbps) USB Ports, Aluminum casing, USB-C Port Power Input
DS-1B-SATA-USB3-M	R 338	Maiwo 1 bay - USB3.0 to SATA 2.5 or 3.5inch Hard Drive Docking Station, K308
DS-2B-USB3-CLONE-M	R 875	Maiwo 2 bay SATA Hard Disk Drive USB 3.0 Clone Type-C docking station, K3082C
DS-2B-USB3-M	R 590	Maiwo K3082 Black USB 2.0 2.5" / 3.5" Sata HDD Mobile Hard Disk Drive Docking Station
DS-3BAY-TYPE-C-ADA	R 973	Maiwo K309cl 3-Bay SATA HDD and M.2 NVMe USB 3.2 Gen2 10Gbps Type-C Docking Station with Offline Clone Function, Supports 2.5" /3.5" SATA HDD/SSD drives, Dual M.2 NVMe SSDs, USB 3.2 Gen2 speeds up to 10Gbps
DS-4B-USB3-M	R 1,781	Maiwo K3084 USB3.0 eSATA to 2.5/3.5-inch SATA 4-Bay 1:3 Offline Copy HDD Docking
DS-5B-USB3-FAN-M-A	R 3,425	Maiwo 5-bay SATA Hard Disk Drive USB 3.0 Clone station, K3095A, USB 3.0/2.0/1.1 interfaces
DS-NVME-USB3-K3016P	R 1,755	Maiwo usb3 PCIE NVME 1:1 clone (K3016P) Drive duplicator
DS-SATA-CLONE-USB-EU	R 1,271	Unitek Y-3027GY USB 3.2 10Gbps Dual-bay SATA Docking Station and Standalone Clone station, USB-C Host Port, 2x SATA Connector, 10Gbps Data Transfer Rate, 1m cable length, Aluminum Alloy material, Space Grey Colour
DS-SATA-USB3-M	R 386	Maiwo K308c Usb Type C Usb3.1 (Usb-C) To Sata 2.5/3.5 Inch External Hard Drive Disk Docking Station Enclosure for for 3.5 2.5 Sata Hdd And Ssd [Support Up To 8TB] - Tool Free, 1 Bay Black
DS-SATA-USB3-Y-1091	R 771	Unitek USB3.0 to SATA6G 2.5" /3.5" Aluminium Docking Station
DS-SATA-USB3-Y-1092	R 587	Unitek Y-1092 USB3.0 Multifunctional Docking Station with 2-Port USB3.0 SD Card Reader and UASP Function; SATA III/II/I; 5Gbps; UASP; 2.5" and 3.5" HDD/SSD; 12V2A; 128 x 80 x 61mm; 0.4kg
DS-SATA6-USB3-S1304A	R 447	Unitek SyncStation ALU USB 3.0 to SATA 6G 2.5" 3.5" Docking Station with UASP Function, S1304a, with UASP for speed acceleration, Aluminium housing, 12v2a Power Adapter
DS-SATA6-USB3-Y-1078	R 442	Unitek USB 3.0 SATA 6G Dock station, Y-1078, Support 3.5" and 2.5" SATA HDD / SSD
EE-i031U	R 629	icydock mb031U-1smb ez-adapter m.2 2.5" ssd/hdd dock, black, 2242/2260/2280 nGff/M.2 SATA ssd / 2.5" SSD/HDD to USB type-A/C Gen1 5Gbps, JMS576 controller with UASP (USB Attached SCSI Protocol), 92x61x18.5mm
EE-V25218R	R 401	Vi-Power VPA-25218R 2x 2.5" hdd dock or external enclosure , aluminum , with backup button built-in raid system (raid 0, 1, JBOD) , OS independent SteelVine Storage Processor , 1 x fan , 2xSATA hdd to eSATA or usb
EH-SADC	R 51	Seagate Docking station protective travel case - for Freeagent Go 2E1 series
EH-SADS	R 460	seagate DockStar usb network adapter - 1x UTP for network to 3x usb docking for Freeagent Go 2E1
HD-iA344SPo	R 541	icydock mb344SPo - 4x 2.5" 1x 5.25" slim-optical to 1x 5.25" mounting bracket, up to 9.5mm, plastic, tool-less design with drive stablizer
HDDOC-1	R 459	SATA HDD docking station, Features XD/CF/TF/SD/MS card reader and eSATA port, Supports all 2.5" /3.5" SATA Hard Disk Drive

MR-i521	R 503	iCYDOCK mb521sp-b mobile rack, Black - for up to 15mm 2.5" SATA6G /SAS HDD in 3.5" bay, with power slide switch, push and eject design with LED - full metal construction
MR-i522	R 661	iCYDOCK mb522sp-b Mobile Rack, black - for up to 2x 9.5mm 2.5" SATA6G /SAS HDD in 3.5" bay, with push and eject design with LED - full metal construction
MR-i524	R 1,923	iCYDOCK mb524sp-b mobile rack, Black - for up to 4x 9.5mm 2.5" SATA6G /SAS HDD in 5.25" bay, with power buttons LED, push and eject design - full metal construction, 1x 40mm fan
MR-i971SPo	R 436	iCYDOCK mb971SPo duoswap hdd dock, Black - for 3.5" SATA6G HDD 5.25" slim-optical in 5.25" bay, push and eject design, 2x anti-dust covers - support icydock 5.25" slim mobile rack
SR4-SB31+	R 6,564	Stardom SR4-SB31 4 Bay SATA eSATA RAID 5 Type-C storage, with PD Power Delivery, DisplayPort ourput, Plus new Version of Touch Button panel, USB 3.1 Gen 1, eSATA connector, Metal Body
VANTEC NST-D258S3-BK	R 736	Vantec NexStar JX USB 3.2 Gen1 Dual bay Dock for SATA Drive with Clone Function, USB 3.2 Gen1 Type-B external Interface, Up to 20TB per bay HD capacity, Heavy Duty ABS material
VANTEC NST-D428S3-BK HDD DOCK	R 725	Vantec NST-D428S3-BK NexStar TX Dual 2.5" /3.5" SATA 6Gb/s to USB 3.0 SSD/HDD Dock
VANTEC NST-DM12C31	R 1,001	Vantec NexStar JX; USB 3.2 Gen 2x1; Triple Bay Dock (Dual M.2; Single SATA) With Clone Function

< Return to the menu

External HDD & SSD enclosures : HDD/SSD Caddies & Trays

Product code	Price	Description
450737	R 99	Manhattan Removable Hard drive Tray with electonic lock (cuts power and locks / unlocks drive). Manhattan Docking Kit IDE Ultra 133. Three Fan. Ultra ATA 133 / 100 / 66 IDE Hard Drives, Aluminum .
AC-i840M2P	R 1,666	Icydock ToughArmor mb840M2P-B - 1x M.2/nGff (2230/2242/2260/2280/22110, NVMe mode only), PCI-E 3.0(4x), with hot-swap removable inner tray (rear accessed), tool-less M.2 drive installation, thermal pad full metal housing, with drive activity
EE-i663URB	R 400	iCYDOCK MB663UR-1SB , Black , 2.5" external enclosure / mobile rack , ultra slim - 13mm , also comes with mobilerack frame / docking in 3.5" bay , screwless , aluminum , SATA hdd to usb 2.0 ; powered by USB ; with carry bag - also works MB663UR series external enclosure
EE-i664SUF	R 699	ICYDOCK MB664UEA-1S, pearl white silver, multi-drive ex-changeability with hot swappable screw-less design, ultra-thin (132x90x32mm) anti-shank design, SATA to USB 2.0 Firewire, 3.5" external enclosure, aluminum, built-in stand, latch-lock, with security slot for cable lock, bundled with external e-SATA adapter (connect from on board s-ata to PCI back plate); support icydock Hybrid external adapter (e-SATA ac power connector on PCI bracket)
EE-V8258P	R 344	Vi-Power VP-8258Plus - SmartDock external enclosure - include Vp-15-133 inner tray , ac-adapter , 2 x 40pin ide interface board (for 3.5" /5.25" ide device) , 1 x 44pin 2.5" ide interface board (for notebook drive) , usb 2.0 - support all inner tray or stand alone 2.5" , 3.5" or 5.25" ide device outside of a PC
HD-iA703	R 212	Icydock mb703m2p-b M.2 SSD to 2.5" driver carrier (work as hotswap 9.5mm 2.5" hdd), support 2230/2242/2260/2280 nGff/M.2 ssd (SATA mode only), push to open design tool-less installation, modifiable bottom plate for extra airflow or heatsink installation - 70x9.5x101mm
HD-LAHD323B	R 150	Lian-li HD-323 Black 2x 2.5" hdd/ssd to 3.5" mounting frame with anti-virbration rubber ring - ideal for 2.5" hdd in chassis with limited space
HD-LAHD323S	R 150	Lian-li HD-323 3.5" mounting bracket for 2x 2.5" HDDwith anti-vibration rubber ring - ideal for 2.5" HDD in chassis with limited space
HD-LAHD324S	R 99	Lian-li HD-324 Silver 2x 2.5" hdd/ssd to 3.5" mounting bracket - ideal for 2.5" hdd in chassis with limited space - also support Lian-li tool-less HDD cage system
HD-LAHD520B	R 121	Lian-li HD-520x Black 2x 2.5" hdd/ssd to 5.25" mounting frame
HD-LAHD520S	R 123	Lian-li HD-520a Silver 2x 2.5" hdd/ssd to 5.25" mounting frame
iT-i25-15	R 332	Icy Dock MB991TRAY-B / MB994TK-B - 2.5" up to 15mm height inner tray for MB991/994 series drive chassis
iT-i25-15+K	R 413	iCYDOCK MB994TK-B 2.5" up to 15mm height inner tray Key lock - for MB508/ MB601/ MB607/ MB699/ MB991/ MB994 series
iT-i25-7	R 355	ICY DOCK EZ-Slide Nano Tray MB998TP-B 2.5" SATA HDD / SSD Tray for ToughArmor MB998SP-B drive

		chassis
iT-i25-9	R 355	ICY DOCK EZ-Slide Micro Tray MB992TRAY-B 2.5" SATA HDD / SSD Tray for ToughArmor (MB992 / MB996) Series HDD chassis
iT-i25-9+K	R 413	iCYDOCK MB996TK-B 2.5" up to 9.5mm height inner tray Key latch lock - for MB411/MB508/MB608/MB991/MB992/MB996 series
iT-i32-12	R 208	Icydock ExpressTray Mini MB324TP-B - 2.5" up to 12.5mm height inner tray for MB324 series
iT-i32-9	R 186	iCYDOCK ExpressTray Mini MB322TP-B - 2.5" up to 9.5mm height inner tray for MB322/326 series
iT-i45XiT	R 334	iCYDOCK removable inner tray , black - for icydock MP453/454/455SPF mobile rack or MB559/561 series external enclosure, Â© 2014 Laptop Direct
iT-i5XiTW	R 297	iCYDOCK removable inner tray , White - for icydock MB559/561 series enclosure or MP453/454/455SPF mobile rack, Â© 2014 Laptop Direct
iT-i840TP	R 872	Icydock ToughArmor MB840TP-B - 1x M.2/nGff (2230/ 2242/ 2260/ 2280/ 22110, NVMe mode only) hot-swap removable inner tray - for MB840 Add-on Card / MB852 Mobile Rack
iT-i993	R 440	iCYDOCK mb993tp-b 2.5" SATA/SAS 5-7mm height inner tray for MB993SK / MB411SPo series
iT-V102W	R 145	Vantec (OEM by icydock) EZ-Swap MRK-102FD*C, White/beige, aluminum inner tray with LCD (HDD access, alarm, fan failure, overheating, HDD master/slave), for IDE HDD - compatible with iCYDOCK MB452UK, MB123AK, MB122AKGF
iT-V103W	R 79	vantec (oem by icydock) EZ-Swap MRK-103F*C , White/beige, aluminum inner tray tray , for IDE HDD - compatiable with iCYDOCK MB452UK
iT-V425	R 53	Vantec 2.5" (7-15mm) sata hdd tray for mrk-425ST drive chassis
MR-i014	R 976	iCYDOCK mb014sp-b flexidock trayless mobile rack, black - for up to 4x 9.5mm 2.5" SATA6G /SAS in 5.25" bay, with power buttons eject buttons, push and eject design, 1x 40mm fan with on/off jumper
MR-i024	R 574	iCYDOCK mb024sp-b Flexidock Trayless mobile rack, black - for up to 4x 9.5mm 2.5" SATA6G /SAS in 5.25" bay, with status indicator LEDs, push and eject design
MR-i153	R 1,717	iCYDOCK mb153sp-b , 3x hot-swappable 3.5" in 2x 5.25" bay - SATA6G mobile rack (ideal for raid 0/1/1E/5) , anti-shank design , aluminum , black , latch-lock , detachable 80mm rear fan , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure Fan working/failure status ; Interchangeable tray (iT-i5XiT or iT-i45XiT) compatiable with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF, MB153SP, MB154SP, MB155SP
MR-i322	R 742	Icy Dock ExpressCage MB322SP-B Mobile Rack - 2x front-accessed 9.5mm 2.5" with latch-lock 1x front accessed 3.5" in 1x 5.25" , plastic with metal dust cover finish, with screwless quick release button
MR-i324	R 1,259	Icy Dock mb324sp-b mobile rack - 4x front-accessed 12.5mm 2.5" SATA6G /SAS with latch-lock in 1x 5.25" , plastic, with screwless quick release button, 1x 40mm fan with fan speed control jumper - 1x SATA power required, material: metal plastic, Interface: 4x SATA/ SAS - 12.5mm, bay: 1x 5.25" , lock: latchlock, colour: black, fan: Y - 1x 40mm, HOT Swappable: Y, LCD display: N
MR-i326	R 1,458	Icydock mb326sp-b mobile rack - 6x front-accessed 9.5mm 2.5" SATA6G /SAS with latch-lock in 1x 5.25" , plastic, with screwless quick release button, 2x 40mm fan with fan speed control jumper - 2x SATA power required
MR-i451SPF	R 1,193	iCYDOCK MB876SK, 1 x hot-swappable in 1 x 5.25" bay - SATA mobile rack, anti-shank design, aluminum, black, key-lock, 40mm rear fan; Interchangeable tray (iT-i5XiT or iT-i45XiT) compatible with external enclosure: MB561S-4S, MB559US, MB559UEA / mobile rack: MB453SPF, MB454SPF, MB455SPF
MR-i607	R 1,933	iCYDOCK ToughArmor mb607sp-b mobile rack, black - for 4x 2.5" (15mm) SAS/SATA6G HDD in 5.25" bay, with latch-lock, ideal for up to to raid 0 1/10/5 in limited space, push and eject design - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangable with MB508/MB607/MB991/MB994, 1x 40mm fan with fan speed control - 1x sata power required
MR-i608	R 2,266	iCYDOCK ToughArmor mb608sp-b mobile rack, black - for 6x 2.5" (9.5mm) SAS/SATA6G HDD in 5.25" bay, with latch-lock, ideal for up to to raid 0 1/10/5 in limited space, push and eject design - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangable with MB508/MB608/MB992/MB996, 1x 40mm fan with fan speed control - 2x sata power required
MR-i795SP	R 677	iCYDOCK mb795SP flexidock, blacK - for 2.5" 3.5" SATA6G HDD in 5.25" bay, anti-dust covers, power hdd

		activity LEDs
MR-i830	R 1,034	iCYDOCK MB830SP-b mobilerack / internal docking - 3 x hot-swappable 3.5" SATA/SAS in 2 x 5.25" bay, screwless trayless spring loaded dust cover, with APT (Active Power Technology - led fan only powered when hdd inserted), aluminum, black, detachable 80mm rear fan with adjustable fan speed control, LED indication for Drive activity
MR-i901R	R 3,161	iCYDOCK mb901spR-b mobile rack with built-in Raid 1/mirror advanced RAID status LED indicators, black - for 2x 2.5" /3.5" SATA6G HDD in 2x 5.25" bay, with latch-lock - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangable with
MR-i902R	R 2,874	iCYDOCK ToughArmor mb902spR-b mobile rack with built-in Raid 1/mirror advanced RAID status LED indicators, Black - for 2x 2.5" (15mm) SATA6G in 5.25" bay, with latch-lock - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangable
MR-i971SP	R 1,009	iCYDOCK mb971SP mobile rack for 2.5" /3.5" SATA6G HDD in 5.25" bay, black, push and eject design, 2x anti-dust covers, 2 x dedicated power buttons, 2x eject buttons, 2x LEDs.
MR-i991iK	R 654	iCYDOCK MB991iK 2.5" SATA/SAS Mobile Rack, black, aluminum, for upto 15mm 2.5" SATA6G /SAS HDD in 3.5" bay, with key-lock, push and eject design - hot-swappable inner tray tray exchangeable with MB994.
MR-i992R	R 2,241	iCYDOCK ToughArmor mb992skR-b mobile rack with built-in Raid (0,1,JBoD), Black - for 2x 2.5" (9.5mm) SATA6G HDD in 3.5" bay, with key-lock, push and eject design - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangable with MB996 - 1x SATA power required
MR-i993	R 1,458	iCYDOCK ToughArmor mb993sk-b mobile rack, black - for 3x 2.5" (7mm) SATA6G HDD in 3.5" bay, with key-lock, ideal for up to to raid 0/1/5 in limited space, push and eject design - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangable with MB998 - 4pin FDD power required
MR-I994+K	R 2,471	Icydock ToughArmor MB994SK-1B Rugged Full Metal 4 Bay 2.5â€• SATA/SAS HDD & SDD Backplane Cage with locking Trays for External 5.25" Bay
MR-i996+K	R 3,238	iCYDOCK ToughArmor mb996sk-6sb mobile rack, blacK - for 6x 2.5" (9.5mm) SAS/SATA6G HDD in 5.25" bay, with 6x key-lock for each drive, ideal for up to to raid 0 1/10/5 in limited space, push and eject design - ToughArmor heavy duty metal construction, hot-swappable inner tray exchangeable with MB508/MB608/MB992/MB996, 1x 40mm fan with fan speed control - 2x 4pin molex power required
MR-i998+K	R 3,704	iCYDOCK ToughArmor mb998Sk-b mobile rack, Black - for 8x 2.5" (7mm) SATA6G HDD in 5.25" bay, with 8x key-lock for each drive, ideal for up to to raid 0 1/10/5 in limited space, ToughArmor heavy duty metal construction, hot-swappable inner tray, latch lock, 2x 40mm fan - 2x SATA power required
MR-V102S	R 95	vantec (oem by icydock) EZ-Swap MRK-102FD , Silver, aluminum , for IDE HDD , 40mm rear cooling fan , with keylock , with LCD (hdd access , alarm , fan failure , overheating , hdd master/slave) - inner tray compatiable with iCYDOCK MB452UK , MB123AK , MB122AKGF
MR-V102W	R 263	vantec (OEM by Icydock) EZ-Swap MRK-102FD, White/beige, aluminum, for IDE HDD, 40mm rear cooling fan, with keylock, with LCD (HDD access, alarm, fan failure, overheating, hdd master/slave) - inner tray compatiable with iCYDOCK MB452UK, MB123AK, MB122A
MR-V103W	R 101	vantec (oem by icydock) EZ-Swap MRK-103F, White/beige, aluminum , for IDE HDD , 40mm rear cooling fan, keylock, hdd access/power indicator - inner tray compatiable with iCYDOCK MB452UK
MR-VA15	R 22	Vi-Power VP-15-133 , ide inner tray (cartridge) , plastic - for all VP-10xxx , VP-410xx
MR-VA15FK	R 32	Vi-Power VP-15F-133-black , ide inner tray (cartridge) , plastic , with 1X40mm fan - for all VP-10xxx , VP-410xx. *BLACK IN COLOUR, IMAGE MAY DIFFER IN COLOUR*
MR-VA5015A	R 56	Vi-Power VP-5015 SATA inner tray (cartridge), Aluminum, with 1x 40mm fan - for VP-5010LSF series
MR-VA5015AK	R 56	Vi-Power VP-5015-Black SATA inner tray (cartridge), Aluminum, with 1x 40mm fan - for VP-5010LSF series
MR-ViSHL	R 123	Vi-Power VP-1001LSF , ide hdd to S-ata . Hotswapable , Latchlock , 40mm Fan , No need to turn off pc - for 5.25"
MR-ViUHL	R 122	Vi-Power VP-1028LSF , ide to Usb2.0 , Hotswapable , Latchlock , 40mm fan , No need to turn off pc - for 5.25"
MR-ViUHL2A	R 179	Vi-Power VP-4128LS2F , ide to Usb2.0 , Hotswapable , Latchlock , 2X40mm Fan , A , Aluminum , No need to turn off pc - for 5.25"
MR-ViUHLB	R 124	Vi-Power VP-1028B , ide to Usb2.0, Hotswapable, Latchlock, 40mm fan with 1-touch button for Back-up / Restore , beige , no need to turn off pc ; with software to allow you to choose files, directories, source, destination ; ideal for

		pure backup , or backup on 1 pc and restore to another PC
MR-ViUHLBK	R 133	Vi-Power VP-1028B, *BLACK* ide to Usb2.0, Hotswapable, Latchlock, 40mm fan with 1-touch button for Back-up / Restore , blacK, no need to turn off pc ; with software to allow you to choose files, directories, source, destination ; ideal for pure backup , or backup on 1 pc and restore to another PC
SK41203	R 23	Chenbro 2.5" HDD/SSD Bracket for 3.5" HDD Bay
VANTEC MRK-225S6-BK	R 288	Vantec mrk-225S6-bk ez swap evo, black, aluminum, for 2x 2.5" S-ATA HDD / SSD (7-9.5mm height) in 1 x 3.5" bay, hot-swappable with lock, HDD indicator, Â© 2019 Laptop Direct
WSHPNQ099AA	R 774	HP Optical Bay HDD Mounting Bracket-BLK For HP Z420 : Y, HP Z620 : Y, HP Z820 : Y, HP Z800 : Y, HP Z600 RDIMM : Y, HP Z600 : Y, HP Z400 6-DIMM : Y, HP Z400 : Y, HP Z210 SFF : Y, HP Z210 CMT : Y, HP Z200 : Y, HP Z200 SFF : Y

< Return to the menu

Flash / Thumb drives

Product code	Price	Description
49063	R 92	Verbatim Store & Go Hi Speed Pinstripe Black 16GB Flash Drive, lightweight, striped pinstripe design, Push and Pull Sliding feature.
49064	R 109	Verbatim Store & Go Hi Speed Pinstripe Black 32GB Flash Drive, Push and Pull Sliding feature, lightweight, striped pinstripe design.
49065	R 161	Verbatim Store & Go Hi Speed Pinstripe USB 2.0 Flash Drive, Black, push and pull sliding feature, lightweight, 10MB/sec Minimum Read Speed, 4MB/sec Minimum Write Speed, Windows, Mac, Linux Compatible.
AC008-16G-RKD	R 75	Adata AC008 Black & Red USB 2.0 16GB Capless Sliding Flash Drive
AC008-32G-RKD	R 93	ADATA Classic Series C008 32GB Retractable USB 2.0 Flash Drive, Black/Red
AC008-64G-RKD	R 114	Adata C008 Black & Red 64GB USB 2.0 Retractable Flash Drive
AC906-16G-RBK	R 51	Adata C906 Black 16Gb USB 2.0 Compact Flash Drive
AC906-32G-RBK	R 101	Adata C906 USB 2.0 compact 32GB Black Flash Drive
AC906-64G-RBK	R 114	Adata C906 USB 2.0 compact 64GB Black Flash Drive
ACHO-UC300-128G-RBK/GN	R 368	Adata UC300 128GB USB 3.2 Type-C Flash Drive, USB 3.2 Gen 1 Protocol, Up to 100MB/s read speed, Capless sliding connector, Lanyard eyelet
ACHO-UC300-256G-RBK/GN	R 389	Adata UC300 256GB USB 3.2 Type-C Flash Drive, USB 3.2 Gen 1 Protocol, Up to 100MB/s read speed, Capless sliding connector, Lanyard eyelet
ACHO-UC300-32G-RBK/GN	R 113	Adata UC300 32GB USB 3.2 Type-C Flash Drive, USB 3.2 Gen 1 Protocol, Up to 100MB/s read speed, Capless sliding connector, Lanyard eyelet
ACHO-UC300-64G-RBK/GN	R 136	Adata UC300 64GB USB 3.2 Type-C Flash Drive, USB 3.2 Gen 1 Protocol, Up to 100MB/s read speed, Capless sliding connector, Lanyard eyelet
AP128GAH25BR-1	R 199	Apacer AH25B 64GB USB 3.1 Gen1 Flash Drive - Red, Retail Box
AP128GAH25CJ-1	R 229	Apacer 128GB AH25C Bronze USB 3.2 Flash Drive - offers USB 3.2 Gen1 interface for fast data transfer and is available in Ocean Blue or Classical Bronze colors. With dimensions of 51.5 x 18.5 x 8.2 mm and weighing only 6.7g, it ' s highly portable. The AH25C supports various operating systems, including Windows, Linux, and macOS
AP128GAH350B-1	R 229	Apacer AH350 128GB USB 3.0 Flash Drive - Black, USB Interface Super Speed USB3.0; backwards compatible with USB2.0, AH350 features easy plug-and-play capability, Hidden Side Push Key, Compact and Streamlined Design, Compact and Streamlined Design, Light-weight Retail Box
AP32GAH190H-1	R 499	Apacer AH190 (AP32GAH190H-1) 32GB USB 3.1 Gen1 & Lightning Dual Flash Drive (OTG) - Gold, Dual Interface of Lightning & USB 3.1 Gen 1 Type-A, Apple MFi Certified, Transmission at SuperSpeed 5Gbps, Memory Expansion up to 64GB of Your iPhone & iPad, Easy File Management with Apacer iFileBridge App, Retail Box
AP64GAH25BB-1	R 139	Apacer 64GB AH25B Black USB 3.2 Flash Drive - Featuring a sleek, pebble-like contour in mysterious black with a subtle ruby blue arc stripe, it combines elegance with functionality. Available in 64GB, it supports USB 3.2 Gen 1 for fast data transfers and is backward compatible with USB 2.0. Compact and lightweight (7.8g), it includes a strap hole for easy attachment to keychains or straps, enhancing portability. With plug-and-play functionality, it works seamlessly across Windows, Mac OS, and Linux systems, requiring no additional drivers. Operating within a

		temperature range of 0Â°C to 60Â°C and backed by certifications (CE, FCC, BSMI, RCM)
AP64GAH25CJ-1	R 149	Apacer 64GB AH25C Bronze USB 3.2 Flash Drive - offers USB 3.2 64GB Gen1 interface for fast data transfer and is available in Classical Bronze colour. With dimensions of 51.5 x 18.5 x 8.2 mm and weighing only 6.7g, it ' s highly portable. The AH25C supports various operating systems, including Windows, Linux, and macOS
AP64GAH25CU-1	R 149	Apacer AH25C Series 64GB USB 3.2 Gen 1 Flash Drive - Ocean Blue
AUV-210-64G-RGD	R 124	Adata USB 2.0 Metal 64GB Gold Flash Drive
AUV128-128G-RBE	R 183	ADATA DashDrive Series UV128 128GB USB 3.0 Flash Drive, Black/Blue, Retail Box
AUV128-256G-RBE	R 458	Adata UV128 256GB USB 3.2 Gen1 retractable Flash Drive - Black / Blue, Up to 100MB/s read performance, USB 3.2 Gen1 (USB 5Gbps) - Includes one flash drive
AUV128-32G-RBE	R 109	ADATA DashDrive Series UV128 32GB USB 3.0 Flash Drive, Black/Blue, Retail Box
AUV128-512G-RBE	R 860	Adata UV128 512GB USB 3.2 Gen1 retractable Flash Drive - Black / Blue, Up to 100MB/s read performance, USB 3.2 Gen1 (USB 5Gbps) - Includes one flash drive
AUV128-64G-RBE	R 124	ADATA DashDrive Series UV128 64GB USB 3.0 Flash Drive, Black/Blue, Retail Box
AUV128-64G-RBEM	R 124	Adata UV128 Black/ Blue 64GB Retractable USB Flash Drive, USB 3.2 Gen1 (USB 5Gbps) (backward compatible with USB 2.0), Up to 100 MB/s read
AUV150-128G-RBK	R 239	Adata DashDrive UV150 128GB USB 3.2 Gen1 Flash Drive - Black, Up to 100 MB/s read speed
AUV150-256G-RBK	R 712	Adata DashDrive UV150 256GB USB 3.2 Gen1 Flash Drive - Black, Up to 100 MB/s read speed
AUV150-32G-RBK	R 114	Adata UV150 32Gb Glossy Black - USB3.0 Flash Drive (USB 2.0 backwards compatible), snap-on cap design, USB 3.0 read/write: 90/20 MB/sec, 58x18x11mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
AUV150-512G-RBK	R 1,136	Adata DashDrive UV150 512GB USB 3.2 Gen1 Flash Drive - Black, Up to 100 MB/s read speed
AUV150-64G-RBK	R 124	ADATA DashDrive UV150 64GB USB 3.0 Flash Drive - Black, Retail Box
AUV150-64G-RRD	R 121	ADATA DashDrive UV150 64GB USB 3.0 Flash Drive - Red, Retail Box
BL.9BWWA.526	R 173	Acer Usb3.2 Gen1 64Bb Black Flash Drive
BROTHER CAMATSTD12	R 518	Brother CAMATSTD12 12" x 12" Standard Tack Adhesive Mat, Ideal for thicknesses ranging from 0.2mm - 1.5mm
CAY1U2	R 12	Okion Digitcopier, Usb 2.0 Portable Data Copier OTG Device, Data copy between 2 USB storage devices, USB 2.0 Operation without a computer.
CX064GUFD	R 220	CipherX U10 Pro Series 64GB USB 3.0 Flash Drive, 150MB/s Read Speed
CX128GUFD	R 405	CipherX U10 Pro Series 128GB USB 3.0 Flash Drive, 150MB/s Read Speed
DT70/128GB	R 178	Kingston dt70/128GB Datatraveler 70, Black, 128Gb Flash Drive, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 59x18.5x9mm mini size, support Linux, Mac OS
DT70/256GB	R 415	Kingston DataTraveler 70 256GB USB-C 3.2 Gen 1, DTI USB 3.0, FLASH
DT70/64GB	R 109	Kingston dt70/64GB Datatraveler 70, black, 64Gb flash drive, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 59x18.5x9mm mini size, support Linux, Mac OS
DTDUO3CG3/128GB	R 523	Kingston 128GB DataTraveler microDuo 3C 200MB/s dual USB-A USB-C
DTDUO3CG3/256GB	R 813	Kingston 256GB DataTraveler microDuo 3C 200MB/s dual USB-A USB-C, Micro OTG Drive 3.0, FLASH
DTDUO3CG3/64GB	R 357	Kingston DataTraveler microDuo 3C 64GB USB Type-C and Type-A Flash Drive, USB 3.2 Gen 1 speed, 200MB/s read speed
DTKN/128GB	R 427	Kingston Datatraveller Kyson - metal housing with capless design, USB 3.0 Gen1 type-A (USB 2.0 backwards compatible), 128Gb Flash Drive, with solid lanyard loop, read/write: 200/60 mb/sec, 59.4x19x10mm, support Linux, Mac OS
DTKN/512GB	R 1,358	Kingston DataTraveler Kyson 512GB 200MB/s Metal USB 3.2 Gen 1, DTI USB 3.0, FLASH
DTKN/64GB	R 254	Kingston DTKN/64GB Datatraveller Kyson - metal housing with capless design, USB 3.0 Gen1 type-A (USB 2.0 backwards compatible), 64Gb Flash Drive, with solid lanyard loop, read: 200 mb/sec, 59.4x19x10mm, support Linux, Mac OS
DTL+/8GB	R 199	Kingston 8GB USB 2.0 Hi-Speed DataTraveler Locker w/Encryption
DTSE9G3/128GB	R 455	Kingston DataTraveler SE9 G3 128GB 220MB/s Metal USB 3.2 Gen 1, DT SE9 Differentiated,
DTSE9G3/256GB	R 797	Kingston DataTraveler SE9 G3 256GB Metal USB 3.2 Gen 1 Flash Drive, 220MB/s read Speed, 100MB/s write Speed, Type-A, DTSE9G3

DTSE9G3/512GB	R 1,372	Kingston DataTraveler SE9 G3 512GB 220MB/s Metal USB 3.2 Gen 1, DT SE9 Differentiated
DTSE9G3/64GB	R 258	Kingston DataTraveler SE9 G3 64GB Metal USB 3.2 Gen 1 Flash Drive, 220MB/s read Speed, 100MB/s write Speed, Type-A, DTSE9G3
DTXM/128GB	R 186	Kingston DataTraveler Exodia M 128GB USB3.2 Gen 1 Flash Drive, Black Red, Moving cap design protects USB connector
DTXM/256GB	R 415	Kingston 256GB USB3.2 Gen1 DataTraveler Exodia M (Black Teal), DTI USB 3.0, FLASH
DTXM/64GB	R 109	Kingston DataTraveler Exodia M 64GB USB3.2 Gen 1 Flash Drive, Black & Blue, Moving cap design protects USB connector
DTXS/128GB	R 186	Kingston DataTraveler Exodia S (Black/Turquoise) 128GB Portable USB 3.2 Gen 1, DTI USB 3.0, FLASH
DTXS/512GB	R 903	Kingston DataTraveler Exodia S (Black/Yellow) 512GB Portable USB 3.2 Gen 1, DTI USB 3.0, FLASH
DTXS/64GB	R 115	Kingston DataTraveler Exodia S (Black/Black) 64GB Portable USB 3.2 Gen 1, DTI USB 3.0, FLASH
EH-A1000SC610	R 2,922	Adata SC610-1000G-CBK/RD SC610 series, 1Tb/1000Gb Black, USB 3 Gen2(10Gbps / 1000mb/sec) type-A flash drive type, metallic housing with hairline-brushed finish, 122x44x14mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A2000SC610	R 5,661	Adata SC610-2000G-CBK/RD SC610 series, 2Tb/2000Gb Black, USB 3 Gen2(10Gbps / 1000mb/sec) type-A Flash Drive type, metallic housing with hairline-brushed finish, 122x44x14mm, with OStoGO HDDtoGo utilities 60days trial Norton internet security
EH-A500SC610	R 1,572	Adata SC610-500G-CBK/RD SC610 series, 500Gb Black, USB 3 Gen2(10Gbps / 1000mb/sec) type-A Flash Drive type, metallic housing with hairline-brushed finish, 122x44x14mm, with OStoGO HDDtoGo utilities 60days trial norton internet security
FD-A128Ai920B	R 1,641	Adata iMemory flash drive Ai920-128G-CBK 128Gb Black - USB3.1 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC, COB design with mini-size (37.8x16.9x6.9mm), dust and water resistant, support Ultra HD 4K video playback Apple AirPlay; 61x32x10mm, USB3.1 read/write: 150/50 mb/sec, Lightning read/write: 30/20 mb/sec, with iOS/MAC/PC backup software, Â© 2017 Laptop Direct
FD-A128GUC300	R 332	Adata ACHO-UC300-128G-RBK/GN 128Gb UC300 flash drive, with keyring loop capless sliding design, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 63x20.5x10mm mini size, support Linux, Mac OS
FD-A128GUC310B	R 263	Adata UC310 128Gb Black - USB 3.2 Flash Drive (USB 2.0 backwards compatible), swivel capless design, usb3.0 read: 100 mb/sec, 58x20x13mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A128GUC310E	R 263	Adata UC310E-128G-RGN - ECO USB Flash Drive, 128GB, swivel capless design, USB 3.2 Gen1 (5Gbps), 35% PCR plastic.
FD-A128GUC310W	R 245	Adata UC310 128GB USB 3.2 Gen1 swivel Flash Drive, Swivel capless design, Up to 100MB/s read speed, USB 3.2 Gen1 Interface
FD-A128GUC320	R 308	Adata UC320-128G-RBK - USB Flash Drive, 128GB, capless sliding connector, USB 3.2 Gen1 (5Gbps), 85% PCR plastic.
FD-A128GUE720	R 474	Adata UE720-128G-CGY - High-speed Type-A Flash Drive, 128GB, USB 3.2 Gen2 (10Gbps), SSD-level speeds, push-to-use design.
FD-A128GUE800	R 854	Adata AELI-UE800-128G-CSG Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/550 mb/sec, capless sliding design, 73x21x9mm, support Linux, Mac OS
FD-A128GUR340	R 296	Adata UR340 128GB USB 3.0 Flash Drive, Zinc-alloy housing with integral strap hole for lanyard or keychain, Waterproof and dustproof with COB design, Unibody Nickel construction, 100 MB/sec read speed, 30 MB/sec write speed, Support free OStoGO UFDtoGO
FD-A128GUR350	R 288	Adata UR350 128GB USB 3.0 Flash Drive, Waterproof and dustproof with COB design, Unibody Nickel construction, USB 3.2 Gen1 transmission Interface with a Bandwidth of 5Gbps
FD-A128GUV150B	R 242	Adata UV150 128Gb Glossy Black - USB 3.0 Flash Drive (USB 2.0 backwards compatible), snap-on cap design, USB 3.0 read/write: 90/40 mb/sec, 58x18x11mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A128GUV320B	R 262	Adata UV320 128Gb Black & Blue USB 3.0 Flash Drive (USB 2.0 backwards compatible), sliding push out USB

		connector, USB 3.0 read/write: 90/40 mb/sec, 55x19.5x10mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A128GUV320W	R 262	Adata UV320 128Gb White & Green USB 3.0 Flash Drive (USB 2.0 backwards compatible), sliding push out USB connector, USB 3.0 read/write: 90/40 mb/sec, 55x19.5x10mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A128UE710W	R 1,724	Adata i-memory AUE710-128G-CWH 128Gb White - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC, support Ultra HD 4K video playback Apple AirPlay; 61x32x10mm, read/write: 30.2/15.5 mb/sec, with iOS/MAC/PC backup software
FD-A16GC903R	R 125	Adata C903 silver & Red 16Gb flash drive, swivel glossy metallic casing, cap-less design, 56.7x19.3x11.3mm, read/write: 30/8 MB/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A16GS007G	R 129	Adata S007 black & Green 16Gb flash drive, with usage indicator light slip-resistant grip military-grade protective rubber insulation for shock-resistant and waterproof (1 meter for 20min), tuck-in cap design on the rear end, 61.8x18.7x10.7mm, read/write: 30/8 MB/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A16GS805R	R 101	Adata nobility series sport S805 Silver & Red 16Gb flash drive, with zinc alloy frame universal clip design to be added to key chain or zipper, swivel cap-less design, 61.7x19x9.3mm, read/write: 30/8 MB/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security - limited lifetime warranty
FD-A16GUD330R	R 230	Adata UD330 Red 16Gb USB 3.0 Flash Drive, folding cover design integral strap mount, dust/shock/water resistant - COB design with mini-size (32.4x18.6x12mm), read/write: 100/30 mb/sec, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A1TUE800	R 3,260	Adata AELI-UE800-1T-CSG UE800 1Tb/1024Gb Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/1000 mb/sec, capless sliding design, 73x21x9mm, support Linux, Mac OS
FD-A256GUC300	R 661	Adata ACHO-UC300-256G-RBK/GN 256Gb UC300 Flash Drive, with keyring loop capless sliding design, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 63x20.5x10mm mini size, support Linux, Mac OS
FD-A256GUC310B	R 649	Adata UC310 256Gb Black - USB 3.2 Flash Drive (USB 2.0 backwards compatible), swivel capless design, USB 3.0 read: 100 mb/sec, 58x20x13mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A256GUC310W	R 603	Adata UC310 256GB USB 3.2 Gen1 swivel Flash Drive, Swivel capless design, Up to 100MB/s read speed, USB 3.2 Gen1 Interface
FD-A256GUC320	R 788	Adata UC320-256G-RBK - USB Flash Drive, 256GB, USB 3.2 Gen1 (5Gbps), sliding capless connector, 85% PCR plastic.
FD-A256GUE800	R 1,193	Adata AELI-UE800-256G-CSG Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/950 mb/sec, capless sliding design, 73x21x9mm, support Linux, Mac OS
FD-A256GUR340	R 861	Adata UR340 256GB USB 3.2 Gen1 Flash Drive: Elegant and glossy black nickel body, Waterproof, Dustproof, Shockproof, Weighs 4g, USB 3.2 Gen1 interface, Backward compatible with USB 2.0, Up to 100 MB/s read speed, Capless design, Keychain hole
FD-A256GUR350	R 788	Adata UR350 256GB USB 3.2 Gen1 Flash Drive: Nickel-colored texture, Waterproof, Dustproof, Shockproof, Weighs 3.5g, USB 3.2 Gen1 interface, Backward compatible with USB 2.0, Up to 100 MB/s read speed, Capless design, Keychain hole
FD-A256GUV150B	R 587	Adata UV150 256GB USB 3.0 glossy Black Flash Drive, Snap-on cap design, USB 3.2 Gen1 (USB 5Gbps) Interface, Up to 100MB/s read performance
FD-A256GUV320W	R 595	Adata UV320 256GB USB 3.0 White Green Flash Drive, Capless design with top thumb sliding lid, USB 3.2 Gen1 (USB 5Gbps) Interface, Up to 100MB/s read performance
FD-A256GUV350	R 773	Adata UV350 256Gb USB 3.0 Flash Drive, zinc-alloy housing with integral strap hole for lanyard or keychain, read/write: 100/30 mb/sec, 42x15x5mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security

FD-A2TUE800	R 6,246	Adata AELI-UE800-2T-CSG 2Tb/2048Gb UE800 Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/1000 mb/sec, capless sliding design, 73x21x9mm, support Linux, Mac OS
FD-A32Ai920R	R 765	Adata i-memory flash drive Ai920-32G-CRG 32Gb Rose gold - USB 3.1 Apple certified MFi lightning dual-connectors flash drive for iOS/MAC/PC, COB design with mini-size (37.8x16.9x6.9mm), dust and water resistant, support Ultra HD 4K video playback Apple AirPlay; 61x32x10mm, USB 3.1 read/write: 150/30 mb/sec, Lightning read/write: 30/20 mb/sec, with iOS/MAC/PC backup software
FD-A32GC008B	R 101	Adata C008 Black & red, 32Gb flash drive, thumb sliding lid with connector protection - cap-less design, 59.6x19.5x9.5mm, read/write: 30/8 MB/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GC906B	R 110	Adata C906 USB 2.0 Compact 32GB Flash Drive - Black, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A32GC906L	R 110	Adata C906 USB 2.0 Compact 32GB Flash Drive - Blue, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A32GC906P	R 102	Adata C906 USB 2.0 Compact 32GB Flash Drive - Pink, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A32GC906W	R 101	Adata C906 USB 2.0 Compact 32GB Flash Drive - White, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A32GS102P	R 275	Adata S102 Pro 32Gb USB3.0 Flash drive (USB 2.0 backwards compatible), textured aluminium housing clipped-on cap design on the rear end, USB 3.0 read/write: 100/50 MB/sec, 61.8x18.7x10.7mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUC300	R 147	Adata ACHO-UC300-32G-RBK/GN 32Gb UC300 Flash Drive, with keyring loop capless sliding design, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 63x20.5x10mm mini size, support Linux, Mac OS
FD-A32GUC310B	R 124	Adata UC310 32Gb Black - USB 3.2 Flash Drive (USB 2.0 backwards compatible), swivel capless design, USB 3.0 read: 100 mb/sec, 58x20x13mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUC310W	R 124	Adata UC310 32GB USB 3.2 Gen1 swivel Flash Drive, Swivel capless design, Up to 100MB/s read speed, USB 3.2 Gen1 Interface
FD-A32GUD330R	R 254	Adata UD330 Red 32Gb USB3.0 Flash Drive, folding cover design integral strap mount, dust/shock/water resistant - COB design with mini-size (32.4x18.6x12mm), read/write: 100/30 mb/sec, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUE700P	R 319	Adata UE700 Pro 32Gb USB 3.0 Flash Drive (USB 2.0 backwards compatible), circular brushed aluminum finish with blue LED indicator retractable USB connector capless design, USB 3.0 read/write: 360/180 mb/sec, 63x23x7mm compact slim design, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUR340	R 130	Adata UR340 32GB USB 3.0 Flash Drive, Zinc-alloy housing with integral strap hole for lanyard or keychain, Waterproof and dustproof with COB design, Unibody Nickel construction, 100 MB/sec read speed, 30 MB/sec write speed, Support free OStoGO UFDtoGO
FD-A32GUR350	R 125	Adata UR350 32GB USB 3.0 Flash Drive, Waterproof and dustproof with COB design, Unibody Nickel construction, USB 3.2 Gen1 transmission Interface with a Bandwidth of 5Gbps
FD-A32GUV150B	R 124	Adata UV150 32Gb Glossy Black - USB3.0 Flash Drive (USB 2.0 backwards compatible), snap-on cap design, USB 3.0 read/write: 90/20 MB/sec, 58x18x11mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUV150R	R 114	Adata UV150 32Gb Glossy Red - USB3.0 Flash Drive (USB 2.0 backwards compatible), snap-on cap design, USB 3.0 read/write: 90/20 MB/sec, 58x18x11mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUV210	R 109	Adata UV210 32Gb USB 2.0 Flash Drive, sandblasted zinc-alloy housing with integral strap hole for lanyard or keychain, advanced COB (Chip-on-Board) design with dust/shock/water resistant, 39x12.2x4.5mm, support Linux,

		Mac OS, support free OStoGO UFDtoGO
FD-A32GUV240B	R 110	Adata UV240 Black 32Gb Flash Drive, flip cap design integral strap mount - 55x19x8mm, read/write: 30/8 mb/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUV240R	R 101	Adata UV240 Red 32Gb Flash Drive, flip cap design integral strap mount - 55x19x8mm, read/write: 30/8 mb/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUV240W	R 101	Adata UV240 White 32Gb Flash Drive, flip cap design integral strap mount - 55x19x8mm, read/write: 30/8 mb/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUV250	R 114	Adata UV250 32Gb USB2.0 Flash Drive, zinc-alloy housing with integral strap hole for lanyard or keychain, read/write: 30/8 mb/sec (200x), 42x15x5mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial norton internet security
FD-A32GUV320B	R 116	Adata UV320 32Gb Black & Blue USB 3.0 Flash Drive (USB 2.0 backwards compatible), sliding push out USB connector, USB 3.0 read/write: 40/25 mb/sec, 55x19.5x10mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A32GUV320W	R 115	Adata UV320 32Gb White & Green USB 3.0 Flash Drive (USB 2.0 backwards compatible), sliding push out USB connector, USB 3.0 read/write: 40/25 mb/sec, 55x19.5x10mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A512GUE800	R 1,768	Adata AELI-UE800-512G-CSG Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/1000 mb/sec, capless sliding design, 73x21x9mm, support Linux, Mac OS
FD-A512GUV150B	R 1,022	Adata UV150 512GB USB 3.0 glossy Black Flash Drive, Snap-on cap design, USB 3.2 Gen1 (USB 5Gbps) Interface, Up to 100MB/s read performance
FD-A512GUV320W	R 1,279	Adata UV320 512GB USB 3.0 White Green Flash Drive, Capless design with top thumb sliding lid, USB 3.2 Gen1 (USB 5Gbps) Interface, Up to 100MB/s read performance
FD-A512GUV350	R 1,214	Adata UV350 512GB USB 3.0 Flash Drive, Zinc-alloy housing with integral strap hole for lanyard or keychain, Metal (Mirror exterior) texture, USB 3.2 Gen1 (USB 5Gbps) Interface, Up to 100MB/s read performance
FD-A64Ai920G	R 994	Adata i-memory flash drive Ai920-64G-CGD 64Gb Gold - USB 3.1 Apple certified MFi lightning dual-connectors flash drive for iOS/MAC/PC, COB design with mini-size (37.8x16.9x6.9mm), dust and water resistant, support Ultra HD 4K video playback Apple AirPlay; 61x32x10mm, USB 3.1 read/write: 150/50 mb/sec, Lightning read/write: 30/20 mb/sec, with iOS/MAC/PC backup software
FD-A64Ai920R	R 984	Adata i-memory flash drive Ai920-64G-CRG 64Gb Rose gold - USB3.1 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC, COB design with mini-size (37.8x16.9x6.9mm), dust and water resistan, support Ultra HD 4K video playback Apple AirPlay; 61x32x10mm , USB3.1 read/write : 150/50 mb/sec, Lightning read/write: 30/20 mb/sec, with iOS/MAC/PC backup software
FD-A64GC906B	R 106	Adata C906 USB 2.0 Compact 64GB Flash Drive - Black, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A64GC906L	R 115	Adata C906 USB 2.0 Compact 64GB Flash Drive - Blue, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A64GC906P	R 106	Adata C906 USB 2.0 Compact 64GB Flash Drive - Pink, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (includes one flash drive)
FD-A64GC906W	R 115	Adata C906 USB 2.0 Compact 64GB Flash Drive - White, Integral strap Mount, 30MB/s read speed, 8MB/s write speed (Includes one flash drive)
FD-A64GUC300	R 186	Adata ACHO-UC300-64G-RBK/GN 64Gb UC300 Flash Drive, with keyring loop capless sliding design, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 63x20.5x10mm mini size, support Linux, Mac OS
FD-A64GUC310B	R 144	Adata UC310 64Gb Black - USB 3.2 Flash Drive (USB 2.0 backwards compatible), swivel capless design, USB 3.0 read: 100 mb/sec, 58x20x13mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUC310E	R 156	Adata UC310E-64G-RGN - ECO USB Flash Drive, 64GB, swivel capless design, USB 3.2 Gen1 (5Gbps), 35% PCR plastic.
FD-A64GUC310W	R 156	Adata UC310 64GB USB 3.2 Gen1 swivel Flash Drive, Swivel capless design, Up to 100MB/s read speed, USB 3.2

		Gen1 Interface
FD-A64GUC320	R 168	Adata UC320-64G-RBK - USB Flash Drive, 64GB, USB 3.2 Gen1 (5Gbps), sliding capless connector, 85% PCR plastic.
FD-A64GUC330	R 186	Adata UC330 64Gb USB microUSB Dual-Head Flash Drive, ultra-slim with zinc alloy material design, mini-COB (Chip-on-Board) design, 31x17x11mm 3.6 grams weight compact design, read/write: 18/5 MB/sec (120x)
FD-A64GUD330B	R 279	Adata UD330 Black 64Gb USB3.0 Flash Drive, folding cover design integral strap mount, dust/shock/water resistant - COB design with mini-size (32.4x18.6x12mm), read/write: 100/30 mb/sec, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUD330R	R 279	Adata UD330 Red 64Gb USB3.0 Flash Drive, folding cover design integral strap mount, dust/shock/water resistant - COB design with mini-size (32.4x18.6x12mm), read/write: 100/30 mb/sec, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUE700P	R 342	Adata UE700 Pro 64Gb USB 3.0 Flash Drive (USB 2.0 backwards compatible), circular brushed aluminum finish with blue LED indicator retractable USB connector capless design, usb 3.0 read/write: 360/180 mb/sec, 63x23x7mm compact slim design, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUE720	R 374	Adata UE720-64G-CGY/B - High-speed Type-A Flash Drive, 64GB, USB 3.2 Gen2 (10Gbps), SSD-level speeds, push-to-use design.
FD-A64GUR340	R 162	Adata UR340 64GB USB 3.0 Flash Drive, Zinc-alloy housing with integral strap hole for lanyard or keychain, Waterproof and dustproof with COB design, Unibody Nickel construction, 100 MB/sec read speed, 30 MB/sec write speed, Support free OStoGO UFDtoGO
FD-A64GUR350	R 160	Adata UR350 64GB USB 3.0 Flash Drive, Waterproof and dustproof with COB design, Unibody Nickel construction, USB 3.2 Gen1 transmission Interface with a Bandwidth of 5Gbps
FD-A64GUV150B	R 144	Adata UV150 64Gb Glossy Black - USB 3.0 flash drive (USB 2.0 backwards compatible), snap-on cap design, USB 3.0 read/write: 90/40 mb/sec, 58x18x11mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUV150R	R 144	Adata UV150 64Gb Glossy Red - USB 3.0 flash drive (USB 2.0 backwards compatible), snap-on cap design, USB 3.0 read/write: 90/40 mb/sec, 58x18x11mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUV210	R 114	Adata UV210 64Gb USB 2.0 Flash Drive, sandblasted zinc-alloy housing with integral strap hole for lanyard or keychain, advanced COB (Chip-on-Board) design with dust/shock/water resistant, 39x12.2x4.5mm, support Linux, Mac OS, support free OStoGO UFDtoGO
FD-A64GUV240B	R 115	Adata UV240 Black 64Gb USB 2.0 Flash Drive, flip cap design integral strap mount - 55x19x8mm, read/write: 30/8 mb/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUV240R	R 106	Adata UV240 / UV240P Red 64Gb USB 2.0 Flash Drive, flip cap design integral strap mount - 55x19x8mm, read/write: 30/8 mb/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUV240W	R 115	Adata UV240 / UV240P White 64Gb USB 2.0 Flash Drive, flip cap design integral strap mount - 55x19x8mm, read/write: 30/8 mb/sec (200x), support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUV250	R 109	Adata UV250 64Gb USB2.0 Flash Drive, zinc-alloy housing with integral strap hole for lanyard or keychain, read/write: 30/8 mb/sec (200x), 42x15x5mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial norton internet security
FD-A64GUV320B	R 156	Adata UV320 64Gb Black and Blue USB 3.0 Flash Drive (USB 2.0 backwards compatible), sliding push out USB connector, USB 3.0 read/write: 90/40 mb/sec, 55x19.5x10mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security
FD-A64GUV320W	R 156	Adata UV320 64Gb White & Green USB3.0 Flash Drive (USB 2.0 backwards compatible), sliding push out USB connector, USB 3.0 read/write: 90/40 mb/sec, 55x19.5x10mm, support Linux, Mac OS, support free OStoGO UFDtoGO 60days trial Norton internet security

FD-A64UE710W	R 874	Adata i-memory AUE710-64G-CWH 64Gb White - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC, support Ultra HD 4K video playback Apple AirPlay; 61x32x10mm, read/write: 30.2/15.5 mb/sec, with iOS/MAC/PC backup software
FD-A8GUC330	R 104	Adata UC330 8Gb USB microUSB Dual-head Flash Drive, ultra-slim with zinc alloy material design, mini-COB (Chip-on-Board) design, 31x17x11mm 3.6 grams weight compact design, read/write: 18/5 mb/sec (120x)
FD-C32GVU3	R 419	Corsair CMFVY3-32GB Voyager USB3.0 (USB2.0 backward compatible), 32Gb flash drive, durable water resistant, include True Crypt security application for AES-256 encryption, read: 70mb/sec, write: 39mb/sec, 75x23x13mm, with lanyard USB extension cable
FD-C512GSS	R 2,299	Corsair CMFSS3B-512GB Survivor Stealth USB 3.0 (USB 2.0 backward compatible), black housing, 512Gb flash drive, strong CNC-milled, anodized aircraft-grade aluminum, EPDM waterproof seal up to 200 meters, include True Crypt security application for AES-256 encryption (ORDER ON REQUEST)
FD-C512GVSX2	R 1,446	Corsair CMFSL3X2a-512GB Voyager Slider X2 - USB 3.0 (USB 2.0 backward compatible), 512Gb Flash Drive, sliding push out USB connector, USB 3.0 read/write: 310/190 mb/sec - 54x23x11mm
FD-K128G70	R 175	Kingston dt70/128GB Datatraveler 70, Black, 128Gb Flash Drive, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 59x18.5x9mm mini size, support Linux, Mac OS
FD-K128G80M	R 1,137	Kingston dt80M/128GB Datatraveler 80 Flash Drive, sliding cap design with keyring loop, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read: 200mb/sec, 54x22x12mm compact size, support Linux, Mac OS
FD-K128GDUo	R 220	Kingston DTDEG2 DataTraveler Duo 128GB USB 3.2 Gen1 Type-A Type-C Dual Interface Flash Drive, Read Speed up to 200 MB/s, USB 3.2 Gen 1 standard, Innovative Dual moving cap Design
FD-K128GDUo3CG3	R 482	Kingston DataTraveler microDuo 3C 128GB Silver Flash Drive, USB 3.0 Gen1 5Gbps Type-A Type-C Dual Interface, For PC or Mobile devices with Direct Attach, Read upto 200 MB/sec, dtDUo3CG3/128GB
FD-K128GiKKP200	R 3,650	Kingston iKKP200/128GB Ironkey KeyPad 200, 128Gb USB3 type-A (USB 3.0/2.0 backwards compatible) Flash Drive, with hardware-secured lock (with customizable 10x digit numeric combination lock), auto-lock when removed from host device, drive locks down (Order on request)
FD-K128GiKLP50	R 1,501	Kingston iKLP50/128GB IronKey Locker Privacy 50 series, USB 3.0 Flash Drive, hardware-encrypted data security with automatic cloud backup, XTS-AES 256-bit hardware encryption, multi-password option (Admin, User), complex or passphrase password mode up (Order on request)
FD-K128GiKVP50	R 2,333	Kingston IronKey Vault Privacy 50 Series 128GB USB 3.0 Flash Drive, FIPS 197 Certified & XTS-AES 256-bit Hardware Encryption, Multi-password option (Admin / user / One-Time recovery), Locally managed for small and medium businesses, Rugged and waterproof, 250 MB/sec read speed, 180MB/s write speed, iKVP50/128GB
FD-K128GiKVP50C	R 2,383	Kingston iKVP50V/128GB IronKey Vault Privacy 50 series, USB 3.0 type-C Flash Drive, FIPS 197 Certified & XTS-AES 256-bit hardware encryption, multi-password option (Admin, User, and One-Time Recovery), locally managed for small and medium businesses (Order on request)
FD-K128GK	R 401	Kingston DTKN/128GB Datatraveller Kyson - metal housing with capless design, USB 3.0 Gen1 type-A (USB 2.0 backwards compatible), 128Gb Flash Drive, with solid lanyard loop, read/write: 200/60 mb/sec, 59.4x19x10mm, support Linux, Mac OS
FD-K128GMC3G2	R 507	Kingston DataTraveler Micro 128GB USB 3.0 Type-A Flash Drive, Read up to 200 MB/sec, DTMC3G2/128GB
FD-K128GSE9G3	R 452	Kingston DataTraveler SE9 G3 128GB USB 3.2 Gen 1 Type-A Flash Drive, 220MB/s read speed, 100MB/s write speed
FD-K128GWS	R 4,139	Kingston dtWS/128gb Datatraveler Work Space - USB 3.0 (USB 2.0 backwards compatible with USB 2.0) with sand force SSD controller, Boot-able, support Windows To Go, 128Gb Flash Drive, USB 3.0 read/write: 250 mb/sec, random 4k read/write: 3750/9800 ioPS, 75.3x23x16.4mm, required to connect to PC/NB, not compatible with USB hub
FD-K128GX	R 178	kingston dtX/128GB eXodia, 128Gb Flash Drive, black yellow loop attach to key rings - type-A sub3 Gen1 (USB 2.0 backwards compatible), 67.3x21x10.1mm, support Linux, Mac OS
FD-K128GXM	R 181	Kingston eXodia-M 128GB Type-A USB 3.0 Gen1 Flash Drive Black Red, Tooth moving cap design with key Ring, dtXM/128GB
FD-K128GXS	R 181	Kingston DataTraveler Exodia S - DTXS/128GB - 128GB USB flash drive with durable design.
FD-K128iKKP200C	R 4,145	Kingston IronKey Keypad 200 128GB USB 3.0 Type-C Flash Drive with hardware-secured lock, Customizable 10x

		digit Numeric combination lock, Auto-lock when removed from Host device, Drive locks down and reformats after 10 invalid Login attempts, 256-bit XTS hardware-based AES Security on All Data, Aluminum housing, 280 MB/sec read speed, 200 MB/sec write speed, IKKP200C/128GB
FD-K16GiKKP200	R 2,101	Kingston iKKP200/16GB Ironkey KeyPad 200, 16Gb USB3 type-A (Usb 3.0/2.0 backwards compatible) Flash Drive, with hardware-secured lock (with customizable 10x digit numeric combination lock), auto-lock when removed from host device, drive locks down (Order on request)
FD-K16GiKLP50	R 668	Kingston iKLP50/16GB IronKey Locker Privacy 50 series, USB 3.0 Flash Drive, hardware-encrypted data security with automatic cloud backup, XTS-AES 256-bit hardware encryption, multi-password option (Admin, User), complex or passphrase password mode up
FD-K16GiKVP50	R 1,824	Kingston IronKey Vault Privacy 50 Series 16GB USB 3.0 Flash Drive, FIPS 197 Certified & XTS-AES 256-bit Hardware Encryption, Multi-password option (Admin / user / One-Time recovery), Locally managed for small and medium businesses, Rugged and waterproof, 250 MB/sec read speed, 180MB/s write speed, iKVP50/16GB
FD-K16GiKVP50C	R 1,833	Kingston iKVP50C/16GB IronKey Vault Privacy 50 series, usb3 type-C Flash Drive, FIPS 197 Certified & XTS-AES 256-bit hardware encryption, multi-password option (Admin, User, and One-Time Recovery), locally managed for small and medium businesses
FD-K16GLPG3	R 728	Kingston DTLPG3/16GB Datatraveler Locker Plus G3 - with personal security (hardware encryption and password protection) - USB 3.0 (USB 2.0 backwards compatible), read/write: 135/20 MB/sec, 16Gb Flash Drive, with hardware-based encryption, 2-zones, 61x18.6x9.75mm, support Linux, Mac OS
FD-K16iKKP200C	R 2,391	Kingston IronKey Keypad 200 16GB USB 3.0 Type-C Flash Drive with hardware-secured lock, Customizable 10x digit Numeric combination lock, Auto-lock when removed from Host device, Drive locks down and reformats after 10 invalid Login attempts, 256-bit XTS hardware-based AES Security on All Data, Aluminum housing, 145 MB/sec read speed, 115 MB/sec write speed, iKKP200C/16GB
FD-K1TM	R 2,929	Kingston DTMAX/1TB Datatraveler Max Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/900 mb/sec, 82.2x22x9mm compact size, support Linux, Mac OS
FD-K1TMA	R 1,379	Kingston DataTraveler Max 1TB USB 3.2 Gen 2 Flash Drive, with Metal casing Keyring Loop, USB 3.2 Gen 2 10Gbps Type-A, For PC or Mobile devices, Up to 1000MB/s read speed, Up to 900MB/s write speed, DTMAXA/1TB
FD-K256G70	R 407	Kingston dt70/256GB Datatraveler 70, Black, 256Gb Flash Drive with keyring loop, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 59x18.5x9mm mini size, support Linux, Mac OS
FD-K256G80	R 1,149	Kingston dt80/256GB Datatraveler 80 Flash Drive, Silver with metal casing, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 200/60 mb/sec, 42x15x6.7mm compact size, support Linux, Mac OS
FD-K256GDUo	R 474	Kingston DTDEG2 DataTraveler Duo 256GB USB 3.2 Gen1 Type-A Type-C Dual Interface Flash Drive, Read Speed up to 200 MB/s, USB 3.2 Gen 1 standard, Innovative Dual moving cap Design
FD-K256GDUo3CG3	R 752	Kingston DataTraveler microDuo 3C 256GB Silver Flash Drive, USB 3.0 Gen1 5Gbps Type-A Type-C Dual Interface, For PC or Mobile devices with Direct Attach, Read upto 200 MB/sec, dtDUo3CG3/256GB
FD-K256GiKKP200	R 4,808	Kingston iKKP200/256GB ironkey KeyPad 200, 256Gb USB3 type-A (Usb 3.0/2.0 backwards compatible) Flash Drive, with hardware-secured lock (with customizable 10x digit numeric combination lock), auto-lock when removed from host device, drive locks down and reformats after 10 invalid login attempts, 256-bit XTS hardware-based AES security on all data, aluminum housing, read/write: 145/115 mb/sec, 80x20x10.5mm (Order on request)
FD-K256GiKLP50	R 2,439	Kingston iKLP50/256GB IronKey Locker Privacy 50 series, USB 3.0 Flash Drive, hardware-encrypted data security with automatic cloud backup, XTS-AES 256-bit hardware encryption, multi-password option (Admin, User), complex or passphrase password mode up to 64 characters, read/write: 145/115 mb/sec, 60.6x18.6x9.8mm (Order on request)
FD-K256GiKVP50	R 3,758	Kingston IronKey Vault Privacy 50 Series 256GB USB 3.0 Flash Drive, FIPS 197 Certified & XTS-AES 256-bit Hardware Encryption, Multi-password option (Admin / user / One-Time recovery), Locally managed for small and medium businesses, Rugged and waterproof, 230 MB/sec read speed, 150MB/s write speed, iKVP50/256GB
FD-K256GiKVP50C	R 3,767	Kingston iKVP50V/256GB IronKey Vault Privacy 50 series, USB 3.0 type-C Flash Drive, FIPS 197 Certified & XTS-AES 256-bit hardware encryption, multi-password option (Admin, User, and One-Time Recovery), locally

		managed for small and medium businesses (Order on request)
FD-K256GK	R 783	Kingston DTKN/256GB Datatraveller Kyson - metal housing with capless design, USB 3.0 Gen1 type-A (USB 2.0 backwards compatible), 256Gb Flash Drive, with solid lanyard loop, read/write: 200/60 mb/sec, 59.4x19x10mm, support Linux, Mac OS
FD-K256GM	R 1,159	Kingston DTMAX/256GB Datatraveler Max Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/900 mb/sec, 82.2x22x9mm compact size, support Linux, Mac OS
FD-K256GMC3G2	R 795	Kingston DataTraveler Micro 256GB USB 3.0 Type-A Flash Drive, Read up to 200 MB/sec, DTMC3G2/256GB
FD-K256GSE9G3	R 795	Kingston DataTraveler SE9 G3 256GB USB 3.2 Gen 1 Type-A Flash Drive, 220MB/s read speed, 100MB/s write speed
FD-K256GXM	R 419	Kingston eXodia-M 256GB Type-A USB 3.0 Gen1 Flash Drive Black Teal, Tooth moving cap design with key Ring, dtXM/256GB
FD-K256GXS	R 419	Kingston DataTraveler Exodia S - DTXS/256GB - 256GB USB storage with reliable performance.
FD-K256iKKP200C	R 5,199	Kingston IronKey Keypad 200 256GB USB 3.0 Type-C Flash Drive with hardware-secured lock, Customizable 10x digit Numeric combination lock, Auto-lock when removed from Host device, Drive locks down and reformats after 10 invalid Login attempts, 256-bit XTS hardware-based AES Security on All Data, Aluminum housing, 280 MB/sec read speed, 200 MB/sec write speed, IKKP200C/256GB
FD-K32GiKKP200	R 2,277	Kingston iKKP200/32GB Ironkey KeyPad 200, 32Gb USB3 type-A (USB 3.0/2.0 backwards compatible) Flash Drive, with hardware-secured lock (with customizable 10x digit numeric combination lock), auto-lock when removed from host device, drive locks down (Order on request)
FD-K32GiKLP50	R 804	Kingston iKLP50/32GB IronKey Locker Privacy 50 series, USB 3.0 Flash Drive, hardware-encrypted data security with automatic cloud backup, XTS-AES 256-bit hardware encryption, multi-password option (Admin, User), complex or passphrase password mode up
FD-K32GiKVP50	R 1,833	Kingston IronKey Vault Privacy 50 Series 32GB USB 3.0 Flash Drive, FIPS 197 Certified & XTS-AES 256-bit Hardware Encryption, Multi-password option (Admin / user / One-Time recovery), Locally managed for small and medium businesses, Rugged and waterproof, 250 MB/sec read speed, 180MB/s write speed, iKVP50/32GB
FD-K32GiKVP50C	R 1,883	Kingston iKVP50C/32GB IronKey Vault Privacy 50 series, USB 3.0 type-C Flash Drive, FIPS 197 Certified & XTS-AES 256-bit hardware encryption, multi-password option (Admin, User, and One-Time Recovery), locally managed for small and medium businesses
FD-K32iKKP200C	R 2,599	Kingston IronKey Keypad 200 32GB USB 3.0 Type-C Flash Drive with hardware-secured lock, Customizable 10x digit Numeric combination lock, Auto-lock when removed from Host device, Drive locks down and reformats after 10 invalid Login attempts, 256-bit XTS hardware-based AES Security on All Data, Aluminum housing, 145 MB/sec read speed, 115 MB/sec write speed, iKKP200C/32GB
FD-K512GiKVP50	R 6,309	Kingston iKVP50/512GB IronKey Vault Privacy 50 series, USB 3 type-A Flash Drive, FIPS 197 Certified & XTS-AES 256-bit hardware encryption, multi-password option (Admin, User, and One-Time Recovery), locally managed for small and medium businesses, rugged and waterproof, read/write: 230/150 mb/sec, 77.9x22x12.05mm (Order on request)
FD-K512GiKVP50C	R 6,358	Kingston IronKey Vault Privacy 50 Series 512GB USB 3.2 Gen 1 Type-C Flash Drive, FIPS 197 Certified & XTS-AES 256-bit Hardware Encryption, Multi-password option Rugged and Waterproof, IKVP50C/512GB, 310MB/s read speed, 250MB/s write speed
FD-K512GK	R 1,370	Kingston DataTraveler Kyson 512GB USB 3.2 Gen 1 Type-A Flash Drive with Stylish capless Metal case, 200MB/s read speed, 60MB/s write speed
FD-K512GM	R 1,712	Kingston DTMAX/512GB Datatraveler Max Flash Drive, with metal casing keyring loop, USB3 (Gen2/10Gbps) type-C, for PC or mobile devices, read/write: 1000/900 mb/sec, 82.2x22x9mm compact size, support Linux, Mac OS
FD-K512GMA	R 1,380	Kingston DataTraveler Max 512GB USB 3.2 Gen 2 Flash Drive, with Metal casing Keyring Loop, USB 3.2 Gen 2 10Gbps Type-A, For PC or Mobile devices, Up to 1000MB/s read speed, Up to 900MB/s write speed, DTMAXA/512GB
FD-K512GSE9G3	R 1,380	Kingston DataTraveler SE9 G3 512GB USB 3.2 Gen 1 Flash Drive, USB 3.2 Gen 1 speeds, 220MB/s read speed,

		100MB/s write speed, All-metal Gold casing
FD-K512GXS	R 917	Kingston DataTraveler Exodia S - DTXS/512GB - 512GB USB drive, ideal for large data transfers.
FD-K512iKKP200C	R 8,624	Kingston iKKP200C/512GB ironkey KeyPad 200, 512Gb USB3 type-C Flash Drive, with hardware-secured lock (with customizable 10x digit numeric combination lock), auto-lock when removed from host device, drive locks down and reformats after 10 invalid login attempts, 256-bit XTS hardware-based AES security on all data, aluminum housing, read/write: 280/200 mb/sec, 80x20x10.5mm (Order on request)
FD-K64G70	R 100	Kingston dt70/64GB Datatraveler 70, black, 64Gb flash drive, USB3 (Gen1/5Gbps) type-C, for PC or mobile devices, read/write: 100/15 mb/sec, 59x18.5x9mm mini size, support Linux, Mac OS
FD-K64GDUo3CG3	R 325	Kingston DataTraveler microDuo 3C 64GB Silver Flash Drive, USB 3.0 Gen1 5Gbps Type-A Type-C Dual Interface, For PC or Mobile devices with Direct Attach, Read upto 200 MB/sec, dtDUo3CG3/64GB
FD-K64GiKKP200	R 2,984	Kingston iKKP200/64GB Ironkey KeyPad 200, 64Gb USB3 type-A (USB 3.0/2.0 backwards compatible) Flash Drive, with hardware-secured lock (with customizable 10x digit numeric combination lock), auto-lock when removed from host device, drive locks down (Order on request)
FD-K64GiKLP50	R 1,011	Kingston iKLP50/64GB IronKey Locker Privacy 50 series, USB 3.0 Flash Drive, hardware-encrypted data security with automatic cloud backup, XTS-AES 256-bit hardware encryption, multi-password option (Admin, User), complex or passphrase password mode up (Order on request)
FD-K64GiKVP50	R 2,000	Kingston IronKey Vault Privacy 50 Series 64GB USB 3.0 Flash Drive, FIPS 197 Certified & XTS-AES 256-bit Hardware Encryption, Multi-password option (Admin / user / One-Time recovery), Locally managed for small and medium businesses, Rugged and waterproof, 250 MB/sec read speed, 180MB/s write speed, iKVP50/64GB
FD-K64GiKVP50C	R 2,126	Kingston iKVP50C/64GB IronKey Vault Privacy 50 series, USB 3.0 type-C Flash Drive, FIPS 197 Certified & XTS-AES 256-bit hardware encryption, multi-password option (Admin, User, and One-Time Recovery), locally managed for small and medium businesses
FD-K64GK	R 253	Kingston DTKN/64GB Datatraveller Kyson - metal housing with capless design, USB 3.0 Gen1 type-A (USB 2.0 backwards compatible), 64Gb Flash Drive, with solid lanyard loop, read: 200 mb/sec, 59.4x19x10mm, support Linux, Mac OS
FD-K64GLPG3	R 995	Kingston DTLPG3/64GB Datatraveler Locker Plus G3 - with personal security (hardware encryption and password protection) - USB 3.0 (USB 2.0 backwards compatible), read/write: 135/40 MB/sec, 64Gb Flash Drive, with hardware-based encryption, 2-zones, 61x18.6x9.75mm, support Linux, Mac OS
FD-K64GMC3G2	R 308	Kingston DataTraveler Micro 64GB USB 3.0 Type-A Flash Drive, Read up to 200 MB/sec, DTMC3G2/64GB
FD-K64GSE9G3	R 253	Kingston DataTraveler SE9 G3 64GB USB 3.2 Gen 1 Type-A Flash Drive, 220MB/s read speed, 100MB/s write speed
FD-K64GSE9G3K	R 253	Kingston DTSE9G3/64GB USB 3.2 Flash Drive: 64GB capacity, USB 3.2 interface, read speeds up to 220MB/s, write speeds up to 100MB/s, durable design with nickel finish, model KE-U2X64-1AC.
FD-K64GXM	R 113	Kingston eXodia-M 64GB Type-A USB 3.0 Gen1 Flash Drive Black Blue, Tooth moving cap design with key Ring, dtXM/64GB
FD-K64GXS	R 113	Kingston DataTraveler Exodia S - DTXS/64GB - 64GB USB flash drive, compact and efficient.
FD-K64iKKP200C	R 3,487	Kingston IronKey Keypad 200 64GB USB 3.0 Type-C Flash Drive with hardware-secured lock, Customizable 10x digit Numeric combination lock, Auto-lock when removed from Host device, Drive locks down and reformats after 10 invalid Login attempts, 256-bit XTS hardware-based AES Security on All Data, Aluminum housing, 280 MB/sec read speed, 200 MB/sec write speed, IKKP200C/64GB
FD-K8GLPG3	R 651	Kingston DTLPG3/8GB Datatraveler Locker Plus G3 - with personal security (hardware encryption and password protection) - USB 3.0 (USB 2.0 backwards compatible), read/write: 80/10 Mb/sec, 8Gb Flash Drive, with hardware-based encryption, 2-zones, 61x18.6x9.75mm, support Linux, Mac OS
FD-KiKD500S128	R 4,922	Kingston IronKey D500S Serialised 128GB USB 3.2 Gen 1 Flash Drive, Ultra-secure with Built-In hardware-based XTS-AES 256-bit Encryption FIPS 140-3 level 3 validation, Crypto-erase Password for emergencies, Multi-password option with complex/Passphrase modes, Dual hidden Partition option, Support SafeConsole by DataLocker for central administration of Drive Access and usage, 260MB/s read speed, 190MB/s write speed, IKD500S/128GB
FD-KiKD500S16	R 2,818	Kingston IronKey D500S Serialised 16GB USB 3.2 Gen 1 Flash Drive, Ultra-secure with Built-In hardware-based

		XTS-AES 256-bit Encryption FIPS 140-3 level 3 validation, Crypto-erase Password for emergencies, Multi-password option with complex/Passphrase modes, Dual hidden Partition option, Support SafeConsole by DataLocker for central administration of Drive Access and usage, 260MB/s read speed, 190MB/s write speed, IKD500S/16GB
FD-KiKD500S256	R 7,130	Kingston IronKey D500S Serialised 256GB USB 3.2 Gen 1 Flash Drive, Ultra-secure with Built-In hardware-based XTS-AES 256-bit Encryption FIPS 140-3 level 3 validation, Crypto-erase Password for emergencies, Multi-password option with complex/Passphrase modes, Dual hidden Partition option, Support SafeConsole by DataLocker for central administration of Drive Access and usage, 240MB/s read speed, 170MB/s write speed, IKD500S/256GB
FD-KiKD500S32	R 3,039	Kingston IronKey D500S Serialised 32GB USB 3.2 Gen 1 Flash Drive, Ultra-secure with Built-In hardware-based XTS-AES 256-bit Encryption FIPS 140-3 level 3 validation, Crypto-erase Password for emergencies, Multi-password option with complex/Passphrase modes, Dual hidden Partition option, Support SafeConsole by DataLocker for central administration of Drive Access and usage, 260MB/s read speed, 190MB/s write speed, IKD500S/32GB
FD-KiKD500S512	R 8,793	Kingston IronKey D500S Serialised 512GB USB 3.2 Gen 1 Flash Drive, Ultra-secure with Built-In hardware-based XTS-AES 256-bit Encryption FIPS 140-3 level 3 validation, Crypto-erase Password for emergencies, Multi-password option with complex/Passphrase modes, Dual hidden Partition option, Support SafeConsole by DataLocker for central administration of Drive Access and usage, 310MB/s read speed, 250MB/s write speed, IKD500S/512GB
FD-KiKD500S64	R 3,933	Kingston IronKey D500S Serialised 64GB USB 3.2 Gen 1 Flash Drive, Ultra-secure with Built-In hardware-based XTS-AES 256-bit Encryption FIPS 140-3 level 3 validation, Crypto-erase Password for emergencies, Multi-password option with complex/Passphrase modes, Dual hidden Partition option, Support SafeConsole by DataLocker for central administration of Drive Access and usage, 260MB/s read speed, 190MB/s write speed, IKD500S/64GB
FD-P128iC-R	R 804	Pqi 6I01-128GR4001 iConnect 128Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software
FD-P128iCM-G	R 919	Pqi 6i04-128GR2001 iConnect Mini 128Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P128iCM-R	R 804	Pqi 6i04-128GR4001 iConnect Mini 128Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P128iCM-S	R 919	Pqi 6i04-128GR1001 iConnect Mini 128Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P16C301-L	R 102	Pqi 6001-016GR1001 Connect301 16Gb Blue - USB3.0/ miCroUSB dual-connectors flash drive, COB (Chip-on-Board) design, 36.8x15x7.2mm
FD-P16C303-G	R 125	Pqi 604V-016GR3001 Connect303 (lucky cat) 16Gb Gold - USB 3.0/ miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 26x42x13mm
FD-P16C303-R	R 169	Pqi 604V-016GR2001 Connect303 (lucky cat) 16Gb Red - USB 3.0/ miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 26x42x13mm
FD-P16iC-G	R 401	Pqi 6i01-016GR3001 iConnect 16Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software. capacity - Gb : 16, speed - read - mb/ sec : 30, speed - write - mb/ sec : 8, size - mm : 54x31x8
FD-P16iC-R	R 401	Pqi 6I01-016GR4001 iConnect 16Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software
FD-P16iC-S	R 459	Pqi 6i01-016GR1001 iConnect 16Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software. capacity - Gb : 16, speed - read - mb/ sec : 30, speed - write - mb/ sec : 8, size - mm : 54x31x8

FD-P16iCM-G	R 447	Pqi 6i04-016GR2001 iConnect Mini 16Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors flash drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P16iCM-R	R 447	Pqi 6i04-016GR4001 iConnect Mini 16Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P16iCM-S	R 493	Pqi 6i04-016GR1001 iConnect Mini 16Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors flash drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P16U838-S	R 125	Pqi 683V-016GR1001 i-mini-2 - U838 16Gb - Silver, USB 3.0 Flash Drive, COB 3.0 (Chip-on-Board) design, 17.6x16.8x6.6mm nano size 3.4 grams weight, zinc-alloy metallic finish, integral strap hole for lanyard or keychain, support Linux, Mac OS
FD-P32C301-L	R 207	Pqi 6001-032GR1001 Connect301 32Gb Blue - USB3.0/ miCroUSB dual-connectors flash drive, COB (Chip-on-Board) design, 36.8x15x7.2mm
FD-P32C303-G	R 125	Pqi 604V-032GR3001 Connect303 (lucky cat) 32Gb Gold - USB 3.0 / miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 26x42x13mm
FD-P32C303-R	R 137	Pqi 604V-016GR2001 Connect303 (lucky cat) 32Gb Red - USB 3.0/ miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 26x42x13mm
FD-P32iC-G	R 493	Pqi 6i01-032GR3001 iConnect 32Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software. capacity - Gb : 32, speed - read - mb/ sec : 30, speed - write - mb/ sec : 8, size - mm : 54x31x8
FD-P32iC-R	R 459	Pqi 6i01-032GR4001 iConnect 32Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software
FD-P32iC-S	R 493	Pqi 6i01-032GR1001 iConnect 32Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software. capacity - Gb : 32, speed - read - mb/ sec : 30, speed - write - mb/ sec : 8, size - mm : 54x31x8
FD-P32iCM-G	R 528	Pqi 6i04-032GR2001 iConnect Mini 32Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P32iCM-R	R 528	Pqi 6i04-032GR4001 iConnect Mini 32Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P32iCM-S	R 528	Pqi 6i04-032GR1001 iConnect Mini 32Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P64C301-L	R 171	Pqi 6001-064GR1001 Connect301 64Gb Blue - USB3.0/ miCroUSB dual-connectors flash drive, COB (Chip-on-Board) design, 36.8x15x7.2mm
FD-P64C303-G	R 194	Pqi 604V-064GR3001 Connect303 (lucky cat) 64Gb Gold - USB3.0/ miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 26x42x13mm. capacity - Gb : 64, speed - read - mb/ sec : 30, speed - write - mb/ sec : 8, size - mm : 26x42x13
FD-P64C303-R	R 194	Pqi 604V-064GR2001 Connect303 (lucky cat) 64Gb Red - USB3.0/ miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 26x42x13mm. capacity - Gb : 64, speed - read - mb/ sec : 30, speed - write - mb/ sec : 8, size - mm : 26x42x13, warranty - years : lifetime, waterproof and shock-resistant : N
FD-P64C304	R 449	Pqi 605V-016GR1001 Connect304 (energetic panda) 64Gb - USB 3.0/ miCroUSB dual-connectors Flash Drive, strap with 3.5mm audio jack dust cover design, COB (Chip-on-Board) design, 28x42x13mm
FD-P64iC-R	R 689	Pqi 6i01-064GR4001 iConnect 64Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 54x31x8mm, read/write: 30.2/15.5 mb/sec, with backup software
FD-P64iCM-G	R 677	Pqi 6i04-064GR2001 iConnect Mini 64Gb Gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive

		for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P64iCM-R	R 677	Pqi 6i04-064GR4001 iConnect Mini 64Gb Rose gold - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-P64iCM-S	R 677	Pqi 6i04-064GR1001 iConnect Mini 64Gb Silver - USB3.0 Apple certified MFi lightning dual-connectors Flash Drive for iOS/MAC/PC; 45x13x8mm, CoB3.0, capless swivel design, with 1-touch backup fingerprint security via iOS, with mobile strap strape hole, with backup software
FD-S128U3S	R 2,069	Supertalent ST3U28SCS, Usb3.0 Supercrypt, 128Gb flash drive, 128bit ECB hareware encryption, usb2.0 backward compatiable, internal 64mb cache, 2x built-in internal MLC SSD with Raid 0 ; read : 240mb/sec, write : 184mb/sec, UASP (Usb Attached Scsi Protocol), 95x34x15.4mm - 2 years warranty
FD-S64U3R	R 1,264	Supertalent ST3U64SRK, Usb3.0 Raid drive, 64Gb flash drive, usb2.0 backward compatiable, internal 64mb cache, 2x built-in internal MLC SSD with Raid 0 ; read : 320mb/sec, write : 180mb/sec, UASP (Usb Attached Scsi Protocol), 95x34x15.4mm - 2 years warranty
FD-S64U3S	R 1,149	Supertalent ST3U64SCS, USB 3.0 Supercrypt, 64Gb Flash Drive, 128bit ECB hardware encryption, USB 2.0 backward compatible, Internal 64mb cache, 2x built-in internal MLC SSD with Raid 0; read: 240mb/sec, write: 184mb/sec, UASP (USB Attached SCSI Protocol), 95x34x15.4mm
FD-SPC16G	R 194	Supertalent Pico-C luxury series, jewelery look style with metal housing, 16Gb flash drive, Gold, ultra compact ultra slim - 31.3x12.4x3.4mm, 30mb/sec, water resistant capless design, with phone strap key chain ring - 2 years warranty.
FD-SPC16S	R 263	Supertalent Pico-C luxury series, jewellery look style with metal housing, 16Gb flash drive, Silver, ultra compact ultra slim - 31.3x12.4x3.4mm, 30mb/sec, water resistant cap-less design, with phone strap key chain ring - 2 years warranty
FD-SPC32G	R 646	Supertalent Pico-C luxury series, jewelry look style with metal housing, 32Gb flash drive, Gold, ultra compact ultra slim - 31.3x12.4x3.4mm, 30mb/sec, water resistant capless design, with phone strap key chain ring - 2 years warranty.
FD-SPC32S	R 637	Supertalent Pico-C luxury series, jewelry look style with metal housing, 32Gb flash drive, Silver, ultra compact ultra slim - 31.3x12.4x3.4mm, 30mb/sec, water resistant capless design, with phone strap key chain ring - 2 years warranty.
FD-SPC8G	R 171	Supertalent Pico-C luxury series, jewellery look style with metal housing, 8Gb flash drive, Gold, ultra compact ultra slim - 31.3x12.4x3.4mm, 30mb/sec, water resistant cap-less design, with phone strap key chain ring - 2 years warranty
FD-SRXRD-4	R 60	Supertalent rb-rd, Rubber Xmas series - deer/moose - 4Gb - rubber casing with shock protection, with password Protection
FD-SRXRNG3-4	R 56	Supertalent rb-rng3, Rubber Xmas series - ring/ bangle - 4Gb - rubber casing with shock protection, with password Protection
HS-USB-E302-128G	R 414	Hiksemi Blink 128GB USB 3.2 Flash Drive - Black, USB 3.2 Interface with read speeds up to 130 MB/s, USB Type-A Connector Type for Standard compatibility, Glow-in-the-dark tail hook, Cap-style cover, Lightweight Design
HS-USB-E302-256G	R 765	Hiksemi blink 256GB USB 3.2 Flash Drive - Black, USB 3.2 Interface with read speeds up to 130 MB/s, USB Type-A Connector Type for Standard compatibility, Glow-in-the-dark tail hook, Cap-style cover, Lightweight Design
HS-USB-E302-32G	R 182	Hiksemi Blink 32GB USB 3.2 Flash Drive - Black, USB 3.2 Interface with read speeds up to 130 MB/s, USB Type-A Connector Type for Standard compatibility, Glow-in-the-dark tail hook, Cap-style cover, Lightweight Design
HS-USB-E302-64G	R 240	Hiksemi Blink 64GB USB 3.2 Flash Drive - Black, USB 3.2 Interface with read speeds up to 130 MB/s, USB Type-A Connector Type for Standard compatibility, Glow-in-the-dark tail hook, Cap-style cover, Lightweight Design
HS-USB-E307C-128G	R 475	Hikvision Dual Slim series 128GB USB 3.2 Type-C Flash Drive, Up to 130MB/s read Speed, Up to 45MB/s write Speed, Silver Colour
HS-USB-E307C-128G-U3	R 324	Hiksemi Dual Slim 128GB USB 3.0 Type-C Flash Drive, 30 - 150MB/s Maximum read speed, 15 - 45MB/s Maximum write speed, Dual Interface design with Type-C, Full Metal Shell
HS-USB-E307C-256G	R 845	Hikvision Dual Slim Series 256GB USB 3.2 Type-C Flash Drive, Up to 130MB/s Read Speed, Up to 45MB/s Write

		Speed, Silver Colour
HS-USB-E307C-32G	R 158	Hikvision Dual Slim Series 32GB USB 3.2 Type-C Flash Drive, Up to 130MB/s Read Speed, Up to 45MB/s Write Speed, Silver Colour
HS-USB-E307C-64G	R 269	Hikvision Dual Slim Series 64GB USB 3.2 Type-C Flash Drive, Up to 130MB/s Read Speed, Up to 45MB/s Write Speed, Silver Colour
HS-USB-M200-128G	R 454	Hikvision Classic 128GB USB 3.0 Flash Drive, Up to 80MB/s read Speed, Up to 25MB/s write speeds, Metal Colour
HS-USB-M200-128G-U3	R 274	Hiksemi Classic 128GB USB 3.0 Flash Drive, 30 - 80MB/s Maximum read speed, 15 - 25MB/s Maximum write speed
HS-USB-M200-16G U2	R 106	Hiksemi Classic 16GB USB 2.0 Flash Drive - Metal, 10-20 MB/s Maximum reading Speed, 3-10 MB/s Maximum Write Speed
HS-USB-M200-32G	R 162	Hikvision Classic 32GB USB 3.0 Flash Drive, Up to 80MB/s read Speed, Up to 25MB/s write speeds, Metal Colour
HS-USB-M200-32G	R 93	Hikvision Classic 32GB USB 3.0 Flash Drive, Up to 80MB/s read Speed, Up to 25MB/s write speeds, Metal Colour
HS-USB-M200-32G U2	R 131	Hiksemi Classic 32GB USB 2.0 Flash Drive - Metal, 10-20 MB/s Maximum reading Speed, 3-10 MB/s Maximum Write Speed
HS-USB-M200-64G	R 253	Hikvision Classic 64GB USB 3.0 Flash Drive, Up to 80MB/s read Speed, Up to 25MB/s write speeds, Metal Colour
HS-USB-M200-64G	R 126	Hikvision Classic 64GB USB 3.0 Flash Drive, Up to 80MB/s read Speed, Up to 25MB/s write speeds, Metal Colour
HS-USB-M200-64G U2	R 109	Hiksemi Classic 64GB USB 2.0 Flash Drive - Metal, 10-20 MB/s Maximum reading Speed, 3-10 MB/s Maximum Write Speed
HS-USB-M200-64G U2 X2	R 360	Hiksemi Classic 64GB USB 2.0 Flash Drive - Metal - 2 pack, 20MB/s Maximum reading Speed, 10MB/s Maximum Write Speed
HS-USB-M200S-128G	R 347	Hiksemi Rotary Series 128GB USB 3.0 Flash Drive, Up to 80MB/s Read Speed, Up to 25MB/s write speeds
HS-USB-M200S-32G	R 141	Hiksemi Rotary Series 32GB USB 3.0 Flash Drive, Up to 80MB/s Read Speed, Up to 25MB/s write speeds
HS-USB-M200S-64G	R 190	Hiksemi Rotary Series 64GB USB 3.0 Flash Drive, Up to 80MB/s Read Speed, Up to 25MB/s write speeds
HS-USB-M210S-128G	R 350	Hikvision Pully 128GB USB 3.2 Gen 1 Flash Drive, 120MB/s read Speed, 45MB/s write speeds, Silver Black Colour
HS-USB-M210S-32G	R 144	Hikvision Pully 32GB USB 3.2 Gen 1 Flash Drive, 120MB/s read Speed, 45MB/s write speeds, Silver Black Colour
HS-USB-M210S-64G	R 192	Hikvision Pully 64GB USB 3.2 Gen 1 Flash Drive, 120MB/s read Speed, 45MB/s write speeds, Silver Black Colour
HSUSBM200S128GB	R 129	Hikvision M200S 128GB USB 3.0 Flash Drive, 60MB/s Max Read Speed, 15MB/s Max Write Speed, Plug and Play, Small in size, Easy to Carry Metal swivel cover
IKD500S/16GB	R 2,913	Kingston IronKey D500S 16GB FIPS 140-3 Lvl 3 (Pending) AES-256, IK D Series
IKKP200/128GB	R 4,238	Kingston IronKey Keypad 200 128GB, FIPS 140-3 Lvl 3 (Pending) AES-256 Encrypted, IK Keypad
IKKP200/16GB	R 2,417	Kingston IronKey Keypad 200 16GB, FIPS 140-3 Lvl 3 (Pending) AES-256 Encrypted, IK Keypad
IKKP200/32GB	R 2,824	Kingston IronKey Keypad 200 32GB, FIPS 140-3 Lvl 3 (Pending) AES-256 Encrypted, IK Keypad
IKVP50/16GB	R 1,892	Kingston IronKey Vault Privacy 50 16GB AES-256 Encrypted, FIPS 197, IK Vault Privacy
IKVP50C/128GB	R 2,486	Kingston IronKey Vault Privacy 50C 128GB USB-C AES-256 Encrypted, FIPS 197, IK Vault Privacy USB-C
IKVP50C/32GB	R 1,962	Kingston IronKey Vault Privacy 50C 32GB USB-C AES-256 Encrypted, FIPS 197, IK Vault Privacy USB-C
IKVP50C/64GB	R 2,136	Kingston IronKey Vault Privacy 50C 64GB USB-C AES-256 Encrypted, FIPS 197, IK Vault Privacy USB-C
KM128GMA06D	R 207	Kingmax 128GB USB 2.0 Flash Drive
KM128GPA07B	R 173	Kingmax 128GB USB 2.0 Flash Drive Black, cap Buckle Design, Strap hole, Premium Aluminum Alloy material
LJDD400032G-BNQNG	R 159	Lexar D400 32GB USB 3.1 Dual Type-C & A Flash Drive, Up to 100MB/s transfer Speed
LJDD400064G-BNQNG	R 136	Lexar D400 JumpDrive 64GB D400 USB 3.1 Dual Type-C & A Flash Drive, USB 3.2 Interface, Up to 130MB/s transfer Speed
LJDD400128G-BNQNG	R 228	Lexar D400 JumpDrive 128GB D400 USB 3.1 Dual Type-C & A Flash Drive, USB 3.2 Interface, Up to 130MB/s transfer Speed
LJDD400256G-BNQNG	R 401	Lexar D400 JumpDrive 256GB D400 USB 3.1 Dual Type-C & A Flash Drive, USB 3.2 Interface, Up to 130MB/s transfer Speed
LJDV040128G-BNBNG	R 137	Lexar JumpDrive V40 128GB USB 2.0 Flash Drive, with key chain hole
LJDV100-128ABGY	R 148	Lexar JumpDrive V100 128GB USB 3.2 Gen1 Flash Drive, USB Type-A connector
LJDV100-32GABGY	R 109	Lexar JumpDrive V100 32GB USB 3.2 Gen1 Flash Drive, USB Type-A connector
LJDV100-64GABGY	R 114	Lexar JumpDrive V100 64GB USB 3.2 Gen1 Flash Drive, USB Type-A connector

LJDV40-32GAB	R 90	Lexar JumpDrive V40 32GB USB 2.0 Flash Drive
LJDV40-64GAB	R 102	Lexar JumpDrive V40 64GB USB 2.0 Flash Drive, with key chain hole
LU202L064GG4	R 129	Kioxia TransMemory U202 USB Flash Drive - 64GB Capacity, USB 2.0 High Speed Compatible Interface, Storage For Photos, Music, Video, Documents and More, Compatible with Windows 11, macOS Ventura 13, macOS Sonoma 14, macOS Sequoia 15, and macOS Tahoe 26, Color Light Blue, Retail Box
LU202L064GG4	R 155	Kioxia TransMemory U202 USB Flash Drive - 64GB Capacity, USB 2.0 High Speed Compatible Interface, Storage For Photos, Music, Video, Documents and More, Compatible with Windows 11, macOS Ventura 13, macOS Sonoma 14, macOS Sequoia 15, and macOS Tahoe 26, Color Light Blue, Retail Box
M30224	R 155	Verbatim 30224 Plectra 64GB USB Type-C 3.2 Gen 1 Flash Drive - Black, Up to 100MB/s transfer Speed
M30225	R 263	Verbatim 30225 Plectra 128GB USB Type-C 3.2 Gen 1 Flash Drive - Black, Up to 100MB/s transfer Speed
M30226	R 479	Verbatim 30226 Plectra 256GB USB Type-C 3.2 Gen 1 Flash Drive - Black, Up to 100MB/s transfer Speed
M30228	R 155	Verbatim 30228 Plectra 64GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
M30229	R 262	Verbatim 30229 Plectra 128GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
M30230	R 479	Verbatim 30230 Plectra 256GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
M30231	R 1,158	Verbatim 30231 Plectra 512GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
M32040	R 543	Verbatim 32040 Dual QuickStick 128GB USB Type-A / USB Type-C 3.2 Gen1 Flash Drive, M.2 Form Factor, Up to 510MB/s Read Speed, Up to 460MB/s Write Speed, Zinc Alloy enclosure material
M32041	R 924	Verbatim 32041 Dual QuickStick 256GB USB Type-A / USB Type-C 3.2 Gen1 Flash Drive, M.2 Form Factor, Up to 530MB/s Read Speed, Up to 470MB/s Write Speed, Zinc Alloy enclosure material
M32042	R 1,839	Verbatim Dual QuickStick 512GB USB Type-A / Type-C 3.2 Gen1 USB Drive, Up to 550MB/s Read Speed, Up to 500MB/s Write Speed, Zinc Alloy enclosure material, 32042
M32043	R 2,344	Verbatim Dual QuickStick 1TB USB Type-A / Type-C 3.2 Gen1 USB Drive, Up to 550MB/s Read Speed, Up to 500MB/s Write Speed, Zinc Alloy enclosure material, 32043
M49063	R 216	Verbatim Store & Go Hi Speed Pinstripe Black 16GB Flash Drive, lightweight, striped pinstripe design, Push and Pull Sliding feature.
M49064	R 120	Verbatim Store & Go Hi Speed Pinstripe Black 32GB Flash Drive, Push and Pull Sliding feature, lightweight, striped pinstripe design.
M49065	R 162	Verbatim Pinstripe 64GB USB 2.0 Flash Drive, Black, push and pull sliding feature, lightweight, 10MB/sec Minimum Read Speed, 4MB/sec Minimum Write Speed, Windows, Mac, Linux Compatible.
M49168	R 927	Verbatim V3 49168 256GB Store ' n Go USB 3.2 Gen 1 Flash Drive - Gray
M49172	R 148	Verbatim V.3 Store and Go 16GB Grey Flash Drive, USB 3.0 SuperSpeed Interface, compatible with USB 2.0, 'Slide and Lock' mechanism, Compact, stylish design.
M49173	R 178	Verbatim V.3 Store and Go 32GB Grey Flash Drive, USB 3.0 SuperSpeed Interface, compatible with USB 2.0, 'Slide and Lock' mechanism, Compact, stylish design.
M49174	R 192	Verbatim V3 Store And GO 64GB Grey USB 3.0 Flash Drive; up to 80MB/s read; up to 25MB/s write; retractable connector; plug and play; grey; 58 x 20 x 11mm; 10g
M49189	R 448	Verbatim V3 Store And Go USB 128Gb Grey Flash Drive
M49453	R 122	Verbatim Databar Red 16gb USB 2.0 Flash Drive
M49454	R 149	Verbatim Databar Green 32Gb USB 2.0 Drive
M49455	R 173	Verbatim Databar Blue 64gb USB 2.0 Flash Drive
M49456	R 291	Verbatim Databar Grey 128gb USB 2.0 Flash Drive
M49966	R 245	Verbatim Dual Drive (Usb-c/usb-a) 32Gb Flash Drive
M49967	R 315	Verbatim Dual Drive (Usb-c/usb-a) 64Gb Flash Drive
M97464	R 225	Verbatim Store 'n' Stay NANO 16GB USB Flash Drive; USB 2.0; USB-A connector; low-profile nano design; up to 10MB/s read speed; up to 3MB/s write speed; 17.15 x 14.85 x 7.7mm; 2g weight; Windows and Mac compatible; suitable for TVs, media players, laptops and car audio systems
M98130	R 120	VERBATIM STORE ' N ' STAY NANO 32GB USB 2.0 BLACK
M98664	R 430	Verbatim 98664 Secure Pro 16GB USB 3.0 Flash Drive with AES 256 Hardware Encryption, retractable USB connector

MOVEV30228	R 155	Verbatim 30228 Plectra 64GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
MOVEV30229	R 262	Verbatim 30229 Plectra 128GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
MOVEV30230	R 478	Verbatim 30230 Plectra 256GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
MOVEV30231	R 1,043	Verbatim 30231 Plectra 512GB USB Type-C 3.2 Gen 1 Flash Drive - White, Up to 100MB/s transfer Speed
MOVEV32042	R 1,724	Verbatim Dual QuickStick 512GB USB Type-A / Type-C 3.2 Gen1 USB Drive, Up to 550MB/s Read Speed, Up to 500MB/s Write Speed, Zinc Alloy enclosure material, 32042
MOVEV32043	R 2,229	Verbatim Dual QuickStick 1TB USB Type-A / Type-C 3.2 Gen1 USB Drive, Up to 550MB/s Read Speed, Up to 500MB/s Write Speed, Zinc Alloy enclosure material, 32043. USB-C and USB-A connectors, this drive ensures wide compatibility across laptops, desktops, tablets, and compatible mobile devices.
MOVEV49063	R 95	Verbatim 49063 Black 16GB PinStripe USB Flash Drive; USB 2.0; retractable USB connector; lightweight striped design; plug and play; Windows Mac Linux compatible; read speed up to 8MB/s; write speed up to 2.5MB/s; 54 x 21 x 9.22mm; 8.6g
MOVEV49064	R 109	Verbatim 49064 Black 32GB PinStripe USB Flash Drive; USB-A USB 2.0; retractable connector; compact design; up to 12MB/s read speed; up to 5MB/s write speed; Windows Mac Linux compatible; 54 x 21 x 9.22mm; 8.6g
MOVEV49065	R 170	Verbatim Pinstripe 64GB USB 2.0 Flash Drive, Black, push and pull sliding feature, lightweight, 10MB/sec Minimum Read Speed, 4MB/sec Minimum Write Speed, Windows, Mac, Linux Compatible.
MOVEV49172	R 148	Verbatim 16GB V3 Store ' n Go USB3.0 Grey Flash Drive, ' Slide and Lock ' mechanism, Compact, stylish design, compatible with USB 2.0.
MOVEV49173	R 178	Verbatim 32GB V3 Store ' n Go USB3.0 Grey Flash Drive, ' Slide and Lock ' mechanism, Compact, stylish design, compatible with USB 2.0.
MOVEV49174	R 192	VERBATIM 64GB V3 Store ' n Go USB3.0; Grey
MOVEV49189	R 449	VERBATIM 128GB V3 Store ' n Go USB3.0; Grey
MOVEV49967	R 315	Verbatim 49967 64GB Dual Drive - USB Type-C / USB Type-A, USB 3.2 Gen 1 connectivity, Convenient lanyard. Dual USB-C & USB-A Flash Drive delivers fast, flexible storage for modern devices.
MOVEV97464	R 109	Verbatim 97464 Store And Stay 16gb USB Flash Drive; USB 2.0; USB-A; low profile design; plug and play; up to 10MB/s read; up to 3MB/s write; 17.15 x 14.85 x 7.7mm; 2g; Windows 11 Windows 10 Windows 8; Mac OS X 10.4 or later; laptop; TV; media player; car audio
MOVEV98130	R 120	VERBATIM 32GB STIRE AND STAY NANO USB
PD061128GB	R 804	DM 128GB USB3.0 fingerprint encryption flash drive - Support 360 degree all-round unlock, max 6 fingerprints to be added. Plug and play, easy to use.
PD06132GB	R 477	DM 32GB USB3.0 fingerprint encryption flash drive - Support 360 degree all-round unlock, max 6 fingerprints to be added. Plug and play, easy to use.
PD06164GB	R 610	DM 64GB USB3.0 fingerprint encryption flash drive - Support 360 degree all-round unlock, max 6 fingerprints to be added. Plug and play, easy to use.
PD0863128GB	R 229	DM 128GB USB 3.0 Keyring Flash Drive
PE128GR550DSAD	R 506	Patriot Rage R550 128GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-A and Type-C Dual Interface, Read Speed up to 100MB/s
PE128GR550DSAD	R 453	Patriot Rage R550 128GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-A and Type-C Dual Interface, Read Speed up to 100MB/s
PE256GR550DSAD	R 805	Patriot Rage R550 256GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-A and Type-C Dual Interface, Read Speed up to 100MB/s
PE256GR550DSAD	R 779	Patriot Rage R550 256GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-A and Type-C Dual Interface, Read Speed up to 100MB/s
PE32GR550DSAD	R 334	Patriot Rage R550 32GB USB 3.2 GEN 1 Swing Type C/A Flash Drive. 32 GB; USB 3.2 Gen 1; Type-A Type-C swing; up to 100 MB/s read; 6.96x1.72x1.01 cm; 24.8 g
PE64GR550DSAD	R 426	Patriot Rage R550 64GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-A and Type-C Dual Interface, Read Speed up to 100MB/s
PE64GR550DSAD	R 337	Patriot Rage R550 64GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-A and Type-C Dual Interface, Read Speed up to 100MB/s

PEF128GRLB32U	R 431	Patriot Rage Lite 128GB USB 3.2 Gen1 Flash Drive, Up to 120MB/s read speed, Retractable design, Key chain holder
PEF128GRLB32U	R 472	Patriot Rage Lite 128GB USB 3.2 Gen1 Flash Drive, Up to 120MB/s read speed, Retractable design, Key chain holder
PEF1TBRLB32U	R 2,910	Patriot Rage Lite 1TB USB 3.2 Gen1 Flash Drive - Black, Up to 120MB/s read Speed
PEF1TBRPMW32U	R 2,192	Patriot Rage Prime 1TB USB 3.2 Gen2 10Gb/s Flash Drive, Durable housing, Retractable Design, Up to 600MB/s read speeds
PEF250GRPMW32U	R 892	Patriot Rage Prime 250GB USB 3.2 Gen2 10Gb/s Flash Drive, Durable housing, Retractable Design, Up to 600MB/s read speeds
PEF256GRLB32U	R 760	Patriot Supersonic Rage Lite 256GB USB 3.2 Gen 1 Flash Drive, Up to 180 MB/s read speed, Retractable design
PEF256GRLB32U	R 771	Patriot Supersonic Rage Lite 256GB USB 3.2 Gen 1 Flash Drive, Up to 180 MB/s read speed, Retractable design
PEF32GRLB32U	R 187	Patriot Rage Lite 32GB USB 3.2 Gen1 Flash Drive, Up to 120MB/s read speed, Retractable design, Key chain holder
PEF32GRLB32U	R 265	Patriot Rage Lite 32GB USB 3.2 Gen1 Flash Drive, Up to 120MB/s read speed, Retractable design, Key chain holder
PEF500GRPMW32U	R 1,084	Patriot Rage Prime 500GB USB 3.2 Gen2 10Gb/s Flash Drive, Durable housing, Retractable Design, Up to 600MB/s read speeds
PEF512GRLB32U	R 1,274	Patriot Rage Lite 512GB USB 3.2 Gen1 Flash Drive - Black, Up to 120MB/s read Speed
PEF512GRLB32U	R 1,254	Patriot Rage Lite 512GB USB 3.2 Gen1 Flash Drive - Black, Up to 120MB/s read Speed
PEF64GRLB32U	R 265	Patriot Rage Lite Grey 64GB USB3.2 Flash Drive
PEF64GRLB32U	R 351	Patriot Rage Lite Grey 64GB USB3.2 Flash Drive
PI128GSKM30CL	R 932	Patriot iLuxe Stick C 128GB USB 3.2 Gen 1 Type-C Lightning, 5Gbps transfer Speed, Apple MFi Certified - designed for iPhone and iPad, Background Backup Technology
PI256GSKM30CL	R 1,196	Patriot iLuxe Stick C 256GB USB 3.2 Gen 1 Type-C Lightning, 5Gbps transfer Speed, Apple MFi Certified - designed for iPhone and iPad, Background Backup Technology
PI256GSKM30CL	R 1,571	Patriot iLuxe Stick C 256GB USB 3.2 Gen 1 Type-C Lightning, 5Gbps transfer Speed, Apple MFi Certified - designed for iPhone and iPad, Background Backup Technology
PS128GT560DS5D	R 552	Patriot TAB T560 128GB USB 3.2 OTG Flash Drive. 128GB; dual USB-A USB-C; USB 3.2 Gen 1 (120 MB/s read); 34.8x12.4x7.0 mm; 6.26g; zinc alloy swivel body
PS128GX550AAD	R 512	Patriot Xporter X550 128GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-C and USB Type-A Dual Interface, Read Speed up to 80MB/s
PS128GX550AAD	R 440	Patriot Xporter X550 128GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-C and USB Type-A Dual Interface, Read Speed up to 80MB/s
PS32GT560DS5D	R 391	Patriot TAB T560 32GB USB 3.2 OTG Flash Drive. Capacity: 32GB; Interface: Dual USB Type-A and Type-C; Read Speed: Up to 120MB/s; USB Standard: USB 3.2 Gen 1; Material: Zinc alloy; Weight: 6.26g; Dimensions: 3.48 cm x 1.24 cm x 0.69 cm
PS32GX550AAD	R 374	Patriot Xporter X550 32GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-C and USB Type-A Dual Interface, Read Speed up to 80MB/s
PS32GX550AAD	R 286	Patriot Xporter X550 32GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-C and USB Type-A Dual Interface, Read Speed up to 80MB/s
PS64GT560DS5D	R 449	Patriot TAB T560 64GB USB 3.2 OTG Flash Drive. 64GB; USB 3.2 Gen1 dual USB-A/USB-C; read up to 120 MB/s; swivel zinc alloy design; 34.8x12.4x7.0 mm; 6.26 g
PS64GX550AAD	R 408	Patriot Xporter X550 64GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-C and USB Type-A Dual Interface, Read Speed up to 80MB/s
PS64GX550AAD	R 324	Patriot Xporter X550 64GB USB 3.2 Gen 1 swing Type C/A Flash Drive, USB Type-C and USB Type-A Dual Interface, Read Speed up to 80MB/s
PSF128GCL3USB	R 230	Patriot Cliq Grey 128GB USB3.1 Flash Drive
PSF128GT300DS3U	R 454	Patriot TAB300 128GB USB 3.2 Gen 1 Flash Drive - Dark Shadow, Key chain holder Design, Read Speed up to 120MB/s, Capless Design

PSF128GT300DS3U	R 419	Patriot TAB300 128GB USB 3.2 Gen 1 Flash Drive - Dark Shadow, Key chain holder Design, Read Speed up to 120MB/s, Capless Design
PSF128GXRB3U	R 406	Patriot Xporter Core 128GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF128GXRB3U	R 426	Patriot Xporter Core 128GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF16GXPPBUSB	R 259	Patriot Xporter 16GB USB2.0 Flash Drive Black, Up to 27MB/s Read, Up to 25MB/s Write, Rubber coated housing protects, Aluminium Housing
PSF1TBXRB3U	R 2,858	Patriot Xporter Core 1TB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF256GXRB3U	R 682	Patriot Xporter Core 256GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF32GT300DS3U	R 282	Patriot TAB300 32GB USB 3.2 Gen 1 Flash Drive - Dark Shadow, Key chain holder Design, Read Speed up to 120MB/s, Capless Design
PSF32GT300DS3U	R 183	Patriot TAB300 32GB USB 3.2 Gen 1 Flash Drive - Dark Shadow, Key chain holder Design, Read Speed up to 120MB/s, Capless Design
PSF32GXPPBUSB	R 181	Patriot Xporter 32GB USB2.0 Flash Drive Black, Up to 27MB/s Read, Up to 25MB/s Write, Rubber coated housing protects
PSF32GXPPBUSB	R 270	Patriot Xporter 32GB USB2.0 Flash Drive Black, Up to 27MB/s Read, Up to 25MB/s Write, Rubber coated housing protects, Aluminium Housing
PSF32GXRB3U	R 177	Patriot Xporter Core 32GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF32GXRB3U	R 261	Patriot Xporter Core 32GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF512GXRB3U	R 1,249	Patriot Xporter Core 512GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF64GT300DS3U	R 362	Patriot TAB300 64GB USB 3.2 Gen 1 Flash Drive - Dark Shadow, Key chain holder Design, Read Speed up to 120MB/s, Capless Design
PSF64GXPPBUSB	R 311	Patriot Xporter 64GB USB2.0 Flash Drive Black, Up to 27MB/s Read, Up to 25MB/s Write, Rubber coated housing protects, Aluminium Housing
PSF64GXRB3U	R 230	Patriot Xporter Core 64GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
PSF64GXRB3U	R 322	Patriot Xporter Core 64GB USB 3.2 Gen1 Flash Drive - Black, Up to 80MB/s read Speed
SDCZ430-032G-G46	R 99	SanDisk Ultra Fit USB 3.0 Flash Drive - 32GB - Plug & Play, USB 3.0, USB Boot Support, Flush Ultracompact Metal Design, Superspeed Interface
SDCZ430-064G-G46	R 208	SanDisk Ultra Fit USB 3.0 Flash Drive - 64GB - Plug & Play, USB 3.0, USB Boot Support, Flush Ultracompact Metal Design, Superspeed Interface
SDCZ430-128G-G46	R 346	Sandisk Ultra Fit 128GB USB 3.1 Small Form Factor plug and stay USB drive, up to 130MB/s Sequential read performance
SDCZ430-1T00-G46	R 3,043	SanDisk Ultra Fit 1TB USB 3.2 Gen 1 Type-A Flash Drive, up to 130 MB/s Sequential read Performance, SDCZ430-1T00-G46
SDCZ430-256G-G4	R 459	SanDisk Ultra Fit 256GB USB 3.2 Gen1 Flash Drive, Interface USB 3.2 Gen 1 backward compatible with USB 3.0 and USB 2.0, Connector USB Type-A, Read Speed up to 400 MB/s
SDCZ430-256G-G46	R 682	SanDisk Ultra Fit 256GB USB 3.1 Small Form Factor Plug and Stay USB Drive, USB 3.1 Gen 1 Interface, USB Type-A connector, Up to 130MB/s Sequential read performance
SDCZ430-512G-G46	R 790	Sandisk Ultra Fit 512GB USB 3.1 Small Form Factor plug and stay USB drive, up to 130MB/s Sequential read performance
SDCZ430032GG46	R 254	Sandisk Ultra Fit 32Gb USB 3.1 Flash Drive
SDCZ430064GG46	R 304	Sandisk Ultra Fit 64Gb USB 3.1 Flash Drive
SDCZ430128GG46	R 219	Sandisk Ultra Fit 128Gb USB 3.1 Flash Drive
SDCZ430256GG46	R 989	Sandisk Ultra Fit 256Gb USB 3.1 Flash Drive
SDCZ48-032G-U46	R 189	SanDisk Ultra USB 3.0 Flash Drive - 32GB - Plug & Play, USB 3.0, USB Boot Support, Compact Design, Superspeed Interface
SDCZ48-032G-U46	R 146	Sandisk Ultra USB 3.0 32GB Flash Drive, Sequential read performance up to 130MB/s
SDCZ48-064G-U46	R 249	SanDisk Ultra USB 3.0 Flash Drive - 64GB - Plug & Play, USB 3.0, USB Boot Support, Compact Design, Superspeed Interface
SDCZ48-064G-U46	R 206	Sandisk Ultra USB 3.0 64GB Flash Drive, Sequential read performance up to 130MB/s

SDCZ48-128G-U46	R 321	SanDisk Ultra USB 3.0 Flash Drive - 128GB - Plug & Play, USB 3.0, USB Boot Support, Compact Design, Superspeed Interface
SDCZ48-1T00-G46	R 4,131	SanDisk Ultra 1TB USB 3.0 Type-A Flash Drive, up to 130MB/s Sequential read Performancem SDCZ48-1T00-G46
SDCZ48-256G-U46	R 535	SanDisk Ultra 256GB USB 3.0 Flash Drive, Plug & play, USB 3.0, USB Boot support, Compact Design, Superspeed Interface, Up to 130MB/s Sequential read performance
SDCZ48-512G-G46	R 764	Sandisk Ultra USB 3.0 512GB Flash Drive, Sequential read performance up to 130MB/s
SDCZ480-032G-G46	R 199	SanDisk Ultra Slider 32GB USB Type-C Flash Drive. Brand: SanDisk; Model: SDCZ480-032G-G46; Capacity: 32GB; Interface: USB Type-C; USB Standard: USB 3.2 Gen 1; Read Speed: Up to 150MB/s; Connector: Retractable USB-C; Dimensions: 59.94 x 19.94 x 10.39 mm; Weight: 9g
SDCZ480-064G-G46	R 229	SanDisk Ultra Slider USB Type-C Flash Drive - Easily move files across your USB Type-C devices with a retractable USB-C connector, Quickly transfer and access your files with USB 3.2 Gen 1 performance, Minimal, yet durable design with a retractable connector helps you avoid wear and tear
SDCZ480-128G-G46	R 299	SanDisk Ultra Slider 128GB USB Type-C Flash Drive. 128GB storage; USB Type-C; USB 3.2 Gen 1; Retractable connector; Up to 150 MB/s read; 59 x 19 x 9 mm; 9 g weight; Compatible with Windows and Mac OS
SDCZ48032GU46	R 260	SanDisk Ultra USB 3.0 32GB Flash Drive; USB 3.0; USB Type-A; up to 130MB/s read; USB 2.0 compatible; SecureAccess password protection support; 69.09 x 22.10 x 9.91mm; 8.5g
SDCZ50-016G-B35	R 82	SanDisk Cruzer Blade 16GB USB Flash Drive - Compact design for maximum portability
SDCZ50-032G-B35	R 179	Sandisk Cruzer Blade 32GB USB 2.0 Flash Drive
SDCZ50-032G-B35	R 217	SanDisk Cruzer Blade Flash Drive - 32GB - Plug & Play, USB 2.0, USB Boot Support, Compact Design, High-Speed Interface
SDCZ50-032G-B35	R 61	SanDisk Cruzer Blade Flash Drive - 32GB - Plug & Play, USB 2.0, USB Boot Support, Compact Design, High-Speed Interface
SDCZ50-064G-B35	R 120	SanDisk Cruzer Blade Flash Drive - 64GB - Plug & Play, USB 2.0, USB Boot Support, Compact Design, High-Speed Interface
SDCZ50-128G-B35	R 289	SanDisk Cruzer Blade Flash Drive - 128GB - Plug & Play, USB 2.0, USB Boot Support, Compact Design, High-Speed Interface
SDCZ50-128G-B35	R 231	SanDisk Cruzer Blade Flash Drive - 128GB - Plug & Play, USB 2.0, USB Boot Support, Compact Design, High-Speed Interface
SDCZ50064GB35	R 256	Sandisk Cruzer USB 2.0 64GB Flash Drive
SDCZ50128GB35	R 301	SanDisk Cruzer Blade 128GB USB Flash Drive; USB 2.0; USB Type-A; Portable flash drive; Plug and play; Drag and drop file transfer; 4.15 x 1.76 x 0.74 cm; 0.003 kg
SDCZ5016GB35	R 146	Sandisk Cruzer Blade 16GB USB 2.0 Flash Drive; USB 2.0; USB Type-A; portable flash drive; 41.5 x 17.6 x 7.4mm; 3g; black and red; drag and drop file storage
SDCZ5032GB35	R 172	Sandisk Cruzer Blade 32GB USB 2.0 Flash Drive; USB 2.0; Compact portable flash drive; 41.5 x 17.6 x 7.4mm; 3g; Drag and drop file transfer
SDCZ50C-016G-B35BE	R 118	Sandisk Cruzer Blade 16GB USB 2.0 Flash Drive Blue, USB Boot support, Compact design
SDCZ50C016GB35BE	R 178	Sandisk Cruzer Blade 16Gb Electric Blue USB Flash Drive
SDCZ50C016GB35GE	R 178	Sandisk Cruzer Blade 16Gb Electric Green USB Flash Drive
SDCZ50C016GB35PE	R 178	Sandisk Cruzer Blade 16Gb Electric Pink USB Flash Drive
SDCZ550-128G-G46NB	R 302	SanDisk Ultra Curve India Blue 128GB USB 3.2 Flash Drive; Read speeds up to 100MB/s; Dimensions: 45.04 x 19.05 x 7.75mm; Weight: 3.4g; Backward-compatible with USB 3.0 and USB 2.0; Integrated keyring loop; RescuePRO Deluxe software offer
SDCZ550-256G-G46	R 595	SanDisk Ultra Curve Black 256GB USB 3.2 Flash Drive
SDCZ550-256G-G46G	R 595	SanDisk Ultra Curve Mint 256GB USB 3.2 Flash Drive; Read speeds up to 100MB/s; USB 2.0 backward compatible; Dimensions: 45.04 x 19.05 x 7.75 mm; Weight: 3.4 g; Built-in keyring loop
SDCZ550-256G-G46NB	R 595	SanDisk Ultra Curve India Blue 256GB USB 3.2 Flash Drive; read speeds up to 100MB/s; USB 2.0 backward compatibility; compact portable storage; integrated keyring loop; dimensions: 4.504 x 1.905 x 0.775 cm; weight: 3.4g

SDCZ550-512G-G46	R 1,379	SanDisk Ultra Curve 512GB USB 3.2 Gen 1 Flash Drive - Black, Up to 100MB/s transfer speeds, SDCZ550-512G-G46
SDCZ550-512G-G46G	R 1,379	SanDisk Ultra Curve 512GB USB 3.2 Gen 1 Flash Drive - Mint, Up to 100MB/s transfer speeds, SDCZ550-512G-G46G
SDCZ550-512G-G46NB	R 1,379	SanDisk Ultra Curve 512GB USB 3.2 Gen 1 Flash Drive - Navy Blue, Up to 100MB/s transfer speeds, SDCZ550-512G-G46NB
SDCZ600-032G-G35	R 179	SanDisk Cruzer Glide 3 Flash Drive - 32GB - Plug & Play, USB 3.0, USB Boot Support, Slide-to-Open Compact Design, Superspeed Interface
SDCZ600-032G-G35	R 109	SanDisk Cruzer Glide 3 Flash Drive - 32GB - Plug & Play, USB 3.0, USB Boot Support, Slide-to-Open Compact Design, Superspeed Interface
SDCZ600-064G-G35	R 89	SanDisk Cruzer Glide 3 Flash Drive - 64GB - Plug & Play, USB 3.0, USB Boot Support, Slide-to-Open Compact Design, Superspeed Interface
SDCZ600-128G-G35	R 299	SanDisk Cruzer Glide 3 Flash Drive - 128GB - Plug & Play, USB 3.0, USB Boot Support, Slide-to-Open Compact Design, Superspeed Interface
SDCZ600-128G-G35	R 279	SanDisk Cruzer Glide 3 Flash Drive - 128GB - Plug & Play, USB 3.0, USB Boot Support, Slide-to-Open Compact Design, Superspeed Interface
SDCZ600-256G-G35	R 470	SanDisk Cruzer Glide 3 Flash Drive - 256GB - Plug & Play, USB 3.0, USB Boot Support, Slide-to-Open Compact Design, Superspeed Interface
SDCZ600032GG35	R 201	SANDISK CRUZER GLIDEâ„¢ 3.0 USB FLASH DRIVE 32GB
SDCZ600064GG35	R 244	SANDISK CRUZER GLIDEâ„¢ 3.0 USB FLASH DRIVE 64GB
SDCZ600128GG35	R 410	SANDISK CRUZER GLIDEâ„¢ 3.0 USB FLASH DRIVE 128GB
SDCZ73-064G-G46	R 216	Sandisk Ultra Flair 64GB USB 3.0 Flash Drive, Up to 150MB/s Sequential read performance
SDCZ73-128G-G46	R 333	Sandisk Ultra Flair 128GB USB 3.0 Flash Drive, USB Boot support, Ultracompact metal design, Superspeed Interface, Up to 150MB/s transfer speeds
SDCZ73-1T00-G46	R 3,043	SanDisk Ultra Flair 1TB USB 3.0 Type-A Flash Drive, up to 150MB/s Sequential read Performance, SDCZ73-1T00-G46
SDCZ74-032G-G46	R 193	Sandisk Ultra Luxe 32GB USB 3.1 Flash Drive, up to 150MB/s Sequential read performance
SDCZ74-064G-G46	R 217	SanDisk Ultra Luxe 64GB USB 3.1 Flash Drive, USB 3.1 Gen 1 Interface, Up to 150MB/s transfer speeds, All-metal
SDCZ74-128G-G46	R 376	SanDisk Ultra Luxe 128GB USB 3.1 Flash Drive, USB 3.1 Gen 1 Interface, Up to 150MB/s transfer speeds, All-metal
SDCZ74064GG46	R 321	Sandisk Ultra Luxe 64Gb USB 3.1 Flash Drive
SDDD3-064G-G46	R 225	SanDisk Ultra Dual Drive m3.0 64GB 150MB/s - Compatible with OTG-enabled Android device - Dual micro-USB and USB 3.0 connectors
SDDD3-128G-G46	R 229	SanDisk 128GB Ultra Dual Drive m3.0 Flash Drive - Black / Grey, Compatible with otg-enabled Android devices, Dual Micro-USB and USB 3.0 connectors, High-Speed USB 3.0 for Super-Fast File transfers of up to 130MB/s
SDDD3064GG46	R 162	Sandisk Ultra Dual Drive M3.0 64Gb Grey & Silver Flash Drive
SDDDC2-032G-G46	R 179	SanDisk Ultra Dual USB Type-C Drive - 32GB - Plug & Play, USB 3.0 & Type-C Connector, Slide-to-Reveal Connector, Superspeed Interface, Supports Type-C Gen1 & Gen2
SDDDC2-064G-G46	R 253	Sandisk Ultra 64GB Dual Drive USB Type-C Flash Drive, Up to 150 MB/s read speed
SDDDC2-128G-G46	R 329	SanDisk Ultra Dual USB Type-C Drive - 128GB - Plug & Play, USB 3.0 & Type-C Connector, Slide-to-Reveal Connector, Superspeed Interface, Supports Type-C Gen1 & Gen2
SDDDC2-128G-G46	R 319	Sandisk Ultra 128GB Dual Drive USB Type-C Flash Drive, Up to 150 MB/s read speed
SDDDC2-256G-G46	R 660	Sandisk Ultra Dual 256GB USB Type-C Flash Drive, Plug & play, USB 3.0 & Type-C connector, Slide-to-Reveal connector, Superspeed Interface, Supports Type-C Gen1 & Gen2
SDDDC3-032G-G46	R 213	Sandisk 32GB SanDisk Ultra Dual Drive Go USB Type-C
SDDDC3-064G-G46	R 239	Sandisk 64GB SanDisk Ultra Dual Drive Go USB Type-C
SDDDC3-064G-G46NBB	R 239	SanDisk 64GB Ultra Dual USB 3.2 Gen 1 Type-C Flash Drive - Navagio Bay, 150MB/s Sequential read Performance
SDDDC3-1T00-G46	R 4,246	SanDisk Ultra Dual Drive Go 1TB USB Type-C Flash Drive, USB 3.2 Gen 1 Interface, The 2-in-1 Flash Drive for

		your USB Type-C and Type-A devices, Up to 400MB/s read speeds
SDDDC3-512G-G46	R 1,502	SanDisk Ultra Dual Drive Go 512GB USB Type-C Flash Drive, USB 3.2 Gen 1 Interface, The 2-in-1 Flash Drive for your USB Type-C and Type-A devices, Up to 400MB/s read speeds
SDDDC6-512G-G46	R 1,418	SanDisk Phone Drive for Android 512GB USB Type-C / USB Type-A - Black Color, USB 3.2 Gen 1 Interface, Read speeds up to 100MB/s, SDDDC6-512G-G46
SDSDUNB064GGN6IN	R 339	Sandisk Ultra Luxe 64GB USB 3.1 Flash Drive
SP016GBUF3M02V1B	R 115	Silicon Power Marvel M02 16gb USB 3.2 Gen 1 Flash Drive; portable storage; plug and play; lightweight compact design; PC laptop compatible
SP032GBUF3B21V1K	R 129	Silicon Power Blaze B21 32Gb USB 3.2 Gen 1 Flash Drive; retractable connector; 58.0 x 19.5 x 9.6mm; 8.93g; plug and play; Windows Mac Linux compatible; portable storage; capless design
SP032GBUF3J80V1T	R 127	Silicon Power Jewel J80 32Gb USB 3.2 Gen 1 Flash Drive; compact portable memory stick; plug and play; file transfer; backup device; compatible with USB enabled devices; lightweight everyday use
SP064GBUF3J80V1T	R 165	Silicon Power Jewel J80 64Gb USB 3.2 Gen 2 Flash Drive
SP064GBUF3M02V1B	R 148	Silicon Power Marvel M02 64Gb USB 3.2 Gen 1 Flash Drive; aluminum casing; plug and play; AES encryption support; 60.6 x 19.3 x 9.9 mm; 9.5g; Windows Mac Linux compatible
SP128GBUF3B21V1K	R 274	Silicon Power Blaze B21 128Gb USB 3.2 Gen 1 Flash Drive
SP128GBUF3J80V1T	R 300	Silicon Power Jewel J80 128Gb USB 3.2 Gen 3 Flash Drive
SP128GBUF3M02V1B	R 272	Silicon Power Marvel M02 128Gb USB 3.2 Gen 1 Flash Drive
SP256GBUF3M02V1B	R 512	Silicon Power Marvel M02 256Gb USB 3.2 Gen 1 Flash Drive
SR128GBBOTG2Y	R 276	Strontium 128GB Nitro OTG 3.1 USB Flash Drive, For Smart Phones - Tablets - PC, Up to 150 MB/s read speed
STU32GPCN	R 452	Super Talent Pico-C 32GB USB 2.0 Flash Drive - Nickel
TS128GJF700	R 347	Transcend JetFlash 700 USB 3.0 Super Speed Compliant Flash Drive 128GB - JetFlash Elite Software, USB Boot Device Function
TS128GJF710S	R 787	Transcend JetFlash 710 USB 3.1 Super Speed Discreet Flash Drive 128GB - Silver - Discreet, ultra-small form factor - High-quality sturdy metallic structure - Dust, shock and water resistant
TS128GJF790C	R 347	Transcend JF790C 128GB USB Type-C (5 Gbps) capless Flash Drive - Black and Green
TS128GJF790K	R 347	Transcend JF790 Black 128Gb USB 3.0 Flash Drive
TS128GJF810	R 347	Transcend JetFlash 810 USB 3.0 Super Speed RUGGED Flash Drive 128GB Blue - JetFlash Elite Software, Offers excellent defense against shock, splashes, dust, and moisture
TS128GJF890S	R 787	Transcend JetFlash 890 USB Type-C & USB 3.1 OTG Flash Drive 128GB - Silver - Up to 130MB/s transfer speeds - Convenient USB-C /USB3.1 Dual Interface Design - Splash-proof and dust resistant
TS16GJF350	R 231	Transcend JetFlash350 USB 2.0 Compliant Flash Drive 16GB Piano Black - JetFlash Elite Software, USB Boot Device Function; USB Type-A; black; 61.5 x 18.6 x 8.7 mm; 8.5g; plug and play; USB boot support; Windows Mac Linux compatible
TS16GJF700	R 253	Transcend Jet Flash 700 USB 3.0 Super Speed Compliant Flash Drive 16GB - ; USB Type-A; up to 70MB/s read; up to 20MB/s write; JetFlash Elite software support; plug-and-play; USB boot device support; Windows Mac Linux compatible; black; 69.5 x 19.8 x 8.8mm; 10.3g
TS16GJF780	R 246	Transcend JetFlash 16GB 780 USB 3.1 Gen 1 MLC Flash Drive, USB 3.1 Gen 1 (USB 5Gbps) connection Interface, USB Type-A, MLC NAND Flash
TS16GJF790K	R 253	Transcend JetFlash 790K USB 3.1 Capless Flash Drive - 16GB Black & Blue - Lightweight and compact with slide-out USB connector - Transcend Elite data management tools, Â© 2018 Laptop Direct
TS256GJF700	R 787	Transcend JetFlash 700 256GB USB 3.1 Gen 1 (USB 5Gbps) Flash Drive
TS256GJF790C	R 787	Transcend JF790C 256GB USB Type-C (5 Gbps) capless Flash Drive - Black and Green
TS256GJF790K	R 1,090	Transcend JetFlash 790K USB 3.1 Capless Flash Drive - 256GB Black & Blue - Lightweight and compact with slide-out USB connector - Transcend Elite data management tools
TS256GJF810	R 787	Transcend JetFlash 810 Series 256GB USB 3.0 Flash Drive, Green Colour, USB 3.1 Gen 1 (USB 5Gbps) connection Interface
TS2TSJ25M3S	R 2,776	Transcend StoreJet 25M3 Series - 2TB 2.5" External HDD - SuperSpeed USB 3.0, Plug & Play, USB Powered -Rugged Design - Military Drop Tested Anti-Shock Protection - Iron Grey

TS32GJF350	R 235	Transcend JetFlash350 USB 2.0 Compliant Flash Drive 32GB Piano Black - JetFlash Elite Software, USB Boot Device Function; USB A connector; read up to 15MB/s; write up to 11MB/s; 60 x 18.6 x 8.7 mm; 8.5g; bootable support; Transcend Elite compatible; black portable storage device
TS32GJF700	R 258	Transcend Jet Flash 700 USB 3.0 Super Speed Compliant Flash Drive 32GB - USB Type-A; SuperSpeed transfer; JetFlash Elite software support; USB boot device function; Windows macOS Linux compatible; black; 61.5 x 18.6 x 8.7mm; 8.5g
TS32GJF710S	R 281	Transcend JetFlash 710 32GB Silver USB 3.0 Super Speed Discreet Flash Drive - Discreet, ultra-small form factor - High-quality sturdy metallic structure - Dust, shock and water resistant
TS32GJF790K	R 258	Transcend JetFlash 790K USB 3.1 Capless Flash Drive - 32GB Black & Blue - Lightweight and compact with slide-out USB connector - Transcend Elite data management tools, Â© 2018 Laptop Direct
TS32GJF890S	R 917	Transcend JetFlash 890 USB Type-C & USB 3.1 OTG Flash Drive 32GB - Silver - Up to 130MB/s transfer speeds -Convinient USB-C /USB3.1 Dual Interface Design - Splashproof and dust resistant
TS512GJF700	R 518	Transcend JetFlash 700 512GB USB 3.1 Gen 1 (USB 5Gbps) Flash Drive
TS512GJF790K	R 661	Transcend JF790 512GB USB 3.1 Gen 1 capless Flash Drive - Black and Blue
TS512GJF930C	R 2,440	Transcend JF930C 512GB USB 3.2 Dual Type-A & Type-C high performance Long endurance Flash Drive, Up to 420MB/s read speed, Up to 400MB/s write speed
TS64GJF350	R 246	Transcend JetFlash350 USB 2.0 Compliant Flash Drive 64GB Piano Black - JetFlash Elite Software, USB Boot Device Function; USB Type-A connector; piano black finish; USB boot device support; Transcend Elite software compatible; 61.5 x 18.6 x 8.7mm; 8.5g weight; Windows Mac Linux compatible; portable flash storage
TS64GJF700	R 269	Transcend JetFlash 700 USB 3.0 Super Speed Compliant Flash Drive 64GB - JetFlash Elite Software, USB Boot Device Function
TS64GJF710S	R 291	Transcend JetFlash 710 64GB Silver USB 3.0 Super Speed Discreet Flash Drive - Discreet, ultra-small form factor - High-quality sturdy metallic structure - Dust, shock and water resistant
TS64GJF790C	R 269	Transcend JF790C 64GB USB Type-C (5 Gbps) capless Flash Drive - Black and Green
TS64GJF790K	R 269	Transcend JetFlash 790K USB 3.1 Capless Flash Drive - 64GB Black & Blue - Lightweight and compact with slide-out USB connector - Transcend Elite data management tools, Â© 2018 Laptop Direct
TS64GJF810	R 269	Transcend JetFlash 810 USB 3.0 Super Speed RUGGED Flash Drive 64GB Green - JetFlash Elite Software, Offers excellent defence against shock, splashes, dust, and moisture
TS64GJF890S	R 1,147	Transcend JetFlash 890 USB Type-C & USB 3.1 OTG Flash Drive 64GB - Silver - Up to 130MB/s transfer speeds - Convinient USB-C /USB3.1 Dual Interface Design - Splashproof and dust resistant
TS8GCF133	R 706	Transcend Ultra Performance 8GB 133x Speed Compact Flash Card; Ultra DMA mode 4; up to 50MB/s read; up to 20MB/s write; MLC NAND flash; ECC protection; CompactFlash Type I; DSLR compatible; 42.8 x 36.4 x 3.3mm; 11.4g
TS8GJF350	R 224	Transcend JetFlash350 USB 2.0 Compliant Flash Drive 8GB Piano Black - JetFlash Elite Software, USB Boot Device Function; USB 2.0 interface; 8GB storage; piano black slim design; portable lightweight storage; plug and play compatibility; Windows macOS Linux compatible; document and media storage
U106-30-128GB	R 149	Dahua USB 3.0 Silver Flash Drive - 128GB Capacity, USB 3.0 Interface, Up to 70MB/s Sequential Read Speed Performance, Up to 25MB/s Sequential Write Speed Performance, exFAT File System, 0 to 60 Dgrees C Operating Temperature, -20 to 70 Degrees C Storage Temperature
U106-30-64GB	R 99	Dahua USB 3.0 Silver Flash Drive - 64GB Capacity, USB 3.0 Interface, Up to 70MB/s Sequential Read Speed Performance, Up to 25MB/s Sequential Write Speed Performance, exFAT File System, 0 to 60 Degrees C Operating Temperature, -20 Dgrees C to 70 Degrees C Storage Temperature.
U278-32GB	R 127	Netac 32GB USB 2.0 Flash Drive, Pearl Nickel Colour, Zinc Alloy material
UC310E-256G-RGN	R 331	Adata UC310 Eco 256GB USB 3.2 Gen1 Flash Drive, Up to 100MB/s read speed, USB 3.2 Gen1 (USB 5Gbps)
UD150-128GB	R 316	Biwin Dual-Connector USB-A/C 128GB Flash, USB 3.2 Gen 1 (5Gbps) Type-C and Type-A interfaces, Up to 150 MB/s Read Speed, 360 swivel, Design, Capless Design, Zinc Alloy casing
UD150-256GB	R 518	Biwin Dual-Connector USB-A/C 256GB Flash, USB 3.2 Gen 1 (5Gbps) Type-C and Type-A interfaces, Up to 150 MB/s Read Speed, 360 swivel, Design, Capless Design, Zinc Alloy casing
UD150-32GB	R 161	Biwin Dual-Connector USB-A/C 32GB Flash, USB 3.2 Gen 1 (5Gbps) Type-C and Type-A interfaces, Up to 150

		MB/s Read Speed, 360 swivel, Design, Capless Design, Zinc Alloy casing
UP200-128GB-GR	R 161	Acer USB 2.0 128Gb Green Flash Drive (Only one drive)
UP200-16GB-BL	R 98	Acer UP200 USB 2.0 16GB Flash Drive, Up to 30 MB/s Maximum Read Speed, UP200-16GB-BL
UP200-32GB-BL	R 127	Acer 32GB USB 2.0 Flash Drive, Capacity of 32GB, USB 2.0 Interface, Maximum Read Speed up to 30 MB/s
UP200-64GB-BL	R 150	Acer UP200 USB 2.0 64GB Flash Drive, Up to 30 MB/s Maximum Read Speed, UP200-64GB-BL
UP300-128GB-WH	R 229	Acer USB 3.2 Gen1 128Gb White Flash Drive
UP300-256GB-WH	R 431	Acer UP300 256GB USB 3.2 Gen 1 Flash Drive - White, 120 MB/s Maximum Sequential Read Speed
UP300-32GB-BL	R 173	Acer USB 3.2 Gen1 32Gb Black Flash Drive

< Return to the menu

Hard Drive accessories

Hard Drive accessories : Controllers : RAID

Product code	Price	Description
160537	R 299	Manhattan ATA 133 RAID PCI Express Card - One internal port, x1 lane, Retail Box
4Y37A09733	R 28,010	Lenovo 4Y37A09733 ThinkSystem RAID 940-32i 8GB Flash PCI-e 4.0 x8 12GB Adapter, Broadcom SAS3916 Controller Chip, 12Gb SAS Port Interface, 32 Ports, Four x8 SFF-8654 Port connectors, 8GB Cache
4Y37A72483	R 13,425	Lenovo 4Y37A72483 9350-8i 2GB Flash RAID PCI-e 3.0 x8 adaptor card, 12Gb SAS Port Interface, 8x Ports, 2x Mini-SAS HD x4 (SFF-8643)
4Y37A72485	R 21,135	Lenovo 4Y37A72485 9350-16i 4GB Flash RAID PCI-e 3.0 x8 adaptor card, 12Gb SAS Port Interface, 16x Ports, 4x Mini-SAS HD x4 (SFF-8643)
AC-iAXXRMFBU4	R 5,287	intel AXXRMFBU4 - Raid Maintenance Free Backup Unit - with cache protection for RS3DC040 , RS3DC080
AC-iAXXRPFKSSD2	R 4,070	intel AXXRPFKSSD2 SSD cache activation module for LSi2208 controlle - for mutiple SSDs as enhanced cache for the RAID controller - for RS2WG160 , RS2SG244 , RS25DB080, RMS25PB040, RMS25PB080, RMT3PB080
AC-SS1414PL	R 300	Sunix SATA1414PL , Low profile bracket - 1 x ATA133 (2 devices) 1 x internal SATA2 1 x external e-SATA , PCI-Express(1x) , with raid 0/1/0 1 - JMicron JMB363 , support LCQ , NCQ - low-profile for 2U rackmount or flex-atx (antec minuet)

< Return to the menu

Hard Drive accessories : Controllers : SAS

Product code	Price	Description

< Return to the menu

Hard Drive accessories : Drive accessories / peripherals

Product code	Price	Description
13-6ST4TR0001	R 515	Stardom Tray Aluminium 2.5" /3.5" for iTank ST2 / SR2 / ST4/5 / SR4 / ST8 / DR5 / DT8
364737	R 29	Manhattan Dual Audio CD/DVD Cable-Connect CD-RW, CD, DVD, or any two drives to sound card, Retail Box
41-07185-2400B	R 39	Apacer 2.5 to 3.5" Bracket - Black with screws, Retail Box, No Warranty
710200	R 810	Power Supply Big Disk & Bigger Disk
712430	R 1,446	LaCie Power Supply 12v/6.67A
9000186	R 1,699	LaCie eSATA Thunderbolt Hub - For Thunderbolt enabled Apple Mac
9000542	R 6,364	LaCie 128GB SSD upgrade module for d2 USB3 & Thunderbolt2
93034	R 138	Goobay 93034 3.5" Hard Drive mounting Frame to 5.25 inch - 1-fold
93990	R 144	Goobay 93990 2.5" Hard Drive mounting Frame to 3.5"
95875	R 144	Goobay 95875 2.5" Hard Drive mounting Frame to 3.5" - 2 fold, For installation of up to two 2.5" hard disks in a 3.5" housing slot
A1400SCSIKIT	R 2,239	Intel SR1400 Hotswap SCSI backplane Kit - SCSI Backplane, Flex Cable, CRDOM Interposer Card, CDROM Cable, Slim line floppy drive cable, Control panel cable, 3 drive carriers, Installation Guide, Brown Box, EOL
A2400SCSIKIT	R 2,059	Intel SR2400 2U Hotswap SCSI backplane Kit - 2U Hot Swap SCSI Backplane, Flex Cable, SCSI Cable, Control Panel Cable, CDROM Interposer Card and Cable, Slim-line Floppy Cable, 5 Drive Carriers, Installation Guide,

		Brown Box, EOL
AC-i987M2P	R 643	Icydock ezcConvert ex mb987M2P-1B - 1x M.2/nGff (2230/2242/2260/2280/22110, NVMe mode only), PCI-E 4.0(4x), with heatsink (removable - for M.2 with or without heatsink), tool-less M.2 drive installation, thermal pad full metal housing
AC52535-1S-V1-B	R 92	Orico 5.25" to 2.5 and 3.5" Aluminum HDD Bracket
ACOTH00001A	R 344	Arctic M2 Pro M.2 SSD Heatsink - Black, Compatible with single and Double sided SSDs, Aluminium, TP-3 Thermal pads, 73 mm Heatsink depth, 10.5 mm Heatsink height, 24.2 mm Heatsink width
ACOTH00002A	R 344	Arctic M2 Pro M.2 SSD Heatsink - Silver, Compatible with single and Double sided SSDs, Aluminium, TP-3 Thermal pads, 73 mm Heatsink depth, 10.5 mm Heatsink height, 24.2 mm Heatsink width
AFIXDRVKIT	R 1,019	Intel SR1400/SR2400 Fixed drive kit. Backplane-Contains three drive trays, power cables, slimline cables, and front panel cables, Retail Box , EOL
AXXFLOPHDDTRAY	R 259	Intel hard drive to slimline floppy conversion kit for SR1400/ SR2400/ SR1435VP2 hard drive to slimline floppy conversion kit- Converts a Hotswap SCSI/SATA drive bay to a slimline floppy bay, Brown Box, EOL
BRACKET1	R 35	Microworld 2.5" Flat Mounting Bracket for 3.5" Bay
BRACKET2	R 69	Microworld 9.5mm Drive Caddy to 2.5" SATA Adaptor
BRACKET3	R 81	Microworld 12.7mm Drive Caddy to 2.5" SATA Adaptor (Convert laptop Blu-ray / DVD / CD tray drive to a SSD / HDD bay)
CA-SFF8643MSAS	R 766	intel AXXCBL650HDMS SFF8643 (miniSAS-HD) -> Mini-SAS(SFF8087) 2x 650mm cable kit
CAS-A56KF-BLACK	R 55	CasePax portable Hard Drive case - Black, A56KF
CAS-EVA83-SSD-BLACK	R 59	CasePax rugged EVA SSD case-black, EVA83-SSD
CNV-SLUB3308	R 391	Soarland mSATA SSD USB 3.0 Adapter, SLUB3308
CNV-USB3-IDE-SATA-U	R 475	Unitek USB 3.0 SATA to IDE Adapter for 2.5" /3.5" Drives
CNV-USB3-SATA-CONV-U	R 174	Unitek USB 3.0 to SATA6G converter, Y-1096, Support 2.5" HDD & SSD with any capacity
CNV-USBC-SATA-CONV-U	R 221	Unitek SmartLink Manta USB 3.0 to 2.5" SATA 3 Adapter, Y-1096A
CSSDBRKT1	R 107	Unbranded Dual 2.5" to 3.5" mounting bracket - For HDD/SSD
DS-SATA-USB3-K3016S	R 1,313	Maiwo USB 3.0 SATA M2 1:1 Clone, K3016SG1, M.2 SATA (B M key) Solid State Drives
EE-VoCA	R 107	Vizo Opera CAR ADAPTER
EH-WAG21-P	R 66	Western Digital WDBFMT0000NPL - Grip pack with flat USB cable for 21mm height (2Tb/3Tb/4Tb passport ultra) - Purple/grape
HD-iA290	R 100	icydock mb290sp - 2x 2.5" to 1x 3.5" mounting bracket , plastic , with screwless quick release button stabilizer
HD-iA343	R 148	icydock mb343sp - 2x 2.5" 1x front accessed 3.5" to 1x 5.25" mounting bracket , plastic , with screwless quick release button
HD-iA982SPR	R 1,080	icydock MB982SPR-2S - 2x 2.5" SATA/SAS (9.5mm or 12.5mm) -> 1x 3.5" SAS/SATA converter (work as standard 3.5" hdd), raid 0/1 ready, full metal, support SATA6G- screw-less anti-vibration airflow vents design
HD-KAB	R 363	Kingston sna-B HDD / SSD upgrade kit with cloning software 2.5" -> 3.5" mounting bracket 2.5" enclosure USB CABLE
HD-LAEXP3B	R 86	Lian-li EX-P3B - black 3.5" sata hdd protection kit - with aluminum shielding for hdd PCB protection cooling improvement , reducing SATA connector ' s wear and tear
HD-LAHD324B	R 99	Lian-li HD-324 2x 2.5" hdd/ssd to 3.5" mounting bracket - ideal for 2.5" hdd in chassis with limited space
HD-VA250	R 30	vizo avk-250bk - 2.5" hdd anti-vibration / protection kit , ultra-light silica gel , stackable design , ideal for usage outside of chassis
HS-RADIATOR-MH1	R 107	Hiksemi M.2 SSD Cooler Heatsink MH1, 22 x 80mm compatible SSD board Type, Aluminium Alloy Main material
HS-RADIATOR-MH2	R 61	Hiksemi MH2 M.2 SSD Cooler Heatsink, Aluminium Alloy Main material, 22 x 80mm compatible SSD board Type
HUB-USB-3PORT2A1C	R 978	Unitek D1046A Multi Port Hub woth M.2 slot, 2x USB Type-A (Up to 10Gbps), USB-C (Up to 10Gbps), USB-C PD (100W PD charging), HDMI (Up to 4K 60Hz, HDCP2.3), M.2 slot for M.2 PCiE/NVMe SSD, 4K@60hz UHD HDMI Output, USB Power Delivery up to 100W
iC-V280ESPi	R 177	Vizo SHE-280ES-Pi - Interface Converter, 82x42x12.5mm - USB3.0 (usb2.0 backward compatiable) to SATA interface - with 1-touch back button for 2.5" / 3.5" / 5.25" SATA, with extra ac-adapter for 3.5" 5.25" - retail pack
iT-V515	R 36	Vantec mrk-515ST*C - 2.5" (7-15mm) sata hdd tray for mrk-510ST/ mrk-515ST/ mrk-525ST

M.2EXTNDR	R 55	Unbranded M.2 2230 to 2242 / 2260 / 2280 Extender
M2R	R 161	Microworld M.2 to USB port card
MB-AAHK	R 382	Asus Hyper Kit, M.2/nGff to U.2/Mini-SAS converter , design for 2.5" NVMe SSD
MSA-UC3-SV-PRO	R 288	Orico MSA-UC3 Silver Aluminium mSATA to USB 3.0 SSD enclosure Adapter case, Built-in ASM1153E controller, Screw locked, Aluminum
MSATA3	R 288	Microworld mSATA to SATA 3 card
PHB-25-BK	R 58	ORICO PHD-25 Black 2.5" Portable Hard Drive Protection Bag
PHB-25-PK	R 58	ORICO PHD-25 Pink 2.5" Portable Hard Drive Protection Bag
PHD-25-GR	R 58	Orico 2.5" portable Hard Drive protector bag Green
PHD-25-PU	R 58	Orico 2.5" Portable Hard Drive Protector Bag Purple
PHD-25-RD	R 58	Orico Red 2.5" Portable Hard Drive Protector Bag
SATA2M2	R 173	Microworld SATA to M2 NGFF convertor; SATA Revision 3.2; Up to 6 Gbps; M.2 NGFF B key; mSATA interface; Mini PCI-e 52 pin; Maximum current: 3A; Green power LED; Red activity LED; Dimensions: 98 x 65.5 mm; Short circuit, surge and HBM 2KV protection
SNA-BR2/35	R 41	Kingston 2.5" to 3.5" Mounting Bracket -allows you to mount 2.5" Hard Disk Drives (HDDs) and 2.5" Solid State Drives (SSDs) in 3.5" drive bays.
SSD003	R 575	Orico PCM2-C3-SV M.2 NVMe to USB 3.1 GEN-2 chassis, Up to 2TB, M.2 m-key, Up to 10Gbps transmission speed
SSD010	R 228	Orico MSA-U3-SV-BP mSATA to USB 3.0 enclosure Aluminium, 2TB maximum capacity
SYN-RKS1317	R 1,489	Synology RKS1315 Sliding Rail Kit For 2U Rackmount Units
TXB044	R 138	Microworld PCI-e to M.2 card (M key B key)
U2TONGFF	R 196	Microworld U2 TO NGFF convertor; M.2 NGFF SSD support; U.2 68-pin interface; Supports 2230, 2242, 2260 and 2280 M.2 SSD sizes; Internal installation
USBC2S	R 115	Microworld USB Type-C to SATA cable
VANTEC UGT-M2PC12-RGB ADP	R 311	Vantec 1x M.2 NVMe SSD PCIe X4 Adapter with ARGB Aluminium Heatsink - Addresable LED RGB lighting compatiable with Asus Aura, MSI Mystic Light, Gigabyte Fusion. M.2 Type Support: NVMe using M Key (PCIe 3.0x4) or NVMe using B M Key (PCIe 3.0x2); M.2 size: Length support 22x80, 22x60, 22x42, 22x30mm
VANTEC UGT-M2PC300R	R 633	Vantec Dual M.2 SATA3 SSD (Not suitable for M.2 NVMe SSD) RAID PCIe X4 Adapter
WSHPK4T74AA	R 2,092	HP 2.5in HDD/SSD 2-in-1 Optical Bay Bracket

< Return to the menu

Hard Drive accessories : Drive ATA / SATA / eSATA cards No RAID

Product code	Price	Description
AC-SSS0014+L	R 263	Sunix sata0014 - 1 port external e-SATA, PCI-Express(1x) - JMicron JMB360, support LCQ, NCQ - include extra low-profile for 2U rackmount or slim desktop (antec minuet, nsk1480)
AC-SSS0014L	R 251	Sunix sata0014L, Low profile PCI bracket - 1 port external e-SATA, PCI-Express(1x) - JMicron JMB360, support LCQ, NCQ - low-profile for 2U rackmount or slim desktop (antec minuet, nsk1480)

< Return to the menu

Hard Drive accessories : Drive carry bags

Product code	Price	Description
CAS-HDD-CASE-KB351	R 484	Maiwo 10-bay 3.5" external Hard Drive case, KB351
HDD13UF	R 150	Urban Factory External Hard Disk Drive 2.5" case
HDD14UF	R 150	Urban Factory External Hard Disk Drive 2.5" case Pink
HDV41UF	R 150	Urban Factory External Hard Disk Drive 3.5" case Black
HDV51UF	R 150	Urban Factory Hard Vinyl Silver 2.5" extenal hard drive case
HDV56UF	R 150	Urban Factory Hard Vinyl Pink 2.5" extenal hard drive case
PHD-25-BL	R 58	ORICO PHD-25 Blue 2.5" Portable Hard Drive Protection Bag

< Return to the menu

Hard Drive accessories : Flash modules for motherboards

Product code	Price	Description
TPM 2.0 MODULE (MS-4462)	R 228	MSI TPM 2.0 module MS-4462, Infineon 9670 TPM 2.0 (Fw 7.85) Chipset, SPI Interface, 25 x 20 mm, Supports MSI Intel 400 series motherboards / MSI AMD 500 series motherboards / Windows 10 TPM 2.0

< Return to the menu

NAS Network Attached Drives

NAS Network Attached Drives : NAS - Accessories for NAS units

Product code	Price	Description
Adapter 100W_3	R 1,149	Synology Adapter 100W Level VI, Compatible with DS925 / DS923 / DS920 / DS918 / DS916 / DS418 / DS418play / DS418j / DS416 / DS416p NAS Units
AS5004U	R 5,699	Asustor Xpanstor 4 AS5004U 4 Bay Expansion NAS unit - Plug and Play, 10Gbps USB 3.2 Gen 2 using Type-C, Use up to 22TB per Drive Tray, Smart Power Sync helps save Power, Smart fan Circuit helps keep hard drives cool, Supports MyArchive Cold Backup technolgy, 32MB Flash Flash Memory, 4x SATA3 6Gb/s 3.5" /2.5" HDD/SSD compatibility, Hot Swappable drives
CAB-SAS05M-8644	R 1,557	QNap Mini SAS cable SFF-8644 0.5m Enterprise grade, CAB-SAS05M-8644, Compatible with --> TVS-x80U-SAS / REXP-1220u-rp / REXP-1620u-rp / SAS-12g2e-d / SAS-12g2e / ES1640dc v2 / EJ1600 v2 / TL-R1620sep-rp / TL-R1220sep-rp / TL-R1620sdc NAS units
CAS-NASBOX-16G-DDR4S	R 6,879	Synology 16GB DDR4 ECC SO-DIMM for FS series : FS1018 / 21 series : RS1221rp / RS1221 / DS1821 / DS1621xs / DS1621 / DVA3221 / 20 series : RS820rp / RS820 / 19 series : DS2419 / DS2419 ii / DS1819 / DVA3219 / 18 series : DS3018xs / DS1618 / 17 series : DS3617xs / DS3617xsii, D4ECSO-2666-16G
CAS-NASBOX-4G-DDR4S	R 1,766	Synology 4GB DDR4-2666 CL19 260pin ECC unbuffered SO-DIMM Memory Module, Compatible with --> RS1221rp / RS1221 / DS1821 / DS1621 NAS units
CAS-NASBOX-D4EC-16G	R 29,723	Synology D4EC-2666-16G 16GB DDR4 ECC unbuffered DIMM RAM module, Compatible with --> SA Series : SA3400D / SA3200d / UC Series : UC3400 / UC3200 / 21 Series : RS4021xs / RS3621xs / RS3621rpxs / RS2821rp / RS2421rp / RS2421 / 19 Series : RS1619xs / 18 Series : RS3618xs / RS2818rp / RS2418rp / RS2418 / 17 Series : RS4017xs / RS3617xs / RS3617rpxs NAS Units
CAS-NASBOX-D4ER01-16	R 31,743	Synology D4ER01-16G 16GB DDR4 ECC Registered DIMM Memory, Compatible with --> FS Series : FS6400 / FS3600 / FS3410 / FS3400 /SA Series : SA3610 / SA3600 / SA3410 / SA3400 NAS Units
CAS-NASBOX-D4ER02-32	R 44,563	Synology D4ER02-32 32GB DDR4 ECC Registered DIMM RAM module, Compatible with --> FS Series : FS3600 / FS3410 / FS3400 / HD Series : HD6500 / SA Series : SA6400 / SA3610 / SA3600 / SA3410 / SA3400 / DP Series : DP7400 / DP7200 NAS Units
CAS-NASBOX-D4ES01-16	R 22,097	Synology 16GB DDR4-2666 CL19 260pin ECC unbuffered SO-DIMM Memory Module, Compatible with --> RS1221rp / RS1221 / DS1821 / DS1621 / DS725 NAS units
CAS-NASBOX-D4ES02-4G	R 5,391	Synology D4ES02-4G 4GB DDR4 ECC unbuffered SO-DIMM RAM module, Compatible with --> 23 Series DS1823xs / DS923 / DS723 / 22 Series RS822rp / RS822 / DS3622xs / DS2422 / DS1522 NAS Units
CAS-NASBOX-D4ES02-8G	R 7,822	Synology D4ES02-8G 8GB DDR4 ECC unbuffered SO-DIMM RAM module, Compatible with --> 23 Series DS1823xs / DS923 / DS723 / 22 Series RS822rp / RS822 / DS3622xs / DS2422 / DS1522 NAS Units
CAS-NASBOX-D4ES03-16	R 21,448	Synology 16GB DDR4 ECC unbuffered SO-DIMM for DS1825 / DS1525 / DS925 / DS725
CAS-NASBOX-D4ES03-8G	R 9,792	Synology 8GB DDR4 ECC unbuffered SO-DIMM for DS1825 / DS1525 / DS925 / DS725
CAS-NASBOX-D4EU01-16	R 7,569	Synology D4EU01-16G 16GB DDR4 ECC unbuffered DIMM Memory Module / Compatible with --> FS series: FS2500 / 23 series: RS2423RP / RS2423 NAS units
CAS-NASBOX-D4EU01-4G	R 1,587	Synology 4GB DDR4 ECC ECC unbuffered DIMM V1.0 RAM module, Compatible with --> 21 Series : RS2821rp / RS2421rp / RS2421 NAS uniys
CAS-NASBOX-D4NS01-4G	R 3,770	Synology D4NS01-4G 4GB DDR4 non-ECC SO-DIMM RAM module, Compatible with --> 25 Series DS425 , DS225, 24 Series DS224 , 23 Series DS423 NAS Units
CAS-NASBOX-DX517	R 10,807	Synology DX517 5-bay SATA Expansion unit for DS1517 / DS1817 / DS1517 / DS1817 / DS918 , Supporting both 2.5" and 3.5" SATA drives, 1x eSATA Port
CAS-NASBOX-E10G22-T1	R 2,349	Synology E10G22-T1-MINI 10GbE RJ-45 Network PCI-e 3.0 x2 upgrade module, Compatible with --> DS923 /

		DS723 / RS422 / DS1522
CAS-NASBOX-E10G30-F2	R 5,431	Synology E10G30-F2 2-port 10GbE 10GBASE-T PCI-e 3.0 Interface card, Low Profile and full height, 10 Gbps Data transfer rates
CAS-NASBOX-E10G30-T2	R 5,063	Synology E10G30-T2 Dual-Port 10GbE 10GBASE-T PCI-e 3.0 x8 card, Low profile and full height, 10 Gbps / 1 Gbps Data transfer rates
CAS-NASBOX-E10M20-T1	R 4,919	Synology E10M20-T1 Combo PCI-e 3.0 x8 10GbE with Dual M.2 NVMe SSD card, low profile and full height, PCI-e NVMe storage Interface, 22110 / 2280 supported Form Factor, 10 Gbps Data transfer rates
CAS-NASBOX-M2D20	R 3,697	Synology M2D20 PCIE dual M.2 NVME SSD card
CAS-NASBOX-RKS-02	R 2,316	Synology slide Rail kits RKS-02, Compatble with most Synology NAS units
CAS-NASBOX-RX1217RP	R 44,916	Synology RX1217RP 12 bay Expansion unit - no Hard Disk Drive, 12x 3.5" Drive bays, Hot Swappable Drive, 1 Expansion Port, 500 W Power Supply unit / Adapter, Redundant Power Supply
D4ES02-4G	R 5,634	Synology 4GB DDR4-2133 260 pin SO-DIMM non-ECC Memory Module, Compatible with --> DS923 / DS723 / RS822rp / RS822 / DS2422
D4ES03-16G	R 24,724	Synology 16GB DDR4 ECC unbuffered SO-DIMM for DS1825 / DS1525 / DS925 / DS725
D4ES03-8G	R 11,384	Synology 8GB DDR4 ECC unbuffered SO-DIMM for DS1825 / DS1525 / DS925 / DS725
D4ES04-4G	R 7,934	Synology D4ES04-4G DDR4 4GB ECC Unbuffered SODIMM memory, Compatible with --> 25 series DS925 / DS725 / 21 series RS1221RP / RS1221 / DS1821 / DS1621 NAS units
D4EU02-16G	R 25,874	Synology D4EU02-16G 16GB DDR4 ECC Registered DIMM Memory, Compatible with --> FS Series FS2500 / 25 Series RS2825rp / 23 Series RS2423rp ii / RS2423rp / RS2423 nas units
D4NESO-2666-4G	R 1,666	Synology 4GB DDR4-2666 non-ECC unbuffered SO-DIMM RAM module, Compatible with --> RS820rp / RS820 / DS2419 / DS1819 / DS1618 / DVA3219 NAS units
E10G30-T1	R 3,334	Synology E10G30-T1 Single-Port 10GbE 10GBASE-T PCI-e 3.0 x4 add-in card for Synology systems, Low Profile and full height
EW202	R 4,254	Synology EW202 2 Year Warranty Extension for High-End Devices - DS2419
FAN 60 60 15_1	R 332	Synology system fan 60 x 60 x 15 mm, Compatible with --> DS124 / DS120j / DS119j / DS118 / DS116 / DS115 / DS115j / DS114 / DS112 / DS112 / DS112j NAS Units
MEM-D4RD-2666-16G	R 15,585	Synology D4RD-2666-16G 16GB DDR4-2666 Registered ECC RDIMM Memory, Compatible with --> FS Series : FS6400 / FS3600 / FS3400 / SA Series : SA3600 / SA3400 NAS Units
PSU 250W_3	R 3,564	Synology 250W Power Supply (24p 12p 8p) for - DS2015xs / DS1815 / DS1813 / DS1515 / DS1513 / DS1817 / DS1517 / DX513 NAS units
QDA-UMP	R 845	QNap QDA-UMP U.2 PCI-e NVMe Gen3 x4 to M.2 2280 PCI-e NVMe Gen3 x4 Adapter
QWA-AC2600	R 4,226	QNap QWA-AC2600 Dual-Band AC2600 Wireless PCI-e Expansion Card, PCI Express (PCI-e) 2.0 x1, 4x Dual-Band RP-SMA antennas
QXG-10G2SF-X710	R 6,323	QNap Dual-Port SFP 10GbE PCI-e Gen3 x8 Network Expansion card, Low-Profile Form Factor, QXG-10G2SF-X710, 2x SFP Ports, 10Gbps / 1Gbps transmission rates
QXG-10G2T-X710	R 7,943	QNap Dual-Port 10GBASE-T 10GbE PCI-e Gen3 x4 Network Expansion card, Intel Ethernet controller X710, 2x NBASE-T RJ45 Ports, QXG-10G2T-X710
QXG-2G2T-I225	R 2,299	QNap QXG-2G2T-I225 Dual Port 2.5GbE 4-speed PCI-e Gen2 x2 Network card, 2 x NBASE-T (RJ45) Ports, 2.5Gbps / 1Gbps / 100 Mbps / 10 Mbps transmission rates
QXG-2G2T-I225	R 2,210	QNap QXG-2G2T-I225 Dual Port 2.5GbE 4-speed PCI-e Gen2 x2 Network card, 2 x NBASE-T (RJ45) Ports, 2.5Gbps / 1Gbps / 100 Mbps / 10 Mbps transmission rates
QXG-2G4T-I225	R 3,417	QNap QXG-2G4T-I225 Quad Port 2.5GbE 4-speed PCI-e Gen2 x4 Network card, 4 x NBASE-T (RJ45), 2.5Gbps / 1Gbps / 100 Mbps / 10 Mbps transmission rates
QXP-10G2U3A	R 1,701	QNap USB 3.2 Gen 2 Dual-Port PCI-e Expansion Card, 2x USB Type-A connectors, Asmedia ASM3142 USB Host controller, PCI-e Gen2 x2, Low-profile and full-height are included
RKS-04	R 2,816	Synology Rail kit RKS-04 for 26 series RS1626xs
SNV5420-800G	R 17,594	Synology SNV5420 800GB M.2 22110 PCI-e 3.0 x4 NVMe NAS Solid State Drive, 3000 MB/s sustained Sequential Read Speed, 1000 MB/s sustained Sequential Write Speed, 1400 TB Terabytes written
SYN-PSU400W-RPSET1	R 9,620	Synology replacement PSU 400W RPSET1, Compatible with --> RS10613xs / RS3614RPxs / RS3413xs /

		RS3412RPxs / RS3411RPxs / RS2414RP / RS2212RP / RS2211RP / RX1214RP / RX1213sas / RX1211RP
Synology D4EC-2666-16G	R 36,224	Synology RAM module for RS3618xs; RS3617xs ; RS3617RPxs; RS4017xs
Synology D4EC-2666-8G	R 15,294	Synology 8GB DDR4-2666 ECC UDIMM Ram Module, Compatible with --> SA3200D / UC3200 / RS1619xs / RS3618xs / RS4017xs / RS3617xs / RS3617RPxs NAS Units
Synology D4ES01-4G	R 5,806	Synology 4GB DDR4-2666 CL19 260pin ECC unbuffered SO-DIMM Memory Module, Compatible with --> RS1221rp / RS1221 / DS1821 / DS1621 NAS units
Synology D4ES01-8G	R 9,084	Synology 4GB DDR4-2666 RAM Module (ECC SO-DIMM), Compatible with --> RS1221RP / RS1221 / DS1821 / DS1621xs / DS1621 NAS units
Synology D4ES02-8G	R 8,509	Synology 8GB DDR4-2133 260 pin SO-DIMM non-ECC Memory Module, Compatible with --> DS923 / DS723 / RS822rp / RS822 / DS2422
Synology DX1222	R 24,724	Synology Expansion unit for DS3622xs & DS2422 NAS units, 12x 3.5" Drive bays, Hot Swappable drives, 1 Expansion Port
Synology E10G30-F2	R 5,979	Synology E10G30-F2 2-port 10GbE 10GBASE-T PCI-e 3.0 Interface card, Low Profile and full height, 10 Gbps Data transfer rates
Synology E10G30-T2	R 6,554	Synology E10G30-T2 Dual-Port 10GbE 10GBASE-T PCI-e 3.0 x8 card, Low profile and full height, 10 Gbps / 1 Gbps Data transfer rates
Synology E10M20-T1	R 6,209	Synology E10M20-T1 Single Port 10GBASE-T & M.2 SSD PCIe 3.0 x8 Combo Add-in Card, 10 Gbps, Full Duplex, PCIe 3.0 x8 compatible
Synology M2D18	R 2,069	Synology M2D18 M.2 SSD PCI-e Riser card, For NVMe M.2 SSD used for caching
Synology M2D20	R 3,966	Synology M2D20 M.2 PCI-e NVMe PCI-e 3.0 x8 Adapter card, Compatible with --> DS2419 / DS1819 / DS1618 more, PCI-e 3.0 x8 Host Bus Interface, low profile and full height, 22110 / 2280 supported Form Factor, M-Key 2 slots
Synology PSU 500W-RP Module_2	R 9,544	Synology 500w-rp MODULE_2 Redundant PSU, compatible with --> FS3600 / FS3400 / FS2017 / SA3600 / SA3400 / SA3200d / UC3200 / RS18017xs / RS18016xs / RS3621xs / RS3621rpxs / RS3617xs / RS3617rpxs / RS2818rp / RS2418rp / RS2416rp / FX2421 / RXD1219sas / RX2417sas / RX1217sas / RX1217rp / RX1216sas / RXD1215sas
Synology RKS-02	R 2,759	Synology RKS-02 Rail Kit
Synology RX1223RP	R 41,169	Synology Seamless 12-bay capacity Expansion unit for RS2423rp , 12x 3.5" / 2.5" SATA HDD Drive bays, Hot Swappable drives, 1 Expansion Port, 550 W Power Supply unit, Redundant Power Supply

< Return to the menu

NAS Network Attached Drives : NAS - Enclosures for NAS / no drives included

Product code	Price	Description
AS1102T	R 3,894	Asus DriveStor 2 AS1102T 2 bay NAS, Realtek RTD1296 Quad-Core 1.4GHz CPU, 1GB RAM, Toolless installation, 8GB eMMC Flash Memory, 2x SATA3 6Gb/s, 3.5" Hard Disk Drive, 36 TB Maximum internal raw capacity, 2x USB 3.2 Gen 1, 1x 2.5 Gigabit Ethernet (2.5G/1G/100M)
AS1104T	R 6,841	Asustor DriveStor 4 AS1104T 4 Bay Tower NAS, 1.4GHz Quad Core, 1GB RAM DDR4, 8GB eMMC Flash Memory, 4x 3.5" SATA Hard Disk Drive, 2x USB 3.2 Gen 1, 1x 2.5 Gigabit Ethernet (2.5G/1G/100M)
AS1202T	R 4,299	Asustor NAS 2-bay 3.5" DriveStor 2 Gen2, Realtek RTD1619B Quad-Core 1.7GHz CPU, 1GB DDR4 Memory, 8GB eMMC Flash Memory, 2x 3.5" SATA HDD, 3 x USB 5Gbps Type-A, 1x 2.5 Gigabit Ethernet, 65W x1 Power Supply unit / Adapter
AS3302T	R 5,699	Asustor DriveStor 2 Pro AS3302T 2 bay Tower NAS, 1.4GHz Quad Core, 2GB RAM DDR4, 8GB eMMC Flash Memory, 2x 3.5" SATA Hard Disk Drive or 2.5" SATA Hard Disk Drive, 3x USB 3.2 Gen 1, 1x 2.5 Gigabit Ethernet (2.5G/1G/100M)
AS5202T	R 7,226	Asus Tower 2 bay NAS Drive, Intel Celeron J4005 Dual-Core 2.0 GHz (Burst up 2.7GHz) Processor, 2GB SO-DIMM DDR4, 4GB eMMC Flash Memory, 2x SATA3 6GB/s - 3.5" /2.5" HDD/SSD, 28 TB Maximum internal raw capacity, 2x 2.5 Gigabit Ethernet, 3x USB 3.2 Gen 1, 1x HDMI 2.0A, Infrared receiver, Toolless installation, Aes-ni Hardware Encryption, Myarchive, SSD caching, The Maximum channels supports : 36 (4 free lincense included), Two 2.5 GbE ports with up to 5 Gbps under Link aggregation

AS5304T	R 9,771	Asus Tower 4 bay NAS, Intel Celeron J4105 Quad-Core 1.5 GHz (Burst up 2.5GHz) Processor, AES-NI Hardware Encryption engine Integrated, 4GB SO-DIMM DDR4, 4GB eMMC Flash Memory, 4x SATA3 6GB/s - 3.5" /2.5" HDD/SSD, 56 TB Maximum internal raw capacity, 3x USB 3.2 Gen 1, 2x 2.5 Gigabit Ethernet, 1x HDMI 2.0A, Infrared receiver, Toolless installation, SSD caching, Snapshot, The Maximum channels supports : 36 (4 free lincense included), Two 2.5 GbE ports with up to 5 Gbps under Link aggregation
AS5404T	R 12,499	Asustor Nimbustor 4 Gen2 AS5404T 4 Bay NAS, Quad-Core 10 nm Intel Celeron N5105 CPU, 3x USB 3.2 Gen 2 (10Gbps), 2x 2.5 Gigabit Ethernet (2.5G/1G/100M), 1x HDMI 2.0b, Infrared receiver, 4x 3.5" / 2.5" / M.2 2280 slots for NVMe SSDs, 4GB of DDR4-2933 RAM
AS6504RD/Rail	R 26,360	Asus AS6504RS 1U rack 4 Bay NAS with rail kit, Intel Atom C3538 Quad-Core 2.1GHz Processor, 8GB DDR4 Memory, 8GB eMMC Flash Memory, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive compatible Drive Type, 4x USB 3.2 Gen 1, 2x Gigabit Ethernet (1G/100M), 2x 2.5 Gigabit Ethernet (2.5G/1G/100M), PCI-e 3.0 x8 slot, 2x 250W Power Supply unit
AS6508T	R 21,489	Asustor AS6508T 8 bay NAS, Intel Atom C3538 2.1GHz Quad-Core Processor, 8GB DDR4-2133 SO-DIMM Memory (Maximum 32GB via 2x 16GB), 8x 2.5" / 3.5" SATA or SSD, 2x M.2 PCIE (NVMe) or SATA SSD, Wake on LAN, Wake on WAN, MyArchive, SSD caching, Snapshot, EZ connect, EZ Sync, The Maximum channels supports : 64, 4 free lincense included, LCD panel, 2x 10 Gigabit (10G & 1G speed), 2x 2.5 Gigabit (2.5G & 1G speed), 2x USB 3.2 Gen 1, 4GB eMMC Flash Memory
AS6510T	R 23,991	Asustor 10 bay NAS, Intel Atom C3538 2.1GHz Quad-Core Processor, 8GB DDR4-2133 SO-DIMM Memory (Maximum 32GB via 2x 16GB), 10x 2.5" / 3.5" SATA or SSD, 2x M.2 PCI-e (NVMe) or SATA SSD, Wake on LAN, Wake on WAN, MyArchive, SSD caching, Snapshot, EZ connect, EZ Sync, The Maximum channels supports : 64, 4 free lincense included, LCD panel, 2x 10 Gigabit (10G & 1G speed), 2x 2.5 Gigabit (2.5G & 1G speed), 2x USB 3.2 Gen 1, 4GB eMMC Flash Memory
AS6512RD	R 44,999	Asustor LockerStor 12RD AS6512RD 12 bay 1U rackmoumt NAS, Quad-Core 2.1GHz CPU, 8GB RAM DDR4, 2U rackmount Server with Redundant Power Supply, 8GB eMMC Flash Memory, 3.5" or 2.5" , 4x USB 3.2 Gen 1, 2x Gigabit Ethernet (1g/100m), 2x 2.5 Gigabit Ethernet (2.5G/1G/100M), PCI-e 3.0 x8 slot
AS6512RD/Rail	R 45,761	Asus AS6512RD/Rail 2U rack 12 bay NAS with rail kit, Intel Atom C3538 Quad-Core 2.1GHz Processor, 8GB DDR4 Memory, 8GB eMMC Flash Memory, 12x Drive bays, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive compatible Drive Type, 4x USB 3.2 Gen 1, 2x Gigabit Ethernet (1G/100M), 2x 2.5 Gigabit Ethernet (2.5G/1G/100M), PCI-e 3.0 x8 slot, 350W x2 Power Supply unit
AS6704T	R 13,161	Asustor AS6704T LockerStor 4 Gen2 4 Bay NAS, Intel Celeron N5105 2.0GHz up to 2.9GHz 4MB Cache Quad Core Processor with Intel UHD HD Graphics, 4GB SO-DIMM DDR4 Memory, 8GB eMMC Flash Memory, 4x 3.5" Drive bays, 4x M.2 Drive slots, Supports Hot Swappable drives, 2x USB 3.2 Gen 2x1, 2x 2.5 Gigabit Ethernet (2.5G/1G/100M), 1x PCI-e Expansion slots for optional Expansion 10 GbE card, 1x HDMI 2.0b
AS6806T	R 29,999	Asustor Lockerstor 6 Gen 3 NAS Enclosure - Quad-Core AMD Ryzen Embedded V3C14 CPU @ 2.3 GHz - 3.8 GHz Turbo, 16GB of server-grade DDR5-4800 ECC memory (Max 64GB), Quad M.2 slots for NVMe SSDs - Doubled Performance with PCIe 4.0, 2x USB4 ports at 40 Gbps, 3x USB 3.2 Gen 2 Type-A at 10 Gbps, 2x 10-Gigabit Ethernet, 2x 5-Gigabit Ethernet, Supports Wake on LAN and Wake on WAN (5 GbE), Retail Box
AS7112RDX	R 58,999	Asus AS7112RDX/Rail 2U rack 12 bay NAS, Intel Xeon E-2224 3.6GHz up to 4.6GHz 8MB Cache Quad 4x Core Processor with no intergrated Graphics, 8GB DDR4 ECC UDIMM Memory, 8GB USB DOM Flash Memory, 12x Drive bays, 2x M.2 Drive slots, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive compatible Drive Type, 4x USB 3.2 Gen 2 Type-A, 2x USB 3.2 Gen 2 Type-C, 4x Gigabit Ethernet (1G/100M), 2x Gen3 x4 slots (x4 Link), 1x Gen3 x8 slots (x8 Link), 2x 550W Power Supply unit
AS7112RDX/Rail	R 58,403	Asus AS7112RDX/Rail 2U rack 12 bay NAS with rail kit, Intel Xeon E-2224 3.6GHz up to 4.6GHz 8MB Cache Quad 4x Core Processor with no intergrated Graphics, 8GB DDR4 ECC UDIMM Memory, 8GB USB DOM Flash Memory, 12x Drive bays, 2x M.2 Drive slots, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive compatible Drive Type, 4x USB 3.2 Gen 2 Type-A, 2x USB 3.2 Gen 2 Type-C, 4x Gigabit Ethernet (1G/100M), 2x Gen3 x4 slots (x4 Link), 1x Gen3 x8 slots (x8 Link), 2x 550W Power Supply unit
AS7116RDX/Rail	R 79,552	Asus AS7116RDX 3U rack 16 bay NAS with rail kit, Intel Xeon E-2224 3.6GHz up to 4.6GHz 8MB Cache Quad 4x Core Processor with no intergrated Graphics, 8GB DDR4 ECC UDIMM Memory, 8GB USB DOM Flash Memory,

		16x Drive bays, 2x M.2 Drive slots, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive compatible Drive Type, 4x USB 3.2 Gen 2 Type-A, 2x USB 3.2 Gen 2 Type-C, 4x Gigabit Ethernet (1G/100M), 2 x Gen3 x4 slots (x4 Link), 1 x Gen3 x8 slots (x8 Link), 550W x2 Power Supply unit
CAS-NASBOX-DP320	R 37,806	Synology DP320 ActiveProtect Appliance, Desktop AMD R1600 CPU, 2x 8TB Hard Disk Drive (RAID 1), 8GB RAM, 1x 1GbE RJ-45 (Data transfer) Network Interface, 1x 1GbE RJ-45 (Management) Network Interface
CAS-NASBOX-DS124	R 3,157	Synology Diskstation DS124 1 bay NAS, Realtek RTD1619b 4-core CPU, 1 GB DDR4 non-ECC system Memory, 3.5" / 2.5" SATA Hard Disk Drive compatible Drive, 1x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port
CAS-NASBOX-DS1525+	R 19,770	Synology Diskstation DS1525 5 bay NAS, AMD Ryzen V1500B 4C CPU, 8GB DDR4 ECC SO-DIMM (2 DIMM slots), 5x 3.5" Drive bays, 2x NVMe M.2 Drive slots, Hot Swappable drives, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 2 Expansion Port, USB Type-C Expansion Port Type, PCI-e Expansion - 1x Gen3 x2 Network upgrade slot
CAS-NASBOX-DS1825+	R 24,087	Synology Diskstation DS1825 8 bay NAS, AMD Ryzen V1500B CPU, 8GB DDR4 ECC SO-DIMM RAM, 8x 3.5" / 2.5" Drive bays, 2x NVMe M.2 Drive slots, Hot Swappable Drive, 2x RJ-45 2.5GbE LAN Port, 3x USB 3.2 Gen 1 Port, 2 Expansion Port, USB Type-C Expansion Port Type, 1 x Gen3 x8 slot (x4 Link) PCI-e Expansion
CAS-NASBOX-DS223	R 6,035	Synology Diskstation DS223 2 bay Desktop NAS, Realtek RTD1619b Quad Core CPU, 2 GB DDR4 non-ECC system Memory, 2x 3.5" / 2.5" Drive bays, Hot Swappable Drive, 1x RJ-45 1GbE LAN Port, 3x USB 3.2 Gen 1 Port, USB / SD Copy
CAS-NASBOX-DS223J	R 4,089	Synology DS223j 2-bay NAS, Realtek RTD1619B 4-core 1.7GHz CPU, 1GB DDR4 non-ECC system Memory, 2x 3.5" Drive bays, 1x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port
CAS-NASBOX-DS225+	R 6,452	Synology Diskstation DS225 2 bay Desktop NAS, Intel Celeron J4125 4C CPU, 2GB soldered DDR4 non-ECC (One open RAM slot / Max 6GB RAM), 2x 3.5 Drive bays, Hot Swappable Drive, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port
CAS-NASBOX-DS2422+	R 38,949	Synology Diskstation DS2422 12 bay NAS, AMD Ryzen V1500B CPU, 4GB DDR4 ECC SO-DIMM RAM, 12x 3.5" / 2.5" SATA HDD Drive bays, Hot Swappable Drive, 4x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 Expansion Port, Mini-SAS HD Expansion Port Type, 1 x Gen3 x8 slot (x4 Link) PCI-e Expansion
CAS-NASBOX-DS423	R 8,408	Synology DS423 4-Bay Desktop NAS, Realtek RTD1619b 4-core 1.7 GHz CPU, 2GB DDR4 non-ECC Memory, 4x 3.5" /2.5" Drive bays, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port
CAS-NASBOX-DS425+	R 10,787	Synology Diskstation DS425 4 Bay NAS, Intel Celeron J4125 4C CPU, 2GB soldered DDR4 non-ECC (1 Memory slot upgradeable to 6GB), 4x 3.5" Drive bays, 2x NVMe M.2 Drive slots, Hot Swappable drives, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port
CAS-NASBOX-DS725+	R 12,088	Synology Diskstation DS725 2 bay NAS, AMD Ryzen R1600 2C CPU, 4GB DDR4 ECC SO-DIMM (2 RAM slots), 2x 3.5" Drive Bays, 2x NVMe M.2 Drive Slots, Hot Swappable Drives, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 1x USB 3.2 Gen 1 Port, 1 Expansion Port, USB Type-C Expansion Port Type
CAS-NASBOX-DS925+	R 13,004	Synology DiskStation DS925 4 Bay NAS, AMD Ryzen V1500B 4C CPU, 4GB DDR4 ECC SO-DIMM Memory (2 DIMM slots), 2x NVMe M.2 Drive slots, 4x 3.5" SATA HDD bays, Hot Swappable drives, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 Expansion Port, USB Type-C Expansion Port Type
CAS-NASBOX-NVR1218	R 3,746	Synology Surveillance Network Video Recorder 2 Bay NAS unit, HDMI Out 1080p 60Hz, 12 IP Camera support, 4 free licenses, Dual Core 1.0 GHz CPU, 1 GB DDR3 Memory, 2x 3.5" drives supports, 20TB maximum capacity, 2x USB 2.0 Port, 1x USB 3.0 Port, 1x eSATA Port, 1x COM Port, 1x Gigabit LAN, Audio Input 3.5 mm Stereo Audio Jack, Audio Output 3.5 mm Stereo Audio Jack
CAS-NASBOX-RS2423+	R 53,298	Synology RackStation RS2423 12-bay 2U NAS, AMD Ryzen V1780b Quad Core CPU, 8GB DDR4 ECC UDIMM system Memory, 12 Drive bays, 3.5" SATA Hard Disk Drive, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 1x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 expansion Port, 1x Gen3 x8 slot (x4 Link) PCI-e expansion
CAS-NASBOX-RS4021XS+	R 101,762	Synology RackStation RS4021xs 16 bay 3U NAS, Intel Xeon D-1541 CPU, 16GB DDR4 ECC UDIMM Memory, 16 Drive bays, 3.5" SATA Hard Disk Drive, 2.5" SATA SSD, 200 TB Maximum single Volume size, Hot Swappable Drive, 4x RJ-45 1GbE LAN Port, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 2x Expansion Port, 2x GEN3 x8 slots (x8 Link) PCI-e Expansion
DH2300-95998	R 3,915	UGreen NASync DH2300 2-bay Home NAS Storage Device, Max raw capacity supports up to 64 TB across two Drive bays, Processor features Rockchip A72 A53 8 Cores running at 2.2 GHz, System includes 4GB LPDDR4x

		RAM and 32GB eMMC Flash Memory, HDMI Port delivers 4K Video Output at 60Hz directly to displays, 1x 1GbE LAN Port, 1x USB-C 5 Gbps Port, 2x USB Type-A 5 Gbps connectors for peripherals, Operating System is UGOS Pro with AI Photo organisation and permission Management, Suppors 3.5" drives
DH4300PLUS-85660	R 8,800	UGreen DH4300 Plus 4-Bay NAS storage, RK3588c Processor, 8GB LPDDR4x Memory, UGOS Pro Operating System, 32GB eMMC system storage, 4x SATA (6 Gbps) supports 2.5" /3.5" Hard Drive, 1x HDMI Port supports resolutions up to 4K, 1x 2.5GbE RJ45 Ethernet Port, 1x Type-C USB 3.2 Gen 1 Port, 2x USB 3.2 Gen 1 Ports
DP320	R 34,499	Synology DP320 ActiveProtect Appliance, Desktop AMD R1600 CPU, 2x 8TB Hard Disk Drive (RAID 1), 8GB RAM, 1x 1GbE RJ-45 (Data transfer) Network Interface, 1x 1GbE RJ-45 (Management) Network Interface
DS-USB-C-S1308C	R 1,464	Unitek S1308C 2-bay USB Type-C 10Gbps 3.5" Hard Drive enclosure with RAID, 1x USB-C 10Gbps (Female USB-C), Aluminum Alloy material, 2x SATA Connector
DS1525+	R 19,319	Synology Diskstation DS1525 5 bay NAS, AMD Ryzen V1500B 4C CPU, 8GB DDR4 ECC SO-DIMM (2 DIMM slots), 5x 3.5" Drive bays, 2x NVMe M.2 Drive slots, Hot Swappable drives, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 2 Expansion Port, USB Type-C Expansion Port Type, PCI-e Expansion - 1x Gen3 x2 Network upgrade slot
DS1525neo+	R 18,169	Synology DS1525neo 5 bay NAS, Espandable to 15 bay, AMD Ryzen V1500B 4 Core CPU, 4GB DDR4 Non-ECC SO-DIMM, 2 Memory slots, 5 x 3.5" SATA HDD or 2.5" SATA SSD, 2x M.2 2280 NVMe SSD, 15 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 2x USB Type-C Expansion Port, 1 x Gen3 x2 Network upgrade slot PCI-e Expansion
DS1825+	R 23,919	Synology DS1825 8 Bay (expandable to 18 bay) AMD Ryzen V1500B 4C 1 x 8 GB DDR4 ECC SODIMM
DS1825neo+	R 22,654	Synology DS1825neo 8 bay NAS, Expandable to 18 bay, AMD Ryzen V1500B 4 Core CPU, 4GB DDR4 Non-ECC SO-DIMM, 2 Memory slots, 8 x 3.5" SATA HDD or 2.5" SATA SSD, 2x M.2 2280 NVMe SSD, 18 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 2.5GbE LAN Port, 3x USB 3.2 Gen 1 Port, 2x USB Type-C Expansion Port
DS225+	R 6,726	Synology Diskstation DS225 2 bay Desktop NAS, Intel Celeron J4125 4C CPU, 2GB soldered DDR4 non-ECC (One open RAM slot / Max 6GB RAM), 2x 3.5 Drive bays, Hot Swappable Drive, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port
DS425+	R 10,694	Synology Diskstation DS425 4 Bay NAS, Intel Celeron J4125 4C CPU, 2GB soldered DDR4 non-ECC (1 Memory slot upgradeable to 6GB), 4x 3.5" Drive bays, 2x NVMe M.2 Drive slots, Hot Swappable drives, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port
DS725+	R 11,844	Synology Diskstation DS725 2 bay NAS, AMD Ryzen R1600 2C CPU, 4GB DDR4 ECC SO-DIMM (2 RAM slots), 2x 3.5" Drive Bays, 2x NVMe M.2 Drive Slots, Hot Swappable Drives, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 1x USB 3.2 Gen 1 Port, 1 Expansion Port, USB Type-C Expansion Port Type
DS725neo+	R 11,269	Synology DS725neo 2 bay NAS, AMD Ryzen R1600 2 Core CPU, 4GB DDR4 Non-ECC SO-DIMM Memory, 2 Memory slots, 2x 3.5" SATA HDD or 2.5" SATA SSD, 2x M.2 2280 NVMe SSD, Maximum Drive bays with Expansion unit, Hot Swappable Drive, 1x RJ-45 1GbE LAN Port, 1x RJ-45 2.5GbE LAN Port, 1x USB 3.2 Gen 1 Port, 1x USB Type-C Expansion Port
DS925+	R 13,684	Synology DiskStation DS925 4 Bay NAS, AMD Ryzen V1500B 4C CPU, 4GB DDR4 ECC SO-DIMM Memory (2 DIMM slots), 2x NVMe M.2 Drive slots, 4x 3.5" SATA HDD bays, Hot Swappable drives, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 Expansion Port, USB Type-C Expansion Port Type
DS925neo+	R 12,419	Synology DS925neo 4 Bay NAS, Upgradeable to 9 bay, AMD Ryzen V1500B 4 Core CPU, 4GB DDR4 Non-ECC SO-DIMM Memory, 2 Memory slots, 4 x 3.5" SATA HDD or 2.5" SATA SSD, 2x M.2 2280 NVMe SSD, 9 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x USB Type-C Expansion Port
DX4800PLUS-35261	R 12,090	Ugreen NASync DXP4800 Plus 4-Bay NAS, Pentium Gold 8505 CPU, UGOS Pro Operating System, 8GB DDR5 mory (RAM), 4x 3.5" SATA Drive bays, 2x M.2 SSD Drive slots, 1x 2.5GbE LAN Port (RJ45), 1x 10GbE LAN Port (RJ45), 1x Type-C (10Gb/s), 1x USB Type-A (10Gb/s), 1x USB Type-A (5Gb/s), 2x USB Type-A (480MB/s), SD 3.0 Card Reader, 4K HDMI Resolution
DXP2800-25369	R 8,154	Ugreen NASync DXP2800 2 bay NAS, UGOS Pro Operating System, Intel N100 CPU, 8GB DDR5 Memory (RAM), eMMC 32GB Flash Memory (System disk), 2x 3.5" SATA Drive bays, 2x M.2 SSD Drive slots, 1x 2.5GbE LAN

		Ports (RJ45), 1x Type-C (10Gb/s), 1x USB Type-A (10Gb/s), 1x USB Type-A (5Gb/s), 2x USB Type-A (480MB/s), 4K HDMI Resolution
DXP480TPLUS-25892B	R 13,978	Ugreen NASync DXP480t Plus 4-Bay NVMe NAS, UGOS Pro Operating System, Intel i5-1235U CPU, 8GB DDR5 Memory (RAM), 4 M.2 SSD Drive slots, 32TB (4x 8TB) Maximum storage, 1x 10GbE LAN Ports (RJ45), 2x Thunderbolt 4 (40Gb/s) Ports, 8K HDMI Resolution, Built-In (Wi-Fi 6)
DXP6800PRO-25899B	R 18,801	Ugreen NASync DXP6800 Pro 6-Bay NAS, UGOS Pro Operating System, Intel i5-1235U CPU, 8GB DDR5 Memory (RAM), 6x 3.5" SATA Drive bays, 2 M.2 SSD Drive slots, 2x 10GbE LAN Ports (RJ45), 1x PCI-e x4 PCI-e Expansion, 2x Thunderbolt 4 40Gb/s Ports, 2x USB Type-A (10Gb/s), 2x USB Type-A (480MB/s), SD 4.0 Card Reader, 8K HDMI
DXP8800PLUS-35127B	R 22,401	Ugreen NASync DXP8800 Plus 8-bay NAS, UGOS Pro Operating System, Intel i5-1235U CPU, 8GB DDR5 Memory, 8x 3.5" SATA Drive bays, 2x M.2 SSD Drive slots, 2x 10GbE LAN Ports (RJ45), 1x PCI-e x4 PCI-e Expansion, 2x Thunderbolt 4 (40Gb/s) Ports, 2x USB Type-A (10Gb/s), 2x USB Type-A (480MB/s), SD 4.0 Card Reader, 8K HDMI
FS6706T	R 10,799	Asustor Flashstor 6 FS6706T 6 bay All-SSD NAS storage, Intel Celeron N5105 2.0GHz up to 2.9GHz 4MB Cache Quad Core Processor with Intel UHD HD Graphics, 6x M.2 NVMe slots, 4GB DDR4-2933 RAM, 1x HDMI 2.0b, S/PDIF Output, 2x 2.5 Gigabit Ethernet (2.5G/1G/100M), 2x USB 3.2 Gen 2x1 Port, 2x USB 2.0 Ports, 1x 80mm system fan
FS6712X	R 19,999	Asustor Flashstor 12 Pro FS6712X 12 bay All-SSD NAS storage, Intel Celeron N5105 2.0GHz up to 2.9GHz 4MB Cache Quad Core Processor with Intel UHD HD Graphics, 6x M.2 NVMe slots, 4GB DDR4-2933 RAM, 2x USB 3.2 Gen 2x1, 2x USB 2.0, 1x 10 Gigabit Ethernet (10G/5G/2.5G/1G/100M/10M), 1x HDMI 2.0b, 1x S/PDIF, 1x 80mm system fan
MR-i998	R 4,145	Icy Dock ToughArmor mb998SP-b Mobile Rack, Black - for 8x 2.5" (7mm) SATA6G HDD in 5.25" bay, ideal for up to to raid 0 1/10/5 in limited space, heavy duty metal construction, hot-swappable inner tray, latch lock, 2x 40mm fan - 2x SATA power required
RS1226+	R 32,429	Synology RS1226 Plus Series RackStation 8 bay NAS, AMD Ryzen V1500B CPU, 4GB DDR4 ECC SO-DIMM Memory, 2 Memory slots, 8 x 3.5" SATA HDD or 2.5" SATA SSD, 2x M.2 2280 NVMe SSD, 12 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 2.5GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x USB Type-C Expansion Port, 1 x Gen3 x8 slot (x4 Link) PCI-e Expansion, 2U Form Factor (RU)
RS1626xs+	R 78,774	Synology RS1626xs 4 Bay 1U Rack Mount NAS, Intel Xeon D-1726 CPU, 16GB DDR4 ECC RDIMM system Memory, 4 total Memory slots up to 64 GB, 4x 3.5" SATA HDD or 2.5" SATA SSD, 2x M.2 2280 NVMe SSD, Hot Swappable Drive, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 Expansion Port, Mini-SAS HD Expansion Port Type, 1x Gen4 x8 slot PCI-e Expansion, 1U Form Factor (RU), 16x Maximum Drive bays with Expansion unit
RS2423RP+II	R 57,499	Synology RS2423RP II RackStation 12 bay 2U NAS, AMD Ryzen V1780B 4 Core CPU, 8GB DDR4 ECC UDIMM Memory, 2 Memory slots, 12x 3.5" SATA HDD or 2.5" SATA SSD, 24 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 1x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x Mini-SAS HD Expansion Port, 1x Gen3 x8 slot (x4 Link) PCI-e Expansion
RS2825RP+	R 67,849	Synology RS2825RP 16 bay RackStation 3U, Expandable to 16 bay, AMD Ryzen V1780B 4 Core CPU, 8GB DDR4 ECC UDIMM Memory (2 DIMM slots), 16x 3.5" /2.5" SATA Drive bays, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 1x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 Expansion Port, Mini-SAS HD Expansion Port Type, 1x Gen3 x8 slot (x4 Link) PCI-e Expansion, 3U Form Factor
RS3626xs	R 89,699	Synology RS3626xs 12-bay 2U Rackmount NAS, Intel Xeon D-1726 CPU, Scalable up to 864TB, GPU cards support, 8GB DDR4 ECC UDIMM system Memory, 6 total Memory slots up to 48GB, 12x 3.5" SATA HDD or 2.5" SATA SSD Drive bays, 36 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 2 Expansion Port, Mini-SAS HD Expansion Port Type, 2x Gen4 x8 slot PCI-e Expansion
RS4826xs+	R 112,699	Synology RS4826xs 12 bay 2U Rackmount NAS, Intel Xeon D-1739 CPU, 16GB DDR4 ECC RDIMM system Memory, 6 total Memory slots up to 96 GB, 12x 3.5" SATA HDD or 2.5" SATA SSD Drive bays, 48 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 3 Expansion Port, Mini-SAS HD Expansion Port Type, 2x Gen4 x8 slot PCI-e Expansion

RS6426xs+	R 134,549	Synology RS6426xs 16 bay 4U Rackmount NAS, Intel Xeon D-1739 CPU, GPU cards support, 16GB DDR4 ECC RDIMM system Memory, 6 Memory slots up to 96GB Memory, 16 x 3.5" SATA HDD or 2.5" SATA SSD Drive bays, 64 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 4 Expansion Port, Mini-SAS HD Expansion Port Type, 2x Gen4 x8 slot PCI-e Expansion, 3U Form Factor (RU)
RS6426xs+	R 166,750	Synology RS6426xs 16 bay 4U Rackmount NAS, Intel Xeon D-1739 CPU, GPU cards support, 16GB DDR4 ECC RDIMM system Memory, 6 Memory slots up to 96GB Memory, 16 x 3.5" SATA HDD or 2.5" SATA SSD Drive bays, 64 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 4 Expansion Port, Mini-SAS HD Expansion Port Type, 2x Gen4 x8 slot PCI-e Expansion, 3U Form Factor (RU)
RS826RP+	R 32,429	Synology RS826RP 4 Bay RackStation 1U NAS with Redundant PSU, AMD Ryzen V1500B 4 Core Processor, 4GB DDR4 ECC SO-DIMM Memory, 2 Memory slots, 4x 3.5" SATA HDD or 2.5" SATA SSD, 8 Maximum Drive bays with Expansion unit, Hot Swappable Drive, 4x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x USB Type-C Expansion Port, 1x Gen3 x8 slot (x4 Link) PCI-e Expansion
Synology DS124	R 2,874	Synology Diskstation DS124 1 bay NAS, Realtek RTD1619b 4-core CPU, 1 GB DDR4 non-ECC system Memory, 3.5" / 2.5" SATA Hard Disk Drive compatible Drive, 1x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port
Synology DS223	R 5,519	Synology Diskstation DS223 2 bay Desktop NAS, Realtek RTD1619b Quad Core CPU, 2 GB DDR4 non-ECC system Memory, 2x 3.5" / 2.5" Drive bays, Hot Swappable Drive, 1x RJ-45 1GbE LAN Port, 3x USB 3.2 Gen 1 Port, USB / SD Copy
Synology DS223j	R 4,426	Synology DS223j 2-bay NAS, Realtek RTD1619B 4-core 1.7GHz CPU, 1GB DDR4 non-ECC system Memory, 2x 3.5" Drive bays, 1x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port
Synology DS923+	R 11,844	Synology DS923 Diskstation 4 Bay NAS (Up to 9-bay), AMD Ryzen R1600 CPU, Hardware Encryption engine, 4GB DDR4 ECC system Memory, 4x Drive bays, 2x NVMe M.2 Drive slots, 3.5" / 2.5" SATA Hard Disk Drive compatible Drive Type, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x eSATA Port, 1x Gen3 x2 Network upgrade slot PCI-e Expansion
Synology DX517	R 10,579	Synology DX517, Synology 5-bay SATA expansion unit for DS1517 , DS1817 , DS1517, DS1817, DS918
Synology RS1221RP+	R 38,524	Synology RS1221rp RackStation 8-bay 2U NAS with redundent PSU (RP), Quad Core 2.4GHz, 2GB RAM, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive supports, 108 TB Maximum single Volume size, Hot Swappable Drive, 4x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x eSATA Port
Synology RS2423+	R 52,899	Synology RackStation RS2423 12-bay 2U NAS, AMD Ryzen V1780b Quad Core CPU, 8GB DDR4 ECC UDIMM system Memory, 12 Drive bays, 3.5" SATA Hard Disk Drive, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 1x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1 expansion Port, 1x Gen3 x8 slot (x4 Link) PCI-e expansion
Synology RS422+	R 16,099	Synology RackStation RS422 4-Bay 1U, AMD Ryzen R1600 Dual Core CPU, 2 GB DDR4 ECC system Memory, 4 Drive bays, 3.5" SATA Hard Disk Drive, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 1x USB 3.2 Gen 1 Port, 1x Gen3 x2 Network upgrade slot PCI-e expansion
Synology RX1222sas	R 56,349	Synology RX1222sas Expansion unit - storage enclosure - 12 bays, SATA-600 / SAS, 2U rack-mountable, 12x 3.5" Drive bays, Hot Swappable Drive, 1x SAS in-port, 1x SAS out-port, 500 W Power Supply unit
Synology RX418	R 9,889	Synology RX418 4-Bay 1U expansion unit; 3.5" SATA HDD; 2.5" SATA HDD; 2.5" SATA SSD; hot-swappable drives; 1 x eSATA; 44 x 430.5 x 290 mm; 4.28 kg; RS818 , RS818RP , RS816, RS815 , RS815RP , RS815
TS-233	R 5,149	QNap TS-233 2 bay Desktop NAS, Arm 4-core Cortex-A55 2.0GHz Processor, 2x SATA 6Gb/s 3.5" /2.5" bays, 2GB RAM On-Board, 1x USB3.2 Gen1, 2x USB 2.0, Hot-Swappable, 1x Gigabit Ethernet Port (RJ45)
TS-264-8G	R 10,425	QNAP TS-264 2-BAY Tower NAS, Intel Celeron N5105/N5095 4-core/4-thread Processor, 8 GB DDR4 onboard not expandable Memory, 2 x 2.5" /3.5" SATA 6Gbps 2 x M.2 2280 PCIe Gen 3 x1 SSD slots Storage Bays, 2 x 2.5GbE, optional 10GbE expansion via a PCIe card Network
TS-433-4G	R 11,379	QNap TS-433 4-Bay NAS with 4GB RAM, ARM 4-core Cortex-A55 2.0GHz processor, 4x 3.5" / 2.5" SATA 6Gb/s bays, 4GB RAM On-Board, 1x GbE Port, 1x 2.5GbE Port, 1x USB3.2 Gen1 Port 2x USB 2.0 Ports, Hot-Swappable, TS-433-4G
TS-464-8G	R 16,097	QNap TS-464-8G 4-Bay desktop NAS, Intel Celeron Quad Core N5095 2.0Ghz with Turbo Boost up to 2.90Ghz 4MB L3 Cache Processor with Intel UHD Graphics, 8GB onboard memory not expandable, 4x 3.5" /2.5" SATA

		6Gb/s drive bays, 2x M.2 2280 PCIe Gen 3 x1 slots, 2x 2.5GbE ports, 1x HDMI 2.0, 1x PCIe Gen3 x2 slot, 2x USB 3.2 Gen 2 Type-A, 2x USB 2.0
TS-832PXU-4G	R 28,448	QNap TS-832PXU-4G 8 bay 2U NAS, 1.7GHz 4 Core alpine AL-324 Processor, 4GB Memory, 2x 2.5GbE & 2x 10GbE SFP LAN ports, Single PSU, Supports 3.5" and 2.5" drives, 4x USB 3.2 Gen 1 ports, 1x PCI-e Gen 2 x2 slot
TS-873AeU-RP-4G	R 44,587	QNap TS-873AEU-RP-4G 8-bay Short Depth Rackmount Dual 2.5GbE NAS, AMD Ryzen V1500B CPU, 4GB SO-DIMM DDR4 system Memory, 5GB Flash Memory, 8 x 3.5" SATA Drive bay, Hot-Swappable, 2x M2 2280, 2x 2.5 Gigabit Ethernet Port, 1x PCI-e Gen3 x8 slot, 4x USB 3.2 Gen 2 10Gbps Port (Type-A & Type-C), 2U Short Depth Rackmount Form Factor
TVS-H874T-I7-32G	R 62,457	QNAP TVS-h874T 8-bay QuTS hero NAS, Intel Core i7 12-core (8 Performance cores 4 Efficient cores) /20-thread, 32GB SO-DIMM DDR4(max.64GB), 8 x 2.5" /3.5" SATA HDD/SSD, 2 x 2.5GbE, 2 x M.2 PCIe Gen4 x4 slots, 2 x Thunderbolt 4, PCIe Gen4 slots, HDMI 1.4b, 350W P
UB-UNAS-2-W	R 3,999	Ubiquiti UniFi NAS 2 bay White, UNAS-2-W, 2x 3.5" Drive bays, 1x 2.5 GbE RJ45 Networking Interface, 1x 5Gbps USB-C Expansion Port, 60W Maximum Power consumption, PoE Power Method, 60W PoE Adapter (Included), 1.47" Colour LCM Display
UB-UNAS-4-W	R 7,668	Ubiquiti UniFi NAS 4 Bay White, UNAS-4-W, 4x 3.5" Drive bays, 2x M.2 NVMe bays, 1x 2.5 GbE RJ45 Port, 1x 5Gbps USB-C Port, 80W Maximum Power budget for drives, PoE Power Method, 90W PoE Adapter (Included), Display 1.47" Colour LCM Display
UB-UNAS-PRO	R 11,254	Ubiquiti UniFi NAS Pro 2U 7 Drive bays, UNAS-PRO, SGCC Steel enclosure material, 1x GbE RJ45 Port, 1x 10 GbE SFP Port, Bluetooth 4x 10/100, 135W Maximum Power budget for drives, 1.3" Touchscreen, 7x 2.5/3.5" Drive bays
UNAS-2-B	R 4,249	Ubiquiti UniFi NAS 2 bay Black, UNAS-2-B, 2x 3.5" Drive bays, 1x 2.5 GbE RJ45 Networking Interface, 1x 5Gbps USB-C Expansion Port, 60W Maximum Power consumption, PoE Power Method, 60W PoE Adapter (Included), 1.47" Colour LCM Display
UNAS-2-W	R 4,249	Ubiquiti UniFi NAS 2 bay White, UNAS-2-W, 2x 3.5" Drive bays, 1x 2.5 GbE RJ45 Networking Interface, 1x 5Gbps USB-C Expansion Port, 60W Maximum Power consumption, PoE Power Method, 60W PoE Adapter (Included), 1.47" Colour LCM Display
UNAS-4-W	R 8,044	Ubiquiti UniFi NAS 4 Bay White, UNAS-4-W, 4x 3.5" Drive bays, 2x M.2 NVMe bays, 1x 2.5 GbE RJ45 Port, 1x 5Gbps USB-C Port, 80W Maximum Power budget for drives, PoE Power Method, 90W PoE Adapter (Included), Display 1.47" Colour LCM Display
UNAS-PRO	R 11,011	Ubiquiti UniFi NAS Pro 2U 7 Drive bays, UNAS-PRO, SGCC Steel enclosure material, 1x GbE RJ45 Port, 1x 10 GbE SFP Port, Bluetooth 4x 10/100, 135W Maximum Power budget for drives, 1.3" Touchscreen, 7x 2.5/3.5" Drive bays
UNAS-PRO4	R 10,689	Ubiquiti UniFi NAS Pro 4 1U 4 Drive bays 2 NVMe slots and 1Gbps Ethernet, UNAS Pro 4, 4x 2.5/3.5" Drive bays, 2x M.2 NVMe bays, 2x 10G SFP (10G only), 1x GbE RJ45, Rack Mount (1U), Power Redundancy, 125W Maximum Power budget for drives
UNAS-PRO8	R 16,899	Ubiquiti UniFi NAS Pro 8 2U 8 Drive bays 2 NVMe slots and 10Gbps Ethernet, UNAS-PRO-8, 8x 3.5" Drive bays, 2x M.2 NVMe bays, 2x 10G SFP (10G only) ports, 1x 10GbE RJ45 port, Power Redundancy, 8x 2.5/3.5" HDD / SSD support, 225W Maximum Power budget for drives, 2x AC Input, Hot-Swappable Power modules, Bluetooth

< Return to the menu

NAS Network Attached Drives : NAS - Network Attached Drives / Servers

Product code	Price	Description
AS6702T	R 10,599	Asustor Lockerstor 2 Gen2 2 Bay NAS No Hard Drive - Quad-Core 10 nm Intel Celeron N5105 CPU - Superfast 2.5-Gigabit Ethernet ports, Flexible PCIe slot for M.2 SSDs, Supports PCIe 3.0 SSDs for up to twice the performance of PCIe 2.0., Uses DDR4-2933 with 40% more performance, USB 3.2 Gen2 ports - 10Gbps speed, Enjoy, download, upload and stream content with 4K transcoding, Increased ventilation for SSDs, Supports Wake on LAN and Wake on WAN, Retail Box
AS6704T	R 13,999	Asustor Lockerstor 4 Gen2 4 Bay NAS No Hard Drive - Quad-Core 10 nm Intel Celeron N5105 CPU - 31% more

		performance over Gemini Lake, Superfast 2.5-Gigabit Ethernet ports, Flexible PCIe slot for 10GbE NICs or M.2 SSDs, Supports PCIe 3.0 SSDs for up to twice the performance of PCIe 2.0., Uses DDR4-2933 with 40% more performance, USB 3.2 Gen2 ports - 10Gbps speed, Enjoy, download, upload and stream content with 4K transcoding, Increased ventilation for SSDs, Supports Wake on LAN and Wake on WAN , Retail Box
AS6706T	R 15,999	Asustor Lockerstor 6 Gen2 6 Bay NAS No Hard Drive - Quad-Core 10 nm Intel Celeron N5105 CPU brings 31% more performance, Superfast 2.5-Gigabit Ethernet ports, Flexible PCIe slot for 10GbE NICs or M.2 SSDs, Supports PCIe 3.0 SSDs for up to twice the performance of PCIe 2.0., Uses DDR4-2933 with 40% more performance, USB 3.2 Gen2 ports - 10Gbps speed, Enjoy, download, upload and stream content with 4K transcoding, Increased ventilation for SSDs, Supports Wake on LAN and Wake on WAN , Retail Box
CAS-NASBOX-DP340	R 83,017	Synology DP340 4-Bay ActiveProtect Appliance, AMD Ryzen Embedded R1600 CPU, 16GB DDR4 RAM, 4x 8TB 3.5" SATA Hot-Swap Drive bays, 2x 400GB SSD (RAID 1), 1x USB 3.2 Gen 1 Type-A (1 front), 1x Management (Gigabit Ethernet) RJ-45 (1 rear), 1x 10 Gigabit Ethernet RJ-45 (1 rear), Designed specifically for Backup purposes
CAS-NASBOX-DS3622XS+	R 67,311	Synology Diskstation DS3622xs 12 bay Desktop NAS, Intel Xeon D-1531 CPU model, Hardware Encryption Engine, 16GB DDR4 ECC SO-DIMM system Memory, 4 total Memory slots, 12x 3.5" /2.5" SATA HDD Drive bays, Hot Swappable Drive, 2x RJ-45 1GbE LAN Port, 2x RJ-45 10GbE LAN Port, 1x Out-of-Band Management LAN Port, 2x USB 3.2 Gen 1 Port, 2x Expansion Port, Mini-SAS HD Expansion Port Type, 1x Gen3 x8 slot (x8 Link) PCI-e Expansion
DP340	R 90,849	Synology DP340 4-Bay ActiveProtect Appliance, AMD Ryzen Embedded R1600 CPU, 16GB DDR4 RAM, 4x 8TB 3.5" SATA Hot-Swap Drive bays (RAID 5), 2x 400GB SSD (RAID 1), 1x USB 3.2 Gen 1 Type-A (1 front), 1x Management (Gigabit Ethernet) RJ-45 (1 rear), 1x 10 Gigabit Ethernet RJ-45 (1 rear), Designed specifically for Backup purposes
DXP2800-16TB	R 16,397	UGreen NASync DXP2800 2 bay NAS with Seagate Ironwolf NAS 16TB (2x8TB) SATA Hard Drive Bundle, UGreen NASync 2 bay NAS, UGOS Pro Operating System, N100 CPU model, 8GB DDR5 Memory, eMMC 32GB Flash Memory, 2x SATA Drive bays, 2x M.2 SSD Drive slots, 1x 2.5GbE LAN Ports (RJ45), 1x Type-C 10Gb/s, 1x USB Type-A 10Gb/s, 1x USB Type-A (5Gb/s), 2x USB Type-A (480MB/s), 4K HDMI Resolution, 2x Seagate Ironwolf NAS 8TB SATA Hard Drive
DXP2800-16TB-V2	R 22,430	UGreen NASync DXP2800 2 bay NAS with Seagate Ironwolf NAS 16TB SATA Hard Drive v2 Bundle (2x 8TB), UGOS Pro Operating System, N100 CPU model, 8GB DDR5 Memory, eMMC 32GB Flash Memory, 2x SATA Drive bays, 2x M.2 SSD Drive slots, 1x 2.5GbE LAN Ports (RJ45), 1x Type-C 10Gb/s, 1x USB Type-A 10Gb/s, 1x USB Type-A (5Gb/s), 2x USB Type-A (480MB/s), 4K HDMI Resolution, 2x Seagate Ironwolf NAS 8TB SATA Hard Drive
DXP2800-8TB	R 15,382	UGreen NASync DXP2800 2 bay NAS with Seagate Ironwolf NAS 8TB (2x4TB) SATA Hard Drive Bundle, UGreen NASync 2 bay NAS, UGOS Pro Operating System, N100 CPU model, 8GB DDR5 Memory, eMMC 32GB Flash Memory, 2x SATA Drive bays, 2x M.2 SSD Drive slots, 1x 2.5GbE LAN Ports (RJ45), 1x Type-C 10Gb/s, 1x USB Type-A 10Gb/s, 1x USB Type-A (5Gb/s), 2x USB Type-A (480MB/s), 4K HDMI Resolution, 2x Seagate Ironwolf NAS 4TB SATA Hard Drive
EH-L84T6BT	R 106,898	Lacie / Seagate STFK84000400 3.5" 84Tb 6Big Thunderbolt 3 series (Raid5/6 storage with 6x 7200rpm HDDs), 1400MB/s, 2x Thunderbolt3(40Gbps) USB3 type-C Gen2/10Gbps with type-C to type-A type-C to type-C cable, 237x228x161mm, silver - (Order on request)
RDS2216-2XG-4S+4XS-2XQ	R 34,959	MikroTik Rose Data Server (RDS) with 2x QSFP28 & 4x SFP28 & 4x SFP & 2x 10 Gigabit Ports, RDS2216-2XG-4S 4XS-2XQ, RouterOS License 6, RouterOS V7 Operating System, 32GB RAM, 128 MB storage size, 16 Core CPU, 2 AC inputs, 1x Gigabit Ethernet Port, 2x 10G Ethernet Ports, 4x SFP Ports, 4x 25G SFP28 Ports, 2x 100G QSFP28 Ports, 2x USB Ports, 2x M.2 slots
STLG16000400	R 19,566	Seagate LaCie 2Big Dock 16TB Thunderbolt 3 exteral Drive, Dual Thunderbolt 3 & DisplayPort Ports for 2x4k or 1x 8K diplays, RAID, USB3.2, Up to 550 MB/s Maximum speed (RAID 0), 2x Thunderbolt (Up to 40 Gb/s), 2x 7200 rpm Seagate Ironwolf Pro Enterprise-Class hard drives, STGB16000400
STLG16000400	R 19,965	Seagate LaCie 2Big Dock 16TB Thunderbolt 3 exteral Drive, Dual Thunderbolt 3 & DisplayPort Ports for 2x4k or 1x 8K diplays, RAID, USB3.2, Up to 550 MB/s Maximum speed (RAID 0), 2x Thunderbolt (Up to 40 Gb/s), 2x 7200 rpm Seagate Ironwolf Pro Enterprise-Class hard drives, STGB16000400
Synology DS1823xs+	R 36,224	Synology DS1823xs DiskStation 8 Bay NAS (Up to 18 Bay) AMD Ryzen V1780B; 4-core 3.35 (base) / 3.6 (turbo)

		GHz; 8 GB (8 GB x 1)
Synology DS2422+	R 38,524	Synology DS2422 12-Bay Plus series Desktop NAS, expandable up to 24 bays with expansion unit.
Synology DS3622xs+	R 62,099	Synology DS3622xs 12-Bay Enterprise Desktop NAS, expandable up to 36 bays with expansion units. Replacing DS3617xsII

< Return to the menu

Old Drives and accessories

Old Drives and accessories : BluRay Reader / combo drive

Product code	Price	Description

< Return to the menu

Old Drives and accessories : CD Drives

Product code	Price	Description

< Return to the menu

Old Drives and accessories : CD Writers

Product code	Price	Description

< Return to the menu

Old Drives and accessories : CDRW/DVD Combo

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Drives: IDE hard drives

Product code	Price	Description
0A37029	R 239	HGST CinemaStar P7K500 250GB 3.5" 7200rpm 8MB Cache IDE Hard Disk Drive, 133 MB/s Maximum Data Transfer Rate, IDE Ultra ATA/133 Interface standard, 0A37029
ST3120213ACE	R 574	Seagate DB35 7200.2 120GB 3.5" 7200rpm 2MB Cache IDE Hard Disk Drive, ST3120213ACE
ST3160022ACE	R 472	Seagate u Series 9 - 160GB 3.5" 5400rpm 2MB IDE Hard Disk Drive, ST3160022ACE
ST3250820ACE	R 273	Seagate Barracuda 7200.10 250GB 3.5" 7200rpm 8MB IDE Hard Disk Drive, ST3250820ACE
ST380012ACE	R 258	Seagate U Series 9 - 80GB 3.5" 7200rpm 1MB Cache IDE Hard Disk Drive, ST380012ACE
ST380013A	R 607	Seagate Barracuda 7200.7 80GB 3.5" 7200rpm 2MB Cache IDE Hard Disk Drive, ST380013A
ST3802110A	R 258	Seagate Barracuda 7200.9 80GB 3.5" 7200rpm 8MB Cache IDE Hard Disk Drive, ST3802110A
ST380215A	R 258	Seagate Barracuda 7200.10 80GB 3.5" 7200rpm 2MB Cache IDE Hard Disk Drive, ULTRA-ATA/100 disk Interface, 11 ms average seek time, ST380215A
SV1604E	R 484	Samsung Spinpoint V80CE 160GB 3.5" 5400rpm 2MB Cache IDE Hard Disk Drive, 5.56 ms average Latency, SV1604E

< Return to the menu

Old Drives and accessories : Drives: Pocket hard drives

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Drives: SATA hard drives

Product code	Price	Description
7L320S0	R 787	Maxtor MaXLine III 320GB 3.5" 7200rpm 2MB SATA1 Hard Disk Drive, 4.17 ms average rotational Latency, 9.3 ms average seek time, 7L320S0
HTS541612J9SA00	R 526	HGST Travelstar 5K160 120GB 2.5" 5400rpm 8MB Cache SATA1 Hard Disk Drive, HTS541612J9SA00
MK4032GSX	R 707	Toshiba 40GB 2.5" 5400rpm 8MB Cache SATA1 Hard Disk Drive, MK4032GSX

MK8032GSX	R 595	Toshiba 80GB 2.5" 5400rpm 8MB Cache SATA1 Notebook Hard Disk Drive, 5.56 ms average Latency, 12 ms average seek time, MK8032GSX
ST380013AS	R 630	Seagate Barracuda 7200.7 80GB 3.5" 7200rpm 8MB Cache SATA1 Hard Disk Drive, ST380013AS
ST380817AS	R 534	Seagate Barracuda 7200.7 80GB 3.5" 7200rpm SATA1 Hard Disk Drive, ST380817AS
ST980811AS	R 457	Seagate Momentus 5400.3 80GB 2.5" 5400rpm 8MB Cache SATA1 Hard Disk Drive, 12.5 ms average seek time, ST980811AS
WD1200BEVS	R 664	Western Digital 120GB 2.5" 5400rpm 8MB Cache SATA1 Notebook Hard Disk Drive, WD1200BEVS
WD4000YR	R 804	Western Digital Caviar RE 400GB 3.5" 7200rpm 16MB Cache SATA1 Hard Disk Drive, WD4000YR
WD400JD	R 114	Western Digital Caviar SE 40GB 3.5" 7200rpm 8MB Cache SATA1 Hard Disk Drive, WD400JD
WD800BD	R 213	Western Digital Caviar 80GB 3.5" 7200rpm 2MB Cache SATA1 Hard Disk Drive, WD800BD
WD800BEVS	R 658	Western Digital Scorpio Blue 80GB 2.5" 5400rpm 8MB Cache SATA1 Notebook Hard Disk Drive, WD800BEVS

< Return to the menu

Old Drives and accessories : Drives: SATA2 hard drives

Product code	Price	Description
0A30497	R 135	HGST DeskStar 7K80 40GB 3.5" 7200rpm 2MB Cache SATA2 3gb/s Hard Disk Drive, 0A30497
0A35415	R 782	HGST DeskStar P7K500 500GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 8.2ms average seek time, 0A35415
614828-002	R 2,275	HP SFF 500GB 2.5" 7200rpm 2MB Cache SATA2 3Gb/s Hard Disk Drive, 614828-002
HCP725032GLA380	R 798	HGST CinemaStar P7K500 320GB 3.5" 7200rpm 6MB Cache SATA2 Hard Disk Drive, 4.17 ms average Latency, HCP725032GLA380
HCP725050GLA380	R 919	HGST CinemaStar P7K500 500GB 3.5" 7200rpm 8MB Cache SATA2 3.0Gb/s Hard Disk Drive, 4.17 ms average Latency, HCP725050GLA380
HCS5C1050CLA382	R 804	HGST CinemaStar 5K1000 500GB 3.5" 5700rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 5.26 ms averagel Latency, HCS5C1050CLA382
HCS5C3232SLA380	R 722	HGST CinemaStar 5K320 320GB 3.5" 5700rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 5.26 ms average Latency, HCS5C3232SLA380
HCS725050VLA380	R 572	HGST CinemaStar 7K500 500GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 4.17 ms average Latency, HCS725050VLA380
HDS721050CLA362	R 856	HGST DeskStar 7K1000 500GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 512 bytes Sector size, HDS721050CLA362
HDS721680PLA380	R 485	HGST DeskStar 7K160 80GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 512 bytes Sector size, HDS721680PLA380
HDS728080PLA380	R 354	HGST DeskStar 7K80 80GB 3.5" 7200rpm 8MB Cache SATA2 3.0Gb/s Hard Disk Drive, HDS728080PLA380
MHY2120BH	R 526	Fujitsu 120GB 2.5" 5400rpm 8MB Cache SATA1 Notebook Hard Drive, 5.56 ms average Latency, MHY2120BH
MHZ2120BH	R 526	Fujitsu 120GB 2.5" 5400rpm 8MB Cache SATA2 3Gb/s Notebook Hard Disk Drive, MHZ2120BH, 5.56 ms rotational Latency
MK2051GSY	R 994	Toshiba 200GB 2.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, MK2051GSY
MK8046GSX	R 1,142	Toshiba 80GB 2.5" 5400rpm 8MB Cache SATA2 Hard Disk Drive, MK8046GSX
MMBRE16G5MSP-OVAD1	R 621	Samsung 16GB MLC 2.5" SATA2 3Gb/s Solid State Drive, MMBRE16G5MSP-OVAD1
ST160DM000	R 561	Seagate Barracuda 160GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, ST160DM000
ST160DM002	R 390	Seagate Barracuda 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST160DM002
ST3160215AS	R 633	Seagate Barracuda 7200.10 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3160215AS
ST3160215SCE	R 618	Seagate DB35.3 160GB 3.5" 7200rpm 2MB Cache SATA2 3Gb/s Hard Disk Drive, ST3160215SCE
ST3160310CS	R 469	Seagate Pipeline HD 160GB 3.5" 5900rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3160310CS
ST3160812AS	R 469	Seagate Barracuda 7200.9 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3160812AS
ST3160813AS	R 713	Seagate Barracuda 7200.11 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 11 ms average seek time, ST3160813AS
ST3160815AS	R 574	Seagate Barracuda 7200.10 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 11 ms average

		seek time, ST3160815AS
ST3160827AS	R 529	Seagate Barracuda 7200.7 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3160827AS
ST3200822AS	R 499	Seagate Barracuda 7200.7 200GB 3.5" 7200rpm 8MB Cache SATA1 Hard Disk Drive, ST3200822AS
ST3200827AS	R 499	Seagate Barracuda 7200.9 200GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3200827AS
ST320LM001	R 624	Seagate Momentus 5400 320GB 2.5" 5400rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST320LM001
ST320LT023	R 646	Seagate Momentus Thin 320GB 2.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 7mm thick, ST320LT023
ST320VT000	R 572	Seagate Video 2.5 - 320GB 2.5" SATA 5400rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, ST320VT000
ST3250820NS	R 591	Seagate Barracuda ES 250GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3250820NS
ST3300831SCE	R 549	Seagate Barracuda 300GB 3.5" 7200rpm SATA2 3Gb/s 8MB Cache Hard Disk Drive, 4.16ms average Latency, ST3300831SCE
ST3320413CS	R 550	Seagate Pipeline HD.2 320GB 3.5" 5900rpm 16MB Cache SATA2 Hard Disk Drive
ST3320820AS	R 752	Seagate Barracuda 7200.10 320GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3320820AS
ST3320820SCE	R 759	Seagate DB35.3 320GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, ST3320820SCE
ST3360320AS	R 595	Seagate Barracuda 7200.10 360GB 3.5" 7200rpm 8MB Cache SATA 3Gb/s Hard Disk Drive, ST3360320AS
ST3400620AS	R 787	Seagate Barracuda 7200.10 400GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 8.5 ms average seek time, ST3400620AS
ST9160314AS	R 698	Seagate Momentus 5400.6 160GB 2.5" 5400rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 9.5 mm thick, ST9160314AS
ST9320421AS	R 670	Seagate Momentus 7200.3 320GB 2.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 9.5 mm thick, ST9320421AS
ST93205620AS	R 574	Seagate Momentus XT 320GB with 4GB SLC SSD 2.5" 7200rpm 32MB Cache SATA2 3Gb/s SSHD, ST93205620AS
ST980813AS	R 598	Seagate Momentus 7200.2 80GB 2.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 11 ms average seek time, ST980813AS
STM3320620AS	R 804	Seagate Maxtor DiamondMax 21 - 320GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 8.5 ms average seek time, STM3320620AS
STSHD253GI	R 633	Seagate 250GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, STSHD253GI
STSHD322GI	R 766	Seagate Spinpoint F4 320GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Solid State Drive, 8.9 ms average seek time, STSHD322GI
WD15EACS	R 2,214	Western Digital 1.5TB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, WD15EACS
WD15EADS	R 1,839	Western Digital Caviar Green 1.5TB 3.5" 7200rpm 32MB Cache SATA2 3Gb/s Hard Disk Drive, WD15EADS
WD15EARS	R 2,398	Western Digital Caviar Green 1.5TB 3.5" 7200rpm 64MB SATA2 3Gb/s Hard Disk Drive, WD15EARS
WD15EVDS	R 1,908	Western Digital AV-GP 1.5TB 3.5" 7200rpm 32MB Cache SATA2 3Gb/s Hard Disk Drive, WD15EVDS
WD1600JS	R 459	Western Digital Caviar SE 160GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, WD1600JS
WD2500AAJS	R 742	Western Digital Caviar SE 250GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, 4.17 ms average Latency, WD2500AAJS
WD3200AAKS	R 631	Western Digital Caviar SE16 320GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 4.17 ms average Latency, WD3200AAKS
WD3200AVJS	R 574	Western Digital AV 320GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, WD3200AVJS
WD3200AVVS	R 783	Western Digital AV-GP 320GB 3.5" 5400rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, WD3200AVVS
WD5000AAVS	R 967	Western Digital Caviar Green 500GB 3.5" 7200rpm 8MB Cache SATA2 3Gb/s Hard Disk Drive, WD5000AAVS
WD5002ABYS	R 815	Western Digital RE3 500GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s RAID Hard Disk Drive, 4.17 ms average Latency, WD5002ABYS
WD6400AAKS	R 1,034	Western Digital Caviar Blue 640GB 3.5" 7200rpm 16MB Cache SATA2 3Gb/s Hard Disk Drive, 4.17 ms average Latency, WD6400AAKS
WD6400AARS	R 818	Western Digital Green 640GB 3.5" 7200rpm 64MB Cache SATA2 3Gb/s Hard Disk Drive, WD6400AARS
WD800JD	R 344	Western Digital Caviar SE 80GB 3.5" SATA2 3.0Gb/s Hard Disk Drive, WD800JD

< Return to the menu

Old Drives and accessories : Drives: SCSI drives

Product code	Price	Description
BD018635CC	R 1,408	HP / Compaq 18.2GB 3.5" 10K rpm ULTRA160 SCSI Hard Disk Drive with bracket, 160 MB/s Maximum Data Transfer Rate, BD018635CC
MAP3735NP	R 3,405	Fujitsu 73GB 3.5" 10K rpm Ultra320 SCSI Hard Disk Drive, 320MB/s Data Transfer Rate, 10ms seek time, MAP3735NP

< Return to the menu

Old Drives and accessories : DVD Roms

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Hybrid 2.5" drives - SSD + mechanical

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Hybrid 3.5" drives - SSD + mechanical

Product code	Price	Description
ST2000DX001	R 2,098	Seagate Hybrid SSHD 2TB with 8GB MLC 3.5" 7200rpm 64MB Cache SATA3 Hard Disk Drive, SATA3 (6Gb/s) Interface, ST2000DX001

< Return to the menu

Old Drives and accessories : SCA2-LVD

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Solid State Drives - Direct Connect

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Solid State Drives - Express card

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Solid State Drives - PATA

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Solid State Drives 1.8inch SSD

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Solid State Drives 2.5inch SATA2 [3Gb/s] SSD

Product code	Price	Description
SSDSA2BW160G3H	R 621	Intel 320 Series 160GB 2.5" SATA2 3Gb/s Solid State Drive, SSDSA2BW160G3H, MLC Flash, Up to 270 MB/s read speed, Up to 165 MB/s write speed

< Return to the menu

Old Drives and accessories : Solid State Drives 2.5inch U.3 PCIe NVMe SSD

Product code	Price	Description

< Return to the menu

Old Drives and accessories : Solid State Drives 3.5inch SSD		
Product code	**Price**	**Description**

< Return to the menu

Old Drives and accessories : Solid State Drives E1.S NVMe		
Product code	**Price**	**Description**

< Return to the menu

Optical drives CD / DVD / Blu-ray		
Optical drives CD / DVD / Blu-ray : BluRay Writer / combo drive (internal)		
Product code	**Price**	**Description**

< Return to the menu

Optical drives CD / DVD / Blu-ray : DVD Writers (internal)		
Product code	**Price**	**Description**
5.25DVD	R 253	Microworld 5.25dvd Internal DVD-RW Desktop
ASUS-DVDRW	R 465	Asus DRW-24B1ST internal 24x Super all-write SATA DVD writer - OEM, M-Disc support
DRV125	R 339	Liteon 24x speed DVD super all-writer SATA Black oem, 24x DVD R, 8X DVD RW, 24x DVD-R, 6x DVD-RW, 48X CD-R, 32x CD-RW, 12x DVD R DL, 12x DVD-R DL, 12x DVD-RAM, 16x DVD-ROM, 48x CD-ROM
DW-Li24o	R 378	Lite-on iHAS324 DVD Writer, 24x, Sata, black, super-multi writer, DL dvd R dvd -r/rw dvd-ram cd -rw, OEM pack
HAS124	R 249	Liteon 24 speed DVD super all-writer SATA Black, 24x DVD R, 8X DVD RW, 24x DVD-R, 6x DVD-RW, 48X CD-R, 32x CD-RW, 12x DVD R DL, 12x DVD-R DL, 12x DVD-RAM, 16x DVD-ROM, 48x CD-ROM
IHAS124	R 322	Liteon 24 speed DVD super all-writer SATA Black, 24x DVD R, 8X DVD RW, 24x DVD-R, 6x DVD-RW, 48X CD-R, 32x CD-RW, 12x DVD R DL, 12x DVD-R DL, 12x DVD-RAM, 16x DVD-ROM, 48x CD-ROM

< Return to the menu

Optical drives CD / DVD / Blu-ray : External Optical Drives		
Product code	**Price**	**Description**
701498-B21	R 1,720	HP Mobile USB DVDRW Drive
784-BBBI	R 845	Dell External USB DVD-RW Drive, Â© 2015 Laptop Direct
CAB-5IN1-OPTIC-DRIVE	R 660	Unitek T1037A USB Type-A/C external DVD writer Optical Drive with USB Hub; DVD read/write up to 8x; CD read/write up to 24x; USB Type-A/Type-C host connection; 2 x USB Type-A ports; 1 x USB Type-C port; SD card reader; 5Gbps upstream; Windows and macOS; black ABS; 143 x 155 x 17 mm; 0.39 kg
CDSL10	R 483	Mecer Slim External USB 2.0 Portable CD/DVD Burner
DS-D016RW	R 3,253	dacal powerdrive DC-106RW - cd/dvd library built-in super-multi dvd writer (8X DVD / 24X CD / 8xDVD±RW / 6X DVD±RDL/ 5X DVD-RAM) , ivory ; upto 100 x DVD , CD , usb interface with 1 x usb downstream hub , support daisychain upto 127 unit - management software bundled
DTHPK9Q83AA	R 1,099	HP Desktop Mini DVD Super Multi-Writer ODD Module External optical drive; USB 3.0 Type-B; DVD-ROM read: 8x; CD read: 24x; DVD R/DVD RW/DVD-R write: up to 8x; Double-layer DVD write: up to 6x; DVD-RAM write: 5x; CD-R/CD-RW write: 24x; Black; 22.8 x 177 x 174.6 mm; 712 g for use with HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini
DW-AE8SB	R 727	Asus SDRW-08D2S-U Lite,; External slim DVD and CD writer; black piano finish; USB 2.0 Type-A; DVD read up to 8x; CD read up to 24x; DVD R/DVD-R write up to 8x; DVD RW write up to 8x; DVD-RW write up to 6x; CD-R/CD-RW write up to 24x; disc encryption; USB powered; 142 x 142 x 20mm; approximately 250g

DW-AE8SCG	R 546	Asus SDRW-08U8M-U/GoLD, External 8x Slim (136x143x14mm) type-C Gold, zen-inspired concentric-circle finish, double security with disc encryption, super-multi: DL dvd R, dvdÂ±r/rw dvd-ram cd /-rw; 1mb - retail pack with vertical stand (Order on request)
DW-AE8SCS	R 627	Asus SDRW-08U8M-U/SiL, External 8x Slim (136x143x14mm) type-C Silver, zen-inspired concentric-circle finish, double security with disc encryption, super-multi: DL dvd R, dvdÂ±r/rw dvd-ram cd /-rw; 1mb - retail pack with vertical stand
EXT-DVDHUB	R 574	Microworld Type-C USB DVD writer External DVD writer and USB hub; USB-C and USB-A; DVD read speed: up to 8x; DVD write speed: up to 8x; CD read speed: up to 24x; CD write speed: up to 24x; Supports DVD R, DVD-R, DVD RW, DVD-RW, CD-R, CD-RW; SD card slot; USB-powered; Windows, macOS and Linux compatibility
EXT-DVDRW	R 344	Microworld External DVD Writer USB 2.0; USB connection; compatible laptops; compatible desktop PCs; external optical drive
EXT-TB-A	R 460	Microworld EXT-TB-A External DVD-RW writer; USB 3.0 interface; USB-powered; CD and DVD reading; compatible CD and DVD writing; for compatible laptops and desktop computers, Reading - Up to 8x for DVD-ROM/Up to 24x for CD-ROM, DVD-R and DVD R writing speed: Up to 8x, DVD-RW writing speed: Up to 4x, DVD-RW writing speed: Up to 4x, CD-R writing speed: Up to 24x
F2B56AA	R 654	HP External USB DVDRW Drive, { Compatible with --> HP ProBook 470 G2, HP EliteBook 455 G2, HP ProBook 450 G2, HP ProBook 430 G2, HP EliteBook 825 G2, HP Elitebook 845 G2, HP 255 G3, HP 250 G3, HP ElitePad 1000 G2, HP 350 G1, HP Chromebook 14, HP ProBook x2 410 G1 , HP 255 G2, HP 250 G2, HP Revolve 810 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook 1040, HP ZBook 14, HP ZBook 15, HP ZBook 17, HP ProBook 470 G1, HP ProBook 450 G1, HP ProBook 655 G1, HP ProBook 650 G1, HP ProBook 645 G1, HP ProBook 640 G1, HP Elitebook 820 G1, HP Elitebook 850 G1, HP Elitebook 840 G1, HP ProBook 430 G1, HP ProBook 455 G1, HP ProBook 450 G0, HP ProBook 470 G0, HP 255 G1, HP 250 G1, HP Revolve 810 G1, HP ElitePad 900, HP mt40, HP 9470m, Spectre XP, 2570p, 2170p, 8770w, 8570w, 8470w, 8570p, 8470p, 6475b, 6470b, 6570b, 4340s, 4540s, 4545s, 4740s, HP 655, HP 650, Folio 13, Slate2, 2760p, 2560p, 8760w, 8560w, 8560p, 8460p, 6465b, 6560b, 6460b, 6360b, 5330m, 4330s, 4530s, 4535s, 4730s, HP 630, HP 635, 4320t, 100e, 2740p, 2540p, 8740w, 8540w, 8540p, 8440p, 6555b, 6550b, 6450b, 6545b, 6540b, 6440b, 4410t, 5320m, 5310m, 4320s, 4310s, 4520s, 4510s, 4525s, 4515s, 4720s, 4710s, HP 620, CPQ 610, HP 625, CPQ 615, 2102, 5103, 5102, 5101, 2140 }
M98938	R 837	Verbatim External Slimline CD/DVD Writer
MEVEV98938	R 722	Verbatim External Slimline CD/DVD Writer; USB 2.0; USB powered; CD read speed: 24x; CD write speed: 24x; DVD read speed: 8x; DVD write speed: 8x; M-DISC support; Compatible with common CD and DVD formats; Dimensions: 13.5 x 14.2 x 1.6 cm; Weight: 0.35 kg
NBDE784-BBBI	R 850	Dell 784-BBBI Black DVDÂ±RW Optical Disc Drive; USB 2.0; tray loading; CD read/write/rewrite: 24x; DVD read: 8x; DVD /-R write: 8x; DVD /-R DL write: 6x; dimensions: 14.4 x 13.75 x 1.4 cm; weight: 200 g; USB powered; typical power consumption: 8 W
NBHPF2B56AA	R 639	HP External USB DVDRW Drive F2B56AA; external DVD /-RW optical drive; USB 2.0 interface; USB 2.0 and 3.0 port compatibility; DVD reading 8x; CD reading 24x; DVD writing up to 8x; CD writing and rewriting 24x; DVD-RW rewriting 6x; DVD RW rewriting 8x; dual-layer DVD support up to 8.5 GB; USB-powered; dimensions 14.4 x 13.75 x 1.4 cm; weight 0.2 kg, { Compatible with --> HP ProBook 470 G2, HP EliteBook 455 G2, HP ProBook 450 G2, HP ProBook 430 G2, HP EliteBook 825 G2, HP Elitebook 845 G2, HP 255 G3, HP 250 G3, HP ElitePad 1000 G2, HP 350 G1, HP Chromebook 14, HP ProBook x2 410 G1 , HP 255 G2, HP 250 G2, HP Revolve 810 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook 1040, HP ZBook 14, HP ZBook 15, HP ZBook 17, HP ProBook 470 G1, HP ProBook 450 G1, HP ProBook 655 G1, HP ProBook 650 G1, HP ProBook 645 G1, HP ProBook 640 G1, HP Elitebook 820 G1, HP Elitebook 850 G1, HP Elitebook 840 G1, HP ProBook 430 G1, HP ProBook 455 G1, HP ProBook 450 G0, HP ProBook 470 G0, HP 255 G1, HP 250 G1, HP Revolve 810 G1, HP ElitePad 900, HP mt40, HP 9470m, Spectre XP, 2570p, 2170p, 8770w, 8570w, 8470w, 8570p, 8470p, 6475b, 6470b, 6570b, 4340s, 4540s, 4545s, 4740s, HP 655, HP 650, Folio 13, Slate2, 2760p, 2560p, 8760w, 8560w, 8560p, 8460p, 6465b, 6560b, 6460b, 6360b, 5330m, 4330s, 4530s, 4535s, 4730s, HP 630, HP 635, 4320t, 100e, 2740p, 2540p, 8740w, 8540w, 8540p, 8440p, 6555b, 6550b, 6450b, 6545b, 6540b, 6440b, 4410t, 5320m, 5310m,

		4320s, 4310s, 4520s, 4510s, 4525s, 4515s, 4720s, 4710s, HP 620, CPQ 610, HP 625, CPQ 615, 2102, 5103, 5102, 5101, 2140 }
SDRW-08D2S-ULITE	R 751	Asus SDRW-08D2S-U Lite; External slim DVD and CD writer; black piano finish; USB 2.0 Type-A; DVD read up to 8x; CD read up to 24x; DVD R/DVD-R write up to 8x; DVD RW write up to 8x; DVD-RW write up to 6x; CD-R/CD-RW write up to 24x; disc encryption; USB powered; 142 x 142 x 20mm; approximately 250g
TS8XDVDS-K	R 536	Transcend Extra Slim portable external DVD writer; black; USB 2.0; USB-powered; DVD R/DVD-R writing up to 8x; CD-R/CD-RW writing up to 24x; dual-layer DVD support; DVD-RAM support; dimensions: 142.8 x 148.0 x 13.9 mm; weight: 264 g; tray-loading; 5 V

< Return to the menu

Other Type Drives

Other Type Drives : 1.44MB Floppy drive

Product code	Price	Description
BLKSDD	R 63	Microworld 1.44MB 3.5inch Stiffy Drive - Black, Not an external USB drive, For motherboard that has a floppy connector. Model: BLKSDD; 3.5-inch internal floppy drive; 1.44MB HD format; Standard 34-pin ribbon interface; Black casing; For motherboards with floppy connector; Legacy use cases
USBFLOPPY	R 344	Microworld 1.44MB 3.5" Stiffy Drive - external USB Black. Model: USBFLOPPY; External 3.5-inch floppy via USB; 1.44MB HD format; Black casing; Works with Windows/macOS/Linux

< Return to the menu

Other Type Drives : DAT Drives

Product code	Price	Description
AH166A	R 3,376	HPE StoreEver 1/8 G2 Tape Autoloader Rack Kit
HC8S07A	R 3,040	Hp Rdx USB 3.0 External Docking Station
HC8S08A	R 13,946	HP RDX USB 3.0 Gen8 DL Server Module Docking Station
HE7X52A	R 13,946	HP RDX 2TB USB 3.0 INTERNAL DISK BACKUP SYSTEM
HE7X53A	R 14,998	HP RDX 2TB USB 3.0 EXTERNAL DISK BACKUP SYSTEM

< Return to the menu

Other Type Drives : LTO Tape Drive

Product code	Price	Description
00NA017	R 1,355	Lenovo 00NA017 Ultrium Cleaning Cartridge L1 UCC
01PL041	R 1,807	IBM 01PL041 LTO8 Ultrium 8 Data Cartridge - Pre-Labeled, 12 TB native capacity, 30 TB of compressed capacity
3-05282-01	R 1,203	Quantum Scalar Controller Card for i40 / i80 tape library, 3-05282-01
BB874A	R 149,339	HPE StoreEver LTO-7 Ultrium 15000 External Tape Drive
BC023A	R 171,442	HPE BC023A StoreEver LTO-8 Ultrium 30750 external Tape Drive, 30 TB compressed 2.5:1 capacity, 300 MB/s native transfer rate, 6 GB/s SAS Host Interface, AES 256-bit Encryption capability
BC023A	R 114,196	HPE BC023A StoreEver LTO-8 Ultrium 30750 external Tape Drive, 30 TB compressed 2.5:1 capacity, 300 MB/s native transfer rate, 6 GB/s SAS Host Interface, AES 256-bit Encryption capability
BCL-01	R 6	Unbranded LTO-1 Barcode Label - Random numbered
BCL-02	R 6	Unbranded LTO-2 Barcode Label - Random numbered
BCL-03	R 3	Unbranded LTO-3 Barcode Label - Random numbered
BCL-05	R 6	Unbranded LTO-5 Barcode Label - Random numbered
BCL-07	R 6	Unbranded LTO-7 Barcode Label - Random numbered
C5709A	R 293	HP C5709A DDS cleaning Cartridge - 50 cleans - Black, Compatible with All DDS drives except DAT 160
C7973A	R 454	HP C7973A LTO-3 Ultrium 400GB / 800GB RW Gold Data Cartridge, Re-writable media, 400GB uncompressed capacity, 800GB compressed capacity
C7975A	R 578	HP LTO-5 Ultrium 3 TB RW Data Cartridge
C7975A	R 979	HP C7975A LTO-5 Ultrium 1.5TB / 3TB RW Data Cartridge, 280 MB/sec read speed Media, 30 years archival Life,

		846 m tape length, 12.65 mm tape width
C7976A	R 952	HP LTO-6 Ultrium 6.25TB MP RW Data Cartridge
C7976AL	R 19,024	HPE C7976AL LTO-6 6.25TB Ultrium MP RW custom label 20 tapes - min order quantity 100, 6.25 TB compressed capacity, 2.5 TB uncompressed capacity, Â© 2019 Laptop Direct
C7976AN	R 19,024	HP C7976AN LTO-6 6.25TB Ultrium RW Data cartridge - 20 pack, 6.25TB compressed capacity, 2.5 TB uncompressed capacity, Â© 2019 Laptop Direct
C7977A	R 1,362	HP C7977A LTO-7 15TB Ultrium RW Data cartridge for LTO tape drives, 6 TB uncompressed capacity, 8Up to 15TB compressed capacity
C7977A	R 1,295	HP C7977A LTO-7 15TB Ultrium RW Data Cartridge for LTO tape drives, 6TB uncompressed capacity, 8 up to 15TB compressed capacity
C7977AL	R 27,421	HP C7977AL LTO-7 Ultrium 15 TB RW Custom Labelled Data Cartridge - 20 pack, 30 years archival Life, 15 TB compressed 2.5 capacity, 700 MB/sec read speed Media, Re-Writable Media Format
C7978A	R 911	HP C7978A Ultrium Universal cleaning Cartridge, 12.65 mm tape width
C7982A	R 1,259	HP C7982A Super DLT cleaning Cartridge. It is designed to be used for periodical cleaning of Super DLT drives. (20 cleans).
CC-LTO-Label	R 9	Unbranded LTO cleaning Cartridge label
CTMCL	R 710	Quantum CTMCL Travan Cleaning Cartridge for Travan 8 - 20 - 40
DC2120	R 170	Verbatim DataLife DC2120 120GB QIC Format Mini Data Cartridge QIC-80-MC
DY2120	R 58	Unbranded Dysan 100 quarter inch Data Cartridge 307ft - 120MB
FUJI_16310732	R 853	FujiFilm LTO-6 tape Media Data Cartridge - 2.5TB / 6.25TB, 2.5TB native, 6.25TB compressed
HB7B67A	R 4,604	HPE B7B67A RDX 1TB internal Backup system 3.0, 1 TB native capacity Cartridge, 200 MB/sec transfer rate, 5.25-inch half-height Form Factor taoe Drive, USB 3.0 Host Interface
HC7975A	R 737	HP LTO-5 Ultrium 3 TB RW Data Cartridge
HC7975AL	R 14,940	HP LTO-5 Ultrium 3 TB RW Data Cartridge
HC7975AN	R 14,940	HP LTO5 ULTRIUM 3 TB RW NON CUSTOM LABELLED DATA CARTRIDGE (20 pack)
HC7976A	R 1,139	HP LTO-6 Ultrium 6.25TB MP RW Data Cartridge
HC7976AL	R 19,758	HP LTO-6 ULTRIUM 6.25TB MP RW CUSTOM LABELED DATA CARTRIDGE (20 PACK)
HC7976AN	R 19,758	HP C7976AN LTO-6 6.25TB Ultrium RW Data cartridge - 20 pack, 6.25TB compressed capacity, 2.5 TB uncompressed capacity
HC7977AL	R 32,289	HP C7977AL LTO-7 Ultrium 15 TB RW Custom Labelled Data Cartridge - 20 pack, 30 years archival Life, 15 TB compressed 2.5 capacity, 700 MB/sec read speed Media, Re-Writable Media Format
HC7977AN	R 32,289	HPE C7977AN LTO-7 15TB Ultrium RW non custom label - 20 pack, 6 TB native capacity, Up to 15 TB compressed
HC8S07B	R 3,662	HPE C8S07B RDX external Docking Station, 200 MB/sec transfer rate, USB 3.0 Host Interface, 500GB without Compression / 1TB without Compression / 2TB without Compression
HQ1G95A	R 9,590	HPE Q1G95A Spectra TeraPack LTO-6 Ultrium 6.25TB BaFe RW Non Custom Labeled cartridges - 10 pack, 30-years archival Life, 6.25 TB compressed capacity, 400 MB/sec Maximum read speed Media, LTO-6 Ultrium recording Technology, Re-Writable Media
HQ1G96A	R 9,590	HPE Q1G96A Spectra TeraPack LTO-6 Ultrium 6.25TB BaFe RW custom labeled cartridges - 10 pack, 30-years archival Life, 6.25 TB compressed capacity, Bar code labels pre-attached, 400 MB/sec Maximum native read speed Media, LTO-6 Ultrium recording Technology, Re-Writable Media
HQ1G99A	R 67,490	HPE Q1G99A Spectra TeraPack TS1150 / TS1155 JD Non Custom Labeled Data cartridges - 9 pack, 30-years archival Life, 37.5 TB compressed capacity, Bar code labels pre-attached, 400 MB/sec Maximum (Native) read speed Media, TS1150 JD recording Technology, Re-Writable Media
HQ1H00A	R 67,490	HPE Q1H00A Spectra TeraPack TS1150 / TS1155 JD custom labeled Data cartridges - 9 pack, 30-years archival Life, 37.5 TB compressed capacity, Bar code labels pre-attached, 400 MB/sec Maximum (Native) read speed Media, TS1150 JD recording Technology, Re-Writable Media
HQ1H01A	R 16,189	HPE Q1H01A Spectra TeraPack LTO-7 Ultrium 15TB RW Non Custom Labeled Data cartridges - 10 pack, 30-years archival Life, 15TB compressed capacity, Bar code labels pre-attached, 400 MB/sec Maximum (Native)

		read speed Media, LTO-7 Ultrium recording Technology, Re-Writable Media
HQ1H02A	R 16,189	HPE Q1H02A Spectra TeraPack LTO-7 Ultrium 15TB RW custom labeled Data cartridges - 10 pack, 30-years archival Life, 15 TB compressed capacity, Bar code labels pre-attached, 400 MB/sec Maximum Native read speed Media, LTO-7 Ultrium recording Technology, Re-Writable Media
HQ1H03A	R 8,003	HPE Q1H03A Spectra TeraPack LTO Ultrium cleaning cartridges - 10 pack, Bar code labels pre-attached, 400 MB/sec Maximum (Native) read speed Media, Re-Writable Media
HQ1H04A	R 23,712	HPE Q1H04A Spectra TeraPack TS Series cleaning cartridges - 9 pack, Bar code labels pre-attached, 400 MB/sec Maximum native read speed Media, Re-Writable Media
HQ1H05A	R 291	HPE Q1H05A Spectra TeraPack LTO Dust Cover for 10 pack, Tray not included
HQ1J40A	R 3,549	HPE Q1J40A LTO TeraPack Tray - no cover or Media - 10 slots
HQ1J41A	R 3,549	HP Q1J41A Spectra TeraPack TS Series Empty Tray - No Cover or Media - 9 slots
HQ2010A	R 3,176	HP LTO-4 Ultrium WORM Automation Bar Code Labels pack (100 X Data Cartridge Labels, 10 X Cleaning Cartridge Labels)
HQ2011A	R 1,545	HP LTO-5 Ultrium RW Automation Bar Code Labels (100 X Data Cartridge Labels, 10 X Cleaning Cartridge Labels)
HQ2012A	R 3,176	HP LTO-5 Ultrium WORM Automation Bar Code Labels (100 X Data Cartridge Labels, 10 X Cleaning Cartridge Labels)
HQ2013A	R 1,545	HP LTO-6 Ultrium RW Bar Code Label Pack (100 X Data Cartridge Labels, 10 X Cleaning Cartridge Labels)
HQ2017A	R 1,545	HPE Q2017A LTO-9 Ultrium RW Bar Code label pack, Contains 100 Data labels and 10 cleaning Cartridge labels
HQ2042A	R 4,088	HPE Q2042A 500GB RDX removable disk Cartridge, 100MB/sec sustained transfer rate, 1TB compressed 2:1 capacity, 500 GB raw capacity, 12 milliseconds Data Access time, 2.5" Form Factor
HQ2044A	R 4,273	HPE Q2044A 1TB RDX removable disk Cartridge, 100MB/sec sustained transfer rate, 2TB compressed 2:1 capacity, 1TB raw capacity, 12 milliseconds Data Access time, 2.5" Form Factor
HQ2048A	R 9,712	HPE Q2048A 4TB RDX removable disk Cartridge, 100MB/sec sustained transfer rate, 8TB compressed 2:1 capacity, 4TB raw capacity, 12 milliseconds Data Access time, 2.5" Form Factor
HQ2078A	R 1,686	HPE Q2078A LTO-8 30TB RW Data cartridge, 12TB uncompressed capacity, 30TB compressed capacity
HQ2078AL	R 34,364	HPE Q2078AL LTO-8 30TB Ultrium RW custom labeled library pack - 20 Data cartridges with cases, 12 TB native Storage Capacity, 30 TB compressed Storage Capacity
HQ2078AN	R 34,364	HPE Q2078AN LTO-8 30TB RW non custom label - 20 cartridges pack, 12TB native capacity, 30TB compressed capacity, 960 m tape length, write-on labels
HQ2079A	R 2,062	HPE Q2079A LTO-9 45TB RW Data Cartridge, 30 years archival Life, 45TB compressed 2.5:1 capacity, 1000 MB/sec read speed Media, LTO-9 Ultrium recording Technology
HQ2079AL	R 42,961	HPE Q2079AL LTO9 Ultrium 45TB RW Custom Labelled Data Cartridge - 20 pack, 30 years archival Life, 45TB capacity compressed 2.5:1, 1000 MB/sec read speed Media, LTO-9 Ultrium recording Technology, Re-Writable Media Format
HQ2079AN	R 42,961	HPE Q2079AN LTO-9 Ultrium 45TB RW Non Custom Labeled Data cartridges with cases - 20 pack, 30 years archival Life, 45TB capacity compressed 2.5:1, 1000 MB/sec read speed Media, LTO-9 Ultrium recording Technology, Re-Writable Media Format
MED-00V7590	R 744	IBM LTO 6 Data Cartridge - 2.5 / 6.25TB, 2.5TB native capacity, 6.25TB compressed capacity
MED-35L2086	R 804	IBM 35L2086 LTO Universal cleaning cartridge, 15-50 Cleanings depending on your drive, For use in LTO 1-8 Tape Drives
MED-38L7302	R 1,083	IBM LTO 7 CARTRIDGE - 6/15 TB, 3589-651 part number: 38L7302
MED-46X1290	R 591	IBM LTO Ultrium 5 Data Cartridge - 1.5TB, 1.5TB native capacity
MEHPC7975A	R 612	HP LTO-5 Ultrium 3 TB RW Data Cartridge > > http://product-images.www8-hp.com/digmedialib/prodimg/lowres/c02557020.png
MEHPC7976A	R 1,009	HP LTO-6 Ultrium 6.25TB MP RW Data Cartridge
MEHPC7977A	R 1,454	HP C7977A LTO-7 Ultrium 15TB RW Data Cartridge for LTO Tape Drives
MEHPC7978A	R 1,023	HP LTO Ultrium Universal ORANGE Cleaning Cartridge (EACH/PER UNIT) (15 CLEANS) (BACK-2-BACK ETA 2-3 WKS)
MEHPQ2011A	R 1,236	HP LTO-5 Ultrium RW Automation Bar Code Labels (100 X Data Cartridge Labels, 10 X Cleaning Cartridge Labels)

MEHPQ2013A	R 1,236	HP LTO-6 Ultrium RW Bar Code Label Pack (100 X Data Cartridge Labels, 10 X Cleaning Cartridge Labels)
MEHPQ2014A	R 1,236	HP LTO-7 Ultrium RW Bar Code Label Pack, 100x Data Cartridge Labels, 10x Cleaning Cartridge Labels
MEHPQ2078A	R 1,548	HPE LTO-8 Ultrium 30TB RW Data Cartridge
MR-L5MQN-01	R 641	Quantum LTO Ultrium 5 standard Data Cartridge - 1.5TB / 3.0TB, 1.5TB native capacity, 3.0TB compressed capacity, 1280 number of tracks
MR-L6MQN-01	R 668	Quantum LTO Ultrium 6 Standard Tape Cartridge - 2.5TB / 6.25TB, 2.5 TB native capacity, 6.25 TB compressed capacity, 12.65 mm tape width, 846 m tape length
MR-L6MQN-03	R 676	Quantum LTO-6 Ultrium tape Media Cartridge - 2.5TB / 6.25TB, 2.5TB native capacity, 6.25TB compressed capacity, MR-L6MQN-03, LTO-6 standard compatible
MR-V1MQN-01	R 704	Quantum DLT tape VS1 Data Cartridge - 80GB / 160GB, 80GB native Data capacity, 160GB compressed Data capacity, 8MB/s Data Transfer Rate
NL-749303-123	R 207	Unbranded LTO Ultrium Polyester Netc Barcode Blank Labels - 20 Labels per Sheet, NL-749303-123
Q2078A	R 1,579	HPE Q2078A LTO-8 30TB RW Data cartridge, 12TB uncompressed capacity, 30TB compressed capacity
Q2078AN	R 29,189	HPE Q2078AN LTO-8 30TB RW non custom label - 20 cartridges, 12 TB native capacity, 30 TB compressed capacity, 960 m tape length, Â© 2019 Laptop Direct
Q2079A	R 2,159	HPE Q2079A LTO-9 45TB RW Data Cartridge, 30 years archival Life, 45TB compressed 2.5:1 capacity, 1000 MB/sec read speed Media, LTO-9 Ultrium recording Technology
QRM40	R 1,816	Quantum QRM40 40GB Go-Vault Data Cartridge
RDDE440-BBGZ	R 28,783	Dell 440-BBGZ PV LTO-5 internal Tape Drive PE T430/T630 cust kit

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Electrical & industry

DIN rail electrical

Product code	Price	Description
A9F87120	R 574	Schneider 20A 15KA Circuit breaker Miniature circuit-breaker, Acti9 iC60H, 1P, 20 A, C curve, 10000 A (IEC 60898-1), 15 kA (IEC 60947-2) DIN Rail
CL-DIN-FIL	R 509	Unbranded Inline DIN Surge Filter Protector 10A, Surge suppression for effective protection against lightning transients and main bourne noise
DRL-48V240W1EN	R 1,265	Hikvision DRL-48V240W1EN 240W industrial power supply, output48V, 5.0A, working temp. -30~70Â°C, DIN rail
DRL-48V75W1AZ	R 460	Hikvision DRL-48V75W1AZ 75W industrial power supply, output48V, 1.57A, working temp. -20~70Â°C, DIN rail
MW-DRDN20-24	R 850	Mean Well 20A DIN Rail Redundancy module 24V, 2 channels Input and 1 Output, Input 24VDC, Support 1 1 and N 1 Redundancy system
MW-MDR-60-48	R 725	Mean Well 60W AC-DC high reliability Industrial DIN rail Power Supply, Output 48 VDC at 1.25A, DIN rail power Format
TI-M6024	R 599	TRENDnet TI-M6024 DIN rail 24V 60W Power Supply, DIN-Rail Mount, LED indicator confirms power to the unit, Output 60 watts 24V 2.5A DC
TTK-DIN-PSU-15	R 201	Teltonika DIN Rail supply - 15W, Input Voltage 90-264 VAC, Output Voltage 24 VDC, 35 mm DIN-R, Compatible with All TRB245 / 255 & TSW010 / 114 / 210 / 304
TTK-DIN-PSU-20	R 399	Teltonika DIN Rail supply - 20W, Input Voltage 85 - 264 VAC, Output Voltage 12 VDC, 35 mm DIN-R, Compatible with all RUT/X / TRB1/2 Series and only TSW010 / 304
TTK-DINRAIL-COMPACT	R 43	Teltonika Compact Plastic DIN Rail Adapter (70 x 25 x 14 / 5mm), Includes Philips Pan Head screw 2x #6-32x3/16
TTK-DINRAIL-METAL	R 78	Teltonika Metal DIN Rail Adapter (82 x 46 x 20mm), Includes Philips Pan Head screw 2x #6-32x3/16
VIVOTEK DRL-48V240W1EN	R 1,379	Vivotek 48V 240W DIN Rail Power Supply Unit, DRL-48V240W1EN

< Return to the menu

Electrical cable (AC)

Product code	Price	Description

SOLSFC4MM4CPMBK	R 89	Solarix Surfix 4mm 4 Core with earth cable - Black - sold per metre, 300 to 500V Voltage rating, 4 Core Black-Blue-Red-Yellow tinned earth wire
SOLSFC6MM4CPMBK	R 139	Solarix Surfix 6mm 4 Core with earth cable - Black - sold per metre, 300 to 500V Voltage rating, 4 Core Black-Blue-Red-Yellow tinned earth wire

< Return to the menu

Electrical wall sockets & switches

Product code	Price	Description
155	R 21	Unbranded 155 Wall one lever Switch, Single lever Light Switch, Modern White finish, Durable Plastic construction
158	R 35	Unbranded 158 Wall four lever Switch, 4-gang lever Light Switch, Modern White finish, Durable Plastic construction
159	R 52	Unbranded 159 Wall Socket 16A round 2x 16A flat, Combination Wall Socket outlet, 1x 16A round pin Socket, 2x 16A flat pin sockets, Standard Wall-Mount Design, Durable White Plastic construction
162	R 40	Unbranded 162 Wall Socket two Socket 4x4, Dual 3 pin Wall Socket outlet, Standard 4 x 4 Wall Box size, Durable White Plastic finish
EPL330 WHITE Special	R 65	(On Promotion) Bright Star Lighting 16 Amp Double Dedicated Plugs for Electrical Box, 4 x 4-Inch Size, White Colour with 2x red switches.
L421W1	R 59	Lesco Flush Cover with 1 Lever 1 Way Switch - Voltage: 220-240V, Amperage: 16A ,Height: 100mm , Width: 50mm ,Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L421W2	R 69	Lesco Flush Cover with 1 Lever 2 Way Switch - Voltage: 220-240V, Amperage: 16A ,Height: 100mm , Width: 50mm ,Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L422W1	R 79	Lesco Flush Cover with 2 Lever 1 Way Switch - Voltage: 220-240V, Amperage: 16A ,Height: 100mm , Width: 50mm ,Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L424W1	R 129	Lesco Flush Cover with 4 Lever 1 Way Switch - Voltage: 220-240V, Amperage: 16A ,Height: 100mm , Width: 50mm ,Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L42BKW	R 59	Lesco Flush Blank Cover - Rectangle, Height: 100mm, Width: 50mm ,Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L42VSW	R 89	Lesco Single Switch Socket with Flush Cover - Voltage: 220-240V, Amperage: 16A, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L44SSW	R 89	Lesco Single Switch Socket with Flush Cover - Voltage: 220-240V, Amperage: 16A, Height: 100mm, Width: 100mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
L50ISW	R 149	Lesco 2 Pole Flush Isolator Switch with Square Flush Cover and Hidden Indicator Light - Amperage: 50A, Height: 100mm, Width: 100mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
LR2542ISBKW	R 139	Lesco 2 Pole Flush Isolator Switch with Rectangle Flush Cover and Red Neon Indicator Light - No Cord Grip, Amperage: 20A, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
LS6142	R 69	Lesco LSS Range 1 Lever 1 Way Switch Shrink Wrapped Surface Box - Fully assembled complete with extension box and retaining screws, Voltage: 220-240V, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
LS6242	R 79	Lesco LSS Range 2 Lever 2x1 Way Switch Shrink Wrapped Surface Box - Fully assembled complete with extension box and retaining screws, Voltage: 220-240V, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
LS6342	R 89	Lesco LSS Range 3 Lever 3x1 Way Switch Shrink Wrapped Surface Box - Fully assembled complete with extension box and retaining screws, Voltage: 220-240V, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
LS94230DP	R 129	Lesco 2 Pole Surface Isolator Switch Vertical with LED Indicator Light - Complete with White Extension Box, Amperage: 30A, Height: 100mm, Width: 500mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
NBL2X16ADED01	R 69	Noble 2X16A Dedicated Wall Plug W/Box - dual wall plug designed for dedicated circuits. Measuring 120mm x 120mm, it features two 16A sockets and comes with an installation box for secure mounting.

QLP42BXTC	R 129	Lesco Pipelli 2 Pole Flush Isolator Switch Rectangle with hidden LED indicator light behind face plate - Amperage: 50A, Height: 100mm, Width: 500mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
QLP42SW0	R 69	Lesco Pipelli Blank Cover Plate - Rectangle, Height: 100mm , Width: 50mm ,Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
QLP42SW1-1	R 69	Lesco Pipelli 1 Lever 1 Way Flush Switch - Voltage: 220-240V, Amperage: 16A, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
QLP42SW1-2	R 79	Lesco Pipelli 1 Lever 2 Way Flush Switch - Voltage: 220-240V, Amperage: 16A, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
QLP42SW4-1	R 99	Lesco Pipelli 4 Lever 1 Way Flush Switch - Voltage: 220-240V, Amperage: 16A, Height: 100mm, Width: 50mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
QLP44	R 69	Lesco Pipelli Blank Square Cover Plate - Height: 100mm, Width: 100mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
QLP44SW0	R 149	Lesco Pipelli 2 Pole Flush Isolator Switch with Square Flush Cover and Hidden Indicator Light - Amperage: 50A, Height: 100mm, Width: 100mm, Material: Polycarbonate, Colour White, Sold as a Single unit, 3 Months Warranty
SWIZI2	R 79	Noble Pays 60A 4x4 Isolator Switch, Sold as a Single unit, 3 Months Warranty

< Return to the menu

Extraction fans (industrial & domestic)

Product code	Price	Description
FX15-RF	R 689	AMX 150mm/6" HEPA Filter Replacement 3 layer
FX25	R 2,402	AMX 250mm/10" HEPA Filter box 3 layer. 3 layer filtration; Primary filter; Activated carbon filter; HEPA 12 filter; 1200-2000 m3/h airflow; 150-180 Pa resistance; 250mm duct size; DKP steel housing; Electrostatic powder coated finish; 44.9 x 40.3 x 30 cm; 7.2kg
FX25-RF	R 1,091	AMX 250mm/10" HEPA Filter Replacement 3 layer

< Return to the menu

Power multiplugs & electric plugs

Product code	Price	Description
12DD	R 114	Microworld 10 way Multi-plug IEC, 5x 16A 4x 5A (Connects to inverter / UPS)
13A	R 63	Microworld 3 way Multiplug 3x 16A with overload
14C	R 114	Microworld 6 way Multi-plug with Switch, 3x 16A 3x 5A, 2 pin sockets 3 Switches complete with overload protection
16	R 219	Microworld 10 way 5m cord Multiplug, 5x 16A 4x 5A 2 pin 1 round Socket, Overload protection
17B	R 171	Microworld 10 way Multi-plug with Switch, 5x 16A 4x 5A, 2pin 1 round Socket 5 Switches
19AA	R 167	Microworld 10 way High Surge Multiplug, 5x 16A 4x 5A 2 pin 1 round Socket
19C	R 127	Microworld Surge 10 way multi-plug, 5x 16A 4x 5A
20	R 161	Microworld 10 way 3m cord Multiplug, 5x 16A 4x 5A 2 pin 1 round Socket, Overload protection
21B	R 114	Microworld 21B 5 way dedicated Multiplug, 5x 16A sockets with overload
21C	R 75	Microworld 5 way Multiplug with 5x 16A
22AA	R 102	Microworld 8 way Multi-plug IEC, 4x 16A 3x 5A (For use with UPS)
26	R 92	Microworld Surge 6 way multi-plug, 3x 16A 3x 5A
28	R 114	Microworld Surge 8 way multi-plug, 4x 16A 3x 5A
3PINTO2-1	R 35	Microworld 3 pin SA to 2 pin round flat
3PINTO3	R 25	Microworld 3 pin big to 3 pin small Adapter
400	R 171	Microworld Grey Multi Socket Cube with USB, 2x USB Ports, 1x 16A 3 pin Socket, 1x 16A round Pocket, 2x 16A flat 3 pin sockets
50683	R 399	Ugreen 50683 Power strip extension Power cord - with 2x USB Ports & 1x USB-C - Black
59A	R 58	Microworld 3 Red top High Surge Adapter, 3x 16A adaptor

602 USBC	R 104	Microworld 5 way USB-C Wall Plug, 3 pin 16A adaptor, Integrated USB charging Output rated at 2.1A, Additional USB-C support, 1 flat plug outlet and 1 Schuko outlet
607	R 75	Microworld Surge 16A rewireable plug top (South African Surge protection plug)
74	R 282	Microworld 10m closed extension reel, 1.0 mm2 cable, 10A 250V 2500W, 2x16A sockets Shuko Socket, Illuminated Switch control
75	R 403	Microworld empty Metal extension reel, Max 30m-50m cable storage, Durable Steel Frame, 10a/16a 250V 2500W, 2x 16A sockets Shuko Socket, Illuminated Switch control
76A	R 689	Microworld 20m Metal extension reel, 1.0 mm2 cable, Durable Steel Frame, 10A 250V 2500W, 2 X16a sockets Shuko Socket, Illuminated Switch control
77	R 804	Microworld 30m open extension reel, 1.0 mm2 cable, 16A 250V 4000W, 2 x 16A sockets Shuko Socket, Illuminated Switch control
81A	R 125	Microworld 5m x 16A extension cord with Double coupler - Black
82A	R 213	Microworld 10m x 16A extension cord with Double Coupler - Black
84A	R 403	Microworld 20m x 16A extension cord with Double coupler - Black
A32506-B	R 76	Astrum PC316 3pin Kettle Dedicated Plug 1.2m Power Cable
AC-CAB-PDU-1U8	R 576	AccoNet Power Distribution Unit 1U 8 way Female Kettle cord, Power Switch, 2 meter cable SA
AC-EXTCORD-10M-B	R 275	AccoNet Double coupler 16 Amp 10 meter Black extension cord, Dual couplers
AC-MPLUG-IEC-10-B	R 127	AccoNet 10 way Multiplug with 5x 16A SA and 4x 5A 2 pin sockets and 1x round 5A Socket, Black, Overload protection & IEC Male connector
AC-MPLUG-IEC-6	R 101	AccoNet 6 way Multiplug with 3x 16A SA and 3x 5A 2 pin sockets, Overload protection & IEC Male connector
AC-MPLUG-SURGE-10	R 140	AccoNet 10 way Multiplug with 5x 16A SA and 4x 5A 2 pin 1 round Socket
AC-MPLUG-SURGE-6	R 110	AccoNet 6 way Multiplug with 3x 16A SA and 3x 5A 2 pin sockets, Overload & Surge protection with dedicated SA plug
AC-PLUG- 2PIN-5A	R 12	AccoNet adaptor with 1x 5A 2 pin / Euro adaptor
AC-PLUG-3PIN-16A	R 17	AccoNet adaptor with 1x 16A 3 pin Euro plug to 3 pin SA plug (includes 1 adapter) | Type: Plug adaptor | Input: 3-pin 16A Euro plug (IEC Type E/F compatible) | Output: 3-pin SANS 164-1 South African plug | Earth: Connected earth pin (grounded adaptor) | Rating: 16A, 220-240V AC | Max Load: 3500W | Surge Protection: None | Features: Compact design, grounded connection, plug-and-play use, travel/home/office compatible | Usage: Connects European 16A appliances to South African wall sockets (includes 1 adaptor)
AC-PLUG-SCH-SA	R 15	AccoNet Schuko Socket to SA plug Adapter, 16A round adaptor | Type: Plug adaptor | Input: Schuko socket | Output: 3-pin SANS 164-1 South African plug | Rating: 16A, 220-240V AC | Max Load: 3500W | Earth: Not Earthed | Surge Protection: None | Features: Compact round adaptor, not grounded connection, plug-and-play use | Usage: Converts Schuko appliances to SA wall socket compatibility (includes 1 adaptor)
AC-PLUG-SURGE-3-R	R 67	AccoNet Surge adaptor with 3x 16A - SA plugs
AC-PLUG-SURGE-R	R 66	AccoNet Surge adaptor with 1x 16A SA and 2x 5A 2 pin sockets
AC-PLUG-UK-SA	R 34	Unbranded UK plug to SA Socket Adapter plug
AP8702S-WW	R 1,426	Apc Power Cord Kit (6 ea), Locking, C13 to C14, 0.6m, 1.53(lbs) 0.70(kilos), 9.45x 2.76x 1.57(in) 24.00x 7.00x 4.00(cent)
AP9880	R 1,229	Apc Power Cord, C14 to CEE 7/7 Schuko, 0.6m. 1.00(lbs) 0.46(kilos), 12.00x 4.00x 4.00(in) 30.50x 10.20x 10.20(cent)
AP9881	R 1,229	APC Power Cord, C14 to BS1363 (UK), 0.6m. 1.00(lbs) 0.46(kilos), 12.00x 4.00x 4.00(in) 30.50x 10.20x 10.20(cent)
CAB-CPDU-06SAIEC14	R 339	UltraLAN 6-socket (3 pin SA) PDU with IEC Power cord
CAB-CPDU-09SAIEC14	R 516	UltraLAN 9-socket (3 pin SA) PDU with IEC Power cord
CAB-P06	R 316	Linkbasic 6 way Aluminium moulded Rack Mount PDU, 16A Maximum current, Aluminium Shell
CAB-P10	R 518	Linkbasic 10 way Aluminium moulded Rack Mount PDU, 16A Maximum current, Aluminium Shell, 1.5U size
CL-PDU-5	R 1,386	Clearline Surge Protected 6way PDU Power Distibution Unit
ES10WAYMP	R 169	UniQue Electrosense 10 Way Multiplug Surge Protection - Port configuration 5x16A 4x5A and 1xSCHUKO socket, Built-in surge protection, Maximum load capacity 16A, 60cm white power cord, Standard extension board size

EUR	R 12	Unbranded Euromate Plugtops. 3-pin South African plug (SANS 164-1) to 2-pin Euromate hexagonal top loading socket (SANS 164-5 / IEC Type C). Unearthed. For use with Class II goods up to 2.5A (includes one adapter) | Type: Plugtop adapter | Input: 3-pin SANS 164-1 South African plug | Output: 2-pin Euro/Euromate top-loading socket (IEC Type C / SANS 164-5 compatible) | Rating: 2.5A | Voltage: 220-240V AC | Earth: Unearthed | Max Load: ~550W (resistive) | Surge Protection: None | Compatibility: Class II double-insulated devices only | Usage: Converts SA 3-pin plug to Euro 2-pin socket for low-power electronics (includes 1 adapter)
EUR-SCH	R 14	Unbranded 2-Pin Schuko to 16A 3-Pin Adaptor, Safety Shuttered for your protection, 250V ~ 5A, White
EXT-6AJCK153WE3	R 92	Microworld 16A coupler White - 3m
FBWP	R 79	Ellies FBWP High Surge Protection Plug, Retail Box
FBWP4U	R 249	Ellies Surge Multiplug Adaptor - 4 Way, 2x16A, 1x5A, 1xSchuko Socket, 2xUSB, 3680W Max Connected Load, 30cm Lead, 0.4m Cord, Overload Protected, 6 Months Warranty.
FBWP5	R 391	Ellies 12 way High Surge Multiplug - 0.5m
FEA1/2	R 102	Ellies 3 Way Adaptor 2x 5A (Euro) 1x 16A (3 Pin Socket) - White
FEA1/2/1T	R 132	Ellies 4 Way Schuko Adaptor - White
FEA1/2T	R 115	Ellies 3 Way Adaptor - White
FEA1S	R 132	Ellies 2 way Medium Surge adaptor - White
FEA2/2T	R 132	Ellies 4 Way Adaptor - White
FEA2S	R 149	Ellies 3 Way Medium Surge Adaptor - White
FEA2X16	R 106	Ellies 2 way adaptor 2x 16A (3 pin Socket) - White
FEA3S[V2]	R 149	Ellies 3 way Medium Surge adaptor 2x 5A (Euro) 1x 16A (3 pin) - White
FEA3X16	R 114	Ellies 3 way adaptor 3x 16A (3 pin) - White
FEA4S	R 172	Ellies 4 way Medium Surge adaptor 2x 5A (Euro) 2x 16A (3 pin) - White
FEA6S	R 241	Ellies 4 way Medium Surge adaptor with Type-C USB
FEA7S	R 172	Ellies 4 Way Medium Surge adaptor with Schuko - White
FEA8S	R 230	Ellies 3 way Medium Surge adaptor Schuko with Type-C USB
FEEM	R 80	Ellies 1 way Top Entry adaptor 1x 5A (Euro) - White
FEEM3	R 92	Ellies 3 way adaptor 3x 5A (Euro) - White
FEEMD	R 84	Ellies 2 way adaptor 2x 5A (Euro) - White
FEEMDS	R 92	Ellies 2 way adaptor 1x 5A (Euro), 1x 10A (Schuko) - White
FEER10W16	R 732	Ellies Heavy Duty Medium Surge protected extention reel 10m - Black
FEHBW2X/10B	R 357	Ellies Side by Side Heavy Duty extension Lead - 10m - Black
FEHBW2X/10BJ	R 357	Ellies Back to Back Heavy Duty extension Lead - 10m
FEHBW2X/10WJ	R 357	Ellies Back to Back Heavy Duty extension Lead - 10m
FEHBW2X/20BJ	R 620	Ellies Back to Back Heavy Duty extension Lead - 20m
FEHBW2X/20WJ	R 620	Ellies Back to Back Heavy Duty extension Lead - 20m - White
FEHBW2X/3B	R 184	Ellies Side by Side Heavy Duty extension Lead - 3m - Black
FEHBW2X/3B	R 199	Ellies Dual Side Heavy Duty Extension Cord - 3 Metre Long, 2 x 16A(3 Pin) Amperage, 250 Rating Voltage, Non-Surge Electrical, Safety Shutters, SBS Heavy Duty Cord, 1.5 mm Cable Thickness, White Colour, 3 Months Warranty | Color: White | Input: 3-pin SANS 164-1 plug | Output: 2x 3-pin 16A SANS 164-1 sockets | Cable Length: 3m | Cable: 1.5mm2 SBS heavy-duty copper | Voltage: 250V | Max Current: 16A | Max Load: 3500W | Surge Protection: None (Non-surge extension lead) | Features: Safety shutters, heavy-duty SBS construction | Warranty: 3 months | Usage: Home, office, workshop general power extension
FEHBW2X/3BJ	R 184	Ellies Back to Back Heavy Duty extension Lead - 3m
FEHBW2X/3W	R 184	Ellies Side by Side Heavy Duty extension Lead - 3m
FEHBW2X/3WJ	R 185	Ellies Back to Back Heavy Duty extension Lead - 3m
FEHBW2X/5B	R 245	Ellies Side by Side Heavy Duty extension Lead - 5m - Black
FEHBW2X/5W	R 245	Ellies Side by Side Heavy Duty extension Lead - 5m
FEHBW2X/5WJ	R 237	Ellies Back to Back Heavy Duty extension Lead - 5m
FELBW2X/10B	R 310	Ellies Side by Side Light Duty extension Lead - 10m - Black

FELBW2X/20B	R 471	Ellies Side by Side Light Duty extension Lead - 20m - Black
FELBW2X/20BJ	R 470	Ellies Back to Back Light Duty extension Lead - 20m - Black
FELBW2X/20WJ	R 470	Ellies Back to Back Light Duty extension Lead - 20m
FELBW2X/3B	R 161	Ellies Side by Side Light Duty extension Lead - 3m - Black
FELBW2X/3WJ	R 161	Ellies Back to Back Light Duty extension Lead - 3m
FELBW2X/5B	R 200	Ellies Side by Side Light Duty extension Lead - 5m - Black
FELBW2X/5BJ	R 195	Ellies Back to Back Light Duty extension Lead - 5m
FELBW2X/5W	R 200	Ellies Side by Side Light Duty extension Lead - 5m
FELBW2X/5WJ	R 195	Ellies Back to Back Light Duty extension Lead - 5m
FELP41S	R 282	Ellies 8 way Medium Surge Multiplug - 0.5m
FEM6A	R 207	Ellies 6 Way Basic Multiplug
FEMUSB4	R 241	Ellies 4 way Multiplug 2x USB 2.4A - 0.4m
FNC35	R 49	Ellies Power Socket Extension Adaptor with Surge protection-1 x 3 Pin 16A Socket and 2 x 2 Pin 5A Euro sockets, OEM Poly bag, 6 months Warranty
GSP16A	R 123	GIZZU 16A Universal Voltage Protector Plug. Load-shedding equipment protector. 16Amps. Never worry about destroyed electrical goods during load shedding or cable theft. The plug will disconnect your equipment before the damage occurs!
GUTASA	R 71	GIZZU Universal Travel Adapter,International plugs to South African three pin round plug.
INS-EC-10M	R 167	Unbranded 10A extension cord with Double coupler - 10m
INS-EC-20M-R	R 489	Unbranded 20m Open Frame Power extension reel - 3 sockets, Overload protected, 1.0MM2 cable, Supports up to 10A / 250V / 2500W, 2x16A sockets and a Schuko Socket, Illuminated Switch, Compact open reel Design
INS-EC-30M-R	R 891	Unbranded 30m 16A Metal extension reel, Power capacity of 16A / 250V / 4000W, 1.5mm2 cable, 2x 16A sockets Plus a Schuko Socket, Strong Metal Frame, Overload control, Tangle-Free Cable Management
INS-EC-3M	R 69	Unbranded 10A extension cord with Double coupler - 3m
INS-EC-5M	R 92	Unbranded 10A extension cord with Double coupler - 5m
INS-MP-10W+SW-50CM	R 167	Unbranded 10 way Multi plug with Switches (5x16A 4x5A)
INS-MP-10W-3M	R 167	Unbranded 10 way Multi plug (5x16A and 5x5A) - 3m Power cord
INS-MP-10W-50CM	R 104	Unbranded 10 way Multi plug with Surge protection - 50cm Power cord, 5x 16A 3 pin South African sockets, 1x round Schuko 2 pin Socket, 4x 5A Euro pin sockets
INS-MP-10W-5M	R 217	Unbranded 10 way Multi plug (5x16A and 5x5A) - 5m Power cord
INS-MP-10W-HISUR-50CM	R 160	Unbranded 10-way High-Surge Multi plug with overload and Surge protection, 50cm Power cord, 5x 16A 4x 5A 2 pin 1 round Socket
INS-MP-10W-SUR-50CM	R 121	Unbranded 10-way Multi plug with overload and Surge protection - 50cm Power cord, 5x 16A 3pin South African sockets, 1x round Schuko 2 pin Socket, 4x 5A Euro pin sockets
INS-MP-5W+USB	R 137	Unbranded 5 port Multi plug with 2-port USB charger, INS-MP-5W USB, 2 x 16A 3 pin South African sockets, 2x 5A Euro pin sockets, 1x round Schuko 2 pin Socket, 2x USB Ports
INS-MP-6W-50CM	R 69	Unbranded 6-way Multi plug with 50cm Power cord - 3x 16A and 3x 5A
INS-MP-8W+USB-50CM	R 155	Unbranded 8-way Multiplug with 2x USB ports - 4x 16A / 3x 5A / 1x round Schuko 2 pin
INS-PSA-EU	R 10	Unbranded 2-pin Euro PSU to a standard 3-pin power socket - 1x 5A 2 pin | Type: Plug adapter | Input: 2-pin Euro plug (IEC C7 PSU plug) | Output: 3-pin SANS 164-1 South African wall socket interface | Rating: 5A, 220-240V AC | Max Load: ~1100W (resistive) | Surge Protection: None | Earth: Not earthed (2-pin device support only) | Usage: Converts Euro 2-pin PSU plugs for use in SA 3-pin wall sockets (low-power electronics only)
INS-PSA-EU/S	R 12	Unbranded Schuko plug adaptor
INS-PSA-N	R 12	Unbranded Type-N to 3 pin Power Adapter
MP-03	R 181	PSS MP-03 Multi plug (3 pin SA) 2 2 way - 15 Amp
MP-06W	R 75	Scoop Multi Plug 3x 16A SANS 164-5 3x 5A SANS 164-1 with 0.5m Cord
MP-08WU	R 155	Unbranded Multi Plug 4x 16A 4x 5A 2x USB with 0.5m Cord
MP-10W	R 109	Scoop Multi Plug 5x16A 5x5A 0.5m Cord
MP-10W3M	R 173	Scoop Multi Plug 5x16A 5x5A 3m Cord

MP-10W5M	R 224	Scoop Multi Plug 5x16A 5x5A 5m Cord
MP-10WSUR	R 121	Scoop Surged Multi Plug 5x16A 5x5A 0.5m Cord
MP-10WSWI	R 173	Scoop Switched Multi Plug 5x16A 5x5A 0.5m Cord
MP-5-5	R 259	Switchcom Multi plug 8 way 4x16A 4x5A with Surge Arrestor - 5m
MP-EX03	R 81	Unbranded 3m 10A extension cord with Double coupler
MP-EX03	R 190	Unbranded 3m 10A extension cord with Double coupler
MP-EX05	R 109	Unbranded 5m 10A extension cord with Double coupler
MP-EX05	R 213	Unbranded 5m 10A extension cord with Double coupler
MP-EX10	R 173	Unbranded 10m 10A extension cord with Double coupler
MP-EX20P	R 546	Scoop 20m 10A extension cord on open plastic reel, Plastic Spool with powder coated steel stand, Two female 3 pin sockets and one 2 pin Schuko Socket
MP-EX30M	R 1,029	Scoop 30m 16A extension cord on open metal reel, Metal Spool and stand, 16A Maximum current, 30m length, Two female 3 pin sockets Material: Metal reel with steel stand | Input: 3-pin SANS 164-1 plug | Output: 2x 3-pin 16A SANS 164-1 female sockets | Cable Length: 30m | Surge Protection: None | Max Load: 3500W | Max Current: 16A | Voltage: 250V | Usage: Industrial and home general extension use
MS-8500-05-BL	R 207	Switched 4 way Surge protected Multiplug - 0.5m - Braided cord - Blue
MS-8500-05-PK	R 207	Switched 4 way Surge protected Multiplug - 0.5m - Braided cord - Pink
MS-8500-05-WT	R 207	Switched 4 way Surge protected Multiplug - 0.5m - Braided cord - White
MS-8500-3-PK	R 282	Switched 4 way Surge protected Multiplug - 3m - Braided cord - Pink
MS-8500-3-PK-BUN	R 171	Switched 2x 4 way Surge Multiplug 3m Braided cord - Pink |Color: Pink | Input: 3-pin SANS 164-1 plug | Output: 2x 3-pin 16A SANS 164-1 sockets, 1x Schuko socket, 1x 2-pin Euro Type C socket | Cable Length: 0.5m braided cord | Surge Protection: 450J (medium surge protection) | Max Load: 3500W | Max Current: 16A | Features: Switched, overload protection, reset switch, safety shutters, Power on light | Usage: Home and office
MS-8500-3-WT	R 282	Switched 4 way Surge protected Multiplug - 3m - Braided cord - White
MS-8500-3-WT-BUN	R 171	Switched 2x 4 way Surge Multiplug 3m Braided cord - White
MS-8501-05-BL	R 244	Switched 3 way Medium Surge protected Multiplug with Dual 2.4A USB Ports 0.5m Braided cord - Blue
MS-8501-05-PK	R 245	Switched 3 way Surge protected Multiplug with Dual 2.4A USB Ports - 0.5m - Braided cord Pink, MS-8501-05-PK
MS-8501-05-WT	R 244	Switched 3 way Surge protected Multiplug with Dual 2.4A USB Ports - 0.5m - Braided cord White, MS-8501-05-WT
MS-8501-3-PK	R 322	Switched 3 way Surge protected Multiplug with Dual 2.4A USB Ports - 3m - Braided cord Pink, MS-8501-3-PK
MS-8501-3-PK-BUN	R 196	Switched 2x 3 way Surge protected Multiplug with Dual 2.4A USB Ports - Pink, 3m Braided cord Color: Pink | Input: 3-pin SANS 164-1 plug | Output: 2x 3-pin 16A SANS 164-1 sockets, 1x 3-pin 6A SANS 164-2 socket | USB: 2x USB-A (5V, 2.4A total) | Cable Length: 3m braided cord | Surge Protection: 450J (15,000A total, 6,000A L-N, medium protection) | Max Load: 3500W | Max Current: 16A | Features: Switched, overload protection, reset switch, safety shutters, Power on light | Usage: Home and office
MS-8501-3-WT	R 319	Switched 3 way Surge protected Multiplug with Dual 2.4A USB Ports - 3m Braided cord White, MS-8501-3-WT
NET-DMS-715/B	R 2,542	Unbranded Manual Flipping Desktop Socket. POPUP (2X POWER, 2X LAN, 1X AUDIO, 1X VIDEO, 1X HDMI, 1X USB, 1X TELEPHONE)
NET-GROMMET-LQ-2	R 484	Unbranded Black 80mm Charging Desktop Grommet With New Slimline Sa Power, 2xnew Sa. The NET-GROMMET-LQ-2 Charging Desktop Grommet offers a practical solution for powering and charging devices directly from your desk. With its 80mm diameter, it fits seamlessly into most desk surfaces, providing two NEW Slimline SA power outlets and two USB ports. This grommet eliminates the need for bulky power strips, helping to maintain a tidy and organized workspace. Its sleek black design ensures it complements modern office interiors, making it a valuable addition to any professional setting.
NET-GROMMET-POWER	R 774	Unbranded 90mm Power Desktop Grommet - 1 X 16A, 1 X 2USB (2.1AMP) charger- 90MM - olympus
NET-PG-80-W	R 391	LinkQnet White Power Grommet, 1x16A South African 3-pin plug sockets, 2x USB power, 1.5m supply cable. The circular Grommet is installed into a hole in a desk or other surface to provide convenient access to electrical outlet and USB charging ports, and is an easy and convenient way of managing cables. It sits flush with the table top.
NET-POPUP-MOTOR-LQ	R 3,360	LinkQnet 90mm Motorised Wireless Charging Pop-up Column (90MM), 3X SA 220Volt plugs, 2X USB 2.1A. De-clutter your table when in use. Keep your table clean, neat and tidy when you are finished.

P-COUPLER	R 22	Switchcom Female plug - 16A Janus coupler
PL-E02/10M	R 79	Noble Poweline 10m Multi Plug Coupler Extension Cord Lead With Dual 3 Pin Sockets-16A Rated Plugs 250V, Power Up 2 Appliances At Once, Suitable For Home Use, Colour White , Sold as a Single unit, 3 Months Warranty
PWR-16A-2P-E	R 196	Gewiss Hubble 6 Amp 2 pin earth 230V plug IP44 6h male, GW60004H
PWR-32A-2P-E	R 215	Gewiss Hubble 2 prong and earth round plug - male, GW60015H
PWR-3PIN-PLUG-SA	R 23	Crabtree slimline 3 point plug 16A Black - new SA type, 1071/008
PWR-3PIN-PLUG-SA-W	R 25	Crabtree slimline 3 point plug 16A white - new SA plug, 1071
PWR-ADA-1X10A-SA	R 26	LinkQnet 1x SA to Schuko adaptor, Aus R-16. South African (SANS 164-1 / IEC Type M) to 1x 10 Amp Schuko (SANS 164-6 / IEC Type E/F) round unearthed socket for use with power tools and electrical equipment (including hair dryers and other Class II electrical goods).
PWR-ADA-1X15A-2X10A	R 33	Unbranded 1x 15A 2x 10A 2 pin side by side adaptor
PWR-ADA-2-2-3	R 23	LinkQnet Electrical plug converter. For converting South African 16A (SANS 164-1) socket (old SA plug socket) to 1x 10A Shuko (Round SANS 164-6, commonly found on power tools) and 1x 6A Euro 2-pin Adapter (diamond shape connector SANS 164-5, commonly found on chargers)
PWR-ADA-2-3	R 24	Unbranded 15A male to 10A Female Adapter back entry - White, R-17
PWR-ADA-2-3-SURG-RD	R 64	Solarix Red Surge Plug Adapter 2x2 6Amp (2 X 2Pin), 1 X 16A (1 X 3pin) - OEM
PWR-ADA-3X16-SURG-RD	R 74	Solarix Red Surge Plug Adapter 3x16A (3 X 3pin) - OEM
PWR-ADA-BRF-SAM	R 109	Unbranded British female to SA male power Adapter compact, 44611
PWR-ADA-UNI-C14	R 90	Unbranded C14 Universal Travel Adapter
PWR-B-PLUG	R 40	Unbranded 13 Amp British fused flat pin plugtop, A304
PWR-BRM-SAF-LQ	R 94	LinkQnet British Male to SA Female Adapter - Black, WASL-7, 250V rated Voltage, 13A rated current
PWR-D-B-PLUG	R 26	Crabtree 3 prong Blue dedicated plug top, 1054BLU, 3 Pin plug top with shaved earth
PWR-D-BLA-PLUG	R 26	Crabtree 3 prong Black dedicated plug top, 1054bk, 3 Pin plug top with shaved earth
PWR-D-PLUG	R 26	Crabtree 3 prong Red dedicated plug, 1054RDP, 3 pin plug top with shaved earth
PWR-JANUS-ADAP	R 44	Ausma Janus Adapter Socket, Aus AOK-12B (Black)
PWR-JANUS-WHITE	R 35	Unbranded Janus Adapter Socket White
PWR-LEAD-20M-16AJ	R 330	Unbranded 20m extention cord 16A Janus couple - White
PWR-LEAD-3M-10AJ	R 92	Unbranded 3m extension cord 10A Janus coupler - White
PWR-LEAD-5M-10AJ	R 125	Unbranded 5m extention cord 10A Janus coupler - White
PWR-MP-01-MULTIPLUG	R 90	LinkQnet 2 Port (IEC) Multiplug with 3 pin SA 1x Shuko (10Amp). UPS cable to South African plug Shuko plug.
PWR-MP-10P-C13C14-ME	R 465	Unbranded 10 Port 1.5m Multiplug Metal Rack Mount C13
PWR-MP-10P-C13C14-ME	R 1,034	Unbranded 10 Port 1.5m Multiplug Metal Rack Mount C13
PWR-MP-11P-SURGE	R 166	Unbranded 11 port Surge protected Multiplug with Switches 1x 10A Shuko 5x 6A Euro 5x 15A SA
PWR-MP-11PS	R 171	Unbranded 11 port Multiplug with Switches 1x 10A Shuko 5x 6A Euro 5x 15A SA
PWR-MP-3P-R-33	R 95	Ausma 3 Port Multi plug with 3x 16A, R-33
PWR-MP-3P-USB	R 105	Unbranded 3 port Multiplug with 1x 16A 1x16a new 2x USB, R-21usb
PWR-MP-5P-3M	R 205	LinkQnet 5 port Multiplug with 5x 15A 4x 6A 3m cord
PWR-MP-5P-5M	R 244	LinkQnet 5 port Multiplug with 5x 15A 4x 6A 5m cord
PWR-MP-5P-C19-LOCK	R 668	Unbranded 5 port 19" lockable C19 4000W PDU
PWR-MP-5P-D-RED	R 152	Unbranded 5 port dedicated Red Colour Multiplug with 5x 16A SA
PWR-MP-5P-D-WHITE	R 123	LinkQnet 5 port dedicated White Multiplug 5x 16A
PWR-MP-7-SURGE	R 152	Unbranded 7-port Multiplug with 1 Switches Surge protect, 1x Power Switch, 1x 10A Shuko, 3x 6A Euro, 3x 15A SA
PWR-MP-7PS	R 147	Unbranded 7-port Multiplug with Switches - 1x 10A Shuko 3x 6A Euro 3x 15A SA
PWR-MP-8P-USB	R 216	Unbranded 8 Port Multiplug with 3x 16A 4x 16A 1x 5A Schuko 3x 2.1A USB Ports
PWR-MP-8P-YD-8NS2	R 179	LinkQnet 8 way Multiport 4x 16A 3x 5A 2 pin 1x Shuko (C14)
PWR-N-PLUG	R 21	Crabtree 3 prong normal plug - white, AUS M-10
PWR-N-PLUG-B	R 25	Crabtree 3 prong normal 16A plug - Black, C1050P
PWR-N-PLUG-BLK	R 20	Ausma plug 16A 3 pin plugtop Black, Aus M-10C

PWR-OFFICE-BRITISH	R 649	Unbranded 5-way British PWR Socket GST18 F/M plug 16A 240V Black
PWR-OFFICE-C13	R 661	Unbranded 5-way IEC C13 Power with GST18 F/M plug 16A 250V Black
PWR-OFFICE-C19	R 661	Unbranded 5-way IEC C19 Power with GST18 F/M plug 16A 250V Black
PWR-OFFICE-EU	R 661	Unbranded 5-way EU Power with GST18 F/M plug 16A 250V Black
PWR-PLUG-SURGE	R 93	Unbranded power Surge Protector Red plug (One single plug included)
RCT ADP-UK2SAMP	R 55	RCT ADP-UK2SAMP 2x SA Socket Multiplug with UK plug
RM-PDU-1U6MP	R 483	Acconet Power Distribution Unit, 1U, 6 way Female Kettle Cord, Black, With Switch, 2 Meter Cable SA
RM-PDU-SA6	R 604	Unbranded PDU-SA6 PDU 1U Rackmount - 6 way 3 pin SA plug, Overload protection, 16A rated current, 3520W Max Output Power
RM-SS-ADAPTOR	R 35	Unbranded Safety shuttered adaptor white - 1x 16A & 2x 5A, 16Amps & 150V Voltage
SA164AKX	R 249	AERIAL KING SURGE M/PLUG 8 WAY UNSWITCH - the ultimate solution for powering your devices safely and efficiently. This robust power strip features eight outlets designed to accommodate all your electronic needs, from home entertainment systems to office equipment. With built-in surge protection, it shields your devices from harmful voltage spikes, ensuring their longevity and performance. The compact and stylish design fits seamlessly into any environment, making it the perfect addition to your workspace or living area
SF-N02/20M	R 129	Noble Safy 20m Multi Plug Coupler Extension Cord Lead With Dual 3 Pin Sockets-16A Rated Plugs 250V, Power Up 2 Appliances At Once, Suitable For Home Use, Colour White, Sold as a Single unit, 3 Months Warranty
SF-N02/3M	R 39	Noble Safy 3m Multi Plug Coupler Extension Cord Lead With Dual 3 Pin Sockets - 16A Rated Plugs 250V, Power Up 2 Appliances At Once, Suitable For Home Use, Colour White, Sold as a Single unit, 3 Months Warranty
SF-N02/5M	R 59	Noble Safy 5m Multi Plug Coupler Extension Cord Lead With Dual 3 Pin Sockets-16A Rated Plugs 250V, Power Up 2 Appliances At Once, Suitable For Home Use, Colour White, Sold as a Single unit, 3 Months Warranty
SWD-70005-20-BK	R 252	Switched Light Duty Back to Back (BTB) extension leads - 20m. Socket type: 2 x 16 A South African SANS 164â€'2 sockets with safety shutters, Cable spec: 20 m length, 1.0 mm2 conductor. Light duty, supporting up to 10 A continuous current in total (maximum 2400Watt on one extension lead).
SWD-70005-20-WT	R 252	Switched Light Duty Back to Back (BTB) extension leads - 20m. The SWITCHED SWDâ€'70005â€'20â€'WT white extension lead offers safe dualâ€'socket power over 20 m in a compact BTB form. (maximum 10Amps/ 2400Watts per lead)
SWD-70007-10-WT	R 282	Switched Light Duty SBS extension leads - 2x 16A Socket - 10m - White
SWD-70007-20-WT	R 470	Switched Light Duty SBS extension leads - 2x 16A Socket - 20m - White
SWD-70007-3-WT	R 162	Switched Light Duty SBS extension leads - 2x 16A Socket - 3m - White
SWD-70007-5-WT	R 195	Switched Light Duty SBS extension leads - 2x 16A Socket - 5m - White
SWD-70008-10-BK	R 356	Switched brand. Heavy Duty Side by Side (SBS) extension leads. Very long 10m. South African plug (SANS 164-1) to 2x South African sockets (SANS 164-1 / IEC Type M). (Combined max. current: 16A). Extra durable cable with heavy duty cable sheath, in black to hide inevitable dirt easily, for semi-rough usage indoors (Workshops, garages, general usage). Shutter safety. Very Long cable length for multiple use scenarios, whether you are working under your car, or in the ceiling. There is nothing extra that could break and reduce the life span of your cable - no switch, no led indicators. Sealed tamper-proof unit. No surge, no overload protection.
SWD-70008-20-BK	R 620	Switched brand. Heavy Duty Side by Side (SBS) extension leads. Extra long 20m. South African plug (SANS 164-1) to 2x South African sockets (SANS 164-1 / IEC Type M). (Combined max. current: 16A). Extra durable cable with heavy duty cable sheath, in black to hide inevitable dirt easily, for semi-rough usage indoors (Workshops, garages, general usage). Shutter safety. Extra Long cable length for multiple use scenarios, whether you are working under your car, or in the ceiling. There is nothing extra that could break and reduce the life span of your cable - no switch, no led indicators. Sealed tamper-proof unit. No surge, no overload protection.
SWD-70008-3-WT	R 185	Switched Heavy Duty SBS extension leads - 2x 16A Socket - 3m - White, 10A Max Amp, SWD-70008-3-WT
SWD-70008-5-BK	R 241	Switched brand. Heavy Duty Side by Side (SBS) extension leads - 5m - Black. 1x16 South African plug to 2 x 16A South African sockets (SANS 164-1 / Type M) on the top face (Combined max. current: 16A). Extra durable cable with heavy duty cable sheath, in black to hide inevitable dirt easily, for semi-rough usage indoors (Workshops, garages, general usage). Shutter safety. Long cable length for multiple use scenarios, whether you are working under your car, or in the ceiling. Nothing extra that could break and reduce the life span of your cable - no switch,

		no led indicators. Sealed tamper-proof unit. No surge, no overload protection.
SWD-70008-5-WT	R 241	Switched brand. Heavy Duty Side by Side (SBS) extension leads - 5m - White. 1x16 South African plug to 2 x 16A South African sockets (SANS 164-1 / Type M) on the top face (Combined max. current: 16A). Extra durable cable with heavy duty cable sheath, in white to be used indoors where long distance need to be covered by a single cable occasionally or on a permanent basis (general usage). Shutter safety. There is nothing extra that could break and reduce the life span of your cable - no switch, no led indicators. Sealed tamper-proof unit. No surge, no overload protection.
SWD-70025-S	R 162	Switched High Surge plug top. Plug type: 3â€‘pin South Africa (SANS 164â€‘2). Socket: 1 x 16 A 3â€‘pin South Africa (SANS 164â€‘2) socket with safety shutter. LED indicator.
SWD-72001-WT	R 80	Switched brand. 1 way Euro adaptor - White (top-loader). 1x Standard South African plug (SANS 164-1) for use with an IEC Type-M Socket (Standard South African socket) to 1x Europlug SANS 164-5 (IEC Type C). Maximum current 2.5A. 2-pins, no earth. No surge protection, no overload protection, no switch, no power indicator. Used with light current devices such as chargers for cell phones, tablets, laptop computers.
SWD-72002-WT	R 84	Switched 2 way adaptor top and bottom loader - White. 3pin to 2x5A Euro Adaptor. Input: 1x Old ZA 3-pin plug (SANS 164-1); Output: 2x 5A Europlug sockets (SANS 164-5)
SWD-72004-WT	R 87	Switched 3-pin South African plug to 3x5A euro adaptor - top loader
SWD-72005-WT	R 84	SWITCHED Adaptor SA 3 Pin (SANS 164-1) to 1 x Schuko Socket Adaptor. (SANS 164-6, IEC Type E/F). 16A. White. Not earthed. For use with Class II devices (double insulated electrical appliances that does not require a safety connection to electrical earth). Sturdy square shaped construction for extra durability.
SWD-72006-WT	R 87	Switched 2 way Schuko adaptor top and bottom loader - White. Input: South African 3-pin plug (SANS 164-1) with a dummy earth pin (to open protection shutters on Type-M sockets). Top side: 1xSchuko socket (SANS 164-6). Bottom side: 1x Europlug (SANS 164-5). Back side: input. Connects directly into a wall socket or into an extension power cord. No surge, no power switch, no overload, no indicators.
SWD-72007-WT	R 106	Switched brand. 3 pin ZA plug (SANS 164-1) to 2x 16A ZA Socket (SANS 164-1) adaptor. No surge, No power switch, No indicators, no overload. Earthed, safety shutters.
SWD-72008-S-WT	R 147	Switched brand. 3 pin to 3x 16A Socket Surge. Input: ZA plug (SANS 164-1) with direct connection to a wall socket (no cable). Output: 3x ZA sockets (Type-M SANS 164-1). Surge protection: medium. Surge protection active lamp. No overload protection.
SWD-72009-WT	R 110	Switched brand. 3 way adaptor. White. South African current plug (SANS 164-1) to 1x SANS 164-1 South African current socket 2x SANS 164-2 New South African socket. No surge or overload protection. Plug straight into Type M sockets (Current South African sockets). No switch, no " power on" indication. Safety features include sturdy construction as a sealed unit with non-standard screws, and shutters for all sockets.
SWD-72011-S-WT	R 170	Switched 4 way Medium Surge adapter - White - for 2x16A South African plugs(SANS 164-1), 2X5A 3-PIN Euro plugs (new SA standard SANS 164-2), Medium Surge protection. Plugs straight into wall socket (SANS 164-1), not cabled.
SWD-72011-WT	R 132	Switched 4 way adapter - White. 3 PIN South African plug (SANS 164-1) adapter to 2x 16A South African plugs (3-pin Socket SANS 164-1), 2x 5A Euro plugs (SANS 164-2). Medium surge protection (458J). Plugs straight into wall socket, not cabled.
SWD-72012-S-WT	R 245	Switched 3pin medium surge protection adapter (3 PIN Adaptor-2x16A2X5A 3PIN Euro Medium Surge Type C Type A)
SWD-72013-S-WT	R 170	Switched 4 way Medium Surge adaptor with Schuko - White. 3 PIN South African plug (SANS 164-1) to 1x 16A South African plug (SANS 164-1 / IEC Type M) 2X 16A New South African sockets (SANS 164-2 / IEC Type N), 1x10A Schuko (SANS 164-6 / IEC Type E/F). Medium surge with Surge Protection active light. Direct to wall socket connection. No switch. No overload protection. No light for power indication. Tamper proof, Shuttered. Schuko plugs are used by power tools, hairdryers, and other electrical equipment. The Schuko socket is not earthed. Any imported goods with an earthed Schuko must be correctly earthed with the correct adaptor, or the plug will need to be replaced.
SWD-72014-S-WT	R 230	Switched brand. 3 way Medium Surge adaptor. South African plug (SANS 164-1 / IEC Type M) to 1x South African socket (SANS 164-1 / IEC Type M) 1x New South African socket (SANS 164-2 / IEC Type N) 1x Schuko (SANS

		164-6 / IEC Type E/F, commonly used for power tools and electrical equipment). The power strip includes a built in charger: 1x USB Type-C 1x USB Type A (combined 5V, 2.4A). Lamp indicators: USB Charging surge protection active. No overload reset switch. Direct to wall socket connection.
SWD-72016-2-WT	R 320	Switched 4 way extension Lead with 1x Type-C 1x Type-A USB (maximum 5V 2.4Amp), 2 meter cable. Rated 250V. Output: 2x New ZA plug standard Type-N (SANS 164-2, compatible with IEC Type C Europlug SANS 164-5) 2x Old ZA plug (IEC Type M, SANS 164-1). Overload protection, re-settable. No switch.
SWD-72016-4-WT	R 395	Switched 4 way extension Lead with 1x Type-C 1x USB - 4m
SWD-75016-05-WT	R 305	Switched 4way with 1x Type-C 1x USB 2.4A Socket Medium Surge protected. 0.5m cable. Input:1x ZA plug (SANS 164-1). Outputs:2x ZA socket (SANS 164-1), 1x New ZA socket (SANS 164-2), 1 x (Schuko) socket (SANS 164-6), 1x Type-C 1x USB combined 5V 2.4A. Power indicator lamp, LED charging indicator LED (when surge protection is good), No power switch. Overload protection switch. Medium surge protection. White cable and white power strip box.
SWD-7504-5-WT	R 357	Switched brand. 4-way Medium Surge, extension Lead of 5m. Medium surge protection for 2x South African 3 pin plugs (SANS 164-1) and 2x new South African 3 pin plugs (SANS 164-2). The plugs are on a single side of the panel. Not switched. Overload protection reset switch. No power supply indicator, but there is a surge power indicator that extinguishes when the surge protection has been activated (when off, surge protection will no longer function, but the unit might still be usable as a standard extension). All sockets have shutter protection.
SWD-8507	R 207	Switched 2 way High Surge adaptor. SWITCHED High Surge Multi Adaptor SA 3 Pin to SA 3 Pin Socket SANS 164-2 Socket - 1140J
SWD-8507-2-NT	R 207	Switched band. High Surge 2 way Network Router safe adaptor. Semi-transparent red in colour. Amperage: 16 A (shared); High load capacity; Self consumption: 2W; Maximum load: 3860 W; Surge protection: 1140 Joules; LED indicator for surge protection on. Input: 1x South African 3 pin plug (SANS 164-1 IEC Type M) direct to wall connection. Output: 2x New South African 3 pin plug (SANS 164-2 IEC Type N). Network safe: Ideal for use with 2 Europlug or 3 pin new ZA plug corded network devices and computer equipment, even if the device is not earthed (as is the case with 2 pin cabled devices), thereby adding an extra layer of protection to costly equipment. Shuttered for protection.
SWD-8507-20W	R 357	Switched High Surge Multi adaptor with USB Type-C PD20W. Input: 1x South African 3â€'pin SANS 164â€'2 plug (16 Amps), Output: 2 x South Africa 3â€'pin SANS 164â€'2 sockets (16 Amps each). Maximum current 16A. Safety shutters: Yes; Surge status LED: Yes.
SWD-8507-NT	R 170	Switched brand. 1 way High Surge Network safe adaptor. Semi-transparent red. Connection to wall socket: South African 3 pin plug (SANS 146-1). Connection type: direct. Socket: New South African 3-pin plug (SANS 164-2). Shutter protection. Surge protection: high. Surge protection indication: LED on. No power switch. No overload protection. No indicator for power. Single product protection. 250V 16Amp. Maximum 3680 Watts.
SWD-8508-05[V1]	R 282	Switched brand. High Surge protection. 4 way Multiplug. 0.5m cable. Surge Protection Energy: 1140 Joules; Total Surge Current: 18000A; Surge Protection Max (L/N/E): 6000A; Surge protection with LED indication on plug. Overload protection with reset switch. Combined maximum current 16A. Outputs: 2 South African sockets (SANS 164-1 / IEC Type M), 1x Europlug (SANS 164-5 / IEC Type C), 1x Schuko (SANS 164-6 / IEC Type E/F)
SWD-8508-3[V1]	R 357	Switched brand. High Surge protection. 4 way Multiplug. 3m cable. Surge Protection Energy: 1140 Joules; Total Surge Current: 18000A; Surge Protection Max (L/N/E): 6000A; Overload protection with indication. Combined maximum current 16A. Outputs: 2 South African sockets (SANS 164-1 / IEC Type M), 1x Europlug (SANS 164-5 / IEC Type C), 1x Schuko (SANS 164-6 / IEC Type E/F)
SWD-8508-5[V1]	R 432	Switched High Surge 4 way Multiplug 5m 1140J. The SWITCHED SWDâ€'8508â€'5[V1] highâ€'surge 4â€'way multiplug offers 5 m cable length, 1140 J protection and overload safety. Ideal for powering multiple appliances in South African homes or offices. Socket type: 4 x South African 3â€'pin SANS 164â€'2; sockets; Surge protection energy: 1140 Joules; Total surge current: 18000 A; Surge capacity per conductor: 6000 A; Max load: 3680 W; Cable length: 5 m; Overload protection: Yes; Safety shutters: Yes
SWD-9000-FS	R 245	Switched 1 way Fridge Surge adaptor. Time delay voltage protector for fridges. High surge protection. Surge protection: 1140 Joules. 4 minute timer to allow voltage to settle safely. 1x 3-pin South African plug (SANS 164-1) to 1x 3-pin South African plug (SANS 164-1)

SWD-9000-TVS	R 245	Switched brand. 1 way TV High Surge adaptor. SANS 164-1 South African 3-pin plug (current SA standard) to SANS 164-1 3-pin plug output (current south African 3-pin plug standard). Includes a timer to prevent surge, over-voltage and under-voltage damage to televisions, the timer will wait out the fluctuations adding extra protection. Manufactured for superior protection of televisions. Ideal for load-shedding and other power problems, lightning and surges. Maximum current: 6.3Amp, single device. Note that this superior protection is also available for SANS 164-2 New South African plugs through the " SWD-9001-TVS" protection device.
SWD-9001-TVS	R 245	Switched brand. 1 way TV Surge adaptor. SANS 164-1 South African 3-pin plug (current SA standard) to SANS 164-2 3-pin plug output (New south African 3-pin plug standard). Includes a timer to prevent surge, over-voltage and under-voltage damage to televisions, the timer will wait out the fluctuations adding extra protection. Manufactured for superior protection of televisions. Ideal for load-shedding and other power problems, lightning and surges. Maximum current: 6.3Amp, single device. Note that this superior protection is also available for 164-1 South African current plugs through the " SWD-9000-TVS" protection device.
SWD-9508-05-WT	R 357	Switched 8-way High Surge Multiplug 0.5m - White. The SWITCHED SWDâ€'9508â€'05â€'WT highâ€'surge 8â€'way multiplug offers compact power distribution and robust protection in a 0.5 m cord. Ideal for office or AV setups in South Africa. Socket count: 8 (4x16A large 3 pin SA, 3x16A new 3-pin SA, 1x10A Schuko South African type); Surge protection: 1140 J; Total surge current: 18000 A; Surge capacity per conductor: 6000 A; Max load: 3860 W; Cable length: 0.5 m; Overload protection: Reset button; Safety shutters: Yes
SWD-9512-05-WT	R 395	Switched 12-way High Surge Multiplug 0.5m - White. Input: ZA 3-pin plug (SANS 164-1). Outputs:6x ZA 3-pin sockets (SANS 164-1 Type " M"), 5x New ZA Sockets (SANS 164-2 Type " N"), 1x Schuko (SANS 164-6, 10A), commonly found on power tools. Cable is 0.5m in length. All sockets on the top face. The surge protection is high, and the surge protection circuitry is built into the input plug, protecting all the devices. No power switch. 1x overload reset switch. Safe shutter protection. Maximum current: 16A.
TXE070	R 86	Mlink TXE070 5 port 10/100 Mbps Unmanaged Switch, IP175g Chipset, 1Gbps switching capacity
UNIA	R 69	Microworld UNIA Universal Travel Adapter, UK / EU / US / AU plug types, 100-250v AC Input Voltage, fire-retardant Plastic, safety shutters
VK-8010-WT	R 172	Volkano Traveller SA series travel plug UK/other socket to 15A SA plug
WP3-2	R 206	Microworld wonder protected 3 2 pin Multiplug, 16 amps Max operating current | Color: White | Input: 3-pin SANS 164-1 plug | Output: 1x 3-pin 16A SANS 164-1 socket, 1x 2-pin schuko | Surge Protection: Integrated MOV (entry-medium protection) | Voltage: 220-240V | Max Current: 16A | Max Load: 3500W | Features: Plug-in surge protection, wiring safety check indicator, flame retardant housing | Usage: Home and office

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Electronic White Boards

Product code	Price	Description
ETV86	R 43,699	Yealink ETV86 extended Touch Screen for MeetingBoard 86, 3840x2160 Resolution, 99% sRGB Colour Gamut, 1200:1 contrast, 350nits Maximum brightness, 60Hz Refresh Rate, 178 degree viewing angle, Infrared screen, 20 points Touch, 6-unit Stereo Speakers, 1x HDMI Video Input, 1 pair of RCA Linear Input (ETV86), 1x USB-B Touch Input Port
MB-FLOORSTAND-650T	R 8,655	Yealink Floor stand for MeetingBoard 65, 4 wheels
MB-FLOORSTAND-860T	R 8,655	Yealink Floor stand for MeetingBoard 86, Floor stand, Floor stand beam, 6x screws, 6x rubber caps, 5 mm Hex key

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Electronics

I/O Modules

Product code	Price	Description

< Return to the menu

Power Supply Units (Electrical)

Product code	Price	Description
A92605-B	R 71	Astrum AD050 AC-DC 3-12 V 500mA 6 Port Universal adapor Black, 2.5V - 20V DC Output, 6W rated capacity
A92610-B	R 86	Astrum AD100 AC-DC 3-12 V 1000mA 6 Port Universal adapor Black, 4.2V - 16V AC Output, 15W rated capacity
AC-PSU-24V-120W	R 454	Unbranded 220VAC to 24VDC - 120W PSU, SA Type male 3 pin plug in, 2.1mm male out connector, STP-24000500
AC-PSU-48V-120W	R 657	Unbranded 220VAC to 48VDC - 120W PSU, SA Type male 3 pin plug in, 2.1mm male out connector, STP-48000250
B009GAGRL6	R 1,013	Unbranded DC 12V 3A 36W Power Supply Adapter for 3528 / 5050 / RGB SMD LED Lamp light strip
D1124-05	R 1,495	Switchcom 24VDC to 12VDC 5Amp converter
DC2	R 81	Microworld Dual pin DC PSU - 5V/2A, Two pin plug, The Power Adapter comes with 5.5mm and 4mm DC plug, 1.2 m Long connecting cable
FIB-T-FS3CRG	R 403	UltraLAN Fusion Splicer Power Supply, FIB-T-FS3CRG, DC 13.6V 5A Output
FSP060-DHAN3	R 190	FSP FSP060-DHAN3 60W AC to DC 12V 5A Adapter
FSP060-DHAN3	R 337	FSP FSP060-DHAN3 60W AC to DC 12V 5A Adapter
MI-12DC-SMART	R 2,939	Micro Instruments Smart DC-DC converter, Input : 12VDC - Output : 48VDC or 24VDC
MI-24DC-SMART-V2	R 3,180	Micro Instruments Smart DC-DC Converter, 24VDC input, 48VDC and 24VDC output
MI-24DC48DC-300	R 1,768	Micro Instruments DC-DC 24VDC to 48VDC (6.25A) converter, 24VDC Input, 48VDC (6.25A) Output, 250W
MI-28DC20DC-60	R 490	Unbranded Output DC-DC converter 20V out, Input : 22-30 VDC, Output : 20 VDC at 60W, Constant 20 VDC regulator, Ideal for fluctuating 24VDC power system
MW-110DC24DC-30	R 1,132	Mean Well 30W Railway DC - DC converter - 24 Vdc, Input 40-160 Vdc, Output 24 Vdc at 1.25A
MW-12DC5DC-15	R 507	Mean Well 15W Single Output DC-DC Converter, INPUT: 9-18VDC, OUTPUT: 5VDC (2Amp)
MW-12DC5DC-20	R 822	Mean Well 20W single Output DC-DC converter 5V Output, Input : 9-18 VDC, Output : 5VDC (4Amp), SKA20A-05
MW-24DC24DC-100	R 1,346	Mean Well 100W single Output DC-DC converter, Input : 19-36 VDC (4.8Amp) Output : 48 VDC (4.2Amp)
MW-24DC24DC-150	R 1,641	Mean Well 150W Single Output DC-DC Converter, INPUT: 19-36VDC (8.5Amp), OUTPUT: 24VDC (6.3Amp)
MW-24DC24DC-200	R 3,163	Mean Well - 200W Single Ouput DC - DC Converter - 24VDC, SD-200 series
MW-48DC12DC-15	R 503	Mean Well - 15W single Output DC - DC converter - 12VDC, 15W single Output DC - DC converter, Input 36-72 VDC - Output 10.8-13.2 VDC
MW-48DC12DC-50	R 1,015	Mean Well - 50W single 11-16 VDC Output DC-DC converter, 50W single Output DC - DC converter, Input 36-72 VDC - Output 11-16 VDC
MW-48DC24DC-15	R 397	Mean Well - 15W single Output DC - DC converter - 24VDC, SD-15C-24, 24V DC Voltage Output, 0.625A rated current, 36-72v DC Input
MW-48DC24DC-25	R 836	Mean Well 25W single Output DC - DC converter - 24 Vdc, Input 36-72 Vdc, Output 24 Vdc at 1.1A
MW-48DC24DC-500	R 4,474	Mean Well 500W single Output DC-DC converter, Input : 19-72 VDC (12Amp) Output : 24VDC (21Amp), SD-500L-24
MW-DRC-60A	R 1,040	Mean Well DRC-60A 60W single Output with Battery charger (UPS function), 90-264 VAC or 127-370 VDC Input Voltage, 13.8VDC Output Voltage, Up to 4.3A Output current, 59.3W Power rating, Dual Output channels for load and Battery charging
MW-EDR-120-48	R 806	Mean Well - Industrial DIN Rail Series - 48V 120W single, AC-DC Type, 48V DC Output, 120W Max Output Power, 90-264V AC Input Voltage
MW-GST25A	R 323	Mean Well GST25A 25W AC-DC high reliability Industrial adaptor, 25W Desktop style, Input range - 85VAC to 264VAC, Output range - 5 VDC and 48 VDC
MW-HLG-480H-54	R 4,539	Mean Well 480W Constant voltage & current LED Driver, 54V Output voltage, 8.9A Output current
MW-HRP-600-48	R 4,778	Mean well 600W High Relibilty Single Output Power, Input 85-264VAC, Output 48V (0-13A)
MW-LRS-100-48	R 486	Mean Well enclosed LRS 100W single Output Power Supply, LRS-100-48, Input 90-264 VAC, Output 48VDC (Adjustable 43.2-52.8 VDC), 2.3A, Single Output
MW-LRS-200-48	R 958	Mean Well enclosed lrs series - 48V 200W single Output Power Supply, Input - 115/230VAC, ouput : 48V @ 0 -

		4.4A
MW-LRS-350-48	R 1,002	Mean Well enclosed LRS 350W single Output Power Supply, LRS-350-48, 90-264 VAC Input, 48VDC (Adjustable 43-53 VDC) 7.3A Output, Single Output
MW-MDR-20-24	R 420	Mean Well AC-DC Industrial DIN Rail Power Supply, MDR-20-24, 20W Output Power, 24V Output Voltage, 1A Output current, 110/230V Universal Input
MW-NDR-120-48	R 937	Mean Well AC-DC single Output Industrial DIN Rail Power Supply, 120W Output Power, 48V Output Voltage, 2.5A Output current, 110/230V Universal Input
MW-NDR-240-48	R 1,688	Mean Well AC-DC single Output Industrial DIN Rail Power Supply, 48V 5A 240W Output Power, 110/230V Universal Input Input Voltage
MW-NPB360N-12TB	R 2,980	Mean Well NPB-360-12TB AC-DC 12V 30A 360W Single output battery charger with PFC, 2 or 3 stage charging, Universal AC input Output 14.4Vdc at 20A with terminal block
MW-NTS-300-212UN	R 4,061	Mean Well 300W True Sine Wave DC-AC power Inverter, 12 VDC Input, 200 / 220 / 230 / 240 VAC Output, NTS-300-212UN
MW-NTS-450-212UN	R 4,261	Mean Well 450W True Sine Wave DC-AC power Inverter, 12VDC Input, 200 / 220 / 230 / 240VAC Output voltage options, NTS-450-212UN
MW-NTS-450-224UN	R 4,146	Mean Well 450W True Sine Wave DC-AC power Inverter, 24VDC Input, 200 / 220 / 230 / 240VAC Output voltage options, NTS-450-224UN
MW-NTS-450-248UN	R 4,014	Mean Well 450W True Sine Wave DC-AC power Inverter, 48VDC Input, 200 / 220 / 230 / 240VAC Output voltage options, NTS-450-248UN
MW-RSD-100D-12	R 2,437	Mean Well 100.8W Isolated DC-DC converter chassis Mount, 57.6-154 VDC Input voltage, 12VDC Output voltage
MW-RSD-150C-12	R 3,335	Mean Well - DC ~ DC Railway converter single, Input 28.8 - 67.2 VDC ; Output 12 VDC at 12.5A, Railway EN 45545-2, Transport EN 50155
MW-RSD-150C-24	R 3,335	Mean Well - DC to DC Railway converter single, RSD-150C-24, Input 28.8 - 67.2 VDC, Output 24 VDC at 6.3A, Railway EN 45545-2, Transport EN 50155
MW-RSD-200B-48	R 4,087	Mean Well RSD-200B-48 DC-DC enclosed converter, Input 14.4-33.6 VDC / Output 48VDC at 4.2A, Railway standard EN50155, 4000 VDC I/O isolation
MW-RSD-300B-48	R 4,704	Mean Well RSD-300 DC to DC converter, 14.4-33.6 VDC Input, 48VDC at 5.7A Output, 300 W Output Power, 48 V Output Voltage, 5.7 a Output current
MW-RSD-500B-48	R 8,405	Mean Well RSD-500 DC to DC converter, 16.8-33.6 VDC Input, 48 VDC at 8.8A Output, 500 W Output Power, 48 V Output Voltage, 8.8 a Output current
MW-RSP-320-48	R 1,502	Mean Well 320W single Output enclosed AC-DC Power Supply 48VDC, RSP-320-48, 88 - 264 AC Input Voltage (V)
MW-SCP-35-24	R 638	Mean Well SCP-35-24 security series 24V 35W single Output AC-DC enclosed Power Supply, Enclosed Frame with screw terminals, 35W Output power, 85 - 264 V Input voltage
MW-SD-15A-5V	R 531	Mean Well 15W DC - DC converter - 5VDC, 15W Output Power, 5V Output Voltage, 3A Output current, 12V Input Voltage
POE-PSU24-150A	R 608	Mean Well LRS range 24V 6.25A (150W) switching PSU
PSU-12V-ATS036T-A120	R 253	Adaptertech 12V 3Amp Universal Desktop PSU C8 with 2.5/5.5 DC, ATS036T-A120, 12.0V 3.00A 36W
PSU-12V1.5A	R 79	Unbranded 12V 1.5A Power Supply, 2-Prong (EU) Power Supply.
PSU-24V1A	R 125	Unbranded 24V 1A Power Supply, 2-prong (EU) Power supply.
PSU-5V1A	R 79	Unbranded 5V 1A DC Power Supply with Micro USB plug
TTK-BAT120	R 1,873	Teltonika BAT120 Uninterrupted Power Supply, DIN Rail and Surface mounting options, 4 pin Industrial DC Power Socket, 9 - 30 VDC Input Voltage range, 2600 mAh 17 Wh Battery capacity, Alarm Output, 2x 18650 Li-Ion cells, Compatible devices - RUT2xx / RUT95x / RUT3xx / rutxxx / TRB14x / TRB2xx / TSW110 / TCR100
TTK-PSU-9W-EU	R 113	Teltonika replacement EU Power Supply 9V DC 1 Amp, 4- pin connector plug
VER-VAD-CHGR	R 1,329	Veracity Charger for PointSource battery module, VAD-CHGR, Spare charger, VAD-PS PointSource Battery PoE Injector

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Fans / Cooling / Lights / Mods

Cooling Fans Heatsinks

Cooling Fans Heatsinks : Cooling: CPU Processor

Product code	Price	Description
701785	R 149	Manhattan CPU Cooler P4 up to 2.4GHZ Retail Box
710-4HW20000R6	R 114	HuntKey CPU Cooler Frozen 200, 2 Copper heat pipes, Intel/AMD Platform support
710-4HW40007R6	R 229	HuntKey CPU Cooler Frozen 400 Colourful, 4 Copper heat pipes, Low noise, RGB dazzle Colour Lighting effect
872767005044	R 479	Arctic Freezer A30 200w AMD CPU Cooler
A30 PRO	R 154	Antec A30 PRO 92mm CPU fan Cooler, LED fan fan Type, 33.4 CFM Maximum Airflow, 3 pin connector, AMD compatibility - AM5 / AM4 / FM2 / FM1 / AM3 / AM3 / AM2 / AM2, Intel compatibility - LGA 775 / 115x / 1200 / 1700 (Core i3 / i5 CPU)
AK2800	R 307	JETART AQUACOOL CPU LIQUID COOLING KIT. Jetart Liquid Cooling, Clips For Socket 775/ 754/ 939/ 940/ 478/ 462, Full Copper Water Block, Extreme Performance, Copper Joints & Loops.
AP1-V ARGB-B	R 679	Aerocool APNX AP1-V Black ARGB CPU Air Cooler, Compatible with --> LGA 1700 / 1200 / 115x / AM4 / AM5, Aluminum Block with hctt heat Core Touch Technology, Aluminum fin material, 6mm Diameter x 5 heat pipe, 245W TDP (Thermal Design Power), 120mm Fan, PWM 600-1800 rpm fan Speed, 76.3 CFM Air Flow, Hydro bearing
AP1-V ARGB-W	R 679	Aerocool APNX AP1-V White ARGB CPU Air Cooler, Compatible with --> LGA 1700 / 1200 / 115x / AM4 / AM5, Aluminum Block with hctt heat Core Touch Technology, Aluminum fin material, 6mm Diameter x 5 heat pipe, 245W TDP (Thermal Design Power), 120mm Fan, PWM 600-1800 rpm fan Speed, 76.3 CFM Air Flow, Hydro bearing
ARCTICBRIZ2	R 217	Armaggeddon Arctic Briz 2 CPU cooler 2000rpm, 3 pin connector, Hydraulic bearing Type
ASUS ROG RG-07	R 196	Asus Rog Rg-07 Performance Thermal Paste Kit
BLIZZARD1BLK	R 344	Armaggeddon Blizzard 1 RGB CPU Cooler - Black, 90 x 90 x 25mm fan size, 92 x 63 x 127mm product size, 3 pin with out PWN connector, Hydro bearing Type, 32 CFM Air Flow, ARGB Lighting effect, Double Platform Buckle Blade, 7 fan Blade quantity, Compatible with --> Intel LGA115x / 1200 / 1700 / AMD AM4/AM5
BLIZZARD1WHT	R 378	Armaggeddon Blizzard 1 RGB CPU Cooler - White, 90 x 90 x 25mm fan size, 92 x 63 x 127mm product size, 3 pin with out PWN connector, Hydro bearing Type, 32 CFM Air Flow, ARGB Lighting effect, Double Platform Buckle Blade, 7 fan Blade quantity, Compatible with --> Intel LGA115x / 1200 / 1700 / AMD AM4/AM5
BLIZZARD2BLK	R 459	Armaggeddon Blizzard 2 ARGB CPU Cooler - Black, 120 x 120 x 25mm fan size, 3 pin with out PWN connector, Hydro bearing, 41.6 CFM Air Flow, ARGB Lighting effect, Double Platform Buckle, 9 blades, 4 Copper Pie quantity, Compatible with --> Intel LGA115x / 1200 / 1700 / AMD AM4 / AM5
BLIZZARD2WHT	R 505	Armaggeddon Blizzard 2 ARGB CPU Cooler - White, 120 x 120 x 25mm fan size, 3 pin with out PWN connector, Hydro bearing, 41.6 CFM Air Flow, ARGB Lighting effect, Double Platform Buckle, 9 blades, 4 Copper Pie quantity, Compatible with --> Intel LGA115x / 1200 / 1700 / AMD AM4 / AM5
BLIZZARD3BLK	R 551	Armaggeddon Blizzard 3 ARGB CPU Cooler - Black, 120 x 73 x 155mm product size, 120mm Fan, 3 pin with out PWN connector, Hydro bearing, 41.6 CFM Air Flow, ARGB Lighting effect, Double Platform Buckle, 9 Blade quantity, Compatible with --> Intel LGA115x / 1200 / 1700 / AMD AM4/AM5
BLIZZARD3WHT	R 574	Armaggeddon Blizzard 3 ARGB CPU Cooler - White, 3 pin w/o PWN Connector, Hydro Bearing, 41.6 CFM Air Flow, ARGB Lighting Effect, Double Platform Buckle, 9 Blades, 6 Copper Pie Quantity, Compatible with --> Intel LGA115x / 1200 / 1700 / AMD AM4 / AM5
CC-CA2011R1	R 31	Coolermaster RR-ACCY-2011-R1 - LGA 2011 clip support for Hyper 212 Evo / Hyper 212 Plus
CC-CA2011R3	R 33	Coolermaster RR-ACCY-2011-R3 - LGA2011 clip support for V6 / V6GT cooler
CC-CG	R 348	Coolermaster Geminll, RR-CCH-ANU2-GP, wide area cooling for both cpu mb component, position adjustable fan bracket for 2 x optional 120mm fan, copper base aluminum fin with 6 heatpipes - for intel 478/LGA775 , AMD s754/939/940/AMx/socket-F(1207)
CC-iSTS300C	R 693	Intel bxSTS300C Combo (active or passive) intel LGA3647 air cooler with removable fan, Side blow (ideal for 2U rackmount), 76 x 90 x 131 mm - retail pack
CC-iTSRM1	R 231	Intel BXTSRM1 LGA1700 Air Cooler top blow, Aluminum Copper base, 600-3150rpm, 29 dBA
CC-iTSRS1	R 208	Intel BXTSRS1 LGA1700 Air Cooler top blow, Aluminum, 600-3150rpm, 36 dBA

CC-THR01P	R 552	Thermalright HR-01 Plus, aluminium fins with 6 copper heatpipes to copper base; for Amd AM2 / 1207; intel 775, 110x60x159.5mm, 600g - heatsink only; with clip for optional 120mm fan
CC-THR01X	R 542	thermalright HR-01 X , aluminium fins with 6 copper heatpipes to copper base ; for intel xeon socket 603 / 604 / 771 , 110x60x159.5mm , 600g - heatsink only ; with clip for optional 120mm fan
CC-TiFX10	R 204	Thermalright iFX-10 backside CPU cooler; aluminum fin stack; 2 copper heatpipes; optional 80mm fan support; LGA775 AM2 939 compatible; 130g lightweight; motherboard rear cooling solution
CC-TiFX14	R 559	Thermalright iFX-14, triple heatsink system, aluminum fins with 4 x mega-sized 8mm copper heatpipes to copper base (for cpu) back-side dual copper heatpipe heatsink (to be mounted underneath the MB); for Amd AM2/1207; intel LGA775, 790g 130g - heatsink only; with clip for optional 2 x 120/140mm fan (for cpu heatsink) 80mm fan (for back-side heatsink)
CC-ZACS2011	R 45	zalman ZM-CS2011 - LGA2011 clip support for CNPS11X / CNPS10X / CNPS9900 coolers
CC-ZAoC1	R 21	zalman ZM-oC1 Optional Clip support for AMD AM2 , socket-F (1207) , socket-L1 (1207) - for all CNPS9500 series
CL-O001-GROSGM-A	R 78	Thermaltake TG4 Thermal Grease
CL-O004-GROSGM-A	R 159	Thermaltake TG-7 Thermal Paste (4G)
CL-O005-GROSGM-A	R 147	Thermaltake TG-8 Thermal Grease
CL-O023-GROSGM-A	R 170	Thermaltake TG-30 Thermal Compound
CL-O032-PL00BL-A	R 1	Thermaltake kit LGA1700 upgrade kit - designed for Thermaltake Floe and water 3.0 AIO Series
CL-O038-PL00BL-A	R 1	Thermaltake kit AM5 Upgrade Kit, Compatible with --> CL-W276-CU00SW-A Pacific W4 ARGB / CL-W279-CU00SW-A Pacific W7 / CL-W299-PL00SW-A Pacific MX1 Plus
CL-P022-AL12BU-A	R 550	Thermaltake Riing Silent 12 Blue CPU Cooler
CL-P022-AL12RE-A	R 550	Thermaltake Riing Silent 12 Red CPU Cooler
CL-P032-CA06SL-A	R 745	Thermaltake Engine 27 1U Low-Profile CPU Cooler
CL-P039-AL12BL-A	R 527	Thermaltake Contac Silent 12 CPU Air Cooler
CL-P064-AL12SW-A	R 275	Thermaltake UX100 ARGB Lighting CPU cooler, Supports Intel LGA 1156 / 1155 / 1151 / 1150 / 775 & AMD AM4 / FM2 / FM1 / AM3 / AM3 / AM2 / AM2, Aluminum fins heatsink material, 1800 RPM fan speed, 5V RGB Header - 2 pin
CL-P065-AL12SW-A	R 596	Thermaltake UX200 ARGB Lighting CPU Cooler, Copper Heatpipes, Aluminum Fins, 5V RGB header - 2Pin, 120 x 120 x 25 mm Fan Dimension, Support AMD: AM5/ AM4/ AM3 / AM3/ AM2 / AM2/ FM2/ FM1 & Intel: LGA 1851/ 1700/ 1200/ 1156/ 1155/ 1151/ 1150
CL-P074-AL12BL-A	R 918	Thermaltake TOUGHAIR 310 CPU Cooler
CL-P105-AL12SW-A	R 689	Thermaltake UX200 SE ARGB Lighting CPU Cooler - Black, Intel - LGA 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / FM2 / FM1 / AM3 / AM3 / AM2 / AM2, Aluminum fins, Copper heatpipes, 120 x 120 x 25 mm fan dimension, 62.72 CFM Air Flow, 2510 4 pin Connect, 5V RGB Header
CL-P119-AL12SW-A	R 676	Thermaltake Cooler Astria 200, 124 x 93 x 160 mm dimensions, Aluminum fins & Copper heatpipes, 120mm fans, PWM 500 - 1800 rpm fan Speed, 65.0 CFM Air Flow, 5V ARGB Header LED, 5V ARGB Header fan, 2510 4 pin, 210 W cooling Power, Compatibility Intel LGA 2066 / 2011 / 1851 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150, Compatibility AMD AM5/AM4
CL-W302-PL12SW-A	R 1,724	Thermaltake Th360 ARGB Sync Snow Edition Liquid CPU Cooler
CPU002	R 23	Microworld Thermal Heat Sink Paste - Golden 1 gram (one tube included). Enough for 5-10 CPU applications (0.1g to 0.2g per CPU, pea sized), GPU: Small laptop die: 10-20 GPUs, Desktop GPU, 4-7, Large dies : 3-4 GPUs
CPUFAN	R 115	Microworld Cpu Cooler Fan
CPUFAN-1	R 173	Microworld CPU fan Intel LGA Socket, 90 x 90 x 25mm fan size, 42cfm Air Volume, 2200rpm Speed, Compatible with --> Intel LGA775 / 1150 / 1151 / 1155 / 1156 / 1200 / 1700 /1366
CRATERM1240R	R 1,999	KWG Crater M1 240, Dual Liquid Cooler, Both fans and pump can sync with motherboard software or remote controller Easily access various lighting effects, light speeds, fan speeds and brightness with remote controller Addressable LEDs, Add up to 6 fans & 2 additional LED strips together to exhibit group lighting effects with control box, Daisy chain another control box for more lighting effects, Durable Teflon tube, Hydraulic bearing, Dimensions 120 x 120 x 25 mm, Rated Voltage 12 V (Fan) / 5V(LED), Speed 600 - 1800 RPM Â±10%, Air Flow 69 FM, Air Pressure 2.07 mmH2O Noise Level 15-25 dBA Bearing Hydraulic Cooler-SPECIFICATION Radiator Dimensions

		274 x 119 x 27 mm Tube Material Teflon Base Plate Material Copper Radiator Material Aluminum Sleeved Tube Yes Rated Voltage 12 V (Pump) / 5V(LED) Pump Connector 3 Pin Compatibility LGA2066/2011-v3/2011/1151/1150/1155/1156/1366/775/, AM4/AM3 /AM3/AM2 /AM2/FM2 /FM2/FM1, TDP 200W Â±10% Cooler-SPECIFICATION Dimensions 92 x 46 x 13 mm Power Connector SATA Support LED type 5 V Addressable (Digital) LED Support Motherboard RGB Sync Connectors 5 V Addressable (Digital) RGB Header Support Daisy Chain Another Control Box Yes, Retail Box
CT-9010010-WW	R 413	Corsair XTM70 Extreme performance Thermal Paste kit - 3 grams, 2.7g/cm3 specific Gravity
CT-9010015-WW	R 213	Corsair XTM60 high performance Thermal Paste - 3 grams
CT-9010015-WW	R 174	Corsair XTM60 high Performance Thermal Paste - 3 grams, non-conductive Thermal Interface material for CPU or GPU cooling, exceptional heat transfer capability compared to comparable alternatives, proven efficient in both Air and Liquid cooling applications, safe non-corrosive Formula for Component protection, includes tim spreader for quick and clean Application,
CW-9060089-WW	R 1,599	Corsair NAUTILUS 360; 360mm Radiator; Liquid CPU Cooler; Intel LGA 1851/1700; AMD AM5/AM4
Cylon 4F ARGB PWM 4P	R 736	Aerocool Cylon 4F ARGB CPU Air Cooler - Aluminum - (TDP) up to 145W - LGA 1700/1200/115X AM4/AM5.
DP-MCAL-GA	R 98	Deep Cool gamma Archer 120mm CPU Cooler - Black/Blue, 120mm Fan, 1600 rpm fan Speed, 54.25cfm Maximum Air Flow, Hydro bearing Type, Intel LGA1200/1151/1150/1155/775 CPU Socket support, AMD AM5/AM4 CPU Socket support
DP-MCH2-IEMV2	R 102	Deep Cool ICE Edge Mini FS V2.0 80mm CPU Air Cooler - Blue, 3 pin fan Connector, Hydro bearing Type, 80mm fan, 2200 rpm fan Speed, 25.13 CFM fan Airflow, Intel CPU support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD CPU support AM5 / AM4
FAN044	R 59	Unbranded Premium Fan For P4 Up To 2.8, Retail Box, No warranty
HY510-CN10	R 29	UniQue HY510 Thermal Heatsink Compound Paste - ISOL 6 Injection, Thermal Coupling Of Electrical Devices, Used To Heat Sink Base, Mount Studs Of Transistors, Diodes, And Rectifiers, Environmental Friendly, No Corrosion, No Damage To Unit, Metal-Free And Non-Electrical Conductive, Once Applied Can Last At Least For Years, No Warranty
HY510-TU25B	R 39	UniQue HY510 Thermal Heatsink Compound Paste - 25g, ISOL 6 Syringe, Thermal Coupling Of Electrical Devices, Used To Heat Sink Base, Efficient Cooling, Mount Studs Of Transistors, Diodes, And Rectifiers, Environmental Friendly, No Corrosion, No Damage To Unit, Metal-Free And Non-Electrical Conductive, Once Applied Can Last At Least For Years, No Warranty
JAK801A	R 98	JAK801A Jetart Amd Athlon 64 Aluminum Heat Sink & Fan - For Socket 754 / 939 / 940., Unique X-Shape CNC fin design. Radiative Airflow. Tripple buckle clip design to enhance stability, 1 year wararnty
MAGCOREFROZRAA13	R 384	MSI MAG Corefrozr AA13 120mm CPU Air Cooler - Black, 2070 rpm fan Speed, 62.6 CFM fan Air Flow, Rifle bearing, PWM mode, ARGB Gen1 fan Lighting, 5V ARGB 3 pin Header, CPU direct contact radiator base material, Intel Socket LGA 1700 / 1851, AMD Socket AM5/AM4
MAGCOREFROZRAA13WH	R 381	MSI MAG Corefrozr AA13 120mm CPU Air Cooler - White, 2070 rpm fan Speed, 62.6 CFM fan Air Flow, Rifle bearing, PWM mode, ARGB Gen1 fan Lighting, 5V ARGB 3 pin Header, CPU direct contact radiator base material, Intel Socket LGA 1700 / 1851, AMD Socket AM5/AM4
MAM-T4PN-218PC-R1	R 1,461	Coolermaster MasterAir MA410M RGB CPU Cooler, Compatible with --> AMD AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM2 / FM1 & Intel 2066 / 2011-V3 / 2011 / 1366 / 115x / 775, 4 heat pipes / cdc 2.0 / aluminum fins, 6mm Diameter heat pipes dimensions, 650 - 1800 rpm fan speed, 53.38 CFM fan Air Flow, Hexagon hologram aluminum fin, Thermal Detection Sensor, air-guide Armor, 28 addressable RGB LED
MAP-T4PN-220PC-R1	R 580	Coolermaster Masterair MA410P Tower Based Air Blower CPU Cooler RGB, 120mm Masterfan Air Balance RGB Fan, Includes RGB Controller, Supports Intel LGA 2066 / 2011-v3 / 2011 / 1151 / 1150 / 1155 / 1156 / 1366 socket, Supports AMD AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM2 / FM1 socket
MP7-B	R 808	FSP MP7-B 120mm PWM CPU Air Cooler - Black, Aluminum Alloy Heatsink material, 6x 6mm heat-pipe with Copper base plate, 800 - 1800 rpm fan Speed, FDB bearing Type, 76 CFM fan Air Flow, Intel LGA - 1851 / 1700 / 1200, AMD - AM4 / AM5
MP7-BA	R 849	FSP MP7-BA 120mm PWM ARGB CPU Air Cooler - Black, Aluminum Alloy Heatsink material, 6x 6mm heat-pipe with Copper base plate, 800 - 1800 rpm fan Speed, FDB bearing Type, 76 CFM fan Air Flow, ARGB LED Lighting,

		Intel LGA - 1851 / 1700 / 1200, AMD - AM4 / AM5
MTHP4-95	R 114	Intel LGA 1700 Tower Cooler with single fan
NP5-B	R 424	FSP NP5-B 120mm PWM CPU Air Cooler - Black, Aluminum Alloy Heatsink material, 4x 6mm heat-pipe, 800 - 1600 rpm fan Speed, HDB bearing Type, 62 CFM fan Air Flow, Intel - LGA 1851 / 1700 / 1200, AMD - AM4 / AM5
NP5-BA	R 466	FSP NP5-BA 120mm PWM ARGB CPU Air Cooler - Black, Aluminum Alloy Heatsink material, 4x 6mm heat-pipe, 800 - 1600 rpm fan Speed, HDB bearing Type, 62 CFM fan Air Flow, ARGB LED, Intel - LGA 1851 / 1700 / 1200, AMD - AM4 / AM5
OCCICE120ARBK	R 344	OCPC ICE 120 ARGB CPU Air Cooler, Aluminum & Copper Heatsink material, 6mm x 4 pipes heatpipe, 120mm Fan, 1x Hydro bearing RGB fan PWM, 800-1800rpm fan Speed, 4 pin 3 pin ARGB pin Connect, 74.5 CFM fan Air Volume, Intel - LGA 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM
OCCICE120RBK	R 288	OCPC ICE 120 RGB CPU Air Cooler - Black, 4 x 6mm Copper pipes with direct contact Technology, Aluminum fins & Copper heat pipes, 120mm Fan, 800-1800rpm fan Speed, 74.5 CFM fan Air Volume, 4-pins fan Connector, Hydro bearing RGB fan [PWM], RGB Lighting, Intel - LGA 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM
OCCICE240BL	R 489	OCPC ICE 240 CPU Air Cooler, 2x 120mm Hydro bearing cooling fan, Quad heat pipes Design, AMD and LGA1700
OCTGICETG4G	R 92	OCPC ICE TG-4 Thermal compound, Metal-Free and non-conductive, 13.8 W/m-K Thermal conductivity, 4G Volume
PCB-CA-CYCLONE-1700	R 160	PCBuilder cyclone Intel LGA 1700 Air Cooler, Intel LGA 1700 CPU Socket, Up to 95W TDP, Aluminum Heatsink material, 1800rpm fan Speed, Up to 37cfm Airflow, Hydraulic bearing, 3 pin PWM connector
PCB-CA-TYPHOON-120	R 193	PCBuilder CPU fan Typhoon ICE 120mm ARGB, 1x 120mm Fan, 200W Thermal Design Power (TDP), Hydraulic fan bearing, Up to 98cfm fan Air Flow, ARGB fan Lighting, 9x blades, 4x heat pipes, PWM 4 pin (Fan) connector, 5V 3 pin (ARGB) connector
PCB-CA-TYPHOON-90	R 154	PCBuilder Tyhpoon Cool 90mm Air CPU Cooler - Black, 1x 90mm fan, 140W Thermal Design Power (TDP), Hydraulic fan bearing, Up to 48cfm fan Air Flow, ARGB fan Lighting, 9 blades, 4 heat pipe quantity, PWM 4 pin (Fan) connector, 5V 3 pin (ARGB) connector
PCB-G2G14	R 82	PCBuilder picometre 14.5 W/m.k Thermal Paste - 2 gram
PCB-G2G8	R 41	PCBuilder Micrometre 8.5 W/m.k Thermal Paste - 2 gram
R-AK400G2-BKNNMN-GJD	R 562	Deep Cool AK400 G2 120mm CPU Air Cooler - Black, 4 pin PWM fan Connector, Hydro bearing, 120mm Fan, 63.4 CFM fan Airflow, Intel CPU support LGA1851 / 1700 / 1200 / 115x, AMD CPU support AM5 / AM4
R-AK400G2-WHNNMN-GJD	R 560	Deep Cool AK400 G2 120mm CPU Air Cooler - White, 4 pin PWM fan Connector, Hydro bearing, 120mm Fan, 63.4 CFM fan Airflow, Intel CPU support LGA1851 / 1700 / 1200 / 115x, AMD CPU support AM5 / AM4
R-AK500S-BKADMN-GJD	R 557	DeepCool AK500s Digital 120mm Air CPU Cooler - Black, 120mm Fan, 500-1850 rpm fan Speed, 68.99 CFM fan Airflow, 4 pin PWM fan Connector, Fluid Dynamic bearing, Addressable RGB LED Type, 3 pin (5V-D-G) and 9 pin USB 2.0 LED Connector, CPU compatibility - Intel LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155 / AMD AM5 / AM4
R-AK620G2-BKNNMN-GJD	R 1,043	Deep Cool AK620 G2 120mm CPU Air Cooler - Black, 4 pin PWM fan Connector, Hydro bearing, 57.76 CFM fan Airflow, Intel CPU support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD CPU support AM5 / AM4
R-AK620G2-WHNNMN-GJD	R 1,038	Deep Cool AK620 G2 120mm CPU Air Cooler - White, 4 pin PWM fan Connector, Hydro bearing, 57.76 CFM fan Airflow, Intel CPU support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD CPU support AM5 / AM4
R-ASN4-BKNVNN-GJD	R 1,716	DeepCool Assassin VC Elite CPU Air Cooler - Black, 140mm fan, 4 pin PWM fan Connector, Fluid Dynamic bearing, 6-pole fan motor, CPU compatibility - Intel LGA1851 / 1700 / 1200 / 115x / 20xx / AMD AM5 / AM4
R-ASN4-WHNVNN-GJD	R 1,716	DeepCool Assassin VC Elite CPU Air Cooler - White, 140mm fan, 4 pin PWM fan Connector, Fluid Dynamic bearing, 6-pole fan motor, CPU compatibility - Intel LGA1851 / 1700 / 1200 / 115x / 20xx / AMD AM5 / AM4
Rave 4 ARGB PWM 4P	R 414	Aerocool Rave 4 ARGB CPU Air Cooler - Aluminum - (TDP) up to 130W - LGA 1700/1200/115X AM4/AM5.
RR-212TK-18PA-R1	R 575	CoolerMaster Hyper 212 ARGB Air Tower with 120mm Fan, Upgradable to Dual Fan, 4 Heat Pipes, CPU Socket - LGA2066 / LGA2011-v3 / LGA2011 / LGA1366 / LGA1200 / LGA1156 / LGA1155 / LGA1151 / LGA1150 / LGA775 / AM4 / AM3 / AM3 / AM2 / FM2 / FM2 / FM1
TM-I75HU-CM9	R 23	Intel LGA775 CPU Cooling Fan - Up to Core 2 Extreme 3.20GHz on 1333MHz FSB

UN65WCPUFAN	R 79	UniQue Thermal Cooling Processor Heatsink and Fan - Aluminium Radial Heat Sink With 80mm Fan, 2000 RPM Fan Speed, Hydro Bearings, 3 Pin Connection, Provides Up To 65w Cooling Power, Easy Installation With Push Pins, Designed To Work on LGA1156/ LGA1155/ LGA1151/ LGA1150/ LGA775/ AMD AM2/ AM3/ 754 Processors, Retail Box
Verkho 3 Plus	R 334	Aerocool Verkho 3 Plus CPU Air Cooler - Aluminum - (TDP) up to 125W - LGA 1700/1200/115X AM4/AM5.
WC-ASLCII280	R 2,582	Asus ROG Strix LC II 280 ARGB all-in-one liquid CPU cooler with Aura Sync and dual ROG 140 mm addressable RGB radiator fans
WC-CA8960091	R 76	Corsair CW-8960091 LGA1700 retrofit Kit - to work with existing LGA1200/LGA115x retention brackets
WC-CATR4HP	R 69	Corsair CW-8960054 Hydro Series H100i PRO/H115i PRO/H150i PRO TR4 Mounting Bracket Kit
WC-iA1700	R 64	In Win 2RALXX564800 LGA1700 mounting upgrade kit - to work with existing LGA1200 / LGA115x retention brackets

< Return to the menu

Cooling Fans Heatsinks : Cooling: Hard drive

Product code	Price	Description
HC-V3502	R 49	vantec hcp-3502a - plastic hard drive cooler 3.5" , 2x 3800rpm 60mm fan, 28 cfm - for 3.5" HDD in 3.5" bay; Connector: 4 pin Molex; Voltage: DC 12V; Power consumption: 1.44W x2 W (2.88W total); Fan Speed: 3800rpm x2; Airflow: 28 CFM; Outline Dimension: 140 x 101.6 x 15.7mm; Weight: 80grams; Bay type: 3.5" . Sleeve bearing.
HC-V5252	R 49	vantec hcp-5252a - plastic cooler for 5.25" bay, 2x 3800rpm 60mm fan, 28 cfm - for 3.5" HDD in 5.25" bay
HC-V6015	R 81	vantec Iceberq hdc-6015 HDD Cooler - Black; 60mm blue LED fan, 3200rpm, 11.6 cfm, 26dBA, 20 dba, for 3.5" HDD in 3.5" bay. material : aluminum, LCD : N, temp sensor : N, Fan - mm : 1x60, RPM : 3200, airflow - CFM : 11.6, noise - dBa : 20
HC-V701K	R 49	vantec iceberg HDC-701A-bK hdd cooler - black; 2800rpm 70mm fan, 22.3 cfm, 26dBA, 26 dbafor 3.5" HDD in 3.5" bay
HC-VV	R 53	Vizo Voyager HCL-201 - 2 fan hdd cooler , silver , 2 x 4000rpm 50mm fan , 9.21cfm , 23.19dBAfor 3.5" HDD in 3.5" bay
HC-VV2	R 43	Vizo Voyager 2 HCL-102 - 1 fan hdd cooler silver, 2900rpm 50mm fan, 13.1cfm, 22.5dBA - for 3.5" HDD in 3.25" bay
HC-ZHC	R 227	zalman ZM-2HC2, HDD cooler; fanless HDD cooler ; aluminum copper, with rubber dampeners - for 5.25" bay or in the case
HCA05	R 79	Jetart Hard Disk Drive Cooling - Aluminium Base, Dual Ultra Silent Fan ' s, Aluminium Base, Dual Ultra Silent Fan ' s
HCP3502	R 53	Jetart Hard Disk Drive Cooling - Aluminum Base, Twin Fan, High Airflow, High Performance Aluminum Base, Twin Fan, High Airflow, High Performance
HCP5252	R 53	Jetart HCP5252 Dimensions-146.0 X 140.0 X 30.0 Mm, Fan Dimensions - 60.0 X 60.0 X 10.0 Mm X 2 Pcs Reted Voltage - 12V, Rated Current - 0.12A, Power Consumption - 1.44W, Fan Speed - 3800 R.P.M, Airflow - 14.5 Cfm, Bearing Type - Sleeve Bearing, Weight - 143 Gm
NVCOOL	R 229	Microworld NVCOOL NVMe Cooler, Aluminum Alloy material, 2280 size
SF2300	R 138	Jetart System Ventilator 3 Direction Adjustable Sleeve Fan, Blue Led Fan, Metal Fan Guard, Only One Pci Slot Needed.
VANTEC HS-NVME150-BK	R 207	Vantec HS-NVME150 M.2 2280 SSD Heat Sink - Black

< Return to the menu

Cooling Fans Heatsinks : Cooling: Memory / VGA

Product code	Price	Description
872767004467	R 319	Arctic Accelero L2 PLUS VGA Cooler for NVIDIA and AMD Radeon
872767004825	R 949	Arctic Accelero Twin Turbo 6990 VGA Cooling Unit for AMD Radeon HD 6990
872767006096	R 1,049	Arctic Accelero Twin Turbo 690 VGA Cooling Unit for NVIDIA GeForce GTX 690

872767006959	R 529	Arctic Accelero S3 Passive Graphics Card Cooler for arctic Silence, Retail Box
CH-ZAVPM1	R 269	Zalman ZM-VPM1 Vga Power consumption Meter module for ZM-PCM1 , blk - aluminum , real-time measurement display of CPU voltage, current and power consumption , wide view angle FND (Flexible Numeric Display) , built-in color LEDs ; support 6 or 8pin pci-express power connector
CK5000	R 44	Jetart Universal Ram Chip Heatsink, Ck5000 Is A Universal Ram Chip Heatsink Which Is Made Of High Conductive Aluminum Alloy., The Unique Radial Shape Design Tremendously Enhances Heat Dissipation Ability. Applying With Enclosed Thermal Tape, It Helps To Take Hot Air Away From Ram Chips Very Efficiently. Unique Radial Shape Design, Universal Compatibility, Thermal Tape Included, Dimensions - 22 X 22 X 10 Mm, Material - Aluminum Alloy, Weight - 6.5 G X 8 Pcs, Accessories - Thermal Tape - 3M9448
FAN-3	R 35	Microworld 5V DC fan 30mm x 30m x 7mm, 2 pin connector, Sleeve bearing Type, 6mm wire length, 10000rpm
GFXFAN-G	R 29	Microworld GPU fan 3.5cm, 11cm 2 pin power cable length, PWM speed control, 4800 RPM, 3.5 x 3.5 x 3.5cm hole distance
JACSB1	R 44	Jetart Chipset Cooling, All-In-One Vga Cooling Kit
JACSD1	R 108	Jetart Chipset Cooling, All-In-One VGA Cooling Kit, Twin Colour Super Bright Led Fan, Push-Pin Design, Full Copper Heat Sink, Ultra Silent Ball Bearing Fan
ME-CADPLB	R 355	Corsair CMDLBUK02B - Dominator Platinum Light Bar upgrade kit (for 2 x memory - blue white)
ME-CARPLEx2W	R 706	Corsair CMWLEKIT2W Vengeance RGB Pro Light Enhancement x2 kit White heatsink, dynamic multi-zone RGB with 10 LEDs per module
VC-TVRMG1	R 242	Thermalright VRM-G1 VGA memory cooler, air flow through rear chassis fan - copper base aluminium fin, 2x6mm heat pipes; fan-less design; support optional 80mm fan, 140g, support Nvidia GTX285; compatible with T-Rad2 GTX/HR-03 GTX/Spitfire
VC-TVRMG2	R 153	Thermalright VRM-G2 VGA memory cooler, air flow through rear chassis fan - copper base aluminium fin, 2x6mm heat pipes; fan-less design; support optional 80mm fan, 140g, support Nvidia GTX480; compatible with Spitfire
VC-TVRMR1	R 263	Thermalright VRM-R1 VGA Cooler, air flow through side panel chassis fan - copper base aluminum fin with 2 heatpipes; fanless design; support optional 80mm fan, 160g, support upto ATi HD4870/4890; compatiable with HR-03 Rev.A/ HR-03 GT/ V2/ T-Rad2/ T-Rad2 GTX
VC-TVRMR2	R 263	Thermalright VRM-R2 VGA Cooler, air flow through rear chassis fan - copper base aluminum fin with 2 heatpipes; fanless design; support optional 80mm fan, 160g, support up to ATi HD4870/4890; compatible with HR-03 Rev.A/ HR-03 GT/ V2/ T-Rad2/ T-Rad2 GTX
VC-TVRMR3	R 253	Thermalright VRM-R3 VGA Memory Cooler, air flow through side panel chassis fan - copper base aluminum fin, 2x6mm copper heatpipes ; fanless design ; support optional 80mm fan, 140g, support up to ATi HD5850/5870 ; compatible with HR-03 Rev.A / HR-03 GT / V2 / T-Rad2 / T-Rad2 GTX
VC-TVRMR4	R 242	Thermalright VRM-R4 VGA Memory Cooler, air flow through rear chassis fan - copper base aluminum fin, 2x6mm heatpipes; fanless design; support optional 80mm fan, 140g, support up to ATi HD5850/5870; compatible with HR-03 Rev.A/ HR-03 GT/ V2/ T-Rad2/ T-Rad2 GTX
VC-VVP6	R 106	Vantec iceberq6 CCB-A6C, vga cooler, full copper heatsink, 2700rpm 45x45x15mm fan
VC-ZRHS50	R 45	zalman ZM-RHS50 - FET (Field Effect Transistor) VGA heat sink for ati 3850/4850 series
VC-ZRHS70	R 45	zalman ZM-RHS70 - FET (Field Effect Transistor) VGA heat sink for ati 4870 series
VC2000	R 146	Jetart Vga Cooling, Compatible With Nvidia & ATI VGA Cards, Aluminium Core, Silent Ball Bearing Fan With Blue Led, Additional 8 Pcs Memory Heat Sink
VC2600	R 232	Jetart VGA Cooling, Compatible With Nvidia & ATI VGA Cards, Full Copper Welding, Silent Ball Bearing Fan With Blue Led, Additional 8 Pcs Memory Heat Sink
WC-CAG9200	R 449	Coolermaster RL-VNA-FNU2-GP Glacier 9200 VGA water block, aluminium - for nVidia Geforce 8800GT / 8800GTS, 197x125x13.8mm

< Return to the menu

Cooling Fans Heatsinks : Cooling: Motherboard

Product code	Price	Description
oC-THR09S	R 56	Thermalright HR-09S Type1 Slant MoSFET heatsink - copper base aluminum fin ; 84x32x48mm ; weight 90g -

		pls check website for compatibility mb list
oC-THR09ST2	R 56	Thermalright HR-09S Type2 , Slant MoSFET heatsink - copper base aluminum fin; 84x32.3x48mm; weight 90g - pls check website for compatibility mb list
oC-THR09T4	R 56	Thermalright HR-09U Type4 , Upright MoSFET heatsink , IFX designed fins with 6mm heatpipe , copper base aluminum fin ; 61x12x44.25mm ; weight 45g - pls check website for compatibility mb list

< Return to the menu

Cooling Fans Heatsinks : Cooling: PC Case fans

Product code	Price	Description
12CMFAN	R 58	Unbranded Chassis Fan 120mm Black
14CMFAN	R 81	Microworld 140mm chassis fan Black
4044951021307	R 209	Sharkoon Pacelight RGB F1 1400 rpm Fluid Dynamic Bearing Internal Fan, Retail Box
710-49612061R6	R 101	HuntKey GS120 120mm Case fan - Fantasy White, 120x120x25mm size, 800-1800 rpm fan Speed, Hydro bearing, 5V ARGB 3 pin Connector, 2510 4 pin Connector, 9pcs fan Leaf, 44.2cfm Max Airflow
710-49612064R6	R 101	HuntKey GS120 120mm Case fan - Fantasy Black, 120x120x25mm size, 800-1800 rpm fan Speed, Hydro bearing, 5V ARGB 3 pin Connector, 2510 4 pin Connector, 9pcs fan Leaf, 44.2cfm Max Airflow
8CMFAN	R 35	Unbranded Chassis Fan 80mm Black
ACE101-A	R 39	Unbranded 80mm Fan Air Duct For Case, Retail Box, No Warranty
ARGBKIT5000BLK	R 390	Armaggeddon ARGB kit 5000 cooling 12cm fan - Black - 4 pack, Alloy hydraulic bearing, 9 blades, Large 4 pin connector Type, 33.84cfm Airflow, ARGB RGB Lighting
ARGBKIT5000WHT	R 413	Armaggeddon ARGB kit 5000 cooling 12cm fan - White - 4 pack, Alloy hydraulic bearing, 9 blades, Large 4 pin connector Type, 33.84cfm Airflow, ARGB RGB Lighting
ARGBKIT6000PROBLK	R 436	Armaggeddon ARGB Kit 6000 Pro Black Cooling 12cm Fan Kit
ARGBKIT6000PROWHT	R 459	Armaggeddon ARGB Kit 6000 Pro White Cooling 12cm Fan Kit
ARGBS1BLK	R 160	Armaggeddon ARGB S1 Black Slave Fan for ARGBKIT5000. This is a slave fan for ARGBKIT5000, this is not a standalone fan with full control - this " Slave fan" depends on a master controller hub.
AS-12-ARGB	R 121	Aerocool Astro 12 ARGB fan - Black, 120 x 120 x 25mm fan dimensions, 6 pin connector Type fan, 42.1 CFM Air Flow, Hydraulic bearing
AS-12-PRO	R 286	Aerocool Astro 12 Pro - Black - 3x 12cm ARGB fans & 1x H66F Hub & Remote control, Addressable RGB compatible, 6 pin connector Type, 42.1 CFM Air Flow, Hydraulic bearing, 6x Port for fan, 2 Port for 5V ARGB connector
AZHUR2	R 236	Azza Huricane II ARGB Fan Single Pack - 12cm
AZUREDUALSABER	R 201	Armaggeddon Azure Dual Saber Blue 120mm LED fan (note: Blades are transparent and not blue)
BLU FAN	R 46	Unbranded 80 x 80 x 25mm Blue Fan with 4 Pin Molex Connector
C120 ARGB 3PK BK	R 322	Antec Connect 120 ARGB PWM fan 3 Pack - Black, ARGB 4 pin PWM fan, Hydraulic bearing, 33.7 - 65.08 CFM Airflow, Enlarged vibration-absorbing & anti-noise pads, Dynamic ARGB Lighting effect
C120 ARGB 3PK WH	R 347	Antec Connect 120 ARGB PWM fan 3 Pack - White, ARGB 4 pin PWM fan, Hydraulic bearing, 33.7 - 65.08 CFM Airflow, Enlarged vibration-absorbing & anti-noise pads, Dynamic ARGB Lighting effect
C120R ARGB 3PK BK	R 322	Antec Connect 120 Reverse ARGB PWM fan 3 Pack - Black, Reverse fan Blade Design, Enlarged vibration-absorbing & anti-noise pads, Dynamic ARGB Lighting effect, ARGB PWM fan fan Type, Hydraulic bearing, 43.2 CFM Airflow
C120R ARGB 3PK WH	R 347	Antec Connect 120 Reverse ARGB PWM fan - 3 Pack - White, Hydraulic bearing, 43.2 CFM Airflow, 4 pin PWM connector, 3 pin LED connector, 12 x 12 x 2.5 cm size, Dynamic ARGB Lighting effect
CF5000-UGB	R 147	Jetart Ccfl Case Fan 80.0 X 80.0 X 25.0 Mm, Inverter Included, 2 Removable Unique Fan Grills Included, Colourful Uv Ball Bearing Fan
CF5000-URB	R 147	Jetart Ccfl Case Fan 80.0 X 80.0 X 25.0 Mm., Inverter Included, 2 Removable Unique Fan Grills Included, Colourful Uv Ball Bearing Fan
CH-LABS02	R 133	Lian-li BS-02 internal pci cooler- positioned on top of 7 pci slot , 1x 120mm position adjustable fan , 1500rpm , 53CFM , 25.6dBA , 1.51mm-H2O - for selected chassis only

CHROMAKIT3000BLK	R 344	Armaggeddon Chroma Kit 3000 Black Cooling 12cm Fan Kit
CHROMAKIT3000WHT	R 378	Armaggeddon Chroma Kit 3000 White Cooling 12cm Fan Kit
CL-9011112-WW	R 1,058	Corsair iCUE Commander Core XT - Digital fan speed and RGB Lighting controller
CL-F005-PL12BL-A	R 90	Thermaltake Pure 12 DC Fan - 120 x 120 x 25 mm
CL-F028-PL14WT-A	R 90	Thermaltake Pure 14 LED White Fan
CL-F038-PL12GR-A	R 124	Thermaltake Riing 12 High Static Pressure LED Radiator Fan - Green
CL-F038-PL12OR-A	R 124	Thermaltake Riing 12 High Static Pressure LED Radiator Fan - Orange
CL-F038-PL12RE-A	R 136	Thermaltake Riing 12 High Static Pressure LED Radiator Fan - Red
CL-F038-PL12YL-A	R 124	Thermaltake Riing 12 High Static Pressure LED Radiator Fan - Yellow
CL-F039-PL14BU-A	R 136	Thermaltake Riing 14 Blue High Static Pressure LED Radiator Fan
CL-F039-PL14GR-A	R 136	Thermaltake Riing 14 Green High Static Pressure LED Radiator Fan
CL-F039-PL14OR-A	R 136	Thermaltake Riing 14 Orange High Static Pressure LED Radiator Fan
CL-F039-PL14RED-A	R 136	Thermaltake Riing 14 Red High Static Pressure LED Radiator Fan
CL-F039-PL14WT-A	R 136	Thermaltake Riing 14 White High Static Pressure LED Radiator Fan
CL-F039-PL14YL-A	R 147	Thermaltake Riing 14 Yellow High Static Pressure LED Radiator Fan
CL-F042-PL12SW-A	R 239	Thermaltake Riing 12 LED RGB 256 Colors High Static Pressure Radiator Fan
CL-F049-PL12SW-A	R 826	Thermaltake Riing 12 RGB Premium Edition Fan
CL-F053-PL12SW-A	R 1,309	Thermaltake Ring Plus 12 Rgb Radiator 3 Pack
CL-F055-PL12BU-A	R 331	Thermaltake Ring 12 Blue Led Radiator Fan 3 Pack
CL-F063-PL12SW-A	R 918	Thermaltake Pure Plus 12 LED RGB Radiator Fan TT Premium Edition (3-Fan Pack), 120 x 120 x 25 mm, Interface USB 2.0 connectors (9 Pin), System compatibility Windows 7 / 8 / 8.1 / 10, 56.45 CFM
CL-F064-PL14SW-A	R 826	Thermaltake Pure Plus 14 LED RGB Radiator Fan TT Premium Edition (3-Fan Pack), 140 x 140 x 25 mm, Interface USB 2.0 connectors (9 Pin), System compatibility Windows 7 / 8 / 8.1 / 10, 60.68 CFM
CL-F071-PL12SW-A	R 665	Thermaltake Riing 12 LED RGB Radiator Fan Sync Edition (3-Fan Pack), 120 x 120 x 25 mm, Connector 12 V RGB header â€“ 4Pin 2510 - 4Pin, 70.32 CFM
CL-F072-PL12SW-A	R 1,838	Thermaltake Riing Trio 12 LED RGB Radiator Fan TT Premium Edition (3-Fan Pack), 120 x 120 x 25 mm, Interface USB 2.0 connectors (9 Pin), System compatibility Windows 7/ 8/ 8.1/ 10, 41.13 CFM
CL-F073-PL12SW-A	R 1,447	Thermaltake Riing Duo 12 RGB Radiator Fan TT Premium Edition (3-Fan Pack), 120 x 120 x 25 mm, Interface USB 2.0 connectors (9 Pin), System compatibility Windows 7 / 8 / 8.1 / 10, 42.45 CFM
CL-F077-PL14SW-A	R 1,723	Thermaltake Riing Trio 14 LED RGB Radiator Fan TT Premium Edition (3-Fan Pack), 140 x 140 x 25 mm, Interface USB 2.0 connectors (9 Pin), System compatibility Windows 7 / 8 / 8.1 / 10, 60.68 CFM
CL-F078-PL14SW-A	R 1,504	Thermaltake Riing Duo 14 LED RGB Radiator Fan TT Premium Edition (3-Fan Pack), 140 x 140 x 25 mm, Interface USB 2.0 connectors (9 Pin), System compatibility Windows 7 / 8 / 8.1 / 10, 60.87 CFM
CL-F079-PL12SW-A	R 734	Thermaltake Pure 12 ARGB Sync Radiator Fan TT Premium Edition (3-Fan Pack), 120mm PWM controlled fan with a 16.8 million colors addressable LED ring that supports 5V RGB capable motherboards.
CL-F080-PL14SW-A	R 780	Thermaltake Pure 14 ARGB Sync Radiator Fan TT Premium Edition (3-Fan Pack)
CL-F081-PL20SW-A	R 607	Thermaltake Pure 20 ARGB Sync Case Fan - Premium Edition (1-Fan Pack)
CL-F088-PL12SW-A	R 2,125	Thermaltake Riing quad 12 RGB radiator fan TT Premium Edition 3 Pack, 120x120 x 25 mm fan dimension, USB 2.0 connectors (9 pin) Interface, Hydraulic bearing
CL-F089-PL14SW-A	R 1,953	Thermaltake Riing Quad 14 RGB Radiator Fan TT Premium Edition - 3 Fan Pack (Controller included)
CL-F097-PL12SW-A	R 596	Thermaltake Pure Duo 12 ARGB Sync Radiator Fan (2-Fan Pack) - White
CL-F098-PL14SW-A	R 619	Thermaltake Pure Duo 14 ARGB Sync Radiator Fan (2-Fan Pack) - White
CL-F100-PL12SW-A	R 2,125	Thermaltake Riing quad 12 RGB radiator fan TT Premium Edition 3 Pack White, 120x120 x 25 mm fan dimension, USB 2.0 connectors (9 pin) Interface, Hydraulic bearing
CL-F101-PL14SW-A	R 1,918	Thermaltake Riing Quad 14 RGB Radiator Fan TT Premium Edition 3 Pack â€“ White
CL-F116-PL14SW-A	R 688	Thermaltake Pure Duo 14 ARGB Sync Radiator Fan (2-Fan Pack) - Black
CL-F118-PL14BL-A	R 400	Thermaltake Toughfan 14 High Static Pressure Fan - 140 x 140 x 25 mm
CL-F121-PL12GM-A	R 458	Thermaltake TOUGHFAN 12 Turbo Radiator Fan - 120 x 120 x 25 mm
CL-F127-PL12SW-A	R 768	Thermaltake Pure 12 ARGB radiator fan - 3 Pack, 120x120x25 mm fan dimension, 500 - 1500 rpm fan speed,

		56.45 CFM Maximum Air Flow, Hydraulic bearing
CL-F149-PL12SW-A	R 587	Thermaltake CT120 ARGB Sync PC cooling fan - 2 fan pack, 120 x 120 x 25 mm fan dimension, 57.05 CFM Max Air Flow, Hydraulic bearing, 4 pin PWM connector, 3 pin-argb connector
CL-F150-PL14SW-A	R 642	Thermaltake CT140 ARGB Sync PC cooling fan - 2 fan pack, 140 x 140 x 25 mm fan dimension, 77.37 CFM Max Air Flow, Hydraulic bearing, 4 pin PWM connector, 3 pin-argb connector
CL-F155-PL12BL-A	R 598	Thermaltake Swafan GT12 PC cooling fan TT Premium Edition - single fan pack, 120x120 x 25 mm fan dimension, Hydraulic bearing, 1x High Air Pressure fan Blade, 1x High Air Flow fan Blade, 1x Reverse fan Blade, 1x Fan frames
CL-F157-PL14BL-A	R 803	Thermaltake Swafan GT14 PC cooling fan TT Premium Edition - single fan pack, 3 types of detachable fan blades for you to swap, 140 x 140 x 25 mm fan dimension, Hydraulic bearing, 2510-4pin connector
CL-F159-PL12BL-A	R 860	Thermaltake Toughfan 12 Pro high static Pressure PC cooling fan - 2 fan pack, 120x120 x 25 mm fan dimension, 70.8 CFM Air Flow, Hydraulic bearing GEN.2, 4 pin PWM connector
CL-F167-PL12SW-A	R 1,574	Thermaltake Swafan EX12 ARGB Sync PC cooling fan Black TT Premium Edition - 3 fan pack, 120 x 120 x 25 mm fan dimension, Hydraulic bearing, 3x fan frames, 3x standard fan Blade, 3x Reverse fan Blade
CL-F168-PL14SW-A	R 1,710	Thermaltake Swafan EX14 ARGB Sync PC cooling fan TT Premium Edition - 3 fan pack - Black, 140 x 140 x 25 mm fan dimension, Hydraulic bearing, 3x Fan frames, 3x Standard fan Blade, 3x Reverse fan Blade
CL-F169-PL12SW-A	R 1,642	Thermaltake Swafan EX12 ARGB Sync PC cooling fan White TT Premium Edition - 3 fan pack, 120 x 120 x 25 mm fan dimension, Hydraulic bearing, 3x fan frames, 3x standard fan Blade, 3x Reverse fan Blade
CL-F170-PL14SW-A	R 1,827	Thermaltake Swafan EX14 ARGB Sync PC cooling fan TT Premium Edition - 3 fan pack - White, 140x140 x 25 mm fan dimension, Hydraulic bearing, 3x fan frames, 3x standard fan Blade, 3x Reverse fan Blade
CL-F171-PL12BL-A	R 1,608	Thermaltake Toughfan EX12 Pro High Static Pressure PC cooling fan - swappable Edition (3-fan pack), 2510-4P Interface, PWM 500-2000 rpm fan Speed, 120 x 120 x 25 mm fan dimension, Hydraulic bearing, 3x fan frames, 3x standard fan Blade, 3x Reverse fan Blade
CL-F181-PL12SW-A	R 1,148	Thermaltake CT120 EX ARGB Sync PC cooling fan - 3-fan pack, 120 x 120 x 25 mm dimension, PWM 500-1800 rpm fan Speed, 68 CFM Max Air Flow, Hydraulic bearing, 2510 - 4 pin PWM connector, 5V ARGB Header - 3 pin
CO-9050119-WW	R 1,024	Corsair ML140 140mm PWM 400-2000 rpm Premium magnetic levitation fan - Dual pack with Lighting Node Core - White, Magnetic levitation bearing Type, Static pressure Flow Type, RGB LED Colour, PWM control, Corsair iCUE compatibility, 400 - 1600 rpm speed, 15 - 82.9 CFM fan Airflow
CO-9050143-WW	R 334	Corsair AF140 Elite High-Performance 140mm PWM fluid Dynamic bearing fan - White, 140mm x 25mm fan size, PWM control, 15.3 - 84.5 CFM fan Airflow
CO-9050159-WW	R 483	Corsair AF140 RGB Elite 140mm fluid Dynamic RGB fan with AirGuide - White, 140mm x 25mm fan size, Fluid Dynamic bearing, Fluid Dynamic bearing, RGB LED Colour, PWM control, 19.5 - 89.0 CFM fan Airflow
CO-9050160-WW	R 1,139	Corsair AF140 RGB Elite 140mm fluid Dynamic RGB fan with AirGuide - Dual pack with Lighting Node Core - White, 140mm x 25mm fan size, Fluid Dynamic bearing, RGB LED Colour, PWM control, 19.5 - 89.0 CFM fan Airflow
CO-9050169-WW	R 746	Corsair iCUE AR120 Digital RGB 120mm PWM fan - White - 3 pack, 8x RGB LEDs, 4x Lighting effects, 120x120x25mm, Advanced hydraulic bearing, 7 blades, Rubber corners for Noise Reduction, 400-1850rpm, 3 pin ARGB Adapter included, Co-9050169-WW
CO-9050180-WW	R 171	Corsair RS120 ARGB 120mm PWM fans Single pack - Black, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed, PWM control
CO-9050180-WW	R 219	Corsair RS120 ARGB 120mm PWM fans single pack - Black, AirGuide Technology for focused Airflow efficiency, Magnetic Dome bearing minimizes friction and noise, PWM Control enables precise Speed adjustment, Zero rpm mode stops fans completely at low loads, Fan size is 120mm x 25mm, Speed range of 420 - 2100 rpm, Airflow capability from 13.3 to 72.8 CFM, RGB LED Lighting with customizable colours, Direct-to-motherboard connection via one PWM and one 5V ARGB Connector
CO-9050181-WW	R 564	Corsair RS120 ARGB 120mm PWM fans Triple pack - Black, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed, PWM control
CO-9050181-WW	R 657	Corsair RS120 ARGB 120mm PWM fans Triple pack - Black, Fan size is 120mm x 25mm, RGB LED Colour Lighting included, Package quantity contains 3 fans, PWM Control functionality supported, Fan Airflow spans

		between 13.3 and 72.8 CFM, Speed varies from 420 to 2100 rpm, AirGuide Technology focuses exhaust Airflow, Magnetic Dome bearing minimizes friction, Zero rpm mode stops fans at low loads, Direct-to-motherboard daisy-chain connection
CO-9050182-WW	R 252	Corsair RS140 ARGB 140mm PWM fans Single pack - Black, 140mm x 25mm fan size, RGB LED Colour, 14.6 - 95.5 CFM fan Airflow, 330 - 1700 rpm Speed
CO-9050184-WW	R 178	Corsair RS120 ARGB 120mm PWM fans Single pack - White, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed, PWM control
CO-9050184-WW	R 219	Corsair RS120 ARGB 120mm PWM fans single pack - White, 120mm x 25mm fan size with RGB LED Lighting, Airflow range of 13.3 - 72.8 CFM, Speed adjustable from 420 to 2100 rpm, PWM Control supports Zero rpm mode, Daisy-chain capability for single Connector Control, AirGuide Technology focuses Airflow on radiator fins, Magnetic Dome bearing minimizes friction and noise
CO-9050185-WW	R 551	Corsair RS120 ARGB 120mm PWM fans Triple pack - White, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed, PWM control
CO-9050185-WW	R 657	Corsair RS120 ARGB 120mm PWM fans Triple pack - White, 120mm x 25mm fan size for Case or radiator cooling applications, PWM Control with direct-to-motherboard connection using one Connector per chain, Airflow range from 13.3 to 72.8 CFM at speeds between 420 and 2100 rpm, RGB LED Lighting, AirGuide Technology stator vanes Focus exhaust Airflow for improved heat dissipation, Magnetic Dome bearing Design minimizes friction and Mechanical noise, Zero rpm mode allows fans to Stop spinning completely at low loads.
CO-9050186-WW	R 286	Corsair RS140 ARGB 140mm PWM fans Single pack - White, 140mm x 25mm fan size, RGB LED Colour, 14.6 - 95.5 CFM fan Airflow, 330 - 1700 rpm Speed
CO-9050187-WW	R 505	Corsair RS140 ARGB 140mm PWM fans Dual pack - White, 140mm x 25mm fan size, RGB LED Colour, 14.6 - 95.5 CFM fan Airflow, 330 - 1700 rpm Speed
CO-9050188-WW	R 171	Corsair RS120 120mm PWM fans Single pack - Black, 120mm x 25mm fan size, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed
CO-9050188-WW	R 194	Corsair RS120 120mm PWM fans single pack - Black, Fan size is 120mm x 25mm, Speed ranges from 420 to 2100 rpm, Airflow is between 13.3 and 72.8 CFM, Features PWM Control capability, Supports Zero rpm mode for Silent Operation at low loads, Includes AirGuide Technology with stator vanes to Focus Airflow, Uses Magnetic Dome bearings to Minimize friction and noise, Allows direct-to-motherboard connection via single 4 pin PWM Connector, Enables daisy-chain connections between fans in sequence.
CO-9050189-WW	R 598	Corsair RS120 120mm PWM fans Triple pack - Black, 120mm x 25mm fan size, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed
CO-9050190-WW	R 270	Corsair RS140 140mm PWM fans Single pack - Black, 14.6 - 95.5 CFM fan Airflow, 140mm x 25mm fan size, 330 - 1700 rpm Speed
CO-9050191-WW	R 489	Corsair RS140 140mm PWM fans Dual pack - Black, 14.6 - 95.5 CFM fan Airflow, 140mm x 25mm fan size, 330 - 1700 rpm Speed
CO-9050192-WW	R 219	Corsair RS120 120mm PWM fans Single pack - White, 120mm x 25mm fan size, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed
CO-9050193-WW	R 564	Corsair RS120 120mm PWM fans Triple pack - White, 120mm x 25mm fan size, 13.3 - 72.8 CFM fan Airflow, 420 - 2100 rpm Speed
CO-9050194-WW	R 282	Corsair RS140 140mm PWM fans Single pack - White, 14.6 - 95.5 CFM fan Airflow, 140mm x 25mm fan size, 330 - 1700 rpm Speed
CO-9050196-WW	R 511	Corsair RS120-R ARGB 120mm PWM Reverse fans Triple pack - Black, Airflow reaches 65.82 CFM for strong Case cooling, Maximum fan Speed is 2100 rpm with 4 pin PWM Control, Maximum noise Level is rated at 34.6 dB, ARGB Lighting adds Colour to the build, Connector Type is 4 pin PWM for adjustable Speed, 120 mm fan size
CO-9051001-WW	R 620	Corsair iCUE Link QX120 RGB 120mm PWM fan Expansion kit - Black, 120mm x 25mm fan size, RGB LED Colour, PWM control, RGB Link compatibility, 16.44 - 63.1 CFM fan Airflow, 400 - 2400 rpm speed
CO-9051002-WW	R 2,264	Corsair iCUE Link QX120 RGB 120mm PWM fans starter kit - Black, 120mm x 25mm fans x3, RGB LED Colour, PWM control, RGB Link compatibility, 16.44 - 63.1 CFM fan Airflow, 400 - 2400 rpm speed, 3x Corsair QX120 RGB fans, 1x iCUE Link system Hub, 1x iCUE Link cable 600mm

CO-9051002-WW	R 2,466	Corsair iCUE Link QX120 RGB 120mm PWM fans starter kit - Black, 120mm x 25mm fans x3, RGB LED Colour, PWM Control, RGB Link compatibility, 16.44 - 63.1 CFM fan Airflow, 400 - 2400 rpm Speed, 3x Corsair QX120 RGB fans, 1x iCUE Link system Hub, 1x iCUE Link cable 600mm
CO-9051004-WW	R 1,691	Corsair iCUE Link QX140 RGB 140mm PWM fans starter kit - Black, 140mm x 25mm fans x2, PWM control, RGB Link compatibility, 12.1 - 82.5 CFM fan Airflow, 400 - 2000 rpm speed, RGB LED Colour, iCUE Link system Hub, 1x iCUE Link cable 600mm
CO-9051005-WW	R 654	Corsair iCUE Link QX120 RGB 120mm PWM fan Expansion kit - White, 120mm x 25mm fan size, RGB LED Colour, PWM control, RGB Link compatibility, 16.44 - 63.1 CFM fan Airflow, 400 - 2400 rpm speed
CO-9051005-WW	R 745	Corsair iCUE Link QX120 RGB 120mm PWM fan Expansion kit - White, 120mm x 25mm fan size, RGB LED Colour, PWM Control, RGB Link compatibility, 16.44 - 63.1 CFM fan Airflow, 400 - 2400 rpm Speed, RGB LED Lighting with two Distinct Light zones per side, Features Magnetic Dome bearing Technology for low noise Operation
CO-9051006-WW	R 2,023	Corsair iCUE Link QX120 RGB 120mm PWM fans starter kit - White, 120mm x 25mm fans x3, RGB LED Colour, PWM control, RGB Link compatibility, 16.44 - 63.1 CFM fan Airflow, 400 - 2400 rpm speed, 3x Corsair QX120 RGB fans, 1x iCUE Link system Hub, 1x iCUE Link cable 600mm
CO-9051007-WW	R 677	Corsair iCUE Link QX140 RGB 140mm PWM fan Expansion kit - White, 140mm x 25mm fan size, RGB LED Colour, PWM control, RGB Link compatibility, 12.1 - 82.5 CFM fan Airflow, 400 - 2000 rpm speed
CO-9051017-WW	R 518	Corsair iCUE Link RX120 RGB 120mm PWM single fan Expansion, 120mm x 25mm fan size, PWM control, RGB Link compatibility, 10.4 - 73.5 CFM fan Airflow, Static Pressure Flow Type, 2100 rpm speed
CO-9051018-WW	R 1,484	Corsair iCUE Link RX120 RGB 120mm PWM fan Triple starter kit, 120mm x 25mm fan size, PWM control, RGB Link compatibility, 10.4 - 73.5 CFM fan Airflow, Static Pressure Flow Type, 2100 rpm speed
CO-9051019-WW	R 564	Corsair RX Series iCUE Link RX140 140mm fan - single pack, 140mm x 25mm fan size, PWM control, RGB Link compatibility, 17.9 - 94.7 CFM fan Airflow, 1700 rpm Speed
CO-9051021-WW	R 449	Corsair iCUE Link RX120 RGB 120mm PWM single fan Expansion - White, 120mm x 25mm fan size, PWM control, RGB Link compatibility, 10.4 - 73.5 CFM fan Airflow, Static Pressure Flow Type, 2100 rpm speed
CO-9051022-WW	R 1,484	Corsair iCUE Link RX120 RGB 120mm PWM fan Triple starter kit - White, 120mm x 25mm fan size, PWM control, RGB Link compatibility, 10.4 - 73.5 CFM fan Airflow, Static Pressure Flow Type, 2100 rpm speed
CO-9051023-WW	R 489	Corsair RX Series iCUE Link RX140 140mm fan - single pack - White, 140mm x 25mm fan size, PWM control, RGB Link compatibility, 17.9 - 94.7 CFM fan Airflow, 1700 rpm Speed
CO-9051024-WW	R 1,103	Corsair RX Series iCUE Link RX140 140mm fan - Dual pack - White, 140mm x 25mm fan size, PWM control, RGB Link compatibility, 17.9 - 94.7 CFM fan Airflow, 1700 rpm Speed
CO-9051025-WW	R 449	Corsair iCUE Link LX120 RGB 120mm PWM fan - Dual Light loops - Black, Requires iCUE Link system Hub, 120mm x 25mm fan size, RGB LED Colour, PWM control, RGB Link compatibility, 9.75 - 69.9 CFM fan Airflow, 400 - 2400 rpm Speed
CO-9051026-WW	R 1,668	Corsair LX RGB Series iCUE Link LX120 RGB 120mm Fan - Triple pack - Black, 120mm x 25mm fan size, RGB Link compatibility, 9.75 - 69.9 CFM fan Airflow, 400 - 2400 rpm Speed
CO-9051027-WW	R 529	Corsair LX RGB Series iCUE Link LX140 RGB 140mm fan - single pack - Black, Requires iCUE Link system Hub, 140mm x 25mm fan size, 10.74 - 84.7 CFM fan Airflow, 350 - 2000 rpm Speed
CO-9051029-WW	R 489	Corsair iCUE Link LX120 RGB 120mm PWM fan - Dual Light loops - White, Requires iCUE Link system Hub, 120mm x 25mm fan size, RGB LED Colour, PWM control, RGB Link compatibility, 9.75 - 69.9 CFM fan Airflow, 400 - 2400 rpm Speed
CO-9051030-WW	R 1,484	Corsair LX RGB Series iCUE Link LX120 RGB 120mm Fan - Triple pack - White, 120mm x 25mm fan size, RGB Link compatibility, 9.75 - 69.9 CFM fan Airflow, 400 - 2400 rpm Speed
CO-9051031-WW	R 569	Corsair iCUE Link LX140 RGB 120mm PWM fan - Dual Light loops - White, Requires iCUE Link system Hub White, 140mm x 25mm fan size, RGB Link compatibility, 10.74 - 84.7 CFM fan Airflow, 350 - 2000 rpm Speed
CO-9051032-WW	R 1,024	Corsair LX RGB Series iCUE Link LX140 RGB 140mm fan - Dual pack - White, iCUE Link system Hub included, 140mm x 25mm fan size, 10.74 - 84.7 CFM fan Airflow, 350 - 2000 rpm Speed
CO-9051049-WW	R 449	Corsair iCUE LINK LX120-R RGB 120mm PWM Reverse Fan Expansion - Single Fan. 2,400 RPM; 66.7 CFM airflow; 4.72mm H2O static pressure; 18 RGB LEDs; Magnetic dome bearing; QuikTurn fan screws; iCUE LINK

		compatible; 120mm size; PWM-controlled; Low noise operation
CO-9051049-WW	R 528	Corsair iCUE Link LX120-R RGB 120mm PWM Reverse fan Expansion - Black, Black Chassis fan with Reverse rotor intake Design for visible RGB Lighting, Features 18 individually addressable RGB LEDs across Dual Inner and Outer Light loops, Supports full iCUE Link EcoSystem integration with separate system Hub required, Delivers up to 66.7 CFM Airflow at speeds reaching 2400 rpm, Equipped with Magnetic Dome bearing Technology for reduced friction and noise, PWM Control enables Zero rpm Operation during low load conditions, Compatible with iCUE Software for Intelligent fan curves and time warp effects
CO-9051050-WW	R 1,668	Corsair iCUE LINK LX120-R RGB 120mm PWM Reverse Fans Starter Kit; 3 x 120mm fans; 18 RGB LEDs per fan; up to 2400 RPM; up to 70 CFM airflow; up to 4.72 mm-H2O static pressure; magnetic dome bearings; QuikTurn fan screws; iCUE LINK system hub included; Mid-range performance tier; Ideal for PC case cooling and RGB lighting enhancement.
CO-9051050-WW	R 1,587	Corsair iCUE Link LX120-R RGB 120mm PWM Reverse fans starter kit 3 - pack, Fan size is 120mm with a Magnetic Dome bearing Type, Speed ranges from 400 to 2400 rpm, Maximum Airflow reaches up to 66.7 CFM, Each fan features 18 individually addressable RGB LEDs across Dual Light loops, LED Colour Output is full RGB with time warp Lighting mode support, Product includes PWM Control for Intelligent cooling curves, Zero rpm mode, iCUE Link EcoSystem compatibility, System Hub connection requires only a single cable per group
CO-9051051-WW	R 679	Corsair iCUE LINK LX140-R RGB 140mm PWM Reverse Fan Expansion - Single Fan. 18 RGB LEDs; Reverse rotor design; Magnetic Dome bearing; PWM control; 350 - 2000 RPM; 13.1 - 90.6 CFM airflow; 0.11 - 4.22 mm-H2O static pressure; 10 - 38.3 dBA noise level; iCUE LINK ecosystem compatible; Includes QuikTurn mounting screws; 0.45A power draw; 140mm x 25mm size; 0.324 kg weight; Black color
CO-9051053-WW	R 483	Corsair iCUE LINK LX120-R White RGB 120mm PWM Reverse Fan Expansion - Single Fan. 2400 RPM; 66.7 CFM; 4.72mm H2O static pressure; 18 RGB LEDs; Magnetic Dome bearing; iCUE LINK compatibility; 120mm x 25mm; white finish; PWM control; reverse rotor design; dual light loops; 0.4A power draw; 0.255 kg weight; 10 - 38 dBA noise level; 50,000 hours MTBF
CO-9051053-WW	R 528	Corsair iCUE Link LX120-R RGB 120mm PWM Reverse fan Expansion - White, 120 mm fan size for Standard Case positions, PWM Reverse fan Design, 66.7 CFM Airflow capacity, Up to 2400 rpm Maximum Speed, 37.7 dB Maximum noise Level, Built-In RGB Lighting support, Compatible with iCUE Link system Expansion
CORE12RED	R 171	Armaggeddon Core-12 Red 120mm fan, 4 pins Molex Connector
DF-DR12-PRO-3	R 471	darkFlash DR12 Pro ARGB cooling fan - 3-in-1, 38cfm Air Flow, Hydraulic bearing, 120x120 x 25mm fan sizes, Double Light Ring Design, 4 Lighting mode controllable with controller
DF-G24-BLACK-3	R 747	darkFlash G24 ARGB cooling fan - Black - 3-in-1, 800-2000 rpm fan Speed, 52.96 CFM Air Flow, Hydraulic bearing, 120mm x 120mm x 25mm, Dreamy colorful ARGB Lighting effects, Innovation Magnetic Splice designed, Aerodynamic designed fan blades
DP-FDC-XF120	R 48	Deep Cool XFAN 120mm Case fan - Black, 1300 rpm fan Speed, 43.56cfm Maximum Air Flow, Hydro bearing Type
DP-FDC-XF80	R 25	Deep Cool XFAN 80mm Case fan - Black, 1800 rpm fan Speed, 21.8cfm Maximum Air Flow, Hydro bearing Type
FA-120AVR	R 186	Adata/xpg 120mm Vento RGB - with 9x RGB LEDs; 120x120x25mm, rifle bearing, 9 blades, rubber corners for noise reduction, 1200rpm, 23dBA, 45.3CFM, 0.68 mm/H2o static pressure
FA-120CAFE-W	R 397	Corsair CO-9050142 AF120 Elite White - 120 x 120 x 25 mm, Fluid Dynamic bearing, 9 blades, 400-1850 rpm, 32dBA, 10.9-59.1 CFM, Static pressure Flow Type
FA-120CAFQ	R 206	Corsair Co-9050001-WW AF120 Quiet - with white/ blue/ red colour rings; 120x120x25mm, advanced hydraulic bearing, 9 blades, rubber corners for noise reduction, 1100rpm, 21dBA, 39.88CFM, 0.5 mm/H2o static pressure
FA-120CAFQL	R 230	Corsair Co-9050015-BLED AF120 Quiet with Blue LED - 120x120x25mm, advanced hydraulic bearing, 9 blades, rubber corners for noise reduction, 1500rpm, 25.2dBA, 52.19CFM, 0.75 mm/ H2o static pressure
FA-120CAFQR	R 242	Corsair Co-9050015-RLED AF120 Quiet with Red LED - 120x120x25mm, advanced hydraulic bearing, 9 blades, rubber corners for noise reduction, 1500rpm, 25.2dBA, 52.19CFM, 0.75 mm/H2o static pressure
FA-120CAFS-W	R 452	Corsair Co-9050145 AF120 Slim White - 120x120x15mm, Fluid Dynamic Bearing, 11 blades, 600-2000rpm, 3.9-27.5dBA, 13.4-56.3CFM, 0.2-1.9 mm/H2o
FA-120CAFSR-W	R 507	Corsair Co-9050164 AF120 Slim Rgb White with 8x RGB LEDs - 120x120x15mm, Fluid Dynamic Bearing, 11 blades, 600-2000rpm, 3.9-27.5dBA, 13.4-56.3CFM, 0.2-1.9 mm/H2o

FA-120CAFSRx2-W	R 1,159	Corsair Co-9050165 AF120 Slim Rgb x2 kit controller (lighting node core) - White with 8x RGB LEDs - 120x120x15mm, Fluid Dynamic Bearing, 11 blades, 600-2000rpm, 3.9-27.5dBA, 13.4-56.3CFM, 0.2-1.9 mm/H2o
FA-120CARW	R 263	Corsair iCUE AR120 Digital RGB 120mm PWM fan - White, 8x RGB LEDs, 4x Lighting effects, 120x120x25mm, Advanced hydraulic bearing, 7 blades, Rubber corners for Noise Reduction, 400-1850rpm, 3 pin ARGB Adapter included, Co-9050168-WW
FA-120CLLR	R 496	Corsair Co-9050071-WW LL120 RGB - with 16x RGB LEDs in 2 separate light loops; 120x120x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1500rpm, 24.8dBA, 43.25CFM, 1.61 mm/H2o static pressure
FA-120CLLRW	R 507	Corsair Co-9050091-WW LL120 RGB White frame - with 16x RGB LEDs in 2 separate light loops; 120x120x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 2200rpm, 36dBA, 63CFM, 3 mm/H2o static pressure
FA-120CLLRX3+CH	R 1,933	Corsair Co-9050072-WW LL120 RGB - x3 kit Lighting Node PRo - with 16x RGB LEDs in 2 separate light loops; 120x120x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1500rpm, 24.8dBA, 43.25CFM, 1.61 mm/H2o static pressure
FA-120CMLE-L	R 562	Corsair ML140 Elite Black with 8x Blue LEDs - 120x120x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-31.8 dBA, 15-82.9 CFM, 0.3-2.06mm / H2o static pressure, Co-9050122-WW
FA-120CMLE-R	R 562	Corsair ML140 Elite Black with 8x Red LEDs - 120x120x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-31.8 dBA, 15-82.9 CFM, 0.3-2.06mm / H2o static pressure, Co-9050120-WW
FA-120CMLERW	R 578	Corsair Co-9050116-WW ML120 Elite RGB White - with 8x RGB LEDs, 120x120x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans with airGuide, 450-2000rpm, 10-30dBA, 15-58CFM, 0.3-2.9mm/H2o static pressure
FA-120CMLERWT+C	R 1,816	Corsair Co-9050117-WW ML120 Elite RGB White Triple x3 kit Controller (lighting node core) - with 8x RGB LEDs, 120x120x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans with airGuide, 450-2000rpm, 10-30dBA, 15-58CFM, 0.3-2.9mm/H2o
FA-120CMLEW-L	R 562	Corsair ML140 Elite White with 8x Blue LEDs - 120x120x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 450-2000 rpm, 10-30 dBA, 15-58 CFM, 0.3-2.9mm / H2o static pressure, Co-9050128-WW
FA-120CMLEW-R	R 562	Corsair ML140 Elite White with 8x Red LEDs - 120x120x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 450-2000 rpm, 10-30 dBA, 15-58 CFM, 0.3-2.9mm / H2o static pressure, Co-9050126-WW
FA-120CMLEW-W	R 562	Corsair ML140 Elite White with 8x White LEDs - 120x120x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 450-2000 rpm, 10-30 dBA, 15-58 CFM, 0.3-2.9mm / H2o static pressure, Co-9050127-WW
FA-120CMLP-L	R 485	Corsair Co-9050043-WW ML120 Pro Blue led - Black & Blue highlight, replaceable corners mounted to anti-vibration rubber dampers, 120x120x25mm, Premium Magnetic Levitation bearing, 7 blades, 400-2000rpm, 16-37dBA, 12-75CFM, 0.2-4.2 mm/ H2o static pressure
FA-120CMLPRx3+C	R 1,923	Corsair Co-9050076-WW ML120 Pro RGB x3 kit Controller (lighting node pro) 6port Hub - Black, replaceable corners mounted to anti-vibration rubber dampers, 120x120x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans, 400-1600rpm, 25dBA, 47.3CFM, 1.78mm/H2o static pressure
FA-120CQLR	R 629	Corsair Co-9050097-WW QL120 RGB black frame - with 34x RGB LEDs in 2 2 (double sided) separate light loops; 120x120x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1500rpm, 26dBA, 41.8CFM, 1.55 mm/H2o static pressure
FA-120CQLRW	R 629	Corsair Co-9050103-WW QL120 RGB White frame - with 34x RGB LEDs in 2 2 (double sided) separate light loops; 120x120x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1500rpm, 26dBA, 41.8CFM, 1.55 mm/H2o static pressure
FA-120CQLRWx3+H	R 2,033	Corsair Co-9050104-WW QL120 RGB White frame - x3 kit 6port Hub (lighting node core), with 34x RGB LEDs in 2 2 (double sided) separate light loops; 120x120x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber

		corners for noise reduction, 600-1500rpm, 26dBA, 41.8CFM, 1.55 mm/H2o static pressure
FA-120CSPLG	R 263	Corsair Co-9050022-WW SP120 Led - Green; 120x120x25mm, sleeve bearing, 7 blades, 1650rpm, 26.4dBA, 57.24CFM, 1.46 mm/H2o static pressure
FA-120CSPLGx2	R 419	Corsair Co-9050032-WW SP120 Led - Green - x2 (twin pack); 120x120x25mm, sleeve bearing, 7 blades, 1650rpm, 26.4dBA, 57.24CFM, 1.46 mm/H2o static pressure
FA-120CSPLPx2	R 419	Corsair Co-9050033-WW SP120 Led - Purple - x2 (twin pack); 120x120x25mm, sleeve bearing, 7 blades, 1650rpm, 26.4dBA, 57.24CFM, 1.46 mm/H2o static pressure
FA-120CSPLR	R 242	Corsair Co-9050019-WW SP120 Led - Red; 120x120x25mm, sleeve bearing, 7 blades, 1650rpm, 26.4dBA, 57.24CFM, 1.46 mm/H2o static pressure
FA-120CSPLRx2	R 419	Corsair Co-9050029-WW SP120 Led - Red - x2 (twin pack); 120x120x25mm, sleeve bearing, 7 blades, 1650rpm, 26.4dBA, 57.24CFM, 1.46 mm/H2o static pressure
FA-120CSPQPx2	R 485	Corsair Quiet fan x2 (twin pack) - with white/blue/red color rings, 120x120x25mm, advanced hydraulic bearing, 7 blades, rubber corners for noise reduction, various speed up to 1450rpm, upto 23dBA, upto 38.75CFM, 1.29 mm/H2o static pressure
FA-120CSPRET+H	R 1,116	Corsair Co-9050109-WW SP120 RGB Elite Triple (x3) 6port Hub (lighting node core) - with 8x RGB LEDs, 4x lighting effects; 120x120x25mm, advanced hydraulic bearing, 7 blades, rubber corners for noise reduction, 550-1500rpm, 18-26.5dBA, 16.91-
FA-120CSPREW	R 286	Corsair Co-9050136-WW SP120 RGB Elite White - with 8x RGB LEDs, 4x lighting effects; 120x120x25mm, advanced hydraulic bearing, 7 blades, rubber corners for noise reduction, 550-1500rpm, 18-26.5dBA, 16.91-47.73CFM, 0.28-1.46 mm/H2o static pressure
FA-120iAL	R 242	Inwin AL120 luna ARGB - 120x120x25mm, 9x crescent blades PWM fans, FDB (Fluid Dynamic Bearing) bearing, shockproof rubber corners for noise reduction, 400-1800rpm, 25-35.5dBA, 82.96 CFM, 2.31 mm/H2o static pressure
FA-120iALx3+C	R 728	Inwin AL120 luna ARGB x3 kit Controller - 120x120x25mm, 9x crescent blades PWM fans, FDB (Fluid Dynamic Bearing) bearing, shockproof rubber corners for noise reduction, 400-1800rpm, 25-35.5dBA, 82.96 CFM, 2.31 mm/H2o static pressure
FA-120IANX3	R 618	In-Win AN120 120mm Neptune fan - 3 Pack, 120 x 120 x 25 mm fan size, PWM 900 - 2200 speed mode, 23.87 - 60.1 CFM Air Flow, Addressable RGB LED, 4 pin connector to M/B, Long lifespan Sleeve bearing
FA-120iAx3+C-KR	R 1,590	Inwin Auroa RGB x3 Controller Black & Red - with dedicated iC chip/controller for each RGB led, wireless remote control (8x light speed level/ 22x lighting mode/ 7x speed level/ 6x brightness level), modular connector for daisychain; 120x120x25mm, 7x black blades PWM fans, shockproof rubber corners for noise reduction, 800-1400rpm 2000RPM turbo mode, 23.7dBA, 40.26-57.6 CFM, 1.5 - 2.77 mm/H2o static pressure
FA-120iCx2+C	R 606	Inwin Crown RGB x2 kit Controller - high static pressure fans - with modular connector for daisychain (no controller required), transparent blade to increase visual lighting effect, 6x RGB LEDs per fan; 120x120x25mm, 9x transparent blades PWM fans, shockproof rubber corners for noise reduction, 500-1600rpm, 14.7-28.3dBA, 53.08 CFM, 1.87 mm/H2o static pressure
FA-120IDN	R 308	In Win DN120 120mm Neptune fan - single pack, PWM 900 - 2200 speed mode, 23.87 - 60.1 CFM Air Flow, 4 pin connector to M/B, Long lifespan Sleeve bearing
FA-120IM	R 186	Inwin AM120S-1PK Mecury Black ARGB - 20mm Slim - 120x120x20mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 400-2000rpm, 17-29dBA, 61CFM, 2.72 mm/H2o static pressure
FA-120iMK	R 850	Inwin Mars with black fin - multi-function case fan - with fan arm (3 rotating hinges to adjust position angle), 2.5mm modular connector for daisychain, with 2.5mm to USB function as desktop USB fan aluminium shockproof rubber, 120x120x25mm, double ball bearing, 9x black blades PWM fans, 600-1400rpm, 25dBA, 38.73 CFM, 0.69 mm/H2o static pressure
FA-120iMR	R 850	Inwin Mars with Red fin - multi-function case fan - with fan arm (3 rotating hinges to adjust position angle), 2.5mm modular connector for daisychain, with 2.5mm to USB function as desktop USB fan, aluminium shockproof rubber, 120x120x25mm, double ball bearing, 9x red blades PWM fans, 600-1400rpm, 25dBA, 38.73 CFM, 0.69 mm/H2o static pressure
FA-120IMx3+C	R 606	Inwin AM120S-3PK Mecury Black ARGB x3 kit Controller - 20mm Slim - 120x120x20mm, 9x black sickle blades

		PWM fans, shockproof rubber corners for noise reduction, 400-2000rpm, 17-29dBA, 61CFM, 2.72 mm/H2o static pressure
FA-120iPRx2	R 562	In win Polaris RGB x2 - with modular connector for daisychain transparent frame to increase visual lighting effect; 120x120x25mm, 7x black blades PWM fans, shockproof rubber corners for noise reduction, 500-1280rpm, 23.7dBA, 43.31 CFM, 1.26 mm/H2o static pressure
FA-120iSA	R 230	Inwin ASN120 Saturn ARGB with high airflow - with modular connector for daisychain, transparent frame blade to increase visual lighting effect - 120x120x25mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 500-1800rpm, 27dBA, 77.17 CFM, 3.12 mm/H2o static pressure
FA-120iSEK	R 253	Inwin ASE120 Sirius Extreme Black ARGB - dual-looped rings of RGB lighting - 120x120x25mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 400-1500rpm, 21-25dBA, 54 CFM, 1.55 mm/H2o static pressure
FA-120iSEKx3+C	R 773	Inwin ASE120 Sirius Extreme black ARGB x3 kit Controller - dual-looped rings of RGB lighting - 120x120x25mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 400-1500rpm, 21-25dBA, 54 CFM, 1.55 mm/H2o static pressure
FA-120iSLW	R 220	Inwin ASL120 Sirius Loop White (pure) ARGB - dual-looped rings of RGB lighting; 120x120x25mm, 7x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 500-1800rpm, 27dBA, 50 CFM, 1.67 mm/H2o static pressure
FA-120iSLWx3+C	R 618	Inwin ASL120 Sirius Loop White (pure) ARGB x3 kit Controller - dual-looped rings of RGB lighting; 120x120x25mm, 7x sickle blades PWM fans, shockproof rubber corners for noise reduction, 500-1800rpm, 27dBA, 50 CFM, 1.67 mm/H2o static pressure
FA-120VLGo	R 52	vizo 120mm sp12uvled-Go UV Led fan - Green Orange , 120x120x25mm , 1800rpm , 63CFM , 31dBA
FA-120VLLG	R 48	vizo 120mm sp12uvled-BG UV Led fan - bLue Green , 120x120x25mm , 1800rpm , 63CFM , 31dBA
FA-120ZRL	R 108	Zalman ZM-F3RL 120mm Red Led , 120x120x25mm , 1000-1800rpm , 20-32dBA , with anti-vibration silocone pins
FA-140BSL-L	R 220	Bitfenix BFF-BLF-14025B-RP Spectre Led - transparent with blue led, led on/off via jumper or fan controller, 140x140x25mm, 9x sickle fan blades, FDB (Fluid Dynamic Bearing) bearing, 1000rpm, 47.7CFM, 20dBA
FA-140BSL-o	R 253	Bitfenix Spectre LED fan, transparent with Orange LED, LED on/off via jumper or fan controller, 140x140x25mm, 9x sickle fan blades, Fluid Dynamic Bearing, 1000rpm, 47.7CFM, 20dBA
FA-140BSL-R	R 253	Bitfenix BFF-BLF-14025R-RP Spectre Led - transparent with Red led, led on/off via jumper or fan controller, 140x140x25mm, 9x sickle fan blades, FDB (Fluid Dynamic Bearing) bearing, 1000rpm, 47.7CFM, 20dBA
FA-140BSL-W	R 253	Bitfenix BFF-BLF-14025W-RP Spectre Led - transparent with White led, led on/off via jumper or fan controller, 140x140x25mm, 9x sickle fan blades, FDB (Fluid Dynamic Bearing) bearing, 1000rpm, 47.7CFM, 20dBA
FA-140BSP-W	R 230	Bitfenix BBFF-SCF-P14025WW-RP Spectre Pwm, all White, 140x140x25mm, 9x sickle fan blades, FDB (Fluid Dynamic Bearing) bearing, 700-1800rpm, 47.7CFM , 20dBA
FA-140BSPL-G	R 230	Bitfenix BFF-LPRO-14025G-RP Spectre Pro Led, transparent with Green led, led on/off via jumper or fan controller - high pressure/CFM, with dual frame construction anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, FDB (Fluid Dynamic Bearing) bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure
FA-140BSPL-L	R 263	Bitfenix BFF-LPRO-14025B-RP Spectre Pro Led, transparent with blue led, led on/off via jumper or fan controller - high pressure/CFM, with dual frame construction anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, FDB (Fluid Dynamic Bearing) bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure
FA-140BSPL-W	R 230	Bitfenix BFF-LPRO-14025W-RP Spectre Pro Led, transparent with White led, led on/off via jumper or fan controller - high pressure/CFM, with dual frame construction anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, FDB (Fluid Dynamic Bearing) bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure
FA-140BSPL-WG	R 230	Bitfenix Spectre Pro LED fan, all White with Green LED, LED on/off via jumper or fan controller, high pressure/CFM, with dual frame construction, anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, Fluid Dynamic Bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure
FA-140BSPL-WL	R 263	Bitfenix Spectre Pro Led fan, all White with Blue LED, LED on/off via jumper or fan controller, high pressure/CFM,

		with dual frame construction, anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, Fluid Dynamic Bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure.
FA-140BSPL-WR	R 263	Bitfenix Spectre Pro LED fan, all White with Red LED, LED on/off via jumper or fan controller,high pressure/CFM, with dual frame construction, anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, Fluid Dynamic Bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure.
FA-140BSPL-WW	R 230	Bitfenix Spectre Pro LED fan, all White with White LED, LED on/off via jumper or fan controller, high pressure/CFM, with dual frame construction, anti-vibration rivets, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, Fluid Dynamic Bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure.
FA-140BSPP-W	R 230	Bitfenix BFF-SPRO-14025WW-RP Spectre Pro, All White - high pressure/CFM, with dual frame construction anti-vibration rivets extra 7V low voltage adapter, 140x140x25mm, 9x reinforced fan blades, curved design fin for focused airflow, FDB (Fluid Dynamic Bearing) bearing, 1200rpm, 86.73CFM, 22.8dBA, 1.38 mmH2o air pressure
FA-140CAFE-W	R 332	Corsair CO-9050143 AF140 Elite White - 140 x 140 x 25 mm, Fluid Dynamic bearing, 11 blades, 400-1600 rpm, 31dBA, 15.3-84.5 CFM, Static pressure Flow Type
FA-140CAFER-W	R 482	Corsair Co-9050159-WW AF140 Elite RGB White - with 8x RGB LEDs, 140x140x25mm, Fluid Dynamic Bearing, 7 blades PWM fans with airGuide, 500-1700rpm, 5-33.8dBA, 19.5-89CFM, 0.16-2mm/H2o static pressure
FA-140CAFERD-K	R 1,480	Corsair Co-9050156-WW AF140 Elite RGB Dual x2 kit black Controller (lighting node core) - with 8x RGB LEDs, 140x140x25mm, Fluid Dynamic Bearing, 7 blades PWM fans with airGuide, 500-1700rpm, 5-33.8dBA, 19.5-89CFM, 0.16-2mm/H2o static pressure
FA-140CAFERD-W	R 1,137	Corsair Co-9050160-WW AF140 Elite RGB Dual x2 kit White Controller (lighting node core) - with 8x RGB LEDs, 140x140x25mm, Fluid Dynamic Bearing, 7 blades PWM fans with airGuide, 500-1700rpm, 5-33.8dBA, 19.5-89CFM, 0.16-2mm/H2o static pressure
FA-140CAFQL	R 253	Corsair Co-9050017-BLED AF140 Quiet with Blue LED - 140x140x25mm, advanced hydraulic bearing, 11 blades, rubber corners for noise reduction, 1200rpm, 25.5dBA, 66.4CFM, 0.8 mm/ H2o static pressure
FA-140CAFQR	R 297	Corsair Co-9050017-RLED AF140 Quiet with Red LED - 140x140x25mm, advanced hydraulic bearing, 11 blades, rubber corners for noise reduction, 1200rpm, 25.5dBA, 66.4CFM, 0.8 mm/H2o static pressure
FA-140CAFQW	R 297	Corsair Co-9050017-WLED AF140 Quiet with White LED - 140x140x25mm, advanced hydraulic bearing, 11 blades, rubber corners for noise reduction, 1200rpm, 25.5dBA, 66.4CFM, 0.8 mm/H2o static pressure
FA-140CLLR	R 504	Corsair Co-9050073-WW LL140 RGB - with 16x RGB LEDs in 2 separate light loops; 140x140x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1300rpm, 25dBA, 51.5CFM, 1.52 mm/H2o static pressure
FA-140CLLRx2+CH	R 1,372	Corsair Co-9050074-WW LL140 RGB - x2 kit Lighting Node PRo - with 16x RGB LEDs in 2 separate light loops; 140x140x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1300rpm, 25dBA, 51.5CFM, 1.52 mm/H2o static pressure
FA-140CMLE-L	R 596	Corsair ML140 Elite Black with 8x Blue LEDs - 140x140x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-32 dBA, 15-83 CFM, 0.3-2mm / H2o static pressure, Co-9050125-WW
FA-140CMLE-R	R 596	Corsair ML140 Elite Black with 8x Red LEDs - 140x140x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-32 dBA, 15-83 CFM, 0.3-2mm / H2o static pressure, Co-9050123-WW
FA-140CMLE-W	R 596	Corsair ML140 Elite Black with 8x White LEDs - 140x140x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-32 dBA, 15-83 CFM, 0.3-2mm / H2o static pressure, Co-9050124-WW
FA-140CMLERD+C	R 1,525	Corsair Co-9050115-WW ML140 Elite RGB black Dual x2 kit Controller (lighting node core) - with 8x RGB LEDs - with 8x RGB LEDs, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans with airGuide, 400-1600rpm, 10-32dBA, 15-83CFM
FA-140CMLERW	R 623	Corsair Co-9050118-WW ML140 Elite RGB White - with 8x RGB LEDs, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans with airGuide, 400-1600rpm, 10-32dBA, 15-83CFM, 0.3-2mm/H2o static pressure
FA-140CMLERWD+C	R 1,581	Corsair Co-9050119-WW ML140 Elite RGB White Dual x2 kit Controller (lighting node core) - with 8x RGB LEDs - with 8x RGB LEDs, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans with airGuide, 400-1600rpm, 10-32dBA, 15-83CFM
FA-140CMLEW-L	R 596	Corsair ML140 Elite White with 8x Blue LEDs - 140x140x25mm, Premium magnetic levitation bearing, 7 blades

		PWM fans with AirGuide, 400-1600 rpm, 10-32 dBA, 15-83 CFM, 0.3-2mm / H2o static pressure, CO-9050131-WW
FA-140CMLEW-R	R 596	Corsair ML140 Elite White with 8x Red LEDs - 140x140x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-32 dBA, 15-83 CFM, 0.3-2mm / H2o static pressure, Co-9050129-WW
FA-140CMLEW-W	R 596	Corsair ML140 Elite White with 8x White LEDs - 140x140x25mm, Premium magnetic levitation bearing, 7 blades PWM fans with AirGuide, 400-1600 rpm, 10-32 dBA, 15-83 CFM, 0.3-2mm / H2o static pressure, Co-9050130-WW
FA-140CMLP-L	R 596	Corsair Co-9050048-WW ML140 Pro Blue led - Black Blue highlight, replaceable corners mounted to anti-vibration rubber dampers, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades, 400-2000rpm, 16-37dBA, 20-79CFM, 0.2-3 mm/H2o static pressure
FA-140CMLP-R	R 596	Corsair Co-9050047-WW ML140 Pro Red led - Black & Red highlight, replaceable corners mounted to anti-vibration rubber dampers, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades, 400-2000rpm, 16-37dBA, 20-79CFM, 0.2-3 mm/H2o static pressure
FA-140CMLP-W	R 606	Corsair Co-9050046-WW ML140 Pro White LED - Black White highlight, replaceable corners mounted to anti-vibration rubber dampers, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades, 400-2000rpm, 16-37dBA, 20-79CFM, 0.2-3 mm/H2o static pressure
FA-140CMLPR	R 493	Corsair Co-9050077-WW ML140 Pro RGB - Black, replaceable corners mounted to anti-vibration rubber dampers, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans, 400-1200rpm, 20.4dBA, 55.4CFM, 1.27mm/H2o static pressure
FA-140CMLPRx2+C	R 1,343	Corsair Co-9050078-WW ML140 Pro RGB x2 kit Controller (lighting node pro) 6port Hub - black, replaceable corners mounted to anti-vibration rubber dampers, 120x120x25mm, Premium Magnetic Levitation bearing, 7 blades PWM fans, 400-1200rpm, 20.4dBA, 55.4CFM, 1.27mm/H2o static pressure
FA-140CMLx2	R 651	Corsair Co-9050044-WW ML140 x2 kit - Black, 140x140x25mm, Premium Magnetic Levitation bearing, 7 blades, 400-2000rpm, 16-37dBA, 20-79CFM, 0.2-3 mm/H2o static pressure
FA-140CQLR	R 578	Corsair Co-9050099-WW QL140 RGB black frame - with 34x RGB LEDs in 2 2 (double sided) separate light loops; 140x140x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1250rpm, 26dBA, 50.2CFM, 1.4 mm/H2o static pressure
FA-140CQLRW	R 578	Corsair Co-9050105-WW QL140 RGB White frame - with 34x RGB LEDs in 2 2 (double sided) separate light loops; 140x140x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1250rpm, 26dBA, 50.2CFM, 1.4 mm/H2o static pressure
FA-140CQLRWx2+H	R 1,464	Corsair Co-9050106-WW QL140 RGB White frame - x2 kit 6port Hub (lighting node core), with 34x RGB LEDs in 2 2 (double sided) separate light loops; 140x140x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1250rpm, 26dBA, 50.2CFM, 1.4 mm/H2o static pressure
FA-140CQLRx2+H	R 1,464	Corsair Co-9050100-WW QL140 RGB Black frame - x2 kit 6port Hub (lighting node core), with 34x RGB LEDs in 2 2 (double sided) separate light loops; 140x140x25mm, advanced hydraulic bearing, 9 blades PWM fans, rubber corners for noise reduction, 600-1250rpm, 26dBA, 50.2CFM, 1.4 mm/H2o static pressure
FA-140CSPLG	R 297	Corsair Co-9050027-WW SP140 Led - Green; 140x140x25mm, sleeve bearing, 7 blades, 1440rpm, 29.3dBA, 49.49CFM, 1.17 mm/H2o static pressure
FA-140CSPLGx2	R 596	Corsair Co-9050037-WW SP140 Led - Green - x2 (twin pack); 140x140x25mm, sleeve bearing, 7 blades, 1440rpm, 29.3dBA, 49.49CFM, 1.17 mm/H2o static pressure
FA-140CSPLP	R 297	Corsair Co-9050028-WW SP140 Led - Purple; 140x140x25mm, sleeve bearing, 7 blades, 1440rpm, 29.3dBA, 49.49CFM, 1.17 mm/H2o static pressure
FA-140CSPLPx2	R 596	Corsair Co-9050038-WW SP140 Led - Purple - x2 (twin pack); 140x140x25mm, sleeve bearing, 7 blades, 1440rpm, 29.3dBA, 49.49CFM, 1.17 mm/H2o static pressure
FA-140CSPLW	R 330	Corsair Co-9050025-WW SP140 Led - White; 140x140x25mm, sleeve bearing, 7 blades, 1440rpm, 29.3dBA, 49.49CFM, 1.17 mm/H2o static pressure
FA-140CSPR	R 192	Coolermaster R4-S4CR-14PR-R1 - Silencio Pwm Red led (with on/off switch), 5 sickle blades - 140x140x25mm fan, rifle Bearing, 800-1400rpm, 18-38CFM, 9.1-23dBA, 0.41-1.19 mm/H2o air pressure
FA-140CSPREW	R 360	Corsair Co-9050138-WW SP140 RGB Elite White - with 8x RGB LEDs, 4x lighting effects; 140x140x25mm, advanced hydraulic bearing, 9 blades, rubber corners for noise reduction, 450-1200rpm, 18-26.8dBA, 23.07-68.11CFM, 0.26-1.66 mm/H2o static pressure

FA-140iCx2+C	R 639	Inwin Crown RGB x2 kit Controller - high static pressure fans - with modular connector for daisychain (no controller required), transparent blade to increase visual lighting effect, 6x RGB LEDs per fan; 140x140x25mm, 11x black blades PWM fans, shockproof rubber corners for noise reduction, 500-1500rpm, 18.1-32.5dBA, 69.03 CFM, 1.93 mm/H2o static pressure
FA-140iSA	R 204	Inwin ASN140 Saturn ARGB with high airflow, with modular connector for daisychain, transparent frame blade to increase visual lighting effect - 140x140x25mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 500-1400rpm, 36dBA, 93.97 CFM, 1.73 mm/H2o static pressure
FA-80VLL	R 40	vizo 80mm sp80uvled-BL UV Led fan - bLue , 80x80x25mm , 2900rpm , 36CFM , 34dBA
FA-CQX140Wx2+H	R 2,042	Corsair Co-9051008-WW iCUE Link (daisy chain) QX140 RGB White - x2 kit iCUE LiINK System Hub (connect up to 14 devices) - with 34x RGB LEDs in 2 2 (double sided) separate light loops; 140x140x25mm, magnetic dome bearing, 7 blades PWM fans, rubber corners for noise reduction, 400-2000rpm with temperature sensor, 26dBA, 50.2CFM, 1.4 mm/H2o static pressure
FA-CRX140R	R 518	Corsair iCUE LINK RX140 RGB 140mm PWM Single Fan Expansion - 140mm x 25mm
FA-CRX140RW	R 475	Corsair iCUE LINK RX140 RGB White 140mm PWM Single Fan Expansion - 140mm x 25mm
FA-CRX140RWX2+H	R 1,174	Corsair iCUE LINK RX140 RGB White 140mm PWM Fan Twin Starter Kit - 140mm x 25mm
FA-CRX140X2+H	R 1,006	Corsair RX Series iCUE Link RX140 140mm fan - Dual pack, 140mm x 25mm fan size, PWM control, RGB Link compatibility, 17.9 - 94.7 CFM fan Airflow, 1700 rpm Speed, CO-9051020-WW
FA-LPTAP14C	R 54	Lian-li PT-AP12 140mm system fan vibration dampener pad , clear - ultra-light silicon gel to reduce noises
FAN002	R 58	Unbranded Chassis Fan 80mm Neon Multicolored
FP1-120 PWM ARGB-B	R 564	Aerocool APNX FP1 120mm PWM ARGB fan - Black - 3 Pack with Hub, PWM 4 pin ARGB 5V 3 pin connector Type, 74.6 CFM Air Flow, Hydraulic bearing
FP1-120 PWM ARGB-W	R 564	Aerocool APNX FP1 120mm PWM ARGB fan - White - 3 Pack with Hub, PWM 4 pin ARGB 5V 3 pin connector Type, 74.6 CFM Air Flow, Hydraulic bearing
FP1-R 120 PWM ARGB-B	R 144	Aerocool APNX FP1-R 120mm PWM ARGB fan - Black, 120 x 120 x 30mm fan dimensions, Up to 1600 rpm fan Speed, PWM 4 pin ARGB 5V 3 pin connector Type, 62.9 CFM Air Flow
FP1-R 120 PWM ARGB-W	R 144	Aerocool APNX FP1-R 120mm PWM ARGB fan - White, 120 x 120 x 30mm fan dimensions, Up to 1600 rpm fan Speed, PWM 4 pin ARGB 5V 3 pin connector Type, 62.9 CFM Air Flow
GEMINIM11203R	R 529	KWG Gemini M1 1203, 3 x 120mm Case fans RGB, Dimensions 120 x 120 x 25 mm, Rated Voltage 12 V (Fan) / 5V(LED) Speed 500 - 1500 RPM Â±10% Air Flow 56 CFM Air Pressure 1.94 mmH2O Noise Level 15-22 dBA Bearing Hydraulic Connector male and female Molex Control Box-SPECIFICATION Dimensions 92 x 46 x 13 mm Power Connector SATA Support LED type 5 V Addressable (Digital) LED Support Motherboard RGB Sync Connectors 5 V Addressable (Digital) RGB Header Support Daisy Chain Another Control Box , Add up to 6 fans & 2 additional LED strips together to exhibit group lighting effects with control box, Retail Box
GFXFAN-1	R 150	Microworld VGA fans 7.50 mm
GFXFAN-2	R 161	Microworld VGA fans 8.50 mm
GFXFAN-3	R 173	Microworld VGA fans 9.50 mm
HVN-FS-H1230-02	R 229	HAVN H12 120mm Black fan, 120 x 120 x 30 mm dimensions, Fluid Dynamic bearing, 72.44 CFM Airflow, Harmonized Blade edges stabilize Airflow
HVN-FS-H1230-02-TRI	R 483	HAVN H12 120mm Black fan - 3 pack, 120 x 120 x 30 mm dimensions, Fluid Dynamic bearing, 72.44 CFM Airflow, Harmonized Blade edges stabilize Airflow
HVN-FS-H1430-02	R 276	HAVN H14 140 mm Black fan Single pack, Standard fan Blade direction, 1600 rpm Maximum fan rpm, 144.72 CFM fan Airflow, 30 mm fan height, 4 pin (PWM) fan Connector
HVN-FS-H1430-02-TRI	R 702	HAVN H14 140 mm Black fan Triple pack, Standard fan Blade direction, 1600 rpm Maximum fan rpm, 144.72 CFM fan Airflow, 30 mm fan height, 4 pin (PWM) fan Connector
HVN-FS-H1840-02	R 334	HAVN H18 180mm Black fan, Ultra-Thick 40mm Frame, 164.63cfm Airflow, Premium FDB loopin cable system, Regular Airflow direction, PWM Connector
HVN-FS-H1840-02-DUO	R 759	HAVN H18 180mm Black fan - 2 pack, Ultra-Thick 40mm Frame, 164.63cfm Airflow, Premium FDB loopin cable system, Regular Airflow direction, PWM Connector
IM360 ARGB	R 391	Antec Infinity Matrix PWM 360mm ARGB Case fan single Frame - Black, Fan size is 360 mm, Maximum Speed

		reaches 1800 rpm, Airflow provides up to 134.43 CFM, Maximum noise Level is 32.8 dB, Connector Type is 4 pin PWM, RGB Lighting is included
IM360 ARGB W	R 391	Antec Infinity Matrix PWM 360mm ARGB Case fan single Frame - White, 360 mm single-frame Design containing 3 fans, Airflow rating of 134.43 CFM for strong cooling Performance, Maximum Speed of 1800 rpm adjustable via 4 pin PWM Connector, Noise Level capped at 32.8 dB for quieter system Operation, Integrated ARGB Lighting features included in the White finish
IM360R ARGB	R 391	Antec Infinity Matrix PWM 360mm ARGB Reverse Case fan single Frame - Black, Black finish with Integrated ARGB Lighting, 134.9 CFM Maximum Airflow for serious cooling, 360 mm single-frame Design covers Large area in one unit, Max Speed of 1800 rpm controlled via 4 pin PWM Connector, Maximum noise Level of 33.2 dB for quieter Operation, Reverse Case fan Design suitable for specific Airflow layouts
IM360R ARGB W	R 391	Antec Infinity Matrix PWM 360mm ARGB Reverse Case fan single Frame - White, Fan size of 360 mm, Maximum Speed of 1800 rpm with 4 pin PWM Control, Airflow rating of 134.9 CFM, Static Pressure of 1.34 mmH2O for resistance Airflow, Maximum noise Level of 33.2 dB, ARGB Lighting functionality included
JF-01	R 69	Unbranded 80mm Clear Case Fan With Blue Led, Retail Box, No Warranty
MFX-B8NN-25NPK-R1	R 56	Cooler Master SickleFlow 80mm Fan - Non-RGB
NEURONGALAXYSFX	R 252	Armaggeddon Neuron Galaxy SFX 120mm fan, LED light PC cooling fan, Hydraulic bearing, 35.5 CFM air flow
NOVA 120	R 283	Antec NOVA 120 PWM fan with Speed controller - Black, FDB bearing Type, 4 pin PWM connector
NOVA 120 3PK	R 741	Antec NOVA 120 PWM fan 3 Pack with Speed controller - Black, PWM fan Type, FDB bearing Type, 4 pin PWM connector, 9 Curved Blade
NOVA 120 W	R 283	Antec NOVA PWM 120mm Case fan - White, FDB bearing Type, 4 pin PWM connector, 3-phase 6-pole Drive motor, 9 Curved Blade for optimized aerodynamics
OCVC120PBL	R 109	OCPC Velocita fan 120mm PWM - Black, 120 x 120 x 25 mm fan dimensions, 800-2000 rpm Speed, 24 dBA noise level, 56 CFM Airflow level, Hydro bearing, 4 pin [PWM] fan Port
OCVC120PWH	R 229	OCPC Velocita 120P ARGB fan 120mm PWM - White, 120 x 120 x 25 mm fan dimensions, 800-1800 rpm Rotating Speed, 56 CFM Airflow level, Hydro bearing, Addressable RGB, 3 pin ARGB, 4 pin PWM fan
ORBIT 120 3PK	R 804	Antec Orbit PWM 120mm ARGB fan 3 Pack - Black, FDB bearing Type, 4 pin fan connector, 3 pin LED connector, 66.72 CFM Airflow, 2000 rpm fan Speed
P106FAN	R 115	Microworld P106 fan cover
P12 ARGB BLK	R 309	Antec P12 PWM 120mm ARGB Case Fan 3 Pack Black - includes splitter cable
P12R ARGB BLK	R 90	Antec P12 PWM 120mm ARGB Reverse Case fan - Black, ARGB PWM fan, Hydraulic bearing, 61.46 CFM Airflow, 4 pin fan connector, 3 pin LED connector
P12R ARGB WHT	R 98	Antec P12 PWM 120mm ARGB Reverse Case fan - White, ARGB PWM fan, Hydraulic bearing, 61.46 CFM Airflow, 4 pin fan connector, 3 pin LED connector
PCB-CF-TEMP-DKIT	R 475	Unbranded Tempest Chill Fan Kit 3x120MM Dual Glow ARGB Fan Controller RF Remote - 12 x 12 x 2.5 cm
PCB-CF-TEMP-I120	R 85	Unbranded Tempest Chill 120MM ARGB Inner Glow Fan - 12 x 12 x 2.5 cm
PCB-CF-TEMP-O120	R 85	Unbranded Tempest Chill 120MM ARGB Outer Glow Fan - 12 x 12 x 2.5 cm
PCB-CF-TORNADO-120	R 67	PCBuilder Tornado Chill 120mm ARGB fan - Black, Hydraulic fan bearing, Up to 46.7cfm fan Air Flow, ARGB fan Lighting, 9 blades in fan, PWM 4 pin (Fan) connector, 5V 3 pin (ARGB) connector, 450mm cable length
PCB-CF-TORNADO-KIT	R 293	PCBuilder tornado Chill ARGB 120mm Fan kit - 3 fans controller, 3x 120mm fans, Hydraulic fan bearing, Up to 46.7cfm fan Air Flow, ARGB fan Lighting, 9 blades per fan, PWM 4 pin (Fan) connector, 5V 3 pin (ARGB) connector, 450mm cable length
PM3-120 PWN ARGB-B	R 183	Aerocool Phantom M-3 120mm PWM ARGB fan - Black, 20 x 120 x 25 mm fan dimensions, 1800rpm fan Speed, PWM 4 pin ARGB 5V 3 pin Connector Type, 50.2 CFM fan Air Flow (Max), Hydraulic bearing
PM3-120 PWN ARGB-W	R 183	Aerocool Phantom M-3 120mm PWM ARGB fan - White, 20 x 120 x 25 mm fan dimensions, 1800rpm fan Speed, PWM 4 pin ARGB 5V 3 pin Connector Type, 50.2 CFM fan Air Flow (Max), Hydraulic bearing
PRIZM 120 ARGB 5+C	R 1,187	Antec Prizm 120 ARGB Black Case Fan 5 Pack Controller; black frame; controller included; PC airflow cooling kit; gaming and performance builds
R-FL12RSE-BKAPN3-G	R 378	DeepCool FL12 3-in-1 ARGB 120mm PWM 3 fan pack - Black, 500-2150 rpm fan Speed, 55 CFM fan Airflow, 4 pin PWM fan Connector, Fluid Dynamic bearing Type, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED

		Connector
R-FL12SE-BKAPN1-G	R 129	DeepCool FL12 SE 120mm ARGB PWM fan - Black, 400-1900 rpm fan Speed, 50.74 CFM fan Airflow, 4 pin PWM fan Connector, Hydro bearing Type, Addressable RGB LED, 3 pin (5V-D-G) LED Connector
R-FL12SE-BKAPN3-G	R 352	Deep Cool FL12 3-in-1 ARGB 120mm Fan 3 Pack - Black, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, 500~2150 rpm fan Speed, 55 CFM fan Airflow, 4 pin PWM fan Connector, Fluid Dynamic bearing
R-FL12SE-WHAPN3-G	R 366	Deep Cool FL12 3-in-1 ARGB 120mm Fan 3 Pack - White, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, 500~2150 rpm fan Speed, 55 CFM fan Airflow, 4 pin PWM fan Connector, Fluid Dynamic bearing
R-SC790-BKNSNN-G	R 174	DeepCool SC790 6 Port ARGB PWM fan Hub, ARGB-3pin & PWM-4 pin Port Type, 6 Ports x 3 pin addressable RGB Ports, SATA Power Connector, Magnetic mounting Method
SCARLETDUALSABER	R 201	Armaggeddon Scarlet Dual Saber 120mm fan - Red, Dual translucent ABS Ring, 900 spin/sec
SF2100	R 174	Jetart System Cooling, 3 Direction Adjustable Fan Bracket, Blue Led Fan, Metal Fan Guard, Only One Pci Slot Needed.
SF2200	R 92	JETART 3D DUAL SLOT FAN (FULLY ADJ.) Jetart 3D Slot Fan, 3 Directional adjustable fan bracket, metal fan guard, only one slot needed.
SILENT12BLK	R 155	Armaggeddon Silent 12cm Black Fan
SILENT14BLK	R 170	Armaggeddon Silent 14cm Black Fan
TXDUALLOOP14	R 263	Armaggeddon Tesseraxx TX Dual Loop 14 ARGB 140mm Fan, Support Aurora Sync : ASUS / Gigabyte / MSI
TXICORE14	R 252	Armaggeddon tesseraxx TX icore 14 ARGB 140mm fan, Support Aurora Sync : Asus / Gigabyte / MSI, Transparent Blade x 9, Sleeve bearing, 6 pin connectors
TXICOREDL14	R 263	Armaggeddon Tesseraxx TX iCore DL-14 ARGB 14CM Fan
TXSPY12	R 252	Armaggeddon TX SPY-12 ARGB 120mm fan, 6 pin connector, Addressable RGB Lightning effects, Black Colour pbt blades x 7, Hydro bearing
TXSPY14	R 275	Armaggeddon Tessaraxx TX-14 SPY-2 ARGB 14cm Fan
VISION 120 3PK	R 327	Antec Vision PWM 120mm ARGB Infinity Mirror Case fan - 3 Pack Black, Hydraulic bearing, 44.5 CFM Airflow, 4 pin PWM fan, 3 pin ARGB
VISION 120R 3PK	R 327	Antec Vision PWM 120mm ARGB Reverse Infinity Mirror Case fan - 3 Pack Black, Hydraulic bearing, 44.5 CFM Airflow, 4 pin PWM fan, 3 pin ARGB
ZENFAN-BA	R 210	FSP Zenfan 120mm ARGB PWM Smart fan - Black, HDB bearing Type, 57.61 CFM Air Flow, rpm & temperature Digital Display, 12 x 14 x 2.5 cm product dimensions, 800-1600 rpm fan Speed

< Return to the menu

Cooling Fans Heatsinks : Cooling: Water cooling

Product code	Price	Description
710-43436091R6	R 1,378	HuntKey GX360R Atlas Shark CPU Water Cooler - White, 1.28 inches IPS HD 240x240 Display, Support 14900K / 285K / 9800X3D CPU, TDP up to 300W, Support ARGB Lighting effect, 3x 120mm fans, Aluminum radiator material, 450mm tube length, 4 pin (PWM) pump connector, 78cfm fan Air Flow, FDB fan bearing, 4 pin (PWM) fan connector, Intel LGA115x / 1200 / 1700 / 185x / 20xx, AMD AM4 / AM5
710-43436094R6	R 1,378	HuntKey GX360R Atlas Shark CPU Water Cooler - Black, 1.28 inches IPS HD 240x240 Display, Support 14900K / 285K / 9800X3D CPU, TDP up to 300W, Support ARGB Lighting effect, 3x 120mm fans, Aluminum radiator material, 450mm tube length, 4 pin (PWM) pump connector, 78cfm fan Air Flow, FDB fan bearing, 4 pin (PWM) fan connector, Intel LGA115x / 1200 / 1700 / 185x / 20xx, AMD AM4 / AM5
Abyss L240R	R 804	Aerocool Abyss L240 Black - 240mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 600 - 3000 rpm pump Speed, Ceramic bearing pump, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 2x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 280W TDP (Thermal Design Power)
Abyss L240R Digi	R 746	Aerocool Abyss L240 Black with Digital Display - 240mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 320W TDP (Thermal Design Power), 600 - 3000 rpm pump Speed, Ceramic pump bearing, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 2 x 120mm fans, 81.5 CFM

		fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 280W TDP (Thermal Design Power)
Abyss L240R Digi WHT	R 838	Aerocool Abyss L240 White with Digital Display - 240mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 320W TDP (Thermal Design Power), 600 - 3000 rpm pump Speed, Ceramic pump bearing, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 2 x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 280W TDP (Thermal Design Power)
Abyss L240R WHT	R 700	Aerocool Abyss L240 White - 240mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 600 - 3000 rpm pump Speed, Ceramic bearing pump, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 2x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 280W TDP (Thermal Design Power)
Abyss L360R	R 746	Aerocool Abyss L360 Black - 360mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 600 - 3000 rpm pump Speed, Ceramic bearing pump, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 3x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 320W TDP (Thermal Design Power)
Abyss L360R Digi	R 953	Aerocool Abyss L360 Black with Digital Display - 360mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 320W TDP (Thermal Design Power), 600 - 3000 rpm pump Speed, Ceramic pump bearing, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 3 x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 320W TDP (Thermal Design Power)
Abyss L360R Digi WHT	R 953	Aerocool Abyss L360 White with Digital Display - 360mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 320W TDP (Thermal Design Power), 600 - 3000 rpm pump Speed, Ceramic pump bearing, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 3 x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 320W TDP (Thermal Design Power)
Abyss L360R WHT	R 746	Aerocool Abyss L360 White - 360mm ARGB Liquid Cooler, Copper Block material, Corrosion resistant Aluminum Alloy radiator material, 600 - 3000 rpm pump Speed, Ceramic bearing pump, 660 - 1800 rpm fan Speed, PWM 4 pin fan Connector Type, 3x 120mm fans, 81.5 CFM fan Air Flow, Hydro bearing fan, Addressable RGB LED LED Type, 3 pin (5V-D-G) LED Connector, Supports - Intel LGA1851 / LGA1700 / LGA1200 / LGA115x / AMD AM5 / AM4, 320W TDP (Thermal Design Power)
AK2600	R 207	JETART AQUACOOL VGA LIQUID COOLING KIT. Jetart Liquid Cooling, Compatible With Nvidia & Ati Vga Cards, Full Copper Base, Innovative Channel Enhances Conductivity.
APNX LC1-D 360 BK	R 2,174	Aerocool APNX LC1-D Black Liquid CPU Cooler with 4" IPS LCD - 360mm
APNX LC1-D 360 WT	R 2,174	Aerocool APNX LC1-D White Liquid CPU Cooler with 4" IPS LCD - 360mm
ARCTICFREEZPRO240	R 1,379	Armaggeddon Arctic Freeze Pro 240 CPU Liquid Cooler, Aluminium radiator, 75.99cfm Maximum Air Flow, Hydraulic bearing, 2x 120mm fans, 2600 rpm pump speed
ARCTICFREEZPRO240WHT	R 1,436	Armaggeddon Arctic Freeze 240 CPU Liquid Cooler - White, 400mm length, Compatible with --> Intel 1366 / 1155 / 1150 / 1151 / 1200 / 1700 / 2011 / 2011-3 / 2066, AMD AM3 / AM3 / AM2 / AM2 / FM2 / FM2 / FM1 / AM4, 75.99 CFM Maximum Air Flow, 3 pin ARGB
ARCTICFREEZPRO360	R 1,494	Armaggeddon Arctic Freeze Pro 360 CPU Liquid Cooler, Aluminium radiator, 75.99cfm Maximum Air Flow, Hydraulic bearing, 3x 120mm fans, 2600 rpm pump speed
ARCTICFREEZPRO360WHT	R 1,839	Armaggeddon Arctic Freeze 360 CPU Liquid Cooler - White, Cpmpatible with Intel - 775 / 1056 / 1155 / 1150 / 1151 / 1200 / 1700 / 2011 / 2011-3 / 2066, AM3 / AM3 / AM2 / AM2 / FM2 / FM2 / FM1 / C32 / G34, Cpmpatible with AMD - AM4 / TR4 / TRX40, 75.99 CFM Maximum Air Flow, 300mm ARGB wire length, 3x 120mm fans
ASUS MAX GAMING LC 360 ARGB I	R 1,794	Asus MAX Gaming LC 360 ARGB LCD all-in-one CPU Liquid cooler; ARGB lighting; integrated LCD display; Intel LGA1700 LGA1200 LGA115x; AMD AM5 AM4; radiator 277 x 120 x 27mm; water block 73 x 73 x 45mm; enthusiast PC cooling

ASUS PRIME AP201/BLK/TG	R 1,679	Asus Prime AP201 Stylish 33-litre Micro ATX case with Tempered Glass - Black, Micro-ATX / Mini-ITX Motherboard support, 1x 2.5" bay, 3 x 2.5" /3.5" combo bay, 4 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen2 Type-C, 170 mm Maximum CPU Cooler height, 338 mm Maximum GPU length, 140-180 mm Maximum PSU length
ASUS PRIME AP201/WHT/TG	R 1,517	Asus Prime AP201 Stylish 33-litre Micro ATX case with Tempered Glass - White, Micro-ATX / Mini-ITX Motherboard support, 1x 2.5" bay, 3 x 2.5" /3.5" combo bay, 4 Expansion slots, Front I/O Port - 1x Headphone / 1x Microphone / 2x USB 3.2 Gen1 / 1x USB 3.2 Gen2 Type-C, 170 mm Maximum CPU Cooler height, 338 mm Maximum GPU length, 140-180 mm Maximum PSU length
ASUS PRIME LC 360 ARGB	R 1,978	ASUS PRIME LC 360 ARGB CPU Liquid Cooler, Copper Block material (CPU plate), Asetek pump, Aluminum radiator material, 400 mm tube length, 77.22 CFM Air Flow, 3 x fan slots (120mm), 2.3 ' LCD Display, Aura Sync support, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700 / 1200 / 115x
ASUS PRIME LC 360 ARGB LCD	R 3,588	Asus Prime LC 360 ARGB LCD All-in-One CPU Liquid Cooler, Copper Block Material (CPU Plate), Asetek pump Solution, Aluminum Radiator Material, 400 mm Tube Length, Sleeved Rubber tube, 3x 120mm fans, 77.22 CFM Air Flow, PWM/ DC Control Mode, 2.3 ' LCD Display, AURA Sync Support, Compatibility AMD AM5 / AM4 / Intel LGA 1851 / 1700 / 1200 / 115x
ASUS PRIME LC 360 ARGB WHT	R 2,391	Asus Prime LC 360 ARGB White Water block dim:72x72x61mm. Block Material:Copper. Radiator Dim:394x121x27mm. Intel: LGA1700; 1200; 115x. AMD: AM5; AM4
ASUS PROART LC 360	R 4,071	Asus PROART LC 360 CPU Liquid Cooler. AMD: AM5, AM4. Intel: LGA 1851, 1700, 1200, 115x
ASUS ROG RYUJIN III 360 ARGB EXTREME	R 5,669	Asus ROG RYUJIN III 360 ARGB Extreme, Cooler Water block dimention: 89x91x108 mm. Block Material (CPU Plate):Copper. Radiator Dimension: 399.5x120x30mm
ASUS ROG RYUJIN III 360 ARGB E)	R 5,849	Asus ROG Ryujin III 360 ARGB Extreme CPU Water Cooler, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, ROG Magnetic daisy-chainable fan, 3x 120mm fans, 89.73 CFM Air Flow, PWM / DC control mode, 3.5" full Colour LCD Display, Aura Sync support, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700 / 1200 / 115x
ASUS ROG RYUO 240	R 2,531	Asus ROG Ryuo 240 all-in-one liquid CPU cooler, 80mm*80mm*45mm CPU: LGA 115x,1366, 2011, 2011-3, 2066?AMD: AM4, TR4* Radiator Dimension: 272 x 121 x 27 mm Fan: 2 x ROG RYUO FAN Model 12
ASUS ROG RYUO IV 360 ARGB	R 7,165	Asus ROG Ryuo IV 360 ARGB CPU Water Cooler, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, 3x 120mm fans, 56.66 CFM Air Flow, PWM / DC control mode, 6.67" AMOLED Display, Aura Sync support, Compatibility - AM5, AM4 AMD / LGA 1851 / 1700 / 1200 / 115x Intel
ASUS ROG RYUO IV SLC 360 ARGB	R 8,568	Asus ROG RYUO IV SLC 360 ARGB Cooler Water block, Dimension: 133X105X123mm. Block Material: Copper. Radiator Dim: 394x140x32mm. Intel: LGA1700/1851/AM4/AM5. The ASUS ROG RYUO IV SLC 360 ARGB offers high-end liquid cooling for gamers and PC enthusiasts. Featuring a copper water block, 360mm radiator, and ARGB lighting, it ensures excellent thermal performance and visual appeal. Compatible with Intel and AMD platforms, it is perfect for overclocking and high-performance builds.
ASUS ROG STRIX LC III 360 ARGB	R 3,365	Asus ROG Strix LC III 360 ARGB, ASUS Water block dimension: 72 x 72 x 61 mm, Radiator Dimension: 394 x 121 x 27 mm, Radiator Material: Aluminium , Fan Dimension: 120 x 120 x 25mm, Compatibility: Intel: LGA 1700, 1200, 115X / AMD: AM5, AM4
ASUS ROG STRIX LC III 360 ARGB LCD	R 3,689	ASUS ROG STRIX LC III 360 ARGB LCD Cooler Water, block:72x72x63mm. Block Material:Copper. Radiator:394x121x27 mm. Intel:LGA1700/120..
ASUS ROG STRIX LC III 360 ARGB	R 3,689	Asus ROG Strix LC III 360 ARGB LCD All-in-One CPU Liquid Cooler - White, Copper Block Material (CPU Plate), 800 - 2800 rpm Pump Motor Speed, 7th V2 gen Asetek pump, Aluminium Radiator Material, 400 mm Tube Length, 2.1" Full Colour IPS LCD Display, 3x 120mm ROG STRIX AF-12S ARGB FAN, 70.38 CFM Air Flow, PWM/ DC Control Mode, Intel Compatibility - LGA 1851 / 1700 / 1200 / 115x, AMD Compatibility - AM5 / AM4
ASUS TUF GAMING LC III 360 ARGB	R 2,159	Asus TUF Gaming LC III 360 ARGB All-in-One Liquid CPU Cooler, Aura Sync support, Aluminum radiator material, Copper Block material (CPU plate), 3x 120mm fans, 90.78 CFM Air Flow, Compatibility - Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4, PWM / DC control mode, 400 mm tube length
ASUS TUF GAMING LC III 360 ARGI	R 2,339	Asus TUF Gaming LC III 360 ARGB LCD Liquid CPU Cooler, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, 2.1" full Colour IPS LCD Display, 3x 120mm fans, 90.78 CFM Air Flow, PWM / DC control mode, Compatible with Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4

ASUS TUF GAMING LC III 360 ARGB LCD WHI	R 2,429	Asus TUF Gaming LC III 360 ARGB LCD Liquid CPU Cooler - White, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, 2.1" full Colour IPS LCD Display, 3x 120mm fans, 90.78 CFM Air Flow, PWM / DC control mode, Compatible with Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4
ASUS TUF GAMING LC III 360 ARGI	R 2,161	Asus TUF Gaming LC III 360 ARGB All-in-One Liquid CPU Cooler - White, Aura Sync support, Aluminum radiator material, Copper Block material (CPU plate), 3x 120mm fans, 90.78 CFM Air Flow, Compatibility - Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4, PWM / DC control mode, 400 mm tube length
AZBLIZZ360	R 1,264	Azza Blizzard 360 Liquid Cooler
AZGALE240	R 919	AZZA Galeforce 240 Liquid Cooler, 2600 rpm pump speed, 1.4 L/min Flow rate, 2x PWM 4 pin ARGB LED fan, Intel - LGA 2066 / 2011-V3 / LGA2011 / LGA1366 / LGA1200 / LGA1156 / 1155 / 1151 / 1150 / 1700 / 1800, AMD - AM5 / AM4 / AM3 / AM3 / AM2 , AM2 / FM2 / FM2 / FM1
AZGALE360	R 1,149	AZZA Galeforce 360 Liquid Cooler, 2600 rpm pump speed, 1.4 L/min Flow rate, 3x PWM 4 pin ARGB LED fan, Intel - LGA 2066 / 2011-V3 / LGA2011 / LGA1366 / LGA1200 / LGA1156 / 1155 / 1151 / 1150 / 1700 / 1800, AMD - AM5 / AM4 / AM3 / AM3 / AM2 , AM2 / FM2 / FM2 / FM1
CC-9011322-WW	R 1,783	Corsair 3500X RS-R Black ARGB Tempered Glass Mid-Tower PC Case. Tempered glass; 3 x ARGB fans; Side, roof, PSU fan mounting; Reverse motherboard compatible; High airflow; Builder-friendly; Cable management; USB 3.1 ports; GPU max 370mm; CPU cooler max 170mm
CC-iTS13X	R 1,933	Iintel BXTS13x cpu Liquid Cooling cooler, Pre-filled / closed-loop / sealed coolant system, 150 x 118x 37 mm aluminum radiator, Integrated low profile pump, Sealed reservoir for zero maintenance, radiator with 1x 120mm fan, 800-2200rpm, 74 CFM, 21-35 dBA, for Intel LGA1155 / LGA1156 / LGA1366 / LGA2011
CHALLENGER-360-DIGITAL	R 1,615	Asrock Challenger 360 Digital AIO Liquid Cooler - Black, Compatibility AMD AM5 / AM4 / Intel LGA1851 / 1700, Copper material (Cold plate), Aluminum radiator, Pump PWM (4 pin) Connector, Radiator fan PWM (4 pin) Connector, Rifle bearing, 450mm tubing, ARGB Gen1 LEDs, 3" segment LED screen, USB (9 pin) Connector, 450mm tubing
CHALLENGER-PURE-360	R 1,357	Asrock Challenger Pure 360 AIO Liquid Cooler - Black, Compatibility AMD AM5 / AM4 / Intel LGA1851 / 1700, Copper material (Cold plate), Aluminum radiator, Pump PWM (4 pin) Connector, Radiator fan PWM (4 pin) Connector, Rifle bearing, 450mm tubing
CL-O031-ST00BL-A	R 58	Thermaltake LGA1700 Upgrade Kit for Pacific DIY Water Block W4 / W5 /W7 / MX1 and cooling kit
CL-W065-PL16TR-A	R 308	Thermaltake V-Tubler PETG tube 16 mm OD 500mm length, 4 pack
CL-W069-CA00BL-A	R 2,585	Thermaltake Pacific RL120 Water Cooling Kit
CL-W093-AL00BL-A	R 1,608	Thermaltake Pacific Hard Tube Bending Kit, Bender kit designed for ID 1/2â€• (12mm) x OD 5/8â€• (16mm) hard tube, including mandrels, cord, reamer, and cutter.
CL-W114-OS00BL-A	R 308	Thermaltake C1000 Black Opaque Coolant
CL-W114-OS00BU-A	R 308	Thermaltake C1000 Blue Opaque Coolant
CL-W114-OS00GR-A	R 308	Thermaltake C1000 Green Opaque Coolant
CL-W114-OS00TR-A	R 320	Thermaltake C1000 pure clear coolant, Pure clear color, 1000 ml capacity
CL-W114-OS00WT-A	R 308	Thermaltake C1000 White Opaque Coolant
CL-W128-CA12RE-A	R 3,804	Thermaltake Pacific RL240 D5 Hard Tube Water Cooling Kit
CL-W154-CU00WT-A	R 2,148	Thermaltake Pacific 16mm OD 12mm ID PETG Fitting Kit - Starter, A LCS combo unit includes PETG tubes, fittings, C1000 Opaque coolant, and other accessories.
CL-W157-PL12SW-A	R 1,839	Thermaltake CL-W157-PL12SW-A Floe Riing RGB 240 TT Premium Edition 16.8 million colours liquid CPU cooler, 2x 120mm Riing Plus RGB fans and a LED waterblock, Copper Water Block, Compatible with Intel LGA 2066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / AMD AM4 / FM2 / FM1 / AM3 / AM3 / AM2 / AM2
CL-W163-OS00AG-A	R 274	Thermaltake Premium Concentrate - Acid Green (4 Bottle Pack)
CL-W163-OS00BL-A	R 274	Thermaltake Premium Concentrate - Black (4 Bottle Pack)
CL-W163-OS00BU-A	R 274	Thermaltake Premium Concentrate - Blue (4 Bottle Pack)
CL-W163-OS00GR-A	R 274	Thermaltake Premium Concentrate - Green (4 Bottle Pack)
CL-W163-OS00OR-A	R 274	Thermaltake Premium Concentrate - Orange (4 Bottle Pack)
CL-W163-OS00PL-A	R 274	Thermaltake Premium Concentrate - Purple (4 Bottle Pack)
CL-W163-OS00RE-A	R 274	Thermaltake Premium Concentrate - Red (4 Bottle Pack)

CL-W163-OS00YE-A	R 274	Thermaltake Premium Concentrate - Yellow (4 Bottle Pack)
CL-W171-CU00SL-B	R 1,033	Thermaltake Pacific M-Pro G1/4 PETG 16mm Fitting Kit - Chrome, Pacific M-Pro G1/4 PETG 16mm Fitting Kit/DIY LCS/Fitting Kit
CL-W232-PL12SW-A	R 1,263	Thermaltake Water 3.0 120 ARGB Sync Edition 120mm liquid cooler with PWM fan, Copper Material, 326mm Length, Rubber Material, Supports Intel LGA 2066 / 2013 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 & AMD FM2 / FM1 / AM4 / AM3 / AM3 / AM2 / AM2
CL-W233-PL12SW-A	R 1,907	Thermaltake Water 3.0 240 ARGB Sync Edition 240mm liquid cooler with PWM fan, Copper Material, 326mm Length, Rubber Material, Supports Intel LGA 2066 / 2013 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 & AMD FM2 / FM1 / AM4 / AM3 / AM3 / AM2 / AM2
CL-W234-PL12SW-A	R 2,413	Thermaltake Water 3.0 360 ARGB Sync Edition 360mm liquid cooler with PWM fan, Copper Material, 400mm Length, Rubber Material, Supports Intel LGA 2066 / 2013 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 & AMD FM2 / FM1 / AM4 / AM3 / AM3 / AM2 / AM2
CL-W242-CU12SW-A	R 5,288	Thermaltake Pacific C240 DDC Hard Tube Water Cooling Kit, LCS Combo kit with Pump/Reservoir, T1000 coolant, fittings, copper radiator, hard tubes and 5V motherboard software controllable 120mm fans and W4 ARGB water block and other accessories.
CL-W243-CU12SW-A	R 7,185	Thermaltake Pacific C360 DDC Hard Tube Water Cooling Kit, LCS Combo kit with Pump/Reservoir, T1000 coolant, fittings, copper radiator, hard tubes and 5V motherboard software controllable 120mm fans and W4 ARGB water block and other accessories.
CL-W245-OS00AG-A	R 251	Thermaltake T1000 Acid Green Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Transparent)
CL-W245-OS00BU-A	R 251	Thermaltake T1000 Blue Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Transparent)
CL-W245-OS00GR-A	R 251	Thermaltake T1000 Green Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Transparent)
CL-W245-OS00OR-A	R 251	Thermaltake T1000 Orange Coolant
CL-W245-OS00PL-A	R 251	Thermaltake T1000 Purple Coolant
CL-W245-OS00RE-A	R 297	Thermaltake T1000 Red Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Transparent)
CL-W245-OS00TR-A	R 377	Thermaltake T1000 1000ml Coolant - Pure clear, Pure clear Colour
CL-W246-OS00BU-A	R 446	Thermaltake P1000 Blue Pastel Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Pastel)
CL-W246-OS00GR-A	R 446	Thermaltake P1000 Green Pastel Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Pastel)
CL-W246-OS00RE-A	R 630	Thermaltake P1000 Red Pastel Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Pastel)
CL-W246-OS00WT-A	R 274	Thermaltake P1000 White Pastel Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Pastel)
CL-W246-OS00YE-A	R 446	Thermaltake P1000 Yellow Pastel Coolant, 1L Bottle, ready to use colour, -20 to 99 degree Celcius, 2 year shelf life (Pastel)
CL-W249-CU12SW-A	R 4,426	Thermaltake Pacific C240 DDC Soft Tube Water Cooling Kit
CL-W253-CU12SW-A	R 5,748	Thermaltake Pacific C360 DDC Soft Tube Water Cooling Kit, LCS Combo kit with Pump/Reservoir, T1000 coolant, fittings, copper radiator, soft tubes and 5V motherboard software controllable 120mm fans and W4 ARGB water block and other accessories.
CL-W255-PL12SW-A	R 2,528	Thermaltake Floe DX RGB 240 TT Premium edition Software controlled 240mm liquid cooler, Copper material, 326 mm length, Rubber material, Supports Intel LGA 2066 / 2011-3 / 20112066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 & AMD AM4 / FM2 / FM1 / AM3 / AM3 / AM2 / AM2
CL-W263-PL00SW-A	R 4,368	Thermaltake Pacific DP100-D5 Plus
CL-W264-PL00SW-A	R 5,058	Thermaltake Pacific Core P5 DP-D5 plus distro-plate with pump combo, Full RGB illumination design, High quality 18mm thick pmma, D5 pump, TT RGB plus

CL-W285-PL12SW-A	R 1,149	Thermaltake TH120 ARGB Sync AIO liquid cooler, Copper water block, 400 mm length rubber tube, Compatibility Intel LGA 1156 / 1155 / 1151 / 1150 & AMD FM2 / FM1 / AM4 / AM3 /AM3 / AM2 / AM2
CL-W286-PL12SW-A	R 1,218	Thermaltake TH240 ARGB Sync AIO liquid cooler, Copper water block, 400 mm length rubber tube, Compatibility Intel LGA 1156 / 1155 / 1151 / 1150 & AMD FM2 / FM1 / AM4 / AM3 /AM3 / AM2 / AM2
CL-W300-PL12SW-A	R 1,609	Thermaltake TH360 ARGB Sync AIO Liquid Cooler
CL-W301-PL12SW-A	R 1,323	Thermaltake TH240 ARGB Sync Snow Edition CPU Water Cooler
CL-W322-PL12GM-B	R 3,678	Thermaltake ToughLiquid Ultra 240 All-in-One Liquid Cooler, 4-Pin Power Connector Type, Copper Material, 2500 RPM Maximum Rotational Speed, 480x480 display, CPU Socket Compatibility - Intel LGA 1700 / 1200 / 2066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150, CPU Socket Compatibility AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM1
CL-W334-PL00BL-A	R 2,184	Thermaltake Pacific TF3 Liquid cooling system Dashboard, 120 x 120 x 25 mm dimensions, Coolant Pressure Sensor, Liquid Temperature Sensor, Ambient Temperature Sensor
CL-W345-PL00SW-A	R 6,369	Thermaltake Pacific Core P8 DP-D5 Plus Distro-Plate with pump combo, PMMA material, 450 ml capacity, 1135 L/h Maximum Flow rate, 50 psi Maximum Pressure, 4 pin connector, No Display
CL-W358-PL00SW-A	R 7,657	Thermaltake Pacific Ultra Core P6 DP-D5 Plus Distro-Plate with pump combo, PMMA material, 300 ml capacity, 1135 L/h Maximum Flow rate, 50 psi Maximum Pressure, 4 pin connector, 3.9" TFT-LCD (IPS) Display, 128x480 (RGB) dots Display Resolution
CL-W359-PL00SW-A	R 7,910	Thermaltake Pacific Ultra Core P8 DP-D5 Plus Distro-Plate with pump combo, Pmma material, 400 ml capacity, 1135 L/h Maximum Flow rate, 50 psi Maximum Pressure, 4 pin connector, 3.9" TFT-LCD (IPS) Display Type, 128x480 (RGB) dots Display Resolution
CL-W360-PL12SW-A	R 1,309	Thermaltake TH120 V2 ARGB Sync All-in-One Liquid Cooler, Copper water Block, 57.05 CFM Maximum Air Flow, Hydraulic bearing, Aluminum radiator, Intel LGA 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD AM5 / AM4 / AM3 / AM3 / AM2 / AM2
CL-W361-PL12SW-A	R 1,321	Thermaltake TH240 V2 ARGB Sync All-in-One Liquid Cooler, Copper water Block, 57.05 CFM Maximum Air Flow, 120 x 120 x 25 mm dimension fans, Hydraulic bearing, Aluminum radiator, Intel - LGA 2066 / 2011 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2
CL-W376-PL14SW-A	R 2,356	Thermaltake TH420 V2 ARGB Sync All-in-One Liquid Cooler, Copper water Block, 140 x 140 x 25 mm dimension fan, 84.32 CFM Maximum Air Flow, Hydraulic bearing, Aluminum adiator, Intel - LGA 2066 / 2011 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2
CL-W383-PL12SW-A	R 2,299	Thermaltake TH240 V2 Ultra ARGB Sync All-in-One Liquid Cooler, 2.1" TFT-LCD Display Type, 480x480 (RGB) PX Display Resolution, Copper water Block, 120 x 120 x 25 mm dimension fan, Aluminum radiator, Intel - LGA 2066 / 2011-3 / 2011 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM1
CL-W384-PL12SW-A	R 2,999	Thermaltake TH360 V2 Ultra ARGB Sync All-in-One Liquid Cooler, 2.1" TFT-LCD Display Type, 480x480 (RGB) PX Display Resolution, Copper water Block, 120 x 120 x 25 mm dimension fans, Aluminum radiator, Intel - LGA 2066 / 2011-3 / 2011 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150, AMD - AM5 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM1
CL-W459-PL12SW-A	R 1,263	Thermaltake Water Cooler LA360 ARGB Sync AIO Liquid Cooler, ARGB 3 pin connector pump, 2510 4 pin connector pump, Copper material Block, 79.3 CFM Air Flow, 2510 4 pin connector fan, 380mm length rubber tube, Aluminum radiator, Compatabilty Intel LGA 2066 / 2011-3 / 2011 / 1851 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150 / AMD AM5 / AM4 / AM3 / AM3
CL-W461-PL12SW-A	R 1,248	Thermaltake Water Cooler LA240-S ARGB Sync AIO Liquid Cooler with display, 2.4" 240x320 segment LCD CPU Display, USB 2.0 Interface, Copper material Water Block, 2510 4 pin connector pump, ARGB 3 pin connector pump, 350mm length rubber tube, 2x 120mm fans, Aluminum radiator material, CPU Socket - Intel LGA 2066 / 2011-3 / 2011 / 1851 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150 / AMD AM5 / AM4 / AM3 / AM3
CL-W481-PL12SW-A	R 5,058	Thermaltake Liquid Cooler MineCube 360 Ultra Black, Four 3.95 ' ' TFT LCDs with 720 x 720 Resolution, PWM 1500~3300 rpm motor Speed, 6.8 CFM Air Flow, Copper Water Block, 460mm length tube, 396x120 x 27 mm Aluminum radiator, Compatibility - Intel LGA 2066 / 2011-3 / 2011 / 1851 / 1700 / 1200 / 1156 / 1155 / 1151 / 1150 / AMD AM5 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM1, 360W TDP

CORELIQUID A13 240	R 1,090	MSI MAG CORELIQUID A13 240 Water Cooler - Black, 240 mm radiator size, Aluminum radiator material, Epdm Water cooling tube material, 2 fans, 120x120x25 mm fan dimensions, 62.6 CFM fan Air Flow, Rifle bearing fan bearing, PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block / fan Lighting, 3 pin Header pump connector, Copper Cold plate material, Intel Socket support LGA 1700 / 1851, AMD Socket support AM5 / AM4
CORELIQUID A13 360	R 1,378	MSI MAG CoreLiquid A13 360 Water Cooler - Black, 360 mm radiator size, Aluminum radiator material, Epdm Water cooling tube material, 3 fans, 120x120x25 mm fan dimensions, 62.6 CFM fan Air Flow, Rifle bearing, PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block / fan Lighting, 3 pin Header pump connector, Copper Cold plate material, Intel Socket support LGA 1700 / 1851, AMD Socket support AM5 / AM4
CORELIQUID A13 360 WHITE	R 1,435	MSI MAG CoreLiquid A13 360 Water Cooler - White, 360 mm radiator size, Aluminum radiator material, Epdm Water cooling tube material, 3 fans, 120x120x25 mm fan dimensions, 62.6 CFM fan Air Flow, Rifle bearing, PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block / fan Lighting, 3 pin Header pump connector, Copper Cold plate material, Intel Socket support LGA 1700 / 1851, AMD Socket support AM5 / AM4
CORELIQUID A15 240	R 1,194	MSI MAG CORELIQUID A15 240 CPU Water Cooler, 240 mm radiator size, Aluminum radiator material, 390 mm Water cooling tube length, 2 fans, 64.89 CFM fan Air Flow, Rifle bearing, ARGB Gen2 Block Lighting, ARGB Gen2 fan Lighting, 5V ARGB 3 pin Header fan connector, 3400 rpm pump Speed, 4 pin Header pump connector, 5V ARGB 3 pin Header (Female), Copper Cold plate material, Intel Socket support LGA 1851 / 1700 / AMD Socket support AM5 / AM4
CORELIQUID A15 360	R 1,493	MSI MAG CORELIQUID A15 360 CPU Water Cooler, 360 mm radiator size, Aluminum radiator material, 600 mm Water cooling tube length, 3 fans, 64.89 CFM fan Air Flow, Rifle bearing, ARGB Gen2 Block Lighting, ARGB Gen2 fan Lighting, 5V ARGB 3 pin Header fan connector, 3400 rpm pump Speed, 4 pin Header pump connector, 5V ARGB 3 pin Header (Female), Copper Cold plate material, Intel Socket support LGA 1851 / 1700 / AMD Socket support AM5 / AM4
CORELIQUID A17 MLG EDITIO	R 2,700	MSI CoreLiquid 360 mm A17 MLG Edition Water Cooler, Aluminum radiator material, 360 mm radiator size, 3x 120mm fans, 64.89 CFM fan Air Flow, Rifle bearing, 500-2050 fan Speed, PWM mode, ARGB Gen2 fan Lighting, 3 pin RGB Connector, 3400 rpm pump Speed, 4 pin Header pump Connector, 5V ARGB 3 pin Header (Female), Copper Cold plate material, Intel Socket support LGA 1851 / 1700, AMD Socket support AM5 / AM4, 1x MLG figure
CORELIQUID I360	R 2,171	MSI MAG CoreLiquid I360 Water Cooler - Black, 360 mm radiator size, Aluminum radiator material, Epdm Water cooling tube material, 3 fans, 120 x 120 x 25 mm fans, 70.7 CFM fan Air Flow, Loop Dynamic bearing (Ldb), PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block / fan Lighting, PWM 4 pin Header pump connector, Copper Cold plate material, Intel Socket support - LGA 1150 / 1151 / 1155 / 1156 / 1200 / 1700 / 1851, AMD Socket support - AM5 / AM4
CORELIQUID I360 WHITE	R 2,519	MSI MAG CoreLiquid I360 Water Cooler - White, 360 mm radiator size, Aluminum radiator material, Epdm Water cooling tube material, 3 fans, 120 x 120 x 25 mm fans, 70.7 CFM fan Air Flow, Loop Dynamic bearing (Ldb), PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block / fan Lighting, PWM 4 pin Header pump connector, Copper Cold plate material, Intel Socket support - LGA 1150 / 1151 / 1155 / 1156 / 1200 / 1700 / 1851, AMD Socket support - AM5 / AM4
CW-9060078-WW	R 2,059	Corsair iCUE H100i Elite RGB 240mm Liquid CPU Cooler - White, RGB Lighting, 2x fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, 10.9 - 59.1 CFM fan Airflow, 400mm tubing length, 56x56mm coldplate dimensions, White sleeved Low-Permeation rubber tubing material, PWM, Cooling Socket support - Intel 1700 / Intel 1200 / Intel 1150 / Intel 1151 / Intel 1156 / Intel 2011 / Intel 2066 / AMD STR5 / AMD AM5 / AMD STR4 / AMD AM4
CW-9060088-WW	R 1,104	Corsair Nautilus 240 RS Liquid CPU Cooler, 240mm radiator, Liquid CPU Cooler, 2 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 1700 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 450mm tubing length, PWM fan control Method
CW-9060088-WW	R 1,360	Corsair Nautilus 240 RS Liquid CPU Cooler, 240mm radiator, Liquid CPU Cooler, 2 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 1700 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 450mm tubing length, PWM fan control Method
CW-9060089-WW	R 1,676	Corsair Nautilus 360 RS Liquid CPU Cooler - Black, Radiator size is 360 mm with three 120mm fans, Pump noise Level rated at 20 dBA for Quiet Operation, Maximum noise Level reaches 36 dB under load, Supports Intel LGA

		1851 and LGA 1700 sockets, Supports AMD AM5 and AM4 sockets, Features Zero rpm mode for Silent idle speeds, PWM fan Speed Control allows precise adjustment, Daisy-chained wiring connects All fans to one Header, Tube length measures 450 mm, Copper Cold plate designed for Maximum contact, No RGB Lighting included
CW-9060092-WW	R 1,263	Corsair Nautilus 240 ARGB Liquid CPU Cooler, 240mm radiator, Liquid CPU Cooler, 2 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 2100 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 400mm tubing length, PWM fan control Method
CW-9060092-WW	R 1,539	Corsair Nautilus 240 ARGB Liquid CPU Cooler, 240mm radiator, Liquid CPU Cooler, 2 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 2100 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 400mm tubing length, PWM fan control Method
CW-9060093-WW	R 1,561	Corsair Nautilus 360 ARGB Liquid CPU Cooler, 360mm radiator, Liquid CPU Cooler, 3 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 1700 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 360mm radiator size, 450mm tubing length, PWM fan control Method
CW-9060093-WW	R 1,937	Corsair Nautilus 360 ARGB Liquid CPU Cooler, 360mm radiator, Liquid CPU Cooler, 3 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 1700 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 360mm radiator size, 450mm tubing length, PWM fan control Method
CW-9060094-WW	R 1,149	Corsair Nautilus 240 ARGB Liquid CPU Cooler - White, 240mm radiator, Liquid CPU Cooler, 2 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 2100 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 400mm tubing length, PWM fan control Method
CW-9060095-WW	R 1,937	Corsair Nautilus 360 ARGB Liquid CPU Cooler - White, 360mm radiator, Liquid CPU Cooler, 3 fans, Copper Cold plate material, Aluminum radiator material, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 1700 rpm fan Speed, 13.3 - 72.8 CFM fan Airflow, 450mm tubing length, PWM fan control Method
CW-9061013-WW	R 219	Corsair iCUE Link AIO pump Cap - Groove
CW-9061015-WW	R 380	Corsair iCUE Link RGB AIO VRM fan module - White, 20.5 CFM fan Airflow, 70mm x 70mm x 15mm fan dimensions, Digital fan control Method
CW-9061016-WW	R 2,519	Corsair iCUE Link Titan 240 RX RGB Liquid CPU Cooler - RX120 RGB fans, RGB Lighting, 2 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 10.4 - 73.5 CFM fan Airflow, 400mm tubing length, Digital fan control Method
CW-9061017-WW	R 2,898	Corsair iCUE Link Titan 280 RX RGB Liquid CPU Cooler, RX140 RGB fans, 2 fans, Copper Cold plate material, Aluminum radiator material, 140mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 17.9 - 94.7 CFM fan Airflow, 280mm radiator size, 400mm tubing length, Digital fan control Method
CW-9061018-WW	R 2,933	Corsair iCUE Link Titan 360 RX RGB Liquid CPU Cooler - RX120 RGB fans, RGB Lighting, 3 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method
CW-9061018-WW	R 3,080	Corsair iCUE Link Titan 360 RX RGB Liquid CPU Cooler - RX120 RGB fans, RGB Lighting, 3 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method
CW-9061020-WW	R 2,507	Corsair iCUE Link Titan 240 RX RGB Liquid CPU Cooler - White, RX120 RGB fans, RGB Lighting, 2 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 10.4 - 73.5 CFM fan Airflow, 240mm radiator size, 400mm tubing length, Digital fan control Method
CW-9061021-WW	R 2,749	Corsair iCUE Link Titan 360 RX RGB Liquid CPU Cooler - White, RX120 RGB fans, Copper Cold plate material, Aluminum radiator material, 3 fans, RGB Lighting, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method
CW-9061021-WW	R 3,080	Corsair iCUE Link Titan 360 RX RGB Liquid CPU Cooler - White, RX120 RGB fans, Copper Cold plate material, Aluminum radiator material, 3 fans, RGB Lighting, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method

CW-9061022-WW	R 3,013	Corsair iCUE Link Titan 240 RX LCD Black AIO - 240mm radiator - Liquid CPU Cooler, RGB Lighting, 2 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 240mm radiator size, 400mm tubing length, Digital fan control Method
CW-9061023-WW	R 3,522	Corsair iCUE Link Titan 360 RX LCD AIO - 360mm radiator - Liquid CPU Cooler, RGB Lighting, 3 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method
CW-9061025-WW	R 3,094	Corsair iCUE Link Titan 240 RX LCD White AIO - 240mm radiator - Liquid CPU Cooler, RGB Lighting, 2 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 240mm radiator size, 400mm tubing length, Digital fan control Method
CW-9061026-WW	R 3,324	Corsair iCUE Link Titan 360 RX LCD White AIO - 360mm radiator - Liquid CPU Cooler, RGB Lighting, 3 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method
CW-9061026-WW	R 3,522	Corsair iCUE Link Titan 360 RX LCD White AIO - 360mm radiator - Liquid CPU Cooler, RGB Lighting, 3 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method.
CW-9061031-WW	R 2,175	Corsair NAUTILUS 240 RS LCD Liquid CPU Cooler. 240mm radiator; 2 x 120mm RS120 fans; 0-2100 RPM fan speed; 13.3-72.8 CFM airflow; 10-36 dBA noise level; Intel LGA 1700/1851, AMD AM4/AM5 compatibility; 2.1-inch IPS LCD display; 480x480 resolution; 600 cd/m brightness; iCUE software support; Aluminum radiator; Pre-applied thermal paste; Magnetic Dome Bearing fans
CW-9061033-WW	R 2,483	Corsair NAUTILUS 360 RS LCD Liquid CPU Cooler. 360mm radiator; 3 x RS120 fans; 2.1-inch IPS LCD screen; Intel LGA 1851/1700, AMD AM5/AM4 compatibility; Up to 2100 RPM fan speed; 13.3 - 72.8 CFM airflow; 10 - 36 dBA noise level; 450mm tubing length; Copper cold plate; Aluminum radiator
CW-9061033-WW	R 2,115	Corsair Nautilus 360 RS LCD Liquid CPU Cooler - Black, 360mm Aluminium radiator with Copper Cold plate for efficient heat transfer, Dual High Static Pressure RS120 fans delivering Airflow from 13.3 to 72.8 CFM, Precise PWM Control adjusts fan Speed between 420 and 2100 rpm, Zero rpm mode stops fans completely during Light workloads, Max noise Level of 36 dBA under full load, Vivid 2.1-inch IPS LCD screen built into the pump head for live monitoring, LCD supports custom images and system Data Display, Compatible with Intel LGA 1851 / LGA 1700 sockets, Compatible with AMD AM5 / AM4 platforms, 450mm tubing length provides Flexible radiator placement
CW-9061034-WW	R 2,494	Corsair NAUTILUS 360 RS White LCD Liquid CPU Cooler. 360mm radiator; 3 x 120mm RS120 fans; 0-2,100 RPM fan speed; 13.3-72.8 CFM airflow; 0.20-4.15 mm-H2O static pressure; 10-36 dBA noise level; 2.1-inch IPS LCD screen; 480 x 480 resolution; 600 cd/m brightness; Intel LGA 1851, LGA 1700; AMD AM5, AM4 compatibility; iCUE software control; tool-free installation; white color finish; premium performance tier; high-performance gaming; content creation; overclocking; PC enthusiasts
DF-DX240-WHITE	R 1,322	darkFlash DX240 V2.6 Liquid CPU Cooler - White, 75 x 75 x 53mm Water Block size, 274 x 120 x 27mm radiator size, 200mm pipe length, 120 x 120 x 25mm fan size, 75.3cfm Air Flow, Supports Intel - LGA 20xx (V3) / 1200 / 115x / 1366 / 755 / 17xx, Supports AMD - AM5 / AM4 / AM3 ( ) / AM2 ( ) / FM2 ( ), Large Copper bottom for the wider cooling area
FA-120iSEW	R 220	Inwin ASE120 Sirius Extreme White (pure) ARGB - dual-looped rings of RGB lighting - 120x120x25mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 400-1500rpm, 21-25dBA, 54 CFM, 1.55 mm/H2o static pressure
FA-120iSEWx3+C	R 861	Inwin ASE120 Sirius Extreme White (pure) ARGB x3 kit Controller - dual-looped rings of RGB lighting - 120x120x25mm, 9x black sickle blades PWM fans, shockproof rubber corners for noise reduction, 400-1500rpm, 21-25dBA, 54 CFM, 1.55 mm/H2o static

GP-AORUS WATERFORCE X II 240	R 3,508	Gigabyte Aorus WaterForce X II 240 240mm Cooler, Aluminum radiator material, Copper Block material, 380mm tube length, Rubber tube with Nylon Sleeve, CPU Socket - Intel 115x / 1200 / 1700 / 1851 / AMD TR4 / AM5 / AM4 / sTR5, 60 x 60mm full Colour LCD Display, 2500~3000 rpm pump Speed, 2x 120mm ARGB fans, FDB bearing Type, 72 CFM Air Flow
GP-AORUS WATERFORCE X II 360	R 4,198	Gigabyte Aorus WaterForce X II 360 360mm Cooler, Aluminum radiator material, Copper Block material, 380mm tube length, Rubber tube with Nylon Sleeve, CPU Socket - Intel 115x / 1200 / 1700 / 1851 / AMD TR4 / AM5 / AM4 / sTR5, 60 x 60mm full Colour LCD Display, 2500~3000 rpm pump Speed, 3 x 120mm ARGB fans, FDB bearing Type, 72 CFM Air Flow
LUNA 360 ARGB	R 894	Antec Luna 360 ARGB CPU Liquid Cooler - Black, 2000 ml / min Flow rate, 3 pin pump Connector, 3 pin LED Connector, PWM fan, 3 x 120mm hydraulic bearing fans, Addressable RGB LED Type, 67.62 CFM Airflow, PH2.0 7 pin (PWM ARGB) Connector, Intel LGA 115x / 1200 / 1366 / 1700 / 20xx / 1851, AMD AM3 / AM4 / AM5
LUNA 360 ARGB W	R 935	Antec Luna 360 ARGB CPU Liquid Cooler - White, 2000 ml / min Flow rate, 3 pin pump Connector, 3 pin LED Connector, PWM fan, 3 x 120mm hydraulic bearing fans, Addressable RGB LED Type, 67.62 CFM Airflow, PH2.0 7 pin (PWM ARGB) Connector, Intel LGA 115x / 1200 / 1366 / 1700 / 20xx / 1851, AMD AM3 / AM4 / AM5
MAXGAMINGLC360ARGBLCD	R 1,868	Asus Max Gaming LC 360 ARGB LCD All-in-One CPU Liquid Cooler - Black, Copper Block material (CPU plate), 2600 - 3400 rpm pump motor Speed, 2.4" full Colour IPS LCD Display, Aura Sync support, Intel compatibility - LGA 1851 / 1700, AMD compatibility - AM5 / AM4, 3x 120 mm ARGB radiator fan
MAXGAMINGLC360ARGBLCDWHT	R 1,956	Asus Max Gaming LC 360 ARGB LCD All-in-One CPU Liquid Cooler - White, Copper Block material (CPU plate), 2600 - 3400 rpm pump motor Speed, 2.4" full Colour IPS LCD Display, Aura Sync support, Intel compatibility - LGA 1851 / 1700, AMD compatibility - AM5 / AM4, 3x 120 mm ARGB radiator fan
MLX-D24M-A25PZ-R1	R 1,149	Cooler Master MasterLiquid 240 Atmos ARGB Black Water Cooler, CPU Socket support - Intel LGA 1851 / 1700 / 1200 / 1151 / 1150 / 1155 / 1156 Socket / AMD AM5 / AM4 Socket, Aluminum radiator material, 4 pin pump connector, 2x 120mm ARGB fan, 70.7 CFM (Max) fan Airflow, Loop Dynamic bearing, 4 pin (PWM) fan Power connector, 240mm radiator size
MLX-D24M-A25PZ-RW	R 1,646	Cooler Master MasterLiquid 240 Atmos ARGB White Water Cooler, CPU Socket support - Intel LGA 1851 / 1700 / 1200 / 1151 / 1150 / 1155 / 1156 Socket / AMD AM5 / AM4 Socket, Aluminum radiator material, 4 pin pump connector, 2x 120mm ARGB fan, 70.7 CFM (Max) fan Airflow, Loop Dynamic bearing, 4 pin (PWM) fan Power connector, 240mm radiator size
MLY-D24M-A23PZ-R1	R 1,149	Cooler Master MasterLiquid PL240 Flux 240mm AIO cooler, Dual pump chamber, low profile radiator, Dual Loop ARGB pump, Compatible with --> LGA1700 / LGA1200 / LGA2066 / LGA2011-V3 / LGA2011 / LGA1151 / LGA1150 / LGA1155 / LGA1156 / AM4 / AM3 / AM3 / AM2 / AM2 / FM2 / FM2 / FM1 / TR4, 4 pin (PWM) pump connector, Addressable Gen 2 RGB fan LED Type, 4 pin (PWM) fan power connector
MLY-L24M-A18PK-R1	R 1,149	Cooler Master ML240 Vivid Liquid Cooler, Dual Chamber, 240mm Radiator, 2 x 120mm ARGB MirageFans, Transparent ARGB Pump Design, Compatibility: LGA1700, LGA1200, LGA2066, LGA2011-v3, LGA2011, LGA1151, LGA1150, LGA1155, LGA1156, AM5, AM4, AM3 , AM3, AM2 , AM2, FM2 , FM2, FM1
MPGCORELIQUIDA13240	R 1,275	MSI MAG CoreLiquid A13 240 AIO Liquid CPU Cooler - Black, 240 mm radiator size, Aluminum radiator material, 2x 120mm fans, 62.3 CFM fan Air Flow, Rifle bearing, PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block Lighting, ARGB Gen2 fan Lighting, 3 pin Header pump connector, 5V ARGB 3 pin Header (Female), Copper Cold plate material, Intel Socket support - LGA 1700 / 1851, AMD Socket support - AM5 / AM4
MPGCORELIQUIDA13360	R 1,574	MSI MAG CoreLiquid A13 360 AIO Liquid CPU Cooler - Black, 360 mm radiator size, Aluminum radiator material, 3x 120mm fans, Rifle bearing, 62.6 CFM fan Air Flow, PWM mode, 5V ARGB 3 pin Header, ARGB Gen2 Block Lighting, ARGB Gen2 fan Lighting, 3 pin Header pump connector, 5V ARGB 3 pin Header (Female), Copper Cold plate material, Intel Socket support - LGA 1700 / 1851, AMD Socket support - AM5 / AM4
MPGCORELIQUIDP13360	R 2,551	MSI MPG CoreLiquid P13 360 AIO Liquid CPU Cooler - Black, 2.1" IPS 480x480 panel size, 360 mm radiator size, Aluminium radiator material, Epdm Water cooling tube material, 12 x 12 x 2.5 cm fan dimensions, 64.898 CFM fan Air Flow, Rifle bearing, PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block & fan Lighting, Intel Socket support LGA 1700 / 1851, AMD Socket support AM5 / AM4
MPGCORELIQUIDP13360WH	R 2,889	MSI MPG CoreLiquid P13 360 AIO Liquid CPU Cooler - White, 2.1" IPS 480x480 panel size, 360 mm radiator size, Aluminium radiator material, Epdm Water cooling tube material, 12 x 12 x 2.5 cm fan dimensions, 64.898 CFM fan

		Air Flow, Rifle bearing, PWM mode, 5V ARGB 3 pin Header fan connector, ARGB Gen2 Block & fan Lighting, Intel Socket support LGA 1700 / 1851, AMD Socket support AM5 / AM4
Oasis L240-B	R 799	Aerocool Oasis L240 Black - 240mm ARGB Liquid Cooler - Intel LGA1851/LGA1700; AMD AM4/AM5
OMNI 360 MATRIX ARGB W	R 837	Antec Omni Matrix 360 ARGB CPU Liquid Cooler - White, 360mm radiator with three 120mm PWM fans, Fans operate between 800 and 1800 rpm, Flow rate of up to 2, 167 ml per minute, Ceramic bearing pump rated for 40000 hours, Stainless Steel shaft construction, Addressable RGB Lighting on radiator and fans, RGB illuminated pump cap included, Tube length is 420mm with epdm iir braiding, Supports Intel LGA775 through LGA1851 sockets, Compatible with AMD AM4 and AM5 sockets
PCB-LC-BLIZZARD-240	R 768	PCBuilder Blizzard Frost 240mm AIO ARGB Liquid CPU Cooler - Black, 220L/h Flow rate, 2x 120mm fans, 400mm fan cable lengths, PWM 4 pin (Fan) connector, 5V 3 pin (ARGB) connector, Hydraulic fan bearing, Up to 76.5cfm Air Flow, 277 x 120 x 27mm radiator size, Aluminium radiator material, Copper & ABS pump material, Up to 3300rpm pump Speed, 3 pin (Pump) connector, 5V 3 pin (ARGB) connector, 360mm pipe tubing material, 65x50mm LCD dimensions
PCB-LC-BLIZZARD-360	R 934	PCBuilder Blizzard Freeze 360mm AIO ARGB Liquid CPU Cooler - Black, 300W Thermal Design Power (TDP), 220 L/h Flow rate, 3x 120mm fans, 400mm fan cable lengths, PWM 4 pin (Fan) connector, 5V 3 pin (ARGB) connector, Hydraulic fan bearing, Up to 76.5 CFM Air Flow, 394x120 x 27mm radiator size, Aluminium radiator material, Copper & ABS pump material, Up to 3300rpm pump Speed, 3 pin (Pump) connector, 5V 3 pin (ARGB) connector, Copper Cold plate material, 400mm Pipe tubing material, 65x50mm LCD dimensions, Intel Socket compatibility - LGA 115x / 1366 / 1700 / 1851 / 2011 / 2066, AMD Socket compatibility - AM4 / AM5
PCB-LC-HYDRO-C240	R 937	Unbranded Hydro Chill 240MM AIO ARGB Liquid CPU Cooler
PHANTOM-GAMING-360-LCD	R 3,315	Asrock Phantom Gaming 360 LCD All-in-One Liquid CPU Cooler - Black, Compatible with --> AMD AM5 / AM4 / Intel LGA1851 / 1700, 3.4" IPS LCD 480x480 Display 60 fps, USB Type-C to Motherboard 9 pin Connector, Copper material (Cold plate), ARGB LEDs, Aluminium radiator, PWM (4 pin) Connector, 7 x 7 x 2.5 cm VRM fan, PWM (4 pin) Connector, Radiator fan, Fluid Dynamic bearing, ARGB Gen1 LEDs, 450mm length tubing
PRIME-LC-240-ARGB	R 2,418	Asus Prime 240MM ARGB AIO Liquid CPU Cooler
PRIME-LC-360-ARGB	R 2,806	Asus Prime 360MM ARGB AIO Liquid CPU Cooler
PRO-360-ARGB	R 1,271	Asrock Pro 360 ARGB All-in-One Liquid CPU Cooler - Black, Compatible with --> AMD AM5 / AM4 / Intel LGA1851 / 1700, Copper material (Cold plate), ARGB LEDs, Aluminium radiator, 1200 - 3200rpm pump Speed, PWM (4 pin) Connector, 3x 120mm fans, 62.6 CFM Max Air Flow, PWM (4 pin) Connector, Rifle bearing, ARGB Gen1 LEDs, 450mm length tubing
ProArt-LC-360	R 4,423	Asus ProArt 360MM AIO Liquid CPU Cooler
R-LE240-BKAMMC-G-2	R 876	Deep Cool LE240 v2 240mm ARGB AIO CPU Liquid Cooler - Black, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, Aluminium radiator material, 28.2 x 12 x 2.7 cm radiator dimensions, 41 cm tube length, 2500~3400 rpm pump Speed, 4 pin PWM pump Connector, 2x 120mm fans, 75.89 CFM fan Airflow, Intel support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD support AM5 / AM4
R-LE240-WHAMMN-G-2	R 894	Deep Cool LE240 v2 240mm ARGB AIO CPU Liquid Cooler - White, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, Aluminium radiator material, 28.2 x 12 x 2.7 cm radiator dimensions, 41 cm tube length, 2500~3400 rpm pump Speed, 4 pin PWM pump Connector, 2x 120mm fans, 75.89 CFM fan Airflow, Intel support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD support AM5 / AM4
R-LE360-BKAMMC-G-2	R 1,109	DeepCool LE360 v2 ARGB 360mm AIO Liquid Cooler - Black, Aluminium radiator material, 410 mm tube length, 4 pin PWM pump Connector, 3x 120mm fans, 75.89 CFM fan Airflow, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED LED Type, 3 pin (5V-D-G) D Connector, Supports - Intel LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155 / AMD AM5 / AM4
R-LE360-WHAMMN-G-2	R 1,194	DeepCool LE360 v2 ARGB 360mm AIO Liquid Cooler - White, Aluminium radiator material, 410 mm tube length, 4 pin PWM pump Connector, 3x 120mm fans, 75.89 CFM fan Airflow, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED LED Type, 3 pin (5V-D-G) D Connector, Supports - Intel LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155 / AMD AM5 / AM4
R-LM240-BKDMMC-1	R 1,109	Deep Cool LM240 ARGB 240mm AIO Liquid Cooler - Black, Aluminum radiator material, 410 mm tube length, 2500-3400 rpm pump Speed, 4 pin PWM pump Connector, 2x 120mm fans, 66.23 CFM fan Airflow, 4 pin PWM fan

		Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, Intel Socket support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD Socket support AM5 / AM4
R-LM240-WHDMMC-1	R 1,109	Deep Cool LM240 ARGB 240mm AIO Liquid Cooler - White, Aluminum radiator material, 410 mm tube length, 2500-3400 rpm pump Speed, 4 pin PWM pump Connector, 2x 120mm fans, 66.23 CFM fan Airflow, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, Intel Socket support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD Socket support AM5 / AM4
R-LM360-BKDMMC-1	R 1,359	Deep Cool LM360 ARGB 360mm AIO CPU Liquid Cooler - Black, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, Aluminium radiator material, 40.2 x 12 x 2.7 cm radiator dimensions, 41 cm tube length, 2500 - 3400 rpm pump Speed, 4 pin PWM pump Connector, 3x 120mm fans, 66.23 CFM fan Airflow, Intel support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD support AM5 / AM4
R-LM360-WHDMMC-1	R 1,359	Deep Cool LM360 ARGB 360mm AIO CPU Liquid Cooler - White, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector, Aluminium radiator material, 40.2 x 12 x 2.7 cm radiator dimensions, 41 cm tube length, 2500 - 3400 rpm pump Speed, 4 pin PWM pump Connector, 3x 120mm fans, 66.23 CFM fan Airflow, Intel support LGA1851 / 1700 / 1200 / 1151 / 1150 / 1155, AMD support AM5 / AM4
R-LT360VISIONBKAMMC-G-1	R 1,865	DeepCool LT360 Vision ARGB 4.5" LCD All-in-One CPU Liquid Cooler - Black, Aluminium radiator material, 410 mm tube length, 3400 rpm pump Speed, 4 pin PWM pump Connector, 3x 120mm fans, 500-2500 rpm fan Speed, 75.33 CFM fan Airflow, 4 pin PWM fan Connector, Hydro bearing, Addressable RGB LED, 3 pin (5V-D-G) LED Connector
ROGRYUJINIII-360-ARGB-EXT	R 6,117	Asus ROG Ryujin III ARGB AIO Liquid Cooler with 3.5" LCD Display, Copper Block Material (CPU Plate), 8th gen Asetek pump, Aluminium Radiator Material, 400 mm Sleeved Rubber tube, 3 x Fan Slots (12 cm), 70.07 CFM Air Flow, PWM/ DC Control Mode, 3.5" Full Colour LCD Display, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700 / 1200 / 115x
ROGRYUJINIII-360-EXT WH	R 6,376	Asus ROG Ryujin III 360mm ARGB Extreme White Edition Liquid CPU Cooler, 360 mm radiator with three 120 mm ARGB fans, Pump-mounted LCD screen, Maximum noise Level of 36 dB, Socket compatibility includes - AM5 / AM4 / LGA 1851 / LGA 1700 / LGA 1200 / LGA 115x, Fan count is three, RGB Lighting included, Tube length is 400 mm, Thermal compound pre-applied to CPU Block, Daisy-chainable fan cables with Male and Female connectors.
ROGRYUOIV360ARGB	R 6,969	Asus ROG Ryuo IV 360 ARGB CPU Water Cooler, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, 3x 120mm fans, 56.66 CFM Air Flow, PWM / DC control mode, 6.67" AMOLED Display, Aura Sync support, Compatibility - AM5, AM4 AMD / LGA 1851 / 1700 / 1200 / 115x Intel
ROGRYUOIV360ARGB WH	R 7,229	Asus ROG Ryuo IV 360 ARGB Liquid CPU Cooler White Edition, Asetek GEN8 v2 pump with Copper CPU plate and Aluminium radiator, 6.67-inch Curved 2K AMOLED Display on the pump head, Three ROG MF-12c ARGB fans rated at 30.7 db(a) Maximum noise Level, Daisy-chain ARGB connectivity reduces cables to a single connection, Supports AMD AM5 / AM4 and Intel LGA1851 / 1700 / 1200 / 115x sockets, Innovative sliding mechanism allows horizontal adjustment of the screen module, Includes pre-applied Thermal compound for direct installation, White Colour finish with Aura Sync RGB Lighting support, Tube length measures 400 mm
ROGRYUOIVSLC360ARGB	R 6,969	Asus ROG Ryuo IV SLC 360mm ARGB Liquid CPU Cooler - Black, Radiator size of 360 mm with three 120 mm ARGB fans, Supports Intel LGA 1851 and LGA 1700 sockets, Compatible with AMD AM5 and AM4 Socket platforms, Maximum noise Level rated at 39.6 dB, Tube length of 200 mm for Flexible Water Block routing, ARGB Lighting features on radiator fans, Pre-applied Thermal compound included
ROGRYUOIVSLC360ARGBWH	R 7,229	Asus ROG Ryuo IV SLC 360 ARGB White Edition 360mm Liquid CPU Cooler - White, 360 mm radiator size for high-capacity heat dissipation, Curved LCD pump Display for live stats or custom content, Supports Intel LGA 1851 and LGA 1700 sockets, Compatible with AMD AM5 and AM4 sockets, Includes three 120 mm ROG ARGB fans, Maximum noise Level of 39.6 dB under sustained load, Daisy-chained ARGB Lighting compatible with Aura Sync, Pre-applied Thermal compound on Copper Cold plate, 200 mm sleeved fep tube length for Compact installation, White finish Colour for aesthetic builds
ROGSTRIXLCIII360ARGB	R 3,227	Asus ROG Strix LC III 360 ARGB Liquid CPU Cooler - Black, Next-Gen Asetek GEN7 v2 pump cooling, 360 degrees rotatable Water Block, Triple 120mm ARGB fans with 0dB mode, Full Aura Sync support, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube length, 70.38 CFM Air Flow, PWM /

		DC control mode, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700 / 1200 / 115x
ROGSTRIXLCIII360ARGBLCD	R 3,742	Asus ROG Strix LC III 360 ARGB LCD All-in-One CPU Liquid Cooler - Black, Copper Block Material (CPU Plate), 800 - 2800 rpm Pump Motor Speed, 7th V2 gen Asetek pump, Aluminium Radiator Material, 400 mm Tube Length, 2.1" Full Colour IPS LCD Display, 3x 120mm ROG STRIX AF-12S ARGB FAN, 70.38 CFM Air Flow, PWM/ DC Control Mode, Intel Compatibility - LGA 1851 / 1700 / 1200 / 115x, AMD Compatibility - AM5 / AM4
ROGSTRIXLCIII360ARGBLCDWH	R 3,823	Asus Prime LC 360 ARGB White Edition 360mm Liquid CPU Cooler, Radiator size of 360 mm, Three Integrated 120mm ARGB fans, LCD pump Display with customisable Infinity Mirror Lens, Max noise Level of 34 dB, Airflow up to 75.7 CFM, Single two-header cable for simplified connections, Aura sync-enabled RGB Lighting support, Reinforced sleeved tube length of 400 mm, Socket compatibility with Intel LGA 1851 / 1700 / 1200 / 115x, Socket compatibility with AMD AM5 and AM4
ROGSTRIXLCIV360ARGBLCD	R 4,423	Asus ROG Strix LC IV 360 ARGB LCD Liquid Cooler - White Edition, Copper Block material (CPU plate), Aluminum radiator material, 400mm sleeved rubber tube, 3x 120mm fans, 82.57 CFM Air Flow, PWM control mode, 5.08" full Colour IPS LCD Display, Aura Sync support, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700
ROGSTRIXLCIV360ARGBLCDW	R 4,423	Asus ROG Strix LC IV 360 ARGB LCD White Edition, Copper Block material (CPU plate), Aluminum radiator material, 400mm sleeved rubber tube, 3x 120mm fans, 82.57 CFM Air Flow, PWM control mode, 5.08" full Colour IPS LCD Display, Aura Sync support, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700
ROGSTRIXSLCIV360ARGBLCD	R 4,423	Asus ROG Strix SLC IV 360 ARGB LCD Liquid CPU Cooler - Black, Copper Block material (CPU plate), Aluminum radiator material, 250 mm sleeved rubber tube, 3x 120mm fans, 82.57 CFM Air Flow, 5.08" full Colour IPS LCD Display, Aura Sync support, Compatibility - AMD AM5 / AM4 / Intel LGA 1851 / 1700
SKELETON 240 ARGB	R 1,028	Antec Skeleton 240 ARGB CPU Liquid Cooler Black, 2x PWM ARGB LED fans, 72.29 CFM Airflow, 4 pin connector fan, 3 pin ARGB connector fan, Aluminium & polycarbonate radiator material, 4 pin pump connector, 3 pin LED pump connector, Intel Socket compatibility LGA115x / 1200 / 1700 / 1851 / 20xx, AMD Socket compatibility AM3 / AM4 / AM5
SKELETON 360 ARGB	R 1,164	Antec SKELETON 360 ARGB CPU Liquid Cooler - Black, 3x 120mm PWM ARGB LED fans, 72.29 CFM Airflow, 4 pin fan connector, 3 pin ARGB connector, Aluminium & polycarbonate radiator material, 4 pin connector pump, 3 pin LED connector pump, Socket compatibility Intel LGA115x / 1200 / 1700 / 1851 / 20xx, Socket compatibility AMD AM3 / AM4 / AM5
SKELETON 360 ARGB W	R 1,226	Antec Skeleton 360 ARGB CPU Liquid Cooler - White, 3x 120mm PWM ARGB LED fans, 72.29 CFM Airflow, 4 pin fan connector, 3 pin ARGB connector, Aluminium & polycarbonate radiator material, 4 pin connector pump, 3 pin LED connector pump, Socket compatibility Intel LGA115x / 1200 / 1700 / 1851 / 20xx, Socket compatibility AMD AM3 / AM4 / AM5
SST-XE360-TR5	R 7,222	SilverStone XE360-TR5 high Performance 360mm AIO Liquid CPU Cooler, Copper base with Aluminum Body Water Block, Aluminum radiator, 460mm length rubber tube, 4000 rpm pump Speed, 3 pin pump Connector, 3x 120mm fans, 87.72 CFM Airflow, 4 pin PWM fan Connector
TUFGAMINGLCIII360ARGB	R 2,720	Asus TUF Gaming LC III 360 ARGB All-in-One Liquid CPU Cooler, Aura Sync support, Aluminum radiator material, Copper Block material (CPU plate), 3x 120mm fans, 90.78 CFM Air Flow, Compatibility - Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4, PWM / DC control mode, 400 mm tube length
TUFGAMINGLCIII360ARGBLCD	R 3,143	Asus TUF Gaming LC III 360 ARGB LCD Liquid CPU Cooler, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, 2.1" full Colour IPS LCD Display, 3x 120mm fans, 90.78 CFM Air Flow, PWM / DC control mode, Compatible with Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4
TUFGAMINGLCIII360ARGBLCDW	R 3,232	Asus TUF Gaming LC III 360 ARGB LCD Liquid CPU Cooler - White, Copper Block material (CPU plate), Aluminum radiator material, 400 mm sleeved rubber tube, 2.1" full Colour IPS LCD Display, 3x 120mm fans, 90.78 CFM Air Flow, PWM / DC control mode, Compatible with Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4
TUFGAMINGLCIII360ARGBWH	R 2,807	Asus TUF Gaming LC III 360 ARGB All-in-One Liquid CPU Cooler - White, Aura Sync support, Aluminum radiator material, Copper Block material (CPU plate), 3x 120mm fans, 90.78 CFM Air Flow, Compatibility - Intel LGA 1851 / 1700 / 1200 / AMD AM5 / AM4, PWM / DC control mode, 400 mm tube length
VORTEX LUM 240 ARGB	R 1,022	Antec VORTEX LUM 240 ARGB AIO CPU Liquid Cooler - Black, Aluminum radiator material, 3 pin pump connector, 3 pin LED connector, Hydraulic bearing, Addressable RGB LED, 71.5 CFM Airflow, PWM ARGB connector, 12 x 12 x 2.5 cm fan dimensions, Intel LGA 115x / 1200 / 1700 / 20xx / 1851, AMD AM3 / AM4 / AM5 /

		TR4
VORTEX LUM 360 ARGB W	R 1,357	Antec Vortex Lum 360 ARGB AIO CPU Liquid Cooler - White, Aluminum radiator material, 3 pin pump connector, 3 pin LED connector, Hydraulic bearing, Addressable RGB LED, 71.5 CFM Airflow, PWM ARGB connector, 12 x 12 x 2.5 cm fan dimensions, Intel LGA 115x / 1200 / 1700 / 20xx / 1851, AMD AM3 / AM4 / AM5 / TR4
WC-APL240	R 2,389	Asus Prime LC 240 ARGB Liquid CPU Cooler, Dual 120mm fans, RGB pump, Copper Block material (CPU plate), 27.7 x 12 x 2.7 cm radiator dimension, Aluminum radiator material, 400 mm tube length, 3 x fan slots (120mm), 75.7 CFM Air Flow, PWM / DC control mode, Aura Sync support, AMD - AM5 / AM4, Intel LGA - 1851 / 1700 / 1200 / 115x
WC-APL360	R 2,770	Asus Prime LC 360 ARGB Liquid Cooler, Triple 120mm fans, RGB pump, Copper Block material (CPU plate), 397 x 120 x 27 mm radiator dimension, Aluminum radiator material, 400 mm tube length, 3 x fan slots (120mm), 75.7 CFM Air Flow, PWM / DC control mode, Aura Sync support, AMD - AM5 / AM4, Intel LGA - 1851 / 1700 / 1200 / 115x
WC-AS240	R 1,013	Antec Skeleton 240 ARGB CPU Liquid Cooler Black, 2x PWM ARGB LED fans, 72.29 CFM Airflow, 4 pin connector fan, 3 pin ARGB connector fan, Aluminium & polycarbonate radiator material, 4 pin pump connector, 3 pin LED pump connector, Intel Socket compatibility LGA115x / 1200 / 1700 / 1851 / 20xx, AMD Socket compatibility AM3 / AM4 / AM5
WC-AS360	R 1,147	Antec Skeleton 360 ARGB CPU Liquid Cooler - Black, 3x 120mm PWM ARGB LED fans, 72.29 CFM Airflow, 4 pin fan connector, 3 pin ARGB connector, Aluminium & polycarbonate radiator material, 4 pin connector pump, 3 pin LED connector pump, Socket compatibility Intel LGA115x / 1200 / 1700 / 1851 / 20xx, Socket compatibility AMD AM3 / AM4 / AM5
WC-AVL240	R 1,007	Antec VORTEX LUM 240 ARGB AIO CPU Liquid Cooler - Black, Aluminum radiator material, 3 pin pump connector, 3 pin LED connector, Hydraulic bearing, Addressable RGB LED, 71.5 CFM Airflow, PWM ARGB connector, 12 x 12 x 2.5 cm fan dimensions, Intel LGA 115x / 1200 / 1700 / 20xx / 1851, AMD AM3 / AM4 / AM5 / TR4
WC-CA9010012	R 363	Corsair CW-9010012 sleeving kit for AIO CPU coolers - 400mm - White
WC-CA9010013	R 363	Corsair CW-9010013 sleeving kit for AIO CPU coolers - 400mm - Grey
WC-CA9010014	R 363	Corsair CW-9010014 sleeving kit for AIO CPU coolers - 400mm - Red
WC-CA9060056	R 1,789	Corsair CW-9060056 black LCD upgrade kit for icue Elite Capellix water cooling - waterblock with 2.1" iPS lcd screen (480x480, 600cd/m2, 16.7million colors, 24x RGB leds)
WC-CA9060066	R 1,978	Corsair CW-9060066 White LCD upgrade kit for iCUE Elite Capellix water cooling, Waterblock with 2.1" IPS 480 x 480 600nits 16.7million colors 24x RGB LEDs LCD screen, 30Hz Refresh Rate, IPS display technology, Glossy display Surface
WC-CA9060067	R 1,978	Corsair CW-9060067 ice LCD upgrade kit for icue Elite Capellix water cooling - waterblock with 2.1" iPS lcd screen (480x480, 600cd/m2, 16.7million colors, 24x RGB leds)
WC-CH100iE+L	R 3,989	Corsair CW-9060061-WW H100i Elite Lcd capellix 240mm CPU water cooling - with 2.1" iPS lcd screen (480x480, 600cd/m2, 16.7million colors, 24x RGB leds), Corsair Link for real-time monitoring and control - copper waterblock with 33x capellix RGB LED
WC-CH100IERW	R 2,995	Corsair CW-9060078 H100i Elite Rgb White 240mm CPU water cooling - copper waterblock with 16x RGB LEDs, pre-filled / closed-loop / sealed coolant system, 120x277x27mm aluminum radiator, Integrated low profile pump and reservoir is sealed for zero maintenance, with 2x 120mm AF120 elite FDB fan, 400-1850rpm, 10.9-59.1CFM, 31.5dBA, 0.09-1.93mm/H2O - for all Intel AMD AM4
WC-CH100iRA	R 3,802	Corsair iCUE Link H100i RGB AIO 240mm CPU water cooling with Corsair Link for Real-Time monitoring and control - Black , Copper waterblock with 33x Capellix RGB LED Lighting on waterblock, Pre-filled / closed-loop / sealed Coolant system, Aluminum radiator, Integrated low profile pump and improved cold plate, Sealed reservoir for zero Maintenance, Cooling Socket support Intel 1700 / Intel 1200 / Intel 1150 / Intel 1151 / Intel 1155 / Intel 1156 / AMD AM5 / AMD AM4, CW-9061001-WW
WC-CH100IRA+L	R 3,679	Corsair CW-9061007-WW iCUE LINK H100i LCD Liquid CPU Cooler
WC-CH100iRAW	R 4,024	Corsair iCUE Link H100i RGB AIO 240mm CPU water cooling with Corsair Link for Real-Time monitoring and control - White, Copper waterblock with 33x Capellix RGB LED Lighting on waterblock, Pre-filled / closed-loop /

		sealed Coolant system, Aluminum radiator, Integrated low profile pump and improved cold plate, Sealed reservoir for zero Maintenance, Cooling Socket support Intel 1700 / Intel 1200 / Intel 1150 / Intel 1151 / Intel 1155 / Intel 1156 / AMD AM5 / AMD AM4, CW-9061005-WW
WC-iBR24	R 1,823	In-win BR24 rgb 240mm CPU Water cooling - 2 1 fans system with one-click controller - UMA (Upper Motherboard Area) waterblock fan for extra cooling for VRM, Memory, and M.2 SSDs, aluminium pump with microchannel fins RGB LEDs Integrated twin turbin
WC-iBR36	R 2,044	In-win BR36 rgb 360mm CPU Water Cooling - 3 1 fans system with one-click controller - UMA (Upper Motherboard Area) waterblock fan for extra cooling for VRM, Memory, and M.2 SSDs, aluminium pump with microchannel fins RGB LEDs Integrated twin turbin
WC-IMR24	R 1,768	In-Win MR24 240mm Water Cooler, Rotatable CPU blockhead, Aluminium material, 400 mm tube length, 2x Neptune AN120 fans, 23.87 - 60.1 CFM Airflow, 4 pin (Connectors, Long lifespan Sleeve bearing, CPU Socket support - Intel LGA 1700 / 1200 / 20xx / 1151 / 115x / AMD AM5 / AM4 / AMX / fmx
WC-IMR36	R 1,988	In-Win MR24 360mm Water Cooler, Rotatable CPU blockhead, Aluminium material, 450 mm tube length, 3x Neptune AN120 fans, 23.87 - 60.1 CFM Airflow, 4 pin (Connectors, Long lifespan Sleeve bearing, CPU Socket support - Intel LGA 1700 / 1200 / 20xx / 1151 / 115x / AMD AM5 / AM4 / AMX / fmx
WC-iNR24	R 2,044	In-win NR24 Nebula Rgb 240mm CPU water cooling with one-click controller - dual-chamber anodized aluminium pump with microchannel fins, with Nebulaâ€™s Infinite Shining Stars, 120x277x27mm aluminum radiator, with 2x 120mm Luna aRGB PWM fan, 400-1800rpm
WC-iSR36P	R 2,707	In-win SR36 Pro RGB 360mm CPU water cooling with one-click controller - dual-chamber anodized aluminium pump with microchannel fins RGB LEDs Integrated twin turbines mirror-gloss Finish diamond-cut outline, 120x397x27mm aluminum radiator, with 3 Fans
WC-ZAGWB38	R 229	Zalman ZM-GWB38050/3870 - water block for Ati HD3850 / HD3870 GPU, RAM, FET, i/o , dimple-type processing technology for light weight , anodized aluminum , 85x117x31mm
WC-ZAGWB88G92	R 229	Zalman ZM-GWB8800GT/GTS(G92) - water block for nVidia geforece G92 - 8800GT/8800GTS 512mb GPU, RAM, FET, i/o , dimple-type processing technology for light weight , anodized aluminum , 93x183x31mm
WC-ZAGWB88GTS	R 344	Zalman ZM-GWB8800 GTS - water block for nVidia geforece 8800GTS GPU, RAM, FET, i/o , dimple-type processing technology for light weight , anodized aluminum , 93x183x31mm
WC-ZAGWB88GTX	R 344	Zalman ZM-GWB8800 Ultra/GTX - water block for nVidia geforece 8800GTX GPU, RAM, FET, i/o , dimple-type processing technology for light weight , anodized aluminum , 93x183x31mm
WC-ZARF1	R 212	Zalman ZM-RF1 add-on fan duct for Reserator 1 Plus / V2 - 140x140x25mm fan with blue Led fan-mate2
WC-ZARWB1	R 231	Zalman ZM-RWB1 - water block for VGA RAM (memory) , anodized aluminum , to work with ZM-GWB3 VGA water block - only compatiable with ATi X1800 and up / nForce 7800 and up (except 7800GS / 7950GX2)

< Return to the menu

Lights

Product code	Price	Description
CF1000B	R 55	Jetart Ccfl Tube Blue. 580 Volts, 5.0ma Current., (Cold Cathode Light Tube)
CF1000G	R 55	Jetart CF1000G Ccfl Tube Green. 580 Volts, 5.0ma Current., (Cold Cathode Light Tube), 1 Year Warranty
CF1000R	R 55	Jetart Ccfl Tube Red. 580 Volts, 5.0ma Current. (Cold Cathode Light Tube), 1 Year warranty
CF1000RGB	R 55	Jetart CF1000RGB Ccfl Tube Multi-Colour. 580 Volts, 5.0ma Current., (Cold Cathode Light Tube)
CF2000	R 101	Jetart Ccfl 2 Outlet Inverter has a higher power consumption than any other modding parts., Therefore, an extra power inverter is needed for lighting them up.
CL-O015-PL00BL-A	R 366	Thermaltake CL-O015-PL00BL-A TT Sync Controller TT Premium Edition, 9 port LED hub for synchronizing Thermaltake addressable LED products
LT-AER	R 86	antec external LED light tube (30cm) - Red - sound activation with sensitivity control - usb powered
LT-BB15/50WP	R 102	Bitfenix BFA-AAL-50BK15-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Blue , 15 leds / 50cm
LT-BB6/20WP	R 68	Bitfenix BFA-AAL-20BK6-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Blue , 6 leds / 20cm

LT-BB9/30WP	R 56	Bitfenix BFA-AAL-30BK9-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Blue , 9 leds / 30cm
LT-BG15/30	R 68	Bitfenix BFA-ACL-30GK15-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Green , 15 leds / 30cm
LT-BG15/30M	R 79	Bitfenix BFA-MAG-30GK15-RP Alchemy 2.0 Magnetic Led strips - with magnets embedded into strips, TriBright LED with independent ICs for each LED bulb, support daisy-chain connect for multiple led strips/power adapter - Green, 15 leds/ 30cm
LT-BG15/50WP	R 79	Bitfenix BFA-AAL-50GK15-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Red , 15 leds / 50cm
LT-BG30/60	R 91	Bitfenix BFA-ACL-60GK30-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Green , 30 leds / 60cm
LT-BG6/12	R 33	Bitfenix BFA-ACL-12GK6-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Green , 6 leds / 12cm
LT-BG6/12M	R 33	Bitfenix BFA-MAG-12GK6-RP Alchemy 2.0 Magnetic Led strips - with magnets embedded into strips, TriBright LED with independent ICs for each LED bulb, support daisy-chain connect for multiple led strips/power adapter - Green, 6 leds/ 12cm
LT-BG6/20WP	R 45	Bitfenix BFA-AAL-20GK6-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Green , 6 leds / 20cm
LT-BG9/30WP	R 56	Bitfenix BFA-AAL-30GK9-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Green , 9 leds / 30cm
LT-Bo15/30	R 68	Bitfenix BFA-ACL-30oK15-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Orange , 15 leds / 30cm
LT-Bo15/50WP	R 79	Bitfenix BFA-AAL-50oK15-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Orange , 15 leds / 50cm
LT-Bo30/60	R 91	Bitfenix BFA-ACL-60oK30-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Orange , 30 leds / 60cm
LT-Bo6/12	R 33	Bitfenix BFA-ACL-12oK6-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Orange , 6 leds / 12cm
LT-Bo6/20WP	R 45	Bitfenix BFA-AAL-20oK6-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Orange , 6 leds / 20cm
LT-Bo9/30WP	R 56	Bitfenix BFA-AAL-30oK9-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Orange , 9 leds / 30cm
LT-BP30/60M	R 102	Bitfenix BFA-MAG-60PK30-RP Alchemy 2.0 Magnetic Led strips - with magnets embedded into strips, TriBright LED with independent ICs for each LED bulb, support daisy-chain connect for multiple led strips/power adapter - Purple, 30 leds/ 60cm
LT-BR15/50WP	R 79	Bitfenix BFA-AAL-50RK15-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Red , 15 leds / 50cm
LT-BR30/60	R 91	Bitfenix BFA-ACL-60RK30-RP alchemy connect Led strips - with TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Red, 30 leds / 60cm
LT-BR6/20WP	R 45	Bitfenix BFA-AAL-20RK6-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Red , 6 leds / 20cm
LT-BR9/30WP	R 56	Bitfenix BFA-AAL-30RK9-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - Red , 9 leds / 30cm
LT-BW15/50WP	R 79	Bitfenix BFA-AAL-50WK15-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - White , 15 leds / 50cm
LT-BW6/20WP	R 45	Bitfenix BFA-AAL-20WK6-RP alchemy aqua Led strips - with WaterProof rubber protection TriBright LED with independent ICs for each LED bulb , support daisy-chain connect for mutiple led strips - White , 6 leds / 20cm
LT-CLT100EK	R 1,093	Corsair CD-9010003 LT100 Expansion Kit - smart lighting tower with4 6 RGB LEDs, LT100 Starter Kit required
LT-LLB20/53WP	R 198	Lian-li Led50-B - Blue led strips, 20 leds, 53cm, WaterProof rubber protection - to be mounted anywhere via double

		tape
LT-LLB4/13WP	R 131	Lian-li Led10-B - Blue led strips, 4 leds, 13cm, Water-Proof rubber protection - to be mounted anywhere via double tape
LT-LLR20/53WP	R 230	Lian-li Led50-R - Red led strips, 20 leds, 53cm, WaterProof rubber protection - to be mounted anywhere via double tape
LT-LLR4/13WP	R 153	Lian-li Led10-R - Red led strips, 4 leds, 13cm, Water-Proof rubber protection - to be mounted anywhere via double tape
LT-LLRGB+C	R 783	Lian-li Led50RGB-2 - Red Green Blue led strips Controler unit - 3 dedicated control knobs for mixture or R/G/B to any colors in case - 3x50cm - to be mounted anywhere via double tape
LT-LLW20/53WP	R 242	Lian-li Led50-W - White led strips, 20 leds, 53cm, WaterProof rubber protection - to be mounted anywhere via double tape
LT-LLW26/36	R 198	Lian-li Led-W - White led strips, 26 leds, 36cm - to be mounted anywhere via double tape
LT-LLW4/13WP	R 164	Lian-li Led10-W - White led strips, 4 leds, 13cm, Water-Proof rubber protection - to be mounted anywhere via double tape
LT-VLG30/50	R 86	Vizo LED-GR-500 - LED strips - Green, 30 lEDs, 50cm - to be mounted anywhere via double tape
LT-VLG60/100	R 143	Vizo LED-GR-1000 - LED strips - Green, 60 LEDs, 100cm - to be mounted anywhere via double tape
LT-VLG60/100WP	R 145	Vizo LED-GR-1000W - LED strips - Green, 60 LEDs, 100cm, with Water Proof rubber protection - to be mounted anywhere via double tape
LT-VLR60/100WP	R 145	Vizo LED-RD-1000W - LED strips - Red, 60 LEDs, 100cm, with Water Proof rubber protection - to be mounted anywhere via double tape
LT-VLWW60/100WP	R 145	Vizo LED-WW-1000W - LED strips - Warm White, 60 LEDs, 100cm, with Water Proof rubber protection - to be mounted anywhere via double tape
LT-VLY30/50	R 86	Vizo LED-YL-500 - LED strips - Yellow, 30 LEDs, 50cm - to be mounted anywhere via double tape
LT-VLY30/50WP	R 86	Vizo LED-YL-500W - LED strips - Yellow, 30 LEDs, 50cm, with Water Proof rubber protection - to be mounted anywhere via double tape
LT-VLY60/100	R 143	Vizo LED-YL-1000 - LED strips - Yellow, 60 LEDs, 100cm - to be mounted anywhere via double tape
LT-VLY60/100WP	R 145	Vizo LED-YL-1000W - LED strips - Yellow, 60 LEDs, 100cm, with Water Proof rubber protection - to be mounted anywhere via double tape
NIMAURORA+	R 213	Armaggeddon Nimitz Aurora 2x 300mm RGB LED strip for Gaming PC case, Magnetic & Tape Mount
TUFGAMINGARGBPWMFANHUB	R 442	Asus TUF GAMING ARGB 6 Port PWM Fan Hub
TXCOMMAND82R	R 332	Armaggeddon Tessaraxx command 8.2A ARGB controller, 8x 6 pin connector, 2x 3 pin connector, Compatible with TX-ARGB fans, Compatible with ARGB mainboards, Addressable RGB Lightning effects
TXLED20H	R 190	Armaggeddon Tessaraxx TX LED 20-H ARGB 20cm LED strip, 6 pin connector, Programmable RGB, Use with armaggeddon control board
TXLED30S	R 213	Armaggeddon Tessaraxx TX LED 30-S 30cm ARGB LED strip, Programmable RGB, To be use with Armaggeddon Tessaraxx command 8.2R ARGB control board only

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Gadgets & Toys

Bicycle Accessories

Product code	Price	Description
LEDB01	R 52	Microworld LED bike light. 3 blue LEDs with multiple lighting modes, and 2 red lasers for safety line behind the bike. 3 blue LEDs; 2 red safety lasers; 7 lighting modes; 2 x AAA batteries required (not included); seat post mount; water-resistant; compact lightweight LED bike light.

< Return to the menu

Camping Accessories

Product code	Price	Description
PCBK01	R 391	Microworld Cooling blanket 60mm x 100mm
PCBK03	R 91	Microworld Cooling blanket 30mm x 40mm

< Return to the menu

Computer gadgets

Product code	Price	Description
805	R 129	Dream Cheeky USB Fidget - Soccer Retail Box
807	R 129	Dream Cheeky USB Fidget - Golf Retail Box
CG-P02	R 59	Esquire Soccer Ball USB Ashtray
J70	R 403	VRPARK VR glasses with bluetooth headsets. Does not include a screen, uses a phone 5.5" up to 6.7" . Appearance size: 220 mm length, 200 mm width, 106 mm height, 400 g weight. (Brand:VRPARK)
NE-S256UN1	R 432	Sunix key-256UN1 - iSafe USB 2.0 SecureKey (USB NFC) - AES 256-bit data encryption with cloud encrypted folder synchronization, encrypted data sharing, encrypted partition creating, computer locker; Support cloud encrypted archives auto-synchronizing with Dropbox, Google Drive, Box, and SkyDrive - for windows based PC via USB or mobile with NFC; IP67 dust and water resistant certification - 2x keys included
SE094	R 35	Microworld SE094 USB Mini Flexible fan, Silicone fan Blade, 360 degrees of random bending
USBLIG3LED	R 23	Microworld USB Light with 3 LED ' s
VK-850-BK	R 195	Volkano Kids Doodle Series 8.5 Writing and Drawing Board - Black, Pressure-sensitive Stylus, High Flexible Liquid Crystal technology, One button eraser, 0.45cm thickness
VK-850-BL	R 195	Volkano Kids Doodle Series 8.5 Writing and Drawing Board - Blue, Pressure-sensitive Stylus, High Flexible Liquid Crystal technology, One button eraser, 0.45cm thickness
VK-850-PK	R 195	Volkano Kids Doodle Series 8.5 Writing and Drawing Board - Pink, Pressure-sensitive Stylus, High Flexible Liquid Crystal technology, One button eraser, 0.45cm thickness

< Return to the menu

Drones

Product code	Price	Description

< Return to the menu

Film PVC Decos & Wraps (decor)

Product code	Price	Description
CPWE450600	R 190	Unbranded Correx CP WE 3mm 450x600 450gsm boards - pack of 10 sheets
CPWE594841	R 130	Unbranded Correx CP WE 3mm 594x841 450gsm boards - 1 sheet
CPWE59484110	R 152	Unbranded Correx CP WE 3mm 594x841 450gsm boards - pack of 10 sheets
CPWE59484150	R 877	Unbranded Correx CP WE 3mm 594x841 450gsm boards - pack of 10 sheets
CPWE594860	R 131	Unbranded Correx CP WE 3mm 594x860 450gsm boards - 1 sheet
CPWE59486010	R 156	Unbranded Correx CP WE 3mm 594x860 450gsm boards - pack of 10 sheets
CPWE59486050	R 894	Unbranded Correx CP WE 3mm 594x860 450gsm boards - pack of 50 sheets
CPWE600400	R 309	Unbranded Correx CP WE 3mm 600x400 450gsm boards - pack of 50 sheets
CPWE600450	R 324	Unbranded Correx CP WE 3mm 600x450 450gsm boards - pack of 50 sheets
CPWE60045010	R 201	Unbranded Correx CP WE 3mm 600x450 450gsm boards - pack of 10 sheets
CPWE800600	R 558	Unbranded Correx CP WE 3mm 600x800 450gsm boards - pack of 50 sheets
HEXC408011230	R 224	Hexis C4000 Building Decoration Film Transperent Clear ADH 1230mm x 1m - Grey (Building / decor wrap)
HEXC4080123030	R 6,440	Hexis C4000 Building Decoration Film Transperent Clear ADH 1230mm x 30m - Grey (Building / decor wrap)
HEXC416811230	R 193	Hexis C4000 Building Decoration Film Transperent Clear ADH 1230mm x 1m - Primrose (Building / decor wrap)
HEXC4168123030	R 6,440	Hexis C4000 Building Decoration Film Transperent Clear ADH 1230mm x 30m - Primrose (Building / decor wrap)
HEXC423211230	R 224	Hexis C4000 Building Decoration Film Transperent Clear ADH 1230mm x 1m - Orange (Building / decor wrap)
HEXC4232123030	R 6,440	Hexis C4000 Building Decoration Film Transperent Clear ADH 1230mm x 30m - Orange (Building / decor wrap)

HEXC428811230	R 224	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230mm x 1m - Perm Red (Building / decor wrap)
HEXC4288123030	R 6,440	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230mm x 30m - Perm Red (Building / decor wrap)
HEXC435411230	R 224	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230mm x 1m - Steel Blue (Building / decor wrap)
HEXC4354123030	R 6,440	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230mm x 30m - Steel Blue (Building / decor wrap)
HEXC438712301	R 224	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230m x 1m - Dark Blue (Building / decor wrap)
HEXC4387123030	R 6,440	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230m x 30m - Dark Blue (Building / decor wrap)
HEXC439811230	R 224	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230mm x 1m - Pale Blue (Building / decor wrap)
HEXC442911230	R 224	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230m x 1m - Lichen Green (Building / decor wrap)
HEXC4429123030	R 6,440	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230m x 30m - Lichen Green (Building / decor wrap)
HEXC443312301	R 224	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230m x 1m - Moss Green (Building / decor wrap)
HEXC4433123030	R 6,440	Hexis C4000 Building Decoration Film Transparent Clear ADH 1230m x 30m - Moss Green (Building / decor wrap)
HEXE3110B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Intense Yellow (Boards, shop windows, sign wrap)
HEXE3110B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Intense Yellow (Boards, shop windows, sign wrap)
HEXE3110B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Intense Yellow (Boards, shop windows, sign wrap)
HEXE3116B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Light Yellow (Boards, shop windows, sign wrap)
HEXE3116B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Light Yellow (Boards, shop windows, sign wrap)
HEXE3116B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Light Yellow ((Boards, shop windows, sign wrap)
HEXE3123B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Daffodil Yellow (Boards, shop windows, sign wrap)
HEXE3123B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Daffodil Yellow (Boards, shop windows, sign wrap)
HEXE3123B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Daffodil Yellow (Boards, shop windows, sign wrap)
HEXE3151B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Orange (Boards, shop windows, sign wrap)
HEXE3151B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Orange (Boards, shop windows, sign wrap)
HEXE3151B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Orange (Boards, shop windows, sign wrap)
HEXE3179B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Vermilion Red (Boards, shop windows, sign wrap)
HEXE3179B1610	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 610mm x 1m - Vermilion Red (wrap for boards, shop windows, signs)
HEXE3179B30610	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 610mm x 30m - Vermilion Red (Boards, shop windows, sign wrap)
HEXE3186B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Ruby Red (Boards, shop windows, sign wrap)
HEXE3186B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Ruby Red (Boards, shop windows, sign wrap)
HEXE3186B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Ruby Red (Boards, shop windows, sign wrap)
HEXE3220B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Fuchsia (Boards, shop windows, sign wrap)

HEXE3220B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Fuchsia (Boards, shop windows, sign wrap)
HEXE3280B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Pacific Blue (Boards, shop windows, sign wrap)
HEXE3280B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Pacific Blue (Boards, shop windows, sign wrap)
HEXE3280B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Pacific Blue (Boards, shop windows, sign wrap)
HEXE3281B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Night Blue (Boards, shop windows, sign wrap)
HEXE3281B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Night Blue (Boards, shop windows, sign wrap)
HEXE3281B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Night Blue (Boards, shop windows, sign wrap)
HEXE3286B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Dark Blue (Boards, shop windows, sign wrap)
HEXE3286B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Dark Blue (Boards, shop windows, sign wrap)
HEXE3286B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Mediterranean Blue (Boards, shop windows, sign wrap)
HEXE3293B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Curacao Blue (Boards, shop windows, sign wrap)
HEXE3293B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Curacao Blue (Boards, shop windows, sign wrap)
HEXE3293B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Curacao Blue (Boards, shop windows, sign wrap)
HEXE3294B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Ultramarine Blue (Boards, shop windows, sign wrap)
HEXE3294B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Ultramarine Blue (Boards, shop windows, sign wrap)
HEXE3294B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Ultramarine Blue (Boards, shop windows, sign wrap)
HEXE3297B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Sky Blue (Boards, shop windows, sign wrap)
HEXE3297B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Sky Blue (Boards, shop windows, sign wrap)
HEXE3297B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Sky Blue (Boards, shop windows, sign wrap)
HEXE3298B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Periwinkle Blue (Boards, shop windows, sign wrap)
HEXE3298B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Periwinkle Blue (Boards, shop windows, sign wrap)
HEXE3298B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Periwinkle Blue (Boards, shop windows, sign wrap)
HEXE3300B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Sapphire Blue (Boards, shop windows, sign wrap)
HEXE3300B1610	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 610mm x 1m - Sapphire Blue (Boards, shop windows, sign wrap)
HEXE3300B30610	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 610mm x 30m - Sapphire Blue (Boards, shop windows, sign wrap)

HEXE3307B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Peacock Blue (Boards, shop windows, sign wrap)
HEXE3307B30123	R 2,645	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 30m - Peacock Blue (Boards, shop windows, sign wrap)
HEXE3320B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Turquoise (Boards, shop windows, sign wrap)
HEXE3320B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Turquoise (Boards, shop windows, sign wrap)
HEXE3320B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Turquoise (Boards, shop windows, sign wrap)
HEXE3336B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Larch Green (Boards, shop windows, sign wrap)
HEXE3340B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Medium Green (Boards, shop windows, sign wrap)
HEXE3340B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Medium Green (Boards, shop windows, sign wrap)
HEXE3340B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Medium Green (Boards, shop windows, sign wrap)
HEXE3348B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Emerald Green (Boards, shop windows, sign wrap)
HEXE3348B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Emerald Green (Boards, shop windows, sign wrap)
HEXE3348B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Emerald Green (Boards, shop windows, sign wrap)
HEXE3357B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Bottle Green (Boards, shop windows, sign wrap)
HEXE3357B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Bottle Green (Boards, shop windows, sign wrap)
HEXE3357B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Bottle Green (Boards, shop windows, sign wrap)
HEXE3361B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Almond Green (Boards, shop windows, sign wrap)
HEXE3361B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Almond Green (Boards, shop windows, sign wrap)
HEXE3361B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Almond Green (Boards, shop windows, sign wrap)
HEXE3362B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Waterlily Green (Boards, shop windows, sign wrap)
HEXE3362B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Waterlily Green (Boards, shop windows, sign wrap)
HEXE3362B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Waterlily Green (Boards, shop windows, sign wrap)
HEXE3376B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Mint Green (Boards, shop windows, sign wrap)
HEXE3376B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Mint Green (Boards, shop windows, sign wrap)
HEXE3376B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Mint Green (Boards, shop windows, sign wrap)
HEXE3430B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Mouse Grey (Boards, shop windows, sign

		wrap)
HEXE3430B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Mouse Grey (Boards, shop windows, sign wrap)
HEXE3430B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Mouse Grey (Boards, shop windows, sign wrap)
HEXE3444B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Dark Grey (Boards, shop windows, sign wrap)
HEXE3444B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Dark Grey (Boards, shop windows, sign wrap)
HEXE3444B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Dark Grey (Boards, shop windows, sign wrap)
HEXE3476B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Brown (Boards, shop windows, sign wrap)
HEXE3476B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Brown (wrap for boards, shop windows, signs)
HEXE3485B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Red Embers (Boards, shop windows, sign wrap)
HEXE3485B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Red Embers (Boards, shop windows, sign wrap)
HEXE3485B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Red Embers (Boards, shop windows, sign wrap)
HEXE3505B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Burgundy (Boards, shop windows, sign wrap)
HEXE3505B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Burgundy (Boards, shop windows, sign wrap)
HEXE3505B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Burgundy (Boards, shop windows, sign wrap)
HEXE3527B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Purple (Boards, shop windows, sign wrap)
HEXE3527B1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Purple (Boards, shop windows, sign wrap)
HEXE3527B30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Purple (Boards, shop windows, sign wrap)
HEXE3829B1123	R 193	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - White (Boards, shop windows, sign wrap)
HEXE3829B1610	R 154	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 610mm x 1m - White (wrap for boards, shop windows, signs)
HEXE3829B1615	R 154	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - White (Boards, shop windows, sign wrap)
HEXE3829B30615	R 1,222	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - White (Boards, shop windows, sign wrap)
HEXE3829M1123	R 193	Hexis Ecotac E3000 Monomeric PVC Film Matt 80mic 1230mm x 1m - White (Boards, shop windows, sign wrap)
HEXE3829M1615	R 154	Hexis Ecotac E3000 Monomeric PVC Film Matt 80mic 615mm x 1m - White (Boards, shop windows, sign wrap)
HEXE3829M30615	R 1,222	Hexis Ecotac E3000 Monomeric PVC Film Matt 80mic 615mm x 30m - White (Boards, shop windows, sign wrap)
HEXE3877B1123	R 143	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Silver (Boards, shop windows, sign wrap)
HEXE3877B1615	R 186	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Silver (Boards, shop windows, sign wrap)
HEXE3877B30123	R 4,198	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 30m - Silver (Boards, shop windows, sign wrap)
HEXE3877B30615	R 2,156	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Silver (Boards, shop windows, sign wrap)
HEXE3889B1123	R 193	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Coal Black (Boards, shop windows, sign wrap)
HEXE3889B1152	R 212	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1520mm x 1m - Coal Black (Boards, shop windows, sign wrap)
HEXE3889B1615	R 154	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Coal Black (wrap for bards, shop windows, signs)
HEXE3889B30152	R 2,851	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1520mm x 30m - Coal Black (Boards, shop windows, sign wrap)

HEXE3889B30610	R 1,222	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 610mm x 30m - Coal Black (Boards, shop windows, sign wrap)
HEXE3889M1123	R 193	Hexis Ecotac E3000 Monomeric PVC Film Matt 80mic 1230mm x 1m - Coal Black (Boards, shop windows, sign wrap)
HEXE3889M1615	R 154	Hexis Ecotac E3000 Monomeric PVC Film Matt 80mic 615mm x 1m - Coal Black (Boards, shop windows, sign wrap)
HEXE3889M30615	R 1,222	Hexis Ecotac E3000 Monomeric PVC Film Matt 80mic 615mm x 30m - Coal Black (Boards, shop windows, sign wrap)
HEXE3ELEB11230	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Electric Blue (Boards, shop windows, sign wrap)
HEXE3ELEB1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Electric Blue (Boards, shop windows, sign wrap)
HEXE3ELEB30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Electric Blue (Boards, shop windows, sign wrap)
HEXE3PROB1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Process Blue (Boards, shop windows, sign wrap)
HEXE3PROB1615	R 160	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 1m - Process Blue (Boards, shop windows, sign wrap)
HEXE3PROB30615	R 1,380	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 615mm x 30m - Process Blue (Boards, shop windows, sign wrap)
HEXF6121123	R 403	Hexis Fluorescent Polymeric Film 60mic 1230mm x 1m - Green (wrap for flat surfaces)
HEXF61225123	R 10,034	Hexis Fluorescent Polymeric Film 60mic 1230mm x 25m - Green (wrap for flat surfaces)
HEXF61230123	R 12,018	Hexis Fluorescent Polymeric Film 60mic 1230mm x 30m - Green (wrap for flat surfaces)
HEXF6131123	R 403	Hexis Fluorescent Polymeric Film 60mic 1230mm x 1m - Yellow (Vehicle wrap)
HEXF61330123	R 12,018	Hexis Fluorescent Polymeric Film 60mic 1230mm x 30m - Yellow (wrap for flat surfaces)
HEXF6135123	R 2,128	Hexis Fluorescent Polymeric Film 60mic 1230mm x 5m - Yellow (Wrap for flat surfaces)
HEXF6137123	R 2,933	Hexis Fluorescent Polymeric Film 60mic 1230mm x 7m - Yellow (wrap for flat surfaces)
HEXF6141123	R 403	Hexis Fluorescent Polymeric Film 60mic 1230mm x 1m - Orange (Vehicle wrap)
HEXF61425123	R 10,034	Hexis Fluorescent Polymeric Film 60mic 1230mm x 25m - Orange (Vehicle wrap)
HEXF61430123	R 12,018	Hexis Fluorescent Polymeric Film 60mic 1230mm x 30m - Orange (Vehicle wrap)
HEXF6151123	R 403	Hexis Fluorescent Polymeric Film 60mic 1230mm x 1m - Red (Vehicle wrap)
HEXF61520123	R 8,050	Hexis Fluorescent Polymeric Film 60mic 1230mm x 20m - Red (Vehicle wrap)
HEXF61530123	R 12,018	Hexis Fluorescent Polymeric Film 60mic 1230mm x 30m - Red (wrap for flat surfaces)
HEXF6161123	R 403	Hexis Fluorescent Polymeric Film 60mic 1230mm x 1m - Magenta (wrap for flat surfaces)
HEXF61630123	R 12,018	Hexis Fluorescent Polymeric Film 60mic 1230mm x 30m - Magenta (wrap for flat surfaces)
HEXMG21231123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Daffodil Yellow (wrap for flat surfaces)
HEXMG21231615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Daffodil Yellow (wrap for flat surfaces)
HEXMG212325123	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 25m - Sunflower Yellow (wrap for flat surfaces)
HEXMG212325615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 25m - Sunflower Yellow (wrap for flat surfaces)
HEXMG212350123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Daffodil Yellow (wrap for flat surfaces)
HEXMG212350615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Daffodil Yellow (wrap for flat surfaces)
HEXMG21651123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Madarin Red (wrap for flat surfaces)
HEXMG21651615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Madarin Red (wrap for flat surfaces)
HEXMG216525615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 25m - Orange (wrap for flat surfaces)

HEXMG216550123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Madarin Red (wrap for flat surfaces)
HEXMG216550615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Madarin Red (wrap for flat surfaces)
HEXMG218611230	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Ruby Red (wrap for flat surfaces)
HEXMG21861615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Ruby Red (wrap for flat surfaces)
HEXMG218650123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Ruby Red (wrap for flat surfaces)
HEXMG218650615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Ruby Red (wrap for flat surfaces)
HEXMG228050123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Pacific Blue (wrap for flat surfaces)
HEXMG228051123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Pacific Blue (wrap for flat surfaces)
HEXMG228051615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Pacific Blue (wrap for flat surfaces)
HEXMG2280550615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Pacific Blue (wrap for flat surfaces)
HEXMG22811123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Night Blue (wrap for flat surfaces)
HEXMG22811615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Night Blue (wrap for flat surfaces)
HEXMG228150123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Night Blue (wrap for flat surfaces)
HEXMG22931123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Curacao Blue (wrap for flat surfaces)
HEXMG22931615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Curacao Blue (wrap for flat surfaces)
HEXMG229350123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Curacao Blue (wrap for flat surfaces)
HEXMG229350615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Curacao Blue (wrap for flat surfaces)
HEXMG22991123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Montpellier Blue (wrap for flat surfaces)
HEXMG22991615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Montpellier Blue (wrap for flat surfaces)
HEXMG229950123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Montpellier Blue (wrap for flat surfaces)
HEXMG229950615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Montpellier Blue (wrap for flat surfaces)
HEXMG23071123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 1m - Peacock Blue (Vehicle wrap)
HEXMG230750123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 50m - Peacock Blue (wrap for flat surfaces)
HEXMG23201123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 1m - Turquoise (Vehicle wrap)
HEXMG23201615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 615mm x 1m - Turquoise (wrap for flat surfaces)
HEXMG232050123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 50m - Turquoise (wrap for flat surfaces)
HEXMG23401123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Medium Green (wrap for flat surfaces)
HEXMG23401615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Medium Green (wrap for flat surfaces)
HEXMG234050123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Medium Green (wrap for flat surfaces)
HEXMG234050615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Medium Green (wrap for flat surfaces)
HEXMG23571123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Bottle Green (wrap for flat surfaces)
HEXMG23571615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Bottle Green (wrap for flat surfaces)
HEXMG235725123	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 25m - Bottle Green (wrap for flat surfaces)
HEXMG235750123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Bottle Green (wrap for flat surfaces)
HEXMG23621123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 1m - Water Lily Green (wrap for flat surfaces)
HEXMG236250123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 50m - Water lily Green (wrap for flat surfaces)
HEXMG23681123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Apple Green (wrap for flat surfaces)
HEXMG23681615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Apple Green (wrap for flat surfaces)

HEXMG236825615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 25m - Apple Green (wrap for flat surfaces)
HEXMG236850123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Apple Green (wrap for flat surfaces)
HEXMG23761123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 1m - Mint Green (wrap for flat surfaces)
HEXMG23761615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 615mm x 1m - Mint Green (wrap for flat surfaces)
HEXMG237650123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 50m - Mint Green (wrap for flat surfaces)
HEXMG24301123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Mouse Grey (wrap for flat surfaces)
HEXMG24301615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Mouse Grey (wrap for flat surfaces)
HEXMG243050123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Mouse Grey (wrap for flat surfaces)
HEXMG243050615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Mouse Grey (wrap for flat surfaces)
HEXMG24311123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Medium Grey (wrap for flat surfaces)
HEXMG24311615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Medium Grey (wrap for flat surfaces)
HEXMG243150123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Medium Grey (wrap for flat surfaces)
HEXMG24441123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 1m - Dark Grey (wrap for flat surfaces)
HEXMG244450123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Gloss 80mic 1230mm x 50m - Dark Grey (wrap for flat surfaces)
HEXMG25051123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Burgundy (wrap for flat surfaces)
HEXMG250550123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Burgundy (wrap for flat surfaces)
HEXMG28291123	R 173	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - White (wrap for flat surfaces)
HEXMG28291610	R 144	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 610mm x 1m - White (wrap for flat surfaces)
HEXMG282950123	R 2,760	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - White (wrap for flat surfaces)
HEXMG282950615	R 1,438	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - White (wrap for flat surfaces)
HEXMG28711123	R 182	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Gold (wrap for flat surfaces)
HEXMG28711615	R 148	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Gold (wrap for flat surfaces)
HEXMG287150123	R 3,220	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Gold (wrap for flat surfaces)
HEXMG28891123	R 173	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Black (wrap for flat surfaces)
HEXMG28891615	R 144	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Black (wrap for flat surfaces)
HEXMG288950123	R 2,760	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Black (wrap for flat surfaces)
HEXMG288950615	R 1,438	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Black (wrap for flat surfaces)
HEXMG28991123	R 173	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Clear (wrap for flat surfaces)
HEXMG28991615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Clear (wrap for flat surfaces)
HEXMG289950123	R 2,760	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Clear (wrap for flat surfaces)
HEXMG289950615	R 1,438	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Clear (wrap for flat surfaces)
HEXMG2B191123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Igloo Blue (wrap for flat surfaces)
HEXMG2B191615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Igloo Blue (wrap for flat surfaces)
HEXMG2B1950123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Igloo Blue (wrap for flat surfaces)
HEXMG2RED1123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Tomato Red (wrap for flat surfaces)
HEXMG2RED1615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Tomato Red (wrap for flat surfaces)
HEXMG2RED50123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Tomato Red (wrap for flat surfaces)
HEXMG2RED50615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Tomato Red (wrap for flat surfaces)
HEXMG2RFX1123	R 179	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 1m - Reflex Blue (wrap for flat surfaces)
HEXMG2RFX1615	R 147	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 1m - Reflex Blue (wrap for flat surfaces)
HEXMG2RFX50123	R 3,105	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 1230mm x 50m - Reflex Blue (wrap for flat surfaces)
HEXMG2RFX50615	R 1,610	Hexis Microtac ME2000 Monomeric Vinyl Promo Gloss 80mic 615mm x 50m - Reflex Blue (wrap for flat surfaces)
HEXMM28291123	R 173	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 1230mm x 1m - White (wrap for flat surfaces)
HEXMM28291615	R 144	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 615mm x 1m - White (wrap for flat surfaces)
HEXMM282950123	R 2,760	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 1230mm x 50m - White (wrap for flat surfaces)
HEXMM282950615	R 1,438	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 615mm x 50m - White (wrap for flat surfaces)
HEXMM28891123	R 173	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 1230mm x 1m - Black (wrap for flat surfaces)

HEXMM28891615	R 144	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 615mm x 1m - Black (wrap for flat surfaces)
HEXMM288950123	R 2,760	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 1230mm x 50m - Black (wrap for flat surfaces)
HEXMM288950615	R 1,438	Hexis Microtac ME2000 Monomeric Vinyl Promo Matt 80mic 615mm x 50m - Black (wrap for flat surfaces)
HEXV740B1137	R 123	Hexis Laminate Polymetric 70mic int term 1370mm x 1m - Gloss (building / decor laminate wrap)
HEXV740B116	R 144	Hexis Laminate Polymetric 70mic Medium Term 1600mm x 1m - Gloss (building / decor laminate wrap)
HEXV740B25137	R 3,053	Hexis Laminate Polymetric 70mic int term 1370mm x 25m - Gloss (building / decor laminate wrap)
HEXV740B2516	R 3,548	Hexis Laminate Polymetric 70mic Medium Term 1600mm x 25m - Gloss (building / decor laminate wrap)
HEXV740B5016	R 6,917	Hexis Laminate Polymetric 70mic Medium Term 1600mm x 50m - Gloss (building / decor laminate wrap)
HEXV740M116	R 144	Hexis Laminate Polymetric 70mic Medium Term 1600mm x 1m - Matt (building / decor laminate wrap)
HEXV740M5016	R 6,917	Hexis Laminate Polymetric 70mic Medium Term 1600mm x 50m - Matt (building / decor laminate wrap)
HEXV750B10137	R 1,438	Hexis Laminate Polymetric 70mic Long term 1370mm x 10m - Gloss (building / decor laminate wrap)
HEXV750B1137	R 133	Hexis Laminate Polymetric 70mic Long term 1370mm x 1m - Gloss (building / decor laminate wrap)
HEXV750B25137	R 3,312	Hexis Laminate Polymetric 70mic Long term 1370mm x 25m - Gloss (building / decor laminate wrap)
HEXV750B40137	R 5,233	Hexis Laminate Polymetric 70mic Long term 1370mm x 40m - Gloss (building / decor laminate wrap)
HEXV750M10137	R 1,438	Hexis Laminate Polymetric 70mic Long term 1370mm x 10m - Matt (building / decor laminate wrap)
HEXV750M1137	R 136	Hexis Laminate Polymetric 70mic Long term 1370mm x 1m - Matt (building / decor laminate wrap)
HEXV750M15137	R 2,087	Hexis Laminate Polymetric 70mic Long term 1370mm x 15m - Matt (building / decor laminate wrap)
HEXV750M25137	R 3,347	Hexis Laminate Polymetric 70mic Long term 1370mm x 25m - Matt (building / decor laminate wrap)
HEXV750M35137	R 4,669	Hexis Laminate Polymetric 70mic Long term 1370mm x 35m - Matt (building / decor laminate wrap)
HEXV750M40137	R 5,319	Hexis Laminate Polymetric 70mic Long term 1370mm x 40m - Matt (building / decor laminate wrap)
HEXV750M45137	R 5,928	Hexis Laminate Polymetric 70mic Long term 1370mm x 45m - Matt (building / decor laminate wrap)
HEXV750M5137	R 776	Hexis Laminate Polymetric 70mic Long term 1370mm x 5m - Matt (building / decor laminate wrap)
LAM1040C8010	R 443	Unbranded Laminate Crystal 80mic - 1040mm x 10m
LAM1040C8040	R 1,837	Unbranded Laminate Crystal 80mic - 1040mm x 40m
LAM1040C8050	R 2,268	Unbranded Laminate Crystal 80mic - 1040mm x 50m
LAM1040G14050	R 1,072	Unbranded Laminate Gloss 80mic - 1040mm x 50m
LAM1040G8010	R 443	Unbranded Laminate Gloss 80mic - 1040mm x 10m
LAM1040G8040	R 1,837	Unbranded Laminate Gloss 140mic - 1040mm x 40m
LAM1040G8050	R 2,268	Unbranded Laminate Gloss 80mic - 1040mm x 50m
LAM1040M8049	R 2,437	Unbranded Laminate Matt 80mic - 1040mm x 49m
LAM1040M8050	R 2,484	Unbranded Laminate Matt 80mic - 1040mm x 50m
LAM1070G14050	R 1,029	Unbranded Laminate Gloss 140mic - 1070mm x 50m
LAM1070M14050	R 1,029	Unbranded Laminate Matt 140mic - 1070mm x 50m
LAM1370C8050	R 2,829	Unbranded Laminate Crystal 80mic - 1370mm x 50m
LAM1370G8025	R 1,472	Unbranded Laminate Gloss 80mic - 1370mm x 25m
LAM1370G8050	R 2,829	Unbranded Laminate Gloss 80mic - 1370mm x 50m
LAM1370M8050	R 2,829	Unbranded Laminate Matt 80mic - 1370mm x 50m
LAM1524G14050	R 1,605	Unbranded Laminate Gloss 140mic - 1524mm x 50m
LAM1524M14050	R 1,605	Unbranded Laminate Matt 140mic - 1524mm x 50m
LAM1530C8050	R 3,146	Unbranded Laminate Crystal 80mic - 1530mm x 50m
LAM1530G8050	R 3,146	Unbranded Laminate Gloss 80mic - 1530mm x 50m
LAM1530M8050	R 3,146	Unbranded Laminate Matt 80mic - 1530mm x 50m
LAM685G8050	R 1,472	Unbranded Laminate Gloss 80mic - 685mm x 50m

< Return to the menu

Film PVC Decos & Wraps (sport)

Product code	Price	Description
SFCUT50001WTE	R 4,643	Stahls Sports Film CAD/Cut - 500mm x 25m - White
SFCUT50001WTE1	R 184	Stahls Sports Film CAD/Cut - 500mm x 1m - White

SFCUT50106YELLOW	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Sunflower Yellow
SFCUT50106YELLOW1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Sunflower Yellow
SFCUT50115GOLD	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 1m - Gold
SFCUT50115GOLD1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Gold
SFCUT50210SRED	R 4,643	Stahls Sports Film CAD/Cut - 500mm x 25m - Siganal Red
SFCUT50210SRED1	R 184	Stahls Sports Film CAD/Cut - 500mm x 1m - Siganal Red
SFCUT50215RGOLD	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Rose gold
SFCUT50300RBLUE	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Royal Blue
SFCUT50300RBLUE1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Rotal Blue
SFCUT50320SKBLUE	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Sky Blue
SFCUT50320SKBLUE1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Sky Blue
SFCUT50350NBLUE	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Navy Blue
SFCUT50350NBLUE1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Navy Blue
SFCUT50400GREEN	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Green
SFCUT50400GREEN1	R 173	Stahls Sports Film CAD/Cut - 500mm x 25m - Green
SFCUT50700BLK	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Black
SFCUT50700BLK1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Black
SFCUT50815SILVER	R 4,382	Stahls Sports Film CAD/Cut - 500mm x 25m - Silver
SFCUT50815SILVER1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Silver
SFCUT50REFLECT	R 6,095	Stahls Sports Film CAD/Cut - 500mm x 25m - Reflective
SFCUT50REFLECT1	R 265	Stahls Sports Film CAD/Cut - 500mm x 1m - Reflective

< Return to the menu

Film PVC Decos & Wraps (vehicles)

Product code	Price	Description
HEXE3336B1123	R 205	Hexis Ecotac E3000 Monomeric PVC Film Gloss 80mic 1230mm x 1m - Larch Green (Boards, shop windows, isgn wrap)
HEXHX20001B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Polar White (Vehicle wrap)
HEXHX20001B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Polar White (Vehicle wrap)
HEXHX20002B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Lapland White (Vehicle wrap)
HEXHX20002B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Lapland White (for vehicle wrapping)
HEXHX20002M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Lapland White (Vehicle wrap)
HEXHX20002M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Lapland White (vehicle wrap)
HEXHX20003B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Glacier White (Vehicle wrap)
HEXHX20003B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Glacier White (Vehicle wrap)
HEXHX20003M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Glacier White (Vehicle wrap)
HEXHX20003M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Glacier White (Vehicle wrap)
HEXHX20008B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Plum Violet (Vehicle wrap)
HEXHX20008B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Plum Violet (Vehicle wrap)
HEXHX20012B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Mountain Peak White (Vehicle wrap)
HEXHX20012B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Mountain Peak White (Vehicle wrap)
HEXHX20033B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Firmament Blue (Vehicle wrap)
HEXHX20033B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Firmament Blue (Vehicle wrap)
HEXHX20108B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Lemon Yellow (Vehicle wrap)
HEXHX20108B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Lemon Yellow (Vehicle wrap)
HEXHX20108M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Lemon Yellow (Vehicle wrap)
HEXHX20108M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Lemon Yellow (vehicle wrap)
HEXHX20109B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Sun Yellow (Vehicle wrap)
HEXHX20109B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Sun Yellow (Vehicle wrap)

HEXHX20123B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Daffodil Yellow (Vehicle wrap)
HEXHX20123B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Daffodil Yellow (Vehicle wrap)
HEXHX20165B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Mandarin Red (Vehicle wrap)
HEXHX20165B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Mandarin Red (Vehicle wrap)
HEXHX20165M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Mandarin Red (Vehicle wrap)
HEXHX20186B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Ruby Red (Vehicle wrap)
HEXHX20186B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Ruby Red (Vehicle wrap)
HEXHX20196S1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Red Aluminium (Vehicle wrap)
HEXHX20196S25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Red Aluminium (vehicle wrap)
HEXHX20200B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Blood Red (Vehicle wrap)
HEXHX20200B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Blood Red (Vehicle wrap)
HEXHX20200M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Blood Red (Vehicle wrap)
HEXHX20200M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Blood Red (Vehicle wrap)
HEXHX20219S1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Ara Blue Metal (Vehicle wrap)
HEXHX20219S25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Ara Blue Metal (Vehicle wrap)
HEXHX20220B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fuchsia (Vehicle wrap)
HEXHX20220B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Fuchsia (Vehicle wrap)
HEXHX20220M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Fuchsia (Vehicle wrap)
HEXHX20220M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Fuchsia (Vehicle wrap)
HEXHX20228B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Wasabi Green (Vehicle wrap)
HEXHX20228B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Wasabi Green (Vehicle wrap)
HEXHX20228M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Wasabi Green (Vehicle wrap)
HEXHX20228M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Wasabi Green (vehicle wrap)
HEXHX20236S1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Celestial Blue (Vehicle wrap)
HEXHX20236S25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Celestial Blue (Vehicle wrap)
HEXHX20280B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Pacific Blue (Vehicle wrap)
HEXHX20280B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Pacific Blue (Vehicle wrap)
HEXHX20281B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Night Blue (Vehicle wrap)
HEXHX20281B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Night Blue (Vehicle wrap)
HEXHX20284B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Niagara Blue (Vehicle wrap)
HEXHX20284B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Niagara Blue (Vehicle wrap)
HEXHX20293B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Curacao Blue (Vehicle wrap)
HEXHX20293B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Curacao Blue (Vehicle wrap)
HEXHX20299B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Montpellier Blue (Vehicle wrap)
HEXHX20299B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Montpellier Blue (Vehicle wrap)
HEXHX20300B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Sapphire Blue (Vehicle wrap)
HEXHX20300B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Sapphire Blue (Vehicle wrap)
HEXHX20315B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Pigeon Blue (Vehicle wrap)
HEXHX20315B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Pigeon Blue (Vehicle wrap)
HEXHX20348B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Emerald Green (Vehicle wrap)
HEXHX20348B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Emerald Green (Vehicle wrap)
HEXHX20352B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Elderb Purple (Vehicle wrap)
HEXHX20352B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Elderb Purple (Vehicle wrap)
HEXHX20369B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Apple Green (Vehicle wrap)
HEXHX20369B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Apple Green (Vehicle wrap)
HEXHX20375B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Light Green (Vehicle wrap)
HEXHX20375B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - light Green (Vehicle wrap)
HEXHX20375M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Light Green (Vehicle wrap)
HEXHX20375M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Light Green (vehicle wrap)

HEXHX20423B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Shark Grey (Vehicle wrap)
HEXHX20423B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Shark Grey (Vehicle wrap)
HEXHX20428B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Cloud Grey (Vehicle wrap)
HEXHX20428B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Cloud Grey (Vehicle wrap)
HEXHX20432B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Dark Grey (Vehicle wrap)
HEXHX20432B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Dark Grey (Vehicle wrap)
HEXHX20437B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Cinder Rose Metal (Vehicle wrap)
HEXHX20437B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Cinder Rose Metal (Vehicle wrap)
HEXHX20437M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Cinder Rose Metal (Vehicle wrap)
HEXHX20437M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Cinder Rose Metal (Vehicle wrap)
HEXHX20445B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Pearl Grey (Vehicle wrap)
HEXHX20445B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Pearl Grey (Vehicle wrap)
HEXHX20446B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Elephant Grey (Vehicle wrap)
HEXHX20446B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Elephant Grey (Vehicle wrap)
HEXHX20468B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Ivory (Vehicle wrap)
HEXHX20468B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Ivory (Vehicle wrap)
HEXHX20485B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Ember Red (Vehicle wrap)
HEXHX20485B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Ember Red (Vehicle wrap)
HEXHX20495B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Urban Orange (Vehicle wrap)
HEXHX20495B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Urban Orange (Vehicle wrap)
HEXHX20500B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Pack Ice White (Vehicle wrap)
HEXHX20500B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Pack Ice White (Vehicle wrap)
HEXHX20521S1152	R 472	Hexis HX20 Prem Cast Film sat 1520mm x 1m - Light Racing Blue (Vehicle wrap)
HEXHX20521S25152	R 11,500	Hexis HX20 Prem Cast Film sat 1520mm x 25m - Light Racing Blue (Vehicle wrap)
HEXHX20532B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Abyssal Blue (Vehicle wrap)
HEXHX20532B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Abyssal Blue (Vehicle wrap)
HEXHX20548M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Florida Yellow (Vehicle wrap)
HEXHX20548M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Florida Yellow (Vehicle wrap)
HEXHX20558B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Metallic Yellow (Vehicle wrap)
HEXHX20558B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Metallic Yellow (Vehicle wrap)
HEXHX20585B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Zenith Orange (Vehicle wrap)
HEXHX20585B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Zenith Orange (Vehicle wrap)
HEXHX20612B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fluo Green (Vehicle wrap)
HEXHX20612B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Fluo Green (Vehicle wrap)
HEXHX20613B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fluo Yellow (Vehicle wrap)
HEXHX20613B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Fluo Yellow (Vehicle wrap)
HEXHX20614B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fluo Orange (Vehicle wrap)
HEXHX20614B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Fluo Orange (Vehicle wrap)
HEXHX20615B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fluo Red (Vehicle wrap)
HEXHX20615B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Fluo Red (Vehicle wrap)
HEXHX20615S1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Fluo Red (Vehicle wrap)
HEXHX20615S25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Fluo Red (Vehicle wrap)
HEXHX20646B1152	R 472	Hexis HX20 Prem Cast Flim Gloss 1520mm x 1m - Yas Marina Blue (Vehicle wrap)
HEXHX20646B25152	R 11,500	Hexis HX20 Prem Cast Flim Gloss 1520mm x 25m - Yas Marina Blue (Vehicle wrap)
HEXHX20661S11520	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Canyon Bronze Metal (Vehicle wrap)
HEXHX20661S251520	R 11,500	Hexis HX20 Prem Cast flim sat 1520mm x 25m - Canyon Bronze Metal (vehicle wrap)
HEXHX20871B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Gold (Vehicle wrap)
HEXHX20871B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Gold (Vehicle wrap)
HEXHX20877B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Silver (Vehicle wrap)

HEXHX20877B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Silver (Vehicle wrap)
HEXHX20890B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Deep Black (Vehicle wrap)
HEXHX20890B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Deep Black (Vehicle wrap)
HEXHX20905B1152	R 472	Hexis HX20 Prem Cast Film Gloss Met 1520mm x 1m - Night Blue (Vehicle wrap)
HEXHX20905B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Night Blue (Vehicle wrap)
HEXHX20905M1152	R 472	Hexis HX20 Prem Cast Film Matt Met 1520mm x 1m - Night Blue (Vehicle wrap)
HEXHX20905M25152	R 11,500	Hexis HX20 Prem Cast Film Matt Met 1520mm x 25m - Night Blue (Vehicle wrap)
HEXHX20948B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Bronze Grey Metal (Vehicle wrap)
HEXHX20948B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Bronze Grey Metal (Vehicle wrap)
HEXHX20990B11520	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Meteorite Grey (Vehicle wrap)
HEXHX20990B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Meteorite Grey (Vehicle wrap)
HEXHX20990M1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Meteorite Grey (Vehicle wrap)
HEXHX20990M25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Meteorite Grey (vehicle wrap)
HEXHX20B11B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - South Sea Blue (Vehicle wrap)
HEXHX20B11B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - south Sea Blue (Vehicle wrap)
HEXHX20B32B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Jazz Blue (Vehicle wrap)
HEXHX20B32B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Jazz Blue (Vehicle wrap)
HEXHX20B37B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Polaris Blue (Vehicle wrap)
HEXHX20B37B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Polaris Blue (Vehicle wrap)
HEXHX20BCMB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Ashen Beige Metal (Vehicle wrap)
HEXHX20BCMB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Ashen Beige Metal (Vehicle wrap)
HEXHX20BFJB11520	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fjord Blue (Vehicle wrap)
HEXHX20BFJB25152	R 11,500	Hexis HX20 Prem Cast Gloss 1520mm x 25m - Fjord Blue (Vehicle wrap)
HEXHX20BLPB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Lapp Spark (Vehicle wrap)
HEXHX20BNCS1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Nacre White (Vehicle wrap)
HEXHX20BNCS251520	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Nacre White (Vehicle wrap)
HEXHX20BSAB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Saturn White (Vehicle wrap)
HEXHX20BSAB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Saturn White (Vehicle wrap)
HEXHX20BTIB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Ti Blue (Vehicle wrap)
HEXHX20BTIB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Ti Blue (Vehicle wrap)
HEXHX20BTUM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Turquoise Blue (Vehicle wrap)
HEXHX20BTUM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Turquoise Blue (vehicle wrap)
HEXHX20BTXB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Taxi Beige (Vehicle wrap)
HEXHX20BTXB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Taxi Beige (Vehicle wrap)
HEXHX20G03S1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Santi Grey Metal (Vehicle wrap)
HEXHX20G03S25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Santi Grey Metal (vehicle wrap)
HEXHX20G04S11520	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Argentic Grey (Vehicle wrap)
HEXHX20G04S251520	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Argentic Grey (vehicle wrap)
HEXHX20G06B10152	R 4,830	Hexis HX20 Prem Cast Film Gloss 1520mm x 10m - Dust Grey (Vehicle wrap)
HEXHX20G06B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Dust Grey (Vehicle wrap)
HEXHX20G06B251520	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Dust Grey (Vehicle wrap)
HEXHX20G06S1152	R 477	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Dust Grey (Vehicle wrap)
HEXHX20G06S251520	R 11,903	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Dust Grey (vehicle wrap)
HEXHX20G07B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Aston Grey (Vehicle wrap)
HEXHX20G07B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Aston Grey (Vehicle wrap)
HEXHX20G12B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Pleiades Grey (Vehicle wrap)
HEXHX20G12B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Pleiades Grey (Vehicle wrap)
HEXHX20GANM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Anthracite Grey Metal (Vehicle wrap)
HEXHX20GANM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Anthracite Grey (Vehicle wrap)

HEXHX20GGIM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Frozen Grey (Vehicle wrap)
HEXHX20GGIM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Frozen Grey (Vehicle wrap)
HEXHX20JJAM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Jaipur Yellow (Vehicle wrap)
HEXHX20JJAM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Jaipur Yellow (Vehicle wrap)
HEXHX20JMIB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Honey Yellow (Vehicle wrap)
HEXHX20JMIB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Honey Yellow (Vehicle wrap)
HEXHX20MMAB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Marakesh Brown (Vehicle wrap)
HEXHX20MMAB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Marakesh Brown (Vehicle wrap)
HEXHX20MMAM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Marakesh Brown (Vehicle wrap)
HEXHX20MMAM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Marakesh Brown (vehicle wrap)
HEXHX20N03B11520	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Vampire Black (Vehicle wrap)
HEXHX20N03B251520	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Vampire Black (Vehicle wrap)
HEXHX20NCAB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Catechu Black (Vehicle wrap)
HEXHX20NCAB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Catechu Black (Vehicle wrap)
HEXHX20NEPB1152	R 472	Hexis HX20 Prem Film Cast Gloss 1520mm x 1m - Ebony Spark Black (Vehicle wrap)
HEXHX20NEPB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Ebony Spark Black (Vehicle wrap)
HEXHX20NEPM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Ebony Spark Black (Vehicle wrap)
HEXHX20NEPM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Ebony Spark Black (Vehicle wrap)
HEXHX20NMYB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Mystery Black (Vehicle wrap)
HEXHX20NMYB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Mystery Black (Vehicle wrap)
HEXHX20NPRM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Deep Black (Vehicle wrap)
HEXHX20NPRM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Deep Black (Vehicle wrap)
HEXHX20NPRS1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Deep Black (Vehicle wrap)
HEXHX20NPRS25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Deep Black (vehicle wrap)
HEXHX20OAUB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Aurora Orange (Vehicle wrap)
HEXHX20OAUB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Aurora Orange (Vehicle wrap)
HEXHX20P001B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Zeus Gold (Vehicle wrap)
HEXHX20P001B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Zeus Gold (Vehicle wrap)
HEXHX20P004B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Apollo Blue (Vehicle wrap)
HEXHX20P004B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Apollo Blue (Vehicle wrap)
HEXHX20P005B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Triton Blue (Vehicle wrap)
HEXHX20P005B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Triton Blue (Vehicle wrap)
HEXHX20PCAB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Pink Candy (Vehicle wrap)
HEXHX20PCAB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Pink Candy (Vehicle wrap)
HEXHX20R05B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Racing Red (Vehicle wrap)
HEXHX20R05B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Racing Red (Vehicle wrap)
HEXHX20R11B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Lady Pink (Vehicle wrap)
HEXHX20R11B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Lady Pink (Vehicle wrap)
HEXHX20R11S1152	R 472	Hexis HX20 Prem Cast Film Satin 1520mm x 1m - Lady Pink (Vehicle wrap)
HEXHX20R11S25152	R 11,500	Hexis HX20 Prem Cast Film Satin 1520mm x 25m - Lady Pink (Vehicle wrap)
HEXHX20RDRB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Jellybean Pink (Vehicle wrap)
HEXHX20RDRB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Jellybean Pink (Vehicle wrap)
HEXHX20RGRB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Garnet Red (Vehicle wrap)
HEXHX20RGRB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Garnet Red (Vehicle wrap)
HEXHX20RINB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Indian Pink (Vehicle wrap)
HEXHX20RINB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Indian Pink (Vehicle wrap)
HEXHX20V14B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Sherwood Green (Vehicle wrap)
HEXHX20V14B152025	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Sherwood Green (Vehicle wrap)
HEXHX20V16B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Drosera Green (Vehicle wrap)

HEXHX20V16B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Drosera Green (Vehicle wrap)
HEXHX20V18B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Damask Violet (Vehicle wrap)
HEXHX20V18B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Damask Violet (Vehicle wrap)
HEXHX20V24B1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Toxic Green (Vehicle wrap)
HEXHX20V24B25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Toxic Green (Vehicle wrap)
HEXHX20VAVM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Adventure Green (Vehicle wrap)
HEXHX20VAVM25152	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Adventure Green (Vehicle wrap)
HEXHX20VBYB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Byzantine Violet (Vehicle wrap)
HEXHX20VBYB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Byzantine Violet (Vehicle wrap)
HEXHX20VFAB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Fairway Green (Vehicle wrap)
HEXHX20VFAB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Fairway Green (Vehicle wrap)
HEXHX20VMIM1152	R 472	Hexis HX20 Prem Cast Film Matt 1520mm x 1m - Military Green (Vehicle wrap)
HEXHX20VMIM152025	R 11,500	Hexis HX20 Prem Cast Film Matt 1520mm x 25m - Military Green (vehicle wrap)
HEXHX20VNAS1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Naiade Green (Vehicle wrap)
HEXHX20VNAS25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Naiade Green (Vehicle wrap)
HEXHX20VOLB1152	R 472	Hexis HX20 Prem Cast Film Gloss 1520mm x 1m - Olive Green (Vehicle wrap)
HEXHX20VOLB25152	R 11,500	Hexis HX20 Prem Cast Film Gloss 1520mm x 25m - Olive Green (Vehicle wrap)
HEXHX30BAGANB	R 36,053	Hexis HX30 Prem Cast 1520mm x 25m - Brushed Aluminium Anthrac Grey (Vehicle wrap)
HEXHX30BAGANB1152	R 1,593	Hexis HX30 Prem Cast 1520mm x 1m - Brushed Aluminium Anthrac Grey (Vehicle wrap)
HEXHX30BASILB	R 36,053	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Brushed Aluminium (Vehicle wrap)
HEXHX30BASILB1152	R 1,593	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Brushed Aluminium (Vehicle wrap)
HEXHX30BBOB1152	R 1,185	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Boreal White (Vehicle wrap)
HEXHX30BNEB1152	R 1,185	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Neon Blue (Vehicle wrap)
HEXHX30BNEB25152	R 26,421	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Neon Blue (Vehicle wrap)
HEXHX30BPEB1152	R 1,185	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Pearl White (Vehicle wrap)
HEXHX30BPEB25152	R 26,421	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Pearl White (Vehicle wrap)
HEXHX30CA890B1152	R 1,593	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Black Carbon (Vehicle wrap)
HEXHX30CA890B25152	R 36,053	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Black Carbon (Vehicle wrap)
HEXHX30CABPEB11520	R 1,593	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Pearl White Carbon (Vehicle wrap)
HEXHX30CABPEB251520	R 36,053	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Pearl White Carbon (Vehicle wrap)
HEXHX30CAF89S11520	R 1,593	Hexis HX30 Prem Cast Film Satin 1520mm x 1m - Black Forged Carbon (Vehicle wrap)
HEXHX30CAF89S251520	R 36,053	Hexis HX30 Prem Cast Film Satin 1520mm x 25m - Black Forged Carbon (Vehicle wrap)
HEXHX30CAGGRB1152	R 1,593	Hexis HX30 Prem Cast Film 1520mm x 1m - Graphite Grey Carbon (Vehicle wrap)
HEXHX30CAGGRB25152	R 36,053	Hexis HX30 Prem Cast Film 1520mm x 25m - Graphite Grey Carbon (Vehicle wrap)
HEXHX30CANCOB1137	R 1,541	Hexis HX30 Prem Cast Film Gloss 1370mm x 1m - Raven Black Carbon (Vehicle wrap)
HEXHX30CANCOB25137	R 35,190	Hexis HX30 Prem Cast Film Gloss 1370mm x 25m - Raven Black Carbon (Vehicle wrap)
HEXHX30CANPEB1152	R 1,593	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Pet Black Carbon (Vehicle wrap)
HEXHX30CANPEB25152	R 36,053	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Pet Black Carbon (Vehicle wrap)
HEXHX30CAONEB1152	R 1,593	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Carbon One (Vehicle wrap)
HEXHX30CAONEB25152	R 36,053	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Carbon One (Vehicle wrap)
HEXHX30G446B1152	R 1,185	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Chameleon Grey (Vehicle wrap)
HEXHX30G446B251520	R 26,421	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Chameleon Grey (Vehicle wrap)
HEXHX30HC889S1152	R 1,593	Hexis HX30 Prem Cast Film Satin 1520mm x 1m - Honeycomb Black (Vehicle wrap)
HEXHX30HC889S25152	R 36,053	Hexis HX30 Prem Cast Film Satin 1520mm x 25m - Honeycomb Black (Vehicle wrap)
HEXHX30N71M1152	R 1,185	Hexis HX30 Prem Cast Film Matt 1520mm x 1m - Golden Black (Vehicle wrap)
HEXHX30N71M25152	R 26,421	Hexis HX30 Prem Cast Film Matt 1520mm x 25m - Golden Black (Vehicle wrap)
HEXHX30RGOB1152	R 1,185	Hexis HX30 Prem Cast Film Gloss 1520mm x 1m - Redcurrant Red (Vehicle wrap)
HEXHX30RGOB25152	R 26,421	Hexis HX30 Prem Cast Film Gloss 1520mm x 25m - Redcurrant Red (Vehicle wrap)
HEXHX30RGOM11520	R 1,185	Hexis HX30 Prem Cast Film Matt 1520mm x 1m - Redcurrant Red (Vehicle wrap)

HEXHX30RGOM251520	R 26,421	Hexis HX30 Prem Cast Film Matt 1520mm x 25m - Redcurrant Red (Vehicle wrap)
HEXHX30RW002B1152	R 1,185	Hexis HX30 Cast Gloss 1520mm x 1m - Lapland White Rainbow (Vehicle wrap)
HEXHX30RW002B25152	R 26,421	Hexis HX30 Cast Gloss 1520mm x 25m - Lapland White Rainbow (Vehicle wrap)
HEXHX30RW889B1152	R 1,185	Hexis HX30 Prem Cast Gloss 1520mm x 1m - Coal Black Rainbow (Vehicle wrap)
HEXHX30RW889B25152	R 26,421	Hexis HX30 Prem Cast Gloss 1520mm x 25m - Coal Black Rainbow (Vehicle wrap)
HEXHX30RW990B1152	R 1,185	Hexis HX30 Prem Cast Gloss 1520mm x 1m - Coal Grey Rainbow (Vehicle wrap)
HEXHX30RW990B25152	R 26,421	Hexis HX30 Prem Cast Gloss 1520mm x 25m - Coal Grey Rainbow (Vehicle wrap)
HEXHX30SCH01B1137	R 2,185	Hexis HX30 Prem Cast Film Gloss 1370mm x 1m - Chrome Silver (Vehicle wrap)
HEXHX30SCH02B1137	R 2,185	Hexis HX30 Prem Cast Gloss 1370mm x 1m - Super Chrome Red (Vehicle wrap)
HEXHX30SCH02B25137	R 50,428	Hexis HX30 Prem Cast Gloss 1370mm x 25m - Super Chrome Red (Vehicle wrap)
HEXHX30SCH02S1	R 2,185	Hexis HX30 Prem Cast Film Satin 1370mm x 1m - Super Chrome Red (Vehicle wrap)
HEXHX30SCH04S1137	R 2,185	Hexis HX30 Prem Cast Satin 1370mm x 1m - Super Chrome Green (Vehicle wrap)
HEXHX30SCH04S25137	R 50,428	Hexis HX30 Prem Cast Satin 1370mm x 25m - Super Chrome Green (Vehicle wrap)
HEXHX30SCH06B1137	R 2,185	Hexis HX30 Prem Cast Film Gloss 1370mm x 1m - Purple (Vehicle wrap)
HEXHX30SCH06B25137	R 50,428	Hexis HX30 Prem Cast Film Gloss 1370mm x 25m - Purple (Vehicle wrap)
HEXHX30SCH06S1137	R 2,185	Hexis HX30 Prem Cast Film Satin 1370mm x 1m - Purple (Vehicle wrap)
HEXHX30SCH06S25137	R 50,428	Hexis HX30 Prem Cast Film Satin 1370mm x 25m - Purple (Vehicle wrap)
HEXHX30SCH07B1LM	R 2,185	Hexis HX30 Prem Cast Film Gloss 1370mm x 1m - Super Chrome Gold (Vehicle wrap)
HEXHX30SCH07B25137	R 50,428	Hexis HX30 Prem Cast Film Gloss 1370mm x 25m - Super Chrome Gold (Vehicle wrap)
HEXHX30SCH07S1137	R 2,185	Hexis HX30 Prem Cast Film Satin 1370mm x 1m - Chrome Gold (Vehicle wrap)
HEXHX30SCH07S25137	R 50,428	Hexis HX30 Prem Cast Film Satin 1370mm x 25m - Chrome Gold (Vehicle wrap)
HEXHX30SCH08S1137	R 2,185	Hexis HX30 Prem Cast Film Satin 1370mm x 1m - Orange (Vehicle wrap)
HEXHX30SCH08S25137	R 50,428	Hexis HX30 Prem Cast Film Satin 1370mm x 25m - Orange (Vehicle wrap)
HEXHX30SCH09B1137	R 2,185	Hexis HX30 Prem Cast Gloss 1370mm x 1m - Super Chrome Turquoise (Vehicle wrap)
HEXHX30SCH09B25137	R 50,428	Hexis HX30 Prem Cast Gloss 1370mm x 25m - Super Chrome Turquoise (Vehicle wrap)
HEXHX30SCH09S1137	R 2,185	Hexis HX30 Prem Cast Satin 1370mm x 1m - Super Chrome turquois (Vehicle wrap)
HEXHX30SCH09S25137	R 50,428	Hexis HX30 Prem Cast Satin 1370mm x 25m - Super Chrome Turquoise (Vehicle wrap)
HEXHX30SCH10B1137	R 2,185	Hexis HX30 Prem Cast Gloss 1370mm x 1m - Chrome Rose Pink (Vehicle wrap)
HEXHX30SCH10B25137	R 50,428	Hexis HX30 Prem Cast Gloss 1370mm x 25m - Chrome Rose Pink (Vehicle wrap)
HEXHX30SCH10S1137	R 2,185	Hexis HX30 Prem Cast Sat 1370mm x 1m - Super Chrome Rose Pink (Vehicle wrap)
HEXHX30SCH10S25137	R 50,428	Hexis HX30 Prem Cast Sat 1370mm x 25m - Super Chrome Rose Pink (Vehicle wrap)
HEXHX30SCH11B1137	R 2,185	Hexis HX30 Cast Film Gloss 1370mm x 1m - Super Chrome Light Blue (Vehicle wrap)
HEXHX30SCH11B25137	R 50,428	Hexis HX30 Cast Film Gloss 1370mm x 25m - Super Chrome Light Blue (Vehicle wrap)
HEXHX30SCH11S1	R 2,185	Hexis HX30 Prem Cast Film Satin 1370mm x 1m - Super Chrome light (Vehicle wrap)
HEXHX30SCH11S25137	R 50,428	Hexis HX30 Prem Cast Film Satin 1370mm x 25m - Super Chrome light (Vehicle wrap)
HEXHX30SCH12B11370	R 2,185	Hexis HX30 Prem Cast Gloss 1370mm x 1m - Super Chrome Rose Gold (Vehicle wrap)
HEXHX30SCH12B251370	R 50,428	Hexis HX30 Prem Cast Gloss 1370mm x 25m - Super Chrome Rose Gold (Vehicle wrap)
HEXHX30SCH12S11370	R 2,185	Hexis HX30 Prem Cast Satin 1370mm x 1m - Super Chrome Rose Gold (Vehicle wrap)
HEXHX30SCH12S251370	R 50,428	Hexis HX30 Prem Cast Satin 1370mm x 25m - Super Chrome Rose Gold (Vehicle wrap)
HEXHX30SCH13B1137	R 2,185	Hexis HX30 Cast Gloss 1370mm x 1m - Super Chrome Ebony Black (Vehicle wrap)
HEXHX30SCH15S1137	R 2,185	Hexis HX30 Prem Cast Satin 1370mm x 1m - Super Chrome Arabica (Vehicle wrap)
HEXHX30SCH15S25137	R 50,428	Hexis HX30 Prem Cast Satin 1370mm x 25m - Super Chrome Arabica (Vehicle wrap)
HEXHX30VBOM1152	R 1,185	Hexis HX30 Prem Cast Film Matt 1520mm x 1m - Boston Green (Vehicle wrap)
HEXHX30VBOM251520	R 26,421	Hexis HX30 Prem Cast Film Matt 1520mm x 25m - Boston Green (Vehicle wrap)
HEXHX30VVSB1152	R 1,185	Hexis HX30 Cast Film Gloss 1520mm x 1m - Scarab Green / Violet (Vehicle wrap)
HEXS5001B1123	R 138	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Polar White (Vehicle wrap)
HEXS5001B1615	R 184	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Polar White (Vehicle wrap)
HEXS5001B30123	R 4,025	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Polar White (Vehicle wrap)
HEXS5001B30615	R 2,070	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Polar White (Vehicle wrap)

HEXS5001M1123	R 138	Hexis Suptac S5000 Polymetric Matt 65mic 1230 x 1m - Polar White (Vehicle wrap)
HEXS5001M1615	R 184	Hexis Suptac S5000 Polymetric Matt 65mic 615 x 1m - Polar White (Vehicle wrap)
HEXS5001M30123	R 4,025	Hexis Suptac S5000 Polymetric Matt 65mic 1230 x 30m - Polar White (Vehicle wrap)
HEXS5001M30615	R 2,070	Hexis Suptac S5000 Polymetric Matt 65mic 615 x 30m - Polar White (Vehicle wrap)
HEXS5005B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Ocean Blue (Vehicle wrap)
HEXS5005B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Ocean Blue (Vehicle wrap)
HEXS5005B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Ocean Blue (Vehicle wrap)
HEXS5005B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Ocean Blue (Vehicle wrap)
HEXS5048B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Orange Red (Vehicle wrap)
HEXS5048B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Orange Red (Vehicle wrap)
HEXS5108B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Lemon Yellow (Vehicle wrap)
HEXS5108B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615mm x 1m - Lemon Yellow (Vehicle wrap)
HEXS5108B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Lemon Yellow (Vehicle wrap)
HEXS5109B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Sun Yellow (Vehicle wrap)
HEXS5109B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Sun Yellow (Vehicle wrap)
HEXS5109B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Sun Yellow (Vehicle wrap)
HEXS5109B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Sun Yellow (Vehicle wrap)
HEXS5111B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Feather Grey (Vehicle wrap)
HEXS5111B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Feather Grey (Vehicle wrap)
HEXS5123B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Daffodil Yellow (Vehicle wrap)
HEXS5123B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Daffodil Yellow (Vehicle wrap)
HEXS5123B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Daffodil Yellow (Vehicle wrap)
HEXS5123B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Daffodil Yellow (Vehicle wrap)
HEXS5125B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Atoll Blue (Vehicle wrap)
HEXS5125B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Atoll Blue (Vehicle wrap)
HEXS5136B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Mustard Yellow (Vehicle wrap)
HEXS5136B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Mustard Yellow (Vehicle wrap)
HEXS5136B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Mustard Yellow (Vehicle wrap)
HEXS5136B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Mustard Yellow (Vehicle wrap)
HEXS5137B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Saffron Yellow (Vehicle wrap)
HEXS5137B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Saffron Yellow (Vehicle wrap)
HEXS5137B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Saffron Yellow (Vehicle wrap)
HEXS5137B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Saffron Yellow (Vehicle wrap)
HEXS5165B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Mandarin Red (Vehicle wrap)
HEXS5165B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Mandarin Red (Vehicle wrap)
HEXS5165B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Mandarin Red (Vehicle wrap)
HEXS5165B30152	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1520 x 30m - Mandarin Red (Vehicle wrap)
HEXS5165B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Mandarin Red (Vehicle wrap)
HEXS5169B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Flamingo Pink (Vehicle wrap)
HEXS5169B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Flamingo Pink (Vehicle wrap)
HEXS5179B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Vermilion Red (Vehicle wrap)
HEXS5179B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Vermilion Red (Vehicle wrap)
HEXS5186B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Ruby Red (Vehicle wrap)
HEXS5186B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Ruby Red (Vehicle wrap)
HEXS5186B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Ruby Red (Vehicle wrap)
HEXS5186B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Ruby Red (Vehicle wrap)
HEXS5193B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Cardinal Red (Vehicle wrap)
HEXS5193B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Cardinal Red (Vehicle wrap)
HEXS5193B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Cardinal Red (Vehicle wrap)

HEXS5200B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Blood Red (Vehicle wrap)
HEXS5200B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615mm x 1m - Blood Red (Vehicle wrap)
HEXS5200B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Blood Red (Vehicle wrap)
HEXS5200B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615mm x 30m - Blood Red (Vehicle wrap)
HEXS5201B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Wine Red (Vehicle wrap)
HEXS5201B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Wine Red (Vehicle wrap)
HEXS5201B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Wine Red (Vehicle wrap)
HEXS5201B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Wine Red (Vehicle wrap)
HEXS5214B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Magenta (Vehicle wrap)
HEXS5214B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Magenta (Vehicle wrap)
HEXS5220B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Fuschia (Vehicle wrap)
HEXS5220B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Fuschia (Vehicle wrap)
HEXS5220B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Fuschia (Vehicle wrap)
HEXS5220B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Fuschia (Vehicle wrap)
HEXS5251B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Lilac (Vehicle wrap)
HEXS5251B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Lilac (Vehicle wrap)
HEXS5268B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Dark Jade (Vehicle wrap)
HEXS5268B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Dark Jade (Vehicle wrap)
HEXS5278B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Hollyhock (Vehicle wrap)
HEXS5278B1610	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 610 x 1m - Hollyhock (Vehicle wrap)
HEXS5278B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Hollyhock (Vehicle wrap)
HEXS5278B30610	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 610 x 30m - Hollyhock (Vehicle wrap)
HEXS5280B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Pacific Blue (Vehicle wrap)
HEXS5280B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Pacific Blue (Vehicle wrap)
HEXS5280B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Pacific Blue (Vehicle wrap)
HEXS5280B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Pacific Blue (Vehicle wrap)
HEXS5281B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Night Blue (Vehicle wrap)
HEXS5281B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Night Blue (Vehicle wrap)
HEXS5281B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Night Blue (Vehicle wrap)
HEXS5281B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Night Blue (Vehicle wrap)
HEXS5293B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Curacao Blue (Vehicle wrap)
HEXS5293B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Curacao Blue (Vehicle wrap)
HEXS5293B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Curacao Blue (Vehicle wrap)
HEXS5293B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Curacao Blue (Vehicle wrap)
HEXS5294B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Ultramarine Blue (Vehicle wrap)
HEXS5294B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Ultramarine Blue (Vehicle wrap)
HEXS5294B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Ultramarine Blue (Vehicle wrap)
HEXS5294B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Ultramarine Blue (Vehicle wrap)
HEXS5295B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Navy Blue (Vehicle wrap)
HEXS5295B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Navy Blue (Vehicle wrap)
HEXS5295B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Navy Blue (Vehicle wrap)
HEXS5295B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Navy Blue (Vehicle wrap)
HEXS5297B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Sky Blue (Vehicle wrap)
HEXS5297B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Sky Blue (Vehicle wrap)
HEXS5297B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Sky Blue (Vehicle wrap)
HEXS5298B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Periwinkle Blue (Vehicle wrap)
HEXS5298B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Periwinkle Blue (Vehicle wrap)
HEXS5298B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Periwinkle Blue (Vehicle wrap)
HEXS5298B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Periwinkle Blue (Vehicle wrap)

HEXS5299B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Montpellier Blue (Vehicle wrap)
HEXS5299B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Montpellier Blue (Vehicle wrap)
HEXS5299B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Montpellier Blue (Vehicle wrap)
HEXS5299B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Montpellier Blue (Vehicle wrap)
HEXS5300B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Sapphire Blue (Vehicle wrap)
HEXS5300B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Sapphire Blue (Vehicle wrap)
HEXS5300B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Sapphire Blue (Vehicle wrap)
HEXS5300B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Sapphire Blue (Vehicle wrap)
HEXS5303B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Onyx Blue (Vehicle wrap)
HEXS5303B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Onyx Blue (Vehicle wrap)
HEXS5320B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Turquoise (Vehicle wrap)
HEXS5320B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Turquoise (Vehicle wrap)
HEXS5320B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Turquoise (Vehicle wrap)
HEXS5320B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Turquoise (Vehicle wrap)
HEXS5323B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Forest Green (Vehicle wrap)
HEXS5323B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Forest Green (Vehicle wrap)
HEXS5332B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Jade (Vehicle wrap)
HEXS5332B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Jade (Vehicle wrap)
HEXS5336B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Larch Green (Vehicle wrap)
HEXS5336B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Larch Green (Vehicle wrap)
HEXS5336B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Larch Green (Vehicle wrap)
HEXS5336B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Larch Green (Vehicle wrap)
HEXS5340B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Medium Green (Vehicle wrap)
HEXS5340B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Medium Green (Vehicle wrap)
HEXS5340B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Medium Green (Vehicle wrap)
HEXS5340B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Medium Green (Vehicle wrap)
HEXS5348B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Emerald Green (Vehicle wrap)
HEXS5348B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Emerald Green (Vehicle wrap)
HEXS5348B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Emerald Green (Vehicle wrap)
HEXS5348B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Emerald Green (Vehicle wrap)
HEXS5354B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Vivid Green (Vehicle wrap)
HEXS5354B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Vivid Green (Vehicle wrap)
HEXS5354B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Vivid Green (Vehicle wrap)
HEXS5354B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Vivid Green (Vehicle wrap)
HEXS5360B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Fern Green (Vehicle wrap)
HEXS5360B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Fern Green (Vehicle wrap)
HEXS5370B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Granny Green (Vehicle wrap)
HEXS5370B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Granny Green (Vehicle wrap)
HEXS5370B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Granny Green (Vehicle wrap)
HEXS5370B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Granny Green (Vehicle wrap)
HEXS5375B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Light Green (Vehicle wrap)
HEXS5375B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615mm x 1m - Light Green (Vehicle wrap)
HEXS5375B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Light Green (Vehicle wrap)
HEXS5375B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615mm x 30m - Light Green (Vehicle wrap)
HEXS5392B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Olive Green (Vehicle wrap)
HEXS5392B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Olive Green (Vehicle wrap)
HEXS5392B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Olive Green (Vehicle wrap)
HEXS5392B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Olive Green (Vehicle wrap)
HEXS5428B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Cloud Grey (Vehicle wrap)

HEXS5428B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Cloud Grey (Vehicle wrap)
HEXS5428B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Cloud Grey (Vehicle wrap)
HEXS5428B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Cloud Grey (Vehicle wrap)
HEXS5430B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Mouse Grey (Vehicle wrap)
HEXS5430B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Mouse Grey (Vehicle wrap)
HEXS5430B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Mouse Grey (Vehicle wrap)
HEXS5430B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Mouse Grey (Vehicle wrap)
HEXS5431B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Medium Grey (Vehicle wrap)
HEXS5431B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Medium Grey (Vehicle wrap)
HEXS5431B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Medium Grey (Vehicle wrap)
HEXS5431B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Medium Grey (Vehicle wrap)
HEXS5433B1123	R 167	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Anthracite (Vehicle wrap)
HEXS5433B1615	R 198	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Anthracite (Vehicle wrap)
HEXS5433B30123	R 4,865	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Anthracite (Vehicle wrap)
HEXS5433B30615	R 2,490	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Anthracite (Vehicle wrap)
HEXS5443B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Grey (Vehicle wrap)
HEXS5443B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Grey (Vehicle wrap)
HEXS5443B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Grey (Vehicle wrap)
HEXS5443B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Grey (Vehicle wrap)
HEXS5445B11230	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Pearl Grey (Vehicle wrap)
HEXS5445B1610	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 610 x 1m - Pearl Grey (Vehicle wrap)
HEXS5445B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Pearl Grey (Vehicle wrap)
HEXS5445B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Pearl Grey (Vehicle wrap)
HEXS5446B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Elephant Grey (Vehicle wrap)
HEXS5446B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Elephant Grey (Vehicle wrap)
HEXS5446B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Elephant Grey (Vehicle wrap)
HEXS5446B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Elephant Grey (Vehicle wrap)
HEXS5461B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Sand (Vehicle wrap)
HEXS5461B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Sand (Vehicle wrap)
HEXS5461B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Sand (Vehicle wrap)
HEXS5461B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Sand (Vehicle wrap)
HEXS5468B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Ivory (Vehicle wrap)
HEXS5468B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Ivory (Vehicle wrap)
HEXS5476B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Brown (Vehicle wrap)
HEXS5476B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Brown (Vehicle wrap)
HEXS5476B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Brown (Vehicle wrap)
HEXS5476B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Brown (Vehicle wrap)
HEXS5480B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Anemone Purple (Vehicle wrap)
HEXS5480B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Anemone Purple (Vehicle wrap)
HEXS5485B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Red Embers (Vehicle wrap)
HEXS5485B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Red Embers (Vehicle wrap)
HEXS5485B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Red Embers (Vehicle wrap)
HEXS5485B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Red Embers (Vehicle wrap)
HEXS5498B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Caper Green (Vehicle wrap)
HEXS5498B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Caper Green (Vehicle wrap)
HEXS5505B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Burgundy (Vehicle wrap)
HEXS5505B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Burgundy (Vehicle wrap)
HEXS5505B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Burgundy (Vehicle wrap)
HEXS5505B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Burgundy (Vehicle wrap)

HEXS5527B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Purple (Vehicle wrap)
HEXS5527B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Purple (Vehicle wrap)
HEXS5527B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Purple (Vehicle wrap)
HEXS5527B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Purple (Vehicle wrap)
HEXS5532B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Abyssal Blue (Vehicle wrap)
HEXS5532B1610	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 610 x 1m - Abyssal Blue (Vehicle wrap)
HEXS5532B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Abyssal Blue (Vehicle wrap)
HEXS5532B30610	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 610 x 30m - Abyssal Blue (Vehicle wrap)
HEXS5623B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Amethyst (Vehicle wrap)
HEXS5623B1615	R 198	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Amethyst (Vehicle wrap)
HEXS5623B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Amethyst (Vehicle wrap)
HEXS5623B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Amethyst (Vehicle wrap)
HEXS5635B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Light Brown (Vehicle wrap)
HEXS5635B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Light Brown (Vehicle wrap)
HEXS5635B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Light Brown (Vehicle wrap)
HEXS5635B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Light Brown (Vehicle wrap)
HEXS5655B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Lavender Field (Vehicle wrap)
HEXS5655B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Lavender Field (Vehicle wrap)
HEXS5795B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Fire Red (Vehicle wrap)
HEXS5795B1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Fire Red (Vehicle wrap)
HEXS5795B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Fire Red (Vehicle wrap)
HEXS5795B30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Fire Red (Vehicle wrap)
HEXS5871B1123	R 167	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Gold (Vehicle wrap)
HEXS5871B1615	R 198	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Gold (Vehicle wrap)
HEXS5871B30123	R 4,865	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Gold (Vehicle wrap)
HEXS5871B30615	R 2,490	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Gold (Vehicle wrap)
HEXS5877B1123	R 167	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Silver (Vehicle wrap)
HEXS5877B1615	R 198	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Silver (Vehicle wrap)
HEXS5877B30123	R 4,865	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Silver (Vehicle wrap)
HEXS5877B30615	R 2,490	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Silver (Vehicle wrap)
HEXS5889B1123	R 138	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Coal Black (Vehicle wrap)
HEXS5889B1152	R 171	Hexis Suptac S5000 Polymetric Gloss 65mic 1520 x 1m - Coal Black (Vehicle wrap)
HEXS5889B1615	R 184	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Coal Black (Vehicle wrap)
HEXS5889B30123	R 4,025	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Coal Black (Vehicle wrap)
HEXS5889B30152	R 4,947	Hexis Suptac S5000 Polymetric Gloss 65mic 1520 x 30m - Coal Black (Vehicle wrap)
HEXS5889B30615	R 2,070	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Coal Black (Vehicle wrap)
HEXS5889M1123	R 138	Hexis Suptac S5000 Polymetric Matt 65mic 1230mm x 1m - Coal Black (Vehicle wrap)
HEXS5889M1615	R 184	Hexis Suptac S5000 Polymetric Matt 65mic 615mm x 1m - Coal Black (Vehicle wrap)
HEXS5889M30123	R 4,025	Hexis Suptac S5000 Polymetric Matt 65mic 1230 x 30m - Coal Black (Vehicle wrap)
HEXS5889M30615	R 2,070	Hexis Suptac S5000 Polymetric Matt 65mic 615mm x 30m - Coal Black (Vehicle wrap)
HEXS5B05B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Ecru (Vehicle wrap)
HEXS5B05B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Ecru (Vehicle wrap)
HEXS5BA01B1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230mm x 1m - Cream (Vehicle wrap)
HEXS5BA01B30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230mm x 30m - Cream (Vehicle wrap)
HEXS5CANB1123	R 382	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Black Carbon (Vehicle wrap)
HEXS5CANB1152	R 472	Hexis Suptac S5000 Polymetric Gloss 65mic 1520 x 1m - Black Carbon (Vehicle wrap)
HEXS5CANB30152	R 13,616	Hexis Suptac S5000 Polymetric Gloss 65mic 1520 x 30m - Black Carbon (Vehicle wrap)
HEXS5ELEB1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Electric Blue (Vehicle wrap)
HEXS5ELEB1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Electric Blue (Vehicle wrap)

HEXS5ELEB30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Electric Blue (Vehicle wrap)
HEXS5ELEB30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Electric Blue (Vehicle wrap)
HEXS5NORB1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Nordic Blue (Vehicle wrap)
HEXS5NORB1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Nordic Blue (Vehicle wrap)
HEXS5NORB30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Nordic Blue (Vehicle wrap)
HEXS5NORB30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Nordic Blue (Vehicle wrap)
HEXS5OVIF1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Bright Orange (Vehicle wrap)
HEXS5OVIF1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Bright Orange (Vehicle wrap)
HEXS5OVIF30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Bright Orange (Vehicle wrap)
HEXS5OVIF30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Bright Orange (Vehicle wrap)
HEXS5RFXB1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Reflex Blue (Vehicle wrap)
HEXS5RFXB1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Reflex Blue (Vehicle wrap)
HEXS5RFXB30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Reflex Blue (Vehicle wrap)
HEXS5RFXB30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Reflex Blue (Vehicle wrap)
HEXS5VACB1123	R 155	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 1m - Acacia Green (Vehicle wrap)
HEXS5VACB1615	R 193	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 1m - Acacia Green (Vehicle wrap)
HEXS5VACB30123	R 4,543	Hexis Suptac S5000 Polymetric Gloss 65mic 1230 x 30m - Acacia Green (Vehicle wrap)
HEXS5VACB30615	R 2,329	Hexis Suptac S5000 Polymetric Gloss 65mic 615 x 30m - Acacia Green (Vehicle wrap)
SFCUT50215RGOLD1	R 173	Stahls Sports Film CAD/Cut - 500mm x 1m - Rose gold

< Return to the menu

Fitness devices

Product code	Price	Description
AM-5002-BY	R 184	Amplify Move It series Kids Activity Watch - boys
AM-5002-GL	R 184	Amplify Move It series Kids Activity Watch - girls
BHR7309GL	R 32	Xiaomi Smart Band 8 Running Clip - (Only Clip Not Device)
BHR7793GL	R 513	Xiaomi S400 Smart Scale Body Composition Scale
MAT-STM02-3	R 626	Lumi anti-fatigue standing mat Black - 457 x 558 x 19 mm, STM02-3
VA-1011-GM	R 206	Volkano Active Gunmetal Grey 65cm Anti Burst Gym Ball
VA-1016-CC	R 401	Volkano Active Yoga starter kit - Multi, 3 resistance bands - light / medium / heavy, 55 cm anti-burst gym & Yoga ball, 3 mm PVC Yoga mat
VA-1019-BKYL	R 516	Volkano VA-1019-BKYL Active doorway gym - Black / Yellow, Versatile doorway Fitness equipment, Durable Steel Frame with foam grips, Supports up to 120 kg, Suitable for pull-ups / Chin-ups / Hanging leg raises, Easy pressure-mounted installation, Compact Design for Home use, Enhances upper Body strength and Endurance, Ergonomic and Portable, Ideal for Small spaces, Safety-focused build
VK-5019-BY	R 184	Volkano Step Up series Activity Watch - boys
VK-5027-BK	R 437	Volkano Breath Series IP67 Colour fitness band with heart rate Monitor, 2 extra straps, Built-In heart rate Monitor, GPS, Pedometer and calorie Burn Tracking, Multisport activity tracking., 0.96" full Colour Touch display

< Return to the menu

Gadgets

Product code	Price	Description
ELGATO MULTI MOUNT FLEX ARM KIT	10AAC9936	Elgato Flex Arm L - 24 cm pole; 17 cm pole; 8cm pole.

< Return to the menu

Gifts & Gadgets

Product code	Price	Description
15802-CRCL	R 279	Squid Games Mask with Lights - Circle, No Packaging, No Warranty
15802-SQR	R 279	Squid Games Mask with Lights - Square No Packaging No Warranty

6009608648694	R 99	Marlin Kids Wooden Frame Abacus 100 beads, Retail Packaging, No Warranty
6009627603896	R 49	RGS 18 Piece A4 Wooden Puzzle Soccer - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
6009627603902	R 59	RGS 24 Piece A4 Wooden Puzzle Dentist - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
6009627605937	R 59	RGS 36 Piece A4 Wooden Puzzle Let us Shop - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
6009685850492	R 39	Marlin Kids Modelling Clay 500g 5 Colours, Retail Packaging, No Warranty
6009707411182	R 59	RGS 24 Piece A4 Wooden Puzzle Moon Landing - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
6009707415043	R 59	RGS 36 Piece A4 Wooden Puzzle Farm Animals - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
6009707415050	R 59	RGS 36 Piece A4 Wooden Puzzle Happy Pets - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
9780710503015	R 89	Marlin The New Choice English Dictionary, Retail Packaging, No Warranty
9781842058527	R 99	Marlin The New Choice Dictionary Afrikaans/English, English/Afrikaans, Retail Packaging, No Warranty
9974804	R 135	Fellowes HFC Free invertible air duster can 200ml, multi positional - 520ml Can / 200ml refill. Also known as air duster / air blower / dust cleaner / compressed air dust cleaner. Used to blow dust and particles away from electronic components, computer and laptop motherboards, graphics cards, power supplies, cooling fans, cooling fins and heat sinks.
9974905	R 166	Fellowes HFC Free Air Duster Can 350ml, 520ml Can / 350ml Fill. Also known as air duster / air blower / dust cleaner / compressed air dust cleaner. Used to blow dust and particles away from electronic components, computer and laptop motherboards, graphics cards, power supplies, cooling fans, cooling fins and heat sinks.
99761	R 97	Fellowes CD/DVD Lens Cleaner (CD Disc), CD/ DVD and Recordable drives
9977909	R 412	Fellowes Clean, PC Cleaning Starter Kit, Multipurpose kit for cleaning your pc includes: 120ml screen cleaner, 150ml foam cleaner
ASG-3898-3BLU	R 15	Casey 12 Fingers Head And Scalp Hand Held Manual Massager Blue - Compact Octopus Head Massager, Relieves Scalp Stress, Promotes Hair Growth, Improves Head Blood Circulation, Ergonomic Claw Design, OEM Packaging No Warranty
ASG-3898-3GLD	R 15	Casey 12 Fingers Head And Scalp Hand Held Manual Massager Gold - Compact Octopus Head Massager, Relieves Scalp Stress, Promotes Hair Growth, Improves Head Blood Circulation, Ergonomic Claw Design, OEM Packaging No Warranty
ASG-3898-3PUR	R 15	Casey 12 Fingers Head And Scalp Hand Held Manual Massager Purple- Compact Octopus Head Massager, Relieves Scalp Stress, Promotes Hair Growth, Improves Head Blood Circulation, Ergonomic Claw Design, OEM Packaging No Warranty
ASG-3898-3RED	R 15	Casey 12 Fingers Head And Scalp Hand Held Manual Massager Red - Compact Octopus Head Massager, Relieves Scalp Stress, Promotes Hair Growth, Improves Head Blood Circulation, Ergonomic Claw Design, OEM Packaging No Warranty
ASG-ELP-P01-PK	R 399	Casey Islamic Quran and Dua Pillow Pink, Soft and cuddly Star shaped Pillow, 9 sounds, 14 Arabic Duas, 8 English Duas, Press and play, Designed to educate children, Perfect as a memorising companion, Requires 3x AAA batteries not included
BWDB888PNK	R 179	Brainware Large Magnetic Drawing or Writing Board with Stand Pink - Includes 4 X Magnetic Stamps And Stylus Pen , For Kids To Learn How To Draw And Write , Easily Remove And Start Again With One Slide, High Quality Plastic Material, Retail Packaging, No Warranty
CCD114	R 17	Okion Crystalics Compact Disc Cleaning
CSY-MJC-9011	R 399	Casey Smart Islamic educational Prayer Mat, Fun foldable Easy and Interactive, 36 Active Touch sensitive keys, 7 speaking languages, Touch and play, Designed to educate children and muslim Reverts perform daily muslim prayers, Requires 3x AA batteries not included
CSY0125-13-NR1G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.1, Retail Packaging, No Warranty

CSY0125-13-NR2G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.2, Retail Packaging, No Warranty
CSY0125-13-NR3G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.3, Retail Packaging, No Warranty
CSY0125-13-NR4G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.4, Retail Packaging, No Warranty
CSY0125-13-NR5G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.5, Retail Packaging, No Warranty
CSY0125-13-NR6G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.6, Retail Packaging, No Warranty
CSY0125-13-NR7G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.7, Retail Packaging, No Warranty
CSY0125-13-NR8G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.8, Retail Packaging, No Warranty
CSY0125-13-NR9G	R 9	Casey 10cm Gold Numerical Birthday Candle Nr.9, Retail Packaging, No Warranty
CSY0125-14-NR1S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.1, Retail Packaging, No Warranty
CSY0125-14-NR2S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.2, Retail Packaging, No Warranty
CSY0125-14-NR3S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.3, Retail Packaging, No Warranty
CSY0125-14-NR4S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.4, Retail Packaging, No Warranty
CSY0125-14-NR5S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.5, Retail Packaging, No Warranty
CSY0125-14-NR6S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.6, Retail Packaging, No Warranty
CSY0125-14-NR7S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.7, Retail Packaging, No Warranty
CSY0125-14-NR8S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.8, Retail Packaging, No Warranty
CSY0125-14-NR9S	R 9	Casey 10cm Silver Numerical Birthday Candle Nr.9, Retail Packaging, No Warranty
GM-WA-LK	R 156	Blizzard World of warcraft - Atlas - wraith of the Lich King - Blizzard licensed
JQ8026BBLU	R 39	Brainware Bear Blue Plastic Abacus 100 Beads Flatboard, Retail Packaging, No Warranty
JQ8026BGRN	R 39	Brainware Bear Green Plastic Abacus 100 Beads Flatboard, Retail Packaging, No Warranty
JQ8026BORN	R 39	Brainware Bear Orange Plastic Abacus 100 Beads Flatboard, Retail Packaging, No Warranty
JQ8026BPNK	R 39	Brainware Bear Pink Plastic Abacus 100 Beads Flatboard, Retail Packaging, No Warranty
JQ8026BYLW	R 39	Brainware Bear Yellow Plastic Abacus 100 Beads Flatboard, Retail Packaging, No Warranty
JUN19-05	R 391	Microworld personal space cooler USB, Built-in LED mood light changes 7 colors, Cools, Humidifies, Purifies, IT runs up to 8 hours per fill
KEY-2932-12-1	R 39	Casey Hi Top Boot Key Chain Red and Black, Retail Packaging, No Warranty
KOD-250-NR0	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.0, Retail Packaging, No Warranty
KOD-250-NR1	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.1, Retail Packaging, No Warranty
KOD-250-NR2	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.2, Retail Packaging, No Warranty
KOD-250-NR3	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.3, Retail Packaging, No Warranty
KOD-250-NR4	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.4, Retail Packaging, No Warranty
KOD-250-NR5	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.5, Retail Packaging, No Warranty
KOD-250-NR6	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.6, Retail Packaging, No Warranty
KOD-250-NR7	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.7, Retail Packaging, No Warranty
KOD-250-NR8	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.8, Retail Packaging, No Warranty
KOD-250-NR9	R 9	Casey 7cm Multicolor Numerical Birthday Candle Nr.9, Retail Packaging, No Warranty
LGT-BL-M	R 229	Unbranded Music Lamp - Blue, 4 LED bulbs light source, This Projector rotates 360 - degrees
LGT-PK-M	R 229	Unbranded Music Lamp - Pink, 4 LED bulbs light source, This Projector rotates 360 - degrees
LGT-PU-M	R 229	Unbranded Music Lamp - Purple, 4 LED bulbs light source, This Projector rotates 360 - degrees
NET-MAGNETIC-MAT	R 212	Sprotek Project Mat Magnetic
PUZ012-2	R 79	Butterfly 60Pc At The Planetarium Wooden Puzzle, No Warranty
PUZ012-3	R 79	Butterfly 60Pc At The Aquarium Wooden Puzzle, No Warranty
PUZ012-4	R 79	Butterfly 60Pc At The Zoo Wooden Puzzle, No Warranty
PUZZ009-3	R 59	Butterfly 36 Piece A4 Wooden Puzzle Day and Night- Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
PUZZ009-4	R 59	Butterfly 36 Piece A4 Wooden Puzzle Winter- Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty
PUZZ009-5	R 59	Butterfly 36 Piece A4 Wooden Puzzle Outer Space - Interlocking Pieces 210 x 297mm, Each Puzzle Contains A Full Size Poster, Retail Packaging, No Warranty

RHVDF02	R 999	Russell Hobbs 25cm Silver Vintage Desktop Fan - Powerful Airflow, 25cm Vintage Fan, 3x Speed Settings; 3x Fan Blades, Tilt Adjustable, Carry Handle, 80w Motor, Colour Chrome Coated Silver, Retail Box
SVC3250/10	R 109	Philips Tablet & Phone Cleaner
TP4-025	R 253	Microworld PS4 multi-function disc stand kit, 12 CD ' s Max
VK-10013-BL	R 1,035	Volkano Kids Pronto Series instant Digital Camera - Blue, 2.0 MP CMOS image sensor, 100 degree fixed focus Lens, 2.0" HD TFT 320x240 PX screen, Full HD 1920x1080 @ 30 fps, 8m photo Resolution

< Return to the menu

Home Accessories

Product code	Price	Description
6009608645051	R 45	Marlin Kids Jumbo Colouring Book 304pg, Retail Packaging, No Warranty
BHR8622GL	R 251	Xiaomi Lint Remover, revitalises clothes by removing lint and fuzz
BHR9098GL	R 557	Xiaomi faucet Water purifier, 0.1mpa to 0.4mpa operating Pressure, Filter x4, 5-stage composite filtration, 3 Water modes, Natural activated Carbon Filter, Washable ceramic Filter reduces usage costs
BHR9136GL	R 422	Xiaomi Faucet Purifier Filter, 50-100 micron activated Carbon Mesh size, 0.1 MPa - 0.4 MPa working Pressure, Use with Xiaomi Faucet Water Purifier
BHR9485GL	R 936	Xiaomi Smart Pet fountain 2, 100-day Long Battery Life for extended usage, 4-stage precise Water filtering, 3l Large Volume for multiple pets, Remote Operation via the Xiaomi Home App, 3 Water Output modes
BHR9678GL	R 389	Xiaomi 1 Litre Sport Water bottle - White, One-Touch flip lid, Leak-Proof Design with Silicone seal and automatic lock, Integrated tea strainer
Brother A150	R 10,925	Brother innovis A150 electronic dressmaking sewing machine, Key pad stitch selection, 150 Built-In sewing stitches, 10 styles of buttonholes, Advanced needle threader, 9.3cm LCD Display screen, Speed control customised for zigzag width, Hard cover Case, 850 spm sewing Speed, Speed control by lever, 5 mm Maximum stitch length
Brother FS155	R 6,900	Brother FS155 computerised sewing machine, Horizontal bobbin Type, Key pad pattern stitch selection, 100 Built-In Utility and decorative stitches, 55 Character stitches, 8 styles of buttonholes, Advanced needle threading system, LCD Display screen, Needle mode selection key, LED sewing Light, Foot controller, Soft cover Case, 850 spm sewing Speed, 7 mm Maximum stitch width
Brother GS3700	R 4,255	Brother GS3700 Basic Multi Purpose sewing machine, Free-arm sewing, 37 Built-In stitches, 1-step buttonhole, Needle threader, LED sewing Light, Quick Set bobbin, Horizontal bobbin Type, Foot controller, Soft cover Case, 800 spm sewing Speed, 5 mm Maximum stitch width
CSY-984-14	R 49	Casey Roach Expert Cockroach GEL 30g - Kills Roaches, Easy pest solution, Syringe tip for Easy Application, Ideal for Indoor and Outdoor use
CSY8060-10	R 299	Casey Nordic Wind Round Shoe Rack - 10 Tier, 30 Pairs Of Shoes, Plastic Sides, Sturdy Metal Rods, Multiple Size Adjustments, All size Types, Easy To Assemble, No Tools Required, Retail Box, 6 Months Warranty
CSY8088-4	R 149	Casey Nordic Wind 4 Tier 12 Shoes Stackable Rack - Black, 4-Tier Stackable Design, Holds Up to 12 Pairs of Shoes, Strong Metal Pipes with Durable Plastic Parts, Nordic-Inspired Minimalist Style, Stackable Frame with Adjustable Holes for Different Shoe Sizes, Easy to Assemble and Disassemble with No Tools Required, Expandable Design for Increased Storage, Modern Black Finish, Retail Box 6 Month Warranty
CSY8809-5A-PNK	R 199	Casey Nordic Wind Shoe Rack - Pink 5 Tier, 15 Pairs Different Sizes, Simple Multifunctional, Practical And Versatile, Easy To Put Away, One Piece Bracket, Widened And Thickened Steel Pipe, Remove One Layer To put Boots, Retail Box, 6 Months Warranty.
GPGKHEP	R 41	Gizzu Pet Grooming Kit HEPA Filter, HEPA Filter Type, 6-12 months Filter lifespan, Compatibility with Gizzu Shear Bliss Pet Vacuum Grooming Kit
GPGKSF	R 22	Gizzu Pet Grooming Kit sponge Filter, Sponge Filter Type, 6-12 months Filter lifespan, Compatibility with Gizzu Shear Bliss Pet Vacuum Grooming Kit
MC122-2	R 299	Midea Carbon Fiber Water Purifier System - 0.1~0.4MPa Working Pressure, 2 Litres Per Minute High Speed Initial Flow Rate, Quick Connection Type Adapter and Filter, Patented Quick Release Filter System, Retail Box
MEM431	R 349	Memre Classic Wrapped Pillow White - Classic Shaped Pillow, Shredded Foam Wrapped In 8mm Of Genuine 45D

		Memory Foam, Provides Firmer Support And Relief To The Head And Neck During Sleep, Memory Foam Layer Gives Additional Comfort And Helps Relieve Tension In The Muscles And Nerves, Helps Improve Circulation, Impervious To Dust Mites, Non-Allergenic And Odour Free, Removable Cover
MEM432	R 499	Memre Memory Foam Premium contour Pillow White - contoured shaped Pillow, Premium quality, Genuine 8mm 45d Memory Foam, Perfectly cushions and supports the natural contours of the head and neck, Helps to relieve pain, Numbness and stiffness, Helps improve circulation, Impervious to dust mites, Non-Allergenic and odour free, Removable cover
SWD-3001-GR	R 287	Switched Reppela Series - Mini 2W mosquito zapper Lamp 25 m2 coverage - USB Power. Ultra-modern design with a minimalist finish; Compact and lightweight for easy portability; Advanced LED technology for reliable mosquito attraction.

< Return to the menu

Innovations & gadgets

Product code	Price	Description
15413-APL	R 29	Casey Pop It Bubble Apple Fidget â€“ Rainbow, No Packaging, No Warranty
15413-CRCL	R 39	Casey Pop It Bubble Circle Fidget â€“ Rainbow, No Packaging, No Warranty
15413-OCT	R 29	Casey Pop It Bubble Octagon Fidget - Rainbow, No Packaging, No Warranty
48121-70	R 480	Fellowes Standard Footrest
8026501	R 1,201	Fellowes PlushTouch Lumbar Support
8066001	R 562	Fellowes Refresh Foot Support
99439	R 204	Fellowes Cable Zip
9971518	R 89	Fellowes 100 Surface Cleaning Wipes
9977804	R 194	Fellowes HFC Free Air Duster 650ml Can/400ml Fill. Also known as air duster / air blower / dust cleaner / compressed air dust cleaner. Used to blow dust and particles away from electronic components, computer and laptop motherboards, graphics cards, power supplies, cooling fans, cooling fins and heat sinks.
99HALN064-00	R 11,371	HTC Vive 1.5 Goggles. VR, display kind OLED, Resolution (total) 2160 x 1200 pixels, Resolution (per eye) 1080 x 1200 pixels, image matrix Pentile matrix, refresh rate 90 Hz, field of view 110 deg, sensors Accelerometer, magnetometer, gyroscope, connections 1x HDMI, 1x headphone, 1x Mini DisplayPort, 1x USB 2.0, Audio With built-in microphone
ASMG01B	R 600	Astrum G01 Smart Glasses AI Bluetooth Speaker; BLE 6.0; open-ear Bluetooth audio; hands-free calls; AI voice assistant; touch controls; blue light filter lenses; magnetic charging; 2 x 85mAh battery; up to 3 hours audio; up to 3 days standby; IP65; TR construction
ASUS AIRVISION M1	R 11,844	Asusa AirVision M1 wearable Display, Packs a multi-monitor experience in a Stylish pair of glasses, Micro OLED Display Technology, Freeform Lens Type, 1920x1080 Pixel (per eye) Resolution @ 72Hz, 1100nits brightness, 0.49" panel size, 60% transparency rate, Proximity Sensor, Ambient Light Sensor, Head Tracking, 3DoF Tracking positioning, Speaker, Mic-Array with Noise-Cancelling Microphone, USB Type-C, Detachable prescription Lens Frame
AW-ST40	R 851	Nearstream St40 Dual Arm Desk Mount With 1/4" , 3/8" , 5/8" Adapters With Heavy-duty C-clamp, 360Âdegrees Swivel Ball Head, And Phone Holder - Overhead Rig For Streaming, Photography, Makeup, And Home Studio Use. The Aw-st40 Neasteam Boom Arm Is Designed For Creators Who Need A Reliable, Adjustable Desk Mount For Microphones Or Cameras. It Provides Stable Support, Smooth Movement, And Integrated Cable Management For A Clean Workspace. Its Professional Design, Easy Installation, And Wide Compatibility Make It Ideal For Podcasters, Streamers, And Gamers In South Africa Seeking Both Performance And Style.
BHR9099GL	R 1,362	Xiaomi 2 Pro Portable Electric Air Compressor; 0.2-10.3 Bar; rechargeable 2500mAh; digital gauge; multi mode inflation; compact 15.2 x 10 x 6.3 cm; 0.905 kg
BRK-SW02-3	R 800	Lumi SW02-3 Slatwall Desk Mounting Pole, Work with Slatwall Panel for Creating Desk-Mounted Slat Wall System
BRK-SW02-4	R 240	Lumi SW02-4 Slatwall Wall Mounting Plate, Work with Slatwall Panel for Creating Wall-Mounted Slat Wall System
BRK-SW03-10	R 360	Lumi SW03-10 File Holder, Storage Bin Creates a Slatwall Holder for Office Supplies
BRK-SW03-11	R 596	Lumi SW03-11 Telephone Holder, Work with Slatwall System

BRK-SW03-7	R 360	Lumi SW03-7 Pivot Steel Monitor Arm for Slat Wall, A pivot monitor mount can be installed on slatwall
CC 13IN TOOL SET	R 723	Cricut 2008760 13" Essential Tool Set. The Cricut 13" Essential Tool Set (Model 2008760) is a comprehensive 7-piece accessory kit designed to enhance your crafting experience. This set includes a 33 cm (13") portable trimmer, scoring stylus, spatula, weeder, scraper, scissors, and tweezers, providing all the essential tools needed for precise and efficient crafting. Compatible with Cricut Maker and Explore cutting machines, this set is suitable for a variety of materials including vinyl, iron-on, and cardstock. Elevate your crafting projects with this professional-grade tool set.
CC 13IN TRIM TOOL	R 413	Cricut 2008761 13" Basic Trimmer Tool. The Cricut 13" Basic Trimmer Tool is a compact and efficient cutting solution for various crafting projects. Its easy-glide blade system and ergonomic handle ensure precise and comfortable cuts. The dual-hinged rail and swing-out arm provide flexibility for larger materials, while the integrated storage compartment keeps replacement blades handy. Ideal for paper crafting, scrapbooking, and vinyl cutting, this trimmer is a valuable addition to any crafting toolkit.
CC 2002676	R 79	Cricut 2002676 Basic Trimmer Replacement Blade 1-Pack
CC 2004325	R 79	Cricut 2004325 Premium Vinyl Removable 12X12" 12-Sheet Sampler (All Occasions)
CC 2004854	R 62	Cricut 2004854 Heavy Chipboard 2.0. The Cricut Heavy Chipboard 2.0 is a premium pack of 5 sturdy 11" x 11" sheets, offering 2.0 mm thickness for precise cuts and structural stability. Designed for Cricut Maker with Knife Blade, itâ€™s perfect for crafts like frames, book covers, banners and 3D decor.
CC 2006782	R 87	Cricut 2006782 Infusible Ink Transfer Sheets 2-pack (Rivers Edge) 12x12" . The Cricut Infusible Ink Transfer Sheets in the River ' s Edge pattern are designed to deliver professional-quality, vibrant transfers that last a lifetime. These sheets are compatible with Cricut cutting machines and Infusible Ink products, allowing for precise and easy application onto a variety of materials. Whether you ' re creating custom apparel, personalized gifts, or decorative items, these transfer sheets provide a seamless and durable solution for your crafting needs.
CC 2006838	R 330	Cricut 2006838 Maker Wavy Blade Tip With Quickswap Housing. Wavy Blade Tip: 2.0 mm length / 0.8 mm height; Stainless steel; Includes QuickSwap Housing; Compatible with Cricut Maker; Cuts iron-on, vinyl, paper, cardstock, fabric
CC 2007255	R 59	Cricut 2007255 Joy Insert Cards 12-Pack (Mesa)
CC 2007388	R 60	Cricut 2007388 Joy Infusible Ink Transfer Sheets 2-pack (Cherry Red) 4.5x12
CC 2007391	R 54	Cricut 2007391 Joy Infusible Ink Transfer Sheets 2-Pack (Rose Pink)
CC 2007457	R 102	Cricut 2007457 Explore/Maker Fine-Point Replacement Blades 2-Pack
CC 2007490	R 93	Cricut 2007490 Infusible Ink Transfer Sheets 2-pack (Wild Aster)(Purple) 12" x 12" (30.5cm x 30.5cm) sheets. 2-pack 12x12 inch Infusible Ink sheets, Wild Aster color, water-based ink, compatible with Cricut Maker and Explore, requires Cricut EasyPress 2 and blanks, seamless permanent transfers, acid-free, not for skin use.
CC 2007498	R 92	Cricut 2007498 Infusible Ink Transfer Sheets 2-pack (True Yellow) 12x12" . The Cricut Infusible Ink Transfer Sheets in True Yellow are designed for crafters seeking vibrant, professional-quality heat transfers. Each 12" x 12" sheet is pre-inked and ready to cut, ensuring seamless and permanent transfers that become part of the fabric. Ideal for customizing a variety of Cricut Infusible Ink blanks, these sheets offer a bright, cheerful color that enhances any project.
CC 2007793	R 102	Cricut 2007793 Cutting Mat Standardgrip 12X12
CC 2007823	R 58	Cricut 2007823 Ceramic Mug Blank 15 Oz 2 Pack (White)
CC 2007932	R 61	Cricut 2007932 Joy Joy Standardgrip Mat Large En Fr. The Cricut Joy StandardGrip Mat (Model 2007932) is a reusable 4.5" x 12" cutting mat designed for use with the Cricut Joy machine. It features a strong, water-based adhesive that securely holds medium-weight materials during cutting and writing, ensuring precise results. Ideal for a variety of crafting projects, this mat offers both durability and versatility for all your DIY needs.
CC 2008044	R 55	Cricut 2008044 Joy Insert Cards 12-Pack (Cream/Holo)
CC 2008429	R 198	Cricut Foil Ironon Bejeweled Sampler - 12X12. The Cricut Foil Iron-On Bejeweled Sampler delivers four 12 x 12 inch jewel-tone foil sheetsâ€”red, royal blue, violet and emerald greenâ€”with a mirror-like finish. Ideal for creative heat-transfer projects like fashion, home decor or party accessories, it cuts cleanly, weeds easily and bonds securely using a Cricut machine and iron or EasyPress.
CC 2008685	R 291	Cricut 2008685 Smart Iron On Gold XL. 1 roll Cricut Smart Iron On Gold XL, 33 cm x 2.7 m; metallic heat transfer

		vinyl; no cutting mat required; compatible with Cricut Maker 3 & 4, Explore 3 & 4, Venture; outlasts 50 washes; ideal for jerseys, garments, and DIY projects
CC 2008772	R 87	Cricut 2008772 Infusible Ink Transfer Sheets 2-pack (Buffalo Check) 12x12" . The Cricut Infusible Ink Transfer Sheets in Buffalo Check pattern are designed for crafters seeking to create vibrant, professional-quality designs on compatible materials. This 2-pack of 12" x 12" sheets is ideal for personalizing items such as T-shirts, tote bags, and coasters using Cricut cutting machines. The Infusible Ink material ensures that designs become one with the fabric, resulting in permanent, crack-free transfers that won ' t peel or fade over time. Perfect for a variety of crafting projects, these transfer sheets offer a timeless Buffalo Check pattern that adds a classic, stylish touch to your creations.
CC 2008775	R 93	Cricut 2008775 Infusible Ink Transfer Sheets 2-pack (True Blue) 12x12" . The Cricut Infusible Ink Transfer Sheets in True Blue deliver pro-grade, heat-infused designs that become one with compatible bases, ensuring durable, wash-proof results. This 2-sheet 12 x 12 inch pack is ideal for creative crafters in South Africa looking for vibrant, lasting transfers that elevate apparel, homeware and gifts.
CC 2008778	R 92	Cricut 2008778 Infusible Ink Transfer Sheets 2-pack (Ultraviolet) 12x12
CC 2008796	R 76	Cricut 2008796 Joy Insert Cards A1 15-Pack (Sensei Sampler) 5 cards of each colour.
CC 2008800	R 55	Cricut 2008800 Joy Insert Cards A6 12-Pack (Sensei Sampler)
CC 2008813	R 101	Cricut Joy Smart Vinyl Silver. Cricut Joy Smart Vinyl Silver offers a 13.9 cm x 304.8 cm roll of matte silver vinyl that loads directly into your Cricut Joy without a mat. Durable indoor adhesive peels off cleanly, making crafting fast and residue-free.
CC 2008814	R 101	Cricut Gold Joy Smart Vinyl. The Cricut Joy Smart Vinyl Gold is a high-quality, removable adhesive vinyl designed for use with the Cricut Joy machine. Its matte finish and rich gold color make it perfect for creating temporary designs on various surfaces. The vinyl removes cleanly without leaving residue, ensuring a professional look for all your crafting projects.
CC 2008815	R 101	Cricut 2008815 Joy Smart Vinyl Vivid Blue. The Cricut Joy Smart Vinyl Vivid Blue (Model: 2008815) is a removable adhesive vinyl designed for use with the Cricut Joy cutting machine. Featuring a matte finish and vibrant blue color, it is ideal for creating temporary decals, labels, and decorative elements on smooth surfaces. The 3-meter roll provides ample material for various projects, and its easy-to-weed design ensures a hassle-free crafting experience.
CC 2008817	R 196	Cricut 2008817 Joy Smart Vinyl Vivid Black. The Cricut Joy Smart Vinyl Vivid Black is a versatile crafting material designed for use with the Cricut Joy machine. Its matte finish and permanent adhesive make it ideal for creating durable, high-quality projects. The matless cutting capability enhances efficiency, allowing for precise cuts without the need for a cutting mat. Perfect for a variety of applications, this vinyl offers both functionality and style.
CC 2008851	R 45	Cricut 2008851 Joy Smart Stencil 14 Cm X 122 Cm
CC 2008852	R 112	Cricut Joy Smart Stencil 14 Cm X 300 Cm. The Cricut Joy Smart Stencil (Model CC 2008852) is a 14 cm x 300 cm stencil roll designed for use with the Cricut Joy machine. It features a removable adhesive backing that allows for easy application and clean removal without residue. Ideal for creating custom designs on various surfaces, this stencil roll offers versatility and convenience for all your crafting needs.
CC 2008855	R 82	Cricut Joy Cut Away Card Neutrals. SKU: CC 2008855; Pack: 8 cards with adhesive; Sizes: 10.8 cm x 14 cm (cards), 10.4 cm x 13.6 cm (backers), 11 cm x 14.6 cm (envelopes); Colours: Gray, Khaki, Cream; Includes: Gold holographic backers, White envelopes; Compatible: Cricut Joy, Maker, Explore
CC 2008871	R 63	Cricut 2008871 Joy Smart Sticker Cardstock 5.5X13 10 Pack (Brightbow Sampler)
CC 2008872	R 66	Cricut 2008872 Joy Smart Sticker Cardstock 5.5X13 10 Pack (Pastels Sampler). Cricut 2008872; 10-pack; Smart Sticker Cardstock; 5 pastel colors; 13.9x33 cm sheets; 210 gsm; pre-adhesive; load and go; compatible with Cricut Joy; ideal for cards, banners, layered crafts
CC 2008886	R 79	Cricut 2008886 Infusible Ink Sheet Ultraviolet 2pc
CC 2009202	R 84	Cricut 2009202 Insert Cards Foil Celebration R20 (10, 8 Cm X 14 Cm) 8-Pack
CC 2009203	R 84	Cricut 2009203 Insert Cards Foil Royal Flush R20 (10, 8 Cm X 14 Cm) 8-Pack
CC 2009204	R 84	Cricut 2009204 Insert Cards Foil Cameron R20 (10, 8 Cm X 14 Cm) 8-Pack
CC 2009205	R 84	Cricut 2009205 Insert Cards Foil Blue Lagoon R20 (10, 8 Cm X 14 Cm) 8-Pack

CC 2009206	R 85	Cricut 2009206 Insert Cards Foil Forest R20 (10, 8 Cm X 14 Cm) 8-Pack. Cricut Foil Transfer Insert Cards; 8-Pack; A2 Cards 10.8x14 cm; Matching inserts 10.2x13.3 cm; Foil sheets 9.5x12.7 cm; White envelopes 11.1x14.6 cm; Glue-free, two-tone, depth-filled design; For Cricut Joy; Requires Foil Transfer Tool and Card Mat
CC 2009207	R 84	Cricut 2009207 Insert Cards Foil Celebration R30 (11, 4 Cm X 15, 9 Cm) 8-Pack. Cricut Foil Transfer Insert Cards; 8-Pack; A6 Cards 11.4x15.9 cm; Matching inserts 10.8x15.2 cm; Foil sheets 10.2x15.2 cm; White envelopes 11.7x16.5 cm; Glue-free, two-tone, depth-filled design; For Cricut Joy; Requires Foil Transfer Tool and Card Mat
CC 2009208	R 85	Cricut 2009208 Insert Cards Foil Royal Flush R30 (11, 4 Cm X 15, 9 Cm) 8-Pack
CC 2009209	R 84	Cricut 2009209 Insert Cards Foil Cameron R30 (11, 4 Cm X 15, 9 Cm) 8-Pack
CC 2009210	R 84	Cricut 2009210 Insert Cards Foil Blue Lagoon R30 (11, 4 Cm X 15, 9 Cm) 8-Pack
CC 2009211	R 85	Cricut 2009211 Insert Cards Foil Forest R30 (11, 4 Cm X 15, 9 Cm) 8-Pack. Cricut Foil Transfer Insert Cards Forest R30; 8-Pack; A6 Cards 11.4x15.9 cm; Matching inserts 10.8x15.2 cm; Foil sheets 10.2x15.2 cm; White envelopes 11.7x16.5 cm; Glue-free, two-tone, depth-filled design; For Cricut Joy; Requires Foil Transfer Tool and Card Mat
CC 2009326	R 101	Cricut 2009326 Smart Vinyl Permanent Ocean 120cm. SKU: CC 2009326; Roll size: 13.9 cm x 3 m; Color: Ocean blue; Finish: Matte; Adhesive: Permanent; Compatible: Cricut Joy; Weather-resistant, dishwasher-friendly
CC 2009330	R 43	Cricut 2009330 440ml Beveled Ceramic Mug Blank Grey - 1pc
CC 2009352	R 182	Cricut Glitter Iron On Red 1.5m. The Cricut Glitter Iron-On Red 1.5m is a premium heat transfer vinyl that adds a sparkling red finish to your DIY projects. Compatible with all Cricut cutting machines, it offers easy weeding and durability, making it ideal for personalizing apparel, accessories, and home decor items.
CC 2009380	R 92	Cricut 2009380 Joy Opaque Gel Pens white, pink and orange, 3 medium point (1.0 mm). The Cricut Joy Opaque Gel Pens in white, pink, and orange are ideal for precise, vibrant designs on cards, scrapbook pages, and DIY projects. Compatible with Cricut Joy, these pens deliver smooth ink flow and consistent color for professional results.
CC 2009381	R 76	Cricut 2009381 Joy Opaque Gel Pens white, blue and yellow. Cricut 2009381; Opaque Gel Pens; White, Blue, Yellow; 3 pens; 1.0 mm tip; water-based, acid-free, nontoxic; compatible with Cricut Joy; cards, labels, invitations, DIY crafts
CC 2009392	R 136	Cricut 295ml Stack Ceramic Mugs Blank White 4pc
CC 2009394	R 43	Cricut 2009394 440ml Beveled Ceramic Mug Blank Ocean - 1pc
CC 2009395	R 72	Cricut 2009395 15oz Bevel Ceramic Mug Blank - Forest
CC 2009396	R 72	Cricut 2009396 15oz Bevel Ceramic Mug Blank - Sahara
CC 2009397	R 62	Cricut 2009397 440ml Beveled Ceramic Mug Blank Miami 1pc
CC 2009398	R 74	Cricut 2009398 15oz Bevel Ceramic Mug Blank - Reef. Cricut 2009398; 15oz / 425 ml; Bevel Ceramic Mug Blank; Reef color; smooth pressing surface; compatible with Cricut Mug Press & Infusible Ink; dishwasher & microwave safe; includes gift box
CC 2009443	R 77	Cricut 2009443 Joy Permanent Smart Vinyl Write Black
CC 2009444	R 77	Cricut 2009444 Joy Permanent Smart Vinyl Write Transparent
CC 2009446	R 113	Cricut Permanent Smart Vinyl Write Black. The Cricut Permanent Smart Vinyl Write Black is a premium crafting material designed for durability and ease of use. Its writable surface and permanent adhesive make it ideal for personalized labeling and DIY projects. Compatible with Cricut Explore 3 and Cricut Maker 3, this vinyl offers a matte finish and is weather-resistant, ensuring your creations last both indoors and outdoors.
CC 2009447	R 109	Cricut Permanent Smart Vinyl Write Transparent. Writable transparent vinyl roll; 13 in x 3 ft (33 cm x 0.9 m); load & go, no mat required; compatible with Cricut Explore 3 & 4, Maker 3 & 4, Venture; use with Cricut pens and markers
CC 2009463	R 47	Cricut 2009463 Insert Cards Princess R10 (8, 9 Cm X 12, 4 Cm) 42-Pack. Cricut Insert Cards Princess R10; 42-Pack; Cards 8.9x12.4 cm; Silver holographic inserts 8.2x11.7 cm; White envelopes 9.2x13 cm; Colors: Tulip, Powder Blue, Whispering Blue, Lavender; Glue-free, two-tone, depth-filled design; For Cricut Joy, Explore, Maker; Requires Card Mat
CC 2009464	R 47	Cricut 2009464 Insert Cards Sensei R10 (8, 9 Cm X 12, 4 Cm) 42-Pack. The Cricut Insert Cards Sensei R10 42-Pack provides high-quality cardstock cards ideal for crafting, DIY projects, and personalized greetings. The pack

		ensures compatibility with Cricut machines and offers a smooth surface for writing, printing, and embellishing designs. Perfect for both beginners and experienced crafters, these cards streamline the creative process, allowing professional-quality results at home or in small business projects. Each card measures 8; 9 cm x 12; 4 cm, making them versatile for a variety of card-making applications.
CC 2009467	R 122	Cricut Insert Cards Rainbow R10 (8.9 Cm X 12.4 Cm) 42-Pack. Cricut Insert Cards Rainbow R10 42-Pack includes high-quality, pre-scored cards in vibrant rainbow colors. Designed for Cricut machines, these cards are ideal for creating professional greeting cards, invitations, and scrapbooking projects with ease. The 8.9 cm x 12.4 cm size fits standard envelopes, making them practical for all craft applications.
CC 2009468	R 160	Cricut Insert Cards Princess R40 (12.1 Cm X 16.8 Cm) 30-Pack. Add elegance and creativity to your crafts with the Cricut Insert Cards Princess R40 30-Pack. Pre-scored and ready for cutting, these cards are ideal for birthdays, scrapbooking, and personalized gifts. Crafted from premium cardstock, they provide a smooth surface for intricate designs and layered inserts. Perfect for DIY enthusiasts seeking professional-looking results in every project.
CC 2009469	R 155	Cricut Insert Cards Sensei R40 (12; 1 Cm X 16; 8 Cm) 30-Pack. These Cricut R40 Insert Cards Sensei Sampler packs provide a fast, glue-free way to make two-tone, professional greeting cards. The 30-pack includes cards, matching inserts and envelopes sized for Cricut card mats, ideal for craft makers and small business card production.
CC 2009470	R 155	Cricut Insert Cards Glitz & Glam R40 (12; 1 Cm X 16; 8 Cm) 30-Pack. Add a touch of sparkle to your card-making projects with the Cricut Insert Cards Glitz & Glam 30-Pack. Each card is crafted from premium cardstock with a glitter finish, ideal for birthdays, invitations, and handmade crafts. Designed for both Cricut machines and manual crafting, these cards provide a professional and elegant finish for all your creative projects.
CC 2009471	R 158	Cricut 2009471 Insert Cards Rainbow R40 (12; 1 Cm X 16; 8 Cm) 30-Pack. The Cricut Insert Cards Rainbow R40 (2009471) are perfect for creating personalized, two-tone greeting cards without the mess of glue. This 30-pack includes vibrant cards in green, blue, and red, each measuring 12.1 cm x 16.8 cm, along with holographic inserts and white envelopes. Compatible with Cricut Explore and Cricut Maker machines, these cards offer a convenient solution for your crafting needs.
CC 2009472	R 87	Cricut Insert Cards Princess S40 (12.1 Cm X 12.1 Cm) 35-Pack. Cricut Insert Cards Princess S40 35-Pack offers premium princess-themed cards for crafting enthusiasts. Each card is made of high-quality cardstock and compatible with Cricut machines for precise cutting. Perfect for greeting cards, invitations, scrapbooking, and handmade gifts, this pack provides creative versatility and professional results in every project.
CC 2009473	R 49	Cricut 2009473 Insert Cards Sensei S40 (12, 1 Cm X 12, 1 Cm) 35-Pack
CC 2009479	R 151	Cricut Insert Cards Foil Royal Flush R10 (8; 9 Cm X 12; 4 Cm) 18-Pack. The Cricut Insert Cards Foil Royal Flush R10 (8.9 cm x 12.4 cm) 18-Pack is a comprehensive set designed for card-making enthusiasts. It includes dual-color cards, metallic inserts, foil transfer sheets, and envelopes, all tailored for use with Cricut cutting machines. The glue-free design ensures a mess-free crafting experience, while the foil transfer sheets add a touch of elegance to your creations. Perfect for various occasions, this set is an essential addition to your crafting supplies.
CC 2009481	R 169	Cricut Insert Cards Foil Royal Flush S40 (12; 1 Cm X 12; 1 Cm) 14-Pack. Pack: 14 Cards (Black & White), 14 Inserts (Gold Metallic & Burnt Red), 14 Foil Sheets (Gold & Red), 14 White Envelopes; Card Size: 12.1 x 12.1 cm; Insert Size: 11.4 x 11.4 cm; Foil Size: 10.8 x 10.8 cm; Envelope Size: 12.7 x 12.7 cm; Compatible with Cricut Explore, Maker, and Joy Xtra machines
CC 2009485	R 169	Cricut Cut-away Cards Neutrals R10 (8.9 Cm X 12.4 Cm) 18-pack. The Cricut Cut-Away Cards Neutrals Sampler (R10, 18-Pack) is a premium crafting set that includes 18 adhesive-backed cards in neutral tones, 18 gold holographic backers, and 18 white envelopes. Designed for use with Cricut Joyâ„¢, Explore, and MakerÂ® machines, it allows crafters to create custom cards for various occasions with ease. The neutral color palette and included accessories ensure a professional finish every time.
CC 2009486	R 169	Cricut Cut-Away Cards Neutrals R40 (12.1 Cm X 16.8 Cm) 12-Pack. SKU: CC 2009486; Pack: 12 cards, 12 backers, 12 envelopes; Card size: 12.1 x 16.8 cm; Backer size: 11.7 x 16.4 cm; Envelope size: 13.0 x 18.4 cm; Compatible: Cricut Maker, Explore, Joy
CC 2009487	R 169	Cricut 2009487 Cut-Away Cards Neutrals S40 (12.1 Cm X 12.1 Cm) 14-Pack. SKU: CC 2009487; Pack: 14 cards,

		14 backers, 14 envelopes; Card size: 12.1 x 12.1 cm; Backer size: 11.7 x 11.7 cm; Envelope size: 12.7 x 12.7 cm; Compatible: Cricut Maker, Explore, Joy
CC 2009610	R 91	Cricut Iron on Glow in the Dark. 1 roll 12 x 24 in glow-in-the-dark heat transfer vinyl; easy to cut, weed, and apply; compatible with all Cricut machines; ideal for costumes, T-shirts, sweatshirts, and DIY crafts; durable and long-lasting
CC 2009832	R 39	Cricut 2009832 Joy Permanent Smart Vinyl White
CC 2009833	R 51	Cricut 2009833 Joy Permanent Smart Vinyl Elegance Sampler. Cricut 2009833; Permanent Smart Vinyl; 1 roll; 13.9x121.9 cm; Matte finish; load and go; compatible with Cricut Joy and Smart Materials; weather-resistant; dishwasher-friendly; ideal for decals, banners, and creative projects
CC 2009834	R 45	Cricut 2009834 Joy Permanent Smart Vinyl Blue
CC 2009835	R 40	Cricut 2009835 Joy Permanent Smart Vinyl Red
CC 2009836	R 55	Cricut 2009836 Joy Permanent Smart Vinyl Orange
CC 2009837	R 45	Cricut 2009837 Joy Permanent Smart Vinyl Maize yellow
CC 2009839	R 46	Cricut 2009839 Joy Permanent Smart Vinyl Grass
CC 2009840	R 41	Cricut 2009840 Joy Permanent Smart Vinyl Mint
CC 2009841	R 41	Cricut 2009841 Joy Permanent Smart Vinyl Party Pink
CC 2009842	R 46	Cricut 2009842 Joy Permanent Smart Vinyl Purple
CC 2009843	R 41	Cricut 2009843 Joy Permanent Smart Vinyl Light Pink
CC 2009844	R 40	Cricut 2009844 Joy Permanent Smart Vinyl Aqua
CC 2009964	R 175	Cricut 2009964 Joy Glitter Gel Rainbow Pen Set 10ct. The Cricut Joy Glitter Gel Rainbow Pen Set includes 10 vibrant 0.8 mm glitter gel pens, perfect for adding a sparkling touch to your DIY projects. Designed for use with the Cricut Joy cutting machine, these pens offer precise writing and drawing capabilities. The water-based, acid-free, and non-toxic ink ensures safe use on various materials. Ideal for paper crafts, cards, labels, invitations, and more, these pens provide a smooth, glittery finish that enhances your creative endeavors.
CC 2009978	R 177	Cricut Joy Watercolor Markers 9pc. 8x Watercolor Markers (1.0 mm tip); 1x Water Brush (4.0 mm tip). 8 x 1.0 mm watercolor markers; 1 x 4.0 mm Water Brush; manual blending; compatible with Cricut Joy & Joy Xtra; non-toxic water-based ink; ideal for DIY cards and craft projects
CC 2009984	R 89	Cricut 2009984 Watercolor Cards White 12pk R20
CC 2009985	R 90	Cricut 2009985 Watercolor Cards White 10pk R40. The Cricut 2009985 Watercolor Cards White 10pk R40 provide a premium surface for your watercolor projects. With a cold-pressed texture and 140 lb (300 gsm) weight, these cards resist buckling and offer durability. Each pack includes 10 cards and matching envelopes, designed for use with Cricut cutting machines and accessories, making them perfect for creating personalized greeting cards, invitations, and more.
CC 2009986	R 89	Cricut 2009986 Watercolor Cards White 12pk S40
CC 2010000	R 79	Cricut 2010000 Joy Permanent Smart Vinyl Write White
CC 2010001	R 54	Cricut 2010001 Joy Removable Smart Vinyl Write White
CC 2010002	R 54	Cricut 2010002 Joy Removable Smart Vinyl Write Black
CC 2010003	R 54	Cricut 2010003 Joy Removable Smart Vinyl Write Transparent
CC 2010004	R 91	Cricut 2010004 Removable Smart Vinyl Write White. The Cricut Removable Smart Writable Vinyl is a high-quality crafting material that simplifies the process of creating custom labels and decals. Its compatibility with Cricut Explore 3 and Cricut Maker 3 machines, combined with its removable adhesive and matte white finish, makes it an excellent choice for a variety of crafting projects. Whether you ' re organizing your home, creating personalized gifts, or adding decorative elements to your space, this vinyl offers versatility and ease of use.
CC 2010005	R 100	Cricut 2010005 Removable Smart Vinyl Write Black. The Cricut Removable Smart Vinyl Write Black is a versatile crafting material designed for temporary applications. Its matte black finish and removable adhesive make it ideal for creating labels, decals, and custom designs that can be easily repositioned or removed without leaving residue. Compatible with Cricut Joy cutting machines, this vinyl offers convenience and precision for various indoor projects.
CC 2010006	R 82	Cricut 2010006 Removable Smart Vinyl Write Transparent
CC 2010010	R 78	Cricut 2010010 3 Permanent Metallic Markers (1.0 mm) in Gold; Silver; Copper; Embellish projects with personal

		notes or drawin
CC 2010042	R 76	Cricut 2010042 Joy Smart Label Writable Vinyl Permanent, Silver. Cricut Joy Smart Label Writable Vinyl; Silver; 14 x 33 cm; 4 sheets; Permanent adhesion; Writable with Cricut Joy Pens/Markers; Compatible with Cricut Joy; Home organization and DIY labeling
CC 2010043	R 76	Cricut 2010043 Joy Smart Label Writable Vinyl Permanent, Gold. Cricut 2010043; Smart Label Writable Vinyl; Gold; 4 sheets; 14x33 cm; load-and-go; permanent adhesion; writable with Cricut Joy Pens/Markers; compatible with Cricut Joy; home organization, DIY crafts
CC 2010061	R 74	Cricut 2010061 Joy Smart Dissolvable Paper Lables White, 5.5x36inch. Cricut 2010061; Smart Dissolvable Paper Labels; White; 1 roll; 14x91 cm; water-soluble; temporary labels; load and go; compatible with Cricut Joy; customizable with Pens & Markers
CC 2010625	R 77	Cricut 2010625 Joy Xtra Card Mat
CC 2010626	R 148	Cricut 2010626 Joy Xtra Light-grip Mat 24, 1x30, 5cm
CC 2010627	R 82	Cricut 2010627 Joy Xtra Standard-grip Mat 24, 1x30, 5cm
CC 3PACK MATS 30X30	R 184	Cricut 2003546 Explore/Maker LightGrip-Standard-StrongGrip Machine Mat (30x30cm) 3-pack. Enhance your Cricut crafting with the CC 3PACK Machine Mats. This set includes LightGrip, StandardGrip, and StrongGrip mats, each 30x30 cm, designed for precise cutting of vinyl, cardstock, fabric, and other materials. Durable and reusable, they ensure consistent adhesion and professional results for all projects. Perfect for hobbyists and professional crafters alike.
CC APPL + REM SET	R 263	Cricut 2003923 Applicator and Remover Set. The Cricut Applicator and Remover Set (2003923) is a premium toolset designed to enhance your crafting projects. It includes a brayer for smooth material application and broad-tip tweezers for precise material removal. Compatible with various Cricut machines, this set ensures flawless results in fabric, vinyl, and iron-on projects.
CC BASSWOOD	R 194	Cricut 2006255 Basswood 4 sheets 12" x 6" (30.5 cm x 15 cm). CC BASSWOOD Cricut 2006255 includes four high-quality basswood sheets measuring 12" x 6" (30.5 cm x 15 cm). These sheets are smooth, lightweight, and easy to cut, making them ideal for DIY crafts, model building, engraving, and creative projects. Each sheet is compatible with Cricut and other cutting machines, providing versatile use for hobbyists and professional artisans alike. Perfect for painting, staining, or shaping, these basswood sheets deliver precision, durability, and a professional finish for a wide range of artistic and craft applications.
CC CARD MAT 1PK	R 38	Cricut 2007968 Joy Card Mat 1-pack - 11.4 cm x 15.8 cm (4.5" x 6.25"). The Cricut Joy Card Mat 1-pack is perfect for creating professional-quality cards with precision and ease. Its adhesive surface secures cardstock for clean, accurate cuts while working with the Cricut Joy machine. Compact, durable, and reusable, this card mat is ideal for hobbyists, DIY crafters, and anyone looking to elevate their paper projects.
CC CRD CS MX EMEA 15	R 55	Cricut 2008793 JOY INS CRD CS MX EMEA MACARONS A1(15). Cricut 2008793; Insert Cards 15-Pack; Macarons; 15 cards with inserts and envelopes; 8.9x12.4 cm; glue-free two-tone design; pastel colors; gunmetal inserts; compatible with Cricut Joy; DIY greeting cards
CC CRD CS SPL EMEA A1	R 52	2008795 - Cricut Joy Ins Crd Cs Spl Emea Gry Slvr Holo A1
CC DS FB SMPL CRS	R 91	Cricut 2004214 Designer Fabric Sampler Rockstar 12x26"
CC ED IRON ON MT SMPL 6SHT	R 159	Cricut 2004817 Everyday Iron On Metallics Sampler 12x12(6). The Cricut Everyday Iron-On Metallics Sampler (2004817) includes six 12" x 12" sheetsâ€”three in Gold and three in Silverâ€”designed for use with Cricut cutting machines. This premium heat transfer vinyl offers a strong bond that outlasts 50 washes, making it ideal for creating custom T-shirts, home dÃ©cor, and personalized gifts. Its easy-to-cut and weed properties, combined with a shiny metallic finish, ensure professional-quality results for all your DIY projects.
CC ED IRON ON PK	R 114	Cricut 2007705 Everyday Iron-On 30x60cm (Pink).
CC ED IRON ON R.MESH	R 48	Cricut 2006204 Everyday Iron-On 30x60cm (Red Mesh)
CC ED IRON ON RD	R 60	Cricut 2007698 Everyday Iron-On 30x60cm (Red).
CC ED IRON ON W.MESH	R 49	Cricut 2006203 Everyday Iron-On - 30x60cm (White Mesh)
CC ED IRON ON WH MOSAIC	R 41	Cricut 2006992 Everyday Iron-On 30x60cm (Mosiac Squares White)
CC EM DP BLADE +HS	R 286	Cricut 2002293 Explore Maker Deep-Point Blade with Housing. The Cricut Deep-Point Blade with Housing is designed for precise cutting of thicker materials up to 1.5mm thick. Compatible with Cricut Explore and Maker

		machines, it allows crafters to create intricate designs on chipboard, rubber, magnet, and foam sheets. Its durable carbide steel blade ensures long-lasting performance, making it an essential tool for DIY projects and personalized crafts.
CC EM DP REPL BLADES	R 160	Cricut 2003535 Explore Maker Deep-Point Replacement Blades 2-pack. The Cricut Explore Maker Deep-Point Replacement Blades are designed to enhance your crafting capabilities by enabling precise cuts through thicker materials. With a steeper 60-degree blade angle, these blades are ideal for cutting materials up to 1.5 mm thick, such as chipboard, magnet sheets, and heavy cardstock. Each pack includes two replacement blades, ensuring you have a spare on hand for uninterrupted crafting sessions. Compatible with Cricut Maker and Cricut Explore series machines, these blades are essential for any serious crafter looking to expand their creative possibilities.
CC EM EXT FINE POINT PEN SET 5	R 89	Cricut 2007643 Explore Maker Extra Fine Point Pen Set 5-pack (Basics)
CC EM FABGRIP MAT	R 114	Cricut 2007789 Explore Maker FabricGrip Machine Mat (30x30cm) 1-pack. The Cricut 2007789 FabricGrip Machine Mat (30x30cm) is designed for precise fabric cutting with Cricut Explore and Maker machines. Its light adhesive surface holds fabrics securely during cutting, while the high-density material ensures durability. Ideal for quilting, appliquÃ©, and sewing projects, this reusable mat offers excellent value for crafters.
CC EM PREM FINE POINT REP BLA	R 160	Cricut 2007300 Explore/Maker Premium Fine-Point Replacement Blade. The Cricut Premium Fine-Point Replacement Blade is designed for precision cutting of light to mid-weight materials. Compatible with Cricut Maker and Explore series machines, this durable blade ensures clean and intricate cuts, making it an essential tool for various DIY projects.
CC EM WASH FAB PEN	R 23	Cricut 2003980 Explore Maker Washable Fabric Pen
CC FELT 30X30 SUMMER SKY	R 70	Cricut 2003829 Felt 10 Sheet Sampler 12X12" (Summer Sky). CC FELT 30X30 SUMMER SKY Cricut 2003829 is a versatile felt sheet sampler ideal for crafting, DIY projects, and home dÃ©cor. Each pack contains 10 high-quality 12 x 12 inch sheets in a vibrant Summer Sky color. Compatible with Cricut machines and perfect for scrapbooking, card making, sewing, and educational crafts.
CC FOIL ACETATE SAMP 16SHT LN	R 89	Cricut 2006309 Foil Acetate 30x30cm, 16-sheets (Love Notes)
CC FOIL IRON ON METALLIC 4SHT	R 132	Cricut 2004496 Foil Iron-On 30x30cm 4-sheet Sampler (Metallic). Add metallic shine to your DIY projects with the Cricut CC Foil Iron-On Metallic 4SHT. Each pack includes 4 sheets in gold, silver, rose gold, and holographic finishes, sized 30x30cm for versatile crafting applications. Ideal for customizing apparel, bags, cards, and home dÃ©cor, these easy-to-use sheets deliver professional-quality results with Cricut machines or a standard iron. Perfect for hobbyists and creative professionals seeking vibrant, long-lasting designs.
CC FOIL IRON ON RED	R 71	Cricut 2007649 Foil Iron-On 30x60cm (Red)
CC FOIL IRON ON VT	R 47	Cricut 2003493 Foil Iron-On 30X60cm (Violet)
CC FT TOOL + REP TIP	R 482	Cricut 2008727 Foil Transfer Tool and 3 replacement tips. The Cricut 2008727 Foil Transfer Tool and 3 Replacement Tips set is a must-have for crafters looking to add metallic accents to their projects. Compatible with Cricut Maker and Cricut Explore machines, this tool offers a heat-free, pressure-activated system that ensures precise foil application. The set includes fine, medium, and bold tips, allowing for a range of design possibilities. Ideal for card making, scrapbooking, and more, this tool enhances the visual appeal of your creations.
CC GLITTER IRON ON AQ	R 79	Cricut 2003122 Glitter Iron-On 30x48cm (Aqua). Enhance your DIY projects with the CC Glitter Iron-On AQ. This vibrant 30 x 48 cm sheet is perfect for Cricut machines, delivering sparkling, durable results on textiles and craft surfaces. Easy to use and versatile, it is ideal for personalizing clothing, accessories, and gifts.
CC GLITTER IRON ON BG	R 82	Cricut 2003244 Glitter Iron-On 12x19" (Black Gold). The Cricut Glitter Iron-On in Black Gold is a premium heat transfer vinyl that adds a sparkling finish to your custom designs. Compatible with all Cricut cutting machines, it ensures precise cuts and easy application. Ideal for personalizing T-shirts, bags, aprons, and more, this material offers durability and a high-quality finish, making your projects stand out with a touch of glamour.
CC GLITTER IRON ON EP	R 79	Cricut 2003123 Glitter Iron-On 30x48cm (Eggplant). Add a sparkling touch to your DIY projects with the CC Glitter Iron-On Vinyl in eggplant. Easy to cut and apply, it is perfect for t-shirts, bags, hats, and personalized gifts. Durable, flexible, and compatible with Cricut machines and household irons.
CC GLITTER IRON ON FO	R 82	Cricut 2003260 Glitter Iron-On 30x48cm (Fluorescent Orange). CC GLITTER IRON ON FO is a 30x48cm fluorescent orange glitter sheet ideal for Cricut and other cutting machines. Perfect for clothing, accessories, and craft projects, it provides bright, durable designs. Easy to apply with an iron or heat press, it sticks to cotton,

		polyester, and blends while maintaining flexibility and comfort.
CC GLITTER IRON ON GN	R 92	Cricut 2003121 Glitter Iron-On 12x19" (Green). The green Cricut Glitter Iron-On film offers vibrant sparkle and durable adhesion for styling fabrics and decor. Sized at 12 x 19 in., it cuts and weeds easily and is fully compatible with all Cricut machinesâ€"ideal for crafting personalized apparel and decorative items with enduring flair.
CC GLITTER IRON ON KW	R 77	Cricut 2003247 Glitter Iron-On 30x48cm (Kiwi). The Cricut Glitter Iron-On in Kiwi is a premium heat transfer vinyl designed to add a sparkling touch to your DIY projects. Measuring 30.5 cm x 48.3 cm, it ' s perfect for personalizing apparel, accessories, and home decor items. Compatible with all Cricut cutting machines, this material ensures vibrant and durable designs that last through multiple washes.
CC GLITTER IRON ON RD	R 90	Cricut 2007683 Glitter Iron-On 30x48cm (Red). The Cricut Glitter Iron-On 30x48cm in Red is a premium heat transfer vinyl designed to add a touch of sparkle to your DIY projects. Ideal for customizing apparel, accessories, and home decor, this material ensures vibrant, long-lasting designs that stand out. Compatible with all Cricut cutting machines, it offers ease of use and durability for all your crafting needs.
CC GLITTER IRON ON RL	R 101	Cricut 2003243 Glitter Iron-On 30x48cm (Royal). The Cricut Glitter Iron-On in Royal Blue (30x48cm) is a premium heat transfer vinyl ideal for adding a sparkling touch to various DIY projects. Compatible with all Cricut cutting machines, it ensures easy application and long-lasting results, making it a must-have for crafters looking to personalize their creations.
CC GT IRON ON GM SQD SMPL	R 217	Cricut 2004501 Glitter Iron On Sampler Glam Squad 12x12(3). The Cricut Glitter Iron-On Sampler in the Glam Squad collection offers a vibrant selection of heat transfer vinyl sheets designed to add sparkle and personality to your DIY projects. Each pack includes three 12" x 12" sheets in coordinating shades, perfect for creating standout designs on apparel, accessories, and home dÃ©cor items. Compatible with Cricut cutting machines, this premium vinyl ensures durability with a glittery finish that outlasts 50 washes. Ideal for customizing T-shirts, tote bags, pillows, and more, it provides an easy application process using Cricut EasyPress or a household iron.
CC GT IRON ON SNGR SMPL	R 110	Cricut 2004503 Sangria Glitter Iron On Sampler 12x12 - 3 sheets. The Cricut Glitter Iron-On Sampler in Sangria offers three 12" x 12" sheets in gold, red, and silver, each featuring a sparkling glitter finish. Designed for use with Cricut cutting machines, this heat transfer vinyl is perfect for adding a touch of glamour to your crafting projects. Whether you ' re personalizing apparel or creating custom accessories, this sampler provides the vibrant colors and durability needed for long-lasting designs.
CC HEATRESISTANT TAPE	R 91	Cricut 2008765 Heat Resistant Tape 75x25cm
CC HOLO IRON ON RED	R 66	Cricut 2006162 holo Iron-On 12x24" (Red)
CC HOLO IRON ON SRB SMPL	R 145	Cricut 2006164 Iron On Holo Berry Sorbet Sampler 1 12x12(3). The Cricut Holographic Iron-On Berry Sorbet Sampler includes three 12" x 12" sheets in Translucent Red, Red, and Dahlia colors. This premium heat transfer vinyl is designed for easy cutting and weeding, ensuring a smooth application process. Compatible with all Cricut cutting machines, it ' s perfect for customizing a variety of projects, from clothing to home dÃ©cor, with a vibrant, multicolor finish.
CC HOLO SPARKLE IRON ON GD	R 94	Cricut 2004141 Holographic Sparkle Iron-On 30x60cm (Gold). Discover the Cricut Holographic Sparkle Iron-On in Gold (30 x 60 cm) â€" a high-quality holographic heat-transfer vinyl that brings exceptional shine to your crafting. Designed for Cricut machines, it offers easy cutting and precise weeding, ideal for decorating apparel, bags, cushions, and more. Its durable adhesion ensures long-lasting sparkle and durability for all your creative projects.
CC HOLO SPARKLE IRON ON GN	R 47	Cricut 2004139 Holo Sparkle Iron-on 12x24" (Green)
CC HOLO SPARKLE IRON ON RD	R 66	Cricut 2004137 holo Sparkle Iron-On 12x24" (Red)
CC HOLO SPARKLE IRON ON SL	R 97	Cricut 2004140 Holographic Sparkle Iron-On 30x60cm (Silver). Add a professional sparkle to your DIY projects with the CC HOLO SPARKLE IRON ON SL. This silver holographic vinyl is easy to apply, Cricut-compatible, and perfect for personalizing apparel, accessories, and gifts. The 30 x 60 cm sheet allows flexibility for designs of any size, delivering long-lasting, eye-catching results.
CC INF INK COASTER SQ	R 112	Cricut 2006581 Infusible Ink Aluminium Coasters 4-pack (White; Square); 4 square coasters 3.75 ' ' x 3.75 ' ' (9.5 cm x 9.5 cm)
CC INF INK F.SHIRT L	R 79	Cricut 2007908 Infusible Ink Women ' s White T-Shirt (L)
CC INF INK F.SHIRT XL	R 79	Cricut 2007909 Infusible Ink Women ' s White T-Shirt (XL)
CC INF INK F.SHIRT XXL	R 79	Cricut 2007910 Infusible Ink Women ' s White T-Shirt (XXL)

CC INF INK M.SHIRT M	R 79	Cricut 2007902 Infusible Ink Men ' s White T-Shirt (M)
CC INF INK M.SHIRT XXL	R 81	Cricut 2007905 Infusible Ink Men ' s White T-Shirt (XXL)
CC INF INK PILLOW CASE CM	R 89	Cricut 2007484 Textured Pillow Case 46x46cm (Cream) (Infusible Ink Blank)
CC INF INK PILLOW CASE WH	R 92	cricut 2007485 smooth pillow case 46x46cm (white) (infusible ink blank). the cc inf ink pillow case wh cricut 2007485 is a smooth, white pillow cover designed for infusible ink transfers. ideal for home decor, gifts, and personalized diy projects, it delivers vibrant, long-lasting results. its durable fabric and standard 46 x 46 cm size make it suitable for most pillow inserts, providing crafters with a reliable and easy-to-use base for creative designs.
CC INF INK PTN STL PLT	R 112	Cricut 2006767 Infusible Ink Transfer Sheet Steel Plate
CC INFUS INK TRNFR SHT 4PK MR	R 75	Cricut 2006768 Infusible Ink Transfer Sheets 4-pack (Mermaid Rainbow)
CC INFUSIBLE INK 2PK BK BOT	R 148	Cricut 2006781 Infusible Ink Transfer Sheets 2-pack (Black Botanicals). Cricut Infusible Ink Transfer Sheets 2-pack in Black Botanicals allow easy and vibrant DIY projects. These sheets are designed for light-colored polyester fabrics and other compatible surfaces, offering long-lasting, professional-quality results. Ideal for personalizing apparel, home dÃ©cor, and gifts with intricate botanical designs.
CC INFUSIBLE INK 2PK GN	R 58	Cricut 2006787 Infusible Ink Transfer Sheets 2-pack (Bright Green)
CC INFUSIBLE INK FINE PP 5PK	R 109	Cricut 2006257 Explore/Maker Infusible Ink Fine Point Pen Set 5-pack (Basics). The Cricut Infusible Ink Fine Point Pen Set (5-pack) is designed for creating vibrant, professional-quality transfers on compatible Cricut blanks. This set includes five 0.4mm fine point pens in Cardinal, Black, Ultraviolet, Tawny, and Bright Green, ideal for detailed designs and text. Achieve permanent, pro-quality transfers that won ' t flake, peel, fade, crack, or wrinkle, ensuring your custom creations last a lifetime.
CC INFUSIBLE INK MED PP 5PK BR	R 115	Cricut 2006258 Explore/Maker Infusible Ink Medium Point Pen Set 5-pack (Brights). The Cricut Infusible Ink Medium Point Pen Set (5-pack) in Brights provides a selection of vibrant neon colors designed for use with Cricut Explore and Cricut Maker machines. These pens deliver permanent, professional-quality transfers on compatible Infusible Ink blanks, making them ideal for creating custom designs on various items. The set includes five medium point pens in Neon Pink, Neon Blue, Neon Orange, Neon Yellow, and Neon Green, offering a range of bold colors to enhance your crafting projects.
CC INFUSIBLE INK MED PP 5PK BSC	R 79	Cricut 2006256 Explore/Maker Infusible Ink Medium Point Pen Set 5-pack (Basics)
CC INFUSIBLE INK TS 2 PK BL	R 45	Cricut 2008884 Joy Infusible Ink Transfer Sheets 2-pack (True Blue)
CC INFUSIBLE INK TS 2 PK CR	R 47	Cricut 2008883 Joy Infusible Ink Transfer Sheets 2-pack (Cherry Red). Cricut 2008883; 2-pack; Infusible Ink Transfer Sheets; Cherry Red; 11.4x30.5 cm; compatible with Cricut Mug Press, EasyPress, heat presses; permanent transfers; requires Infusible Ink blanks
CC INFUSIBLE INK TS 2 PK GR	R 44	Cricut 2008885 Joy Infusible Ink Transfer Sheets 2-pack (Warm Grey)
CC INFUSIBLE INK TS 2 PK LM	R 47	Cricut 2008887 Joy Infusible Ink Transfer Sheets 2-pack (Pink Lemonade)
CC INSRT CS 12PCK BLK HOLO	R 48	Cricut 2008045 Joy Insert Cards 12-pack (Black/Holo)
CC INSRT CS 12PCK GR HOLO	R 41	Cricut 2008043 Joy Insert Cards 12-pack - (Grey/Holo)
CC INSRT CS SENSEI	R 91	Cricut 2009224 Joy Insert Cards 11; 4 Cm X 15; 9 Cm 10-Pack (Sensei Sampler) With Foil Sheets. Elevate your card-making projects with the Cricut Joy Insert Cards Sensei Sampler. This set includes everything you need to create personalized, professional-looking greeting cards. With a variety of colors and materials, you can craft unique designs effortlessly. Compatible with the Cricut Joy cutting machine, this set is perfect for any occasion.
CC IRON ON DS CLV	R 35	Cricut 2004946 Iron On Designs Cest Le Vie - 8.5x12
CC IRON ON DS CSB	R 26	Cricut 2004977 Iron On Designs Cute Sea Boy - 4.25 X12
CC IRON ON DS GLB CL	R 28	Cricut 2005674 Iron On Designs Globe Color - 8.5x12 (1)
CC IRON ON DS SI	R 22	Cricut 2004981 Iron On Designs Sleep In - 4.25x12
CC IRON ON DS SS	R 39	Cricut 2004985 Iron On Designs Sushi - 8.5x12
CC IRON ON GT NV	R 106	Cricut 2004527 Iron On Glitter Navy. The Cricut Iron-On Glitter Navy is a premium heat transfer vinyl that adds a sparkling touch to your DIY projects. With its rich navy color and glitter finish, it is perfect for personalizing apparel, accessories, and home dÃ©cor. Compatible with all Cricut cutting machines, it offers ease of use and durability, making your crafting experience both enjoyable and professional.
CC JOY CARRY CASE	R 412	Cricut 2007812 Joy Machine Carry Case; 1 machine tote; 11.6" x 6.3" x 4.5" (29.5 cm x 16 cm x 11.6 cm). This compact Cricut Joy carry case is designed to protect your machine during travel or storage. Lightweight and

		durable, it keeps your device safe from bumps, dust, and scratches. Ideal for crafters who need portable and secure transport for workshops or home use.
CC JOY FT KIT	R 390	Cricut Joy Foil Transfer Kit. The Cricut Joy Foil Transfer Kit enables you to add shimmering foil accents to your projects with ease. Designed specifically for the Cricut Joy machine, it includes everything you need to get started, including foil transfer sheets and a transfer tool housing. Whether you ' re creating cards, invitations, or gift tags, this kit helps you achieve polished, professional results.
CC JOY INFUSIBLE INK GN WT	R 46	Cricut 2008889 Joy Infusible Ink Transfer Sheets 2-pack (Green Watercolor)
CC JOY REP BLADE +HS	R 213	Cricut 2007927 Joy Replacement Blade With Housing. The Cricut 2008606 Machine Tool Organizer is a compact and efficient solution for storing your Cricut tools. With dedicated compartments for tool housings and QuickSwap tips, it helps keep your workspace organized and your tools easily accessible, enhancing your crafting experience.
CC LIGHTGRIP MAT 1PK 11.5X30	R 55	Cricut Joy LightGrip Machine Mat 1-pack (11; 5x30cm). The Cricut Joy LightGrip Machine Mat is a reusable 11.5 x 30 cm cutting mat designed for lightweight materials such as standard paper, light cardstock and vellum. It provides a balanced hold-and-release adhesive for clean cuts on the Cricut Joy and is supplied as a single mat pack.
CC LIGHTGRIP MAT 1PK 30X30	R 102	Cricut 2007792 Explore/Maker LightGrip Machine Mat (30x30cm) 1-pack. The Cricut LightGrip Machine Mat (30x30cm) is designed for precision cutting of lightweight materials. Ideal for standard paper, light cardstock, and vellum, this reusable mat ensures your materials stay securely in place during the cutting process, providing clean and accurate results every time. Compatible with Cricut MakerÂ® and Cricut ExploreÂ® cutting machines, it is an essential tool for any crafting enthusiast.
CC LIGHTGRIP MAT 1PK 30X60	R 183	Cricut 2003601 Explore Maker LightGrip Machine Mat; (30x60cm) 1-pack. The CC LightGrip Mat 30x60cm is ideal for Cricut Explore and Maker machines. Its medium adhesive holds lightweight materials securely, ensuring precise, clean cuts. This mat is reusable, easy to clean, and perfect for crafting projects with paper, vinyl, cardstock, iron-on, and fabric.
CC MACH TOOL ORG	R 447	Cricut 2008606 Machine Tool Organizer. The Cricut 2008606 Machine Tool Organizer is a practical and stylish solution for storing your Cricut tools. Its clear plastic design and custom compartments help keep your tool housings and QuickSwap tips organized and easily accessible, ensuring a tidy and efficient crafting workspace.
CC MED POINT GEL PEN BK GD SL	R 70	Cricut 2008070 Joy Medium Point Gel Pen Set 3-pack (Glitter Black, Gold, Silver). This 3-pack of Cricut Joy glitter gel pens delivers fine 0.8 mm metallic lines in Black, Gold, and Silver with water-based, acid-free, non-toxic ink. Designed for precise Cricut Joy drawing and writing, itâ€™s perfect for crafting elegant invitations, cards, and decorative accents with a lasting shimmer.
CC MK DEBOSS TIP WT QS HSG	R 308	Cricut 2006835 Maker Debossing Tip with QuickSwap Housing. The Cricut Fine Debossing Tip with QuickSwap Housing is a precision tool designed for Cricut Maker machines, enabling crafters to add intricate debossed designs to various materials. Ideal for creating personalized cards, monograms, and decorative elements on projects like gift boxes and tags, this tool offers professional-level results with ease. Its QuickSwap Housing system allows for quick and easy tip changes, streamlining your crafting process.
CC MK EN TIP WT QS HSG	R 551	Cricut Maker Engraving Tip with QuickSwap Housing. SKU: CC MK EN TIP WT QS HSG; Tool type: Engraving Tip; Housing: QuickSwap included; Material: Carbide steel; Compatible: Cricut Maker; Works on: aluminum, acrylic, leather, plastic
CC MK ENGRAV TIP	R 170	Cricut 2007310 Maker Engraving Tip. The Cricut 2007310 Engraving Tip is a must-have accessory for Cricut Maker users seeking to add intricate and lasting engravings to their projects. Designed for precision and ease of use, it allows for the creation of personalized items with professional-quality results. Please note that the QuickSwap Housing is sold separately and is required for operation.
CC MK IRON ON 30X273CM GLITTER BK	R 273	Cricut 2009060 Smart Iron-on 33x273cm 1 sheet (Glitter Black). The Cricut Smart Iron-On Glitter Black is a high-quality heat transfer vinyl that enables you to add a shimmering effect to your projects. Designed for use with Cricut Explore 3 and Maker 3 machines, it offers matless cutting for convenience. The material is durable, easy to apply, and perfect for creating personalized items that stand out.
CC MK IRON ON 30X273CM GLITTE	R 330	Cricut 2009062 Glitter White Smart Iron-on 33x273cm 1 sheet. CC MK Glitter White Iron-on Sheet 33 x 273cm is ideal for DIY projects, clothing, and accessories. Its sparkling glitter finish and durable adhesive make it perfect for Cricut users. Create standout designs with ease and achieve professional results on a variety of fabrics.
CC MK IRON ON 30X273CM NV	R 202	Cricut 2008688 Smart Iron-on 33x273cm 1 sheet (Navy). This Cricut Smart Iron-on sheet in navy is perfect for

		personalizing clothes, home decor, and gifts. Its large 30 x 273cm sheet allows multiple projects, while providing durable and vibrant results. Easy to cut, position, and apply with either an iron or heat press.
CC MK IRON ON 30X273CM RD	R 201	Cricut 2008692 Red Smart Iron-on 33x273cm 1 sheet. CC MK Iron-On Red is a high-quality vinyl sheet designed for easy fabric customization. Ideal for clothing, bags, and craft projects, it delivers durable, vibrant results. Perfect for DIY enthusiasts and small business creators looking for precise and professional iron-on applications.
CC MK IRON ON 30X90CM BL	R 120	Cricut 2008678 Smart Iron-on 33x91cm 1 sheet (Blue). Add a touch of sparkle to your creative projects with the CC MK Iron-On Glitter Silver sheet. Designed for Cricut machines, it is perfect for customizing apparel, accessories, and home dÃ©cor with long-lasting glitter effects. Easy to cut, weed, and apply, this premium iron-on vinyl is ideal for both beginners and experienced crafters looking to produce vibrant, professional results.
CC MK IRON ON 30X90CM GLITTEF	R 155	Cricut 2008672 Smart Iron-on 33x91cm 1 sheet (Glitter Black). This Cricut removable vinyl sheet is designed for easy use with Cricut cutting machines. Its black finish and removable adhesive make it ideal for crafting, labels, home decor, and temporary projects. The large 33 x 640 cm size ensures multiple uses, giving hobbyists and professionals a reliable material for clean, professional results.
CC MK IRON ON 30X90CM GLITTER RD	R 116	Cricut 2008675 Smart Iron-on 33x91cm 1 sheet (Glitter Red). The CC LightGrip Mat 30x60cm is ideal for Cricut Explore and Maker machines. Its medium adhesive holds lightweight materials securely, ensuring precise, clean cuts. This mat is reusable, easy to clean, and perfect for crafting projects with paper, vinyl, cardstock, iron-on, and fabric.
CC MK IRON ON 30X90CM GLITTEF	R 117	Cricut 2008676 Smart Iron-on 33x91cm 1 sheet (Glitter Silver). Transform your DIY projects with the Cricut Smart Iron-on Glitter Silver. This high-quality heat transfer vinyl offers a vibrant glitter finish that adds a touch of elegance to any design. Its matless cutting feature allows for seamless integration with Cricut Explore 3 and Maker 3 machines, streamlining your crafting process. Whether you ' re personalizing a T-shirt, customizing a backpack, or creating unique home decor items, this material ensures a durable and professional result. The glitter finish remains intact even after multiple washes, making it ideal for items subjected to regular use.
CC MK IRON ON 30X90CM GLITTER WH	R 110	Cricut 2009061 Smart Iron-on 33x91cm 1 sheet (Glitter White). Add sparkle to your DIY projects with the CC MK Iron-On Glitter White sheet. Designed for Cricut machines, it is easy to cut and apply to various fabrics. This glitter-infused vinyl is perfect for t-shirts, bags, home decor, and custom gifts. Durable, flexible, and vibrant, it ensures professional results for hobbyists and crafters alike.
CC MK IRON ON 30X90CM OC	R 217	Cricut 2008689 Smart Iron-on 33x91cm 1 sheet (Ocean). The Cricut Smart Iron-On Ocean is a high-quality heat transfer vinyl designed for easy application on various fabrics. With its matless cutting capability, it simplifies the crafting process, allowing for larger designs without the need for a cutting mat. The durable material ensures that your custom creations remain vibrant and intact, even after multiple washes. Ideal for use with Cricut Maker 3 and Explore 3, this vinyl offers versatility and reliability for all your crafting needs.
CC MK IRON ON 33X273CM GLITTER GD	R 277	Cricut 2008674 Smart Iron-on 33x273cm 1 sheet (Glitter Gold), The Cricut Smart Iron-On Glitter Gold is a 33 cm Ã— 273 cm heat-transfer vinyl roll that delivers dazzling glitter effects without needing a cutting mat. Designed for use with Cricut Maker 3 and Explore 3, this premium HTV is durable, easy to weed, and maintains sparkle through over 50 washesâ€"perfect for apparel, gifts and decor. With Smart Material convenience, crafting is faster and more vibrant, ideal for South African creative projects that shine.
CC MK IRON ON 33X273CM GLITTE	R 275	Cricut 2008677 Smart Iron-on 33x273cm 1 sheet (Glitter Silver). Add a touch of sparkle to your creative projects with the CC MK Iron-On Glitter Silver sheet. Designed for Cricut machines, it is perfect for customizing apparel, accessories, and home dÃ©cor with long-lasting glitter effects. Easy to cut, weed, and apply, this premium iron-on vinyl is ideal for both beginners and experienced crafters looking to produce vibrant, professional results.
CC MK IRON ON 33X273CM HOLO BL	R 282	Cricut 2008679 Smart Iron-on 33x273cm 1 sheet (Holographic Blue). The Cricut Smart Iron-On Holographic Blue (33 cm x 273 cm) is a durable and vibrant heat transfer vinyl suitable for various crafting projects. Its matless cutting capability and compatibility with Cricut machines and EasyPress make it an excellent choice for creating custom designs on apparel, accessories, and home dÃ©cor items. The holographic finish adds a unique touch to your creations, ensuring they stand out with a shimmering effect.
CC MK IRON ON 33X273CM HOLO '	R 288	Cricut 2008681 Smart Iron-on 33x273cm 1 sheet (Holographic Transblue)
CC MK IRON ON 33X91CM GLITTER GD	R 114	Cricut 2008673 Smart Iron-on 33x91cm 1 sheet (Glitter Gold). The Cricut Smart Iron-on Glitter Gold sheet (33x91cm) is a versatile heat transfer vinyl ideal for adding a sparkling touch to various projects. Compatible with

		Cricut Explore 3 and Maker 3 machines, it offers matless cutting for continuous designs. The glitter finish enhances the visual appeal, while its durability ensures long-lasting results. Whether you ' re personalizing clothing or home dÃ©cor, this material provides an easy and effective solution for your crafting needs.
CC MK KNIFE BLADE W D.HSNG	R 459	Cricut 2007441 Maker Knife Blade with Drive Housing. The Cricut 2007441 Maker Knife Blade with Drive Housing is a high-performance cutting tool designed for the Cricut Maker. It allows users to cut through thicker materials like balsa wood, leather, and Cricut Chipboard with precision and ease. Ideal for creating dimensional projects such as puzzles, dioramas, and models, this blade expands the creative possibilities for crafters and makers alike.
CC MK PERF BLADE TIP	R 212	Cricut Maker Perforation Blade Tip; Basic Perforation Blade; 2.5 mm teeth / 0.5 mm gap 2006706. The Cricut Maker Basic Perforation Blade Tip delivers precise tear-away perforations for paper, cardstock, acetate, and more. Designed for seamless swapping via QuickSwap Housing on Cricut Maker machines, it is ideal for craft projects like raffle tickets, gift coupons, and advent calendars.
CC MK PERF BLADE TIP W.HSNG	R 347	Cricut 2007450 Maker Perforation Blade Tip with QuickSwap Housing. The Cricut 2007450 Maker Perforation Blade Tip with QuickSwap Housing is a versatile crafting tool designed for the Cricut Maker cutting machine. It allows users to create precise perforation lines on various materials, facilitating clean and easy tear-offs. Ideal for projects like tear-away cards, homemade journals, and advent calendars, this tool enhances the crafting experience by providing accuracy and efficiency. The QuickSwap Housing feature ensures quick and easy changes between different Cricut tips, making it a valuable addition to any crafting toolkit.
CC MK ROT BLADE REP KIT	R 86	Cricut 2007445 Maker Rotary Blade Replacement Kit. The Cricut 2007445 Maker Rotary Blade Replacement Kit is designed to maintain the cutting precision of your Cricut Maker machine. This kit ensures that your rotary blade remains sharp, providing clean and accurate cuts on a variety of soft, flexible materials. Ideal for sewing projects, quilting, and other fabric-based crafts, this replacement kit enhances the performance of your Cricut Maker, allowing you to achieve professional-quality results.
CC MK SNG SCORE WHL W.HSNG	R 631	Cricut 2007446 Maker Single Scoring Wheel Tip with QuickSwap Housing. The Cricut 2007446 Maker Single Scoring Wheel Tip with QuickSwap Housing is designed for use with Cricut Maker machines to create deep, single score lines on light, uncoated materials. It offers up to 10 times more pressure than the Scoring Stylus, ensuring crisp, precise folds for various paper crafting projects.
CC MK WAVY BLADE TIP	R 214	Cricut 2007455 Maker Wavy Blade Tip. The Cricut Maker Wavy Blade Tip (model 2007455) is a precision-crafted tool designed to add decorative, wavy edges to a variety of materials. Ideal for crafters seeking to enhance their projects with unique, curving cuts, this blade offers a swift and efficient alternative to traditional drag blades. Compatible exclusively with Cricut Maker machines, it requires the QuickSwap Housing (sold separately) for use. Whether you ' re working with vinyl, iron-on, paper, cardstock, or fabric, this blade delivers consistent and professional-quality results, making it an essential addition to your crafting toolkit.
CC MUG PRESS EMEA/UK	R 4,162	Cricut 2008736 Mug Press Emea/uk. The Cricut Mug Press (EMEA/UK, model 2008736) is a premium tool for creating vibrant, personalized mugs that are dishwasher- and microwave-safe. With automatic heat and pressure, one-touch operation, and safety features like auto-off, it delivers professional-quality results using Infusible Ink or sublimation blanks. Ideal for craft lovers and small businesses wanting durable, beautiful custom mugs with minimal effort.
CC MUGPRESS	R 3,115	Cricut Mug Press (2009663). The Cricut Mug Press is a compact, easy-to-use heat press for creating personalised mugs using Infusible Ink. It handles 350â€“470 ml straight-wall mugs with consistent, peel-proof results and automatic safety shutdown. Ideal for creative South African crafters and small businesses aiming to add a professional touch to their products.
CC PREM PRL PL VIN BL	R 89	Cricut 2005218 Premium Pearl Pastel Vinyl Blue 12x48
CC PREM TEX MT VNL SL	R 64	Cricut 2005227 Premium Textured Metallic Vinyl Silver 12x48
CC PREM VINYL ART DEC LM	R 72	Cricut 2006631 Premium Vinyl Art Deco Lemongrass 12x48
CC PREM VINYL ART DEC SL	R 75	Cricut 2006626 Premium Vinyl Art Dec Silver - 12x48
CC PREM VINYL MSC MT CFL SQ	R 99	Cricut 2007034 Premium Vinyl Mosaic Metallic Cornflower Squares - 12x48
CC PREM VINYL PERM 30X120 LG	R 40	Cricut 2005199 Premium Vinyl perm 30x120cm (Lime Green)
CC PREM VINYL PERM 30X120 PG	R 69	Cricut 2005219 Premium Vinyl perm 30x120cm (Pastel Green)
CC PREM VINYL PERM 30X30 6SHT BC	R 59	Cricut 2007710 Premium Vinyl Permanent 30x30cm 6-sheet Sampler (Basics)

CC PREM VINYL PERM 30X30 6SHT	R 114	Cricut 2007714 Premium Vinyl Permanent 30x30cm 6-sheet Sampler (Brights)
CC PREM VINYL REM 20SHT BC	R 183	Cricut 2004329 Premium Vinyl Removable 30x30cm 20-Sheet Sampler (Basics). The Cricut Premium Vinyl Removable 20-Sheet Sampler offers a high-quality, versatile selection of basic colors suitable for crafting, home decoration, and labeling. Each sheet is easy to cut, apply, and reposition without leaving residue, making it ideal for both beginners and experienced crafters. This sampler ensures consistent results and vibrant designs for all your creative projects.
CC PREM VINYL REM BK	R 43	Cricut 2004296 Premium Vinyl Removable 30.5 cm x 122 cm (Black)
CC PREM VINYL REM PTND RLL	R 82	Cricut 2004612 Premium Vinyl Removable 30x30cm 6-Sheet Sampler (Patterned Rustic Lodge Lumberjack). Cricut Premium Removable Vinyl Sampler offers 6 sheets of 30x30cm patterned vinyl featuring Rustic Lodge Lumberjack designs. Easy to apply, reposition, and remove without residue, it is perfect for home decor, scrapbooking, and craft projects. This versatile sampler delivers vibrant patterns, durable quality, and compatibility with Cricut cutting machines, ensuring clean and professional results for all creative applications.
CC PREM VINYL RNB 30X12 6SHT	R 59	Cricut 2004315 Premium Vinyl Rainbow Sampler 12x12 (6 Sheets)
CC PREM VINYL RS BB SL WHS BL	R 102	CRICUT 2006955 PREMIUM VINYL HOLO ROSE BUBBLES SILVER WHISPERING BLUE
CC REM VINYL 33X366 BK	R 120	Cricut 2009051 Smart Vinyl Removable 33X366Cm 1 Sheet (Black). Cricut Smart Vinyl Removable 33x366 cm in black is perfect for creative projects, offering easy application and clean removal. Ideal for decals, labels, and home decor, it delivers professional results for DIY and craft enthusiasts. Its premium material ensures long-lasting use across multiple surfaces.
CC REM VINYL 33X366 GR	R 123	Cricut 2008650 Smart Vinyl Removable 33x366cm 1 sheet (Grass). The Cricut Smart Vinyl Removable 33x366cm (Grass) is a high-quality, glossy vinyl sheet designed for easy, matless cutting with Cricut Explore 3 and Cricut Maker 3 machines. Ideal for temporary indoor applications, it offers a vibrant green color and can be removed cleanly without leaving residue, making it perfect for wall decals, window graphics, and other creative projects.
CC REM VINYL 33X366 MY	R 122	Cricut 2008651 Smart Vinyl Removable 33x366cm 1 sheet (Maize Yellow). The Cricut Smart Vinyl Removable in Maize Yellow (33 cm x 366 cm) is perfect for creating temporary indoor decorations, labels, and decals. Its matless cutting feature allows for easy use with Cricut ExploreÂ® 3 and Cricut MakerÂ® 3 machines, making it a versatile choice for various crafting projects.
CC REM VINYL 33X366 OC	R 84	Cricut 2008652 Smart Vinyl Removable 33x366cm 1 sheet (Ocean). The CC REM Vinyl 33x366 OC is a premium removable vinyl sheet for Cricut machines, perfect for crafts, home decor, and personalized projects. Its vibrant ocean color and residue-free adhesive make it easy to apply and reposition. Ideal for walls, glass, plastic, and metal surfaces, this sheet ensures precise cuts and professional results every time.
CC REM VINYL 33X366 RD	R 124	Cricut 2008653 Smart Vinyl Removable 33X366Cm 1 Sheet (Red). The Cricut Red Smart Vinyl Removable 33 x 366 cm sheet is ideal for home decor, personalized gifts, and DIY projects. Its removable adhesive allows easy repositioning, while the high-quality vinyl provides vibrant color and durability. Compatible with Cricut machines, it ensures precise cuts and professional results for any craft project.
CC REM VINYL 33X366 WH	R 120	Cricut 2009052 Smart Vinyl Removable 33X366Cm 1 Sheet (White). The Cricut Smart Vinyl Removable 33x366cm (White) is a high-quality adhesive vinyl designed for temporary indoor applications. Its easy-to-remove adhesive ensures clean removal without residue, making it perfect for creating custom labels, decals, and decorative elements. Compatible with Cricut Explore 3 and Cricut Maker 3, this vinyl offers convenience and versatility for all your crafting needs.
CC REM VINYL 33X640 WH	R 164	Cricut 2008649 Smart Vinyl Removable 33X640Cm 1 Sheet (White). CC REM Vinyl 33X640 WH is a versatile removable vinyl sheet for Cricut machines, perfect for home decor, labels, and craft projects. Its large size and premium material ensure smooth application and professional results. Ideal for creating temporary designs that peel off cleanly without residue, this vinyl makes any creative project easier and more enjoyable.
CC REM VINYL 33X91 AQ	R 49	Cricut 2008635 Smart Vinyl Removable 33x91cm 1 sheet (Aqua). Create stunning custom decals with ease using the Cricut 2008635 Smart Vinyl Removable - Aqua. This 33x91cm roll is designed for quick, mat-free cutting on Cricut Explore(r) 3 and Cricut Maker(r) 3, letting you personalize surfaces in less time. Whether you're crafting small laptop stickers or bold wall art, this durable vinyl applies smoothly and removes cleanly without residue, making it ideal for indoor temporary projects. Compatible with older Cricut models when used with a cutting mat, it offers creative flexibility for all your DIY needs. Perfect for home decor, labels, or seasonal designs.

CC REM VINYL 33X91 BL	R 36	Cricut 2008637 Smart Vinyl Removable - 33x91cm 1 sheet (Blue)
CC REM VINYL 33X91 GR	R 49	Cricut 2008638 Smart Vinyl Removable 33x91cm 1 sheet (Grass)
CC REM VINYL 33X91 MT	R 49	Cricut 2008642 Smart Vinyl Removable 33x91cm 1 sheet (Mint)
CC REM VINYL 33X91 MY	R 36	Cricut 2008640 Smart Vinyl Removable 33x91cm 1 sheet (Maize Yellow)
CC REM VINYL 33X91 OG	R 36	Cricut 2008643 Smart Vinyl Removable 33x91cm 1 sheet (Orange)
CC REM VINYL 33X91 PL	R 36	Cricut 2008645 Smart Vinyl Removable 33x91cm 1 sheet (Purple)
CC REM VINYL 33X91 RD	R 48	Cricut 2008646 Smart Vinyl Removable 33X91Cm 1 Sheet (Red)
CC ROLL HOLDER	R 505	cricut 2009039 roll holder for smartmaterials. The Cricut Roll Holder (Model 2009039) is an essential accessory for Cricut Explore 3 and Cricut Maker 3 users. It facilitates mat-free cutting of Smart Materials, ensuring clean edges and smooth material handling. With its quick setup and built-in trimmer, it ' s an indispensable tool for efficient and precise crafting.
CC SCORING STYLUS	R 176	Cricut Scoring Stylus; 2006699; Scores fold lines for cards; envelopes; boxes; and other 3D projects. The CC Scoring Stylus by Cricut is a must-have tool for accurate fold lines on cards, envelopes, and 3D paper projects. Its ergonomic design ensures comfort while crafting. Lightweight and durable, it delivers precise results for both hobbyists and professional crafters.
CC SCR + SPT SET	R 137	Cricut 2006697 scraper and spatula set. the cricut scraper and spatula set (model 2006697) is a must-have for crafters using cricut cutting machines. This set includes a spatula for precise lifting of cutouts and a scraper for smoothing and applying vinyl designs, as well as removing scraps to extend mat life. Compatible with all cricut cutting machines, these tools are designed for durability and comfort, making them essential additions to your crafting toolkit.
CC SELF HEAL MAT	R 171	Cricut 2004716 Self-Healing Cutting Mat (30x30cm). The CC SELF HEAL MAT Cricut 2004716 is a versatile 30x30cm cutting mat for craft enthusiasts. Its self-healing surface ensures long-lasting durability while protecting your work surface. Ideal for paper, vinyl, and fabric cutting, it provides precision with clear grid lines and a non-slip base for stable cutting. Lightweight and portable, it is perfect for home crafters and professional use.
CC SHIMMER VINYL 30X120 GN	R 74	Cricut 2008444 Premium Vinyl 30x120cm (Green). CC Shimmer Vinyl 30x120 GN is a premium green shimmer vinyl designed for Cricut cutting machines. It delivers precise cuts and strong adhesion for a variety of craft and DIY projects. Perfect for scrapbooking, home decor, decals, and personalized gifts, this vinyl adds sparkle and professional quality to your creations.
CC SMART IRON ON BK	R 58	Cricut 2008051 Joy Smart Iron-On 14x60cm (Black)
CC SMART IRON ON GLITTER BK	R 55	Cricut 2008057 Joy Smart Iron-On 14x48cm (Glitter Black)
CC SMART IRON ON GLITTER RD	R 59	Cricut 2008060 Joy Smart Iron-On 14x48cm (Glitter Red)
CC SMART IRON ON GLITTER WT	R 102	Cricut 2008059 Joy Smart Iron-On 14x48cm (Glitter White)
CC SMART IRON ON RD	R 63	Cricut 2008052 Joy Smart Iron-On 14x60cm (Red)
CC SMART IRON ON WT	R 56	Cricut 2008050 Joy Smart Iron-On 14x60cm (White)
CC SMART LABELS 4PK KRAFT BR	R 61	Cricut 2007361 Joy Smart Labels 14x30cm 4-pack (Kraft Brown)
CC SMART STCKR CS 10SHT BB	R 118	Cricut 2008318 Smart Sticker Cardstock 33x33cm 10 sheets (Brilliant Bows)
CC SMART STCKR CS 10SHT BK	R 120	Cricut 2008316 Smart Sticker Cardstock 33x33cm 10 sheets (Black). The Cricut Smart Sticker Cardstock in Black offers a convenient, adhesive-backed solution for various crafting projects. With 10 sheets measuring 33 cm x 33 cm each, this cardstock eliminates the need for glue and cutting mats, streamlining your creative process. Its medium-weight composition ensures clean, precise cuts, making it ideal for custom cards, posters, scrapbooking, and layered designs.
CC SMART STCKR CS 10SHT PS	R 117	Cricut 2008320 Smart Sticker Cardstock 33x33cm 10 sheets (Pastels). The Cricut Smart Sticker Cardstock in Pastels is an adhesive-backed paper designed for effortless crafting. With no need for a cutting mat, it allows you to cut, peel, and stick directly to your projects. The pack includes 10 sheets in 5 pastel colors, each measuring 33 cm x 33 cm. Ideal for creating cards, banners, posters, and layered designs, this cardstock offers convenience and quality for all your crafting needs.
CC SMART STCKR CS 10SHT WH	R 116	Cricut 2008317 Smart Sticker Cardstock 33x33cm 10 sheets (White). The Cricut Smart Sticker Cardstock (Model: 2008317) is a premium adhesive-backed paper measuring 33 cm x 33 cm. This pack includes 10 sheets of white cardstock, eliminating the need for glue and cutting mats. Compatible with Cricut Explore 3 and Cricut Maker 3

		machines, it ' s perfect for creating custom stickers, labels, and other paper crafts with ease.
CC SMART VINYL 33X366 GR	R 144	Cricut 2008656 Smart Vinyl Permanent 33x366cm 1 sheet (Grass). This Cricut Smart Vinyl Permanent sheet in Grass color is ideal for DIY crafters and professional projects. With a high-quality permanent adhesive and easy compatibility with Cricut machines, it ensures precise, durable, and vibrant designs. Perfect for wall decals, stickers, home decor, and other creative applications.
CC SMART VINYL 33X366 MY	R 108	Cricut 2008657 Smart Vinyl Permanent 33x366cm 1 sheet (Maize Yellow). Cricut Smart Vinyl Permanent in Maize Yellow offers a high-quality, durable surface for creative projects. Its permanent adhesive ensures designs stick to a wide range of surfaces without peeling or fading. Perfect for home decor, scrapbooking, signage, and personalized gifts, this 33x366 cm sheet provides ample material for large or multiple projects.
CC SMART VINYL 33X366 OC	R 108	Cricut 2008660 Smart Vinyl Permanent 33x366cm 1 sheet (Ocean). The Cricut Smart Vinyl Permanent in Ocean Blue is a premium crafting material designed for seamless, mat-free cutting with Cricut Explore 3 and Cricut Maker 3 machines. Its permanent adhesive ensures durability on various surfaces, making it ideal for both indoor and outdoor projects. The glossy finish enhances the vibrancy of your designs, while the 33 cm x 366 cm roll provides ample material for multiple projects. Perfect for creating custom decals, labels, and decorations, this vinyl offers both quality and convenience for all your crafting needs.
CC SMART VINYL 33X366 RD	R 107	Cricut 2008661 Smart Vinyl perm 33X366Cm 1 Sheet (Red). The Cricut Smart Vinyl Permanent Red (33x366 cm) is a high-quality adhesive vinyl designed for use with Cricut Maker 3 and Cricut Explore 3 machines. It offers matless cutting for continuous projects, making it ideal for large-scale creations. The permanent adhesive ensures durability on various surfaces, and the vibrant red color adds a bold touch to any project. Whether you ' re crafting for personal use or creating custom items for sale, this vinyl provides the flexibility and quality needed to bring your ideas to life.
CC SMART VINYL 33X366 SHIMMER RD	R 39	Cricut 2008616 Smart Vinyl perm 33X91Cm 1 Sheet (Shimmer Red)
CC SMART VINYL 33X640 WH	R 228	cricut 2008663 smart vinyl perm 33x640cm 1 sheet (white). the cricut smart vinyl permanent 33x640cm (white) is designed for crafters who demand high-quality results. its permanent adhesive ensures long-lasting applications, making it suitable for both indoor and outdoor projects. the matte finish provides a sleek appearance, and its compatibility with cricut explore 3 and cricut maker 3 allows for efficient, matless cutting. whether you ' re creating custom decals, labels, or signage, this vinyl offers the durability and versatility you need.
CC SMART VINYL 33X91 AQ	R 64	Cricut 2008620 Smart Vinyl Permanent 33x91cm 1 sheet (Aqua)
CC SMART VINYL 33X91 BL	R 66	Cricut 2008622 Smart Vinyl Permanent 33x91cm 1 sheet (Blue)
CC SMART VINYL 33X91 GR	R 31	Cricut 2008623 Smart Vinyl Permanent 33x91cm 1 sheet (Grass)
CC SMART VINYL 33X91 MS	R 91	Cricut 2008627 Smart Vinyl Permanent 33x91cm 1 sheet (Mat Silver). CC SMART VINYL 33X91 MS is a high-quality Cricut Smart Vinyl sheet in a matte silver finish. Perfect for professional and hobbyist crafters, it offers a durable adhesive for long-lasting designs. Compatible with all Cricut Smart machines, it is easy to cut, weed, and apply for custom decals, signage, and personalized projects.
CC SMART VINYL 33X91 MY	R 64	Cricut 2008625 Smart Vinyl Permanent 33x91cm 1 sheet (Maize Yellow)
CC SMART VINYL PERM 14X122 BK	R 44	Cricut 2007092 Joy Smart Vinyl Permanent 14x122cm (Black)
CC SMART VINYL PERM 14X122 BL	R 45	Cricut 2008033 Joy Smart Vinyl Permanent 14x122cm (Blue)
CC SMART VINYL PERM 14X122 GL	R 79	Cricut 2008031 Joy Smart Vinyl Permanent 14x122cm (Gold)
CC SMART VINYL PERM 14X122 KG	R 37	Cricut 2007106 Joy Smart Vinyl perm - 14x122cm (Kelly Green)
CC SMART VINYL PERM 14X122 SL	R 45	Cricut 2008030 Joy Smart Vinyl Permanent 14x122cm (Silver)
CC SMART VINYL PERM 14X122 TR	R 43	Cricut 2008029 Joy Smart Vinyl Permanent - 14x122cm (Tomato Red)
CC SMART VINYL PERM 14X300 SL	R 70	Cricut 2007354 Joy Smart Vinyl Permanent 14x300cm (Silver). Cricut Joy Smart Vinyl Permanent in metallic silver offers effortless mat-free crafting with Cricut Joy. Its weather-resistant, fade-proof and UV-resistant qualities make it ideal for durable, long-lasting decals for indoor and outdoor use.
CC SMART VINYL PERM 14X300 WT	R 81	Cricut 2008036 Joy Smart Vinyl Permanent 14x300cm (White).
CC SMART VINYL PERM 14X304 BK	R 77	Cricut 2008819 Joy Smart Vinyl - REMOVABLE Value Roll 13.9 cm x 304.8 cm (Black)
CC SMART VINYL PERM 14X304 CR	R 76	Cricut 2008816 Joy Smart Vinyl â€“ perm Value Roll 13.9 cm x 304.8 cm (Cardinal Red)
CC SMART VINYL PERM 14X304 WH	R 76	Cricut 2008812 Joy Smart Vinyl - Removable Value Roll 13.9 cm x 304.8 cm (White). Cricut Joy Smart Vinyl Removable Value Roll provides high-quality, repositionable vinyl for creative projects. Its bright white finish and

		smooth surface make it ideal for labels, decals, and home decorations. Perfect for crafting enthusiasts, this vinyl ensures professional-looking results every time.
CC SMART VINYL PERM 14X610 BK	R 148	Cricut 2007357 Joy Smart Vinyl Permanent 14x610cm (Black). The Cricut Joy Smart Vinyl Permanent 14x610cm in Black is a durable and versatile crafting material designed for use with the Cricut Joy cutting machine. Its permanent adhesive ensures long-lasting application, and the vinyl ' s water- and UV-resistance make it suitable for both indoor and outdoor projects. With matless cutting capability, this vinyl offers convenience and efficiency for all your crafting needs.
CC SMART VINYL PERM 14X610 W	R 147	Cricut 2007358 Joy Smart Vinyl Permanent 14x610cm (White). CC Smart Vinyl Permanent 14x610cm White is a premium adhesive vinyl designed for Cricut machines. Its permanent formula provides long-lasting, precise cuts for a variety of craft projects. Ideal for home decor, DIY gifts, labels, and more, this smart vinyl adheres to multiple surfaces, ensuring professional results every time.
CC SMART VINYL PERM 5SHT 14X30 EG	R 41	Cricut 2008034 Joy Smart Vinyl Permanent 14x30cm 5-sheet Sampler (Elegance). This Cricut Joy Smart Vinyl Permanent Elegance Sampler offers five glossy, auto-load sheets in standout colors" Silver, Gold, Black, Tomato Red, and White" designed for use with Cricut Joy. The durable, weather-resistant permanent adhesive ensures your creative decals stay vibrant and securely applied for up to three years.
CC SMART VINYL REMOV 14X122 (	R 29	Cricut 2008042 Joy Smart Vinyl Removable - 14x122cm (Cardinal Red).
CC SMART VINYL REMOV 14X122 SL	R 30	Cricut 2008040 Joy Smart Vinyl Removable - 14x122cm (Silver)
CC SMART VINYL REMOV 14X122 \	R 43	Cricut 2008039 Joy Smart Vinyl Removable - 14x122cm (White) .
CC SMART VINYL REMOV 14X30 5SHT EG	R 44	Cricut 2008037 Joy Smart Vinyl Removable 14x30cm 5-sheet Sampler (Elegance). The Elegance Removable Smart Vinyl Sampler offers five matte smart vinyl sheets in metallic and classic hues. It auto-loads into Cricut Joy, is cleanly removable, and comes with a six-month warranty. Ideal for South African crafters looking for easy, stylish customisation of surfaces.
CC SMART VINYL SHIMMER RD	R 64	Cricut 2007146 Joy Smart Vinyl perm 14x122cm (Shimmer Red). CC Smart Vinyl Shimmer Red is a 14 x 122 cm premium adhesive vinyl compatible with Cricut Joy. Perfect for DIY projects, home decor, card making, and personalized gifts, it offers vibrant shimmer, easy application, and long-lasting adhesion for professional results.
CC SPORTFLEX IRON ON 29X30 AS	R 114	Cricut 2004564 Sportflex Iron-On 29X30cm 3-Sheet Sampler (All Stars). The CC Sportflex Iron-On 29x30cm 3-Sheet Sampler is ideal for custom fabric projects, including sportswear, t-shirts, and gifts. Each sheet is durable, flexible, and easy to apply with a household iron or heat press. Designed for Cricut All Stars and similar cutting machines, this sampler provides vibrant, long-lasting colors and professional-quality results for both hobbyists and experienced crafters.
CC SPORTFLEX IRON ON GN	R 66	Cricut 2004450 SportFlex Iron-On 11.8x24" (Neon Green), The Neon Green Cricut SportFlex Iron-On is a flexible, high-visibility vinyl engineered for synthetic activewear. It stretches with the fabric and stays bonded through repeated washes. Easy to cut and apply using any Cricut machine, it is perfect for customizing sportswear, jerseys, and activewear with vibrant, long-lasting designs.
CC STDGRIP MAT 1PK 11.5X16	R 39	Cricut Joy 1-pack StandardGrip Machine Mat 11.4x16.5cm For Explore/Maker 2007964. Cricut Joy StandardGrip Mat (11.4 cm x 16.5 cm) is your trusted tool for precise crafting. Its medium-adhesion surface securely holds materials like vinyl, heavy cardstock, and Infusible Ink, while being fully reusable and compatible only with Cricut Joy machines. Simple to use, easy to maintain, and designed to deliver accurate, clean cuts project after project.
CC STDGRIP MAT 1PK 30X60	R 183	Cricut 2007794 Explore/Maker StandardGrip Machine Mat (30x60cm) 1-pack. The Cricut Explore/Maker StandardGrip Machine Mat (30 x 60 cm) delivers reliable hold and clean release for medium-weight crafting materials. Its extended size is perfect for larger vinyl, iron-on, and cardstock projects. Compatible with Cricut Explore and Maker machines, it is durable, reusable, and ideal for makers and professionals in South Africa.
CC STKR BL 10	R 29	Cricut 2008869 Joy Smrt Stkr Cdstk Blk Emea 5.5x13 (10). Cricut 2008869; Smart Sticker Cardstock; Black; 10 sheets; 13x33 cm; adhesive-backed; load and go; smooth medium weight; compatible with Cricut Joy; cards, banners, posters, DIY crafts
CC STKR WH 1	R 54	Cricut 2008870 Joy Smrt Stkr Cdstk White Emea 5.5x13
CC STRGRIP MAT 1PK 30X60	R 183	Cricut 2003602 Explore/Maker StrongGrip Machine Mat (30x60cm) 1-pack. This Cricut Explore/Maker StrongGrip Machine Mat (30 x 60 cm) delivers powerful adhesion for heavyweight materials such as chipboard, specialty cardstock and backed fabric. Its sturdy plastic construction and long-life adhesive ensure precision and reliability

		project after project.
CC TC KNIFE BLUE	R 101	Cricut 2004758 TrueControl Knife (Blue). The Cricut TrueControl Knife Blue (Model 2004758) is a precision crafting tool designed for detailed cutting tasks. Its ergonomic handle and razor-sharp blade ensure accuracy and comfort, making it ideal for various materials and projects.
CC TC KNIFE REP BLADES	R 59	Cricut 2004845 TrueControl Knife Replacement Blades (x5). The Cricut TrueControl Knife Replacement Blades pack includes 5 premium steel blades designed for precise cutting and durability. Compatible with the Cricut TrueControl Knife, these blades ensure smooth, accurate cuts for paper, vinyl, and other craft materials.
CC TC KNIFE W BLADES	R 194	Cricut 2004843 TrueControl Knife Kit (Blue) with 5x spare blades. The Cricut TrueControl Knife Kit (Blue) includes a precision knife and 5 spare blades, designed for detailed cutting on paper, cardstock, and foam. Its ergonomic handle allows comfortable and accurate use for various crafting and DIY projects.
CC TRANSF FOIL SHT 10X15 24SHT JL	R 58	Cricut 2008715 Transfer Foil Sheets Sampler 10x15cm 24 sheets (Jewel). Cricut Transfer Foil Sheets Sampler; 10.1 x 15.2 cm; 24 sheets; 3 colors (Aqua, Purple, Emerald); For cards, invitations, gift boxes; Compatible with Cricut Maker and Explore; Optimized for Foil Transfer Tool
CC TRANSF FOIL SHT 30X30 8SHT	R 66	Cricut 2008721 Transfer Foil Sheets 30x30cm 8 sheets (Red)
CC TRANSF FOIL SHT 30X30 8SHT SL	R 87	Cricut 2008719 Transfer Foil Sheets 30x30cm 8 sheets (Silver). The Cricut Transfer Foil Sheets in Silver are perfect for adding a metallic finish to your DIY projects. Each pack contains 8 sheets measuring 30.5 cm x 30.5 cm, optimized for use with Cricut Maker and Cricut Explore machines. These sheets are ideal for enhancing cards, invitations, gift boxes, and more, providing a professional-looking foil effect with ease.
CC ULTIMATE INFUSIBLE INK PEN	R 292	Cricut 2008782 Ultimate Infusible Ink Pen Set 30 pack. The Cricut Ultimate Infusible Ink Pen Set (30pk) offers a comprehensive selection of 30 fine point (0.4 mm) pens, each designed to produce vibrant, permanent designs on compatible Infusible Ink blanks. Ideal for personalized projects such as T-shirts, coasters, and tote bags, this set ensures that your creations become a seamless part of the material, providing a professional finish that resists peeling, fading, or cracking.
CC WEEDING TOOL	R 160	Cricut 2006698 Single Weeding Tool. The Cricut Single Weeding Tool is designed to simplify the process of removing unwanted pieces from vinyl and iron-on materials. Its precision tip and ergonomic handle make it a reliable choice for crafters seeking accuracy and comfort in their projects.
CC XL SCRAPER	R 114	Cricut 2006700 XL Scraper Extra-large scraper perfect for burnishing materials and cleaning all machine mats. The Cricut XL Scraper (Model: 2006700) is a versatile crafting tool designed to simplify your DIY projects. Its extra-large surface area makes applying materials to larger designs quick and easy. The scraper also effectively cleans cutting mats, removing scraps and debris to extend their lifespan. Compatible with all Cricut cutting machines, it ' s an essential addition to any crafter ' s toolkit.
CH-40	R 399	UniQue Steel Folding Chair size 430x450x835mm-White
CL-O020-PL00SW-A	R 803	Thermaltake Pacific R1 Plus DDR4 Memory Lighting Kit, Compatibility DRAM Module Height Max. 40 mm, Interface -USB 2.0 connectors (9 Pin), Motherboard SYNC, System compatibility Windows 7/ 8/ 8.1/ 10
CSY-RC011124	R 169	Casey Roto Clipper Electric Nail Trimmer - Portable Cordless Design, Battery-Powered, Dual Sided Action To Trim and File Nails , Easy To Operate, Rotating 450 Rpm Tungsten Alloy Blade , Requires 2x AA Batteries To Operate, Colour White and Green Retail Box, 6 Months Warranty
CSY-TVLA08	R 79	Casey Portable Electronic Digital Steel Handle Scale. Casey Portable Electronic Digital Steel Handle Scale - Max 50Kg Weight, Tare Function, Over Load, Lower Power Indicator, 20S Auto Off After No Operation, Easy To read LCD screen display with blue back light, With 6cm metal hook, AAA Battery 2X Power Source, Retail Box, 6 Months Warranty.
CSY-TVLA09	R 99	Casey Electronic Luggage Top Display Scale - 50Kg Max Capacity, 3V AAA Battery 2X , Low Battery Indication, Over Load Indication, Tare Function, Auto Power Off, Data Lock Function With Sound Indication, Retail Box, 6 Months Warranty.
CSYAB79	R 99	Casey Digital Fingertip Pulse Oximeter Colour: Blue - Non-Invasive Device, Measures SPO2 (Blood Oxygen Saturation Levels) and Pulse Rate In 10 Seconds, LED Display, Automatically Shut Down 8 Seconds Retail Box No Warranty
DELOCK-86277	R 192	Delock 86277 60mm Black Keystone Mounting 3-Port in-Desk; 60mm desk cut-out; 3 x Keystone ports; port size: 19.2 x 14.8mm; maximum module width: 17.2mm; mounting depth: approx. 30mm; total diameter: approx. 71mm;

		height: approx. 23mm
DELOCK-86283	R 224	Delock 80 mm black Keystone Mounting 4 Port in-desk
DELOCK-86404	R 138	Delock Keystone Module RJ45 Secure Cat.6 > LSA
DS-PDSMK-S-WE	R 765	Hikvision DS-PDSMK-S-WE 868MHz AX PRO Series Wireless Smoke Detector, 868MHz two-way Tri-X wireless technology; RF Range: 800m(open space); Chamber with photoelectric sensor, > 85dB Buzzer, Multiple Enrolling Methods: Power up, Remote ID, QR Code, SSI(Signal Strength Indication); Fully remote configuration through APP; Battery Type: 1 * CR17450 battery (included by default, non-replaceable); Battery Life: 10 years
DS-PDTPH-E-WE	R 725	Hikvision DS-PDTPH-E-WE 868MHz AX PRO Series Wireless Temp-Humidity Derector, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,200m(open space); Screen Size: 2.7 inch; Multiple Enrolling Methods: Power up, Remote ID, QR Code; Modular design for multiple use applications; Fully remote configuration through APP; Battery Type: 2 * AAA battery (included by default, easy replaceable); Battery Life: 2 years in work status (being triggered 20 times per day)
GC-CGS	R 2,931	Corsair / elgato 10GAF9901 Green Screen for broadcasting - 148x180cm
GC-CGSXL	R 3,467	Corsair / Elgato 10GBG9901 Green Screen XL - for broadcasting, with floor stand - 214x200cm
GC-CWAER	R 177	Corsair / Elgato 10MAF9901 Wave Extension Rod - 2x 5cm extension for wave1/3 stand
HEXE3110B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Intense Yellow
HEXE3116B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Light Yellow
HEXE3123B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Daffodil Yellow
HEXE3151B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Orange
HEXE3179B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Vermilion
HEXE3186B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Ruby Red
HEXE3220B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Fuchsia
HEXE3280B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Pacific Blue
HEXE3281B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Night Blue
HEXE3286B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Dark Blue
HEXE3293B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Curacao Blue
HEXE3294B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Ultramarine Blue
HEXE3297B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Sky Blue
HEXE3298B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Periwinkle Blue
HEXE3300B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Sapphire Blue
HEXE3320B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Turquoise
HEXE3336B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Larch Green
HEXE3340B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Medium Green
HEXE3348B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Emerald Green
HEXE3357B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Bottle Green
HEXE3361B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Almond Green
HEXE3362B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Waterlily Green
HEXE3376B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Mint Green
HEXE3430B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Mouse Grey
HEXE3444B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Dark Grey
HEXE3476B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Brown
HEXE3485B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Red Embers
HEXE3505B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Burgundy
HEXE3527B30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Purple
HEXE3829B30123	R 2,329	Hexis Ecotac Gloss 80mic 1230mm X 30m White
HEXE3829M30123	R 2,329	Hexis Ecotac Matt 80mic 1230mm X 30m White
HEXE3889B30123	R 2,329	Hexis Ecotac Gloss 80mic 1230mm X 30m Coal Black
HEXE3889M30123	R 2,329	Hexis Ecotac Matt 80mic 1230mm X 30m Coal Black
HEXE3ELEB30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Electric Blue

HEXE3PROB30123	R 2,645	Hexis Ecotac Gloss 80mic 1230mm X 30m Process Blue
IN-CINSTAV/C	R 1,478	Insta360 Third-Person Backpack Mount; third-person camera mount; backpack mounting frame; 2 x backpack straps; 2 x waist straps; carbon fiber pole; hands-free filming; compatible with X6, X5, X4 Air, X4, X3, Ace Pro 2, Ace Pro, Ace, ONE RS, ONE X2, ONE R, ONE X
JCD-12P	R 49	Geeko 12 Disc Visor Holder, Retail Box
M180	R 379	Avansa Super Detect With Ultraviolet Counterfiet Detection Nrcs Approved Currency Credit Cards Cheques Id Documents Passport And Permits 2 X 6 Watt Bulbs
M190	R 545	Avansa Maxdetect M190 Ultraviolet & Watermark Detection For Notes Credit Cards Cheques Id Passport
M2800	R 9,451	Avansa Maxcount M2800 Counts & Sorts 1800 Notes Per Minute & 4 Point Counterfeit Detection
MEM433	R 499	Tevo Memre Premium Classic Memory Foam Pillow - Premium Quality, Genuine 8mm 45D Memory Foam, Relieves Pain, Numbness And Stiffness, Improves Circulation, Impervious To Dust Mites, Non-Allergenic And Odour Free, Removable Cover
MW150CM	R 3,299	Esquire Pull Up Projector Mobile Green Screen 150x180, Retail Box
NET-FACE-MOUNT-BOX	R 140	Unbranded Face Mount Box - Houses Up To 4x Half Size Modules Or 2x Full Size Modules
NET-STATIC-MAT-A613	R 645	Sprotek A613 Anti-static Mat 60 x 120cm; PVC anti-static mat; surface resistivity: 10e7 to 10e10 ohm/m2; charge decay: less than 0.03 seconds; grounding cable included; ESD protection; electronics repair; computer servicing
SHELLY 2.5	R 495	Shelly Smart Wi-Fi Relay (Dual Channel) With Power Monitoring
SHELLY BYPASS	R 101	Shelly Bypass. For Shelly 1L for resistive loads below 20w without connected neutral or Shelly Dimmer 2 for loads below 10w without connected neutral. If the load is lower than the minimum, can install the Shelly Bypass in the ceiling rose/light fixture.
SHELLY DIMMER 2	R 552	Shelly Wi-Fi Relay Dimmer (without a neutral line). Compatible with - Incandescent and halogen light sources: 1-220W; - Dimmable LED : 50- 200VA / 1W - 200W; - Resistive-inductive loads ferromagnetic transformers: 50-150VA
SHELLY DOOR/WINDOW 2	R 406	Shelly Door sensor with lux monitor and temperature sensor. 5 in 1 sensor.
SHELLY FLOOD	R 432	Shelly Flood Sensor with Temperature Control. Requires Battery Type: 3V DC - CR123A
SHELLY TEMPERATURE PROBE	R 76	Shelly Temperature Probe for Add-On Kit. The Shelly Temperature Probe needs to be purchased in conjunction with a Shelly 1 / 1PM and the Shelly Temperature Add-On.
SHELLY UNI	R 329	Shelly Universal Module. Measure from 0 to 30 VDC Intelligent On/Off; Embedded web server; SSL connectivity; 2 Free inputs; 12V-36V (DC); 2V-24V (AC); Wi-Fi 2.4GHz. make any old appliance smart (for advanced installers)
TPS001	R 19	Tevo Pop Shotz Toy Foam Rocket Dart Gun - Easy For Kids To Squeeze, Front Load Design, Shoots Foam Rocket Darts Over 10 Metres, Fun For Kids 4 And Up, Includes Two Rocket Darts Per Pack Colour May Vary Retail Box No Warranty
UN190	R 599	Casey MaxDetect 190 Counterfeit Money detector Lamp ultra-Violet - Dim. 268mm x 116mm x 107mm 16Watt, Retail Box
USB-PORT-BLOCKER	R 156	Lindy Blue USB Port Blocker - Pack of 4
USBC-BLOCK-10P-GRN-L	R 518	Lindy Green 10pcs USB Type C Port Blockers

< Return to the menu

Motor Vehicle Accessories

Product code	Price	Description
102315	R 169	Manhattan Sound Science Bluetooth FM Transmitter with 2-Port Car Charger - Adds Bluetooth Connectivity to Your Car, 2.1 A and 1 A Charging Ports, Integrated Controls, Remote Control, MicroSD and USB-A Ports, Black, Retail Box
CP86-AA-NS	R 804	MiniX CP86 Wireless Android Auto Dongle Stick, Connectivity - Bluetooth / Wi-Fi / USB, Auto reconnect, Seamless Audio connection, Versatile 90 degree Adapter, USB Type-A to USB-C Adapter
CP86-CP-NS	R 804	MiniX CP86 Wireless CarPlay Dongle Stick, Connectivity - Bluetooth / Wi-Fi / USB, Compact Wireless Apple CarPlay, Auto reconnect, Seamless Audio connection, Versatile 90 degree Adapter, USB Type-A to USB-C Adapter

CP89-HD-NS	R 3,794	MiniX HD Portable Wireless CarPlay & Android Auto High-Definition Touchscreen, Low-power Dual Core A7 Processor, 256MB RAM, 8GB eMMC storage, Linux 5.4 Operating System, 8.9-inch IPS 1920 x 720 Aspect Ratio screen, 700nits brightness, Built-In Speaker, 3.5mm Aux Output, FM transmitter, Dual-Band Wi-Fi, Bluetooth
CSYT12055	R 79	Unbranded Autoworx Sun Shade reflector, Protects dashboards, Keep vehicle interior cool, Fit most cars, SUV ' s, Easy to Fold and close, 130cm x 50cm size, Colour Silver
CSYT2055	R 69	Unbranded Autoworx 2 piece side Window Sun screen Mesh, Prevents as much as 90% of UV rays, Makes travelling Easy on a sunny day, Universal Design to Fit most vehicles, Easy to Install, Two pairs of suction cups included
ET-EH83	R 114	Microworld ET-EH83 car vent holder - Magnetic
HEXBODYFENCE20152	R 29,440	Hexis Bodyfence 155mic, Gloss, 1520mm X 20m
HEXBODYFENCEM20152	R 29,440	Hexis Bodyfence 160mic, Matt, 1520mm X 20m
HEXHX190WG245137	R 10,960	HEXIS 100 SERIES CAST, GLOSS, HEXPRESS LINER, 50MIC, GREY, ADH 1370MM X 45M
HEXHX190WG245152	R 12,794	HEXIS 100 SERIES CAST, GLOSS, HEXPRESS LINER, 50MIC, GREY, ADH 1520MM X 45M
HEXHX240WG245137	R 5,934	Hexis 200 Series Polym Gloss Hexpress Liner 70mic Grey Adh 1370mm X 45m
HEXMICRO650137	R 7,050	Hexis Micro6 Monom Gloss Perf Black Adh 1370mm X 50m
HEXPC30G225152	R 6,526	Hexis 100 Series Cast Lam 30mic Gloss 1520mm X 25m
HEXPC30G250137	R 10,954	Hexis 100 Series Cast Lam 30mic Gloss 1370mm X 50m
HEXPC30G250152	R 12,880	Hexis 100 Series Cast Lam 30mic Gloss 1520mm X 50m
HEXPC30M350137	R 10,954	Hexis 100 Series Cast Lam 30mic Matt 1370mm X 50m
HEXPC30M350152	R 12,794	Hexis 100 Series Cast Lam 30mic Matt 1520mm X 50m
HEXS5DEPM30123	R 4,953	Hexis Cast Etched Glass Matt 80mic 1230mm X 30m Silver
HEXV200WG145137	R 5,825	Hexis 200 Series Polym Gloss 70mic Grey Adh 1370mm X 45m
HEXV201TR145137	R 9,430	Hexis Transl Polym Gloss 80mic Clear Adh 1370mm X 45m
HEXV202CG145137	R 8,510	Hexis Transp Polym Gloss 70mic Clear Adh 1370mm X 45m
HEXV240WG145137	R 5,060	Hexis 200 Series Polym Gloss 70mic Grey Adh 1370mm X 45m
HEXV3000WG145105	R 1,873	Hexis 3000 Series Monom Gloss 100mic Grey Adh 1050mm X 45m
HEXV3000WG145137	R 2,409	Hexis 3000 Series Monom Gloss 100mic Grey Adh 1370mm X 45m
HEXV3000WG14516	R 2,795	Hexis 3000 series monom gloss 100mic grey adh 1600mm x 45m
HEXV3000WM45137	R 2,605	Hexis 3000 Series Monom Matt 100mic Grey Adh 1370mm X 45m
HEXV3000WM4516	R 3,023	Hexis 3000 Series Monom Matt 100mic Grey Adh 1370mm X 45m
HEXV3001WG45105	R 1,873	Hexis 3000 Series Monom Gloss 100mic Clear Adh 1050mm X 45m
HEXV3001WG45137	R 2,409	Hexis 3000 Series Monom Gloss 100mic Clear Adh 1370mm X 45m
HEXV3001WG4516	R 2,795	Hexis 3000 Series Monom Gloss 100mic Clear Adh 1600mm X 45m
HEXV3001WM45137	R 2,605	Hexis 3000 Series Monom Matt 100mic Clear Adh 1370mm X 45m
HEXV3001WM4516	R 3,023	Hexis 3000 Series Monom Matt 100mic Clear Adh 1600mm X 45m
HEXV302CG145137	R 3,341	Hexis Transp Monom Gloss 80mic Clear Adh 1370mm X 45m
HEXV650B50105	R 1,581	Hexis Laminate Monom 70mic 1050mm X 50m Gloss
HEXV650B50137	R 2,777	Hexis Laminate Monom 70mic 1370mm X 50m Gloss
HEXV650B5016	R 3,225	Hexis Laminate Monom 70mic 1600mm X 50m Gloss
HEXV650M50105	R 1,581	Hexis Laminate Monom 80mic 1050mm X 50m Matt
HEXV650M50137	R 2,777	Hexis Laminate Monom 80mic 1370mm X 50m Matt
HEXV650M5016	R 3,225	Hexis Laminate Monom 80mic 1600mm X 50m Matt
HEXV740B50137	R 5,940	Hexis Laminate Polym 70mic Int Term 1370mm X 50m Gloss
HEXV750B50137	R 6,440	Hexis Laminate Polym 70mic Long Term 1370mm X 50m Gloss
HEXV750M50137	R 6,572	Hexis Laminate Polym 70mic Long Term 1370mm X 50m Matt
HEXVCSR101WG145137	R 16,790	Hexis 100 Series Reinforced Cast 50mic Clear Adh 1370mm X 45m
HEXVCSR200WG145137	R 8,395	Hexis 200 Series Reinforced Polym 70mic Grey Adh 1370mm X 45m
HEXVCSR300WG145137	R 5,856	Hexis 300 Series Reinforced Monom Gloss 100mic Grey Adh 1370mm X 45m
HEXVCSR300WM145137	R 5,856	Hexis 300 Series Reinforced Monom Matt 100mic Grey Adh 1370mm X 45m

HEXVCSR300WM14516	R 6,820	Hexis 300 Series Reinforced Monom Matt 100mic Grey Adh 1600mm X 45m
LP821-35347	R 147	UGreen 2-in-1 Car Window breaker and safety belt cutter, Manual Power source for Emergency vehicle use, Grey Shell with corrosion-resistant materials, Spring-loaded Hammer head shatters Windows in one second, Built-In Stainless Steel Blade cuts safety belts, Anti-cut finger protection ensures safe handling, Operates effectively even when submerged
SAP	R 459	Microworld Smart Portable Air pump / Inflator, 14.8Wh Lithium Battery, Type-C Input Power, 3 - 150 psi Output Pressure, 75dB operating noise. For tyres and inflatables.

< Return to the menu

Office Accessories

Product code	Price	Description
44757	R 155	Fellowes Bankers Box System Series 150mm A4 Transfer File
6009608641008	R 15	Marlin Kids Coloured Chalk Pack of 12 Non-Toxic, Non edible, Allows for Smooth drawing and writing on Chalk Board, Retail Packaging, No Warranty
6009608641190	R 16	Marlin Kids White Chalk Pack of 12 Non-Toxic, Non edible, Allows for Smooth drawing and writing on Chalk Board, Retail Packaging, No Warranty
6009608643361	R 19	Marlin Kids Scissor Fun Cut - 130mm, Blunt Nose, Soft Grip Handle Scissors, Comfortable For Both Right And Left Hand Use, Plastic and Stainless Steel Blades, Retail Packaging, No Warranty
6009608649042-BK	R 69	Marlin Canvas Book Bag Black - Safe And Secure Zip Closure, Size 29cmx37cm, Fits A4 Size Items Comfortably, Ideal For School, Home Or Office, Colour Black, Retail Packaging, No Warranty
6009608649042-BLU	R 69	Marlin Canvas Book Bag Navy Blue - Safe And Secure Zip Closure, Size 29cmx37cm, Fits A4 Size Items Comfortably, Ideal For School, Home Or Office, Colour Navy Blue, Retail Packaging, No Warranty
6009608649042-ORN	R 69	Marlin Canvas Book Bag Orange - Safe And Secure Zip Closure, Size 29cmx37cm, Fits A4 Size Items Comfortably, Ideal For School, Home Or Office, Colour Orange, Retail Packaging, No Warranty
6009608649042-PNK	R 69	Marlin Canvas Book Bag Pink - Safe And Secure Zip Closure, Size 29cmx37cm, Fits A4 Size Items Comfortably, Ideal For School, Home Or Office, Colour Pink, Retail Packaging, No Warranty
6009608649042-PRP	R 69	Marlin Canvas Book Bag Purple - Safe And Secure Zip Closure, Size 29cmx37cm, Fits A4 Size Items Comfortably, Ideal For School, Home Or Office, Colour Purple, Retail Packaging, No Warranty
BRK-DET06-02	R 484	LinkQnet Clamp-On Organizer shelf with pegboard kits, Powder coating Surface finish, 12~55mm clamp suggested Desktop thickness
CSY-7056-BLU	R 79	Casey bedside square Alarm Clock 12cm - Blue, Fresh yet traditional aesthetic look, Quiet and smooth quartz movement, Featuring a beep alarm, Perfect complement for any bedroom or study at Home or the Office, Easily readable numbers, Operated by 1x AA Battery (Not included)
CSY-7056-PNK	R 79	Casey bedside square Alarm Clock 12cm - Pink, Fresh yet traditional aesthetic look, Quiet and smooth quartz movement, Featuring a beep alarm, Perfect complement for any bedroom or study at Home or the Office, Easily readable numbers, Operated by 1x AA Battery (Not included)
CSY-7056-RD	R 79	Casey bedside square Alarm Clock 12cm - Red, Fresh yet traditional aesthetic look, Quiet and smooth quartz movement, Featuring a beep alarm, Perfect complement for any bedroom or study at Home or the Office, Easily readable numbers, Operated by 1x AA Battery (Not included)
KAN/SM/HD-23S24	R 516	Fellowes HD 23S24 Stapler. Heavy duty. Compatible with (70gsm) : 23/ 8 to 23/ 24
PM-032	R 374	Microworld FS-106 shake head fan, Adjustable Speed Shift Switch, 6000mAh Battery capacity, 5.5 - 14.5 hours working time, 6 - 8 hours charging time, Type-C charging Port, USB Output Port, Brushless DC motor
SNLMP-DESK-WD	R 316	Snug LED Desk Lamp, 3 dimming settings, Foldable, 3 Colour temp, USB-C charging, LED time and date, - Built-In Lithium Battery, Wood imitation finish

< Return to the menu

Remote control toys

Product code	Price	Description

< Return to the menu

Safety and security gadget

Product code	Price	Description

< Return to the menu

Toys

Product code	Price	Description
10627	R 189	Sceedo Fidget Spinner 3 Arm - Ying Yang, No Packaging, No Warranty
10638	R 219	Sceedo Sheriff Badge Fidget Spinner - No Warranty
10642	R 169	Sceedo 3 Heart Multi-Colour Fidget Spinner - No Warranty
10650	R 39	Sceedo Fidget Spinner - Glow in the Dark, No Warranty
10653	R 109	Sceedo Gold 3 Arm Fidget Spinner - No Warranty
10655	R 99	Sceedo Fidget Spinner - Basic Entry, Retail Box, No Warranty
15413-SQR-ORNG-MLTI	R 29	Sceedo Pop It Bubble Square Fidget Orange Multi, No Packaging, No Warranty
15413-SQR-PRPL-CAM	R 29	Sceedo Pop It Bubble Square Fidget Purple / Blue Camo, No Packaging, No Warranty
15452-KEY-GRN	R 39	Sceedo Pop It Mini Bubble Key Ring - Green Square, No Packaging, No Warranty
15455-IPHN12PRO	R 109	Sceedo Pop It Bubble Iphone 12 Pro Cover Rainbow, No Packaging, No Warranty
15455-IPHNX	R 109	Sceedo Pop It Bubble Iphone X Cover Pink Rainbow, No Packaging, No Warranty
6009608649066	R 59	Marlin Kids Play Dough 500g Bucket 5 Colours, Retail Packaging, No Warranty
6009699511105	R 99	Marlin Kids Play Dough 1kg Bucket 8 Colours, Retail Packaging, No Warranty
9250721401117BLUE	R 39	Casey Kids Small Inflatable Swimming Vest - For Kids From 1 To 2 Years Of Age, Adjustable Fit, Durable Construction, Bright And Visible Design, Quick Inflation And Deflation, PVC Plastic Material, For Swimming Pools, Beach, And Water Play Use, Blue Colour, No Warranty
9250721401117PINK	R 39	Casey Kids Small Inflatable Swimming Vest - For Kids From 1 To 2 Years Of Age, Adjustable Fit, Durable Construction, Bright And Visible Design, Quick Inflation And Deflation, PVC Plastic Material, For Swimming Pools, Beach, And Water Play Use, Pink Colour, No Warranty
9250721401117YELLOW	R 39	Casey Kids Small Inflatable Swimming Vest - For Kids From 1 To 2 Years Of Age, Adjustable Fit, Durable Construction, Bright And Visible Design, Quick Inflation And Deflation, PVC Plastic Material, For Swimming Pools, Beach, And Water Play Use, Yellow Colour, No Warranty
9250721401124PNK	R 49	Casey Kids Medium Inflatable Swimming Vest - For Kids From 3 To 5 Years Of Age, Adjustable Fit, Durable Construction, Bright And Visible Design, Quick Inflation And Deflation, PVC Plastic Material, For Swimming Pools, Beach, And Water Play Use, Pink Colour, No Warranty
CSY-IZY902-32GRN	R 129	Sceedo Super Pump Action Water Gun Green - Sleek Design, Strong Pump Action, Long-Range Water Spray, Easy To Fill, Ideal For Ages 6 And Up, Colour Green, Retail Packaging No Warranty
CSYWF-3015A-E	R 249	Casey Pokemon Go Inspired Electronic ATM Money Safe Box, Brand: Casey; Model: CSYWF-3015A-E; Type: Electronic ATM Money Safe Box; Colors: Yellow/Orange; Access: Swipe Card/Fingerprint; Power: 4 x AA batteries; Features: Dazzle Light, Sound, Coin & Note Slots; Age: 3 ; Material: Plastic; Dimensions: 18 x 12 x 10 cm; Weight: 0.8 kg, 6 Months Warranty
DS-3LG-LED	R 79	Sceedo Fidget Spinners 3 Way With Led, No Packaging, No Warranty
DS-3MD	R 179	Sceedo Metal Ninja Pink Fidget Spinner - No Warranty
DS-3MT-3M002	R 49	Sceedo Gyro Camouflage Fidget Spinner - Retail Box No Warranty
DS3-BASIC	R 39	Sceedo Fidget Spinners 3 Arm, No Packaging, No Warranty
SCMKCOATDORG01	R 49	Sceedo Mokuru Fidget Stick Stress Toy - Coated Finish Dark Orange, Retail Box, No warranty
VK-5700-PK	R 287	Volkano Kids Robo Vault Series Kids money saving Vault - Pink, Secret pincode Access, 10x musical sounds effects, Automatic door opening, Accepts coins and notes

< Return to the menu

Travel Accessories

Product code	Price	Description
BHR9540GL	R 541	Xiaomi Straw Mug

CAS-CABLEBAG-105-LQ	R 18	Linkqnet Cable Bag - Mesh Netting For Extra Storage, Hard Shell Exterior, Colour: Black, Dimensions: 8 x 8 x 3cm
CAS-POWERBANK-LQ	R 29	Linkqnet Portable Powerbank Smart Case, Mesh Netting to Secure Cables, Hard Shell Exterior, Elasticated Band to Secure Contents, Colour: Black, Dimensions: 14 × 10 × 4cm
CM520-60387	R 237	UGreen FineTrack Mini Smart Finder for Apple devices, Apple find my (iOS only) compatibility, Bluetooth connectivity, Global Tracking via nearby Apple devices, up to 80dB Alarm Volume, replaceable CR2032 Coin Cell Battery, up to 18 months Battery Life
CSY-AP40198PNK	R 39	Casey FlipTop 1 Litre Plastic Water Bottle with Drinking Spout - Pink, Flip-Top Drinking Spout, Angled Internal Straw, Leak-Proof Lid, Wide Neck, Sturdy Carry Handle
CSY-AP40198PUR	R 39	Casey FlipTop 1 Litre Plastic Water Bottle with Drinking Spout - Purple, Flip-Top Drinking Spout, Angled Internal Straw, Leak-Proof Lid, Wide Neck, Sturdy Carry Handle
WX-PC102	R 41	Winx Go Blue Rugged Hardhsell Protective Carry Case

< Return to the menu

Universal AC/DC power adaptors

Product code	Price	Description
PDA-12-12	R 46	Syntech PD Power 12V 1A Desktop Adapter, Universal AC input / Full range, High efficiency up to 80%
PS-C60EAA	R 181	CFi 60w External Ac-Adapter - for ACD2

< Return to the menu

Xiaomi gadgets & accessories

Product code	Price	Description
BHR07XDGL	R 2,889	Xiaomi self-install Smart lock with Keypad, Wi-Fi / Bluetooth / Thread communication, 2450mAh lock Lithium-ion Battery
BHR083YGL	R 175	Xiaomi Robot Vacuum Mop Pad - S40C / S40 / H40, Compatibility - Xiaomi Robot Vacuum S40C / Xiaomi Robot Vacuum S40 / Xiaomi Robot Vacuum H40, Fabric material
BHR084AEU	R 4,217	Xiaomi Robot Vacuum S40, LDS navigation system, 10000Pa powerful suction fan blower, 5200mAh Battery capacity, 520ml dust box & 270ml Water Tank, Enjoy up to 180 minutes of cleaning on a single charge
BHR086UGL	R 802	Xiaomi Electric Scooter Riding helmet, Lightweight head protection, Dual-Layer PC & EPS construction, 10-ventilation-hole Design, Adjustable Fit Knob, Washable Inner lining
BHR08J8GL	R 161	Xiaomi Vacuum Cleaner P30 Filter kit
BHR08LRGL	R 175	Xiaomi Robot Vacuum Brush - S40 Pro, H50, H50 Pro, Anti-tangle bristle Design
BHR08LTGL	R 161	Xiaomi Dust Mite Vacuum Cleaner 2 Pro Filter - 2 pack, 2-3 months recommended Replacement interval, Xiaomi Dust Mite Vacuum Cleaner 2 Pro compatibility
BHR08MZEU	R 4,077	Xiaomi Mijia Smart Air Purifier 6, Five-Layer composite filtration purification system, Removes up to 99.98% of particles as Small as 0.3 micron, UV sterilisation, Negative Ion generator, Up to 50 m2 Maximum coverage area, PM1 Sensor, Real-Time Air Quality detection, LCD Colour Display
BHR08S4EU	R 426	Xiaomi Mijia Lint Remover 2, 180 mins Cordless Runtime, 2 hours charge time, USB charging
BHR08SKGL	R 1,018	Xiaomi Tag Bluetooth Smart Tracker White - 4 pack, Left-Behind alerts, Family & Friend sharing, NFC support, IP67 rated dust & Water resistance, Removable CR2032 Button Cell Battery Type, Up to 1 Year Battery Life, Built-In piezoelectric buzzer Speaker, Accelerometer Sensor
BHR08SPGL	R 297	Xiaomi Tag Bluetooth Smart Tracker White - 1 pack, Left-Behind alerts, Family & Friend sharing, NFC support, IP67 rated dust & Water resistance, Removable CR2032 Button Cell Battery Type, Up to 1 Year Battery Life, Built-In piezoelectric buzzer Speaker, Accelerometer Sensor
BHR08USGL	R 1,196	Xiaomi Electric Scooter Fast Charger 2, Compatible models Xiaomi Electric Scooter 6 Max / 6 Ultra Series (And Future 7 Series with a dedicated fast-charge Port), 1.2 m charging cable length, 268W Max charging Power
BHR08VBGL	R 192	Xiaomi Robot Vacuum Mop Pad - S40 Pro / H50 / H50 Pro, Compatibility - Xiaomi Robot Vacuum S40 Pro / Xiaomi Robot Vacuum H50 / Xiaomi Robot Vacuum H50 Pro, Fabric material
BHR094WEU	R 641	Xiaomi Desk Lamp Lite EU model for dedicated Desk use, White Colour finish with Compact dimensions of 40 x 41.3 x 12.5cm, Brightness Output of 100 Lumens at a 3900K Colour temperature, Dimmable Lighting functionality

		for adjustable brightness levels, Power source includes electrical connection and USB Power Delivery
BHR0966GL	R 336	Xiaomi Mijia Electric Wine opener, Black finish with racetrack-shaped Body, Opens bottles in 8-10 seconds with Automatic Extraction and ejection, Dual-button Operation for uncorking and releasing corks, Built-In foil cutter removes seal before opening, Three-stage epicyclic gearing system paired with DC motor, High-hardness Alloy spiral screw reduces cork breakage risk, Skin-Friendly grip finish, Compatible with most Standard Wine bottles including 36 mm necks, Requires 4 AA Batteries for Power source
BHR099HEU	R 1,362	Xiaomi Mijia Electric Shaver Pro - Silver, Waterproof rating, Approx. 2.5 hours to charge fully, Type-C charging, Up to 90-day Battery Life, 360 degree floating head, Smart Colour Display
BHR099IEU	R 1,362	Xiaomi Mijia Electric Shaver Pro - Blue, Waterproof rating, Approx. 2.5 hours to charge fully, Type-C charging, Up to 90-day Battery Life, 360 degree floating head, Smart Colour Display
BHR4245GL	R 393	Xiaomi Mi 13.5" LCD Writing Tablet
BHR4246TY	R 118	Xiaomi Mi Robot Vacuum-Mop Essential Side Brush
BHR4249TY	R 23	Xiaomi Mi Robot Vacuum-Mop Essential Mainbrush Cover
BHR4251TY	R 23	Xiaomi Mi Robot Vacuum-Mop Essential Disposal Mopping Cloth
BHR4558GL	R 269	Xiaomi Automatic Soap Dispenser
BHR4615CN	R 217	Xiaomi Mi Vacuum Cleaner G10 Mop Kit
BHR4634CN	R 199	Xiaomi Mi Vacuum Cleaner Light HEPA Filter 2-Pack
BHR4681CN	R 214	Xiaomi Mi Vacuum Cleaner Mini HEPA Filter 2-Pack
BHR4773GL	R 221	Xiaomi Mi Vacuum Cleaner G10/g9 Hepa Fi
BHR4838GL	R 1,187	Xiaomi Computer Monitor Light Bar
BHR5056EU	R 5,694	Xiaomi 4 Pro Smart Air Purifier; 500 m3/h CADR; 35-60 m2 coverage; 99.97 percent filtration; OLED touch display; Mi Home app control
BHR5062GL	R 876	Xiaomi Smart Air Purifier 4 Pro Filter, Activated Carbon Filter, High efficiency Filter, Primary Filter
BHR5120GL	R 708	Xiaomi Smart Air Purifier 4 Filter
BHR5154GL	R 301	Xiaomi Mi Window and Door Sensor 2
BHR5272GL	R 656	Xiaomi Smart Air Purifier 4 Lite Filter, Only compatible with xiaomi Smart Air Purifier 4 Lite
BHR5274GL	R 3,142	Xiaomi Smart Air Purifier 4 Lite EU, AC-M17-sc, 240 x 240 x 533.5mm product dimensions, 25-43m& #178; effective coverage area
BHR5325TY	R 168	Xiaomi Mi Robot Vacuum Mop 1C, 2 Pro , 2 Ultra Brush
BHR5326TY	R 202	Xiaomi Mi Robot Vacuum Mop 1C, 2 Pro , 2 Ultra Filter
BHR5328TY	R 185	Xiaomi Mi Robot Vacuum Mop 1C, 2 Pro , 2 Ultra Mop Pad
BHR5329TY	R 23	Xiaomi Mi Robot Vacuum Mop 1C, 2 Pro , 2 Ultra Waterproof Mat
BHR5860EU	R 1,870	Xiaomi Smart Air Purifier 4 Compact - EU
BHR5861GL	R 484	Xiaomi Smart Air Purifier 4 Compact Filter
BHR5921TY	R 248	Xiaomi Robot Vacuum-Mop 2 Pro/2 Lite Brush Cover
BHR5923TY	R 167	Xiaomi Robot Vacuum-Mop P/2 Pro/2 Lite Filter
BHR5927EU	R 727	Xiaomi Electric Kettle 2, 1.7L Volume, Rapid boil, Cordless Design, Safe & Easy to clean, 1800W rated Power, Food-grade 304 Stainless Steel interior material, Double-layered heat protection Body material, Wrap-around cord base
BHR5984TY	R 1,485	Xiaomi Vacuum Cleaner G11 Extended Battery Pack
BHR5985TY	R 266	Xiaomi Vacuum Cleaner G11 Filter
BHR6148GL	R 181	Xiaomi Smart Pet Fountain Filter - EU
BHR6259TY	R 23	Xiaomi Truclean W10 Ultra Wet Dry Vacuum Accessory Set
BHR6444EU	R 221	Xiaomi Electric Scooter 8.5" Pneumatic Tire
BHR6457CN	R 235	Xiaomi Vacuum Cleaner G9 Plus/G10 Plus Filter Kit
BHR6460CN	R 1,279	Xiaomi Vacuum Cleaner G10 Plus Battery Pack
BHR6461GL	R 147	Xiaomi Robot Vacuum S10 Brush Cover
BHR6463GL	R 193	Xiaomi Robot Vacuum S10 Mop Pad
BHR6464GL	R 189	Xiaomi Robot Vacuum S10 Filter

BHR6473GL	R 115	Xiaomi Robot Vacuum S10 Side Brush
BHR6528GL	R 192	Xiaomi Robot Vacuum S10 Brush
BHR6557GL	R 196	Xiaomi Robot Vacuum X10 /S10 Brush
BHR6558GL	R 196	Xiaomi Robot Vacuum X10 /S10 Brush Cover
BHR6560GL	R 315	Xiaomi Robot Vacuum X10 and X10 Disposable Bag - 5 Pack
BHR6687GL	R 154	Xiaomi Robot Vacuum Side Brush for X10 /S10 /X10
BHR6750GL	R 397	Xiaomi Electric Scooter Storage Bag
BHR6751GL	R 242	Xiaomi Electric Scooter Cable Lock
BHR6762GL	R 252	Xiaomi Robot Vacuum S10 Mop Pad
BHR6846GL	R 23	Xiaomi Truclean W10 Pro Wet Dry Vacuum Filter - 2 Pack
BHR6914GL	R 175	Xiaomi Robot Vacuum E10 Mop Pad
BHR6915GL	R 147	Xiaomi Robot Vacuum E10 Brush Cover
BHR6916GL	R 175	Xiaomi Robot Vacuum E10 Brush
BHR6944GL	R 508	Xiaomi Smart Jump Rope, Smart Tracking, Corded & Cordless, Hidden Display, Custom training, Type-C charging Interface, Bluetooth Wireless connectivity
BHR6945GL	R 175	Xiaomi Robot Vacuum E10 Filter
BHR7112GL	R 1,024	Xiaomi Portable Electric Air Compressor 2. Inflation pressure range: 0.2-10.3 bar/3-150 psi
BHR7453GL	R 198	Xiaomi Electric shaver S101 Replacement head, Compatibility - Xiaomi Electric shaver S101, 18 Precision blades, Engineered with three Independent floating shaver heads
BHR7919EU	R 1,234	Xiaomi Smart Multifunctional Rice Cooker
BHR7940GL	R 228	Xiaomi Robot Vacuum Brush cover - X20 / S40C / S40 / H40, Compatibility - Xiaomi Robot Vacuum X20 / Xiaomi Robot Vacuum S40C / Xiaomi Robot Vacuum S40 / Xiaomi Robot Vacuum H40, Stainless Steel Wire, Easy to Install, One-hand Operation, ABS durable Design
BHR7961GL	R 98	Xiaomi Robot Vacuum E5 Side Brush
BHR7962GL	R 77	Xiaomi Robot Vacuum E5 Filter
BHR7963GL	R 133	Xiaomi Robot Vacuum E5 Mop Pad
BHR7969EU	R 2,068	Xiaomi E5 White Robot Vacuum
BHR8052GL	R 6,462	Xiaomi Electric Scooter 4 Lite 2nd Gen Electric Scooter
BHR8124EU	R 9,462	Xiaomi X20 Robot Vacuum
BHR8173GL	R 1,145	Xiaomi Smart filtered Water dispenser composite Filter RO1, 0.0001 um Micron rating, 0.4-0.8 MPa operating Pressure, no longer than 12 months recommended Filter Replacement cycle
BHR8174GL	R 598	Xiaomi Smart filtered Water dispenser composite Filter PPC, 5um Micron rating, Diameter 72 x 269 mm size
BHR8175EU	R 6,631	Xiaomi Smart Filtered Water Dispenser Pro - RO Filtration, Instant Heating, UV Sterilization
BHR8195EU	R 2,063	Xiaomi G20 Lite Vacuum Cleaner
BHR8276EU	R 1,290	Xiaomi Dust Mite Vacuum Cleaner, 12kPa suction Power, 350W rated Power, 50 degreeC Hot Air temperature, 12000 times/minute Vibration beating, Four-stage cyclone dust Filter system, UV germicidal Lamp for 99% sterilization and mite removal, Transparent dust cup
BHR8298EU	R 2,068	Xiaomi E5 Black Robot Vacuum
BHR8386GL	R 154	Xiaomi Dust Mite Vacuum Cleaner Filter (2-Pack)
BHR8510GL	R 196	Xiaomi Robot Vacuum x10 Mop pad, Fabric pad, Designed for the Xiaomi Robot Vacuum x10 / Xiaomi Robot Vacuum x20
BHR8531GL	R 309	Xiaomi Vacuum Cleaner G20 Lite Filter Kit
BHR8803GL	R 270	Xiaomi Vacuum Cleaner G20 / G20 Max Filter Kit
BHR8813GL	R 199	Xiaomi Truclean W20 Wet Dry Vacuum Filter - 2 pack, 5.3 x 5.8 x 3.5 cm Filter dimensions, Direct Fit Replacement for Xiaomi Truclean W20 model
BHR8814GL	R 283	Xiaomi Truclean W20 Wet Dry Vacuum Roller brushbar, Soft and fluffy Roller brushbar, High-Density soft velvet Roller, Soft texture and stronger Water absorption, Designed for the Xiaomi Truclean W20 Wet Dry Vacuum
BHR8819GL	R 108	Xiaomi Robot Vacuum S20 re-washable Mop pad, Compatibility - > Xiaomi Robot Vacuum S20, Fabric material
BHR8828EU	R 5,679	Xiaomi Vacuum Cleaner G20 Max, High-Definition LED Display, 99.9% high-efficiency filtering, 12-cone dust-air

		separation, Dedicated pet Brush, LED searchlight, Ultra-long Battery Life, 520W rated Power, 31.0V charging Voltage, Approx 0.6l dust compartment capacity
BHR8831EU	R 4,300	Xiaomi Vacuum Cleaner G20, LED searchlight, 12-cone dust-air separation, 99.9% high-efficiency filtering, 460W rated Power, 31.0V charging Voltage
BHR8833EU	R 4,989	Xiaomi Truclean W20 wet dry Vacuum, 200W rated Power, Mop with water-flow, 15000Pa of suction, Vacuuming, Mopping, Self-cleaning, 2500mAh high-capacity Battery, Up to 30 minutes of Runtime, Dual Water Tank system (780ml clean Water and 550ml dirty Water)
BHR8846EU	R 1,789	Xiaomi Smart Tower fan 2, 1.6m Power cable length, 24W rated Power, Wireless connectivity, DC Inverter motor, Operate in near silence
BHR8949GL	R 876	Xiaomi Smart Purifier 4 Lite Filter Pro, HEPA and activated Carbon Filter Type, 99.97% interception of 0.3um particle filtration, High-Quality activated Carbon odour remover, 6-12 months recommended lifespan
BHR9034EU	R 1,446	Xiaomi Handheld Steam Iron - EU
BHR9041GL	R 251	Xiaomi temperature Humidity Monitor 3, Bluetooth Wireless connectivity, 0.1 Degrees C temperature Resolution, 1% RH Humidity Resolution, CR2450 (Pre-Installed) Battery, 0 Degrees C to 60 Degrees C temperature range, 0% RH to 99% RH Humidity range
BHR9107EU	R 1,364	Xiaomi Smart Kettle 2 Pro, Smart temperature control, Rapid boil 1800W, Keep warm 24 hours, Wi-Fi App control, 1800W rated Power, Wi-Fi, 304 Stainless-Steel interior, Adjustable to 1 degree c increments temperature control
BHR9226EU	R 680	Xiaomi Portable Blender 300ml USB Type-C Rechargeable - White, 45W rated Power, Up to 19500rpm motor Speed, ICE crushing Function, Up to 12 blends per full charge Battery usage, 1300mAh Battery capacity, USB Type-C charging Port, 304 Stainless Steel Blade material
BHR9239GL	R 338	Xiaomi Smart Scale S200 - Grey, 4-in-1 health metrics, Bluetooth App control, Tempered Glass engineering Plastic, 0.1 - 150kg weighing range, 50g minimum increment
BHR9301GL	R 598	Xiaomi Automatic Soap dispenser - Pink (Colour Edition), Infrared Sensor Automatic dispensing, Approx. 0.25 seconds Sensor response time, Rechargeable Lithium Battery, USB Type-C charging Interface, Up to 180 days per charge Battery Life, IPX5 Water resistance rating
BHR9362GL	R 598	Xiaomi Automatic Soap dispenser - Blue (Colour Edition), Infrared Sensor Automatic dispensing, Approx. 0.25 seconds Sensor response time, Rechargeable Lithium Battery, USB Type-C charging Interface, Up to 180 days per charge Battery Life, IPX5 Water resistance rating
BHR9471GL	R 1,701	Xiaomi Massage Gun 2, Type-C charging Port, Lithium-ion Battery, Three-speed settings, Operates quietly at only 45dB, Provides up to 30 days of use on a single charge, Includes three massage heads
BHR9484GL	R 1,101	Xiaomi Massage Gun Mini 2, 1900mAh Battery capacity, Type-C charging Port, Lithium Battery, 3 fixed and 3 Variable Frequency settings support workout recovery and relaxation, Deep penetration with an amplitude of up to 6 mm for a deep tissue massage, Circular intensity Display indicator
BHR9631GL	R 192	Xiaomi Robot Vacuum Mop Filter for X20 Pro & X20 Max vacuuums, HEPA Filter Type
BHR9632GL	R 214	Xiaomi Robot Vacuum Brush cover for X20 Vacuum - Black, ABS Stainless Steel material
BHR9664EU	R 3,436	Xiaomi Robot Vacuum Wet and Dry S40C, 55W rated Power, 5000Pa powerful suction fan blower, high-capacity dustbin and Water Tank, lds Laser navigation system, multiple sensors, Smart control via Mobile App
BHR9689GL	R 338	Xiaomi Robot Vacuum X20 anti-tangle hair cutting Replacement Main Brush, Compatible with Xiaomi Robot Vacuum X20
BHR9798EU	R 2,552	Xiaomi Semi-Automatic Espresso machine, 1350W rated Power, 0.9l Water Tank capacity, 40ml Default capacity (Small cup), 80ml Default capacity (Large cup), 20-bar pump for stable Extraction
BHR9849EU	R 1,866	Xiaomi Smart standing Air Circulation Fan, 18W rated Power, Wireless connectivity, 1.5 m Power cord length, Wind modes - straight Wind (Direct mode) / Natural Wind / Oscillation, 1440 m3/h Airflow capacity, 13 meters ventilation range, BHR9849EU
BHR9872EU	R 1,696	Xiaomi Smart Desktop Air circulation fan, 18W rated Power, 1180 m3/h Airflow, 10m circulation range, Wireless connectivity, Customise Airflow with 100 precise Speed settings, BHR9872EU
BHR9968TY	R 551	Xiaomi Smart Pet Care Air Purifier Filter; HEPA activated carbon pet odour and allergen removal; dimensions ~175 x 206 x 175 mm; weight ~0.48 kg; 6 - 12 months service life; compatible Xiaomi pet air purifier.
BHR9969EU	R 2,214	Xiaomi Smart Pet Care Air Purifier

CAB-USB-3.5-1.35MMDC	R 39	Lindy 1.5m USB to 1.35mm Inner / 3.5mm Outer DC Cable
DVB4330GL	R 636	Xiaomi Dual Band AC1200 Wireless Router
NUN4132GL	R 198	Xiaomi Mi Electric Shaver S500 Replacement Head
QBH4312GL	R 209	Xiaomi Smart temperature and Humidity Monitor 3 Mini, Bluetooth Wireless connectivity, 0.1 Degrees C temperature Resolution, 1% RH Humidity Resolution, CR2450 Battery, 0 to 60 Degrees C temperature range, 0% RH to 99% RH Humidity range
SCG4021GL	R 519	Xiaomi Air Purifier HEPA Filter
SKV4114TY	R 23	Xiaomi Mi Robot Vacuum Mop Pro Disposable Mop Pad, SKV4114TY
SKV4121TY	R 23	Xiaomi Mi Robot Vacuum Mop Brush Cover - Black, SKV4121TY
SKV4122TY	R 23	Xiaomi Mi Robot Vacuum Mop Brush Cover - White, SKV4122TY
SKV4123TY	R 23	Xiaomi Mi Robot Vacuum Mop Mop Pad - Grey, SKV4123TY
SKV4124TY	R 23	Xiaomi Mi Robot Vacuum Mop Pro Water Tank
SKV4130TY	R 23	Xiaomi Mi Robot Vacuum Brush Cover - Grey, SKV4130TY
SKV4132TY	R 23	Xiaomi Mi Robot Vacuum-Mop Disposable Mop Pad

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Gaming & Games

Clothing

Product code	Price	Description
GM-WC-Q	R 174	Gaming Merchandise - World of warcraft - Caps - Quest giver - Blizzard licensed
GM-WT-AM-M	R 174	Blizzard World of warcraft - T-shirt - Alliance - Man - Medium
GM-WT-HSM-M	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Man - Medium - Blizzard
GM-WT-HSM-S	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Man - Small - Blizzard
GM-WT-HSM-XL	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Man - X-Large. - Blizzard
GM-WT-HSM-XXL	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Man - XX-Large. - Blizzard
GM-WT-HSW-L	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Woman - Large - Blizzard
GM-WT-HSW-M	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Woman - Medium - Blizzard
GM-WT-HSW-S	R 174	Gaming Merchandise - World of warcraft - T-shirt - HearthStone - Woman - Small - Blizzard
GM-WT-LCW-M	R 174	Gaming Merchandise - World of warcraft - T-shirt - Locked Chest - Woman - Medium - Blizzard licensed, blizzard
GM-WT-LCW-S	R 174	Gaming Merchandise - World of warcraft - T-shirt - Locked Chest - Woman - Small - Blizzard licensed
GM-WT-TM-M	R 174	Gaming Merchandise - World of warcraft - T-shirt - Tanks … - Man - Medium - Blizzard licensed

< Return to the menu

Game hardware

Product code	Price	Description
31620002400	R 1,781	Genius SpeedMaster X2 Racing Wheel for PS and XBox, USB connection, Gear Shifter Stick, 2 pedals Set, Direction buttons, Function buttons, 1080-degree rotation
940-000138	R 389	Logitech F310 Gamepad - Blue, Profiler Software, 10 Programmable Buttons
940-000138	R 541	Logitech F310 Gamepad USB, Profiler Software, 10 programmable buttons, 1.8 meter cord, 4 Switch d-pad, 940-000138
940-000142	R 749	Logitech F710 Gamepad Broad Game Support, Profiler Software, Dual Vibration Motors
940-000142	R 820	Logitech 940-000142 Wireless Gamepad F710, 2.4GHz Wireless connection, Dual vibration feedback, 4 Switch d-pad
941-000112	R 4,216	Logitech G29 Racing Wheel for PS5 / PS4 / PC - USB, Dual-motor Force feedback, Solid Steel ball bearings Stainless Steel paddle shifters and pedals, Helical gears with anti-backlash, Responsive floor pedal unit, 941-000112
941-000112	R 5,980	Logitech G29 Racing Wheel for PS5 / PS4 / PC - USB, Dual-motor Force feedback, Solid Steel ball bearings

		Stainless Steel paddle shifters and pedals, Helical gears with anti-backlash, Responsive floor pedal unit, 941-000112
941-000112	R 4,799	ogitech G29 Racing Steering Wheel And Pedals - PlayStation 3, PlayStation 4, PlayStation 5 and PC, Analogue gaming control, Wired connectivity, USB 2.0 Interface, Support operating system from Windows 7 Upwards. 900 Degree dual-motor feedback; leather wheel; stainless steel paddles; 3 pedals (nonlinear brake); USB connectivity; PS5/PS4/PC compatible
941-000112	R 5,749	ogitech G29 Racing Steering Wheel And Pedals - PlayStation 3, PlayStation 4, PlayStation 5 and PC, Analogue gaming control, Wired connectivity, USB 2.0 Interface, Support operating system from Windows 7 Upwards. 900 Degree dual-motor feedback; leather wheel; stainless steel paddles; 3 pedals (nonlinear brake); USB connectivity; PS5/PS4/PC compatible
941-000114	R 4,906	Logitech G29 Driving Force Racing Wheel and pedals for PS & PC, Rotation 900 degrees lock-to-lock wheel, Hall-effect steering Sensor, Dual-Motor Force Feedback, Overheat safeguard, Wheel spokes anodized Aluminum, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating, Anodized Aluminum wheel spokes, 941-000114
941-000123	R 5,975	Logitech G920 Driving Force Racing Wheel - USB, 900 degrees lock-to-lock rotation wheel, Hall-effect steering Sensor, Dual-Motor Force feedback, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
941-000123	R 5,799	Logitech G920 Driving Force Racing Wheel - USB, 900 degrees lock-to-lock rotation wheel, Hall-effect steering Sensor, Dual-Motor Force feedback, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
941-000123	R 4,717	Logitech G920 Driving Force Racing Wheel - USB, 900 degrees lock-to-lock rotation wheel, Hall-effect steering Sensor, Dual-Motor Force feedback, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
941-000130	R 849	Logitech G920 racing Wheel Driving Force Shifter for G920 / G29 - six-speed H-pattern shifter with push-down reverse
941-000130	R 1,149	Logitech Driving Force Shifter - USB, For G923 / G29 / G920 racing wheels, Six speeds with push-down Reverse gear, Steel and leather components for comfort and durability, Mounts securely to a racing rig
941-000131	R 946	Logitech Driving Force Shifter - USB, For G923 / G29 / G920 racing wheels, Six speeds with push-down Reverse gear, Steel and leather components for comfort and durability, Mounts securely to a racing rig, 941-000131
941-000132	R 946	Logitech G Driving Force Shifter for G29 / G923 /G920, Designed to work with G923 / G29 / G920 Racing wheels, Six speeds with push-down Reverse gear, Steel and leather components for Comfort and durability, Mounts securely to a Racing rig, 941-000132
941-000149	R 7,882	Logitech 941-000149 G923 TrueForce SIM Racing Wheel pedals (PC / PS4 / PS5 / XBox), Hall-effect steering sensor, Dual-motor force feedback with TrueForce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
941-000149	R 7,589	Logitech 941-000149 G923 TrueForce SIM Racing Wheel pedals (PC / PS4 / PS5 / XBox), Hall-effect steering sensor, Dual-motor force feedback with TrueForce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
941-000151	R 5,660	Logitech G923 TrueForce SIM Racing Wheel pedals (PC / PS4 / PS5 / XBox), Hall-effect steering sensor, Dual-motor force feedback with TrueForce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating, 941-000151
941-000158	R 5,901	Logitech G923 X Racing Wheel and pedals for Xbox One and PC, 900 degrees lock-to-lock rotation, Hall-effect steering sensor, Dual-motor force feedback with trueforce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, 941-000158
941-000158	R 7,014	Logitech G923 Racing Wheel and Pedals for Xbox X/S, Xbox One and PC - USB wired - EMEA28i-935 - MS EU. Exclusive TRUEFORCE feedback. Aluminum paddle shifters, hand-stitched leather wheel, and pressure-sensitive brake system.
941-000165	R 6,383	Logitech G923 TrueForce SIM Racing Wheel pedals (PC / PS4 / PS5 / XBox), Hall-effect steering sensor, Dual-motor force feedback with TrueForce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip

		system, Textured heel grip, Self-calibrating, 941-000165
945-000004	R 2,759	Logitech Flight Yoke system - simulation yoke throttle quadrant, Flight yoke, Yoke clamp, Flight throttle quadrant, Throttle quadrant clamp, USB connection Type, 945-000004
945-000005	R 2,759	Logitech Flight Rudder Pedals - simulation rudder pedals toe brake, USB connection Type, 945-000005
945-000059	R 4,537	Logitech G X56 Hotas RGB throttle and stick simulation controller, 6 DoF - pitch / roll / yaw / back / forward / up / down / left / right, 4 spring options, 189 programmable controls, 2x USB 2.0 Port
99HARL018-00	R 18,271	Vive kit Cosmos full kit with Dual 3.4" diagonal screen, 1440x1700 pixels per eye (2880 x 1700 pixels combined), 90 Hz Refresh Rate, Maximum 110 degrees Field of view, Stereo headphone audio, Integrated microphones, Input, USB-C 3.0, DP 1.2, G-sensor, Gyroscope, Eye comfort setting (Ipd), Flip-up visor
CND-GPW5	R 705	Canyon GP-W5 Wireless Gamepad with Touchpad for PS4, 20 buttons, 600 mAh Battery capacity
CND-XLCH01	R 6,433	Canyon XLCH01 Boulder Grey Fabric XL-Size Gaming Chair. Cold-Molded Foam, High-Quality Fabric, Durable Metal Frame, Multiblock Mechanism, Adjustable Backrest Angle: 90°-160°, Adjustable Lumbar 2D Curvature, Headrest Magnetic Memory Foam Pillow; Lumbar Memory Foam Pillow, 5-Star Metal Base, Quiet Casters (60 mm), Max Chair Load: 150 kg/337 lb, Class-4 Gas Lift; 4D Armrests
CNE-MCH01	R 2,745	Canyon MCH01 Flow Orange Ergonomic Gaming Chair, Foam Type: Original Foam for Seat, Frame: Plastic, Backrest Material: Mesh, Seat Cover Material: Eco Leather; Armrests: PU Leather, Gas Lift: Class-3, Mechanism: Multi-function Mechanism, Adjustable Backrest Angle: 90°-135°; User Weight: 120 kg/265 lb, 5-Star Nylon Base
CNE-MCH02	R 2,505	Canyon MCH02 Wave Orange Mesh Gaming Chair, Original foam, High quality mesh, High quality fabric, Durable and light frame, Multi-functional mechanism, Adjustable backrest angle 90° - 135°, 5 starts nylon base, Quiet casters (50 mm), Max weight of chair load - 120kg/265 lb, User's height: 150 - 175 cm
CNS-ABCH01BW	R 5,121	Canyon ABCH01 Morphos Black Ergonomic Gaming Chair, Ergonomic design, Original cold molded foam, High quality PU leather, Durable frame, Butterfly mechanism, Up and down headrest, Adjustable backrest, 5 starts metal base, Quiet casters (60 mm), Max weight of chair load - 150kg/337lb, User's height: 150 - 185mm, Class-4 gas lift
CNS-ABCH01GYB	R 5,121	Canyon ABCH01 Morphos Grey Ergonomic Gaming Chair, Ergonomic design, Original cold molded foam, High quality PU leather, Durable frame, Butterfly mechanism, Up and down headrest, Adjustable backrest, 5 starts metal base, Quiet casters (60 mm), Max weight of chair load - 150kg/337lb, User's height: 150 - 185??, Class-4 gas lift
CNS-MCCH01	R 4,433	Canyon MCCH01 Shift Black Mesh/Fabric Transformer Chair, Original Foam, High-Quality Mesh, High-Quality Fabric, Durable Metal Frame, Butterfly Mechanism, Adjustable Backrest Angle: 90°-180°, 5-Star Metal Base, Quiet Casters (60 mm), Max Chair Load: 150 kg/337 lb; User Height: 150-180 cm, Class-4 Gas Lift, Headrest & Lumbar Pillows
CNS-MOCH01	R 4,921	Canyon MOCH01 Ventra Black Mesh Office/Gaming Chair, Mesh covering for all chair, Durable plastic frame, Butterfly mechanism, Adjustable backrest angle 90 - 120 Degree, 5 starts metal base, Quiet casters (50 mm), Max weight of chair load - 136kg, User ' s height: 160 - 185??, Class-4 gas lift, Headrest & lumbar adjustment
CNS-RGBCH03	R 3,905	Canyon RGBCH03 Irida Black RGB Lighting Gaming Chair, RGB Lightning & Remote Control, Original Cold-Molded Foam, High-Quality PU leather, Durable Metal Frame, Butterfly Mechanism, Adjustable Backrest Angle: 90°-180°, 5-Star Nylon Base; Quiet Casters (50 mm), Max Chair Load: 150 kg/337 lb; User Height: 150-180 cm, Class-4 Gas Lift, Headrest & Lumbar Pillows
ES-WHEELMOD	R 1,017	Moza ES Formula wheel Mod, 280mm Formula wheel Mod, aviation grade aluminum Body, rubber grips
FALCONVWHT	R 574	Armaggeddon Falcon V White Wired Gaming Mouse; IC 3327 gaming chipset; up to 12000 CPI; 7 programmable buttons; Huano switches; invisible infrared sensor; 16.8 million RGB colours; 125Hz to 1000Hz polling rate; 1.8m braided USB cable; dimensions: 124.55 x 64 x 41mm; weight: 96.1g
FORCE GC 300	R 745	MSI FORCE GC 300 Wireless game controller, 2.4GHz Wireless / Bluetooth / USB 2.0 (USB-C) Interface, 600 mAh Battery, Up to 20 hours Battery Life, 2m cable length, 3.5mm Analog Audio
FORCE GC 300 WHITE	R 652	MSI FORCE GC 300 WHITE Wireless game controller, 2.4GHz Wireless / Bluetooth / USB 2.0 (USB-C) Interface, 600 mAh Battery, Up to 20 hours Battery Life, 2m cable length, 3.5mm Analog Audio
FORCE GC30 V2	R 573	MSI FORCE GC30 V2 Gaming controller, USB 2.0 Interface, 600 mAh battery, 8 hours usage, Wireless Dongle, 2m Micro USB cable & 30cm OTG cable for Android
FORCE GC30 V2 WHITE	R 546	MSI Force GC30 V2 Gaming controller White, USB 2.0, 600 mAh Li-ion battery lasting 8 hours usage
G-RG03H4DLN0-GXLG	R 3,449	Galax 03 Gaming Chair. Ergonomic; Adjustable lumbar support; 4D armrests; 90-180 degree reclining; 56x56cm

		seat; Supports up to 170kg; Headrest pillow; Durable metal base; Tilt-lock
GA-LGF310	R 485	Logitech 940-000115 F310 game pad - with floating D-pad on 4 individual switch, 12 programmable buttons up to 24 by shift button, 2 analogue joystick - USB
GA-LGF710W	R 969	Logitech 940-000118 F710 Wireless game pad, 2.4Ghz RF, 12 programmable buttons, 2 analogue joystick, dual vibration feed back - with USB nano-receiver
GA-LJE3P	R 950	Logitech 942-000005 Extreme 3D Pro joystick, 12 programmable buttons up to 24 by shift button, throttle, rapid fire, twist handle - USB
GA-LWDFS	R 1,142	Logitech 941-000130 G920 racing Wheel Driving Force Shifter for G920 / G29 - six-speed H-pattern shifter with push-down reverse
GA-LWG29	R 5,786	Logitech 941-000112 G29 Racing Wheel for Sony PS3/PS4, dual-motor force feedback, solid steel ball bearings stainless steel paddle shifters and pedals, Helical gears with anti-backlash, responsive floor pedal unit - USB. force feed back : Y - dual-motor, gear shifter : Y, gas/ brake padals : Y, leather grips : Y, sequential shifter : N, 900 wheel rotation : Y, interface : usb
GA-LWG920	R 5,786	Logitech 941-000124 G920 Racing Wheel for PC or XBOX ONE, dual-motor force feedback, solid steel ball bearings stainless steel paddle shifters and pedals, Helical gears with anti-backlash, responsive floor pedal unit - USB
GA-LWG923	R 9,131	Logitech 941-000149 G923 TrueForce SIM Racing Wheel pedals (PC / PS4 / PS5 / XBox), Hall-effect steering sensor, Dual-motor force feedback with TrueForce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
GA-LWG923X	R 7,909	Logitech G923 X Racing Wheel and pedals for Xbox One and PC, 900 degrees lock-to-lock rotation, Hall-effect steering sensor, Dual-motor force feedback with trueforce, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, 941-000158
GA-SSAM	R 298	SteelSeries Spectrum Audio mixer, direct attached to Xbox 360 controllers, connection for any stereo headset and mic (1x stereo/ 1x mic - 3.5 jacks), Live Mix - will balance the levels between Xbox LIVE chat and in-game audio on-the-fly, mic on off switch (with LED indicator) volume controller for game and voice - 259g, 62.46.24mm - retail pack
GAMEPAD-4	R 69	Microworld Game Controller PC Dual Shock & Vibration
GAPCCAINBL000-0	R 2,760	Mad Catz EGO Arcade fight Stick, Wired USB 2.0 Type-A connection, 8x buttons, Configuring Joystick as d-pad, 8-way tournament-grade Sanwa Denshi ball-top Joystick
GAPCCAINBL001-0	R 4,140	Mad Catz T.E.3 Arcade fight Stick, USB Wired connection, 1m cable length, 8 buttons, Configuring Joystick as d-pad, 8-directional Joystick with removable Bolt
GC-GTC-BGLFDL-01	R 5,460	Thermaltake GT Comfort 500 Black & Green Gaming Chair
GC-GTC-BLLFDL-01	R 5,817	Thermaltake GT Comfort 500 Black & Blue Gaming Chair
GC-GTC-BRLFDL-01	R 5,081	Thermaltake GT Comfort 500 Black & Red Gaming Chair
GC-GTF-BLMFDL-01	R 5,288	Thermaltake Gt Fit 100 Black & Blue Gaming Chair
GC-GTF-BRMFDL-01	R 5,000	Thermaltake GT Fit 100 Black & Red Gaming Chair
GC-XCS-BBLFDL-01	R 6,426	Thermaltake X Comfort 500 Black Gaming Chair
GC-XFS-BBMFDL-01	R 5,966	Thermaltake X Fit 100 Black Gaming Chair
GCPCCAINBL000-0	R 1,012	Mad Catz C.A.T. 7 Wired Game Pad - Black, Windows direct xinput, PS3, USB 2.0 Type-A connector, cable length 2.5m, Fixed - 4-directional d-pad, 2 Analog sticks
GCSWCAINBL000-0	R 863	Mad Catz C.A.T. 12 Ergonomic RGB Switch controller, Compatible with --> Switch / Lite / OLED model Switch, USB Type-C connector Type, 2 programmable buttons, 6-axis gyro Sensor motion control, charge your Switch while playing, Customizable 8-color RGB Lighting, Programmable rear trigger buttons, Adjustable dual-vibration
GCSWDOINWH003-0	R 1,093	Mad Catz C.A.T. 17 Customizable Ergonomic Game Controller; Hall Effect triggers and joysticks; 3 trigger actuation levels; remappable macro buttons; Bluetooth and wired USB; compatible with iOS, Android, Nintendo Switch and PC; KeyLinker app; adjustable dual vibration; up to 20 hours battery life; charging dock included; 154.2 x 72.5 x 111.1 mm; 358 g
GM1	R 459	Mecool GM1 Streaming Wireless Gamepad GM1, USB Type-C charger and Data cable, 1 x Smartphone stand, Li-Ion Battery, 10 m operating range, Bluetooth connectivity

GRB-G6D-DGT3BB-01	R 9,568	Thermaltake Racing G6 Direct Drive Combo, G6 Steering Wheel, Aluminum Alloy housing material, 6nm Peak Torque, 16 bits encoder Resolution, G6 Direct Drive wheel base, Microfiber leather wheel material, 13 inches size, G6 pedals, High-strength Steel material, 130mm pedal spacing
GRPCCAINBL000-0	R 4,715	Mad Catz M.2.X. Pro Force Feedback Racing Wheel, USB Type-C connector Type, Customizable RGB and effects, Force Feedback Technology, 900 degrees rotation with automatic wheel centering, Foldable 3-pedals with hall Sensor Technology, Six-speed gearshift
GX-SPEEDMASTER-X5	R 2,542	Genius x5 Force Feedback Racing Wheel with 6 R Shifter, USB-C connection Interface, 270 / 900 / 1080 degree wheel rotation degree, 3 pedals (Clutch / brake / accelerator), Direction buttons, Function buttons, Action buttons
KB-GCK-PLBLUS-01	R 1,079	Thermaltake Knucker 4 In 1 Gaming Kit - Keyboard, Mouse, Headphones and Mouse Pad
LOG-941-000112	R 5,122	Logitech G29 Racing Wheel for PS5 / PS4 / PC - USB, Dual-motor Force feedback, Solid Steel ball bearings Stainless Steel paddle shifters and pedals, Helical gears with anti-backlash, Responsive floor pedal unit, 941-000112
LOGI G SAITEK PRO 945-000004	R 2,590	Logitech G Saitek PRO Flight Yoke System; PC USB wired flight simulator controls; 5 axes and 25 programmable inputs; adjustable mounts; throttle quadrant included; customizable controller hardware
LOGI DF SHIFTER 941-000130	R 759	Logitech G920 racing Wheel Driving Force Shifter for G920 / G29 - six-speed H-pattern shifter with push-down reverse
LOGI F310 940-000138	R 337	Logitech Gamepad F310 - USB - EWR2i-934 - XID REFRESH
LOGI F710 940-000142	R 636	Logitech 940-000142 F710 Wireless Gamepad - 2.4GHZ - EWR2i-934 - Refresh. 4-switch D-pad for tactile control and dual vibration motors.
LOGI G Saitek PRO Flight 945-00000	R 2,590	Logitech Flight Rudder Pedals - simulation rudder pedals toe brake, USB connection Type, 945-000005
LOGI G X56 HOTAS RGB 945-000059	R 4,431	Logitech G X56 HOTAS RGB Throttle and Stick Simulation Controller; 189 programmable controls; 13 axes; dual independent throttles; hall effect sensors; RGB lighting; USB PC controller; Windows compatible
LOGI G29 941-000112	R 4,824	Logitech 941-000112 G29 Racing Wheel for Sony PS3/PS4, dual-motor force feedback, solid steel ball bearings stainless steel paddle shifters and pedals, Helical gears with anti-backlash, responsive floor pedal unit - USB. force feed back: Y - dual-motor, gear shifter: Y, gas/ brake padals: Y, leather grips: Y, sequential shifter: N, 900 wheel rotation: Y, interface: usb
LOGI G920 941-000123	R 4,222	Logitech G920 Driving Force Racing Wheel - USB - FOR Xbox One AND PC
LOGI G923 941-000149	R 6,814	Logitech Gaming Steering Wheel G923 TrueForce Sim Racing Wheel Pedals (PC; PS4; PS5)
Logitech Driving Force Shifter	R 919	Logitech Driving Force Shifter - USB, For G923 / G29 / G920 racing wheels, Six speeds with push-down Reverse gear, Steel and leather components for comfort and durability, Mounts securely to a racing rig
Logitech G29 Driving Force Racing W	R 4,944	Logitech G29 Driving Force Racing Wheel and pedals for PS & PC, Rotation 900 degrees lock-to-lock wheel, Hall-effect steering Sensor, Dual-Motor Force Feedback, Overheat safeguard, Wheel spokes anodized Aluminum, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating, Anodized Aluminum wheel spokes, 941-000114
Logitech G920 Driving Force Racing Wheel	R 4,944	Logitech G920 Driving Force Racing Wheel - USB, 900 degrees lock-to-lock rotation wheel, Hall-effect steering Sensor, Dual-Motor Force feedback, Overheat safeguard, Nonlinear brake pedal, Patented carpet grip system, Textured heel grip, Self-calibrating
M01328-MTBC	R 840	Hyperkin M01328-MTBC Official Miraculous Pixel Art Bluetooth Switch controller - Ladybug & Cat, Wireless Bluetooth, Retro Design with Modern Ergonomics
M01328-MTCN	R 840	Hyperkin M01328-MTCN Official Miraculous Pixel Art Bluetooth Switch controller - Cat Noir, Wireless Bluetooth, Retro Design with Modern Ergonomics
M01328-MTLB	R 840	Hyperkin M01328-MTLB Official Miraculous Pixel Art Bluetooth Switch controller - Ladybug, Wireless Bluetooth, Retro Design with Modern Ergonomics
M01328-TEHD	R 840	Hyperkin M01328-TEHD Official Tetris Pixel Art Bluetooth Switch controller - Heart Drop, Retro Design with Modern Ergonomics, Wireless up to 10m via Bluetooth, For Switch / Switch OLED model / Windows 10 / 11 / PC / Mac / Android / iOS
M01328-TEHG	R 840	Hyperkin M01328-TEHG Official Tetris Pixel Art Bluetooth Switch controller - Hyper Gradient, Retro Design with Modern Ergonomics, Wireless up to 10m via Bluetooth, For Switch / Switch OLED model / Windows 10 / 11 / PC / Mac / Android / iOS

M01328-TETS	R 840	Hyperkin M01328-TETS Official Tetris Pixel Art Bluetooth Switch controller - Tetrimino Stack, Retro Design with Modern Ergonomics, Wireless up to 10m via Bluetooth, For Switch / Switch OLED model / Windows 10 / 11 / PC / Mac / Android / iOS
M07058	R 357	Hyperkin M07058 GN6 Premium USB controller for PC/Mac, Eight-way directional pad, Six action buttos
M07148-BK	R 311	Hyperkin M07148-BK CirKa Premium USB controller for GameCube - Black, Analog Stick and c-stick, Four action face buttons, Compatible with PC and Mac
M07237	R 207	Hyperkin M07237 Screen Protector for Nintendo Switch, Screen Protector, Micro Fiber Cloth, Applicator card
M07238	R 322	Hyperkin M07238 EVA hard Shell carrying case, For Switch OLED / Switch / Switch Lite
M07247	R 633	Hyperkin M07247 Travel bag for Nintendo Switch/Lite, Protective padded Main storage area and compartments, Adjustable shoulder strap, Secures via Dual Zipper
M07263	R 265	Hyperkin M07263 Armor3 Tempered Glass Screen Protector 2 pack for Nintendo Switch, 2 screen protectors, 2 Micro Fiber cloths, 2 applicator cards
M07289	R 978	Hyperkin M07289 The Rook Travel bag for Nintendo Switch, Extra protective padding using grid foam, Modular compartments, Extra Security via two Heavy Duty clips
M07300	R 305	Hyperkin M07300 Scout Premium USB controller for PC/Mac
M07320-BK	R 344	CirKa saturn-style USB controller for PC / Mac - Black, 6-foot cable, USB compatibility with PC and Mac, Classic-style directional pad, Two responsive shoulder buttons, Six easily accessible face buttons
M07390-LG	R 690	Hyperkin M07390-LG RetroN S64 Console Dock for Nintendo Switch - Lime Green, For Switch / Switch Lite, Charges Console while you play, Charges up to three controllers or other devices via USB Ports
M07413	R 207	Hyperkin M07413 Screen Protector for Nintendo Switch Lite, Screen Protector, Microfiber Cloth, Applicator card
M07414	R 242	Hyperkin M07414 Tempered Glass Screen Protector 2 sets for Nintendo Switch Lite, Screen Protector, Microfiber Cloth, And applicator card
M07416	R 539	Hyperkin Armor3 Travel kit for Nintendo Switch Lite, 1x protective Travel Case, 1x Screen Protector, 1x protective Case (Grey), 1x 5 foot Type-C cable, 4x thumb grips (2 Black & 2 Light Gray), 1x Earbuds (White), 1x Microfiber screen wipe, 1x applicator card (Switch Lite not included)
M07417-BK	R 229	Hyperkin Silicone Skin for Nintendo Switch Lite - Black, Precision Cut for full Button Access, Protects Console controllers from damage, Helps Protect against dust and dirt (Switch not included)
M07417-TQ	R 229	Hyperkin Silicone Skin for Nintendo Switch Lite - Turquoise, Precision Cut for full Button Access, Protects Console controllers from damage, Helps Protect against dust and dirt
M07417-YE	R 229	Hyperkin Silicone Skin for Nintendo Switch Lite - Yellow, Precision Cut for full Button Access, Protects Console controllers from damage, Helps Protect against dust and dirt
M07436-GR	R 482	Hyperkin Foldable Case and Screen Protector Set for Switch Lite - Grey, Protects Console screen, has Tiny suction cups that securely hold IT in place, Ergonomic grip, Includes a Microfiber Cloth
M07436-TQ	R 482	Hyperkin Foldable Case and Screen Protector Set for Switch Lite - Turquoise, Protects Console screen, has Tiny suction cups that securely hold IT in place, Ergonomic grip, Includes a Microfiber Cloth
M07467-BK	R 633	Hyperkin " NuChamp" Wireless game controller for Nintendo Switch (Black) - Armor3, Bluetooth controller, Motion controls, Force feedback, Rechargeable Battery lasts 8-10 hours, Remappable Pro paddle buttons
M07467-RR	R 633	Hyperkin " NuChamp" Wireless game controller for Nintendo Switch (Ruby Red) - Armor3, Bluetooth controller, Motion controls, Force feedback, Rechargeable Battery lasts 8-10 hours, Remappable Pro paddle buttons
M07467-TQ	R 633	Hyperkin " NuChamp" Wireless game controller for Nintendo Switch (Turquoise) - Armor3, Bluetooth controller, Motion controls, Force feedback, Rechargeable Battery lasts 8-10 hours, Remappable Pro paddle buttons
M07467-WH	R 633	Hyperkin " NuChamp" Wireless game controller for Nintendo Switch (White) - Armor3, Bluetooth controller, Motion controls, Force feedback, Rechargeable Battery lasts 8-10 hours, Remappable Pro paddle buttons
M07482-BU	R 240	Hyperkin Silicone Skin for PS5 DualSense - Blue, Protects your controllers from the wear and tear of Daily usage, Bump and scratch protection, Adds additional grip and moisture protection
M07482-WH	R 240	Hyperkin Silicone Skin for PS5 DualSense - White, Protects your controllers from the wear and tear of Daily usage, Bump and scratch protection, Adds additional grip and moisture protection (Controller not included)
M07483-BK	R 288	Hyperkin M07483-BK EVA Hard Shell carrying case for PS5 DualSense controller - Black, All-around Zipper, Internal Mesh Pocket

M07483-WH	R 288	Hyperkin EVA Hard Shell carrying Case for DualSense / PS5 controller - White, All-around Zipper keeps device Secure, Internal Mesh Pocket
M07507	R 426	Hyperkin Armor3 Dual Controller charging station for PS5, LED charging indicators, USB Type-C Power cable
M07522	R 276	Hyperkin M07522 Armor3 DualSense PS5 controller stand - Black, Type-C Port on controller fully accessible, Display your controller
M07526-BK	R 919	CirKa NuForce Wired game controller for PS4/pc - Black, Vibration feedback, Motion sensing Technology, Front Speaker and Light Bar, 2x Analog sticks, D-Pad, USB, Bluetooth, 14 buttons
M07529	R 288	Hyperkin Armor3 Tempered Glass Screen Protector 2 pack for Nintendo Switch OLED, 2x screen protectors, 2x Microfiber cloths, 2x applicator cards
M07530	R 253	Hyperkin M07530 Armor3 Tempered Glass Screen Protector for Nintendo Switch OLED, Screen Protector, Microfiber cloths, Applicator cards
M07531	R 219	Hyperkin M07531 Screen Protector for Nintendo Switch OLED, Screen Protector, Microfiber cloths
M07532	R 828	Hyperkin M07532 Armor3 17-in-1 accessory Party kit for Nintendo Switch, 2x Silicone skins for Joy-Con controllers, 2x Pro Handle attachments, 2x Racing wheels, 4x thumb grips, 4x Crystal case, 2x Screen Protector, 1x Microfiber Cloth
M07535	R 512	Hyperkin M07535 Armor3 external cooling fan for PS5, Attaches /detaches easily into the rear vent of your Console, Provides a USB 2.0 passthrough, Convenient Power Button
M07541-DGTN	R 529	Hyperkin EVA hard Shell carrying case - TheOdd1sOut official Dogtown Edition, For Switch OLED / Switch /Switch Lite
M07541-MTBC	R 454	Hyperkin M07541-MTBC Official Miraculous EVA Hard Shell carrying case - Ladybug / Cat Noir, Durable Double Zipper, Foam insert for Nintendo Switch Lite, Velcro to Secure the Console
M07541-MTCN	R 454	Hyperkin M07541-MTCN Official Miraculous EVA Hard Shell carrying case - Cat Noir, Durable Double Zipper, Foam insert for Nintendo Switch Lite, Velcro to Secure the Console
M07541-MTLB	R 454	Hyperkin M07541-MTLB Official Miraculous EVA Hard Shell carrying case - Ladybug, Durable Double Zipper, Foam insert for Nintendo Switch Lite, Velcro to Secure the Console
M07541-TECG	R 454	Hyperkin M07541-TECG Limited Edition Official Tetris EVA Hard Shell carrying case - Tetris Effect Connected Galaxy, Durable Double Zipper, Foam insert for Nintendo Switch Lite, For Switch OLED / Switch / Switch Lite
M07541-TEHD	R 454	Hyperkin M07541-TEHD Limited Edition Official Tetris EVA Hard Shell carrying case - Heart Drop, Durable Double Zipper, Foam insert for Nintendo Switch Lite, For Switch OLED / Switch / Switch Lite
M07541-TEHG	R 454	Hyperkin M07541-TEHG Limited Edition Official Tetris EVA Hard Shell carrying case - Hyper Gradient, Durable Double Zipper, Foam insert for Nintendo Switch Lite, For Switch OLED / Switch / Switch Lite
M07544-BU	R 316	Hyperkin M07544-BU Pixel Art Universal controller stand - Blue, for XBox / PlayStation / Switch
M07544-CL	R 316	Hyperkin M07544-CL Pixel Art Universal controller stand - Clear, for XBox / PlayStation / Switch
M07544-PI	R 316	Hyperkin M07544-PI Pixel Art Universal controller stand - Pink, for XBox / PlayStation / Switch
M07544-TL	R 316	Hyperkin M07544-TL Pixel Art Universal controller stand - Teal, for XBox / PlayStation / Switch
M07544-YE	R 316	Hyperkin M07544-YE Pixel Art Universal controller stand - Yellow, for XBox / PlayStation / Switch
M07560	R 512	Hyperkin M07560 UltraBeam projecting charging handles for Joy-Con, Four charging slots for Joy-Cons, Projects the Official hyperkin logo onto the below Surface, Included Type-C cable for Power
M07563	R 1,541	Hyperkin M07563 Let ' s Game Anywhere " Overworld" Backpack for PS5, Compartments for PS5 and accessories, External USB Port for device charging, Padded adjustable straps
M07567	R 253	Hyperkin M07567 Armor3 Multi-Angle Folding stand for Nintendo Switch OLED, 3 adjustments for optimal viewing angle, Compactly folds for portability and Easy storage
M07601	R 288	Hyperkin M07601 Pro Handle Attachment Set 2 pack for Switch Joy-Con - Blue/Red, Easy-access SL and SR shoulder buttons, Easy to attach and remove
M07602	R 305	Hyperkin Racing Wheel Set 2 pack for Joy-Con - Blue/Red
M07611	R 367	Hyperkin Full Body Silicone Protective Skin for PlayStation Portal
M07612	R 263	Hyperkin Temper Glass Screen Protector For PlayStation Portal (2 Pack) (Device not included)
M07617	R 321	RepairBox PS5 Console stand - Digital Edition, Simple installation, Flexible orientation, Unrestricted Access, Sleek Black finish. PS5 Digital Edition; Console Stand; Vertical/Horizontal; Non-slip base; Black finish; Tool-free

		installation; Full port access; Stable support
M07618	R 321	RepairBox PS5 Console stand - disc Edition, Simple installation, Flexible orientation, Enhanced stability, Unrestricted Access
M07619-BKHE	R 863	Hyperkin Armor3 NuRival Wireless hall effect Stick game controller for Switch - Black, Multicolour RGB, Hall effect sticks, Mappable profiles, Builtin Turbo Button
M07619-WHHE	R 863	Hyperkin Armor3 NuRival Wireless hall effect Stick game controller for Switch - White, Multicolour RGB, Hall effect sticks, Mappable profiles, Builtin Turbo Button
M07632-BK	R 516	Hyperkin Armor3 Game N ' Charge Battery kit for XBox Series X - Black, 30 hours of continuous gameplay, Rechargeable 800 mAh Battery, 10-foot charging cable, Micro USB to USB Type-C Adapter (Note that this is a battery kit)
M07632-WH	R 516	Hyperkin Armor3 Game N ' charge Battery kit for XBox Series X - White, 30 hours of continuous gameplay, Rechargeable 800 mAh Battery, 10-foot charging cable, Micro USB to USB Type-C Adapter (Battery kit only)
M07636	R 1,494	Hyperkin Hyper jammer Wireless Guitar for PC / PS3, Built for Guitar Hero / Rock band / Clone Hero, Wireless connectivity, Responsive strum & fret buttons, Classic whammy bar
M07708-BK	R 470	Hyperkin GigaBlast Black Dual Controller Super Charging Station for PS5 DualSense
M07708-WH	R 436	Hyperkin GigaBlast White Dual Controller Super Charging Station for PS5 DualSense
M07713	R 217	Hyperkin Pro Series Controller Thumb Grips (8 Pack)
M07715	R 401	Hyperkin SwiftGrip Pro Ergonomic Grip with Built-In Game Card Storage for Nintendo Switch 2
MOZA-EMERGENT	R 850	Moza Emergent Stop Switch, Crafted from Aluminum Alloy, Personalized protection with multiple modes
MOZA-KS	R 4,857	Moza KS Steering Wheel, 300mm standard GT wheel, Aluminum Alloy paddle material, 2 Magnetic Shifter paddles, 2 Clutch paddles, 10 Luminous short Travel buttons, 2 joysticks (Depressible), 2 thumb encoders, 3 rotary encoders, Non-contact hall Sensor
MOZA-SRP	R 1,017	Moza SR-P Clutch pedal, Moza SR-P Clutch is designed to be attached to the SR-P 2 pedal Set, The Anti-Slip Mat at the bottom prevents the pedal from slipping, Adjustable pedal spacing
MOZA-SRPCOMBO	R 3,161	Moza SR-P pedal Set of 2 - No Clutch, High Precision Pressure Sensor for up to 75kg, 16-bit high Precision Magnetic encoder, Adjustable pedal spacing, Braking Spring and damping Block combined
MOZA-SRPKIT	R 457	Moza SR-P accessory kit, Creating 6 different foot feel combinations, Increasing damping and shortening braking distance
MOZA-SRPR5	R 1,017	Moza SR-P Lite Clutch pedal for R5 Bundle, Clutch ADD-ON for R3 & R5 Bundle
MOZA-UNIHUB	R 1,252	Moza Universal Hub kit, Moza base Adapter, Dual Power Supply system, Multiple Input Ports, One Adapter fits multiple wheelbase, CNC machined aluminum Body
MUL158	R 12	Genius Maxfire USB Mini Pad, Turbo button, Slim design, 8-way buttons, plug & Play, slim USB game pad
MUL220	R 29	Genius Pandora Mini Game Pad, USB, Turbo Function Key, High Precision 8-way D-pad, 8-function buttons include 2 triggers, 1 year warranty. The compact Genius MUL220 MaxFire Pandora Mini Game Pad lets you enjoy casual PC gaming with precision and portability. With turbo functionality, 8-way D-pad, and retractable USB cable, itâ€TMs perfect for notebooks and travel.
MUL427	R 58	Genius Maxfire Grandias Turbo USB Gamepad, High precision 8-Way D-pad & 8 action buttons include triggers, USB Plug & Play
MUL440	R 45	Genius MaxFire G-08X2; USB wired PC gamepad; 8 programmable action buttons; 8-way D-pad; 1.2 m cable; black; 142 x 104 x 35 mm; 103 g; Plug-and-Play; Windows 7/Vista/XP/2000/ME/98SE
PCB_GC_NAVIGATOR-LITE	R 2,395	PCBuilder Navigator Lite Gaming Chair, Class 3 gas Lift, 320mm Nylon base material, 2D armrest (2 directions), Moulded foam seat material, Scratch-resistant PU leather chair cover material, 60mm castor wheels, Steel Frame construction, 120kg weight limit
PCB_PS_DAYTONA	R 5,597	PCBuilder Daytona Racing Simulator Cockpit, Direct Drive compatible, Monitor Mount, 32" to 50" compatible Monitor size, Monitor lock plate, 180mm seat gliding Track, Cold-foam & PVC leather with high quality Anti-Scratch finish seat material, Up to 100kg weight limit, Compatible wheel systems - fanatec / Logitech / Moza / PXN / simagic / Thrustmaster
PS4	R 184	Microworld PS4 Wired controller
PXN-2119PRO	R 1,348	PXN 2119 Pro Flight Simulator Joystick, 16 programmable buttons, 4-way axis, 8-way hat Switch, Dual-Motor

		Vibration Function, Progressive adjustable throttle, Rapid Fire trigger
PXN-A10	R 1,424	PXN A10 Gaming Racing Wheel Foldable stand, Carbon structured Steel Q235 material, Convenient Foldable Design, Adjustable knobs for setting and quick-folding, Height and slope adjustment, Supports - PXN / Moza / fanatec steering wheels
PXN-A11	R 1,502	PXN A11 Gaming Racing Wheel Foldable stand, Carbon structured Steel Q235 material, Adjustable knobs for setting and quick-folding, Height and slope adjustment, Supports - PXN / Moza / fanatec steering wheels
PXN-A9	R 1,314	PXN A9 Gaming Steering Wheel Foldable Stand, Carbon Structured Steel Q235 Material, Adjustable knobs for setting and quick-folding, Supports - PXN / Fanatec / Logitech / Thrustmaster steering wheels
PXN-CB1	R 1,421	PXN CB1 control Button box, Wired connection Type, 30 programmable buttons, Linkage lever buttons, RGB Lighting customization, Variety of Switch types
PXN-F16	R 677	PXN F16 Flight Joystick for PC, USB Wired connection, 8-way Hat Switch, Programmable buttons, Rapid-fire trigger, Directional control Joystick, Throttle valve for more Precision, Vibration control Switch, Anti-Slip Silicone pads for more grip
PXN-HBS	R 1,347	PXN HB S Dual-Mode 16-bit USB electronic Racing handbrake, Aluminium Alloy material, Wired connection (USB)
PXN-N7	R 562	PXN N7 PS4 and PS5 USB Adapter, Racing Wheel and Joystick converter, Compatible with PXN wheels V3 / V9 / V900 / V9 Gen2 / V900 Gen2
PXN-P5 8K	R 750	Corsair PXN P5 8K Wireless Gaming Controller - Black, Wired and Wireless connection support, Black and Purple Colour, 8K Chip Precision Input Technology, Capacitive Joystick for analogue movement, Includes 2.4GHz USB Receiver, USB cable included in Box
PXN-PDHMCCLUTCH	R 564	PXN PD HM Hall-Effect Clutch pedal for SIM Racing, All-metal (Carbon Steel Aluminum) material, Hall effect Magnetic sensors, Spring & damper kit, Connectivity - USB Type-A / USB Type-C / RJ11, Compatibility - PXN V10 Pro / V10 Ultra / VD Series / PC
PXN-SFU	R 1,273	PXN SF U 7-speed H-pattern shifter; 7 R reverse gear; USB RJ11 connection; PC PS4 Xbox compatible (via PXN base); sim racing accessory; black housing; plug and play; slot guided shifting; 16-bit sensor; desktop racing setup
PXN-V10ULTRA	R 4,503	PXN V10 Ultra 270 / 900 degrees 3.2nm Direct Drive USB Steering Wheel with hall effect Dual pedals, USB Wired connection, 3.2nm Direct Drive motor, Hall effect sensors in the pedals for accurate Input
PXN-V12LITE BUNDLE	R 9,199	PXN V12 Lite SIM Racing Steering Wheel Bundle, V12 DDL wheel base with Servo direct Drive motor, Racing Magnetic Carbon Fiber dual-paddle Shifter Design, Racing-grade 6 Series Aluminium Alloy Body, Detachable Design with quick-release connector
PXN-V3PRO	R 1,122	PXN V3 Pro Gaming Steering Wheel, USB Wired connection, Up to 180 degrees Linear steering, 2x adaptive angle Linear pedals, Dual Vibration Motor, Suction cups on base for extra grip
PXN-V900GEN2	R 1,727	PXN V900 Gen2 Gaming Steering Wheel, USB Wired connection, Switch between 270 and 900 degrees of Steering Wheel rotation, 16-bit Magnetic encoder for more precise movement of the wheel in Real Time, High Precision Racing dual-paddle Design, Hall Magnetic Linear 2 foot pedal, Dual Vibration motors, Cyber style RGB Lighting effect
PXN-V99	R 3,749	PXN V99 Force feedback Steering Wheel, USB Wired connection, Switch between 270 and 900 degrees of Steering Wheel rota, 3nm Dual-Motor with Force feedback, Hall Magnetic induction 3 foot pedal, 6 1 gear Shifter
PXN-V9GEN2	R 2,248	PXN V9 Gen 2 Gaming Steering Wheel, 16-bit Magnetic encoder for more precise movement of the wheel, High Precision Racing dual-paddle Design, 6 1 gear Shifter, Hall Magnetic Linear 3 foot pedal, Built-In Dual Vibration motors, Cyber style RGB Lighting effect
PXN-VD4BUNDLEABT	R 5,926	PXN VD4 Direct Drive SIM Racing Wheel & PD-HM Dual pedal & Z8 Clamp Bundle, Wired connection, True Force Feedback, Direct Drive motor, Dual-pedal Set with Magnetic hall sensors
PXN-VD6BUNDLEABT	R 7,503	PXN VD6 direct Drive SIM Racing Wheel & pd-hm Dual pedal & Z9 clamp Bundle, 28cm wheel size, Microfiber leather grip material, Aluminium Alloy Frame material, 2 paddle shifters, 19 programmable buttons, 6 nm Torque (Constant), 95% motor efficiency, 4-position adjustable clamp Tilt, 7 cm Max Desk thickness, Full-metal construction pedal Set material
PXN-WGTL	R 3,002	PXN GT one 300mm Racing Steering Wheel, Compatible with PXN VD4 / VD6 / VD10 / Z ES wheelbases, Connects via Standard USB connection to PC, Features optional Z qs Quick Release with 50-70mm Bolt hole

		spacing
RD-G807	R 223	Redragon SATURN Wired X/D-input (Digital/Analog) PC Controller Black, Two analog joysticks on a single controller, Turbo mode, Vibration feedback, Wired controller
RD-G808	R 378	Redragon HARROW Wireless X/D-input(Digital/Analog) PC Controller Black, Two analog joysticks, 8-way D-Pad, Extremely durable rubberized coating, Vibration feedback
TX3-FLEX-PRO-MB	R 8,509	Thunderx3 TEGC-3076101.12 Flex Pro Mesh Black Ergonomic Chair. 19D adjustability; breathable mesh back; SYNC6 mechanism; 5D 360° armrests; load capacity 125kg; weight 25.5kg; colour Mesh Black
TX3-SOLO 360-MB	R 3,784	Thunderx3 TEGC-2081101.11 SOLO 360 Mesh Black Ergonomic Chair. ergonomic mesh back 6D adjustability 3D x 360 armrests class-4 gas lift up to 125kg weight 21kg product weight
TX3-SOLO 360-MDB	R 3,439	Thunderx3 TEGC-2083101.11 SOLO 360 Modern Black Ergonomic Chair. Ergonomic Premium Chair Modern Black 50-125kg Weight Capacity Synchronous Tilt Depth Adjustable Armrests
TX3-XTC-MB	R 4,819	Thunderx3 TEGC-3054101.11 XTC Mesh Black Ergonomic Chair. Seat width: ~53cm; Seat depth: ~52-57cm; Height: 118-126cm; Weight: 22.1kg; Load: ~125kg; Mesh back, 3-direction armrests; SYNC5 mechanism; Ergonomic office/gaming chair
VW-901	R 173	Microworld VW-901 Digital Game Console for Brick games, Digital Game Controller designed for Brick games, LCD screen size is 85 x 40 mm, Requires 2 AAA Batteries (Not included), Packaged in an open Clamshell case.
VW-H6	R 69	Microworld VW-H6 Mobile game controller with fan
VW-K21	R 46	Microworld VW-K21 new tooling Mobile PUBG Gamepad
VW-P3	R 138	Microworld VW-P3 PS3 Bluetooth Gamepad
VW-P45	R 144	Microworld VW-P45 PS4 Wired Gamepad
VW-P49S	R 259	Microworld VW-P49S PS4 Wireless Gamepad
VW-PC01	R 114	Microworld VW-PC01 USB 2.4G Gamepad
VW-PC11	R 69	Microworld VW-PC11 PC USB Gamepad
VW-SR	R 92	Microworld VW-SR Mobile game controller with fan
VW-X9S	R 748	Microworld VW-X9s steering wheel support for PS4 / PS3 / XBox
VW-XB01	R 184	Microworld VW-XB01 XBox 360 Wired Gamepad
VX-111-BK	R 207	Volkano VX Gaming Command Series Bluetooth Gamepad, Built in Lithium Battery, Range up to 10 m
VX-132-BKRD	R 690	Volkano VX Gaming Precision Series PlayStation 4 Wireless controller - Black and Red, Built-In 600 mAh polymer Battery, Built-In Speaker and Microphone, VX-132-BKRD
VX-160-CL	R 437	Volkano VX Gaming Classic 2.0 Series Game Station with 2 controllers - Clear, 300 built in games, Classic 8 Bit system
VX-160-GR	R 322	Volkano VX Gaming Classic Series Game Station with 2 controllers, Classic 8-bit TV Gaming station, 620 Classic 8-bit games Pre-Installed, Audio/Video cable included, VX-160-GR
VX-161-BK	R 517	Volkano VX Gaming Nostalgia Series handheld Retro Game Station with 4GB Micro SD - Black, 3.0" LCD screen size, 3.7V removable Lithium polymer Battery
VX-161-RD	R 735	Volkano VX Gaming Nostalgia Series handheld Retro Game Station with 4GB Micro SD - Red, 3.0" LCD screen size, 3.7V removable Lithium polymer Battery, includes 2000 Classic games (Games are from these classic consoles: NES, GBA, MD, SFC, Arcade machines)
VX-189-BK	R 287	Volkano VX Gaming Relieve Series Handheld Gaming machine - Black, 500 games built in, 60mm screen
VX-200-BK	R 437	Volkano VX Gaming Quirk Series Handheld Gaming Machine, 300 built in games
VX-202-BK	R 287	Volkano VX Gaming tetro Series Handheld Gaming machine, 300 games, 70mm LCD svreen
VX155BK	R 303	Volkano VX Gaming Retro 2.0 Series Arcade Gaming machine - 500-IN-1, Built-In Rechargeable Battery, Includes AV cable for TV Display, Includes 500 Classic games, VX-155-BK

< Return to the menu

Nintendo consoles / Wii / Wii U / Switch / Switch 2

Nintendo consoles / Wii / Wii U / Switch / Switch 2 : Nintendo console accessories / controllers

Product code	Price	Description
DS-JCD620	R 673	J5 Create JCD620 - Nintendo Switch USB-C docking station, HDMI 4K, USB-A, PD passthrough

M07467-BUOR	R 712	Armor3 NuChamp Blue/Orange Wireless Switch Controller
M07619-BUOR	R 919	Armor3 NuRival Blue/Orange Wireless Hall Effect Stick Game Controller For Switch
M07710	R 712	Hyperkin Travel Kit for Nintendo Switch 2
M07711	R 344	Hyperkin EVA Hard Shell Carrying Case for Nintendo Switch 2
M07712	R 298	Hyperkin Tempered Glass Screen Protector for Nintendo Switch 2 (2 Pack) (Switch not included)
M07714-BK	R 298	Hyperkin GelShell Black Silicone Skin for Nintendo Switch 2
M07714-OQ	R 298	Hyperkin GelShell Opaque Silicone Skin for Nintendo Switch 2
M07716	R 344	Hyperkin Racing Wheel Set for Nintendo Switch 2 Joy-Cons (2 Pack)
M07717	R 378	Hyperkin Pro Handle Attachment Set for Nintendo Switch 2 Joy-Cons (2 Pack)
M07718	R 470	Hyperkin Power Spire Joy-Con 2 Charging Dock for Nintendo Switch 2
M07719	R 562	Hyperkin Power Beacon Joy-Con 2 Charging Tower for Nintendo Switch 2
M07720	R 298	Hyperkin 3-in-1 Travel Kit for Nintendo Switch 2 Joy-Cons
M07721	R 493	Hyperkin Starter Kit for Nintendo Switch 2
M07722	R 723	Hyperkin Warden Overnight Travel Case for Nintendo Switch 2
M07723	R 585	Hyperkin Let's Game Anywhere Bolt Sling Bag for Nintendo Switch 2
M07725	R 585	Hyperkin UltraBeam II Projecting Charging Handles for Nintendo Switch 2 Joy-Cons
M07726	R 263	Hyperkin Protective Clear Case for Nintendo Switch 2
WII002	R 92	Microworld Wireless Nintendo Wii Nunchuck Control

< Return to the menu

PlayStation

PlayStation : PlayStation 3 - Peripherals

Product code	Price	Description
10206612	R 349	Codemaster Clive Barker's Jericho - GAME - (PS3), Retail Box, No Warranty on Software

< Return to the menu

PlayStation : PlayStation 4 - Peripherals

Product code	Price	Description
PS4-PGMK-PB	R 235	Nitho Ps4 Gaming Kit Camo, Set Of Enhancers For Ps4 Controllers
PS4-SMA2-K	R 217	Nitho Ps4 Smart Charging Station, Charging Station For 2 Ps4 Controllers - Charging Cable 1m. PS4 controller smart charging station; dual cradle; USB charging; LED indicators; compact design; model PS4-SMA2-K; weight 0.25kg; dimensions 15 x 10 x 4 cm

< Return to the menu

PlayStation : PlayStation 5 - Console

Product code	Price	Description
10261954	R 13,499	Sony PlayStation 5 Slim Fortnite Bundle Disc Edition - Custom AMD Zen 2 8-core CPU, Up to 4K UHD via HDMI 2.1 Display, 16GB GDDR6 Memory, 1TB NVMe SSD, AMD RDNA 2 GPU, Wi-Fi 6, Bluetooth 5.1, Ethernet, USB 3.2, HDMI 2.1 Connectivity, DualSense Controller with Haptic Feedback, PlayStation Network Security Features, Fortnite Flowering Chaos Exclusive Cosmetics, 1,000 V-Bucks Additional Features, Retail Box

< Return to the menu

PlayStation : PlayStation 5 - Peripherals

Product code	Price	Description
10233476	R 1,099	Sony PlayStation 5 Hardware - PS5 Full HD (1920x1080) Camera, Retail Box
M07727	R 401	Hyperkin Protective EVA Hard Shell Carrying Case for PlayStation Portal
M07731	R 631	Hyperkin Essental kit for PlayStation Portal
M07735-BK	R 413	Hyperkin Black PowerArc Charging Dock for PlayStation Portal
M07735-WH	R 413	Hyperkin White PowerArc Charging Dock for PlayStation Portal

< Return to the menu

PSP

PSP : PSP Gear

Product code	Price	Description

< Return to the menu

PSP : PSP peripherals

Product code	Price	Description
10204178	R 529	2K Games NBA 2K7 Playstation(PS3), Retail Box, No Warranty on Software
PP-MPSP3	R 15	Moby PSP-3 3in1 Protective Paster with Nano silica film - for sony PSP, self-adhesive, 3 pieces for complete PSP surface protection, PSP not included

< Return to the menu

Xbox

Xbox : Xbox accessories - non-electronic

Product code	Price	Description
M07506	R 1,438	Hyperkin M07506 The Rook Travel bag for XBox Series X, Modular compartments, Adjustable shoulder strap, Extra protective padding using grid foam, Secured via two Heavy Duty clips and Hook-and-Loop fasteners
M07521	R 276	Hyperkin M07521 Armor3 controller stand for Xbox controller - Black, Type-C Port on controller fully accessible, Display your controller (Stand only, controller not included)

< Return to the menu

Xbox : Xbox console

Product code	Price	Description

< Return to the menu

Xbox : Xbox peripherals

Product code	Price	Description
EH-S2000GK+G	R 2,182	Seagate STKX2000400 Game drive for xbox, black with Green LED, 2Tb/2000gb (2.5" , 5400rpm), USB3.0(USB 2.0 backward compatible), 123x81x22mm
M01368-BK	R 1,035	Hyperkin M01368-BK Xenon Wired Xbox controller - Black, Precision Impulse triggers, 3.5mm Headset jack plug, Enhanced Tactile feedback, Extra Long USB-C cable
M01368-CN	R 1,035	Hyperkin M01368-CN Xenon Wired Xbox controller - Cosmic Night, Precision Impulse triggers, 3.5mm Headset jack plug, Enhanced Tactile feedback, Extra Long USB-C cable
M01368-PI	R 1,035	Hyperkin M01368-PI Xenon Wired Xbox controller - Pink, Precision Impulse triggers, 3.5mm Headset jack plug, Enhanced Tactile feedback, Extra Long USB-C cable
M01368-RD	R 1,035	Hyperkin M01368-RD Xenon Wired Xbox controller - Red, Precision Impulse triggers, 3.5mm Headset jack plug, Enhanced Tactile feedback, Extra Long USB-C cable
M01368-TG	R 1,035	Hyperkin M01368-TG Xenon Wired Xbox controller - Twilight Galaxy, Precision Impulse triggers, 3.5mm Headset jack plug, Enhanced Tactile feedback, Extra Long USB-C cable
M01368-WH	R 1,035	Hyperkin M01368-WH Xenon Wired Xbox controller - White, Precision Impulse triggers, 3.5mm Headset jack plug, Enhanced Tactile feedback, Extra Long USB-C cable
M01618-BK	R 1,093	Hyperkin M01618-BK DuchesS Wired controller for XBox Series X - Black, For XBox Series X / XBox Series S / Xbox One / Windows 10 & 11, Hall effect sticks with Zero Drift, Impulse triggers with Enhanced Tactile Feedback, Added bumpers that mirror the Functionality of the Black and White Buttons
M01618-WH	R 1,093	Hyperkin M01618-WH DuchesS Wired controller for XBox Series X - White, For XBox Series X / XBox Series S / Xbox One / Windows 10 & 11, Hall effect sticks with Zero Drift, Impulse triggers with Enhanced Tactile Feedback, Added bumpers that mirror the Functionality of the Black and White Buttons

M02628-BK	R 909	Hyperkin M02628-BK X91 Retro Wired XBox controller - Black, Share Button for XBox Series X / XBox Series S, Precision Analog triggers, 3.5 mm Headset jack
M02628-RR	R 909	Hyperkin M02628-RR X91 Retro Wired XBox controller - Ruby Red, Share Button for XBox Series X / XBox Series S, Precision Analog triggers, 3.5 mm Headset jack
M02628-WH	R 909	Hyperkin M02628-WH X91 Retro Wired XBox controller - White, Share Button for XBox Series X / XBox Series S, Precision Analog triggers, 3.5 mm Headset jack
M02668-ANBK	R 1,955	Hyperkin M02668-ANBK Xbox 20th Anniversary Limited Edition Duke Wired Xbox controller - Black, Bumpers Mirror Black & White buttons, Precision Analog triggers, Detachable Braided Type-C cable, Vibration feedback, 3.5mm Headset jack
M02668-ANWH	R 1,955	Hyperkin M02668-COR Xbox 20th Anniversary Limited Edition Duke Wired Xbox controller - White, Bumpers Mirror Cortana & White buttons, Precision Analog triggers, Detachable Braided Type-C cable, Vibration feedback, 3.5mm Headset jack
M02668-COR	R 1,955	Hyperkin M02668-COR Xbox 20th Anniversary Limited Edition Duke Wired Xbox controller - Cortana, Bumpers Mirror Cortana & White buttons, Precision Analog triggers, Detachable Braided Type-C cable, Vibration feedback, 3.5mm Headset jack
SND-X1-EU	R 349	Xitel Sound Around for Xbox 360 DVD Audio from 2 Speakers,Digital Signal Processor,SRS TruSurround XT, Remote Control - Infrared
STJR1000400	R 4,586	Seagate 1.0TB XBOX Series X and Series S Expansion Card Add-on Storage - Expand your console ' s storage capacity
STKX2000400	R 2,476	Seagate 2.0TB 2.5" XBOX Portable Drive - Black with RGB Lighting - Up Your Game and Expand your XBOX ONE Storage
STKX4000402	R 3,279	Seagate 4.0TB 2.5" XBOX Portable Drive - Black with RGB Lighting - Up Your Game and Expand your XBOX ONE Storage
VW-XB03	R 380	Microworld VW-XB03 Xbox One Wired Gamepad
VX-127-BK	R 408	Volkano VX Gaming critical Series charging stations and Battery packs for Xbox One, Charging Dock features Ports for two controllers and includes two additional batteries, Battery packs Can be hot-swapped for quick recharging, 2x 800mAh Battery packs
XBOX360VGACAB	R 69	Microworld XBox 360 VGA Cable; 720p gaming; 480p progressive-scan DVD playback; DB15-S VGA connector; shielded cable; audio Y-adapter; video socket adapter

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Glasses / eyeware

3D Glasses

Product code	Price	Description
99H12249-00	R 2,861	HTC Vive Wrist Tracker for Focus 3; 6 DoF tracking; Bluetooth connectivity; USB-C charging; 4 hour battery; wrist wearable; object tracking capable; professional VR use
99HANN033-00	R 4,425	HTC VIVE Wireless Adapter (For HTC Vive and HTC Vive Pro) - battery not included (reuqires 99HAMR002-00)
LM-Pro-Glas-R	R 10,868	Viture Luma Pro XR Glasses with 152" 120Hz 1200p Micro OLED Virtual Display, LM-Pro-Glas-R, Virtual Display at 3m, Ultra sharpness with no blurry edges, 9-level brightness & Volume control with On-Screen Display, 5 Colour mode selection, SGS a Eye Care with axis adjustments, Harman AudioEFX acoustic system, Built-In spatial Sound Speakers, 108% sRGB colours, 1000 nits Peak perceived brightness, No batteries
LM-Ultra-Glas-XR	R 12,903	Viture Luma Ultra XR Glasses with 152" 120Hz 1200p Micro OLED Virtual Display, Harman AudioEFX acoustic system, Built-In spatial Sound Speakers, 9 levels Sound adjustment, Magnetic pogo pin connection, 1920(h)x1200(v) per eye Micro OLED Display Resolution, 108% sRGB colours, 1250 nits Peak perceived brightness, 9 levels brightness control, 152" 120Hz 1200p Virtual Display at 3m, Hand gestures support, Direct connection to virtually any USB-C device, No Built-In Battery, Regular (IPD 58-70mm) size, Augmented with AR capabilities designed for Power users and Business professionals alike

Pro-MbDk-Blk	R 2,673	Viture Pro Mobile Dock, 13000mAh Battery capacity, Up to 20 hours with HDMI devices Battery Life, HDMI 1.4, USB-C1 Input supports PD 2.0, USB-C1 Output, USB-C2 Output, USB-C3 Output, Compatibility of USB-C2 & USB-C3 - Viture Pro / Viture one / Viture one Lite XR Glasses
Pro-NkBd-256	R 8,253	Viture Pro Neckband 12GB RAM 256GB storage, Up to 4 hours Battery Life, Connectivity - USB-C Display supported / Bluetooth, Hand gesture interaction, 90Hz Video Output, 3DoF, Multi-Screen support, Compatible with --> viture Luma Pro XR Glasses / viture Luma Ultra XR Glasses

< Return to the menu

Glasses for computers

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

GPS

GPS Accessories

Product code	Price	Description
9UUA.001.58	R 265	TOMTOM 9UUA.001.58 4.3" & 5" Soft Carry Case Bul
9UUA.001.62 Special CLEARANCE	R 264	(On Promotion) TOMTOM 9UUA.001.62 - 5" Budget Carry Case - universal carry case for Tom Tom GPS and tablets up to 5" screens
USB730FL-S	R 344	CHRONOS GPS, USB DONGLE W/DATA LOGGER

< Return to the menu

GPS units

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Graphics cards

AMD PCIe x16 Graphics cards

Product code	Price	Description
AKR230D3S2GL1	R 861	Arktek AMD Radeon R5 230 2GB DDR3 64-bit HDMI / DVI / VGA Graphics Card. The Arktek Radeon R5 230 2 GB DDR3 graphics card is a compact, lowâ€'power option for basic graphics needs and older games. Supports HDMI, DVI, VGA and up to 4K resolution.
AKR550D5S4GH1	R 2,586	Arktek AMD Radeon RX550 4GB GDDR5 128-bit HDMI / DVI / DP Graphics Card. The Arktek Radeon RX 550 4 GB GDDR5 graphics card is an efficient, lowâ€'power upgrade for basic 1080p gaming, media, and multiâ€'display use. Features FreeSync, VSR and no external power needed.
ASUS PRIME-RX9070XT-O16G	R 22,483	Asus Prime AMD Radeon RX 9070 XT OC Edition 16GB GDDR6 PCI-e 5.0 x16 Graphics card, 20 Gbps Memory Speed, OpenGL 4.6, 4096 Stream processors, 256-bit Memory Interface, 4 Maximum Display support, 3x 8 pin Power connectors, 2.5 slot slot, 1x HDMI 2.1b, 3x DisplayPort 2.1A
ASUS TUF-RX9060XT-O16G-GAMIN	R 12,386	Asus TUF-RX9060XT-O16G-GAMING TUF Gaming AMD Radeon RX 9060 XT OC Edition 16GB GDDR6 128-bit Graphics Card, OC mode(GPU Tweak III): up to 3340 MHz (Boost Clock)/up to 2800 MHz (Game Clock) Default mode: up to 3320 MHz (Boost Clock)/up to 2780MHz (Game Clock), 1 x Native HDMI 2.1b, 2 x Native DisplayPort 2.1a, HDCP Support, 3 x Maximum Display Support, 550W Recommended PSU, 2.5 Slot
DUAL-RX7600-O8G-EVO	R 8,502	Asus Dual Radeon RX 7600 Evo OC Edition 8GB GDDR6 PCI-e 4.0 x16 Graphics card, Up to 2715 MHz Engine clock OC mode, 2048 Stream processors, 18Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1, 3x DisplayPort 1.4a, 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot
GTX 1650 SUPER GAMING X 4	R 5,794	MSI nVidia GTX 1650 Super Gaming X 4GB GDDR6 PCI-e 3.0 Graphics card, PCI Express x16 3.0 Interface, 1280

		units cores, 12 Gbps Memory speed, 4GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort (V1.4), HDMI 2.0b, 6 pin x 1 power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
GTX 1660 SUPER GAMING X 6	R 6,323	MSI nVidia GTX 1660 Super Gaming x 6G GDDR6 192bit PCI-e 3.0 Graphics card, PCI Express x16 3.0 Interface, 1408 units cores, 14 Gbps Memory speed, 6GB GDDR6 Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4), 1x HDMI 2.0b, 8 pin x 1 power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
GV-N5080GAMING OC-16GD	R 33,741	Gigabyte nVidia Geforce RTX 5080 Gaming OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2730 MHz Core clock, 10752 CUDA Cores, 30 Gbps Memory clock, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, RGB Halo, WindForce cooling system
GV-R68GAMING OC-16GD	R 19,665	Gigabyte AMD Radeon RX6800 Gaming OC - 16GB, 256-Bit Memory Bus, PCI Express 4.0, Connections: 2x HDMI, 2x DisplayPort, Core: Base: 1925MHz, Boost: 2155MHz, Memory: 16000MHz, H=58 L=286 W=112
H583FN1GDG	R 2,299	HIS AMD Radeon HD 5830 iCooler V 1024MB 256bit GDDR5 PCIe graphics card, PCI Express x16, Display Port, HDMI, 2x DVI
OCVAR6700XTG12XKWH	R 7,474	OCPC RX 6700 XT 12GB GDDR6 XK PCI-e 4.0 x16 Graphics card - White, NAVI22 GPU name, 2560 Stream processors, 2581 MHz Boost Clock, 12GB GDDR6 Memory config, 192-bit Memory Interface width, 1x HDMI, 3x DisplayPort, Up to 4 Multi Monitor, 1x 8 pin & 1x 6 pin & Power Connector, Heatsink with Dual Fan cooling Design, Dual-Slot
PRIME-RX9070GRE-O12G	R 11,474	Asus Prime Radeon RX 9070 GRE Evo OC Edition 12GB GDDR6 PCI-e 5.0 x16 Graphics card, 192-bit Memory Interface, 18 Gbps Memory Speed, 3072 Stream processors, Up to 2880 MHz boost Engine clock (OC mode), 1x HDMI 2.1b, 3x DisplayPort 2.1A, 4 Maximum Display support, 7680x4320 maximum Resolution, 2.5-slot, SFF ready, 2x 8 pin Power connectors
PRIME-RX9070XT-O16G	R 25,077	Asus Prime AMD Radeon RX 9070 XT OC Edition 16GB GDDR6 PCI-e 5.0 x16 Graphics card, 20 Gbps Memory Speed, OpenGL 4.6, 4096 Stream processors, 256-bit Memory Interface, 4 Maximum Display support, 3x 8 pin Power connectors, 2.5 slot slot, 1x HDMI 2.1b, 3x DisplayPort 2.1A
RTX5060TIVENTUS3XOC8GB	R 9,177	MSI Geforce RTX 5060 Ti Ventus 3X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2617 MHz Extreme Performance Core clocks, 2602 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays
RX 5500 XT GAMING X 8G	R 5,069	MSI AMD RX 5500 XT Gaming X 8GB GDDR6 PCI-e 4.0 Graphics card, PCI Express 4.0 cores, 1408 units Core clocks, 14 Gbps Memory, 8GB GDDR6 Memory Bus, 128-bit Output, 3x DisplayPort (V1.4), 1x HDMI 2.0b, 8 pin x 1 power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RX 6650 XT GAMING X 8G	R 10,810	MSI Radeon RX 6650 XT Gaming X 8GB GDDR6 PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x8 Interface, 2048 units CUDA cores, Up to 2694 MHz boost Core clocks, 8GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 8 pin power connectors, 7680x4320 Digital Maximum Resolution, 4 Maximum displays
RX9060XTCHALLENGER16G	R 16,744	Asrock Radeon RX 9060 XT Challenger 16GB OC PCI-e 5.0 x16 Graphics card, AMD rdna 4 Architecture, 32 compute units, 2048 Stream processors, 2700MHz game clock, Up to 3290MHz Boost Clock, 16GB GDDR6 Memory Type, 128-bit Memory Interface, 20Gbps Memory clock, 1x HDMI 2.1b, 2x DisplayPort 2.1A, Up to 3 displays Multi-View support, Dual Fan with striped axial Design, 1x 8 pin connector. Optimised for 1440p gaming and creative workloads.
RX9060XTSTEELLEGEND16G	R 10,797	Asrock Radeon RX 9060 XT Steel Legend 16GB PCI-e 5.0 x16 Graphics card, 16GB GDDR6 Memory, Up to 3320MHz Boost Clock, 2048 Stream processors, 20Gbps Memory Speed, 128-bit Memory Interface, 2x DisplayPort 2.1A, 1x HDMI 2.1b, 3 screen Multi-View, 1x 8 pin Power connector, 2.5 slots
RX9070XTCHALLENGER16G	R 21,763	ASRock RX9070 XT Challenger 16G; 16GB GDDR6; PCIe5.0 x16; 3 x DP2.1a 1 x HDMI2.1b; Boost 2520MHz; 700W PSU recommended
RX9070XTSteellegend16G	R 23,033	ASRock AMD Radeon RX 9070 XT Steel Legend 16GB GDDR6 256-bit Graphics Card
RX9070XTSTEELLEGENDDARK16	R 19,083	Asrock Radeon RX 9070 XT Steel Legend Dark 16GB PCI-e 5.0 x16 Graphics card, AMD rdna 4 Architecture, 64 compute units, 4096 Stream processors, 2400MHz game clock, Up to 2970MHz Boost Clock, 16GB GDDR6 Memory Type, 256-bit Memory Interface, 20Gbps Memory clock, 1x HDMI 2.1b, 3x DisplayPort 2.1A, 4 Multi-View, 1x 8 pin connector
RX9070XTTaichi16GOC	R 20,652	ASRock Radeon RX9070 XT Taichi OC 16G GDDR6 256-bit Graphics Card

SC-A308012-So	R 21,906	Asus ROG-STRIX-RTX3080-O12G-GAMING nVidia GeForce RTX 3080 12GB GDDR6X 384-bit Graphics Card, Yes x 2 (Native HDMI 2.1), Yes x 3 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-A9290X-X2A3	R 16,099	Asus RoG ARES3(iii)-8GD5 Limited Edition (Dual R9290X) - single slot design, water cooling ready, DIGI VRM 16-phase Super Alloy digital power, Japan-made black metallic capacitors - support XDMA CrossFire (no external connectors required), TrueAudio HDMi with dedicated PAP (Programmable Audio Pipeline) to reduce CPU load - 28nm, 8Gb DDR5 512bit 4 channel, 128RoPs, 640Gb/sec memory transfer; 11264 GigaFLoPs, 352GT/s texture fill rate, 5632 stream processors, 352 texture unit, core clock: 1030mhz with boost; memory: 5000mhz, DVi HDMi Display Port - require 8pin 6pin power connector - full retail pack
SC-AX6500XT-TO	R 5,977	Asus TUF Gaming Radeon RX 6500 XT OC Edition 4GB GDDR6 64-bit Graphics Card, Yes x 1 (Native HDMI 2.1), Yes x 1 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-AX6700XT-D	R 12,304	Asus Dual Radeon RX 6700 XT 12GB GDDR6 192-bit Graphics Card, Yes x 1 (Native HDMI 2.1), Yes x 3 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-AX6700XT-Do	R 12,419	Asus Dual AMD Radeon RX 6700 XT OC Edition 12GB GDDR6 192-bit Graphics Card, Yes x 1 (Native HDMI 2.1), Yes x 3 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-AX6700XT-SO	R 15,979	Asus ROG Strix Radeon RX 6700 XT OC Edition 12GB GDDR6 PCI-e 4.0 x16 Graphics card, PCI Express 4.0 Bus standard, 12GB GDDR6 Video Memory, Up to 2622 MHz OC mode engine clock, 2560 stream processors, 192-bit Memory Interface, 7680x4320 Digital Maximum Resolution, 3x DisplayPort 1.4a, 1x HDMI 2.1), 4 Maximum Display support, NVLink / Crossfire support, 2x 8 pin power connectors, 2.9 slot slot
SC-AX6700XT-TO	R 15,867	Asus TUF Gaming Radeon RX 6700 XT OC Edition 12GB GDDR6 192-bit Graphics Card, Yes x 1 (Native HDMI 2.1), Yes x 3 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-AX6800XT-TO	R 24,264	Asus AMD Radeon RX 6800, Connections: 1x HDMI, 3xDP, OC Mode: up to 2190 MHz (Boost Clock)/ 1980 MHz (Game Clock), Gaming mode: up to 2155 MHz (Boost Clock)/ 1925 MHz (Game Clock), 31 x 14.02 x 5.78 Centimeter. 16GB, GDDR6, Multview: 4 Monitors.
SC-G3050-6WO	R 5,472	Gigabyte GeForce RTX 3050 Windforce OC 6GB Graphics Card: NVIDIA Ampere architecture, 2304 CUDA cores, 6GB GDDR6 memory, 96-bit memory bus, core clock 1477 MHz, PCIe 4.0, 2x HDMI 2.1, 2x DP 1.4a
SC-GX6700XT-GO	R 15,479	Gigabyte GV-R67XTGAMING OC-12GD RX-6700XT Gaming OC - RDNA2 architecture with hardware raytracing, 3 slots required, with Fusion2.0 RGB Lighting, Windforce 3X, 3x 80mm fans with alternate spinning fans for better heat dissipation, back-sided heatsink
SC-GX6750XT-Go	R 17,137	Gigabyte GV-R675XTAORUS E-12GD rX-6750XT Aorus Elite - RDNA2 architecture with hardware raytracing, 3 slots required, with Fusion2.0 RGB Lighting, Windforce 3X, 3x 80mm RGB fans with alternate spinning fans for better heat dissipation, back-sided heatsink
SC-GX7600-Go	R 10,724	Gigabyte GV-R76GAMING-oC-8GD RX-7600 Gaming Oc - RDNA2 architecture with hardware raytracing, 3 slots required, with Fusion2.0 RGB Lighting, Windforce 3X, 3x 80mm fans with alternate spinning fans for better heat dissipation, back-sided heatsink
SC-GX9070-GO	R 22,224	Gigabyte AMD Radeon RX 9070 Gaming OC 16GB PCI-e 5.0 x16 Graphics card, Up to 2700 MHz Boost Clock, 3584 Stream processors, 20 Gbps Memory clock, GDDR6 Memory Type, 256 Bit Memory Bus, 4 multi-view, 2x 8 pin Power connectors, 2x DisplayPort 2.1A, 2x HDMI 2.1b, WindForce cooling system, RGB Lighting, Reinforced structure
SC-GX9070XT-AE	R 25,321	Gigabyte Aorus AMD Radeon RX 9070 XT Elite 16GB PCI-e 5.0 x16 Graphics card, 4096 Stream processors, 20 Gbps Memory clock, GDDR6 Memory Type, 256 Bit Memory Bus, 4 multi-view, 3x 8 pin Power connectors, 2x DisplayPort 2.1A, 2x HDMI 2.1b, WindForce cooling system, RGB Halo, Reinforced structure
SC-GX9070XT-GO	R 24,547	Gigabyte AMD Radeon RX 9070 XT Gaming OC 16GB PCI-e 5.0 x16 Graphics card, Up to 3060 MHz Boost Clock, 4096 Stream processors, 20 Gbps Memory clock, GDDR6 Memory Type, 256 Bit Memory Bus, 4 multi-view, 3x 8 pin Power connectors, 2x DisplayPort 2.1A, 2x HDMI 2.1b, WindForce cooling system, RGB Lighting, Reinforced structure
SC-M5750	R 1,374	MSI ATI Radeon HD 5750 1024Gb GDDR5 128bit Graphics Card, 1 x DVI, 1 x D-SUB, 1 x HDMI
SC-S54502GD3HSL	R 2,132	Sapphire HD5450 chipset, Silent heatsink only extra Low-profile bracket, DirectX 11, 2Gb 64bit DDR3 up to 2.8Gb Hyper Memory, RoPs: 4, 12.8Gb/sec memory transfer, 80 stream processors, 104GigaFLoPs, 5.2GT/s texture fill rate, core/memory: 650/1333mhz, dvi d-sub hdmi, HDMi HDTV-out - retail pack

SC-S64502GD3SL	R 2,354	Sapphire HD6450 chipset, Silent heatsink only extra Low-profile bracket - support 2x displays, 2Gb 64bit DDR3, RoPs: 4, 12.8Gb/sec memory transfer, 160 stream processors, 12.8Gb/sec memory transfer, 200GigaFLoPs, 6GT/s texture fill rate, core/memory: 625/1333mhz, dvi d-sub hdmi, HDMi HDTV-out - retail pack
TUF-RX9070XT-O16G-GAMING	R 26,350	Asus TUF Gaming AMD Radeon RX 9070 OC Edition 16GB GDDR6 PCI-e 5.0 x16 Graphics card, 20 Gbps Memory Speed, OpenGL 4.6, 3584 Stream processors, 256-bit Memory Interface, 4 Maximum Display support, 2x 8 pin Power connectors, 3.125 slot slot, RGB Aura Sync, 1x HDMI 2.1b, 3x DisplayPort 2.1A

< Return to the menu

AMD PCIe x16 Graphics cards CrossFIRE

Product code	Price	Description
H489FT1GP	R 2,933	HIS AMD Radeon HD 4890 1GB RAM DDR5 PCIe graphics card, 2x DVI, PCI Express x16
RX 5700 MECH OC	R 8,220	MSI Radeon RX 5700 MECH OC 8GB GDDR6 256-bit Graphics Card, DisplayPort x 3 (v1.4) / HDMI 2.0b x 1
SC-A73702GS	R 3,184	Asus STRiX-R7370-DC2oC-2GD5-GAMiNG - R7-370 Strix - DirectCU 2(ii) with dual fan design reinforcement frame 10mm copper heatpipes, support 0dB silent mode, DIGI VRM with 6-phase Super Alloy Power, GPU Tweak II with Xsplit Gamecaster - 28nm, 2Gb 256bit 4 channel DDR5, 32RoPs, 176Gb/sec memory transfer; 1894 GigaFLoPs, 59.2GT/s texture fill rate, 1024 stream processors, 64 texture unit, core clock: 1050mhz with boost; memory: 5600mhz, HDMI DVi Display Port - require 6pin power connector - full retail pack
SC-A9N	R 9,998	Asus R9NANo-4G - 15.24cm short-depth with single fan, dual bios- Freesync technology, support LiquidVR, support XDMA CrossFire (no external connectors required), TrueAudio HDMi with dedicated PAP (Programmable Audio Pipeline) to reduce CPU load - 28nm, 4Gb 4096bit HBM (High Bandwidth Memory), 64RoPs, 512Gb/sec memory transfer; 8192 GigaFLoPs, 256GT/s texture fill rate, 4096 stream processors, 256 texture unit, core clock: 1000mhz with boost; HDMI 3xDisplayPort (up to 6x displays via displayport MST hub) - require 1x8pin power connector - full retail pack. chipset / VPU : R9-Nano - FiJi XT, stream processors : 4096, GFLoPS : 8192, texture fill rate - GTexels/ Sec : 256, memory transfer rate - Gb/ sec : 512, VPU clock mhz : 1000, RoPs : 64, texture address units : 256, mem size - Gb : 4, mem type : HBM - High Bandwidth Memory, mem interface - bit : 4096, thermal : heatsink fan, displayport : Y - 3, dvi / D-sub / HDMi : 0/ 0/ 1, tv out : HDMi, Crossfire support : Y - XDMA, direxX / shader model support : 12 / 5, GPU micron - nm : 12 / 5
SC-AX570-4Eo	R 4,630	Asus EX-RX570-o4G - Expedition 4Gb Oc - dual fan design (iP5X-certified dust resistant) reinforcement frame 10mm copper heatpipes, support 0dB silent mode, DIGI VRM with 8-phase Super Alloy Power ii, GPU Tweak II with Xsplit Gamecaster, support LiquidVR XConnect (external GPU solution for NB), Freesync ready, XDMA CrossFire (no external connectors required), TrueAudio HDMi with dedicated PAP (Programmable Audio Pipeline) to reduce CPU load, 14nm, DDR5 256bit 4 channel, 32RoPs, 211Gb/sec memory transfer; 5095 GigaFLoPs, 159.2GT/s texture fill rate, 2048 stream processors, 128texture unit, core clock: 1256/1266mhz; memory: 7000mhz, DVi HDMI DisplayPort (up to 6x displays via MST hub) - require 8pin power connector - full retail pack
SC-AX570-4S	R 5,109	Asus ROG STRIX-RX570-4G-GAMING - 4Gb - Aura RGB Lighting (front backplate) with 6 colors scheme, DirectCU 2(ii) with dual fan design reinforcement frame 10mm copper heatpipes, support 0dB silent mode, DIGI VRM with 8-phase Super Alloy Power ii, GPU Tweak II with Xsplit Gamecaster, support LiquidVR XConnect (external GPU solution for NB), Freesync ready, XDMA CrossFire (no external connectors required), TrueAudio HDMi with dedicated PAP (Programmable Audio Pipeline) to reduce CPU load, 14nm, 256bit 4 channel DDR5, 32RoPs, 211Gb/sec memory transfer; 5095 GigaFLoPs, 159.2GT/s texture fill rate, 2048 stream processors, 128texture unit, core clock: 1244/1254mhz; memory: 7000mhz, 2x DVi HDMI DisplayPort (up to 6x displays via MST hub) - require 8pin power connector - full retail pack
SC-AX6900XT-TO	R 24,398	Asus TUF-RX6900XT-O16G-GAMING TUF Gaming AMD Radeon RX 6900 XT 16GB GDDR6 256-bit Graphics Card, HDMI 2.1 x 1, DisplayPort 1.4a x 3, HDCP Support
SC-SPD	R 12,649	Sapphire Pro Duo (FuryX x2 dual GPU) - water cooling, dual bios- Freesync technology, support Liquid VR, support XDMA CrossFire (no external connectors required), TrueAudio HDMi with dedicated PAP (Programmable Audio Pipeline) to reduce CPU load - 28nm, 8Gb 4096bit HBM (High Bandwidth Memory), 128RoPs, 1024Gb/sec memory transfer; 16384 GigaFLoPs, 512GT/s texture fill rate, 8192 stream processors, 512 texture unit, core clock: 1000mhz with boost; HDMI 3xDisplayPort (up to 6x displays via display port MST hub) - require 2x8pin

		power connector - full retail pack | chipset / VPU : R9-Fury X2 - Capsaicin XT, stream processors : 8192, GFLoPS : 16384, texture fill rate - GTexels/ Sec : 512, memory transfer rate - Gb/ sec : 1024, VPU clock mhz : 1000, RoPs : 128, texture address units : 512, mem size - Gb : 8, mem type : HBM - High Bandwidth Memory, mem interface - bit : 8192, thermal : water cooling, displayport : Y - 3, dvi / D-sub / HDMi : 0/ 0/ 1, tv out : HDMi, Crossfire support : Y - XDMA, direxX / shader model support : 12 / 5, GPU micron - nm : 28
SC-SX550-2Po	R 2,701	Sapphire RX-550 - Pulse Edition - 2Gb OC Edition - with fuse protection black polymer cap FRTC (frame rate target control) - support XConnect (external GPU solution for NB) eyefinity Freesync technology XDMA CrossFire (no external connectors required) HDR - 14nm, 2Gb GDDR5 128bit, 16RoPs, 112Gb/sec memory transfer; 1211.4 GigaFLoPs, 37.9GT/s texture fill rate, 512 stream processors, 32texture unit, core clock: 1206mhz; memory: 7000mhz, DVi-D 1x HDMi 1x DisplayPort 1.4
SC-SX560-2Po	R 2,862	Sapphire RX-560 - Pulse edition - 2Gb OC Edition - with fuse protection black polymer cap FRTC (frame rate target control) - support XConnect (external GPU solution for NB) eyefinity Freesync technology XDMA CrossFire (no external connectors required) HDR - 14nm, 2Gb 128bit GDDR5, 16RoPs, 112Gb/sec memory transfer; 1211.4 GigaFLoPs, 37.9GT/s texture fill rate, 1024 stream processors, 32texture unit, core clock: 1300mhz; memory: 7000mhz, DVi-D 1x HDMi 1x DisplayPort 1.4 - require 6pin power connector

< Return to the menu

External graphics cards

Product code	Price	Description
KW-GM220	R 629	Kworld Gaming Maker, Record games console footage onto PC. USB 2.0 interface. Contains USB cable, YPbPr Cable and Software
PCTV1600HD	R 629	Kworld PC to TV Converter. Support NTSC / PAL, systems. Video Out 480P / 720P / 1080i supported.
PT220-VH	R 629	Kworld PC TO HDTV: Watch your favorite PC files or search on the internet displayed on your HDMI TV in High Definition.
SC-SVGA2728	R 661	Sunix VGA2728 USB3.0 to Dvi (usb2.0 backward compatible), ideal for desktop or notebook, support up to 1080P full HD (1920x1080) QWXGA (2048x1152 @ 32bit), USB-powered, support mirror/ extended/ multi-screen mode - support up to 4 display with 4 units, Windows 7 only

< Return to the menu

Graphics card accessories

Product code	Price	Description
AC-058-CO1OTN-C2	R 1,852	Thermaltake Premium PCI-e 4.0 extender 300mm with 90 degree Adapter, PCI Express x16 male to PCI Express x16 Female
AC-059-CO1OTN-C1	R 2,033	Thermaltake Premium PCI-e 4.0 extender 600mm, PCI Express x16 male to PCI Express x16 Female
AC-063-CN1NAN-A1	R 205	Thermaltake sleeved PCI-e Gen 5 splitter cable, 16 AWG wire, 600mm length
AC-068-OOONAN-A1	R 205	Thermaltake Graphics card holder - Transparent, 140 x 56 x 66 mm dimension
AT-GPUH-ARGB-BK	R 237	Antec ARGB GPU holder, 46 - 165 mm height support range, ARGB Lighting, 3 pin 5V ARGB Connector
AT-HGPUH-ARGB-B	R 210	Antec Dagger ARGB GPU support bracket - Black, 40 - 65 mm height support range, 170 - 270 mm width support range, ARGB Lighting
AT-HGPUH-ARGB-W	R 224	Antec White Dagger ARGB GPU Support Bracket; GPU support bracket; ARGB lighting; white finish; adjustable GPU brace; PCIe sag prevention; ATX case compatible
CC-8900683	R 437	Corsair - GPU Anti-Sag Black bracket - support optional LC100 triangle lighting panels
CC-8900684	R 437	Corsair - gpu Anti-Sag White bracket - support optional LC100 triangle lighting panels
CP-8920349	R 309	Corsair Type 5 PSU 90 degrees 12V-2x6 style a cable, Ultra-flexible
DGXSPARK-BUNDL-CABLE	R 1,189	PNY DGX Spark ConnectX-7 Connector cable 40 cm, QSFP112 Passive DAC, 40 cm direct-attach Copper
MPG ARGB VGA CARD STAND	R 815	MSI MPG ARGB Graphics card stand - Black, 8 mm Tempered Glass SPCC ABS, 3 pin ARGB Lighting, 30 - 135 mm support range, 2x GPU supports
OCCBPCIE3RC250BK	R 424	OCPC Xtender PCI-e 3.0 Riser cable 250mm - Black, PCI Express x16 Male to PCI Express x16 Female
OCCBPCIE3RC250WH	R 424	OCPC Xtender PCI-e 3.0 Riser cable 250mm - White, PCI Express x16 Male to PCI Express x16 Female

OCCBPCIE4RC250BK	R 1,379	OCPC Xtender PCI-e 4.0 Riser cable 250mm, PCI-e 4.0 16GT/s doubled transfer rate, PCI Express 4.0 connector
OCPOLEP1X2CBK	R 574	OCPC Pole P1 Graphics card cool holder, Aluminum material, 104 x 50.2 x 175mm dimensions, 80 x 80 x 25mm fan dimension, 2x FDB fluid Dynamic bearing fan - PWM, 4 pin 3 pin ARGB pin Connect
OCPOLEP1X2CWH	R 459	OCPC Pole Pi Graphics card cooling, 104 x 50.2 x 175mm dimensions, Aluminum material, 80 x 80 x 25mm fan dimension, 2x FDB fluid Dynamic bearing fan PWM, 800-2500rpm fan Speed, 34.2 CFM fan Air Volume, 4 pin 3 pin ARGB pin Connect
PS-CA8920335	R 430	Corsair CP-8920335 12VHPWR Power Bridge, 180 degrees cable Adapter for PCI-e 5.0 GPUS, Capable of up to 55A of current and withstanding temperatures up to 105 degrees c
SHIFT ARGB WHT	R 1,094	Antec Shift ARGB Vertical GPU bracket with PCI-e 4.0 Riser cable - White, Maximum 3 slots wide supported Graphics cards, Min. 4 PCI slots required, 19 cm cable length, PCI-e 4.0 x16 PCI-e standard

< Return to the menu

Intel Graphics cards

Product code	Price	Description
90-GA5LZZ-00UANF	R 6,627	Asrock Intel ARC B580 Challenger OC 12GB GDDR6 192bit PCI-e 4.0 x8 Graphics card, 2740 MHz Engine clock, 160 Intel XMX Engines, 20 compute units, 19Gbps Memory clock, 7680x4320 Digital Max Resolution, 1x HDMI 2.1A, 3x DisplayPort 2.1, 4 multi-view, 1x 8 pin Power connector

< Return to the menu

nVidia PCIe x16 Graphics cards

Product code	Price	Description
0B47077	R 6,415	NVIDIA NVS 510 2GB Graphics Card by Lenovo, Compatible with Edge 72 SFF (VGA DVI) 3493, 3496, 3497, Edge 72 Tower (VGA DVI) 3484, 3485, 3492., Â© 2014 Laptop Direct
56NGH6HS41XZ-GX	R 3,232	NVIDIA GeForce GTX 560Ti 1GB GDDR5 PCI Express 2.0 Graphics Card
AKN1030D4S4GL1	R 2,126	Arktek nVidia Geforce GT1030 DDR4 4GB PCI-e 3.0 x16 Graphics card, 384 Stream processors, 4GB DDR4 SDRAM Memory, 1x VGA, 1x HDMI, 1x DVI
AKN1050TID5-S4GH1	R 3,046	Arktek nVidia Geforce GTX 1050 Ti 4GB 128bit PCI-e 3.0 x16 Graphics card, 1392 MHz GPU Core speed boost, 768 Stream processors, 3 monitors supports, 4GB GDDR5 SDRAM Video controller Memory, 1x DVI, 1x HDMI, 1x DisplayPort
AKN1650D6S4GH1	R 3,851	Arktek Nvidia GT1650 4GB GDDR5 128-bit HDMI / DVI Graphics Card. NVIDIA GeForce GTX 1650; Turing architecture GPU; 4GB GDDR6 memory; 128-bit memory bus; 896 CUDA cores; base clock 1410MHz; boost clock 1590MHz; 12Gbps memory speed; PCI Express 3.0; DirectX 12 support; OpenGL 4.6; DisplayPort 1.4; HDMI output; DVI output; HDCP support; max resolution 7680x4320 @60Hz; 75W power consumption; 300W PSU recommended; NVIDIA Ansel; G-SYNC ready; GameStream; VR ready; GPU Boost 3.0; Adaptive V-Sync; PhysX technology; CUDA cores acceleration; PureVideo HD; Windows 7, 8, 10 support; Linux compatible; FreeBSD support.
AKN1660SD6S6GH1	R 4,771	Arktek Geforce GTX 1660 Super 6GB DDR6 192bit Twin fan PCI-e 3.0 x16 Graphics card, 1785 MHz GPU Core speed, 1408 Stream processors quantity, 6GB GDDR6 SDRAM Video controller Memory, 192 Bit Memory Bus Bandwidth, 1x DVI, 1x HDMI, 1x DisplayPort
AKN1660TID6S6GH1	R 5,116	Arktek Geforce GTX 1660 Ti 6GB GDDR6 192bit Twin fans PCI-e 4.0 x16 Graphics card
AKN2060D6S6GH1	R 5,921	Arktek nVidia RTX 2060 6GB GDDR6 192-bit PCI-e 3.0 x16 Graphics card, 1680 MHz GPU Core speed boost, 1920 Stream processors, 4 monitors support, 6GB GDDR6 SDRAM Video controller Memory, 1x DVI, 1x HDMI, 1x DisplayPort, 2 slot
AKN2060SD6S8GH1	R 6,381	Arktek RTX2060 Super GDDR6 6GB 256Bit Twin Fans Graphics Card. This Arktek RTX 2060 SUPER 8 GB graphics card delivers robust gaming and creative performance with NVIDIA Turing ray tracing, DLSS, VR readiness and efficient dualâ€'fan cooling. Ideal for 1080p and 1440p gaming or multimedia workflows.
AKN210D3S1GL1	R 861	Arktek Nvidia GT210 1GB DDR3 64-bit HDMI / DVI / VGA Graphics Card. The Arktek Nvidia GT210 1GB DDR3 64-bit graphics card offers reliable performance for home computing and multimedia tasks. With HDMI, DVI, and VGA outputs, it supports multiple displays and ensures smooth HD video playback. Its low power and compact

		design make it ideal for small PCs and home theater setups.
AKN3060D6S12GH1	R 9,946	Arktek Geforce RTX3060 12GB GDDR6 192-bit TWIN FANS Graphics Card, 3 x DisplayPort, 1 x HDMI
AKN3060TID6S8GH1	R 9,026	Arktek Geforce RTX3060Ti DDR6 8GB 256Bit TWIN FANS Graphics Card. The Arktek RTX 3060 Ti 8 GB graphics card offers Ampereâ€'powered gaming and creative performance with ray tracing, DLSS, VR support and durable dualâ€'fan cooling. Ideal for 1080p and 1440p multimedia and content workflows.
AKN3070D6S8GH1	R 8,106	Arktek RTX 3070 8GB GDDR6 256bit Twin fans PCI-e 4.0 x16 Graphics card, 1725 MHz GPU Core speed boost, 5888 Stream processors, 4 monitors support, 8GB GDDR6 SDRAM Video controller Memory, 1x HDMI, 3x DisplayPort, 2x 8 pin external Power, Double slot
AKN610D3S2GL1	R 861	Arktek nVidia GT610 2GB DDR3 64-bit PCI-e 3.0 x16 Graphics card, 810 MHz GPU Core Speed, 48 Stream processors, 2 monitors support, 2560x1600 maximum Resolution, 2GB DDR3 SDRAM Video controller Memory, HDMI, DVI, VGA
AKN710D3S2GL1	R 1,206	Arktek Nvidia GT710 2GB DDR3 64-bit HDMI / DVI / VGA Graphics Card. The Arktek GTX GT 710 2 GB DDR3 card delivers a lowâ€'power lift over integrated graphics for media, legacy gaming, and light acceleration. Compact, silent, and efficient.
AKN740D5S2GH	R 1,551	Arktek nVidia GT740 2GB DDR5 128-bit PCI-e 3.0 x16 Graphics card, 933 MHz GPU Core Speed, 384x Stream processors, 4 monitors support, 4096 x 2160 maximum Resolution, 2GB GDDR5 SDRAM Video controller Memory, HDMI, DVI, VGA
AKN740D5S4GH1	R 1,896	Arktek Nvidia GT740 4GB DDR5 128-bit HDMI / DVI / VGA Graphics Card. This Arktek GeForce GT 740 4 GB graphics card offers solid HD multimedia and light gaming performance with GDDR5 memory and low power consumption. Ideal for everyday computing and upgrade usage.
AKN750D5S2GH1	R 1,666	Arktek Nvidia GTX750 2GB DDR5 128-bit HDMI / DVI / VGA Graphics Card. The Arktek GeForce GTX 750 2 GB GDDR5 graphics card delivers energy-efficient Maxwell performance for everyday multimedia and light gaming. Compact, quiet and no extra power needed.
AKN750TID5S2GH1	R 1,896	Arktek Nvidia GTX750Ti 2GB GDDR5 128-bit HDMI / DVI / VGA Graphics Card
AKN750TID5S4GH1	R 2,241	Arktek Nvidia GTX750Ti 4GB GDDR5 128-bit HDMI / DVI / VGA Graphics Card
ASUS DUAL-RTX3050-O6G	R 6,693	Asus Dual-RTX3050-O6G, nVidia GeForce RTX 3050 8GB GDDR6, Connections: 1xHDMI, 1xDP, 1xDVI-D, HDCP, OC Mode - 1537 MHz (Boost Clock), Game Mode: 1507 MHz (Boost Clock), 201 x 120 x 37 mm
ASUS DUAL-RTX3060-O12G-V2	R 11,109	Asus Dual Geforce RTX 3060 V2 OC Edition 12GB GDDR6 PCI-e 4.0 Graphics card, PCI Express 4.0, 1867 MHz boost clock, 3584 CUDA Core, 192-bit Memory Interface, 7680x4320 Digital Maximum Resolution, 1x HDMI 2.1, 3x DisplayPort 1.4a, HDCP support, 4 Maximum Display support, 1x 8 pin power connectors, 2 slot
ASUS DUAL-RTX5050-O8G	R 9,345	Asus nVidia Geforce RTX 5050 Dual OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, 2677 MHz Engine clock - OC mode, 2560 CUDA Core, 20Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2 slot
ASUS DUAL-RTX5060-O8G	R 8,280	Asus DUAL-RTX5060-O8G, Graphics Card, NVIDIA, PCIe5.0, 8GB GDDR7, OC, OC mode:2565MHz. Default mode:2535MHz, 1xHDMI, 3xDP, Res:7680x4320, 550W
ASUS DUAL-RTX5060TI-O16G	R 18,279	Asus DUAL-RTX5060TI-O16G Graphics Card, NVIDIA, PCIe5.0, 16GB GDDR7, OC . OC mode: 2632MHz. Default mode: 2602MHz, 1xHDMI, 3xDP, Res:7680x4320, 550W
ASUS DUAL-RX9060XT-8G	R 8,969	ASUS Graphics Card/ AMD/ PCIe5/ 8GB GDDR6/ OC mode:up to TBA MHz (Boost Clock)/ Default mode: up to TBA MHz(Boost)1xHDMI/ 2xDP/ 550W
ASUS GT1030-2G-BRK	R 2,461	Asus nVidia Geforce GT 1030 2GB GDDR5 PCI-e 3.0 Graphics card, 2x HDMI, PCI Express 3.0, 2GB GDDR5 Video Memory, 384 CUDA Core, 6008 MHz Memory speed, Digital Maximum Resolution 7680x4320, 2 slot
ASUS GT710-SL-2GD5-BRK-EVO	R 2,024	Asus GT710-SL-2GD5-BRK-EVO, nVidia GeForce GT 710 2GB GDDR5 64-bit, Connections: 1x DVI-D, 1x HDMI, 1 x D-Sub, Engine Clock - 945 MHz, Resolution - 2560 x 1600, 17 x 6.9 x 3.9 cm
ASUS GT730-4H-SL-2GD5	R 2,047	Asus nVidia Geforce GT 730 2GB GDDR5 PCI-e 2.0 Graphics card, PCI Express 2.0 Bus standard, 2GB GDDR5 Video Memory, 384 CUDA Core, 64-bit Memory Interface, Digital Maximum Resolution 3840x2160, 4x HDMI, 4x Maximum display support, 1 slot
ASUS PRIME RTX5070-O12G	R 16,848	Asus Prime Geforce RTX 5070 OC Edition 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 1005 TOPS AI performance, 2587MHz OC mode Engine clock, 6144 CUDA Core, 28 Gbps Memory Speed, 192-bit Memory Interface, 1x HDMI 2.1b, DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 2.5 slot, SFF

		ready
ASUS PRIME-RTX5050-O8G	R 6,913	Asus nVidia Geforce RTX 5050 Prime OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, 2707 MHz Engine clock OC mode, 2560 CUDA Core, 20 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot
ASUS PRIME-RTX5070TI-O16G	R 29,707	Asus PRIME-RTX5070TI-O16G Prime GeForce RTX 5070 Ti OC Edition 16GB GDDR7 256-bit Graphics Card, ASUS Graphics Card/ NVIDIA/ PCIe5.0/ 16GB GDDR7/ OC mode:2527 MHz/ Default mode:2497MHz(Boost)/ 1xHDMI/ 3xDP/ Res:7680x4320/ 750W.
ASUS PRIME-RTX5080-O16G	R 38,318	Asus Prime GeForce RTX 5080 OC Edition 16GB GDDR7 256-bit Graphics Card, PCIe5.0, OC mode:2685 MHz, Default mode: 2655MHz(Boost), Res:7680x4320, 2xHDMI, 3xDP, 850W.
ASUS PRIME-RX9060XT-O16G	R 10,886	ASUS PRIME-RX9060XT-O16G Graphics Card/ AMD/PCIe5/ 8GB GDDR6/ OC mode:up to 3330 MHz (Boost Clock)/ Default mode:up to 3310 MHz(Boost)1xHDMI/ 2xDP/ 550W
ASUS PRIME-RX9060XT-O8G	R 9,429	ASUS Graphics Card/ AMD/ PCIe5/ 8GB GDDR6/ OC mode:up to 3330 MHz (Boost Clock)/ Default mode:up to 3310 MHz(Boost)1xHDMI/ 2xDP/ 550W
ASUS ROG-ASTRAL-RTX5080-O16(	R 9,429	Asus ROG Astral nVidia Geforce RTX 5080 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 1899 TOPS AI performance, 2790 MHz OC mode, Engine clock, 10752 CUDA Core, 30 Gbps Memory Speed, 256-bit Memory Interface, 2x HDMI 2.1b, 1x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 3.8 slot, ARGB Aura Sync
ASUS ROG-STRIX-GTX1650-4GD6-GAMING	R 3,081	Asus NVIDIA GeForce GTX 1650, Connections: 2xHDMI, 2xDP, HDCP, OC Mode - 1620 MHz (Boost Clock), Gaming Mode (Default) - GPU Boost Clock: 1590 MHz, GPU Base Clock: 1410 MHz, 24.1 x 13 x 4.5 Centimeter
ASUS ROG-STRIX-RTX5070TI-O16(	R 33,326	Asus ROG-STRIX-RTX5070TI-O16G-GAMING Graphics Card/ NVIDIA/ PCIe5.0/ 16GB GDDR7/ OC mode:2610 MHz/Default mode:2588 MHz(Boost)/ 2xHDMI/ 3xDP/ Res:7680x4320/ 850W
ASUS TUF-GAMING-1200G	R 3,706	Asus TUF-GAMING-1200G TUF Gaming 1200W Gold ATX12V/ ATX 3.0/ 150 x 150 x 86 mm/ 2.66kg Power Cord x1
ASUS TUF-RTX5070TI-O16G-GAMI	R 31,108	Asus TUF Gaming Geforce RTX 5070 Ti 16GB GDDR7 OC PCI-e 5.0 x16 Graphics card, 8960 units CUDA Cores, 28Gbps Memory Speed, 16GB GDDR7 Memory, 256-bit Memory Bus, 3x DisplayPort, 2x HDMI, 1x 16 pin Power connections, 4 Maximum displays
ASUS TUF-RTX5080-O16G-GAMING	R 6,899	Asus TUF-RTX5080-O16G-GAMING TUF Gaming GeForce RTX 5080 OC Edition 16GB GDDR7 256-bit Graphics Card, NVIDIA, PCIe5.0, 16GB GDDR7, OC mode:2790 MHz, Default mode:2760MHz(Boost) 2xHDMI, 3xDP, 850W
ASUS TUF-RTX5090-O32G-GAMINC	R 203,217	Asus TUF Gaming Geforce RTX 5090 32GB GDDR7 OC Edition PCI-e 5.0 x16 Graphics card, 3551 TOPS AI performance, 2580 MHz OC mode Engine clock, 21760 CUDA Core, 28 Gbps Memory Speed, 512-bit Memory Interface, 2x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 3.6 slot, ARGB Aura Sync
DUAL-RTX3050-O6G	R 6,286	Asus nVidia Geforce RTX 3050 Dual OC 6GB PCI-e 4.0 x16 Graphics card, 1537MHz (Boost Clock) Engine clock OC, 2304 CUDA Core, 14Gbps Memory Speed, 96-bit Memory Interface, 1x DVI-D, 1x HDMI 2.1, 1x DisplayPort 1.4a, 3 Maximum Display support, 2 slot
DUAL-RTX3050-O6G	R 4,299	Asus nVidia Geforce RTX 3050 Dual OC 6GB PCI-e 4.0 x16 Graphics card, 1537MHz (Boost Clock) Engine clock OC, 2304 CUDA Core, 14Gbps Memory Speed, 96-bit Memory Interface, 1x DVI-D, 1x HDMI 2.1, 1x DisplayPort 1.4a, 3 Maximum Display support, 2 slot
DUAL-RTX5050-O8G	R 9,348	Asus nVidia Geforce RTX 5050 Dual OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, 2677 MHz Engine clock - OC mode, 2560 CUDA Core, 20Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2 slot
DUAL-RTX5060-O8G	R 11,475	Asus Dual Geforce RTX 5060 OC Edition 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 623 TOPs AI Performance, 8GB GDDR7 Video Memory, OC mode 2565MHz Engine clock, 3840 CUDA Core, 28 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot, SFF ready
DUAL-RTX5060-O8G-EVO	R 8,074	Asus Geforce RTX 5060 Dual 8GB OC Evo PCI-e 5.0 x16 Graphics card, 3840 CUDA Cores and fifth-generation Tensor Cores, 8GB GDDR7 Memory at 28 Gbps, Boost Clock of 2565 MHz in OC mode, PCI Express 5.0 Interface, 2.1-slot width and 225 mm card length, Two Axial-tech fans with dual-ball bearings, 0dB Technology

		stops fans below 50 & #176; C, 1x HDMI 2.1b, 3x DisplayPort 2.1b Outputs, Vented backplate with structural rigidity support, Recommended 550W Power Supply with one 8 pin Connector
DUAL-RTX5060TI-O16G	R 18,276	Asus Dual nVidia Geforce RTX 5060 Ti OC Edition 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2632MHz OC mode, 4608 CUDA Core, 28 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot, SFF ready, 767 TOPs AI performance
DUAL-RTX5070-O12G	R 18,697	Asus Dual Geforce RTX 5070 12GB GDDR7 OC Edition PCI-e 5.0 x16 Graphics card, 988 TOPs AI Performance, 12GB GDDR7 Video Memory, 2572MHz OC mode Engine clock, 6144 CUDA Core, 28 Gbps Memory Speed, 192-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 2.53 slot, SFF ready
DUAL-RX9060XT-16G	R 17,002	Asus Dual Radeon RX 9060 XT 16GB GDDR6; AMD RDNA 4; 16GB GDDR6; PCIe 5.0 x16; HDMI 2.1b x1 DP 2.1a x2; 2.5 slot; Recommended 550W; 202 x 120 x 49 mm
GA-B860M-EAGLE-P-WIFI6E	R 3,245	GIGABYTE B860M EAGLE - B860 Express Chipset: Socket LGA1851, Supports Intel Core Ultra Processors, Memory : 4x Dual Channel DDR5 DIMM Slots (256GB Max), Expansion Slots : 1x PCI-Express 5.0 (x16 Speed), 2x PCI-Express 4.0 (x4 Speed), Storage and USB : 4x SATA
GT 1030 AERO ITX 2G OC	R 1,930	MSI nVidia GeForce GT 1030 AERO ITX 2GB GDDR5 64Bit Graphics Card
GT 710 2GD3H 4HDMI	R 1,263	MSI nVidia Geforce GT 710 2GD3H 2GB PCI-e 2.0 x16 Graphics card, PCI Express 2.0 x16 (Uses x8) Interface, 954MHz Core clocks, 1600MHz Memory Speed, GDDR3 Memory Type, 64-bit Memory Bus, 4 Maximum displays, 4x HDMI connectors, 4096x2160 @ 24 Hz Max Resolution
GT1030-2G-BRK	R 2,297	Asus Geforce GT 1030 2GB GDDR5 Low Profile PCI-e 3.0 x16 Graphics card, 1468 MHz GPU Boost Clock, 384 CUDA Cores, 64-bit Memory Interface, GDDR5 Memory Type, 1x HDMI 2.0b, 1x DisplayPort 1.4, 2 Multi-Monitor support, 7680x4320 Maximum Digital Resolution, Active cooling, Single slot
GT1030-SL-2G-BRK	R 2,241	Asus Geforce GT 1030 silent 2GB GDDR5 64bit PCI-e 3.0 x16 64bit Graphics card, PCI Express 3.0 Bus standard, GDDR5 2GB Video Memory, 1506 MHz GPU Boost Clock, 384 CUDA Core, 64-bit Memory Interface, 1920x1200 DVI Maximum Resolution, DVI Output, HDMI Output, HDCP support
GT1030-SL-2G-BRK	R 1,786	Asus Geforce GT 1030 silent 2GB GDDR5 64bit PCI-e 3.0 x16 64bit Graphics card, PCI Express 3.0 Bus standard, GDDR5 2GB Video Memory, 1506 MHz GPU Boost Clock, 384 CUDA Core, 64-bit Memory Interface, 1920x1200 DVI Maximum Resolution, DVI Output, HDMI Output, HDCP support
GT710-SL-2GD5-BRK-EVO	R 1,441	Asus GT710-SL-2GD5-BRK-EVO, nVidia GeForce GT 710 2GB GDDR5 64-bit, Connections: 1x DVI-D, 1x HDMI, 1 x D-Sub, Engine Clock - 945 MHz, Resolution - 2560 x 1600, 17 x 6.9 x 3.9 cm
GT710-SL-2GD5-BRK-EVO	R 1,242	Asus GeForce GT 710 EVO 2GB GDDR5 64-bit Graphics Card, Yes x 1 (Native DVI-D), Yes x 1 (D-Sub), Yes x 1 (Native HDMI 1.4b), HDCP Support Yes (1.4)
GT710-SL-2GD5-BRK-EVO	R 1,299	Asus GeForce GT 710 EVO 2GB GDDR5 64-bit Graphics Card, Yes x 1 (Native DVI-D), Yes x 1 (D-Sub), Yes x 1 (Native HDMI 1.4b), HDCP Support Yes (1.4)
GT7102GD3H4HDMI	R 1,231	MSI nVidia Geforce GT 710 2GD3H 2GB PCI-e 2.0 x16 Graphics card, PCI Express 2.0 x16 (Uses x8) Interface, 954MHz Core clocks, 1600MHz Memory Speed, GDDR3 Memory Type, 64-bit Memory Bus, 4 Maximum displays, 4 HDMI connectors, 4096x2160 @ 24 Hz Max Resolution
GT7102GD3H4HDMI	R 1,279	MSI nVidia Geforce GT 710 2GD3H 2GB PCI-e 2.0 x16 Graphics card, PCI Express 2.0 x16 (Uses x8) Interface, 954MHz Core clocks, 1600MHz Memory Speed, GDDR3 Memory Type, 64-bit Memory Bus, 4 Maximum displays, 4 HDMI connectors, 4096x2160 @ 24 Hz Max Resolution
GT730-4H-SL-2GD5	R 1,807	Asus nVidia Geforce GT 730 2GB GDDR5 PCI-e 2.0 Graphics card, PCI Express 2.0 Bus standard, 2GB GDDR5 Video Memory, 384 CUDA Core, 64-bit Memory Interface, Digital Maximum Resolution 3840x2160, 4x HDMI, 4x Maximum display support, 1 slot
GT730-4H-SL-2GD5	R 1,911	Asus nVidia Geforce GT 730 2GB GDDR5 PCI-e 2.0 Graphics card, PCI Express 2.0 Bus standard, 2GB GDDR5 Video Memory, 384 CUDA Core, 64-bit Memory Interface, Digital Maximum Resolution 3840x2160, 4x HDMI, 4x Maximum display support, 1 slot
GTX 1050 TI 4GT OCV1	R 3,172	MSI Geforce GTX 1050 Ti 4GT OCV1, PCI-E x16 Gen 3.0, 1341(1455) MHz, 4GB GDDR5, 7008 MHz, 128 Bit, DirectX 12, Dual Slot, DVI x1, VGA x0, HDMI x1, DisplayPort x1, 1x 6-Pin PCI-E, Thermal Design: Dual Fans
GTX 1660 SUP VENT XS OCV1	R 5,748	MSI Nvidia GeForce GTX 1660 SUPER VENTUS XS OC V1 6GB GDDR6 192-Bit Graphics Card
GTX 1660 TI ARMOR 6G OC	R 8,968	MSI nVidia Geforce GTX 1660 Ti Armor 6GB OC PCI-e 3.0 x16 Graphics card, PCI Express x16 3.0 Interface, 1536 unit cores, 1860 MHz boost Core clock, 6GB GDDR6 Memory, 192-bit Memory Bus, 3x DisplayPort, 1x

		HDMI, HDCP support, 1x 8 pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, TORX Fan 2.0
GV-N2060D6-12GD	R 7,935	Gigabyte nVidia Geforce RTX 2060 D6 12GB GDDR6 PCI-e 3.0 x16 Graphics card, 2176 CUDA cores, 1650 MHz Core clock, 14000 MHz Memory clock, 12GB Memory size, GDDR6 Memory Type, 192 Bit Memory Bus, 7680x4320 Digital Maximum Resolution, 4 multi-view, 1x 8 pin power connectors, 3x DisplayPort 1.4, 1x HDMI 2.0b
GV-N3050WF2OCV2-6GD	R 5,693	GIGABYTE nVidia GeForce RTX 3050 Windfore OC - 6GB GDDR6; 96-Bit Memory Bus; PCI Express 4.0; 2x HDMI; 2x DisplayPort.
GV-N3050WF2OCV2-6GD	R 5,578	GIGABYTE nVidia GeForce RTX 3050 Windfore OC - 6GB GDDR6; 96-Bit Memory Bus; PCI Express 4.0; 2x HDMI; 2x DisplayPort.
GV-N306TAORUS E-8GD	R 12,723	Gigabyte nVidia RTX 3060 Ti Aorus Elite 8GB GDDR6 PCI-e 4.0 x16 Graphics card, 1785 MHz Core clock, 4864 CUDA cores, GDDR6 Memory Type, 256 Bit Memory Bus, PCI-e 4.0 x16 card Bus, 4 multi-view, 1x 8 pin 1x 6 pin power connectors, 2x Display Port 1.4A, 2x HDMI 2.1, WindForce 3x cooling system, RGB Fusion 2.0
GV-N3070GAMING OC-8GD	R 13,947	Gigabyte nVidia GeForce RTX 3070 Gaming OC - 8GB GDDR6, 256-Bit Memory Bus, PCI Express 4.0, Connections: 2x HDMI, 2x DisplayPort, Core: TBD MHz, Memory Bandwidth: 448 GB/s, Memory: 14000MHz, H=51 L=286 W=115
GV-N5050OC-8GL	R 9,775	Gigabyte nVidia GeForce RTX 5050 OC LP - 8GB GDDR6; 128-Bit Memory Bus; 2x HDMI; 2x DisplayPort. The GIGABYTE GeForce RTX 5050 OC Low Profile 8G delivers efficient and modern GPU performance in a compact form. With DLSS 4, ray tracing, and rich display options, it meets the needs of gamers and creators in small form factor systems without compromise.
GV-N5060EAGLE OC-8GD	R 9,948	Gigabyte nVidia GeForce RTX 5060 EAGLE OC 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort
GV-N5060GAMING OC-8GD	R 10,293	GIGABYTE nVidia GeForce RTX 5060 GAMING OC 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort
GV-N5060OC-8GL	R 9,603	GIGABYTE nVidia GeForce RTX 5060 OC 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort
GV-N5060WF2MAX OC-8GD	R 10,638	Gigabyte nVidia RTX5060 WindForce Max OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2512 MHz Core clock, 3840 CUDA Cores, 28 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b
GV-N5060WF2OC-8GD	R 9,948	GIGABYTE nVidia GeForce RTX 5060 WINDFORCE OC 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort
GV-N506TAERO OC-8GD	R 11,443	Gigabyte GeForce RTX 5060 Ti AERO OC 8GB GDDR7 128 bit Graphics Card
GV-N506TEAGLE OC-8GD	R 12,593	Gigabyte nVidia GeForce RTX 5060Ti EAGLE OC 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort.
GV-N506TEAGLE OC-8GD	R 11,903	Gigabyte nVidia GeForce RTX 5060Ti EAGLE OC 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort.
GV-N506TEAGLEMAX OC-8GD	R 12,938	Asus GeForce RTX 5060 Ti EAGLE MAX OC 8G 8GB GDDR7 128 bit Graphics Card, DisplayPort 2.1b x3, HDMI 2.1b x1
GV-N506TWF2MAX OC-8GD	R 11,098	Gigabyte nVidia GeForce RTX 5060Ti Windforce Max 8GB - 8GB GDDR7; 128-Bit Memory Bus; 1x HDMI; 3x DisplayPort
GV-N506TWF2OC-16GD	R 17,641	Gigabyte nVidia RTX5060 Ti WindForce OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2587 MHz Core clock, 4608 CUDA Cores, 28 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b
GV-N5070EAGLE OC-12GD	R 19,378	Gigabyte nVidia Geforce RTX 5070 Eagle OC SFF 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2587 MHz Core clock, 6144 CUDA Cores, 28 Gbps Memory clock, 192 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, nVidia SFF-ready, RGB Lighting
GV-N5070EAGLE OC-12GD	R 18,228	Gigabyte nVidia Geforce RTX 5070 Eagle OC SFF 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2587 MHz Core clock, 6144 CUDA Cores, 28 Gbps Memory clock, 192 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, nVidia SFF-ready, RGB Lighting
GV-N5070GAMING OC-12GD	R 19,378	Gigabyte nVidia Geforce RTX 5070 Gaming OC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2625 MHz Core clock, 6144 CUDA Cores, 28 Gbps Memory clock, 192 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors,

		3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, RGB Halo
GV-N5070WF3OC-12GD	R 17,871	Gigabyte nVidia GeForce RTX 5070 WINDFORCE OC SFF - 12GB GDDR7 HDMIx1/DPx3
GV-N507TAERO OC-16GD	R 27,888	Gigabyte Nvidia Geforce Rtx 5070ti Aero Oc - 16gb Gddr7 Hdmix1/dpx3. 16GB GDDR7 memory, 256-bit memory interface, 8960 CUDA cores, 2588 MHz core clock speed, PCI Express 5.0 interface, WINDFORCE cooling system, Hawk fan technology, dual BIOS modes, RGB customizable lighting, reinforced metal backplate, versatile VGA holder, NVIDIA Blackwell architecture, DLSS 4 support, ray tracing cores, fifth-generation Tensor cores, DirectX 12 API support, OpenGL 4.6 compatibility, DisplayPort 2.1b outputs, HDMI 2.1b output, 750W recommended power supply, 16-pin power connector, server-grade thermal conductive gel, ultra durable components, 2oz copper PCB, low ESR solid capacitors, low RDS(on) MOSFETs, NVIDIA Reflex latency reduction, NVIDIA Studio creator tools, NVIDIA Broadcast AI enhancements, 4K gaming optimized, AI-powered workflows support, real-time ray tracing capability, metal craftsmanship design, composite copper heat pipes cooling, large vapor chamber technology, 3D active fans, multi-view support up to 4 displays
GV-N507TEAGLE OC-16GD	R 26,393	Gigabyte nVidia Geforce RTX 5070 Ti Eagle OC SFF 16GB PCI-e 5.0 x16 Graphics card, 2542 MHz Core clock, 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, RGB Lighting, WindForce cooling system, nVidia SFF-ready, Reinforced structure
GV-N507TGAMING OC-16GD	R 27,083	Gigabyte nVidia Geforce RTX 5070 Ti Gaming OC 16GB PCI-e 5.0 x16 Graphics card, 2588 MHz Core clock, 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, RGB Halo, Dual BIOS, Reinforced structure
GV-N507TWF3OC-16GD	R 26,048	Gigabyte nVidia Geforce RTX 5070 Ti WindForce OC SFF 16GB PCI-e 5.0 x16 Graphics card, 2497 MHz Core clock 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, nVidia SFF-ready, Reinforced structure
GV-N507TWF3OC-16GD	R 26,048	Gigabyte nVidia Geforce RTX 5070 Ti WindForce OC SFF 16GB PCI-e 5.0 x16 Graphics card, 2497 MHz Core clock 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, nVidia SFF-ready, Reinforced structure
GV-N5080AORUS M-16GD	R 42,033	Gigabyte nVidia Geforce RTX 5080 Aorus Master OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2805 MHz Core clock, 10752 CUDA Cores, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, LCD Edge View, WindForce cooling system, RGB Halo, Reinforced structure
GV-N5090GAMING OC-32GD	R 167,439	Gigabyte nVidia GeForce RTX 5090 GAMING OC - 32GB GDDR7; 512-Bit Memory Bus; 1x HDMI; 3x DisplayPort; Min 1000W PSU.
GV-N5090GAMING OC-32GD	R 94,243	Gigabyte nVidia GeForce RTX 5090 GAMING OC - 32GB GDDR7; 512-Bit Memory Bus; 1x HDMI; 3x DisplayPort; Min 1000W PSU.
GV-N710D3-2GL	R 1,369	Gigabyte nVidia GT 710 2048MB/ 2GB GDDR3 64bit Graphics Card, HDMI DVI low profile bracket x1, D-SUB low profile bracket x1, Dual-link DVI-D x 1/ HDMI x 1/ D-Sub x 1
GV-N710D3-2GL	R 1,012	Gigabyte Geforce GT 710 2GB DDR3 64 Bit PCI-e 2.0 Graphics card, 4096x2160 Digital Maximum Resolution, 3 multi-view, Low profile, 2048x1536 Analog Maximum Resolution, 1x Dual-link DVI-D, 1x HDMI, 1x D-Sub
GV-R68XTGAMING OC-16GD	R 14,559	Gigabyte AMD Radeon RX6800 XT Gaming OC - 16GB, 256-Bit Memory Bus, PCI Express 4.0, Connections: 2x HDMI, 2x DisplayPort Core: Base: 2045MHz, Boost: 2285MHz, Memory: 16000MHz, H=58 L=286 W=118
OCVN1650G4D6XEWH	R 3,219	OCPC nVidia Geforce GTX 1650 4GB GDDR6 Xe White PCI-e 3.0 x16 Graphics card, 1665MHz Boost Clock, 896 nVidia CUDA Cores, 128-bit Memory Interface, 2-slot, Dual cooling fan, DisplayPort, HDMI, Dual-link DVI
OCVN1660TIG6XE	R 3,795	OCPC nVidia GTX 1660 Ti 6GB GDDR6 Xe PCI-e 3.0 x16 Graphics card, 192-bit Memory Bus, 1x DisplayPort, 1x HDMI, 1x Dual-link DVI, 7680x4320 Maximum Digital Resolution, Dual cooling fan, 2-slot, 1x 8 pin Power Connector
OCVN3070GTIG8XE	R 8,625	OCPC nVidia Geforce RTX 3070 Ti 8GB GDDR6 Xe White PCI-e 4.0 x16 Graphics card, 1770 MHz Boost Clock, 6144 nVidia CUDA Cores, 256-bit Memory Interface, 2-slot, Triple cooling fan, 3x Display Output, 1x HDMI
OCVNGT210G1XE	R 689	OCPC nVidia GT 210 1GB DDR3 Low Profile PCI-e 2.0 x16 Graphics card, 64-bit Memory Interface, 589 MHz

		Core clock, 16 CUDA Cores, Low Profile fan, 1x HDMI, 1x DVI, 1 x VGA, 2560 x 1600 Resolution
OCVNGT730G4	R 1,034	OCPC nVidia Geforce GT730 4GB DDR3 PCI-e 3.0 x16 Graphics card, 700 MHz base clock, 384 nVidia CUDA Cores, 4GB DDR3 Memory, 64-bit Memory Interface, Single slot, 1x HDMI, 1x DVI, 1x VGA, Fan
PH-GTX1650-O4GD6-P	R 3,738	Asus nVidia Geforce GTX 1650 OC 4GB GDDR6 PCI-e Graphics card, PCI Express 3.0, OpenGL 4.6, 896 CUDA Core, 12 Gbps Memory speed, 128-bit Memory Interface, Digital Maximum Resolution 7680x4320, 1x DVI-D, 1x HDMI 2.0b, 3 Maximum Display support, 2 slot
PNY_RTX 5060 8GB GDDR7 SF STD	R 7,990	PNY nVidia Geforce RTX 5060 8GB GDDR7 single fan PCI-e 5.0 x8 Graphics card, 3840 CUDA Cores, 2497 MHz Boost Clock Speed, 128-bit Memory Interface, 145W TDP, 3x DisplayPort 2.1b, HDMI 2.1b, 4 Multi-Screen, 8 pin Power Input
PNY_RTX 5060 Ti 8GB ARGB OC	R 8,523	PNY Nvidia GeForce RTX 5060 Ti 8GB GDDR7 ARGB OC Triple fan PCI-e 5.0 x8 Graphics card, 2692 MHz Boost Clock Speed, 128-bit Memory Interface, 180W TDP, 3x DisplayPort 2.1b, 1x HDMI 2.1b, 4x Multi-Screen, 1x8-pin Power Input, 2 slot
PRIME-RTX5050-O8G	R 7,144	Asus nVidia Geforce RTX 5050 Prime OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, 2707 MHz Engine clock OC mode, 2560 CUDA Core, 20 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot
PRIME-RTX5060-O8G	R 11,816	Asus Prime Geforce RTX 5060 OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, SFF-ready, 630 TOPs AI Performance, 2565MHz Boost Clock, 3840 CUDA Core, 28 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot
PRIME-RTX5060TI-16G	R 18,276	Asus Prime nVidia Geforce RTX 5060 Ti 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2602MHz OC mode, 4608 CUDA Core, 28 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power Connectors, 2.5 slot, SFF ready, 758 TOPs AI performance
PRIME-RTX5070-012G	R 18,869	Asus Prime Geforce RTX 5070 OC Edition 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 1005 TOPS AI performance, 2587MHz OC mode Engine clock, 6144 CUDA Core, 28 Gbps Memory Speed, 192-bit Memory Interface, 1x HDMI 2.1b, DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 2.5 slot, SFF ready
PRIME-RTX5070TI-O16G	R 27,204	Asus Prime Geforce RTX 5070 Ti 16GB GDDR7 OC Edition PCI-e 5.0 x16 Graphics card, 1406 TOPs AI Performance, 16GB GDDR7 Video Memory, 2527MHz OC mode Engine clock, 8960 CUDA Core, 28 Gbps Memory Speed, 256-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 2.5 slot, SFF ready
PRIME-RTX5080-O16G	R 36,546	Asus Prime Geforce RTX 5080 OC Edition 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2685 MHz OC mode, 10752 CUDA Core, 30 Gbps Memory Speed, 256-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 2.5 slot, SFF ready, 1827 TOPS AI performance
PRIME-RX9060XT-O16G	R 17,428	Asus Prime Radeon RX 9060 XT OC 16GB GDDR6 PCI-e 5.0 x16 Graphics card, Up to 3330 MHz Boost Clock, 2048 Stream processors, 20Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 2x DisplayPort 2.1A, 3 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot
ROG-ASTRAL-LC-RTX5090-O32	R 69,557	Asus ROG-ASTRAL-LC-RTX5090-O32G-GAMING ROG Astral LC GeForce RTX 5090 OC Edition 32GB GDDR7 512-bit Graphics Card, ASUS Graphics Card/ NVIDIA/ PCIe5.0/ 32GB GDDR7/ OC mode:2610 MHz/ Default mode:2580MHz(Boost)/ Res:7680x4320/ 2xHDMI/ 3xDP/ 1000W.
ROG-ASTRAL-RTX5080-O16G-G	R 34,853	Asus ROG Astral nVidia Geforce RTX 5080 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 1899 TOPS AI performance, 2790 MHz OC mode, Engine clock, 10752 CUDA Core, 30 Gbps Memory Speed, 256-bit Memory Interface, 2x HDMI 2.1b, 1x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 3.8 slot, ARGB Aura Sync
ROG-ASTRAL-RTX5080-O16G-M	R 36,554	Asus ROG Astral Geforce RTX 5080 16GB GDDR7 OC Hatsune Miku PCI-e 5.0 x16 Graphics card, 1801 TOPs AI Performance, 2790 MHz Engine clock OC mode, 10752 CUDA Core, 30 Gbps Memory Speed, 256-bit Memory Interface, 2x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 3.8 slot, ARGB Aura Sync
ROG-ASTRAL-RTX5090-O32BTF	R 69,076	Asus ROG Astral Geforce RTX 5090 32GB GDDR7 BTF Edition PCI-e 5.0 x16 Graphics card, 3352 TOPs AI Performance, 32GB GDDR7 Video Memory, 2610 MHz OC mode Engine clock, 28 Gbps Memory Speed, 512-bit Memory Interface, 2x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors,

		3.8 slot, ARGB Aura Sync
ROG-ASTRAL-RTX5090-O32G-G	R 79,901	Asus ROG-ASTRAL-RTX5090-O32G-GAMING ROG Astral GeForce RTX 5090 OC Edition 32GB GDDR7 512-bit Graphics Card, ASUS Graphics Card/ NVIDIA/ PCIe5.0/ 32GB GDDR7/ OC mode:2610 MHz/ Default mode:2580MHz(Boost)/ 2xHDMI/ 3xDP/ 1000W.
ROG-STRIX-RTX5070-O12G-G	R 18,698	Asus ROG Strix Geforce RTX 5070 12GB GDDR7 OC Edition PCI-e 5.0 x16 Graphics card, 2685MHz Boost Clock, 2x HDMI 2.1b, 3x DisplayPort 2.1b, 3.2 slot width, 1x 16 pin Power connectors, 3 cooling fans, RGB Lighting
RTX 2060 SUPER VENTUS GP	R 7,266	MSI NVIDIA GeForce RTX 2060 SUPERTM VENTUS GP OC 8GB GDDR6 256-bit Graphics Card, DisplayPort x 3 (v1.4)/ HDMI 2.0b x 1
RTX 2060 VENTUS 12G OC	R 5,978	MSI nvidai RTX 2060 Ventus OC 12GB GDDR6 PCI-e 3.0 x16 Graphics card, PCI Express x16 3.0 Interface, 2176 Unit Cores, 1680 MHz boost : Core clocks, 12GB GDDR6 Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 8 pin power connectors, 4 Maximum displays, 1x 8 pin power connectors, 7680x4320 Digital Maximum Resolution
RTX 3050 GAMING X 8G	R 6,898	MSI Nvidia GeForce RTX 3050 Gaming X 8G 8GB GDDR6 128-Bit Graphics Card
RTX 3050 VENTUS 2X 6G OC	R 6,438	MSI Geforce RTX 3050 Ventus 2X OC 6GB GDDR6 PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x16 Interface, 1492 MHz boost Core clocks, 2304 units CUDA Cores, 96-bit Memory Bus, 1x DisplayPort, 2x HDMI, 3 Maximum displays
RTX 3050 VENTUS 2X 8G	R 6,438	MSI nVidia RTX 3050 Ventus 2X 8GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4.0 x8 Interface, CUDA, 2560 units, 1777 MHz boost Core clocks, 8GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 8 pin power connectors, 7680x4320 Digital Maximum Resolution, 4 Maximum displays
RTX 3050 VENTUS 2X 8G OC	R 6,438	MSI Nvidia GeForce RTX 3050 VENTUS 2X 8G OC 8GB GDDR6 128-Bit Graphics Card
RTX 3060 TI GAMING X 8G L	R 10,923	MSI nVidia Geforce RTX 3060 Ti Gaming X 8GB PCI-e 4.0 x16 Graphics card LHR, PCI Express Gen 4 Interface, 4864 cores, 1770 MHz boost Core clock, 8GB GDDR6 Memory, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, HDCP support, 1x 8 pin 1x 6 pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Twin Frozr 8 thermal design, TORX Fan 4.0, RGB Mystic Light
RTX 3060 VENTUS 2X 12G OC	R 8,393	MSI nVidia Geforce RTX 3060 Ventus 2X 12GB OC PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 3584 cores, 1807 MHz boost Core clocks, 12GB GDDR6 Memory, 192-bit Memory Bus, DisplayPort x 3, HDMI x 1, HDCP support, 1x 8 pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, TORX Fan 3.0
RTX 3060 VENTUS 2X 8G OC	R 6,898	MSI Geforce RTX 3060 Ventus 2X 8GB GDDR6 OC PCI-e 4.0 x16 Graphics card, 1807 MHz boost Core clocks, 3584 units CUDA Cores, 128-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, Adaptive Vertical Sync, 7680x4320 Digital maximum Resolution
RTX 3070 GAMING Z TRIO 8G	R 12,648	MSI NVIDIA GeForce RTX 3070 GAMING Z TRIO 8GB GDDR6 256-bit Graphics Card, DisplayPort x 3 (v1.4), HDMI x 1 (Supports 4K@120Hz as specified in HDMI 2.1)
RTX 3070 TI GAMING X TRIO	R 15,293	MSI nVidia Geforce RTX 3070 Ti Gaming X Trio 8GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 6144 unit cores, 1830 MHz boost Core clocks, 8GB GDDR6x Memory, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, HDCP support, 2x 8pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Tri Frozr 2 thermal design, RGB Mystic Light, Torx fan 4
RTX 3070 TI VENTUS 3X 8G	R 14,258	MSI nVidia Geforce RTX 3070 Ti Ventus 3x 8GB GDDR6x OC PCI-e 4.0 x16 Graphics card LHR, PCI Express Gen 4 Interface, 6144 unit cores, 1800 MHz boost Core clocks, 8GB GDDR6x Memory, 256-bit Memory Bus, 3x DisplayPort, HDMI x 1 (, HDCP support, 2x 8pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Torx fan 3.0, Zero Frozr, Thermal padding
RTX 3080 G T PLUS 12G LHR	R 21,043	MSI RTX 3080 Gaming Trio Plus 12GB LHR PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 8960 Unit Cores, 1755 MHz boost Core clocks, 12GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz as specified in HDMI 2.1), 3x 8 pin power connectors, G-Sync technology, 7680x4320 Digital Maximum Resolution
RTX 3080 G Z TRIO 10G LHR	R 17,662	MSI NVIDIA GeForce RTX 3080 GAMING Z TRIO 10G LHR 10GB GDDR6X 320-bit Graphics Card, DisplayPort x 3 (v1.4a), HDMI x 1 (Supports 4K@120Hz as specified in HDMI 2.1)
RTX 3080 G Z TRIO 12G LHR	R 21,043	MSI RTX 3080 Gaming Z Trio 12GB LHR PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 8960 Unit Cores, 1815 MHz Core clocks boost : 1815 MHz Core clocks, 12GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort

		(V1.4a), 1x HDMI (Supports 4K@120Hz as specified in HDMI 2.1), 3x 8 pin power connectors, 4 Maximum displays, G-Sync technology, 7680x4320 Digital Maximum Resolution
RTX 3080 SUPRIM X 10G LHR	R 18,398	MSI NVIDIA GeForce RTX 3080 SUPRIM X 10G LHR 10GB GDDR6X 320-bit Graphics Card, DisplayPort x 3 (v1.4a), HDMI x 1 (Supports 4K@120Hz as specified in HDMI 2.1)
RTX 3080 SUPRIM X 12G LHR	R 21,273	MSI RTX 3080 Suprim X 12GB LHR PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 8960 Unit Cores, 12GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz as specified in HDMI 2.1), 3x 8 pin power connectors, 4 Maximum displays, -sync technology, 7680x4320 Digital Maximum Resolution
RTX 3080 TI GAMING X TRIO	R 28,207	MSI Geforce RTX 3080 Ti Gaming X Trio 12GB GDDR6x PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 10240 unit cores, 1770 MHz boost Core clocks, 12GB GDDR6x Memory, 384-bit Memory Bus, 3x Display Port, 1x HDMI, HDCP support, 8 pin x3 power connectors, 4 Maximum displays, G-Sync technology, VR ready, Adaptive vertical Sync, 7680x4320 Digital Maximum Resolution, Tri Frozr 2 thermal design, RGB Mystic Light
RTX 3080 TI SUPRIM X 12G	R 30,542	MSI RTX 3080 Ti Suprim X 12GB GDDR6x PCI-e 4.0 x16 Graphics card LHR, PCI Express Gen 4 Interface, 10240 unit cores, 1845 MHz Extreme mode Core clocks, 12GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort, 1x HDMI, HDCP support, 3x 8 pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Tri Frozr 2s thermal design, Dual BIOS, Mystic Light
RTX 3080 TI VENTUS 3X 12G	R 24,792	MSI nVidia Geforce RTX 3080 Ti Ventus 3X OC 12GB GDDR6x PCI-e 4.0 x16 Graphics card, 10240 units cores, 1695 MHz boost Core clock, 12GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz), HDCP support, 2x 8pin power connectors, Multi-GPU technology, 4 Maximum displays, G-Sync technology, Adaptive vertical Sync, 7680x4320 Digital Maximum Resolution, TORX Fan 3.0
RTX 3080 VENTUS 3X PLUS L	R 16,328	MSI NVIDIA GeForce RTX 3080 VENTUS 3X PLUS 10G OC LHR 10GB GDDR6X 320-Bit Graphics Card, DisplayPort x 3 (v1.4a), HDMI x 1 (Supports 4K@120Hz as specified in HDMI 2.1)
RTX 3090 TI SUPRIM X 24G	R 42,548	MSI Geforce RTX 3090 Ti Suprim X 24GB GDDR6x PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 10752 units CUDA cores, 1950 MHz boost Core clocks, 24GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (2.1), 1x 16 pin power connector, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, NVLink support
RTX 3090 VENTUS 3X 24G OC	R 36,062	MSI Geforce RTX 3090 Ventus 3X 24GB OC PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 10496 Unit Cores, 1725 MHz boost Core clocks, 24GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz as specified in HDMI 2.1), NVLink support, Multi-GPU technology, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 4060 TI GAM X SLIM WT	R 13,684	MSI Geforce RTX 4060 Ti Gaming X Slim White 16GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x8, 2685 MHz Extreme performance Core clocks, 4352 units CUDA cores, 16GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution
RTX 4060 TI GAMING X 16G	R 12,507	MSI Geforce RTX 4060 Ti Gaming X 16GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x16 (Uses x8), 2655 MHz Extreme performance Core clocks, 4352 units CUDA cores, 16GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution
RTX 4060 TI VENTUS 2X BLK	R 10,003	MSI Geforce RTX 4060 Ti Ventus 2X Black OC 8GB GDDR6 PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x16 (Uses x8), 2565 MHz boost Core clocks, 4352 units CUDA Cores, 18 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX 4060 TI VENTUS 2X OC	R 12,591	MSI Geforce RTX 4060 Ti Ventus 2X Black 16GB OC PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x16 (Uses x8), 2625 MHz Extreme performance Core clocks, 4352 units CUDA cores, 16GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution
RTX 4060 TI VENTUS 3X 8G	R 9,876	MSI Geforce RTX 4060 Ti Ventus 3X 8GB OC GDDR6 PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 2565 MHz boost Core clocks, 4352 units CUDA cores, 8GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 4060 TI VENTUS 3X OC	R 12,879	MSI Geforce RTX 4060 Ti Ventus 3X 16GB OC PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 x16 (Uses x8), 2625 MHz Extreme performance, 4352 units CUDA cores, 16GB GDDR6 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution

RTX 4070 GAM X SLIM 12G	R 15,399	MSI Geforce RTX 4070 Gaming X Slim 12GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 2625 MHz Extreme performance Core clocks, 5888 units CUDA cores, 12GB GDDR6X Memory, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution
RTX 4070 GAM X SLIM W 12	R 15,135	MSI Geforce RTX 4070 Gaming X Slim White 12GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4, 2625 MHz Extreme performance Core clocks, 5888 units CUDA cores, 12GB GDDR6X Memory, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution
RTX 4070 TI G X TRIO 12G	R 21,725	MSI Geforce RTX 4070 Ti Gaming X Trio 12GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2760 MHz Extreme performance Core clocks, 2745 MHz boost Core clocks, 7680 units CUDA cores, 12GB GDDR6x Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz HDR / 8K@60Hz HDR), 1x 16 pin Power connectors, 4 Maximum displays, G-Sync technology, 7680x4320 Digital Maximum Resolution
RTX 4070 TI GAMING X TRIO	R 20,377	MSI Geforce RTX 4070 Ti Gaming X Trio 12GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2760 MHz Extreme performance Core clocks, 7680 units CUDA cores, 12GB GDDR6x Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 4070 TI SUPRIM X 12G	R 23,074	MSI Geforce RTX 4070 Ti Suprim X 12GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2790 MHz Extreme performance Core clocks, 2775 MHz boost Core clocks, 7680 units CUDA cores, 12GB GDDR6x Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz HDR / 8K@60Hz HDR), 1x 16 pin Power connectors, 4 Maximum displays, G-Sync technology, 7680x4320 Digital Maximum Resolution
RTX 4070 TI VENT 3X12GOC	R 20,238	MSI Geforce RTX 4070 Ti Ventus 3X 12GB OC PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2655 MHz Extreme performance Core clocks, 2640 MHz boost RE clocks, 7680 units CUDA cores, 12GB GDDR6x Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K@120Hz HDR / 8K@60Hz HDR), 1x 16 pin Power connectors, 4 Maximum displays, G-Sync technology, 7680x4320 Digital Maximum Resolution
RTX 4070 TI VENTUS 3X 12G	R 17,710	MSI Geforce RTX 4070 Ti Ventus 3X 12GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2625MHz Extreme performance Core clocks, 7680 units CUDA cores, 12GB GDDR6x Memory, 192-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 4070 VENTUS 3X E 12G	R 14,868	MSI nVidia Geforce RTX 4070 Ventus 3X E 12GB OC PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2505 MHz boost Core clocks, 5888 units CUDA Cores, 21 Gbps Memory speed, 12GB GDDR6x Memory, 192-bit Memory Bus, 3x DisplayPort V1.4a, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX 4070TI SUP 16G VEN 3X	R 20,698	MSI Geforce RTX 4070 Ti Super Ventus 3X 16GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2625 MHz Extreme performance Core clocks, 8448 units CUDA Cores, 16GB GDDR6x Memory, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 16 pin x 1 Power connectors, 4 Maximum displays, 7680x4320 Digital maximum Resolution
RTX 4080 SUP 16G EXPT	R 26,678	MSI Geforce RTX 4080 Super Expert 16GB GDDR6x PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2625 MHz Extreme performance Core clocks, 2610 MHz boost Core clocks, 10240 units CUDA Cores, 23 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX 4090 G X TRIO 24G	R 41,858	MSI Geforce RTX 4090 Gaming X Trio 24GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2610 MHz Extreme performance Core clocks, 16384 units CUDA cores, 24GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 4090 SUPR LIQ X 24G	R 45,138	MSI Geforce RTX 4090 Suprim Liquid X 24GB PCI-e 4.0 x16 Graphics card, 2640 MHz Extreme performance Core clocks, 16384 units CUDA cores, 24GB GDDR6x Memory, 384-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 4090 SUPRIM X 24G	R 47,839	MSI Geforce RTX 4090 Suprim X 24GB GDDR6x PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 2625 MHz boost Core clocks, 16384 units CUDA cores, 24GB GDDR6x Memory, 384-bit ory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K @120Hz HDR / 8K@60Hz HDR / Variable Refresh Rate as specified in HDMI 2.1A), 1x 16 pin Power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution
RTX 5050 8G GAMING OC	R 5,748	MSI nVidia Geforce RTX 5050 8G GAMING OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, PCI Express Gen 5 x16 (Uses x8) Interface, 2632 MHz boost Core clocks, 2560 Units CUDA Cores, 20 Gbps Memory Speed, 128-bit

		Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors
RTX 5050 8G SHA 2X OC	R 7,768	MSI nVidia Geforce RTX 5050 Shadow 2X OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, PCI Express Gen 5 x16 (Uses x8), 2602 MHz boost Core clocks, 2560 units CUDA Cores, 20Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors
RTX 5050 8G VENTUS 2X OC	R 7,818	MSI NVIDIA GeForce RTX 5050 8G VENTUS 2X OC 8GB GDDR6 128-bit Graphics Card. GPU Model: NVIDIA GeForce RTX 5050; Architecture: Blackwell; CUDA Cores: 2560; Base Clock: 2602 MHz; Boost Clock: 2617 MHz; Memory: 8GB GDDR6; Memory Speed: 20 Gbps; Memory Bus: 128-bit; Interface: PCIe Gen 5.0 x16 (x8 mode); Display Outputs: 3 x DisplayPort 2.1b, 1 x HDMI 2.1b; Maximum Resolution: 7680 x 4320 (8K); Power Consumption: 130W; Power Connector: 1 x 8-pin PCIe; Recommended PSU: 550W; Card Dimensions: 197 x 120 x 41 mm; Weight: 491g
RTX 5060 8G GAMING OC	R 9,796	MSI Geforce RTX 5060 Gaming OC 8GB PCI-e 5.0 x16 Graphics card, 2625 MHz boost Core clocks, 3840 units CUDA Cores, 28Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX 5060 8G INSPIRE 2X OC	R 9,697	MSI Geforce RTX 5060 Inspire 2x OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card - Gold, 2535 MHz boost Core clocks, PCI Express Gen 5 x16 (Uses x8) Interface, 3840 Units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 2x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays
RTX 5060 8G SHA 2X OC	R 9,807	MSI Geforce RTX 5060 Shadow 2X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2527 MHz boost Core clocks, 3840 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, TORX Fan 5.0, Reinforcing backplate
RTX 5060 8G VEN 2X OC WH	R 7,013	MSI nVidia Geforce RTX 5060 Ventus 2X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card - White, 2527MHz boost clocks, 3840 units CUDA Cores, 28Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, TORX Fan 5.0
RTX 5060 8G VENTUS 2X OC	R 7,151	MSI nVidia Geforce RTX 5060 Ventus 2X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2527MHz boost clocks, 3840 units CUDA Cores, 28Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, TORX Fan 5.0
RTX 5060 TI 16G VEN2XOCPL	R 11,072	MSI Geforce RTX 5060 Ti Ventus 2X OC Plus 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2602 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, Dual-fan Ventus 2X Thermal Design, Compact 2-slot Form Factor, Robust Aluminium backplate
RTX 5060 TI 8G GAMING OC	R 10,808	MSI nVidia RTX 5060 Ti Gaming OC 8GB PCI-e 5.0 x16 Graphics card, PCI Express Gen 5 x16 (Uses x8), 2647 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX 5060 TI 8G VEN 2XOCPL	R 10,497	MSI Geforce RTX 5060 Ti Ventus 2X OC Plus 8GB PCI-e 5.0 x16 Graphics card, 2602 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, Stormforce fan, Reinforcing backplate
RTX 5060 TI 8GGAMDUKE3XOC	R 10,877	MSI nVidia RTX 5060 Ti Gaming Duke 3x OC 8GB PCI-e 5.0 x16 Graphics card, PCI Express Gen 5 x16 (Uses x8), 2617 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX 5070 12G SHADOW 2X OC	R 14,948	MSI Geforce RTX 5070 Shadow 2X OC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2542 MHz boost Core clocks, 6144 units CUDA Cores, 28Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connections, 4 Maximum displays, TORX Fan 5.0, Nickel-plated Copper baseplate
RTX 5070 12G SHADOW 3X OC	R 15,868	MSI nVidia Geforce RTX 5070 Shadow 3x OC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2542 MHz boost Core clocks, 6144 units CUDA Cores, 28 Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX 5070 12G VANGUARD SOC	R 16,443	MSI nVidia Geforce RTX 5070 Vanguard SoC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2640 MHz boost Core clocks, 6144 units CUDA Cores, 28 Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, Hyper Frozr Thermal Design, Stormforce fan, Advanced vapor chamber, Air Antegrade fin 2.0
RTX 5070 TI 16G INS 3X OC	R 18,398	MSI nVidia Geforce RTX 5070 Ti Inspire 3X OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, PCI Express Gen 5

		Interface, 2482 MHz boost Core clocks, 8960 Units CUDA Cores, 28 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX 5070 TI 16G SHA 3X OC	R 27,598	MSI RTX 5070 Ti Shadow 3x OC 16GB PCI-e 5.0 x16 Graphics card, 2482 MHz boost Core clocks, 8960 units CUDA Cores, 28 Gbps Memory Speed, 16GB GDDR7 Memory, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, SFF-ready, TORX Fan 5.0, Nickel-plated Copper baseplate
RTX 5070 TI 16G VAN SOC L	R 23,401	MSI nVidia Geforce RTX 5070 Ti Vanguard SoC Launch 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2588 MHz boost Core clocks, 8960 units CUDA Cores, 28 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 16 pin x 1 Power connectors, 4 Maximum displays
RTX 5070 TI 16G VEN 3X OC	R 19,812	MSI nVidia Geforce RTX 5070 Ti Ventus 3X OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2482 MHz boost Core clocks, 8960 units CUDA Cores, 28 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connectors, 4 Maximum displays
RTX 5080 16G GAM TRI OC W	R 26,448	MSI nVidia Geforce RTX 5080 Gaming Trio OC 16GB GDDR7 White PCI-e 5.0 x16 Graphics card, 2700 MHz boost Core clocks, 10752 units CUDA Cores, 30Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connections, 4 Maximum displays
RTX 5080 16G SUPRIM SOC	R 29,898	MSI GeForce RTX 5080 16G SUPRIM SOC 16GB GDDR7 256-bit Graphics Card. GPU: NVIDIA GeForce RTX 5080; CUDA Cores: 10,752; Memory: 16GB GDDR7; Memory Bus: 256-bit; Boost Clock: 2760 MHz; Interface: PCIe 5.0 x16; Display Outputs: 3 x DisplayPort 2.1b, 1 x HDMI 2.1b; Max Resolution: 7680 x 4320; Power Connectors: 1 x 16-pin; Recommended PSU: 850W; Dimensions: 357 mm x 151 mm x 66 mm; Weight: 1.5 kg
RTX 5080 16G VAN SOC LE	R 32,405	MSI nVidia Geforce RTX 5080 Vanguard SoC Launch Edition 16GB GDDT7 PCI-e 5.0 x16 Graphics card, 2730 MHz boost Core clocks, 10752 units CUDA Cores, 30 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connectors, 4 Maximum displays
RTX 5080 16G VEN 3X OC	R 30,243	MSI nVidia Geforce RTX 5080 Ventus 3X OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2640 MHz boost Core clocks, 10752 units CUDA Cores, 30 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX 5080 16G VEN 3X OC PL	R 31,048	MSI nVidia Geforce RTX 5080 Ventus 3X OC Plus 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2640 MHz boost Core clocks, 10752 units CUDA Cores, 30 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX 5090 32G GAM TRIO OC	R 63,248	MSI nVidia Geforce RTX 5090 Gaming Trio OC 32GB PCI-e 5.0 x16 Graphics card, 2482 MHz boost Core clocks, 21760 units CUDA Cores, 28Gbps Memory Speed, 32GB GDDR7 Memory, 512-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, Tri Frozr 4 Thermal Design, Stormforce fan, Nickel-plated Copper baseplate, Metal backplate, Wave Curved 4.0, Air antegrade fin 2.0
RTX 5090 32G VAN SOC	R 54,048	MSI nVidia Geforce RTX 5090 Vanguard SoC 32GB PCI-e 5.0 x16 Graphics card, 2512 MHz boost Core clocks, 21760 units CUDA Cores, 28Gbps Memory Speed, 32GB GDDR7 Memory, 512-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, Hyper Frozr Thermal Design, Stormforce fan, Advanced vapor chamber, Core pipes, Metal backplate, Air Antegrade fin 2.0
RTX 5090 32G VEN 3X OC	R 50,598	MSI nVidia Geforce RTX 5090 Ventus 3X OC 32GB PCI-e 5.0 x16 Graphics card, 2437 MHz boost Core clocks, 21760 units CUDA Cores, 28Gbps Memory Speed, 32GB GDDR7 Memory, 512-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, Nickel-plated Copper baseplate, Metal backplate, TORX Fan 5.0
RTX3050VENTUS2XE6GOC	R 5,950	MSI Nvidia GeForce RTX 3050 Ventus 2X E 6G OC GDDR6 96-BIT Graphics Card
RTX3060TIGAMINGX8GB	R 12,499	MSI nVidia Geforce RTX 3060 Ti Gaming X 8GB PCI-e 4.0 x16 Graphics card LHR, PCI Express Gen 4 Interface, 4864 cores, 1770 MHz boost Core clock, 8GB GDDR6 Memory, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, HDCP support, 1x 8 pin 1x 6 pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Twin Frozr 8 thermal design, TORX Fan 4.0, RGB Mystic Light
RTX3060TIVENTUS3X8GOCLHR	R 11,999	MSI nVidia RTX 3060 Ti Ventus 3X OC LHR 8GB PCI-e 4.0 x16 OC Graphics card, PCI Express Gen 4 Interface, 4864 cores, 1695 MHz boost Core clocks, 8GB GDDR6 Memory, 256-bit Memory Bus, 3x DisplayPort (V1.4a), 1x HDMI (Supports 4K @ 120Hz as specified in HDMI 2.1), HDCP support, 1x 8 pin power connectors, 4 Maximum displays, G-Sync technology, 7680x4320 Digital Maximum Resolution
RTX3070TIGAMINGXTRIO8G	R 16,599	MSI nVidia Geforce RTX 3070 Ti Gaming X Trio 8GB PCI-e 4.0 x16 Graphics card, PCI Express Gen 4 Interface, 6144 unit cores, 1830 MHz boost Core clocks, 8GB GDDR6x Memory, 256-bit Memory Bus, 3x DisplayPort, 1x

		HDMI, HDCP support, 2x 8pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Tri Frozr 2 thermal design, RGB Mystic Light, Torx fan 4
RTX3070TIVENTUS3X8GB	R 15,999	MSI nVidia Geforce RTX 3070 Ti Ventus 3x 8GB GDDR6x OC PCI-e 4.0 x16 Graphics card LHR, PCI Express Gen 4 Interface, 6144 unit cores, 1800 MHz boost Core clocks, 8GB GDDR6x Memory, 256-bit Memory Bus, 3x DisplayPort, HDMI x 1 (, HDCP support, 2x 8pin power connectors, 4 Maximum displays, 7680x4320 Digital Maximum Resolution, Torx fan 3.0, Zero Frozr, Thermal padding
RTX5050GAMINGOC8GB	R 7,058	Gigabyte GeForce RTX 5050 GAMING OC 8GB GDDR6 128 bit Graphics Card
RTX5050SHADOW2XOC8G	R 8,670	MSI nVidia Geforce RTX 5050 Shadow 2X OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, PCI Express Gen 5 x16 (Uses x8), 2602 MHz boost Core clocks, 2560 units CUDA Cores, 20Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors
RTX5050VENTUS2XOC8G	R 7,652	MSI nVidia Geforce RTX 5050 Ventus 2X OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, 2602 MHz boost Core clocks, 2560 Units CUDA Cores, 20 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays
RTX5060GAMINGOC8GB	R 7,650	MSI Geforce RTX 5060 Gaming OC 8GB PCI-e 5.0 x16 Graphics card, 2625 MHz boost Core clocks, 3840 units CUDA Cores, 28Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX5060INSPIRE2XOC8G	R 7,392	MSI Geforce RTX 5060 Inspire 2x OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card - Gold, 2535 MHz boost Core clocks, PCI Express Gen 5 x16 (Uses x8) Interface, 3840 Units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 2x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays
RTX5060SHADOW2XOC8GB	R 11,217	MSI Geforce RTX 5060 Shadow 2X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2527 MHz boost Core clocks, 3840 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays, TORX Fan 5.0, Reinforcing backplate
RTX5060TIINSPIRE2XOC16GB	R 10,965	MSI Geforce RTX 5060 Ti 16GB Inspire 2X OC PCI-e 5.0 x16 Graphics card, 2617 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, Aluminium backplate, Compact dual-fan Form Factor, Seven Stormface fan blades
RTX5060TIINSPIRE2XOC8GB	R 9,358	MSI Geforce RTX 5060 Ti 8GB Inspire 2X OC PCI-e 5.0 x16 Graphics card, 2617 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, HDMI x, 1x 8pin Power connectors, 4 Maximum displays, Aluminium backplate, Seven Stormface fan blades, Compact dual-fan Form Factor
RTX5060TISHADOW2XOCPLU	R 9,520	MSI Geforce RTX 5060 Ti Shadow 2X OC Plus 128-bit GDDR7 8GB PCI-e 5.0 x16 Graphics card, PCI Express Gen 5 x16 (Uses x8) Interface, 2602MHz boost Core clocks, 4608 Units CUDA Cores, 28Gbps Memory Speed, 3x DisplayPort, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX5060TISHADOW2XOCPLUS	R 11,997	MSI Geforce RTX 5060 Ti Shadow 2X OC Plus 16GB GDDR7 PCI-e 5.0 x16 Graphics card card, PCI Express Gen 5 x16 (Uses x8) Interface, 2602MHz boost Core clocks, 4608 Units CUDA Cores, 28Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort Output, 1x HDMI, 1x 8 pin Power connectors, 4 Maximum displays
RTX5060TIVENTUS2XOCPLU	R 9,358	MSI Geforce RTX 5060 Ti Ventus 2X OC Plus 8GB PCI-e 5.0 x16 Graphics card, 2602 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 8GB GDDR7 Memory, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, Stormforce fan, Reinforcing backplate
RTX5060TIVENTUS2XOCPLUS16	R 12,116	MSI Geforce RTX 5060 Ti Ventus 2X OC Plus 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2602 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, Dual-fan Ventus 2X Thermal Design, Compact 2-slot Form Factor, Robust Aluminium backplate
RTX5060TIVENTUS3XOC16GB	R 10,437	MSI Geforce RTX 5060 Ti Ventus 3X OC Plus 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2602 MHz boost Core clocks, 4608 units CUDA Cores, 28 Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, Triple-fan Ventus 3X Thermal Design, Robust Aluminium backplate
RTX5060VENTUS2XOC8G	R 11,217	MSI nVidia Geforce RTX 5060 Ventus 2X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2527MHz boost clocks, 3840 units CUDA Cores, 28Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, TORX Fan 5.0

RTX5060VENTUS2XOC8GW	R 7,436	MSI nVidia Geforce RTX 5060 Ventus 2X OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card - White, 2527MHz boost clocks, 3840 units CUDA Cores, 28Gbps Memory Speed, 128-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 8pin Power connectors, 4 Maximum displays, TORX Fan 5.0
RTX5070GAMINGTRIOOC12GB	R 15,356	MSI nVidia Geforce RTX 5070 Gaming Trio OC 12GB DDR7 PCI-e 5.0 x16 Graphics card, 2610 MHz boost Core clocks, 6144 units CUDA Cores, 28Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 16 pin x1 Power connections, 4 Maximum displays, Stormforce fan, Tri Frozr 4 Thermal Design, Nickel-plated Copper baseplate, Air Antegrade fin 2.0
RTX5070GAMINGTRIOOCW12GB	R 14,452	MSI Nvidia GeForce RTX 5070 Gaming Trio OC White 12GB GDDR7 192-bit Graphics Cards
RTX5070INSPIRE3XOC12GB	R 14,453	MSI Nvidia GeForce RTX 5070 Inspire 3X OC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2542 MHz boost Core clocks, 6144 units CUDA Cores, 28Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connections, 4 Maximum displays, Stormforce fan, Nickel-plated Copper baseplate, Air Antegrade fin
RTX5070SHADOW2XOC12GB	R 14,446	MSI Geforce RTX 5070 Shadow 2X OC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2542 MHz boost Core clocks, 6144 units CUDA Cores, 28Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connections, 4 Maximum displays, TORX Fan 5.0, Nickel-plated Copper baseplate
RTX5070SHADOW3XOC12G	R 14,644	MSI nVidia Geforce RTX 5070 Shadow 3x OC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2542 MHz boost Core clocks, 6144 units CUDA Cores, 28 Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX5070TIGAMINGTRIOOC	R 20,394	MSI nVidia Geforce RTX 5070 Ti Gaming Trio OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2572 MHz boost Core clocks, 8960 Units CUDA Cores, 28Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connections, 4 Maximum displays
RTX5070TIGAMINGTRIOOCPLUS	R 19,435	MSI nVidia Geforce RTX 5070 Ti Gaming Trio OC Plus 16GB PCI-e 5.0 x16 Graphics card, 2572 MHz boost Core clocks, 8960 units CUDA Cores, 28Gbps Memory Speed, 16GB GDDR7 Memory, 256-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, Tri Frozr 4 Thermal Design, Stormforce fan, Nickel-plated Copper baseplate, Metal backplate, Wave Curved 4.0, Air Antegrade fin 2.0
RTX5070TISHADOW3XOC16GB	R 19,555	MSI Nvidia GeForce RTX 5070Ti Shadow 3X OC 16GB GDDR7 256-bit Graphics Card
RTX5070TIVENTUS3XOC16GB	R 18,234	MSI nVidia Geforce RTX 5070 Ti 16GB Ventus 3X OC PCI-e 5.0 x16 Graphics card, 2482 MHz boost Core clocks, 8960 units CUDA Cores, 28Gbps Memory Speed, 16GB GDDR7 Memory, 256-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, TORX Fan 5.0, Nickel-plated Copper baseplate, Metal backplate
RTX5070VANGUARDSOC12GB	R 14,878	MSI nVidia Geforce RTX 5070 Vanguard SoC 12GB GDDR7 PCI-e 5.0 x16 Graphics card, 2640 MHz boost Core clocks, 6144 units CUDA Cores, 28 Gbps Memory Speed, 192-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays, Hyper Frozr Thermal Design, Stormforce fan, Advanced vapor chamber, Air Antegrade fin 2.0
RTX5070VANGUARDSOCLE12GB	R 15,595	MSI Nvidia GeForce RTX 5070 Vanguard SOC LE 12GB GDDR7 Graphics Cards
RTX5070VENTUS3XOC12GB	R 14,036	MSI Nvidia GeForce RTX 5070 Ventus 3X OC 12GB GDDR7 192-bit Graphics Cards
RTX5070WOWMIDVOIDOC12GB	R 17,088	MSI nVidia GeForce RTX 5070 12G World of Warcraft MIDNIGHT VOID EDITION OC 12GB GDDR7 192-bit Graphics Card, DisplayPort x 3 (v2.1b), HDMI x 1 (As specified in HDMI 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR)
RTX5080GAMINGTRIOOC16GB	R 28,192	MSI Nvidia GeForce RTX 5080 GAMING TRIO OC 16GB GDDR7 256-bit Graphics Card
RTX5080GAMINGTRIOOC16GBWH	R 28,431	MSI nVidia Geforce RTX 5080 Gaming Trio OC 16GB GDDR7 White PCI-e 5.0 x16 Graphics card, 2700 MHz boost Core clocks, 10752 units CUDA Cores, 30Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connections, 4 Maximum displays
RTX5080INSPIRE3XOC16GB	R 25,673	MSI Nvidia GeForce RTX 5080 Inspire 3X OC 16GB GDDR7 256-bit Graphics Card
RTX5080SHADOW3XOC16GB	R 27,621	MSI Geforce RTX 5080 Shadow 3x OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2640 MHz boost Core clocks, 10752 units CUDA Cores, 30Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX5080SUPRIMSOC16GB	R 28,072	MSI Nvidia GeForce RTX 5080 SUPRIM SOC 16GB GDDR7 256-bit Graphics Card
RTX5080VENTUS3XOC16GB	R 29,752	MSI nVidia Geforce RTX 5080 Ventus 3X OC 16GB PCI-e 5.0 x16 Graphics card, 10752 units CUDA Cores, 2640 MHz boost Core clocks, 10752 units CUDA Cores, 30Gbps Memory Speed, 16GB GDDR7 Memory, 256-bit Memory Bus, 3x DisplayPort, 16 pin x1 Power connections, 4 Maximum displays

RTX5080VENTUS3XOC16GBWH	R 25,432	MSI Geforce RTX 5080 Ventus 3X OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card - White, 2640 MHz boost Core clocks, 10752 units CUDA Cores, 30Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX5080VENTUS3XOCPLUS16GB	R 26,349	MSI nVidia Geforce RTX 5080 Ventus 3X OC Plus 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 2640 MHz boost Core clocks, 10752 units CUDA Cores, 30 Gbps Memory Speed, 256-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16 pin Power connectors, 4 Maximum displays
RTX5090SUPRIMLIQUIDSOC32G	R 54,225	MSI nVidia Geforce RTX 5090 Suprim Liquid SoC 32GB GDDR7 PCI-e 5.0 x16 Graphics card, 2565 MHz boost Core clocks Gaming mode, 21760 units CUDA Cores, 28Gbps Memory Speed, 512-bit Memory Bus, 3x DisplayPort, 1x HDMI, 1x 16pin Power connections, Superior Hybrid cooling system Suprim Liquid innovative Hybrid Design, Micro-fin Copper Case immersed in Liquid steam for effective heat transfer, Superior Hybrid cooling system with innovative Design combining Air and Liquid cooling
RTX5090SUPRIMSOC32GB	R 53,505	MSI Nvidia GeForce RTX 5090 SUPRIM SOC 32GB GDDR7 512-bit Graphics Card
RTX5090VANGUARDSOC32GB	R 52,785	MSI nVidia Geforce RTX 5090 vanguard SoC 32GB PCI-e 5.0 x16 Graphics card, 2512 MHz boost Core clocks, 21760 units CUDA Cores, 28Gbps Memory Speed, 32GB GDDR7 Memory, 512-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, Hyper Frozr Thermal Design, Stormforce fan, Advanced vapor chamber, Core pipes, Metal backplate, Air antegrade fin 2.0
RTX5090VENTUS3XOC32GB	R 80,377	MSI nVidia Geforce RTX 5090 Ventus 3X OC 32GB PCI-e 5.0 x16 Graphics card, 2437 MHz boost Core clocks, 21760 units CUDA Cores, 28Gbps Memory Speed, 32GB GDDR7 Memory, 512-bit Memory Bus, 3x DisplayPort (V2.1b), 1x HDMI, 1x 16pin Power connections, Nickel-plated Copper baseplate, Metal backplate, TORX Fan 5.0
RX7600Challenger8GOC	R 8,925	Asrock Radeon RX7600 Challenger 8G OC GDDR6 128-BIT Graphics Card
SC-A1660Ti-TE	R 8,510	Asus TUF Gaming NVIDIA GeForce GTX 1660 Ti EVO OC Edition 6GB GDDR6 192-bit Graphics Card, Yes x 1 (Native DVI-D), Yes x 2 (Native HDMI 2.0b), Yes x 1 (Native DisplayPort 1.4a), HDCP Support Yes (2.2)
SC-A2060DE	R 7,865	Asus Dual GeForce RTX 2060 EVO 6GB GDDR6 192-bit Graphics Card, Yes x 1 (Native DVI-D), Yes x 2 (Native HDMI 2.0b), Yes x 1 (Native DisplayPort 1.4), HDCP Support Yes (2.2)
SC-A2060DEO	R 7,876	Asus nVidia RTX2060 Dual Evo OC PCI-e 3.0 GDDR6 6GB Graphics card, PCI Express 3.0 Bus standard, OpenGL 4.6, GDDR6 6GB Video Memory, 1920 CUDA Core, 14000 MHz Memory clock, 192-bit Memory Interface, 7680x4320 Digital Maximum Resolution, DVI Output, 2x HDMI Output, DisplayPort, 4 Maximum Display support, 1x 8 pin power connector
SC-A3050-S	R 10,107	Asus ROG Strix NVIDIA GeForce RTX 3050 8GB GDDR6 128-bit Graphics Card, Yes x 2 (Native HDMI 2.1), Yes x 3 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-A3050-So	R 8,292	Asus ROG Strix Geforce RTX 3050 OC Edition 8GB GDDR6 PCI-e 4.0 x16 Graphics card, PCI Express 4.0 Bus standard, 8GB GDDR6 Video Memory, 2560 CUDA Core, 128-bit Memory Interface, 7680x4320 Digital Maximum Resolution, 2x HDMI 2.1, 3x DisplayPort 1.4a, 4 Maximum Display support, 1x 8 pin power connectors, 2.7 slot
SC-A3060Ti-DM	R 9,998	Asus Dual GeForce RTX 3060 Ti Mini 8GB GDDR6 256-bit Graphics Card
SC-A3060Ti-DMo	R 10,058	Asus DUAL NVIDIA GeForce RTX 3060 TI MINI OC Edition 8GB GDDR6 256-bit Graphics Card, Yes x 1 (Native HDMI 2.1), Yes x 3 (Native DisplayPort 1.4a), HDCP Support Yes (2.3)
SC-A3080Ti-To	R 21,964	Asus TUF Gaming GeForce RTX 3080 Ti OC Edition 12GB GDDR6X 384-bit Graphics Card, HDMI 2.1 x 2, DisplayPort 1.4a x 3, HDCP
SC-A7102GD5S	R 1,426	Asus GT710-SL-2GD5, Silent heatsink only, no SLi, Pci-E 2.0 16x, 2Gb DDR5 64bit, support DirectX 11, RoPs: 4, 40Gb/sec memory transfer, 192 cuda cores @ 0.9Ghz (pixel shader engine vertex pipelines), 156GFLoPS, 6.48GTexels/Sec, 8x TMU, core/memory: 954/5012mhz, d-sub dvi HDMi
SC-A7302GD5S4H	R 1,891	Asus GT730-4H-SL-2GD5, Silent heatsink only, no SLi, Pci-E 2.0 16x, 2Gb 64bit DDR5, support DirectX 11, RoPs: 4, 40Gb/sec memory transfer, 384 cuda cores, 7 GPexels/Sec, 29 GTexels/Sec, 693 GFLoPS, 32x TMUs, core/memory: 927/5012mhz, 4x HDMI
SC-AX6800XT-SLC	R 24,056	Asus ROG-STRIX-LC-RX6800XT-O16G-GAMING AMD Radeon RX 6800 XT 16GB GDDR6 256-bit Graphics Card, HDMI x 1, Native DisplayPort 1.4a x 2, USB Type-c x 1, HDCP Support
SC-G1030D4-L	R 1,990	Gigabyte GV-N1030D4-2GL - GTX1030 with extra Low-profile bracket - 1x 60mm fans, 14nm, Pci-E 3.0 16x, 2Gb 64bit DDR4, RoPs: 16, 640 cuda cores, 0.14mb L1 0.5mb L2 cache, 24 GPexels/Sec, 35 GTexels/Sec, 1762 GFLoPS, 24x TMUs, core clock: 115

SC-G2060	R 7,186	Gigabyte GV-N2060D6-6GD - rtx2060 Oc - 2x 90mm fans with alternate spinning fans for better heat dissipation , back-sided heatsink 2x 10mm copper heatpipes with DTH (Direct Touch Heatpipes) , 12nm, Pci-E 3.0 16x, 6Gb 192bit DDR6 (336Gb/sec memory)
SC-G206012-Wo	R 9,443	Gigabyte GV-N2060WF2oC-12GD - RTX2060 12Gb - Windforce Oc - Windforce 2X, 2x 100mm fans with alternate spinning fans for better heat dissipation, back-sided heatsink 2x 10mm copper heatpipes with DTH (Direct Touch Heatpipes), 12nm, Pci-E 3.0 16x
SC-G3070-E	R 7,416	Gigabyte GV-N3070EAGLE-8GD - RTX3070 Eagle - with Fusion2.0 RGB Lighting, Windforce 3X, 2 slots required, 3x 80mm unique blade stack fans with alternate spinning for max-covered cooling, back-sided heatsink 4x 10mm copper heatpipes with DTH (Direct Touch Heatpipes), 8nm, Pci-E 4.0 16x, 8Gb 256bit DDR6 (448Gb/sec memory transfer), RoPs: 96, 5888 cuda cores, Tensor/ RT cores: 184/46 with 5.75mb L1 4mb L2 cache, 165 GPexels/Sec, 317 GTexels/Sec, 20310 GFLoPS, 184x TMUs, core clock: 1725mhz; memory: 14000mhz, 2x DP 2x HDMi - require 8pin 6pin power connector
SC-G3070-Eo	R 7,531	Gigabyte GV-N3070EAGLE OC-8GD - RTX3070 Eagle Oc - with Fusion2.0 RGB Lighting, Windforce 3X, 2 slots required, 3x 80mm unique blade stack fans with alternate spinning for max-covered cooling, back-sided heatsink 4x 10mm copper heatpipes with DTH (Direct Touch Heatpipes), 8nm, Pci-E 4.0 16x, 8Gb 256bit DDR6 (448Gb/sec memory transfer), RoPs: 96, 5888 cuda cores, Tensor / RT cores: 184/46 with 5.75mb L1 4mb L2 cache, 165 GPexels/Sec, 317 GTexels/Sec, 20310 GFLoPS, 184x TMUs, core clock: 1725/1770mhz; memory: 14000mhz, 2x DP 2x HDMi - require 8pin 6pin power connector
SC-G3070-Vo	R 7,991	Gigabyte GV-N3070VISION OC-8GD - RTX3070 Vision Oc (white housing) - with Fusion2.0 RGB Lighting, Windforce 3X, 2 slots required, 3x 80mm unique blade stack fans with alternate spinning for max-covered cooling, back-sided heatsink 4x 10mm copper heatpipes with DTH (Direct Touch Heatpipes), 8nm, Pci-E 4.0 16x, 8Gb 256bit DDR6 (448Gb/sec memory transfer), RoPs: 96, 5888 cuda cores, Tensor / RT cores: 184/46 with 5.75mb L1 4mb L2 cache, 165 GPexels/Sec, 317 GTexels/Sec, 20310 GFLoPS, 184x TMUs, core clock: 1725/1815mhz; memory: 14000mhz, 2x DP 2x HDMi - require 8pin 6pin power connector
SC-G3080-AXW	R 13,684	Gigabyte GV-N3080AORUSX W-10GD - RTX3080 Aorus Xtreme Waterforce (built-in all-in-one watercooling 240mm radiator with 2x120mm RGB fans) - with Fusion2.0 RGB Lighting, 2 slots required, 3x fans (2x115mm 1x100mm unique blade stack fans) with alternate spinning for max-covered cooling, back-sided heatsink DTH copper heatpipes with vapor chamber angular fins, 8nm, Pci-E 4.0 16x, 10Gb 320bit DDR6X (760Gb/sec memory transfer), RoPs: 96, 8704 cuda cores, Tensor / RT cores: 272/68 with 8.5mb L1 5mb L2 cache, 164 GPexels/Sec, 465 GTexels/Sec, 29770 GFLoPS, 272x TMUs, core clock: 1710/1845mhz; memory: 19000mhz, 3x DP 3x HDMi - require 2x8pin power connector
SC-G3080-AXWB	R 15,179	Gigabyte GV-N3080AORUSX WB-10GD - RTX3080 Aorus Xtreme WaterBlock (custom watercooling required) - with Fusion2.0 RGB Lighting, 2 slots required, 3x fans (2x115mm 1x100mm unique blade stack fans) with alternate spinning for max-covered cooling, back-sided heatsink DTH copper heatpipes with vapor chamber angular fins, 8nm, Pci-E 4.0 16x, 10Gb 320bit DDR6X (760Gb/sec memory transfer), RoPs: 96, 8704 cuda cores, Tensor / RT cores: 272/68 with 8.5mb L1 5mb L2 cache, 164 GPexels/Sec, 465 GTexels/Sec, 29770 GFLoPS, 272x TMUs, core clock: 1710/1845mhz; memory: 19000mhz, 3x DP 3x HDMi - require 2x8pin power connector (Order on request)
SC-G3080-T	R 14,834	Gigabyte GV-N3080TURBO-10GD - RTX3080 Turbo - 2 slots required, 1x 80mm blower fans with all copper Vapor chamber heatsink, back-sided heatsink, 8nm, Pci-E 4.0 16x, 10Gb 320bit DDR6X (760Gb/sec memory transfer), RoPs: 96, 8704 cuda cores
SC-G308012-AM	R 16,638	Gigabyte GV-N3080AORUS M-12GD - rtx3080 Aorus Master - with Fusion2.0 RGB Lighting, customizable LCD EDGE VIEW display, 3 slots required, 3x fans (2x115mm 1x100mm unique blade stack fans) with alternate spinning for max-covered cooling
SC-G308012-AXWB	R 16,704	Gigabyte GV-N3080AORUSX WB-12GD - RTX3080 Aorus Xtreme WaterBlock (custom watercooling required) - with Fusion2.0 RGB Lighting, 2 slots required, 8nm, Pci-E 4.0 16x, 12Gb 384bit DDR6X (912Gb/sec memory transfer), RoPs: 112, 8960 cuda cores
SC-G3080Ti-Vo	R 16,789	Gigabyte GV-N308TVISIoN OC-12GD - RTX3080Ti Vision Oc (white housing) - with Fusion2.0 RGB Lighting, Windforce 3X, 2 slots required, 3x fans (2x90mm 1x80mm unique blade stack fans) with alternate spinning for

		max-covered cooling, back-sided heat
SC-G4080-AXW	R 28,749	Gigabyte GV-N4080AORUSX W-16GD - RTX4080 Aorus Xtreme Waterforce (built-in all-in-one watercooling 360mm radiator) - 238x141x40mm, 2 slots required, 4nm, Pci-E 4.0 16x, 24Gb 384bit DDR6X (1018Gb/sec memory transfer), RoPs: 192, 16384 cuda core
SC-G4080-AXWB	R 28,749	Gigabyte GV-N4080AORUSX WB-16GD - RTX4080 Aorus Xtreme Waterforce (built-in all-in-one watercooling 360mm radiator) - 238x141x40mm, 2 slots required, 4nm, Pci-E 4.0 16x, 24Gb 384bit DDR6X (1018Gb/sec memory transfer), RoPs: 192, 16384 cuda core
SC-G5050-GO	R 7,416	Gigabyte Geforce RTX 5050 Gaming OC 8GB GDDR6 PCI-e 5.0 x8 Graphics card, 2632 MHz Core clock, 2560 CUDA Cores, 20 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 2x DisplayPort 2.1b, 2x HDMI 2.1b
SC-G5050-LO	R 9,231	Gigabyte Geforce RTX 5050 OC Low Profile 8GB GDDR6 PCI-e 5.0 x8 Graphics card, GV-N5050oc-8gl, 2587 MHz Core clock, 2560 CUDA Cores, 20 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 1x DisplayPort 2.1b, 1x DisplayPort 1.4a, 2x HDMI 2.1b
SC-G5050-WO	R 7,405	Gigabyte nVidia Geforce RTX 5050 WindForce OC 8GB GDDR6 PCI-e 5.0 x16 Graphics card, 2587 MHz Core clock, 2560 CUDA Cores, 20 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 2x DisplayPort 2.1b, 2x HDMI 2.1b
SC-G5060-AE	R 11,499	Gigabyte N5060AORUS E-8 RTX 5060 AORUS Elite 8GB, Hawk fan, RGB Halo, Reinforced design
SC-G5060-AO	R 11,387	Gigabyte N5060AERO OC-8 RTX 5060 AERO OC 8GB, GDDR7, WINDFORCE cooling, RGB, Dual BIOS
SC-G5060-EOM	R 10,835	Gigabyte nVidia Geforce RTX 5060 Eagle Max OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, GV-N5060EAGLEMAX OC-8gd, 2550 MHz Core clock, 3840 CUDA Cores, 28 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b
SC-G5060-EOW	R 10,835	Gigabyte 5060EAGLEOCICE8 RTX 5060 EAGLE OC ICE 8GB, White/Ice aesthetic, WINDFORCE cooling
SC-G5060-GO	R 11,277	Gigabyte N5060GAMINGOC-8 RTX 5060 Gaming OC 8GB, WINDFORCE cooling, RGB, Optimized for gaming
SC-G5060-LO	R 9,428	Gigabyte GV-N5060OC-8GL RTX 5060 Low-Profile OC 8GB, Compact 182mm, Ideal for SFF builds
SC-G5060-WOM	R 9,695	Gigabyte nVidia Geforce RTX 5060 WindForce Max OC 8GB GDDR7 PCI-e 5.0 x16 Graphics card, 2512 MHz Core clock, 3840 CUDA Cores, 28 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b
SC-G5060TI-AE	R 19,238	Gigabyte N506TAORUS E-16 - RTX 5060 Ti Aorus Elite, 16GB GDDR6, 256-bit, PCI-E 4.0, RGB Fusion
SC-G5060TI-AO	R 19,018	Gigabyte N506TAERO OC-16 - RTX 5060 Ti Aero OC, 16GB GDDR6, Dual Fan, PCI-E 4.0, White Design
SC-G5060TI-EOM	R 16,262	Gigabyte nVidia Geforce RTX 5060 Ti Eagle Max OC 16GB GDDR7 PCI-e 5.0 x16 Graphics card, GV-N506TEAGLEMAX OC-16GD, 2617 MHz Core clock, 4608 CUDA Cores, 28 Gbps Memory clock, 128 Bit Memory Bus, 4 Multi-View, 1x 8 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b
SC-G5060TI-EOW	R 18,354	Gigabyte N506TEAGLEOCICE - RTX 5060 Ti Eagle OC White, 16GB GDDR6, Ice Edition, PCI-E 4.0
SC-G5060TI-GO	R 16,442	Gigabyte N506TGAMING OC-16 - RTX 5060 Ti Gaming OC, 16GB GDDR6, Boost Clock, PCI-E 4.0, RGB Lighting
SC-G5060TI-W	R 15,975	Gigabyte N506TWF2-16GD - RTX 5060 Ti Windforce, 16GB GDDR6, Dual Fan Cooling, PCI-E 4.0
SC-G5060TI-WOM	R 16,154	Gigabyte RTX 5060 Ti Windforce OC Max 16GB -- upgraded 16GB VRAM, Windforce cooling, factory OC, and enhanced performance for high-resolution workloads.
SC-G5060TI8-AO	R 12,714	Gigabyte N506TAERO OC-8G â€“ RTX 5060 Ti Aero OC, 8GB GDDR6, 256-bit, PCI-E 4.0, Dual Fan Cooling
SC-G5060TI8-EOW	R 12,273	Gigabyte 506TEAGLEOCICE - RTX 5060 Ti Eagle OC White, 8GB GDDR6, PCI-E 4.0, Ice Color
SC-G5060TI8-GO	R 12,604	Gigabyte 506TGAMING OC-8 â€“ RTX 5060 Ti Gaming OC, 8GB GDDR6, RGB Fusion 2.0, PCI-E 4.0
SC-G5060TI8-WOM	R 12,051	Gigabyte RTX 5060 Ti Windforce OC Max 8GB -- dual-fan Windforce cooling, factory overclock, DLSS support, and efficient 1080p/1440p performance.
SC-G5070-AM	R 20,345	Gigabyte 5070AORUS M-12 - RTX 5070 AORUS Master, 12GB GDDR6X, 192-bit, PCI-E 4.0, 3X Windforce cooling, RGB Fusion, 2760MHz Boost Clock
SC-G5070-AO	R 19,018	Gigabyte 5070AERO OC-12 - RTX 5070 Aero OC, 12GB GDDR6X, 192-bit, PCI-E 4.0, Dual-Fan cooling, Vapor Chamber, Boost Clock 2730MHz
SC-G5070-EO	R 18,244	GIGABYTE GeForce RTX 5070 EAGLE OC SFF 12G: Powered by NVIDIA Blackwell architecture, 12GB GDDR7 memory, 192-bit memory interface, PCIe 5.0, WINDFORCE cooling system, Hawk fan, server-grade thermal conductive gel, RGB lighting, reinforced structure

SC-G5070-EOW	R 18,354	Gigabyte 5070EAGLEOC ICE - RTX 5070 Eagle OC White/Ice, 12GB GDDR6, Boost Clock, PCI-E 4.0
SC-G5070-GO	R 18,575	Gigabyte GeForce RTX 5070 GAMING OC 12G Graphics Card, 12GB GDDR7, 2625 MHz Core Clock, 28000 MHz Memory Clock, 192-bit Memory Bus, PCIe 5.0, 3x DisplayPort 2.1a, 1x HDMI 2.1b, 750W PSU Recommended, Includes Versatile VGA Holder
SC-G5070-WO	R 17,801	Gigabyte 5070WF3OC-12GD - RTX 5070 Windforce OC, 12GB GDDR6, 256-bit, PCI-E 4.0, Windforce Cooling, Boost Clock
SC-G5070TI-AM	R 28,085	Gigabyte 5077AORUS M-16 - RTX 5070 Ti AORUS Master, 16GB GDDR6X, 256-bit, PCI-E 4.0, Windforce cooling, RGB Fusion, 2820MHz Boost Clock
SC-G5070TI-AO	R 26,758	Gigabyte nVidia Geforce RTX 5070 Ti Aero OC 16GB PCI-e 5.0 x16 Graphics card, 2588 MHz Core clock, 8960 CUDA Cores, GDDR7 Memory Type, 28 Gbps Memory clock, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, RGB Lighting, Reinforced structure
SC-G5070TI-EO	R 25,321	Gigabyte GV-N507TEAGLE D - RTX 5070 Ti Eagle OC, 16GB GDDR6X, 256-bit, PCI-E 4.0, Windforce dual-fan cooling, Boost Clock 2805MHz
SC-G5070TI-EOW	R 26,536	Gigabyte nVidia Geforce RTX 5070 Ti Eagle OC SFF 16GB PCI-e 5.0 x16 Graphics card, 2542 MHz Core clock, 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, RGB Lighting, WindForce cooling system, nVidia SFF-ready, Reinforced structure
SC-G5070TI-GO	R 27,089	Gigabyte nVidia Geforce RTX 5070 Ti Gaming OC 16GB PCI-e 5.0 x16 Graphics card, 2588 MHz Core clock, 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, RGB Halo, Dual BIOS, Reinforced structure
SC-G5070TI-WO	R 24,988	Gigabyte nVidia Geforce RTX 5070 Ti WindForce OC SFF 16GB PCI-e 5.0 x16 Graphics card, 2497 MHz Core clock 8960 CUDA Cores, 28 Gbps Memory clock, GDDR7 Memory Type, 256 Bit Memory Bus, 4 multi-view, 1x 16 pin Power connectors, 3x DisplayPort 2.1b, 1x HDMI 2.1b, WindForce cooling system, nVidia SFF-ready, Reinforced structure
SC-G5080-AM	R 39,474	Gigabyte GeForce RTX 5080 Aorus Master 16G (N5080AORUS M-16) NVIDIA Blackwell Architecture, 16GB GDDR7, 256-bit, Core Clock 2805 MHz (Reference: 2617 MHz), WINDFORCE Cooling with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7680 x 4320
SC-G5080-AMW	R 39,585	Gigabyte AORUS GeForce RTX 5080 MASTER ICE 16GB (GV-N5080AORUSM ICE-16GD), NVIDIA Blackwell Architecture, DLSS 4, Ray Tracing, 5th Gen Tensor Cores, 4th Gen Ray Tracing Cores, 2805 MHz Core Clock, WINDFORCE Cooling System, LCD Edge View RGB Halo, Dual BIOS, Reinforced Structure
SC-G5080-AO	R 38,369	Gigabyte GeForce RTX 5080 Aero OC 16G (N5080AERO OC-16) NVIDIA Blackwell Architecture, 16GB GDDR7, 256-bit, Core Clock 2805 MHz (Reference: 2617 MHz), WINDFORCE Cooling with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7680 x 4320 pixel
SC-G5080-AXW	R 41,354	Gigabyte GeForce RTX 5080 Aorus Xtreme Waterforce 16G (5080AORUSX W-16) NVIDIA Blackwell Architecture, 16GB GDDR7, 256-bit, Core Clock 2805 MHz (Reference: 2617 MHz), WATERFORCE Water Block Cooling System, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution
SC-G5080-GO	R 38,148	Gigabyte GeForce RTX 5080 Gaming OC 16G (N5080GAMING OC) NVIDIA Blackwell Architecture, 16GB GDDR7, 256-bit, Core Clock 2730 MHz, WINDFORCE Cooling with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7680 x 4320 pixels, 4th Gen Ray Tracing
SC-G5080-WO	R 37,152	Gigabyte GeForce RTX 5080 Windforce OC 16G (GV-N5080WF3OC-D) NVIDIA Blackwell Architecture, 16GB GDDR7, 256-bit, Core Clock 2805 MHz (Reference: 2617 MHz), WINDFORCE Cooling System with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7680 x 4320
SC-G5090-AM	R 137,335	Gigabyte GeForce RTX 5090 Aorus Master 32G (5090AORUS M-32) NVIDIA Blackwell Architecture, 32GB GDDR7, 512-bit, Core Clock 2655 MHz (Reference: 2407 MHz), WINDFORCE Cooling System with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7680 x
SC-G5090-AMW	R 137,556	Gigabyte GeForce RTX 5090 Aorus Master White (5090AORUSMIC) NVIDIA Blackwell Architecture, 32GB GDDR7, 512-bit, Core Clock 2655 MHz (Reference: 2407 MHz), WINDFORCE Cooling System with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7680 x 4320

SC-G5090-AXW	R 139,768	Gigabyte GeForce RTX 5090 Aorus Xtreme Waterforce 32G (5090AORUSX W-32) NVIDIA Blackwell Architecture, 32GB GDDR7, 512-bit, Core Clock 2655 MHz (Reference: 2407 MHz), WATERFORCE Water Block Cooling System, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution
SC-G5090-GO	R 134,902	Gigabyte GeForce RTX 5090 Gaming OC 32G (GV-N5090GAMING OC-32GD) NVIDIA Blackwell Architecture, 32GB GDDR7, 512-bit, Core Clock 2550 MHz (Reference: 2407 MHz), WINDFORCE Cooling System with Hawk Fans, 3 x DisplayPort 2.1a, 1 x HDMI 2.1b, Max Resolution 7
SC-G5090-WO	R 132,027	Gigabyte N5090WF3OC-32GD - RTX 5090 Windforce OC, 32GB GDDR6X, 512-bit, PCI-E 5.0, Triple-Fan cooling, Vapor Chamber, Boost Clock TBD
SC-G710D3-2GL	R 1,159	Gigabyte GV-N710D3-2GL - GTX710 with extra Low-profile bracket, 1x 60mm fan, 28nm, Pci-E 3.0 16x, 2Gb 64bit DDR3 (14.4Gb/sec memory transfer), RoPs: 8, 192 cuda cores, core clock: 954 mhz; memory: 5010mhz, 1x HDMi 1x Dvi D-SUB
SC-G730D5-L	R 2,044	Gigabyte GV-N730D5-2GL - GT730 with extra Low-profile bracket, 1x 60mm fan, 28nm, Pci-E 3.0 16x, 2Gb 64bit DDR5 (40Gb/sec memory transfer), RoPs: 8, 384 cuda cores, 32k L1 128k L2 cache, 7 GPexels/Sec, 29 GTexels/Sec, 693 GFLoPS, 32x TMUs
SC-GX6500XT-Go	R 9,729	Gigabyte GV-R65XTGAMING oC-4GD rX-6500XT Gaming Oc - RDNA2 architecture with hardware raytracing, 2 slots required, Windforce 3X, 3x 80mm fans with alternate spinning fans for better heat dissipation, back-sided heatsink 2x 10mm copper heatpipes
SC-GX6800-Go	R 18,907	Gigabyte GV-R68GAMING OC-16GD RX-6800 Gaming Oc - RDNA2 architecture with hardware raytracing, 3 slots required, with Fusion2.0 RGB Lighting, Windforce 3X, 3x 80mm fans with alternate spinning fans for better heat dissipation, back-sided heatsink 5x 10mm copper heatpipes with DTH (Direct Touch Heatpipes), 7nm, Pci-E 4.0 16x, 16Gb 256bit GDDR6 (512Gb/sec memory transfer), 96RoPs; 16170 GigaFLoPs, 202 GPexels/Sec, 505GT/s texture fill rate, 3840 stream processors, 240x texture unit, core clock: 2105/2155mhz; memory: 16000mhz, 2xHDMi 2x DisplayPort 1.4 - require 2x8pin power connector
SC-GX9060XT-GO	R 17,911	Gigabyte R9060XTGAMEOC16 - Radeon RX 9060 XT Gaming OC 16GB, RDNA 4 architecture, 3320 MHz boost clock, 2780 MHz game clock, WINDFORCE cooling, RGB lighting, designed for 1440p gaming with ray tracing and AI accelerators
SC-GX9060XT-GOW	R 17,911	Gigabyte Radeon RX 9060 XT Gaming OC ICE -- white/ice edition GPU with triple-fan cooling, factory OC, and high-end 1440p/4K performance.
SC-GX9060XT8-GO	R 11,940	Gigabyte R9060XTGAMEOC8 - Radeon RX 9060 XT Gaming OC 8GB, RDNA 4 architecture, same core specs as 16GB version but with lower VRAM, optimized for high-performance gaming at 1440p.
SC-GX9070XT-GOW	R 24,547	Gigabyte Radeon RX 9070 XT Gaming OC ICE -- premium white/ice GPU with advanced cooling, factory OC, and top-tier gaming performance.
SC-M950G2G	R 2,908	MSI NVIDIA GeForce GTX 950 2048Gb GDDR5 128-bit Graphics Card, 1 x DVI-I, 1 x HDMI, 3 x DisplayPort
SC-SX6700XT-N	R 10,521	Sapphire rX6700 Nitro Edition - RDNA2 architecture with hardware raytracing, 3 slots required, with nitro glow ARGB LED aluminum backplate - with fuse protection Fan iC control Black Diamond Choke 4, 3x fans (2x115mm 1x100mm) with double-ball
SC-SX6900XT-NS	R 12,994	Sapphire rX6900XT Nitro Special Edition - RDNA2 architecture with hardware raytracing , 3 slots required, with nitro glow ARGB LED aluminum backplate - with fuse protection Fan iC control Black Diamond Choke 4 3x ARGB fan with double-ball bearing
TUF-GAMING-1200G	R 3,229	Asus TUF-GAMING-1200G TUF Gaming 1200W Gold ATX12V/ ATX 3.0/ 150 x 150 x 86 mm/ 2.66kg Power Cord x1
TUF-RTX5060-O8G	R 9,358	Asus TUF Gaming Geforce RTX 5060 8GB GDDR7 OC Edition PCI-e 5.0 x16 Graphics card, 614 TOPs AI Performance, 8GB GDDR7 Video Memory, 2640MHz Engine clock Default mode, 2677MHz Engine clock OC mode, 3840 CUDA Core, 28 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 8 pin Power connectors, 3.1 slot, ARGB Aura Sync
TUF-RTX5060TI-O16G	R 14,996	Asus Prime Geforce RTX 5060 Ti OC Edition 16GB GDDR7 PCI-e 5.0 x16 Graphics card, 759 TOPs AI Performance, 16GB GDDR7 Video Memory, 2647MHz OC mode Engine clock, 4608 CUDA Core, 28 Gbps Memory Speed, 128-bit Memory Interface, 1x HDMI 2.1b, 3x DisplayPort 2.1b, HDCP support (2.3), 4 Maximum Display support, 1x 8 pin Power connectors, 2.5 slot

TUF-RTX5070-O12G-GAMING	R 19,212	Asus TUF-RTX5070-O12G-GAMING TUF Gaming GeForce RTX 5070 OC Edition 12GB GDDR7 192-bit Graphics Card, Graphics Card/ NVIDIA/ PCIe5.0/ 16GB GDDR7/ OC mode:2640 MHz/ Default mode:2610 MHz(Boost)/ 2xHDMI/ 3xDP/ Res:7680x4320/ 750W
TUF-RTX5070TI-O16G-GAMING	R 25,498	Asus TUF Gaming Geforce RTX 5070 Ti 16GB GDDR7 OC PCI-e 5.0 x16 Graphics card, 8960 units CUDA Cores, 28Gbps Memory Speed, 16GB GDDR7 Memory, 256-bit Memory Bus, 3x DisplayPort, 2x HDMI, 1x 16 pin Power connections, 4 Maximum displays
TUF-RTX5070TI-O16G-GAMW	R 25,073	Asus Geforce RTX 5070 Ti TUF Gaming 16GB OC White PCI-e 5.0 x16 Graphics card, Powered by nVidia Blackwell Architecture with 8960 CUDA Cores, 16GB GDDR7 Memory running at 28 Gbps on a 256-bit Interface, Boost Clock of 2610MHz in OC mode, PCI Express 5.0 Interface for High-Speed Data transfer, Triple Axial-tech cooling with three fans and phase-change Thermal Pad, Dual-ball fan bearings rated to 80000 hours of Operation, Supports up to Four displays at resolutions up to 7680x4320, 2x HDMI 2.1b, 3x DisplayPort 2.1b, Dual BIOS Toggle for Quiet or Performance mode switching, Aura Sync ARGB Lighting on the shroud
TUF-RTX5080-O16G-GAMING	R 38,254	Asus Nvidia Geforce RTX 5080 TUF Gaming OC 16GB GDDR7 256-bit Graphics Card
TUF-RTX5090-O32G-GAMING	R 77,349	Asus TUF Gaming Geforce RTX 5090 32GB GDDR7 OC Edition PCI-e 5.0 x16 Graphics card, 3551 TOPS AI performance, 2580 MHz OC mode Engine clock, 21760 CUDA Core, 28 Gbps Memory Speed, 512-bit Memory Interface, 2x HDMI 2.1b, 3x DisplayPort 2.1b, 4 Maximum Display support, 1x 16 pin Power connectors, 3.6 slot, ARGB Aura Sync

< Return to the menu

nVidia PCIe x16 Graphics cards SLI

Product code	Price	Description
2WAY SLI HB BRIDGE L SLV	R 573	Msi 2 way SLI HB Bridge L Silver, Supports 2-way SLI on compatible MSI GeForce GTX series graphics cards on the 1st and 5th slot, MSI GAMING dragon LED illumination controlled by MSI Gaming App
GV-N207SAORUS-8GC	R 15,293	Gigabyte Aorus GeForce RTX 2070 SUPER - 8192MB GDDR6, 256-Bit Memory Bus, PCI Express 3.0, Connections: USB Type-C , 3x HDMI, 3x DisplayPort, Core: TBA MHz, Memory Bandwidth: TBA GB/s, Memory: 14000MHz
RTX 3090 SUPRIM X 24G	R 48,758	MSI Geforce RTX 3090 Suprim x 24gg GDDR6x PCI-e 4.0 Graphics card, 384-bit Memory Bus, 19.5 Gbps Memory speed, 3x DisplayPort, 1x HDMI, 3x 8 pin power connectors, NVLink support, 4 Maximum displays, G-Sync technology, 7680x4320 Digital Maximum Resolution
SC-AA4SB	R 707	Asus ROG Enthusiast 4-way SLI Bridge (also work as 2/3 way) - brushed aluminium finish with illuminated ROG logo
SC-G780TioC	R 9,266	Gigabyte GV-N78ToC-3GD, Geforce GTX780Ti, 28nm, 3-way SLi support, Pci-E 3.0 16x, support Adaptive Vertical Sync, support 4xdisplay, FXAA TXAA; 3Gb/3072mb DDR5 384bit, RoPs: 48, 336Gb/sec memory transfer, 2880 cuda cores (pixel shader engine vertex pipelines), 240x TMUs, core clock: 876/928mhz; memory: 7000mhz, 2x dvi 1x HDMi 1x DP
SC-GANVL-4	R 1,104	Gigabyte GC-A2WAYNVLINKL RGB NVLink - 4 slots spacing - for RTX2080 series 2-way SLi, support RGB fusion

< Return to the menu

Old graphics cards

Old graphics cards : Graphics cards 16x other PCIE

Product code	Price	Description
ASUS GT1030-SL-2G-BRK	R 2,532	Asus Geforce GT 1030 silent 2GB GDDR5 64bit PCI-e 3.0 x16 64bit Graphics card, PCI Express 3.0 Bus standard, GDDR5 2GB Video Memory, 1506 MHz GPU Boost Clock, 384 CUDA Core, 64-bit Memory Interface, 1920x1200 DVI Maximum Resolution, DVI Output, HDMI Output, HDCP support
SC-A1030-2S+L	R 1,766	Asus GT1030-SL-2G-BRK - GTX1030 Silent heatsink only extra Low-profile bracket, 16nm, no SLi, Pci-E 3.0 16x, support Adaptive Vertical Sync, FXAA TXAA; 2Gb/2048mb DDR5 64bit, RoPs: 8, 48.1Gb/sec memory transfer, 384 cuda cores (pixel shader engine vertex pipelines), 942 GFLoPS, 29.45GTexels/Sec, 24x TMUs, core clock: 1228/1506mhz; memory: 7008mhz, free 1-year premium XSplit Gamecaster, dvi HDMi

< Return to the menu

Professional / Workstation cards

Product code	Price	Description
PNY_RTX A4500 ADA-PB	R 48,300	PNY nVidia RTX 4500 ADA 24GB GDDR6 ECC PCI Express 4.0 x16 192-bit Graphics card, 7680 CUDA parallel Processing Cores, 240 nVidia Tensor Cores, 60 nVidia RT Cores, 39.9 TFLOPS Single-Precision Performance, 92.2 TFLOPS RT Core Performance, 637.8 TFLOPS Tensor Performance, 210W Max Power consumption, 4x DisplayPort 1.4a, Dual slot, Blower Active fan
PNY_RTX PRO 2000 -16GB-PB	R 39,492	PNY nVidia RTX Pro 2000 Blackwell 6GB GDDR7 ECC 128-bit PCI-e x16 Gen 5.0 Graphics card, 4352 nVidia CUDA Cores, 545 AI TOPs, 17 TFLOPS Single-Precision Performance, 52 TFLOPS RT Core Performance, 288 Gb/s Memory Bandwidth, 4x Mini DisplayPort 2.1b, Up to four simultaneous displays, Active Thermal solution
PNY_RTX PRO 4000-PB	R 75,609	PNY nVidia RTX Pro 4000 Blackwell 24GB GDDR7 ECC PCI-express x16 Gen 5.0 192-bit Graphics card, 4x DisplayPort 2.1b, Single slot, 8960 CUDA parallel Processing Cores, 280 nVidia Tensor Cores, 70 nVidia RT Cores, 140W Max Power consumption, Blower Active fan, 1x PCI-e CEM5 16 pin Power Connector, PNY_RTX PRO 4000-PB
PNY_RTX2000 ADA-16GB-PB	R 26,260	PNY nVidia 2000 ADA 16GB GDDR6 128bit PCI-express 4.0 x16 Graphics card, 4n nVidia custom Process, 19.9 Billion transistors, 2816 CUDA Cores, 88 Tensor Cores, 22 RT Cores, 12 TFLOPS single Precision performance, 27.7 TFLOPS RT Core performance, 191.9 TFLOPS Tensor performance, 16GB GDDR6 with ECC GPU Memory, 224 GB/sec Memory Bandwidth, 4x Mini DisplayPort 1.4a, PCI Express 4.0 x8 system Interface, Blower Active fan, 7680x4320 x36 bpp at 60Hz Max Digital Resolution
PNY_RTX2000 ADA-16GB-PB	R 24,438	PNY nVidia 2000 ADA 16GB GDDR6 128bit PCI-express 4.0 x16 Graphics card, 4n nVidia custom Process, 19.9 Billion transistors, 2816 CUDA Cores, 88 Tensor Cores, 22 RT Cores, 12 TFLOPS single Precision performance, 27.7 TFLOPS RT Core performance, 191.9 TFLOPS Tensor performance, 16GB GDDR6 with ECC GPU Memory, 224 GB/sec Memory Bandwidth, 4x Mini DisplayPort 1.4a, PCI Express 4.0 x8 system Interface, Blower Active fan, 7680x4320 x36 bpp at 60Hz Max Digital Resolution
PNY_RTXA1000-8GB-PB	R 10,252	PNY nVidia Quadro A1000 8GB GDDR6 128-bit PCI-express 4.0 x8 Graphics card, low profile, 2307 CUDA Cores, 72 Tensor Cores, 18 RT Cores, 4x Mini DisplayPort 1.4a, Active fan Thermal solution
PNY_RTXA1000-8GB-PB	R 10,063	PNY nVidia Quadro A1000 8GB GDDR6 128-bit PCI-express 4.0 x8 Graphics card, low profile, 2307 CUDA Cores, 72 Tensor Cores, 18 RT Cores, 4x Mini DisplayPort 1.4a, Active fan Thermal solution
PNY_RTXA400-4GB-PB	R 6,142	PNY nVidia Quadro A400 4GB GDDR6 PCI-express 4.0 x8 64-bit Graphics card, low profile, 50W, 768 CUDA Cores, 24 Tensor Cores, 6 RT Cores, 4x Mini DisplayPort 1.4a, Active fan Thermal solution
SC-GRPW7800	R 51,443	Gigabyte W7800 AI TOP 32 â€“ Radeon Pro W7800 AI TOP, 32GB GDDR6, 256-bit, PCI-E 4.0, AI Acceleration, Dual-Fan cooling, 5120 stream processors
SC-GRPW7900	R 89,887	Gigabyte W7900 AI TOP 48 - Radeon Pro W7900 AI TOP, 48GB GDDR6, 384-bit, PCI-E 4.0, AI Acceleration, Triple-Fan cooling, 6144 stream processors
SC-PANVLAMP-2	R 3,935	PNY NVLink Ampere 2 slots spacing, For Quadro RTX A6000 / A40 / A100 SLI, 112Gb/s, NVLAMP-2SLoT-PB
SC-PANVLAMP-3	R 3,935	PNY NVLink Ampere 3 slots spacing, For Quadro RTX A6000 / A100 SLI, 112Gb/s, NVLAMP-3SLoT-PB
SC-PQA1000+L	R 12,936	PNY Quadro nVidia RTX A1000 8GB GDDR6 128-bit PCI Express 4.0 x8 Graphics card, Standard Low-Profile Dual bracket, Single slot, 2304 CUDA Cores, 72 Tensor Cores, 18 RT Cores, 4x mdisplayport 1.4a
SC-PQA2000A+L	R 24,657	PNY Quadro nVidia RTX A2000 ADA 16GB GDDR6 128bit PCI Express 4.0 x8 Graphics card, Standard Low-Profile Dual bracket, 2 slots required, Blower Active fan, 2816 CUDA Cores, 88 Tensor Cores, 22 RT Cores, 224 GB/sec Memory Bandwidth, 4x Mini DisplayPort 1.4a, NVLink not supported, 7680x4320 x36 bpp at 60Hz
SC-PQA400+L	R 5,749	PNY Quadro nVidia RTX A400 4GB GDDR6 64-bit PCI Express 4.0 x8 Graphics card, Single slot, Active fan Thermal solution, 768 CUDA Cores, 24 Tensor Cores, 6 RT Cores, Support up to four 5K monitors @ 60Hz per card, 4x mdisplayport 1.4a
SC-PQA4000A	R 36,157	PNY Quadro A4000 ADA generation 20GB GDDR6 ECC PCI-e 4.0 x16 Graphics card, 4nm TSMC AD104 ADA lovelace, 6144 CUDA cores, 192 Gen 4 Tensor cores, 48 Gen 3 RT cores, 19.2 TFLOPS FP32 performance, 306.8 TFLOPS Tensor performance, 44.3 TFLOPS RT Core performance, 20GB GDDR6 ECC GPU Memory, 160-bit Memory Interface, 4x Mini DisplayPort 1.4a, Active fansink Thermal solution
SC-PQA4000SA+L	R 35,825	PNY Quadro A4000 Sff Ada generation- 4nm TSMC ad104 Ada Lovelace - standard Low-profile dual bracket, 2 slots required - for professional 3D applications, with hardware OpenGL 4.6 directX 12 shader model 6.5 vulcan

		1.2, Pci-E 4.0 16x, core/memory
SC-PQA4500	R 47,768	PNY Quadro A4500 - GA102 Ampere - single slot design - for professional 3D applications, with hardware OpenGL 4.6 directX 12 shader model 6.5 vulcan 1.2, Pci-E 4.0 16x, core/memory: 1560/16000mhz, 320bit 20Gb GDDR6 with ECC - transfer rate: 640Gb
SC-PQA4500A	R 58,427	PNY Quadro A4500 ADA generation 24 GB GDDR6 with ECC PCI-e 4.0 x16 Graphics card, 4nm TSMC AD104 ADA lovelace, 7680 CUDA parallel Processing cores, 240 nVidia Tensor cores, 60 nVidia RT cores, 39.9 TFLOPS Single-Precision performance, 92.2 TFLOPS RT Core performance, 637.8 TFLOPS Tensor performance, 7680 CUDA parallel Processing cores, 192-bit Memory Interface, 4x DisplayPort 1.4a, Blower Active fan Thermal solution, 1x 16 pin CEM5 PCI-e Power connector
SC-PQA5500	R 103,720	PNY Quadro A5500 GA102 Ampere 384bit 24GB GDDR6 with ECC PCI-e 4.0 16x Graphics card, Support 100Gb/s RTX NVLink HB, 2 slots required, For Professional 3D applications, with Hardware OpenGL 4.6 DirectX 12 shader model 6.5 Vulcan 1.2, 10240 CUDA cores 320 Tensor Core 80 RT cores, 10MB L1 6MB L2 Cache, 162.7 GPixel/sec, 542 GTexels/sec, 34710 GFlops, 320x tmus, 96 RoPs, 4x DisplayPort, with DP to DVI Adapter, Require 1x 8 pin power connector
SC-PQA6000A	R 198,595	PNY Quadro A6000 ADA generation 48GB GDDR6 PCI-e 4.0 x16 Professional Graphics card, nVidia ADA lovelace Architecture, TSMC foundry, 4 nm nVidia custom Process, 18176 CUDA parallel Processing cores, 568 nVidia Tensor cores, 142 nVidia RT cores, 384-bit Memory Interface, 960 Gb/s Memory Bandwidth, PCI Express 4.0 x16 Graphics Bus, 4x DisplayPort 1.4a, Blower Active fan, 1x PCI-e CEM5 16 pin Power connector
SC-PQB2000+L	R 35,604	PNY Blackwell RTX Pro 2000 Professional 8GB GDDR7 PCI-e 5.0 x8 Graphics card, Standard & Low Profile brackets, RTXPRO2000-PB, 4352 CUDA parallel Processing Cores, 136 nVidia Tensor Cores, 34 nVidia RT Cores, 17 TFLOPS single Precision Performance, 52 TFLOPS RT Core Performance, 545 AI TOPs Tensor Performance, 16GB GDDR7 with ECC, 128-bit Memory Interface, 288 GB/sec Memory Bandwidth, 3x Mini DisplayPort 2.1b, Blower Active fan
SC-PQB4000	R 65,128	PNY RTX Pro 4000 - NVIDIA RTX 4000 Blackwell, 24GB GDDR6, PCI-E 4.0, AI acceleration, ray tracing, 4608 CUDA cores
SC-PQB4000+L	R 64,686	PNY Blackwell RTX Pro 4000 24GB GDDR7 Professional PCI-e 5.0 x8 Low Profile single-slot Graphics card, RTXPRO4000LP-PB, 8960x CUDA parallel Processing Cores, 24 TFLOPS Single-Precision Performance, 770 AI TOPs Tensor Performance, 73 TFLOPS RT Core Performance, 24 GB GDDR7 with ECC, 192-bit Memory Interface, 432 Gb/s Memory Bandwidth, 4x Mini DisplayPort, Blower Active fan
SC-PQB4500	R 109,690	PNY RTX Pro 4500 - NVIDIA RTX 4500 Blackwell, 32GB GDDR6, PCI-E 4.0, AI acceleration, ray tracing, 5760 CUDA cores
SC-PQB5000	R 170,619	PNY RTX Pro 5000 - NVIDIA RTX 5000 Blackwell, 48GB GDDR6, PCI-E 4.0, AI acceleration, ray tracing, 7680 CUDA cores
SC-PQN510+L	R 8,443	PNY Quadro Nvs510, PCI-E (16x) - for professional 2D graphics, hardware OpenGL 4.3 direct X 11.1 shader model 5, 2Gb DDR3 128bit (transfer rate: 28.5gb/sec), 192 CUDA parallel processors, 4x mini-Display Port or DP or DVi - with extra low-profile bracket
SC-PQT1000+L	R 11,111	PNY nVidia Quadro T1000 4GB GDDR6 PCI-e 3.0 x16 Graphics card low profile, 896 CUDA cores, 4GB GDDR6 GPU Memory, 896 CUDA cores, 4GB GDDR6 GPU Memory, 2.50 TFLOPS peak FP32 performance, 128-bit Memory Interface, 160 Gb/s Memory Bandwidth, PCI Express 3.0 x16, 4x mDP Display connectors (Mini Display Port), 7680x4320 at 60 Hz Maximum Digital Resolution, 4x at 5K Maximum displays, HDR support, Quad buffered stereo, Active fansink
SC-SF2270+L	R 1,988	Sapphire Firepro 2270 - for professional 2D commercial graphics - 2x outputs , Silent with passive cooling fanless design, standard extra Low-profile dual bracket, Pci-E (16x) - hardware OpenGL directX, 80x shader units, 96 Gigaflops, core/memory: 600/1200mhz, 512MB DDR3 64bit (bandwidth: 9.6gb/sec), DMS-59 connector to 2x DVi/D-SUB, 15w TDP
SC-SF2460+L	R 4,863	Sapphire Firepro 2460 - for professional 2D commercial graphics - 4x outputs, Silent with passive cooling fanless design, standard extra Low-profile dual bracket, Pci-E (16x) - hardware OpenGL directX, 80x shader units, 96 Gigaflops, core/memory: 600/1200mhz, 512MB DDR3 256bit (bandwidth: 38.4gb/sec), 4x miniDP/DVi, 15w TDP
SC-SFR5000	R 9,498	Sapphire Firepro R5000 remote graphics - 4x outputs @ remote side - Pci-E 16x , silent with passive cooling

		fanless design , with hardware OpenGL directX 11 , 768x shader units , 1267 Gigaflops , core/memory : 825/3200mhz , 256bit 2Gb DDR5 (transfer rate : 102gb/sec) , 2x miniDisplayPort UTP , 150w TDP - require 1 x 6pin power connector - 2 years warranty
SC-SFW5500	R 11,178	AMD Firepro/Radeon Pro W5500 - for professional 3D applications - 4x outputs, Pci-E 16x, with hardware OpenGL directX 12, 1408x stream processors, 3942 Gigaflops, core/memory: 1187 / 14000mhz, 128bit 8Gb DDR6 (transfer rate: 224gb/sec), 4x DisplayPort, 128w TDP
SC-SFW5700	R 22,335	AMD Firepro/Radeon Pro W5700 - for professional 3D applications - 4x outputs, 2 slots required, Pci-E 16x, with hardware OpenGL directX 12, 2304x stream processors, 5558 Gigaflops, core/memory: 1234 / 14000mhz, 256bit 8Gb DDR6 (transfer rate: 448gb/sec), 5x miniDisplayPort 1x usb3 type-C, 205w TDP - require 6 8pin power connector
SC-SFW6400+L	R 5,781	AMD Firepro/radeon pro W6400 - for professional 3D applications - 2x outputs, standard Low-profile dual bracket, Pci-E 16x, with hardware OpenGL directX 12, 768x stream processors, RT cores: 12, with 1mb L2 8mb L3cache, 7161 GFLoPS, 112GTex
SC-SFW6600	R 18,033	Amd Firepro/radeon Pro W6600 - for professional 3D applications - 4x outputs, Pci-E 16x, with hardware OpenGL directX 12, 1792x stream processors, RT cores: 28, with 2mb L2 32mb L3cache, 10400 GFLoPS, 325.1GTexels/Sec, 112x TMUs, RoPs: 64
SC-SFW6800	R 59,467	Amd Firepro/radeon pro W6800 - for professional 3D applications - 4x outputs, Pci-E 16x, with hardware OpenGL directX 12, 3840x stream processors, RT cores: 60, 60 - 4mb L2 128mb L3 cache, 17820 GFLoPS, 556.8GTexels/Sec, 240x TMUs, RoPs: 96 (Order on request)
SC-SFWX2100+L	R 3,935	AMD Firepro WX2100 - for professional 3D applications - 3x outputs, standard Low-profile dual bracket, Pci-E 16x, with hardware OpenGL OpenCL Vulkan APi directX 12, 512x stream processors, 1248 Gigaflops, core/memory: 925/7000mhz, 2Gb GDDR5 64bit (transfer rate: 48gb/sec), 2x miniDisplayPort 1x DisplayPort 1.4, 65w TDP
SC-SFWX3200+L	R 4,863	AMD Firepro/Radeon Pro WX3200 - for professional 3D applications - 4x outputs, standard Low-profile dual bracket, Pci-E 16x, with hardware OpenGL OpenCL Vulkan APi directX 12, 640x stream processors, 1658 Gigaflops, core/memory: 1295/6000mhz, 128bit 4Gb GDDR5 (transfer rate: 96gb/sec), 4x miniDisplayPort, 65w TDP
SC-SFWX4100+L	R 8,225	AMD Firepro WX4100 - for professional 3D applications - 4x outputs, standard Low-profile dual bracket, PCI-E 16x, with hardware OpenGL directX 12, 1024x stream processors, 1997 Gigaflops, core/memory: 925/7000mhz, 4Gb GDDR5 128bit (transfer rate: 112gb/sec), 4x miniDisplayPort, 50w TDP
SC-SFWX8200	R 27,952	AMD Firepro WX8200 - for professional 3D applications - 4x outputs, 2 slots required, Pci-E 16x, with hardware OpenGL directX 12, 3584x stream processors, 21934 Gigaflops, core/memory: 1200/1530mhz, 2048bit 8Gb HBM2 (transfer rate: 512gb/sec), 4x miniDisplayPort, 230w TDP - require 6 8pin power connector
SC-SFWX9100	R 49,349	Amd Firepro WX9100 - professional 3D applications - 6x outputs, 2 slots required, Pci-E 16x, with hardware OpenGL OpenCL Vulkan APi directX 12, selectable workload drivers (compute/ workstation/ game development), 4096x stream processors, 12288 Gigaflops, core/memory: 1200/1890mhz, 2048bit 16Gb HBM2 (transfer rate: 483gb/sec), 6x miniDisplayPort 3D stereo connector, 300w TDP - require 6pin 8pin power connector
SC-SRS500	R 6,818	Sapphire Radeon Sky 500 for cloud - PCI-E 16x, silent with passive cooling fanless design, with hardware OpenGL directX 11, 1280x shader units, 2432 Gigaflops, core/memory: 950/4800mhz, 256bit 4Gb DDR5 (transfer rate: 154gb/sec), 1x Display Port, 150w TDP - require 1 x 6pin power connector
SC-SRVFW	R 20,699	AMD Radeon Vega Frontier Water cooling - for professional 3D applications - 3x outputs, 2 slots required, Pci-E 16x, with 120mm closed loop watercooler, hardware OpenGL OpenCL Vulkan APi directX 12, selectable workload drivers (compute/ workstation/ game development), 4096x stream processors, 13107 Gigaflops, core/memory: 1600/1886mhz, 16Gb HBM2 2048bit (transfer rate: 483gb/sec), 3x DisplayPort 1x HDMi, 225w TDP - require 2 x 8pin power connector
SC-SVGA0429	R 1,049	Sunix VGA0429 - dedicated 2D graphics card for POS, medical, commercial and industrial applications, 2W ultra low power consumption (heatsink free / 0dBA) - Siliconmotion SM750 chipset, PCI-e (1x), 16mb DDR2, 1920x1200@60Hz, DVi - retail pack

< Return to the menu

TV Cards

Product code	Price	Description

< Return to the menu

Video capture & editing hardware

Product code	Price	Description
150095	R 569	Manhattan PC-TV Converter- Displays PC Monitor Signal on TV.
AVG001	R 161	Microworld USB Audio / Video Capture RCA / S-Video - Convert VHS to digital video
AW-CCD10	R 813	NearStream CCD10 Ultra Low Latency USB 3.0 Capture Card for xbox, ps5, switch, DSLR camera, Up to 4K@60fps resolution for true HDR color
CNV-HDMI-CAPTURE-LQ	R 201	LinkQnet 4K HDMI to USB 1080p capture, 4K Maximum Input Resolution, 1080p Maximum Output Resolution
ELGATO CAM LINK 4K 10GAM9901	R 1,838	Elgato CAM Link 4K 10GAM9901 HDMI connection to USB 3.0 convertor, 3840x2160 up to P30, 1920x1080 up to P60 / I60, 1280x720 up to P60, 720x576 P50, 720x480 P60, HDMI (Unencrypted) Input
Elgato Prompter 10WAD9901	R 5,003	Corsair/ Elgato Prompter 10WAD9901 Prompter
Elgato Stream Deck Neo 10GBJ9901	R 2,013	Corsair/ Elgato Stream Deck Neo 10GBJ9901 Stream Deck
ELGATO_STREAMDECK + 10GBD9	R 3,623	Elgato Stream Deck Plus - 8 x customizable LCD keys, 4 x 360Â° encoders with push function, LCD Touch Panel
ELGATO_STREAMDECK Pedal 10GBF9901	R 1,668	Elgato Stream Deck Pedal - 3 x customizable foot pedals
ELGATO_STREAMDECK XL	R 5,164	Elgato Stream Deck XL - live content Creation controller with 32 customizable LCD keys, Adjustable stand, For Windows 10 and Mac
Game Capture 4K Pro 10GBK9901	R 5,289	Elgato Game Capture 4K Pro - 8K60 Passthrough; 4K60 Capture; PCIe 2.0 x4; HDMI 2.1.
Game Capture 4K X 10GBH9901	R 4,402	Elgato Game Capture 4K X - External USB capture card; USB 3.2 Gen 2 Type-C 10Gbps; HDMI 2.1.
GC-C604KP	R 7,849	Corsair / elgato 10GAG9901 4K60 Pro - internal pci-e (x4) game capture for instant streaming or recording, capture up to 2160P @ 60FPS, up to 140Mbps capture bitrate, support H.264 encoder master copy, PS4/XBoX one HDMi input HDMi out
GC-C60HDP	R 4,753	Corsair / elgato 1GC109901002 HD60 Pro - internal pci-e (x1) game capture for instant streaming or recording, capture up to 1080P @ 60FPS, up to 60Mbps capture bitrate, support H.264 encoder master copy, PS4/XBoX one/Nintendo switch HDMi input HDMi out
GC-C60HDP4K	R 5,576	Corsair / Elgato 10GAS9901 HD60 Pro 4K (4K60 Pro MK2) - internal pci-e (x1) game capture for instant streaming or recording, capture up to 2160P @ 60FPS, up to 60Mbps capture bitrate, support H.264 encoder master copy, PS4/XBoX one HDMI input HDMI out
GC-C60HDS	R 4,863	Corsair / elgato 1GC109901004 HD60 S - external game capture for instant streaming or recording, capture up to 1080P @ 60FPS, upto 40Mbps capture bitrate, PS4/XBoX one/Nintendo switch HDMi input HDMi out, powered by USB type-C
GC-C60HDSP4K	R 5,749	Corsair / elgato 10GAP9901 HD60 S Plus 4K - external game capture for instant streaming or recording, with SD card reader for standalone recording, onboard HEVC hardware encoding to reduce CPU usage, capture up to 2160P @ 60FPS (with 4K passthrough to screen/TV), up to 40Mbps capture bitrate, PS4/XBoX one/Nintendo switch HDMi input HDMi out 2x usb3 type-C
GC-JVA01	R 883	J5-Create JVA01 video capture USB hub (for video conference or live broadcast) - type-C (Gen2/10GBPS) with 60w PD3.0 2x USB type-A (Gen1/5GBPS) downstream 4K HDMi out 1080P HDMi input/capture 3.5 mm audio out, driver free for Windows/macOS/Android, aluminum housing
GC-JVA02	R 1,091	J5create JVA02 video capture for live streaming (for video conference or live broadcast) - FHD 1080p @ 60FPS, 3x audio modes (Mic/ Mix/ HDMI), 3.5mm mic-in 3.5mm audio out HDMi input 2x type-C with PD3.0, include cold shoe adapter for camera, aluminum housing. (Please install the latest software from the website)
GC-JVA04	R 2,438	J5create JVA04 video capture for live streaming (for video conference or live broadcast) - 4K HDMi input @ 60FPS, 1080P video capture @6 0FPS, 3x audio modes (mic/ mix/ hdmi), 3.5mm mic-in 3.5mm audio out 2xHDMi(in out) type-C with PD3.0, include cold shoe adapter for camera, 4-pole aux input for game consoles, support daisy-chain for multiple capture streaming, aluminum housing

GC-JVA06	R 2,707	J5create JVA06 Dual HDMI Video capture for live streaming (for video conference or live broadcast) - dual 4K HDMi input @ 60FPS, 1080P video capture @ 60FPS, 3x audio modes (Mic/ Mix/ HDMI), 3.5mm mic-in 3.5mm audio out 2xHDMi(in out) type-C with PD3.0, 4-pole aux input for game consoles, support FHD video record/playback via type-C, 6 screen mode with PiP/PBP support, 4 buttons to quickly change display settings, 3 individual audio mixer on/off switches, 3 channel volume indicators, support daisy-chain for multiple capture streaming, include 2x cold shoe adapters for camera, aluminum housing
GC-JVA11	R 1,325	J5create JVA11 4K HDMI Video capture Adapter, For Video Streaming or broadcasting or Gaming, Type-A/c (Gen1 / 5Gbps), HDMI Input/capture (4k@30fps / 2k@60fps / 1080p@120fps), Aluminum housing
GC-JVA14	R 2,266	J5-Create JVA14 4K video capture for live streaming (for video conference or live broadcast) - HDMi capture (4K@30FPS, FHD@120FPS), 3x audio modes (mic/mix/hdmi), 3.5mm audio-in out 2xHDMi (in out) type-C with 60w PD3.0 type-C Gen2/10GBPs to host, 4-pole aux input for game consoles, support daisy-chain for multiple capture streaming, with color LED indicator for USB speeds, aluminum housing
MT-UHV30	R 1,609	MT-Viki MT-UHV30 USB3.0 HDMI Capture Card
UC3020	R 2,437	Aten CAMLIVE (HDMI to USB-C UVC Video Capture), Captures unencrypted HDMI video signal from camcorder or DSLR up to 1080P @ 60, Supports live video streaming, webcasting and video conferencing
UC3021	R 2,325	Aten UC3021 Camlive HDMI to USB-C UVC Video capture with PD3.0 Power Pass-Through, 1x HDMI Video in, 1x HDMI Video Output

< Return to the menu

WiDi wireless display

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

HDMI Switches & Broadcasters

HDMI extender / broadcaster

Product code	Price	Description
58492	R 459	Goobay 58492 HDMI Repeater 4K @ 60Hz up to 20m, HDCP 2.2, HDCP 1.4, 4K Ultra HD 2160p (60Hz), Full HD 1080p (60Hz)
B127A-1A1-BDBD	R 5,227	Eaton Tripp Lite series DisplayPort over Cat6 Extender Kit, KVM Support, USB, 4K, DP1.2a, PoC, HDCP 2.2, 230 ft. (70 m), TAA, Order on Request
CM506-50633A	R 1,498	UGreen CM506 HDMI Wireless Transmitter and Receiver - 50m, 2.4GHz / 5GHz Wireless Frequency bands, 1920x1080 @ 60Hz (Full HD) maximum Resolution, Transmitter Ports - 1x HDMI / 1x USB Type-C, Receiver Ports - 1x HDMI / 1 x VGA / 1x USB Type-C / 1x 3.5mm Audio, 2x USB Type-A to USB Type-C Power cables included
CNV-CDPS-4KQ-AD	R 17,590	Cypress CDPS-4KQ-AD UHD 1x4 HDMI Video wall Processor - 4K, 1x HDMI (Type-A)) Input Port, 4 HDMI (Type-A) Output Port, 4096x2160p @ 60Hz Input signal Type, 1920x1080p @ 60Hz 8bit Output signal types
CNV-CH-1109RXC	R 2,933	Cypress HDMI over CAT5e/6/7 Receiver with 24V PoC and 3 LAN Serving
CNV-CH-1109TXC	R 2,933	Cypress CH-1109TXC HDMI over CAT5e/6/7 Transmitter with 24V PoC and 3 LAN Serving; HDBaseT 5-Play; 24V PoC; 3 x Ethernet; 100 Mbps LAN; RS-232; IR; HDMI bypass; up to 100m transmission; HDMI 1.4; 3D; 4K x 2K; 125 x 127 x 30mm; 360g
CNV-CLUX-H2SDI	R 2,933	Cypress HDMI To 3g SDI Dual-output Converter
CNV-CMPRO-UA8H8CVPL	R 62,043	Cypress 8x8 HDMI 4k Over Cat6 Matrix W 24v Poc Hdcp2.
CNV-CSC-5300	R 3,627	Cypress V1.3 HDMI Video Switcher/ Format Converter Component/ sv/ cv/ HDMI/ VGA In - HDMI Out
CNV-CSC-5500	R 5,251	CYP CSC-5500 HDMI/ VGA/ Component/ Composite Video/ S-Video to HDMI/VGA Converter and Video Switcher; 3 x HDMI input; 3 x VGA input; Component Video; Composite Video; 2 x HDMI output; 1 x VGA output; HDMI up to 1920 x 1080 at 60Hz; VGA up to 1920 x 1200 at 60Hz RB; HDCP 1.4; EDID; 5V 3A DC; 11W; 43.2 x 18.3 x 4.7 cm; 2.14 kg
CNV-EZCAST-PRO-BOX-2	R 4,329	Ezcast Pro BoxII multi-display receiver with 5 GHz and LAN support, 4K Display Output, Multi-screen setup with

		ProCast App, Ethernet Network connectivity, 5 GHz Wi-Fi Network connectivity, Up to 4 Display sources in split-screen mode, Recommended Wireless range of 20 meters
CNV-IMMS-IM02-RX	R 5,474	Lenkeng IMMS-IM02-RX HDMI Matrix extender receiver only, 4K@60Hz HDMI over IP Matrix, Supports up to 3840x2160 @60Hz Resolution (Requires transmitter - not included)
CNV-IMMS-IM02-TX	R 5,474	Lenkeng IMMS-IM02-TX HDMI Matrix extender transmitter only, 4K@60Hz HDMI over IP Matrix, Supports up to 3840x2160 @60Hz Resolution (Receiver required - not included)
CNV-LKV100USB	R 1,681	Lenkeng LKV100USB 150m 4-ports High-Speed USB 2.0 extender, CAT5e < 100m transmission distance, CAT6/6A/7 < 150m transmission distance, 4 Ports USB Type-A Input, 1 Ports USB Type-A Output
CNV-LKV104VW	R 4,888	Lenkeng LKV104VW 2x2 Quad Video wall controller, 1x HDMI Input, 4x HDMI Output, HDMI 1.4 compatibility, 1920x1200 @ 60Hz Max
CNV-LKV144VW	R 5,865	Lenkeng LKV144VW 4k @60hz 2x2 Video Wall Controller, 1x HDMI signal input and 4x HDMI signal output, Supports up to 3840x2160 @60Hz resolution, downwards compatible, Variety of splicing modes, such as 1x1/1x2/1x3/1x4/2x1/3x1/4x1/2x2, Dip switch splicing mode and RS232 control instruction to set splicing mode, 3.5mm Left/Right channel audio output, 180x Rotation of HDMI I/2 display image in 2x1/2x2 mode (when the upper displays are installed upside down), Firmware upgrade via micro USB port, Lightning, Surge and ESD Protection
CNV-LKV168-4K	R 610	Lenkeng LKV168-4K HDMI Hd 4kx2k@60hz Repeater
CNV-LKV223KVM	R 2,405	Lenkeng 70m KVM 1080p@60hz KVM point to point extender, Up to 70 meters at 1080p Resolution using a CAT6/6A/7 Network cable, Includes a transmitter unit and a receiver unit
CNV-LKV3061	R 1,173	Lenkeng LKV3061 HDMI To HDMI Audio Converter
CNV-LKV372EDID	R 882	Lenkeng LKV372EDID HDMI Extender; 40m via CAT6; 1080p; HDMI 1.4a; HDCP 1.2a; EDID switch; EDID pass-through; IR pass-back 20 to 60 KHz; PCM AC3 DTS; zero latency; 1 x transmitter; 1 x receiver; DC 5V 2A; 71.6 x 66.9 x 22.6 mm each; 70g each
CNV-LKV372PRO	R 1,364	Lenkeng LKV372PRO 60m HDMI Extender over CAT6 with HDMI Loop-Out and IR Pass-Through 20KHz-60KHz; CAT6 CAT6A CAT7; DC 5V 1A; TX 83g; RX 80.6g; 71.6 x 66.6 x 24.8mm each; Full HD
CNV-LKV375-100	R 3,910	Lenkeng LKV375-100 HDbaseT Extender (100M), Sold In A Kit - 1 Transmitter And 1 Receiver
CNV-LKV383-4.0-RX	R 1,955	Lenkeng LKV383-4.0 120m HDMI Extender Receiver
CNV-LKV383-4.0-TX	R 1,955	Lenkeng 120m HDMI extender CAT5/5E/6 transmitter only, LKV383-4.0-TX, Up to 120m transmission distance for 1080p @60Hz Full HD over single CAT6, HDMI 1.3 compatible with HDCP L.4
CNV-LKV383-V4.0	R 3,375	Lenkeng LKV383-V4.0 1080p @ 60Hz 120m HDMI over IP extender, Supports IR signal transmission, CAT5/5E/6
CNV-LKV383MATRIX-V4	R 3,905	Lenkeng LKV383MATRIX-4.0 1080p @ 60Hz 120m HDMI over IP Matrix, HDMI1.3, 18 Mbps Network Bandwidth
CNV-LKV383MATRX-RX-4	R 1,950	Lenkeng CNV-LKV383 MATRX RX-4 120m Hdbit Hd Extender Matrix Receiver (1)
CNV-LKV383PRO-RX-4.0	R 1,745	Lenkeng LKV383PRO-RX-4.0 120m HDMI Extender Receiver Only (Transmitter sold separately)
CNV-LKV385PRO	R 582	Lenkeng HDMI to VGA, 3.5mm audio, Coaxial converter, LKV385PRO
CNV-LKV393MATRIX	R 7,234	Lenkeng HDBITT 4K@60HZ HDMI 2.0 Matrix over IP CAT6, LKV393MATRIX Route multiple HDMI sources to multiple HDMI displays through LAN switch supporting IGMP, Support up to 100 transmitters input, Output is unlimited, Extend HDMI signal over a single CAT5/5e/6 cable, HDMI 2.0 and HDCP 2.2 compliant
CNV-LKV393MATRIX-RX	R 4,199	Lenkeng LKV393 Matrix-POE 4K HDMI 2.0 Matrix over CAT6 extender with PoE - Receiver only, Extend HDMI signal over a single CAT5/5E/6 cable, Supports transmission distance of up 120m, Supports point to point and point to Multi-Point connection
CNV-LKV410P	R 1,462	Lenkeng LKV410P HDMI over single CAT6 extender - 60m, CAT6/6A/7 60m transmission distance, 4K @ 60Hz Max Resolution
CNV-LKV441EX	R 2,933	Lenkeng LKV441EX 70m 4x1 4k @60hz HDMI KVM Extender Switch
CNV-LKV473KVM	R 2,933	Lenkeng LKV473KVM 120m 4K@60Hz HDMI KVM Extender, High-definition and low-latency transmission, Support up to 4096x2160@60Hz resolution, backward compatible, Compatible with Cat5/5e/6 or above network cables, transmission distance of Cat6 cable is 120 meters, Support one-to-one or one-to-many connections through the gigabit switch, Support KVM control signal passback, Firmware can be upgraded through Micro USB, Lightning protection, surge protection, ESD protection, Supports stable 24/7 operation
CNV-LKV483PRO	R 2,732	Lenkeng LKV483Pro 120m 4K@60Hz extender with IR, 18Gbps Maximum transfer rate, HDMI 2.0
CNV-LKV488TYPEC-V2.0	R 3,910	Lenkeng LKV488 4K@60Hz 20m Mini Type-C HDMI Wireless extender, 20m transmission distance, 100-250ms

		Latency
CNV-LKV562PRO	R 2,732	Lenkeng LKV562Pro 1080P@60Hz Uncompressed 150M HDMI over IP Extender
CNV-LKV565P	R 2,623	Lenkeng LKV565P 4K@60Hz HDR 70m HDMI extender with PoC over CAT6, TX : 1x 3.5mm IR out Female, RX : 1x 3.5mm IR in Female, DMI Loop out, IR passthrough, 3.5mm audio Output
CNV-LKV582	R 4,106	Lenkeng LKV582 4K@60Hz 120M HDMI over IP Extender
CNV-LKV582KVM	R 4,296	Lenkeng LKV582KVM 4K@60Hz 120m HDMI over IP KVM extender, can be extended up to 120m via CAT6 and above Network cables, 80-140ms transmission Latency, 3. 5mm L/R Output, RS-232 (GND/RXD/TXD)
CNV-LKV600TH-L	R 1,657	Lenkeng 4K @ 60Hz USB-C to HDMI 60m extender, LKV600TH-L, HDMI 2.0 Version, 18Gbps Max transmission rate, 4096x2160 @ 60Hz, HDR10 supported, HDMI 3D supported, CAT6/6A/7 cable
CNV-LKV671KVM	R 5,251	Lenkeng 100m 4K uncompressed HDMI KVM extender over Network - TX and RX, LKV671KVM, 20m over CAT6, 100m over CAT5e, 80m over CAT5
CNV-LKV671KVM-RX	R 2,623	Lenkeng 100m 4K uncompressed HDMI KVM extender over Network - RX only, LKV671KVM, 20m over CAT6, 100m over CAT5e, 80m over CAT5
CNV-LKV671KVM-TX	R 2,623	Lenkeng LKV671KVM 100m 4K @30Hz HDMI KVM extender over CAT6/6A/7 cable - Transmitter only, 1.4 HDMI compliance, The signal can be extended to 100 meters with CAT6/6A/7 cable without Compression (Receiver required - not included)
CNV-LKV676CASCADE-RX	R 2,215	Lenkeng LKV676 4K@60Hz HDR 70m HDMI point to point KVM extender with cascade - Receiver only, 4K @60Hz HDMI signal can be transmitted 70m through a CAT6/6A/7 Network cable, Supports up to 10x receivers in cascade (Transmitter required - not included)
CNV-LKV676CASCADE-TX	R 2,215	Lenkeng LKV676 4K@60Hz HDR 70m HDMI point to point KVM extender with cascade - Transmitter only, 4K @60Hz HDMI signal can be transmitted 70m through a CAT6/6A/7 Network cable, Supports up to 10x receivers in cascade (Receiver not included)
CNV-LKV676E	R 1,765	Lenkeng LKV676E HDMI extender cat6/6a/7 4k@60Hz. One to one only. Zero latency. HDMI Loop-out and SPDIF out, Distance up to 70m, 4Kx2K @60Hz (4:4:4), Bi-directional IR Pass-Back Function.
CNV-LKV683MATRIX	R 5,840	Lenkeng HDBITT HDMI 120m extender Matrix, LKV683MATRIX, Transmission distance is up to 120 meters via CAT6, Resolution supported is up to 4Kx2K@30Hz Ultra HD
CNV-LKV683MATRIX-4.0	R 4,883	Lenkeng LKV683MATRIX-4.0 120m 4K HDbitT HDMI Matrix CAT5/5E/6 extender
CNV-LKV683MATRIX-4RX	R 2,444	Lenkeng LKV683Matrix-4.0 4Kx2K @ 30Hz 120m HDMI over IP Matrix - Receiver only, Distance up to 120m, IR passback Function (Transmitter not included)
CNV-LKV683POE-4.0	R 5,274	Lenkeng LKV683POE-4.0 4Kx2K @ 30Hz 120m HDMI over IP extender with PoE, UTP/STP CAT5/5E/6 Network cable, Up to 120 meters transmission distance for 1080p @ 60Hz Full HD over single CAT6
CNV-LKV699	R 5,572	Lenkeng LKV699 50m 4K @ 60Hz extender with IR Loop - Wireless, HDMI 2.0 Version, 18Gbps Maximum transfer rate, 3840x2160 @ 60Hz, 130 - 180ms Latency
CNV-LKV699KVM-V2.0	R 5,865	Lenkeng Lenkeng 4K@60Hz Wireless HDMI KVM extender, LKV699KVM-V, Supports up to 1-to-4 Wireless transmission, Supports IR passback
CNV-LKV724P	R 4,839	Lenkeng LKV724p 1x4 HDMI extender - 4K@30Hz 40m or 1080p@70m, IR passback, CAT6/6A/7 cable required, Distributes 1x HDMI Input signal to 4 identical signal Outputs
CNV-LKV728P	R 8,304	Lenkeng LKV728p 1x8 HDMI extender 4K @ 30Hz 40m 1080p @ 70m, HDMI 1.4, CAT6/6A/7, Bi-Directional IR passback, 1 Input with 8 Output
CNV-LKV828P-N	R 13,646	Lenkeng LKV828P-N 4K60Hz CAT6/7 70m 1x8 HDMI Splitter extender, 1 in 8 out distribution mode, Ipcolor transmission Protocol, Support IR passback Function
CNV-LKV844	R 10,428	Lenkeng LKV844 4x4 HDMI Matrix extender 4K@60Hz 70m, HDMI 2.0 Version, 4x HDMI sources to 4x HDMI displays, 4x HDMI loop-outs, Distance up to 70m 4K @60Hz
CNV-LKV993KVM	R 8,408	Lenkeng 4K @ 60Hz HDR KVM kit extender over 10G Fibre up to 40km, Zero Latency, SFP 40km, One to one and one to many, 24/7 operation, Supports 4096x2160 @ 60Hz
EZCAST-POCKET-TC	R 1,649	EZCast Pocket Wireless Type C Transmitter and HDMI Receiver, wireless hdmi transmitter kit; usb type c transmitter; hdmi receiver; 1080p display output; 5ghz wireless transmission; mirror and extend display modes; compatible windows macos android ios; chipset 8360d transmitter 8268d receiver; weight 0.15kg. Compatible with streaming services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not

		included)
H1-NS	R 861	MiniX H1 Wireless HDMI to HDMI Dongle (1080p), HDMI transmitter Plus HDMI receiver, Video resolutions up to 1080P@60Hz
HDC-ED970C	R 601	HDCVT HDMI 1.4 70m extender with IR, HDC-ED970C, Up to 4k@30hz Video Resolution, Support up to 7.1ch HD audio, 1 x HDMI Type-A Input, 1 x HDMI Type-A Output, 1 x IR out [3.5mm stereo mini-jack], 1 x Cat out [RJ45 8 pin female]
HDM-EX030	R 91	Unbranded EX030 30m HDMI extender over Cat5E / CAT6, 1080p transmission, requires no external Power Supply, Transmitter and Receiver pair included
HDM-EX050L	R 551	Dtech HDMI extender 50m with local Display Output, Support 3D, Max 1080p Resolution @60Hz, Local Loop Output for Display near sender unit
HDM-EX050S	R 401	Dtech HDMI extender 50m with Remote Power, Support 3D, Max 1080p Resolution @60Hz, Only requires 1 Power Supply - sender is able to Power the receiver
HDM-EX060IRL	R 643	Dtech HDMI extender 60m over CAT5/6 with local Display and IR, Support 3D, Max 1080p Resolution, Up to 60m via CAT6, Up to 35-50m via CAT5e, Supports Infra Red transmission
HDM-EX100IR	R 1,011	Dtech HDMI extender kit - 100m with IR, Support Max 1080p @ 60Hz Resolution, Supports iNfra Red transmission
HDM-EX150IR	R 1,087	Dtech 150m HDMI extender kit with IR passthrough, Includes matched Transmitter and Receiver unit Set, Extends HDMI Video and Audio over Cat5E or CAT6 Network cable, Supports 1080p Maximum Resolution Full HD at 60Hz, Transmits signal up to 150 metres distance on single cable, Features H.264 Video Compression for efficient transmission rates, Built-In IR passthrough allows Remote Control signal return, Works over Network Switches for point-to-multipoint installations, Driverless Plug and Play setup with Automatic equalization
HDM-KVM-120IR	R 1,875	Dtech HDMI and USB KVM extender 120m with IR, HDMI signal extended up to 120m - full distance requires CAT6 cabling, Supports IR cycle Function
HDME120M	R 919	Microworld HDMI extender over LAN 120m
HDME150M	R 1,149	Microworld HDME150M HDMI extender over LAN - 150m, Over single CAT5e/6 cable, 200m over a single CAT6 cable, 150m over CAT5e cable
HDME60M	R 516	Microworld HDMI extender over LAN 60m
KVMIPE12	R 919	Microworld KVMIPE12 KVM HDMI extender 120m, Extends HDMI signal up to 120 metres over single Cat5E/CAT6 cable, Supports Keyboard and Mouse Remote Control functionality, Compatible with Standard HDMI source devices and displays
MT-200T	R 1,494	MT-Viki MT-200T 200m VGA extender, Uses CAT5e cable, Up to 1920x1200 @ 60Hz at 200m
REX-EVA02R	R 991	Rextron EVA-02R VGA CAT5e receiver with audio - receiver only, 1280 x 1024 Video Resolution Maximum
UQ-EXTHDMI-120M4K	R 1,299	UniQue HDMI Extender - 120 Meters Between Transmitter And Receiver, Cat5e Or Cat6 Signal Transmission, 3840*2160p Resolution, 30Hz Refresh Rate, Support 3.4 x 3Gbps Data Rate, Up To 340MHz TMD Sclock, Low Power Consumption, Power Supply Included, Retail Box, 6 Months Warranty.
UQ-HVWC2X3	R 2,299	UniQue 2x3 Video Wall Controller - 6 HDMI Outputs, 1 HDMI Input, 1 DVI Input, Support RS232 And IR Control, 1920x1080 Output Resolution, 60Hz Refresh Rate, 1080P/720P/576P Input Resolution, 4.95Gbits/s Max Bandwidth, 3.96Gbit/s Transfer Rate, Retail Box, 6 Months Warranty
UQ-KVMEXTHDMI-150M	R 1,299	UniQue HDMI KVM IP Extender - Transmitter And Receiver, 150M HDMI IP Extender, 1080P Resolutions, 48KHzAudio Rate, Uses CAT5e/6 Cable To Transmit HD Display From The Source, TCP/IP Protocol, Support Point-to-Point Mode, Point-to-Multipoint Mode, Multipoint-to-Multipoint Mode, And Cascade Mode, 802.3 Ethernet Standard, IR Remote Control, Support USB Mouse, And Keyboard Extension, Plug And Play, No Additional Software Needed, Retail Box, 3 Months Warranty
UQ-KVMEXTHDMI-300M	R 1,499	UniQue HDMI KVM IP Extender - Transmitter And Receiver, 300M HDMI IP Extender, 1080P Resolutions, 48KHzAudio Rate, Uses CAT5e/6 Cable To Transmit HD Display From The Source, TCP/IP Protocol, Support Point-to-Point Mode, Point-to-Multipoint Mode, Multipoint-to-Multipoint Mode, And Cascade Mode, 802.3 Ethernet Standard, IR Remote Control, Support USB Mouse, And Keyboard Extension, Plug And Play, No Additional Software Needed, Retail Box, 3 Months Warranty.
USB-100M	R 689	Microworld 4 port USB Network extender - 100m, 1x transmitter, 1x receiver, USB 2.0 extender over Ethernet RJ45 CAT6 cable, Compatible devices - Printer / Wired Keyboard / Wired Mouse / USB Flash disk (Less than 256GB)

USB-EXT-60M	R 183	Dtech 60m USB extender over Ethernet kit, USB-EXT-60M, Compliant with USB 2.0, 24K Gold-Plated USB Type-A Male connector
USB-RJXT1	R 344	Microworld RJXT1 USB extension 100m over Ethernet, USB 2.0 extender supports up to 100m transmission distance over single CAT5/5E/CAT6 cable, Maximum transmission Speed reaches 480 Mbps at distances up to 60 meters, Compatible with USB 4x 10/100 and USB 2.0 Peripheral devices, Plug-and-play Design requires no drivers for installation, Transmitter Powered directly from USB Host via PoC Function, Receiver Powered by external DC 5V/2A Power Adapter, .
VC180	R 1,551	Aten VC180 VGA/Audio to HDMI Converter, Converts VGA signals to HDMI output, Supports analog stereo audio input, Supports dual power sources: VGA port or power adapter (in case the VGA port cannot provide sufficient power), Superior video quality - up to 1080p, WUXGA
VC182	R 3,909	Aten VC182 VGA / audio to HDMI converter with scaler, Up to 1080p maximum Resolution, 1x Mini Stereo jack Female (Black) Input, 1x RCA (Yellow) Input, 1x HDB-15 Female (Blue) Video Input, 1x HDMI Type-A Female Video Output
VC812	R 3,705	Aten VC812 HDMI to VGA with Scaler
VE1821	R 1,609	Aten VE1821 4K HDMI CAT6 extender 4K at 40m and 1080p at 60m, 1x VE1821t 4K HDMI CAT6 extender (Transmitter), 1x VE1821r 4K HDMI CAT6 extender (Receiver), 4K HDMI transmission with Zero Latency across up to 40 m via a CAT6 cable
VE801	R 4,554	Aten VE801 HDMI HDBaseT Lite Extender up to 230ft
VE883K1	R 25,552	Aten VE883 4K HDMI Optical extender 4K at 300m - kit, 1x VE883t 4K HDMI Optical transmitter, 1x VE883r 4K HDMI Optical receiver, Extends HDMI Video / Stereo Audio / IR / RS-232 control / Ethernet signals over Duplex Fiber Optic cabling, Supports Lossless 4K Video up to 4096 x 2160
VE8900R	R 7,014	Aten VE8900R HDMI over IP Receiver (1080p@100m)
VE8950R	R 13,799	Aten VE8950R 4K HDMI over IP Receiver unit. visually lossless 4K AV signals with low latency over long distance via a local network of standard Gigabit network switch. NOTE: requires transmitter pair.
VE8950T	R 13,799	Aten VE8950T 4K HDMI over IP Transmitter unit. Delivers visually lossless 4K AV signals with low latency over long distance via a local network of standard Gigabit network switch. NOTE: Receiver required.
VK-20213-BK	R 246	VolkanoX Define Series HDMI extender 40m, No external Power Supply required. Requires 1x input HDMI cable and 1x HDMI output cable. The total cable length (both cables) is up to 40 meters for 1080p resolution or 25 meters for 4K at 30Hz. You can extend this further with an additional extender.
VS-APB5000S	R 2,734	Aavara PB5000-Sender 1080p broadcaster with IR (Infrad Remote) pass-through supprt - 1x Hdmi-in 1x UTP out to network switch, HDMi v1.3 over iP/cat5/utp upto 100m, co-exist with existing local area network, support WiFi 1080b/g/n
VS-APB5000SE	R 4,299	Aavara PB5000-S E Sender with POE support (no AC-adapter required) - HDMi over UTP 1080p broadcaster via gigabit network switch (802.11Q VLAN iGMP required), with IR (Infra-red Remote) pass-through support - 1x HDMI-in 1x UTP out to switch, HDMi v1.3 over IP/cat5/utp up to 100m, co-exist with existing local area network, support WiFi 1080b/g/n - co-work with PB5000iR series
VS-APB7000R	R 7,960	Aavara PB7000-R Receiver - multi-casting over iP with HDMi USB KVM over iP function, with IR (Infra-red Remote) - RS232 4xUSB VGA-out HDMi-out audio in/out
VS-APB7000RE	R 8,071	Aavara PB7000-R Receiver with POE support (no AC-adapter required) - multi-casting over iP with HDMi USB KVM over iP function, with IR (Infra-red Remote) - RS232 4xUSB VGA-out HDMi-out audio in/out
VS-APB7000S	R 7,075	Aavara PB7000-S Sender - multi-casting over iP with HDMi USB KVM over iP function, with IR (Infra-red Remote) - RS232 USB HDMi-in HDMi-out for local display audio in/out
VS-APB7000SE	R 5,996	Aavara PB7000-SE Sender with POE support (no AC-adapter required)- multi-casting over iP with HDMi USB KVM over iP function, with IR (Infra-red Remote) - RS232 USB HDMi-in HDMi-out for local display audio in/out
VS-APD3000R	R 4,299	Aavara PD3000-Receiver - HDMi over UTP 1080p tree chain broadcaster via UTP (RJ45/Cat5e), support 10-layers daisy-chain up to 1000m or 100 displays, each receiver can daisy chain to two receivers, co-exist with Aavara PB5000 series for HDMI-Over-IP, with RS232 / IR (Infra-red Remote) pass-through support - 1x HDMI-in 1x UTP/RJ45 out
VS-APD3000S	R 3,746	Aavara PD3000-Sender - HDMi over UTP 1080p tree chain broadcaster via UTP (RJ45/Cat5e), support 10-layers

		daisy-chain up to 1000m or 100 displays, each receiver can daisy chain to two receivers, co-exist with Aavara PB5000 series for HDMI-Over-IP, with RS232 / IR (Infra-red Remote) pass-through support - 1x HDMI-in 1x UTP/RJ45 out
VS-APE3D4K100A	R 7,250	Aavara PE3D4K100A - sender & receiver - 1080p broadcaster with RS232/IR (Infra-red Remote) pass-through support - 1x Hdmi-in/out 3x UTP in/out, RS232 in/out, HDMi v1.4 3D over UTP (CAT5e/6/7) up to 100m, co-exist with existing local area network with WiFi support, with POE on receiver (no ac-adapter needed on receiver)
VS-JVAW53	R 2,642	J5create JVAW53 HDMI Wireless Display Extender Kit (transmitter receiver) - support iR remote pass-through, 802.11AC range up to 60m, 1080P FHD, 135x76x33.5mm, 2x external 5dBi antenna - white. Extend Video, Audio, and Infra Red from any HDMI source to a TV or Projector up to 60meters.
VS132A	R 953	Aten VS132A 2-port VGA splitter (450MHz), 1 x HDB-15 male (Blue) Video Input, 2 x HDB-15 female (Blue) Video Output, 450 MHz VGA Bandwidth, 2048x1536 @ 60Hz Video Resolution. Input and Output impedance: 75 ohm. Maximum input distance: 1.8m. Maximum output distance: 30m
WX-AV101	R 652	WINX LINK FAR 4K HDMI Extender

< Return to the menu

HDMI Splitters

Product code	Price	Description
1IN4OUTHDMI	R 403	Unbranded 1 in 4 Out HDMI 4K Splitter Box
1IN8OUTHDMI	R 546	Unbranded 1 in 8 Out HDMI Splitter Box
58480	R 436	Goobay 58480 HDMI splitter 1 to 2 - 4K @ 30Hz, 4K Ultra HD 2160p 30Hz, Full HD 1080p 60Hz
58482	R 470	Goobay 58482 HDMI splitter 1 to 4 - 4K @ 30Hz, 4K Ultra HD 2160p 30Hz, Full HD 1080p 60Hz, 3D, HDCP
A85505-B	R 229	Astrum SP050 5 Ports 4K 1.4V HDMI splitter, Supports 4K @ 30fps, 3D display, Hdpc, DTS sound, 1 Input Port, 4 Output Ports
A85508-B	R 654	Astrum SP080 A85508-B 1 x 8 HDMI splitter; HDMI 1.4; 4K 3840 x 2160 at 30Hz; Full HD; 3D; 8-bit, 10-bit, 12-bit deep colour; DTS-HD; Dolby TrueHD; metal housing; 276 x 136 x 24mm; 660g
ADA-HDMI-V1130A	R 391	Unitek V1130A 1 in 2 out 4K HDMI Splitter, 4K@30Hz Max Output Resolution, 1x HDMI 1.4b (Upstream), 2x HDMI 1.4b (Downstream), 1m cable length, Metal material
ADA-HDMI-V1132A	R 973	Unitek V1132A 1 in 8-out 4K HDMI Splitter, 4K@30Hz Max Output Resolution, 1x HDMI 1.4b (Upstream), 8x HDMI 1.4b (Downstream), 1m cable length, Metal material
CM619-40201EU	R 373	UGreen 1 to 2 HDMI Splitter 4K 30Hz 3D - Black, 1 Port HDMI Input, 2 Ports HDMI Output, 4K@30Hz Max Resolution, Up to 40m 1080p transmission distance
CM620-40202EU	R 461	UGreen HDMI 1 to 4 Video Splitter 4K - Black, HDMI 1.4 compliant, Supports up to 4K @ 30Hz, 1080p @ 60Hz, 1x HDMI (Source) Input Ports, 4 x HDMI (Display) Output Ports, Aluminium Alloy casing
CNV-LKV312HDR-V3.0	R 631	Lenkeng LKV312HDR-V3.0 1x2 HDMI Splitter 4K @ 60Hz, 1x HDMI Input Ports, 2 x HDMI Output Ports, HDMI1.4, HDMI 2.0, 4Kx2K @ 60Hz, Support 3D Video, HDR support
CNV-LKV314HDR-V3.0	R 841	Lenkeng LKV314HDR-V3.0 1x4 HDMI 2.0 HDR Splitter 4Kx2K @ 60Hz, 1x HDMI Input Port, 4 x HDMI Output Ports, HDMI 2.0, HDMI 1.4, 18Gbps transmission rate, 4Kx2K @ 60Hz, HDR support
CNV-LKV318HDR-V3.0	R 1,804	Lenkeng LKV318HDR-V3.0 1x8 4K2K HDMI splitter, 1x HDMI Input Ports, 8x HDMI Output Ports, Support 4Kx2K@30 60Hz Ultra HD Video, Distributes 1x HDMI source to 8 HDMI displays simultaneously
CNV-LKV722P	R 3,471	Lenkeng LKV722P 1x2 HDMI splitter with extender PoC - 4K@30Hz 40m or 1080p@70m, CAT6/6A/7 cable required, Bi-Directional IR passback
CNV-LKV822	R 6,633	Lenkeng LKV822 1x2 HDMI splitter with extender 4K@60Hz - 70m, 1 in 2 out distribution mode, CAT6/6A/7 cable required, Bi-Directional IR passback
CNV-LKV824	R 7,740	Lenkeng LKV824 1x4 HDMI splitter with extender 4K@60Hz - 70m, Bi-Directional IR passback
CNV-LKV862	R 875	Lenkeng LKV862 8K HDMI 1x2 Splitter, 1x HDMI Input, 2x HDMI Output, HDR10 / HDR10 / Dolby Vision, 48Gbps Maximum transmission rate, 7680x4320 @ 60Hz Max
CNV-LKV864	R 1,168	Lenkeng LKV864 1x4 8K@60Hz HDMI Splitter, 1x HDMI HDMI Input, 4x HDMI HDMI Output, HDR10 / HDR10 / Dolby Vision, HDMI 3D, HDMI CEC, Dolby Atmos, Dolby True HD, DTS:X, DTS-HD, S/PDIF Output
CSV-1380-CLUB3D	R 1,535	Club 3D 4-port HDMI 2.0 4K UHD splitter, CSV-1380, Input 1 x HDMI Female, Output 4 x HDMI Female

HDC-SP914CN	R 400	HDCVT 1x4 HDMI 1.4 Splitter 4K with EDID management, Video Resolution up to 4Kx2K @ 50/60Hz, Supports 3D / HDR / Dolby Vision
HDM-SPLT1X2	R 229	Dtech HDMI 2 way Splitter, 1x HDMI 1.4a Input to 2x HDMI 1.4a Outputs, Supports HDMI Input cables up to 15m, Supports HDMI Output cables up to 25m, Supports Full 3D and 4Kx2K resolution.
HDM-SPLT1X4	R 286	Dtech HDMI 4 way Splitter, 1x HDMI 1.4a Input to, 4x HDMI 1.4a Outputs, Supports Full 3D and 4Kx2K resolution
HDM-SPLT1X8	R 1,696	Dtech HDMI 8 way Splitter, 1x HDMI 1.4a Input to 8x HDMI 1.4a Outputs, Supports HDMI Input cables up to 15m, Supports HDMI Output cables up to 25m, Supports Full 3D and 4Kx2K resolution
HDMIYS	R 35	Microworld HDMI Y cable. Split 1 HDMI to 2 displays. Note that the displays must be the same type or this unit may fail to work correctly.
HDV-9812	R 244	HDCVT 1-2 HDMI 4k Splitter with EDID, 1 HDMI input signal split to 2 HDMI sink devices, HDCP 1.4 protocol compliant, 3D HDMI 1.4a video format support, 3D video support including frame packing for all 3D formats up to a 297MHz TMDS clock, Support display resolutions up to 4K x 2K@30Hz / 1080P@120Hz / 1080P 3D@60Hz, Support deep color 30bit / 36bit / 48bit per pixel, Digital audio format as DTS-HD / Dolby-true-HD / LPCM 7.1 / DTS / Dolby-AC3 / DSD
HDYCAB	R 46	Microworld HDMI Splitter Cable Male To Dual HDMI 2 Female Y Splitter Adapter
HSPLITTER-10P14	R 1,941	CHRONOS HDMI, 10 PORT SPLITTER
MT-3504	R 391	MT-Viki 4 Way VGA Splitter 350MHz; VGA 1 input to 4 outputs; 350MHz bandwidth; up to 1920x1440@60Hz; metal housing; plug and play; up to 45m transmission
MT-HD2-2	R 574	MT-Viki MT-HD2-2 2 IN 2 OUT HDMI Switch and Splitter
UQ-2PHDMIS-4K	R 499	UniQue Metal HDMI Splitter - 1 Input HDMI Port, 2 Display Output HDMI Port, 4K Display, 3840x2160 Display Resolution, Up To 6GHz Video Bandwidth, 60/80Hz Vertical Frequency Range, 4 Device Port LED, Power ON/OFF Button, 5W Power Consumption, Retail Box, 3 Months Warranty
UQ-4PHDMIS-4K	R 599	UniQue HDTV Splitter - 4 HDMI Output Port, 1 HDTV Source Input Port, 19 Pin HDTV, HDCP Compliant, 4K Ultra HD, Fully Support 1080P Display, Digital Audio Format DTS, Dolby, 7.1 Channel Audio, Plug And Play, No Loss Of Quality, Retail Box, 3 Months Warranty.
UQ-8PHDMIS	R 449	UniQue HDTV Splitter - 8 Port HDMI Splitter, Display Devices Simultaneously, 4K X 2K Ultra HD Up To 4K 60Hz Output, Support 3D Content, 8dB Receiver To Compensate For Longer Length, 3dB Driver Pre-Emphasis To Compensate To PCB Loses, HDMI v1.4 and HDCP 1.2 Protocol Compliant, Support Digital Audio Split in HDMI, LED Indication, 2.25Gbps x 3 Data Transfer Speed, DC5V Power Supply, Retail Box, 3 Months Warranty
VK-20212-BK	R 437	VolkanoX Define Series HDMI splitter 4 way, VK-20212-bk, HDMI up to 4K
VS-APCE122iRR	R 3,510	Aavara PCE122iR - Receiver 1080p broadcaster - with iR pass through - splitter/extender over coax - 1x coaxial-in 1x Hdmi out 1x coaxial out (for next receiver in 1 daisy-chain), for video audio, HDMi v1.3 over coaxial up to 120m/1080p or 230m/720p, co-exist with existing local area network
VS-APCE122iRS	R 3,510	Aavara PCE122iR -Sender 1080p broadcaster, with iR pass through - splitter/extender over coax - 1x Hdmi in 2x coaxial out (for 2 groups for daisy-chain), for video audio, HDMi v1.3 over coaxial up to 120m/1080p or 230m/720p, co-exist with existing local area network
VS-APM4X2	R 3,274	Aavara PM4X2 - 4 signal to 2 display 1080p HDMI matrix switch/spliter (for audio video) with remote control , support HDCP, HDMI ver1.3 , 7.1 HD Dolby DTS-HD master audio , bandwideth : 340Mhz/10.2Gbps , 36bit color - for PS3 , PC , HD/Blu-ray dvd player .. ETC - support daisy chain - transmit same source or 2 different sources to 2 display
VS-JDSH812	R 639	J5 Create JDSH812 - HDMI Splitter, 1 input to 2 outputs, 8K @ 60Hz, HDCP 2.3, HDR, supports Dolby Atmos
VS-JDSH814	R 972	J5 Create JDSH814 - HDMI Splitter, 1 input to 4 outputs, 8K @ 60Hz, HDCP 2.3, HDR, supports Dolby Atmos
VS1824KIT	R 5,461	Aten 4 port 4K HDMI CAT6 Splitter with receivers, VE1821r receiver, 1x HDMI Output, 4096x2160 / 3840x2160 @ 30Hz Maximum resolutions, 1x RJ-45 Female, VS1824t transimtter, 1x HDMI Input, 1x HDMI Output, 4 x RJ-45 Female
VS1828KIT	R 10,119	Aten 4 port 4K HDMI CAT6 Splitter with receivers, VE1821r receiver, 1x HDMI Output, 4096x2160 / 3840x2160 @ 30Hz Maximum resolutions, 1x RJ-45, VS1828t transmitter, 1x HDMI Input, 1x HDMI Output, 8x RJ-45 Female, 1x Mini Stereo jack Female
VS182B	R 1,494	Aten VS182B 2-Port True 4K HDMI Splitter, Connects one HDMI source to two HDMI displays at the same time,

		HDMI (3D, Deep Color, 4K); HDCP 2.2 Compatible, Max pixel clock rate up to 600 MHz, Long distance transmission- up to 15 m(1920x1200)/ 1.8m (True 4K)*
VS182B	R 1,661	Aten VS182B 2-Port True 4K HDMI Splitter, Connects one HDMI source to two HDMI displays at the same time, HDMI (3D, Deep Color, 4K); HDCP 2.2 Compatible, Max pixel clock rate up to 600 MHz, Long distance transmission- up to 15 m(1920x1200)/ 1.8m (True 4K)*
VS184A	R 1,724	Aten VS184A 4-Port 4K HDMI Splitter; 1 HDMI input, 4 HDMI outputs; HDCP compliant; up to 15m transmission; 10.2 Gbps data rate; 340 MHz pixel clock; Dolby True HD and DTS HD Master Audio support; plug-and-play installation; compact design; suitable for home theaters, classrooms, conference rooms, retail displays, digital signage; includes power adapter, HDMI cable, user instructions; dimensions: 23.5 x 7.5 x 2.5 cm; weight: 0.5 kg
ZA-2PHDMIS	R 179	Unique 2 Port 4K @ 60Hz 1 to 2 HDMI splitter, ZA-2PHDMIS
ZA-4PHDMIS	R 229	Unique 4 port HDMI 1080p Splitter, Distribute a single HDMI source to four HDMI displays

< Return to the menu

HDMI switches

Product code	Price	Description
207676	R 299	Manhattan 4K Compact 3-Port HDMI Switch - 4K@60Hz, AC Powered, Remote Control, Black, Retail Box
207843	R 199	Manhattan 1080p 3-Port HDMI Switch - Integrated Cable, Black, Retail Box
207867	R 429	Manhattan 207867 4K 2-Port HDMI Switch - 4K @ 60Hz, AC Powered, Remote Control, Black
208000	R 1,099	Manhattan HDMI Video Switch 2:1 Manual
30945	R 399	uGreen 30945 HDMI Single Extender Receiver, Retail Box
332722	R 271	Equip 332722 HDMI 1.4 5in1 Switch, Supports dolby truehd and dts-hd master audio, Supports Video resolutions up to 4K30HZ, Supports 3D Format Video transmission, Remote control
332723	R 173	Equip 332723 HDMI Bi-Direction Switch
58477	R 746	Goobay 58477 HDMI audio extractor 4K @ 60 Hz, TOSLINK male Port, 3.5 mm jack Socket
58486	R 263	Goobay 58486 manual HDMI Switch 2 to 1 - 4K @ 60Hz, 4K Ultra HD 2160p 60Hz, HDCP 2.2, HDCP 1.4
58488	R 321	Goobay 58488 HDMI Switch 3 to 1 - 4K @ 60Hz, 4K Ultra HD 2160p 60Hz, Full HD 1080p 60Hz, 3D, HDCP
58489	R 562	Goobay 58489 HDMI Switch 4 to 1 - 4K @ 60Hz, HDCP 2.2, HDCP 1.4, 4K Ultra HD 2160p (60Hz), Full HD 1080p (60Hz)
58490	R 1,264	Goobay 58490 HDMI Switch 4 to 1 with audio Output - 4K @ 60Hz, TOSLINK Port, 3.5 mm jack Socket, 4x HDMI Female in, 1x HDMI Female out
BPHDMIS3B	R 169	Ellies 3 Port Bi Directional HDMI Switch - Supports HDMI 2.0, 4K @ 60Hz, 4:4:4, HDCP 2.2 Compliant Bi-Directional 1-3 or 3-1 Switching, HDR Support, Hot Plug Detection, No Need To External Power, Retail Box, No Warranty
BPHDPSW6	R 2,499	Ellies 6 Input Collaboration Switcher Scaler With 4K HDMI Output - Compact 6x1 Scaler Switcher With 4x HDMI And 2 X VGA Inputs Sources To 1x 4K HDMI Output, Transmits 4Kx2K Signal Up To 15metres, Compliance With HDCP1.4, Supports EDID Management, Control Via Front Panel Buttons, RS232 Commands And Included IR Remote Control, Supports Various Output Resolutions, Auto-Switching Or Manual-Switching Modes, Installer Box
CL5716N	R 27,599	Aten CL5716N 16 port 19 ' ' VGA LCD Integrated USB/PS2 combo KVM with an extra Console Port and USB Peripheral support, 16 x SPHD Female (Yellow) KVM Ports, 1 x DB-25 Male daisy chain Ports, 19" TFT LCD module, 1280x1024 @ 75 Hz Resolution, Up to 1920x1200 @ 60Hz Input Video Resolution
CM217-50966	R 125	Ugreen 2-in-1 Bi-Directional 4K HDMI switcher - Black, Bi-Directional switching, 2 Input to 1 Output, 1 Input to 2 Output, 4K@60Hz Ultra HD support, Premium Aluminium Alloy build, Manual Switch Button, Gold-Plated HDMI Ports
CM332-80125	R 221	UGreen CM332 3-in-1 HDMI 1.4 4K Switch. 3 x HDMI-in; 1 x HDMI-out; 4K@30Hz; HDMI1.4 compliant; IR remote; Micro-USB 5 V power; compact hub
CNV-CLUX-31N	R 2,502	Cypress HDMI 3 to 1 switcher, 3x HDMI (Type-A) Input Port, 1x HDMI (Type-A) Output Port, 1080p 60Hz Input signal types, 1080p 60Hz Output signal Type
CNV-CPLUS-31PS	R 2,928	Cypress CPLUS-31PS UHD Multi-Format to HDMI Output switcher, 1x USB (Type-C) Input Port, 1x DisplayPort (mDP) Input Port, 1x HDMI (Type-A) Input Port, 1x HDMI (Type-A) Output Port, 4096x2160p @ 60Hz Input signal

		types, 4096x2160p @ 60Hz Output signal Type
CNV-CPLUS-V2030	R 6,794	Cypress CPLUS-V2030 UHD Multi-Format to HDMI switcher with amplifier, 2x HDMI (Type-A) Input Port, 1x VGA (HD-15) Input Port, 1x DisplayPort Input Port, 2x unbalanced Stereo (3.5mm) Input Port, 1x Microphone (6.35mm) Input Port, 2x HDMI (Type-A) Output Port, 1x Stereo (2 x RCA) Output Port, 1x Stereo (2x 2 pin Terminal Block) Output Port, 4096 x 2160p @ 60Hz Input signal types, 4096 x 2160p @ 60Hz Output signal Type
CNV-CSC-107	R 4,883	Cypress CSC-107 UHD 2x1 HDMI / VGA to HDMI scaler, 1 hdmi(type-a) Input Port, 1x VGA, Input Port, 1x HDMI (Type-A) Output Port, 1x Analog Stereo (3.5mm), 4K@60 Input signal types, HDMI 4096 x 2160p @ 60Hz, VGA 1920x1200 @ 60Hz
CNV-LKV109VW-V2.0	R 9,714	Lenkeng LKV109VW-V2.0 3x3 Video Wall Controller
CNV-LKV401HDR-V3.0	R 489	Lenkeng LKV401 4x1 HDMI Switch 4K@60Hz, 4x HDMI Input Ports, 1x HDMI Output Ports, HDR support
CNV-LKV424	R 3,417	Lenkeng LKV424 4x4 HDMI Matrix Switch with RS232, 4 HDMI Input, 4 HDMI Output, 4096x2160 @ 60Hz
CNV-LKV501HDR-V3.0	R 587	Lenkeng 5 in 1 Output HDMI selector 4K @ 60Hz Switch, LKV501HDR-V3.0, 5x HDMI Input Ports, 1x HDMI Output Ports, Support 12 Bit Full HD Video, 4Kx2K @ 60Hz, HDR support
CNV-LKV818	R 15,841	Lenkeng LKV818 8x8 4KX2K (30HZ) HDMI Matrix Switch
CNV-LKV841	R 978	Lenkeng LKV841 8K@60Hz 4x1 HDMI Switch, IR Remote control, RS-232 Switch, 48Gbps transmission Speed
CS22HF	R 1,356	Aten CS22HF 2-port USB 4K HDMI cable KVM Switch with Remote Port selector, 1x HDMI Female Console Port, 2x USB Type-A Female Console Ports, 2 x HDMI Male KVM Ports, 2x USB Type-A Male KVM Ports, 1920x1080 @ 60Hz, 1920x1200 @ 60Hz
CSV-1370-CLUB3D	R 875	Club 3D CSV-1370 4 ports HDMI 2.0 UHD Switchbox
CT-HS4K-2G	R 265	CableTime CP30G 4K 60Hz HDMI 2.0 Switch 2 out - Grey, 2x HDMI inputs, 1x HDMI Output, HDMI Version 1.4, 4K@60Hz Resolution, Aluminum Shell
CT-HS4K3-PB	R 414	CableTime CP31B 3 Port 4K HDMI Switch with IR Remote for TV Monitor - Space Grey, 3 x HDMI Female Input, 1x HDMI Female Output, 4K 30Hz Resolution
HDM-SW3X1	R 1,696	Dtech HDMI 3 way Intelligent source Switch with Remote, Supports Max 1080p Resolution, Supports HDMI1.3b, Manual or automatic source selection
HDMSWI	R 92	Microworld HDMI Switch 3x Input & 1x Output. Supports 12-bit Deep Color.Full1080p With HDMI 1.3b. High Performance Up To 2.5gbps High Resolution Video-beautiful,sharp HDTV resolutions Up 1080p; 2K,1440p Graphics &Computer Resolutions Up To 1920x1200.
HDMSWI1	R 173	Microworld 3 Port HDMI Switch with IR remote
HDMSWI3	R 114	Microworld 3port HDMI Switch 4K
HDMSWI4	R 138	Microworld 5 Port HDMI Switch 4K, Support 12-bit deep Colour full 1080p, 25 meters transmission at each end of port.
HDMSWI6	R 459	Microworld HDMSWI6 HDMI Switch 3 to 1 - V2 .0
HDS-B31	R 243	HDCVT HDS-B31 18Gbps HDMI 3 x 1 Switch, Can Switch any of the 3 available HDMI sources to one HDMI Display, Up to 4k2k@60hz Video Resolution, 8-bit Colour depth
HDS-B51	R 399	HDCVT HDS-B51 18Gbps HDMI 5 x 1 Switch, Can Switch any of the 3 available HDMI sources to one HDMI Display, Up to 4k2k@60hz Video Resolution, 8-bit Colour depth
KVM-HDMI-USB-4PORT-U	R 1,466	Unitek HDMI 4K KVM Switch 4 Input 1 Output, V306A, Shares 1x HDMI Monitor and 4x USB Ports across 4 computers, HDMI 2.0 supports Resolution up to 4K@60Hz UHD, 4x HDMI & 4x USB-B upstream, 1x HDMI & 2x USB Type-A Data Ports & 2x K/M USB Ports downstream
MT-SW003	R 431	MT-Viki MT-SW003 3 PORT HDMI Switch with Audio
MT-SW041	R 2,645	MT-Viki MT-SW041 4x1 quad HDMI multi-viewer, 1080p @ 24/25/30/50/60Hz
REX-VSA12	R 846	Rextron VSA-12 Video splitter 1 in / 2 out with metalcase, 65m effective transmission distance, Full HD 1920x1080 Video Resolution Maximum
REX-VSA14	R 1,176	Rextron VSA14 Video splitter 1 in / 4 out with metalcase, Full HD 1920x1080 Video Resolution Maximum, 1x VGA Video Input, 4x VGA Video Output
REX-VSA18	R 1,251	Rextron VSA18 Video splitter 1 in / 8 out with metalcase, Full HD 1920x1080 Video Resolution Maximum, 1x VGA Video Input, 8x VGA Video Output
REX-VSVA-A104	R 1,503	Rextron Video & audio splitter 4 Port - 1 in / 4 out, No remote, 1x VGA Video Input, 1x 3.5 mm audio jack audio

		Input, 4x VGA Video Output, 4x 3.5 mm audio jack audio Output, Support up to 1920 x 1440 Resolution
UQ-HVWC3X3	R 2,999	UniQue 3x3 HDMI Video Wall Controller - 9 HDMI Outputs, 1 HDMI Input, 1 DVI Input, Support RS232 And IR Control, 1920x1080 Output Resolution, 60Hz Refresh Rate, 1080P/720P/576P Input Resolution, 4.95Gbits/s Max Bandwidth, 3.96Gbit/s Transfer Rate, Retail Box, 6 Months Warranty
USB2SWI	R 229	Microworld 2 in 4 out USB 2.0 Switch, Allows up to 2 users to share 4x USB 2.0 Peripheral devices, Bus Powered, Equipped with a Micro USB 5V jack, PSU not included
USB3SWI	R 288	Microworld 2 in 4 out USB 3.0 Switch, 2x USB Type-A Female for PC, 4x USB Type-A Female for USB devices, Micro USB 5V Power Supply
VK-20211-BK	R 397	VolkanoX Define Series HDMI Switch 3 way, VK-20211-BK, 4K HDMI
VM0202H	R 3,966	Aten VM0202H 2x2 4K HDMI Matrix Switch
VM0404HA	R 7,589	Aten VM0404HA 4x4 4K HDMI Matrix Switch
VM0808HB	R 35,984	Aten VM0808HB 8x8 True 4K HDMI Matrix Switch
VM5808H	R 43,211	Aten VM5808H 8 x 8 HDMI Matrix Switch with Scaler. Route any of 8 HDMI video sources to any of 8 HDMI displays.
VS0801HB	R 5,599	Aten VS0801HB 8-Port True 4K HDMI Switch. The ATEN VS0801HB is designed for applications that require the routing of 8 sources to one compatible display device.
VS481B	R 1,677	Aten VS481B 4-Port 4K HDMI Switch. The VS481B 4-Port HDMI Switch allows you to quickly connect 4 HDMI sources to your HDMI display and easily switch between them via front panel pushbuttons, RS-232 or IR remote control.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Home & Household

Appliances

Appliances : Gas Appliances & Accessories

Product code	Price	Description
BA105	R 39	Alva 300ml Gas Refill Canister - for all refillable Lighters, High quality universal gas, 6 gas refill adaptor selections. Retail Box Out of Box Failure Warranty
BA153	R 25	Alva Single Utility Lighter Retail Box Out of Box Failure Warranty.
BA154	R 45	Alva 2 Pack Midi Utility Lighters, Retail Box, Out of Box Failure Warranty
BA155	R 49	Alva Flexi Turbo Gas Utility Lighter - Flexible Head, Electronic Ignition, Refillable Gas Lighter, Child Lock, Adjustable Flame, Retail Box Out Of Box Failure Warranty
CCR100	R 29	Alva 220g Butane Gas For Alva Stoves, Retail Box
CCR101	R 369	Alva Single Burner Canister Gas Stove (uses CCR100 Gas cannister), Retail Box
G0251	R 129	Alva Bullnose Gas Regulator - For Use With 9Kg and Above LP Gas Cylinders, Low Pressure Regulator, Left Hand Thread, Retail Box, 6 Months Warranty
GCH001	R 399	Alva Cylinder/Tank Top Heater, Retail Box (Gas cylinder not included)
GCS04	R 399	Alva Stainless Steel Two Plate Gas Stove, Retail Box
RH2650A	R 279	Casey Red 2 Plate Stainless Steel Gas Stove - High quality stainless steel gas stove for cooking, Made of stainless steel body, cast iron burner, automotive ignition, use L.P Gas, Ideal for homes,campuses etc, includes hose, clamps and regulator, retail Box, 6 months warranty

< Return to the menu

Appliances : Large electrical appliances

Product code	Price	Description
BHR09D9EU	R 9,352	Xiaomi Mijia Smart Air Purifier with humidification Pro, 2-in-1 purification and humidification system, HEPA Carbon dual-filter removes particulate matter and allergens, Rated humidification capacity of 1800 mL/h, 8 L Water Tank provides up to 16 hours continuous Operation, Ultra-quiet sleep mode, Xiaomi Home App Control, Cool

		Evaporative humidification without mist or Water marks
BV2800E	R 679	Casals Garden Blower / Vacuum Plastic Red 35L 2800W, Retail Box
ECOFLOW WAVE 3	R 16,994	ECOFLOW WAVE 3 Portable Air conditioner / heater, 6100 BTU cooling capacity, 6800 BTU heating capacity, 16-30 degreesc temperature setting range, R290 refrigerant, 820W MaxAC Input, IPX4 IP rating
EM145A2HG-BLACK	R 1,899	Midea Digital Microwave - 45 Litre Capacity, 1100W Power, Digital LED Display, 6 Automatic Cooking Menus, End of Cooking Alert Signal, Black Color, Retail Box
H135CF	R 2,399	Hisense Single Door Chest Freezer - 97L Freezer Capacity, Seamless Frame, Boundless Door, Covert Active, Lock With Key, A Energy, Recessed Handle, Smooth Sliding Basket, Door Hoover, 41dBA Noise Level, White Color
H180CF	R 2,799	Hisense White Single Door Chest Freezer - 141 Litres Capacity, External Handle, A Energy Efficiency Class, 4 Star Freezer Compartment, Seamless Frame, Boundless Door, Keep for 160H, Convert Active, Lock with Key, Smooth Sliding Basket, Door Hover, Color White, Retail Box
H20MOBS15	R 849	Hisense 20L Black Digital Microwave Oven; 20L capacity; 700W power output; 11 power levels; auto-cook programs; defrost function; digital controls; child safety lock; black finish; LED display; compact design; energy efficient; 1-year warranty; dimensions: 44 x 32.8 x 25.8 cm; weight: 12 kg
H20MOBS15	R 1,173	Hisense 20L Black Digital Microwave Oven; 20L capacity; 700W power output; 11 power levels; auto-cook programs; defrost function; digital controls; child safety lock; black finish; LED display; compact design; energy efficient; 1-year warranty; dimensions: 44 x 32.8 x 25.8 cm; weight: 12 kg
H225TTS	R 5,160	Hisense 154 Litre Fridge And Top Freezer Combination - Fridge Compartment Capacity 113 Litres , Top Freezer Capacity 41 Litres, Free Standing Ultra-Slim Design, , Long Life LED Lighting, Removable Tempered Glass Shelves, Big Bottle Rack, Integrated Recessed Handle, Reversible Doors, Adjustable Level Feet, Low Noise 41db Design, Titanium Silver Finish Retail Box
H310BIT-WD	R 4,499	Hisense 222 Litre Fridge And Freezer With Water Dispenser Combination- Titanium Inox Finish, 159 Litre Fridge Capacity, 63 Litre Freezer Capacity, Ultra-Thin Water Dispenser With 2 Litre Water Tank, Reversible Doors, Recessed Handle, Low Noise 42dB, Adjustable Level Feet, Retail Box
H320CFS	R 3,949	Hisense Metallic Silver 245L Chest Freezer. 245L capacity; 4-star energy rating; fast freeze function; aluminum interior; external lockable handle; 34 hours power outage backup; 40 dB(A) noise level; manual defrost; mechanical temperature control; 1002 x 597 x 842 mm; 32 kg weight; A energy class; 15 kg/24h freezing capacity; 0.789 kWh/24h energy consumption; ideal for home and commercial use; easy to clean; stylish metallic silver finish; reliable food preservation
H34MOBS17	R 1,299	Hisense 34L H34MOBS17 Digital Microwave Matt Black- Elevate your kitchen with the Hisense 34L Digital Microwave Matt Black H34MOBS17. This modern 34L Matt Black digital microwave is sure to look stylish in any kitchen, with its premium look. Digital functions for the ease of use with 950W output. Its family-sized design is ideal for cooking lots of food, and features an intuitive LED display and express start options for added convenience.
H370BIT-WD	R 5,349	Hisense 263 Litre Fridge And Freezer Combination - Includes Non-Plumbed 2 Litre Water Dispenser, Fridge Compartment Capacity 200 Litre, Bottom Freezer Capacity 63 Litre, Free Standing Ultra-Slim Design, Defrost Cooling, Long Life LED Lighting, Removable Tempered Glass Shelves, Recessed Handle, Reversible Doors, Titanium Inox Finish, Retail Box
H450BMIB-WD	R 6,349	Hisense 347l Bottom Fridge Freezer With Water Dispenser - Ultra-slim Water Dispenser, Frostless Technology, Soft LED Lighting, Low Noise, Huge Space Box
H60BISPB	R 4,199	Hisense 4 Plate Burners Hob and Oven - 4 Plate Burners, Power and Temperature Indicator, Internal Light, Double Layer Glass Door, Easy Clean Interior, Stylish Black Finish, Retail Box
HBO60203	R 3,299	Hisense Stainless Steel Oven - 60cm Width Oven, Mechanical Control, Round Knobs, 120min Timer, Door Glass, Interior Oven Light, 6 Cooking Functions, 2900W Total Rated Power, Easy Clean Enamel, Stainless Steel Finish, Retail Box
HHU60GAGR	R 2,299	Hisense Stainless Steel Hob Gas Stove - 4 Plate Stove, 60cm, Stainless Steel Surface, Front Knobs Control, Auto Ignition Function, Cast Iron Pan Stand, Flame Failure Technology, Retail Box
Hisense M65RTS	R 2,122	Hisense M65RTS Titanium Silver 44L Bar Fridge. 44L capacity; reversible door; adjustable tempered glass shelf; integrated freezer compartment; LED interior lighting; A energy efficiency; 39 dB(A) noise level; 445 x 468 x 500

		mm; 13.28 kg weight; compact design suitable for small spaces; ideal for home bar, office, dorm room, kitchenette, game room
KL15TTG1W	R 3,349	Midea Twin Tub Washing Machine - 15kg Large Washing Tub, Washes and Spins Simultaneously, Faster Drying, Ensures Deep Cleaning, Fast and Effective Water Extraction, Built to Handle Large Loads, Various Washing Programs, Transparent Lid, Wash Timer, Lasting Fragrance, 75dB Spin Noise, White Color, Retail Box
MA200W110-T	R 3,699	Midea Top Load Washing Machine - 11kg Washing Capacity, 3D Cyclone Cleaning System, Uses Fuzzy Logic Technology, Soft-Close Matte Glass Lid, Auto Drum Clean & Health Guard Hygiene, Adjustable Feet, Loadshedding Auto Resume, Child Lock Safety Protection, Noise Reduction, One Touch Wash, Color Titanium, Retail Box
MA200W140-T	R 4,699	Midea Top Loader Washing Machine - 14Kg Large Washing Capacity, Digital Panel with LED Display, Turbo Function, Hygiene Wash Mode, Multiple Custom Wash Options, Child Lock Delay Start Function, Memory Recovery, Soft-Close Lid & Durable Design, Titanium Color, 650w Power Output, 50Hz Frequency, Retail Box
MC-QHW2002	R 849	Midea Digital Single Induction Cooker - 2000W Power Usage, 3 Hour Timer, Energy Saving, Touch Control, Fast Direct Heating, Not an Element, Retail Box
MF100W60-T	R 3,799	Midea Front Loader Washing Machine - 6Kg Front Loader Capacity, 1000rpm Spin Speed, 49L Water Consumption, Tumble Wash, Steam Wash Technology, Health Guard Technology, Integrated Digital Control, Enhanced Cleaning and Sterilization, Extra Care for Dirty Clean, 15 Minutes Quick Wash, 79dB Noise Spin, Titanium Color, Retail Box
MS-BP-1736A-RW2L	R 799	Midea Deluxe Stainless Kettle and 2 Slice Toaster Breakfast Pack - 1500W Kettle Power, 1.7 Litres Capacity, Neon Light When Switched On, Pop-up Lid For easy Filling, Automatic Safety Off Switch, 2 Slice Toaster, 850 to 950W, 200 - 240V Power, Auto Power Cut-off, Removable Crumb Tray, Anti-Slip Feet For secure Use, Retail Box
WF1I6022BT	R 3,599	Hisense Front Loader Washing Machine - 6kg Washing Capacity, LED Display, Touch Control, Left Door Opening, Free Standing, Spin Speed Option, Skip Spin, 15 Number of Programs, Memory Backup, Child Lock, Load Detection, A Energy Efficiency Class Wash, Retail Box
WF1I7022BT	R 4,099	Hisense Silver Front Loader Washing Machine - 7Kg Washing Capacity, Front Loader Washer, LED Display, Free Standing, 1200rpm Max Spin Speed, Touch Control, 15 Number of Programs, A Energy Efficiency Class Wash, Memory Backup, Left Door Opening, Retail Box
WF3S1042BB	R 5,899	Hisense Premium Black Front Loader Washing Machine - 10kg Washing Capacity, Free Standing, LED Display, Touch Control Buttons, 1400rpm Spin Speed, Memory Backup, 16 Number of Programs, Anti-foam Sensor System, Electronic Spin Speed Management, Child Lock, Load Detection, Premium Black Color, Retail Box
WS140RB3G	R 3,199	Hisense Twin Tub Washing Machine With Air Dry - 14kg Washing Capacity, 7kg Drying Capacity, Twin Tub Machine Type, 1350rpm Spin Speed, Knob Buttons, Lint Filter, Drain Filter, Removable Feet, Strong Base, Titanium Crystal Grey Color, Retail Box

< Return to the menu

Appliances : Non-electrical appliances

Product code	Price	Description
15413-HRT-SML	R 29	Casey Pop It Bubble Heart Fidget - Small Rainbow, No Packaging, No Warranty
402	R 449	Metalix Large Stainless Steel 402 Braai stand - Portable, Easy to assemble and store, Grid size: 620mm x 320mm, Depth: 115mm, Dimensions: 51cm x 19.5cm, Retail Box
A019002F	R 339	Babymoov Boat Bathtub (Purple), Retail Box
A019602F	R 9	Babymoov Bathtub Draining Tube - Universal, Retail Box, Out of Box failure Warranty
A043548	R 399	Babymoov Messenger Changing Bag - ZEN, Retail Box
BC52P	R 1,999	Casals Brush Cutter Petrol Aluminium Red 230mm 52CC, Retail Box
CS070	R 59	Casey Multicolor Large Handheld Umbrella, Retail Box, Out of Box Failure Warranty
CSY705-49MULTI	R 549	Casey Jyl Heavy Duty Steel Frame Ironing Board 110cmx33cm Random Multicolors Retail Box Out of Box failure Warranty
G025	R 199	Alva Bullnose Regulator And Hose - For Use With 9Kg and Above LP Gas Cylinders, Low Pressure Regulator And 8mm Hose with Two Clamps, Left Hand Thread, Hose Length 1.2 Metres, Blister Pack, 6 Months Warranty

GH312	R 1,199	Alva 3 Panel Infrared Gas Heater (Large) - 3 Ceramic panels with variable heat settings, Oxygen depletion sensor with flame failure protection device, Heats up rooms with size up to 50sq/m, Heat Output 1.55kW - 4.2kW, Integrated Piezo ignition incorporated into gas control knob, Positive OFF at gas flow control valve, Fits all industrial cylinder valves, Uses 9kg Gas Cylinder- Not included, Retail Box
MELCD01	R 399	Mellerware Kalahari Fold up Clothes Dryer Line, Retail Box, 2 year warranty
NET-TL-TAPO-RVA210	R 243	Tapo RVA210 Robot Vacuum Disposable Dust Bag; 5 x disposable dust bags; 3L capacity per bag; compatible with Tapo RV50 Pro Omni and RV50 Omni; automatic sealing; tool-free installation; robot vacuum accessory
NET-TL-TAPO-RVA310	R 263	Tapo RVA310 Robot Vacuum Washable Mop Cloth; washable robot vacuum mop cloth; 6 x mop cloths; compatible with Tapo RV50 Pro Omni and RV50 Omni; tool-free installation; recommended replacement every 2-3 months
NET-TL-TAPO-RVA520	R 298	Tapo RVA520 Robot Vacuum Replacement Kit; washable HEPA filter kit; 4 x filters; compatible with Tapo RV50 Pro Omni and RV50 Omni; tool-free installation; recommended replacement every 2-4 months
TH105-BLK	R 369	Totally 4pc Bread Bin Combo Colour Black & Rose Gold, Retail Box, Out of Box Failure Warranty
TH108-011	R 69	Totally Coir Welcome Doormat - Octagon Shaped Design, Extremely Hardwearing, Scrapes Dirt And Mud Off Shoes, Slip-Resistant PVC Backing, Suitable For Indoor Or Outdoor Use, Size 40 x 70 cm Retail Box No Warranty
TH108-097	R 69	Totally Coir Welcome Doormat - Rectangle Shaped Design, Extremely Hardwearing, Scrapes Dirt And Mud Off Shoes, Slip-Resistant PVC Backing, Suitable For Indoor Or Outdoor Use, Size 40 x 70 cm, Retail Box No Warranty
TH169-BLK	R 399	Unbranded Totally foldable clothes dryer Large Silver with Grey accents, Lightweight, Boasts a sturdy Frame that holds a Massive load with ease, Foldable and Compact Design makes IT a Space-Saving addition to your living space, Constructed with superior quality materials for durable usage
TH40-BLK	R 229	Totally Camping Chair Black - Strong And Durable Steel Frame Construction, Lightweight Polyester Arms, Back And Seat, Built-In Drink And Magazine Holder, Fold-Away Design, Holds Weight Up To 110kg, Carry Bag Included, Perfect Addition To Any Outdoor Space, Retail Box Out of Box Failure Warranty
TH40-BLU	R 229	Totally Camping Chair Blue - Strong And Durable Steel Frame Construction, Lightweight Polyester Arms, Back And Seat, Built-In Drink And Magazine Holder, Fold-Away Design, Holds Weight Up To 110kg, Carry Bag Included, Perfect Addition To Any Outdoor Space, Retail Box Out of Box Failure Warranty
TH40-GREEN	R 229	Totally Camping Chair Green -Strong And Durable Steel Frame Construction, Lightweight Polyester Arms, Back And Seat, Built-In Drink And Magazine Holder, Fold-Away Design, Holds Weight Up To 110kg, Carry Bag Included, Perfect Addition To Any Outdoor Space, Retail Box Out of Box Failure Warranty
TH40-RED	R 229	Totally Camping Chair Red -Strong And Durable Steel Frame Construction, Lightweight Polyester Arms, Back And Seat, Built-In Drink And Magazine Holder, Fold-Away Design, Holds Weight Up To 110kg, Carry Bag Included, Perfect Addition To Any Outdoor Space, Retail Box Out of Box Failure Warranty

< Return to the menu

Appliances : Small electrical appliances

Product code	Price	Description
210-BSRL	R 5,699	Dell 27 Plus S2725DC 27" IPS USB-C Monitor; QHD 2560 x 1440; 144Hz refresh rate; 1ms MPRT; 350 nits; 1500:1 contrast; AMD FreeSync; USB-C with 65W power delivery; HDMI; DisplayPort 1.4; 2 x USB-A; USB-C downstream 15W; dual 3W speakers; VESA 100 x 100 mm; adjustable stand; 6.48 kg
22180	R 289	Mellerware 1.8L 360 Degree Cordless Stainless Steel Brushed 1800W Kettle - 1800w 1,8L Capacity, 201 Stainless Steel Concealed Heating Element, 360 Degree Swivel Base, Automatic Switch-off, Boil-dry and Overheat Protection, Double Fada Controller, Retail Box
22300WH	R 269	Mellerware 360 Degree Cordless Kettle Glass White- " Cloud" 1.8Litre Water Capacity, 2200w Power Rated Kettle, 360 Degree Cordless Kettle, 202 Stainless Steel, Water Gauge, Pop Up Lid, Stainless Steel Lid Bottom, Safety Hinged Lid, Illumination While Boiling, Automatic Switch-Off, Boil Dry Protection, Glass Body, Cord Storage Retail Box
22600BL	R 249	Mellerware Breede 360° Cordless Black & White 2L Plastic Kettle - Series Breede, Capacity 2.0 Litres, Power 2200W, Durable Plastic Housing, Cordless design with 360° rotational swivel base, Concealed heating element. Safety Boil-dry protection and Automatic shut-off, 360° rotational cordless swivel base with integrated cord storage,

		Power Supply 220-240V AC 50Hz, Approx. Dimensions 240 x 170 x 260 mm, Approx. Weight 0.9-1.1 kg
23700A	R 1,099	Mellerware Easy Dry 15kg Aluminium Grey Clothes Dryer with Shoe Rack - Series Easy Dry, Power Output 1000W, Drying Capacity 15kg, PTC heating technology, Average Drying Temperature 60Â°C constant, Average Drying Time 60 minutes typical load, Timer Range 1-180 minutes automatic. High-quality motor with strong wind and low noise, Compact foldable design easy to store, Frame Aluminium poles/connectors/legs, Included Accessories 2 x Aluminium Poles, 1 x Aluminium Connector, 3 x Aluminium Legs, 1 x Clothes Rack, 1 x Shoe Rack, 1 x Motor Unit, 1 x Unit Cover, Colour Aluminium Grey, Power Supply 220-240V AC 50Hz (South African standard), Dimensions 29 x 51 x 24 cm (L x W x H), Weight 4 kg
24250A	R 449	Mellerware 2 Slice Stainless Steel Finish Toaster - 800w Rated Power, Variable Browning Control With 6 Heat Settings, Cancel Stop Function, Bread Centring Guide, Removable Easy To Clean Crumb Tray, Brushed Stainless Steel Inserts, Retail Box
24440	R 499	Mellerware 4 Slice Cool Touch Toaster White - 1300w Rated Power , High Quality Plastic Housing, Variable Browning Control With 7 Heat Settings, Cancel And Stop Button, Removable Easy To Clean Crumb Tray, Retail Box
25100A	R 249	Mellerware Mercury 2 Slice Non-Stick Sandwich Maker. Brand: Mellerware; Model: Mercury 25100A; Type: 2 Slice Sandwich Maker; Power: 800W; Non-stick grill plates; Cool touch handle; Indicator light; Upright storage; Voltage: 220-240V; Frequency: 50Hz; Color: Black
25302	R 369	Mellerware 800W 2 Slice Non-Stick Black & Stainless Steel Sandwich Maker - 800W, Cool touch, Jaffle non-stick plate, Non-stick coating plates, Easy open handle, Non-slip feet, Light indicator, Overheat safety protection, Stand upright for easy
26050	R 349	Mellerware Automatic Can Opener ABS Black 50w - Tough Steel Blade & Roller, Magnetic Lid Catcher, Built-In Knife Sharpener, Built-In Bottle Opener, Cord Storage, Will Open Cans With: Diameter Of: 50 X 100mm, Net Weight Less Than 510g, Height Shorter Than 180m, 50w Retail Box No warranty
26205	R 249	Mellerware 500ml Black Citrus Juicer, Retail Box
26300C	R 749	Mellerware Stainless Steel Brushed Juice Extractor - 300W Power, 2 Speed Plus Pulse Function, 500ml Juice Capacity, 65mm Feeder Diameter, Stainless Steel Housing and Filter, Removable Pulp Container For Easy Cleaning, Safety Interlocking Switch For Secure Operation, Retail Box
26401A	R 649	Mellerware Prima Hand Mixer With Bowl- 5 Speed With Turbo Function , 200w Power Output , Eject Button To Detach Mixer From Base, Includes Stainless Steel 2.5 Litre Capacity Bowl,2 X Chromed Beaters, 2x Kneader Hooks, Colour Red And White
27101	R 479	Mellerware Adjustable Temperature Plastic Deep Fryer - 1 Litre Capacity, 950W Power Capacity, Wide Temperature Control Range Between 80-190, Viewing Window in Lid For Cooking Control, Removable and Washable Odour Filter, Easyto Clean Non-stick Inner Bowl Chromed Basket with Removable Handle, Power and Ready Light Indicators, Color White, Retail Box
27406	R 949	Mellerware LED Display Stainless Steel Silver Pressure Cooker - 100W Power, 6 Litres Capacity, LED Display, 15 Cooking Functions, 9 Safety Guards, Keep Warm Function, 24 Hour Preset Timer, Non-stick Inner Pot, 40-70kpa Working Pressure, Rice Ladel and Measuring Cup Included, Stainless Steel Silver, Retail Box
27550D	R 499	Mellerware 30cm Round Electric Frying Pan - 1500w, Adjustable Temperature Control, Even Heat Distribution, Multi Purpose Frying Pan, Non-Stick Coating, Large Cooking Capacity, Cool Touch Handles, Tempered Glass Lid With Steam Vent, Detachable Power Cord For Easy Cleaning, 30 X 7.5cm Retail Box
27607A	R 779	Mellerware Electric Bangkok Wok - 33x9cm, 1500w Tempered Glass Lid With Steam Vent, Die Cast Aluminium Finish, High Quality Non-Stick Coating, Cool Touch Handles, Includes Steam And Drip Rack, Colour Red, Retail Box
31120A	R 1,099	Mellerware 1.2L Bagless Cyclone Vacuum Cleaner Plastic Red 1200W - Powerful 1200w motor, Metal Telescopic Tube, 4m Power Cable with Cord Rewind, Plastic Floor Brush, 1.3m Hose, 2in1 Upholstery, 1.2L Bin Capacity, Hepa Filter
62100BK	R 329	Mellerware 1L 300w Jug Blender Black ABS â€“ 1L Plastic Jar, 1 Speed Setting, Pulse Function, 300w Motor, Non Slip Feet Retail Box
62600C	R 599	Mellerware Stainless Steel With Coffee Mill Jug Blender - 550W Power, 1.5l Glass Jar, 2 Speed Settings With

		Pulse, LED Light, Stainless Steel Body And Knob, Mill Included, Retail Box
62800	R 699	Mellerware Stainless Steel Personal Blender - 800W Power Nutriblast Blender, Plastic Body With Stainless Steel Housing, Pulse Function For Precise Blending, 2 x 500ml Food-grade Smoothie Cups, 2 x Flip-Top Lids, 6 Tip Blade With Ice-crush Function, 150ml Grinder Cup With 2-Tip Blade, Resealable Lid, Stainless Steel Blades For Durability, Retail Box
85550	R 449	Mellerware Stick Blender With Attachments Stainless Steel White Single Speed 500W " Robot 500 Inox"
908120A	R 699	Taurus Stainless Steel Coffee Grinder 430gr 130w - Black, Retail Box
912454	R 699	Taurus 1.5L Succo Glass 1300W Jug Blender, Brand: Taurus; Power: 1300W; Capacity: 1.5L; Jar: Glass; Blades: 4-edge stainless steel; Speeds: 2 pulse; Filling spout: Yes; Dishwasher safe: Yes; Non-slip base
912900A	R 1,349	Taurus Batedora Hand Blender Food Processor - 800w Motor And Variable Speed Control, Led Indicator Light, 1.8 Litre Capacity Processor Bowl , 1 Litre Measuring Cup, Cubic Cutter, Whisk Attachment, Chopping And Mixing Blades , Shredding And Slicing Disc, Storage Stand . Colour White, Retail Box
913528	R 449	Taurus 5 Speed Hand Mixer With Attachments Grey- 5 Speed, 300w Motor Turbo Function, Kneading And Mixing Attachments, Easy Eject Button, Ergonomic Design, " Station Grey" Retail Box
916369	R 899	Taurus 20 Speed Stainless Steel Stick Blender - 1200W Power, Adjustable 20 Speed, Turbo Maximum Power, Turbo Rotation System, High Performance, Stainless Steel Blades Includes Whisk, And Stick, Retail Box
920700	R 1,599	Taurus Capsule Plastic Coffee Maker - 1400W Power, 20 Bar Pump for Rich Espresso and Crema, Two Chrome Coated Drip Trays, Sliding Cover for a Clean, Sleek Design, Two Coffee Volume Options, 30 to 50ml Small Cup, and 75 to 100ml Large Cup, Automatic Shut-off, Color Black, Retail Box
958515	R 599	Taurus Selene Stainless Steel Brushed 360 Degree Cordless Kettle, 1.7 litre Water Capacity , 2200w, Stainless Steel Body, Base With 360Âº Rotation , Concealed Heating Element, Removable filter, Automatic Shut Off After Boiling Water, Cord Storage, Retail Box
958521	R 449	Taurus Digital 360 Degree Cordless Glass Kettle - 2200W Power, 1.8 Litres Glass Kettle, Stainless Steel Trims, Digital Control Panel Integrated Into the Handle, Adjustable Temperature Control, LED Light Changes Color According to Water Temperature, Up to 2 Hour Keep Warm Function, Retail Box
960646	R 549	Taurus 2 Slice Stainless Steel Toaster - 850W Power, Two 141mm Slots, Defrost, Reheat and Cancel Cooking Functions, LED Lighting, 5 Variable Browning Settings, Removable Crumb Tray, Cord Storage, Brushed Stainless Steel, Retail Box
960648	R 569	Taurus 2 Slice 7 Heat Setting Stainless Steel Toaster. Taurus brand; 2 slices; 7 browning settings; 870W power; Defrost, Reheat, Cancel functions; Removable crumb tray; Centering function; Cord storage; Stainless steel
973460	R 799	Taurus Black 4,6L Digital Airfryer with Viewing Window - Non Stick, 1450W
973936	R 2,099	Taurus Dual Zone Digital 9.5L Airfryer - Black, 2400w, Retail Box
973950	R 699	Taurus Digital Airfryer - With 60 Minute Timer Control, Spacious 3.6 Litre Capacity Drawer, 2.6 Litre Non-Stick Coated Fry Basket, 1400w Air-Frying Power, Cook, Grill, Fry, Roast and Bake Healthier Meals With Up To 80% Less Oil, Large, Easy-To-Read Digital Control Panel, 6 Preset Functions, Easy To Clean, Dishwasher-Safe, Removable Basket and Separate Non-Stick Drawer, Premium High-Gloss Design, Colour Black, Retail Box
973980	R 849	Taurus Digital Plus Airfryer - Spacious 3.5 Litre Non-Stick Fry Basket With Durable 4.8 Litre Non-Stick Drawer, 1500w Air-Frying Power, Cook, Grill, Fry, Roast and Bake Healthier Meals With Up To 80% Less Oil, Large, Easy-To-Read Digital Touch LED Display, 9 Program Preset Functions, Easy To Clean, Dishwasher-Safe, Removable Basket and Separate Non-Stick Drawer, Premium High-Gloss Design, Colour Black, Retail Box
AF534T	R 1,449	Feelive Crispy Dual Glass Digital Air Fryer - 4L Plus 1.5L Dual Glass Ports, 1500W High Power, Rapid Hot Air, 4 in 1 Multifunction Cooking Modes, Digital Touch Control, Up to 200°C Adjustable Temperature, Healthy Oil-free Cooking Technology, Thermal Shock-Resistant, Removable Glass Containers, Includes Storage Lids, Non-slip Base, Retail Box
AFT05017M-GS	R 1,099	Feelive 5 Litre Stylish Design Air Fryer - Rectangular Pot Design, Sensor Touch Control Panel, LED Display, 5 Litre Cooking Capacity, 6 Pre-Set Cooking Functions, 360 Hot Air Circulation, Temperature Setting: 80-200 , Large Viewing Window, Detachable Non-Stick Tray, 0 - 60 Minute Adjustable Timer, Countertop Solution, Retail Box
AGS0002	R 516	AENO GS2 1190W Hand Garment Steamer
ARC0002S	R 4,297	AENO Robot Vacuum Cleaner RC2S: wet & dry cleaning, smart control AENO App, powerful Japanese Nidec

		motor, turbo mode
ARC0004S	R 6,457	AENO Robot Vacuum Cleaner RC4S: wet & dry cleaning, smart control AENO App, HEPA filter, 2-in-1 tank
ASC0001	R 2,377	Aeno SC1 Cordless Vacuum Cleaner, Electric Turbo brush, LED lighted brush, Resizable and Easy to maneuver, 500 ml dust capacity, Washable MIF Filter, 45 min Runtime, 4 hour charging time, 50 W Maximum suction Power, 15 kPa suction, 120W Main motor Power, Ultralight just 1.5 kg for comfort use
ASC0003	R 3,177	Aeno SC3 Cordless Vacuum Cleaner, Resizable and Easy to maneuver, 500 ml dust capacity, Washable MIF Filter, 45 min Runtime, 4 hour charging time, 110 W Maximum suction Power, 28 kPa suction, 250 W Main motor Power, Electric Main Turbo-Brush with Lighting
ATB0001	R 930	Aeno TB1 Table Blender-Soupmaker, 35000 rpm Maximum Speed, Stirring bar, Measuring cup 80 ml, Cleaning brush, Steaming Container, 8 automatic programs, 1.75 LX1 Borosilicate Glass blender bowl, 2-in-1 boil & whip baby food, Ice-crush mode, LED Display and intuitive Touch control, 8 Stainless Steel knives, 9 Speed modes, Non-stick jar coating, 100 degress Maximum cooking temperature
ATB0003	R 1,577	Aeno TB3 Table Blender-Soupmaker, 2-in-1 boil & whip baby food, 35000 rpm Maximum Speed, Stirring bar, Measuring cup 80 ml, Cleaning brush, 8 automatic programs, 1.75 LX1 Borosilicate Glass blender bowl, Ice-crush mode, LED Display and intuitive Touch control, 8 automatic programs, Anti-Slip feet :, 8 Stainless Steel knives, 9 Speed modes, Non-stick jar coating, 100 degrees Maximum cooking temperature
AVS0001	R 617	AENO VS1 Vacuum sealer. Compact 85W vacuum sealer; 65kPa suction; dual Vac Seal modes; max pocket width 30cm; lightweight 1.2kg; compact kitchen appliance; food preservation; efficient sealing; portable design
BHR07SGEU	R 3,399	Xiaomi Dual Zone Air Fryer 10l, 2700W rated Power, 10l capacity - 3.5l (Left) 6.5l (Right), Dual cooking zones, Precise temperature control, Integrated automatic shut-off, High-temperature-resistant Metallic interior
BHR07XBEU	R 6,020	Xiaomi H40 Robot Vacuum Cleaner; smart vacuum mop; 10000 Pa suction; LDS navigation; 5200 mAh battery; wet dry cleaning; app control; auto empty base
BHR0834EU	R 12,041	Xiaomi Robot Vacuum / Mop 5 - White, Lifting D-ToF LDS navigation system, Dual-line Laser obstacle avoidance, Dual Mopping, Hot Water auto Mop washing, Auto dust emptying, 15 mm auto-lifting Mop pads, 2 cm obstacle crossing height, Hot Air drying, 20000Pa powerful suction fan blower, 2.5l disposable dust bag
BHR0883EU	R 4,254	Xiaomi Smart Double Stack Air Fryer 12L, 12 litre rated capacity, 2800W rated Power, 2 Independent baskets
BHR089NEU	R 10,324	Xiaomi Robot Vacuum H50 Pro, LDS navigation system, Dual Mopping, Carpet identification, Automatic Mop lifting, 15000Pa powerful suction, 280ml dust Box capacity of sweeper
BHR089REU	R 6,195	Xiaomi S40 Pro Robot Vacuum; 15000Pa suction power; LDS laser mapping; wet and dry cleaning; 5200mAh battery; 430ml dustbin; app control; Google Assistant Alexa; 355x350x99mm; 4.2kg
BHR08GUEU	R 7,738	Xiaomi Robot Vacuum H50, LDS navigation system, Dual Mopping, 10000Pa powerful suction, 280ml dust Box capacity of sweeper, 4l clean Water Tank 4l dirty Water Tank
BHR08GYEU	R 7,221	Xiaomi Truclean W30 Pro Wet Dry Vacuum, Clean Water Tank, Dirty Water Tank, Up to 40 minutes of Runtime, 700ml Tank capacity, Three Distinct suction modes, Charging time of 5 hours
BHR08LXEU	R 1,975	Xiaomi Dust Mite Vacuum Cleaner 2 Pro, 16kPa suction Power, 500W rated Power, 3.5m Power Line length, Led-uv germicidal Lamp, 65 degrees celcius Hot Air temperature, 72000 times/minute Vibration beating
BHR08U4EU	R 4,249	Xiaomi Smart steam Air Fryer 7 Litre, 1.5l Water Tank capacity, 10 cooking functions, 25 preset recipes, 40degreesc - 230 degrees temperature range, 360 degrees cyclonic Hot Air circulation, 130 degrees superheated steam, 900W Professional-Grade steam system, Single basket, 7" viewing Window
BHR08UQEU	R 2,335	Xiaomi Mijia Smart standing fan Pro Slim, Pedestal fan with White finish and 3.3kg weight, Features 100 Speed settings for precise Airflow Control, Operates at a Whisper-Quiet noise Level of 26.8dB, Includes 90& #176; Oscillation Function for wide Air distribution, Supports Smart App Control via Xiaomi Home Application, Equipped with Bluetooth Remote Control with 30m range, Features Type-C Power Input supporting Portable charging, Power consumption rate is 15W during Operation, Includes an EPP storage Case for Modular TransPort, Seven aerofoil blades deliver up to 25m/min Airflow Speed
BHR096UGL	R 846	Xiaomi Body composition Scale S400 Pro, Black finish with Metallic Mijia logo, Features a Vivid 3.5" TFT Colour Display built into the Scale, Tracks up to 25 Body metrics including weight and BMi, Uses dual-frequency bioelectrical impedance measurement Technology for Precision, Includes ito-coated Platform measuring 300x300 mm for stability, Connects to Mijia App for detailed reports and progress Tracking, Provides up to 150 days of

		Battery Life on a single charge
BHR6459CN	R 963	Xiaomi Vacuum Cleaner G9 Plus Battery Pack
BHR7357EU	R 2,548	Xiaomi Smart Air Fryer 6.5 Litre - Black, 360 degrees convection heating, 12 preset modes, 1800W Power, 12x preset programs, Smart App control
BHR7358EU	R 2,548	Xiaomi Smart Air Fryer 6.5L
BHR7423EU	R 508	Xiaomi 1.7L 2200W Fast Boil Electric Glass Kettle; 1.7L capacity; 2200W fast boil; household and office use; transparent glass body
BHR8269EU	R 762	Xiaomi Handheld Garment Steamer
BHR8811EU	R 642	Xiaomi Black 780-930W Dual Wide-Slot Toaster; 780-930W; 2-slice; 35mm slots; 6 browning levels; defrost and warming rack; removable crumb tray; compact kitchen appliance
BHR8845EU	R 1,699	Xiaomi Electric Pressure cooker 4.8 litre, Two POTS for different dishes, 5-layer thick Inner POTS, 7 food texture adjustment levels, 24-hour Smart preset timer, 8 safety protections, 6 cooking modes, Control over a Wide Temperature range, 1000W rated Input Power, 70kPa rated Pressure, 2 / 3 capacity usable capacity
BHR8943EU	R 1,722	Xiaomi Dust Mite Vacuum Cleaner Pro, 14kPa suction Power, 400W rated Power, 3.5m Power Line length, Mercury Lamp UV germicidal Lamp, 55 degrees celsius Hot Air temperature, 0.5l dust cup Volume, 48000 times/minute Vibration beating
BHR9036EU	R 554	Xiaomi Electric Kettle 2 Lite, 1500W Power, 1.5l capacity
BHR9539EU	R 851	Xiaomi Double Wall Electric Kettle, 1800W Power, 1.7l capacity, Premium food-grade 316l Stainless Steel material
BHR9704EU	R 2,000	Xiaomi Multifunctional Hot pot cooker 6l, 4.5 L recommended usable capacity, 4-6 people suitable serving size, Bottom heating element, Boils 2 L Water in under 8 minutes, Touch Control Panel with Digital Display, Detachable pot Design, Aluminium Alloy with Non-Stick coating, Boil-dry protection, 2000 W rated Power, 6 Power levels
BK002	R 379	Mellerware Biltong Maker 116w - The Biltong King Biltong Maker allows you to enjoy great-tasting, Homemade Biltong, Droewors, Dryfruit, and Herbs. Lightweight and easy to assemble - Hanging rods for Biltong, DroÃ«wors, and Drying shelves for fruit and vegetables with Continuous airflow to speed up the drying process. Retail Box
Brother F420	R 14,950	Brother Innovis F420 Home decore sewing machine, 180 sewing stitches, 5 Built-In fonts, 10 styles of buttonholes, LCD screen, Adjustable presser foot Pressure (Electronic), Lock stitch Button, Adjustable Thread tension (Manual), Bobbin winder, Advanced needle threading system, Automatic Thread cutter
Brother JC14	R 3,450	Brother JC14 sewing machine, 14 Built-In stitches, 4-step buttonhole, Auto Set stitch length and width, Free Arm sewing, LED sewing Light, Top Load bobbin, Max 5mm stitch width, Max 4mm stitch length, Dial selection
Brother JK17B	R 3,450	Brother JK17B Basic Multi Purpose sewing machine - Blue 17 stitch, 17 Built-In stitches, 4-step buttonhole, Free Arm sewing, LED sewing Light, Top Load bobbin, Max 5mm stitch width, Max 4mm stitch length
CSY-KX6003-5RGL	R 199	Casey Wall Clock Rose Gold Outer Rim With Rose Gold Details And White Face 30cm Radius Size, Retail Box, 3 months warranty
CSY-LH-956	R 249	Sokany Electric Hand Mixer and Blender - Powerful 500w Motor, 5-Speed Settings Plus Turbo Function, Ergonomic Design, Includes 2 X Stainless Steel Flat Beaters And 2 X Stainless Steel Dough Hooks, Colour White Retail Box
CSY-SK-3026	R 249	Sokany Electric 75g Multi Purpose Coffee Grinder - Suitable For Coffee, Spices, Nuts, And Herbs, 200w Rated Power, Large 75g Capacity Grinding Chamber, Stainless Steel Blades, Colour White Retail Box
CSY-SK-6626BLK	R 249	Sokany Electric Hand Mixer and Blender Black- Powerful 350w Motor, 5-Speed Settings Ergonomic Design, Includes 2 X Stainless Steel Flat Beaters And 2 X Stainless Steel Dough Hooks, Colour Black, Retail Box
CSY-SK-BBQ-227	R 399	Sokany Multifunctional Grill Maker - Non-Stick Coating Cooking Surface Plates, 1000w Rated Power, Double Sided Heating and Cooking, Cool Touch Handle, Automatic Temperature Control, Easy To Clean, Colour Silver and Black Retail Box
CSY-SK-BBQ139	R 299	SOKANY 800W 4 slice Sandwich Maker, non-stick plates, stainless steel body, heat-resistant handle, anti-slip foot pads; ideal for sandwiches, paninis, and grilled foods; easy to clean; countertop appliance
CSY-SK01022	R 549	Sokany SK-01022 juicer Extractor - 800W High Power, High Temperature Motor Protection, Two speed Adjustment, Large Diameter Safe Material Feeding, Easy to Clean, Retail Box, 6 Months Warranty.
CSY-SK02027	R 499	Sokany Bronze Milk Frother - 600W Power, 160ml Milk Foam Capacity, Heating Milk, Cold And Hot Mode, 220-240V Max Voltage, Retail Box, 6 Months Warranty.
CSY-SK08053	R 499	Sokany Sandwich Grill Maker features 1200W high-power heating, double-side heating, and a non-stick coating for

		quick, even cooking. Its LED indicator, heat-resistant body, clip fastening, and compact vertical storage make it easy to use and store. Portable and convenient, it comes with a 6-month warranty
CSY-SK3027	R 199	SOKANY 3027 Electric Coffee Grinder - 150W motor for smooth grinding with a 50g capacity. Compact and easy to use with one-button operation. Includes overheat power-off protection for safety. Detachable parts enable easy cleaning. Operates on 220-240V, 50/60Hz with a 1.2m power cord.
CSY-SK3069B	R 359	Sokany SK3069B Handheld Steamer Blue - 1200W power, 125ML water tank, strong steam, full ironing, simple Operation.
CSY-SK3069W	R 359	Sokany SK3069W handheld steamer; 1200W power; 125mL water tank; fast heat-up; compact travel-friendly design; removes wrinkles from clothes and curtains; automatic shut-off; overheat protection; lightweight 0.6kg; 15 x 7 x 8 cm
CSY-SK3071W	R 299	Sokany SK-3071 Hand Held 1200W Steamer. 1200W Power; 125ml Water Tank; Compact Design; White and Gold Finish; Travel-Friendly; Quick Heat-Up; Wrinkle Remover; Easy Operation
CSY-SK3378	R 649	Sokany Hand Held Vacuum Cleaner - 1.1 Litre Container Capacity, 2000W Rated Motor Power, Powerful Suction, Handheld Rod Type Upright Design, 20-40 Mins Cleaning Time, 4 Metre Cable Length, Easy Grip handle, Includes Soft Crevice brush Colour Stainless Steel Silver and Grey, Retail Box 6 Months Warranty
CSYSK124	R 459	Sokany Black 600ml Coffee Maker - 6 cups, 650w, Colour : Black; Compact And Easy To Use Design, Suitable For Ground Coffee, Transparent Glass Carafe With Flip Top Lid,Hot Plate To Keep Your Coffee Warm, Water Level Indicator, Removable Permanent Filter And Filter Holder For Easy Cleaning, Anti-Slip Feet, On/Off Switch With Indicator Light Retail Box
CSYSK125	R 489	Sokany Black And Silver 900ml Coffee Maker - 9 Cups, 900w, Colour : Black With Silver Accents, Compact And Easy To Use Design, Suitable For Ground Coffee, Transparent Glass Carafe With Flip Top Lid,Hot Plate To Keep Your Coffee Warm, Water Level Indicator, Removable Permanent Filter And Filter Holder For Easy Cleaning, Anti-Slip Feet, On/Off Switch With Indicator Light Retail Box
CSYSK223	R 479	Sokany 4 Slice Sandwich Press & Griller - 750w Home Steak Grill Machine Panini Maker, Non-Stick Coating, Easy To Clean, Double-Sided Heating, Even Heating, Heat-Resistant Handle, Thickened Material, Simple Operation, Stainless Steel Body, Anti-Slip Foot Pad Retail Box
CSYSK3080	R 449	Sokany Black And Blue Handheld Garment Steamer - 1200w, Easy Removable Refill Tank Up To 250ml Water Capacity , Automatic Continuous Steam Supply Through Electric Pump Retail Box 6 Months warranty
DBK212	R 59	Tevo Magneto Beem Buddy LED 2.0, Retail Box
DST1030/20	R 349	Philips 1000 Series Steam Iron - Blue, Retail Box
ECOFLOW GLACIER	R 14,728	Ecoflow Glacier Portable Refreigerator & Battery Combo - 38l, Integrated Ice Maker, Dual Zone, Smart App Control, Fasted Cooling In Industry, Up To 40 Hour Cooling On Battery Power.
EG-STS005	R 687	Eiger Geneva Black 4 Slice Stainless Steel Toaster
EY201827	R 1,499	Tefal Easy Airfryer Classic 1.2kg - Black, Retail Box
EY201D15	R 1,499	Tefal Easy Airfryer Classic Plus 1.2kg, Retail Box
FAP10DMD	R 2,099	Feelive 10 Litre 2000w Air Fryer - Sensor Touch Control Panel, LED Display, 10 litre Cooking Capacity, 8 Pre-Set Cooking Functions, Powerful 2000w Output, Temperature Setting: 80-230, Top And Bottom Heating, Large Viewing Window, Detachable, Non-Stick Pot, Pizza Feature And Grill Option, Countertop Solution, Dual Handles, Includes Grill And Frying Rack, Retail Box
FSM18B	R 3,199	Feelive Slushy Maker Machine - 2 Liter Capacity, No Ice Required, Rapid Chill Technology, 5 Smart Present Drink Modes, Adjustable Texture Control, Self-Cleaning and Easy Operation,
FVC01W	R 1,099	Feelive 3 Blade Set Food Processor - 1.8L Capacity, 50W Power Consumption, 3 Stainless Steel Blades, Thin Slicing Blade, Thin Shredder Blade, Grating Blade, Easy to Clean, Dust Proof Storage, Safety Certified, Retail Box, 6 Months Warranty
FWD30B	R 1,599	Feelive Instant Hot Water Dispenser - 2.7 Liter Tank, 3 Seconds Heating, 5 Seconds Boiling, Water shortage, Descaling reminder Smart reminders, LED screen, Sensor - touch panel,
H08AFBK1S1	R 879	Hisense Manual Air Fryer - 8 Litre Capacity of Frying Basket, 1700W Power, With Timer 60 Minutes, ON/OFF Function, Removable Baking Tray For Easy Cleaning, Fry, Grill, Roast and Bake With Little or No Oil, Freestanding, Matt Black Exterior Color, Retail Box

H12AFBK2S4	R 1,399	Hisense Double Door Air Fryer - 12 Litres Capacity Of Frying Pot, 1700W Power, Dual Cooking Zone, Touch Control Panel, 8 Present Cooking Menus, 360 Hot Air Circulation Cooking, Removable, Dishwasher Safe, Free Non-Stick Crisping Tray and Basket, Visible Window, Retail Box
H20MOBS14	R 1,158	Hisense H20MOBS14 20L Black manual Microwave. The Hisense H20MOBS14 is a 20-litre manual microwave finished in matte black, combining user-friendly dial controls with a powerful 700 W oven, perfect for everyday reheating, defrosting, and simple cooking tasks. Its compact design, five power settings and 35-minute timer make meal prep easy and efficient for small homes or office kitchens.
H20MOMS15	R 899	Hisense Silver Digital Microwave Oven - 20L capacity; 700W power output; 10 power levels; 99:99 min cooking time; auto-cook presets; LED display; mirror glass door; 360degree rotating turntable; dimensions: 45.5 x 26.1 x 32.6 cm; weight: 10 kg
H20MOMS15	R 1,280	Hisense Silver Digital Microwave Oven - 20L capacity; 700W power output; 10 power levels; 99:99 min cooking time; auto-cook presets; LED display; mirror glass door; 360degree rotating turntable; dimensions: 45.5 x 26.1 x 32.6 cm; weight: 10 kg
H28MOBS17	R 1,149	Hisense 28L Electronic Microwave Matte Black - 800 W, 6 programs, 28 L, Adjustable Power Output
H370BIT	R 4,749	Hisense 264L Titanium Inox Combi Fridge, Retail Box
H37MOBS5X	R 1,499	Hisense 37L Electronic Microwave Black - Capacity: 37L; Output Power: 1000W; 6 Auto Cooking Menus; 95mins Cooking Timer; Grey Cavity; Time/ Weight Defrost Function; Colour: Black
H45MOBS5X	R 2,476	Hisense Matt Black 45L Electronic Microwave. capacity:45L; 10 power levels; 24 auto-menu presets; 1100W output; 345mm turntable; 540×431×331.6mm; net weight ~12.6kg; matt black finish; white LED display; defrost function
H84-7WD-ZA	R 689	Hoover Wet And Dry Handheld Portable Cordless Vacuum Cleaner - Rechargeable 7.4v Lithium Battery, Crevice Tool, Wet And Dry Squeegee, Wall Mount Dock, Colour Red Retail Box
HDB005	R 949	Bennett Read DriBuddy 900W Portable Hot-air Clothes Dryer. 900 W; dries up to 10 kg; lightweight 3 kg; timer function; whisper-quiet operation; compact and travel-friendly; fabric-safe drying; reduces wrinkles
HFG60.000BK	R 699	Kenwood Air Fryer With Grill Function And Window - 6 Liter Air Fryer Capacity, 1300W Power, 60min Timer, Touch Digital Display, 8 Present Programs, Halogen Heating Element, Glass Material, Transparent Basket with Internal Light, Max 200 Degrees C Temperature, Retail Box
HICM2016B	R 2,499	Hisense Bullet Ice Maker With LED Display - 20kg Capacity, 2 Ice Cube Sizes, Ice Full Sensor, Transparent View Window, Self-cleaning, Efficient and Quiet Ice Making, Fast Ice Making, Digital Display, Present Timer Function, Removable Ice Basket, Color Black
HMP22.000WH	R 549	Kenwood Hand Mixer With Bowl - 300W Power, 2.4 Litre Bowl, Double Removable Hooks, 5 Speeds Plus Turbo Function, Eject Button For Easy Removing, Dishwasher Safe, Mixing Hooks, Whisking Hooks, Color White
HR2520/00	R 399	Philips 3000 Series Promix Hand Blender - Robust 400W motor, ProMix Technology, Special bar cage, Ergonomic Grip design, Easy to use button, Light Weight Retail Box
HVC101	R 849	Tevo Bennett Read Zoom Vacuum Cleaner (HVC101) - Airflow regulator, Cyclonic airflow, Multi surface floor cleaning head, One touch to empty button, Large easy rolling wheels, automatic cord rewind button, Retail Box
HVC220	R 1,299	Bennett Read Titan 20L Stainless Steel 1200W Wet & Dry Vacuum, Retail Box, 1 year warranty
KEC203	R 1,099	Bennet Read Grill Boss 2.0 - Ultimate Griller & Sandwich Press; Opens 180Â° Degrees To A Flat Double Griddle; Grills Both Sides When Closed, Cooking In Half The Time; Variable Heat; Adjustable Temperature; Floating Hinge For Both Thick & Thin Foods; Ceramic Superior Coating That Makes For Easy Cleaning; Granitetech Non-Stick Ceramic Coating; Drip Tray Catches Oil & Fat Run-Off For Healthier Meals; Lock Function For Vertical Storage Retail Box 1 year warranty
KHH01.000SI	R 2,099	Kenwood HomeBake Stand Mixer - 1000W Power, 5 Liters Bowl Capacity, 6 Speeds, Pulse Function, Slash Guard, Beater, Whisk, Dough Hook, Silver Finish Color, Retail Box
KHT121	R 1,199	Bennett Read 3 Panel Gas Heater - 3 Ceramic Panels with 3 Heat Settings, Piezo Electric Ignition, Fast Heating Infrared Design, Oxygen Depletion Sensor, Flame Failure Protection, Anti-tilt Safety Device, High Quality Copper Valve, Large Cavity for 9kg Gas Cylinder, LPGSA Approved, Retail Box
KSK080	R 1,199	Feelive Smart Digital Kettle with Temperature Control - 1.7 Litres Large Capacity, 40c to 100c Variable Temperature Control, Up to 8 Hour Keep Warm, Rapid Boil Technology, LED Digital Display, Smart Touch Control,

		STRIX Safety Controller, Cordless 360 Base, Auto Shut off and Boil-Dry Protection, Premium Stainless Steel Body, Retail Box
KST087	R 1,149	Feelive 2 Slice Stainless Steel Smart Toaster - 2 Slice Digital Toaster, 780 to 925W Power, LED Digital Display, Smart Touch Controls, 6 Browning Levels, Defrost, Reheat, Cancel Functions, White, Grain, Gluten-Free, Muffin and Waffle Bread Menu Modes, Stainless Steel Material, Retail Box
KST088	R 1,349	Feelive 4 Slice Smart Digital Toaster - 4 Slice Capacity Toaster, LED Digital Display with Countdown Timer, Smart Touch Control Panel, 6 Browning Levels, Extra-Wide Slots, Removable Crumb Tray, Anti-Jam Safety Protection, Premium Stainless steel Material, Retail Box
MPM02.000BK	R 849	Kenwood Breakfast Pack Toaster And Kettle Combo - 2x Slice Toaster, 900w Power, Removable Limescale Filter, Reheat Function, Electric Cordless Kettle, 2200w Power, 1.7Litre Water Capacity, 360 Degree Cordless Base, Removable Limescale Filter, Fast Boil System, Automatic Turn Off, Colour Black With Stainless Steel Silver Accents, Retail Box
NET-TAPO-RV20-MOP	R 3,714	TP-link Tapo RV20 Mop - MagSlim LiDAR navigation Robot Vacuum & Mop, 2600 mAh Battery capacity, MagSlim LiDAR gyroscope mapping/Path planning, Obstacle avoidance, 20 mm Barrier-Cross height, 2700 pa Max suction Power, 4 levels suction adjustment, 350 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, 4 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz WiFi, Bluetooth
NET-TAPO-RV30-MAX-PL	R 3,739	TP-Link Tapo RV30 Max Plus Auto-Empty Vacuum & Mop - Black, TP-TAPO-RV30-MAX-W, 2600 mAh Battery capacity, 4h charging time, LiDAR imu Dual navigation, High-Precision map, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, 17000Pa suction Power of Auto-Empty Dock, 3l dust bag capacity, 5300Pa Max suction Power Vacuum, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz WiFi
NET-TAPO-RV30MXP-WH	R 3,664	TP-Link Tapo RV30 Max Plus White 5300Pa Hyper Suction Robot Vacuum & Mop Smart Auto-Empty Dock, Ultra-Powerful 5300Pa Suction, Auto-Empty with 3L Large Dust Bag, LiDAR IMU Dual Navigation System, No Spots Missed, Carpet Avoidance, Tapo IQ Smart Cleaning, Customizable Cleaning, 4x Multi-Floor Maps, Auto-Charging, Voice & Remote Control
NET-TL-TAPO-RV10	R 1,869	TP-Link Tapo RV10 robot Vacuum Cleaner / mop, Gyroscope mapping / Path planning, Infrared obstacle avoidance, 20 mm Barrier-Cross height, Anti-drop protection, 2000Pa Max suction Power, 4 levels suction level adjustment, 400 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric water Flow control, 3 levels water level adjustment, 300ml water Tank capacity, 2600 mAh Battery capacity
NET-TL-TAPO-RV20MAX	R 2,692	TP-Link Tapo RV20 Max 5300Pa suction MagSlim LiDAR navigation Robot Vacuum and Mop, 2600 mAh Battery capacity, 4h charging time, MagSlim LiDAR navigation, MagSlim LiDAR obstacle avoidance, 22 mm Barrier-Cross height, 17000Pa suction Power of Auto-Empty Dock, 5300Pa Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz WiFi, Bluetooth
NET-TL-TAPO-RV30-MAX	R 3,365	TP-Link Tapo RV30 Max 5300Pa Hyper suction Robot Vacuum and Mop, 2600 mAh Battery capacity, 4h charging time, LiDAR imu Dual navigation mapping/Path planning, High-Precision map, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, 5300Pa Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Carpet boost, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz Wireless connection, Bluetooth
NET-TL-TAPO-RVA410	R 298	TP-Link Tapo RVA410 Robot Vacuum Waterproof Mat, Compatible with --> Tapo RV30 Max / Tapo RV20 Max, Use this pad on Wood floors and carpets, No tools required
RHEM30LN-S	R 1,579	Russell Hobbs 30 Litre Electronic Microwave Oven Silver - 900W Power Output, User Friendly Control Panel, 11 Power Levels, Programmable Multi Stage Cooking, 6 Auto Menus, Digital LED Display With Clock, Push Button Door, 288mm Diameter Glass Turntable, Elegant Mirror Front Finish, Retail Box
RHFP66	R 1,249	Russell Hobbs Royal Food Processor Black - 500w Processing Power, 2 X Speed Control With Pulse For Precise Start And Stop Control, - 1x Plastic 1.4 Litre Food Processing Bowl, 1x Stainless Steel Slicing Blade, 1x Stainless Steel Shredding Disc, 1x Stainless Steel Chip Slicing Disc, 1x Citrus Juicing Attachment, Double Safety Lock System, Nonslip Rubber Feet For Stability, Retail Box
RHI400	R 399	Russell Hobbs 2200w Pro-Glide Steam Spray Iron, Water spray feature, Water tank capacity: 300ml, With indicator

		light and heel rest, Retail Box
SB420E	R 549	Salton 1.5l Glass Jug Blender With Mill - 400 Watt; 1.5l Glass Jug; 2 Speed With Pulse Increased Control; Glass Grinding Mill For Coffee Beans; Stylish Brushed Stainless Steel Housing; Removable Lid Cap For Easy Topping Up; 6 Stainless Stainless Steel Blades Retail Box
SC-72022A	R 6,299	Unbranded Joybrews Karak Tea And Coffee Machine - Instant Coffee with Milk, Two Hot Drink Selection, One-touch Preparation, Water Pump Gallon System, 3-in-1 Coffee Blend, Convenient Premix, Up to 5 Cups Per Minute, Suitable For Offices And Showrooms, Retail Box, 6 Months Warranty
SK04008	R 289	Sokany Electric Coffee Maker Black and Rose Gold 250ml, 600w, Double sided Coffee Pot suitable for left or right handed use, 4 cups.
SK08074	R 399	Sokany Dual Midi Belgian Waffle Maker - Medium Sized Dual Belgian Style Waffles, Non-Stick Coating Surface Plates, 750w Rated Power, Double Sided Heating and Cooking, Anti-Scald Cool Touch Handle, Easy To Clean, Colour Black Retail Box
SK128	R 329	Sokany Dual Smiley Emoji Waffle Maker - Smiley Imprinted Waffles, Non-Stick Coating Surface Plates, 750w Rated Power, Double Sided Heating and Cooking, Anti-Scald Cool Touch Handle, Easy To Clean, Colour Black Retail Box
SKBBQ225	R 599	Sokany Dual Large Belgian Waffle Maker - Large Sized Dual Belgian Style Waffles, Non-Stick Coating Surface Plates, 1000w Rated Power, Double Sided Heating and Cooking, Anti-Scald Cool Touch Handle, Easy To Clean, Colour Silver / Black Retail Box
SSGB-400	R 429	Sunbeam Stainless Steel Blender With Grinder - 1.5 Litre Glass Jar Capacity, Glass Grinder Attachment, 2 Speeds with Pulse, Stainless Steel Blade, Safety Switch, Brushed Stainless Steel Housing, 400W Power, 50Hz Frequency, 230V, Retail Box, 6 Months Warranty.
SU16L	R 1,996	Salton 16L Stainless Steel Urn - SU16L, 1600 watts wattage, 16 litres capacity
SU20L	R 2,758	Salton 20L Stainless Steel Urn - SU20L, 1600 watts wattage, 8 litres capacity
SU8L	R 1,603	Salton 8L Stainless Steel Urn - SU8L, 1600 watts wattage, 8 litres capacity
T550E	R 799	Casals Electric Grass Trimmer Aluminium - Red 550W, Retail Box
TAPO-RV10	R 1,927	TP-Link Tapo RV10 Robot Vacuum Cleaner
TAPO-RV10-PLUS	R 3,963	TP-Link Tapo RV10 Plus Robot Vacuum Cleaner & Auto-Empty Dock, SPEC: Gyroscopic Navigation, Vacuum & Mop 2-in-1, 2000Pa, 4L Auto-Empty Dock(27000Pa), 2600mAh Battery, 350ml Dustbin, 300ml Water Tank, FEATURE: Path Planning, 2000Pa 4-Level Suction, 3-Level Water Flow
TAPO-RV20	R 3,257	TP-Link Tapo RV20 Robot Vacuum Cleaner, SPEC: MagSlim LiDAR Gyro Navigation, Vacuum Only, 2000Pa, 3hrs Battery Life(2600mAh), 800ml Dustbin, 7.8cm Ultra-thin, FEATURE: MagSlim LiDAR and Gyro Dual Navi System, 2000Pa 4-Level Suction, 3 1 Local Maps, 20mm Barrier-Cross Height
TAPO-RV20-MAX	R 2,750	TP-Link Tapo RV20 Max 5300Pa suction MagSlim LiDAR navigation Robot Vacuum and Mop, 2600 mAh Battery capacity, 4h charging time, MagSlim LiDAR navigation, MagSlim LiDAR obstacle avoidance, 22 mm Barrier-Cross height, 17000Pa suction Power of Auto-Empty Dock, 5300Pa Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz WiFi, Bluetooth
TAPO-RV20-MAX-PLUS-W	R 3,498	Tapo RV20 Max Plus 5300Pa Suction MagSlim LiDAR Navigation Robot Vacuum and Mop with Auto-Empty Dock; 5300Pa suction; MagSlim LiDAR navigation; Wet mopping; 3L auto-empty dock; 17000Pa dock suction; 2600mAh battery; Up to 180 min Quiet Mode; 300ml dustbin; 300ml water tank; 5 suction levels; 3 water levels; H11 HEPA filter; 330 x 83mm robot; Multi-floor mapping; Virtual walls; No-go zones; Google Home; Amazon Alexa
TAPO-RV30-MAX	R 3,440	TP-Link Tapo RV30 Max 5300Pa Hyper Suction Robot Vacuum & Mop. The TP-Link TAPO RV30 MAX is a premium robot vacuum with LIDAR navigation and an auto-empty dock, designed for effortless cleaning. It vacuums and mops all floor types efficiently while integrating with smart home assistants for seamless control. Its long battery life and precise mapping make it ideal for busy households seeking automated floor care.
TAPO-RV30-MAX	R 3,423	TP-Link Tapo RV30 Max 5300Pa Hyper Suction Robot Vacuum & Mop. The TP-Link TAPO RV30 MAX is a premium robot vacuum with LIDAR navigation and an auto-empty dock, designed for effortless cleaning. It vacuums and mops all floor types efficiently while integrating with smart home assistants for seamless control. Its

		long battery life and precise mapping make it ideal for busy households seeking automated floor care.
TAPO-RV30-MAX-WHITE	R 3,348	Tapo RV30 Max 5300Pa Hyper Suction Robot Vacuum & Mop; 5300Pa suction; LiDAR IMU navigation; 2600 mAh battery; up to 3 hours runtime; 300 ml dustbin; 300 ml water tank; H11 HEPA filter; 5 suction levels; 3 water levels; multi-floor mapping; Google Home and Amazon Alexa support; 33 x 33 x 10 cm
TAPO-RV30C	R 4,457	TP-Link Tapo RV30C Robot Vacuum Cleaner, SPEC: LiDAR Gyro Navigation, Vacuum Only, 4200Pa, 3hrs Battery Life(3200mAh), 800ml Dustbin, FEATURE: LiDAR and Gyro Dual Navi System, 4200Pa 4-Level Suction, 3 1 Local Maps, 20mm Barrier-Cross Height, Anti-Drop Protection
TAPORV10LITE	R 2,517	TP-Link Tapo RV10 Lite Robot Vacuum Cleaner
THURN15L	R 999	Totally 15l Hot Water Urn
THURN20L	R 1,099	Totally 20l Hot Water Urn
THURN35L	R 1,199	Totally 35l Hot Water Urn
TP-TAPO-RV10	R 1,869	TP-Link Tapo RV10 robot Vacuum Cleaner / mop, Gyroscope mapping / Path planning, Infrared obstacle avoidance, 20 mm Barrier-Cross height, Anti-drop protection, 2000Pa Max suction Power, 4 levels suction level adjustment, 400 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric water Flow control, 3 levels water level adjustment, 300ml water Tank capacity, 2600 mAh Battery capacity
TP-TAPO-RV20-MAX-PLUS-W	R 3,440	TP-Link Tapo RV20 Max Plus White LiDAR Robot Vacuum & Mop with Auto-Empty Dock. The TP-Link Tapo RV20 Max Plus is a versatile robot vacuum and mop designed to simplify home cleaning. It features powerful suction, intelligent navigation, and hands-free operation, making it an ideal choice for those seeking a convenient and effective cleaning solution. Whether you ' re dealing with pet hair, dust, or everyday messes, the RV20 Max Plus is equipped to handle it all with ease.

< Return to the menu

Bathroom Essentials

Product code	Price	Description
7030001259568	R 179	Casey Sanliv Handheld Shattaf Kitchen Or Toilet Bidet Sprayer - Includes 1.2 Metre Flexible Shower Hose, Includes Holder Bracket, High Quality ABS With Chrome Finish Look, Cost Effective Convenience Of The Bidet Into Your Home Ensures Your Personal Hygiene And Cleanliness, Can Be Mounted Next To Kitchen Sink Wall Or Toilet Tank With Included Holder Bracket, Colour Chrome Look Finish Silver Retail Box No Warranty
BHR4559GL	R 121	Xiaomi Automatic Soap Dispenser refill, 300ml capacity, Creamy foam, Balanced pH, For the Xiaomi Automatic Soap Dispenser (This is a refill, dispenser not included)
BLX-30120	R 59	Bathlux Multi Hanger For Towels With Vacuum Suction Cup, Wall Mountable, Suspension Type, 2kg Maximum load, Colour White Retail Box Out of Box Failure Warranty
BLX-30121	R 59	Bathlux Handheld Shower Head Wall Mount Holder With Vacuum Suction Cup - Suspension Type, 2kg Maximum load, Colour White, Retail Box Out of Box Failure Warranty
BLX-30124	R 69	Bathlux Mop Rack Holder With Suction Cup, Retail Box, Out of Box Failure Warranty
BLX-30134	R 129	Bathlux Single Shelf With Suction Cup, Retail Box, Out of Box Failure Warranty
BLX-30135	R 149	Bathlux Shelf With Handtowel Rack With Suction Cup, Retail Box, Out of Box Failure Warranty. Requires smooth surface.
BLX-30136	R 149	Bathlux Shelf With Hanging Rack With Suction Cup, Retail Box, Out of Box Failure Warranty. Requires smooth surface.
BLX-30141	R 129	Bathlux Overhead Hanging Clothing Dryer With Suction Cup, Retail Box, Out of Box Failure Warranty
BLX-30145	R 99	Bathlux Single Towel Rack With Suction Cup, Retail Box, Out of Box Failure Warranty
BLX-30146	R 99	Bathlux Multi Towel Hanger - Suction With Suction Cup, Retail Box, Out of Box Failure Warranty
BLX-30161	R 89	Bathlux Lever Toilet Roll Holder With Suction Cup, Retail Box, Out of Box Failure Warranty
STAND2	R 349	Casey Zana Paper Towel Stand, Retail Box, No Warranty

< Return to the menu

Beverages

Product code	Price	Description

DNASP02	R 2,499	DNA Sparkler Sparkling Water and Beverage Carbonator Silver - Carbonate any Beverage, Airplus Pressure Release Valve allows flavours to be carbonated directly in the bottle, The Smart Injector Nozzle Maximizes the infusion of CO2, Quick-release button for easy removal of the Bottle and Canister, Easy to use, Carbonate with a simple press, Metal Body Retail Box
DNASPCYL01	R 349	DNA Sparkler CO2 Cylinder 420g - Filled With 400g Of Food Grade CO2 And Can Be Conveniently Refilled. Specifically Designed For Use With The DNA Sparkler, This Cylinder Can Make Up 60 Litres Of Carbonation. Retail Box 3 Month warranty

< Return to the menu

Cooling & Heating & Climate Control

Product code	Price	Description
35220GT	R 449	Mellerware (35220GT) 2000w Oscillation Heater Fan - Graphite, 2 heat settings 1000w/ 2000w, Cool, warm or hot setting, Left/ right oscillating function, Adjustable thermostat, Thermal cut-out for overheat protection, Integrated carry handle, Retail Box
35405	R 399	Mellerware Heater - Powerful 1600w, 2 heat settings, 4 heating quartz tubes, Radiant heat wide angle reflectors, Cool touch housing, Carry handle on top, Tip over cut out switch.
35501	R 199	Mellerware Rechargeable Hot Water Bottle - 400W Powerful Recharge, 8-12 Minutes Charging Time, Dry Burning Resistant Heating Element, Thermostat, Fuse, Explosion-proof Switch Safety Protection, Charging Base, Retail Box, 6 Months Warranty.
35920B	R 1,049	Mellerware Pedestal Steel Fan 40cm Blk, Retail Box
35942	R 1,399	Mellerware Mistique 40cm 3 blade Mist Fan With Remote - 75w, 2.8l Water Tank, 3 Speed Settings, 7.5-Hour Timer, Soft-Touch Control Panel, And Included Remote.
35951B	R 1,049	Mellerware 3 Speed Floor Fan 45cm 60W 18" , Retail Box
35960	R 949	Mellerware 3 Speed Floor Fan 40cm 35W 16" , Retail Box
6677	R 286	Unbranded 700W portable heater, 120mm x 95mm x 260mm size
AAPF2	R 777	AENO Air Purifier filter AAP0002S activated carbon granules HEPA H13 L530*W340*H30mm NW 0.86Kg GW 1.09Kg
ACS200	R 299	Alva Air 40cm Pedestal Fan - Black, Retail Box
ACS201B	R 899	Alva Air 40cm Metal Pedestal Fan - Black, Retail Box
ACS203B	R 699	Alva Air 40cm Metal Floor Fan Matte Black - High Velocity Air Flow, Equipped With 3 Aluminium Blades And A Radial Grill, Matte Black Finish Floor Fan With 3 Operating Speeds, Cable Wrap For Neat Storage, Retail Box
ACS205	R 259	Alva Air 30cm Plastic Desk Fan - White, Retail Box
ACS205B	R 259	Alva Air 30cm Plastic Desk Fan Black, Retail Box
ACS206	R 699	Alva Air 92cm Plastic Tower Fan - Silver, Retail Box
ACS209B	R 399	Alva 40cm Plastic Desk Fan Black 45w - 3 Plastic Blades, Radial Grill, Oscillate Function, Tilt Adjustment, 3 Speeds, Handle For Easy Lifting Retail Box
ACS210	R 1,099	Alva Air 50cm High Velocity Chrome Floor Fan - High Velocity Air Flow Very Powerful, 3 Aluminium Blades, 3 Speed Function, Radial Grill, Tilt Adjustment, Cable Wrap For Neat Storage, Sturdy Base, Handle For Easy Lifting, Chrome Finish, Retail Box
ACS210B	R 1,099	Alva Air 50cm High Velocity Matte Black Floor Fan - High Velocity Air Flow Very Powerful, 3 Aluminium Blades, 3 Speed Function, Radial Grill, Tilt Adjustment, Cable Wrap For Neat Storage, Sturdy Base, Handle For Easy Lifting, Matte Black Finish Retail Box
ACS211	R 699	Alva Air 30cm Chrome Metal Desktop Fan - 3 Plastic Blades; Radial Grill; Oscillate Function; Tilt Adjustment; Handle For Easy Lifting; Retail Box
ACS214	R 1,349	Alva Air 40cm Wooden Finish Tripod Fan 50w - 5 Aluminium Blades; Sturdy & Adjustable Tripod Stand; Stylish Wooden Finish Blades & Tripod; Oscillation Function; 3 Speed Selection; Adjustable Height Retail Box
ACS305	R 1,149	Alva Air 40cm Pedestal Mist Fan With Remote Black - Control Panel With Indicator Lights, Variable Mist Rate For Personalized Comfort Setting (max of 250ml/hr.), 3 X Transparent Blades With Safety Fan Guard, Radial Grill, Oscillate And Tilt Function Retail Box

ACS401	R 829	Alva Air 30cm Rechargeable Pedestal Fan - Contemporary White Finish, Metal Pole Plastic Body, Charge Time: 4-5Hours - Lithium Battery 4400mAH, Run Time: 3-9 Hrs., Oscillate Function For Optimal Air Flow Distribution, Tilt Adjustment, Sturdy Base, Detachable Charger Included, Easy To Assemble Retail Box
ACS603	R 1,049	Alva Air 50cm Black With Yellow Floor Fan 160w - Powerful And Durable Fan With Robust, Industrial Design Strength, Striking Glossy Yellow Stand And Sturdy Black Feet, Enhanced With Adjustable Airflow Tilt Functionality, Experience Optimal Airflow With 3-Speeds, Sleek Matte Black Radial Grill Design Retail Box
AGH0001S-SA	R 4,057	Aeno Premium 700W Eco Smart heater - White, Tempered Glass, Infrared convection heating Type, Smart control Aeno App (via Wi-Fi), Temperature Sensor, Tilting Sensor, Remote control, Up to 30 M2 coverage area
AGH0002S-SA	R 4,057	Aeno Premium 700W Eco Smart heater - Black, Tempered Glass, Infrared convection heating Type, Smart control Aeno App (via Wi-Fi), Temperature Sensor, Tilting Sensor, Remote control, Up to 30 M2 coverage area
AGH0003S-SA	R 4,537	Aeno Premium Eco Smart heater 700W with Tempered Glass, Infrared convection heating Type, Fall/Tilt Sensor, On/Off control or LED Display with control buttons, Aeno App, Temperature Sensor, Panel temperature control up to 120 degrees celcius, Manual and Remote control, LED indication
AGH0004S-SA	R 4,537	AENO Premium Eco Smart Heater 700W Tempered glass Infrared convection heating type Led display Plug type: SOUTH AFRICA (M type) BLACK
AGH0005S-SA	R 4,537	Aeno Premium Eco Smart heater 700W, LED Display, Tempered Glass, Infrared convection heating Type, Grey
AHB0003	R 1,097	AENO HB3 Hand Blender: 1000W motor; smooth speed control; stainless steel blending rod; 4 stainless steel blades; 0.5L chopper; 2L food processor; whisk attachment; 0.6L measuring jar; LED speed indication; 15000 rpm maximum listed speed; 1.4m power cord; 220-240V AC; 50/60Hz
AOH201-11	R 1,149	Alva 11 Fin 2500w Oil Heater, Retail Box
AOH201-9	R 999	Alva 9 Fin 2000w Oil Heater, Retail Box
AP-12HW4RNXS00	R 4,799	Hisense 12000BTU Portable Air Conditioner Unit White - Cooling and Heating Function, Cooling Capacity 3100, Heating Capacity 2640, For Areas Up To 24 Square Metres, User-Friendly Control And Display, Self-Diagnosis And Auto Protection, Independent Dehumidifier, Self-Evaporative Movement System, Colour White Retail Box
BHR084SEU	R 1,952	Xiaomi Smart Graphene 2000W heater, 2000W Graphene PTC heating, 3-second Rapid warmth, 70 degrees Wide-Angle Oscillation, Far-Infrared Resonance heating, Xiaomi Home App & Google assistant, Smart temperature control system, Centrifugal fan and microporous Air grid
BHR4037GL	R 2,639	Xiaomi Smart Space Heater S - EU
BHR4828GL	R 1,696	Xiaomi Mi Smart Standing Fan 2
BHR5856EU	R 2,340	Xiaomi Mi 2 Pro Smart Standing Fan
BHR6089GL	R 596	Xiaomi Rechargeable Mini Fan
BHR8228EU	R 1,272	Xiaomi Fan Heater - EU
BHR8940EU	R 848	Xiaomi Desktop heater with PTC ceramic heating, 600W rated Power, 45 degrees swing angle, 45 degrees oscillation circulates Air throughout the room, Ideal for spaces under 10M2
EIH200B	R 629	Alva Electric Convection Heater - Compact 2000w Electric Convection Heater, 2 Heat Settings, Thermostat Knob, Low Noise Operation, Sturdy Feet Design, Heating Area: 22-26 mÂ²,Colour Black , Retail Box
GH309	R 1,399	Alva Electric Quartz Heater - Floor Standing Unit , 800w Power, 2 x Temperature Settings, 2 x Bar Quartz Tubes, Tilt / Auto Off Switch, Heating Area Up To 8-10 mÂ², Colour White, Retail Box
HFN702	R 1,599	Bennett Read 4 In 1 Air Cooler - 29 Liter water tank capacity, 150W Powerful cooling, 3 Speed setting, Up to 56 Hours evaporative cooling, 3 Comfort mode control, Up to 6 Hours Adjustable timer, Energy Efficient, Remote control Included, Retail Box
HZ422	R 299	Casey HAZ Ceramic 2 Bar Heater - Electro - Galvanized Steel Body For Durability, 1 or 2 Bar Operation, Ceramic Heating Element Ensures Rapid Heating, Easy Cleaning Grill, Built-In Tip-Over Protection, For Domestic Use Only, Retail Box
K12INKH/I	R 6,325	Kelon 12000 BTU split Inverter Air conditioner, K12INKH/I, K12INKH-O, Wi-Fi control, Heat & cooling Type, 3100W cooling capacity, 3200W heating capacity, 997W Power Input-Cooling, 885W Power Input-Heating, Low noise Operation, R410 gas
K18INKH/I	R 9,085	Kelon 18000 BTU split Inverter Air conditioner, K18INKH/I, K18INKH-O, Wi-Fi control, Heat & cooling Type, 4800W cooling capacity, 5100W heating capacity, 1555W Power Input-Cooling, 1412W Power Input-Heating, Low noise

		Operation, R410 gas
MAC6030W	R 1,299	Defy Portable Air Cooler - 65W Power Capacity, Up to 15hrs Timer, 3 x Cooling Modes, 3 X Speeds, 4 in 1 Multi-Functions (Cooling Fan Humidifier Ionizer Clean Air), Large LED Display, 8L Water Tank, Pre-filter, 4 x Foot Wheels, 50Hz Frequency, Retail Box, 6 Months Warranty.
MW12XAB1	R 5,199	TCL Elite Series Fixed Speed Air Conditioner - 12000BTU Cooling Capacity, R410a Refrigerant, 54dB Outdoor Noise Level, 39dB Indoor Noise Level, T1 Climates, 5 Speed Refreshment, Smart Air Flow, Power Cut Auto Restart, Self-diagnosis, Safety First Design, Retail Box
MWU012SFIR	R 5,899	Unitherm R32 Inverter Air Conditioner - 12000BTU Capacity, 3520W Cooling Capacity, 3520W Heating Capacity, Rotary Compressor, WiFi Enabled, Class A EER, R32 Refrigerant, Advanced Inverter Technology, Quiet Operation, Indoor Unit and Outdoor Unit, Retail Box
MWU018SFIR	R 8,299	Unitherm R32 Inverter Air Conditioner - 18000BTU Capacity, 5275W Cooling Capacity, 5275W Heating Capacity, Rotary Compressor, WiFi Enabled, Class A EER, R32 Refrigerant, Advanced Inverter Technology, Quiet Operation, Indoor Unit and Outdoor Unit, Retail Box
PDF30	R 369	Pineware 30cm White Plastic Desktop Fan - 3 Speed settings, Oscillating, Convenient carry handle, Quiet motor Retail Box
PDF40	R 429	Pineware 40cm Desk Fan - 50W - Convenient Carry handle, Oscillating Head, Adjustable Neck, Detachable Base for Convenient Storage, 3 Speed Settings, Quiet Self-lubricating Motor, Retail Box
PFH11	R 279	Pineware Floor Standing Fan Heater - 2 x Heat Settings 1000w and 2000w, Cool Setting, Adjustable Thermostat, Overheat Protection, Safety Thermal Fuse, Power Indicator Light, Integrated Carry Handle, Colour White Retail Box
PHH03	R 359	Pineware Electric 3 Bar Quartz Floor Standing Heater Grey - 3 x Power Settings: 400/800/1200W, 3 x Quartz Heating Tubes For High-Efficiency, Oscillation Function, Handle For Easy Carrying, Safety Tip-Over Switch, Retail Box
PHP007	R 359	Pure Pleasure Electric Heating Pad. 30x40 cm electric heating pad; 3 heat settings; soft fleece; auto switch-off 90 min; overheat protection; detachable illuminated controller; lightweight; therapeutic muscle relief
PM-034	R 288	Microworld TX-FS01 Folding ciruclation fan, 4 Speed gear Switch, 9W Max Power, 2-3 hour charging time, 3-6 hour usage time, 120 degrees shaking head, Oscillating, Timed shutdown
PYV4007GL	R 1,193	Xiaomi Mi Smart 2 Lite Standing Fan
SHH25	R 529	Salton 3 Bar Heater, Retail Box
UNI-RAC18B	R 6,999	Unitherm 18000btu Non Inverter Wall Mount Midwall Aircon Set - Indoor & Outdoor Unit included
UNI-RAC24B	R 9,099	Unitherm 24000btu Non Inverter Wall Mount Midwall Aircon Set - Indoor & Outdoor Unit included
ZE110/3	R 449	Pure Pleasure 3/4 Non Fitted Electric Blanket, Retail Box
ZE75/3	R 299	Pure Pleasure Single Non Fitted Electric Blanket, Retail Box
ZEPP137150	R 599	Pure Pleasure Double Non Fitted Electric Blanket, Retail Box
ZEPP152150	R 649	Pure Pleasure Queen Non Fitted Electric Blanket, Retail Box
ZEPP152188CF	R 1,099	Pure Pleasure Queen Fullfit Coral Fleece Electric Blanket - 152cm x 188cm Retail Box
ZEPP152188SH	R 949	Pure Pleasure Queen Fullfit Sherpa Fleece Electric Blanket - 152cm x 188cm, Retail Box
ZEPP152205SH	R 1,149	Pure Pleasure Queen Fullfit Sherpa Fleece Electric Blanket - 152cm x 205cm, Retail Box
ZEPP183150	R 699	Pure Pleasure King Non Fitted Electric Blanket, Retail Box
ZEPP183188CF	R 1,199	Pure Pleasure King Fullfit Coral Fleece Electric Blanket - 183cm x 205cm, Retail Box
ZEPP183188SH	R 999	Pure Pleasure King Fullfit Sherpa Fleece Electric Blanket - 183cm x 188cm, Retail Box
ZEPP183205SH	R 1,249	Pure Pleasure King Fullfit Sherpa Fleece Electric Blanket - 183cm x 205cm, Retail Box
ZN-5100-BK	R 102	Zen Cool Series 4 inch USB Powered Mini Desk fan - Black
ZN-5101-CP	R 147	Zen Cool Series 6 inch USB Powered Desk fan - Copper

< Return to the menu

Home Electronics & Household Devices

Product code	Price	Description
6970749640185-GREEN	R 199	Casey Lovely Rabbit Shaped Multifunctional Portable 180ml USB Humidifier Air Purifier Mist Maker with LED light

		For Home Office and Car-Green, Retail Box, No warranty
6970749640185-YELLOW	R 199	Casey Lovely Rabbit Shaped Multifunctional Portable 180ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-Yellow, Retail Box, No warranty
6970749640192-BLUE	R 199	Casey Lovely Bear Shaped Multifunctional Portable 180ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-Blue, Retail Box, No warranty
6970749640192-BROWN	R 199	Casey Lovely Bear Shaped Multifunctional Portable 180ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-Brown, Retail Box, No warranty
BHR082TEU	R 2,039	Xiaomi Mijia Smart Evaporative Humidifier Pro, 600 mL/h rated humidifying capacity, 5 Litre Water Tank capacity, 13 W rated Power
BHR08TYGL	R 851	Xiaomi Mijia Compact Portable Electric Air compressor, 150psi (10.3 Bar) Max Pressure, Auto Shut-Off, 2000mAh Battery capacity, Approx. 1.5 hours charging time, Lighting mode, Compact Handheld Design
BHR6026EU	R 1,024	Xiaomi Smart Humidifier 2
BHR6605EU	R 676	Xiaomi 2 Lite Smart Humidifier
BHR7532GL	R 2,406	Xiaomi Cordless Pressure Washer. Portable self-priming design, free from water taps, equipped with a 6m water pipe for flexibility in any outdoor task.
BHR8374EU	R 4,083	Xiaomi Smart Dehumidifier Lite, 7 noise cancellation optimizations, Versatile dehumidification modes, 3l Large Water Tank, 12 safety features, Smart connectivity, 190W rated Power, R290 refrigerant, Wi-Fi 2.4GHz
BHR9230GL	R 338	Xiaomi Smart Scale S200 - White, Tempered Glass engineering Plastic materials, 0.1 - 150 kg weighing range, 50 g minimum increment, Bluetooth connectivity, Xiaomi Home App integration
BOWLINGHUM-BLACK	R 199	Casey Bowling Bottle Shaped Multifunctional Portable 150ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-White and Black, Retail Box ,No warranty
BOWLINGHUM-BLUE	R 199	Casey Bowling Bottle Shaped Multifunctional Portable 150ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-White and Blue, Retail Box, No warranty
BOWLINGHUM-ORANGE	R 199	Casey Bowling Bottle Shaped Multifunctional Portable 150ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-White and Orange, Retail Box, No warranty
BOWLINGHUM-RED	R 199	Casey Bowling Bottle Shaped Multifunctional Portable 150ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-White and Red, Retail Box, No warranty
CH1465L BLUE	R 199	Casey Milk Feeding Bottle Shaped Multifunctional Portable 240ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car - Blue Retail Box No warranty
CH1465L GREEN	R 199	Casey Milk Feeding Bottle Shaped Multifunctional Portable 240ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car - Green Retail Box No warranty
CH1465L PINK	R 199	Casey Milk Feeding Bottle Shaped Multifunctional Portable 240ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car - Pink Retail Box No warranty
CSY-CLK2956	R 199	Casey Wall Clock - Round Rose Gold Outer Rim With White Background, Large 35cm Diameter, Analogue Display Type, Rose Gold Numbering With Rose Gold Hour And Second Hands, Quartz Movement, Battery Operated, Retail Box 3 Months Warranty
CSY-CLKYP702-2	R 149	Casey Wall Clock - Round Pine Woodgrain Outer Rim With Beige Background, 30cm Diameter, Analogue Display Type, Brown Numbering With Brown Hour, Minute And Second Hands, Quartz Movement, Battery Operated, Retail Box 3 Months Warranty
CSY-KX6003-5GLD	R 199	Casey Wall Clock Gold Outer Rim With Gold Details And White Face 30cm Radius Size Retail Box 3 months warranty
CSY-KX6003-5SIL	R 199	Casey Wall Clock Silver Outer Rim With Silver Details And White Face 30cm Radius Size, Retail Box, 3 Months
CSY-SK19019BLK	R 179	Sokany Bluetooth Bathroom Scale - 0.2Kg - 180Kg, Extra-Large Backlit, LCD Display, Utra Slim, Connect to Bluetooth, Download the App, App Gets Weight Data, Battery Power Source, Color Black, Retail Box, 6 Months Warranty.
CSYSK-19030	R 149	Sokany Bathroom Glass Scale - 0.2 - 180Kgs, 3V AAA Battery 2X, Ideal For Home Use, Quick Reading, Accurate Weighing, and a Clear High-definition Digital Display, Retail Box, 6 Months Warranty.
CSYSK12005W	R 149	Sokany White Lint Remover Rechargeable
D-B083 PINK	R 199	Casey Pineapple Shaped Multifunctional Portable 130ml USB Humidifier Air Purifier Mist Maker with LED light For

		Home Office and Car-Pink Retail Box No warranty
DBK281	R 249	Tevo Magneto LED Lantern (Black) 2.0, Retail Box
DIDICUP-BLUE	R 199	Casey DIDI Cup Sports Water Shaped Multifunctional Portable 400ml Drinking Water Holder and 60Ml Water Capacity for USB Humidifier Air Purifier, Mist Maker, with LED light For Home Office and Car - Blue, Retail Box, No warranty
DIDICUP-GRAY	R 199	Casey DIDI Cup Sports Water Shaped Multifunctional Portable 400ml Drinking Water Holder and 60Ml Water Capacity for USB Humidifier Air Purifier , Mist Maker, with LED light For Home Office and Car-Grey, Retail Box, No warranty
DIDICUP-GREEN	R 199	Casey DIDI Cup Sports Water Shaped Multifunctional Portable 400ml Drinking Water Holder and 60Ml Water Capacity for USB Humidifier Air Purifier , Mist Maker, with LED light For Home Office and Car-Green, Retail Box, No warranty
DIDICUP-PINK	R 199	Casey DIDI Cup Sports Water Shaped Multifunctional Portable 400ml Drinking Water Holder and 60Ml Water Capacity for USB Humidifier Air Purifier , Mist Maker, with LED light For Home Office and Car-Pink, Retail Box, No warranty
FT-006-DWG	R 99	Casey Ultrasonic Aroma Mini Portable Humidifier Dark Wood Grain Finish Round Ball Design-With Plain Pattern Wood Base, 200ml Water Capacity, 7 Soothing LED Lights, USB Powered, Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
FT-036-DHWG	R 119	Casey Ultrasonic Aroma Humidifier Dark Hollow Wood Grain Finish With Creative Pattern Base - 200ml Water Capacity, Vase Shaped Design With Creative Pattern Wood Base, 7 Soothing LED Lights, USB Powered, Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
FT-036-LHWG	R 119	Casey Ultrasonic Aroma Humidifier Light Hollow Wood Grain Finish With Creative Pattern Base â€“ 200ml Water Capacity, Vase Shaped Design With Creative Pattern Wood Base, 7 Soothing LED Lights, USB Powered, Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
FT-036B-DHWG	R 119	Casey Ultrasonic Aroma Portable Humidifier Dark Hollow Wood Grain Finish With Plain Base - 200ml Water Capacity, Vase Shaped Design with Plain Pattern Wood Base. 7 Soothing LED Lights, USB Powered, Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
FT-036B-LHWG	R 119	Casey Ultrasonic Aroma Portable Humidifier Light Hollow Wood Grain Finish With Plain Base - 200ml Water Capacity, Vase Shaped Design with Plain Pattern Wood Base. 7 Soothing LED Lights, USB Powered, Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
FT-041-DWG	R 169	Casey Ultrasonic Aroma Portable Humidifier Dark Wood Grain Finish - 300ml Water Capacity, Vase Shaped Design, 7 Soothing LED Lights, USB Powered , Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
FT-041-LWG	R 169	Casey Ultrasonic Aroma Portable Humidifier Light Wood Grain Finish - 300ml Water Capacity, Vase Shaped Design, 7 Soothing LED Lights, USB Powered , Purifies And Humidifies Air, For Home Office And Car, Retail Box No Warranty
HPW200	R 1,999	Bennett Read XTR1800W High Pressure Washer - 1800W Motor, Tri-Axial Plunger Pump, Thermal Cut-Off Switch, Inlet Water Filtration, Multi-Purpose Spray Lance, Includes Foam Spray Kit, Rugged Rear Wheels For Mobility And Stability, Extended Handle For Ease Of Use, Includes Foam Spray Kit And Turbo Lance Retail Box Out Of Box Failure Warranty
LJH-013-YELLOW	R 199	Casey Chamomile Pineapple Design Multifunctional Portable 200ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-Yellow, Retail Box, No warranty
MS001	R 69	Casey Mini Sealer Machine Retail Box No warranty
X6 MAGIC CUP BLUE	R 199	Casey Magic Cup Shaped Multifunctional Portable 175ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-Blue Retail Box No warranty
X7-PINK	R 199	Casey X7 Magic Multifunctional Portable 175ml USB Humidifier Air Purifier Mist Maker with Magical LED light For Home Office and Car-Pink, Retail Box, No warranty
ZW-728H-BLUE	R 199	Casey Nanometer Water Humidifier Blue, Retail Box, No warranty
ZW-728H-RED	R 199	Casey Nano Hydrometer Design Multifunctional Portable 60ml USB Humidifier Air Purifier Mist Maker with LED light For Home Office and Car-Red, Retail Box, No warranty

< Return to the menu

Home Fragrance

Product code	Price	Description
5038580000108	R 489	Yankee Candle Clean Cotton Large Jar, Retail Box, No warranty
5038580000115	R 409	Yankee Candle Clean Cotton Medium Jar, Retail Box, No warranty
5038580000207	R 489	Yankee Candle Fresh Cut Roses Large, Retail Box, No warranty
5038580000214	R 409	Yankee Candle Fresh Cut Roses Medium Jar, Retail Box, No warranty
5038580000269	R 409	Yankee Candle Home Sweet Home Medium Jar, Retail Box, No warranty
5038580000368	R 409	Yankee Candle Lemon Lavender Medium Jar, Retail Box, No warranty
5038580000405	R 489	Yankee Candle Mango Peach Salsa Large Jar, Retail Box, No warranty
5038580000504	R 489	Yankee Candle Midsummers Night Large Jar, Retail Box, No warranty
5038580000511	R 409	Yankee Candle Midsummer Night Medium Jar, Retail Box, No warranty
5038580000566	R 409	Yankee Candle Vanilla Lime Medium Jar, Retail Box, No warranty
5038580000825	R 409	Yankee Candle Wedding Day Medium Jar, Retail Box, No warranty
5038580001235	R 189	Yankee Candle Baby Powder Small Jar, Retail Box, No warranty
5038580002904	R 409	Yankee Candle Spiced Orange Medium Jar, Retail Box, No warranty
5038580003758	R 409	Yankee Candle Pine Sands Medium Jar, Retail Box, No warranty
5038580003789	R 489	Yankee Candle Fluffy Towel Large Jar, Retail Box, No warranty
5038580003796	R 409	Yankee Candle Fluffy Towels Medium Jar, Retail Box, No warranty
5038580003987	R 489	Yankee Candle Soft Blanket Large Jar, Retail Box, No warranty
5038580004441	R 189	Yankee Candle Fluffy Towels Small Jar, Retail Box, No warranty
5038580004465	R 189	Yankee Candle Fresh Cut Roses Small Jar, Retail Box, No warranty
5038580011029	R 409	Yankee Candle Snow In Love Medium Jar, Retail Box, No warranty
5038580011036	R 189	Yankee Candle Snow In Love Small Jar, Retail Box, No warranty
5038580013429	R 409	Yankee Candle Black Coconut Medium Jar, Retail Box, No warranty
5038580014235	R 39	Yankee Candle Votives - Summer Scoop, Retail Box, No warranty
5038580018158	R 189	Yankee Candle Vanilla Lime Small Jar, Retail Box, No warranty
5038580018196	R 409	Yankee Candle Black Cherry Medium Jar, Retail Box, No warranty
5038580029109	R 189	Yankee Candle Spiced Orange Small Jar, Retail Box, No warranty
5038580055207	R 119	Yankee Candle Midsummers Night Melt Cups - Designed To Work With The Stylish Scenterpiece Warmers, It Is A Great Alternative For Fragrance Without A Flame, Retail Box No Warranty
5038580062014	R 189	Yankee Candle Cinammon Stick Small Jar, Retail Box, No warranty
5038580062021	R 189	Yankee Candle Home Sweet Home Small Jar, Retail Box, No warranty
5038580062045	R 189	Yankee Candle Midsummer Night Small Jar, Retail Box, No warranty
5038580062069	R 189	Yankee Candle Mango Peach Salsa Small Jar, Retail Box, No warranty
5038580062090	R 189	Yankee Candle Red Raspberry Small Jar, Retail Box, No warranty
5038580062106	R 189	Yankee Candle Soft Blanket Small Jar, Retail Box, No warranty
5038580062137	R 189	Yankee Candle Vanilla Cupcake Small Jar, Retail Box, No warranty
5038580069532	R 75	Yankee Candle Lemon Lavender Card Jar, Retail Box, No warranty
5038580069556	R 75	Yankee Candle Pink Sands Card Jar 2D Paperboard Fragrance Infused Card Jar Shaped Single Unit, Retail Box No Warranty
5038580069563	R 75	Yankee Candle Sparkling Cinnamon 2D Paperboard Fragrance Infused Card Jar Shaped Single Unit , Retail Box No Warranty
5038580070040	R 409	Yankee Candle Verbena Medium Jar, Retail Box, No warranty
5038580088038	R 119	Yankee Candle Red Rasberry Car Jar, Retail Box, No warranty
5038581005522	R 39	Yankee Candle Votives - Garden By The Sea, Retail Box, No warranty
5038581016801	R 189	Yankee Candle Warm Cashmere Small Jar, Retail Box, No warranty
5038581016818	R 39	Yankee Candle Votives - Autumn Glow, Retail Box, No warranty

5038581033228	R 489	Yankee Candle Sweet Nothings Large Jar, Retail Box, No warranty
5038581033297	R 409	Yankee Candle Sun-Drenched Apricot Rose Medium Jar, Retail Box, No warranty
5038581033303	R 409	Yankee Candle Sweet Nothings Medium Jar, Retail Box, No warranty
5038581033389	R 189	Yankee Candle Sweet Nothings Small Jar, Retail Box, No warranty
5038581033723	R 409	Yankee Candle Coconut Splash Medium Jar, Retail Box, No warranty
5038581033761	R 189	Yankee Candle Coconut Splash Small Jar, Retail Box, No warranty
5038581050195	R 529	Yankee Candle Elevation Sweet Orange Spice Medium, Retail Box, No warranty
5038581054360	R 450	Yankee Woodwick Trilogy Summer Sweets Medium, Retail Box, No warranty
5038581054919	R 595	Yankee Candle Woodwick Honey Suckle Large Jar, Retail Box, No warranty
5038581054933	R 595	Yankee Candle Woodwick Oudwood Large Jar, Retail Box, No warranty
5038581054971	R 595	Yankee Candle Woodwick Soft Chambray Large Jar, Retail Box, No warranty
5038581054988	R 595	Yankee Woodwick Sweet Lime Gelato Large Jar, Retail Box, No warranty
5038581055305	R 595	Yankee Candle Woodwick Vanilla & Sea Salt Large Jar, Retail Box, No warranty
5038581055374	R 595	Yankee Candle Woodwick White Willow Moss Large, Retail Box, No warranty
5038581058054	R 450	Yankee Candle Woodwick Honey Suckle Medium Jar, Retail Box, No warranty
5038581058146	R 450	Yankee Candle Woodwick Spiced Blackberry Medium Jar, Retail Box, No warranty
5038581058184	R 450	Yankee Woodwick Sweet Lime Gelato Medium Jar, Retail Box, No warranty
5038581063225	R 529	Yankee Candle Medium Jar Elevation Collection With Platform Lid Sugared Wild flowers-Square Candle With 3 Wicks, Burn Time: Up To 38 Hours, Medium Square Glass, Retail Box No Warranty
5038581065458	R 450	Yankee Woodwick Fig Leaf & Tuberose Medium Jar, Retail Box, No warranty
5038581079189	R 499	Yankee Candle Signature Reeds Clean Cotton 120ml, Retail Box, No warranty
5038581079196	R 499	Yankee Candle Signature Reeds Fluffy Towels 120ml, Retail Box, No warranty
5038581079219	R 499	Yankee Candle Signature Reeds Lemon Lavender 120ml, Retail Box, No warranty
5038581091280	R 489	Yankee Candle Sunny Daydream Large Jar, Retail Box, No warranty
5038581091297	R 409	Yankee Candle Sunset Daydream Medium Jar, Retail Box, No warranty
5038581091303	R 189	Yankee Candle Sunny Daydream Small Jar, Retail Box, No warranty
5038581091396	R 489	Yankee Candle Camellia Blossom Large Jar, Retail Box, No warranty
5038581091402	R 409	Yankee Candle Camellia Blossom Medium Jar, Retail Box, No warranty
5038581091419	R 189	Yankee Candle Camellia Blossom Small Jar, Retail Box, No warranty
5038581091440	R 489	Yankee Candle Water Garden Large Jar, Retail Box, No warranty
5038581092058	R 499	Yankee Candle Signature Reeds Sunny Daydream - 120ml, Retail Box, No warranty
5038581111070	R 489	Yankee Candle The Last Paradise Large Jar, Retail Box, No warranty
5038581111087	R 409	Yankee Candle The Last Paradise Medium Jar, Retail Box, No warranty
5038581111094	R 189	Yankee Candle Last Paradise Small Jar, Retail Box, No warranty
5038581111131	R 489	Yankee Candle Coconut Rice Cream Large Jar, Retail Box, No warranty
5038581111148	R 409	Yankee Candle Coconut Rice Cream Medium Jar, Retail Box, No warranty
5038581112961	R 409	Yankee Candle Beach Escape Medium Jar, Retail Box, No warranty
5038581123547	R 489	Yankee Candle Autumn Sunset Large Jar, Retail Box, No warranty
5038581124933	R 580	Yankee Candle Signature Collection Cinnamon Stick #5 - New jar design, 2 wicks Retail Box No warranty
5038581124940	R 580	Yankee Candle Signature Collection A Calm and Quiet Place Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581124964	R 580	Yankee Red Raspberry Signature Large Jar - 2 Wick Candle, 60 to 90 Hours Burn Time, Top Fragrance (Juicy Orange, Sweet Mandarin, Black Cherry), Mid Fragrance(Black Raspberries, Juicy Strawberries, Black Currant, Strawberry Leaves), Base Fragrance (Crystallized Sugar, Sweet Musk), Retail Box, No Warranty.
5038581124988	R 580	Yankee Candle Signature Collection Large Vanilla Bean Espresso - New jar design, 2 wicks Retail Box No warranty
5038581128702	R 580	Yankee Candle Signature Collection Large Lilac Blossoms - New jar design, 2 wicks Retail Box No warranty
5038581128726	R 580	Yankee Candle Signature Collection Large Lakefront Lodge - New jar design, 2 wicks Retail Box No warranty
5038581128740	R 580	Yankee Candle Signature Collection Clean Cotton Large Jar - New Jar Design, 2 Wicks Retail Box No Warranty

5038581128764	R 490	Yankee Candle Signature Collection Medium Lakefront Lodge - New jar design, 2 wicks Retail Box No warranty
5038581128795	R 580	Yankee Candle Signature Collection Large Spiced Banana Bread - New jar design, 2 wicks Retail Box No warranty
5038581128801	R 490	Yankee Candle Signature Collection Ocean Air Medium Jar - New jar design, 2 wicks Retail Box No warranty
5038581128818	R 580	Yankee Candle Signature Collection Pink Cherry Vanilla Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581128887	R 490	Yankee Candle Signature Collection Medium Iced Berry Lemon - New jar design, 2 wicks Retail Box No warranty
5038581128924	R 580	Yankee Candle Signature Collection Midnight Jasmine Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581128955	R 490	Yankee Candle Signature Collection Vanila Creme Brulee Medium Jar - New jar design, 2 wicks Retail Box No warranty.
5038581129006	R 580	Yankee Candle Signature Collection Iced Berry Lemon Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581129013	R 580	Yankee Candle Signature Collection Ocean Air Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581129020	R 490	Yankee Candle Signature Collection Medium Sage & Citrus - New jar design, 2 wicks Retail Box No warranty
5038581129129	R 580	Yankee Candle Signature Collection Pink Sands Large Jar - New Jar Design, 2 Wicks Retail Box No Warranty
5038581129136	R 490	Yankee Candle Signature Collection Bayside Cedar Medium Jar - New jar design, 2 wicks Retail Box No warranty
5038581129150	R 580	Yankee Candle Signature Collection Amber & Sandalwood Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581129198	R 580	Yankee Candle Signature Collection Lemon Lavender Large Jar - New Jar Design, 2 Wicks Retail Box No Warranty
5038581129273	R 490	Yankee Candle Signature Collection Medium Pink Cherry Vanilla - New jar design, 2 wicks Retail Box No warranty
5038581129334	R 580	Yankee Candle Signature Collection Large Fresh Cut Roses - New jar design, 2 wicks Retail Box No warranty
5038581129358	R 580	Yankee Candle Signature Collection Bayside Cedar Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581129365	R 580	Yankee Candle Signature Collection Sage & Citrus Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581129419	R 580	Yankee Candle Signature Collection Large White Gardenia - New jar design, 2 wicks Retail Box No warranty
5038581129426	R 580	Yankee Candle Signature Collection Coconut Beach Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581129440	R 490	Yankee Candle Signature Collection Medium White Gardenia - New jar design, 2 wicks Retail Box No warranty
5038581133454	R 409	Yankee Candle Autumn Sunset Medium Jar, Retail Box, No warranty
5038581134093	R 409	Yankee Candle Berry Mochi Medium Jar, Retail Box, No warranty
5038581134123	R 489	Yankee Candle Mango Ice Cream Large Jar, Retail Box, No warranty
5038581134130	R 409	Yankee Candle Sakura Blossom Festival Medium Jar, Retail Box, No warranty
5038581134147	R 409	Yankee Candle Mango Ice Cream Medium Jar, Retail Box, No warranty
5038581134215	R 409	Yankee Candle Tranquil Garden Medium Jar, Retail Box, No warranty
5038581134260	R 580	Yankee Candle Signature Collection Tranquil Garden Large Jar - New jar design, 2 wicks Retail Box No warranty
5038581134321	R 189	Yankee Candle Majestic Mount Fuji Small Jar, Retail Box, No warranty
5038581134369	R 409	Yankee Candle Sweet Plum Sake Medium Jar, Retail Box, No warranty
5038581134376	R 489	Yankee Candle Plum Sake Large Jar, Retail Box, No warranty
503858114185	R 189	Yankee Candle Berry Mochi Small Jar, Retail Box, No warranty
5038581147703	R 489	Yankee Candle Soft Wool & Amber Large Jar, Retail Box, No warranty
5038581147727	R 409	Yankee Candle Autumn Nature Walk Medium Jar, Retail Box, No warranty
5038581147734	R 409	Yankee Candle Apple & Sweet Fig Medium Jar, Retail Box, No warranty
5038581147765	R 409	Yankee Candle Golden Autumn Medium Jar, Retail Box, No warranty
5038581151083	R 580	Yankee Candle Signature Collection Large Banoffee Waffle - New jar design, 2 wicks Retail Box No warranty
5038581151113	R 580	Yankee Candle Signature Collection Large Hand Tied Blooms - New jar design, 2 wicks Retail Box No warranty
5038581151137	R 580	Yankee Candle Signature Collection Large Watercolor Skies - New jar design, 2 wicks Retail Box No warranty
5038581167169	R 580	Yankee Summit Stargazing Signature Large Jar - 2 Wick Candle, 60 to 90 Hours Burn Time, Top Fragrance (Meyer Lemon, Rainbow Berries, Petitgrain), Mid Fragrance (Winter Tuberose, Wild Jasmine, Iridescent Opal), Base Fragrance (Iced Amber, Candied Violet, Hinoki Wood), Retail Box, No Warranty
663595920667	R 450	Yankee Candle Woodwick Lilac Medium Jar, Retail Box, No warranty
663595920759	R 450	Yankee Candle Woodwick Wood Smoke Medium Jar, Retail Box, No warranty
663595920780	R 450	Yankee Candle Woodwick Spiced Blackberry Medium, Retail Box, No warranty

663595924894	R 450	Yankee Candle Woodwick Pure Comfort Medium Jar, Retail Box, No warranty
663595929578	R 450	Yankee Woodwick Trilogy Nautical Escape Medium, Retail Box, No warranty
663595930666	R 595	Yankee Candle Woodwick Lilac Large Jar, Retail Box, No warranty
663595931427	R 595	Yankee Candle Woodwick Evergreen Large Jar, Retail Box, No warranty
663595931984	R 595	Yankee Candle Woodwick Jasmine Large Jar, Retail Box, No warranty
8054377026134	R 199	Millefiori White Musk 150ml Room Spray, Retail Box, No warranty
8055182136254	R 370	Millefiori Almond Blush 100ml Natural Reed Diffuser, Retail Box, No warranty
BHR9290GL	R 642	Xiaomi Smart Scent Diffuser
BHR9478GL	R 146	Xiaomi Smart Scent Diffuser Refill (Wood and Tea)
BHR9479GL	R 146	Xiaomi Smart Scent Diffuser Refill (Rose and lychee)
DC-2013	R 689	Microworld DC-2013 marble wood Aroma Diffuser, 7 LED Colour options, 2.4MHz ultrasonic Frequency
DC-2081-D	R 689	Microworld DC-2081-D Pyramid Dark Atomiser, 300ml tank capacity, 35-30 ML/HR spray Output, 12-20m effective range, Ultrasonic Frequency 2.4MHz
DC-2740-L	R 403	Microworld DC-2740-l 350ml light Atomiser
DC-8066	R 229	Microworld Atomiser - 300ml
DC-8235	R 288	Microworld Atomiser - 400ml
DC-8252	R 689	Microworld DC-8252 550ml Essential Oil diffuser, Ultrasonic vibration, Humidification, Aromatherapy, 5 microns utrasmall particle, 2.4MHz ultrasonic Frequency, 7 Colour LED
ESS002	R 459	Silkinder Essential Oil 8 bottles (B) - for atomisers
ESS003	R 459	Silkinder Essential Oil 8 bottles (C) - for atomisers
GL-2020-D	R 518	Microworld Atomiser Tulip Dark
GL-2141E	R 403	Microworld 100ml ceramic Atomiser, Colorful lights, You can add essential oils and Perfume
GL-2161	R 403	Microworld 200ml light grain tear drop Atomiser
GL-2161-D	R 689	Microworld 200ml dark grain tear drop Atomiser
GL-3005	R 518	Microworld Atomiser - glass
SD-02	R 919	Microworld Atomiser - plastic
UKLL04	R 229	Lilly Lane Caribbean Summer Fruits Scented Candle Large Lidded Mason Glass Jar - Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick , 100% recyclable, Large Lidded Mason Glass Jar Retail Box No warranty
UKLL07	R 229	Lilly Lane Lime and Basil Infusion Scented Candle Large Lidded Mason Glass Jar - Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick , 100% recyclable, Large Lidded Mason Glass Jar Retail Box No warranty
UKLL16	R 229	Lilly Lane Chocolate and Orange Scented Candle Large Lidded Mason Glass Jar â€“ Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick, 100% recyclable, Large Lidded Mason Glass Jar, Orange and Cinnamon Retail Box No warranty
UKLL25	R 229	Lilly Lane Hot Chocolate Scented Candle Large Lidded Mason Glass Jar - Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick , 100% recyclable, Large Lidded Mason Glass Jar Retail Box No warranty
UKLL28	R 229	Lilly Lane Sweet Apple Scented Candle Large Lidded Mason Glass Jar - Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick , 100% recyclable, Large Lidded Mason Glass Jar Retail Box No warranty
UKLL29	R 229	Lilly Lane Blueberry Muffin Scented Candle Large Lidded Mason Glass Jar - Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick , 100% recyclable, Large Lidded Mason Glass Jar Retail Box No warranty
UKLL31	R 229	Lilly Lane Grapefruit Scented Candle Large Lidded Mason Glass Jar - Wax Capacity 510grams, Burn Time Up to 75 Hours, High Quality Premium paraffin wax, Natural Material Wick , 100% recyclable, Large Lidded Mason Glass Jar Retail Box No warranty
ZEN-01-CIT	R 100	Zen 10ml Natural Essential Oil - Citronella
ZEN-01-E	R 100	Zen 10ml Natural Essential Oil - Eucalyptus

ZEN-01-TT	R 100	Zen 10ml Natural Essential Oil - Tea Tree
ZEN-02-BL	R 100	Zen 10ml Natural Essential Oil - Blissful
ZEN-02-E	R 100	Zen 10ml Natural Essential Oil - Energy Boost
ZEN-02-S	R 100	Zen 10ml Natural Essential Oil - Soothing
ZN-4001-LW	R 214	Zen Serenity Diffuser - Light Wood, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4001-WT	R 198	Zen Serenity Diffuser - White, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4002-LW	R 300	Zen Tranquillity Diffuser - Light Wood, Suitable for Essential oils, Automatic Shut off
ZN-4002-WT	R 300	Zen Tranquillity Diffuser - White, Suitable for Essential oils, Automatic Shut off
ZN-4003-BK	R 437	Zen Radiant Diffuser - Black, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4004-WT	R 326	Zen Lunar Diffuser - White, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4005-GR	R 326	Zen Lucent Diffuser - Grey, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4006-DW	R 326	Zen Iridian Diffuser - Dark Wood, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4007-GR	R 353	Zen Solace Diffuser - Grey, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-4007-LW	R 353	Zen Solace Diffuser - Light Wood, Suitable for Essential oils, Automatic shut off, Colour changing LED lights
ZN-60011-DW	R 336	ZEN Eos series Ultrasonic Diffuser - Dark Wood, Colour changing light, Humidifier, Suitable for use with Essential oils, 5W rated power, 200 ml water capacity
ZN-60012-LW	R 507	Zen Aurora Series Ultrasonic Diffuser - Light Wood, 9.5 W rated power, 300 ml water capacity, 25 - 50 ml/h misting amount
ZN-60016-BL	R 180	Zen Serenity Series Mini car Diffuser - Blue, 50ml water Tank capacity, 25 ml/hour spray amount, Power-off protection, 12V voltage

< Return to the menu

Household cleaning accessories & tools

Product code	Price	Description
AGS0001	R 1,337	AENO GS1 Handheld 1500W garment steamer; 250ml water tank; 3 steam modes; 16 min runtime; 0.94kg net weight; no ironing board required
AGS0003	R 1,257	AENO GS3 handheld 1500W garment steamer, 250ml tank, adjustable 3-mode steam, ready in 35s, 0.94kg
ARCDB4	R 297	AENO Dust bag for ARC0004S 5pcs per pack. 3L capacity each; E11 filtration; disposable dust bag; 5 pcs per pack -->
ARCF2-3	R 137	AENO Hepa H12 filter for robot vacuum cleaner RC2S RC3S 2pcs/set. HEPA H12 filter, 2-pack, 92.5x59.5x8 mm, 6g each; replacement for AENO RC2S/RC3S; captures >=99.5% particles 0.3 µm -->
ARCMB4	R 217	AENO main brush ARCMB4; compatible with ARC0004S ARC0007S ARC0008S; 1pc pack; net weight 0.055 kg; replacement accessory for robot vacuum
ASM0001	R 2,217	AENO SM1 Steam mop; 1200W power; 110 Degrees Celsius; 380 ml tank; aroma oil tank; touch screen control; lightweight; multi-surface cleaning -->
ASM0002	R 2,377	AENO SM2 Steam mop; 1200W power; 130C steam; 275 ml tank; 3 steam modes; IPX4 water resistance; self-standing; multi-surface cleaning
ASMGB2	R 114	AENO Gap brush for steam mop SM2. compact crevice brush accessory; fits SM2 steam mop; dimensions ~85x25x70mm; weight ~0.03kg -->
ASMJN2	R 114	AENO Jet nozzle for steam mop SM2
BHR08GTGL	R 273	Xiaomi Truclean W30 Pro Wet Dry Vacuum Brush
BHR08LSGL	R 192	Xiaomi Robot Vacuum RV Brush cover for H50 Pro / H50 / S40 Pro, Compatible with Xiaomi Robot Vacuum S40 / Xiaomi Robot Vacuum S40 Pro / Xiaomi Robot Vacuum H50 / Xiaomi Robot Vacuum H50 Pro, Tool-Free clip mechanism
BHR08TVGL	R 137	Xiaomi Robot Vacuum Mop Anti-tangle Side Brush - H40 / S40 / S40 Pro / 5 / 5 Pro - Black
CSY-575-HZ0395-C	R 99	Casey 5 Piece Handheld Pan And Brush Set - Dust Funnel And 4 x Brushes, Plastic Material, Compact, Lightweight, Anti-Slip, Humanity Design, Fine Fiber, Dust Remove Efficiently, Better Fiber, Flexible, Perdurable And Cleanable, Quick Touch-Ups In Kitchens, Craft Rooms, And Cars, Handle Snaps Into Dustpan, Cream Colour, No Warranty.

CSY-575-HZ0395-LGRN	R 99	Casey 5 Piece Handheld Pan And Brush Set - Dust Funnel And 4 x Brushes, Plastic Material, Compact, Lightweight, Anti-Slip, Humanity Design, Fine Fiber, Dust Remove Efficiently, Better Fiber, Flexible, Perdurable And Cleanable, Quick Touch-Ups In Kitchens, Craft Rooms, And Cars, Handle Snaps Into Dustpan, Light Green Colour, No Warranty.
CSY-575-HZ0395-P	R 99	Casey 5 Piece Handheld Pan And Brush Set - Dust Funnel And 4 x Brushes, Plastic Material, Compact, Lightweight, Anti-Slip, Humanity Design, Fine Fiber, Dust Remove Efficiently, Better Fiber, Flexible, Perdurable And Cleanable, Quick Touch-Ups In Kitchens, Craft Rooms, And Cars, Handle Snaps Into Dustpan, Pink Colour, No Warranty.
CSY-7982-19	R 69	Casey Handheld DustPan And Brush Set - Dust Funnel And 1 x Brushes, Plastic Material, Compact, Lightweight, Anti-Slip, Humanity Design, Fine Fiber, Dust Remove Efficiently, Better Fiber, Flexible, Perdurable And Cleanable, Quick Touch-Ups In Kitchens, Craft Rooms, And Cars, Handle Snaps Into Dustpan, Clear Colour, No Warranty
CSY-7982-33	R 79	Casey Stainless Steel Long Handle Dustpan - Stainless Steel Rust-Proof, Heavy-Duty, Long Handle, Flat Lip, Tool-Free Assembly, Free Standing Design, Versatile Usage for Indoor And Outdoor Use, Suitable For Use In Homes, Offices And Commercial Areas, No Warranty.
CSY-7982-36-GRN	R 149	Casey Long Handle Standing Dustpan And Broom Set - Plastic Dustpan With Stainless Steel Long Handle, Lightweight, Resistant To Corrosion From Water And Most Household Chemicals, Allows Sweeping Without Bending, Clip Broom To The Dustpan Handle For Convenient Storage, Ideal For Outdoor And Indoor Surfaces, Green Colour, No warranty
CSY-7982-36-PUR	R 149	Casey Long Handle Standing Dustpan And Broom Set - Plastic Dustpan With Stainless Steel Long Handle, Lightweight, Resistant To Corrosion From Water And Most Household Chemicals, Allows Sweeping Without Bending, Clip Broom To The Dustpan Handle For Convenient Storage, Ideal For Outdoor And Indoor Surfaces, Purple Colour, No warranty
CSY-SK12009	R 349	Sokany SK-12009 5 In 1 Wireless Cleaning Brush - Multi-function, easy operation, Switch brush head, 1800mAh lithium battery
CSY-SK13094	R 249	Sokany CSY-SK13094 Car Vacuum Cleaner - 4600 to 5000Pa Strong Suction Power, 3000mAh Battery Capacity, Up to 17 Minutes Usage Time, 60W Power, Compact Design and Portable, MultiFunctional Accessories, Retail Box, 3 Months Warranty.
DMC320	R 449	Tevo Blitz Twin Bucket Spin'Stack Mop. Brand: Tevo; Model: Blitz Twin Bucket SpinStack Mop; Twin bucket design; 360 spin-dry basket; Built-in detergent dispenser; For sealed hard floors
GSA004	R 159	Kleaner Magic Wringer Roller Flat Mop with PVA Sponge and Metal handle - Clean your home or office effortlessly, with a super absorbent, easy-to-replace sponge and extra-long retractable handle, it is perfect for absorbing spills and eliminating dirt effectively. Safe to use on tiled, vinyl, hardwood and even wood laminate floors,it even features compression wings that offers a butterfly wringing action, keeping your hands free of dirt and water.
GSA014	R 299	Kleaner Microfiber Floor Spray Mop with 350ml Refillable Water Bottle, 360 Rotatable mop head and Aluminium handle - cleaning is made much easier with this all in one Spray Mop .It has a swivel head mechanism and sprays straight front for an absolute clean. The flat head is made of microfiber and refillable so it stays new and reusable.This is perfect for hard floors and tiles and is a great addition to your cleaning tools.This handy cleaning material can hold its own water supply in a refillable canister.
GSB006	R 59	Kleaner Short Handle Aluminum head window cleaning wiper or Scraper 25cm - With Superior quality robust material to withstands the everyday rough use and High power cleaning action for stain, dirt and dust removal .It features a rubber lip to remove excess water easily,Suitable for glass, mirror, tiles and shower tub clearning Colour: Blue/ Grey
GSB007	R 69	Kleaner Short Handle Aluminum head window cleaning wiper or Scraper 30cm - With Superior quality robust material to withstands the everyday rough use and High power cleaning action for stain, dirt and dust removal .It features a rubber lip to remove excess water easily,Suitable for glass, mirror, tiles and shower tub clearning Colour: Blue/ Grey
GSD001	R 59	Kleaner Household Cleaning Toilet Bowl Brush and Caddy Set Small - The strong bristles allow the brush to deeply clean your toilet and remove even the toughest stains without damaging the surface, keeping the toilet as clean as new. Long bristles can reach the toilet rim to clean the toilet bowl thoroughly.The steady brush holder keeps your

		floor from being stained and keeps the brush standing up for everyday use. The stable base is easy to be placed on the floor to hold the brush, no skid or slip.Colour Blue
GSD002	R 79	Kleaner Household Cleaning Toilet Bowl Brush and Caddy Set Large - The strong bristles allow the brush to deeply clean your toilet and remove even the toughest stains without damaging the surface, keeping the toilet as clean as new. Long bristles can reach the toilet rim to clean the toilet bowl thoroughly.The steady brush holder keeps your floor from being stained and keeps the brush standing up for everyday use. The stable base is easy to be placed on the floor to hold the brush, no skid or slip.Colour Blue
GSD006	R 59	Kleaner Household Cleaning Plastic Bathroom Brush with soft Bristles and long handle 49.5cm Colour: Blue
GSD007	R 39	Kleaner Multi Purpose Household Floor Tiles and Carpet Cleaning Scrubbing Brush - for Household use for cleaning shower,hard floors, kitchen, tiles, garage, greas and anything that needs sturdy clean.Strong stiff bristle fill to take care of the toughest cleaning jobs.
GSD014	R 59	Kleaner Multi Purpose Braai Stand Grill Scrubbing Clearning Brush with long Handle - Cleaning your braai stand has never been easier and quicker. This brush has been specially designed to get in between the groves of the grate on your braai stand to make sure that all the tough grease and hard meat stuck to the braai stand can easily be removed.
GSD016	R 59	Kleaner Multi Purpose Braai Stand Scrubbing brush with Handle - Cleaning your braai stand has never been easier and quicker. This brush has been specially designed to get in between the groves of the grate on your braai stand to make sure that all the tough grease and hard meat stuck to the braai stand can easily be removed.
GSD017	R 69	Kleaner Multi Purpose Kitchen Dish washing Scrubbing brush with Plastic soap dispensing handle Retail Box No warranty
GSG007	R 29	Kleaner Multi Purpose Non woven High Absorbent dish cleaning cloths (Pack of 3) - Enjoy a sparkling, streak-free shine with the blue non-woven cleaning cloth. This ultra-soft, reusable cloth is ideal for dusting and wiping down delicate surfaces and objects such as painted coatings, car interiors, collectables, tools, glass, and more. Keep on-hand in your glove compartment, cleaning caddy, or tool kit for easy access, and ensure your items stay looking newer, & longer.
GSG010	R 59	Kleaner Multi Purpose Kitchen Dish cleaning Cellulose sponge cloths 18*20cm (Pack of 5) - High quality Multi-purpose kitchen cleaning cellulose sponge cloths which can be used on sensitive surface areas and holds dust well.Colour coded to help reduce cross contamination by differentiating areas of use.
GSG011	R 39	Kleaner Multi Purpose 4 Layer Fiber Kitchen clearning Towel 30*30cm (Pack of 3) - High quality kitchen cleaning Towel for household cleaning
GSK001	R 139	Kleaner Multi Purpose Soft Sponge Easy Foam Broom with Telescopic Handle - The flexible foam glides easy over all smooth floors while it absorbs fine dust like a magnet. The broom holds the dust instead of whirling it up making it a perfect choice for those who suffer from allergies. The telescopic handle is extendable from 70 up to 120-cm with a sweeping width of 34x10cm. Retail Box No warranty
GSK008	R 79	Kleaner Professional Water Squeegee Foam EVA Floor and Wall Scraper Mop with Long Handle - This Multifunction Water Squeegee Floor scraper is ideal for wood, tile, CLHble, glass, concrete or garage floors with long handle allows you to safely reach high windows without the need for stools or step ladders.180ÂdegreesAdjustable Knuckle Joint make it easy to clean the neglected corners, window surfaces without scratching. Retail Box No warranty
GSW002	R 59	Kleaner Multi Purpose Super absorbent sponge - perfect for all household and car cleaning uses.
GSW004	R 69	Kleaner 2 In 1 Multipurpose Chenille and Mesh Mitt Glove - For Car, Computers, Home, Kitchen Appliances, Easy To Clean And Dry Eliminates Dust And Dirt, Extremely Soft Absorbent Non Scratch Wash And Drying Knit Cleaning Gloves
GSW005	R 69	Kleaner 2 In 1 Multipurpose Chenille and Microfibre Mitt Glove - For Car, Computers, Home, Kitchen Appliances, Easy To Clean And Dry Eliminates Dust And Dirt, Extremely Soft Absorbent Non Scratch Wash And Drying Knit Cleaning Gloves
HCB101	R 299	Bennett Read 2 Meter Car Cleaning Brush. HCB101; 2m extension pole; 5cm non-scratch bristles; aluminium handle & joints; on/off water flow switch; safe for all surfaces
HWD15	R 849	Hoover Wet & Dry Vacuum - 15 Litres Tank Capacity, 1000W Motor Power, 5 Metres Power Cord Length, 1.5

		Metres Flexible Hose Length, Compact and Lightweight for Easy Portability, Versatile Performance for Around the Home, Reliable For Everyday Use, Retail Box
K19006	R 269	Kleaner Anti Static Sweep Flat Mop with Disposable Mop Cloth - Mop away dust on vinyl floors in seconds, effortly sweeps away grease on tiles in the kitchen, and cleans up water spills on hardwood or wood laminate floors with just one forward motion
K19011	R 69	Kleaner Multi Purpose Household Bathroom Brush with Non slip handle and Top small Brush - suitable for vigorous scrubbing and the removal of stubborn dirt and grime for use both indoors and outdoors
K19017	R 49	Kleaner Multi Purpose Kitchen Dish washing Scrubbing brush with long handle, Retail Box, No warranty
K19021	R 39	Kleaner Multi Purpose Kitchen Dish washing Scrubbing brush with long handle, Retail Box, No warranty
NET-TL-TAPO-RVA105	R 298	TP-Link RVA105 Tapo Robot Vacuum part-replacement kit 2, Compatible with --> Tapo RV30 Max Plus / Tapo RV30 Max / Tapo RV20 Max Plus / Tapo RV20 Max, Package contents - Main Brush x1 / side Brush x2 / washable HEPA Filter x2
NET-TL-TAPO-RVA202	R 261	TP-Link RVA202 Tapo Robot Vacuum disposable dust bag - 5 pack, Compatible models - Tapo RV30 Max Plus / Tapo RV20 Max Plus, 3l disposable dust bag x5, Seals automatically when lifted., Easy to Install
NET-TL-TAPO-RVA411	R 298	TP-Link RVA411 Tapo Robot Vacuum Waterproof Mat, Compatible with --> Tapo RV30 Max Plus / Tapo RV20 Max Plus, Use this pad on Wood floors or carpets
SCDR6	R 369	Salton Clothing Drying Rack - 6 Metres of Hanging Space and 3 Tiers, Foldable for Easy Storage, Perfect For Drying Clothing Indoors, Made of Durable Steel and Plastic, 15kg Max Weight, Retail Box, No Warranty
TAPO-RVA411	R 298	TP-Link RVA411 Tapo Robot Vacuum Waterproof Mat, Compatible with --> Tapo RV30 Max Plus / Tapo RV20 Max Plus, Use this pad on Wood floors or carpets
TH140-BLKFLR	R 69	Totally Long Broom and Stand Up Dustpan Set Black Floral Design - 80cm Long Broom Handle Length , 70cm Long Dustpan Handle Length - Ideal for Indoor and Outdoor Use No Packaging Out Of Box Failure Warranty
TH140-RNBW	R 99	Totally Long Broom and Stand Up Dustpan Set Rainbow Paisley Design - 80cm Long Broom Handle Length , 70cm Long Dustpan Handle Length - Ideal for Indoor and Outdoor Use No Packaging Out Of Box Failure Warranty
TH140-WHTFLR	R 99	Totally Long Broom and Stand Up Dustpan Set White Floral Design - 80cm Long Broom Handle Length , 70cm Long Dustpan Handle Length - Ideal for Indoor and Outdoor Use, No Packaging, Out Of Box Failure Warranty

< Return to the menu

Kitchenware & Utensils

Product code	Price	Description
158888	R 49	Salton Pizza Wheel Cutter - Food Safe Grade, Effortless Cutting, Sharp, Stainless Steel Blade And Head , Ergonomic TPR Handle, Built-In Finger Blade Guard, Versatile Kitchen Tool, Hanging Loop For Easy Storage, Dimensions: 6.6cm X 20.1cm, Dishwasher Safe, Retail Packaging Out Of Box Failure Warranty
26005	R 299	Mellerware Salt And Pepper ABS Automatic Battery Operated Grinder - 25w, 6v, 2 Grinders, One For Pepper, One For Salt, Made With ABS Material, Rounded Automatic Button With Cd Pattern For Grinding With A Simple Press, Large Capacity Of Powder Container (95ml),The Led Light Will Turn On Automatically When The Grinder Is In Operation With Adjustable Grinder, Easily Adjust The Grinder Knob To Choose The Coarseness Of Spice, Salt Or Peppercorn, Ceramic Grinder Ensures Excellent Grind Consistency, Powered By 4 x AAA Alkaline Batteries (Not Included), With Storage Base Retail Box
401	R 299	Metalix Large Braai Stand 401 - Easy to assemble and store, Grid size: 620 x 320mm, Depth: 115mm, Carbon steel, Height off ground: 620mm, 0.7mm mild steel, Black, Retail Box
451	R 549	Metalix 451 Large Adustable Braai - Stainless Steel, Retail Box
452	R 399	Metalix 452 Large Adjustable Braai - Black, Retail Box, 1 year warranty
6901129010004CREAM	R 199	Casey Cutlery 9 Compartments Drawer Organizer Colour Cream - A revolutionary way to store your cutlery. The ideal solution for those short on kitchen drawer space, this compact organizer frees up room for all your other utensils and gadgets. Retail Box No warranty
6901129010004GREY	R 199	Casey Cutlery 9 Compartments Drawer Organizer Colour Grey - A revolutionary way to store your cutlery. The ideal solution for those short on kitchen drawer space, this compact organizer frees up room for all your other utensils and gadgets. Retail Box No warranty (Utensils not included)

690112901003WHITE	R 99	Casey Compact 2 Tier Knife Organiser White- Store Your Sharp Knives Safely In Your Cutlery Drawer With This Compact Knife Organizer, 2 Tier For Easy Access , Can Hold Up To Nine Knives Of Different Blade Lengths. Colour White Retail Box No warranty
973001	R 299	Taurus 28pc Air Fryer Accesssory Set, 1 x Cake Barrel 6 Inch 15.24cm, 1 x Pizza Pan 6 Inch 15.24cm., 1 x Silicone Mat, 1 x Stainless Steel Holder, 1 x Stainless Steel Skewer Rack, 4 x Skewers, 1 x Silicone Oil Brush, 1 x Stainless Steel Kitchen Tong, 1 x Pair Silicone, Cooking Pot Mitts, 1 x Parchment Paper (100 Pack), 12 x Silicone Muffin Cups, 1 x Stainless Steel Toasting Rack.,1 x Cook Book..1 x Stainless Steel Extractor Retail Box 2 year warranty
AEG0001	R 1,551	AENO EG1 Electric Grill: 2000W 3 heating modes - Upper Grill Lower Grill Both Grills Defrost Max opening angle -180 Degrees Temperature regulation Timer Removable double-sided plates Plate size 320*220mm
AEG0005	R 1,551	AENO Electric Grill EG5: 2000W, 2 heating modes - Lower Grill, Both Grills, 6 preset programs, Defrost, Max opening angle -180°, Temperature regulation, Timer, Removable double-sided plates, Plate size 320*220mm
AEK0001S	R 631	AENO Tongtai Electric kettle 1.7L, 1850-2200W, WiFi smart control, temperature control 25-100C, keep-warm 1h; auto shut-off; glass/stainless body; 360° base
AEK0002	R 401	AENO EK2 Electric kettle; 1.5L capacity; 1850-2200W; stainless steel inner bowl; double-wall cool-touch body; auto shut-off; boil-dry protection
AEK0003	R 551	AENO EK3 1.7L electric kettle, 1850-2200W hidden heating tube, double-wall insulated body, auto shut-off boil-dry protection, easy 360° base, stainless steel interior, metallic grey
AEK0007S	R 686	AENO Electric Kettle EK7S Smart: 1850-2200W 1.7L Strix Double-walls Temperature Control Keep warm Function Control via Wi-Fi LED-display Non-heating body Auto Power Off Dry tank Protection
AHBC123	R 297	AENO Compact 500ml kitchen chopper with stainless steel blades; compatible with hand blender accessories; lightweight and dishwasher safe; ideal for vegetables, fruits, nuts, sauces; ergonomic design; easy storage
B059SG64	R 2,449	Tefal Culinaire 16-Piece Nonstick Aluminum Cookware Set - Champagne, 16-Piece Cookware Set, Aluminum with Pro Glide Nonstick Coating, Scratch-Resistant Interior, Thermo-Spot Heat Indicator for Preheating, Oven Safe up to 350 Degrees F (175 Degrees C), Dishwasher Safe, Even-Heat Aluminum Base for Fast, Includes 1x4.5" Egg Wonder, 1x8" Frypan, 1x10.5" Frypan, 1x1 Quart Covered Saucepan, 1x3 Quart Covered Saucepan, 1x5 Quart Covered Dutch Oven, 1x10.25" Square Griddle, 1x9.3" x13.3" Baking Tray, 5x Nylon Cooking Tools, Retail Box
B372S544	R 1,599	Tefal Essential 5 Piece Non-Stick Set, Retail Box
B4451902	R 429	Tefal 28cm Black Access WokPan - Black, 28cm Non-Stick Wok Pan, Durable Aluminum Body for Even Heat Distribution, High-Quality Non-Stick Interior for Easy Cooking and Cleaning, Ergonomic Heat-Resistant Handle for Comfortable Grip, Compatible with Gas, Electric, Ceramic, and Halogen Stovetops, Dishwasher Safe (Hand Wash Recommended), Not Oven Safe, Lid Not Included, Retail Box
B459SC84	R 2,299	Tefal 12PC Set Super Cook Non Stick - Thermo-spot marking turns full red when the pan reaches the ideal temperature, High-quality titanium-infused coating delivers outstanding non-stick performance, Compatible with all hobs except induction, Easy to use and clean.
BA174	R 149	Alva 3piece Stainless Steel BBQ Tool Set - 39cm tongs with silicone grip, locking mechanism & hanging hole; 36cm knife with hanging hole; 36cm BBQ fork with hanging hole
CKSB01	R 199	Casa Electronic Bamboo Kitchen Scale, Retail Box
CKSJ01	R 229	Casa Electronic Kitchen Scale With Jug, Retail Box
CSY-1477-13	R 99	Casey Cake Knife And Spatula Server Set - 2x Piece Stainless Steel Serrated Cake Knife And Stainless Steel Spatula Server Set, Elegant Clear Acrylic Non-Slip Pearl Like Beaded Handles , Premium Wedding, Engagement, Anniversary, Birthday Party, Prom Gift - Durable With Stylish Gift Box Retail Box Out Of Box Failure Warranty
CSY-150-28-28CM	R 249	Casey Non-Stick Aluminum Induction Frying Pan - 28cm Diameter, Aluminum Alloy material, Non-stick Coating, Scratch Resistant Interior, Compatible With Electric, Gas, Induction Hobs, And Hot Plates, Healthy And Environmentally Friendly, Black Marble Coating Design, No Warranty.
CSY-156-28-28CM	R 249	Casey Non-Stick Aluminum Induction Pancakes Or Tawa Pan - 28cm Diameter, Aluminum Alloy material, Non-stick Coating, Scratch Resistant Interior, Compatible With Electric, Gas, Induction Hobs, And Hot Plates, Healthy And Environmentally Friendly, Black Marble Coating Design, No Warranty.
CSY-17074	R 39	Casey Zip Seal sandwich bags 16x15cm - 50 pack

CSY-3898-6	R 129	Casey Fly And Mosquito Repellent Fan - Chemical Free Repellent Using Soft-Touch Spinning Blades With Reflective Lines, Place The Fan Near Prepared Food Or Dirty Dishes, Perfect For Open Food Displays Such As Buffets Or Food Counter Retail Box No warranty
CSY-990348	R 29	Casey 100pc Food Plastic Bag Roll 20x30, Retail Packaging, No Warranty
CSY-990362	R 39	Casey 100pc Food Plastic Bag Roll 30x40, Retail Packaging, No Warranty
CSY-AP3076BLK	R 169	Casey Copo Termico Stainless Steel Black 500ml Mug With Lid, Retail Box, Out of Box Failure Warranty
CSY-AP3076WHT	R 169	Casey Copo Termico Stainless Steel White 500ml Mug With Lid, Retail Box, Out of Box Failure Warranty
CSY-CK01	R 279	Casey Condere Chafing Dish Rectangular Single Pan Chaffing Dish 10 Litre Stainless Steel - Chafing Dish with One Large Food Pan, Removable lid , One Steam Pan and Base with Two Fuel Holders Retail Box Out of Box Failure Warranty
CSY-GK55689	R 35	Casey Air Fryer Liners - 50 Pack Liners, 200 x 45mm Liner Size, Food Grade, Double Sided Silicone Paper, Water Proof, Oil Prevention, Anti-Sticking, Color Brown, Retail Box, No warranty.
CSY-GS93457	R 29	Casey Air Fryer Liners - 50 Pack Liners, 200 x 45mm Liner Size, Food Grade, Double Sided Silicone Paper, Water Proof, Oil Prevention, Anti-Sticking, Color White, Retail Box No warranty
CSY-HX9547-10	R 149	Casey 3 Piece Stainless Steel Braai Utensil Set - Includes 1x 34cm Tong , 1x 32cm Fork and 1x 33cm Knife , 1x Easy Carry Zipped Carry Case , Stainless Steel with Oak Wood Handles. Retail Box No Warranty
CSY-LSB1010	R 249	Casey Everyealth Gold Stainless Steel Cutlery 24 Piece Set - High Quality Stainless Steel, Nordic Style polishing.
CSY-SK02013	R 249	Sokany SK-02013 2 In 1 Hand Blender With Jar. 600W motor; stainless steel blades; 2-speed control; jar attachment; weight approx 0.7 kg; dimensions 10 x 10 x 40 cm
CSY-SK07069	R 549	Sokany Chocolate 60W Fountain Maker. 60W power; stainless steel body; removable cleaning parts; temperature control; 220-240V; 6-month warranty; ideal for parties and family gatherings
CSY-SK1718-4	R 289	Sokany 4 in 1 300W 2Speed Hand Blender. 300W copper motor; 2-speed settings; Stainless steel blades; Ergonomic handle; Detachable components; Dishwasher safe; Includes chopper, whisk, and measuring beaker; Compact design; Ideal for smoothies, soups, sauces, and baby food; 1 kg; 9 x 9 x 9 cm
CSY-WL261-40	R 239	Casey 2 Layer 40cm Stainless Steel Medium Dish Rack - Made Of High Quality Durable Stainless Steel, Easy To Assemble, Curved Handles Make It Easy To Lift, Higher Stability Due To Non-Slip Base, Side-Mounted Cutlery Holder, Bottom Plastic Tray For Easy Cleaning Retail Box Out Of Box Failure Warranty
CSY1159002	R 79	Casey Stainless Steel 6 Piece Stainless Steel 45cm Length BBQ Kebab Skewers - Stainless Steel Skewers Are Rustproof And Reusable, Perfect For Grilling, Flat Metal Skewers Ensure Optimal Cooking And Easy Rotation Of Food, Easy To Clean And Dishwasher Safe, 30 cm Skewering Length To Provide Enough Space For Food And Easy Handling, Colour Stainless Steel Silver Retail Box No Warranty
CSY1159011	R 89	Casey 12 Piece Stainless Steel 30cm Length BBQ Kebab Skewers with Wooden Handle- Stainless Steel Skewers Are Rustproof And Reusable , Perfect For Grilling, Easy To Clean And Dishwasher Safe, 23 cm Skewering Length To Provide Enough Space For Food And Easy Handling, Colour Stainless Steel Silver with Brown Handle Retail Box No Warranty
CSY3345-10	R 149	Casey Grey Silicon Faucet Storage Platform
CSY6977-8-15LCRM	R 199	Casey 15 Litre Step On Pedal Waste Bin- High Quality ABS Plastic, Step On Pedal Opening Mechanism, Rectangle Shaped, Ideal For Storing Rubbish Or Recycling, Colour Beige And Brown, Retail Box, 6 Months Warranty
CSY6977-8-15LGRY	R 199	Casey 15 Litre Step On Pedal Waste Bin - High Quality ABS Plastic, Step On Pedal Opening Mechanism, Rectangle Shaped, Ideal For Storing Rubbish Or Recycling, Colour Grey, Retail Box, 6 Months Warranty
CSY6977-9-10LCRM	R 179	Casey 10 Litre Step On Pedal Waste Bin - High Quality ABS Plastic, Step On Pedal Opening Mechanism, Rectangle Shaped, Ideal For Storing Rubbish Or Recycling, Colour Beige And Brown, Retail Box, 6 Months Warranty
CSY6977-9-10LGRY	R 179	Casey 10 Litre Step On Pedal Waste Bin - High Quality ABS Plastic, Step On Pedal Opening Mechanism, Rectangle Shaped, Ideal For Storing Rubbish Or Recycling, Colour Grey, Retail Box, 6 Months Warranty
CSYLC01SSDESFORK	R 39	Casey Catering 6 Piece Stainless Steel Dinner Dessert Forks Set With Square Design Printed On Handle Retail Box No Warranty
CSYLC01SSKNIVES	R 69	Casey Catering 6 Piece Stainless Steel Dinner Knives Set With Square Design Printed On Handle Retail Box No

		Warranty
CSYLC02SSDESFORK	R 29	Casey Catering 6 Piece Stainless Steel Dinner Dessert Forks Set Plain Design Printed On Handle Retail Box No Warranty
CSYLC02SSKNIVES	R 59	Casey Catering 6 Piece Stainless Steel Dinner Knives Set Plain Design Printed On Handle Retail Box No Warranty
CSYLC03SSKNIVES	R 69	Casey Catering 6 Piece Stainless Steel Dinner Knives Set With Gold Wave Design Printed On Handle Retail Box No Warranty
E314S574	R 1,999	Jamie Oliver Kitchen Essential Stainless Steel 5 Piece Cookware Set- By Tefal, Designed by Jamie Oliver, Features Thermo-Signal Spot Technology, Riveted Stainless Steel Handles, Includes 1x 28cm Non-Stick Frying Pan, 1 x 1.5 Litre Saucepan 1 x 3 Litre Stewpot, 2x Clear Glass Vented Lids, Compatible With All Hobs Excluding Induction, Retail Box Out of Box Failure
GEPC-600	R 999	Goldair Electric Pressure Cooker - 6 Litres Capacity, Digital Control, 7 Protection Safety Features, 14 in 1 Multi-function Modes, 230V at 50Hz, 1000W Power Capacity, Black and Silver Color, Retail Box
HCR-TS-05	R 689	Silkinder 3 tier spice rack. Three-tier design for maximum storage. Holds spice bottles, cans, sauces, and powders.
HCR-TS-12	R 689	Microworld 3 tier magnetic refrigerator rack
HX9547-19	R 39	Casey Faza BBQ Stainless Steel 30cm Braai Tongs With Red Soft Grip Rubber Coated Handle, Retail Box
HX9547-2	R 109	Casey Faza BBQ Rectangular Stainless Steel Medium Hand Griller 38cm Grid - Rectangular Stainless Steel Loose Lid Grill Grid, Suitable For Camping Braai, Easily Fold Over Boerewors, Chicken, Chops, Kebabs And Much More. Electro Polished - Stainless Steel To Ensure Durability And Long Lasting, Red Wooden Handle For Sturdy Grip To Ensure Full Control When Turning. Colour: Silver Retail Box No Warranty
HX9547-28	R 149	Casey Faza BBQ Rectangular Stainless Steel Large Hand Griller 43cm Grid - Rectangular Stainless Steel Grill Grid, Suitable For Camping Braai, Easily Fold Over Boerewors, Chicken, Chops, Kebabs And Much More. Electro Polished - Stainless Steel To Ensure Durability And Long Lasting, Red Wooden Handle For Sturdy Grip To Ensure Full Control When Turning. Colour: Silver Retail Box No Warranty
HX9547-3	R 79	Casey Faza BBQ Rectangular Stainless Steel Medium Hand Griller 34cm Grid - Rectangular Stainless Steel Loose Lid Grill Grid, Suitable For Camping Braai, Easily Fold Over Boerewors, Chicken, Chops, Kebabs And Much More. Electro Polished - Stainless Steel To Ensure Durability And Long Lasting, Red Wooden Handle For Sturdy Grip To Ensure Full Control When Turning. Colour: Silver Retail Box No Warranty
HXA-3173-GRN	R 171	Casey Little Ding 1.3L Flask Jug in green. The Casey Little Ding 1.3L Flask Jug in green is a stylish and practical thermal jug that keeps drinks hot or cold for hours thanks to its double-wall insulation and secure locking lid. Lightweight yet sturdy, it holds 1.3 liters--ideal for everyday use at home, in the office, or outdoors. Buy now from our site to enjoy temperature-controlled beverages in style. Shop now from our online store.
HXA-3173-GRY	R 171	Casey Little Ding Grey 1.3L Flask Jug. Thermal insulation and modern styling to keep drinks hot or cold for extended periods.
HXA-3173-WHT	R 171	Casey Little Ding White 1.3l Flask Jug. The Casey Little Ding 1.3L Flask Jug combines style, durability, and functionality for everyday use. Perfect for hot or cold beverages, it is lightweight and easy to carry. Buy now from our site and enjoy reliable beverage storage wherever you go.
JM001	R 189	Casey Juistar i7PIN Portable 400ml Juicer Blender Retail Box 6 Month warranty
K001A504	R 269	Tefal Bienvenue 5pc Utensil Set - Turner, Pancake Spatula, Ladle, Long Spatula, Solid Spoon. Retail Box Out of Box Failure Warranty
KBS383	R 449	Bennett Read 28cm Titan Chef Pan. 28cm diameter; premium steel body; cool-touch Bakelite handle; oven safe to 180C; extra-deep walls; resists warping
KO671014	R 59	Tefal Comfort Touch Slotted Spoon, Retail Box
KVS103	R 449	Bennett Read Vacuum Sealer - is a premium vacuum sealer designed for household use to preserve food for longer. It is known for its durable design and ease of use, featuring one-touch controls and a quick-seal function, Retail Box
METALIX-1062	R 49	Metalix Non Stick Large Loaf Pan - 29.5 x 15.2 x 6.5cm, Superior Durability And Release (Non-Stick), Superior Stain Resistance, Superior Temperature And Abrasion Resistance, Environmentally Friendly VOC Free, Energy Efficient, Colour Grey, Retail Packaging, Out Of Box Failure Warranty
METALIX-CB01187	R 69	Metalix Square 27cm Non Stick Baking Pan - Size: 27.5 X 23.4 X 5cm, Non-Stick Square Baking Pan, Superior

		Non-Stick Durability And Release, Stain And Abrasion Resistant, VOC Free; Premium Non-Stick Coating For Easy Cleaning Retail Packaging Out Of Box Failure Warranty
RHRGM01	R 349	Russell Hobbs Rechargeable Gravity Mill - Convenient Gravity Salt Or Pepper Grinder; LED Light That Illuminates During Use; Rechargeable 500mah Battery (3.7V); USB Cable Included; High-Quality Casing Made Of Stainless Steel; Practical Tipping Function - Automatically Grinds When Turned Over; Ceramic Grinding Mechanism; Adjustable For Smooth To Course Grinding; Large 100ml Capacity Retail Box
SGP28	R 399	Salton 28cm Square Non Stick Grill Pan - Ideal For Making The Perfect Steak, Aluminium Construction Ensures Even Heat Distribution, Stainless Steel Induction Base, 2 Layered Whitford Non-Stick Interior Coating, PFOA Free, Bakelite Handle, Heat Sources: Gas, Electric, Ceramic And Halogen And Induction Safe, Dishwasher Safe, Retail Packaging Out Of Box Failure Warranty
SVG01	R 199	Salton Versatile Electric Grinder 50ml - EMC Motor; LED Light That Illuminates During Use; Requires 6Ã-AAA (Not Included); Ceramic Grinding Mechanism; High-Quality Casing Made Of Aluminium Alloy; Adjustable For Smooth To Coarse Grinding; Can Be Used For Salt Or Pepper; Large Capacity 50ml Retail Box 1 year warranty
TH105-RED	R 369	Totally Red Breadbin combo - includes Sugar, Coffee, Tea tins Retail Box Out of Box Failure Warranty
TH105-WHT	R 369	Totally 4 Piece Retro Breadbin And Canister Tin Set Combo - Includes Breadbin And Matching Sugar, Coffee, Tea Canister Tins Colour White, Retail Box Out Of Box Failure Warranty
THBREADBIN COPPER	R 279	Totally Copper Stainless Steel Bread Bin - No warranty
THGTBBIN001	R 329	Totally Glass Top Stainless Steel Bread Bin, Retail Box, Out of Box Failure Warranty
TWM007	R 149	Mellerware Battery Operated Stainless Steel Milk Frother - 3V, Stainless Steel, Removable Whisk, Chrome Stand, Brushed Stainless Steel Body, Battery Operated(Not Included), Easy to clean, Retail Box, 6 Months Warranty.

< Return to the menu

Personal Care & Grooming

Product code	Price	Description
05560-1101	R 89	Wahl Black Nose Trimmer, Retail Box
6008852000005	R 29	Style and Image Classic 5 in 1 Hair Food 250ml Tub - Contains vitamins, proteins and plant extracts, Structurally repair and strengthen both the cuticle and cortex, Use as an alopecia treatment, falling hair, damaged hair and many other scalp ailments, Enhances shine and gloss, Excellent for all hair types of all ages, 250ml Tub, Retail Packaging, No warranty
6008852000043	R 29	Style and Image Pink Oil Moisturiser 350ml Bottle - Excellent for relaxed and colour-treated hair, Keeps hair silky, shiny and beautiful, Vitamin enriched to hydrate and strengthen hair from the inside-out, Repairs weak, damaged hair, Protect against damage from styling tools and the environment, Perfect for natural and relaxed hair, braids, weaves, ponytails, Easy to use and apply to hair, 350ml Bottle, Retail Packaging, No warranty
6008852000050	R 29	Style and Image Styling and Holding Gel 250 ml Tub - Ideal to create, mould any shape and keeps your hair style in place and gives you a strong hold, For the most gorgeous blow wave with a glossy finish, Add texture and definition to all styles, Unisex Formula and ideal for all ages, 250ml Tub, Retail Packaging, No warranty
6008852000067	R 49	Style and Image Moisturizing Oil Sheen Spray 350ml Bottle - Soft and glossy finish on styled hair, Adds a healthy sheen even to cuticle damaged or dry hair, Spray onto hair prior to styling or onto finished style for a final touch, Protects hair from styling friction damage and improves compability, Contains herbal essential oils and acts as a natural antioxidant, 350ml Spray Bottle, Retail Packaging, No warranty
6008852000104	R 29	Style and Image Braid Care Spray 350ml Bottle - Unisex formula designed to keep the hair style neat and conditioned, Use on synthetic hair and all other types of hair extensions, Beautifies natural hair, giving it a natural gloss, Safe and gentle to use daily for all hair types of all races, 350ml Spray Bottle, Retail Packaging, No Warranty
6008852000142	R 29	Style and Image Classic 5 in 1 Hair Food 125ml Tub - Contains vitamins, proteins and plant extracts, Structurally repair and strengthen both the cuticle and cortex, Use as an alopecia treatment, falling hair, damaged hair and many other scalp ailments, Enhances shine and gloss, Excellent for all hair types of all ages, 125 ml Tub, Retail Packaging, No warranty
6008852000265	R 29	Style and Image Hair X10 Shines Organic Fertilizer 250ml Tub - Ultimate formula for protecting natural hair, Strengthening and moisturising braids, weaves and natural hair, Therapeutic effect on the scalp and hair, Natural

		oils stimulate hair growth, Helps against alopecia, dry scalp, falling hair, damaged hair and many other scalp ailments, 250ml Tub, Retail Packaging, No Warranty
6920201021005	R 199	Casey Blackhead Remover And Facial Pore Battery Operated Cleansing Kit With 3pcs Replaceable Suction Probes - Ergonomic Design, Rechargeable Battery, 3 Levels Vacuum Suction Intensity System, Promote Blood And Lymph Circulation, 3 Replaceable Probes Colour White And Rose Gold
79752-058	R 749	Wahl Colour Pro Plus 23 Piece Hair Clipper Kit. 23-piece kit; corded; PowerDrive heavy-duty motor; self-sharpening precision steel blades; 14 colour-coded guide combs 1.5-25 mm; taper lever
903400	R 299	Taurus Rechargeable Ladies Epilator, Retail Box
9314-3016H	R 299	Wahl Home Pro Deluxe 10 Piece Hair Clipper Kit, Model: 9314-3016H; Blade: high carbon steel self-sharpening; Guide combs: 3mm 6mm 10mm 13mm; Cutting range: 1-13mm; Includes scissors comb blade oil replacement blade; Corded power
9633-616H	R 249	Wahl Home Pro Complete 15 Piece Hair Clipper Kit. Corded clipper; High Carbon Precision Steel blade; 1-3 mm blade cut; 3-25 mm guide range; 15 pieces including 10 combs, scissors, case; taper lever; all hair types
9639-016	R 489	Wahl Style Pro Corded And Cordless Rechargeable 18 Piece Hair Clipper Set - Up to 60 Minutes Cord-Free Cutting Ability, Corded Power Alternative If The Battery Runs Flat, Lightweight And Easy To Use, Retail Box
9893-1926	R 599	Wahl 25 Piece Extreme Grip Lithium Ion Multigroomer Kit - Cordless Battery Operated , Ergonomic Design And Rubber Handle Grip, Up To 2 Hours Of Runtime, 5 X Interchangeable Trimming Attachments, 13x Trimming Combs, Universal Voltage Compatibility, Accessory Bag For Storage, Retail Box
AD-1578	R 29	Casey Mens Hairdresser Scissors kit - 1 x scissor, 1 x thinning scissor, 1 x comb, Retail Box, Out of box Failure warranty
ADB0001S	R 777	Aeno Smart Sonic Electric Toothbrush DB1S - White, 4 8 Smart cleaning modes - soft / clean / massage / White, Wireless charging, Up to 90 days operating time on full charge, 1400 mAh Battery capacity, IPX7 Water protection, 3 x brush heads, Wireless charging station, 46 000 vibrations per minute
ADB0002S	R 777	AENO SMART Sonic Electric toothbrush DB2S: Black 4modes 8 smart wireless charging 46000rpm 90 days without charging IPX7
ADB0003	R 777	Aeno Sonic Electric Toothbrush DB3 - White, 9 scenarios, with 3D Touch, Wireless charging, 46 000 vibrations per minute, 3 speeds, Up to 150 minutes operating time on full charge, 750 mAh Battery capacity, IPX7 Water protection, 4 x brush heads, Wireless charging station, Travel case
ADB0004	R 777	Aeno Sonic Electric Toothbrush DB4 - Black, 9 scenarios, with 3D Touch, Wireless charging, 46 000 vibrations per minute, 2 minutes timer, 40 days operating time on full charge, Up to 150 minutes operating time on full charge, 750 mAh Battery capacity, IPX7 Water protection, 4 x brush heads, Wireless charging station, Travel case
ADB0005	R 697	Aeno Sonic Electric Toothbrush DB5 - White, 5 modes, Wireless charging, 46000rpm, 40 days without charging, 2 minutes timer, 750 mAh Battery capacity, 2 x brush heads, Wireless charging station
ADB0006	R 697	Aeno Sonic Electric Toothbrush DB6 - Black, 5 modes, Wireless charging, 46000rpm, 40 days without charging, 2 minutes timer, 750 mAh Battery capacity, IPX7 Water protection, 2 x brush heads, Wireless charging station
ADB0007	R 206	AENO Sonic Electric toothbrush, DB7: White; up to 30000 vibrations per minute; 3 modes: Soft, Clean, White; 800mAh lithium-ion battery; up to 100 days per charge; IPX7 water resistance; 2-minute timer; 30-second zone reminders; DuPont bristles; 1 brush head; 2 sticker sheets; USB charging cable
ADB0008	R 297	AENO Sonic Electric toothbrush, DB8: White, 3modes, 3 brush heads 1 cleaning tool, 1 mirror, 30000rpm, 100 days without charging, IPX7
ADBTC5-6	R 263	Aeno Travel case for Electric Toothbrush - Plastic - Black, Compatible with --> ADB0003 / ADB0004 / ADB0005 / ADB0006, Aeno DB3 / DB4 / DB5 / DB6 Travel case
ADBTH1-2	R 115	Aeno Replacement Toothbrush heads - White, Dupont bristles, 2 pieces in Set, Compatible with --> ADB0002S / ADB0001S, Aeno DB1S / DB2S brush heads
ADBTH2-1	R 115	Aeno Replacement Toothbrush heads - Black, Dupont bristles, 2 pieces in Set, Compatible with --> ADB0002S / ADB0001S, Aeno DB1S / DB2S brush heads
ADBTH3-5	R 115	Aeno Replacement Toothbrush heads - White, Dupont bristles, 2 pieces in Set, Compatible with --> ADB0004 / ADB0006 and ADB0003 / ADB0005, Aeno DB3 / DB4 / DB5 / DB6 brush heads
ADBTH4-6	R 115	Aeno replacement Toothbrush heads - Black, Dupont bristles, 2 pieces in Set, Compatible with --> ADB0004 /

		ADB0006 and ADB0003 / ADB0005, AENO DB3 / DB4 / DB5 / DB6 Brush Heads
AE8288B	R 399	Casey Cnaier 9 In 1 Facial Cleansing Kit - Multifunctional Cleanser, Retail Box, No warranty
BHR07REGL	R 1,191	Xiaomi Cordless Hair Straightener Brush - White, 2x 32000mAh built in Batteries, 3 hours charging time, Travel-friendly Design, BHR07REGL
BHR07ZRTY	R 225	Xiaomi Oscillation Electric Toothbrush Pro Replacement heads (Soft), Feather-soft Slim bristles Ideal for sensitive teeth and gums, 3D zoned bristle Design
BHR07ZVGL	R 846	Xiaomi Oscillation Electric Toothbrush Pro - White, Approx. 6 hours charging time, IPX8 Water resistance rating, Advanced 6-axis Sensor, Intelligent Colour Digital Display, Type-C fast charging
BHR07ZWGL	R 846	Xiaomi Oscillation Electric Toothbrush Pro - Purple, Approx. 6 hours charging time, IPX8 Water resistance rating, Advanced 6-axis Sensor, Intelligent Colour Digital Display, Type-C fast charging
BHR5851EU	R 1,449	Xiaomi Water Ionic H500 Hair Dryer
BHR5891GL	R 551	Xiaomi Hair Clipper
BHR6395GL	R 851	Xiaomi Pro Grooming Kit
BHR7049GL	R 222	Xiaomi Uniblade Trimmer Replacement head, Floating Trimmer head, IPX7 Waterproof rating, 40 degrees swivel
BHR7051GL	R 621	Xiaomi UniBlade Trimmer
BHR7465GL	R 427	Xiaomi S101 Electric Shaver
BHR7474EU	R 384	Xiaomi Compact H101 1600W Foldable Hair Dryer, 50 million negative ions hair care Technology, 20000rpm High-Performance motor, Up to 15m/s Air Flow Speed, 2 temperature modes, 2 Air Flow Speed modes, Cold Air Function, Balanced heating Design with conical heating coils, Foldable, 1.7m Power cord length
BHR7475EU	R 384	Xiaomi H101 Compact Hair Dryer
BHR8997GL	R 323	Xiaomi Nose Hair Trimmer. 360° dual-edge stainless steel blades; 6500 RPM motor; IPX5 waterproof; Type-C charging; 90 minutes battery life; 113 x 19.5 x 19.5 mm; 100g weight; magnetic protective cap; hidden power button; cleaning brush included
BHR8999GL	R 762	Xiaomi Hair Clipper 2 - Grey, Dual-coated high-hardness blades, R-shaped rounded tips for Skin protection, 19-length settings, 2 mm to 28 mm comb length range, 2 mm steps comb increments, 2 adjustable combs included, Dual-speed control, Digital Display, IPX7 Waterproof rating, Up to 180 minutes Runtime, 2.5 hours charging time
BHR9114EU	R 1,145	Xiaomi High-Speed Ionic Hair Dryer, 1600W rated Power, 1.7m Power cord length, 8 Airflow modes, 4 temperature levels and 2 Airflow speeds, High negative Ion concentration to neutralise static electricity
BHR9235GL	R 676	Xiaomi Water Flosser 2 - Smart Pressure / Multi-mode / Long Battery Life, ± 4 hours charging time, 200ml Water Tank capacity, IPX7 Waterproof rating, Up to 90 days Battery Life, Gentle & standard powerful flossing modes, Auto Power-Off
BHR9938GL	R 245	Xiaomi Water Flosser Replacement tips - 4 pack, 0.6mm Water Stream Diameter, Compatibility with Xiaomi Water Flosser 2, 360 degrees rotatable tip Design, 3 standard tips, 1 Orthodontic tip
BM326	R 399	Casey Alizz Professional Cordless Rechargeable Cleansing Facial Brush - 2 Mode Face And Body Cleansing Brush, 4 Cleansing Modes, Easy To Remove Makeup, Dirt, Oil And Dead Skin, Specially Designed To Work On Normal, Dry And Sensitive Skin, Rechargeable Battery Included, Retail Box No warranty
C3840433	R 349	Tefal XL Intense 24cm Fry Pan - Black, 24cm Non-Stick Fry Pan, Durable Aluminum Body for Even Heat Distribution, High-Quality Non-Stick Interior for Easy Cooking and Cleaning, Ergonomic Heat-Resistant Handle for Safe and Comfortable Grip, Suitable for Gas, Electric, Ceramic, and Halogen Stovetops, Dishwasher Safe (Hand Wash Recommended), Not Oven Safe, Standard Capacity for 1-3 Servings
CHIS0080	R 29	Casey 3 pc Professional Multipurpose Household Scissor Pack -Hardened blade, light weight Multipurpose Household Scissors, warranty Colour Black and Red Sizes 14cm ,19cm and 22cm, Retail Box Out of box Failure warranty
CSY-3989-1	R 29	Casey Anti Fatigue Unisex Compression Miracle Socks - One Size Fits All, Improves Circulation, Helps Reduce Aches And Swelling, Massages As You Move, Helps Relieve Symptoms Of Spider And Varicose Veins, Enhances Circulation, Soothes Tired, Achy Legs And Feet, Great For Travelling, Machine Washable, Single Pair, Colour Black Retail Box, No Warranty
CSY-DL6037	R 399	Casey Daling 4in1 Ladies Grooming Kit - Includes A Epilator, Hair Remover, Lady Shaver & Foot Grinder, 3w Poer, 6 Hour Charge For 30minutes Usage, Rechargeable Lithium Battery With Usb Cable

CSY-HS-030	R 299	Sokany Salon Smoothness Hair Straightener - Ceramic Coating Smooth Glide Flat Iron, Nano Silver Technology, Infrared Technology, Wider Plates For Straightening Control, LED Display , Heats Up to 280 Degrees Celsius, Retail Box
CSY-SJ3863-3-PALOMA	R 59	Prescott Finishing Hairbrush - Classic oval shape - Fleur Paloma graffiti pattern, Ergonomic Handle in top quality ABS Plastic, Evenly arranged soft bristles, Designed for brushing hair extensions (Please Note Cannot Be Used With Heat)
CSY-SJ3863-3-PRNCS	R 59	Prescott Finishing Hairbrush - Classic oval shape - Princess Beauty Lipstick graffiti pattern, Ergonomic Handle in top quality ABS Plastic, Evenly arranged soft bristles, Designed for brushing hair extensions (Please Note Cannot Be Used With Heat)
CSY-SJ3863-4GLD	R 59	Prescott Wet and Dry Detangling Paddle Hairbrush Metallic Gold - rectangular shape head, Ergonomic Handle, Widely spaced 325 soft bristles, Designed for brushing hair extensions and wigs. (Please Note Cannot Be Used With Heat)
CSY-SJ3863-4ROSE	R 59	Prescott Wet and Dry Detangling Paddle Hairbrush Metallic Rose Gold - rectangular shape head, Ergonomic Handle, Widely spaced 325 soft bristles, Designed for brushing hair extensions and wigs. (Please Note Cannot Be Used With Heat)
CSY-SJ3863-4SLV	R 59	Prescott Wet and Dry Detangling Paddle Hairbrush Metallic Silver - rectangular shape head, Ergonomic Handle, Widely spaced 325 soft bristles, Designed for brushing hair extensions and wigs. (Please Note Cannot Be Used With Heat)
CSY-SK-1906	R 199	Sokany Professional Ceramic Hair Crimper Iron - Rapid Heating, Intelligent Temperature Control, Easy Create Different Fashion Hair Trends, Two Widen Panel, Heats Up to 280 Degrees Celsius, Retail Box
CSY-SK-392	R 199	Sokany Professional 3 In 1 Men Grooming Kit - Included Accessories Beard Shaver, Hair Clipper And Nose Trimmer, 500mAh Rechargeable Batteries, High Efficiency Speed, Precision Trimmer, USB Charging Cable, Cleaning Brush and Oil, Black With Silver Chrome, Retail Box
CSY-SK-393	R 199	Sokany 3 Head Electric Razer With Trimmer - Rechargeable, 500mah battery
CSY-SK-LF-9982	R 199	Sokany Professional Cordless Hair Clipper - LED Display, Ergonomic Design, Gold Plated Carbon Steel T Shaped Blade Head, Automatic Grinding, Includes 4 Piece Detachable Guide Combs, Cleaning Brush, Lubricating Oil, Rechargeable 1200mAh Lithium Battery And USB Battery Charger, Colour Gold Retail Box
CSY-SK-LF9992	R 199	Sokany Professional Cordless Dragon Square Design Hair Trimmer - Square Handle, Colour:Gold with Dragon Design, LED Display, Ergonomic Design, Gold Plated Carbon Steel T Shaped Blade Head, Automatic Grinding , Includes 4 Piece Detachable Guide Combs, Cleaning Brush, Lubricating Oil, Rechargeable 1200mAh Lithium Battery And USB Battery Charger Retail Box
CSY-SK14007	R 299	Sokany Orange and Chrome Professional 2000w Hairdryer - includes diffuser & 2 hair styler fittings Retail Box 6 Months Warranty
CSY-SK14019	R 469	Sokany High Speed Hair Dryer - 2400W Power Capacity, 110.000 RPM High Speed Motor Spinning, 29M/s Wind Speed, 59dB Low Noise, Light and Handy, Silent Air Duct Design, Retail Box, 6 Months Warranty.
CSY-SK15006	R 399	Sokany 2 In 1 Hot Air Comb Dryer - 2 In 1 Multifunctional Hot Air Dryer And Comb, 1200W Power Capacity, Straightener, Dryer, 50 to 60 Seconds Heating Time, ABS material, Lightweight, Ergonomic Handle, Retail Box, 6 Months Warranty.
CSY-SK15057	R 469	Sokany Wireless Auto Hair Curler - 2 Speed Adjustment, Wireless, 5000mAh Battery Capacity, Chargeable, Up to 190 Degrees Celsius Temperature Heating, Portable And Essential For Traveling, Safe To Use Ceramic Coatings, Retail Box, 6 Months Warranty.
CSY-SK16030	R 199	Sokany 3in1 USB rechargeable beard trimmer hair clipper nose trimmer; stainless steel blades; adjustable guide combs; USB cable; cleaning brush; lubricating oil
CSY-SK1928	R 229	Sokany Hair Straightener with Advanced Copper Ceramic Technology, Rapid Heating, 360° Swivel Cord, and Quick Styling
CSY-SK2211	R 199	Sokany Metalic Red Professional Hairdryer 2400w Retail Box 6 Months Warranty
CSY-SK24003	R 229	Sokany SK-24003 Percussion 4 in 1 Massage - 4 Massage Heads, 5 Level Power Intensity, 3200 rpm Massage Speed, Intelligent Chip, 1200mAh Lithium Battery, Up to 2 Hours Charging Time, 50 Minutes Discharge Time, Noise Reduction Radio, Retail Box, 3 Months Warranty.

CSY-SK883BLU	R 119	Sokany SK-866 Blue Rechargeable Lint Remover.4W power; 220-240V; 16 x 4 x 7 cm; 0.25 kg; Rechargeable; Cordless; Honeycomb mesh; Sharp blades; Ergonomic handle; Large lint container; Suitable for all fabrics; Ideal for home and travel use
CSY-SK9917	R 199	Sokany Pro Mens 3 In 1 Multi Shaver with 3 Head Accessory - Black with Silver Chrome, rechargeable battery, Hair Trimmer, 3 Head Beard shaver and Nose Trimmer
CSY-SKX6	R 399	Sokany Salon Profesional Quick Drying Black Hairdryer 2200w, Retail Box, 6 Months Warranty
CSYSK3050	R 449	Sokany Pink And White Handheld Garment Steamer - 1500w, Easy Removable Refill Tank Up To 260ml Water Capacity , Automatic Continuous Steam Supply Through Electric Pump Retail Box 6 Months warranty
FOOT-ROCKER-BLACK	R 431	Lumi compact foot rocker Black, FR-02
HP6341/00	R 399	Philips Lady Shaver Series - Battery Operated-Wet and Dry Single Foil- ; pink; 2 x AA batteries included; cordless; single foil shaving system; ergonomic handle; travel cap; cleaning brush; body grooming
KAIBO-01	R 29	Casey 3 pc Multicolour Household Scissor Pack - Hardened blade, light weight Multipurpose Household Scissors , Stainless steel, Sizes 14,17 and 22cm, Retail Box Out of box Failure warranty
NEOSHINE01	R 99	Unique NeoShine Mini Hair Straightener - Ceramic Plates, Travel Pack, High heat, Fast heat-up, High heat delivers salon results, Fits in your handbag, the ultimate travel accessory, Heat: 140-180 degrees, Retail Box, Gentle on hair, 6 Months Warranty
NTRB31SA	R 189	Casey Lucky Plastic 3-in-1 Nose Ear Trimmer Set (Black) Nose/ear trimmer attachment; Shaver attachment; Beard trimmer with 2 adjustable attachment combs; Comb, storage stand and cleaning brush included; Battery operated (1x aa 1.5v - not included) Retail Box 1 year warranty
RP-480016	R 49	Royal Prestige Cold compress eye patch - 20 pack, For tired and dry eyes, Relaxing and Cold compress, Absorbent Non-Stick pad, Breathable material allows Airflow, Help relieve eyestrain and puffiness
RP-52552	R 49	Royal Prestige Varicose Veins patch 2 pack, Patch can smooth Varicose Veins, Reduce swelling and relieve pain, Made from natural herbal extracts, For people with vasculitis or Varicose Veins
SK-15008BRG	R 199	Sokany Hair Straightener Brush - Black and Rose Gold, Effortless straightening and styling, 5 temperature levels, Safe and gentle styling, Anti-Scald, Fast heating, Perfect for Home Salon
SK-15008GRG	R 199	Sokany Hair Straightener Brush - Grey and Rose Gold, Effortless straightening and styling, 5 temperature levels, Safe and gentle styling, Anti-Scald, Fast heating, Perfect for Home Salon
WC79305-016	R 349	Wahl 22 Piece Home Pro Hair Clipper Set, Retail Box
WT3615-1016	R 229	Wahl Rechargeble Travel Shaver, Retail Box
WT5604-035	R 189	Wahl All in One Quick style Lithium Trimmer, Retail Box
WT9906-708	R 229	Wahl Groomsman Plus Essentials Beard and Moustache Trimmer, Retail Box
WT9916-1016	R 299	Wahl Groomsman Rechargeable Endurance Trimmer, Retail Box
WX-HF101	R 298	Winx Move Cool High-Speed Handheld Fan. Portable fan with thermoelectric cooling; 11,000 RPM motor; 100 adjustable speed levels; foldable 120 degree design; 4000mAh rechargeable battery; USB-C charging; lightweight 218g; grey and purple ABS finish; includes lanyard and charging cable

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Home Automation / Smart home

Product code	Price	Description
AJAX-AD-SP-B	R 1,398	Ajax - Automation - Black Wireless Smart plug with energey consumption monitoring funtion, Type f Socket, Control appliances with Power consumption up to kW, Set schedules, Alarms reactions, 1948544-34-WH1
AJAX-LC-DIM	R 831	Ajax Security - LightCore (Dimmer) Smart Switch, SoloButton not included, AJAX-LC-DIM, Touch-Sensitive panel, Lighting control via App, Supports auto timers
AJAX-SB-DIM-W	R 306	Ajax Security - White SoloButton (Dimmer) - Cover Only, AJAX-SB-DIM-W, Requires AJAX-LC-DIM
AQ-ACC-FP2-MNT	R 144	Aqara Presence Sensor FP2 angle Mount, AQ-ACC-FP2-MNT, Works with AQ-SNR-PRES-FP2
AQ-ACC-LEDSTRIP-EXT	R 277	Aqara Lighting - LED strip T1 extension kit (1 meter), RLSE-K01D, Requires AQ-CTRL-LEDSTRIP-T1
AQ-CAM-E1	R 1,280	Aqara E1 WiFi 6 Indoor Security Camera, CH-C01e, Hub not required, Compatible with Aqara Home / Apple

		HomeKit / Alexa / Google Home / matter, Pan / Tilt, 1296p Video Resolution, H.264 Video coding, USB-C Port, 101 degrees (Diagonal) viewing angle, Wireless protocols - Wi-Fi / Bluetooth, Micro SD card up to 512GB
AQ-CTRL-CL-T1M	R 2,758	Aqara Lighting - T1M Ceiling Light, CL-L02D, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Zigbee Wireless protocols, 2700K - 6500K Colour temperature
AQ-CTRL-CRTN-ROD	R 1,993	Aqara E1 Smart Curtain Driver Rod Version, CM-M01-rod, Zigbee 3.0 Wireless Protocol, Lithium Battery (Not replaceable), 100 r/min rated rotor Speed, 12 cm/s moving Speed
AQ-CTRL-CRTN-TRACK	R 1,996	Aqara E1 Smart Curtain Driver Track Version, CM-M01-track, Zigbee 3.0 Wireless Protocol, Lithium Battery (Not replaceable), 100 Rev/min rated rotor Speed, 12 cm/s moving Speed
AQ-CTRL-CUBE-T1	R 302	Aqara Cube T1 Pro, CTP-R01, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, CR2450 (Replaceable) Battery, Zigbee Wireless Protocol
AQ-CTRL-DIM-SW-WALL-G	R 752	Aqara Dimmer Switch H2 EU 2 in 1 with Neutral & no Neutral (Grey), KD-R01D-GREY, Connectivity Protocol - Thread / Zigbee / Bluetooth
AQ-CTRL-DIM-SW-WALL-W	R 777	Aqara Dimmer Switch H2 EU 2 in 1 with Neutral & no Neutral (White), KD-R01D-WHITE, Connectivity Protocol - Thread / Zigbee / Bluetooth
AQ-CTRL-DIS-SW-V1	R 1,915	Aqara Display Switch V1, WS-K02D, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Connectivity Protocol - Zigbee / Bluetooth, Two-Channel Neutral Wall Switch equipped with four physical Button, 2.08-inch LCD screen
AQ-CTRL-LB-T2	R 481	Aqara Lighting - LED bulb T2 - Tunable White CCT - E27 base, LB-L02e, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Wireless protocols -thread / Zigbee / Bluetooth, 10.5W Watt, 2700K to 6500K Colour temperature, 1100 Lumen @ 6500K brightness, 200 degrees beam angle
AQ-CTRL-LOCK-U200-B	R 4,635	Aqara U200 Retrofit Smart Door lock - Black, EL-D02D, Lock Type - Retrofit, Requires AQ-HUB-M3 or Thread Border Router, 4 LR3 AAA 1.5V Batteries for Keypad, Aqara Rechargeable Li-Ion Battery 7.4V for Door lock
AQ-CTRL-LOCK-U200-LITE-B	R 3,284	Aqara U200 Lite matter Retrofit Smart lock kit, EL-D03D-BLACK, Lock Type - Retrofit, Requires AQ-HUB-M3 or Thread Border Router, Aqara Rechargeable Li-Ion Battery 7.4V, Thread & Bluetooth Wireless protocols
AQ-CTRL-LOCK-U200-S	R 4,652	Aqara U200 Retrofit Smart Door lock - Silver, EL-D02D, Lock Type - Retrofit, Requires AQ-HUB-M3 or Thread Border Router, 4 LR3 AAA 1.5V Batteries for Keypad, Aqara Rechargeable Li-Ion Battery 7.4V for Door lock
AQ-CTRL-LOCK-U200-W	R 4,415	Aqara U200 Retrofit Smart Door lock - White, EL-D02D, Lock Type - Retrofit, Requires AQ-HUB-M3 or Thread Border Router, 4 LR3 AAA 1.5V Batteries for Keypad, Aqara Rechargeable Li-Ion Battery 7.4V for Door lock
AQ-CTRL-SHADE-E1	R 1,139	Aqara E1 Smart Roller shade Driver, RSD-M01, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Zigbee 3.0 Wireless Protocol, Lithium Battery (Not replaceable), Two months Standby time
AQ-CTRL-SW-DRM-T2	R 713	Aqara Dual Relay module T2, DCM-K01, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, 100-250v 50/60Hz Max 10A rated (AC), 24-30v Max 10A Max 300W rated (DC), Zigbee Wireless Protocol
AQ-CTRL-SW1-MINI-T1	R 323	Aqara T1 Wireless Mini Switch, WB-R02d, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, CR2032 Battery, Zigbee 3.0 Wireless protocols
AQ-CTRL-SW1-NN	R 666	Aqara single Switch module T1 (No neutral), SSM-U02, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Zigbee 3.0 Wireless connection
AQ-CTRL-SW2-MOBL	R 509	Aqara Wireless Remote Switch H1 (Double rocker), Zigbee 3.0 IEEE 802.15.4 Wireless Protocol, 5 years battery life
AQ-CTRL-SW2-WALL	R 823	Aqara Light Switch H2 EU - 2 in 1 with Neutral & no Neutral (2 buttons / 1 channel), WS-K07d, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Wireless protocols - Zigbee / Thread / BLE, 2 Button, 1 Relay, Supports both single live wire and Neutral wire Configuration, Capacitive Touch Button
AQ-CTRL-SW2-WALL-NEU	R 700	Aqara Smart Wall Switch H1 EU (with neutral & Double rocker), WS-EUK04, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Zigbee 3.0 Wireless protocols

AQ-CTRL-SW4-WALL	R 890	Aqara Light Switch H2 EU - 2 in 1 with neutral & no neutral (4 buttons / 2 channels), WS-K08d, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Wireless protocols - Zigbee / Thread / BLE, 2 Relay, Four-Button, Supports both single live wire and neutral wire Configuration, Capacitive Touch Button
AQ-CTRL-TOUCH-DIAL-V1	R 3,181	Aqara Touchscreen Dial V1, DS-K01D, Requires AQ-HUB-M3, 86 x 86 x 62.1 mm, Wireless protocols - Zigbee / Wi-Fi 2.4GHz / 5GHz / Bluetooth, 1.32-inch Touchscreen, Two Relay Switches, Six Wireless Switches, Built-In sensors for monitoring Indoor temperature and Humidity, Proximity Sensor
AQ-CTRL-VALVE-T1	R 1,117	Aqara Valve Controller T1 (Offline), VC-X01D, 1.6 MPa valve Pressure, Zigbee Wireless connection, 4x AA Battery, Compatible pipe sizes - DN15 / DN20 / DN25
AQ-HUB-CAM-G2H-PRO	R 1,343	Aqara Hub camera G2H Pro, CH-C01, Requires Aqara sensors and controllers for an IoT EcoSystem, Wireless protocols - Zigbee 3.0 / Wi-Fi, Micro USB Port, 2MP 1920x1080p Video Resolution, MicroSD card up to 512GB, 146 degrees (Diagonal) viewing angle
AQ-HUB-CAM-G3	R 2,300	Aqara G3 Wireless camera Hub, CH-H03, Requires Aqara sensors and controllers for an IoT EcoSystem, Wireless protocols - Zigbee 3.0 / Wi-Fi, USB-C Port, MicroSD card up to 128 GB, 2K 2304 x 1296p Video Resolution, 110 degrees viewing angle, Pan / Tilt
AQ-HUB-CAM-G5-PRO-POE-G	R 3,738	Aqara camera Hub G5 Pro (PoE / Shadow Grey), CH-C03D-Grey, Requires Aqara sensors and controllers for an IoT EcoSystem, Quad HD 2688x1520 Resolution, 133 degrees (Diagonal) Image Sensor size, USB-C Power Input or PoE 48V input, Horizontal 100 degrees & Vertical 65 degrees PIR detection angle, Communication protocols - Wi-Fi / Zigbee / Thread, 4.2 mm focal length
AQ-HUB-CAM-G5-PRO-POE-W	R 3,743	Aqara camera Hub G5 Pro (PoE / White), CH-C03D-WHITE, Requires Aqara sensors and controllers for an IoT EcoSystem, Quad HD 2688x1520 Resolution, 133 degrees (Diagonal) Image Sensor size, USB-C Power Input or PoE 48V input, Horizontal 100 degrees & Vertical 65 degrees PIR detection angle, Communication protocols - Wi-Fi / Zigbee / Thread, 4.2 mm focal length
AQ-HUB-CAM-G5-PRO-WIFI-G	R 3,422	Aqara camera Hub G5 Pro (WiFi / Shadow Grey), CH-C07D-Grey, Requires Aqara sensors and controllers for an IoT EcoSystem, Quad HD 2688x1520 Resolution, 133 degrees (Diagonal) Image Sensor size, USB-C Power Input, Horizontal 100 degrees & Vertical 65 degrees PIR detection angle, Communication protocols - Wi-Fi / Zigbee / Thread, 4.2 mm focal length
AQ-HUB-CAM-G5-PRO-WIFI-W	R 3,368	Aqara camera Hub G5 Pro (WiFi / White), CH-C07D-WHITE, Requires Aqara sensors and controllers for an IoT EcoSystem, Quad HD 2688x1520 Resolution, 133 degrees (Diagonal) Image Sensor size, USB-C Power Input, Horizontal 100 degrees & Vertical 65 degrees PIR detection angle, Communication protocols - Wi-Fi / Zigbee / Thread, 4.2 mm focal length
AQ-HUB-M1	R 406	Aqara Hub M100, HM-G02E, Requires Aqara sensors and controllers for an IoT EcoSystem, Wireless Protocol Zigbee/Thread (Acts as a Router/Repeater) / WiFi / Bluetooth, USB Type-A Port
AQ-HUB-M1S-G2	R 1,078	Aqara Hub M1S Gen2, HM1S-G02, Requires Aqara sensors and controllers for an IoT EcoSystem, Wireless Protocol - Wi-Fi / Zigbee
AQ-HUB-M2	R 1,097	Aqara Hub M2, HM2-G01, Requires Aqara sensors and controllers for an IoT EcoSystem, Wireless protocols - Wi-Fi / Zigbee / Bluetooth 5.1, USB Type-A Port, USB Micro-A Port, RJ45 Port
AQ-HUB-M3	R 2,287	Aqara HUB-M3 Multi-protocol Hub with Matter Bridge functionality, HM-G01D, Requires Aqara or Matter-compatible sensors and controllers for an IoT ecosystem, Wireless protocols - Wi-Fi / Zigbee / Thread / Bluetooth 5.1
AQ-HUB-PANEL-S1	R 4,391	Aqara panel Hub S1 Plus, MP-K03D, Requires Aqara or matter-compatible sensors and controllers for an IoT ecosystem, Zigbee / Wi-Fi / Bluetooth Wireless protocols, 1440 x 720 Resolution Display, 5V 2A USB-C Input
AQ-HUB-VDB-G410	R 4,195	Aqara G4 HomeKit Video Doorbell camera Hub, CH-C09D, 6x LR6 AA Alkaline Battery, MicroSD card up to 512GB, Wireless protocols - Zigbee / Thread (Acts as a Mesh extender) / Wi-Fi / Bluetooth, 1x Doorbell camera Hub G410, 1x Chime Repeater
AQ-SNR-PRES-FP1	R 1,006	Aqara Sensor Presence Sensor FP1-E, PS-S03D, Requires Aqara Home App / AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, 60-61 GHz radar Operation Frequency, Zigbee Wireless protocols, USB Type-A Port
AQ-SNR-PRES-FP2	R 1,548	Aqara FP2 Presence Sensor, PS-S02D, Hub not required, Compatible with Aqara Home / Apple HomeKit / Alexa /

		Google Home / matter, Multi-person positioning and fall detection, Wireless protocols - Wi-Fi / Bluetooth, 60-64 GHz radar Operation Frequency, IPX5 protection rating, USB-C Port
AQ-SNSR-CLIMATE	R 758	Aqara Climate Sensor W100, TH-S04D, Wireless protocols - Thread / Zigbee / Bluetooth, Temperature range from -20 Degrees C to 50 Degrees C, Humidity range from 0% to 100% RH, Built-In e Ink Display, CR2450 Battery with an expected Life of up to 2 years
AQ-SNSR-CONTACT-P2	R 516	Aqara P2 Door and Window Sensor, DW-S02D, Requires AQ-HUB-M3 or Thread Border Router, Matter ecosystem compatible, CR123A Battery, Thread & Bluetooth Wireless protocols
AQ-SNSR-CONTACT-T1	R 238	Aqara Sensor Door and Window contact T1, Zigbee ecosystem compatible, DW-S03d, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, CR1632 Battery, 22 mm Maximum detection distance, Zigbee 3.0 Wireless protocols
AQ-SNSR-MOTION-LIGHT-P2	R 661	Aqara Sensor Motion and Light Sensor P2, Thread Version, ML-S03D, Requires AQ-HUB-M3 or matter compatible Thread Border Router, 2x CR2450 Battery, Thread & Bluetooth 5.0 Wireless protocols
AQ-SNSR-MOTION-P1	R 374	Aqara P1 Motion Sensor, MS-S02, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, 2x CR2450 Battery, 170 degrees detection angle, 7m detection distance, 1240mAh Battery capacity, Zigbee 3.0 Wireless connections
AQ-SNSR-SMOKE-DCT	R 838	Aqara Photoelectric Smoke detector, SD-S01D, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, 85dB Siren, 10-year Battery Life, Zigbee Wireless Protocol
AQ-SNSR-TEMP-T1	R 397	Aqara Sensor temperature and Humidity Sensor T1, TH-S02D, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, CR2032 Battery, Zigbee 3.0 Wireless protocols, 0 - 100% RH Humidity range and Precision, 30 kPa - 110 kPa atmospheric Pressure range and Precision, -20 degrees C to 50 degrees C temperature range and Precision
AQ-SNSR-VIBR-T1	R 375	Aqara Vibration Sensor T1, VB-S01D, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, Zigbee Wireless Protocol, CR2032 Battery
AQ-SNSR-WATER	R 271	Aqara Water Leak Sensor, SJCGQ11LM, Requires Aqara Hub, Zigbee Wireless Protocol, CR2032 Battery
AQ-SNSR-WATER-T1	R 409	Aqara Sensor Water Leak Sensor T1, WL-S02d, Requires AQ-HUB-E1 / AQ-HUB-M1S-G2 / AQ-HUB-M2 / AQ-HUB-M3 / AQ-HUB-CAM-G2H-PRO / AQ-HUB-CAM-G3, CR2032 Battery, Zigbee 3.0 Wireless protocols
BHR6765GL	R 1,065	Xiaomi Smart Home hub 2
CC-H1000	R 114	Connex Smart WiFi IR Universal Remote
CC-L1000	R 218	Connex Smart WiFi bulb 10W LED RGB - White - E27 screw in, Change Colour, Change brightness
CC-P2000	R 178	Connex 10A Smart WiFi Switch
CC-S1002	R 171	Connex Smart WiFi Indoor Siren Alarm
CC-S2000	R 114	Connex Smart WiFi Motion Sensor - Rechargeable
CC-S2003	R 586	Connex Smart WiFi Gas Detector Alarm
CC-S2004	R 148	Connex Smart WiFi Door Window Sensor - Rechargeable
CC-S2006	R 229	Connex Twin Pack Smart WiFi Door Window Sensor - Rechargeable
CC-S2007	R 229	Connex Twin Pack Smart WiFi Motion Sensor - Rechargeable
CC-S2008	R 344	Connex Twin Pack Smart WiFi Smoke Detector Alarm
DS-PSP1-WE	R 483	Hikvision DS-PSP1-WE 868MHz AX PRO Series Smart Plug, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,600m(open space); Multiple Enrolling Methods: Power up, Remote ID, QR Code, SSI(Signal Strength Indication); Fully remote configuration through APP; Voltage and current protection, Consumed energy display, Trigger By Zone Alarm, By Arm/Disarm/Away/Clear Alarm, By Faults, By Manually, By Schedule
E-HP5	R 2,299	Ezviz HP5 1080p WiFi Video Intercom kit, 2 wire, Camera, Doorbell, Intercom system, Two-Way talk, Remote unlock, Voice changer for Privacy protection, Use your Phone to stay connected and open the Door for guests remotely, 2-in-1 Outdoor Video Doorbell, Large Indoor Monitor, Crisp 1080p Video with Clear Night Vision, 5 meter Infrared Night Vision
E-HP7	R 3,334	Ezviz HP7 2K Smart Home Video DoorPhone, 2 wire installation, 2-in-1 Outdoor Video Doorbell, Large Indoor Monitor, 7 inch Colour Touch Screen, Save important Video clips, Two way talk, Gate/Door unlock, Video history

		and storage, Supports MicroSD card of up to 512 GB
IDS-7108HQHI-M1/S	R 1,251	Hikvision IDS-7108HQHI-M1/S 8-ch 1080P Mini 1U H.265 AcuSense DVR
MI-SNSR-ERM-6	R 6,143	Micro Instruments ERM6-kit Rack Mount Server Room Environmental Monitor, 2x temperature sensors, 1x Humidity Sensor, 1x intrusion, 1x Water Sensor, 1x Smoke Sensor, Powered by an external 12VDC to 30VDC Power source, 2x monitored AC Power inputs (110-220VAC) one for the mains and one for the UPS
MLS-CTRL-SV	R 2,740	Milesight Solenoid Valve Controller, 2x Solenoid interfaces, 1x Pulse Interface, Solar powered with 2x 2550mAh chargeable Battery, IP67, UC511-DI-868M
MLS-CTRL-UC300	R 2,261	Milesight DI/DO IoT controller used for Remote control and Data acquisition, UC300-868M, 4x Digital Input, 2x Digital Output, 1x RS232, 1x RS485, 2x 4 - 20 mA Analog Input
MLS-GTWY-UG56-LTE	R 4,447	Milesight UG56 LoRaWAN Gateway with LTE, UG56-L04EU-868M, LTE, 1x RJ45 (PoE PD supported), 10/100 Mbps (Auto-Sensing) Port, Built in Network Server, IP30
MLS-GTWY-UG65	R 6,112	Milesight UG65 LoRaWAN Gateway Non-LTE, Wi-Fi / PoE PD, 1x WAN (10/100/1000 Mbps) Port, Built in Network Server, IP65 rated
MLS-GTWY-UG65-LTE	R 7,220	Milesight UG65 LoRaWAN Gateway - LTE, UG65-L04EU-868M-EA, LTE, Wi-Fi / PoE PD, 1x Gigabit WAN, Built in Network Server, IP65 rated
MLS-SNSR-9IN1	R 5,706	Milesight AM319 Indoor Ambience Monitor - temperature / Humidity / PIR / Light / TVOC / CO2 / HCHO / Barometric / PM, AM319-868M, PM2.5 & PM10, 5V/1A by Type-C Port, IP30, 4.2-inch Black & White E-Ink screen
MLS-SNSR-CO2	R 3,991	Milesight EM500 C02 / temperature / Humidity and Barometric Pressure Sensor, EM500-CO2-868M, 1x 19000 mAh Li-SOCL2 Battery, NFC enabled
MLS-SNSR-GAS	R 1,328	Milesight GS101 Gas Detector - Methane (CH4), GS101, DC jack connector, 12VDC, 1A Power Supply, Wall Mounting, IP30, PC ABS (Flame Retardant), White
MLS-SNSR-IT	R 2,951	Milesight Industrial Temperature Sensor - T500 (-50 degree celsius to 500 degrees celsius), EM500-PT100-868M-T500, 1x 19000 mAh Li-SOCL2 Battery, NFC Enabled, IP67 Transceiver, IP30 Sensor
MLS-SNSR-IT-50	R 2,637	Milesight Industrial Temperature Sensor - T050 (-200 degree celsius to 50 degrees celsius), EM500-PT100-868M-T050, 1x 19000 mAh Li-SOCL2 Battery, NFC Enabled, IP67 Transceiver, IP30 Sensor
MLS-SNSR-IT-800	R 3,023	Milesight Industrial Temperature Sensor - T800 (-50 degree celsius to 800 degrees celsius), EM500-PT100-868M-T800, 1x 19000 mAh Li-SOCL2 Battery, NFC Enabled, IP67 Transceiver, IP30 Sensor
MLS-SNSR-LGHT	R 1,850	Milesight EM500 light Sensor, EM500-LGT-868M-RY, 1x 19000 mAh Li-SOCL2 Battery, NFC enabled, 3m cable length, 1 Lux Resolution
MLS-SNSR-MC	R 838	Milesight WS301 Indoor Magnetic Contact Sensor, WS301-868M, 1x 1200 mAh Li-SOCL2 Battery, NFC Enabled, 1x LED, LoRa D2D Controller
MLS-SNSR-MCS	R 1,136	Milesight EM300 Outdoor Magnetic contact Switch Sensor, EM300-MCS-868M, 1x 4000 mAh Li-SOCL2 Battery, NFC enabled, 1.5m cable length
MLS-SNSR-OT	R 2,183	Milesight AT101 Outdoor Asset Tracker Sensor, Highly-Accurate GNSS positioning, Supports Geofencing, AT101-868M, 4x 2700 mAh ER14505 Li-SOCL2 replaceable batteries, IP67, IK09, NFC or Bluetooth
MLS-SNSR-PC	R 1,064	Milesight EM300 Pulse counter IP67, EM300-DI-868M, 1x 4000 mAh Li-SOCL2 Battery, NFC enabled, Flexible counting Configuration to enable, Stop
MLS-SNSR-PCS	R 11,344	Milesight VS132 3D ToF People Counting Sensor, VS132-868M, Bi-Directional counting, Equipped with Wi-Fi and Ethernet Port, Acquire People Counting Data
MLS-SNSR-PML	R 773	Milesight WS202 prescence / motion and light Sensor, WS202-868M, 1x 1650 mAh Li-SOCL2 Battery, NFC enabled, IP30, LoRa D2D controller
MLS-SNSR-PP	R 4,171	Milesight pipe Pressure Sensor / Gauge Pressure (0 - 1600 kPa / 16 bar), EM500-PP, 1x 19000 mAh Li-SOCL2 Battery, 105.4 x 71 x 69.5mm Transceiver, 67.5 x Diameter 27mm pipe Sensor
MLS-SNSR-SB	R 865	Milesight WS101 Smart Button Sensor, WS101-868M, 1x 165 mAh Li-SOCL2 Battery, NFC enabled, IP30, LoRa D2D controller
MLS-SNSR-SLD	R 1,222	Milesight EM300 spot leakage Detection Sensor, EM300-SLD-868M, 1x 4000 mAh Li-SOCL2 Battery, NFC enabled, Probe Sensor Type, 1.5m cable length
MLS-SNSR-SMTEC	R 4,544	Milesight EM500 soil moisture / temperature and electrical conductivity Sensor, EM500-SMTC-868M-MEC20, 1x 19000 mAh Li-SOCL2 Battery, NFC enabled, 2m cable length

MLS-SNSR-SWL	R 5,664	Milesight EM500 Submersible Water Level Sensor, EM500-SWL-868M, 1x 19000 mAh Li-SOCL2, IP66 (IP67 as required), 5m cable
MLS-SNSR-TH	R 866	Milesight EM300 Temperature / Humidity Sensor, EM300-TH-868M, 1x 4000 mAh Li-SOCL2 Battery, NFC enabled
MLS-SNSR-TH-M	R 900	Milesight EM320 Magnetic Temperature and Humidity Sensor, EM320-TH-868M (magnet), 2x 2700 mAh ER14505 Li-SOCL2 batteries, NFC enabled, Store locally 3000 historical records
MLS-SNSR-THCT	R 4,713	Milesight AM107 Indoor Ambience monitoring - temperature / Humidity / motion / light / CO2 / TVOC Sensor, AM107-868M, 2x AA Alkaline batteries / Type-C Port Power Supply, E-Ink Display, NFC enabled, IP30 rated
MLS-SNSR-THV2	R 902	Milesight EM320 temperature and Humidity Sensor, EM320-TH-868M, 2x 2700 mAh ER14505 Li-SOCL2 batteries, NFC enabled, Store locally 3000 historical records
MLS-SNSR-TILT	R 1,406	Milesight EM310 Tilt Sensor, EM310-TILT-868M, 2x 3500 mAh ER17505 Li-SOCL2 batteries, Over 5 years (6 triggers an hour), IP67, AXIZ X / Y / Z
MLS-SNSR-UDL	R 6,652	Milesight EM500 Ultrasonic distance / level Sensor, EM500-UDL-868M-W050, 1x 19000 mAh Li-SOCL2 Battery, NFC enabled
MLS-SNSR-WTS	R 48,882	Milesight WTS506 Weather Station Monitoring System, WTS506-868M, Solar powered (15W, 1A) with 2x 2550 mAh chargeable batteries Backup, WTS Hub IP67, WTS Sensor IP65
MLS-SNSR-ZLD	R 1,714	Milesight EM300 Zone Leakage Detection Sensor, EM300-zld-868m, 1x 4000 mAh Li-SOCL2 Battery, NFC enabled, Probe Sensor Type, 3m cable length
NA-DCHS150	R 1,032	D-link DCH-S150 Wireless N Motion Sensor, with push or text notification upon detection, 8 meter detection with 100degree horizontal/ 80degree vertical field of view, compatible with dlink smart plug home monitor camera - with WPS button WPA/WPA2 encryption, 802.11b/g/N, 2.4Ghz; 58x54x43.5mm, 80g, white
NET-TAPO-L530B	R 134	TP-Link Tapo L530B Smart Wi-Fi Light Bulb - Multicolor - B22 base, 2.4 GHz IEEE 802.11b/g/n, B22 bayonet base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
NET-TAPO-L530B-2PK	R 246	TP-Link Tapo L530B Smart Wi-Fi Light Bulb - Multicolor - B22 base - 2 pack, 2.4 GHz IEEE 802.11b/g/n, B22 bayonet base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
NET-TAPO-L530E-2PK	R 246	TP-Link Tapo L530E Smart Wi-Fi Light Bulb - Multicolor - E27 base - 2 pack, 2.4 GHz IEEE 802.11b/g/n, E27 screw in base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
NET-TAPO-L530E-4PK	R 470	TP-Link Tapo L530E Smart Wi-Fi Light Bulb - Multicolour - E27 base - 4 pack, 2.4GHz IEEE 802.11b/g/n, E27 screw in base, 220-240 V, 806 Lumens typical Lumen Output, 8.7 W Input Power
NET-TL-TAPO-DL110	R 2,243	Tapo DL110 Smart Wi-Fi Door Lock; fingerprint, keypad, Tapo app, Bluetooth and smart assistant access; up to 100 fingerprints; up to 200 access codes; rechargeable battery; USB-C; IP65 exterior; BHMA Grade 2; 2.4 GHz Wi-Fi; 35-55 mm door thickness; 60/70 mm backset
NET-TL-TAPO-H100	R 313	TP-Link Tapo H100 Smart IoT Hub with Chime, Keep sub-devices connected at All times through the robust Wireless Network, Connect with up to 64 Smart devices, 2.4GHz Wi-Fi Wireless Type, 868/922MHz Protocol
NET-TL-TAPO-H110	R 343	TP-link Tapo H110 Smart IR and IoT Hub, All-in-One Smart Universal Remote control, Supports up to 18 types of IR Home appliances
NET-TL-TAPO-H500	R 2,243	TP-Link Tapo H500 Smart Hub, 16GB eMMC Built-In storage, 5GHz Wi-Fi (For Router), 2.4GHz Wi-Fi (For cameras), 1x HTMI Port, 1x 10/100 Mbps (For WAN) Ethernet Ports
NET-TL-TAPO-L510E-2P	R 186	TP-Link Tapo L510E Smart Wi-Fi Light Bulb - 2 pack, E27 screw in Lamp base, 2.4GHz Wi-Fi Frequency, 806 Lumens, 2700K Colour temperature, Dimmable
NET-TL-TAPO-L535E	R 171	TP-Link Tapo L535e Smart Wi-Fi Light Bulb - Multicolour, E27 Form Factor, 1055 Lumens brightness, 2500-6500 K Colour temperature range, Colour changing, Dimmable, 220 degrees Light beam angle
NET-TL-TAPO-P100	R 161	TP-Link Tapo P100 Mini Smart Wi-Fi Socket
NET-TL-TAPO-P110-IN	R 194	TP-Link Tapo P110 Mini Smart Wi-Fi Socket - energy monitoring, 2.4 GHz Wireless Type, Voice control, Schedule & timer, Remote control, Local control
NET-TL-TAPO-S110E	R 298	TP-Link Tapo S110E Smart Switch Module - Dry Contact Mode, Wet Contact Mode, Garage Door Control, Track Energy Generation and Usage, Take Control of Your Energy Bill, Full Compatibility, Zero-Control Protection, Remote Control, Schedule to Automatically Manage Devices, Voice Control, Relay Failure Protection, Instant Control via Bluetooth, Indoors Only, -20degC ~ 40degC (-4degF ~ 104degF) Operating Temperature, Retail Box, 6 Months Warranty.

NET-TL-TAPO-S112	R 298	TP-Link Tapo Smart Wi-Fi Switch module, Tapo S112, 2.4GHz Wi-Fi, Bluetooth, Control two lights separately, Energy monitoring
NET-TL-TAPO-S200B	R 209	TP-Link Tapo S200B Smart Button for H100, 868MHz / 922MHz standards and protocols, Hub required
NET-TL-TAPO-S200D	R 209	TP-Link Tapo S200D Smart Remote Dimmer Switch for H100, 868MHz / 922MHz standards and protocols, Hub required
NET-TL-TAPO-S210	R 276	TP-Link Tapo S210 Smart Light Switch 1-Gang 1-Way, 868 MHz Wireless, Hub required
NET-TL-TAPO-S220	R 336	TP-Link Tapo S220 Smart Light Switch 2-Gang 1-Way, 868 MHz Wireless, Hub required
NET-TL-TAPO-T100	R 194	TP-Link Tapo T100 Smart motion sensor, Captures motion up to 7m away and through 120 degree view, 868 MHz / 922 MHz Wireless, Hub required
NET-TL-TAPO-T110	R 171	TP-Link Tapo T110 Smart door / Window sensor, Hub required, 868/922MHz Protocol
NET-TL-TAPO-T30-KIT	R 934	TP-Link Tapo T30-KIT Smart Sensor starter kit, Motion Sensor, Contact Sensor, Hub, 2x Tapo H100, 1x Tapo T100, Tapo T110, instant alerts & App notification
NET-TL-TAPO-T300	R 246	TP-Link Tapo T300 Smart Water Leak Sensor, 2 AAA batteries, Up to 90dB alarm, Drip & leak alert, IP67 Waterproof rating, Visible alarm with Tapo lights, Hub required
NET-TL-TAPO-T310	R 224	TP-Link Tapo T310 Smart temperature and humidity sensor, Updates every 2 seconds, 868 / 922 MHz Wireless, Hub required
NET-TL-TAPO-T315	R 351	TP-Link T315 Tapo Smart temperature and Humidity Monitor, 868 / 922 MHz Wireless, 2.7" E-Ink Display, Hub required
OGEMRAY SMART RELAY 25A	R 552	OGEMRAY SMART RELAY 25A Powered by Shelly for precise control of larger appliances up to 25A or 6000W, Power metering, Smart schedules, 1 Output up to 25A / 6000W, No Hub required!, Wi-Fi and Bluetooth connection, Large terminals
SHELLY 1 GEN3	R 339	SHELLY 1 GEN3 Wi-Fi operated Smart Switch, To remotely control a wide range of Home appliances and Office equipment, 240V 16A AC Maximum switching Power, 30V 10A DC Maximum switching Power, Internal-temperature Sensor, Wi-Fi, Bluetooth, No Hub required
SHELLY 1 MINI GEN3	R 339	Shelly Smart Mini Wi-Fi Relay Gen 3 - 1 channel 8A, Wall Box mounting, Dry no contact 1-pole & #181; contact Relay, 8A Max switching current AC, 2000 W Max switching Power AC, 150W Max switching Power DC, WiFi 2.4GHz, No Hub required!
SHELLY 120A CLAMP	R 424	SHELLY 120A CLAMP split Core current Transformer 120A, 1% Precision, Core of ferrite, 17mm internal Diameter, 120A rated primary current
SHELLY 120A CT PRO 3EM	R 450	SHELLY 120A CT PRO 3EM Split Core Current Transformer for Shelly Pro 3EM, 120A rated Maximum primary current, 15 mm conductor aperture
SHELLY 1PM GEN3	R 339	SHELLY 1PM GEN3 Wi-Fi operated Smart Switch with Power monitoring, 240V 16A AC Maximum switching Power, 30V 10A DC Maximum switching Power, Internal-temperature Sensor, Voltmeter (AC), Ammeter (AC), Wi-Fi, Bluetooth, No Hub required
SHELLY 1PM GEN4	R 509	SHELLY 1PM GEN4 Compact Smart Switch with Power monitoring & multiprotocol support, Wall Console mounting, 240V 16A AC Max switching Power, 30V 10A DC Max switching Power, Voltmeter (AC), Ammeter (AC), Internal-temperature Sensor, Wi-Fi, Bluetooth, Zigbee Repeater
SHELLY 1PM MINI GEN3	R 339	Shelly Smart Wi-Fi Mini Relay Gen3 - 8A x 1 channel, with Power metering, Wall Box mounting, No contact 1-pole & #181; contact Relay, 8A Max switching current AC, 2000 W Max switching Power AC, Wi-Fi 2.4GHz, No Hub required!
SHELLY 2L GEN3	R 807	Shelly 2L GEN3 Two-Channel Smart Switch tailored for Lighting control in no Neutral Wire installations, No Hub required, In-Wall mounting, Cyan Shell Colour, Neutral not needed, 200W through O1 Maximum switching Power, 700W through O2 Maximum switching Power, Internal-temperature Sensor, WiFi, Bluetooth
SHELLY 2PM GEN3	R 535	SHELLY 2PM GEN3 Two-Channel Smart Switch with Power monitoring and cover control, Range up to 30 m, 2 channels on the same phase, Power metering on each channel, Wi-Fi Range Extender & Bluetooth Gateway, 2.4GHz WiFi range up to 30 m, Bluetooth up to 10 m range, No Hub required
SHELLY 2PM GEN4	R 713	Shelly 2pm Gen4 Two-Channel Smart Switch with Power metering and Multiprotocol support, 2 channels on the same phase, Power metering on each channel, Internal Temperature Sensor, 2.4GHz Wi-Fi up to 30 m range, Bluetooth up to 10 m range, Zigbee, Control of curtains / blinds / shutters

SHELLY 400A CT PRO 3EM	R 1,529	SHELLY 400A CT PRO 3EM split Core current Transformer for Shelly Pro 3EM, 400A rated Maximum primary current
SHELLY 50A CLAMP	R 322	SHELLY 50A CLAMP for Shelly EM, 1% accuracy, 50A rated primary current, 10mm internal Diameter
SHELLY 50A CLAMP EM GEN3	R 322	Shelly 50A Clamp Split Core Current Transformer - ONLY compatible with Shelly EM Gen3 & Pro EM-50
SHELLY 80A CLAMP	R 365	Shelly 80A Current Transformer With Connector For Shelly EM Gen3
SHELLY BLU BUTTON TOUGH 1 BL	R 377	Shelly Blu Button TOUGH1 (Black) - Smart Shock, Water and Dust-Resistant Bluetooth Button of a Compact size, 1x 3V CR2032 Battery, Bluetooth 4.2, To use this device with the Shelly Smart control App a Gateway is necessary
SHELLY BLU BUTTON TOUGH 1 MOCH	R 346	Shelly Blu Button TOUGH1 (Mocha) Smart Shock, Water and Dust-Resistant Bluetooth Button of a Compact size, 1x 3V CR2032 Battery (Included), Up to 2 years estimated Battery Life, Bluetooth, Up to 30 m range
SHELLY BLU BUTTON TOUGH 1 ZB	R 467	Shelly Blu Button Tough1 ZB (Black) Smart Shock, Water and Dust-Resistant Bluetooth & Zigbee Button of a Compact size, 1x 3V CR2032 Battery (Included), Up to 2 years estimated Battery Life, Bluetooth, Up to 30m range
SHELLY BLU BUTTON TOUGH 1 ZB M	R 390	Shelly Blu Button Tough1 ZB (Mocha) Smart Shock, Water and Dust-Resistant Bluetooth & Zigbee Button of a Compact size, 1x 3V CR2032 Battery (Included), Up to 2 years estimated Battery Life, Bluetooth, Up to 30m range
SHELLY BLU BUTTON1 (BLACK)	R 444	Shelly Blu BUTTON1 WiFi scene activation - Black, 1x 3 V CR2032 Battery (Included), Up to 2 years Battery Life, 2.4GHz WiFi, Bluetooth, Multi-click support, Use Shelly Blu BUTTON1 to activate Shelly Plus and Pro devices
SHELLY BLU BUTTON1 (BLUE)	R 171	Shelly Blu Button1 - Blue, Uses Bluetooth Technology, 1x 3 V CR2032 Battery, Up to 2 years Battery Life, Bluetooth 4.2, Multi-click support - up to 4 possible actions, To use this device with the Shelly Smart control App a Gateway is necessary
SHELLY BLU BUTTON1 (RED)	R 171	Shelly Blu Button1 - Red, Uses Bluetooth Technology, 1x 3 V CR2032 Battery, Up to 2 years Battery Life, Bluetooth 4.2, Multi-click support - up to 4 possible actions, To use this device with the Shelly Smart control App a Gateway is necessary
SHELLY BLU BUTTON1 (WHITE)	R 344	Shelly Blu Button1 - White, Uses Bluetooth Technology, 1x 3 V CR2032 Battery, Up to 2 years Battery Life, Bluetooth 4.2, Multi-click support - up to 4 possible actions, To use this device with the Shelly Smart control App a Gateway is necessary
SHELLY BLU DOOR WINDOW BLAC	R 347	Shelly Blu Door Window (Black) - Bluetooth Sensor designed to detect the opening and closing of a Door or Window, 1x 3V CR2032 Battery, 5 years Battery Life, Reed Switch, G-Sensor, Light Sensor, Easy control through the Shelly Smart control App, Measures Tilt angle and luminosity
SHELLY BLU DOOR WINDOW WHITE	R 363	Shelly Blu Door Window Bluetooth Sensor - White, Designed to detect the opening and closing of a Door or Window, 1x 3 V CR2032 Battery Power Supply, 5 years Battery Life, Reed Switch, G-Sensor, Light Sensor, 2400 - 2483.5 MHz RF band, Bluetooth
SHELLY BLU RC BUTTON 4	R 340	Shelly Blue RC Button 4 - Smart Four-Button Bluetooth Remote controller, 1x 3V CR2032 Battery, Up to 2 years estimated Battery Life, Bluetooth 4.2, Up to 30 m range, Has in-built magnets and a Magnetic holder included, Full compatibility with Home assistant and any other device that is supported by bthome Protocol
SHELLY BUTTON (BLACK)	R 125	Shelly Smart Button (Requires Shelly 1 / 1PM Or Dimmer) - Black
SHELLY BUTTON (WHITE)	R 97	Shelly Button Casing for Shelly 1/1PM
SHELLY BUTTON 1 (BLACK)	R 664	Shelly Smart Button 1 - Black, Battery operated, 3000 actions per charge Battery Life, Activate or deactivate synchronized actions of several Shelly devices, Dimming, 802.11 b/g/n Wi-Fi Protocol
SHELLY BUTTON 1 (WHITE)	R 459	Shelly Smart Button 1 - White, Battery operated, 3000 actions per charge Battery Life, Activate or deactivate synchronized actions of several Shelly devices, Dimming, 802.11 b/g/n Wi-Fi Protocol
SHELLY BYPASS FOR DIMMER GEN3	R 101	Shelly Bypass for Dimmer Gen3 Small bypass to operate in installations without a Neutral Wire, Ideal for low-wattage lights under 20 W, Works with Shelly Dimmer Gen3
SHELLY DIMMER 0/1-10V GEN3	R 509	Shelly Smart dimming controller with Power measurement, Provides support for 0-10V and 1-10V types of drivers, Wi-Fi and bluetooth-operated, SHELLY DIMMER 0/1-10V GEN3
SHELLY DIMMER GEN3	R 722	SHELLY DIMMER GEN3 Smart dimming controller for Dimmable lights and drivers, In-Wall mounting, 20 W min. load without neutral and without a bypass, Trailing Edge dimming Type, 200 W Maximum Output Power, 180V - 240V voltmeter range (AC), 0A - 3A ammeter range (AC), Wi-Fi, Bluetooth, No need for neutral
SHELLY DUO RGBW (E27)	R 298	Shelly Duo Smart Wi-Fi bulb E27 Socket 9W Multicolour - 800 Lumen, Power measurement, Dimming, Colour changing, 802.11 b/g/n Wi-Fi Protocol
SHELLY EM	R 1,570	SHELLY EM (Electricity Monitor) Relay - includes 1x 50A CT, 2 channel, Power measurement, 802.11 b/g/n Wi-Fi

		Protocol
SHELLY EM GEN3	R 1,529	SHELLY EM GEN3 50A clamp Power Meter, Provides Real-Time insights into the Power consumption of your connected devices, 110-240 V voltmeter (AC), 0 - 80A ammeter (AC), CT 50a compatible current transformers, at least 10 days of 1 min Data Resolution measurement Data storage, Wi-Fi, Bluetooth, no Hub required
SHELLY FLOOD GEN4	R 722	Shelly Flood Gen4 Smart Battery operated Water Leak detector with 2m cable Sensor, Wall Mounting, Plastic Shell material, 4x AA 1.5 V Batteries, Approx. 2 years estimated Battery Life, 2 m Extendable Leak Sensor cable, Wi-Fi, Bluetooth, Zigbee, Flood detection and rain detection
SHELLY I4 GEN3	R 339	SHELLY I4 GEN3 Smart Four-Channel inputs controller, Multi-click - up to 16 possible actions, No Hub required!, Wi-Fi, Bluetooth
SHELLY LEAK SENSOR CABLE	R 161	Shelly Leak Sensor cable extended reach coverage for Shelly Flood Gen4 -2m, Detects Water along the entire length for extended area protection, 2m Extendable Leak Sensor cable
SHELLY LORA ADD-ON	R 424	Shelly LoRa s Add-on, Designed to slot directly onto compatible Shelly Gen3 and Gen4 relays and boosting their effective Wireless connectivity range up to a Maximum of five kilometres
SHELLY LORA ADD-ON 2-PACK	R 764	Shelly LoRa s Add-on - 2 Pack, Designed to slot directly onto compatible Shelly Gen3 and Gen4 relays and boosting their effective Wireless connectivity range up to a Maximum of five kilometres
SHELLY MOTION 2	R 1,093	SHELLY MOTION 2 with Lux & Temperature Sensor - Rechargeable Battery, 12 - 18 months Battery Life, Li-Ion 3.7 V 6500 mAh Battery Type, Illumination measurement, Motion detection up to 9m, Vibration detection, 802.11 b/g/n Wi-Fi Protocol
SHELLY PLUS 1	R 290	SHELLY PLUS 1 Smart Wi-Fi Relay, Wall Console mounting, Temperature Sensor, Wi-Fi, Bluetooth, 2400 - 2495 MHz RF band, 240V voltage AC, 16A current AC
SHELLY PLUS 1PM	R 369	Shelly Plus 1PM Smart Wi-Fi relay with Power monitoring, Power measurement, 16A Maximum load, Intelligent On/Off, Local and remote control, 802.11 b/g/n Wireless, Bluetooth
SHELLY PLUS 2PM	R 492	SHELLY PLUS 2PM Smart Wi-Fi Relay with Power monitoring, 2 channels, 240V Voltage AC, 16A (Total) current AC, Power measurement, Overtemperature protection, Overtemperature protection, 802.11 b/g/n Wireless
SHELLY PLUS ADD-ON	R 339	Shelly Add-on for Shelly Plus (excluding probes), Galvanically Isolated Sensor Interface for All Shelly Plus relays, Use IT to measure temperature and Humidity using ITS 1-wire terminals, Connect various Analog and Digital sensors for complex Automation and higher efficiency
SHELLY PLUS SMOKE ALARM	R 977	Shelly Plus Smoke Alarm, Ceiling mounting, 1x 3V CR123A Battery, 5 years Battery Life, Photoelectric Smoke Sensor, 802.11 b/g/n Wi-Fi Protocol, Bluetooth
SHELLY PLUS UNI	R 382	Shelly Plus Universal Smart wi-fi-operated, 30 V Max switching Voltage, 250mA Max switching current, 1.5V (Active low level) Pulse counter Input triggering Voltage, 1 kHz Pulse counter Max Frequency, 0-15 VDC / 0-30 VDC (Two-range) voltmeter, Wi-Fi 2.4GHz, No Hub required!
SHELLY PM MINI GEN3	R 339	SHELLY PM MINI GEN3 Power Meter (16A x 1channel), Wall Box mounting, Power measurement, 240 VAC Max measurement Voltage, 16 a Max measurement current, 3840 W Max measurement Power, Wi-Fi 2.4GHz, BT, No Hub required!
SHELLY PRO 1PM	R 1,402	SHELLY PRO 1PM Smart Wi-Fi Relay with Power monitoring - 1 channel 16A - DIN Rail, Bluetooth, Ethernet, 802.11 b/g/n Wi-Fi Protocol
SHELLY PRO 2PM	R 2,422	SHELLY PRO 2PM Smart Wi-Fi Relay with Power monitoring - 2 channel 16A - DIN Rail, Voltmeter (AC), Ammeter (AC), Temperature Sensor, 802.11 b/g/n Wi-Fi Protocol, Bluetooth
SHELLY PRO 3	R 1,614	SHELLY PRO 3 - Three-Channel Relay with Potential-Free Outputs supporting a total of 48A, DIN Rail mounting, 16A per channel Max switching current AC, Internal-temperature Sensor, Wi-Fi, Bluetooth, Supports control of 3 differnt phases, Dry contacts
SHELLY PRO 3EM SWITCH ADD-ON	R 509	Shelly Pro 3EM Switch Add-on, Extends the possibilities of the Shelly Pro 3EM, DIN Rail attached to a Shelly Pro 3EM mounting
SHELLY PRO 3EM-120A	R 2,719	Shelly Pro 3EM (3-phase electricity Monitor) Relay with three 120A clamps, DIN Rail mounting, Temperature Sensor, 100 - 260 V voltmeters (RMS for each phase), 0 - 120 a ammeters (RMS via CT for each phase and the neutral), Wi-Fi, Bluetooth, 4 quadrant measurement with multiple connection types
SHELLY PRO 3EM-400A	R 5,099	SHELLY PRO 3EM-400A (3-phase electricity Monitor) Relay with three 400A clamps, DIN Rail mounting, Temperature Sensor, 100 - 260 V voltmeters (RMS for each phase), 0 - 400A ammeters (RMS via CT for each

		phase and the neutral), WiFi 2.4GHz, BT, can measure up to 400A for each phase and the neutral
SHELLY PRO 4PM	R 2,974	SHELLY PRO 4PM Smart Wi-Fi Relay with Power monitoring - 4 channel 16A - DIN Rail, 16A per channel 40A total Max switching current AC, Voltmeter (AC), Ammeter (AC), Temperature Sensor, 802.11 b/g/n Wi-Fi Protocol, Bluetooth
SHELLY PRO DIMMER 2PM	R 1,614	Shelly Pro Dimmer 2pm Professional Two-Channel DIN-Rail mountable Dimmer with Power monitoring, DIN Rail mounting, Plastic Shell material, Trailing Edge dimming Type, 200 W per channel Maximum Output Power, Voltmeter, Ammeter, Power and energy meters, 2.4GHz WiFi up to 30 m range, Bluetooth up to 10 m range, No Hub required
SHELLY PRO EM - 50	R 1,784	Shelly Pro EM-50 DIN Rail mountable Two-Channel - Single-Phase energy meter, Integrated Switch for contactor control, Internal-temperature Sensor, 100 - 260V voltmeter (RMS), 1% Voltmeters accuracy, 0 - 50A ammeters (RMS via CT), Wi-Fi Protocol, Bluetooth
SHELLY RC SNUBBER	R 84	Shelly RC Snubber - energy absorbing Circuit, IT effectively mitigates Voltage spikes that can occur during the switching of inductive loads by providing a short-term alternative current Path
SHELLY TEMP SENSOR (DS18B20)	R 76	Shelly Temperature Sensor - DS18B20 (Requires Shelly Add-on or Plus Add-on), Designed for : -10degrees c to 85 degC
SHELLY TEMP SENSOR DS18B20 3M	R 161	Shelly Temperature Sensor 3m - DS18B20 (Requires Shelly Add-on or Plus Add-on), Designed for -10 degC to 85 degC
SHELLY TEMPERATURE ADD-ON	R 245	Shelly Temperature add on, The Shelly Temperature Sensor is an Add-on for Shelly 1 / 1 PM / Dimmer 2 (excluding probe)
SHELLY WALL DISPLAY	R 3,273	Shelly Wall Display Smart Control Panel with temperature & Humidity & Lux sensors - White, -20 degc to 40 degc ambient working temperature, 30 % to 70 % RH Humidity, 2000 m Maximum altitude, Wi-Fi 2.4GHz, Bluetooth
SHELLY WALL DISPLAY X2I BLACK	R 4,929	Shelly Wall Display X2i Smart 6.95" Colour Touchscreen - Black, 1440x720p screen Resolution, PX, 5-point capacitive Touch Screen, Wall Box mounting, 1x 0.8W Speaker, Light Sensor, Microphone, G-Sensor, Proximity Sensor, Wi-Fi 6 Dual Band, Bluetooth, 2GB RAM, 8GB Flash, Android 11 system, Ultra-Fast Quad-Core CPU, Integrated 5A Relay for Light control, Bluetooth and Sonos Speakers support
SHELLY WALL DISPLAY X2I SILV-S	R 4,929	Shelly Wall Display X2i Smart 6.95" Colour Touchscreen - Silver, 1440x720p screen Resolution, PX, 5-point capacitive Touch Screen, Wall Box mounting, 1x 0.8W Speaker, Light Sensor, Microphone, G-Sensor, Proximity Sensor, Wi-Fi 6 Dual Band, Bluetooth, 2GB RAM, 8GB Flash, Android 11 system, Ultra-Fast Quad-Core CPU, Integrated 5A Relay for Light control, Bluetooth and Sonos Speakers support
SHELLY WALL DISPLAY XL BLACK	R 7,224	Shelly Wall Display XL - Smart Home Control Panel with a 10.1" Touch Display, 5-point 1280x752 Touch Screen, Wall Box mounting, 2x 2 W Speaker, 1 Button for turning On/Off the screen, 4 control buttons, Light Sensor, Four-microphone line Array, Proximity Sensor, Wi-Fi 6 Dual Band, Bluetooth, Rockchip RK3566 Quad Core Cortex-A55 1.8GHz CPU, 2GB RAM, 32GB Flash, Android 11 system, Built-In Relay switching controlling appliances up to 1500W, Integrated Media player & Internet Radio support
SHELLY WAVE 1	R 533	SHELLY WAVE 1 Smart Z-Wave Switch with dry contacts, 16A Maximum switching current AC, 240V Maximum switching Voltage AC, 30V Maximum switching Voltage DC, 10 Amp Maximum switching current DC, Z-Wave S800 CPU, Works with Z-Wave Certified gateways
TAPO S110E	R 308	TP-Link Tapo S110E Smart Switch Module - Dry Contact Mode, Wet Contact Mode, Garage Door Control, Track Energy Generation and Usage, Take Control of Your Energy Bill, Full Compatibility, Zero-Control Protection, Remote Control, Schedule to Automatically Manage Devices, Voice Control, Relay Failure Protection, Instant Control via Bluetooth, Indoors Only, -20degC ~ 40degC (-4degF ~ 104degF) Operating Temperature, Retail Box, 6 Months Warranty.
TAPO-H100	R 371	TP-Link TAPO H100 Smart IoT Hub with Chime, SPEC: 2.4 GHz Wi-Fi Networking
TAPO-H100	R 313	TP-Link TAPO H100 Smart IoT Hub with Chime, SPEC: 2.4 GHz Wi-Fi Networking, 868 MHz for Devices, 100-240 V~, 50/60 Hz, Plug-in, FEATURE: Remote Control with Tapo App, 90dB Adjustable Audio Alarm, 19 Ringtones, up to 64 Devices, Home/Away/Sleep Mode, Mute button, Easy
TAPO-H100	R 349	TP-Link Tapo H100 Smart IoT Hub with Chime, Keep sub-devices connected at All times through the robust Wireless Network, Connect with up to 64 Smart devices, 2.4GHz Wi-Fi Wireless Type, 868/922MHz Protocol
TAPO-L510E	R 161	TP-Link Tapo L510E Smart Wi-Fi Light Bulb, E27 screw in Lamp base, 2.4 GHz Wi-Fi Frequency, 806 Lumens,

		2700 K Colour temperature, Dimmable
TAPO-L510E(2-PACK)	R 244	TP-Link Tapo L510E Smart Wi-Fi Light Bulb - 2 pack, E27 screw in Lamp base, 2.4GHz Wi-Fi Frequency, 806 Lumens, 2700K Colour temperature, Dimmable
TAPO-L530B	R 199	TP-Link Tapo L530B Smart Wi-Fi Light Bulb - Multicolor - B22 base, 2.4 GHz IEEE 802.11b/g/n, B22 bayonet base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
TAPO-L530B	R 191	TP-Link Tapo L530B Smart Wi-Fi Light Bulb - Multicolor - B22 base, 2.4 GHz IEEE 802.11b/g/n, B22 bayonet base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
TAPO-L530B(2-PACK)	R 304	TP-Link Tapo L530B Smart Wi-Fi Light Bulb - Multicolor - B22 base - 2 pack, 2.4 GHz IEEE 802.11b/g/n, B22 bayonet base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
TAPO-L530E	R 191	TP-Link Tapo L530E Smart Wi-Fi Light Bulb - Multicolor - E27 base, 2.4 GHz IEEE 802.11b/g/n, E27 screw in base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
TAPO-L530E(2-PACK)	R 304	TP-Link Tapo L530E Smart Wi-Fi Light Bulb - Multicolor - E27 base, 2.4 GHz IEEE 802.11b/g/n, E27 screw in base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power. Pack of 2.
TAPO-L530E(4-PACK)	R 528	TP-Link Tapo L530E Smart Wi-Fi Light Bulb - Multicolour - E27 base - 4 pack, 2.4GHz IEEE 802.11b/g/n, E27 screw in base, 220-240 V, 806 Lumens typical Lumen Output, 8.7 W Input Power
TAPO-P100(1-PACK)	R 206	TP-Link Tapo P100(1-PACK) Wi-Fi 2.4G(1T1R), BT Onboarding
TAPO-P110	R 251	TP-Link TAPO P110 Mini Smart Wi-Fi Socket - Energy Monitoring
TAPO-P110	R 199	TP-Link Tapo P110 Mini Smart Wi-Fi Socket - energy monitoring, 2.4 GHz Wireless Type, Voice control, Schedule & timer, Remote control, Local control
TAPO-P110-IN	R 213	TP-Link Tapo P110 Mini Smart Wi-Fi Socket - energy monitoring, 2.4 GHz Wireless Type, Voice control, Schedule & timer, Remote control, Local control
TAPO-S110E	R 356	TP-Link Tapo S110E Smart Switch Module - Dry Contact Mode, Wet Contact Mode, Garage Door Control, Track Energy Generation and Usage, Take Control of Your Energy Bill, Full Compatibility, Zero-Control Protection, Remote Control, Schedule to Automatically Manage Devices, Voice Control, Relay Failure Protection, Instant Control via Bluetooth, Indoors Only, -20degC ~ 40degC (-4degF ~ 104degF) Operating Temperature, Retail Box, 6 Months Warranty.
TAPO-S112	R 356	Tapo S112 Smart Switch Module; Matter certified; 2.4 GHz Wi-Fi; Bluetooth; Roller shutter control; Dual smart relays; Energy monitoring; Remote control; Voice control; 100-250V AC; 6A resistive; 1.5A motor; 150W LED; 44.7 x 40.7 x 16.1 mm; Indoor use
TAPO-S200B	R 214	TP-Link Tapo S200B Smart Button, SPEC: 868 MHz, battery powered(1*CR2032), Feature: Tapo smart app, Tapo smart hub required, smart, action, multiple ways to control(click, double click, rotate), multiple ways of installation(paste, magnetic, screw), battery included
TAPO-S200D	R 266	TP-Link Tapo S200D Smart Remote Dimmer Switch
TAPO-S200D	R 249	TP-Link Tapo S200D Smart Remote Dimmer Switch for H100, 868MHz / 922MHz standards and protocols, Hub required
TAPO-S210	R 276	TP-Link Tapo S210 Smart Light Switch 1-Gang 1-Way, SPEC: 868 MHz, 250 V~, 50/60 Hz, 1-Gang, Size 86mm x 86mm, battery powered (2*AAA), 1000 W incandescent, 600 W LED/CFL, In-wall Installation, no neutral wire required, FEATURE: Tapo smart app, Tapo IoT hub required
TAPO-S210	R 334	TP-Link Tapo S210 Smart Light Switch 1-Gang 1-Way, 868 MHz Wireless, Hub required
TAPO-S220	R 393	TP-Link TAPO S220 Smart Light Switch 2-Gang 1-Way, SPEC: 868 MHz, 250 V~
TAPO-S220	R 336	TP-Link TAPO S220 Smart Light Switch 2-Gang 1-Way, SPEC: 868 MHz, 250 V~, 50/60 Hz, 2-Gang, Size 86mm x 86mm, battery powered(2*AAA), 1000 W incandescent, 600 W LED/CFL, In-wall Installation, no neutral wire required, FEATURE: Tapo smart app, Tapo IoT hub required, voice control
TAPO-T100	R 251	TP-Link Tapo T100 Smart Motion Sensor
TAPO-T100	R 249	TP-Link Tapo T100 Smart motion sensor, Captures motion up to 7m away and through 120 degree view, 868 MHz / 922 MHz Wireless, Hub required
TAPO-T110	R 229	TP-Link Tapo T110 Smart Door/Window Sensor, SPEC: 868 MHz, battery powered.Wireless 868 MHz; CR2032 Battery; Requires Tapo Hub; Real-time monitoring; Instant alerts.
TAPO-T110	R 199	TP-Link Tapo T110 Smart door / Window sensor, Hub required, 868/922MHz Protocol

TAPO-T30-KIT	R 954	TP-Link TAPO T30 Smart Motion Sensor, SPEC: 868 MHz, battery powered (1*CR2450), 120Â° / 5m detection range, Feature: Tapo smart app, Tapo IoT hub required, smart action, motion detection, cardan shaft base, adjustable direction, battery included, CE/UKCA certified
TAPO-T30-KIT	R 992	TP-Link Tapo T30-KIT Smart Sensor starter kit, Motion Sensor, Contact Sensor, Hub, 2x Tapo H100, 1x Tapo T100, Tapo T110, instant alerts & App notification
Tapo-T300	R 245	TP-Link Tapo T300 Smart Water Leak Sensor, SPEC: 868 MHz, 2 x AAA Battery, FEATURE: Tapo Hub Required, Dripping and Leaking Detection, 90dB Alarm Audio, Mute and Volume Control, Weatherproof (IP67), Smart Action, Tapo App
Tapo-T300	R 304	TP-Link Tapo T300 Smart Water Leak Sensor, 2 AAA batteries, Up to 90dB alarm, Drip & leak alert, IP67 Waterproof rating, Visible alarm with Tapo lights, Hub required
TAPO-T310	R 281	TP-Link Tapo T310 Smart temperature and humidity sensor, Updates every 2 seconds, 868 / 922 MHz Wireless, Hub required
TAPO-T315	R 358	TP-Link Tapo T315 Smart Temperature and Humidity Monitor, SPEC: 868 MHz, battery powered(2*AAA), 2.7 inch E-ink display, temperature range and accuracy: 0?~50?, Â±0.3 humidity range and accuracy: 0~99%RH, Â±3%RH, Feature: Tapo smart app, Tapo IoT hub required
TAPO-T315	R 408	TP-Link Tapo T315 Smart Temperature and Humidity Monitor, SPEC: 868 MHz, battery powered(2*AAA), 2.7 inch E-ink display, temperature range and accuracy: 0?~50?, Â±0.3 humidity range and accuracy: 0~99%RH, Â±3%RH, Feature: Tapo smart app, Tapo IoT hub required
TAPO-T315	R 349	TP-Link T315 Tapo Smart temperature and Humidity Monitor, 868 / 922 MHz Wireless, 2.7" E-Ink Display, Hub required
TAPOS200B	R 266	TP-Link Tapo S200B Smart Button, SPEC: 868 MHz, battery powered(1*CR2032)
TP-TAPO-H100	R 313	TP-Link Tapo H100 Smart IoT Hub with Chime, Keep sub-devices connected at All times through the robust Wireless Network, Connect with up to 64 Smart devices, 2.4GHz Wi-Fi Wireless Type, 868/922MHz Protocol
TP-TAPO-H110	R 343	TP-link Tapo H110 Smart IR and IoT Hub, All-in-One Smart Universal Remote control, Supports up to 18 types of IR Home appliances
TP-TAPO-H500	R 2,243	TP-Link Tapo H500 Smart Hub, 16GB eMMC Built-In storage, 5GHz Wi-Fi (For Router), 2.4GHz Wi-Fi (For cameras), 1x HTMI Port, 1x 10/100 Mbps (For WAN) Ethernet Ports
TP-TAPO-L530E	R 134	TP-Link Tapo L530E Smart Wi-Fi Light Bulb - Multicolor - E27 base, 2.4 GHz IEEE 802.11b/g/n, E27 screw in base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
TP-TAPO-P110	R 194	TP-Link Tapo P110 Mini Smart Wi-Fi Socket - energy monitoring, 2.4 GHz Wireless Type, Voice control, Schedule & timer, Remote control, Local control
TP-TAPO-S112	R 298	TP-Link Tapo Smart Wi-Fi Switch module, Tapo S112, 2.4GHz Wi-Fi, Bluetooth, Control two lights separately, Energy monitoring
TP-TAPO-S200B	R 209	TP-Link Tapo S200B Smart button, 868MHz / 922MHz standards and protocols, Hub required
TP-TAPO-S200D	R 209	TP-Link Tapo S200D Smart Remote Dimmer Switch for H100, 868MHz / 922MHz standards and protocols, Hub required
TP-TAPO-S210	R 276	TP-Link Tapo S210 Smart Light Switch 1-Gang 1-Way, 868 MHz Wireless, Hub required
TP-TAPO-S220	R 336	TP-Link Tapo S220 Smart Light Switch 2-Gang 1-Way, 868 MHz Wireless, Hub required
TP-TAPO-T100	R 194	TP-Link Tapo T100 Smart motion sensor, Captures motion up to 7m away and through 120 degree view, 868 MHz / 922 MHz Wireless, Hub required
TP-TAPO-T110	R 171	TP-Link Tapo T110 Smart door / Window sensor, Hub required, 868/922MHz Protocol
TP-TAPO-T310	R 224	TP-Link Tapo T310 Smart temperature and humidity sensor, Updates every 2 seconds, 868 / 922 MHz Wireless, Hub required
TP-TAPO-T315	R 351	TP-Link T315 Tapo Smart temperature and Humidity Monitor, 868 / 922 MHz Wireless, 2.7" E-Ink Display, Hub required
TTK-TRB141	R 2,435	Teltonika TRB141 Industrial Digital I/O USB to LTE IoT Gateway, 1x Mini SIM, 1x SMA (for LTE), 16 2 Configurable x I/O, 9-30V DC In, Micro-USB
TTK-TRB145	R 2,205	Teltonika TRB145 Industrial RS485 USB to LTE IoT Gateway, 1x Mini SIM, 1x SMA (for LTE), RS485, 9-30V DC In, Micro-USB

TTK-TRB245	R 3,250	Teltonika TRB245 Industrial Dual-SIM LTE Gateway to I/O / Ethernet / RS232/485 with GPS, Dual SIM, 2x SMA, 1x RJ45, 16-pin connector block for I/O & RS233/485
UA-G3-B	R 2,582	Ubiquiti UniFi Access Reader G3 Black, UA-G3-B, NFC card & Keyfob Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, Bluetooth, NFC, Proximity Sensor, Speaker, 13.56 MHz NFC Frequency
UA-G3FLEX-B	R 3,444	Ubiquiti UniFi Access - NFC Card Reader with Keypad - Black, UA-G3-Flex-W, NFC card & Keyfob Access, pin Access, IP55 weatherproofing, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, BLE, NFC, 12 capacitive buttons, Speaker, 13.56 MHz NFC Frequency
UA-G3FLEX-W	R 3,444	Ubiquiti UniFi Access - NFC Card Reader with Keypad - White, UA-G3-Flex-W, NFC card & Keyfob Access, pin Access, IP55 weatherproofing, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, BLE, NFC, 12 capacitive buttons, Speaker, 13.56 MHz NFC Frequency
UA-G3PRO-B	R 7,354	Ubiquiti UniFi Access Reader G3 - Black, UA-G3-Pro-B, Integrated camera, NFC card & Keyfob Access, pin Access, Two-Way Intercom & Doorbell Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x GbE RJ45 Port Networking Interface, BLE, NFC, Proximity Sensor, 120 mm 1280x286 capacitive Touch diagonal Display, Microphone, Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-B	R 2,919	Ubiquiti UniFi Access Reader G3 Black, UA-G3-B, NFC card & Keyfob Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, Bluetooth, NFC, Proximity Sensor, Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-FLEX-B	R 3,619	Ubiquiti UniFi Access - NFC Card Reader with Keypad - Black, UA-G3-Flex-W, NFC card & Keyfob Access, pin Access, IP55 weatherproofing, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, BLE, NFC, 12 capacitive buttons, Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-FLEX-W	R 3,671	Ubiquiti UniFi Access - NFC Card Reader with Keypad - White, UA-G3-Flex-W, NFC card & Keyfob Access, pin Access, IP55 weatherproofing, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, BLE, NFC, 12 capacitive buttons, Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-PRO-B	R 7,546	Ubiquiti UniFi Access Reader G3 - Black, UA-G3-Pro-B, Integrated camera, NFC card & Keyfob Access, pin Access, Two-Way Intercom & Doorbell Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x GbE RJ45 Port Networking Interface, BLE, NFC, Proximity Sensor, 120 mm 1280x286 capacitive Touch diagonal Display, Microphone, Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-PRO-W	R 7,406	Ubiquiti UniFi Access Reader G3 - White, UA-G3-Pro-W, Integrated camera, NFC card & Keyfob Access, pin Access, Two-Way Intercom & Doorbell Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x GbE RJ45 Port Networking Interface, BLE, NFC, Proximity Sensor, 120 mm 1280x286 capacitive Touch diagonal Display, Microphone, Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-W	R 2,887	Ubiquiti UniFi Access Reader G3 White , UA-G3-B, NFC card & Keyfob Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x Ethernet RJ45 Port Networking Interface, Bluetooth, NFC, Proximity Sensor, Speaker, 13.56 MHz NFC Frequency
UB-UP-USL-ENTRY	R 735	Ubiquiti UniFi Protect Entry Sensor, USL-ENTRY, Adhesive and screw Mount mounting, Reed Switch, Lithium Battery Life up to 6 years, Superlink (Proprietary) connectivity, 2 km Superlink Maximum range
UB-UP-USL-ENVIR	R 989	Ubiquiti UniFi Protect Enviromental, USL-Enviromental, IPX5 weatherproofing, Superlink (Proprietary) connectivity, 2 km Superlink, Temperature Sensor, Humidity Sensor, Ambient Light Sensor, Water Sensor, 3.5 mm Aux jack for Water Leak probe, Lithium Battery CR123A, Up to 6 years Battery Life
UB-UP-USL-MOTION	R 959	Ubiquiti UniFi Protect Superlink Motion Sensor, USL-MOTION, Adhesive and screw Mount, Protect UniFi Application suite, Superlink (Proprietary) connectivity, 2 km Superlink Maximum range, Horizontal PIR Sensor detection range up to 1.5 m, Vertical PIR Sensor detection range up to 6 m, Lithium Battery CR123A, Up to 6 years Battery Life
USL-ENTRY	R 748	Ubiquiti UniFi Protect Entry Sensor, USL-ENTRY, Adhesive and screw Mount mounting, Reed Switch, Lithium Battery Life up to 6 years, Superlink (Proprietary) connectivity, 2 km Superlink Maximum range
USL-ENVIRO	R 937	Ubiquiti UniFi Superlink Environmental Sensor, USL-Environmental, IPX5 weatherproofing, Protect UniFi Application suite, Superlink (Proprietary) connectivity, 2 km Superlink Maximum range, Temperature Sensor, Humidity Sensor, Ambient Light Sensor, Water Sensor, 3.5 mm Aux jack (TRS or TS) for Water Leak probe,

		Lithium Battery CR123A, Up to 6 years Battery Life
USL-MOTION	R 949	Ubiquiti UniFi Protect Superlink Motion Sensor, USL-MOTION, Adhesive and screw Mount, Protect UniFi Application suite, Superlink (Proprietary) connectivity, 2 km Superlink Maximum range, Horizontal PIR Sensor detection range up to 1.5 m, Vertical PIR Sensor detection range up to 6 m, Lithium Battery CR123A, Up to 6 years Battery Life

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Input devices

Game hardware joysticks / keyboards / etc

< Return to the menu

Graphics tablets

Product code	Price	Description
31130001400	R 918	Genius EasyPen I608 drawing Tablet with Mouse and Pen, 6" x 8" Active area, 2048 levels Pressure sensitivity, 5120 LPI Resolution, Max 125 points/sec. report rate, 29 programmable Keys, Includes a Cordless Pen, 3-button Cordless Mouse with a Scroll Wheel
ACK-10022	R 698	Wacom ACK-10022 Overlay for I4 M clear, Cover Sheet (translucent) for Intuos4 M (PTK-640)
ACK-10221	R 698	Wacom Overlay for I4 WL standard, Intuos4 Wireless Surface Sheet Replacement
ACK-20001	R 312	Wacom Intuos4 Standard Nibs (Black, 5-Pack)
ACK-20002	R 461	Wacom Stroke Pen nibs 5 pack, Wacom Intuos 4 Replacement Stroke Pen Nibs, Gray, Compatible with Intuos4 or DK2100UX tablet pens
ACK-20003	R 312	Wacom Hard Felt Nibs for Intuos4 or DK2100UX Tablet Pens (5 Pack)
ACK-20004	R 378	Wacom Flex nibs 5 pack, White nibs, Compatible with Intuos4 or DK2100UX tablet pens
ACK-20601	R 370	Wacom Stylus Firm Nibs (3pcs) pack
ACK-21002	R 682	Wacom Replace Nibs 3 pcs CS-600P, This pen nib is thin and durable so that it gives you more natual drawing expierience on your ipads, It is only compatable with INTUOS CREATIVE STYLUS 2 Pen
ACK-40102	R 934	Wacom Bamboo soft case CTH-460, CTH-461 & CTL-460 graphics tablets
ACK-411050	R 2,072	Wacom ExpressKey Remote Accessory, Compatible with Wacom Cintiq and Wacom Intuos Pro, Wireless remote, It has 17 customizable buttons and a Touch Ring for instant access to time-saving shortcuts across a wide variety of applications, Recharge using the included micro-USB cable
ACK122212	R 1,037	Wacom Wacom Texture Sheet M Medium standard for Wacom Intuos Pro Medium (PTH660) and Wacom Intuos Pro Paper Edition Medium (PTH660P)
ACK122312	R 1,244	Wacom Wacom Texture Sheet L Large standard for Wacom Intuos Pro Large (PTH860) and Wacom Intuos Pro Paper Edition Large (PTH860P)
ACK122313	R 1,244	Wacom Texture Sheet Large rough, Compatible with Wacom Intuos Pro Large (PTH860) and Wacom Intuos Pro Paper Edition large (PTH860P)
ACK22207	R 432	Wacom Ballpoint BP 1.0 Refill 3 Pack, 3 Ballpoint Pen refills with 1.0 mm nibs and black oil ink, Refill for Bamboo Spark Pen - Bamboo Folio - Slate Pens, Refill for the optional Wacom Ballpoint Pen used with Wacom Intuos Pro
ACK22211	R 432	Wacom Pen Nibs Standard 10-pack
ACK23016	R 342	Wacom Stylus Nibs for CS-610PK Bamboo Sketch
ACK411040Z	R 12,143	Wacom Cintiq Ergo Stand for Cintiq 27UHD Graphics Tablet, Compatible with Cintiq 27QHD Touch and Cintiq 27QHD
ACK41509	R 392	Wacom Bambo Spark closure bands 3 pack, Replacement closure bands for use with Bamboo Spark CDS600, Personalize your Spark with this three color (gray, blue, orange)
ACK42206	R 665	Wacom USB cable 2.0m, Compatible with Wacom Intuos Pro PTH-660 / PTH-860
ACK44514B	R 914	Wacome One 13 Pen Display Power adapter

ACK4472501Z	R 583	Wacom Drawing Glove - 1pk
ACK620K	R 2,302	Wacom Adjustable stand for DTK 1660
ACK627K	R 2,674	Wacom Stand for MobileStudio Pro 13" & 16" , Compatible with Wacom MobileStudio Pro DTHW1320 & DTHW1620 graphics tablets
ACK62801K	R 14,367	Wacom Cintiq Pro 24 Ergo Stand
ACK62804K	R 2,138	Wacom VESA Mount for Cintiq 24 & 32
BHR7278GL	R 403	Xiaomi Writing Tablet 13.5" LCD Colour, CR2025 Button Cell Battery, Vibrant brushstrokes, One-tap Clear screen, Magnetic Pen, Dust-free and ink-free, Thick exterior made of ABS, Long Battery Life, 1x Stylus
CTL-4100WLK	R 1,589	Wacom CTL-4100WL Intuos S Bluetooth Black Small Tablet, 4096 Pressure Levels, 2540 lpi Resolution, Wacom Pen 4K, 133 pps Reading Speed (pen), Patented electromagnetic resonance method Technology, 2 pen buttons, 7-inch active area
DTH-2420	R 47,918	Wacom DTH-2420 Cintiq Pro 24" Touch & Pen graphics tablet, IPS UHD high brightness panel, 10 bits color, 16:9 Aspect Ratio, 1000:1 Contrast Ratio, 350 cd/m2 Brightness, 12 ms Response Rate, 99% Adobe RGB Color Gamut, 8192 Pressure Levels - both pen tip and eraser, 40 degrees Tilt Range, 4 x USB3 ports, 1 x USB C port, 1 x HDMI2.0 port, 1 x DP port, 2x USB-A Ports (one for ExpressKey Remote dongle)
DTH-2452	R 40,119	Wacom DTH2452 23.8" display dark grey pen & touch graphics tablet, IPS TFT-Display, 4 ExpressKeys, 23.8" Full HD 1920x1080 pixels display, 210 cd/m2 Brightness, 1000:1 Contrast Ratio, 16 ms (typical) Response Rate, 178 degree viewing angle, Electromagnetic resonance (EMR) Reading technology, 2048 Pen Pressure Levels, 2540 lpi Coordinate Resolution, USB DVI-I, No software included
DTK-2451	R 32,769	Wacom DTK2451 23.8" display dark grey pen graphics tablet, Adjustable stand, 4 ExpressKeys, 23.8" Full HD 1920x1080 pixels display, 210 cd/m2 Brightness, 1000:1 Contrast Ratio, 16 ms (typical) Response Rate, 178 degree viewing angle, Electromagnetic resonance (EMR) Reading technology, 2048 Pen Pressure Levels, 2540 lpi Coordinate Resolution, No software included
DTK1660K0B	R 11,295	Wacom Cintiq 16" Graphics Tablet
KP-400E	R 2,507	Wacom Intuos4 Airbrush
KP13200D	R 2,072	Wacom Finetip Pen ,1 Finetip Pen, 5 Finetip FT 0.4 refills, Compatible with: Wacom Intuos Pro PTH-660 / PTH-860
KP301E00DZ	R 2,336	Wacom Pro Slim Pen
KP501E	R 1,543	Intuos4 Grip Pen
KP504E	R 1,907	Wacom Pro Pen 2 for Tablets, Pro Pen 2 and Pro Pen 2 Case, Color Rings, 1 felt nib, 2 POM, Compatible with Wacom Intuos Pro PTH660 / PTH860 - Wacom Cintiq Pro DTH1320 / DTH1620 - Wacom MobileStudio Pro DTHW1320 / DTHW1620
KP701E	R 2,507	Intuos4 Art Pen
LP1100K	R 913	Wacom LP1100K Pen 4K for Intuos CTL-4100 / CTL-6100
LP190K	R 830	Wacom Pen for CTH-490/690 and CTL-490 Tablets, Cordless and battery-free, 1024 levels of pressure sensitivity, Programmable side-switch, The LP190K Wacom pen is designed for use with the full series of all models of the Intuos Pen only and Pen and Touch tablets
POW-A111	R 2,652	Wacom POW-A111 AC Power adaptor for Cintiq21, Power-ADaptor for Cintiq21UX (DTK-2100 - Intuos4 Technology)
POW-A124	R 1,244	Wacom AC adaptor for DTH-W1300 tablet, AC-Adapter for Cintiq Companion (not for Companion Hybrid)
PSI-A023	R 883	Wacom 5 Black Ink Refils for Inkling Pen, for the Intuos Ink Pen / Intuos2 Ink Pen / Intuos3 Ink Pen
SCT-A347	R 458	Wacom Cintiq 13HD EU adaptor plug
STU-430	R 3,669	Wacom STU-430 4.5" Monochrome Signature Tablet with Sign Pro PDF software, 4.5" diagonal monchrome reflective LCD display, Cordless battery-free pen with 1024 levels of pressure sensitivity, RSA/AES encryption to perform secure transactions, Pen holder/USB cable lock combination, Unique hardware ID, Integrated lock slot to secure the unit
STU-430	R 2,993	Wacom STU-430 4.5" Monochrome Signature Tablet, 4.5" diagonal monchrome reflective LCD display, Cordless battery-free pen with 1024 levels of pressure sensitivity, RSA/AES encryption to perform secure transactions, Pen holder/USB cable lock combination, Unique hardware ID, Integrated lock slot to secure the unit
STU430-SDK	R 3,439	Wacom STU430-SDK Signature Pad with SDK

STU430-SDK	R 3,847	Wacom STU430-SDK Signature Pad with SDK
STU540	R 4,836	Wacom 5" Signature Pad Colour. Only support SDK, FREELY Dowloadable from Wacom Website for new Progammes.
TAB040	R 803	Genius Easypen I405X Tablet, 4" x5.5" working area, cordless pen has 1024-level pressure, 2560 LPI, pen clip
UP-7721-01	R 718	Wacom Bamboo Pad Pen Gray/Black Replacement Stylus
WACOM STU-540	R 6,331	Wacom STU-540 Colour signature pad, USB Bus powered, 800x480 pixels AG etched glass TFT DisplayType, Electromagenetic resonance (EMR) reading technology, 108 x 65 mm active area size, 200 points per second report rate, 1024 pressure levels

< Return to the menu

Input devices [other]

Product code	Price	Description
439107	R 49	Manhattan Mouse Grip, Black, Added Traction for Superior Control on Any Mouse, 7 grip pads for back, sides and buttons of almost any mouse. Mouse not included. No warranty.
LOGI UNIFYING DONGLE 910-0059:	R 209	Logitech Wireless USB Unifying receiver (Pico), Supports 6 devices, Advanced 2.4 GHz wireless
Mo-3-700041	R 374	3dconnexion 3dx-700041 Professional series carry case for SpaceMouse Pro / SpacePilot Pro
Mo-3-700046	R 407	3dconnexion 3dx-700046 personal series carry case for Space Navigator / Space Mouse Wireless, Mouse not included
Mo-3-700060	R 297	3dconnexion 3dx-700060 Enterprise series carry case for SpaceMouse Enterprise, Made from neoprene
Mo-3-700069	R 297	3dconnexion 3dx-700069 universal receiver, 2.4 GHz Technology, Supports up to 5 Wireless Devices, Designed for 3Dconnexion Devices
MO-RATF-A	R 55	Razer MO-RATF-A Teflon Feet - for Abyssus , retail pack - gaming-grade teflon for optimized gliding , minimal friction with your gaming surface
MO-RATF-I	R 55	Razer MO-RATF-I Teflon Feet - for Imperator , retail pack - gaming-grade teflon for optimized gliding , minimal friction with your gaming surface
MO-RATF-L	R 76	Razer MO-RATF-L Teflon Feet - for Lachesis, retail pack - gaming-grade Teflon for optimized gliding, minimal friction with your gaming surface
MO-RATF-M	R 76	Razer MO-RATF-M Teflon Feet - for Mamba, retail pack - gaming-grade teflon for optimized gliding, minimal friction with your gaming surface
MO-RATF-N	R 55	Razer MO-RATF-N Teflon Feet - for Naga, retail pack - gaming-grade teflon for optimized gliding, minimal friction with your gaming surface
MO-RATF-O	R 55	Razer MO-RATF-O Teflon Feet - for Orochi, retail pack - gaming-grade teflon for optimized gliding, minimal friction with your gaming surface
USB2DOCK	R 493	Chronos Usb 2.0 Lan Docking Station. Chronos USB2DOCK USB2.0 docking station; USB 2.0 (480 Mbps) plus USB 1.1 compatible; includes Ethernet, PS/2, serial ports; plug-and-play; compact hub for notebooks.

< Return to the menu

Keyboard / mouse adaptors

Product code	Price	Description
202206	R 19	Manhattan Mouse Adapters-Mini-DIN 6 Female to DB 9 Female, Retail Box

< Return to the menu

Keyboard accessories

Product code	Price	Description
4044951028306	R 319	Sharkoon ELITE SHARK Black Wrist Rest, Retail Box
910-005931	R 286	Logitech Wireless USB Unifying receiver (Pico), Supports 6 devices, Advanced 2.4 GHz wireless, 910-005931
910-005931	R 197	Logitech Wireless USB Unifying receiver (Pico), Supports 6 devices, Advanced 2.4 GHz wireless, 910-005931
CAB-1	R 401	KeyChron Premium coiled Aviator USB cable - Type-C Type-A Adapter, Detachable Aviator connector, 108 cm, 5 pin (GX16) Aviator Port, 14 cm coil length, 94 cm normal length, 108 cm total length

CAB-17	R 276	Keychron Light Purple/Straight Coiled Aviator Cable
CAB-18	R 276	Keychron Mint/Straight Coiled Aviator Cable
CAB-2	R 401	KeyChron coiled Aviator cable - Red, Compatible with KeyChron keyboards, Type-C to USB Type-A Adapter is included
CAB-B	R 238	Keychron Black/Straight Coiled Aviator Cable
CAB-L	R 236	KeyChron coiled Aviator Blue cable, 5 pin (GX12) Aviator Port, Type-C cable connection Type
CAB-W	R 276	KeyChron coiled Aviator White cable, 5 pin (GX12) Aviator Port, Type-C cable connection Type
DKSA108-USADZZWSA	R 58	Ducky Keycap Azure SA ABS, ABS Double-Shot material, 108x Keys, No backlit support, Azure Colour, SA profile keycaps
DKSA108-USADZZWSG	R 58	Ducky Keycap Afterglow SA ABS, SA Profile Series, ABS Double-Shot material, ANSI layout, 108 Keys, No backlit support, Afterglow Colour
EA-TTE-WRTBLK-03	R 113	Thermaltake Battle Dragon Wrist Rest, Material: Lycra (Surface) PU (Non-Slip Base) Memory foam, 470mm x 70mm x 20mm
G195	R 345	KeyChron Banana Gateron KS-33 Low Profile 2.0 Mechanical Switch 110 pieces, Banana (Yellow) Colour
G199	R 764	KeyChron Cherry MX2A Red RGB Switch Set, Linear (No click) Switch Type, 2mm Pre-Travel, 4mm Travel distance, Low Sound level, Spring Steel, SMD LED support, 110 Switches
G201	R 764	KeyChron Cherry MX2A Brown RGB Switch Set, Tactile (No click) Switch Type, 2mm Pre-Travel, 4mm Travel distance, Medium Sound level, Spring Steel, SMD LED support, 110 Switches
G203	R 764	KeyChron Cherry MX2A Speed Silver RGB Switch Set, Linear (No click) Switch Type, 1.2mm pre-travel, 3.4mm Travel distance, Low sound level, Spring Steel, SMD LED support, 110 Switches
G204	R 1,001	KeyChron Cherry MX2A Silent Red Switch Set, Linear (No click) Switch Type, 1.9mm pre-travel, 3.7mm Travel distance, Quiet Sound level, Spring Steel, 110 Switches
G40	R 298	KeyChron G40 Gateron Phantom Red - 35 pieces, 55 gf actuation strength, 4.0mm total Travel, 2.0mm pre-travel, Sound Level Quiet
G42	R 298	KeyChron G42 Gateron Phantom Brown - 35 pieces, 55 gf actuation strength, 4.0mm total Travel, 2.0mm pre-travel, Sound Level Clicky
G43	R 367	KeyChron G43 Gateron Phantom Yellow - 35 pieces, 50 gf actuation strength, 4.0mm total Travel, 2.0mm pre-travel, Quiet sound level
G50	R 361	Keychron Red Gateron Low Profile Switches 110 pcs
G52	R 363	KeyChron Brown Gateron Low Profile 2.0 KS-33 Switches - 110 pieces
KB-CMZ1	R 56	CoolerMaster Coiled Cable Double-Sleeved - Magenta - Type C
KEYSTAND	R 217	Microworld Acrylic Keyboard stand PC, Clear stand Black pad
KZQ-H	R 194	KeyChron KZQ-H Gateron Switch opener, Anodized aluminum material, MX Switch support
LS-AAKT01	R 1,571	Aavara AKT01 - Keyboard Tray - 100x100 vesa mount for desk stands & wall mount
PBT-03	R 528	KeyChron Double shot KSA pbtfull Keycap Set - White on Black, Brand KeyChron Double shot KSA PBT full Keycap Set, Colour White on Black, Accessory Type Keycap Set, Material Double-Shot PBT, Keycap Wall thickness 1.6 mm, Stem Type MX-style stem, Profile KSA Profile, Non-shine-through legends
PBT-45	R 528	KeyChron Double shot KSA PBT Keycap Set - Dark Grey / Grey / Blue, 1.6 mm thickness, Double-Shot PBT, MX style stem, Backlight does not Shine through (Note: This is an add-on keycap set, and not a keyboard)
PBT-46	R 528	KeyChron Double shot KSA PBT Keycap Set - Dark Grey / White Smoke, 1.6 mm thickness, Double-Shot PBT, MX style stem, Backlight does not Shine through
PBT-51	R 447	KeyChron Double-Shot PBT OSA Keycap Set - Grey, 1.3 mm thickness, MX style stem, Backlight does not Shine through, OSA Profile
PBT-52	R 528	KeyChron Double-Shot PBT OSA Keycap Set - Retro, 1.3 mm thickness, MX style stem, Backlight does not Shine through
PBT-53	R 528	KeyChron Double-Shot PBT OSA Keycap Set - Blue and White, 1.3 mm thickness, MX style stem, backlight does not Shine through, OSA Profile
PBT-54	R 488	Keychron Double Shot OSA PBT Keycap Full Keycap Set - Purple (Keyboard not included)
PBT-56	R 488	KeyChron Double shot PBT OSA full Keycap Set - Dark Grey, 1.3 mm thickness, MX style stem, OSA profile,

		Durable material with legends that last (Keyboard not included, includes key caps only)
PBT-57	R 488	KeyChron Double shot PBT OSA full Keycap Set - Black / White, Double-Shot PBT, 1.3 mm thickness, MX style stem, OSA profile, Durable material with legends that last (Keyboard not included, includes key caps only)
PBT-58	R 449	KeyChron PBT LSA knight Keycap Set v2 - Low Profile, Double-Shot PBT material, Low-Profile spherical angled, Matte finish with anti-shine properties, Mx-style cross stem Keycap mounting (Keyboard not included, this are the key caps only)
PBT-62	R 528	KeyChron Low Profile Dye-Sub PBT LSA Full Set Keycap Set - Hacker Edition, 133 Keys, Low Profile, PBT material, LSA Keycap Profile, Mx-style stem Type
PBT-65	R 488	KeyChron Cherry Profile Dolch Red PBT full Keycap Set, Double-Shot PBT Plastic Keycap material, 143 KeyCaps, Mx-style Mechanical Switches Switch compatibility, Double-Shot moulding printing Method
SS-60200	R 849	SteelSeries PrismCaps Black US keycaps, Engineered with durable Thermoplastic PBT material, Double-shot design with translucent sides and letters, Pudding-style RGB illumination through keycap letters, Compatible with SteelSeries Apex Pro / Apex 7 / Apex 5 / Apex M750 keyboards, Fits most MX stem mechanical keyboards even with non-standard bottom row, Includes one US Layout set of 104 keys, Includes one extra non-standard bottom row set of 16 keys, Package includes a keycap puller for installation
T4	R 799	Keychron OEM Dye-Sub PBT Full Set Keycap Set - Unicorn
T7	R 677	KeyChron OEM Dye-Sub PBT Keycap Set - Hacker Version C, OEM Profile, Polybutylene terephthalate (PBT) material, Not backlight-transparent, 1.6mm thickness, Mx-style stem Type, Compatible with Cherry MX Switch (Keyboard not included)

< Return to the menu

Keyboard templates

Product code	Price	Description
KE-ZKBF2	R 110	Zboard limited edition gaming keyset for Battle Field 2 *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKBF2142	R 79	Zboard limited edition gaming keyset for Battle Field 2142 *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKBME2	R 79	Zboard limited edition gaming keyset for the lord of the ring: Battle for Middle Earth 2 *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKCoD2	R 79	Zboard limited edition gaming keyset for Call Of Duty 2 *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKDM3	R 79	Zboard limited edition gaming keyset for Doom 3 *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKEQ2	R 79	Zboard limited edition gaming keyset for Ever Quest 2 *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKGWF	R 79	Zboard limited edition gaming keyset for GuildWars Faction or GuildWars *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKME	R 79	Zboard keyset for Microsoft Excel, 104 labelled Microsoft Excel default shortcuts, colour coded, pre-programmed shortcuts, 17 Bar Lock keys for key Microsoft Excel commands, 12 Pad Lock keys for additional Microsoft Excel commands *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKMo	R 79	Zboard keyset for Microsoft Office, 55 labelled Microsoft Office default shortcuts, colour coded, pre-programmed shortcuts, 12 Bar Lock keys for key Microsoft Office commands, 16 Pad Lock keys for additional Microsoft Office commands *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKMW	R 79	Zboard key-set for Microsoft Word, 112 labelled Microsoft Word default shortcuts, colour coded, pre-programmed shortcuts, 12 Bar Lock keys for key Microsoft Word commands, 16 Pad Lock keys for additional Microsoft Word commands *Note: This is NOT a keyboard, this is a TEMPLATE only

< Return to the menu

Keyboards

Keyboards : Keyboard / mouse combo

Product code	Price	Description
1Y4D0UT	R 341	HP 235 Wireless Mouse and Keyboard Combo
1Y4D0UT	R 355	HP 235 Wireless Mouse and Keyboard Combo
240J7AA	R 298	HP 240J7AA 150 Wired Mouse and Keyboard Combo Set English - Black, 100 cm cable length, USB Type-A

		Connector, Red Optical Tracking Sensor Technology, 3 buttons, Full size Keyboard Type, 2.5 mm plunger Low Profile key Travel
2V9E6AA	R 408	HP 330 Black Wireless Keyboard & Mouse Combo. 1 x HP full-size wireless keyboard with 12 function keys; 1 x HP 1600dpi wireless mouse; 2 x AAA batteries; 1 x USB wireless receiver; 1 x user documentation
31340014400	R 262	Genius KM-8101 2.4GHz Wireless Keyboard and Mouse combo, 12 Multimedia Function keys, Ergo shape design Mouse
31340017400	R 320	Genius KM-8206S Wireless Silent Keyboard Mouse Combo, 2.4GHz RF Frequency, USB Type-A receiver, Up to 10 meters working distance, Chocolate Keycap Type, 3 buttons Mouse, Optical Mouse Sensor Engine, 1200 DPI Mouse Resolution, KB-7200 (Wireless Silent Keyboard), NX-8006S (Wireless Silent Optical Mouse), One USB receiver
4R009UT	R 854	HP 4R009UT 655 Wireless Keyboard and Mouse Combo, Up to 24 months (Mouse) Battery Life, Up to 20 months (Keyboard withleds off) Battery Life, 2 x AAA Battery each for Keyboard & Mouse, Mouse up to 4000 dpi Resolution, Multi Surface Tracking Sensor Technology, 3 buttons, Full size 3-zone layout Keyboard Type, 23 programmable Keys, Plunger Keys structure, USB Type-A Port required
4X30H56829	R 1,449	Lenovo 4X30H56829 Professional Plus Wireless Keyboard & Mouse, Keyboard - Full size 3-zone layout, Low profile island style keys, One touch dedicated media controls, Adjustable tilt legs, Mouse - Efficient laser sensor for precision tracking, Ambidextrous five button design for both left and right hand comfort, 4 way scrolling, 1600dpi
4X31N50708	R 759	Lenovo 4X31N50708 Essential Wireless Combo Keyboard & Mouse Gen2 - Black, Reliable 2.4GHz Wireless connection Low-Profile, 2.5-zone Keyboard layout, Adjustable Tilt leg, Spill-resistant Keyboard Design, Full-size Ambidextrous Mouse, 1600 dpi Resolution, Up to 15 months Battery Life for Keyboard, Up to 18 months Battery Life for Mouse
4X31R64453	R 767	Lenovo 4X31R64453 Essential Wireless Combo Keyboard & Mouse Gen2, Co-pilot Button, 2.4GHz connectivity, Lenovo USB Type-A receiver, 3 Button Mouse, 2-way Scrolling, 1600 dpi Mouse Resolution, Optical Mouse Sensor, Up to 15 months Battery Life for Keyboard, Up to 18 months Battery Life for Mouse
4X31R64453	R 690	Lenovo 4X31R64453 Essential Wireless Combo Keyboard & Mouse Gen2, Co-pilot Button, 2.4GHz connectivity, Lenovo USB Type-A receiver, 3 Button Mouse, 2-way Scrolling, 1600 dpi Mouse Resolution, Optical Mouse Sensor, Up to 15 months Battery Life for Keyboard, Up to 18 months Battery Life for Mouse
4X31S04810	R 872	Lenovo 4X31S04810 6000 Wireless Multi-mode Pro Combo Keyboard and Mouse, 2.4GHz Wireless via USB Type-A receiver, Bluetooth 5.3, IR Mouse Sensor, 4-way Scrolling, 8 buttons, 4000 Max dpi, Up to 36 months Battery Life for Keyboard & Mouse, 3-zone Keyboard layout, Lenovo USB Type-A receiver
580-AIWM	R 1,281	Dell 580-AIWM KM7120W Wireless multi-device Keyboard and Mouse - US international, Seamlessly connect to three pieces, 2x Bluetooth 5.0 and 2.4GHz Wireless connection, Scissors Keyboard technology, 7 buttons optical 1600 dpi Mouse, Titan Gray Colour
580-AIWM	R 922	Dell 580-AIWM KM7120W Wireless multi-device Keyboard and Mouse - US international, Seamlessly connect to three pieces, 2x Bluetooth 5.0 and 2.4GHz Wireless connection, Scissors Keyboard technology, 7 buttons optical 1600 dpi Mouse, Titan Gray Colour
580-AJQJ	R 1,386	Dell 580-AJQJ KM7321W Premier multi-device Wireless Keyboard and Mouse - US international (QWERTY), 2.4 GHz & Bluetooth 5.0 Interface, USB Wireless receiver, 7 buttons optical Mouse, 4000 dpi movement Resolution
580-AJQJ	R 1,402	Dell 580-AJQJ KM7321W Premier multi-device Wireless Keyboard and Mouse - US international (QWERTY), 2.4 GHz & Bluetooth 5.0 Interface, USB Wireless receiver, 7 buttons optical Mouse, 4000 dpi movement Resolution
580-AJQJ	R 1,521	Dell 580-AJQJ KM7321W Premier multi-device Wireless Keyboard and Mouse - US international (QWERTY), 2.4 GHz & Bluetooth 5.0 Interface, USB Wireless receiver, 7 buttons optical Mouse, 4000 dpi movement Resolution
580-AJRP	R 621	DELL 580-AJRP KM5221W Pro Wireless Keyboard and Mouse - US international, USB Wireless receiver, 3 buttons optical Mouse, 4000 dpi movement Resolution
580-AJRP	R 622	DELL 580-AJRP KM5221W Pro Wireless Keyboard and Mouse - US international, USB Wireless receiver, 3 buttons optical Mouse, 4000 dpi movement Resolution
580-AJRP	R 553	DELL 580-AJRP KM5221W Pro Wireless Keyboard and Mouse - US international, USB Wireless receiver, 3 buttons optical Mouse, 4000 dpi movement Resolution
580-AKEZ	R 556	Dell 580-AKEZ KM5221W Pro Wireless Keyboard and Mouse - White, US International (QWERTY), 2.4GHz USB

		Wireless receiver, Plunger Keyboard Technology, 3 buttons Optical Mouse, Up to 4000 dpi
580-AKFZ	R 389	Dell 580-AKFZ KM3322W Wireless Keyboard and Mouse, USB Wireless receiver, 12 programmable keys of F1-F12, Plunger Keyboard technology, 3 button Optical Mouse, Adjustable dpi, 4000 dpi Maximum. Other specs: 2.4GHz RF, 12 programmable F1-F12 keys, plunger keyboard technology, 3-button optical mouse, adjustable DPI 1000; 1600; 2400; 4000, Dell Peripheral Manager software, AES-128 encryption, full-size keyboard with numpad, ergonomic tilt legs, 36-month battery life, compatible with Windows; MacOS; Linux; ChromeOS; Android, includes USB receiver, 2 AAA and 1 AA batteries, black color
580-AKFZ	R 386	Dell 580-AKFZ KM3322W Wireless Keyboard and Mouse, USB Wireless receiver, 12 programmable keys of F1-F12, Plunger Keyboard technology, 3 button Optical Mouse, Adjustable dpi, 4000 dpi Maximum. Other specs: 2.4GHz RF, 12 programmable F1-F12 keys, plunger keyboard technology, 3-button optical mouse, adjustable DPI 1000; 1600; 2400; 4000, Dell Peripheral Manager software, AES-128 encryption, full-size keyboard with numpad, ergonomic tilt legs, 36-month battery life, compatible with Windows; MacOS; Linux; ChromeOS; Android, includes USB receiver, 2 AAA and 1 AA batteries, black color
580-BBCZ	R 3,864	Dell 580-BBCZ KM900 Collaboration Keyboard and Mouse Wireless, US International (QWERTY), 2.4GHz or Bluetooth 5.1, USB Wireless receiver, Scissors Keyboard Technology, Backlighting, Built-In Rechargeable Battery, 8000 dpi Max Mouse
580-BBVV	R 800	Dell 580-BBVV KM555 Silent Wireless Keyboard and Mouse - US International (QWERTY), Plunger KeySwitch Technology, Bluetooth/RF Wireless Technology, Quiet Keys, Spill resistant, Programmable Keys, Adjustable Tilt, Wireless Optical Mouse, 4020 Resolution (dpi), 3 buttons, Scroll Wheel, Symmetrical Ergonomic Fit, USB receiver
580-BBVV	R 759	Dell 580-BBVV KM555 Silent Wireless Keyboard and Mouse - US International (QWERTY), Plunger KeySwitch Technology, Bluetooth/RF Wireless Technology, Quiet Keys, Spill resistant, Programmable Keys, Adjustable Tilt, Wireless Optical Mouse, 4020 Resolution (dpi), 3 buttons, Scroll Wheel, Symmetrical Ergonomic Fit, USB receiver
580-BDKV	R 630	Dell 580-BDKV KM526 Pro 5 Keyboard and Mouse - US International (QWERTY) - Black, Plunger KeySwitch Technology Wireless Keyboard, Spill resistant, Abrasion proof, Programmable Keys, Adjustable Tilt, 16 programmable Keys, Wireless Optical Mouse, 6000 dpi, 3 programmable buttons, Scroll Wheel, USB Type-A Wireless Receiver Interface
580-BDLK	R 1,476	Dell 580-bdlk Pro 7 Slim Wireless Keyboard and Mouse - KM726 - US International (QWERTY), Scissors Keyboard KeySwitch Technology, Bluetooth / RF, Quiet Keys, Low-Profile Keys, Adjustable Tilt, 3 sections, 16 programmable Keys, Wireless Optical Mouse up to 6000 dpi, 3 programmable buttons, Symmetrical Ergonomic Fit, Silent clicks, Textured scroll and side grip, Adaptive scroll, USB Type-A Keypad Host Interface, AA & AAA Batteries
74-580AIWM	R 938	Dell 580-AIWM KM7120W Wireless multi-device Keyboard and Mouse - US international, Seamlessly connect to three pieces, 2x Bluetooth 5.0 and 2.4GHz Wireless connection, Scissors Keyboard technology, 7 buttons optical 1600 dpi Mouse, Titan Gray Colour
74-580AJQJ	R 1,359	Dell 580-AJQJ KM7321W Premier multi-device Wireless Keyboard and Mouse - US international (QWERTY), 2.4 GHz & Bluetooth 5.0 Interface, USB Wireless receiver, 7 buttons optical Mouse, 4000 dpi movement Resolution
74-580AJRP	R 574	DELL 580-AJRP KM5221W Pro Wireless Keyboard and Mouse - US international, USB Wireless receiver, 3 buttons optical Mouse, 4000 dpi movement Resolution
74-580AKEZ	R 643	Dell 580-AKEZ KM5221W Pro Wireless Keyboard and Mouse - White, US International (QWERTY), 2.4GHz USB Wireless receiver, Plunger Keyboard Technology, 3 buttons Optical Mouse, Up to 4000 dpi
74-580AKFZ	R 370	Dell 580-AKFZ KM3322W Wireless Keyboard and Mouse, USB Wireless receiver, 12 programmable keys of F1-F12, Plunger Keyboard technology, 3 button Optical Mouse, Adjustable dpi, 4000 dpi Maximum. Other specs: 2.4GHz RF, 12 programmable F1-F12 keys, plunger keyboard technology, 3-button optical mouse, adjustable DPI 1000; 1600; 2400; 4000, Dell Peripheral Manager software, AES-128 encryption, full-size keyboard with numpad, ergonomic tilt legs, 36-month battery life, compatible with Windows; MacOS; Linux; ChromeOS; Android, includes USB receiver, 2 AAA and 1 AA batteries, black color
74-580BBCZ	R 3,711	Dell 580-BBCZ KM900 Collaboration Keyboard and Mouse Wireless, US International (QWERTY), 2.4GHz or Bluetooth 5.1, USB Wireless receiver, Scissors Keyboard Technology, Backlighting, Built-In Rechargeable Battery, 8000 dpi Max Mouse
900900-US	R 213	Port Design COMBO Wired Mouse Keybaord - Black

900901-US	R 490	Port 900901 Wireless Keyboard and Mouse combo, US Keyboard layout, wireless 2.4 GHz technology with 10m RANGE, 104 key silent Keyboard with 20 shortcut KEYS, 5 button silent Mouse with Scroll Wheel
900901-US	R 425	Port 900901 Wireless Keyboard and Mouse combo, US Keyboard layout, wireless 2.4 GHz technology with 10m RANGE, 104 key silent Keyboard with 20 shortcut KEYS, 5 button silent Mouse with Scroll Wheel
910001356	R 556	Logitech R400 Black Wireless Presenter; Full-size US International QWERTY keyboard; 10-key numeric keypad; 8 media controls; 2.4 GHz wireless; Up to 10 m range; 1000 DPI optical mouse; Spill-resistant keyboard; 2 x AAA keyboard batteries; 1 x AA mouse battery; Up to 36-month keyboard and 12-month mouse battery life
920-002562	R 189	Logitech MK120 Corded Desktop USB, 3 years, Ultra quiet keys, auto sleep mode, 3 years, Ultra quiet keys, auto sleep mode
920-002562	R 169	Logitech MK120 Desktop - Multimedia Shortcut Keys, US Key Layout, Spill Resistant, Ergonomic Slope, Soft Press Keys, Ambidextrous Optical Mouse, USB
920-002562	R 173	Logitech 920-002562 MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel
920-002562	R 184	Logitech 920-002562 MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel
920-002562	R 267	Logitech 920-002562 MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel
920-002562	R 178	Logitech 920-002562 MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel
920-002589	R 242	Logitech MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel, 920-002589
920-003161	R 291	Logitech MK220 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, 10-key number pad, Music controls, Deep-profile key Type, Spill-resistant, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, USB receiver
920-003161	R 275	Logitech MK220 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, 10-key number pad, Music controls, Deep-profile key Type, Spill-resistant, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, USB receiver
920-003236	R 372	Logitech MK220 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, 10-key number pad, Music controls, Deep-profile key Type, Spill-resistant, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, USB receiver, 920-003236
920-003381	R 369	Logitech MK270 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, 920-003381
920-003989	R 699	Logitech MK330 Cordless (Wireless Keyboard 1200dpi Mouse), enhanced function keys 11 hot keys, black - unifying receiver - USB
920-003989	R 750	Logitech MK330 Wireless Desktop Keyboard & Mouse, low profile design, Multimedia & Internet keys, Wireless Ambidextrous Optical Mouse, Plug & forget Nano receiver, USB, 10 m Wireless range, Spill-resistant design, 10-key number pad, Deep profile key Type, 24 months Keyboard battery, Smooth Optical Tracking Mouse, 3 buttons, Scroll Wheel, 12 months Mouse battery
920-004509	R 399	Logitech MK270 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, 920-004509
920-004509	R 357	Logitech MK 270 Wireless Desktop, 10m range, extended batter life, 8 hot keys, full size, spill resistant, plug and play

920-004509	R 400	Logitech MK270 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel
920-004509	R 390	Logitech MK270 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel
920-006489	R 499	Logitech Wireless Combo MK345 Keyboard and Mouse with extra Long battery life, 48 months battery life, Full-size layout with 12 enhanced F-keys for Media control, 10 m Maximum Wireless operating distance, Advanced 2.4 GHz Wireless connectivity, Logitech advanced optical Tracking, 1000 dpi Resolution, 3 buttons
920-006489	R 503	Logitech Wireless Combo MK345 Keyboard and Mouse with extra Long battery life, 48 months battery life, Full-size layout with 12 enhanced F-keys for Media control, 10 m Maximum Wireless operating distance, Advanced 2.4 GHz Wireless connectivity, Logitech advanced optical Tracking, 1000 dpi Resolution, 3 buttons
920-007931	R 299	Logitech 920-007931 MK235 Cordless (cordless Keyboard Mouse), Full sized kb - with 128-bit AES wireless encryption, enhanced function keys
920-007931	R 319	Logitech MK235 Wireless Mouse & Keyboard combo - Black, Spill-resistant design, Tilt legs, 15 Function keys special keys, 10-key number pad, 2x AAA batteries, 3 buttons Mouse, Line-by-Line Scrolling, Scroll Wheel, 1x AA batteries
920-007931	R 311	Logitech MK235 Wireless Mouse & Keyboard combo - Black, Spill-resistant design, Tilt legs, 15 Function keys special keys, 10-key number pad, 2x AAA batteries, 3 buttons Mouse, Line-by-Line Scrolling, Scroll Wheel, 1x AA batteries, 920-007931
920-008685	R 769	Logitech MK540 Wireless Keyboard and Mouse Combo, Caps lock indicator light, Battery indicator light, Familiar key shape and feel, whisper-quiet
920-008685	R 766	Logitech MK540 Advanced Wireless Combo Keyboard & Mouse - Black, Spill-resistant design Keyboard, 3 Tilt positions, Palm rest, Abrasion resistant key print, 10-key number pad, Deep profile key Type, Smooth Optical Tracking Sensor technology Mouse, 3 buttons, Line-by-Line Scrolling, Scroll Wheel
920-008685	R 791	Logitech 920-008685 mk540 Cordless (K540 cordless kb M310 mouse), Incurve keys with palm rest, adjustable tilt legs, enhanced function keys hot keys, battery indicator on/off switch on mouse, black - USB unifying receiver
920-008691	R 799	Logitech MK540 Advanced Wireless Combo Keyboard and Mouse, 10 meters WiFi range, Spill-resistant Design Keyboard, 3 Tilt positions, Palm rest, Abrasion resistant key print, 10-key number pad, 2 AA Batteries, 36 months Battery, Smooth Optical Tracking Mouse, 3 buttons, Line-by-Line Scrolling, Scroll Wheel, 1 AA Battery, 18 months Battery, 920-008691
920-009180	R 716	Logitech MK470 Slim Combo Wireless - Graphite, Nano Receiver, High Precision Optical Tracking Sensor Technology, 1000 DPI Sensor Resolution, 3 buttons, Scroll Wheel, Middle Button scroll buttons, 18 months Battery Life Mouse, 1x AA Battery Type Mouse, 36 months Battery Life Keyboard, 2x AAA Battery Type Keyboard, 920-009180
920-009204	R 910	Logitech Wireless Keyboard and Mouse combo MK470 Graphite, High Precision optical Tracking sensor technology, 1000 dpi sensor Resolution, 3 number of buttons, 10 M Wireless operating distance
920-009204	R 922	Logitech MK470 Wireless Keyboard and Mouse combo - Graphite, High Precision Optical Tracking sensor technology, 1000 dpi sensor Resolution, 3 number of buttons, 10 m Wireless operating distance
920-009204	R 1,022	Logitech MK470 Wireless Keyboard and Mouse combo - Graphite, High Precision Optical Tracking sensor technology, 1000 dpi sensor Resolution, 3 number of buttons, 10 m Wireless operating distance
920-009205	R 1,024	Logitech MK470 slim Wireless Keyboard combo - Off White, 1000 dpi sensor Optical Resolution Mouse, 3 buttons, Mechanical Scroll Wheel, 18 months battery life Mouse, 36 months battery life Keyboard, 10 m Wireless operating distance, Logitech Nano receiver
920-009205	R 905	Logitech MK470 slim Wireless Keyboard combo - Off White, 1000 dpi sensor Optical Resolution Mouse, 3 buttons, Mechanical Scroll Wheel, 18 months battery life Mouse, 36 months battery life Keyboard, 10 m Wireless operating distance, Logitech Nano receiver
920-009800	R 453	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - Graphite, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009800
920-009800	R 479	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - Graphite, 10 m WiFi range, Silenttouch

		technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009800
920-009800	R 458	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - Graphite, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse
920-009813	R 566	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - Graphite, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009813
920-009824	R 452	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - White, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009824
920-009824	R 459	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - White, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009824
920-010233	R 4,718	Logitech MX Keys Combo for Business - Graphite - Bluetooth / 2.4GHz, Logitech Logi Bolt USB receiver, Easy-Switch Hot Keys Function, Numeric Keypad, Wireless Laser Mouse, 7 buttons, 200 - 4000 dpi Resolution, USB-C charging cable, Palm rest
920-010933	R 3,518	Logitech MX Keys Wireless Mouse & Keyboard combo - Graphite, Darkfield high Precision Sensor technology in Mouse, 200-8000 dpi, Logi Bolt USB receiver, USB-C Rechargeable Li-Po (1500 mAh) Battery in Keyboard, USB-C Rechargeable Li-Po (500 mAh) Battery in Mouse, MX Palm rest, 920-010933
920-011004	R 1,298	Logitech MK650 Wireless Mouse & Keyboard combo - Graphite, 400-4000 dpi Precision Tracking mosue, 5 buttons, Scroll Wheel line by line Precision and hyper-fast speed, 118 keys Keyboard, 6 Hot-Keys, 20 f-row keys, 24 shortcut keys, Logi Bolt USB receiver, 1 AA Battery M650 Mouse, 2 AA batteries K650 Keyboard, 920-011004
920-011032	R 1,517	Logitech MK650 Wireless Mouse & Keyboard Combo - Off White, 400-4000 dpi Precision Tracking mosue, 5 buttons, Scroll Wheel line by line Precision and hyper-fast Speed, 118 Keys Keyboard, 6 Hot-Keys, 20 f-row Keys, 24 shortcut Keys, Logi Bolt USB receiver, 1 AA Battery M650 Mouse, 2 AA Batteries K650 Keyboard, 920-011032
920-011614	R 4,732	Logitech MX Keys S Combo Wireless Keyboard and Mouse - Graphite, MX Keys s Keyboard, MX Master 3s Mouse, Darkfield high Precision Sensor technology, 7 buttons, 920-011614
920-011614	R 3,850	Logitech MX Keys S Combo Wireless Keyboard and Mouse - Graphite, MX Keys S Keyboard, MX Master 3S Mouse, Darkfield high Precision Sensor technology, 7 buttons, 920-011614
920-012077	R 769	Logitech MK370 Wireless Keyboard and Mouse combo Wireless - Graphite, Ambidextrous, 112 total plunger Type keys Keyboard, Spill-resistant, Programmable f-row and shortcut keys, Tilt legs with adjustable height, 2x AAA batteries, Silent Touch technology Mouse, Smooth Optical Tracking, 1000 dpi Tracking, 2 buttons, Scrollwheel, 1x AA Battery, Logi Bolt USB receiver, 920-012077
920-012239	R 799	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Graphite, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012239
920-012239	R 880	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Graphite, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012239
920-012239	R 858	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Graphite, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012239
920-012240	R 883	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal White, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life,

		24 months Mouse Battery Life, Logi Bolt receiver
920-012241	R 883	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Rose, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver
920-012398	R 799	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal White, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012398
920-012399	R 799	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Rose, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012399
920-012477	R 1,832	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012477
920-012490	R 2,090	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490
920-012490	R 1,772	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490
920-012490	R 1,826	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490
920-012500	R 1,832	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012500
920-012508	R 1,666	Logitech Wireless Signature Slim Combo MK950 for Business - Graphite, Logi Bolt USB Type-A receiver, Bluetooth, Wireless Keyboard with 2 x AAA Batteries (Included), Mouse with 1 x AA Battery (Included)
920-013349	R 1,436	Logitech Wired Combo MK620 for Business - Graphite - US - USB-C, K620 Keyboard & M520 Mouse Precision Optical Tracking Sensor Technology, USB-C Wired Keyboard connection, The Keyboard plate inside the K620 Keyboard is made with low-carbon Aluminum
920-013519	R 390	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
920-013519	R 399	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
920-013519	R 386	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
920-013635	R 1,954	Logitech Wave Keys & Lift Vertical Mouse Wireless Combo, Logitech Advanced Optical Tracking Mouse,

		400-4000 dpi Sensor Resolution, 6 buttons, Scroll-wheel with middle click, 1x AA Battery (Included), Up to 24-months Battery Life, Wireless Keyboard, 2x AAA (Included) Keyboard Battery Type, Up to 36 months Battery Life, Battery indicator lights, Tilt legs adjustable height, Plunger key Type, Logi Bolt USB Type-A Receiver, 920-013635
920002562	R 209	Logitech MK120 Corded Keyboard and Mouse Combo, Comfortable quiet typing spill resistant design high definition optical mouse with smooth accurate tracking & an ambidextrous shape
920004509	R 413	Logitech MK270 Wireless Keyboard and Mouse Combo; black; full-size US International QWERTY keyboard; 10-key numeric keypad; 8 media controls; 2.4 GHz wireless; USB nano receiver; up to 10 m range; 1000 DPI optical mouse; 2 x AAA keyboard batteries; 1 x AA mouse battery; keyboard battery life up to 36 months; mouse battery life up to 12 months; spill-resistant keyboard
920009204	R 1,139	Logitech MK470 Graphite Slim Keyboard and Mouse Combo; 2.4 GHz USB nano receiver; up to 10 m range; compact keyboard with number pad; low-profile scissor keys; 12 FN shortcuts; 1000 DPI optical mouse; 3 mouse buttons; keyboard battery life up to 36 months; mouse battery life up to 18 months; keyboard: 373.5 x 143.9 x 21.3 mm; mouse: 107 x 59 x 26.5 mm
920009205	R 1,139	Logitech MK470 Off White Slim Keyboard and Mouse Combo; 2.4 GHz wireless; USB-A receiver; up to 10 m range; compact keyboard with number pad and 12 FN shortcuts; scissor keys; 1000 DPI optical mouse; ambidextrous design; keyboard: 2 x AAA, up to 36 months; mouse: 1 x AA, up to 18 months; off-white
920009800	R 470	Logitech MK295 Silent wireless keyboard and mouse combo; Full-size wireless keyboard with numeric keypad; SilentTouch technology reduces typing and clicking noise by over 90%; 2.4 GHz wireless; Up to 10 m range; 1000 DPI optical mouse; 1 x USB-A nano receiver; Keyboard: 2 x AAA batteries; Mouse: 1 x AA battery; Keyboard battery life up to 36 months; Mouse battery life up to 18 months
920012239	R 1,034	Logitech KM Pebble 2 Tonel Graphite keyboard and mouse combo; Bluetooth Low Energy; Logi Bolt USB receiver included; Up to 3 devices; Silent Touch mouse; Keyboard battery life up to 36 months; Mouse battery life up to 24 months
920012240	R 1,027	Logitech KM Pebble 2 Tonel White Keyboard and Mouse Combo; Wireless keyboard and mouse; Bluetooth Low Energy; Logi Bolt USB receiver; Easy-Switch up to 3 devices; Keyboard: 279.5 x 124.2 x 16.4 mm; Mouse: 106.7 x 58.7 x 26.6 mm; Mouse sensitivity: 400-4000 DPI; Keyboard battery life: up to 36 months; Mouse battery life: up to 24 months; Includes batteries and receiver
920013519	R 424	Logitech MK250 Graphite Bluetooth Keyboard Mouse Combo; Bluetooth Low Energy; 1000 DPI mouse; Numeric keypad; Ambidextrous mouse; Up to 10 m wireless range; Up to 12-month battery life; 2 x AAA keyboard batteries; 1 x AA mouse battery; Spill-resistant keyboard; Windows 10 or later, macOS 12 or later, ChromeOS
920013635	R 2,177	Logitech Wave Keys Keyboard & Lift Mouse Graphite Combo; Ergonomic wireless keyboard and vertical mouse; Wave-shaped keyboard; Cushioned palm rest; 57-degree vertical mouse; SmartWheel; Bluetooth Low Energy; Logi Bolt USB receiver; Easy-Switch for up to 3 devices; Keyboard: 2 x AAA, up to 36 months; Mouse: 1 x AA, up to 24 months; Windows, macOS, ChromeOS, Linux, iPadOS, iOS, Android
9SR36UT	R 378	HP 9SR36UT Wired Desktop 320MK Mouse and Keyboard, Caps Lock & Num Lock LED indicator, Full size 3-zone layout Keyboard Type, 180 cm cable length, Copilot special Keys, 3 Button Mouse, Red Optical Tracking Sensor Technology, 3 programmable buttons, Copilot special Keys
A2000WM	R 378	Alcatroz Jellybean A2000 White & Mint Wireless Keyboard Mouse combo, 1200 CPI optical Mouse, Multimedia shortcut keys, 96 Unique rounded soft and silent keys
A2000WW	R 378	Alcatroz A2000 Jellybean White Wireless Keyboard and Mouse Combo
A3000AQUA	R 426	Alcatroz Jellybean A3000 Wireless and Bluetooth Keyboard & Mouse Combo - Aqua, 86 Unique rounded soft and silent keys, Waterproof Design, High-Definition 1000cpi Wireless Optical Mouse
A3000CGRN	R 426	Alcatroz Jellybean A3000 Wireless and Bluetooth Keyboard & Mouse Combo - Crayon Green, 86 Unique rounded soft and silent keys, Waterproof Design, High-Definition 1000cpi Wireless Optical Mouse
A3000CPNK	R 426	Alcatroz Jellybean A3000 Wireless and Bluetooth Keyboard & Mouse Combo - Crayon Pink, 86 Unique rounded soft and silent keys, Waterproof Design, High-Definition 1000cpi Wireless Optical Mouse
A5000LATTE	R 574	Alcatroz Jellybean A5000 Latte Wireless Keyboard and Mouse Combo; 104-key full-size keyboard; Soft and silent

		membrane keys; UV laser-engraved key legends; 1600 CPI optical mouse; 4-button mouse; 2.4GHz wireless connectivity; Up to 10m range; Rechargeable batteries; USB Type-C charging cable; Keyboard: 440 x 142 x 36 mm; Mouse: 105 x 60 x 37 mm; Windows and Mac compatibility
A5000LILAC	R 574	Alcatroz Jellybean A5000 Lilac Wireless Keyboard and Mouse Combo; 2.4GHz wireless; 10m range; 104-key full-size keyboard; soft silent membrane keys; UV laser-engraved key legends; 1600 CPI optical mouse; 4-button mouse; rechargeable 300mAh keyboard battery; rechargeable 500mAh mouse battery; USB receiver; USB Type-C charging cable; keyboard 440 x 142 x 36 mm; mouse 105 x 60 x 37 mm
A5000MACARON	R 574	Alcatroz Jellybean A5000 Macaron Wireless Keyboard and Mouse Combo; 2.4GHz wireless; up to 10m range; silent membrane keys; UV laser-engraved key legends; rechargeable 300mAh keyboard battery; 1600 CPI optical mouse; 4-button mouse; rechargeable 500mAh mouse battery; Macaron colour; Windows and Mac compatibility
A5000MIST	R 574	Alcatroz Jellybean A5000 Mist Wireless Keyboard and Mouse Combo; 2.4GHz wireless; up to 10m range; 104-key full-size keyboard; soft silent membrane keys; UV laser-engraved key legends; 1600 CPI optical mouse; 4-button mouse; rechargeable batteries; keyboard: 440 x 142 x 36 mm; mouse: 105 x 60 x 37 mm
A81013-BEN	R 141	Astrum KC130 Wired Keyboard Mouse combo kit - USB, 104keys Multimedia Keyboard, 3b Optical Mouse, 2400 dpi Mouse sensitivity
A81532-BEN	R 235	Astrum KW320 Wireless Keyboard and Mouse combo 2.4GHz - Black, Full size 104keys Multimedia Keyboard, 3b Optical Mouse, USB Nano receiver, 1600 dpi Mouse sensitivity
ACAS90-XB1000KM001K0	R 290	Asus U2000 Wired Keyboard and Mouse Set Black, 150 cm cable length, Optical Tracking Mouse, 1000 DPI Resolution, 100% size (Full/TKL) keybard, USB Interface
ACAS90XB0430-BKM3K0	R 680	Asus W5000 Wireless Keyboard and Mouse Set - Black, Connectivity - Wireless / RF 2.4GHz, Optical Tracking, 1600 dpi Max Resolution, 1x AA Battery Mouse, 2x AAA Battery Keyboard, 100% size (Full/TKL)
AIRDOCK2AB	R 459	Alcatroz Jellybean Air Dock 2 Bluetooth and Wireless Keyboard - Autumn Black, 230mAh Battery capacity, About 2 hours charging time, About 15 days Battery Life, Type-C charging Port, Soft and Silent Keys, Built-In retractable device stand
AIRDOCK2SP	R 459	Alcatroz Jellybean Air Dock 2 Bluetooth and Wireless Keyboard - Spring Pink, 230mAh Battery capacity, About 2 hours charging time, About 15 days Battery Life, Type-C charging Port, Soft and Silent Keys, Built-In retractable device stand
AIRDOCK2WW	R 459	Alcatroz Jellybean Air Dock 2 Bluetooth and Wireless Keyboard - Winter White, 230mAh Battery capacity, About 2 hours charging time, About 15 days Battery Life, Type-C charging Port, Soft and Silent Keys, Built-In retractable device stand
AK-6770	R 459	Armaggeddon AK-6770 Kalashikov Gaming Keyboard and Mouse
AK-6880	R 482	Armaggeddon AK-6880 Kalashikov Gaming Keyboard and Mouse
AKCW080BUS	R 108	Astrum KCW080 Wired USB Keyboard & 4-Button Optical Mouse Combo. 104-key silent membrane keyboard; spill-resistant design; 1200 DPI 4-button optical mouse; 1.5 m USB cables; plug-and-play; ergonomic tilt legs; weight 100 g (mouse)
AKCX100BUS	R 169	Astrum AKCX100BUS KCX100 Deskset Wireless Keyboard & Mouse. Wireless 2.4GHz connectivity; Full-size 104-key keyboard; Spill-resistant keys; 12 multimedia keys; High-precision 1600 DPI optical mouse; 3-level adjustable DPI; Ergonomic design; Plug-and-play USB Nano receiver; Compatible with Windows and macOS; Up to 10m operating range
ARIESE1	R 199	KWG Aries E1 2-in-1 combo, Multi-color backlight,Spill Resistant Design, Gaming Mouse Multi-color lighting 3200 DPI for pixel perfect accuracy 6 smart Keys Advanced ergonomic design for every game player, Retail Box
ASUS CW100	R 574	Asus CW100 Black 2.4GHz Wireless Keyboard and mouse
BHR6100GL	R 532	Xiaomi Wireless Keyboard and Mouse Combo
CNE-CKEYW01	R 217	Canyon KB-W01 Black Wireless Keyboard, Classic Full Size Wireless Keyboard, Spill-Resistant, 2.4G Connection, Win/MacOS Compatible, 10 Million Clicks, Button Number: 104
CNE-CSET1	R 209	Canyon SET-1 USB Wired Keyboard & Mouse Combo Set, Optical 3D Wired mice, 1600 dpi
CNE-HSETW01	R 281	Canyon SET-W01 Black Wireless Keyboard Mouse Set, 2.4GHz Connection, Spill-Resistant Keyboard, Symmetrical Mouse; Up to 1200 DPI, Anti-Slip Plastic Body, Windows/Mac OS Compatible, 10 Million Clicks

		Durability
CNS-HSETW02-UK/US	R 353	Canyon SET-W20 Wireless Keyboard & Mouse Combo with silent Switches, 2.4GHz Wireless connection, 104 keys, Silent keys, 1200 dpi Mouse, 3 buttons, USB receiver
DRACOE1A	R 399	KWG Draco E1A 4 in 1 RGB Multi Colour Backlit Gaming Combo Set - Includes KWG Draco Multi Colour Backlit Wired Mechanical Gaming Keyboard, KWG Orion E2 Multi Colour Optical Sensor 6 Keys 3200 DPI Wired Gaming Mouse, KWG Taurus E2 Stereo 3.5mm Gaming Headset, KWG Scorpio E1 Gaming Mouse Mat, Retail Box
DTDE580-AKFZ	R 390	Dell 580-AKFZ KM3322W Wireless Keyboard and Mouse, USB Wireless receiver, 12 programmable keys of F1-F12, Plunger Keyboard technology, 3 button Optical Mouse, Adjustable dpi, 4000 dpi Maximum. Other specs: 2.4GHz RF, 12 programmable F1-F12 keys, plunger keyboard technology, 3-button optical mouse, adjustable DPI 1000; 1600; 2400; 4000, Dell Peripheral Manager software, AES-128 encryption, full-size keyboard with numpad, ergonomic tilt legs, 36-month battery life, compatible with Windows; MacOS; Linux; ChromeOS; Android, includes USB receiver, 2 AAA and 1 AA batteries, black color
FORGE GK100 COMBO	R 377	MSI Forge GK100 GM100 Combo Keyboard and Mouse, USB 2.0 Interface, RGB backlight, Membrane Switch Type, 19 Keys Anti-Ghosting, Optical Mouse Sensor, 6-mode RGB Mouse LED Light, 6400 dpi switchable Max, 7 buttons, 1.5m cable length
FORGE GK110 COMBO	R 346	MSI FORGE GK110 COMBO Keyboard and Mouse - USB 2.0, Membrane Main key Switches Keyboard, 97 Keys, 26 Keys Keyboard Anti-Ghosting, Optical Mouse, 13-mode RGB Mouse LED Light, Switchable dpi, 7 buttons, 1.5 m cable length
FORGE GK300 COMBO	R 630	MSI Forge GK300 GM300 Combo Keyboard and Mouse - Blue Switches, USB 2.0 Interface, 9-mode RGB Keyboard backlight, Mechanical Blue Switches, 26 Keys Anti-Ghosting, Optical Mouse Sensor, 5-mode RGB Mouse LED Light, 7200 dpi Max switchable, 7 buttons, 1.5m cable length
K200 W COMBO US	R 481	MSI Forge K200 Wireless Combo US, USB 2.0 Interface, Scissor Switch Type, Up to 10m Wireless range, AAA Keyboard & Mouse Battery Type, Up to 440 hours Keyboard Battery Life, Optical Mouse Sensor, Max 1600 dpi switchable, 5 buttons, Up to 220 hours Mouse Battery Life
KB-CCM-PLBLUS-01	R 573	Thermaltake Commander Keyboard & Mouse Combo
KB-CPC-MBBRUS-01	R 906	Thermaltake Challanger Prime Rgb Keyboard & Mouse Combo
KBD-KM-8101	R 269	Genius KM-8101 2.4GHz Wireless Keyboard and Mouse combo, 12 Multimedia Function keys, Ergo shape design Mouse
KBD-SLIMSTART-C126	R 190	Genius SlimStart C126 USB Black Keyboard & Mouse combo
KBD-ZW-RKM709	R 476	Zoweetek ZW-RKM709 Wireless 2.4g Keyboard And Mouse Combo.Wireless Keyboard and Mouse Combo; 2.4GHz wireless up to 10m range; multimedia hotkeys; 3-level adjustable DPI (1600/2400/3200); 10 million key presses; plug-and-play nano receiver; compatible with Windows, macOS, Linux, Android TV Box, Raspberry Pi; powered by AAA batteries. (Not for use with Amazon Fire TV Stick and some Smart TVs)
KCBD1	R 843	KeyChron B33 80% TKL Wireless Keyboard and Mouse Combo - Black/Green, 80% TKL layout Keyboard, Scissor Switch Type, Up to 320 hours run time, Connectivity - 2.4GHz Wireless / Bluetooth 5.2 / Wired (USB-C), Optical Sensor Mouse, Up to 98 hours in Bluetooth mode run time, Up to 2400 DPI, 1000 Hz response rate, 2.4GHz Type-A receiver
KCBD2	R 918	KeyChron B36 100% layout Wireless Keyboard and Mouse Combo - Black/Green, Connectivity 2.4GHz Wireless / Bluetooth 5.2 / Wired Type-C, 1000 Hz polling rate (Wired & 2.4GHz), 125 Hz polling rate (Bluetooth), KeyChron B36 Keyboard, Scissor mechanism Keyboard, Multimedia & Function Key toggle shortcut Keys, 800mAh up to 320 hours of Wireless use Battery, Type-A to Type-C cable, KeyChron BM25 Mouse, PAW3212 Sensor, 400-2400 dpi, Huano Micro Switch, 600mAh up to 98 hours of Wireless use Battery, Type-A to Type-C cable
KCBD3	R 918	KeyChron B1 Pro 75% layout Wireless Keyboard and Mouse Combo - Space Grey, Scissor Switch Type, Up to 300 hours run time, Connectivity - 2.4GHz Wireless / Bluetooth 5.2 / Wired, Up to 98 hours in Bluetooth mode run time, Up to 2400 DPI, 1000 Hz response rate
KEY186	R 159	Genius KM-170 USB Keyboard / Mouse combo, Concave keycap Type, 12 Function keys, Optical Mouse sensor engine, 1000 dpi Mouse Resolution, 3 buttons
KM-G6300	R 196	Gigabyte desktop KM6300, black, Kb 1000dpi optical wheel Mouse, 10 multimedia keys, low-profile keyframe - USB

KM-J115	R 245	J5create desktop JiMKU115, Black, full-size membrane Kb 1200dpi optical wheel Mouse, 12 multimedia keys, low-profile keyframe - USB
KM-L120	R 196	Logitech 920-002562 MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel
KM-L235C	R 337	Logitech 920-007931 MK235 Cordless (cordless Keyboard Mouse), Full sized kb - with 128-bit AES wireless encryption, enhanced function keys, black : USB | interface : usb, colour : black, enhanced function keys : Y, additional hotkeys : N, plamrest : N, mouse : Y, 4 way tilt wheel : N, application switch : N, web forward / backward : N, recharge station : N, mouse button : 3, left hand support : Y, battery indicator : N, auto turn off - save battery : N, warranty - years : 3, unifying receiver : N
KM-L250C	R 405	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
KM-L270C	R 422	Logitech 920-004509 mk270 Cordless (K270 cordless keyboard M185 mouse), enhanced function keys 8 hot keys, on/off switch on mouse & kb, spill-resistant, black - unifying receiver - USB
KM-L295C	R 451	Logitech 920-009800 mk295 Cordless (K270 cordless kb M185 mouse), with SilentTouch technology, enhanced function keys 8 hot keys, on/off switch on mouse & kb, spill-resistant, black - nano receiver - USB
KM-L330C	R 733	Logitech 920-003989 mk330 Cordless (cordless KB 1200dpi mouse), enhanced function keys 11 hot keys, black - USB
KM-L345C	R 546	Logitech Wireless Combo MK345 Keyboard and Mouse with extra Long battery life, 48 months battery life, Full-size layout with 12 enhanced F-keys for Media control, 10 m Maximum Wireless operating distance, Advanced 2.4 GHz Wireless connectivity, Logitech advanced optical Tracking, 1000 dpi Resolution, 3 buttons, 920-009867
KM-L470C-K	R 1,538	Logitech 920-009204 mk470 Cordless Black (cordless kb 1000dpi mouse), ultra slim compact (less keys) with silent-touch, enhanced function keys, black - USB nano receiver
KM-L470C-W	R 1,075	Logitech 920-009205 mk470 Cordless White (cordless kb 1000dpi mouse), ultra slim compact (less keys) with silent-touch, enhanced function keys, black - USB nano receiver
KM-L540C	R 782	Logitech 920-008685 mk540 Cordless (K540 cordless kb M310 mouse), Incurve keys with palm rest, adjustable tilt legs, enhanced function keys hot keys, battery indicator on/off switch on mouse, black - USB unifying receiver
KM-L950C-K	R 1,774	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490
KM-LWMXKS-C	R 4,139	Logitech MX Keys S Combo Wireless Keyboard and Mouse - Graphite, MX Keys S Keyboard, MX Master 3S Mouse, Darkfield high Precision Sensor technology, 7 buttons, 920-011614
KM636	R 696	Dell KM636 Wireless Keyboard and Mouse - US International (QWERTY) - White
LENOVO 4X31N94475	R 345	Lenovo 4X31N94475 100 Wireless Keyboard and Mouse Combo, 2.4GHz receiver, Black, 1 AAA Battery for Keyboard, 1 AA Battery for Mouse, 1600 dpi Mouse, Red Optical Mouse Sensor, 2-way scroll, 3 Button
LENOVO 4X31R64316	R 1,357	Lenovo Wireless Professional Rechargeable Combo, US English, AES Encryption, 2.4Ghz Unified Dongle & Dual Bluetooth
LOG-920-002562	R 178	Logitech MK120 combo Desktop Set - USB, Spill-resistant design, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 3 button Mouse, Optical Tracking sensor technology, Scroll Wheel, 920-002562
LOG-920-003161	R 260	Logitech MK220 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, 10-key number pad, Music controls, Deep-profile key Type, Spill-resistant, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, USB receiver
LOG-920-004509	R 399	Logitech MK270 Wireless Mouse & Keyboard combo - Black, 10 m Wireless range, Adjustable Keyboard height, 10-key number pad, Caps Lock indicator light, Smooth optical Tracking Mouse, 3 buttons, Scroll Wheel, 920-004509

LOG-920-006489	R 523	Logitech Wireless Combo MK345 Keyboard and Mouse with extra Long battery life, 48 months battery life, Full-size layout with 12 enhanced F-keys for Media control, 10 m Maximum Wireless operating distance, Advanced 2.4 GHz Wireless connectivity, Logitech advanced optical Tracking, 1000 dpi Resolution, 3 buttons
LOG-920-007931	R 313	Logitech MK235 Wireless Mouse & Keyboard combo - Black, Spill-resistant design, Tilt legs, 15 Function keys special keys, 10-key number pad, 2x AAA batteries, 3 buttons Mouse, Line-by-Line Scrolling, Scroll Wheel, 1x AA batteries, 920-007931
LOG-920-009204	R 895	Logitech MK470 Wireless Keyboard and Mouse combo - Graphite, High Precision Optical Tracking sensor technology, 1000 dpi sensor Resolution, 3 number of buttons, 10 m Wireless operating distance
LOG-920-009800	R 447	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - Graphite, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009800
LOG-920-012239	R 868	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Graphite, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012239
LOG-920-012240	R 847	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal White, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012240
LOG-920-012490	R 2,062	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490
LOG-920-013519	R 401	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
LOGI MK120 920-002562	R 186	Logitech MK120 Corded Keyboard and Mouse Combo, Comfortable quiet typing spill resistant design high definition optical mouse with smooth accurate tracking & an ambidextrous shape
LOGI MK220 920-003161	R 204	Logitech Wireless Keyboard and Mouse Combo MK220 Nano USB receiver 2 4GHz 10m range sleek minimalist design
LOGI MK235 920-007931	R 328	Logitech MK235 Wireless Mouse & Keyboard combo - Black, Spill-resistant design, Tilt legs, 15 Function keys special keys, 10-key number pad, 2x AAA batteries, 3 buttons Mouse, Line-by-Line Scrolling, Scroll Wheel, 1x AA batteries, 920-007931
LOGI MK250 920-013519	R 412	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
LOGI MK270 920-004509	R 355	Logitech Wireless Keyboard and Mouse Combo MK270 Nano USB receiver Full size spill resistant keyboard 2 4GHz with a 10m range compact keyboard with 1000 dpi optical Mouse USB receiver Eight hot keys
LOGI MK295 920-009800	R 504	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - Graphite, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009800
LOGI MK295 920-009824	R 472	Logitech MK295 silent Wireless combo Desktop Keyboard & Mouse - White, 10 m WiFi range, Silenttouch technology, Adjustable Keyboard height, Spill-resistant design, Nano USB receiver, Contoured compact shape Mouse, 920-009824
LOGI MK330 920-003989	R 748	Logitech MK330 Wireless Keyboard and Mouse Combo Nano USB receiver full size key board with low profile keys 2 4 GHz up to 10m range 24-months battery life for KB 12-month for mouse instant access hot

LOGI MK345 920-006489	R 497	Logitech Wireless Combo MK345 Keyboard and Mouse with extra Long battery life, 48 months battery life, Full-size layout with 12 enhanced F-keys for Media control, 10 m Maximum Wireless operating distance, Advanced 2.4 GHz Wireless connectivity, Logitech advanced optical Tracking, 1000 dpi Resolution, 3 buttons
LOGI MK380 920-012239	R 886	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Graphite, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012239
LOGI MK470 920-009204	R 942	Logitech Wireless Keyboard and Mouse combo MK470 Graphite, High Precision optical Tracking sensor technology, 1000 dpi sensor Resolution, 3 number of buttons, 10 M Wireless operating distance
LOGI MK540 920-008685	R 773	Logitech Wireless Keyboard and mouse Combo MK540 Unifying USB receiver Caps lock indicator light Battery indicator light Familiar key shape and feel Whisper-quiet
LOGI MK950 920-012490	R 1,770	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490
LOGI MX KEYS S Combo 920-011614	R 3,540	Logitech MX Keys S Combo Wireless Keyboard and Mouse - Graphite, MX Keys S Keyboard, MX Master 3S Mouse, Darkfield high Precision Sensor technology, 7 buttons, 920-011614
LOGI Pebble 2 Combo 920-012241	R 874	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Rose, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012241
LOGI Wave Keys and Lift Combo 920-013635	R 1,860	Logitech Wave Keys & Lift Vertical Mouse Wireless Combo, Logitech Advanced Optical Tracking Mouse, 400-4000 dpi Sensor Resolution, 6 buttons, Scroll-wheel with middle click, 1x AA Battery (Included), Up to 24-months Battery Life, Wireless Keyboard, 2x AAA (Included) Keyboard Battery Type, Up to 36 months Battery Life, Battery indicator lights, Tilt legs adjustable height, Plunger key Type, Logi Bolt USB Type-A Receiver, 920-013635
Logitech MK MX Keys S Combo	R 3,621	Logitech MK MX Keys S Combo Graphite Wireless Keyboard & Mouse Combo, Wireless, Bluetooth, Rechargeable, Backlit Keys
Logitech MK120	R 182	Logitech MK120 Combo - N/A - US INT ' L - USB - N/A - NSEA
Logitech MK220	R 286	Logitech MK220 2.4GHz wireless keyboard and mouse combo; compact keyboard; numeric keypad; optical mouse; 1000 DPI; 10 m wireless range; USB Type-A receiver; 2 x AAA keyboard batteries; 2 x AA mouse batteries; Windows 10 and 11; ChromeOS; keyboard 381 x 112 x 17.78 mm; mouse 107 x 60 x 40 mm
Logitech MK235	R 321	Logitech MK235 Grey Wireless Keyboard and Mouse
Logitech MK250	R 401	Logitech MK250 Compact Bluetooth Wireless Combo with Compact Keyboard and Ambidextrous Mouse, Bluetooth low energy connectivity, No USB Port required. durable spill-resistant build with 12-month Battery Life, Mouse, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 1xaa Alkaline Battery, 12 months Battery Life, 3 buttons, Keyboard, 2xaaa Alkaline Battery, 12 months Battery Life, Tilt legs, Compact layout with number pad, 920-013519
Logitech MK295	R 459	Logitech 920-009800 mk295 Cordless (K270 cordless kb M185 mouse), with SilentTouch technology, enhanced function keys 8 hot keys, on/off switch on mouse & kb, spill-resistant, black - nano receiver - USB
Logitech MK345	R 500	Logitech Wireless Combo MK345 Keyboard and Mouse with extra Long battery life, 48 months battery life, Full-size layout with 12 enhanced F-keys for Media control, 10 m Maximum Wireless operating distance, Advanced 2.4 GHz Wireless connectivity, Logitech advanced optical Tracking, 1000 dpi Resolution, 3 buttons
Logitech MK470	R 914	Logitech MK470 Slim Wireless Keyboard and Mouse Combo - GRAPHITE - US INT ' L - 2.4GHZ - N/A - INTNL
Logitech MK540	R 769	Logitech 920-008685 mk540 Cordless (K540 cordless kb M310 mouse), Incurve keys with palm rest, adjustable tilt legs, enhanced function keys hot keys, battery indicator on/off switch on mouse, black - USB unifying receiver
Logitech MK650	R 1,489	Logitech MK650 Graphite Wireless Keyboard & Mouse Combo, Bluetooth, Integrated palm rest, Ambidextrous
Logitech MK950	R 1,781	Logitech MK950 Signature wirelesss Slim Combo Keyboard and Mouse - Graphite, 24 months Battery Life, Full-size layout with number pad, Tilt legs, 6 buttons Mouse, Contoured shape with rubber grips, SmartWheel Technology, Quiet click and Scrolling, 1000 DPI nominal Value, Logi Bolt USB receiver, 920-012490

Logitech Pebble 2 Combo	R 804	Logitech Pebble 2 Combo Bluetooth Keyboard and Mouse - Tonal Graphite, Slim lightweight minimalist Design, Multi-Device pairing, Silent clicks with silent Touch Technology, Comfy and quiet laptop-like typing, 3 buttons Mouse, 400-4000 dpi dpi range, 1000 dpi nominal Value, 10 m Wireless range, 36 months Keyboard Battery Life, 24 months Mouse Battery Life, Logi Bolt receiver, 920-012239
Logitech Wave Keys and Lift Combo	R 1,873	Logitech Wave Keys & Lift Vertical Mouse Wireless Combo, Logitech Advanced Optical Tracking Mouse, 400-4000 dpi Sensor Resolution, 6 buttons, Scroll-wheel with middle click, 1x AA Battery (Included), Up to 24-months Battery Life, Wireless Keyboard, 2x AAA (Included) Keyboard Battery Type, Up to 36 months Battery Life, Battery indicator lights, Tilt legs adjustable height, Plunger key Type, Logi Bolt USB Type-A Receiver, 920-013635
LT920003161	R 544	Logitech 920-003161 mk220 Cordless (cordless keyboard mouse), ultra compact design keyboard (less keys) - with 128-bit AES wireless encryption, enhanced function keys, black: USB
NBDE580-AIWM	R 1,218	Dell 580-AIWM KM7120W Wireless multi-device Keyboard and Mouse - US international, Seamlessly connect to three pieces, 2x Bluetooth 5.0 and 2.4GHz Wireless connection, Scissors Keyboard technology, 7 buttons optical 1600 dpi Mouse, Titan Gray Colour
NBDE580-AJQJ	R 1,425	Dell 580-AJQJ KM7321W Premier multi-device Wireless Keyboard and Mouse - US international (QWERTY), 2.4 GHz & Bluetooth 5.0 Interface, USB Wireless receiver, 7 buttons optical Mouse, 4000 dpi movement Resolution
NBDE580-AJRC	R 631	DELL 580-AJRC KM5221W Pro Wireless Keyboard and Mouse - US international - Retail Packaging, USB Wireless receiver, 3 buttons optical Mouse, 4000 dpi movement Resolution
NBDE580-AJRP	R 631	DELL 580-AJRP KM5221W Pro Wireless Keyboard and Mouse - US international, USB Wireless receiver, 3 buttons optical Mouse, 4000 dpi movement Resolution
NBDE580-AKEZ	R 666	Dell 580-AKEZ KM5221W Pro Wireless Keyboard and Mouse - White, US International (QWERTY), 2.4GHz USB Wireless receiver, Plunger Keyboard Technology, 3 buttons Optical Mouse, Up to 4000 dpi
NBDE580-BBCZ	R 4,001	Dell KM900 Premier Collaboration Wireless Keyboard and Mouse - US International (QWERTY)
NBDE580-BBVV	R 815	Dell 580-BBVV KM555 Silent Wireless Keyboard and Mouse - US International (QWERTY), Plunger KeySwitch Technology, Bluetooth/RF Wireless Technology, Quiet Keys, Spill resistant, Programmable Keys, Adjustable Tilt, Wireless Optical Mouse, 4020 Resolution (dpi), 3 buttons, Scroll Wheel, Symmetrical Ergonomic Fit, USB receiver
NBDE580-BDGZ	R 677	Dell 580-BDGZ Pro 5 Wireless Keyboard and Mouse - KM526 - US International (QWERTY) - Light Ash, Plunger KeySwitch Technology, Spill resistant, Programmable Keys, Adjustable Tilt, Hot Keys, 3 sections, 16 programmable Keys, Wireless Optical Mouse up to 6000 dpi, 3 programmable buttons, Scroll Wheel scroller Type, Symmetrical Ergonomic Fit, USB Type-A, AA & AAA Batteries, 4 Year Maximum Battery run
NBDE580-BDLK	R 1,505	Dell 580-bdlk Pro 7 Slim Wireless Keyboard and Mouse - KM726 - US International (QWERTY), Scissors Keyboard KeySwitch Technology, Bluetooth / RF, Quiet Keys, Low-Profile Keys, Adjustable Tilt, 3 sections, 16 programmable Keys, Wireless Optical Mouse up to 6000 dpi, 3 programmable buttons, Symmetrical Ergonomic Fit, Silent clicks, Textured scroll and side grip, Adaptive scroll, USB Type-A Keypad Host Interface, AA & AAA Batteries
NBHP9SR36UT	R 376	HP 9SR36UT Wired Desktop 320MK Mouse and Keyboard, Caps Lock & Num Lock LED indicator, Full size 3-zone layout Keyboard Type, 180 cm cable length, Copilot special Keys, 3 Button Mouse, Red Optical Tracking Sensor Technology, 3 programmable buttons, Copilot special Keys
NBLE4X30H56841	R 526	Lenovo 4X30H56841 Professional Plus Wireless Keyboard USB, US English, Nano receiver, Battery life with LED indicator, One touch dedicated media keys, Adjustable tilt legs, Spill-resistant design
NBLEGX30M39606	R 329	Lenovo GX30M39606 300 USB combo Keyboard & Mouse USB, 2.5 Zone Keyboard layout, Full-size Ambidextrous Mouse, 1600 dpi Resolution Mouse, 3 buttons
NBLEGX30N81776	R 547	Lenovo GX30N81776 510 Wireless Combo Keyboard & Mouse - US English, BLACK
PCB-KBC-ALPHA-US	R 374	PCBuilder ALPHA Wireless Mouse and Keyboard Combo
PCB-KBC-ALPHA-US-WIRED	R 266	PCBuilder Alpha Silent Wired Keyboard and Mouse Combo, US QWERTY 104-keys (Full-size) Keyboard layout, 20 Keyboard Multimedia Keys, 160 cm Keyboard cable length, Up to 3600 dpi Mouse Resolution, 6 buttons, 180cm Mouse cable length, 125Hz return rate
RAPOO 8000M	R 436	RAPOO 8000M Multi-mode Wireless Keyboard and Mouse Combo - Mini, Bluetooth & Wireless (Dongle) connection modes, 4 Mouse buttons, 2D scroll-wheel, Adjustable 1300 dpi, 12 months Keyboard Battery Life, 9 months Mouse Battery Life

RAPOO 8210M	R 631	RAPOO 8210M Multi-mode Wireless Keyboard and Mouse Combo, Switch among connected devices in one click, Spill-resistant Keyboard Design, Multimedia hotkeys, Adjustable 1600 dpi Optical Mouse, Up to 12 (Keyboard) and 9 (Mouse) months Battery Life, 5 Mouse buttons & side scroll-wheel, Bluetooth & Wireless (Dongle) connection modes
RAPOO 9320M	R 792	Rapoo 9320M - Multi-mode, Blade, ultra slim, wireless desktop set
RAPOO X130PRO	R 224	Rapoo X130 Pro Wired Optical Keyboard and Mouse Combo, USB Wired, 1000 DPI, Spill resistant design
RAPOO X1800PRO	R 357	Rapoo X1800 Pro Wireless Optical Keyboard and Mouse Combo, Wireless, 1 000 DPI, Laser carved keycap
RAPOO X260s	R 523	RAPOO X260S Wireless Optical Keyboard and Mouse Combo, 1000 DPI Tracking Engine, Nano receiver, Laser carved Keycap, Up to 12 months Battery Life
RCT-K35 COMBO	R 399	RCT K35 Combo 2.4Ghz Wireless Mouse and Scissor Switch Keyboard Combo Set with LED Num Lock, Caps Lock and Screen Lock indicators
RD-BS-7092	R 128	Redragon BS-7092 Wired Keyboard and Mouse Combo, Redragon BS-7092 Full-size Wired Keyboard, Anti-Ghosting Keys, Plug and Play USB connectivity, Spill-resistant Keyboard, Redragon BS-7092 Wired Mouse, 3 Button Mouse with Scroll Wheel, Optical Sensor with 1200 DPI
RD-BS-7094	R 175	Redragon BS-7094 Wireless Keyboard and Mouse Combo, Redragon BS-7094 Wireless Mouse, Adjustable up to 4000 dpi, Optical Sensor, 3 Button Mouse with Scroll Wheel, Plug and Play USB Dongle, Redragon BS-7094 Full-size Wireless Keyboard, Low Profile Silent Chocolate KeyCaps
RD-BS-7162MAX	R 348	Redragon BS7161 2.4GHz Wireless Keyboard and Mouse Combo - Black, 2x AAA Battery for Keyboard, 101 Keys, 4 extra Multi-media shortcut Keys, BK8092 KA8G2 Sensor model Mouse, 4000 Max dpi, 1x AA Battery for Mouse, 6 buttons
RD-BS-7367-A	R 185	Redragon BS-7367-A Wireless Keyboard and Mouse Combo - Black, 2.4GHz Wireless connectivity, 1x AA Battery in Keyboard, 104 Keys, 10 Multi-media shortcut Keys, 4000 Max dpi Mouse, 1x AA Battery for Mouse, 6 buttons
RD-BS-7367-B	R 187	Redragon BS-7367-B Black Wireless Office Keyboard and Mouse Combo
RD-BS-7543	R 112	Redragon BS-7543 Wired Keyboard and Mouse Combo - Black, Wired Keyboard connectivity, 104 Keys, Wired Mouse, OY6299 Sensor model, 1200 Max dpi, 3 buttons
RD-BS-8343A	R 155	Redragon BS-8343A Wireless Keyboard and Mouse Combo - Black, 2.4GHz Wireless Keyboard, 105 Keys, 2x AAA Battery, 2.4GHz Wireless Mouse, BK8092 KA8G2 Sensor model, 4000 Max dpi, 6 buttons, 1x AAA Battery
RD-S107-RGB-BA	R 308	Redragon S107-BA Black Wired Gaming Keyboard & Mice Combo
RD-S142	R 506	REDRAGON RYLO PRO S142 Membrane Gaming Keyboard & Mouse Tri-Mode Combo
RD-S149	R 555	REDRAGON 4IN1 Gaming Combo K515-RGB H120 M616-RGB P016
RD-S151	R 485	Redragon S151 Black Gaming Keyboard and Mouse Combo; wired USB; RGB backlit keyboard; 104 key full size; membrane switches; 26 key anti ghosting; 4 macro keys; 10000 DPI mouse; 6 programmable buttons; Windows macOS compatible
RD-S151W	R 505	Redragon S151 Wired RGB Gaming Keyboard and Mouse Combo - White and Grey, Membrane Gaming Keyboard, 104 Standard Keys 10 additional Keys, 26-key Anti-Ghosting, RGB Keyboard backlighting, 5 dedicated Multimedia shortcut Keys, 5 dedicated Macro Keys, Wrist Rest, 7 Button Mouse, 10000 dpi Maximum, 1000Hz polling rate, RGB Mouse backlighting, 150 cm cable length
RD-S162	R 741	Redragon S162 RGB 3-mode Wireless Mechanical Gaming Keyboard and Mouse Combo - Black, Wired / 2.4GHz / Bluetooth connectivity Keyboard & Mouse, 99 Keys Keyboard, RGB backlighting, Gasket mounted, Hot-Swappable, 4000mAh Battery capacity, VSo9M58 S205 Sensor model mouee, 12800 Max dpi, 7 programmable buttons, RGB backlighting, 700mAh Battery capacity. The Redragon S162 RGB 3-mode Wireless Mechanical Gaming Keyboard and Mouse Combo is designed for gamers who want precision, flexibility, and performance in one complete setup.
RII-RK108	R 259	Rii RK108 Wired Gaming Keyboard and Mouse Combo - USB, 3-led backlit for Keyboard and 7 Colour Breath, Laser carved characters, 4 moving Speed levels Mouse (1200 / 1600 / 2400 / 3200 dpi)
RII-RK200	R 206	Rii RK200 2.4GHz Wireless Keyboard and Mouse Combo, Up to 1600 dpi Resolution Mouse, Wireless receiver, Quiet Wireless Office Keyboard, 12 easy-to-reach Function Keys
RII-RK203	R 121	Rii RK203 full size Ultra Slim USB Wire Corded Keyboard Mouse Combo Set, 9 Multimedia shortcuts, Keypad, 1.8m USB cable

TETRIZAIR300CAB	R 562	Alcatroz Tetriz Air 300c Bluetooth and Wireless Combo - Autumn Black, Bluetooth 5.3 / Wireless 2.4G Dual connectivity, 84 Keys Keyboard, 6 Mouse buttons, 500 mAh Battery capacity Mouse and Keyboard, Type-C DC Input, About 2 hour charging time, About 15 days Battery Life
TETRIZAIR300CSW	R 562	Alcatroz Tetriz Air 300c Bluetooth and Wireless Combo - Spring Pink, Bluetooth 5.3 / Wireless 2.4G Dual connectivity, 84 Keys Keyboard, 6 Mouse buttons, 500 mAh Battery capacity Mouse and Keyboard, Type-C DC Input, About 2 hour charging time, About 15 days Battery Life
TETRIZAIR300CWW	R 562	Alcatroz Tetriz Air 300c Bluetooth and Wireless Combo - Winter White, Bluetooth 5.3 / Wireless 2.4G Dual connectivity, 84 Keys Keyboard, 6 Mouse buttons, 500 mAh Battery capacity Mouse and Keyboard, Type-C DC Input, About 2 hour charging time, About 15 days Battery Life
TRS-HO41	R 599	Trust 4 In 1 Home Office Set-Includes Ximo Wireless Keyboard Wireless Mouse Combo, Webcam, Ziva Chat On-Ear Headset With Microphone, Retail Box
U2000BLK	R 252	Alcatroz U2000 Jelly Bean Black & Red USB Keyboard and Mouse Combo
U2000WM	R 252	Alcatroz U2000 Jelly Bean White & Mint USB Keyboard and Mouse Combo
U2000WP	R 252	Alcatroz U2000 Jelly Bean White & Peach USB Keyboard and Mouse Combo
U2000WW	R 252	Alcatroz Jellybean U2000 White Keyboard and Mouse
UNIG11	R 199	UniQue G11 Gaming Wired 114 Keys USB Keyboard And Ergonomic RGB LED USB Wired 2 Button With Scroll Wheel 1000 DPI Optical Mouse Combo- Full Size Low-Profile Spill Resistant USB Wired US Layout 104 Qwerty Keyboard with 10 Multimedia and Windows Keyboard Shortcut Keys, With Separate Numeric Pad, Red Colour Coded WASD and Arrow Keys, Whisper Quiet And Comfortable Typing And Ergonomic USB Wired 2 Button High Definition 1000 DPI Optical Tracking Mouse With Scroll Wheel Offers A Smooth, Precise And Responsive Cursor Control, Fully Plug N Play, Driver-Less In Operation, Ideal For Windows Applications, Colour Black, Retail Box
USBCOM	R 86	Tbyte USB Keyboard and Mouse Combo, 1.2 m Keyboard cable length, 1.5m Mouse cable length, Optical Mouse, 1000 DPI, 3300 frames/sec, 8g Max accelerating Speed
VK-20120-BK	R 356	Volkano Cobalt Series Wireless Keyboard Mouse combo, Chocolate style keys, 1600 dpi Mouse
VK-20122-BK	R 207	Volkano Krypton Wired Keyboard & Mouse combo, Membrane key system, 12 Function keys, 3 buttons Optical Mouse, 1000 dpi, Scroll Wheel
VK-20300-BK[V1]	R 1,032	VolkanoX Ergo Series egonomical Mouse and Keyboard Combo, USB Type-C receiver
VK20008BK	R 354	Volkano Sapphire Series Wireless keyboard & mouse combo, Black, 2.4GHz Nano Receiver USB shared with matching keyboard, up to 10 meters range, 800 / 1200 / 1600 dpi mouse
VK20123BK	R 303	Volkano Krypton Wireless Keyboard & Mouse combo, Membrane key system, 12x Function keys, 3 Plus Scroll Wheel buttons Optical Mouse, 1200 dpi, 2.4 GHz Mouse & Keyboard, USB Nano receiver, VK-20123-BK
VKX-20008-WT	R 437	VolkanoX Garnet Bluetooth Wireless Keyboard and Mouse Combo - White, USB Type-C receiver
VKX-20237-BK	R 655	VolkanoX Gem Bluetooth Wireless Keyboard and Mouse Combo - Black, USB Type-C receiver
VX-144-BK[V2]	R 356	Volkano VX Gaming Artemis Series 3-in-1 combo - Keyboard / Mouse / MousePad, 12 Keyboard Shortcut keys, High definition 3200 dpi Mouse, Multi-Colour Lighting effects, Non-Slip Mouse Pad
VX-147-BK[V2]	R 658	Volkano VX Gaming Heracles Series 4-in-1 combo - Keyboard / Mouse / MousePad / headset, 3200 dpi Mouse, Multicolour Lighting, Deep Bass headset with Microphone, Non-Slip Mouse Pad
WRD4-US	R 35	Okion Enhancer Multimedia Internet Desktop Set Ps2 & Optical Mouse, O-Music Controller, Multimedia KB, Internet KB, PS/2, Optical Mouse
WRDDT600BUS	R 406	Microsoft 3J2-00003 Wired Desktop 600 Keyboard & Mouse Black USB, Quiet-touch keys, Calculator hot key, Spill resistant, Windows start screen key, 800-dots-per-inch (DPI) optical sensor mouse, Mouse Scroll wheel
WS630+W420	R 149	UniQue Wireless USB 104 Keys Standard US Layout Keyboard and Wireless 2 Button 1000 DPI Optical Mouse Combo - Wireless 104 Qwerty Keyboard Wireless 2 Button 1000 DPI Optical Mouse with Scroll Wheel , Unified Wireless 2.4 Ghz Nano Receiver Dongle, Requires 1x AA Battery for Keyboard and 2 x AAA Batteries for Mouse, Batteries Are Not Included, Colour Black, Retail Box
WS880+W430	R 149	UniQue Wireless USB Multimedia Keyboard and Wireless 5 Button 1000 DPI Optical Mouse Combo - Wireless 104 Qwerty Keyboard With Extra 10 Keys For Multimedia Functions, Wireless 5 Button 1000 DPI Optical Mouse with Scroll Wheel , Unified Wireless 2.4 Ghz Nano Receiver Dongle, Requires 1x AA Battery for Keyboard and 2 x AAA Batteries for Mouse, Batteries Are Not Included, Colour Black, Retail Box

WX-CO101	R 335	WINX DO simple Wireless Keyboard and Mouse combo - Black, 2.4GHz Wireless connectivity, 1600 Mouse dpi, USB & Type-C nano receiver, Keyboard height adjustable
WX-CO102	R 182	WINX WX-CO102 DO Essential Wired Keyboard and Mouse combo - USB, Generous Palm rest, 12 Multimedia hotkeys, Ambidextrous Design, US QWERTY 104-keys Keyboard layout
WX-CO103	R 300	WINX WX-CO103 DO Essential Wireless Keyboard and Mouse combo, Multimedia Hot keys, Generous Palm rest, Unified Wireless USB Dongle, 2.4GHz Wireless connectivity, US QWERTY 104-keys Keyboard layout
WX-CO104	R 600	WINX DO Business backlit Wireless Keyboard and Mouse Combo, US QWERTY 105-keys (Full-size) Keyboard layout, 12 Keyboard Multimedia Keys, Type-C Keyboard Power, Max 1600 dpi Mouse, 6 buttons Mouse layout, Type-C Mouse Power, 2.4GHz Wireless connectivity, White LED backlight Lighting
WX-CO105	R 529	WINX DO Business backlit Wired Keyboard and Mouse Combo, US QWERTY 105-keys (Full-size) Keyboard layout, 12 Multimedia Keys, 160cm Keyboard cable length, Up to 7200 Mouse dpi, 7 buttons Mouse layout, 180cm Mouse cable length, White LED backlight Lighting
XC1000BLK	R 286	Alcatroz X-Craft XC 1000 Black Gaming USB Wired Keyboard and Mouse
XC1000WHT	R 286	Alcatroz X-Craft XC 1000 White Gaming USB Wired Keyboard and Mouse
XCRAFTBASECAMPBLK	R 539	Alcatroz X-Craft Basecamp 4-in-1 Wired Gaming Combo
XCRAFTNEXUSBLK	R 919	Alcatroz X-Craft Nexus 4-in-1 Wireless Gaming Combo
XCRAFTXC3000	R 321	Alcatroz X-Craft XC 3000 Gaming USB keyboard and Mouse, Spill Proof Gaming Keyboard, High-profile tactkeys, Anti-ghosting Gaming Cluster (WASD and arrow keys), 12 shortcut keys, 2-backlight effects, 1200 CPI hi-definition Gaming Mouse, 7 colours light FX-Effects, 2 button 2 way click scroll
XPLORERAIR3300BLK	R 378	Alcatroz Xplorer Air 3300 Black Wireless Keyboard and Mouse
XPLORERAIR3300WHT	R 378	Alcatroz Xplorer Air 3300 White Wireless Keyboard and Mouse
XPLORERC3500	R 229	Alcatroz Xplorer C3500 Wired Keyboard and Mouse Combo - USB, Soft and Silent Keystroke, 1200 CPI High Definition Mouse
XPLORERC3600	R 263	Alcatroz Xplorer C3600 Wired Keyboard and Mouse Combo. Full-size keyboard with 104 keys; Soft and silent keystrokes; UV-coated keycaps; 2400 CPI optical mouse; Up to 5 million mouse clicks; 1.35 m USB cable for both keyboard and mouse; Compatible with Windows, macOS, Linux

< Return to the menu

Keyboards : Keyboards - gaming keyboards

Product code	Price	Description
4044951017584	R 1,049	Sharkoon PureWriter TKL Mechanical USB Keyboard with Blue LED illumination - 1000Hz MAX Polling Rate - Blue, Kailh Blue switches
4044951019069	R 799	Sharkoon Skiller SGK1 Mechanical USB gaming keyboard with white LED illumination - 1000Hz MAX Polling Rate with integrated Palm Rest - Red
4044951020935	R 1,049	Sharkoon PureWriter TKL Mechanical USB Keyboard with Blue LED illumination - 1000Hz MAX Polling Rate - Blue, Kailh Red switches
4044951020973	R 1,259	Sharkoon PureWriter Mechanical USB Keyboard with Neutral Blue LED illumination - 1000Hz MAX Polling Rate - Blue Switch, Retail Box
545-BBCL	R 2,171	Dell 545-BBCL AW510K Alienware Low-Profile RGB Mechanical Gaming Keyboard - Dark Side of the Moon, RGB 16.8 million colours backlit, USB Interface, Mechanical Keyboard technology, Cherry MX low profile Red key Switch Type, Adjustable height
545-BBCL	R 2,114	Dell 545-BBCL AW510K Alienware Low-Profile RGB Mechanical Gaming Keyboard - Dark Side of the Moon, RGB 16.8 million colours backlit, USB Interface, Mechanical Keyboard technology, Cherry MX low profile Red key Switch Type, Adjustable height
545-BBDY	R 1,772	Dell Alienware 545-BBDY AW420K Tenkeyless Mechanical Gaming Keyboard - USB, AlienFX RGB / 16.8 million colours, Programmable Hot Keys Function, Cherry MX Red key Switch Type, Anti-Ghosting, Adjustable height, Detachable cable, Dark Side of the Moon Colour, 2 m cable length
545-BBDY	R 1,725	Dell Alienware 545-BBDY AW420K Tenkeyless Mechanical Gaming Keyboard - USB, AlienFX RGB / 16.8 million colours, Programmable Hot Keys Function, Cherry MX Red key Switch Type, Anti-Ghosting, Adjustable height,

		Detachable cable, Dark Side of the Moon Colour, 2 m cable length
920-008992	R 3,582	Logitech 920-008992 G815 LightSync RGB Mechanical Keyboard tactile USB, low profile GL switches, 5 dedicated G-keys, Dedicated Media control and edgeless Volume wheel, USB passthrough
920-009392	R 2,519	Logitech G Pro RGB Mechanical Keyboard with GX Blue clicky switches USB, LightSync RGB Lighting, GX Blue clicky mechanical switches, Pro-inspired tenkeyless design, Onboard Lighting profile, 1.8 m detachable cable, 12 programmable F-keys, 1 ms report rate
920-010422	R 3,360	Logitech G713 Compact RGB TKL Tactile Gaming Keyboard - Off White, Tenkeyless to save space, Durable textured key caps, with Volume roller, Individually-lighted RGB Mechanical Switches, Double-Shot PBT KeyCaps, Under-case 16 LED Perimeter Lighting, Media controls including Volume roller, Brightness control, Detachable cable, 920-010422
920-010437	R 1,549	Logitech G413 SE Mechanical Gaming Keyboard USB - Tactile Switch - Black, PBT KeyCaps, Aluminum top case, White backlighting, 1.9 mm actuation distance, 50 g actuation Force, 4 mm total Travel distance, USB 2.0 connection Type
920-010437	R 1,291	Logitech G413 SE Mechanical Gaming Keyboard USB - Tactile Switch - Black, PBT KeyCaps, Aluminum top case, White backlighting, 1.9 mm actuation distance, 50 g actuation Force, 4 mm total Travel distance, USB 2.0 connection Type
920-010446	R 1,301	Logitech G413 TKL SE Tactile Switch Mechanical Gaming Keyboard - Black, PBT KeyCaps, Aluminum top case, White backlighting, 1.9 mm actuation distance, 50 g actuation Force, 4 mm total Travel distance, USB 2.0 connection Type
920-010446	R 1,196	Logitech G413 TKL SE Tactile Switch Mechanical Gaming Keyboard - Black, PBT KeyCaps, Aluminum top case, White backlighting, 1.9 mm actuation distance, 50 g actuation Force, 4 mm total Travel distance, USB 2.0 connection Type
920-010465	R 3,854	Logitech G715 Wireless Gaming Keyboard - Off White, USB-C charge Port, Tenkeyless to save space, Pro-grade LightSpeed Wireless and Bluetooth connectivity, Individual RGB Mechanical Switches, Double-Shot PBT key caps, Under-case 16 LED Perimeter Lighting, Rechargeable Lithium polymer Battery with 30 gaming-hour Life, 920-010465
920-012872	R 2,577	Logitech G515 TKL Wired Gaming Keyboard - Black - US International - USB, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, Tactile (45 g) Actuation force, 3.2 mm total Travel distance, USB Type-A to USB-C charging and Data cable, 920-012872
920-012872	R 1,799	Logitech G515 TKL Wired Gaming Keyboard - Black - US International - USB, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, Tactile (45 g) Actuation force, 3.2 mm total Travel distance, USB Type-A to USB-C charging and Data cable, 920-012872
920-012942	R 4,257	Logitech G915 X Low-Profile Wired Gaming Keyboard, 1.8 m cable length, Tactile 45 g actuation Force, 1.3 mm actuation point, 3.2 mm total Travel distance
920-013861	R 3,079	Logitech G515 Rapid TKL Black Low Profile Analog Gaming Keyboard - USB, 1.8 m cable length, USB Type-A to USB-C cable, 22mm tall, RGB backlight, 920-013861
920008093	R 850	Logitech G213 Prodigy Wired Gaming Keyboard; US International QWERTY; Mech-Dome tactile keys; LIGHTSYNC RGB with 5 zones; anti-ghosting; dedicated media controls; integrated palm rest; adjustable feet; spill-resistant up to 60 ml; USB 2.0; 1.8 m cable; 452 x 218 x 33 mm; 1.1 kg
AK-666-2020	R 390	Armaggeddon AK-666 Kalashnikov Membrane Gaming Keyboard
AK-666X	R 390	Armaggeddon AK-666x Pro Gaming Keyboard USB, 8 backlight LED effects, Multimedia Spill Proof, High-profile tactkeys, Anti-ghosting Gaming Cluster (25-keys including WASD and arrow keys), 11 shortcut keys
C1PX-M1	R 958	KeyChron C1 Pro 8K 80% Super Red Hot-Swappable RGB Wired Mechanical Keyboard, TKL (80%) layout, USB Type-C Wired connectivity, 8000 Hz polling rate, KeyChron Super Red Switch, Osa-profile Double-Shot PBT (Non-shine-through) KeyCaps, South-Facing RGB LED backlight, C1PX-M1
C2PX-M1	R 1,118	KeyChron C2 Pro 100% 8K Super Red Switch Hot-Swap RGB Wired custom Mechanical Keyboard, Full-size 100% layout, KeyChron Super Red (Linear) Switch, OSA Profile Double-Shot PBT (Non Shine-Through) KeyCaps, South-Facing RGB LED backlight, 8000 Hz polling rate, Connectivity - Wired / USB Type-C
CH-910971E-NA	R 1,691	Corsair K70 Core RGB Mechanical Gaming Keyboard - Corsair Red Linear Switches, 1000Hz Keyboard report

		rate, Corsair mlx Red key Switches, 104 keys Keyboard Matrix, Full key (NKRo) with 100% Anti-Ghosting key rollover, On board Memory, FN shortcuts Media keys, USB 3.0 or 3.1 Type-A Wired connectivity, Adjustable height
CH-910971E-NA	R 1,627	Corsair K70 Core RGB Mechanical Gaming Keyboard - Corsair Red Linear Switches, 1000Hz Keyboard report rate, Corsair mlx Red key Switches, 104 keys Keyboard Matrix, Full key (NKRo) with 100% Anti-Ghosting key rollover, On board Memory, FN shortcuts Media keys, USB 3.0 or 3.1 Type-A Wired connectivity, Adjustable height
CH-911911E-NA	R 1,484	Corsair K70 Core TKL RGB Mechanical Gaming Keyboard - Corsair MLX Red v2 Linear Switches, Sound dampening, Rotary dial, Supported in iCUE, Media and Volume controls, Tenkeyless Keyboard size, 1000Hz Keyboard report rate, 8MB on board Memory, 5 OnBoard profiles, Full key (NKRo) with 100% Anti-Ghosting, USB 3.0 or 3.1 Type-A Wired connectivity, Adjustable height
CH-911911E-NA	R 1,627	Corsair K70 Core TKL RGB Mechanical Gaming Keyboard - Corsair MLX Red v2 Linear Switches, Sound dampening, Rotary dial, Supported in iCUE, Media and Volume controls, Tenkeyless Keyboard size, 1000Hz Keyboard report rate, 8MB on board Memory, 5 OnBoard profiles, Full key (NKRo) with 100% Anti-Ghosting, USB 3.0 or 3.1 Type-A Wired connectivity, Adjustable height
CH-91E901E-NA	R 2,858	Corsair Vanguard 96 Mechanical Gaming Keyboard MLX Plasma - Black, 96% Compact Form Factor layout for north america, Corsair MLX Plasma Mechanical Switches for wobble-free keystrokes, 8000Hz hyper-polling Technology for ultra-responsive Input, FlashTap socd switching Technology for precise directional Control, Integrated LCD screen for On-the-Fly personalization, Elgato Virtual Stream Deck integration for Stream Control, 8MB OnBoard Memory with 5 OnBoard profiles, Full key rollover (NKRO) for accurate multi-key Input, Detachable Magnetic Wrist Rest with Leatherette cover and Memory Foam cushion, RGB backlighting system, Wired USB Type-C connection
CH-91E901F-NA	R 2,979	Corsair Vanguard 96% Gaming Keyboard - MLX Fusion Tactile Switches - Black, Media and Volume controls, Magnetic detachable Wrist Rest included, Up to 8000Hz Keyboard report rate, 8MB on board Memory, 5 OnBoard profiles, Adjustable height, USB 3.0 or 3.1 Type-A Wired connectivity, Full key (NKRO) with 100% Anti-Ghosting key rollover, Corsair MLX Fusion key Switches
CH-91E911G-NA	R 3,700	Corsair Vanguard Pro 96 Hall Effect Gaming Keyboard, Corsair MGX v2 Hall Effect Magnetic Switches, 8000Hz hyper-polling report rate, Compact 96% Form Factor layout, Integrated LCD screen with elgato Virtual Stream Deck integration, FlashTap socd Technology for movement inputs, Full key (NKRO) key rollover support, Detachable Magnetic Wrist Rest with Memory Foam cushion and Leatherette cover, 8MB OnBoard Memory with 5 profiles, USB 3.0 or 3.1 Type-A Wired connectivity, Braided Keyboard cable material, Adjustable height settings, Fn shortcut Media and Volume controls
CH-9216065-NA	R 702	Corsair K55 Core TKL RGB Wired Gaming Membrane Keyboard with 8-zone RGB backlighting - Black, 1000Hz Keyboard report rate, RGB Keyboard Colour, On board Memory, USB 2.0 Type-A Wired connectivity, Tangle-Free rubber Keyboard cable material, 12-key selective (12KRO) key rollover, 87 Keys Keyboard Matrix, Rubber Dome key Switches
CH-9216065-NA	R 751	Corsair K55 Core RGB Gaming Keyboard - USB, Backlit zoned RGB LED, Supported in iCUE, 1000Hz Keyboard report rate, Rubber Dome key Switches, 6 Macro Keys, 110 Keys Keyboard Matrix, 12-key selective (12KRO) key rollover, On board Memory, Dedicated hotkeys, Tangle-free rubber Keyboard cable material, USB 2.0 Type-A Wired connectivity, Adjustable height
CH-9226C65-NA	R 679	Corsair K55 Core RGB Gaming Keyboard - USB, Backlit zoned RGB LED, Supported in iCUE, 1000Hz Keyboard report rate, Rubber Dome key Switches, 6 Macro Keys, 110 Keys Keyboard Matrix, 12-key selective (12KRO) key rollover, On board Memory, Dedicated hotkeys, Tangle-free rubber Keyboard cable material, USB 2.0 Type-A Wired connectivity, Adjustable height
CH-9226C65-NA	R 751	Corsair K55 Core RGB Gaming Keyboard - USB, Backlit zoned RGB LED, Supported in iCUE, 1000Hz Keyboard report rate, Rubber Dome key Switches, 6 Macro Keys, 110 Keys Keyboard Matrix, 12-key selective (12KRO) key rollover, On board Memory, Dedicated hotkeys, Tangle-free rubber Keyboard cable material, USB 2.0 Type-A Wired connectivity, Adjustable height
CND-SKB4-US	R 388	Canyon Deimos GK-4 Wired Black Mechanical Keyboard - USB, 1.8m Braided cable length, Rubber feet, Blue Mechanical Switches, 104 Mechanical buttons, Anti-Ghosting functions, 20 types of backlighting
CND-SKB55-US	R 499	Canyon Cometstrike GK-55 Mechanical Gaming Keyboard Wired, 104 Keys, 1.8 m cable length, Backlighting

CND-SKB6-US	R 499	Canyon Hazard GK-6 Wired Multimedia RGB Gaming Keyboard with Lighting effect - USB, 104 keys, 17 Hot keys, RGB LED backlight, Blue Mechanical Switches, NKRo Anti-Ghosting and anti-jamming Function, 20 types of backlighting, Double-injection KeyCaps
CPFI310Y	R 3,281	Canon PFI-310 Yellow Ink Tank Cartridge, 330ml Volume, Compatible with --> Canon imagePROGRAF TX-3000 / TX-4000 printers
DKON2061ST-AUSPDWWT2	R 1,139	Ducky One 3 Pro 60% White Keyboard with Cherry Black Mechanical Switches, RGB LED, USB 2.0 connection Interface, USB n-key rollover, Anti-Ghosting
DKON2061ST-CUSPDAZT2	R 871	Ducky One 3 Pro 60% Black Keyboard with Cherry Blue Mechanical Switches, RGB LED, USB 2.0 connection Interface, USB n-key rollover, Anti-Ghosting
DKON2061ST-PUSPDWWT2	R 968	Ducky One 3 Pro 60% White Keyboard with Cherry Silver Mechanical Switches, RGB LED, USB 2.0 connection Interface, USB n-key rollover, Anti-Ghosting
GK-490	R 518	Microworld GK-490 imice 4-in-1 Gaming Combo, 104 Keys standard layout Keyboard USB, Luminous Lighting effect, 12 Multimedia Keys, Waterproof Keycap Design, Headset with Microphone Function USB Wired, Adjustable head beam, Cool LED Lighting effect, Comfortable soundproof earmuffs, 6D Gaming Mouse USB, 2400 DPI adjustable, 7 Colour LED Light effect, Built in weighted Iron Block
GK600 TKL W SKY US	R 1,148	MSI Forge GK600 TKL Wireless Sky Keyboard, USB 2.0 Interface, 20-mode RGB backlight, Connectivity - 2.4GHz Wireless / Bluetooth / USB 2.0, Mechanical Linear Switch Type, 83 Keys normal Keys, Full Keys Anti-Ghosting, 26 Keys Anti-Ghosting, 1.8m cable length, 1.06" intuitive Display for quick Access, RGB Lighting modes, Vibrant RGB Lighting
GKB-WOW-RDSNUS-01	R 1,608	Thermaltake W1 Cherry MX Red Wireless Gaming Keyboard
K10H-F1	R 2,799	KeyChron K10 he 100% Wireless Magnetic Gaming Keyboard Nebula Switches - Black, Full-size 100% Keyboard layout, 104 Keys, Gateron Double-Rail Magnetic Switch, Hot-Swappable, Connectivity 2.4GHz Wireless / Bluetooth 5.2 / USB-C Wired, 1000 Hz (Wired & 2.4GHz) polling rate, 125 Hz (Bluetooth) polling rate, NKRO support, 4000mAh Battery capacity, Up to 120 hours with backlight off Battery Life, RGB backlight, North-facing LEDs, Aluminium plate material, Aluminium Frame with ABS bottom Case
K10H-J1	R 2,640	KeyChron K10 HE 100% Hot-Swap Gateron Dbl-Rail Nebula Switch RGB Wireless Keyboard - Black, 0.2-3.8 mm actuation range, 150 million clicks lifespan, Tri Connectivity - 2.4GHz / Bluetooth 5.2 / USB Type-C Wired, 1000 Hz (Wired & 2.4GHz polling rate, 125 Hz (Bluetooth) polling rate, N-Key rollover, 4-in-1 Action Keys, Aluminium plate material, Aluminium Frame material, Cherry Profile Double-Shot PBT (Shine-Through) KeyCaps, North-facing RGB backlight, 4000 mAh Rechargeable Li-Polymer Battery, Up to 120 hours Wireless working time
K1M-H1	R 1,954	KeyChron K1 Max QMK/VIA 80% Wireless custom Mechanical Keyboard - Red Switches, 87 (80%) number of Keys, Gateron Low-Profile Mechanical Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium Frame material, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate, 90Hz polling rate (BT mode), N-Key rollover (NKRO), 22 types of RGB backlight options, 2000 mAh Rechargeable Li-Polymer Battery, Connection - 2.4GHz / Bluetooth / Type-C Wired
K1M-H3	R 1,954	KeyChron K1 Max QMK/VIA 80% Wireless custom Mechanical Keyboard - Brown Switches, 87 (80%) number of Keys, Gateron Low-Profile Mechanical Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium Frame material, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate (2.4GHz and Wired mode), 90Hz polling rate (BT mode), N-Key rollover (NKRO), 22 types of RGB backlight options, 2000 mAh Rechargeable Li-Polymer Battery, Connection - 2.4GHz / Bluetooth / Type-C Wired
K3M-H1	R 2,042	KeyChron K3 Max QMK/VIA Wireless 75% custom Mechanical Keyboard - Red Switches, 84 (75%) number of Keys, Gateron Low-Profile Mechanical Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium material, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate, 90Hz polling rate (BT mode), N-Key rollover (NKRO), 22 types of RGB backlight options, 1550mAh Rechargeable Li-Polymer Battery, Connection 2.4GHz / Bluetooth / Type-C Wired
K4H-F1	R 2,720	KeyChron K4 HE Wireless Magnetic Switch Mechanical Keyboard, Gateron hall effect Switches, 96% Compact full size layout, 1000 Hz polling rate, Type-C, 2.4GHz Wireless, Bluetooth 5.1, Cnc-machined Frame, RGB backlight, Rechargeable Battery
K4H-J1	R 2,560	KeyChron K4 HE 96% Magnetic Switch Hot-Swap RGB Wireless Keyboard - Black, 96% layout, Gateron

		double-rail Magnetic Switches, Hot-Swappable, RGB Per-Key backlighting, Bluetooth 5.2 / Type-C connectivity, 4000 mAh Battery capacity
K4H-Q1	R 2,799	KeyChron K4 HE 96% Magnetic Switch Hot-Swap RGB Wireless Keyboard - White, Wood Aluminium Frame material, 96% layout, Gateron double-rail Magnetic Switches, Hot-Swappable, RGB Per-Key backlighting, Bluetooth 5.2 / Type-C connectivity, 4000 mAh Battery capacity
K5M-H3	R 2,119	KeyChron K5 Max QMK/VIA full-sized Wireless custom Mechanical Keyboard - Brown Switches, 108 (100%) number of Keys, Gateron Low-Profile Mechanical Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium Frame material, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate, 90Hz polling rate (BT mode), N-Key rollover (NKRO), 22 types of RGB backlight options, 2000mAh Rechargeable Li-Polymer Battery, Connection - 2.4GHz / Bluetooth / Type-C Wired
K7M-H1	R 1,896	KeyChron K7 Max QMK/VIA 65% Wireless custom Mechanical Keyboard - Red Switches, 68 (65%) number of Keys, Gateron Low-Profile Mechanical Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium Frame material, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate, 90Hz polling rate (BT mode), N-Key rollover (NKRO), 22 types of RGB backlight options, 1550mAh Rechargeable Li-Polymer Battery, Connection - 2.4GHz / Bluetooth / Type-C Wired
K7M-H3	R 1,896	KeyChron K7 Max QMK/VIA 65% Wireless custom Mechanical Keyboard - Brown Switches, 68 (65%) number of Keys, Gateron Low-Profile Mechanical Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium Frame material, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate, 90Hz polling rate (BT mode), N-Key rollover (NKRO), 22 types of RGB backlight options, 1550mAh Rechargeable Li-Polymer Battery, Connection - 2.4GHz / Bluetooth / Type-C Wired
KB-BAZ-KLBLUS-01	R 1,609	Thermaltake Poseidon Z Forged Blue Switch Edition Keyboards
KB-CHE-MBBLUS-01	R 538	Thermaltake Challenger Edge Aluminum Gaming Keyboard
KB-CHM-MBBLUS-01	R 538	Thermaltake Challenger Prime Keyboard
KB-LVT-SSBRUS-01	R 2,758	Thermaltake Level 20 RGB Gaming Keyboard Cherry MX speed Silver, 1000 Hz polling rate, Anti-ghosting keys, 16.8 million RGB colors, 16.8 million RGB colors, Audio and USB pass-through, 5 Volume wheel Multimedia keys, Mechanical Switch Type
KB-MGP-BLBDUS-01	R 1,263	Thermaltake Meka Pro Cherry Blue Machnical Keyboard
KB-PIZ-KLBLUS-01	R 1,125	Thermaltake Poseidon Z Illuminated Blue Keyboard
KB-PZR-KLBRUS-01	R 1,424	Thermaltake Poseidon Z RGB Blue Switch Edition Keyboard
KB-PZX-KBBLUS-01	R 1,033	Thermaltake Poseidon ZX - Brown switch edition - Keyboard
KE-AS-BL	R 1,933	Adata xpg Summoner Gaming Keyboard - cherry MX Blue - individually customizable RGB (16.8m color) LED on all keys - 449x135x44mm, tactile & clicky switch with Force feedback / low resistance, 50g actuation force with 60g peak, 2mm actuation distance, 100% anti-ghosting with 104KRo (104-Key RollOver), 1000Hz ultrapolling / 1ms response time, 1x hotkeys volume control wheel magnetic detachable palm rest, with 9 x extra red keycaps keycap puller - USB 1x USB downstream
KE-CK70RGBT-o	R 2,795	Corsair K70 RGB TKL (Ten-Key-Less) Opx optical-mechanical Switch Mechanical Gaming Keyboard, 360x164x40mm compact size (No numeric keypad), Pbt double-shot KeyCaps with 1.5m-thickness, 8MB OnBoard storage for upto 50 Gaming profiles, Anodized brushed aluminum - individually customizable RGB (16.8m Colour) LED on All keys, Corsair Utility engine (Cue) to design your own Lighting patterns and animations, Linear Switch with Force feedback / low resistance, 45g actuation Force with 1.0mm actuation distance, Contoured textured WASD and spacebar, Bundled 10 extra key-caps with puller, Laser etched keys, No Palm rest, 100% Anti-Ghosting with NKRo, Axon hyper-processing with 8000Hz Ultra polling, All keys programmable to assign Macro, 8x hotkeys Volume control wheel, Tournament mode Switch to disable Macro, Detachable USB 3.0 Type-C to Type-A cable, 1x USB downstream, CH-911901a
KE-CMPLC-BL	R 1,724	Coolermaster SGK-6020-TPCL1 Masterkeys Pro-L Crystal edition - cherry MX Blue - transparent mechanical gaming keyboard with RGB/multicolour backlit LED on all keys (customizable with or without software), with 3.5x2.8 SMT larger LED, 72mhz ARM Cortex M3 processor (1.25-1.5 DMiPS/mhz), full size with numeric keypad 4 profiles keys, status Indicator system by FN keys - tactile & clicky switch with Force feedback/ low resistance, 50g actuation force, laser marked keycaps, support anti-ghosting NKRO in windows or iOS, 1ms response time, 512kb

		on-board memory, with 3 ways/180 degrees cable management grooves - microUSB with detachable braided cable
KE-CMPLC-BR	R 1,724	Coolermaster SGK-6020-TPCM1 Masterkeys Pro-L Crystal Edition - cherry MX Brown - transparent mechanical gaming keyboard with RGB/multicolour backlit LED on all keys (customizable with or without software), with 3.5x2.8 SMT larger LED, 72mhz ARM Cortex M3 processor (1.25-1.5 DMiPS/mhz), full size with numeric keypad 4 profiles keys, status Indicator system by FN keys - tactile & bump switch with Force feedback/ low resistance, 45g actuation force, laser marked keycaps, support anti-ghosting NKRO in windows or iOS, 1ms response time, 512kb on-board memory, with 3 ways/180 degrees cable management grooves - microUSB with detachable braided cable
KE-CMPLC-RD	R 1,724	Coolermaster SGK-6020-TPCR1 Masterkeys Pro-L Crystal edition - cherry MX Red - transparent mechanical gaming keyboard with RGB/multicolour backlit LED on all keys (customizable with or without software), with 3.5x2.8 SMT larger LED, 72mhz ARM Cortex M3 processor (1.25-1.5 DMiPS/mhz), full size with numeric keypad 4 profiles keys, status Indicator system by FN keys - linear switch with Force feedback/ low resistance, 45g actuation force, laser marked keycaps, support anti-ghosting NKRO in windows or iOS, 1ms response time, 512kb on-board memory, with 3 ways/180 degrees cable management grooves - microUSB with detachable braided cable
KE-CQXTiRD	R 2,006	Coolermaster/ Cm Storm SGK-4060-KKCR1 Quickfire XTi - cherry MX Red - mechanical gaming keyboard with Multicolour backlit on all keys (mixture of blue red LED up to 35 colours per key, customized on-board without the use of complex software), full size with numeric keypad, multimedia short cuts on F keys - linear switch with Force feedback/ low resistance, 45g actuation force, UV coating keycaps, support anti-ghosting NKRO (N Key RollOver) in USB, 1000Hz ultra-polling / 1ms response time , with on-board memory for on-the-fly macro and profile setting - USB with detachable braided cable cable management
KE-GAK9-R	R 2,554	Gigabyte Aorus K9 Optical Mechanical Gaming Keyboard, Red Optical Switches, 0.2ms response, IP56 Water resistance, USB 2.0 Interface, N-Key rollover, Max 1000Hz report rate, 16.7m Colour Per-Key backlighting
KE-LG213	R 765	Logitech 920-008093 G213 Prodigy Gaming Keyboard - with 16.8 million colours programable illuminated for each keys, full height mech-dome keys with 50g actuation force, spill resistant design, built-in palm rest, dedicated media keys - usb
KE-LG316X98B	R 1,403	Logitech G316 X 98 Black Wired Mechanical Gaming Keyboard; 98% layout; tactile switches; 8000 Hz report rate; hot-swappable switches; LIGHTSYNC RGB; 30-zone light bar; dot-matrix LED display; multifunction dial; PBT keycaps; USB-A to USB-C cable; 38.45 x 14.03 x 4.07 cm; 880 g without cable
KE-LG316X98W	R 1,403	Logitech G316 X 98 White Wired Mechanical Gaming Keyboard; 98% layout; up to 8000 Hz report rate; hot-swappable switches; LIGHTSYNC RGB; customizable PBT keycaps; dot-matrix LED display; multifunction control dial; USB connection; 384 x 140 x 40 mm; 0.92 kg with cable
KE-LGPX2R-B	R 3,453	Logitech G Pro X2 Rapid Black Wired TKL Gaming Keyboard; Magnetic Hall Effect analogue switches; Rapid Trigger; Adjustable actuation: 0.1-4 mm in 0.05 mm increments; 8 kHz scanning and USB polling; OLED display; LIGHTSYNC RGB; Double-shot PBT keycaps; USB-A to USB-C cable; 1.8 m cable; 36.3 x 14.3 x 3.8 cm; 1.075 kg; Silicone palm rest
KE-Z500	R 659	Zalman zm-k500 Mechanical Gaming Keyboard - black with red highlight - non-tactile switch with Linear feedback / strong resistance, 50g actuation force, bundled 6x extra key-caps with puller, laser marked key caps, 5x hot keys, 352x169x36mm compact size (no numeric keypad) - USB
KEY157	R 377	Genius Scorpion K20 Gaming Keyboard - 7-Colour LED Backlight, MultiMode Backlight, 10 Function Hotkeys, 26-Key Anti-Ghosting, Adjustable Repeat Rate, Durable Keycaps, USB
KEY158	R 185	GENIUS KEYBOARD, USB SCORPION K215 BLACK
KEY159	R 197	GENIUS KEYBOARD, USB SCORPION K220 BLACK
KS13NMUSBL000-0	R 2,874	Mad Catz S.T.R.I.K.E. 11 Performance Wireless Gaming Keyboard, Mechanical 100 Keys, Mad Catz Red Switch Type, Linear switching characteristics, 100 Keys Anti-Ghosting, RGB 16.8 million Colour Lighting Type, 18 Lighting effects, 1.8m cable length
KS83MMUSBL000-0	R 1,678	Mad Catz S.T.R.I.K.E. 13 Compact Mechanical Gaming Keyboard, 96 Keys Mechnical, Cherry MX Red Switch Type, Linear switching characteristics, Aluminum Alloy Keyboard Frame, 96 Keys NKRO Anti-Ghosting, RGB 16.8 million Colour Lighting Type, 18 Lighting effects, 1.6m cable length
LOGI G515 920-012872	R 1,826	Logitech G515 TKL Wired Gaming Keyboard - Black - US International - USB, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, Tactile (45 g) Actuation force, 3.2 mm total Travel distance, USB Type-A to

		USB-C charging and Data cable, 920-012872
Logitech G413 SE	R 1,298	Logitech G413 SE Mechanical Gaming Keyboard USB - Tactile Switch - Black, PBT KeyCaps, Aluminum top case, White backlighting, 1.9 mm actuation distance, 50 g actuation Force, 4 mm total Travel distance, USB 2.0 connection Type, 920-010437
Logitech G515 TKL	R 1,724	Logitech G515 TKL Wired Gaming Keyboard - Black - US International - USB, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, Tactile (45 g) Actuation force, 3.2 mm total Travel distance, USB Type-A to USB-C charging and Data cable, 920-012872
LRG-GK514TKL-WH-US	R 729	LORGAR Azar 514TKL Wired RGB mechanical gaming keyboard white EN layout. 87 keys; Linear Dream Switches; 50M keystrokes; 40 g-force actuation; 2 mm actuation point; TKL layout; Aluminum top plate; Magnetic cover; RGB lighting; USB-C removable cable
LRG-KBP7075W-BK-US	R 1,169	LORGAR KBP7075W Wireless 75% Mechanical Gaming Keyboard Pro Black/red EN layout. Wireless 75% layout; 81 keys; LORGAR " Toxic Purple" linear switches; 50M key press lifespan; 55 g actuation force; 2 mm actuation point; 3.4 mm key travel; 0.66-inch OLED display; RGB backlighting with 19 modes; 3,750 mAh battery; up to 312 hours battery life; USB-C connectivity; Bluetooth 5.0; 920 g weight; 327.6 mm x 138.6 mm x 42.35 mm dimensions.
LRG-KBP7075W-RT-US	R 1,169	LORGAR KBP7075W Wireless 75% Mechanical Gaming Keyboard Pro Beige EN layout. 81 keys; LORGAR Toxic Purple switches; 50M lifespan; 55 g-force; 2 mm actuation; RGB lighting; OLED display; Gasket mount; Hot-swappable; Multimedia knob; Wired/Bluetooth/2.4G wireless; Battery 312h; Detachable cable
LRG-KBP7075W-YL-US	R 1,169	LORGAR KBP7075W Wireless 75% Mechanical Gaming Keyboard Pro Black/yellow EN layout. 81 keys; LORGAR Toxic Purple linear switches; 50M lifespan; 55 g-force actuation; 2 mm actuation point; RGB lighting; Wired/Bluetooth/Wireless; OLED display; Hot-swappable; Gasket mount; Multimedia knob; Battery up to 312 hrs; Anti-slip feet
LRG-KBP70MW-BK-US	R 1,017	Lorgar KBP70MW Wireless 65% Mechanical Gaming Keyboard Pro - Black / Red, EN layout, 66 Keys, Mechanical Keys, Multimedia Knob, Multicolored Keys, 16 modes of Lighting, NKRO support, Hot-Swappable Switches, RGB backlight, USB Interface, 2.3 m cable length, Up to 416 HR Battery average run time, 2.4GHz Wireless and Bluetooth 5.0 connectivity
LRG-KBP70MW-RT-US	R 1,017	Lorgar KBP70MW Wireless 65% Mechanical Gaming Keyboard Pro - Beige, EN layout, 66 Keys, Mechanical Keys, Multimedia Knob, Multicolored Keys, 16 modes of Lighting, NKRO support, Hot-Swappable Switches, RGB backlight, USB Interface, 2.3 m cable length, Up to 416 HR Battery average run time, 2.4GHz Wireless and Bluetooth 5.0 connectivity
LRG-KBP70MW-WH-US	R 1,017	Lorgar KBP70MW Wireless 65% Mechanical Gaming Keyboard Pro - White, EN layout, 66 Keys, Mechanical Keys, Multimedia Knob, Multicolored Keys, 16 modes of Lighting, NKRO support, Hot-Swappable Switches, RGB backlight, USB Interface, 2.3 m cable length, Up to 416 HR Battery average run time, 2.4GHz Wireless and Bluetooth 5.0 connectivity
LRG-KBP70MW-YL-US	R 1,017	Lorgar KBP70MW Wireless 65% Mechanical Gaming Keyboard Pro - Black / Yellow, EN layout, 66 Keys, Mechanical Keys, Multimedia Knob, Multicolored Keys, 16 modes of Lighting, NKRO support, Hot-Swappable Switches, RGB backlight, USB Interface, 2.3 m cable length, Up to 416 HR Battery average run time, 2.4GHz Wireless and Bluetooth 5.0 connectivity
LRG-KBP70TKLW-BK-US	R 1,241	Lorgar KBP70TKLW Wireless TKL Mechanical Gaming Keyboard Pro - Black / Red, EN layout, 85 Keys, Gasket Mount Design, 19 modes of Lighting, Configurable Multicolour RGB Display, Multimedia Smart Knob, Multicolored Keys, RGB Lighting, NKRO support, Hot-Swappable Switches, 2.3 m cable length, USB Interface, Wireless connectivity Technology, Up to 153 HR Battery average run time, 2.4GHz Wireless and Versatile Bluetooth 5.0 connectivity
LRG-KBP70TKLW-YL-US	R 1,241	LORGAR KBP70TKLW Wireless TKL Mechanical Gaming Keyboard Pro Black/yellow EN layout. 85 keys; Toxic Purple linear switches; 55g actuation force; 2mm actuation point; RGB lighting with 19 modes; 2.4GHz wireless, Bluetooth 5.0, USB-C connectivity; up to 153 hours battery life; 7200mAh battery; 370mm x 142mm x 45mm; 1.05kg weight
MKA-1CLIN	R 608	Armaggeddon MKA-1C Neo Psychswift 61 keys Mechanical Keyboard - Linear, 5-zone Multicolour LED back light, KevlarTech keypads with lifetime fade-proof warranty, 21 Anti-Ghosting keys, 11 different backlight EFX presets

		and adjustable brightness, USB Type-A connection
MKA-1CTAC	R 608	Armaggeddon MKA-1C Neo Psychswift 61 keys Mechanical Keyboard - Tactile, 5-zone Multicolour LED back light, KevlarTech keypads with lifetime fade-proof warranty, 21 Anti-Ghosting keys, 11 different backlight EFX presets and adjustable brightness, USB Type-A connection
MKA-7CCLI	R 677	Armaggeddon MKA-7c Psycheagle Mechanical Gaming Keyboard - Clicky, 104 full LED Mechanical Keys with Clicky, 25 Anti-Ghosting Keys for precise control, KevlarTech keypads, Hotswap-able Modular Switches, USB Type-A connection, 1.5m cable length
MKA-7CLIN	R 677	Armaggeddon MKA-7c Psycheagle Mechanical Gaming Keyboard - Linear, 104 full LED Mechanical Keys with smooth Linear feedback, 25 Anti-Ghosting Keys for precise control, KevlarTech keypads, Hotswap-able Modular Switches, USB Type-A connection, 1.5m cable length
NBDE545-BBCH	R 2,264	Dell 545-BBCH AW510K Alienware Low-Profile RGB Mechanical Gaming Keyboard - Lunar Light, RGB 16.8 million colours backlit, USB Interface, Mechanical Keyboard technology, Cherry MX low profile Red key Switch Type, Adjustable height
NBDE545-BBCL	R 2,264	Dell 545-BBCL AW510K Alienware Low-Profile RGB Mechanical Gaming Keyboard - Dark Side of the Moon, RGB 16.8 million colours backlit, USB Interface, Mechanical Keyboard technology, Cherry MX low profile Red key Switch Type, Adjustable height
OCFCBKR61	R 1,264	Microworld FC Barcelona KR2 Wireless 3-in-1 Gaming Keyboard, Bluetooth / 2.4G / Type-C connection options, Gateron Mechanical Red Switch, 61 Keys
OCKR1BK	R 1,742	OCPC Gaming Keyboard KR1 Black / Grey - USB
OCPSGKR1BL	R 1,494	PSG E-Sports KR1 Wired Mechanical Keyboard, 104 Keys, MX compatible 5 - pin Hot-Swappable sockets for changing out Mechanical Switches, Durable aluminum top plate, Lighting effects with four OnBoard profiles, Gateron Mechanical Keyboard
OCPSGKR1RD	R 1,494	PSG E-Sports KR1 Wired Mechanical Keyboard, 104 Keys, MX compatible 5 - pin Hot-Swappable sockets for changing out Mechanical Switches, Durable aluminum top plate, Lighting effects with four OnBoard profiles, Gateron Mechanical Keyboard
OCZRC87LGR	R 546	OCPC Zero Compact Gaming 87 keys Mechanical Keyboard - Black / Light Grey, Partial Anti-Ghost, Full Mechanical Switch, Splash proof
OCZRM61GR	R 489	OCPC Zero Mini Gaming Mechanical Keyboard 61K - USB, ZRM-61, USB-C to USB Type-A Plug and Play Interface, 64 keys, RGB Lighting effect
OCZRM61LGR	R 489	OCPC Zero Mini Gaming 61 keys Mechanical Keyboard USB - Black / Light Grey, Partial Anti-Ghost, Splash proof
OCZRP104LGR	R 574	OCPC Zero Pro Gaming 104 keys Mechanical Keyboard USB - Black / Light Grey, Partial Anti-Ghost, Splash proof
Q3H-M1	R 3,802	KeyChron Q3 HEQMK 80% Wireless custom Mechanical Keyboard (Nebula Switch) - Carbon Black, Aluminium Body material, Aluminium plate material, 1000Hz (Wired and 2.4GHz) polling rate, N-Key rollover (NKRO), Rapid Trigger, Adjustable actuation points, 22 types of RGB backlight options, South-Facing RGB LED, Switch Gateron double-rail Magnetic Switch, Type-C cable, 4000mAh Rechargeable Li-Polymer Battery, Connectivity - 2.4GHz / Bluetooth / Type-C Wired
Q3H-P1	R 3,802	KeyChron Q3 HE QMK 80% Wireless custom Mechanical Keyboard (Nebula Switch) - Shell White, Aluminium Body material, Aluminium plate material, 1000Hz polling rate, N-Key rollover (NKRO), Rapid Trigger, Adjustable actuation points, 22 types of RGB backlight options, South-Facing RGB LED, Gateron double-rail Magnetic Switch, Type-C cable, 4000mAh Rechargeable Li-Polymer Battery, Connectivity - 2.4GHz / Bluetooth / Type-C Wired
Q6H-M1	R 3,922	KeyChron Q6 HE QMK Full-size Wireless custom Mechanical Keyboard (Nebula Switch) - Carbon Black, Aluminium Body material, Aluminium plate material, 1000Hz (Wired and 2.4GHz) polling rate, N-Key rollover (NKRO), Rapid Trigger, Adjustable actuation points, 22 types of RGB backlight options, South-Facing RGB LED, Gateron double-rail Magnetic Switch, Type-C cable, Connectivity - 2.4GHz / Bluetooth / Type-C Wired, 4000mAh Rechargeable Li-Polymer Battery
Q6H-P1	R 3,922	KeyChron Q6 he QMK Full-size Wireless custom Mechanical Keyboard (Nebula Switch) - Shell White, Aluminium Body material, Aluminium plate material, 1000Hz (Wired and 2.4GHz) polling rate, N-Key rollover (NKRO), Rapid Trigger, Adjustable actuation points, Adjustable actuation points, 22 types of RGB backlight options, South-Facing RGB LED, Gateron double-rail Magnetic Switch, Type-C cable, Connectivity - 2.4GHz / Bluetooth / Type-C Wired

Q6M-M1	R 3,678	KeyChron Q6 Max 100% full Assembled Knob Red Switch Hot-Swap Gateron Jupiter RGB Wireless Keyboard - Black, Full-size (100%) layout, Gateron Jupiter Banana Switches, 6063 Aluminium Case material, South-Facing RGB LEDs with LED diffusers, 22 preset RGB effects, Connectivity - Bluetooth / 2.4GHz Wireless (1000 Hz) / Type-C, 1000 Hz (WIRED/2.4 GHz) polling rate, 4000 mAh Li-Polymer (Rechargeable) Battery, Up to 180 hours Battery Life (Backlight off), Double-Shot PBT KeyCaps
Q6M-M4	R 3,678	KeyChron Q6 Max QMK/VIA Wireless Mechanical Keyboard - Full-size, Gateron Jupiter Banana Switches, Full-size 100% layout, 6063 Aluminium Case material, South-Facing RGB LEDs with LED diffusers, 22 preset RGB effect Lighting modes, Bluetooth 5.1, USB Type-C, 2.4GHz Wireless, 1000 Hz polling rate, 90 Hz polling rate (Bluetooth), 4000 mAh Li-Polymer Battery, Up to 180 hours Battery Life, Double-Shot PBT KeyCaps
RA09 TUF GAMING K3 GEN II	R 1,896	Asus TUF Gaming K3 Gen II Gaming Keyboard Hatsune Miku Edition, Optical-Mechanical RGB Switch, USB 2.0 (Type-A) connectivity, 96% size (Full/TKL), RGB per Keys Lighting, Aura Sync, N key rollover Anti-Ghosting, Programmable F1-F8 Keys, 1000Hz USB report rate, 2-meter rubber cable
RCT-HyperKeyTKL	R 311	RCT HyperKeyTKL Mechanical Gaming Keyboard - USB, RGB Lighting
RD-K518-RGB-GB	R 265	Redragon crux membrane Gaming Keyboard - Black, QWERTY 108-key layout, 4x Macro Keys, 26 Anti-Ghost Keys, USB 2.0 connection, Double-Shot injection KeyCaps, RGB (Presets) backlighting
RD-K521-RGB	R 176	Redragon K521 upgrade Rainbow LED 104-key Membrane Gaming Keyboard, Membrane key Switches, Laser engraved KeyCaps, USB Type-C cable, 25-key rollover, 104-keys layout, Height adjustable
RD-K522RGB-PRO	R 411	Redragon Shiva K522 Pro RGB Wireless Gaming Keyboard - Black, Membrane Keyboard Type, Connectivity - 2.4GHz Wireless / Bluetooth / Wired, 61 10 total Keys, 5 dedicated Multimedia Keys, 5 dedicated Macro Keys, RGB backlighting, Tactile Switch feel, 4000mAh Built-In Li-Ion Battery, 150 cm cable length
RD-K552RGB-1	R 526	Redragon Kumara Rgb Mechanical Gaming Keyboard
RD-K582RGB	R 622	Redragon Surara RGB mechanical Gaming USB Keyboard Black, OUTEMU Red mechanical switches, RGB backlighting, Full anti-ghosting keys, 16.8 million colours backlight, Macro and light settings, 104 keys
RD-K585RGB-PRO	R 750	Redragon Diti Elite Pro One-Handed RGB Wireless Mechanical Gaming Keyboard - Black, Type-C Wired connection, OUTEMU Red Switches, 42 keys (Full rollover) Matrix, 5x extra G Keys, Wrist-rest part, RD-K585RGB-PRO
RD-K585RGB-PRO-B	R 750	Redragon K585 Diti Elite Pro RGB 40% Wireless Mechanical Gaming Keyboard - Blue Switches, OUTEMU Blue Switches, 42 Keys (Full rollover) Matrix, 5 extra G Keys, Wrist-rest part, Type-C Wired connection
RD-K588RGB	R 645	Redragon K588 RGB Pro Broadsword TKL Mechanical Wired Gaming Keyboard - Black, Tenkeyless layout (TKL), OUTEMU Red Mechanical Switches, USB Wired connection, RGB backlighting
RD-K616-RGB	R 524	Redragon K616 Fizz Pro 61-key RGB Mechanical Gaming Keyboard - Black, 61 Keys, Red Mechanical (Hot-Swappable) Linear Switch Type, Connectivity - 2.4GHz Wireless / Bluetooth / USB Type-C (Wired), RGB backlighting, Full N-Key rollover
RD-K617-RGB	R 345	Redragon K617 Fizz 60% Wired RGB Gaming Keyboard - Black, 60% Format (61 Keys), Redragon Linear Red Hot-Swappable Switch Type, RGB backlight, Wired detachable Type-C to USB Type-A cable, Full-key rollover with Anti-Ghosting, 50 million Keystroke lifespan
RD-K617GGB-RGB-MP	R 492	Redragon Fizz Magnetic Wired 60% Gaming Keyboard, Magnetic Switch (Linear), RGB backlighting, Hot-Swappable Switches, 8000Hz polling, Wired connection
RD-K617RGB-MP	R 446	Redragon Fizz Magnetic Plus 60% RGB Gaming Keyboard - Black, USB Wired connectivity, Magnetic Switch Keyboard, Magnetic Switch Type, Linear Switch Tactile, 61 Keys, RGB backlight, 150cm cable length
RD-K628WG-RGB	R 592	Redragon Mechanical Pollux Wired Gaming Keyboard, OUTEMU Red Switches, 78 keys, USB Type-C cable, Full key with 100% Anti-Ghosting Keyboard rollover
RD-K631WG-RGB	R 421	Redragon Mechanical Caster Wired Gaming Keyboard, OUTEMU Red Switches, RGB Lighting, 68 keys Matrix, Type-C Wired connectivity
RD-K632W-RGB	R 557	Redragon K632 Horus Mini 60% RGB Wired Gaming Keyboard - White, Low Profile OUTEMU Red Switches, 61 Keys (Full rollover), 4x extra G Keys, USB Type-C cable Type
RD-K671	R 343	Redragon K671 104-key full size RGB Mechanical Gaming Keyboard, USB Type-C Wired connection, 104 Keys, Rainbow backlight, 12 Multimedia Keys, Hot-Swappable Red Switches, All 104 Keys Anti-Ghosting key
RD-K689WBB-RGB	R 562	Redragon K689 Wyvern RGB Wired Mechanical Keyboard - White / Black, Full-size 104 Keys extra 4 hotkeys

		Keyboard, Custom Dragon chant Linear Switch, Upgraded Hot-Swappable Socket, Redragon gasket Design, 5 Sound absorbing pads, PBT Keycap material, 108 Keys Matrix
RD-K745WB-RGB-PRO	R 821	Redragon K745 Pro Antonium Full-size Mechanical Gaming Keyboard, RGB Lighting, Linear Mint mambo Switches, Tri connectivity - USB-C Wired / Bluetooth / 2.4GHz Wireless modes, 108 Keys Matrix
RD-K761WG-RGB-PRO	R 860	Redragon Wyvern K761 Pro Full-size RGB Wireless Mechanical Gaming Keyboard - White/Green, Tri connection -2.4ghz / Bluetooth /USB Type-C Wired, Full size (104 Keys) layout, Shine-through PBT KeyCaps, Linear Mint mambo Switches, 4000mAh Rechargeable Battery, Height adjustable
RD-K762WB-RGB-PRO	R 884	Redragon K762WB-RGB-PRO LCD Full-size gasket Mechanical Wireless Keyboard - Black, 2.4GHz / Bluetooth / USB-C Wired Tri connection, Full size (104 Keys), Shine-through PBT KeyCaps, 1.41" TFT Smart info screen, Linear Mint mambo Switch, 4000mAh Rechargeable Battery, Height adjustable
RD-S141	R 512	Redragon Rylo S141 Membrane Gaming Keyboard and Mouse Wired Combo, Redragon Shiva K515 Membrane Gaming Keyboard, Wired / Tri-mode (Bluetooth / 2.4GHz /Wired connectivity), 98 Keys, 26 Anti-Ghost Keys, Linear Switch, Height adjustable, cable detachable, Redragon Trident M616 Mouse, USB 2.0 full Speed 3.0, Optical PixArt 8925 Sensor, 6 programmable buttons, 1.8m Braided-Fiber cable, 10000 dpi Max, Huano Mouse Button Type, On board Memory
RD-S148	R 819	Redragon 4-in-1 Keyboard / Mouse / MousePad / RGB Headset Gaming Combo, Redragon Shiva Membrane Gaming Keyboard, Redragon Trident 10000 dpi RGB Gaming Mouse, Redragon Pisces Medium Gaming Mouse Pad, Redragon Ares RGB Gaming Headset
ROC-12-201	R 1,205	Roccat Suora Frameless Mechanical Gaming Keyboard
ROC-12-601	R 1,343	Roccat Ryos Mk Mechanical Gaming Keyboard
ROC-12-651	R 1,596	Roccat Ryos TKL Pro Mechanical Gaming Keyboard
ROC-12-751	R 1,654	Roccat Ryos Mk Glow Mechanical Gaming Keyboard
ROC-12-821	R 1,240	Roccat ISKU Force Fx Rgb Keyboard
ROC-12-851	R 1,930	Roccat Ryos Black MK Pro Mechanical Gaming Keyboard
ROC-12-871	R 2,321	Roccat Ryos MK FX RGB Gaming Keyboard
ROC-12-901	R 1,217	Roccat ISKU FX Multicolour Keyboard
SMK1CBCLICK	R 539	Armaggeddon SMK-1C Psychsparrow Low-Profile Mechanical Keyboard - Clicky, 61 Keys, Low-Profile Clicky Mechanical Switches, Compact layout, Multi-Color LED backlight, Wired USB connection, 22 key N-Key rollover with Anti-Ghosting, 17 Modes Lighting effects
SMK1CBLINE	R 539	Armaggeddon SMK-1C Psychsparrow Low-Profile Mechanical Keyboard - Linear, 61 Keys, Low-Profile Linear Mechanical Switches, Compact layout, Multi-Color LED backlight, Wired USB connection, 22 key N-Key rollover with Anti-Ghosting
SMK1CBTACT	R 539	Armaggeddon SMK-1C Psychsparrow Low-Profile Mechanical Keyboard - Tactile, 61 Keys, Low-Profile Clicky Mechanical Switches, Compact layout, Multi-Color LED backlight, Wired USB connection, 22 key N-Key rollover with Anti-Ghosting, 17 Modes Lighting effects
SS-64636	R 3,824	Steel Series Apex 7 Red Switch Mechanical Gaming Keyboard, OLED Smart Display Integrated Command center with On-the-Fly updates, Aircraft grade Aluminum Alloy top plate for enhanced rigidity, SteelSeries QX2 Mechanical RGB Switches rated for 50 million keypresses, Dynamic Per-Key RGB illumination with millions of Colour options, Dedicated Multimedia controls including clickable Metal Roller and Media Keys, Three-way cable routing channels to prevent stretching and keep Desk tidy, Magnetic Wrist Rest included for full Palm support, N-Key rollover with 100% Anti-Ghosting on 104 Keys
SS-64660	R 6,299	Steel Series Apex Pro Gen 3 US Gaming Keyboard, Features OmniPoint 3.0 adjustable HyperMagnetic Switches, Rapid Trigger Technology eliminates Latency by activating Keys instantly on press or release, OLED Smart screen displays settings and allows On-the-Fly Configuration changes, Gg QuickSet provides Pre-Built Game presets including Rapid Trigger and RGB Lighting configurations, Dual-action Keys allow two different actions from a single key press based on depth, Dynamic Per-Key RGB illumination supports 16.8 million Colour options with reactive typing effects, Fadeproof Double shot PBT KeyCaps provide durability for heavy usage, Durable detachable Braided USB-C to USB Type-A cable withstands Daily wear and tear
SS-64740	R 5,849	Steel Series Apex Pro Gen 3 TKL US Keyboard - USB, Analog OmniPoint 3.0 adjustable HyperMagnetic Switches

		with hall effect Sensor, Protection mode reduces accidental presses on surrounding Keys, Dynamic Per-Key RGB illumination with 16.8 million Colour options, OLED Smart Display for changing settings OnBoard, 32 Bit Arm Processor with 5 custom profiles stored in Memory, Wired USB-C to USB Type-A connection with detachable Braided cable, Aluminum Frame construction with Per-Key Lubrication and dampening, Rubber Tri Level feet for height adjustment included in Box
SS-64795	R 1,700	SteelSeries Apex 3 US Gaming Keyboard with RGB Lighting, Rated IP32 Water and dust resistant, Whisper-quiet Switches designed for low Acoustic vibrations, Includes Premium Magnetic Wrist Rest for full Palm support, Features dedicated Multimedia controls with clickable Metal Roller, 10-zone RGB illumination controlled via SteelSeries Engine Software, Gaming grade Anti-Ghosting supports 24-key rollover, Durable POM rubber Dome sheet rated for 20 million keypresses, Three-way cable routing system included in Frame Design
SS-64831	R 1,444	Steel Series Apex 3 TKL US Gaming Keyboard, Whisper Quiet mechanical-like Switches, 60g actuation Force with Anti-Ghosting across 24 Keys, IP32 Water and dust resistant construction, 8-zone RGB PrismSync illumination system, Clickable Volume Roller and dedicated Multimedia controls, Three-way cable routing Design
SS-64847	R 3,824	Steel Series Apex 9 TKL US Optical Switch Gaming Keyboard - USB, Powered by OptiPoint Optical Switches, Constructed with aircraft grade Series 5000 Aluminum Alloy top plate, Equipped with durable Double shot PBT KeyCaps, Includes detachable Braided USB Type-C connection cable, Supports Per-Key RGB illumination, On-Board Memory stores up to 5 custom profiles, Includes three height adjustable Tilt leg positions, Compact Tenkeyless Design saves Desk Space, Features dedicated Volume Roller and Media Button controls
SS-64898	R 5,849	SteelSeries Apex Pro TKL Gen 3 White US Gaming Keyboard, OmniPoint 3.0 adjustable HyperMagnetic Switches with Analog hall effect Magnetic Sensor Technology, On-Board Memory storing 5 custom profiles, Wired connection via detachable Braided USB-C cable, Per-Key RGB illumination with 16.8 million Colour options, Aluminum Frame construction, Includes detachable Braided USB-C to USB Type-A cable, Keycap puller, Extension Adapter, Wrist Rest
SS-64951	R 1,444	SteelSeries Apex 3 TKL Amethyst US Gaming Keyboard, Tenkeyless Form Factor for increased Mouse Space, Water and dust resistant Design with High-Quality Polymer Frame, Whisper-Quiet Switches rated for 20 million keypresses, 8-zone RGB PrismSync illumination with 16.8 million colours, Gaming-Grade Anti-Ghosting supports up to 24 Keys simultaneously, Dedicated clickable Volume Roller and Multimedia controls, Three-way cable routing for organized Desk setup
STRIX-SCOPE-II	R 4,198	Asus ROG Strix Scope II Full-size RGB Gaming Keyboard, ROG NX Mechanical Switch, USB 2.0 connectivity, 100% size (Full/TKL), RGB per Keys Lighting, Aura Sync, N key rollover Anti-Ghosting, All Keys programmable, 1000Hz USB report rate, 2m USB Type-A to C cable
U3CGK	R 138	Tbyte 3 Colour Gaming Keyboard USB
V1M-D1	R 1,840	KeyChron V1 Max QMK/VIA Wireless custom Mechanical Keyboard - Red Switches - Black, 2.4GHz & Bluetooth connection, Gasket Mount Design, 4000 mAh Rechargeable Li-Polymer Battery, 5 hours charging time, -key rollover (NKRO), Hot-Swappable, South-Facing RGB LED backlight, USB Type-C charging Port, Gateron Jupiter Red Switch, 4mm Maximum Travel distance, Linear behavior
V1M-D3	R 1,840	KeyChron V1 Max QMK/VIA Wireless custom Mechanical Keyboard - Brown Switches - Black, 2.4GHz & Bluetooth connection, Gasket Mount Design, 4000 mAh Rechargeable Li-Polymer Battery, 5 hours charging time, N-Key rollover (NKRO), Hot-Swappable, South-Facing RGB LED backlight, USB Type-C charging Port, Gateron Jupiter Brown Switch, 4mm Maximum Travel distance, Tactile behavior
V5M-D1	R 1,879	KeyChron V5 Max QMK/VIA Wireless custom Mechanical Keyboard - Red Switch - Black, 2.4GHz & Bluetooth connection, 4000mAh Rechargeable Li-Polymer Battery, 5 hours charging time, N-Key rollover (NKRO), Hot-Swappable, South-Facing RGB LED backlight, USB Type-C charging Port, Gateron Jupiter Red Switch, 4mm Maximum Travel distance, Linear behavior
V6M-D1	R 1,919	KeyChron V6 Max QMK/VIA Red Wireless custom Mechanical Keyboard - Red Switch - Black, 4000mAh Rechargeable Li-Polymer Battery, 5 hours charging time, 2.4GHz & Bluetooth connection, N-Key rollover (NKRO), Hot-Swappable, Gateron Jupiter Switches, South-Facing RGB LED backlight, USB Type-C charging Port, Gateron Jupiter Red Switch, 4mm Maximum Travel distance, Linear behavior
VX-104-BK	R 631	Volkano VX Gaming Reinforce series Black mechanical Rainbow lighting Keyboard

VX-147-BK[V3]	R 655	Volkano VX Gaming Heracles Series 4-in-1 Combo, Keyboard, Mouse, MousePad, Headset, Rainbow Colour illumination Keyboard, High Definition 3200 dpi Mouse, Multicolour Lighting deep Bass Headset with Microphone, Non slip Mouse Pad
VX-148-BK	R 437	Volkano VX Gaming Helios Series 3-in-1 Gaming Combo, Wired Mouse, Wired Keyboard, 700mm MousePad
VX-151-BK	R 345	Volkano VX Gaming Poseidon Series membrane Gaming Keyboard - USB
VX-172-BK	R 655	Volkano VX Demeter Series Mechanical Keyboard with full RGB Lighting, Full Mechanical Blue Switch keys, Full RGB Lighting, 18 different effects, Reinforced braided cable, Metal reinforced base, 25 key Anti-Ghosting, Multimedia shortcut keys, Windows lock key
VX-230-BK	R 437	Volkano VX Gaming Floki RGB full Mechanical Keyboard, 104 Keys, RGB backlight, USB 2.0 Interface, 1.5 m cable length
VX-231-BK	R 437	Volkano VX Gaming Warborn RGB TKL Mechanical Keyboard - USB, Backlight breathing rate up 3 levels, USB 2.0, RGB lights modes changeable, 96 Keys 1 Knob, 1.5m anti-interference cable, All Keys Anti-Ghosting
VX-232-BKGY	R 575	Volkano VX Gaming Sun-Wukong RGB Hot Swappable Mechanical Keyboard, USB detachable Type-C cable, 68 Keys 1 Knob, 1.5m cable length, RGB backlight Gaming Keyboard, Adjustable RGB Light with 11 models, All Keys anti ghosting
VX-232-GYBK	R 575	Volkano VX Gaming Sun-Wukong RGB Hot Swappable Mechanical Keyboard, USB detachable Type-C cable, 68 Keys 1 Knob, 1.5m cable length, RGB backlight Gaming Keyboard, Adjustable RGB Light with 11 models, All Keys anti ghosting
VX-233-PK	R 437	Volkano VX Gaming Freya Pink 4 -IN-1 Rainbow Combo, 1x Mechanical Keyboard, Customizable RGB backlighting and Anti-Ghosting Keys, 1x High-Precision Mouse, 1x comfortable Headphones, 1x durable Mouse Pad

< Return to the menu

Keyboards : Keyboards - Wired

Product code	Price	Description
31310016400	R 128	Genius KB-117 Black USB Keyboard, Concave keycap design, 1.5 m cable length
31310051400	R 114	Genius KB-118 II Black Full-Sized Elegant Wired Classic Keyboard - USB, Concave Keycap Type, 1.4m cable length, Spill-resistant
31310053400	R 435	Genius Ergo KB-700 with Palm rest Wired Keyboard - USB, Chocolate Keycap Type, 12 Function Keys, Ergonomic, Palm rest, 1.5m cable length
31310055400	R 205	Genius SilmStar 820 Wired Keyboard - USB, Slim Keycap, 19 Keys Anti-Ghosting Design, Adjust backlight brightness, Copilot
31330007400	R 193	Genius SlimStar C126 USB Black Keyboard
580-17667	R 473	Dell KB-522 Multimedia USB Keyboard
580-17667	R 470	Dell KB-522 Multimedia USB Keyboard { Compatible with --> Lat E5430, Lat E5530, Lat E6230 , Lat E6330, Lat E6430, Lat E6530, Lat6320, Lat6520, lat6420, XPS12, XPS13, XPS14, XPS15, XPS 17, Vostro 2521, Vostro 3360, Vostro 3460 , Vostro 3560, Vostro3350, Vostro3450 }
580-18366	R 695	Dell KB813 Smartcard Keyboard; US International QWERTY; Wired USB Type-A; Integrated smartcard reader; Full-size layout; Low-profile plunger keys; Spill-resistant; Removable palm rest; Black with silver trim; Dimensions: 4.0 x 44.65 x 15.15 cm; Weight: 0.615 kg keyboard only
580-ADHK	R 214	Dell KB-216; black; full-size keyboard; US International QWERTY; wired USB; numeric keypad; chiclet keys; plunger mechanism; multimedia controls; spill resistant; 1.8 m cable; 44.17 x 12.73 x 2.44 cm; 503 g
580-ADHK	R 214	Dell KB-216; black; full-size keyboard; US International QWERTY; wired USB; numeric keypad; chiclet keys; plunger mechanism; multimedia controls; spill resistant; 1.8 m cable; 44.17 x 12.73 x 2.44 cm; 503 g
580-ADHK	R 211	Dell KB-216; black; full-size keyboard; US International QWERTY; wired USB; numeric keypad; chiclet keys; plunger mechanism; multimedia controls; spill resistant; 1.8 m cable; 44.17 x 12.73 x 2.44 cm; 503 g
580-BBSX	R 706	Dell 580-BBSX KB525C Wired Collaboration Keyboard - US International (QWERTY), Plunger KeySwitch Technology, Spill resistant, Low-Profile Keys, Adjustable Tilt, Illuminated, 15 programmable Keys, USB Type-C Keyboard Interface, Microphone mute/unmute, Copilot key

664R5AA	R 229	HP 664R5AA 150 Wired Keyboard, Caps Lock, Num Lock, Scroll lock, 100 cm cable length, Full size 2.5-zone layout Keyboard Type, 2.5 mm plunger Low Profile key Travel, USB Type-A Port
74-580ADHK	R 209	Dell Keyboard : US/Int (QWERTY) Dell KB-216 Multimedia USB Keyboard Black (Kit)
7N7C1AA	R 700	HP 405 Multi-Device Backlit Wired Keyboard
8187	R 69	Tbyte 8187 USB full Office Keyboard, 104 English Keys, Membrane Switches, 13.m cable length
900752-US	R 250	Port Tough Wired Office Keyboard - US
900753-US	R 102	Port 900753 Connect Office Keyboard USB - Black, Full-sized 104 keys
920-002479	R 114	Logitech Keyboard K120 for Business - Black USB, 150 cm cable length, Spill-resistant Design, 10-key number pad, Caps Lock indicator Light, Num Lock indicator Light, Deep Profile key Type
920-002508	R 139	Logitech K120 Keyboard - Multimedia Short cut Keys, US Key Layout, Spill Resistant, Ergonomic Slope, Soft Press Keys, USB
920-002508	R 125	Logitech K120 USB Wired Keyboard - Black, Spill-resistant design, 10-key number pad, Caps Lock indicator light, Num Lock indicator light
920-002508	R 124	Logitech K120 USB Wired Keyboard - Black, Spill-resistant design, 10-key number pad, Caps Lock indicator light, Num Lock indicator light
920-002583	R 194	Logitech K120 Corded Keyboard - USB, Spill-resistant Design, 10-key number pad, Caps Lock indicator Light, Num Lock indicator Light, Deep Profile key Type, 920-002583
920-008093	R 699	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
920-008093	R 685	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
920-008093	R 766	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
920-008093	R 689	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
920-013333	R 1,022	Logitech Wired Keyboard K620 for Business - Graphite - USB, Caps Lock indicator Light, Wired USB-C connection, Keyboard plate inside the K620 Keyboard is made with low-carbon Aluminum
920-014195	R 1,436	Logitech G316 X 98 Black 98% Wired Gaming Keyboard; Tactile switches; Hot-swappable switches; Up to 8 kHz report rate; LIGHTSYNC RGB; PBT keycaps; Numeric keypad; USB-C detachable cable; 1.8 m cable; 38.4 x 14 x 4 cm; 920 g
920-014231	R 1,436	Logitech G316 X 98 White 98% Wired Gaming Keyboard; Tactile switches; Hot-swappable switches; Up to 8 kHz report rate; LIGHTSYNC RGB; PBT keycaps; Numeric keypad; USB-C detachable cable; 1.8 m cable; 38.4 x 14 x 4 cm; 920 g
9SR37UT	R 321	HP 9SR37UT 320K Wired Desktop Keyboard - USB, 180 cm cable length, Full size 3-zone layout Keyboard Type, Plunger 2.0 mm Low Profile key Travel, Copilot special key, USB Type-A Port
A80508-BEN	R 71	Astrum A80508-BEN KB080 Black 1.3m Slim 104 Keys USB Keyboard. Model: A80508-BEN; Interface: USB 2.0; Key Count: 104; Key Type: Membrane; Key Life: 5M; Key Noise: 45dB; Keycap Material: UV-coated; Tilt Legs: Dual-angle; Cable Length: 1.3m; Dimensions: 438x142x24mm; Weight: ~410g; Compatibility: Win 7 /Chrome OS/Linux
A80517-B EN	R 102	Astrum KB170 Keyboard USB classic 104 keys, Adjustable height with tilted legs
A80535-BEN	R 87	Astrum KB350 Mini Wired USB Keyboard
AIRPAD1W	R 437	Alcatroz Airpad 1 Wireless 2.4G Keyboard Input for smart TV or Computers White
AK-999s	R 459	Armaggeddon AK-999S FX spill proofgaming Keyboard with 9 different backlight colours, Adjustable backlight effects, High-profile tactkeys provide more feedback than ordinary membrane keyboards, Lifespan of up to 100 million keystrokes, Custom Laser keycap lettering for longer durability and added resistance to scratches and fading, Anti-ghosting Gaming clusters (WASD and arrow keys), Gaming mode option to deactivate Windows key, 1.4 meters of multi-flex Ultra-durable cord
C3PX-H4	R 1,124	KeyChron C3 Pro 80% 8K Super Banana Switch Hot-Swappable RGB Wired custom Mechanical Keyboard, 8000 Hz polling rate, Gasket Mount Design, TKL Keyboard size, Banana Switch (8K), Cherry Profile Double-Shot PBT KeyCaps, Shine-Through, Wired connection, RGB backlighting, Hot-Swappable Switches
CH-91E911G-NA	R 3,669	Corsair VANGUARD PRO 96% Hall Effect Gaming Keyboard - MGX Hyperdrive magnetic switches - Black.
CH-979101J-NA	R 1,668	Corsair Clipper Pro Mini 60 Hall Effect Gaming Keyboard - Black, Corsair MGX HyperDrive Core hall effect Magnetic Switches with adjustable actuation, Hyper-polling up to 8, 000Hz for ultra-responsive inputs, FlashTap

		socd Technology for total movement Control, IP57 Waterproof and Dust-Resistant construction, Full key rollover (NKRO) for accurate, Conflict-free inputs, Vivid RGB backlighting with fn-shortcut Media and Volume controls, 5 OnBoard profiles stored in 8MB of Memory, Adjustable height Design, Wired USB Type-A connectivity with Braided cable
CH-979111J-NA	R 1,668	Corsair Clipper Pro Mini 60 hall effect Gaming Keyboard - White, Corsair MGX HyperDrive Core Magnetic Switches with hall effect customization, 8000Hz Keyboard report rate for ultra-responsive inputs, IP57 Waterproof and Dust-Resistant construction, Full key (NKRO) key rollover support, FlashTap socd Technology for movement Control, 60% Compact Keyboard layout with adjustable height, USB Type-A Wired connectivity with Braided cable, 8MB OnBoard Memory storing 5 profiles, Dynamic RGB backlighting, Media and Volume controls via Fn shortcuts
CH-CSL600M	R 3,361	Coolermaster CK350 Outemu Brown switch Keyboard
CNE-CKEY01	R 153	Canyon KB-1 EN Black Wired keyboard, Spill resistant, Classic layout
DRACOE1	R 399	KWG Draco E1 Mechanical Neon Light Keyboard - Neon Light Spectrum 7-color backlight, KWG Certified Mechanical Switches, Windows Key lock on/off indicator, WASD-Arrow Key Exchange Mode, Rubber Feet Design Anti-slip design to ensure your keyboard to stand steadily, Anti-ghosting with 21-key rollover, Retail Box
DRACOM1	R 499	K-World Gaming Draco M1 Mechanical RGB Light Keyboard - RGB Backlighting Built-in lighting effects, KWG Certified Mechanical Switches, Windows Key lock on/off indicator, WASD-Arrow Key Exchange Mode, Rubber Feet Design Anti-slip design to ensure your keyboard to stand steadily, Anti-ghosting with N-key rollover, Retail Box
DTDE580-17667	R 516	Dell 580-17667 KB-522 Wired Business Multimedia USB Keyboard (US), 14 hot keys, Palm rest, 2-port USB Hub, Spill-resistant
DTDE580-ADHK	R 240	Dell KB-216; black; full-size keyboard; US International QWERTY; wired USB; numeric keypad; chiclet keys; plunger mechanism; multimedia controls; spill resistant; 1.8 m cable; 44.17 x 12.73 x 2.44 cm; 503 g
DTDE580-ADHY	R 229	Dell 580-ADHY KB216 US / Euro USB Multimedia Keyboard
DTDE580-BBSX	R 723	Dell 580-BBSX KB525C Wired Collaboration Keyboard - US International (QWERTY), Plunger KeySwitch Technology, Spill resistant, Low-Profile Keys, Adjustable Tilt, Illuminated, 15 programmable Keys, USB Type-C Keyboard Interface, Microphone mute/unmute, Copilot key
KB-LVT-SSSRUS-01	R 2,758	Thermaltake Level 20 RGB Titanium Gaming Keyboard, Cherry MX Silver, Color: Titanium, Interface: USB, 16.8 Million RGB Color Back Light, Audio and USB Pass through, 1.8M Cable
KB1000	R 194	Alcatroz silent KB1000 USB Wired Keyboard, Spill resistant Design, 104 soft and silent keypads with dedicated Numeric Keypad
KB1500	R 206	Alcatroz Silent KB1500 USB Wired Keyboard, Spill resistant Design, 104 soft and Silent keypads with dedicated Numeric Keypad
KBD-ERGO-KB-700	R 431	Genius Ergo KB-700 with Palm rest Wired Keyboard - USB, Chocolate Keycap Type, 12 Function Keys, Ergonomic, Palm rest, 1.5m cable length
KBD-KB-100X	R 114	Genius KB-100X 1.5m USB Wired Classic Keyboard with sleep key, 12x Multimedia FN keys, Concave KeyCaps, Spill resistant, Kickstand tilting for comfortable typing
KBD-KB-113	R 132	Genius KB-113 Wired Copilot Keyboard - USB, Concave Keycap Type, 12 Function Keys, Spill resistant, 1.5m cable length
KBD-KB-117S	R 132	Genius Wired Copilot Silent Keyboard - USB, Chocolate Keycap Type, USB Type-A Interface
KBD-SLIMSTAR-820-BLK	R 166	Genius SlimStar 820 USB Keyboard - Black, Illuminated Keyboard, Low-Profile backlight Keys, 19 Anti-Ghosting key functions, 12 Multimedia FN Keys
KBRD001	R 127	Microworld USB Foldable Keyboard Membrane - Stand-alone USB full keyboard that is flexible and light - for use with laptops and other devices.
KE-3KP+NP	R 2,049	3D connexion Keyboard Pro NumPad Pro, USB or Bluetooth Wireless, 12 programmable 3Dconnexion keys, 4 programmable Media keys, Full-sized Keyboard with detached NumPad, Wireless NumPad (including 9 programmable keys)
KE-CK55CR	R 746	Corsair CH-9226C65-NA K55 CORE Black RGB Gaming Keyboard
KE-GAK1	R 1,756	Gigabyte Aorus K1 RGB - cherry MX ReD - Vengeance Performance FPS mechanical Aluminum Gaming Keyboard, individually customizable RGB (16.8m color) LED on all keys, linear switch with Force feedback / low resistance, 45g actuation force with 2mm actuation distance, no palm rest, NKRo (N-Key RollOver), 1000Hz

		ultrapolling/ 1ms response time - USB
KE-LG413SE	R 1,379	Logitech G413 SE Mechanical Gaming keyboard, black, full-size keyboard, tactical mechanical switches with white LED, wear-resistant PBT keycaps, brushed aircraft-quality 5052 low-carbon aluminum alloy top case, Enhanced Function Keys, 100% Anti-Ghosting with 6-Key Rollover - USB
KE-LG413SET	R 1,239	Logitech G413 SE TKL Mechanical Gaming keyboard, black, TKL keyboard, tactical mechanical switches with white LED, wear-resistant PBT keycaps, brushed aircraft-quality 5052 low-carbon aluminum alloy top case, Enhanced Function Keys, 100% Anti-Ghosting with 6-Key Rollover - USB
KE-LK120R	R 132	Logitech 920-002508 K120 USB wired keyboard; full-size layout; numeric keypad; spill resistant; black; deep-profile keys; adjustable tilt legs; 1.5m cable; 450 x 155 x 23.5mm; 550g; Windows and Linux compatible
KE-Z300	R 153	Zalman zm-k300m Wired Multimedia Keyboard, black, 20x hot keys, laser carved key, 8x extra blue coloured direction keys with key remover, 485x213x30mm - USB
KEY175	R 114	Genius KB-100 Smart USB Black Keyboard, Smart engine, Visual Function Key bar virtual, 1.5 m cable length, Concave keycap Type
LOG-920-002508	R 122	Logitech K120 USB Wired Keyboard - Black, Spill-resistant design, 10-key number pad, Caps Lock indicator light, Num Lock indicator light, 920-002508
LOG-920-008093	R 698	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
LOG-920-014195	R 1,433	Logitech G316 X 98 Black 98% Wired Gaming Keyboard; Tactile switches; Hot-swappable switches; Up to 8 kHz report rate; LIGHTSYNC RGB; PBT keycaps; Numeric keypad; USB-C detachable cable; 1.8 m cable; 38.4 x 14 x 4 cm; 920 g
LOGI G213 920-008093	R 722	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
LOGI G413 SE 920-010437	R 1,298	Logitech 920-010437 G413 SE Mechanical Gaming Keyboard - Black - US International - USB - INTNL-973 - Tactile switch
LOGI K120 920-002508	R 130	Logitech K120 Corded Keyboard, comfortable quiet typing a sleek yet sturdy design and a plug and play USB connection spill resistant keyboard (Tested under limited conditions maximum of 60 ml liquid spillage)
LOGI K400 920-007145	R 435	Logitech Wireless Keyboard K400 Plus Touch (Dark Grey) Unifying USB receiver 18-months Battery life 13 Function integrated Hot Keys 10m range (2 4 GHz)
LOGI PRO X TKL RAPID 920-013233	R 3,030	Logitech 920-013233 PRO X TKL Black RAPID wired Gaming Keyboard - Analog Switches, tenkeyless; magnetic analog switches; adjustable actuation; LIGHTSYNC RGB; wired USB-C connection; 1 ms report rate
Logitech G213 Prodigy	R 689	Logitech G213 prodigy Wired Gaming Keyboard USB, Spill resistance cable 1.8m, USB, RGB (5 zone) backlighting
Logitech K120	R 124	Logitech K120 Keyboard - N/A - US INT ' L - USB - NSEA
MK-U03BK	R 127	Mecer MK-U03BK Black Slim USB Keyboard - Microsoft Windows 98/ 2000/ ME/ XP/ Vista/ 7/ 8/ 8.1/ 10/ 11 Compatible
MKA-3CBS	R 643	Armaggeddon MKA-3C PsychFalcon Mechanical Keyboard USB, Blue mechanical Switch, 87 x kevlartech high quality keycaps, Individually lit keys with multicolour LED lights and 12 different backlight EFX, 1.8m high quality nylon braided cable with magnetic Ring
MKA-5R	R 689	Armaggeddon MKA-5R RGB Mechanical Gaming Keyboard
NBDE545-BBDY	R 1,839	Alienware AW420K Tenkeyless Gaming Keyboard - US (QWERTY)
NBHPAY2Y7AAS	R 191	HP AY2Y7AA 125 G2 USB Wired Keyboard - OEM packaging, 180 cm cable length, Full size Keyboard Type, 3-zone layout, Plunger Keys structure, 3.0 mm, Standard key Travel, Copilot special Keys, USB Type-A Port
RD-BK-7092	R 135	REDRAGON BK-7092 Black Wired Office Keyboard
RD-BK-7113	R 223	REDRAGON Wireless Scissor key structure Keyboard - Black and White
RD-BK-7366	R 102	Redragon BK-7366 Full-size Ergonomic Wired Membrane Office Keyboard - Black, Wired connectivity, 104 Keys, 10 extra Multi-media shortcut Keys. The Redragon BK-7366 ergonomic wired membrane keyboard is designed for efficient, comfortable everyday computing in home and office environments.
RD-K512RGB-1	R 407	Redragon RD-K512RGB-1 Shiva K512 membrane RGB Gaming Keyboard - Black, 9 Multimedia Keys, 6 Macro Keys, Magnetic detachable wrist/Palm rest, USB 2.0 connection, Double-Shot injection KeyCaps, 26 conflict-free Keys, 7 pre-set RGB backlight patterns and 6 customized modes
RD-K512W-RGB-1	R 438	Redragon RD-K512W-RGB-1 Shiva membrane Keyboard - White, 9 Multimedia Keys, 6 Macro Keys, 26 Anti-Ghost Keys, Magnetic detachable wrist / Palm rest, USB 2.0 connection, Double-Shot injection KeyCaps, Hybrid

		membrane Keys with a quiet Mechanical feel, 7 pre-set RGB backlight patterns and 6 customised modes
RD-K552W-RGB	R 538	Redragon K552 KUMARA White RGB Mechanical Gaming Keyboard
RD-K617-RGB-WG	R 367	Redragon K617 FIZZ White/Grey 60% Wired RGB Gaming Keyboard; Linear Red switches; hot swappable; full RGB lighting; compact gaming layout; detachable USB Type-C cable; weight 0.43kg; dimensions 29.21 x 9.9 x 3.56cm
RD-K630RGB	R 491	Redragon Dragonborn Black Wired Mechanical Keyboard - RGB 67Key Design
RD-K630W-RGB	R 497	Redragon Dragonborn Wired Rgb Lights - 67key Design
RD-K632-RGB	R 600	Redragon Noctis 61Key Red Switch RGB Low Profile Gaming Mechanical Keyboard - Black
RD-K673WB-RGB-M	R 674	Redragon K673 UCAL Black 75% Magnetic Ultramag Switch Wired Keyboard; UltraMag magnetic switches; USB Type-C; 81 keys compact; 100M keystroke rating; black keyboard
RD-K709-RGB	R 598	REDRAGON NOVA Wired Mechanical Keyboard RGB 68Key Design - Black
RD-M991RGB-PRO	R 647	Redragon M991 RGB PRO ENLIGHTENMENT Black 26000 DPI Wireless Gaming Mouse; 26000 DPI optical sensor; RGB lighting; wireless 2.4GHz Bluetooth USB; ergonomic design; programmable buttons
ROC-12-351	R 1,435	Roccat Horde Aimo Black Keyboard
ROC-12-524	R 596	Roccat Arvo Compact USB Keyboard
VIGOR GK60 CR US	R 1,573	MSI Vigor Gk60 Gaming Keyboard
VIGOR WR01 WRIST REST	R 192	MSI Vigor WR01 Wrist Rest, Inclined for comfort, Cool & smooth Surface, Antibacterial coating, Cooling gel-infused pad

< Return to the menu

Keyboards : Keyboards - Wireless / Bluetooth

Product code	Price	Description
103211032	R 460	Zagg Pro Keyboard 12 multi-pairing 12-inch Keyboard with Wireless Charging, Qi-Compatible Wireless Charging, Pair with up to three devices, Long-lasting Battery, Charging cable
103211034	R 334	Zagg Pro 15 Universal Bluetooth Keyboard UK Black, Qi-Compatible Wireless Charging, Pair with up to three devices, Long-lasting Battery
31310021400	R 216	Genius SlimStar 7230 Wireless Keyboard, Multimedia, FN keys, Chocolate keys, Battery indicator, USB
31320002400	R 216	Genius KB-7200 2.4GHz Wireless Keyboard, 10 meter range, USB receiver, 11 Function keys, Low Battery indicator
31320007400	R 216	Genius KB-7123 Copilot Wireless Palm rest Keyboard, USB Type-A or USB-C receiver, Concave Keycap Type, 12 Function Keys, Spill-resistant Design, USB receiver, 1x AA Battery
3Z726AA	R 1,919	HP 3Z726AA 975 USB Bluetooth Dual-Mode Wireless Keyboard, Rechargeable battery via a simple USB-C connection, Backlighting
4R177AA	R 647	HP 4R177AA 455 programmable Wireless Keyboard, Up to 20 months Battery Life, 2x AAA Battery Type, 3-zone layout, Up to 20 programmable keys, 7 Hot keys, Mic mute / dictation / Emoji special keys, USB Dongle
4Y41S04659	R 623	Lenovo Wireless Multi-mode Pro Keyboard 6000, 2.4Ghz Wireless via USB Type-A receiver, Bluetooth 5.3, Lenovo USB Type-A unified pairing receiver, 1x 1.5V AAA Batteries, Dome Switch Keys, Island style Keys, 3-zone Keyboard layout, 36 months Battery Life
4Y41S04659	R 656	Lenovo Wireless Multi-mode Pro Keyboard 6000, 2.4Ghz Wireless via USB Type-A receiver, Bluetooth 5.3, Lenovo USB Type-A unified pairing receiver, 1x 1.5V AAA Batteries, Dome Switch Keys, Island style Keys, 3-zone Keyboard layout, 36 months Battery Life
580-AKOO	R 416	Dell 580-AKOO KB500 Wireless Keyboard - US international, USB Wireless receiver, Plunger Keyboard technology, Numeric keypad, 36 months run Time
580-AKOO	R 449	Dell 580-AKOO KB500 Wireless Keyboard - US international, USB Wireless receiver, Plunger Keyboard technology, Numeric keypad, 36 months run Time
580-AKOX	R 633	Dell 580-AKOX KB740 Compact Multi-Device Wireless Keyboard - US international, 2.4 GHz & Bluetooth 5.0, USB Wireless receiver, Scissors Keyboard technology, Numeric keypad, 36 months run Time
580-AKPT	R 1,010	Dell 580-AKPT KB700 Multi-Device Wireless Keyboard - US international, 2.4 GHz & Bluetooth 5.0, USB Wireless receiver, Scissors Keyboard technology, Adjustable height, Numeric keypad, 36 months run Time

580-BBDH	R 2,319	Dell 580-BBDH KB900 Premier Collaboration Wireless Keyboard, US International (QWERTY), 2.4GHz & Bluetooth 5.1 Interface, USB Wireless receiver, Scissors Keyboard Technology, Numeric Keypad, USB-C to USB-C cable, Rechargeable Battery, 20 days run time
580-BBDH	R 2,325	Dell 580-BBDH KB900 Premier Collaboration Wireless Keyboard, US International (QWERTY), 2.4GHz & Bluetooth 5.1 Interface, USB Wireless receiver, Scissors Keyboard Technology, Numeric Keypad, USB-C to USB-C cable, Rechargeable Battery, 20 days run time
74-580AKOO	R 435	Dell 580-AKOO KB500 Wireless Keyboard - US international, USB Wireless receiver, Plunger Keyboard technology, Numeric keypad, 36 months run Time
74-580AKOX	R 652	Dell 580-AKOX KB740 Compact Multi-Device Wireless Keyboard - US international, 2.4 GHz & Bluetooth 5.0, USB Wireless receiver, Scissors Keyboard technology, Numeric keypad, 36 months run Time
74-580AKPT	R 991	Dell 580-AKPT KB700 Multi-Device Wireless Keyboard - US international, 2.4 GHz & Bluetooth 5.0, USB Wireless receiver, Scissors Keyboard technology, Adjustable height, Numeric keypad, 36 months run Time
7E756AA	R 2,107	HP 7E756AA 965 Wireless Ergonomic Keyboard with seperate numbpad - Black, Up to 6 months NumPad Battery Life, Up to 24 months Keyboard Battery Life, 20 programmable Keys, Scissor Keys structure
7N7B9AA	R 677	HP 475 Dual-Mode Wireless Keyboard
805T1AA	R 320	HP 225 Black Wireless Keyboard; 2.4GHz RF wireless; full-size chiclet keys; numeric keypad; up to 16 months battery life; USB dongle; 425.9 x 146.1 x 26.8 mm; 425.5 g
805T1AA	R 321	HP 225 Black Wireless Keyboard; 2.4GHz RF wireless; full-size chiclet keys; numeric keypad; up to 16 months battery life; USB dongle; 425.9 x 146.1 x 26.8 mm; 425.5 g
805T2AA	R 328	HP 220 Black Wireless Keyboard; wireless 2.4 GHz USB keyboard; up to 16 months battery; full size chiclet layout; AES 128-bit; Windows 10 11; 4259 x 1461 x 268 mm; 4255 g
900903-US	R 460	Port 900903 Office Bluetooth Keyboard, 109 comfortable keys, Of 10 meters range, Connect up to 4 devices simultaneously
910004424	R 156	Logitech M171 Black Wireless Optical Mouse; black/grey; 2.4 GHz wireless; USB nano receiver; 1000 DPI; 3 buttons; optical scroll wheel; up to 10 m range; 1 x AA battery included; up to 12 months battery life; ambidextrous design; dimensions: 9.77 x 6.15 x 3.52cm; weight: 70.5g
910007119	R 282	Logitech M240 Silent Graphite Bluetooth Mouse; 400-4000 DPI; Bluetooth Low Energy; 10 m wireless range; 3 buttons; ambidextrous design; 1 x AA battery included; up to 18 months battery life; 99 x 60 x 39 mm; 73.8 g with battery; Windows, macOS, iPadOS, ChromeOS, Linux, Android compatibility
920-007145	R 439	Logitech K400 Wireless Touch Keyboard Multi Touch Touchpad, 12 Programmable F-Keys, Media Hot Keys, Unifying Nano Receiver, 1 Year Battery Life
920-007145	R 421	Logitech K400 Wireless 2.4GHz Touch Keyboard with Multi Touch Touchpad, 12 programmable F-keys, Media Hot keys, Unifying Nano receiver, 1 Year Battery Life, 920-007145
920-007145	R 443	Logitech K400 Wireless 2.4GHz Touch Keyboard with Multi Touch Touchpad, 12 programmable F-keys, Media Hot keys, Unifying Nano receiver, 1 Year Battery Life, 920-007145
920-007173	R 432	Logitech Wireless Touch Keyboard K400 Plus - Dark, Logitech unifying Protocol (2.4GHz), 2x AA Battery (Included), 18 months Battery Life, 920-007173
920-009503	R 4,157	Logitech G915 TKL Tenkeyless LightSpeed Wireless RGB Mechanical Gaming Keyboard, Tactile key Switches, 40 hours Battery Life, 2 Lighting profiles, 3 Macro profiles, LightSync RGB per key Lighting, LightSpeed Wireless, Bluetooth, Dedicated Media control and edgeless Volume wheel, LightSpeed USB receiver, 920-009503
920-010251	R 1,931	Logitech MX Keys Wireless Bluetooth Keyboard - Graphite, Logi Bolt USB receiver, USB-C Rechargeable Li-Po (1500 mAh) Battery, Auto-adjust backlighting, 920-010251
920-010352	R 2,379	Logitech Wireless K860 Ergo split Keyboard - Bluetooth, 3 layer pillowed Wrist Rest, USB receiver, Bluetooth 10 m Wireless range, 2x AAA batteries, 920-010352
920-010608	R 2,161	Logitech MX Keys Mini for Business - Graphite - 2.4GHz / Bluetooth, Microphone mute Button, Talk-to-text and other customizable F-keys, Hand proximity sensors turn the backlighting on, Ambient Light sensors adjust backlight brightness, Logi Bolt USB receiver, Rechargeable Li-Po (1500 mAh) Battery, Full charge lasts up to 10 days, Up to 5 months with backlighting off
920-010945	R 1,242	Logitech Signature K650 Bluetooth Keyboard - Graphite, 10 m Wireless range, 36 months Battery life, Logi Bolt

		USB receiver, 920-010945
920-010977	R 869	Logitech Signature K650 Bluetooth Keyboard - Off-white, 10 m Wireless range, 36 months Battery life, Logi Bolt USB receiver, 920-010977
920-011587	R 1,780	Logitech MX Keys S Advanced Wireless Illuminated Keyboard - Graphite, Rechargeable Li-Po (1500 mAh) Battery, Hand proximity sensors that turn the backlighting on, Ambient light sensors that adjust backlighting brightness, USB-C Rechargeable, 920-011587
920-011753	R 551	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Graphite, 2x AAA Battery, F4-F12 and Volume up shortcut Keys, 920-011753
920-011754	R 551	Logitech Pebble Keys 2 K380S Bluetooth - Tonal White, 2 x AAA Battery, F4-F12 and Volume up shortcut Keys, 920-011754
920-011755	R 569	Logitech Pebble Keys 2 K380S - Tonal Rose - Bluetooth, Slim, Multi-Device pairing, Customizable Fn shortcut Keys, Comfy and Quiet laptop-like typing, 10 m Wireless range, 2 x AAA (Alkaline Battery), 36 months Battery Life, 920-011755
920-011851	R 926	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Graphite, 2 x AAA Battery, F4-F12 and Volume up shortcut keys, 920-011851
920-011851	R 499	Logitech Pebble 2 Wireless Keyboard - Bluetooth Connectivity With Logi Bolt USB Receiver, 10m Wireless Range, On/Off Power Button, 2 x AAA Alkaline Battery, LED Indicator Light And 3 Easy Switch Bluetooth Channels, With Show Desktop, Search, Back, Voice Dictation, Emoji menu, Screen capture Special Keys, Slim And Lightweight Design, Graphite Color, Retail Box
920-011851	R 537	Logitech Pebble 2 Wireless Keyboard - Bluetooth Connectivity With Logi Bolt USB Receiver, 10m Wireless Range, On/Off Power Button, 2 x AAA Alkaline Battery, LED Indicator Light And 3 Easy Switch Bluetooth Channels, With Show Desktop, Search, Back, Voice Dictation, Emoji menu, Screen capture Special Keys, Slim And Lightweight Design, Graphite Color, Retail Box
920-011852	R 926	Logitech Pebble Keys 2 K380S Bluetooth - tonal White, 2 x AAA Battery, F4-F12 and Volume up shortcut keys, 920-011852
920-011852	R 499	Logitech Pebble 2 Wireless Keyboard - Bluetooth Connectivity With Logi Bolt USB Receiver(Receiver Not Included), 10m Wireless Range, On/Off Power Button, 2 x AAA Alkaline Battery, LED Indicator Light And 3 Easy Switch Bluetooth Channels, With Show Desktop, Search, Back, Voice Dictation, Emoji menu, Screen capture Special Keys, Slim And Lightweight Design, White Color, Retail Box
920-011853	R 926	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Pink, 2 x AAA Battery, F4-F12 and Volume up shortcut keys, 920-011853
920-011911	R 4,157	Logitech G Pro X 60 LightSpeed Gaming Wireless Keyboard, Wireless 2.4GHz LightSpeed / USB / Bluetooth, Pro-inspired 60 percent Design, LightSync RGB Lighting, 1 ms report rate, Up to 65 hours Battery Life (Rechargeable), Up to 10 m Wireless range, 920-011911
920-012136	R 4,567	Logitech G Pro X TKL LightSpeed Wireless Gaming Keyboard GX Tactile, Tenkeyless Design, LightSync RGB Lighting, OnBoard Lighting profiles, 6 ft detachable charging and Data cable, 1 ms report rate, Up to 50h Battery Life (Rechargeable), Up to 10 m Wireless range, 920-012136
920-012304	R 1,162	Logitech Wave Keys Wireless Ergonomic Keyboard, Logi Bolt USB receiver, Dual printed layout Keyboard, Easy-Switch Keys, Tilt legs, 2x AAA Battery Type, Up to 36 months Battery Life, On/Off Power Switch, Caps Lock and Battery indicator lights, 920-012304
920-012304	R 1,064	Logitech Wave Keys Wireless Ergonomic Keyboard, Logi Bolt USB receiver, Dual printed layout Keyboard, Easy-Switch Keys, Tilt legs, 2x AAA Battery Type, Up to 36 months Battery Life, On/Off Power Switch, Caps Lock and Battery indicator lights, 920-012304
920-012334	R 1,068	Logitech Wave Keys for Business Bluetooth Wireless Keyboard, Logi Bolt USB Type-A receiver, 2x AAA batteries, Up to 36 months Battery Life, 920-012334
920-012538	R 2,187	Logitech G515 TKL LightSpeed Wireless Gaming Keyboard - Black, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, 43 g actuation Force, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, Up to 36 hours Battery Life, USB Wireless receiver
920-012538	R 2,199	Logitech G515 TKL LightSpeed Wireless Gaming Keyboard - Black, 1.8 m cable length, 1.3 mm Low-Profile key

		Switch actuation point, 43 g actuation Force, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, Up to 36 hours Battery Life, USB Wireless receiver
920-012538	R 2,326	Logitech G515 TKL LightSpeed Wireless Gaming Keyboard - Black, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, 43 g actuation Force, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, Up to 36 hours Battery Life, USB Wireless receiver
920-012676	R 4,343	Logitech G915 X Lightspeed TKL Low-Profile Wireless Gaming Keyboard - Black, 1.8 m cable length, Up to 42 hours continuous use Battery Life with LightSync RGB @ 100% brightness, Up to 1000 hrs continuous use with LightSync RGB off, Tactile 45 g actuation Force, 1.3 mm actuation point, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, LightSpeed USB receiver, 920-012676
920-012676	R 3,959	Logitech G915 X Lightspeed TKL Low-Profile Wireless Gaming Keyboard - Black, 1.8 m cable length, Up to 42 hours continuous use Battery Life with LightSync RGB @ 100% brightness, Up to 1000 hrs continuous use with LightSync RGB off, Tactile 45 g actuation Force, 1.3 mm actuation point, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, LightSpeed USB receiver, 920-012676
920-012721	R 4,677	Logitech G915 X Lightspeed TKL Low-Profile Wireless Gaming Keyboard - Black, 1.8 m cable length, Up to 42 hours continuous use Battery Life with LightSync RGB @ 100% brightness, Up to 1000 hrs continuous use with LightSync RGB off, Tactile 45 g actuation Force, 1.3 mm actuation point, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, LightSpeed USB receiver
920-012737	R 4,677	Logitech G915 X Lightspeed TKL Low-Profile Wireless Gaming Keyboard - White, 1.8 m cable length, Up to 42 hours continuous use Battery Life with LightSync RGB @ 100% brightness, Up to 1000 hrs continuous use with LightSync RGB off, Tactile 45 g actuation Force, 1.3 mm actuation point, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, LightSpeed USB receiver
920-013451	R 262	Logitech K250 Compact Bluetooth Slim Wireless Keyboard with deep-profile Keys, Bluetooth low energy connectivity, No USB Port required, Durable spill-resistant, Space-Saving layout with f-key shortcuts, Tilt legs (For 7 degree typing angle), 2x AAA Alkaline Battery, 12 months Battery Life, 920-013451
920-013451	R 258	Logitech K250 Compact Bluetooth Slim Wireless Keyboard with deep-profile Keys, Bluetooth low energy connectivity, No USB Port required, Durable spill-resistant, Space-Saving layout with f-key shortcuts, Tilt legs (For 7 degree typing angle), 2x AAA Alkaline Battery, 12 months Battery Life, 920-013451
920011852	R 706	Logitech K380s Pebble Tonal White Bluetooth Keyboard; Bluetooth Low Energy; pairs with up to 3 devices; Easy-Switch buttons; quiet rounded keys; customisable shortcuts; 2 x AAA alkaline batteries; up to 36 months advertised battery life; Windows, macOS, iPadOS, iOS, Android, ChromeOS, Linux; 27.95 x 12.42 x 1.64 cm; 395g without batteries
920011853	R 706	Logitech K380s Pebble Tonal Rose Bluetooth Keyboard; Bluetooth Low Energy; Compact US International QWERTY layout; Connects to up to 3 devices; Quiet rounded keys; 10 customisable shortcut keys; Up to 36 months battery life; 2 x AAA alkaline batteries; Windows, macOS, iPadOS, iOS, Android, ChromeOS and Linux compatibility; 27.95 x 12.42 x 1.64 cm; 415 g with batteries
920013451	R 275	Logitech K250 Graphite Bluetooth Keyboard; wireless Bluetooth Low Energy; compact layout with numeric keypad; deep-profile keys; spill-resistant up to 60 ml under limited test conditions; 10 m wireless range; 2 x AAA alkaline batteries included; up to 12 months battery life; dimensions: 136.9 x 369.9 x 22.8 mm; weight: 380 g; at least 64% post-consumer recycled plastic in plastic parts.
9T5B0UT	R 1,344	HP 9T5B0UT 725 Multi rechragable Wireless Keyboard and Mouse Combo, USB Type-A & Bluetooth, Up to 2 months Keyboard Battery Life, Up to 1 month Mouse Battery Life, Powered by supercapacitor, Up to 4000 dpi Resolution, Multi Surface Tracking Sensor Technology, 5 buttons -4 programmable, Full size Keyboard Type, 22 programmable Keys, Scissor Keys structure
A51021-B	R 447	Astrum KT210 slim Keyboard with thouchpad & WiFi & Bluetooth Multi Pair, Backlit illumination, Rechargeable Battery offers up to 160 hours of work time
ASUS KW100 KEYBOARD	R 919	Asus KW100 Marshmallow Keyboard; Bluetooth 5.0; Green Tea Latte; Compact; Ultrathin wireless Bluetooth keyboard; quiet scissor-switch keys; multi-device support; portable keyboard; compatible with laptops tablets smartphones; 2 x AAA batteries included
B11P-K1	R 1,201	KeyChron B11 Pro Ultra-Slim Wireless Foldable Keyboard Alice layout - Space Gray, Ultra-Slim Foldable Design

		with a Split Alice layout, Connectivity supports Tri-mode Operation, 2.4GHz Wireless, Bluetooth 5.3, Wired Type-C, Battery capacity is 250mAh providing up to 138 hours of typing time on a single charge, Switch Type utilizes a Quiet scissor mechanism with concave ABS KeyCaps, Includes an Integrated hall effect Sensor that automatically powers the device on and off when unfolded or folded, Backlighting is not included, 65% Keyboard size
B1P-K1	R 636	KeyChron B1 Pro Ultra-Slim 75% Wireless Keyboard - Space Grey, Scissor mechanism for Switches, 1000Hz polling rate, 8 months Battery Life, 77 Keys, 800 mAh Rechargeable Li-Polymer Battery, Around 2.5 hours charging time, Connection - 2.4GHz / Bluetooth / Type-C Wired
B1P-K11	R 643	Keychron B11 Pro Retro blue Ultra-Slim 75% Wireless Keyboard
B1P-K8	R 643	KeyChron B1 Pro Ultra-Slim 75% Wireless Keyboard - Ivory White, Scissor mechanism for Switches, 1000Hz polling rate, 8 months Battery Life, 77 Keys, 800 mAh Rechargeable Li-Polymer Battery, Around 2.5 hours charging time, Connection - 2.4GHz / Bluetooth / Type-C Wired
B2P-K1	R 680	KeyChron B2 Pro Ultra-Slim 96% Wireless Keyboard - Space Grey, 98x Keys, 12x Multimedia Keys, ABS Body material, 1000Hz (2.4GHz & Wired) polling rate, Non-Backlit, 800mAh Rechargeable Li-Polymer Battery, Up to 300 hours Wireless working time, Connection - 2.4GHz / Bluetooth / Type-C Wired
B2P-K8	R 683	KeyChron B2 Pro Ultra-Slim 96% Wireless Keyboard - Ivory White, 98 Keys, 12 Multimedia Keys, ABS Body material, 1000Hz (2.4GHz & Wired) polling rate, Non-Backlit, 800mAh Rechargeable Li-Polymer Battery, Up to 300 hours Wireless working time, Connection - 2.4GHz / Bluetooth / Type-C Wired
B6P-K1	R 720	KeyChron B6 Pro Ultra-Slim 100% Wireless Keyboard - Space Grey, 109 number of Keys, 17 Multimedia Keys, 1000 Hz polling rate, 800mAh Rechargeable Li-Polymer Battery, Up to 8 months Wireless working time, Around 2.5 hours charging time, Connection - 2.4GHz / Bluetooth / Type-C Wired, Scissor mechanism for Switches
B6P-K11	R 719	Keychron B6 Pro Retro Blue Ultra-Slim 100% Wireless Keyboard
B6P-K13	R 719	KeyChron B6 Pro Ultra-Slim 100% Wireless Keyboard - Retro Red, 100% Full-size layout, 109 total Keys, Scissor mechanism Switch Type, Connectivity - Bluetooth / 2.4GHz Wireless / USB Type-C Wired, USB Type-A 2.4GHz Dongle, 1000Hz (2.4 GHz/Wired) polling rate, 90Hz (Bluetooth) polling rate, 800mAh Rechargeable Li-Polymer Battery, USB Type-C charging Port, Approx. 2.5 hours charging time
B6P-K8	R 721	KeyChron B6 Pro Ultra-Slim 100% Wireless Keyboard - Ivory White, 109 number of Keys, 17 Multimedia Keys, 1000 Hz polling rate, 800mAh Rechargeable Li-Polymer Battery, Up to 8 months Wireless working time, Around 2.5 hours charging time, Connection - 2.4GHz / Bluetooth / Type-C Wired, Scissor mechanism for Switches
BGGAD-WCOMBO-BK	R 306	Body Glove Wireless Keyboard And Mouse Simply plug USB receiver into a USB port on your desktop, laptop or notebook computer to start using right away. slim and ergonomic design provides a comfortable working experience.
BGGAD-WIKEY-BK	R 271	Body Glove Wireless Keyboard with a USB receiver which enables keyboard to be ready for use instantly. slim and ergonomic design ensures a comfortable typing experience. . Features: Lightweight keyboard. Plug & play. Slim profile design. Battery type: 1xAAA (not included)
BGGAD-WIKEY-WH	R 275	Body Glove Wireless Keyboard with USB receiver which enables keyboard to be ready for use instantly. slim and ergonomic design ensures a comfortable typing experience. . Features: Lightweight keyboard. Plug & play. Slim profile design. Battery type: 1xAAA (not included)
BTKEY	R 459	Microworld Foldable Bluetooth Keyboard, 140 mAh Lithium-ion Battery capacity, 64-key Keyboard layout, Do not use while charging, Lightweight and sturdy - aircraft-grade Aluminum, Work up to 48 hours, 560 hours Standby
CND-SKBW11	R 847	Canyon GKW-11 Shadder White Mech RGB UK/US Wireless Mechanical Keyboard, Connection modes: 2.4GHz, BT, USB, RGB Backlight; 19 Backlight Modes; 8 Backlight Colors, 108 Buttons; Button Life: 10 Million, Whisper-Quiet Brown Switches, Splash-Proof, Operating Range: 8-10 m, USB Type C Cable Length: 1.8m, 2000mAh Li-Battery, Size: 443.8*141*40.2 mm; Weight: 830 -10 g, Housing Material: ABS
CNS-HBTK11B	R 681	Canyon HKB-W11 Black UK/US RGB Dual Mode Wireless Keyboard, Dual Connection: 2.4GHz & BT Channel*2, Slim Design, 113 Buttons & 10 Million Clicks, Scissor Switch, RGB Backlight; 7 Backlight Colors, Key Illumination, Compatibility: Win/MAC/ISO Phone/Android Phone, Rechargeable: Built-In Li-Pol 1600 mAh Battery, 12 Multimedia Functions, Splash-Proof, Size: 407x119x19 mm; Weight: 556±10g, Material: ABS, Charge Cable: 1m (PVC)
CNS-HKBW01BG	R 289	Canyon HKB-W01 Beige Silent Wireless Keyboard, Classic Full Size Keyboard, Wireless Membrane Keyboard, Slim Design, Silent Buttons, Working Distance: Up to 10m, Connection: 2.4GHz, Compatible with Windows OS /

		macOS
CNS-HKBW01BL	R 289	Canyon HKB-W01 Blue Silent Wireless Keyboard, Classic Full Size Keyboard, Wireless Membrane Keyboard, Slim Design, Silent Buttons, Working Distance: Up to 10m, Connection: 2.4GHz, Compatible with Windows OS / macOS
CNS-HKBW01P	R 289	Canyon HKB-W01 Pink Silent Wireless Keyboard, Classic Full Size Keyboard, Wireless Membrane Keyboard, Slim Design, Silent Buttons, Working Distance: Up to 10m, Connection: 2.4GHz, Compatible with Windows OS / macOS
CNS-HKBW6	R 244	Canyon HKB-W6 Black Ergonomic Wireless Keyboard, Dual Connection: 2.4GHz and BT Channel*2, Ergonomic Design, 12 Multimedia Functions, Wrist Rest for Comfort, Button Life: 10 Million Clicks, Battery Life: Up to 6 Months, Splash-Proof, Battery: AAA*2, Button Number: 105, Switch Type: Membrane Switches
DKZE2408ST3-CBUSPDOECL2WW1	R 1,369	Ducky Keyboard Zero 6108 100% Mechanical Wireless Keyboard, RGB, PBT Double-Shot Keycaps, Hot-swappable keycaps and switches, USB 2.0 / 2.4GHz / BT - White - Cherry MX2A Brown switches
DKZE2408ST3-CCUSPDOECL1AW1	R 1,369	Ducky Keyboard Zero 6108 100% Mechanical Wireless Keyboard, RGB, PBT Double-Shot Keycaps, Hot-swappable keycaps and switches, USB 2.0 / 2.4GHz / BT - Cherry MX2A Blue switches
DKZE2408ST3-CCUSPDOECL2WW1	R 1,369	Ducky Keyboard Zero 6108 100% Mechanical Wireless Keyboard, RGB, PBT Double-Shot Keycaps, Hot-swappable keycaps and switches, USB 2.0 / 2.4GHz / BT - White - Cherry MX2A Blue switches
DKZE2408ST3-CPUSPDOECL1AW1	R 1,369	Ducky Keyboard Zero 6108 100% Mechanical Wireless Keyboard, RGB, PBT Double-Shot Keycaps, Hot-swappable keycaps and switches, USB 2.0 / 2.4GHz / BT - Cherry MX2A Speed Silver switches
DKZE2408ST3-CPUSPDOECL2WW1	R 1,369	Ducky Keyboard Zero 6108 100% Mechanical Wireless Keyboard, RGB, PBT Double-Shot Keycaps, Hot-swappable keycaps and switches, USB 2.0 / 2.4GHz / BT - White - Cherry MX2A Speed Silver switches
DKZE2408ST3-CRUSPDOECL2WW1	R 1,369	Ducky Keyboard Zero 6108 100% Mechanical Wireless Keyboard, RGB, PBT Double-Shot Keycaps, Hot-swappable keycaps and switches, USB 2.0 / 2.4GHz / BT - White - Cherry MX2A Red switches
DOCK1BTBRED	R 562	Alcatroz Xplorer Dock 1 Bluetooth Keyboard - Black / Red, 180mAh Battery capacity, Up to 10 metres Wireless operation distance, Pair up to two devices simultaneously
DTDE580-AKOO	R 459	Dell 580-AKOO KB500 Wireless Keyboard - US international, USB Wireless receiver, Plunger Keyboard technology, Numeric keypad, 36 months run Time
DTDE580-AKOX	R 689	Dell 580-AKOX KB740 Compact Multi-Device Wireless Keyboard - US international, 2.4 GHz & Bluetooth 5.0, USB Wireless receiver, Scissors Keyboard technology, Numeric keypad, 36 months run Time
DTDE580-AKPT	R 1,149	Dell 580-AKPT KB700 Multi-Device Wireless Keyboard - US international, 2.4 GHz & Bluetooth 5.0, USB Wireless receiver, Scissors Keyboard technology, Adjustable height, Numeric keypad, 36 months run Time
DTDE580-BBDH	R 2,425	Dell KB900 Premier Collaboration Wireless Keyboard - US International (QWERTY)
E2710	R 829	Rapoo E2710 Wireless Multi-media Keyboard with Touchpad, 2.4GHz Wireless, Nano USB receiver, Function Keys, 2x AAA Alkaline batteries, Up to 6 months Battery Life
FOLDABLE_KEYBOA	R 459	Microworld Foldable Bluetooth Keyboard, Up to 10m connection distance, Exquisite Body Design, High sensitive Touchpad, Big Keycap. Standard full-size keyboard layout for easy and accurate typing; Large keycaps designed for ergonomic comfort; Responsive touchpad enhances navigation without needing a separate mouse
GK320 COMBO RED US	R 722	MSI Forge GK320 Combo Mechanical Keyboard & Mouse - Red Switches, USB 2.0 Interface, LED Keyboard backlight, 104us Keyboard normal Keys, Full Keys Anti-Ghosting, Optical Mouse Sensor, 13-mode RGB Mouse LED Light, Mouse preset switchable dpi up to 12800 dpi, 7 buttons, 1x extra KeyCaps / 1x Keycap puller
GK600 TKL W VIOLET US	R 1,148	MSI Forge GK600 TKL withless Keyboard Violet - US, 20-mode RGB backlight, Connectivity - 2.4GHz Wireless / Bluetooth / USB 2.0, Mechanical Linear Switch Type, 83 Keys normal Keys, Full Keys Anti-Ghosting, 1.8m cable length
GOBTR200MST	R 447	Alcatroz Xplorer go! BTR-200 Bluetooth and Wireless Keyboard - Mist, 180 mAh Rechargeable Li-Ion Battery capacity, Approximately 100 hours usage time, 2.4G Wireless, Bluetooth 5.2, Type-C Rechargeable Battery, Soft & Silent keystrokes, 99 uv-coated chiclet KeyCaps
GOBTR200SLT	R 447	Alcatroz Xplorer go! BTR-200 Bluetooth and Wireless Keyboard - Slate, 180 mAh Rechargeable Li-Ion Battery capacity, Approximately 100 hours usage time, 2.4G Wireless, Bluetooth 5.2, Type-C Rechargeable Battery, Soft & Silent keystrokes, 99 uv-coated chiclet KeyCaps
GOBTR200SND	R 447	Alcatroz Xplorer go! BTR-200 Bluetooth and Wireless Keyboard - Sand, 180 mAh Rechargeable Li-Ion Battery capacity, Approximately 100 hours usage time, 2.4G Wireless, Bluetooth 5.2, Type-C Rechargeable Battery, Soft & Silent keystrokes, 99 uv-coated chiclet KeyCaps

K10H-Q1	R 2,880	KeyChron K10 he Special Edition Full-size Hot-Swap Gateron Dbl-Rail Nebula Switch RGB Wireless Keyboard - White (Wood AL), Aluminium Wood Body material, Gateron Double-Rail Magnetic Switch, Tri-mode connection - 2.4GHz / Bluetooth / Wired Type-C, RGB backlighting, 100% full layout
K10X-H1	R 1,680	KeyChron K10 QMK Full-size RGB Wireless custom Mechanical Keyboard V.2 (Super Red Switch) - Black, 104 Keys, KeyChron Super Mechanical Switches, North-facing Switch face, Plate-mounted stabilizers, 12 Multimedia Keys, N-Key rollover (NKRO), 22 types of RGB backlight options, 4000mAh Rechargeable Li-Polymer Battery, Around 190 hours BT working time (Backlit off), Bluetooth and Type-C cable connection
K2800	R 599	Rapoo K2800 Wireless Touch Keyboard, Nano USB receiver, 2.4 GHz Wireless transmission, Integrated Touchpad, Up to 9 months battery life
K2H-F1	R 2,637	Keychron K2 HE 75% Magnetic Switch Hot-Swap Gateron Dbl-Rail Nebula Switch RGB Wireless Keyboard - Black (Wood Al)
K2H-J1	R 2,397	Keychron K2 HE 75% Magnetic Switch Hot-Swap Gateron Dbl-Rail Nebula Switch RGB Wireless Keyboard - Black (Al)
K2H-Q1	R 2,716	Keychron K2 HE 75% Magnetic Switch Hot-Swap Gateron Dbl-Rail Nebula Switch RGB Wireless Keyboard - White (Wood Al)
K5M-H1	R 2,119	KeyChron K5 Max QMK/VIA Full-Sized Wireless custom Mechanical Keyboard - Red Switches, 108 Keys, Gateron Low-Profile Mechanical Red Switches, North-facing Switch face, 12 Multimedia Keys, ABS Aluminium Frame, Low-Profile Double-Shot PBT Keycap material, 1000Hz polling rate (2.4GHz and Wired mode), Connection - 2.4GHz / Bluetooth / Type-C Wired
K8X-H1	R 1,601	Keychron K8 QMK Black 80% TKL Wireless Mechanical Keyboard - V2 Red Switches
KBD-KB-7123	R 215	Genius KB7123 Copilot Wireless Palm rest Keyboard, USB Type-A or USB-C receiver, Concave Keycap Type, 12 Function Keys, Spill-resistant Design, USB receiver, 1x AA Battery
KE-LWK270	R 459	Logitech 920-003736 Wireless K270 keyboard, 8 hotkeys, programmable F-Keys, with USB nano unifying receiver - retail pack
KE-LWK400	R 505	Logitech 920-003117 Wireless K400 Keyboard with built-in 3.5" touch pad, 2.4GHz 128bit AES, vertical space-saving storage, 5 hotkeys, programmable F-Keys, black - usb nano receiver.
KEY151	R 58	Genius Luxepad Bluetooth keyboard for iPad, Ultra thin type scissor key structure, Ultra-low power consumption, Easier and more comfortable to use than your finger
LOG-920-007145	R 436	Logitech K400 Wireless 2.4GHz Touch Keyboard with Multi Touch Touchpad, 12 programmable F-keys, Media Hot keys, Unifying Nano receiver, 1 Year Battery Life, 920-007145
LOG-920-011853	R 515	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Pink, 2x AAA Battery, F4-F12 and Volume up shortcut keys, 920-011853
LOGI G PRO X TKL 920-012136	R 3,858	Logitech G Pro X Black TKL LightSpeed Wireless Gaming Keyboard GX Tactile, Tenkeyless Design, LightSync RGB Lighting, OnBoard Lighting profiles, 6 ft detachable charging and Data cable, 1 ms report rate, Up to 50h Battery Life (Rechargeable), Up to 10 m Wireless range
LOGI G515 920-012538	R 2,429	Logitech G515 TKL LightSpeed Wireless Gaming Keyboard - Black, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, 43 g actuation Force, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, Up to 36 hours Battery Life, USB Wireless receiver
LOGI K250 920-013451	R 271	Logitech K250 Compact Bluetooth Slim Wireless Keyboard with deep-profile Keys, Bluetooth low energy connectivity, No USB Port required, Durable spill-resistant, Space-Saving layout with f-key shortcuts, Tilt legs (For 7 degree typing angle), 2x AAA Alkaline Battery, 12 months Battery Life, 920-013451
LOGI MX Keys S 920-011587	R 1,781	Logitech MX Keys S Advanced Wireless Illuminated Keyboard - Graphite, Rechargeable Li-Po (1500 mAh) Battery, Hand proximity sensors that turn the backlighting on, Ambient light sensors that adjust backlighting brightness, USB-C Rechargeable, 920-011587
LOGI Pebble Keys 2 K380s 920-011852	R 530	Logitech Pebble Keys 2 K380S Bluetooth - tonal White, 2 x AAA Battery, F4-F12 and Volume up shortcut keys, 920-011852
LOGI Pebble Keys 920-011851	R 530	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Graphite, 2 x AAA Battery, F4-F12 and Volume up shortcut keys, 920-011851
LOGI Pebble Keys 920-011853	R 536	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Pink, 2x AAA Battery, F4-F12 and Volume up shortcut keys,

		920-011853
LOGI PRO X 60 920-011911	R 3,582	Logitech G Pro X 60 LightSpeed Gaming Wireless Keyboard, Wireless 2.4GHz LightSpeed / USB / Bluetooth, Pro-inspired 60 percent Design, LightSync RGB Lighting, 1 ms report rate, Up to 65 hours Battery Life (Rechargeable), Up to 10 m Wireless range
LOGI Wave Keys 920-012304	R 1,082	Logitech Wave Keys Wireless Ergonomic Keyboard, Logi Bolt USB receiver, Dual printed layout Keyboard, Easy-Switch Keys, Tilt legs, 2x AAA Battery Type, Up to 36 months Battery Life, On/Off Power Switch, Caps Lock and Battery indicator lights, 920-012304
Logitech G515 LIGHTSPEED TKL	R 2,299	Logitech G515 TKL LightSpeed Wireless Gaming Keyboard - Black, 1.8 m cable length, 1.3 mm Low-Profile key Switch actuation point, 43 g actuation Force, 3.2 mm total Travel distance, Rechargeable Lithium Polymer Battery, Up to 36 hours Battery Life, USB Wireless receiver
Logitech K250	R 263	Logitech K250 Compact Bluetooth Slim Wireless Keyboard with deep-profile Keys, Bluetooth low energy connectivity, No USB Port required, Durable spill-resistant, Space-Saving layout with f-key shortcuts, Tilt legs (For 7 degree typing angle), 2x AAA Alkaline Battery, 12 months Battery Life, 920-013451
Logitech K270	R 378	Logitech Wireless Keyboard K270 - N/A - US INT ' L - 2.4GHZ - N/A - NSEA
Logitech K380s	R 459	Logitech Pebble Keys 2 K380S Bluetooth - Tonal Graphite, 2x AAA Battery, F4-F12 and Volume up shortcut Keys, 920-011851
Logitech K400 Plus	R 431	Logitech Wireless Touch Keyboard K400 Plus - DARK - US INT ' L - 2.4GHZ - N/A - INTNL
Logitech MK270	R 378	Logitech MK270 Wireless Keyboard & Mouse Combo
Logitech MX Keys S	R 2,023	Logitech MX Keys Wireless Bluetooth Keyboard - Graphite, Logi Bolt USB receiver, USB-C Rechargeable Li-Po (1500 mAh) Battery, Auto-adjust backlighting, 920-010251
Logitech Wave Keys	R 1,149	Logitech Wave Keys Wireless Ergonomic Keyboard, Logi Bolt USB receiver, Dual printed layout Keyboard, Easy-Switch Keys, Tilt legs, 2x AAA Battery Type, Up to 36 months Battery Life, On/Off Power Switch, Caps Lock and Battery indicator lights, 920-012304
LRG-KBP70TKLW-RT-US	R 1,241	LORGAR KBP70TKLW Wireless TKL Mechanical Gaming Keyboard Pro Beige EN layout. Ideal for gamers and professionals, it offers customizable switches, an RGB display, and long battery life, ensuring an exceptional typing and gaming experience.
M030	R 114	Microworld M030 Rechargeable Bluetooth Keyboard, 10m effective distance, 36 hours use time, 2 -3 hours charging time, USB Type-C Interface, Lithium Battery 150mAh
MBA-61RSBLK	R 919	Armaggeddon MBA-61R Starling 61 key Bluetooth Mechanical Keyboard - Black, Detachable Keys, Up to 8 hours playtime, Dual-Mode connectivity (Bluetooth/Wired), 16.8 million RGB LED backlight, KevlarTech keypads, N-Key rollover (NKRO), 18 different pre-set backlight EFX and adjustable brightness
MBA-61RSWHT	R 976	Armaggeddon MBA-61R Starling 61 key Bluetooth Mechanical Keyboard - White, Detachable Keys, Up to 8 hours playtime, Dual-Mode connectivity (Bluetooth/Wired), 16.8 million RGB LED backlight, KevlarTech keypads, N-Key rollover (NKRo), 18 different pre-set backlight EFX and adjustable brightness
MDFW4Z/A	R 6,463	Apple Magic Keyboard for iPad Air 13" (M3) - International English - White, Model A3340 (iPad not included)
MK-721-CKTR1-US	R 1,421	Coolermaster MK721 30th Anniversary Edition Wireless Mechanical Keyboard - Red Switches, 16.7 million RGB LED Colour, Connectivity - Wired / 2.4GHz / Bluetooth 5.1, Support Wired charging, 2000mAh Battery, 73hrs (LED off) Battery Life, 1.6m cable
MK2A3	R 2,145	Apple Magic Keyboard - international English - White, Bluetooth, Wireless, Lightning Port, USB-C to Lightning cable, MK2A3Z/A
MXCJ3Z/A	R 2,404	Apple Magic Keyboard with Numeric Keypad - International English - Silver, Model A1843, Bluetooth, Lightning Port, Lightning to USB cable
MXCK3Z/A	R 2,772	Magic Keyboard with Touch ID for Mac models with Apple Silicon - International English, Model A3118, Bluetooth, USB-C Port, USB-C charging cable
MXCK3Z/A	R 2,670	Magic Keyboard with Touch ID for Mac models with Apple Silicon - International English, Model A3118, Bluetooth, USB-C Port, USB-C charging cable
MXCL3Z/A	R 1,852	Apple Magic Keyboard - International English, Model A3203, Bluetooth, USB-C Port, USB-C charging cable
MXCL3Z/A	R 1,773	Apple Magic Keyboard - International English, Model A3203, Bluetooth, USB-C Port, USB-C charging cable
MXK73Z/A	R 3,266	Magic Keyboard with Touch ID and Numeric Keypad for Mac models with Apple Silicon - International English -

		White Keys, Model A3119, Bluetooth, USB-C Port, USB-C charging cable
MXK73Z/A	R 3,220	Magic Keyboard with Touch ID and Numeric Keypad for Mac models with Apple Silicon - International English - White Keys, Model A3119, Bluetooth, USB-C Port, USB-C charging cable
MXK83Z/A	R 3,623	Magic Keyboard with Touch ID and Numeric Keypad for Mac models with Apple Silicon - International English - Black Keys, Model A3119, Bluetooth, USB-C Port, USB-C charging cable
MXK83Z/A	R 3,574	Magic Keyboard with Touch ID and Numeric Keypad for Mac models with Apple Silicon - International English - Black Keys, Model A3119, Bluetooth, USB-C Port, USB-C charging cable
NBHP3Z726AA	R 1,891	HP 3Z726AA 975 USB Bluetooth Dual-Mode Wireless Keyboard, Rechargeable battery via a simple USB-C connection, Backlighting
Q1H-M1	R 3,757	KeyChron Q1H-M1 QMK Wireless custom Keyboard - Black, Hot-Swappable key Switches, South-Facing RGB backlighting, Magnetic hall effect Switches, 1000 Hz polling rate, N-Key rollover (NKRO), OSA Double-Shot KeyCaps, Gateron Jupiter Red Switch, Hot-Swappable support, Screw-in PCB stabilizer, Type-C cable cable, Connectivity - 2.4GHz / Bluetooth / Type-C Wired, 4000mAh Rechargeable Li-Polymer Battery, Up to 100 hours Wireless working time (Backlit off)
Q1H-P1	R 3,757	KeyChron Q1H-P1 QMK Wireless custom Keyboard - White, Hot-Swappable key Switches, South-Facing RGB backlighting, Magnetic hall effect Switches, 1000 Hz polling rate, N-Key rollover (NKRO), OSA Double-Shot KeyCaps, Gateron Jupiter Red Switch, Hot-Swappable support, Screw-in PCB stabilizer, Type-C cable cable, Connectivity - 2.4GHz / Bluetooth / Type-C Wired, 4000mAh Rechargeable Li-Polymer Battery, Up to 100 hours Wireless working time (Backlit off)
Q3M-P1	R 3,520	KeyChron Q3 Max 80% full Assembled Knob Red Switch Hot-Swap Gateron Jupiter RGB Wireless Keyboard - Shell White, Tri-mode connection - 2.4GHz / Bluetooth / USB Type-C Wired, Gateron Jupiter Red Switch Type, Hot-Swappable Switches, Screw-in PCB stabilizer, South-Facing RGB LED, 4000mAh Rechargeable Li-Polymer Battery, 180 hours of Wireless use
Q6M-P1	R 3,678	Keychron Q6 Max Shell White QMK/VIA Wireless Custom Mechanical Keyboard - KSA Gateron Red Jupiter Switches, Full size mechanical keyboard; Gateron Red Jupiter switches; QMK VIA programmable; RGB backlight; tri mode connectivity; hot swap PCB; full metal body; long battery life
Q6M-P1S	R 3,678	Keychron Q6 Max Shell White QMK/VIA Wireless Custom Mechanical Keyboard OSA Gateron Red Jupiter Switches; full size; hot swappable OSA Gateron Red Jupiter switches; RGB backlight; wireless 2.4 GHz Bluetooth Type C; QMK VIA programmable; aluminum chassis; 4000 mAh battery
RAPOO E1050	R 275	Rapoo E1050 - Wireless keyboard, Wireless, Nano USB, Spill resistant
RD-BK-7111	R 297	Redragon BK-7111 Scissors mechanism Wireless Keyboard, 2.4GHz Wireless, Bluetooth 5.0, Low-Profile Scissors key structure, Silent Keys, 2 x AAA Battery, 4 Arrow Keys layout optimised for Gaming
RD-BK-7367	R 129	Redragon BK-7367 Full-size Ergonomic Wireless Membrane Office Keyboard - Black, 2.4GHz Wireless connectivity, 104 Keys, 10 extra Multi-media shortcut Keys
RD-BK-7485	R 311	Redragon BK-7485 Wireless Office Keyboard - Grey, 2.4GHz Wireless / Bluetooth connectivity, Scissor Switch Type, 108x Keys, Built-In Rechargeable Battery, 400mAh Battery capacity
RD-K516RGB-PRO	R 458	Redragon Shiva Pro Wireless Keyboard - Black, Connectivity 2.4GHz Wireless / Bluetooth / Wired, Membrane Keyboard Type, Tactile Membrane Switch Type, 87 10 additional Keys total Keys, 5 Multimedia shortcut Keys, 5 programmable Macro Keys, RGB with adjustable effects, 26-key rollover Anti-Ghosting, 4000mAh Built-In Rechargeable Li-Ion Battery, 150 cm cable length
RD-K526-PRO	R 376	Redragon RM104 Pro Volcano RGB Wireless Membrane Gaming Keyboard - Black, Tri-mode connectivity, Wired USB, 2.4GHz Wireless, Bluetooth, Built-In 4000 mAh Lithium Battery for extended use, Real-Time Power and connection status Display included, Multi-Function Knob controls Volume and backlight brightness, Full RGB backlighting across All 104 Keys, Switch between Windows and Mac shortcut layouts with a Toggle Switch, Compatible with Software for Lighting and key Configuration customisation, Includes 150 cm PVC USB cable for Wired mode and charging
RD-K530RGB-PRO	R 712	Redragon Draconic Pro Mechanical 61 Key, Bluetooth 5.0, RGB 9 Colour Modes, Rechargable Battery, Type-C Charging Cable Gaming Keyboard - Black
RD-K632RGB-PRO	R 695	Redragon Noctis Pro 61Key Wireless Bluetooth Red Switch RGB Low Profile Gaming Mechanical Keyboard - Black

RD-K652GG-RGB-PRO	R 978	Redragon Mechanical Azure Wireless Gaming Keyboard
RD-K673WB-RGB-PRO	R 726	Redragon UCAL K673 Pro Mechanical Wireless Gaming Keyboard - Black, 81 Keys 75% Wireless Keyboard, Hot-Swappable Linear Red Mechanical Switches, Redragon gasket Design with noise reducing foam, Dedicated Knob control, 3000mAh Battery for All day usage, USB Type-C, Bluetooth 3.0/5.0, 2.4GHz Wireless, Height adjustable
RD-K688GB-RGB-PRO	R 703	REDRAGON BRAGI PRO Wireless Mechanical Keyboard RGB 98key Design - Black
RD-K719AK-RGB-PRO	R 1,082	Redragon K719AK ARTEMIS PRO (Anime Edition) RGB Wireless LCD Mechanical Gaming Keyboard; anime edition; mechanical keyboard; wireless; rgb backlit; lcd display; gaming keyboard; mid-range performance; pc gaming; esports; customizable lighting
RD-K719WGB-RGB-PRO	R 900	Redragon K719WGB GALATIN White RGB PRO Full sized Wireless Gaming Keyboard; full sized mechanical keyboard; tri-mode wireless Bluetooth 2.4GHz USB; linear switches; RGB backlit; gasket mounted; rechargeable battery; gaming and productivity keyboard
RD-K762RGB-PRO	R 753	Redragon K762 Terraflare Pro RGB Wireless gasket Gaming Keyboard, Redragon K762 Terraflare Pro RGB Wireless gasket Gaming Keyboard, Full-size Mechanical Keyboard layout with dedicated NumPad, Tri-mode connectivity, Wired USB, 2.4GHz Wireless, Bluetooth, Gasket-mounted construction for cushioned Keystroke feel, Dynamic Per-Key RGB backlighting with full-spectrum Colour customisation, Mechanical Switches engineered for precise actuation, Includes Nano Receiver and Type-C cable
RD-K768VI-WL	R 679	Redragon K768 EISA 100 RGB Wireless Gaming Keyboard - Lilac, Tri-mode connectivity, USB-C Wired, 2.4GHz Wireless, Bluetooth 3.0/5.0, 96% Compact layout with full NumPad in US QWERTY Configuration, Gasket-mounted Design features Five-Layer noise dampening construction, 8000mAh Built-In Lithium Battery provides extended Wireless usage, Fully Hot-Swappable sockets accept 3 pin and 5 - pin Switches without soldering, Custom Linear Switches deliver smooth Travel out of the Box, Dedicated Multi-Function Control Knob manages Media playback and RGB brightness, PBT KeyCaps offer durability and resistance to Shine, RGB backlighting supported by Pro Software for custom effects
RD-K768WGR-WL	R 679	Redragon EISA 100 Retro RGB Wireless Mechanical Keyboard - Cream / Grey, Full-size Keyboard with English (US) layout, Mechanical Linear Switches for smooth keystrokes, Tri-mode connectivity supporting 2.4GHz Wireless and Bluetooth connections, 8000mAh Battery capacity for extended use, Hot-Swappable Switch sockets allow for Easy customization, 5-layer padding gasket-mounted Design construction, Dynamic RGB backlighting across All Keys, Durable abs pbt Keycap material, Multi-Function Knob included for quick Control, Cream and Grey colourway finish
SS-64842	R 6,299	SteelSeries Apex Pro Mini Wireless US Gaming Keyboard, 60% Compact Form Factor Design, OmniPoint 2.0 adjustable HyperMagnetic Switches with Analog hall effect Magnetic Sensor Technology, dual-action key programming allowing two actions per single key, Wired USB Type-C connection with 2.4GHz Wireless and Bluetooth support, Battery Life of up to 30 hours in Wireless mode or 40 hours with Default Lighting in Bluetooth mode, Per-Key RGB illumination with SteelSeries Engine Software customization, Aircraft grade Series 5000 Aluminum Alloy top plate for structural stability, Double-Shot PBT KeyCaps engineered for fade resistance and enhanced texture, Height-Adjustable Tilt legs offering three Ergonomic position options, On-Board Memory storing up to five custom profiles
SS-64871	R 7,199	Steel Series Apex Pro TKL Wireless Gen 3 Gaming Keyboard, OmniPoint 3.0 adjustable HyperMagnetic Switches with Analog hall effect sensors, Wired USB-C, 2.4GHz Wireless and Bluetooth connectivity options, Battery Life up to 37.5 hours in Wireless mode or 45 hours in Bluetooth mode, OLED Smart Display for On-Board settings adjustment, Per-Key RGB illumination with 16.8 million Colour options, Aluminum Frame construction with Per-Key Lubrication, 5 custom profiles stored in On-Board Memory, Includes detachable Braided USB-C cable and Wrist Rest
V1M-D4	R 1,840	Keychron V1 MAX 75% Banana Switch Hot-Swap Gateron Jupiter RGB Wireless Keyboard - BK
V3M-D1	R 1,840	KeyChron V3 Max QMK/VIA 80% Wireless custom Mechanical Keyboard (Red Switch) - Carbon Black, Double-Shot PBT KeyCaps, Gateron Jupiter (Fully Assembled Version) Switches, Type-C cable Type-A to Type-C Adapter, USB Type-C charging Port, 1000Hz (2.4GHz and Wired) polling rate, South-Facing RGB LED backlight, N-Key rollover (NKRO), 4000mAh Rechargeable Li-Polymer Battery, Around 5 hours charging time, Up to 190

		hours Wireless working time (Backlit off)
V3M-D3	R 1,840	KeyChron V3 Max QMK/VIA 80% Wireless custom Mechanical Keyboard (Brown Switch) - Carbon Black, Gateron Jupiter Brown Switch Type, Tri-mode connection, RGB backlighting, Hot-Swappable Switches, 4000mAh Battery capacity, Up to 190 hours Battery Life
V3M-D4	R 1,840	KeyChron V3 Max QMK/VIA 80% Wireless custom Mechanical Keyboard (Banana Switch) - Carbon Black, ABS Plastic Body material, Gateron Jupiter Switches, Type-C cable, 1000Hz (2.4GHz and Wired) polling rate, Gasket Mount Design, South-Facing RGB LED, N-Key rollover (NKRO), 4000mAh Rechargeable Li-Polymer Battery, Around 5 hours charging time, Up to 190 hours Wireless working time (Backlit off), Connectivity - 2.4GHz / Bluetooth 5.1 / Type-C Wired
V3U-D1	R 1,919	KeyChron V3 Ultra 80% 8K Red Switch Hot-Swap RGB Wireless Keyboard - Black, TKL (80%) layout, Tri connectivity 2.4GHz / Bluetooth 5.3 / USB Type-C Wired, 8000 Hz polling rate, 4000 mAh Rechargeable Li-Polymer Battery, Up to 660 hours (Backlight off) Wireless working time, KeyChron Silk POM - Red Switch, N-Key rollover, Osa-profile Double-Shot PBT KeyCaps, South-Facing RGB LED backlight
V5M-D4	R 1,879	Keychron V5 MAX Black 96% Banana Switch Hot-Swap Gateron Jupiter RGB Wireless keyboard
V5U-D1	R 1,998	KeyChron V5 Ultra 96% 8K Red Switch Hot-Swappable Silk POM RGB Wireless Keyboard, 96% with Rotary Knob, KeyChron Silk POM Switch - Red, Connectivity - 2.4GHz / Bluetooth 5.3 / USB Type-C Wired, N-Key rollover, OSA Double-Shot PBT KeyCaps, South-Facing RGB LED backlight, 4000 mAh Rechargeable Li-Polymer Battery, Up to 660 hours (Backlight off) Wireless working time, 8000Hz polling rate Max
V6M-D3	R 1,919	Keychron V6 MAX Full Layout Brown Switch Hot-Swap Gateron Jupiter RGB Wireless Keyboard
V6M-D4	R 1,919	Keychron V6 MAX Full Layout Banana Switch Hot-Swap Gateron Jupiter RGB Wireless Keyboard
V6U-D1	R 2,037	KeyChron V6 Ultra 100% 8K Red Switch Hot-Swappable Gateron Jupiter RGB Wireless Keyboard, Connectivity - 2.4GHz / Bluetooth 5.3 / USB Type-C Wired, 8000 Hz polling rate, 4000 mAh Rechargeable Li-Polymer Battery, Up to 660 hours (Backlight off) Wireless working time, KeyChron Silk POM - Red Switch, N-Key rollover, Osa-profile Double-Shot PBT KeyCaps, South-Facing RGB LED backlight
VK-20300-BK[V2]	R 808	VolkanoX Ergo Bluetooth Wireless Keyboard
WK841	R 164	Meetion Wireless standard Chocolate Keyboard - Black, USB Interface, USB transmitter, Ultrathin Chocolate KeyCaps, 12 shortcut buttons
WK841WHITE	R 164	Meetion Wireless standard Chocolate Keyboard - White, USB Interface, USB transmitter, Ultrathin Chocolate KeyCaps, 12 shortcut buttons
WX-KB104	R 670	WINX WX-KB104 Elite Wireless and Bluetooth Keyboard, US QWERTY 108-keys layout, USB Nano receiver, 12 Multimedia Hot keys, Sleek Aluminium finish, Rechargeable Battery, Ultra thin and lightweight Design

< Return to the menu

Keyboards : Keyboards mini / Airmouse

Product code	Price	Description
920-010498	R 2,289	Logitech MX Keys Mini minimalist Wireless Illuminated Keyboard - Graphite - 2.4GHz / Bluetooth, Hand proximity sensors that turn the backlighting on, Ambient light sensors that adjust backlighting brightness, USB-C Rechargeable, Ull charge lasts 10 days - or 5 months with backlighting off
920-010499	R 2,240	Logitech 920-010499 MX Keys Mini minimalist Wireless Illuminated Keyboard - Pale Grey - 2.4GHz / Bluetooth, Hand proximity sensors that turn the backlighting on, Ambient light sensors that adjust backlighting brightness, USB-C Rechargeable, Ull charge lasts 10 days - or 5 months with backlighting off
920-010500	R 2,229	Logitech 920-010500 MX Keys Mini minimalist Wireless Illuminated Keyboard - Rose - 2.4GHz / Bluetooth, Hand proximity sensors that turn the backlighting on, Ambient light sensors that adjust backlighting brightness, USB-C Rechargeable, Ull charge lasts 10 days - or 5 months with backlighting off
A51020-B	R 422	Astrum KT200 Mini slim Keyboard with WiFi Bluetooth Multi pair - Black, Rechargeable Battery provides an impressive 200 hours of worktime
A51020-Q	R 422	Astrum KT200 Mini slim Keyboard with WiFi Bluetooth Multi pair - White, Rechargeable Battery provides an impressive 200 hours of worktime
ACRVE91400REMOTE	R 229	AC Ryan Veo Navigator Remote Control - OEM, 6 Month Limited Warranty

ADMOUSE	R 322	Microworld mini 2.4GHz wireless keyboard and air mouse
I8MINI	R 184	Microworld I8MINI Mini Bluetooth and USB Keyboard, Handheld Wireless Keyboard with Integrated Touchpad, 92-key QWERTY layout including Multimedia and Gaming Keys F1-F12, 3-in-1 Design combining Keyboard Touchpad and Mouse functions, High-Sensitivity Touchpad with 360-degree flip and adjustable dpi, Backlit option available in Red Blue or Green, Ergonomic Handheld Curved ABS Plastic Design, Built-In Rechargeable Lithium-ion Battery, Connectivity via 2.4GHz Wireless USB Dongle or Bluetooth
KBD-ZW-51007BT	R 478	ZOWEETEK 79-KEY MINI BLUETOOTH 3.0 back-lit Keyboard touchpad, 151(L) X 61(W) x 12.5(D)mm, 95g
KBD-ZW-51008	R 374	Zoweetek 2.4G 66-key mini wireless bluetooth Keyboard airmouse
KBD-ZW-51009-BLK	R 374	Zoweetek ZW-51009 2.4ghz 92-k Black Mini Wireless Keyboard T.pad, 148(l)x97(w)x18.5(d)mm, 109g
KBD-ZW-51009BT	R 447	Zoweetek Bluetooth Mini Keyboard with touchpad. Controls android TV box, smart TV, HTPC computer, notebook, and tablet PC with one keyboard.
KBD-ZW-51013	R 820	Zoweetek ZW-51013 5-in-1 Gyro Fly mouse Wireless Mini Keyboard IR Remote. Universal infrared remote controller with learning function. Double sided (Keyboard Remote control) 120.5 x 37.2 x 28mm, 63g
KBD-ZW-51013BT	R 917	Zoweetek ZW-51013BT Bluetooth 3.0 51-key Foldable Keyboard
KBD-ZW-51024	R 458	Zoweetek ZW-51024 2.4 GHz Mini Wireless Air Mouse & Keyboard Combo
KBD-ZW-51024-1	R 253	Zoweetek ZW-51024-1 2.4ghz 78-key Mini Wireless Keyboard Touchpad
KBD-ZW-51025-1	R 728	Zoweetek Zw-51025-1 Wireless Keyboard, Air Mouse, Ir Remote, Mic and audio jack for headphones (Headphones not included) - Works with almost all remote controlled devices that uses Infra Red (TV, Radio, HiFi, CCTV, Aircon, etc) NB: This products is the same as the Rii mini RT-MWK25A
KBD-ZW-518	R 697	Zoweetek ZW-518 Wireless Keyboard With Touchpad
KBD-ZW-630-MX6	R 481	Zoweetek ZW-630-MX6 2.4G Keyboard Air Mouse Infrared Backlight Microphone
KBD-ZW-H18	R 431	Zoweetek ZW-H18 USB 2.0 Mini Wireless Touchpad & Keyboard, 2.4GHz Wireless, 10m range
KBD-ZW-H18+	R 450	Zoweetek ZW-H18 USB 2.0 Mini Wireless Touchpad & Keyboard, 2.4g Wireless, 10m Range
KBD-ZW-H20	R 417	Zoweetek H20 Black 2.4G Mini Wireless Touchpad & Keyboard
KBD-ZW-RK707	R 573	Zoweetek Rii RK707 Black 2in1 Wireless Touchpad, Keyboard & Gamepad
KBD-ZW-X8+	R 485	Zoweetek X8 QWERTY RGB Backlighting Media Touchpad with Scroll Wheel Black, 2.4GHz wireless up to 10 meters, Rechargeable polymer lithium-ion battery
KE-LWMXM-K	R 2,084	Logitech 920-010498 Wireless MX Mini Black - 132x296x21mm (no numeric keypad) - with emoji dictation mic buttons, FLOW technology to work on multi-devices (PC/MAC/tablet/smartphone), Easy-switch keys to connect up to 3 devices - USB type-C Rechargeable, Bluetooth, for windows android iOS mac
KE-LWMXM-P	R 2,084	Logitech 920-010500 Wireless MX Mini Pink - 132x296x21mm (no numeric keypad) - with emoji dictation mic buttons, FLOW technology to work on multi-devices (PC/MAC/tablet/smartphone), Easy-switch keys to connect up to 3 devices - USB type-C Rechargeable, Bluetooth, for windows android iOS mac
KE-LWMXM-W	R 2,084	Logitech 920-010499 Wireless MX Mini White - 132x296x21mm (no numeric keypad) - with emoji dictation mic buttons, FLOW technology to work on multi-devices (PC/MAC/tablet/smartphone), Easy-switch keys to connect up to 3 devices - USB type-C Rechargeable, Bluetooth, for windows android iOS mac
LOG-920-010498	R 2,008	Logitech MX Keys Mini minimalist Wireless Illuminated Keyboard - Graphite - 2.4GHz / Bluetooth, Hand proximity sensors that turn the backlighting on, Ambient Light sensors that adjust backlighting brightness, USB-C Rechargeable, Full charge lasts 10 days - or 5 months with backlighting off
LOGI MX KEYS MINI 920-010498	R 2,069	Logitech 920-010498 MX Keys Mini minimalist Wireless Illuminated Keyboard - Graphite - 2.4GHz / Bluetooth, Hand proximity sensors that turn the backlighting on, Ambient light sensors that adjust backlighting brightness, USB-C Rechargeable, Ull charge lasts 10 days - or 5 months with backlighting off
MHBS01AA46	R 2,494	Cooler Master - Master Hub kit, 15x programmable key module, 5x Slider module, 2x Roller wheel module, 4x USB-C 2.0 Female Input/Output, 30x pogo
VK-20038-BK	R 287	Volkano Control series Smart TV remote Control keyboard and trackpad
VK20038BK	R 271	Volkano Control series Smart TV remote Control keyboard and trackpad

< Return to the menu

Mice

Mice : Gaming mouse / mice

Product code	Price	Description
4044951017126	R 299	Sharkoon Shark Zone M52 8200 DPI Laser Gaming Mouse, Retail Box
4710728309250	R 299	Gamdias Hades Optical Extension GMS7001 Black Gaming Optical Mouse - 3200DPI 64KB on-board memory Customizable Profile ,Interchangeable side panels, 8 Smart Keys with 7 Programmable, USB Interface
4710728309434	R 199	Gamdias Apollo Extension GMS5101 Gaming Optical Mouse - 3200 dpi, 64KB on-board memory, 5 programmable Smart Keys, Luminance Lighting Control, 1 x Wheel USB Wired Optical â€“ Black
4710728309434 - Special	R 264	(On Promotion) Gamdias Apollo Extension GMS5101 Gaming Optical Mouse - 3200 dpi, 64KB on-board memory, 5 programmable Smart Keys, Luminance Lighting Control, 1 x Wheel USB Wired Optical - Black. 3 month warranty.
910-004068	R 838	Logitech G402 Hyperion Fury fps Gaming Mouse - USB, Fusion engine Hybrid Sensor, 8 programmable buttons, On-the-Fly dpi switching, 1 millisecond report, High-Speed clicking, 240 - 4000 dpi Resolution, > 16 g Maximum acceleration, > 500 IPS Maximum speed
910-005283	R 574	Logitech G305 LightSpeed Wireless Gaming Mouse - Black - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum speed
910-005568	R 1,855	Logitech G502 LightSpeed Wireless Gaming Mouse, Hero sensor, 100 - 16000 dpi Resolution, > 40 g Maximum acceleration, > 400 IPS Maximum speed, 1000 Hz USB report rate, 1000 Hz Wireless report rate, Lightspeed Wireless, 2 zone LightSync RGB, 5-minute charge on USB 2.0 gives 2.5 hours of gameplay
910-005673	R 2,522	Logitech G903 LightSpeed Wireless Gaming Mouse, LightSync RGB Lighting, Ambidextrous design, Removable side buttons, 7-11 programmable buttons, Hero 16K sensor, 100 - 16, 000 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, 1000 Hz USB report rate, 1000 Hz Wireless report rate, LightSpeed Wireless
910-005796	R 426	Logitech G203 LightSync Gaming Mouse - Black, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
910-005796	R 286	Logitech G203 LightSync Gaming Mouse - Black, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
910-005796	R 294	Logitech G203 LightSync Gaming Mouse - Black, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
910-005797	R 334	Logitech G203 LightSync Gaming Mouse - White, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
910-005797	R 288	Logitech G203 LightSync Gaming Mouse - White, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
910-005798	R 426	Logitech G203 LightSync RGB Gaming Mouse - Blue, 200 - 8000 dpi Resolution, 6 programmable buttons, 2.1 m cable length, 1000Hz (1ms) USB report rate
910-005810	R 339	Logitech G102 LightSync Gaming Mouse - Blue - USB, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate, 910-005810
910-005857	R 339	Logitech G102 LightSync Gaming Mouse - Lilac - USB, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate, 910-005857
910-006139	R 1,615	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - Black - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006139
910-006139	R 1,252	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - Black - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006139
910-006147	R 1,252	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - White - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006147
910-006150	R 1,123	Logitech G502 X Wired Gaming Mouse with Lightforce Hybrid Switches - White - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 -

		25600 dpi Resolution, > 40G Maximum acceleration, 910-006150
910-006185	R 1,300	Logitech G502 X Wired Gaming Mouse with Lightforce Hybrid Switches - Black - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006185
910-006368	R 2,026	Logitech G705 Wireless Gaming Mouse - Off White, 40 Gaming hour Battery with RGB Lighting on, Six buttons fully programmable, LightSync RGB Lighting, 100 - 8200 dpi Resolution, Bluetooth, LightSpeed Wireless
910-007013	R 349	Logitech Pebble2 Wireless Mouse - Bluetooth Low Energy Technology Connectivity, Compatible With Logi Bolt Receiver(Not Included), 10m Wireless Range, 3 Buttons (Left/Right-click, Scroll-wheel with middle click), Customizable button with Logi Options App, High-precision Optical Tracking, 1000 dpi Nominal Value, 1 x AA Alkaline Battery, 3 Easy-Switch Bluetooth channels, Retail Box
910-007777	R 3,104	Logitech Pro X2 Superstrike Lightspeed Wireless Gaming Mouse; HERO 2 sensor; 44000 DPI; 8 kHz polling; 61g weight; LIGHTSPEED wireless; USB C charging; 5 buttons; esports performance
910005471	R 759	Logitech G502 Hero High Performance Gaming Mouse; HERO 25K optical sensor; 100 - 25,600 DPI; 400 IPS; 11 programmable buttons; LIGHTSYNC RGB; onboard memory; 5 x 3.6g weights; USB; right-handed; black; 121g
910005823	R 322	Logitech G102 Black Lightsync(RGB built in) USB Gaming Mouse; wired USB gaming mouse; 200-8000 DPI; 6 programmable buttons; LIGHTSYNC RGB; 16.8 million colours; 3 lighting zones; Logitech G HUB; 11.62 x 6.15 x 3.82 cm; 85g
910005824	R 322	Logitech G102 White Lightsync(RGB built in) USB Gaming Mouse; USB wired; optical sensor; 200-8000 DPI; 6 programmable buttons; LIGHTSYNC RGB; 1000Hz; 1ms; 2.1m cable; 85g; 11.66 x 6.215 x 3.82 cm; Windows 7 or later; macOS 10.13 or later; ChromeOS
910005843	R 753	Logitech R500s Graphite Laser Presentation Bluetooth Remote; wireless presentation remote; Bluetooth Low Energy; 2.4GHz USB receiver; red Class 1 laser; 20m range; 3-button control; 1 x AAA battery; up to 12 months battery life; 123.6 x 36.6 x 24.7mm; 48.4g
ASIC7RGBFXWHT	R 183	Alcatroz ASIC 7 RGB FX Mouse White, Button optical Mouse, Hight Resolution 1000cpi optical Mouse, RGB FX lights effect
ASUS P309 TUF GAMING M3 GEN I	R 654	Asus P309 TUF Gaming M3 GEN II Gaming mouse, Wired, USB 2.0, Aura Sync, Win10, IP56, 11, 123x68x40mm, 59g w/o cable, BLK, 6 buttons, Switch: 60million
BHR8869GL	R 509	Xiaomi Gaming Mouse Lite - USB, 6200 dpi, 5 adjustable dpi levels, Ergonomic natural grip build, TTC microswitch, Ambient rbg Lighting
CH-9301111-AP	R 518	Corsair HARPOON RGB PRO Black FPS/MOBA 12000 DPI Gaming Mouse. ; 12,000 DPI optical sensor; 6 programmable buttons; RGB lighting; iCUE software compatible; Ergonomic contoured shape; Lightweight 85g; Wired USB connectivity; Compatible with Windows and macOS; Ideal for FPS and MOBA gaming
CH-9304211-AP	R 1,317	Corsair Scimitar RGB Elite Optical 18000 dpi MOBA/MMO Gaming Mouse - Black, BlackMax dpi of 18000 for Precision Tracking, Wired connection for lag-free Performance, Dynamic RGB Lighting support, Built specifically for MOBA and MMO Gaming
CH-930C011-AP	R 403	Corsair Katar Pro Optical Gaming Mouse, Optical Sensor, 12400DPI, 6 Buttons, Backlit RGB
CH-930D010-AP	R 1,357	Corsair M75 Lightweight USB RGB Gaming Mouse - Black, 1.8m cable, Marksman 26K Sensor, 26000 dpi, 1 on board Memory profile, Ambidextrous
CH-930F000-AP	R 552	Corsair M55 Gaming Mouse, 16000 DPI, BLK cover, gray side buttons
CH-931C011-AP	R 748	Corsair Katar Pro Wireless Optical Gaming Mouse, Optical Sensor, 10000DPI, 6 Buttons, Backlit RGB - AA Battery
CH-931C111-AP	R 1,438	Corsair Katar Elite Wireless ultra-light Gaming Mouse, 26000 dpi dpi, 6 programable buttons, Marksman 26K sensor, Optical Sensor Type, 1 Zone RGB Mouse backlighting, On board Memory, Wireless / Wired connectivity, Claw / fingertip grip Type, 1.8m tangle free rubber cable
CH-931D100-AP	R 1,944	Corsair CH-931D100 M75 Air Wireless - 60g ultra-lightweight Mouse, Wired / 2.4GHz Wireless / Bluetooth, Optical Sensor Type, Marksman 26K Sensor, 26000 dpi, 1 on board Memory profiles
CH-931F000-AP	R 794	Corsair M55 Wireless Gaming Mouse, Wireless, 16000 DPI, BLK cover, gray side buttons
CLUTCH GM30	R 515	MSI Clutch GM30 RGB optical Gaming Mouse USB, PAW-3327 sensor, 6 button, 1000Hz polling rate, Omron Switch with 20 million clicks, RGB Mystic Light, 2m tpe with gold-plated connector cable

CLUTCH GM40	R 344	Msi Clutch Gm40 Gaming Mouse
CLUTCH GM41 LIGHTWEIGHT	R 345	MSI Clutch GM41 lightweight Gaming Mouse USB, Up to 6400 dpi, 6 button, 1000 Hz polling rate, Omron 60m main key switches, RGB LED light, 2m braided with gold-plated connector, nVidia reflex support
CLUTCH GM41 LW V2	R 345	MSI Clutch GM41 lightweight Wireless V2 Gaming Mouse, USB 2.0 Interface, 6 button, 1000 Hz polling rate, RGB LED light, 60 million clicks button durability, 16000 Maximum dpi, PixArt PMW-3389 Optical Sensor
CLUTCH GM51 LIGHTWEIGHT	R 805	MSI Clutch GM51 Lightweight USB Mouse, USB 2.0 Interface, MSI FriXionFree cables, 3 Zone RGB LED Light, 8000 Hz polling rate, PixArt PAW-3395 Optical Sensor, 26000 Max dpi, Omron Switch Type, 6 buttons, 2m cable length
CND-SGM01RGB	R 150	Canyon GM-1 Star Raider Black RGB 6buttons Wired Gaming Mouse, High-quality optical sensor Pixart 3168, Adjustable DPI: 800/1600/2400/3200, 6 programmable buttons, 1.65m USB cable, Bonus sticker included in the package, Button lifespan: 3 million clicks, Canyon Twin Surface coating technology, Additional setup software, Macros settings, Response frequency: 125/250/500/1000 Hz, Scanning frequency: 3000FPS
CND-SGM02RGB	R 217	Canyon Vigil GM-2 Optical Gaming Mouse with 6 programmable buttons, PixArt Optical Sensor, Adjustable dpi up to 3200 dpi, 1.65m USB cable, RGB Lighting
CND-SGM03RGB	R 257	Canyon Eclector GM-3 Wired Gaming Mouse with 6 programmable buttons, PixArt Optical Sensor, 4 levels of dpi and up to 3200 dpi, 5 million times key Life, 1.65m Braided USB cable, Rubber coating Surface and colorful RGB lights
CND-SGM116	R 133	Canyon Carver GM-116 Gaming Mouse Wired - Black, 6 buttons, A603ep Mouse Sensor, 3600 dpi Resolution, Scrolling wheel, 1.65 m cable length
CND-SGM11B	R 252	Canyon Puncher GM-11 Gaming Mouse with 7 programmable buttons - Black, PixArt 3519 Optical Sensor, 4 levels of dpi and up to 4200 dpi, 5 million times key Life, 1.65m ultraweave cable, UPE feet and colorful RGB lights
CND-SGM11W	R 337	Canyon Puncher GM-11 Gaming Mouse with 7 programmable buttons - White, PixArt 3519 Optical Sensor, 4 levels of dpi and up to 4200 dpi, 5 million times key Life, 1.65m ultraweave cable, UPE feet and colorful RGB lights
CND-SGM12RGB	R 252	Canyon Apstar GM-12 Wired high-end Gaming Mouse with 6 programmable buttons, Sunplus Optical Sensor, 6 levels of dpi and up to 6400 dpi, 2 million times key Life, 1.65m Braided USB cable, Matt UV coating Surface, RGB lights with 7 LED flowing mode
CND-SGM14RGB	R 297	Canyon Emisat GM-14 Wired Vertical Gaming Mouse with 7 programmable buttons, PixArt Optical Sensor, 6 levels of dpi and up to 4800 dpi, 2 million times key Life, 1.65m Braided USB cable, Rubber coating Surface, Colorful RGB lights, Scrolling wheel
CND-SGM211	R 142	Canyon Accepter GM-211 RGB 6 Button Wired Optical Gaming Mouse, Instant 725 Sensor, ABS material, Huanuo 5 million cycle Switch, 1.65m Braided cable with magnet Ring, 7200 dpi, Built-In Memory
CND-SGM321	R 159	Canyon Shadder GM-321 Optical Gaming Mouse - USB, Instant 725F Sensor, ABS material, Huanuo 5 million cycle Switch, 1.65m Braided cable with magnet Ring, 6 programmable buttons, 7200 dpi Max, 125 Hz response rate, 20 g Maximum acceleration, Backlight, Scrolling wheel
CND-SGM636B	R 313	Canyon fortnax GM-636 RGB 9 Button Wired Gaming Mouse - Black, Sunplus 6662 Mouse Sensor, 20000 dpi Resolution, Braided cable, 1.65 m cable length
CND-SGM636W	R 313	Canyon Fortnax GM-636 RGB 9 Button Wired Gaming Mouse - White, Sunplus 6662 Mouse Sensor, 20000 dpi Resolution, Braided cable, 1.65 m cable length
CND-SGM6N	R 185	Canyon Hazard GM-6 Optical Gaming Mouse - USB, Up to 6400 dpi adjustable setting, LED backlight, Moveable weight slot and retractable top cover for comfortable usage, Black rubber, 9 buttons
CND-SGM728	R 278	Canyon Braver GM-728 Optical Crystal Gaming Mouse, Instant 825 Sensor, ABS material, Huanuo 10 million cycle Switch, 1.65m TPE cable with magnet Ring, 7 programmable buttons, 12800 dpi Resolution, Scrolling wheel, RGB backlight, 6000 frames per second
DMFE20O-OAZPA7G	R 284	Ducky Feather Black and White Mouse with Huano Blue switches, USB 2.0 Interface, PixArt PMW3389dm Sensor, Kailh encoder 9mm Roller, 16000 dpi Resolution, 1.8m cable length
FORGE GM100	R 113	MSI Force GM100 Gaming optiocal Mouse - USB, 6-mode RGB LED Light, 6400 dpi Max, 7 buttons, 1.5m cable length
FORGE GM300	R 161	MSI FORGE GM300 Optical Gaming Mouse - USB 2.0, 5-mode RGB LED Light, 7200 dpi Max, 7 buttons, 1.5m cable length

G3-Z1	R 1,600	KeyChron G3-Z1 G3 Ultra-Light Wireless Gaming Mouse - Black, PixArt 3950 Optical Sensor, Up to 30000 dpi, Up to 750 IPS Tracking Speed, Up to 8000Hz polling rate, Tri connectivity - 2.4GHz Wireless / Bluetooth 5.3 / Wired USB Type-C, Over 10 customisable buttons, 500mAh Battery capacity, Up to 37 hours Battery Life (2.4GHz & 8000Hz), 0.41ms Latency
GMO-LVT-WDOOBK-01	R 998	Thermaltake Level 20 RGB Gaming Mouse
GMS7510	R 499	Gamdias Erebos GMS7510 Laser MOBA Gaming Mouse, 3 Set Ambidextrous Adjustable Side PanelsWeight System, 7 Programmable Buttons, 8200 DPI for PC, Retail Box
LOG-910-005796	R 289	Logitech G203 LightSync Gaming Mouse - Black, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
LOG-910-005797	R 289	Logitech G203 LightSync Gaming Mouse - White, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
LOGI G PRO X 910-006631	R 2,508	Logitech G Pro X Superlight 2 Lightspeed Gaming Mouse - Black - 2.4ghz wireless. Weighs just 60 grams, HERO 2 sensor and LIGHTFORCE hybrid switches.
LOGI G102 910-005823	R 299	Logitech G102 Prodigy Gaming Mouse 200DPI to 6000DPI adjustable optical sensor Direct following model of legendary G1 16.8m LED color customizing Classic design USB connectivity with 2m long cable and 1000Hz polling rate Tension button system
LOGI G102 910-005824	R 299	Logitech Gaming G102 LightSync RGB Mouse, 200DPI to 6000DPI adjustable optical sensor; White. LIGHTSYNC RGB lighting and classic 6-button design. Ideal for FPS, MOBA, and casual games.
LOGI G502 910-006139	R 1,229	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - Black - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006139
LOGI G502 X 910-006147	R 1,254	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - White - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006147
Logitech G203 LIGHTSYNC	R 286	Logitech G203 LightSync Gaming Mouse - Black, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000Hz USB report rate
LRG-GMS357	R 297	Lorgar jetter 357 Optical Gaming Mouse with 6 programmable buttons, PixArt ATG4090 Sensor, dpi can be up to 8000 dpi, 30 million times key Life, 1.8m PVC USB cable, Matt UV coating and RGB lights with 4 LED flowing mode, 12000 frames per second, 1000 Hz response rate.
LRG-MSA10-BK	R 433	Lorgar MSA10 Ultralight Wired Gaming Mouse Advanced - Black - USB, PixArt PAW3311DB Mouse Sensor, 12000 dpi movement Resolution, 300 in/sec Maximum movement Speed, 35 g Maximum acceleration, 12000 frames per second, USB Braided cable, RGB Lighting, Symmetrical, 6 buttons, USB Interface, 1.8 m cable length, 1000 Hz Max response rate
LRG-MSA10-WH	R 433	LORGAR MSA10 Ultralight Wired Gaming Mouse Advanced white. Weight 55 g; Sensor Pixart 3311; Max DPI 12 000; Buttons 6 programmable; Acceleration 35 g; RGB customizable; Shape symmetrical; Platform LORGAR; PTFE feet; Button lifecycle 50 mil clicks.
LRG-MSP80-BK	R 777	LORGAR MSP80 8000 Hz Gaming Mouse Pro Black. Sensor: PixArt PAW3395; Max DPI: 26,000; Polling Rate: 8,000 Hz; Acceleration: 50 g; Buttons: 8 programmable; Main Buttons: 80 mil clicks; PTFE Feet: 100%; RGB Lighting: Yes; Ergonomic: Yes; LORGAR Platform Support
LRG-MSP80-WH	R 777	LORGAR MSP80 8000 Hz Gaming Mouse Pro White. Sensor: PixArt PAW3395; DPI: up to 26,000; Polling rate: 8,000 Hz; Buttons: 8 programmable; Main button lifespan: 80M clicks; Acceleration: 50 g; Feet: 100% PTFE; RGB lighting customizable; LORGAR PLATFORM support; Ergonomic design
MB05DCINBL000-0	R 1,058	Mad Catz B.A.T. 6 Performance Ambidextrous Gaming Mouse - USB, PixArt PMW3389 Sensor, 16000 dpi (Dot per inch) Max, 50g acceleration, 2000 Hz ing rate, 10 programmable Button, Palm rest x 1, Sideskirt x 2, 16.8 million RGB Colour, Braided Fiber cable Type, 1.8m cable length
MM-310-KKOL1	R 344	Cooler Master MM310 Gaming Mouse Black Optical Gaming Sensor, Lightweight, Ambidextrous Mouse
MM04DCINBL000-0	R 736	Mad Catz M.O.J.O. M1 Lightweight Wired Gaming Mouse - USB, PMW 3360 Sensor name, 12000 dpi (Dot per inch) Max Resolution, 50g acceleration, 1000Hz polling rate, Ergonomic & Right-Handed shape, 8 programable buttons, 5 Profile, RGB illumination, 1.8 m cable length

Mo-ASC	R 773	Asus Rog Claw optical gaming mouse - Japanese-made Omron D2F-01F switches, orange led, 5000dpi PixArt PMW3310DH-AWQT controller with 1:1 tracking and angle-snap-free movement, on-board 64Kb memory for programmable game profiles, 6x buttons (3 programmable), with instant DPI clutch button, 30G acceleration, 6500FPS, 130iPS, 1000hz ultrapooling, lift distance: 3mm - angled braided-fibre cable for unfettered mouse swiping
Mo-AXP	R 673	Adata Xpg Primer Optical Gaming Mouse - black with customizable RGB (16.8m color) in 3 zones, durable double-shot surface with PBT, 98G lightweight, 20 million clicks omron switch, 6 programable buttons, Pixart PMW3360 400-12000dpi, 200iPS (Inch Per Sec), 250iPS (Inch Per Sec), 50G acceleration, 1000Hz/500Hz/250Hz ultrapooling, anti-slip textured side grips - USB - retail pack
Mo-CM75AW	R 1,929	Corsair CH-931D100 M75 Air Wireless - 60g ultra-lightweight Mouse, Wired / 2.4GHz Wireless / Bluetooth, Optical Sensor Type, Marksman 26K Sensor, 26000 dpi, 1 on board Memory profiles
Mo-CMPL	R 665	Coolermaster SGM-4006-KFoA1 Mastermouse Pro-L - ambidextrous gaming mouse with top side customizable grips (L/M top covers for palm/claw grip; UV/textured side panel for smooth/firmer grip), support 3D printable side panel, black with 16.8 million adjustable color led, PixArt PMW3360 optical engine, 400-12000dpi, 250iPS, 512kb on-board memory support up to 5 game profile with 60 macros, 8 programable buttons support up to 15 switch via storm tactix button, 50G accleration - USB - retail pack
Mo-LG203	R 294	Logitech G203 Gaming Mouse Black - with Gaming-grade sensor, 32-bit ARM processor, Lightsync RGB, metal spring button tensioning, 6 programmable buttons with 5 onboard memory profiles, 200-8000dpi, 1000Hz polling, 2.1m cable - USB
Mo-LG402	R 861	Logitech 910-004068 G402 Optical Gaming Mouse - fusion engine with hybrid sensor Delta Zero technology, 5.8mp/sec, Max. Acceleration: 16G, speed 500iPS, 1000hz ultra pooling, adjustable 250-> 4000dpi optical engine with 4 settings, hydrophobic coating in the palm area, low-friction polytetrafluoroethylene feet, sculpted comfort grip, 8x programmable buttons, with 4-way tilt wheel zoom - USB, black blue
Mo-LG502H	R 630	Logitech 910-005471 G502 Hero Optical Gaming Mouse, with programmable RGB lighting 5x thumb buttons, 12 mp/sec, adjustable 100-16000 dpi PMW3366 engine with 5 settings, with adjustable weight cartridge, dual-mode scroll wheel (click-to-click or hyper-fast scrolling), hydrophobic coating in the palm area, polytetrafluoroethylene gaming feet, Max. Acceleration: 40G, speed 400iPS, 11 programmable buttons, with 4-way tilt wheel zoom, dedicated controls to switch â€œon-the-flyâ€• from pixel-precise targeting to fast-twitch evasive moves - USB, black
Mo-LG502LW	R 2,157	Logitech 910-005568 G502 Lightspeed Wireless Gaming Mouse, with powerplay wireless charging, programmable RGB lighting 5x thumb buttons, 12 mp/sec, adjustable 100-16000 dpi PMW3366 engine with 5 settings, with adjustable weight cartridge, dual-mode scroll wheel (click-to-click or hyper-fast scrolling), hydrophobic coating in the palm area, polytetrafluoroethylene gaming feet, Max. Acceleration: 40G, speed 400iPS, 11 programmable buttons, with 4-way tilt wheel zoom, dedicated controls to switch â€œon-the-flyâ€• from pixel-precise targeting to fast-twitch evasive moves - USB, Black
Mo-LG502XBW	R 2,606	Logitech 910-006181 G502X Black Lightspeed Wireless Gaming Mouse, with powerplay wireless charging, 5x thumb buttons, 102g light weight, with lightforce hybrid optical-mechanical switches hero 25K sub-micron sensor, 11 programmable buttons
Mo-LG502XK	R 1,199	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - Black - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006139
Mo-LG502XPW	R 2,899	Logitech 910-006163 G502X Plus Lightspeed Wireless Gaming Mouse, with powerplay wireless charging, 8 zone programable lightsync RGB lighting 5x thumb buttons, 106g light weight, with lightforce hybrid optical-mechanical switches hero 25K sub-micro
Mo-LG502XW	R 1,199	Logitech G502X Wired Gaming Mouse with Lightforce Hybrid Switches - White - USB, 5 OnBoard Memory profiles, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, Hero 25K sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, 910-006147
MO-NMS-WDOOBK-01	R 722	Thermaltake MO-NMS-WDOOBK-01 NEMESIS Switch Optical RGB Gaming Mouse USB, 16 Buttons, 1.8m USB cable length, Omron Switches, 16.8 Million RGB Colors, 16 Buttons, Optical Sensor, Up to 5000 Default DPI,

		2000Hz Polling Rate
Mo-RSSC	R 436	Razer Spectre StarCraft 2 gaming mouse - tournament-ready, multi-color backlit APM (Actions-Per-Minute) lighting system (logo area/side glow/under glow lighting can be set individually), 1000Hz Ultrapolling /1ms response, 5600dpi 3.5G laser, button force adjustment, always-on instant response, 200iPS (Inch Per Sec)
Mo-RTR	R 574	Razer Tron gaming mouse - Unique TRON light and sound Features, 1000Hz Ultra-polling /1ms response, 5600dpi 3.5G laser, 7 hyperesponse buttons, always-on instant response, 200iPS (Inch Per Sec)
Mo-RTRB	R 689	Razer Tron gaming mouse & Bundled Tron mouse mat - Unique TRON light and sound Features, 1000Hz Ultra polling /1ms response, 5600dpi 3.5G laser, 7 hyperesponse buttons, always-on instant response, 200iPS (Inch Per Sec), hard mouse mat with bioluminescent tracking glow trail (290x207x35mm)
MO-VER-WDOOBK-01	R 573	Thermaltake Ventus R Optical Omron Mouse
MO-VEZ-WDLOBK-01	R 803	Thermaltake Ventus Z Gaming Mouse
MO-VXO-WDOOBK-01	R 573	Thermaltake Ventus X Rgb Optical Mouse
MR01MCINBL000-0	R 275	Mad Catz R.A.T. 1 Black Gaming Mouse - USB, PAW3205 Sensor, Optical Sensor Type, 2000 dpi Max, 30 IPS, 20g acceleration, 1ms polling rate, Ergonomic, Ambidextrous, 3 buttons, Palm rest adjustability, Soft rubber cable Type, 1.8m cable length
MR02MCINBL000-0	R 355	Mad Catz R.A.T. 2 Black ganing Mouse - USB, Optical Sensor Type, 5000 dpi Max, 100 IPS, 20g acceleration, 1 ms polling rate, Ergonomic, Ambidextrous, 3 buttons, Palm rest adjustability, 16.8 million RGB Colour illumination, Soft rubber cable Type, 1.8m cable length
MSE502	R 532	Genius GX Scorpion M8-610 Gaming Mouse - 800-8200dpi Switchable Laser Sensor, 6 Programmable Buttons, Ambidectrous Design, Rubber Grip, Counterweight, GX Software, USB
MSE503	R 397	Genius GX Scorpion M6-400 Gaming Mouse - 800-5000dpi Switchable Optical Sensor, 4 Programmable Buttons, Ambidectrous Design, Rubber Grip, GX Software, USB
MSE504	R 463	Genius GX Scorpion M6-600 Gaming Mouse - 800-5000dpi Switchable Optical Sensor, 6 Programmable Buttons, Ambidectrous Design, Rubber Grip, GX Software, USB
NBDE545-BBDS	R 815	Dell Alienware 545-BBDS AW320M Wired Gaming Mouse USB, 6 buttons, 19000 dpi movement Resolution, 50G Maximum acceleration, 1000 Hz polling rate, Auto-calibration, 6 programmable buttons, 5 On-the-Fly dpi settings, 16.8 million AlienFX Lighting, 60 million clicks
OCMR11WDGY	R 229	OCPC Wired Gaming Mouse MR11 Grey - USB, USB plug & play Interface, 7200 dpi, 2m cable length, Breathing RGB effect Lighting effect, Creamy Grey Colour
OCMR8WDGY	R 127	OCPC MR8 Cream & Grey RGB 7200 DPI 7D Wired Gaming Mouse, USB plug & play Interface, 2m cable length, Breathing RGB effect, 7200 dpi, Creamy Grey Colour
OCPSGMR44	R 661	PSG E-Sports MR44 Wired Gaming Mouse, 400 to 16000 dpi, 1000Hz / 500Hz / 125Hz Refresh Rate, PixArt 3389 Optical Sensor, Paracord cable, Omron Mechanical Switches
ORIONE1	R 99	KWG Orion E1 Multi-color lighting Unique lighting effects for gaming mouse 6 Keys for strategic assignment Adjustable DPI 3,200 DPI for pixel perfect accuracy Ergonomic design Advanced ergonomic design for every game player, Retail Box
ORIONM1	R 149	KWG Orion M1 RGB streaming lighting Unique lighting effects for gaming mouse, 6 Keys for strategic assignment Adjustable DPI 7,000 DPI for pixel perfect accuracy Ergonomic design Advanced ergonomic design for every game player, Retail Box
ORIONP1	R 199	KWG Orion P1 RGB streaming lighting Unique lighting effects for gaming mouse 7 Keys for strategic assignment Adjustable DPI 12,000 DPI for pixel perfect accuracy Ergonomic design Advanced ergonomic design for every game player , Retail Box
PRIMER-BKCWW	R 243	Adata XPG Primer USB Gaming Mouse, 12000 dpi Resolution, 50G Maximum acceleration, 1000 Hz polling rate, RGB Lighting effects
RAVENIIISIGMABLK	R 367	Armaggeddon Raven III Sigma Black Wired Gaming Mouse; 1200 to 12800 CPI; 5 programmable buttons; 2-way clickable scroll wheel; silent switches; customizable RGB lighting; 4000 FPS; 15G acceleration; 125Hz polling rate; 32 inches per second tracking speed; 1.8m USB cable; 117 x 65 x 38mm; 90g
RAVENIIISIGMAWHT	R 367	Armaggeddon Raven III Sigma White Wired Gaming Mouse; USB connection; 1200 to 12800 CPI; 5 buttons 2-way click scroll; programmable macros; silent switches; programmable RGB lighting; 4000 FPS; 15G

		acceleration; 125Hz polling rate; 32 inches per second tracking speed; 1.8m cable; 117 x 65 x 38mm; 90g
RCT-HyperGlyde	R 311	RCT HyperGlyde Gaming Mouse - USB
RD-M601-RGB	R 160	Redragon Centrophorus 7200dpi RGB Gaming Mouse - Black
RD-M602-1	R 258	Redragon Nemeanlion 2 7200dpi Gaming Mouse
RD-M607	R 222	Redragon Griffin 7200dpi Gaming Mouse
RD-M607W	R 250	Redragon RD-M607W Griffin 7200 dpi Gaming Mouse - White, 7 programmable buttons, Up to 7200 dpi, 10G acceleration, 7x RGB Colour modes
RD-M612-RGB	R 237	Redragon Predator Black 4000dpi RGB Ergo Gaming Mouse
RD-M616-RGB	R 199	Redragon M616 Trident 10000 dpi RGB Gaming Mouse - Black, USB 2.0 full Speed 3.0, Optical PixArt 8925 Sensor, 6x programmable buttons, 1.8m Braided-Fiber cable, 30g acceleration, 10000 dpi Max, Huano Mouse Button Type, On board Memory
RD-M656	R 210	Redragon Gainer M656 Wireless Gaming Mouse 4000 dpi - Black, 7 Macro buttons, 5 adjustable dpi levels, 15g acceleration, Red backlit, 7 buttons, PAW3104 Sensor, 45 ips Tracking Speed
RD-M808W-RGB	R 269	Redragon Storm Wired RGB Mouse - lightweight design, Maximum 12400 dpi, 1000Hz polling rate, 8 backlight modes, 7 programmable buttons, 5 Memory modes
RD-M901-K-2	R 421	Redragon PERDICTION 4 12400DPI RGB MMO Ergo Gaming Mouse - Black
RD-M908	R 290	Redragon Impact 12400 dpi Laser Gaming Mouse USB, Up to 1000 Hz Polling Rate, 18 customizable buttons, USB 2.0 full speed. 3.0, 1.8M braided-fiber cable
RD-M916-PRO-1K	R 603	Redragon M916 PRO 1K Black 3-Mode Wireless Gaming Mouse. >DPI: 50-26000; Sensor: Pixart 3395; Weight: 49 g; Connectivity: 2.4 GHz wireless/wired/Bluetooth; Buttons: 5 programmable; Acceleration: 50 G; Battery: 1 lithium polymer (included); Backlit: No
RD-M916W-PRO-1K	R 601	Redragon M916 PRO 1K White 3-Mode Wireless Gaming Mouse. DPI: 50-26000; Sensor: Pixart 3395; Weight: 49 g; Connectivity: 2.4 GHz wireless/wired; Buttons: 5 programmable; Acceleration: 50 G; Battery: 1 lithium polymer (included); Backlit: No
RGB-GM1102	R 86	Tbyte RGB Gaming optical Mouse USB, Marquee-LED Lighting effect, 7 keys, Up to 3200 dpi, cable braided wire with magnetic Ring
ROC-11-320	R 550	Roccat Kiro Ambidextrous USB Gaming Mouse
ROC-11-502	R 619	Roccat Kova Black USB Mouse
ROC-11-615-BK	R 1,679	Roccat Kain 200 AIMO Black Wireless Optical 16000 dpi Titan-Click RGB Gaming Mouse, Retail Box
ROC-11-615-WE	R 1,679	Roccat Kain 202 AIMO White Wireless Optical 16000 dpi Titan-Click RGB Gaming Mouse, Retail Box
ROC-11-700	R 803	ROCCAT Kone Pure - Core Performance Gaming Mouse, 8200 DPI Pro-aim laser sensor (R3), Easy-shift[ ] button duplicator, TDCU: Tracking & Distance control, ROCCAT driver macro preset, Customizable multi-colour lighting, Highest-quality Components.
ROC-11-810	R 1,079	ROCCAT Kone XTD - Max Customization Gaming Mouse, 8200 DPI pro-aim laser sensor (R3), Easy-shift[ ] button duplicator, TDCU: Tracking &Distance Control, ROCCAT driver macro presets, 4-LED multi-colour light system, Highest-quality components.
ROC-11-811	R 1,044	Roccat Kone XTD Optical USB Gaming Mouse
ROC-16-225	R 941	Roccat Military Bundle Camo Wired USB Mouse and Mouse Pad, Pro-Optic (R4) Optical Sensor, Adjustable Tracking Speed and Lift, 1000 Hz / 1 ms Polling Rate, 7 Programmable Buttons
ROC-16-226	R 941	Roccat ROC-16-226 Military Bundle Naval Wired USB Mouse and Mouse Pad, Pro-Optic (R4) Optical Sensor, Adjustable Tracking Speed and Lift, 1000 Hz / 1 ms Polling Rate, 7 Programmable Buttons, 130 ips Acceleration
ROC-16-227	R 941	Roccat ROC-16-227 Military Bundle Desert Wired USB Mouse and Mouse Pad, Pro-Optic (R4) Optical Sensor, Adjustable Tracking Speed and Lift, 1000 Hz / 1 ms Polling Rate, 7 Programmable Buttons, 130 ips Acceleration
RW-GM100	R 224	Rogueware GM100 Wired Gaming Mouse Black USB, 500Hz USB Refresh Rate, 60 IPS Maximum Tracking speed, Up to 6400 FPS Frame rate, 20g Maximum acceleration
RW-GM200	R 403	Rogueware GM200 Wired Gaming Mouse Black USB, 12000 dpi Gaming sensor, Adjustable dpi key, RGB Lighting
RW-GM300	R 454	Rogueware GM300 Wired Gaming Mouse Black USB, 12000 dpi Gaming sensor, Adjustable dpi key, RGB Lighting, 2 side programable buttons
RZ01-02550100-R3M1	R 1,729	Razer RZ01-02550100-R3M1 Viper 16 000 dpi Chroma RGB Ambidextrous Wired Gaming Mouse,

		True-Ambidextrous, Wired - Razer Speedflex cable connectivity, Razer Chroma RGB Lighting, optical sensor, 50G Maximum acceleration, 8 programmable buttons, 1 on-board Memory profiles, 100% PTFE Mouse feet, Razer Speedflex cable
SLINGSHOT-BKCWW	R 336	Adata XPG Slingshot USB Gaming Mouse, USB Type-A Interface, Pmw 3360 sensor, 400 - 12000 dpi Resolution, > 250 IPS, 50G Maximum acceleration, 1000 Hz polling rate, RGB Lighting effect, 6 buttons
SS-62515	R 1,104	Steel Series Rival 3 Gen 2 Black Gaming Mouse, TrueMove Core Optical Sensor with 8.5K dpi Resolution, Lightweight Symmetrical right-hand Design, 6 Mechanical Switches rated for 60 million clicks, 100% PTFE feet for effortless Glide, 3-zone Dynamic RGB Lighting system, Suports claw or fingertip grip styles, USB cable length of 1.8 meters
SS-62516	R 1,104	Steel Series Rival 3 Gen 2 Gaming Mouse in White, TrueMove Core Optical Sensor with up to 8.5K dpi Resolution, Lightweight Symmetrical right-hand Design for claw or fingertip grip, 60 million click Mechanical Switch durability guarantee, 6 programmable buttons with OnBoard Memory storage, 3-zone Dynamic RGB Lighting system, 1.8m Super Mesh paracord cable with non-detachable USB connection, 100% PTFE feet for smooth Glide and stopping Power,
TRS-21472	R 529	Trust GXT 784 Gaming Headset With Microphone And Mouse Combo, Retail Box
VX-141-BK	R 207	Volkano VX Gaming athena 3600 dpi Gaming Mouse with Lighting - USB, Rubberized anti-slip surfaces, 7 Colour illumination, 6 buttons, Heavy-Duty cable
VX-143-BK	R 287	Volkano VX Gaming Hera Series 12000 dpi 7 button Gaming Mouse - USB, 1.5 m cable length, Instant 825 Optical Sensor, 6 buttons and Scroll Wheel button
VX-160-BK	R 287	Volkano VX Gaming morpheus Series Wired RGB Mouse with Braided cable, USB, 8 buttons, Braided cable

< Return to the menu

Mice : Mice - notebooks / laptops mouse

Product code	Price	Description
910-004424	R 169	Logitech M171 Cordless Notebook Mouse, with micro nano receiver, Black Black highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
910-004640	R 159	Logitech 910-004640 M171 Cordless Notebook Mouse, with micro nano receiver, Black & Blue highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
910-004641	R 167	Logitech 910-004641 M171 Cordless Notebook Mouse, with micro nano receiver, Black & Red highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
910-004641	R 159	Logitech 910-004641 M171 Cordless Notebook Mouse, with micro nano receiver, Black & Red highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
910-004642	R 149	Logitech M170 Wireless Mouse - Advanced Optical Tracking Sensor, 3 Button with Wheel, Nano Receiver, USB interface
910-004642	R 141	Logitech M170 Wireless Mouse - Grey - 2.4GHz, 3 buttons, Line-by-Line Scrolling, Scroll Wheel, 1 x AA Battery, USB receiver, 910-004642
DSY-MM200	R 89	Disney Mickey Mouse Mini Optical USB Mouse Retail Packaged
DSY-MM212	R 89	Disney Princess Heart Mini Optical USB Mouse Retail Packaged
G1K28AA	R 217	HP USB Travel Mouse, { Compatible with --> HP x360 310 G1, HP Pro x2 612 G1, HP ProTablet x2 612 G1, HP ProBook 470 G2, HP ProBook 450 G2, HP ProBook 430 G2, HP 255 G3, HP 250 G3, HP ElitePad 1000 G2, HP 350 G1, HP 255 G2, HP 250 G2, HP EliteBook Revolve 810 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook Folio 1040, HP ZBook 14, HP ZBook 15, HP ZBook 17, HP ProBook 470 G1, HP ProBook 450 G1, HP ProBook 650 G1, HP ProBook 640 G1, HP Elitebook 820 G1, HP Elitebook 850 G1, HP Elitebook 840 G1, HP ProBook 430 G1, HP ProBook 450 G0, HP ProBook 470 G0, HP 255 G1 Notebook PC, HP 250 G1 Notebook PC, HP EliteBook Revolve 810 G1, HP ElitePad 900, HP mt40, HP 9470m, Spectre XP, 2570p, 2170p, 8770w, 8570w, 8470w, 8570p, 8470p, 6475b, 6470b, 6570b, 4340s, 4540s, 4545s, 4740s, HP 655, HP 650, Folio 13, Slate2, 2760p, 2560p, 8760w, 8560w, 8560p, 8460p, 6465b, 6560b, 6460b, 6360b, 5330m, 4330s, 4530s, 4535s, 4730s, HP 630, HP 635, 4320t, 100e, 2740p, 2540p, 8740w }
LOGI M170 910-004642	R 147	Logitech M170 Wireless Mouse - Grey - 2.4GHz, 3 buttons, Line-by-Line Scrolling, Scroll Wheel, 1 x AA Battery,

		USB receiver, 910-004642
LOGI M171 910-004424	R 153	Logitech Wireless Mouse M171 (Black) Nano USB receiver 3 buttons optical tracking ratchet wheel 12-month battery life 10m range
M49020	R 128	Verbatim Go Mini Optical Travel Mouse; Wired USB-A; Optical sensor; 1000 DPI; Retractable 80cm cable; Ambidextrous; 74.5 x 42 x 29mm; 44g; Laptop travel mouse; Windows 11 10 8; Mac OS X 10.4
ML127UPBLU	R 17	Okion Lacion Lightup Laser Blue USB & PS/2 Mouse, Body lightup style, Laser sensor, Adjustable sensor between 400/800/1200DPI, LED eye, USB, PS/2
ML129UP_ORA	R 17	Okion Prelude Laser USB PS/2 Orange Mouse, Multi-colour selection, Laser Engine, USB, PS/2
ML129UP_WHT	R 17	Okion Prelude White Laser Usb ps/2 Mouse
ML234UP_BLU	R 17	Okion Delimer Pocket 4D Laser Pocket Mouse, Blue, 4-way scrolling, Retractable cable, USB, PS/2
ML234UP_SLV	R 17	Okion Delimer Pocket 4D Silver Laser Mouse, Laser mouse, 4-way scrolling, Retractable cable, Pocket Mouse, USB, PS/2
ML234UP_WHT	R 17	Okion Delimer Pocket 4D Laser Mouse with Retractable Cable
MO-0404	R 59	Geeko Black/Silver USB Mini Optical Mouse, Retail Box
MO-204	R 59	Geeko Black/Silver PS2 Optical Mouse, Retail Box
MO-411	R 59	Geeko Black/Silver USB Mini Optical Mouse, Retail Box
Mo-CAS	R 74	Choiix C-PM01-S9 Accu-mouse , optical , Silver(leather coating) grey orange wheel , 750mm uni-retractable USB cable storable into the mouse, 800dpi - retail pack
Mo-LM170BS	R 144	Logitech 910-004642 M170 Cordless Notebook Mouse, with micro nano receiver, Black & silver highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
Mo-LM171BB	R 153	Logitech 910-004424 M171 Cordless Notebook Mouse, with micro nano receiver, Black Black highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB. 4 way tilt wheel : N, color : Black, buttons : 3, engine : Y, application switch : N, web forward / backward : N, interface : usb, warranty - years : 3, wireless : Fast RF, auto turn off - save battery : N, left hand support : Y
MO-LM171BL	R 154	Logitech 910-004640 M171 Cordless Notebook Mouse, with micro nano receiver, Black & Blue highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB |4 way tilt wheel : N, color : Black bLue, buttons : 3, engine : Y, application switch : N, web forward / backward : N, interface : usb, warranty - years : 3, wireless : Fast RF, auto turn off - save battery : N, left hand support : Y
MO-LM171BR	R 156	Logitech 910-004641 M171 Cordless Notebook Mouse, with micro nano receiver, Black & Red highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB | 4 way tilt wheel : N, color : black Red, buttons : 3, engine : Y, application switch : N, web forward / backward : N, interface : usb, warranty - years : 3, wireless : Fast RF, auto turn off - save battery : N, left hand support : Y
Mo-MNoS	R 60	Microsoft Notebook Optical Silver, 400dpi, 1500FPS, 3 buttons optical - USB - retail pack
MO163UP_GRY	R 17	Okion Atom Grey USB Plug-and-play Ps/2 Combo Mouse
MO163UP_SLV	R 17	Okion Atom Silver USB Plug-and-play Ps/2 Combo Mouse
MO254UP	R 17	Okion Raintoons Multi Colour USB & PS/2 Optical Mouse, Rainbow colours LED, Pocket size, Optical
MO259U	R 17	Okion Simpex pocket retractable Optical Mouse - USB, cable extends up to 75cm, 800 dpi Resolution
MO267UP_ORA	R 17	Okion Soap USB Mobile (USB PS/2 Combo) Orange Mouse, Mobile size, Optical, USB, Scroll Wheel plus button, PS/2
MO269U_BLK	R 17	Okion Dexta Mobile Retractable Optical USB Mouse
MO269U_BLU	R 17	Okion Dexta Blue Mobile USB Retractable Optical Mouse, Mobile mouse, Retractable Cable, Optical, USB Plug-and-Play, Scroll Wheel
MO271UP_BLU	R 17	Okion Cyprini Optical USB PS/2 Mouse, Mobile size, 800DPI Optical, USB, PS/2, Scroll Wheel plus button function
MO271UP_BLUL	R 17	Okion Cyprini Optical Mouse USB PS/2 combo
MO271UP_GRY	R 17	Okion Cyprini Optical USB PS/2 Mouse
MO274U_BLK	R 17	Okion Anywhere Mobile USB Retractable Optical Mouse, Mobile mouse, Retractable Cable, Optical, USB Plug-and-Play, Scroll Wheel
MO274U_WHT	R 17	Okion Anywhere White Mobile Retractable USB Optical Mouse
MO277UP_BLK	R 85	Okion Alio Mobile USB PS/2 Optical Mouse, Mobile size, Illuminated scrolling wheel, 800DPI Optical, USB, PS/2,

		Scroll Wheel plus button function
MO277UP_WHT	R 17	Okion ALIO White Mobile Optical Mouse USB PS/2 combo
MO279U_BLK	R 17	Okion Kozi Mobile Retractable USB Optical Mouse, Stylish colour matching choices, Retractable cord, 800DPI Optical, USB, Scroll Wheel plus button function
MO281U	R 17	Okion Flat Mobile Optical Retractable Mouse, RF 2.4GHz wireless, Storable dongle inside mouse body, Rubber side-grip for comfort holding, Professional Executive Design
MO284U_WHT	R 90	Okion ColorIT Mobile Optical 7-colours changing illuminated Retractable USB Mouse
MO285U	R 17	Okion Leader Retractable Optical Mobile Mouse, Rubber sides ' grib, Mobile mouse, Retractable Cable, Optical, USB Plug-and-Play, Illuminated Scroll Wheel
MO287UP-SLV	R 17	Okion Ovalo Silver Optical USB PS/2 Combo Mouse
MO289U	R 17	Okion Xs-Mini USB Mobile Retractable Mouse, Illuminated scroll-er, Optical, USB, PS/2, Middle scroll-er button
MSE219	R 79	Genius Micro Traveler Ruby Mouse - Retractable cable design, high resolution, optical mouse
MSE223	R 79	Genius Micro Traveler Black Mouse - Retractable cable design, high resolution optical engine
MSE224	R 79	Genius Micro Traveler Silver Mouse - Retractable cable design, high resolution, optical engine
MSE233	R 230	Genius Micro Traveler 900S Gray Mouse, 2.4GHz radio frequency minimizes interference and lets you enjoy wireless freedom and convenience, 1200 dpi advanced optical engine for enhanced movement control.
W5804-1C-TW	R 79	Tweety Optical USB Mouse Colour: Blue, Retail Box, 3 Months warranty. 3 button. 800CPI. Official Looney Tunes Tweety mouse. Life: 100000 hrs / 3000000 clicks.
ZL911-USB	R 89	UniQue ZL911 Wired Mini USB Optical Mouse - 3 Button PC Mouse with Scroll wheel and Retractable USB Cable - For Laptop/ Netbook/ Desktop Computers - Supported by: Microsoft Windows (7/ XP/ Vista) and Apple MAC (OS X) - No Batteries Needed, Retail Box

< Return to the menu

Mice : Mice - wired desktop mouse

Product code	Price	Description
177498	R 259	Manhattan USB Photo Frame Optical Mouse -Built-in 1.5" LCD screen.
177627	R 89	Manhattan Silhouette Optical Mouse - USB, Three Buttons with Scroll Wheel, 1000 dpi, White
177658	R 99	Manhattan Slim USB Optical Mouse ,3 Button with Scroll wheel, 1000 DPI- Colour: Black
179331	R 79	Manhattan Wired USB Optical Mouse - Compact Three Buttons with Scroll Wheel, Ergonomic Ambidextrous Design, 1000 dpi, Black, USB Interface, Colour Black, Retail Box
265D9AA	R 240	HP 265D9AA 128 Laser Wired Mouse USB, 1200 dpi Resolution, Left and right buttons and a Scroll Wheel
31010029400	R 63	Genius DX-120 Optical Mouse USB Type-C - Black, 1000 DPI Resolution, 1.5m cable length, 3 x buttons
4044951029013	R 799	Sharkoon LIGHT Gaming Mouse, 16000DPI, Retail Box
4PH30AA	R 879	HP 4PH30AA Pavilion Gaming Mouse 300 Black & Green USB, Ambidextrous design, 5000 dpi optical sensor, LED Lighting
4QM14AA	R 127	HP 4QM14AA 1000 Wired Mouse USB
4Y50R20863	R 167	Lenovo 4Y50R20863 Essential USB Mouse, Full-size mouse for better grip, Wired USB connection, High resolution of 1600 dpi, Ambidextrous design
4Y50R20863	R 140	Lenovo 4Y50R20863 Essential USB Mouse, Full-size mouse for better grip, Wired USB connection, High resolution of 1600 dpi, Ambidextrous design
4Y50R20863 special	R 175	Lenovo 4Y50R20863 Essential USB Mouse, Full-size mouse for better grip, Wired USB connection, High resolution of 1600 dpi, Ambidextrous design
4Y50R20864	R 271	Lenovo 4Y50R20864 Essential compact Wireless Mouse, 2.4 GHz Wireless VIA nano USB, Ambidextrous design, 3 mice button, 1000 dpi, Optical sensor, Scroll Wheel
4Y50R20864	R 288	Lenovo 4Y50R20864 Essential compact Wireless Mouse, 2.4 GHz Wireless VIA nano USB, Ambidextrous design, 3 mice button, 1000 dpi, Optical sensor, Scroll Wheel
545-BBDS	R 821	Alienware AW320M Wired Gaming Mouse
570-AAIS	R 145	Dell MS116 Black USB Optical Mouse, 1000dpi Movement Resolution
570-AAIS	R 141	Dell MS116 Black USB Optical Mouse, 1000dpi Movement Resolution

570-AAIS	R 145	Dell MS116 Black USB Optical Mouse, 1000dpi Movement Resolution
570-ABHM	R 346	Dell 570-ABHM Laser Wired Laser Mouse - MS3220 - USB 2.0, Titan Grey, 5 buttons, 3200 dpi movement Resolution, Scrolling wheel
570-ABHN	R 329	Dell 570-ABHN MS3220 Laser Wired USB Mouse - Black, 5 buttons, 3200 dpi Resolution, Scrolling wheel, Â© 2020 Laptop Direct
74-570AAIS	R 152	Dell 570-aais MS116 Black USB Optical Mouse, 1000 DPI movement Resolution, 1.8 m cable length
74-570ABHN	R 336	Dell 570-ABHN MS3220 Laser Wired USB Mouse - Black, 5 buttons, 3200 dpi Resolution, Scrolling wheel
822M9UT	R 148	HP 822M9UT 105 Black Wired Mouse - USB, Up to 1600 dpi Resolution, Red Optical Tracking Sensor Technology, 3 buttons - programmable, USB Type-A Port
8886419332565	R 1,899	Razer Mamba Elite Gaming Mouse - Optical, Form Factor - Right Hand, 16000 DPI, Retail Box
900400-PRO	R 89	Port Connect Optical USB Mouse
900400-PRO	R 86	Port Connect Optical USB Mouse
910-001793	R 65	Logitech M90 Mouse - Ambidextrous Design, 1000dpi Optical Sensor, 3 Button With Wheel, Black, USB
910-001793	R 69	Logitech M90 Mouse - Ambidextrous Design, 1000dpi Optical Sensor, 3 Button With Wheel, Black, USB
910-001793	R 64	Logitech M90 corded optical USB Mouse - Grey, 1000 dpi, 3 buttons,
910-001793	R 135	Logitech M90 corded optical USB Mouse - Grey, 1000 dpi, 3 buttons,
910-001793	R 63	Logitech M90 Black Corded Mouse. wired USB-A optical mouse 1000dpi ambidextrous black Logitech M90; full-size plug-and-play
910-001970	R 121	Logitech M90 corded optical USB Mouse - Grey, 1000 dpi, 3 buttons
910-003357	R 89	Logitech B100 optical USB Mouse - Black, 1000 dpi, 3 buttons, Line-by-line Scrolling, Scroll Wheel, 910-003357
910-004332	R 191	Logitech B175 2.4GHz Wireless USB Optical Mouse, 2 buttons, 1 x AA Battery, Nano Receiver, Year Long Battery Life, 910-004332
910-005006	R 149	Logitech M100 corded USB Mouse - Black, 1000 dpi, Optical Tracking, 3 buttons, Line-by-Line Scrolling, Scroll Wheel, 910-005006
910-005448	R 1,544	Logitech 910-005448 MX vertical advanced Ergonomic Mouse, Rise design with natural Handshake position to reduce muscle strain and wrist pressure, with Cursor speed Switch button, Wired WiFi Bluetooth Triple connection, Rechargeable 240mAh battery, Hyper-fast Scrolling, Gesture support, 4 buttons, 4 ways Tilt wheel, Battery indicator, 400-4000dpi, with unifying receiver - USB
910-005471	R 635	Logitech 910-005471 G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black
910-005471	R 1,158	Logitech 910-005471 G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black
910-005471	R 607	Logitech 910-005471 G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black
910-005474	R 654	Logitech G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black, 910-005474
910-005547	R 145	Logitech Business B100 Optical USB Mouse, Ambidextrous Form Factor, Optical Tracking, USB Type-A Interface, 1000 DPI Resolution, 3 buttons, Scroll Wheel, 910-005547
910-005808	R 339	Logitech G102 LightSync Black Mouse USB, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000 Hz USB report rate, 32-bit arm microprocessor, 910-005808

910-005809	R 339	Logitech G102 LightSync RGB Mouse USB - White, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000 Hz USB report rate, 910-005809
910-005823	R 286	Logitech G102 LightSync Black Mouse USB, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000 Hz USB report rate, 32-bit arm microprocessor, 910-005823
910-005823	R 284	Logitech G102 LightSync Black Mouse USB, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000 Hz USB report rate, 32-bit arm microprocessor, 910-005823
910-005824	R 389	Logitech G102 LightSync RGB Mouse USB - White, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000 Hz USB report rate
910-005824	R 294	Logitech G102 LightSync RGB Mouse USB - White, LightSync RGB Lighting, 6 programmable buttons, 200 - 8000 dpi Resolution, 1000 Hz USB report rate
910-006652	R 70	Logitech M100 corded USB Mouse - Black, 1000 dpi, Optical Tracking, 3 buttons, Line-by-Line Scrolling, Scroll Wheel
910-006652	R 68	Logitech M100 corded USB Mouse - Black, 1000 dpi, Optical Tracking, 3 buttons, Line-by-Line Scrolling, Scroll Wheel
910-007511	R 516	Logitech M520 Mouse for Business - Graphite - USB, Precision Optical Tracking sensors, 4 buttons, Wired USB-C connection Type
9VA80AA	R 183	HP 9VA80AA Wired Desktop 320M Optical Mouse USB
A82008-B	R 35	Astrum Mu080 Black USB Optical 3b 1.5m Mouse
A82012-C	R 138	Astrum MU120 Blue 1.5m Wired USB 1200DPI 3B Mouse, MU120; Optical sensor; 1200 DPI; 3 buttons; USB plug-and-play; Wired USB 2.0; Compatible with Windows Mac Linux; Blue-Black
A82012-N	R 138	Astrum MU120 Red Wired USB 1200DPI 3B 1.5M Mouse. Wired USB mouse; Optical sensor; 1200 DPI; 3 buttons; Scroll wheel; Plug & Play; Windows/Mac compatible; 1.5m cable; Red/Black color; 80g weight
AMSU10B	R 52	Astrum MU10 Black 1.5m Full Size 1600 DPI 4 Buttons Wired Optical Mouse; desktop computer mouse; office and home use
AMSU10G	R 52	Astrum MU10 Green 1.5m Full Size 1600 DPI 4 Buttons Wired Optical Mouse USB; full size; 126 x 68 x 39mm; 85g; plug and play; Windows, macOS, Linux
AMSU10R	R 52	Astrum MU10 Red 1.5m Full Size 1600 DPI 4 Buttons Wired Optical Mouse; 4 buttons; USB wired; 1.5m cable; plug and play; Windows, macOS, Linux compatible; 126 x 68 x 39mm; 85g
AMSU10U	R 52	Astrum MU10 Blue 1.5m 4 Buttons Full Size 1600 DPI Wired Optical Mouse; Everyday PC and laptop use
ASIC2BLK	R 163	Alcatroz Asic 2 High Resolution Optical Wired Mouse - Black
ASIC2MNT	R 163	Alcatroz Asic 2 Mint High Resolution Optical Wired Mouse
ASIC2PCH	R 163	Alcatroz Asic 2 Peach High Resolution Optical Wired Mouse
ASIC2WHT-B	R 163	Alcatroz Asic 2 White High Resolution Optical Wired Mouse
ASIC3BLK2021	R 164	Alcatroz Asic 3 (2021 Edition) Optical Wired Mouse - Black
ASIC3BLK2021-B	R 171	ALCATROZ Asic 3 Black Optical Wired Mouse (2021 Edition). 1600CPI optical sensor; USB wired; 2-button scroll wheel; cable length 1.35m; size W64xL118.5xH36.6mm; colour black; entry-mid performance
ASIC3MNT2021	R 164	Alcatroz Asic 3 (2021 Edition) Optical Wired Mouse - Mint
ASIC3PCH2021	R 164	Alcatroz Asic 3 (2021 Edition) Optical Wired Mouse - Peach
ASIC3PCH2021-B	R 169	Alcatroz ASIC 3 Optical Wired USB Mouse - Peach, 2-button, 2-way click wheel scroll, 1600 CPI Optical Mouse
ASIC3WHT2021	R 164	Alcatroz Asic 3 White Optical Wired Mouse
ASIC9 RGB FX BLACK	R 178	Alcatroz ASIC9 RGB FX Black Computer Mouse USB, RGB FX light effect, Durable and up to 3 million click switches, Gaming scroll decoder
ASIC9 RGB FX WHITE	R 178	Alcatroz ASIC9 RGB FX White Computer Mouse USB, RGB FX light effect, Durable and up to 3 million click switches, Gaming scroll decoder
BMOU	R 12	Unbranded Optical Mouse PS2 Black 3 button
CH-9304211-AP	R 1,149	Corsair SCIMITAR ELITE RGB Optical MOBA/MMO Gaming Mouse; 18000 DP; Black
CH-9307011-AP	R 1,057	Corsair IronClaw RGB 18000 dpi FPS / MOBA Gaming Mouse - Black, Max dpi is 18000 with 1 dpi Resolution steps, Custom PixArt PMW3391 Native Optical Sensor, Ultra-durable Omron Switches rated for over 50 million clicks, Lightweight Design, Ergonomic Right-Handed shape contoured for palm-grip styles and larger hands,

		Textured rubber-coated side panels, Reliable Wired connection
CH-930C011-AP	R 488	Corsair Katar Pro 12400 dpi RGB Gaming Mouse - Black, Ultra-lightweight Design, Custom Optical Sensor with Max dpi of 12400, Wired connection with a polling rate up to 1000Hz, Six programmable buttons for custom macros and remaps, Ambidextrous shape suited for claw and fingertip grips, 2-zone RGB Lighting customizable through Corsair iCUE Software, OnBoard Memory stores Personal settings profiles.
CNE-CMS10DG	R 82	Canyon M-10 Dark Grey Wired Mouse With a Smooth Sliding Effect, Precise optical sensor with 1000 DPI, 3 firm pleasant-touch buttons, Made to handle 3 mln clicks per button, Ergonomic design for use in both hands, Low-friction base covering, 1,5-meter cable, Sizes: 109 x 62 x 35 mm
CNE-CMS10ML	R 82	Canyon Wired Optical Mouse with 3 buttons - Mountain Lavender, 1000 DPI, 1.5m cable, USB Interface, Scrolling wheel
CNE-CMS10WL	R 82	Canyon Wired Optical Mouse with 3 buttons - White Lavender, 1000 DPI, 1.5m cable, USB Interface, Scrolling wheel
CNE-CMS2	R 129	Canyon CM-2 Wired Optical Mouse with 3 buttons, 1200 dpi, 1.5m cable length, Scrolling, Top cover with rubber coating
CNE-CMS5	R 121	Canyon M-5 Black Wired Mouse, Symmetrical Wired Mouse, Up to DPI 1200, Number of Keys: 3, 3 Million Clicks, Material: ABS; Cable: 1.5m, 3 Buttons: Left, Right, Scroll, Rate: 125Hz, Acceleration: 10 G, Size: 118*66*37 mm, Weight: 95 g
CNE-CMS6	R 145	Canyon M-6 Black Wired Mouse. wired USB Type-A 6-button mouse 800-3200 DPI ergonomic, weight ~80 g; cable 1.5 m; ideal for office & casual gaming
CNS-CMSW16B	R 265	Canyon MW-16 Wireless Optical Vertical Mouse with 6 buttons, USB 2.0, PixArt 3212 ultra-precision Sensor, Ergonomic upright shape, 1600 dpi, Rubber cover, Compact nano-usb receiver, 1 AA Battery included
DSY-MM201	R 89	Disney Mickey Mouse Comic Mini Optical USB Mouse Retail Packaged
DSY-MM211	R 69	Disney Princess Mini Optical USB Mouse Retail Packaged
DSY-MM220	R 89	Disney High School Musical Mini Optical USB Mouse Retail Packaged
DSY-MM230	R 79	Disney Cars McQueen Mini Optical USB Mouse Retail Packaged
DSY-MM281	R 89	Disney Hannah Montana Pink Mini Optical USB Mouse Retail Packaged
DSY-MO101	R 89	CirkuitPlanet Disney Princess Optical USB Mouse Retail Packaged
DSY-MO105	R 69	Disney Princess Optical USB Mouse Retail Packaged
DSY-MO111	R 79	CirkuitPlanet Disney Cars Optical USB Mouse Retail Packaged
DSY-MO112	R 79	CirkuitPlanet Disney Cars Optical USB Mouse Retail Packaged
DSY-MO113	R 79	CirkuitPlanet Disney Cars Lightning McQueen & Tow mater Optical USB Mouse Retail Packaged
DSY-MO140	R 89	CirkuitPlanet Disney Hannah Montana Optical USB Mouse Retail Packaged
DSY-MO141	R 89	CirkuitPlanet Disney Hannah Montana Pop Star Optical USB Mouse, Retail Packaged
DSY-MO152	R 79	CirkuitPlanet Disney Black & Silver Mickey Optical USB Mouse, Retail Packaged
DSY-MO153	R 79	CirkuitPlanet Disney Mickey Optical USB Mouse, Retail Packaged
DSY-MO160	R 109	Disney Minnie Mouse Optical Mouse Retail Packaged
DSY-MO173	R 89	CirkuitPlanet Disney High School Musical Optical USB Mouse Retail Packaged
DSY-MO195	R 89	CirkuitPlanet Disney Toy Story Optical USB Mouse Retail Packaged
DSY-TP1001	R 79	Disney Cars Mouse & Mouse Pad Gift Set Retail Packaged
DSY-TP1002	R 79	Disney Cars Mouse & Mouse Pad Gift Set Retail Packaged
DSY-TP3002	R 79	Disney Mickey Mouse & Mouse Pad Gift Set Retail Packaged
DSY-TP3003	R 109	Disney Mickey Mouse & Mouse Pad Gift Set Retail Packaged
DSY-TP6001	R 109	Disney High School Musical Mouse & Mouse Pad Gift Set Retail Packaged
DSY-TP8002	R 89	Disney Toy Story Mouse & Mouse Pad Gift Set Retail Packaged
DTDE570-AAIS	R 148	Dell MS116 Black USB Optical Mouse
DTLE4Y50R20863	R 153	Lenovo 4Y50R20863 Essential USB Mouse, Full-size mouse for better grip, Wired USB connection, High resolution of 1600 dpi, Ambidextrous design
HAVOC2B	R 344	Armaggeddon Havoc 2 (4800 CPI) 5 button RGB Gaming Mouse Black USB, Huano switchmacro-able gaming mouse with 2 way click scroll, Customizable 16.8 million colours RGB lights, Armaggeddon 814 Optical software

		optimized gaming sensor, On-the-fly adjustable CPI, Save up to 8-macros with wheel scroll, 2 ways click scroll macro-able, Ultra-durable braided cable (1.5m), Extra 1 set of high quality teflon footpads included
LM6030	R 23	Unbranded E-force Optical Mouse PS2 White
LOG-910-001793	R 63	Logitech M90 corded optical USB Mouse - Grey, 1000 dpi, 3 buttons, 910-001793
LOG-910-005471	R 637	Logitech 910-005471 G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black
LOGI G502 910-005471	R 660	Logitech 910-005471 G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black
LOGI M100 910-006652	R 74	Logitech M100 Black Mouse - USB wired mouse - EMEA28i-935. Reliable, full-size mouse built for productivity and everyday use in offices, schools, and home.
LOGI M90 910-001793	R 68	Logitech M90 Black Corded Mouse, USB 3 buttons optical tracking with wheel
LOGI MX VERTICAL 910-005448	R 1,634	Logitech 910-005448 MX Vertical - Advanced Ergonomic Mouse, rise design with natural handshake position to reduce muscle strain and wrist pressure, with cursor speed switch button, Wired WiFi Bluetooth triple connection, rechargeable 240mAh battery, Hyper-fast scrolling, gesture support, 4 buttons, 4 ways tilt wheel, battery indicator, 400-4000Dpi - with unifying receiver - USB
Logitech B100	R 105	Logitech B100 Optical USB Mouse for Bus - BLACK - USB - EMEA -BUSINESS BOX
Logitech G502 Hero	R 631	Logitech 910-005471 G502 Hero optical Gaming Mouse, with programmable RGB Lighting 5x thumb buttons, Adjustable 100-16000 dpi PMW3366 engine with 5 settings, Adjustable weight cartridge, Dual-mode Scroll Wheel (Click-to-click or hyper-fast Scrolling), Hydrophobic coating in the Palm area, Polytetrafluoroethylene Gaming feet, Maximum acceleration 40G, Speed 400ips, 11 programmable buttons, with 4-way Tilt wheel Zoom, USB, Black
Logitech M90	R 63	Logitech Mouse M90 Grey USB, 1000 dpi resoltion
M0-N133BK	R 79	UniQue PS/2 Mouse With Carry Pouch - Black, Retail Box
M232	R 35	Tbyte M232 USB Mouse, 1.5m cable length, 3 buttons, 1000 DPI Resolution
M49019	R 222	Verbatim Optical Desktop Mouse
M5-1	R 104	Mecer Black optical Mouse with PS2 connector
MM-712-KKOH1 PR1	R 687	Cooler Master MM712 Gaming Mouse RGB Black, UltraWeave Paracord Cable; Pixart PMW3389 Sensor; PTFE Skates
MM-U03BK	R 104	Mecer Optical Wheel USB Mouse -Black
Mo-3CC	R 1,149	3dconnexion 3DX-700081 Cadmouse Compact - 110x67x38mm compact size, designed for CAD professional, Intelligent Ergonomic Design with middle button, side quick zoom buttons or scroll zoom in/out, 7200dpi, 1000hz poll rate, 7x buttons (with quick-acc, Â© 2021 Laptop Direct
Mo-3CCW	R 1,270	3dconnexion 3DX-700082 Cadmouse Compact Wireless - 110x67x38mm compact size, USB wired or 2.4Ghz receiver or Bluetooth, designed for CAD professional, Intelligent Ergonomic Design with middle button, side quick zoom buttons or scroll zoom in/out
Mo-3CP	R 1,933	3Dconnexion Cadmouse Pro with extra space for thumb rest smartwheel 2 - USB, Designed for CAD Professional, Intelligent Ergonomic design with middle Button, Side quick Zoom buttons or scroll Zoom In/Out, 7200 dpi, 1000Hz poll rate, 7x buttons (with quick-access gesture Button), with tailored Carry case, 5 buttons programmable
Mo-3SMC	R 3,371	3Dconnexion SpaceMouse compact 3D Mouse, 3D Input Device for 3D Application with Push pull twist tilt, Pan Zoom rotate the 3D model, 2 programmable buttons, 77 x 77 x 54 mm , Also support Linux Mac / supports only noncommercial use
Mo-3SMP	R 6,401	3dconnexion Space Mouse Pro - 3d mouse/input device for 3d application, pan zoom rotate the 3d model, integrated keypad with palm rest - up to 15 programmable buttons, also support Unix Linux
MO-BKV-WDLGBK-01	R 757	Thermaltake Black Finger Print Mouse
MO-CM75-K	R 1,321	Corsair M75 Lightweight RGB Gaming Mouse

Mo-GAM2	R 407	Gigabyte Aorus M2 Optical Gaming Mouse - black with customizable RGB (16.8m color) on logo, 76G lightweight, ambidextrous design, claw / fingertip grip, 50 million clicks omron switch, 6 programable buttons, Pixart PMW3327 200-6200dpi, 220iPS (Inch Per Sec), 30G acceleration, 1000Hz/500Hz/125Hz ultrapooling - USB - retail pack
Mo-GAM3	R 474	Gigabyte Aorus M3 Optical Gaming Mouse - black with customizable RGB (16.8m color) on logo, 100G lightweight, palm/ claw/ fingertip grip, 20 million clicks omron switch, 6 programable buttons, Pixart PMW3988 50-6400dpi, 200iPS (Inch Per Sec), 50G acceleration, 1000Hz/500Hz/125Hz ultrapooling, 12500FPS, splited left/ right-click buttons, with anti-slip rubber grip, non-dragged cable, with 2 sets spare mouse feet - USB - retail pack
Mo-GAM4	R 629	Gigabyte Aorus M4 Optical Gaming Mouse - black with customizable RGB (16.8m color) in 4 zones, 98G lightweight, ambidextrous design, 50 million clicks omron switch, 6 pogramable buttons, Pixart PMW3988 50-6400dpi, 200iPS (Inch Per Sec), 50G acceleration, 1000Hz/ 500Hz/ 125Hz ultrapooling, 12500FPS, splitted left/ right-click buttons, with anti-slip rubber grip, non-dragged cable, with 2 sets spare mouse feets - USB - retail pack
MO-IRS-WDOHBK-01	R 412	Thermaltake Iris Optical RGB Gaming Mouse, Colour Black - 5000 DPI Optical, 6 Buttons, 30 Macro Keys, 5 Game Profiles, 16.8M Colour RGB, Pixart PMW-3325 Sensor
Mo-LM100	R 76	Logitech 910-006652 M100, black - 3 buttons, 1000dpi - USB - retail pack
Mo-LM110SL	R 137	Logitech 910-005488 M110 Silent Corded Optical Mouse, Blue, with 90% reduced noise from clicking and scrolling, precision tracking, auto sleep, 2.4GHz, 3 buttons, 1000dpi
Mo-LM90	R 75	Logitech 910-001793 M90 Mouse, black - 3 buttons, 1000dpi - usb - retail pack
Mo-LMXV	R 2,023	Logitech 910-005448 MX Vertical - Advanced Ergonomic Mouse, rise design with natural handshake position to reduce muscle strain and wrist pressure, with cursor speed switch button, Wired WiFi Bluetooth triple connection, rechargeable 240mAh battery, Hyper-fast scrolling, gesture support, 4 buttons, 4 ways tilt wheel, battery indicator, 400-4000Dpi - with unifying receiver - USB
MO161UP	R 17	Okion Tio Desktop 4 Colour Optical Mouse, Yet another great computer mice by OKION, TIO(TM) desktop optical mice for your daily computing tasks
MO162UP-BLK	R 17	Okion Tio-II Black USB PS/2 Desktop Combo Mouse
MO162UP-BLU	R 17	Okion TIO-II Blue Desktop mouse USB PS/2 combo
MO162UP-RED	R 17	Okion TIO-II Red Desktop mouse USB PS/2 combo
MO164UP	R 55	Okion Cutein Desktop 3 Colour Optical Mouse, Here is the Cutein(TM) desktop optical mice for your daily computing tasks (Only one mouse)
MO287UP-BLK	R 17	Okion Ovalo Optical USB PS/2 Combo Mouse, Mobile size, 800DPI Optical, USB PS/2 combo interface, Scroll Wheel plus button function
MOS-371U	R 46	Mikuso 1200 DPI USB Wired Optical Mouse, Buttons 1 wheel, ABS Plastic material, 1.4m cable length, 1200 DPI Tracking Resolution, The Scroll Wheel act as a third Button
MOU-DX-110	R 66	Genius DX-110 USB Optical Mouse, 1000 dpi Resolution, 3 buttons, Optical Sensor Engine, 1.5 m cable length
MOU-DX-123-BLK-BLU	R 84	Genius USB DX-123 Smile Edition Wired Mouse - Black / Blue, 3 buttons, Optical Sensor Engine, 1200 DPI Resolution, 1.5m cable length, USB Type-A Connector
MOU-DX-123-BLK-GRY	R 84	Genius USB DX-123 Smile Edition Wired Mouse - Black Grey, 3 buttons, Optical Sensor Engine, 1200 DPI Resolution, 1.5m cable length
MOU-DX-123-BLK-RED	R 84	Genius USB DX-123 Smile Edition Wired Mouse - Black Red, 3 buttons, Optical Sensor Engine, 1200 DPI Resolution, 1.5m cable length
MOU-DX-BLK-GREY	R 93	Genius USB DX-125s Silent Optical Mouse - Black & Grey, 3 buttons, Optical Sensor Engine, 1200 DPI Resolution, 1.5m cable length
MOU-USB-C-DX123-BLK	R 93	Genius USB DX-123 Smile Edition Wired Mouse - Black, 3 buttons, Optical Sensor Engine, 1200 DPI Resolution, 1.5m cable length, USB Type-C Connector
MOVEV49019	R 1,150	Verbatim Black Optical Desktop Mouse
MR03MCINBL000-0	R 1,018	Mad Catz R.A.T. 4 Wired Optical Gaming Mouse - Black, PMW3330 Sensor name, 7200 dpi (Dot per inch) Max Resolution, 30g acceleration, 1ms polling rate, Ergonomic & Right-Handed shape, 7 buttons, Red LED illumination, Braided Fiber cable Type, 1.8m cable length
MR04DCINBL000-0	R 1,300	Mad Catz R.A.T. 6 Wired Optical Gaming Mouse - Black, PMW3360 Sensor name, 12000 dpi (Dot per inch) Max Resolution, 50g acceleration, 1ms polling rate, Ergonomic & , Right-Handed shape, Universal grip style, 11 buttons,

		16.8 million RGB Colour, Braided Fiber cable Type, 1.8m cable length
MR05DCINBL000-0	R 1,553	Mad Catz R.A.T. 8 Wired fully adjustable Gaming Mouse - Black, PixArt PWM3389 Sensor name, 16000 dpi (Dot per inch) Max Resolution, 50g acceleration, 2000Hz polling rate, Ergonomic & Right-Handed shape, 11 buttons, 16.8 million RGB Colour, 2x Palm rest, 2x pinkie rest, 3x removable weight, Braided Fiber cable Type, 1.8m cable length, 4 On-Board Memory profiles
MR05DCINBL001-0	R 3,508	Mad Catz R.A.T. Pro x3 fully customizable Optical Gaming Mouse - USB, PixArt PWM3389 Sensor name, 16000 dpi (Dot per inch) Max Resolution, 50g acceleration, 3000 Hz polling rate, Ergonomic & Right-Handed shape, 10 buttons, 16.8 million RGB Colour, Braided Fiber cable Type, 1.8m cable length, Exoframe structure with highly customized key parts
MR06DCINRD000-0	R 1,725	Mad Catz R.A.T. 8 ADV Highly Customizable Optical Wired Gaming Mouse, PixArt PWM3389 Pro Sensor name, 20000 dpi (Dot per inch) Max Resolution, 50g acceleration, 2000 Hz polling rate, 4 On-Board Memory profiles, Ergonomic & Right-Handed shape, 11 buttons, 2x Palm rest, 2x pinkie rest, 3x removable weight, 16.8 million RGB Colour, Braided Fiber cable Type, 1.8m cable length
MSB-OPTMSEBUS	R 197	Microsoft Basic Optical Mouse Black (PS2/USB) for Business, Scroll Even Faster, Comfortable in Either Hand, Customizable Buttons, Ergonomic Design.
MSE160	R 127	Genius Traveler 305 Black & Silver Mouse, Laser technology provides more tracking power than LED optical mice
MSE168	R 12	Genius Netscroll 120 White Mouse PS/2 - Enhanced precision with optical engine, eliminates moving parts & dust accumulation, 800dpi
MSE221	R 78	Genius Scrolltoo 200 White & Blue Mouse - Oval design for excellent hand comfort, high resolution optical engine for precision & accuracy
MSE225	R 12	Genius Netscroll 110 Black Mouse - High Precision Optical Mouse
MSE505	R 58	Genius DX120 Black Mouse - 3 Button With Scroll, Optical Sensor, Ambidextrous Design, Supports USB Interface
MSE506	R 58	GENIUS DX-110 BLACK USB Optical Mouse
NBDE570-ABHM	R 355	Dell 570-ABHM Laser Wired Laser Mouse - MS3220 - USB 2.0, Titan Grey, 5 buttons, 3200 dpi movement Resolution, Scrolling wheel
NBDE570-ABHN	R 355	Dell 570-ABHN MS3220 Laser Wired USB Mouse - Black, 5 buttons, 3200 dpi Resolution, Scrolling wheel
NBHP265A9AAS	R 83	HP 265A9AAS 125 USB Wired Mouse Black - oem
NBHP265D9AA	R 217	HP 265D9AA 128 Laser Wired Mouse USB, 1200 dpi Resolution, Left and right buttons and a Scroll Wheel
NBHP4QM14AA	R 117	HP 4QM14AA 1000 Wired Mouse USB
NBHP6VY96AA	R 118	HP 6VY96AA Wired Mouse 100, Ambidextrous design, 1600 dpi Optical Sensor
NBLE4Y50R20864	R 263	Lenovo 4Y50R20864 Essential compact Wireless Mouse, 2.4 GHz Wireless VIA nano USB, Ambidextrous design, 3 mice button, 1000 dpi, Optical sensor, Scroll Wheel
RAPOO N100	R 75	Rapoo N100 Wired Optical Mouse, USB Wired, Ambidextrous, 1000 DPI, Ergonomic design
RCT GM-193U	R 68	RCT GM-193U Wired Optical Mouse, 1.5 m (Nylon Braided) cable, USB Type-A connection, 1000 / 1600 / 2400 / 3200 dpi Optical Resolution, 6 buttons with dpi Switch
RD-BM-2892	R 48	Redragon BM-2892 1200 DPI Wired Optical Mouse - Black, S03199 Optical Sensor, 1200 DPI Maximum, 3 buttons
RD-BM-4049	R 31	Redragon BM-4049 1200 DPI USB Wired Optical Mouse - Black, 3 buttons, 1200 DPI Resolution
RD-M730-RGB	R 147	Redragon Naga RGB 10000 dpi Wired Gaming Mouse, Wired connection with 1.8 m PVC cable, Max dpi of 10000 across 5 adjustable sensitivity levels, 1000 Hz polling rate for responsive Cursor Tracking, 7 total buttons including 6 fully programmable controls, Ergonomic Right-Handed shape Design, Programmable RGB backlighting included
RD-M811-RGB	R 371	Redragon Aatrox Black 6200DP RGB MMO Gaming Mouse
SCORPION3	R 252	Armaggeddon Scorpion 3 RGB Gaming Mouse 4800 CPI, 5 button RGB Gaming Mouse, Customizable 16.8 million colours RGB lights, On-the-fly adjustable CPI, USB wired
SCORPION5	R 252	Armaggeddon Scorpion 5 RGB Gaming Mouse 4800CPI (Free Gaming Mousemat)
SCORPION7	R 263	Armaggeddon Scorpion 7 RGB Gaming Mouse 4800 CPI, 5 button RGB Gaming Mouse, Customizable 16.8 million colours RGB lights, On-the-fly adjustable CPI, USB wired
SF48817	R 446	Surefire Eagle Claw 9-button Gaming Mouse With RGB
SKPEMOU	R 380	Unbranded USB Optical Mouse with Skype Phone
SS-62611	R 1,530	Steel Series aerox 3 Onyx Wired Gaming Mouse with AquaBarrier protection, Features a TrueMove Core Optical

		Sensor with 8500 CPI Resolution and 300 IPS Speed, Equipped with Golden Micro IP54 Switches rated for 80 million clicks, Includes 100% virgin grade PTFE Glide skates for enhanced control, Supports a 1000Hz polling rate with Zero Hardware acceleration, Connectivity via USB Type-C to USB Type-A Super Mesh cable, Features 3 RGB illumination zones for radiant RGB Design, Designed with an Ergonomic Right-Handed shape
STARSHIPIII	R 643	Armaggeddon NRO-5 starship III 9-button RGB Laser Gaming Mouse, Macro-able Laser Class Gaming Mouse, Up to 6-level CPI adjustable on-the-fly, 9-buttons 4 way click scroll, Ultra durable 1.8m nylon cord, High quality teflon foot pad, 12000 Frame per second, 30g acceleration, Adjustable polling rate
STEALTH5DG	R 206	Alcatroz Stealth 5 silent Wired USB Mouse Dark Grey, 1200cpi Resolution, 1.4m cable length
STEALTH5MB	R 206	Alcatroz Stealth 5 silent Wired USB Mouse Metallic Blue, 1200cpi Resolution, 1.4m cable length
STEALTH5MR	R 206	Alcatroz Stealth 5 silent Wired USB Mouse Metallic Red, 1200cpi Resolution, 1.4m cable length
VBVS603A	R 176	Volkano Earth Series USB Wired Optical Mouse
VK-20034-BK-G	R 172	Volkano Vector Vivid Series Wireless Mouse - Black 2020, USB receiver, 1000 DPI, 3 buttons with Scroll Wheel. Wireless 2.4GHz mouse, 1600 DPI, USB nano receiver, optical tracking, ergonomic design, AA battery powered, Windows/macOS compatible, black. Ideal for both office and casual use.
VK-30025-BK	R 149	Volkano slick Series Wired USB Mouse with MousePad Combo. The Volkano Slick USB mouse and mousepad combo includes a highâ€‘precision, ambidextrous optical mouse with silent buttons and a nonâ€‘slip rubberâ€‘base mousepad. Plugâ€‘andâ€‘play and ready for both office and casual gaming setups.
VX-210-BK	R 247	Volkano VX Gaming Hypnos Series Gaming Mouse with Rainbow Lighting, USB, 6 buttons
VX-211-BK	R 356	Volkano VX Gaming Hermes Series Mechanical Gaming Keyboard, USB, 20 ligghting modes, Anti ghosting Keys, 87 Red Switch Keys
W5801-1T-T/J	R 79	Esquire TJ Optical USB Mouse Colour: Red/Black, Retail Box
W5803-1C-TW	R 69	Tweety Optical USB Mouse Colour: Green/Yellow, Retail Box, 3 Months warranty. 3 button. 800CPI. Official Looney Tunes Tweety mouse. Life: 100000 hrs / 3000000 clicks.
W5806-1C-TW	R 69	Tweety Optical USB Mouse Colour: Pink. 3 month warranty. 3 button. 800CPI. Official Looney Tunes Tweety mouse. Life: 100000 hrs / 3000000 clicks.
WSHPZ3Q64AA	R 242	HP Z3Q64AA USB Optical 3-Button 2.9m cable USB Mouse
WX-KB106	R 75	WINX WX-KB106 DO Essential Wired Mouse - USB, 6-button layout, 4 adjustable dpi levels, Ambidextrous Design, 3600 dpi Max
XCRAFTCRYPTO	R 217	Alcatroz X-Craft Classic Crypto Wired Gaming Mouse. wired USB gaming mouse; adjustable 800-2400 CPI optical sensor; 4 buttons scroll; 1.4m cable; RGB lighting; ergonomic size 127x73x39mm; entry-mid gaming tier
XCRAFTCYPHER	R 217	Alcatroz X-Craft Classic Cypher Wired Gaming Mouse. Optical sensor 800-2400 CPI; 4 buttons scroll; 7-colour LED; 127x73x39mm; 1.4m cable
XCRAFTELECTRO	R 206	Alcatroz X-Craft Gaming Mouse classic Electro 2400cpi USB, 7-colours light FX-Effects, 4-button 2-way click scroll, Frame rate 4000fps, 1.4m Durable Cable Length

< Return to the menu

Mice : Mice - wireless mouse

Product code	Price	Description
101C-11X00-800	R 349	Rapoo M650 Multi-mode Wireless Optical Mouse, Bluetooth & 2.4GHz Wireless, 1300 dpi, Two way Scroll Wheel, 1x AA Alkaline Battery, Up to 9 months Battery Life, The side of the Mouse is made of rubber
101X2P00G000	R 574	Inphic X2 2.4GHz Bluetooth Rechargeable Wireless Mouse, Optical Track system, 800 to 2400 DPI, 14 IPS Maximum Speed
101X5000T000	R 286	Inphic Crystal Transparent 2.4GHz Wireless Mouse, Optical Tracking system, 14 IPS Maximum Speed
177795	R 169	Manhattan Performance Wireless USB Optical Mouse - 2.4 GHz RF technology offers wireless freedom with effective range up to 10 m, Retail Box
178013	R 299	Manhattan Stealth Touch Wireless Mouse - 2.4Ghz USB Nano receiver, operating distance: 10M, Auto Detects Mouse mode or Presentation mode
265A9UT	R 171	HP 265A9UT 125 Wired Mouse - USB, Up to 1200 DPI Resolution, Red Optical Tracking Sensor Technology, 180 cm cable length, 3 buttons

265A9UT	R 166	HP 265A9UT 125 Wired Mouse - USB, Up to 1200 DPI Resolution, Red Optical Tracking Sensor Technology, 180 cm cable length, 3 buttons
31030017401	R 114	Genius NX-7005 USB Wireless Optical Mouse - White, USB Type-A receiver, 2.4GHz RF Frequency, Up to 10 meters working distance, 3 buttons, Optical Sensor Engine, 1200 DPI Resolution, One USB receiver, One AA Alkaline Battery
31030025400	R 144	Genius NX-8000S Wireless Ambidextrous Mouse, 2.4GHz Wireless, BlueEye Sensor Engine, 1200 Resolution (dpi), 3 buttons, AA Battery Type
31030025401	R 144	Genius NX-8000S Red Wireless Optical Mouse, 1200 dpi
31030035400	R 144	Genius NX-8000S Wireless Optical Mouse - Black, USB Type-C Wireless receiver, BlueEye Sensor Engine, 1200 dpi Resolution, 3 buttons, AA Battery Type
31030037400	R 224	Genius Ergo 8300S Wireless Vertical Ergonomic Silent Mouse, USB Type-A receiver, 7 buttons, Optical Sensor Engine, 600 dpi Resolution Max, Two AAA Alkaline Batteries
31030040404	R 216	Genius 8100S AI Wireless Ergonomic Silent Optical Mouse, 1600 dpi Resolution Max, 6 buttons, AA Battery Type, 1x USB receiver
3B4Q5UT	R 445	HP 435 Black Multi-Device Wireless Mouse. 4000 DPI. Dual connectivity via Bluetooth and 2.4 GHz wireless.
3B4Q5UT	R 424	HP 435 Black Multi-Device Wireless Mouse. 4000 DPI. Dual connectivity via Bluetooth and 2.4 GHz wireless.
4E407UT	R 252	HP 4E407UT 235 Slim Wireless Mouse, Up to 18 months Battery Life, 1 x AA Battery Type, USB Type-A connector, Up to 1600 dpi Resolution, Red Optical Tracking Sensor Technology, 3 buttons programmable
4E407UT	R 247	HP 4E407UT 235 Slim Wireless Mouse, Up to 18 months Battery Life, 1 x AA Battery Type, USB Type-A connector, Up to 1600 dpi Resolution, Red Optical Tracking Sensor Technology, 3 buttons programmable
4VY82AA	R 275	HP Z3700 White/Pink Wireless Mouse; 2.4GHz wireless mouse; 1200 dpi optical tracking; up to 16 months battery; ambidextrous design; USB nano receiver; compact dimensions; light weight
4X30H56886	R 516	Lenovo Professional Wireless Laser Mouse - Full size, Reliable 2.4ghz wireless connection with multiple pairing protocol, 2-year battery life with LED indicator, High-resolution laser sensor, 5 buttons & 4-way precision scrolling
4X30H56886	R 204	Lenovo Professional Wireless Laser Mouse - Full size, Reliable 2.4ghz wireless connection with multiple pairing protocol, 2-year battery life with LED indicator, High-resolution laser sensor, 5 buttons & 4-way precision scrolling
4X30H56886	R 575	Lenovo 4X30H56886 Professional Wireless Laser Mouse - full size, Reliable 2.4GHz Wireless connection with multiple pairing Protocol, 2 Year battery life with LED indicator, High-resolution Laser sensor, 5 buttons & 4-way Precision Scrolling
4X30M56887	R 306	Lenovo Essential Wireless Laser Mouse, Precise 1200 dpi optical sensor., Connect compatible Lenovo devices with just 1 nano receiver, 3 Buttons, Ambidextrous design, 1x AA battery for 12 months battery life
4X30M56887	R 345	Lenovo Essential Wireless Laser Mouse, Precise 1200 dpi optical sensor., Connect compatible Lenovo devices with just 1 nano receiver, 3 Buttons, Ambidextrous design, 1x AA battery for 12 months battery life
4Y51C21216	R 794	LENOVO 4Y51C21216 Go USB-C Wireless Mouse, 1.5 hours full charge time, Up to 2 - 3 months in single charge, 2.4GHz Wireless, Nano USB-C receiver, Lenovo unified pairing support, 2-way Scroll Wheel, 3 buttons, 2400 dpi
4Y51C33792	R 980	Lenovo 4Y51C33792 Go Wireless Vertical Mouse, On-the-Fly dpi Button, 2-way Scroll Wheel, 6 x buttons, 45 degrees vertical angle, Storm Grey with natural cork, 2.4GHz Wireless via USB receiver
501873	R 312	Port 501873 Premium 15.6" toploading Laptop bag and Wireless Mouse bundle, 2.4GHz Wireless technology Mouse, 3 buttons, Scroll wheel, USB-A dongle and a USB-A to USB-C converter
545-BBFB	R 1,366	Alienware AW620M Dark Side of the Moon Wireless Gaming Mouse
545-BBFB	R 1,333	Dell 545-BBFB AW620M Alienware Wireless Gaming Mouse, Right-Handed orientation, Lunar Light Colour, Wireless / Wired connectivity Technology - USB / 2.4GHz, Optical movement detection Technology, 7 buttons - programmable, 26000 dpi movement Resolution, 50 g Maximum acceleration, 1000 Hz polling rate, 2 m cable length, Braided cable, Detachable cable, 16.8 million AlienFX Lighting, Fast charging, 140 hour run time
570-AAMH	R 209	Dell WM126 Wireless Optical Mouse; 2.4GHz RF; USB nano receiver; 1000 DPI; 3 buttons; scroll wheel; 1 x AA battery; up to 12 month battery life; ambidextrous; black; 94.82 x 57.31 x 35.60mm; 80g
570-AAMH	R 210	Dell WM126 Wireless Optical Mouse; 2.4GHz RF; USB nano receiver; 1000 DPI; 3 buttons; scroll wheel; 1 x AA battery; up to 12 month battery life; ambidextrous; black; 94.82 x 57.31 x 35.60mm; 80g
570-AAMH	R 201	Dell WM126 Wireless Mouse

570-ABHI	R 696	Dell 570-ABHI MS5320W multi-device optical Wireless Mouse, Titan Grey, 7 buttons quantity, 1600 dpi Resolution, Swift pair, Shortcut buttons, AA Type battery, Wireless 2.4 GHz, Bluetooth 5.0
570-ABHK	R 372	Dell 570-ABHK Mobile Wireless optical Mouse - MS3320W - Black, 2.4 GHz & Bluetooth 5.0 Interface, 3 buttons, 1600 dpi movement Resolution, Swift pair, AA Type battery
570-ABHK	R 369	Dell 570-ABHK Mobile Wireless optical Mouse - MS3320W - Black, 2.4 GHz & Bluetooth 5.0 Interface, 3 buttons, 1600 dpi movement Resolution, Swift pair, AA Type battery
570-ABHK	R 399	Dell MS3320W Mobile Wireless Mouse - Interface 2.4 GHz, Bluetooth 5.0, DPI Adjustable at 1000, 1600 (default), 2400 and 4000, Buttons 3, Run Time Up to 36 Months, Retail Box
570-ABHO	R 503	Dell 570-abho MS5120W Pro optical Wireless Mouse - Black, Wireless 2.4 GHz, Bluetooth 5.0, 7 buttons, 1600 dpi Resolution, Swift pair, AA Type battery
570-ABHO	R 481	Dell 570-abho MS5120W Pro optical Wireless Mouse - Black, Wireless 2.4 GHz, Bluetooth 5.0, 7 buttons, 1600 dpi Resolution, Swift pair, AA Type battery
570-ABLO	R 650	Dell 570-ABLO MS7421W Premier rechargeable Wireless Mouse, Platinum Silver, 2.4 GHz & Bluetooth 5.0 Interface, 7 buttons Mouse, 4000 dpi movement Resolution, USB-C charging cable, Up to 6 months run time
570-ABLO	R 669	Dell 570-ABLO MS7421W Premier rechargeable Wireless Mouse, Platinum Silver, 2.4 GHz & Bluetooth 5.0 Interface, 7 buttons Mouse, 4000 dpi movement Resolution, USB-C charging cable, Up to 6 months run time
570-ABOC	R 282	Dell 570-ABOC MS300 Full-size Wireless Mouse, USB Wireless receiver, Optical movement detection, 3 buttons, 4000 dpi Resolution, Mechanical Scroll Wheel, 36 months run time
570-ABOC	R 285	Dell 570-ABOC MS300 Full-size Wireless Mouse, USB Wireless receiver, Optical movement detection, 3 buttons, 4000 dpi Resolution, Mechanical Scroll Wheel, 36 months run time
570-ABPY	R 289	Dell 570-ABPY MS3320W Mobile Wireless Mouse - Ash Pink - Dual mode connectivity, Dongle & Bluetooth, Optical LED movement detection Technology, 3 buttons quantity, Up to 4000 dpi, Mechanical Scroll Wheel, 1 AA Battery
570-ABQN	R 900	Dell 570-ABQN MS700 Bluetooth Travel Mouse, Optical LED, 2 buttons, 4000 dpi, Touch scroll, Swift pair, 2 AAA batteries, 24 months run time
570-ABQN	R 917	Dell 570-ABQN MS700 Bluetooth Travel Mouse, Optical LED, 2 buttons, 4000 dpi, Touch scroll, Swift pair, 2 AAA batteries, 24 months run time
570-BBCB	R 1,505	Dell 570-BBCB MS900 Rechargeable Multi-Device Mouse - Graphite, USB Wireless receiver, 2.4GHz, Bluetooth 5.1, 7 buttons quantity, Adjustable from 800 to 8000 dpi Resolution, Vertical and horizontal Scrolling, Rechargeable Battery, Thumb rest, Fast Scrolling, Track-on-glass Sensor, USB-C cable, 3 months run time
570-BBCB	R 1,501	Dell 570-BBCB MS900 Rechargeable Multi-Device Mouse - Graphite, USB Wireless receiver, 2.4GHz, Bluetooth 5.1, 7 buttons quantity, Adjustable from 800 to 8000 dpi Resolution, Vertical and horizontal Scrolling, Rechargeable Battery, Thumb rest, Fast Scrolling, Track-on-glass Sensor, USB-C cable, 3 months run time
570-BBDM	R 772	Dell 570-BBDM MS7421W Premier Rechargeable Wireless Mouse - Graphite Black, 2.4GHz & Bluetooth 5.0, 7 buttons quantity, Up to 4000 dpi, 1m cable length, Rechargeable Battery, USB-C charging cable, 6 months run time
570-BBFX	R 925	Dell 570-BBFX MS700 Bluetooth Travel Mouse - Misty Blue, 2 buttons, Optical LED movement detection Technology, 4000 dpi Max, Touch scroll, Swift pair, 2 AAA batteries, 24 months run time
570-BBJH	R 446	Dell MS355 Pro Compact Silent Mouse. The Dell Silent Mouse MS355 offers a quiet, efficient solution for professionals in South Africa. With dual connectivity options, adjustable DPI settings, and an ergonomic design, it ensures a comfortable and productive experience. Made with sustainable materials and boasting a long battery life, it ' s an eco-friendly choice for modern workspaces. Buy now from our site and enhance your computing experience with the Dell Silent Mouse MS355.
570-BBLF	R 320	Dell 570-bblf Pro 5 Wireless Mouse - MS526, Optical, 1600 to 6000 dpi Resolution, 3 programmable buttons, Scroll Wheel scroller Type, Symmetrical Ergonomic Fit, USB Type-A Wireless receiver Interface, 1x AA battery, 4 Year Maximum Battery run time
570-BBLH	R 596	Dell 570-BBLH Pro 7 Silent Wireless Optical Mouse - MS726, Bluetooth / 2.40 GHz Radio Frequency, 800 to 6000 dpi Resolution, 3 programmable buttons, Textured scroll, Side grip, Adaptive scroll, USB Type-A Wireless receiver Interface, 1x AA Battery, 3 Year Maximum Battery run time
6G4E6AA	R 286	HP 6G4E6AA 285 Silent Wireless Mouse - USB, Up to 18 months Battery Life, 1x AA Battery Type, Up to 10 m in

		open area Wireless range, Up to 1200 DPI Resolution, Multi Surface Tracking Sensor Technology, 3 buttons
74-570AAMH	R 210	Dell 570-AAMH WM126 Wireless Office Optical Mouse, 3x buttons, Up to 1 Year of Battery Life
74-570ABHK	R 380	Dell 570-ABHK Mobile Wireless optical Mouse - MS3320W - Black, 2.4 GHz & Bluetooth 5.0 Interface, 3 buttons, 1600 dpi movement Resolution, Swift pair, AA Type battery
74-570ABHO	R 495	Dell 570-abho MS5120W Pro optical Wireless Mouse - Black, Wireless 2.4 GHz, Bluetooth 5.0, 7 buttons, 1600 dpi Resolution, Swift pair, AA Type battery
74-570ABLO	R 925	Dell 570-ABLO MS7421W Premier rechargeable Wireless Mouse, Platinum Silver, 2.4 GHz & Bluetooth 5.0 Interface, 7 buttons Mouse, 4000 dpi movement Resolution, USB-C charging cable, Up to 6 months run time
74-570ABQN	R 886	Dell 570-ABQN MS700 Bluetooth Travel Mouse, Optical LED, 2 buttons, 4000 dpi, Touch scroll, Swift pair, 2 AAA batteries, 24 months run time
74-570BBDM	R 787	Dell 570-BBDM MS7421W Premier Rechargeable Wireless Mouse - Graphite Black, 2.4GHz & Bluetooth 5.0, 7 buttons quantity, Up to 4000 dpi, 1m cable length, Rechargeable Battery, USB-C charging cable, 6 months run time 80
758A8AA	R 275	HP 758A8AA Z3700 Dual Black Wireless Mouse, Up to 16 months Battery Life, 1 x AA Battery Type, Up to 1600 dpi Resolution, Multi Surface Tracking Sensor Technology, 3 buttons, USB Dongle
758A8AA	R 299	HP 758A8AA Z3700 Dual Black Wireless Mouse, Up to 16 months Battery Life, 1 x AA Battery Type, Up to 1600 dpi Resolution, Multi Surface Tracking Sensor Technology, 3 buttons, USB Dongle
758A9AA	R 333	HP Z3700 Dual Wireless Silver Mouse. Bluetooth and 2.4GHz USB connectivity. Slim, portable design. 1600 DPI optical sensor with multi-surface tracking.
7UH88AA	R 275	HP Z3700 Wireless Mouse; 2.4 GHz wireless; 1200 dpi optical; up to 16 month battery life; USB nano receiver; multi surface tracking; compact ergonomic design; compatible Windows macOS Chrome OS
81S67AA	R 224	HP 81S67AA 245 Bluetooth Mouse - Black, Up to 15 months Battery Life, 1 x AA Battery, Up to 10 m in open area Wireless range, Up to 1600 dpi Resolution, Red Optical Tracking Sensor Technology, 3 buttons, 3 programmable buttons
81S67AA	R 240	HP 81S67AA 245 Bluetooth Mouse - Black, Up to 15 months Battery Life, 1 x AA Battery, Up to 10 m in open area Wireless range, Up to 1600 dpi Resolution, Red Optical Tracking Sensor Technology, 3 buttons, 3 programmable buttons
8R3U1UT	R 248	HP 255 Dual Wireless Mouse. Full-size wireless mouse designed for smooth, precise navigation with dual connectivity via Bluetooth 5.0 and 2.4GHz USB dongle. Featuring a 1600 DPI optical sensor, multi-surface tracking, and up to 12 months battery life, it delivers consistent performance for work or home use.
900540	R 147	Port 900540 Connect Mouse Collection Wireless Black, Ambidextrous design, 1600 dpi Optical Sensor, USB Type-A receiver, Up to 20 meters
900540	R 158	Port 900540 Connect Mouse Collection Wireless Black, Ambidextrous design, 1600 dpi Optical Sensor, USB Type-A receiver, Up to 20 meters
900541	R 147	Port Connect Collection II Blush Wireless Mouse
900541	R 147	Port 900541 2.4GHz Collection II Wireless Mouse - Blush, 3 buttons and thumb, USB-C & USB Type-A connectivity, 1600 dpi Optical Sensor, Range of up to 20 meters
900542	R 147	Port Terracota Connect Collection II Wireless Mouse
900542	R 140	Port Terracota Connect Collection II Wireless Mouse
900543	R 147	Port Connect Collection II Olive Wireless Mouse
900543	R 140	Port 900543 2.4GHz Collection II Wireless Mouse - Olive, 3 buttons and thumb, USB-C & USB Type-A connectivity, 1600 dpi Optical Sensor, Range of up to 20 meters
900544	R 147	Port 900544 Mouse Collection Wireless, 3 buttons, USB Type-A / Type-C Interface, 2.4GHz Wireless Technology, 20 m Wireless range, 1600 dpi Max sensitivity, Optical Sensor
900544	R 143	Port 900544 Mouse Collection Wireless, 3 buttons, USB Type-A / Type-C Interface, 2.4GHz Wireless Technology, 20 m Wireless range, 1600 dpi Max sensitivity, Optical Sensor
900545	R 147	Port Connect Collection II Sapphire Wireless Mouse
900545	R 181	Port 900545 2.4GHz Collection II Wireless Mouse - Sapphire, 3 buttons and thumb, USB-C & USB Type-A connectivity, 1600 dpi Optical Sensor, Range of up to 20 meters

900706-BT	R 447	Port 900706 Wireless Mouse Ergonomic right handed Black - Bluetooth, USB receiver, Rechargeable battery, 5 buttons, Scroll Wheel, Adjustable Optical Sensor, 1600 dpi
900706-BT	R 418	Port 900706 Wireless Mouse Ergonomic right handed Black - Bluetooth, USB receiver, Rechargeable battery, 5 buttons, Scroll Wheel, Adjustable Optical Sensor, 1600 dpi
900707C	R 411	Port Connect Expert Wireless Bluetooth Mouse, USB Type-C & Type-A connectivity, Wireless 2.4GHz / Bluetooth, 1x 500mAh li-rechargeable Battery, 6 buttons and a Scroll Wheel, Up to 3200 dpi Optical Sensor
900707C	R 367	Port Connect Expert Wireless Bluetooth Mouse, USB Type-C & Type-A connectivity, Wireless 2.4GHz / Bluetooth, 1x 500mAh li-rechargeable Battery, 6 buttons and a Scroll Wheel, Up to 3200 dpi Optical Sensor
900713	R 220	Port Black Wireless Silent Mouse
900713	R 205	Port 900713 Office Pro Silent Black 3 Button Wireless Mouse, Ambidextrous, Max 1600 dpi Resolution, Optical Sensor, USB Type-A / Type-C Interface
900714	R 220	Port White Wireless Silent Mouse
900714	R 238	Port 900714 Office Pro Silent White 3 Button Wireless Mouse, Ambidextrous, Max 1600 dpi Resolution, USB Type-A / Type-C Interface, Optical Sensor
900715	R 529	Port Bluetooth Wireless & Rechargeable Mouse
900715	R 477	Port 900715 Office Pro Black 6 Button Wireless and Bluetooth Mouse, Rechargeable, Max 2400 DPI Resolution, 5 adjustable Speed levels, Double USB Type-A and USB-C connectivity, 5 buttons and a Scroll Wheel
900716	R 731	Port Connect Wireless Rechargeable Executive Bluetooth Mouse - Black
900716	R 744	Port 900716 Executive Black 6 Button Wireless and Bluetooth Mouse, Rechargeable, 3200 dpi, USB Type-A Plus C, 1x 300mAh Lithium Battery, 5 buttons and two scroll wheels, Up to 3200 dpi Resolution
900719	R 615	Port Connect Mouse Ergonomic Rechargeable Bluetooth TrackBall
900720	R 374	Port Connect Pro Rechargeable Bluetooth Mouse
900720	R 397	Port Connect Pro Rechargeable Bluetooth Mouse
910-002235	R 139	Logitech Wireless Mouse - M185, Plug and Play nano receiver, Logitech Advanced 2.4GHz Wireless Connectivity, Grey
910-002235	R 167	Logitech M185 Wireless Mouse - Grey, Plug and Play nano receiver, Logitech Advanced 2.4GHz Wireless Connectivity, 910-002235
910-002235	R 161	Logitech M185 Wireless Mouse - Grey, Plug and Play nano receiver, Logitech Advanced 2.4GHz Wireless Connectivity, 910-002235
910-002236	R 169	Logitech M185 cordless notebook mouse, with micro nano receiver, Black Blue highlight, 3 buttons, with smart power management, 1000dpi - USB
910-002236	R 167	Logitech M185 Wireless Mouse - Blue, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life, 910-002236
910-002236	R 161	Logitech M185 Wireless Mouse - Blue, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life, 910-002236
910-002237	R 139	Logitech Wireless Mouse - M185 Mouse, USB Micro receiver, 3 Button, Wheel, Optical - Red.
910-002237	R 161	Logitech M185 Wireless Mouse - Red, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life, 910-002237
910-002252	R 203	Logitech M185 Wireless Mouse - Grey, Plug and Play nano receiver, Logitech Advanced 2.4GHz Wireless Connectivity, 910-002252
910-002633	R 203	Logitech M185 Wireless Mouse - Red, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life, 910-002633
910-004424	R 150	Logitech M171 Wireless Mouse - Black, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004424	R 144	Logitech M171 Wireless Mouse - Black, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004424	R 150	Logitech M171 Wireless Mouse - Black, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004424	R 147	Logitech M171 Wireless Mouse - Black, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months

		battery, 10 m Wireless range, USB receiver
910-004640	R 150	Logitech M171 Wireless Mouse - Blue, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004640	R 144	Logitech M171 Wireless Mouse - Blue, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004640	R 150	Logitech M171 Wireless Mouse - Blue, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004640	R 148	Logitech M171 Wireless Mouse - Blue, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004641	R 150	Logitech M171 Wireless Mouse - Red, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004641	R 150	Logitech M171 Wireless Mouse - Red, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004641	R 148	Logitech M171 Wireless Mouse - Red, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
910-004643	R 203	Logitech M171 Wireless Mouse - Black, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver, 910-004643
910-004794	R 824	Logitech M720 Triathlon Cordless Laser Mouse, WiFi Bluetooth Dual connection, Pair up to 3x computers with easy-switch Button, Logitech Flow (Copy and Paste between devices) with SSL and AES256 Bit Encryption, Hyper-fast Scrolling, Gesture support, 8 buttons, 4 ways Tilt wheel, Battery indicator, 1000 dpi, with unifying receiver USB, 910-004794
910-005283	R 733	Logitech G305 LightSpeed Wireless Gaming Mouse - Black - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum speed
910-005283	R 578	Logitech G305 LightSpeed Wireless Gaming Mouse - Black - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum speed
910-005284	R 611	Logitech G304 Wireless Gaming Mouse - Graphite, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40G Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz (1ms) Wireless report rate, 910-005284
910-005286	R 611	Logitech G304 Wireless Gaming Mouse - Graphite, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40G Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz (1ms) Wireless report rate, 910-005286
910-005292	R 733	Logitech G305 LightSpeed Wireless Gaming Mouse - White - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum speed
910-005292	R 574	Logitech G305 LightSpeed Wireless Gaming Mouse - White - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum speed
910-005295	R 611	Logitech G304 Wireless Gaming Mouse - White, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40G Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz (1ms) Wireless report rate, 910-005295
910-005448	R 1,954	Logitech 910-005448 MX Vertical Advanced Ergonomic Mouse, Rise design with natural Handshake position to reduce muscle strain and wrist Pressure, with Cursor speed Switch Button, Wired WiFi Bluetooth Triple connection, Rechargeable 240mAh Battery, Hyper-fast Scrolling, Gesture support, 4 buttons, 4 ways Tilt wheel, Battery indicator, 400-4000dpi, with unifying receiver - USB
910-005716	R 452	Logitech Pebble M350 Wireless Mouse - White, Nano receiver, Bluetooth, 1000 dpi sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver, 910-005716
910-005881	R 2,927	Logitech Pro X Superlight Wireless Gaming Mouse - Black, Click tensioning system, No-additive PTFE feet,

		Onboard Memory, LightSpeed Wireless technology, Powerplay compatible, 5 buttons, Hero sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, 1000 Hz USB report rate, 70h Constant motion battery life, 910-005881
910-005943	R 2,927	Logitech Pro X Superlight Wireless Gaming Mouse - White, OnBoard Memory, Click tensioning system, 5 buttons, Hero Sensor, 100 - 25, 600 dpi Resolution, 40G Maximum acceleration, 1000 Hz USB report rate, 70 hour Constant motion Battery Life, 910-005943
910-006014	R 833	Logitech G305 LightSpeed Wireless Gaming Mouse - Blue - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40g Maximum acceleration, 400 IPS Maximum speed, 910-006014
910-006163	R 2,855	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - Black - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, LightSpeed USB Type-A receiver, 910-006163
910-006163	R 2,414	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - Black - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, LightSpeed USB Type-A receiver, 910-006163
910-006163	R 2,437	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - Black - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, LightSpeed USB Type-A receiver, 910-006163
910-006172	R 2,855	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - White - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, LightSpeed USB Type-A receiver
910-006172	R 2,437	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - White - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, LightSpeed USB Type-A receiver
910-006181	R 3,229	Logitech G502 X Lightspeed Wireless Gaming Mouse - Black - 2.4GHz, 5 OnBoard Memory profiles, 140-hour Battery Life, Low-friction PTFE feet, 13 programmable controls, USB-C charging Port, 140 hrs Constant motion, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed
910-006182	R 1,934	Logitech G502 X Lightspeed Wireless Gaming Mouse - Black - 2.4GHz, 5 OnBoard Memory profiles, 140-hour Battery Life, Low-friction PTFE feet, 13 programmable controls, USB-C charging Port, 140 hrs Constant motion, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, 910-006182
910-006221	R 861	Logitech 910-006221 Ergo M575 Wireless Trackball Mouse - Graphite, Logi Bolt USB receiver, Back / forward buttons, Precision Scroll Wheel, Bluetooth, 1x AA Battery
910-006253	R 459	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver
910-006253	R 452	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006253
910-006253	R 702	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006253
910-006253	R 477	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006253
910-006254	R 499	Logitech Signature M650 Wireless Mouse - Rose - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver
910-006254	R 684	Logitech Signature M650 Wireless Mouse - Rose - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal

		value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006254
910-006254	R 666	Logitech M650 Signature Rose Bluetooth Wireless Mouse
910-006255	R 684	Logitech Signature M650 Wireless Mouse - Off White - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006255
910-006255	R 633	Logitech Signature M650 Wireless Mouse - Off White - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006255
910-006255	R 477	Logitech Signature M650 Wireless Mouse - Off White - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006255
910-006259	R 569	Logitech M650 Signature Wireless Mouse - Graphite, Bluetooth, Precision Tracking 400-4000 dpi, 5 buttons, Scroll Wheel : line by line Precision and hyper-fast speed, Logi Bolt USB receiver, 1 AA Battery, 910-006259
910-006274	R 516	Logitech M650 Signature Wireless Mouse - Graphite, Precision Tracking 400-4000 dpi, 5 buttons, Scroll Wheel : line by line Precision and hyper-fast speed, Logi Bolt USB receiver, 1 AA Battery, 910-006274
910-006275	R 585	Logitech Signature M650 Wireless Mouse Medium for Business - Off-White - Bluetooth, Logi Bolt USB receiver (USB Type-A), Precision Tracking 400-4000 dpi, 5 buttons, Scroll Wheel, 1 AA Battery (Included) providing 24-months of Operation
910-006348	R 585	Logitech Signature M650 Wireless Mouse Large for Business - Off-White - Bluetooth, Logi Bolt USB receiver (USB Type-A), Precision Tracking 400-4000 dpi, 5 buttons, Scroll Wheel, 1 AA Battery (Included) providing 24-months of Operation
910-006390	R 569	Logitech M650 Signature Wireless Mouse - Graphite, Bluetooth, Precision Tracking 400-4000 dpi, 5 buttons, Scroll Wheel : line by line Precision and hyper-fast speed, Logi Bolt USB receiver, 1 AA Battery, 910-006390
910-006391	R 569	Logitech Signature M650 Wireless Mouse - Rose - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006391
910-006392	R 569	Logitech Signature M650 Wireless Mouse - Off White - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006392
910-006438	R 884	Logitech Ergo M575 for Business - Off White - Bluetooth, Trackball removable for Easy cleaning, Back / forward buttons, Precision Scroll Wheel, 1 x AA Battery (Pre-Installed), Up to 18 months of Battery Life, Logi Bolt USB Type-A receiver
910-006473	R 1,137	Logitech Lift vertical Ergonomic Mouse - Graphite - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range, 910-006473
910-006475	R 1,479	Logitech 910-006475 Lift vertical Ergonomic Mouse - Pale Grey - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
910-006475	R 1,081	Logitech 910-006475 Lift vertical Ergonomic Mouse - Pale Grey - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
910-006478	R 1,198	Logitech Lift vertical Ergonomic Mouse - Rose - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
910-006478	R 1,149	Logitech Lift vertical Ergonomic Mouse - Rose - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
910-006479	R 946	Logitech Lift Vertical Ergonomic Mouse - Graphite - 2.4GHz / Bluetooth, Logitech Advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10m Wireless range, 910-006479
910-006485	R 946	Logitech Lift Vertical Ergonomic Mouse - Graphite - 2.4GHz / Bluetooth, Logitech Advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10m Wireless range, 910-006485
910-006486	R 944	Logitech Lift vertical Ergonomic Mouse - Pale Grey - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10m Wireless range, 910-006486
910-006487	R 946	Logitech Lift vertical Ergonomic Mouse - Rose - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10m Wireless range, 910-006487
910-006494	R 1,068	Logitech Lift Vertical Ergonomic Mouse Wireless Mouse, Logi Bolt USB receiver, 1x AA Battery, 24-months Battery Life, SmartWheel Mouse Scrolling, Four buttons, 4000 dpi (Fully adjustable dpi), 910-006494
910-006496	R 1,183	Logitech Lift Vertical Ergonomic Mouse for Business - Off-White / Pale Grey - 2.4GHz / Bluetooth, Logi Bolt USB receiver, 1x AA Battery, 24-months Battery Life, SmartWheel Mouse Scrolling, 4 buttons, Max 4000 dpi Mouse

		Tracking dpi
910-006546	R 599	Logitech 910-006546 POP Mouse with Emoji - Blast Yellow, 2.4GHz / Bluetooth, 1000-4000 dpi range, 4 buttons, Top button customizable with Emoji Software
910-006548	R 689	Logitech 910-006548 POP Mouse with Emoji - Heartbreaker Rose, 2.4GHz / Bluetooth, 1000-4000 dpi range, 4 buttons, Top button customizable with Emoji Software
910-006548	R 549	Logitech 910-006548 POP Mouse with Emoji - Heartbreaker Rose, 2.4GHz / Bluetooth, 1000-4000 dpi range, 4 buttons, Top button customizable with Emoji Software
910-006559	R 2,261	Logitech MX Master 3S performance Wireless Mouse - Graphite - Bluetooth, Darkfield high Precision sensor technology, 1000 dpi nominal Value, 7 buttons, Scroll Wheel, Thumb wheel, Gesture button, 10 m Wireless range, Rechargeable Li-Po (500 mAh) Battery, 910-006559
910-006560	R 2,664	Logitech MX Master 3s Wireless Mouse - Pale Grey, Darkfield high Precision Sensor technology, 1000 dpi nominal Value, 200-8000 dpi, 7 buttons, Scroll Wheel with smart-shift, Thumb wheel, Gesture Button, Logi Bolt USB receiver, Rechargeable Li-Po (500 mAh) Battery, 910-006560
910-006565	R 1,619	Logitech MX Master 3S performance Wireless Mouse - Graphite - Bluetooth, Darkfield high Precision sensor technology, 1000 dpi nominal Value, 7 buttons, Scroll Wheel, Thumb wheel, Gesture button, 10 m Wireless range, Rechargeable Li-Po (500 mAh) Battery, 910-006565
910-006582	R 2,011	Logitech MX Master 3s Wireless Mouse - Graphite, Darkfield high Precision Sensor technology, 1000 dpi nominal Value, 200-8000 dpi, 7 buttons, Scroll Wheel with smart-shift, Thumb wheel, Gesture Button, Logi Bolt USB receiver, Rechargeable Li-Po (500 mAh) Battery, 910-006582
910-006631	R 3,173	Logitech G Pro X Superlight 2 LightSpeed Gaming Mouse - Black, LightSpeed Wireless technology, Lightforce Hybrid Switches, 5 buttons, Hero 2 Sensor, 100 - 32000 dpi Resolution, > 40 g Max acceleration, 95 hrs Constant motion Battery Life, 910-006631
910-006865	R 146	Logitech M171 Rose Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll wheel 12-month Battery Life, 10m range, 1000 dpi Resolution
910-006865	R 159	Logitech M171 Rose Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll wheel 12-month Battery Life, 10m range, 1000 dpi Resolution
910-006865	R 150	Logitech M171 Rose Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll wheel 12-month Battery Life, 10m range, 1000 dpi Resolution
910-006865	R 148	Logitech M171 Rose Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll wheel 12-month Battery Life, 10m range, 1000 dpi Resolution
910-006866	R 232	Logitech M171 Wireless Mouse - Blue / Grey, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver, 910-006866
910-006866	R 149	Logitech M171 Wireless Mouse - Blue / Grey, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver, 910-006866
910-006866	R 148	Logitech M171 Wireless Mouse - Blue / Grey, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver, 910-006866
910-006866	R 150	Logitech M171 Wireless Mouse - Blue / Grey, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver, 910-006866
910-006867	R 232	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
910-006867	R 149	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
910-006867	R 150	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
910-006867	R 150	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
910-006867	R 148	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
910-006929	R 1,091	Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6

		buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006929
910-006929	R 1,362	Logitech MX Anywhere 3S Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006929
910-006929	R 1,424	Logitech MX Anywhere 3S Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006929
910-006930	R 1,475	Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Pale Grey, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006930
910-006931	R 1,429	Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Rose, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006931 (Rose / pink / light red / premium wireless and bluetooth mouse)
910-006931	R 946	(On Promotion) Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Rose, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006931 (Rose / pink / light red / premium wireless and bluetooth mouse)
910-006938	R 1,372	Logitech MX Anywhere 3S Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006938
910-006958	R 1,344	Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006958
910-006959	R 1,574	Logitech MX Anywhere 3s for Business - Pale Grey - 2.4GHz / Bluetooth, Darkfield high Precision Sensor Technology, 200-8000 dpi Resolution, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, Stays Powered up to 70 days on a single full charge, Get three hours of use from a one-minute Quick Charge, 910-006959
910-006986	R 399	Logitech Pebble Mouse 2 M350S - Tonal White - Bluetooth, 3 buttons, Customizable Button, High-Precision Optical Tracking Sensor Technology, 400-4000 dpi range, 1000 DPI nominal Value, 1 AA Battery, 910-006986
910-006987	R 399	Logitech Pebble Mouse 2 M350S - Tonal Rose - Bluetooth, 3 buttons, Customizable Button, High-Precision Optical Tracking Sensor Technology, 400-4000 dpi range, 1000 DPI nominal Value, 1 AA Battery, 910-006987
910-006988	R 399	Logitech Pebble Mouse 2 M350S - Tonal Graphite - Bluetooth - Dongleless, Ambidextrous, Multi-Device pairing, Customizable middle Button, Silent clicks with Silent Touch Technology, 3 buttons, Scroll Wheel with middle click, High-Precision Optical Tracking, 400-4000 dpi range, 10 m Wireless range, 1 AA Battery Battery, 24 months Battery Life, 910-006988
910-007013	R 344	Logitech Pebble M350 Wireless Mouse - Tonal White, Nano receiver, Bluetooth, 1000 dpi Sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver, 910-007013
910-007014	R 570	Logitech Pebble M350 Wireless Mouse - Tonal Rose, Nano receiver, Bluetooth, 1000 dpi Sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver, 910-007014
910-007014	R 349	Logitech Pebble M350 Wireless Mouse - Tonal Rose, Nano receiver, Bluetooth, 1000 dpi Sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver
910-007014	R 344	Logitech Pebble M350 Wireless Mouse - Tonal Rose, Nano receiver, Bluetooth, 1000 dpi Sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver, 910-007014
910-007015	R 349	Logitech Pebble2 Wireless Mouse - Bluetooth Low Energy Technology Connectivity, Compatible With Logi Bolt Receiver(Not Included), 10m Wireless Range, 3 Buttons (Left/Right-click, Scroll-wheel with middle click), Customizable button with Logi Options App, High-precision Optical Tracking, 1000 dpi Nominal Value, 1 x AA Alkaline Battery, 3 Easy-Switch Bluetooth channels, Graphite Color, Retail Box
910-007015	R 351	Logitech Pebble Mouse 2 M350S - Tonal Graphite - Bluetooth, 3 buttons, Customizable Button, High-Precision Optical Tracking Sensor Technology, 400-4000 dpi range, 1000 DPI nominal Value, 1 AA Battery, 910-007015
910-007078	R 324	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007078
910-007079	R 324	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007079
910-007112	R 324	Logitech M240 silent Bluetooth Mouse - Rose - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007112

910-007119	R 340	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life
910-007119	R 251	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life
910-007119	R 251	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007119
910-007120	R 340	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life
910-007120	R 269	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007120
910-007120	R 255	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007120
910-007121	R 359	Logitech M240 silent Bluetooth Mouse - Rose - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007121
910-007121	R 269	Logitech M240 silent Bluetooth Mouse - Rose - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007121
910-007121	R 251	Logitech M240 silent Bluetooth Mouse - Rose - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life
910-007182	R 252	Logitech M240 for Business Wireless Mouse, Smooth Optical Tracking Sensor Technology, 4000 dpi Max Resolution, 3 buttons, Silent Touch Technology, Scroll Wheel, Ambidextrous, Logi Bolt USB Type-A receiver, 1 AA Battery, Up to 18-month Battery Life, 910-007182
910-007200	R 1,288	Logitech G309 LightSpeed Wireless Mouse - Black, Lightforce Switches Hybrid Optical-Mechanical Switches, PTFE feet, Up to 5 OnBoard Memory profiles, Hero 25K Sensor, 100 - 25600 dpi Resolution, AA Battery
910-007208	R 1,737	Logitech G309 LightSpeed Wireless Mouse - White, Lightforce Switches Hybrid Optical-Mechanical Switches, PTFE feet, Up to 5 OnBoard Memory profiles, Hero 25K Sensor, 100 - 25600 dpi Resolution, AA Battery
910-007260	R 1,899	Logitech MX Ergo S Wireless Mouse Black - Form factor Right-hand, Vertical design. Movement detection technology Optical, Device interface RF Wireless Bluetooth, Movement resolution 2048 DPI, Buttons type Pressed buttons, Buttons quantity 8, Scroll type Trackball/Wheel, Acceleration (max) 10 G. Power source Batteries
910-007296	R 2,745	Logitech Pro 2 LightSpeed Wireless Gaming Mouse - Black, Hero 2 Sensor, 100 - 44000 dpi Resolution, 1000Hz (1ms) Max report rate, 60 hour Default Lighting Battery Life, 95 hour no Lighting Battery Life, LightSpeed Wireless receiver, 4-8 buttons
910-007303	R 2,745	Logitech Pro 2 LightSpeed Wireless Gaming Mouse - White, Hero 2 Sensor, 100 - 44000 dpi Resolution, 1000Hz (1ms) Max report rate, 60 hour Default Lighting Battery Life, 95 hour no Lighting Battery Life, LightSpeed Wireless receiver, 4-8 buttons
910-007317	R 237	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1x AA Battery, 910-007317
910-007358	R 2,559	Logitech Pro X Superlight 2 Dex Lightspeed Wireless Gaming Mouse; HERO 2 sensor; 100-44000 DPI; more than 888 IPS; more than 88 G; LIGHTSPEED wireless; up to 8000 Hz report rate; LIGHTFORCE switches; up to 95 hours battery; USB-C charging; 5 buttons; right-hand ergonomic design; 125.8 x 67.7 x 43.9 mm; Black
910-007459	R 173	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range
910-007459	R 237	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
910-007459	R 167	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
910-007459	R 150	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
910-007460	R 237	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460

910-007460	R 173	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
910-007460	R 199	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
910-007460	R 167	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
910-007460	R 150	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
910-007461	R 237	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007461
910-007461	R 167	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1x AA Battery, 910-007461
910-007461	R 173	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1x AA Battery, 910-007461
910-007501	R 1,769	Logitech MX Master 3s Graphite Bluetooth Edition Wireless Mouse, Darkfield high Precision Sensor Technology, 200-8000 dpi Resolution, 7 buttons, Scroll Wheel, Thumb wheel, Gesture Button, Rechargeable Li-Po (500 mAh) Battery, Get three hours of use from a one-minute Quick Charge, Logi Bolt USB receiver, 910-007501
910-007532	R 2,592	Logitech Pro X Superlight 2c Wireless Gaming Mouse - Black, 5 buttons, Hero 2 Sensor, 100 - 44000 dpi Tracking Resolution, 8000Hz Max report rate, 95 hour Battery Life, 910-007532
910-007553	R 2,309	Logitech Pro X Superlight SE Wireless Mouse, Buttons : 5, Lightforce Button Technology, OnBoard Memory, Hero 2 Sensor, 100 - 44000 dpi Resolution, 1000 Hz USB report rate, USB-C Data/charging, 88 hour Battery Life, 910-007553
910-007562	R 2,126	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007562
910-007562	R 2,145	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007562
910-007565	R 2,093	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007565
910-007570	R 2,273	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Grey, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007570
910-007740	R 1,264	Logitech G305 LightSpeed Wireless Gaming Mouse - Black, Mechanical Button tensioning system, OnBoard Memory, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz Wireless report rate, 250 hours Battery Life, 910-007740
910-007748	R 1,323	Logitech G305 LightSpeed Wireless Gaming Mouse - White, Mechanical Button tensioning system, OnBoard Memory, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz Wireless report rate, 250 hours Battery Life, 910-007748
910002235	R 173	Logitech M185 Grey Wireless Mouse; 2.4GHz connection; 1000 DPI; up to 10m wireless range; nano USB receiver; 3 buttons; ambidextrous design; 1 x AA battery; up to 12 months battery life; 9.9 x 6.0 x 3.9 cm; approximately 75.2 g
910002236	R 173	Logitech M185 Wireless Mouse - Blue, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life
910002237	R 173	Logitech Wireless Mouse - M185 Mouse, USB Micro receiver, 3 Button, Wheel, Optical - Red.
910004640	R 156	Logitech M171 Blue Wireless Mouse; 2.4 GHz USB nano receiver; 1000 DPI; up to 10 m wireless range; 3 buttons; ambidextrous design; 1 x AA battery included; up to 12 months battery life; dimensions: 9.77 x 6.15 x 3.52cm; weight: 70.5g
910004641	R 156	Logitech M171 Red and Black Wireless Mouse; 2.4GHz wireless; USB nano receiver; 1000 DPI optical tracking;

		up to 10m wireless range; 3 buttons; ambidextrous design; 1 x AA battery; up to 12 months battery life; 9.77 x 6.15 x 3.52 cm; 70.5 g with battery
910006253	R 535	Logitech Signature M650 Graphite Wireless Mouse; 400-4000 DPI; SmartWheel; SilentTouch; 5 buttons; Bluetooth Low Energy; Logi Bolt USB receiver; up to 10 m range; 1 x AA battery; up to 24 months battery life; 108.2 x 61 x 38.8 mm; 101.4g
910006254	R 535	Logitech Signature M650 Rose Wireless Mouse; wireless optical mouse; SmartWheel; SilentTouch; Bluetooth Low Energy; Logi Bolt; 400 - 4000 DPI; 10 m wireless range; 1 x AA battery; up to 24 months battery life; 10.82 x 6.1 x 3.88 cm; 101.4g
910006255	R 535	Logitech Signature M650 Off White Wireless Mouse; Bluetooth Low Energy; Logi Bolt; 400-4000 DPI; SmartWheel; SilentTouch; 5 buttons; up to 10m range; 1 x AA battery; up to 24 months; small-to-medium hands
910006652	R 190	Logitech M100 Black USB Mouse; 1000 DPI optical tracking; 3 buttons; ambidextrous full-size design; USB-A wired connection; 1.8 m cable; optical scroll wheel; 113 x 62 x 38 mm; 90 g; Windows; macOS; ChromeOS; Linux
910006865	R 165	Logitech M171 Rose Wireless Mouse; 1000 DPI; 2.4 GHz USB receiver; up to 10 m range; 3 buttons; optical scroll wheel; ambidextrous design; 1 x AA battery included; up to 12 months battery life; dimensions: 9.77 x 6.15 x 3.52 cm; weight: 70.5g
910006866	R 165	Logitech M171 Blue & Grey Wireless Mouse; 1000 DPI; 2.4 GHz wireless; up to 10 m range; nano USB receiver; 3 buttons; ambidextrous design; 1 x AA battery included; up to 12 months battery life; 97.7 x 61.5 x 35.2 mm; 70.5g
910006867	R 165	Logitech M171 Off White 2.4 GHz Wireless Mouse; 1000 DPI; up to 10 m wireless range; 3 buttons; USB receiver; 1 x AA battery included; up to 12 months battery life; ambidextrous design; 97.7 x 61.5 x 35.2 mm; 69.3 g with battery; Windows, macOS, ChromeOS, Linux
910007	R 352	Port Connect Ergonomic Rechargeable Bluetooth Right Hand Mouse
910007013	R 379	Logitech M350s 2 Tonel White Pebble Mouse; Bluetooth Low Energy; 3-device pairing; Silent Touch technology; Customisable middle button; Optical tracking; 400-4000 DPI; 1 x AA alkaline battery included; Dimensions: 106.7 x 58.7 x 26.62 mm; Weight: 76 g with battery and receiver; Logi Bolt receiver compatible
910007014	R 379	Logitech M350s 2 Tonel Rose Pebble Mouse; Wireless Bluetooth Low Energy mouse; 3-device Easy-Switch; Silent Touch Technology; 400-4000 DPI; customizable middle button; 1 x AA alkaline battery; up to 24 months battery life; dimensions: 106.7 x 58.7 x 26.62 mm; weight: 53 g without battery and receiver
910007015	R 379	Logitech M350s 2 Tonel Graphite Pebble Mouse; Wireless Bluetooth Low Energy mouse; 3-device Easy-Switch; Silent Touch Technology; 400-4000 DPI; customizable middle button; 1 x AA alkaline battery; up to 24 months battery life; dimensions: 106.7 x 58.7 x 26.62mm; weight: 53g without battery and receiver
910007120	R 301	Logitech M240 Silent Off White Bluetooth Mouse; SilentTouch technology; up to 90% reduced clicking noise; optical tracking; 400-4000 DPI; 3 buttons; mechanical scroll wheel; 1 x AA battery included; up to 18 months battery life; 10 m wireless range; ambidextrous design; 99 x 60 x 39 mm; 73.8 g with battery
910007459	R 167	Logitech M196 Graphite Bluetooth Mouse; Bluetooth Low Energy 5.0; 1000 DPI optical tracking; Ambidextrous design; 3 buttons; Mechanical scroll wheel; Up to 10 m wireless range; 1 x AA battery included; Up to 12 months battery life; Dimensions: 100 x 60 x 38mm; Weight: 76g with battery; Windows 10 or later; macOS 11 or later
910007460	R 167	Logitech M196 Off White Bluetooth Mouse; Bluetooth Low Energy 5.0; 1000 DPI optical tracking; 3 buttons; mechanical scroll wheel; ambidextrous design; wireless range up to 10 m; 1 x AA battery included; up to 12 months battery life; dimensions: 100 x 60 x 38 mm; weight: 76 g with battery; Windows 10 or later; macOS 11 or later
910007461	R 167	Logitech M196 Rose Bluetooth Mouse; Bluetooth Low Energy 5.0; 1000 DPI optical tracking; 3 buttons; mechanical 2D scroll wheel; wireless range: up to 10 m; battery: 1 x AA included; battery life: up to 12 months; dimensions: 100 x 60 x 38 mm; weight: 76 g with battery; Windows 10 or later; macOS 11 or later; ambidextrous design
910007501	R 1,839	Logitech MX Master 3S Performance Graphite Wireless Mouse; Bluetooth Low Energy; Darkfield optical sensor; 200-8000 DPI; MagSpeed electromagnetic scrolling; Quiet Clicks; 7 customisable buttons; dedicated thumb

		wheel; rechargeable 500 mAh battery; dimensions 124.9 x 84.3 x 51 mm; weight 141 g
910007562	R 2,454	Logitech MX Master 4 Graphite Bluetooth Wireless Mouse with Silent haptic feedback; Logi Bolt USB-C receiver; Darkfield sensor; 200-8000 DPI; MagSpeed electromagnetic scrolling; Customisable haptic feedback; Quiet clicks; Up to 3 devices; USB-C rechargeable battery; Up to 70 days battery life; 128.2 x 88.4 x 50.8 mm; 150 g
910008	R 352	Port Connect Ergonomic Rechargeable Bluetooth Left Hand Mouse
910009	R 374	Port Connect Pure Mac Rechargeable Bluetooth Mouse #SKU:10456369#
910009	R 366	Port Connect Pure Mac Rechargeable Bluetooth Mouse #SKU:10456369#
910010	R 290	Port Connect Rechargeable Bluetooth Essential Mouse #EAN13:3567049100100#
910010	R 295	Port Connect Rechargeable Bluetooth Essential Mouse #EAN13:3567049100100#
910200	R 454	Port Connect Ergo Soft Ergonomic Rechargeable Bluetooth Mouse
910200	R 411	Port Connect Ergo Soft Ergonomic Rechargeable Bluetooth Mouse
910201	R 411	Port Connect Expert Sideral Rechargeable Bluetooth Mouse
910201	R 407	Port Connect Expert Sideral Rechargeable Bluetooth Mouse
910202	R 411	Port Connect Business Bluetooth and 2.4Ghz Rechargeable Mouse
910202	R 413	Port Connect Business Bluetooth and 2.4Ghz Rechargeable Mouse
910203	R 600	Port Connect Ultimate Rechargeable Bluetooth and 2.4Ghz Mouse
910203	R 601	Port Connect Ultimate Rechargeable Bluetooth and 2.4Ghz Mouse
910500	R 374	Port 910500 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Storm, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910500	R 337	Port 910500 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Storm, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910501	R 374	Port 910501 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Shadow, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910501	R 340	Port 910501 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Shadow, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910502	R 366	Port 910502 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Iris, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910502	R 337	Port 910502 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Iris, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910503	R 366	Port 910503 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Copper Rose, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910503	R 337	Port 910503 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Copper Rose, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910504	R 374	Port 910504 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Pearl, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
910504	R 337	Port 910504 Connect Pure Mac Rechargeable Wireless and Bluetooth Mouse - Pearl, 4 buttons & Scroll Wheel, Up to 3200 dpi Resolution, 500mAh Rechargeable Lithium Battery
960-001422	R 2,184	Logitech Brio 500 USB 4MP 1080p Webcam - Graphite, 4MP camera Megapixel, 1080p/30fps, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, USB-C plug-and-play, Integrated Privacy shutter, Rightlight 4 with HDR, Detachable Universal mounting clip
960-001423	R 2,128	Logitech Brio 500 USB 4MP 1080p Webcam - Graphite, 4MP camera Megapixel, 1080p/30fps, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, USB-C plug-and-play, Integrated Privacy shutter, Rightlight 4 with HDR, Detachable Universal mounting clip, 960-001423
960-001424	R 2,031	Logitech Brio 500 USB 4MP 1080p Webcam - Graphite, 4MP camera Megapixel, 1080p/30fps, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, USB-C plug-and-play, Integrated Privacy shutter, Rightlight 4 with HDR, Detachable Universal mounting clip, 960-001424
9C2F7AA	R 482	HP 9C2F7AA 515 Ultra fast Rechargeable Wireless Mouse - Black, Up to 1 month Battery Life, Powered by SuperCapacitor, Up to 4000 dpi Resolution, Multi Surface Tracking Sensor Technology, 5 buttons (4 programmable), USB Type-A Port required

A100	R 104	Microworld A10 2.4GHz Wireless Mouse Colours, 1600 dpi Resolution Max
A100-T	R 104	Microworld A100 USB 2.4GHz Wireless Mouse - Turquoise
A1KY6AA	R 689	HP A1KY6AA HyperX Pulsefire Fuse Wireless Gaming Mouse, Up to 85 hours Battery Life, 1x AAA Battery Type, PixArt PAW3311 Optical Sensor, Up to 12000 dpi Max Resolution, 300 IPS Speed, OnBoard Memory, 6 buttons, 35G acceleration, Up to 1000Hz polling rate, per LED RGB Lighting
A82012-Q	R 132	Astrum MU120 White 1.5M Wired USB 1200DPI 3B Mouse. USB 2.0 Wired; 1200 DPI; 3 Buttons; 1.5m Cable; Ergonomic Design; Silent Clicks; Plug & Play; Compatible with Windows, macOS, Linux, Chrome OS
A82521-C	R 86	Astrum MW210 Blue Wireless 2.4G 4B 1600DPI Mouse. Model: MW210; Type: Wireless Optical Mouse; Color: Blue; DPI: 1600; Buttons: 4; Connectivity: 2.4GHz wireless; Silent Click: Yes; Battery: 1 x AA; Range: 10m; Weight: 80g; Dimensions: 110x60x35mm
A82521-H	R 86	Astrum MW210 Gold Wireless 2.4G 4B 1600DPI Mouse. Wireless 2.4GHz; 1600DPI Optical Sensor; 4 Buttons; Silent Click; Ergonomic Design; Plug and Play; Compatible with Windows, macOS, Linux; Gold Brown Color; 60g Weight
A82521-J	R 86	Astrum MW210 Green Wireless 2.4G 4B 1600DPI Mouse. Wireless Connectivity: 2.4GHz; DPI: 800/1200/1600; Buttons: 4; Operating Range: 10m; Dimensions: 105x65x37mm; Weight: 60g; Compatibility: Windows/ macOS/ Linux/ Chrome OS
A82521-N	R 86	Astrum MW210 Red 2.4GHz, 1600DPI, 4 Buttons, Silent Click Wireless Optical Mouse. 2.4GHz wireless connectivity; 1600 DPI optical sensor; 4 buttons; Silent click technology; Ergonomic design; Up to 10-meter range; Compatible with Windows, macOS, Linux; Dimensions: 65mm x 37mm x 105mm; Weight: ~60g
A82521-Q	R 86	Astrum MW210 White Wireless 2.4G 4B 1600DPI Mouse, Wireless 2.4GHz connectivity; 1600DPI adjustable resolution; 4-button layout; Ambidextrous ergonomic design; Silent-click buttons; Plug and play setup; Compatible with Windows, Chrome OS, and Linux; Dimensions: 105 x 65 x 37 mm; Weight: 60g; Color: White/Grey
A82528-B	R 102	Astrum MW280 Wireless Optical Mouse - Black, 1000 / 1200 / 1600 dpi 3 adjustable levels, Six buttons
A82528-N	R 102	Astrum MW280 Wireless Optical Mouse - Red, 1000 / 1200 / 1600 dpi 3 adjustable levels, Six buttons
A82541-B	R 164	Astrum MW410 Black /Grey Wireless Dual Mode Rechargeable Mouse. Wireless Connectivity: Bluetooth 5.0, 2.4GHz USB nano receiver; DPI Settings: 1000 / 1200 / 1600 (adjustable); Battery: Rechargeable Li-ion (USB charging); Buttons: 6 (silent click, including scroll & side buttons); Wireless Range: Up to 10 meters; Dimensions: 106 x 70 x 37mm; Weight: 82g; Compatibility: Windows / macOS / Linux / Chrome OS
ACAS90XB0450-BMU000	R 185	Asus WT300 Wireless Mouse - Matte Black & Red, 2.4GHz, 1600 dpi, 3 buttons, Wireless connectivity, RF 2.4GHz, 10m RF distance, Optical Tracking
ACAS90XB06C0-BMU000	R 412	Asus MW203 Multi-Device Wireless Silent Mouse, Connectivity - Wireless / RF 2.4GHz / Bluetooth, Optical Tracking, 2400 DPI Max Resolution, 1x AA Battery
AIRMOUSE3SCLOUD	R 240	Alcatroz Airmouse 3 Cloud Silent Wireless Mouse. Connectivity: 2.4G Wireless; Resolution: 1200 CPI; Wireless Range: Up to 10m; Battery: AA-type (included); Battery Life: Up to 100 hours; Design: Ergonomic; Compatibility: Windows, macOS, Linux; Dimensions: 10.5 x 6.5 x 3.5 cm
AIRMOUSE3SILENTBLUE	R 194	Alcatroz Air Mouse 3 Silent Blue 2.4G Wireless, 1200 CPI hi-definition, Silent Switch, 10m Wireless range, Up to 100 hours battery life, Plug and Play nano USB receiver
AIRMOUSE3SILENTGREY	R 194	Alcatroz Air Mouse 3 Silent Grey 2.4G Wireless, 1200 CPI hi-definition, Silent Switch, 10m Wireless range, Up to 100 hours battery life, Plug and Play nano USB receiver
AIRMOUSE3SILENTWHT	R 194	Alcatroz AirMouse 3 Silent Wireless Mouse - White, 1200 CPI Resolution, 1x Nano Dongle, Wireless range up to 10m, Up to 100 hours of continuous usage Battery Life
AIRMOUSE3SMIST	R 240	Alcatroz Airmouse 3 Silent Mist Wireless Mouse. wireless 2.4GHz AA battery 1200CPI silent click ergonomic Mist colour; plug-and-play
AIRMOUSE3SOSMOSIS	R 240	Alcatroz Airmouse 3 Silent Osmosis Wireless Mouse (2025 Edition). Wireless 2.4GHz mouse; 1200 CPI optical sensor; up to 10m range; silent-click design; AA battery included; multiple colour options
AIRMOUSE3SSAUBERGINE	R 240	Alcatroz Airmouse 3 Silent Aubergine Wireless Mouse (2025 Edition). Wireless 2.4GHz; 1200CPI sensor; silent-click; up to 10m range; AA battery; up to 100h usage; compact 11x5x14cm; weight 0.05kg; productivity wireless mouse

AIRMOUSE3SSCARBON	R 240	Alcatroz Airmouse 3 Carbon Silent Wireless Mouse. Silent-click technology; 1200 CPI optical sensor; 2.4GHz wireless connectivity; Up to 10m wireless range; Plug and play setup; Ergonomic design; Ultra-low battery consumption; Powered by AA-type battery (included); Up to 100 hours battery life; Carbon color
AIRMOUSE3SSPACIFIC	R 240	Alcatroz Airmouse 3 Pacific Silent Wireless Mouse. Pacific color; 2.4 GHz wireless; Optical sensor 1200 DPI; Silent click; Ergonomic design; USB receiver; 1 x AA battery included; Windows Mac Linux compatible
AIRMOUSEDUO3B	R 229	Alcatroz AirMouse Duo 3 Silent Black Wireless Mouse, 1200 CPI, Bluetooth and 2.4G Wireless, USB nano receiver, 4 button
AIRMOUSEDUO3BRE	R 229	Alcatroz AirMouse Duo 3 Silent Red Wireless Mouse, 1200 CPI, Bluetooth and 2.4G Wireless, USB nano receiver, 4 button
AIRMOUSEDUO3CARBON	R 298	Alcatroz Airmouse Duo 3 Silent Carbon Wireless and Bluetooth Mouse (2025 Edition). Bluetooth 5.0 2.4GHz wireless; resolution 800/1200/1600 CPI; battery: 1 x AA; wireless range up to 10m; colour: Carbon; silent-click technology; multi-device support
AIRMOUSEDUO3MIST	R 298	Alcatroz Airmouse Duo 3 Silent Mist Wireless and Bluetooth Mouse (2025 Edition). Connectivity: Bluetooth 4.0 2.4GHz nano receiver; 1200 CPI; AA battery; up to 10m range; ultra-quiet clicks; ergonomic Mist finish.
AIRMOUSEDUO3RDROP	R 298	Alcatroz Airmouse Duo 3 Silent Rain Drop Wireless and Bluetooth Mouse (2025 Edition). Dual-mode wireless Bluetooth silent mouse; up to 1600 CPI sensor; up to 10 m range; 3 buttons 2-way scroll; AA battery included; Rain Drop colour
AIRMOUSEDUO3SAKURA	R 298	Alcatroz Airmouse Duo 3 Silent Sakura Wireless and Bluetooth Mouse (2025 Edition). Connectivity: 2.4GHz Bluetooth 4.0; 1200 CPI optical; Silent click; Up to 100 h battery life; Nano USB receiver; Dual-device sharing; Ergonomic compact form
AIRMOUSEDUO3W	R 229	Alcatroz AirMouse Duo 3 Silent White Wireless Mouse, 1200 CPI, Bluetooth and 2.4G Wireless, USB nano receiver, 4 button
AIRMOUSEDUO7XBLK	R 247	Alcatroz Airmouse Duo 7X Black Wireless Mouse
AIRMOUSEDUO7XWHT	R 247	Alcatroz Airmouse Duo 7X White Wireless Mouse
AIRMOUSEPRO5CBLK	R 263	Alcatroz Airmouse Pro 5C Black, Type-C Connector
AIRMOUSEPRO5CWHT	R 263	Alcatroz Airmouse Pro 5C White, Type-C Connector
AIRMOUSEVAMETHYST	R 194	Alcatroz Airmouse V Amethyst Wireless Mouse
AIRMOUSEVBLK-B	R 183	Alcatroz AirMouse V Optical Wireless Mouse - Black, Up to 3 months Battery Life, 1200 cpi, 10m Wireless range
AIRMOUSEVLAVENDER	R 194	Alcatroz Airmouse V Lavender Wireless Mouse (2025 Edition). 2.4GHz wireless 1200 CPI optical mouse; up to 10m range; 113x61x34mm; 2xAAA batteries included; Lavender colour; durable switches up to 3 million clicks; laptop and office companion
AIRMOUSEVPNK-B	R 183	Alcatroz AirMouse V Optical Wireless Mouse - Pink, Up to 3 months Battery Life, 1200 cpi, 10m Wireless range
AIRMOUSEVWHT	R 171	Alcatroz Airmouse V Wireless Mouse - White
AIRMOUSEVWHT-B	R 183	Alcatroz AirMouse V Optical Wireless Mouse - White, Up to 3 months Battery Life, 1200 cpi, 10m Wireless range
AMB586GL	R 621	Targus AMB586GL EcoSmart Sustainable Ergonomic Ambidextrous Mouse - Bluetooth, Supports up to 4000 dpi, Bluetrace Technology, Includes 1x AA Battery
AMSW20DB	R 102	Astrum MW20D Black Dual Mode BT 2.4GHz Wireless 1600 DPI Silent Mouse; up to 10m range; 1 x AA battery; USB nano receiver; USB-A to USB-C adaptor; 116 x 60 x 33mm; Windows, macOS, Linux
AMSW20DG	R 102	Astrum MW20D Green 1600 DPI Dual Mode BT 2.4GHz Wireless Silent Mouse; up to 10m range; silent buttons; 1 x AA battery; USB nano receiver; USB-A to USB-C adapter; Windows/macOS/Linux; 116 x 60 x 33mm
AMSW20DR	R 102	Astrum MW20D Red 1600 DPI Wireless Dual Mode BT 2.4GHz Silent Mouse; up to 10m range; 1 x AA battery; USB nano receiver; USB-A to USB-C adapter; Windows/macOS/Linux; 116 x 60 x 33mm
AMSW20DU	R 102	Astrum MW20D Blue 1600 DPI Dual Mode BT 2.4GHz Wireless Silent Mouse; up to 10m range; 1 x AA battery; Windows/macOS/Linux; 116 x 60 x 33mm
AMSW30RB	R 181	Astrum MW30C Tri-mode wireless mouse; Bluetooth 5.0 x 2; 2.4GHz USB receiver x 1; 3-device connectivity; 1600 DPI optical sensor; 6 buttons; silent clicks; rechargeable Lithium-Ion battery; USB-C charging; RGB accent; 96 x 60 x 33 mm; 85 g
AMW50EU	R 139	Targus Black Wireless " Blue Trace" Mouse
ARCM	R 138	Microworld ARC JG895 Foldable 2.4GHz Wireless Optical, Mouse, Bending mechanism that serves as an on / off

		Switch, Uses a Mini USB Receiver, Powered by 2 AAA Batteries
ASUS MD100 MOUSE_BG	R 459	Asus MD100 Marshmallow Oak Milk Mouse, 800 to 1600 DPI, Dual-mode wireless: RF 2.4 GHz (dongle), Bluetooth; RF 2.4 GHz; optical tracking; silent switches; 56 g; up to 12 months battery life; 107 x 60 x 27.8 mm; Windows 10 and 11; Chrome OS; macOS 12 compatible
ASUS MD100 MOUSE_BL	R 459	Asus Marshmallow Mouse MD100 - Quiet Blue - Wireless 2.4GHz & Bluetooth 5.0, 800 / 1000 / 1600 dpi, Optical Tracking
ASUS MD100 MOUSE_PUR	R 459	Asus Marshmallow Mouse MD100 - Lilac - Wireless 2.4GHz & Bluetooth 5.0, 800 / 1000 / 1600 dpi, Optical Tracking
ASUS P306 TUF GAMING M4 WL	R 1,058	Asus Gaming mouse, Wireless, BT5.1, RF2.4Ghz, Win10/11, Battery:AAorAAA, Switch: 60million, 126x63.5x39.6mm
ASUS WIRELESS MOUSE WT300	R 229	Asus WIRELESS MOUSE WT300, Matte Black_Red, 1000/1600 dpi, Up to 15 months of battery life
ASUS WT300 MOUSE	R 344	Asus WT300 Wireless Mouse - Matte Black & Red, 2.4GHz, 1600 dpi, 3 buttons, Wireless connectivity, RF 2.4GHz, 10m RF distance, Optical Tracking
AZ7B2AA	R 339	HP AZ7B2AA 400 Quiet Black Wireless Mouse, Up to 24 months Battery Life, 1x AA Battery Type, Up to 6000 dpi Resolution, Bluetooth Version 5.2, Multi Surface Tracking Sensor Technology, 5 programmable buttons, USB Dongle
AZ7B4AA	R 339	HP 400 Quiet Wireless Mouse; Bluetooth 5.2 x 2.4 GHz wireless; 6000 dpi sensor; 5 buttons; up to 24 month battery; ambidextrous silicone design; Windows macOS ChromeOS compatible
AZ7B5AA	R 335	HP 400 Quiet Pink Wireless Mouse; Bluetooth 5.2 2.4GHz; up to 6000 dpi; ambidextrous; long battery life; lightweight 110g; eco friendly
AZ7B6AA	R 336	HP 400 Quiet Wireless Mouse; Bluetooth 5.2 2.4GHz; up to 6000 dpi; quiet clicks; ambidextrous; long battery life; USB dongle; compatible Windows macOS Android iOS; compact
AZ7B7AA	R 336	HP 400 Quiet Purple Wireless Mouse; Bluetooth 5.2 and 2.4 GHz wireless; up to 6000 dpi; ambidextrous silicone design; up to 24 month battery life; compact 118x61x40 mm; 110 g
BHR8849GL	R 342	Xiaomi Dual-Mode Wireless Silent Mouse 2 - White, 2.4GHz Wireless and Bluetooth, 1200 DPI Sensor, Quiet clicking with Silent buttons, Convenient side buttons
BHR8850GL	R 342	Xiaomi Dual-Mode Wireless Silent Mouse 2 - Black, 2.4GHz Wireless and Bluetooth, 1200 DPI Sensor, Quiet clicking with Silent buttons, Convenient side buttons
BHR8911GL	R 380	Xiaomi Wireless Mouse 3 - Pink, 2.4GHz / Bluetooth, 1200 DPI sensitivity, PixArt Optical Sensor, Silent Click, Teflon foot pad material, 1 x AA Battery
BHR8912GL	R 380	Xiaomi Wireless Mouse 3 - Dual-Mode Bluetooth - Off-White, 1200 DPI Sensor, PixArt Optical Sensor, Silent Click primary Button Type, Teflon foot pad material, 1 x AA Battery
BHR8913GL	R 380	Xiaomi 3 Black Wireless Mouse
BHR8914GL	R 380	Xiaomi Wireless Mouse 3 - Blue, 2.4GHz / Bluetooth, 1200 DPI sensitivity, PixArt Optical Sensor, Silent Click, Teflon foot pad material, 1 x AA Battery
BHR8915GL	R 216	Xiaomi Lite 2 White Wireless Mouse. Xiaomi Wireless Mouse Lite 2; 2.4GHz Wireless; 1000 DPI; TTC Microswitch; PTFE Feet; Ergonomic
BHR8916GL	R 216	Xiaomi Lite 2 Black Wireless Mouse. Xiaomi Wireless Mouse Lite 2; 2.4GHz Wireless; 1000 DPI; TTC Microswitch; PTFE Feet; Ergonomic
BHR9354GL	R 254	Xiaomi comfort Edition Wireless Mouse - White, 2.4GHz Wireless connection, Asymmetrical shape, Silent primary buttons, PixArt 1200 DPI Precision Sensor, Durable Teflon foot pads
BHR9359GL	R 254	Xiaomi comfort Edition Wireless Mouse - Black, 2.4GHz Wireless connection, Asymmetrical shape, Silent primary buttons, PixArt 1200 DPI Precision Sensor, Durable Teflon foot pads
BM22-A9	R 400	KeyChron BM22-A9 1K Huano Micro Switch Wireless Mouse (Bluetooth / 2.4GHz / Wired) - Black, Tri-mode connectivity, PAW3212 Optical Sensor adjustable up to 2400 DPI, Up to 100 hours Battery Life on a single charge in Bluetooth mode, Ergonomic Right-Handed Design, 1000Hz polling rate in 2.4GHz and Wired modes, Huano Micro Switches rated for 20 million clicks, KeyChron launcher web configurator for customisation, Detachable Type-C to Type-C cable included, Type-A Wireless Receiver included, No RGB Lighting, Battery capacity of 450mAh

BM24-C61	R 400	KeyChron BM24 Wireless Silent Mouse - Metal Grey, Connectivity - Bluetooth 5.2 / 2.4GHz Wireless / USB Type-C Wired, PAW3212 Sensor, Up to 2400 DPI Resolution, 1000 Hz polling rate (2.4ghz/wired), 125 Hz polling rate (Bluetooth), Huano Silent Micro Switch, 30 IPS (Inches per second), 600mAh Battery capacity, Detachable USB Type-C to Type-C, Right-hand Curved shape, 5 OnBoard Memory profiles
CH-9309411-AP2	R 1,319	Corsair M65 RGB Ultra Tunable FPS 26000 dpi Gaming Mouse - Black, Wired connectivity, Corsair Marksman Optical Sensor, Maximum dpi of 26000, Tracking Speed up to 650 IPS, Acceleration up to 50g, 8 programmable buttons, Optical primary Switches with Corsair quickstrike Technology, Adjustable weight system f, Anodised Aluminium Frame construction, Customisable RGB Lighting, Includes programmable Tilt gestures, Ultra-Low lift-off distance capability
CH-9311011-AP	R 909	Corsair Harpoon RGB Wireless Optical Gaming Mouse, Optical Sensor, 10000DPI, 4 Buttons, Backlit RGB
CH-9311110-WW	R 1,055	Corsair Harpoon v2 26000 dpi Wireless Gaming Mouse, Max dpi of 26000 with Corsair Marksman Sensor, Acceleration rating of 50g, IPS Tracking Speed up to 650, Tri-mode connectivity for Wireless or Wired use, Six programmable buttons for custom binds, Battery Life of 140 hours with RGB Lighting Active, Battery Life extends to 210 hours with RGB Lighting off, Ergonomic Right-Handed shape Design, RGB Lighting included
CH-9317110-WW	R 1,497	Corsair IronClaw Wireless SE 26000 dpi Gaming Mouse with Corsair Marksman Sensor, Max dpi of 26000 for precise Tracking, Tri-mode connectivity including 2.4GHz Wireless and Bluetooth, 10 programmable buttons for custom Control, Up to 285 hours Battery Life without backlighting over 2.4GHz, Ergonomic Right-Handed shape Design, Textured side panels for Secure grip, RGB Lighting support included
CH-931D011-AP	R 2,243	Corsair M75 Wireless Lightweight RGB Gaming Mouse, MARKSMAN 26K sensor, Slipstream Bluetooth - White
CH-931G000-WW	R 1,551	Corsair Sabre v2 Pro Ultralight Wireless Gaming Mouse - Black, Optical Sensor Type, 000Hz hyper-polling rate, Corsair Marksman s Sensor with 33K dpi, Up to 70 hours of Wireless Battery Life, Includes grip tape and Replacement Mouse skates
CH-931G000-WW	R 1,761	Corsair Sabre v2 Pro Ultralight Wireless Gaming Mouse - Black, Optical Sensor Type, 000Hz hyper-polling rate, Corsair Marksman s Sensor with 33K dpi, Up to 70 hours of Wireless Battery Life, Includes grip tape and Replacement Mouse skates
CH-931G100-WW	R 2,284	Corsair Sabre v2 Pro Wireless Magnesium Alloy 33000 dpi Gaming Mouse - Black, Featherlight Magnesium Alloy Shell construction, Corsair Marksman s Optical Sensor with up to 33000 dpi Precision, 8000 Hz hyper-polling for ultra-responsive Input, 750 IPS Tracking Speed with 50g acceleration, 99.7% Resolution accuracy, Tri-mode connectivity for Flexible setup options, Up to 120 hours of Wireless Battery Life, Includes grip tape and Replacement Mouse skates, No RGB Lighting
CLUTCH GM31 LIGHTWEIGHT	R 412	MSI Clutch GM31 Lightweight Wireless Mouse, USB 2.0 Interface, Up to 110 hours Battery Life, RGB LED Light, 1000 Hz polling rate, PixArt PAW-3311 Optical Sensor, 12000 Max dpi, Omron Switch Type, 6 buttons
CLUTCH GM31 LIGHTWEIGHT W	R 527	MSI Clutch GM31 Lightweight Wireless Mouse, USB 2.0 Interface, Up to 110 hours Battery Life, RGB LED Light, 1000 Hz polling rate, PixArt PAW-3311 Optical Sensor, 12000 Max dpi, Omron Switch Type, 6 buttons
CLUTCH GM41 LIGHTWEIGHT W	R 575	MSI Clutch GM41 lightweight Gaming Mouse Wireless, 6 button, 1000 Hz polling rate, Omron 60m main key switches, 2m braided with gold-plated connector, Up to 80 hours battery life, USB 2.0 Interface, Symmetrical right-handed design, Charging Dock, USB Wireless 2.4G transmitter Dongle
CLUTCH GM51 LIGHTWEIGHT W	R 872	MSI Clutch GM51 Lightweight Wireless Mouse, Up to 150 hours Battery Life, MSI snap charging FrixonFree Type-C charging cable, 3 Zone RGB LED Light, 1000 Hz polling rate, PixArt PAW-3395 Optical Sensor, Omron Switch Type, 6 buttons, 2m cable length
CM02	R 138	Microworld Ergonomic Wireless Mouse - Grey, 6 buttons, 10 meters Wireless distance, 1 x AA Battery
CNE-CMSW07W	R 125	Canyon MW-7 2.4GHz Wireless Mouse with 4 buttons - White, 1600 dpi, 1 AA Battery, PixArt 3065 Sensor, 2.4GHz USB receiver
CNS-CMSW09DG	R 125	Canyon MW-9 2-in-1 Wireless Optical Mouse with 6 buttons - Black, USB 2.4GHz / Bluetooth, 1500 dpi, New Generation of rubberized coating, Original Metallic Colour with Dual coating Technology
CNS-CMSW09R	R 176	Canyon MW-9 2-in-1 Wireless Optical Mouse with 6 buttons - Red, USB 2.4GHz / Bluetooth, 1500 dpi, New Generation of rubberized coating, Original Metallic Colour with Dual coating Technology
CNS-CMSW09V	R 176	Canyon MW-9 2-in-1 Wireless Optical Mouse with 6 buttons - Violet, USB 2.4GHz / Bluetooth, 1500 dpi, New Generation of rubberized coating, Original Metallic Colour with Dual coating Technology

CNS-CMSW22DG	R 273	Canyon MW-22 2-in-1 Wireless Optical Mouse with 4 buttons - Dark Grey, Silent Switch for right / left keys, 1600 dpi, 2x mode (Bluetooth / 2.4GHz), 650mAh Lithium Polymer Battery, RGB backlight, 0.8 m cable length
CNS-CMSW22ML	R 273	Canyon MW-22 2-in-1 Wireless Optical Mouse with 4 buttons - Mountain Lavender, Silent Switch for right / left keys, 1600 dpi, 2x mode (Bluetooth / 2.4GHz), 650mAh Lithium Polymer Battery, RGB backlight, 0.8 m cable length
CNS-CMSW22PR	R 273	Canyon MW-22 2-in-1 Wireless Optical Mouse with 4 buttons - Pearl Rose, Silent Switch for right / left keys, 1600 dpi, 2x mode (Bluetooth / 2.4GHz), 650mAh Lithium Polymer Battery, RGB backlight, 0.8 m cable length
CNS-CMSW22RC	R 273	Canyon MW-22 2-in-1 Wireless Optical Mouse with 4 buttons - Rice, Silent Switch for right / left keys, 1600 dpi, 2x mode (Bluetooth / 2.4GHz), 650mAh Lithium Polymer Battery, RGB backlight, 0.8 m cable length
CNS-CMSW22SW	R 273	Canyon MW-22 2-in-1 Wireless Optical Mouse with 4 buttons - Snow White, Silent Switch for right / left keys, 1600 dpi, 2x mode (Bluetooth / 2.4GHz), 650mAh Lithium Polymer Battery, RGB backlight, 0.8 m cable length
CNS-CMSW25	R 273	Canyon MW-25 Black Ergonomic LED AA Dual mode Vertical Wireless Mouse, Size: 105*72*58 mm; Weight: 83 -5g, Housing material: ABS, Connection Type: 2.4GHz BT, 6 Buttons; Button Operation Force: 70-75g, Mouse Rate: 125Hz, DPI: 800-1200-1600-2400, Acceleration: 10G, Moving Speed: 30 iPS, Operating Range: 8-10 m, Battery: AA*1
CNS-CMSW26GR	R 218	Canyon MW-26 Green LCD Silent Dual Mode Wireless Mouse, Size: 107.5*62*37.5 mm; Weight: 66 -5g, Housing Material: ABS, Connection Type: 2.4GHz & BT, 6 Buttons, Button Operation Force: 70-75g, Mouse Rate: 125Hz, DPI: 800-1200-1600-2400, Acceleration: 10G; Moving Speed: 30 iPS, Cable Length: 80 cm, Operating Range: 8-10 m, Battery: 400mAh Li-Battery
CNS-CMSW26P	R 218	Canyon MW-26 Pink LCD Silent Dual Mode Wireless Wireless Mouse, Size: 107.5*62*37.5 mm; Weight: 66 -5g, Housing Material: ABS, Connection Type: 2.4GHz & BT, 6 Buttons, Button Operation Force: 70-75g, Mouse Rate: 125Hz, DPI: 800-1200-1600-2400, Acceleration: 10G; Moving Speed: 30 iPS, Cable Length: 80 cm, Operating Range: 8-10 m, Battery: 400mAh Li-Battery
CNS-CMSW26V	R 218	Canyon MW-26 Violet LCD Silent Dual Mode Wireless Mouse, Size: 107.5*62*37.5 mm; Weight: 66 -5g, Housing Material: ABS, Connection Type: 2.4GHz & BT, 6 Buttons, Button Operation Force: 70-75g, Mouse Rate: 125Hz, DPI: 800-1200-1600-2400, Acceleration: 10G; Moving Speed: 30 iPS, Cable Length: 80 cm, Operating Range: 8-10 m, Battery: 400mAh Li-Battery
CNS-CMSW26Y	R 218	Canyon MW-26 Yellow LCD Silent Dual Mode Wireless Mouse, Size: 107.5*62*37.5 mm; Weight: 66 -5g, Housing Material: ABS, Connection Type: 2.4GHz & BT, 6 Buttons, Button Operation Force: 70-75g, Mouse Rate: 125Hz, DPI: 800-1200-1600-2400, Acceleration: 10G; Moving Speed: 30 iPS, Cable Length: 80 cm, Operating Range: 8-10 m, Battery: 400mAh Li-Battery
FOXBATIIICYBERBLK	R 482	Armaggeddon Mikoyan Foxbat-III Cyberpunk Black Wireless Gaming Mouse
FOXBATIIICYBERBWHT	R 505	Armaggeddon Mikoyan Foxbat-III Cyberpunk White Wireless Gaming Mouse
FOXBATIIINEOBLK	R 482	Armaggeddon Mikoyan Foxbat-III Neoglyph Black Wireless Gaming Mouse
FOXBATIIINEOWHT	R 505	Armaggeddon Mikoyan Foxbat-III Neoglyph White Wireless Gaming Mouse
GX30K79401	R 220	Lenovo IdeaPad 300 Wireless Compact 3 Button Laser Mouse, USB nano receiver, 10m range
LENOVO 4Y51M70369	R 138	LENOVO 4Y51M70369 150 Wireless Mouse, 2.4GHz Wireless via USB Type-A Dongle connectivity, 3 Button, 1000 DPI Mouse Resolution, Up/down Scrolling, Huaxi Sensor, 6 months with AA Battery Battery Life
LOG-910-002235	R 161	Logitech M185 Wireless Mouse - Grey, Plug and Play nano receiver, Logitech Advanced 2.4GHz Wireless Connectivity, 910-002235
LOG-910-002236	R 161	Logitech M185 Wireless Mouse - Blue, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life, 910-002236
LOG-910-002237	R 161	Logitech M185 Wireless Mouse - Red, Comfy Contoured Shape, Plug & Forget Nano Receiver, 1 Year Battery Life, 910-002237
LOG-910-004424	R 151	Logitech M171 Wireless Mouse - Black, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel, 12 months battery, 10m Wireless range, USB receiver, 910-004424
LOG-910-004640	R 148	Logitech M171 Wireless Mouse - Blue, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
LOG-910-004641	R 148	Logitech M171 Wireless Mouse - Red, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months

		battery, 10 m Wireless range, USB receiver
LOG-910-006253	R 447	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006253
LOG-910-006865	R 158	Logitech M171 Rose Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll wheel 12-month Battery Life, 10m range, 1000 dpi Resolution
LOG-910-006866	R 148	Logitech M171 Wireless Mouse - Blue / Grey, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver, 910-006866
LOG-910-006867	R 148	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
LOG-910-006929	R 1,343	Logitech MX Anywhere 3S Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006929
LOG-910-007119	R 252	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007119
LOG-910-007120	R 252	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007120
LOG-910-007459	R 174	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
LOG-910-007460	R 174	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
LOG-910-007461	R 174	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1x AA Battery, 910-007461
LOG-910-007501	R 1,638	Logitech MX Master 3s Graphite Bluetooth Edition Wireless Mouse, Darkfield high Precision Sensor Technology, 200-8000 dpi Resolution, 7 buttons, Scroll Wheel, Thumb wheel, Gesture Button, Rechargeable Li-Po (500 mAh) Battery, Get three hours of use from a one-minute Quick Charge, Logi Bolt USB receiver, 910-007501
LOG-910-007562	R 2,069	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007562
LOG-910-007740	R 1,276	Logitech G305 LightSpeed Wireless Gaming Mouse - Black, Mechanical Button tensioning system, OnBoard Memory, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz Wireless report rate, 250 hours Battery Life, 910-007740
LOG-910-007748	R 1,276	Logitech G305 LightSpeed Wireless Gaming Mouse - White, Mechanical Button tensioning system, OnBoard Memory, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum Speed, LightSpeed Wireless Technology, 1000Hz Wireless report rate, 250 hours Battery Life, 910-007748
LOGI Brio 500 960-001422	R 2,131	Logitech Brio 500 USB 4MP 1080p Webcam - Graphite, 4MP camera Megapixel, 1080p/30fps, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, USB-C plug-and-play, Integrated Privacy shutter, Rightlight 4 with HDR, Detachable Universal mounting clip
LOGI G305 910-005283	R 592	Logitech 910-005283 G305 Wireless Lightspeed Gaming Mouse - with HERO adjustable 200-> 12000dpi optical sensor, onboard memory with 6 programmable buttons, Max. Acceleration: 40G, 400iPS, 1000hz report rate - USB, Â© 2020 Laptop Direct
LOGI G305 910-005292	R 592	Logitech G305 LightSpeed Wireless Gaming Mouse - White - 2.4GHz / Bluetooth, 1000Hz Wireless report rate, PTFE feet, 250 hours Battery Life, Mechanical Button tensioning system, Hero Sensor, 200 - 12000 dpi Resolution, 40 g Maximum acceleration, 400 IPS Maximum speed
LOGI G502 PLUS 910-006163	R 2,514	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - Black - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, LightSpeed USB Type-A receiver, 910-006163
LOGI G502 X Plus 910-006172	R 2,559	Logitech G502 X Plus - LightSpeed Wireless RGB Gaming Mouse - White - 2.4GHz, USB-C charging, Low-friction PTFE feet, Up to 5 OnBoard Memory profiles, 13 programmable controls, 8-zone RGB Lighting, Constant motion 130 hrs, Hero 25K Sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed,

		LightSpeed USB Type-A receiver
LOGI LIFT 910-006473	R 1,111	Logitech Lift vertical Ergonomic Mouse - Graphite - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
LOGI LIFT Vertical 910-006475	R 1,111	Logitech 910-006475 Lift vertical Ergonomic Mouse - Pale Grey - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
LOGI M171 910-004640	R 153	Logitech M171 Wireless Mouse - Blue, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel, 12 months battery, 10 m Wireless range, USB receiver
LOGI M171 910-004641	R 159	Logitech M171 Wireless Mouse - Red, 1000 dpi, Smooth optical Tracking, 3 buttons, Scroll Wheel :, 12 months battery, 10 m Wireless range, USB receiver
LOGI M171 910-006865	R 153	Logitech M171 Rose Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll wheel 12-month Battery Life, 10m range, 1000 dpi Resolution
LOGI M171 910-006866	R 153	Logitech Wireless Mouse M171 (Blue/Grey) Nano USB receiver 3 buttons optical tracking ratchet wheel 12-month battery life 10m range
LOGI M171 910-006867	R 159	Logitech M171 Off White Wireless Mouse with Nano USB receiver, 3 buttons, Optical Tracking, Scroll Wheel 12-month Battery Life, 10m range, 1000 dpi Resolution, 910-006867
LOGI M185 910-002235	R 169	Logitech Wireless Mouse M185 (Black & Swift Grey) Nano USB receiver 3 buttons optical tracking with wheel 10m range 12-month battery life
LOGI M185 910-002236	R 169	Logitech Wireless Mouse M185 (Black & Blue) Nano USB receiver 3 buttons optical tracking with wheel 10m range 12-month battery life
LOGI M185 910-002237	R 169	Logitech Wireless Mouse M185 (RED) Nano USB receiver 3 buttons optical tracking with wheel 10m range. Comfortable and compact for left or right handed individuals.
LOGI M196 910-007459	R 159	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
LOGI M196 910-007460	R 198	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
LOGI M196 910-007461	R 175	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007461
LOGI M240 910-007119	R 254	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life
LOGI M240 910-007120	R 260	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life
LOGI M240 910-007121	R 254	Logitech M240 silent Bluetooth Mouse - Rose - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007121
LOGI M325 910-002142	R 378	Logitech M325 Dark Silver Wireless Mouse, Unifying USB receiver 5 buttons Micro precise scrolling Laser grade tracking 18-months battery life 10m range
LOGI M650 910-006253	R 462	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver
LOGI M650 910-006254	R 462	Logitech Signature M650 Wireless Mouse - Rose - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver
LOGI M650 910-006255	R 474	Logitech Signature M650 Wireless Mouse - Off White - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver
LOGI MX ANYWHERE3S 910-006929	R 1,212	Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006929
LOGI MX ERGO S 910-007260	R 1,725	Logitech MX Ergo S Advanced Wireless Trackball - Graphite, 512 - 2048 dpi Resolution, 8 buttons, 6 customizable buttons, Logitech Advanced Optical Tracking, Rechargeable with USB-C charging, Up to 120 days Battery Life, 1-min charge for 24-hour of use, Logi Bolt USB receiver, 910-007260
LOGI MX Master 3S 910-007501	R 1,533	Logitech MX Master 3s Graphite Bluetooth Edition Wireless Mouse, Darkfield high Precision Sensor Technology, 200-8000 dpi Resolution, 7 buttons, Scroll Wheel, Thumb wheel, Gesture Button, Rechargeable Li-Po (500 mAh) Battery, Get three hours of use from a one-minute Quick Charge, Logi Bolt USB receiver, 910-007501

LOGI MX Master 4 910-007562	R 1,865	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007562
LOGI Pebble M350 910-005716	R 173	Logitech 910-005716 M350 Pebble wireless premium lifestyle mouse - OFF-WHITE - 2.4GHZ Wireless and Bluetooth.
LOGI Pebble Mouse 2 M350s 910-00	R 350	Logitech Pebble M350 Wireless Mouse - Tonal White, Nano receiver, Bluetooth, 1000 dpi Sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver, 910-007013
LOGI Pebble Mouse 2 M350s 910-007014	R 355	Logitech Pebble M350 Wireless Mouse - Tonal Rose, Nano receiver, Bluetooth, 1000 dpi Sensor Resolution, 3 buttons, Mechanical Scroll Wheel, Unifying ready receiver, 910-007014
LOGI Pebble Mouse 2 M350s 910-00	R 355	Logitech Pebble Mouse 2 M350S - tonal Graphite - Bluetooth, 3 buttons, Customizable Button, High-Precision Optical Tracking Sensor technology, 400-4000 dpi range, 1000 dpi nominal Value, 1 AA Battery, 910-007015
LOGI PRO 2 LIGHTSPEED 910-007296	R 2,283	Logitech Pro 2 LightSpeed Wireless Gaming Mouse - Black, Hero 2 Sensor, 100 - 44000 dpi Resolution, 1000Hz (1ms) Max report rate, 60 hour Default Lighting Battery Life, 95 hour no Lighting Battery Life, LightSpeed Wireless receiver, 4-8 buttons
Logitech Lift	R 1,091	Logitech Lift vertical Ergonomic Mouse - Graphite - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
Logitech M170	R 132	Logitech M170 Wireless optical Mouse, 1000 dpi, Smooth optical Tracking, 3 buttons, Line-by-line Scrolling, 10 m Wireless range, 2.4 GHz Wireless connection
Logitech M185	R 141	Logitech M185 Wireless Mouse - SWIFT GREY
Logitech M185 - Blue	R 141	Logitech M185 Blue Compact Wireless Mouse
Logitech M196	R 174	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
Logitech M196 - Off-White	R 174	Logitech M196 Mouse - Off White - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007460
Logitech M196 - Rose	R 174	Logitech M196 Mouse - Rose - Bluetooth, 1000 DPI smooth Optical Tracking, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 910-007461
Logitech M220 - Rose	R 285	Logitech M220 Silent Rose Wireless Mouse
Logitech M240	R 252	Logitech M240, Mouse, Bluetooth, SILENT, Graphite, Silent Bluetooth Ambidextrous
Logitech M240 Off White	R 252	Logitech M240 silent Bluetooth Mouse - Off White - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007120
Logitech M240 Rose	R 252	Logitech M240 silent Bluetooth Mouse - Rose - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007121
Logitech M350s	R 351	Logitech Pebble Mouse 2 M350S - Tonal Graphite - Bluetooth, 3 buttons, Customizable Button, High-Precision Optical Tracking Sensor Technology, 400-4000 dpi range, 1000 DPI nominal Value, 1 AA Battery, 910-007015
Logitech M575	R 1,057	Logitech 910-006221 M575 Ergo Graphite Wireless Trackball Mouse
Logitech M650	R 482	Logitech Signature M650 Graphite Wireless/ Bluetooth Mouse
Logitech M650 - OFF-WHITE	R 482	Logitech Signature M650 Off-White Wireless/ Bluetooth Mouse
Logitech M650 - ROSE	R 482	Logitech Signature M650 Rose Wireless/ Bluetooth Mouse
Logitech MX Anywhere 3s	R 1,873	Logitech MX Anywhere 3s Mouse - 2.4GHz / Bluetooth - Graphite, Darkfield high Precision sensor technology, 6 buttons, Scroll Wheel, Horizontal scroll, Rechargeable Li-Po (500 mAh) Battery, 200-8000 dpi, 910-006958
Logitech MX Ergo S	R 1,609	Logitech MX Ergo S Advanced Wireless Trackball - Graphite, 512 - 2048 dpi Resolution, 8 buttons, 6 customizable buttons, Logitech Advanced Optical Tracking, Rechargeable with USB-C charging, Up to 120 days Battery Life, 1-min charge for 24-hour of use, Logi Bolt USB receiver, 910-007260
Logitech MX Master 4	R 2,126	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007562
Logitech MX Vertical	R 1,609	Logitech MX Vertical advanced Ergonomic Wireless Mouse - Graphite, 2.4GHz / Bluetooth, 4 customizable buttons, Precision Scroll Wheel, Rechargeable Li-Po battery 240 mAh, 10 m Wireless operating distance, Unifying USB receiver, 400-4000 dpi

Logitech Pro X2 SUPERSTRIKE	R 3,046	Logitech Pro X2 Superstrike - Lunar Eclipse - Bluetooth - Haptic feedback LightSpeed Wireless Gaming Mouse, 5 buttons, OnBoard Memory, Hero 2 Sensor, up to 44000 dpi Resolution, 88G Maximum acceleration, 888 IPS Maximum Speed, 1000Hz Max Wired report rate, 8000Hz (Max LightSpeed report rate), 90 hour Battery Life
LP121-30820	R 107	UGreen LP121 Black Cable Protection Tube - 25mm x 5M. cable protection tube; 25 mm internal diameter; 5m length; PE material; black colour; flexible spiral design; home office & AV use
M3-A1	R 959	KeyChron M3 RGB Wireless Optical Mouse - Black, Kailh GM 8.0 Micro Switch, PixArt 3395 Sensor, 100 - 26000 dpi range, Up to 650 IPS, 1000 Hz polling rate (2.4GHz / Wired mode) polling rate, Bluetooth, 600mAh Battery, Usage duration up to 70 hours, RGB lights
M3-A3	R 959	KeyChron M3 RGB Wireless Optical Mouse - White, Kailh GM 8.0 Micro Switches, PixArt 3395 Sensor, 100 - 26000 dpi (CPI) range, Up to 650 IPS, 1000 Hz polling rate, Up to 70 hours Battery
M49042	R 212	Verbatim 49042 GO NANO Black Wireless Mouse; 1600 DPI optical sensor; 2.4GHz wireless; 3-button design; nano USB receiver; USB-A; sleep mode; 95 x 58 x 35.45 mm; 79 g; Windows and Mac compatible; includes 2 x AAA batteries
M49043	R 212	Verbatim 49043 GO NANO Hot Pink Wireless Mouse; 1600 DPI optical sensor; 2.4GHz wireless; USB-A nano receiver; 3-button design; sleep mode; Windows and Mac compatible; 95 x 58 x 35.45mm; 79g; 2 x AAA batteries
M49044	R 212	Verbatim 49044 GO NANO Caribbean Blue Wireless Mouse; 1600 DPI optical sensor; 2.4GHz RF wireless; 3-button design; USB-A nano receiver; sleep mode; Windows 11/10/8 compatible; Mac OS X 10.4 compatible; 95 x 58 x 35.45mm; 79g; 2 x AAA batteries
M5-A29	R 802	KeyChron M5-A29 1K Wireless Mouse (Bluetooth / 2.4GHz / Wired), Wireless Ergonomic Mouse, Tri-mode connectivity, Max dpi of 12000 for precise Cursor Control, Up to 100 hours Battery Life on a single charge, Huano Silent Micro Switch rated for 20 million clicks, 1000 Hz polling rate in Wireless and Wired modes, 47-degree Vertical Tilt reduces wrist strain, Side Scroll Wheel positioned at the thumb
M511-45012	R 118	UGreen M511 Black Ergonomic 2.4GHz Wireless Mouse. wireless ergonomic mouse 2.4GHz 800/1200/1600 DPI 2xAAA up to12m battery life
M6-A3	R 802	Keychron M6 1K White Dual-Wireless Bluetooth & 2.4G Mouse; dual wireless Bluetooth 5.1 and 2.4G; PixArt 3395 optical sensor; up to 26,000 DPI; ergonomic thumb rest; up to 80h battery; USB-C wired; lightweight 78g
M6S-A23	R 1,358	KeyChron M6S-A23 M6 30000 dpi Wireless Silent Mouse - Black, Bluetooth / 2.4GHz / Wired connections, PixArt 3950 Sensor, 100 -30000 dpi (CPI) range, Huano Silent Micro Switch, 800mAh Battery capacity, 40 hours usage duration, 2 hours recharge time, USB Type-C charging Port, 8000Hz polling rate
M6S-A24	R 1,358	KeyChron M6S-A24 PixArt 3950 8K 30000 dpi Wireless Mouse (BT / 2.4GHz / Wired) - White, 8000 Max polling rate, Ergonomic Right-Handed shape, up to 120 hours Battery Life
M6S-A72	R 802	KeyChron M6S-B72 1K Wireless Mouse (Bluetooth / 2.4GHz / Wired) - Black, KeyChron M6S-B72 Wireless Mouse, Tri-mode connectivity, PixArt 3950 Sensor provides up to 30000 dpi Resolution, 8000 Hz polling rate ensures High-Speed signal transmission, 750 IPS Maximum Tracking Speed for precise Cursor Control, Ergonomic Right-Handed shape, Includes one Type-C and one Type-A 2.4GHz Receiver, Dual Scrolling modes available for Document navigation, Quiet click option supported for Office environments
M6S-B72	R 802	KeyChron M6SB72 1K Wireless Mouse - White, Tri-mode - Bluetooth / 2.4GHz /Wired, Huano Silent Micro Switch and Premium wheel - White, 12000 Max dpi, 1000Hz Max polling rate, Ergonomic Right-Handed shape, Up to 165 hours Battery Life
MD100-MOUSE-WHT	R 299	Asus MD100 Marshmallow Wireless Mouse - Wireless, Bluetooth 5.0 and RF 2.4GHz with Dongle Support Connectivity, 10m RF Distance, Optical Tracking, 1600dpi Resolution, 1x AA Battey Type, Up to 12 Months Battery Life, Green Tea Latte Cover x1, Oat Milk Set Color, Retail Box
MIRAGEVIBLK	R 689	Armaggeddon Mirage-VI Black Wireless Gaming Mouse
MIRAGEVIIBLK	R 746	Armaggeddon Mirage VII Bluetooth / Wireless Gaming Mouse - Black, 16.8 million RGB lights, Wired illumination and 2.4GHz with multiple illumination modes, 1000Hz polling, USB Nano receiver, 7 buttons, Type-C charging, Macro programming
MIRAGEVIIWHT	R 746	Armaggeddon Mirage VII Bluetooth / Wireless Gaming Mouse - Black, 16.8 million RGB lights, Wired illumination and 2.4GHz with multiple illumination modes, 1000Hz polling, USB Nano receiver, 7 buttons, Type-C charging,

		Macro programming
MIRAGEVIWHT	R 689	Armaggeddon Mirage-VI Black Wireless Gaming Mouse
MM07MHINBL000-0	R 1,103	Mad Catz M.O.J.O. m2 Performance Wireless Gaming Mouse, PAW3335db Sensor name, 16000 dpi (Dot per inch) Max resolution, 40G acceleration, 1000Hz polling rate, Ergonomic & Right-Handed shape, 6 buttons, Kailh Switch, 16.8 million RGB Colour illumination, 1.8m cable length, Up to 70 hours Battery
Mo-3CWP	R 2,321	3dconnexion Cadmouse Wireless Pro (with extra space for thumb rest smartwheel 2) - USB wired or 2.4Ghz receiver or Bluetooth, designed for CAD professional, Intelligent Ergonomic Design with middle button, side quick zoom buttons or scroll zoom in/out, 7200dpi, 1000hz poll rate, 7x buttons (with quick-access gesture button) - ideal to co-work with 3D Space series mouse, with tailored carry case
Mo-3SMEK	R 8,512	3dconnexion SpaceMouse Enterprise Kit - for ultimate 2-hand power (with extra CadMouse CadMouse pad 2-port USB hub) - 3d mouse/input device for 3d application, with 6DoF (6-Degrees-of-Freedom) sensor 3x custom view keys, pan zoom rotate the 3d model, integrated keypad with full color Lcd for 12 commands palmrest - up to 31 programmable buttons, also support Unix Linux
Mo-3SMPW	R 7,043	3dconnexion Space Mouse Pro Wireless - built-in rechargeable battery, micro-USB receiver - 3d mouse/input device for 3d application, pan zoom rotate the 3d model, integrated keypad with palm rest - up to 15 programmable buttons, also support Unix Linux
Mo-3SMW	R 3,758	3dconnexion SpaceMouse Wireless - built-in rechargeable battery, micro-USB receiver, portable 3d mouse/input device for 3d application, pan zoom rotate the 3d model, 2 programmable buttons, 78x78x54mm - also support Linux mac
Mo-3SMWK	R 4,477	3dconnexion Space Mouse Wireless Kit (up to 5 devices) - Mo-3SMW Mo-3CW compact mouse pad 2x tailored carry case - 3dconnexion Space Mouse Wireless - built-in rechargeable battery, micro-usb receiver, portable 3d mouse/input device for 3d application, pan zoom rotate the 3d model, 2 programmable buttons, 78x78x54mm - also support linux mac - 3dconnexion Cad Wireless mouse - designed for CAD professional, Intelligent Ergonomic Design with middle button, side quick zoom buttons or scroll zoom in/out, 7200dpi, 1000hz poll rate, 7x buttons (with quick-access gesture button) - ideal to co-work with 3D Space series mouse - USB or 2.4Ghz receiver or Bluetooth
MO-CM75AW-W	R 1,889	Corsair M75 AIR White WIRELESS Ultra-Lightweight Gaming Mouse
MO-CM75W-K	R 2,142	Corsair CH-931D010 M75 Wireless - Black - 89g lightweight (wired or 2.4Ghz wireless or Bluetooth) - FPS optical gaming mouse - with customizable RGB (16.8m color) LED in 4 zones, on-board memory, with quickstrike buttons 5 programmable buttons with sw
MO-CM75W-W	R 2,142	Corsair CH-931D011 M75 Wireless - White - 89g lightweight (wired or 2.4Ghz wireless or bluetooth) - FPS optical gaming mouse - with customizable RGB (16.8m color) LED in 4 zones, on-board memory, with quickstrike buttons 5 programmable buttons with sw
Mo-LG305W	R 623	Logitech 910-005283 G305 Wireless Lightspeed Gaming Mouse - with HERO adjustable 200-> 12000dpi optical sensor, onboard memory with 6 programmable buttons, Max. Acceleration: 40G, 400iPS, 1000hz report rate - USB
MO-LG305XLBW	R 1,271	Logitech G305 X SUPERLIGHT LIGHTSPEED Wireless Gaming Mouse; HERO 44K optical sensor; up to 44,000 DPI; 678 IPS tracking speed; 59 g weight; LIGHTSPEED wireless; Bluetooth; wired USB-C; rechargeable battery; 130 hours battery life; optional 8 kHz report rate with compatible receiver; black
MO-LG305XLWW	R 1,271	Logitech G305 X SUPERLIGHT LIGHTSPEED Wireless Gaming Mouse; HERO 44K optical sensor; up to 44,000 DPI; 678 IPS tracking speed; 59 g weight; LIGHTSPEED wireless; Bluetooth; wired USB-C; rechargeable battery; 130 hours battery life; optional 8 kHz report rate with compatible receiver; White
Mo-LGPXW-K	R 3,405	Logitech Pro X Superlight Wireless Gaming Mouse - Black, Click tensioning system, No-additive PTFE feet, Onboard Memory, LightSpeed Wireless technology, Powerplay compatible, 5 buttons, Hero sensor, 100 - 25600 dpi Resolution, > 40G Maximum acceleration, > 400 IPS Maximum speed, 1000 Hz USB report rate, 70h Constant motion battery life, 910-005881
Mo-LGPXW-W	R 3,625	Logitech Pro X Superlight Wireless Gaming Mouse - White, Onboard Memory, Click tensioning system, 5 buttons, Hero sensor, 100 - 25, 600 dpi Resolution, & gt ; 40G Maximum acceleration, 1000 Hz USB report rate, 70 hour Constant motion battery life, 910-005943
Mo-LLVK	R 1,098	Logitech Lift vertical Ergonomic Mouse - Graphite - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking,

		400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range, 910-006473
Mo-LLVP	R 1,193	Logitech Lift vertical Ergonomic Mouse - Rose - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range, 910-006478
Mo-LLVW	R 1,195	Logitech 910-006475 Lift vertical Ergonomic Mouse - Pale Grey - 2.4GHz / Bluetooth, Logitech advanced Optical Tracking, 400-4000 dpi range, 6 buttons, Logi Bolt USB receiver, 10-m Wireless range
MO-LM171LG	R 154	Logitech 910-006866 M171 cordless notebook mouse, with micro nano receiver, Blue Grey highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
MO-LM171P	R 155	Logitech 910-006865 M171 cordless notebook mouse, with micro nano receiver, Pink highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
MO-LM171W	R 169	Logitech 910-006867 M171 Cordless Notebook Mouse, with micro nano receiver, White highlight, 3 buttons, with smart power management (power off when receiver stored into the mouse), 1000dpi - USB
MO-LM196SK	R 186	Logitech M196 Bluetooth Mouse - Graphite, Line-by-Line Scrolling, 2D Mechanical Scroll Wheel, 12 months Battery Life, 1 AA Battery, 10 m Wireless range, 910-007459
MO-LM240SK	R 260	Logitech M240 silent Bluetooth Mouse - Graphite - 2.4GHz / Bluetooth, Smooth Optical Tracking, 400-4000 dpi range, 3 buttons, Line-by-Line Scrolling, 18 months Battery Life, 910-007119
Mo-LM650K	R 497	Logitech Signature M650 Wireless Mouse - Graphite - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006253
Mo-LM650P	R 497	Logitech Signature M650 Wireless Mouse - Rose - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006254
Mo-LM650W	R 497	Logitech Signature M650 Wireless Mouse - Off White - Bluetooth, Logitech advanced Optical Tracking, 400 dpi nominal value, Up to 4000 dpi Maximum, 5 buttons, Logi Bolt USB receiver, 910-006255
MO-LMXM4	R 2,076	Logitech MX Master 4 Wireless High-Performance Mouse with Haptic feedback - USB-C Bolt receiver - Graphite, Darkfield high Precision Sensor Technology, 8000 dpi Max Resolution, 8 buttons, Scroll Wheel, MagSpeed wheel with Smart Shift, Horizontal scroll, Thumb wheel, 70 days Battery Life, Logi Bolt USB receiver, 910-007562
Mo-LWTME	R 2,700	Logitech 910-005179 Mx Erog Wireless Trackball - with 20Â° angle adjustable hinge for customized comfort, with FLOW technology to work on multi-devices with copy-paste function, with speed and accuracy adjustable button, 2.4 GHz, 8 buttons, tilt wheel, battery indicator light, 320-440dpi optical, unifying receiver
MOS-W085	R 104	Mikuso MOS-W085 Pink 2.4GHz Wireless Mouse, 800 / 1200 / 1600 dpi, 3 buttons, USB Interface, 1x AA Battery required, Up to 10m working distance
MOU-ERGO-8100S-SGREY	R 196	Genius Ergo 8100S AI 2.4GHz Wireless Ergonomic Silent Mouse, USB Type-A receiver, Up to 10 meter working distance, 6 buttons, Copilot AI Button, Voice Button - Microphone Input, 1600 dpi Resolution Max, One AA Alkaline Battery
MOU-ERGO-9000S-PRO	R 269	Genius Ergo 9000s Pro Dual mode Wireless Silent Mouse - Silver, Dual mode - Bluetooth 5.3 / 2.4GHz Wireless, Bluetooth and USB receiver, 6 buttons, Optical Sensor Engine, Up to 2400 DPI Resolution, Built-In Rechargeable Battery
MOU-NX-7000	R 109	Genius NX-7000 2.4GHz Wireless 3 Button Mouse - Black, 1200 dpi, BlueEye Sensor, USB Pico receiver, Power Switch extends Battery Life
MOU-NX-7123-BLK	R 162	Genius NX-7123 Smile Curve Design Wireless Mouse - Black, 2.4GHz RF Frequency, USB Type-A receiver, Up to 10 meters working distance, 4 buttons, AI Copilot Activation Key, Optical Sensor Engine, 1200 DPI Resolution, One AA Alkaline Battery
MOU-NX-7123-BLK-BLU	R 162	Genius NX-7123 Smile Curve Design Wireless Mouse - Black / Blue, 2.4GHz RF Frequency, USB Type-A receiver, Up to 10 meters working distance, 4 buttons, AI Copilot Activation Key, Optical Sensor Engine, 1200 DPI Resolution, One AA Alkaline Battery
MOU-NX-7123-BLK-RED	R 162	Genius NX-7123 Smile Curve Design Wireless Mouse - Black / Red, 2.4GHz RF Frequency, USB Type-A receiver, Up to 10 meters working distance, 4 buttons, AI Copilot Activation Key, Optical Sensor Engine, 1200 DPI Resolution, One AA Alkaline Battery
MOU-NX-8006S-BLK	R 152	Genius NX-8006S Wireless Silent Mouse with USB Type-C receiver - Black, 3 buttons, 1200 dpi Resolution, 1 x AA Battery, Silent Click Button
MOU-NX-8008S-BLACK	R 121	Genius NX-8008S 2.4GHz Wireless Silent Click Mouse - Black, BlueEye Sensor Engine, 1200 dpi Resolution, 3

		buttons, AA Battery Type
MOU-NX-8008S-BLUE	R 121	Genius NX-8008S 2.4GHz Wireless Silent Click Mouse - Blue, BlueEye Sensor Engine, 1200 dpi Resolution, 3 buttons, AA Battery Type
MOU-NX-8008S-RED	R 121	Genius NX-8008S 2.4GHz Wireless Silent Click Mouse - Red, BlueEye Sensor Engine, 1200 dpi Resolution, 3 buttons, AA Battery Type
MR07DHINBL000-0	R 1,955	Mad Catz R.A.T. DWS Wireless Gaming Mouse, PixArt PAW3335db Sensor name, 16000 dpi (Dot per inch) Max Resolution, 40G acceleration, 1ms polling rate, Ergonomic & Right-Handed shape, 14 buttons, 4 Profile, 1 AA Battery, Up to 200 hours on 2.4GHz, Up to 300 hours on Bluetooth 5.0
MSE214	R 527	Genius Navigator T835 Wireless Laser Mouse - Office, Presentation function Controller, 2.4GHz wireless, technology, long working distance
MSE232	R 92	Genius Navigator 900X Blue Laser Mouse, Wireless 2.4GHz digital radio technology, Up to 10 meters working distance
MSE507	R 114	Genius NX7005 Wireless Mouse - 3 Button, Optical Blue Eye Engine, Ergonomic Design, Supports USB Interface, Mini Mouse, Black
MSE522	R 182	Genius ECO-8100 2.4GHz USB Pico receiver Wireless Mouse - Black, Blue Eye Sensor engine, 3 buton mouse, 800 - 1600 DPI Resolution
MSE525	R 114	Genius NX-7005 Red Wireless Mouse
MSE534	R 182	Genius ECO-8015 optical Wireless Mouse Silver, 800 - 1600 Resolution (dpi), 3 buttons, 2.4 GHz RF Frequency
MU001-90372	R 177	UGreen Black Portable 2.4GHz Wireless Mouse. 2.4GHz USB receiver; Adjustable DPI 1000/1600/2000/4000; Silent-click buttons; Ergonomic design; Compatible with Windows, macOS, Linux, Chrome OS, Android; Requires 1 x AA battery (not included); Dimensions: 10.9 x 6.05 x 3.0 cm; Weight: 60 grams; Black color; Ideal for office work, browsing, light gaming, travel, remote work, home office, presentations, study sessions, digital design; Mid-range performance tier
MU001-90373	R 177	UGreen Portable 2.4GHz Wireless Mouse - Grey, 4000 dpi Max Resolution, 1.5V AA Battery (Not included)
MU001-90374	R 177	UGreen Green Portable 2.4GHz Wireless Mouse. 2.4GHz wireless; 1000-4000 DPI adjustable; silent-click; 18-month battery life; USB receiver; compatible with Windows, macOS, Chrome OS, Linux; dimensions: 10.9 x 6.05 x 3.0 cm; weight: 0.06 kg
MU006-25752	R 187	Ugreen MU006 2.4GHz Wireless Optical Mouse - Red, 4000 dpi Max Mouse sensitivity, 2.4GHz Wi-Fi receiver operating Frequency, Up to 15 m signal range, 1x AA Battery
MU006-25753	R 187	UGreen MU006 Blue 2.4GHz Wireless Optical Mouse. 2.4GHz connectivity; 4000 DPI; ergonomic design; silent clicks; 5 buttons; up to 15m range; 1 x AA battery; compatible with Windows, Mac OS, Chrome OS, Linux; blue color; dimensions: 11 x 7 x 3.5 cm; weight: 0.08 kg
MU006-90855	R 187	UGreen MU006 2.4GHz Wireless Optical Mouse - Black, 4000 dpi Max Mouse sensitivity, 2.4GHz Wi-Fi receiver, 1 x AA Battery
MU008-25444	R 297	UGreen Multi-mode Vertical Mouse Bluetooth and 2.4GHz Wireless - Black, Connectivity - Bluetooth 5.0 / 2.4GHz Wireless (USB receiver), 4000 dpi Max - adjustable via dpi Switch, 8 buttons, 99% Silent, Vertical Ergonomic shape with 57 degrees angle for Natural hand/wrist position, 1x AA Alkaline Battery (Battery not included)
MXK53Z/A	R 1,484	Apple Magic Mouse - White Multi-Touch Surface, Model A3204, Bluetooth, USB-C Port, Wireless
MXK53Z/A	R 1,419	Apple Magic Mouse - White Multi-Touch Surface, Model A3204, Bluetooth, USB-C Port, Wireless
MXK63Z/A	R 1,852	Apple Magic Mouse - Black Multi-Touch Surface, Model A3204, Bluetooth, USB-C Port, Wireless
MXK63Z/A	R 1,773	Apple Magic Mouse - Black Multi-Touch Surface, Model A3204, Bluetooth, USB-C Port, Wireless
MXK93ZM/A	R 2,358	Apple Magic Trackpad - White Multi-Touch Surface, Model A3120, Bluetooth, USB-C Port, Wireless
MXK93ZM/A	R 2,306	Apple Magic Trackpad - White Multi-Touch Surface, Model A3120, Bluetooth, USB-C Port, Wireless
MXKA3ZM/A	R 2,714	Apple Magic Trackpad - Black Multi-Touch Surface, Model A3120, Bluetooth, USB-C Port, Wireless
MXKA3ZM/A	R 2,670	Apple Magic Trackpad - Black Multi-Touch Surface, Model A3120, Bluetooth, USB-C Port, Wireless
NBDE545-BBDN	R 1,781	Dell Alienware 545-BBDN AW720M Tri-mode Wireless Gaming Mouse - Dark Side of the Moon, 2.4 GHz WiFi, USB-C, Bluetooth 5.1, 26000 dpi movement Resolution, 1000 Hz polling rate, 50 g Maximum acceleration, Auto-calibration, Adjustable Scrolling wheel, Braided cable, Ambidextrous design, 8 programmable buttons, Magnetic snap, 5 On-the-Fly dpi settings, Detachable cable, 16.8 million AlienFX Lighting, Fast charging, 70 million

		clicks, 1 RGB Zone
NBDE545-BBDO	R 1,781	Dell Alienware 545-BBDO AW720M Tri-mode Wireless Gaming Mouse - Lunar Light, 2.4 GHz WiFi, USB-C, Bluetooth 5.1, 26000 dpi movement Resolution, 1000 Hz polling rate, 50 g Maximum acceleration, Auto-calibration, Adjustable Scrolling wheel, Braided cable, Ambidextrous design, 8 programmable buttons, Magnetic snap, 5 On-the-Fly dpi settings, Detachable cable, 16.8 million AlienFX Lighting, Fast charging, 70 million clicks, 1 RGB Zone
NBDE545-BBFB	R 1,459	Alienware AW620M Dark Side Of The Moon Wireless Gaming Mouse
NBDE545-BBFC	R 1,459	Alienware AW620M Lunar Light Wireless Gaming Mouse
NBDE570-AAMH	R 229	Dell WM126 Wireless Optical Mouse; 2.4GHz RF; USB nano receiver; 1000 DPI; 3 buttons; scroll wheel; 1 x AA battery; up to 12 month battery life; ambidextrous; black; 94.82 x 57.31 x 35.60mm; 80g
NBDE570-ABHI	R 746	Dell 570-ABHI MS5320W multi-device optical Wireless Mouse, Titan Grey, 7 buttons quantity, 1600 dpi Resolution, Swift pair, Shortcut buttons, AA Type battery, Wireless 2.4 GHz, Bluetooth 5.0
NBDE570-ABHK	R 378	Dell MS3320W Black Mobile Wireless Mouse
NBDE570-ABHL	R 516	Dell 570-ABHL Mobile Pro Wireless optical Mouse - MS5120W, Titan Grey, 2.4 GHz & Bluetooth 5.0 Interface, 7 buttons, 1600 dpi movement Resolution, Swift pair, AA Type battery
NBDE570-ABHO	R 516	Dell 570-abho MS5120W Pro optical Wireless Mouse - Black, Wireless 2.4 GHz, Bluetooth 5.0, 7 buttons, 1600 dpi Resolution, Swift pair, AA Type battery
NBDE570-ABLO	R 827	Dell 570-ABLO MS7421W Premier rechargeable Wireless Mouse, Platinum Silver, 2.4 GHz & Bluetooth 5.0 Interface, 7 buttons Mouse, 4000 dpi movement Resolution, USB-C charging cable, Up to 6 months run time
NBDE570-ABOC	R 355	Dell 570-ABOC MS300 Full-size Wireless Mouse, USB Wireless receiver, Optical movement detection, 3 buttons, 4000 dpi Resolution, Mechanical Scroll Wheel, 36 months run time
NBDE570-ABPY	R 286	Dell 570-ABPY MS3320W Mobile Wireless Mouse - Ash Pink - Dual mode connectivity, Dongle & Bluetooth, Optical LED movement detection Technology, 3 buttons quantity, Up to 4000 dpi, Mechanical Scroll Wheel, 1 AA Battery
NBDE570-ABPZ	R 355	Dell 570-ABPZ MS3320W Mobile Wireless Mouse - Midnight Green - Dual mode connectivity, Dongle & Bluetooth, Optical LED movement detection Technology, 3 buttons quantity, Up to 4000 dpi, Mechanical Scroll Wheel, 1 AA Battery
NBDE570-ABQN	R 953	Dell 570-ABQN MS700 Bluetooth Travel Mouse, Optical LED, 2 buttons, 4000 dpi, Touch scroll, Swift pair, 2 AAA batteries, 24 months run time
NBDE570-BBCB	R 1,574	Dell MS900 Rechargeable Multi-Device Wireless Mouse
NBDE570-BBDM	R 827	Dell 570-BBDM MS7421W Premier Rechargeable Wireless Mouse - Graphite Black, 2.4GHz & Bluetooth 5.0, 7 buttons quantity, Up to 4000 dpi, 1m cable length, Rechargeable Battery, USB-C charging cable, 6 months run time 80
NBDE570-BBFX	R 953	Dell 570-BBFX MS700 Bluetooth Travel Mouse - Misty Blue, 2 buttons, Optical LED movement detection Technology, 4000 dpi Max, Touch scroll, Swift pair, 2 AAA batteries, 24 months run time
NBDE570-BBJH	R 482	Dell 570-BBJH MS355 Silent Wireless Mouse, Bluetooth, Optical LED movement detection, Adjustable from 600 to 4020 dpi, 3 buttons, Scroll Wheel, Symmetrical Ergonomic Fit, 3 Year Maximum Battery run time
NBDE570-BBLF	R 332	Dell 570-bblf Pro 5 Wireless Mouse - MS526, Optical, 1600 to 6000 dpi Resolution, 3 programmable buttons, Scroll Wheel scroller Type, Symmetrical Ergonomic Fit, USB Type-A Wireless receiver Interface, 1x AA battery, 4 Year Maximum Battery run time
NBDE570-BBLH	R 608	Dell 570-BBLH Pro 7 Silent Wireless Optical Mouse - MS726, Bluetooth / 2.40 GHz Radio Frequency, 800 to 6000 dpi Resolution, 3 programmable buttons, Textured scroll, Side grip, Adaptive scroll, USB Type-A Wireless receiver Interface, 1x AA Battery, 3 Year Maximum Battery run time
NBHP3B4Q5UT	R 429	HP 3B4Q5UT 435 Multi-Device Wireless Mouse, Connects to up to two devices simultaneously, Supports USB Type-A Nano Dongle or Bluetooth connectivity, Resolution of up to 4000 dpi for fast Cursor Tracking, Features multi-surface Sensor Technology for use on most surfaces, Includes 5 buttons with 4 programmable options, Battery Life lasts up to 24 months on one AA Battery, Includes USB Type-A Dongle and one AA Battery in the box.
NBHP7M1D5AA	R 412	HP 7M1D5AA 425 programmable Bluetooth Mouse, Part number, Up to 4000 dpi Resolution for multi-surface Tracking, Supports connection to three devices simultaneously via Microsoft Swift pair, Features Six programmable

		buttons and one additional Button controlled by the HP accessory center App, Includes an enhanced 4-way Tilt wheel for horizontal and Vertical Scrolling, Provides up to 24 months of Battery Life using a single AA Battery, Operates with Quiet click Technology for reduced noise
NBHPAZ7B2AA	R 313	HP AZ7B2AA 400 Quiet Black Wireless Mouse, Up to 24 months Battery Life, 1x AA Battery Type, Up to 6000 dpi Resolution, Bluetooth Version 5.2, Multi Surface Tracking Sensor Technology, 5 programmable buttons, USB Dongle
NBHPAZ7B4AA	R 313	HP AZ7B4AA 400 Quiet Dual Blue Wireless Mouse, Wireless Mouse with Bluetooth 5.2 and 2.4GHz Dongle connectivity, Up to 6000 adjustable dpi Resolution for multi-surface Tracking, Up to 24 months Battery Life Powered by one AA Battery, Features five buttons including center Button for Microsoft wheel settings, Durable Liquid Silicone rubber finish in Blue Colour, Silent Click Technology for Quiet Operation, 2D Scroll Wheel supports Vertical and horizontal Scrolling
NBHPAZ7B5AA	R 313	HP AZ7B5AA 400 Quiet Dual Pink Wireless Mouse, Pink Colour with Liquid Silicone rubber finish, Up to 6000 dpi adjustable Resolution, Bluetooth 5.2 and 2.4GHz USB Dongle connectivity, Up to 24-month Battery Life on one AA Battery, Ambidextrous Design with 5 buttons, Multi Surface Tracking Sensor Technology, AES 128 bits Encryption Security, Includes USB Dongle and one AA Battery in the Box, 2D Scroll Wheel supporting Vertical and horizontal scrolling.
NBHPAZ7B6AA	R 313	HP AZ7B6AA 400 Quiet Dual Maple Wireless Mouse, Wireless Mouse with Bluetooth 5.2 and 2.4GHz Dongle connectivity, Up to 6000 dpi adjustable Resolution for multi-surface Tracking, Up to 24 months Battery Life Powered by 1 x AA Battery, Ambidextrous Design featuring durable Liquid Silicone rubber, Quiet click Technology for Silent Operation, 5-button Configuration including center Button Access, AES 128 bits Encryption Security Standard, Features a 2D Scroll Wheel for Vertical and horizontal Scrolling, includes USB Dongle
NBHPAZ7B7AA	R 313	HP AZ7B7AA 400 Quiet Wireless Mouse - Purple, Wireless connectivity via Bluetooth 5.2 or 2.4GHz Dongle up to 10 m range, Up to 6000 adjustable dpi Resolution with Multi Surface Tracking Sensor, Up to 24-month Battery Life Powered by 1 x AA Battery, 5 programmable buttons including center Button for Microsoft wheel setting, 2D Scroll Wheel supporting Vertical and horizontal Scrolling, Durable Liquid Silicone rubber Design in five Colour options, AES 128 bits Encryption Security Standard, Includes USB Dongle and 1x AA Battery in the Box
NBHPX6W31AA	R 224	HP X6W31AA 200 Black Wireless Mouse, USB nano receiver, Contoured comfort, 2x AAA batteries, 1000 dpi optical sensor
NBLE4X30H56886	R 526	Lenovo 4X30H56886 Professional Wireless Laser Mouse - full size, Reliable 2.4GHz Wireless connection with multiple pairing Protocol, 2 Year battery life with LED indicator, High-resolution Laser sensor, 5 buttons & 4-way Precision Scrolling
NBLE4X30M56887	R 307	Lenovo 4X30M56887 Essential Wireless Laser Mouse, Precise 1200 dpi optical sensor., Connect compatible Lenovo devices with just 1 nano receiver, 3 Buttons, Ambidextrous design, 1x AA battery for 12 months battery life
NBLE4Y50X88822	R 482	Lenovo 4Y50X88822 ThinkPad Bluetooth Silent Mouse, 3 buttons, 2400 dpi, Blue Optical Sensor, 1x AA battery, 2-way Scroll Wheel
NBLE4Y50X88824	R 482	Lenovo 4Y50X88824 ThinkPad Bluetooth Silent Mouse, Dual-host Bluetooth 5.0, Blue Optical Sensor, Up to 12 months battery life, 3 buttons, 2400 dpi, 1x AA battery, 2-way Scroll Wheel
NBLE4Y51C21216	R 767	LENOVO 4Y51C21216 Go USB-C Wireless Mouse, 1.5 hours full charge time, Up to 2 - 3 months in single charge, 2.4GHz Wireless, Nano USB-C receiver, Lenovo unified pairing support, 2-way Scroll Wheel, 3 buttons, 2400 dpi
NBLE4Y51C33792	R 986	Lenovo 4Y51C33792 Go Wireless Vertical Mouse, On-the-Fly dpi Button, 2-way Scroll Wheel, 6 x buttons, 45 degrees vertical angle, Storm Grey with natural cork, 2.4GHz Wireless via USB receiver
NBLEGX30K79401	R 186	Lenovo GX30K79401 IdeaPad 300 Wireless Compact 3 Button Laser Mouse, USB nano receiver, 10m range
NBLEGY50R91293	R 164	Lenovo GY50R91293 400 Wireless Mouse, 2.4 GHz Wireless via nano USB, Scroll Wheel, 1200 dpi, 3 buttons, Ambidextrous design
OCFCBMR59	R 804	Microworld FC Barcelona MR59 Wireless 3-in-1 Gaming Mouse, Bluetooth / 2.4G / Type-C connectivity, PixArt 3389 Sensor, Up to 26000 dpi
OCMR22WLGY	R 362	OCPC MR22 Wireless Gaming Mouse 7200 dpi - Gray, 7200 dpi Optical Resolution, 3.5 hrs USB charging time, 70 hrs usage time without RGB, 20 hrs usage time with RGB, Breathing RGB Lighting effect, 45 IPS Frame rate, 6000 fps Tracking Speed

OCPSBZ750	R 1,149	OCPC Energia BZ750 750W Bronze 80 Gen5 ATX Power Supply unit, 80 Plus Bronze efficiency rating, Non-Modular, 120mm hydraulic bearing fan, 1x (20 4 pin) Main board (24 pin), 2x 4 4 pin CPU (EPS), 2x connectors (6 2 pin) PCI-e, 4x connectors SATA, 2x connectors PATA (Molex), Flat Black cables
P521 TUF GAMING MINI WL M	R 1,666	Asus TUF Gaming Mini 12000 dpi Wireless Mouse Hatsune Miku Edition, Underglow Lighting, Aura Sync, 1x USB Wireless receiver, 1x Hatsune Miku grip tape Set, 1x 2-meter paracord
PM-0101X1-DZA	R 319	Shogun Bros. Chameleon X-1 Wireless Gamepad Mouse- Essential Purple 1600DPI. Front wheel: Lock / unlock mouse buttons, Press " select" for 5 seconds - toggle remote control mode, Press " Start" for 5 seconds - toggle game-pad.
RAPOO 1620	R 148	Rapoo 1620 Wirelss Optical Mouse, Wireless, 1000 DPI, Ambidextrous, Enlongated design
RAPOO B20	R 132	Rapoo B20 - Silent, wireless optical mouse, Silent, Wireless, 1000 DPI, Ambidextrous, Elongated design
RAPOO EV250	R 321	Rapoo EV250 Ergo Wireless Optical Mouse, Wireless, 60Â° vertical angle for improved wrist posture, Textured surface
RAPOO M100	R 236	Rapoo M100 Silent Multi-mode Wireless Mouse, Bluetooth, Silent, Multi-mode
RAPOO M100 Blue	R 256	Rapoo M100 Multi-More wireles Mouse Blue, Bluetooth or Wireless Dongle, 3 buttons, Silent click, 1300 dpi, optical Tracking technology
RAPOO M160	R 190	RAPOO M160 Silent Multi-mode Wireless Mouse, Bluetooth, 2, 4GHz, 9-month Battery Life, Noiseless right and left Button
RAPOO M200	R 229	Rapoo Multi-mode Wireless Silent Optical Mouse M200 Silent, Bluetooth, Wireless (Dongel), Up to 10 m range, 3 buttons, Silent Click, 1300 adjustable dpi, Optical Tracking Technology, 1 AA Alkaline Battery, 9 months Battery Life
RAPOO M650	R 316	Rapoo M650 Multi-mode Wireless Optical Mouse - Black, Bluetooth & 2.4GHz Wireless, 1300 dpi, Two way Scroll Wheel, 1x AA Alkaline Battery, Up to 9 months Battery Life, The side of the Mouse is made of rubber
RAPOO M650 - Pink	R 316	Rapoo M650 Multi-mode Wireless Optical Mouse - Pink, Bluetooth & 2.4GHz Wireless, 1300 dpi, Two way Scroll Wheel, 1x AA Alkaline Battery, Up to 9 months Battery Life, The side of the Mouse is made of rubber
RAPOO M650 White	R 316	Rapoo M650 Multi-mode Wireless Optical Mouse - White, Bluetooth & 2.4GHz Wireless, 1300 dpi, Two way Scroll Wheel, 1x AA Alkaline Battery, Up to 9 months Battery Life, The side of the Mouse is made of rubber
RAPOO M760L - Black	R 1,034	Rapoo M760L - Large Multi-mode Wireless Mouse - Black, Up to 10 m range, 10 buttons, 2.4GHz & Bluetooth, Adjustable 4000 dpi HD Sensor, Side scroll-wheel & dpi Switch, Programmable buttons, Rechargeable Lithium Battery (800 mAh), Nano USB receiver
RAPOO M760L - Pink	R 1,034	Rapoo M760L - Large Multi-mode Wireless Mouse - Pink, Up to 10 m range, 10 buttons, 2.4GHz & Bluetooth, Adjustable 4000 dpi HD Sensor, Side scroll-wheel & dpi Switch, Programmable buttons, Rechargeable Lithium Battery (800 mAh), Nano USB receiver
RAPOO-M308-PINK	R 239	Rapoo M308 Multi Mode Wireless Mouse - Bluetooth 5.0 and Wireless 2.4GHz Connectivity, Connect Up to 3 Devices and Easily Switch, Up to 12 Months of Battery Life, Ambidextrous Design For Both Right and Left Handed Users, Color Pink, Retail Box
RCT CM-623BK	R 100	RCT CM-623BK Wireless Optical Mouse, 2.4GHz Wireless, USB Nano receiver, Optical Sensor Type, Adjustable 800 / 1200 / 1600 dpi Resolution, 3 buttons, 1 x AA Battery (Included)
RCT GM-193B	R 112	RCT GM-193B Wireless Bluetooth Mouse, 6 Button with user selectable dpi Switch, 800 / 1000 / 1600 dpi, Nano receiver
RD-BM-2944	R 74	Redragon BM-2944 2.4GHz 4000 dpi Wireless Optical Mouse - Black, KA8G2 BK8092 Sensor, 2.4GHz Wireless connectivity, 4000 dpi Maximum, 1000Hz polling rate, 4x buttons, 1 x AA Battery
RD-BM-4054	R 53	Redragon BM-4054 Wireless Mouse 1600 dpi Black, 1x AA Battery
RD-BM-4091-PRO	R 87	Redragon BM-4091 Pro 26000 dpi Dual mode Wireless Gaming Mouse - Black, Wired / 2.4GHz / Bluetooth connectivity, CX52860 P9339 4056 Sensor model, 26000 Max dpi, 8000Hz Max polling rate, 5 1 buttons, 5 programmable buttons, 400mAh Battery capacity
RD-M690-PRO	R 329	Redragon Mirage Pro 8000DPI RGB Wireless Gaming Mouse - Black
RD-M693-RGB	R 253	Redragon Trident Pro 8000DPI RGB Gaming Mouse - Black,
RD-M719RGB-PRO	R 324	Redragon M719 Pro Invader 10000 dpi 2.4GHz Wireless Gaming Mouse - Black, USB Type-A Dongle or Wired connectivity, On board Memory, Huano Mouse Button Type, USB Type-C, 10000 dpi Max, PAW3325 Optical PixArt

		Sensor, 20G acceleration, 8 programmable buttons, Rechargeable via USB Type-C Battery
RD-M730-WL	R 199	Redragon Naga RGB 10000 dpi Wireless Mouse - Black, Black Ergonomic Right-Handed Design, Tri-mode connectivity Wired Type-C / 2.4G Wireless / Bluetooth, Max dpi of 10000 dpi across five adjustable levels, 1000 Hz Max polling rate switchable, 7 buttons total with 6 programmable Keys, Left and right Button Switches rated for 10 million clicks, 700 mAh Built-In Rechargeable Lithium Battery, Vivid RGB backlighting included, Includes Type-C charging cable
RD-M808-RGB	R 269	Redragon STORM, 12400DPI, 7 Buttons, Ergonomic Design, P3327 Optical Sensor, Lightweight Body, RGB Backlit gaming Mouse - Black
RD-M810RGB-MAX	R 345	Redragon Taipan Max 12000 dpi Wireless Gaming Mouse - Black, Tri-mode connectivity, Wired Type-C, 2.4GHz Wireless USB Receiver, Bluetooth, High-Precision Optical Sensor (CX52850e PAW3311) delivers up to 12000 dpi, Maximum polling rate reaches 1000Hz for responsive Cursor movement, 10 buttons total with 8 fully programmable via Software, Built-In 1000 mAh Rechargeable Lithium Battery, Ergonomic Right-Handed shape features textured grip zones and ABS build, RGB backlighting
RD-M810RGB-PRO	R 365	Redragon Taipan Pro Black 10000DPI RGB Wireless Gaming Mouse
RD-M916P-PRO-1K	R 603	REDRAGON M916 PRO 1K Pink 3-Mode Wireless Gaming Mouse
RD-M995-PRO	R 409	Redragon FYZU M995 Pro Wireless Gaming Mouse - Black, Connection - Bluetooth / 2.4GHz / Type-C Wired, 1 Lithium Polymer, 26000 dpi Max, Optical Sensor 3395, 6x Macro buttons, Backlit wheel scroll
RII-RM105	R 52	Rii RM105 wired USB optical mouse; adjustable DPI 800-2400; ergonomic RGB lighting; compatible with Windows Mac Linux Chrome OS
RII-RM105-P	R 52	Rii RM105 Pink wired USB optical mouse; ergonomic design; 3 adjustable DPI levels; plug and play; compatible Windows macOS Linux; USB cable approx 150 cm; pink color
RII-RM700-BLK	R 71	Rii RM700 2.4G Soft Click Black Wireless Mouse With Nano USB
RII-RM700-GRN	R 71	Rii RM700 2.4G Soft Click Green Wireless Mouse With Nano USB
RII-RM700-ORN	R 71	Rii RM700 2.4GHz soft click Orange Wireless Mouse with Nano USB, Nano receiver, 5x buttons, 1000 DPI reslution, Soft-click buttons
RII-RM700-PINK	R 71	Rii RM700 2.4g Soft Click Pink Wireless Mouse With Nano USB
RII-RM700-PURP	R 71	Rii RM700 2.4G Soft Click Purple Wireless Mouse With Nano USB
ROGCROSSHAIRX870EEXTREME	R 21,672	Asus ROG Crosshair X870E EXTREME X870E Chipset AMD Ryzen AM5 Socket E-ATX Gaming Motherboard, 4 x DIMM slots, max. 256GB, DDR5, 2 x USB4 (40Gbps) ports (2 x USB Type-C), 10 x USB 10Gbps ports (8 x Type-A 2 x USB Type-C), 1 x HDMI port, 1 x Wi-Fi Module, 1 x Realtek 5Gb Ethernet port, 1 x Marvell AQtion 10Gb Ethernet port, 2 x LED-illuminated audio jacks, 1 x Optical S/PDIF out port, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 2 x 4-pin Chassis Fan headers, 2 x 4-pin Radiator Fan headers, 2 x W_PUMP headers, 1 x VRM Heatsink Fan header, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 1 x 8-pin PCIe Power connector, 3 x M.2 slots (Key M), 1 x DIMM.2 slot supports 2 x M.2 slots (KeyM), 1 x SlimSAS connector, 4 x SATA 6Gb/s ports, 1 x USB 20Gbps connector (supports USB Type-C), 1 x USB 10Gbps connector (supports USB Type-C), 2 x USB 5Gbps headers support 4 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 1 x 6-pin ARGB Gen 2 header to support 2 x ARGB Gen 2 headers, 2 x Addressable Gen 2 header, 1 x Alteration PCIe mode switch, 2 x BCLK button, 1 x BIOS Switch, 1 x FlexKey button, 1 x Front Panel Audio header (F_AUDIO), 1 x LN2 Mode jumper, 12 x ProbeIt Measurement Points, 1 x ReTry button, 2 x RSVD switchs, 1 x RSVD header, 1 x Safe Boot button, 1 x Slow Mode switch, 1 x Start button, 1 x 10-1 pin System Panel header, 1 x Thermal Sensor header, 1 x Pause switch, E-ATX Form Factor, 30.5 cm x 27.7 cm
SS-62406	R 3,144	Steel Series Aerox 5 Wireless Gaming Mouse, 9 programmable buttons including side panel and flick Switch, SteelSeries TrueMove Air Optical Sensor with 18000 CPI Resolution, 400 IPS Speed and 40G acceleration Performance, Quantum 2.0 Wireless 2.4GHz connection at 1000Hz polling rate, Bluetooth 5.0 connectivity available for Multi-Device use, Up to 180 hours Battery Life in Bluetooth mode, IP54-rated AquaBarrier protection against dust and spills, 3 RGB PrismSync Lighting zones with 16.8 million colours, SteelSeries Mechanical Switches rated for 80 million clicks, 100% virgin grade PTFE Glide skates for smooth movement, Detachable USB-C Super Mesh charging cable included

SS-62523	R 1,359	SteelSeries Rival 3 Wireless Gen 2 Gaming Mouse, Black Symmetrical right-hand Design, TrueMove Air Optical Sensor with 18K dpi and 400 IPS Tracking, Dual Wireless connectivity via 2.4GHz USB Dongle or Bluetooth, 6 Mechanical buttons rated for 60 million clicks, Up to 175-hour Battery Life on 2.4GHz or 450 hours on Bluetooth mode, Includes Rival 3 Wireless Dongle and two AAA Alkaline Batteries
SS-62524	R 1,359	SteelSeries Rival 3 Wireless Gen 2 Gaming Mouse in White, Quantum 2.0 Dual Wireless connectivity with 2.4GHz and Bluetooth support, TrueMove Air Optical Sensor providing up to 18K dpi Resolution, Sensor Speed capability of 400 IPS for True 1-to-1 Tracking, 6 Mechanical buttons designed for claw or fingertip grip styles, Symmetrical right-hand shape with ABS Plastic Core construction, Switch durability guarantee of 60 million clicks, Battery Life up to 175 hours on 2.4GHz mode or 450 hours on Bluetooth, Includes Rival 3 Wireless Dongle and two AAA Alkaline Batteries in the box
SS-62525	R 1,359	SteelSeries Rival 3 Wireless Gen 2 Gaming Mouse in Lavender, Quantum 2.0 Dual Wireless Technology with 2.4GHz and Bluetooth connectivity, TrueMove Air Optical Sensor featuring 18K dpi Resolution, Maximum Tracking Speed of 400 IPS for precise movement, 6 Mechanical Switches rated for 60 million clicks, Battery Life up to 175 hours on 2.4GHz or 450 hours on Bluetooth, Symmetrical shape designed for claw or fingertip grip styles, Includes Rival 3 Wireless Dongle and product information guide, 100% PTFE feet for smooth gliding motion
SS-62526	R 1,359	SteelSeries Rival 3 Wireless Gen 2 Aqua Gaming Mouse, Quantum 2.0 Dual Wireless connectivity with 2.4GHz and Bluetooth support, TrueMove Air Optical Sensor featuring 18K dpi and 400 IPS Tracking Speed, Mechanical Switches rated for 60 million clicks durability, Up to 175 hours Battery Life on 2.4GHz or 450 hours on Bluetooth, Symmetrical right-hand shape designed for claw or fingertip grip styles, Six programmable buttons with adjustable dpi settings ranging from 400 to 3200, 100% PTFE feet for enhanced Glide Performance
SS-62618	R 3,399	Steel Series Aerox 9 Wireless Gaming Mouse, Dual Wireless connectivity with 2.4GHz and Bluetooth 5.0, Up to 180 hours Battery Life in low-power mode, Includes 100% PTFE Glide skates for smooth movement, Tilt-click Scroll Wheel adds three separate functions, SteelSeries TrueMove Air Optical Sensor Technology, CPI range from 100 to 18000 in 100 CPI increments, 1000Hz polling rate for Gaming-Grade Performance, 40G acceleration with Zero Hardware acceleration, 3 RGB illumination zones customizable via Software, Ergonomic Right-Handed shape designed for Palm grip, SteelSeries Mechanical Switches rated for 80 million clicks, Includes USB Type-C to Type-A Super Mesh charging cable
SS-62715	R 2,294	SteelSeries Aerox 3 Wireless Gen 2 Ghost Gaming Mouse, 4K Wireless connectivity with 4000Hz polling rate, Up to 0.25ms response time for near-instant Tracking, TrueMove 26K Optical Sensor supporting up to 26000 dpi, Max Speed of 400 IPS and acceleration up to 40G, Bluetooth V5.0 and 2.4GHz Wireless connection support, Up to 200 hours Battery Life on Bluetooth mode, SteelSeries Mechanical Switches rated for 80 million clicks, 1mm liftoff distance prevents Cursor drift during repositioning, 6 programmable buttons, 3 RGB illumination zones with color-coded dpi indicators
SS-62716	R 2,294	SteelSeries Aerox 3 Wireless Gen 2 Magenta Haze Gaming Mouse, TrueMove 26K Optical Sensor with 400 IPS Speed and 40G acceleration, 4000Hz polling rate delivering 0.25ms response time, dpi range of 100 to 26000 in 100 increments, Up to 200 hours Bluetooth Battery Life or 120 hours at 2.4GHz Wireless, Supports 2.4GHz Wireless and Bluetooth V5.0 connectivity, SteelSeries Mechanical Switches rated for 80 million clicks, 6 programmable buttons with OnBoard Memory storage, 100% PTFE Mouse feet for Zero Drag Glide
SS-62717	R 2,294	SteelSeries Aerox 3 Wireless Gen 2 Shadow Gaming Mouse, 4K Wireless polling rate at 0.25ms response time, TrueMove 26K Optical Sensor with up to 400 IPS and 40G acceleration, dpi range of 100-26000 in increments of 100, Up to 200 hours Battery Life on Bluetooth or 120 hours on 2.4GHz Wireless, Connects via 2.4GHz Gaming Wireless and Bluetooth V5.0, Six programmable buttons with SteelSeries Mechanical Switches rated for 80 million clicks, Liftoff distance adjustable down to 1mm, 100% PTFE Mouse feet for smooth Glide, 3 RGB illumination zones
TRS-23389	R 199	Trust YVI Toucan Wireless Mouse, Retail Box
VERSA 300 W	R 458	MSI Versa 300 Wireless Gaming Mouse. sensor: 8 000 DPI optical; connectivity: 2.4 GHz Bluetooth 5.3 USB-C; weight: 60 g; 6 buttons; up to 50h wireless battery life; diamond-pattern side grips
VK-20127-BK	R 230	VolkanoX Uranium Series 6 button Wireless Mouse - Black, 6 button Mouse with Scroll Wheel, Nano USB receiver, 2 side buttons, 2400 dpi

VK-20197-BK	R 172	Volkano Talc Wireless Mouse - Black, Nano USB receiver. Wireless optical mouse, nano USB receiver, 3 buttons, black colour, 10m range, AA battery powered, compatible with Windows Mac Linux. Ideal for everyday office and home use.
VK-20197-BL	R 172	Volkano Talc Wireless Mouse - Blue, Nano USB receiver. Wireless optical mouse, nano USB receiver, 3 buttons, blue colour, 10m range, AA battery powered, compatible with Windows Mac Linux. Perfect for daily computer use.
VK-20197-PK	R 172	Volkano Talc Wireless Mouse - Pink, Nano USB receiver. Pink wireless optical mouse, 2.4 GHz interface, DPI 1000-1600, 10 m range, AAA powered, plug-and-play.
VK-20197-WT	R 172	volkano talc wireless mouse - white, nano usb receiver. white wireless optical mouse, 2.4 GHz, DPI 1000-1600, USB nano receiver, AAA batteries.
VK-20301-BK	R 437	VolkanoX Ergo Bluetooth Wireless Mouse, Dual connection - Bluetooth / Wireless mode, Up to 1600 dpi Resolution
VK20034BKG	R 123	Volkano Vector Vivid Wireless Mouse - Black 2021, Optical 3-button mouse., Nano USB receiver with a range of 10m, Scroll Wheel, 1000 dpi, VK-20034-BKG
VX-207-BK	R 356	Volkano VX Gaming Kratos Series Premium Rechargeable RGB Gaming Mouse, 6 buttons, Adjustable dpi, Dual mode
WX-KB102	R 245	Syntech WINX DO Simple Wireless Mouse
WX-KB103	R 622	Syntech WINX DO More Wireless & Bluetooth Mouse
WX-KB105	R 113	WINX WX-KB105 DO Essential Wireless Mouse, 2.4GHz Wireless, 3 adjustable dpi levels, 1600 dpi Max, 6-button layout, USB Nano receiver
WX-KB108	R 151	WINX Click Easy 1600 dpi 2.4GHz Wireless Mouse - Black, Wireless 2.4GHz (Includes USB receiver & Type-C Adapter), 20m range, Ambidextrous Form Factor, Optical Sensor, 250Hz poll rate, 1x AA Alkaline Battery (Included), Max 1600 dpi Resolution
WX-KB109	R 151	WINX Click Easy 1600 dpi 2.4GHz Wireless Mouse - White, Wireless 2.4GHz (Includes USB receiver & Type-C Adapter), 20m range, Ambidextrous Form Factor, Optical Sensor, 250Hz poll rate, 1x AA Alkaline Battery (Included), Max 1600 dpi Resolution
WX-KB110	R 151	WINX Click Easy 1600 dpi 2.4GHz Wireless Mouse - Pink, Wireless 2.4GHz (Includes USB receiver & Type-C Adapter), 20m range, Ambidextrous Form Factor, Optical Sensor, 250Hz poll rate, 1x AA Alkaline Battery (Included), Max 1600 dpi Resolution
WX-KB111	R 151	WINX Click Easy 1600 dpi 2.4GHz Wireless Mouse - Purple, Wireless 2.4GHz (Includes USB receiver & Type-C Adapter), 20m range, Ambidextrous Form Factor, Optical Sensor, 250Hz poll rate, 1x AA Alkaline Battery (Included), Max 1600 dpi Resolution
WX-KB112	R 151	WINX Click Easy 1600 dpi 2.4GHz Wireless Mouse - Green, Wireless 2.4GHz (Includes USB receiver & Type-C Adapter), 20m range, Ambidextrous Form Factor, Optical Sensor, 250Hz poll rate, 1x AA Alkaline Battery (Included), Max 1600 dpi Resolution
WX-KB113	R 277	WINX Click More Dual-Mode Wireless Mouse - Black, Wireless 2.4GHz (Includes USB receiver & Type-C Adapter) & Bluetooth, 10m range, Ambidextrous, 6 buttons, Optical Sensor, 1x AA Alkaline Battery (Included), Max 1600 dpi Resolution

< Return to the menu

Mouse accessories

Product code	Price	Description
EAC-MSB001	R 170	Thermaltake Galeru Mouse Bungee, Color Black - Magnet For Easy Assembly
NBDE570-ABKY	R 229	Dell 570-abky WR221 Universal pairing receiver, Titan Grey, 1 x USB - 4 pin USB Type-A

< Return to the menu

Mouse pads

Product code	Price	Description
1030PRO-MP003-2	R 79	Geeko Razer Lights Gaming Mouse Mat - 300 x 700 x 2mm Mat Size, 2mm Thick Optimal Thickness, Comfortable and Stable surface, Enhance Precision and Control, High Quality Fabric, Non-Slip Rubber, Large Size For Mouse and Keyboard, Rubber Base, Retail Box, No Warranty.

11122	R 139	Zykon Gamer Mouse pad
11135	R 139	Zykon Art Mouse pad
29700	R 35	Fellowes Economy MousePads - Blue, 5mm non-skid base
29701	R 35	Fellowes Red Basic Mousepad - H 6 x W 226 x D 190mm
29702	R 35	Fellowes Silver Basic Mousepad - H 6 x W 226 x D 190mm
29704	R 54	Fellowes Economy Mouse Pads - Black, STRIP /: 5mm non-skid base
31250005400	R 205	Genius GX-Pad 300S Mouse Pad RGB Black, 27 x 32 x 0.3 cm size
4044951026395	R 529	Sharkoon 1337 RGB Gaming Mat XL - 450 x 380 x 3mm, Retail Box
4044951027606	R 629	Sharkoon 120CM Round Mat Black/White, Retail Box
421881	R 499	Manhattan Design Laser Mouse Pad- 24 Pad per Box
58021	R 107	Fellowes Blue Mouse Pad
58023	R 41	Fellowes Silver Mouse Pad
58024	R 109	Fellowes Black Mouse Pad
5903801	R 130	Fellowes Earth Series MousePads - Leaves - 95% Recycled material
5933805	R 122	Fellowes Mousepad with Microban Protection Navy - Microban antibacterial protection
5933907	R 122	Fellowes Black Mouse Pad with Microban Anti-bacterial Protection
7666234225362	R 9	Esquire - Official FIFA 2010 Licensed Product-ZAKUMI Celebrate Mouse Pad-Purchase as a mémoire of the 2010 Soccer World Cup in South Africa!, Retail Box, No warranty
7666234225430	R 9	Esquire-Official FIFA 2010 Licensed Product-ZAKUMI Running Mouse Pad-Purchase as a mémoire of the 2010 Soccer World Cup in South Africa!, Retail Box, No warranty
8886419318064	R 1,049	Razer Goliathus Chroma RGB Gaming Mouse Pad - Width: 355 mm, Depth: 255 mm, Thickness: 3 mm, Retail Box
900717	R 135	Port ergonomic GEL Mouse Pad - Black
900717	R 133	Port ergonomic GEL Mouse Pad - Black
9114120	R 526	Fellowes Blue Crystal Gel Mouse Pad/Wrist Rest
9175801	R 454	Fellowes Memory Foam Silver Streak Mouse Pad Wrist Support, Maximum support & comfort
9182201	R 457	Fellowes Health - V Crystals Blue Mouse Pad Wrist Support, Self adjusting gel/ optical friendly
924001	R 223	Port Black Ergonomic Mouse Pad Pro - 300x700
9252003	R 467	Fellowes PlushTouch Mousepad Wrist Support - Black
943-000460	R 313	Logitech G840 Gaming Mouse Pad XL - 400 x 900 x 3 mm, Performance-Tuned Surface, Stable rubber base, 943-000460
943-000778	R 1,005	Logitech G840 XL Cloth Gaming Mouse Pad - 400 x 900 x 3mm, Performance-Tuned Surface, Stable rubber base
943-000785	R 350	Logitech G240 Cloth Gaming Mouse Pad - EWR2, 280 x 340 x 1mm size, 1 mm Ultra-Low profile, Cloth texture, 943-000785
943-000785	R 258	Logitech G240 Cloth Gaming Mouse Pad - EWR2, 280 x 340 x 1mm size, 1 mm Ultra-Low profile, Cloth texture, 943-000785
956-000049	R 317	Logitech Mouse Pad Studio Series mid Grey - 200 mm x 230 mm x 2mm size, 100% recycled polyester, Surface & inner layer, 72% natural rubber, Anti-fraying stitches, 956-000049
956-000054	R 462	Logitech Desk Matt Studio Series Lavender - 300 x 700 x 2mm size, 100% recycled polyester, Surface & inner layer, Anti-slip base, 72% natural rubber, Anti-fraying stitches
A83511-B	R 33	Astrum MP110 Antiskid PVC Mouse Pad; rectangle; anti-slip base; smooth tracking surface; 230 x 230 x 3mm; 45g; optical mouse compatible; gaming; office; home computing
A83521-B	R 138	Astrum MP210 Black Silicone Mouse Pad Wrist Rest; Smooth PU tracking surface; Anti-slip base; PU SBR fabric construction; Left and right hand compatible; 185 x 200 x 22mm; 170g; Office; Home; Gaming
ALMOHATCH	R 137	Alcatroz Hatchwork Mousepad - 225 x 185 mm, Moderate surface friction, Improves mouse control with just the right amount of friction for sudden starts and stops, Perfect for Office or Home Use, Made of pure Natural rubbercloth
ALMOJELLYBEAN	R 137	Alcatroz Jellybean Mousepad - 225 x 185 mm, Moderate surface friction, Improves mouse control with just the right amount of friction for sudden starts and stops, Perfect for Office or Home Use, Made of pure Natural rubbercloth
ALMOXCRAFT	R 137	Alcatroz X-Craft Rubber Mouse Mat

AMP230GB	R 31	Astrum MP230G Mouse Pad - 23X20cmx3mm; Compact Gaming Mouse Pad with waterproof fabric surface, stitched edges, and stable 3mm rubber base
AMP730GG	R 84	Astrum AMP730GG Large Desk Mat with Anti-Fray Stitched Edges & Rubber Base. 700x300mm surface; 4mm cushioned padding; microfibre fabric; anti-fray stitched edges; spill-resistant coating; non-slip rubber base; charcoal grey color
AS-33R	R 344	Armaggeddon AS-33R 33" Gaming Mouse Pad RGB foldable, Anti-skid rubber bottom
ASSAULTAS33H	R 459	Armaggeddon AS-33H Assault Gaming 33" 5mm thick Mouse Pad
BASE47WINGS	R 574	Armaggeddon Base-47 Wings Gaming Floor Mat - Yellow, anti Floor scratching, 4mm thickness, rubber Surface, Anti-Slip underside, 120cm x 120cm size
BGGAD-MPD-ERG	R 139	Body Glove Ergonomic Mouse Pad with a gel-filled cushion which conforms to shape of your wrist offering maximum comfort and support while you work.
BGGAD-MPD-OVR	R 175	Body Glove Oversize Mouse Pad provides ample room to fit your gaming mouse, full-sized keyboard, and other small desk items.
CH-9412660-WW	R 552	Corsair CH-9412660-WW MM200 Pro XL - anti-fray cloth gaming mouse pad - spill-proof stain-resistant coating surface, anti-skid rubber base, extra-thick 6mm micro-woven fabric, 450x400x6mm - retail pack
CH-9413631-WW	R 391	CORSAIR MM300 PRO Premium Spill-Proof Cloth Gaming Mouse Pad â€“ Medium; Black - 360mm x 300mm x 3mm
CH-9413641-WW	R 587	Corsair CH-9413641-WW MM300 Pro Extended - anti-fray cloth Gaming Mouse Pad - spill-proof stain-resistant coating surface, reinforced stitched edges guard against surface peeling, anti-skid rubber base, 3mm micro-woven fabric, 930x300x3mm - retail pack
CH-9413771-WW	R 707	Corsair MM350 Pro Premium Spill-Proof cloth Gaming Mouse Pad, 930 x 400mm extended XL size, Cloth material, Stitched edges, 4 mm thickness
CH-9417070-WW	R 1,484	Corsair MM700 RGB extended Gaming MousePad 930 x400 x 4mm - RGB, 360 degrees of three-zone Dynamic RGB Lighting, Two Port USB Hub, Detachable USB Type-C cable
CH-941B161-WW	R 608	Corsair MM500 v2 Hybrid Cloth Gaming Mouse Pad - Large, Durable anti-fray stitched edges, a sturdy Non-Slip natural rubber base, 450mm x 400mm size
CH-941D040-WW	R 483	Corsair MM Anti-fray Cloth Gaming Mouse Pad - XL, Anti-fray stitching, Micro-weave Cloth material, Natural rubber base material, 930mm x 300mm x 2mm size
CH-941D040-WW	R 530	Corsair MM Anti-fray Cloth Gaming Mouse Pad - XL - 930mm x 300mm x 2mm size, Gaming Mouse Pad with micro-weave Cloth Surface, XL size measuring 930mm x 300mm x 2mm, Natural rubber base material for stability, Anti-fray stitching on All edges, Black Colour finish
CH-941D045-WW	R 530	Corsair MM Anti-fray Cloth Gaming Mouse Pad XL - Gray - 93 x 30 x 0.2 cm, Stitched edges prevent fraying around the border, Cloth Surface designed for Gaming Mouse use, XL Format provides a larger area to move your Mouse, Neutral Gray Colour suits most Desk setups
CH-941D060-WW	R 391	Corsair MM Anti-fray Cloth Gaming Mouse Pad - Large - 450mm x 400mm x 2mm, micro-weave Cloth Mat material, Natural rubber base material, Anti-fray stitching
CH-941D060-WW	R 437	Corsair MM Anti-fray Cloth Gaming Mouse Pad - Large - 450mm x 400mm x 2mm, Micro-weave Cloth Surface material for precise Tracking, Natural rubber base material for stable grip, Dimensions of 450mm x 400mm x 2mm, Anti-fray stitched edges for enhanced durability, Classic Black finish Colour, Suitable for Optical and Laser sensors
CH-941D070-WW	R 598	Corsair MM Anti-fray Cloth Gaming Mouse Pad - 2XL - 930mm x 400mm x 2mm, Micro-weave Cloth Mat material, Natural rubber base material, Anti-fray stitching
CH-941D070-WW	R 657	Corsair MM Anti-fray Cloth Gaming Mouse Pad - 2XL - 930mm x 400mm x 2mm, Micro-weave Cloth Surface material for smooth Glide and accurate Tracking, Natural rubber base material for firm grip and stability, Anti-fray stitched edges prevent wear over time, Suitable for Optical and Laser Gaming mice
CH-941D0A0-WW	R 242	Corsair MM Anti-fray Cloth Gaming Mouse Pad - Medium, Anti-fray stitching, Micro-weave Cloth material, Natural rubber base material, 320mm x 300mm x 2mm size
CH-941D0A0-WW	R 267	Corsair MM Anti-fray Cloth Gaming Mouse Pad - Medium - 320mm x 300mm x 2mm size, Anti-fray stitching, Micro-weave Cloth material, Natural rubber base material, Corsair MM Anti-fray Cloth Gaming Mouse Pad Medium model, Micro-weave Cloth Surface material for smooth Mouse movement, Natural rubber base material provides

		Non-Slip Desk stability, Anti-fray stitched edges improve long-term durability
CH-941D0A5-WW	R 267	Corsair MM Anti-fray Cloth Medium Gaming Mouse Pad - Gray - 320mm x 300mm, Medium Gaming Mouse Pad in Gray, Micro-woven Cloth Surface engineered for optimal Sensor Tracking, Surface Type is Cloth designed for Control, Natural rubber base keeps the pad stable during use, Anti-fray stitched edges resist wear and fraying over time, Stitched edges included on All sides, Suitable for Compact Desk setups
CH-941D0C0-WW	R 1,141	Corsair MM Anti-fray Cloth Gaming Mouse Pad 3XL - Black - 122 x 59 x 0.2 cm, Surface material is micro-woven Cloth, Dimensions are 122 x 59 cm, Thickness measures 0.2 cm, Features stitched edges for Anti-fray durability, Extra-large 3XL Format provides ample Surface area, Low-Profile Design maintains a streamlined Desk look
CND-CMP10	R 233	Canyon MP-10 Mouse Pad - 930 x 430 x 3mm, Gaming print, Colour box, Special Surface Jacquard
CND-CMP8	R 177	Canyon Speed MP-8 Mouse Pad - 500 x 420 x 3mm, Gaming print, Colour box, Special Surface Multi-Spandex
CNS-CMPW5	R 217	CANYON MP-W5, Mouse Mat with wireless charger, Input 5V/2A,9V2A Output 5W/7.5W/10W, 324*244*6mm, USB Type C cable length 1m, Black, 220g, QI standard support, Works with most QI-compatible gadgets, Charging efficiency up to 75%, Surface optimized for all types of mice, Upper side: PU Fiberglass, stitched frame, Bottom side: anti-slip rubber base, Highly wear-proof, Protection from over-voltage, Protection from overheating, Protection from overload, Short-circuit protection, Gets charged via 1m Micro USB cable, Weight: 220G (Mouse not included)
DM-1	R 209	Keychron Black Desk Mat - 90 x 40 x 0.3 cm
DM-11	R 209	Keychron Desk Mat - Purple - 90 x 40 x 0.3 cm, Cloth (Control) Surface Type, stitched edges, clean Grey aesthetic
DM-12	R 209	KeyChron Desk Mat - Pink - 90 x 40 x 0.3 cm, KeyChron Desk Mat - Pink, XXL Desk size Class, Cloth Control Surface for consistent and accurate Mouse Tracking, Stitched edges prevent fraying over time, Solid Pink Colour with subtle KeyChron branding
DM-13	R 209	KeyChron XXL Desk Mat - Grey - 90 x 40 x 0.3 cm, Cloth (Control) Surface Type, stitched edges, clean Grey aesthetic
DSY-MM295	R 79	Disney Toy Story Mini Optical USB Mouse Retail Packaged
DSY-MP001	R 59	Disney High School Musical Mouse Pad Retail Packaged
DSY-MP010	R 59	Disney Princess Mouse Pad Retail Packaged
DSY-MP013	R 59	Disney Princess 3 Princesses Mouse Pad Retail Packaged
DSY-MP081	R 59	Disney Fairies Mouse Pad Retail Packaged
DSY-MP087	R 59	Disney Hanna Montana Pad Retail Packaged
EMP0001SLS	R 308	Thermaltake Dasher Speed Mouse Pad - 400 x 320 x 4mm
EMP0002SMS	R 239	Thermaltake Landon Speed Mouse Pad - 360 x 300 x 3mm
EMP0003SLS	R 274	Thermaltake Pyrrhus Large Mouse Pad - 440 x 350 x 2mm
EMP0004SMS	R 216	Thermaltake Pyrrhus Medium Mouse Pad - 360 x 300 x 2mm
Fifa2010bundle	R 22	Official FIFA 2010 Licensed Product! 2 Mouse pads for the price of 1. TROPHY and Zakumi Pose Mouse Pads. Purchase as a memoire of the World Cup. **Only 3 bundles in stock!**
GELPAD	R 35	Unbranded Gel Mouse Pad, No Mouse Included
GMP-LVT-RGBSXS-01	R 803	Thermaltake Level 20 RGB extended Gaming Mouse Pad
GMP-M16-BLKSXC-01	R 1,838	Thermaltake M900 XXL RGB Mouse Pad, 16.8 million RGB colors back-light, USB Interface, Optimized Surface for superior speed and accuracy, Non-Slip rubberized base. A massive 1600 x 800 mm surface that delivers unrivaled space, style, and performance.
GMPG	R 114	Microworld Gaming Mouse Pad big - Large, smooth Cloth Fabric Surface material, Anti-Slip rubber base material
GRPCCAINBU000-0	R 518	Mad Catz G.L.I.D.E. Pro Camo Gaming Mouse Pad - Blue, Imhotep / Nut Surface material, Proron base material, Water resistant, 480 x 400 x 4mm size
GRPCCAINGR000-0	R 518	Mad Catz G.L.I.D.E. Pro Camo Gaming Mouse Pad - Grey, Imhotep / Nut Surface material, Proron base material, Water resistant, 480 x 400 x 4mm size
GRPCCAINPI000-0	R 518	Mad Catz G.L.I.D.E. Pro Camo Gaming Mouse Pad - Pink, Imhotep / Nut Surface material, Proron base material, Water resistant, 480 x 400 x 4mm size
Logitech Mouse Pad	R 224	Logitech Mouse Pad Studio Series mid Grey - 200 mm x 230 mm x 2mm size, 100% recycled polyester, Surface & inner layer, 72% natural rubber, Anti-fraying stitches, 956-000049
LP668 -25245	R 94	UGreen LP668 Ergonomic MousePad with Wrist Rest - Black, 220 x 245 x 5 mm mm size, Memory Foam PU

		base material, Skin-friendly Fabric Surface, 5 mm thickness, Non-Slip PU base Type
LRG-CMP753	R 209	Lorgar legacer 753 Gaming Mouse Pad ultra-gliding Surface - Purple, Ultra-gliding Surface Type, Double-stitched Edge, Superior Anti-Slip rubber material base, Nylon material, 360 mm x 300 mm x 3 mm size
LRG-CMP755	R 193	Lorgar Legacer 755 Gaming mouse pad Ultra-gliding surface Purple anti-slip rubber base size: 500mm x 420mm x 3mm weight 0.45kg. Model: LRG-CMP755 Ultra-glide surface; Double-stitched edges; Anti-slip rubber base; Water-resistant coating; Compatible with all mouse sensors; Durable material.
LRG-GMP913	R 209	Lorgar Steller 913 Gaming mouse pad High-speed surface anti-slip rubber base RGB backlight USB connection Lorgar WP Gameware support size: 360mm x 300mm x 3mm weight 0.250kg; High-speed surface; 5 RGB modes; Lorgar Platform customizable; Anti-slip rubber base; Optimized for all mice
LRG-GMP919	R 417	Lorgar Steller 919 Gaming mouse pad High-speed surface anti-slip rubber base RGB backlight USB connection Lorgar WP Gameware support, Model LRG-GMP919; Dimensions 900mm x 360mm x 3mm; High-speed textile surface; 5 RGB modes; Customizable via Lorgar Platform; Anti-slip rubber base; Optimized for all mouse sensors
MOU-PAD-GEL-MP01-1	R 98	Lumi GEL Mouse Pad Black 220 x 200 x 20 mm, MP01-1
MOU-PAD-GEL-MP02-1	R 106	Lumi regtangular rubber Mouse Pad Black, 780 x 300 x 5 mm, MP02-1
MOU-PAD-MP06-4	R 240	Unbranded RGB Gaming Mouse Pad - 800 x 300 x 4mm, MP06-4, Multi spandex Fabric & Neoprene
MOUSE-PAD	R 17	Mecer Mouse Pad (Basic). Approximately 225mm x 190mm x 2mm
MP-511-CBEC1	R 362	Cooler Master MP511 MousePad - XL size, Anti fray stitching, Spill resistant, 900x400 x 3 mm , Nature rubber, Cordura fabric
MP-DCM-RGBHMS-01	R 607	Thermaltake Draconem RGB Mouse Pad - 355 x 255 x 4 mm
MP-DCM-RGBSMS-01	R 596	Thermaltake Draconem Rgb Cloth Mouse Pad, Dimension (LXWXH) 355 x 255 x 4mm. Cloth Surface with Textured Weave, Color Black
MP-DSH-BLKSXS-01	R 377	Thermaltake DASHER 2016 Extended Babble Dragon Mouse Pad - 900 X 400 X 4mm
MP-DSM-BLKSMS-01	R 124	Thermaltake Dasher 2016 Mini Slim Battle Dragon Mouse Pad
MPA-MP750-L	R 171	Cooler Master M510 Large Gaming Mouse Mat, Large size: 450 x 350 x 3 MM, Smooth Surface, Thick RGB borders, Water Repellent Coating with splash-proof RGB LEDs
MPA-MP750-M	R 114	Cooler Master MP750 Medium Flexible RGB Mousepad, Medium size: 320 x 270 x 3 MM, Smooth Surface, Thick RGB borders, Water Repellent Coating with splash-proof RGB LEDs
MPBL	R 115	Flexiglow Glass & LED Blue Mousepad
MPS3025-BK	R 52	Orico Natural Rubber Mousepad - 30 x 25 cm x 5 mm
MSE508	R 114	GENIUS MOUSE PAD, GX-SPEED P100
MSE509	R 121	GENIUS MOUSE PAD, GX-CONTROL P100
MSE514	R 113	Msi Gaming Shield Mousepad - 320mm(W) x 220mm(L) x 5mm(H). Comfort and precision, for smaller tables, with ample space for gaming!
MSE521	R 274	Genius GX-P500 RGB Mouse Pad Black, Non-slip rubber base, Full light with RGB color 4 striking visual illumination effects, 255.1 x 355 x 12.2 mm dimensions (W x H x D)
MSE526	R 170	Genius Pad G-Pad 800s Black Mouse Pad, 800 x 300 x 3 mm Size
MSE527	R 132	Genius Pad G-Pad 500s Black Mouse Pad, 450 x 400 x 3 mm size
MSE528	R 86	Genius Pad G-Pad 300s Black Mouse Pad, Dimensions 320 x 270 x 3 mm
MSE529	R 102	Genius Pad G-WP 100 Black Mouse Pad, 460 x 85 x 25 mm size
MSE530	R 98	Genius Pad G-WMP 100 Black Mouse Pad, 250 x 230 x 25mm size
MSE531	R 137	Genius Pad G-WP 200m Black Mouse Pad, 440 x 70 x 25 mm size
MSE532	R 125	Genius Pad G-WMP 200M Black Mouse Pad
MSE533	R 91	Genius Pad QPAD 100 Black Mouse Pad, 134 x 71 x 24 mm size
MULMP	R 115	Flexiglow Glass & LED Tri Mousepad
NBHP8X595AA	R 153	HP 8X595AA 105 sanitizable Mouse Pad - Grey - 230 x 200 x 2 mm, Material consists of rPET Polyester and Natural rubber, Anti-Slip Surface Design, Spill-resistant construction, Sanitizable with household Disinfectant wipes up to 1000 times, Features Anti-fray stitched edges
OCFCBJQRXL	R 276	Microworld FC Barcelona JQR Gaming Mouse Pad XL, Premium Jacquard Fabric, 900mm x 400mm x 5mm size,

		Anti-Slip, Waterproof
OCMPCDRL	R 229	OCPC CDR Gaming Mouse Pad large, The Surface made of Cordura, Excellent resistance to tearing, 450 x 400 x 3mm size
OCMPCDRM	R 171	OCPC CDR Gaming Mouse Pad Medium, The Surface made of cordura, Excellent resistance to tearing, 360 x 300 x 3mm size
OCMPCDRXL	R 374	OCPC CDR Gaming Mouse Pad XL, The Surface made of cordura, Excellent resistance to tearing, 900 x 400 x 3mm size
OCMPJQRL	R 194	OCPC JQR Gaming Mouse Pad Large - 450mm x 400mm x 3mm, Jacquard Professional Fabric Mat material, Natural rubber bottom
OCMPJQRXL	R 229	OCPC JQR Series Professional Mouse mat - XL, 900 x 400 x 3mm size
OCMPLTRMBK	R 144	OCPC LTR Gaming Mouse Pad medium Black - 360mm x 300mm x 3mm, Premier PU leather Mat material, Anti-Scratch Surface, Natural rubber bottom
OCMPLTRMBN	R 144	OCPC LTR Gaming Mouse Pad medium Brown - 360mm x 300mm x 3mm, Premier PU leather Mat material, Anti-Scratch Surface, Natural rubber bottom
OCMPLTRXLBK	R 229	OCPC LTR Gaming Mouse Pad XL Black, 900 x 400 x 3mm size
OCMPLTRXLBN	R 229	OCPC LTR Gaming Mouse Pad XL Brown - 900mm x 400mm x 3mm, Premier PU leather Mat material, Anti-Scratch Surface, Natural rubber bottom
OCPSGJQRXL	R 276	PSG E-Sports Gaming Mouse Matt XL 900mm, 900mm x 400mm, 5mm thickness, Anti-Slip, Waterproof.
PCB-MP-TRACK	R 45	PCBuilder Track Small Mouse Pad - 30 x 25mm, Anti-Slip Natural rubber & Polyester Fabric, 3mm thickness, Stitched edging
PCB-MP-TRAVERSE	R 150	PCBuilder Traverse Large Mouse Pad - 90 x 40 x 0.4 cm, Anti-Slip Natural rubber & Polyester Fabric, 4mm thickness
PJT-OMP085-LARGE	R 137	Tbyte Desk MousePad - 900mm x 400mm x 4mm - large, Anti-Slip Surface, Waterproof material, Mutispandex rubber material
PR-3C	R 596	3dconnexion Cad mouse pad - designed for CAD mouse, optimized surface coating with micro-textured finish non-slip silicone base - 250x350x2mm
PR-3CC	R 385	3Dconnexion Cadmouse pad Compact - 250 x 250 x 2mm - designed for CAD Mouse, Optimized Surface coating with Micro-Textured finish, Non-Slip silicone base
PR-ACMG	R 274	Asus Cerberus Mini Black & Green Gaming Mouse Pad - non-slip natural-rubber base provides 1.3x more grip, 250x210x2mm - retail pack
PR-ACMR	R 220	Asus Cerberus Mini Black & Red Gaming Mouse Pad - non-slip natural-rubber base provides 1.3x more grip, 250x210x2mm - retail pack
PR-ACP	R 297	Asus Cerberus Plus Black & Red Gaming Mouse Pad - non-slip natural-rubber base provides 1.3x more grip, anti-fray stitching, 450x400x3mm - retail pack
PR-ACXXL	R 400	Asus Cerberus XXL Black & Red Gaming Mouse Pad - non-slip natural-rubber base provides 1.3x more grip, anti-fray stitching, 900x440x3mm - retail pack
PR-AiR10	R 263	Adata XPG Infraex R10 RGB Mousepad, with RGB switch button for different lighting effects, 7 colors with 3 modes (mono/ breathing/ cycling), rugged PVC surface with scratch-resistence - 350x250x3.6mm
PR-AiR10+Mo	R 458	Adata xpg Infraex R10 RGB mousepad Infraex M10 RGB gaming mouse - with RGB switch button for different lighting effects , 7 colors with 3 modes (mono/breathing/cycling) , rugged PVC surface with scratch-resistence - 350x250x3.6mm - 800/ 1600/ 2400/ 3200DPi with adjustment buttons, 125Hz ultrapolling, 8G acceleration, with RGB led
PR-ASGC	R 275	Asus Strix Glide Control Gaming mouse pad - premium heavy-weave fabric fabric for accurate controlled movement, fray-resistant design with embroidered edge for comfort and durability, 400x300x3mm - retail pack
PR-ASGS	R 281	Asus Strix Glide Speed Gaming Mouse Pad - luxurious fine-weave fabric for fast gliding movement, fray-resistant design with embroidered edge for comfort and durability, 400x300x3mm - retail pack.
PR-CMM200P-XL	R 518	Corsair CH-9412660-WW MM200 Pro XL - anti-fray cloth gaming mouse pad - spill-proof stain-resistant coating surface, anti-skid rubber base, extra-thick 6mm micro-woven fabric, 450x400x6mm - retail pack
PR-CMM300P-M	R 374	Corsair CH-9413631-WW MM300 Pro Medium - anti-fray cloth Gaming Mouse pad - spill-proof stain-resistant

		coating surface, reinforced stitched edges guard against surface peeling, anti-skid rubber base, 3mm micro-woven fabric, 360x300x3mm - retail pack
PR-CMP750L	R 404	Coolermaster MP750 Large pad - 470x350x3mm
PR-CMP750M	R 359	Coolermaster MP750 Medium pad - 370 x 270 x 3 mm
PR-CW-PVP	R 123	Compad WoW limited edition mouse pad - PVP - 298x235x1.8mm - blizzard world of warcraft licensed : Blizzard
PR-GAMP500	R 474	Gigabyte AMP500 - fabric surface with hybrid silicon base, spill-resistance, heat molding edge - 430x370x1.8mm - retail pack
PR-GAMP900	R 330	Gigabyte AMP900 - micro-fabric surface with rubber base, spill-resistance - 900x360x3mm - retail pack
PR-LDM-DR	R 459	Logitech Desk Matt Studio Series Dark Rose - 300 x 700 x 2mm size, 100% recycled polyester, Surface & inner layer, Anti-slip base, 72% natural rubber, Anti-fraying stitches, 956-000053
PR-LDM-LA	R 459	Logitech Desk Matt Studio Series Lavender - 300 x 700 x 2mm size, 100% recycled polyester, Surface & inner layer, Anti-slip base, 72% natural rubber, Anti-fraying stitches, 956-000054
PR-LDM-MG	R 459	Logitech Desk Matt Studio Series Graphite - 300 x 700 x 2mm size, 100% recycled polyester, Surface & inner layer, Anti-slip base, 72% natural rubber, Anti-fraying stitches, 956-000052
PR-LG840	R 798	Logitech Gaming G840 XL 400x900 mm Mouse Pad, 3 mm low profile, Performance-tuned Surface, 943-000119
PR-LMP-DR	R 206	Logitech Mouse Pad Studio Series Darker Rose - 200 mm x 230 mm x 2mm size, 100% recycled polyester, Surface & inner layer, 72% natural rubber, Anti-fraying stitches, 956-000050
PR-LMP-GR	R 206	Logitech Mouse Pad Studio Series mid Grey - 200 mm x 230 mm x 2mm size, 100% recycled polyester, Surface & inner layer, 72% natural rubber, Anti-fraying stitches, 956-000049
PR-LMP-LG	R 206	Logitech Mouse Pad Studio Series Blue Grey - 200 x 230 x 2mm size, 100% recycled polyester, Anti-slip base, Anti-fraying stitches, 956-000051
PR-RM	R 308	Razer PR-RM Megasoma - hard and soft hybrid tracking, white, high durable translucent silicone, accented with luminous embedded logo, ambient glow, 350x230x2mm - retail pack
PR-ZDoD	R 78	Zboard Day of Defeat - gaming mouse pad - Non slip under-padding , 1.8mm slimprofile , permium gliding surfaces, 300x240mm
PR-ZEQ2	R 78	Zboard EverQuest II : rise of kunark : saga of heros fragmat - gaming mouse pad - Non slip under-padding , 1.8mm slimprofile , permium gliding surfaces, 300x240mm
PR-ZV	R 78	Zboard Vanguard : saga of heros fragmat - gaming mouse pad - Non slip under-padding , 1.8mm slimprofile , permium gliding surfaces, 300x240mm
PXP30XDBLK	R 4,024	Armaggeddon Pixxel PXP 30-XD 30" 200Hz Curved Gaming Monitor; Fast VA panel; WFHD 2560 x 1080 resolution; 21:9 ultrawide aspect ratio; 200Hz refresh rate; 3ms OD response time; R1800 curvature; HDR; AMD FreeSync; NVIDIA G-Sync; 2 x DisplayPort; 2 x HDMI; built-in 3W speakers; VESA 100 x 100mm
Q6LTBLUE-MP004	R 39	Geeko Q-6 Silk Gliding Mouse Pad - 23 x 30 cm Mouse Pad Size, Silk Gliding Surface, Smooth Surface, Low-Friction Movements, Non-Slip Base, Slim, Tidy Design for Home or Office Use, Compatible with Optical and Laser Mice, Color Black and Light Blue, Retail Box, No Warranty.
RD-P006A	R 171	Redragon KUNLUN Large Gaming Pad - 880x420x4mm
RD-P030	R 60	Redragon Flick Black Med Mousepad - 270 x 320mm x 3mm. Re-enforced anti-fray stitching around edges. Integrated molding, natural rubber anti-slip textured bottom, Micro-woven cloth for superior low and high DPI tracking and smooth motion. Waterproof.
RD-P031	R 130	Redragon Flick Black Large Mousepad - 400 x 450mm x 4mm
RD-P032	R 216	Redragon Flick Black Xl Mousepad - 400x900mm
RD-P036	R 102	Redragon Meteor M Gaming Keyboard Wrist Pad - 359 x 73 x 20mm, Keyboard Wrist Rest, 60% compact keyboards compatibility, Smooth feel with soft foam filler
RD-P037	R 112	Redragon Meteor L Gaming Keyboard Wrist Pad - 435 x 73 x 20mm, Keyboard Wrist Rest, 60% compact keyboards compatibility, Smooth feel with soft foam filler
RD-P040	R 454	Redragon Flick XXXL Black Mousepad - 1219x610mm
RD-P041	R 190	Redragon RD-P041 MousePad Xeon XL 400x900mm - Black, High-Density material, Abrasion-Resistant rubber base, 90 x 40 x 0.4 cm dimension
RGB_MOUSEPAD	R 259	Microworld RGB Multi Colour Mouse Pad, 400 mm x 450 mm x 6 mm size, Micro USB connection

ROC-13-050	R 205	ROCCAT Taito Mid-Size 3mm - Shiny Black Gaming Mousepad, Heat-blasted nano matrix, 3 Custom sizes, 2 Different heights, non-slip backing, rugged build
ROC-13-070	R 216	Roccat Siru Pitch Black Cutting-egde Gaming Mousepad - 34 x 25.0 cm
ROC-13-071	R 216	Roccat Siru Cryptic Blue Cutting-egde Gaming Mousepad - 34 x 25.0 cm
ROC-13-105	R 136	Roccat Sense Camo Charge High Precision Gaming Mousepad -400 X 280 X 2mm
ROC-13-107	R 136	Roccat Sense Desert Strike High Precision Gaming Mousepad - 400 X 280 X 2mm
ROC-13-170	R 239	Roccat ROC-13-170 Taito Mid-size Mouse Pad 3.5mm, 400 x 320 x 3.5mm Size, Total Control Surface, Heavy-duty Stitched Border, Rubberized Backing, Long Life Material Rugged Stress-resistant Build
ROC-13-302	R 136	Roccat ROC-13-302 Raivo High Velocity Mouse Pad 2mm, Micro-Granular Speed Surface, Integrated Flex-Support Plate, Ergonomic Shield Shape Non-Slip Rubber Backing, 350.0 x 270.0 x 2.0 mm size
ROC-13-350	R 446	Roccat Dyad Reinforced Cloth Gaming Mousepad - 32.5 cm x 25.5 cm x 0.2cm
ROC-13-400	R 607	ROCCAT Alumnic Hardpad, Double-sided mousebad, Anodized aluminium core, including gel wrist rest, Non-slip rubber feet, High quality material, easy-to-clean surface
ROC-13-410	R 389	ROCCAT Hiro 3D Supremacy Surface Gaming Mousepad, 3D Vulcanized silicone surface, Power bonded construction, Convert-tech surface treatment, force field protective coating, Shock-absorbing base, Premium materials.
ROC-13-411	R 538	Roccat Hiro 3D Supremacy Surface Gaming Mousepad - 35 x 0.3 x 25cm
RW-GP100	R 58	Rogueware L cloth MousePad - 330 x 260 x 3 mm Surface area
RW-GP200	R 86	Rogueware XL cloth MousePad - 400 x 300 x 3 mm Surface Area
RW-GP300-RGB	R 403	Rogueware RGB XXL deskpad Mouse Pad - 800 x 300 x 3mm, RGB Lighting control, Non-slip base
SGSHNS38BL001-0	R 909	Mad Catz G.L.I.D.E. SPEED XL High-Precision Ultra-Smooth Gaming Mouse Pad; Dimensions: 900 x 400 x 3mm; Surface: High-density woven fabric; Base: Odourless anti-slip rubber; Water-repellent surface; Rollable and easy to clean; Uses: PC gaming and desktop computing
SGSNNS16BL000-0	R 230	Mad Catz G.L.I.D.E. 16 Gaming-Grade MousePad, Cloth top Surface materials, Natural rubber base materials, 320 x 270 x 1.8mm size
SGSSNS19BL000-0	R 460	Mad Catz G.L.I.D.E. 19 high Performance Gaming MousePad, Smooth and low-friction Cloth top Surface materials, Odorless Silicon base materials, Water repellent, 395 x 315 x 1.8mm size
SGSTNS24BL000-0	R 449	Mad Catz G.L.I.D.E. Pro Gaming Mouse Pad - Black, Imhotep / Nut Surface material, Proron base material, Water resistant, 480 x 400 x 4mm size
SS-61732	R 4,674	SteelSeries Arctis NOVA 7 Gen 2 Magenta Gaming Headset, Features 50 hour Battery Life with 15 min charge providing 6 hours Play, Supports simultaneous 2.4GHz Wireless and Bluetooth V5.0 connectivity, Equipped with Neodymium Magnetic drivers, 360 degrees spatial Audio, Includes ClearCast Gen 2 retractable Boom Microphone with bidirectional Noise Cancelling, USB-C Dongle, On-Ear controls, Lightweight Metal Steel construction and elastic headband, Box contents include Compact USB-C Wireless Dongle and USB-C to USB Type-A adapter
SS-61744	R 4,674	Steel Series Arctis NOVA 7P Gen 2 Gaming Headset, Wireless Headset with simultaneous 2.4GHz Gaming and Bluetooth V5.0 support, Features 40 mm Neodymium Magnetic drivers for Audio Output, Supports 360 degrees spatial Audio Technology, Battery Life up to 54 hours on 2.4GHz Wireless connection, USB-C Fast Charge provides 6 hours Play time from a 15 minute charge, ClearCast Gen 2 retractable Boom Microphone with bidirectional Noise Cancelling, On-Ear controls, Includes Compact USB-C Wireless Dongle and USB-C to USB Type-A Adapter in box.
SS-63430	R 1,189	Steel Series SteelSeries QCK Perf L Speed MousePad - 490 x 420 x 3.5 mm, Ultra-Low Dynamic friction Surface for Rapid movement, Nylon blend Fabric with interwoven Design, Neoprene foam base prevents Sensor skip, Low-Profile stitched edges prevent fraying, Non-Slip rubber base locks pad in place, Latex-free construction
SS-63431	R 1,359	SteelSeries QCK Perf XL Speed MousePad - 900 x 400 x 3.5 mm, Nylon blend Surface material, Neoprene foam base for stability and no Sensor skip, Ultra-Low Dynamic friction Design for Rapid movement, Low-Profile stitched edges reinforced against fraying, Non-Slip Neoprene rubber base to keep pad locked down, Latex-free construction
SS-63432	R 1,189	SteelSeries QCK Performance L Balance MousePad - 490 x 420 x 3.5 mm, Polyester Fabric Surface with Neoprene foam base, Dimensions 490 x 420 x 3.5 mm, Medium Dynamic friction for Speed and control balance, High stitch count tight Weave texture, Low-Profile stitched edges for durability, Non-Slip Neoprene rubber base,

		Latex-free construction, Sensor skip prevention for consistent movement, Clean with Water and Microfiber Cloth
SS-63433	R 1,359	SteelSeries QCK Performance XL balance MousePad - 900 x 400 x 3.5 mm, 900 x 400 x 3.5 mm dimensions for Large Desk coverage, Polyester Surface material with high stitch count and tight Weave, Neoprene foam base for stability during High-Speed movement, Medium Dynamic friction designed for balanced Speed and Control, Low-Profile stitched edges reinforced to prevent fraying, Non-Slip Neoprene rubber base keeps pad locked in place, Latex-free construction for sensitive users
SS-63434	R 1,189	SteelSeries QCK Performance L Control MousePad - 490 x 420 x 3.5 mm, Polyester blend Surface material, Neoprene foam base layer, Dimensions of 490 x 420 x 3.5 mm, Designed for slow methodical playstyles, Latex-free construction
SS-63435	R 1,359	SteelSeries QCK Performance XL Control MousePad - 900 x 400 x 3.5 mm, Polyester blend Surface material, Neoprene foam base construction, Latex-free Design, Optimized for slow methodical playstyle
SS-63478	R 1,274	SteelSeries QCK Heavy XXL Magenta EU Gaming MousePad - 900 x 400 mm, Extra thick micro-woven Cloth Surface for Maximum wrist Comfort, Non-Slip rubber base designed to eliminate unwanted movement, Easy to clean with warm Water and mild Soap, Optimal Tracking proven by top Sensor manufacturer testing, Micro-woven Cloth Technology Original innovation in Gaming surfaces, Plush depth provides extra Comfort and stability, Hand washable at temperatures below 30 degrees celsius
SS-63479	R 1,019	SteelSeries QCK Heavy Large MousePad in Magenta - 450 x 400mm, Extra thick micro-woven Cloth Gaming Surface, Non-Slip rubber base for stability, Large size option available, Washable with warm Water and mild Soap, Designed for wrist Comfort and reduced strain
SS-63480	R 1,019	SteelSeries QCK heavy L White EU Large MousePad - 450 x 400 mm, Extra thick micro-woven Cloth Gaming Surface, Non-Slip rubber base for stability, Compatible with All Mouse Sensor types, Easy to wash with warm Water and mild Soap
SS-63481	R 1,274	SteelSeries QCK Heavy XXL White EU MousePad - 900 x 400 mm, Extra thick micro-woven Cloth Surface for Maximum wrist Comfort, Unshakeable Non-Slip rubber base prevents unwanted movement, Superior wrist support reduces strain during Long sessions, Easy to clean with warm Water and mild Soap, Durable construction designed for competitive Gaming
SS-63826	R 1,530	SteelSeries QCK Prism Cloth XL Gaming MousePad - 900 x 300 x 4 mm, Dynamic RGB illumination, Surface material is micro-woven Cloth for optimized Optical and Laser Sensor Tracking, Features durable Silicon rubber Non-Slip base to eliminate unwanted movement, Compatible with SteelSeries Engine Software for custom Lighting effects, Supports 2-zone customizable RGB backlighting with 16.8 million Colour options, Enables GameSense integration for in-game alerts and notifications, XL size cable length is 1.8 m
SS-67500	R 1,019	SteelSeries QCK XXL MousePad - 900 x 400 mm x 2mm, Low Profile Gaming Surface with micro-woven Cloth material, Dimensions of 900 x 400 mm and thickness of 2mm, Non-Slip Silicon rubber base for stability, Optimized Tracking accuracy for Optical and Laser sensors, Professional Performance trusted by eSports pros, Designed to provide complete Desktop coverage
VK-20007-BK	R 92	Volkano Slide series mousepad 220x180x3mm, Black, Porous fabric surface, Smooth mouse operation, Cleans your mouse as you use it, Non-slip rubber base
VK-20009-BK	R 149	Volkano Comfort series gel wristguard mousepad, Black, Integrated gel wrist guard for comfortable use, Mousepad constructed of foam and porous fabric, Cleans your mouse while you use it, Non-slip rubber base
VK20007BK	R 158	Volkano Slide series mousepad 220x180x3mm, Black, Porous fabric surface, Smooth mouse operation, Cleans your mouse as you use it, Non-slip rubber base
VK20009BK	R 123	Volkano Comfort series gel wristguard mousepad, Black, Integrated gel wrist guard for comfortable use, Mousepad constructed of foam and porous fabric, Cleans your mouse while you use it, Non-slip rubber base
VX-107-BKRD	R 121	Volkano VX Gaming Battlefield Series Black / Red Medium Gaming Mousepad; micro-textured fabric; non-slip rubber base; stitched edges; 300 x 300 x 3mm; optical and laser mouse compatible; compact gaming surface
VX-108-BKRD	R 138	Volkano VX Gaming Battlefield Series Gaming MousePad - Extra Large Black / Red - 550mm, Non-Slip rubber backing, Reinforced stitched edges, 500 x 300 x 3mm size
VX-109-BKRD	R 241	Volkano VX Gaming Battlefield Series Gaming MousePad - Oversized Black / Red, Non-Slip rubber backing, High density cloth for accuracy, Reinforced stitched edges, 915mm long

VX-174-BK	R 287	Volkano VX Gaming Harmonia RGB MousePad extra wide - 800 x 300 x 4mm, RGB Lighting, Non-Slip rubber backing, Reinforced stitched edges
VX-175-BK	R 207	Volkano VX Gaming Harmonia RGB MousePad - 300 x 250 x 3mm, RGB Lighting, Non-Slip rubber backing, Reinforced stitched edges
VX-177-PK	R 207	Volkano VX Gaming Mythic RGB MousePad - Pink, 9 Colour Lighting modes
W5652-1	R 29	TJ Mouse Pad DARK ORANGE
W5652-6	R 29	TJ Mouse Pad-Colour: LIGHT PINK
W5652-7	R 29	TJ Mouse Pad-Colour: PINK
W5655-1C-BLUE	R 59	Tweety Wrist-Rest Mouse Pad Colour: Blue, Retail Box, No warranty
W5658-T	R 29	TJ Mouse Pad Multi -Colour
WX-MP103	R 189	WINX Glide Black Extra Large Mouse Pad, 4mm thickness, 90 x 40 x 0.4 cm product dimensions, Polyester light fabric Cloth Surface, Stitched edging, WX-MP103
WX-MP104	R 99	WINX Glide Black medium Mouse Pad, 4mm thickness, 45 x 35 x 0.3 cm product dimensions, Polyester light fabric Cloth Surface, Stitched edging, WX-MP104
YEC121	R 14	Microworld Fabric Mouse Pad - 17.5cm X 22cm; Fabric Mouse Pad; Compact Design; Everyday Computer Use; Home And Office Use

< Return to the menu

Numeric keypads

Product code	Price	Description
176354	R 189	Manhattan USB Notebook Numeric Keypad 19Key, Ultra Slim and Lightweight
31300016400	R 147	Genius 110 USB slim Numeric Keypad -black, 19 buttons
900801	R 253	Port 900801 Wired Type-C numeric keypad, compatible USB-C & USB Type-A. 80 cm cable; triple zero, tab, backspace, Num Lock keys; Windows and iOS compatible; compact design.
900802	R 293	Port Connect Bluetooth Rechargeable Numeric Keypad. Windows & macOS compatible; curved keys; USB-C charging; wireless plug-and-play; portable design.
900802	R 295	Port Connect Bluetooth Rechargeable Numeric Keypad. Windows & macOS compatible; curved keys; USB-C charging; wireless plug-and-play; portable design.
A80501-B	R 138	Astrum KB010 USB Numeric Keypad 19 Keys 1.4m Slim, 1.4m USB cable, 19 Keys layout
KBD-NUMPAD-125-USB-A	R 162	Genius NumPad 125 USB - Black, 1.5m cable length, Chocolate Keycap Type, USB Type-A Connector
KBD-NUMPAD-125-USB-C	R 162	Genius NumPad 125 USB - Black, 1.5m cable length, Chocolate Keycap Type
KE-3NP	R 1,129	3Dconnexion NumPad Pro - numeric keys, 5x customizable arithmetic operator keys, 4x dedicated programmable Function keys with On-Screen Display, USB WiFi Bluetooth Wireless, full-sized Palm rest and foldout feet. 3Dconnexion Numpad Pro KE-3NP; wireless numeric keypad; 4 programmable keys 5 customizable operators; ergonomic wrist rest; Bluetooth, USB-C, encrypted wireless; rechargeable Li-Polymer battery (6 months)
KEYPAD	R 81	Microworld Numeric Keypad
KEYPAD-2	R 161	Microworld 2.4Ghz Wireless Numeric Keypad
KP-04U	R 104	Mecer USB Numeric Keypad - Black
NP8U	R 23	Okion Np8U USB Keypad/Calculator, 12-digits LCD calculator, 19 keys USB Keypad, Tax function enabled, USB 2-ways powered by solar and batteries
NUMA3PNK	R 321	Alcatroz Jellybean Num A3 Bluetooth and Wireless NumPad - Crayon Pink, 20 round Keycap Design, Splash proof Design, Compact key layout, Light and Portable
Q0M-M1	R 1,600	KeyChron Q0 Max QMK Gateron Jupiter Red RGB Wireless custom number pad Carbon Black, Gateron Jupiter Red Switch Type, Tri-mode connection - 2.4GHz / Bluetooth 5.1 / Type-C Wired, South-Facing RGB backlighting, Hot-Swappable Switches, Screw-in PCB stabilizer, 1800mAh Rechargeable Li-Polymer Battery
Q0M-M4	R 1,600	KeyChron Q0 Max QMK Gateron Jupiter Banana RGB Wireless custom number pad Shell White, Gateron Jupiter Banana Switch Type, Tri-mode connection - 2.4GHz / Bluetooth 5.1 / Type-C Wired, South-Facing RGB backlighting, Hot-Swappable Switches, Screw-in PCB stabilizer, 1800mAh Rechargeable Li-Polymer Battery
RD-K733-RGB-WL	R 346	Redragon K733 Cove RGB Wireless Mechanical NumPad, Linear Dragon chant Switches, 22 Keys Matrix, 8000 Hz

		polling rate, Gasket Mount Design, RGB backlit Lighting, Built-In Calculator Display, Wired / Tri-Modes Keyboard connectivity, Braided USB Type-C cable included

< Return to the menu

Remote controls - video devices

Product code	Price	Description
009-R15-445	R 149	Aerial King A6 DSTV Explora Remote, Retail Box
JL-1713	R 199	Digitech Jl-1713 Universal Tv Remote Control 5 TV Brands, OEM - Compatible with all Samsung, Sony, LG, Philips and Panasonic models, 6 Month Limited Warranty
JL-1716	R 199	Digitech Jl-1716 Samsung Tv Remote Control, Oem, 6 Month Limited Warranty
JX8030AREMOTE	R 199	UniQue POLAR JX8030A TV Remote Control - FOR MODEL: 59LTV7004, 66LTV7004 - a straightforward replacement for specific Polar TV models, available from select South African retailers. For broader compatibility or if the original remote is unavailable, a universal remote may be an option, but check compatibility and be prepared for programming steps
KWM101REMOTE	R 229	KWorld M101 Media Player Remote Control, OEM, 6 Month Limited Warranty
PVRTV7134SEREMOTE	R 229	KWorld PlusTV TV Tuner Card Remote Control, OEM, 6 Month Limited Warranty
RC114U	R 6	Okion Ir Remote Control For Windows Media Center Edition (Mce)
RM-L1388	R 81	Microworld RM-L1388 Universal LCD/LED TV Remote, Uses 2x AAA Batteries (Not included)
VSTV1440RREMOTE	R 229	KWorld TV Box 1440 Remote Control, OEM, 6 Month Limited Warranty

< Return to the menu

Wireless presenters

Product code	Price	Description
910-001356	R 429	Logitech Presenter R400 - 15 Meter Range, Presentation Controls, Laser Pointer, 2.4GHz Wireless Technology, Storable USB Receiver
910-001356	R 459	Logitech Presenter R400 - 15 Meter Range, Presentation Controls, Laser Pointer, 2.4GHz Wireless Technology, Storable USB Receiver
910-001356	R 518	Logitech Wireless Presenter R400 - 2.4GHz - Arca Hendrix, Class 2 Laser, 2 AAA batteries, Approx 10 m operating distance, 910-001356
910-001356	R 414	Logitech Wireless Presenter R400 - 2.4GHz - Arca Hendrix, Class 2 Laser, 2 AAA batteries, Approx 10 m operating distance, 910-001356
910-001356	R 420	Logitech Wireless Presenter R400 - 2.4GHz - Arca Hendrix, Class 2 Laser, 2 AAA batteries, Approx 10 m operating distance, 910-001356
910-004252	R 486	Logitech Wireless Presenter R400 - 2.4GHz - Arca Hendrix, Class 2 Laser, 2 AAA batteries, Approx 10 m operating distance, 910-004252
910-004861	R 1,999	Logitech 910-004861 Cordless professional Presenter Spotlight; slate Black, 2.4Ghz RF Bluetooth - with precise highlight magnifying pointer, usb type-c fast charge 85mAh lithium polymer battery, built-in vibration alerts cursor control, 3D accelerometer gyroscope, ranged 30m, button for slide forward, slide back, black screen, gesture scrolling, volume control, battery-power and reception-level indicators, receiver storable into presenter; includes carry case
910-004861	R 1,977	Logitech Spotlight presentation Remote - Slate, 3 buttons, Lithium-polymer Battery, Up to 3 month Battery Life on a full charge, Up to 30 meters Wireless operating distance, Anodized Aluminium body and plastic parts, Motion sensor, 3D accelerometer and gyroscope, Bluetooth, 2.4 GHz Wireless connection, 910-004861
910-005843	R 614	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range
910-005843	R 729	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range
910-005843	R 726	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range
910-005843	R 607	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range
910-006527	R 723	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range, 910-006527
AMP13EU	R 382	Targus Laser Presentation Remote; 2.4GHz RF; integrated laser pointer; USB receiver; 15m wireless range;

		backlit buttons; plug-and-play; Windows and Mac compatible; ergonomic design; KeyLock Technology; black and grey; 0.05kg
CNV-PRESENTER-ZW-P02	R 391	Zoweetek ZW-P02 USB Wireless Presenter
LOG-910-001356	R 430	Logitech Wireless Presenter R400 - 2.4GHz - Arca Hendrix, Class 2 Laser, 2 AAA batteries, Approx 10 m operating distance, 910-001356
LOG-910-005843	R 603	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range
LOGI R400 910-001356	R 446	Logitech Wireless Presenter R400 Red Laser Pointer Up to 15 metre (2 4GHz) range storable plug and play wireless USB receiver USB connectivity Intuitive slideshow controls
LOGI R500 910-005843	R 591	Logitech R500s Laser presentation remote - Graphite - 2.4GHz / Bluetooth, 20 m Wireless range
LOGI Spotlight 910-004861	R 2,007	Logitech Spotlight presentation Remote - Slate, 3 buttons, Lithium-polymer Battery, Up to 3 month Battery Life on a full charge, Up to 30 meters Wireless operating distance, Anodized Aluminium body and plastic parts, Motion sensor, 3D accelerometer and gyroscope, Bluetooth, 2.4 GHz Wireless connection, 910-004861
Logi Spotlight2 910-007672	R 2,363	Logitech Spotlight 2 Presentation Remote - Graphite, 910-007672, Bluetooth and USB, Digital pointing for screens, Motion Sensor, 3D accelerometer and Gyroscope, 3 months Battery Life (Rechargeable)
Logitech R400	R 424	Logitech R400 Wireless presenter 2.4GHz, Class 2 Laser, Less than 1mW Maximum Output, 2.4 GHz Wireless technology, Approx 10 m operating distance
Logitech R500	R 604	Logitech R500 Laser presentation remote - Graphite - 2.4GHz / Bluetooth, Three button, 20 meter operating range, 640 - 660 nm (Red light) Laser pointer
MED-POINTER-100	R 367	Genius Media pointer 100 2.4GHz Laser Presenter, 2x AAA Battery Type
Mo-LCPR400	R 434	Logitech Presenter - R400 (Red Laser Pointer, 15 Meter range, USB receiver)
Mo-LCPR500G	R 731	Logitech 910-005843 Cordless Professional Presenter R500, WiFi Bluetooth dual connection - built-in vibration alerts red laser pointer, ranged 20m, for PowerPoint/ Keynote/ PDF/ Google Slides; Includes carry case
Mo-LCPR500K	R 731	Logitech 910-005386 R500 Cordless professional Presenter, WiFi Bluetooth dual connection - built-in vibration alerts red laser pointer, ranged 20m, for PowerPoint/ Keynote/ PDF/ Google Slides; Includes carry case
Mo-LCPSK	R 2,292	Logitech 910-004861 Cordless professional Presenter Spotlight; slate Black, 2.4Ghz RF Bluetooth - with precise highlight magnifying pointer, usb type-c fast charge 85mAh lithium polymer battery, built-in vibration alerts cursor control, 3D accelerometer gyroscope, ranged 30m, button for slide forward, slide back, black screen, gesture scrolling, volume control, battery-power and reception-level indicators, receiver storable into presenter; includes carry case
Mo-ZP100	R 384	Zalman zm-P100 Cordless Presenter - 2.4Ghz RF - with red laser pointer, ranged 15m, 7x buttons (slide backward/ forward, play, black screen, ESC, volume control)
MUL506	R 389	Genius Media Pointer100, 2.4GHz presenter works up to 10 meters without interference, Pico receiver can be stored inside the presenter.
NBTAAAMP13EU	R 445	Targus AMP13EU Laser Presentation Remote, Colour: Black and Grey, Compatibility: Windows 7, 2000, XP, Windows Vista, Mac OS X 10.2 or later, USB Port, Device Dimensions: 12 x 3.8 x 2.5cm, Material: Plastic, Weight 0.057
PRS001	R 178	Microworld AL0007 wireless presenter
RE-AVEZ	R 131	Antec Veris E-Z remote control for MCE (Media Center Edition) , clipable design usb receiver for Lcd or notebook , designed by iMON , ideal for upgrading vista home preminum / ultimate to MCE , 18-keys , with bundled microsoft certified MPEG-2 encoder , reatil pack

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

KVM switches & cables

KVM Switch cables

Product code	Price	Description
2L-1701	R 322	Aten 2L-1701 1.8M Daisy Chain Cable for KH1532A, KH1508A, KH1516A, CS1708i, CS1716i, KH1508Ai, KH1516Ai, CL5716I, CL5708I, CL5708, CL5716, CL5808, CS1708A, CS1716A

2L-5202U	R 206	Aten 1.8M USB KVM Cable with 3 in 1 SPHD, Compatible with --> CE700A / CL1308 / CL1316 / CL3000 / CL3100 / CL3108 / CL3116 / CL5708 / CL5708I / CL5716 / CL5716I / CL5800 / CL5808 / CL5816 / CN8000A / CS1308 / CS1316 / CS1708A / CS1708i / CS1716A / CS1716i / CS1742 / CS1744 / CS231 / CS231TK / CS72U / CS74U / CS82U / CS84U / KN1000A / RCM101A / CL1758 / CN8000 / CS1708 / CS1716 / IP8000 / KL1100 / KL3116 / KL3116T
2L-5203U	R 309	Aten 2L-5203U KVM cable for CS1716 / CS1316 KVM - 3 meter cable - USB
2L-5203UP	R 459	Aten 2L-5203UP 3M USB KVM Cable with 3 in 1 SPHD and built-in PS/2 to USB converter for CS231, CE350, CE370, CL1000
2L-5205U	R 443	Aten 2L-5205U 5M USB KVM Cable with 3 in 1 SPHD For CS-1708 / CS-1716 / CS-1742 / CS-1744 / CL-1758
2L-5205UP	R 608	Aten 5m USB KVM cable with 3 in 1 SPHD and built-in PS/2 to USB converter, Compatible with --> CS231 / CS72e / CE350 / CE370 / CL1000 / CL1008 / CL1016 / KL9108 / KL9116 / ACS1216a / CS231tk
2L-5302U	R 344	Aten 2L-5302U 1.8m USB KVM cable with 3 in 1 SPHD and audio, Compatible with --> CE800 / CE750 / CE750a / CE770 / CE774 / CE775 / CE790 / CE800b / CL3100 / CS1732a / CS1732b / CS1734a / CS1734b / CS1754 / CS1758
2L-5303U	R 413	Aten 2L-5303U 3m USB KVM cable with 3 in 1 SPHD and audio, Compatible with --> CE750A / CE770 / CE774 / CE775 / CE800B / CL3100 / CS1732A / CS1732B / CS1734A / CS1734B / CS1754 / CS1758 / CE750 / CE790 / CE800
2L-5303UP	R 542	Aten 3m USB-PS/2 Hybrid Cable
2L-7D02DH	R 436	Aten 2L-7D02DH 1.8M USB HDMI to DVI-D KVM Cable with Audio
2L-7D02UDX3	R 677	Aten 2L-7D02UDX3 1.8m USB DVI-D Dual Link Dual Display secure KVM cable kit, Compatible with --> CS1142D / CS1144D / CS1148D Secure KVM Switches
2L-7D03UHX5	R 1,093	Aten 2L-7D03UHX5 3M USB HDMI Dual Display Secure KVM Cable Kit
AP5253	R 1,639	APC KVM USB Cable - 6 ft (1.8 m), Shipping Weight: 1.00(lbs) 0.45(kilos), Shipping Dimensions: 2.00x 0.50x 6.50(in) 5.08x 1.27x 16.51(cent)
AP5257	R 2,170	APC KVM USB Cable - 12 ft (3.6 m), Shipping Weight: 1.00(lbs) 0.45(kilos), Shipping Dimensions: 2.00x 0.50x 6.50(in) 5.10x 1.30x 16.50(cent)
AP5261	R 2,816	APC KVM USB Cable - 25 ft (7.6 m), Shipping Weight: 1.00(lbs) 0.46(kilos), Shipping Dimensions: 2.00x 0.50x 6.50(in) 5.08x 1.28x 16.52(cent)
AP5821	R 1,666	APC Integrated Rack LCD/KVM USB Cable - 6ft (1.8m) Manage multiple servers with just one keyboard, monitor and mouse. 0.18(lbs) 0.08(kilos), 1.97x 6.50x 9.25(in) 5.00x 16.50x 23.50(cent)
AP5822	R 2,218	APC Integrated Rack LCD/KVM USB Cable - 10ft (3m) Manage multiple servers with just one keyboard, monitor and mouse. 0.34(lbs) 0.15(kilos), 1.97x 6.50x 9.25(in) 5.00x 16.50x 23.50(cent)
AP5823	R 2,701	APC Integrated Rack LCD/KVM USB Cable - 17ft (5m)Manage multiple servers with just one keyboard, monitor and mouse. 0.70(lbs) 0.32(kilos), 1.97x 6.50x 9.25(in) 5.00x 16.50x 23.50(cent)
CAB001	R 81	Unbranded USB KVM Cable - VGA Usb (A to B)
CAB008	R 12	Unbranded KVM PS2 Switch Cable 1.8m
CS22U	R 449	ATEN CS22U 2-Port USB VGA Cable KVM Switch with Remote Port Selector
CS62U	R 1,124	Aten CS62U 2-Port USB VGA/Audio Cable KVM Switch (1.8m)
DKVM-CU	R 91	Dâ€'Link DKVM-CU 1.8 m USB & VGA KVM Cable, A durable, 1.8 m all-in-one cable that integrates USB and VGA connectors for seamless connectivity between your computer and Dâ€'Link DKVM-series KVM switches - designed for optimal signal integrity and minimal desk clutter.
DKVM-CU	R 209	Dâ€'Link DKVM-CU 1.8 m USB & VGA KVM Cable, A durable, 1.8 m all-in-one cable that integrates USB and VGA connectors for seamless connectivity between your computer and Dâ€'Link DKVM-series KVM switches - designed for optimal signal integrity and minimal desk clutter.
KA7166	R 2,701	Aten KA7166 USB DVI Virtual Media KVM Adapter with Smart Card Support
KA7169	R 4,196	Aten KA7169 USB DisplayPort Virtual Media KVM Adapter with Smart Card Support
KA7170	R 2,851	Altusen KA7170 USB KVM Adapter cable, Connects the KVM Switch to the Video and USB Ports of the target Computer, Supports Resolution of up to 1600x1200
KVM-002	R 179	NetiX / UniQue KVM Cable USB PS/2 3m, Retail Box

KVM-PS2	R 2,977	APC KVM 2G, Server Module, PS/2, 0.37(lbs) 0.17(kilos), 1.65x 4.92x 5.08(in) 4.20x 12.50x 12.90(cent)
KVM-USB	R 2,777	APC KVM 2G, Server Module, USB Server module for VGA video and USB keyboard and mouse.
KVM-USBVM	R 3,352	APC KVM 2G, Server Module, USB with Virtual Media Manage multiple servers with just one keyboard, monitor and mouse. 0.35(lbs) 0.16(kilos), 1.65x 4.92x 5.08(in) 4.20x 12.50x 12.90(cent)
KVM-USBVMCAC	R 4,150	APC KVM 2G, Server Module, USB with Virtual Media and CAC Manage multiple servers with just one keyboard, monitor and mouse. 0.40(lbs) 0.18(kilos), 1.65x 4.92x 5.08(in) 4.20x 12.50x 12.90(cent)
TK-C10	R 249	Trendnet TK-C10 3.1m Ps2 Kvm Cable; male-to-male; 6-pin PS/2 keyboard; 6-pin PS/2 mouse; 15-pin HDDB VGA; UL2919 VGA cable; compatible TRENDnet PS/2 KVM switches; TK-200; TK-400; TK-801R
TK-C15	R 819	Trendnet TK-C15 4.5M PS2 KVM Cable M-M, Keyboard & Mouse: PS/2 type 6-pin mini Din, Monitor: 15-pin HDDB type, Use with TRENDnet 2, 4, 8 and 16 port PS/2 KVM switches.
TK-CU15	R 1,419	TRENDnet 4.5M USB/VGA KVM cable
UKC8300-18B	R 71	Eusso 3-In-1 Ps/2 Kvm 1.8M Thin Cable, Maximum signal density in a lightweight thin cable, Integrated PS/2 keyboard, mouse and VGA 3-in-1 KVM cable, Support ultra high video frequency with double ferrite cores, 5 meters cable length with male to male connectors
UPAPAP5253	R 1,679	APC KVM USB Cable - 6 ft (1.8 m), Shipping Weight: 1.00(lbs) 0.45(kilos), Shipping Dimensions: 2.00x 0.50x 6.50(in) 5.08x 1.27x 16.51(cent)
UPAPAP5257	R 2,231	APC KVM USB Cable - 12 ft (3.6 m), Shipping Weight: 1.00(lbs) 0.45(kilos), Shipping Dimensions: 2.00x 0.50x 6.50(in) 5.10x 1.30x 16.50(cent)
UPAPAP5261	R 2,694	APC KVM USB Cable - 25 ft (7.6 m), Shipping Weight: 1.00(lbs) 0.46(kilos), Shipping Dimensions: 2.00x 0.50x 6.50(in) 5.08x 1.28x 16.52(cent)
UPAPAP5263	R 1,988	APC KVM Daisy-Chain Cable - 6 ft (1.8 m)
UPAPAP5821	R 1,590	APC Integrated Rack LCD/KVM USB Cable - 6ft (1.8m)
UPAPAP5822	R 2,121	APC Integrated Rack LCD/KVM USB Cable - 10ft (3m)
UPAPAP5823	R 2,584	APC Integrated Rack LCD/KVM USB Cable - 17ft (5m)

< Return to the menu

KVM Switches

Product code	Price	Description
207331	R 429	Manhattan Professional VGA Monitor Splitter For 2 Monitor 350MHZ
524353	R 969	Intellinet KVM Extender PS/2 ,Extend your KVM or Console up to 150 m (450 feet) Color: Beige
AK502-75246	R 472	UGreen HDMI 2.0 KVM Switch 2-in-1 out, 4K@60Hz Max Resolution, HDMI 2.0 Input, USB 3.0 Type-A Input, HDMI Output, USB 3.0 Type-A Output, USB Type-C 3.0 Output Connector
B020-U16-19-K	R 37,640	Eaton B020-U16-19-K NetDirector 16-Port 1U Rack-Mount Console KVM Switch with 19" LCD 8 PS2/USB Combo Cables
B021-000-19-HD2	R 21,373	Eaton B021-000-19-HD2 1U Rack-Mount Console with 19" LCD, 1920 x 1080 (1080p), DVI or VGA Video, TAA
B064-000-STN	R 13,449	Eaton Tripp Lite series KVM over IP Remote-User Console Station, TAA
CE600	R 6,726	Aten 2L-7D02UDX2 USB DVI Single Link Console Extender with Audio/Serial Support up to 200 ft. - TAA Compliant / Audio Cat 5 KVM Extender/W/(US/EU/OUT) ADP. ATE
CE604	R 9,568	Aten CE604 USB DVI Dual View Cat 5 KVM Extender (1024 x 768@60m)
CE610A	R 15,179	Aten CE610A DVI HDBaseT KVM Extender with ExtremeUSB (1920 x 1200 @ 100m)
CE624	R 32,850	Aten CE624 USB DVI Dual View KVM Extender HDBaseT 2.0 USB 2.0 and RS-232 up to 100 meters using Cat6/6a cable / 1920x1200/W/(US/EU/OUT) ADP.
CE700A	R 5,001	Aten CE700A CAT5e USB VGA KVM Console extender up to 150m, 1280x1024 @ 150m, Control your system from both the local and remote USB Keyboard, Monitor, And Mouse consoles
CE750A	R 7,763	Aten CE750A USB VGA/Audio Cat 5 KVM Extender (1280 x 1024@200m)
CE770	R 8,510	Aten CAT5 USB VGA Console extender with audio and Serial support, Console Ports - 2 x USB Type-A female (White) / 1 x HDB-15 female (Blue) / 1 x Mini stereo jack female (Green) / 1 x Mini stereo jack female (Pink), KVM Ports - 1 x SPHD-17 female (Yellow) / 1 x Mini stereo jack female (Green) / 1 x Mini stereo jack female (Pink)
CE775	R 17,118	Aten CE775 USB VGA Dual View Cat 5 KVM Extender with Deskew (1280 x 1024@300m)

CE820	R 18,801	Aten CE820 USB HDMI HDBaseT 2.0 KVM Extender 4K at 330ft
CE924	R 37,621	Aten CE924 USB DisplayPort Dual View HDBaseT 2.0 KVM Extender (4K@100m for Single View)
CL1000M	R 16,848	Aten CL1000M 17 ' ' slideaway Console PS/2 VGA LCD Console, Internal power built in, Integrated KVM Console with a 17" LED-backlit LCD Monitor, Slideaway housing is less than 1U
CL1308N	R 23,229	Aten CL1308N 8-Port PS/2-USB VGA 19" Single Rail LCD KVM Switch
CL1316N	R 29,094	Aten CL1316N 16-Port PS/2-USB VGA 19" Single Rail LCD KVM Switch
CL3000N	R 25,989	Aten CL3000N Lightweight 19" Single Rail LCD Console (PS/2-USB, VGA)
CL3884NW	R 61,801	Aten CL3884NW 4-Port USB HDMI Multi-View Dual Rail WideScreen LCD KVM Switch
CL5708M	R 22,999	Aten CL5708M 17" 8 Port PS/2-USB VGA LCD KVM Combo KVM with an extra Console Port and USB Peripheral support, 1280x1024 @ 75 Hz Resolution, 17" TFT-LCD LCD module
CL5716M	R 31,359	Aten CL5716M 17" 16-Port PS/2-USB VGA Single Rail LCD KVM Switch
CL6700MW	R 40,388	Aten CL6700MW 17" Wide Screen Full HD Single Rail LCD Console (USB, HDMI / DVI / VGA)
CL6700MW	R 30,531	Aten CL6700MW 17" Wide Screen Full HD Single Rail LCD Console (USB, HDMI / DVI / VGA)
CL6708MW	R 44,032	Aten CL6708MW 8-Port USB DVI Single Rail WideScreen LCD KVM Switch
CM1284	R 40,421	Aten CM1284 4-Port USB 4K HDMI Multi-View KVMP Switch
CM664-15707	R 882	UGreen CM664-15707 4K@60Hz HDMI KVM Switch (2 in 1 out) - Grey, 2 computers to 1 Monitor KVM Configuration, Up to 4K @ 60Hz Video Output Resolution, HDMI 2.0, USB 3.0 Standard, Up to 5Gbps USB Data transfer Speed, 3x USB Type-A, 1x USB Type-C, 2x HDMI Female Input Ports, 1x HDMI Female Output Port, Push Button & Desktop Controller switching control, USB Type-C 5V Power Input
CN9950	R 13,904	Aten CN9950 1-Local/Remote Share Access Single Port 4K DisplayPort KVM over IP Switch
CNV-LKV372KVM-P	R 1,657	Lenkeng Lkv372kvm-p 70m 1080p @60hz Zero-latency Uncompressed HDMI Hdr Kvm Extender With Poc (power over cable). supports 1080p@60Hz up to 70m via CAT6/6A/7 cable, uncompressed zero latency HDMI video, HDR10 support, Power-Over-Cable, KVM control, max transmission rate 10.2Gbps, HDMI 1.4 compatible, HDCP 1.4, supports multiple resolutions up to 3840x2160@30Hz (40m max), DTS/DTS-HD/PCM/LPCM audio formats, input/output TMDS 0.71.2Vp-p, DDC 5Vp-p TTL, DC5V 2A power (TX only), working power
CNV-LKV373KVM-4.0	R 3,976	Lenkeng LKV373KVM-4.0 120m HDMI KVM extender over CAT5/5E/6, Up to 1080p @ 60Hz
CNV-LKV383PRO-4.0	R 3,788	Lenkeng LKV383PRO-4.0 120m HDMI extender TX/RX over CAT6 loop-out, 1080p @ 60Hz, Up to 120m, Supports IR signal transmission and one HDMI Loop Output
CNV-LKV676CASCADE	R 4,424	Lenkeng LKV676cascade 4K HDR 18Gbps extender over CAT6 - HDMI Loop kit, Ipcolor point to point extender, 3840x2160 @ 24/25/30/50/60Hz HDMI Resolution
CNV-LKV676KVM	R 3,710	Lenkeng LKV676KVM 4K KVM extender - HDMI 7 USB 2.0 over CAT6 - 70m, Ipcolor KVM point to point extender, 3840x2160 @ 24/25/30/50/60Hz HDMI Resolution
CNV-LKV676KVM	R 5,405	Lenkeng LKV676KVM 4K KVM extender - HDMI & USB 2.0 over CAT6 - 70m, Ipcolor KVM point to point extender, 3840x2160 @ 24/25/30/50/60Hz HDMI Resolution
CS1148DP	R 16,674	Aten CS1148DP 8-Port USB DisplayPort Dual Display Secure KVM Switch (PSS PP v3.0 Compliant)
CS1308	R 3,874	Aten CS1308 8 Port PS/2-USB VGA KVM Switch, One USB-PS/2 Console controls 8 computers, Cascade up to 2 levels - control up to 64 computers, Up to 2048x1536 Video quality
CS1316	R 6,095	Aten CS1316 16 port PS/2 USB VGA KVM Switch, 16 Computer connections direct, 16 pushbuttons, PS/2 & USB Keyboard / Mouse, 2048x1536 VGA Video, Metal housing
CS1642A	R 7,761	Aten CS1642A 2-Port USB DVI Dual Link Dual Display/Audio KVMP Switch
CS17916	R 24,149	Aten CS17916 16-Port USB HDMI/Audio KVM Switch
CS1792	R 3,863	ATEN 2-Port USB HDMI/Audio KVMP Switch
CS1794	R 5,923	ATEN 4 Port USB 2.0 HDMI KVMP Switch
CS1822	R 7,682	Aten CS1822 2-Port USB 3.0 4K HDMI KVMP Switch with Audio Mixer Mode
CS1824	R 8,050	Aten CS1824 4-port USB 3.0 4K HDMI KVMP Switch with audio mixer mode, Console Ports - 2x USB Type-A female / 1x HDMI female (Black) / 2x 3.5mm audio jack female (Green / 1x front / 1x rear), KVM (Computer) Ports - 4x USB 3.1 Gen1 Type-B female (Blue) / 4x HDMI female (Black) / 4x 3.5mm audio jack female (Green), 1x RJ-11 female Serial, 2x USB 3.1 Gen1 Type-A female USB Hub, 4x pushbutton
CS1842	R 7,876	Aten 2-port USB 3.0 4K HDMI Dual Display KVMP Switch, 2 Computer connections, Console Ports --> 2x USB

		Type-A female ; 2x HDMI female (Black) ; 2x 3.5mm audio jack female (Green / 1x front / 1x rear) ; 2x 3.5mm audio jack female (Pink / 1x front / 1x rear), KVM (Computer) Ports --> 2x USB 3.1 Gen1 Type-B female (Blue); 4x HDMI female (Black); 2x 3.5mm audio jack female (Green); 2x 3.5mm audio jack female (Pink)
CS1844	R 12,476	Aten CS1844 4-Port USB 3.0 4K HDMI Dual Display KVMP Switch
CS1914	R 6,899	Aten CS1914 4-Port USB 3.0 DisplayPort KVMP Switch (Cables included)
CS1953	R 5,870	Aten 3 Port USB Type-C DIP Hybrid KVMP Switch, One USB Keyboard, Mouse and one DisplayPort Monitor control two DisplayPort computers and one USB-C device, 4096 x 2160 @ 60Hz, 3840x2160 @ 60Hz, 2-port USB 3.1 Gen 1 Hub with Superspeed 5 Gbps Data transfer rates, Provides USB Power Delivery 3.0 for USB-C device charging up to 45W
CS22DP	R 1,702	Aten CS22DP 2-Port USB DisplayPort Cable KVM Switch with Remote Port Selector
CS22DP	R 1,900	Aten CS22DP 2-Port USB DisplayPort Cable KVM Switch with Remote Port Selector
CS724KM	R 6,899	Aten CS724KM 4-port USB Boundless KM Switch (Cables included)
CS82U	R 1,551	Aten CS82U 2-Port PS/2-USB VGA KVM Switch with 2 Cables
CS84U	R 2,126	Aten CS84U 4-Port USB/PS2 VGA KVM with 4 Cables
CSV-1382-CLUB3D	R 2,102	Club 3D CSV-1382 2 Port HDMI KVM Switch audio USB Hub - 4K 60Hz, 3840x2160 @ 60Hz maximum Resolution
CV211	R 5,231	Aten CV211 Laptop USB KVM Console Crash Cart Adapter
KA7120	R 2,609	Aten KA7120 PS/2 VGA KVM Adapter with Composite Video Support, Auto Signal Compensation (ASC), no DIP switch setting needed for the different distances, Keyboard and mouse emulation - keeps your server functioning smoothly when it is disconnected from the switch ' s KVM port or relocated to different KVM port, Superior video quality - supports resolution up to 1920 x 1200 (Reduced blanking) *
KA7168	R 4,203	Aten KA7168 USB HDMI Virtual Media KVM Adapter with Smart Card Support
KE6940AR	R 27,501	Aten KE6940AR DVI-I Dual Display KVM over IP Receiver
KE6940AT	R 27,501	Aten KE6940AT DVI-I Dual Display KVM over IP Transmitter
KE8900SR	R 11,844	Aten KE8900SR Slim HDMI Single Display KVM over IP Receiver
KE8900ST	R 12,443	Aten KE8900ST Slim HDMI Single Display KVM over IP Transmitter
KH1508A	R 7,474	Aten KH1508A 8-Port Multi-Interface Cat 5 KVM Switch
KH1516A	R 13,281	Aten KH1516A 16-Port Multi-Interface Cat 5 KVM Switch
KL1516AIM	R 45,309	Aten KL1516AIM 17" 1-Local/Remote Share Access 16-Port Multi-Interface Cat 5 Dual Rail LCD KVM over IP switch
KN1108VA	R 32,028	Aten KN1108VA 1-Local/1-Remote Access 8-Port Cat 5 KVM over IP Switch with Virtual Media (1920 x 1200)
KVM-21UA	R 199	UniQue 2 Port VGA KVM Manual USB Switch - 2 Port KVM Manual, 1920 x 1440 VGA Resolution, 250MHz VGA Bandwidth, Up To 480Mbps Transmission Rate, Control 2 Computers With 1 Keyboard, 1 Mouse and 1 Monitor, Button To Select PC, USB 2.0, LED Indicators, Plug And Play, Retail Box, 3 Months Warranty.
KVM-DP-USB-V1310A	R 880	Unitek V1310A 8K DisplayPort 4 port USB 3.0 5Gbps KVM Switch, 8K@60Hz Max Output Resolution, 2x DisplayPort (Upstream), 1x DisplayPort (Downstream), 2x USB Type-A 5Gbps (Upstream), 4x USB Type-A 5Gbps (Downstream), Up to 10m signal trasmission range, 1m cable length
KVM-HDMI-USB-C-SW	R 1,462	Unitek USB-C 10Gbps HDMI KVM Switch, D1118A, 4K@30Hz Max Output Resolution, 2x HDMI, 3 x 10Gbps USB Type-A (Downstream), 2 x 480 Mbps USB Type-A (Downstream), 2 x 10Gbps USB-C (Upstream), Aluminum Alloy
KVM-HDMI-USB-V1309A	R 782	Unitek V1309a 4K HDMI 4 port USB 3.0 5Gbps KVM Switch, 4K@60Hz Max Output Resolution, 2x HDMI 2.0 (Upstream), 1x HDMI 2.0 (Downstream), 2x USB Type-A 5Gbps (Upstream), 4x USB Type-A 5Gbps (Downstream), Up to 10m signal trasmission range, 1m cable length, Aluminum Alloy material
KVM0108A	R 11,671	APC KVM switches 2G, Analog, 1 Local User, 8 Ports Manage multiple servers with just one keyboard, monitor and mouse. 8.58(lbs) 3.90(kilos), 5.75x 24.37x 12.99(in) 14.60x 61.90x 33.00(cent)
KVM0116A	R 15,800	APC KVM Switches 2G, Analog, 1 Local User, 16 ports Manage multiple servers with just one keyboard, monitor and mouse. 8.58(lbs) 3.90(kilos), 5.75x 24.37x 12.99(in) 14.60x 61.90x 33.00(cent)
KVM4	R 598	Unbranded KVM 4 port Switch Auto Including 2x Cables PS2
KVMIPE20	R 2,300	Microworld KVM IP extender 200m, Max 1080p Resolution, 1x transmitter, 1x receiver, 2x IR cable, Using one Cat5E/6/6A/7 cable

MT-202S	R 288	MT-Viki MT-202S 2 IN 2 OUT VGA Switch and Splitter
MT-460KL	R 472	MT-Viki MT-460KL 4 Port manual VGA USB KVM Switch, Video up to 1920x1440
MT-801HK-C	R 3,450	MT-Viki 8 Port Rackmount KVM HDMI Switch, Support any USB 2.0 devices, 3840x2160 30Hz Max Resolution, Metal housing material
MT-SW041-V	R 748	MT-Viki MT-SW041-V 4 PORT VGA Multiviewer
REX-ERVA-128L	R 3,904	Rextron ERVA-128L VGA Audio 8port Extender, Remote Control
REX-EUC-222C	R 4,012	Rextron EUC-222C USB KVM Extender; CAT5 UTP; up to 150m; USB or PS/2 computer interface; USB keyboard and mouse; HDB15 VGA; 1600 x 1200 at 50m; 1280 x 1024 at 150m; DDC2B compatible; DC 9V 500mA
REX-EVA214	R 2,298	Rextron EVA214 CAT5E VGA and Audio Extender; CAT5/CAT5e/CAT6 UTP; maximum distance: 150m; resolution: 1280 x 1024; 2 x VGA outputs; 2 x audio outputs; RJ-45 extension; 4-position equalizer; 9V DC 600mA; VGA/SVGA/Multisync support
REX-KAAG-E3114	R 4,888	Rextron KAAG-E3114 (VGA) 4-Port USB 3.0 KVM Switch w/ Audio & Hotkey Control
REX-MAAG-112	R 3,716	Rextron 2 port HDMI USB KVM Switch with Audio, MAAG-112
REX-MAAG-114	R 4,118	Rextron MAAG-114 4-Port HDMI KVM Switch w/ Audio & Hotkey Control
REX-MKAG-G3112-G	R 3,373	Rextron MKAG-G3112-G 2-port Dual View 4k Hdmi2.0 Kvm Switch With Usb3.2 Gen 1 And Hdcp Support (HDMI 2.0 4:4:4)
REX-PKABM-G3112	R 5,534	Rextron PKABM-G3112 2-port 4k Displayport Kvm Switch To Hdmi2.0 And Usb3.2 Gen 1 With Audio And Hotkey Control. The REXTRON PKABM-G3112 is a high-performance 2-Port KVM switch that allows users to control two DisplayPort computers using a single HDMI monitor, keyboard, mouse, and audio setup. It supports 4K resolutions up to 4096 x 2160 at 60Hz (4:4:4) and offers USB 3.2 Gen 1 connectivity for fast data transfer. The device is equipped with EDID management and HDCP compliance, ensuring compatibility with a wide range of displays and content. Its compact design and flexible control options make it an ideal choice for professionals seeking efficient workspace solutions.
REX-UCIP08C	R 17,595	Rextron 8 Port KVM with IP, UCIP08C
REX-UCIP16C	R 21,051	Rextron 16 Port KVM switch with IP, UCIP16C
REX-UMH2C	R 1,364	Rextron UMH2C 2 Port USB KVM Switch with cables, 1920x1440 high VGA Resolution
REX-UMH4C	R 1,990	Rextron UMH4C 4 Port USB KVM Switch with cables, 1920x1440 high VGA Resolution
REX-VKSMC-421	R 3,808	Rextron VKSMC-421 4K Multi-Input To HDMI Switch; 4-port 4K multi-format video switch; 2 x HDMI inputs; 1 x DisplayPort input; 1 x VGA audio input; 1 x HDMI output; 4K 30Hz; 3840 x 2160; HDCP 1.4; auto-sensing; priority switching; EDID auto learning; IR and RS-232 control; 40 x 160 x 100mm; 620g
REX-VKSMV-311	R 2,830	Rextron VKSMV-311 4K UHD [3-IN (HDMI x 2 VGA)] Multi-Format Video Switch with Serial & IR Control
RS108	R 523	Unbranded 8 Way Serial Port Splitter
TK-240DP	R 3,699	Trendnet TK-240DP 2-Port Dual Monitor Display Port KVM Switch
TK-804R	R 3,829	TrendNet 8 Port Stackable Rack Mount KVM Switch with On Screen Display - Supports both USB and PS/2 connections to console port, High video quality; up to 2048 x 1536 VGA resolution, Built-in daisy-chain port for cascading up to 8 levels (64 computers), Password protection with Auto timeout logout, Plug & Play and Hot-Pluggable, Standard 19" (1U) rack mount design
UPAPKVM-PS2	R 2,850	APC KVM 2G, Server Module - PS/2
UPAPKVM-USB	R 2,850	APC KVM 2G, Server Module - USB
UPAPKVM-USBVM	R 3,445	APC KVM 2G, Server Module - USB with Virtual Media
UPAPKVM0108A	R 11,176	APC KVM 2G, Analog, 1 Local User, 8 Ports
UPAPKVM0116A	R 15,129	APC KVM 2G, Analog, 1 Local User, 16 ports - KVM Switch
UPAPKVM1116R	R 26,503	APC KVM 2G, Digital/IP, 1 Remote/1 Local User, 16 Ports with Virtual Media - FIPS 140-2
US3311	R 3,771	Aten US3311 2-port 4K DisplayPort USB-C KVM Dock Switch with Power Pass-Through, 1x DisplayPort Female Video Output, 4x USB 3.2 Gen 1 Type-A Female device, 2x USB Type-C Female for 2x computers, Supports Maximum 100W USB-C PD Power Delivery
USB-4P	R 288	Microworld USB 2.0 auto sharing Switch for printers, Â© 2018 Laptop Direct
VGA200	R 184	Microworld DP-V04 VGA Splitter 1 Input 15pin VGA Female to 4 Output 15 pin VGA Female. SINGNAL

		TYPE=VGA,SVGA.XGA,MULTISYNC MAX.RESOLUTION 1920*1440@60MHZ
VGA300	R 286	Unbranded VGA Splitter 1 in and 8 Out
VS-APB9000R	R 8,734	Aavara PB9000-R Receiver - 16-channel multi-casting over iP - with 4K UHD (3840x2160) HDMi 2.0/HDCP 2.2, USB2.0 KVM USB2.0 passthrough, RJ45/ SFP Fiber ethernet with iEEE 802.3af PoE support, ultra low 16-33ms latency, hybrid video wall (different video format to each receiver), video rotation or mirrorring, 10-800Mbps bit rate, 7.1 channel audio with LPCM/DTS/Dolby/Dolby Atmos, iR (infrared remote) included; power link LED, iR receiver emitter jack, 3.5mm mic in out jack, 1x RS232 1x d-sub out 1x HDMi out 1x RJ45 1x SFP 4x USB
VS-APS128	R 4,422	Aavara PS128 - 1 signal to 8 display 1080p HDMi splitter for audio video, support daisy chain up to 512x hdmi display, support HDCP, HDMI ver1.3, 7.1 HD Dolby DTS-HD master audio, bandwidth: 340Mhz/10.2Gbps, 36bit colour - for PS3, PC, HD/Blu-ray DVD player... ETC - support daisy chain
VS-APS128A	R 6,586	Aavara PS128A 1 signal to 8 display 1080p HDMi splitter for audio/video, with RS232 control, support daisy chain upto 512x HDMI display, with remote control, support HDCP, HDMI ver1.4 3D, 7.1 HD Dolby DTS-HD master audio, bandwidth:340Mhz/10.2Gbps, 36bit color - for PS3, PC, HD/Blu-ray dvd player .. ETC - support daisy chain.
VS182A	R 976	Aten 2-port HDMI splitter support 4k2k, 1 x HDMI Type-A female (Black) Input, 3m Maximum distance @3840X2160 @ 30 (4:4:4) Input, 2 x HDMI Type-A female (Black) Output, 15m Maximum distance @3840X2160 @ 30 (4:4:4) Output

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Laptops

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

LED Lights / eco lighting

LED Downlights

LED Downlights : Downlights all-in-one light + holder unit

Product code	Price	Description

< Return to the menu

LED Downlights : LED Downlights E14 220V

Product code	Price	Description
LR50N5W40	R 89	Luceco (LR50N5W40) R50 E14 5W - Natural White, 400 Lumens, 4000K Colour Temperature, non dimmable, Retail Box
LR50W5W40	R 89	Luceco (LR50W5W40) R50 E14 5W - Warm White - 400 Lumens - 2700K Colour Temperature, Retail Box
NET-TL-TAPO-L430C	R 134	TP-Link Tapo L430C WiFi candle-bulb Multi Colour, 470 Lumens brightness, 2500-6500 K Colour temperature range, 260 degrees Light beam angle, 4800 W Maximum Power consumption, 2.4GHz Wi-Fi, Bluetooth, Screw in, B38 / E14 Form Factor
NET-TL-TAPO-L430C-4P	R 485	TP-Link Tapo L430C WiFi candle-bulb Multi Colour - 4 Pack, 470 Lumens brightness, 2500-6500 K Colour temperature range, 260 degrees Light beam angle, 4800 W Maximum Power consumption, 2.4GHz Wi-Fi, Bluetooth, Screw in, B38 / E14 Form Factor

< Return to the menu

LED Downlights : LED Downlights E27 220V

Product code	Price	Description
LIGEME	R 49	Noble Pays Rechargeable Emergency LED Light Bulb With Battery - Fixture Type E27 Screw In LED Bulb,9 Watts, 700 Lumen, Battery Capacity 1500mA, Lighting Time Up to 4 to 5 Hours, Retail Box 6 Months Warranty

LR63W7W55	R 99	Luceco R63 E27 7W - Warm White - 550 Lumens - 5700K Colour Temperature, Retail Box
SHELLY VINTAGE A60 (E27)	R 114	Shelly Vintage A60 (E27) Smart Bulb (Wi-Fi)
SHELLY VINTAGE G125 (E27)	R 344	Shelly vintage design Smart G125 (E27) dimmable bulb (Wi-Fi)
SHELLY VINTAGE ST64 (E27)	R 286	Shelly Vintage St64 (E27) Smart Bulb (Wi-Fi)

< Return to the menu

LED Downlights : LED Downlights G53 12V

Product code	Price	Description

< Return to the menu

LED Downlights : LED Downlights GU10 220V

Product code	Price	Description
FLGU10RC	R 76	Ellies 5W GU10 residential bulb - Cool White
FLGU10RW	R 76	Ellies 5W GU10 residential bulb - Warm White
GEB3WGU10	R 39	Gizzu GU10 Warm White Light Bulb
LGDW5W37-LE	R 129	Luceco GU10 5W - Warm White - Dimmable LED (Eco) - 370 Lumens - 25000hrs, 90% energy saving versus halogen, 10 times lifetime versus halogen, Will retrofit any current GU10 Halogen lamp, Using the latest LED technology, Mercury free, 25 Year life, Beam Angle: 38degrees, Retail Box
LGW5W37/5-01	R 169	Luceco GU10 5W (LGW5W37/5-01) - Warm White LED, 5 Pack, 370 Lumens, True halogen appearance and perfect fit, 90% energy saving versus halogen, 10 times lifetime versus halogen, Will retrofit any current GU10 Halogen lamp, Retail Box
NET-TL-TAPO-L610	R 119	TP-Link Tapo L610 Smart Wi-Fi Spotlight, Dimmable
NET-TL-TAPO-L630	R 149	TP-Link L630 Tapo Smart GU10 Wi-Fi Spotlight, 2.4GHz Wi-Fi, GU10 fitting, 350 Lumens, Dimmable, 40 degrees Light beam angle, 2200 - 6500 K Colour temperature
SHELLY DUO CW/WW (GU10)	R 267	Shelly Duo Cw/ww (Gu10) Smart Bulb (Wi-Fi)
SHELLY DUO RGBW (GU10)	R 253	Shelly Duo RGBW GU10 WiFi bulb, 36 degree beam angle, Colour changing, RGB W 400 lm brightness, IP20 protection Class, 802.11 b/g/n Wi-Fi Protocol
SWD-10017-GU10R	R 99	Switched 3W GU10 Rechargeable LED Light Bulb - Cool White. luminous flux: 240 lm (AC), 52 lm (battery backup). Auto-dimming over 2-hour runtime. 4-5 hour charge time. Great indoor down-light, offers higher brightness than warm white. Load-shedding and power outages are covered with up to 2 hours of battery backup. GU10 220Vac connector. Replaces a 25W halogen down-light, offering the same level of brightness.
SWD-10036-GU10RF-CW	R 109	Switched 3W GU10 Rechargeable Fast Charge LED - Cool White. This down-light features a fast-charging 350 mAh battery that recharges in 3-4 hours, fits standard GU10 down-lights. The Switched 3 W GU10 Rechargeable Fast Charge LED delivers 270 lm cool white light and up to 6 hours of backup in auto-dimming modes. Powered by a 350 mAh battery with 3 - 4 hour recharge, it fits standard GU10 down-lights. Ideal for indoor lighting during power outages. Main Specifications: 3 W power, 270 lm AC / 70 - 10 lm backup; 350 mAh battery, 3 - 4 h charge, up to 6 h runtime; GU10 base, cool white, dimmable; Perfect for homeowners upgrading to emergency-ready GU10 down-lights, and anyone preparing for load-shedding. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.
SWD-10036-GU10RF-WW	R 109	Switched brand. 3W GU10 Rechargeable Fast Charge LED down-light. Warm White. GU10. Fast charge. 3 brightness modes (digital dimming). 3W. For Internal use, for use with 220Vac down-light holders. 2-4 hour charge time, 2 hour usage. 270 lm (AC), 70 lm (High), 30 lm (Medium), 10 lm (Low). This LED down-light can replace a 18-25Watt halogen down-light, delivering the same level of brightness.
TAPO-L610	R 176	TP-Link Tapo L610 Smart Wi-Fi Spotlight - Dimmable
TAPO-L630	R 206	TP-Link TAPO L630 Smart Wi-Fi Spotlight - Dimmable
TL33	R 312	TP-Link TL33 Smart Wi-Fi Spotlight - Dimmable
TP-TAPO-L610	R 119	TP-Link Tapo L610 GU10 Smart Wi-Fi Dimmable Spotlight, 2.4GHz Wi-Fi, GU10 fitting, 350 Lumens brightness, Dimmable, 2700 K Colour temperature, 40 degrees Light beam angle
TP-TAPO-L630	R 149	TP-Link L630 Tapo Smart GU10 Wi-Fi Spotlight, 2.4GHz Wi-Fi, GU10 fitting, 350 Lumens, Dimmable, 40 degrees

Light beam angle, 2200 - 6500 K Colour temperature

< Return to the menu

LED Downlights : LED Downlights GU5.3 12V

Product code	Price	Description

< Return to the menu

LED Flood lights

Product code	Price	Description
LFL50W	R 169	Noble Pays 50w 4000 Lumens LED Floodlight - Beam Angle 120 degrees, Low Power Energy-Saving High Efficiency White LED, Lifespan up to 30000 Hours, IP66 Dustproof And Waterproof Protection, Input Voltage 175v-265v, Colour 6000-6500k, Aluminium Housing Colour Black, Retail Box
SOL-G-48X470POL	R 99	Solarix LED street Lamp pole extension, Mounting bracket for installing Solar powered street lights on the wall, 46cm length
SOL-JT91001-YY300W	R 599	Solarix Jortam Solar Flood Lamp - 300W Lamp High Capacity, High Brightness, IP66 Rainproof & Thunder, Frost Resistance, Heat Resistance, Fast Charging, Timing Switch Control, Solar Panels, Charging On Day Time, Automating Night Working, Remote Control Included, 8 Metres Remote Control Distance, Suitable For Highway, Park, Court Yard, And Farm, Retail Box, 3 Months Warranty
SOL-JT91001-YY500W	R 899	Solarix Jortam Solar Flood Lamp - 500W Lamp High Capacity, High Brightness, IP66 Rainproof & Thunder, Frost Resistance, Heat Resistance, Fast Charging, Timing Switch Control, Solar Panels, Charging On Day Time, Automating Night Working, Remote Control Included, 8 Metres Remote Control Distance, Suitable For Highway, Park, Court Yard, And Farm, Retail Box, 3 Months Warranty
SOL-JT92008RY100W	R 489	Solarix Jortam 100W Flood Lamp - Solar Panels, Fast charging, IP66 Waterproof, High Capacity, High Brightness, Timing Switch control.
SOL-JTBS600WTYTZ	R 1,049	Solarix Jortam 600W Solar flood Lamp with Solar Panel, High quality die Cast Aluminium housing and ABS Plastic, Includes Remote control, Rechargeable flood Lamp with Built-In Lithium Battery, Peak Power 30W polysilicon Solar Panel, 7.2V open Circuit Voltage, IP66 Waterproof, Lighting time up to 10 hours, 6500K Colour temperature, 100 degrees angle beam, Ideal for Indoor and Outdoor Lighting
SOL-JTBS800WTYTZ	R 1,299	Solarix Jortam 800W Solar flood Lamp with Solar Panel, High quality die Cast Aluminium housing and ABS Plastic, Includes Remote control, Rechargeable flood Lamp with Built-In Lithium Battery, Peak Power 40W polysilicon Solar Panel, 7.2V open Circuit Voltage, IP66 Waterproof, Lighting time up to 10 hours, 6500K Colour temperature, 100 degrees angle beam, Ideal for Indoor and Outdoor Lighting
SOL-JTSKBJ600W	R 1,099	Solarix Jortam 600W Solar flood Lamp with Solar Panel, High quality die Cast Aluminium housing with Glass, Includes Remote control, Rechargeable flood Lamp with Built-In Lithium Battery, Peak Power 30W polysilicon Solar Panel, 7.2V open Circuit Voltage, IP66 Waterproof, Lighting time up to 10 hours, Colour temperature 6500K, 100 degrees angle beam, Ideal for Indoor and Outdoor Lighting
SOLED1008S	R 189	Solarix LED Flood Light With Solar Panel - 90Lm/W Brightness, Up to 50,000h Long Life Only LED, 120degrees Beaming Angle, 3000Â±200K Warm White, 6000 Â±200K Cool White, Solar Powered LED, IP66 Protection Rating, With Remote Control, Retail Box, 3 Months Warranty.
SOLED883BLU	R 179	Solarix Solar Floodlamp 30W Portable Rechargeable LED Blue - Light-weight rubberised casing and waterproof LED light, Shell Material: Aluminium Alloy and ABS Plastic, Battery Capacity: 3600mAh, LED Lifespan: 5-8 hours, 3 Modes: Low (White light), High (White light), Flash Red light, Power: 30W, Switch: Click switch, Charging Method: Type C USB port, Portable hidden hook, Strong magnet, USB input/output, Colour: Blue
SOLED883ORN	R 179	Solarix Solar Floodlamp 30W Portable Rechargeable LED Orange - Light-weight rubberised casing and waterproof LED light, Shell Material: Aluminium Alloy and ABS Plastic, Battery Capacity: 3600mAh, LED Lifespan: 5-8 hours, 3 Modes: Low (White light), High (White light), Flash Red light, Power: 30W, Switch: Click switch, Charging Method: Type C USB port, Portable hidden hook, Strong magnet, USB input/output, Colour: Orange
SOLED888BLU	R 299	Solarix LED Solar FloodLamp Blue Large Size - 5IN1 Working Lamp With PowerBank 7200MAH Battery, Service, Emergency, Work Lights, Solar Panel For Charging, Phone Charging

SOLED888ORN	R 299	Solarix LED Solar FloodLamp Orange Large Size - 5IN1 Working Lamp With PowerBank 7200MAH Battery, Service, Emergency, Work Lights, Solar Panel For Charging, Phone Charging and 1 year warranty carry-in.
SOLED889RBLU	R 299	Solarix LED Solar Floodlamp Blue 90W Portable Rechargeable LED High Brightness with Rubberised Casing, Comfortable handle design and Foldable Stand- Irradiation distance up to 30 meters, Emergency Phone Charger, Type C USB Charging Interface , Charging Power display, built in solar panel, Suitable Indoor and Outdoor Use, Includes long battery life, Retail Box
SOLED889RORN	R 299	Solarix LED Solar Floodlamp Orange 90W Portable Rechargeable LED High Brightness with Rubberised Casing, Comfortable handle design and Foldable Stand- Irradiation distance up to 30 meters, Emergency Phone Charger, Type C USB Charging Interface , Charging Power display, built in solar panel, Suitable Indoor and Outdoor Use, Includes long battery life, Retail Box
SOLSP20LED	R 79	Solarix Solar 20 LED Wall Light And Night Sensor - Built-In Solar Panel 0.55w, 17% Efficiency, 1200mAh LI-ion Battery, High Quality ABS, Passive Infrared (PIR) Sensor, Automatic Night Sensor, Solar Charging >8 Hours, Motion Angle 120 Degrees , Distance 3 Metre, Delay time 30 seconds, Manual and Auto switch , Colour Black, Retail Box, 3 Months Warranty
SWD-10015-20	R 117	Switched 20W LED Flood Light. 1600lm. IP65. Bright flood light for use on outdoor walls. For security lighting and driveway illumination.
SWD-10016-10	R 200	Switched brand. 10W LED Flood Light automatic Motion Sensor. 800 lumens. IP65. Brightness impressions adjustment; LED Type: 12 x 2835 SMD; Sensor Distance: Up to 8M; Sensor Angle: 120 Degrees; Sensor Delay Time: 5s-900s. Choose between two modes for brightness impressions: Mode 1 offers night-exclusive operation, conserving energy during daylight, while Mode 2 ensures continuous illumination, day or night for versatile use.
SWD-10016-20	R 230	Switched 20W LED Flood Light automatic Motion Sensor. IR up to 8 m, 120 degree angle; Day/Night modes: Mode A = night-only, Mode B = all-day saving power during the day; Delay time adjustment: 5 s-900 s. Ideal for larger outdoor spaces.
SWD-10016-30	R 264	Switched 30W LED Flood Light automatic Motion Sensor. The Switched 30 W LED Flood Light offers powerful cool-white output at 2400 lm with PIR motion detection and day/night dual-mode. With IP65 housing, 8 m sensor range, 120degrees angle, and adjustable 5-900 s delay, it's built for reliable outdoor security lighting. Main Specifications: 30 W power, 2400 lm output; Motion sensor with 8 m range, 120degrees angle, 5-900 s delay; IP65 rated metal housing, black finish Ideal for homeowners and businesses seeking energy-efficient perimeter security, driveway lighting, and outdoor flood lighting.
SWD-10037-100-BK	R 807	Switched brand. Urban Pro Series - 100W Solar Floodlight with Remote.Luminous flux: 880 - 1000lm; Color temperature: Cool White. This is an ideal security light for outdoors, with a motion sensor, day/night sensor and a handy remote control for easy and convenient control. The unit has adjustable brightness. Equivalent to a 75W incandescent lamp. The solar panel makes this a quick and easy installation. IP65 rating prevents rain and dust from getting into the unit and is ideal for outdoor use.
SWD-10037-50-BK	R 582	Switched Urban Pro Series - 50W Solar Floodlight with Remote. For outdoor areas, delivers powerful cool white lighting up to 440lm without relying on grid power.
UB-UP-FLOODLIGHT	R 2,501	Ubiquiti UniFi Protect Smart Flood Light with motion sensor, UP-FloodLight, IPX5 weatherproofing, 10/100 Mbps RJ45 Ethernet Port, 802.3af PoE power Method, Bluetooth 4.0, Detects motion at up to 5 meters, Provides 550 Lumens of intense LED light

< Return to the menu

LED lamps / lights

Product code	Price	Description
530491	R 159	Manhattan Battery Powered Hanging LED Light - 3-Pack - For Indoor And Outdoor Use Without External Power Supply, Pull-Cord Design, Three-Piece Set With Red, Green And Orange Housings Retail Box
530507	R 179	Manhattan Battery Powered LED Light Bar With Motion Sensor - For Cordless Indoor Use Without External Power Supply, Tool-Less Installation With Magnet And Adhesive Tape, Aluminium, Silver Retail Box
BHR4119GL	R 2,122	Xiaomi Mi Smart LED Desk Lamp Pro
BHR5278GL	R 325	Xiaomi Mi Motion Activated Night Light 2

BHR8956GL	R 382	Xiaomi Magnetic Reading Light Bar
BHR8959GL	R 538	Xiaomi Flexible Rechargeable Lamp, 3.5W rated Power, Lithium-ion Polymer Battery, 2000mAh Battery capacity, 3.5h (100lm) rated operating time
BHR8978GL	R 345	Xiaomi Motion Activated Night Light 3, Soft ambient glow, Motion Detection, 120 degrees detection angle, 5 m forward sensing range, 2700K Colour temperature, 600mAh Battery capacity
BHR9186GL	R 1,229	Xiaomi White LED Desk Lamp 2; Smart voice control; Adjustable brightness and color temperature; Eye-friendly LED; Flexible 360-degree arm; Energy-efficient; Ideal for home office, study, bedside
CSY-W689-3	R 99	Noble Multifunction Induction Headlamp - Use As A Work Light Or For Any Outdoor Activity, Non-Contact On/Off Induction Switch, Up to 3 Hours Lighting, 3W LED 200 Lumens, Lithium Rechargeable Battery 1200mAH Capacity, USB Type C Charging Port, IPX4 Water And Impact Resistance, Retail Box
CSY-YD01	R 19	Casey Multifunctional LED Headlight, Multifunctional LED Headlight - Ultra bright Led Light, High Intensity Led, Extensive Lifetime of Led.
DBK283	R 199	Tevo Magneto Premium Lithium - Ion LED Lantern - Powerful 1000 Lumens, Lasts Up To 100hrs (10-12hrs on highest brightness), 3 Colour Temperature Modes, 6500K (Cool White), 300K (Warm White) & 4500K (Natural White), Emergency Mode, Stepless Dimmer Function, Memory Mode, Lithium-Ion Batteries 8000mAh, 3.2V Over 3000 Life Cycles, USB-A Output & USB-C Input, Compatible with 5V Solar Panels For Charging, Retail Box, 6 Months Warranty.
EVA GALAXY LIGHT	R 1,120	Wanbo EVA Galaxy Light, Aurora 3W / moon 1W source, Bluetooth 5.0, 3W Speaker, 6.4 m projection range, 20 m projection area, USB Type-C Power Interface
GC-CKLM	R 1,908	Corsair Key Light Mini Portable LED panel, 2900 - 7000 K Colour range, 800 Lumens adjustable brightness, USB-C charging, 2.4GHz / 5GHz Wi-Fi
LAMP-CAMP-20W	R 191	Unbranded Meteor 20W 9K LED Emergency & Camping Lamp, 2x 1800mAh Lithium Battery capacity, Poly 0.5W 6V Battery Solar Panel, Can be used as a Powerbank
LEDUSB-WHT	R 19	Noble 1.2w White USB LED Light - Rated Voltage 5V, Rated Power 1.2W, Powered by any standard USB outlet including car charger, power bank, laptop, Ideal for lighting small areas inside your car, White color, Retail box packaging, No warranty.
LIGBLG	R 129	Noble Pays Round Bulkhead Light Fitting Large With Grid Black - 240mm Diameter, Powder Coated Black Die Cast Aluminium Housing With Grid, Frosted Glass Lens. E27 Lampholder, IP54 Weather-proof rating, 60w Maximum Wattage, Electrical mains Voltage 220-240v - Requires Edison E27 Spiral CFL or A60 LED Lamp Not Included, Sold as a Single unit, 3 Months Warranty
LIGBLP	R 129	Noble Pays Round Bulkhead Light Fitting Large Black - 240mm Diameter, Powder Coated Black Die Cast Aluminium Housing, Frosted Glass Lens, E27 Lampholder, IP54 Weather-proof rating, 60w Maximum Wattage, Electrical mains Voltage 220-240v- Requires Edison E27 Spiral CFL or A60 LED Lamp Not Included, Sold as a Single unit, 3 Months Warranty
LIGBWG	R 129	Noble Pays Round Bulkhead Light Fitting Large With Grid White - 240mm Diameter, Powder Coated White Die Cast Aluminium Housing With Grid, Frosted Glass Lens, E27 Lampholder, IP54 Weather-proof rating, 60w Maximum Wattage, Electrical mains Voltage 220-240v - Requires Edison E27 Spiral CFL or A60 LED Lamp Not Included, Sold as a Single unit, 3 Months Warranty
LIGBWP	R 129	Noble Pays Round Bulkhead Light Fitting Large White - 240mm Diameter, Powder Coated White Die Cast Aluminium Housing, Frosted Glass Lens. E27 Lampholder, IP54 Weather-proof rating, 60w Maximum Wattage, Electrical mains Voltage 220-240v - Requires Edison E27 Spiral CFL or A60 LED Lamp Not Included, Sold as a Single unit, 3 Months Warranty
MUE4093GL	R 1,060	Xiaomi Mi 2 Bedside Lamp
MUE4105GL	R 1,105	Xiaomi Mi 1S LED Desk Lamp
SFL1000H/10	R 48	Philips SFL1000H/10 Entry Level Headlamp
SFL4002T/10	R 144	Philips Torch 110 Lumens, 2x AA Batteries, Durable Aluminum Alloy, Waterproof (IPX4)
SFL7000T/10	R 173	Philips Torch 400 Lumens, 3x AAA Batteries, IPX4 Water resistant, Durable Aluminum Alloy, 100 meters beam distance
SL-5501ABK	R 149	UNiQue SunLite Solar Power desktop Lamps - Colour: Black only *one lamp item only* Retail Box, No Warranty

SL-5501ABU	R 149	UniQue SunLite Solar Power Blue desktop Lamp.
SL-5501AP	R 149	UniQue SunLite Solar Power desktop Lamps - Colour: Pink, Retail Box, No Warranty (Only one lamp)
SL-5501AW	R 149	UniQue SunLite Solar Power desktop Lamp - Colour: White, Retail Box, No Warranty (one lamp only)
SWD-50001-WT	R 147	Switched 30 LED Emergency Light AC 150 Lumen - White
SWD-50019-WT	R 109	Switched brand. 120 Lumen LED Light Switch. White. Portable, battery-powered lighting control designed for emergency use, camping, closets or hallways.
SWD-50026-GR	R 245	Switched Stella Rechargeable Lantern
SWD-50026-GR-BUN	R 586	Switched 2x Stella Rechargeable Camping Lantern
SWD-50028-GR	R 207	Switched NOVA Rechargeable Lantern - Grey. This bright 400lm lantern illuminates brightly 360degrees around with a beam of up to 10meters. It offers 4 modes of operation: Bright white, warm white, red emergency, medium, off. This is ideal for many uses, and is a great cost-effective light for emergency use in a vehicle. Great for general outdoor use with an IP44 rating (P44 is an Ingress Protection rating that indicates the lantern is protected against solid objects larger than 1mm and splashing water from any direction). Includes a charger for devices. Up to 6 hours run time.
SWD-50029-BK	R 200	Switched sleek Series Rechargeable LED Desk Lamp
SWD-50030-BK	R 229	Switched sleek Series - Universal Rechargeable LED bottle Lamp - Black
SWD-50031-WT	R 132	Switched Lux Series - Emergency Night Light, Auto Power failure detection
SWD-50032-WT	R 172	Switched Stella Mini Rechargeable Lantern. Switched Stella Mini Rechargeable Lantern offers 500lm of 360-degree illumination with touch switch and dimmer. Runs for 8 hours on high and charges fully in 4 hours.
SWD-50033-WT	R 132	Switched Lux Mini Rechargeable Motion Sensor Night Light. Great to stick anywhere, no wiring required. With motion detection of 4 meters, it is ideal for hallways, stairs and closets. Rechargeable via USB. The light will last many nights before the next re-charge. The light can be mounted on a metal surface with its magnetic base, it can be suspended from a nail or screw, or it can be taped onto a surface with the included double sided tape disk.
VK-4105-BK	R 286	Rugged by Volkano 500 lumen COB headlamp with Wave Sensor. Black/ Orange/ Yellow colour combination. Reasonably bright with a beam of up to 100m - Equivalent to a 40-watt incandescent bulb / 60-watt bulb. Offers great visibility at dusk or dawn for joggers, runners and cyclists. Great for camping, hiking, and working in low-light conditions. Up to 8 hours of light with the built-in battery.
VK-4106-BK	R 286	Rugged by Volkano Multi-Function Keychain Light with Tri-pod
VK-4109-BK	R 207	Rugged by Volkano 400lm Rugged IP44 LED Torch
VK-50012	R 276	Volkano Lumo Series - Owl Light, 700 mAh Battery capacity, Remote controlled, Mood lights, Machine washable Silicone part
VK-50013	R 276	Volkano Lumo Series - Koala Light, 700 mAh Battery capacity, Remote controlled, Mood lights, Machine washable Silicone part
VK-50014	R 276	Volkano Lumo Series - Dog Light, 700 mAh Battery capacity, Remote controlled, Mood lights, Machine washable Silicone part. Volkano Lumo Series Puppy Dog Light - Remote-controlled LED night light with 700mAh rechargeable battery. Made from soft, machine-washable silicone, it offers multicolour mood lighting, USB charging, and a child-safe design - ideal for nurseries, kids' bedrooms, or bedtime routines.
VK-50015	R 276	Volkano Lumo Series - Cat Light, 700 mAh Battery capacity, Remote controlled, Mood lights, Machine washable Silicone part
VK-50019-BN	R 173	Volkano Lumo Series - Bunny
VK-50027-BK	R 264	Volkano Medusae series Mini Jellyfish lamp - Black
W01-220-02	R 86	Huntkey Smart Energy Light, More than 7Hrs endurance under energy saving mode.LED, Automatic Night light sensing, Adjustable brightness, Auto Sensing Emergence Light.
YLCTD001	R 1,696	Yeelight LED Sensor drawer light, YLCTD001, Magnetic Switch, Motion Sensor
ZWKT01	R 49	Kroma LED Torch and Lantern 10 Lumens - Suitable for use: Outdoors, Emergency, Home DIY and Automotive, Requires 3x AA Batteries, Retail Box, 3 months warranty

< Return to the menu

LED Light Bulbs

Product code	Price	Description
AL-BUA19-10W50	R 99	ADATA 10W LED Light bulb, Luminous flux- 810 Lm, Cool White , Retail Box
CC-L1000-6	R 207	Connex CC-L1000-6 Smart Wi-Fi 6W LED Bulb RGB W Screw
CC-L1003	R 104	Connex CC-L1003 Smart Wi-Fi 10W LED Bulb RGB W Bayonet
CC-L2001-6	R 195	Connex 5W LED Amber Filament Vintage Bayonet Smart WiFi Bulb
CC-L2004-6	R 104	Connex 4.5W LED White Candle Bayonet Smart WiFi Bulb
CPH-2W-12V	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox E27 LED light bulb, Dimensions: 58mm (diameter) / 105mm (height), Emission Colour: Warm White (2850K), CRI Ra > 84, Lumens: 150 lm, Working Voltage: 12V DC Only, Power Consumption: 2.1W, Lamp Base: E27 Only, Certification: CE, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-2W-12V-S10	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox E27 LED light bulbs 10 pack, Dimensions: 58mm (diameter) / 105mm (height), Emission Colour: Warm White (2850K), CRI Ra > 84, Lumens: 150 lm, Working Voltage: 12V DC Only, Power Consumption: 2.1W, Lamp Base: E27 Only, Certification: CE, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-5W-200 B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 200 Flame 5W Light Bulb, Dimensions: 58mm (diameter) / 105mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 240 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 5W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 25, 000 hrs, Dimmable: No, Net Lamp Weight: 0.14 kg
CPH-5W-200-S10 B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 200 Flame 5W Light Bulb, Dimensions: 58mm (diameter) / 105mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 240 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 5W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 25, 000 hrs, Dimmable: No, Net Lamp Weight: 0.14 kg
CPH-5W-200-S10 E27	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 200 Flame 5W Light Bulbs 10 pack, Dimensions: 58mm (diameter) / 105mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 240 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 5W, Lamp Base: E27, Certification: CE & RoHS, Average Lifespan: 25, 000 hrs, Dimmable: No, Net Lamp Weight: 0.14 kg
CPH-6W-300 B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 6W LED Light Bulb, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 350 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300 E27	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 6W LED Light Bulb, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 350 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: E27, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300-S10 B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 6W LED Light Bulbs 10 Pack, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 350 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300-S10 E27	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 6W LED Light Bulbs 10 Pack, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 350 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: E27, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300F B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 Flame 6W LED Light Bulb, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 330 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300F E27	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 Flame 6W LED Light Bulb, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White

		(2200K), CRI: Ra 80-85, Lumens: 330 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: E27, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300F-S10 B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 Flame 6W LED Light Bulbs 10 pack, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 330 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-6W-300F-S10 E27	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 300 Flame 6W LED Light Bulbs 10 pack, Dimensions: 58mm (diameter) / 119mm (height), Emission Colour: Real Warm White (2200K), CRI: Ra 80-85, Lumens: 330 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 6W, Lamp Base: E27, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.1 kg
CPH-8W-500 B22	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 500 8W LED Light Bulb, Dimensions: 58mm (diameter) / 119mm (height), Colour Options: Warm White (3000K); , : Pure White (4000K), CRI: Ra 80-85, Lumens: Warm White - 480 lm, : Pure White - 520 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 8W, Lamp Base: B22, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.11 kg
CPH-8W-500 E27	POA	[This product is a download or an online enquiry only. Please visit our site and view this product.] Pharox 500 8W LED Light Bulb, Dimensions: 58mm (diameter) / 119mm (height), Colour Options: Warm White (3000K); , : Pure White (4000K), CRI: Ra 80-85, Lumens: Warm White - 480 lm, : Pure White - 520 lm, Working Voltage: 230v | 110v (AC only), Power Consumption: 8W, Lamp Base: E27, Certification: CE & RoHS, Average Lifespan: 35, 000 hrs, Dimmable: No, Net Lamp Weight: 0.11 kg
FLA60R8WB22	R 76	Ellies 9W A60 residential LED B22 - Cool White
FLA60R8WE27	R 76	Ellies 9W A60 residential LED E27 - Cool White
FLA60RB22W	R 9	ELLIES 7W LED 630lm Warm White B22 Bayonet A60 Bulb; energy saving up to 25 000h life; indoor residential lighting; cosy warm glow; easy install
FLA60RB22W	R 74	ELLIES 7W LED 630lm Warm White B22 Bayonet A60 Bulb; energy saving up to 25 000h life; indoor residential lighting; cosy warm glow; easy install
FLA60RE27C	R 74	Ellies 7W A60 Residential LED E27 - Cool White, wattage: 7W; fitting: E27; colour temp: 4000K cool white; brightness: 630 lm; lifetime: 25000 hrs; energy efficient LED bulb
FLCANRB22C	R 76	Ellies 5W C37 residential Candle Stick bulb B22 - Cool White
FLCANRB22W	R 76	Ellies 5W C37 residential Candle Stick bulb B22 - Warm White
FLCANRE14C	R 76	Ellies 5W C37 residential Candle sitck bulb E14 - Cool White
FLCANRE14W	R 76	Ellies 5W C37 residential Candle Stick bulb E14 - Warm White
FLCANRE27C	R 76	Ellies 5W C37 residential Candle Stick bulb E27 - Cool White
FLCANRE27W	R 76	Ellies 5W C37 residential Candle Stick bulb E27 - Warm White
FLEM9WE27C	R 29	Ellies 9W A70 Emergency LED Light Bulb E27 Screw Type; 9W LED; E27 screw base; A70 bulb shape; built in rechargeable lithium ion battery; 1800mAh battery; emergency lighting up to 5 hours; warm white 3000K normal mode; cool white 6500K emergency mode; LED lifespan up to 25000 hours; size 7 x 7 x 13.3 cm
FLG45RB22C	R 76	Ellies 5W G45 residential Golfball Stick bulb B22 - Cool White
FLG45RB22W	R 76	Ellies 5W G45 residential Golfball Stick bulb B22 - Warm White
FLG45RE14C	R 76	Ellies 5W G45 residential Golfball Stick bulb - E14 Cool White
FLG45RE14W	R 76	Ellies 5W G45 residential Golfball Stick bulb E14 - Warm White
FLG45RE27C	R 76	Ellies 5W G45 residential Golfball Stick bulb E27 - Cool White
FLR50R5WE14C	R 84	Ellies 5W R50 residential bulb E14 - Cool White
FLR50R5WE14W	R 84	Ellies 5W R50 residential bulb E14 - Warm White
GA557B	R 29	Noble Pays A55 Daylight 7w B22 LED Lamp, Retail Box
GA557E	R 29	Noble Pays A55 Daylight 7w E27 LED Lamp, Retail Box
GA609B	R 29	Noble Pays A60 Daylight 9w B22 LED Lamp, Retail Box

GA609E	R 29	Noble Pays A60 Daylight 9w E27 LED Lamp, Retail Box
LA22N5W37/2-LE	R 99	Luceco A60 B22 5W - Natural White - 2 Pack LED - LA22N5W37/2-LE - 370Lumens - 25000hrs, Mercury free, Aluminium die-casting/ thermoplastic construction with chip-on-board technology, Retail Box
LA27N5W37/2-LE	R 89	Luceco A60 E27 5W - Natural White - 2 Pack LED - 370Lumens - 25000hrs, True halogen appearance and perfect fit, 85% energy saving versus halogen, 10 times lifetime versus halogen, Using the latest LED technology, Non dimming, Retail Box
LC14W3W20/2-LE	R 99	Luceco E14 Candle 3W - LC14W3W20/2-LE - Warm White - 2 Pack LED - 200 Lumens - 25000hrs, Aluminium die-casting / thermoplastic construction with chip-on-board technology, E14 fitting to connect to many lamps or chandeliers, 90% Energy saving versus CFL, Mercury Free, 360 degree beam angle, 25 Year life,Retail Box
LC27W3W20/2-LE	R 99	Luceco E27 Candle 3W - LC27W3W20/2-LE - Warm White - 2 Pack LED - 200 Lumens - 25000hrs, Mercury Free, Aluminium die-casting / thermoplastic construction with chip-on-board technology, 25 Year life, 90% Energy saving versus CFL, Using the latest LED technology, Retail Box
LL-ABo1030	R 56	Adata AL-BUA19-10W30 Bulb - Omnidirectional LED - 10w power with 3000K CCT, 850 lumens
LL-ABo1050	R 56	Adata AL-BUA19-10W50 Bulb - Omnidirectional LED - 10w power with 5000K CCT, 900 lumens
LL-ABo1230	R 68	Adata AL-BUA19-12W30 Bulb - Omnidirectional LED - 12w power with 3000K CCT, 1020 lumens
LL-ABo1250	R 109	Adata AL-BUA19-12W50 Bulb - Omnidirectional LED - 12w power with 5000K CCT, 1080 lumens
MI-AB-LED	R 2,893	Micro Instruments LED Aircraft Beacon, RED, Tempered Glass, Aluminium Body, 11-36 VDC. A rugged, high-intensity aviation beacon designed for tower and mast applications over 21m in height. The beacon features: Bright Red LEDs (80â€'LED cartridge) producing approximately 12,000mcd with a 15degree beam spread.
NET-TAPO-L530E	R 134	TP-Link Tapo L530E Multicolour Smart Wi-Fi Light Bulb
NET-TL-KL130	R 797	TP-Link KL130 WiFi KASA Smart LED Colour Bulb 800LM V2
NET-TL-TAPO-L430P	R 134	Tapo L430P Multicolor Smart P45 Light Bulb; P45; E14 fitting; 470 lumens; 16 million colours; 2500-6500 K; 1%-100% dimming; 4.8 W; 2.4 GHz Wi-Fi; Bluetooth; 25,000 hour lifetime; 80 x 48.6 mm; 29.5 g
NET-TL-TAPO-L510B	R 104	Tapo L510B Dimmable Smart Wi-Fi Smart B22 Light LED bulb; 806 lumens; 2700 K warm white; dimmable via Tapo app and cloud; 2.4 GHz WiFi; 220 degree beam angle; 60 W equivalent; 8.3 W max power; Alexa and Google Home compatible; 115 x 60 mm; 25,000 hour lifetime
NET-TL-TAPO-L510E	R 104	TP-Link Tapo L510E Dimmable Smart Wi-Fi Light Bulb
NET-TL-TAPO-L520E	R 126	TP-Link Tapo L520e Smart Wi-Fi Light Bulb daylight & dimmable, 2.4 GHz Wi-Fi, 806 Lumens typical Lumen Output, 4000 K Colour temperature, 220 degrees beam angle, Dimmable, E27 Lamp base
NET-TL-TAPO-L535B	R 171	TP-Link L535b Tapo WiFi 1055 Lumen Multicolour Globe, Bayonet Type, 1055 Lumens brightness, 2500-6500 K Colour temperature range, Dimmable, 2.4GHz WiFi only
SHELLY DUO CW/WW (E27)	R 114	Shelly Duo Smart bulb CW/WW - E27 Socket, Cool or warm White, Dimmable, Warm White 800 lm brightness, 2700K - 6500K Colour temperature, WiFi 2.4GHz
SWD-10001-9-B22	R 106	Switched brand. 9W A60 Rechargeable LED Light Bulb B22 - Cool White. Great drop-in for a B22 (pin-type) light. The light stays on when the power goes out, thanks to the built-in battery. When the power it out, it automatically detects the status of your wall switch, and you can switch it on or off, just like a normal light. Luminous flux: 650lm (AC), 230lm (DC backup)
SWD-10001-9-B22-WW	R 106	Switched 9W A60 Rechargeable LED Light Bulb B22 - Warm White. Luminous flux: 650 lm (AC), 230 lm (DC backup); Charge time: 4 - 5 hours; Color temperature: Warm White; Bulb shape: A60; Lamp base: B22. Great drop-in replacement for a B22 (pin type) bulb.This bulb has sensors that detects the status of your light switch, and you can switch it on and off during power outages.
SWD-10001-9-E27	R 106	Switched 9W A60 Rechargeable LED Light Bulb E27 - Cool White
SWD-10001-9-E27-WW	R 106	Switched 9W A60 Rechargeable LED Light Bulb E27 - Warm White. 650lm output. Up to 2 hours of backup light, thanks to a built-in 800mAH battery. This bulb has sensors that detects the status of your light switch, and you can switch it on and off during power outages.
SWD-10010-5-B22-CW	R 72	Switched 5W A60 Light Bulb B22 - Cool White. replaces a standard light with the pin-type connector (B22 bayonet). 5W provides 400lm of illumination, which is the equivalent of a 40Watt incandescent light.
SWD-10010-5-B22-WW	R 72	Switched 5W A60 Light Bulb B22 (pin-type connector base) - Warm White. The Switched 5 W A60 Classic LED Bulb (B22 base) delivers 380 lm warm white light in a traditional pear shape. Compatible with 220-240 V AC, it

		offers soft, energy-efficient illumination-perfect for general indoor settings like living rooms, bedrooms, ceiling fittings, and table lamps. Main Specifications: 5 W power, 380 lm output; Warm white color, A60 shape; B22 bayonet base, 220-240 V AC. Ideal for homeowners and renters upgrading classic indoor lighting to energy-saving LED bulbs, especially in living spaces and decorative fixtures.
SWD-10010-5-E27-CW	R 72	Switched 5W A60 Light Bulb E27 (screw-in type base) - Cool White. The Switched 5 W A60 Classic LED Bulb (E27 base) emits 400 lm crisp cool white light with instant brightness. Energy-efficient and standard-sized, itâ€™s ideal for replacing incandescent bulbs in ceilings, lamps, living spaces, and bedrooms. Main Specifications: 5 W power, 400 lm output; Cool white color; A60 shape, E27 base; 220-240 V AC; Perfect for homeowners, renters, and anyone seeking reliable, energy-saving general indoor lighting.
SWD-10010-5-E27-WW	R 72	Switched 5W A60 Light Bulb E27 - Warm White.The Switched 5 W A60 Classic LED Bulb with E27 (screw-in type) base delivers 400 lm warm white light with instant full brightness. Energy-efficient and standard-sized, itâ€™s ideal for replacing incandescents in ceiling fittings, lamps, living rooms, and bedrooms. 5 W power, 400lm output; Warm white color; A60 shape, E27 base; 220-240V AC compatibility. Great for homeowners, renters, and anyone looking to upgrade general indoor lighting with energy-saving LEDs. 400lm is equivalent to a 40W incandescent light.
SWD-10010-7-B22-CW	R 74	Switched 7W A60 Light Bulb B22 (pin connector type base) - Cool White. The Switched 7 W A60 Classic LED Bulb (B22 base) emits 600 lm crisp cool white light with instant full brightness. Energy-efficient and standard-sized, it ' s ideal for replacing incandescent bulbs in ceiling fittings, lamps, living rooms, and bedrooms. Main Specifications: 7 W power, 600 lm output; Cool white color, A60 shape; B22 bayonet base, 220-240 V AC. Ideal for homeowners, renters, and anyone looking to upgrade living rooms, bedrooms, or table lamps with energy-efficient, reliable indoor lighting. Equivalent to a 60W incandescent bulb.
SWD-10010-7-B22-WW	R 74	Switched 7W A60 Light Bulb B22 (pin-type connector base) - Warm White.The Switched 7 W A60 Classic LED Bulb (B22 base) emits 600 lm warm white light with instant brightness. Energy-efficient and standard-sized, it's ideal for replacing incandescent bulbs in ceiling fittings, lamps, living rooms, and bedrooms. Main Specifications: 7 W power, 600 lm output; Warm white color; A60 shape, B22 base; 220-240 V AC compatibility. Suitable for homeowners, renters, and anyone upgrading general indoor lighting with energy-saving bulbs. Equivalent to a 60W incandescent bulb.
SWD-10010-7-E27-CW	R 74	Switched 7W A60 Light Bulb E27 - Cool White. This 600lm light bulb is a direct replacement for your 60W screw-in incandescent light bulb. Cool white is bright and crisp best suited for work spaces and offices, kitchens, and outdoor settings. It is also best suited for larger spaces that needs the appearance of additional lighting.
SWD-10010-7-E27-WW	R 74	Switched 7W A60 Light Bulb E27 - Warm White. Standard screw in light bulb, with 600lumen, this is direct replacement for your 60W incandescent light bulb. Warm white has a cozy yellowish hue, best suited for living spaces such as sitting and dining rooms, as well as bedrooms, where the feeling of relation and comfort is desired.
SWD-10011-5-B22-CW	R 76	Switched 5W Candle LED Light Bulb B22 (pin-type connector) - Cool White. The Switched 5 W Candle (C37) LED Bulb with B22 base emits 380 lm crisp cool white light. Its classic candle form, 220-240 V compatibility, and energy efficiency make it perfect for decorative fixtures such as chandeliers, bedside lamps, and ornate sconces. Main Specifications: 5 W power, 380 lm output; Cool white color, C37 candle shape; B22 bayonet base, 220-240 V AC. Ideal for homeowners and decorators seeking elegant, energy-saving decorative lighting in bedrooms, dining areas, and living spaces.
SWD-10011-5-B22-WW	R 76	Switched 5W Candle LED Light Bulb B22. Warm White. Used for Chandeliers, wall sconces, bedside lamps, decorative lighting. A warm white is a soft, yellowish hue that creates a cozy and inviting atmosphere. Commonly used in living rooms and dining areas to create a relaxing and comfortable feeling. 380lumen is the equivalent of a 40W incandescent light bulb.
SWD-10011-5-E14-CW	R 76	Switched 5W Candle LED Light Bulb E14. Cool White. For use in Chandeliers and decorative indoor lighting. Great energy saving option, with a bright output.
SWD-10011-5-E14-WW	R 76	Switched 5W Candle LED Light Bulb E14 - Warm White. The Switched 5 W Candle (C37) LED Bulb with E14 base outputs 380 lm warm white light. Its classic candle form and standard voltage make it perfect for decorative lighting in chandeliers, bedside lamps, and sconces-energy efficient and stylish. Main Specifications: 5 W power, 380 lm output; Warm white, C37 candle shape; E14 base, 220-240 V AC. Ideal for homeowners seeking elegant,

		energy-saving decorative lighting in bedrooms, dining areas, and living rooms.
SWD-10011-5-E27-CW	R 76	Switched 5W Candle LED Light Bulb E27 (screw-in type) - Cool White. The Switched 5 W Candle (C37) LED Bulb with E27 base outputs 380 lm crisp cool white light. Its classic candle form and compatibility with 220-240 V fixtures make it perfect for decorative lighting in chandeliers, bedside lamps, and ornate fixtures" energy efficient and visually appealing. Main Specifications: 5 W power, 380 lm output; Cool white, C37 candle shape; E27 base, 220-240 V AC. Ideal for homeowners and decorators seeking elegant, energy-saving decorative lighting for bedrooms, dining rooms, and living spaces.
SWD-10011-5-E27-WW	R 76	Switched 5W candle LED Light Bulb E27 (screw-in type) - Warm White. The Switched 5 W Candle (C37) LED Bulb with E27 base emits 380 lm warm white light. Its classic candle form, 220-240 V compatibility, and energy efficiency make it ideal for decorative fixtures like chandeliers, bedside lamps, and ornate sconces. Main Specifications: 5 W power, 380 lm output; Warm white, C37 candle shape; E27 screw base, 220-240 V AC. Perfect for homeowners and decorators seeking elegant, energy-saving decorative lighting in bedrooms, dining areas, and living spaces.
SWD-10012-5-B22-CW	R 76	Switched 5W Golfball LED Light Bulb B22 (Pin-type connector base) - Cool White. The Switched 5 W G45 Golfball LED Bulb (B22 base) emits 380 lm crisp cool white light, ideal for general indoor use. Compatible with 220-240 V fixtures, its compact design offers energy-efficient lighting for ceiling fittings, lamps, hallways, bedrooms, and living spaces. Main Specifications: 5 W power, 380 lm output; Cool white color; G45 golfball shape, B22 bayonet base; 220-240 V AC compatibility. Perfect for homeowners, renters, and office users seeking decorative, compact, and energy-saving lighting solutions.
SWD-10012-5-B22-WW	R 76	Switched 5W Golfball LED Light Bulb B22 (pin-type base) - Warm White. The Switched 5 W G45 Golfball LED Bulb (B22 base) emits 380 lm warm white light. Its compact, frosted form suits decorative fixtures, hallways, table lamps, and ceiling fittings. Energy-efficient and compatible with standard 220-240 V fixtures, it ' s ideal for general indoor lighting and retrofits. Main Specifications: 5 W power, 380 lm output; Warm white, G45 shape; B22 bayonet base, 220-240 V AC. Perfect for homeowners/renters seeking compact, stylish, energy-saving lighting for decorative and everyday indoor spaces.
SWD-10012-5-E14-CW	R 76	Switched 5W Golfball LED Light Bulb E14 - Cool White. The Switched 5 W G45 Golfball LED Bulb with E14 base delivers 380 lm crisp cool white light. Compact and energy-efficient, it ' s ideal for decorative fixtures like vanity lights, ceiling fittings, and hallways in 220 -240 V homes. Main Specifications: 5 W power, 380 lm output; Cool white color, G45 shape; E14 screw base, 220 -240 V AC. Recommended Uses & Users: Great for homeowners, renters, and decorators needing compact, stylish, energy-saving lighting in indoor decorative spaces.
SWD-10012-5-E14-WW	R 76	Switched 5W Golfball LED Light Bulb E14 - Warm White. The Switched 5 W Golfball (G45) LED Bulb with E27 base emits 380 lm warm white light from a compact, frosted globe. Energy-efficient and stylish, itâ€™s perfect for ceiling fittings, table lamps, hallways, living spaces, and decorative indoor lighting. Main Specifications: 5 W power, 380 lm output; Warm white color, 220-240 V AC; G45 shape, E27 screw base. Ideal for homeowners, renters, and decorators seeking compact, energy-saving lighting for decorative and functional indoor spaces.
SWD-10012-5-E27-CW	R 76	Switched 5W golfball LED Light Bulb E27 (screw-in type) - Cool White. The Switched 5 W G45 Golfball LED Bulb (B22 base) emits 380 lm crisp cool white light, ideal for general indoor use. Compatible with 220-240 V fixtures, its compact design offers energy-efficient lighting for ceiling fittings, lamps, hallways, bedrooms, and living spaces. Main Specifications: 5 W power, 380 lm output; Cool white color; G45 golfball shape, B22 bayonet base; 220-240 V AC compatibility. Perfect for homeowners, renters, and office users seeking decorative, compact, and energy-saving lighting solutions.
SWD-10012-5-E27-WW	R 76	Switched 5W Golfball LED Light Bulb E27 (Screw-in type) - Warm White. The Switched 5 W Golfball (G45) LED Bulb with E27 base emits 380 lm warm white light from a compact, frosted globe. Energy-efficient and stylish, itâ€™s perfect for ceiling fittings, table lamps, hallways, living spaces, and decorative indoor lighting. Main Specifications: 5 W power, 380 lm output; Warm white color, 220-240 V AC; G45 shape, E27 screw base. Ideal for homeowners, renters, and decorators seeking compact, energy-saving lighting for decorative and functional indoor spaces.
SWD-10013-5-GU10-CW	R 76	Switched 5W GU10 (220V down-light with twist-lock pins) LED Light Bulb - Cool White. The Switched 5 W GU10 LED Bulb delivers 380 lm cool white spotlight brightness in a standard GU10 form. It ' s energy-efficient, simple to install, and ideal for down-lighting in kitchens, bathrooms, and living spaces. Main Specifications: 5 W power, 380

		lm output; Cool White color, GU10 base; 220-240 V AC compatibility. Perfect for homeowners upgrading to energy-saving lighting in down-lights, bathrooms, kitchens, or accent spots.
SWD-10013-5-GU10-WW	R 76	Switched 5W GU10 (220V Down-light with twist-lock pins) LED Light Bulb - Warm White. The Switched 5 W GU10 LED Bulb delivers 380 lm warm white light in a standard GU10 spotlight form. It's energy-efficient, simple to install, and ideal for down-lighting in kitchens, bathrooms, and living areas. Main Specifications: 5 W power, 380 lm output; Warm White color, GU10 base; 220-240 V AC compatibility. Perfect for homeowners upgrading to energy-saving fixtures in spot and down-light applications like bathrooms, kitchens, or accent lighting.
SWD-10014-6-E14-CW	R 84	Switched 5W R50 LED Light Bulb E14 (screw-type base) - Cool White. The Switched 6 W R50 LED Bulb (E14 base) delivers 480 lm crisp cool white in a classic reflector form, perfect for spot and accent lighting. Energy-efficient and compact, it suits kitchens, bathrooms, and feature lighting. Main Specifications: 6 W power, 480 lm output; Cool White color, R50 reflector shape; E14 screw base, 220-440 V AC; Ideal for homeowners upgrading down-lights, accenting kitchen or bathroom features, and anyone needing focused, efficient indoor spotlighting.
SWD-10014-6-E14-WW	R 84	Switched brand. 5W, R50 LED Light Bulb E14 - Warm White. This lights compact reflector shape ensures soft, focused illumination in smaller fixtures, and is designed for indoor decorative and accent lighting. It delivers 480 lumens of light, which is the equivalent of a 40Watt incandescent light.
SWD-10014-7-B22-IL	R 94	Switched 7W A60 LED Insect Lamp B22 (Pin-type connector base). The Switched 7 W A60 LED Insect Lamp with B22 base emits 560 lm yellow light at 560-580 nm to naturally repel insects without UV. It fits standard fixtures and provides energy-efficient, bug-free light-ideal for bedrooms, kitchens, and enclosed patios. Main Specifications: 7 W power, 560 lm output; Yellow wavelength 560-580 nm; A60 shape, B22 bayonet base, 230 V. Great for homeowners seeking chemicalâ€'free, insect-repellent ambient lighting in living areas, kitchens, and enclosed outdoor spaces.
SWD-10014-7-E27-IL	R 109	Switched 7W A60 LED Insect Lamp E27 (screw-in type base). The Switched 7 W A60 LED Insect Lamp (E27 base) emits 560 lm of warm yellow light (2000 K) at 560-580 nm, naturally repelling insects without UV. Its standard A60 shape and affordable design make it ideal for bedrooms, kitchens, patios, and enclosed living spaces. Main Specifications: 7 W power, 560 lm output; 2000 K warm yellow, 560-580 nm wave length; A60 shape, E27 base. Perfect for homeowners wanting bug-free ambient lighting in sleeping or dining areas, especially where chemical repellents aren't preferred.
SWD-10018-B22R	R 99	Switched 5W A60 Rechargeable B22 (pin-type bayonet type) LED Light Bulb - Cool White. The Switched 5 W A60 Rechargeable B22 LED Bulb offers 350 lm cool white brightness on AC and 210 lm on battery backup for up to 2 hours. Powered by an 800 mAh lithium battery, it charges in 4-5 hours. Ideal for indoor fittings, power outages, camping, and portable lighting. Main Specifications: 5 W power, 350 lm AC / 210 lm DC; 800 mAh battery, 4-5 h charge, 2 h runtime; B22 bayonet base, A60 shape, cool white Ideal for homeowners needing reliable backup lighting. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.
SWD-10018-B22R-3-WW	R 174	Switched 5W A60 Rechargeable B22 (pin-type connector) LED Light Bulb Warm White - 3 Pack. Great bulk pricing with bulbs for a number of areas. This 3-pack of Switched 5 W A60 Rechargeable B22 LED Bulbs delivers 350 lm warm white in AC mode and 210 lm battery backup for up to 2 hours. Featuring 800 mAh rechargeable batteries with 4-5 hour charging, they're perfect for everyday fittings, load-shedding, camping, or portable lighting. Main Specifications:5 W power, 350 lm AC / 210 lm DC; 800 mAh battery, 4-5 h charge, 2 h runtime; B22 base, A60 shape, warm white; Ideal for homeowners requiring backup lighting. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.
SWD-10018-B22R-WW	R 103	Switched 5W A60 Rechargeable B22 (pin-type) LED Light Bulb - Warm White.The Switched 5 W A60 Rechargeable B22 LED Bulb offers warm white brightness at 350 lm on AC and 210 lm battery backup for up to 2 hours. Powered by an 800 mAh lithium battery with 4-5 hour charge time, it's perfect for indoor fittings for load-shedding and backup lighting. Main Specifications: 5 W power, 350 lm AC / 210 lm DC; 800 mAh battery, 4-5 h charge, 2 h runtime; B22 base, A60 shape, warm white; Ideal for homeowners needing reliable emergency lighting. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.

SWD-10018-E27R	R 99	Switched 5W A60 Rechargeable E27 (screw-in) LED Light Bulb - Cool White.The Switched 5 W A60 Rechargeable LED Bulb (E27 base) offers 350 lm cool white brightness on AC and 210 lm battery backup for up to 2 hours. Equipped with an 800 mAh lithium battery and 4-5 hour charge time, it provides reliable emergency lighting for homes. Main Specifications: 5 W power, 350 lm AC / 210 lm DC; 800 mAh battery, 4-5 h charge, 2 h runtime; E27 base, A60 shape, cool white. Ideal for homeowners seeking emergency-ready bulbs. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.
SWD-10018-E27R-3-CW	R 174	Switched 5W A60 Rechargeable E27 LED Light Bulb Cool White - 3 Pack. Great bulk pricing! This 3-pack of Switched 5 W A60 Rechargeable E27 LED Bulbs offers 350 lm cool white in AC mode and 210 lm on battery backup for up to 2 hours. Featuring auto-dimming, 800 mAh rechargeable batteries, and a 3-4 hour charge time, they're ideal for home lighting, power outages, camping, and portable use. Main Specifications: 5 W power, 350 lm AC / 210 lm DC; 800 mAh battery, 3-4 h charge, 2 h runtime; E27 base, A60 shape, cool white; Perfect for households needing reliable backup lighting. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.
SWD-10018-E27R-3-WW	R 174	Switched 5W A60 Rechargeable E27 (screw-in type base) LED Light Bulb Warm White - 3 pack. Value pack.This 3-pack of Switched 5 W A60 Rechargeable E27 LED Bulbs delivers 350 lm warm white brightness on AC and 210 lm battery backup for up to 2 hours. Featuring an 800 mAh lithium battery with 4-5 hour charge time, they're ideal for emergency lighting, camping, and portable indoor use. Main Specifications: 5 W per bulb, 350 lm AC / 210 lm DC 800 mAh battery, 4-5 h charge, 2 h runtime E27 screw base, A60 shape, warm white Recommended Uses & Users: Ideal for households in load-shedding areas, campers, and anyone needing reliable backup lighting in standard fixtures.
SWD-10018-E27R-WW	R 103	Switched 5W A60 Rechargeable E27 LED Light Bulb - Warm White. The Switched 5 W A60 Rechargeable LED Bulb (E27 screw-in base) offers 350 lm bright warm white light and 210 lm battery backup for up to 2 hours. It features an 800 mAh lithium rechargeable battery, recharging in 4-5 hours. Ideal for indoor fittings for emergency lighting. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly. 5 W , 350lm(AC), 210lm(DC); 800mAh battery, 4-5 h charge, 2 h backup; E27 base, A60 shape, warm white; Perfect for homeowners needing emergency backup lighting.
SWD-10033-E27RF-CW	R 115	Switched brand. 5W A60 Rechargeable Fast Charge E27 LED - Cool White. Light output: 400lm (220Vac), 150 lm high (2.5 h), 75 lm medium (5 h), 37 lm low (7.5 h); 400lm is the equivalent of a 40Watt incandescent light bulb; The light remains on during Load-shedding and power outages for up to 7.5 hours. The re-charge time is 3-4 hours, and it will be ready for the next Eskom or cable-theft " event" . This bulb has sensors that detects the status of your light switch, and you can switch it on and off during power outages.
SWD-10033-E27RF-WW	R 109	Switched 5W A60 Rechargeable Fast Charge E27 LED - Warm White. The SWDâ€'10033â€'E27RFâ€'WW is a 5 W A60 E27 LED bulb offering warm white lighting, a 500 mAh rechargeable battery, and fast-charge capability. It delivers up to 400-500 lumens on mains power and, when fully charged, provides portable lighting for up to approximately 7.5 hours. Features include dimmability, a built-in step-down power function, and compatibility with standard 220-240 V fixtures - deal as an emergency or load-shedding solution.
SWD-10035-E27RF-CW	R 126	Switched 9W A60 Rechargeable Fast Charge E27 (screw-type base) LED - Cool White. The Switched 9 W A60 Fast Charge Rechargeable LED Bulb with E27 base delivers 800 lm cool white light on AC and backup output of 200/100/50 lm for 3/6/9 hours. With a 1200 mAh battery rechargeable in 3-4 hours and dimmable feature, it ' s perfect for ceilings and lamps during power outages. Main Specifications: 9 W power, 800 lm AC output; Backup: 200/100/50 lm for 3/6/9 h; 1200 mAh battery, 3 -4 h charge, dimmable; E27 base, A60 shape, cool white. Ideal for homeowners prepping for loadâ€'shedding, and anyone seeking emergency-ready LED bulbs. During a power outage, intelligent circuitry detects whether your power switch is on or off, and will switch the light on or off accordingly.
SWD-10035-E27RF-WW	R 124	SWITCHED 9W A60 Rechargeable Fast Charge E27 LED - Warm White. white lighting at 806lm on AC and supports battery backup with 200lm for 3 hours, 100lm for 6 hours and 50lm for 9 hours. The light has an advanced sensor that detects the status of the wall switch, allowing users to switch the light on or off during power failures.
SWD-50002-WT[V1]	R 185	Switched Solar Powered LED Light Bulb with Solar Panel included - White
SWD-50002-WT[V2]	R 132	Switched Solar Powered LED Light Bulb with Solar Panel included - White

TAPO-L510E	R 104	TP-Link Tapo L510E Dimmable Smart Wi-Fi Light Bulb, Dimmable, E27 base, 2700K, 220V, 50/60 Hz, 60W Equivalent, Energy Class A , 2.4GHz, 802.11b/g/n, Tapo APP, Works with Alexa and Google Assistant, Timer and Schedule settings
TAPO-L520E	R 125	TP-Link Tapo L520E k Smart Wi-Fi Light Bulb, Daylight & Dimmable, SPEC: 2.4 GHz, IEEE 802.11b/g/n, E27 Base, 220-240 V, 50/60 Hz, 806 lm, 7.8 W, 4,000 K, Beam Angle 220Â° , 8 kWh / 1000h, lifetime up to 15,000 hrs, FEATURE: Dimmable, No Hub Required, Voice Control
TAPO-L520E	R 184	TP-Link Tapo L520e Smart Wi-Fi Light Bulb daylight & dimmable, 2.4 GHz Wi-Fi, 806 Lumens typical Lumen Output, 4000 K Colour temperature, 220 degrees beam angle, Dimmable, E27 Lamp base
TAPO-L530B	R 133	TP-Link TAPO L530B Smart Wi-Fi Light Bulb, Multicolor, SPEC: 2.4 GHz, IEEE 802.11b/g/n, B22 Base, 220â€“240 V, 50/60 Hz, Brightness: W: 806 lm/ R: 55 lm/G: 140 lm/B: 25 lm, 8.7 W, 2,500 K â€“ 6,500 K, Beam Angle 220Â°, 8.7 kWh / 1000h, lifetime up to 15,000 hrs FEATURE:
TAPO-L530E	R 137	TP-Link Tapo L530E Multicolour Smart Wi-Fi Light Bulb, Multicolor, SPEC: 2.4 GHz, IEEE 802.11b/g/n, E27 Base, 220â€“240 V, 50/60 Hz, Brightness: W: 806 lm/ R: 55 lm/G: 140 lm/B: 25 lm, 8.7 W, 2,500 K â€“ 6,500 K, Beam Angle 220Â°, 8.7 kWh / 1000h, lifetime up to 15,000 hrs, FEATURE: Multicolor, 60-watt equivalent, Preset for Convenience, Schedule & Timer, Sunrise and Sunset Modes, No Hub Required, Voice Control, Remote Control, Away Mode, Restore Last Light State
TAPO-L535B	R 170	TP-Link TAPO L535B Smart Wi-Fi Light Bulb - Multicolor, SPEC: 2.4 GHz, IEEE 802.11b/g/n, B22 Base, 220-240 V, 50/60 Hz, Brightness: W: 806 lm/ R: 55 lm/G: 140 lm/B: 25 lm, 8.3 W, 2,500 K - 6,500 K, Beam Angle 220Â°, 8.3 kWh / 1000h, lifetime up to 25,000 hrs
Tapo-L535B	R 229	TP-Link L535b Tapo WiFi 1055 Lumen Multicolour Globe, Bayonet Type, 1055 Lumens brightness, 2500-6500 K Colour temperature range, Dimmable, 2.4GHz WiFi only
TAPO-L535E	R 175	TP-Link TAPO L535E Smart Wi-Fi Light Bulb - Multicolor, SPEC: 2.4 GHz, IEEE 802.11b/g/n, B22 Base, 220-240 V, 50/60 Hz, Brightness: W: 806 lm/ R: 55 lm/G: 140 lm/B: 25 lm, 8.3 W, 2,500 K - 6,500 K, Beam Angle 220Â°, 8.3 kWh / 1000h, lifetime up to 25,000 hrs
TL-KL130	R 776	TP-Link KL130 WiFi KASA Smart LED Colour Bulb 800LM V2
TP-KL130	R 513	TP-Link KL130 multicolour Smart Wi-Fi A19 LED bulb, E27 Lamp base, IEEE 802.11b/g/n Wi-Fi Protocol, 2.4GHz, 800lm typical lumen Output, 10W Input power, Dimmable, Colour changing
TP-TAPO-L510E	R 104	TP-link Tapo L510E Smart Wi-Fi light bulb, E27 Lamp base, 2.4 GHz Wi-Fi Wi-Fi Frequency, 806 lumens, 2700 K Colour temperature, Dimmable
TP-TAPO-L520E	R 126	TP-Link Tapo L520e Smart Wi-Fi Light Bulb daylight & dimmable, 2.4 GHz Wi-Fi, 806 Lumens typical Lumen Output, 4000 K Colour temperature, 220 degrees beam angle, Dimmable, E27 Lamp base
TP-TAPO-L530B	R 134	TP-Link Tapo L530B Smart Wi-Fi Light Bulb - Multicolor - B22 base, 2.4 GHz IEEE 802.11b/g/n, B22 bayonet base, 220-240 V, 806 Lumens typical lumen Output, 8.7 W Input power
UN190UV	R 79	Casey UN190 Replacement UV 16W Bulb - Power 16W, UV (Ultraviolet) Bulb Type, Specifically Designed For Avansa MaxDetect 190 Counterfeit Detectors, Engineered For Extended Operational Lifespan, Simple Plug-And-Play Installation, Product Code UN190UV

< Return to the menu

LED Strip lights

Product code	Price	Description
CC-L2007	R 450	Connex 5M 24W LED RGB Smart WiFi Strip
CC-P1003	R 322	Connex Smart 3 Pin SA Round 16A WiFi Plug
NET-TL-TAPO-L900-5	R 283	TP-Link Tapo L900-5 Smart Wi-Fi Light Strip
NET-TL-TAPO-L920-5	R 448	TP-Link Tapo L920-5 Smart Wi-Fi Light Strip - Multicolour
NET-TL-TAPO-L930-10	R 897	TP-Link L930-10 Tapo WiFi 2000 lumen Multicolour LED - 10m, 2.4GHz Wi-Fi Frequency, RGBW LED Colour, 24 W energy consumption, 2500-6500 K Colour temperature, Colour changing, 300 RGB LEDs 300 White LEDs
NET-TL-TAPO-L930-5	R 523	TP-Link L930-5 Tapo WiFi 1000 Lumens Multicolour LED - 5m strip, 2.4GHz Wi-Fi Frequency, Dimmable
TAPO-L900-5	R 539	TP-Link Tapo L900-5 Smart Wi-Fi Light Strip
TAPO-L900-5	R 283	TP-Link Tapo L900-5 Smart Wi-Fi Light Strip, Multicolor SPEC: 2.4 GHz Wi-Fi, 802.11b/g/n, one 16.4 ft/5m LED

		light strip(cut to size every 10cm), one adapter, one controller, lifetime up to 25,000 hrs, full RGB color, 1-100% full brightness range, easy-plug light strip
TAPO-L900-5	R 341	TP-Link Tapo L900-5 Smart light strip Multicolor, 2.4 GHz Wi-Fi communication, Dimmable, 5000 x 10 x 1.6 mm product dimensions
TAPO-L920-5	R 457	TP-Link Tapo L920-5 Smart Wi-Fi Light Strip - Multicolour, SPEC: 2.4 GHz Wi-Fi, 802.11b/g/n, one 16.4 ft/5m RGB IC LED light strip, 12V/1.5A power adapter, PU Coating Waterproof FEATURE: Tapo Smart app, no hub required, works with Alexa, Google Assistant, remote control
TAPO-L920-5	R 506	TP-link Tapo L920-5 Smart Wi-Fi light strip - Multicolour, 5000 x 10 x 3.0 mm product dimensions, 2.4 GHz Wi-Fi, Dimmable
TAPO-L930-10	R 1,033	TP-Link TAPO-L930-10 Smart Wi-Fi Multicolor Light Strip; 10m total length; RGBW lighting; Wi-Fi control; Alexa Google Assistant; Tapo App; dimmable; music sync
TAPO-L930-5	R 522	TP-Link Tapo L930-5 Smart Light Strip, Multicolor, SPEC: 2.4 GHz Wi-Fi, 802.11b/g/n, one 16.4 ft/5m RGBW IC LED light strip, 1000lm, 2500K~6500K tunable white, 12V/1A power adapter, PU Coating Waterproof, FEATURE: Tapo Smart app, no hub required, works with Alexa, Google
Tapo-L930-5	R 580	TP-Link L930-5 Tapo WiFi 1000 Lumens Multicolour LED - 5m strip, 2.4GHz Wi-Fi Frequency, Dimmable
TP-TAPO-L900-5	R 283	TP-Link Tapo L900-5 Smart light strip Multicolor, 2.4 GHz Wi-Fi communication, Dimmable, 5000 x 10 x 1.6 mm product dimensions
TP-TAPO-L920-5	R 448	TP-link Tapo L920-5 Smart Wi-Fi light strip - Multicolour, 5000 x 10 x 3.0 mm product dimensions, 2.4 GHz Wi-Fi, Dimmable
VK-50004-GD	R 149	Volkano Twinkle Series GOLD Photo Clips with LED Lights. 20 warm white LEDs with 20 decorative clips on 2 m copper cable, battery powered up to 120 h, indoor outdoor decor. Hang your photos from the clips and add your unique style and class to any occasion.
VK-50004-WT	R 149	Volkano Twinkle Series CLEAR Photo Clips with LED Lights. 20 warm white LEDs with clear clips on 2 m string, battery powered, up to 120 h use, indoor & outdoor decor. Hang photos from the clips and enjoy the extra touch of class.
VK-50009-CHM	R 207	Volkano Twinkle Holiday Series fairy Light 3m - 30 LEDs - Christmas. 30 multicolour LEDs on 3 m copper wire, battery powered, up to 120 h runtime, festive decoration.
YLOT01YL	R 137	Yeelight LED light strip extension - 1m, YLOT01YL, 16 million colors adjustable, 2.1W rated Power

< Return to the menu

LED Tube lights

Product code	Price	Description
LED5FC	R 199	Noble Pays 5 Foot Double Open Channel Fitting and LED Tubes Combo Set
LT82C10W10-01	R 149	Luceco (LT82C10W10-01) T28 2ft - 10W, 1000 Lumens, 6500K LED Cool White Fluorescent Tube, 30,000 hours lifespan reducing maintenance costs, 50% energy saving against fluorescent for similar lux levels, Retrofit with most T8 luminaires (non-dimming), Eco-friendly: mercury free, Retail Box
NBT515	R 49	Noble Portable And Rechargeable USB 30w Tube Light - Safe To Use At Home Or Office, Built-In Lithium Rechargeable Battery, Magnetic Attachment Can Be Mounted Just About Anywhere, Convenient to use, Portable and lightweight, Easy To Operate, Working Time Up To 3-4 Hours Product length 17cm, Colour White and Blue Retail Box 3 Months Warranty
NBT530	R 69	Noble Portable And Rechargeable USB 60w Tube Light - Safe To Use At Home Or Office, Built-In Lithium Rechargeable Battery, Magnetic Attachment Can Be Mounted Just About Anywhere, Convenient to use, Portable and lightweight, Easy To Operate, Working Time Up To 3-4 Hours, Product length 32cm, Colour White and Blue Retail Box 3 Months Warranty
NBT550	R 89	Noble Portable And Rechargeable USB 90w Tube Light - Safe To Use At Home Or Office, Built-In Lithium Rechargeable Battery, Magnetic Attachment Can Be Mounted Just About Anywhere, Convenient to use, Portable and lightweight, Easy To Operate, Working Time Up To 3-4 Hours, Product length 52cm, Colour White and Blue Retail Box 3 Months Warranty
TLD8W/33-640	R 19	Philips Fluorescent Tube - 600 ml Long, 8W Power Consumption, Up To 15 000 Hours Nominal Lifetime, 840 Color

	Code, 800 ml Luminous Flux, Cool White, 240 Degrees Beam Angle, T8 Bulb Shape, Energy Saving Bulb, EU RoHS Compliant.

< Return to the menu

Plant Grow lights

Product code	Price	Description
P55-240W-281B-UV-IR	R 2,747	Kingbrite P55 240W BAR Grow Light with UV IR, Samsung LM281B
P55-480W-281B-UV-IR	R 5,576	Kingbrite P55 480W BAR Grow Light with UV IR, Samsung LM281B
P55-800W-281B-UV-IR	R 7,819	Kingbrite P55 800W BAR Grow Light with UV IR, Samsung LM281B

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Media centres

Movie boxes - media centres, streaming & remotes

Product code	Price	Description
ACER AiTV BOX GP. OTH11.08V	R 1,712	Acer AiTV 4K UHD Google Streaming device, 3GB DDR4 LPDDR4 RAM, 32GB storage, Dolby Vision, 4K upscaling, 1x HDMI, 1x RJ-45 Gigabit Ethernet, Arm Mali-G310 MP1 with HDR Graphics, Arm Cortex-A55 CPU, Wi-Fi 6 Certified, Bluetooth 5.0, Dolby Atmos, 2x USB-C Ports, 1x USB Type-A Port, Android 14 for TV
Acer MC.JTH11.006	R 689	Aopen EZCast CS2 - Wireless plug & Play Display receiver, Wireless Dual Band 2.4GHz / 5GHz, 1920x1080 @60p Output, HDMI 1.4 Interface. EZCast supports multiple wireless display standards, including EZCast, Miracast, DLNA and EZAir (compatible with iOS and macOS). Requires 5V1A USB Power adapter (not included). *Not compatible with Amazon Prime or Netflix.
AGT419	R 861	Ematic AGT419 Quad Core 4K (Ultra HD) Android TV box, Google and Netflix Certified, Android TV OS, Preloaded with Netflix / dstv / showmax, DDR3 2G DRAM, 8GB eMMC Flash, Dual-Band Wi-Fi 802.11 AC/b/g/n, 1x 10/100 Ethernet (RJ45) Port, Bluetooth 4.2, 1x HDMI 2.0 Port, 2x USB 2.0 Ports, 1x TF (MicroSD) card slot, SPDIF Optical
BT-REMOTE	R 148	Ematic extra Bluetooth (Netflix) remote control for AGT419 Android TV box
CAS-ANDROID-GD2	R 1,724	Amlogic S905Y4-B 4K Android TV Box; 2Gb DDR4 RAM; 32Gb eMMC storage; Android 12 OS; 4Kp60 HDR; Dual band WiFi 2.4GHz 5GHz; Bluetooth 5.0; HDMI 2.1; USB 2 x USB 2.0
CAS-ANDROID-STICK	R 1,034	Amlogic S905Y4-B is a cost-effective, power-efficient quad-core ARM Cortex-A35 SoC designed primarily for 4K Android TV and streaming devices. It supports AV1 video decoding, HDR formats (HDR10/10 , HLG), and features a Mali-G31 MP2 GPU for smooth graphics performance. With support for up to 4K@60fps video output and integrated secure boot and DRM capabilities, it delivers reliable media performance in compact, fanless devices.
CHROME2	R 288	Microworld All Cast WiFi Display 720p
CNV-EZCAST-CAST-GO	R 2,435	Ezcast Cast Go 4K HDMI 5.0GHz Wireless Dual Display Presentation solution, HDMI transmitter and HDMI receiver, Display Dual split-screens, Supports 4K @ 30Hz Resolution.
CNV-EZCAST-POCKET	R 1,562	HDMI extender EZCast Pocket TX transmitter RX receiver, 5GHz Wireless, 1080p Display Output, HDMI Interface. Compatible with streaming services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not included)
CNV-EZCAST-PROII	R 2,200	EZCast Pro II 4K HDMI 5GHz Wireless Streaming TV Dongle - Miracast, 4K @ 30Hz Video, Dual-Band 2.4GHz / 5GHz Wireless, AM8270 CPU. *Not compatible with streaming services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not included)
D79C100290A17	R 171	Xiaomi Mi Box S and TV Stick Remote control, Bluetooth connection, Compatibility - Xiaomi Mi TV Stick / Xiaomi Mi Box S
DF613-I-1335U40N0G-GIA	R 10,427	Giada DF613-I i5-1335U 2x DDR4 3200Mhz 1xDP 2x HDMI (GPIO)
DS-D5SC3B-W	R 2,519	Hikvision Wireless Dongle - 4K - Type-C - White, NFC, 2.4GHz / 5GHz, Available for D5B/C/D Series & D5c Series, 512 MB Memory, 4GB Built-In storage, Built in Gigabit Network Interface card, 30 fps Frame rate
EZCAST 2	R 1,049	Ezcast 2 Miracast HDMI WI-FI Streaming TV Dongle. 4K30 output; dual-band WiFi 802.11ac; HDMI 1.4 output; H.265 decoding; DC 5V-1A power; works with Android, iOS, Windows, MacOS. *Not compatible with streaming

		services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not included)
EZCAST-POCKET	R 1,499	HDMI extender EZCast Pocket TX transmitter RX receiver, 5GHz Wireless, 1080p Display Output, HDMI Interface. Compatible with streaming services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not included)
EZCAST2-DONGLE	R 768	Ezcast2-dongle - HDMI Wi-Fi Streaming Tv Dongle-miracast. 4K resolution support; Dual-band 2.4G/5G Wi-Fi; HDMI 1.4 interface; DC 5V/1A power supply (not included); Compatible with iOS, Android, Windows, macOS; Supports DLNA, Miracast, AirPlay, Google Home; EZCast app integration; Advanced data scrambling for secure transmission.*Not compatible with streaming services such as Netflix and Amazon Prime.
G20	R 171	Mecool G20 Remote Compatible With Mecool ATV & GTV Devices
GP.OTH11.08V	R 1,631	Acer AiTV 4K UHD Google Streaming device, 3GB DDR4 LPDDR4 RAM, 32GB storage, Dolby Vision, 4K upscaling, 1x HDMI, 1x RJ-45 Gigabit Ethernet, Arm Mali-G310 MP1 with HDR Graphics, Arm Cortex-A55 CPU, Wi-Fi 6 Certified, Bluetooth 5.0, Dolby Atmos, 2x USB-C Ports, 1x USB Type-A Port, Android 14 for TV
GP.OTH11.08V	R 1,586	Acer AiTV 4K UHD Google Streaming device, 3GB DDR4 LPDDR4 RAM, 32GB storage, Dolby Vision, 4K upscaling, 1x HDMI, 1x RJ-45 Gigabit Ethernet, Arm Mali-G310 MP1 with HDR Graphics, Arm Cortex-A55 CPU, Wi-Fi 6 Certified, Bluetooth 5.0, Dolby Atmos, 2x USB-C Ports, 1x USB Type-A Port, Android 14 for TV
KD3	R 861	Mecool KD3 Android 4K TV Dongle, Netflix and Google Certified Android TV Stick, Supports Netflix 4K Streaming, Amlogic S905Y4 CPU, Built-In Chromecast, 4K HDR, Supports HDR10
KM2 PLUS	R 1,206	Mecool KM2 PLUS Android 4K TV box, 2GB DDR4 RAM, 16GB eMMC Flash, WiFi 5, Bluetooth 5.0, Ethernet LAN Port, Google Certified Android TV 11.0, Netflix, Support 4K (3840x2160), HDR10, HDR10 , HLG
KM7 PLUS	R 1,436	Mecool KM7 PLUS Android 11.0 Google 4K TV box, Netflix & Prime Video Certified, Android 11.0 Google TV system, Google assistant and Chromecast Built-In, 2GB DDR4 RAM, 16GB eMMC, Dual Band Wi-Fi, Ethernet LAN Port, Bluetooth 5.0, 4K HDR Technology and High-Speed 4K Processing
KM9PRO	R 794	Mecer KM9pro Android 9 Google Certified Media player box, Amlogic S905X2 Quad-Core arm Cortex-A53 CPU, 2GB RAM, 16GB strorage, Bluetooth 4.0, 10/100 Mbit LAN, Built-In 2.4Ghz / 5Ghz WiFi support, HDMI, USB 3.0 port, USB 2.0 port, DStv compatible, Not Netflix compatible.
MC.JTH11.006	R 459	Aopen EZCast CS2 - Wireless plug & Play Display receiver, Wireless Dual Band 2.4GHz / 5GHz, 1920x1080 @60p Output, HDMI 1.4 Interface. EZCast supports multiple wireless display standards, including EZCast, Miracast, DLNA and EZAir (compatible with iOS and macOS). Requires 5V1A USB Power adapter (not included). *Not compatible with Amazon Prime or Netflix.
MN873Z/A	R 3,807	Apple TV 4K Wi-Fi with 64GB, MN873Z/A, Bluetooth 5.0 Wireless Technology, HDMI 2.1, Wi-Fi 6, IR receiver, Built-In Power Supply, A15 Bionic Chip CPU, Siri Remote, 3rd Gen Apple TV
MN893Z/A	R 4,840	Apple TV 4K Wi-Fi Ethernet - 128GB, MN893Z/A Bluetooth 5.0 Wireless Technology, HDMI 2.1, Wi-Fi 6, IR receiver, Built-In Power Supply, A15 Bionic Chip CPU, Siri Remote, 3rd Gen Apple TV, Ethernet Port
MN893Z/A	R 4,750	Apple TV 4K Wi-Fi Ethernet - 128GB, MN893Z/A Bluetooth 5.0 Wireless Technology, HDMI 2.1, Wi-Fi 6, IR receiver, Built-In Power Supply, A15 Bionic Chip CPU, Siri Remote, 3rd Gen Apple TV, Ethernet Port
MW5G3ZE/A	R 1,185	Apple Siri Remote, Model A2854, Bluetooth 5.0 Wireless Technology, Microphone for Siri, IR transmitter, USB-C connector for charging
NOVA PRO	R 1,609	Netogy NOVA PRO Google 4K UHD Streaming TV box, Android 14 OS, Amlogic S905x5m SoC, Arm Quad-Core Cortex-A55 30K dmips CPU, 2GB DDR4 RAM, 16GB eMMC storage, Up to 4K Ultra HD @60fps Resolution, AI-SR AI upscaling, HDR, 2x2 MIMO Wi-Fi 6, Bluetooth, HDMI 2.1, Dolby Atmos Audio, Netflix Certified
NOVA PRO BLUETOOTH RCU	R 148	Netogy NOVA Pro Bluetooth Remote control
NOVA10	R 1,436	Netogy NOVA 4K Ultra HD Android TV box with AV1 Codec, Google and Netflix Certified, 4K Ultra HD @ 60fps, 2GB RAM, 16GB storage, Wi-Fi 5, Ethernet LAN Port (10/100 Mbps), Bluetooth 5.0, 2x USB 2.0 Ports, 1 x Micro SD card slot, HDMI 2.1 with HDCP, Bluetooth remote with voice search, Dolby Digital audio. Compatible with Netflix, DSTV, YouTube, Prime Video, Spotify, Disney
NOVA10 BLUETOOTH RCU	R 148	Netogy NOVA 10 Bluetooth Remote control
PFJ4098EU	R 745	Xiaomi Mi Tv Stck Tv Os9.0 Quad 1gb 8gb
PFJ4191EU	R 1,760	Xiaomi TV Box S 3rd Gen 4K UHD Media player (Google TV / Dolby Vision), 4K UHD (3840x2160) up to 60fps, Dolby Vision, HDR10 , Dolby Atmos, Arm G310 v2 GPU, 2GB RAM Memory, 32GB ROM storage, Google TV

		Operating System, Wi-Fi 6, Bluetooth 5.2, 1x HDMI 2.1, 1x USB 2.0, 1x Power Input
PFJ4197EU	R 1,756	Xiaomi TV Stick 4K (2nd Gen) Media Player, 4K UHD Google TV streaming stick; Dolby Vision HDR10 ; Dolby Atmos DTS:X; WiFi6 Bluetooth 5.2; Chromecast built-in; 2 GB RAM 8 GB storage; HDMI media player
S6+	R 633	Mecer Xtreme S6 Smart Android Mini PC, Rockchip Quad Core RK3229 Cortex-A7 1.5GHz CPU, 1GB DDR3 Memory, 8GB storage NAND Flash Memory (eMMC), Embedded 802.11 b/g/n Wireless LAN and Bluetooth 4.0, Built-In Micro SD Card Reader, 2x USB 2.0, 1x HDMI, 1x AV out (3-in-1), Embedded 10/100tx Ethernet. Supports Netflix, Hulu, Flixster and YouTube. Does not support DSTV.
UB-UC-CAST-LITE	R 3,578	Ubiquiti UniFi Dual Band WiFi 6 HDMI Display Cast Lite, UC-CAST-LITE, 1x HDMI Port Display Output, Up to Full HD 1920x1080 @ 60 fps, Quad-Core Arm Cortex -A55 1.9 GHz Processor, 16GB storage, 2GB RAM, 1x USB Type-C Power Method, WiFi 5G
UB-UC-CAST-PRO	R 6,149	Ubiquiti UniFi - UC Cast-Pro - 4K Managed Digital Signage player for HDMI displays, 1x HDMI Port Display Output, 480p / 720p / 1080p / 4K Video content support, Octa-core CPU, 32GB storage, 8GB RAM, 1x GbE RJ45 PoE 48V DC Power Method, 1x USB Type-C 5V DC, WiFi 2.4GHz / 5GHz
UC-CAST-LITE	R 3,479	Ubiquiti UniFi Dual Band WiFi 6 HDMI Display Cast Lite, UC-CAST-LITE, 1x HDMI Port Display Output, Up to Full HD 1920x1080 @ 60 fps, Quad-Core Arm Cortex -A55 1.9 GHz Processor, 16GB storage, 2GB RAM, 1x USB Type-C Power Method, WiFi 5G
VK-20160-BK	R 402	Volkano Pitch Series Wired and Wireless casting cable for Android and iOS, connect a phone to a TV or Monitor, Full HD @ 60Hz, compatible with Android or iOS
VK-6516-BK	R 207	VolkanoX Allcast Series Wireless Cast receiver, Transmit Video and audio to a TV, USB powered, Up to 1080p Full HD, HDMI Output
WX-AV103	R 788	WINX Cast Essential Wireless Display kit, Type-C transmitter Interface, Type-C 100W PD passthrough, 1080p @ 60Hz supported Video Resolution, Single and Dual Display, 5GHz WiFi Wireless Network, 5GHz WiFi Wireless Network, Aluminium Alloy receiver. This kit requires a WINX transmitter such as: WX-AV104 (USB-C) or WX-AV105 (HDMI). Sold separately.
WX-AV104	R 561	WINX Cast More Type-C Wireless Display transmitter, Type-C 100W PD Pass-Through, 1080p @ 60Hz supported Video Resolution, Single and Dual Display, 5GHz WiFi Wireless Network, 9.5cm transmitter cable length, Type-C transmitter Interface. (A WINX Cast essential kit receiver is required, not included. This sends a USB-C video output to a WINX Cast essential kit receiver).
WX-AV105	R 528	WINX Cast More HDMI Wireless Display transmitter, 1080p @ 60Hz supported Video Resolution, 5GHz WiFi Wireless Network, 9.5cm transmitter cable length (A WINX Cast essential kit receiver is required, not included). This device connects to a laptop's or computer's HDMI port, the video is transmitted out to a receiver.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Memory

Desktop Memory

Desktop Memory : DDR-333 184pin PC2700

Product code	Price	Description
MOBMEM512PC400	R 242	Unbranded 512MB DDR333 184pin PC2700 Notebook memory

< Return to the menu

Desktop Memory : DDR-400 184pin PC3200

Product code	Price	Description
256MEM	R 184	Unbranded Desktop 256MB DDR400 184pin PC3200 Memory
ME-C1GDV4	R 491	Corsair Valueselect VS1GB400C3 1Gb/1024mb ddr-400 (pc3200) , CL3 - 184pin(desktop)
ME-C512DV4	R 327	Corsair Valueselect VS512MB400 512mb ddr-400 (pc3200) , CL2.5 - 184pin (desktop)
ME-K256DV400	R 144	Kingston ValueRam KVR400X64C3A/25/256 256mb ddr-400 (pc3200) - 184pin

< Return to the menu

Desktop Memory : DDR2-1066 240pin PC2-8500

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR2-1200 240pin PC2-9600

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR2-400 240pin PC2-3200

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR2-533 240pin PC2-4300

Product code	Price	Description
256MB DDRII	R 92	Unbranded Desktop 256MB DDR2-533 240pin PC2-4300 Memory
KVR533D2N4/256	R 92	Kingston Value 256MB 533MHz DDR2 Non-ECC CL4 DIMM Desktop Memory Module; PC2-4200; CL4 latency; non-ECC; unbuffered DIMM; 240-pin; 1.8V; desktop PC upgrade memory

< Return to the menu

Desktop Memory : DDR2-667 240pin PC2-5300

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR2-800 240pin PC2-6400

Product code	Price	Description
AP1024-DDRII640	R 288	Apacer 1024MB DDR2-800 240pin DIMM 1.8V Memory
HYNP112U64CP8-S	R 288	Hynix 1GB DDR2-800 240pin PC2-6400 Desktop Memory
KVR800D2N5/1GB	R 265	Kingston 1GB DDR2-800 240pin PC2-6400 Desktop Memory
PSD22G80026	R 412	Patriot 2GB PC2-6400 DDR2 800Mhz Signature Line Desktop Memory (Double Sided)
PSD22G80026	R 329	Patriot Signature Line 2GB DDR2-800 240 pin 1.8V Desktop Memory, Double sided, PSD22G80026

< Return to the menu

Desktop Memory : DDR3-1066 240pin PC3-8500

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-1333 240pin PC3-10600

Product code	Price	Description
112U6AFP8C-H9N0	R 414	Hynix 1GB DDR3-1333 240pin PC3-10600 desktop memory
KVR1333D3N9K3/3	R 495	Kingston 3GB 1333MHZ DDR3 NON-ECC Desktop Memory Module
ME-C1X13X9x3	R 462	Corsair TR3X3G1333C9 G, XMS 3, with heatsink, 3 x 1Gb/1024mb kit - support Intel XMP (eXtreme Memory Profiles), DDR3-1333 (PC3-10600), CL9, 1.5v - 240pin

< Return to the menu

Desktop Memory : DDR3-1333 240pin PC3-10667

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-1600 240pin PC3-12800

Product code	Price	Description
4G/ZEP/1600	R 298	ZEPPELIN 4GB DDR3-1600 240pin Desktop memory, 256X8 16IC
8G/ZEP/1600	R 459	ZEPPELIN 8GB DDR3-1600 240pin Desktop memory, 512X8 16IC
ADDU1600W8G11-S	R 860	ADATA 8GB DDR3L-1600 CL11 240pin Desktop Memory, 512MX8
AKD3S4P1600	R 229	Arktek 4GB DDR3-1600 240pin CL9 1.5V Desktop Memory, AKD3S4P1600
AKD3S8P1600	R 431	Arktek 8GB DDR3-1600 240pin CL11 1.5V Desktop Memory, AKD3S8P1600
AVD3U16000904G-2CIY	R 1,113	Avexir Core 8GB DDR3 1600M Avexir Core Yellow (2X4GB kit) Memory (RAM)
AVD3UH1600904G-2BZ1MGD	R 1,320	Avexir Blitz Red Dragon 8Gb DDR3 1600mhz Desktop Memory Module
DDR1600-4G	R 173	4GB DDR3-1600 DIMM PC1600 Desktop Memory
DDR1600-8G	R 391	8 DDR3-1600 DIMM (PC1600)(Desktop)
HSC304U16Z1-4G	R 258	Hikvision 4GB DDR3-1600 240pin DIMM Desktop Memory
HSC308U16Z1-8G	R 423	Hikvision 8GB DDR3-1600 240pin DIMM Desktop Memory
JM1600KLH-8G	R 689	Transcend JetRamï¿½ High-Performance 8GB DDR3-1600 240-Pin Module : CL11, 6-Layer PC Board, Ultimate cross-platform compatibility and stability
KCP316NS8/4	R 490	Kingston 4GB DDR3-1600MHz Module Single Rank Desktop Memory Module, Â© 2018 Laptop Direct
ME-C4P16D9x2	R 3,658	Corsair CMD8GX3M2A1600C9 Dominator Platinum with DHX technology with white LED light bar DHX Pro / corsair link connector , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-1600 , CL9 (9-9-9-24) , 1.5v low-voltage - 240pin - lifetime warranty
ME-C4X16X9	R 1,664	Corsair CMX4GX3M1A1600C9, XMS3 Desktop Memory with heatsink, 4GB - support Intel XMP (eXtreme Memory Profiles), DDR3-1600, CL9, 1.65v - 240pin
ME-C8L16X10K	R 1,668	Corsair CML8GX3M1A1600C10, Vengeance Lp with black low-profile heatsink, 8Gb - support Intel XMP (eXtreme Memory Profiles), DDR3-1600, CL10, 1.5v - 240pin
ME-C8L16X10x2K	R 2,332	Corsair CML16GX3M2A1600C10, Vengeance LP with Black low-profile heatsink, 8Gb x2 kit - support Intel XMP, DDR3-1600, CL10, 1.5v - 240pin
ME-C8V16X10x2K	R 2,332	Corsair CMZ16GX3M2A1600C10, Vengeance with Black heatsink, 8Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles), DDR3-1600, CL10, 1.5v - 240pin
ME-K2V16C11	R 805	Kingston ValueRam KVR16N11S6/2, 2Gb DDR3-1600, CL11, 1.5v - 240pin
ME-K4T16B9x2	R 3,593	Kingston KHX16C9T3K2/8X Hyper-x with Tall heatsink, Beast series, DDR3-1600, CL9, 8Gb(4Gb x2) kit - support Intel XMP, 1.65v - 240pin
ME-K8F16C10K	R 1,801	Kingston HX316C10FB/8 hyper-x Fury with blacK heatsink , 8Gb , ddr3-1600 , CL10 , 1.5v - 240pin - lifetime warranty
ME-K8F16C10R	R 1,801	Kingston HX316C10FR/8 Hyper-x Fury with Red heatsink, 8Gb, DDR3-1600, CL10, 1.5v - 240pin
ME-K8F16C10W	R 1,801	Kingston HX316C10FW/8 Hyper-x Fury with White heatsink, 8Gb, DDR3-1600, CL10, 1.5v - 240pin
ME-K8F18C10B	R 1,856	Kingston HX318C10F/8 Hyper-x Fury with Blue heatsink, 8Gb, DDR3-1866, CL10, 1.5v - 240pin
ME-K8F18C10K	R 1,856	Kingston HX318C10FB/8 Hyper-x Fury with Black heatsink, 8Gb, DDR3-1866, CL10, 1.5v - 240pin
ME-K8V16C11	R 1,789	Kingston ValueRam KVR16N11/8 / KVR16N11H/8 , 8Gb ddr3-1600 , CL11 , 1.5v - 240pin - lifetime warranty
ME-K8V16C11L	R 1,801	Kingston ValueRam KVR16N11/8 / KVR16N11H/8 , 8Gb ddr3-1600 , CL11 , 1.5v - 240pin - Memory
ME-S2G3G16C6x2	R 874	Supertalent WB160UX4G6 , Gold series , with heatsink , 2 x 2Gb/2048mb kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-1600 (PC3-12800) , CL6-7-6-18 , 1.65v - 240pin
MMV8GD316C11U	R 401	OCPC VS 8GB DDR3-1600 240pin 1.5V CL11 Desktop Memory, 240pin DIMM unbuffered UDIMM Form Factor, Speed of 1600MHz (PC3-12800), CAS Latency CL11 (11-11-11-28), Voltage of 1.5V Standard DDR3
PSD34G16002	R 584	PATRIOT SIGNATURE 4GB DDR3-1600MHz DIMM 240-pin Desktop Memory
PSD34G160081	R 311	Patriot 4GB DDR3 1600Mhz Signature Line Desktop Memory (Single Sided)
PSD34G160081	R 403	Patriot Signature Line 4GB DDR3-1600 CL11 240 pin Desktop Memory
PSD38G16002	R 541	Patriot 8GB DDR3 1600Mhz Signature Line Desktop Memory
PSD38G16002	R 633	Patriot 8GB DDR3 1600Mhz Signature Line Desktop Memory

< Return to the menu

Desktop Memory : DDR3-1800 240pin PC3-14400

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-1866 240pin PC3-14900

Product code	Price	Description
ME-K1G18C9x3	R 805	Kingston Hyper-X KHX1866C9D3K3/3GX (KHX14900D3K3/3GX) , 3x 1Gb/1024mb kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-1866 , CL9 , 1.65v - 240pin
ME-K1T18T9x3	R 383	Kingston Hyper-X KHX1866C9D3T1K3/3GX (KHX14900D3T1K3/3GX) , with Tall HeatSink , 3x 1Gb/1024mb kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-1866 , CL9 , 1.65v - 240pin
ME-K4F18C10B	R 1,701	Kingston HX318C10F/4 Hyper-x Fury with Blue heatsink, 4Gb, DDR3-1866, CL10, 1.5v - 240pin
ME-K4F18C10K	R 1,701	Kingston HX318C10FB/4 Hyper-x Fury with Black heatsink, 4Gb, DDR3-1866, CL10, 1.5v - 240pin
ME-K4F18C10R	R 1,701	Kingston HX318C10FR/4 Hyper-x Fury with Red heatsink, 4Gb, DDR3-1866, CL10, 1.5v - 240pin
ME-K4T18B9x4	R 6,799	Kingston KHX18C9T3K4/16X hyper-x with Tall heatsink , Beast series , DDR3-1866 , CL9 , 4Gb x4 kit - support Intel XMP , 1.65v - 240pin
ME-K4T18P9x4	R 6,799	Kingston hyper-x Predator KHX18C9T2K4/16X , with Tall HeatSink , 4Gb x4 kit - support Intel XMP , ddr3-1866 , CL9 , 1.65v - 240pin.
ME-K8F18C10R	R 1,856	Kingston HX318C10FR/8 Hyper-x Fury with Red heatsink, 8Gb, DDR3-1866, CL10, 1.5v - 240pin

< Return to the menu

Desktop Memory : DDR3-2000 240pin PC3-16000

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-2133 240pin PC3-17000

Product code	Price	Description
AVD3U21330904G-2BZ1	R 1,366	Avexir Blitz 8GB DDR3 2133M White (2X4GB kit) Memory. is is the ordinary and classic design. With rich red and black heat sink as base, the AVEXIR logo is carved on the side and covered with alabaster white LED on the top. It ' s like the sharpest sword waiting and readying to fight for the forces from the dark side. This is aligned with AVEXIR ' s values, when its ready then we are momentum.
ME-C8VP21X11x8S	R 13,378	Corsair CMY64GX3M8A2133C11 , VengeancePro , black PCB heatsink with Silver accent , 8 layers PCB design , 8Gb x 8 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2133 , CL11 , 1.5v - 240pin - lifetime warranty
ME-K8T21B11x8+F	R 14,871	Kingston KHX21C11T3FK8/64X hyper-x with Tall heatsink , Beast series , DDR3-2133 , CL11 , 8Gb x8 kit khx Fan- support Intel XMP , 1.65v - 240pin

< Return to the menu

Desktop Memory : DDR3-2200 240pin PC3-17600

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-2400 240pin PC3-10200

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-2400 240pin PC3-19200

Product code	Price	Description
ME-C4V24X9x4R	R 6,655	Corsair CMZ16GX3M4A2400C9R Vengeance 16GB (4GB x 4) memory kit with Red heatsink - support Intel XMP (eXtreme Memory Profiles), ddr3-2400, CL9, 1.65v - 240pin.

< Return to the menu

Desktop Memory : DDR3-2600 240pin PC3

Product code	Price	Description
ME-A4X26C11x2K	R 1,788	Adata AX3U2600W4G11-DBV-RG XPG v3, Black with Red Gold detachable fin, 2oz Copper 8-layer PCB with TCT (Thermal Conductive Technology), 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR3-2600 (pc3-20800), CL11, 1.65v - 240pin

< Return to the menu

Desktop Memory : DDR3-2666 240pin PC3-21300

Product code	Price	Description
ME-A4X26C11x2S	R 1,769	Adata AX3U2600W4G11-DMV XPG v2 , Silver , 2oz Copper 8-layer PCB with TCT (Thermal Conductive Technology) , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2600 , CL11 , 1.65v - 240pin - lifetime warranty
ME-C4P26D12x4	R 3,857	Corsair CMD16GX3M4A2666C12 , dominator Platinum with DHX technology with white LED light bar DHX Pro / corsair link connector , 8 layers PCB design , 4Gb x 4 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2666 , CL12 , 1.65v - 240pin
ME-C4VP26X12x4R	R 3,642	Corsair CMY16GX3M4A2666C12R, VengeancePro, black PCB heatsink with Red accent, 8 layers PCB design, 16GB (4Gb x 4 kit) - support Intel XMP (eXtreme Memory Profiles), ddr3-2666, CL12, 1.65v - 240pin - lifetime warranty
ME-K4T26P11x2	R 3,758	Kingston hyper-x Predator KHX26C11T2K2/8X , with Tall HeatSink , 4Gb x2 kit - support Intel XMP , ddr3-2666 , CL11 , 1.65v - 240pin - lifetime warranty

< Return to the menu

Desktop Memory : DDR3-2800 240pin PC3-22400

Product code	Price	Description
ME-A4X28C12x2K	R 3,813	Adata AX3U2800W4G12-DBV-RG XPG v3, Black with Red & Gold detachable fin, 2oz Copper 8-layer PCB with TCT (Thermal Conductive Technology), 8GB(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR3-2800 (pc3-22400), CL12, 1.65v - 240pin
ME-A4X28C12x2Y	R 3,813	Adata AX3U2800W4G12-DGV XPG v2 , Yellow (gold) , 2oz Copper 8-layer PCB with TCT (Thermal Conductive Technology) , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2800 , CL12 , 1.65v - 240pin - lifetime warranty
ME-C4P28D12x2	R 4,189	Corsair CMD8GX3M2A2800C12, Dominator Platinum with DHX technology with white LED light bar DHX Pro / corsair link connector, 4Gb x 2 kit - support Intel XMP (Extreme Memory Profiles), DDR3-2800, CL12, 1.65v - 240pin
ME-C4VP28X12x2R	R 3,813	Corsair CMY8GX3M2A2800C12R , VengeancePro , black PCB heatsink with Red accent , 8 layers PCB design , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2800 , CL12 , 1.65v - 240pin
ME-C4VP28X12x4R	R 7,628	Corsair CMY16GX3M4B2800C12R ,VengeancePro , black CB heatsink with Red accent , 8 layers PCB design , 4Gb x 4 kit - support Intel XMP (eXtreme Memory Profiles)ddr3-2800 , CL12 , 1.65v - 240pin
ME-K4T28P12x2	R 4,145	Kingston Hyper-X Predator KHX28C12T2K2/8X, with Tall HeatSink, 8Gb(4Gb x2) kit - support Intel XMP, DDR3-2800, CL12, 1.65v - 240pin

< Return to the menu

Desktop Memory : DDR3-2933 240pin PC3

Product code	Price	Description
ME-A4X29C12x2Y	R 4,609	Adata AX3U2933W4G12-DGV XPG v2 , Yellow (gold) , 2oz Copper 8-layer PCB with TCT (Thermal Conductive Technology) , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2933 , CL12 , 1.65v - 240pin
ME-C4P29D12x2	R 5,074	Corsair CMD8GX3M2A2933C12 , dominator Platinum with DHX technology with white LED light bar DHX Pro / corsair link connector , 8 layers PCB design , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2933 , CL12 , 1.65v - 240pin
ME-C4VP29X12x2R	R 4,609	Corsair CMY8GX3M2B2933C12R / CMY8GX3M2A2933C12R , VengeancePro , black PCB heatsink with Red

		accent , 8 layers PCB design , 4Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2933 , CL12 , 1.65v - 240pin
ME-C4VP29X12x4R	R 9,221	Corsair CMY16GX3M4B2933C12R / CMY16GX3M4A2933C12R , VengeancePro , black PCB heatsink with Red accent , 8 layers PCB design , 4Gb x 4 kit - support Intel XMP (eXtreme Memory Profiles) , ddr3-2933 , CL12 , 1.65v - 240pin

< Return to the menu

Desktop Memory : DDR3-3000 240pin PC3

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3-3100 240pin PC3

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3L-1600 240pin PC3

Product code	Price	Description
KMTU8GF581600	R 485	Kimtigo 8GB DDR3-1600 240 pin 1.35V CL11 Desktop Memory
KVR16LN11/8	R 344	Kingston 8GB 1600MHz DDR3L Non-ECC CL11 1.35V DIMM Desktop Memory Module
ME-K4F16C10LK	R 1,635	Kingston HX316LC10FB/4 Hyper-x Fury with asymmetrical Black heatsink, 4Gb, DDR3L-1600, CL10, 1.35V/ 1.5V dual voltage - 240pin. total size - Gb : 4, size per module - Gb : 4, qty per kit : 1, speed : 1600, voltage - v : 1.35 / 1.5, latency : 10, heatsink : Y
ME-K4F18C11LK	R 1,691	Kingston HX318LC11FB/4 Hyper-x Fury with asymmetrical black heatsink, 4Gb, DDR3L-1866, CL11, 1.35V/ 1.5V dual voltage - 240pin. Total size - Gb : 4, size per module - Gb : 4, qty per kit : 1, speed : 1866, voltage - v : 1.35 / 1.5, latency : 11, heatsink : Y
ME-K4V16C11L	R 1,635	Kingston ValueRam KVR16LN11/4 , 4Gb ddr3L-1600 , CL11 , 1.35V / 1.5V dual voltage - 240pin
PSD34G1600L81	R 191	Patriot Signature Line 4GB DDR3L-1600 240pin CL11 1.35V Single Rank Desktop Memory, PC3-12800 Memory Speed, Non-ECC unbufffered, 1Rank module
RVR1600LC11LD4GB	R 86	Rogueware Valueram 4gb DDR3L 1600mhz CL11 1.35v Udimm Desktop Memory Module
TS1GLK64W6H	R 2,251	Transcend 8GB DDR3L-1600 240-Pin Desktop DIMM: CL11 2Rx8, Dual Voltage 1.35V /1.5V, Top tier name-brand DRAM chips and materials - Ultimate cross-platform compatibility and stability

< Return to the menu

Desktop Memory : DDR3L-1866 240pin PC3-15000

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR3L-2133 240pin PC3-17066

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR4-2133 288pin PC4

Product code	Price	Description
AFLD44VN1P	R 397	AFOX 4GB DDR4-2133 Dimm 288pin CL15 1.2V Desktop Memory
ME-AD4421X13x4R	R 9,044	Adata AX4U2133W4G13-QRZ XPG z1, jet wing-inspired heatsink with 2oz Copper 10-layer PCB, 16Gb(4Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2133 (pc4-17000), CL13, 1.2v - 288pin
ME-CD4421L13x2K	R 3,581	Corsair CMK8GX4M2A2133C13 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2133 pc4-17000, CL13, 1.2v - 288pin
ME-CD4421L13x2R	R 3,260	Corsair CMK8GX4M2A2133C13R Vengeance Lpx with Red low-profile heatsink, with 8-layer PCB, 8Gb(4Gb x 2)

		kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2133 pc4-17000, CL13, 1.2v - 288pin
ME-KD4421P13X4	R 5,936	Kingston HX421C13PBK4/16 DDR4-2133 (pc4-17000), hyper-x Predator with tall heatsink, CL13, 16GB (4Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin

< Return to the menu

Desktop Memory : DDR4-2400 288pin PC4

Product code	Price	Description
KCP424NS6/4	R 366	Kingston 4GB DDR4-2400 288Pin 1.2V CL17 non-ECC DIMM Desktop Memory, 1R (Single Rank), KCP424NS6/4
ME-AD41624D16x4	R 15,689	Adata AX4U2400316G16-QRD XPG Dazzle with Red led, black red heatsink with 2oz Copper 10-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL16, 1.2v - 288pin
ME-AD4824D16x4	R 7,894	Adata AX4U2400W8G16-QRD XPG Dazzle with red led, black red heatsink with 2oz Copper 10-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL16, 1.2v - 288pin, total size - Gb : 32, size per module - Gb : 8, qty per kit : 4, speed : 2400, voltage - v : 1.2, latency : 16, heatsink : Y - Tall red LED
ME-AD4828D17x4	R 6,744	Adata AX4U2800W8G17-QRD XPG Dazzle with red led, black red heatsink with 2oz Copper 10-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-22400), CL17, 1.2v - 288pin
ME-AD4830D16x4	R 6,799	Adata AX4U3000W8G16-QRD XPG Dazzle with red led, black red heatsink with 2oz Copper 10-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL16, 1.35v - 288pin. total size - Gb : 32, size per module - Gb : 8, qty per kit : 4, speed : 3000, voltage - v : 1.35, latency : 16, heatsink : Y - Tall red LED
ME-CD41624L14QK	R 14,207	Corsair CMK32GX4M2A2400C14 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL14, 1.2v - 288pin
ME-CD41624P14x4	R 14,318	Corsair CMD64GX4M4A2400C14 Dominator Platinum with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL14, 1.2v - 288pin
ME-CD43224L16DK	R 19,294	Corsair CMK64GX4M2A2400C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL16, 1.2v - 288pin
ME-CD43224L16K	R 9,619	Corsair CMK32GX4M1A2400C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 32Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL16, 1.2v - 288pin
ME-CD43226V18	R 9,619	Corsair Value Select 32GB DDR4-2666 CL18 1.2V 288 pin Desktop Memory, Support Intel XMP (Extreme Memory profiles), PC4-21300, CMV32GX4M1A2666C18
ME-CD4424L14K	R 1,779	Corsair CMK4GX4M1A2400C14 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 4Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL14, 1.2v - 288pin
ME-CD4424L14x2K	R 3,581	Corsair CMK8GX4M2A2400C14 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 8Gb (4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL14, 1.2v - 288pin
ME-CD4424L14x4B	R 7,175	Corsair CMK16GX4M4A2400C14B Vengeance Lpx with Blue low-profile heatsink, with 8-layer PCB, 16Gb(4Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL14, 1.2v - 288pin. total size - Gb : 16, size per module - Gb : 4, qty per kit : 4, speed : 2400, voltage - v : 1.2, latency : 14, heatsink : Y
ME-CD4424L14x4R	R 7,175	Corsair CMK16GX4M4A2400C14R -16GB (4Gb x 4 kit) - vengeance Lpx with Red low-profile heatsink , with 8-layer PCB , support Intel XMP (eXtreme Memory Profiles) , Ddr4-2400 (pc4-19200) , CL14 , 1.2v - 288pin
ME-CD4824L16x4K	R 8,457	Corsair CMK32GX4M4A2400C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2400 (pc4-19200), CL16, 1.2v - 288pin, total size - Gb : 32, size per module - Gb : 8, qty per kit : 4, speed : 2400, voltage - v : 1.2, latency : 16, heatsink : Y
ME-KD41624F15QR	R 15,700	Kingston HX424C15FRK4/64, Hyper-x Fury with Red asymmetrical heatsink, CL15, 64Gb(16Gb x 4) kit DDR4-2400 (pc4-19200) - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD41624P12x4	R 15,811	Kingston HX424C12PB3K4/64 DDR4-2400 (pc4-19200), Hyper-x Predator with tall heatsink, CL12, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43224F15DK	R 19,516	Kingston HX424C15FB3K2/64 DDR4-2400 (pc4-19200), Hyper-x Fury with Black asymmetrical heatsink, CL15, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin

ME-KD43224F15QK	R 39,143	Kingston HX424C15FB3K4/128 DDR4-2400 (pc4-19200), Hyper-x Fury with Black asymmetrical heatsink, CL15, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43224RF15	R 9,895	Kingston HX424C15FB3A/32 DDR4-2400 (pc4-19200), Hyper-x RGB Fury with heatsink, CL15, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin (Order on request)
ME-KD43224RF15D	R 19,792	Kingston HX424C15FB3AK2/64 DDR4-2400 (pc4-19200), Hyper-x RGB Fury with heatsink, CL15, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4424P12X4	R 5,936	Kingston HX424C12PB92K4/16 - 16GB (4Gb x 4 kit) - DDR4-2400 (pc4-19200),hyper-x Predator,CL12, support Intel XMP(eXtreme Memory Profiles)1.2v - 288pin
ME-KD4424S12x4	R 5,936	Kingston HX424C12SBK4/16 DDR4-2400 (pc4-19200), Hyper-x Savage with asymmetrical die-cast aluminium heatsink, CL12, 16Gb(4Gb x4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin, total size - Gb : 16, size per module - Gb : 4, qty per kit : 4, speed : 2400, voltage - v : 1.35, latency : 12, heatsink : Y
ME-KD4824RF15x4	R 7,905	Kingston HX424C15FB3AK4/32 DDR4-2400 (pc4-19200), Hyper-x RGB Fury with heatsink, CL15, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
MEM724	R 1,452	Samsung 8GB DDR4-2400 288pin Desktop Dimm Memory
TS512MLH64V4H	R 144	Transcend 4GB DDR4-2400 288-Pin DIMM 1.2V 1Rx8 Desktop memory

< Return to the menu

Desktop Memory : DDR4-2666 288pin PC4

Product code	Price	Description
16G/ZEP/2666	R 2,069	ZEPPELIN 16GB DDR4-2666 288pin Desktop memory, 1GBX8 16IC
4G/ZEP/2666	R 401	ZEPPELIN 4GB DDR4-2666 288pin Desktop memory, 512X8 8IC
8G/ZEP/2666	R 1,034	ZEPPELIN 8GB DDR4-2666 288pin Desktop memory, 512X8 16IC
AD4U266616G19-RGN	R 860	Adata Premier 16GB DDR4-2666 1.2V CL19 288 pin Desktop Memory, AD4U266616G19-RGN, 512MX8
AD4U2666716G19-RGN	R 1,379	Adata Premier 16GB DDR4-2666 288 pin CL19 1.2V Desktop Memory, CL 19-19-19 CAS Latency
AKD4S16P2666	R 1,666	Arktek 16GB DDR4-2666 288- pin CL17 1.2V DIMM Desktop Memory, AKD4S16P2666
AKD4S8P2666	R 976	Arktek 8GB DDR4-2666 288pin CL17 1.2V DIMM RAM module, AKD4S8P2666
CMK8GX4M1A2666C16	R 1,599	Corsair CMK8GX4M1A2666C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 8Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
CMV16GX4M1A2666C18	R 3,048	Corsair Value Select 16GB (1x16GB) DDR4-2666 288pin CL18 1.2V Desktop Memory, CL18-18-18-43 timing
CMV8GX4M1A2666C18	R 1,484	Corsair Value Select 8GB (1x8GB) DDR4-2666 288pin CL18 1.2V Desktop Memory, CL18-18-18-43 timing
CT4G4DFS8266	R 293	Crucial CT4G4DFS8266 4GB DDR4-2666 288pin CL19 single rank Desktop Memory, non-ECC, CL19 Latency, Single Rank, x8-Based Chips
DDR4-2666-16G	R 1,898	Mecer 16GB DDR4-2666 DIMM 288pin Desktop Memory
DDR4-2666-4G	R 368	Mecer 4GB DDR4-2666 DIMM 288pin Desktop Memory
GP44GB2666C19SC	R 597	Geil Pristine 4GB DDR4-2666 288pin CL19 1.2V UDIMM Desktop Memory, 19-19-19-43 CAS Latency, Intel XMP 2.0, DYNA4 SLT tested
HSC404U26Z1-4G	R 695	Hiksemi Hiker 4GB DDR4-2666 288pin Desktop Memory
HSC408U26Z1-8G	R 1,145	Hiksemi Hiker 8GB DDR4-2666 288pin Desktop Memory
HSC416U26Z1-16G	R 2,243	Hiksemi Hiker 16GB DDR4-2666 288pin Desktop Memory
JM2666HLB-16G	R 3,920	Transcend JetRam 16GB DDR4-2666 1.2V 288 pin Desktop DIMM Memory, 1Rx8, CL19
JM2666HLB-8G	R 1,903	Transcend JM2666HLB-8G JetRam 8GB DDR4-2666 288-Pin Desktop DIMM memory, 1.2V, 1Rx8 Single Rank, CL19, Manufactured with true ETT grade brand-name DRAM chips, Ultimate cross-platform compatibility and stability
JM2666HLE-32G	R 7,616	Transcend JetRam 32GB DDR4-2666 CL19 1.2V 288 pin Desktop UDIMM Memory, 2Rx8 rank
JM2666HLG-8G	R 1,903	Transcend JetRam 8GB DDR4-2666 288-Pin Desktop DIMM: 1.2V, 1Rx8 CL19 - Manufactured with true ETT grade brand-name DRAM chips - Ultimate cross-platform compatibility and stability
JM2666HLH-4G	R 974	Transcend JM2666HLH-4G JetRam 4GB DDR4-2666 288-Pin Desktop DIMM memory, 1.2V, 1Rx8 Single Rank, CL19, Manufactured with true ETT grade brand-name DRAM chips, Ultimate cross-platform compatibility and stability

JM3200HLG-8G	R 1,903	Transcend JetRam 8GB DDR4-3200 288-Pin Desktop DIMM: 1.2V, 1Rx8 CL22 - Manufactured with true ETT grade brand-name DRAM chips - Ultimate cross-platform compatibility and stability
KVR26N19S6/4	R 826	Kingston KVR26N19S6/4 Value 4Gb, DDR4-2666 (pc4-21300), CL19 - 288pin, 1.2V - Retail pack, Â© 2018 Laptop Direct
ME-AD41626V19	R 2,884	Adata AD4U2666316G19 Value 16Gb, DDR4-2666 (pc4-21300), CL19 - 288pin, 17Gb/sec memory bandwidth, 8-layer PCB, 1.2V - Retail pack
ME-AD4426V19	R 795	Adata AD4U2666W4G19 Value 4Gb, DDR4-2666 (pc4-21300), CL19 - 288pin, 17Gb/sec memory bandwidth, 8-layer PCB, 1.2V - Retail pack
ME-AD4826V19	R 1,590	Adata AD4U266638G19 Value 8Gb, DDR4-2666 (pc4-21300), CL19 - 288pin, 17Gb/sec memory bandwidth, 8-layer PCB, 1.2V - Retail pack
ME-CD41626G16DR	R 7,794	Corsair CMU32GX4M2A2666C16R VenGeance led (Red led) - black heatsink, 32Gb(16Gbx2) Dual kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (PC4-21300), CL16, 1.2v - 288pin
ME-CD41626L16QK	R 15,645	Corsair CMK64GX4M4A2666C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD41626V18	R 3,536	Corsair CMV16GX4M1A2666C18 value select, 16Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL18, 1.2v - 288pin
ME-CD43226L16K	R 9,674	Corsair CMK32GX4M1A2666C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 32Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD4426L16x2K	R 3,581	Corsair CMK8GX4M2A2666C16 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD4426L16x2R	R 3,581	Corsair CMK8GX4M2A2666C16R Vengeance Lpx with Red low-profile heatsink, with 8-layer PCB, 8GB(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD4426L16x4R	R 7,175	Corsair CMK16GX4M4A2666C16R Vengeance Lpx with Red low-profile heatsink, with 8-layer PCB, 4Gb x 4 (16GB) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD4426P15x4	R 6,523	Corsair CMD16GX4M4A2666C15 Dominator Platinum with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 16Gb (4Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL15, 1.2v - 288pin
ME-CD4426P16x2	R 3,581	Corsair Dominator Platinum 8GB (4GB x 2 kit) DDR4-2666 1.2V 288pin Memory, DHX technology, with White LED light bar DHX Pro, Corsair Link, with 8-layer PCB, Support Intel XMP (Extreme Memory profiles), DDR4-2666 (PC4-21300), CL16, 1.2V, 288 pin, CMD8GX4M2A2666C16
ME-CD4826G16DB	R 3,758	Corsair CMU16GX4M2A2666C16R VenGeance LED (Blue led) - black heatsink, 16Gb(8Gbx2) Dual kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD4826P16x4	R 7,849	Corsair CMD32GX4M4A2666C16 Dominator Platinum with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 32GB (8Gb x 4 kit) - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.2v - 288pin
ME-CD4826RPx4W	R 8,568	Corsair CMW32GX4M4A2666C16W Vengeance RGB Pro (dynamic multi-zone RGB with 10 LEDs per module) - White heatsink, 32Gb(8Gbx 4) kit - 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL16, 1.35v - 288pin
ME-KD41626P13x2	R 7,905	Kingston HX426C13PB3K2/32 DDR4-2666 (pc4-21300), Hyper-x Predator with tall heatsink, CL13, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41626P13x4	R 15,811	Kingston HX426C13PB3K4/64 DDR4-2666 (pc4-21300), Hyper-x Predator with tall heatsink, CL13, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35 - 288pin
ME-KD41626V19	R 3,924	Kingston KVR26N19D8/16 Value 16Gb, DDR4-2666 (pc4-21300), CL19 - 288pin, 1.2V - Retail pack
ME-KD41630P15	R 3,979	Kingston HX430C15PB3/16 DDR4-3000 (pc4-24000), Hyper-x Predator with tall heatsink, CL15, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43226F16QK	R 39,143	Kingston HX426C16FB3K4/128 DDR4-2666 (pc4-21300), Hyper-x Fury with Black asymmetrical heatsink, CL15, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43226P15	R 9,895	Kingston HX426C15PB3/32 DDR4-2666 (pc4-21300), Hyper-x Predator with tall heatsink, CL15, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin

ME-KD43226P15x2	R 19,792	Kingston HX426C15PB3K2/64 DDR4-2666 (pc4-21300), Hyper-x Predator with tall heatsink, CL15, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43226P15x4	R 39,585	Kingston HX426C15PB3K4/128 DDR4-2666 (pc4-21300), Hyper-x Predator with tall heatsink, CL15, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43226RF16	R 9,895	Kingston HX426C16FB3A/32 DDR4-2666 (pc4-21300), Hyper-x RGB Fury with heatsink, CL16, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin (Order on request)
ME-KD43226RF16D	R 19,792	Kingston HX426C16FB3AK2/64 DDR4-2666 (pc4-21300), Hyper-x RGB Fury with heatsink, CL16, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43226RF16Q	R 39,585	Kingston HX426C16FB3AK4/128 DDR4-2666 (pc4-21300), Hyper-x RGB Fury with heatsink, CL16, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43226V19	R 9,674	Kingston Value 32GB DDR4-2666 CL19 288 pin 1.2V Desktop Memory, Retail pack, KVR26N19D8/32
ME-KD4426F16x2	R 1,823	Kingston HX426C16FB3K2/8 DDR4-2666 (pc4-21300), Hyper-x Fury with asymmetrical heatsink, CL16, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4426P13X4	R 5,936	Kingston HX426C13PB2K4/16 DDR4-2666 (pc4-21300) , hyper-x Predator , CL13 , 16GB (4Gb x 4 kit) - support Intel XMP (eXtreme Memory Profiles) , 1.2v - 288pin
ME-KD4426S13	R 1,492	Kingston HX426C13SB/4 DDR4-2666 (pc4-21300), Hyper-x Savage with asymmetrical die-cast aluminium heatsink, CL13, 4Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin, total size - Gb : 4, size per module - Gb : 4, qty per kit : 1, speed : 2666, voltage - v : 1.35, latency : 13, heatsink : Y
ME-KD4426S13x4	R 5,936	Kingston HX426C13SBK4/16 DDR4-2666 (pc4-21300), Hyper-x Savage with asymmetrical die-cast aluminium heatsink, CL13, 16Gb(4Gb x4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin, total size - Gb : 16, size per module - Gb : 4, qty per kit : 4, speed : 2666, voltage - v : 1.35, latency : 13, heatsink : Y
ME-KD4426V19	R 756	Kingston KVR26N19S6/4 Value 4Gb, DDR4-2666 (pc4-21300), CL19 - 288pin, 1.2V - Retail pack
ME-KD4826P13x2	R 4,200	Kingston HX426C13PB3K2/16 DDR4-2666 (pc4-21300), Hyper-x Predator with tall heatsink, CL13, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
PSD44G266681	R 812	Patriot Signaure Line 4GB DDR4-2666 288pin CL19 1.2V Desktop Memory with Heatsink, Single rank
PSD48G266681	R 1,540	Patriot Signaure Line 8GB DDR4-2666 288pin CL19 1.2V Desktop Memory with Heatsink, Single rank
RVR2666C19LD16GB	R 914	Rogueware Valueram 16Gb DDR4 2666mhz Cl19 1.2v Udimm Desktop Memory Module
RVR2666C19LD4GB	R 144	Rogueware Valueram 4Gb DDR4 2666mhz Cl19 1.2v Udimm Desktop Memory Module
TS512MLH64V6H	R 148	Transcend 4GB DDR4-2666 1.2V 288 pin Desktop Memory, CL19, 1Rx8, CL19 CAS Latency, 512MX8 DRAM

< Return to the menu

Desktop Memory : DDR4-2800 288pin PC4

Product code	Price	Description
EK.16GAW.KFAK4	R 1,999	Apacer Commando 16GB (4x4GB) KIT DDR4 2800MHz Memory, Retail Box
ME-CD4428L16x2R	R 3,581	Corsair CMK8GX4M2A2800C16R Vengeance Lpx with Red low-profile heatsink, with 8-layer PCB , 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2800 (pc4-22400), CL16, 1.2v - 288pin, total size - Gb : 8, size per module - Gb : 4, qty per kit : 2, speed : 2800, voltage - v : 1.2, latency : 16, heatsink : Y
ME-KD4428P14X4	R 6,533	Kingston HX428C14PB2K4/16 DDR4-2800 (pc4-22400) , hyper-x Predator , CL14 , 16GB (4Gb x 4 kit) - support Intel XMP (eXtreme Memory Profiles) , 1.2v - 288pin
ME-KD4428S14	R 1,635	Kingston HX428C14SB/4 DDR4-2800 (pc4-22400), Hyper-x Savage with asymmetrical die-cast aluminium heatsink, CL14, 4Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin, total size - Gb : 4, size per module - Gb : 4, qty per kit : 1, speed : 2800, voltage - v : 1.35, latency : 14, heatsink : Y
ME-KD4428S14x4	R 6,533	Kingston HX428C14SBK4/16 DDR4-2800 (pc4-22400), Hyper-x Savage with asymmetrical die-cast aluminium heatsink, CL14, 16Gb(4Gb x4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin, total size - Gb : 16, size per module - Gb : 4, qty per kit : 4, speed : 2800, voltage - v : 1.35, latency : 14, heatsink : Y

< Return to the menu

Desktop Memory : DDR4-2933 288pin PC4

Product code	Price	Description

ME-CD4830L16x4K	R 8,347	Corsair CMK32GX4M4C3000C16 Vengeance Lpx with black low-profile heatsink, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2933 (pc4-24000), CL16, 1.35v - 288pin
ME-KD41629F17QK	R 15,811	Kingston HX429C17FBK4/64 DDR4-2933 (pc4-23400), Hyper-x Fury with Black asymmetrical heatsink, CL17, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD41629F17QR	R 15,811	Kingston HX429C17FRK4/64 DDR4-2933 (pc4-23400), Hyper-x Fury with Red asymmetrical heatsink, CL17, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD41629V21	R 3,924	Kingston KVR29N21D8/16 Value 16Gb, DDR4-2933 (pc4-23400), CL21 - 288pin, 1.2V - Retail pack
ME-KD43229V21	R 9,674	Kingston KVR29N21D8/32 Value 32Gb, DDR4-2933 (pc4-23400), CL21 - 288pin, 1.2V - Retail pack
ME-KD4829F17x4K	R 8,624	Kingston HX429C17FB2K4/32 DDR4-2933 (pc4-23400), Hyper-x Fury with Black asymmetrical heatsink, CL17, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4829F17x4R	R 8,624	Kingston HX429C17FR2K4/32 DDR4-2933 (pc4-23400), Hyper-x Fury with Red asymmetrical heatsink, CL17, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4829F17x4W	R 8,624	Kingston HX429C17FW2K4/32 DDR4-2933 (pc4-23400), Hyper-x Fury with White asymmetrical heatsink, CL17, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
PS-CA8920226RK	R 2,213	Corsair CP-8920226 Red & Black premium individually sleeved flexible paracorded modular cable Pro kit with 9x cable combs (type4 Gen4), 9x cable combs - include 1x 610mm ATX (20 4pin) 2x 750mm EPS12V(4 4pin) 6x PCi-E 8(6 2)pin (4x650mm) 8x SATA(2x750mm) 8x molex(2x750mm), heatshrink-less connectors, with modular interlocking cable combs, with carry bag - for RMX, RMi series, HX, HXi, AX, AX1600i, SF series

< Return to the menu

Desktop Memory : DDR4-3000 288pin PC4

Product code	Price	Description
CMK16GX4M1D3000C16	R 3,393	Corsair Vengeance LPX 16GB (1 x 16GB) DDR4 DRAM 3000MHz CL16 Memory Kit; 16-20-20-38; 1.2V; Black
CMK8GX4M1D3000C16	R 1,714	Corsair Vengeance LPX 8GB (1 x 8GB) DDR4 DRAM 3000MHz C16 Memory Kit; 16-20-20-38; 1.2V; Black
EK.16GAZ.GJDK2	R 2,889	Apacer Blade Fire LED 16GB (2x8GB Kit) DDR4 288 Pin 3000Mhz Dual Channel Package Gaming Desktop Memory - (PC-24000), Voltage 1.35V, Timing 16-18-18-38, Cas Latency 16, Support XMP 2.0, Retail Box
ME-AD41630RD50	R 3,282	Adata AX4U3000716G16A-ST50 RGB D50 - 16Gb x1, solid constructed metal heatsink (133.35x40x8mm), 10-layer PCB, support Intel AMD XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL16, 1.35v - 288pin
ME-AD4430F16	R 1,789	Adata AX4U3000W4G16-SBF XPG Flame, with low-profile flame heatsink with 2oz Copper 10-layer PCB, 4Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL16, 1.2v - 288pin
ME-AD4830R16X4	R 7,130	Adata AX4U300038G16-QT41 RGB (XPG Spectrix D41), tungsten heatsink with 2oz Copper 10-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL16, 1.35v - 288pin
ME-CD41630G15QW	R 15,645	Corsair CMU64GX4M4C3000C15 VenGeance led (White led) - black heatsink, 64Gb(16Gbx4) Quad kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (PC4-24000), CL15, 1.35v - 288pin
ME-CD41630P15x4	R 15,755	Corsair CMD64GX4M4B3000C15 Dominator Platinum Fan (Corsair CMDAF Dominator Airflow Platinum LED memory cooler), with DHX technology with white LED light bar DHX Pro / corsair link, with 8-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-CD4426V18	R 1,779	Corsair CMV4GX4M1A2666C18 Value select, 4Gb - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL18, 1.2v - 288pin
ME-CD4430L15x4K	R 7,175	Corsair CMK16GX4M4B3000C15 Vengeance Lpx with Black low-profile heatsink, with 8-layer PCB, 4Gb x 4(16Gb) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-CD4430P15x2	R 3,593	Corsair CMD8GX4M2B3000C15 Dominator Platinum with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin, total size - Gb : 8, size per module - Gb : 4, qty per kit : 2, speed : 3000, voltage - v : 1.35, latency : 15, heatsink : Y - Tall
ME-CD4828P16x4	R 7,894	Corsair CMD32GX4M4A2800C16 dominator Platinum Fan (Corsair CMDAF Dominator Airflow Platinum LED memory cooler), with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 8Gb x 4 kit - support Intel XMP (eXtreme Memory Profiles), Ddr4-2800 (pc4-22400), CL16, 1.2v - 288pin

ME-CD4830G15QB	R 8,457	Corsair CMU32GX4M4C3000C15B VenGeance LED (Blue LED) - Black Heatsink, 32Gb(8Gb x 4) Dual kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-CD4830G15QR	R 8,457	Corsair CMU32GX4M4C3000C15R VenGeance led (Red led) - black heatsink, 32Gb(8Gbx4) Quad kit - with 8-layer PCB - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-CD4830G15QW	R 7,738	Corsair CMU32GX4M4C3000C15 VenGeance led (White led) - black heatsink, 32Gb(8Gbx4) Quad kit - with 8-layer PCB - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (PC4-24000), CL15, 1.35v - 288pin
ME-CD4830PR15x4	R 8,679	Corsair CMT32GX4M4C3000C15 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-CD4830R15x4W	R 8,568	Corsair CMR32GX4M4C3000C15W Vengeance RGB LED - White heatsink, 32Gb(8Gbx4) kit - with 8-layer PCB , support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-CD4832RPx4W	R 8,679	Corsair CMW32GX4M4C3200C16W Vengeance RGB Pro (Dynamic Multi-Zone RGB with 10 LEDs per module) - White heatsink, 32Gb(8Gbx 4) kit - 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-KD41630F15QK	R 15,811	Kingston HX430C15FB3K4/64 DDR4-3000 (pc4-24000), Hyper-x Fury with asymmetrical heatsink, CL15, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD41630R15	R 4,089	Kingston HX430C15PB3A/16 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL15, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41630R15x2	R 8,236	Kingston HX430C15PB3AK2/32 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL15, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41630R15x4	R 16,474	Kingston HX430C15PB3AK4/64 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL15, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41630RF15D	R 8,126	Kingston HX430C15FB3AK2/32 DDR4-3000 (pc4-24000), Hyper-x RGB Fury with heatsink, CL15, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41630RF15Q	R 16,253	Kingston HX430C15FB3AK4/64 DDR4-3000 (pc4-24000), Hyper-x RGB Fury with heatsink, CL15, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41630RF16Q	R 16,253	Kingston HX430C16FB4AK4/64 DDR4-3000 (pc4-24000), Hyper-x RGB Fury with heatsink, CL16, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD43230F16K	R 9,729	Kingston HX430C16FB3/32 DDR4-3000 (pc4-24000), Hyper-x Fury with asymmetrical heatsink, CL15, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43230P16	R 9,784	Kingston HX430C16PB3/32 DDR4-3000 (pc4-21300), Hyper-x Predator with tall heatsink, CL16, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43230P16x2	R 19,626	Kingston HX430C16PB3K2/64 DDR4-3000 (pc4-21300), Hyper-x Predator with tall heatsink, CL16, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43230R16	R 9,895	Kingston HX430C16PB3A/32 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL16, 32Gb kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin (Order on request)
ME-KD43230RF16D	R 19,792	Kingston HX430C16FB3AK2/64 DDR4-3000 (pc4-24000), Hyper-x RGB Fury with heatsink, CL16, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43232V22	R 9,674	Kingston KVR32N22D8/32 Value 32Gb, DDR4-3200 (pc4-25600), CL22 - 288pin, 1.2V - Retail pack
ME-KD4430F15x2	R 3,593	Kingston HX430C15FB3K2/8 DDR4-3000 (pc4-24000), Hyper-x Fury with asymmetrical heatsink, CL15, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4430P15X4	R 7,186	Kingston HX430C15PB2K4/16 DDR4-3000 (pc4-24000) , hyper-x Predator , CL15 , 16GB (4Gb x 4 kit) - support Intel XMP (eXtreme Memory Profiles) , 1.2v - 288pin
ME-KD4830P15x4	R 8,624	Kingston HX430C15PBK4/32 DDR4-3000 (pc4-24000), Hyper-x Predator with tall heatsink, CL15, 32GB(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4830R15	R 2,210	Kingston HX430C15PB3A/8 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL15, 8Gb - support Intel XMP (eXtreme Memory Profiles), 1.35 - 288pin
ME-KD4830R15x2	R 4,532	Kingston HX430C15PB3AK2/16 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL15, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin

ME-KD4830R15x4	R 9,176	Kingston HX430C15PB3AK4/32 DDR4-3000 (pc4-24000), Hyper-x RGB Predator with tall heatsink, CL15, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pinGb
ME-KD4830RF15x4	R 9,176	Kingston HX430C15FB3AK4/32 DDR4-3000 (pc4-24000), Hyper-x RGB Fury with heatsink, CL15, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
NMGD432F82-3000DF20	R 6,554	Neo Forza Mars RGB 2x 32GB (64GB kit) DDR4-3000 1.35V 288 pin Desktop Memory, CL15-17-17-35
NMUD416E82-3000DG10	R 2,184	Neo Forza Faye 16GB DDR4-3000 288 pin 1.35V Desktop Memory, CL15-17-17-35
NMUD416E82-3000DG20	R 3,104	Neo Forza Faye 32GB (2x16GB kit) DDR4-3000 288 pin 1.35V Desktop Memory, CL15-17-17-35
NMUD480E82-3000DG10	R 1,724	Neo Forza Faye 8GB DDR4-3000 288 pin 1.35V Desktop Memory, CL15-17-17-35
NMUD480E82-3000DG20	R 1,839	Neo Forza Faye 16GB (2x8GB kit) DDR4-3000 288 pin 1.35V Desktop Memory, CL15-17-17-35

< Return to the menu

Desktop Memory : DDR4-3200 288pin PC4

Product code	Price	Description
8G/ZEP//3200	R 1,091	Zeppelin 8GB DDR4-3200 288 pin Memory, 8 chips
AD4U320016G22-SGN	R 2,597	Adata Premier 16GB DDR4-3200 288 pin CL22 12V Desktop Memory
AD4U320016G22-SGN	R 2,586	Adata Premier 16GB DDR4-3200 288 pin CL22 12V Desktop Memory
AD4U320016G22-SGN	R 2,064	Adata Premier 16GB DDR4-3200 288 pin CL22 12V Desktop Memory
AD4U320032G22-SGN	R 5,231	Adata Premier 32GB DDR4-3200 288 pin CL22 1.2V Desktop Memory
AD4U320032G22-SGN	R 6,438	Adata Premier 32GB DDR4-3200 288 pin CL22 1.2V Desktop Memory
AD4U320032G22-SGN	R 4,008	Adata Premier 32GB DDR4-3200 288 pin CL22 1.2V Desktop Memory
AD4U32008G22-SGN	R 1,320	Adata Premier 8GB DDR4-3200 288 pin CL22 1.2V Memory
AD4U32008G22-SGN	R 1,091	Adata Premier 8GB DDR4-3200 288 pin CL22 1.2V Desktop Memory
AD4U32008G22-SGN	R 972	Adata Premier 8GB DDR4-3200 288 pin CL22 1.2V Desktop Memory
AKD4S16P3200	R 1,724	Arktek Memory 16GB DDR4-3200 288pin 1.2V DIMM RAM module, AKD4S16P3200
AKD4S8P3200	R 1,034	Arktek Memory 8GB DDR4-3200 288pin 1.2V DIMM RAM module, AKD4S8P3200
AX4U320016G16A-SBKD35G	R 1,263	Adata XPG Gammix D35 RGB 16GB DDR4-3200 1.35V CL16 288 pin Memory, AX4U320016G16A-SBKD35G, 16-20-20 Memory timing
AX4U320032G16A-ST50	R 4,253	Adata Spectrix D50 RGB 32GB DDR4-3200 CL16 288 pin Desktop Memory Black, CL16-20-20
CMG8GX4M1E3200C16	R 1,829	Corsair Vengeance RGB RS 8GB (1x8GB) DDR4-3200 C16 1.2V 288 pin Memory Black, 16-20-20-38 tested Latency, RGB LED Lighting, Anodized aluminum heat spreader, XMP 2.0 performance profile, CMG8GX4M1E3200C16
CMK16GX4M2B3200C16	R 828	Corsair Vegeance 16GB DDR4-3200MHz Kit (2x 8GB kit), Vegeance LPX Heatspreader, 16-18-18-36 Latency, 2x 288 DIMM, 1.35V, XMP 2.0
CT16G4DFD832A	R 2,083	Crucial 16GB DDR4-3200 CL22 1.1V 288pin Desktop Memory, CT16G4DFD832A
CT32G4DFD832A	R 5,288	Crucial 32GB DDR4-3200 CL22 1.2V 288pin Desktop Memory, Single Rank, non-ECC
CX08GBPC4U32	R 887	CipherX Professional Series 8GB DDR4-3200 CL16 288pin Desktop Memory Module
CX16GBPC4U32	R 1,712	CipherX Professional Series 16GB DDR4-3200 CL16 288pin Desktop Memory Module
CX32GBPC4U32	R 5,047	CipherX Pro Series 32GB DDR4-3200 288pin UDIMM Desktop Memory Module
DDR4-PC3200-16GB	R 2,099	Dato 16GB DDR4 3200MHz U-DIMM Memory Module - 16GB capacity desktop RAM running at 3200MHz (PC4-25600) with CAS latency CL22. Operates at 1.2V for power efficiency, using a 288-pin unbuffered DIMM form factor. Designed for compatibility with most DDR4-supporting desktop systems, offering improved multitasking and data transfer rates
DDR4-PC3200-32GB	R 4,599	Dato 32GB 3200MHz DDR4 U-DIMM Memory Module - 32GB capacity desktop memory module operating at 3200MHz (PC4-25600) with CAS latency CL22. Runs at 1.2V for reduced power consumption. Features a 288-pin unbuffered non-ECC form factor, compatible with most desktop systems supporting DDR4 RAM.
DDR4-PC3200-4GB-D	R 631	Dato UDIMM Desktop Memory Module - 4GB Capacity, 3200MHz Clock Speed, DDR4 Memory Type, 288 Pin U-DIMM Form Factor, CL22 CAS Latency, 1.2V, Promoting Reduced Power Consumption, Non-ECC, Unbuffered, Suitable For Desktops Support DDR4 Memory
DDR4-PC3200-8GB-D	R 1,249	Dato 8GB DDR4 3200MHZ Desktop RAM - The Dato 8GB DDR4 3200MHz Desktop RAM delivers stable

		performance with a speed of 3200MHz, ensuring efficient multitasking and responsiveness. Operating at a low voltage of 1.2V, it reduces power consumption by 20% compared to DDR3, enhancing energy efficiency. Built with high-quality ICs, it offers reliability and durability for seamless upgrades.
DDR4-PC3200-8GB-D	R 1,149	Dato 8GB DDR4 3200MHZ Desktop RAM - The Dato 8GB DDR4 3200MHz Desktop RAM delivers stable performance with a speed of 3200MHz, ensuring efficient multitasking and responsiveness. Operating at a low voltage of 1.2V, it reduces power consumption by 20% compared to DDR3, enhancing energy efficiency. Built with high-quality ICs, it offers reliability and durability for seamless upgrades.
DTDEAB120719	R 4,505	Dell AB120719 32GB DDR4-3200 288 pin 1.2V UDIMM Certified Memory Module, 2Rx8 Dual Rank, non-ECC
GP416GB3200C22DC	R 2,013	Geil Pristine 16GB (2x8GB) DDR4-3200 288pin 1.2V Desktop DIMM Memory kit, Intel XMP 2.0, DYNA4 SLT tested
GP416GB3200C22SC	R 1,838	Geil Pristine 16GB DDR4-3200 288pin 1.2V CL22 UDIMM Desktop Memory, 22-22-22-52 CAS Latency, Intel XMP 2.0, DYNA4 SLT tested
GP432GB3200C22DC	R 3,974	Geil Pristine 32GB (2x16GB) DDR4-3200 288pin 1.2V Desktop DIMM Memory kit, Intel XMP 2.0, DYNA4 SLT tested
GP432GB3200C22SC	R 4,546	Geil Pristine 32GB DDR4-3200 288pin 1.2V CL22 UDIMM Desktop Memory, 22-22-22-52 CAS Latency, Intel XMP 2.0, DYNA4 SLT tested
GP48GB3200C22SC	R 1,013	Geil Pristine 8GB (1x8GB) DDR4-3200 288pin 1.2V Desktop DIMM Memory kit, Intel XMP 2.0, DYNA4 SLT tested
HSC408U32Z1-8G	R 1,829	Hiksemi Hiker 8GB DDR4-3200 288pin UDIMM Memory
HSC408U32Z1-8G	R 1,099	Hiksemi Hiker UDIMM Desktop Memory - 8GB Capacity, 3200MHz Frequency, DDR4 Interface, UDIMM Memory Type, 288 Pin, Pure Module Appearance, 0 °C to 85 °C Operating Temperature, Retail Box
HSC416U32Z1-16G	R 2,268	Hiksemi Hiker 16GB DDR4-3200 288pin UDIMM Memory
HSC432U32Z1-32G	R 6,095	Hiksemi Hiker 32GB DDR4-3200 288pin Desktop Memory
HX432C16PB3A/32	R 4,552	Kingston HX432C16PB3A/32 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 32Gb kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
JM3200HLB-16G	R 3,920	Transcend JET 16GB DDR4-3200 CL22 1.2V 288 pin Desktop UDIMM Memory, 2Rx8 Rank x Org, 1Gx8 Component composition
JM3200HLB-8G	R 1,981	Transcend JetRam 8GB DDR4-3200 1.2V CL22 288 pin Desktop DIMM Memory, Single-channel, Unbuffered, non-ECC
JM3200HLB-8G	R 1,127	Transcend JetRam 8GB DDR4-3200 1.2V CL22 288pin Desktop DIMM Memory, Single-Channel, Unbuffered, non-ECC
JM3200HLE-32G	R 7,616	Transcend JetRam 32GB DDR4-3200 1.2V CL22 288 pin Desktop DIMM Memory, Unbuffered, non-ECC
JM3200HLH-4G	R 974	Transcend JetRam 4GB DDR4-3200 CL22 1.2V 288 pin Desktop u-dimm Memory, 1Rx8 Rank x Org, 512Mx8 Component composition
KCP432ND8/32	R 9,637	Kingston 32GB DDR4-3200 CL22 1.2V 288 pin Desktop Memory, 2R (Dual Rank)
KCP432NS6/8	R 2,566	Kingston KCP432NS6/8 8GB DDR4 3200Mhz Non ECC Memory RAM DIMM
KCP432NS8/16	R 5,072	Kingston KCP432NS8/16 16GB DDR4 3200Mhz Non ECC Memory RAM DIMM
KCP432NS8/8	R 2,179	Kingston 8GB DDR4-3200 CL22 1.2V 288 pin DIMM Memory Module, 1R (Single Rank), KCP432NS8/8
KCP432NS8/8	R 2,223	Kingston 8GB DDR4-3200 CL22 1.2V 288 pin DIMM Memory Module, 1R (Single Rank), KCP432NS8/8
KF432C16BB/32	R 9,660	Kingston FURY Beast Black 32GB 3200MT/s DDR4 CL16 DIMM
KF432C16BB/8	R 2,106	Kingston Fury Beast Black 8GB (1x8GB) DDR4-3200 CL16 288 pin 1.35V DIMM Memory, KF432C16BB/8, 1R (Single Rank), Heat spreader, Intel XMP-Ready profiles
KVR32N22D8/16	R 3,892	Kingston ValueRAM 16GB 3200MHz DDR4 Non-ECC CL22 DIMM 2Rx8 Desktop Memory Module
KVR32N22D8/32	R 9,637	Kingston KVR32N22D8/16 Value 16GB DDR4-3200 CL22 288 pin 1.2V Desktop Memory, PC4-25600, non-ECC, Dual rank
KVR32N22D8/32	R 5,806	Kingston 32GB DDR4-3200 288pin CL22 1.2V non-ECC Desktop Memory, 2Rx8 Dual Rank
KVR32N22S8/16	R 4,847	Kingston KVR32N22S8/16 16GB DDR4 3200Mhz Non ECC Memory RAM DIMM
KVR32N22S8/16	R 2,816	Kingston 16GB DDR4-3200 288pin CL22 1.2V non-ECC Desktop Memory, 1Rx8 Single Rank
KVR32N22S8/8	R 2,126	Kingston 8GB DDR4-3200 288pin CL22 1.2V non-ECC Desktop Memory, 1Rx8 Single Rank
LD4AU008G-B3200GSST	R 1,205	Lexar 8GB DDR4-3200 288pin CL22 1.2V UDIMM Desktop Memory, LD4AU008G-B3200GSST
LD4AU016G-B3200GSST	R 1,977	Lexar 16GB DDR4-3200 288pin CL22 1.2V UDIMM Desktop Memory, LD4AU016G-B3200GSST

ME-AD41632D35	R 3,039	Adata Gammix D35 16GB DDR4-3200 CL16 1.35V 288 pin UDIMM Desktop Memory with heatsink, Support AMD & Intel XMP (Extreme Memory profiles), Heatsink with 2oz Copper 10-layer PCB, AX4U320016G16A-SBKD35
ME-AD41632D45	R 5,030	Adata Gammix D45 16GB (1x16GB) DDR4-3200 CL16 1.35V 288 pin Desktop Memory with Black heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U320016G16A-CBKD45
ME-AD41632D45W	R 5,085	Adata Gammix D45 16GB (1x16GB) DDR4-3200 CL16 1.35V 288 pin Desktop Memory with White heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U320016G16A-CWHD45
ME-AD41632RD50	R 4,698	Adata AX4U3200716G16A-ST50 RGB D50 - 16Gb x1, solid constructed metal heatsink (133.35x40x8mm), 10-layer PCB, support Intel AMD XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-AD41632RD50W	R 5,141	Adata Spectrix D50 RGB 16GB DDR4-3200 CL16 1.35V 288 pin Desktop Memory White, AX4U320016G16A-SW50, Support Intel AMD XMP (Extreme Memory profiles), DDR4-3200 (PC4-25600), CL16, 1.35V, 288 pin
ME-AD41632RD60	R 5,141	Adata XPG Spectrix D60G RGB 16GB DDR4-3200 CL16 1.35V Tungsten Grey heatspreader 288 pin Desktop Memory, Support Intel XMP (Extreme Memory profiles), AX4U320016G16A-ST60
ME-AD41632V22	R 3,205	Adata AD4U3200716G22 Value 16Gb, DDR4-3200 (pc4-25600), CL22 - 288pin, 17Gb/sec memory bandwidth, 8-layer PCB, 1.2V - Retail pack
ME-AD41636RD60	R 5,251	Adata AX4U360016G18i-ST60 RGB D60g - dual RGB light strip with more RGB lighting per mm2 (60% of the module ' s surface area), tungsten heatsink with aluminum armor (133.35 x 45.93 x 8.4mm), 10-layer PCB, 16G - support Intel XMP (eXtreme Memory Profile)
ME-AD43232D20	R 6,080	Adata AX4U3200732G16A-CBK20 D20, heatsink with 2oz Copper 10-layer PCB, 32Gb - support AMD Intel XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-AD43232D45	R 8,789	Adata Gammix D45 32GB (1x32GB) DDR4-3200 CL16 1.35V 288 pin Desktop Memory with Black heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U320032G16A-CBKD45
ME-AD43232RD50	R 9,839	Adata AX4U3200732G16A-ST50 RGB D50 - 32Gb x1, solid constructed metal heatsink (133.35x40x8mm), 10-layer PCB, support Intel AMD XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-AD43232V22	R 5,970	Adata AD4U3200732G22 Value 32Gb, DDR4-3200 (pc4-25600), CL22 - 288pin, 17Gb/sec memory bandwidth, 8-layer PCB, 1.2V - Retail pack
ME-AD4832D35	R 1,547	Adata Gammix D35 8GB DDR4-3200 CL16 1.35V 288 pin UDIMM Desktop Memory with heatsink, Support AMD & Intel XMP (Extreme Memory profiles), Heatsink with 2oz Copper 10-layer PCB, AX4U32008G16A-SBKD35
ME-AD4832D45W	R 2,088	Adata Gammix D45 8GB (1x8GB) DDR4-3200 CL16 1.35V 288 pin Desktop Memory with White heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U32008G16A-CWHD45
ME-AD4832RD50	R 2,199	Adata AX4U320038G16A-ST50 RGB D50 - 8Gb x1, solid constructed metal heatsink (133.35x40x8mm), 10-layer PCB, support Intel AMD XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-AD4832RD50W	R 2,232	Adata Spectrix D50 RGB 8GB DDR4-3200 CL16 1.35V 288 pin Desktop Memory White, AX4U32008G16A-SW50, Support Intel AMD XMP (Extreme Memory profiles), DDR4-3200 (PC4-25600), CL16, 1.35V, 288 pin
ME-AD4832RD60	R 1,789	Adata AX4U32008G16A-ST60 RGB D60g - dual RGB light strip with more RGB lighting per mm2 (60% of the module ' s surface area), tungsten heatsink with aluminum armor (33.35 x 45.93 x 8.4mm), 10-layer PCB, 8Gb - support Intel XMP (eXtreme Memory Profiles)
ME-AD4832V22	R 1,646	Adata AD4U320038G22 Value 8Gb, DDR4-3200 (pc4-25600), CL22 - 288pin, 17Gb/sec memory bandwidth, 8-layer PCB, 1.2V - Retail pack
ME-CD41632PR16Q	R 17,027	Corsair CMT64GX4M4C3200C16 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-CD43232PR16D	R 20,898	Corsair Dominator Platinum RGB 64GB (32GB x 2 kit) DDR4-3200 288 pin 1.35V Memory Module Black, 12x leds

		per module, Black heatsink, with DHX technology DHX Pro, with 8-layer PCB, DDR4-3600 (PC4-25600), CL16, 1.35V, 288 pin, Support Intel XMP (Extreme Memory profiles), CMT64GX4M2C3200C16
ME-CD4826P15x2	R 3,946	Corsair CMD16GX4M2A2666C15 Dominator Platinum with DHX technology with white LED light bar DHX Pro / corsair link, with 8-layer PCB, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-2666 (pc4-21300), CL15, 1.2v - 288pin
ME-CD4832PR16QW	R 8,789	Corsair Dominator Platinum RGB 32GB (8GB x 4 kit) DDR4-3200 288 pin 1.35V Memory Module White, 12x leds per module, White heatsink, with DHX technology DHX Pro, with 8-layer PCB, DDR4-3200 (PC4-25600), CL16, 1.35V, 288 pin, CMT32GX4M4C3200C16W / CMT32GX4M4Z3200C16W
ME-CD4832R16x4W	R 8,679	Corsair CMR32GX4M4C3000C15W Vengeance RGB LED - White heatsink, 32Gb(8Gbx4) kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3200 (pc4-25600), CL16, 1.35v - 288pin
ME-CD4832RTx4W	R 8,679	Corsair Vengeance RGB RT 32GB (4x8GB) DDR4-3200 CL16 1.35V 288 pin Desktop Memory with White heatsink, 44.8mm low-profile Dynamic multi-zone RGB with 10 LEDs per module, 8-layer PCB, XMP 2.0 performance profile, CMN32GX4M4Z3200C16W
ME-CD4840RPx4Z	R 9,950	Corsair CMW32GX4M4Z4000C18 Vengeance RGB Pro 32GB (4x8GB kit) DDR4-3200 CL16 1.35V 288 pin desktop memory, Dynamic multi-zone RGB with 10 leds per module - Black heatsink, 2x 8GB kit, 8-layer PCB, Optimized for AMD Ryzen Intel XMP (Extreme Memory profiles), DDR4-3200 (PC4-25600), CL16, 1.35V, 288 pin
ME-KD41630P15x2	R 7,960	Kingston HX430C15PB3K2/32 DDR4-3000 (pc4-24000), Hyper-x Predator with tall heatsink, CL15, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41632F16DK	R 7,905	Kingston HX432C16FB3K2/32 DDR4-3200 (pc4-25600), Hyper-x Fury with asymmetrical heatsink, CL16, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD41632F16K	R 3,924	Kingston HX432C16FB3/16 DDR4-3200 (pc4-25600), Hyper-x Fury with asymmetrical heatsink, CL16, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD41632P16	R 3,979	Kingston HX432C16PB3/16 DDR4-3200 (pc4-25600), Hyper-x Predator with tall heatsink, CL15, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41632P16X2	R 7,960	Kingston HX432C16PB3K2/32 DDR4-3200 (pc4-25600), Hyper-x Predator with tall heatsink, CL15, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41632R16	R 4,089	Kingston HX432C16PB3A/16 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41632R16x2	R 8,236	Kingston HX432C16PB3AK2/32 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41632RF16	R 4,034	Kingston HX432C16FB3A/16 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41632RF16D	R 8,126	Kingston HX432C16FB3AK2/32 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41632RFWD	R 8,181	Kingston RGB Fury Beast Special Edition KF432C16BWAK2/32, DDR4-3200 (pc4-25600), with asymmetrical White heatsink, CL16, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41632V22	R 3,924	Kingston KVR32N22D8/16 Value 16GB DDR4-3200 CL22 288 pin 1.2V Desktop Memory, PC4-25600, non-ECC, Dual rank
ME-KD43232F16DK	R 19,571	Kingston Hyper-X Fury 2x 32GB Kit (64GB) DDR4-3200 CL16 1.35V 288pin Desktop Memory with Black asymmetrical heatsink, CL16, 2x 32GB Kit, Support Intel XMP (Extreme Memory profiles), 1.35V - 288 pin, HX432C16FB3K2/64
ME-KD43232F16K	R 9,729	Kingston HX432C16FB3/32 DDR4-3200 (pc4-25600), Hyper-x Fury with asymmetrical heatsink, CL16, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43232P16	R 9,784	Kingston HX432C16PB3/32 DDR4-3200 (pc4-25600), Hyper-x Predator with tall heatsink, CL16, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43232P16x2	R 19,626	Kingston HX432C16PB3K2/64 DDR4-3200 (pc4-25600), Hyper-x Predator with tall heatsink, CL16, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43232R16	R 9,895	Kingston HX432C16PB3A/32 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 32Gb kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin (Order on request)

ME-KD43232R16x2	R 19,847	Kingston HX432C16PB3AK2/64 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43232RF16	R 9,895	Kingston HX432C16FB3A/32 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin (Order on request)
ME-KD43232RF16D	R 19,792	Kingston HX432C16FB3AK2/64 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43232RF16Q	R 39,641	Kingston HX432C16FB3AK4/128 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4432F16	R 1,933	Kingston HX432C16FB3/4 DDR4-3200 (pc4-25600), Hyper-x Fury with asymmetrical heatsink, CL16, 4Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4432F16x2	R 3,924	Kingston HX432C16FB3K2/8 DDR4-3200 (pc4-25600), Hyper-x Fury with asymmetrical heatsink, CL16, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4432V22	R 828	Kingston KVR32N22S6/4 value 4GB DDR4-3200 CL22 288 pin 1.2V Desktop Memory, PC4-25600, non-ECC, Single rank
ME-KD4832F16K	R 2,044	Kingston HX432C16FB3/8 DDR4-3200 (pc4-25600), Hyper-x Fury with black asymmetrical heatsink, CL16, 8Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4832F16x2K	R 4,255	Kingston HX432C16FB3K2/16 DDR4-3200 (pc4-25600), Hyper-x Fury with black asymmetrical heatsink, CL16, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4832P16	R 2,099	Kingston HX432C16PB3/8 DDR4-3200 (pc4-25600), Hyper-x Predator with tall heatsink, CL16, 8Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4832P16x2	R 4,311	Kingston HX432C16PB3K2/16 DDR4-3200 (pc4-25600), Hyper-x Predator with tall heatsink, CL16, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4832R16	R 2,210	Kingston HX432C16PB3A/8 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 8Gb kit - support Intel XMP (eXtreme Memory Profiles), 1.35 - 288pin
ME-KD4832R16x2	R 4,532	Kingston HX432C16PB3AK2/16 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35 - 288pin
ME-KD4832R16x4	R 9,176	Kingston HX432C16PB3AK4/32 DDR4-3200 (pc4-25600), Hyper-x RGB Predator with tall heatsink, CL16, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin - (ORDER ON REQUEST)
ME-KD4832RF16	R 2,210	Kingston HX432C16FB3A/8 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 8Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4832RF16x2	R 4,477	Kingston HX432C16FB3AK2/16 DDR4-3200 (pc4-25600), Hyper-x RGB Fury with heatsink, CL16, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4832RFWx2	R 4,477	Kingston RGB Fury Beast Special Edition KF432C16BWAK2/16, DDR4-3200 (pc4-25600), with asymmetrical White heatsink, CL16, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD4832V22	R 2,044	Kingston KVR32N22S8/8 Value 8GB DDR4-3200 CL22 288 pin 1.2V Desktop Memory, PC4-25600, non-ECC, Single rank
MEM-8GB-DDR4-UDIMM	R 1,379	CipherX Professional Series 8GB DDR4-3200 288pin 1.2V Desktop Memory Module
MTA18ASF2G72PDZ-3G2R1R	R 8,442	Micron MTA18ASF2G72PDZ-3G2R1R 16GB 3200Mhz DDR4 RDIMM Memory
NMGD432F82-3200DF20	R 7,475	Neo Forza Mars RGB 2x 32GB (64GB kit) DDR4-3200 1.35V 288 pin Desktop Memory, CL16-18-18-36
NMUD432F82-3200DG20	R 6,899	Neo Forza Faye 64GB (2x32GB kit) DDR4-3200 288 pin 1.35V Desktop Memory, CL16-18-18-36
NMUD480E82-3200DG20	R 1,954	Neo Forza Faye 16GB (2x8GB kit) DDR4-3200 288 pin 1.35V Desktop Memory, CL16-18-18-36
PNY_16GSD43200	R 2,139	PNY 16GB DDR4-3200 288pin 1.2V CL22 Desktop Memory, Single channel
PSD48G320081	R 1,341	Patriot Signature Line 8GB DDR4-3200 288pin 1.2V CL22 Desktop Memory, 22-22-22-52 timings
PSP416G3200H1	R 3,136	Patriot Signature Premium Line 16GB DDR4-3200 288pin 1.2V CL22 UDIMM Desktop Memory, 22-22-22-52 timings, DDR4 non-ECC unbuffered
PSP416G3200H1	R 2,473	Patriot Signature Premium Line 16GB DDR4-3200 288pin 1.2V CL22 UDIMM Desktop Memory, 22-22-22-52 timings, DDR4 non-ECC unbuffered
PVE2432G320C8	R 6,095	Patriot Viper Elite II 32GB DDR4 3200Mhz Gaming Memory; PC4-25600; CL18; timings 18-22-22-42; 1.35V tested voltage; 288-pin DIMM; unbuffered; non-ECC; Intel XMP 2.0; red and black aluminium heat spreader

PVS416G320C6	R 2,530	Patriot Viper Steel Series 16GB DDR4-3200 1.35V CL16 Gaming XMP 288 pin Desktop Memory, XMP 2.0 performance profile, non-ECC
PVS432G320C6K	R 4,945	Patriot Viper Steel Series 32GB (2x16GB kit) DDR4-3200 1.35V CL16 Gaming XMP 288 pin Desktop Memory, XMP 2.0 performance profile, non-ECC
TF4D416G3200HC16FBK	R 2,210	Team T-Force Delta RGB 16GB DDR4-3200 288pin CL16 1.35V Gaming Memory - White
TLZRD416G3200HC16FBK	R 2,083	Team T-Force Vulcan Z 16GB DDR4-3200 288pin CL16 1.35V Gaming Memory - Red

< Return to the menu

Desktop Memory : DDR4-3300 288pin PC4

Product code	Price	Description
ME-AD4433X16x4Y	R 9,044	Adata AX4U3300W4G16-QGZ XPG z1, jet wing-inspired yellow heatsink with 2oz Copper 10-layer PCB, 16GB (4Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3300 (pc4-26400), CL16, 1.2v - 288pin
ME-CD4433L16x4R	R 9,055	Corsair CMK16GX4M4B3300C16R Vengeance Lpx with Red low-profile heatsink, with 8-layer PCB, 16GB(4Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3300 (pc4-26400), CL16, 1.35v - 288pin
ME-CD4830L15X4R	R 8,347	Corsair CMK32GX4M4B3000C15R Vengeance Lpx with Red low-profile heatsink 2x Vengence Airflow memory cooler, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3000 (pc4-24000), CL15, 1.35v - 288pin
ME-KD4833P16x4	R 9,121	Kingston HX433C16PB3K4/32 DDR4-3300 (pc4-26666), Hyper-x Predator with tall heatsink, CL16, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin

< Return to the menu

Desktop Memory : DDR4-3333 288pin PC4

Product code	Price	Description
ME-CD41633P16x4	R 17,458	Corsair CMD64GX4M4B3333C16 Dominator Platinum 2x Fan (Corsair CMDAF Dominator Airflow Platinum LED memory cooler), with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3333 (pc4-26600), CL16, 1.35v - 288pin
ME-CD4833R16x4	R 7,960	Corsair CMR32GX4M4C3333C16 Vengeance RGB LED - Black heatsink, 32Gb(8Gb x 4) kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3333 (pc4-26666), CL16, 1.35v - 288pin

< Return to the menu

Desktop Memory : DDR4-3400 228pin PC4

Product code	Price	Description
ME-CD4834G16QR	R 8,900	Corsair CMU32GX4M4C3400C16R VenGeance led (Red led) - black heatsink, 32Gb(8Gbx4) Quad kit - with 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3400 (PC4-27200), CL16, 1.35v - 288pin

< Return to the menu

Desktop Memory : DDR4-3466 288pin PC4

Product code	Price	Description
ME-CD41634P16x4	R 17,680	Corsair 64Gb (16Gb x 4) kit - CMD64GX4M4B3466C16 Dominator Platinum 2x Fan (Corsair CMDAF Dominator Airflow Platinum LED memory cooler), with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB - support Intel XMP (eXtreme Memory Profiles), DDR4-3466 (pc4-27666), CL16, 1.35v - 288pin
ME-CD41634RPx4K	R 17,569	Corsair CMW64GX4M4C3466C16 Vengeance RGB Pro (dynamic multi-zone RGB with 10 LEDs per module) - black heatsink, 64Gb(16Gbx 4) kit - 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3466 (pc4-27666), CL16, 1.35v - 288pin
ME-CD4434L16x4R	R 9,497	Corsair CMK16GX4M4B3466C16R vengeance Lpx with Red low-profile heatsink, with 8-layer PCB, 16GB, 4Gb x 4 kit - support Intel XMP (eXtreme Memory Profiles), Ddr4-3466 (pc4-27700), CL16, 1.35v - 288pin, Desktop Memory
ME-CD4834PR16x2	R 4,477	Corsair CMT16GX4M2C3466C16 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3466

		(pc4-27730), CL16, 1.35v - 288pin
ME-CD4834PR16x4	R 9,010	Corsair CMT32GX4M4C3466C16 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3466 (pc4-27730), CL16, 1.35v - 288pin
ME-CD4836PR16x2	R 4,919	Corsair CMT16GX4M2C3466C16 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3466 (pc4-27730), CL16, 1.35v - 288pin (Order on request)
ME-CD4836RPx4W	R 9,364	Corsair CMW32GX4M4C3600C18W Vengeance RGB Pro (Dynamic Multi-Zone RGB with 10 LEDs per module) - White heatsink, 32Gb(8Gbx 4) kit - 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin
ME-KD41634F16QK	R 18,399	Kingston HX434C16FB3K4/64 DDR4-3466 (pc4-27666), Hyper-x Fury with asymmetrical heatsink, CL16, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43234F17QK	R 41,520	Kingston HX434C17FB3K4/128 DDR4-3466 (pc4-27666), Hyper-x Fury with asymmetrical heatsink, CL17, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4834RF16x4	R 9,619	Kingston HX434C16FB3AK4/32 DDR4-3466 (pc4-27730), Hyper-x RGB Fury with heatsink, CL16, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin

< Return to the menu

Desktop Memory : DDR4-3600 288pin PC4

Product code	Price	Description
AH4U16G36C25YNBAA-2	R 2,299	Apacer Nox RGB 16GB DDR4-3600 288 pin 1.35V Gaming Memory, Ultra-wide angle RGB Lighting effect, High-class aluminum Heat Sink, Intel XMP 2.0 support
AX4U360016G18I-ST50	R 1,711	Adata Spectrix D50 RGB 16GB DDR4-3600 CL18 288 pin Desktop Memory Black, AX4U360016G18I-ST50
AX4U360038G18I-DT50	R 745	Adata Spectrix D50 8GB DDR4-3600 288pin 1.35V CL19 UDIMM Desktop Memory
GOSG416GB3600C18BDC	R 2,890	Geil Orion RGB 16GB (2x8GB) DDR4-3600 CL18 1.35V 288 pin Desktop Gaming Memory, 18-22-22-42 CAS Latency, Intel XMP 2.0 support, RGB Lighting, Titanium Grey Colour
GOSG416GB3600C18BSC	R 2,086	Geil Orion RGB 16GB 3600MHz DDR4 Desktop Gaming Memory
HSC408U36C4-8G	R 1,933	Hiksemi Future RGB 8GB DDR4-3600 288pinn UDIMM Gaming Memory - Black, Heatsink with RGB backlighting
HSC416U36C4-16G	R 3,640	Hiksemi Future RGB 16GB DDR4-3600 288pinn UDIMM Gaming Memory - Black, Heatsink with RGB backlighting
HSC416U36C5-8G2	R 3,992	Hiksemi Future RGB 16GB (2x8GB) DDR4-3600 288pin UDIMM Desktop Gaming Memory Black, XMP 3.0 overclock Profile, RGB Lighting, Heat spreader
HSC416U36F4-16G	R 3,640	Hiksemi Future RGB 16GB DDR4-3600 288pin 1.35V CL18 Desktop Gaming Memory - White, RGB Lighting effect, XMP overclock model
ME-AD41636D20	R 5,141	Adata AX4U3600716G18A-CBK20 / AX4U3600316G18A-CBK20 D20, heatsink with 2oz Copper 10-layer PCB, 16Gb - support AMD Intel XMP (eXtreme Memory Profiles), DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin
ME-AD41636D35	R 4,698	Adata Gammix D35 16GB DDR4-3600 CL18 1.35V 288 pin UDIMM Desktop Memory with heatsink, Support AMD & Intel XMP (Extreme Memory profiles), Heatsink with 2oz Copper 10-layer PCB, AX4U360016G18i-SBKD35
ME-AD41636D45	R 5,251	Adata Gammix D45 16GB (1x16GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with Black heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U360016G18i-CBKD45
ME-AD41636D45W	R 5,196	Adata Gammix D45 16GB (1x16GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with White heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U360016G18I-CWHD45
ME-AD41636RD45	R 5,251	Adata Spectrix RGB D45G 16GB (1x16GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with Black heatsink, Tall heatsink (133.4 x 45.3 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U360016G18i-CBKD45G
ME-AD41636RD45W	R 4,698	Adata Spectrix RGB D45G 16GB (1x16GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with White heatsink, Tall heatsink (133.4 x 45.3 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U360016G18I-CWHD45G

ME-AD41636RD50W	R 4,698	Adata Spectrix D50 RGB 16GB DDR4-3600 CL18 1.35V 288 pin Desktop Memory White, AX4U360016G18i-SW50, Support Intel AMD XMP (Extreme Memory profiles), DDR4-3600 (PC4-28800), CL18, 1.35V, 288 pin
ME-AD43236RD50	R 10,393	Adata Spectrix D50 RGB 32GB DDR4-3600 CL16 1.35V 288 pin Desktop Memory White, ME-AD43236RD50, Support Intel AMD XMP (Extreme Memory profiles), DDR4-3600 (PC4-28800), CL16, 1.35V, 288 pin
ME-AD43236RD50W	R 10,393	Adata Spectrix D50 RGB 32GB DDR4-3600 CL18 1.35V 288 pin Desktop Memory White, AX4U360032G18i-SW50, Support Intel AMD XMP (Extreme Memory profiles), DDR4-3600 (PC4-28800), CL18, 1.35V, 288 pin
ME-AD4836D35	R 1,801	Adata Gammix D35 8GB DDR4-3600 CL18 1.35V 288 pin UDIMM Desktop Memory with heatsink, Support AMD & Intel XMP (Extreme Memory profiles), Heatsink with 2oz Copper 10-layer PCB, AX4U32008G16A-SBKD35
ME-AD4836D45	R 2,343	Adata Gammix D45 8GB (1x8GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with Black heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U36008G18i-CBKD45
ME-AD4836D45W	R 2,343	Adata Gammix D45 8GB (1x8GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with White heatsink, Tall heatsink (133.4 x 39.2 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U36008G18I-CWHD45
ME-AD4836RD45	R 2,343	Adata Spectrix RGB D45G 8GB (1x8GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with Black heatsink, Tall heatsink (133.4 x 45.3 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U36008G18i-CBKD45G
ME-AD4836RD45W	R 2,354	Adata Spectrix RGB D45G 8GB (1x8GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory with White heatsink, Tall heatsink (133.4 x 45.3 x 8.2mm) with 2oz Copper 10-layer PCB, Support AMD Intel XMP (Extreme Memory profiles), AX4U36008G18I-CWHD45G
ME-AD4836RD50	R 2,354	Adata AX4U360038G18A-ST50 RGB D50 - 8Gb x1, solid constructed metal heatsink (133.35x40x8mm), 10-layer PCB, support Intel AMD XMP (eXtreme Memory Profiles), DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin
ME-AD4836RD50W	R 2,364	Adata Spectrix D50 RGB 8GB DDR4-3600 CL18 1.35V 288 pin Desktop Memory White, AX4U36008G18I-SW50, Support Intel AMD XMP (Extreme Memory profiles), DDR4-3600 (PC4-28800), CL18, 1.35V, 288 pin
ME-CD41636PRx2K	R 8,900	Corsair CMT32GX4M2C3600C18 Dominator Platinum RGB (12x LEDs per module) - Black heatsink, with DHX technology DHX Pro/ corsair link, with 8-layer PCB, 32Gb(16Gb x 2) kit, DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin - (Order on request)
ME-CD41636PRx4Z	R 17,791	Corsair CMT64GX4M4Z3600C18 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 64Gb(16Gb x 4) kit - optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin (Order on request)
ME-CD43236PR18D	R 20,898	Corsair Dominator Platinum RGB 64GB (32GB x 2 kit) DDR4-3600 288 pin 1.35V Memory Module Black, 12x leds per module, Black heatsink, with DHX technology DHX Pro, with 8-layer PCB, DDR4-3600 (PC4-28800), CL18, 1.35V, 288 pin, Support Intel XMP (Extreme Memory profiles), CMT64GX4M2C3600C18
ME-CD43236PR18Q	R 41,907	Corsair Dominator Platinum RGB 128GB (4x32GB kit) DDR4-3600 288 pin 1.35V Memory Module Black, 12x leds per module, Black heatsink, with DHX technology DHX Pro, with 8-layer PCB, DDR4-3600 (PC4-28800), CL18, 1.35V, 288 pin, Optimized for AMD Ryzen Intel XMP (Extreme Memory profiles), CMT128GX4M4D3600C18
ME-CD43236RPx4K	R 41,907	Corsair Vengeance RGB Pro 4x 32GB kit (128GB) DDR4-3600 CL18 1.35V 288 pin Desktop Memory, Dynamic multi-zone RGB with 10 leds per module - Black heatsink, 32GB x 4 kit, 8-layer PCB, Support Intel XMP (Extreme Memory profiles), DDR4-3600 (PC4-21300), CL18, 1.35V, 288 pin, CMW128GX4M4D3600C18
ME-CD43236RPx4Z	R 41,907	Corsair Vengeance RGB Pro 128GB (4x32GB kit) DDR4-3600 CL18 1.35V 288 pin Desktop Memory Black, Dynamic multi-zone RGB with 10 LEDs per module - Black heatsink, Optimized for AMD Ryzen Intel XMP (Extreme Memory profiles), Support Intel XMP (Extreme Memory profiles), CMW128GX4M4Z3600C18
ME-CD4836L18x4K	R 9,166	Corsair CMK32GX4M4B3600C18 Vengeance Lpx with black low-profile heatsink Vengence Airflow memory cooler, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin | total size - Gb : 32, size per module - Gb : 8, qty per kit : 4, speed : 3600, voltage - v : 1.35, latency : 18, heatsink : Y
ME-CD4836PR16x4	R 9,950	Corsair CMT32GX4M4K3600C16 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX

		Pro / corsair link, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3466 (pc4-27730), CL16, 1.35v - 288pin
ME-CD4836PR18QW	R 9,950	Corsair CMT32GX4M4C3600C18W Dominator Platinum RGB (12x LEDs per module) - White heatsink, with DHX technology DHX Pro / corsair link, with 8-layer PCB, 32Gb(8Gb x 4) kit, DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin
ME-CD4836PR18x4	R 9,950	Corsair CMT32GX4M4C3600C18 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro/ corsair link, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-3600 (pc4-28800), CL18, 1.35v - 288pin
ME-CD4836RLx4W	R 9,364	Corsair Vengeance RGB Pro SL 32GB (4x8GB kit) DDR4-3600 CL18 1.35V 288 pin Memory kit White, 44.8mm low-profile dynamic multi-zone RGB with 10 LEDs per module, CMH32GX4M4D3600C18W
ME-KD41636F18DK	R 10,448	Kingston HX436C18FB4K2/32 DDR4-3600 (pc4-28800), Hyper-x Fury with asymmetrical heatsink, CL18, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41636F18K	R 5,196	Kingston HX436C18FB4/16 DDR4-3600 (pc4-28800), Hyper-x Fury with asymmetrical heatsink, CL18, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41636F18QK	R 20,898	Kingston HX436C18FB4K4/64 DDR4-3600 (pc4-28800), Hyper-x Fury with asymmetrical heatsink, CL18, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41636P16	R 4,255	Kingston Fury Renegade 16GB (1x16GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RB1/16
ME-KD41636P16x2	R 8,568	Kingston Fury Renegade 32GB (2x16GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RB1K2/32
ME-KD41636P16x4	R 17,137	Kingston Fury Renegade 64GB (4x16GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RB1K4/64
ME-KD41636P17	R 4,200	Kingston HX436C17PB3/16 DDR4-3600 (pc4-28800), Hyper-x Predator with tall heatsink, CL15, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41636R16	R 4,367	Kingston Fury Renegade RGB 16GB (1x16GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RB1A/16
ME-KD41636R16x2	R 8,789	Kingston Fury Renegade RGB 32GB (2x16GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RB1AK2/32
ME-KD41636R17	R 4,311	Kingston HX436C17PB3A/16 DDR4-3600 (pc4-28800), Hyper-x RGB Predator with tall heatsink, CL17, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin (Order on request)
ME-KD41636R17x2	R 8,734	Kingston HX436C17PB3AK2/32 DDR4-3600 (pc4-28800), Hyper-x RGB Predator with tall heatsink, CL17, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41636RF18	R 5,306	Kingston HX436C18FB4A/16 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL18, 16Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD41636RF18D	R 10,669	Kingston HX436C18FB34K2/32 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL18, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41636RF18Q	R 21,395	Kingston HX436C18FB4AK4/64 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL18, 64Gb(16Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41636RFWD	R 8,734	Kingston RGB Fury Beast Special Edition KF436C18BWAK2/32, DDR4-3600 (pc4-28800), with asymmetrical White heatsink, CL18, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD43236F18DK	R 20,731	Kingston HX436C18FB3K2/64 DDR4-3600 (pc4-28800), Hyper-x Fury with asymmetrical heatsink, CL18, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43236F18K	R 10,337	Kingston HX436C18FB3/32 DDR4-3600 (pc4-28800), Hyper-x Fury with asymmetrical heatsink, CL18, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD43236F18QK	R 41,520	Kingston HyperX Fury 128GB (32GB x 4 kit) DDR4-3600 CL18 1.2V 288 pin Memory, Hyper-X Fury with asymmetrical heatsink, CL18, 32GB x 4 kit, Support Intel XMP (Extreme Memory profiles), 1.2V, 288 pin, PC4-28800, HX436C18FB3K4/128
ME-KD43236P18	R 10,393	Kingston HX436C18PB3/32 DDR4-3600 (pc4-28800), Hyper-x Predator with tall heatsink, CL18, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin

ME-KD43236P18x2	R 20,786	Kingston HX436C18PB3K2/64 DDR4-3600 (pc4-28800), Hyper-x Predator with tall heatsink, CL18, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43236R18	R 10,503	Kingston HX436C18PB3A/32 DDR4-3600 (pc4-28800), Hyper-x RGB Predator with tall heatsink, CL18, 32Gb - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin (Order on request)
ME-KD43236R18x2	R 21,063	Kingston HX436C18PB3AK2/64 DDR4-3600 (pc4-28800), Hyper-x RGB Predator with tall heatsink, CL18, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43236RF18	R 10,448	Kingston HX436C18FB3A/32 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL18, 32Gb kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin (Order on request)
ME-KD43236RF18D	R 20,953	Kingston HX436C18FB3AK2/64 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL18, 64Gb(32Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD43236RF18Q	R 41,962	Kingston HX436C18FB3AK4/128 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL18, 128Gb(32Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4836F17K	R 2,092	Kingston HX436C17FB3/8 DDR4-3600 (pc4-28800), Hyper-x Fury with Black asymmetrical heatsink, CL17, 8Gb - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4836F17X2K	R 4,587	Kingston HX436C17FB3K2/16 DDR4-3600 (pc4-28800), Hyper-x Fury with black asymmetrical heatsink, CL17, 16Gb(8Gb x2) kit - support Intel XMP (eXtreme Memory Profiles), 1.2v - 288pin
ME-KD4836P16	R 2,321	Kingston Fury Renegade 8GB (1x8GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RB/8
ME-KD4836P16x2	R 4,643	Kingston Fury Renegade 16GB (2x8GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RBK2/16
ME-KD4836R16	R 2,376	Kingston Fury Renegade RGB 8GB (1x8GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RBA/8
ME-KD4836R16x2	R 4,863	Kingston Fury Renegade RGB 16GB (2x8GB) DDR4-3600 CL16 1.35V 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF436C16RBAK2/16
ME-KD4836R17x2	R 4,863	Kingston HX436C17PB3AK2/16 DDR4-3600 (pc4-28800), Hyper-x RGB Predator with tall heatsink, CL17, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35 - 288pin
ME-KD4836R17x4	R 9,729	Kingston HX436C17PB3AK4/32 DDR4-3600 (pc4-28800), Hyper-x RGB Predator with tall heatsink, CL17, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin - (ORDER ON REQUEST)
ME-KD4836RFWx2	R 4,863	Kingston RGB Fury Beast Special Edition KF436C17BWAK2/16, DDR4-3600 (pc4-28800), with asymmetrical White heatsink, CL17, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
NMGD480E82-3600DF20	R 2,299	Neo Forza Mars RGB 2x 8GB (16GB kit) DDR4-3600 1.35V 288 pin Desktop Memory, CL18-19-19-39
NMUD416E82-3600DG20	R 4,024	Neo Forza Faye 32GB (2x16GB kit) DDR4-3600 288 pin 1.35V Desktop Memory, CL18-19-19-39
NMUD480E82-3600DG10	R 1,379	Neo Forza Faye 8GB DDR4-3600 288 pin 1.35V Desktop Memory, CL19-19-19-39
NMUD480E82-3600DG20	R 2,184	Neo Forza Faye 16GB (2x8GB kit) DDR4-3600 288 pin 1.35V Desktop Memory, CL18-19-19-39
PVS416G360C8K	R 2,645	Patriot Viper Steel 16GB (2x8GB) DDR4-3600 288pin CL18 1.35V Desktop Memory
PVS432G360C8K	R 5,003	Patriot Viper Steel 32GB (2x16GB) DDR4-3600 288pin CL18 1.35V Desktop Memory
PVS464G360C8K	R 11,385	Patriot Viper Steel 64GB (2x32GB) DDR4-3600 288pin CL18 1.35V Desktop Memory, 18-22-22-42 tested timings
PVS464G360C8K	R 13,916	Patriot Viper Steel 64GB (2x32GB) DDR4-3600 288pin CL18 1.35V Desktop Memory, 18-22-22-42 tested timings
PVSR416G360C0	R 3,328	Patriot Viper Steel RGB 16GB DDR4-3600 288pin CL19 1.35V Desktop Gaming Memory, XMP 2.0 support
PVSR416G360C8K	R 2,956	Patriot Viper Steel RGB 16GB (2x8GB) DDR4-3600 288pin CL18 1.35V Desktop Memory
PVSR416G360C8K	R 3,545	Patriot Viper Steel RGB 16GB (2x8GB) DDR4-3600 288pin CL19 1.35V Desktop Memory, XMP 2.0 support
PVSR432G360C8K	R 5,537	Patriot Viper Steel RGB 32GB (2x16GB) DDR4-3600 288pin CL18 1.35V Desktop Memory
PVSR432G360C8K	R 6,650	Patriot Viper Steel RGB 32GB (2x16GB) DDR4-3600 288pin CL18 1.35V Desktop Memory, XMP 2.0 support, 18-22-22-42 tested timings
PVSR48G360C0	R 1,776	Patriot Viper Steel RGB 8GB DDR4-3600 288pin CL19 1.35V Desktop Gaming Memory, XMP 2.0 support

< Return to the menu

Desktop Memory : DDR4-3733 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR4-3866 288pin PC4		
Product code	**Price**	**Description**
ME-CD4838P18x2	R 4,783	Corsair CMD16GX4M2B3866C18 dominator Platinum Fan (Corsair CMDAF Dominator Airflow Platinum LED memory cooler), with DHX technology with white LED light bar DHX Pro / corsair link, with 8-layer PCB, 16GB, 8Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles), Ddr4-3866 (pc4-31099), CL18, 1.35v - 288pin
PVE2416G400C0K	R 2,703	Patriot Viper Elite II 16GB (2x8GB) DDR4-4000 288pin 1.4V CL20 Desktop Memory, 20-26-26-46 tested timings, Red heatshield with Black Viper logo, Aluminum heat spreader, XMP 2.0 support
PVE2432G400C0K	R 5,290	Patriot Viper Elite II 32GB (2x16GB) DDR4-4000 288pin 1.4V CL20 Desktop Memory, 20-26-26-46 tested timings, Red heatshield with Black Viper logo, Aluminum heat spreader, XMP 2.0 support
PVE2464G400C0K	R 11,500	Patriot Viper Elite II 64GB (2x32GB) DDR4-4000 288pin 1.4V CL20 Desktop Memory, 20-26-26-46 tested timings, Red heatshield with Black Viper logo, Aluminum heat spreader, XMP 2.0 support

< Return to the menu

Desktop Memory : DDR4-4000 288pin PC4		
Product code	**Price**	**Description**
ME-CD4840L19x4K	R 9,784	Corsair CMK32GX4M4K4000C19 Vengeance Lpx with Black low-profile heatsink Vengence Airflow memory cooler, with 8-layer PCB, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-4000 (pc4-31999), CL19, 1.35v - 288pin (Order on Request)
ME-CD4840P19x2	R 4,928	Corsair CMD16GX4M2E4000C19 Dominator Platinum Fan (Corsair CMDAF Dominator Airflow Platinum LED memory cooler), with DHX technology with white LED light bar DHX Pro/ corsair link, with 8-layer PCB, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-4000 (pc4-31999), CL19, 1.35v - 288pin
ME-CD4840PR19QW	R 10,005	Corsair CMT32GX4M4K4000C19W Dominator Platinum RGB (12x LEDs per module) - White heatsink, with DHX technology DHX Pro / corsair link, with 8-layer PCB, 32Gb(8Gb x 4) kit, DDR4-4000 (pc4-31999), CL19, 1.35v - 288pin
ME-CD4840PR19x2	R 4,974	Corsair CMT16GX4M2K4000C19 Dominator Platinum RGB (12x LEDs per module), with DHX technology DHX Pro / corsair link, with 8-layer PCB, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-4000 (pc4-31999), CL19, 1.35v - 288pin
ME-KD41630RF16D	R 8,126	Kingston HX430C16FB4AK2/32 DDR4-3000 (pc4-24000), Hyper-x RGB Fury with heatsink, CL16, 32Gb(16Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35V - 288pin
ME-KD41640P19	R 4,367	Kingston Hyper-X Fury Renegade 16GB (1x16GB) DDR4-4000 1.35V CL19 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF440C19RB1/16
ME-KD41640P19x2	R 8,734	Kingston Hyper-X Fury Renegade 32GB (2x16GB) DDR4-4000 1.35V CL19 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF440C19RB1K2/32
NMUD416E82-4000FG20	R 4,599	Neo Forza Faye 32GB (2x16GB kit) DDR4-4000 288 pin 1.4V Desktop Memory, CL19-23-23-46
NMUD480E82-4000FG20	R 2,529	Neo Forza Faye 16GB (2x8GB kit) DDR4-4000 288 pin 1.4V Desktop Memory, CL19-23-23-46

< Return to the menu

Desktop Memory : DDR4-4133 288pin PC4		
Product code	**Price**	**Description**
ME-CD4441L19x2K	R 5,218	Corsair CMK8GX4M2B4133C19 Vengeance Lpx with Black low-profile heatsink Vengence Airflow memory cooler, with 8-layer PCB, 8Gb(4Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-4133 (pc4-33066), CL19, 1.35v - 288pin
ME-CD4841L19x2K	R 4,919	Corsair CMK16GX4M2F4133C19 vengeance Lpx 8Gb x 2 kit Ddr-4133 1.35V CL19 288pin Memory with blacK low-profile heatsink Vengence Airflow memory cooler, with 8-layer PCB, 8Gb x 2 kit - support Intel XMP (eXtreme Memory Profiles), Ddr4-4133 (pc4-33099), CL19, 1.35v - 288pin

< Return to the menu

Desktop Memory : DDR4-4200 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR4-4266 288pin PC4		
Product code	**Price**	**Description**
ME-CD4842L19x2K	R 5,030	Corsair CMK16GX4M2K4266C19 Vengeance Lpx with Black low-profile heatsink Vengence Airflow memory cooler, with 8-layer PCB, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), DDR4-4266 (pc4-34100), CL19, 1.35v - 288pin
ME-CD4842RPx4K	R 10,226	Corsair CMW32GX4M4K4266C19 Vengeance RGB Pro (Dynamic Multi-Zone RGB with 10 LEDs per module) - black heatsink, 32Gb(8Gbx 4 kit) - 8-layer PCB, support Intel XMP (eXtreme Memory Profiles), DDR4-4266 (pc4-34100), CL19, 1.35v - 288pin - (Order on request)
ME-KD41642P19x2	R 9,010	Kingston Hyper-X Fury Renegade 32GB (2x16GB) DDR4-4266 1.4V CL19 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF442C19RB1K2/32
ME-KD4842P19X2	R 5,030	Kingston HX442C19PB3K2/16 DDR4-4266 (pc4-34100), Hyper-x Predator with tall heatsink, CL19, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin - (Order on request)

< Return to the menu

Desktop Memory : DDR4-4333 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR4-4400 288pin PC4		
Product code	**Price**	**Description**
NMUD416E82-4400GG20	R 4,944	Neo Forza Faye 32GB (2x16GB kit) DDR4-4400 288 pin 1.45V Desktop Memory, CL19-26-26-46
NMUD480E82-4400GG20	R 3,276	Neo Forza Faye 16GB (2x8GB kit) DDR4-4400 288 pin 1.45V Desktop Memory, CL19-26-26-46

< Return to the menu

Desktop Memory : DDR4-4500 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR4-4600 288pin PC4		
Product code	**Price**	**Description**
ME-KD41646P19x2	R 9,398	Kingston Hyper-X Fury Renegade 32GB (2x16GB) DDR4-4600 1.5V CL19 288 pin Memory with tall heatsink, Support Intel XMP (Extreme Memory profiles), KF446C19RB1K2/32

< Return to the menu

Desktop Memory : DDR4-4800 288pin PC4		
Product code	**Price**	**Description**
KF448C19RB2K2/16	R 5,666	Kingston FURY Renegade Black 16GB 4800MT/s DDR4 CL19 DIMM (Kit of 2)
ME-AD4848RD50x2	R 4,886	Adata AX4U480038G19K-DGM50X RGB D50 - 16Gb(8Gb x2) kit, solid constructed metal heatsink (133.35x40x8mm), 10-layer PCB, support Intel AMD XMP (eXtreme Memory Profiles), DDR4-4800 (pc4-38399), CL19, 1.5v - 288pin

< Return to the menu

Desktop Memory : DDR4-5000 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR4-5100 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR4-5333 288pin PC4		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR5-4800 288pin PC5		
Product code	**Price**	**Description**
AD5U48008G-S	R 1,953	Adata Premier 8GB DDR5-4800 1.1V 288 pin DIMM Memory, 40 CL CAS latencies
DDR5-PC4800-16GB	R 4,799	Dato DDR5 U-DIMM Desktop Memory Module - 16GB Capacity, DDR5 Memory Type, 4800MHz Clock Speed, CL40 CAS Latency, Single Channel, 288-Pin, Unbuffered Dimm, 1.1V Working Voltage, 0?C ~ 85?C Operating Temperature
DDR5-PC4800-8GB-D	R 2,701	Dato DDR5 U-DIMM Desktop Memory Module - 8GB Capacity, DDR5 Memory Type, 4800MHz Clock Speed, CL40 CAS Latency, Single Channel, 288-Pin, Unbuffered Dimm, 1.1V Working Voltage, 0?C ~ 85?C Operating Temperature
DDR5-PC5600-32GB-D	R 7,899	Dato DDR5 U-DIMM Desktop Memory - 32GB Capacity, U-Dimm Memory Type, DDR5 Interface, PC5600MHz Speed, CL40 CAS Latency, 288-pim dimm, 1.1V, 0?C ~ 85?C Operating Temperature, Desktop Compatibility
DDR5-PC5600-32GB-D	R 9,256	Dato DDR5 U-DIMM Desktop Memory - 32GB Capacity, U-Dimm Memory Type, DDR5 Interface, PC5600MHz Speed, CL40 CAS Latency, 288-pim dimm, 1.1V, 0?C ~ 85?C Operating Temperature, Desktop Compatibility
HSC508U48Z1-8G	R 2,213	Hiksemi Hiker 8GB DDR5 4800MHz Desktop Memory; 288 pin UDIMM; 1.1V CL40; lifetime warranty; high speed PC performance upgrade
HSC516U48Z1-16G	R 4,247	Hiksemi Hiker 16GB DDR5-4800 288pin CL40 Desktop Memory, XMP / EXPO overclock model
JM4800ALE-16G	R 5,265	Transcend Jet 16GB DDR5-4800 CL40 288 pin 1.1V DIMM Desktop Memory
JM4800ALE-32G	R 9,521	Transcend Jet 32GB DDR5-4800 CL40 288 pin 1.1V DIMM Desktop Memory
JM4800ALG-8G	R 2,799	Transcend Jet 8GB DDR5-4800 CL40 288 pin 1.1V DIMM Desktop Memory
ME-AD51648V40	R 5,193	Adata AD5U480016G - 16Gb, DDR5-4800 Value, CL40 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-AD53248V40	R 9,601	Adata AD5U480032G - 32Gb, DDR5-4800 Value, CL40 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-KD5R3256x4	R 91,884	Kingston KF556R36RBK4-128 - Ddr5 ECC-Registered - DDR5-5600 (PC5-44800) Fury Renegade Pro with heatsink, 128Gb(16Gb x4) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, 1.1V with built-in Power Management iC - retail pack (Order on request)
ME-KD5R3256x8	R 207,440	Kingston KF556R36RBK8-256 - DDR5 ECC-Registered - DDR5-5600 (PC5-44800) Fury Renegade Pro with heatsink, 256Gb(16Gb x8) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, 1.1V with built-in Power Management iC - retail pack (Order on request)
PSD516G480081	R 4,912	Patriot Signature Line 16GB DDR5-4800 288pin 1.1V CL40 UDIMM Desktop Memory, DDR5 non-ECC unbuffered, 40-40-40-77 timings, Double-sided module
PSD58G480041	R 2,844	Patriot Signature Line 8GB DDR5-4800 288pin 1.1V CL40 UDIMM Desktop Memory, DDR5 non-ECC unbuffered, 40-40-40-77 timings, Single-sided module
RVR4800C40LD16GB	R 1,183	Rogueware ValueRAM 16GB DDR5-4800 288pin CL40 1.1V UDIMM Memory
RVR4800C40LD8GB	R 689	Rogueware ValueRAM 8GB DDR5-4800 288pin CL40 1.1V UDIMM Memory

< Return to the menu

Desktop Memory : DDR5-5200 288pin PC5		
Product code	**Price**	**Description**
CMH8GX5M1B5200C40	R 3,508	Corsair Vengeance RGB 8GB (1x8GB) DDR5-5200 288pin CL40 1.25V UDIMM Desktop Memory - Black, CL40-40-40-77 timing, Intel XMP Performance Profile

CMK8GX5M1B5200C40	R 3,048	Corsair Vengeance 8GB (1x8GB) DDR5-5200 288pin CL40 1.25V UDIMM Desktop Memory Black, CL40-40-40-77 timing, Intel XMP Performance Profile
CT8G56C46U5	R 2,385	Crucial 8GB 5600Mhz DDR5 Desktop Memory
KM-LD5-5200+16GD	R 3,449	Kingmax 16GB (2x8GB) DDR5-5200 288pin CL42 1.1V UDIMM Desktop Memory
ME-AD51652L38	R 5,859	Adata AX5U5200C3816G-clakb - 16Gb, DDR5-5200 Lancer, tall heatsink, CL38 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC - Retail pack
ME-AD51652RL38W	R 4,808	Adata Lancer RGB 16GB (1x16GB) DDR5-5200 1.25V CL38 288 pin DIMM Memory with White tall heatsink, Support for Intel XMP 3.0, AX5U5200C3816G-CLARWH
ME-AD51660L30	R 6,291	Adata AX5U6000C3016G-clabk - 16Gb, DDR5-6000 (PC5-48000) Lancer, tall heatsink, CL30 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC - Retail pack
ME-AD51660L30W	R 6,854	Adata AX5U6000C3016G-claWh - 16Gb, DDR5-6000 (PC5-48000) Lancer, White tall heatsink, CL30 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC - Retail pack
ME-KD51652R36DW	R 13,710	Kingston KF552C36BWEAK2-32 - DDR5-5200 (PC5-41600) Fury Beast RGB with White heatsink, 32Gb(16Gb x2) dual kit - optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC
ME-KD53252B36DW	R 25,210	Kingston KF552C36BWEK2-64 - DDR5-5200 (PC5-41600) Fury Beast with White heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC
ME-KD53252B40	R 11,139	Kingston KF552C40BB-32 - 32Gb, DDR5-5200 (PC5-41600) Fury Beast with heatsink, CL40 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC - Retail pack
ME-KD53252R36	R 12,604	Kingston KF552C36BBEA-32 - DDR5-5200 (PC5-41600) Fury Beast RGB with heatsink, 32Gb - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD53252R36DW	R 27,089	Kingston KF552C36BWEAK2-64 - DDR5-5200 (PC5-41600) Fury Beast RGB with White heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC
ME-KD53252R36x2	R 25,431	Kingston KF552C36BBEAK2-64 - DDR5-5200 (PC5-41600) Fury Beast RGB with heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with Power Management
ME-KD53252R40	R 11,489	Kingston KF552C40BBA-32 - 32Gb, DDR5-5200 (PC5-41600) Fury Beast RGB with heatsink, CL40 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC - Retail pack
ME-KD53252R40x2	R 25,321	Kingston Fury Beast RGB 64GB (2x32GB) DDR5-5200 CL40 1.25V 288 pin Memory with heatsink, Intel XMP 3.0 ready and Certified, KF552C40BBAK2-64
ME-KD53252V42	R 11,940	Kingston KVR52U42BD8-32 - DDR5-5200 (PC5-41600) Value, 32Gb, CL42 - 288pin dual rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-KD5852R40DW	R 7,518	Kingston Fury Beast RGB 16GB (2x8GB) DDR5-5200 CL40 1.25V 288pin Desktop Memory - White, 1Rx16 rank, Intel XMP 3.0, Enhanced RGB lighting, Aluminum heatspreader, CL40-40-40 timing, KF552C40BWAK2-16

< Return to the menu

Desktop Memory : DDR5-5600 288pin PC5

Product code	Price	Description
AD5U560016G-S	R 4,943	Adata Premier Memory 16GB DDR5-5600 288pin 1.1V CL46 DIMM Memory
AD5U560016G-S	R 5,461	Adata Premier Memory 16GB DDR5-5600 288pin 1.1V CL46 DIMM Memory
AD5U560032G-S	R 10,923	Adata Premier Memory 32GB DDR5-5600 288pin 1.1V CL46 DIMM Memory
AD5U560032G-S	R 11,326	Adata Premier Memory 32GB DDR5-5600 288pin 1.1V CL46 DIMM Memory
AD5U56008G-S	R 2,643	Adata Premier 8GB DDR5-5600 288pin CL46 1.1V DIMM Memory
AD5U56008G-S	R 3,046	Adata Premier 8GB DDR5-5600 288pin CL46 1.1V DIMM Memory
AX5U5600C4616G-SLABBK	R 4,368	Adata XPG Lancer 16GB (1x16GB) DDR5-5600 1.25V CL46 DIMM Memory, Built-In power management IC, On-die error correcting code (ECC), AX5U5600C4616G-SLABBK

AX5U5600C4616G-SLABWH	R 4,368	Adata XPG Lancer 16GB (1x16GB) DDR5-5600 1.25V CL46 DIMM Memory - White, Built-In Power management IC, On-Die error correcting code (ECC), AX5U5600C4616G-SLABWH
CT16G56C46U5	R 4,671	Crucial 16GB 5600MHz DDR5 Desktop Memory
CT16G56C46U5	R 4,000	Crucial 16GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, 46-45-45 Default timing
CT16G56C46U5	R 3,283	Crucial 16GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, 46-45-45 Default timing
CT32G56C46U5	R 8,071	Crucial 32GB 5600MHz DDR5 Desktop Memory
CT32G56C46U5	R 7,254	Crucial 32GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, 46-45-45 Default timing
CT32G56C46U5	R 8,432	Crucial 32GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, 46-45-45 Default timing
CT8G56C46U5	R 2,010	Crucial 8GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, 46-45-45 Default timing
CT8G56C46U5	R 1,581	Crucial 8GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, 46-45-45 Default timing
JM5600ALE-16G	R 5,768	Transcend Jet Memory 16GB DDR5-5600 CL46 288Pin 1.1V unbuffered Long-DIMM Memory, 2Rx8 rank, JM5600ALE
JM5600ALE-24G	R 8,961	Transcend Jet Memory 24GB DDR5-5600 288pin 1.1V CL46 unbuffered Long-DIMM Memory, 1Rx8 rank
JM5600ALE-32G	R 11,202	Transcend Jet Memory 32GB DDR5-5600 CL46 288Pin 1.1V unbuffered Long-DIMM Memory, 2Rx8 rank, JM5600ALE
JM5600ALE-48G	R 17,923	Transcend Jet Memory 48GB DDR5-5600 288pin CL46 1.1V unbuffered Desktop DIMM Memory, 2Rx8 rank
JM5600ALG-8G	R 3,023	Transcend Jet Memory 8GB DDR5-5600 288pin 1.1V CL46 Desktop DIMM Memory, 1Rx16 rank
KCP556UD8-32	R 12,771	Kingston KCP Series 32GB DDR5-5600 288pin CL46 1.1V Desktop RAM module, Single-Channel, Unbuffered
KCP556US6-8	R 3,637	Kingston 8GB DDR5-5600 288pin CL46 1.1V non-ECC unbuffered DIMM Desktop Memory, 1Rx16 rank
KCP556US8-16	R 6,744	Kingston 16GB DDR5-5600 288pin CL46 1.14 Desktop Memory Module, 1Rx8 Single-Channel rank, Unbuffered
KF556C36BBE-16	R 6,463	Kingston FURY Beast Black EXPO 16GB 5600MT/s DDR5 CL36 DIMM
KF556C36BWEA-16	R 6,565	Kingston FURY Beast White RGB EXPO 16GB 5600MT/s DDR5 CL36 DIMM
KF556R28RBE2K4-128	R 102,847	Kingston FURY Renegade Pro EXPO 128GB 5600MT/s DDR5 ECC Reg CL28 DIMM (Kit of 4)
LD5U16G56C46ST-BGS	R 4,249	Lexar 16GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, CL46-45-45-90 CAS Latency
ME-AD51656B46	R 5,914	Adata XPG Lancer Blade 16GB DDR5-5600 CL46 1.25V 288pin Desktop Memory - Black, Intel XMP 3.0, AMD EXPO, Low-Profile Heatsink, ECC, Reliable Overclocking, AX5U5600C4616G
ME-AD51656B46W	R 5,914	Adata XPG Lancer Blade 16GB DDR5-5600 CL46 1.25V 288pin Desktop Memory - White, Intel XMP 3.0, AMD EXPO, Low-Profile Heatsink, ECC, Reliable Overclocking, AX5U5600C4616G
ME-AD51656V46	R 5,515	Adata 16GB (1x16GB) DDR5-5600 Value CL46 1.1V 288 pin Memory, AD5U560016G
ME-AD53256B46	R 10,817	Adata XPG Lancer Blade 32GB DDR5-5600 CL46 1.25V 288pin Desktop Memory - Black, Intel XMP 3.0, AMD EXPO, Low-Profile Heatsink, ECC, Reliable Overclocking, AX5U5600C4632G
ME-AD53256B46W	R 11,720	Adata Lancer Blade 32GB DDR5-5600 288pin CL46 1.1V DIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U5600C4632G-SLABWH
ME-AD53256V46	R 10,958	Adata Premier 32GB DDR5-5600 CL46 288 pin 1.1V Desktop Memory, AD5U560032G
ME-AD5856V46	R 2,761	Adata Premier 8GB DDR5-5600 CL46 288 pin 1.1V Desktop Memory, AD5U56008G
ME-KD51656B36	R 6,131	Kingston KF556C36BBE-16 - 16Gb, DDR5-5600 (PC5-44800) Fury Beast with heatsink - optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD51656B36DW	R 13,599	Kingston KF556C36BWEK2-32 - DDR5-5600 (PC5-44800) Fury Beast with White heatsink, 32Gb(16Gb x2) dual kit - optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC
ME-KD51656B36x2	R 13,599	Kingston KF556C36BBEK2-32 - DDR5-5600 (PC5-44800) Fury Beast with heatsink, 32Gb(16Gb x2) dual kit - optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in
ME-KD51656R36	R 6,854	Kingston Fury Beast RGB 16GB (1x16GB) DDR5-5600 1.25V CL36 288 pin Memory with heatsink, Enhanced RGB Lighting, 1R (Single Rank), Intel XMP 3.0 Certified, AMD EXPO Certified, KF556C36BBEA-16
ME-KD51656R36DW	R 13,821	Kingston KF556C36BWEAK2-32 - DDR5-5600 (PC5-44800) Fury Beast RGB with White heatsink, 32Gb(16Gb x2) dual kit - optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC

ME-KD51656R36x2	R 13,821	Kingston Fury Beast RGB 32GB (2x16GB) DDR5-5600 1.25V CL36 288 pin Memory with heatsink, Enhanced RGB Lighting, 1R (Single Rank), Intel XMP 3.0 Certified, AMD EXPO Certified, KF556C36BBEAK2-32
ME-KD53256B36	R 11,219	Kingston KF556C36BBE-32 - DDR5-5600 (PC5-44800) Fury Beast with heatsink, 32Gb - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD53256B36DW	R 26,979	Kingston KF556C36BWEK2-64 - DDR5-5600 (PC5-44800) Fury Beast with White heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management iC
ME-KD53256B36x2	R 24,547	Kingston KF556C36BBEK2-64 - DDR5-5600 (PC5-44800) Fury Beast with heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD53256R36	R 12,714	Kingston KF556C36BBEA-32 - DDR5-5600 (PC5-44800) Fury Beast RGB with heatsink, 32Gb - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD53256R36x2	R 25,542	Kingston KF556C36BBEAK2-64 - DDR5-5600 (PC5-44800) Fury Beast RGB with heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with Built-In Power Management
ME-KD53256V46	R 12,051	Kingston KVR56U46BD8-32 - DDR5-5600 (PC5-44800) Value, 32Gb, CL46 - 288pin dual rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - lifetime warranty - Retail pack
ME-KD54856V46	R 19,457	Kingston KVR56U46BD8-48 - DDR5-5600 (PC5-44800) Value, 48Gb, CL46 - 288pin dual rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-KD54856V46x2	R 46,220	Kingston KVR56U46BD8K2-96 - DDR5-5600 (PC5-44800) Value, 96Gb(48Gb x2) dual kit, CL46 - 288pin dual rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-KD56456B36	R 25,210	Kingston Fury Beast 64GB (1x64GB) DDR5-5600 288Pin 1.25V CL36 DIMM Desktop Memory, 2RX8 Rank, AMD EXPO Intel XMP 3.0 Memory profiling, Heat spreader, CL36-38-38 timing, KF556C36BBE-64
ME-KD56456B36X2	R 50,422	Kingston KF556C36BBEAK2-128 Fury Beast DDR5-5600 CL36 128GB Kit (2x64GB), High-performance optimized
ME-KD56456R36	R 25,321	Kingston Fury Beast RGB 64GB (1x64GB) DDR5-5600 CL36 1.25V 288pin Desktop Memory - Black, 2Rx8 rank, AMD EXPO Intel XMP 3.0, Enhanced RGB lighting, Aluminum heatspreader, CL36-38-38 timing, KF556C36BBEA-64
ME-KD56456R36X2	R 50,643	Kingston KF556C36BBEAK2-128 Fury Beast DDR5-5600 CL36 128GB Kit (2x64GB), AMD EXPO & Intel XMP
ME-KD56456V46	R 25,210	Kingston ValueRAM 64GB DDR5-5600 288pin CL46 1.1V CUDIMM Memory, 2Rx8 rank, KVR56U46BD8-64
ME-KD5856B36	R 3,387	Kingston KF556C36BBE-8 - DDR5-5600 (PC5-44800) Fury Beast with heatsink, 8Gb - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD5856B36x2	R 7,352	Kingston KF556C36BBEK2-16 - DDR5-5600 (PC5-44800) Fury Beast with heatsink, 16Gb(8Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD5856R36	R 3,758	Kingston KF556C36BBEA-8 - DDR5-5600 (PC5-44800) Fury Beast RGB with heatsink, 8Gb - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD5856R36x2	R 7,573	Kingston KF556C36BBEAK2-16 - DDR5-5600 (PC5-44800) Fury Beast RGB with heatsink, 16Gb(8Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD5856V46	R 3,298	Kingston KVR56U46BS6-8 - DDR5-5600 (PC5-44800) Value, 8Gb, CL46 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-KD5R1656x4	R 22,884	Kingston KF556R36RBK4-64 - DDR5 ECC-Registered - DDR5-5600 (PC5-44800) Fury Renegade Pro with heatsink, 64Gb(16Gb x4) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, 1.1V with built-in Power Management iC - retail pack (Order on request)
ME-KD5R1656x8	R 101,286	Kingston KF556R36RBK8-128 - DDR5 ECC-Registered - DDR5-5600 (PC5-44800) Fury Renegade Pro with

		heatsink, 128Gb(16Gb x8) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, 1.1V with built-in Power Management iC - retail pack (Order on request)
PSD516G560081	R 5,291	Patriot Signature Line 16GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, DDR5 non-ECC unbuffered, 46-46-46-90 timings, Double-sided module
PSD532G56002	R 11,328	Patriot Signature Line 32GB DDR5-5600 288pin 1.1V CL46 Desktop Memory, DDR5 non-ECC unbuffered, 46-46-46-90 timings
PSD564G5602	R 26,150	Patriot Signature Line 64GB DDR5-5600 288pin CL46 1.1V Desktop Memory, 46-45-45-90 timings, DDR5 Non-ECC unbuffered, PSD564G5602
PSD58G560082	R 2,782	Patriot Signature Line 8GB DDR5-5600 288pin 1.1V CL46 UDIMM Desktop Memory, DDR5 non-ECC unbuffered, 46-46-46-90 timings, Double-sided module
PSD58G560082	R 2,703	Patriot Signature Line 8GB DDR5 5600Mhz Desktop Memory; PC5-44800; 1 x 8GB; 288-pin UDIMM; unbuffered non-ECC; CL46; timings 46-46-46-90; 1.1V; on-die ECC; double-sided module; 13.3 x 3.2 x 0.2cm; 17g
TS5600ALE-16G	R 5,601	Transcend 16GB DDR5-5600 288pin CL46 1.1V unbuffered Desktop Long DIMM Memory, 1Rx8 rank
TS5600ALE-32G	R 11,202	Transcend 32GB DDR5-5600 288pin CL46 1.1V unbuffered Desktop Long DIMM Memory, 2Rx8 rank, TS5600ALE-32G
VEUR516G6036	R 4,943	Patriot Viper Elite 5 Ultra RGB 16GB DDR5-6000 288pin CL40 1.1V Desktop Gaming Memory - Black, 40-40-40-77 base timings, Intel XMP 3.0, AMD EXPO, Black Aluminium heat Shield

< Return to the menu

Desktop Memory : DDR5-6000 288pin PC5

Product code	Price	Description
AX5U6000C3016G-CCARGY	R 4,885	Adata XPG Caster RGB 16GB DDR5-6000 288pin CL30 1.35V Desktop DIMM Memory, Triangular RGB Light, Built-In On-Die ECC, Power management Integrated circuits (PMIC), Support for Intel XMP 3.0, CL30-40-40
AX5U6000C3016G-CLARBK	R 4,571	Adata XPG Lancer RGB 16GB DDR5-6000 288pin CL30 1.35V Desktop Memory, CL30-40-40 timing
AX5U6000C3032G-CLARBK	R 6,898	Adata XPG Lancer RGB 32GB DDR5-6000 288pin CL30 1.35V Desktop Memory, CL30-40-40 timing
AX5U6000C4816G-SLABRBK	R 5,058	Adata XPG Lancer RGB 16GB DDR5-6000 288pin 1.25V CL48 Desktop Memory, CL48-48-48 timing
CMH16GX5M1D6000Z38	R 6,498	Corsair Vengeance RGB 16GB DDR5-6000 288pin CL38 1.35V Desktop Memory, Intel XMP & AMD EXPO, CL38-48-48-96 timing
CMH16GX5M1E6000Z36	R 6,498	Corsair Vengeance RGB 16GB (1x16GB) DDR5-6000 288 pin 1.35V CL36 Memory with Black Low-Profile heatsink, CL36-44-44-96 timing, Intel XMP & AMD EXPO , RGB, Multi-Zone, Corsair iCUE, Gigabyte RGB Fusion, MSI Mystic Light Sync
CMH32GX5M2D6000Z38W	R 10,293	Corsair Vengeance RGB 32GB (2x16GB) DDR5-6000 288pin 1.35V CL38 UDIMM Desktop Memory - White, CL38-44-44-96 timing, AMD EXPO & Intel XMP Performance Profile, Aluminum heat spreader, CMH32GX5M2D6000Z38W
CMH5X32G2B60Z30A2	R 12,938	Corsair Vengeance RGB 32GB DDR5-6000 288pin CL30 1.4V Desktop Memory, Aluminum heat spreader, Memory compatibility - AMD 600 Series / Intel 600 Series / Intel 700 Series, EXPO & XMP Performance Profile
CMK16GX5M1D6000Z38	R 6,498	Corsair Vengeance DDR5 16GB (1x16GB) DDR5-6000 288pin CL38 1.35V UDIMM Desktop Memory Grey, Intel XMP & AMD EXPO - Grey, CL38-44-44-96 timing, Aluminum heat spreader, Memory compatibility - AMD 600 Series / AMD 800 Series / Intel 600 Series / Intel 700 Series / Intel 800 Series
CMK32GX5M2D6000Z38	R 12,593	Corsair Vengeance DDR5 32GB (2x16GB) DDR5-6000 288pin CL38 1.35V UDIMM Desktop Memory Grey, Intel XMP & AMD EXPO - Grey, CL38-44-44-96 timing, Aluminum heat spreader, Memory compatibility - AMD 600 Series / AMD 800 Series / Intel 600 Series / Intel 700 Series / Intel 800 Series
CMK32GX5M2D6000Z38W	R 10,638	Corsair Vengeance DDR5 32GB (2x16GB) DDR5-6000 288pin CL38 1.35V UDIMM Desktop Memory White, Intel XMP & AMD EXPO - White, CL38-44-44-96 timing, Aluminum heat spreader, Memory compatibility - AMD 600 Series / AMD 800 Series / Intel 600 Series / Intel 700 Series / Intel 800 Series
GAMSG532GB6000C36CDC	R 8,868	Geil Gemini RGB 32GB (2x16GB) DDR5-6000 288pin CL38 1.35V Desktop Gaming Memory kit - Grey, 38-44-44-84 CAS Latency, Intel XMP 3.0 / AMD EXPO
GAMSG532GB6000C38BDC	R 6,682	Geil Gemini RGB 32GB kit (2x16GB) DDR5-6000 CL38 1.35V 288pin Desktop Gaming Memory - Grey, Intel XMP 3.0 (O.C), AMD EXPO (O.C)

GAMSG564GB6000C42ADC	R 12,892	Geil Gemini RGB 64GB kit (2x32GB) DDR5-6000 CL42 1.35V 288pin Desktop Gaming Memory - Grey, Intel XMP 3.0 (O.c), AMD EXPO (O.c)
GAMST532GB6000C36CDC	R 11,049	Geil Gemini TUF RGB 32GB (2x16GB) DDR5-6000 288pin Desktop Gaming Memory kit - Grey, Intel XMP 3.0 / AMD EXPO
GAMST532GB6000C38BDC	R 6,707	Geil Gemini TUF RGB 32GB (2x16GB) DDR5-6000 288pin Desktop Gaming Memory - Grey, Intel XMP 3.0, AMD EXPO, 120 degrees wide-angle Lighting effects
GAMSW532GB6000C36CDC	R 11,219	Geil Gemini RGB 32GB (2x16GB) DDR5-6000 288pin CL38 1.35V Desktop Gaming Memory kit - White, 38-44-44-84 CAS Latency, Intel XMP 3.0 / AMD EXPO
GAMSW532GB6000C38BDC	R 6,707	Geil Gemini RGB 32GB kit (2x16GB) DDR5-6000 CL38 1.35V 288pin Desktop Gaming Memory - White, Intel XMP 3.0 (O.c), AMD EXPO (O.c)
GAMSW564GB6000C42ADC	R 21,250	Geil Gemini RGB 64GB kit (2x32GB) DDR5-6000 CL42 1.35V 288pin Desktop Gaming Memory - White, Intel XMP 3.0 (O.c), AMD EXPO (O.c)
GAVSG516GB6000C36CSC	R 5,316	Geil Orion RGB 16GB (1x16GB) DDR5-6000 288pin CL36 Desktop Gaming Memory - Grey, Intel XMP 3.0 / AMD EXPO
GAVSG516GB6000C38BSC	R 3,353	Geil Orion RGB 16GB DDR5-6000 288pin 1.35V Memory - Titanium Gray, Intel XMP 3.0 / AMD EXPO, Heat spreader, Synchronised RGB Lighting
GAVSG532GB6000C36CDC	R 2,409	Geil Orion V RGB 32GB (2x16GB) DDR5-6000 288pin CL36 Desktop Gaming Memory kit - Grey, Intel XMP 3.0 / AMD EXPO
GAVSG532GB6000C38BDC	R 11,047	Geil Orion RGB 32GB (2x16GB) DDR5-6000 288pin 1.35V Memory - Titanium Gray, Intel XMP 3.0 / AMD EXPO, Heat spreader, Synchronised RGB Lighting
GAVSW516GB6000C36CSC	R 5,359	Geil Orion V RGB 16GB (1x16GB) DDR5-6000 288pin CL36 Desktop Gaming Memory kit - White, Intel XMP 3.0 / AMD EXPO
GAVSW516GB6000C38BSC	R 3,850	Geil Orion RGB 16GB DDR5-6000 288pin 1.35V Memory - Glacier White, Intel XMP 3.0 / AMD EXPO, Heat spreader, Synchronised RGB Lighting
GAVSW532GB6000C38BDC	R 1,912	Geil Orion RGB 32GB KIT(2X16GB) 6000MHz DDR5 Desktop Gaming Memory - White
HSC516U60C4-16G	R 4,615	Hiksemi Future RGB 16GB DDR5-6000 288pin Desktop Gaming Memory, RGB Lighting effect, XMP / EXPO overclock model
HSC532U60C5-16G2	R 10,202	Hiksemi Future RGB 32GB (2x16GB) DDR5-6000 CL36 1.4V 288pin UDIMM Memory kit, XMP/EXPO overclock model
KF560C30BBE-16	R 7,424	Kingston FURY Beast Black EXPO 16GB 6000MT/s DDR5 CL30 DIMM
KF560C30BBEAK2-32	R 15,052	Kingston FURY Beast RGB EXPO 32GB 6000MT/s DDR5 CL30 DIMM (Kit of 2)
KF560C30BBEK2-32	R 14,848	Kingston FURY Beast Black EXPO 32GB 6000MT/s DDR5 CL30 DIMM (Kit of 2)
KF560C30BBEK2-64	R 29,410	Kingston FURY Beast Black EXPO 64GB 6000MT/s DDR5 CL30 DIMM (Kit of 2)
ME-AD51660B30	R 6,799	Adata Lancer Blade 16GB DDR5-6000 288pin CL30 1.1V DIMM Memory, Black Heatsink, AMD EXPO Intel XMP 3.0, AX5U6000C3016G-SLABBK
ME-AD51660B30W	R 6,799	Adata Lancer Blade 16GB DDR5-6000 288pin CL30 1.1V DIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U6000C3016G-SLABWH
ME-AD51660B48	R 6,799	Adata XPG Lancer Blade 16GB DDR5-6000 CL48 1.25V 288pin Desktop Memory - Black, Intel XMP 3.0, AMD EXPO, Low-Profile Heatsink, ECC, Reliable Overclocking, AX5U6000C4816G
ME-AD51660B48W	R 6,744	Adata XPG Lancer Blade 16GB DDR5-6000 CL48 1.25V 288pin Desktop Memory - White, Intel XMP 3.0, AMD EXPO, Low-Profile Heatsink, ECC, Reliable Overclocking, AX5U6000C4816G
ME-AD51660RC40	R 4,863	Adata XPG Caster RGB 16GB (1x16GB) DDR5-6000 1.25V CL40 288 pin DIMM Memory with Tungsten Grey Low-Profile heatsink, Support for Intel XMP 3.0, AX5U6000C4016G-CCAGY
ME-AD51664RC40D	R 14,595	Adata XPG Caster RGB 32GB (2x16GB) DDR5-6400 1.25V CL40 288 pin DIMM Memory with Tungsten Grey Low-Profile heatsink, Support for Intel XMP 3.0, AX5U6400C4016G-DCCARG
ME-AD53260B30	R 13,433	Adata Lancer Blade 32GB DDR5-6000 288pin CL30 1.1V DIMM Memory, Black Heatsink, AMD EXPO Intel XMP 3.0, AX5U6000C3032G-SLABBK
ME-AD53260B30W	R 13,433	Adata Lancer Blade 32GB DDR5-6000 288pin CL30 1.1V DIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U6000C3032G-SLABWH

ME-AD53260L30	R 13,544	Adata Lancer 32GB DDR5-6000 288pin CL30 1.35V UDIMM Memory, Black Heatsink, AMD EXPO Intel XMP 3.0, AX5U6000C3032G-CLABK
ME-KD53256R36DW	R 27,200	Kingston KF556C36BWEAK2-64 - DDR5-5600 (PC5-44800) Fury Beast RGB with White heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V
ME-KD53260B36DW	R 28,970	Kingston KF560C36BWEK2-64 - DDR5-6000 (PC5-48000) Fury Beast with White heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V
ME-KD53260B36x2	R 24,800	Kingston KF560C36BBEK2-64 - DDR5-6000 (PC5-48000) Fury Beast with heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Management
ME-KD53260R36	R 12,465	Kingston KF560C36BBEA-32 - DDR5-6000 (PC5-48000) Fury Beast RGB with heatsink, 32Gb - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with built-in Power Managment
ME-KD53260R36DW	R 26,624	Kingston KF560C36BWEAK2-64 - DDR5-6000 (PC5-48000) Fury Beast RGB with White heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V
ME-KD53260R36x2	R 27,643	Kingston KF560C36BBEAK2-64 - DDR5-6000 (PC5-48000) Fury Beast RGB with heatsink, 64Gb(32Gb x2) Dual kit - expo optimized for AMD ryZen Intel XMP (eXtreme Memory Profiles), CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.25V with Built-in Power Management
ME-KD54860G32x2	R 46,330	Kingston Fury Renegade 96GB (2x48GB) DDR5-6000 CL32 288Pin 1.35V Memory with tall Heatsink, 2R (Dual Rank), Heat spreader, Silver / Black Colour, Intel XMP 3.0 Certified, KF560C32RSK2-96
ME-KD54860RG32D	R 46,551	Kingston Fury Renegade RGB 96GB (2x48GB) DDR5-6000 CL32 1.35V 288Pin Memory with tall Heatsink, 2R (Dual Rank), Support Intel XMP, Silver / Black Colour, RGB Lighting, Heat Spreader, KF560C32RSAK2-96
ME-KD5860B30	R 3,648	Kingston KF560C30BB-8 - DDR5 8GB 6000MHz, CL30, DIMM, Beast Series, RGB Lighting
PVER532G60C30KW	R 10,831	Patriot Viper Elite 5 White RGB 32GB(2x16GB) DDR5-6000MHz Desktop Gaming Memory
PVER532G60C36KT	R 8,579	Patriot Viper Elite 5 RGB TUF 32GB (2x16GB) DDR5-6000 288pin CL36 1.35V DIMM Memory, Support for XMP 3.0 and AMD EXPO profiles, Unique White Aluminum heatshield, Customizable RGB lightbar
PVV516G600C36GK	R 3,508	Patriot Viper Venom 16GB (2x8GB) DDR5-6000 CL36 1.35V 288pin DIMM Memory, Non-RGB
PVV532G600C36K	R 8,510	Patriot Viper Venom 32GB (2x16GB) DDR5-6000 CL36 1.35V 288pin DIMM Memory, Non-RGB
PVV564G600C36K	R 19,953	Patriot Viper Venom 64GB (2x32GB) DDR5-6000 CL36 1.35V 288pin DIMM Memory, Non-RGB
PVVR516G60C30	R 5,421	Patriot Viper Venom RGB 16GB DDR5-6000 288pin 1.35V CL30 Desktop Gaming Memory, 30-40-40-76 tested timings
PVVR532G600C30K	R 10,842	Patriot Viper Venom RGB 32GB (2x16GB) DDR5-6000 CL40 1.45V 288pin Desktop Gaming Memory, 40-40-40-77 base timings
PVVR532G600C36K	R 8,844	Patriot Viper Venom RGB 32GB (2x16GB) DDR5-6000 288Pin CL36 1.25V Desktop Memory, Intel XMP 3.0 ready, Unique lightbar, Matte Black with Red Viper logo
PVVR532G600C36K	R 10,762	Patriot Viper Venom RGB 32GB (2x16GB) DDR5-6000 288Pin CL36 1.25V Desktop Memory, Intel XMP 3.0 ready, Unique lightbar, Matte Black with Red Viper logo
PVVR532G60C30	R 13,191	Patriot Viper Venom RGB 32GB DDR5-6000 288pin 1.35V CL30 Desktop Gaming Memory, 30-40-40-76 tested timings
PVVR564G600C30K	R 29,560	Patriot Viper Venom RGB 64GB kit (2x32GB) DDR5-6000 288pin CL40 1.35V Desktop Gaming Memory, non-ECC unbuffered DIMM, 40-40-40-77 base timings, 40-40-40-76 tested timings
PVXR532G60C30KM	R 10,842	Patriot Viper Xtreme 5 MPOWER Silver RGB 32GB(2x16GB) DDR5-6000MHz Desktop Gaming Memory

< Return to the menu

Desktop Memory : DDR5-6200 288pin PC5		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR5-6400 288pin PC5

Product code	Price	Description
JM6400ALE-16G	R 6,161	Transcend Jet Memory 16GB DDR5-6400 288pin CL52 1.1V unbuffered CUDIMM Desktop Memory, 1Rx8 rank
JM6400ALE-32G	R 12,322	Transcend Jet Memory 32GB DDR5-6400 288pin CL52 1.1V unbuffered CUDIMM Desktop Memory, 2Rx8 rank
JM6400ALE-48G	R 18,371	Transcend Jet Memory 48GB DDR5-6400 288pin CL52 1.1V unbuffered CUDIMM Desktop Memory, 2Rx8 Dual Rank
KF564R32RBEK4-64	R 53,039	Kingston FURY Renegade Pro EXPO 64GB 6400MT/s DDR5 ECC Reg CL32 DIMM (Kit of 4)
ME-AD51664B32	R 9,121	Adata XPG Lancer Blade 16GB DDR5-6400 CL32 1.4V 288pin Desktop Memory - Black, Intel XMP 3.0, AMD EXPO, Low-Profile Heatsink, ECC, Reliable Overclocking, AX5U6400C3216G
ME-AD51664B32W	R 9,121	Adata Lancer Blade 16GB DDR5-6400 288pin CL32 1.1V DIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U6400C3216G-SLABWH
ME-AD51664L32	R 9,176	Adata Lancer 16GB DDR5-6400 288pin CL32 1.4V UDIMM Memory, Black Heatsink, AMD EXPO Intel XMP 3.0, AX5U6400C3216G-CLABK
ME-AD51664L32W	R 9,176	Adata Lancer 16GB DDR5-6400 288pin CL32 1.4V UDIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U6400C3216G-CLAWH
ME-AD51664RL32	R 9,343	Adata AX5U6400C3216G-claRbk - 16Gb, DDR5-6400 (PC5-51200) RGB Lancer, tall heatsink, CL32 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.35V with built-in Power Management iC - Retail pack
ME-AD51664RL32W	R 1,701	Adata AX5U6400C3216G-claRWh - 16Gb, DDR5-6400 (PC5-51200) RGB Lancer, White tall heatsink, CL32 - 288pin, 38.4Gb/sec memory bandwidth, built-in ECC, 1.35V with built-in Power Management iC - Retail pack
ME-AD51664V52	R 6,633	Adata Premier Value 16GB DDR5-6400 288pin CL52 1.1V CUDIMM Memory, AD5CU640016G
ME-AD53260L30W	R 13,544	Adata Lancer 32GB DDR5-6000 288pin CL30 1.35V UDIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U6000C3032G-CLAWH
ME-AD53264L32	R 18,409	Adata Lancer 32GB DDR5-6400 288pin CL32 1.4V UDIMM Memory, Black Heatsink, AMD EXPO Intel XMP 3.0, AX5U6400C3232G-CLABK
ME-AD53264L32W	R 18,409	Adata Lancer 32GB DDR5-6400 288pin CL32 1.4V UDIMM Memory, White Heatsink, AMD EXPO Intel XMP 3.0, AX5U6400C3232G-CLAWH
ME-KD51664G32	R 7,284	Kingston Fury Renegade 16GB (1x16GB) DDR5-6400 1.4V CL32 288pin Desktop Memory with Black Heatsink, 1Rx8 (Single Rank), Heat spreader, Intel XMP-Ready profiles, CL32-39-39 timing, KF564C32RS-16
ME-KD51664G32x2	R 15,922	Kingston KF564C32RSK2-32 - DDR5-6400 fury reneGade with tall-heatsink, 16Gb x2 dual kit, CL32 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD51664R32DW	R 16,032	Kingston Fury Beast RGB 64GB (2x16GB) DDR5-6400 CL32 1.4V 288pin Desktop Memory - White, AMD EXPO & Intel XMP 3.0, RGB LED, Plug n play at 4800MT/s, High-Performance PCB, OnBoard Voltage regulation, Aluminum heatspreader
ME-KD51664RG32	R 7,960	Kingston Fury RGB Renegade 16GB (1x16GB) DDR5-6400 1.4V CL32 288pin Desktop Memory with Black heatsink, 1Rx8 (Single Rank), Heat spreader, Intel XMP-Ready profiles, CL32-39-39 timing, KF564C32RSA-16
ME-KD51664RG32D	R 14,738	Kingston KF564C32RSAK2-32 - Ddr5-6400 fury Rgb reneGade with tall-heatsink, 32GB(16GB x2) dual kit, CL32 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD51664RGx2W	R 16,143	Kingston KF564C32RWAK2-32 - DDR5-6400 Fury RGB ReneGade with White tall-heatsink, 32Gb(16Gb x2) dual kit, CL32 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD51664V52	R 6,069	Kingston ValueRAM 16GB DDR5-6400 CL52 Desktop Memory Module, Speed: 6400MT/s, CAS Latency: CL52, Voltage
ME-KD53264B32DW	R 31,402	Kingston FURY KF564C32BWK2-64 (KF564C32BWK2-64) 64GB (2 x 32GB) DDR5-6400 CL32 288-Pin DIMM Kit, Intel XMP 3.0 support, 1Rx8, 64-Bit, 288-Pin, 1.4V, 64GB Total Capacity, 2G x 64-bit, FBGA components, On-Die ECC, Height 1.66â€• (42.23mm) with heatspreader
ME-KD53264G32DW	R 31,512	Kingston Fury Renegade 64GB (2x32GB) DDR5-6400 CL32 1.4V 288Pin Memory with White tall Heatsink, 2R (Dual Rank), Silver / White Colour, Heat spreader, Support Intel XMP, KF564C32RWK2-64
ME-KD53264G32x2	R 31,512	Kingston Fury Renegade 64GB (2x32GB) DDR5-6400 CL32 288Pin 1.4V Memory with tall Heatsink, 1R (Single

		Rank), Heat spreader, Silver / Black Colour, Intel XMP 3.0 Certified, KF564C32RSK2-64
ME-KD53264R32DW	R 31,624	Kingston Fury KF564C32BWAK2-64 (F564C32BWAK2-64) 64GB (2 x 32GB) DDR5-6400 CL32 288-Pin DIMM Kit, Intel XMP 3.0 support, 1Rx8, 64-Bit, 288-Pin, 1.4V, 64GB Total Capacity, 2G x 64-bit, FBGA components, On-Die ECC, Height 1.66" (42.23mm) with heatspreader
ME-KD53264R32X2	R 31,512	Kingston Fury KF564C32BBAK2-64 (F564C32BBAK2-64) 64GB (2 x 32GB) DDR5-6400 CL32 288-Pin DIMM Kit, Intel XMP 3.0 support, 1Rx8, 64-Bit, 288-Pin, 1.4V, 64GB Total Capacity, 2G x 64-bit, FBGA components, On-Die ECC, Height 1.66" (42.23mm) with heatspreader
ME-KD53264RG32D	R 31,734	Kingston Fury Renegade RGB 64GB (2x32GB) DDR5-6400 CL32 1.4V 288Pin Memory with tall Heatsink, 2R (Dual Rank), Support Intel XMP, Silver / Black Colour, RGB Lighting, Heat Spreader, KF564C32RSAK2-64
ME-KD53264RGx2W	R 31,734	Kingston Fury RGB Renegade 64GB (2x32GB) DDR5-6400 CL32 1.4V 288Pin Memory with White tall Heatsink, 2R (Dual Rank), Silver / White Colour, Heat spreader, RGB Lighting, Support Intel XMP, KF564C32RWAK2-64
ME-KD53264V52	R 11,571	Kingston KVR64A52BS8-32 ValueRAM 32GB (1x32GB) DDR5-6400 CL52 Desktop Memory Module, Speed: 6400MT/s, CAS Latency: CL52, Voltage: 1.1V typical, Form Factor: 288-pin DIMM, Operating Temp: 0Â°C to 85Â°C, On-Die ECC, JEDEC & RoHS Compliant.
ME-KD54864G32x2	R 50,200	Kingston Fury Renegade 96GB (2x48GB) DDR5-6400 CL32 288Pin 1.4V Memory with tall Heatsink, 2R (Dual Rank), Heat spreader, Silver / Black Colour, Intel XMP 3.0 Certified, KF564C32RSK2-96
ME-KD54864RG32D	R 50,422	Kingston Fury Renegade RGB 48GB (2x24GB) DDR5-6400 CL32 1.4V 288Pin Memory with tall Heatsink, 1R (Single Rank), Support Intel XMP, Silver / Black Colour, RGB Lighting, Heat Spreader, KF564C32RSAK2-48
ME-KD56464V52	R 25,431	Kingston ValueRAM 64GB DDR5-6400 CL52 Desktop Memory Module, Speed: 6400MT/s, CAS Latency: CL52, Voltage: 1.1V typical, Form Factor: 288-pin DIMM, Operating Temp: 0Â°C to 85Â°C.
ME-KD5864V52	R 3,703	Kingston ValueRAM 8GB DDR5-6400 CL52 Desktop Memory Module, Speed: 6400MT/s, CAS Latency: CL52, Voltage: 1.1V typical, Form Factor: 288-pin DIMM, Operating Temp: 0Â°C to 85Â°C.
PVVR532G640C32K	R 9,108	Patriot Viper Venom RGB 32GB (2x16GB) DDR5-6400 288Pin CL32 1.1V Desktop Memory, Intel XMP 3.0 and AMD EXPO ready, Unique lightbar, Matte Black with Red Viper logo
PVX532G60C30K	R 8,706	Patriot Viper Xtreme 5 Non-RGB 32GB (2x16GB) DDR5-6400 DIMM 288pin CL30 1.35V Memory, Premium Aluminum heatshield, Viper-head Design, Compatible with Intel XMP 3.0
PVXR532G64C32KM	R 9,108	Patriot Viper Xtreme 5 RGB MPower 32GB (2x16GB) DDR5-6400 288pin CL32 1.4V DIMM Memory, Premium Aluminum heatshield, Viper-head Design, Compatible with Intel XMP 3.0 and Advanced RGB control Software
PVXR548G64C32KM	R 13,605	Patriot Viper Xtreme 5 RGB MPower 48GB (2x24GB) DDR5-6400 288pin CL32 1.4V DIMM Memory, Premium Aluminum heatshield, Viper-head Design, Compatible with Intel XMP 3.0 and Advanced RGB control Software
VEUR532G6432K	R 10,960	Patriot Viper Elite 5 RGB Ultra 32GB (2x16GB) DDR5-6400 288pin CL32 1.4V DIMM Memory, Support for Intel XMP 3.0 & AMD EXPO, Matte Black Aluminum heatspreader paired with Vivid RGB Lighting
VEUR564G6432K	R 20,585	Patriot Viper Elite 5 RGB Ultra 64GB (2x32GB) DDR5-6400 288pin CL32 1.4V DIMM Memory, Support for Intel XMP 3.0 & AMD EXPO, Matte Black Aluminum heatspreader paired with Vivid RGB Lighting

< Return to the menu

Desktop Memory : DDR5-6600 288pin PC5

Product code	Price	Description

< Return to the menu

Desktop Memory : DDR5-6800 288pin PC5

Product code	Price	Description
ME-KD51668B34X2	R 16,253	Kingston KF568C34BBK2-32 DDR5 Memory Module: 6800MHz frequency, high-performance gaming RAM, optimized for advanced PC builds and overclocking, ensuring stability and speed under demanding conditions
ME-KD51668R34DW	R 16,363	Kingston FURY KF568C34BWAK2-32 (F568C34BWAK2-32) 32GB (2 x 16GB) DDR5-6800 CL34 288-Pin DIMM Kit, Intel XMP 3.0 support, 1Rx8, 64-Bit, 288-Pin, 1.4V, 32GB Total Capacity, 2G x 64-bit, FBGA components, On-Die ECC, Height 1.66â€• (42.23mm) with heatspreader
ME-KD51668RG36D	R 16,253	Kingston KF568C36RSK2-32 - DDR5-6800 (PC5-54400) Fury ReneGade with tall-heatsink, 32Gb(16Gb x2) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC -

		Retail pack

< Return to the menu

Desktop Memory : DDR5-7000 288pin PC5		
Product code	**Price**	**Description**

< Return to the menu

Desktop Memory : DDR5-7200 288pin PC5		
Product code	**Price**	**Description**
ME-AD51672RL34	R 9,563	Adata Lancer RGB 16GB DDR5-7200 288pin CL34 1.4V DIMM Memory - Black Heatsink with RGB, AMD EXPO Intel XMP 3.0, CL34-46-46 timing, AX5U7200C3416G-CLARWH
ME-AD51672RL34W	R 9,563	Adata Lancer RGB 16GB DDR5-7200 288pin CL34 1.4V DIMM Memory - White Heatsink with RGB, AMD EXPO Intel XMP 3.0, CL34-46-46 timing, AX5U7200C3416G-CLARWH
ME-KD51672G38DW	R 16,253	Kingston KF572C38RWK2-32 - DDR5-7200 (PC5-57600) Fury ReneGade with White tall-heatsink, 32Gb(16Gb x2) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD51672G38x2	R 16,363	Kingston KF572C38RSK2-32 - DDR5-7200 (PC5-57600) Fury ReneGade with tall-heatsink, 32Gb(16Gb x2) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD51672RG38D	R 16,363	Kingston KF572C38RSAK2-32 - DDR5-7200 (PC5-57600) Fury ReneGade with tall-heatsink, 32Gb(16Gb x2) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD51672RGx2W	R 16,474	Kingston KF572C38RWAK2-32 - DDR5-7200 (PC5-57600) Fury RGB ReneGade with White tall-heatsink, 32Gb(16Gb x2) kit, CL36 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.4V with built-in Power Management iC - Retail pack
ME-KD52472G38D	R 25,984	Kingston Fury Renegade 48GB (2x24GB) DDR5-7200 CL38 288Pin 1.45V Memory with tall Heatsink, 1R (Single Rank), Heat spreader, Silver / Black Colour, Intel XMP 3.0 Certified, KF572C38RSK2-48
ME-KD52472RG38D	R 26,095	Kingston Fury Renegade RGB 48GB (2x24GB) DDR5-7200 CL38 1.45V 288Pin Memory with tall Heatsink, 1R (Single Rank), Support Intel XMP, Silver / Black Colour, RGB Lighting, Heat Spreader, KF572C38RSAK2-48

< Return to the menu

Desktop Memory : DDR5-7600 288pin PC5		
Product code	**Price**	**Description**
ME-KD51676G38D	R 16,474	Kingston Fury Renegade 32GB (2x16GB) DDR5-7600 CL38 288Pin 1.45V Memory with tall Heatsink, 1R (Single Rank), Heat spreader, Silver / Black Colour, KF576C38RSK2-32
ME-KD51676G38DW	R 16,474	Kingston Fury Renegade 32GB (2x16GB) DDR5-7600 CL38 1.45V 288Pin Memory with White tall Heatsink, 1R (Single Rank), Silver / White Colour, Heat spreader, Support Intel XMP, KF576C38RWK2-32
ME-KD51676RG38D	R 16,696	Kingston Fury Renegade RGB 32GB (2x16GB) DDR5-7600 CL38 1.45V 288Pin Memory with tall Heatsink, 1R (Single Rank), Support Intel XMP, Silver / Black Colour, RGB Lighting, Heat Spreader, KF576C38RSAK2-32
ME-KD51676RGx2W	R 16,696	Kingston Fury RGB Renegade 32GB (2x16GB) DDR5-7600 CL38 1.45V 288Pin Memory with White tall Heatsink, 1R (Single Rank), Silver / White Colour, Heat spreader, RGB Lighting, Support Intel XMP, KF576C38RWAK2-32

< Return to the menu

Desktop Memory : DDR5-8000 288pin PC5		
Product code	**Price**	**Description**
ME-KD51680G38D	R 16,696	Kingston Fury Renegade 32GB (2x16GB) DDR5-8000 CL38 288Pin 1.45V Memory with tall Heatsink, 1R (Single Rank), Heat spreader, Silver / Black Colour, KF580C38RSK2-32
ME-KD51680G38DW	R 16,696	Kingston Fury Renegade 32GB (2x16GB) DDR5-8000 CL38 1.45V 288Pin Memory with White tall Heatsink, 1R (Single Rank), Silver / White Colour, Heat spreader, Support Intel XMP, KF580C38RWK2-32

ME-KD51680RG38D	R 16,917	Kingston Fury Renegade RGB 32GB (2x16GB) DDR5-8000 CL38 1.45V 288Pin Memory with tall Heatsink, 1R (Single Rank), Support Intel XMP, Silver / Black Colour, RGB Lighting, Heat spreader, KF580C38RSAK2-32
ME-KD51680RGx2W	R 16,917	Kingston Fury RGB Renegade 32GB (2x16GB) DDR5-8000 CL38 1.45V 288Pin Memory with White tall Heatsink, 1R (Single Rank), Silver / White Colour, Heat spreader, RGB Lighting, Support Intel XMP, KF580C38RWAK2-32
ME-KD52480G38D	R 26,536	Kingston Fury Renegade 48GB (2x24GB) DDR5-8000 288pin CL38 1.4V DIMM Memory, Black Heatsink, 1Rx8 rank, Intel XMP 3.0, CL38-48-48 timing, KF580C38RSK2-48
ME-KD52480RG38D	R 26,758	Kingston Fury Renegade RGB 48GB (2x24GB) DDR5-8000 288pin 1.4V CL38 DIMM Desktop Memory, Black Heatsink with RGB, Intel XMP 3.0, 1Rx8 rank, CL38-48-48 timing, KF580C38RSAK2-48
PVXR532G80C38K	R 18,866	Patriot Viper Xtreme 5 - 32GB (2x16GB) DDR5-8000 1.45V 288pin CL38 RGB Desktop Gaming Memory kit, 38-48-48-84 CAS latencies, Support for Intel XMP 3.0 and RGB App

< Return to the menu

Desktop Memory : DDR5-8400 288pin PC5

Product code	Price	Description
ME-KD52484G40D	R 27,089	Kingston Fury Renegade 48GB (2x24GB) DDR5-8400 288pin CL40 1.45V CUDIMM Memory, Black Heatsink, 1Rx8 rank, Intel XMP 3.0, CL40-52-52 timing, KF584CU40RSK2-48
ME-KD52484G40DW	R 27,089	Kingston Fury Renegade 48GB (2x24GB) DDR5-8400 288pin CL40 1.45V CUDIMM Memory, White Heatsink, 1Rx8 rank, Intel XMP 3.0, CL40-52-52 timing, KF584CU40RWK2-48
ME-KD52484RG40D	R 27,200	Kingston Fury Renegade RGB 48GB (2x24GB) DDR5-8400 288pin 1.45V CL40 CU-DIMM Desktop Memory, Black Heatsink with RGB, Intel XMP 3.0, 1Rx8 rank, CL40-52-52 timing, KF584CU40RSAK2-48

< Return to the menu

Desktop Memory : DDR5-8800 288pin PC5

Product code	Price	Description
ME-KD52488G42D	R 27,422	Kingston Fury Renegade 48GB (2x24GB) DDR5-8800 288pin CL42 1.4V CUDIMM Memory, Black Heatsink, 1Rx8 rank, Intel XMP 3.0, CL42-58-58 timing, KF588CU42RSK2-48
ME-KD52488RG42D	R 27,532	Kingston Fury Renegade RGB 48GB (2x24GB) DDR5-8800 288pin 1.4V CL42 CU-DIMM Desktop Memory, Black Heatsink with RGB, Intel XMP 3.0, 1Rx8 rank, CL42-58-58 timing, KF588CU42RSAK2-48

< Return to the menu

Desktop Memory : PC100

Product code	Price	Description

< Return to the menu

Desktop Memory : PC133

Product code	Price	Description

< Return to the menu

Memory for Mac Pro / iMac

Product code	Price	Description
ME-C4N8V26x2A	R 4,145	Corsair CMSA16GX4M2A2666C18 Value Select, DDR4-2666 (pc4-21330), 260 pin so-dimm, 16Gb(8Gb x2) kit, Apple / Mac certrified, CL16, 1.2V
OWC2666DDR4S32G	R 4,503	OWC Mac 32GB DDR4-2666 SO-DIMM Memory, For Mac Mini (2018) / iMac (2017 - 2020) / compatible PC ' s
OWC2933D4MP16GB	R 3,426	OWC Mac 16GB DDR4-2933 ECC RDIMM 288 pin Memory, Registered, CAS 21, 1.2 Volts
OWC8566DDR3S4GB	R 597	OWC Mac 4GB DDR3 1066MHz SO-DIMM Notebook Memory Module
OWCS3DAP4NT10K	R 3,572	OWC Aura Pro NT 960GB PCI-e NVMe SSD for 2016-2017 TB3 Non-Touch bar MacBook Pro, Synchronous Triple-Level Cell (TLC) 3D NAND Flash, OWCS3DAP4NT10K
TS1TJDL330	R 13,054	Transcend TS1TJDL330 JetDrive Lite 330 1TB Flash Expansion Card for MacBook Pro, Up to 95 MB/s read speed (Maximum), Up to 75 MB/s write speed (Maximum)

TS512GJDL330	R 6,498	Transcend TS512GJDL330 JetDrive Lite 330 512GB Flash Expansion Card for MacBook Pro, Up to 95 MB/s read speed (Maximum), Up to 75 MB/s write speed (Maximum)

< Return to the menu

Multimedia Device Memory

Multimedia Device Memory : CF Compact Flash

Product code	Price	Description
CF-128GT1000	R 2,505	Transcend TS128GCF1000 128Gb Compact Flash card, 1000x(read/write), (160/120)mb/sec.
PEF256GEPAB	R 2,990	Patriot CFexpress Type-B 256GB Memory card, Up to 3500MB/s Read Speed, Up to 2800MB/s Write Speed, Compatible with CFexpress devices and xqd-compatible cameras
SDCFE-064G-GN4NN	R 2,003	SanDisk Extreme Pro 64GB CFexpress Type-B card, Up to 1500MB/s Sequential read Performance, Up to 800MB/s Sequential write Performance
SDCFE-512G-GN4NN	R 6,443	SanDisk Extreme Pro 512GB CFexpress card Type-B, Up to 1700MB/s Sequential read Performance, Up to 1400MB/s Sequential write Performance, SDCFE-512G-GN4NN
SDCFXPS-032G-X46	R 777	SanDisk Extreme PRO 32GB Compact Flash Memory Card, Up to 160MB/s read, Up to 150MB/s write, 4K Ultra HD, Full HD Video
SDCFXPS-064G-X46	R 1,179	SanDisk Extreme PRO 64GB Compact Flash Memory Card, Up to 160MB/s read, Up to 150MB/s write, 4K Ultra HD, Full HD Video
SDSDXDM-128G-GN4IN	R 3,501	SanDisk Extreme Pro 128GB SDXC Memory card, 300MB/s read & write speeds, 8K, V90, UHS-II Interface, SDSDXDM-128G-GN4IN
TS128GCF800	R 10,207	Transcend TS128GCF800 High Performance Compact Flash Card 128GB - 800x Speed - For Use In Digital & SLR Cameras & Media Players
TS16GCF1000	R 2,728	Transcend CompactFlash 1000 Ultra Performance Compact Flash Card 16GB - 1000x Speed - For Use In High End Digital & SLR Cameras & Media Players
TS16GCF133	R 741	Transcend Ultra Performance Compact Flash Card 16GB- 133x Speed - For Use In Digital Cameras & Media Players
TS16GCF170	R 780	Transcend CF170 16GB Industrial Compact Flash card, MLC Type Flash, Up to 90MB/s read speed, Up to 60MB/s write speed
TS256GCFE820	R 9,881	Transcend CFE820 256GB CFexpress Type-B card, NVMe PCI-e Gen3 x2 Bus Interface, 3D NAND Flash, Up to 1700MB/s Read Speed, Up to 1300MB/s Write Speed
TS32GCF133	R 897	Transcend Ultra Performance Compact Flash Card 32GB - 133x Speed - For Use In Digital Cameras & Media Players
TS4GCF133	R 595	Transcend High Performance Compact Flash 133x Speed Memory 4GB - Only works with CF Compliant Devices
TS64GCF170	R 7,286	Transcend Industrial Compact Flash Card - CF170 - 64GB - MLC Type Flash - MTBF: 1 000 000 hours - Operating temp: -25degC~85degC - Read up to 90MB/s, Write up to 60MB/s - True IDE Mode Support

< Return to the menu

Multimedia Device Memory : Memory card readers

Product code	Price	Description
23IN1	R 81	Mircroworld All in One USB 2.0 External Card Reader. 7-in-1 card reader : XD, SD / MMC, MS /MSPRO, CF / MD
245460	R 167	Equip 245460 Card Reader with an Integrated USB Hub (OTG), USB-C & USB Type-A, Supports SD / MicroSD cards up to 2 TB, USB 3.0 Super speed (5Gb/s), Durable aluminum alloy
406208	R 89	Manhattan imPORT SD - Mobile OTG Adapter, 24-in-1 Card Reader/Writer, Retail Box
406215	R 99	Manhattan OTG 24-in-1 Card Reader Retail Box
406222	R 99	Manhattan imPORT Link - Mobile OTG Adapter, Micro USB 2.0 to USB 2.0, 24-in-1 Card Reader/Writer, Retail Box
A53022-S Special	R 144	(On Promotion) Astrum AA220 3 in 1 E-disk Multi Card Reader, MFI Certified 8pin, micro USB, USB, plug & play, data / picture transfer support, silver
AC0031	R 619	Thermaltake Extreme Speed 3.0 Plus USB3.0 Multi-Card Reader
ADS-101	R 138	Microworld USB OTG Multi-Functional Card Reader, Micro SD /SD card support, Type-C Male USB 3.1 Gen 1

		connector, Type-A connector
C3-08	R 288	Microworld C3-08 USB 3.0 All in one reader, CF card, XD card, MS card, M2 card, MicroSD card, SD card, 6 slot
CH270	R 89	UniQue USB 2 Multi-Card Reader, Retail Box
CM185-50706	R 179	Ugreen 2-in-1 OTG Card Reader Type-C & USB Type-A - Silver, Up to 5Gbps Speed, Up to 100MB/s transfer Speed, Support up to 2TB, Aluminum Alloy casing
CNV-USB-CR-Y-9313D	R 372	Unitek Y-9313D USB3.0 Multi Card Reader with Type-C Adapter; SD, MicroSD, MicroSDHC, MicroSDXC and CF support; USB-A and USB-C; up to 5Gbps; aluminium alloy; bus powered; plug and play; 68 x 64 x 14mm; 15cm cable
CNV-USB3-CR-Y-9323	R 183	Unitek Y-9323 USB3.1 Type-C/A Micro SD Card Reader
CNV-USB3-MICROSD-U	R 240	Unitek USB 3.0 2-in-1 Micro SD Card Reader, R1010A, MicroSD, microSDHC, MicroSDXC, SDHC, SD card, Aluminium Alloy
CR-362-U2	R 35	Mecer Internal 32 in 1 Memory Card Reader - Black
CR-AoK	R 109	Adata AM3RBKBL OTG miCroreader for microSDHC/SDXC, flash drive type, with USB miCroUSB dual interface - black with blue led - 15x21x8mm ultra-compact
CR-CCPK	R 70	Choiix C-PV01-KP CardPal black, external 54-in-1 usb card reader, 75x23x16mm, for MS, MS Micro (m2), SD/SDHC/SDXC, T-falsh/micro SD.
CR-JLMSD3	R 229	J5create JLMSD3 Lightning flash drive type micro card writer/reader for apple iPod/iPhone/iPad - miCroSDXC - Apple certified MFi lightning connector - 35x15x6mm ultra-compact size
CR-KMLP	R 175	Kingston MLP SDHC/SDXC (UHS-I UHS-ii) USB3 gen1 type-A card reader (flash drive type), 51.8x33.5x9mm
CR-KMLPM	R 175	Kingston MLPM microSDHC/microSDXC (UHS-I UHS-ii) USB3 gen1 type-A card reader (micro flash drive type), 36.6x20x7.5mm
CR-PC203-K	R 89	PQi RF01-0016R014J Connect 203 Black - miCro-reader for micro-SDHC/SDXC, Flash Drive Type, with USB miCro-USB dual interface - 33x14.7x8.3mm ultra-compact
CR-PC203-L	R 89	PQi RF01-0011R014J Connect 203 Blue - miCro-reader for micro-SDHC/SDXC, Flash Drive Type, with USB miCroUSB dual interface - 33x14.7x8.3mm ultra-compact
CR-PC208	R 101	PQi RF03-0016R014J Connect 208 Black - OTG reader for SDHC/SDXC microSDHC/SDXC, Flash Drive Type, with USB miCro-USB dual interface - 61.5x23.8x10.1mm
CR-PC312	R 101	PQi RF07-0056R014J Connect312 Flash Drive type micro-reader for miCroSDHC/SDXC, with USB 3.1 (type-A type-C) dual connectors - 42x20x8mm ultra-compact
CR-V100P	R 153	Vantec Culor ' e, UGT-CR100-PK, Pink, external 66-in-1 USB card reader, 86x53x17.5mm, for MS, MS Micro (m2), SDHC miniSD, MicroSDHC, MMC, CF, MD, XD, SM.
CR127-20250	R 122	Ugreen USB 3.0 Dual slot Card Reader for SD/TF cards, Up to 5Gbps Data transfer Speed, 1x SD slot, 1x TF slot, Supported card types - SD / MicroSD / TF / UHS-I, 2TB supported capacity
EE-PAD	R 401	Pqi 6W11-0000R1002 AirDrive, Wireless External Enclosure for SDHC, USB 2.0 or 802.11b/g/n wireless, powered by USB or built-in 900mA battery, supports up to 5 simultaneous mobile/pc connections, for PC/ iOS/ Android, black, aluminium with hairline finish, built-in USB cable, 85x54x8mm compact size
HUB-USB3C-2P+CR	R 722	Unitek Y-9319 Type-C 2-Port USB3.0 Hub with Power Delivery and SD/Micro SD Card Reader; 2 x USB 3.0 Type-A; 1 x USB 3.0 Type-C; SD card reader; Micro SD card reader; SDHC/SDXC support; 5Gbps data transfer; USB Power Delivery; maximum 20V 3A; 30cm cable; aluminium enclosure; 91 x 57 x 16mm
LRW310X-BNBNG	R 159	Lexar Dual-Slot USB-A/C Reader. Interface: USB-A & USB-C; Dual slot SD microSD; Up to 205 MB/s transfer; Dimensions: 78x23.4x11.8mm; Weight ~28.5g; Plug-and-play
LRW450UB	R 297	Lexar Multi-Card 2-in-1 USB 3.1 Reader. Interface: USB3.1 Gen1; Up to 312 MB/s; SD microSD slots; Compact 38.2x63.9x15.3mm; Weight 15.8g
LRW470U-RNHNG	R 285	Lexar Professional USB-C Dual-Slot Reader. Interface: USB3.2 Gen1; Dual-slot SD/microSD; Read speeds up to 312 MB/s; USB-C connector; Dimensions 41.4 x 135 x 10.6 mm; Weight 25 g
MITF	R 12	Unbranded Mini SY-T86 TF (Micro SD) USB 2.0 480Mbps Card Reader
MLP	R 10	Kingston MLP SDHC/SDXC (UHS-I UHS-ii) USB3 gen1 type-A card reader (flash drive type), 51.8x33.5x9mm
NET-TL-430C	R 224	TP-Link UA430C Type-C to SD & Micro SD Card Reader, 1x USB Type-C Connector, 1x SD USH-I up to 200 MB/s 2TB Max, 1x MicroSD (TF) USH-I up to 200 MB/s 2TB Max, Aluminum Alloy Case, 150 mm Braided cable

NET-TL-430D	R 171	TP-Link UA430d USB 3.0 Type-C & Type-A to SD & MicroSD Card Reader, 1x SD USH-I up to 200 MB/s 2TB Max 1x MicroSD (TF) USH-I up to 200 MB/s 2TB Max, Aluminum Alloy Case, 1x USB 3.0 Type-C 5Gbps Port, 1x USB 3.0 Type-A 5Gbps Port
NET-TL-UA430	R 224	TP-Link UA430 USB Type-A SD / Micro SD reader, 1x USB 3.0 Type-A 5Gbps Connector, 1x SD 2TB Max USH-I up to 200 MB/s, 1x MicroSD (TF) 2TB Max USH-I up to 200 MB/s, Aluminum Alloy Case, 150 mm (5.9 in) Braided cable
NET-TL-UA440C	R 298	TP-Link UA440C Type-C to SD & Micro SD Card Reader, 1x USB 3.0 Type-C 5Gbps Connector, 1x SD ush-ii up to 312 MB/s 2TB Max, 1x MicroSD (TF) ush-ii up to 312 MB/s 2TB Max, Aluminum Alloy Case, 150 mm Braided cable
NT09WK12-30GR	R 114	Netac USB Type-C SD / TF Card Reader, Type-C Output Interface, Aluminum Alloy material, Read two cards at the same time
SDR2V6/256GB	R 2,276	Kingston Canvas React Plus 256GB SDXC UHS-II 280R/150W U3 V60 for Full HD/4K, SDHC/SDXC React (SDR), FLASH
TC-307	R 286	Microworld TC-307 USB 3.0 Type-C All in one Card Reader, CF card, XD card, MS card, M2 card, MicroSD card, SD card, 6 slot
TS-RDC3	R 219	Transcend RDC3 USB 3.2 Gen1 Type-C SD & MicroSD Card Reader, USB 3.2 Gen 1 5Gbps connection Interface, Simultaneous insertion of two cards not supported.
TS-RDC8K2	R 212	Transcend RDC8K2 USB Type-C multi Card Reader, Supports SD / SDHC / SDXC cards, Supports MicroSD / SDHC / SDXC cards, Supports Compact Flash cards, Supports UHS-I & UDMA 7 standards
TS-RDE2	R 750	Transcend RDE2 USB Type-A & C - Compact Flash Express Type-B Card Reader, USB 3.2 Gen 2x2 (USB 20Gbps) connection Interface, CFexpress Type-B Card Reader slot
TS-RDE3	R 492	Transcend RDE3 USB Type-C MicroSD Express & MicroSD Card Reader, USB Type-C 10Gbps connection, Up to 900 MB/s Read Speed, Up to 780 MB/s Write Speed, Memory card supported -microsd Express / MicroSDXC (UHS-I)
TS-RDF2	R 285	Transcend Usb3.0 Cfast Card Reader
TS-RDF5K	R 110	Transcend USB3.0 Card Reader - Black - Supports microSDHC, microSDXC, SDHC, SDXC and UHS-I cards - Ultra compact design (Roughly the size of a standard USB flash drive)
TS-RDF8K2	R 196	Transcend RDF8K2 USB3.0 Multi Card Reader USB Powered - Black, Supports microSDHC / microSDXC / SDHC / SDXC / UHS-I / Compact Flash
TS-RDF9K2	R 240	Transcend USB 3.1 UHS-II multicard reader - Black, SD / microSD / CompactFlash, USB 3.1 Gen 1 Connection Interface
TS0MCF2PC	R 200	Transcend CardBus (PCMCIA) Adaptor for Compact Flash (CF) card
UNIQMCR002	R 69	UniQue 32 In 1 USB Memory Card Reader - USB 2.0, Support SD, MMC, RS-MMC, Mini SD, T-Flash, MS/MS Pro, MS Duo/Ms Pro Duo, M2, Up To 480Mbps Accessibility Speed, LED Light Clew Read And Write State, Easy Plug And Play Installation Device, No External Power Needed, Slim Size, Easy For Carry, 3 Months Warranty
USB3CRD	R 173	Microworld USB 3 Card Reader
USBCRD	R 114	Unbranded USB Type C Card Reader with USB ports
W6101-1C	R 69	Tweety Card Reader, Retail Box, 3 Months warranty

< Return to the menu

Multimedia Device Memory : MMC Multimedia Memory card

Product code	Price	Description

< Return to the menu

Multimedia Device Memory : SD Secure digital

Product code	Price	Description
AP32GMCSH10UB-R	R 159	Apacer 32GB Class 10 MicroSD Memory Card With Adapter
AUSDH32GUICL10A1-RA1	R 148	Adata Premier 85/A1 AUSDH32GUICL10A1-RA1 32Gb miCro SDHC (15x11x1mm) with SD adapter - UHS-i U3 (UHS-i/ SD3.0), with SDMI, read/write: 85/25mb/sec - retail pack

AUSDX128GUI3V30SHA2-RA1	R 975	Adata High Endurance 128GB MicroSDXC UHS-I Class 10 V30 A2, 100 MB/s Read Speed, 80 MB/s Write Speed, V30 Video Speed Class. Lifetime: up to 20 000 hours based on 26Mbps Full HD 1920x1080 video recording.
AUSDX128GUICL10A1-RA1M	R 320	Adata Premier 128GB Micro SDXC card, SD 5.1 Standard, Up to 100MB Read Speed, Up to 25MB Write Speed, UHS Speed Class 1, V10 Video Speed Class, Class 10 Speed Class
AUSDX1TUI3V30SA2-RA1	R 2,126	Adata 1TB UHS-I U3 V30S MicroSDXC SD card, Up to 100MB Read Speed, Up to 85MB Write Speed Speed, Class 3, u HS Speed Class 3, Class 10 Speed Class, V30 Video Speed Class, A2 Application performance Class
AUSDX256GUI3V30SA2-RA1	R 861	Adata Premier Pro 256GB Micro SDXC Memory card, 100 MB/s Read Speed, 80 MB/s Write Speed, UHS-I internal Memory Type, Class 3 (U3) UHS Speed Class, V30 Video Speed Class, Class 10 Flash Memory Class. Suitable for smartphones, action cameras and 4K video recording devices, offering fast UHS-I performance and reliable V30 endurance for smooth high-resolution video capture.
AUSDX256GUI3V30SHA2-RA1	R 1,493	Adata High Endurance 256GB MicroSDXC UHS-I Class 10 V30 A2, 100 MB/s Read Speed, 80 MB/s Write Speed, V30 Video Speed Class. Lifetime: up to 40 000 hours based on 26Mbps Full HD 1920x1080 video recording.
AUSDX256GUICL10A1-RA1	R 676	Adata Premier 85/A1 AUSDX256GUICL10A1-RA1 256Gb miCroSDXC (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i (UHS-i/ SD3.0), with SDMI, read/write: 85/25mb/sec - retail pack
AUSDX512GUI3V30SA2-RA1	R 1,838	Adata Premier Pro 512GB MicroSDXC UHS-I U3 CL10, SD 6.0 standard, Class 3 UHS speed, Class 10 speed Class, V30 Video speed Class, A2 Application performance Class, Up to 100MB/s read speed, Up to 85MB/s read speed
AUSDX512GUI3V30SHA2-RA1	R 2,677	Adata 512GB MicroSD UHS-I High Endurance card, SD 6.0 Standard, Class 3 UHS Speed, Class 10 Speed, V30 Video Speed Class, A2 Application Performance Class, Up to 100MB/s Read Speed, Up to 85MB/s Read Speed. Ideal for dash cams, security cameras, body cams and continuous 24/7 Full HD or 4K video recording with high-endurance performance built for long-lasting reliability. Lifetime: up to 80 000 hours based on 26Mbps Full HD 1920x1080 video recordin
AUSDX64GUICL10A1-RA1	R 178	Adata Premier 64GB Class 10 MICRO UHS- I Card Adapter
AUSDX64GUICL10A1-RA1M	R 178	Adata Premier 64GB Micro SDXC card, SD 5.1 Standard, Up to 100MB Read Speed, Up to 25MB Write Speed, UHS Speed Class 1, V10 Video Speed Class, Class 10 Speed Class
BELJ-64GB SD-A	R 150	Belj 64GB Micro SD card with adaptor Class 10, UHS-I (U1), 80MB/s Read Speed, 10MB Write Speed
BELJ-8GB SD-A	R 52	Belj 8GB Micro SD card with adaptor Class 10, UHS-I (U1), 80MB/s Read Speed, 10MB Write Speed
CAMVEV44083	R 164	Verbatim 32GB Micro SDHC Class 10 Memory Card Plus Adaptor
CAMVEV44084	R 198	Verbatim 64GB Micro SDXC Class 10 Memory Card Plus Adaptor
CAMVEV44085	R 442	Verbatim 128GB Micro SDXC UHS-I Class 10 Memory Card Plus Adaptor
CAMVEV47042	R 723	Verbatim 64Gb SDXC Pro Uhs-i Memory Card Plus Adaptor
FLA081	R 198	Samsung Pro 16GB Micro SDHC Memory Card
HD-Ai64	R 765	ADATA i-memory ASDX64GAUi3CL10-C - 23x24x4.5mm SSD for Macbook Air 13" 64Gb, MLC SSD with synchronous NAND flash, durable COB with 3-way protection (waterproof/ shockproof/ dustproof), read/write: 95/60mb/sec
HS-TF-C1-128G ADAPTER	R 665	Hikvision C1 Series 128GB Micro SDHC Neo V10 card, Up to 92MB/s read Speed, Up to 40MB/s write speeds, TLC NAND Flash Memory
HS-TF-C1-256G ADAPTER	R 1,403	Hikvision C1 Series 256GB Micro SDHC Neo V10 card, Up to 92MB/s read Speed, Up to 50MB/s write speeds, TLC NAND Flash Memory
HS-TF-C1-256G-ADAPTER	R 352	Hiksemi Neo 256GB microSDHC Class10 with Adapter, 95MB/s Maximum read speed, 50MB/s Maximum write speed, TLC NAND
HS-TF-C1-32G ADAPTER	R 210	Hikvision C1 Series 32GB Micro SDHC Neo V10 card, Up to 92MB/s read Speed, Up to 15MB/s write speeds, TLC NAND Flash Memory
HS-TF-C1-64G ADAPTER	R 319	Hikvision C1 64GB Micro SDHC card with Adapter, Up to 92MB/s Read Speed, Up to 30MB/s Write Speed, TLC NAND Flash Memory
HS-TF-E3-128G	R 1,025	Hiksemi Capture V30 128GB MicroSDXC - without Adapter, 180MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, TLC NAND
HS-TF-E3-256G	R 1,857	Hiksemi Capture V30 256GB MicroSDXC - without Adapter, 180MB/s Maximum Read Speed, 150MB/s Maximum

		Write Speed, TLC NAND
HS-TF-E3-512G	R 3,419	Hiksemi Capture V30 512GB MicroSDXC card - without Adapter, 180MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, TLC NAND Flash Memory, Class 10, U3, V30
HS-TF-E3-64G	R 618	Hiksemi Capture V30 64GB MicroSDXC - without Adapter, 180MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, TLC NAND
HS-TF-G3-128G	R 1,293	Hiksemi Future G3 128GB MicroSDXC Gaming card - Without Adapter, 200MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, U3, V30, A2, TLC NAND Flash Memory
HS-TF-G3-256G	R 2,072	Hiksemi Future G3 256GB MicroSDXC Gaming card - Without Adapter, 200MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, U3, V30, A2, TLC NAND Flash Memory
HS-TF-G3-512G	R 4,145	Hiksemi Future G3 512GB MicroSDXC Gaming card - Without Adapter, 200MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, U3, V30, A2, TLC NAND Flash Memory
HS-TF-G3-64G	R 731	Hiksemi Future G3 64GB MicroSDXC Gaming card - Without Adapter, 200MB/s Maximum Read Speed, 150MB/s Maximum Write Speed, U3, V30, A2, TLC NAND Flash Memory
HS-TF-G3-PRO-256G	R 1,305	Hiksemi Future Pro 256GB MicroSDXC card (Without Adapter), 900MB/s Maximum Read Speed, 620MB/s Maximum Write Speed, U3, EX, A2
HS-TF-G3-PRO-512G	R 2,637	Hiksemi Future PRO 512GB MicroSD EXPRESS PCIE 3x1 TLC (Without Adapter)
HS-TF-L2-128G	R 1,114	Hiksemi Guard U1 U3 TLC 128GB MicroSDXC (Without Adapter), Surveillance-grade storage for continuous recording, TLC NAND Flash Memory Technology, Up to 95MB/s Read Speed, Up to 40MB/s Write Speed, Class 10, U1, U3, V30, S.M.A.R.T. mechanism for health monitoring, Read-write lock Security Function
HS-TF-L2-256G	R 892	Hikvision L2 256GB Micro SD card - Surveillance, 95 MB/s Maximum read speed, 55 MB/s Maximum write speed, Class 10, U3, V30
HS-TF-L2-256G	R 1,880	Hiksemi Guard U1 U3 TLC 256GB MicroSDXC - without Adapter, 95MB/s Maximum Read Speed, 50MB/s Maximum Write Speed, FAT32 File Format, TLC NAND Flash Memory
HS-TF-P1(STD)/32G	R 196	Hikvision P1 32GB Micro SD (TF) card for Surveillance Class 10, 99 MB/s Maximum Read Speed, 82 MB/s Maximum Write Speed, eTLC NAND Flash Memory, Class10, U1, V10
LMEX1L064GG2	R 240	Kioxia G2 MicroSDXC Memory Card - 64GB Capacity, UHS-I Interface, Up To 100Mbps Read Speed, Up To 50Mbps Write Speed, Class 10, V30 Video Speed Class, Electrostatic Discharge Protection, Heat Resistant, Shock Resistant, Waterproof
LMEX2L128GG2	R 574	Kioxia MicroSDXC Memory Card - 128GB Capacity, UHS-III Interface, Up To 100Mbps Read Speed, Up To 50Mbps Write Speed, Class 10, V30 Video Speed Class, Electrostatic Discharge Protection, Heat Resistant, Shock Resistant, Waterproof
LMEX3L128GG2	R 574	Kioxia Exceria MicroSD XC Memory Card - 128Gb Capacity, UHS-I Interface, Up To 160Mbps Read Speed, Up To 50Mbps Write Speed, U3 UHS Speed Class, C10 Speed Class, V30 Video Speed, A2 Application Class, exFAT File System
LMS0633064G-BNNNG	R 285	Lexar Blu 633x 64GB MicroSDXC C10 A1 V30 U3, Up to 100MB/s Read Speed, Up to 70MB/s write speeds, U3 UHS Speed Class
LMSBLPL032G-BNANG	R 147	Lexar Blu Plus 32GB MicroSDXC card C10 A1 U1, Up to 100MB/s Read Speed, UHS-I Interface
LMSBLPL064G-BNANG	R 251	Lexar Blu Plus 64GB MicroSDXC card C10 V10 A1, Up to 100MB/s Read Speed, UHS-I Interface
LMSBLPL128G-BNANG	R 481	Lexar Blu Plus 128GB MicroSDXC Memory card C10 V30, Read speeds of up to 170MB/s, UHS-I Interface
LMSBLPL256G-BNANG	R 941	Lexar Blu Plus 256GB MicroSDXC card C10 V10, read speeds of up to 170MB/s, UHS-I Interface
LMSBLPL512G-BNANG	R 1,320	Lexar Blu Plus 512GB MicroSDXC card C10 V10 A1, Up to 170MB/s Read Speed, UHS-I Interface
LU202W128GG4	R 139	Kioxia U202 128GB TransMemory USB 2.0 Flash Drive - White, Retail Box
LU202W128GG4	R 240	Kioxia U202 128GB TransMemory USB 2.0 Flash Drive - White, Retail Box
M43962	R 136	Verbatim SD SDHC Class 10 16GB Memory Card, FAT32file system, compliant with all applicable SD standards, write protect feature, 10MB/Sec Read/Write Speed.
M43963	R 186	Verbatim SD SDHC Class 10 32GB Memory Card, FAT32file system, fully compliant with all applicable SD standards, write protect feature, 10MB/Sec read/write speed.
M44010	R 143	Verbatim Micro SDHC 16GB Class 10 Memory Card, copyright management technology, SDA 2.0 specification, larger capacity and higher data transfer speed, 10MB/Sec transfer rate.

M44013	R 144	Verbatim Micro SDHC 32GB Class 10 Memory Card; 10MB/s minimum transfer speed; Black; Mobile phones; Digital cameras; GPS devices; MP3 players; Portable storage; Flash memory card
M44024	R 254	Verbatim 44024 64GB Premium UHS-I V10 U1 Class 10 SDXC Memory Card; up to 90MB/s read; minimum 10MB/s write; Full HD 1080p recording; water resistant; shock proof; temperature proof; compatible with SDXC devices
M44082	R 141	Verbatim Premium U1 16GB MicroSDHC card adapter
M44083	R 165	Verbatim Premium U1 32GB Micro SDHC adapter
M44084	R 197	Verbatim Premium U1 64GB MicroSDXC Card adapter
M44085	R 442	Verbatim 44085 Micro SD SDHC 128GB Pro UHS1 Class 10 adptor, Up to 90MB/sec read speed, Up to 45MB/sec write speed
M47042	R 154	Verbatim 47042 Micro SD SDHC 64GB Pro UHS1 Class 10 adptor, Up to 90MB/sec read speed, Up to 45MB/sec write speed
MB-MC128SA/APC	R 400	Samsung Evo Plus 128GB MicroSDXC Memory card, Up to 160MB/s read speed, Adapter, A1, V10, U1, MB-MC64SA
MB-MC1T0SA/APC	R 1,954	Samsung Evo Plus 1TB MicroSDXC Memory card, UHS-I Interface, Up to 160MB/s Read Speed, Speed Class U3 / V30 / A2
MB-MC256SA/APC	R 516	Samsung Evo Plus 256GB MicroSDXC UHS-I Memory card, Up to 160MB/s read Speed, SD Adapter, U3 / V30 / A2 Speed Class
MB-MC256SA/APC	R 688	Samsung Evo Plus 256GB MicroSDXC UHS-I Memory card, Up to 160MB/s read Speed, SD Adapter, U3 / V30 / A2 Speed Class
MB-MC64SA/APC	R 170	Samsung Evo Plus 64GB MicroSDXC UHS-I Memory card, Up to 160MB/s read Speed, SD Adapter, U1 / V10 / A1 Speed Class
MB-MD128SA/APC	R 297	Samsung Pro Plus 128GB MicroSDXC UHS-1 Memory card, Up to 180MB/s read, Up to 130MB/s write, Speed Class (U3 / V30 / A2), SD Adapter
MB-MD512SA/APC	R 1,064	Samsung Pro Plus 512GB MicroSDXC Memory card, Up to 180MB/s Read Speed, Up to 130MB/s Write Speed, UHS-1 Interface Speed Class (U3 V30 A2)
MB-MJ256KA	R 1,263	Samsung MJ256KA Pro Endurance 256GB SDXC Memory card, SD Adapter, UHS-I Interface, up to 100 MB/s Read Speed, up to 40MB/s Write Speed, U3, V30, Class 10 Speed Class
MCSD512GB	R 1,725	DM 512GB Micro SDHC / XC Class 10 Ultra U1
NT02P500PRO-016G-R	R 54	Netac P500 Extreme Pro 16GB Class 10 V10 U1 MicroSDHC Card & Adapter
PEF128GEP31MCX	R 528	Patriot EP V30 A1 128GB Micro SDXC Card
PEF128GEP31MCX	R 644	Patriot EP V30 A1 128GB Micro SDXC Card
PEF128GEP32MCX	R 565	Patriot EP Series 128GB V30 A2 MicroSDXC card, Up to 90MB/s Read Speed, Up to 80MB/s Write Speed, Video Speed Class V30, Supports Android A2 App, 4K Video recording support, Class 10, U3, UHS-I, A2
PEF128GEP32MCX	R 656	Patriot EP Series 128GB V30 A2 MicroSDXC card, Up to 90MB/s Read Speed, Up to 80MB/s Write Speed, Video Speed Class V30, Supports Android A2 App, 4K Video recording support, Class 10, U3, UHS-I, A2
PEF128GEP92SDX	R 2,760	Patriot V90 128GB SDXC UHS-II U3 Class 10 Secure Digital card, 300MB/s read Speed, 260MB/s write Speed, 4K / 8K Video Speed Class support
PEF1TBEP31MCX	R 4,369	Patriot 1TB EP Series V30 A1 MicroSD card, A1 App performance Class, V30 Video Speed Class, 4K recording, Class 10, U3, SD Adapter included, Read Speed up to 90MB/s, Write Speed up to 80MB/s
PEF1TBEP31MCX	R 4,526	Patriot 1TB EP Series V30 A1 MicroSD card, A1 App performance Class, V30 Video Speed Class, 4K recording, Class 10, U3, SD Adapter included, Read Speed up to 90MB/s, Write Speed up to 80MB/s
PEF1TEPEXMCX	R 8,729	Patriot EP Series 1TB MicroSDXC Express Card for Nintendo Switch 2. Capacity: 1TB; Interface: microSD Express (PCIe Gen3 x1); Read Speed: Up to 800 MB/s; Write Speed: Up to 600 MB/s; Voltage: 2.7V - 3.6V; Operating Temperature: -25°C to 85°C; Storage Temperature: -40°C to 85°C; Speed Class: U3, Class 10, A2, V30, UHS-I; Video Speed Class: V30; App Performance Class: A2; Compatibility: Windows 11, Windows 10, Windows 8, Windows 7, Linux 2.4 and later, macOS 10.6 and later; Waterproof and weatherproof design.
PEF256GEP31MCX	R 1,004	Patriot EP V30 A1 256GB Micro SDXC Card
PEF256GEP31MCX	R 1,093	Patriot EP V30 A1 256GB Micro SDXC Card

PEF256GEP32MCX	R 1,081	Patriot EP Series 256GB V30 A2 MicroSDXC card, Up to 90MB/s Read Speed, Up to 80MB/s Write Speed, Video Speed Class V30, Supports Android A2 App, 4K Video recording support, Class 10, U3, UHS-I, A2
PEF256GEP32MCX	R 1,121	Patriot EP Series 256GB V30 A2 MicroSDXC card, Up to 90MB/s Read Speed, Up to 80MB/s Write Speed, Video Speed Class V30, Supports Android A2 App, 4K Video recording support, Class 10, U3, UHS-I, A2
PEF256GEP92SDX	R 5,175	Patriot V90 256GB SDXC UHS-II U3 Class 10 Secure Digital card, 300MB/s read Speed, 260MB/s write Speed, 4K / 8K Video Speed Class support
PEF256GEPEXMCX	R 1,471	Patriot EP Series 256GB MicroSDXC Express Card for Nintendo Switch 2. 256 GB; microSD Express / UHS-I; Read up to 800 MB/s; Write up to 600 MB/s; Class 10 / U3 / V30; -25 °C to 85 °C
PEF512GEP31MCX	R 2,011	Patriot EP Series 512GB V30 A1 MicroSD card, UHS-I Bus Type, Speed Class 10, U1 UHS speed Class, V30 Video speed Class, 100 MB/s Maximum read speed, 80 MB/s Maximum write speed, PEF512GEP31MCX
PEF512GEP31MCX	R 1,983	Patriot EP Series 512GB V30 A1 MicroSD card, UHS-I Bus Type, Speed Class 10, U1 UHS speed Class, V30 Video speed Class, 100 MB/s Maximum read speed, 80 MB/s Maximum write speed, PEF512GEP31MCX
PEF512GEP32MCX	R 2,209	Patriot EP V30 A2 512GB Micro SDXC Memory card - without Adapter, V30 Video Speed Class, Class 10, U3, UHS-I, A2 Class, Read Speed up to 90MB/s, Write Speed up to 80MB/s
PEF512GEP32MCX	R 2,001	Patriot EP Series 512GB V30 A2 MicroSDXC Card
PEF512GEPEXMCX	R 3,853	Patriot EP Series 512GB MicroSDXC Express Card for Nintendo Switch 2. Model Number: PEF512GEPEXMCX; Capacity: 512GB; Interface: microSD Express (PCIe Gen3 x1); Sequential Read Speed: Up to 800 MB/s; Sequential Write Speed: Up to 600 MB/s; Speed Class: U3, Class 10, V30; App Performance Class: A2; Operating Temperature: -25°C to 85°C; Storage Temperature: -40°C to 85°C; Voltage: 2.7V to 3.6V
PEF64GEP31MCX	R 206	Patriot EP V30 A1 64GB Micro SDXC card
PEF64GEP31MCX	R 328	Patriot EP V30 A1 64GB Micro SDXC card
PEF64GEP92SDX	R 1,840	Patriot V90 64GB SDXC UHS-II U3 Class 10 Secure Digital card, 300MB/s read Speed, 260MB/s write Speed, 4K / 8K Video Speed Class support
PSF128GMDC10	R 507	Patriot LX 128GB CL10 Micro SDHC (Without Adapter), MicroSDXC Class 10, SDHC and Micro SDXC compatibility
PSF128GMDC10	R 477	Patriot LX 128GB CL10 Micro SDHC (Without Adapter), MicroSDXC Class 10, SDHC and Micro SDXC compatibility
PSF128GVX31MCX	R 545	Patriot VX CL10 128GB Micro SDHC Memory Card (Without Adapter)
PSF16GMDC10	R 276	Patriot LX CL10 16GB Micro SDHC - without Adapter, Class 10 UHS-I
PSF32GMDC10	R 181	Patriot LX CL10 32GB Micro SDHC - without Adapter, Class 10 UHS-I
PSF32GMDC10	R 293	Patriot LX CL10 32GB Micro SDHC - without Adapter, Class 10 UHS-I
PSF64GMDC10	R 219	Patriot LX CL10 64GB Micro SDHC - without Adapter, Class 10 UHS-I, Up to 80MB/s read speed
PSF64GMDC10	R 299	Patriot LX CL10 64GB Micro SDHC - without Adapter, Class 10 UHS-I, Up to 80MB/s read speed
PV128GGM32MCX	R 610	Patriot Viper Gaming Series 128GB V30 A2 MicroSD card, Read Speed up to 100MB/s, Write Speed up to 90MB/s, Class 10, U3, UHS-I, Video Speed Class V30
PV256GGM32MCX	R 886	Patriot Viper Gaming Series 256GB V30 A2 MicroSD card, Read Speed up to 100MB/s, Write Speed up to 90MB/s, Class 10, U3, UHS-I, Video Speed Class V30
SAMSUNG MB-MJ128KA	R 919	Samsung Pro Endurance 128GB Micro SD card, UHS-I Interface, U3, V30, Class 10, Up to 100 MB/s, Read speed, Up to 40MB/s write speed
SAMSUNG MB-MJ256KA	R 1,666	Samsung MJ256KA Pro Endurance 256GB SDXC Memory card, SD Adapter, UHS-I Interface, up to 100 MB/s Read Speed, up to 40MB/s Write Speed, U3, V30, Class 10 Speed Class
SD-1024GKCXCG3	R 5,637	Kingston SDCG3/1TB miCroSDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3
SD-1024GKCXCG4	R 5,762	Kingston SDCG4/1TB miCroSDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 200/160mb/sec - retail pack
SD-1024GKCXCS3	R 2,431	Kingston Canvas Select Plus SDCS3 1TB MicroSDXC Memory card, Class 10 UHS-I, 150MB/s Read Speed, 90MB/s Write Speed, U3, V30, A1-rated, Includes SD Adapter, SDCS3/1TB

SD-1024GKXCG4	R 5,251	Kingston SDC4/1TB SDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm), not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 200/160mb/sec - retail pack (Order on request)
SD-1024GKXUIIV6	R 6,854	Kingston SDR2V6/1TB Canvas React Plus SDXC, 24x32x2.1mm, UHS-ii U3 V60, not compatible with SDHC ONLY device/reader, read/write: 280/150mb/sec - retail pack
SD-128GACXU3X	R 378	Adata AUSDX128GUI3XPGA1 U3 XPG A1 series 128Gb miCrosdXc (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i U3 (UHS-i/ SD3.0), with SDMI, read/write: 100/85mb/sec - retail pack
SD-128GACXU85	R 376	Adata Premier AUSDX128GUICL10 85-RA1 128Gb miCroSDXC (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i (UHS-i/ SD3.0), with SDMI, read/write: 85/25mb/sec - retail pack
SD-128GACXUA2E	R 926	Adata AUSDX128GUi3V30SHA2 128Gb miCrosdXc U3 A2 Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof (15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i U3 A2, read/write: 100/85mb/sec, mininum ioPS read/write: 4000/2000 - retail pack
SD-128GKCXCG4	R 850	Kingston SDCG4/128GB miCroSDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read: 200mb/sec - retail pack
SD-128GKCXCS3	R 462	Kingston Canvas Select Plus SDCS3 128GB MicroSDXC Memory card, Class 10 UHS-I, 150MB/s Read Speed, 85MB/s Write Speed, U1, V10, A1-rated, Includes SD Adapter, SDCS3/128GB
SD-128GKCXE	R 1,392	Kingston SDCE/128GB miCroSDXC (no SD adapter), Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof, 15x11x1mm, UHS-i U1 (UHS-i / SD3.0), class10, reade/write: 95/45mb/sec - retail pack. Lifetime: 20 000 hours (Based on Full HD 1920x1080 video content recorded at 13 Mbps video support with video compression)
SD-128GKXCG3	R 828	Kingston SDG3/128GB SDXC Canvas Go designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 24x32x2.1mm), not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 170/90mb/sec - retail pack
SD-128GKXCG4	R 838	Kingston SDC4/128GB SDXC Canvas Go plus designed for HD Hi-Res filming , with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity , 15x11x1mm) , not compatible with SDHC ONLY camera/reader , UHS-i U3 V30 A2 , with CPRM , read : 200mb/sec - retail pack (Order on request)
SD-128GKXCSP	R 452	Kingston SDS2/128GB SDXC Canvas Select Plus - designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 24x32x2.1mm), not compatible with SDHC ONLY camera/reader, UHS-i U1 (UHS-i/ SD3.0), with CPRM, read/write: 100/85mb/sec - retail pack (Order on request)
SD-128GKXUIIV6	R 1,204	Kingston SDR2V6/128GB Canvas React Plus SDXC, 24x32x2.1mm, UHS-ii U3 V60, not compatible with SDHC ONLY device/reader, read/write: 280/100mb/sec - retail pack
SD-16GKCiT2	R 965	Kingston SDCiT2 16GB Micro SDXC with SD Adapter, UHS-I U3 (UHS-I / SD3.0), Industrial grade for Extreme condition, with SDMI, Not compatible with SDHC only device/reader, 100 MB/sec read speed, 80MB/sec write speed
SD-256GACXU85	R 644	Adata Premier 85/A1 AUSDX256GUICL10A1-RA1 256Gb miCroSDXC (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i (UHS-i/ SD3.0), with SDMI, read/write: 85/25mb/sec - retail pack
SD-256GACXUA2E	R 1,712	Adata AUSDX256GUi3V30SHA2 256Gb miCrosdXc U3 A2 Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof (15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i U3 A2, read/write: 100/85mb/sec, minimum ioPS read/write: 4000/2000 - retail pack
SD-256GACXUii3	R 4,311	Adata Premier one AUSDX256GUii3CL10-CA1 256Gb miCroSDXC (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter - UHS-ii U3 (16pin dual channel, compatiable with old UHS-i device/reader), not compatible with SDHC ONLY device/reader, with SDMI, read/write: 275/155mb/sec - retail pack
SD-256GAXPE	R 1,803	Adata ASD256GEX3L1 Premier Extreme series 256Gb SDXC Memory Card - SD Express 7.0 (SSD class PCIe

		Gen3x1 and NVMe), with anti-static/water/ temperature/ shock/ vibration/ X-ray proof, 24x32x2.1mm, not compatible with SDHC ONLY camera/reader - UHS-i EX-i V30
SD-256GKCXCG4	R 1,282	Kingston SDCG4/256GB miCroSDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 200/160mb/sec - retail pack
SD-256GKCXCS3	R 795	Kingston Canvas Select Plus SDCS3 256GB MicroSDXC Memory card, Class 10 UHS-I, 150MB/s Read Speed, 85MB/s Write Speed, U1, V10, A1-rated, Includes SD Adapter, SDCS3/256GB
SD-256GKCXE	R 2,299	Kingston SDCE/256GB miCroSDXC (no SD adapter), Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof, 15x11x1mm, UHS-i U1 (UHS-i / SD3.0), class10, read/write: 95/45mb/sec - retail pack. Lifetime: 26,900 hours (Based on Full HD 1920x1080 video content recorded at 13 Mbps video support with video compression)
SD-256GKCXUii+R	R 4,532	Kingston MLPMR2/256GB (Canvas React Plus miCroSDXC MLPM micro card Reader SDXC Adapter), 15x11x1mm, UHS-ii U3 V90 A1 (16pin dual channel, compatiable with old UHS-i device/reader), not compatible with SDHC ONLY device/reader, read/write: 285/165mb/sec - retail pack
SD-256GKXCG4	R 1,458	Kingston SDC4/256GB SDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm), not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 200/160mb/sec - retail pack (Order on request)
SD-256GKXCS3	R 1,214	Kingston Canvas Select Plus SDXC 256GB (SDS3/256GB) - Class 10 UHS-I, read speed up to 150MB/s, write speed ~85MB/s, U1, V10, A1-rated, durable design, ideal for Full HD video, includes SD adapter.
SD-256GKXUii	R 4,713	Kingston SDR2/256GB Canvas React Plus 256GB SDXC card, 24x32x2.1mm, UHS-II U3 V90 A1, 16 pin Dual channel, Compatiable with old UHS-I device/reader, Not compatible with SDHC only device/reader, 300MB/s read speed, 260MB/s write speed
SD-256GKXUIIV6	R 2,409	Kingston SDR2V6/256GB Canvas React Plus SDXC, 24x32x2.1mm, UHS-ii U3 V60, not compatible with SDHC ONLY device/reader, read/write: 280/150mb/sec - retail pack
SD-32GACU85	R 161	Adata Premier 85/A1 AUSDH32GUICL10A1-RA1 32Gb miCro SDHC (15x11x1mm) with SD adapter - UHS-i U3 (UHS-i/ SD3.0), with SDMI, read/write: 85/25mb/sec - retail pack
SD-32GKCE	R 795	Kingston SDCE/32GB miCroSDHC (no SD adapter), Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof, 15x11x1mm, UHS-i U1 (UHS-i / SD3.0), class10, reade/write: 95/30mb/sec - retail pack. Lifetime: 5 000 hours Based on Full HD (1920x1080) video content recorded at 13 Mbps video support with video compression.
SD-32GKCiT2	R 1,878	Kingston SDCiT2 32GB Micro SDXC with SD Adapter, UHS-I U3 (UHS-I / SD3.0), Industrial grade for Extreme condition, with SDMI, Not compatible with SDHC only device/reader, 100 MB/sec read speed, 80MB/sec write speed
SD-512GKCXCG3	R 2,984	Kingston SDCG3/512GB miCroSDXC Canvas Go designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 170/90mb/sec - retail pack
SD-512GKCXCG4	R 3,039	Kingston SDCG4/512GB miCroSDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 200/160mb/sec - retail pack
SD-512GKCXCS3	R 1,524	Kingston Canvas Select Plus SDCS3 512GB MicroSDXC Memory card, Class 10 UHS-I, 150MB/s Read Speed, 85MB/s Write Speed, U3, V30, A1-rated, Includes SD Adapter, SDCS3/512GB
SD-512GKCXCSP	R 1,513	Kingston SDCS2/512GB miCroSDXC Canvas Select Plus - designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof, (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U1 (UHS-i / SD3.0), with CPRM, read/write: 100/85mb/sec - retail pack
SD-512GKXCG4	R 2,818	Kingston SDC4/512GB SDXC Canvas Go plus designed for HD Hi-Res filming , with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity , 15x11x1mm) , not compatible with SDHC ONLY camera/reader , UHS-i U3 V30 A2 , with CPRM , read/write : 200/160mb/sec - retail pack (Order on Request)
SD-512GKXUIIV6	R 4,698	Kingston SDR2V6/512GB Canvas React Plus SDXC, 24x32x2.1mm, UHS-ii U3 V60, not compatible with SDHC

		ONLY device/reader, read/write: 280/150mb/sec - retail pack
SD-512GWCXP	R 2,236	Western Digital Purple SC QD101 512GB endurance Micro SDXC card, SDA 6.0, UHS speed Class 3 (U3), Video speed Class 30 (V30), 100MB/s Sequential read performance, 60MB/s Sequential write performance, WDD512G1P0C
SD-64GACXU	R 190	ADATA Premier Pro AUSDX64GUiCL10-R 64Gb Micro SDXC (Secure Digital Extended Capacity) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i (UHS-i/ SD3.0), with SDMI, read/write: 50/33mb/sec, 1400/100 ioPS read/write - retail pack
SD-64GACXU85	R 179	Adata Premier AUSDX64GUICL10 85-RA1 64Gb miCroSDXC (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader - UHS-i (UHS-i/ SD3.0), with SDMI, read/write: 85/25mb/sec - retail pack
SD-64GAXUii3	R 1,270	Adata Premier One ASDX64GUII3CL10-C 64Gb SDXC (Secure Digital eXtended Capacity, 24x32x2.1mm) - UHS-ii U3 (16pin dual channel, compatiable with old UHS-i device/reader), not compatible with SDHC ONLY device/reader, with SDMI, read/write: 290/260mb/sec - retail pack
SD-64GKCXCG3	R 590	Kingston SDCG3/64GB miCroSDXC Canvas Go designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read/write: 170/70mb/sec - retail pack
SD-64GKCXCG4	R 596	Kingston SDCG4/64GB miCroSDXC Canvas Go plus designed for HD Hi-Res filming, with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity, 15x11x1mm) with SDXC adapter, not compatible with SDHC ONLY camera/reader, UHS-i U3 V30 A2, with CPRM, read: 200mb/sec - retail pack
SD-64GKCXCS3	R 273	Kingston Canvas Select Plus SDCS3 64GB MicroSDXC Memory card, Class 10 UHS-I, 100MB/s Read Speed, 85MB/s Write Speed, U1, V10, A1-rated, Includes SD Adapter, SDCS3/64GB
SD-64GKCXE	R 850	Kingston SDCE/64GB miCroSDXC (no SD adapter), Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof, 15x11x1mm, UHS-i U1 (UHS-i / SD3.0), class10, read/write: 95/30mb/sec - retail pack. Lifetime: 10 000 hours (Based on Full HD 1920x1080 video content recorded at 13 Mbps video support with video compression)
SD-64GKXCG4	R 596	Kingston SDC4/64GB SDXC Canvas Go plus designed for HD Hi-Res filming , with water/ temperature/ shock/ vibration/ X-ray proof (Secure Digital eXtended Capacity , 15x11x1mm) , not compatible with SDHC ONLY camera/reader , UHS-i U3 V30 A2 , with CPRM , read : 200mb/sec - retail pack (Order on request)
SD-64GKXCiT2	R 2,874	Kingston SDCiT2 64GB Micro SDXC with SD Adapter, UHS-I U3 (UHS-I / SD3.0), Industrial grade for Extreme condition, with SDMI, Not compatible with SDHC only device/reader, 100 MB/sec read speed, 80MB/sec write speed
SD-64GKXUii	R 1,259	Kingston SDR2/64GB Canvas React Plus 64GB SDXC card, 24x32x2.1mm, UHS-II U3 V90 A1, 16 pin Dual channel, Compatiable with old UHS-I device/reader, Not compatible with SDHC only device/reader, 300MB/s read speed, 260MB/s write speed
SD-8GKCiT2	R 876	Kingston SDCiT2 8GB Micro SDXC with SD Adapter, UHS-I U3 (UHS-I / SD3.0), Industrial grade for Extreme condition, with SDMI, Not compatible with SDHC only device/reader, 100 MB/sec read speed, 80MB/sec write speed
SDCE/128GB	R 1,312	Kingston SDCE/128GB miCroSDXC (no SD adapter), Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof, 15x11x1mm, UHS-i U1 (UHS-i / SD3.0), class10, reade/write: 95/45mb/sec - retail pack. Lifetime: 20 000 hours (Based on Full HD 1920x1080 video content recorded at 13 Mbps video support with video compression)
SDCE/64GB	R 811	Kingston SDCE/64GB miCroSDXC (no SD adapter), Endurance series designed for video recording in harsh environment, with water/ temperature/ shock/ vibration/ X-ray proof, 15x11x1mm, UHS-i U1 (UHS-i / SD3.0), class10, read/write: 95/30mb/sec - retail pack. Lifetime: 10 000 hours (Based on Full HD 1920x1080 video content recorded at 13 Mbps video support with video compression)
SDCG4/1TB	R 5,944	Kingston Canvas Go Plus Gen4 1TB microSDXC 200MB/s A2 U3 V30 Card Adapter
SDCG4/256GB	R 1,380	Kingston Canvas Go Plus Gen4 256GB microSDXC 200MB/s A2 U3 V30 Card Adapter
SDCS3/128GB	R 463	Kingston Canvas Select Plus SDCS3 128GB MicroSDXC Memory card, Class 10 UHS-I, 150MB/s Read Speed, 85MB/s Write Speed, U1, V10, A1-rated, Includes SD Adapter, SDCS3/128GB

SDCS3/64GB	R 311	Kingston Canvas Select Plus SDCS3 64GB MicroSDXC Memory card, Class 10 UHS-I, 100MB/s Read Speed, 85MB/s Write Speed, U1, V10, A1-rated, Includes SD Adapter, SDCS3/64GB
SDG4/512GB	R 2,657	Kingston Canvas Go Plus Gen4 512GB SDXC 200MB/s C10 UHS-I U3 V30
SDSDB-032G-B35	R 89	SanDisk 32GB SDXC Class 4 secure digital card
SDSDB-064G-B35	R 251	SanDisk 64GB SDXC Class 4 secure digital card
SDSDQM-016G-B35	R 100	SanDisk 16GB microSDHC Class 4 Memory card 16GB, No SD adaptor
SDSDQM-032G-B35	R 128	SanDisk 32GB microSDHC Class 4 Memory card, No SD Adapter
SDSDUNB-064G-GN6IN	R 130	SanDisk Ultra 64GB SDHC UHS-I card and SDXC UHS-I card, Up to 140MB/s Sequential write Performance, SDSDUNB-064G-GN6IN
SDSDUNB-128G-GN6IN	R 397	SanDisk Ultra 128GB UHS-I SD card, Up to 140MB/s transfer speeds, SDSDUNB-128G-GN6IN
SDSDUNR-032G-GN3IN	R 208	Sandisk Ultra 32GB SDHC Secure Digital Memory card, 100MB/s transfer speed, UHS-I, Class 10, U1
SDSDUNR-064G-GN3IN	R 314	Sandisk Ultra 64GB SDXC Secure Digital Memory card, UHS-I, U1, Maximum 100 MB/s read speed, Class 10, Built-in Write-Protect Switch
SDSDUNR-128G-GN3IN	R 394	Sandisk Ultra 128GB SDXC Secure Digital Memory card, UHS-I, U1, Maximum 100 MB/s read speed, Class 10, Built-in Write-Protect Switch
SDSDUNR-256G-GN3IN	R 1,114	Sandisk Ultra 256GB SDXC Secure Digital Memory card, UHS-I, U1, Maximum 100 MB/s read speed, Class 10, Built-in Write-Protect Switch
SDSDUNS-016G-GN3IN	R 182	Sandisk Ultra 16GB SDHC Secure Digital Memory card, Up to 80MB/s transfer speed
SDSDXEP-128G-GN4IN	R 857	SanDisk 128GB Extreme Pro SDXC UHS-II, Up to 280MB/s Sequential read Performance, Up to 100MB/s Sequential write Performance
SDSDXEP-128G-GNCIS	R 2,194	SanDisk Creator SD 128GB UHS-II card, Read speeds up to 280MB/s, Write speeds up to 100MB/s, 4K UHD/6k Video, V60, SDSDXEP-128G-GNCIS
SDSDXEP-1T00-GNCIS	R 9,795	SanDisk Creator SD 1TB UHS-II card, Read speeds up to 280MB/s, Write speeds up to 150MB/s, 4K UHD/6k Video, V60, SDSDXEP-1T00-GNCIS
SDSDXV2-064G-GNCIN	R 365	SanDisk Extreme 64GB SDHC UHS-I card, Up to 170MB/s Sequential read Performance, Up to 80MB/s Sequential write Performance, UHS-I Interface, SDSDXV2-064G-GNCIN
SDSDXVA-128G-GNCIN	R 595	SanDisk Extreme 128GB SDHC UHS-I card, Up to 190MB/s Sequential read Performance, Up to 90MB/s Sequential write Performance, UHS-I Interface, SDSDXVA-128G-GNCIN
SDSDXXD-512G-GN4IN	R 2,446	SanDisk Extreme Pro 512GB SDHC and SDXC UHS-I card, SDHC Form Factor, Up to 200MB/s Sequential read Performance, Up to 140MB/s Sequential write Performance, UHS-I Interface
SDSDXXU-064G-GN4IN	R 435	SanDisk Extreme Pro 64GB SDHC UHS-I card, 200MB/s Read Speed, 90MB/s Write Speed UHS-I Interface, SDSDXXU-064G-GN4IN
SDSQQNR-032G-GN6IA	R 353	SanDisk High Endurance microSDHC 32GB SD Adapter - for dash cams & home monitoring, up to 2,500 Hours, Full HD / 4K videos, up to 100/40 MB/s Read/Write speeds, C10, U3, V30. Lifetime: up to 2 500 hours recording (Full HD video at 26 Mb/s to one device).
SDSQQNR-064G-GN6IA	R 133	SanDisk High Endurance microSDXC 64GB SD Adapter - for dash cams & home monitoring, up to 5,000 Hours, Full HD / 4K videos, up to 100/40 MB/s Read/Write speeds, C10, U3, V30. Lifetime: up to 5 000 hours recording (Full HD video at 26 Mb/s to one device).
SDSQQNR-128G-GN6IA	R 584	SanDisk High Endurance microSDXC 128GB SD Adapter - for dash cams & home monitoring, up to 10,000 Hours, Full HD / 4K videos, up to 100/40 MB/s Read/Write speeds, C10, U3, V30
SDSQQNR-256G-GN6IA	R 1,090	Sandisk 256GB high endurance microSDHC card with Adapter, UHS-I / V30 / U3 / Class 10, 100 MB/s Maximum read speed, 40 MB/s Maximum write speed. Lifetime: up to 20 000 hours recording (Full HD video at 26 Mb/s to one device).
SDSQQNR-512G-GN6IA	R 2,362	SanDisk High Endurance microSDXC 512GB SD Adapter - for dash cams & home monitoring, up to 20,000 Hours, Full HD / 4K videos, up to 100/40 MB/s Read/Write speeds, C10, U3, V30. Lifetime: up to 40 000 hours recording (Full HD video at 26 Mb/s to one device).
SDSQQNR-512G-GN6IA	R 1,839	SanDisk 512GB High Endurance MicroSDXC Memory card, Up to 100MB/s Sequential read Performance, Up to 40MB/s Sequential write Performance, UHS-I Interface
SDSQQVR-032G-GN6IA	R 549	SanDisk Max Endurance 32GB MicroSDXC SD Adapter, For Home Security cameras & dashcams, Extreme

		Endurance, C10, U3, V30, Up to 100MB/s Sequential read Performance, Up to 40MB/s Sequential write Performance, UHS-I Interface, SDSQQVR-032G-GN6IA
SDSQQVR-064G-GN6IA	R 799	SanDisk Max Endurance 64GB MicroSDXC SD Adapter, For Home Security cameras & dashcams, Extreme Endurance, C10, U3, V30, Up to 100MB/s Sequential read Performance, Up to 40MB/s Sequential write Performance, UHS-I Interface, SDSQQVR-064G-GN6IA
SDSQQVR-128G-GN6IA	R 992	SanDisk Max Endurance 128GB MicroSDXC SD Adapter, For Home Security cameras & dashcams, Extreme Endurance, C10, U3, V30, Up to 100MB/s Sequential read Performance, Up to 40MB/s Sequential write Performance, UHS-I Interface, SDSQQVR-128G-GN6IA
SDSQUA4-032G-GN6MN	R 82	Sandisk Ultra 32GB microSDHC C10 A1 UHS 1 Secure Digital card, Up to 98MB/s Sequential read speed
SDSQUAB-064G-GN6MN	R 101	SanDisk Ultra UHS-I 64GB MicroSD card, Up to 140MB/s Sequential read performance, A1 rating Class 10
SDSQUAB-128G-GN6MN	R 217	SanDisk Ultra UHS-I 128GB MicroSD card, Up to 140MB/s Sequential read performance, A1 rating Class 10
SDSQUAC-1T50-GN6MN	R 4,809	SanDisk Ultra 1.5TB MicroSDXC UHS-I card, No SD Adapter, 150MB/s Sequential read Performance, UHS-I Interface, SDSQUAC-1T50-GN6MN
SDSQUAC-256G-GN6MN	R 368	SanDisk Ultra UHS I 256GB MicroSD Card 150MB/s R, for Smartphones
SDSQUAC-512G-GN6MN	R 711	SanDisk Ultra UHS I 512GB MicroSD Card 150MB/s R, for Smartphones
SDSQUNR-032G-GN3MN	R 182	Sandisk Ultra MicroSDXC 32GB 100MB/s Class 10 UHS-I, No SD adaptor, SDSQUNR-032G-GN3MN
SDSQUNR-032G-GN3MN	R 189	SanDisk Ultra microSD Memory Card - 32GB Capacity, MicroSDHC/XC Form Factor, Up to 100Mbps Sequential Read Performance, Class 10, UHS-I, -25°C to 85°C Operating Temperature
SDSQUNR-064G-GN3MN	R 250	Sandisk Ultra MicroSDXC 64GB 100MB/s Class 10 UHS-I, No SD adaptor, SDSQUNR-064G-GN3MN
SDSQUNR-064G-GN3MN	R 332	Sandisk Ultra MicroSDXC 64GB 100MB/s Class 10 UHS-I, No SD adaptor, SDSQUNR-064G-GN3MN
SDSQUNR-064G-GN3MN	R 269	SanDisk Ultra MicroSD Card - 64GB SD Card Capacity, microSDHC and microSDXC Form Factor, Up to 100Mbps Sequential Read Performance, Class 10 for Full HD Video Recording and Playback, Works with Android Smartphones and Tablets, No Adapter, Retail Box
SDSQUNR-128G-GN6MN	R 302	SanDisk 128GB Ultra MicroSDXC 100MB/s Class 10 UHS-I, Up to 100MB/s Sequential read performance
SDSQUNR-128G-GN6MN	R 470	SanDisk 128GB Ultra MicroSDXC 100MB/s Class 10 UHS-I, Up to 100MB/s Sequential read performance
SDSQUNR-256G-GN3MN	R 676	SanDisk 256GB Ultra MicroSDXC 100MB/s Class 10 UHS-I, Up to 100MB/s Sequential read performance
SDSQUNS-016G-GN3MN	R 176	Sandisk Ultra Android microSDHC 16GB 80MB/s Class 10
SDSQXAA-128G-GN6MN	R 257	SanDisk 128GB Extreme MicroSD UHS-I, Write speeds of up to 130MB/s Write Speed, Up to 190MB/s Read Speed
SDSQXAH-064G-GN6MN	R 138	SanDisk 64GB Extreme MicroSD UHS-I, Write speeds of up to 130MB/s Write Speed, Up to 190MB/s Read Speed
SDSQXAO-064G-GN6ZN	R 469	SanDisk Nintendo 64GB MicroSDXC UHS-I card for Nintendo Switch - Yoshi Edition, Up to 100MB/s Read Speed, Up to 90MB/s Write Speed, SDSQXAO-064G-GN6ZN
SDSQXAO-128G-GN3ZN	R 652	SanDisk 128GB MicroSDXC for Nintendo Switch, Up to 100MB/s Sequential read Performance, Up to 90MB/s Sequential write Performance
SDSQXAO-128G-GN6ZG	R 667	SanDisk Nintendo 128GB MicroSDXC UHS-I card for Nintendo Switch - Fortnite Edition Skull Trooper, Up to 100MB/s Read Speed, Up to 90MB/s Write Speed, SDSQXAO-128G-GN6ZG
SDSQXAO-256G-GN3ZN	R 871	SanDisk 256GB MicroSDXC UHS-I Secure Digital card Nintendo Switch, 100 MB/s Maximum read speed, Class 10, UHS-I, U3
SDSQXAO-512G-GN6ZK	R 2,662	SanDisk pokemon 512GB MicroSDXC UHS-I for Nintendo Switch card, 100MB/s Sequential read Performance, 90MB/s Sequential write Performance, UHS-I Interface, SDSQXAO-512G-GN6ZK
SDSQXAV-256G-GN6MN	R 429	SanDisk 256GB Extreme MicroSD UHS-I, Write speeds of up to 130MB/s Write Speed, Up to 190MB/s Read Speed
SDSQXAV-2T00-GN6MN	R 8,211	SanDisk Extreme 2TB MicroSDXC UHS-I card, Up to 240MB/s Read Speed, Up to 140MB/s Write Speed, adaptor not included, SDSQXAV-2T00-GN6MN
SDSQXAV-512G-GN6MN	R 1,700	SanDisk 512GB Extreme MicroSD UHS-I, Write speeds of up to 130MB/s Write Speed, Up to 190MB/s Read Speed
SDSQXCD-128G-GN6MA	R 329	SanDisk Extreme PRO microSDXC 128GB SD Adapter RescuePRO Deluxe 170MB/s A2 C10 V30 UHS-I U3
SDSQXCD-1T00-GN6MA	R 4,954	SanDisk Extreme PRO microSDXC 1TB SD Adapter RescuePRO Deluxe 170MB/s A2 C10 V30 UHS-I U3
SDSQXCD-256G-GN6MA	R 567	SanDisk Extreme PRO microSDXC 256GB SD Adapter RescuePRO Deluxe 170MB/s A2 C10 V30 UHS-I U3

SDSQXCD-512G-GN6MA	R 1,152	SanDisk Extreme PRO microSDXC 512GB SD Adapter RescuePRO Deluxe 170MB/s A2 C10 V30 UHS-I U3
SDSQXCG-032G-GN6MA	R 169	Sandisk Extreme Pro 32GB microSDHC card Secure Digital card, Class 10 upto 100MB/s, A1, U3, V30, UHS-I, SD Adapter included
SDSQXCU-064G-GN6MA	R 178	SanDisk Extreme PRO microSDXC 64GB SD Adapter RescuePRO Deluxe 170MB/s A2 C10 V30 UHS-I U3
SP064GBSTXBV1V20SP	R 168	Silicon Power Elite Colorful 64Gb MicroSDHC/SDXC Card
SP064GBSTXDA2V20SP	R 204	Silicon Power Superior A2 64Gb MicroSDXC Card
SP064GBSTXDV3V20SP	R 183	Silicon Power Superior A1 64Gb MicroSDXC Card
SP128GBSTXBV1V20SP	R 317	Silicon Power Elite Colorful 128gb MicroSDHC/SDXC Card
SP128GBSTXDA2V20SP	R 377	Silicon Power Superior A2 128Gb MicroSDXC Card
SP128GBSTXDV3V20SP	R 324	Silicon Power Superior A1 128gb MicroSDXC Card
SP256GBSTXBV1V20SP	R 675	Silicon Power Elite Colorful 256Gb MicroSDHC/SDXC Card
SP256GBSTXDV3V20SP	R 675	Silicone Power Superior A1 256gb MicroSDXC Card
SP256GBUF3B21V1K	R 512	Silicon Power Blaze B21 256Gb USB 3.2 Gen 1 Flash Drive
TS128GSDC300S	R 560	Transcend 300s 128Gb Uhs-1 Class 10 U1 U3 V30 Sdxc Card - Tlc - -Read up to 95 MB/ s - Write up to 45 MB/ s
TS128GSDC340S	R 1,122	Transcend 340S 128GB Ultra perfromance SD card SDXC UHS-I, 160 MB/s Read Speed, 90 MB/s Write Speed, UHS-I U3, V30, A1, A2, 3D NAND Flash
TS128GSDC460T-VS1	R 2,207	Transcend SDC460T 128GB High Endurance Secure Digital SD card, SDXC, V30, U3, A2, Up to 100 MB/s read Speed, Up to 85 MB/s write Speed, 112-layer 3D NAND Flash
TS128GUSD300S-A	R 560	Transcend 300S 128GB MicroSDXC Class 10 UHS-I U1/U3 V30 A1 -Read up to 95 MB/s - Write up to 45 MB/s - With SD Adapter
TS128GUSD340S	R 864	Transcend 340s 128GB Ultra perfromance Micro SD UHS-I U3 V30 A2 Class10, Read 160 MB/s, Write 125MB/s, with SD adptor, TLC
TS128GUSD350V	R 1,122	Transcend TS128GUSD350V 350s 128GB high endurance MicroSDXC/SDHC Class 10 UHS-I U1, Read up to 100 MB/s, Write up to 85 MB/s, Maximum endurance 85 TBW, With SD adaptor
TS128GUSD460T-VS1	R 2,262	Transcend USD460T-VS1 128GB High Endurance Embedded MicroSD card, SDXC, U3, A2, up to 100 MB/s Read Speed, up to 80 MB/s Write Speed, Video Speed Class 30 (V30)
TS16GSDC300S	R 302	Transcend TS16GSDC300S 300S 16GB SDHC Class 10 UHS-I U1 - Read up to 95 MB/s - Write up to 45 MB/s - TLC
TS16GUSD300S-A	R 381	Transcend 300S 16GB MicroSDXC/SDHC Class 10 UHS-I U1 -Read up to 95 MB/s - Write up to 45 MB/s - with SD Adapter
TS1TSDC300S	R 5,614	Transcend 300S 1TB SDXC Class 10 V30 V10 UHS-I U1 U3 card, Read up to 100 MB/s, Write up to 85 MB/s, 3D NAND Flash
TS1TUSD300S-A	R 8,478	Transcend USD300s 1TB Micro SDXC C10 UHS-I U3 V30 A2 with SD adaptor, Up to 100MB/s read Speed, Up to 85MB/s write Speed
TS1TUSD350V	R 10,106	Transcend 350V 1TB High Endurance Micro SD UHS-I U3 V30 Class10, 100MB/s Write Speed, 60MB/s Write Speed, with SD adptor, 3D NAND Flash Type
TS256GSDC300S	R 2,132	Transcend TS256GSDC300S 300S 256GB SDXC Class 10 V30 UHS-I U1 U3 card, Read up to 95 MB/s, Write up to 45 MB/s, TLC, Water / Static / Shock / X-Ray Proof, Can Withstand Extreme Temperatures, Built-In Write-Protect Switch
TS256GSDC340S	R 2,862	Transcend 340S 256GB Ultra perfromance SD card SDXC UHS-I, 160 MB/s Read Speed, 90 MB/s Write Speed, UHS-I U3, V30, A1, A2, 3D NAND Flash
TS256GUSD300S-A	R 1,459	Transcend TS256GUSD300S-A 300S 256GB MicroSDXC Class 10 UHS-I U1/U3 V30 A1, Read up to 95 MB/s, Write up to 45 MB/s, With SD Adaptor
TS256GUSD340S	R 1,684	Transcend 340s 256GB Ultra perfromance Micro SD UHS-I U3 V30 A2 Class10, Read 160 MB/s, Write 125MB/s, with SD adptor, TLC
TS256GUSD350V	R 2,132	Transcend 350V 256GB High Endurance UHS-I U3 Class10 Micro SD Secure Digital, Up to 95 MB/s up to Sequential read speed, Up to 45 MB/s up to Sequential write speed
TS256GUSD710S	R 1,459	Transcend SD710S 256GB MicroSD Express card, Read up to 900MB/s, Write up to 750 MB/s, UHS-I U3, V30, A1, UHS-I / NVMe PCI-e Gen3 x1 Bus Interface

TS32GSDC300S	R 324	Transcend TS32GSDC300S 300S 32GB SDHC Class 10 UHS-I U1 -Read up to 95 MB/s - Write up to 45 MB/s -TLC
TS32GUSD300S-A	R 392	Transcend 300S 32GB MicroSDXC/SDHC Class 10 UHS-I U1 -Read up to 95 MB/s - Write up to 45 MB/s - With SD Adaptor
TS512GSDC300S	R 3,368	Transcend 300S 512GB SDXC Class 10 V30 UHS-I U1 U3 Secure Digital Card, Read up to 95 MB/s, Write up to 45 MB/s
TS512GUSD300S-A	R 3,345	Transcend 300S 512GB MicroSDXC Class 10 UHS-I U1/U3 V30 A1, Read speed up to 95 MB/s, Write speed up to 45 MB/s, With SD Adaptor
TS512GUSD340S	R 3,256	Transcend 340S 512GB Ultra perfromance Micro SD UHS-I U3 V30 A2 Class10, Read 160 MB/s, Write 125MB/s, with SD adptor, 3D NAND flash
TS512GUSD350V	R 5,277	Transcend 350V 512GB High Endurance UHS-I U3 Class10 Micro SD Secure Digital, Up to 100 MB/s up to Sequential read speed, Up to 45 MB/s up to Sequential write speed
TS512GUSD460T-VS1	R 8,832	Transcend USD460T 512GB High Endurance Embedded Micro SDXC card, V30 U3 A2, Up to 100 MB/s read speed (Maximum), Up to 80 MB/s write speed (Maximum)
TS512GUSD710S	R 2,694	Transcend SD710S 512GB MicroSD Express card, Read up to 900MB/s, Write up to 780 MB/s, UHS-I U3, V30, A1, UHS-I / NVMe PCI-e Gen3 x1 Bus Interface
TS64GSDC300S	R 336	Transcend TS64GSDC300S 300S 64GB SDXC Class 10 V30 UHS-I U1 U3 - Read up to 95 MB/s - Write up to 45 MB/s - TLC
TS64GSDC340S	R 302	Transcend 340S 64GB Ultra perfromance SD card SDXC UHS-I, 160 MB/s Read Speed, 50 MB/s Write Speed, UHS-I U3, V30, A1, A2, 3D NAND Flash
TS64GSDC700S	R 3,480	Transcend 700S 64GB UHS-II U3 V90 CLASS 10 SDXC CARD - MLC
TS64GUSD300S-A	R 275	Transcend 300S 64GB MicroSDXC/SDHC Class 10 UHS-I U1 -Read up to 95 MB/s - Write up to 45 MB/s - With SD Adaptor
TS64GUSD340S	R 785	Transcend 340S 64GB Ultra Performance MicroSDXC Class 10 UHS-I U1/U3 V30 A2 -Read up to 160 MB/s - Write up to 125 MB/s - With SD Adapter
TS64GUSD350V	R 1,055	Transcend TS64GUSD350V 350s 64GB high endurance MicroSDXC/SDHC Class 10 UHS-I U1, Read up to 100 MB/s, Write up to 85 MB/s, Maximum endurance 85 TBW, With SD adaptor
TS64GUSD465T	R 1,103	Transcend USD465T 64GB High Endurance Embedded MicroSD card, SDXC, V30, U3, A2, 162-layer 3D NAND Flash, Up to 100 MB/s Read Speed, Up to 80 MB/s Write Speed
TS8GUSD300S	R 336	Transcend 300S 8GB Micro SD UHS-I U1 Class10, Upto 20 MB/s read speed, Up to 10MB/s write speed, Without adaptor
WDD512G1P0C	R 2,536	Western Digital WD Purple 512GB MicroSDXC card, WDD512g1p0c, SDA 6.0 Interface

< Return to the menu

Multimedia Device Memory : Smart Media

Product code	Price	Description

< Return to the menu

Multimedia Device Memory : Sony Memory Stick

Product code	Price	Description
MS-8GM2	R 369	sony M2 (Memory stick Micro) 8Gb , 15x12x1.2mm , for sony camera , cellphone

< Return to the menu

Multimedia Device Memory : xD Picture Cards

Product code	Price	Description

< Return to the menu

Notebook Memory

Notebook Memory : DDR-333 SO-DIMM 200pin PC2700

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR-400 SO-DIMM 200pin PC3200

Product code	Price	Description
MOBMEM1GBPC400	R 598	Unbranded 1GB DDR-400 SO-DIMM 200pin PC3200 notebook memory

< Return to the menu

Notebook Memory : DDR2-533 SO-DIMM 200pin PC2-4200

Product code	Price	Description
HYNIX-512MB-2Rx16-PC2-4200S	R 102	Hynix 512MB DDR2-533 laptop memory (sodimm)(HP and Acer laptop memory, also fully compatible with LG, Asus, Toshiba, Mecer laptops)
KVR400D2S3/1G	R 288	Kingston 1024MB DDR2-400 NON-ECC Notebook Memory Module

< Return to the menu

Notebook Memory : DDR2-667 SO-DIMM 200pin PC2-5300

Product code	Price	Description
HYMP112S64CP6-Y	R 311	Hynix 1024MB DDR2-667MHz CL5 200pin Notebook Memory
HYMP164S64CP6-Y	R 104	Hynix 512MB DDR2-667MHz CL5 200pin Notebook memory
HYMP564S64CP6-Y5	R 193	512MB 2Rx16 PC2 5300S-555-12 DDR2 677 memory for notebooks (Acer, HP, LG, Sony, Asus, Toshiba, Gigabyte and all DDR2 compatible laptops)
MOBMEM1GB	R 265	Unbranded 1GB DDR2-667 200pin PC2-5300 Notebook memory
NOT512667	R 104	Hynix 512MB DDR2-667 SO-DIMM 200pin PC2-5300 Notebook Memory

< Return to the menu

Notebook Memory : DDR2-800 SO-DIMM 200pin PC2-6400

Product code	Price	Description
PSD22G8002S	R 392	PATRIOT SIGNATURE 2GB DDR2-800MHz SO DIMM

< Return to the menu

Notebook Memory : DDR3-1066 SO-DIMM 204pin PC3-8500

Product code	Price	Description
112S6AG7N0AA	R 173	HYNIX 1GB DDR3-1066 PC3-8500 204pin So-Dimm memoery
HMT112S6AFR6C-G	R 184	Hynix 1GB DDR3-1066 SO-DIMM 204pin PC3-8500 Notebook Memory

< Return to the menu

Notebook Memory : DDR3-1333 SO-DIMM 204pin

Product code	Price	Description
HMT112S6BFR6C-H	R 86	Hynix 1GB DDR3-1333 SO-DIMM 204pin PC3-10600 Notebook Memory
KNV1GBDDR3	R 173	Kingston 1GB DDR3-1333 PC3-10600 SO-Dimm memory
KVR1333D3S9/1G	R 265	Kingston 1GB 1333MHz DDR3 Non-ECC CL9 SO DIMM
ME-CN8V13C9L	R 1,492	Corsair CMSo8GX3M1C1333C9 valueselect , 8Gb so-dimm , 204 pin - DDR3L-1333 , CL9 , 1.35V / 1.5V dual voltage
TS256MSK64V3N	R 278	Transcend 2GB DDR3-1333 204-Pin Notebook SO-DIMM : CL9, 1.5V, Top tier name-brand DRAM chips and materials - Ultimate cross-platform compatibility and stability

< Return to the menu

Notebook Memory : DDR3-1600 SO-DIMM 204pin

Product code	Price	Description

FSGF-2GB-SO	R 236	Kingmax 2GB DDR3-1600 SO-DIMM 204pin Notebook Memory
HSC304S16Z1-4G	R 256	Hikvision 4GB DDR3-1600 204pin SO-DIMM Memory
HSC308S16Z1-8G	R 423	Hikvision 8GB DDR3-1600 204pin SO-DIMM Memory
HSC308S16Z1-8G	R 215	Hikvision 8GB DDR3-1600 204pin SO-DIMM Memory
ME-AN4V16C11L	R 1,214	Adata ADDS1600W4G11-R , 4Gb so-dimm , 204 pin - DDR3L-1600 , CL11 , 1.35V / 1.5V dual voltage
ME-CN2V16C11L	R 1,159	Corsair CMSo2GX3M1C1600C11 valueselect , 2Gb so-dimm , 204 pin - DDR3L-1600 , CL11 , 1.35V / 1.5V dual voltage - lifetime warranty
ME-CN4V16C11L	R 1,325	Corsair CMSo4GX3M1C1600C11 valueselect , 4Gb so-dimm , 204 pin - DDR3L-1600 , CL11 , 1.35V / 1.5V dual voltage - lifetime warranty
ME-KN2V16C11L	R 1,159	Kingston KVR16LS11S6/2 Valueram , 2Gb , 204 pin so-dimm - DDR3L-1600 Low-voltage , CL11 , 1.35V / 1.5V dual voltage laptop memory
ME-KN2X16C7x2	R 705	Kingston KHX1600C7S3K2/4GX, hyperX, 2x 2Gb/2048mb kit, 204 pin so-dimm, support Intel XMP (eXtreme Memory Profiles) - DDR3-1600, CL7, 1.5v
ME-KN4V16C11L	R 1,325	Kingston KVR16LS11/4 Valueram, 4Gb, 204 pin so-dimm - DDR3L-1600 Low-voltage, CL11, 1.35V/ 1.5V dual voltage
ME-KN4X16i9L	R 1,436	Kingston HX316LS9iB/4 hyperX Impact black , Plug and play (auto overclocking) , 4Gb , 204 pin so-dimm - DDR3L-1600 , CL9 , Low-voltage (1.35V / 1.5V dual voltage) - lifetime warranty
ME-KN8V16C11L	R 1,492	Kingston KVR16LS11/8 Valueram , 8Gb , 204 pin so-dimm - DDR3L-1600 Low-voltage , CL11 , 1.35V / 1.5V dual voltage
MSV8GD316C11U	R 401	OCPC VS 8GB DDR3-1600 204pin CL11 SO-DIMM Memory, 1.5V or 1.35V Voltage, non-ECC
PSD34G16002S	R 590	Patriot SL 4GB 1600MHz DDR3 SO-Dimm DS, CL11 Notebook memory module.
PSD38G16002S	R 553	Patriot SL 8GB 1600MHz DDR3 SO-Dimm DS, 512x8, CL9 laptop Memory
TS1GSK64W6H	R 10,529	Transcend 8GB DDR3L-1600 Low Voltage 204-Pin Unbuffered SO-DIMM: 1.35V - CL11, Top tier name-brand DRAM chips and materials - Lifetime Warranty, Â© 2014 Laptop Direct
TS512MSK64W6H	R 783	Transcend 4GB DDR3L-1600 Low Voltage 204-Pin Unbuffered SO-DIMM: 1.35V - CL11, Top tier name-brand DRAM chips and materials

< Return to the menu

Notebook Memory : DDR3-1666 SO-DIMM 204pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR3-1866 SO-DIMM 204pin

Product code	Price	Description
ME-CN4G21C11Lx2	R 2,597	Corsair CMSX8GX3M2B2133C11 venGeance , 8GB (4Gb x 2 kit) so-dimm , 204 pin - DDR3L-2133 , CL11 , 1.35V / 1.5V dual voltage - lifetime warranty

< Return to the menu

Notebook Memory : DDR3-2133 SO-DIMM 204pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR3L-1333 SO-DIMM 204pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR3L-1600 SO-DIMM 204pin

Product code	Price	Description
ADDS1600W8G11-S	R 860	Adata Premier 8GB DDR3-1600 1.35V 204pin SO-DIMM Memory

AKD3S8N1600	R 431	Arktek 8GB DDR3-1600 204pin 1.5V CL11 SO-DIMM Memory Module, AKD3S8N1600
ME-AN8V16C11L	R 1,259	Adata ADDS1600W8G11-R , 8Gb so-dimm, 204 pin - DDR3L-1600, CL11, 1.35V/ 1.5V dual voltage
PSD38G1600L2S	R 667	Patriot Signature Line 8GB DDR3L-1600 204pin 1.35V CL11 SO-DIMM Memory, non-ECC unbuffered, 1.35V Power requirement, Auto & self refresh capability, Serial presence detect (SPD)
RVR1600LC11SD4GB	R 86	Rogueware Valueram 4Gb DDR3L 1600mhz CL11 1.35v Sodimm Notebook Memory Module

< Return to the menu

Notebook Memory : DDR3L-1600 SO-DIMM 204pin Low voltage

Product code	Price	Description
2G/ZEP/1600	R 144	Zeppelin 2GB DDR3-1600 1.35V 204 pin SO-DIMM Memory, 8IC
4G/ZEP/1600SOLV	R 298	Zeppelin 4GB DDR3-1600 1.35V 204 pin SO-DIMM Memory, 16IC
8G/ZEP/1600SOLV	R 459	Zeppelin 8GB DDR3L-1600 1.35V 204 pin SO-DIMM Notebook Memory, 16IC
AKD3S4N1600	R 275	Arktek 4GB DDR3L-1600 204pin 1.35V CL11 SO-DIMM Memory Module, AKD3S4N1600
JM2666HSG-8G	R 1,674	Transcend 8GB DDR4-2666 260-Pin Notebook SO-DIMM: CL19, 1.2V, 1Rx8, Top tier name-brand ETT grade DRAM chips and materials
PSD34G1600L2S	R 590	Patriot Signature Line 4GB DDR3-1600MHz 1.35V SO-DIMM Dual Rank Memory, Non-ECC Unbuffered, 1.35V Power Requirement, Auto & Self Refresh Capability, Serial Presence Detect (SPD)
PSD34G1600L2S	R 598	Patriot Signature Line 4GB DDR3L 1600Mhz Notebook Memory
PSD38G1600L2S	R 553	Patriot Signature Line 8GB DDR3-1600MHz 1.35V SO-DIMM Dual Rank Memory, Non-ECC Unbuffered, 1.35V Power Requirement, Auto & Self Refresh Capability, Serial Presence Detect (SPD)

< Return to the menu

Notebook Memory : DDR3L-1866 SO-DIMM 204pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR3L-2133 SO-DIMM 204pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR4-2133 SO-DIMM 260pin

Product code	Price	Description
DDR4-2133-NB4G	R 460	4GB 260PIN DDR4-2133 (PC2133) SO-DIMM Notebook Module
ME-K4N16X21x4	R 15,867	Kingston HX421S14iBK4/64 HyperX Impact Black, DDR4-2133 Nb so-dimm (pc4-17000), 64Gb(16Gb x4) kit, single rank x8, CL14 - 260pin, 1.2V - Retail pack
ME-K4N8X21i14x4	R 8,347	Kingston HX421S14iBK4/32 HyperX Impact Black, DDR4-2133 Nb so-dimm (pc4-17000), 32Gb(8Gb x4) kit, single rank x8, CL14 - 260pin, 1.2V - Retail pack, total size - Gb: 32, size per module - Gb: 8, qty per kit: 4, speed: 2133, voltage - v: 1.2, latency: 14
TS512MSH64V1H	R 114	Transcend 4GB DDR4-2133 260-Pin Notebook SO-DIMM : CL15, 1.2V, Top tier name-brand DRAM chips and materials - Top tier name-brand DRAM chips and materials - Life-Time Warranty

< Return to the menu

Notebook Memory : DDR4-2400 SO-DIMM 260pin

Product code	Price	Description
4G/ZEP/2400SO	R 401	Zeppelin 4GB DDR4-2400 260 pin SO-DIMM Notebook Memory, 512X8 8IC
4GBDD4SD	R 242	Leven 4GB DDR4-2400 260 pin SO-DIMM Memory
4X70M60573	R 1,271	LENOVO 4GB DDR4-2400 SO-Dimm 260pin Memory
4X70M60574	R 1,724	LENOVO 4X70M60574 8GB DDR4-2400 SO-Dimm 260pin Memory
8G/ZEP/2400SO	R 1,034	Zeppelin 8GB DDR4-2400 260 pin SO-DIMM Notebook Memory, 1GBX8 8IC

ME-C4N32G24C16D	R 13,544	Corsair CMSX64GX4M2A2400C16 Vengeance 64GB (32GB x2 kit) DDR4-2400 1.2V 260 pin SO-DIMM Memory, 32GB x2 Dual Kit, 260 pin, 2400 (PC4-19200), CL16, 1.2V
MEM725	R 726	Samsung 4GB DDR4-2400 Notebook SO-DIMM 260pin memory

< Return to the menu

Notebook Memory : DDR4-2666 SO-DIMM 260pin

Product code	Price	Description
286H5AA	R 1,183	HP 286H5AA 4GB DDR4-2666 260 pin SO-DIMM Memory
AD4S26664G19-SGN	R 688	Adata Premier 4GB DDR4-2666 1.2V 260 pin SO-DIMM Memory, CL 19-19-19
AKD4S16N2666	R 1,551	Arktek 16GB DDR4-2666 260pin CL17 1.2 V SO-DIMM RAM module, AKD4S16N2666
AKD4S8N2666	R 919	Arktek 8GB DDR4-2666 260pin 1.2V SO-DIMM RAM module, AKD4S8N2666
B14AS4G32619	R 316	Biwintech 4GB DDR4-2666 260pin CL17 1.2V SO-DIMM Memory
DDR4-2666-NB32G	R 2,645	Mecer 32GB DDR4-2666 260 pin SO-DIMM Memory Module
GS44GB2666C19SC	R 593	Geil Pristine 4GB DDR4-2666 CL19 1.2V SO-DIMM Notebook Memory, CAS 19-19-19-43 timing, Geil Dyna 4 SLT tested
HKED4042-4G	R 289	Hikvision S1 4GB DDR4-2666 1.2V 260 pin SO-DIMM module
HSC404S26Z1-4G	R 695	Hiksemi Hiker 4GB DDR4-2666 260pin SO-DIMM Notebook Memory
HSC408S26Z1-8G	R 1,145	Hiksemi Hiker 8GB DDR4-2666 260pin SO-DIMM Notebook Memory
HSC416S26Z1-16G	R 2,243	Hiksemi Hiker 16GB DDR4-2666 260pin SO-DIMM Notebook Memory
JM2666HSB-16G	R 3,920	Transcend 16GB DDR4-2666 1.2V 260 pin notebook SO-DIMM Memory, CL19, 1Rx8
JM2666HSB-8G	R 1,903	Transcend JM2666HSB-8G JetRam 8GB DDR4-2666 260 pin notebook SO-DIMM Memory, CL19, 1.2V, 1Rx8 Single Rank, Top tier name-brand ett grade DRAM chips and materials
JM2666HSE-32G	R 7,169	Transcend JetRam 32GB DDR4-2666 CL19 1.2V 260pin SO-DIMM Notebook Memory, 2Rx8 rank
JM2666HSH-4G	R 1,119	Transcend JM2666HSH-4G JetRam 4GB DDR4-2666 260 pin notebook SO-DIMM Memory, CL19, 1.2V, 1Rx8 Single Rank, Top tier name-brand ett grade DRAM chips and materials
ME-A4N16F26C18	R 3,039	Adata AX4S2666316G18 DDR4 Nb so-dimm, 16Gb Flame, with flame heatsink, DDR4-2666 (pc4-21330), single rank x8, CL18 - 260pin, 1.2V - Retail pack
ME-A4N16V26C19	R 3,039	Adata AD4S2666316G19 Nb Valueram, 16Gb DDR4-2666 (pc4-21330) so-dimm, single rank x8, CL19 - 260pin, 1.2V - Retail pack
ME-A4N32V26C19	R 6,909	Adata AD4S2666732G19 DDR4 Nb so-dimm Valueram, 32Gb DDR4-2666 (pc4-21330), dual rank x8, CL19 - 260pin, 1.2V - Retail pack
ME-A4N4V26C19	R 795	Adata AD4S2666W4G19 Nb so-dimm Valueram, 4Gb DDR4-2666 (pc4-21330), single rank x8, CL19 - 260pin, 1.2V - Retail pack
ME-A4N8V26C19	R 1,569	Adata AD4S266638G19 Nb so-dimm Valueram, 8Gb DDR4-2666 (pc4-21330), single rank x8, CL19 - 260pin, 1.2V - Retail pack
ME-C4N4G26C18X2	R 2,044	Corsair CMSX8GX4M2A2666C18 Vengeance, 8Gb(4Gb x2) kit, DDR4-2666, SO-Dimm, 260 pin (pc4-21330), CL18, 1.2V
PSD416G26662S	R 3,018	Patriot Signature Line 16GB DDR4-2666 260 pin CL19 SO-DIMM Memory Module
PSD416G266681S	R 2,714	Patriot Signature Line 16GB DDR4-2666 CL19 1.2V 260 pin SO-DIMM Notebook Memory
PSD432G32002S	R 6,912	Patriot Signature Line 32GB 3200MHz DDR4 Dual Rank SODIMM Notebook Memory
PSD44G266681S	R 831	Patriot Signature Line 4GB DDR4-2666 260 pin CL19 SO-DIMM Memory Module
PSD44G266681S	R 644	Patriot Signature Line 4GB DDR4-2666 260 pin CL19 SO-DIMM Memory Module, Â© 2020 Laptop Direct
PSD48G266681S	R 1,558	Patriot Signature Line 8GB DDR4-2666 1.2 V CL19 260 pin SO-DIMM Notebook memory, single rank
PSD48G266682S	R 699	Patriot Signature Line 8GB DDR4-2666 260 pin CL19 SO-DIMM Memory Module
RVR2666C19SD16GB	R 914	Rogueware Valueram 16Gb DDR4 2666mhz CL19 1.2v Sodimm Notebook Memory Module

< Return to the menu

Notebook Memory : DDR4-2933 SO-DIMM 260pin

Product code	Price	Description

KVR32S22D8/32	R 9,637	Kingston KVR32S22D8/32 32GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
ME-K4N32V29C21	R 9,784	Kingston KVR29S21D8/32 DDR4 Nb so-dimm 32Gb Valueram, 2933 (pc4-23400), CL21 - 260pin, 1.2V - Retail pack
ME-K4N32X29	R 8,845	Kingston HX429S17iB/32 DDR4 Nb so-dimm HyperX Impact Black, 2933 (pc4-23400), 32Gb, single rank x8, CL17 - 260pin, 1.2V - Retail pack

< Return to the menu

Notebook Memory : DDR4-3000 SO-DIMM 260pin

Product code	Price	Description
ME-A4N32H32C20	R 7,020	Adata XPG Hunter 32GB (1x32GB) DDR4-3000 CL20 1.2V 260 pin SO-DIMM Memory with cooling heatsink, Dual Rank x8, AX4S320032G20i-SBHT
ME-A4N8H30C17	R 1,590	Adata AX4S300038G17G-SBHT DDR4 Nb so-dimm, 8Gb Hunter, with cooling heatsink, DDR4-3000 (pc4-24000), single rank x8, CL17 - 260pin, 1.2V - Retail pack

< Return to the menu

Notebook Memory : DDR4-3200 SO-DIMM 260pin

Product code	Price	Description
74-AA937595	R 1,691	Dell AA937595 8GB DDR4-3200 260 pin 1.2V SO-DIMM Memory, Single Rank, Unbuffered
74-AA937596	R 3,407	Dell AA937596 16GB DDR4-3200 260 pin 1.2V SO-DIMM Memory, Dual Rank, Unbuffered
74-AB371019	R 1,704	Dell AA937595 8GB DDR4-3200 260 pin 1.2V SO-DIMM Memory, Single Rank, Unbuffered
AD4S320016G22-SGN	R 2,332	Adata Premier 16GB DDR4-3200 260 pin 1.2V SO-DIMM Memory
AD4S320016G22-SGN	R 2,931	Adata Premier 16GB DDR4-3200 260pin 1.2V SO-DIMM Memory
AD4S320016G22-SGN	R 2,064	Adata Premier 16GB DDR4-3200 260pin 1.2V SO-DIMM Memory
AD4S320032G22-SGN	R 5,749	Adata DDR4 32GB DDR4-3200 SO-DIMM 1.2V 260 pin Memory, 2048x8
AD4S320032G22-SGN	R 5,231	Adata DDR4 32GB DDR4-3200 SO-DIMM 1.2V 260pin SO-DIMM Memory
AD4S320032G22-SGN	R 4,859	Adata DDR4 32GB DDR4-3200 SO-DIMM 1.2V 260pin SO-DIMM Memory
AD4S32008G22-SGN	R 1,148	Adata DDR4 8GB DDR4-3200 SO-DIMM 1.2V 260 pin Memory, 1024x16
AD4S32008G22-SGN	R 1,436	Adata DDR4 8GB DDR4-3200 SO-DIMM 1.2V 260pin SO-DIMM Memory
AD4S32008G22-SGN	R 972	Adata DDR4 8GB DDR4-3200 SO-DIMM 1.2V 260pin SO-DIMM Memory
AKD4S16N3200	R 1,609	Arktek 16GB DDR4-3200 260pin CL17 1.2V SO-DIMM RAM module, AKD4S16N3200
AKD4S8N3200	R 1,034	Arktek 8GB DDR4-3200 260pin 1.2V SO-DIMM RAM module
CT8G4SFRA32A	R 1,264	Crucial 8GB DDR4-3200 CL22 1.2V 260pin SO-DIMM Notebook Memory - Tray, Single ranked, non-ECC, 22-22-22 extended timings
CX08GBNB4S32	R 1,011	CipherX Pro Series 8GB DDR4-3200 260pin SO-DIMM Notebook Memory Module
CX08GBPC4S32	R 1,584	CipherX Professional Series 8GB DDR4-3200 CL16 260pin SO-DIMM Notebook Memory Module
CX16GBNB4S32	R 2,287	CipherX Pro Series 16GB DDR4-3200 260pin SO-DIMM Notebook Memory Module
CX16GBPC4S32	R 3,798	CipherX Professional Series 16GB DDR4-3200 CL16 260pin SO-DIMM Notebook Memory Module
CX32GBNB4S32	R 4,597	CipherX Pro Series 32GB DDR4-3200 260pin SO-DIMM Notebook Memory Module
GS416GB3200C22DC	R 994	Geil Pristine 16GB (2x8GB) DDR4-3200 260pin 1.2V Notebook Memory kit, Dual channel
GS432GB3200C22DC	R 2,037	Geil Pristine 32GB (2x16GB) DDR4-3200 260pin 1.2V Notebook Memory kit, Dual channel
GS432GB3200C22SC	R 4,928	Geil Pristine 32GB DDR4-3200 260pin CL22 1.2V SO-DIMM Notebook Memory, 22-22-22-52 timing, Geil Dyna 4 SLT tested
GS48GB3200C22SC	R 1,013	Geil Pristine 8GB DDR4-3200 260pin 1.2V Notebook Memory, Single channel
HMA851S6DJR6N	R 484	Hynix 4GB DDR4-3200 260 pin 1.2V CL22 SO-DIMM Memory, 1Rx16 rank
HP32D4S2S1MR-4	R 484	Kingston 4GB DDR4-3200 260pin CL22 1.2V SO-DIMM Laptop Memory Module, 1Rx16 rank
HSC408S32Z1-8G	R 1,829	Hikvision 8GB DDR4-3200 260pin SO-DIMM Memory
HSC408S32Z1-8G	R 1,442	Hikvision 8GB DDR4-3200 260pin SO-DIMM Memory
HSC416S32Z1-16G	R 3,535	Hikvision 16GB DDR4-3200 260pin SO-DIMM Memory
HSC416S32Z1-16G	R 2,299	Hikvision 16GB DDR4-3200 260pin SO-DIMM Memory

HSC432S32Z1-32G	R 6,095	Hiksemi Hiker 32GB DDR4-3200 260pin Notebook Memory
JM3200HSB-16G	R 3,920	Transcend JetRam 16GB DDR4-3200 CL22 1.2V 260 pin Notebook SO-DIMM Memory, 1Rx8
JM3200HSB-8G	R 1,993	Transcend 8GB DDR4-3200 1.2V 260pin SO-DIMM Notebook Memory, JM3200HSB-8G
JM3200HSE-32G	R 7,169	Transcend JetRam 32GB DDR4-3200 1.2V CL22 260 pin SO-DIMM Memory, Unbuffered, non-ECC
JM3200HSH-4G	R 1,119	Transcend JetRam 4GB DDR4-3200 CL22 1.2V 260 pin SO-DIMM Notebook Memory, 1Rx8 Rank x Org, 512MX8 Component composition
KCP432SD8/16	R 4,072	Kingston KCP432SD8/16 16GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
KCP432SD8/32	R 10,083	Kingston KCP432SD8/32 32GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
KCP432SS8/16	R 5,072	Kingston KCP432SS8/16 16GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
KCP432SS8/16	R 5,215	Kingston KCP432SS8/16 16GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
KCP432SS8/16	R 5,088	Kingston 16GB DDR4-3200 CL22 1.2V 260 pin non-ECC SO-DIMM Memory, 1R (Single Rank)
KCP432SS8/8	R 2,179	Kingston KCP432SS8/8 8GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
KCP432SS8/8	R 2,304	Kingston KCP432SS8/8 8GB DDR4 3200Mhz Non ECC Memory RAM SODIMM, Â© 2020 Laptop Direct
KVR32S22D8/32	R 5,806	Kingston 32GB DDR4-3200 260pin CL22 1.2V non-ECC SO-DIMM Notebook Memory, 2Rx8 Dual Rank
KVR32S22S8/16	R 4,847	Kingston KVR32S22S8/16 16GB DDR4 3200Mhz Non ECC Memory RAM SODIMM
KVR32S22S8/16	R 5,231	Kingston 16GB DDR4-3200 260pin CL22 1.2V non-ECC SO-DIMM Notebook Memory, 1Rx8 single rank
KVR32S22S8/8	R 2,083	Kingston KVR32S22S8/8 DDR4 Nb so-dimm 8Gb Valueram, 3200 (pc4-25600), CL22 - 260pin, 1.2V - Retail pack
KVR32S22S8/8	R 2,126	Kingston 8GB DDR4-3200 260pin CL22 1.2V non-ECC SO-DIMM Notebook Memory, 1Rx8 single rank
LD4AS008G-B3200GSST	R 1,205	Lexar 8GB DDR4-3200 260pin CL22 1.2V SO-DIMM Laptop Memory Module, LD4AS008G-B3200GSST
LD4AS016G-B3200GSST	R 2,298	Lexar 16GB DDR4-3200 CL22 260pin 1.2V SO-DIMM Memory, LD4AS016G-B3200GSST
ME-A4N16V32C22	R 3,095	Adata AD4S3200716G22 DDR4 Nb so-dimm Valueram, 16Gb DDR4-3200 (pc4-25600), single rank x8, CL22 - 260pin, 1.2V - Retail pack
ME-A4N32V32C22	R 6,964	Adata AD4U3200732G22 Ddr4 Nb so-dimm Valueram, 32Gb DDR4-3200 (pc4-25600), single rank x8, CL22 - 260pin, 1.2V - Retail pack
ME-A4N8H32C20	R 1,590	Adata XPG Hunter 8GB (1x8GB) DDR4-3200 CL20 1.2V 260 pin SO-DIMM Memory with cooling heatsink, Single Rank x8, AX4S32008G20i-SBHT
ME-A4N8V32C22	R 1,590	Adata AD4S320038G22 Ddr4 Nb so-dimm Valueram, 8Gb DDR4-3200 (pc4-25600), single rank x8, CL22 - 260pin, 1.2V - Retail pack
ME-K4N16V32C22	R 3,979	Kingston KVR32S22D8/16 DDR4 Nb so-dimm 16Gb Valueram, 3200 (pc4-25600), CL22 - 260pin, 1.2V - Retail pack
ME-K4N16X32	R 4,919	Kingston HX432S20iB/16 DDR4 Nb so-dimm HyperX Impact Black, 3200 (pc4-25600), 16Gb, single rank x8, CL20 - 260pin, 1.2V - Retail pack
ME-K4N16X32x2	R 9,895	Kingston HX432S20iBK2/32 DDR4 Nb so-dimm HyperX Impact Black, 3200 (pc4-25600), 32Gb(16Gb x2) kit, single rank x8, CL20 - 260pin, 1.2V - Retail pack
ME-K4N32V32C22	R 9,784	Kingston KVR32S22D8/32 DDR4 Nb so-dimm 32Gb Valueram, 3200 (pc4-25600), CL22 - 260pin, 1.2V - Retail pack
ME-K4N32X32	R 9,839	Kingston HX432S20iB/32 DDR4 Nb so-dimm HyperX Impact Black, 3200 (pc4-25600), 32Gb, single rank x8, CL20 - 260pin, 1.2V - Retail pack
ME-K4N32X32x2	R 18,173	Kingston HX432S20iBK2/64 DDR4 Nb so-dimm HyperX Impact Black, 3200 (pc4-25600), 64Gb(32Gb x2) kit, single rank x8, CL20 - 260pin, 1.2V - Retail pack
ME-K4N4V32C22	R 938	Kingston KVR32S22S6/4 DDR4 Nb so-dimm 4Gb Valueram, 3200 (pc4-25600), CL22 - 260pin, 1.2V - Retail pack
ME-K4N8V32C22	R 2,099	Kingston KVR32S22S8/8 DDR4 Nb so-dimm 8Gb Valueram, 3200 (pc4-25600), CL22 - 260pin, 1.2V - Retail pack
ME-K4N8X32i20	R 2,099	Kingston HX432S20IB2/8 DDR4 Nb so-dimm HyperX Impact Black, 3200 (pc4-25600), 8Gb, single rank x8, CL20 - 260pin, 1.2V - Retail pack
ME-K4N8X32i20x2	R 4,255	Kingston HX432S20IB2K2/16 DDR4 Nb so-dimm HyperX Impact Black, 3200 (pc4-25600), 16Gb(8Gb x2) kit, single rank x8, CL20 - 260pin, 1.2V - Retail pack
MSV8GD432C22	R 1,034	OCPC VS 8GB DDR4-3200 CL22 260pin 1.2V SO-DIMM Memory, Single channel, non-ECC
MTA4ATF51264HZ-3G2J1	R 484	Micron 4GB DDR4-3200 260pin 1.2V CL22 SO-DIMM Laptop Memory Module, 1Rx16 rank
MTA4ATF51264HZ-3G2R1	R 484	Micron 4GB DDR4-3200 260pin 1.2V CL22 SO-DIMM Laptop Memory Module, 1Rx16 rank

PSD416G320081S	R 2,990	Patriot Signature Line 16GB DDR4-3200 260pin CL22 1.2V Notebook Memory
PSD416G320081S	R 3,049	Patriot Signature Line 16GB DDR4-3200 260pin CL22 1.2V Notebook Memory, 22-22-22-52 timings, DDR4 non-ECC unbuffered
PSD48G320081S	R 1,441	Patriot Signature Line 8GB DDR4-3200 260 pin CL22 1.2V Single Rank SO-DIMM Notebook Memory
PSD48G320081S	R 1,305	Patriot Signature Line 8GB DDR4-3200 260 pin CL22 1.2V Single Rank SO-DIMM Notebook Memory
PSD48G320082S	R 1,380	Patriot Signature Line 8GB DDR4 3200MHz Notebook Memory; PC4-25600; 260-pin SODIMM; CL22; timings 22-22-22-52; 1.2V; Non-ECC unbuffered; laptop memory upgrade; RoHS compliant
SD100-16GB-3200-1R8	R 2,069	Acer SD100 16GB DDR4-3200 260pin CL22 1.2V SO-DIMM Notebook Memory
SP008GBSFU320X02	R 1,458	Silicon Power 8GB DDR4-3200 260pin CL22 1.2V SO-DIMM Memory, SP008GBSFU320X02

< Return to the menu

Notebook Memory : DDR4-3800 SO-DIMM 260pin

Product code	Price	Description
ME-C4N8G36C16x4	R 8,292	Corsair CMSX32GX4M4X3600C16 venGeance 8Gb x4 kit Ddr4-3600 SO-dimm 260 pin (pc4-28800) CL16 1.35V memory

< Return to the menu

Notebook Memory : DDR4-4000 SO-DIMM 260pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR5-4800 SO-DIMM 262pin

Product code	Price	Description
74-AB949334	R 2,832	Dell AB949334 16GB DDR5-4800 262 pin SO-DIMM Notebook Memory, 1RX8
AB949334	R 1,413	Dell AB949334 16GB DDR5-4800 262 pin SO-DIMM Notebook Memory, 1RX8
AB949335	R 4,434	Dell AB949335 32GB DDR5-4800 262 pin SO-DIMM Notebook Memory, 2RX8
AD5S480032G-S	R 5,748	Adata Premier 32GB DDR5-4800 CL40 262 pin 1.1V SO-DIMM Memory
GS516GB4800C40SC	R 4,928	Geil Pristine 16GB DDR5-4800 262pin 1.1V SO-DIMM Notebook Memory
HSC508S48Z1-8G	R 2,938	Hiksemi Hiker 8GB DDR5-4800 262pin SO-DIMM Notebook Memory
HSC516S48Z1-16G	R 4,852	Hiksemi Hiker 16GB DDR5-4800 262pin SO-DIMM Notebook Memory
JM4800ASE-16G	R 5,265	Transcend Jet Memory 16GB DDR5-4800 1.1V CL40 262 pin SO-DIMM Memory, 1Rx8 Rank x Org
JM4800ASE-32G	R 10,081	Transcend Jet 32GB DDR5-4800 262 pin CL40 1.1V SO-DIMM Memory
JM4800ASG-8G	R 2,799	Transcend Jet 8GB DDR5-4800 262 pin CL40 1.1V SO-DIMM Memory
KS4800D5N11008G	R 2,385	Kingspec 8GB DDR5-4800 262pin CL40 1.1V SO-DIMM Notebook Memory
KS4800D5N11008G	R 2,099	Kingspec 8GB DDR5-4800 262pin CL40 1.1V SO-DIMM Notebook Memory
ME-A5N16V48	R 4,771	Adata Valueram 16GB DDR5-4800 262 pin 1.1V CL40 SO-DIMM Memory, AD5S480016G
ME-A5N32V48	R 8,681	Adata Valueram 32GB DDR5-4800 262 pin 1.1V CL40 SO-DIMM Memory, AD5S480032G
ME-C5N24G48X2	R 15,977	Corsair Vengeance CMSX48GX5M2A4800C40 DDR5 48GB (2x24GB) SO-DIMM: DDR5-4800MHz, CL40, low voltage (1.1V), ECC support, designed for laptops and small-form-factor PCs, compatible with Intel and AMD systems, high performance and reliability.
ME-C5N48G48X2	R 35,051	Corsair Vengeance CMSX96GX5M2A4800C40 DDR5 96GB (2x48GB) SO-DIMM: DDR5-4800MHz, CL40, low voltage (1.1V), ECC support, designed for laptops and small-form-factor PCs, compatible with Intel and AMD systems, high performance and reliability
ME-K5N32F48x2	R 24,004	Kingston Fury Impact 64GB (2x32GB) DDR5-4800 262 pin 1.1V CL40 SO-DIMM mermory, KF548S38iBK2-64, 2R (Dual Rank)
MEM-16GB-DDR5-SODIMM	R 4,888	CipherX Professional Series 16GB DDR5-4800 CL36 262pin SO-DIMM Notebook Memory Module
PSD516G480081S	R 4,931	Patriot Signature Line 16GB DDR5-4800 262pin CL40 1.1V SO-DIMM Notebook Memory, Single Rank, 40-40-40-70 timings
PSD58G480041S	R 2,869	Patriot Signature Line 8GB DDR5-4800 262pin CL40 1.1V SO-DIMM Notebook Memory, Single Rank, 40-40-40-70

	timings

< Return to the menu

Notebook Memory : DDR5-5200 SO-DIMM 262pin

Product code	Price	Description
ME-C5N16G52	R 7,020	Corsair CMSX16GX5M1A5200C44 DDR5 Nb so-dimm VenGeance, DDR5-5200, 16Gb, single rank x4, CL44 - 262pin, built-in ECC, 1.1V - Retail pack
ME-C5N24G52X2	R 17,580	Corsair Vengeance CMSX48GX5M2A5200C44 DDR5 48GB (2x24GB) SO-DIMM: DDR5-5200MHz, CL44, low voltage (1.1V), ECC support, designed for laptops and small-form-factor PCs, compatible with Intel and AMD systems, high performance and reliability.
ME-C5N32G52	R 13,931	Corsair CMSX32GX5M1A5200C44 DDR5 Nb so-dimm VenGeance, DDR5-5200, 32Gb, single rank x4, CL44 - 262pin, built-in ECC, 1.1V - Retail pack
ME-C5N48G52X2	R 35,161	Corsair Vengeance CMSX96GX5M2A5200C44 DDR5 96GB (2x48GB) SO-DIMM: DDR5-5200MHz, CL44, low voltage (1.1V), ECC support, designed for laptops and small-form-factor PCs, compatible with Intel and AMD systems, high performance and reliability
ME-K5N32V52	R 12,051	Kingston KVR52S42BD8-32 Ddr5 Nb so-dimm Valueram, 32Gb DDR5-5200, dual rank x8, CL42 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N48V56	R 18,201	Kingston KVR56S46BD8-48 DDR5 Nb so-dimm Valueram, 48Gb DDR5-5200, dual rank x8, CL42 - 262pin, built-in ECC, 1.1V - Retail pack

< Return to the menu

Notebook Memory : DDR5-5600 SO-DIMM 262pin

Product code	Price	Description
AD5S560016G-S	R 4,943	Adata Premier 16GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Memory, AD5S560016G-S
AD5S560016G-S	R 5,461	Adata Premier 16GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Memory, AD5S560016G-S
AD5S560032G-S	R 9,773	Adata Premier 32GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Memory, AD5S560032G-S
AD5S560032G-S	R 11,326	Adata Premier 32GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Memory, AD5S560032G-S
AD5S56008G-S	R 2,988	Adata Premier 8GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Memory, AD5S56008G-S
AD5S56008G-S	R 3,046	Adata Premier 8GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Memory, AD5S56008G-S
CMSX16GX5M1A5600C48	R 5,624	Corsair Vengeance 16GB (1x16GB) DDR5-5600 1.1V CL48 262pin SO-DIMM Memory, CL48-48-48-90 1.1V
CMSX24GX5M1A5600C48	R 6,889	Corsair Vengeance Series 24GB (1x24GB) DDR5-5600 262pin 1.1V CL48 SO-DIMM Memory, CL48-48-48-90
CT16G56C46S5	R 5,096	Crucial 16GB 5600MHz DDR5 SODIMM Notebook Memory
CT16G56C46S5	R 4,138	Crucial 16GB DDR5-5600 262pin CL46 1.1V SO-DIMM Notebook Memory, 16GB die density, 46-45-45 Default timing
CT8G56C46S5	R 2,376	Crucial 8GB 5600MHz DDR5 SODIMM Notebook Memory
CT8G56C46S5	R 1,701	Crucial 8GB DDR5-5600 262pin CL46 1.1V SO-DIMM Notebook Memory, 16GB die density, 46-45-45 Default timing
DDR5-PC5600-32GB-L	R 8,599	Dato DDR5 SODIMM Laptop Memory - 32GB Capacity, 5600MHz Frequency Speed, 262-Pin Dimm Type, DDR5 SODIMM Interface, Laptop Compatibility, 0?C ~ 85?C Operating Temperature
DDR5-PC5600-32GB-L	R 9,256	Dato DDR5 SODIMM Laptop Memory - 32GB Capacity, 5600MHz Frequency Speed, 262-Pin Dimm Type, DDR5 SODIMM Interface, Laptop Compatibility, 0?C ~ 85?C Operating Temperature
GS516GB5600C46SC	R 4,969	Geil Pristine 16GB DDR5-5600 262pin 1.1V SO-DIMM Notebook Memory
GS58GB5600C46SC	R 853	Geil Pristine 8GB DDR5-5600 262pin 1.1V SO-DIMM Notebook Memory - Black
HSC508S56Z1-8G	R 3,206	Hiksemi Hiker 8GB DDR5-5600 262pin SO-DIMM Notebook Memory
HSC516S56Z1-16G	R 5,729	Hiksemi Hiker 16GB DDR5-5600 262pin SO-DIMM Notebook Memory
HSC516S56Z1-16G	R 4,097	Hiksemi Hiker 16GB DDR5-5600 262pin SO-DIMM Notebook Memory
HSC532S56Z1-32G	R 10,362	Hiksemi Hiker 32GB DDR5-5600 262pin SO-DIMM Notebook Memory
JM5600ASE-16G	R 5,768	Transcend Jet Memory 16GB DDR5-5600 1.1V CL46 262pin unbuffered SO-DIMM Memory, 1Rx8 rank, JM5600ASE

JM5600ASE-24G	R 9,353	Transcend Jet Memory 24GB DDR5-5600 262pin 1.1V CL46 SO-DIMM unbuffered Notebook Memory, 1Rx8 Rank
JM5600ASE-32G	R 11,202	Transcend Jet Memory 32GB DDR5-5600 1.1V CL46 262pin unbuffered SO-DIMM Memory, 2Rx8 rank, JM5600ASE
JM5600ASE-48G	R 17,923	Transcend Jet Memory 48GB DDR5-5600 262pin CL46 1.1V unbuffered SO-DIMM Memory, 2Rx8 rank
JM5600ASG-8G	R 3,023	Transcend Jet Memory 8GB DDR5-5600 262pin CL46 1.1V SO-DIMM Memory, 2Rx8 rank
KCP556SD8-32	R 13,362	Kingston 32GB DDR5-5600 262pin CL46 1.1V non-ECC unbuffered SO-DIMM Memory, 2RX8 rank
KCP556SS6-8	R 3,637	Kingston 8GB DDR5-5600 262pin CL46 1.1V non-ECC unbuffered SO-DIMM Memory, 1Rx16 rank
KCP556SS6-8	R 3,507	Kingston 8GB DDR5-5600 262pin CL46 1.1V non-ECC unbuffered SO-DIMM Memory, 1Rx16 rank
KCP556SS8-16	R 6,446	Kingston 16GB DDR5-5600 262pin CL46 1.1V non-ECC unbuffered SO-DIMM Memory, 1RX8 rank
KVR56S46BD8-32	R 12,771	Kingston KVR56S46BD8-32 32GB 5600MT/s DDR5 Non-ECC CL46 SODIMM 2Rx8, ValueRAM Notebook & Portable Memory module
KVR56S46BD8-32	R 13,511	Kingston 32GB DDR5-5600 262pin CL46 1.1V non-ECC SO-DIMM Notebook Memory, 2Rx8 Dual rank
KVR56S46BS6-8	R 3,476	Kingston KVR56S46BS6-8 8GB 5600MT/s DDR5 Non-ECC CL46 SODIMM 1Rx16, ValueRAM Notebook & Portable Memory Module
KVR56S46BS8-16	R 6,446	Kingston KVR56S46BS8-16 16GB 5600MT/s DDR5 Non-ECC CL46 SODIMM 1Rx8, ValueRAM Notebook & Portable Memory Module
KVR56S46BS8-16	R 6,956	Kingston 16GB DDR5-5600 262pin CL46 1.1V non-ECC SO-DIMM Notebook Memory, 1Rx8 single rank
LD5S08G56C46ST-BGS	R 2,585	Lexar 8GB DDR5-5600 262pin CL46 1.1V SO-DIMM Memory, 46-45-45-90 timing
ME-A5N16V56	R 5,445	ADATA DDR5-5600 SO-DIMM 16GB: 16GB DDR5 memory module, 5600 MHz frequency, SO-DIMM form factor, 1.1V operating voltage, built-in Power Management IC (PMIC), on-die error correcting code (ECC), compatible with AMD and Intel platforms, energy-efficient, enhanced power supply stability.
ME-A5N32V56	R 10,615	ADATA DDR5-5600 SO-DIMM 32GB: 32GB DDR5 memory module, 5600 MHz frequency, SO-DIMM form factor, 1.1V operating voltage, built-in Power Management IC (PMIC), on-die error correcting code (ECC), compatible with AMD and Intel platforms, energy-efficient, enhanced power supply stability
ME-A5N8V56	R 2,759	Adata DDR5-5600 SO-DIMM 8GB: 8GB DDR5 memory module, 5600 MHz frequency, SO-DIMM form factor, 1.1V operating voltage, built-in Power Management IC (PMIC), on-die error correcting code (ECC), compatible with AMD and Intel platforms, energy-efficient, enhanced power supply stability
ME-K5N16F56	R 6,506	Kingston KF556S40iB-16 DDR5 Nb so-dimm Fury Impact, DDR5-5600, 16Gb, single rank x8, CL40 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N16F56x2	R 12,971	Kingston KF556S40iBK2-32 DDR5 Nb so-dimm Fury Impact, DDR5-5600, 32Gb(16Gb x2) kit, single rank x8, CL40 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N16V56	R 6,523	Kingston KVR56S46BS8-16 DDR5 Nb so-dimm Valueram, 16Gb DDR5-5600, single rank x8, CL46 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N32F56	R 12,859	Kingston KF556S40iB-32 DDR5 Nb so-dimm Fury Impact, DDR5-5600, 32Gb, dual rank x8, CL40 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N32F56x2	R 25,799	Kingston KF556S40iBK2-64 DDR5 Nb so-dimm Fury Impact, DDR5-5600, 64Gb(32Gb x2) kit, dual rank x8, CL40 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N32V56	R 11,234	Kingston KVR56S46BD8-32 DDR5 Nb so-dimm Valueram, 32Gb DDR5-5600, dual rank x8, CL46 - 262pin, built-in ECC, 1.1V - Retail pack
ME-K5N8V56	R 3,536	Kingston KVR56S46BS6-8 DDR5 Nb so-dimm Valueram, 8Gb DDR5-5600, single rank x6, CL46 - 262pin, built-in ECC, 1.1V - Retail pack
PSD516G560081S	R 5,763	Patriot Signature Line 16GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Notebook Memory, 46-46-46-90 timings. Basic specs: 16GB DDR5 5600MT/s SODIMM, 262-pin, 1.1v, single rank, on-die ECC, PMIC, non-ECC unbuffered, 6.9 x 3 x 0.3 cm, 9.5 g.
PSD58G560041S	R 3,049	Patriot Signature Line 8GB DDR5-5600 262pin 1.1V CL46 SO-DIMM Notebook Memory, 46-46-46-90 timings
TS5600ASE-16G	R 5,735	Transcend Jet Memory 16GB DDR5-5600 262pin CL46 Notebook SO-DIMM Memory, 1Rx8 rank
TS5600ASE-32G	R 11,202	Transcend Jet Memory 32GB DDR5-5600 262pin CL46 1.1V Notebook SO-DIMM Memory, 2Rx8 rank

< Return to the menu

Notebook Memory : DDR5-6000 SO-DIMM 262pin

Product code	Price	Description
ME-K5N16F60	R 7,020	Kingston Fury Impact 16GB DDR5-6000 CL38 262 pin 1.35V SO-DIMM Memory, Single Rank x8, KF560S38iB-16
ME-K5N16F60x2	R 14,042	Kingston Fury Impact 32GB (2x16GB) DDR5-6000 CL38 262 pin 1.35V SO-DIMM Memory, Single Rank x8, KF560S38iBK2-32
ME-K5N16F64x2	R 15,258	Kingston Fury Impact 32GB (2x16GB) DDR5-6000 CL38 262 pin 1.35V SO-DIMM Memory, Single Rank x8, KF564S38iBK2-32

< Return to the menu

Notebook Memory : DDR5-6400 SO-DIMM 262pin

Product code	Price	Description
JM6400ASE-16G	R 6,161	Transcend Jet Memory 16GB DDR5-6400 262pin CL52 1.1V Notebook CSO-DIMM Memory, 1Rx8 rank
JM6400ASE-32G	R 12,322	Transcend Jet Memory 32GB DDR5-6400 262pin CL52 1.1V Notebook CSO-DIMM Memory, 2Rx8 rank
ME-K5N16F64	R 7,628	Kingston Fury Impact 16GB DDR5-6400 CL38 262 pin 1.35V SO-DIMM Memory, Single Rank x8, KF564S38iB-16
ME-K5N16V64	R 6,633	Kingston KVR64V52BS8-16 - DDR5 16GB 6400MHz, CL52, DIMM, Non-ECC, Unbuffered
ME-K5N32V64	R 11,430	Kingston ValueRAM 32GB DDR5-6400 262pin CL52 1.1V CSO-DIMM Laptop Memory, 1Rx8 rank, CL52-52-52 timing, KVR64V52BS8-32
ME-K5N8V64	R 3,593	Kingston KVR64V52BS8-8 â€“ DDR5 8GB 6400MHz, CL52, CSODIMM, Non-ECC, Unbuffered

< Return to the menu

Notebook Memory : DDR5-7000 SO-DIMM 262pin

Product code	Price	Description

< Return to the menu

Notebook Memory : DDR5-7200 SO-DIMM 262pin

Product code	Price	Description

< Return to the menu

Notebook Memory : PC100 SO-DIMM 144pin

Product code	Price	Description

< Return to the menu

Optane memory

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Modems

Dial-up analogue / phone line modem

Product code	Price	Description
MOD	R 12	Unbranded Internal 56k Dial-up Modem

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Monitors

Anti-spy privacy filters screens & monitors

Product code	Price	Description

161815679963	R 419	Promate privMate.iPM Premium Privacy Screen Protector for iPad Mini (Tablet not included)
161815689313	R 169	Promate privMate.S3 High-quality Multi-way Privacy screen protector for Samsung Galaxy S3 (Cell phone not included)
2161815689274	R 159	Promate privMate.SGN High-quality Multi-way Privacy screen protector for Samsung Galaxy Note (Phone not included)
4800701	R 932	Fellowes 15.4" Widescreen-PrivaScreen Blackout Privacy Filter
4801001	R 782	Fellowes 17" Widescreen-PrivaScreen Blackout Privacy Filter
4801101	R 68	Fellowes 19" Widescreen-PrivaScreen Blackout Privacy Filter
4802001	R 797	Fellowes 15.6" Widescreen-PrivaScreen Blackout Privacy Filter
4806801	R 572	Fellowes 13.3" Widescreen PrivaScreen Blackout Privacy Filter
4807001	R 1,283	Fellowes 21.5" Widescreen-PrivaScreen Privacy Filter
4807101	R 1,458	Fellowes 23" Widescreen-PrivaScreen Privacy Filter
4811801	R 1,853	Fellowes 24" Widescreen-PrivaScreen Blackout Privacy Filter. 531mm (W) x 298mm (H)
4812001	R 672	Fellowes 14.0" Widescreen-PrivaScreen Blackout Privacy Filter 304mm (W) x 154mm (H)
4815001	R 2,032	Fellowes 27" Widescreen-PrivaScreen Blackout Privacy Filter. 597mm (W) x 335mm (H)
6161815916413	R 129	Promate privMate.i4 High-quality Multi-way Privacy screen protector for iPhone 4 (Phone not included)
6161815919162	R 589	Promate privMate.iPA High-quality Multi-way Privacy screen protector for iPad 2 (Tablet not included)
6959144000084	R 179	Promate privMate.BBZ10 Premium Privacy Screen Protector for BlackBerry Z10 (Phone not included)
900001	R 593	Port Designs 900001 Privacy Filter 2D 13.3" Laptop
900003	R 412	Port designs 900003 Privacy Filter 2D 14" , 0.58mm Thickness, 85% Transparency, Polypropylene Material
900004	R 435	Port Designs Privacy Filter 2D 14.1" Laptop, Polypropylene material, 0.58mm thickness, 85% transparency, 304x191 mm dimensions, 16:10 Aspect Ratio, 900004
900005	R 516	Port Designs 900005 Privacy Filter 2D 15.6" , Polypropylene material, 0.58mm thickness, 85% transparency
900005	R 586	Port Designs 900005 Privacy Filter 2D 15.6" , Polypropylene material, 0.58mm thickness, 85% transparency
900006	R 753	Port Designs Privacy Filter 2D 15.4" Laptop, Polypropylene material, 0.58mm thickness, 85% transparency, 331x210 mm dimensions, 16:10 Aspect Ratio, 900006
900201	R 968	Port Designs 900201 Privacy Filter 2D 17" Laptop, 16:9 screen protector
900202	R 1,935	Port Designs 900202 Privacy Filter 2D 24" Laptop
900208	R 1,646	Port Designs 900208 Privacy Filter 2D for 21.5" Laptop, Antiglare, Matte Satin finish smooth to the touch, Polypropylene
900209	R 1,774	Port Designs 900209 Privacy Filter 2D 23.8" Laptop
900217	R 1,187	Port Designs 900217 Privacy Filter 2D 19" Laptop (Note: This is a screen privacy filter, laptop not included)
900221	R 1,646	Port Designs Privacy Filter 2D 22" Laptop, Anti-reflective
900225	R 1,001	Port Designs 900225 Privacy Filter 2D 17" Laptop
900227	R 1,290	Port Designs Privacy Filter 2D 20" Laptop, Anti-reflective
900231	R 390	Port 900231 designs Privacy Filter 2D 13.3" Laptop, Limits viewing angles to just 60 degrees, 0.58mm thickness, 85% transparency
900235	R 618	Port Designs 900235 Privacy Filter 2D 14" touch Laptop
900239	R 1,001	Port Designs Privacy Filter 2D 19.5" Laptop, Polypropylene material, 0.58mm thickness, 85% transparency, 433x237 mm mm dimensions, 16:9 Aspect Ratio, 900239
900240	R 968	Port 900240 Designs Privacy Filter 2D Gold 14" Laptop, Limits viewing angles to just 60 degrees, 0.58mm thickness, 85% transparency
900260	R 774	Port Designs 900260 Privacy Filter 2D Gold 12.5" touch screen, Limits viewing angles to just 60 degrees, 0.58mm thickness, 85% transparency
900263	R 742	Port Designs 900263 Privacy Filter 2D 15.6" touch Laptop (Note: This is a screen privacy filter, laptop not included)
900323	R 726	Port Designs Privacy Filter 2D 13.3" Laptop clip on, Anti-blue light, Anti-glare
900324	R 854	Port Designs Privacy Filter 2D 14" Laptop clip on, Anti-blue light, Anti-glare, Laptop not included
900333	R 1,038	Port 900333 connect 2D clip on Universal Privacy Filter 15.6" , 16:9 Aspect Ratio, 85% transparency, 60 degree

		Vision Angel, Polypropylene material
900389	R 505	Port Designs 900389 13.3" Touch Screen Privacy Filter, 0.58mm thickness, Black Colour, 85% transparency, Anti-blue Light, 60 degrees frontal Vision angle
9161815679872	R 129	Promate privMate.GN2 High-quality Multi-way Privacy screen protector for Samsung Galaxy Note II (Phone not included)
ASF133W9EU	R 537	Targus Privacy Screen - 13.3" W (16:9) - laptop, Colour transparent / black, Compatibility 13.3" Widescreen 16:9 Aspect Ratio, Device Dimensions 165 x 294 mm, Weight 41g (Note: This is a screen privacy filter, laptop not included)
ASF14W9EU	R 552	Targus 14" Widescreen (16:9) Privacy Screen
ASF156W9EU	R 653	Targus Privacy Screen - 15.6" W (16:9) - laptop, Colour transparent / black, Compatibility 15.6" Wide screen 16:9 Aspect Ratio, Device Dimensions 261 x 163 mm, Weight 25g (Note: This is a screen privacy filter, laptop not included)
ASF238W9EU	R 1,268	Targus Privacy Screen for 23" Widescreen (16:9), Clear, Touchscreen compatible, Blue light filter, Targus Privacy Screens reduce blue light for better protection and reading comfort (Monitor not included)
BRK-AP01-3	R 1,171	Lumi Desktop privacy panel Orange - blocks, AP01-3, 960 (W) x 310 (H) mm Grid Embossed Acoustic Desktop Privacy Panel
J6E65AA	R 884	HP 14.0 NB Privacy Filter, { Compatible with --> HP EliteBook Folio 1040, HP ZBook 14, HP ProBook 640 G1, HP Elitebook 840 G1, HP 9470m, 8470w, 8470p, 6470b }
PSP13	R 114	Microworld Privacy Screen Protector Filter 13.3" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method
PSP15	R 173	Microworld Privacy Screen Protector Filter 15.6" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method
PSP16	R 194	Microworld Privacy Screen Protector Filter 16" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method
PSP19	R 229	Microworld Privacy Screen Protector Filter 19.5" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method
PSP21	R 288	Microworld Privacy Screen Protector Filter 21.5" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method
PSP27	R 403	Microworld Privacy Screen Protector Filter 27" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method
PSP31	R 574	Microworld Privacy Screen Protector Filter 31.5" , Pet material, grade AAA quality, Light Black Colour, 16:9 Aspect Ratio, adhesive tape installation Method

< Return to the menu

Digital Signage

Product code	Price	Description
3249UH5NM	R 13,799	LG 49UH5NM 49" UHD 3840x2160 Signage Display 24 hour, 60Hz Refresh Rate, 500nit brightness, 1100:1 contrast ratio, BT709 95% Colour Gamut, 178 degree viewing angle, 1.07 Billion colours, 24/7 Operation hours (Hours/day), HDMI in, DisplayPort in, RS232C in, RJ45 LAN, IR, USB 2.0 Type-A, HDMI out, Audio out, RS232C out, 300x300 mm VESA, Wi-Fi / Bluetooth, WebOS 6.0
3250UL5QE	R 10,349	LG UL5QE 50" 4K UHD Signage Display, Resolution: 3,840 x 2,160 (UHD), Brightness: 500 nit (Typ.), 24Hr Usage Scene (24 Hours / 7 Days), Face Up/Down with Tilt Support, Even Bezel, High-Performance with webOS 6.1
3255UH5QE	R 14,949	LG UH5Q Series 55" UHD Standard Signage, Resolution: 3,840 x 2,160 (UHD), Brightness: 500 nits (Typ.), Bezel Width: 11.4 mm (Even Bezel), webOS Smart Platform, LG Shield
3255VL5PJ	R 26,449	LG VL5PJ 55" FHD Video Wall Display, 3.5mm Slim Bezel, Brightness: 500 nit, Bezel: 2.25 mm (T/L), 1.25 mm (B/R), Depth: 93.1 mm, Interface: HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR
3265UK762H	R 19,319	LG UR640S Series 75" UHD Commerical TV Signage, Resolution: ULTRA HD (3,840 x 2,160), Improved Design with Slim Depth, Crestron-certified compatibility with AV control system, High-Performance with webOS 6.0, Easy Content Management / Group Management System, SuperSign Control / CMS Compatibility

3265UR640S	R 12,649	LG UR640S 65" TV Signage Screen, 3840 x 2160 (4K UHD) Brightness: 400nits, RS232, Simple Content Manager and Group Management, Crestron Connect certified, 64MB storage, SuperSign SW Compatible, DVB-T2/C/S2, Soft AP, Screenshare, Landscape only, New Slim Design
3275UH5NM	R 35,649	LG 75UH5NM 75" UHD 3840x2160 Signage Display 24 hour, ADS panel Technology, Edge back Light Type, 16:9 Aspect Ratio, 60Hz Refresh Rate, 1200:1 contrast ratio, 500nit brightness, BT709 95% Colour Gamut, 178 degree viewing angle, 8ms response time, 24/7 Operation hours (Hours/day), Portait / Landscape, HDMI in, DisplayPort in, RS232C in, RJ45 LAN, IR, USB 2.0 Type-A, Audio out, RS232C out, VESA 600 x 400, Wi-Fi / Bluetooth, WEBOS6.0
3275UL5QE	R 25,874	LG UL5QE 75 4K UHD Signage Display, Resolution: 3,840 x 2,160 (UHD), Brightness: 500 nit (Typ.), 24Hr Usage Scene (24 Hours / 7 Days), Face Up/Down with Tilt Support, Even Bezel, High-Performance with webOS 6.1
55UH5NM	R 15,750	LG UH5NM 55 UHD Signage Display 4K UHD Brightness 500nit 24-hour duty cycle Built-in Speaker Portrait and Landscape Haze 28% SOC Internal Memory 16GB WebOS 6.0
55UL3JB	R 13,748	LG UL3J-B 55" Professional UHD Display, Resolution: 3840 x 2160 (UHD), Brightness: 400nit, 16 hour duty cycle
55UL3JN	R 12,499	LG UL3JN 55 UHD Signage Display, Brightness: 400nit 16-hour duty cycle, Built-in Speaker Portrait and Landscape Haze 1% Internal Memory 16GB WebOS 6.0
55UR640S	R 9,999	LG UR640S 55" TV Signage UHD Screen, Resolution: 3840 x 2160 (UHD) Brightness: 400nits, New Slim Design, SABC TV License Required
58QM85C	R 55,199	Samsung QMC Series 85" VA UHD 4K 3840x2160 Signage Display, 500 nit brightness, 4000:1 ast ratio, 178 degree viewing angle (H/V), 10ms response time, 72% (NTSC) Colour Gamut, 24/7 Operation time support, 3x HDMI in, 1x DisplayPort in, 2x USB, IR in, Stereo Mini jack Audio out, RS232 in, RS232 out, RJ45 in, WiFi, Bluetooth, 600 x 400 mm VESA Mount, 13.9mm Bezel width, Tizen 7.0 OS Version, 16GB Flash Memory size
65UL3JB	R 16,248	LG UL3J-B 65" Professional UHD Display, Resolution: 3840 x 2160 (UHD), Brightness: 400nit, 16 hour duty cycle
65UR640S	R 13,748	LG UR640S 65" TV Signage Screen, 3840 x 2160 (4K UHD) Brightness: 400nits, RS232, Simple Content Manager and Group Management, Crestron Connect certified, 64MB storage, SuperSign SW Compatible, DVB-T2/C/S2, Soft AP, Screenshare, Landscape only, New Slim Design
75UR640S	R 21,249	LG UR640S 75" TV Signage Screen, 3840 x 2160 (4K UHD) Brightness: 330nits, RS232, Simple Content Manager and Group Management, Crestron Connect certified, 64MB storage, SuperSign SW Compatible, DVB-T2/C/S2, Soft AP, Screenshare, Landscape only, New Slim Design
DS-D5B65RB/EL	R 23,920	Hikvision DS-D5B65RB/EL 65" , 4K, Android 13, memory 8GB, build-in 64GB storage, 40 points infrared touch, Type-C*1, HDMI input *2, Bluetooth 5.0, industrial screen protection.
DS-D5B75RB/EL	R 38,163	Hikvision DS-D5B75RB/EL 75" , 4K, Android 13, memory 8GB, build-in 64GB storage, 40 points infrared touch, Type-C*1, HDMI input *2, Buletooth 5.0, industrial screen protection.
DS-D5B86RB/EL	R 41,975	Hikvision DS-D5B86RB/EL 86" , 4K, Android 13, memory 8GB, build-in 64GB storage, 40 points infrared touch, Type-C*1, HDMI input *2, Buletooth 5.0, industrial screen protection.
DS-D5C65RB/A	R 39,255	Hikvision DS-D5C65RB/A 65" , 4K, Android 13, memory 8GB, build-in 128GB storage, 45 points infrared touch, Type-C*2,VGA input*1,DP input*1, HDMI input *3, HDMI output*1, Dual wifi, Buletooth 5.1, industrial screen protection.
DS-D5C75RB/A	R 49,065	Hikvision DS-D5C75RB/A 75" , 4K, Android 13, memory 8GB, build-in 128GB storage, 45 points infrared touch, Type-C*2,VGA input*1,DP input*1, HDMI input *3, HDMI output*1, Dual wifi, Buletooth 5.1, industrial screen protection.
DS-D5C75RB/B	R 66,355	Hikvision DS-D5C75RB/B 75" , 4K, Android 13, memory 8GB, build-in 128GB storage, 45 points infrared touch, Type-C*2,VGA input*1,DP input*1, HDMI input *3, HDMI output*1, Dual wifi, Buletooth 5.1, industrial screen protection. Built-in 8 MP camera with AI function, and 8 microphone Omni-directional 8-array layout
DS-D5C98RB/A	R 141,743	Hikvision DS-D5C98RB/A 98" , 4K, Android 13, memory 8GB, build-in 128GB storage, 45 points infrared touch, Type-C*2,VGA input*1,DP input*1, HDMI input *3, HDMI output*1, Dual wifi, Buletooth 5.1, industrial screen protection.
DS-D5C98RB/B	R 143,164	Hikvision DS-D5C98RB/B 98" , 4K, Android 13, memory 8GB, build-in 128GB storage, 45 points infrared touch, Type-C*2,VGA input*1,DP input*1, HDMI input *3, HDMI output*1, Dual wifi, Buletooth 5.1, industrial screen protection. Built-in 8 MP camera with AI function, and 8 microphone Omni-directional 8-array layout

DS-D6032FN-DP	R 6,889	Hikvision D6032FN 32" Full HD 1920x1080 Slim Digital Signage Display, 10000K Colour temperature, E-led backlight, 178 degree viewing angle, 500 nits brightness, 4000:1 contrast ratio, 8ms response time, 85% NTSC Colour Gamut, 7 x 24 hout reliability, 60Hz Refresh Rate, Android 13 Operation system, Cortex-A55, Processor, 4GB Memory, 32GB eMMC Built-In storage, 3x HDMI, 1x DP, 1x line out, 1, Speaker, 1x RJ45, Wi-Fi, 1x RS232 in, 1x RS232 out, 1x USB 2.0, 1x USB 3.0, 1x BT 5.0, Wall Mounting
DS-D6043UN-DP	R 9,649	Hikvision DS-D6043UN-DP 43" 4K 3840x2160 Slim Digital Signage Display, 10000K Colour temperature, E-led backlight, 178 degree viewing angle, 500nits brightness, 4000:1 contrast ratio, 10 Bit Colour depth, 8ms response time, 85% NTSC Colour Gamut, 7 x 24h reliability, 60Hz Refresh Rate, Android 13 Operation system, 4GB Memory, 32GB eMMC Built-In storage, 3x HDMI, 1x DP, 1x line out, X 2 Speaker, 1x RJ45, Wi-Fi, 1x RS232 in, 1x RS232 out, 1x USB 2.0, 1x USB 3.0, 1x Bluetooth 5.0
DS-D6050UN-DP	R 12,064	Hikvision DS-D6050UN-DP 50" 4K 3840x2160 Slim Digital Signage Display, 10000K Colour temperature, E-led backlight, 178 degree viewing angle, 500nits brightness, 1200:1 contrast ratio, 10 Bit Colour depth, 8ms response time, 85% NTSC Colour Gamut, 7 x 24h reliability, 60Hz Refresh Rate, Android 13 Operation system, 4GB Memory, 32GB eMMC Built-In storage, 3x HDMI, 1x DP, 1x line out, 2x Speaker, 1x RJ45, Wi-Fi, 1x RS232 in, 1x RS232 out, 1x USB 2.0, 1x USB 3.0, 1x Bluetooth 5.0
DS-D6055UN-DP	R 13,789	Hikvision DS-D6055UN-DP 55" 4K 3840x2160 Slim Digital Signage Display, 10000K Colour temperature, E-led backlight, 178 degree viewing angle, 500 ightness, 5000:1 contrast ratio, 10 Bit Colour depth, 8ms response time, 85% NTSC Colour Gamut, 7 x 24h reliability, 60Hz Refresh Rate, Android 13 Operation system, 4GB Memory, 32GB eMMC Built-In storage, 3x HDMI, 1x DisplayPort, 1x line out out, 2x Speaker, 1x RJ45, Wi-Fi, 1x RS232 in, 1x RS232 out, 1x USB 2.0, 1x USB 3.0, 1x Bluetooth 5.0
DS-D6065UN-DP	R 18,389	Hikvision DS-D6065UN-DP 65" 4K 3840x2160 Slim Digital Signage Display, E-led backlight, 178 degree viewing angle, 500nits brightness, 5000:1 contrast ratio, 8ms response time, 85% NTSC Colour Gamut, 7 x 24 H reliability, 60Hz Refresh Rate, Android 13 Operating system, 4GB Memory, 32GB eMMC Built-In storage, 3x HDMI, 1x DisplayPort, 1x line out, 20 W x 2 Speaker, 1x RJ45, Wi-Fi, 1x RS232 in, 1x RS232 out, 1x USB 2.0, 1x USB 3.0, 1x Bluetooth 5.0
DS-D60C-B	R 3,617	Hikvision Digital Signage box with Android 8.1, HDMI Output, 2GB Memory, 16GB build-in storage, Cortex-A17 CPU, 3840x2160 @ 60Hz Max Resolution, 1x audio in, 1x audio out, 1x HDMI out, 1x LAN, Wi-Fi, 2x USB 2.0, Bluetooth 4.0
MD65	R 19,863	Yealink MeetingDisplay 65 inch, IPS Display Type, 60Hz Refresh Rate, 8ms Grayscale response time, 72% NTSC Colour Gamut, 1.07g Colour depth, 178 degree viewing angle, 1200:1 contrast ratio, 3840x2160 Resolution, 500 nits brightness, 7x 18h Operation time, 12W x 2 Speaker, 3x HDMI in 2.0, 3.5mm Stereo Mini jack (Output), 2x USB Type-A 2.0, 1x USB-B 2.0, 2x RJ45 Gigabit Network Ports, 1x RS232 control, Wi-Fi 6, 2.4G & 5G Dual-Band, Bluetooth 5.1
MD75	R 26,771	Yealink MeetingDisplay 75 inch, IPS Display Type, 60Hz Refresh Rate, 8ms Grayscale response time, 72% NTSC Colour Gamut, 1.07g Colour depth, 178 degree viewing angle, 1200:1 contrast ratio, 3840x2160 Resolution, 500 nits brightness, 7x 18h Operation time, 12W x 2 Speaker, 3x HDMI in 2.0, 3.5mm Stereo Mini jack (Output), 2x USB Type-A 2.0, 1x USB-B 2.0, 2x RJ45 Gigabit Network Ports, 1x RS232 control, Wi-Fi 6, 2.4G & 5G Dual-Band, Bluetooth 5.1
MD86	R 37,422	Yealink MeetingDisplay 86 inch, IPS Display Type, 60Hz Refresh Rate, 8ms Grayscale response time, 72% NTSC Colour Gamut, 1.07g Colour depth, 178 degree viewing angle, 1200:1 contrast ratio, 3840x2160 Resolution, 500 nits brightness, 7x 18h Operation time, 12W x 2 Speaker, 3x HDMI in 2.0, 3.5mm Stereo Mini jack (Output), 2x USB Type-A 2.0, 1x USB-B 2.0, 2x RJ45 Gigabit Network Ports, 1x RS232 control, Wi-Fi 6, 2.4G & 5G Dual-Band, Bluetooth 5.1
PC-SHUTTLE-D230EC	R 8,098	Shuttle Shuttle 21" bar Android Signage player PoE, 23.1" stretched LCD 1920x158 pixels Display, Android Operating System, 2GB RAM and 16GB eMMC OnBoard storage, Wi-Fi, Ethernet (10/100), Built-In 2MP camera module, Built-In Speakers Line-Out available, Fanless
QM55C	R 15,179	Samsung QM55C 55" 4K UHD 3840x2160 Professional Display, 24/7 usage, 500nit brightness, SoC Media player, 178 degree viewing angle (H/V), 72% (NTSC) Colour Gamut, 48~75Hz v-scanning Frequency, VA/IPS panel Type, 8ms response time (ms), 4000:1 contrast ratio (In darkroom), 3x HDMI in, 1x DisplayPort in, 2x USB, Stereo Mini

		jack Audio out, RS232 in, RS232 out, RJ45 in, Wi-Fi, Bluetooth, Built-In MagicInfo S10, 200 x 200 VESA Mount, Tizen 7.0 OS Version
SAMSUNG BW-MIP30PS	R 5,486	Samsung Magic Info S Licence Single License Ver 3.0
SAMSUNG KM24C-3	R 39,099	SAMSUNG KM24C-3 24" Full HD 1920x1080 Touch Display with i3 CPU, 16/7 usage time, 250nits brightness, 1000:1 contrast ratio, 178 degree viewing angle (Horizontal / Vertical), Ads panel Type, 14 ms response time, 48 - 75 Hz v-scanning Frequency, Windows 10 IoT Enterprise OS Version, 256 GB Flash Memory size, Capative Touch Technology, Base not included
SAMSUNG QB24C	R 7,474	Samsung 24" Professional Display - Full Hd, 16/7 Usage, 250nit Brightness, Soc Media Player: Sssp 10
Samsung QB24C-T	R 16,099	Samsung QB24C-T 24" Full HD 1920x1080 Edge LED Touch panel, 16/7 hour panel, ADS panel Type, 250nits brightness, 1000:1 contrast ratio, 178 degree viewing angle (H/V), 14ms response time, 48~75Hz v-scanning Frequency, 1x HDMI in, USB, IR in, Stereo Mini jack audio out, RS232 in, RJ45 in, WiFi, Bluetooth, 100x100 mm VESA Mount, Capative Touch Technology
SAMSUNG QB65C	R 15,524	Samsung 65" Professional Display - 4k Uhd, 16/7 Usage, 350nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QB75C	R 25,874	Samsung 75" Professional Display - 4k Uhd, 16/7 Usage, 350nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QB85C	R 34,499	Samsung 85" Professional Display - 4k Uhd, 16/7 Usage, 350nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QE98C	R 89,699	Samsung 98" Professional Display - 4k Uhd, 16/7 Usage, 450nit Brightness, Soc, Landscape Only
SAMSUNG QM43B-T	R 34,499	Samsung 43" Touch Display - 4k Uhd, 24/7 Usage, 400nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM43C	R 10,694	Samsung 43" Professional Display - 4k Uhd, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 9
SAMSUNG QM50C	R 11,729	Samsung 50" Professional Display - 4k Uhd, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM55B-T	R 35,649	Samsung 55" Touch Display - 4k Uhd, 24/7 Usage, 400nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM55C	R 14,949	Samsung 55" Professional Display - 4k Uhd, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM65C	R 16,674	Samsung 65" Professional Display - 4k Uhd, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM75C	R 33,349	Samsung 75" Professional Display - 4k Uhd, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM85C	R 36,799	Samsung 85" Professional Display - 4k Uhd, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 10
SAMSUNG QM98C	R 100,049	Samsung QM98C 98" Professional Display - 4k UHD, 24/7 Usage, 500nit Brightness, Soc Media Player: Sssp 10
SAMSUNG SH37C	R 18,399	Samsung 37" Professional Strech Display -24/7 Usage, 700nit Brightness, Soc Media Player: Sssp 6
SAMSUNG SH37R-B	R 12,649	Samsung SH37R 37" VA 1920x540 Professional Stretch Display, 24/7 usage Display, 700 nit brightness (Typ), 4000:1 contrast ratio, 178 degree viewing angle (Horizontal / Vertical), 6.5 ms response time, 47 - 63 Hz v-scanning Frequency, 2x HDMI in, DisplayPort in, USB, IR in, Stereo Mini jack audio out, RS232 in, RS232 out, RJ45 in, WiFi, 400x200 mm VESA Mount
SAMSUNG VM46B-U	R 24,149	Samsung VM46B-U 46" Video Wall Display - Full Hd, 24/7 Usage, 500nit Brightness, 3.5mm Bezel To Bezel
SAMSUNG VM55B-U	R 26,449	Samsung VM55B-U 55" Video Wall Display - Full Hd, 24/7 Usage, 500nit Brightness, 3.5mm Bezel To Bezel
SAMSUNG WM55R	R 34,499	Samsung WM55R Flip 2.0 55" , Uhd, 16/7, Tizen 5.0, Inglass Touch

< Return to the menu

LCD accessories

Product code	Price	Description
482-BBDL	R 4,964	Dell 482-BBDL MDA20 Dual Monitor Arm, 2 LCD displays, desk-mountable, 100x100 mm VESA mounting Interface, Integrated Cable Management, 19" - 27" recommended Display size, Tilt, 180 degrees Pan, 26.6 cm Lift, rotation, 180 degrees swivel, 10 kg Max load weight
482-BBFP	R 2,565	Dell Pro Slim All-in-One stand - OSS25, 19 - 27" screen supported, 5.80 kg Maximum load capacity, Tilt, Swivel, Pivot, Cable Management, 100x100 VESA Mount standard, Compatibility with Dell Pro & Pro Max Slim desktops
58524	R 723	Goobay 58524 Tabletop TV stand Basic Fix TVs and monitors between 32" and 55" , 81 - 140 cm screen size, 40 kg Maximum load, 400x400 Max mouting hole (VESA)
58526	R 1,954	Goobay 58526 TV Floor stand Basic (Size L) for TVs and monitors between 37" and 70" , 40 kg Maximum load, 94 - 178 cm screen size, 600x400 Maximum mouting hole (VESA)
59508	R 1,954	Goobay 59508 TV Presentation stand Pro (Size L) for TVs and monitors between 37" and 70" , 94 - 178 cm screen size, 50 kg Maximum load, Up to 1966mm height adjustment, 600x400 Maximum mouting hole (VESA)
8020101	R 682	Fellowes Smart Suites Monitor Riser up to a 21" , 3 height adjustments

8043701	R 1,842	Fellowes Professional Series Free-standing Dual Horizontal Monitor Arm. Monitors up to 16kg.
901105	R 1,498	Port Black Dual Screen VESA Monitor Arm
901105	R 1,527	Port 901105 Desk up to 32" Monitor Arm - Dual screen, VESA mountable
901110	R 1,302	Port 901110 Monitor Arm VESA single screen - White, Wallmount, Table holder, Tiltable, Rotatability, 32" Maximum Display size, 8 kg Maximum weight capacity
9145001	R 981	Fellowes Compact TFT/LCD Black Monitor Riser, 3 height adjustments (Monitor not included)
9169501	R 1,386	Fellowes Premium Black Monitor Riser Plus (Graphite), Supports 36kg with storage draw (Screen not included)
9967404	R 37	Fellowes 25 Laptop Screen Cleaning Wipes, pre-moistened wips - resealable
9970330	R 97	Fellowes 100 Screen Cleaning Wipes
99718	R 99	Fellowes 250ml Screen Cleaning Spray, All in one solution for screens
9974506	R 62	Fellowes Micro - Fibre Cleaning Cloth, Anti static
A72511-B	R 138	Astrum CS110 3 in 1 Screen Cleaning Kit; microfiber cloth; antistatic brush; cleaning gel; alcohol-free; acetone-free; suitable for laptops; monitors; smartphones; tablets; cameras; electronics
ASF24W9EU	R 1,285	Targus Privacy Screen - 24" W (16:9) - monitor, Colour transparent / black, Compatibility 24" Widescreen 16:9 Aspect Ratio, Device Dimensions 298 x 531 mm, Weight 350g
BRK-AMS-2L	R 386	Lumi AMS-2L Modular Multi-Purpose Smart Stand with Drawer - Accommodate most 13" -32" monitors, laptops, printers, and other office machines
BRK-LDL16-11LV	R 293	LinkQnet LDL16-11 Monitor Light Bar with Touch control, 5W wattage, 84 LEDs, 3000K / 4000K / 6000K correlated Colour temperature, Stepless Dimmer control, 200lm Lumen Output
BRK-LDL16-6LV	R 587	LinkQnet LDL16-6 Monitor Light Bar with rear Light and Wireless Remote control, 5W wattage, 84 LEDs, 3100K / 4200K / 6400K correlated Colour temperature, Stepless Dimmer control, 150lm Lumen Output
BRK-SW03-8	R 760	Lumi SW03-8 Gas Spring Steel Monitor Arm for Slat Wall, Effortless monitor height adjustment with gas spring
CK-CCGW	R 36	Choiix C-CLEAN-GLOVE Cleaning Glove -white, 10pcs disposable (keeps hands clean and germ free) -235x120mm, microfiber, for touchscreen LCD / PDA / NB or piano black finish products -retail pack
DS-D5SC3B-B	R 3,220	Hikvision DS-D5SC3B-B Wireless Dongle - 4K Type-C supports Window and Mac OS, 1080p / 4K Resolution, 512 MB Memory, 4GB Built-In storage, Built in Gigabit Network Interface card, WiFi, Type-C Power Interface, NFC
FLOOR STAND PRO	R 799	Wanbo FLOOR STAND PRO, 80-100cm (Adjustable) height range, Up to 5000g load capacity, 30 degrees horizontal rotation, 1/4-inch threaded screw Mount Interface, Detachable Tray
LS-AAMR20L	R 15,711	Aavara AMR20L full motion medical display arm - ceiling mount, 4 arms/ 6 joints with up to 1504mm extended arm from ceiling - 80deg (-60deg~ 20deg) tilt angle adjustable, 80deg (-55deg~ 25deg) tilt arm adjustment, 185deg swivel angle adjustable, 360deg rotation pivot for landscape or portrait, arm height adjustable :671mm, with ExperTorque technology, smart cable management, aluminum alloy/Steel, vesa wall-mount: 100x100/ 75x75mm, support up to 12Kg
LS-ACDT860	R 30,667	Aavara CDT860 Motorized (with remote) interactive white Board / touch desk trolley cart - 4 wheels with lock, support up to 65" /35Kg TV with 90Â° tilt (as desk), 500mm height adjustable, with modularized PC holder/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100mm up to 800x600mm (ORDER ON REQUEST)
LS-ACED01	R 81,790	Aavara CED01 mobile/medical workstation cart (Dual display) with e-lift (electrical height adjustment) - 4 wheels with lock, support up to 2x 24" /8KGs LED with 40Â° tilt 360Âº rotation, 205 500mm height adjustable, with modularized PC holder/ scanner holder/ keyboard mousepad tray/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100 / 75x75mm, support up to 52" /35Kg
LS-ACEH01	R 80,331	Aavara CEH01 mobile/medical workstation cart with e-lift (electrical height adjustment) - 4 wheels with lock, support up to 24" /8KGs LED with 30Â° tilt 360Âº rotation, 130 500mm height adjustable, with modularized PC holder/ scanner holder/ keyboard mousepad tray / storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 52" /35Kg (Order on Request)
LS-ACER01	R 80,620	Aavara CER01 mobile/medical workstation cart (with display arm) with e-lift (electrical height adjustment) - 4 wheels with lock, support up to 24" /8KGs LED with 30Â° tilt 360Âº rotation, 130 500mm height adjustable, with modularized PC holder/ scanner holder/ keyboard mousepad tray/ storage space and device supporter,

		ExperTorque technology smart cable management, VESA mounting: 100x100 / 75x75mm, support up to 52" /35Kg (Oreder on Request)
LS-ASDR720M	R 9,343	Aavara SDR720M Sit Stand Desk Riser - Motorized 115-515mm height adjustable stand for 1x lcd keyboard tray - 30Â° tilt angle adjustable, 360Â° rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 15Kg
LS-AWSF742	R 7,462	Aavara WSF742 WorkStation Freestyle for 2x lcd 1x keyboard/mouse tray - with 2 arms/ 3 joints - wall mount - display: 30Â° (0Â°~30Â°) tilt angle adjustable, /-90Â° swivel angle adjustable, 360degrees rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0Â°~90Â° tilt angle adjustable 436mm Arm/Keyboard tray height adjustment, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" /8Kg (ORDER ON REQUEST)
LS-AWSR110	R 4,111	Aavara WSR110 workstation for 1x lcd 1x keyboard/mouse tray - with 1 arms/ 2 joints - wall mount - display: 40Â° (-5Â°~35Â°) tilt angle adjustable, /-90Â° swivel angle adjustable, 360Â° rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0Â°~90Â° tilt angle adjustable, 124mm display height adjustable, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" / 8Kg
PP-M35HC	R 15	Moby 3.5HC lcd Protective Paster - for 3.5" Lcd (camera , printer ... etc) , scratch resistant , increase lcd brightness
RW-MA200	R 493	Rogueware MA200 Dual Monitor Arm with VESA plate - 17" to 32" , Mechanical Spring Monitor Arm, Fit Curved Monitor, 2-9kg weight capacity (per screen), 75x75 & 100x100 VESA compatible, Tilt, Swive, Screen rotation, 450mm Arm full extension, Clamp or grommet installation
Samsung STN/WM55H	R 8,532	Samsung STN/WM55H Stand for the Flip device
STAND-LAP-DESK-ID-20	R 391	LinkQnet Laptop Desk Flexible & comfortable, Stable and comfortable Design, Ergonomic viewing height, Anti-Slip Silicone pads, Durable Aluminium construction, 56 x 24 x 9.1cm size
STAND-LAP-DESK-ID-21	R 391	LinkQnet LinkQnet ID-21 Height-Adjustable Laptop / Notebook Desk, Height-Adjustable Design, Tilting Desktop panel, Integrated slide stopper, Non-Slip feet, 59 x 39.5 x 8cm size
SVC1116G/10	R 99	Philips SVC1116G/27 Screen Clean for LCD / LED / Plasma Screens
UNIQ-DGS-01	R 169	Unique single Glass shelf for screen, 5mm tampered Glass, 300 x 250mm size, Wall Mount (shelf)
VK-5091-CL	R 138	Volkano Spotless Series multipurpose screen cleaner. Multipurpose screen cleaner, alcohol-free formula, 100 ml spray bottle, safe for smartphones, tablets, laptops, monitors, residue-free cleaning.
WX-BR107	R 528	WINX RISE Simple Adjustable Dual Monitor Arm - 2x 17" to 32"
YEC334	R 40	Microworld LCD Cleaning Kit; 3-piece kit; cleaning brush; cleaning cloth; cleaning solution; TFT LCD monitors; laptop screens; LCD TV screens

< Return to the menu

LCD Monitors

LCD Monitors : LCD Monitors : <15.6"

Product code	Price	Description
1B065AA	R 5,956	HP E14 G4 14" FHD 1920X1080 USB-C Portable Monitor, 5ms GtG (with overdrive), Contrast ratio: 800:1
210-BQTB	R 5,127	Dell 210-BQTB Pro 14 Plus P1425 14" IPS WUXGA 1920x1200 Portable Monitor, 16:10 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt / Portrait stand adjustments, 60Hz standard Refresh Rate, 16.7 million colours supported, 1500:1 native contrast ratio, 400 nits brightness, 100% sRGB Colour Gamut, 2 USB-C Ports (DisplayPort 1.2 Alt mode Power Pass-Through of up to 65W), Auto-rotation Sensor, 100x100 VESA Mount standard
210-BQTB	R 4,860	Dell 210-BQTB Pro 14 Plus P1425 14" IPS WUXGA 1920x1200 Portable Monitor, 16:10 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt / Portrait stand adjustments, 60Hz standard Refresh Rate, 16.7 million colours supported, 1500:1 native contrast ratio, 400 nits brightness, 100% sRGB Colour Gamut, 2 USB-C Ports (DisplayPort 1.2 Alt mode Power Pass-Through of up to 65W), Auto-rotation Sensor, 100x100 VESA Mount standard

210-BQTB	R 4,866	Dell 210-BQTB Pro 14 Plus P1425 14" IPS WUXGA 1920x1200 Portable Monitor, 16:10 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt / Portrait stand adjustments, 60Hz standard Refresh Rate, 16.7 million colours supported, 1500:1 native contrast ratio, 400 nits brightness, 100% sRGB Colour Gamut, 2 USB-C Ports (DisplayPort 1.2 Alt mode Power Pass-Through of up to 65W), Auto-rotation Sensor, 100x100 VESA Mount standard
74-210BHQQ	R 5,898	Dell 210-BHQQ P1424h 14" IPS Full HD 1920x1080 60Hz Portable Monitor, IPS panel Type, 16:9 Aspect Ratio, 300 nits brightness, 700:1 contrast ratio, 72% NTSC Colour Gamut, 6 ms (Grey-to-grey) response time, 178 degree viewing angle, Anti-Glare, Low Blue light technology, 2x USB-C / DisplayPort 1.2 alt mode (HDCP 1.4 / Power up to 65W), Tilt, Sleeve included
ASUS MQ149CD	R 10,234	Asus ZenScreen Duo OLED MQ149CD Dual 14" Full HD 1920x1080 360 degrees Foldable Portable Monitor, 16:10 Aspect Ratio, Glare Display Surface, OLED backlight Type, 176 degree viewing angle, 400nits brightness (typical), 1ms (GTG) response time, 60Hz Refresh Rate (Max), HDR10, 2x USB-C (DP Alt mode), 1x Mini HDMI, 1/4" Tripod Socket
M32087	R 5,532	Verbatim 32087 13.3" WUXGA 1920x1200 Portable Touchscreen Monitor with Wireless Power Supply, 10-point Multi-Touch with G G Technology, 1000:1 contrast (typical), 16:10 Aspect Ratio, 250 nits brightness (typical), 6ms response time (typical GTG), 178 viewing angles, 16.7m colours, 2x USB-C (Full-Featured USB-C), 1x Standard HDMI (1.4), 1x USB Type-A 2.0, 1x 3.5 mm Audio jack, Integrated Speaker 2x 2W, HDR, FreeSync, Low Blue Light, Built-In kickstand, Tilt, Aluminium Frame material, Power Bank with 15W Wireless Charging
M32088	R 3,198	Verbatim 32088 14" IPS Full HD 1920x1080 Portable Touchscreen Monitor with Wireless Power Supply, TFT LCD panel - on Cell Touch structure, 10-point Multi-Touch, 1000:1 contrast (typical), 16:9 Aspect Ratio, 250 nits brightness (typical), 6ms response time (typical GTG), 178 viewing angles, 16.7m colours, 2x USB-C (Full-Featured USB-C), Standard HDMI (1.4), USB Type-A 2.0, 3.5 mm Audio jack, Integrated Speaker 2 x 1W, HDR, FreeSync, Low Blue Light, Built-In kickstand, Tilt, Power Bank with 15W Wireless Charging
M32400	R 2,780	Verbatim 32400 Light Series Portable 14" Full HD 1920x1080 IPS Touch Monitor, 10-point capacitive Multi-Touch, 220nits brightness, 1000:1 contrast ratio, 178 degrees viewing angle, 20ms response time (typical), 60Hz Refresh Rate, 45% NTSC, USB-C1 (Full-Featured), USB-C2 (For Power Supply only), Mini HDMI, Built-In Speakers, 3.5mm Audio jack, 2 x screw threads suitable for two-point mounting brackets
M49590	R 2,853	Verbatim 49590 14" Full HD 1920x1080 IPS LED backlit Portable Monitor, IPS Technology, 1000:1 contrast (typical), 16:9 Aspect Ratio, 220nits brightness, 6ms response time (typical GTG), 178 degrees viewing angles, 2x USB-C, 1x standard HDMI (1.4), 1x USB Type-A 2.0, 3.5 mm audio jack, HDR, FreeSync, Low Blue Light, Built-In kickstand. 10s0p housing.
M49591	R 4,180	Verbatim Portable Touchscreen Monitor, 14" screen, 1920x1080 Full HD resolution, Flat IPS panel, 60Hz refresh rate, 220-250 nits brightness, 1000:1 contrast ratio, 6 ms response time, 178Â° viewing angles, 10-point capacitive multi-touch (G G), Video ports: 2 x USB-C, 1 x HDMI 1.4, 3.5mm audio jack, Built-in kickstand, Aluminium housing, Weight 990g, HDR support, FreeSync, Low Blue Light, Energy rating A
MNDE210-BQTB	R 5,082	Dell 210-BQTB Pro 14 Plus P1425 14" IPS WUXGA 1920x1200 Portable Monitor, 16:10 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt / Portrait stand adjustments, 60Hz standard Refresh Rate, 16.7 million colours supported, 1500:1 native contrast ratio, 400 nits brightness, 100% sRGB Colour Gamut, 2 USB-C Ports (DisplayPort 1.2 Alt mode Power Pass-Through of up to 65W), Auto-rotation Sensor, 100x100 VESA Mount standard
Z140A01D	R 5,175	Microworld Z140A01D 14" 1080p Dual-Screen extender Portable Monitor, 14" 1080p IPS Portable Triple Monitor for 14-16.5" , Full HD 1080p Resolution (1920x1080), 14-inch LED backlit IPS Display, Dual-Screen Expansion, HDMI Video Input, 6ms response time, 60Hz Refresh Rate

< Return to the menu

LCD Monitors : LCD Monitors: 15.6 inch		
Product code	**Price**	**Description**
66E4UAC1WL	R 2,970	Lenovo L15 15.6" IPS Full HD 1920x1080 WLED backlight Portable Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 14 ms (typical mode) response time, 60 Hz Refresh Rate, 250 nits brightness, 1000:1

		contrast ratio, 45% NTSC Colour Gamut, 2x USB-C 3.2 Gen 1 (DP 1.2 alt mode), 1x USB 2.0 (1 by USB Type-C), Height adjust stand
902101	R 2,923	Port 902101 15.6" Full HD 1920x1080 Non-Touch Portable Monitor, 1920x1080p / 60Hz Video Resolution, 16:9 Video Aspect Ratio, 2x 1W Integrated Speakers, 2x USB Type-C, 1x HDMI (1.4), 1x USB Type-A 2.0, 1x 3.5mm audio jack Port
902101	R 4,169	Port 902101 15.6" Full HD 1920x1080 Non-Touch Portable Monitor, 1920x1080p / 60Hz Video Resolution, 16:9 Video Aspect Ratio, 2x 1W Integrated Speakers, 2x USB Type-C, 1x HDMI (1.4), 1x USB Type-A 2.0, 1x 3.5mm audio jack Port
902101T	R 3,000	Port Connect 902101T 15.6" IPS Full HD 1920x1080 Touchscreen Portable Monitor, 1920x1080p @ 60Hz Resolution, 16:9 Aspect Ratio, 250 nits brightness, HDR support, Capacitive Touchscreen, 2x Type-C (Display Power Delivery), 1x HDMI (Standard HDMI 1.4), 1x USB Type-A 2.0, 1x 3.5 mm Audio jack, Up to 65W Power Delivery, 2x 1W Dual Speakers
A1504-T	R 3,105	Mecer A1504-T 15" 1024x768 60Hz LCD Touch Monitor - Black, Ten points projected capacitive Touch, 4:3 screen, 700:1 contrast ratio, 8ms response time, 170 degrees Viewing angle, VGA, HDMI
AOC-16T3E	R 2,954	AOC 16T3E 15.6" IPS Full HD 1920x1080 USB-C Portable Monitor, 250 nits brightness (typical), 700:1 contrast ratio, 4ms (GTG) response time, 170 viewing angle, 1920x1080 @ 60Hz, 1x USB-C (For Power Input), 1x USB-C (DP alt / PD15W), Pivot & Tilt via fold-out kickstand
AOC-E1659FWU	R 2,414	AOC E1659FWU 15.6" , USB Powered, USB 3.0 monitor 1366x768, Diagonal View, VESA, USB, Mobile Carry Case Included
ASUS MB16FC	R 2,414	ASUS ZenScreen MB16FC 16" WUXGA (1920 x 1200) Portable Monitor; 1920 x 1200; 75Hz; USB-C x 2; mini HDMI; 300 nits; 1000:1 contrast; 5ms response; anti-glare; 0.90kg; 16:10 aspect ratio; power pass-through up to 65W; portable productivity monitor
ASUS VT169HE	R 3,219	ASUS VT169HE 15.6" IPS Full HD 1920x1080 60Hz Touch Monitor, 16:9 Aspect Ratio, LED backlight Type, 170 viewing angle, 220nits brightness (typical), 1000:1 contrast ratio (typical), 262K Display colours, 5ms (GTG) response time, 60Hz Refresh Rate (Max), Projective capacitive 10-point Touch, 1x HDMI V1.4, 1x VGA, 75x75mm VESA Wall Mounting
GH156P	R 1,863	Mecer GH156P 15.6" Full HD 1920x1080 IPS Non-Touch USB Type-C Portable Monitor - Black, HDMI, 1x USB Type-C - Black, 2x 1W Built-In Speakers, HDMI to Mini HDMI cable, USB Type-C to USB Type-C cable, USB Type-A to USB Type-C cable, Leather Smart cover, 358x228 x 11mm size, 16:9 Aspect Ratio
GH156S	R 1,380	Mecer GH156S 15.6" Full HD 1920x1080 IPS Portable Monitor, Smart cover, 16:9 Aspect Ratio, 800:1 contrast ratio, 250 nits brightness, 60Hz Refresh Rate, 178 degree viewing angle, 45% NTSC Colour Gamut, 4ms response time, Dual 1W Built-In Speakers, Aluminium Alloy housing material, USB-C, Mini HDMI
GH156S	R 1,668	Mecer GH156S 15.6" Full HD 1920x1080 IPS Portable Monitor, Smart cover, 16:9 Aspect Ratio, 800:1 contrast ratio, 250 nits brightness, 60Hz Refresh Rate, 178 degree viewing angle, 45% NTSC Colour Gamut, 4ms response time, Dual 1W Built-In Speakers, Aluminium Alloy housing material, USB-C, Mini HDMI
LC-AMB165B	R 2,529	Asus ZenScreen MB165B 15.6" 60Hz WXGA HD 1366x768 portable USB Monitor, 16:9 Aspect Ratio, Non-Glare, TN panel Type, 220nits brightness (typical), 500:1 contrast ratio (typical), 10ms response time, 60Hz Refresh Rate (Maximum), X 1x USB 3.0 (Signal), Tripod Socket
LC-AMB166C	R 3,449	Asus ZenScreen MB166C 15.6" Full HD 1920x1080 portable USB Monitor, 16:9 Aspect Ratio, Non-Glare, LED backlight Type, IPS panel Type, 178 degree viewing angle, 250nits brightness (typical), 800:1 contrast ratio (typical), 5ms (GTG) response time, 60Hz Refresh Rate (Maximum), Flicker-Free, 1x USB-C I/O Ports, Tripod Socket
LC-AMB16ACV	R 5,650	Asus ZenScreen MB16ACV 15.6" Portable iPS LED Display - ideal for notebook as 2nd disply, powered by USB, angle-adjustable protection sleeve with Pivot support, tripod mount ready, 10.5mm ultra slim, 830g ultra light weight, 1920x1080 Full HD
LC-AMB16AHP+BS	R 7,443	Asus ZenScreen Go MB16AHP 15.6" Battery (7800mAh with Q.C3.0 charge) Speaker (2x 1w) - USB3 type-C miCroHDMi portable iPS LED display - ideal for notebook/mobile/game consoles/cameras/tablets as 2nd display, powered by USB, with ah-iPS technology
LC-AVT168H	R 3,268	Asus VT168H 15.6" 10-point Touch LED Monitor - with smartview - no speaker, 1366x768 (16:9); brightness-

		200cd/m2; smart contrast ratio - 1000000000:1 - D-SUB HDMi - 75x75mm vesa wall-mountable
LC-AXG16AHPE	R 8,657	Asus ROG Strix XG16AHPE 15.6" 144Hz gaming portable iPS LED display Battery (7800mAh with Q.C3.0 charge) Speaker - support G-sync, powered by USB, built-in angle-adjustable with Pivot support, tripod mount ready, 8mm ultra slim, 900g ultra ligh
M32238	R 6,739	Verbatim 32238 15.6" 4K 3840x2160 Ultra mental housing Portable Touchscreen Monitor, IPS Technology, 10-point Multi-Touch with G G Technology, 1000:1 contrast (typical), 16:9 Aspect Ratio, 350 nits brightness, 6ms response time (typical GTG), 178 degrees viewing angles, 2x USB-C Input, 1x HDMI (1.4), 3.5 mm audio jack, 1x USB Type-A 2.0, Built-In kickstand
M32401	R 2,327	Verbatim 32401 Light Series Portable 15.6" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, 220nits brightness, 1000:1 contrast ratio, 89 degrees viewing angles, 20ms response time (typical), 60Hz Refresh Rate, 45% NTSC, USB-C1, USB-C2 (For Power Supply only), Mini HDMI, Built-In Speakers, 3.5mm Audio jack, 2x screw threads suitable for two-point mounting brackets
M32403	R 5,228	Verbatim 32403 Essentials Portable 15.6" IPS Full HD 1920x1080 Dual Monitor, 16:9 Aspect Ratio, 220nits brightness (typical), 1000:1 contrast ratio, 178 degree viewing angle, 10 ms response time, 60Hz Refresh Rate, 45% NTSC, USB-C (Video & Power), Mini HDMI, Built-In Speakers 2x 1W, VESA 75x75 mm, Gravity Sensor
M49592	R 4,909	Verbatim 49592 PMT-15 Portable 15.6" Full HD 1920x1080 Touchscreen Monitor, Capacitive Touch panel, IPS Technology, 10-point Multi-Touch with g g Technology, 800:1 contrast (typical), 16:9 Aspect Ratio, 250 nits brightness, 6ms response time (typical GTG), 10ms response time, H 178 degrees viewing angles, 2x USB-C Ports, 1x HDMI (1.4), 1x USB Type-A 2.0, 3.5 mm audio jack, HDR, FreeSync, Low Blue light, Built-In kickstand, Tilt, Aluminium Frame material
MB166C	R 2,906	Asus ZenScreen MB166C 15.6" Full HD 1920x1080 portable USB Monitor, 16:9 Aspect Ratio, Non-Glare, LED backlight Type, IPS panel Type, 178 degree viewing angle, 250nits brightness (typical), 800:1 contrast ratio (typical), 5ms (GTG) response time, 60Hz Refresh Rate (Maximum), Flicker-Free, 1x USB-C I/O Ports, Tripod Socket
MB169CK	R 1,992	Asus ZenScreen 15.6" IPS Full HD 1920x1080 Portable USB Monitor, 16:9 Aspect Ratio, LED backlight Type, 178 degree viewing angle 178, 250nits brightness (typical), 800:1 contrast ratio (typical), 262K Display colours, 5ms(gtg) response time, 60Hz Refresh Rate (Max), 2x USB-C (DisplayPort Alt mode), 1x Mini HDMI, 1/4" Tripod Socket, 360 degrees kickstand
MB16AHP	R 5,930	Asus ZenScreen Go MB16AHP 15.6" Full HD IPS Portable USB Monitor with USB Type-C, Foldable Smart case, Auto rotate, 16:9 Aspect Ratio, IPS panel Type, 178 degree viewing angle, 220nits brightness (typical), 700:1 contrast ratio (typical), 5ms (GTG) response time, 60Hz Refresh Rate (Max), 1W x2 Speaker, Audio by Sonic Master, 1x USB-C (DisplayPort alt mode), X Micro HDMI, 7800mAh Battery
MB16AHT	R 6,735	Asus ZenScreen Touch MB16AHT 15.6" FHD Portable Monitor, (1920 x 1080), IPS, 10-point touch, Mini-HDMI, ergo kickstand, tripod socket, ASUS Flicker Free and Low Blue Light technologies
MB16FC	R 2,529	Asus ZenScreen MB16FC 16" Full HD 1920x1080 IPS 60Hz Portable Monitor, 16:10 Aspect Ratio, 178 degree viewing angle, 300nits brightness (typical), 1000:1 contrast ratio (typical), 16.7M Display colours, 5ms (GTG) response time, 75Hz Refresh Rate (Max), Maximum 65W Power Pass-Through, 2x USB Type-C (DP Alt mode), Mini 1x HDMI, Earphone jack
MB16FC	R 2,494	Asus ZenScreen MB16FC 16" Full HD 1920x1080 IPS 60Hz Portable Monitor, 16:10 Aspect Ratio, 178 degree viewing angle, 300nits brightness (typical), 1000:1 contrast ratio (typical), 16.7M Display colours, 5ms (GTG) response time, 75Hz Refresh Rate (Max), Maximum 65W Power Pass-Through, 2x USB Type-C (DP Alt mode), Mini 1x HDMI, Earphone jack
PCB-PM15-FHD	R 1,526	PCBuilder Flex 15.6" Full HD 1920x1080 IPS Portable Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 60Hz Refresh Rate, 8ms (GTG) response time, Up to 250 nits brightness (Typ), 262K colours, 1000:1 contrast ratio, FreeSync, HDR support, 1x Mini HDMI, 2x Type-C DP & PD (5V/2A), 1x 3.5mm Aux Audio (Line-Out), 75x75mm VESA Mount
PM04	R 2,299	Microworld PM04 15.6" IPS Full HD 1920x1080 Portable LED Touch Monitor, 60Hz Refresh Rate, 16:9 Aspect Ratio, 1000:1 contrast ratio, 250nits brightness, 16.7M Display Colour, 178 degree viewing angle, Mini HDMI, 2x Type-C, Earphone, Capacitive Touch Screen, Speaker

PRO MP165 E6	R 1,954	MSI PRO MP165 E6 16" IPS Full HD 1920x1080 Portable Monitor, 60Hz Refresh Rate, 4ms (GTG) response time, 250 nits brightness, 16:9 Aspect Ratio, 1000:1 contrast ratio, 49.51% sRGB, 16.7M Display colours, 1x HDMI 2.0b, 2x Type-C (DisplayPort 1.2A signal with Alt mode & 15W Power Delivery / Power Input), 2x 1W Speaker, External USB Power (Type-C Interface), 1/4" Standard Tripod Socket, 75 x 75mm VESA mounting
RII-RS100	R 1,857	Rii RS100 15.6" IPS Full HD 1920x1080 Portable Monitor with Leather Case, 1920x1080 pixels @ 60Hz Display Resolution, 16:9 Aspect Ratio, 14ms response time, 300 nits brightness (typical), 1000:1 contrast ratio, 178 degree viewing angle, 75x75 mm VESA mounting, USB Type-C, HDMI interfaces
RII-RS100+	R 1,551	Rii RS100 Portable Monitor, 15.6" 1080P FHD USB-C HDMI, Ultra-Slim IPS HDR Display with Kickstand and Built-in Speaker, for Laptop/ PC/ Phone/ Mac/ Xbox/ Switch/ PS4/ PS5
UM.ZP1EE.009	R 2,643	Acer PM161QT 15.6" Portable 16:9 Touch Monitor, 6 ms response time, 16:9 Aspect Ratio, HDR10, 1 W Speaker Output Power, 220 nits brightness, Adaptive Sync, Headphone, Audio line out, 3x USB Type-C
UM.ZP1EE.009	R 2,759	Acer PM161QT 15.6" Portable 16:9 Touch Monitor, 6 ms response time, 16:9 Aspect Ratio, HDR10, 1 W Speaker Output Power, 220 nits brightness, Adaptive Sync, Headphone, Audio line out, 3x USB Type-C
UM.ZP1EE.009	R 2,586	Acer PM161QT 15.6" Portable 16:9 Touch Monitor, 6 ms response time, 16:9 Aspect Ratio, HDR10, 1 W Speaker Output Power, 220 nits brightness, Adaptive Sync, Headphone, Audio line out, 3x USB Type-C
UM.ZP1EE.J03	R 2,069	Acer P1 PM161q 15.6" IPS Full HD 1920x1080 Portable Monitor, 1920x1080 pixels @ 60Hz Display Resolution, 6 ms response time, 220 nits brightness, 1000:1 contrast ratio, 16:9 native Aspect Ratio, HDR10, Adaptive Sync, 178 degree viewing angle, 2x1 W speaker(s), 75 x 75mm VESA mounting, Adjustable cover, 2x USB Type-C Ports, 1x audio line out, 1x Mini HDMI
VG1655	R 1,599	ViewSonic VG1655 16" IPS Full HD 1920x1080 portable Monitor, 800:1 static contrast ratio, 250 nits brightness, 16:9 Aspect Ratio, 6.5ms response time (typical GTG), 178 degrees viewing angles, 60 Hz Refresh Rate, 2x USB 3.2 Type-C DisplayPort alt mode only, 1x 3.5mm audio out, 1x Mini HDMI, USB Type-C (with Video & Data) power in, 2x 0.8W internal Speakers
VG1655	R 2,931	ViewSonic VG1655 16" IPS Full HD 1920x1080 portable Monitor, 800:1 static contrast ratio, 250 nits brightness, 16:9 Aspect Ratio, 6.5ms response time (typical GTG), 178 degrees viewing angles, 60 Hz Refresh Rate, 2x USB 3.2 Type-C DisplayPort alt mode only, 1x 3.5mm audio out, 1x Mini HDMI, USB Type-C (with Video & Data) power in, 2x 0.8W internal Speakers

< Return to the menu

LCD Monitors : LCD Monitors: 17 / 17.3 inch

Product code	Price	Description
17BR30T-B.AFB	R 3,742	LG 17BR30T 17" TN SXGA 1280x1024 Touch Monitor, 5:4 Aspect Ratio, 150 nits brightness, 1000:1 contrast ratio, 5ms response time, 170 / 160 degrees viewing angle, Single point Touch, D-Sub VGA Port, 1280 x 1024 at 75Hz Max, 1x USB 2.0, Tilt, 75x75 mm wall mountable
17BR30T-B.AFB	R 3,995	LG 17BR30T 17" TN SXGA 1280x1024 Touch Monitor, 5:4 Aspect Ratio, 150 nits brightness, 1000:1 contrast ratio, 5ms response time, 170 / 160 degrees viewing angle, Single point Touch, D-Sub VGA Port, 1280 x 1024 at 75Hz Max, 1x USB 2.0, Tilt, 75x75 mm wall mountable
M32239	R 8,920	Verbatim 32239 17.3" IPS 4K 3840x2160 Portable Touchscreen Monitor, Capacitive Touch panel, IPS Technology, 10-point Multi-Touch with G G Technology, 1200:1 contrast (typical), 16:9 Aspect Ratio, 400 nits brightness, 6ms response time (typical GTG), 2x USB-C Input, 1x HDMI (1.4), 1x USB Type-A 2.0, 3.5 mm audio jack, HDR, FreeSync, Low Blue Light, Built-In kickstand, Aluminium Frame material
M49593	R 6,833	Verbatim 17.3" Full HD Portable Touchscreen Monitor - 10S0P Metal Housing

< Return to the menu

LCD Monitors : LCD monitors: 18.5 inch

Product code	Price	Description
DS-D5019QE-B	R 1,438	Hikvision 18.5" WXGA HD 1366x768 LED backlit Monitor, 1x HDMI Input, 1x VGA Input, 200 nits brightness, 600:1 contrast, 5 ms response Time
DS-D5019QE-B	R 1,581	Hikvision 18.5" WXGA HD 1366x768 LED backlit Monitor, 1x HDMI Input, 1x VGA Input, 200 nits brightness, 600:1

		contrast, 5 ms response Time
DS-D5019S0-1P0	R 1,237	Hikvision DS-D5019S0-1P0 18.5" WXGA HD 1366x768 borderless Monitor, E-led backlight, 200 nits brightness, 178 degree viewing angle, 1000:1 contrast ratio, 14 ms response time, 7x 12 hour reliability, 72% NTSC Colour Gamut, 1x HDMI 1.4, 1x VGA, 75 mm x 75mm VESA
HK-317500556	R 1,221	Hikvision DS-D5019S0-1P0 18.5" WXGA HD 1366x768 borderless Monitor, E-led backlight, 200 nits brightness, 178 degree viewing angle, 1000:1 contrast ratio, 14 ms response time, 7x 12 hour reliability, 72% NTSC Colour Gamut, 1x HDMI 1.4, 1x VGA, 75 mm x 75mm VESA, DS-D5019S0-1P0(O-STD)
VA1903H-2	R 1,321	ViewSonic VA1903H-2 18" TN WXGA HD 1366x768 Monitor, TN Technology panel Type, 600:1 static contrast ratio, LED light source, 200 nits brightness, 16:9 Aspect Ratio, 5ms response time, 90 degrees horizontal viewing angle, 65 degrees Vertical viewing angle, 60Hz Refresh Rate, Anti-Glare, Hard coating (3H), 1x VGA, 1x 3.5mm audio out, 1x HDMI 1.4, Kensington lock slot, 75x75 mm VESA compatible, Tilt
VA1903H2	R 1,545	ViewSonic VA1903H-2 18" TN WXGA HD 1366x768 Monitor, TN Technology panel Type, 600:1 static contrast ratio, LED light source, 200 nits brightness, 16:9 Aspect Ratio, 5ms response time, 90 degrees horizontal viewing angle, 65 degrees Vertical viewing angle, 60Hz Refresh Rate, Anti-Glare, Hard coating (3H), 1x VGA, 1x 3.5mm audio out, 1x HDMI 1.4, Kensington lock slot, 75x75 mm VESA compatible, Tilt

< Return to the menu

LCD Monitors : LCD monitors: 19 / 19.5 inch

Product code	Price	Description
20U401A-B.AFB	R 1,263	LG Essential 19.5" WSXGA TN Monitor, 19.5-inch TN panel; 1600 x 900 HD resolution; 75Hz refresh rate; 2ms response time; HDMI and VGA ports; Flicker Safe technology; VESA 75 x 75 mm mount; 250 cd/m2 brightness; 600:1 contrast ratio; NTSC 72% color gamut; 8-bit color depth; 90deg/65deg viewing angle; 2.25 kg weight; 463.8 x 364.6 x 190 mm dimensions
20U401A-B.AFB	R 1,329	LG 20U401A 19.5" TN WSXGA 1600 x 900 75Hz Monitor, TN panel Type, 16:9 Aspect Ratio, NTSC 72% Colour Gamut, 250nits brightness, 75 Refresh Rate (Maximum), 2ms response time, 600:1 contrast ratio (typical), D-Sub, HDMI, 3-pole Headphone out, Tilt, 75x75 mm Wall mountable
210-AJBP	R 4,175	Dell P1917S 48cm 19" LED Black Monitor, 1280x1024 resolution display, 5:4 aspect ratio, 1x VGA, 1x DP 1.2, 1x HDMI, 4x USB Ports, Tilt, Swivel, Height Adjustable, VESA Mountable
210-AJBP	R 4,236	Dell P1917S 48cm 19" LED Black Monitor, 1280x1024 resolution display, 5:4 aspect ratio, 1x VGA, 1x DP 1.2, 1x HDMI, 4x USB Ports, Tilt, Swivel, Height Adjustable, VESA Mountable
210-AURO	R 1,534	Dell E2020H 19.5" WXGA HD 1600x900 LED backlit Monitor Black, 16:9 Aspect Ratio, 250 nits brightness, 1000:1 contrast ratio, 5 ms typical response time, TN (Twisted nematic) panel Type, Anti-glare, 1x VGA, 1x DisplayPort 1.2, 160 / 170 degree viewing angle, Tilt, VESA (100 mm)
210-AURO	R 1,297	Dell E2020H 19.5" WXGA HD 1600x900 LED backlit Monitor Black, 16:9 Aspect Ratio, 250 nits brightness, 1000:1 contrast ratio, 5 ms typical response time, TN (Twisted nematic) panel Type, Anti-glare, 1x VGA, 1x DisplayPort 1.2, 160 / 170 degree viewing angle, Tilt, VESA (100 mm)
62F7KAT4SA	R 1,438	Lenovo ThinkVision E20-30 19.5" TN 1600x900 Monitor, 60 Hz Refresh Rate, 250 nits Brightness, 1000:1 contrast ratio, 1x HDMI 1.4, 1x VGA, Tilt stand
62F7KAT4SA	R 1,403	Lenovo ThinkVision E20-30 19.5" TN 1600x900 Monitor, 60 Hz Refresh Rate, 250 nits Brightness, 1000:1 contrast ratio, 1x HDMI 1.4, 1x VGA, Tilt stand
A1954H	R 2,530	Mecer 19" 4 x 3 TFT LED Monitor, 1280 x 1024, W/VGA HDMI & Built-in Speakers - Black
A2057K+	R 1,242	Mecer A2057K 19.5" 1600x900 TFT LED wide Monitor, 16:9 aspect ratio, VGA HDMI & built-in Speakers - Black
A2057N+	R 1,219	Mecer A2057N 19.5" LED Monitor, 19.5" LED; resolution:1600x900; panel:TN; HDMI VGA ports; built-in speakers; VESA75x75mm mount; power consume < =24W
ACER UM.IV6EE.024	R 1,206	Acer LED V206Qbi 19.5" H 16:9 5ms (on/off) 200nits 1xVGA 1xHDMI S.Africa EMEA MPRII Black (1xHDMI Cable). 1600 x 900.
AOC 20E1H	R 1,344	AOC 20E1H Monitor, 19.5, TN HD 1600x900, HDMI, VGA, VESA, Flicker Free, Low Blue Mode, Internal Power Supply. SPECSUM 19.5 inch TN panel; 1600x900 HD resolution; 60Hz refresh rate; 5ms response time; 200 cd/m2 brightness; HDMI and VGA inputs; VESA 100x100 mount; 12W power

AOC-20E1H	R 1,609	AOC 20E1H Monitor, 19.5, TN HD 1600x900, HDMI, VGA, VESA, Flicker Free, Low Blue Mode, Internal Power Supply. SPECSUM 19.5 inch TN panel; 1600x900 HD resolution; 60Hz refresh rate; 5ms response time; 200 cd/m2 brightness; HDMI and VGA inputs; VESA 100x100 mount; 12W power
DHI-LM19-L200	R 1,129	Dahua LM19-L200 19.5" LED Monitor; 1600x900 TN panel; HDMI and VGA inputs; 5ms response; 75Hz; VESA mount; energy efficient display
LC-DP1917S	R 4,231	Dell 210-AJBP P1917S 19" Led Display with 5:4 aspect ratio - with iPS technology (true 178degrees wide viewing angle real color), 4-way adjustable Stand (Tilt Height Swivel Pivot) - 1280x1024; brightness - 250cd/m2; contrast ratio- 1000:1 (Order on request)
LC-L20U401	R 1,494	LG 20U401A 19.5" TN WSXGA 1600 x 900 75Hz Monitor, TN panel Type, 16:9 Aspect Ratio, NTSC 72% Colour Gamut, 250nits brightness, 75 Refresh Rate (Maximum), 2ms response time, 600:1 contrast ratio (typical), D-Sub, HDMI, 3-pole Headphone out, Tilt, 75x75 mm Wall mountable
MNLE62F7KAT4SA	R 1,424	Lenovo ThinkVision E20-30 19.5" TN 1600x900 Monitor, 60 Hz Refresh Rate, 250 nits Brightness, 1000:1 contrast ratio, 1x HDMI 1.4, 1x VGA, Tilt stand
MNPH203V5LHSB2/73	R 1,459	Philips 203V5LHSB2 WXGA HD 1600x900 LED Backlit 19.5" monitor, Wall Mountable, 16:9 Aspect Ratio, 200cd/m2 Brightness, 600:1 Contrast Ratio, 5ms Response time, VGA, HDMI
UM.IV6EE.024	R 1,149	Acer V206h 19.5" TN WXGA HD 1600x900 Monitor, 5 ms response time, 16:9 Aspect Ratio, 200 nits brightness, 1x HDMI, 1x VGA, 178 degree viewing angle, 100Hz Max, Tilt
UM.IV6EE.024	R 1,149	Acer V206h 19.5" TN WXGA HD 1600x900 Monitor, 5 ms response time, 16:9 Aspect Ratio, 200 nits brightness, 1x HDMI, 1x VGA, 178 degree viewing angle, 100Hz Max, Tilt
UM.IV6EE.024	R 1,263	Acer V206h 19.5" TN WXGA HD 1600x900 Monitor, 5 ms response time, 16:9 Aspect Ratio, 200 nits brightness, 1x HDMI, 1x VGA, 178 degree viewing angle, 100Hz Max, Tilt

< Return to the menu

LCD Monitors : LCD monitors: 20 / 20.1 inch

Product code	Price	Description
LC-DE2020	R 1,610	Dell 210-AURO E2020h 20" LED Display - 1600x900; brightness- 250cd/m2; contrast ratio- 1000:1, response time - 5ms - d-sub DP - 100x100mm vesa wall-mountable. 19.5in 1600x900 TN LED; Brightness: 250 cd/m2; Response: 5 ms; Ports: 1 x VGA, 1 x DP 1.2; VESA 100 x 100 mm; Power: 11W typ; Weight: 2.94 kg

< Return to the menu

LCD Monitors : LCD monitors: 21 / 21.5 inch

Product code	Price	Description
1D-210AZKU	R 2,069	Dell 210-AZKU SE2222H 21.5" VA Full HD 1920x1080 LED backlit Monitor, VA panel Type, 16:9 Aspect Ratio, 1920x1080 at 60 Hz, 250 nits brightness, 3000:1 contrast ratio, 12 ms response time, 178 degree viewing angle, Anti-glare 3H hardness, HDMI (HDCP 1.4), VGA, Tilt, 100 x 100 mm VESA mounting Interface
210-AZKU	R 2,002	Dell 210-AZKU SE2222H 21.5" VA Full HD 1920x1080 LED backlit Monitor, VA panel Type, 16:9 Aspect Ratio, 1920x1080 at 60 Hz, 250 nits brightness, 3000:1 contrast ratio, 12 ms response time, 178 degree viewing angle, Anti-glare 3H hardness, HDMI (HDCP 1.4), VGA, Tilt, 100 x 100 mm VESA mounting Interface, Â© 2021 Laptop Direct
210-BMHD	R 2,347	Dell 210-BMHD P2225H 21.5" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray (Normal mode) response time, 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMHD	R 2,563	Dell 210-BMHD P2225H 21.5" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray (Normal mode) response time, 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x

		USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMHD	R 2,750	Dell 210-BMHD P2225H 21.5" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray (Normal mode) response time, 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BQMZ	R 1,730	Dell 210-BQMZ E2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 5ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BQMZ	R 1,760	Dell 210-BQMZ E2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 5ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BQMZ	R 1,745	Dell 210-BQMZ E2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 5ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BQMZ	R 1,929	Dell 210-BQMZ E2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 5ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BQZS	R 1,595	Dell 210-BQZS SE2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100 x 100 VESA Mount standard
210-BQZS	R 1,596	Dell 210-BQZS SE2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100 x 100 VESA Mount standard
210-BQZS	R 1,929	Dell 210-BQZS SE2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100 x 100 VESA Mount standard
210-BRDT	R 2,181	Dell 210-BRDT E2225HSM 21.5" VA Full HD 1920x1080 LED backlit Monitor, 5ms GTG response time, 16:9 Aspect Ratio, 178 degrees viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BRDT	R 2,057	Dell 210-BRDT E2225HSM 21.5" VA Full HD 1920x1080 LED backlit Monitor, 5ms GTG response time, 16:9 Aspect Ratio, 178 degrees viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BRDT	R 2,052	Dell 210-BRDT E2225HSM 21.5" VA Full HD 1920x1080 LED backlit Monitor, 5ms GTG response time, 16:9 Aspect Ratio, 178 degrees viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BVJQ	R 2,564	Dell 210-BVJQ Pro P 22 P2226h 21.5" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect

		Ratio, 178 degree viewing angle, Tilt, Swivel, Pivot, 150 mm Maximum adjustable height, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Port/s, 1x USB Type-B 5Gbps upstream Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100x100 VESA Mount Standard
210-BVJQ	R 2,542	Dell 210-BVJQ Pro P 22 P2226h 21.5" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, Swivel, Pivot, 150 mm Maximum adjustable height, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Port/s, 1x USB Type-B 5Gbps upstream Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100x100 VESA Mount Standard
210-BWPG	R 1,738	Dell 210-BWPG Pro 22 E2226H 21.5" IPS Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, stand included, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100x100 VESA Mount Standard
210-BWPH	R 2,201	Dell 210-BWPH Pro 22 E2226HS 21.5" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100x100 mm VESA Mount Standard
22MR410-B.AFBQ	R 2,125	LG 22MR410-B 21.45" VA Full HD 1920x1080 100Hz Monitor, 100Hz refresh rate 16:9 Aspect Ratio, VA panel Type, 16.7m Colour depth, 178 degrees viewing angle, 250 nits brightness, 3000:1 contrast ratio, 5ms (GTG at faster) response time, sRGB 99 Colour Gamut, HDMI, D-Sub, Headphone out, Tilt, 100x100 mm wall mountable
6N4E8AA	R 4,438	HP 6N4E8AA E22 G5 21.5" IPS Full HD 1920x1080 Monitor, 1000:1 contrast ratio, 250 nits brightness, 5ms GTG response time, 1x DisplayPort 1.2, 1x HDMI 1.4, 16:9 Aspect Ratio, 100x100 mm VESA Mount, 1920x1080 @ 75 Hz, 4x USB Type-A 5Gbps (1 charging), Height adjust, Tilt, Swivel, Pivot, 99% sRGB Colour
6N4E8AS	R 4,323	HP E22 G5 21.5" FHD Monitor, (1920 x 1080), 1000:1, 5ms GtG (with overdrive), Management, Information, Exit, Input, Colour, Image, Power, Menu, Brightness . The HP E22 G5 is a 21.5-inch Full HD IPS monitor featuring ergonomic height, tilt, swivel and pivot adjustments to suit your posture. With HP Eye Ease technology, accurate 99 percent sRGB color, multiple input ports and USB hub, it delivers a comfortable, versatile and sustainable display solution ideal for home and office work settings.
74-210AZZG	R 2,069	Dell 210-AZZG E2223HN 21.5" Full HD 1920x1080 VA LED backlit Monitor, VA panel Type, 16:9 Aspect Ratio, 1920x1080 at 60 Hz, 250 nits Brightness, 3000:1 contrast ratio, 10 ms (Normal) response time, 178 degree viewing angle, VGA, HDMI (HDCP 1.2), Tilt, 100x100 mm VESA mounting Interface
74-210BMHD	R 2,437	Dell 210-BMHD P2225H 21.5" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray (Normal mode) response time, 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
74-210BQMZ	R 1,691	Dell 210-BQMZ E2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 5ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
74-210BQZS	R 1,548	Dell 210-BQZS SE2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100 x 100 VESA Mount standard
9U5A2AA	R 3,219	HP 9U5A2AA Series 3 Pro 322pv 21.45" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP

		eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5A2AA	R 2,833	HP 9U5A2AA Series 3 Pro 322pv 21.45" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5A2AS	R 3,023	HP 9U5A2AS Series 3 Pro 322pv 21.45" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5B0UT	R 3,380	HP 9U5B0UT Series 3 Pro 322pf 21.5" IPS Full HD 1920x1080 WLED backlit Monitor, 72% NTSC Colour Gamut, 1000:1 contrast ratio, 250 nits brightness, 1x DisplayPort 1.2, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit, Detachable stand, 100 Hz Refresh Rate (Maximum)
A2256H	R 1,898	Mecer A2256H 21.5" 16 x 9 TFT LED Wide Monitor, 1920 x 1080, Full HD W/VGA HDMI & Built-in Speakers - Black
A2257H	R 2,128	Mecer A2257H 21.5" Full HD 1920x1080 TFT LED Wide Monitor, VGA HDMI & Built-in Speakers - Black
AOC-22B2HN	R 2,414	AOC 22B2HN Monitor 21.5" VA 1920x1080 60Hz LED backlit Monitor, 250 nits brightness (typical), 3000:1 contrast ratio, 7ms response time, 178 degrees viewing angle, NTSC 87% Colour gamut, 1x VGA, 1x HDMI 1.4, Earphone, 100mm x 100mm Wall-Mount, Tilt
AOC-22E2HM	R 1,724	AOC 22E2H 21.5" Monitor, IPS FHD 1920x1080 75hz, HDMI, VGA, VESA, Flicker Free, Low Blue Mode, Internal Power Supply
ASUS VT229H	R 6,439	Asus VT229H 21.5" 10-point Touch LED - with smartview, ah-iPS technology (true 178Â° wide viewing angle real color) - 2x 1.5w speaker, 1920x1080 (16:9); brightness - 200cd/m2; smart contrast ratio - 1000:1 / 1000000000:1, response time- 5ms - D-SUB HDMi - 100x100mm vesa wall-mountable
B0BN7UT	R 3,598	HP 322PH Series 3 Pro 21.5 inch FHD IPS monitor; 100Hz refresh; 5ms response; HDMI DisplayPort VGA; built in speakers; height adjustable stand
DHI-LM22-B200S	R 1,489	Dahua 21.45" LM22-B200S Series FHD Monitor - 16:9 HD Format, 1920 x 1080 Resolution, 6.5ms Response Time, 3000:1 Contrast Ratio, 250cd/m2 Brightness, Retail Box
ELA5230EU	R 1,799	Xiaomi Monitor A22i 21.45" VA Full HD 1920x1080 LED backlit Monitor, 6ms (typical) response time, 250nits brightness, 3000:1 contrast ratio, 16.7 million colours, 1x VGA, 1x HDMI Port, 75Hz high Refresh Rate, 16:9 Aspect Ratio
HP-9U5A2AA	R 2,886	HP 9U5A2AA Series 3 Pro 322pv 21.45" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
MNDE210-BMHD	R 2,414	Dell 210-BMHD P2225H 21.5" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray (Normal mode) response time, 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
MNDE210-BQZS	R 1,632	Dell 210-BQZS SE2225HM 21.5" VA Full HD 1920x1080 LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100 x 100 VESA Mount standard
MNDE210-BVJQ	R 2,494	Dell 210-BVJQ Pro P 22 P2226h 21.5" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, Swivel, Pivot, 150 mm Maximum adjustable height, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour

		Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Port/s, 1x USB Type-B 5Gbps upstream Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100x100 VESA Mount Standard
MNDE210-BWPG	R 1,770	Dell 210-BWPG Pro 22 E2226H 21.5" IPS Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, stand included, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100x100 VESA Mount Standard
MNDE210-BWPH	R 2,241	Dell 210-BWPH Pro 22 E2226HS 21.5" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100x100 mm VESA Mount Standard
MNHP9U5A2AA	R 3,082	HP 9U5A2AA Series 3 Pro 322pv 21.45" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
MNHPAK2F1UT	R 2,836	HP AK2F1UT Series 3 Pro 322pe 21.45" IPS Full HD 1920x1080 Monitor, 72% NTSC Colour Gamut, Tilt, 1000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, Standard lock slot
MNLE63B0MAT6SA	R 3,171	Lenovo ThinkVision T22i-30 21.5" IPS Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms (typical mode) response time, 16.7 million Colour support, 60Hz Refresh Rate, 250 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, Tilt, Swivel, Pivot, Height adjust stand, Supports VESA Mount 100mm, Tiny support, 4x USB 3.2 Gen 1 (Downstream), 1x USB-B 3.2 Gen 1 (Upstream), 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 63B0MAT6SA
MNLE64CBKAT6SA	R 1,963	Lenovo ThinkVision S22-4e 21.5" IPS Full HD 1920x1080 100Hz WLED backlight Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms GTG response time (typical mode), 16.7 million Colour support, 100Hz Refresh Rate, 250 nits brightness, 1300:1 contrast ratio, 99% sRGB Colour Gamut, Tilt stand, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64CBKAT6SA
MNPH22E1N1100LA	R 1,436	Philips 22E1N1100LA 21.5" VA Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, 250 nits brightness, 16.7 m Display colours, 4000:1 contrast ratio (typical), 4 ms (Gray to Gray) response time, 178 degree viewing angle, Adaptive Sync (VRR), 1x VGA, 1x HDMI 1.4, Audio out, Audio-in, 2W x 2 Built-In Speakers, Tilt
MON1017	R 2,552	Dell E2220H 21.5" TN Full HD 1920x1080 60Hz LED backlit Monitor Black, 16:9 Aspect Ratio, 250nits brightness, 1000:1 (Typical) contrast ratio, 5 ms typical response time, TN panel Type, Anti-glare, 1x VGA, 1x DisplayPort 1.2, Tilt only, VESA (100 mm)
PRO MP223	R 1,608	MSI Pro MP223 21.5" Monitor designed for productivity, comfort, and versatility. 1920 x 1080, 16:9, Flat, 100Hz, 1ms (MPRT) / 4ms (GTG), VA, 178 degrees viewing angle, 3000:1 contrast ratio, 99% sRGB (CIE 1976), 250 nits brightness, 16.7M colors, 8-bit color depth, Anti-glare coating, 1x HDMI 1.4b, 1x VGA (D-Sub), 1x Headphone-out, Adaptive-Sync, VESA mount 75x75mm, Tilt -5 to 20 degrees, Kensington Lock, External 30W power adapter, Dimensions 494.7 x 385.5 x 182.1 mm, Weight 2.4kg (net), Eye care certified (TÃœV), Compatible with PC, Mac, PS4, PS5, Xbox, mobile, notebook.
PRO MP223 E2	R 1,562	MSI PRO MP223 E2 21.45" Full HD business monitor built for eye comfort and productivity. VA Full HD 1920x1080 LED backlit Monitor, 4ms (GTG) response time, 100Hz Refresh Rate, 250 nits brightness (nits), 178 degree viewing angle, 16:9 Aspect Ratio, 3000:1 contrast ratio, 99% sRGB, 16.7m Display colours, 1x HDMI 1.4b, 1x DisplayPort 1.2A, 1x headphone-out, 75x75 mm VESA mounting, Adaptive-Sync, Tilt
PXP22G	R 1,781	Armaggeddon PXP22G Pixxel PF22HD SUPER-120 PXP 22 21.45" VA Full HD 1920x1080 Gaming Monitor, RGB 16.7 million Display Colour, 3000:1 contrast ratio, 250cd/s brightness, Tilt, 1ms response time, 99% sRGB Colour Gamut, 16:9 Aspect Ratio, 178 degree viewing angle, 75x75 VESA mounting, 120Hz Refresh Rate, 1x DisplayPort, 1x HDMI, Free-Sync

SE2222H	R 2,759	Dell 210-AZKU SE2222H 21.5" VA Full HD 1920x1080 LED backlit Monitor, VA panel Type, 16:9 Aspect Ratio, 1920x1080 at 60 Hz, 250 nits brightness, 3000:1 contrast ratio, 12 ms response time, 178 degree viewing angle, Anti-glare 3H hardness, HDMI (HDCP 1.4), VGA, Tilt, 100 x 100 mm VESA mounting Interface
SE2225H	R 1,889	Dell 210-BNHK SE2225H 21.4" VA Full HD 1920x1080 Monitor, Vertical alignment (VA) panel Technology, 5ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, Edge LED backlight Technology, Tilt, Stand included, 1920x1080 @ 75 Hz maximum Resolution, 3000:1 native contrast ratio, 250 nits brightness, 1x HDMI, 1x VGA connector
VA220H	R 1,840	ViewSonic VA220H 21.5" VA Full HD 1920x1080 Monitor, VA Technology panel Type, 4000:1 static contrast ratio, LED Light source, 250 nits (Typ) brightness, 16.7m colours, 16:9 Aspect Ratio, 1ms response time (MPRT), 178 degrees viewing angles, 100 Hz Refresh Rate, 1x VGA, 1x HDMI 1.4, External Power adaptor, Kensington lock slot, 75x75 mm VESA compatible, Tilt

< Return to the menu

LCD Monitors : LCD monitors: 22 inch

Product code	Price	Description
210-BQMX	R 4,556	Dell 210-BQMX Pro 24 Plus P2425d 23.8" IPS WQHD 2560x1440 LED Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 16.70 million colours supported, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 100x100 mm VESA Mount standard
LC-DE2222+S	R 2,496	Dell 210-AZKV E2222hs 22" LED Display Speakers, 2-way adjustable Stand (Tilt Height) - 1920x1080; brightness- 250cd/m2; contrast ratio- 3000:1, response time - 5ms - d-sub DP HDMi - 100x100mm vesa wall-mountable
LC-DSE2225	R 1,574	Dell SE2225H 22" Monitor: Full HD (1920 x 1080), VA panel, 75Hz refresh rate, 8ms response time, HDMI and VGA ports, VESA mount compatible, tilt adjustment, 250 cd/m2 brightness, 3000:1 contrast ratio.
LC-S22F350	R 2,500	Samsung S22F350FHU, 22" LED display - PLS (Plane to Line Switching) technology with 178Â° wide viewing angle, 10mm slim design, 60hz AMD FreeSync, glossy black, with Magic Eco MagicBright MagicUpscale, Full HD 1920x1080 (WUGA); brightness - 200cd/m2; contrast ratio - 1000:1 / infinity MDC, response time - 5ms, 75x75mm vesa-wall mount - d-sub HDMI
SAMSUNG LS22D300GAU	R 1,671	SAMSUNG LS22D300GA 22" IPS Full HD 1920x1080 100Hz IPS Monitor, 16:9 Aspect Ratio, 250 nits brightness (typical), 1000:1 contrast ratio static, 16:9 Aspect Ratio, 5ms (GTG) response time, 178 degree viewing angle (Horizontal / Vertical), Max 16.7m Colour support, 72% Colour Gamut (NTSC 1976), Max 100Hz Refresh Rate, 1x D-Sub VGA, 1x HDMI, Tilt, 100 x 100mm Wall Mount

< Return to the menu

LCD Monitors : LCD monitors: 23 / 23.8 inch

Product code	Price	Description
1D-210AXKS	R 2,644	Dell 210-AXKS S2421HN 23.8" Full HD 1920x1080 75Hz IPS Monitor, 16:9 Aspect Ratio, Antiglare with 3H hardness, 1000:1 contrast ratio, 250nits brightness, 4ms (Gray to Gray) response time, 178 degree viewing angle, 2x HDMI, Audio line out, Tilt, VESA (100 mm), AMD FreeSync, LED edgelight system
1D-210AZGT	R 2,069	Dell 210-AZGT SE2422H 23.8" VA Full HD 1920x1080 LED backlit Monitor, AMD FreeSync, 16:9 Aspect Ratio, 250 nits brightness, 3000:1 contrast ratio, 12 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-glare, 3H hard coating, HDMI (HDCP 1.4), VGA, Tilt, 100 x 100 mm VESA mounting Interface
210-AZGT	R 2,201	Dell 210-AZGT SE2422H 23.8" VA Full HD 1920x1080 LED backlit Monitor, AMD FreeSync, 16:9 Aspect Ratio, 250 nits brightness, 3000:1 contrast ratio, 12 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-glare, 3H hard coating, HDMI (HDCP 1.4), VGA, Tilt, 100 x 100 mm VESA mounting Interface
210-BDSL-R	R 4,697	Dell 210-BDSL C2423H 23.8" Full HD 1920x1080 IPS LED Video conferencing Monitor, IPS panel Type, 16:9 Aspect Ratio, 1920x1080 at 60 Hz, 250 nits Brightness, 1000:1 contrast ratio, 99% sRGB Colour gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, 5 Watt Speakers - stereo, Camera, Microphone,

		HDMI, DisplayPort 1.2 (HDCP 1.4), USB 3.2 Gen 1 upstream, Height ajustable, Swivel, Tilt, Pivot, 100 x 100 mm VESA mounting Interface
210-BHSK	R 7,477	Dell 210-BHSK P2424ht 23.8" Full HD 1920x1080 Touch USB-C Hub Monitor, 90 Watt USB Power Delivery, IPS panel Type, 16:9 Aspect Ratio, 1920x1080 at 60Hz, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, 3 Watt Speakers - mono, HDMI (HDCP 1.4), DisplayPort 1.2 (HDCP 1.4), USB-C 3.2 Gen 1 (Power up to 90W), 2x USB 3.2 Gen 1 downstream, USB-C 3.2 Gen 1 downstream (Power up to 15W), USB 3.2 Gen 1 downstream with Battery charging 1.2 (Power up to 10W), LAN (RJ-45), Audio Line-Out (Mini-jack), Height Ajustable, Swivel, Tilt, 100x100 mm VESA mounting Interface
210-BHSK	R 7,455	Dell 210-BHSK P2424ht 23.8" Full HD 1920x1080 Touch USB-C Hub Monitor, 90 Watt USB Power Delivery, IPS panel Type, 16:9 Aspect Ratio, 1920x1080 at 60Hz, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, 3 Watt Speakers - mono, HDMI (HDCP 1.4), DisplayPort 1.2 (HDCP 1.4), USB-C 3.2 Gen 1 (Power up to 90W), 2x USB 3.2 Gen 1 downstream, USB-C 3.2 Gen 1 downstream (Power up to 15W), USB 3.2 Gen 1 downstream with Battery charging 1.2 (Power up to 10W), LAN (RJ-45), Audio Line-Out (Mini-jack), Height Ajustable, Swivel, Tilt, 100x100 mm VESA mounting Interface
210-BHSK	R 6,999	Dell P2424HT 23.8" Full HD Touch USB-C Hub Monitor (210-BHSK) - Resolution 1920 x 1080 IPS, Refresh Rate 60Hz, Contrast Ratio 1000: 1, Response Time 8ms, Aspect Ratio 16:9, Brightness 300 cd/m, Anti-Glare, 3W Built-in Speaker, Connectivity 1 x HDMI 1.4, 1 x DisplayPort 1.2, 1 x USB-C 3.2 Gen 1 (power up to 90W), 2 x USB 3.2 Gen 1 Downstream, 1 x USB-C 3.2 Gen 1 Downstream (power up to 15W), 1 x USB 3.2 Gen 1 Downstream with Battery Charging 1.2 (power up to 10W), LAN (RJ-45), Audio Line-Out (mini-jack), Adjustability Tilt, Swivel, Height Adjustable, Wall Mountable VESA 100 x 100mm
210-BKJF	R 5,767	Dell 210-BKJF U2424HE IPS 23.8" Full HD 1920x1080 InfinityEdge IPS LED USB-C Hub Monitor, Anti-Glare with 3H hardness, 1920x1080 at 120Hz, 178 degree viewing angle, 1000 to 1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort Version 1.4, 1x HDMI, 1x DisplayPort 1.4 (Out) with MST (HDCP 1.4), 1x USB Type-C upstream Port (Video and Data) (Alternate mode with DisplayPort 1.4 & Power Delivery PD up to 90 W), 1x USB Type-C upstream Port (Data only 10 Gbps USB 3.2 Gen2), 3x USB Type-A downstream Port (USB 10 Gbps, USB 3.2 Gen 2), 1x audio line out, 1x RJ45 Port, Tilt, Swivel, 90 degree pivot, 150 mm height adjustable, VESA mounting holes
210-BKJF	R 5,688	Dell 210-BKJF U2424HE IPS 23.8" Full HD 1920x1080 InfinityEdge IPS LED USB-C Hub Monitor, Anti-Glare with 3H hardness, 1920x1080 at 120Hz, 178 degree viewing angle, 1000 to 1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort Version 1.4, 1x HDMI, 1x DisplayPort 1.4 (Out) with MST (HDCP 1.4), 1x USB Type-C upstream Port (Video and Data) (Alternate mode with DisplayPort 1.4 & Power Delivery PD up to 90 W), 1x USB Type-C upstream Port (Data only 10 Gbps USB 3.2 Gen2), 3x USB Type-A downstream Port (USB 10 Gbps, USB 3.2 Gen 2), 1x audio line out, 1x RJ45 Port, Tilt, Swivel, 90 degree pivot, 150 mm height adjustable, VESA mounting holes
210-BKTZ	R 4,907	Dell 210-BKTZ UltraSharp U2424H 23.8" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 1920x1080 at 120Hz, 178 degree viewing angle, 1000 to 1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB, Colour Gamut, 1x DisplayPort 1.4, 1x HDMI, 1x DisplayPort 1.4 (Out), 1x USB Type-C upstream Port, 2x USB Type-A downstream Port, 1x audio Line-Out Port, 150 mm Height Ajustable, Tilt, Swivel, Pivot, 100x100 mm VESA
210-BKVC	R 6,707	Dell 210-BKVC P2424HEB 23.8" IPS Full HD 1920x1080 Video Conferencing Monitor, 178x viewing angles, Anti-Glare treatment, Full HD 1920x1080 at 60Hz, 16:9 Aspect Ratio, 250 nits brightness, 1000:1 contrast ratio, LED backlight Technology, 8ms Gray to Gray (Normal) response time, 99% sRGB Colour Gamut, 1x HDMI (HDCP 1.4), 1x DisplayPort 1.2 (HDCP 1.4), 1x DisplayPort out with MST, 1x RJ45, 1x 3.5mm combo Headphone with Microphone jack, 1x USB 3.2 Gen1 Type-C (Alt mode with DP 1.2 upstream, Up to 90W Power Delivery), 1x USB 3.2 Gen1 Type-B upstream, 2x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up

		to 15W Power Delivery, 1x USB 3.2 Gen1 Type-A downstream with BC1.2 (2A Max), 150mm Height Ajustable, Tilt, Swivel, And pivot, 100mm x 100mm VESA mounting Interface, 1x 4MP RGB IR 2K camera at 30 fps, 2x Digital Microphone, 2x 5W Built-In Speaker
210-BMFF	R 3,049	Dell 210-BMFF P2425H 23.8" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178x viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms grey-to-grey (Normal mode) response time, 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), Up to 15W USB Power Delivery, Up to 150 mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMJB	R 4,349	Dell 210-BMJB P2425HE 23.8" IPS Full HD 1920x1080 USB-C Hub Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out (1.4), 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 90W USB Power Delivery, 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMJB	R 4,525	Dell 210-BMJB P2425HE 23.8" IPS Full HD 1920x1080 USB-C Hub Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out (1.4), 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 90W USB Power Delivery, 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BQMX	R 4,547	Dell 210-BQMX Pro 24 Plus P2425d 23.8" IPS WQHD 2560x1440 LED Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 16.70 million colours supported, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 100x100 mm VESA Mount standard
210-BQZT	R 2,015	Dell 210-BQZT SE2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
210-BQZT	R 1,719	Dell 210-BQZT SE2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
210-BQZT	R 1,831	Dell 210-BQZT SE2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
210-BRDM	R 5,724	Dell 210-BRDM Pro 24 Plus P2425de 23.8" IPS WQHD 2560x1440 QHD LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swive, Pivot, 100 Hz standard Refresh Rate, 16.7 million colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet Port, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
210-BRDN	R 2,146	Dell 210-BRDN Pro E2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BRDN	R 1,967	Dell 210-BRDN Pro E2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9

		Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BRDN	R 2,223	Dell 210-BRDN Pro E2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BRDV	R 2,505	Dell 210-BRDV Pro E2425HSM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 4W Audio Output, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BRDV	R 2,308	Dell 210-BRDV Pro E2425HSM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 4W Audio Output, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
210-BSZD	R 2,526	Dell S2425HSM 24 Plus Monitor 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Variable Refresh Rate (VRR), 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 2x HDMI, 100x100 a Mount Standard, Ash White product Colour
210-BSZD	R 2,788	Dell S2425HSM 24 Plus Monitor 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Variable Refresh Rate (VRR), 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 2x HDMI, 100x100 a Mount Standard, Ash White product Colour
210-BTTF	R 2,281	Dell 210-BTTF 24 SE2426HG 23.8" IPS Full HD 1920x1080 Gaming Monitor, 5 ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt stand adjustments, Variable Refresh Rate (VRR), Hight Dynamic range (HDR), 1920x1080 at 240Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
210-BVCB	R 1,927	Dell 210-BVCB SE2426h 23.8" Full HD 1920x1080 IPS 144Hz Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVCB	R 1,927	Dell 210-BVCB SE2426h 23.8" Full HD 1920x1080 IPS 144Hz Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVCB	R 1,831	Dell 210-BVCB SE2426h 23.8" Full HD 1920x1080 IPS 144Hz Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVHS	R 6,264	Dell 210-BVHS Pro P 24 P2426HEB 23.8" Full HD 1920x1080 IPS USB-C Hub Conferencing Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, Adjustable stand, 4 Megapixel camera Resolution, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 2x 5 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x 1GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x

		USB-C 5Gbps downstream Port Power Delivery up to 15 W, Microphone, 100 x 100 VESA Mount Standard
210-BVKM	R 3,191	Dell 210-BVKM Pro P 24 P2426h 23.8" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Ports, 100 x 100 VESA Mount Standard
210-BVKM	R 3,200	Dell 210-BVKM Pro P 24 P2426h 23.8" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Ports, 100 x 100 VESA Mount Standard
210-BVKM	R 3,104	Dell 210-BVKM Pro P 24 P2426h 23.8" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Ports, 100 x 100 VESA Mount Standard
210-BVKN	R 4,663	Dell 210-BVKN Pro P 24 P2426he 23.8" Full HD 1920x1080 IPS USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode & Power Delivery up to 100 W), 1x GbE RJ45 Ethernet Port, 2 USB-C 5Gbps downstream Ports with Power charging up to 15 W, 100x100 VESA Mount Standard
210-BVKN	R 4,907	Dell 210-BVKN Pro P 24 P2426he 23.8" Full HD 1920x1080 IPS USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode & Power Delivery up to 100 W), 1x GbE RJ45 Ethernet Port, 2 USB-C 5Gbps downstream Ports with Power charging up to 15 W, 100x100 VESA Mount Standard
210-BVMR	R 3,897	Dell 210-BVMR Pro 24 E2426hb 23.8" 1920x1080 Full HD IPS Video Conferencing Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 5 Megapixel camera Resolution, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2 x 3 W Speakers, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Port/s, 1x USB Type-B 5Gbps upstream Port/s, 100 x 100 VESA Mount Standard
210-BWPJ	R 1,947	Dell 210-BWPJ Pro 24 E2426H 23.8" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Adjustable stand, Tilt, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100mm x 100mm VESA Mount Standard
210-BWPM	R 2,159	Dell 210-BWPM Pro 24 E2426HS 23.8" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours support, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100x100 mm VESA Mount Standard
24GN60R-B.AFBQ	R 3,399	LG UltraGear 24GN60R-B 23.8" IPS Full HD 1920x1080 1ms 144Hz HDR Monitor, 16:9 Aspect Ratio, 300nits brightness, sRGB 99% Colour Gamut, 1000:1 contrast ratio, 144Hz Refresh Rate, 1ms response time (GTG), 178 degree viewing angle, DisplayPort, HDMI, Headphone out, Speaker, AMD FreeSync Premium, Tilt, 100x100 mm Wall Mount
24MS500-B.AFAQ	R 1,724	LG Essential 24MS500-B 23.8" IPS Full HD 1920x1080 IPS 100Hz Monitor, 16:9 Aspect Ratio, 2x HDMI, 3-pole Headphone out, Tilt, 75x75 wall mountable, 3-side virtually borderless Design, Anti-Glare Surface treatment,

		250nits brightness, 5ms (GTG at faster) response time, NTSC 72% Colour Gamut
61F6MAT2SA	R 5,020	Lenovo ThinkVision T23I-20 23" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms typical mode response time, 60Hz Refresh Rate, 250 nits brightness, 1000:1 contrast ratio, 75% NTSC Colour Gamut, Anti-Glare, HDMI, DisplayPort, VGA, 4x USB 3.2 Gen 1 (1x BC 1.2), Tilt, Swivel, Pivot, Height ajustable stand
63B4GAR6SA	R 6,751	Lenovo ThinkVision P24H-30 23.8" IPS QHD 2560x1440 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms (typical mode) response time, 16.7 million Colour support, 60Hz Refresh Rate, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, Tilt, Swivel, Pivot, Height adjust stand, Supports VESA Mount 100mm, 4x USB 3.2 Gen 1 (1x BC 1.2), 1x USB-B 3.2 Gen 1, 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x DisplayPort out
64B5KAT1SA	R 1,816	Lenovo ThinkVision S24-4e 23.8" IPS Full HD 1920x1080 100Hz WLED backlit Monitor, 178 degrees viewing angle (H / V), 6ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 250 nits brightness, 1300:1 contrast ratio, 99% sRGB Colour Gamut, Tilt, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA
64B5KAT1SA	R 2,076	Lenovo ThinkVision S24-4e 23.8" IPS Full HD 1920x1080 100Hz WLED backlit Monitor, 178 degrees viewing angle (H / V), 6ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 250 nits brightness, 1300:1 contrast ratio, 99% sRGB Colour Gamut, Tilt, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64B5KAT1SA
6N6E6AA	R 6,680	HP 6N6E6AA E24T G5 23.8" IPS Full HD 1920x1080 Touch Monitor, 1000:1 contrast ratio, 300 nits brightness, 5ms GTG response time (with Overdrive), 1x DisplayPort 1.2, 1x HDMI 1.4, 4x USB Type-A 5Gbps (1 charging), 100x100 mm VESA mounting, Height Ajustable, Tilt, Swivel, Pivot, 75Hz Refresh Rate
74-210BEJO	R 2,128	Dell 210-BEJO E2423HN 23.8" VA Full HD 1920x1080 LED backlit Monitor, Full HD (1080p) 1920x1080 at 60 Hz, 250 nits brightness, 3000:1 contrast ratio, 8 ms (Gray-to-gray normal), Response Time, 178 degree viewing angle, Anti-Glare, 1x HDMI 1.2, 1x VGA, Tilt, 100x100 mm VESA mounting Interface
74-210BHSK	R 7,243	Dell 210-BHSK P2424ht 23.8" Full HD 1920x1080 Touch USB-C Hub Monitor, 90 Watt USB Power Delivery, IPS panel Type, 16:9 Aspect Ratio, 1920x1080 at 60Hz, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, 3 Watt Speakers - mono, HDMI (HDCP 1.4), DisplayPort 1.2 (HDCP 1.4), USB-C 3.2 Gen 1 (Power up to 90W), 2x USB 3.2 Gen 1 downstream, USB-C 3.2 Gen 1 downstream (Power up to 15W), USB 3.2 Gen 1 downstream with Battery charging 1.2 (Power up to 10W), LAN (RJ-45), Audio Line-Out (Mini-jack), Height Ajustable, Swivel, Tilt, 100x100 mm VESA mounting Interface
74-210BKJF	R 5,587	Dell 210-BKJF U2424HE IPS 23.8" Full HD 1920x1080 InfinityEdge IPS LED USB-C Hub Monitor, Anti-Glare with 3H hardness, 1920x1080 at 120Hz, 178 degree viewing angle, 1000 to 1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort Version 1.4, 1x HDMI, 1x DisplayPort 1.4 (Out) with MST (HDCP 1.4), 1x USB Type-C upstream Port (Video and Data) (Alternate mode with DisplayPort 1.4 & Power Delivery PD up to 90 W), 1x USB Type-C upstream Port (Data only 10 Gbps USB 3.2 Gen2), 3x USB Type-A downstream Port (USB 10 Gbps, USB 3.2 Gen 2), 1x audio line out, 1x RJ45 Port, Tilt, Swivel, 90 degree pivot, 150 mm height adjustable, VESA mounting holes
74-210BMFF	R 2,921	Dell 210-BMFF P2425H 23.8" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178x viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms grey-to-grey (Normal mode) response time, 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), Up to 15W USB Power Delivery, Up to 150 mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
74-210BMHH	R 2,866	Dell 210-BMHH S2425HS 23.8" IPS Full HD 1920x1080 LED backlit Monitor, AntiGlare with hard-coating 3H, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 2x HDMI, 130mm Height-Adjustability stand, Tilt, Swivel, Pivot, Integrated 2x 5W Speakers, Security-lock slot, VESA (100 mm)
74-210BMHJ	R 2,685	Dell 210-BMHJ S2425H 23.8" IPS Full HD 1920x1080 LED backlit Monitor, AntiGlare with hard-coating 3H, 100

		Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 2x HDMI, Tilt, Integrated 2 x 5W Speakers, VESA (100 mm)
74-210BMJB	R 4,660	Dell 210-BMJB P2425HE 23.8" IPS Full HD 1920x1080 USB-C Hub Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, Tuv eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out (1.4), 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 90W USB Power Delivery, 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
74-210BNHL	R 2,069	Dell 210-BNHL SE2425H 23.8" VA Full HD 1920x1080 Edge LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 1920x1080 at 75Hz Maximum preset Resolution, 1x VGA connector, 1x HDMI
74-210BQZT	R 1,733	Dell 210-BQZT SE2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
74-210BRDN	R 1,673	Dell 210-BRDN Pro E2425HM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
74-210BRDV	R 2,513	Dell 210-BRDV Pro E2425HSM 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1000:1 native contrast ratio, 250 nits brightness, 72% NTSC Colour Gamut, 4W Audio Output, 1x HDMI Port, 1x DisplayPort 1.2, 1x VGA Port, 100x100 VESA Mount standard
74-210BSNR	R 2,126	Dell 210-BSNR SE2425HG 23.8" IPS Full HD 1920x1080 200Hz LED backlit Monitor, 5ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, Stand included, 1920x1080 at 200Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4 Port, 1x headphone-out Port (3.5 mm jack), 100x100 VESA Mount standard
74-210BSZD	R 2,494	Dell S2425HSM 24 Plus Monitor 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Variable Refresh Rate (VRR), 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 2x HDMI, 100x100 a Mount Standard, Ash White product Colour
74210BVCB	R 1,807	Dell SE2426H 23.8" Full HD Gaming Monitor; 1920 x 1080; 144Hz; 1ms MPRT; AMD FreeSync; 300 nits; 1000:1 contrast; 2 x HDMI 1.4; VESA 100 x 100; 3.37kg with stand; anti-glare; TÜV 3-star eye comfort
74210BVKN	R 4,429	Dell P2426HE Pro P 24 USB-C Hub Monitor; IPS Full HD; 1920 x 1080; 120Hz; 300 nits; 1500:1 contrast; 5ms GTG Fast; 99% sRGB; USB-C 100W; 2 x USB-A 5Gbps; 2 x USB-C 5Gbps; HDMI; DisplayPort 1.4; DisplayPort Out MST; 1GbE Ethernet; VESA 100 x 100mm; height tilt swivel pivot; 5.20kg
859-10142	R 769	Dell 23in Ultrasharp U2312HM LED Monitor, VGA DVI DP (1920x1080) Black
9D9L6AS	R 4,886	HP Series 5 Pro 524pf 23.8" IPS Full HD 1920x1080 WLED backlit Monitor, 1500:1 contrast ratio, 350 nits brightness, Anti-Glare screen treatment, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm height adjustment range, Tilt, Swivel, 5ms GTG (with Overdrive) response time, 100 Hz Refresh Rate (Maximum), 3-sided borderless, 1x DisplayPort 1.2, 1x HDMI 1.4, 4x USB Type-A 5Gbps Ports, 1x USB-B Input
9D9L6UT	R 5,070	HP 9D9L6UT Series 5 Pro 524pf 23.8" IPS Full HD 1920x1080 WLED backlit Monitor, 150mm height adjust / Tilt / swivel / pivot, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 4x USB Type-A Ports, 1 USB-B, 1x DisplayPort 1.2, 1x HDMI 1.4, 178 degree viewing angle, 16:9 Aspect Ratio, 100 Hz Refresh Rate (Maximum)

9U5C1AA	R 3,449	HP 9U5C1AA Series 3 Pro 324pv 23.8" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5C1AA	R 2,935	HP 9U5C1AA Series 3 Pro 324pv 23.8" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5C1AS	R 1,954	HP 9U5C1AS Series 3 Pro 324pv 23.8" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5C1AS	R 1,839	HP 9U5C1AS Series 3 Pro 324pv 23.8" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9U5J5UT	R 3,052	HP 9U5J5UT Series 3 Pro 324pf 23.8" IPS Full HD 1920x1080 Monitor, 72% NTSC Colour Gamut, 1000:1 contrast ratio, 250 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time (typical), 1920x1080 @ 100 Hz Resolution (Maximum), Tilt, 100x100 mm VESA mounting, 1x DisplayPort 1.2, 1x HDMI 1.4, 1x VGA
9U5J5UT	R 3,633	HP 9U5J5UT Series 3 Pro 324pf 23.8" IPS Full HD 1920x1080 Monitor, 72% NTSC Colour Gamut, 1000:1 contrast ratio, 250 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time (typical), 1920x1080 @ 100 Hz Resolution (Maximum), Tilt, 100x100 mm VESA mounting, 1x DisplayPort 1.2, 1x HDMI 1.4, 1x VGA
A2457K+	R 1,898	Mecer A2457K 23.8" Full HD 1920x1080 TFT LED wide Monitor with Speakers - Black, 1x VGA, 1x HDMI, 2x 2W Built-In Speakers, 16:9 Aspect Ratio, Exclude Power cable
A2457N	R 1,863	Mecer A2457N 23.8" Full HD 1920x1080 TFT LED wide Monitor with Speakers - Black, 1x VGA, 1x HDMI, 2x 2W Built-In Speakers, 16:9 Aspect Ratio, Exclude Power cable
A2457R+	R 1,955	Mecer A2457R 23.8" Full HD 1920x1080 TFT LED wide Monitor with Speakers - Black, 1x VGA, 1x HDMI, 2x 2W Built-In Speakers, 16:9 Aspect Ratio, Exclude Power cable
A2486H	R 2,128	Mecer 23.8" Full HD (1920 x 1080 resolution) 16:9 LED Backlit Monitor, VGA, HDMI, Built in Speakers HDMI & Built-in Speakers, Black
ACER UM.QE1EE.O01	R 1,885	Acer E241Y Obi 23.8" FHD Monitor, 100Hz R Stand, 1 x VGA, 1 x HDMI, Black. 1920 x 1080 16:9 monitor.
AK2F1AS	R 1,724	HP Series 3 Pro 322pe 21.45" IPS Full HD 1920x1080 edge-lit Monitor, 1920x1080 pixels @ 100Hz Display Resolution, 5ms GTG (with Overdrive) response time, 16:9 Native Aspect Ratio, 250 nits brightness (typical), 1000:1 contrast ratio (Static), 178 degree viewing angle, 100x100 mm VESA mounting, Tilt, 1x HDMI 1.4, 1x VGA
AOC-24B30HM	R 2,299	AOC 24B30HM 23.8" VA Full HD 1920x1080 100Hz LED backlit Monitor, 250 nits brightness (typical), 4000:1 contrast ratio, 4ms GTG response time, 178 degree viewing angle, sRGB 100% Colour Gamut, 1x HDMI 1.4, 1x VGA, 100mm x 100mm Wall-Mount, Tilt
AOC-24E3QAF	R 2,299	AOC 24E3QAF 23.8" IPS Full HD 1920x1080 75Hz LED backlit Monitor, 300 nits brightness (typical), 1300:1 contrast ratio, 4ms (GTG) response time, 178 degree viewing angle, NTSC 104%, sRGB 120%, 1920x1080 @ 75Hz, 16.7 million colours, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 2x 2W Speakers, 1x line in, 1x Earphone, 100mm x 100mm Wall-Mount, Height adjustment adjustable stand, Pivot, Swivel, Tilt
AOC-24E40L	R 2,069	AOC 24E40L 23.8" IPS Full HD 1920x1080 144Hz WLED backlit Monitor, 16:9 Aspect Ratio, WLED backlight Type, 144 Hz Max Refresh Rate, 4 ms response time GTG, 1500:1 static contrast ratio, 178 degree viewing angle, 16.7M Display colours, 300 nits brightness, Global dimming, Tilt, Adaptive Sync, HDR 10, 100x100 VESA Wallmount, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x audio out
AOC-24G4/73	R 4,139	AOC 24G4 23.8" IPS Full HD 1920x1080 180Hz LED backlit Gaming Monitor, 300 nits brightness (typical), 1000:1 contrast ratio, 1ms (GTG) response time, 178 degree viewing angle, NTSC 113%, sRGB 126%, DCI-P3 103%,

		1920x1080 @ 180Hz, 16.7 million colours, 1x HDMI 2.0, 1x DisplayPort 1.4, Earphone, 100mm x 100mm Wall-Mount, Height adjustable stand, Swivel, Pivot, Tilt
AOC-24G4E	R 2,414	AOC 24G4E 23.8" IPS Full HD 1920x1080 180Hz Gaming Monitor, 300 nits brightness (typical), 1000:1 contrast ratio, 1ms GTG response time, 178 degree viewing angle, 1x HDMI 2.0, 1x DisplayPort 1.4, Earphone, 100mm x 100mm Wall-Mount, Tilt
AOC-24G4ZR	R 3,679	AOC 24G4ZR 23.8" IPS Full HD 1920x1080 240Hz Gaming Monitor, 16:9 Aspect Ratio, Fast IPS panel Type, 240Hz (Native) Refresh Rate, 1ms (GTG) response time, 1000:1 contrast ratio, HDR10, 178 degree viewing angle, 2x HDMI 2.0, 1x DisplayPort 1.4, 1x 3.5mm Audio out, 100x100 mm VESA Mount
AOC-24P1U	R 4,484	AOC E2470SWH 23.6" TN Full HD 1920x1080 WLED backlit monitor, 16:9 Aspect Ratio, 250 cd/m2 brightness, 1000:1 Contrast Ratio, 1 ms Response time, 60Hz Refresh rate, DVI, HDMI, VGA, Speakers, Swivel, Tilt, Pivot (rotate)
ASUS BE24EQSK	R 5,634	Asus 23.8â€• 1080P Video Conferencing Monitor (BE24EQSK), Full HD, IPS, Built-in Adjustable 2MP Webcam, AI Noise-canceling Mic, Speakers, Eye Care, DisplayPort, HDMI, Wall Mountable, Height Adjustable
B11W5AT	R 3,989	HP Series 5 23.8" IPS Full HD 1920x1080 Monitor, 99% sRGB Colour Gamut, 1500:1 contrast ratio, 300 nits brightness, 1x HDMI 1.4, 1x 3.5 mm Audio jack (Audio out), 1x 3.5 mm Audio jack (Audio in), 1x VGA, Height adjustable, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit backlight Type, 3-sided borderless, 5ms GTG response time (typical), 2 x 2 W Speaker Output Power
E210-BVCB	R 1,958	Dell 210-BVCB SE2426h 23.8" Full HD 1920x1080 IPS Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
ELA5444EU	R 2,073	Xiaomi Monitor A24i 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 6ms (typical) response time, 250nits brightness, 1000:1 contrast ratio, 16.7 million colours, 1x DisplayPort 1.4 Port, 1x HDMI Port, 100Hz high Refresh Rate
ELA5625EU	R 2,067	Xiaomi G24i 23.8" Full HD 1920x1080 IPS 180Hz 1ms Gaming Monitor, 178 degree viewing angle, 250nits Display brightness, 1000:1 contrast, 16.7 million Colour, 16:9 Aspect Ratio, 180Hz Maximum Refresh Rate, 1ms response time, 99% sRGB Colour Gamut, VESA 75mm x 75mm, 1x DP Port, 1x HDMI Port, 1x audio Port
ELA6364EU	R 2,429	Xiaomi G24i 23.8" Full HD 1920x1080 200Hz IPS Gaming Monitor, Fast IPS LCD panel Type, 1ms (GTG) response time, 400 nits Peak brightness, 1000:1 contrast ratio, 16:9 Aspect Ratio, 178 degrees wide viewing angle, 100% sRGB Colour Gamut, 16.7 million colours, HDR 400, AMD FreeSync Premium, 75 x 75mm VESA Wall Mount, Tilt, 1x DisplayPort Port, 1x HDMI Port, 1x Audio Port, 1x DC in Power Port
HK-317500572	R 2,540	Hikvision 23.8" VA Full HD 1920x1080 100Hz Monitor, DS-D5024f2-av2(eu), E-led backlight, 250 nits brightness, 178 degree viewing angle, 4000:1 contrast ratio, 7ms response time, 7 x 16 Hour reliability, 72% NTSC Colour Gamut, 1x HDMI 1.4, 1x VGA, 1x audio out, 75 mm x 75 mm VESA
LC-DSE2425	R 1,896	Dell 210-BNHL SE2425H 23.8" VA Full HD 1920x1080 Edge LED backlit Monitor, Vertical alignment (VA) panel Technology, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, 16.7 million colours, 3000:1 native contrast ratio, 250 nits brightness, 1920x1080 at 75Hz Maximum preset Resolution, 1x VGA connector, 1x HDMI
LC-L24MS500	R 2,238	LG Essential 24MS500-B 23.8" IPS Full HD 1920x1080 IPS 100Hz Monitor, 16:9 Aspect Ratio, 2x HDMI, 3-pole Headphone out, Tilt, 75x75 wall mountable, 3-side virtually borderless Design, Anti-Glare Surface treatment, 250nits brightness, 5ms (GTG at faster) response time, NTSC 72% Colour Gamut
MNASVA249HG	R 2,069	Asus VA249HG 23.8" IPS Full HD 1920x1080 Eye Care Gaming Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 99% Colour Space (sRGB), 300nits brightness, 1500:1 contrast ratio, 16.7m Display colours, 1ms MPRT response time, 120Hz Refresh Rate (Max), VRR Technology, 1x HDMI V1.4, 1x VGA, Earphone jack, PC Audio Input, Tilt, 100x100mm VESA Wall Mounting
MNDE210-BHSK	R 7,589	Dell 210-BHSK P2424ht 23.8" Full HD 1920x1080 Touch USB-C Hub Monitor, 90 Watt USB Power Delivery, IPS panel Type, 16:9 Aspect Ratio, 1920x1080 at 60Hz, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, 3 Watt Speakers - mono, HDMI (HDCP 1.4), DisplayPort 1.2 (HDCP 1.4), USB-C 3.2 Gen 1 (Power up to 90W), 2x USB

		3.2 Gen 1 downstream, USB-C 3.2 Gen 1 downstream (Power up to 15W), USB 3.2 Gen 1 downstream with Battery charging 1.2 (Power up to 10W), LAN (RJ-45), Audio Line-Out (Mini-jack), Height Ajustable, Swivel, Tilt, 100x100 mm VESA mounting Interface
MNDE210-BKJF	R 5,852	Dell 210-BKJF U2424HE IPS 23.8" Full HD 1920x1080 InfinityEdge IPS LED USB-C Hub Monitor, Anti-Glare with 3H hardness, 1920x1080 at 120Hz, 178 degree viewing angle, 1000 to 1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort Version 1.4, 1x HDMI, 1x DisplayPort 1.4 (Out) with MST (HDCP 1.4), 1x USB Type-C upstream Port (Video and Data) (Alternate mode with DisplayPort 1.4 & Power Delivery PD up to 90 W), 1x USB Type-C upstream Port (Data only 10 Gbps USB 3.2 Gen2), 3x USB Type-A downstream Port (USB 10 Gbps, USB 3.2 Gen 2), 1x audio line out, 1x RJ45 Port, Tilt, Swivel, 90 degree pivot, 150 mm height adjustable, VESA mounting holes
MNDE210-BKTZ	R 4,955	Dell 210-BKTZ UltraSharp U2424H 23.8" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 1920x1080 at 120Hz, 178 degree viewing angle, 1000 to 1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB, Colour Gamut, 1x DisplayPort 1.4, 1x HDMI, 1x DisplayPort 1.4 (Out), 1x USB Type-C upstream Port, 2x USB Type-A downstream Port, 1x audio Line-Out Port, 150 mm Height Ajustable, Tilt, Swivel, Pivot, 100x100 mm VESA
MNDE210-BMFF	R 3,219	Dell 210-BMFF P2425H 23.8" IPS Full HD 1920x1080 LED backlit Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178x viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 250 nits brightness, 8ms grey-to-grey (Normal mode) response time, 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), Up to 15W USB Power Delivery, Up to 150 mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
MNDE210-BQMX	R 5,312	Dell 210-BQMX Pro 24 Plus P2425d 23.8" IPS WQHD 2560x1440 LED Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 16.70 million colours supported, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 100x100 mm VESA Mount standard
MNDE210-BRDM	R 5,749	Dell 210-BRDM Pro 24 Plus P2425de 23.8" IPS WQHD 2560x1440 QHD LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swive, Pivot, 100 Hz standard Refresh Rate, 16.7 million colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet Port, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
MNDE210-BSZD	R 2,552	Dell S2425HSM 24 Plus Monitor 23.8" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Variable Refresh Rate (VRR), 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 2x HDMI, 100x100 a Mount Standard, Ash White product Colour
MNDE210-BTTF	R 2,241	Dell 210-BTTF 24 SE2426HG 23.8" IPS Full HD 1920x1080 Gaming Monitor, 5 ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt stand adjustments, Variable Refresh Rate (VRR), Hight Dynamic range (HDR), 1920x1080 at 240Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
MNDE210-BVCB	R 1,919	Dell 210-BVCB SE2426h 23.8" Full HD 1920x1080 IPS Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
MNDE210-BVHS	R 6,082	Dell 210-BVHS Pro P 24 P2426HEB 23.8" Full HD 1920x1080 IPS USB-C Hub Conferencing Monitor, 8ms GTG

		response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, Adjustable stand, 4 Megapixel camera Resolution, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 2x 5 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x 1GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, Microphone, 100 x 100 VESA Mount Standard
MNDE210-BVHW	R 5,956	Dell 210-BVHW Pro P 24 P2426HEV 23.8" Full HD 1920x1080 IPS USB-C Hub Webcam Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot, cable lock slot, Stand included, 4 Megapixel camera Resolution, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out 1.4, 2x USB Type-A 5Gbps downstream Port /, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x 1GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, 100 x 100 VESA Mount Standard
MNDE210-BVKM	R 3,253	Dell 210-BVKM Pro P 24 P2426h 23.8" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Ports, 100 x 100 VESA Mount Standard
MNDE210-BVKN	R 4,737	Dell 210-BVKN Pro P 24 P2426he 23.8" Full HD 1920x1080 IPS USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode & Power Delivery up to 100 W), 1x GbE RJ45 Ethernet Port, 2 USB-C 5Gbps downstream Ports with Power charging up to 15 W, 100x100 VESA Mount Standard
MNDE210-BVMR	R 3,955	Dell 210-BVMR Pro 24 E2426hb 23.8" 1920x1080 Full HD IPS Video Conferencing Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 5 Megapixel camera Resolution, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2 x 3 W Speakers, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Port/s, 1x USB Type-B 5Gbps upstream Port/s, 100 x 100 VESA Mount Standard
MNDE210-BWPJ	R 1,988	Dell 210-BWPJ Pro 24 E2426H 23.8" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Adjustable stand, Tilt, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100mm x 100mm VESA Mount Standard
MNDE210-BWPM	R 2,299	Dell 210-BWPM Pro 24 E2426HS 23.8" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours support, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100x100 mm VESA Mount Standard
MNHP6N6E6AA	R 6,450	HP 6N6E6AA E24T G5 23.8" IPS Full HD 1920x1080 Touch Monitor, 1000:1 contrast ratio, 300 nits brightness, 5ms GTG response time (with Overdrive), 1x DisplayPort 1.2, 1x HDMI 1.4, 4x USB Type-A 5Gbps (1 charging), 100x100 mm VESA mounting, Height Ajustable, Tilt, Swivel, Pivot, 75Hz Refresh Rate
MNHP8X530AA	R 6,425	HP 8X530AA Series 7 Pro 724pf 23.8" IPS Full HD 1920x1080 Monitor, 1500:1 Contrast ratio, 300 nits Brightness, 178 viewing angle, 16:9 Aspect ratio, Edge-lit Backlight type, Detachable stand, 1920 x 1080 @ 100 Hz Resolution maximum, 150 m, m Height Adjust / Tilt / Swivel / Pivot, 99% sRGB Color gamut, 1 DisplayPort 1.2, 1 DisplayPort 1.2-out, 1 HDMI 1.4, 4 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging), 1x USB-B port, 100 x 100 mm VESA mounting

MNHP9D9L6UT	R 4,891	HP 9D9L6UT Series 5 Pro 524pf 23.8" IPS Full HD 1920x1080 WLED backlit Monitor, 150mm height adjust / Tilt / swivel / pivot, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 4x USB Type-A Ports, 1 USB-B, 1x DisplayPort 1.2, 1x HDMI 1.4, 178 degree viewing angle, 16:9 Aspect Ratio, 100 Hz Refresh Rate (Maximum)
MNHP9D9V7AA	R 6,656	HP 9D9V7AA Series 5 Pro 524pu 23.8" IPS Full HD USB-C Monitor, 1500:1 contrast ratio, 350 nits brightness, 5ms GTG (with Overdrive) response time, 1x DisplayPort 1.4, 1x DisplayPort 1.4-out, 1x HDMI 2.0, 3x USB Type-A 5Gbps (1 charging), 1x USB Type-C 5Gbps (Up to 15W USB Power Delivery), 1x USB Type-C 5Gbps (Up to 100W USB Power Delivery / Alt mode DisplayPort 1.4), 1x RJ-45 (10/100/1000 Mbps) Ethernet Port, 100x100 mm VESA Mount, Height Ajustable, Swivel, Tilt, Pivot
MNHP9U5C1AA	R 3,328	HP 9U5C1AA Series 3 Pro 324pv 23.8" VA Full HD 1920x1080 Monitor, VA panel Technology, Anti-Glare, HP eye ease, 72% NTSC Colour Gamut, 3000:1 contrast ratio, 250 nits brightness, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
MNHP9U5J5UT	R 3,502	HP 9U5J5UT Series 3 Pro 324pf 23.8" IPS Full HD 1920x1080 Monitor, 72% NTSC Colour Gamut, 1000:1 contrast ratio, 250 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time (typical), 1920x1080 @ 100 Hz Resolution (Maximum), Tilt, 100x100 mm VESA mounting, 1x DisplayPort 1.2, 1x HDMI 1.4, 1x VGA
MNHPB11W5AT	R 3,849	HP Series 5 23.8" IPS Full HD 1920x1080 Monitor, 99% sRGB Colour Gamut, 1500:1 contrast ratio, 300 nits brightness, 1x HDMI 1.4, 1x 3.5 mm Audio jack (Audio out), 1x 3.5 mm Audio jack (Audio in), 1x VGA, Height adjustable, Tilt, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit backlight Type, 3-sided borderless, 5ms GTG response time (typical), 2 x 2 W Speaker Output Power
MNLE12NAGAT1SA	R 5,889	Lenovo ThinkCentre Tiny-In-One 24 Gen 5 23.8" IPS Full HD 1920x1080 WLED backlit Monitor, In-Plane switching panel, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms (typical mode) response time, 60Hz Refresh Rate, 250 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, Integrated Microphone, 3W x2 Speakers, Tilt, Swivel, Pivot, Height adjust stand, Supports VESA Mount 100mm, Tiny support, 1x USB 3.2 Gen 1 Port, 1x USB-B 3.2 Gen 1 Port (USB upstream), 1x DisplayPort 1.2, 1x HDMI 1.4
MNLE12NBGAT1SA	R 7,399	Lenovo ThinkCentre Tiny-In-One 24 Gen 5 23.8" IPS Full HD 1920x1080 Touch Monitor, WLED backlight, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms (typical mode) response time, 60Hz Refresh Rate, 250 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, Integrated Microphone, 3W x2 Speakers, Tilt, Swivel, Pivot, Height adjust stand, Supports VESA Mount 100mm, Tiny support, 1x USB 3.2 Gen 1, 1x USB-B 3.2 Gen 1 (USB upstream), 1x DisplayPort 1.2, 1x HDMI 1.4
MNLE64B1GAT1SA	R 6,493	Lenovo ThinkVision P24QD-40 23.8" IPS QHD 2560x1440 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms GTG (typical mode) response time, 16.7 million Colour support, 48Hz - 120Hz Refresh Rate, 300 nits brightness, 1500:1 contrast ratio, 99% sRGB Colour Gamut, Tilt, Swivel, Pivot, Height adjust stand, Supports VESA Mount 100x100 mm, Tiny support, 1x USB-C (USB 10Gbps /DP 1.4 Alt mode / PD3.1 140W / USB upstream), 1x USB-B (USB 5Gbps / USB upstream), 4x USB Type-A (USB 5Gbps / 1x BC1.2 / USB downstream), 1x USB-C (USB 5Gbps / 15wpd / USB downstream), 1x HDMI 2.1 TMDS, 1x DisplayPort 1.4, 1x DisplayPort 1.4 out, 1x USB-C (10Gbps DisplayPort 1.4 Alt mode HBR3), 1x RJ45 Ethernet, 64B1GAT1SA
MNLE64B5KAT1SA	R 1,812	Lenovo ThinkVision S24-4e 23.8" IPS Full HD 1920x1080 100Hz WLED backlit Monitor, 178 degrees viewing angle (H / V), 6ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 250 nits brightness, 1300:1 contrast ratio, 99% sRGB Colour Gamut, Tilt, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64B5KAT1SA
N006O7410AIO35WEMEA	R 22,953	Dell Optiplex 7410 AIO 23.8" Full HD 1920x1080 Touch Desktop PC, Intel Core 13th Gen i5-13500T up to 4.6GHz 24MB Cache Fourteen Core (14) Processor with intergrated Intel UHD Graphics 770 (6 performace & 8 efficient cores), 8GB DDR4 Memory, 256GB M.2 PCI-e Solid State Drive, Wireless Keyboard & Mouse, WiFi 6, Bluetooth, Windows 11 Pro 64bit, Height adjustable stand, 1x USB 3.2 Gen 2x2 Type-C Port, 1x HDMI out 1.4/hdcp 2.3 Port, 1x HDMI-in 2.1/hdcp 1.4 Port, 1x DisplayPort 1.4a, 1x RJ45 Ethernet Port 10/100/1000 Mbps Port, 2x USB 3.2 Gen 1 Type-A Ports with Smart Power on, 2x USB 3.2 Gen 2 Type-A Ports, 1x audio line-out Port, 1x USB 3.2 Gen 2 Type-A Port with PowerShare, 1x Universal audio Port

PRO MP241 E14V	R 1,838	MSI PRO MP241 E14V 23.8" VA Full HD 1920x1080 144Hz Monitor, 4ms (GTG) response time, 250 nits brightness (nits), 178 degree viewing angle, 16:9 Aspect Ratio, 3500:1 contrast ratio, 98% sRGB, HDR ready, 1x HDMI 2.0, 1x DisplayPort 1.2A, Kensington lock, 100x100 mm VESA mounting, AMD FreeSync, Tilt
PRO MP2412	R 1,839	MSI PRO MP2412 23.8" VA Full HD 1920x1080 Monitor, 100Hz Refresh Rate, 4ms (GTG) response time, 300 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, 4000:1 contrast ratio, 113% sRGB, 1x HDMI (1.4b), 1x DisplayPort (1.2A), 75x75 mm VESA mounting, Tilt
PRO MP2412W	R 1,839	MSI PRO MP2412W 23.8" VA Full HD 1920x1080 100Hz Eyesergo Business Monitor - White, 100Hz Refresh Rate, 4ms (GTG) response time, VA panel Type, 178 degree viewing angle, 16:9 Aspect Ratio, 3000:1 contrast ratio, 16.7m Display colours, 1x HDMI, 1x DisplayPort, Kensington lock, 250 nits brightness, 75x75 mm VESA mounting, Tilt
PRO MP241W E14V	R 1,838	MSI PRO MP241W E14V 23.8" VA Full HD 1920x1080 144Hz Monitor, 4ms (GTG) response time, VA panel Type, 250 nits brightness (nits), 178 degree viewing angle, 16:9 Aspect Ratio, 3500:1 contrast ratio, 98% sRGB, HDR ready, 1x HDMI 2.0, 1x DisplayPort 1.2A, Kensington lock, 100x100 mm VESA mounting, AMD FreeSync, Tilt. The MSI PRO MP241W E14V 23.8 inch monitor is a practical choice for users in South Africa looking for smooth performance for work, study and casual gaming.
PXP24G	R 2,241	Armaggeddon PXP24G Pixxel PXP 24-x 23.8" IPS Full HD 1920x1080 Monitor, RGB 16.7 million Display Colour, 1500:1 contrast ratio, 250cd/s brightness, Tilt, 99% sRGB Colour Gamut, 16:9 Aspect Ratio, 178 degree viewing angle, 75x75 VESA mounting, HDR, 165Hz Refresh Rate, Speakers, Audio out, 1x DisplayPort, 1x HDMI, G-Sync
UM.QE1EE.G08	R 1,839	Acer E241Y 23.8" IPS Full HD 1920x1080 120Hz LED backlit Monitor, 250 nits brightness, 1000:1 contrast ratio, 5 ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 75x75 mm VESA mounting, Tilt, 1x HDMI 1.4, 1x VGA, UM.QE1EE.G08
UM.QE1EE.O01	R 1,780	Acer ET241 23.8" IPS Full HD 1920x1080 widescreen LCD Monitor, 178 degree viewing angle, In-Plane switching (IPS) Technology, Tilt, 4 ms response time, 250 nits brightness, LED backlight Technology, 16:9 Aspect Ratio, 16.7 million colours, HDMI, VGA, 100x100 VESA Mount standard
UM.QE1EE.O01	R 1,839	Acer ET241 23.8" IPS Full HD 1920x1080 widescreen LCD Monitor, 178 degree viewing angle, In-Plane switching (IPS) Technology, Tilt, 4 ms response time, 250 nits brightness, LED backlight Technology, 16:9 Aspect Ratio, 16.7 million colours, HDMI, VGA, 100x100 VESA Mount standard
VA240AH	R 2,250	ViewSonic VA240AH 23.8" IPS Full HD 1920x1080 120Hz Monitor, IPS Technology panel Type, 1500:1 static contrast ratio, LED Light source, 250 nits (Typ) brightness, 16.7m colours, 16:9 Aspect Ratio, 1ms response time (MPRT), 178 degrees viewing angles, 120Hz Refresh Rate, Variable Refresh Rate Technology, 1x VGA, 1x HDMI 1.4, External Power adaptor, Kensington lock slot, 75x75 mm VESA compatible, Tilt
VA249HG	R 2,023	Asus VA249HG 23.8" IPS Full HD 1920x1080 Eye Care Gaming Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 99% Colour Space (sRGB), 300nits brightness, 1500:1 contrast ratio, 16.7m Display colours, 1ms MPRT response time, 120Hz Refresh Rate (Max), VRR Technology, 1x HDMI V1.4, 1x VGA, Earphone jack, PC Audio Input, Tilt, 100x100mm VESA Wall Mounting
VA249HG	R 2,124	Asus VA249HG 23.8" IPS Full HD 1920x1080 Eye Care Gaming Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 99% Colour Space (sRGB), 300nits brightness, 1500:1 contrast ratio, 16.7m Display colours, 1ms MPRT response time, 120Hz Refresh Rate (Max), VRR Technology, 1x HDMI V1.4, 1x VGA, Earphone jack, PC Audio Input, Tilt, 100x100mm VESA Wall Mounting
VX2416	R 1,999	ViewSonic VX2416 23.8" IPS Full HD 1920x1080 Gaming FreeSync Monitor, 1300:1 static contrast ratio, LED light source, 250 nits brightness, 16:9 Aspect Ratio, 1ms response time (MPRT), 178 degrees viewing angles, 100 Hz Refresh Rate, FreeSync, Anti-Glare, Hard coating (3H), 1x 3.5mm audio out, 1x HDMI 1.4, 1x DisplayPort, 2x 2W internal Speakers, 100x100 mm VESA compatible, Tilt
VX2428	R 1,899	ViewSonic VX2428 23.8" 180Hz Fast IPS Full HD 1920x1080 Gaming FreeSync Monitor, IPS Technology, 1000:1 static contrast ratio, HDR10 high Dynamic range, LED light source, 250 nits brightness, 16:9 Aspect Ratio, 0.5ms response time (MPRT), 178 degrees viewing angles, 180 Hz Refresh Rate, FreeSync Premium, AdaptiveSync, Anti-Glare, Hard coating (3H), 1x 3.5mm audio out, 2x HDMI 1.4, 1x DisplayPort, 2x 2W internal Speakers, Kensington lock slot, Tilt, 100x100 mm VESA compatible
VX2479-HD-PRO	R 2,356	ViewSonic VX2479-HD-PRO 23.8" IPS Full HD 1920x1080 180Hz Gaming Monitor, 1, 000:1 contrast ratio, HDR10

		high Dynamic range, LED Light source, 250 nits brightness, 16:9 Aspect Ratio, 1ms response time (MPRT), 178 degrees viewing angles, 180 Hz Refresh Rate, FreeSync, Blue Light Filter, 104% sRGB, 1x 3.5mm audio out, 2x HDMI 1.4, 1x DisplayPort, 1 Kensington lock slot, 100x100 mm VESA compatible, Tilt

< Return to the menu

LCD Monitors : LCD monitors: 24 / 24.1 / 24.5 inch

Product code	Price	Description
210-BJPH	R 10,287	Dell Alienware AW2525HF 24.5" Fast IPS Full HD 1920x1080 500Hz Gaming Monitor, Fast IPS panel Type, 16:9 Aspect Ratio, 400 nits brightness, 1000:1 contrast ratio, 1.07 Billion colours, 99% sRGB Colour Gamut, 1 ms (Grey-to-grey Extreme), Response time, 178 degree viewing angle, WLED edgelight backlight Technology, Dark Side of the Moon Colour, 1x HDMI 2.1, 2x DisplayPort 1.4, USB 3.2 Gen 1 upstream, 2x USB 3.2 Gen 1 downstream, 2x USB 3.2 Gen 1 downstream with Battery charging 1.2, 110 mm Height Ajustable, Pivot (Rotation), Swivel, Tilt, 100x100 mm VESA mounting Interface
210-BRYJ	R 4,502	Dell Alienware AW2525HM 24.5" Fast IPS Full HD 1920x1080 255Hz LED baclklit Monitor, Fast IPS panel Technology, 1ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, 320 Hz standard Refresh Rate, 16.7 million colours, 1000:1 Native contrast ratio, 400 nits brightness, nVidia G-Sync compatible, AMD FreeSync Premium, VESA AdaptiveSync, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-A downstream Port with BC1.2 Power charging, 100x100 VESA Mount standard
210-BRYJ	R 4,613	Dell Alienware AW2525HM 24.5" Fast IPS Full HD 1920x1080 255Hz LED baclklit Monitor, Fast IPS panel Technology, 1ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, 320 Hz standard Refresh Rate, 16.7 million colours, 1000:1 Native contrast ratio, 400 nits brightness, nVidia G-Sync compatible, AMD FreeSync Premium, VESA AdaptiveSync, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-A downstream Port with BC1.2 Power charging, 100x100 VESA Mount standard
210-BVJR	R 3,856	Dell 210-BVJR Pro P 24 P2426 24" WUXGA 1920x1200 IPS Monitor, 8ms GTG response time, 16:10 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1200 at 100 Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100x100 VESA Mount Standard
210-BVJT	R 5,218	Dell 210-BVJT Pro P 24 P2426e 24" WUXGA 1920x1200 IPS USB-C Hub Monitor, 8ms GTG response time, 16:10 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1200 at 100Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 100 W), 1x GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100 x 100 VESA Mount Standard
210-BWPJ	R 1,799	Dell Pro E2426H Full HD Monitor - 24" Screen Size, LED IPS Monitor, Full HD Screen Mode, Flat Panel, 1920 x 1080 Resolution, 16:9 Aspect Ratio, 120Hz Refresh Rate, Anti-glare Surface, 1 x HDMI 1.4, 1 x DisplayPort 1.4, 1 x VGA Port Connectivity, Retail Box
24GS60F-B.AFAQ	R 3,782	LG UltraGear 24GS60F-B 24" Full HD 1920x1080 IPS 180Hz 1ms Gaming Monitor, 300nits brightness (typical), 16:9 Aspect Ratio, sRGB 99% Colour Gamut, 1000:1 contrast ratio, 180Hz Refresh Rate (Maximum), 1ms (GTG at faster) response time, 178 degree viewing angle, AMD FreeSync, HDR 10, G-Sync compatible, DisplayPort, HDMI, 3-pole Headphone out, Tilt, 3-side virtually borderless Design, 100 x 100mm wall mountable
24GS60F-B.AFAQ	R 3,995	LG UltraGear 24GS60F-B 24" Full HD 1920x1080 IPS 180Hz 1ms Gaming Monitor, 300nits brightness (typical), 16:9 Aspect Ratio, sRGB 99% Colour Gamut, 1000:1 contrast ratio, 180Hz Refresh Rate (Maximum), 1ms (GTG at

		faster) response time, 178 degree viewing angle, AMD FreeSync, HDR 10, G-Sync compatible, DisplayPort, HDMI, 3-pole Headphone out, Tilt, 3-side virtually borderless Design, 100 x 100mm wall mountable
63FFMAT1SA	R 4,241	Lenovo ThinkVision T24d-30 24" IPS Full HD 1920x1080 WLED backlit Monitor, In-Plane switching panel, 16:10 Aspect Ratio, 178 degrees viewing angle (H / V), 6ms (typical mode) response time, 48Hz - 100Hz Refresh Rate, 300 nits brightness, 1500:1 contrast ratio, 99% sRGB Colour Gamut, 2WX2 Speakers, Tilt, Swivel, Pivot, Height adjust stand, Supports VESA Mount 100x100 mm, 4x USB Type-A 5Gbps Ports, 1x USB-B upstream, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA
8Y2F7AA	R 8,681	HP Series 7 Pro 24" WUXGA USB-C Monitor - 724pu - IPS - Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease; Picture-in-Picture; Picture-by-Picture - WUXGA (1920 x 1200) Display - 350 nits Brightness - 4x SuperSpeed USB Type-A 5Gbps signaling
90LM05K1-B01K71	R 4,686	Asus ProArt Display PA248QV Gen2 (PA248QFV) Professional Monitor - 24.1-inch, 16:10, IPS, WUXGA (1920 x 1200), 100% sRGB, Color Accuracy ?E < 2, Calman Verified, 100Hz, HDR-10, Light Sync, Ergonomic stand, VESA MediaSync, Green Sustainability
9D9A7AA	R 5,220	HP 9D9A7AA Series 5 Pro 524pn 24" IPS WUXGA 1920x1200 Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 178 degree viewing angle, 16:10 Aspect Ratio, Edge-lit WLED backlight Type, 150 mm height adjustment range, Swivel, Tilt, Pivot, 100x100 mm VESA mounting, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, 1920x1200 @ 100 Hz Resolution (Maximum), 1x DisplayPort 1.2, 1x HDMI 1.4, 4x USB Type-A 5Gbps (1 charging), 1 USB-B Port
9D9A7AS	R 5,036	HP 9D9A7AS Series 5 Pro 524pn 24" IPS WUXGA 1920x1200 Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 178 degree viewing angle, 16:10 Aspect Ratio, Edge-lit WLED backlight Type, 150 mm height adjustment range, Swivel, Tilt, Pivot, 100x100 mm VESA mounting, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, 1920x1200 @ 100 Hz Resolution (Maximum), 1x DisplayPort 1.2, 1x HDMI 1.4, 4x USB Type-A 5Gbps (1 charging), 1 USB-B Port
ASUS BE24ECSBT	R 8,854	Asus BE24ECSBT Multi-touch Monitor - 24" (23.8 inch viewable), FHD (1920x1080), 10-point Touch, IPS, USB-C with Power Delivery, HDMI, DisplayPort Daisy Chain, Height Adjustable, Ergonomic Stand, Eye Care, Low Blue Light, Flicker Free, Wall Mountable
ASUS HA2441A	R 31,308	Asus HA2441A HealthCare Monitor - 24" (23.8" viewable), 3.6MP (2560 x 1440), AGLR, DICOM Part 14 GSDF, DICOM Preset, Auto Calibration, JND < 10%, Antibacterial Treatment, USB-C, HDMI, DisplayPort Daisy-chain, Ergonomic Stand
ASUS PA248CRV	R 7,589	Asus PA248CRV ProArt Display 24" (24.1" viewable) 16:10 HDR Professional Monitor (PA248CRV), IPS, (1920 x 1200), 97% DCI-P3, ?E < 2, Calman Verified, USB-C PD 96W, DisplayPort, Daisy-Chain, Height Adjustable
ASUS VA249HG	R 1,862	Asus VA249HG Eye Care Gaming Monitor 24" , IPS, Full HD, Frameless; 120Hz Adaptive-Sync, HDMI, VGA, Versa Mount
ELA6416EU	R 1,892	Xiaomi A24i 24" 144Hz Full HD 1080P IPS Office Monitor
LF24T350	R 3,028	Samsung 24" LF24T350 Full HD 1920 x 1080 Monitor - Panel Type IPS, 5ms Response Time, Max 75Hz Refresh Rate, Aspect Ratio 16:9 Brightness (Typical) 250cd/m2, Contrast ratio (typical) 1000:1, VGA, HDMI
LS24D300	R 1,839	SAMSUNG LS24D300GA 24" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, IPS panel Type, IPS panel Type, 250 nits brightness (typical), 1000:1 contrast ratio static, 5ms (GTG) response time, 178 degree viewing angle (Horizontal / Vertical), Max 100Hz Refresh Rate, 1x D-Sub VGA, 1x HDMI, Tilt, 100 x 100mm Wall Mount, 72% Colour Gamut (NTSC 1976)
LS24D300GAAXXA	R 1,839	Samsung S30 Flat Borderless 24" display IPS Response: 5 (GTG) AR: 16:09 Resolution: 1920x1080 (FHD) RR: 100Hz HDMI (x1), D-SUB Speaker: No Power supply: External Tilt: Yes Swivel: No Pivot: No Height adjust: No VESA: Yes Accessories: HDMI cable, Power supply cable
MNDE210-BVJR	R 3,920	Dell 210-BVJR Pro P 24 P2426 24" WUXGA 1920x1200 IPS Monitor, 8ms GTG response time, 16:10 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1200 at 100 Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100x100 VESA Mount Standard

MNDE210-BVJT	R 5,300	Dell 210-BVJT Pro P 24 P2426e 24" WUXGA 1920x1200 IPS USB-C Hub Monitor, 8ms GTG response time, 16:10 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1200 at 100Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 100 W), 1x GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100 x 100 VESA Mount Standard
MNHP9D9A7AA	R 5,036	HP 9D9A7AA Series 5 Pro 524pn 24" IPS WUXGA 1920x1200 Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 178 degree viewing angle, 16:10 Aspect Ratio, Edge-lit WLED backlight Type, 150 mm height adjustment range, Swivel, Tilt, Pivot, 100x100 mm VESA mounting, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, 1920x1200 @ 100 Hz Resolution (Maximum), 1x DisplayPort 1.2, 1x HDMI 1.4, 4x USB Type-A 5Gbps (1 charging), 1 USB-B Port
PA248CNV	R 6,815	Asus ProArt Display PA248CNV 24.1" WUXGA 1920x1200 IPS 75Hz Monitor, 16:10 Aspect Ratio, 300nits brightness (typical), 1000:1 contrast ratio (typical), 16.7M Display colours, 5ms (GTG) response time, 75Hz Refresh Rate (Max), HDR10 support, 2W x2 Speaker, 1x USB-C (DP Alt mode), 2x DisplayPort 1.2 (Daisy chain), 1x HDMI V1.4, 4x USB 3.2 Gen 1 Type-A USB Hub, Earphone jack, 90W USB-C Power Delivery, RJ45, Tilt, Swivel, Pivot, 0-130mm height adjustment, 100x100mm VESA Wall Mounting
PR-01	R 2,414	Galax Prisma 01 Monitor, 24" FHD/ VA/ 75Hz/ G-Sync Compatible/ Borderless/ USB-C Supported. HDMI 1.4 x 1 / DP x 1 / USB-C x 1
SAMSUNG LS24D300GAUX	R 1,839	SAMSUNG LS24D300GA 24" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, IPS panel Type, IPS panel Type, 250 nits brightness (typical), 1000:1 contrast ratio static, 5ms (GTG) response time, 178 degree viewing angle (Horizontal / Vertical), Max 100Hz Refresh Rate, 1x D-Sub VGA, 1x HDMI, Tilt, 100 x 100mm Wall Mount, 72% Colour Gamut (NTSC 1976)
SAMSUNG LS24F330EA	R 1,873	Samsung LS24F330EA 24" FHD IPS Borderless Monitor; 1920x1080; 100Hz; 5GTG ms; 178/ 178 Viewing Angle; 1xD Sub ; 1x HDMI
UM.FV0EE.W01	R 2,529	Acer MG24x5f 24" Gaming IPS Full HD 240Hz Monitor, 1920x1080 pixels @ 240Hz Display Resolution, LED backlight Technology, 300 nits brightness, 1000:1 contrast ratio, 1 ms GTG response time, 16:9 Native Aspect Ratio, HDR10, Adaptive Sync, G-Sync compatible, 178 degree viewing angle, 75x75 mm VESA mounting, Tilt, 2x HDMI 2.0, 1x DisplayPort
UM.QMXEE.001	R 2,298	Acer ET241Y 24" IPS Full HD 1920x1080 60Hz IPS Desktop Monitor, 60Hz Refresh Rate, 4ms response time, 1000:1 contrast ratio, 250nits brightness, Dual 2W Speakers, 178 degree viewing angle, Tilt, 100mm x 100mm wall mountable VESA, 1x HDMI V1.4, 1x D-Sub (VGA)
VK-5602-BK	R 1,656	Volkano 24" Full HD IPS Monitor; 100 Hz refresh; HDMI and VGA; VESA 100 x 100; wide viewing angles; energy efficient

< Return to the menu

LCD Monitors : LCD monitors: 25 / 25.5 / 25.7 inch

Product code	Price	Description
210-BFIM	R 7,236	Dell 210-BFIM Alienware AW2523hf 24.5" IPS Full HD 1920x1080 LED backlight Monitor, VESA adaptive-sync, AMD FreeSync Premium, USB 3.2 Gen 1 Hub, Fast IPS panel Type, 16:9 Aspect Ratio, DisplayPort @ 360 Hz, HDMI @ 255 Hz, 400 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 1 MS (Grey-to-grey Extreme) response time, 178 degree viewing angle, 2x HDMI, DisplayPort 1.4, USB 3.2 Gen 1 downstream with Battery charging 1.2, 3x USB 3.2 Gen 1 downstream, USB 3.2 Gen 1 upstream, Headphones, Audio line-out, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface, 110 mm height adjustment
210-BMJD	R 4,075	Dell 210-BMJD P2425 24" IPS WQXGA 1920x1200 LED backlit Monitor, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:10 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray (Normal mode) response time, Up to 16.7 million colors, 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), Height Ajustable up to 150

		mm, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMJF	R 5,242	Dell 210-BMJF P2425E 24" IPS WQXGA 1920x1200 USB-C Monitor, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:10 Aspect Ratio, LED edgelight system, 300nits brightness, 8ms gray-to-gray (Normal mode) response time, Up to 16.7 million colors, 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out, 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), Height Ajustable up to 150 mm (, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
DHI-LM25-B211B	R 1,979	Dahua LM25-B211B 25" 144hz FHD IPS Commercial Monitor. 25" , Full HD (1920x1080) IPS Edge LED display, 16:9 aspect ratio, 300 cd/m2 brightness, 1500:1 contrast ratio, 178deg. wide viewing angles, 1ms MPRT response time, 144Hz refresh rate. Features 85% NTSC color gamut, 16.7 million colors, 90% screen-to-body ratio with ultra-thin bezels. Connectivity includes DisplayPort 1.4, HDMI 2.0, and audio out.
G255F	R 3,510	MSI G255F 25" Gaming Monitor, 1920x1080 (FHD), Rapid IPS, 1mz 180Hz, Adaptive Sync, HDMI, Displayport, Black
MAG 255F E20	R 2,247	MSI MAG 255F E20 25" FHD 200Hz Rapid IPS Gaming Monitor
MAG 255F X24	R 2,430	MSI MAG 255F X24 25" FHD 240Hz IPS Gaming Monitor
PRO MP251 E2	R 2,183	MSI PRO MP251 E2 24.5" IPS Full HD 1920x1080 120Hz Monitor, 4ms (GTG) response time, 300 nits brightness (nits), 178 degree viewing angle, 16:9 Aspect Ratio, 1500:1 contrast ratio, 99% sRGB, 16.7M Display colours, HDR ready, 1x HDMI 2.0 (FHD@120hz), 1x D-Sub (VGA), 1x DisplayPort (1.4a), 1x headphone-out, 1x Line-In, Kensington lock, 2x 2W Speaker, 100x100 mm VESA mounting, Adaptive-Sync
PROMP251E2	R 1,709	MSI PRO MP251 Professional Monitor 1920x1080 (FHD) IPS 1ms 120Hz HDMI Black
U2520D	R 7,501	Dell 210-AVBF U2520D 25" IPS QHD 2560x1440 LED InfinityEdge Ultrasharp Monitor, USB-C HDR Monitor, 16:9 Aspect Ratio, QHD 2560x1440 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-glare 3H hard coating, 99% sRGB Colour gamut, DisplayPort, HDMI, USB-C (Power up to 90W), 2x USB 3.0 downstream, USB 3.0 downstream with battery charging 1.2, Audio line-out, Height, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface

< Return to the menu

LCD Monitors : LCD Monitors: 27 inch

Product code	Price	Description
1D-210AXKV	R 3,104	Dell 210-AXKV S2721HN 27" Full HD 1920x1080 75Hz IPS Monitor, 16:9 Aspect Ratio, Antiglare with 3H hardness, 1000:1 contrast ratio, 300nits brightness, 4ms (Gray to Gray) response time, 178 degree viewing angle, 2x HDMI, Audio line out, Tilt, VESA (100 mm), AMD FreeSync
1D-210AZKS	R 2,759	Dell 210-AZKS SE2722H 27" VA Full HD 1920x1080 LED backlit Monitor, AMD FreeSync, 16:9 Aspect Ratio, 250 nits brightness, 3000:1 contrast ratio, 8 ms (Grey-to-grey normal), Response time, 178 degree viewing angle, Anti-glare, 3H hard coating, 84% sRGB Colour gamut, HDMI (HDCP 1.4), VGA, Tilt, 100x100 mm VESA mounting Interface
1D-210BFDT	R 5,749	Dell 210-BFDT G2723H 27" fast IPS Full HD 1920x1080 Gaming Monitor, nVidia G-Sync compatible, AMD FreeSync Premium, 16:9 Aspect Ratio, 1920x1080 at 240 Hz, 400 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 1ms (Grey-to-grey Extreme) response Time, 178 degree viewing angle, Anti-Glare 3H hardness, 2x HDMI (HDCP 1.4), DisplayPort 1.4, Headphones (Mini-jack), USB 3.2 Gen 1 (Type-B), 3x USB 3.2 Gen 1 (Type-A), USB 3.2 Gen 1 (BC 1.2), Height Ajustable, Pivot (Rotation), Swivel, Tilt, 130 mm height adjustment, 100x100 mm VESA mounting Interface
1D-210BFWN	R 9,199	Dell 210-BFWN S2721HGFA 27" Full HD 1920x1080 144Hz VA Curved Gaming Monitor, 1500R Curved screen, nVidia G-Sync, AMD FreeSync Premium, VA panel Type, 16:9 Aspect Ratio, 350 nits brightness, 3000:1 contrast ratio, 4 ms (Grey-to-grey) response time, 178 degree viewing angle, 2x HDMI, DisplayPort 1.2, Headphones, 100 mm Height Ajustable, Tilt
1D-210BHTK	R 5,749	Dell 210-BHTK G2724D 27" Fast IPS QHD 2560x1440 Gaming Monitor, 400 nits brightness, 1000:1 contrast ratio, DisplayHDR 400, 16.8 million colours, 99% sRGB Colour Gamut, 1ms (Grey-to-grey Extreme) response time, 178 degree viewing angle, LED edgelight system, HDMI, 2x DisplayPort 1.4, 13 cm height adjustment, Pivot (Rotation),

		Swivel, Tilt, 10 cm VESA mounting Interface
210-BFMZ	R 9,179	Dell 210-BFMZ P2724DEB 27" IPS QHD 2560x1440 Video Conferencing Monitor, 178 viewing angles, Anti-Glare treatment, QHD 2560x1440 at 60Hz, 16:9 Aspect Ratio, 350 nits brightness, 1, 000:1 contrast ratio, LED backlight Technology, 8ms Gray to Gray (Normal) response time, 99% sRGB Colour Gamut, 1x HDMI (HDCP 1.4), 1x DisplayPort 1.4 (HDCP 1.4), 1x DisplayPort out with MST, 1x RJ45, 1x 3.5mm combo Headphone with Microphone jack, 1x USB 3.2 Gen1 Type-C (Alt mode with DP 1.4 upstream, Up to 90W Power Delivery), 1x USB 3.2 Gen1 Type-B upstream, 2x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W Power Delivery, 1x USB 3.2 Gen1 Type-A downstream with BC1.2 (2A Max), 150mm Height Ajustable, Tilt, Swivel, And pivot, 100mm x 100mm VESA mounting Interface, 1x 4MP RGB IR 2K camera at 30 fps (Full HD at 60 fps), 2x Digital Microphone, 2x 5W Built-In Speaker
210-BKTV	R 9,656	Dell UltraSharp U2724de 27" IPS WQHD 2560x1440 120Hz Thunderbolt Hub Monitor, 178 degree viewing angle, 16:9 Aspect Ratio, 2000:1 contrast ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1 x DisplayPort 1.4, 1 x DisplayPort 1.4 (Out), 1x HDMI, 1 x Thunderbolt 4 downstream Port (15W) for daisy Chaining, 1 x Thunderbolt 4 upstream Port, 1 x usb-type c upstream Port, 3 x USB Type-A downstream Port, 1 x audio line out, 1 x RJ45 Port (2.5G), 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable, VESA mounting
210-BKTV	R 9,610	Dell UltraSharp U2724de 27" IPS WQHD 2560x1440 120Hz Thunderbolt Hub Monitor, 178 degree viewing angle, 16:9 Aspect Ratio, 2000:1 contrast ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1 x DisplayPort 1.4, 1 x DisplayPort 1.4 (Out), 1x HDMI, 1 x Thunderbolt 4 downstream Port (15W) for daisy Chaining, 1 x Thunderbolt 4 upstream Port, 1 x usb-type c upstream Port, 3 x USB Type-A downstream Port, 1 x audio line out, 1 x RJ45 Port (2.5G), 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable, VESA mounting
210-BKVB	R 7,494	Dell 210-BKVB UltraSharp U2724D 27" IPS QHD 2560x1440 LED backlit Monitor, Anti-Glare with 3H hardness, 2560x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort 1.4, 1x DisplayPort 1.4 (Out), 1x HDMI, 1x USB Type-C upstream Port, 2x USB Type-A downstream Port, 1x audio line out, 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable
210-BKVB	R 7,597	Dell 210-BKVB UltraSharp U2724D 27" IPS QHD 2560x1440 LED backlit Monitor, Anti-Glare with 3H hardness, 2560x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort 1.4, 1x DisplayPort 1.4 (Out), 1x HDMI, 1x USB Type-C upstream Port, 2x USB Type-A downstream Port, 1x audio line out, 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable
210-BKVB	R 7,371	Dell 210-BKVB UltraSharp U2724D 27" IPS QHD 2560x1440 LED backlit Monitor, Anti-Glare with 3H hardness, 2560x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort 1.4, 1x DisplayPort 1.4 (Out), 1x HDMI, 1x USB Type-C upstream Port, 2x USB Type-A downstream Port, 1x audio line out, 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable
210-BLHH	R 14,222	Dell Alienware AW2725DF 26.7" QHD 2560x1440 360Hz QD-OLED Gaming Monitor, QD OLED panel Type, 2560x1440 at 360Hz (Native with DisplayPort), 2560x1440 at 144Hz (Native with HDMI), 178 degree viewing angle, 16:9 Aspect Ratio, OLED backlight Technology, 250 nits brightness (SDR), 0.03 ms (Grey-to-grey) response time, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB 3.2 Gen 1 (5 Gbps) Type-B upstream Port (Rear), 2x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Port (Rear), 1x USB 3.2 Gen 1 (5 Gbps) Type-C downstream Port which supports BC1.2 power-charging (Bottom), 1x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Port (Bottom), AMD FreeSync Technology, VESA AdaptiveSync, AlienFX Lighting, Height Ajustable, Tilt, Swivel, Pivot, Built in cable-management, Dark Side of the Moon Colour, VESA HDR TrueBlack 400, 1.07 Billion colours, DCI-P3 99.3% Colour Gamut, VESA (100x100 mm) [No Audio]

210-BMGC	R 3,372	Dell 210-BMGC P2725H 27" IPS Full HD 1920x1080 LED backlit Monitor, 100 Hz Refresh Rate, Anti-Glare with 3H hardness, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMGC	R 3,481	Dell 210-BMGC P2725H 27" IPS Full HD 1920x1080 LED backlit Monitor, 100 Hz Refresh Rate, Anti-Glare with 3H hardness, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMJC	R 4,591	Dell 210-BMJC P2725HE 27" IPS Full HD 1920x1080 USB-C Hub Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out, 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BMJC	R 4,776	Dell 210-BMJC P2725HE 27" IPS Full HD 1920x1080 USB-C Hub Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out, 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
210-BNHT	R 10,192	Alienware AW2725QF 27" 4K Dual Resolution Gaming Monitor. IPS, 27" IPS, flat, 4K 180 Hz / FHD 360 Hz Brightness: 400 nits typical, 600 nits HDR peak Colour: 95 percent DCI-P3, Delta E < 2 Response: 0.5 ms GTG Ports: HDMI 2.1 x2, DP 1.4 x1, USB-C PD 15 W
210-BNHT	R 9,947	Dell Alienware AW2725QF 27" IPS 4K 3840x2160 180Hz Dual-Resolution Gaming Monitor, 0.5ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Edge LED backlight Technology, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, nVidia G-Sync, VESA DisplayHDR 600, Stand included, 3840x2160 up to 180 Hz (4K mode), 1920x1080 up to 360 Hz (Full HD mode), 180 Hz standard Refresh Rate, 1.07 Billion colours supported, 1000:1 Native contrast ratio, 400 nits brightness, VESA AdaptiveSync, 95% DCI-P3 Colour Gamut, 2x HDMI 2.1 Ports, 1x DisplayPort 1.4, 1x USB-B 3.2 Gen1 upstream Port (5 Gbps), 2x USB Type-A 3.2 Gen1 downstream Ports (5 Gbps), 1x USB-C 3.2 Gen1 downstream Port (5 Gbps), 1x USB Type-A 3.2 Gen1 downstream Port (5 Gbps) with BC1.2 Power charging
210-BQSZ	R 6,710	Dell 210-BQSZ Pro 27 Plus P2725de 27" IPS QHD 2560x1440 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swive, Pivot, 100 Hz standard Refresh Rate, 1, 500:1 native contrast ratio, 350 brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet Port, 1x RJ45 Ethernet Port, 100x100 VESA Mount standard
210-BQSZ	R 6,678	Dell 210-BQSZ Pro 27 Plus P2725de 27" IPS QHD 2560x1440 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swive, Pivot, 100 Hz standard Refresh Rate, 1, 500:1 native contrast ratio, 350 brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet Port, 1x RJ45 Ethernet Port, 100x100 VESA Mount standard
210-BQTL	R 14,385	Dell 210-BQTL U2725qe 27" IPS 4K UHD 3840x2160 Black UltraSharp Thunderbolt Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height,

		Tilt, Swivel, Pivot, VESA DisplayHDR 600, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 450 nits brightness, sRGB 100% Colour Gamut, 1x DisplayPort 1.4 Port, 1x DisplayPort 1.4 Port out, 1x HDMI Port, 1x Thunderbolt 4 upstream Port, 1x Thunderbolt 4 downstream Port, 1x USB-C (USB 10Gbps KVM) upstream Port, 1x Analog 2.0 Audio line out Port (3.5 mm jack), 4x USB Type-A Ports 10Gbps, 1x RJ45 Ethernet Port 2.5GbE, Ambient Light Sensor, 100x100 VESA Mount standard
210-BQTL	R 13,531	Dell UltraSharp U2725QE 27" 4K Ultra HD 5ms IPS Thunderbolt Hub Monitor; 3840 x 2160 4K UHD; 120Hz refresh rate; 5ms GTG Fast mode; 3000:1 contrast ratio; 450 nits typical brightness; 600 nits HDR peak; VESA DisplayHDR 600; 99% DCI-P3; Thunderbolt 4; up to 140W power delivery; HDMI 2.1; DisplayPort 1.4; USB hub; 2.5GbE Ethernet; height, tilt, swivel and pivot adjustment
210-BQWM	R 6,267	Dell 210-BQWM 27 Plus S2725qs 27" (3840x2160) UHD 4K IPS LED Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 13 cm Maximum adjustable height, Tilt, Swivel, Pivot, Stand included, 3H Glass hardness, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100mm VESA Mount standard
210-BQWM	R 6,460	Dell 210-BQWM 27 Plus S2725qs 27" (3840x2160) UHD 4K IPS LED Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 13 cm Maximum adjustable height, Tilt, Swivel, Pivot, Stand included, 3H Glass hardness, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100mm VESA Mount standard
210-BQWM	R 6,464	Dell 210-BQWM 27 Plus S2725qs 27" (3840x2160 UHD 4K IPS LED Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 13 cm Maximum adjustable height, Tilt, Swivel, Pivot, Stand included, 3H Glass hardness, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100mm VESA Mount standard
210-BQWQ	R 5,234	Alienware 210-BQWQ AW2725dm 27" Fast IPS QHD 2560x1440 QHD Fast IPS LED Gaming Monitor, 4ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Adjustable height, Tilt, Swivel, 90 degrees Pivot, VESA DisplayHDR 400, 1.07 Billion colours, 1000:1 Native contrast ratio, 400 nits brightness, nVidia G-Sync compatible, AMD FreeSync, VESA AdaptiveSync, 2560x1440 at 180Hz Maximum preset Resolution, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount Standard
210-BQWS	R 7,338	Dell 210-BQWS 27 Plus S2725qc 27" UHD 4K 3840x2160 IPS LED USB-C Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2 Speakers, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 65 W), 2x HDMI Ports, 1x USB 5Gbps Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB 5Gbps Type-A downstream Port, 100x100mm VESA Mount standard
210-BQWS	R 7,383	Dell 210-BQWS 27 Plus S2725qc 27" UHD 4K 3840x2160 IPS LED USB-C Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2 Speakers, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 65 W), 2x HDMI Ports, 1x USB 5Gbps Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB 5Gbps Type-A downstream Port, 100x100mm VESA Mount standard
210-BQWV	R 15,026	Alienware AW2725Q 27" 4K QD-OLED Gaming Monitor. 27" 4K QD-OLED monitor; 240 Hz; 0.03 ms; HDMI 2.1 DP 1.4; G-Sync / FreeSync; HDR True Black 400; USB hub; ergonomic stand
210-BQWV	R 14,630	Alienware AW2725Q 27" 4K QD-OLED Gaming Monitor. 27" 4K QD-OLED monitor; 240 Hz; 0.03 ms; HDMI 2.1 DP 1.4; G-Sync / FreeSync; HDR True Black 400; USB hub; ergonomic stand
210-BQZW	R 2,057	Dell 210-BQZW SE2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect

		Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
210-BQZW	R 2,016	Dell 210-BQZW SE2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
210-BQZW	R 2,406	Dell 210-BQZW SE2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
210-BRDL	R 5,291	Dell 210-BRDL Pro 27 Plus P2725d 27" IPS QHD 2560x1440 QHD LED Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 100x100mm VESA Mount standard
210-BRDQ	R 2,188	Dell Pro 210-BRDQ E2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2 Port, 1x VGA Port, 100x100 VESA Mount standard
210-BRDQ	R 2,523	Dell Pro 210-BRDQ E2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2 Port, 1x VGA Port, 100x100 VESA Mount standard
210-BRDS	R 9,090	Dell 210-BRDS Pro 27 Plus P2725qe 27" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
210-BRDS	R 9,047	Dell 210-BRDS Pro 27 Plus P2725qe 27" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
210-BRZW	R 9,841	Dell Alienware AW2725D 26.7" QHD 2560x1440 280Hz QD-OLED Gaming Monitor, Quantum Dot OLED panel Technology, 0.03ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, 280 Hz standard Refresh Rate, 1.07 Billion colours, 250 nits brightness, nVidia G-Sync compatible, AMD FreeSync Premium Pro, VESA AdaptiveSync, 99.3% DCI-P3 Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB 5Gbps Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Data only) with charging capability of up to 15 W, 100x100 VESA Mount standard
210-BSNS	R 2,656	Dell 210-BSNS SE2725HG 27" IPS Full HD 1920x1080 200Hz LED backlit Monitor, 5ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, Stand included, 1920x1080 at 200Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4 Port, 1x headphone-out Port (3.5 mm jack), 100x100 VESA Mount standard
210-BSRL	R 5,576	Dell 210-BSRL 27 Plus S2725DC 27" IPS QHD 2560x1440 LED USB-C Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, Variable Refresh Rate (VRR), 2560x1440 at 144 Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 350 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2x 3W Speakers, 1x HDMI, 1x DisplayPort 1.4, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt

		mode / Power Delivery up to 65W), 1x USB Type-A 5Gbps downstream Port with Battery charging 1.2, 1x USB-C 5Gbps downstream Port Power Delivery up to 15W, 100x100 VESA Mount Standard
210-BSVN	R 4,839	Dell S2725DSM 27 Plus 27" IPS QHD 2560x1440 144Hz LCD Monitor, 1 ms MPRT response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Adjustable stand, Variable Refresh Rate (VRR), 2560x1440 at 144 Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 350 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 1x HDMI, 1x DisplayPort 1.4, 100x100 VESA Mount standard
210-BSVN	R 4,836	Dell S2725DSM 27 Plus 27" IPS QHD 2560x1440 144Hz LCD Monitor, 1 ms MPRT response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Adjustable stand, Variable Refresh Rate (VRR), 2560x1440 at 144 Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 350 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 1x HDMI, 1x DisplayPort 1.4, 100x100 VESA Mount standard
210-BSZF	R 3,643	Dell 210-BSZF 27 Plus S2725HSM 27" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2x 3W Speakers, 2x HDMI Ports, 100x100 VESA Mount Standard
210-BSZF	R 3,655	Dell 210-BSZF 27 Plus S2725HSM 27" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2x 3W Speakers, 2x HDMI Ports, 100x100 VESA Mount Standard
210-BTPZ	R 2,978	Dell 210-BTPZ Pro 27 E2726HS 27" IPS Full HD 1920x1080 IPS Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, 90 degree pivot angle, Adjustable stand, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speakers, 1x HDMI, 1x DisplayPort 1.4, 1x VGA Port, 100x100 VESA Mount Standard
210-BTQB	R 4,001	Dell Pro 210-BTQB E2726DS 27" IPS QHD 2560x1440 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, 90 degree pivot angle, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
210-BTQB	R 4,025	Dell Pro 210-BTQB E2726DS 27" IPS QHD 2560x1440 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, 90 degree pivot angle, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
210-BTSP	R 3,055	Dell 210-BTSP SE2726HG 27" IPS Full HD 1920x1080 Gaming Monitor, 5 ms GTG (Fast) response, 16:9 Aspect Ratio, 178 degree viewing angle, HDR10, Tilt stand adjustments, Variable Refresh Rate (VRR), Hight Dynamic range (HDR), 1920x1080 at 240Hz maximum Resolution, 16.7 million colours supported, 1, 000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Port/s, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
210-BTSP	R 2,489	Dell 27 SE2726HG 27" Full HD 240Hz Gaming Monitor - Resolution 1920 x 1080 IPS, Refresh Rate 240Hz, Contrast Ratio 1000: 1, Response Time 0.5ms GTG (Extreme Mode), Aspect Ratio 16:9, Brightness 300 cd/m, Anti-Glare, AMD FreeSync Premium, Variable Refresh Rate (VRR), High Dynamic Range (HDR), HDR10, Connectivity 2 x HDMI 2.1, 1 x DisplayPort 1.4, Adjustability Tilt, Wall Mountable VESA (100 x 100mm), Retail Box
210-BVCC	R 2,231	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD

		FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVCC	R 1,989	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVCC	R 2,130	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVCC	R 2,333	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVCC	R 2,172	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
210-BVHR	R 7,879	Dell 210-BVHR Pro P 27 P2726DEB 27" QHD 2560x1440 IPS USB-C Hub Conferencing Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees Pivot angle, Stand included, 4 Megapixel camera Resolution, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 2x 5 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, 100x100 VESA Mount Standard
210-BVHV	R 7,478	Dell 210-BVHV Pro P 27 P2726DEV 27" QHD 2560x1440 IPS USB-C Hub Webcam Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees Pivot angle, Adjustable stand, 4 Megapixel camera Resolution, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, 100 x 100 VESA Mount Standard
210-BVKP	R 3,633	Dell 210-BVKP Pro P 27 P2726h 27" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 100 x 100 VESA Mount Standard
210-BVKP	R 3,644	Dell 210-BVKP Pro P 27 P2726h 27" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 100 x 100 VESA Mount Standard
210-BVKQ	R 4,930	Dell 210-BVKQ Pro P 27 P2726he 27" Full HD 1920x1080 IPS USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Port/s, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 100W), 1x RJ45 Ethernet Port, 2 USB-C 5Gbps downstream Ports (Power Delivery up to 15 W), 100 x 100 VESA Mount Standard

210-BVKQ	R 4,944	Dell 210-BVKQ Pro P 27 P2726he 27" Full HD 1920x1080 IPS USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Port/s, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 100W), 1x RJ45 Ethernet Port, 2 USB-C 5Gbps downstream Ports (Power Delivery up to 15 W), 100 x 100 VESA Mount Standard
210-BWPN	R 2,233	Dell 210-BWPN Pro 27 E2726H 27" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, Adjustable stand, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100mm x 100mm VESA Mount Standard
274CXF	R 4,139	MSI MAG 274CXF 27" (68.58 cm) 1920x1080 (FHD) Curve 1500R Gaming Monitor. 27" curved 1500R; 1920x1080 @ 280 Hz; 0.5 ms; Rapid VA panel; HDR Ready; DisplayPort 2 x HDMI; 100x100 VESA; tilt -5deg to 20deg; weight 3.4 kg
274QRFW	R 6,438	MSI MAG 274QRFW 27" Rapid IPS WQHD 2560x1440 Gaming Monitor, Flat curvature, Rapid IPS panel Type, 16:9 Aspect Ratio, 400 nits brightness, 1000:1 contrast ratio, 180Hz Refresh Rate, 1ms (GTG) response time, AMD FreeSync, VESA DisplayHDR 400, 1x DisplayPort (1.4a), 2x HDMI (2.0b), 1x Headphone out, 178 degree viewing angle, Tilt, Swivel, Pivot, 0 - 130mm Height Ajustable, 75x 75 mm VESA mounting
27B1U5601H	R 3,506	Philips Business Anti-glare 27" monitor IPS Response: 4ms Resolution: 2560x 1440 (QHD) RR: 75Hz HDMI, USB-C, DP, RJ45 Speaker: Yes Power supply: Built- in Tilt: Yes Swivel: Yes Pivot: Yes H adjust: Yes 150mm VESA: Yes Accessories: HDMI, DP cable, USB-C-C/
27BF410B-B.AFBQ	R 2,159	LG 27BF410B-B 27" IPS Full HD 1920x1080 120Hz Monitor, 120Hz Refresh Rate, 5ms response time, 16:9 Aspect Ratio, 250 nits brightness, HDR10, VRR adaptive Sync, 1x HDMI 2.0, 1x D-Sub, 100x100mm VESA Mount, 99% sRGB Colour coverage
27E1N5800E	R 4,656	Philips 27E1N5800E 27" IPS 4K UHD 3840x2160 W-LED backlit Monitor, 16:9 Aspect Ratio, 350 nits brightness, Colour support 1.07 Billion colours, NTSC 106.4%, sRGB 125.7%, 1000:1 contrast ratio (typical), Mega Infinity DCR SmartContrast, 4 ms (Gray to Gray) response time (typical), 178 degree viewing angle, 3840x2160 @ 60Hz maximum Resolution, 2x HDMI 2.0, 1x DisplayPort 1.2, Separate Sync Input, Audio out, MultiView, 130 mm height adjustment, Pivot, Tilt
27GR93U-B.AFB	R 13,050	LG 27" LG UltraGear UHD Gaming Monitor, 144Hz Refresh Rate, IPS 1ms (GtG) Response Time, VESA DisplayHDRTM 400, DCI-P3 95% (Typ.), NVIDIA G-SYNC Compatible, AMD FreeSync Premium
27GS75Q-B.AFB	R 6,126	LG 27" QHD 180HZ Gaming Monitor - 27-inch QHD (2560x1440) IPS display, 180Hz (O/C 200Hz) refresh rate, IPS 1ms (GtG) response time, HDR10 / sRGB 99% (Typ.), 3-side virtually borderless design, NVIDIA G-SYNC Compatible, AMD FreeSync, Aspect Ratio 16:9, Brightness (Min.) [cd/m] 240cd/m, Brightness (Typ.) [cd/m] 300cd/m
27GS75Q-B.AFB	R 5,796	LG 27" QHD 180HZ Gaming Monitor - 27-inch QHD (2560x1440) IPS display, 180Hz (O/C 200Hz) refresh rate, IPS 1ms (GtG) response time, HDR10 / sRGB 99% (Typ.), 3-side virtually borderless design, NVIDIA G-SYNC Compatible, AMD FreeSync, Aspect Ratio 16:9, Brightness (Min.) [cd/m] 240cd/m, Brightness (Typ.) [cd/m] 300cd/m
27GX790A-B.AFB	R 17,650	LG 27GX790A-B UltraGear 26.5" QHD 2560x1440 OLED 480Hz Gaming Monitor, 16:9 Aspect Ratio, 275nits brightness (typical), DCI-P3 98.5% Colour Gamut, 480Hz Refresh Rate (Maximum), 0.03ms (GTG) response time, FreeSync Premium Pro, Hexagon Lighting, HDR 10, G-Sync compatible, DisplayHDR True Black 400, 1x DisplayPort, 2x HDMI, 4-pole Headphone out, 2x USB 3.0 downstream Port, 1x USB 3.0 upstream Port, Tilt/height/swivel/pivot, 4-side virtually borderless Design, OneClick stand, 100x100 mm wall mountable [mm]
27GX790A-B.AFB	R 16,168	LG 27GX790A-B UltraGear 26.5" QHD 2560x1440 OLED 480Hz Gaming Monitor, 16:9 Aspect Ratio, 275nits brightness (typical), DCI-P3 98.5% Colour Gamut, 480Hz Refresh Rate (Maximum), 0.03ms (GTG) response time, FreeSync Premium Pro, Hexagon Lighting, HDR 10, G-Sync compatible, DisplayHDR True Black 400, 1x DisplayPort, 2x HDMI, 4-pole Headphone out, 2x USB 3.0 downstream Port, 1x USB 3.0 upstream Port, Tilt/height/swivel/pivot, 4-side virtually borderless Design, OneClick stand, 100x100 mm wall mountable [mm]
27U631A-B.AFBQ	R 4,399	LG 27" QHD 100Hz IPS LED Monitor - 27 inch QHD (2560x1440) IPS Display, HDR10 with up to 99% sRGB color

		gamut expression, 100Hz Refresh Rate, Dynamic Action Sync, Black Stabilizer, 3-Side Borderless Design, Aspect Ratio 16:9, Contrast Ratio 1000:1 (Typ.), Brightness (Typical, Minimum) (Typ.) 250 cd/m2 (Min.) 200 cd/m2, Response Time (GTG) 5ms
27U631A-B.AFBQ	R 3,992	LG 27" QHD 100Hz IPS LED Monitor - 27 inch QHD (2560x1440) IPS Display, HDR10 with up to 99% sRGB color gamut expression, 100Hz Refresh Rate, Dynamic Action Sync, Black Stabilizer, 3-Side Borderless Design, Aspect Ratio 16:9, Contrast Ratio 1000:1 (Typ.), Brightness (Typical, Minimum) (Typ.) 250 cd/m2 (Min.) 200 cd/m2, Response Time (GTG) 5ms
27U631A-B.AFBQ	R 4,261	LG 27" QHD 100Hz IPS LED Monitor - 27 inch QHD (2560x1440) IPS Display, HDR10 with up to 99% sRGB color gamut expression, 100Hz Refresh Rate, Dynamic Action Sync, Black Stabilizer, 3-Side Borderless Design, Aspect Ratio 16:9, Contrast Ratio 1000:1 (Typ.), Brightness (Typical, Minimum) (Typ.) 250 cd/m2 (Min.) 200 cd/m2, Response Time (GTG) 5ms
27U730A-B.AFB	R 8,256	LG UltraFine Monitor - 27" , UHD, IPS, 4K Display, DCI-P3 90% Color Gamut, 1.07B Color Depth, 2x 5W Speakers, 2x HDMI, 1x Display, 1x USB-C Port, Tilt, Height, Swivel And Pivot Functionality, 100x100 VESA Mountable, Retail Box
27US500-W.AFAQ	R 5,460	LG 27US500-W UltraFine 27" 4K UHD 3840x2160 IPS Monitor - White, 16:9 Aspect Ratio, Anti-Glare Surface treatment, 5ms (GTG at faster) response time, 1.07b colours, 178 degree viewing angle, 300 nits brightness, 1000:1 contrast ratio (typical), 90% DCI-P3 Colour Gamut, 60Hz Maximum Refresh Rate, 2x HDMI, 1x DisplayPort, 3-pole Headphone out, HDR 10, Tilt, 100x100 mm wall mountable, 3-side virtually borderless Design
3227U730ABAFB	R 7,843	LG U730A-B UltraFine 27" 4K UHD IPS Monitor with USB-C, incl Speakers, DCI-P3 90% (CIE1976) Color Gamut, 1.07B Color Depth, 2x 5W Speakers, 2x HDMI; 1x Display; 1x USB-C Port, Tilt/ Height/ Swivel/ Pivot Functionality, 100x100 VESA Mountable
64BEKAT1SA	R 2,312	Lenovo S27-4e 27" IPS Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 4ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 300 nits brightness, 1500:1 contrast ratio, 99% sRGB Colour Gamut, Tilt stand, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64BEKAT1SA
64BEKAT1SA	R 2,369	Lenovo S27-4e 27" IPS Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 4ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 300 nits brightness, 1500:1 contrast ratio, 99% sRGB Colour Gamut, Tilt stand, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64BEKAT1SA
74-210BCXK	R 11,154	Dell 210-BCXK U2723QE 27" 3840x2160 4K IPS LED UltraSharp USB-C Monitor, 90 Watt USB Power Delivery, IPS Black technology panel Type, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 400 nits Brightness, 2000:1 contrast ratio, 1.07 Billion colours, 8 ms (Grey-to-grey normal) Response time, 178 degree viewing angle, HDMI (HDCP 2.2), DisplayPort 1.4 (HDCP 2.2), DisplayPort Output, USB-C upstream / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W / HDCP 2.2), USB-C 3.2 Gen 2 upstream, USB-C 3.2 Gen 2 downstream (Power up to 15W), 4 x USB 3.2 Gen 2 downstream, Audio line-out (Mini-jack), LAN, Height adjust, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface
74-210BKTV	R 9,353	Dell UltraSharp U2724de 27" IPS WQHD 2560x1440 120Hz Thunderbolt Hub Monitor, 178 degree viewing angle, 16:9 Aspect Ratio, 2000:1 contrast ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1 x DisplayPort 1.4, 1 x DisplayPort 1.4 (Out), 1x HDMI, 1 x Thunderbolt 4 downstream Port (15W) for daisy Chaining, 1 x Thunderbolt 4 upstream Port, 1 x usb-type c upstream Port, 3 x USB Type-A downstream Port, 1 x audio line out, 1 x RJ45 Port (2.5G), 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable, VESA mounting
74-210BMGC	R 3,504	Dell 210-BMGC P2725H 27" IPS Full HD 1920x1080 LED backlit Monitor, 100 Hz Refresh Rate, Anti-Glare with 3H hardness, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
74-210BMHF	R 5,791	Dell 210-BMHF S2725DS 27" IPS QHD 2560x1440 LED backlit Monitor, AntiGlare with hard-coating 3H, 100 Hz

		Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms (Normal mode) response time, 99% sRGB Colour Gamut (typical), TUV eye comfort, 2x HDMI, 1x DisplayPort 1.2, VRR, 130mm Height-Adjustability stand, Tilt, Swivel, Pivot, Integrated 2x 5W Speakers, VESA (100 mm)
74-210BMHG	R 3,854	Dell 210-BMHG S2725HS 27" IPS Full HD 1920x1080 LED backlit Monitor, AntiGlare with hard-coating 3H, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, LED edgelight system, 16:9 Aspect Ratio, 300 nits brightness, 8ms response time (Normal mode), 99% sRGB Colour Gamut (typical), TUV eye comfort, 2x HDMI, 130 mm Height-Adjustability stand, Tilt, Swivel, Pivot, Integrated 2 x 5W Speakers, Security-lock slot, VESA (100 mm)
74-210BMHK	R 3,199	Dell 210-BMHK S2725H 27" IPS Full HD 1920x1080 LED backlit Monitor, AntiGlare with hard-coating 3H, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms response time (Normal mode), 99% sRGB Colour Gamut (typical), TUV eye comfort, 2x HDMI, Tilt, Integrated 2 x 5W Speakers, VESA (100 mm)
74-210BMJC	R 4,635	Dell 210-BMJC P2725HE 27" IPS Full HD 1920x1080 USB-C Hub Monitor, Anti-Glare with 3H hardness, 100 Hz Refresh Rate, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.4, 1x DisplayPort out, 1x RJ45, 1x USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4) with up to 90W PD, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Ajustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)
74-210BQTL	R 13,107	Dell 210-BQTL U2725qe 27" IPS 4K UHD 3840x2160 Black UltraSharp Thunderbolt Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, VESA DisplayHDR 600, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 450 nits brightness, sRGB 100% Colour Gamut, 1x DisplayPort 1.4 Port, 1x DisplayPort 1.4 Port out, 1x HDMI Port, 1x Thunderbolt 4 upstream Port, 1x Thunderbolt 4 downstream Port, 1x USB-C (USB 10Gbps KVM) upstream Port, 1x Analog 2.0 Audio line out Port (3.5 mm jack), 4x USB Type-A Ports 10Gbps, 1x RJ45 Ethernet Port 2.5GbE, Ambient Light Sensor, 100x100 VESA Mount standard
74-210BQWM	R 6,257	Dell 210-BQWM 27 Plus S2725qs 27" 3840x2160 UHD 4K IPS LED Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 13 cm Maximum adjustable height, Tilt, Swivel, Pivot, Stand included, 3H Glass hardness, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100mm VESA Mount standard
74-210BQZW	R 2,072	Dell 210-BQZW SE2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 250 nits brightness, 1x HDMI Port, 1x VGA Port, 100x100 VESA Mount standard
74-210BRDQ	R 2,179	Dell Pro 210-BRDQ E2725HM 27" IPS Full HD 1920x1080 LED backlit Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Tilt, 100 Hz standard Refresh Rate, 16.7 million colours, 1000:1 native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.2 Port, 1x VGA Port, 100x100 VESA Mount standard
74-210BSNS	R 3,076	Dell 210-BSNS SE2725HG 27" IPS Full HD 1920x1080 200Hz LED backlit Monitor, 5ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, Stand included, 1920x1080 at 200Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4 Port, 1x headphone-out Port (3.5 mm jack), 100x100 VESA Mount standard
74-210BVCC	R 2,115	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
74210BKVB	R 7,359	Dell UltraSharp U2724D 27" QHD 5ms IPS Monitor; 2560 x 1440; IPS Black; 120 Hz; 5 ms fast response; 350 nits; 2000:1 contrast; 100% sRGB; 100% BT.709; 98% DCI-P3; DisplayPort 1.4; HDMI; USB-A; USB-C;

		VESA 100 x 100 mm; height, tilt, swivel and pivot adjustment
74210BQSZ	R 6,500	Dell 210-BQSZ Pro 27 Plus P2725de 27" IPS QHD 2560x1440 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swive, Pivot, 100 Hz standard Refresh Rate, 1, 500:1 native contrast ratio, 350 brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet Port, 1x RJ45 Ethernet Port, 100x100 VESA Mount standard
74210BRDL	R 5,126	Dell 210-BRDL Pro 27 Plus P2725d 27" IPS QHD 2560x1440 QHD LED Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 100x100mm VESA Mount standard
8J9G2AA	R 16,904	HP Series 7 Pro 27" 4K Thunderbolt 4 Monitor - 727pk - IPS Black 1 - Single Power ON; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease; IPS Black; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture; Pantone validated
8K135AA	R 21,090	HP Series 7 Pro 27" 4K Conferencing Monitor - 727pm - IPS Black 1 - Single Power ON; Height Adjust/Tilt/Swivel/Pivot; Integrated speakers; HP Eye Ease; Integrated microphone; IPS Black; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture
8X530AA	R 6,657	HP Series 7 Pro 23.8" FHD Monitor - 724pf - IPS - Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease - FHD (1920 x 1080) Resolution - 300 nits Brightness - 4x SuperSpeed USB Type-A 5Gbps signaling rate (1 charging) - 1x USB-B - 1x DisplayPort
8X534AA	R 7,255	HP Series 7 Pro 24" WUXGA Monitor - 724pn - IPS - Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease - WUXGA (1920 x 1200) Display - 350 nits Brightness - 4x SuperSpeed USB Type-A 5Gbps signaling rate (1 charging) - 1x USB-B - 1x DisplayPort
9D9S0AS	R 6,899	HP Series 5 Pro 527pq 27" IPS QHD 2560x1440 LED backlit Monitor, 1500:1 contrast ratio, 350 nits brightness, 5ms GTG response time (with Overdrive), 1x DisplayPort 1.2, 1x HDMI 2.0, 4x USB Type-A 5Gbps Ports, 100x100 mm VESA mounting, Height adjust, Tilt, Swivel, Pivot
9D9S0E9	R 8,083	HP 9D9S0E9 Series 5 Pro 527pq 27" IPS QHD 2560x1440 edge-lit WLED Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 4x USB Type-A 5Gbps (1 charging), 1x DisplayPort 1.2, 1x HDMI 2.0, 100x100 mm VESA mounting, 178 degree viewing angle, 16:9 Aspect Ratio, 150 mm height adjustment range, Swivel, Tilt, Pivot, 100 Hz Refresh Rate (Maximum), 5ms GTG response time (typical)
9E0G5AA	R 8,831	HP 9E0G5AA Series 5 Pro 527pu 27" IPS QHD 2560x1440 USB-C Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 100x100 mm VESA mounting, Swivel, Tilt, Pivot, 150 mm height adjustment range, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, 1x DisplayPort 1.4, 1x DisplayPort 1.4-out, 1x HDMI 2.0, 1x RJ-45 (10/100/1000 Mbps), 1x USB Type-C 5Gbps (Up to 15W USB Power Delivery), 3x USB Type-A 5Gbps (1 charging), 1x USB Type-C 5Gbps (Up to 100W USB Power Delivery / Alt mode DisplayPort 1.4)
A2757K+	R 2,174	Mecer A2757K 27" Full HD 1920x1080 TFT LED wide Monitor with Speakers - Black, 16:9 Aspect Ratio, VGA, HDMI & Built-In Speakers, 2ms response time, 300nits brightness, 60Hz Refresh Rate, Tilt, 2x 2W Built-In Speakers, Excludes Power cable
A2757R	R 2,634	Mecer A2757R 27" Full HD 1920x1080 TFT LED wide Monitor, VGA, HDMI, Built-In Speakers (2x 2W)
AOC 27E3QAF	R 3,564	AOC 27E3QAF Professional 27" Full HD 1920x1080 100Hz LED backlit Monitor, 3-sided frameless, 2 W x 2 Speaker Power, Kensington lock, 100 x 100 VESA Wallmount, 1x D-Sub (VGA), 1x HDMI 1.4, 1x DisplayPort 1.2, 1x audio out, 16:9 Aspect Ratio, 100 Hz Max Refresh Rate, 4 ms response time GTG, 1000:1 static contrast ratio, 178 degree viewing angle, 300 nits brightness, Tilt, 150mm height adjust (mm), Swivel, 90 degrees Pivot
AOC-27E3H2	R 2,471	AOC 27E3H2 27" Full HD 1920x1080 IPS Monitor, 250 nits brightness, 1000:1 contrast ratio, 4ms (GTG) response speed, 178 degree viewing angle, 1920x1080 @ 100Hz, 2x HDMI 1.4, 1x Earphone, 100mm x 100mm wall mounted, Tilt
AOC-27E40L	R 2,414	AOC-27E40L Monitor 27" FHD 1920x1080 144Hz 0; 5ms; DP HDMI; TUV Circular Polarization; Adaptive Sync

AOC-27G15N	R 4,369	AOC 27G15N 27" Gaming Monitor, VA FHD 1920x1080 180hz, 1ms, HDMI DP, VESA, Flicker Free, Low Blue Mode, Adaptive Sync
AOC-27G2SP	R 4,829	AOC 27G2SP 27" VA Full HD 1920x1080 165Hz Gaming Monitor, 3H display hardness, 16:9 Aspect Ratio, VA panel Type, 350 nits Brightness i, WLED backlight Type, 165Hz Refresh Rate, 4 ms response time GTG, 1 ms response time MPRT, 3000:1 static contrast ratio, 178 degree viewing angle, Adaptive Sync, 48-165 Sync range, Flicker-Free, Low Blue light, 2 W x 2 Speaker power, 100x100 VESA wallmount, Tilt, Height adjust, Swivel, Pivot, 2x HDMI 1.4, 1x DisplayPort 1.2, D-Sub (VGA), USB 3.1 (Gen 1) USB Hub speed, 4 USB downstream Ports, Headphone out (3.5mm)
AOC-27G4/73	R 3,391	AOC 27G4 27" IPS Full HD 1920x1080 180Hz LED backlit Gaming Monitor, 300 nits brightness (typical), 1000:1 contrast ratio, 1ms (GTG) response time, 178 degree viewing angle, sRGB 128%, NTSC 111%, DCI-P3 102%, 1920x1080 @ 180Hz, 16.7 million colours, 1x HDMI 2.0 , 1x DisplayPort 1.4 , Earphone, 100mm x 100mm Wall-Mount, Height adjustable stand, Swivel, Pivot, Tilt
AOC-AG275QXL	R 11,959	AOC Agon PRO AG275QXL 27" League of Legends Official Tournament Gaming Monitor, QHD 2K 170Hz 1ms, G-SYNC Compatible
AOC-Q27B30E	R 3,219	AOC Q27B30E Monitor, 27" IPS QHD 2560x1440 75Hz, Native, VESA, HDMI x 2, DP, Adaptive Sync
AOC-Q27B36	R 2,874	AOC Q27B36 27" IPS QHD 2560x1440 100Hz Monitor, Adaptive Sync, 1x HDMI 2.0, 1x DisplayPort 1.4, 100Hz Refresh Rate, 4ms (GTG) response time, 1.07 Billion colours supported, 1500:1 contrast ratio, 350 CD/m2 brightness, Tilt adjustable Monitor stand, VESA 100x100mm mountable
AOC-U27B3CF	R 5,979	AOC U27B3CF 27" 4K UHD IPS monitor; USB-C 65W PD; HDMI DP inputs; HDR10; ergonomic stand; built-in speakers
AOC-U27U3XD	R 8,509	AOC U27U3XD Monitor, 27" , IPS Dual refresh rate, UHD 3840 x 2160, 144hz, FHD 288hz, USB-C 90W, HDMI, DP, HDR400, HAS
ASUS PA279CRV	R 14,834	Asus ProArt PA279CRV 27" IPS 4K UHD 3840x2160 Professional Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 100% Colour space (sRGB), 99% Colour space (Adobe RGB), 99% Colour space (DCI-P3), 350nits brightness (typical), 1000:1 contrast ratio (typical), 5ms (GTG) response time, 60Hz Refresh Rate (Max), HDR10, 2W x2 Speaker, 1x USB Type-C (DP Alt mode), 2x DisplayPort 1.4, 2x HDMI V2.0, 3x USB 3.2 Gen 1 Type-A USB Hub, 1x USB 3.2 Gen 1 Type-C USB Hub, Earphone jack, 96W USB-C Power Delivery, Tilt, Swivel, Pivot, 0-130mm height adjustment, 100x100mm VESA Wall Mounting
ASUS PA27JCV	R 20,124	Asus ProArt Display 5K PA27JCV 27" IPS 5K 5120x2880 Professional Monitor, 16:9 Aspect Ratio, AGLR Display Surface, LED backlight Type, IPS panel Type, 178 degree viewing angle, 100% olor space (sRGB), 95% Colour space (Adobe RGB), 99% Colour space (DCI-P3), 400nits brightness (typical), 1500:1 contrast ratio (typical), 5ms (GTG) response time, HDR10, 2x 2W Speaker, 1x USB Type-C (DP Alt mode), 1x DisplayPort 1.4, 1x HDMI (V2.1), 3x USB 3.2 Gen 1 Type-A USB Hub, 1x USB 3.2 Gen 1 Type-C USB Hub, Earphone jack, 96W USB-C Power Delivery, Tilt, Swivel, Pivot, 0-130mm height adjustment, Ambient Light Sensor, 100x100mm VESA Wall Mounting
ASUS PA27UCX-K	R 28,519	Asus ProArt Display PA27UCX-K 27" IPS QHD 3840x2160 Mini-LED backlit Monitor, 16:9 Aspect Ratio, Mini-LED backlight Type, IPS panel Type, 178 degree viewing angle, 100% Colour space (sRGB), 99.5% Colour space (Adobe RGB), 97% Colour space (DCI-P3), 300nits brightness (typical), 1000:1 contrast ratio (typical), 4ms (GTG) response time, 60Hz Refresh Rate (Max), HDR10, HLG, Dolby Vision, 2x 2W Speaker, 1x USB Type-C (DP Alt mode), 1x DisplayPort 1.2, 2x HDMI V2.0, 4x USB 3.2 Gen 1 Type-A USB Hub, Earphone jack, 90W USB-C Power Delivery, Tilt, Swivel, Pivot, 0-120mm height adjustment, Ambient Light Sensor, 100x100mm VESA Wall Mounting
ASUS PG27AQDP	R 19,434	Asus ROG Swift OLED PG27AQDP Gaming Monitor, 27-inch (26.5-inch viewable) WOLED panel; 480 Hz (above 360Hz); 0.03 ms (GTG); G-S
ASUS VA279HG	R 2,448	Asus VA279HG Eye Care Gaming Monitor, 27" , IPS, Full HD, Frameless 120Hz Adaptive-Sync, HDMI, VGA, Versa Mount
ASUS VU279CFE-B	R 4,024	Asus VU279CFE Eye Care 27" IPS Full HD 1920x1080 100Hz Gaming Monitor, 16:9 Aspect Ratio, LED backlight Type, 178 degree viewing angle, 250nits brightness (typical), 1300:1 contrast ratio (typical), 16.7M Display colours, 1ms MPRT response time, 100Hz Refresh Rate (Max), VRR Technology, 1x USB-C (DisplayPort Alt mode), 1x HDMI V1.4, Earphone jack, 15W USB-C Power Delivery, Tilt, Height adjustment, Ambient Light Sensor, 75x75mm

		VESA Wall Mounting, Kensington lock
ASUS VU279CFE-G	R 4,024	Asus VU279CFE Eye Care 27" IPS Full HD 1920x1080 100Hz Gaming Monitor - Green, 16:9 Aspect Ratio, LED backlight Type, 178 degree viewing angle, 250nits brightness (typical), 1300:1 contrast ratio (typical), 16.7M Display colours, 1ms MPRT response time, 100Hz Refresh Rate (Max), VRR Technology, 1x USB-C (DisplayPort Alt mode), 1x HDMI V1.4, Earphone jack, 15W USB-C Power Delivery, Tilt, Height adjustment, Ambient Light Sensor, 75x75mm VESA Wall Mounting, Kensington lock
ASUS VU279CFE-M	R 4,024	Asus VU279CFE Eye Care 27" IPS Full HD 1920x1080 100Hz Gaming Monitor, 16:9 Aspect Ratio, LED backlight Type, 178 degree viewing angle, 250nits brightness (typical), 1300:1 contrast ratio (typical), 16.7M Display colours, 1ms MPRT response time, 100Hz Refresh Rate (Max), VRR Technology, 1x USB-C (DisplayPort Alt mode), 1x HDMI V1.4, Earphone jack, 15W USB-C Power Delivery, Tilt, Height adjustment, Ambient Light Sensor, 75x75mm VESA Wall Mounting, Kensington lock
ASUS XG27AQDPG	R 22,309	Asus ROG Strix OLED XG27AQDPG Gaming Monitor - 27-inch (26.5-inch viewable) QHD QD-OLED panel, 500Hz, 0.03ms (GTG), OLED Anti-Flicker 2.0, custom heatsink, OLED Care Pro, Neo Proximity Sensor, G-SYNC compatible, VESA DisplayHDR 500 True Black, uniform brightness, 99% DCI-P3, true 10-bit color, DisplayWidget Center
B0CG3AS	R 4,196	HP Series 3 Pro 327ph 27" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, 250 nits brightness, 1000:1 contrast ratio, Up to 16.7 million colours supported, 100x100 mm VESA Mount, Tilt, 1x DisplayPort 1.2, 1x HDMI 1.4, 1x VGA
B0CG3UT	R 4,380	HP B0CG3UT 327pf Series 3 Pro 27" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, Low Blue Light, 250 nits brightness, 1000:1 contrast ratio, 5ms GTG response time, Up to 16.7 million colours supported, 100x100 mm VESA Mount, Tilt, Full HD 1920x1080 @ 100Hz Resolution (Maximum), 1x VGA, 1x HDMI 1.4, 1x DisplayPort 1.2. Great mid-range productivity display.
B0CG3UT	R 3,522	HP Series 3 Pro 27 FHD IPS Monitor; 1920x1080 FHD; 100Hz; 250 nits; HDMI DisplayPort VGA; office productivity display; low blue light; tilt stand; VESA mount
B0CG8AS	R 4,232	HP B0CG8AS 327ph Series 3 Pro 27" IPS Full HD 1920x1080 5ms WLED Monitor, 72% NTSC Colour Gamut, 1000:1 contrast ratio, 250 nits brightness, 1x DisplayPort 1.2, 1x HDMI 1.4, 1x VGA, 100x100 mm VESA mounting, 5ms GTG response time (typical), 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit backlight Type, 100 mm height adjustment range, Tilt, 2x 2W Built-In Speakers
B11W6AS	R 4,472	HP B11W6AS Series 5 527DA 27" IPS Full HD 1920x1080 edge-lit LCD Monitor, 5ms GTG (with Overdrive) response time, 16:9 Native Aspect Ratio, 300 nits brightness (typical), 1500:1 Display contrast ratio (Static), 178 degree viewing angle, 2x 2 W Built-In speakers, 100 mm height adjustment, Tilt, 1x 3.5 mm Audio jack (Audio out), 1x 3.5 mm Audio jack (Audio in), 2x HDMI 1.4, 1x VGA
B28F5AS	R 2,348	HP B28F5AS 527pf Series 5 Pro 27" Full HD IPS 1920x1080 120Hz LED Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 4x USB Type-A 5Gbps, 1x USB-B Hub, 1x DisplayPort 1.2, 1x HDMI 1.4, 100x100 mm VESA mounting, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit backlight Type, 150 mm height adjustment range, Tilt, Swivel, Pivot, 5ms GTG response time (typical), 120Hz Refresh Rate (Maximum)
DHI-LM27-A201X	R 1,999	Dahua LM27 FHD Monitor - 27" Screen Size, VA Panel Type, 16:9 Aspect Ratio, 1920 x 1080 FHD Resolution, LED Backlight, 4000:1 Contrast, 178°(H)/178°(V) Viewing Angle, 5ms Response Time, 100Hz Refresh Rate, 1 x HDMI and 1 x VGA Input, DC 12V,3A Power Supply, Retail Box
DHI-LM27-B221B	R 2,449	Dahua LM27-B221B 27" FHD 144hz LED Monitor. 27-inch FHD; IPS panel; 1920 x 1080; 144 Hz; 1 ms MPRT; 85% NTSC; 300 cd/m2; 1300:1 contrast; DP 1.4, HDMI 2.0, Audio Out; VESA 100x100 mm; 25 W
DHI-LM27-B221B	R 2,471	Dahua LM27-B221B 27" FHD 144hz LED Monitor. 27-inch FHD; IPS panel; 1920 x 1080; 144 Hz; 1 ms MPRT; 85% NTSC; 300 cd/m2; 1300:1 contrast; DP 1.4, HDMI 2.0, Audio Out; VESA 100x100 mm; 25 W
DS-D5027F3-2P2S	R 3,232	Hikvision D5027F3 27" Full HD 1920x1080 Monitor with Speaker, E-led backlight, 300 nits brightness, 178 degree viewing angle, 1300:1 contrast ratio, 14ms response time, 100 Hz Refresh Rate, 72% NTSC Colour Gamut, 7 x 24 hour reliability, 1x HDMI 1.4, 1x VGA, 1x Line-In, 2 W x 2 Speakers, 100x100 mm (VESA
ELA5345EU	R 2,614	Xiaomi A27i 27" Full HD 1920x1080 100Hz IPS Monitor, 178 degree viewing angle, 250nits brightness, 1000:1 contrast ratio, 16:9 Aspect Ratio, 100Hz panel Refresh Rate (Maximum), 6ms g to g response time, VESA 75mm x 75mm, Tilt, HDMI, DisplayPort

ELA5375EU	R 3,097	Xiaomi G27i 27" Full HD 1920x1080 IPS Gaming Monitor, 178 degree viewing angle, 250nits brightness, 1000:1 contrast ratio, 16:9 Aspect Ratio, 165Hz panel Refresh Rate (Maximum), 1ms response time, 75mm x 75mm Wall Mount size, Tilt, HDMI, DisplayPort
ELA5585EU	R 7,827	Xiaomi G Pro 27i 27" 2560x1440 Mini LED Gaming Monitor, 178 degree viewing angle, 1000 nits brightness, 1000:1 contrast ratio, 1.07 Billion colours, 16:9 Aspect Ratio, 180Hz Maximum Refresh Rate, 1ms response time, 1152 local dimming zones, HDR1000, 100% sRGB, VESA 75mm x 75mm, Tilt, HDMI, DisplayPort
ELA5593EU	R 3,780	Xiaomi G27Qi 2K 27" 2560x1440 180Hz IPS Gaming Monitor, 180Hz Maximum Refresh Rate, 1ms response time, 300nits brightness, 1000:1 contrast, 16.7 million Colour, VESA 75 x 75mm, Tilt, 2x DisplayPort Port, 2x HDMI Port, 1x audio Port, AMD FreeSync support
ELA6221EU	R 5,404	Xiaomi A27ui 27" IPS 4K 3840x2160 60Hz Office Monitor, 16:9 Aspect Ratio, 60Hz Refresh Rate, 360 nits typical brightness, 100% sRGB Colour Gamut, 6ms response time, 1x DisplayPort 1.4, 2x HDMI 2.0, 1x Type-C (90W Output), 2x USB 2.0, 1x audio out, Tilt, Swivel, 90 degree pivot, 0~120mm height adjustment, 75x75 mm VESA Wall Mount supported
ELA6370EU	R 2,969	Xiaomi G27i 27" Full HD 1920x1080 IPS 200Hz Gaming Monitor, Fast IPS LCD panel Type, 1ms (GTG) response time, 400 nits Peak brightness, 1000:1 contrast ratio, 16:9 Aspect Ratio, 178 degrees wide viewing angle, 100% sRGB Colour Gamut, 16.7 million colours, HDR 400, AMD FreeSync Premium, 75 x 75mm VESA Wall Mount, Tilt, 1x DisplayPort Port, 1x HDMI Port, 1x audio Port
ELA6410EU	R 2,340	Xiaomi A27i 27" 144Hz Full HD 1080P IPS Office Monitor
ELA6556EU	R 3,872	Xiaomi G27Qi 27" 2K QHD 200Hz Fast IPS Gaming Monitor
ELA6568EU	R 3,150	Xiaomi A27qi 27" IPS 2K 2560x1440 120Hz Office Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 120Hz Refresh Rate, 300 nits typical brightness, 100% sRGB Colour Gamut, 6ms response time, HDR 10 support, 1x DisplayPort 1.4, 1x HDMI 2.0, 1x audio out, 75x75 mm VESA Wall Mount supported, Tilt
G272QPF	R 7,201	MSI G272QPF 27" rapid IPS QHD 2560x1440 Gaming Monitor, Rapid IPS panel Type, 16:9 Aspect Ratio, 300 nits brightness, 1000:1 contrast ratio, 170Hz Refresh Rate, 1ms GTG response time, Adaptive Sync, HDR ready, 2x HDMI, 1x DisplayPort, 1x Headphone out, 178 degree viewing angle, Tilt, Swivel, Pivot, Height Ajustable, 5-way OSD navigation Joystick, 100 x 100 mm VESA mounting
G27C4E3	R 4,952	MSI G27C4 E3 27" Gaming Monitor, 1920 x 1080 (FHD), VA 170Hz, FreeSync, Premium HDMI, Displayport, Tilt, Black
HA2741A	R 25,777	Asus HA2741A 27" IPS QHD 2560x1440 IPS Healthcare Monitor, 16:9 Aspect Ratio, AGLR (Anti-Glare & Low-Reflection) Display Surface, 178 degree viewing angle, 350nits brightness, 900:1 contrast ratio, 16.7M Display colours, 5ms (GTG) response time, 2x USB Type-C (DP Alt mode), 1x HDMI (V2.0), 2x DisplayPort 1.4, 15W USB Type-C Power Delivery, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Earphone jack, 4MP / 3MP Pixel, Ambient Light Sensor, Tilt, 0-130mm height adjustment, Pivot, Swivel, Antibacterial treatment, 100x100mm VESA Wall Mount
LC-DC2722DE+SWK	R 7,495	Dell 210-AYLV C2722DE 27" conferencing monitor Speaker Webcam (with team button) KVM switch - with iPS technology (true 178Â° wide viewing angle real color), 99% Adobe RGB color gamut, 4-way adjustable Stand (Tilt Height Swivel Pivot)
LC-DP2725H	R 3,541	Dell P2725H 27" Full HD Monitor, 1920 x 1080 Resolution, 100Hz Refresh Rate, 5ms Response Time, IPS Panel, 300 cd/m2 Brightness, 1500:1 Contrast Ratio, Anti-Glare, HDMI, DisplayPort, VGA, USB 3.2, Height/Tilt/Swivel/Pivot Adjustable, VESA Mount Compatible
LC-DS2722DC+S	R 5,887	Dell 210-BBRR S2722DC 27" QHD 2560x1440 75Hz IPS LED Monitor, AMD FreeSync, 16:9 Aspect Ratio, IPS panel Type, 350 nits Brightness, 1000:1 contrast ratio, 4 ms (Grey-to-grey Extreme) response time, 178 degree viewing angle, Anti-Glare 3H hardness, 3 Watt Speakers, 2x HDMI, USB-C upstream / DisplayPort with Power Delivery (DisplayPort 1.2 mode / power up to 65W), USB 3.2 Gen 1 downstream with battery charging 1.2, USB 3.2 Gen 1 downstream, Audio line-out, Height adjustment, Pivot (Rotation), Swivel, Tilt, 100x100 mm VESA mounting Interface
LC-DS2722DZ+SW	R 8,141	Dell 210-BBSK S2722DZ 27" QHD 2560x1440 75Hz IPS Video conferencing Monitor, AMD FreeSync, IR camera, 65 Watt USB Power Delivery, 16:9 Aspect Ratio, 350 nits brightness, 1000:1 contrast ratio, 4 MS (Grey-to-grey Extreme) response time, 178 degree viewing angle, Anti-Glare 3H hardness, WLED edgelight backlight, 5

		Megapixel Webcam 1920x1080 at 30 FPS fixed focus, Two microphones, 5 Watt Speakers stereo, HDMI (HDCP 1.4), DisplayPort (DisplayPort 1.2 mode, HDCP 1.4), USB-C 3.2 Gen 1 upstream / DisplayPort 1.2 with Power Delivery (Power up to 65W), USB 3.2 Gen 1 downstream with battery charging 1.2, USB 3.2 Gen 1 downstream, Audio line-out, Height adjustments, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface, 110 mm height adjustment
LC-DS2722QC+S	R 7,186	Dell 210-BBRQ S2722QC 27" UHD 3840x2160 60Hz IPS LED Monitor, AMD FreeSync, 16:9 Aspect Ratio, IPS panel Type, 350 nits Brightness, 1000:1 contrast ratio, 4 ms (Grey-to-grey Extreme) response time, 178 degree viewing angle, Anti-Glare 3H hardness, 3 Watt Speakers, 2x HDMI, USB-C upstream / DisplayPort with Power Delivery (DisplayPort 1.2 mode / power up to 65W), USB 3.2 Gen 1 downstream with battery charging 1.2, USB 3.2 Gen 1 downstream, Audio line-out, Height adjustment, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface
LC-DS2723HC+S	R 5,231	Dell 210-BELK S2723HC 27" Full HD 1920x1080 75Hz IPS LED USB-C Monitor, AMD FreeSync, 65 Watt USB Power Delivery, IPS panel Type, 16:9 Aspect Ratio, 300 nits Brightness, 1000:1 contrast ratio, 99% sRGB Colour gamut, 4 ms (Grey-to-grey Extreme) response time, 178 degree viewing angle, Anti-Glare 3H hardness, 3 Watt Speakers, HDMI, USB-C upstream / DisplayPort 1.2 alt mode with Power Delivery, USB 3.2 Gen 1 downstream (Power up to 10W), USB 3.2 Gen 1 downstream, Audio line-out, Height adjustment, Pivot (Rotation), Swivel, Tilt, 100 mm VESA mounting Interface
LC-L27MS500	R 2,370	LG 27MS500 27" IPS Full HD 1920x1080 HD 100Hz Monitor, 16:9 Aspect Ratio, 5ms (GTG at faster) response time, 178 degrees viewing angle, 250 nits brightness, 1000:1 contrast ratio, NTSC 72% Colour Gamut, 100Hz Refresh Rate (Maximum), 2x HDMI, Headphone out, Tilt
LC-L27US500	R 5,272	LG 27US500-W 27" UltraFine 4K UHD IPS Monitor (27US500-W) - 3840x2160 resolution, IPS panel, HDR10, 90% DCI-P3 color gamut, 1.07B colors, 300 nits brightness, 3-side borderless design, tilt adjustment, VESA 100x100 mount, connectivity: 2x HDMI, 1x DisplayPort, headphone out.
LENOVO MONITOR 64BEKAT1SA	R 2,414	Lenovo S27-4e 27" IPS Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 4ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 300 nits brightness, 1500:1 contrast ratio, 99% sRGB Colour Gamut, Tilt stand, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64BEKAT1SA
LS27C902PAUXEN	R 23,045	Samsung S90PC HRM Flat Borderless 27" display IPS Response: Thunderbolt AR: 16:09 Resolution: 5120x2880 (UHD /5k) RR: 60Hz USB3.0 x3 Speaker: 5Wx2 Power supply: External Tilt: Yes Swivel: No Pivot: Yes Height adjust: yes VESA: Yes Accessories: Thunderbolt cable & Power cable, Camera & remote controller
LS27D300	R 2,184	Samsung Value S30GD 27" IPS Full HD 1920x1080 Display, 16:9 Aspect Ratio, 250nits brightness (typical), 1000:1 contrast ratio static, 5ms (GTG) response time, Max 100Hz Refresh Rate, 178 degree viewing angle, D-Sub, HDMI
LS27D300GAAXXA	R 2,115	Samsung S30GD Flat Borderless 27" display IPS Response: 5 (GTG) AR: 16:09 Resolution: 1920x1080 (FHD) RR: 100Hz HDMI (x1), VGA Speaker: No Power supply: External Tilt: Yes Swivel: No Pivot: No Height adjust: No VESA: Yes Accessories: HDMI cable
LS27FG530	R 4,299	Samsung Odyssey G5 QHD Gaming Monitor - 27" Screen Size, Flat Monitor, IPS Panel Type, QHD 2560 x 1440 Resolution, Up to 200Hz Refresh Rate, 1 ms Response Time, 16:9 Aspect Ratio, HDR10, No Speaker, 1 x EA Display Port, 2 x EA HDMI 2.0, Headphone Interface, 48W Power Consumption, Color Black Retail Box
LS27FG530EUXEN	R 4,093	Samsung LS27FG530 Odyssey G5 Gaming 27" IPS QHD 2560x1440 200Hz LED backlit Monitor, 16:9 Aspect Ratio, 300 nits brightness (typical), 1000:1 contrast ratio static, 1 ms (MPRT) response time, 178 degree viewing angle, Max 200 Hz Refresh Rate, 16:9 Aspect Ratio, HDR10, Max 16.7M Colour support, FreeSync Premium, 1x DisplayPort, 2x HDMI, Headphone, Tilt, 75x75mm Wall Mount
MAG 274QRFW E20	R 4,498	MSI MAG 274QRFW E20 White 27" WQHD 200Hz IPS Gaming Monitor
MAG 275F E20	R 2,967	MSI MAG 275F E20 27" FHD 200Hz Rapid IPS Gaming Monitor
MAG 275QF E20	R 3,871	MSI MAG 275QF E20 27" WQHD 200Hz IPS Gaming Monitor
MAG 345CQR	R 7,199	MSI MAG 345CQR Curved Gaming Monitor 3440x1440 (UWQHD) VA 1ms 180Hz. Curved gaming monitor; 34 inch VA panel; 3440 x 1440 UWQHD resolution; 21:9 ultra-wide; 1000R curve; 180Hz refresh rate; 1ms MPRT; AMD FreeSync Premium; Adaptive-Sync; HDR Ready; DisplayPort 1.4a; HDMI 2.0b; VESA 100 x 100mm;

		weight 7.75 kg.
MAG273QPQD-OLEDX24	R 10,799	MSI MAG 273qp X24 27" QD-OLED WQHD 2560x1440 240Hz Gaming Monitor, 16:9 Aspect Ratio, 250 nits brightness, 240Hz Refresh Rate, 0.03ms (GTG) response time, Adaptive-Sync, DisplayHDR True Black 400, 2x HDMI 2.1, 1x DisplayPort 1.4a, 1x headphone-out, 178 degree viewing angle, 1.07b Display colours, Tilt, swivel, pivot, 0-130 mm Height Ajustable, 100x100 mm VESA mounting
MAG275F	R 5,580	MSI MAG 275F 27" Gaming Monitor, 1920 x 1080 (FHD), Rapid, IPS, 180Hz, 0.5ms
MNASVA279HG	R 2,299	Asus VA279HG 27" IPS Full HD 1920x1080 Eye Care Gaming Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 99% Colour Space (sRGB), 300nits brightness (typical), 1500:1 contrast ratio (typical), 16.7M Display colours, 1ms MPRT response time, 120Hz Refresh Rate (Max), VRR Technology, 1x HDMI V1.4, 1x VGA, Earphone jack, Tilt, 100x100mm VESA Wall Mounting
MNDE210-BKTV	R 9,808	Dell UltraSharp U2724de 27" IPS WQHD 2560x1440 120Hz Thunderbolt Hub Monitor, 178 degree viewing angle, 16:9 Aspect Ratio, 2000:1 contrast ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1 x DisplayPort 1.4, 1 x DisplayPort 1.4 (Out), 1x HDMI, 1 x Thunderbolt 4 downstream Port (15W) for daisy Chaining, 1 x Thunderbolt 4 upstream Port, 1 x usb-type c upstream Port, 3 x USB Type-A downstream Port, 1 x audio line out, 1 x RJ45 Port (2.5G), 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable, VESA mounting
MNDE210-BKVB	R 7,968	Dell 210-BKVB UltraSharp U2724D 27" IPS QHD 2560x1440 LED backlit Monitor, Anti-Glare with 3H hardness, 2560x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 350 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 100% sRGB Colour Gamut, 1x DisplayPort 1.4, 1x DisplayPort 1.4 (Out), 1x HDMI, 1x USB Type-C upstream Port, 2x USB Type-A downstream Port, 1x audio line out, 1x USB Type-A downstream Port, 1x USB Type-C downstream Port, Tilt, Swivel, Pivot, 150 mm height adjustable
MNDE210-BQSZ	R 7,014	Dell 210-BQSZ Pro 27 Plus P2725de 27" IPS QHD 2560x1440 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swive, Pivot, 100 Hz standard Refresh Rate, 1, 500:1 native contrast ratio, 350 brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet Port, 1x RJ45 Ethernet Port, 100x100 VESA Mount standard
MNDE210-BQTL	R 13,741	Dell 210-BQTL U2725qe 27" IPS 4K UHD 3840x2160 Black UltraSharp Thunderbolt Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, VESA DisplayHDR 600, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 450 nits brightness, sRGB 100% Colour Gamut, 1x DisplayPort 1.4 Port, 1x DisplayPort 1.4 Port out, 1x HDMI Port, 1x Thunderbolt 4 upstream Port, 1x Thunderbolt 4 downstream Port, 1x USB-C (USB 10Gbps KVM) upstream Port, 1x Analog 2.0 Audio line out Port (3.5 mm jack), 4x USB Type-A Ports 10Gbps, 1x RJ45 Ethernet Port 2.5GbE, Ambient Light Sensor, 100x100 VESA Mount standard
MNDE210-BQWM	R 6,554	Dell 210-BQWM 27 Plus S2725qs 27" (3840x2160) UHD 4K IPS LED Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 13 cm Maximum adjustable height, Tilt, Swivel, Pivot, Stand included, 3H Glass hardness, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100mm VESA Mount standard
MNDE210-BQWQ	R 5,335	Alienware 210-BQWQ AW2725dm 27" Fast IPS QHD 2560x1440 QHD Fast IPS LED Gaming Monitor, 4ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, Adjustable height, Tilt, Swivel, 90 degrees Pivot, VESA DisplayHDR 400, 1.07 Billion colours, 1000:1 Native contrast ratio, 400 nits brightness, nVidia G-Sync compatible, AMD FreeSync, VESA AdaptiveSync, 2560x1440 at 180Hz Maximum preset Resolution, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount Standard
MNDE210-BQWS	R 7,451	Dell 210-BQWS 27 Plus S2725qc 27" UHD 4K 3840x2160 IPS LED USB-C Monitor, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, Swivel, Pivot, 120Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, AMD

		FreeSync Premium, 99% sRGB Colour Gamut, 2 Speakers, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 65 W), 2x HDMI Ports, 1x USB 5Gbps Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB 5Gbps Type-A downstream Port, 100x100mm VESA Mount standard
MNDE210-BQWV	R 15,777	Dell Alienware AW2725Q 26.7" 4K 3840x2160 240Hz QD-OLED Gaming Monitor, Quantum Dot OLED panel Technology, 0.03ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, VESA DisplayHDR True Black 400, 240 Hz standard Refresh Rate, 1.07 Billion colours, 250 nits brightness, nVidia G-Sync, AMD Free-Sync Premium Pro, VESA AdaptiveSync, DCI-P3 99% Colour Gamut, 1x DisplayPort 1.4, 2x HDMI Ports, 1x USB 5Gbps Type-B upstream Port, 3x USB 5Gbps Type-A downstream Ports, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 100x100 VESA Mount standard
MNDE210-BRDL	R 5,404	Dell 210-BRDL Pro 27 Plus P2725d 27" IPS QHD 2560x1440 QHD LED Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB 5Gbps Type-B upstream Port, 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 100x100mm VESA Mount standard
MNDE210-BRDS	R 9,394	Dell 210-BRDS Pro 27 Plus P2725qe 27" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
MNDE210-BSNS	R 2,701	Dell 210-BSNS SE2725HG 27" IPS Full HD 1920x1080 200Hz LED backlit Monitor, 5ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, Stand included, 1920x1080 at 200Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 99% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4 Port, 1x headphone-out Port (3.5 mm jack), 100x100 VESA Mount standard
MNDE210-BSRL	R 5,749	Dell 210-BSRL 27 Plus S2725DC 27" IPS QHD 2560x1440 LED USB-C Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, Variable Refresh Rate (VRR), 2560x1440 at 144 Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 350 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2x 3W Speakers, 1x HDMI, 1x DisplayPort 1.4, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 65W), 1x USB Type-A 5Gbps downstream Port with Battery charging 1.2, 1x USB-C 5Gbps downstream Port Power Delivery up to 15W, 100x100 VESA Mount Standard
MNDE210-BSVN	R 4,909	Dell S2725DSM 27 Plus 27" IPS QHD 2560x1440 144Hz LCD Monitor, 1 ms MPRT response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, Pivot, Adjustable stand, Variable Refresh Rate (VRR), 2560x1440 at 144 Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 350 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2 Speakers, 3W Speaker Output Power, 1x HDMI, 1x DisplayPort 1.4, 100x100 VESA Mount standard
MNDE210-BSZF	R 3,690	Dell 210-BSZF 27 Plus S2725HSM 27" IPS Full HD 1920x1080 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, 90 degrees pivot angle, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 2x 3W Speakers, 2x HDMI Ports, 100x100 VESA Mount Standard
MNDE210-BTPZ	R 2,816	Dell 210-BTPZ Pro 27 E2726HS 27" IPS Full HD 1920x1080 IPS Monitor, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, 90 degree pivot angle, Adjustable stand, 1920x1080 at 100Hz maximum Resolution, 16.7 million colours, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speakers, 1x HDMI, 1x DisplayPort 1.4, 1x VGA Port, 100x100 VESA Mount Standard

MNDE210-BTQB	R 4,162	Dell Pro 210-BTQB E2726DS 27" IPS QHD 2560x1440 LED backlit Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 130 mm Maximum adjustable height, Tilt, Swivel, 90 degree pivot angle, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 2x 2 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
MNDE210-BTSP	R 2,552	Dell 210-BTSP SE2726HG 27" IPS Full HD 1920x1080 Gaming Monitor, 5 ms GTG (Fast) response, 16:9 Aspect Ratio, 178 degree viewing angle, HDR10, Tilt stand adjustments, Variable Refresh Rate (VRR), Hight Dynamic range (HDR), 1920x1080 at 240Hz maximum Resolution, 16.7 million colours supported, 1, 000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync Premium, 99% sRGB Colour Gamut, 2x HDMI Port/s, 1x DisplayPort 1.4, 100x100 VESA Mount Standard
MNDE210-BVCC	R 2,230	Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard
MNDE210-BVHR	R 8,037	Dell 210-BVHR Pro P 27 P2726DEB 27" QHD 2560x1440 IPS USB-C Hub Conferencing Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees Pivot angle, Stand included, 4 Megapixel camera Resolution, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 2x 5 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Ports (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, 100x100 VESA Mount Standard
MNDE210-BVHV	R 7,589	Dell 210-BVHV Pro P 27 P2726DEV 27" QHD 2560x1440 IPS USB-C Hub Webcam Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, 90 degrees Pivot angle, Adjustable stand, 4 Megapixel camera Resolution, 2560x1440 at 100Hz maximum Resolution, 16.7 million colours supported, 1500:1 contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, 100 x 100 VESA Mount Standard
MNDE210-BVKP	R 3,702	Dell 210-BVKP Pro P 27 P2726h 27" Full HD 1920x1080 IPS Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 100 x 100 VESA Mount Standard
MNDE210-BVKQ	R 5,024	Dell 210-BVKQ Pro P 27 P2726he 27" Full HD 1920x1080 IPS USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort out, 2x USB Type-A 5Gbps downstream Port/s, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode & Power Delivery up to 100W), 1x RJ45 Ethernet Port, 2 USB-C 5Gbps downstream Ports (Power Delivery up to 15 W), 100 x 100 VESA Mount Standard
MNDE210-BVSG	R 3,012	Dell 210-BVSG SE2726d 27" 2560x1440 QHD 2560x1440 IPS 144Hz Monitor, 1 ms MPRT response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, Fixed stand Type, Variable Refresh Rate (VRR), 2560x1440 at 144Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4 Port, 100x100 VESA Mount Standard
MNDE210-BWPN	R 2,276	Dell 210-BWPN Pro 27 E2726H 27" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Tilt, Adjustable stand, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100mm x 100mm VESA Mount Standard

MNHP8J9G2AA	R 16,350	HP 8J9G2AA Series 7 Pro 727pk 27" IPS 4K 3840x2160 Thunderbolt 4 Monitor, 100% sRGB Colour Gamut, 2000:1 contrast ratio, 400 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit backlight Type, Detachable stand, 150 mm height adjustment range, 5ms GTG response time (typical), 4K UHD 3840x2160 @ 60Hz Resolution (Maximum), Swivel, Tilt, 1x DisplayPort 1.4, 1x DisplayPort 1.4-out, 1x HDMI 2.0, 1x Thunderbolt 4 with USB Type-C 40Gbps signaling rate (Up to 100 W USB Power Delivery & DisplayPort 1.4), 1 Thunderbolt 4 out for daisy chain (15 W charging), 1x USB Type-C 10Gbps upstream (Up to 15W USB Power Delivery), 1x USB Type-C 10Gbps (15 W charging), 5x USB Type-A 10Gbps, 100x100 mm (Bracket included) VESA mounting
MNHP9D9S0UT	R 6,836	HP 9D9S0UT Series 5 Pro 527pq 27" IPS QHD 2560x1440 @ 100Hz WLED backlit Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, 5ms GTG (with Overdrive) response time, Height adjust / Tilt / swivel / pivot, 4x USB Type-A 5Gbps (1 charging), 1x USB-B, 1x DisplayPort 1.2, 1x HDMI 2.0, 100x100 mm VESA mounting, 100 Hz Refresh Rate (Maximum), Standard lock slot
MNHP9E0G5AA	R 8,536	HP 9E0G5AA Series 5 Pro 527pu 27" IPS QHD 2560x1440 USB-C Monitor, 100% sRGB Colour Gamut, 1500:1 contrast ratio, 350 nits brightness, 100x100 mm VESA mounting, Swivel, Tilt, Pivot, 150 mm height adjustment range, 178 degree viewing angle, 16:9 Aspect Ratio, Edge-lit WLED backlight Type, Detachable stand, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, 1x DisplayPort 1.4, 1x DisplayPort 1.4-out, 1x HDMI 2.0, 1x RJ-45 (10/100/1000 Mbps), 1x USB Type-C 5Gbps (Up to 15W USB Power Delivery), 3x USB Type-A 5Gbps (1 charging), 1x USB Type-C 5Gbps (Up to 100W USB Power Delivery / Alt mode DisplayPort 1.4)
MNHPB11W6AT	R 4,486	HP B11W6AT Series 5 527DA 27" IPS Full HD 1920x1080 Monitor with Speakers, 99% sRGB Colour Gamut, 1500:1 contrast ratio, 300 nits brightness, 2x HDMI 1.4 HDMI, 1 x 3.5 mm Audio jack (Audio out), 1x 3.5 mm Audio jack (Audio in), 1x VGA, 178 degree viewing angle, Tilt, 16:9 Aspect Ratio, Edge-lit backlight Type, Detachable stand, 100 mm height adjustment range, 100 Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time, HP eye ease, 2x 2 W Speaker Output Power, Standard lock slot
MNLE64BEKAT1SA	R 2,416	Lenovo S27-4e 27" IPS Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, 178 degrees viewing angle (H / V), 4ms GTG response time, 16.7 million Colour support, 100Hz Refresh Rate, 300 nits brightness, 1500:1 contrast ratio, 99% sRGB Colour Gamut, Tilt stand, Supports VESA Mount 100x100 mm, 1x HDMI 1.4, 1x VGA, 64BEKAT1SA
PA278CGRV	R 7,897	Asus ProArt PA278CGRV 27" IPS QHD 2560x1440 IPS 144Hz Monitor with USB Type-C 96W PD, 16:9 Aspect Ratio, Factory-calibrated Colour accuracy with Delta e less than 2 guarantee, Calman verified certification for Colour truth, 100% sRGB and 97% DCI-P3 Colour Space coverage, 144Hz Refresh Rate with AMD FreeSync Premium support, VESA DisplayHDR 400 Certified with HDR10 support, Up to 400 CD/m& #178; Peak brightness for HDR content, USB Type-C Port with DisplayPort Alt mode and 96W Power Delivery, Auto KVM Switch allows Control of two devices with one Keyboard and Mouse, DisplayPort 1.4 Output, HDMI, Fully Ergonomic stand, Tilt, Swivel, Pivot, Height adjustment, VESA Mount compatible with 100x100mm spacing, 178 degree viewing angle, 5ms (GTG) response time, 2W x2 Speaker
PA279CRV	R 12,887	Asus ProArt PA279CRV 27" IPS 4K UHD 3840x2160 Professional Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 100% Colour space (sRGB), 99% Colour space (Adobe RGB), 99% Colour space (DCI-P3), 350nits brightness (typical), 1000:1 contrast ratio (typical), 5ms (GTG) response time, 60Hz Refresh Rate (Max), HDR10, 2W x2 Speaker, 1x USB Type-C (DP Alt mode), 2x DisplayPort 1.4, 2x HDMI V2.0, 3x USB 3.2 Gen 1 Type-A USB Hub, 1x USB 3.2 Gen 1 Type-C USB Hub, Earphone jack, 96W USB-C Power Delivery, Tilt, Swivel, Pivot, 0-130mm height adjustment, 100x100mm VESA Wall Mounting
PA27JCV	R 20,792	Asus ProArt PA27JCV 27" 5K HDR 60Hz IPS Display. 27-inch 5K (5120 x 2880) IPS display; 99% DCI-P3, 100% sRGB color gamut; Calman Verified, Delta E < 2; VESA DisplayHDR 500; USB-C (96W PD), DisplayPort, HDMI; Auto KVM; Ergonomic stand (tilt, swivel, pivot, height); LuxPixel anti-glare coating; 5 ms response time; 60 Hz refresh rate; 5.91 kg weight.
PA27UCDMR	R 32,430	Asus ProArt PA27UCDMR 26.5" 4K UHD 3840x2160 QD-OLED 240Hz Professional Monitor, 240Hz Maximum Refresh Rate with Adaptive-Sync support, Factory calibrated Colour accuracy, 99% DCI-P3 and 100% sRGB Colour Gamut coverage, 10-bit panel displaying over 1.07 Billion colours, 1000 nits Peak brightness with VESA DisplayHDR True Black 400 certification, 2x Thunderbolt 4 Ports supporting daisy-chaining and 96W Power

		Delivery, HDMI 2.1 and DisplayPort 1.4 DSC Video inputs included, Built-In USB 3.2 Gen 2 Hub with Type-A and Type-C Ports, Ergonomic stand, Tilt, Pivot, 130mm height adjustment, Ambient Light Sensor and proximity Sensor for Intelligent adjustments, Supports HDR10, VESA 100x100mm Wall Mounting compatible, 16:9 Aspect Ratio, 178 degree viewing angle, 3W x2 Speaker
PA27UCX-K	R 32,432	Asus ProArt Display PA27UCX-K 27" IPS QHD 3840x2160 Mini-LED backlit Monitor, 16:9 Aspect Ratio, Mini-LED backlight Type, IPS panel Type, 178 degree viewing angle, 100% Colour space (sRGB), 99.5% Colour space (Adobe RGB), 97% Colour space (DCI-P3), 300nits brightness (typical), 1000:1 contrast ratio (typical), 4ms (GTG) response time, 60Hz Refresh Rate (Max), HDR10, HLG, Dolby Vision, 2x 2W Speaker, 1x USB Type-C (DP Alt mode), 1x DisplayPort 1.2, 2x HDMI V2.0, 4x USB 3.2 Gen 1 Type-A USB Hub, Earphone jack, 90W USB-C Power Delivery, Tilt, Swivel, Pivot, 0-120mm height adjustment, Ambient Light Sensor, 100x100mm VESA Wall Mounting
PG27AQDP	R 19,378	Asus PG27AQDP ROG Strix 27" WOLED 2560x1440 HDR 400 True Black 480Hz Gaming Monitor, 135% lor Space (sRGB), Anti-Glare Display Surface, 178 degree viewing angle, 0.03ms (GTG) response time, 10 Bit Colour, HDR10, 480Hz Refresh Rate (Max), Asus OLED care, FreeSync Premium & G-Sync compatible, DisplayPort 1.4 dscx 1, HDMI (V2.1) x 2 (Frl), Earphone jack, USB Hub - 2x USB 3.2 Gen 1 Type-A, Tilt, Swivel, Pivot, 0-110mm height adjustment, 100x100mm VESA Wall Mounting, Aura Sync Lighting effect
PR-02	R 2,069	Galax Prisma-02 27" FHD Monitor. 75Hz refresh rate; G-SYNC compatible; USB-C 65W PD; Flicker-Free & Low Blue Light; HDR; built-in speakers; HDMI, DP inputs; dimensions 614.7x471.3x179.3mm; weight 4.65kg
PRO MP273 E14A	R 2,519	MSI PRO MP273 E14A 27" IPS Full HD 1920x1080 144Hz Monitor, 144Hz Refresh Rate, 4ms (GTG) response time, 250 nits brightness, 178 degree viewing angle, 16:9 Aspect Ratio, 1500:1 contrast ratio, 102% sRGB, 16.7M Display colours, HDR ready, 1x HDMI 2.0 (FHD@144hz), 1x D-Sub (VGA), 1x DisplayPort 1.2A, 1x headphone-out, Kensington lock, 2x 3W Speakers, 100x100 mm VESA mounting, AMD FreeSync, Tilt
PXP27G	R 2,793	Armaggeddon PXP27G Pixxel PXP 27g 27" IPS full Full HD 1920x1080 165Hz Monitor, RGB 16.7 million Display Colour, 1500:1 contrast ratio, 250cd/s brightness, Tilt, 98% sRGB Colour Gamut, 16:9 Aspect Ratio, 178 degree viewing angle, 75x75 VESA mounting, 1x DisplayPort, 1x HDMI, G-Sync
SAMSUNG LS27C902P	R 23,919	Samsung 27" Hrm 16:9 5120x2880 (5k) Flat Borderless Ips Has Thunderbolt 4.0 (90w) Usb3.0(3) Bluetooth 4.2 5w Speakers X 2.27 inch IPS 5K monitor; 5120 x 2880 resolution; 99% DCI-P3; Pantone Validated; Thunderbolt 4; 90W charging; USB 3.0; Bluetooth 4.2; WiFi 5; 5W x 2 speakers; VESA 100 x 100; weight 7.4 kg
SAMSUNG LS27D300GA	R 1,931	SAMSUNG LS27D300GA 27" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, IPS panel Type, IPS panel Type, 250 nits brightness (typical), 1000:1 contrast ratio static, 5ms (GTG) response time, 178 degree viewing angle (Horizontal / Vertical), Max 100Hz Refresh Rate, 1x D-Sub VGA, 1x HDMI, Tilt, 100 x 100mm Wall Mount, 72% Colour Gamut (NTSC 1976)
SAMSUNG LS27D300GAUX	R 2,115	SAMSUNG LS27D300GA 27" IPS Full HD 1920x1080 Monitor, 16:9 Aspect Ratio, IPS panel Type, IPS panel Type, 250 nits brightness (typical), 1000:1 contrast ratio static, 5ms (GTG) response time, 178 degree viewing angle (Horizontal / Vertical), Max 100Hz Refresh Rate, 1x D-Sub VGA, 1x HDMI, Tilt, 100 x 100mm Wall Mount, 72% Colour Gamut (NTSC 1976)
SAMSUNG LS27FG530	R 3,679	Samsung LS27FG530 27" Odyssey G5 QHD Monitor; 16:9; 2560x1440 resolution; 200Hz; 1000:1 Static; 1ms (MPRT); 178Â°/178Â° Viewing
SAMSUNG LS27FG530	R 4,392	SAMSUNG LS27FG530 Odyssey G5 27" IPS QHD 2560x1440 200Hz Monitor, 16:9 Aspect Ratio, 300 nits brightness (typical), 1000:1 contrast ratio static, 1 ms (MPRT) response time, 178 / viewing angle, Max 200 Hz Refresh Rate, HDR10, 72 % Colour Gamut, FreeSync Premium, 1x DisplayPort, 2x HDMI, Tilt, 75.0 x 75.0 Wall Mount
UM.HE1EE.G08	R 2,184	Acer E271Y 27" IPS Full HD 1920x1080 120Hz Monitor, 1920x1080 pixels @ 120Hz Display Resolution, 250 nits brightness, 1000:1 contrast ratio, 5 ms GTG response time, 16:9 Native Aspect Ratio, 178 degree viewing angle, 75x75 mm VESA mounting, Tilt, 1x HDMI 1.4, 1x VGA
UM.HE1EE.O01	R 2,586	Acer ET271 27" Full HD 1920x1080 widescreen LCD Monitor, PLS (Plane to line switching) Technology panel Technology, 4 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED backlight Technology, Tilt, 100x100 VESA Mount standard, 60Hz standard Refresh Rate, 16.7 million colours, 300 nits brightness, HDMI, VGA
UM.HE1EE.O02	R 2,298	Acer E271 Obi 27" IPS Full HD 1920x1080 LED backlit Monitor, 5ms response time, 16:9 Aspect Ratio, 178

		degree viewing angle, Tilt, 75x75 VESA Mount standard, 16.7 million colours, 250 nits brightness, 72% NTSC Colour Gamut, 1000:1 Native contrast ratio, 1x HDMI, 1x VGA
UM.HMXEE.001	R 2,942	Acer M27V17Q 27" IPS WQHD 2560x1440 LED backlit Monitor, 300 nits (typical) brightness, 72% NTSC Colour Gamut, 1000:1 contrast ratio, 178 degree viewing angle, 5ms Grey to Grey response time, 16.7 million colours, Up to 100Hz Refresh Rate, Tilt, 100x100mm VESA Mount, 2x 2W Stereo Speakers, 1x 3.5mm Audio jack Audio Output, 1x DisplayPort 1.2A Port, 1x HDMI 1.4 Port, 1x USB 5Gbps Type-C Port with DisplayPort & 65W Power Delivery (Upstream), 1x USB 5Gbps Type-B Port (Upstream), 2x USB 5Gbps Type-A Ports (Downstream)
UM.HV0EE.W01	R 2,989	Acer Nitro MG27X5Q 27" Gaming IPS Full HD 240Hz Monitor, 1 ms response time, 16:9 Aspect Ratio, HDR10, 320 nits brightness, AMD FreeSync Premium, 2x HDMI, Audio line in, Audio line out, 1x DisplayPort
VA270H	R 2,721	ViewSonic VA270H 27" IPS Full HD 1920x1080 Monitor, IPS Technology panel Type, 1000:1 static contrast ratio, LED Light source, 250 nits (Typ) brightness, 16.7m colours, 16:9 Aspect Ratio, 1ms response time (MPRT), 178 degrees viewing angles, 100 Hz Refresh Rate, Variable Refresh Rate Technology, 1x VGA, 1x HDMI 1.4, External Power adaptor, 75x75 mm VESA compatible, Tilt
VA279HG	R 2,425	Asus VA279HG 27" IPS Full HD 1920x1080 Eye Care Gaming Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 99% Colour Space (sRGB), 300nits brightness (typical), 1500:1 contrast ratio (typical), 16.7M Display colours, 1ms MPRT response time, 120Hz Refresh Rate (Max), VRR Technology, 1x HDMI V1.4, 1x VGA, Earphone jack, Tilt, 100x100mm VESA Wall Mounting
VK-5603-BK	R 2,056	Volkano 27" Full HD IPS Monitor; 1920x1080 resolution; 100 Hz refresh; HDMI x1 VGA x1; 178 degree viewing; VESA 100; suitable for home office and multimedia
VX2779-HD-PRO	R 3,506	Viewsonic VX2779-HD-PRO 27" FHD IPS Gaming Monitor - Resolution: Full HD (1920 x 1080), Contrast Ratio: 1000:1, Dynamic Contrast Ratio: 50M:1, Response Time (MPRT): 1ms, Aspect Ratio: 16:9, Brightness: 250 cd/m2, Refresh Rate: 180Hz, Connectivity: 2x HDMI 1.4, 1x DisplayPort, 1x 3.5mm Audio Out, VESA Compatible: 100 x 100 mm, Retail Box
WL-0004	R 2,989	Surge WL-0004 27" VA QHD 2560x1440 180Hz Curved Gaming Monitor, 1ms (typical) response time, 16:9 widescreen Aspect Ratio, 2x HDMI, 1x DisplayPort, 1x USB, 1x Audio, 178 degree viewing angle
XG27ACDMS	R 17,319	Asus ROG Strix OLED XG27ACDMS Gaming Monitor - 27" (26.5" viewable) 1440p QD-OLED panel, 280 Hz, 0.03 ms, custom heatsink, Neo Proximity Sensor, ASUS OLED Care Pro, uniform brightness, G-SYNC® compatible, 99% DCI-P3, and DisplayWidget Center
XG27AQDPG	R 23,736	Asus XG27AQDPG ROG Strix 26.5" QD-OLED 2560x1440 HDR 500 True Black 500Hz Gaming Monitor, 16:9 Aspect Ratio, 145% Colour Space (sRGB), Anti-Reflection Display Surface, 300nits brightness (typical), 178 degree viewing angle, 0.03ms (GTG) response time, HDR10, Asus OLED care, FreeSync Premium Pro & G-Sync compatible, 1x DisplayPort 1.4, 2x HDMI (V2.1), Earphone jack, USB Hub - 2x USB 3.2 Gen 1 Type-A, Tilt, Swivel, Pivot, 0-110mm height adjustment, 100x100mm VESA Wall Mounting, Aura Sync Lighting effect, Neo proximity Sensor

< Return to the menu

LCD Monitors : LCD Monitors: 28 - 29 inch

Product code	Price	Description
29U511A-B.AFB	R 4,661	LG 29U511A-B UltraWide 29" FULL HD 2560x1080 IPS 100Hz Monitor, Anti-Glare Surface treatment, 21:9 Aspect Ratio, 5ms (GTG at faster) response time, 178 degrees viewing angle, 250 nits brightness, 1000:1 Aspect Ratio, 99% sRGB Colour Gamut, 100Hz Refresh Rate (Maximum), 1x HDMI, 1x DisplayPort, HDR 10, Tilt, 100 x 100mm wall mountable, 3-side virtually borderless Design
61E6GAT2SA	R 6,682	Lenovo S28U ThinkVision 28" IPS 4K 3840x2160 WLED Monitor, 16:9 Aspect Ratio, 178 degree viewing angle (H / V), 6 ms (typical mode) response time, 1.07 Billion Colour support, 60Hz Refresh Rate, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, Tilt stand, Tiny support, 1x HDMI 2.0, 1x DisplayPort 1.2
LC-AMX299Q	R 8,454	Asus MX299Q 29" LED with ah-iPS technology (true 178Â° wide viewing angle real colour) - 17.5mm ultra-slim with 0.8mm ultra-narrow bezel, Bang & Olufsen ICE powered speaker 2x 3w speaker with 32mm driver, Trace-free QuickFit Virtual Scale, tilt, Full HD 2560x1080 (21:9 WUGA); brightness- 250cd/m2; contrast ratio - 1000:1/ 80000000:1, response time- 5ms - DVi HDMi Display Port 3.5mm audio in/out - no vesa wall-mount

LC-L29U511A	R 4,204	LG 29U511A-B UltraWide 29" FULL HD 2560x1080 IPS 100Hz Monitor, Anti-Glare Surface treatment, 21:9 Aspect Ratio, 5ms (GTG at faster) response time, 178 degrees viewing angle, 250 nits brightness, 1000:1 Aspect Ratio, 99% sRGB Colour Gamut, 100Hz Refresh Rate (Maximum), 1x HDMI, 1x DisplayPort, HDR 10, Tilt, 100 x 100mm wall mountable, 3-side virtually borderless Design

< Return to the menu

LCD Monitors : LCD Monitors: 30 - 32 inch

Product code	Price	Description
210-BFIS	R 19,894	Dell 210-BFIS U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 95% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare 2h hardness, 2 x 8W Speakers Output Power, 2x DisplayPort 1.4, 2x HDMI 2.1 (TMDS), 1x USB-C (DP.14 HB3 (2lane) / HBR2 (4 lane), Power Delivery upto 90W 2/4 lane switching, USB 3.2 Gen 2 10Gbps upstream, 3x USB-C USB 3.2 Gen2 10Gbps KVM upstream Port Data only, 3x Super speed USB Type-A USB 3.2 Gen 2 10Gbps downstream Ports, 1x Super speed USB Type-A USB3.2 Gen 2 10Gbps with B.C 1.2, 1x USB C USB3.2 Gen 2 10 Gbps upto 15W charging downstream quick Access Port, 1x Analog 2.0 audio line out (3.5mm jack), 1x RJ45 Port, Height Ajustable, Pivot (Rotation), Swivel, Tilt, VESA mounting Interface
210-BLLV	R 19,530	Dell Alienware AW3225qf 31.6" 4K 3840x2160 QD-OLED Curved Gaming Monitor, QD OLED panel Type, 3840x2160 at 240 Hz Maximum preset Resolution, 178 degree viewing angle, 16:9 Aspect Ratio, OLED backlight Technology, 1000 nits brightness, 0.03ms response time (typical), 1x DisplayPort 1.4, 2x HDMI 2.1, 1x USB 3.2 Gen 1 (5 Gbps) Type-B upstream Port, 2x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Ports bott, 1x USB 3.2 Gen 1 (5 Gbps) Type-C downstream Port which supports BC1.2 power-charging, 1x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Port, nVidia G-Sync compatible, AlienFX Lighting, Tilt, Swivel, Built in cable-management, 110 mm height adjustable stand, 1.07 Billion colours, VESA (100x100 mm)
210-BLLV	R 19,822	Dell Alienware AW3225qf 31.6" 4K 3840x2160 QD-OLED Curved Gaming Monitor, QD OLED panel Type, 3840x2160 at 240 Hz Maximum preset Resolution, 178 degree viewing angle, 16:9 Aspect Ratio, OLED backlight Technology, 1000 nits brightness, 0.03ms response time (typical), 1x DisplayPort 1.4, 2x HDMI 2.1, 1x USB 3.2 Gen 1 (5 Gbps) Type-B upstream Port, 2x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Ports bott, 1x USB 3.2 Gen 1 (5 Gbps) Type-C downstream Port which supports BC1.2 power-charging, 1x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Port, nVidia G-Sync compatible, AlienFX Lighting, Tilt, Swivel, Built in cable-management, 110 mm height adjustable stand, 1.07 Billion colours, VESA (100x100 mm)
210-BLLV	R 20,130	Dell Alienware AW3225qf 31.6" 4K 3840x2160 QD-OLED Curved Gaming Monitor, QD OLED panel Type, 3840x2160 at 240 Hz Maximum preset Resolution, 178 degree viewing angle, 16:9 Aspect Ratio, OLED backlight Technology, 1000 nits brightness, 0.03ms response time (typical), 1x DisplayPort 1.4, 2x HDMI 2.1, 1x USB 3.2 Gen 1 (5 Gbps) Type-B upstream Port, 2x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Ports bott, 1x USB 3.2 Gen 1 (5 Gbps) Type-C downstream Port which supports BC1.2 power-charging, 1x USB 3.2 Gen 1 (5 Gbps) Type-A downstream Port, nVidia G-Sync compatible, AlienFX Lighting, Tilt, Swivel, Built in cable-management, 110 mm height adjustable stand, 1.07 Billion colours, VESA (100x100 mm)
210-BQTK	R 18,369	Dell 210-BQTK U3225qe 31.5" IPS 4K UHD 3840x2160 Black UltraSharp Thunderbolt Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, VESA DisplayHDR 600, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 450 nits brightness, sRGB 100% Colour Gamut, 1x DisplayPort 1.4 Port, 1x DisplayPort 1.4 Port out, 1x HDMI Port, 1x Thunderbolt 4 upstream Port, 1x Thunderbolt 4 downstream Port, 1x USB-C (USB 10Gbps KVM) upstream Port, 1 Analog 2.0 Audio line out Port (3.5 mm jack), 4x USB Type-A Ports 10Gbps, 1x RJ45 Ethernet Port 2.5GbE, 1x USB Type-A 10Gbps Port with BC 1.2, 2 USB-C 10Gbps downstream Ports, Ambient Light Sensor, 100x100 VESA Mount standard
210-BQWP	R 7,727	Dell 210-BQWP 32 Plus S3225qs 31.5" VA UHD 4K 3840x2160 LED Monitor, 4 ms response time, 16:09 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 100 mm Maximum adjustable height, Tilt, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 2

		Speakers, 10 W Speaker Output Power, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100 VESA Mount standard
210-BQWP	R 7,822	Dell S3225QS 32" Plus 4K Monitor. Quick specs: 32-inch curved VA panel, 4K UHD 3840x2160, 120Hz refresh rate, 4ms response time, 95% DCI-P3, AMD FreeSync Premium, 2 x HDMI, DisplayPort 1.4, dual 5W speakers, HDR10, ComfortView Plus, height tilt slant adjustment, VESA 100x100, 300 cd/m2 brightness
210-BQWP	R 8,399	Dell 210-BQWP 32 Plus S3225qs 31.5" VA UHD 4K 3840x2160 LED Monitor, 4 ms response time, 16:09 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 100 mm Maximum adjustable height, Tilt, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 10 W Speaker Output Power, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100 VESA Mount standard
210-BQWR	R 8,259	Dell 210-BQWR 34 Plus S3425dw 34" VA WQHD 3440x1440 WQHD LED USB-C Curved Monitor, 1 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, HDR10, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 300 nits brightness, AMD FreeSync TM Premium, 99% sRGB Colour Gamut, 2 Speakers, 10 W Speaker Output Power, 2x HDMI Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 65 W), 2x USB 5Gbps Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 100 x 100mm VESA Mount standard
210-BQZY	R 11,531	Dell 210-BQZY Pro 32 Plus P3225qe 31.5" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
210-BQZY	R 11,374	Dell 210-BQZY Pro 32 Plus P3225qe 31.5" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
210-BRDP	R 8,337	Dell Pro 32 Plus P3225de 31.5" IPS WQHD 2560x1440 USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, Adjustable stand, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 contrast ratio, 350nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 1GbE RJ45 Ethernet Port 1GbE, Up to 90 W USB Type-C (Power Delivery) upstream Port, Up to 15 W USB Type-C (Power Delivery) downstream Port, 100 x 100 VESA Mount standard
210-BRDR	R 9,756	Dell 210-BRDR Pro 34 Plus P3425we 34.1" IPS UW-QHD 3440x1440 LED USB-C Hub Curved Monitor, 5 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4 Port, 3x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90 W), 100 x 100 VESA Mount standard
210-BRVT	R 15,294	Dell 210-BRVT 32 Plus S3225qc 31.6" UHD 4K 3840x2160 QD-OLED Monitor, Quantum Dot OLED panel Technology, 0.03ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, VESA DisplayHDR True Black 400, Adjustable stand, 120Hz standard Refresh Rate, 1.07 Billion colours supported, 250 nits brightness, 99% DCI-P3 Colour Gamut, 5 Speakers, 25 W Speaker Output Power, 1x HDMI Port, 2x USB-C 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 15 W USB Type-C (Power Delivery) downstream, 100x100 VESA Mount standard

32GS60QC-B.AFBQ	R 5,726	LG 32GS60QC-B UltraGear 31.5" VA QHD 2560x1440 180Hz 1ms Curved Gaming Monitor, 16:9 Aspect Ratio, 1ms (GTG at faster) response time, VA panel Type, 178 degree viewing angle, 300nits brightness, 3000:1 contrast ratio (typical), sRGB 99% Colour Gamut (typical), 1000R curvature, 180Hz Refresh Rate (Maximum), 2x HDMI, 1x DisplayPort, 3-pole Headphone out, HDR 10, AMD FreeSync, Tilt, 100 x 100 wall mountable, 3-side virtually borderless Design, OneClick stand. The LG UltraGear 32â€• curved gaming monitor blends high-speed performance with immersive design, offering a fast 180Hz refresh rate, 1ms response and vivid HDR10 visuals. Built for serious gamers, it delivers smooth gameplay, sharp colour accuracy and adaptive sync features in a sleek and ergonomic build that complements South African gamersâ€™ setups.
32LF88	R 2,588	Mecer 32LF88 31.5" 1366x768 WXGA HD DLED backlit Monitor, 16:9 Aspect Ratio, HDMI, 1x VGA, 1x RCA, USB, 1366x768 Maximum Resolution, 900:1 contrast ratio, 9ms response time, 6w 6w Speakers
32U631A-B.AFBQ	R 5,593	LG 32" QHD 100Hz IPS LED Monitor - 32 inch QHD (2560x1440) IPS Display, HDR10 with up to 99% sRGB color gamut expression, 100Hz Refresh Rate, Dynamic Action Sync, Black Stabilizer, 3-Side Borderless Design, Aspect Ratio 16:9, Contrast Ratio 1000:1 (Typ.), Brightness (Typical, Minimum) (Typ.) 250 cd/m2 (Min.) 200 cd/m2, Response Time (GTG) 5ms
32U631A-B.AFBQ	R 4,824	LG 32" QHD 100Hz IPS LED Monitor - 32 inch QHD (2560x1440) IPS Display, HDR10 with up to 99% sRGB color gamut expression, 100Hz Refresh Rate, Dynamic Action Sync, Black Stabilizer, 3-Side Borderless Design, Aspect Ratio 16:9, Contrast Ratio 1000:1 (Typ.), Brightness (Typical, Minimum) (Typ.) 250 cd/m2 (Min.) 200 cd/m2, Response Time (GTG) 5ms
32U720A-B.AFB	R 8,789	LG 32U720A-B UltraFine 31.5" VA 4K UHD 3840x2160 Monitor, VA panel Type, 16:9 Aspect Ratio, 16:9 Aspect Ratio, 5ms (GTG at faster) response time, 1.07b colours, 178 degrees viewing angle, 3000:1 contrast ratio (typical), DCI-P3 90% Colour Gamut (typical), 2x HDMI, 1x DisplayPort, 1x USB-C, Headphone out, 2x USB downstream Port, 1x USB upstream Port via Type-C, 3840x2160 @ 60Hz USB-C maximum Resolution, 90W USB-C (Power Delivery), HDR 10, Tilt / Height Ajustable / swivel / pivot, 100x100 mm wall mountable, 3-side virtually borderless Design, OneClick stand, 5W x2 Speaker
32U990A-S.AFB	R 32,790	LG 32U990A UltraFine Evo 32" 6K 6144x3456 60Hz Nano IPS Monitor, 16:9 Aspect Ratio, IPS Black panel Type, 450 nits brightness, 1.07b colours, 2000:1 contrast ratio, 5ms (GTG at faster) response time, Max 60Hz Refresh Rate, 178 degrees viewing angle, 1x HDMI, 1x DisplayPort, Thunderbolt (1 in / out), 6144x3456 @ 60Hz Thunderbolt maximum Resolution, 96W Thunderbolt (Power Delivery), USB Type-C (1up / 2down), Built-In KVM, 5W x 2 Speaker, HDR 10, DisplayHDR 600, Hw calibration ready, Tilt / height / pivot, 100x100 mm Wall mountable
32UR550K-B.AFAQ	R 7,403	LG 32UR550K-B UltraFine 31.5" VA 4K UHD 3840x2160 Monitor, 16:9 Aspect Ratio, VA panel Type, Anti-Glare Surface treatment, 4ms (GTG at faster) response time, 1.07b colours, 178 degrees viewing angle, 250 nits brightness (typical), 3000:1 contrast ratio (typical), DCI-P3 90% Colour Gamut (typical), 60Hz Refresh Rate (Maximum), 2x HDMI, 1x DisplayPort, 3-pole Headphone out, HDR 10, Tilt / Height Ajustable / pivot, 100x100 mm wall mountable, OneClick stand, 5W x 2 Speaker
32UR550K-B.AFB	R 6,650	LG 32UR550K-B UltraFine 31.5" VA 4K UHD 3840x2160 Monitor, 16:9 Aspect Ratio, VA panel Type, Anti-Glare Surface treatment, 4ms (GTG at faster) response time, 1.07b colours, 178 degrees viewing angle, 250 nits brightness (typical), 3000:1 contrast ratio (typical), DCI-P3 90% Colour Gamut (typical), 60Hz Refresh Rate (Maximum), 2x HDMI, 1x DisplayPort, 3-pole Headphone out, HDR 10, Tilt / Height Ajustable / pivot, 100x100 mm wall mountable, OneClick stand, 5W x 2 Speaker
74-210BCYO	R 17,134	Dell 210-BCYO U3223QE 31.5" 3840x2160 4K IPS LED UltraSharp USB-C Monitor, IPS Black technology panel Type, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 400 nits Brightness, 2000:1 contrast ratio, 1.07 Billion colours, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, HDMI (HDCP 2.2), DisplayPort 1.4, DisplayPort Output, USB-C upstream / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W / HDCP 2.2), USB-C 3.2 Gen 2 upstream, USB-C 3.2 Gen 2 downstream (Power up to 15W), 4x USB 3.2 Gen 2 downstream, USB 3.2 Gen 2 downstream with battery charging 1.2, Audio line-out (Mini-jack), LAN (RJ-45), Height adjust, Pivot (Rotation), Swivel, Tilt, 100x100 mm VESA mounting Interface
74-210BDGB	R 8,049	Dell 210-BDGB P3223DE 31.5" IPS QHD 2560x1440 60Hz USB-C Hub Monitor, 90 Watt USB Power Delivery, IPS panel Type, 16:9 Aspect Ratio, 350 nits Brightness, 1000:1 contrast ratio, 99% sRGB Colour gamut, 8 ms response time, 178 degree viewing angle, Anti-Glare, HDMI (HDCP 1.4), DisplayPort 1.4 (HDCP 1.4), DisplayPort

		Output (HDCP 1.4, MST), USB-C upstream / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W), 4x USB 3.2 Gen 1 downstream, LAN (RJ-45), Height ajustable, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface
74-210BEQZ	R 11,352	Dell 210-BEQZ P3223QE 31.5" IPS 4K 3840x2160 USB-C Hub Monitor, IPS panel Type, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 8 ms (Normal) response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, HDMI, DisplayPort 1.4, USB-C 3.2 Gen 1 upstream (Power up to 90W), 4x USB 3.2 Gen 1 downstream, LAN (RJ-45), Pivot (Rotation), Swivel, Tilt, 150 mm height adjustment, 100 mm VESA mounting Interface
74-210BQTK	R 17,792	Dell 210-BQTK U3225qe 31.5" IPS 4K UHD 3840x2160 Black UltraSharp Thunderbolt Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, VESA DisplayHDR 600, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 450 nits brightness, sRGB 100% Colour Gamut, 1x DisplayPort 1.4 Port, 1x DisplayPort 1.4 Port out, 1x HDMI Port, 1x Thunderbolt 4 upstream Port, 1x Thunderbolt 4 downstream Port, 1x USB-C (USB 10Gbps KVM) upstream Port, 1 Analog 2.0 Audio line out Port (3.5 mm jack), 4x USB Type-A Ports 10Gbps, 1x RJ45 Ethernet Port 2.5GbE, 1x USB Type-A 10Gbps Port with BC 1.2, 2 USB-C 10Gbps downstream Ports, Ambient Light Sensor, 100x100 VESA Mount standard
74-210BQWN	R 6,630	Dell 210-BQWN AW3225DM 32" WQHD 2560x1440 Gaming Monitor, 4ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 110 mm Maximum adjustable height, Tilt, VESA DisplayHDR 400, Adjustable stand, Tilt, 1500R curvature, 180 Hz standard Refresh Rate, 1.07 Billion colours supported, 3000:1 contrast ratio, 400 nits brightness, AMD FreeSync TM, VESA AdaptiveSync, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port with Battery charging 1.2, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount standard
74210BRDP	R 8,187	Dell Pro 32 Plus P3225de 31.5" IPS WQHD 2560x1440 USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, Adjustable stand, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 contrast ratio, 350nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 1GbE RJ45 Ethernet Port 1GbE, Up to 90 W USB Type-C (Power Delivery) upstream Port, Up to 15 W USB Type-C (Power Delivery) downstream Port, 100 x 100 VESA Mount standard
8Y2K9AA	R 23,275	HP Series 7 Pro 31.5" 4K Thunderbolt 4 Monitor - 732pk - IPS Black - Single Power ON; Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease; IPS Black; HDR; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture - 4K UHD (3840 x 2160) Res
AOC-AG326UZD	R 20,469	AOC AG326UZD AGON 31.5" OLED UHD, 3840 x 2160, 240Hz, HDMI 2.1, DP 2.1, USB-C 65W, Ergo Stand
AOC-C32G42ZE	R 4,254	AOC C32G42ZE 31.5" VA Full HD 1920x1080 240Hz Curved Gaming Monitor, 1500R curvature radius, AntiGlare (AG) panel treatment, 16:9 Aspect Ratio, WLED backlight Type, 4 ms response time GTG, 0.3 ms response time MPRT, 3500:1 static contrast ratio, 178 degree viewing angle, 300 nits brightness, Adaptive Sync, HDR 10, 100x100 VESA Wallmount, Tilt, 1x HDMI 2.0, 1x DisplayPort 1.4, 1x audio out
AOC-C32G42ZE	R 4,299	AOC G4 Curved Gaming Monitor - 32" Monitor Size, 80cm Display Diagonal, 1920 x 1080 Pixel at 260Hz Refresh Rate, Full HD Type, WLED Backlight Technology, VA Panel, 16:9 Native Aspect Ratio, 300 cd/m2 Brightness, 3500:1 Contrast Ratio, HDR 10, 100 x 100mm VESA Mounting, Tilt Stand Adjustment, HDMI 2.0 and Display Port 1.4 Ports, Retail Box
AOC-Q32V5E	R 4,254	AOC Q32V5E 31.5" IPS QHD 2560x1440 100Hz WLED backlit Monitor, 3-sided Frameless, 100x100 VESA Wallmount, 2x HDMI 2.0, 1x DisplayPort 1.4, Headphone out (3.5mm), 16:9 Aspect Ratio, 100Hz Max Refresh Rate, 1ms response time MPRT, 1000:1 static contrast ratio, 178 degree viewing angle, 350 nits brightness, sRGB 116% Colour Gamut, Tilt
ASUS PA329CRV	R 18,974	ASUS ProArt PA329CRV, 31.5" , 3840x2160 (4K UHD), 16:9, IPS, 98% DCI-P3, 100% sRGB, Delta E < 2, HDR10, DisplayHDR 400, 350 nits brightness, 1.07B colors, Anti-glare, 5ms GTG, 60Hz, Adaptive-Sync, 1x USB-C (96W PD), 2x DisplayPort 1.4, 2x HDMI 2.0, 3x USB-A, 1x USB-C (downstream), Audio out, 2x 2W speakers, Tilt

		23Â°~-5Â°, Swivel -30Â°, Pivot -90Â°, Height adjust 130mm, VESA 100x100, Kensington Lock, Net weight 9.9kg, Calman Verified, Energy Star, EPEAT Gold
ASUS PA32QCV	R 30,359	ASUS ProArt Display 6K PA32QCV Professional Monitor - 32-inch (31.5-inch viewable); IPS; 6K (6016 x 3384); 98% DCI-P3; LuxPixel
DS-D5032QE	R 5,721	Hikvision DS-D5032QE 31.5" LED backlight monitor, 1920x1080 resolution @60Hz, 16:9 aspect ratio, 300 nits brightness (typical), 1200:1 contrast ratio, 8ms response time, 16.7M colors, 178 degrees viewing angle, Built-in speakers (5W x2), 1 x HDMI, 1 x VGA, 1 x Audio in, 1 x RJ45 (RS232), VESA mount 100x100mm, Plastic casing with narrow bezel, Smart engine for image/color calibration, Auto signal detection, Supports 24/7 operation, Dimensions 727 x 474 x 64 mm (with base), 727 x 424 x 64 mm (without base), Net weight 5.09 kg, Gross weight 6.763 kg
LC-L32MR50C	R 4,219	LG 32MR50C-B Essential 31.5" VA Full HD 1920x1080 100Hz Curved Monitor, 16:9 Aspect Ratio, VA panel Type, Anti-Glare Surface treatment, 5ms (GTG at faster) response time, 178 degree viewing angle, 250 nits brightness (typical), 16.7m colours, 3000:1 contrast ratio (typical), 1500R curvature, 100Hz Refresh Rate (Maximum), 1x D-Sub, 2x HDMI, Headphone out - 3-pole, Tilt adjustments, 100 x 100mm wall mountable, 3-side virtually borderless Design
LS32CG552EAXXA	R 4,668	Samsung Odyssey G55C Gaming 1000R Borderless 32" display VA Response: 1ms MPRT AR: 16:09 Resolution: 2560x1440 (QHD) RR: 165Hz HDMI Speaker: No Power supply: External Tilt: Yes Swivel: No Pivot: No Height adjust: No VESA: Yes Accessories: HDMI cable, DP cable, Power supply cable
LS32D390GAUXEN	R 4,047	SAMSUNG LS32D390GA 32" Full HD 1920x1080 Curved Monitor, 1500R screen curvature, 16:9 Aspect Ratio, 250nits brightness (typical), 3000:1 contrast ratio static, 4ms (GTG) response time, Max 100Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), VA panel Type, 95% sRGB coverage, 1x D-Sub, 1x HDMI, Headphone, Tilt, 75mm x 75mm Wall Mount
LS32D800UAUXEN	R 9,923	Samsung S80UD ViewFinity S8 32" VA UHD 4K 3840x2160 LED backlit Monitor, 16:9 Aspect Ratio, 350nits brightness (typical), 3000:1 contrast ratio static, 5ms response time, Max 60Hz Refresh Rate, 178 degree viewing angle, HDR10, Max 1.07b Colour support, 99% sRGB coverage, KVM Switch, 1x DisplayPort, 1x HDMI, Headphone, USB Hub, 90W USB-C charging Power, 1 Ethernet (LAN), 120mm HAS (Height adjustable stand), Tilt, Swivel, Pivot, 100x100 Wall Mount
LS32FM700UAXXA	R 7,635	Samsung M70F Smart 32" VA 4K 3840x2160 Vision AI Display, 300 nits brightness (typical), 3000:1 contrast ratio static, 16:9 Aspect Ratio, VA panel Type, HDR10, 4ms (GTG) response time, 178 degree viewing angle (Horizontal / Vertical), Max 1 billion Colour support, Max 60Hz Refresh Rate, Tizen Operating System, Up to 2 videos Multi View, 2x HDMI, Wireless Display, 1x USB-C, 65 W USB-C charging Power, 3x USB, Wi-Fi 5, Bluetooth, 10 W Speaker Output, 100x100 Wall Mount
MAG 325QF E18V	R 5,854	MSI MAG 325QF E18V 32" WQHD 180Hz VA Gaming Monitor; WQHD 2560x1440; 180Hz refresh rate; VA panel; gaming monitor; mid-range performance; large screen immersive display
MNDE210-BQTK	R 19,296	Dell UltraSharp U3225QE, 31.5" 4K UHD (3840x2160), IPS Black panel, 3000:1 contrast ratio, 120Hz refresh rate, 5ms GTG response, 99% DCI-P3, 99% Display P3, 100% sRGB, Delta E
MNDE210-BQWP	R 7,945	Dell 210-BQWP 32 Plus S3225qs 31.5" VA UHD 4K 3840x2160 LED Monitor, 4 ms response time, 16:09 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 100 mm Maximum adjustable height, Tilt, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 10 W Speaker Output Power, 2x HDMI Ports, 1x DisplayPort 1.4, 100x100 VESA Mount standard
MNDE210-BQZY	R 12,568	Dell 210-BQZY Pro 32 Plus P3225qe 31.5" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard
MNDE210-BRDP	R 8,578	Dell Pro 32 Plus P3225de 31.5" IPS WQHD 2560x1440 USB-C Hub Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, Adjustable stand, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 contrast ratio, 350nits

		brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x DisplayPort (Out) Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports, 1GbE RJ45 Ethernet Port 1GbE, Up to 90 W USB Type-C (Power Delivery) upstream Port, Up to 15 W USB Type-C (Power Delivery) downstream Port, 100 x 100 VESA Mount standard
MNDE210-BRVT	R 15,524	Dell 210-BRVT 32 Plus S3225qc 31.6" UHD 4K 3840x2160 QD-OLED Monitor, Quantum Dot OLED panel Technology, 0.03ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, 110 mm Maximum adjustable height, Tilt, Swivel, VESA DisplayHDR True Black 400, Adjustable stand, 120Hz standard Refresh Rate, 1.07 Billion colours supported, 250 nits brightness, 99% DCI-P3 Colour Gamut, 5 Speakers, 25 W Speaker Output Power, 1x HDMI Port, 2x USB-C 5Gbps downstream Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 15 W USB Type-C (Power Delivery) downstream, 100x100 VESA Mount standard
MNDE210-BVCP	R 51,300	Dell 210-BVCP UltraSharp 32 U3226q 31.5" 3840x2160 4K UHD QD-OLED Monitor, Quantum Dot OLED panel Technology, 0.03 ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, Dolby Vision HDR, Variable Refresh Rate (VRR), 3840x2160 at 120Hz maximum Resolution, 1.07 Billion colours, 100% sRGB Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 2x USB Type-A 10Gbps downstream Ports, 1x USB-C 10Gbps upstream Port, 1x Thunderbolt 4 40Gbps upstream Port (DisplayPort 1.4 Alt mode & power delivery up to 140W EPR), 1x Thunderbolt 4 40Gbps downstream Port for Daisy Chaining, 1x 2.5GbE RJ45 Ethernet Port/s, 100x100 VESA Mount Standard
MNHP8Y2K9AA	R 22,514	HP 8Y2K9AA Series 7 Pro 732pk 31.5" IPS 4K UHD 3840x2160 Thunderbolt 4 Monitor, 100% sRGB Colour Gamut, 2000:1 contrast ratio, 400 nits brightness, 4x USB Type-A 5Gbps, 1 USB-B, 1x Thunderbolt 4 with USB Type-C 40Gbps signaling rate (Up to 100 W USB Power Delivery / DisplayPort 1.4), 1x RJ-45 Ethernet, 1x DisplayPort 1.4, 1x DisplayPort 1.4-out, 1x HDMI 2.0, 100x100 mm VESA mounting, Swivel, Tilt, 178 degree viewing angle, Edge-lit backlight Type, Detachable stand, 150 mm height adjustment range, 60Hz Refresh Rate (Maximum), 5ms GTG (with Overdrive) response time
MNPH32E1N1100L	R 3,449	Philips 32E1N1100L 31.5" VA Full HD 1920x1080 WLED backlit Monitor, 16:9 Aspect Ratio, VA LCD panel Type, 300 nits brightness, 16.7 m Display colours, 3000:1 contrast ratio (typical), Mega Infinity DCR, 4 ms (Gray to Gray) response time, 178 degrees viewing angle, 1920x1080 @ 100 Hz maximum Resolution, Adaptive Sync (VRR), 1x VGA, 1x HDMI 1.4, Audio out, Tilt
MNPH32E1N3100LA	R 3,554	Philips 32E1N3100LA 31.5" VA Full HD 1920x1080 75Hz W-LED Monitor, Anti-Glare, 3H, 16:9 Aspect Ratio, 1920x1080 @ 75 Hz maximum Resolution, 4ms (Gray to Gray) response time , 300 nits brightness, 3000:1 contrast ratio (typical), 178 degrees viewing angle, 1x VGA, 2x HDMI 1.4, Audio-in, Audio out, 5W x 2 Built-In Speakers, VESA Mount (100x100mm), Tilt
PA328QV	R 12,021	Asus ProArt Display PA328QV Professional Monitor - 31.5-inch, IPS, WQHD (2560 x 1440), 100% sRGB, 100% Rec.709, Color Accuracy ?E < 2, Calman Verified, Ergonomic Stand
PA329CRV	R 21,036	Asus ProArt PA329CRV 31.5" IPS 4K 3840x2160 HDR 60Hz Display, 178 degree viewing angle, 100% Colour Space (sRGB), 350nits brightness (typical), 3000:1 contrast ratio (Dynamic), 5ms (GTG) response time, 1 Billion colours, 60Hz Refresh Rate (Max), HDR10, 2W x2 Speakers, 1x USB Type-C, 2x DisplayPort 1.4 (Daisy chain), 2x HDMI V2.0, 96W USB Type-C Power Delivery, USB Hub USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, Earphone jack, Tilt, Swivel, Pivot, 0-130mm height adjustment, 100 x 100mm VESA Wall Mounting
PA32KCX	R 266,085	Asus ProArt PA32KCX 32" IPS 8K UHD 7680x4320 Professional Thunderbolt 4 HDR 1000 Monitor with USB Type-C 96W, VESA DisplayHDR 1000 Certified with Dolby Vision support, Peak HDR brightness of 1200 CD/m² , 95% Adobe RGB and 97% DCI-P3 Colour Gamut coverage, Embedded colorimeter for Built-In self-calibration, 2x Thunderbolt 4 Ports with 96W USB-C Power Delivery, 2x HDMI 2.1, DisplayPort 2.1, Integrated USB Hub with KVM Switch functionality, Height adjustable stand supporting pivot, 16:9 Aspect Ratio, AGLR Display Surface, Mini-LED backlight Type, 3W x2 Speaker, 100x100mm VESA Wall Mounting, Proximity Sensor, Ambient Light Sensor
PA32QCV	R 32,430	Asus ProArt PA32QCV IPS 31.5" 6K 6016x3384 60Hz Monitor with USB Type-C 96W PD, IPS panel with 6K Resolution of 6016x3384 pixels at 218 PPI, Factory calibrated to Delta e less than 2 for Professional Colour

		accuracy, Covers 98% DCI-P3 and 100% sRGB Colour Gamut, Supports VESA DisplayHDR 600 with Peak brightness of 600 CD/m& #178; , Features LuxPixel Anti-Glare Low-Reflection coating, 2x Thunderbolt 4 Ports supporting Daisy Chaining, Delivers up to 96W USB Type-C Power Delivery through a single cable, Includes Built-In auto KVM Switch for controlling two computers, Fully adjustable stand, Tilt, Swivel, Pivot, Height adjustment, Compatible with VESA 100x100mm Wall Mounting, Contains ambient Light Sensor and backlight Sensor for Colour consistency, Supports Adaptive-Sync (VRR) for smooth visuals, Built-In 2W x 2 Speakers with Earphone jack included, 16:9 Aspect Ratio, AGLR Display Surface, 178 degree viewing angle, 5ms (GTG) response time, DisplayPort 1.4 DSC, HDMI
PA32UCDM	R 39,085	Asus ProArt Display OLED PA32UCDM 31.5" 4K UHD (3840x2160) QD-OLED Professional Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 250nits brightness, 0.1ms (GTG) response time, 240Hz Refresh Rate (Max), HDR10, HLG, Dolby Vision, 3W x2 Speaker, 2x Thunderbolt 4 (Daisy chain), 1x HDMI (V2.1), 1x USB 3.2 Gen 2 Type-A, 1x USB 3.2 Gen 2 Type-C, 96W USB-C Power Delivery, Tilt, Pivot, 0~130mm height adjustment, Ambient Light Sensor, Proximity Sensor, 100x100mm VESA Wall Mounting
PA32USD	R 86,477	Asus ProArt PA32USD 315" 4K UHD 3840x2160 240Hz HDR True Black 400 Display QD-OLED Professional Monitor with 12G-SDI Input, 240Hz Refresh Rate and 0.1ms response time, VESA DisplayHDR True Black 400 Certified, 99% DCI-P3 and 100% sRGB Colour coverage, Factory calibrated to Delta e less than 1, Built-In Motorized flip colorimeter for self-calibration, Dual 12G-SDI inputs supporting uncompressed 4K@60Hz, 2x Thunderbolt 4 Ports with 96W Power Delivery, HDMI 2.1 and DisplayPort 2.1 connectivity included, Asus OLED care features including Pixel Shift, Tilt, Swivel, Pivot, Height adjustment, VESA 100x100mm Wall Mount compatible, 16:9 Aspect Ratio, 178 degree viewing angle
SAMSUNG LS32CG552	R 4,139	Samsung LS32CG552 Odyssey G55C 32" VA QHD 2560x1440 Curved Gaming Monitor, 16:09 Aspect Ratio, 300 nits brightness (typical), 2500:1 contrast ratio (Static), 178 degree viewing angle, HDR10, VA panel Type, Max 165Hz Frame rate, 1 (MPRT) response time, 1000R screen curvature, FreeSync, 1x DisplayPort, 1x HDMI, Headphone, Tilt, 75mm x 75mm Wall Mount
SAMSUNG LS32CG552	R 4,771	Samsung LS32CG552 Odyssey G55C 32" VA QHD 2560x1440 Curved Gaming Monitor, 16:09 Aspect Ratio, 300 nits brightness (typical), 2500:1 contrast ratio (Static), 178 degree viewing angle, HDR10, VA panel Type, Max 165Hz Frame rate, 1 (MPRT) response time, 1000R screen curvature, FreeSync, 1x DisplayPort, 1x HDMI, Headphone, Tilt, 75mm x 75mm Wall Mount
SAMSUNG LS32D390GA	R 3,495	SAMSUNG LS32D390GA 32" Full HD 1920x1080 Curved Monitor, 1500R screen curvature, 16:9 Aspect Ratio, 250nits brightness (typical), 3000:1 contrast ratio static, 4ms (GTG) response time, Max 100Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), VA panel Type, 95% sRGB coverage, 1x D-Sub, 1x HDMI, Headphone, Tilt, 75mm x 75mm Wall Mount
SAMSUNG LS32D390GA	R 4,047	SAMSUNG LS32D390GA 32" Full HD 1920x1080 Curved Monitor, 1500R screen curvature, 16:9 Aspect Ratio, 250nits brightness (typical), 3000:1 contrast ratio static, 4ms (GTG) response time, Max 100Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), VA panel Type, 95% sRGB coverage, 1x D-Sub, 1x HDMI, Headphone, Tilt, 75mm x 75mm Wall Mount
SAMSUNG LS32FM700	R 6,439	Samsung LS32FM700 32" 4K UHD Flat Smart Monitor (16:9); 3840 x 2160; 60Hz; 3000:1 static; 4ms (GTG); 2 x 5W Speaker; 1xUSB-C
SAMSUNG LS32FM700	R 7,819	Samsung LS32FM700 32" 4K UHD Flat Smart Monitor (16:9); 3840 x 2160; 60Hz; 3000:1 static; 4ms (GTG); 2 x 5W Speaker; 1xUSB-C
VG32WQ3B	R 6,566	Asus TUF Gaming VG32WQ3B 31.5" fast VA QHD 2560x1440 Curved 180Hz LED backlit Monitor, 16:9 Aspect Ratio, 178 degree viewing angle, 1500R curvature, 120% Colour Space (sRGB), 300nits brightness, 3500:1 contrast ratio, 16.7M Display colours, 1ms (GTG) response time, 180Hz Refresh Rate (Max), HDR10, VRR Technology, 2x 2W Speaker, 1x DisplayPort 1.4, 2x HDMI V2.0, Earphone jack, Tilt, 100x100mm VESA Wall Mounting
VX3218-PC-MHD	R 4,426	ViewSonic VX3218-PC-MHD 31.5" VA 165Hz Full HD 1920x1080 Curved HD Gaming Monitor, VA technology panel Type, 4 000:1 static contrast ratio, 300 nits brightness, 16:9 Aspect Ratio, 1ms response time (MPRT), 178 degrees viewing angles, 1500R curvature, 165 Hz Refresh Rate, FreeSync, 1x 3.5mm audio out, 2x HDMI 1.4, 1x DisplayPort, 2x 2W internal Speakers, 100x100 mm VESA compatible, Tilt

< Return to the menu

LCD Monitors : LCD Monitors: 34 - 36 inch		
Product code	**Price**	**Description**
1D-210AZZE	R 9,199	Dell 210-AZZE S3422DWG 34" VA WQHD 3440x1440 144Hz LED curved Gaming Monitor, 1800R curved screen, AMD FreeSync, USB 3.2 Gen 1 Hub, VA panel Type, 21:9 Aspect Ratio, WQHD 3440x1440 native Resolution, DisplayPort @ 144 Hz, HDMI @ 100 Hz, 400 nits brightness, 3000:1 contrast ratio, 2 ms (Grey-to-grey), Response time, 178 degree viewing angle, Anti-glare 3H hardness, 99% sRGB Colour gamut, HDR 400 compatible, 2x HDMI, DisplayPort, USB 3.2 Gen 1 upstream, 3x USB 3.2 Gen 1 downstream, USB 3.2 Gen 1 downstream with battery charging 1.2, Audio line-out, Tilt, Height adjustment, 100 x 100 mm VESA mounting Interface
210-BMDW	R 16,720	Dell 210-BMDW U3425WE 34.14" WQHD 3440x1440 120hzled IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 3440x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 1900R curvature, 21:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1x HDMI Port, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 upstream Port alternate mode with DisplayPort 1.4 & Power Delivery up to 90 W, 1x usb-type c upstream Port, 4x USB Type-A downstream Port, 1x audio Line-Out Port, 1x RJ45 (2.5GbE) Port, 150 mm Height ajustable, Tilt, Swivel, 2x 5 W Built-In Speaker
210-BMDW	R 16,221	Dell 210-BMDW U3425WE 34.14" WQHD 3440x1440 120hzled IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 3440x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 1900R curvature, 21:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1x HDMI Port, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 upstream Port alternate mode with DisplayPort 1.4 & Power Delivery up to 90 W, 1x usb-type c upstream Port, 4x USB Type-A downstream Port, 1x audio Line-Out Port, 1x RJ45 (2.5GbE) Port, 150 mm Height ajustable, Tilt, Swivel, 2x 5 W Built-In Speaker
210-BMDW	R 16,641	Dell 210-BMDW U3425WE 34.14" WQHD 3440x1440 120hzled IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 3440x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 1900R curvature, 21:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1x HDMI Port, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 upstream Port alternate mode with DisplayPort 1.4 & Power Delivery up to 90 W, 1x usb-type c upstream Port, 4x USB Type-A downstream Port, 1x audio Line-Out Port, 1x RJ45 (2.5GbE) Port, 150 mm Height ajustable, Tilt, Swivel, 2x 5 W Built-In Speaker
210-BQWL	R 7,217	Dell Alienware AW3425DWM 34" VA WQHD 3840x1440 120Hz Curved Gaming Monitor, Vertical alignment (VA) panel Technology, 4ms GTG (Fast) response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, 110 mm adjustable height, Tilt, VESA DisplayHDR 400, 1500R curvature, 180 Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 Native contrast ratio, 400 nits brightness, VESA AdaptiveSync, 95% DCI-P3 Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port with Battery charging 1.2, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount standard
210-BQWN	R 6,862	Dell 210-BQWN AW3225DM 32" WQHD 2560x1440 Gaming Monitor, 4ms GTG (Fast) response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 110 mm Maximum adjustable height, Tilt, VESA DisplayHDR 400, Adjustable stand, Tilt, 1500R curvature, 180 Hz standard Refresh Rate, 1.07 Billion colours supported, 3000:1 contrast ratio, 400 nits brightness, AMD FreeSync TM, VESA AdaptiveSync, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port with Battery charging 1.2, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount standard
210-BQWR	R 8,147	Dell 210-BQWR 34 Plus S3425dw 34" VA WQHD 3440x1440 WQHD LED USB-C Curved Monitor, 1 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, HDR10, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 300 nits brightness, AMD FreeSync TM Premium, 99% sRGB Colour Gamut, 2 Speakers, 10 W Speaker Output Power, 2x HDMI Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 65 W), 2x USB 5Gbps

		Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 100 x 100mm VESA Mount standard
210-BRDR	R 9,891	Dell 210-BRDR Pro 34 Plus P3425we 34.1" IPS UW-QHD 3440x1440 LED USB-C Hub Curved Monitor, 5 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4 Port, 3x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90 W), 100 x 100 VESA Mount standard
21Y56AA	R 11,073	HP 21Y56AA P34hc G4 34" VA WQHD 3440x1440 USB-C Curved Monitor, VA Display Type, Low Blue light mode, 3500:1 contrast ratio, 250 nits brightness, 1x DisplayPort 1.2, 1x line Output audio Port, 1x HDMI 2.0, 4x USB Type-A 5Gbps, 1x USB-B, 1x USB Type-C 5Gbps (Up to 65W USB Power Delivery / alt mode DisplayPort 1.2), 100 mm x 100 mm VESA mounting, 178 degree viewing angle, 21:9 Aspect Ratio, 1500R curvature, detachable stand, 5ms GTG (with Overdrive) response time, 2x 3 W Speaker Output Power
21Y56AS	R 10,866	HP 21Y56AA P34hc G4 34" VA WQHD 3440x1440 USB-C Curved Monitor, VA Display Type, Low Blue light mode, 3500:1 contrast ratio, 250 nits brightness, 1x DisplayPort 1.2, 1x line Output audio Port, 1x HDMI 2.0, 4x USB Type-A 5Gbps, 1x USB-B, 1x USB Type-C 5Gbps (Up to 65W USB Power Delivery / alt mode DisplayPort 1.2), 100 mm x 100 mm VESA mounting, 178 degree viewing angle, 21:9 Aspect Ratio, 1500R curvature, detachable stand, 5ms GTG (with Overdrive) response time, 2x 3 W Speaker Output Power
32GS95UV-B.AFB	R 27,299	LG 32GS95UV-B UltraGear 32" 4K UHD 3840x2160 OLED 240Hz Gaming Monitor, 16:9 Aspect Ratio, 275nits brightness, DCI-P3 98.5% Colour Gamut, 240Hz Refresh Rate (Maximum), 0.03ms (GTG) response time, Anti-Glare Surface treatment, 178 degree viewing angle, FreeSync Premium Pro, HDR 10, G-Sync compatible, Unity Hexagon Lighting, DisplayHDR True Black 400, VRR, 1x DisplayPort, 2x HDMI, 4-pole Headphone out, 2x USB downstream Port, 1x USB upstream Port, 7W x 2 Speaker, Tilt / Height Ajustable / swivel / pivot, 4-side virtually borderless Design, OneClick stand, 100x100 mm wall mountable
34U530A-W.AFB	R 7,324	LG UltraWide 34" FHD IPS White Monitor 100Hz USB-C incl Speaker. 34-inch UltraWide 21:9 FHD IPS display, 2560x1080 resolution, 100Hz refresh rate, 5ms response time, 400 cd/m brightness, 99% sRGB color gamut, Built-in speakers, USB-C, HDMI, DisplayPort connectivity, Tilt, height, and swivel adjustable stand, VESA mount compatible
34U601B-B	R 5,999	LG UltraWide WQHD Curved Monitor - 34" Monitor Size, VA Panel Type, 21:9 Aspect Ratio, 3440 x 1440 Resolution, 5ms Response Time, 120Hz Refresh Rate, 1800R Curvature, Anti-Glare, 1 x HDMI 2.0 and 1 x DisplayPort 1.4 Output Connectivity, Tilt Adjustment, 100 x100 Wall Mountable, Retail Box
34WR50QK-B.AFB	R 7,191	LG 34" UltraWide 34" VA QHD 3440x1440 Curved Monitor, 1800R curvature, 21:9 Aspect Ratio, 300 nits brightness (typical), 3000:1 contrast ratio (typical), sRGB 99% Colour Gamut (typical), 16.7 million colours, 178 degree viewing angle, 100Hz Refresh Rate (Max), 5ms (GTG at faster) response time, HDR10 HDR effect, AMD FreeSync, 2x HDMI, 1x DisplayPort, Headphone out, Tilt, VESA 100x100 mm
74-210-BRDR	R 9,581	Dell 210-BRDR Pro 34 Plus P3425we 34.1" IPS UW-QHD 3440x1440 LED USB-C Hub Curved Monitor, 5 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4 Port, 3x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90 W), 100 x 100 VESA Mount standard
74-210BDRJ	R 12,468	Dell 210-BDRJ U3023E 30" 2560x1600 WQXGA IPS LED UltraSharp USB-C Monitor, 90 Watt USB Power Delivery, IPS panel Type, 16:10 Aspect Ratio, WQXGA 2560 x 1600 at 60 Hz, 400 nits Brightness, 1000:1 contrast ratio, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, HDMI (HDCP 1.4), DisplayPort 1.4, DisplayPort Output, USB-C upstream / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W / HDCP 2.2), USB-C 3.2 Gen 2 upstream, USB-C 3.2 Gen 2 downstream (Power up to 15W), 3 x USB 3.2 Gen 2 downstream, USB 3.2 Gen 2 downstream with battery charging 1.2, Audio line-out (Mini-jack), LAN

		(RJ-45), Height adjust, Pivot (Rotation), Swivel, Tilt, 100 x 100 mm VESA mounting Interface
74-210BFOB	R 12,599	Dell 210-BFOB P3424WEB 34.1" WQHD 3440x1440 Curved Video Conferencing Monitor, 3800r Curved screen, 90 Watt USB Power Delivery, 21:9 Aspect Ratio, WQHD 3440x1440 at 60Hz, 300 nits brightness, 1000:1 contrast ratio, 99% sRGB Colour Gamut, 8ms response time (Grey-to-grey normal), 178 degree viewing angle, Anti-Glare treatment of front polarizer (3H) hard-coating, LED backlight Technology, 1x HDMI (HDCP 2.2), 1x DisplayPort 1.2 (HDCP 2.2), 1x RJ45, 1x 3.5mm Combo Headphone with Microphone jack, 1x USB 3.2 Gen1 Type-C (Alt mode with DP 1.2 upstream, Up to 90W Power Delivery), 1x USB 3.2 Gen1 Type-B upstream, 2x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W Power Delivery, 1x USB 3.2 Gen1 Type-A downstream with BC1.2 (2A Max), 150mm Height Ajustable, Swivel, Tilt, 100x100 mm VESA mounting Interface, 2x 5W Built-In Speaker, 1x 4MP RGB IR 2K camera at 30 fps (Full HD at 60 fps), 2x Digital Microphone
74-210BQWL	R 7,086	Dell Alienware AW3425DWM 34" VA WQHD 3840x1440 120Hz Curved Gaming Monitor, Vertical alignment (VA) panel Technology, 4ms GTG (Fast) response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, 110 mm adjustable height, Tilt, VESA DisplayHDR 400, 1500R curvature, 180 Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 Native contrast ratio, 400 nits brightness, VESA AdaptiveSync, 95% DCI-P3 Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port with Battery charging 1.2, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount standard
9E0Z2AS	R 15,259	HP Series 5 Pro 34" VA WQHD 3440x1440 USB Type-C conferencing Curved Monitor, 1500R curvature, Edge-lit WLED Display Technology, VA panel Type, 5ms GTG response time, 400 nits brightness (typical), 99% sRGB Colour Gamut, 4000:1 contrast ratio, 3x USB Type-A 5Gbps (1 charging), 1x USB Type-C 5Gbps (Up to 100W USB Power Delivery / Alt mode DisplayPort 1.4), 1x USB Type-C 5Gbps (Up to 15W USB Power Delivery), 1x RJ-45 (10/100/1000 Mbps) Ethernet, 1x DisplayPort 1.4, 1x HDMI 2.0, 1 x 3.5 mm Audio jack, 100x100 mm VESA mounting, 5MP camera, Swivel, Tilt, 178 degree viewing angle, 21:9 Aspect Ratio, 4x 3W Speaker Output Power
AOC-Q34P2	R 5,749	AOC Q34P2 34" 2560x1080 21:9 IPS Ultra wide HDR Monitor, 300 nits brightness (typical), 1000:1 contrast ratio, 4ms response time, 178 degrees viewing angle, sRGB 123%, NTSC 109%, NTSC 109%, 2560x1080 @ 75Hz, 2x HDMI 2.0, 1x DisplayPort 1.2, 1x earphone, 100mm x 100mm Wall-Mount
ASUS PA348CGV	R 22,309	ASUS PA348CGV ProArt 34" IPS QHD 3440x1440 Professional Monitor, 21:9 Aspect Ratio, 178 degree viewing angle, 100% Colour space (sRGB), 98% Colour space (DCI-P3), 350nits brightness (typical), 1000:1 contrast ratio (typical), 2ms (GTG) response time, 120Hz Refresh Rate (Max), HDR10, 2W x2 Speaker, 1x USB Type-C (DP Alt mode), 1x DisplayPort 1.4, 2x HDMI V2.0, 4x USB 3.2 Gen 1 Type-A USB Hub, Earphone jack, 90W USB-C Power Delivery, Tilt, Swivel, 0-115mm height adjustment, 100x100mm VESA Wall Mounting
ASUS VA34VCPSR	R 8,739	ASUS VA34VCPSR 34" VA WQHD 3440x1440 1500R curvature docking Monitor, Frameless, 21:9 Aspect Ratio, VA panel Type, LED backlight Type, 178 degree viewing angle, 300nits brightness (typical), 3000:1 contrast ratio (typical), 4ms (GTG) response time, 100Hz Refresh Rate (Max), HDR10, VRR Technology, 2x 2W Speaker, 1x USB-C (DP Alt mode), 1x DisplayPort 1.4, 1x HDMI (V2.1), USB Hub - 3x USB 3.2 Gen 1 Type-A, Earphone jack, USB-C Power Delivery 96W, RJ45, Tilt, Swivel, 0~130mm height adjustment, 100x100mm VESA Wall Mounting
ELA5454EU	R 6,300	Xiaomi G34WQi 34" WQHD 3440x1440 180Hz 1ms 1500R Curved Gaming Monitor, 178 degree viewing angle, 350nits brightness, 4000:1 contrast ratio, 21:9 Aspect Ratio, 180Hz Maximum Refresh Rate, MPRT 1ms response time, VESA 75 x 75mm, Tilt, 100% sRGB, RGB ambient backlighting, AMD FreeSync, HDMI, DisplayPort
ELA6562EU	R 6,301	Xiaomi G34WQi 2026 34" VA UWQHD 3440x1440 Curved Gaming Display, 1500R curvature, 21:9 Aspect Ratio, 180 Hz Refresh Rate, 1 ms GTG response time, FreeSync Premium, HDR 400 certification, 400 nits Peak brightness, 100% sRGB Colour Gamut coverage, 2x DisplayPort 1.4 connectivity Ports, 2x HDMI 2.0 connectivity Ports, Fully adjustable Ergonomic stand with height adjustment, VESA 100x100 mm Wall Mount compatibility
LC-AMX34VQ+CS	R 17,881	Asus designo MX34VQ 34" Curved (1800R) Speaker (2x 8w Harman Kardon sepaker) Qi wireless charger on base - with ah-iPS technology (true 178Â° wide viewing angle real color) - 7mm ultra-slim with 8.4mm frameless bezel, Trace-free QuickFit Virtual Scale multiFrame management software, 5-way Navigation joystick, tilt, UWQHD 3440x1440 (21:9); brightness- 300cd/m2; contrast ratio - 3000:1 / 100000000:1, response time- 4ms - 3x HDMi DisplayPort 3.5mm audio out - no vesa wall-mount
LC34G55TWWPXEN	R 7,635	Samsung Odyssey GT55 Gaming 1000R Borderless 34" display VA Response: 1ms MPRT AR: 21:9 Resolution:

		3440x1440 (UWQHD) RR: 165Hz HDMI,Display port Speaker: No Power supply: External Tilt: Yes Swivel: No Pivot: No Height adjust: No VESA: Yes Accessories: DP cable,Power supply cable
LS34C652UAUXEN	R 9,647	SAMSUNG LS34C652U 34" VA WQHD 3440x1440 Curved Monitor, 21:9 Aspect Ratio, 1000R screen curvature, 350nits brightness (typical), 3000:1 contrast ratio static, 5 ms response time, Max 100Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), HDR10, Max 1.07 Billion Colour support, FreeSync, KVM Switch, 1x DisplayPort, 1x HDMI, 1x USB Type-C, Headphone, 3x USB 3.0 Ports, 90W USB-C charging Power, 5W Speaker Output, has (Height adjustable stand), Tilt, Swivel, 100x100 Wall Mount
MAG 342CQRF E20	R 7,653	MSI MAG 342CQRF E20 34" UWQHD 200Hz VA Curved Gaming Monitor; UWQHD 3440x1440; 200Hz refresh rate; 0.5ms response; Rapid VA panel; Adaptive Sync; HDR Ready; 1 x DP 1.4a 2 x HDMI 2.0b; VESA 75x75; weight 6.95kg
MNDE210-BMDW	R 17,904	Dell 210-BMDW U3425WE 34.14" WQHD 3440x1440 120hzled IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 3440x1440 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 1900R curvature, 21:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8 ms (Normal) response time, Ambient light Sensor, 1x HDMI Port, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 upstream Port alternate mode with DisplayPort 1.4 & Power Delivery up to 90 W, 1x usb-type c upstream Port, 4x USB Type-A downstream Port, 1x audio Line-Out Port, 1x RJ45 (2.5GbE) Port, 150 mm Height ajustable, Tilt, Swivel, 2x 5 W Built-In Speaker
MNDE210-BQWL	R 6,243	Dell Alienware AW3425DWM 34" VA WQHD 3840x1440 120Hz Curved Gaming Monitor, Vertical alignment (VA) panel Technology, 4ms GTG (Fast) response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, 110 mm adjustable height, Tilt, VESA DisplayHDR 400, 1500R curvature, 180 Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 Native contrast ratio, 400 nits brightness, VESA AdaptiveSync, 95% DCI-P3 Colour Gamut, 2x HDMI Ports, 1x DisplayPort 1.4, 1x USB 5Gbps Type-A downstream Port with Battery charging 1.2, 1x USB 5Gbps Type-A downstream Port, 1x USB 5Gbps Type-B upstream Port, 100 x 100 VESA Mount standard
MNDE210-BQWR	R 8,382	Dell 210-BQWR 34 Plus S3425dw 34" VA WQHD 3440x1440 WQHD LED USB-C Curved Monitor, 1 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 130 mm Maximum adjustable height, Tilt, HDR10, 120Hz standard Refresh Rate, 1.07 Billion colours, 3000:1 native contrast ratio, 300 nits brightness, AMD FreeSync TM Premium, 99% sRGB Colour Gamut, 2 Speakers, 10 W Speaker Output Power, 2x HDMI Ports, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 65 W), 2x USB 5Gbps Type-A downstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 100 x 100mm VESA Mount standard
MNDE210-BRDR	R 10,038	Dell 210-BRDR Pro 34 Plus P3425we 34.1" IPS UW-QHD 3440x1440 LED USB-C Hub Curved Monitor, 5 ms response time, 21:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4 Port, 3x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps downstream Port (Power Delivery up to 15 W), 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90 W), 100 x 100 VESA Mount standard
MNDE210-BVHQ	R 13,017	Dell Pro P 34 P3426WEB 34.1" WQHD 3440x1440 IPS USB-C Hub Conferencing Monitor, 8ms GTG response time, 21:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Slant, Adjustable stand, Stand included, 3800R curvature, 4 Megapixel camera Resolution, 3440x1440 at 100Hz maximum Resolution, 1.07 Billion colours supported, 1500:1 contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 2 Speakers, 2x 5 W Speaker Output Power, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x 1GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Ports, Power Delivery up to 15 W, 100 x 100 VESA Mount Standard
MNDE210-BVHT	R 12,476	Dell 210-BVHT Pro P 34 P3426wev 34.1" WQHD 3440x1440 WQHD IPS USB-C Hub Webcam Curved Monitor, 8ms GTG response time, 21:9 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Slant, Adjustable stand, 3800R curvature, 4 Megapixel camera Resolution, 3440x1440 at 100Hz maximum

		Resolution, 1.07 Billion colours supported, 1500:1 contrast ratio, 350 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 90 W), 1x 1GbE RJ45 Ethernet Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port Power Delivery up to 15 W, 100 x 100 VESA Mount Standard
MNHP21Y56AA	R 10,704	HP 21Y56AA P34hc G4 34" VA WQHD 3440x1440 USB-C Curved Monitor, VA Display Type, Low Blue light mode, 3500:1 contrast ratio, 250 nits brightness, 1x DisplayPort 1.2, 1x line Output audio Port, 1x HDMI 2.0, 4x USB Type-A 5Gbps, 1x USB-B, 1x USB Type-C 5Gbps (Up to 65W USB Power Delivery / alt mode DisplayPort 1.2), 100 mm x 100 mm VESA mounting, 178 degree viewing angle, 21:9 Aspect Ratio, 1500R curvature, detachable stand, 5ms GTG (with Overdrive) response time, 2x 3 W Speaker Output Power
PA348CGV	R 21,203	ASUS PA348CGV ProArt 34" IPS QHD 3440x1440 Professional Monitor, 21:9 Aspect Ratio, 178 degree viewing angle, 100% Colour space (sRGB), 98% Colour space (DCI-P3), 350nits brightness (typical), 1000:1 contrast ratio (typical), 2ms (GTG) response time, 120Hz Refresh Rate (Max), HDR10, 2W x2 Speaker, 1x USB Type-C (DP Alt mode), 1x DisplayPort 1.4, 2x HDMI V2.0, 4x USB 3.2 Gen 1 Type-A USB Hub, Earphone jack, 90W USB-C Power Delivery, Tilt, Swivel, 0-115mm height adjustment, 100x100mm VESA Wall Mounting
PRO MP341CQ E12	R 6,553	MSI Pro MP341CQW E12 34" VA UWQHD 3440x1440 120Hz Curved Monitor, 4ms (GTG) response time, VA panel Type, 300 nits brightness, 178 degree viewing angle, 21:9 Aspect Ratio, 1500R curvature, 3500:1 contrast ratio, 1.07b Display colours, HDR ready, 2x HDMI 2.0b, 1x DisplayPort 1.4a, 1x headphone-out, Kensington lock, 2W x2 Speaker, 100x100 mm VESA mounting, Adaptive-Sync, Tilt
PRO MP341CQW E12	R 6,553	MSI Pro MP341CQW E12 34" VA UWQHD 3440x1440 120Hz Curved Monitor - White, 4ms (GTG) response time, VA panel Type, 300 nits brightness, 178 degree viewing angle, 21:9 Aspect Ratio, 1500R curvature, 3500:1 contrast ratio, 1.07b Display colours, HDR ready, 2x HDMI 2.0b, 1x DisplayPort 1.4a, 1x headphone-out, Kensington lock, 2W x2 Speaker, 100x100 mm VESA mounting, Adaptive-Sync, Tilt
PXP34PROCBLK	R 6,439	Armaggeddon Pixxel PXP 34 Pro-C 34" 180Hz Curved Gaming Monitor; Fast VA LCD; UWQHD 3440 x 1440; 21:9 ultrawide; R1500 curvature; 180Hz refresh rate; 1ms MPRT; 4ms OD; 4000:1 contrast ratio; 350 nits typical brightness; HDR; AMD FreeSync; NVIDIA G-Sync compatible; 2 x DisplayPort; 2 x HDMI; PIP/PBP; built-in speakers; VESA 100 x 100 mm
SAMSUNG LC34G55TW	R 7,819	Samsung 34" 21:9 3440x1440 1000r Va 165hz Mprt 1ms Freesync Premium Simple 1000r G55t
SAMSUNG LC34G55TWW	R 7,359	Samsung G5 Odyssey 34" VA 165Hz 3440x1440 Curved Gaming Monitor, 1000R screen curvature, 21:9 Aspect Ratio, VA panel Type, 250 nit brightness (typical), 2500:1 contrast ratio static, HDR10, 1ms (MPRT) response time, 178 degree viewing angle (H/V), Maximum 165Hz Refresh Rate, DisplayPort, HDMI, Tilt, 75x75 Wall Mount
SAMSUNG LS34C652U	R 9,946	SAMSUNG LS34C652U 34" VA WQHD 3440x1440 Curved Monitor, 21:9 Aspect Ratio, 1000R screen curvature, 350nits brightness (typical), 3000:1 contrast ratio static, 5 ms response time, Max 100Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), HDR10, Max 1.07 Billion Colour support, FreeSync, KVM Switch, 1x DisplayPort, 1x HDMI, 1x USB Type-C, Headphone, 3x USB 3.0 Ports, 90W USB-C charging Power, 5W Speaker Output, has (Height adjustable stand), Tilt, Swivel, 100x100 Wall Mount
SAMSUNG LS34C652UA	R 11,866	SAMSUNG LS34C652U 34" VA WQHD 3440x1440 Curved Monitor, 21:9 Aspect Ratio, 1000R screen curvature, 350nits brightness (typical), 3000:1 contrast ratio static, 5 ms response time, Max 100Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), HDR10, Max 1.07 Billion Colour support, FreeSync, KVM Switch, 1x DisplayPort, 1x HDMI, 1x USB Type-C, Headphone, 3x USB 3.0 Ports, 90W USB-C charging Power, 5W Speaker Output, has (Height adjustable stand), Tilt, Swivel, 100x100 Wall Mount

< Return to the menu

LCD Monitors : LCD Monitors: 37.5 inch

Product code	Price	Description
210-BHXB	R 23,553	Dell 210-BHXB U3824DW 37.5" WQHD 3840x1600 IPS LED UltraSharp Curved USB-C Hub Monitor, USB-C Hub, KVM Ports, IPS Black panel Type, 21:9 Aspect Ratio, WQHD 3840 x 1600 at 60 Hz native Resolution, 300 nits brightness, 2000:1 contrast ratio, 100% sRGB, 8 ms (Normal) response time, 178 degree viewing angle, Anti-Glare 3H hardness, WLED edgelight backlight, 9 Watt Speakers, DisplayPort 1.4, 2x HDMI (HDCP 2.2),

		USB-C / DisplayPort 1.4 alt mode (Power up to 90W), USB-C 3.2 Gen 2 upstream (Data only), 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio Line-Out, Network (RJ-45), 120 mm height adjustment, Swivel, Tilt, 100x100 mm VESA mounting Interface
210-BHXB	R 23,532	Dell 210-BHXB U3824DW 37.5" WQHD 3840x1600 IPS LED UltraSharp Curved USB-C Hub Monitor, USB-C Hub, KVM Ports, IPS Black panel Type, 21:9 Aspect Ratio, WQHD 3840 x 1600 at 60 Hz native Resolution, 300 nits brightness, 2000:1 contrast ratio, 100% sRGB, 8 ms (Normal) response time, 178 degree viewing angle, Anti-Glare 3H hardness, WLED edgelight backlight, 9 Watt Speakers, DisplayPort 1.4, 2x HDMI (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode (Power up to 90W), USB-C 3.2 Gen 2 upstream (Data only), 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio Line-Out, Network (RJ-45), 120 mm height adjustment, Swivel, Tilt, 100x100 mm VESA mounting Interface
8K167AA	R 32,153	HP Series 7 Pro 37.5" WQHD Thunderbolt 4 Monitor - 738pu - IPS Black - Single Power ON; Integrated speakers; Curved display; HP Eye Ease; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Pic
LS37D800UAUXEN	R 11,970	Samsung LS37D800U ViewFinity S80d 37" VA 4K 3840x2160 LED backlit Monitor, 16:9 Aspect Ratio, 350nits brightness (typical), 3000:1 contrast ratio static, 5ms response time, Max 60Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), VA panel Type, HDR10, Max 1.07b Colour support, 100% sRGB coverage, 1x DisplayPort, 1x HDMI, 3x USB Hub, 1x USB-C, 90W USB-C charging Power, 1 USB-B upstream Port, 1x Gigabit Ethernet (LAN), 120mm has (Height adjustable stand), Tilt, Swivel, 100 x 100 Wall Mount
MNDE210-BHXB	R 24,597	Dell 210-BHXB U3824DW 37.5" WQHD 3840x1600 IPS LED UltraSharp Curved USB-C Hub Monitor, USB-C Hub, KVM Ports, IPS Black panel Type, 21:9 Aspect Ratio, WQHD 3840 x 1600 at 60 Hz native Resolution, 300 nits brightness, 2000:1 contrast ratio, 100% sRGB, 8 ms (Normal) response time, 178 degree viewing angle, Anti-Glare 3H hardness, WLED edgelight backlight, 9 Watt Speakers, DisplayPort 1.4, 2x HDMI (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode (Power up to 90W), USB-C 3.2 Gen 2 upstream (Data only), 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio Line-Out, Network (RJ-45), 120 mm height adjustment, Swivel, Tilt, 100x100 mm VESA mounting Interface
SAMSUNG LS37D800UA	R 12,649	Samsung LS37D800U ViewFinity S80d 37" VA 4K 3840x2160 LED backlit Monitor, 16:9 Aspect Ratio, 350nits brightness (typical), 3000:1 contrast ratio static, 5ms response time, Max 60Hz Refresh Rate, 178 degree viewing angle (Horizontal / Vertical), VA panel Type, HDR10, Max 1.07b Colour support, 100% sRGB coverage, 1x DisplayPort, 1x HDMI, 3x USB Hub, 1x USB-C, 90W USB-C charging Power, 1 USB-B upstream Port, 1x Gigabit Ethernet (LAN), 120mm has (Height adjustable stand), Tilt, Swivel, 100 x 100 Wall Mount

< Return to the menu

LCD Monitors : LCD Monitors: 39 - 42 inch

Product code	Price	Description
210-BFIS	R 19,622	Dell 210-BFIS U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 95% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare 2h hardness, 2 x 8W Speakers Output Power, 2x DisplayPort 1.4, 2x HDMI 2.1 (TMDS), 1x USB-C (DP.14 HB3 (2lane) / HBR2 (4 lane), Power Delivery upto 90W 2/4 lane switching, USB 3.2 Gen 2 10Gbps upstream, 3x USB-C USB 3.2 Gen2 10Gbps KVM upstream Port Data only, 3x Super speed USB Type-A USB 3.2 Gen 2 10Gbps downstream Ports, 1x Super speed USB Type-A USB3.2 Gen 2 10Gbps with B.C 1.2, 1x USB C USB3.2 Gen 2 10 Gbps upto 15W charging downstream quick Access Port, 1x Analog 2.0 audio line out (3.5mm jack), 1x RJ45 Port, Height Ajustable, Pivot (Rotation), Swivel, Tilt, VESA mounting Interface
210-BFIS	R 19,319	Dell 210-BFIS U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 95% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare 2h hardness, 2 x 8W Speakers Output Power, 2x

		DisplayPort 1.4, 2x HDMI 2.1 (TMDS), 1x USB-C (DP.14 HB3 (2lane) / HBR2 (4 lane), Power Delivery upto 90W 2/4 lane switching, USB 3.2 Gen 2 10Gbps upstream, 3x USB-C USB 3.2 Gen2 10Gbps KVM upstream Port Data only, 3x Super speed USB Type-A USB 3.2 Gen 2 10Gbps downstream Ports, 1x Super speed USB Type-A USB3.2 Gen 2 10Gbps with B.C 1.2, 1x USB C USB3.2 Gen 2 10 Gbps upto 15W charging downstream quick Access Port, 1x Analog 2.0 audio line out (3.5mm jack), 1x RJ45 Port, Height Ajustable, Pivot (Rotation), Swivel, Tilt, VESA mounting Interface
210-BMDV	R 33,339	Dell 210-BMDV U4025QW 39.7" WUHD 5120x2160 120Hz LED IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 5120x2160 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 2500R curvature, 21:9 Aspect Ratio, LED edgelight system, 450 nits brightness, 8 ms (Normal mode) response time, HDR ready, Ambient light Sensor, 1x HDMI, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 (140 W) upstream Port, 1x USB Type-C upstream Port (Data only), 4x USB Type-A downstream Port, 1x audio Line-Out, 1x RJ45 2.5GbE, 150 mm Height Ajustable, Tilt, Swivel, 1x audio Line-Out, 2x 9W Built-In Speaker, VESA mounting holes 100x100 mm
74-210BFIS	R 19,268	Dell 210-BFIS U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 95% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare 2h hardness, 2 x 8W Speakers Output Power, 2x DisplayPort 1.4, 2x HDMI 2.1 (TMDS), 1x USB-C (DP.14 HB3 (2lane) / HBR2 (4 lane), Power Delivery upto 90W 2/4 lane switching, USB 3.2 Gen 2 10Gbps upstream, 3x USB-C USB 3.2 Gen2 10Gbps KVM upstream Port Data only, 3x Super speed USB Type-A USB 3.2 Gen 2 10Gbps downstream Ports, 1x Super speed USB Type-A USB3.2 Gen 2 10Gbps with B.C 1.2, 1x USB C USB3.2 Gen 2 10 Gbps upto 15W charging downstream quick Access Port, 1x Analog 2.0 audio line out (3.5mm jack), 1x RJ45 Port, Height Ajustable, Pivot (Rotation), Swivel, Tilt, VESA mounting Interface
74-210BMDV	R 32,291	Dell 210-BMDV U4025QW 39.7" WUHD 5120x2160 120Hz LED IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 5120x2160 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 2500R curvature, 21:9 Aspect Ratio, LED edgelight system, 450 nits brightness, 8 ms (Normal mode) response time, HDR ready, Ambient light Sensor, 1x HDMI, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 (140 W) upstream Port, 1x USB Type-C upstream Port (Data only), 4x USB Type-A downstream Port, 1x audio Line-Out, 1x RJ45 2.5GbE, 150 mm Height Ajustable, Tilt, Swivel, 1x audio Line-Out, 2x 9W Built-In Speaker, VESA mounting holes 100x100 mm
8Y2R2AA	R 39,478	HP Series 7 Pro 39.7" 5K2K Conferencing Monitor - 740pm - IPS - Anti-glare; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; Device Bridge 2.0; Picture-by-Picture; Height adjustable; Tilt; Swivel - WUHD (5120 x 2160) Resolution
DS-D5043QE	R 7,314	Hikvision DS-D5043QE 42.5" FHD Monitor, 1080P, HDMI/VGA/DVI/BNC input, BNC output, USB port, build-in speaker, view angle: 178Â°/178Â°, metal casing, VESA, 7*24h
DS-D5043UC	R 11,880	Hikvision DS-D5043UC 42.5" 4K Monitor, HDMI*2, VGA*1, USB2.0, USB3.0, build-in speaker, view angle 178Â°/178Â°, VESA, 7/24h
MAG401QR	R 11,038	MSI 401QR 40" MAG Curved Gaming Monitor. Flat, IPS panel, 3440x1440 resolution, 21:9 aspect ratio, 400 nits brightness (typical), 1000:1 contrast ratio, 155Hz refresh rate, 1ms response time (MPRT), Adaptive Sync, VESA DisplayHDR 400, 2 x HDMI 2.0b (3440x1440 @100Hz), 1 x DisplayPort 1.4a (3440x1440 @155Hz), 1 x USB-C DP Alt Mode (3440x1440 @155Hz, PD 65W), 2 x USB 2.0 Type-A, 1 x USB 2.0 Type-B Upstream, 1 x USB 2.0 Type-C (PD 65W), 1 x headphone out, 178 degrees viewing angle, Anti-glare surface, 1.07B colors (8-bit FRC), Console Mode 2K@120Hz PS5â„¢ support, Frameless design, PIP/PBP support, Tilt adjustment -5 to 20 degrees, VESA mount 100x100mm, Weight 10.3 kg (with stand), 8 kg (without stand), Dimensions 945.22 x 289.63 x 530.29 mm (with stand), 945.22 x 83.32 x 416.12 mm (without stand)
MAG401QR	R 10,351	MSI MAG 401QR 40" UWQHD 155Hz Ultra Wide Gaming Monitor; UWQHD 3440x1440; 155Hz; IPS panel; 21:9 ultrawide; gaming monitor; Adaptive Sync; desktop productivity; immersive display
MNDE210-BFIS	R 20,193	Dell 210-BFIS U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 95% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare 2h hardness, 2 x 8W Speakers Output Power, 2x

		DisplayPort 1.4, 2x HDMI 2.1 (TMDS), 1x USB-C (DP.14 HB3 (2lane) / HBR2 (4 lane), Power Delivery upto 90W 2/4 lane switching, USB 3.2 Gen 2 10Gbps upstream, 3x USB-C USB 3.2 Gen2 10Gbps KVM upstream Port Data only, 3x Super speed USB Type-A USB 3.2 Gen 2 10Gbps downstream Ports, 1x Super speed USB Type-A USB3.2 Gen 2 10Gbps with B.C 1.2, 1x USB C USB3.2 Gen 2 10 Gbps upto 15W charging downstream quick Access Port, 1x Analog 2.0 audio line out (3.5mm jack), 1x RJ45 Port, Height Ajustable, Pivot (Rotation), Swivel, Tilt, VESA mounting Interface
MNDE210-BMDV	R 33,843	Dell 210-BMDV U4025QW 39.7" WUHD 5120x2160 120Hz LED IPS UltraSharp Curved Monitor, IPS Black Technology, Anti-Glare with 3H hardness, 5120x2160 at 120Hz, 178 degree viewing angle, 2000:1 contrast ratio, 2500R curvature, 21:9 Aspect Ratio, LED edgelight system, 450 nits brightness, 8 ms (Normal mode) response time, HDR ready, Ambient light Sensor, 1x HDMI, 1x DisplayPort 1.4, 1x Thunderbolt 4 downstream Port (15 W) for daisy Chaining, 1x Thunderbolt 4 (140 W) upstream Port, 1x USB Type-C upstream Port (Data only), 4x USB Type-A downstream Port, 1x audio Line-Out, 1x RJ45 2.5GbE, 150 mm Height Ajustable, Tilt, Swivel, 1x audio Line-Out, 2x 9W Built-In Speaker, VESA mounting holes 100x100 mm

< Return to the menu

LCD Monitors : LCD Monitors: 43 - 49 inch

Product code	Price	Description
210-BGTX	R 25,821	Dell U4924DW UltraSharp 49" 5K Dual QHD 5120x1440 Curved USB-C Hub Monitor, IPS Black panel Type, 350 nits brightness, 2000:1 contrast ratio, 5 ms (Grey-to-grey fast), Response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, WLED edgelight backlight, 9 Watt Stereo Speakers, 2x HDMI (HDCP 2.2), DisplayPort 1.4 (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W, USB-C 3.2 Gen 2 upstream, 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio line-out, Network, Pivot (Rotation), Swivel, Tilt, 120 mm height adjustment, VESA mounting Interface
210-BGTX	R 25,063	Dell U4924DW UltraSharp 49" 5K Dual QHD 5120x1440 Curved USB-C Hub Monitor, IPS Black panel Type, 350 nits brightness, 2000:1 contrast ratio, 5 ms (Grey-to-grey fast), Response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, WLED edgelight backlight, 9 Watt Stereo Speakers, 2x HDMI (HDCP 2.2), DisplayPort 1.4 (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W, USB-C 3.2 Gen 2 upstream, 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio line-out, Network, Pivot (Rotation), Swivel, Tilt, 120 mm height adjustment, VESA mounting Interface
210-BGTX	R 25,871	Dell U4924DW UltraSharp 49" 5K Dual QHD 5120x1440 Curved USB-C Hub Monitor, IPS Black panel Type, 350 nits brightness, 2000:1 contrast ratio, 5 ms (Grey-to-grey fast), Response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, WLED edgelight backlight, 9 Watt Stereo Speakers, 2x HDMI (HDCP 2.2), DisplayPort 1.4 (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W, USB-C 3.2 Gen 2 upstream, 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio line-out, Network, Pivot (Rotation), Swivel, Tilt, 120 mm height adjustment, VESA mounting Interface
43LF88	R 4,232	Mecer 43LF88 43" Full HD 1920x1080 LED panel display, 2x HDMI, 1x VGA, 2x RCA, 2x USB, Built-in Media player, Built-in Speakers (8W x 2), Includes pedestal
6N4C1AS	R 30,635	HP 6N4C1AS E45c G5 44.5" VA DQHD 5120x1440 Curved Monitor, 99% sRGB Colour Gamut, 3000:1 contrast ratio, 400 nits brightness, 178 degree viewing angle, 32:9 Aspect Ratio, Edge-lit backlight Type, 3-sided borderless, 1500R curvature, Detachable stand, 150 mm height adjustment range, Swivel, Tilt, Pivot, 100x100 mm VESA mounting, 165 Hz Refresh Rate (Maximum), 3ms GTG (with Overdrive) response time, 2 x 3 W Speaker Output Power, 1x DisplayPort 1.4, 1x HDMI 2.1, RFID Card Reader, 1x RJ-45 Ethernet, 2x USB Type-C 5Gbps (Up to 100W USB Power Delivery for 1 PC & 65W USB Power Delivery for 2 separate pieces), 4x USB Type-A 5Gbps Ports
74-210BGTX	R 25,744	Dell U4924DW UltraSharp 49" 5K Dual QHD 5120x1440 Curved USB-C Hub Monitor, IPS Black panel Type, 350 nits brightness, 2000:1 contrast ratio, 5 ms (Grey-to-grey fast), Response time, 178 degree viewing angle,

		Anti-Glare, 3H hard coating, WLED edgelight backlight, 9 Watt Stereo Speakers, 2x HDMI (HDCP 2.2), DisplayPort 1.4 (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W, USB-C 3.2 Gen 2 upstream, 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio line-out, Network, Pivot (Rotation), Swivel, Tilt, 120 mm height adjustment, VESA mounting Interface
AOC-AG493UCX2	R 21,734	AOC AG493UCX2 49" VA DQHD 5120x1440 165Hz Curved Monitor, 1800R curvature radius, AntiGlare (AG) panel treatment, 32:9 Aspect Ratio, VA panel Type, 400 nits Brightness, WLED backlight Type, 165Hz Refresh Rate, 4 ms response time GTG, 1 ms response time MPRT, 3000:1 static contrast ratio, 178 degree viewing angle, FreeSync Premium Pro, G-Sync compatible, Low Blue light, 5 W x 2 Speaker power, 100x100 VESA wallmount, Tilt, 100mm height adjust, Swivel, 3x HDMI 2.0, 1x DisplayPort 1.4, 1x USB-C 3.2 (DP alt mode / upstream / Power Delivery up to 65 W), Headphone out (3.5mm), 3x USB downstream Ports
DS-D5043U3-1V0S	R 13,231	Hikvision 43" VA 4K 3840x2160 60Hz VA Monitor, D-LED backlight, 300 nits brightness, 178 degree viewing angle, 4000:1 contrast ratio, 6.5 ms response time, 60Hz Refresh Rate, 72% NTSC Colour Gamut, 7 x 24h reliability, 1x HDMI, 1x DP, 1x VGA, 1x line in, 1x USB 2.0, 1x RS232-in, 1x RS232-out, 10 W x2 Speaker, 200x200mm VESA
LS49FG910EUXEN	R 20,836	Samsung G9 Odyssey Curved G9 Ultra-Wide 49" VA DQHD 5120x1440 borderless 144Hz Curved Monitor, 32:9 Aspect Ratio, 1000R screen curvature, 350nits brightness (typical), 2500:1 contrast ratio static, 1ms (GTG) response time, Max 144Hz Refresh Rate, 178 degree viewing angle, VESA DisplayHDR 600, HDR10 Gaming, FreeSync Premium Pro, 1x DisplayPort, 2x HDMI, Headphone, 1 USB-B upstream Port, 2x USB Type-A 3.2 Gen1 downstream Port, has (Height adjustable stand), Tilt, Swivel, 100 x 100 Wall Mount
MNDE210-BGTX	R 26,978	Dell U4924DW UltraSharp 49" 5K Dual QHD 5120x1440 Curved USB-C Hub Monitor, IPS Black panel Type, 350 nits brightness, 2000:1 contrast ratio, 5 ms (Grey-to-grey fast), Response time, 178 degree viewing angle, Anti-Glare, 3H hard coating, WLED edgelight backlight, 9 Watt Stereo Speakers, 2x HDMI (HDCP 2.2), DisplayPort 1.4 (HDCP 2.2), USB-C / DisplayPort 1.4 alt mode with Power Delivery (Power up to 90W, USB-C 3.2 Gen 2 upstream, 4x USB 3.2 Gen 2 downstream, 2x USB-C 3.2 Gen 2 downstream (Power up to 15W), USB 3.2 Gen 2 downstream with Battery charging 1.2, Audio line-out, Network, Pivot (Rotation), Swivel, Tilt, 120 mm height adjustment, VESA mounting Interface
SAMSUNG LS49CG954EA	R 27,599	Samsung Odyssey G95C Gaming Curved 1000R Borderless 49" display VA Response: 1ms GtG AR: 32:9 Resolution: 5120x1440 DQHD RR: 240Hz HDMI, 2x USB 3.0 Speaker: No Power supply: External Tilt: Yes Swivel: Yes Pivot: No Height adjust: Yes VESA: Yes Accessories: HDMI cable, Power cable, USB type A to B cable, DP cable (LS49CG954EAXXA)
SAMSUNG LS49FG910	R 21,619	Samsung LS49FG910 G9 Odyssey Curved G9 Ultra-Wide 49" VA DQHD 5120x1440 borderless 144Hz Curved Monitor, 32:9 Aspect Ratio, 1000R screen curvature, 350nits brightness (typical), 2500:1 contrast ratio static, 1ms (GTG) response time, Max 144Hz Refresh Rate, 178 degree viewing angle, VESA DisplayHDR 600, HDR10 Gaming, FreeSync Premium Pro, 1x DisplayPort, 2x HDMI, Headphone, 1 USB-B upstream Port, 2x USB Type-A 3.2 Gen1 downstream Port, has (Height adjustable stand), Tilt, Swivel, 100 x 100 Wall Mount
SAMSUNG LS49FG910E	R 18,399	Samsung LS49FG910E 49" Odyssey G9 G91F DQHD Gaming Monitor; Borderless; 144Hz; 1000R; 5120x1440; GTG 1ms; HDR600; HAS; HDR 10

< Return to the menu

LCD Monitors : LCD Monitors: 50 - 64 inch

Product code	Price	Description
210-BNTN	R 22,359	Dell 210-BNTN P5525QC 55" IPS 4K UHD 3840x2160 Conference Room Monitor, 8ms response time, 8ms GTG response time details, 16:9 Aspect Ratio, 178 degree viewing angle, Edge LED backlight Technology, 60Hz standard Refresh Rate, 1.07 Billion colours, 1200:1 native contrast ratio, 400 CD/m 2 brightness, 72% NTSC Colour Gamut, 2 Speakers, 1x isplayPort 1.4 (Supports 2x Display 4K@60Hz with DSC), 1x DisplayPort out (Support MST), 1x USB Type-C upstream (Alternate mode with DisplayPort 1.4 Power Delivery PD up to 90W), 1x USB Type-C 3.2 Gen 1 (5 Gbps) downstream (15 W), 2x HDMI 2.0, 2x USB Type-A 3.2 Gen 1 (5 Gbps) downstream, 1x USB-B 3.2 Gen 1 (5 Gbps) upstream, 1x USB-B 3.2 Gen 1 (5 Gbps) upstream, 1x Analog 2.0

		audio line out (3.5 mm jack), 1x RJ45, 1x RS232, 400 x 300 VESA Mount standard
55S99U	R 7,935	Mecer 55S99U 55" 4K UHD 3840x2160 UHD LED panel TV, 16:9 Aspect Ratio, 3x HDMI, 2x USB, Built-in Media player, Built-in Android 6.0 module with arm CORTEX-A9 Dual Core CPU, 1.5GB DDR3 and 8GB eMMC, Embedded 802.11 b/g/n Wireless LAN, Support HDR, Built-in Speakers (8W x 2), Includes pedestal
LS57CG952NUXEN	R 40,045	Samsung Odyssey G95NC Gaming Curved 1000R Borderless Matte 57" display VA Mini LED Response: 1ms GtG AR: 32:9 Resolution: 7680x2160 (DUHD) RR: 240Hz HDMI (x2), USB 3.0 (x2) Speaker: No Power supply: Built-in Tilt: Swivel: Yes Pivot: No Height adjust: Yes, HDM, DP, USB 3.0 & Power supply cable
MNDE210-BTFW	R 55,406	Dell 210-BTFW UltraSharp 52 U5226KW 51.5" IPS 6K 6144 x 2560 Thunderbolt Hub Curved Monitor, Platinum Silver, 8ms GTG response time, 21:9 Aspect Ratio, 178 degree viewing angle, Tilt, Swivel, Slant angle, Height adjust, 4200r curvature, Variable Refresh Rate (VRR), 6144x2560 at 120Hz maximum Resolution, 1.07 Billion colours supported, 2000:1 contrast ratio, 400 nits brightness, 100% sRGB Colour Gamut, 2x 9 W Speaker Output Power, 2x HDMI Ports, 2x DisplayPort 1.4, 4x USB Type-A 10Gbps downstream Ports, 3x USB-C 10Gbps upstream Ports, 1x Thunderbolt 4 40Gbps upstream Port (DisplayPort 1.4 Alt mode / Power Delivery up to 140 W EPR), 1x RJ45 Ethernet Ports 2.5GbE, 1x USB Type-A 10Gbps downstream Port, 2x USB-C 10Gbps downstream Ports Power Delivery up to 27 W, VESA Mount compatible

< Return to the menu

LCD Monitors : LCD Monitors: 65 inch and above

Product code	Price	Description
65W11K	R 43,700	KTC 65" UHD LED Integrated Touch Panel with OPS
75S9U	R 13,053	Mecer 75S8U 75" 4K UHD 3840x2160 Smart LED panel W/6586AD LED Display, 3x HDMI, 2x USB, Built-in Media player, Built-in Android 6.0 module with arm CORTEX-A9 Dual Core CPU, 1.5GB DDR3, 8GB eMMC, Embedded 802.11 b/g/n Wireless LAN, Support HDR, Built-in Speakers (8W x 2), Includes pedestal, 1684 x 970/1031 x 85/331mm size
86S1U	R 17,538	Mecer 86S1U 86" 4K UHD 3840x2160 Smart LED panel, Built-In Media player, Arm Cortex-A9 Dual Core CPU, 3x HDMI, 2x USB, WiFi, 8W x 2 Built-In Speakers, VESA Mount 500 x 300mm, Includes pedestal
DS-D5C86RB-B-EDLA	R 73,868	Hikvision DS-D5C86RB-B 86" VA 4K 3840x2160 Interactive DLED backlight Display, 3840x2160 @60 Hz Resolution, 400 nits brightness, 1.07 Billion Display Colour, 5 ms response time, 5000:1 (Static) contrast ratio, 72% NTSC Colour Gamut, 178 degree viewing angle, 16:9 Aspect Ratio, 7 x 16 H working duration, Infrared Touch Screen, Up to 50-point Multi-Touch, Built-In system, Android 14.0 Operation system, Camera, Omni-Directional 8-array layout Microphone, Echo reduction and Smart Noise-Cancellation, 12 m voice distance, Built-In 2x 20W 25W loudspeaker, Light Sensor, 3x HDMI in, 1x VGA in, 1x DisplayPort in, 1x audio in, 1x HDMI out, 1x audio out, 1x SPDIF out, 2x Gigabit LAN, WiFi 6, Bluetooth
SAMSUNG WA75D	R 60,949	SAMSUNG WA75D 75" 4K 3840x2160 Android Interactive Touch Whiteboard Monitor, ADS panel Type, 400 nit brightness (Typ), 1200:1 contrast ratio, 178 degree viewing angle (H/V), 8ms response time, 72% Colour Gamut, 60Hz v-scanning Frequency, 12 / 7 Operation time support, 3x HDMI in, IR in, Audio in, Audio out, RS232 in, RS232 out, RJ45 in, RJ45 out, WiFi, Bluetooth, 800x400 mm VESA Mount, Non-Glossy Frame material, 64GB Flash Memory size, IR Touch Technology

< Return to the menu

TV & Monitor Mounts and Stands

Product code	Price	Description
460743	R 299	Manhattan Universal Folding A/V Accessory Wall Mount - Plastic/Steel Wall Mount with Adjustable Support Arms for Audio/Video Components, Retail Box
482-BBCY	R 2,179	Dell 482-BBCY MDS19 Dual Monitor stand, 100x100 mm Maximum mounting pattern size, cable clips on the bar, Round cable slot, 19" - 27" recommended Display size, Tilt, Lift, Rotation, Swivel
482-BBDJ	R 2,648	Dell MSA20 single Monitor Arm, VESA Adapter plates, Desk-mountable, 100mm x 100mm VESA, Integrated Cable Management, 19" - 38" Display size, Tilt, 180 degrees Pan, 26.6 cm Lift, Rotation, 180 degrees swivel, 10kg Max load weight

49713	R 275	Goobay 49713 TV Wall Mount for TVs from 23" to 42" with swivel and Tilt, 58 - 107 cm screen size, 20 kg Maximum load, 44mm - 192mm wall distance, 90 degrees swivel range, 10 degrees tilting ranges, VESA support
49715	R 424	Goobay 49715 TV Wall Mount Dual Arm for TVs from 23" to 42" with swivel and Tilt, 58 - 107 cm screen size, 20 kg Maximum load, 44mm - 320mm wall distance, 90 degrees swivel range, 10 degrees tilting ranges, VESA support
49730	R 252	Goobay 49730 TV Wall Mount Basic fixed (M) for TVs from 32" to 55" , 81 - 140 cm screen size, 35 kg Maximum load, 20.5mm wall distance, 400x400 Maximum mouting hole (VESA)
49731	R 298	Goobay 49731 TV Wall Mount Basic Tilt for TVs from 32" to 55" , 81 - 140 cm screen size, 35 kg Maximum load, 20.5mm wall distance, 8 degrees tilting ranges, VESA support
49732	R 275	Goobay 49732 TV Wall Mount Basic fixed (L) for TVs from 37" to 70" , 94 - 178 cm screen size, 35 kg Maximum load, 20.5mm wall distance, 600x400 Maximum mouting hole (VESA)
49741	R 344	Goobay 49741 TV Wall Mount Basic Tilt for TVs from 37" to 70" , 94 - 178 cm screen size, 35 kg Maximum load, 20.5mm wall distance, 8 degrees tilting ranges, VESA support
49743	R 666	Goobay 49743 TV Wall Mount Basic Tilt for TVs from 43" to 100" , 109 - 254 cm screen size, 75 kg Maximum load, 45mm wall distance, 10 degrees tilting ranges, VESA support
49744	R 505	Goobay 49744 TV Wall Mount Basic Fullmotion (M) for TVs from 32" to 55" , 81 - 140 cm screen size, 35 kg Maximum load, 63mm - 427mm wall distance, 90 degrees swivel range, 15 degrees tilting ranges, VESA support
49745	R 528	Goobay 49745 TV Wall Mount Basic Fullmotion (L) for TVs from 37" to 70" , 94 - 178 cm screen size, 35 kg Maximum load, 63mm - 427mm wall distance, 90 degrees swivel range, 15 degrees tilting ranges, VESA support
49746	R 1,379	Goobay 49746 TV Wall Mount Basic Fullmotion (XL) for TVs from 43" to 100" , 60 kg Maximum load, 77mm - 428mm wall distance, VESA support
49890	R 401	Goobay 49890 TV Wall Mount Pro fixed (M) for TVs from 32" to 55" up to 50 kg, 81 - 140 cm reen size, 50 kg Maximum load, 25mm wall distance, 400x400 Maximum mouting hole (VESA)
49891	R 424	Goobay 49891 TV Wall Mount Pro fixed (L) for TV sets from 37" to 70" up to 50 kg, 94 - 178 cm screen size, 50 kg Maximum load, 25mm wall distance, 600x400 Maximum mouting hole (VESA)
49892	R 608	Goobay 49892 TV Wall Mount Pro fixed (XL) for TV sets from 43" to 100" up to 75kg, 109 - 254 cm screen size, 75 kg Maximum load, 30.5mm wall distance, 900x600 Maximum mouting hole (VESA)
49909	R 505	Goobay 49909 TV Wall Mount Pro Tilt (M) for TVs from 32" to 55" to 70 kg, 81 - 140 cm screen size, 70 kg Maximum load, 49mm wall distance, 400x400 Maximum mouting hole (VESA)
49929	R 551	Goobay 49929 TV Wall Mount Pro Tilt (L) for TVs from 37" to 70" up to 70 kg, 94 - 178 cm screen size, 70 kg Maximum load, 600x400 Maximum mouting hole (VESA)
49930	R 516	Goobay 49930 TV Wall Mount Pro Tilt (XL) for TVs from 43 to 100 inch, 70 kg Maximum load, 800x400 Maximum mouting hole (VESA)
49932	R 1,379	Goobay 49932 TV Wall Mount Pro Fullmotion (L) for TVs from 37" to 70" up to 60kg, 94 - 178 cm screen size, 60 kg Maximum load, 77mm - 428mm wall distance, 600x400 Maximum mouting hole (VESA)
49949	R 367	Goobay 49949 TV Wall Mount OLED fixed (L) for TVs from 37" to 70" , 94 - 178 cm screen size, 50 kg Maximum load, 17mm wall distance, VESA support
49956	R 1,379	Goobay 49956 TV Wall Mount OLED Fullmotion (L) for TVs from 37" to 70" , 94 - 178 cm screen size, 30 kg Maximum load, 50mm - 510mm wall distance, 60 degrees swivel range, 8 degrees tilting range, VESA support
508158	R 1,317	Durable 508158 Monitor stand effect - Charcoal, 3-way ergonomically Height-Adjustable stand, Maximum 10 kg load capacity, Metal Main material, Integrated cable outlets
509423	R 1,075	Durable 509423 13" - 27" Monitor Mount select for 1 screen - Desk clamp - Silver, 180 degrees Display rotatable, 90 degrees horizontal Monitor swivel range, Rotates, Tilts, Pivots, Adjustable height, Slidable, 10 - 88 mm Table thickness / pin Diameter, E management, 8 kg Maximum load capacity, 75x75 mm & 100x100 mm VESA standard
509523	R 1,451	Durable 509523 13" - 27" Monitor Mount select for 2 screens - Desk clamp - Silver, 180 degrees Display rotatable, 90 degrees horizontal Monitor swivel range, Rotates, Tilts, Pivots, Adjustable height, Slidable, 10 - 88 mm Table thickness / pin Diameter, Cable Management, Each 8 kg Maximum load capacity, 75x75 mm & 100x100 mm VESA standard
509623	R 1,794	Durable 509623 17" - 32" Monitor Mount select with Arm for 1 screen - Desk clamp - Silver, 90 degrees Display

		rotatable, 90 degrees horizontal Monitor swivel range, Rotates, Tilts, Pivots, Adjustable height, Slidable, 10 - 50 mm Table thickness / pin Diameter, Cable Management, 8 kg Maximum load capacity, 75x75 mm & 100x100 mm VESA standard
51893	R 286	Goobay 51893 TV Wall Mount Basic fixed (Size S) for TVs from 23" to 42" , Tilt and swivel, 30 kg Maximum load, 90mm wall distance, 200x100 Maximum mouting hole (VESA)
58523	R 194	Goobay 58523 TV Wall Mount Basic fixed (Size S) for TVs from 23" to 42" up to 25kg, 58 - 107 cm screen size, 25 kg Maximum load, 15mm wall distance, 100x100 Maximum mouting hole (VESA)
58528	R 505	Goobay 58528 Monitor Mount single Flex for monitors between 17" and 32" , 43 - 81 cm screen size, 8 kg Maximum load, 90 degrees swivel range, 45 degrees tilting ranges, VESA support
58529	R 608	Goobay 58529 Dual Monitor Mount Flex for monitors between 17" and 32" , 8kg Maximum load, 90 degrees swivel range, 45 degrees tilting range, VESA support, 43cm - 81cm screen size
58530	R 804	Goobay 58530 Monitor Mount with Gas Spring for monitors between 17" and 32" , 9 kg Maximum load, Height adjustment from 165mm up to 415mm, 100x100 mouting hole VESA Max
58531	R 1,609	Goobay 58531 Double Monitor Mount with Gas Spring for monitors between 17" and 32" , 9 kg Maximum load, Height adjustment from 185mm up to 435mm, 100x100 VESA mouting hole Max
59507	R 1,954	Goobay 59507 TV Presentation stand Basic (Size L) for TVs or monitors between 37" and 70" , 94 - 178 cm screen size, 40 kg Maximum load, 600x400 Maximum mouting hole (VESA)
650112	R 1,113	Equip 650112 13" - 27" Articulating Monitor Desk Mount Bracket, Sturdy and lightweight aluminum construction, Gas spring structure, Built-in spring tension gauge, VESA standards compliant, Tool-free height adjustment, Integrated cable management system, 13" -27" Suggested Screen Size, 9kg Load Capacity, Tilt, Swivel, Rotate
650113	R 1,332	Equip 650113 13" -27" Articulating Double Arm Desk mount bracket, Full motion mount, VESA standards compliant, 13" - 27" Suggested Screen Size, 8KG Load Capacity per arm, Tilt, Swivel, Sturdy and lightweight aluminum construction, Gas spring structure, Built-in spring tension gauge, Tool-free height adjustment, Integrated cable management system
650115	R 1,148	Equip 13" - 27" Articulating Dual Monitor Desk Mount Bracket, Full motion mount, Cable clips keep cables organized and protected, Height adjustment, VESA standards compliant, 13" -27" Suggested Screen Size, 8KG Load Capacity (Each Arm/Screen), Tilt, Swivel Rotate
650119	R 1,125	Equip 13" -32" Articulating Dual Arm Monitor Laptop Desk Mount Bracket
650120	R 803	Equip 13" -27" Interactive Monitor Desk Mount Bracket
650121	R 1,263	Equip 13" -27" Interactive Dual Monitor Desk Mount Bracket
650133	R 1,550	Equip 650133 17-32" Dual Monitor Desk Mount bracket, Cable Management, Quick installation VESA plate, 10-85mm clamp, 10-40mm grommet, 1-9kg (per screen) load capacity, Swive, Support Curved TV, 35 degree Tilt range, 75x75 & 100x100 VESA compatibility
650151	R 527	Equip 13" -34" Articulating Monitor Desk Mount Bracket
650152	R 952	Equip 13" -34" Articulating Dual Monitor Desk Mount Bracket
650158	R 1,205	Equip 650158 17-32" Articulating Triple Monitor Desk Mount bracket, 409mm pipe size (Pole height), Cable Management, Quick installation VESA plate, Clamp / grommet installation, 7kg load capacity, Desk Mount, Swivel, Screen rotation, 3 screens support, Support Curved TV, Tilt, 75x75 & 100x100 VESA compatibility
650310	R 182	Equip 32" -55" Fixed TV Wall Mount Bracket
650311	R 216	Equip 650311 TV 32" - 55" Tilt Wall Mount Bracket, 35kg Load Capcity, 25mm Load Capcity, Cold Rolled Steel, Black
650312	R 240	Equip 650312 TV 32" - 55" Tilt Wall Mount Bracket, Slide-in wall plate, Integrated bubble level, VESA standards compliant, Free-tilting design for multiple monitor viewing angles, 40kg Load Capcity, 51mm Distance from Wall
650315	R 745	Equip 32" -55" Articulating TV Wall Mount Bracket
650316	R 883	Equip 37" -70" Articulating TV Wall Mount Bracket
650317	R 538	Equip 37" -70" Ultra Slim TV Wall Mount Bracket
650318	R 423	Equip 37" -70" Low Profile TV Wall Mount Bracket
650319	R 147	Equip 32" -55" Economy Slim Tilt TV Wall Mount Bracket
650320	R 175	Equip 32" -55" Fixed TV Wall Mount Bracket

650324	R 1,793	Equip 37" -90" Tilt/Swivel TV Wall Mount Bracket
650327	R 1,493	Equip 650327 43-80" Long Arm full motion TV Wall Mount bracket, Stainless Steel material, 50kg load capacity, VESA compatibility, Tiltable & swivel, 1015 x 885 x 430mm product size, cable management
650328	R 872	Equip 650328 23-55" full motion corner TV Wall Mount, Support Curved TV, 45kg load capacity, VESA compatibility, Tiltable & swivel bracket Type, cable management
650330	R 308	Equip 650330 TV 37" - 70" Fixed Wall Mount Bracket, Slide-in Wall Plate, Integrated Bubble Level, Vesa Standards Compliant, 50kg Load Capcity, 23.5mm Distance from Wall
650332	R 297	Equip 650332 37" - 70" Tilt TV wall bracket, Stainless Steel material, 40kg load capacity, VESA compatibility, 53mm distance to wall
650341	R 527	Equip 650341 32-55" Articulating TV wall bracket, Support Curved TV, Stainless Steel material, 35kg load capacity, VESA compatibility, Tiltable & swivel bracket Type, 63~427mm distance to wall (Profile), cable management
650342	R 630	Equip 650342 37-70" Articulating TV wall bracket, Support Curved TV, Stainless Steel material, 35kg load capacity, VESA compatibility, Tiltable & swivel bracket Type, 63-427mm distance to wall, cable management
650363	R 170	Equip 32" -55" Fixed TV Wall Mount Bracket
650401	R 193	Equip 650401 TV 23" - 42" Fixed Slim Wall Mount Bracket, Tool-free tilt adjustment, VESA standards compliant, 20kg Load Capacity, 35mm Distance from Wall, Tilt
650402	R 160	Equip 23" -42" Pivoting TV Wall Mount Bracket
650406	R 293	Equip 650406 23" to 55" pivoting TV Wall Mount bracket, Stainless steel material, 30kg load capacity, VESA compatibility, Tiltable & swivel, Tiltable & swivel bracket Type, 65mm-212mm distance to wall (Profile)
650601	R 711	Equip 650601 TV 32" - 55" Tabletop Stand Bracket, Height of the TV is adjustable with 5 set positions, Solid & tempered-glass base allows secure application, VESA standards compliant 600x400, 40kg Maximum Load
650603	R 2,367	Equip 650603 Economy Multi-functional TV Cart /Trolley with Camera Shelf, Retractable poles, Heavy-duty casters with reinforced design, Adjustable flat-panel placement, Adjustable DVD/AV component shelf, 37" - 70" Suggest Screen Size, 600x400 Maximum VESA, 50Kg Rated Load, Tilt, Height Adjust
70820	R 689	Goobay Single Monitor Wall Mount for monitors from 17 to 32" (43 - 81 cm), max. 9 kg, for wall mounting; VESA 75x75/ 100x100; tilt -90deg; swivel -90deg; rotate 180deg; dimensions 117x486x503 mm; weight ~2.1 kg
70824	R 528	Goobay 70824 ceiling TV Mount Basic TV Mount for TVs from 23" to 55" , TV Fullmotion bracket Type, 20 kg Maximum load, 400 x 400 Maximum mouting hole (VESA), Steel material
74-482BBCY	R 3,625	Dell 482-BBCY MDS19 Dual Monitor stand, 100x100 mm Maximum mounting pattern size, cable clips on the bar, Round cable slot, 19" - 27" recommended Display size, Tilt, Lift, Rotation, Swivel
8044001	R 1,369	Fellowes Professional Series Freestanding Dual Stacking Monitor Mount. Monitors up to 16kg.
901104	R 748	PORT Monitor Arm VESA Single Screen - Black
901104	R 718	PORT Monitor Arm VESA Single Screen - Black - - UP TO 32"
956BB	R 863	Mercer 32" to 55" Universal LCD Panel Wallmount Bracket
A54555-B	R 84	Astrum WB550 TV Wall Mount Bracket, 32" - 55" TV Support, 1.5mm cold rolled steel, up to 40kg, 465 x 170mm, Black
A54580-B	R 117	Astrum WB580 Wall Mount bracket 32 - 80" - up to 75kg, 610x500mm VESA, A54580-B
AEL-2010	R 391	Microworld 17" - 32" Vesa flat wall mount, 60kg Max weight
ASUS MHS11	R 332	Asus MHS11 Monitor Stand - Ergonomic stand; Tilt; Swivel; Pivot; Height adjustments; VESA 100x100mm Compatible
ASUS MKT03	R 83	Asus MKT03 mini-PC Mounting Kit - VESA 100x100mm Compatible
BRA3500W	R 1,249	Barkan Full Motion Ceiling TV Mount - For 13" - 65" Screens, For Screens Weighing Up To 88lbs/ 40kg, Height Adjustment, Swivel & Tilt, Max Distance From the Ceiling 16.1" / 41 cm, Compatible With Larger Screen Sizes, Where Their Specifications Comply With the Mount, Cable Management & Concealment, Retail Box, 6 Months Warranty.
BRABM80	R 199	Barkan Adjustable Mount for Media Devices
BRACKET-TV1	R 109	Unbranded CTX16-22F 23-42" Wall Mount fixed bracket
BRK-DVD-19	R 363	Lumi DVD-19 Multi-functional TV VESA Mounting AV Component Shelf

BRK-DWS02-C01	R 3,679	Lumi DWS02-C01 Single Display Sit-stand Workstation Desk Mount For Most 13" -32" Led/lcd Monitor Screens; 2-8kg monitor capacity; VESA 75 x 75mm and 100 x 100mm; gas spring arm; height range 20-495mm; tilt 15 to -5 degrees; swivel 90 to -90 degrees; screen rotation 180 to -180 degrees; folding keyboard tray; clamp and grommet mounting
BRK-FS11-46T	R 4,544	Lumi FS11-46T 32-65" Low Cost Aluminum TV Cart
BRK-FS12-46F	R 2,834	Lumi FS12-46F 45-65" Easel Studio TV Floor Stand
BRK-KL22-22T	R 144	Lumi 23-42" LCD Bracket, Tilt, 35kg Max
BRK-KL22-44T	R 177	Lumi 32-55" Lcd Bracket, Tilt, 35kg Max
BRK-KL32-22F	R 98	Lumi KL32-22F Super Economy Low-Profile Fixed TV Wall Mount
BRK-KL32-22T	R 117	Lumi KL32-22T Super Economy Low-Profile Tilt TV Wall Mount
BRK-KL32-44F	R 137	Lumi KL32-44F Super Economy Low-Profile Fixed TV Wall Mount
BRK-KL32-44T	R 156	Lumi KL32-44T Super Economy Low-Profile Tilt TV Wall Mount
BRK-KL32-46T	R 191	Lumi KL32-46T Super Economy Low-Profile Tilt TV Wall Mount, Automatic Spring locks with Quick Release cords, Fit screen size 37" -80" , VESA & Universal mounting hole pattern, 45kg weight capacity, Tilt
BRK-KLA27-220	R 274	Brateck Super Economy Full-motion Tv Wall Mount - For Most 23" -42" Led, Lcd Flat Panel Tvs
BRK-KLA29-466	R 680	Lumi bracket 37-70 inch full motion 35kg, KLA29-466
BRK-LCD-201F	R 98	Lumi 23 - 37" Vesa Bracket, 300x300/ 400x400, 30kg Max; steel construction; powder-coated finish; fixed panel; assembly hardware included
BRK-LCD-501A	R 338	Lumi LCD-501A 23" - 42" Pivoting Wall Mount Bracket; 30kg capacity; steel construction; VESA 75 x 75, 100 x 100, 200 x 100, 200 x 200mm; tilt 20 to -20 degrees; swivel 30 to -30 degrees; 90mm profile; matte black; single stud installation
BRK-LCD-CM344	R 680	Lumi LCD-CM344 Economical folding Ceiling Mount, For most 23 ' ' - 55" flat panel TVs, Swivel ability, Flexible sliding rails, Folding design, VESA only mounting hole pattern, 20kg weight capacity, Tilt, Swivel, Ceiling mounted installation, Height range
BRK-LDA06-222	R 484	Lumi LDA06-222 17-37" Solid Aluminum Full-motion Wall Mount; 23" -42" screens; 20kg load capacity; aluminum and plastic construction; VESA 75x75, 100x100, 200x100, 200x200; 180 degree swivel; -15 to 15 degree tilt; 360 degree rotation; 80-400mm profile; cable management; built-in bubble level
BRK-LDA18-112	R 757	Lumi LDA18-112 13 - 27" Led Bracket; 15kg maximum capacity; Aluminum and steel; Full motion; VESA 75x75 and 100x100; Swivel 90 to -90 degrees; Tilt 55 to -35 degrees; 382mm profile; Solid wall or single stud; Cable management; Built-in bubble level; RV, caravan and motor home use
BRK-LDA20-221	R 477	Lumi LDA20-221 Elegant Aluminum Full-motion TV Wall Mount For most 23" -42" LED, LCD Flat Panel TVs
BRK-LDA20-223	R 652	Lumi LDA20-223 Elegant Aluminum Full-motion TV Wall Mount For most 23" -42" LED, LCD Flat Panel TVs
BRK-LDA20-463	R 1,746	Lumi LDA20-463 Elegant Aluminum Full-motion TV Wall Mount For most 37" -70" LED, LCD Flat Panel TVs
BRK-LDA29-220	R 392	Lumi LDA29-220 23-42" Bracket, Solid Wall Up To ; 20kg maximum load; Full motion; VESA 75 x 75, 100 x 100, 200 x 100, 200 x 200; Tilt 8 to -12 degrees; Swivel 30 to -30 degrees; Screen level 3 to -3 degrees; Detachable VESA panel; Cable management; Solid wall or single stud; 81 x 226 x 234mm; Matte black
BRK-LDA29-ARM1	R 124	Lumi LDA29-ARM1 Modular Full-Motion TV Wall Mount
BRK-LDA35-110	R 421	Lumi LDA35-110 Pivot Pole Mount Monitor Arm, No Walls, Desks - Only a Pole Will Do, 360 Degree Rotation, 8KG
BRK-LDA37-112	R 684	Lumi LDA37-112 lockable aluminum Full-Motion RV TV Mount, 13" -32" Fit screen size, VESA only mounting hole pattern, 75x75 / 100x100 VESA compatible, 15kg weight capacity
BRK-LDA37-220	R 384	Lumi LDA37-220 13-43" lockable aluminum pivot RV TV Mount with extended VESA, Aluminum & Steel material, 13" - 43" Fit screen size, VESA compatible, 15kg weight capacity, 86mm profile, Detachable panel, Fixed Wall Plate
BRK-LDA37-222	R 500	Lumi LDA37-222 lockable aluminum Full-Motion RV TV Mount with extended VESA, Aluminum & Steel material, VESA only mounting hole pattern, 15kg weight capacity, Cable Management, 13" - 43" Fit screen size
BRK-LDT02-BASE	R 652	Lumi LDT02-BASE Brateck Base For LDT02 Series Mounts
BRK-LDT07-C012	R 660	Lumi LDT07-C012 13-27" Economy Steel LCD VESA Desk Mount; max 8kg; VESA 75 x 75 and 100 x 100mm; tilt 45 to -45 degrees; swivel 90 to -90 degrees; rotation 180 to -180 degrees; 428mm arm extension; clamp and grommet mounting; cable management; matte black

BRK-LDT30-C048	R 2,102	Lumi LDT30-C048 Quad monitors Premium aluminum Articulating Monitor Arm, Aluminum & Steel material, Powder coating, 17" - 32" Fit screen size, 8kg weight capacity (per screen), 386mm Arm full extension, 808mm pole height, Clamp installation
BRK-LDT30-T024	R 945	Lumi LDT30-T024 17-32" monitors Premium Articulating aluminum Monitor stand, Aluminum & Steel material, 17" - 32" Fit screen size, 8kg weight capacity (per screen), VESA compatible, 386mm Arm full extension, 413mm pole height, Cable Management
BRK-LDT34-C012U	R 1,145	Lumi LDT34-C012U Single Monitor Performance Gas Spring Aluminum Monitor Arm with USB For Most 17" -32" Monitors, 90 Degree Tilt, 90 Degree Swivel
BRK-LDT40-G02	R 659	Lumi LDT40-G02 Articulating Pole Mount Single Dual Monitors Mount
BRK-LDT40-T02	R 726	Lumi LDT40-T02 Articulating Pole Mount Single Dual Monitors Stand
BRK-LDT46-C024U	R 1,125	Linkqnet Ldt46-c024u 17-32" Dual Monitor Spring-assisted Desktop Bracket With Usb And Audio Ports
BRK-LDT50-C012U	R 1,662	Lumi LDT50-c012u 17-32" single Monitor Premium aluminum spring-assisted Monitor Arm with USB Ports, 17" - 32" Fit screen size, Fit Curved Monitor, 2-9kg weight capacity (per screen), VESA compatible, 465mm Arm full extension, 2x USB 3.0 Port, Cable Management
BRK-LDT50-C024U	R 1,955	Lumi LDT50-C024U Dual Monitor Premium aluminum spring-assisted Monitor Arm with USB Ports, For most 17" - 32" flat panel and Curved monitors, Built-In Spring tension mechanism, 2 easily accessible USB 3.0 Ports, 2-9kg weight capacity (per screen), VESA compatible, 465mm Arm full extension
BRK-LDT57-C02V	R 782	Lumi LDT57-C02V 17-32 inch Vertical Pole Mount Dual-Screen Monitor Mount, Powder coating Surface finish, 17" - 32" Fit screen size, 9kg weight capacity per screen, VESA compatible, Tilt, Swivel, Screen rotation, 37mm Arm full extension, 860mm pole height, Clamp or grommet installation, Cable Management
BRK-LDT62-C012U	R 1,051	Linkqnet Ldt62-c012u 17-32" Single Monitor Thin Gas Spring Desktop Monitor Bracket With Usb Ports
BRK-LDT66-C012	R 347	LinkQnet bracket 17" to 32" Single-Monitor Steel Articulating Monitor Mount, Powder coating Surface finish, 17" - 32" Fit screen size, 9kg weight capacity (per screen), 75x75 & 100x100 VESA compatible, Tilt, Swivel, Screen rotation, 376mm Arm full extension, 407mm Pole height, Clamp / grommet installation
BRK-LDT66-C024	R 406	LinkQnet bracket 17" to 32" Dual-Monitor Steel Articulating Monitor Mount, Powder coating Surface finish, Matte Black Colour, 17" - 32" Fit screen size, 9kg weight capacity (per screen), 75x75 & 100 x 100 VESA compatible, Tilt, Swivel, Screen rotation, 376mm Arm full extension, 407mm Pole height, Clamp / grommet installation
BRK-LP37-69F	R 1,211	Lumi LP37-69F 60-100" X-Large Heavy-duty Fixed Curved & Flat Panel TV Wall Mount; VESA 200x200 to 900x600; steel construction; 32mm profile; 1009 x 630 x 32mm; powder-coated black finish; quick release cords; lateral shift brackets; solid wall and double-stud installation
BRK-LP38-44AT	R 484	Lumi LP38-44AT 32-55" Anti-theft Heavy-duty Tilting Curved & Flat Panel TV Wall Mount; curved and flat panel compatible; 80kg capacity; steel construction; anti-theft locking bar; tool-free tilt; -10 to 5 degree tilt; VESA 200x200, 400x200, 300x300, 400x400; 54mm profile; black powder-coated finish
BRK-LP38-46AT	R 713	Lumi LP38-46AT 37-70" Anti-theft Heavy-duty Tilting Curved & Flat Panel TV Wall Mount; 80kg capacity; VESA 200 x 200 to 600 x 400; steel construction; 54mm profile; -10 to 5 degree tilt; anti-theft locking bar; tool-free tilt; fine texture black; detachable panel; solid wall and double-stud installation
BRK-LP42-64AF	R 484	Linkqnet Lp42-64af 37-75" Fixed Portrait Lockable Digital Signage Bracket
BRK-LP63-46T	R 2,102	Lumi LP63-46T Premium Floor-to-Ceiling TV Mount
BRK-LP66-44M	R 6,305	Lumi LP66-44M 32-48 inch motorized TV Lift stand, VESA & Universal mounting hole pattern, 115mm profile (Includes the stand only. Box / cabinet / enclosure not included, requires a custom built enclosure or cabinet to conceal TV)
BRK-LP73-812T	R 831	LinkQnet bracket 125kg 37" -140" Heavy Duty TV Wall Mount, BRK-LP73-812T, Powder coating Surface finish, Fine texture Black Colour, 37" -140" Fit screen size, Fit Curved screem, VESA and Universal mounting hole pattern, 125kg weight capacity, 62mm Profile, Tilt, Hook-On Bubble Level
BRK-LPA31-466	R 2,146	Lumi LPA31-466 37 - 70" Solid Aluminum Full-motion Curved & Flat Panel TV Wall Mount; Full motion; Aluminum, steel and plastic; 50kg capacity; VESA 200x200 to 600x400; Tilt -15 to 5 degrees; Swivel -60 to 60 degrees; Profile 53 - 518mm; Curved and flat TV compatible; Cable management; Solid wall and double stud installation
BRK-LPA35-462	R 1,542	Lumi LPA35-462 37 - 70" Aluminum Slim Sliding Full-Motion Curved & Flat Panel TV Wall Mount; 40 kg capacity;

		aluminum and steel; VESA 200 x 200 to 600 x 400; 45 - 680 mm profile; 8 to -12 degree tilt; 90 to -90 degree swivel; 3 to -3 degree level adjustment; matte black
BRK-LPA39-443	R 1,366	Lumi LPA39-443 23 - 55" Slim Full-motion Curved & Flat Panel TV Wall Mount; 35kg rated load; steel construction; VESA 75 x 75 to 400 x 400; -15 to 10 degree tilt; -90 to 90 degree swivel; -3 to 3 degree level adjustment; 45 - 508mm profile; cable management; matte black
BRK-LPA49-483XLD	R 1,636	Lumi LPA49-483XLD Extra Long Arm Full-Motion TV Wall Mount For Most 43" -80" Flat Panel TVs
BRK-LPA49-486XLD	R 1,950	LinkQnet 43-90 inch 80kg Heavy-Duty Full-Motion TV Wall Mount with Long Arm extension, LPA49-486XLD, Steel material, Powder coating Surface finish, 43" -95" Fit screen size, Fit Curved TV, VESA only mounting hole pattern, 800x400 Maximum mounting hole, 80kg weight capacity, Tilt, Swivel, Cable Management, Bubble Level
BRK-LPA50-466	R 978	Lumi Bracket 37-70 inch full motion swivel tilt 45kg, LPA50-466
BRK-LPA51-113	R 401	Lumi LPA51-113 13-27" Economy Full-motion TV Wall Mounts; 15kg capacity; VESA 75x75, 100x100; full-motion; tilt 20 to -20 degrees; swivel 90 to -90 degrees; profile 82-391mm; steel construction; powder-coated black finish; cable management
BRK-LPA63-466	R 664	Lumi LPA63-466 37-80 inch Full-Motion TV Wall Mount for Double Stud, Powder coating, Fit Curved TV, 37" - 80" Fit screen size, VESA & Universal mounting hole pattern, 600x400 Maximum mounting hole, 40kg weight capacity, Tilt, Swivel, Detachable panel, Fixed Wall Plate, Cable Management
BRK-LPA68-223	R 367	Lumi LPA68-223 Economical Full-Motion TV Wall Mount, Fits most 23" -43" TVs, VESA only mounting hole pattern, 30kg weight capacity, Tilt, Swivel
BRK-LPA68-443	R 489	Lumi LPA68-443 economical Full-Motion TV Wall Mount, Fits most 23" -55" TVs, VESA only mounting hole pattern, 30kg weight capacity, Tilt, Swivel
BRK-LPA69-446-T01	R 875	Lumi LPA69-446 Steel Full-Motion TV Wall Mount
BRK-LPA72-464A	R 1,419	Linkqnet Lpa72-464a 37-90" Ultra-slim Articulating Full-motion Wall Bracket
BRK-LVS02-246FW	R 8,991	Lumi LVS02-246FW Dual Stacking Screens TV Cart For most 40" -65" Displays
BRK-LVW09-68T	R 3,787	Lumi LVW09-68T Super Slim Video Wall Mount. Bracket 55-60inch up to 35kg super slim video wall.
BRK-LVW10-246T	R 4,394	LinkQnet LVW10-246t 45~55" Dual-Screen menu board Wall Mount, Fine texture Grey Colour, 45" -55" Fit screen size, VESA compatible, 600x400 Maximum mounting hole, 50kg weight capacity per screen, 2x1 screen quantity, 142mm Profile, Solid Wall installation, Cable Management
BRK-MDS10-2	R 1,466	Linkqnet Mds10-2 17 - 32" Dual Monitor All-in-one Studio Setup Desktop Bracket
BRK-PLB-14L	R 1,251	Lumi 37 -70" Led Bracket, 15 Degree Down Tilt, 75kg Max
BRK-PLB-CE1046D-02	R 1,173	Lumi Bracket 37-80 inch heavy duty TV ceiling Mount 70kg, PLB-CE1046D-02
BRK-PLB-CE344	R 978	Lumi 32 - 55" Ceiling Bracket, 20 Degree Tilt, 360 Degree Swivel, 50kg
BRK-PLB-CE344	R 2,024	Lumi 32 - 55" Ceiling bracket, PLB-CE344, 20 degree Tilt, 360 degree swivel, 32" -55" Fit screen size, 50kg rated load, 440x410 Maximum VESA
BRK-PLB-CE946-01LD	R 1,173	LinkQnet bracket 37-70" 45kg x2 Back-to-Back flat panel Ceiling Mount, PLB-CE946-01LD Telescopic height adjust, Powder coating Surface finish, 37" -86" Fit screen size, Fit Curved TV, VESA & Universal mounting hole pattern, 600 x 400 Maximum mounting hole, 45kg x2 weight capacity, Tilt, Swivel, Cable Management
BRK-PLB-M0546	R 5,341	Lumi PLB-M0546 Motorized Flip Down TV Ceiling Mount For Most 32" -70" TVs
BRK-PLB-WA3A	R 803	Lumi PLB-WA3A 30 - 63" Cantilever Full-motion Wall Arm; cantilever full-motion design; 75kg maximum load; 180 degree swivel; 62 - 642mm profile; compatible with PLB-13 and PLB-14 brackets; heavy-duty TV mounting
BRK-SB-59	R 386	Lumi bracket soundbar speaker Wall Mount 10kg, SB-59
BRK-SB-68	R 416	Hercules Sound Bar Speaker Bracket
BRK-TTD07-46TW	R 11,008	Lumi TTD07-46TW Dual Screen Aluminum Height-Adjustable TV Cart with Media Shelf For 37" -60" Flat Panel TVs
BRK-TTL03H-610TW	R 9,887	Lumi TTL03H-610TW Telescopic Height-Adjustable Steel TV Cart For most 60" -100" LED/LCD Flat Panel TVs
BRK-TTL03H-610TW	R 11,489	Lumi Telescopic Height-Adjustable Steel TV Cart for most 60" -100" LED/LCD flat panel TVs, TTL03H-610TW, Powder coating Surface finish, 60" -100" Fit screen size, VESA compatible, 100kg weight capacity, Adjustable TV height, AV Component shelf, Shelf height adjustable
BRK-TTV04-46TW	R 7,277	Lumi TTV04-46TW 37 - 70" Telescopic Height Adjustable TV Cart; supports up to 50kg; telescopic height adjustment; VESA 200 x 200 to 600 x 400; tilt 5 to -12 degrees; rotation 0 to 90 degrees; 5kg shelf; 5kg

		camera rack; cable management; 3 inch casters; 828 x 700 x 1746 - 2146mm
BRK-TTV07-46TW	R 7,865	Lumi TTV07-46TW Aluminum Height-Adjustable TV Cart For 37" -70" Flat Panel TVs
BRK-XMA-01	R 254	Lumi 13 - 27" BRACKET, VESA 75 OR 100, 8KG Max
BRK-XMA-12	R 550	Lumi XMA-12 13" -27" Dual Horizontal Monitor Accessory
DDR1327SDD	R 983	Eaton DDR1327SDD Dual-Monitor Desktop Mount Stand for 13" to 27" Flat-Screen Displays
DDV1727S	R 552	Eaton DDV1727S Single-Display Monitor Stand - Height Adjustable, 17" to 27" Monitors
DHL42/43/49/55-BG	R 29	Dahua Monitor bracket, VESA 200 x 200 / 300x300 / 400 x 400, 75kg support capacity
DS-D5ABKY2-B	R 8,884	Hikvision Mobile brackek suitable for 86" - 98" displays, DS-D5ABKY2-B, Silver Gray Colour, SPCC high quality Steel plate material, 135kg capacity, 1610 x 749 x 1710mm shelf size
DS-DM1940W	R 171	Hikvision DS-DM1940W Wall-mounted Bracket, Wall-mounted bracket, Dimension 250 mm Ã— 220 mm Ã— 25mm, VESA 200 (H) mm Ã— 200 (V) mm, recommended for small size monitor (40-inch)
DWM60100XX	R 2,018	Eaton DWM60100XX Swivel/Tilt Wall Mount for 60" to 100" TVs and Monitors, UL Certified
GEA-MSR-DMSBLK-01	R 2,470	Thermaltake Dual RGB Gaming Monitor stand with Gas Spring, 16.8 million RGB colors, 17" - 35" Fit screen size, 2x 20 kg weight capacity, Gas Spring system, 75x75 mm VESA compatible, Tilt, Swivel, Screen rotation, 217 - 500mm Maximum Arm height, 458 mm Maximum Arm extension
GEA-MSR-SMSBLK-01	R 1,493	Thermaltake RGB single Monitor stand, 16.8 million RGB colors back-light, 17" - 49" Fit screen size, 2 ~ 20 kg weight capacity, Gas Spring system, 75x75 mm, 100x100 mm, 458 mm Max Arm extension, 217 ~ 500 mm Max Arm height
HL-1201S	R 562	HowLo HL-1201S 32-42" up to 55kg fixed design wall bracket, TV mounted 25mm off the wall, VESA 400 x 400mm, With security locking system
INS-TVM2663	R 79	Unbranded TV Wall Mount bracket 26 - 63 inch, INS-TVM2663, 25mm Wall clearance, (50 kg) load capacity, VESA compatibility - 200x200mm / 200x400mm / 300x300mm / 400x400mm
LCD110	R 144	Microworld LCD110 bracket up to VESA 100x100
LS-AA2021	R 3,145	Aavara A2021 wall-mount lcd / plasma arms - aluminum alloy, 4 arms with 5 joint, /-15 Degree tilt, /-60 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 200x200mm; dim: 636x320x105mm, profile from wall: max550mm; support up to 46" / 50Kg
LS-AA4041	R 5,627	Aavara A4041 wall-mount LCD / Plasma Arms - Aluminum Alloy, 4 arms with 5 jointed pivot points, /-15 Degree tilt, /-60 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 400x400mm; dim: 636x320x105mm, profile from wall: max550mm; support up to 46" / 50Kg
LS-AA6041	R 6,036	Aavara A6041 Wall-Mount LCD / Plasma Arms - Aluminum Alloy, 4 arms with 5 jointed pivot points, /-15 Degree tilt, /-60 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 660x400mm; dim: 870x524x105mm, profile from wall: max550mm; support up to 52" / 50Kg
LS-AA8050	R 7,208	Aavara A8050 wall mount kit for lcd / plasma - aluminum alloy, 4 arms with 5 jointed pivot points, /-15 Degree tilt, /-60 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, max. mounting: 810x500mm; dim: 870x524x105mm, profile from wall: max550mm; support up to 65" / 85Kg
LS-AAC110	R 1,946	Aavara AC110 free style display stand - flip mount for 1x display - clamp base, with 1 arm/ 2 joints - 110 Degree (90~-20 Degree) tilt angle adjustable, 95 Degree (60~-35 Degree) tilt arm adjustment, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" / 12Kg
LS-AAC210	R 2,431	Aavara AC210 free style display stand - flip mount for 1x display - clamp base, with 2 arm / 3 joints - 110 Degree (90 Degree ~-20 Degree) tilt angle adjustable, 95 Degree (60 Degree ~-35 Degree) tilt arm adjustment, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 24" /10Kg
LS-AAC742	R 4,117	Aavara AC742 free style LCD stand - dual flip mount 2x LCD - clamp base - 2 independent swing arms, horizontal & vertical shift, /-90deg swivel-able, 110deg (90deg~-20deg) tilt angle adjustable, 360deg rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" /10Kg
LS-AAE211	R 1,367	Aavara AE211 wall-mount LCD/ plasma arms - ultra slim profile - aluminium alloy, 2 arms with 3 joint, /-15 Degree

		tilt, /-90 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 100x100 / 75x75 mm; dim: 223x207x35mm, distance from wall 35-337mm ; support up to 24" / 12Kg
LS-AAE222	R 2,218	Aavara AE222 wall-mount LCD/ Plasma arms - ultra slim profile - aluminium alloy, 2 arms with 3 joint, /-15 Degree tilt, /-90 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 200x200/ 200x100/ 100x100 mm; dim: 297x285x35mm, distance from wall 35-370mm ; support up to 45" / 25Kg
LS-AAE444	R 1,750	Aavara AE444 wall-mount LCD / Plasma arms - ultra slim profile - aluminium alloy, 2 arms with 3 joint, /-15 Degree tilt, /-60 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: up to 400x400mm; dim: 430x285x35mm, distance from wall 35-360mm ; support up to 52" / 35Kg
LS-AAi110	R 2,009	Aavara Ai110 free style display stand - flip mount for 1x display - grommet base, with 1 arm/ 2 joints - 110 Degree (90~-20 Degree) tilt angle adjustable, 95 Degree (60~-35 Degree) tilt arm adjustment, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" /12Kg
LS-AAi210	R 2,237	Aavara Ai210 free style display stand - flip mount for 1x display - grommet base, with 2 arm/ 3 joints - 110 Degree (90~-20 Degree) tilt angle adjustable, 95 Degree (60~-35 Degree) tilt arm adjustment, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" /12Kg
LS-AAi742	R 3,951	Aavara Ai742 free style LCD stand - dual flip mount 2x LCD - grommet base - 2 independent swing arms, horizontal & vertical shift, /-90 Degree swivel-able, 110 Degree (90 Degree ~-20 Degree) tilt angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" /10Kg
LS-AAMW20L	R 10,470	Aavara AMW20L full motion medical display arm- wall mount, 3 arms/ 6 joints - 80deg (-60deg~ 20deg) tilt angle adjustable, 80deg (-55deg~ 25deg) tilt arm adjustment, 185deg swivel angle adjustable, 360deg rotation pivot for landscape or portrait, arm height adjustable :671mm, with ExperTorque technology, smart cable management, aluminum alloy/Steel, vesa wall-mount: 100x100 / 75x75mm, support up to 12Kg
LS-AAR011	R 662	Aavara AR011 LCD monitor arms , /-20deg free angle tilt , /-20deg swivel , 90deg rotateable , with safety lock , with ExperTorque technology , compliant with VESA FPMPMI standards , max. mounting: 100x100 / 75x75mm ; dim : 115x115x90.7mm , profile from wall : 90.7mm , support up to 24" / 12Kg
LS-AAR110	R 1,140	Aavara AR110 LCD Monitor Arms, 1 arm with 2 jointed pivot points, /-20 Degree tilt, /-20 Degree swivel, 90 Degree rotateable, with safety lock, with ExperTorque technology, with smart cable management, compliant with VESA FPMPMI standards, max. mounting: 100x100 / 75x75mm; dim: 115x180x265mm, profile from wall: max85-265mm, support up to 24" / 12Kg
LS-AAS244	R 2,530	Aavara AS244 wall-mount LCD / plasma arms - 2 pivot - ultra slim profile - aluminium alloy, 2 arms with 3 joint, 32 Degree (17 Degree ~-15 Degree) tilt, /-90 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 100/200/300/400mm; dim: 430x285x35mm, distance from wall 41-381mm; support up to 25Kg
LS-AAS444	R 3,217	Aavara AS444 wall-mount LCD / plasma arms - 4 pivot - ultra slim profile - aluminium alloy, 4 arms with 5 joint, 32 Degree (17 Degree ~-15 Degree) tilt, /-60 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 100/200/300/400mm; dim: 430x285x35mm, distance from wall 41-371mm; support up to 35Kg
LS-AATW10L	R 4,644	Aavara ATW10L Full Motion Display Arm - wall mount, 1 arm / 2 joints - 110deg (90deg~-20deg) tilt angle adjustable, 95deg (60deg~-35deg) tilt arm adjustment, /-90deg swivel angle adjustable, 360deg rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting up to 400x400, support up to 30Kg
LS-AATW20M	R 5,329	Aavara ATW20M Full Motion Display Arm - Wall mount, 2 arm / 3 joints - 110deg (90deg~-20deg) tilt angle adjustable, 95deg (60deg~-35deg) tilt arm adjustment, /-90deg swivel angle adjustable, 360deg rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting up to 400x400, support up to 20Kg
LS-AAW110	R 2,017	Aavara AW110 free style display arm - wall mount, 1 arm / 2 joints - 110 Degree (90 Degree ~-20 Degree) tilt

		angle adjustable, 95 Degree (60 Degree ~-35 Degree) tilt arm adjustment, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 10Kg
LS-AAW210	R 2,398	Aavara AW210 free style display arm - wall mount, 2 arm / 3 joints - 110 Degree (90 Degree ~-20 Degree) tilt angle adjustable, 95 Degree (60 Degree ~ -35 Degree) tilt arm adjustment, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 12Kg
LS-AAW742	R 4,225	Aavara AW742 free style wall-mount - dual flip mount 2x LCD - 2 independent swing arms, horizontal & vertical shift, /-90 Degree swivel-able, 110 Degree (90 Degree ~-20 Degree) tilt angle adjustable, 360 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" /10Kg
LS-ACDT760	R 15,336	Aavara CDT760 TV cart - 4 wheels with lock, support up to 65" /35Kg TV, 500mm height adjustable, with modularized PC holder/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100mm up to 700x600mm (ORDER ON REQUEST)
LS-ACND01	R 24,740	Aavara CND01 mobile/medical workstation cart (Dual display) - 4 wheels with lock, support up to 2x 24" / 8KGs LED with 40 Degree tilt 360 Degree rotation, 205 500mm height adjustable, with modularized PC holder/ scanner holder/ keyboard mouse pad tray/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 52" /35Kg
LS-ACNH01	R 23,459	Aavara CNH01 Mobile/ Medical Workstation Cart - 4 wheels with lock, support up to 24" /8KGs LED with 30deg tilt 360deg rotation, 130 500mm height adjustable, with modularized PC holder/ scanner holder/ keyboard mousepad tray/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 52" / 35Kg (Only Cart, Screen, keyboard, mouse etc... Not included)
LS-ACNR01	R 23,664	Aavara CNR01 mobile/medical workstation cart (with display arm) - 4 wheels with lock, support up to 24" /8KGs LED with 30 Degree tilt 360 Degree rotation, 130 500mm height adjustable, with modularized PC holder/ scanner holder/ keyboard mouse pad tray/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 52" / 35Kg
LS-AD9250	R 1,723	Aavara D9250 ceiling mount for LCD / Plasma - Double sided, 924-1424mm length adjustable - to be used with 2 x EF6540
LS-ADS200	R 2,002	Aavara DS200 dual flip mount 2x LCD stand - 2 independent swing arms, horizontal & vertical shift 15° swivel-able 15° tilt 90º rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" / 12Kg
LS-ADS210	R 2,824	Aavara DS210 Dual Flip mount 2x LCD stand - 2 independent swing arms, horizontal & vertical shift /- 15° swivel-able /- 15° tilt 90° rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 200x100/ 100x100/ 75x75mm, support up to 2 x 32" /8Kg
LS-ADS300	R 3,481	Aavara DS300 Tripple flip mount 3x LCD stand - 1 center fixed 2 independent swing arms, horizontal & vertical shift, /- 15° swivel-able , /- 15° tilt 90° rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 3 x 24" /6Kg
LS-ADS310	R 4,753	Aavara DS310 Tripple flip mount 3x LCD stand - 1 center fixed 2 independent swing arms, horizontal & vertical shift, /- 15 Degree swivel-able, 25 Degree tilt 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 200x100/ 100x100/ 75x75mm, support up to 3 x 32" /8Kg
LS-ADS310i	R 4,524	Aavara DS310i Tripple flip mount 3x lcd - grommet base - 1 center fixed 2 independent swing arms, horizontal & vertical shift, /- 15 Degrees swivelable, 25 Degrees tilt 90 Degrees rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 200x100/ 100x100/ 75x75mm, support up to 3 x 32" /8Kg
LS-ADS360	R 3,974	Aavara DS360 Tripple flip mount extended pole - add extra 3x lcd for DC310 / DS310 / DS310i - 1 center fixed 2 independent swing arms, horizontal & vertical shift, /- 15 ° swivelable, 25 ° tilt 90 º rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting : 200x100 / 100x100 / 75x75mm, support up to 3x 32" /8Kg

LS-ADS410	R 4,928	Aavara DS410 Quattro flip mount 4x LCD stand - 4 independent swing arms, horizontal & vertical shift 30degree swivel-able 30degree tilt 90degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 200x100/ 100x100/ 75x75mm, support up to 4 x 32" /8Kg
LS-ADS440	R 1,794	Aavara DS440 dual flip mount extended pole - add extra 2x LCD for TS742/TC742/Ti742/DS200 - 2x independent swing arms, horizontal & vertical shift 30Â° swivel-able 30Â° tilt 90Â° rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" /12Kg
LS-ADS460	R 3,150	Aavara DS460 Tripple flip mount extended pole - add extra 3x LCD for TS743/TC743/Ti743/DS300 - 3x independent swing arms, horizontal & vertical shift, /- 15degrees swivel-able, /- 15degrees tilt 90degrees rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100/ 75x75mm, support up to 3 x 24" /6Kg. support size/ weight : 3x 24" / 6kg, max. vesa mounting - mm : 100x100 / 75x75, Swivel angle : 30degrees, tilt angle : 30degrees, rotation : 90degrees, smart cable management : Y, ExperTorque technology : Y
LS-AEE5040	R 1,217	Aavara EE5040 Wall Mount Kit for LCD / Plasma - aluminum alloy, 0 - 15 Degree tilt, automatic safety lock, anti-theft lock, left/right 20mm lateral shift, max. mounting: 510x410mm; dim: 788x490x45mm, profile from wall: 70mm, 45mm ultra slim profile; support up to 52" / 80Kg
LS-AEE8050	R 1,624	Aavara EE8050 wall mount kit for lcd / plasma - aluminum alloy, 0 Degree - 15 Degree tilt, automatic safety lock, anti-theft lock, left/right 20mm lateral shift, max. mounting: 810x500mm; dim: 788x524x75mm, profile from wall: 75mm; support up to 400x400mm vesa wall mount / 65" / 80Kg
LS-AEF2020	R 611	Aavara EF2020 vesa wall mount kit - mounting: 100x100 / 200x100 / 200x200 mm, /-15 Degree tilt, with safety lock, anti-theft lock, 45mm ultra slim profile, support up to 45" / 60kg
LS-AEF220	R 1,149	Aavara EF220 vesa wall mount kit - Max vesa mounting: 200x200mm, with safety lock, 20mm from wall ultra slim profile, support up to 45" /25kg
LS-AEF4030	R 1,370	Aavara EF4030 wall mount kit for lcd / plasma - aluminum alloy, 0 Degree, 5 Degree, 10 Degree, 13 Degree, 15 Degree tilt, automatic safety lock, anti-theft lock, left/right 20mm lateral shift, max. mounting: 440x330mm; dim: 780x490x45mm, profile from wall: 45mm, 45mm ultra slim profile; support up to 52" / 80Kg
LS-AEF440	R 1,327	Aavara EF440 vesa wall mount kit - Max vesa mounting: 400x400mm, with safety lock, 20mm from wall ultra slim profile, support up to 52" / 35kg
LS-AEF6540	R 1,657	Aavara EF6540 Wall Mount Kit for LCD / Plasma - Aluminum Alloy, 0 Degree, 5 Degree, 10 Degree, 13 Degree, 15 Degree tilt, automatic safety lock, anti-theft lock, left/right 20mm lateral shift, max. mounting: 720x450mm; dim: 788x490x45mm, profile from wall: 48mm, 40mm ultra slim profile; support up to 400x400mm vesa wall mount / 62" / 80Kg
LS-AEL1010	R 252	Aavara EL1010 vesa wall mount kit - mounting: 75x75 / 100x100mm, support up to 23" /15kg; fixed wall bracket; steel construction; LCD and LED compatible; compact design; easy installation
LS-AEL2010	R 529	Aavara EL2010 vesa wall mount kit - mounting: 100x100 / 200x100mm, with safety lock, 40mm ultra slim profile, support up to 32" /60kg
LS-AEL2020	R 529	Aavara EL2020 vesa wall mount kit - mounting: 100x100 / 200x100 / 200x200 mm, with safety lock , anti-theft lock, 40mm ultra slim profile, support up to 45" /60kg
LS-AGS110C	R 4,787	Aavara GS110C free style Gaming Display stand - flip Mount for 1x Display - grommet clamp base, with 2 arm / 3 joints, Tilt angle adjustable, Tilt arm adjustment, Swivel angle adjustable, 360 degree rotation pivot for landscape or portrait, Height adjustable, with ExperTorque technology, Smart cable management, Aluminum alloy/Steel, 100 x 100 / 75x75mm VESA mounting, Support up to 49" / 19kg
LS-AGW110C	R 3,796	Aavara GW110C free style Gaming Display stand - flip Mount for 1x Display - wallmount, with 2 arm / 3 joints, Tilt angle adjustable, Tilt arm adjustment, Swivel angle adjustable, 360 degree rotation pivot for landscape or portrait, Height adjustable, with ExperTorque technology, Smart cable management, Aluminum alloy/Steel, 100 x 100 / 75x75mm VESA mounting, Support up to 49" / 19kg
LS-AHA741L	R 1,308	Aavara HA741L - height adjustable stand for 1x lcd - heavy-duty load up to 12kgs - 360degrees swivel-able 30degrees tilt angle adjustable, 360degrees rotation pivot for landscape or portrait, 130mm height adjustable, with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100 / 75x75mm,

		support up to 1 x 24" /12Kg - white
LS-AHS740	R 1,666	Aavara HS740 - 130mm height adjustable stand for 1x LCD keyboard holder pc holder (175~340mm x 60~100mm slim pc) - 180 Degree swivel-able 30 Degree tilt angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 1 x 24" /10Kg
LS-AHS740L	R 2,223	Aavara HS740L - 130mm height adjustable stand for 1x lcd keyboard holder pc holder (175~340mm x 60~100mm slim pc) - heavy-duty load up to 12kgs - 360degrees swivel-able 30degrees tilt angle adjustable, 360degrees rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 1 x 24" /12Kg
LS-ATC001	R 509	Aavara TC001 clamp base unit for DS200/DS400/TS011
LS-ATC002	R 991	Aavara TC002 heavy duty dual clamp base unit for DS300 / DS600 / DS210 / DS410 / DS310 / DS610 / TS021 / TS022 / TS042
LS-ATC011	R 1,245	Aavara TC011 flip mount for 1x LCD - clamp base, ideal for PoS application with mirror image - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 1 x 24" /12Kg
LS-ATC021	R 2,067	Aavara TC021 flip mount for 1x LCD stand (support optional arm module for kb or printer) - Clamp base - 20Â° swivel-able 15Â° tilt angle adjustable, 90Â° rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting : 200x100 / 100x100 / 75x75mm, support up to 1 x 32" /15Kg
LS-ATC022	R 1,379	Aavara TC022 flip mount for 2x LCD (double sided) - clamp base, ideal for PoS application with mirror image - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 2 x 24" /12Kg
LS-ATC024	R 1,712	Aavara TC024 (TC022 TCB24) flip mount for 4x LCD (2x vertical double sided with extended pole) - clamp base - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 2 x 24" /12Kg
LS-ATC110	R 1,494	Aavara TC110 flip mount for 1x LCD - clamp base, with 1 arm / 2 joints, ideal for PoS application - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 24" /12Kg
LS-ATC210	R 1,723	Aavara TC210 flip mount for 1x LCD - clamp base, with 2 arm/ 3 joints, ideal for PoS application - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" /12Kg
LS-ATC742	R 1,823	Aavara TC742 Dual Flip Mount 2x LCD - clamp base - 2 independent swing arms, horizontal & vertical shift 20 Degree swivelable 20 Degree tilt 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, VESA mounting: 100x100 / 75x75mm, support up to 2 x 24" /12Kg
LS-ATC743	R 3,979	Aavara TC743 Tripple flip mount 3x LCD - Clamp base - 1 center fixed 2 independent swing arms , horizontal & vertical shift 20Â° swivel-able 20Â° tilt 90Âº rotation pivot for landscape or portrait , height adjustable , with ExperTorque technology , smart cable management , VESA mounting : 100x100 / 75x75mm , support up to 3 x 24" /12Kg
LS-ATCB12	R 1,179	Aavara TCB12 - extended pole - 1 arms / 2 joints - add extra LCD for Ti011 / TC011 / Ti022 / TC022 / Ti110 / TC110 - 20degrees tilt & swivel angle adjustable, 90degrees rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy / Steel, VESA mounting: 100x100 / 75x75mm, support up to 24" / 12Kg
LS-ATi001	R 435	Aavara Ti001 grommet base unit for all aavara monitor stand

LS-ATi011	R 1,232	Aavara Ti011 Flip Mount for 1x LCD - Grommet base, ideal for PoS application with mirror image - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 1 x 24" /12Kg
LS-ATi022	R 1,620	Aavara Ti022 Flip Mount for 2x LCD (double sided) - grommet base, ideal for PoS application with mirror image - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 2 x 24" /12Kg
LS-ATi110	R 1,379	Aavara Ti110 Flip Mount for 1x LCD - Grommet base, with 1 arm/ 2 joints, ideal for PoS application - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/ Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" /12Kg
LS-ATi210	R 1,607	Aavara Ti210 Flip Mount for 1x LCD - Grommet base, with 2 arm / 3 joints, ideal for PoS application - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 24" /12Kg
LS-ATS011	R 1,438	Aavara TS011 flip mount for 1x lcd stand (support optional arm module for kb or printer) - 20 Degree tilt & swivel angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 2 x 24" /12Kg
LS-ATS021	R 1,656	Aavara TS021 flip mount for 1x LCD stand (support optional arm module for kb or printer) - 20 Degree swivel-able 15 Degree tilt angle adjustable, 90 Degree rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 200x100/ 100x100/ 75x75mm, support up to 1 x 32" /15Kg
LS-ATSB12	R 1,004	Aavara TSB12 - extended pole - add extra LCD for Ti011/TC011/Ti022/TC022/Ti110/TC110 - 20degrees tilt & swivel angle adjustable, 90degrees rotation pivot for landscape or portrait, height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 24" /12Kg
LS-AV6721	R 2,487	Aavara V6721 Wall-mount Column Rail System for 2x display (vertical or horizontal, position adjustable) - aluminium alloy, 1 jointed pivot points, /-20 Degree tilt, /-20 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 75x75/100x100mm; dim: 677x115x111mm, profile from wall: 110mm; support up to 12Kg (per display)
LS-AV8822	R 3,434	Aavara V8822 wall-mount column rail system for 2x display (vertical or horizontal, position adjustable) - aluminum alloy, 1 jointed pivot points, /-15 Degree tilt, /-20 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management
LS-AVC831	R 3,988	Aavara VC831 Wall-Mount column rail system for 3x display (vertical or horizontal, position adjustable) - aluminium alloy, 1 jointed pivot points, /-20 Degree tilt, /-20 Degree swivel, automatic safety lock, with ExperTorque technology, with smart cable management, vesa wall-mount: 75x75/100x100mm; dim: 1287x115x111mm, profile from wall: 110mm; support up to 12Kg (per display)
LS-AW8812	R 6,663	Aavara W8812 Wall-mount rail system for 1x Display 1x Keyboard - free style kb arm (2x arms/ 3x joints) AW110 free style display arm (1x arm / 2x joints - 110deg (90deg~-20deg) tilt angle adjustable, 95deg (60deg~-35deg) tilt arm adjustment, /-90deg swivel angle adjustable, 360deg rotation pivot for landscape or portrait), height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 10Kg 2.5Kg
LS-AW8822	R 7,002	Aavara W8822 Wall-mount rail system for 1x display 1x Keyboard - free style kb arm (2x arms/ 3x joints) AW210 free style display arm (2x arms / 3x joints - 110° (90°~-20°) tilt angle adjustable, 95° (60°~-35°) tilt arm adjustment, /-90° swivel angle adjustable, 360° rotation pivot for landscape or portrait), height adjustable, with ExperTorque technology, smart cable management, aluminium alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 10Kg 2.5Kg

LS-AWS210	R 7,002	Aavara WS210 WorkStation Freestyle for 1x lcd 1x keyboard/mouse tray - with 2 arms/ 3 joints - clamp base - display: 40deg (-5deg-35deg) tilt angle adjustable, /-90deg swivel angle adjustable, 360deg rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0deg-90deg tilt angle adjustable 436mm Arm/Keyboard tray height adjustment, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" / 8Kg
LS-AWS742	R 7,014	Aavara WS742 WorkStation Freestyle for 2x lcd 1x keyboard/mouse tray - with 2 arms/ 3 joints - clamp base - display: 40 Degree (-5~35 Degree) tilt angle adjustable, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0~90 Degree tilt angle adjustable 436mm Arm/Keyboard tray height adjustment, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 2 x 24" / 8Kg
LS-AWSF110	R 5,717	Aavara WSF110 WorkStation Freestyle - for 1x lcd 1x keyboard/mouse tray - with 1 arms / 2 joints - wall mount - display: 30 Degree (0~35 Degree) tilt angle adjustable, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0~90 Degree tilt angle adjustable, 124mm display height adjustable 436mm Arm/Keyboard tray height adjustment, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" / 8Kg
LS-AWSF210	R 6,297	Aavara WSF210 WorkStation Freestyle - for 1x lcd 1x keyboard/mouse tray - with 2 arms/ 3 joints - wall mount - display: 30 Degree (0~30 Degree) tilt angle adjustable, /-90 Degree swivel angle adjustable, 360 Degree rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0~90 Degree tilt angle adjustable 436mm Arm/Keyboard tray height adjustment, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" / 8Kg
LS-AWSR210	R 4,720	Aavara WSR210 workstation for 1x lcd 1x keyboard/mouse tray - with 2 arms / 3 joints - wall mount - display: 40degree (-5degree~35degree) tilt angle adjustable, /-90degree swivel angle adjustable, 360degree rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0degree~90degree tilt angle adjustable, 436mm height adjustable, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100 / 75x75mm, support up to 24" /8Kg (ORDER ON REQUEST)
LS-AWSR742	R 5,936	Aavara WSR742 workstation for 2x lcd 1x keyboard/mouse tray - with 2 arms/ 3 joints - wall mount - display: 40degrees (-5degrees~35degrees) tilt angle adjustable, /-90degrees swivel degrees angle adjustable, 360degrees rotation pivot for landscape or portrait, 124mm height adjustable; kb tray: 0degrees~90degrees tilt angle adjustable, 436mm height adjustable, support up to 2.5Kg; with ExperTorque technology, smart cable management, aluminum alloy/Steel, VESA mounting: 100x100/ 75x75mm, support up to 24" /8Kg (ORDER ON REQUEST)
LS-JTSA101	R 1,162	j5 create JTSA101 Ergonomic Monitor stand - clamp gromment base, with 2 Arm / 3 joints Tilt angle adjustable, Swivel angle adjustable, 360& #186; rotation pivot for landscape or Portrait, 142mm height adjustable, Integrated Cable Management, Aluminum alloy/Steel, VESA mounting, Support up to 32" / 8kg
LS-JTSA102	R 2,099	J5 Create JTSA102 - Dual-monitor arm, adjustable height (13-36"), VESA 75x75 & 100x100, tilt/swivel rotation
LS-JTSA301	R 2,431	J5-Create JTSA301 Ergonomic Monitor Mount with Dock
LS-JTSA302	R 4,643	J5 Create JTSA302 - Dual-monitor arm with integrated docking station, USB-C PD 100W, HDMI 4K, Ethernet, VESA mount
MON-BRA-F-3270	R 153	Unbranded Monitor bracket fixed 32-70 inch, Max 40kg ' s, Does not include fixing screws
MON-BRA-S-2355	R 353	Unbranded Monitor bracket swivel Arm 23-55 inch, Max 30kg ' s, Does not include fixing screws
MOUNT	R 288	Microworld Universal Mount bracket, VESA mounting
MWUF2Z/A	R 3,922	Apple VESA Mount Adapter, MWUF2Z/A
NS-814	R 213	Microworld NS-814 bracket 400x400 VESA 26" -55"
RW-MA100+	R 1,057	Rogueware MA100 Aerotilt Gaming single Monitor Arm with RGB & VESA plate - 17" to 35" , Mechanical Spring Monitor Arm, 5-14 kg (Flat) weight capacity, Tilt, Swivel, Rotation, 477mm Arm extension, Clamp & grommet mounting options
RW-MA200+	R 1,781	Rogueware MA200 Aerotilt Gaming Dual Monitor Arm with RGB & VESA plate - 17" to 35" , Fit Curved Monitor, 5-14kg weight capacity (per screen), 75x75 &100 x 100 VESA compatible, Tilt, Swivel, Screen rotation, 477mm

		Arm full extension, Clamp or grommet installation
TC-001A	R 1,379	Microworld TC-001A TV Trolley stand up to VESA 200x200, Designed for mounting flat panel televisions weighing up to 20 kg, Integrated wheels
UNIMMSD	R 599	Unimount Dual Monitor Stand - Free Tilting Design, Swiveling Arms, Fine Tuning Height Adjustment, Cable Clip, Freely Adjusting Height, Detachable VESA Plate Design, Portrait And Landscape Orientation, Retail Box, 6 Months Warranty
UNIQ-1800S	R 3,999	UniQue Heavy Duty Mobile Display Stand Cart - 60 Up To 100 Inches Displays, 150 Kg Max Load, Four-Wheel Base (Two Wheels With Brakes), Anti-Skid Screws, And An Anti-Off Design For Safety, Plus A 10 Degree Arm Tilt Adjustment, Supports VESA 200x200 To 1000x600 Mm; Overall Size 1700x64x100 Mm, Package 62x173x12 Cm, And Package Weight 24.8 Kg, Black Color, Retail Box, 6 Months Warranty
VK-4000-BK	R 172	Volkano Steel series 17-42" Black Flat TV Wall Mount
VK-4001-BK	R 207	Volkano Steel series Black 27-55" Flat TV Wall Mount
VK-4004-BK	R 264	Volkano Black Full Motion TV Wall Mount for 26~55" TV
VK-4007-BK	R 736	Volkano steady Duo Series Dual Monitor Desk Mount, 17 ~ 27" screen size, Adjustable angle, Tilt, Swivel, 100 x 100 / 75 x 75 mm VESA, 8 kg Maximum weight
VK-4008-BK	R 586	Volkano steady uno Series Monitor Desk Mount, 17 ~ 27" screen size, Adjustable angle, Tilt, Swivel, 100 x 100 / 75 x 75 mm VESA, 10 kg Maximum weight
VK-4009-BK	R 517	Volkano Riser Hub Series Monitor stand with 3 Port USB Hub, VK-4009-bk, Fully detachable Modular design, Non-Skid foam pads
VK-4012-BK	R 240	Volkano Steel Series TV Wall Mount Flat 37" - 70" - Black
VK-4014-BK	R 206	Volkano Steel Series SoundBar and Speaker TV bracket - Black
VK-4021-BK	R 155	Volkano Steel Series fixed TV Wall Mount for 19" - 55" TVs. The Volkano Steel Series Fixed TV Wall Mount for 19" - 55" TVs is a durable and low-profile mount for smaller TVs. Its steel build and easy installation make it ideal for homes or offices.
VK-4021-BK	R 149	Volkano Steel Series fixed TV Wall Mount for 19" - 55" TVs, No Tilt, Flat or Curved TV
VK-4022-BK	R 172	Volkano Steel Series Tilt TV Wall Mount for 23" - 55" TVs. The Volkano Steel Series Tilt TV Wall Mount for 23" - 55" TVs offers secure mounting and easy downward tilt adjustment. Its strong steel build and sleek design make it ideal for smaller rooms.
VK-4023-BK	R 207	Volkano Steel Series fixed TV Wall Mount 32" - 70" TVs. Fixed TV wall mount, steel build, fits 32 to 70 inch TVs, max load 45kg, VESA 200x200 to 600x400mm, black colour, low-profile 35mm wall distance. Ideal for fixed, low-profile mounting with easy setup.
VK-4024-BK	R 245	Volkano Steel Series fixed TV Wall Mount for 37" - 86" TVs. The Volkano Steel Series Fixed TV Wall Mount for 37" - 86" TVs delivers solid, permanent mounting for large TVs. Its strong steel build and sleek design suit home or commercial use.
VK-4024-BK	R 199	Volkano Steel Series fixed TV Wall Mount for 37" - 86" TVs, Up to 68Kg, Tilt, Swivel, Rotation, Flat Mount
VK-4025-BK	R 253	The Volkano Steel Series Tilt TV Wall Mount for 32" - 70" TVs is a durable and adjustable solution for secure mounting. It offers downward tilt flexibility, strong steel construction, and easy installation.
VK-4026-BK	R 282	Volkano Steel Series Tilt TV Wall Mount for 37" - 86" TVs. The Volkano Steel Series Tilt TV Wall Mount offers a strong, adjustable, and space-saving solution for mounting flat-screen TVs between 37 and 86 inches. Easy to install and built with durable steel, this mount enhances your viewing comfort by allowing tilt adjustments while securing your TV firmly on the wall.
VK-4029-BK	R 432	Volkano Steel Series full motion single Arm TV Wall Mount 32" - 55" TVs. The Volkano Steel Series Full Motion Single Arm TV Wall Mount for 32" - 55" TVs offers versatile motion and strong support. Its durable steel build and easy installation make it a great choice. Buy now from our site. Extension arm (Profile 63mm to 358mm), swivel (left and right) and tilt (up and down).
VK-4031-BK	R 599	Volkano Steel Series 60 to 110-inch Universal Flat and Curved TV Wall Mount, the perfect solution for securely mounting your television for a sleek and space-saving setup.
VK-4031-BK[V1]	R 582	Volkano Steel series Fixed Universal Flat & Curved Tv Wall Mount For 60" - 110" TVs. The Volkano VKâ€'4031â€'BK heavyâ€'duty fixed TV wall mount fits flat and curved televisions from 60" to 110" , supporting up

		to 75 kg with wallâ€'mount patterns up to 900 x 600 mm. Constructed from sturdy steel with a slim 30 mm profile, it lets your screen sit close to the wall for a sleek look. Comes complete with installation template, spirit level, full hardware kit and user manual. Ideal for living rooms, boardrooms or media walls.
WB-SQ-1000	R 1,363	HowLo Square Wall Mount Brackets, 1000mm Offset, 32-60mm, Two Clamp, Galvanised
WX-BR101	R 162	WINX WX-BR101 Mount simple TV bracket, Supports 37" to 70" TVs, Built-In Bubble level, VESA compatible, 40kg Max weight, 27mm profile, Solid wall Double Stud installation
WX-BR102	R 452	WINX WX-BR102 Mount Max Tilt TV bracket, For 37" - 80" screen sizes, VESA compatible, 80kg Max weight, 60mm profile, Solid wall Double Stud installation, Tilt
WX-BR103	R 869	WINX MOUNT 37" to 86" Ultra Full Motion TV Bracket
WX-BR104	R 205	WINX WX-BR104 Mount Pro full motion TV bracket, For 23" - 43" screen sizes, VESA compatible, 30kg Max weight, Built-In Cable Management, Tilt, Swivel
WX-BR105	R 672	Winx Rise Simple Single Monitor Arm
WX-BR106	R 1,266	Winx Rise Simple Dual Monitor Arm - 2x 17" to 32"
YT-DT200	R 114	Microworld YT-DT200 bracket 200x200 VESA 14" -32"
YT-DT500	R 150	Microworld YT-DT500 bracket 400x400 VESA 26" -65"

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Motherboards AMD

Motherboards: AMD Socket AM4 Motherboard

Product code	Price	Description
90MB1500-M0EAY0	R 1,299	Gigabyte AMD A520M K V2 AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, AMD A520 Chipset, 2x DDR4 DIMM Memory slots, 1x D-Sub Port, 1x HDMI Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector PCI-e 3.0 x4/x2, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
A520M-A PRO	R 1,125	MSI A520M-A Pro AMD 3rd Gen Socket AM4 mATX Motherboard, AMD A520 Chipset, 2 DIMM slots, 64GB Maximum Memory, 1x PCI-e x16, PCI-e Gen 3, 1x PCI-e x1, 1x M.2 slot, RAID 0 / 1 / 10, 1x Realtek RTL8111H Gigabit LAN, USB 3.2 ports, USB 2.0 ports, Serial port, DVI-D, HDMI, mATX form factor, 4x SATA 6Gb/s ports, 7.1-channel high definition audio
A520M-APRO	R 1,148	MSI A520M-A Pro AMD 3rd Gen Socket AM4 mATX Motherboard, AMD A520 Chipset, 2 DIMM slots, 64GB Maximum Memory, 1x PCI-e x16, PCI-e Gen 3, 1x PCI-e x1, 1x M.2 slot, RAID 0 / 1 / 10, 1x Realtek RTL8111H Gigabit LAN, USB 3.2 ports, USB 2.0 ports, Serial port, DVI-D, HDMI, mATX form factor, 4x SATA 6Gb/s ports, 7.1-channel high definition audio
A520M-HVS	R 968	Asrock A520M-HVS AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, AMD A520 Chipset, 2x DDR4 DIMM Memory slots, 1x PCI-e x16 Gen3, 1x PCI-e x1, 4x SATA 3, 1x M.2 slot, Realtek RTL8111h Gigabit LAN, 5x USB 3.2 Gen 1 Ports (Type-A), 4x USB 2.0 Ports (Type-A), 1 Serial Port, Realtek ALC892/ALC897 Codec, 1x D-Sub Port, 1x HDMI
A520M-K-PRIME	R 1,129	Asus Prime A520M-K AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, AMD A520 Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI, 1x M.2 slots, 4x SATA 6Gb/s Port supports up to PCI-e 3.0 x4, Realtek RTL8111h 1GB Ethernet, USB 3.2 Gen 1 Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
A520M-PRO	R 1,191	MSI A520M-PRO A520 Chipset AMD AM4 Socket M-ATX Motherboard
ASUS PRIME A520M-K	R 1,231	Asus PRIME A520M-K A520 Chipset AMD AM4 Socket Motherboard, 2 x DIMM, Max. 64GB, DDR4 4600(O.C)/ 4400(O.C)/ 4000(O.C.)/ 3866(O.C.)/ 3733(O.C.)/ 3600(O.C.)/ 3466(O.C.)/ 3333(O.C.)/ 3200/ 3000/ 2800/ 2666/ 2400/ 2133 MHz Un-buffered Memory, 1 x PS/2 keyboard/mouse combo port(s), 1 x D-Sub, 1 x HDMI, 1 x LAN (RJ45) port(s), 4 x USB 3.2 Gen 1 (blue) Type-A, 2 x USB 2.0, 3 x Audio jack(s), 1 x CPU Fan connector(s), 1 x Chassis Fan connector(s), 1 x USB 3.2 Gen 1(up to 5Gbps) connector(s) support(s) additional 2 USB 3.2 Gen 1

		port(s), 2 x USB 2.0 connector(s) support(s) additional 4 USB 2.0 port(s), 1 x M.2 Socket 3 with M key, type 2242/2260/2280 storage devices support (SATA & PCIE 3.0 x 4 mode), 1 x SPI TPM header, 4 x SATA 6Gb/s connector(s), 1 x S/PDIF out header(s), 1 x 24-pin EATX Power connector(s), 1 x 8-pin EATX 12V Power connectors, 1 x Front panel audio connector(s) (AAFP), 1 x Clear CMOS jumper(s), 1 x System panel connector, 1 x COM port header, 1 x Speaker connector, mATX Form Factor, 22.6 cm x 22.1 cm
ASUS PRIME B550M-K ARGB	R 1,553	ASUS PRIME B550M-K ARGB AMD Ryzen 5000 Series Socket AM4 ATX Motherboard, AMD B550 Chipset, 2x DDR4 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, X PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x1 slot, 2x M.2 slots, 4x SATA 6Gb/s Ports, 1x Realtek 1GB Ethernet, USB 3.2 Gen 1 (5G) Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround sound High Definition audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse combo Port
ASUS ROG STRIX B450-F GAMING II	R 1,954	Asus ROG Strix B450-F Gaming II, AMD AM4 Socket for AMD Ryzen 5000 Series/ 4000 G-Series/ 3rd/2nd/1st Gen AMD Ryzen/ 2nd and 1st Gen AMD Ryzen with Radeon, Memory: 4 x DIMM, Max. 128GB, Expansion Slots: 2 x PCIe 3.0 x16 (x16 or x8/x4), Storage and USB: 1 x M.2_1 socket 3, 4 x SATA 6Gb/s port(s), 4 x USB 3, Multi VGA: AMD 3-Way CrossFireX, Onboard VGA Output Available: 1x HDMI 1x DP
ASUS TUF B450-PLUS GAMING	R 2,272	Asus TUF B450-Plus Gaming AMD Ryzen 2nd Gen/ Ryzen with Rad Vega Graphics/ Athlon with Rad Vega Graphics/ Ryzen 1st Gen Proces, Memory: 4DDR4(Dual channel) 64GB (MAX), Expansion Slots: 1 x PCIe 3.0/2.0 x16 1 x PCIe 2.0 x16 (@x4 mode) PCIe x1 Slot X4, Storage and USB: SATA 6Gb/s*6(RAID 0, 1, 10) USB 3.1 GEN 1 (USB 3.0) 2@back(2*Type A) USB 2.0 *6 Multi VGA: CrossFire @x16/x4, Onboard VGA Output Available: 1 x HDMI 1 x DP
ASUS_CC_BUN_7	R 5,946	Asus Prime B760M-A WiFi LGA1700 and Asus Prime LC 240 ARGB Liquid CPU Cooler Bundle, Asus Prime B760M-A WiFi Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 2x HDMI Ports, 1x PCI-e 4.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 1x PCI-e 4.0 x16 slot (Supports x1 mode), 2x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6, Bluetooth V5.2, USB 3.2 Gen 2 Ports (Type-A), USB 2.0 Ports (Type-A), 1x USB 3.2 Gen 1 Connector supports USB Type-C, Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port, Asus Prime LC 240 ARGB Liquid CPU Cooler, Copper Block material (CPU plate), 400 mm sleeved rubber tube, Aura Sync support, Compatibility - Intel LGA 1851 / 1700 / 1200 / 115x / AMD AM5 / AM4, 2x 120mm fans, PWM / DC control mode, 75.7 CFM Air Flow
B450 TOMAHAWK MAX	R 1,838	MSI B450 Tomahawk Max AMD B450 Chipset AMD Ryzen AM4 Socket Motherboard, 4 x DDR4 memory slots, support up to 64GB, Supports 1866 - 4133 MHz, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 6 x SATA 6Gb/s connectors, 2 x USB 2.0 connectors (support additional 4 USB 2.0 ports), 1 x USB 3.2 Gen1 connectors (support additional 2 USB 3.2 Gen1 ports), 1 x 4-pin CPU fan connector, 1 x 4-pin water-pump-fan connector, 4 x 4-pin system fan connectors, 1 x TPM module connector, 1 x Front panel audio connector, 2 x System panel connectors, 1 x Chassis Intrusion connector, 1 x Serial Port connector, 1 x Clear CMOS jumper, 2 x 5050 RGB LED strip 12V connectors, Flash BIOS Button, PS/2 Combo Port, 2 x USB 3.2 Gen1, LAN Port, HD Audio Connectors, 2 x USB 2.0 Port, DVI-D Port, HDMI Port, 1 x USB 3.2 Gen2 Type A, 1 x USB 3.2 Gen2 Type C, ATX Form Factor, 30.5 cm x 24.4 cm
B450 TOMAHAWK MAX II	R 1,838	MSI B450 TomaHawk Maximum II AMD Ryzen 3rd Gen Socket AM4 ATX Motherboard, AMD B450 Chipset, 4 DIMM slots, 3x PCI-e x1, 6x SATA III, 1x M.2 slot, RAID 0 / 1 / 10, TPM (Header), 1x Realtek 8111H Gigabit LAN controller, Crossfire, 1 x PCI-e 3.0 x16 slot, 1 x PCI-e 2.0 x16 slot, USB 3.2 Gen 2 10Gbps Type-C Port, USB 3.2 Gen 2 10Gbps Type-A Port, USB 3.2 Gen 1 5Gbps ports, USB 2.0 ports, 7.1-channel high definition audio
B450M MORTAR MAX	R 1,723	MSI B450M Mortar Max AMD B450 Chipset AMD AM4 Ryzen Socket Motherboard, 4 x DDR4 memory slots, support up to 64GB, Supports 1866 - 4133 MHz, 1 x 24-pin ATX 12V power connector, 1 x 8-pin ATX 12V power connector, 4 x SATA 6Gb/s connectors, 2 x USB 2.0 connectors (support additional 4 USB 2.0 ports), 1 x USB 3.2 Gen1 connector (support additional 2 USB 3.2 Gen1 ports), 1 x 4-pin CPU fan connector, 3 x 4-pin system fan connectors, 2 x 5050 RGB LED strip 12V connectors, 1 x TPM module connector, 1 x Front panel audio connector, 2 x System panel connectors, 1 x Chassis Intrusion connector, 1 x Clear CMOS jumper, 1 x Serial Port connector, 1 x Parallel Port connector, Flash BIOS Button, PS/2 Combo Port, DisplayPort, LAN Port, USB 3.2 Gen2 Type A, HD Audio Connectors, 2 x USB 2.0 Ports, HDMI Port, 4 x USB 3.2 Gen1, USB 3.2 Gen2 Type C, Optical S/PDIF

		OUT, m-ATX Form Factor, 24.4 cm x 24.4 cm
B450M PRO-M2 MAX	R 1,378	MSI B450M PRO-M2 MAX AMD B450 Chipset AMD Ryzen AM4 Motherboard, 2 x DDR4 memory slots, support up to 32GB, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 4 x SATA 6Gb/s connectors, 2 x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1 x USB 3.2 Gen1 connector (supports additional 2 USB 3.2 Gen1 ports), 1 x 4-pin CPU fan connector, 1 x 4-pin system fan connector, 1 x Front panel audio connector, 2 x Front panel connectors, 1 x TPM module connector, 1 x Chassis Intrusion connector, 1 x Serial port connector, 1 x LED strip connector, 1 x Clear CMOS jumper, Mouse, VGA Port, 2 x USB 2.0, LAN Port, HD Audio Connectors, Keyboard, DVI-D Port, HDMI Port, 4 x USB 3.2 Gen1, m-ATX Form Factor, 24.4 cm x 20.6 cm
B450M-APROMAXII	R 1,149	MSI B450M-A Pro Max II B450 chipset mATX AMD Ryzen AM4 Motherboard
B550I GAMING EDGE WIFI	R 4,023	MSI B550I Gaming Edge WiFi AMD 3rd Gen Ryzen 9 AM4 Mini-ITX Motherboard, AMD B550 Chipset, 2 DIMM slots, 64GB Maximum Memory, 12 PCI-e x16, 4x SATA 6Gb/s ports, 22 M.2 slot, 1x Realtek 8125b 2.5G LAN, USB 3.2 ports, USB 2.0 ports, HDMI, 7.1-channel high definition audio, Intel AX200 WiFi, Bluettooth
B550M PHANTOM GAMING 4	R 1,937	Asrock B550 Phantom Gaming 4 AMD Ryzen 5000 Series Socket AM4 mATX Motherboard AMD B550 Chipset, 4x DDR4, 7.1 ch HD Audio, 2x PCI Express x16 slots (1x Gen4 x16 & 1x Gen3 x4 mode, 1x PCI Express 3.0 x1 slot, 4x SATA3 Ports, 2x M.2 supports up to Gen4 x4, 1x PS/2 Mouse / Keyboard Port, 1x HDMI Port, 1x DisplayPort 1.4, USB 3.2 Gen1 Ports, USB 2.0 Ports, 1x RJ-45 LAN Port, HD Audio jacks
B550M PRO-VDH	R 2,039	MSI B550M Pro-VDH AMD B550 Chipset AMD Ryzen AM4 socket Motherboard, 4x DDR4 memory slots, support up to 128GB, Supports DDR4 2667/ 2800 /2933 /3000 /3066 /3200 /3466 /3600/ 3733 /3866 /4000 /4133 /4266 /4400 MHz by A-XMP OC MODE, 1x 24-pin ATX main power connector, 4x SATA 6Gb/s connectors, 2x M.2 slots (M-Key), 1x USB 3.2 Gen 1 5Gbps Type-C port, 1x USB 3.2 Gen 1 5Gbps connector (supports additional 2 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water-pump fan connector, 1x Front panel audio connector, 2x System panel connectors, 1x Serial port connector, 1x Chassis Intrusion connector, 2x 4-pin RGB LED connectors, 2x 3-pin RAINBOW LED connectors, 1xTPM module connector, 1x Clear CMOS jumper, VGA, 4 x USB 3.2 Gen 1 5Gbps Type-A, Keyboard / Mouse, LAN, Clear CMOS Button, DisplayPort, HDMI, USB 2.0, HD Audio Connectors, Micro-ATX Form Factor, 24.4 cm x 24.4 cm
B550M PRO-VDH	R 2,183	MSI B550M Pro-VDH AMD B550 Chipset AMD Ryzen AM4 socket Motherboard, 4x DDR4 memory slots, support up to 128GB, Supports DDR4 2667/ 2800 /2933 /3000 /3066 /3200 /3466 /3600/ 3733 /3866 /4000 /4133 /4266 /4400 MHz by A-XMP OC MODE, 1x 24-pin ATX main power connector, 4x SATA 6Gb/s connectors, 2x M.2 slots (M-Key), 1x USB 3.2 Gen 1 5Gbps Type-C port, 1x USB 3.2 Gen 1 5Gbps connector (supports additional 2 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water-pump fan connector, 1x Front panel audio connector, 2x System panel connectors, 1x Serial port connector, 1x Chassis Intrusion connector, 2x 4-pin RGB LED connectors, 2x 3-pin RAINBOW LED connectors, 1xTPM module connector, 1x Clear CMOS jumper, VGA, 4 x USB 3.2 Gen 1 5Gbps Type-A, Keyboard / Mouse, LAN, Clear CMOS Button, DisplayPort, HDMI, USB 2.0, HD Audio Connectors, Micro-ATX Form Factor, 24.4 cm x 24.4 cm, Â© 2020 Laptop Direct
B550M-A PRO	R 1,838	MSI B550M-A Pro Socket AM4 3rd Gen mATX Motherboard, AMD B550 Chipset, 2 DIMM slots, 1x M.2 slot, 1x Realtek RTL8111h Gigabit LAN, USB 3.2 ports, USB 2.0 ports, Serial Port, DVI-D, HDMI, 1x PCI-e 3.0 x1 slot, 1x PCI-e 4.0/3.0 x16 slot, 4x SATA 6Gb/s ports, 7.1-channel high definition audio
B550MPRO-VDHWIFI	R 2,279	MSI B550M PRO-VDH WiFi 3rd Gen AMD Ryzen Socket AM4 mATX Motherboard, AMD Socket AM4, AMD B550 Chipset, 4 DIMM slots, 128GB Maximum Memory, 1x PCI-e x16, PCI-e GEN3/4, 2x PCI-e x1, 2x M.2 slot, 1x Realtek RTL8111HN Gigabit LAN, USB 3.2 ports, USB 2.0 ports, Serial ports, Audio ports, DisplayPort, VGA, HDMI, mATX form factor, 4x SATA 6Gb/s ports, 7.1-channel high definition audio, Intel Dual Band Wireless-AC 3168, Bluetooth
CP-AR5600GTF	R 2,730	AMD Ryzen 5 5600GT Processor (100-100001488BX): 6 cores, 12 threads, supports PCIe 4.0, DDR4, base clock 3.6GHz, boost up to 4.2GHz, optimized for gaming and multitasking, Wraith Cooler included, compatible with AM4 socket motherboards.
GA-A520M-K V2	R 1,014	Gigabyte AMD A520M K V2 AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, AMD A520 Chipset, 2x DDR4 DIMM Memory slots, 1x D-Sub Port, 1x HDMI Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot

		supporting PCI-e 3.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector PCI-e 3.0 x4/x2, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-A520M-S2H	R 1,128	Gigabyte A520M S2H A520 Chipset AMD Ryzen AM4 Socket Motherboard, Support for DDR4 5000(O.C.)/ 4866(O.C.)/ 4600(O.C.)/ 4400(O.C.)/ 4000(O.C.)/ 3600(O.C.)/ 3333(O.C.)/ 3200/ 2933/ 2667/ 2400/ 2133 MHz memory modules, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 2 x system fan headers, 1 x addressable LED strip header, 1 x RGB LED strip header, 1 x M.2 Socket 3 connector, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module (TPM) header (2x6 pin, for the GC-TPM2.0_S module only), 1 x serial port header, 1 x speaker header, 1 x chassis intrusion header, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 1 x D-Sub port, 1 x DVI-D port, 1 x HDMI port, 4 x USB 3.2 Gen 1 ports, 2 x USB 2.0/1.1 ports, 1 x RJ-45 port, 1 x Q-Flash Plus button, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 20.5cm
GA-B550M-K	R 1,470	Gigabyte B550M K AMD Ryzen 5000 Series Socket AM4 ATX Motherboard, AMD B550 Chipset, 4x DDR4 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 3.0 x16 mode, 1x PCI Express x1 slot supporting PCI-e 3.0 x1 mode, 1x M.2 connector supports up to PCI-e 3.0 x4/x2 SSDs, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-H470-HD3	R 2,569	Gigabyte H470 HD3 - H470 Express Chipset: Socket LGA 1200, Supports 10th Generation Intel Core, Pentium and Celeron Processors, Memory: 4x Dual Channel DDR4 DIMM Slots (128GB Max/ i9/ i7 2933MHz Supported, i5, i3, PDC, Cel 2666MHz Supported), Expansion Slots: 1x PCI-Express 3.0 (x16 Speed), 1x PCI-Express 3.0 (x4 Speed), 3x PCI-Express 3.0 (1x Speed), 1x PCI, Storage and USB: 6x SATA 3 (6 Gb/s) connections, 2x M.2 Connector (Socket 3, M Key), Supports RAID 0,1,5,10, 6x USB 3.2 (4x Back, 2x Cable), 1x USB 3.2 Type A (Back), 6x USB 2.0 Ports (2x Back, 4x Cable), 1x USB Type-C, Misc.: 7.1 Channel High Definition Audio, Support SPDIF Out, 1x IntelGBE Lan (10/ 100/ 1000 Mbit), Rear IO Panel Display Ports Available: 1x VGA, 1x DVI-D, 1x HDMI
MB-GA520MDS3H+W	R 1,734	Gigabyte A520M-DS3H Wifi(ac): AMD AM4 mb - with 5 3 phase digital VRM RGB Fusion with addressable LED Strip Support, on-board Q-Flash buttons, SmartFan5 with 5x temperature sensors 3x hybrid fan headers, solid pin power connectors (ATX 8pin), with anti-sulfur resistors - AMD A520 chipset, 4x dual channel DDR4-5000(O.C)/3200 (ECC non-ECC) with XMP support up to 128Gb, 4x SATA6G 1x Gen3x4 M.2/NGFF with raid 0/1//0 1/5/10, on-board display with HDMi DVi DisplayPort triple outputs (depends on CPU) Realtek ALC887 7.1 audio Realtek 8118 gigabit LAN, Intel 802.11 AC3168 dual band 433MBPs WiFi Bluetooth; 2x pci-E(1x), 1x pci-e3.0 16x, with 4x USB3.0 2x USB2.0, support optional serial port add-on cable, bundled norton internet security - micro-ATX
MB-GA520MDS3HV2	R 1,380	Gigabyte A520M-DS3H V2 AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, AMD A520 Chipset, 4x DDR4 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, GbE LAN Chip, 1x PCI Express x16 slot, 1x PCI Express x1 slot, 1x M.2 connector, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GA520MS2H	R 1,117	Gigabyte A520M S2H A520 Chipset AMD Ryzen AM4 Socket Motherboard, Support for DDR4 5000(O.C.)/ 4866(O.C.)/ 4600(O.C.)/ 4400(O.C.)/ 4000(O.C.)/ 3600(O.C.)/ 3333(O.C.)/ 3200/ 2933/ 2667/ 2400/ 2133 MHz memory modules, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 2 x system fan headers, 1 x addressable LED strip header, 1 x RGB LED strip header, 1 x M.2 Socket 3 connector, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module (TPM) header (2x6 pin, for the GC-TPM2.0_S module only), 1 x serial port header, 1 x speaker header, 1 x chassis intrusion header, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 1 x D-Sub port, 1 x DVI-D port, 1 x HDMI port, 4 x USB 3.2 Gen 1 ports, 2 x USB 2.0/1.1 ports, 1 x RJ-45 port, 1 x Q-Flash Plus button, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 20.5cm
MB-GB550AE+W	R 3,205	Gigabyte B550 Aorus Elite Wifi(ax): AMD AM4 mb - with 12 2 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board Q-Flash buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan5 with 6x temperature sensors

		5x hybrid fan headers, solid pin power connectors (ATX 24 8pin), PCIe armor with stainless steel shielding double locking bracket - AMD B550 chipset, 4x dual channel DDR4-4733(O.C)/3200 (ECC non-ECC) with XMP support up to 128Gb, 6x SATA6G dual (Gen4x4 Gen3x4) M.2/NGFF with thermal guards (PCIe or SATA) with raid 0/1//0 1/5/10, on-board display with HDMi DP dual output (depends on CPU) Realtek ALC1200 7.1 audio with optical s/pdif out realtek RTL8125 2.5Gb LAN, Intel WiFi6 802.11AX dual band WiFi Bluetooth (2.4Gbps); 1x PCi-Ex1, 3x PCi-Ex16 (Gen4@16x Gen3@2x Gen3@1x), no SLi/CrossfireX, with 2x USB3.2 type-A (Gen2 10GBPs) 4x USB3 type-A (Gen1 5GBPs) 2x USB2.0, bundled Norton internet security - atx
MB-GB550GX	R 2,239	Gigabyte B550 Gaming X: AMD AM4 Motherboard - with 10 3 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board Q-Flash buttons, MoSFET heatsinks SmartFan5 with 6x temperature sensors 5x hybrid fan headers, solid pin power connectors (ATX 24 8pin) - AMD B550 chipset, 4x dual channel DDR4-4733(O.C)/3200 (ECC non-ECC) with XMP support up to 128Gb, 4x SATA6G dual Gen3x4 M.2/NGFF (PCIe or SATA) with raid 0/1//0 1/5/10, on-board display with HDMi DVi dual output (depends on CPU) Realtek ALC887 7.1 audio Realtek 8118 gigabit LAN; 3x pci-e (1x), 2x pci-e 4.0 (16x 2x), no SLi/CrossfireX, with 1x USB3.2 type-A (Gen2 10GBPs) 3x USB3 type-A (Gen1 5GBPs) 2x USB2.0, bundled Norton internet security - ATX
MB-GB550MDS3H	R 1,988	Gigabyte B550M DS3H: AMD AM4 mb - with 5 3 phase digital VRM, RGB Fusion 2.0, Addressable LED Strip Support, on-board Q-Flash buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan5 with 5x temperature sensors 3x hybrid fan headers, solid pin power connectors (ATX 24 8pin) - AMD B550 chipset, 4x dual channel DDR4-4400(O.C)/3200 (ECC non-ECC) with XMP support up to 128Gb, 6x SATA6G dual Gen3x4 M.2/NGFF with thermal guards (PCIe or SATA) with raid 0/1//0 1/5/10, on-board display with HDMi DVi dual output (depends on CPU) Realtek ALC887 7.1 audio Realtek 8118 gigabit LAN; 1x pci-e (1x), 2x pci-e 4.0 (16x 4x), no SLi/CrossfireX, with 4x USB3 type-A (Gen1 5GBPs) 4x USB2.0, support optional serial port add-on cable, bundled Norton internet security - Micro-atx
MB-GB550MDS3H+W	R 2,266	Gigabyte B550M DS3H Wifi (ac): AMD AM4 mb - with 5 3 phase digital VRM, RGB Fusion 2.0, Addressable LED Strip Support, on-board Q-Flash buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan5 with 5x temperature sensors 3x hybrid fan headers
MB-GB550MK	R 1,734	Gigabyte B550M K: AMD AM4 mb - with 5 3 phase digital VRM, RGB Fusion 2.0, Addressable LED Strip Support, on-board Q-Flash buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan5 with 5x temperature sensors 2x hybrid fan headers
MPGB550GAMINGPLUS	R 2,674	MSI B550 GAMING PLUS AMD B550 Chipset AMD Ryzen 5000/3000/4000 G-Series ATX Motherboard, 4x DDR4 memory slots, support up to 128GB, 1x 24-pin ATX main power connector, 1x 8-pin ATX 12V power connector, 6x SATA 6Gb/s connectors, 2x M.2 slots (M-Key), 1x USB 3.2 Gen 1 5Gbps Type-C port, 1x USB 3.2 Gen 1 5Gbps connector (supports additional 2 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water-pump fan connector, 6x 4-pin system fan connectors, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 1x 4-pin RGB LED connector, 2x 3-pin RAINBOW LED connectors, 1xTPM module connector, 1x Clear CMOS jumper, PS/2 Combo Port, DisplayPort, LAN Port, USB 3.2 Gen 2 10Gbps (Type-A), HD Audio Connectors, Flash BIOS Button, 4 x USB 2.0, HDMI, 2 x USB 3.2 Gen 1 5Gbps (Type-A), USB 3.2 Gen 2 10Gbps (Type-C), Optical S/PDIF OUT, ATX Form Factor, 30.5 cm x 24.4 cm
PCB_UPK_15	R 5,640	PCBuilder AMD Ryzen 5 5500 LEVEL UP Core Upgrade Kit, AMD Ryzen 5 5500 6-core 3.6GHz AM4 CPU, Asus A520M Chipset AM4 Micro-ATX Motherboard, 16GB DDR4-3200 Memory
PCB_UPK_21	R 5,175	PCBuilder AMD Ryzen 5 3400G LEVEL UP Core Upgrade Kit, AMD Ryzen 5 3400G 4-core 3.7GHz AM4 CPU, Asus A520M Chipset AM4 Micro-ATX Motherboard, 16GB DDR4-3200 Memory
PRIME B550M-KARGB	R 1,783	Asus Prime B550M-K ARGB AMD Ryzen 5000 Series Socket AM4 Mini-ITX Motherboard, AMD B550 Chipset, 2x DDR4 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x1 slot, 2x M.2 slots supports up to PCI-e 4.0 x4, 4x SATA 6Gb/s Ports, 1x Realtek 1GB Ethernet, USB 3.2 Gen 1 (5G) Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio Codec, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PROB550M-APRO	R 1,577	MSI B550M-A PRO B550 Chipset AMD Ryzen AM4 Socket Micro-ATX Motherboard, 2x DDR4 memory slots,

		support up to 64GB, 1x 24-pin ATX main power connector, 1x 4-pin ATX 12V power connector, 4x SATA 6Gb/s connectors, 1x M.2 slots (M-Key), 1x USB 3.2 Gen 1 5Gbps connector (supports additional 2 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin system fan connectors, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 1xTPM module connector, 1x Clear CMOS jumper, LAN port, HDMI, DVI-D, Keyboard / Mouse, 4 x USB 3.2 Gen 1 5Gbps Type-A, 2 x USB 2.0 Ports, Audio Connectors, Micro-ATX Form Factor, 23.6 cm x 20 cm
ROGSTRIXB550-AGAMING	R 2,974	Asus ROG Strix B550-A Gaming AMD 5000 Series AM4 ATX Motherboard, AMD B550 Chipset, 4x DDR4 DIMM slots, 1x HDMI 2.1 (4K@60Hz), 1x DisplayPort 1.2, 3x PCI-e 3.0 x1, 1x PCI-e 4.0 x16 (x16 mode), 1x PCI-e 3.0 x16 (x16 mode), 6x SATA 6Gb/s Ports, Intel I225-V 2.5Gb Ethernet, USB 3.2 Gen 1 Ports, USB 3.2 Gen 2 Port, USB 2.0 Ports, 1x Optical S/PDIF out, 5x Gold-Plated Audio jacks, 2x M.2 Socket
ROGSTRIXB550-FGAMINGWIFII	R 3,188	Asus ROG Strix B550-F Gaming WiFi II AMD Ryzen 5000 Series Socket AM4 ATX Motherboard, B550 Chipset, 4x DDR4 DIMM Memory slots, 1x DisplayPort 1.2, 1x HDMI 2.1, 1x PCI-e 4.0 x16 SafeSlot (Supports x16 mode), 1x PCI-e 3.0 x16 slot (Supports x4 mode), 3x PCI-e 3.0 x1 slots, Supports 2x M.2 slots and 6x SATA 6Gb/s Ports, 1x Intel 2.5GB Ethernet, 1x Intel I225-V 2.5GB Ethernet, Wi-Fi 6e, Bluetooth V5.2, USB 3.2 Gen 2 Ports (Type-A & Type-C), USB 3.2 Gen 1 Ports, USB 2.0 Ports, ROG SupremeFX 7.1-channel high definition audio, 1x Optical S/PDIF out, 5x audio jacks, 1x BIOS FlashBack button
TUFGAMINGA520M-PLUSWIFI	R 1,446	Asus TUF Gaming A520-plus WiFi AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, AMD A520 Chipset, 4x DDR4 DIMM Memory slots, 1x HDMI 2.1, 2x PCI-e 3.0 x1, 1x PCI-e 3.0 x16 (x16 mode), 4x SATA 6Gb/s Ports, 1x M.2 slot, 1GB Ethernet, USB 3.2 Gen 2 Ports (Type-A), USB 2.0 Ports (Type-A), USB 3.2 Gen 1 Ports (Type-A), PS/2 Keyboard/Mouse Combo Port, 3x audio jacks
TUFGAMINGB550M-PLUSWIFIII	R 2,468	Asus TUF Gaming B550M-PLUS WiFi II AMD Ryzen 5000 Series Socket AM4 mATX Motherboard, B550 Chipset, 4x DDR4 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x16 slot (Supports x4 mode), 1x PCI-e 3.0 x1 slot, Supports 2x M.2 slots and 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6, Bluetooth 5.2, USB 3.2 Gen 2 Ports (Type-A & Type-C), USB 3.2 Gen 1 Ports, USB 2.0 Ports, Realtek 7.1 Surround Sound High Definition Audio, 5x Audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button, 1x PS/2 Keyboard/Mouse Combo Port
X570 GAMING EDGE WIFI	R 4,483	MSI X570 Gaming Edge WiFi Socket AM4 ATX Motherboard supporting Ryzen 9, AMD X570 Chipset, Frozr heatsink design, Pre-installed I/O shielding and Mystic lig, Supports DDR4 Memory up to 4400 (OC) MHz, PCI-e 4.0, Lightning Gen4 x4 M.2 with M.2 shield frozr, Turbo USB 3.2 Gen2, Audio boost 4, 4 DIMM slots, 1 PCI-e x16, 1 PCI-e x4, 3 PCI-e x1, 6 SATA III, 2 M.2 slot, 1x Realtek 8111H Gigabit LAN controller, HDMI
X570 GAMING PLUS	R 3,678	MSI X570 Gaming Plus Socket AM4 ATX Motherboard supporting Ryzen 9, AMD X570 Chipset, Frozr heatsink design, Supports DDR4 Memory up to 4400 (OC) MHz, PCI-e 4.0, Lightning Gen4 x4 M.2 with M.2 shield frozr accessory, AMD turbo USB 3.2 Gen2, Mystic Light, Audio boost 4, 4 DIMM slots, 1 PCI-e x16, 1 PCI-e x4, 3 PCI-e x1, 6 SATA III, 2 M.2 slot, 1x Realtek 8111H Gigabit LAN controller, HDMI, Crossfire
X570S CARBON MAX WIFI	R 6,434	MSI MPG X570S Carbon Max WiFi X570 Chipset AM4 Socket Motherboard, 4x DDR4 memory slots, support up to 128GB, Supports 1866/ 2133/ 2400/ 2667/ 2800/ 2933/ 3000/ 3066/ 3200 MHz by JEDEC, 1x 24-pin ATX main power connector, 1x 8-pin ATX 12V power connector, 1x 4-pin ATX 12V power connector, 8x SATA 6Gb/s connectors, 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 2x USB 3.2 Gen 1 5Gbps connectors (supports additional 4 USB 3.2 Gen 1 5Gbps ports), 1x USB 3.2 Gen 2 10Gbps Type-C port, 1x 4-pin CPU fan connector, 1x 4-pin water-pump connector, 6x 4-pin system fan connectors, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 1x 2-pin Thermal sensor connector, 1x TPM module connector, 1x Clear CMOS jumper, 1x 4-pin RGB LED connector, 2x 3-pin RAINBOW LED connectors, 1x 3-pin CORSAIR LED connector, 4x EZ Debug LED, 1x 2-Digit Debug Code LED, 1x EZ LED Control switch, Clear CMOS Button, Keyboard / Mouse, 3 x USB 3.2 Gen 2 10Gbps Type-A, 2.5G LAN, Audio Connectors, Flash BIOS Button, 2 x USB 2.0, HDMI, 4 x USB 3.2 Gen 1 5Gbps Type-A, Wi-Fi / Bluetooth, 1 x USB 3.2 Gen 2 10Gbps Type-C, Optical S/PDIF Out, ATX Form Factor, 30.5 cm x 24.4 cm
X570S TOMAHAWK MAX WIFI	R 3,450	MSI MAG X570S TomaHawk Maximum WiFi AMD Ryzen 3rd Gen Socket AM4 ATX Motherboard, AMD X570 Chipset, 4 DIMM slots, 2x PCI-e x16, 2x PCI-e x1, 6x SATA 3, 2x M.2 slot, RAID 0 / 1 / 10, Realtek 8125b 2.5G LAN, Intel Wi-Fi 6e AX210, Bluetooth, HDMI, Crossfire, USB 3.2 Gen 2 10Gbps Ports, USB 3.2 Gen 1 5Gbps

		Ports, USB 2.0 Ports, 7.1-channel high definition audio, Supports S/PDIF Output
X570S TORPEDO MAX	R 4,230	MSI X570S Torpedo Maximum Ryzen 4th Gen Socket AM4 ATX Motherboard, AMD X570 Chipset, 4x DIMM slots, 2x PCI-e x16, 2x PCI-e x1, 6x SATA 3, 2x M.2 slot, 1x Realtek 8125b 2.5Gbps LAN controller, 1x Realtek RTL8111h 1Gbps LAN controller, USB 3.2 Ports, USB 2.0 Ports, Optical S/PDIF, HDMI, Crossfire, 7.1-channel high definition audio

< Return to the menu

Motherboards: AMD Socket AM5 Motherboard

Product code	Price	Description
A620AM PRO RS	R 2,086	Asrock A620AM PRO RS AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD A620a Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, 2.5 Gigabit LAN, 1x PCI-e 4.0 x16 slot (PCIE1) supports x16 mode, 1x PCI-e 3.0 x16 slot (PCIE2) supports x2 mode, 2x M.2 Socket supports up to PCI-e Gen4 x4, 2x SATA3 6.0 Gb/s connectors, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 2.0, 1x BIOS FlashBack Button, HD Audio jacks
ASUS PRIME A620AM-K	R 1,323	Asus Prime A620AM-K AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD A620a Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x1 slot, 1x M.2 slot supports PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, AMD RAIDXpert2 Technology, 1x Realtek 1GB Ethernet, USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
ASUS PRIME B650-PLUS	R 3,104	ASUS PRIME B650-PLUS AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, AMD Ryzen 7000 Series Desktop processors, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Support x4 mode), 2x PCI-e 4.0 x1 slots, 2x M.2 slots, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 3.2 Gen 2 Ports (Type-A & Type-C), USB 3.2 Gen 1 Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround sound High Definition audio, 5x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack button
ASUS PRIME B650M-A II	R 1,725	Asus Prime B650M-A II, AMD Socket AM5 for AMD Ryzen 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 128GB, DDR5, Expansion Slots: 1 x PCIe 4.0 x16 (x16 mode), 2 x PCIe 4.0 x16 (x1 mode), Storage and USB: 2xM.2/ 4xSATA/ 8xUSB, Onboard VGA Output Available: 1xDP 1xVGA 1 x HDMI
ASUS PRIME B840-PLUS WIFI	R 3,083	Asus Prime B840-PLUS a WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B840 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x16 slot (Support x4 mode), 2x PCI-e 3.0 x16 slots (Support x1 mode), 1x PCI-e 3.0 x1 slot, 3x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6E, Bluetooth V5.3, USB 10Gbps Ports (Type-A Type-C), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
ASUS PRIME B840M-A WIFI	R 3,278	Asus Prime B840M-A WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B840 Chipset, 4x DDR5 DIMM Memory slots, 2x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 2x PCI-e 3.0 x16 slots (Support x1 mode), 3x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6E, Bluetooth V5.3, USB 10Gbps Ports (Type-A), USB 5Gbps Port (Type-C), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
ASUS PRIME B850-PLUS WIFI	R 3,393	ASUS PRIME B850-PLUS WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Support x4 mode), 2x PCI-e 3.0 x16 slots (Support x1 mode), 3x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, AMD RAIDXpert2 Technology, Wi-Fi 6E, Bluetooth V5.3, USB 10Gbps Ports (Type-A Type-C), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x BIOS FlashBack Button
ASUS PRIME B850M-K	R 2,933	ASUS PRIME B850M-K AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Support x4 mode), 2x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A),

		Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x BIOS FlashBack Button, 1x PS/2 Keyboard/Mouse Combo Port
ASUS PRIME X670-P WIFI	R 2,874	Asus Prime X670-P WiFi, AMD Socket AM5 for AMD Ryzenâ„¢ 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 128GB, DDR5, Expansion Slots: 2 x PCIe 4.0 x16 slots, 1 x PCIe 3.0 x1 slots, Storage: 3 x M.2 slots and 6 x SATA 6Gb, RAID, Onboard VGA Output Available: 1xHDMI, 1xDP
ASUS PRIME X870-P	R 4,888	Asus Prime X870-P, AMD Socket AM5 for AMD Ryzen 9000 & 8000 & 7000 Series Desktop Processors, Memory: 4 x DIMM, Max. 192GB, DDR5, Expansion Slots: 1 x PCIe 5.0 x16 slots/ 1 x PCIe 4.0 x16 slots/ 2 x PCIe4.0 x 16 slots, Storage: 4 x M.2 slots and 2 x SATA 6Gb, RAID
ASUS PRIME X870-P WIFI	R 4,832	Asus Prime X870-P WiFi, AMD Socket AM5 for AMD Ryzen 9000 & 8000 & 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 192GB, DDR5, Expansion Slots: 1 x PCIe 5.0 x16 slots/ 1 x PCIe 4.0 x16 slots/ 2 x PCIe4.0 x 16 slots, Storage: 4 x M.2 slots and 2 x SATA 6Gb, RAID, Onboard VGA Output Available: 1xHDMI, 2xUSB4.
ASUS ROG STRIX B650-A GAMING	R 2,874	Asus ROG Strix B650-A Gaming WiFi, AMD Socket AM5 for AMD Ryzen 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 128GB, DDR5 6400 , Expansion Slots: 2 x PCIe4x16/ 2xPCIe4/3x1, Storage and USB: 3xM.2/ 4xSATA/ 6x USB, 8xUSB/ 2xType-C, Onboard VGA Output Available: 1x HDMI 1x DP
ASUS ROG STRIX B850-A GAMING WIFI	R 4,807	Asus ROG Strix B850-A Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot with Q-Release Slim, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 4x M.2 slots supports up to PCI-e 5.0 x 4 mode, 2x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C), USB 10Gbps Ports (Type-A Type-C), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround sound High Definition audio, 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ASUS ROG STRIX B850-E GAMING	R 8,311	Asus ROG Strix B850-E Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x USB4 (40Gbps) Port supports USB Type-C Display Outputs, 1x PCI-e 5.0 x16 slot with Q-Release Slim (Supports x16 or x8 modes), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 5x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, USB4 (40Gbps) Port (Type-C), USB 20Gbps Port (Supports USB Type-C with up to 30W PD/PPS fast-charge), USB 10Gbps Ports (Type-A), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround sound High Definition audio, 2x Gold-Plated audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ASUS ROG STRIX X870-A GAMING WIFI	R 7,533	Asus ROG Strix X870-A Gaming WiFi, AMD Socket AM5 for AMD Ryzenâ„¢ 9000 & 8000 & 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 192GB, DDR5, Expansion Slots: 1 x PCIe 5.0 x16 slots, 1 x PCIe 4.0 x16 slots, 1xPCIe 4.0 x16 slot, Storage: 4 x M.2 slots and 2 x SATA 6Gb, RAID, Onboard VGA Output Available: 1xHDMI, 1xHDMI, 2xUSB4
ASUS ROG STRIX X870-F GAMING	R 5,749	ASUS ROG STRIX X870-F GAMING WIFI, AMD Socket AM5 for AMD Ryzen 9000 & 8000 & 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 192GB, DDR5, Expansion Slots: 1 x PCIe 5.0 x16 slots, 1 x PCIe 4.0 x16 slots, 1xPCIe 4.0 x16 slot, Storage: 4 x M.2 slots and 2 x SATA 6Gb, RAID, Onboard VGA Output Available: 1xHDMI, 1xHDMI, 2xUSB4
ASUS TUF GAMING B650M-PLUS WIFI	R 4,515	Asus TUF Gaming B650M-Plus WiFi, AMD Socket AM5 for AMD Ryzenâ„¢ 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 128GB, DDR5, Expansion Slots: 1 x PCIe 4.0/3.0 x16 slot/1 x PCIe 4.0/3.0 x16 slot (supports x4 mode)/1 x PCIe 4.0/3.0 x1 slot/ RAID Storage and USB: 2 x M.2 slots and 4 x SATA 6Gb/s, 7xUSB, 1xType-C, Onboard VGA Output Available: 1xDP 1 x HDMI
ASUS TUF GAMING B850M-PLUS II	R 4,853	ASUS TUF GAMING B850M-PLUS II AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x1 slot, 3x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 20Gbps Port (USB Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
ASUS TUF GAMING B850M-PLUS WIFI7	R 4,888	Asus TUF Gaming B850M-PLUS WiFi 7 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x1 slot, 3x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, AMD

		RAIDXpert2 Technology, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (USB Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
ASUS TUF GAMING X870-PLUS WIF	R 6,210	Asus TUF Gaming X870-Plus WiFi, AMD Socket AM5 for AMD Ryzenâ„¢ 9000 & 8000 & 7000 Series Desktop Processors*, Memory: 4 x DIMM, Max. 192GB, DDR5, Expansion Slots: 1 x PCIe 5.0 x16 slot, 1 x PCIe 4.0 x16 slot, 1 x PCIe 4.0 x16 slots, Storage and USB: 4xM.2, 2xSATA 6GB, RAID, Onboard VGA Output Available: 1x HDMI 2 x USB4
B650 EDGE WIFI	R 5,520	MSI MPG B650 EDGE WIFI AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 3x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, Realtek RTL8125BG 2.5Gbps LAN, AMD Wi-Fi 6E, Bluetooth 5.2, 7.1-channel USB high performance audio, Audio connectors, Flash BIOS Button, Optical S/PDIF out
B650M MORTAR WIFI	R 3,910	MSI B650M Mortar WiFi AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 2x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, USB 2.0, Realtek RTL8125b 2.5Gbps LAN, Wi-Fi 6E, Bluetooth 5.2, 7.1-channel high performance audio, Flash BIOS button, Optical S/PDIF out
B650M PG LIGHTNING	R 2,384	Asrock B650M PG LIGHTNING AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, 2.5 Gigabit LAN, 1x PCI-e 4.0 x16 slot (PCIE1) supports x16 mode, 1x PCI-e 3.0 x16 slot (PCIE2), Supports x4 mode, 2x M.2 Socket supports up to PCI-e Gen5 x4, 4x SATA3 6.0 Gb/s connectors, USB 3.2 Gen2 Type-C, USB 3.2 Gen2 Type-A, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 2.0, 1x BIOS FlashBack Button
B650M-A WIFI	R 4,382	MSI Pro B650M-A WiFi AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 2x M.2 slot, 4x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 2.0, Tek 8125BG 2.5G LAN, Wi-Fi 6E, Bluetooth 5.2, 7.1-channel High Definition audio, Audio connectors, Flash BIOS button
B650M-HDV/M.2	R 2,042	Asrock B650M-HDV/M.2 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, 2.5 Gigabit LAN, 1x PCI-e 4.0 x16 slot supports x16 mode, 1x PCI-e 4.0 x16 slot supports x4 mode, 1x PCI-e 4.0 x1 slot, 2x M.2 Socket supports up to PCI-e Gen5 x4, 4x SATA3 6.0 Gb/s connectors, USB 3.2 Gen2 Type-C Ports, USB 3.2 Gen1 type-cports, USB 3.2 Gen1 Type-A Ports, USB 2.0 Ports, 1x BIOS FlashBack Button. Uses: Gaming, content creation, high-performance computing.
B650MGAMINGPLUSWIFI	R 2,553	MSI B650M Gaming Plus WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x PCI-e x16 slot supports x16/x4, 2x PCI-e x1 slot, 7.1-channel High Definition Audio, 2x M.2 supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, Realtek 2.5Gbps LAN, Wi-Fi 6E, Bluetooth 5.3, Flash BIOS Button, Audio connectors
B650MGAMINGWIFI	R 2,638	MSI B650M GAMING WIFI AMD B650 Chipset AMD Ryzen 8000/7000 AM5 Socket mATX Motherboard, 2x DDR5, Maximum Memory Capacity 128GB, Memory Support DDR5 7800 (OC)/ 7600(OC)/ 7400(OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(OC)/ 5400(OC)/ 5200(OC)/ 5000(OC)/ 4800(JEDEC) MHz, 1x Power Connector(ATX_PWR), 1x Power Connector(CPU_PWR), 1x CPU Fan, 3x System Fan, 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 2x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 4x USB 5Gbps Type A ports, DisplayPort, HDMI, USB 3.2 Gen 1 5Gbps (Type-A), 2.5G LAN, Wi-Fi / Bluetooth, Audio connectors, Flash BIOS Button, USB 3.2 Gen 1 5Gbps (Type-C), 2 x USB 3.2 Gen 1 5Gbps (Type-A), 2 x USB 2.0, mATX, 226mmx243.84mm
B650MPROJECTZERO	R 3,992	MSI B650M Project Zero B650 Chipset AMD Ryzen AM5 Socket mATX Motherboard, 4x DDR5, Maximum Memory Capacity 256GB, Memory Support DDR5 7600 (OC)/ 7400(OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6600(OC)/

		6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(OC)/ 5400(OC)/ 5200(OC)/ 5000(OC)/ 4800(JEDEC) MHz, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x CPU Fan, 1x Pump Fan, 3x System Fan, 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 3x Addressable V2 RGB LED connector (JARGB_V2), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 2x USB 5Gbps Type A ports, 1x USB 10Gbps Type C ports, 1 x DisplayPort, 1 x 2.5G LAN, 2 x USB 2.0, 2 x USB 5Gbps (Type-A), 1 x Wi-Fi / Bluetooth, Audio connectors, Flash BIOS Button, HDMI, 3 x USB 10Gbps (Type-A), 1 x USB 10Gbps (Type-C), 1 x USB 20Gbps (Type-C), mATX, 243.84mmx243.84mm
B840GAMINGPLUSWIFI	R 3,315	MSI B840 Gaming Plus WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B840 Chipset, 4 DDR5 DIMM Memory slots, 1x HDMI, 5x PCI-e x16 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 3.0 supports up to x1, PCI_E4 Gen PCI-e 3.0 supports up to x4, PCI_E5 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 2x M.2 slots supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, USB 5Gbps Type-C, USB 10Gbps Type-A, USB 10Gbps Type-C, Realtek 8125BG 2.5G LAN, Wi-Fi 7, Bluetooth, Audio connectors, Flash BIOS Button
B850 GAMING PLUS WIFI	R 4,253	MSI B850 GAMING PLUS WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 5Gbps Type-C, USB 10Gbps Type-A, USB 10Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth 5.4, 4x EZ Debug LED, Clear CMOS Button, Audio connectors, Flash BIOS Button, S/PDIF-out
B850 PRO-A WIFI	R 3,141	Asrock B850 Pro-A Wi-Fi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x USB 3.2 Gen1 Type-C supports DisplayPort 1.4 HBR3, 7.1 ch HD Audio, 2.5 Gigabit LAN, Wi-Fi 6E, Bluetooth 5.2, 1x PCI-e 5.0 x16 slot supports x16 mode, 1x PCI-e 4.0 x16 slot supports x4 mode, 1x M.2 Socket, 2x M.2 Socket supports up to PCI-e Gen5 x4, 2x SATA3 6.0 Gb/s connectors, USB 3.2 Gen2 Type-C, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 3.2 Gen2x2 Type-C, USB 2.0, 1x BIOS FlashBack Button
B850 TOMAHAWK MAX WIFI	R 5,035	MSI MAG B850 TOMAHAWK MAX WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 3x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel USB high performance Audio, 4x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 2.0 Ports, USB 5Gbps Type-A Ports, USB 10Gbps Type-A Ports, USB 20Gbps Type-C Ports, USB 10Gbps Type-C Ports, Realtek 8126vb 5G LAN, Wi-Fi 7 solution, Bluetooth, Clear CMOS Button, Audio connectors, Flash BIOS Button
B850-PRORSWIFI	R 3,485	Asrock B850 Pro RS Wi-Fi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x USB 3.2 Gen1 Type-C (DP 1.4 Alt mode @ 4K@60Hz), 1x PCI-e 5.0 x16, 1x PCI-e 4.0 x16 (x4 mode), 1x Blazing M.2 (GEN5X4, 2x Hyper M.2 (Gen4x4, 1x Ultra M.2 (Gen3x4), 4x SATA3 6.0 Gb/s Ports, 2.5 GbE LAN, Wi-Fi 6E, Bluetooth, USB 3.2 Gen2 Type-C, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 2.0, Realtek ALC897 7.1 ch HD Audio Codec, 3x audio jacks, 1x BIOS FlashBack Button
B850-RIPTIDEWIFI	R 4,501	Asrock B850 Riptide WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 7.1 ch HD Audio, 2.5 Gigabit LAN, Wi-Fi 7, Bluetooth 5.4, 1x PCI-e 5.0 x16 slot (PCIE1) supports x16 mode, 1x PCI-e 4.0 x16 slot (PCIE2) supports x4 mode, 3x M.2 supports up to PCI-e Gen5 x4, 4x SATA3 6.0 Gb/s connectors, USB 3.2 Gen2 Type-C, USB 3.2 Gen2 Type-A, USB 3.2 Gen1 Type-A, USB 3.2 Gen2x2 Type-C, USB 2., 1x Optical SPDIF out Port, 1x BIOS FlashBack Button
B850GAMINGPLUSWIFI	R 4,079	MSI B850 GAMING PLUS WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 5Gbps Type-C, USB 10Gbps Type-A, USB 10Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth 5.4, 4x EZ Debug LED, Clear CMOS Button, Audio connectors, Flash BIOS Button, S/PDIF-out

B850LIVEMIXERWIFI	R 3,911	ASRock B850 LiveMixer WiFi Ryzen AM5 Socket B850 chipset ATX Gaming Motherboard, Dual Channel DDR5 Memory Technology, 4 x DDR5 DIMM Slots, Max. capacity of system memory: 256GB, 1 x SPI TPM Header, 1 x Thermistor Cable Header, 1 x Power LED and Speaker Header, 1 x RGB LED Header, 3 x Addressable LED Headers, 2 x CPU Fan Connectors (4-pin), 3 x Chassis Fan Connectors (4-pin), 1 x AIO Pump Fan Connector (4-pin), 1 x 24 pin ATX Power Connector, 1 x 8 pin 12V Power Connector, 1 x 4 pin 12V Power Connector, 1 x Front Panel Audio Connector, 2 x USB 2.0 Headers (Support 4 USB 2.0 ports), 2 x USB 3.2 Gen1 Headers (Support 4 USB 3.2 Gen1 ports), 1 x Front Panel Type C USB 3.2 Gen2x2 Header (20 Gb/s), 2 x Antenna Ports, 1 x HDMI Port, 1 x DisplayPort 1.4, 1 x Optical SPDIF Out Port, 1 x USB 3.2 Gen2 Type-C Port (10 Gb/s), 1 x USB 3.2 Gen2 Type-A Port (10 Gb/s), 4 x USB 3.2 Gen1 Type-A Ports, 8 x USB 2.0 Ports, 1 x RJ-45 LAN Port, 1 x BIOS Flashback Button, 1 x Line Out Jack (Gold Audio Jack), 1 x Microphone Input Jack (Gold Audio Jack), ATX Form Factor, 30.5 cm x 24.4 cm
B850M-XWIFI	R 2,254	Asrock B850M-X WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 2x DDR5 DIMM Memory slots, 1x Blazing M.2 Gen5 x4, 1x Hyper M.2 Gen4 x4, 4x SATA3 Ports, 1x PCI-e 4.0 x16, 1x PCI-e 4.0 x16 (x4 mode), 1x PCI-e 4.0 x1, 1x HDMI 2.1, 1x DisplayPort 1.4, 2.5G LAN, Wi-Fi 6E, Bluetooth 5.2, Realtek ALC897 7.1 ch, USB 3.2 Gen1 Type-C Ports, USB 3.2 Gen1 Type-A Ports, USB 2.0 Ports, 1x BIOS FlashBack Button, 3x audio jacks
GA-A620M-H	R 1,403	Gigabyte A620M H A620 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 6400(OC)/ 6200(OC)/ 6000(OC)/ 5600(OC)/ 5200/ 4800/ 4400 MT/s memory modules, 2 x DDR5 DIMM sockets supporting up to 128 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 2 x system fan headers, 1 x addressable LED strip header, 1 x RGB LED strip header, 1 x M.2 Socket 3 connector, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x Clear CMOS jumper, 4 x USB 2.0/1.1 ports, 1 x PS/2 keyboard/mouse port, 1 x Q-Flash Plus button, 2 x USB 3.2 Gen 1 ports, 1 x DisplayPort, 1 x HDMI port, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 23.0cm x 22.5cm
GA-B650-EAGLE-AX	R 3,245	Gigabyte B650 Eagle AX AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek GbE LAN Chip, Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 3x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB Type-C port with USB 3.2 Gen 1 support, USB 2.0 Ports, USB 3.2 Gen 1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B650-UD-AX	R 2,562	Gigabyte B650 Eagle UD AX AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B650 Chipset, DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, Realtek RTL8111h GbE LAN Chip, WiFi 6, Bluetooth 5.0, 1x PCI Express x16 slot support PCI-e 4.0 x16 mode, 2x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x1, 3x M.2 connector support PCI-e 5.0 x4/x2 SSDs, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB Type-C Port with USB 3.2 Gen 1 support, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B650M-D3HP	R 2,267	Gigabyte D3HP AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 4 x DDR5 DIMM Memory slots, 2 x DisplayPorts, 1x HDMI Port, 7.1-channel audio, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot (PCIEX16), 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 2x M.2 connector support PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 1 support, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B840M-D2H	R 1,925	Gigabyte B840M D2h AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B840 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI Port, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot support PCI-e 4.0 x16 mode, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x4, 2x M.2 connector supports up to PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 1x Q-Flash Plus Button, 3x audio jacks
GA-B840M-EAGLE-WIFI6	R 2,128	Gigabyte B840M Eagle WiFi6 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B840 Chipset, 2 x DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 6

		RTL8851be, Bluetooth 5.3, 1x PCI Express x16 slot (PCIEX16) support PCIe 4.0 x16 mode, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x4, 2x M.2 connector supports up to PCI-e 3.0 x2, 4x SATA 6Gb/s connectors, 2x USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 1 support, 1x PS/2 Keyboard/Mouse Port, 1x Q-Flash Plus Button, 3x audio jacks
GA-B850-A-ELITE-WF7	R 4,498	Gigabyte B850-A Elite WiFi 7 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x front HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot, 2x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2x2 support, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out connector
GA-B850-A-ELITE-WF7-ICE	R 4,270	Gigabyte B850-A Elite WiFi 7 ICE AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x front HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot, 2x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2x2 support, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out connector
GA-B850-GAMING-WF6	R 3,209	Gigabyte B850 Gaming WiFi6 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek Wi-Fi 6, Bluetooth 5.3, 1x PCI Express x16 slot, 3x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B850-GAMING-X-WIFI6E	R 4,202	Gigabyte B850 Gaming X WIFI6e AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 2x PCI Express x1 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Port, USB 2.0/1.1, USB Type-C Port with USB 3.2 Gen 2x2 support, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B850M-D3HP	R 2,473	Gigabyte AMD B850M D3HPT AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4 x DDR5 DIMM Memory slots, 1x HDMI Port, 2 x DisplayPorts, Realtek GbE LAN Chip, 1x PCI Express x16 slot (PCIEX16), 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x4, 2x M.2 sockets supports up to PCI-e 5.0 x4/x2 SSDs, 4x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 1x Q-Flash Plus Button, 3x audio jacks
GA-B850M-DS3H	R 2,588	Gigabyte B850M DS3H AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x DisplayPorts, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x4, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Port, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B860-DS3H-WIFI6E	R 2,979	Gigabyte Intel B860-DS3H WIFI6e Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 4 x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 4x SATA 6Gb/s connectors, 2x M.2 connector supports up to PCI-e 5.0 x4, USB Type-C Port on the back panel with USB 3.2 Gen 2x2 support, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, 1x S/PDIF out Header, 1x Serial Port Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-X870-AORUS-ELITE-WIFI7	R 6,092	GIGABYTE X870 AORUS ELITE WIFI7 - AMD X870 Chipset: Socket AM5 Supports AMD Ryzenâ„¢ 9000 / 8000 / 7000 Series Processors, Memory: 4x DDR5 DIMM Slots (256GB Max / 8000MHz), Expansion Slots: 1x

		PCI-Express 5.0/4.0 (x16 Speed), 1x PCI-Express 4.0 (x4 Speed), 1x PCI-Express 3.0 (x1 Speed), The PCIEX16 slot can only support a graphics card or an NVMe SSD. If only one graphics card is to be installed, be sure to install it, Storage and USB: 4x SATA 3 (6 Gb/s), 4x M.2 Socket 3 Connector,RAID 0, RAID 1, and RAID 10 support for SATA storage devices, 2 x USB4Â® USB Type-CÂ® (2x Back), 2 x USB 3.2 Gen 2 Type-A, 6 x USB 3.2 Gen 1(4x Back), 8 x USB 2.0 (4x Back), 1 x USB Type-CÂ® 3.2, Misc.: MediaTek Wi-Fi 7 MT7925 802.11a, b, g, n, ac, ax, be, supporting 2.4/5/6 GHz carrier frequency bands, BLUETOOTH 5.4, 2/4/5.1/7.1-channel Audio, Rear IO Panel Display Ports Available: 2x HDMI (1x back), 2x USB4 USB Type-C
GA-X870-EAGLE-WIFI7	R 4,384	Gigabyte X870 EAGLE WIFI7 - AMD X870 Chipset: Socket AM5 Supports AMD Ryzenâ„¢ 9000 / 8000 / 7000 Series Processors, Memory: 4x DDR5 DIMM Slots (256GB Max / 8000MHz), Expansion Slots: 1x PCI-Express 5.0/4.0 (x16 Speed), 3x PCI-Express 3.0 (x1 Speed), The PCIEX16 slot can only support a graphics card or an NVMe SSD. If only one graphics card is to be installed, be sure to install it in the PCIEX16 slot, Storage and USB: 4x SATA 3 (6 Gb/s), 3x M.2 Socket 3 Connector,RAID 0, RAID 1, RAID 5, and RAID 10 support for NVMe SSD storage devices, 3 x USB4 USB Type-C (2x Back), 1 x USB 3.2 Gen 2 Type-A, 4 x USB 3.2 Gen 1(3x Back), 8 x USB 2.0 (4x Back), Misc.: MediaTek Wi-Fi 7 MT7925 802.11a, b, g, n, ac, ax, be, supporting 2.4/5/6 GHz carrier frequency bands, BLUETOOTH 5.4, 2/4/5.1/7.1-channel Audio, Rear IO Panel Display Ports Available: 1x HDMI, 2x USB4 USB Type-C
GA-X870E-AERO-X3D-WOOD	R 8,710	Gigabyte X870E AERO X3D WOOD X870E Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, Support for DDR5 9000(O.C) /8800(O.C) /8600(O.C) /8400(O.C) /8000(O.C) /7800(O.C) /7600(O.C) /7800(O.C) /7600(O.C.) /7200(O.C.) /7000(O.C.) /6800(O.C.) /6600(O.C.) /6400(O.C) /6200(O.C) /6000(O.C) /5600(O.C) /5200 /4800 /4400 MT/s memory modules, 1 x 24-pin ATX main power connector, 2 x 8-pin ATX 12V power connectors, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 4 x system fan headers, 2 x system fan/water cooling pump headers, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 4 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-C® header, with USB 3.2 Gen 2x2 support, 2 x USB 3.2 Gen 1 headers, 2 x USB 2.0/1.1 headers, 1 x noise detection header, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI V2 module only), 1 x HDMI port, 1 x reset jumper, 1 x Clear CMOS jumper, 2 x temperature sensor headers, 1 x Q-Flash Plus button, 1 x Clear CMOS button, 1 x power button, 1 x reset button, 1 x HDMI port, 2 x USB4® USB Type-C® ports (DisplayPorts), 1 x USB Type-C® port, with USB 3.2 Gen 2x2 support, 5 x USB 3.2 Gen 2 Type-A ports (red), 3 x USB 3.2 Gen 1 ports, 2 x RJ-45 ports, 2 x antenna connectors (2T2R), 2 x audio jacks, 1 x optical S/PDIF Out connector, ATX Form Factor, 30.5cm x 24.4cm
GA-X870E-AORUS-PRO-X	R 8,301	Gigabyte X870E Aorus Pro X3D Wifi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 2x USB4 Type-C Ports supporting USB4 and DisplayPort Video Outputs, 1x HDMI Port, Realtek 5GbE LAN Chip, Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot (PCIEX16), 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x2, 2x M.2 Connector support up to PCI-e 5.0 x4 SSDs, 4x SATA 6Gb/s connectors, USB4 USB Type-C Ports, USB Type-C Port on the back panel, with USB 3.2 Gen 2 support, USB 3.2 Gen 1 Ports, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out Connector
GA-X870E-AORUS-PRO-X-ICE	R 8,301	Gigabyte X870E Aorus Pro X3D ICE Wifi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard - White, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 2x USB4 Type-C Ports supporting USB4 and DisplayPort Video Outputs, 1x HDMI Port, Realtek 5GbE LAN Chip, Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot (PCIEX16), 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x2, 2x M.2 Connector support up to PCI-e 5.0 x4 SSDs, 4x SATA 6Gb/s connectors, USB4 USB Type-C Ports, USB Type-C Port on the back panel, with USB 3.2 Gen 2 support, USB 3.2 Gen 1 Ports, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out Connector
MAG X870E TOMAHAWK WIFI	R 6,532	MSI MAG X870E TOMAHAWK WIFI X870E Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4x DDR5 UDIMM, Maximum Memory Capacity 256GB, Memory Support DDR5 8400 - 5600 (OC) MT/s / 5600 - 4800 (JEDEC) MT/s, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x Power

		Connector(PCIE_PWR 8pin), 1x CPU Fan, 1x Combo Fan (Pump_Sys Fan), 6x System Fan, 1x EZ Conn-header (JAF_2), 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 3x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 4x USB 5Gbps Type A ports, 1x USB 20Gbps Type C ports, Clear CMOS Button, USB 10Gbps Type-A, 3 x USB 5Gbps Type-A, 4 x USB 2.0, 5G LAN, Wi-Fi / Bluetooth, Audio connectors, Flash BIOS Button, HDMI, 2 x USB 40Gbps Type-C, USB 10Gbps Type-C, USB 10Gbps Type-A, ATX, 243.84mmx304.8mm
MAGB650MMORTARWIFI	R 3,825	MSI B650M Mortar WiFi AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 2x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, USB 2.0, Realtek RTL8125b 2.5Gbps LAN, Wi-Fi 6E, Bluetooth 5.2, 7.1-channel high performance audio, Flash BIOS button, Optical S/PDIF out
MAGB650TOMAHAWKWIFI	R 4,336	MSI MAG B650 TomaHawk WiFi AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 3x M.2 slot, 6x SATA 6Gbps Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, USB 2.0, Realtek RTL8125b 2.5Gbps LAN, AMD Wi-Fi 6E, Bluetooth 5.2, 7.1-channel high performance audio, Flash BIOS button, Optical S/PDIF out
MAGX870EGAMINGPLUSWIFI	R 5,825	MSI X870E Gaming Plus WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x Type-C DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 3x M.2 supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 2.0, USB 20Gbps Type-C, USB 40Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth, Audio connectors, Flash BIOS Button
MAGX870ETOMAHAWKMAXWIFIPZ	R 7,222	MSI MAG X870E TomaHawk Max WiFi PZ AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel USB high Performance Audio, 4x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, USB 40Gbps Type-C, 1x Realtek 8126 5G LAN, Wi-Fi 7, Bluetooth, Audio connectors, Flash BIOS Button, Optical S/PDIF out
MAGX870ETOMAHAWKWIFI	R 7,311	MSI MAG X870E TomaHawk WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel USB high Performance Audio, 4x M.2 supports up to PCI-e 5.0 x4, 4x SATA 6G Port, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 20Gbps Type-C, USB 40Gbps Type-C, USB 2.0, 1x Realtek 8126 5G LAN, Wi-Fi 7, Bluetooth, Clear CMOS Button, Audio connectors, Flash BIOS Button
MAGX870TOMAHAWKWIFI	R 6,547	MSI MAG X870 TOMAHAWK WiFi AMD AM5 X870 chipset AMD Ryzen AM5 Socket ATX Gaming Motherboard, 4x DDR5 UDIMM, Maximum Memory Capacity 256GB, Memory Support DDR5 8400 (OC)/ 8200 (OC)/ 8000 (OC)/ 7800(OC)/ 7600(OC)/ 7400(OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(JEDEC)/ 5400(JEDEC)/ 5200(JEDEC)/ 5000(JEDEC)/ 4800(JEDEC) MT/s, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x Power Connector(PCIE_PWR 8pin), 1x CPU Fan, 1x Combo Fan (Pump_Sys Fan), 6x System Fan, 1x EZ Conn-header (JAF_2), 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 3x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 4x USB 5Gbps Type A ports, 1x USB 20Gbps Type C ports, Clear CMOS Button, USB 10Gbps Type-A, USB 5Gbps Type-A, USB 2.0, 5G LAN, Wi-Fi / Bluetooth, Audio connectors, Flash BIOS Button, HDMI, USB 40Gbps Type-C, USB 10Gbps Type-C, USB 10Gbps Type-A, ATX, 304.8mmx243.84mm
MB-GA620I+W	R 3,315	Gigabyte A620I AMD Ryzen 7000 Series Socket AM5 Mini-ITX Motherboard, AMD A620 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 1x M.2 connector, 2x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2

		Gen 2 Type-A Port, USB 2.0 Ports, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 3x audio jacks
MB-GA620MDS3H	R 1,884	Gigabyte A620M DS3H: AMD AM5 mb - with 5 2 2 phase digital VRM, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 5x temperature sensors 3x hybrid fan headers
MB-GA620MH	R 1,482	Gigabyte A620M H: AMD AM5 mb - with 5 2 2 phase digital VRM, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 5x temperature sensors 3x hybrid fan headers - AMD A620 chipset, 2x dual channel DDR5-6400(O.C)/5200 up to 128Gb, 4x SATA6G 1x M.2/NGFF (Gen4x4) with raid 0/1//0 1/5/10, on-board display with HDMi DP dual outputs (depends on CPU) Realtek ALC1220-VB 7.1 audio realtek gigabit LAN; 1x PCi-E3.0(x1) 1x pci-e 4.0 (x16@16x), with 2x USB3 type-A (Gen1 5GBPs) 4x USB2.0, support optional serial port add-on cable, bundled Norton internet security - micro-atx
MB-GA620MS2H	R 1,561	Gigabyte A620M S2H: AMD AM5 mb - with 5 2 2 phase digital VRM, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 5x temperature sensors 3x hybrid fan headers - AMD A620 chipset, 2x dual channel DDR5-6400(O.C)/5200 up to 128Gb, 4x SATA6G 1x M.2/NGFF (Gen4x4) with raid 0/1//0 1/5/10, on-board display with D-SUB HDMi DP triple outputs (depends on CPU) Realtek ALC1220-VB 7.1 audio realtek gigabit LAN; 1x PCi-E3.0(x1) 1x pci-e 4.0 (x16@16x), with 2x USB3 type-A (Gen1 5GBPs) 4x USB2.0 , support optional serial port add-on cable, bundled Norton internet security - micro-atx
MB-GB650AE+W	R 4,024	Gigabyte B650 Aorus Elite AX Wifi: AMD AM5 mb - with 14 2 1 phase digital VRM, aluminum i/o cover with 8mm heatpipe, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 6x temperature
MB-GB650AEW+W	R 3,909	Gigabyte B650 AORUS Elite AX Ice WiFi Motherboard: AMD B650 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, ATX form factor, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 6E, HDMI, DisplayPort, USB-C
MB-GB650AG+W	R 5,718	Gigabyte B650 Aero G Wifi: AMD AM5 mb - with aluminum i/o cover with 8mm heatpipe, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, PCIe armor with stainless steel shielding double locking bracket
MB-GB650AP+W	R 6,531	Gigabyte B650 Aorus Pro AX Wifi : AMD AM5 mb - with 16 2 1 phase digital VRM , aluminum i/o cover with 8mm heatpipe, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 9x temperature sensor
MB-GB650E+W	R 3,150	Gigabyte B650 Eagle AX AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, AMD B650 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek GbE LAN Chip, Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 3x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB Type-C port with USB 3.2 Gen 1 support, USB 2.0 Ports, USB 3.2 Gen 1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB650EAM+W	R 7,338	Gigabyte B650E Aorus Master Wifi: AMD AM5 mb - with 16 2 2 phase digital VRM, AORUS animated display on the aluminum i/o cover, NanoCarbon aluminum backplate, Fins-Array III with NanoCarbon coating 8mm heatpipe, Addressable LED Strip Support
MB-GB650I+W	R 3,426	Gigabyte B650I AX WiFi Mini-ITX Motherboard: AMD B650 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 6E, HDMI, DisplayPort, USB-C, and more.
MB-GB650iAU+W	R 6,147	Gigabyte B650i Aorus Ultra iTX Wifi: AMD AM5 mb - with 8 2 1 phase digital VRM, AORUS animated display on the aluminum i/o cover, NanoCarbon aluminum backplate, Fins-Array III with NanoCarbon coating 8mm heatpipe, Addressable LED Strip Support
MB-GB650MAE	R 3,593	Gigabyte B650M Aorus Elite: AMD AM5 mb - with 12 2 1 phase digital VRM, aluminum i/o cover with 8mm heatpipe, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 6x temperature sensors
MB-GB650MAP+W	R 4,771	Gigabyte B650M Aorus Pro AX Wifi: AMD AM5 mb - with 12 2 1 phase digital VRM, aluminum i/o cover with 8mm heatpipe, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 6x temperature sensors
MB-GB650MD3HP	R 2,652	Gigabyte D3HP AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 4 x DDR5 DIMM Memory slots, 2 x DisplayPorts, 1x HDMI Port, 7.1-channel audio, Realtek 2.5GbE LAN Chip, 1x PCI

		Express x16 slot (PCIEX16), 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 2x M.2 connector support PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 1 support, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks 24.4cm x 24.4cm
MB-GB650MD3HP+W	R 2,818	Gigabyte B650M D3HP AX AMD Socket AM5, supports Ryzen 7000/8000/9000 Series, Dual Channel DDR5 (up to 8000 MHz OC), PCIe 4.0 x4 M.2, Wi-Fi 6E, 2.5GbE LAN, 2*DP, HDMI, USB 3.2 Gen 1/2, USB Type-C, 7.1-channel HD Audio, Smart Fan 6, Q-Flash Plus, Ultra Dur
MB-GB650MG+W	R 2,762	Gigabyte B650M Gaming Wifi (B650M GAME WIFI) AMD Socket AM5, supports Ryzen 7000/8000/9000 Series Processors, Dual Channel DDR5 (up to 7200 MHz OC), PCIe 4.0 x4 M.2, Wi-Fi 6, 2.5GbE LAN, HDMI, DisplayPort, USB 3.2 Gen 1/2, USB Type-C, 7.1-channel HD Audio
MB-GB650MH	R 2,542	Gigabyte B650MH AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek audio Codec, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard & Mouse Port, 1x Q-Flash Plus Button, 3x audio jacks
MB-GB650MK	R 2,652	Gigabyte B650M-K: AMD AM5 mb - with 8 2 1 phase digital VRM, Addressable LED Strip Support, on-board multi-key buttons, 2x copper PCBs design, MoSFET heatsinks SmartFan6 with 5x temperature sensors 3x hybrid fan headers, solid pin power connectors
MB-GB650MS2H	R 1,990	Gigabyte B650M S2H AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 2x DDR5 DIMM Memory slots, 1x D-Sub Port, 1x DisplayPort, 1x HDMI Port, Realtek audio Codec, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 1x Q-Flash Plus Button, 3x audio jacks
MB-GB650UD+W	R 2,586	Gigabyte B650 UD WiFi Motherboard: AMD B650 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 6E, HDMI, DisplayPort, USB-C, and more.
MB-GB760MAEW+W	R 3,884	Gigabyte B760M Aorus Elite WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, INTELB760 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 2x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 2x2 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Port, USB 2.0/1.1 Ports, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
MB-GB840MAE+W	R 3,138	Gigabyte B840M AORUS ELITE WIFI6E B840 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x DisplayPort*, 1 x HDMI port*, 1 x PS/2 keyboard/mouse port, 1 x Q-Flash Plus button, 4 x USB 2.0/1.1 ports, 2 x USB 3.2 Gen 1 ports, 1 x USB 3.2 Gen 2 Type-A port (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 1 x RJ-45 port, 2 x antenna connectors (2T2R), 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB840MD2H	R 1,666	Gigabyte B840M D2H B840 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 7600(O.C.) / 7200(OC)/ 7000(OC)/ 6800(OC)/ 6666(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5600(OC)/ 5200/ 4800/ 4400 MT/s memory modules, 2 x DDR5 DIMM sockets supporting up to 128 GB (64 GB single DIMM

		capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 2 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 4 x SATA 6Gb/s connectors, 2 x M.2 Socket 3 connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset jumper, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 2 x USB 3.2 Gen 1 ports, 4 x USB 2.0/1.1 ports, 1 x HDMI port*, 1 x Q-Flash Plus button, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB840MDS3H	R 2,119	Gigabyte B840M DS3H B840 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 8200(O.C) / 8000(O.C) / 7950(O.C) / 7900(O.C) / 7800(O.C) / 7600(O.C.) / 7400(O.C.) / 7200(OC)/7000(OC)/6800(OC)/6666(OC)/6600(OC)/6400(OC)/6200(OC)/ 6000(OC)/5600(OC)/5200/4800/4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 2 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 4 x SATA 6Gb/s connectors, 2 x M.2 Socket 3 connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset jumper, 1 x Clear CMOS jumper, 1 x HDMI port, 2 x DisplayPorts, 1 x Q-Flash Plus button, 1 x PS/2 keyboard/mouse port, 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 2 x USB 3.2 Gen 1 ports, 4 x USB 2.0/1.1 ports, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB840ME+W	R 2,011	Gigabyte B840M EAGLE WIFI6 B840 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 7600(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules. 2 x DDR5 DIMM sockets supporting up to 128 GB (64 GB single DIMM capacity) of system memory, 1x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 2 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset jumper, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 4 x USB 2.0/1.1 ports, 1 x DisplayPort, 1 x HDMI port, 1 x Q-Flash Plus button, 2 x USB 3.2 Gen 1 ports, 1 x RJ-45 port, 2 x SMA antenna connectors (2T2R), 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB850AE+W	R 4,200	Gigabyte B850-A Aorus Elite WiFi 7 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x front HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot, 2x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2x2 support, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out connector
MB-GB850AEW+W	R 4,145	Gigabyte B850 AORUS Elite WiFi7 Ice B850 Chipset AMD Ryzen AM5 Socket ATX Motherboard, Support for DDR5 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules. 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity)of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x 4-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 3 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2x2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x HDMI port, 1 x power button, 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x DisplayPort (Note),

		1 x Q-Flash Plus button, 4 x USB 2.0/1.1 ports, 1 x USB Type-CÂ® port, with USB 3.2 Gen 2 support, 5 x USB 3.2 Gen 1 ports, 1 x RJ-45 port, 2 x USB 3.2 Gen 2 Type-A ports (red), 2 x antenna connectors (2T2R), 2 x audio jacks, 1 x optical S/PDIF Out connector, ATX Form Factor, 30.5cm x 24.4cm
MB-GB850E+W	R 3,447	Gigabyte B850 Eagle WIFI6e AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek GbE LAN Chip, Intel Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 3x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB850EW	R 3,219	Gigabyte B850 Eagle Ice B850 Chipset AMD Ryzen AM5 Socket ATX Motherboard, Support for DDR5 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x 4-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 3 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x DisplayPort, 1 x HDMI port, 1 x Q-Flash Plus button, 4 x USB 2.0/1.1 ports, 1 x PS/2 keyboard/mouse port, 2 x USB 3.2 Gen 2 Type-A ports (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 1 x RJ-45 port, 2 x USB 3.2 Gen 1 ports, 3 x audio jacks, ATX Form Factor, 30.5cm x 24.4cm
MB-GB850EW+W	R 3,889	Gigabyte B850 EAGLE WIFI7 ICE B850 Chipset AMD Ryzen AM5 Socket ATX Motherboard, Support for DDR5 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity)of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x 4-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 3 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x DisplayPort, 1 x HDMI port, 1 x Q-Flash Plus button, 4 x USB 2.0/1.1 ports, 1 x PS/2 keyboard/mouse port, 2 x USB 3.2 Gen 2 Type-A ports (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 1 x RJ-45 port, 2 x USB 3.2 Gen 1 ports, 2 x antenna connectors (2T2R), 3 x audio jacks, ATX Form Factor, 30.5cm x 24.4cm
MB-GB850G+W	R 3,481	Gigabyte B850 Gaming WiFi6 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek Wi-Fi 6, Bluetooth 5.3, 1x PCI Express x16 slot, 3x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB850GX+W	R 3,924	Gigabyte B850 Gaming X WIFI6e AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 2x PCI Express x1 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Port, USB 2.0/1.1, USB Type-C Port with USB 3.2 Gen 2x2 support, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks 30.5cm x 24.4cm

MB-GB850MAEW+W	R 3,619	Gigabyte B850M AORUS ELITE WIFI6E ICE: Socket AM5, AMD Ryzenâ„¢ 9000/8000/7000 Series, DDR5 up to 8200 MT/s, 256 GB, Integrated AMD Radeonâ„¢ Graphics, DisplayPort, HDMI, RealtekÂ® 2.5GbE LAN, RealtekÂ® Wi-Fi 6E RTL8852CE, Bluetooth 5.3, PCIe 5.0 x16, PCIe 3.0
MB-GB850MD3HP	R 2,601	Gigabyte AMD B850M D3HPT AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4 x DDR5 DIMM Memory slots, 1x HDMI Port, 2 x DisplayPorts, Realtek GbE LAN Chip, 1x PCI Express x16 slot (PCIEX16), 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x4, 2x M.2 sockets supports up to PCI-e 5.0 x4/x2 SSDs, 4x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 1x Q-Flash Plus Button, 3x audio jacks
MB-GB850MDS3H	R 2,874	Gigabyte B850M DS3H AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x DisplayPorts, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x4, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Port, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB850MDS3HW	R 2,910	Gigabyte B850M DS3H ICE B850 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 8200(OC)/ 8000(OC)/ 7800(OC)/ 7600(OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6666(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5600(OC)/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 4 x SATA 6Gb/s connectors, 2 x M.2 Socket 3 connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x HDMI port, 2 x DisplayPorts, 1 x Q-Flash Plus button, 1 x PS/2 keyboard/mouse port, 1 x USB 3.2 Gen 2 Type-A ports (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 2 support, 2 x USB 3.2 Gen 1 ports, 4 x USB 2.0/1.1 ports, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB850ME+W	R 3,095	Gigabyte B850M EAGLE WIFI6E B850 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 4 x SATA 6Gb/s connectors, 2 x M.2 Socket 3 connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x HDMI port, 2 x DisplayPorts, 1 x Q-Flash Plus button, 1 x PS/2 keyboard/mouse port, 1 x USB 3.2 Gen 2 Type-A port (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 2 support, 2 x USB 3.2 Gen 1 ports, 4 x USB 2.0/1.1 ports, 1 x RJ-45 port, 2 x antenna connectors (2T2R), 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB850MEW+W	R 3,315	Gigabyte B850M EAGLE WIFI6E ICE B850 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, Support for DDR5 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C)/ 6200(O.C)/ 6000(O.C)/ 5800(O.C)/ 5600(O.C)/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 4 x SATA 6Gb/s connectors, 2 x M.2

		Socket 3 connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x HDMI port, 2 x DisplayPorts, 1 x Q-Flash Plus button, 1 x PS/2 keyboard/mouse port, 1 x USB 3.2 Gen 2 Type-A port (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 2 support, 2 x USB 3.2 Gen 1 ports, 4 x USB 2.0/1.1 ports, 1 x RJ-45 port, 2 x antenna connectors (2T2R), 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB850MGX+W	R 3,729	Gigabyte B850M Gaming X WIFI6e AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x DisplayPorts, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Port, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GX670-AE+W	R 5,527	Gigabyte X670 Aorus Elite AX AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, AMD X670 Chipset, 4x DDR5 DIMM Memory slots, 1x PCI-e 5.0 x4, 3x PCI-e 4.0 x4 M.2 connectors, Mega-Heatpipe & M.2 Thermal guard, 2.5GbE LAN, Wi-Fi 6E 802.11ax, HDMI, Dual USB-C 20Gbps, Gigabyte USB4 AIC support, Smart fan 6, Q-Flash Plus
MB-GX870-AE+W	R 5,749	Gigabyte X870 AORUS Elite WiFi Motherboard: AMD X870 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 7, HDMI, DisplayPort, USB-C, and more.
MB-GX870-AEW+W	R 5,749	Gigabyte X870 AORUS ELITE WIFI 7 ICE: AMD Socket AM5, supports AMD Ryzen 9000/8000/7000 Series Processors, Dual Channel DDR5, 4x M.2 slots, PCIe 5.0, 2.5GbE LAN, Wi-Fi 7, USB 4 Type-C, Realtek ALC1220 HD Audio, RGB lighting.
MB-GX870-E+W	R 4,635	Gigabyte X870 AORUS Elite WiFi Motherboard: AMD X870 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 7, HDMI, DisplayPort, USB-C, and more.
MB-GX870-G+W	R 4,171	Gigabyte X870 Gaming Wi-Fi 6 AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870 Chipset, 4x DDR5 DIMM Memory slots, 2x USB4 USB Type-C Ports supporting USB4 and DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 6, Bluetooth 5.3, 1x PCI Express x16 slot support up to PCI-e 5.0 x16 mode, 2x PCI Express x16 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connector support up to PCI-e 5.0 x4/x2, 4x SATA 6Gb/s connectors, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, USB Type-C Port with USB 3.2 Gen 2x2 support, 1x Q-Flash Plus Button, 3x audio jacks
MB-GX870-GX+W	R 4,753	Gigabyte X870 Gaming X WiFi Motherboard: AMD X870 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 7, HDMI, DisplayPort, USB-C, and more.
MB-GX870E-AE+W	R 6,854	Gigabyte X870E AORUS Elite WiFi Motherboard: AMD X870 chipset, Socket AM5, supports Ryzen 7000/8000 Series CPUs, PCIe 5.0 support, 2.5GbE LAN, Wi-Fi 7, HDMI, DisplayPort, USB-C, and more.
MB-GX870I-AP+W	R 6,301	Gigabyte X870-I Aorus Pro WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ITX Motherboard, AMD X870 Chipset, 2x DDR4 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort Video Outputs, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7 RTL8922ae, Bluetooth, 1x PCI Express x16 slot support up to PCI-e 5.0 x16 mode, 2x M.2 connector support up to PCI-e 5.0 x4/x2 SSDs, 2x SATA 6Gb/s connectors, USB Type-C Port on the back panel with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A po, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks
MEGX870EGODLIKE	R 34,384	MSI MEG X870E GodLike WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 eATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 2x Type-C DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x4 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 5.0 supports up to x8, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel USB High-Performance Audio, 7x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G, USB 5Gbps Type-A, USB 2.0, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, USB 40Gbps Type-C, 1x Marvell AQC113cs 10Gbps LAN, 1x Realtek 8126 5Gbps LAN, Wi-Fi 7, Bluetooth, Flash BIOS Button, HD Audio connectors, Optical S/PDIF-out
MPGX870ECARBONWIFI	R 9,178	MSI MPG X870E Carbon WiFi X870E Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4x DDR5 UDIMM, Maximum Memory Capacity 256GB, Memory Support DDR5 8400 - 5600 (OC) MT/s / 5600 - 4800 (JEDEC) MT/s, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x Power Connector(PCIE_PWR 8pin), 1x CPU Fan, 1x Combo Fan (Pump_Sys Fan), 5x System Fan, 1x EZ Conn-header (JAF_2), 2x Front Panel (JFP), 1x

		Chassis Intrusion (JCI), 1x Front Audio (JAUD), 1x Thermal Sensor connectors(T_SEN), 3x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 4x USB 2.0 ports, 4x USB 5Gbps Type A ports, 1x USB 20Gbps Type C ports, 6 x USB 10Gbps Type-A, Flash BIOS Button, Clear CMOS Button, Smart Button, 2.5G LAN, 5G LAN, Audio Connectors, HDMI, 1 x USB 40Gbps Type-C, 1 x USB 10Gbps Type-C, 3 x USB 10Gbps Type-A, 1 x USB 10Gbps Type-C, Wi-Fi / Bluetooth, Optical S/PDIF Out, ATX, 243.84mmx304.8mm
MPGX870EEDGETIWIFI	R 7,905	MSI MPG X870E Edge Ti WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel USB High-Performance Audio, 4x M.2 supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, USB 40Gbps Type-C, USB 2.0, 1x Realtek 8126 5G LAN, Wi-Fi 7, Bluetooth, Clear CMOS Button, Audio connectors, Flash BIOS Button, Optical S/PDIF out
PRIME B840M-A-CSM	R 2,039	Asus PRIME B840M-A-CSM B840 Chipset AMD Ryzen AM5 Socket Micro ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5. Supports up to 7600 MT/s (OC) with Ryzen(TM) 9000 & 8000 & 7000 Series Processors, ECC and Non-ECC, Un-buffered DIMM, 2 x USB 10Gbps ports (2 x Type-A), 1 x USB 5Gbps port (1 x USB Type-C), 4 x USB 2.0 ports (4 x Type-A), 2 x DisplayPort, 1 x HDMI port, 1 x Realtek 2.5Gb Ethernet port, 3 x Audio jacks, 1 x BIOS FlashBack(TM) button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 2 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V CPU Power connector, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 5Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x S/PDIF Out header, 1 x SPI TPM header (14-1 pin), 1 x 10-1 pin Front Panel System header, micro-ATX Form Factor, 24.4 cm x 24.4 cm
PRIME-A620AM-K	R 1,531	Asus Prime A620AM-K AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD A620a Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x1 slot, 1x M.2 slot supports PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, AMD RAIDXpert2 Technology, 1x Realtek 1GB Ethernet, USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PRIME-B840-PLUSWIFI	R 2,974	Asus Prime B840-PLUS a WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B840 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot (Supports x16 mode), 1x PCI-e 3.0 x16 slot (Support x4 mode), 2x PCI-e 3.0 x16 slots (Support x1 mode), 1x PCI-e 3.0 x1 slot, 3x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6E, Bluetooth V5.3, USB 10Gbps Ports (Type-A Type-C), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
PRIME-B840M-AWIFI	R 3,996	Asus PRIME B840-A WiFi B840 Chipset AMD Ryzen AM5 Socket micro-ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Supports up to 7600 MT/s (OC) with Ryzenâ„¢ 9000 & 8000 & 7000 Series Processors, ECC and Non-ECC, Un-buffered DIMM*, 2 x USB 10Gbps ports (2 x Type-A), 1 x USB 5Gbps port (1 x USB Type-CÂ®), 4 x USB 2.0 ports (4 x Type-A), 2 x DisplayPort, 1 x HDMIâ„¢ port, 1 x Wi-Fi module, 1 x Realtek 2.5Gb Ethernet port, 3 x Audio jacks, 1 x BIOS FlashBackâ„¢ button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V CPU Power connector, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 5Gbps connector (supports USB Type-CÂ®), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x S/PDIF Out header, 1 x SPI TPM header (14-1 pin), 1 x 10-1 pin Front Panel System header, micro-ATX Form Factor, 24.4 cm x 24.4 cm
PRIME-X870-PWIFI	R 5,011	Asus PRIME X870-P WIFI X870 Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Supports up to 8000 MT/s(OC) with Ryzen 9000 & 8000 & 7000 Series Processors, 2 x USB4 (40Gbps) ports (2 x USB Type-C), 1 x USB 10Gbps port (1 x Type-A), 3 x USB 5Gbps ports (3 x Type-A), 4 x USB 2.0 ports (4 x Type-A), 1 x HDMI port, 1 x Wi-Fi module, 1 x Realtek 2.5Gb Ethernet port, 3 x Audio jacks, 1 x BIOS FlashBack button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x

		4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connectors, 4 x M.2 slots (Key M), 2 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x S/PDIF Out header, 1 x SPI TPM header (14-1 pin), 1 x 10-1 pin System Panel header, ATX Form Factor, 30.5 cm x 24.4 cm
PRO A620M-E	R 1,608	MSI A620M-E Pro AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD A620 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 1x M.2 slot, 4x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 2.0, Realtek RTL8111h Gigabit LAN, 7.1-channel High Definition audio, Keyboard/Mouse, Audio connectors
PRO B650-S WIFI	R 3,218	MSI PRO B650-S WIFI AMD Ryzen 7000 / 8000 Series Socket AM5 ATX Motherboard, 4x DDR5 DIMM Memory slots, 7.1-channel High Definition audio, 2x M.2 PCI-e 4.0 x4 slots, 4x SATA 6G Ports, Realtek 8125BG 2.5G LAN, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, AMD Multi-GPU support, AMD Wi-Fi 6E, Bluetooth 5.3, Audio connectors, Flash BIOS Button, USB 3.2 Gen 2 10Gbps (Type-A), USB 3.2 Gen 1 5Gbps (Type-A), USB 3.2 Gen 2 10Gbps (Type-A), USB 3.2 Gen 2x2 20Gbps (Type-C)
PRO B650M-B DDR5	R 2,011	MSI PRO B650M-B DDR5 AMD Ryzen 7000 / 8000 Series Socket AM5 mATX Motherboard, AMD B650 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 1x M.2, 4x SATA 6G, USB 3.2 Gen1 Type-A, USB 2.0, Realtek RTL8125BG 2.5G LAN, Keyboard/Mouse ports, Audio connectors
PRO B840M-P WIFI6E	R 2,759	MSI Pro B840M-P Wi-Fi 6E AMD AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B840 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 2x M.2 supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, USB 2.0 Ports, USB 5Gbps Type-A Ports, USB 5Gbps Type-C Ports, USB 10Gbps Type-A Ports, USB 10Gbps Type-C Ports, Realtek 8125d 2.5G LAN, Wi-Fi 6E, Bluetooth, Clear CMOS Button, Audio connectors, Flash BIOS Button
PRO X870-P WIFI	R 6,311	MSI PRO X870-P WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x Type-C DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 3.0 supports up to x1, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 20Gbps Type-C, USB 40Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth
PRO X870E-PWIFI	R 5,098	MSI Pro X870E-P WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x Type-C DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, USB 2.0, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, USB 40Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth, Flash BIOS Button, Audio connectors
PROA620AM-B-EVO	R 1,619	MSI Pro A620AM-B Evo AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot (Supports x16), 1x PCI-e x1 slot, 7.1-channel High Definition Audio, 1x M.2 slot supports up to PCI-e 4.0 x4, 2x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, USB 5Gbps Type-C, Realtek RTL8125 2.5G LAN, PS2 Keyboard/Mouse Port, Audio connectors
PROA620M-E	R 1,577	MSI A620M-E Pro AMD Ryzen 7000 Series Socket AM5 mATX Motherboard, AMD A620 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 1x M.2 slot, 4x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 2.0, Realtek RTL8111h Gigabit LAN, 7.1-channel High Definition audio, Keyboard/Mouse, Audio connectors
PROARTB650-CREATOR	R 5,948	Asus ProArt B650 Creator B650 Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4 x DIMM, Max. 128GB, DDR5 7600 (OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(OC)/ 5400(OC)/ 5200/ 5000/ 4800 ECC & Non-ECC, Un-buffered Memory, 1 x USB 3.2 Gen 2 port (1 x USB

		Type-C, shared with DisplayPort graphic output), 4 x USB 3.2 Gen 2 ports (3 x Type-A 1 x USB Type-C), 2 x USB 2.0 ports (2 x Type-A), 1 x DisplayPort (Input only), 1 x HDMI port, 1 x Realtek 2.5Gb Ethernet, 1 x Realtek 1Gb Ethernet, 5 x Audio jacks, 1 x Optical S/PDIF out port, 1 x BIOS FlashBack button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V Power connector, 1 x 4-pin 12V Power connector, 1 x 6-pin PCIe Power connector, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 3.2 Gen 2x2 connector (supports USB Type-C), 1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Aura RGB header, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (AAFP), 1 x M.2 slot (Key E), 1 x 20-5 pin System Panel header, 1 x Thermal Sensor header, 1 x Thunderbolt (USB4) header, ATX Form Factor, 30.5 cm x 24.4 cm
PROARTX870E-CREATORWIFI	R 10,989	Asus ProArt X870E Creator WiFi X870E Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, 2 x USB4 (40Gbps) port(s) (2 x USB Type-C), 1 x USB 20Gbps port (1 x USB Type-C), 7 x USB 10Gbps ports (7 x Type-A), 1 x USB 2.0 port (1 x Type-A), 1 x DisplayPort (Input only), 1 x HDMI port, 1 x Wi-Fi Module, 1 x Marvell AQtion 10Gb Ethernet, 1 x Intel 2.5Gb Ethernet, 3 x Audio jacks, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 5 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 20Gbps connector (supports USB Type-CÂ® with up to 30W PD/QC4), 1 x USB 5Gbps header(s) support(s) 2 additional USB 5Gbps ports, 3 x USB 2.0 headers support 6 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x CPU Over Voltage jumper, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin System Panel header, 1 x Thermal Sensor header, ATX Form Factor, 30.5 cm x 24.4 cm
PROB840M-PWIFI6E	R 2,638	MSI Pro B840m-p Wi-Fi 6E AMD AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B840 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 2x M.2 supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, USB 2.0 Ports, USB 5Gbps Type-A Ports, USB 5Gbps Type-C Ports, USB 10Gbps Type-A Ports, USB 10Gbps Type-C Ports, Realtek 8125d 2.5G LAN, Wi-Fi 6E, Bluetooth, Clear CMOS Button, Audio connectors, Flash BIOS Button
PROB850M-PWIFI	R 3,119	MSI Pro B850m-p WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 mATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2-4 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 3x M.2 supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth, Audio connectors, Flash BIOS Button
PROX870-PWIFI	R 5,011	MSI PRO X870-P WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x Type-C DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 3.0 supports up to x1, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 20Gbps Type-C, USB 40Gbps Type-C, Realtek 8126vb 5G LAN, Wi-Fi 7, Bluetooth
ROG-STRIX-B850-I-GAMING	R 6,118	Asus ROG Strix B850-I Gaming WiFi AM5 Mini-ITX Gaming Motherboard, AMD B850 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI Port, 1x USB 10Gbps Ports support USB Type-C Display Outputs, 1x PCI-e 5.0 x16 slot with Q-Release Slim, 1x PCI-e 4.0 x16 slot with q-rlease Slim, 2x M.2 slots supports up to PCI-e 5.0 x 4 mode, 2x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth, USB 20Gbps Port (USB Type-C), USB 10Gbps Ports (Type-A & Type-C), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround Sound High Definition Audio, Rear Optical S/PDIF out Port, 3x audio jacks, 1x BIOS FlashBack Button, 1x Clear CMOS Button, 1x FlexKey Button
ROG-STRIX-X870-F-GAMING-WIFI	R 8,896	Asus ROG Strix X870-F Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 2x USB4 (40Gbps) Ports support USB Type-C Display Outputs, 1 x PCI-e 5.0 x16 slot (Supports x16 mode), 1 x PCI-e 4.0 x16 slot (Supports x8/x4 mode), 1 x PCI-e 4.0 x16 slot (Supports x4 mode), 4x M.2 slots supports PCI-e 5.0 x4 mode / PCI-e 4.0 x4/x2

		mode, 2x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB4 (40Gbps) Ports (USB Type-C with DP alt mode), USB 10Gbps Ports (Type-A Type-C with up to 30W PD fast-charge), USB 5Gbps Ports (Type-A), USB 20Gbps connector (Supports USB Type-C), ROG SupremeFX 7.1 Surround sound High Definition audio, rear Optical S/PDIF out Port, 2x audio jacks, 1x BIOS FlashBack Button
ROGCROSSHAIRX870EHERO	R 14,155	Asus ROG Crosshair X870E Hero X870E Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4 x DIMM slots, max.256GB, DDR5, 2 x USB4 (40Gbps) ports (2 x USB Type-C), 8 x USB 10Gbps ports (6 x Type-A 2 x USB Type-C), 1 x HDMI port, 1 x Wi-Fi module, 1 x Intel 2.5Gb Ethernet port, 1 x Realtek 5Gb Ethernet port, 2 x Gold-plated audio jacks, 1 x Optical S/PDIF out port, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x W_PUMP header, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 1 x 8-pin PCIe Power connector, 5 x M.2 slots (Key M), 1 x SlimSAS connector, 4 x SATA 6Gb/s ports, 2 x USB 20Gbps connectors (support USB Type-C), 2 x USB 5Gbps headers support 4 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen2 headers, 1 x Alteration PCIe mode switch, 1 x FlexKey button, 1 x Front Panel Audio header (F_AUDIO), 1 x ReTry button, 1 x Start button, 1 x 10-1 pin System Panel header, 1 x Thermal Sensor header, 1 x LN2 Mode jumper, ATX Form Factor, 30.5 cm x 24.4 cm
ROGCROSSHAIRX870EHEROBTF	R 14,450	Asus ROG Crosshair X870E Hero BTF AMD AM5 ATX Gaming Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x USB4 (40Gbps) Ports support USB Type-C Display Outputs, 1x PCI-e 5.0 x16 slots with Q-Release Slim supports x16, 1x PCI-e 4.0 x4 slot, 5x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, AMD RAIDXpert2 Technology, 1x Intel 2.5Gb Ethernet, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 10Gbps Ports (Type-A USB Type-C), ROG SupremeFX 7.1 Surround Sound High Definition Audio, 2x Gold-Plated Audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ROGSTRIXB850-AGAMINGWIFI	R 5,776	Asus ROG Strix B850-A Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot with Q-Release Slim, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 4x M.2 slots supports up to PCI-e 5.0 x 4 mode, 2x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C), USB 10Gbps Ports (Type-A Type-C), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround sound High Definition audio, 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ROGSTRIXB850-EGAMINGWIFI	R 7,646	Asus ROG Strix B850 Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, 1 x USB4 (40Gbps) Port supports USB Type-C Display Outputs, 1x PCI-e 5.0 x16 slot with Q-Release Slim (Supports x16 or x8 modes), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 5x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Supports USB Type-C with up to 30W PD/PPS fast-charge), USB 10Gbps Ports (Type-A), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround Sound High Definition Audio, 2 x Gold-Plated Audio jacks, 1x Optical S/PDIF out Port, 1 x BIOS FlashBack Button
ROGSTRIXB850-FGAMINGWIFI	R 6,247	Asus ROG Strix B850-F Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot with Q-Release Slim, 1x PCI-e 5.0 x16 slot with Q-Release Slim (Supports PCI-e 4.0 x8 or x4 mode), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 4x M.2 slots supports up to PCI-e 5.0 x 4 mode, 2x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (USB Type-C), USB 10Gbps Ports (Type-A & Type-C), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround Sound High Definition Audio, Rear Optical S/PDIF out Port, Premium Audio capacitors, 2x audio jacks, 1x BIOS FlashBack Button
ROGSTRIXB850-FGMGWIFINEO	R 6,255	Asus ROG Strix B850-F Gaming Wifi 7 Neo AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slots (Supports x4 mode), 4x M.2 slots supports up to PCI-e 5.0 x4, 2x SATA 6Gb/s Ports, AMD RAIDXpert2 Technology, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth, USB 10Gbps Ports (Type-A Type-C), USB 5Gbps Ports (Type-A Type-C), USB 2.0 Ports (Type-A), ROG SupremeFX 7.1 Surround Sound High Definition Audio, 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ROGSTRIXX870-FGAMINGWIFI	R 9,692	Asus ROG STRIX X870-F Gaming X870 Chipset AMD Ryzen AM5 Socket ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Supports up to 8000 MT/s(OC) with Ryzen, 2 x USB4 (40Gbps) ports (2 x USB Type-C with DP Alt

		mode), 6 x USB 10Gbps ports (5 x Type-A 1 x USB Type-C with up to 30W PD Fast-charge), 4 x USB 5Gbps ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi module, 1 x Intel 2.5Gb Ethernet, 2 x Audio jacks , 1 x Optical S/PDIF out port, 1 x BIOS FlashBack button , 1 x Clear CMOS button , 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 5 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connectors, 4 x M.2 slots (Key M), 2 x SATA 6Gb/s ports, 1 x USB 20Gbps connector (supports USB Type-C), 2 x USB 5Gbps headers support 4 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Alteration PCIe mode switch, 1 x Chassis Intrusion header, 1 x CPU Over voltage jumper, 1 x Front Panel Audio header (F_AUDIO), 1 x Start button, 1 x 10-1 pin System Panel header, 1 x Thermal Sensor header, ATX Form Factor, 30.5 cm x 24.4 cm
ROGSTRIXX870E-EGAMINGWIFI	R 11,277	Asus ROG Strix X870E-E Gaming WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x USB4 (40Gbps) Ports support USB Type-C Display Outputs, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 5x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (USB Type-C with up to 30W PD fast-charge), USB 10Gbps Ports (X Type-A & USB Type-C), ROG SupremeFX 7.1 Surround Sound High Definition Audio, 2x Gold-Plated Audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
TUFGAMINGB850MPLUSWIFI	R 4,249	Asus TUF Gaming B850M-PLUS WIFI B850 Chipset AMD Ryzen AM5 Socket Micro ATX Gaming Motherboard. 4 x DIMM slots, max. 256GB, DDR5, Supports up to 8000 MT/s (OC) with Ryzen(TM) 9000 & 8000 & 7000 Series Processors, ECC and Non-ECC Un-buffered DIMM, 1 x USB 20Gbps port (1 x USB Type-C), 3 x USB 10Gbps ports (3 x Type-A), 4 x USB 5Gbps ports (4 x Type-A), 4 x USB 2.0 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI(TM) port, 1 x Wi-Fi module, 1 x Realtek 2.5Gb Ethernet port, 5 x Audio jacks, 1 x BIOS FlashBack(TM) button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connectors, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-Cï¿½), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 3 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Clear CMOS header, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin Front Panel System header, micro-ATX Form Factor, 24.4 cm x 24.4 cm
TUFGAMINGB850MPLUSWIFI7	R 4,334	Asus TUF Gaming B850M-Plus WiFi7 AMD Ryzen AM5 Socket B850 Chipset micro-ATX Motherboard, 1 x USB 20Gbps port (1 x USB Type-C), 3 x USB 10Gbps ports (3 x Type-A), 4 x USB 5Gbps ports (4 x Type-A), 4 x USB 2.0 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI(TM) port, 1 x Wi-Fi module, 1 x Realtek 2.5Gb Ethernet port, 3 x Audio jacks, 1 x BIOS FlashBack(TM) button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connectors, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 3 additional USB 2.0 ports, 3 x Addressable RGB Gen 2 headers, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin Front Panel System header, micro-ATX Form Factor, 24.4 cm x 24.4 cm
TUFGAMINGB850PLUSWIFI	R 4,422	Asus TUF Gaming B850-Plus WiFi AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD B850 Chipset, 4 x DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Supports x8/x4 mode), 2x PCI-e 4.0 x1 slots, 3x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 5 x audio jacks, 1 x BIOS FlashBack Button
TUFGAMINGX870-PLUS-WIFI	R 7,567	ASUS TUF GAMING X870-PLUS WIFI AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD x870 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x USB4 (40Gbps) Ports support USB Type-C Display Outputs, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Supports x4 mode), Supports 4x M.2 slots and 2x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB4 (40Gbps) Ports (USB Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Port (Type-A), Realtek ALC1220p 7.1 Surround sound High Definition audio, 1x BIOS FlashBack Button

X670E ACE	R 18,398	MSI MEG X670E Ace AMD Ryzen 7000 Series Socket AM5 EATX Motherboard, AMD X670 Chipset, 4x DDR5 DIMM Memory slots, 1x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 PCI-e 5.0 supports up to x16, PCI_E2 PCI-e 5.0 supports up to x8, PCI_E3 PCI-e 5.0 supports up to x4, Supports AMD Multi-GPU, 4x M.2 slot, 6x SATA 6G Port, Marvell AQC113-b1-c 10Gbps LAN, AMD Wi-Fi 6E, Bluetooth 5.2, USB 2.0 Ports, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen2 Type-A Ports, USB 3.2 Gen2 Type-C Ports, USB 3.2 Gen2X2 Type-C Ports, Realtek ALC4082 Codec, 7.1-channel High Definition audio, Optical s/pdif-out
X670E CARBON WIFI	R 11,797	MSI MPG X670E CARBON WIFI AMD Ryzen 7000 Series Socket AM5 ATX Motherboard, AMD X670 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 PCI-e 5.0 supports up to x16, PCI_E2 PCI-e 5.0 supports up to x8, PCI_E3 PCI-e 4.0 supports up to x4, Supports AMD Multi-GPU, 4x M.2 slot, 6x SATA 6G Port, Realtek RTL8125BG 2.5Gbps LAN, AMD Wi-Fi 6E, Bluetooth 5.2, USB 2.0 Ports, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen2 Type-A Ports, USB 3.2 Gen2 Type-C Ports, USB 3.2 Gen2X2 Type-C Ports, 7.1-channel High Definition audio, s/pdif-out
X670E GAMING PLUS WIFI	R 4,945	MSI X670E GAMING PLUS WIFI AMD Ryzen 9000 Series Socket AM5 ATX Motherboard, Supports AMD Ryzen 9000 / 8000 / 7000 Series, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 3x PCI-e x16 slot - supports x16 / x1 / x4, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, 7.1-channel High Definition audio, 4x M.2 slots - PCI-e 5.0 x4 / PCI-e 4.0 x4, 4x SATA 6G Ports, Realtek RTL8125BG 2.5Gbps LAN, AMD Wi-Fi 6E, Bluetooth 5.3, Flash BIOS Button, USB 3.2 Gen 2x2 20Gbps (Type-C), USB 3.2 Gen 2 10Gbps (Type-A), USB 3.2 Gen 1 5Gbps (Type-A), USB 2.0 (Type-A), Audio connectors
X870-RIPTIDEWIFI	R 5,949	Asrock X870 Riptide Wi-Fi Phantom AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 ATX Motherboard, AMD X870 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 2x USB4 support HDCP 2.3 and maximum Resolution up to 8K 30Hz, 7.1 ch HD Audio, 2.5 Gigabit LAN, Wi-Fi 7, Bluetooth 5.4, 1x PCI-e 5.0 x16 slot supports x16 mode, 1x PCI-e 4.0 x16 slot suppo rts x4 mode, 3x M.2 Socket supports Type 2280 PCI-e Gen5 x4, 4x SATA3 6.0 Gb/s connectors, USB 3.2 Gen2 Type-A Ports, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen2x2 Type-C Ports, USB 3.2 Gen1 Type-A Ports, USB 2.0 Ports, USB4 Type-C Ports (40 Gb/s), 1x BIOS FlashBack Button, 1x Optical SPDIF out Port, 1x line out jack, 1x Microphone Input jack
X870E-TAICHILITE	R 8,412	Asrock X870E Taichi Lite AMD Ryzen 7000 / 8000 / 9000 Series Socket AM5 eATX Motherboard, AMD X870E Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 2x USB4 support HDCP 2.3 and maximum Resolution up to 8K 30Hz, 5.1 ch HD Audio, 5 Gigabit LAN port, Wi-Fi 7, Bluetooth 5.4, 2x PCI-e 5.0 x16 slots support x16 or x8/x8 modes, 3x M.2 Socket supports up to PCI-e Gen5 x4, 6x SATA3 6.0 Gb/s connectors, USB4 Type-C Ports (40 Gb/s), USB 3.2 Gen2 Type-A Ports, USB 3.2 Gen2x2 Type-C Ports, USB 3.2 Gen1 Type-A Ports, USB 2.0 Ports, 1x Optical SPDIF out Port, 1x BIOS FlashBack Button, 1x line out jack, 1x Microphone Input jack
X870PROAWIFI	R 3,912	ASRock X870 A-Pro WiFi X870 Chipset AMD AM5 ATX Gaming Motherboard, Dual Channel DDR5 Memory Technology, 4 x DDR5 DIMM Slots, 1 x SPI TPM Header, 1 x Power LED and Speaker Header, 1 x RGB LED Header, 3 x Addressable LED Headers, 2 x CPU Fan Connectors (4-pin) (Smart Fan Speed Control), 3 x Chassis Fan Connectors (4-pin) (Smart Fan Speed Control), 1 x AIO Pump Fan Connector (4-pin) (Smart Fan Speed Control), 2 x 8 pin 12V Power Connectors (Hi-Density Power Connector), 1 x Front Panel Audio Connector, 2 x USB 2.0 Headers (Support 4 USB 2.0 ports), 2 x USB 3.2 Gen1 Headers (Support 4 USB 3.2 Gen1 ports), 1 x Front Panel Type C USB 3.2 Gen1 Header, 2 x Antenna Ports, 1 x HDMI Port, 2 x USB4 Type-C Ports (40 Gb/s), 2 x USB 3.2 Gen2 Type-A Ports (10 Gb/s), 1 x USB 3.2 Gen1 Type-A Port, 4 x USB 2.0 Ports, 1 x RJ-45 LAN Port, 1 x BIOS Flashback Button, HD Audio Jacks: Line in / Front Speaker / Microphone, ATX Form Factor, 30.5 cm x 24.4 cm

< Return to the menu

Motherboards: AMD Threadripper Pro		
Product code	**Price**	**Description**

< Return to the menu

Motherboards: AMD TR4 Threadripper		
Product code	**Price**	**Description**

MB-GTRX40AP+W	R 10,724	Gigabyte TRX40 Aorus Pro Wifi: AMD sTR4X4 (Threaderipper 3 series only) mb - with 12 2 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board Q-Flash buttons, 2x copper PCBs design, MoSFET heatsinks with 4x DTH fins-array copper heatpipe, SmartFan5 with 9x temperature sensors 7x hybrid fan headers, solid pin power connectors (ATX 24 8 4pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding double locking bracket - 8x Quad channel DDR4-4400(O.C)/3200 up to 256Gb (ECC or non-ECC), 8x SATA6G triple Gen4x4 M.2/NGFF with thermal guards (PCIe or SATA mode), with NVME raid 0/1//0 1/5/10, on-board Realtek ALC4050H ALC1220-VB 7.1 HD audio with DTS-X ultra (with 120 dB SNR playback headphone AMP, with WiMA Nichicon audio capacitors optical s/pdif out), Intel 211AT gigabit, Intel WiFi6 AX200 802.11AX dual band 2.4Gbps WiFi bluetooth, with cFosSpeed Internet Accelerator; 1x pci-e (1x), 4x pci-e 4.0 (16x 16x 8x 8x upto 88 lanes) for Quad-GPU SLi/CrossfireX, 1x USB3 type-C (Gen2) 5x USB3 type-A (Gen2) 4x USB2, bundled norton internet security XSplit Gamecaster Broadcaster - atx
MB-GTRX40D+W	R 11,269	Gigabyte TRX40 Aorus Designare Wifi: AMD sTRX4 (Threaderipper 3 series only) mb - with 16 3 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board buttons (power reset clear CMOS Q-Flash), 2x copper PCBs design, MoSFET heatsinks with 4x DTH fins-array copper heatpipe, SmartFan5 with 9x temperature sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 8pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding double locking bracket, with bundled Aorus Gen4 Aic adapter 40Gb/s GC-Titan Ridge thunderbolt add-In Card - 8x Quad channel DDR4-4400(O.C)/3200 up to 256Gb (ECC or non-ECC), 8x SATA6G 4x Gen4x4 M.2/NGFF with thermal guards (PCIe or SATA mode), with NVME raid 0/1//0 1/5/10, on-board Realtek ALC4050H ALC1220-VB ESS ES9118 sabre DAC 7.1 HD audio with DTS-X ultra (with 120 dB SNR playback headphone AMP, with WiMA Nichicon audio capacitors optical s/pdif out), dual Intel 210AT gigabit LAN, Intel WiFi6 AX200 802.11AX dual band 2.4Gbps WiFi bluetooth, with cFosSpeed Internet Accelerator; 1x pci-e (1x), 4x pci-e 4.0 (16x 16x 8x 8x up to 88 lanes) for Quad-GPU SLi/CrossfireX, 1x USB3 type-C (Gen2) 5x USB3 type-A (Gen2) 2x USB2, bundled norton internet security XSplit Gamecaster Broadcaster - XL-ATX (33x28cm)
TRX50WS	R 17,015	Asrock TRX50 WS AMD Socket sTR5 eATX Motherboard, 4x DDR5 DIMM Memory slots, Supports AMD Ryzen ThreadRipper Pro 7000 and AMD Ryzen ThreadRipper 7000 Series processors, 3x PCI-e 5.0 x16 slots (x16 / x8), 1x PCI-e 4.0 x16 slot supports x4 mode, 1x PCI-e 4.0 x16 slot supports x8 mode, 1 x Hyper M.2 Socket supports PCI-e GEN4X4 mode, 4 x SATA3 6.0 Gb/s connectors, 1x 2.5 Gigabit LAN, 1 x 10 Gigabit LAN, Wi-Fi 6E, USB 3.2 Gen2x2 Type-C, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen1 Type-A, USB 2.0

< Return to the menu

Motherboards: AMD TR5 Threadripper

Product code	Price	Description
ASUS PRO WS TRX50-SAGE WIFI A	R 19,056	Asus Pro WS TRX50-SAGE WiFi Socket sTR5 CEB Motherboard, AMD Socket sTR5 for Ryzen ThreadRipper Pro 9000 & 7000 wx-series and Ryzen ThreadRipper 9000 & 7000 Series processors, AMD TRX50 Chipset, 4x DDR5 ECC DIMM Memory slots, 2x PCI-e 5.0 x16 slots, 1x PCI-e 5.0 x16 slot (x8 mode), 1x PCI-e 4.0 x16 slot, 1x PCI-e 4.0 x16 slot (x4 mode), 3x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1 x Marvell AQtion 10GB Ethernet, 1 x Intel I226-lm 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (1x USB Type-C), USB 10Gbps Ports (6x Type-A), USB 2.0 Ports (2x Type-A), Realtek ALC1220p Surround Sound High Definition Audio, 2x audio jacks, 1x Optical S/PDIF out Port, 1 x BIOS FlashBack Button
ASUS PRO WS WRX90E-SAGE SE	R 28,279	Asus Pro WS WRX90E-SAGE SE, AMD Socket sTR5 for Ryzen Threadripper PRO 7000 WX-Series*, Memory: 8 x DIMM, DDR5, Expansion Slots: 6 x PCIe 5.0 x16 slots, 1 x PCIe 5.0 x 8 slot, Storage: 4 x M.2 slots, 2 x SlimSAS ports and 4 x SATA, Onboard VGA Output Available: 2 x USB4 (support Type-C)
GA-TRX50-AERO-D	R 11,613	Gigabyte TRX50 AERO D - Supports AMD Ryzen Threadripper PRO 7000 series/ Ryzen Threadripper 7000 series Processors, Memory: Quad Channel DDR5?4*SMD R-DIMMs with AMD EXPO & Intel XMP Memory Module Support, Expansion Slots: 1 x PCIe 5.0 x16 with PCIe UD Slot X, 1 x PCIe 5.0 x16, 1 x PCIe 4.0 x16, Storage and USB: 3 x M.2 Gen 5 M.2 UD, 1 x M.2 Gen 4 M.2 Slot, 4 x USB 3.2 Gen 2, 4 x USB 3.2 Gen 1, 2x USB4Â® USB Type-C, Misc.: Realtek ALC4080 ALC897 Audio, Wi-Fi 7 with Ultra-high gain Antenna, 10 GbE LAN 2.5 GbE

		LAN, Rear IO Panel Display Ports Available: 1x DP (Order on request)
MH53-G40	R 18,785	Gigabyte AMD MH53-G40 WRX90 for AMD ThreadRipper Pro 9000 WX-Series Processor E-ATX Motherboard, 1x sTR5 Socket, AMD WRX90 Chipset, 8x DDR5 RDIMM DIMM slots, 2 x 10Gb/s LAN, 1x 10/100/1000 Mbps Management LAN, 1x VGA Port, 3x audio jacks, 4x M.2 supports up to PCI-e Gen5 x4, 4x SATA, 6x PCI-e x16 (Gen5 x16) slots, USB 3.2 Gen2x2 Port (Type-C), USB 3.2 Gen2 Ports (Type-A), 1x Serial Port, 1x MLAN Port, 3x audio jacks
PROWSTRX50-SAGEWIFIA	R 16,999	MSI Pro WS TRX50-SAGE WIFI A TRX50 Chipset AMD Ryzen sTR5 Socket CEB Motherboard, 4 x DIMM slots, DDR5, ECC Registered Memory*, 4 Channel Memory Architecture, 2 x USB4 (40Gbps) ports (2 x USB Type-C), 6 x USB 10Gbps ports (6 x Type-A), 1 x USB 2.0 port (1 x Type-A), 2 x DisplayPort IN, 1 x Wi-Fi Module, 1 x Marvell® AQtion 10Gb Ethernet port, 1 x Intel® 2.5Gb Ethernet port, 2 x Audio jacks, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x W_PUMP header, 4 x 4-pin Chassis Fan headers, 2 x 4-pin VRM Fan header (with VRM FAN onboard), 1 x 24-pin Main Power connectors, 1 x 4-pin to 24-pin Main Power connectors, 2 x 8-pin 12V CPU Power connector, 2 x 8-pin PCIe to CPU power connectors, 1 x 6-pin PCIe Power connector, 1 x 8-pin PCIe Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 2 x SlimSAS port, 1 x USB 20Gbps connector supports USB Type-C, 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support additional 4 USB 2.0 ports, 1 x Addressable RGB Gen 2 header, 1 x BMC header, 1 x COM Port header, 1 x FlexKey button, 1 x Front panel audio header (F_AUDIO), 1 x Start button, 1 x Safe boot button, 1 x ReTry button, 1 x LN2 mode jumper, 1 x Slow mode switch, 1 x SPI TPM header (14-1pin), 1 x 10-1 pin Front Panel System header, 1 x Chassis intrusion header, 1 x Thermal Sensor header, 7 x ProbeIt Measurement Points, CEB, 30.5 cm x 28.0 cm

< Return to the menu

Old AMD motherboards

Old AMD motherboards : AMD Ryzen 3000 / 4000 / 5000 Motherboard

Product code	Price	Description
ASUS ROG STRIX B550-A GAMING	R 2,933	Asus ROG Strix B550-A Gaming, AM4 Socket for AMD Ryzen 5000 Series/ 4000 G-Series/ 3000 Series Desktop Processors, Memory: 4 x DIMM, Max. 128GB, DDR4, Expansion Slots: 1 x PCIe 3.0 x16, 3 x PCIe 3.0. 1 x PCIe 4.0, RAID, Storage and USB: 1 x M.2_1 socket 3, 6 x SATA 6Gb/s port(s), Rear USBx8, Front USBx6, Onboard VGA Output Available: 1x HDMI 1x DP

< Return to the menu

Old AMD motherboards : Motherboards: AMD Socket L1

Product code	Price	Description

< Return to the menu

Old AMD motherboards : Motherboards: AMD 940 server

Product code	Price	Description

< Return to the menu

Old AMD motherboards : Motherboards: AMD AM1 Motherboards

Product code	Price	Description

< Return to the menu

Old AMD motherboards : Motherboards: AMD AM2 Socket 940 Discrete

Product code	Price	Description

< Return to the menu

Old AMD motherboards : Motherboards: AMD AM2 Socket 940 Intergrated

Product code	Price	Description

< Return to the menu

Old AMD motherboards : Motherboards: AMD integrated processors		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD K8 Socket 754 Discrete		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD K8 Socket 754 Integrated		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD K8 Socket 939 Discrete		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD K8 Socket 939 Integrated		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD Socket A 462		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD socket AM3 / AM2 / AM2+		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD Socket FM1		
Product code	**Price**	**Description**

< Return to the menu

Old AMD motherboards : Motherboards: AMD Socket FM2		
Product code	**Price**	**Description**

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Motherboards Intel		
Motherboards: Cables and accessories		
Product code	**Price**	**Description**
CH-BA2ioG	R 109	Bitfenix BFA-MSC-2io30GK-RP alchemy multi sleeved(2) cable - 2pin i/o 30cm extension cable (for power / reset / HDD .. Etc. from case control panel to MB) - Green
CH-BA2ioK	R 109	Bitfenix BFA-MSC-2io30KK-RP alchemy multi sleeved(2) cable - 2pin i/o 30cm extension cable (for power / reset / HDD...Etc from case control panel to MB) - black
CH-BA2ioL	R 109	Bitfenix BFA-MSC-2io30BK-RP alchemy multi sleeved(2) cable - 2pin i/o 30cm extension cable (for power / reset / HDD.. Etc from case control panel to MB) - blue

CH-BA2ioR	R 109	Bitfenix BFA-MSC-2io30RK-RP alchemy multi sleeved(2) cable - 2pin i/o 30cm extension cable (for power / reset / HDD .. Etc from case control panel to MB) - Red
CH-BA2ioS	R 109	Bitfenix BFA-MSC-2io30SK-RP alchemy multi sleeved(2) cable - 2pin i/o 30cm extension cable (for power / reset / HDD .. Etc. from case control panel to MB) - Silver
CH-BAAEG	R 109	Bitfenix BFA-MSC-AUD30GK-RP alchemy multi sleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - Green
CH-BAAEK	R 109	Bitfenix BFA-MSC-AUD30KK-RP alchemy multi sleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - Black
CH-BAAEL	R 109	Bitfenix BFA-MSC-AUD30BK-RP alchemy multi sleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - Blue
CH-BAAER	R 109	Bitfenix BFA-MSC-AUD30RK-RP alchemy multi sleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - Red
CH-BAAES	R 109	Bitfenix BFA-MSC-AUD30SK-RP alchemy multi sleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - Silver
CH-BAAEW	R 109	Bitfenix BFA-MSC-AUD30WK-RP alchemy multi sleeved(1) cable - 10pin audio 30cm extension cable (from case control panel to MB) - White
CH-BAiUG	R 109	Bitfenix BFA-MSC-iUSB30GK-RP alchemy multi sleeved(1) cable - 30cm - internal USB header extension cable - Green
CH-BAiUL	R 109	Bitfenix BFA-MSC-iUSB30LK-RP alchemy multi sleeved(1) cable - 30cm - internal USB header extension cable - Blue
CH-BAiUR	R 109	Bitfenix BFA-MSC-iUSB30RK-RP alchemy multi sleeved(1) cable - 30cm - internal USB header extension cable - Red
MB-GATPMSPi	R 229	Gigabyte GC-TPM2.0 SPi - TPM (Trusted Platform Module) module for Gigabyte MB - intel 400 series, 500 series, Z390-M-GAMING/ AMD 550 series/ GA-AB350M-DASH/ AMD X670 series
PS-EA246	R 32	2x4pin molex to 6pin (for pci-express vga card) converter - bulk pack
TPM 2.0 MODULE (MS-4136)	R 228	MSI TPM 2.0 module (MS-4136), LPC Interface, 25 x 20 mm dimension, 14-1 pin, Compatible with --> MSI Intel 300 series motherboards / MSI AMD 400 series motherboards

< Return to the menu

Motherboards: Intel LGA1150

Product code	Price	Description
Z97-HD3	R 2,243	Intel Z97Chipset 4th Generation Core i7 ATX M/B, *Intel Z97 *Support 4th Generation Core i7 Haswell CPU (i7-4790), *Support 1600MHz FSB *Support Dual Channel DDR3 1600 and XMP, *4 DIMM (32GB) *2 PCI, 2 PCIe x 1, 1 x PCIe x 4, *1 x PCI Express 3.0 x 16 Slot (Crossfire), *Intel High Definition Audio (7.1-Channel), *Intel Integrated Graphics W/DVI VGA HDMI, *Intel Matrix Storage (RAID 0/1/5/10), *6 x Serial ATA III, 6 x USB3.0 (2 by Header), 8 x USB2.0 (6 by Header), *1 x Serial Port (by Header), 1 x Parallel Port (by Header), Dual Bios, *Realtek Gigabit On-Board *2 Front USB3.0 *Front Audio, *Support Intel Rapid Start and Smart Connect / Response Technology

< Return to the menu

Motherboards: Intel LGA1151

Product code	Price	Description
AK-H81M	R 861	Arktek Intel H81 Chipset Socket LGA1150 mATX Motherboard, Dual channel DDR3, Integrated Intel Graphics, 2x DDR3 slots, Realtek 10/100/1000 Gigabit LAN, Realtek audio
H110M PRO-VH PLUS	R 1,056	MSI H110M PRO-VH PLUS H110 Chipset LGA 1151 Motherboard, 2 x DDR4 memory slots, support up to 32GB, Supports DDR4 2133MHz, 7.1-Channel High Definition Audio, 1 x PS/2 mouse, 1 x PS/2 keyboard, 2 x USB 2.0, 2 x USB 3.1 Gen1, 1 x HDMI, 1 x VGA, 1 x LAN (RJ45), 3 x audio jacks, 1 x 24-pin ATX main power, 1 x 4-pin ATX 12V power, 4 x SATA 6Gb/s, 2 x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1 x USB 3.1 Gen1 connector (supports additional 2 USB 3.1 Gen1 ports), 1 x 4-pin CPU fan, 1 x 4-pin system fan, 1 x Front panel

		audio, 2 x Front panel, 1 x TPM module, 1 x Serial Port, 1 x Chassis Intrusion, 1 x Clear CMOS jumper, 8.9 in. x 6.8 in. (22.6 cm x 17.3 cm), Micro-ATX Form Factor
Z370 GAMING PRO CARBON	R 1,723	Msi Z370 Gaming Pro Carbon: all-in-one LGA 1151 (coffee lake) Motherboard - with 3D-printing-friendly design for various add-on parts, RGB ambient LED Mystic Light Sync RGB header with 17 colours scheme Mystic app for on-the-fly customisation, 6x fan headers, dedicated peripheral ports, 15KV anti-surge LAN protection, power user (load-line calibration, digital power design, EZ debug LED, OVP), steel armor (2xPCi-E 16x 1xM.2 memory slots), Military Class 5 (titanium choke dark cap dark choke humidity/ temp/ circuit/ esd/ emi protection) - Intel Z370 Chipset, 4x dual channel DDR4-4000(O.C)/2666 with XMP support up to 64Gb, 6x SATA6G 1x 32Gb/sec M.2/NGFF type22110 (PCIe or SATA or Optane mode) 1x 32Gb/sec M.2/NGFF type2280 (PCIe or Optane mode) SSD socket with raid 0/1/5/10, on-board dual-display VGA with dual-output (HDMi DP) dual Realtek ALC1220 codec 7.1 audio with optical s/pdif out (audioboost 4 with Nahimic2 , dedicated L/R track layer with RGB LED trace path, de-pop circuit, dual EMI shielded processors with 120dB SNR/32-bit, dedicated headphone amp with impedance detection, Chemi-con caps, gold plated connectors) Intel i219-V Gigabit LAN; 3x pci-e(1x), 3x pci-e 3.0(16x/8x 8x 4x) for Quad-GPU SLi/CrossfireX, with 2x USB2.0 4x USB3.0 1x USB3.1 type-A 1x USB3.1 type-C - atx

< Return to the menu

Motherboards: Intel LGA1151 8th gen

Product code	Price	Description
AK-H110M	R 1,206	Arktek Intel H110 Chipset Socket LGA1151 mATX Motherboard, Dual channel DDR4, Integrated Intel Graphics, 2x DDR4 slots, Realtek 10/100 LAN, Realtek audio, 4x SATA Ports, 2x USB 2.0, 1x USB 3.0, 1x PCI Express x16 slot, Micro-ATX
AK-H310M	R 1,321	Arktek Intel H310 Chipset Socket LGA1151 mATX Motherboard, Dual channel DDR4 2400 / 2666 / 3200, Integrated Graphics, 2x DDR4 slots, Realtek 10/100/1000 LAN, Realtek audio, 3x SATA Ports, 1x M.2 slot, PCI Express x16 slot, Micro-ATX, 2x USB 2.0, 1x USB 3.0
GV-N1030D4-2GL	R 2,289	Gigabyte NVIDIA GeForce GT 1030 2GB GDDR4 64bit Graphics Card, DVI-D x1, HDMI-2.0b x1, Max Resolution:4096x2160 @60Hz
H310M PRO-VDH	R 1,148	MSI H310M PRO-VDH H310 Chipset Generation 8 LGA 1151 Motherboard, 2 x DDR4 memory slots, support up to 32GB, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 4 x SATA 6Gb/s connectors, 1 x USB 3.1 Gen1 connector (supports additional 2 USB 3.1 Gen1 ports), 1 x USB 2.0 connector (supports additional 2 USB 2.0 ports), 1 x Clear CMOS jumper, 2 x Front panel connectors, 1 x Serial port connector, 1 x TPM module connector, 1 x Chassis Intrusion connector, 1 x Front panel audio connector, 1 x 4-pin CPU fan connector, 1 x 4-pin system fan connector, m-ATX Form Factor, 22.6 cm x 18.5 cm
H310M PRO-VH PLUS	R 1,056	MSI H310M PRO-VH PLUS H310 Chipset Gen 8/9 LGA 1151 Motherboard, 2 x DDR4 memory slots, support up to 32GB, Supports DDR4 2666/ 2400/ 2133 MHz, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 4 x SATA 6Gb/s connectors, 1 x USB 3.1 Gen1 connector (supports additional 2 USB 3.1 Gen1 ports), 1 x USB 2.0 connector (supports additional 2 USB 2.0 ports), 1 x 4-pin CPU fan connector, 1 x 4-pin system fan connector, 2 x Front panel connectors, 1 x Front panel audio connector, 1 x Serial port connector, 1 x TPM module connector, 1 x Chassis Intrusion connector, 1 x Clear CMOS jumper, 4 x EZ Debug LED, PS/2 Combo Port, VGA Port, HDMI Port, 2 x USB 3.1 Gen1, LAN Port, HD Audio Connectors, 4 x USB 2.0 Port, m-ATX Form Factor, 22.6 cm x 18.5 cm
Z390-A PRO	R 2,298	MSI Z390-A Pro Z390 Chipset Gen 8 and 9 LGA 1151 Motherboard, 4 x DDR4 memory slots, support up to 64GB, Supports DDR4 4400(OC) - 2133 MHz, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x 6-pin ATX 12V power connector, 6 x SATA 6Gb/s connectors, 2 x M.2 slots (1 M-Key slot,1 E-Key slot), 2 x USB 3.1 Gen1 connectors (supports additional 4 USB 3.1 Gen1 ports), 2 x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1 x 4-pin CPU fan connector, 1 x 4-pin Water Pump connector, 5 x 4-pin system fan connectors, 1 x Front panel audio connector, 2 x System panel connectors, 1 x Chassis Intrusion connector, 1 x 4-pin RGB LED connector, 1 x Serial Port connector, 1 x Clear CMOS jumper, 1 x Parallel port connector, 1 x TPM module connector, 1 x thunderbolt Add-on card connector, 1 x Front OC button connector, PS/2 Combo, VGA,

		USB 3.1 Gen2 Type A C, LAN, HD Audio Connectors, 2 x USB 2.0, DVI-D, Displayport, USB 3.1, ATX Form Factor, 30.5 cm x 24.4 cm
Z390M MORTAR	R 2,298	MSI MAG Z390M Mortar Z390 Chipset Gen 8 & 9 LGA 1151 Motherboard, 4 x DDR4 memory slots, support up to 64GB, Supports DDR4 4400(OC) - 2133 MHz, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 4 x SATA 6Gb/s connectors, 1 x USB 3.1 Gen2 Type-C port, 1 x USB 3.1 Gen1 connector (supports additional 2 USB 3.1 Gen1 ports), 2 x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1 x 4-pin CPU fan connector, 1 x 4-pin Water Pump connector, 2 x 4-pin system fan connectors, 1 x Front panel audio connector, 2 x Front panel connectors, 2 x 4-pin RGB LED connectors, 1 x Thunderbolt add-on card connector, 1 x TPM module connector, 1 x Chassis Intrusion connector, 1 x Clear CMOS jumper, PS/2 Combo Port, DisplayPort, LAN Port, USB 3.1 Gen2 Type A, HD Audio Connectors, 4 x USB 2.0 Ports, DVI-D Port, HDMI Port, USB 3.1 Gen2 Type C, Optical S/PDIF OUT, Micro-ATX Form Factor, 24.4 cm x 24.4 cm

< Return to the menu

Motherboards: Intel LGA1151 9th gen

Product code	Price	Description
AK-H110M EG	R 1,149	Arktek H110M EG LGA1151 DDR4 for 6th / 7th / 8th / 9th Generation mATX Motherboard / Intel H110 Chipset / 2x DDR4 DIMM Memory slots / 10/100 Mbps LAN / 3x SATA / 1x M.2 supports PCI-e SATA mode / 1x PS/2 Mouse Port 1x PS/2 Keyboard Port 1 x VGA Port / 1x HDMI Port / 1x PS/2 Mouse Port / 1x PS/2 Keyboard Port / 2x USB 2.0 Port / 2x USB 3.0 Port / 3x audio jack / 1x PCI Express x16 slot

< Return to the menu

Motherboards: Intel LGA1155

Product code	Price	Description
AK-H61M EL	R 919	Arktek AK-H61M EL H61 Chipset LGA 1155 Micro-ATX Motherboard

< Return to the menu

Motherboards: Intel LGA1200 10th/11th gen

Product code	Price	Description
AK-H510M	R 1,551	Arktek Intel H510 Chipset Socket LGA1200 mATX Motherboard, Dual channel DDR4, Integrated Intel Graphics, 2x DDR4 slots, Realtek 100/1000 Gigabit LAN, Realtek audio, 3x SATA 3.0 Ports, 4x USB 2.0, 4x USB 3.0, 1x PCI Express x16 slot, Micro-ATX
AK-H510M EG	R 1,264	Arktek AK-H510M EG H510 Chipset LGA 1200 Micro-ATX DDR4 Motherboard
ASUS PRIME H410M-A	R 1,236	Asus Prime H410M-A Intel 10th Gen Socket 1200 mATX Motherboard, Intel H410 Chipset, 2x DIMM Maximum 64GB, 1x D-Sub, 1x DVI-D, 1x HDMI 1.4b, 1x PCI-e 3.0 x16 (x16 mode), 2x PCI-e 3.0, 1 x M.2 slots, 4 x SATA 6Gb/s ports, Realtek RTL8111h LAN, Realtek ALC887 7.1-channel high definition audio Codec, USB 3.2 Gen 1 Ports, USB 2.0 Ports
ASUS PRIME Z590-P	R 2,843	Asus Prime Z590-P, Intel Socket LGA 1200 for 11th Gen Intel Core processors & 10th Gen Intel Core, Pentium Gold and Celeron Processors*, Memory: 4 x DIMM, Max. 128GB, DDR4 5133(OC), Expansion Slots: 1 x PCIe 4.0/3.0 x16 slot, RAID. Storage and USB: 3 x M.2 slots and 4 x SATA 6Gb/s ports, Rear USBx6, Front USBx9, Onboard VGA Output Available: 1x HDMI 1x DP
ASUS TUF GAMING Z490-PLUS	R 3,087	Asus TUF GAMING Z490-PLUS, Intel Socket LGA 1200 for 10th Gen Intel Core, Pentium Gold and Celeron Processors, Memory: 4 x DIMM, Max. 128GB, DDR4, Expansion Slots: 1 x PCIe 3.0 x16 (x16 mode), 1 x PCIe 3.0 x16 (x4 mode), 3 x PCIe x1, Storage and USB: 1 x M.2_1 socket 3, 1 x M.2_2 socket 3, 6 x SATA 6Gb/s port(s), bk * 6 USB, frt * 6 USB, Multi VGA: Supports AMD 2-way CrossFireX Technology, Onboard VGA Output Available: HDMI/DisplayPort ports
B460 TOMAHAWK	R 2,298	MSI B460 TomaHawk Intel 10th Gen Socket 1200 ATX Motherboard, Intel B460 Chipset, 4 DIMM slots, 128GB Maximum Memory, 2x PCI-e x 16, PCI-e GEN3, 2x PCI-e x1, 6x SATA 6Gb/s ports, 2x M.2 slot, RAID, Crossfire, USB 3.2 ports, USB 2.0 ports, 7.1-channel high definition audio, 1x Realtek RTL8125B 2.5Gbps LAN controller
B460M BAZOOKA	R 1,723	MSI B460M Bazooka Intel 10th Gen Socket 1200 mATX Motherboard, Intel B460 Chipset, 4 DIMM slots, 128GB

		Maximum Memory, 1x PCI-e x16, PCI-e GEN3, 1x PCI-e x2, 4x SATA 6Gb/s ports, 2x M.2 slot, RAID, Realtek 8111H Gigabit LAN, USB 3.2 ports, USB 2.0 ports, Audio ports, DVI-D, HDMI, 7.1-channel high definition audio
B460M MORTAR	R 1,953	MSI B460 Mortar Intel 10th Gen Socket 1200 mATX Motherboard, Intel B460 Chipset, 4 DIMM slots, 128GB Maximum Memory, 2x PCI-e x16, 1 PCI-e x1, 6x SATA 6Gb/s ports, 2x M.2 slot, RAID, DisplayPort, HDMI, 7.1-channel high definition audio, 1x Realtek RTL8125B 2.5G LAN controller
B560M MORTAR WIFI	R 2,988	MSI MAG B560m Mortar WiFi Intel 11th gen LGA 1200 mATX Motherboard, Intel B560 Chipset, 4 DIMM slots, 2x PCI-e x16, 1x PCI-e x1, 2x M.2 slot, 1x Realtek 8125b 2.5G LAN, Intel Wi-Fi 6e AX210, Bluetooth, USB 3.2 ports, USB 2.0 ports, DisplayPort, HDMI, Crossfire, 6x SATA 6Gb/s ports, 7.1-channel high definition audio
B560M PRO	R 1,895	MSI B560m Pro Intel 11th Gen LGA 1200 mATX mainboard, Intel B560 Chipset, 2x DIMM slots, 1x PCI-e x16, PCI-e Gen4, 2x PCI-e x1, 1x M.2 slot, 1x Realtek 8125b 2.5Gbps LAN controller, USB 3.2 ports, USB 2.0 ports, Serial ports, DisplayPort, VGA, HDMI, 7.1-channel high definition audio, 6x SATA 6Gb/s ports
B560M PRO-VDH	R 2,033	MSI B560m PRO-VDH Intel 11th Gen LGA 1200 mATX mainboard, Intel B560 Chipset, 4 DIMM slots, 1x PCI-e x16, PCI-e Gen4, 22 PCI-e x1, 22 M.2 slot, 1x realtek 8125b 2.5Gbps LAN controller, USB 3.2 ports, USB 2.0 ports, Serial ports, DisplayPort, VGA, HDMI, 7.1-channel high definition audio, 6x SATA 6Gb/s ports
B560M PRO-VDH WIFI	R 2,206	MSI B560m PRO-VDH WiFi Intel 11th Gen LGA 1200 mATX mainboard, Intel B560 Chipset, 4 DIMM slots, 1x PCI-e x16, PCI-e Gen4, 22 PCI-e x1, 22 M.2 slot, 1x Realtek 8125b 2.5Gbps LAN controller, USB 3.2 ports, USB 2.0 ports, Serial ports, DisplayPort, VGA, HDMI, 7.1-channel high definition audio, 6x SATA 6Gb/s ports, Intel Wi-Fi 6 AX201, Bluetooth 5.1
B560M-A PRO	R 1,872	MSI B560M-A PRO B560 Chipset Gen 10/ 11 LGA 1200 MATX Motherboard, 2x DDR4 memory slots, support up to 64GB, 1x 24-pin ATX main power connector, 1x 8-pin ATX 12V power connector, 6x SATA 6Gb/s connectors, 1x M.2 slot (M-Key), 1x USB 3.2 Gen 1 5Gbps connector (supports additional 2 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin system fan connector, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 1x Clear CMOS jumper, 1x TPM module connector, 1x Serial port connector, 1x Tuning Controller Connector, HDMI, VGA, Mouse / Keyboard, LAN port, Audio connector, 2 x USB 2.0, 4 x USB 3.2 Gen 1 5Gbps Type-A, mATX Form Factor, Â© 2021 Laptop Direct
GA-H510M-H	R 1,652	Gigabyte H510M-H - H510 Express Chipset: Socket LGA 1200, Supports 10/11th Generation Intel Core Processors, Memory: 2x Dual Channel DDR4 DIMM Slots (64GB Max - 11th Gen DDR4 3200, 10th Gen DDR4 2933), Expansion Slots: 1x PCI-Express 4.0 (x16 Speed), 1x PCI-Express 3.0 (1x Speed) Storage and USB : 4x SATA 3 (6 Gb/s) connection, 1x M.2 PCIe 3.0 (Socket 3, M Key), 4x USB 3.2 Gen 1 (2x Back, 2x Cable), 6x USB 2.0 Ports (2x Back, 4x Cable), Misc. :1x Realtek GBE Lan (1000/100 Mbit), Rear IO Panel Display Ports Available: 1x VGA, 1x HDMI
MB-GZ490AMW+W	R 9,199	Gigabyte Z490 Aorus Master Waterforce Wifi: all-in-one LGA 1200 (coMet lake) Motherboard - with CPU VRM liquid cooler 360 (394x119x27mm radiator with 3x120mm ARGB fans) thermal baseplate, 14 1 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board buttons (power reset clear CMOS), 2x copper PCBs design, MoSFET heatsinks with DTH fins-array copper heatpipe, SmartFan5 with 9x temperature sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 8pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding, with extra noise detection hardware monitoring, with 2x thunderbolt card connectors - Intel Z490 chipset, 4x dual channel DDR4-5000(O.C)/2933 with XMP support up to 128Gb, 6x SATA6G triple Gen3x4 M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1//0 1/5/10, on-board display with HDMi output (depends on CPU) Realtek ALC1220-VB 7.1 HD audio (with ESS SABRE ES9118 DAC WiMA Nichicon audio capacitors optical s/pdif out) Intel 2.5Gb lan with cFosSpeed Internet Accelerator, Intel Wifi-6 AX201 dual band 2.4Gbps WiFi Bluetooth; 3x pci-e 3.0 (16x 8x 4x) for Quad-GPU SLi/CrossfireX, with 1x USB3 type-C (Gen2 10GBPs) 3x USB3 type-A (Gen2 10GBPs) 2x USB3 (Gen1 5GBPs) 4x USB2.0, bundled Norton internet security - ATX
MB-GZ490AP+W	R 6,414	Gigabyte Z490 Aorus Pro ax Wifi: all-in-one LGA 1200 (coMet lake) mb - with 12 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, 2x copper PCBs design, MoSFET heatsinks with copper heatpipe, SmartFan5 with 9x temperature

		sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 4pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding, with thunderbolt card connector - Intel Z490 chipset, 4x dual channel DDR4-5000(O.C)/2933 with XMP support up to 128Gb, 6x SATA6G dual Gen3x4 M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1//0 1/5/10, on-board display with HDMi output (depends on CPU) Realtek ALC1220-VB 7.1 HD audio (with WiMA Nichicon audio capacitors optical s/pdif out) Intel 2.5Gb LAN with cFosSpeed Internet Accelerator, Intel Wifi-6 AX201 dual band 2.4Gbps WiFi Bluetooth; 2x pci-e(1x), 3x pci-e 3.0(16x 8x 4x) for Quad-GPU SLi/CrossfireX, with 1x USB3 type-C (Gen2 10GBPs) 2x USB3 type-A (Gen2 10GBPs) 3x USB3 (Gen1 5GBPs) 4x USB2.0, bundled norton internet security XSplit Gamecaster Broadcaster - ATX
MB-GZ490AU+W	R 5,634	Gigabyte Z490 Aorus Ultra Wifi: all-in-one LGA 1200 (coMet lake) mb - with 12 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, 2x copper PCBs design, MoSFET heatsinks with DTH copper heatpipe, nanocarbon coated fin array, SmartFan5 with 9x temperature sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 4pin), memory armor with stainless steel shielding, memory armor with stainless steel shielding, PCIe armor with stainless steel shielding, with extra noise detection hardware monitoring, with thunderbolt card connector - Intel Z490 chipset, 4x dual channel DDR4-5000(O.C)/2933 with XMP support up to 128Gb, 6x SATA6G triple Gen3x4 M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1//0 1/5/10, on-board display with HDMi output (depends on CPU) Realtek ALC1220-VB 7.1 HD audio (with WiMA Nichicon audio capacitors optical s/pdif out) Intel 2.5Gb LAN with cFosSpeed Internet Accelerator, Intel Wifi-6 AX201 dual band 2.4Gbps WiFi bluetooth; 3x pci-e 3.0 (16x 8x 4x) for Quad-GPU SLi/CrossfireX, with 1x USB3.1 type-C (Gen2 10GBPs) 3x USB3.1 type-A (Gen2 10GBPs) 2x USB3 (Gen1 5GBPs) 4x USB2.0, support optional serial port add-on cable, bundled Norton internet security XSplit Gamecaster Broadcaster - ATX
MB-GZ490AX+WT	R 10,349	Gigabyte Z490 Aorus Xtreme Wifi Thunderbolt3: all-in-one LGA 1200 (coMet lake) mb - with 16 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board buttons (power reset clear CMOS), 2x copper PCBs design, MoSFET heatsinks with 4x DTH fins-array copper heatpipe), nanocarbon coating backplate, SmartFan5 with 10x temperature sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 4pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding, with extra noise detection hardware monitoring - Intel Z490 chipset, 4x dual channel DDR4-5000(O.C)/2933 with XMP support up to 128Gb, 6x SATA6G triple Gen3x4 M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1//0 1/5/10, on-board display with 2x Thunderbolt3(40GBPs)/ type-C HDMi output (depends on CPU) Realtek ALC1220-VB 7.1 Hi-Fi audio (ESS ES9018K2M DAC ES9218P DAC TI OPA1622 amplifiers WiMA Nichicon audio capacitors TXC oscillator anti-pop circuit gold plated audio jacks optical s/pdif out) bundled ESSential USB type-C audio DAC dual LAN (Intel 2.5Gb aquantia 10Gb) with cFosSpeed Internet Accelerator, Intel Wifi-6 AX201 dual band 2.4Gbps WiFi Bluetooth; 3x 3x pci-e 3.0 (16x 8x 4x) for Quad-GPU SLi/CrossfireX, with 2x Thunderbolt3(40GBPs) / type-C 4x USB3 type-A (Gen2 10GBPs) 2x USB3 (Gen1 5GBPs) 2x USB2.0, bundled norton internet security XSplit Gamecaster Broadcaster - E-ATX
MB-GZ590AM+W	R 7,446	Gigabyte Z590 Aorus Master Wifi: all-in-one LGA 1200 (rocket lake / coMet lake) Motherboard - with 18 1 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board buttons (power reset clear CMOS), 2x copper PCBs design, MoSFET heatsinks with DTH fins-array copper heatpipe, SmartFan6 with 8 2 temperature sensors 10x hybrid fan headers, solid pin power connectors (ATX 24 8 8pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding, with extra noise detection hardware monitoring, with 2x thunderbolt card connectors - Intel Z590 chipset, 4x dual channel DDR4-5000(O.C)/3200 with XMP support up to 128Gb, 6x SATA6G triple (Gen4x4 2xGen3x4) M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1/0 1/5/10, on-board display with DP output (depends on CPU) Realtek ALC1220-VB 7.1 HD audio (with ESS SABRE ES9118 DAC WiMA Nichicon audio capacitors optical s/pdif out) Aquantia 10Gb LAN with cFosSpeed Internet Accelerator, Intel Wifi-6E AX210 dual band 2.4/5/6Gbps WiFi Bluetooth; 3x PCi-Ex16 (Gen4@16x Gen4@8x Gen3@4x) for Quad-GPU CrossfireX (no SLi), with 1x USB3 type-C (Gen2x2 20GBPs) 5x USB3 type-A (Gen2 10GBPs) 4x

		USB3 (Gen1 5GBPs), bundled Norton internet security - ATX
MB-GZ590AP+W	R 5,377	Gigabyte Z590 Aorus Pro AX Wifi: all-in-one LGA 1200 (rocket lake / coMet lake) Motherboard - with 12 1 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, 2x copper PCBs design, MoSFET heatsinks with copper heatpipe, SmartFan6 with 9 2 temperature sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 8pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding, with 2x thunderbolt card connectors - Intel Z590 chipset, 4x dual channel DDR4-5400(O.C)/3200 with XMP support up to 128Gb, 6x SATA6G quad (3x Gen4x4 Gen3x4) M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1/0 1/5/10, on-board display with DP output (depends on CPU) Realtek ALC4080 7.1 HD audio optical s/pdif out Intel 2.5Gb LAN with cFosSpeed Internet Accelerator, Intel Wifi-6 AX200 dual band 2.4/5Gbps WiFi Bluetooth; 3x PCi-Ex16 (Gen4@16x Gen3@4x Gen3@4x) for Quad-GPU CrossfireX (no SLi), with 1x USB3 type-C (Gen2x2 20GBPs) 4x USB3 type-A (Gen2 10GBPs) 4x USB3 (Gen1 5GBPs) 4x USB2.0, bundled Norton internet security - ATX
MB-GZ590AX+WT	R 10,464	Gigabyte Z590 Aorus Xtreme Wifi Thunderbolt4: all-in-one LGA 1200 (rocket lake / coMet lake) mb - with 20 1 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip
MB-GZ590VD+WT	R 6,468	Gigabyte Z590 Vision D Wifi Thunderbolt4: all-in-one LGA 1200 (coMet lake) Motherboard - with Direct 12 1 phase digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0, Addressable LED Strip Support, 2x copper PCBs design, MoSFET heatsinks with copper heatpipe, SmartFan6 with 10x temperature sensors 8x hybrid fan headers, solid pin power connectors (ATX 24 8 4pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding double locking bracket, with VisionLink Thunderbolt 4.0 - Intel Z590 chipset, 4x dual channel DDR4-3200 with XMP support up to 128Gb, 6x SATA6G triple (Gen4x4 2xGen3x4) M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1/0 1/5/10, on-board display with 2x Thunderbolt4(40GBPs) / type-C HDMI dual output (depends on CPU) DP input from graphics card for 4K through Thunderbolt Realtek ALC4080 7.1 HD audio optical s/pdif out dual Intel 2.5Gb LAN with cFosSpeed Internet Accelerator Intel Wifi-6E AX210 dual band 2.4/5Gbps WiFi Bluetooth; 1x pci-e(1x), 3x PCi-Ex16 (Gen4@16x Gen4@8x Gen3@4x) for Quad-GPU CrossfireX (no SLi), with 2x Thunderbolt4(40GBPs) / type-C 1x USB3 type-C (Gen2 10GBPs) 2x USB3 type-A (Gen2 10GBPs) 4x USB3 (Gen1 5GBPs), bundled Norton internet security - ATX
MB-GZ590VDi+WT	R 5,273	Gigabyte Z590 Vision D ITX Wifi Thunderbolt4: all-in-one LGA 1200 (rocket lake / coMet lake) Motherboard - with digital VRM, pre-mounted I/O shield with thermal armor RGB Fusion 2.0, Addressable LED Strip Support, 2x copper PCBs design, MoSFET heatsinks with copper heatpipe, SmartFan6 with 4x temperature sensors 4x hybrid fan headers, solid pin power connectors (ATX 24 8pin), memory armor with stainless steel shielding, PCIe armor with stainless steel shielding double locking bracket, with Thunderbolt 4.0 - Intel Z590 chipset, 2x dual channel DDR4-3200 with XMP support up to 128Gb, 4x SATA6G dual (Gen4x4 Gen3x4) M.2/NGFF with thermal guards (PCIe or SATA or Optane mode) with raid 0/1/0 1/5/10, on-board display with 2x Thunderbolt4(40GBPs) / type-C output (depends on CPU) DP input from graphics card for 4K through Thunderbolt Realtek ALC4080 7.1 HD audio Intel 2.5Gb LAN with cFosSpeed Internet Accelerator Intel Wifi-6 AX200 dual band 2.4/5Gbps WiFi Bluetooth; 1x PCi-Ex16 (Gen4@16x), with 2x Thunderbolt4(40GBPs)/ type-C 2x USB3 type-A (Gen2 10GBPs) 4x USB3 (Gen1 5GBPs), bundled Norton internet security - mini-ITX
Z490 GAMING PLUS	R 2,988	MSI MPG Z490 Gaming plus Z490 Chipset Gen 10 LGA 1200 Motherboard, 4 x DDR4 memory slots, support up to 128GB, Supports 1R 2133/2666/2933 MHz, 1x 24-pin ATX main power connector, 1x 8-pin ATX 12V power connector, 1x 4-pin ATX 12V power connector, 6x SATA 6Gb/s connectors, 1x USB 3.2 Gen 1 5Gbps Type-C port, 2x USB 3.2 Gen 1 5Gbps connectors (support additional 4 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (support additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water pump connector, 6x 4-pin system fan connectors, 1x front panel audio connector, 2x system panel connectors, 1x Chassis Intrusion connector, 1x Clear CMOS jumper, 1x 4-pin RGB LED connector, 2x 3-pin RAINBOW LED connectors, 1x serial port connector, 1x TPM module connector, 1x TBT connector, PS/2 Combo Port, 1 x USB 3.2 Gen 2 10Gbps (Type-A), LAN Port, HD Audio Connectors, 2 x USB 2.0 Ports, HDMI Port, DisplayPort, 1 x USB 3.2 Gen 2 10Gbps (Type-C), 2 x USB 3.2 Gen 1 5Gbps (Type-A), Optical S/PDIF OUT, ATX Form Factor, 30.5 cm x 24.4 cm

Z490 GODLIKE	R 16,098	MSI MEG Z490 Godlike Z490 Chipset Gen 10 LGA 1200 Motherboard, 4x DDR4 memory slots, support up to 128GB, Supports 1R 2133/2666/2933 MHz, 1x 24-pin ATX main power connector, 2x 8-pin ATX 12V power connectors, 1x 6-pin ATX PCIE power connector, 6x SATA 6Gb/s connectors, 3x M.2 slots (M-Key), 1x USB 3.2 Gen 2 10Gbps Type-C port, 2x USB 3.2 Gen 1 5Gbps connectors (supports additional 4 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water-pump fan connector, 8x 4-pin system fan connectors, 1x 3-pin Water Flow connector, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 2x 2-pin Thermal Sensors connectors, 1x TPM module connector, 1x 4-pin RGB LED connector, 2x 3-pin RAINBOW LED connectors, 1x 3-pin CORSAIR LED connector, Clear CMOS Button, PS/2 Keyboard / Mouse Port, 4 x USB 3.2 Gen1 5Gbps (Type-A), 2.5G LAN, 10G Super LAN, Wi-Fi /Bluetooth Antenna Connectors, HD Audio Connectors, Flash BIOS Button, 2 x USB 2.0, 2 x Thunderbolt 3 (40Gbps), 2 x USB 3.2 Gen2 10Gbps (Type-A), Optical S/PDIF-Out, E-ATX Form Factor, 30.5 cm x 27.7 cm
Z490M GAMING EDGE WIFI	R 4,139	MSI Z490M Gaming Edge WiFi Intel 10th Gen Socket 1200 mATX Motherboard, Intel Z490 Chipset, 4 DIMM slots, 128GB Maximum Memory, 2x PCI-e x16, 2x PCI-e x1, 4x SATA 6Gb/s ports, 2x M.2 slot, RAID, USB 3.2 ports, USB 2.0 ports, DisplayPort, HDMI, SLI, Crossfire, 7.1-channel high definition audio, 1x Realtek RTL8125B 2.5Gbps LAN controller, Intel AX201 WiFi 6, Bluetooth 5.1
Z590 GAMING CARBON WIFI	R 5,380	MSI MPG Z590 Gaming Carbon WiFi Z590 Chipset Gen 10/ 11 LGA 1200 Motherboard, 4x DDR4 memory slots, support up to 128GB, Supports 1R 2133/ 2666/ 2933/ 3200 MHz for 11th Gen Intel CPU (by JEDEC & POR), 1x 24-pin ATX main power connector, 2x 8-pin ATX 12V power connectors, 1x 6-pin PCIE power connector, 6x SATA 6Gb/s connectors, 3x M.2 slots (M-Key), 1x USB 3.2 Gen 2 10Gbps Type-C port, 1x USB 3.2 Gen 1 5Gbps connector (supports additional 2 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 Type-A connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water-pump fan connector, 6x 4-pin system fan connectors, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 1x Clear CMOS jumper, 1x TPM module connector, 1x TBT connector (supports RTD3), 1x Tuning Controller connector, USB 2.0, DisplayPort, USB 3.2 Gen 1 5Gbps Type-A, 2.5G LAN, Audio Connectors, Flash BIOS Button, HDMI, 3 x USB 3.2 Gen 2 10Gbps Type-A, USB 3.2 Gen 2x2 20Gbps Type-C, Wi-Fi / Bluetooth, Optical S/PDIF Out, ATX Form Factor, 30.5 cm x 24.4 cm
Z590 TOMAHAWK WIFI	R 5,242	MSI Z590 TomaHawk WiFi Intel 11th Gen Socket 1200 ATX Motherboard, Intel Z590 Chipset, 4 DIMM slots, 2x PCI-e x16, 2x PCI-e x1, 6x SATA III, 3x M.2 slot, RAID 0 / 1 / 5 / 10, 1x Intel I225-v 2.5G LAN, Intel Wi-Fi 6e AX210 WiFi & Bluetooth, 5 optical S/PDIF, DisplayPort, HDMI, Crossfire, USB3.2 Gen2X2 20Gbps Type-C Port, USB 3.2 Gen 2 10Gbps ports, USB 3.2 Gen 1 5Gbps ports, USB 2.0 Type-A Port, 7.1-channel high definition audio
Z590 UNIFY	R 5,173	MSI MEG Z590 Unify Intel 11th Gen LGA 1200 Socket ATX Motherboard, Intel Z590 Chipset, 4 DIMM slots, 6x SATA III, 4x M.2 slot, 1x Intel I225-v 2.5G LAN, Intel Wi-Fi 6e AX210, USB 3.2 ports, USB 2.0 ports, 5 optical S/PDIF (Realtek ALC4080 Codec), HDMI, Crossfire, Bluetooth 5.2, 1x PCI-e x16, 1x PCI-e x4, 2x PCI-e x1
Z590-A PRO	R 3,333	MSI Z590-A PRO Z590 Chipset Gen 10/ 11 LGA 1200 Motherboard, 4x DDR4 memory slots, support up to 128GB, Supports 1R 2133/ 2666/ 2933/ 3200 MHz for 11th Gen Intel CPU (by JEDEC & POR), 1x 24-pin ATX main power connector, 1x 8-pin ATX 12V power connector, 1x 4-pin ATX 12V power connector, 1x 6-pin ATX PCIe power connector, 6x SATA 6Gb/s connectors, 3x M.2 slots (M-Key), 1x USB 3.2 Gen 2 10Gbps Type-C port, 2x USB 3.2 Gen 1 5Gbps connectors (supports additional 4 USB 3.2 Gen 1 5Gbps ports), 2x USB 2.0 connectors (supports additional 4 USB 2.0 ports), 1x 4-pin CPU fan connector, 1x 4-pin water-pump fan connector, 6x 4-pin system fan connectors, 1x Front panel audio connector, 2x System panel connectors, 1x Chassis Intrusion connector, 1x Clear CMOS jumper, 1x TPM module connector, 1x Serial port connector, 1x Tuning controller connector, 1x TBT connector (Supports RTD3), Keyboard / Mouse, DisplayPort, 4 x USB 2.0, LAN port, Audio connector, Flash BIOS Button, HDMI, 2 x USB 3.2 Gen 1 5Gbps Type-A, USB 3.2 Gen 2x2 20Gbps Type-C, USB 3.2 Gen 2 10Gbps Type-A, ATX Form Factor, 30.5 cm x 24.4 cm

< Return to the menu

Motherboards: Intel LGA1700 12th/13th/14th gen		
Product code	**Price**	**Description**

90MB1B40-M0ECY0	R 1,699	Asus Prime H610M-R D4 Intel LGA 1700 micro ATX Motherboard - Intel, Processor socket LGA 1700, Compatible processor series Intel® Celeron®, Intel® Core(TM) i3, Intel® Core(TM) i5, Intel® Core(TM) i7, Intel® Core(TM) i9, Intel Pentium G. Supported memory types DDR4-SDRAM, Maximum internal memory 64GB, Memory slots type DIMM. Supported storage drive interfaces M.2, SATA III, Supported storage drive types HDD & SSD. Maximum resolution 3840 x 2160 pixels. USB connector type USB Type-A.
AK-B760M EG	R 2,299	Arktek AK-B760M EG B760 Chipset LGA 1700 Micro-ATX Motherboard
AK-H610M EG	R 1,379	Arktek AK-H610M EG H610 Chipset LGA 1700 Micro-ATX Motherboard
AK-H610M-EG	R 1,599	Arktek Intel H610 Motherboard - LGA1700 Socket, ATX Foam Factor, Dual Channel DDR4 Memory Support, Support Core i9/ i7/ i5/ i3 Processors, Integrated Graphics Processor- HD Graphics Support, 2 DIMM Memory Slots, Realtek 8111H 100M/1000Mbps Support Wake-Up on LAN, PXE Function, Built-In 6 Channel HD Audio Chip, Retail Box
ASUS PRIME B760-PLUS D4	R 2,990	ASUS PRIME B760-PLUS D4 Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel B760 Chipset, 4x DDR4 DIMM Memory slots, 1x DisplayPort, 1x VGA Port, 1x HDMI Port, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 2x PCI-e 3.0 x1 slots, 3x M.2 slots, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 3.2 Gen 2x2 Port (Type-C), USB 3.2 Gen 2 Ports (Type-A), USB 3.2 Gen 1 Port Type-A), USB 2.0 Ports, Realtek 7.1 Surround sound High Definition audio, 3x audio jacks
ASUS PRIME B760M-A WIFI D4	R 3,232	Asus PRIME B760M-A WIFI D4, Intel Socket LGA1700 for 13th Gen Intel Core Processors & 12th Gen Intel Core, Pentium Gold and Celeron Processors, Memory: 4 x DIMM, Max. 128GB, DDR4, Expansion Slots: 1 x PCIe 4.0/3.0x16, 2xPCIe 4.0x16(support x4 / x1), RAID, Storage and USB: 2 x M.2, 4xSATA 6Gb/s, 6xUSB, Onboard VGA Output Available: 1x HDMI 1x DP
ASUS PRIME B760M-K	R 2,680	ASUS PRIME B760M-K, Intel Socket LGA1700 for 13th Gen Intel Core Processors & 12th Gen Intel Core, Pentium Gold and Celeron Processors*, Memory: 2 x DIMM, Max. 64GB, DDR5, Expansion Slots: 1 x PCIe 4.0/3.0x16, 2xPCIe4x1, RAID, Storage and USB: 2 x M.2, 4xSATA 6Gb/s, 6xUSB, Onboard VGA Output Available: 1x HDMI 1x VGA
ASUS PRIME B760M-K D4	R 2,381	Asus Prime B760M-K D4, Intel Socket LGA 1700 for 13th Gen Intel Core Processors & 12th Gen Intel Core, Pentium Gold and Celeron Processors*, Memory: 2 x DIMM, Max. 64GB, DDR4, Expansion Slots: 1 x PCIe 4.0/3.0x16, 2xPCIe4x1, RAID, Storage and USB: 2 x M.2, 4xSATA 6Gb/s, 6xUSB, Onboard VGA Output Available: 1x HDMI 1x VGA
ASUS PRIME B760M-R D4	R 2,422	ASUS PRIME B760M-R D4 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 2 x DDR5 DIMM Memory slots, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 2x PCI-e 4.0 x1 slots, 2x M.2 slots, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 5Gbps Ports (Type-A), USB 2.0 Ports, Realtek 7.1 Surround sound High Definition audio, 3x audio jacks
ASUS PRIME H610M-R D4-SI	R 1,615	Asus Prime H610M-R D4 SI Intel 12th / 13th Gen Socket LGA 1700 mATX Motherboard, SI system intergartor board, Intel H610M Chipset, 2 x DDR4 DIMM Memory slots, D-Sub Port, DVI-D Port, HDMI Port, Realtek 1GB Ethernet, USB 3.2 Gen 1 Ports, USB 2.0 Ports, 1x PCI-e 4.0 x16 slot, 1x PCI-e 3.0 x1 slot, 3x audio jacks, 1x M.2 slot supports up to PCI-e 3.0 x4 mode, 4x SATA 6Gb/s ports
ASUS TUF GAMING B760M-PLUS WIFI	R 4,123	Asus TUF Gaming B760M-Plus WiFi, Intel Socket LGA 1700 for 13th Gen Intel Core Processors & 12th Gen Intel Core, Pentium Gold and Celeron Processors*, Memory: 4 x DIMM, Max. 128GB, DDR5, Expansion Slots: 1 x PCIe 5x16, 1xPCIe 4.0x16(support x4), 1xPCIe 4.0x1/ RAID, Storage and USB: 2 x M.2, 4xSATA 6Gb/s, 8xUSB, Onboard VGA Output Available: 1x HDMI 1x DP
B660M BAZOOKA DDR4	R 3,034	MSI B660M BAZOOKA DDR4 Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel B660 Chipset, 4 DDR4 DIMM Memory slots, 4x SATA 3, 2x M.2 slot, RAID 0 / 1 / 5 / 10, 1x Realtek 8125BG 2.5G LAN, 1x DisplayPort, 1x HDMI, 2x PCI-e 4.0 x16 slots, 1x PCI-e 3.0 x1 slot, Crossfire technology, USB 3.2 Gen 2 10Gbps Type-A Ports, USB 3.2 Gen 1 5Gbps Ports (Type-A & Type-C), USB 2.0 Ports, 7.1-channel high definition audio
B660M MORTAR	R 3,172	MSI MAG B660M MORTAR DDR4 Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel B660 Chipset, 4x DDR4 DIMM Memory slots, 128 Maximum Memory (GB), 2x PCI-e x16, 1x PCI-e x1, 6x SATA 3, 2x M.2 slot, RAID 0 / 1 / 5 / 10, 1x Realtek 8125BG 2.5G LAN, 1x DisplayPort, 1x HDMI, Crossfire, 2x PCI-e x16 slots, 1x PCI-e 3.0 x1 slot, 4x SATA 6Gb/s Ports, 2x M.2 slots, USB 3.2 Gen2X2 20Gbps Type-C, USB 3.2 Gen 2 10Gbps Type-C, USB 3.2 Gen 1 5Gbps Ports, USB 2.0 Ports, 7.1-channel high definition audio, Supports S/PDIF Output

B660M MORTAR WIFI DDR4	R 3,735	MSI B660M MORTAR WIFI DDR4 Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel B660 Chipset, 4 DIMM slots, 128 GB Maximum Memory, 2x PCI-e x16, 1x PCI-e x1, 6x SATA 3, 2x M.2 slot, 0 / 1 / 5 / 10 RAID, 1x Realtek 8125BG 2.5G LAN, Intel Wi-Fi 6 module, Bluetooth, 1x DisplayPort, 1x HDMI, Crossfire, 2x PCI-e x16 slots, 1x PCI-e 3.0 x1 slot, 4x SATA 6Gb/s Ports, 2x M.2 slots, Supports S/PDIF Output, 7.1-channel high definition audio, USB 3.2 Gen2X2 20Gbps Type-C Port, USB 3.2 Gen 2 10Gbps Type-C port, USB 3.2 Gen 1 5Gbps ports, USB 2.0 Ports
B660M-A PRO DDR4	R 3,114	MSI Pro B660M-A DDR4 mainboard Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel B660 Chipset, 4x DDR4 DIMM Memory slots, 128 Maximum Memory (GB), 2x PCI-e x16, 1x PCI-e x1, 4x SATA 3, 2x M.2 slot, RAID 0 / 1 / 5 / 10, 1x Realtek RTL8125BG 2.5Gbps LAN controller, 2x DisplayPort, 2x HDMI, 7.1-channel high definition audio, USB 3.2 Gen 2 10Gbps Type-A Ports, USB 3.2 Gen 1 5Gbps Ports, USB 2.0 Ports
B660M-E DDR4	R 2,229	MSI Pro B660M-E DDR4 Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel B660 Chipset, 2x DDR4 DIMM Memory slots, 1 Header TPM, 1x Intel I219v Gigabit LAN controller, 1 VGA, 1 HDMI, 1x PCI-e 4.0 x16 slot, 1x PCI-e 3.0 x1 slot, 7.1-channel high definition audio, USB 3.2 Gen 1 5Gbps Ports (Type-A & Type-C), USB 2.0 Ports, 4x SATA 6Gb/s Ports, 1x M.2 slot
B660M-K	R 1,829	Gigabyte B660M-K DDR4 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard - OEM, Intel B760 Express Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI Port, 7.1-channel High Definition Audio, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector supports up to PCI-e 3.0 x4, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard Port, 1x PS/2 Mouse Port, 3x audio jacks
B760 GAMING PLUS WIFI	R 3,563	MSI B760 GAMING PLUS WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel B760 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 5x PCI-e x16 slot, 2x M.2 slots, 4x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 3.2 Gen1 Type-C, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 2.0, Realtek RTL8125BG 2.5G LAN, Intel Wi-Fi 6E, Bluetooth, 7.1-channel High Definition audio, Audio connectors, Keyboard / Mouse, S/PDIF-out
B760 TOMAHAWK WIFI DDR4	R 4,967	MSI MAG B760 TOMAHAWK WIFI DDR4 Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel B660 Chipset, 4x DDR4 DIMM Memory slots, 2x PCI-e x16 slots, 1x PCI-e 3.0 x1 slot, Supports AMD Crossfire technology, 1x HDMI 2.1, 1x DisplayPort 1.4, 6x SATA 6Gb/s Ports, 3x M.2 slots (Key M), USB3.2 Gen 2x2 20Gbps Port (Type-C Port), USB 3.2 Gen 2 10Gbps Ports, USB 3.2 Gen 1 5Gbps Type-A Ports, USB 2.0 Ports, 7.1-channel High Definition audio, 1x Realtek RTL8125b-cg 2.5Gbps LAN controller, Intel Wi-Fi 6, Bluetooth 5.2, HD audio connectors, Optical S/PDIF out
B760-P WIFI DDR4	R 4,053	MSI Pro B760-P WIFI DDR4 Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel B760 Chipset, 4x DDR4 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 5x PCI-e x16 slot, 2x M.2 slot, 4x SATA 6G Port, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen2 Type-A Ports, USB 3.2 Gen2 Type-C Port, USB 2.0 Ports, Realtek RTL8125BG 2.5G LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel High Definition audio, Audio connectors, s/pdif-out, Keyboard / Mouse
B760GAMINGPLUSWIFI	R 3,359	MSI B760 Gaming Plus WiFi Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel B760 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 5x PCI-e x16 slot, 2x M.2 slots, 4x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 3.2 Gen1 Type-C, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 2.0, Realtek RTL8125BG 2.5G LAN, Intel Wi-Fi 6E, Bluetooth, 7.1-channel High Definition Audio, Audio connectors, Keyboard / Mouse, S/PDIF-out
B760I EDGE WIFI	R 3,623	MSI MPG B760I EDGE WIFI DDR5 Intel 12th / 13th Gen Socket LGA 1700 Mini-ITX Motherboard, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x PCI-e x16 slot, 2x M.2 slots, 4x SATA 6G, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 2.0, Realtek RTL8125BG 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth, 7.1-channel USB high performance audio, Audio connectors
B760M MORTAR M WIFI DDR4	R 5,058	MSI MAG B760M Mortar Max WiFi DDR4 Intel 12th / 13th Gen Socket LGA 1700 mATX Motherboard, 4x DDR4 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 2x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen2 Type-A Ports, USB 3.2 Gen2 Type-C Ports, USB 3.2 Gen2X2 Type Ports, USB 2.0 Ports, Realtek 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel USB high performance audio, Optical S/PDIF out

B760M MORTAR WIFI II	R 4,023	MSI MAG B760M MORTAR WIFI II B760 Chipset Gen 12/ 13/ 14 LGA 1700 mATX Motherboard, 4x DDR5, Maximum Memory Capacity 256GB, Memory Support 7800 (OC)/ 7600(OC)/ 7400(OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(JEDEC)/ 5400(JEDEC)/ 5200(JEDEC)/ 5000(JEDEC)/ 4800(JEDEC) MHz, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x CPU Fan, 1x Pump Fan, 4x System Fan, 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 1x Tuning Controller connector(JDASH), 2x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 1x USB4 card connector (JTBT_U4_1, supports RTD3), 4x USB 2.0 ports, 2x USB 5Gbps Type A ports, 1x USB 10Gbps Type C ports. DisplayPort 1.4, USB 3.2 Gen 2 10Gbps Type-A, 2.5G LAN Port, Wi-Fi / Bluetooth, HD Audio Connectors, 4 x USB 2.0, HDMI(TM) 2.1 Port, USB 3.2 Gen 2x2 20Gbps Type-C, 2 x USB 3.2 Gen 2 10Gbps Type-A, mATX, 243.84mmx243.84mm
B760M-A WIFI DDR4	R 3,103	MSI Pro B760M-A WIFI DDR4 Intel 12th / 13th Gen Socket LGA 1700 mATX Motherboard, 4x DDR4 DIMM Memory slots, 2x HDMI, 2x DisplayPort, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 2x M.2 slot, 4x SATA 6G Port, USB 2.0 Ports, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen1 Type-C Ports, USB 3.2 Gen2 Type-A Ports, Realtek RTL8125BG 2.5G LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel High Definition audio, Audio connectors
B760M-E DDR4	R 2,068	MSI Pro B760M-E DDR4 Intel 12th / 13th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 1x M.2 slot, 4x SATA 6G Port, USB 2.0 Ports, USB 3.2 Gen1 Type-A Ports, USB 3.2 Gen 1 5Gbps (Type-A) Port, Realtek RTL8111h Gigabit LAN, 7.1-channel High Definition audio, Audio connectors, Keyboard / Mouse
B760M-E DDR5	R 2,068	MSI Pro B760M-E DDR5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 2x DDR5 DIMM Memory slots, 1x VGA, 1x HDMI, 1x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 1x M.2 slot supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, Gigabit LAN, Keyboard / Mouse, USB 3.2 Gen 1 5Gbps (Type-A), USB 2.0 Ports, Audio connectors
B760M-PRO-RS-WIFI	R 2,888	Asrock B760M Pro RS WiFi Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, Nahimic Audio, 2.5 Gigabit LAN, 1x PCI-e 5.0 x16 slot (PCIE1) supports x16 mode, 1x PCI-e 3.0 x16 slot (PCIE2) supports x4 mode, 2x M.2 supports up to PCI-e Gen4 x4, 4x SATA3 Ports, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 2.0, Wi-Fi 6E, Bluetooth, 1x PS/2 Mouse / Keyboard Port, HD Audio jacks
B760MGAMINGPLUSWIFI	R 3,144	MSI B760M Gaming Plus WiFi B760 Chipset 14th/ 13th/ 12th Gen LGA 1700 mATX Motherboard, 4x DDR5, Maximum Memory Capacity 256GB, Memory Support DDR5 6800 (OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(JEDEC)/ 5400(JEDEC)/ 5200(JEDEC)/ 5000(JEDEC)/ 4800(JEDEC) MHz, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x CPU Fan, 1x Pump Fan, 2x System Fan, 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 1x Com Port (JCOM), 2x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 4x USB 5Gbps Type A ports, 1x USB 5Gbps Type C ports, Keyboard / Mouse, DisplayPort, 2 x USB 3.2 Gen 1 5Gbps (Type-A), 2.5G LAN, Wi-Fi / Bluetooth, 2 x USB 2.0, HDMI, 2 x USB 3.2 Gen 2 10Gbps (Type-A), Audio Connectors, mATX, 243.84mmx243.84mm
GA-Z690-AORUS-ELITE-DDR4	R 4,832	Gigabyte Aorus Elite Intel Z690 12th Gen Socket LGA 1700 ATX Motherboard, Intel Z690 Express Chipset, 4x DDR4 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip (2.5 GBPS/1 GBPS/100 Mbps), Intel Wi-Fi 6 AX201, Bluetooth 5.2, 1x PCI Express x16 slot Running at x16, 2x PCI Express x16 slots running at x4 , 6x SATA 6Gb/s connectors, 4x M.2 connectors, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2x2 support, USB 2.0/1.1 Ports, 2x SMA antenna connectors, 1x optical S/PDIF out connector
GA-Z690-AORUS-PRO	R 7,402	Gigabyte GA-Z690-AORUS-PRO Z690 AORUS PRO - Z690 Express Chipset: Socket LGA1700, Supports 12th Generation Intel Core Processors, Memory: 4x Dual Channel DDR5 DIMM Slots (128GB Max), Expansion Slots: 1x PCI-Express 5.0 (x16 Speed), 2x PCI-Express 3.0 (4x Speed), Storage and USB: 6x SATA 3 (6 Gb/s) connection, 4x M.2 Gen4, 6x USB 3.2 Gen 1 (4x Back, 2x Cable), 4x USB3.2 Gen 2 Type A, 2x USB Type C (1x Back), 8x USB 2.0 Ports (4x Back, 4x Cable), Misc.: 1x Intel 2.5GbE LAN chip, Wifi 6 BT, Rear IO Panel Display Ports Available: 1x DP

GA-Z690-AORUS-PRO-DDR4	R 5,615	Gigabyte GA-Z690-AORUS-PRO-DDR4, Z690 AORUS PRO - Z690 Express Chipset: Socket LGA1700, Supports 12th Generation Intel Core Processors, Memory: 4x Dual Channel DDR4 DIMM Slots (128GB Max), Expansion Slots: 1x PCI-Express 5.0 (x16 Speed), 2x PCI-Express 3.0 (4x Speed), Storage and USB : 6x SATA 3 (6 Gb/s) connection, 4x M.2 Gen4, 6x USB 3.2 Gen 1 (4x Back, 2x Cable), 4x USB3.2 Gen 2 Type A, 2x USB Type C (1x Back), 8x USB 2.0 Ports (4x Back, 4x Cable), Misc.: 1x IntelÂ® 2.5GbE LAN chip, Wifi 6 BT, Rear IO Panel Display Ports Available: 1x DP
H610 TI-S03	R 2,125	MSI H610 TI-03 DDR4 Intel 12th / 13th / 14th Gen Socket LGA 1700 Mini-ITX motherbard, Intel H610 Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort, 2x SATA 6Gb/s Ports, 1x M.2 slot supports up to PCI-e 3.0 x4, Realtek ALC897 Codec Audio, 1x Realtek RTL8111h 1Gbps LAN Controller, USB 3.2 Gen 2 10Gbps Type-A, USB 3.2 Gen 1 5Gbps Type-A, Mic-In, Line-Out, USB 3.2 Gen 2 10Gbps Type-C
H610M H V2 D5	R 1,553	Gigabyte Intel H610 v2 DDR5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard - OEM, Intel H610 Express Chipset, 2x DDR5 DIMM Memory slots, 1x D-Sub Port, 1x HDMI Port, High Definition Audio, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector supports PCI-e 3.0 x4, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 1x RJ-45 Port, 3x audio jacks
H610M-B DDR4	R 1,688	MSI H610M-B Pro Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR4 DIMM Memory slots, 1x PCI-e x16, 4x SATA 3, 1x PCI-e x1, 1x M.2 slot, 1x Intel I219v Gigabit LAN controller, 1x VGA, 1x HDMI, 7.1-channel high definition audio, USB 3.2 Gen 1 5Gbps Ports Type-A, USB 2.0 Ports
H610M-E DDR4	R 1,550	MSI H610M-E Pro DDR4 Intel 12th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR4 DIMM Memory slots, 1x PCI-e x16, 1x PCI-e x1, 4x SATA 3, 1x M.2 slot, 1x Intel I219v Gigabit LAN controller, 1x VGA, 1x HDMI, 7.1-channel High Definition audio, USB 3.2 Gen 1 5Gbps Ports (Type-A), USB 2.0 Ports
H610M-HVS-M2R2	R 1,149	Asrock H610M-HVS/M.2 R2.0 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR5 DIMM Memory slots, 1x PCI-e x16 Gen3, 1x PCI-e x1, 4x SATA III, 1x M.2 slot, Realtek RTL8111h Gigabit LAN, 4x USB 3.2 Ports (Type-A), 6x USB 2.0 Ports (Type-A), 1 Serial Port, Realtek ALC897 audio Codec, 1x D-Sub Port, 1x HDMI
H610M-R-D5	R 1,781	Asus Prime H610M-R DDR5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x VGA Port, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 1x PCI-e 3.0 x1 slot, 1x M.2 slot supports PCI-e 3.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 1GB Ethernet, USB 3.2 Gen 1 (5G) Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard (Purple) Port, 1x PS/2 Mouse (Green) Port
H610M-S DDR4	R 1,282	MSI Pro H610M-S DDR4 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, 2x DDR4 DIMM Memory slots, 1x HDMI, 1x PCI-e x16 slot PCI_E1 Gen PCI-e 4.0 supports up to x16, 1x PCI-e x1 slot PCI_E2 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 1x M.2 slot supports up to PCI-e 3.0 x4, 2x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, Realtek RTL8111h Gigabit LAN, Audio connectors
H610MHP	R 1,551	Biostar H610MHP Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2 x DDR4 DIMM Memory slots, 1x M.2 Socket supports PCI-e 3.0 x 4, 4x SATA 3 (6Gb/s) Ports, Intel I219v Gigabit LAN Port, USB 3.2 (Gen1) Ports, USB 2.0 Ports, 1x PCI-e 4.0 x16 slot (x16 mode), 1x PCI-e 3.0 x1 slot, 1x PS/2 Keyboard/Mouse Port, 1x HDMI, 1 x VGA Port, 3x audio jack
MAGB760TOMAHAWKWIFI	R 4,336	MSI MAG B760 TOMAHAWK WiFi B760 Chipset Gen 12/13 LGA 1700 ATX Motherboard, 4x DDR5, Maximum Memory Capacity 192GB, Memory Support 7000 (OC)/ 6800(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(JEDEC)/ 5400(JEDEC)/ 5200(JEDEC)/ 5000(JEDEC)/ 4800(JEDEC) MHz, 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x CPU Fan, 1x Pump Fan, 5x System Fan, 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 1x TBT connector (JTBT, supports RTD3), 1x Tuning Controller connector (JDASH), 2x Addressable V2 RGB LED connector (JARGB_V2), 2x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 2x USB 3.2 Gen1 Type A ports, 1x USB 3.2 Gen2 Type C ports, 4 x USB 2.0, DisplayPort 1.4, 4 x USB 3.2 Gen 2 10Gbps Type-A, 2.5G LAN Port, Wi-Fi / Bluetooth Antenna, HD Audio Connectors, HDMIâ„¢ 2.1 Port, USB 3.2 Gen 2x2 20Gbps Type-C, Optical S/PDIF OUT, ATX, 243.84mmx304.8mm
MB-AZ690PA	R 5,390	Asus Prime Z690-A Intel 12th Gen Socket LGA 1700 ATX Motherboard, Z690 Chipset, 4x DIMM Memory slots, 1x

		DisplayPort, 1x HDMI Port, 1x PCI-e 5.0/4.0/3.0 x16 slots, 1x PCI-e 3.0 x16 slot (Supports x4 mode), 1x PCI-e 3.0 x4 slot, 2x PCI-e 3.0 x1 slots, Supports 4 x M.2 slots and 4x SATA 6Gb/s Ports, 1x Intel 2.5GB Ethernet, 1x USB 3.2 Gen 2x2 Ports (1x USB Type-C), 3x USB 3.2 Gen 2 Ports (2x Type-A 1x USB Type-C), 4x USB 3.2 Gen 1 Ports (4x Type-A), Realtek S1220a 7.1 surround sound high definition audio, 5x audio jacks, 1x optical S/PDIF out Port
MB-GA520MKV2	R 1,014	Gigabyte A520M K V2 A520 Chipset AMD Ryzen AM4 Socket Micro ATX Motherboard, Support for DDR4 5100(O.C.)/ 4800(O.C.)/ 4600(O.C.)/ 4400(O.C.)/ 4266(O.C.)/ 4133(O.C.)/ 4000(O.C.)/ 3866(O.C.)/ 3733(O.C.)/ 3600(O.C.)/ 3466(O.C)/ 3400(O.C.)/ 3200/ 2933/ 2667/ 2400/ 2133 MHz memory modules, 2 x DDR4 DIMM sockets supporting up to 64 GB (32 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power, 1 x 8-pin ATX 12V power, 1 x CPU fan header, 1 x system fan header, 1 x M.2 Socket 3, 4 x SATA 6Gb/s, 1 x front panel header, 1 x front panel audio header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module (TPM) header (2x6 pin, for the GC-TPM2.0_S module only), 1 x speaker header, 1 x Clear CMOS jumper, 1 x chassis intrusion header, 1 x PS/2 keyboard/mouse port, 1 x D-Sub port, 1 x HDMI port, 4 x USB 3.2 Gen 1 ports, 2 x USB 2.0/1.1 ports, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 23.3cm x 19.8cm
MB-GB660MGXD5+W	R 2,931	Gigabyte B660M Gaming X ax DDR5 Wifi: all-in-one LGA1700 alder lake mb - with 8 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip support
MB-GB760DS3H+W	R 3,006	Gigabyte B760 DS3H AX V2 B760 Express Chipset Gen 12/ 13/ 14 LGA 1700 ATX Motherboard, Support for DDR5 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C.)/ 6200(O.C.)/ 6000(O.C.)/ 5800(O.C.)/ 5600(O.C.)/ 5400(O.C.)/ 5200(O.C.)/ 4800/ 4000 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 2 x addressable LED strip headers, 2 x RGB LED strip headers, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x S/PDIF Out header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/ GC-TPM2.0 SPI V2 module only), 1 x serial port header, 1 x Q-Flash Plus button, 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 2 x SMA antenna connectors (1T1R), 1 x USB Type-CÂ® port, with USB 3.2 Gen 2x2 support, 1 x USB 3.2 Gen 2 Type-A port (red), 4 x USB 2.0/1.1 ports, 1 x HDMI port, 1 x DisplayPort, 1 x RJ-45 port, 3 x audio jacks, ATX Form Factor, 30.5cm x 24.4cm
MB-GB760DS3HD4	R 2,431	Gigabyte B760 DS3H DDR4: all-in-one LGA1700 alder lake mb - with 8 2 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, on-board buttons (reset Q-flash), 2x copper PCBs design, SmartFan6 with 6x temperature sensors
MB-GB760DS3HD5	R 2,630	Gigabyte B760 DS3H DDR5: all-in-one LGA1700 alder lake mb - with 8 2 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, on-board buttons (reset Q-flash), 2x copper PCBs design, SmartFan6 with 6x temperature sensors
MB-GB760GXD4	R 2,752	Gigabyte B760 Gaming X DDR4: all-in-one LGA 1700 alder lake mb - with 8 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support
MB-GB760GXD5	R 2,829	Gigabyte B760 Gaming X DDR5: all-in-one LGA 1700 alder lake mb - with 8 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support
MB-GB760GXD5+W	R 3,046	Gigabyte B760 GAMING X AX B760 Express Chipset Gen 12/ 13/ 14 LGA 1700 ATX Motherboard, Support for DDR5 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C.)/ 6200(O.C.)/ 6000(O.C.)/ 5800(O.C.)/ 5600(O.C.)/ 5400(O.C.)/ 5200(O.C.)/ 4800/ 4000 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 2 x addressable LED strip headers, 2 x RGB LED strip headers, 3 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel

		audio header, 1 x S/PDIF Out header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only), 1 x serial port header, 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x USB 3.2 Gen 2 Type-A port (red), 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 port, 5 x USB 2.0/1.1 ports, 2 x SMA antenna connectors (2T2R), 1 x DisplayPort, 1 x HDMI port, 1 x RJ-45 port, 6 x audio jacks, ATX Form Factor, 30.5cm x 24.4cm
MB-GB760iAPD5+W	R 5,749	Gigabyte B760i Aorus Pro Intel 12th / 13th Gen Socket LGA 1700 Mini-ITX Motherboard, Tel B760 Express Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Intel 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 2x M.2 connector, 2x SATA 6Gb/s connectors, USB Type-C Port on the back panel, with USB 3.2 Gen 2 support, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks, GA-B760-I-AORUS PRO
MB-GB760MAED4	R 2,918	Gigabyte B760M AORUS ELITE DDR4 B760 Express Chipset Gen 12/ 13/ 14 LGA 1700 Micro ATX Motherboard, Support for DDR4 5333(O.C.)/ 5133(O.C.)/ 5000(O.C.)/ 4933(O.C.)/ 4800(O.C.)/ 4700(O.C.)/ 4600(O.C.)/ 4500(O.C.)/ 4400(O.C.)/ 4300(O.C.)/ 4266(O.C.)/ 4133(O.C.)/ 4000(O.C.)/ 3866(O.C.)/ 3800(O.C.)/ 3733(O.C.)/ 3666(O.C.)/ 3600(O.C.)/ 3466(O.C.)/ 3400(O.C.)/ 3333(O.C.)/ 3300(O.C.)/ 3200/ 3000/ 2933/ 2666/ 2400/ 2133 MT/s memory modules, 4 x DDR DIMM sockets supporting up to 128 GB (32 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x 4-pin ATX 12V power connector, 1 x CPU fan header, 3 x system fan headers, 2 x addressable LED strip headers, 2 x RGB LED strip headers, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 2 x Thunderboltâ„¢ add-in card connectors, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only), 1 x Q-Flash Plus button, 1 x reset button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x USB Type-C port, with USB 3.2 Gen 2x2 support, 1 x USB 3.2 Gen 2 Type-A port (red), 3 x USB 3.2 Gen 1 ports, 4 x USB 2.0/1.1 ports, 1 x HDMI port, 1 x DisplayPort, 1 x RJ-45 port, 1 x optical S/PDIF Out connector, 2 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB760MAED4+W	R 3,315	Gigabyte B760M Aorus Elite Ddr4 Wifi: all-in-one LGA 1700 alder lake mb - with 12 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strips Supported
MB-GB760MAED5	R 3,260	Gigabyte B760M Aorus Elite D5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 2x M.2 connector supports up to PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2x2 support, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Port, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
MB-GB760MAED5+W	R 3,371	Gigabyte B760M Aorus Elite Ddr5 Wifi: all-in-one LGA 1700 alder lake mb - with 12 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Supported
MB-GB760MAPD5+W	R 3,890	Gigabyte B760M Aorus Pro Ddr5 Wifi: all-in-one LGA 1700 alder lake mb - with 14 1 1 phase digital VRM, hybrid core optimization , pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip support
MB-GB760MD3HP+W	R 2,498	Gigabyte B760M D3HP Wifi6 (B760MD3HPWIFI6) Intel LGA 1700 socket, supports 14th/13th/12th Gen Intel Core processors, Dual Channel DDR5 (up to 7600 MHz OC), PCIe 4.0 x4 M.2, Wi-Fi 6 (802.11ax), 2.5GbE LAN, HDMI, DisplayPort, USB 3.2 Gen 1/2, USB Type-C
MB-GB760MDS3H+W	R 2,707	Gigabyte B760M DS3H Wifi (B760M DS3H AX) Intel LGA 1700 socket, supports 14th/13th/12th Gen Intel Core processors, Dual Channel DDR5 (up to 7600 MHz OC), PCIe 4.0 x4 M.2, Wi-Fi 6E (802.11ax), 2.5GbE LAN, HDMI, DisplayPort, USB 3.2 Gen 1/2, USB Type-C
MB-GB760MDS3HD4	R 2,108	Gigabyte B760M DS3H DDR4: all-in-one LGA 1700 alder lake mb - with 6 2 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, on-board buttons (reset Q-flash), 2x copper PCBs design ,

		SmartFan6 with 6x temperature sensors
MB-GB760MDS3HD5	R 2,142	Gigabyte B760M DS3H DDR5: all-in-one LGA1700 alder lake mb - with 6 2 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, on-board buttons (reset Q-flash), 2x copper PCBs design, SmartFan6 with 6x temperature sensors
MB-GB760MED5	R 1,735	Gigabyte B760M-E D5 LGA1700 (B760ME) - Micro-ATX motherboard, Intel B760 chipset, supports Intel 12th/13th/14th Gen Core processors, DDR5 dual-channel (2 DIMMs), PCIe 4.0 x16 slot, 2x PCIe 4.0 M.2 connectors, GbE LAN, HDMI/DP/D-Sub outputs, Smart Fan 6 cooling, durable VRM design.
MB-GB760MGD4+W	R 2,674	Gigabyte B760M GAMING AC DDR4 B760 Express Chipset Gen 12/ 13/ 14 LGA 1700 Micro ATX Motherboard, Support for DDR4 5333(O.C.) /5133(O.C.) /5000(O.C.) /4933(O.C.) /4800(O.C.) /4700(O.C.) /4600(O.C.) /4500(O.C.) /4400(O.C.) /4300(O.C.) /4266(O.C.) /4133(O.C.) /4000(O.C.) /3866(O.C.) /3800(O.C.) /3733(O.C.) /3666(O.C.) /3600(O.C.) /3466(O.C.) /3400(O.C.) /3333(O.C.) /3300(O.C.) /3200 /3000 /2933 /2666 /2400 /2133 MT/s memory modules, 2 x DDR4 DIMM sockets supporting up to 64 GB (32 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 3 x system fan headers, 1 x addressable LED strip headers, 1 x RGB LED strip headers, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x S/PDIF Out header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x serial port header, 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 2 x USB 2.0/1.1 ports, 1 x PS/2 keyboard/mouse port, 2 x SMA antenna connectors (1T1R), 1 x D-Sub port, 1 x HDMI port, 1 x DisplayPort, 3 x USB 3.2 Gen 1 ports, 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 22.5cm
MB-GB760MGPD5+W	R 2,685	Gigabyte B760M Gaming WiFi Plus B760 Express Chipset Gen 12/ 13/ 14 LGA 1700 Micro ATX Motherboard, Support for DDR5 8000(O.C.)/ 7800(O.C.)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C.)/ 6200(O.C.)/ 6000(O.C.)/ 5800(O.C.)/ 5600/ 5400/ 5200/ 4800/ 4400 MT/s memory modules, 2 x DDR5 DIMM sockets supporting up to 128 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 3 x system fan headers, 2 x addressable LED strip headers, 1 x RGB LED strip header, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x S/PDIF Out header, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x serial port header, 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 2 x USB 2.0/1.1 ports, 1 x PS/2 keyboard/mouse port, 2 x SMA antenna connectors (1T1R) / (2T2R), 1 x D-Sub port, 1 x HDMI port, 1 x DisplayPort, 3 x USB 3.2 Gen 1 ports, 1 x USB Type-CÂ® port, with USB 3.2 Gen 1 support, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 22.5cm
MB-GB760MGXD4	R 2,575	Gigabyte B760M Gaming X DDR4: all-in-one LGA1700 alder lake mb - with 8 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board buttons (reset Q-flash), 2x copper PCBs design, MoSFET heatsinks with DTH fins-array copper heatpipe, SmartFan6 with 6x temperature sensors 4x hybrid fan headers, solid pin power connectors (ATX 8pin), PCIe armor with stainless steel shielding, with 2x thunderbolt card connectors - intel B760 chipset, 4x dual channel DDR4-5333(O.C)/3200 with XMP3.0 support upto 128Gb, 4x SATA6G 2x M.2/NGFF (Gen4x4) with thermal guard (PCIe or SATA or Optane mode) with raid 0/1/0 1/5/10, on-board display with HDMi DP dual outputs (depends on CPU) Realtek 7.1 HD audio optical s/pdif out Realtek 8125 2.5Gb LAN; 2x PCi-Ex16 (Gen4@16x 4x) for Quad-GPU CrossfireX (no SLi), with 3x USB3 (Gen1 5GBPs) 5x USB2.0, support optional serial port add-on cable, bundled Norton internet security - micro-atx
MB-GB760MGXD4+W	R 2,929	Gigabyte B760M Gaming X ax DDR4 Wifi: all-in-one LGA 1700 alder lake mb - with 8 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones)
MB-GB760MGXD5	R 2,577	Gigabyte B760M Gaming X AX DDR5: all-in-one LGA 1700 alder lake mb - with 8 1 1 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support
MB-GB760MGXD5+W	R 3,238	Gigabyte B760M GAMING X AX B760 Express Chipset Gen 12/ 13/ 14 LGA 1700 Micro ATX Motherboard,

		Support for DDR5 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C.)/ 6200(O.C.)/ 6000(O.C.)/ 5800(O.C.)/ 5600(O.C.)/ 5400(O.C.)/ 5200(O.C.)/ 4800/ 4000 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 3 x system fan headers, 2 x addressable LED strip headers, 2 x RGB LED strip headers, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x S/PDIF Out header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 2 x Thunderboltâ„¢ add-in card connectors, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only), 1 x serial port header, 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 3 x USB 3.2 Gen 1 ports, 5 x USB 2.0/1.1 ports, 2 x SMA antenna connectors (2T2R), 1 x HDMI 2.0 port, 1 x DisplayPort, 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB760MHD4	R 1,746	Gigabyte B760M H Ddr4: all-in-one LGA 1700 alder lake mb - with 6 1 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, on-board buttons (reset Q-flash), 2x copper PCBs design, SmartFan6 with 4x temperature sensors 3x
MB-GH610MHD4	R 1,392	Gigabyte H610M H DDR4: all-in-one LGA 1700 alder lake mb - with 6 1 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, SmartFan6 with 4x temperature sensors 3x hybrid fan headers, solid pin power connectors (ATX 8pin)
MB-GH610MHD5	R 1,413	Gigabyte H610M H DDR5: all-in-one LGA1700 alder lake mb - with 6 1 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, SmartFan6 with 4x temperature sensors 3x hybrid fan headers, solid pin power connectors (ATX 8pin)
MB-GH610MKD4	R 1,348	Gigabyte H610M K DDR4 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Express Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot, Supporting PCI-e 3.0 and running at x1, 1x M.2 connector, 2x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 3x audio jacks
MB-GH610MKD5	R 1,270	Gigabyte H610M K DDR5: all-in-one LGA1700 alder lake mb - with 3 1 1 phase digital VRM, hybrid core optimization, SmartFan6 with 4x temperature sensors 2x hybrid fan headers, solid pin power connectors (ATX 8pin) - intel H610 chipset, 2x dual channel
MB-GH610MS2HD4	R 1,580	Gigabyte H610M S2H DDR4: all-in-one LGA 1700 alder lake mb - with 6 1 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, SmartFan6 with 4x temperature sensors 3x hybrid fan headers, solid pin power connectors (ATX 8pin)
MB-GH610MS2HD5	R 1,447	Gigabyte H610M S2H DDR5: all-in-one LGA1700 alder lake mb - with 6 1 1 phase digital VRM, hybrid core optimization, Addressable LED Strip Support, SmartFan6 with 4x temperature sensors 3x hybrid fan headers, solid pin power connectors (ATX 8pin)
MB-GZ690AG+W	R 6,246	Gigabyte Z690 Aero G Wifi: all-in-one LGA1700 alder lake mb - with 19 1 2 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support
MB-GZ690AP+W	R 6,314	Gigabyte Z690 Aorus Pro DDR5 Wifi: all-in-one LGA 1700 alder lake mb - with 12 1 2 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support
MB-GZ790AED4+W	R 5,296	Gigabyte Z790 Aorus Elite AX DDR4 Wifi: all-in-one LGA1700 mb - with 16 1 2 phase digital VRM, hybrid core optimization, pre-mounted I/O shield with thermal armor RGB Fusion 2.0 with on-board RGB display (multi zones), Addressable LED Strip Support, on-board buttons (power reset clear CMOS Q-flash), 2x copper PCBs design, MoSFET heatsinks with copper heatpipe, SmartFan6 with 6 temperature sensors 6x hybrid fan headers, solid pin power connectors (ATX 24 8 8pin), PCIe armor with stainless steel shielding, with 2x thunderbolt card connectors - Intel Z790 chipset, 4x dual channel DDR4-5333(O.C)/3200 with XMP3.0 support up to 128Gb, 6x SATA6G 4x M.2/NGFF (Gen4x4) with thermal guard 2 (PCIe or SATA or Optane mode) with raid 0/1/0 1/5/10, on-board display with HDMi DP dual outputs (depends on CPU) Realtek ALC1220-VB 7.1 HD audio optical s/pdif out realtek 8125 2.5Gb Intel Wifi-6E AX211 tri-band 2.4/5/6Gbps WiFi bluetooth; 3x PCi-Ex16 (Gen5@16x 2x Gen4@4x) for Quad-GPU CrossfireX (no SLi), with 1x USB3 type-C (Gen2x2 20GBPs) 2x USB3 type-A (Gen2 10GBPs) 3x

		USB3 type-A (Gen1 5GBPs) 4x USB2.0, bundled Norton internet security - atx
MB-GZ790DD5	R 3,536	Gigabyte Z790 D Z790 Express Chipset Gen 12/ 13/ 14 LGA 1700 ATX Motherboard, Support for DDR5 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400(O.C.)/ 6200(O.C.)/ 6000(O.C.)/ 5800(O.C.)/ 5600/ 5400/ 5200/ 4800/ 4400 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 2 x 8-pin ATX 12V power connectors, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 3 x system fan headers, 1 x system fan/water cooling pump header, 2 x addressable LED strip headers, 3 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x S/PDIF Out header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 2 x Thunderboltâ„¢ add-in card connectors, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x reset button, 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 1 x USB Type-CÂ® port, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 2 Type-A port (red), 4 x USB 3.2 Gen 1 ports, 2 x USB 2.0/1.1 ports, 1 x HDMI port, 1 x DisplayPort, 1 x RJ-45 port, 3 x audio jacks, ATX Form Factor, 30.5cm x 24.4cm
MB-GZ790DD5+W	R 3,648	Gigabyte Z790 D AX Intel 12th / 13th / 14th Gen Socket LGA 1700 ATX Motherboard, Intel Z790 Express Chipset, 4 x DDR5 DIMM Memory slots, 1x HDMI Port, 1 x DisplayPort, Realtek 2.5GbE LAN Chip, Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot, Supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x1, 2x PCI Express x1 slots, Supporting PCI-e 3.0 and running at x1, 3x M.2 connector, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GZ790E	R 3,703	Gigabyte Z790 Eagle Motherboard: Intel 13th/12th Gen, DDR5 up to 7600 MT/s, PCIe 4.0, 3x M.2, Wi-Fi 6E, 2.5GbE LAN, USB-C, DP, HDMI, M.2 Thermal Guard, Q-Flash Plus, RGB Fusion 2.0.
MB-GZ790E+W	R 3,869	Gigabyte Intel Z790 Eagle AX Intel 12th / 13th / 14th Gen Socket LGA 1700 ATX Motherboard, Intel Z790 Express Chipset, 4 x DDR5 DIMM Memory slots, 1x HDMI Port, 1 x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x, 2x PCI Express x1 slots supporting PCI-e 3.0 and running at x1, 3x M.2 connectors PCIe 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 2 x SMA antenna connectors, 3x audio jacks
MB-GZ790IAU+W	R 7,254	Gigabyte Z790i Aorus Ultra AX Intel 12th / 13th / 14th Gen Socket LGA 1700 Mini-ITX Motherboard, Intel Z790 Express Chipset, 2 x DDR5 DIMM Memory slots, 1x HDMI Port, 1 x DisplayPort Port, Intel 2.5GbE LAN Chip, Intel Killer Wi-Fi 6E AX1690, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x M.2 connector, 2 x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2x2 support, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks
MPGZ790CARBONWIFI	R 9,772	MSI MPG Z790 CARBON WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel Z790 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 5x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel USB high performance audio, Flash BIOS, Audio connectors, Optical S/PDIF out
PRIME B760M-K	R 3,594	Asus PRIME B760M-K Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 2x DDR5 DIMM Memory slots, 1x VGA Port, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 2x PCI-e 4.0 x1 slots, 2x M.2 slots supports PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 3.2 Gen 1 (5G) Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PRIME H610M-K ARGB	R 2,103	Asus PRIME H610M-K ARGB Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR5 DIMM Memory slots, 1x VGA Port, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 1x PCI-e 3.0 x1 slot, 1x M.2 slot supports PCI-e 3.0 x4 mode, 4x SATA 6Gb/s Ports, USB 3.2 Gen 1 (5G) Ports (Type-A), USB 2.0 Ports

		(Type-A), Realtek 7.1 Surround sound High Definition Audio Codec, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PRIME H610M-R D4	R 1,488	Asus PRIME H610M-R D4 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset foundation, 2x DDR4 DIMM slots with Max capacity of 96GB, Single M.2 slot (Key M) supports PCI-e 3.0 x4 mode storage, 1x PCI-e 4.0 x16 slot, 1x PCI-e 3.0 x1 slot, 1 x DisplayPort, 4x SATA 6Gb/s Ports, 1 x VGA Port, 1x HDMI Port, Realtek 1GB Ethernet LAN connectivity, Realtek 7.1 Surround Sound High Definition Audio Codec, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 2.0 Type-A Ports, 3x audio jacks, 1x PS/2 Keyboard (Purple) Port, 1x PS/2 Mouse (Green) Port
PRIME-B760M-A-WIFI	R 3,527	Asus Prime B760M-A WiFi Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 2x HDMI Ports, 1x PCI-e 4.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 1x PCI-e 4.0 x16 slot (Supports x1 mode), 2x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6, Bluetooth V5.2, USB 3.2 Gen 2 Ports (Type-A), USB 2.0 Ports (Type-A), 1x USB 3.2 Gen 1 connector supports USB Type-C, Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PRIME-H610M-K-ARGB	R 2,196	Asus Prime H610M-K ARGB Intel H610 (LGA 1700) micro-ATX motherboard, DDR5, PCIe 4.0, M.2 slot, Realtek 1 Gb Ethernet, HDMI, VGA, USB 3.2 Gen 1, SATA 6 Gbps, Addressable Gen 2 headers, Aura Sync
PRIMEB760M-AD4-CSM	R 2,039	Asus Prime B760M-A D4 CSM LGA Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 2x HDMI Ports, 1x PCI-e 4.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 1x PCI-e 4.0 x16 slot (Supports x1 mode), 2x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 3.2 Gen 2 Ports, USB 2.0 Ports, Realtek 7.1 Surround Sound, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PRIMEZ790-PWIFI	R 4,250	Asus Prime Z790-P Z790 Chipset Gen 12/ 13/ 14 LGA 1700 ATX Motherboard, 4 x DIMM, Max. 192GB, DDR5 7200 (OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600/ 5400/ 5200/ 5000/ 4800 Non-ECC, Un-buffered Memory, 1 x USB 3.2 Gen 2x2 port (1 x USB Type-CÂ®), 1 x USB 3.2 Gen 2 port (1 x Type-A), 2 x USB 3.2 Gen 1 ports (2 x Type-A), 4 x USB 2.0 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi Module, 1 x Realtek 2.5Gb Ethernet port, 3 x Audio jacks, 1 x PS/2 Keyboard/Mouse combo port, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V Power connector, 1 x 4-pin 12V Power connector, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 3.2 Gen 2 connector (supports USB Type-CÂ®), 2 x USB 3.2 Gen 1 headers support 4 additional USB 3.2 Gen 1 ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 2 x Aura RGB headers, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (AAFP), 1 x S/PDIF Out header, 1 x SPI TPM header (14-1pin), 1 x 20-5pin System Panel header, 1 x Thunderboltâ„¢ (USB4Â®) Header, ATX Form Factor, 30.5 cm x 23.4 cm
PRO H610M-E DDR5	R 1,562	MSI H610M-E Pro DDR5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 1x M.2, 4x SATA 6G, USB 2.0, USB 3.2 Gen1 Type-A, Realtek RTL8111h Gigabit LAN, 7.1-channel High Definition audio, Keyboard / Mouse, Audio connectors
PROB760M-C-CSM	R 2,079	Asus Pro B760M-C-CSM B760 Chipset Gen 12/ 13/ 14 LGA 1700 mATX Motherboard, 4 x DIMM, Max. 192GB, DDR5 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600(OC)/ 5400(OC)/ 5200(OC)/ 5000(OC)/ 4800 Non-ECC, Un-buffered Memory*, 2 x USB 3.2 Gen 1 ports (2 x Type-A), 2 x USB 2.0 ports (2 x Type-A), 2 x DisplayPorts, 1 x HDMI port, 1 x VGA port, 1 x Intel 1Gb Ethernet port, 3 x Audio jacks, 1 x PS/2 keyboard (purple) port, 1 x PS/2 mouse (green) port, 1 x 4-pin CPU Fan header, 2 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V Power connector, 2 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 3.2 Gen 1 connector (suppports USB Type-C), 1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 1 x Clear CMOS header, 1 x Chassis Intrude header, 2 x COM Port headers, 1 x Front Panel Audio header (AAFP), 1 x COM debug header, 1 x LPT header, 1 x Mono-out header (with Amp IC), 1 x M.2 slot (Key E), 1 x SMBUS header, 1 x Speaker header, 1 x SPI TPM header (14-1pin), 1 x 10-1 pin System Panel header, mATX Form Factor, 24.4 cm x 24.4 cm
PROB760M-EDDR4	R 1,869	MSI PRO B760M-E DDR4 B760 Chipset Gen 12/13 LGA 1700 mATX Motherboard, 2x DDR4, Maximum Memory

		Capacity 64GB, Memory Support 4800(OC)/ 4600(OC)/ 4400(OC)/ 4266(OC)/ 4200(OC)/ 4000(OC)/ 3800(OC)/ 3733(OC)/ 3600(OC)/ 3466(OC)/ 3400(OC)/ 3333(OC)/ 3200(JEDEC)/ 2933(JEDEC)/ 2666(JEDEC)/ 2400(JEDEC)/ 2133(JEDEC), 1x Power Connector(ATX_PWR), 1x Power Connector(CPU_PWR), 1x CPU Fan, 2x System Fan, 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 1x Com Port (JCOM), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 2x USB 2.0 ports, 1x USB 3.2 Gen1 Type A ports, HDMI, VGA, Keyboard / Mouse, 2 x USB 3.2 Gen 1 5Gbps (Type-A), LAN port, Audio Connectors, 4 x USB 2.0, mATX, 200mmx236.16mm
PROB760M-EDDR5	R 1,954	MSI B760M-E Pro DDR5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel B760 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition audio, 1x M.2 supports up to PCI-e 4.0 x4 / SATA mode, 4x SATA 6G Ports, Realtek RTL8111h Gigabit LAN, Keyboard / Mouse, USB 2.0, USB 3.2 Gen 1 5Gbps (Type-A), Audio connectors
PROH610M-EDDR5	R 1,416	MSI Pro H610M-E DDR5 Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x VGA, 1x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to, PCI_E2 Gen PCI-e 3.0 supports up to, 7.1-channel High Definition Audio, 1x M.2 supports up to PCI-e 3.0 x4, 4x SATA 6G ports, USB 2.0 Ports, USB 5Gbps Type-A Ports, Realtek RTL8111h Gigabit LAN, Keyboard / Mouse, Audio connectors
PROH610M-SDDR4	R 1,316	MSI H610M-S Pro Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI, 1x PCI-e x16 slot PCI-e 4.0 supports up to x16, 1x PCI-e x1 slot PCI-e 3.0 supports up to x1, Realtek ALC897 Codec, 7.1-channel High Definition Audio, 1x M.2 supports up to PCI-e 3.0 x4, 2x SATA 6G, USB 2.0 Ports, USB 3.2 Gen 1 5Gbps Ports (Type-A), Realtek RTL8111h Gigabit LAN, Realtek RTL8111h Gigabit LAN, Audio connectors
PROH610M-SDDR4II	R 1,316	MSI Pro H610M-S DDR4 II Intel 12th / 13th / 14th Gen Socket LGA 1700 mATX Motherboard, Intel H610 Chipset, 2x DDR4 DIMM Memory slots, 1x HDMI, 1x PCI-e x16 slot, 1x PCI-e x1 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 4.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 1x M.2 supports up to PCI-e 3.0 x4, 2x SATA 6G, USB 5Gbps Type-A, USB 2.0, Realtek RTL8111h Gigabit LAN, Audio connectors
PROZ790-PWIFI	R 4,199	MSI Pro Z790-P WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, 4x M.2 slots, 6x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2x2 Type-C, USB 2.0, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth, 7.1-channel High Definition audio, Audio connectors, Flash BIOS Button
PS-G1000PMPG5W	R 3,426	Gigabyte GP-AE1000PM PG5 ICE AORUS ELITE P1000W 80 Platinum Modular PCIe 5.0 ICE Power Supply Unit
ROG-STRIX-B760-A-GAMING-WIFI	R 4,772	Asus ROG Strix B760-A Gaming WiFi B760 Chipset LGA 1700 ATX Motherboard, 4 x DIMM slots, Max. 192GB, DDR5 7800 (OC)/ 7600(OC)/ 7400(OC)/ 7200(OC)/ 7000(OC)/ 6800(OC)/ 6600(OC)/ 6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600/ 5400/ 5200/ 5000/ 4800 Non-ECC, Un-buffered Memory, 1 x USB 3.2 Gen 2x2 (20G) port (1 x USB Type-C), 1 x USB 3.2 Gen 2 (10G) port (1 x Type-A), 3 x USB 3.2 Gen 1 (5G) ports (2 x Type-A, 1 x USB Type-C), 4 x USB 2.0 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI(TM) port, 1 x Wi-Fi Module, 1 x Intel® 2.5Gb Ethernet port, 5 x Audio jacks, 1 x BIOS FlashBack(TM) button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V Power connector, 1 x 4-pin 12V Power connector, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 3.2 Gen 2 (10G) connector (supports USB Type-C), 1 x USB 3.2 Gen 1 (5G) header supports 2 additional USB 3.2 Gen 1 ports, 1 x USB 2.0 header and 1 x USB 2.0 5-1 pin header support 3 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Aura RGB header, 1 x Clear CMOS header, 1 x Front Panel Audio header (AAFP), 1 x S/PDIF Out header, 1 x 20-5 pin System Panel header, 1 x Thermal Sensor header, 1 x Thunderbolt(TM) (USB4®) header, ATX Form Factor, 30.5 cm x 24.4 cm
ROGSTRIXB760-FGAMINGWIFI	R 5,781	Asus ROG STRIX B760-F Gaming WiFi B760 Chipset Gen 12/ 13/ 14 LGA 1700 ATX Motherboard, 4 x DIMM, Max. 192GB, DDR5 7800(OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/6200(OC)/6000(OC)/5800(OC)/5600/5400/5200/5000/4800 MHz Non-ECC, Un-buffered Memory, 1 x USB 3.2 Gen 2x2 port (1 x USB Type-C), 1 x USB 3.2 Gen 2 port (1 x

		Type-A), 6 x USB 3.2 Gen 1 ports (6 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi Module, 1 x IntelÂ® 2.5Gb Ethernet port, 5 x Audio jacks, 1 x Optical S/PDIF out port, 1 x BIOS FlashBackâ„¢ button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V Power connector, 1 x 4-pin 12V Power connector, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 3.2 Gen 2 connector (supports USB Type-C), 1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Aura RGB header, 1 x Front Panel Audio header (AAFP), 1 x 20-3 pin System Panel header with Chassis intrude function, 1 x Thermal Sensor header, 1 xThunderboltâ„¢ (USB4Â®) header, ATX Form Factor, 30.5 cm x 24.4 cm
TUFGAMINGB760M-PLUSWIFIII	R 3,230	Asus TUF Gaming B760M Plus WIFI B760 Chipset Gen 12/ 13/ 14 LGA 1700 mATX Motherboard, 4 x DIMM slots, Max. 192GB, DDR5 7800 (OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600/ 5400/ 5200/ 5000/ 4800 Non-ECC, Un-buffered Memory, 1 x USB 20Gbps port (1 x USB Type-C), 1 x USB 10Gbps port (1 x Type-A), 2 x USB 5Gbps ports (2 x Type-A), 4 x USB 2.0 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi Module, 1 x Realtek 2.5Gb Ethernet port, 5 x Audio jacks, 1 x Optical S/PDIF out port, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V Power connectors, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 3 x USB 2.0 headers support 5 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Clear CMOS header, 1 x Front Panel Audio header (AAFP), 1 x 20-3 pin System Panel header with Chassis intrude function, 1 x Thunderboltâ„¢ (USB4Â®) header, mATX Form Factor, 24.4 cm x 24.4 cm
TUFGAMINGZ790-PLUSWIFI	R 6,715	Asus TUF Gaming Z790 PLUS WIFI Z790 Chipset Gen 12/ 13/ 14 LGA 1700 ATX Motherboard, 4 x DIMM, Max. 192GB, DDR5 7200(OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/ 6200(OC)/ 6000(OC)/ 5800(OC)/ 5600/ 5400/ 5200/ 5000/ 4800 Non-ECC, Un-buffered Memory, 1 x USB 3.2 Gen 2x2 port (1 x USB Type-C), 3 x USB 3.2 Gen 2 ports (2 x Type-A 1 x USB Type-C), 4 x USB 3.2 Gen 1 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi Module, 1 x Intel 2.5Gb Ethernet port, 5 x Audio jacks, 1 x Optical S/PDIF out port, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V Power connectors, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 3.2 Gen 2 connector (supports USB Type-C), 1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports, 2 x USB 2.0 headers support additional 4 USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Aura RGB header, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (AAFP), 1 x 20-3 pin System Panel header with Chassis intrude function, 1 x Thunderboltâ„¢ (USB4Â®) header, ATX Form Factor, 30.5 cm x 24.4 cm
Z690 ACE	R 11,682	MSI MEG Z690 ACE Intel 12th Gen Socket LGA 1700 EATX Motherboard, Intel Z690 Chipset, 4 DDR5 DIMM Memory slots, 3x PCI-e x16, 6x SATA 3, 5x M.2 slot, RAID 0 / 1 / 5 / 10, 2x Intel I225V 2.5Gbps LAN controller, Intel Wi-Fi 6e module, 2x USB Type-C up to 40G, Optical S/PDIF, SLI, Crossfire, 7.1-channel high definition audio, Bluetooth 5.2, USB 3.2 Gen 2x2 20Gbps Type-C Ports, USB 3.2 Gen 1 5Gbps Ports, USB 2.0 Type-A Ports
Z690 TORPEDO	R 5,150	MSI Z690 Torpedo DDR5 Intel 12th Gen Socket LGA 1700 ATX Motherboard, Intel Z690 Chipset, 4 DDR5 DIMM slots, 3x PCI-e x16, 1x PCI-e x1, 4x M.2 slot, 1x Intel I225-V 2.5G LAN, 5 optical S/PDIF, 1x DisplayPort, 1x HDMI, Crossfire, 6x SATA 6Gb/s Ports, USB3.2 Gen2X2 20Gbps Type-C Port, USB 3.2 Gen 2 10Gbps Ports, USB 3.2 Gen 1 5Gbps Ports, USB 2.0 Type-A, 7.1-channel high definition audio
Z690 UNIFY	R 10,210	MSI Z690 UNIFY DDR5 Intel 12th Gen Socket LGA 1700 ATX Motherboard, Intel Z690 Chipset, 4x DDR5 DIMM Memory slots, 2x PCI-e x16, 1x PCI-e x4, 6x SATA 3, 5x M.2 slot, 2x Intel I225V 2.5Gbps LAN controller, Intel Wi-Fi 6e module, SLI, Crossfire, USB 3.2 Gen2X2 20Gbps Ports, USB 3.2 Gen2 10Gbps Type-A Port, USB 2.0 Type-A Port s, USB 3.2 Gen1 5Gbps Ports, 7.1-channel high definition audio, Supports S/PDIF Output, Bluetooth 5.2
Z790 ACE	R 16,098	MSI MEG Z790 ACE Intel 12th / 13th Gen Socket LGA 1700 eATX Motherboard, Intel Z790 Chipset, 4x DDR5 DIMM Memory slots, 1x Type-C DisplayPort, 2x THUNDERBOLT4 (USB-C) Ports, 3x PCI-e x16 slot, Supports AMD Multi-GPU, 5x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 2.0, USB 3.2 Gen2 Type-C, USB 3.2 Gen2 Type-A, USB 3.2 Gen2X2 Type-C (, 2x Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel USB high performance audio, Flash BIOS Button, Audio connectors, Optical s/pdif-out

Z790 CARBON WIFI	R 11,316	MSI MPG Z790 CARBON WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, Intel Z790 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x PCI-e x16 slot, 1x PCI-e x1 slot, 5x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel USB high performance audio, Flash BIOS, Audio connectors, Optical S/PDIF out
Z790 EAGLE	R 3,278	Gigabyte Z790 EAGLE Intel 12th / 13th / 14th Gen Socket LGA 1700 ATX Motherboard, Intel Z790 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 3.0 and running at x1, 2x PCI Express x1 slots supporting PCI-e 3.0 and running at x1, 4x SATA 6Gb/s connectors, 3x M.2 supports up to PCI-e 4.0 x4, USB Type-C Port on the back panel with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
Z790 GAMING PLUS	R 4,828	MSI MAG Z790 GAMING PLUS WIFI6e Intel 12th / 13th / 14th Gen Socket LGA 1700 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 3.0 supports up to x1, 7.1-channel High Definition Audio, 4x M.2 supports up to PCI-e 4.0 x4, 6x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, Intel 2.5Gbps LAN, Wi-Fi 6E, Bluetooth, Audio connectors, Flash BIOS Button
Z790 TOMAHAWK WIFI	R 6,323	MSI MAG Z790 TOMAHAWK WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, 4x DDR5 DIMM Memory slots, Intel Z790 Chipset, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot supports x16/x4, 1x PCI-e x1 slot, 4x M.2 slot, 7x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen 2 10Gbps Type-C, USB 3.2 Gen 2x2 20Gbps Type-C, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel USB high performance audio, HD audio connectors, Flash BIOS Button, Optical S/PDIF out
Z790 TOMAHAWK WIFI DDR4	R 6,438	MSI MAG Z790 TOMAHAWK WIFI DDR4 Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, 4x DDR4 DIMM Memory slots, Intel Z790 Chipset, 1x HDMI, 1x DisplayPort, 2x PCI-e x16 slot supports x16/x4, 1x PCI-e x1 slot, 4x M.2 slot, 7x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen 2 10Gbps Type-C, USB 3.2 Gen 2x2 20Gbps Type-C, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth 5.3, 7.1-channel USB high performance audio, HD audio connectors, Flash BIOS Button, Optical S/PDIF out
Z790-A WIFI	R 5,978	MSI Pro Z790-A WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, 4x M.2 slots, 6x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2x2 Type-C, USB 2.0, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth, 7.1-channel USB high performance audio, Audio connectors, Flash BIOS Button, s/pdif-out
Z790-P DDR4	R 4,599	MSI Pro Z790-P DDR4 Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, 4x DDR4 DIMM Memory slots, Intel Z790 Chipset, 1x HDMI, 1x DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, 4x M.2 slot, 6x SATA 6G Port, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type, USB 3.2 Gen2 Type-C, USB 3.2 Gen2X2 Type-C, Intel 2.5Gbps LAN, 7.1-channel High Definition audio, Audio connectors, Flash BIOS Button
Z790-P WIFI	R 4,598	MSI Pro Z790-P WIFI Intel 12th / 13th Gen Socket LGA 1700 ATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, 4x M.2 slots, 6x SATA 6G Ports, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2 Type-C, USB 3.2 Gen2x2 Type-C, USB 2.0, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth, 7.1-channel High Definition audio, Audio connectors, Flash BIOS Button
Z790I EDGE WIFI	R 8,049	MSI Z790I EDGE WIFI Intel 12th / 13th Gen Socket LGA 1700 Mini-ITX Motherboard, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x PCI-e x16 slot, 3x M.2 slots, 4x SATA 6G Ports, USB 2.0, USB 3.2 Gen1 Type-A, USB 3.2 Gen2 Type-A, USB 3.2 Gen2x2 Type-C, Intel 2.5Gbps LAN, Intel Wi-Fi 6E, Bluetooth, Audio connectors, Clear CMOS

< Return to the menu

Motherboards: Intel LGA1851 Core Ultra

Product code	Price	Description
ASUS PRIME B860-PLUS WIFI	R 3,876	Asus Prime B860-PLUS WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Chipset, 4x DDR5

		DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 3x PCI-e 4.0 x16 slots (Support x1 mode), 2x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 6E, Bluetooth V5.3, USB 20Gbps Port (USB Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Port (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks
ASUS PRIME B860M-A WIFI	R 3,278	Asus Prime B860M-A WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 4x DDR5 DIMM Memory slots, 2x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 1x PCI-e 4.0 x1 slot, 2x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, Wi-Fi 6E, Bluetooth V5.3, USB 20Gbps Port (Type-C), USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks
ASUS PRIME B860M-K	R 2,588	Asus Prime B860M-K Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 2x PCI-e 4.0 x1 slots, 2x M.2 slots support up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
ASUS PRIME H810M-A WIFI	R 1,610	Asus H810M-A WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 1x PCI-e 4.0 x1 slot, 2x M.2 slots supports up to PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Intel 1GB Ethernet Port, Wi-Fi 6, Bluetooth V5.3, USB 10Gbps Ports (Type-A), USB 2.0 Ports (Type-A), Realtek 7.1 Surround Sound High Definition Audio, 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
ASUS PRIME Z890-P	R 4,140	ASUS PRIME Z890-P Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI TM Port, 1x USB 20Gbps Port (USB Type-C) supports DisplayPort Video Output, 1x PCI-e 5.0 x16 slot, 2x PCI-e 4.0 x16 slots (Support x4 mode), 1x PCI-e 4.0 x16 slot (Supports x1 mode), 4x M.2 slots supports PCI-e 5.0 x4 mode & PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 20Gbps Port (Type-C with DP alt mode), USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
ASUS PRIME Z890-P WIFI	R 4,428	ASUS PRIME Z890-P WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI TM Port, 1x Intel Thunderbolt 4 port (USB Type-C) supports DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot, 2x PCI-e 4.0 x16 slots (Support x4 mode), 1x PCI-e 4.0 x16 slot (Supports x1 mode), 4x M.2 slots supports PCI-e 5.0 x4 & PCI-e 4.0 x4, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x BIOS FlashBack Button
ASUS PRIME Z890M-PLUS WIFI	R 4,428	ASUS PRIME Z890M-PLUS WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4 x DDR5, 1 x DisplayPort, 1x HDMI Port, 1x USB 20Gbps Port (USB Type-C) supports DisplayPort Video Output, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 2x PCI-e 4.0 x16 slots (Support x1 mode), 3x M.2 slots supports PCI-e 5.0 x4 & PCI-e 4.0 x4, 6x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C with DP alt mode), USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1 x BIOS FlashBack Button
ASUS PRO WS W880-ACE SE	R 11,868	Asus Pro WS W880-ACE SE W880 Chipset LGA 1851 ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Support up to 9066 MT/s (OC), ECC and Non-ECC Un-buffered, Clocked Unbuffered DIMM (CUDIMM), 1 x Thunderbolt 4 USB Type-C port, 1 x USB 20Gbps port (1 x USB Type-C), 6 x USB 10Gbps ports (6 x Type-A), 1 x HDMI port, 2 x Intel 2.5Gb Ethernet port, 1 x Realtek 1Gb Ethernet dedicated for AST2600, 1 x VGA port from AST2600, 2 x Audio jacks, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 5 x 4-pin Chassis Fan headers, 1 x W_PUMP header, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x SlimSAS connector, 1 x USB 20Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 header supports 4 additional USB 2.0 ports, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin Front Panel System header, 1 x Thermal Sensor header, 1 x Thunderbolt(TM) (USB4®) header, 1 x SPI TPM header (14-1 pin), ATX Form Factor, 30.5 cm x 24.4 cm
ASUS PRO WS Z890-ACE SE	R 12,294	Asus PRO WS Z890-ACE SE Z890 Chipset LGA 1851 ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5,

		Support up to 9066 MT/s (OC), Non-ECC, Un-buffered and Clocked Unbuffered DIMM (CUDIMM), Back Panel I/O Ports 1 x Thunderbolt 4 USB Type-C port, 1 x USB 20Gbps port (1 x USB Type-C), 6 x USB 10Gbps ports (6 x Type-A), 1 x HDMI port, 1 x Marvell AQtion 10Gb Ethernet port, 1 x Intel 2.5Gb Ethernet port, 1 x Realtek 1Gb Ethernet dedicated for AST2600, 2 x Audio jacks, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 5 x 4-pin Chassis Fan headers, 1 x W_PUMP header, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x SlimSAS port, 1 x USB 20Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 header supports 4 additional USB 2.0 ports, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x CPU Over voltage jumper, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin Front System Panel header, 1 x Thermal Sensor header, 1 x Thunderbolt (USB4) header, 1 x SPI TPM header (14-1 pin), 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 5 x 4-pin Chassis Fan headers, 1 x W_PUMP header, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x SlimSAS port, 1 x USB 20Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 header supports 4 additional USB 2.0 ports, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x CPU Over voltage jumper, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin Front System Panel header, 1 x Thermal Sensor header, 1 x Thunderbolt (USB4) header, 1 x SPI TPM header (14-1 pin), ATX Form Factor, 30.5 cm x 24.4 cm
ASUS PROART Z890-CREATOR WII	R 10,649	Asus ProArt Z890-Creator WiFi Z890 Chipset LGA 1851 Series 2 ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, 2 x Thunderbolt 5 USB Type-C ports, 1 x USB4 / Thunderbolt Type-C port, 6 x USB 10Gbps ports (6 x Type-A), 1 x USB 2.0 port (1 x Type-A), 1 x DisplayPort (Input only), 1 x HDMI port, 1 x Wi-Fi module1 x Marvell AQtion 10Gb Ethernet port, 1 x Intel 2.5Gb Ethernet port, 2 x Gold-plated audio jacks, 1 x BIOS FlashBack button, 2 x Thunderbolt 5 USB Type-C ports, 1 x USB4 / Thunderbolt Type-C port, 6 x USB 10Gbps ports (6 x Type-A), 1 x USB 2.0 port (1 x Type-A), 1 x DisplayPort (Input only), 1 x HDMI port, 1 x Wi-Fi module1 x Marvell AQtion 10Gb Ethernet port, 1 x Intel 2.5Gb Ethernet port, 2 x Gold-plated audio jacks, 1 x BIOS FlashBack button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 5 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 5 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 20Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 1 x USB 2.0 header supports 2 additional USB 2.0 ports, 3 x Addressable Gen2 headers, 1 x Clear CMOS button, 1 x COM Port header, 1 x CPU Over voltage jumper, 1 x Chassis Intrusion header, 1 x Front Panel Audio header (F_AUDIO), 1 x SPI TPM header (14-1 pin), 1 x 10-1 pin Front System Panel header, 1 x Thermal Sensor header, ATX Form Factor, 30.5 cm x 24.4 cm
ASUS ROG MAXIMUS Z890 EXTREME	R 18,399	ASUS Motherboard, LGA 1851, DDR5, 4xDIMM, Max.256GB, 1xHDMI, 2xType-C, 2xPCIe5x16, 1xPCIe4x4, 6xM.2, 4xSATA, RAID, WiFi 7, LCD Display, E-ATX
ASUS ROG MAXIMUS Z890 HERO	R 13,800	ASUS ROG MAXIMUS Z890 HERO Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x Intel Thunderbolt 4 Ports (USB Type-C) support DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot supports x16, 1x PCI-e 4.0 x16 slot supports x4 mode, 1x PCI-e 4.0 x1 slot, 6x M.2 slots supports PCI-e 5.0 x4 & PCI-e 4.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 10Gbps Ports (Type-A & USB Type-C), USB 5Gbps Ports (Type-A), USB 20Gbps connector (Supports USB Type-C with up to 60W PD/QC4), USB 10Gbps connector (Supports USB Type-C), USB 2.0 Ports, ROG SupremeFX 7.1 Surround sound High Definition audio, 1x Optical S/PDIF out Port, 2x Gold-Plated audio jacks, 1x BIOS FlashBack Button
ASUS ROG STRIX B860-F GAMING WIFI	R 4,830	Asus ROG Strix B860-F Gaming WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x Intel Thunderbolt 4 port (USB Type-C) supports DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot (Supports x16 mode), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 4x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C), USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 10Gbps (USB Type-C), ROG SupremeFX 7.1 Surround sound High Definition Audio, 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ASUS ROG STRIX B860-G GAMING	R 5,310	Asus ROG Strix B860-G Gaming WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset,

		4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x Intel Thunderbolt 4 supports DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot, 4x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Ports (Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ASUS ROG STRIX Z890-A GAMING WIFI	R 7,475	Asus ROG Strix Z890-A Gaming WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 2x Intel Thunderbolt 4 support DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 5x M.2 slots supports PCI-e 5.0 x4 & PCI-e 4.0 x4, 4x SATA 6Gb/s Ports, Supports PCI-e 5.0 x4, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 10Gbps Ports (Type-A & Type-C with up to 30W PD/PPS fast-charge), USB 5Gbps Ports, 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ASUS ROG STRIX Z890-F GAMING	R 7,705	Asus ROG Strix Z890-F Gaming WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 2x Intel Thunderbolt 4 support DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot (Supports x16 or x8/x4/x4 modes), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 5x M.2 slots supports PCI-e 5.0 x4 & PCI-e 4.0 x4, 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 10Gbps Ports (Type-A & Type-C with up to 30W PD fast-charge), USB 5Gbps Ports, USB 2.0 Ports, 2x Gold-Plated audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ASUS TUF GAMING B860M-PLUS WIFI	R 5,249	Asus TUF Gaming B860M-PLUS WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 4 x DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, 1x USB 20Gbps Port (USB Type-C) supports DisplayPort Video Output, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x4 slot, 3x M.2 slots supports up to PCI-e 5.0 x4 mode, X SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C), USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 5x audio jacks, 1x Optical S/PDIF out Port
ASUS TUF GAMING Z890-PLUS WIF	R 5,520	ASUS TUF GAMING Z890-PLUS WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x Intel Thunderbolt 4 port (USB Type-C) supports DisplayPort and Thunderbolt Video Outputs, 1x USB 20Gbps Port (USB Type-C) supports DisplayPort Video Output, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x16 slot (Supports x4 mode), 1x PCI-e 4.0 x4 slot, 2x PCI-e 4.0 x1 slots, 4x M.2 slots supports PCI-e 5.0 x4 & supports PCI-e 4.0 x4 mode mode, 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), 5x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
B860 GAMING PLUS WIFI	R 4,023	MSI B860 GAMING PLUS WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Chipset - Intel B860, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x Type-C DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 4.0 supports up to x1, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, Thunderbolt4 Port supports up to 40Gbps transfer rate, USB 2.0 Ports, USB 5Gbps Type-A Ports, USB 10Gbps Type-A Ports, USB 10Gbps Type-C Ports, Intel Killer E5000 5Gbps LAN, Intel Killer BE1750X Wi-Fi 7, Bluetooth, Audio connectors, Clear CMOS Button
B860M GAMING PLUS WIFI	R 3,827	Asus TUF Gaming B860M-PLUS WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 4 x DDR5 DIMM Memory slots, 1 x DisplayPort, 1x HDMI Port, 1x USB 20Gbps Port (USB Type-C) supports DisplayPort Video Output, 1x PCI-e 5.0 x16 slot, 1x PCI-e 4.0 x4 slot, 3x M.2 slots supports up to PCI-e 5.0 x4 mode, X SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Port (Type-C), USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 5x audio jacks, 1x Optical S/PDIF out Port
B860M MORTAR WIFI	R 4,600	MSI MAG B860M MORTAR WIFI Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x Type-C DisplayPort, 1x PCI-e x16 slot supports up to x16, 1x PCI-e x4 slot supports up to x4, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, Thunderbolt4 Port supports up to 40Gbps transfer rate, USB 2.0 Ports, USB 5Gbps Type-A Ports, USB 10Gbps Type-A Ports, USB 10Gbps Type-C Ports, Intel Killer E5000 5Gbps LAN, Bluetooth, Audio connectors, Flash BIOS Button, Clear CMOS Button, S/PDIF-out

B860M ROCK WIFI	R 2,293	Asrock B860M ROCK WIFI Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, 2.5 Gigabit LAN, 802.11axe Wi-Fi 6E module, Bluetooth 5.3, 1x PCI-e 5.0 x16 slot (PCIE1) supports x16 mode, 1x PCI-e 4.0 x1 slot (PCIE2) supports x1 mode, 2x M.2 Socket supports up to PCI-e Gen5 x4, 4x SATA3 6.0 Gb/s connectors, USB 3.2 Gen2x2 Type-C, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 2.0, HD Audio jacks
B860M-XWIFI	R 2,550	Asrock B860M-X WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 2x DDR5 DIMM Memory slots, 256MB AMI UEFI legal BIOS with GUI, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, 2.5GbE LAN, Wi-Fi 6E, Bluetooth, 1x PCI-e 4.0 x16 (x16 mode), 1x PCI-e 4.0 x1, 1x PCI-e 4.0 x4, 1x Blazing M.2 (Key M) PCI-e Gen5 x4, 1x Hyper M.2 (Key M) PCI-e Gen4 x4, 4x SATA3 6Gb/s Ports, USB 3.2 Gen2x2 Type-C, USB 3.2 Gen1 Type-C, USB 3.2 Gen1 Type-A, USB 2.0, 1x BIOS FlashBack Button, 3x HD Audio jacks
B860MGAMINGPLUSWIFI	R 3,573	MSI B860M GAMING PLUS WIFI B860 Chipset LGA 1851 m-ATX Motherboard, 4x DDR5 UDIMM, Maximum Memory Capacity 256GB, Memory Support 8800 - 6400 (OC) MT/s / 6400 - 4800 (JEDEC) MT/s, 1x Thunderbolt5 card connector(JTBT5, support RTD3), 1x Power Connector(ATX_PWR), 2x Power Connector(CPU_PWR), 1x Power Connector(PCIE_PWR 8pin), 1x CPU Fan, 1x Combo Fan (Pump_Sys Fan), 3x System Fan, 1x EZ Conn-header (JAF_1), 2x Front Panel (JFP), 1x Chassis Intrusion (JCI), 1x Front Audio (JAUD), 1x Com Port (JCOM), 1x Tuning Controller connector(JDASH), 2x Addressable V2 RGB LED connector (JARGB_V2), 1x RGB LED connector(JRGB), 1x TPM pin header(Support TPM 2.0), 4x USB 2.0 ports, 4x USB 5Gbps Type A ports, 1x USB 10Gbps Type C ports, Display Port, Clear CMOS Button, 5G LAN, Wi-Fi / Bluetooth, Audio Connectors, HDMI, Thunderbolt(TM) 4 40Gbps (Type-C), 2x USB 2.0, 2 x USB 5Gbps (Type-A), USB 5Gbps (Type-C), USB 10Gbps (Type-A), mATX, 243.84mmx243.84mm
B860MGAMINGPLUSWIFI6E	R 3,824	MSI B860M Gaming Plus Wifi 6E Intel Core Ultra Socket LGA 1851 mATX Motherboard, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x1, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G, USB 2.0, USB 5Gbps Type-A, USB 5Gbps Type-C, USB 10Gbps Type-C Ports, Intel Killer E5000 5Gbps LAN, Wi-Fi 6E solution, Bluetooth, Clear CMOS Button, Audio connectors
GA-B860-A-ELITE-WF7-ICE	R 4,244	Gigabyte B860 Aorus Elite WiFi 7 ICE Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort Video, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0X4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
GA-B860-DS3H	R 2,836	Gigabyte B860 DS3H Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 4x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 2x M.2 connector supports up to PCI-e 5.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2x2 support, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard / Mouse Port, 3x audio jacks
GA-B860-EAGLE-WIFI6E	R 3,519	Gigabyte B860 Eagle Wi-Fi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0X4/x2 SSD, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B860-GAMING-X-WIFI6E	R 3,815	Gigabyte B860 Gaming X Wi-Fi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort Video, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 3x M.2 connector

		supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Q-Flash Plus Button, 3x audio jacks
GA-B860M-A-ELITE-WIFI6E	R 3,623	Gigabyte B860M Aorus Elite Wi-Fi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 3x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
GA-B860M-D3HP	R 2,381	Gigabyte B860M D3HP Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x1 slots supporting PCI-e 3.0 and running at x1, 2x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Serial Port Header, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B860M-D3HP	R 2,699	Gigabyte B860M LGA1851 ATX Motherboard - Support Intel Core Ultra Processors, Hybrid 4 1 2 Phases VRM Solution, Infinite Memory Performance, AI Perfdrive, PCIe x 16 Slot with Quick Release Design, Multi-Theme, AIO Fan Control, and Q-Flash Auto Scan in BIOS and SW, 2 x PCIe 4.0 x 4 M.2 Connectors, GbE LAN Fast Networking, DisplayPort, HDMI Externded Connectivity, Retail Box
GA-B860M-DS3H-WIFI6E	R 2,836	Gigabyte B860M DS3H WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 3x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B860M-H	R 1,898	Gigabyte B860M H Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI Port, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x M.2 connectors supports up to PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-B860M-K	R 1,879	Gigabyte B860M K Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 2x M.2 connector supports up to PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
GA-H810M-H	R 1,651	Gigabyte H810M-H Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Express Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI Port, 1x D-Sub Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks, Support for Q-Flash
GA-H810M-K	R 1,651	Gigabyte H810M-K Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Express Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x16, 1x PCI Express x1 slot supporting PCI-e 3.0 and running at x1, 1x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 3x audio jacks, Support for Q-Flash
GA-Z890-AORUS ELITE-WIFI7	R 5,636	Gigabyte Z890 Aorus Elite WiFi 7 Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Express Chipset, 4x DDR5 DIMM Memory slots, 1x Intel Thunderbolt 4 connector (USB4 USB Type-C Port) supporting DisplayPort and Thunderbolt Video Outputs, 1x front HDMI Port, 1x DisplayPort, High Definition audio, Realtek 2.5GbE LAN Chip, Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16

		slots supporting PCI-e 4.0 and running at x4, 4x M.2 connector supports PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
GA-Z890-AORUS-MASTER	R 9,994	Gigabyte Z890 Aorus Master Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Express Chipset, 4 x DDR5 DIMM Memory slots, 2 x Intel Thunderbolt 4 connectors (USB4 USB Type-C Ports) supporting DisplayPort and Thunderbolt Video Outputs, High Definition audio, Marvell aqtion AQC113c 10GbE LAN Chip, Intel Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot, Supporting PCI-e 4.0 and running at x1, 4x SATA 6Gb/s connectors, 5x M.2 connectora with PCI-e 5.0 x4/x2 & PCI-e 4.0 x4/x2 support, USB 3.2 Gen 2 Type-A Ports, USB Type-C Port with USB 3.2 Gen 2x2 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out connector
GA-Z890-EAGLE	R 3,899	Gigabyte Z890 Eagle Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Express Chipset, 4 x DDR5 DIMM Memory slots, 1 x USB4 USB Type-C Port supporting USB4 and DisplayPort Video Outputs, 1 x DisplayPort, High Definition audio, Realtek 2.5GbE LAN Chip, Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot, Supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x4, 4x M.2 connecto with PCI-e 5.0 x4/x2 & PCI-e 4.0 x4/x2 support), 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 3x audio jacks
GA-Z890-GAMING-X-WIFI7	R 5,067	Gigabyte Z890 Gaming X WiFi 7 Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort, 1x DisplayPort, 1x front HDMI Port, Realtek 2.5GbE LAN Chip, Wi-Fi, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x4, 4x M.2 connector supports PCI-e 5.0 x4/x2 & PCI-e 4.0 x4/x2, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
GA-Z890-UD-WIFI6E	R 4,156	Gigabyte Z890 UD WiFi 6E Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Express Chipset, 4x DDR5 DIMM Memory slots, 1 x USB4 USB Type-C Port supporting USB4 and DisplayPort, 1 x DisplayPort, High Definition audio, Realtek 2.5GbE LAN Chip, Wi-Fi 6E, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x1, 3x M.2 connector supports PCI-e 5.0 x4/x2 & PCI-e 5.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 3x audio jacks
GA-Z890M-GAMING-X	R 3,508	Gigabyte Z890M Gaming X Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel Z890 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x DisplayPorts, High Definition audio, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 3x M.2 connector support PCI-e 5.0 x4/x2 & PCI-e 4.0 x4/x2, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
H810M-H	R 1,530	Asrock H810M-H Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Chipset, 2 x DDR5 DIMM Memory slots, 1x HDMI 2.1, 7.1 ch HD Audio, Gigabit LAN, 1x PCI-e 4.0 x16 slot supports x16 mode, 1x PCI-e 4.0 x1 slot, 1x M.2 Socket supports up to PCI-e Gen4 x4, 4x SATA3 6.0Gb/s connectors, USB 3.2 Gen1 Type-A, USB 2.0, 1x PS/2 Mouse / Keyboard Port, HD Audio jacks
H810M-P GEN5	R 1,533	Asrock H810M-P Gen 5 Intel LGA Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI 2.1, 1x DisplayPort 1.4, 7.1 ch HD Audio, Gigabit LAN, X PCI-e 5.0 x16 slot (PCIE1) supports x16 mode, 1x PCI-e 4.0 x1 slot (PCIE2), 1 x Hyper M.2 Socket supports PCI-e Gen4 x4, 4x SATA3 6.0 Gb/s connectors, USB 3.2 Gen1 Type-A, USB 2.0, HD Audio jacks
MAG Z890 TOMAHAWK WIFI	R 6,544	MSI MAG Z890 TOMAHAWK WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 4.0 supports up to x4, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 4x M.2 supports up to PCI-e 5.0 x4 / PCI-e 4.0 x4, 4x SATA 6G, 2x Thunderbolt4 Ports supports

		up to 8K Display, USB 5Gbps Type, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, USB 20Gbps Type-C support USB PD 27W fast charging, Intel Killer E5000 5Gbps LAN, Intel Killer BE1750X Wi-Fi 7, Bluetooth
MAGZ890TOMAHAWKWIFI	R 7,056	MSI MAG Z890 TOMAHAWK WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 2x Type-C DisplayPort, 3x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 4.0 supports up to x4, PCI_E3 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 4x M.2 supports up to PCI-e 5.0 x4 / PCI-e 4.0 x4, 4x SATA 6G, 2x Thunderbolt4 Ports supports up to 8K Display, USB 5Gbps Type, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, USB 20Gbps Type-C support USB PD 27W fast charging, Intel Killer E5000 5Gbps LAN, Intel Killer BE1750X Wi-Fi 7, Bluetooth
MB-GB860AEW+W	R 4,587	Gigabyte B860 Aorus Elite Wi-Fi ICE Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort Video, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0X4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
MB-GB860DS3H	R 2,885	Gigabyte B860 DS3H Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 4 x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Serial Port Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB860DS3H+W	R 3,100	Gigabyte B860 DS3H WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 4 x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Serial Port Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB860E+W	R 3,767	Gigabyte B860 Eagle Wi-Fi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0X4/x2 SSD, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB860GX+W	R 3,979	Gigabyte B860 Gaming X Wi-Fi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort Video, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 3x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Q-Flash Plus Button, 3x audio jacks
MB-GB860IAPW+W	R 4,448	Gigabyte B860I AorusPro Wi-Fi Intel 12th / 13th / 14th Gen Socket LGA 1700 ITX Motherboard, Intel B860 Express Chipset, 2x DDR5 DIMM Memory slots, 1x Intel Thunderbolt 4 connector (USB4 USB Type-C Port) supporting DisplayPort and Thunderbolt Video, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 2x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out connector

MB-GB860MAE	R 3,703	Gigabyte B860M Aorus Elite (B860M AORUS ELT) Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel DDR5 (4 DIMMs, XMP Support, Up to DDR5 9200 (O.C), Up to 256GB), 1 PCIe 5.0 x16, 2 PCIe 4.0 x1, 1 PCIe 5.0 M.2 slot, 2 PCIe 4.0
MB-GB860MAE+W	R 4,089	Gigabyte B860M Aorus Elite Wi-Fi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 3x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
MB-GB860MAEW+W	R 4,257	Gigabyte B860M Aorus Elite Wi-Fi Ice Intel Core Ultra Socket LGA 1851 mATX Motherboard - White, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort, 1x DisplayPort, 1x HDMI Port, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 3x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
MB-GB860MAP+W	R 4,587	Gigabyte B860M Aorus Pro Wi-Fi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x USB4 USB Type-C Port supporting USB4 and DisplayPort, 1x DisplayPort, X HDMI Port, Realtek 2.5GbE LAN Chip, Realtek Wi-Fi 7, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 3x M.2 connector support up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 2x audio jacks, 1x Optical S/PDIF out connector
MB-GB860MD2H	R 2,376	Gigabyte B860M D2H Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel DDR5 (4 DIMMs, XMP Support, Up to DDR5 9066 (O.C), Up to 128GB), 1 PCIe 5.0 x16, 1 PCIe 4.0 x4, 2 PCIe 4.0 M.2 slots, 4 SATA 3.0 Ports, Realtek 2.5GbE LAN
MB-GB860MD3HP	R 2,486	Gigabyte B860M D3HP Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 2x PCI Express x1 slots supporting PCI-e 3.0 and running at x1, 2x M.2 connector supports up to PCI-e 4.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Serial Port Header, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB860MDS3H	R 2,851	Gigabyte B860M DS3H Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel DDR5 (4 DIMMs, XMP Support, Up to DDR5 9066 (O.C), Up to 256GB), 1 PCIe 5.0 x16, 2 PCIe 4.0 x1, 1 PCIe 5.0 M.2 slot, 2 PCIe 4.0 M.2 slots, 4 SATA 3.0 Port
MB-GB860MDS3H+W	R 3,227	Gigabyte B860M DS3H WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x DisplayPort, Realtek 2.5GbE LAN Chip, Intel Wi-Fi 6E AX211, Bluetooth 5.3, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 3x PCI Express x16 slots supporting PCI-e 4.0 and running at x1, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 2 Type-A Port, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB860ME	R 2,597	Gigabyte B860M Eagle V2 (B860M EAGLE V2) Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel DDR5 (2 DIMMs, XMP Support, Up to DDR5 9066 (O.C), Up to 128GB), 1 PCIe 5.0 x16, 1 PCIe 4.0 x4, 1 PCIe 5.0 M.2 slot, 1 PCIe 4.0 M.2
MB-GB860ME+W	R 2,818	Gigabyte B860M EAGLE WIFI6 B860 Express Chipset LGA 1851 Micro ATX Motherboard, Support for DDR5 9066(O.C)/ 8800(O.C)/ 8600(O.C)/ 8400(O.C)/ 8266(O.C)/ 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400/ 5600 MT/s memory modules, 2 x DDR5 DIMM sockets supporting up to 128 GB (64 GB single DIMM capacity) of system memory, 1 x

		24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x S/PDIF Out header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 1 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 1 x serial port header, 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x PS/2 keyboard/mouse port, 1 x HDMI port, 1 x DisplayPort, 3 x USB 3.2 Gen 1 ports, 3 x USB 2.0/1.1 ports, 2 x antenna connectors (2T2R), 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 22.5cm
MB-GB860MEP+W	R 3,481	Gigabyte B860M Eagle Wifi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Express Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI Port, 1x DisplayPort, Realtek 2.5GbE LAN Chip, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 2x M.2 connector supports up to PCI-e 5.0 x4/x2 SSD, 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 1 support, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x S/PDIF out Header, 1x Serial Port Header, 1x Q-Flash Plus Button, 1x PS/2 Keyboard/Mouse Port, 3x audio jacks
MB-GB860MG+W	R 2,729	Gigabyte B860M Gaming X B860 Express Chipset Core Ultra LGA 1851 Micro ATX Motherboard, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, Support for DDR5 9200(O.C) / 8800(O.C) / 8600(O.C) / 8400(O.C) / 8266(O.C) / 8200(O.C) / 8000(O.C) / 7950(O.C) / 7900(O.C) / 7800(O.C) / 7600(O.C.) / 7400(O.C.) / 7200(O.C.) / 7000(O.C.) / 6800(O.C.) / 6600(O.C.) / 6400 / 5600 MT/s memory modules, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connectors, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 2 x Thunderboltâ„¢ add-in card connectors (For GIGABYTE Thunderboltâ„¢ 5 add-in card only), 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x HDMI port, 1 x DisplayPort, 1 x USB4Â® USB Type-CÂ® port DisplayPort, 3 x USB 3.2 Gen 1 ports, 5 x USB 2.0/1.1 ports, 2 x antenna connectors (2T2R), 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB860MGX	R 3,315	Gigabyte B860M Gaming X (B860M GAMING X) Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel DDR5 (4 DIMMs, XMP Support, Up to DDR5 9200 (O.C), Up to 256GB), 1 PCIe 5.0 x16, 1 PCIe 4.0 x4, 1 PCIe 5.0 M.2 slot, 1 PCIe 4.0 M.2
MB-GB860MGX+W	R 3,703	Gigabyte B860M GAMING X WIFI6E B860 Express Chipset LGA 1851 Micro ATX Motherboard, Support for DDR5 9200(O.C)/ 8800(O.C)/ 8600(O.C)/ 8400(O.C)/ 8266(O.C)/ 8200(O.C)/ 8000(O.C)/ 7950(O.C)/ 7900(O.C)/ 7800(O.C)/ 7600(O.C.)/ 7400(O.C.)/ 7200(O.C.)/ 7000(O.C.)/ 6800(O.C.)/ 6600(O.C.)/ 6400/ 5600 MT/s memory modules, 4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memory, 1 x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connectors, 1 x CPU fan header, 1 x CPU fan/water cooling pump header, 1 x system fan header, 1 x system fan/water cooling pump header, 3 x addressable RGB Gen2 LED strip headers, 1 x RGB LED strip header, 2 x M.2 Socket 3 connectors, 4 x SATA 6Gb/s connectors, 1 x front panel header, 1 x front panel audio header, 1 x USB Type-CÂ® header, with USB 3.2 Gen 2 support, 1 x USB 3.2 Gen 1 header, 2 x USB 2.0/1.1 headers, 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only), 2 x Thunderboltâ„¢ add-in card connectors (For GIGABYTE Thunderboltâ„¢ 5 add-in card only), 1 x Q-Flash Plus button, 1 x reset jumper, 1 x Clear CMOS jumper, 1 x HDMI port, 1 x DisplayPort, 1 x USB4Â® USB Type-CÂ® port, 3 x USB 3.2 Gen 1 ports, 5 x USB 2.0/1.1 ports, 2 x antenna connectors (2T2R), 1 x RJ-45 port, 3 x audio jacks, Micro ATX Form Factor, 24.4cm x 24.4cm
MB-GB860MH	R 1,862	Gigabyte B860M H (B860M H) Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel DDR5 (4 DIMMs, XMP Support, Up to DDR5 8800 (O.C), Up to 128GB), 1 PCIe 5.0 x16, 1 PCIe 4.0 x4, 2 PCIe 4.0 M.2 slots, 4 SATA 3.0 Ports
MB-GB860MK	R 1,791	Gigabyte B860M K (B860M K) Intel Core Ultra Processors (Series 2), Intel B860 Express Chipset, Dual Channel

		DDR5 (2 DIMMs, XMP Support, Up to DDR5 8800 (O.C), Up to 128GB), 1 PCIe 5.0 x16, 1 PCIe 4.0 x4, 2 PCIe 4.0 M.2 slots, 4 SATA 3.0 Ports, Realtek 2.0
MB-GZ890AE+W	R 5,914	Gigabyte Z890 Aorus Elite WiFi: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890AEW+W	R 5,693	Gigabyte Z890 Aorus Elite White Ice WiFi: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890AEXW+W	R 5,870	Gigabyte Z890 Aorus Elite X White Ice WiFi: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890AM+W	R 11,708	Gigabyte Z890 Aorus Master WiFi DDR5: LGA 1851, DDR5-9500 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 5x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890APW+W	R 7,879	Gigabyte Z890 Aorus Pro White ICE WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Express Chipset, 4x DDR5 DIMM Memory slots, 2x Intel Thunderbolt 4 connectors (USB4 USB Type-C Ports) supporting DisplayPort and Thunderbolt Video Outputs, 1x front HDMI Port, Realtek 5GbE LAN Chip, Intel Wi-Fi 7 BE200, Bluetooth 5.4, 1x PCI Express x16 slot supporting PCI-e 5.0 and running at x16, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x4, 1x PCI Express x16 slot supporting PCI-e 4.0 and running at x1, 5x M.2 Socket 3 connectors (up to PCIe 5.0 x4/x2 SSD support), 4x SATA 6Gb/s connectors, USB Type-C Port with USB 3.2 Gen 2x2 support, USB 3.2 Gen 2 Type-A Ports, USB 3.2 Gen 1 Ports, USB 2.0/1.1 Ports, 1x Q-Flash Plus Button, 1x Optical S/PDIF out connector, 2x audio jacks
MB-GZ890E	R 3,815	Gigabyte Z890 Eagle WiFi7: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890E+W	R 5,196	Gigabyte Z890 Eagle WiFi DDR5: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890GX+W	R 5,196	Gigabyte Z890 Gaming X WiFi DDR5: LGA 1851, DDR5-8800 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890IAU+W	R 6,266	Gigabyte Z890i Aorus Ultra WiFi ITX: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 2x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890MAE+W	R 4,919	Gigabyte Z890M Aorus Elite WiFi: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 3x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890MAEW+W	R 4,958	Gigabyte Z890M Aorus Elite WiFi: LGA 1851, DDR5-9200 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 3x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890MGX	R 3,813	Gigabyte Z890M Gaming X: LGA 1851, DDR5-8800 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 3x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890UD	R 3,651	Gigabyte Z890 UD DDR5: LGA 1851, DDR5-8800 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 7, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
MB-GZ890UD+W	R 4,311	Gigabyte Z890 UD WiFi DDR5: LGA 1851, DDR5-8800 (OC) 256GB max, PCIe 5.0 x16, 4.0 x4, 4x M.2 PCIe 4.0 x4, WiFi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2 Type-C, HDMI, DP.
PCB_UPK_18	R 13,162	PCBuilder Intel Core Ultra 5 245K LEVEL UP Core Upgrade Kit, Intel Core Ultra 5 245K 14-core 4.20GHz LGA1851 CPU, Asus B860 Chipset Intel LGA1851 mATX Motherboard, 16GB DDR5-5600 Memory, PCBuilder Hydro Chill 240mm AIO Liquid CPU Cooler
PRIME B860M-K	R 2,893	Asus Prime B860M-K Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 2x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 4.0 x16 slot, 2x PCI-e 4.0 x1 slots, 2x M.2 slots support up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 2.5Gb Ethernet, USB 10Gbps Port (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 3x audio jacks, 1x PS/2 Keyboard/Mouse Combo Port
PRIME H810M-AWIFI	R 1,954	Asus PRIME H810M-A WIFI H810 Chipset Core Ultra LGA 1851 Micro-ATX Motherboard, 2 x DIMM slots, max. 128GB, DDR5, Supports up to 6400MT/s, Non-ECC, Un-buffered ,Clocked Unbuffered DIMM (CUDIMM), 2 x USB 10Gbps ports (2 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi module, 1 x Intel 1Gb Ethernet port, 3 x Audio jacks, 1 x PS/2 keyboard/mouse combo port, 1 x 4-pin CPU Fan header, 2 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 1 x 8-pin 12V CPU Power connector, 2 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 5Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 1 x

		USB 2.0 header supports 2 additional USB 2.0 ports, 3 x Addressable Gen2 headers, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x S/PDIF Out header, 1 x SPI TPM header (14-1 pin), 1 x 10-1 pin Front Panel System header, micro-ATX Form Factor, 24.4 cm x 22.2 cm
PRIMEZ890-PWIFI	R 5,230	Asus Prime Z890-P WiFi Z890 Chipset LGA 1851 ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Support up to 8666 MT/s (OC),Non-ECC, Un-buffered ,Clocked Unbuffered DIMM (CUDIMM), 1 x Thunderboltâ„¢ 4 USB Type-CÂ® port, 1 x USB 10Gbps port (1 x Type-A), 2 x USB 5Gbps ports (2 x Type-A), 4 x USB 2.0 ports (4 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi module, 1 x Realtek 2.5Gb Ethernet port, 3 x Audio jacks, 1 x BIOS FlashBack button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-C), 2 x USB 5Gbps headers support 4 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable Gen2 headers, 1 x Aura RGB header, 1 x Clear CMOS header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x S/PDIF Out header, 1 x SPI TPM header (14-1pin), 1 x 10-1 pin Front Panel System header, 1 x Thunderbolt (USB4) header, ATX Form Factor, 30.5 cm x 24.4 cm
PRO H810M-B	R 2,171	MSI H810M-B Pro DDR5 Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x PCI-e x16 slot, 2x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x1, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x1, 7.1-channel High Definition Audio, 1x M.2 supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, USB 10Gbps Type-C, Realtek 8125 2.5Gbps LAN, Audio connectors
PRO Z890-P WIFI	R 5,288	MSI PRO Z890-P WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x Type-C DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x1, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 4x M.2 supports PCI-e 5.0 x4 / PCI-e 4.0 x4 /, 4x SATA 6G, 1x Thunderbolt4 Port supports up to 8K Display, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, Realtek 8126 5Gbps LAN, Intel Wi-Fi 7, Bluetooth 5.4
PRO Z890-S WIFI	R 5,748	MSI PRO Z890-S WIFI Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition Audio, 3x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, 1x Thunderbolt4 Ports up to 40Gbps transfer rate, USB 2.0 Ports, USB 5Gbps Type-A Ports, USB 20Gbps Type-C Ports, 2.5Gbps LAN, Intel Wi-Fi 7, Bluetooth, Audio connectors
PROARTZ890CREATORWIFI	R 10,881	Asus ProArt Z890-CREATOR WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x Intel Thunderbolt 5 Ports (USB Type-C) support DisplayPort and Thunderbolt Video Outputs, 1x Intel Thunderbolt 4 Ports (USB Type-C) support DisplayPort and Thunderbolt Video Outputs, 2x PCI-e 5.0 x16 slots (Supports x16 or x8/x8 modes), 5x M.2 slots supports up to PCI-e 5.0 x4, 4x SATA 6Gb/s Ports, 1x Marvell AQtion 10GB Ethernet, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, Thunderbolt 5 Ports USB Type-C), USB4 / Thunderbolt Port (USB Type-C), USB 10Gbps Ports (Type-A), USB 2.0 Port (Type-A), Realtek ALC1220p 7.1 Surround Sound High Definition Audio, 2x Gold-Plated Audio jacks, 1x BIOS FlashBack Button
PROH810M-B	R 2,379	MSI H810M-B Pro DDR5 Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel H810 Chipset, 2x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x PCI-e x16 slot, 2x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x1, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x1, 7.1-channel High Definition Audio, 1x M.2 supports up to PCI-e 4.0 x4, 4x SATA 6G Ports, USB 2.0, USB 5Gbps Type-A, USB 10Gbps Type-C, Realtek 8125 2.5Gbps LAN, Audio connectors
ROG-STRIX-B860-G-GAMING-WIFI	R 5,532	Asus ROG Strix B860-G Gaming WiFi Intel Core Ultra Socket LGA 1851 mATX Motherboard, Intel B860 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x Intel Thunderbolt 4 supports DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot, 4x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Ports (Type-C), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), USB 2.0 Ports (Type-A), 2x audio jacks, 1x Optical S/PDIF out Port, 1x BIOS

		FlashBack Button
ROGMAXIMUSZ890HERO	R 15,213	Asus ROG Maximus Z890 Hero Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI Port, 2x Intel Thunderbolt 4 Ports (USB Type-C) support DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot (Supports x16), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 1x PCI-e 4.0 x1 slot, 6x M.2 slots supports up to PCI-e 5.0 x4 mode, 1x SlimSAS Connector and 4x SATA 6Gb/s Ports, 1x Intel 2.5Gb Ethernet, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, Thunderbolt 4 Ports (2x USB Type-C), USB 10Gbps Ports (Type-A USB Type-C), USB 5Gbps Ports (Type-A), ROG SupremeFX 7.1 Surround Sound High Definition Audio, 2x Gold-Plated Audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ROGSTRIXB860-FGAMINGWIFI	R 5,952	Asus ROG STRIX B860-F Gaming WIFI B860 Chipset LGA 1851 ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Support up to 9066MT/s (OC), Non-ECC, Un-buffered ,Clocked Unbuffered DIMM (CUDIMM), 1 x Thunderbolt 4 (1 x USB Type-C), 1 x USB 20Gbps port (1 x USB Type-C), 1 x USB 10Gbps port (1 x Type-A), 6 x USB 5Gbps ports (6 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi module, 1 x Intel 2.5Gb Ethernet port, 2 x audio jacks, 1 x Optical S/PDIF out port, 1 x BIOS FlashBack button, 1 x Clear CMOS button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connectors, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 3 additional USB 2.0 ports, 3 x Addressable Gen2 headers, 1 x Chassis Intrusion header, 1 x Front Panel Audio header (F_AUDIO), 1 x Start button, 1 x 10-1 pin Front System Panel header, 1 x Thermal Sensor header, 1 x Thunderbolt (USB4) header, ATX Form Factor, 30.5 cm x 24.4 cm
ROGSTRIXZ890-EGAMINGWIFI	R 11,219	Asus ROG Strix Z890-E Gaming WiFi Intel Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 2x Intel Thunderbolt 4 support DisplayPort and Thunderbolt Video Outputs, 1x PCI-e 5.0 x16 slot (Supports x16), 1x PCI-e 4.0 x16 slot (Supports x4 mode), 7x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 5GB Ethernet, Wi-Fi 7, Bluetooth V5.4, Thunderbolt 4 (2x USB Type-C), USB 10Gbps Ports (Type-A USB Type-C USB Type-C with up to 30W PD fast-charge), USB 5Gbps Ports (Type-A), ROG SupremeFX 7.1 Surround Sound High Definition Audio, 2x Gold-Plated Audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
ROGSTRIXZ890-HGAMINGWIFI	R 8,285	Asus ROG Strix Z890-H Gaming WiFi Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x DisplayPort, 1x HDMI Port, 1x PCI-e 5.0 x16 slot (Supports x16), 2x PCI-e 4.0 x16 slots (Supports x4 mode), Supports 4x M.2 slots supports up to PCI-e 5.0 x4 mode, 4x SATA 6Gb/s Ports, 1x Realtek 5G Ethernet, Wi-Fi 7, Bluetooth V5.4, USB 20Gbps Ports (1x USB Type-C 1x USB Type-C with up to 30W PD fast-charge), USB 10Gbps Ports (Type-A), USB 5Gbps Ports (Type-A), Realtek ALC1220p 7.1 Surround Sound High Definition Audio, 2x Gold-Plated Audio jacks, 1x Optical S/PDIF out Port, 1x BIOS FlashBack Button
TUFGAMINGB860M-PLUSWIFI	R 4,763	Asus TUF Gaming B860M Plus B860 Chipset LGA 1851 mATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Support up to 8800 MT/s (OC), Non-ECC,Un-buffered ,Clocked Unbuffered DIMM (CUDIMM), 1 x USB 20Gbps port (1 x USB Type-CÂ® with DP Alt mode), 2 x USB 10Gbps port (2 x Type-A), 4 x USB 5Gbps ports (4 x Type-A), 1 x USB 2.0 port (1 x Type-A), 1 x DisplayPort, 1 x HDMI port, 1 x Wi-Fi Module, 1 x Realtek 2.5Gb Ethernet port, 5 x Audio jacks, 1 x Optical S/PDIF out port, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V Power connectors, 3 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 10Gbps connector (supports USB Type-C), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 1 x USB 2.0 header supports 2 additional USB 2.0 ports, 3 x Addressable Gen 2 headers, 1 x Clear CMOS header, 1 x Chassis Intrusion header, 1 x Front panel audio header (F_AUDIO), 1 x 10-1 pin Front System Panel header, 1 x Thunderboltâ„¢ (USB4Â®) header, mATX Form Factor, 24.4 cm x 24.4 cm
TUFGAMINGZ890-PLUSWIFI	R 7,098	Asus TUF Gaming Z890-Plus WiFi Z890 Chipset Core Ultra LGA 1851 ATX Motherboard, 4 x DIMM slots, max. 256GB, DDR5, Support up to 9066 MT/s (OC), Non-ECC, Un-buffered ,Clocked Unbuffered DIMM (CUDIMM), 1 x Thunderboltâ„¢ 4 USB Type-CÂ® port, 1 x USB 20Gbps port (1 x USB Type-CÂ® with DP Alt mode), 3 x USB 10Gbps ports (3 x Type-A), 3 x USB 5Gbps ports (3 x Type-A), 1 x DisplayPort, 1 x HDMIâ„¢ port, 1 x Wi-Fi module, 1 x IntelÂ® 2.5Gb Ethernet port, 5 x Audio jacks, 1 x Optical S/PDIF out port, 1 x BIOS FlashBackâ„¢ button, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x 4-pin AIO Pump header, 4 x 4-pin Chassis

		Fan headers, 1 x 24-pin Main Power connector, 2 x 8-pin 12V CPU Power connector, 4 x M.2 slots (Key M), 4 x SATA 6Gb/s ports, 1 x USB 20Gbps connector (supports USB Type-CÂ®), 1 x USB 5Gbps header supports 2 additional USB 5Gbps ports, 2 x USB 2.0 headers support 4 additional USB 2.0 ports, 3 x Addressable RGB Gen 2 headers, 1 x Clear CMOS header, 1 x Chassis Intrusion header, 1 x COM Port header, 1 x Front Panel Audio header (F_AUDIO), 1 x 10-1 pin Front System Panel header, 1 x Thunderboltâ„¢ (USB4Â®) header, Windows 11 (22H2 & later), ATX Form Factor, 30.5 cm x 24.4 cm
Z890 GAMING PLUS WIFI	R 5,403	MSI Z890 GAMING PLUS WIFI LGA Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x Type-C DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 4x M.2 supports up to PCI-e 5.0 x4 / PCI-e 4.0 x4, 1x Thunderbolt4 Ports supports up to 8K Display, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, Intel Killer E5000 5Gbps LAN, Intel Killer BE1750x Wi-Fi 7, Bluetooth
Z890 GAMING PLUS WIFI6E	R 5,173	MSI Z890 Gaming Wifi 6E Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 & PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition Audio, 3x M.2 supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 20Gbps Type-C, Realtek 8125d 2.5Gbps LAN, Wi-Fi 6E, Bluetooth, Audio connectors
Z890 LIVEMIXER WIFI	R 5,098	Asrock Z890 LiveMixer Wi-Fi Intel Core Ultra Socket LGA 1851 ATX Motherboard, LGA 1851 Socket with Z890 Chipset for Modern Intel builds, 4x DDR5 DIMM slots supporting up to 256GB Memory, PCI-e 5.0 support for Graphics and M.2 Expansion Hardware, 4x M.2 storage slots including one Blazing M.2 Socket (Key M) for PCI-e GEN5X4 drives, 4 x SATA3 6.0 Gb/s connectors, OnBoard Wi-Fi 7 (802.11be) module, Integrated Dragon RTL8125BG 2.5 Gigabit LAN Port, 2x Thunderbolt 4/USB4 Type-C Ports with 40 Gb/s Data transfer, 2x USB 3.2 Gen2, 10x USB 3.2 Gen1 connectors, HDMI 2.1 Port supporting HDR up to 4K 120Hz Resolution with CPU Integrated Graphics, BIOS FlashBack Button for Easy updates, Standard ATX Form Factor
Z890GAMINGPLUSWIFI	R 5,185	MSI Z890 GAMING PLUS WIFI LGA Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 1x Type-C DisplayPort, 3x PCI-e x16 slot, 1x PCI-e x1 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 4.0 supports up to x1, PCI_E3 Gen PCI-e 4.0 supports up to x4, PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition audio, 4x M.2 supports up to PCI-e 5.0 x4 / PCI-e 4.0 x4, 1x Thunderbolt4 Ports supports up to 8K Display, USB 5Gbps Type-A, USB 10Gbps Type-A, USB 10Gbps Type-C, USB 20Gbps Type-C, Intel Killer E5000 5Gbps LAN, Intel Killer BE1750x Wi-Fi 7, Bluetooth
Z890GAMINGPLUSWIFI6E	R 5,440	MSI Z890 Gaming Wifi 6E Intel Core Ultra Socket LGA 1851 ATX Motherboard, Intel Z890 Chipset, 4x DDR5 DIMM Memory slots, 1x HDMI, 1x DisplayPort, 4x PCI-e x16 slot, PCI_E1 Gen PCI-e 5.0 supports up to x16, PCI_E2 Gen PCI-e 3.0 supports up to x1, PCI_E3 & PCI_E4 Gen PCI-e 4.0 supports up to x4, 7.1-channel High Definition Audio, 3x M.2 supports up to PCI-e 5.0 x4, 4x SATA 6G Ports, USB 5Gbps Type-A, USB 20Gbps Type-C, Realtek 8125d 2.5Gbps LAN, Wi-Fi 6E, Bluetooth, Audio connectors

< Return to the menu

Motherboards: Intel LGA2066		
Product code	**Price**	**Description**

< Return to the menu

Old Intel motherboards		
Old Intel motherboards : Cryptocurrency Intel Motherboards		
Product code	**Price**	**Description**
BTC-B250B	R 1,609	Microworld BTC-B250B 12x PCI-E Mining Motherboard. Support 6th / 7th Generation i3 / i15 / i7 / Series CPU.

< Return to the menu

Old Intel motherboards : Motherboards: Intel 478 Discrete

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel 478 Integrated

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel integrated processors

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA 2011

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA 3647

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA1156

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA1366

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA771 discrete

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA775 discrete

Product code	Price	Description

< Return to the menu

Old Intel motherboards : Motherboards: Intel LGA775 integrated

Product code	Price	Description
AK-G41M EL	R 861	Arktek G41M EL Intel LGA775 mATX Motherboard, For Core 2 Duo / Core / Duo / Pentium 4 / Pentium D / Celeron D processors, 2x DDR3 Memory slots, 10/100 Mbit LAN, 4x SATA Port, 1x PS/2 Mouse Port, 1x PS/2 Keyboard Port, 1x VGA Port, 1x COM Port, 4x USB 2.0 Port, 1x LAN jack, 3x audio jack, 1x PCI Express x16 slot
MB-iG35ECR	R 728	intel G35EC EvaCove - Retail pack , all-in-one; intel Quad-core/ Core2 / P4 / Pentium D / Celeron-L (800fsb) , 1333/1066/800fsb , intel G35 iCH8 chipset , 4x dual channel DDR2 800/667 , 4 x s-ata2 , 1 x parallel ata133 , on-board directX10 GMA X3500 hardware 3D VGA with Clear Video technology (support 1080p HDCP) , ieee1394a , gigabit lan , Intel 5.1 HD audio ; 2x pci , 1 x pci-e(1x) , 1 x pci-e(16x) , micro-atx

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Multi-I/O add-on cards

Multi I/O PCI interface

Product code	Price	Description
130991	R 2,247	LaCie SATA II PCI-Express Card designed by Sismo - 4 ports
2SIP	R 196	Unbranded 2 Serial 1 Parallel PCI Card
AC-Si1600	R 3,487	Sunix ser1600A - 16 port high-speed serial (16c550), 32/64bit 3.5/5V 33/66MHz PCI card, Sunix Matrix UL7534EB chipset, 64byte hardware 128k software FiFo, Sunix Matrix UL7534EB, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si4018	R 440	Sunix par4018a - 2 port parallel (SPP/ BPP/ ECP/ EPP) (2 slots required), 32/64bit 3.5/5V PCI card, 32byte hardware FiFo, ready for 64 bit system, sun1888 chipset - WHQL certified
AC-Si4089A	R 551	Sunix mio4089AM - 2 port serial (16c550) 2 port parallel (SPP/BPP/ECP/EPP) (2 slots required), 32/64bit 3.5/5V pci card, 32 16byte hardware 128k software FiFo, ready for 64 bit system, sunix matrix UL7522EQ chipset, 115.2Kbps 2.7Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si4096A	R 1,409	Sunix mio4096AM - 3x slots required - 4 port serial (16c550) 2 port parallel (SPP/BPP/ECP/EPP) 32/64bit 3.5/5V PCI card, 32 16byte hardware 128k software FiFo, ready for 64 bit system, Sunix matrix UL7522EQ chipset, 230.4Kbps 2.7Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5008A+L	R 275	Sunix par5008A - standard Low-profile dual bracket - 1 port parallel (SPP/ BPP/ ECP/ EPP) 32/64bit 3.5/5V PCI card, ready for 64 bit system, 16byte hardware FiFo, 1.8MBps, sun1989 chipset - WHQL certified - with extra low-profile bracket for slim case or 2u rackmount
AC-Si5008R+L	R 651	Sunix par5008R - standard Low-profile dual bracket - 1 port parallel (SPP/BPP/ECP/EPP), support re-map to legacy ISA address mapping (378, 278, 3BC), 32/64bit 3.5/5V pci card, ready for 64 bit system, 16byte hardware FiFo, 1.8MBps, sunix UL7502AQ chipset - WHQL certified, 2KV ESD protection
AC-Si5018+L	R 541	Sunix par5018a - standard Low-profile dual bracket - 2 port parallel (SPP/BPP/ECP/EPP) (2 slots required), 32/64bit 3.5/5V PCI card, 16byte hardware FiFo, ready for 64 bit system, UL7502AQ chipset - WHQL certified
AC-Si5027A+L	R 253	Sunix ser5027A - 1 port serial (16c950) RS232, 32/64bit 3.5/5V PCI card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 115.2Kbps, 2KV ESD protection - include extra Low-profile PCI bracket
AC-Si5027D+L	R 584	Sunix 5027D - standard extra Low-profile dual bracket - 1 port serial (16c550), 32/64bit 3.5/5V PCI card PCI, 32byte hardware 128k software FiFo, sunix UL7512EQ chipset, 115.2Kbps, support Re-Map to legacy ISA address 2E8, 3E8, 2F8, 3F8 mapping (under DOS and Win9x/NT OS), 2KV ESD protection
AC-Si5027H+L	R 474	Sunix ser5027H - Standard Low-profile DUAL bracket - 1 port high-speed serial (16c950) RS232, 32/64bit 3.5/5V pci card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5027PH+L	R 529	Sunix ser5027PH - standard Low-profile dual bracket - with Power select - 1 port high-speed serial (16c950) RS232, 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter), 32/64bit 3.5/5V pci card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5037A	R 286	Sunix ser5037A - 2 port serial (16c950) RS232, 32/64bit 3.5/5V PCI card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 115.2Kbps, 2KV ESD protection
AC-Si5037D	R 706	Sunix 5037D - 2 port serial (16c550), 32/64bit 3.5/5V pci card pci, 32byte hardware 128k software FiFo, sunix UL7512EQ chipset, 115.2Kbps, support Re-Map to legacy ISA address 2E8, 3E8, 2F8, 3F8 mapping (under DOS and Win9x/NT OS), 2KV ESD protection
AC-Si5037HL+S	R 367	Sunix ser5037HL - Low-profile Standard DUAL bracket - 2 port high-speed serial (16c950) RS232, 32/ 64bit 3.5/5V PCI card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5037PH	R 440	Sunix ser5037PH with Power select - 2 port high-speed serial (16c950) RS232, 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter), 32/64bit 3.5/5V pci card, 128byte

		hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5037PHL	R 440	Sunix ser5037PHL, Low-profile with Power select - 2 port high-speed serial (16c950) RS232, 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter), 32/64bit 3.5/5V pci card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5037PL+S	R 424	Sunix ser5037PL - Low-profile Standard DUAL bracket - with Power select - 2 port serial (16c550), 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter), 128byte hardware 128k software FiFo, SUN1989 chipset, 115.2Kbps, 32/64bit 3.5/5V pci card, 2KV ESD protection
AC-Si5056A+L	R 789	Sunix ser5056A - standard Low-profile dual bracket - 4 port serial (16c950) RS232, 32/64bit 3.5/5V pci card, 128byte hardware 128k software FiFo, SUN1999 chipset with low power consumption, 115.2Kbps, 32byte hardware 128k software FiFo, 2KV ESD protection
AC-Si5056H+L	R 889	Sunix ser5056H - standard Low-profile dual bracket - 4 port high-speed serial (16c950) RS232, 32/64bit 3.5/5V pci card, 128byte hardware 128k software FiFo, SUN1999 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5056PH+L	R 1,026	Sunix ser5056PH with Power select - standard Low-profile dual bracket - 4 port high-speed serial (16c950) RS232, 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter), 32/64bit 3.5/5V pci card, 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5066HL+S	R 2,597	Sunix ser5066HL - Low-profile extra Standard dual bracket - 8 port high-speed serial (16c950) RS232, 32/64bit 3.5/5V PCI card, 128byte hardware 128k software FiFo, SUN1999 chipset with low power consumption, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5069PH	R 437	Sunix Mio5069PH - 1 port high-speed serial (16c550) and 1 port parallel (SPP/BPP/ECP/EPP), 32/64bit 3.5/5V pci / pci-x card, 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter), 128 16byte hardware 128k software FiFo, SUN1989 chipset, 921.6Kbps 1.8Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge.
AC-Si5079AL+S	R 253	Sunix Mio5079AL - Low-profile Standard dual bracket (single slot design) - 2 port serial (16c550) 1 port parallel (SPP/BPP/ECP/EPP), 32/64bit 3.5/5V PCI card, 128 16byte hardware 128k software FiFo, SUN1989 chipset, 115.2Kbps 1.8Mbps, 2KV ESD protection
AC-Si5079HL+S	R 695	Sunix Mio5079HL - Low-profile Standard dual bracket (single slot design) - 2 port high-speed serial (16c550) 1 port parallel (SPP/ BPP/ ECP/ EPP), 32/64bit 3.5/5V PCI card, 128 16byte hardware 128k software FiFo, SUN1989 chipset, 921.6Kbps 1.8Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5099H+L	R 1,377	Sunix Mio5099H - 2x standard 2x Low-profile dual bracket (2 slots required) - 4 port high-speed serial (16c550) 1 port parallel (SPP/BPP/ECP/EPP), 32/64bit 3.5/5V pci card, 128 16byte hardware 128k software FiFo, SUN1989 chipset, 921.6Kbps 1.8Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-SiCDK1056P+L	R 799	Sunix CDK1056P - Standard Low-profile DUAL bracket - with Power select - 4 port serial (16c950) RS232 with 6pin RJ11/12 Cash Drawer interface, with 1x 12VDC Power Jack expansion for POS peripheral, 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without AC-adapter), 32/64bit 3.5/5V PCI card, 128byte hardware 128k software FiFo, SUN1999 chipset, 115.2Kbps, 2KV ESD protection
AC-SiP2102Si	R 1,845	Sunix ipc-P2102L - with Surge & Isolation protection - 2 port RS422/485 high-speed serial, 32/64bit 3.5/5V PCI card, 128byte hardware 128k software FiF, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge, SUN1989 chipset
AC-SiPUB1210P	R 975	Sunix PUB1210P - 1x24v 2x12V 1x5v powered usb pci card , 4 x external 1 x internal, powered by 2x internal 4-pin molex power connector to psu, NEC UPD720102 chipset, ideal for PoS application with no need of ac-adapter (scales, LED Diplay, Digitizer, slip printer, barcode scanner, etc)
AC-SiPUB1300P	R 975	Sunix PUB1300P - 1x24v 3x12V powered USB PCI card , 4 x external 1 x internal, powered by 2x internal 4-pin molex power connector to psu, NEC UPD720102 chipset, ideal for PoS application with no need of ac-adapter

		(scales, led diplay, digitizer, slip printer, etc)
AC-VPC210	R 92	Vantec ugt-PC210 - usb2.0 pci card , 4 x external 1 x internal , VIA VT6212 chipset
ATA 133	R 184	Unbranded ATA 133 Controller with 2x IDE ports PCI Card
BW0204014	R 104	Mecer PCI 4 Port USB 2.0 1 Port Internal USB2.0 Card
CNV-PCI-4P-USB-L	R 224	Lindy 4-port 1-int USB 2.0 PCI Card
GIGLAN	R 138	Unbranded 10/100/1000 Gigabit PCI Lan card
I-310	R 259	ST Lab I-310 3G/PCMCIA Express Slot to PCI Adapter Card - Ports Added: 1x PCMCIA Express Slot
MP6421	R 228	Chronos 2x SATAI & 1x ATA-133 IDE PCI Card
MP6421-E	R 175	Chronos Pci E-SATA Adapter, PCI E-SATA Expansion card with a Via Chipset (1 X E-SATA / 1 X SATA & 1 X IDE ports)
MP9715P-2	R 216	Chronos Pci 2 Printer Epp/Ecp PCI Expansion card (2 X Printer Ports) EPP/ECP Win2K.
MP9835R1	R 147	Chronos Pci 1 Serial Expansion card (1 X Serial Port) Support WIn2K
PCI-2CB	R 274	Chronos Pci To 2 Slot Converter PCI To PCMCIA 2 Slot Converter (Supports Type 1,2 & 3 Cards)
PCI-ESATA	R 230	Unbranded 2 Channel SATA Card 1 IDE 1 Esata PCI Card
PCI2PCMCIA	R 276	Unbranded PCMCIA Port PCI Card (g3)
TXA025	R 403	Microworld PCI Fibre card 100 Mbps, 20 km transmission distance, PCI Interface
TXA025-01	R 403	Microworld TXA025 T1550 100 Mbps Fibre PCI adaptor card, 20 km transmission distance, PCI Interface, 2 x SC or 1 x SC
U-RS232R2-INT	R 305	CHRONOS ADAPTER, INTERNAL USB - 2 RS232

< Return to the menu

Multi-I/O Cardbus / PCMCIA interface

Product code	Price	Description
4PORT	R 253	Unbranded PCMCIA 4 Port USB Card
AC-SiCBF3000	R 192	Sunix CBF3000SC - 3 x 6pin ieee1394A card-bus/pcmcia , VIA VT6306 chipset
AC-SiCBF3100S	R 404	Sunix CBF3100S - 1 x ieee1394B (9pin) 2x ieee1394A (1x6pin 1x4pin) card-bus/pcmcia, TI TSB81BA3 (PHY) TSB82AA2 (LYNX) chipset Ulead 8.0 SE video editing software
AC-SiCBM2925	R 777	Sunix CBM2925: 2 port serial (16c550) 1Xparallel (SPP/ BPP/ ECP/ EPP), cardbus / pcmcia, sunix Matrix UL7512EQ chipset, 230.4 kbps 2.7MBps, 32 16byte hardware, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-SiCBP0020	R 421	Sunix CBP0020M: 2 x parallel port (SPP/BPP/ECP/EPP) cardbus / pcmcia adapter, sunix Matrix UL7512EQ chipset, 16byte hardware FiFo, 2.7MBps - WHQL certified
AC-SSCBSA20	R 159	Sunix CBSA20 2 port external SATA cardbus pcmcia - Silicon Image Sil3112a chipset, bundle 1Xsata cable.
AC-SSECSA14	R 236	Sunix ECSA14 - 1 port external e-SATA, Express Card 34 (for 34 or 54 slot), One-lane 2.5 Gb/sec expresscard, JMicron JMB363
AC-SSECSA24	R 286	Sunix ECSA24 - 2 port external e-SATA , Express Card 54 , One-lane 2.5 Gb/sec expresscard , Silicon Image Sil312A , bundle 1 x sata2 cable
iC-SCBE1000	R 104	Sunix CBE1000 pcmcia/cardbus to express card 32 converter (for old notebook with pcmcia/cardbus to use new express card 32) - retail pack
MP8212-RAID	R 164	Chronos 2 Serial Cardbus With Cable PCMCIA Expansion card (2 X Serial Ports) Support Win2K & XP with 16C450, 16C550, 16C650,16C750 and 16C950 UARTs.
MP952CB-PR2	R 467	Chronos Cardbus I/O 2S 1P, 32Bit PCMCIA Expansion card (2 X Serial Ports & 1 Parallel Port) Fully software compatible with 16C450, 16C550, 16C650,16C750 and 16C950 UARTs.
PCI2SER	R 69	Unbranded PCMCIA Serial Port Card
PCMEXP	R 909	Unbranded Express Card/34 Adapter to PCMCIA

< Return to the menu

Multi-I/O Express card interface

Product code	Price	Description

100809	R 169	Manhattan External 12 IN 1 Express SD Card Reader
AC-SiECS2400	R 818	Sunix ECS2400: 2x RS232 high-speed serial port (9pin) Express card 34 (for 34 or 54 slot), sunix Matrix UL7512EQ chipset, 32byte hardware FiFo, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge - WHQL certified
AC-SiECS4400	R 2,627	Sunix ECS4400: 4x RS232 high-speed serial port (9pin) Express card 34 (for 34 or 54 slot), Sunix Matrix UL7512EQ chipset, 32byte hardware FiFo, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge - WHQL certified
CR-SECR4400U	R 301	Sunix ECR4400U card reader, expresscard 34 (for 34 or 54 slot), for SD, SDHC, miniSD, miniSDHC, MMC, rs-MMC, XD, Memory Stick, Duo, Memory Stick PRO , M2

< Return to the menu

Multi-I/O PCI-Express interface

Product code	Price	Description
151757	R 599	Manhattan PCI Express card 2 x external ports, Retail Box
2SIP-ELP	R 322	Microworld 2x Serial & 1x Paralled Port PCI-e Card Low Profile2 x RS-232 serial ports; 1 x DB25 parallel port; PCI-Express x1 interface; low-profile design; DB9 male serial connectors; DB25 female parallel connector; serial speed up to 115.2 Kbps; Windows and Linux support; industrial and POS connectivity
4SIP-E	R 529	Unbranded 4 Port Serial PCI-e Card
AC-Si5416H	R 5,914	Sunix ser5416H - 16 port high-speed serial (16c950) RS232, pci-Express (1x), 128byte hardware 128k software FiFo, SUN1999 chipset with low power consumption, 921.6k bps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5437PHL+S	R 805	Sunix 5437PHL - Low-profile extra Standard dual bracket - 2 port high-speed serial (16c950) RS232, PCI-Express (1x), 128byte hardware 128k software FiFo, SUN1989 chipset with low power consumption, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5466HL+S	R 2,929	Sunix ser5466HL Low-profile 8 port high-speed serial pci-Express Standard dual bracket, (16c950) RS232, (1x), 128byte hardware 128k software FiFo, SUN1999 chipset with low power consumption, 921.6k bps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si5499A	R 969	Sunix Mio5499A - 4 port serial (16c550) 1 port parallel (SPP/ BPP/ ECP/ EPP), (2 slots required), PCI-express (1x), 128 16byte hardware 128k software FiFo, ready for 64 bit system, sun1999 chipset, 115.2Kbps 1.8Mbps, 2KV ESD protection
AC-Si5499H+L	R 1,325	Sunix Mio5499H - Low-profile Standard dual bracket (single slot design) - 4 port high-speed serial (16c550) 1 port parallel (SPP/ BPP/ ECP/ EPP), (2 slots required), PCI-Express (1x), 128 16byte hardware 128k software FiFo, ready for 64 bit system, sun1999 chipset, 921.6Kbps 1.8Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6408A+L	R 462	Sunix par6408A - standard Low-profile dual bracket - 1 port parallel (SPP/BPP/ECP/EPP) PCI-express (1x), 16byte hardware FiFo, ready for 64 bit system, 1.8MBp, sun2212 chipset - WHQL certified - with extra low-profile bracket for slim case or 2u rackmount
AC-Si6427A+L	R 330	Sunix ser6427A - standard Low-profile dual bracket - 1 port serial (16c950) RS232, pci-Express (1x), 128byte hardware 128k software FiFo, SUN2212 chipset, 115.2Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6437A	R 440	Sunix ser6437A - 2 port serial (16c950) RS232, PCI-Express (1x), 128byte hardware 128k software FiFo, SUN2212 chipset with low power consumption, 115.2Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6437AL+S	R 518	Sunix ser6437AL - Low-profile extra Standard bracket dual bracket - 2 port serial (16c950) RS232, PCI-Express (1x), 128byte hardware 128k software FiFo, SUN2212 chipset with low power consumption, 115.2Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6437HL+S	R 795	Sunix ser6437HL - Low-profile Standard dual bracket - 2 port high-speed serial (16c950) RS232, PCI-Express (1x), 128byte hardware 128k software FiFo, SUN2212 chipset with low power consumption, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge

AC-Si6437PHL+S	R 828	Sunix ser6437PHL - Low-profile extra Standard dual bracket - 2 port high-speed serial (16c950) RS232, pci-Express (1x), 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter) 1.1 Amp PTC, 128byte hardware 128k software FiFo, SUN2212 chipset, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6456A+L	R 1,104	Sunix 6456A - standard Low-profile dual bracket - 4 port serial (16c950) RS232, PCI-Express (1x), 128byte hardware 128k software FiFo, SUN2410 chipset, 115.2Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6456H+L	R 1,392	Sunix 6456H - standard Low-profile dual bracket - 4 port high-speed serial (16c950) RS232, PCI-Express (1x), 128byte hardware 128k software FiFo, SUN2410 chipset, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge - with extra low-profile bracket for slim case or 2u rackmount
AC-Si6456PH+L	R 1,502	Sunix 6456PH - standard Low-profile dual bracket - 4 port high-speed serial (16c950) RS232, PCI-Express (1x), 5V/12V/Ri (no power) selectable for each serial port (enable serial devices to function without ac-adapter) 1.1 Amp PTC, 128byte hardware 128k software FiFo, SUN2410 chipset, 921.6 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-Si6479HL+S	R 817	Sunix Mio6479HL - Low-profile Standard dual bracket (single slot design) - 2 port high-speed serial (16c550) 1 port parallel (SPP/BPP/ECP/EPP) (2 slots required), PCI-Express (1x), 128 16byte hardware 128k software FiFo, ready for 64 bit system, sun2410 chipset, 921.6Kbps 1.8Mbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-SiE2108S+L	R 3,924	Sunix ipc-E2108S with Surge protection - standard Low-profile dual bracket - 8 port RS422/485 high-speed serial, pci-e card, 128byte hardware 128k software FiF, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 C
AC-SiE2202SL+S	R 1,236	Sunix ipc-E2202SL - Low-profile extra Standard dual bracket, with Surge protection - 2 port RS422/485 high-speed serial, PCI-e card, 128byte hardware 128k software FiF, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge 2KV surge protection, SUN2212 chipset
AC-SiE2204S+L	R 1,768	Sunix ipc-E2204S with Surge protection - standard Low-profile dual bracket - 4 port RS422/485 high-speed serial, PCI-e card, 128byte hardware 128k software FiF, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge 2KV surge protection, SUN2212 chipset
AC-SiE3204S+L	R 2,542	Sunix ipc-E3204S with Surge protection - standard Low-profile dual bracket - 4 port RS232/422/485 high-speed serial, pci-e card, 128byte hardware 128k software FiF, 921.6Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge 2KV surge protection, SUN2410 chipset
AC-SiPUB1200X+L	R 874	Sunix PUB1200X - Standard Low-profile DUAL bracket - 1x24v 2x12V powered USB PCI-Express (1x) card, 4 x external 1 x internal, powered by internal 6-pin power connector from psu, NEC Pi7C9X440SL chipset, ideal for PoS application with no need of AC-adapter (scales, led display, digitizer, slip printer...etc), 15KV ESD 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge
AC-SiUSB2302+L	R 266	Sunix USB2302 - Standard Low-profile DUAL bracket, PCI-Express (1x) - 2 x external USB 3.0 (5.0Gbps), USB 2.0 backward compatible, NEC UPD720200 - no 4pin molex power required, supports power management and remote wakeup from USB device, with USBIF certification - includes extra low-profile only for 2U rackmount or slim desktop (antec minuet, nsk1480)
AC-SiUSB2311CC	R 606	Sunix USB2311CC - standard low-profile DUAL bracket, PCI-Express (2x) - 1x external USB3.1 type-C (10Gbps) with type-C to type-A adapter, USB 3.0/ 2.0 backward compatiable, Asmedia ASM1142 - supports power management and remote wakeup from USB device, with USBIF certification - require sata power
AC-SiUSB2312	R 618	Sunix USB2312 - standard low-profile DUAL bracket, PCI-Express (2x) - 2 x external USB3.1 type-A (10Gbps), USB 3.0 /2.0 backward compatible, Asmedia ASM1142 - supports power management and remote wakeup from USB device, with USBIF certification - require sata power
AC-SiUSB2312C	R 618	Sunix USB2312C - standard low-profile DUAL bracket, pci-Express (2x) - 2x external USB3 type-C (Gen2/10Gbps) with type-C to type-A adapter, USB 3.0/2.0 backward compatiable, Asmedia ASM1142 - supports power management and remote wake up from USB device
AC-SiUSB4300	R 363	Sunix USB4300 PCI-Express (1x) - 4 x external USB 3.0 (5.0Gbps), USB 2.0 backward compatible, VIA VL800

		chipset - require 4pin molex power
AC-SM2X4+L	R 308	Sunix P2M04M00 M.2 X4 - 1x M.2/nGff (2230/ 2242/ 2260/ 2280, SATA or NVMe), PCI-Express(4x), 32Gb/sec, with extra low-profile for 2U rackmount or slim desktop
AC-SPTE1414	R 243	Sunix PTE1414 PCI-e (1x) to Express Card (34/54) Adapter; supports 34mm 54mm ExpressCard; internal USB header; desktop expansion card; legacy device compatibility; PCIe 1.1; 2.5Gbps transfer rate
AC-VPC370A	R 430	Vantec ugt-PC370A - standard low-profile DUAL bracket , pci-Express (4x) - 2x external USB 3.1 type-A (10Gbps), USB 3.0/2.0 backward compatible, Asmedia ASM1142 - require 4pin or sata power. Interface : Pci-E (4x), External : 2x usb3.1 (10G) / usb3.0 / usb2.0, Internal : No, chipset : Asmedia ASM1142
AC-VPC371AC	R 419	Vantec ugt-PC371AC - standard low-profile DUAL bracket, PCI-Express (4x) - 1x external USB3.1 type-A 1x type-C (10Gbps), USB 3.0/2.0 backward compatible, Asmedia ASM1142 - require 4pin or sata power
CM302-70503	R 89	UGREEN M.2 NVMe to PCI-E 3.0 Ã— 4 Expansion Card
CM302-70504	R 159	UGREEN M.2 M-Key M.2 B-Key to PCI-E 3.0 Ã— 4 Expansion Card
CNV-PCI-E-2P-USB3.1	R 374	Unitek 2-Port USB3.1 XHCI Host Controller PCI-E Card; up to 10Gbps; XHCI Host Controller; PCI-E 3.0; USB3.0/2.0/1.1 backward compatible; PCI-E X8; independent port power control; over-current detection; Wake-on-LAN; 81 x 121 x 19 mm; 0.2 kg
CNV-PCI-EXP-2P-USB3	R 438	Unitek Y-7301; CNV-PCI-EXP-2P-USB3; 2 x USB 3.0 ports; PCI Express x1; NEC UPD720200 chipset; USB 3.0 up to 5Gbps; USB 2.0 and USB 1.1 compatible; 900mA per port; 1 x Molex power connector; PCI Express Base Specification 2.0
CNV-SLSA7012	R 523	Soarland PCI-e to mSATA Adapter, SLSA7012
DTHPN1M40AA	R 419	HP PCIe x1 Parallel Port Card
E0002	R 236	Unbranded Firewire 1x 4 pin & 3x 6 pin PCI-e Card
E0003	R 144	Microworld PCI-e 10/100/1000 Lan Realtek 8111c Chipset PCI-e Card; 1 x RJ45 port; PCI Express 1.1; Auto-negotiation; Auto MDI/MDI-X; IEEE 802.3/802.3u/802.3ab; IEEE 802.3x flow control; Wake-on-LAN
E0005	R 184	Microworld USB 3.0 4x Ports PCI-e card; 4 x USB 3.0 Type-A ports; PCI Express x1; up to 5 Gbps; VIA chipset; USB 2.0 and 1.1 compatible; 4-pin Molex power; 12.00 x 6.60 x 1.90 cm; Windows support
E0005	R 349	UniQue E0005 PCI-e x1 to 4x USB 3.0 Ports Card; USB connectivity expansion; Desktop PC expansion card; External storage and printer connectivity; Windows and Linux support
E1001	R 316	Microworld USB 3.1 Type-C PCI-e cards
MB-AAPCiENVME2	R 377	Asus PCiE-NVME2 Pci-Express Gen3 (4x) to 2x Mini-SAS HD (SFF8643) converter, design for for 2.5" U.2 NVMe SSD
MB-GAMR	R 1,712	Gigabyte GC-Maple Ridge addon card - 400GBPs thunderbolt 4, Intel JHL8540 Thunderbolt 4 controller, require onboard header, supports the PD3.0 up to 97w, DisplayPort out 2x thunderbolt/ type-C out, support daisy-chain up to 10 devices / 5 devices per port (Gigabyte Board Only - Z590 / B560 series)
MP363-E	R 212	Chronos Pci Express Sataii Adapter, PCI-Express Expansion card with (1 X E-SATA / 1 X SATA & 1 X IDE ports).
MT-R11E-5HACD	R 702	RouterBOARD MiniPCIe 802.11ac, 27dBm (5.X), MMCX Connectors
N1M40AA	R 390	HP PCIe x1 Parallel Port Card
PCE9901-2S1P	R 437	Mecer PCI-e multi I/O card (2 x 16C550 serial & 1 x ECP / EPP parallel) with low profile bracket
PCIE-1	R 114	Unbranded PCIe Riser Cable Vertical Mount
PCIE-2	R 138	Microworld PCI-E RISER with 6pin
PCIE-3	R 114	Microworld Pci-e Riser Cable Vertical Mount 4 Pin
PCIE001	R 229	Unbranded PCI-e to Dual SATA 3.0 Expansion Adapter card
RCT PCE9910-2S1P	R 229	RCT PCI-e 2x Serial & 1 Port ECP/EPP parallel Adapter card
SC-SVGA0419	R 883	Sunix VGA0419, PCi-e (1x), Siliconmotion SM750, 2W ultra low power consumption (heatsink free / 0dBA), 16mb ddr, 1920x1080FHD, d-sub, standard extra Low-profile bracket
SC-SVGA0449	R 1,214	Sunix VGA0449, PCi-e (1x), Siliconmotion SM750, 2W ultra low power consumption (heatsink free / 0dBA), 64mb ddr, 1920x1080FHD, d-sub DVi-i
TXA026	R 1,052	Microworld PCI-e x1 Fiber Port LAN card, 1x SFP, 10/100/1000 Mbps Data rate
TXA029	R 574	Microworld PCI-e x4 Dual RJ45 Port LAN card, 2x RJ45 Gigabit LAN
TXA034	R 1,379	Microworld PCI-e x4 Quad RJ45 Port LAN card, 4x RJ45 Gigabit LAN

TXA104	R 104	Microworld 10/100 Mbps PCI-e x1 LAN card, 1x RJ45
TXB047	R 144	Microworld 2 Port USB 3.0 PCI-e Expansion Card
TXB113	R 574	Microworld PCI-e 3.0-1X to 6 SATA3 expansion card
TXB170	R 344	Microworld TXB170 4 port SATA PCI-e adaptor card
VANTEC ADP UGT-PCE40SR	R 403	Vantec 4 port Serial RS322 PCI-e card, UGT-PCE40SR
VANTEC ADP UGT-PCE80SR	R 518	Vantec 8 Port RS232 Serial PCI-e card, UGT-PCE80SR
VANTEC UGT-M2670	R 518	Vantec UGT-M2670 M.2 PCIe Gen3x2 B M Key to 5 ports SATA III Expansion Card, Provide 5 SATA ports via M.2 PCIe, Supports PCIe Gen3x2 transfer speed, Supports SATA III 6Gbps transfer speed (Backward compatible with SATA II/I), Supports SATA plug and play function, Provides LED indicators for each SATA port
VANTEC UGT-M2PC200 ADP	R 253	Vantec M.2 NVMe M.2 SATA SSD PCIe X4 Adapter
VANTEC UGT-ST655	R 518	Vantec UGT-ST655 5-Port SATA III 6Gbps PCIe x4 Host Card, Support 5 SATA Ports for Read/Write Simultaneously, Support SATA III 6Gbps Transfer Speed, Support SATA III SSD, HDD, Optical Drive, Support PCIe v3.0, requires x4 Slot, Standard and Low Profile Bracket included, Windows 11/10/8/7 Ready, Compatible with Linux, No Drivers Required, SATA cable not included
WE9300	R 664	Cudy BE9300 Tri-Band Wi-Fi 7 Bluetooth 5.4 PCIe Adapter

< Return to the menu

Multi-I/O USB interface

Product code	Price	Description
AC-S9501	R 289	Sunix 9501 post-code / de-bug pci card - for pcmcia card to be used in normal desktop
AC-SiCBS4009	R 1,228	Sunix CBS4009: 4x RS232 serial port (9pin) cardbus / pcmcia adapter, sunix Matrix UL7512EQ chipset, 32byte hardware 128k software FiFo, 230.4Kbps, 230.4 Kbps, 15KV ESD protection 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge - WHQL certified.
AC-SiUTM1925	R 282	sunix UTM1925B USB to multi i/o (1 serial 1 parallel) adapter, 16 byte hardware FIFO, 115kbps 2.7mb/sec, No IRQ, DMA, I/O, address resources required, MOSCHIP MCS7715 chipset, 15KV 2KV ESD protection
AC-SiUTS1009	R 155	Sunix UTS1009b USB to 1x serial port (9pin) adapter, 16 byte hardware FIFO, 115 Kbps, 16byte hardware 128k software FiFo, Prolific PL2303 chipset, 15KV ESD protection
AC-SiUTS2009	R 308	Sunix UTS2009b USB to 2x serial port (9pin) adapter, 16 byte hardware FIFO, 115 Kbps, 16byte hardware 128k software FiFo, Moschip MCS7720 chipset, 15KV ESD protection
iC-V9218	R 56	Vi-power VP-9218 interface converter - USB2.0 to External eSATA smart dongle
J7B60AA	R 309	HP USB to Serial Port Adapter, { Compatible with HP 280 G1 MT, HP RP5 Retail System, Model 5810, HP 280 G1 MT, HP EliteDesk 705 G1 Desktop Mini , HP ProDesk 600 G1 DM (Mini), HP EliteDesk 800 G1 DM (Mini), HP 800 G1 USDT EilteDesk, HP CQ 8300 Elite USDT }
U-2305P-INT	R 58	Chronos USB to Parallel Adapter
VANTEC UGT-PC3A2C	R 1,070	Vantec UGT-PC3A2C 5-port USB 3.2 Gen2X2 (20Gbps) & 2x USB Type-C & 3x USB Type-A PCI-e x4 Controller Card, PCI-express x2 (Uses PCI-e x4 slot), SATA power connector

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Network

Conferencing - Video & Audio

Conferencing - Video & Audio : Cables & brackets

Product code	Price	Description
89L88AA	R 3,460	HP 89L88AA Poly Studio E60 EagleEye IV hdci camera mounting bracket, compatibility - Poly EagleEye IV 12x camera
939-001487	R 3,449	Logitech 939-001487 VC Group extension cable 10m Mini-DIN, Velcro cable management straps
939-001487	R 3,299	Logitech 939-001487 VC Group extension cable 10m Mini-DIN, Velcro Cable Management straps
939-001487-S	R 2,931	Logitech VC Group extension cable 10m Mini-DIN - Serialised, Velcro Cable Management straps, 939-001487-S

939-001644	R 6,069	Logitech 939-001644 VC Rally mounting kit, For Logitech Rally or Logitech Rally Plus
939-001644	R 5,691	Logitech 939-001644 VC Rally mounting kit, For Logitech Rally or Logitech Rally Plus
939-001656	R 3,449	Logitech 939-001656 VC MeetUp XL TV Mount
939-001799	R 6,680	Logitech VC strong USB 3.1 cable 10m length
939-001817	R 5,185	Logitech Tap Wall Mount, 14 degrees Display angle, Compatible devices - Logitech Tap IP & Logitech Tap, 20 - 50 mm Table thickness, 51 - 89 mm grommet Diameter, Wall Mount assembly, Magnetic HDMI cable clip and Dock
950-000005	R 3,054	Logitech MeetUp 10m Mic cable, 950-000005, Compatibility - expansion Mic for MeetUp. Conference extension cable.
950-000005	R 2,632	Logitech MeetUp 10m Mic cable, 950-000005, Compatibility - expansion Mic for MeetUp. Conference extension cable.
952-000002	R 2,276	Logitech VC Rally Mic POD Table mount, 25 - 65 mm grommet hole diameter, 20-50 mm Table thickness
952-000020	R 2,276	Logitech Off White Rally Mic Pod, Table, Ceiling, Bracket
952-000020	R 1,931	Logitech 952-000020 VC Rally Mic POD Table / ceiling Mount
952-000041	R 4,714	Logitech Rally Bar, TV Mount for Video Bars
952-000044	R 2,598	Logitech Rally Bar Wall Mount Bracket
952-000047	R 5,137	Logitech Rally Off-white Mic Pod Extension Cable - USB, 10M
952-000047	R 4,288	Logitech Rally Off-white Mic Pod Extension Cable - USB, 10M
952-000097	R 2,851	Logitech Compute Mount with cable retention clamp - Off White, Compatible devices - Logitech RoomMate
952-000123	R 2,989	Logitech Mic Pod Off-white Pendant Mount (Mic not included)
952-000181	R 2,862	Logitech Mic Pod Extender CAT Coupler
952-000181	R 2,782	Logitech Mic Pod Extender CAT Coupler
952-000195	R 4,587	Logitech Meetup2, Active USB cable, Graphite, 5m
952-000195	R 4,323	Logitech Meetup2, Active USB cable, Graphite, 5m
COM-T29G-WMB	R 67	Yealink Wall Mount bracket for T29G
COM-T48 WMB	R 75	Yealink Wall Mount bracket for T48S
MB-WALLSTAND-860W	R 6,182	Yealink Wall stand for MeetingBoard 86 and 75" Pro, Optimized Fit for MeetingBoard 75 / 86 Pro, MB-WALLSTAND-860W
NEATBOARD50-ADAPTIVESTAND	R 44,860	Neat Board 50" - Flexible Acoustic stand, 4 wheels, Neat adaptive stand Cart
TRAINER-CBL-USB/QD	R 397	Yealink USB / QD trainer cable - 1 piece, QD to USB Adapter, Ideal for Hot desking
USB CABLE+HDMI AM	R 1,135	Yealink USB-C to HDMI Adapter for MTouch II and MVC
UVC30-CONTENTCAMKIT	R 5,410	Yealink UVC30 Content Cam kit - including UVC30 camera, Length adjustable Wall Mount bracket, Install screws, Superb image quality 4K 30fps, 120 degrees Field of View, Embedded Microphone

< Return to the menu

Conferencing - Video & Audio : Conferencing accessories

Product code	Price	Description
875L4AA	R 1,724	HP 875L4AA Poly Studio R30 / USB / V12 / V52 / V72 Bluetooth Remote control
939-001490	R 4,633	Logitech 939-001490 VC group extension cable 15m mini-din
939-001490-S	R 3,667	Logitech 939-001490 VC Group extension cable 15m Mini-DIN - Serialised, 5 mm cable thickness, 50 mm Repeater length, Mini-DIN-6 connection
939-001498	R 1,977	Logitech MeetUp TV Mount bracket, VESA standard with alternating 8mm and 6mm holes
939-001796	R 21,849	Logitech VC Tap Touch Controller for Meeting Rooms, 10.1" diagonal screen with 14 degree Display angle 1280x800 Resolution, Oleophobic and Anti-Glare coating, USB Type-C (To Meeting Room Host system), USB 2.0 Type-A (For accessory connection), HDMI Input (For 1080p Video Audio Content Sharing), 3.5 mm 4 Pole Headset jack, 939-001796
939-001811	R 5,588	Logitech 939-001811 VC Tap Table Mount - swiveling Table Mount with cable management, 180 degree swivel, through-grommet cabling, 14 degree Display angle
939-001950	R 23,804	Logitech Tap Controller CAT5e KIT
939-001950	R 19,422	Logitech Tap Controller CAT5e KIT

950-000085	R 18,709	Logitech RoomMate - Off White - South Africa / Namibia, 1x HDMI out, 1x HDMI in, 3x USB Type-A 2.0, Gigabit Ethernet, WiFi, CollabOS Appliance for supported Conference cameras and room solution peripherals
950-000085-S	R 18,859	Logitech RoomMate - Off White - South Africa / Namibia - Serialised, 1x HDMI out, 1x HDMI in, 3x USB Type-A 2.0, Gigabit Ethernet, WiFi, CollabOS Appliance for supported Conference cameras and room solution peripherals, 950-000085-S
952-000010-S	R 18,169	Logitech Swytch - Laptop Link for Video Conferencing in Meeting Rooms - Serialized, Swytch Hub, Swytch extender, Swytch Connector, Mounts, 952-000010-S
952-000019	R 5,059	Logitech - Cat5E kit for the Logitech Tap, Logitech Tap receiver, Dongle Transceiver, 100-240V Power Supply with International, 2.97 m Cat5E cable, 7.0 m Cat5E cable
952-000041	R 4,265	Logitech Rally Bar and Rally Bar Mini TV Mount, Compatible devices - Rally Bar / Rally Bar Mini / Rally Bar huddle / Rally camera, Vesa-compatible TV Mount, Mounting plate for Rally Bar, Mounting plate for Rally Bar Mini and Rally Bar huddle, 952-000041
952-000044	R 2,310	Logitech Rally Bar Wall Mounting bracket, Vesa-compatible mounting kit for Rally Bar and Rally Bar Mini, 952-000044
952-000057	R 1,367	Logitech Rally Bar Remote control - Graphite - Bluetooth, Compatible products - Rally Bar / Rally Bar Mini / RoomMate
952-000074	R 2,230	Logitech PoE injector with plug Set - White, Compatible with Logitech Tap IP, 30 W Output Power
952-000074	R 2,262	Logitech PoE injector with plug Set - White, Compatible with Logitech Tap IP, 30 W Output Power
952-000080	R 5,898	Logitech Tap Riser Mount
952-000080	R 5,887	Logitech Tap Riser Mount
952-000085	R 16,789	Logitech Tap IP Graphite USB Touch screen Touch controller for meetings rooms with PoE connectivity
952-000085	R 16,651	Logitech Tap IP Graphite USB Touch screen Touch controller for meetings rooms with PoE connectivity
952-000088	R 17,387	Logitech Tap IP Network connected Touch Controller - Off-White, 10.1" diagonal IPS 1280x800 Resolution 10 points Multi-Touch LCD panel, 400 nits brightness, 1000:1 contrast, 14 degrees position angle, Integrated Ultrasonic Speaker, Integrated PIR Motion Sensor, Integrated accelerometer, Integrated ambient Light Sensor, 10/100 Mbps Ethernet, WiFi, Bluetooth 5.0, 952-000088
952-000091	R 16,087	Logitech Graphite Tap Scheduler
952-000091	R 15,432	Logitech Graphite Tap Scheduler (Note: not a tablet)
952-000094	R 19,721	Logitech Tap Scheduler OFF-WHITE, USB, Touch Screen
952-000094	R 18,836	Logitech Tap Scheduler OFF-WHITE, USB, Touch Screen
952-000097	R 3,145	Logitech Off White Compute Mount
952-000105	R 1,126	Logitech Scribe - Share Button, 2x CR2032 Battery, Adhesive-backed mounting, Compatibility Logitech Scribe, Logitech Scribe compatibility
952-000126	R 3,207	Logitech Tap Scheduler Graphite Angle Mount
952-000126	R 2,747	Logitech Tap Scheduler Graphite Angle Mount
952-000127	R 2,575	Logitech Tap scheduler Angle Mount - Off White, Compatible devices Tap scheduler only, When installed the Tap Scheduler is Set to a 14 degrees Display angle (Front), 952-000127
952-000199	R 17,697	Logitech extend Video Conferencing accessories kit, Logitech Sync device Management, Display side (RX), HDMI 2.0 4K60 4:4:4, 2x USB 2.0 Type-A, Micro USB Management Interface, Logitech extend Power, RJ45 to Table side (TX), Table side (TX), Secured USB-C, USB-C (Optional USB-C Power Supply connection), RJ45 to Display side (RX), 100x100 mm VESA
952-000251	R 57,809	Logitech Rally Board 65 Cart - White, Rally Board not included, Designed exclusively for use with Logitech Rally Board 65
960-001751	R 154,938	Logitech Rally Board 65 - Graphite, 400x400 mm and 400x200 mm VESA standard, Front Microphone Array, Digital PTZ camera, Dual Full-Range ported Speakers, Dual tweeters, Ultrasonic emitter, Cable Management and retention system, Integrated motorized Privacy shutter, Depth mapping camera, Radar motion sensing, Environmental sensors, Support for 2nd Display up to UHD 4K60 (3840x2160), Ir-based Touch with 20 points of Touch, UHD 4K (3840x2160) screen Resolution, 400 nits typical brightness, 20.3MP camera, Dual Full-Range ported Speakers, 2x 70 mm Driver, Front Microphone Array up to 7 m pickup range, 1x HDMI out : up to 4K60, 1x

		HDMI in : up to 4K60, 3x USB 3.1, 1x Type-C USB 3.1 with DP Alt mode, 3.5 mm line-level Audio Output, 1g Ethernet, Wi-Fi, Bluetooth
993-001143	R 378	Logitech Power Adapter for the Logitech Group, Compatible with Logitech Group & ConferenceCam Connect Video Conferencing system
993-001391	R 539	Logitech MeetUp USB cable - 5m, For the Logitech MeetUp ConferenceCam
993-001896	R 746	Logitech Rally Camera Remote control - Grey - Bluetooth, CR2032 Battery Type (Transmitter)
993-001903	R 919	Logitech Rally Camera Power Splitter, 993-001903
993-001943	R 1,586	Logitech Rally Ultra-HD Conference Cam PSU adaptor - 90W 19V, Compatible with - Rally Display Hub / Rally Bar / Rally Bar Mini / Rally Ultra HD PTZ ConferenceCam,
993-001951	R 9,498	Logitech Rally Plus UHD 4K / USB Display Hub, 1x Ethernet RJ-45, 1x USB 3.0 Type-B, 2x Speakers - 3 pin mini-XLR, 1 x USB-C, 2x audio, 2x HDMI Output, Central to the Rally Plus Video Conferencing system and connects All the components together
993-002153	R 620	Logitech Rally cable (USB-C to USB-C), Dual Reversible USB-C Male interfaces, 2 m cable length
A02F9AA	R 1,436	HP A02F9AA Poly Studio G62 PoE Adapter and cable kit, AC Adapter tailored for HP Poly product line
A24	R 22,129	Yealink DeskVision A24 Collaboration Display, 23.8" 1920x1080 60Hz Display, 1000:1 contrast ratio, 178 degree viewing angle, 10 points Multi-Touch, 4K camera up to 1080P30 Video call, 2x 3W Built-In Dual microphones, Built-In Android, UC Workstation mode, Dual-Mode Wi-Fi, Bluetooth 4.2, 1x HDMI in Port, 1x USB-C 3.0 upstream dp-in Port provide PD up to 45 W, 1x USB-C 3.0 downstream Port, USB-C upstream port., 2x USB 3.0 Type-A downstream Port, 1x USB Type-A 2.0 downstream Port, 1x Internet RJ-45 Port, QI Wireless charging
AVHUB	R 24,343	Yealink AVHUB Meeting audio & Video Processor, including 7.5m Cat5E cable, 2.5m USB cable, Power Adapter, 2x USB Type-A Port, 1x USB-B Port, 1x Codec Port, 7x VCH Port (RJ-45), 1x RCA In/Out Port, 1x 6.3mm line in Port, 1x 6.3mm line out Port, Designed for Large Conference Rooms, Supports multiple cameras / microphones / Speakers
AX-VB-VESA	R 1,564	Axtel Ax-vb-vesa Bracket For The Axtel Ax-4k Webcam Video Bar; VESA mounting bracket; AX-4K Video Bar compatible; supports 100-400mm VESA; metal construction; wall or trolley mount; professional AV installation accessory; conference room integration
AX-VB-WALL	R 978	Axtel AX-VB-Wall Wall-mount Bracket For The Axtel Ax-4k Webcam Video Bar
BYOD-BOX	R 1,702	Yealink BYOD connection box, Cable Hub with a 1.5m USB-C cable
CB-MTOUCH-USBC	R 621	Yealink USB-C content charing cable with HDMI Adapter for MTouch Plus and MTouch E2, 1.2 meters length
CM-MOUNTKIT	R 1,352	Yealink multiple Ceiling Mount kits for CM20 Microphone, 1x on Ceiling Surface Mount, 1x adjustable Pole Mount, 1x rope Mount
COM-USB-ADPT	R 26	Yealink USB Type-A to USB-C Adapter
COM-USBC-3M	R 1,352	Yealink 3-meter USB-C Cable for A10
COM-USBC-AC-15M	R 5,004	Yealink 15-meter USB 3.0 cable for SmartVision 60
COM-USBC-AC-30M	R 6,762	Yealink 30-meter USB 3.0 cable for SmartVision 60
COM-UVC40E2-PSU	R 406	Yealink PSU for UVC40 E2, DC6.5 (2m DC cable 1.5m AC cable) 48V / 0.7A power supply for Yealink UVC40 E2 video conference system.
CS-BLACKCOVER	R 676	Yealink CS10 detachable Magnetic Mesh cover in Black, Wear-Resistant and anti-oxidation treatment, Magnetic Attachment
CTP18-STD	R 6,762	Yealink CTP18 Touch panel for A20 and A30, Wi-Fi, 8-inch 1280x800 IPS Full HD capacitive Touch Screen, 10 points Multi-Touch, 1x RJ45 Ethernet for Power and Data connection
CTP25	R 12,172	Yealink CTP25 Touch Console for A40, OS Android 13.0, 10.1 inch screen, IPS Display Type, 1280x800 Resolution, 1000:1 contrast ratio, 350 nits brightness, 178 degree viewing angle, Multi-points capacitive Touch support, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, 1x USB Type-A Port, 2x USB-C Port, 1x RJ45 Port (PoE 802.3af compaint), Motion Sensor
FAN-CP20	R 2,588	Fanvil CP20 4K Wireless screen sharing Pod, Supports Ultra-HD Wireless casting, Up to 4K/30fps with low Latency Resolution, Up to 10 meters transmission distance, Wi-Fi 5GHz
LOGI TAP 939-001950	R 23,478	Logitech Tap Controller CAT5e KIT
LOGI TAP IP 952-000085	R 20,306	Logitech Tap IP Graphite USB Touch screen Touch controller for meetings rooms with PoE connectivity

LOGI TAP SCHEDULER 952-000091	R 20,744	Logitech Graphite Tap Scheduler
LOGI VC CAT5E KIT 952-000019	R 11,416	Logitech - Cat5E kit for the Logitech Tap, Logitech Tap receiver, Dongle Transceiver, 100-240V Power Supply with International, 2.97 m Cat5E cable, 7.0 m Cat5E cable
MB-FLOORSTAND-650T WHITE	R 8,553	Yealink FloorStand for MeetingBoard 65 - White
MB-FS-BAR-P650	R 98	Yealink Cross Bar for MeetingBoard 65 rolling stand compatibility
MB-FS-BAR-P860	R 30	Yealink Cross Bar for MeetingBoard 86 rolling stand compatibility
MB-FS-P650T	R 9,891	Yealink Floor standfor MeetingBoard 65 Pro, Swivel Caster
MB-FS-P750T	R 9,891	Yealink Floor standfor MeetingBoard 75 Pro, Swivel Caster
MB-FS-P860T	R 9,891	Yealink Floor standfor MeetingBoard 86 Pro, Swivel Caster
MB-REMOTE	R 1,352	Yealink Wireless Presentation Pod for MeetingBoard Series, USB Dongle, Velvet bag Protective cover, 2x AAA Battery
MB-STYLUS-4A	R 541	Yealink Stylus for MeetingBoard - 4 pack, Compatible with --> Yealink MeetingBoard 65 / MeetingBoard 86
MB-WALLMOUNT-650	R 1,081	Yealink Wall Mount for MeetingBoard 65 Pro
MB-WALLMOUNT-860	R 1,546	Yealink Wall Mount for MeetingBoard 86 Pro
MCORE-OPS	R 21,638	Yealink Windows OPS for MeetingBoard, 1x MTouch Port (RJ-45), 1x HDMI out, 2x USB 3.0 Type-A Port, 1x USB 3.0 Type-C Port, Wi-Fi 6, Bluetooth 5.2, Modular compute solution for Interactive whiteboards Collaboration
MCORE-OPS-I7	R 25,696	Yealink i7 Edition Windows OPS for MeetingBoard Series, Core 11th Generation i7 Core Processor (Intel i7-1165G7), 16GB DDR4 Memory, 256GB SSD storage, 1x MTouch Port (RJ-45), 1x HDMI out, 2x USB 3.0 Type-A Port, 1x USB 3.0 Type-C Port, Bluetooth 5.2, Wi-Fi 6
MCORE-OPS-T	R 21,638	Yealink MCORE-OPS-T Teams-Edition Windows OPS for MeetingBoard, 1x MTouch Port (RJ-45), 1x HDMI out (Not available in Teams Rooms mode), 2x USB 3.0 Type-A Port, 1x USB 3.0 Type-C Port, Wi-Fi 6, Bluetooth 5.2, Modular Compute solution for Interactive whiteboards Collaboration
MD-AVBRACKET-L	R 463	Yealink MeetingDisplay AVBracket-L, 100 mm x 45 mm hole spacing dimension, Bracket for MeetingBar A50 and MVC S50
MD-AVBRACKET-S	R 463	Yealink MeetingDisplay AVBracket-S, For A40 / S40 / UVC camera, 100 mm x 45 mm hole spacing dimension
MD-PTZBRACKET	R 463	Yealink MeetingDisplay PTZ bracket, Bracket for UVC86 and SmartVision 80, 100 mm x 45 mm hole spacing dimension
MD-WALLMOUNT	R 773	Yealink MeetingDisplay 65 / 75 / 86 Wall Mount
MSHARE	R 4,057	Yealink MShare content screen sharing Adapter, Using the Yealink Wireless Presentation Pod WPP20, Users are able to do Wireless Presentation, 1080p 30fps Full HD screen sharing, Built-In 2.4GHz / 5GHz Wi-Fi AP, 1x HDMI Video Input, 1x mini-DP Video Input, 1x USB 2.0 Type-B Port, 1x USB 2.0 Type-A Port
MSHARE E2	R 3,448	Yealink MShare E2 Wired content screen sharing Box, Up to 1080p/30fps Full HD screen sharing, Audio sharing support, USB Type-B (Female), HDMI in (Female), USB Type-C in (Female)
MSPEAKER PRO	R 5,410	Yealink MSpeaker Pro SoundBar for Video Conferencing, 4 Speaker Units, 1x VCH Interface supports standard PoE/PoE Power Supply
MTOUCH E2	R 13,794	Yealink MTouch E2 8" Touch Console for MVC Series, 8-inch IPS 1280x800 Resolution screen, 290nits Surface brightness, 1000:1 contrast, Support 10-point Multi-Touch, 3.5mm Headset jack, Human Motion Sensor, Built-In Wi-Fi
MTOUCH PLUS	R 17,581	Yealink MTouch 11" Touch Console for MVC Series, 11.6" 1920x1080 IPS screen, Wireless BYOD, 1x MCore Pro Port VCH Port, 1x USB 2.0 Type-C Port, 1x USB 2.0 Type-C PD Port, 1x 3.5 mm Headset Port, 1x USB 2.0 Type-A Port (For WPP30), 1x USB 2.0 Type-A Port, 1x external Touch Port RJ-45, WiFi, Bluetooth
MTOUCH PLUS-EX PACKAGE	R 8,114	Yealink extended Touch Console for MVC Series room systems, MTouch Plus-EXT Touch panel, 1x Type-C Debug Port, 1x PoE Power Port, 11.6" 1920x1080 capacitive screen, Support multi-screen control working with MTouch Plus, Support Maximum 4x MTouch Plus-EXT working with 1x MTouch Plus
MVC BYOD EXT	R 5,410	Yealink MVC-BYOD extender for Teams Rooms, 1x RJ45 Port, 1.5m USB 2.0 Type-A cable, Supports the transformation between Microsoft Teams Rooms and different types of UC platforms
NEATBOARD50-SE	R 131,371	Neat Board 50-inch UHD AIO Interactive Touch Panel Video Conference Display, 50-inch capacitive Multi-Touch LCD screen, Ultra HD 4K (3840x2160 screen Resolution), 16:9 Aspect Ratio, USB-C 90W Power Delivery, Support for 2nd Display, Ambient Light Sensor, 5 Sensor mics, 5 microphones angled in an end-fire Array,

		Hardware-accelerated Audio Processing (Nap), 50 MP Capture Resolution camera, 113 degrees horizontal Field of View, WiFi 6, Ethernet, USB-C (Support DP Alt mode for sharing and BYOD mode), HDMI-in for screen sharing, HDMI out for Dual screen setup, No stand
NEATBOARDPRO-ADAPTIVE-STAN	R 67,403	Neat Conferencing adaptive stand for Neat Board Pro, The adaptive stand offers flexibility with Easy movement between spaces and adjustable screen height, Ensures comfortable viewing and efficient meetings, NEATBOARDPRO-ADAPTIVE-STAND
NEATBOARDPRO-SE	R 174,545	Neat Board Pro SE 65" Collaboration & Touch Screen device, Designed for Zoom and Microsoft Teams, 65-inch capacitive Multi-Touch LCD screen, Ultra HD 4K 3840x2160 Resolution, 16:9 Aspect Ratio, USB-C 90W Power Delivery, Support for 2nd Display, Ambient Light Sensor, 3 Full-Range Speakers for directional and Stereo Sound, 5 Sensor mics, Pro 100 MP camera system with wide and tele cameras, WiFi 6, Bluetooth, Ethernet, USB-C (Support DP Alt mode for sharing and BYOD mode), HDMI-in for screen sharing, HDMI out for Dual screen setup
NEATCENTER-SE	R 47,150	Neat Center SE 360 degree companion device extending Neat symmetry, Providing optimal Sound and views of Meeting room participants, For placement on a Table, can be mounted or hung from above, 3x 8MP cameras with 360-degree View, 16 microphones, LED Ring status indicator, 16 microphones in a beamforming Array, 5 meters 360-degree pickup range, PoE/Ethernet
NEATPAD-GLASSMOUNT	R 1,331	Neat Pad Glass Mount, Attach your neat pad controller and scheduling Display to a Glass Wall
NEATPAD-SE	R 18,746	Neat Pad - Controller / Scheduling Display, 8-inch 1280x800 Touch Screen Display, 16:10 Aspect Ratio, Ambient Light Sensor, Side LED indicators, Accelerometer, Wall Mount and side Mount, Speakers for ultrasound, 2 microphones, WiFi, Ethernet (Supports PoE)
PSU-12V/1A	R 170	Yealink Power Supply 12V 1A for CP920 and VP59
PSU-PD65W	R 757	Yealink Power Adapter for MTouch Plus and BYOD-BOX
PSU-PD65W-USBC/USBC(1.5M)	R 860	Yealink Power Delivery Power Adapter for MTouch Plus and BYOD-BOX, including 65W PD Power Adapter with 1.5m USB-C cable
RCH40 E2	R 2,433	Yealink RCH40 E2 cable Hub including 4 port PoE Switch, Power Adapter, Only RCH40 E2 will support CM20 and CS10, 4x Gigabit Ports, 802.3af-compliant, 90W total PoE budget, Up to 30W of Power per Port
RCH40 E2-S	R 2,435	Yealink RCH40 E2-S cable Hub including 4 port PoE Switch, Power Adapter included, Only RCH40 E2 will support CM20 and CS10 - Serialised, 4x Gigabit Ports, 90W total PoE budget (30W per Port)
ROOMPANEL PLUS	R 9,467	Yealink 10.1" RoomPanel Plus room scheduling panel, Microsoft Teams Certified, 8" 1280x800 LCD panel, 1000:1 contrast, 10 points capacitive Multi-Touch, Proximity Sensor, Ambient Light Sensor, 1x Fast Ethernet Port, Wi-Fi, Bluetooth, RFID/NFC, 1x USB-C Port, 2x Array microphones, 2x 1 Watt Speakers, Power over Ethernet (IEEE 802.3af)
ROOMPANEL PLUS E2	R 11,900	Yealink 10.1" Multifunctional Meeting room scheduling panel, Android 13 Operating System, 8" 1280x800 LCD panel (16:10), 1000:1 contrast ratio, Multi points capacitive, 80 degree viewing angle, Proximity Sensor, Ambient Light Sensor, 1x Fast Ethernet Port, Wi-Fi, Bluetooth, 13.56 MHz RFID/NFC, 1x USB-C Port, 2x Array microphones, 2x Watt Speakers
ROOMSENSOR	R 1,163	Yealink Battery powered Bluetooth occupancy Sensor - including Yealink RoomSensor, CR123 Lithium Battery, 3m tape and back cover screws for ceiling Mount/wall Mount, Light / temperature / Humidity / occupancy detection, Passive Infrared Tech, Bluetooth, 5 Year Battery Life
ROOMSENSOR PRO	R 4,733	Yealink ROOMSENSOR PRO Battery Powered Bluetooth occupancy Sensor, Detection - People Counting / temperature / Humidity / illuminance, 1x Ethernet Port (10/100mbps), Bluetooth : 5.2, 1x USB Type-A, Ceiling installation Method, Less than 3m height
SV80-WALLMOUNT	R 927	Yealink Wall Mount for SmartVision 80 & UVC86
TRAINER-CBL-USB/QD-S	R 397	Yealink USB /QD trainer cable - 1 piece, For yhs Series, This cable can Connect two Yealink Quick Disconnect (QD) headsets to one PC simultaneously
USB-Y-TRAINER-CABLE	R 530	Yealink USB-Y trainer cable (1 piece), This cable can Connect two Yealink uh or bh headsets to one PC simultaneously
USB2CAT5E-EXT	R 3,011	Yealink USB extender through CAT5e, 40 meters Long distance transmission, Extender transmitter with 1x RJ45 Port & 0.1m USB Type-A cable, Extender receiver with 2x USB Type-A Port & 1x RJ45 Port
USB2CAT5E-EXT-S	R 2,975	Yealink USB extender through CAT5e - Serialized, 40 meters Long distance transmission, Extender transmitter

		with 1x RJ45 Port & 0.1m USB Type-A cable, Extender receiver with 2x USB Type-A Port & 1x RJ45 Port
VB-TABLETOPMOUNT-01	R 463	Yealink Tabletop Table-Mount Kit for Yealink All-in-One Video Bar, Compatible with --> MeetingBar A40 and SmartVision 40
VB-TABLETOPMOUNT-02	R 927	Yealink Tabletop mount bracket for MeetingBar A50
VB-TVMOUNT-01	R 2,163	Yealink VESA TV Mount for A50 / A40 / SmartVision 40, 800mm Max VESA support
VB-WALLMOUNT-02	R 927	Yealink Wallmount for MeetingBar A50
VCH50	R 1,976	Yealink VCH50 Content Sharing Hub, 1x RJ45 Port that connects to VC800 Codec, 1x RJ45 Port that connects to CP960, 1x HDMI Input for content sharing (with audio), 1x mini-DP Input for content sharing (with audio), 1x USB 2.0
VCH51	R 2,705	Yealink VCH51 Cable Hub - to Connect HDMI or USB for content sharing or for BYOD functionality on the MeetingEye 400 / MeetingEye 600 / A20 / A30 systems, 1 x 100 Mbps RJ45 Port, 1x USB 2.0 Type-A, 1x USB 2.0 Type-C (with DP Video Input), 1x HDMI Video Input
VCH51 PRO PACKAGE	R 4,057	Yealink VCH51 cable Hub, To Connect USB-C for Content Sharing or for BYOD functionality on the MeetingBoard Pro / A10 / A25 / A40 MeetingBars
VCM-TABLETOPMOUNT-01	R 463	Yealink VCM35 / VCM36 Tabletop Microphone Mount
VCR11	R 1,352	Yealink VCR11 Remote for the Yealink MeetingBar, Uses two AAA Batteries
VCS-TVMOUNT2	R 2,163	Yealink VC TV Mount bracket, To support the installation of MeetingEye 600 / MeetingEye 400 Pro / MeetingBar A40
VDKCASE-MVC-02	R 4,057	Yealink Demo Kit case for 3rd-gen MVC series
WPP20	R 960	Yealink WPP20 Wireless Presentation Pod, Maximum 1080p/30fps Hardware encoder, 1x USB 2.0 Interface, 1x start/Stop Button, 1x LED indicator, 2.4GHz / 5GHz Wi-Fi
WPP30	R 5,410	Yealink WPP30 4K Wireless presentation Pod, Up to 4K/30fps decoder, 4K/30fps Full HD content sharing, Supports Dual-Band 2.4GHz / 5GHz Wireless networks, Full-Featured USB Type-C and USB Type-A Ports, 4-screen casting
YC-AV HUB	R 21,621	Yealink AVHUB Meeting audio & Video Processor, including 7.5m Cat5E cable, 2.5m USB cable, Power Adapter, 2x USB Type-A Port, 1x USB-B Port, 1x Codec Port, 7x VCH Port (RJ-45), 1x RCA In/Out Port, 1x 6.3mm line in Port, 1x 6.3mm line out Port, Designed for Large Conference Rooms, Supports multiple cameras / microphones / Speakers
YC-CTP18 TEAMS	R 6,900	Yealink CTP18 Touch panel for A20 and A30 - Teams Edition, Wi-Fi, 8-inch 1280x800 IPS Full HD capacitive Touch Screen, 10 points Multi-Touch, 1x RJ45 Ethernet for Power and Data connection
YC-CTP25	R 12,310	Yealink CTP25 Touch Console for A40, OS Android 13.0, 10.1 inch screen, IPS Display Type, 1280x800 Resolution, 1000:1 contrast ratio, 350 nits brightness, 178 degree viewing angle, Multi-points capacitive Touch support, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, 1x USB Type-A Port, 2x USB-C Port, 1x RJ45 Port (PoE 802.3af compaint), Motion Sensor
YC-MB REMOTE	R 1,490	Yealink Wireless Presentation Pod for MeetingBoard Series, USB Dongle, Velvet bag Protective cover, 2x AAA Battery
YC-MSPEAKER PRO	R 5,548	Yealink MSpeaker Pro SoundBar for Video Conferencing, 4 Speaker Units, 1x VCH Interface supports standard PoE/PoE Power Supply
YC-MTOUCH E2	R 13,932	Yealink MTouch E2 8" Touch Console for MVC Series, 8-inch IPS 1280x800 Resolution screen, 290nits Surface brightness, 1000:1 contrast, Support 10-point Multi-Touch, 3.5mm Headset jack, Human Motion Sensor, Built-In Wi-Fi
YC-MVC BYOD EXTENDER	R 4,639	Yealink MVC-BYOD extender for Teams Rooms, 1x RJ45 Port, 1.5m USB 2.0 Type-A cable, Supports the transformation between Microsoft Teams Rooms and different types of UC platforms
YC-ROOMPANEL PLUS E2	R 12,038	Yealink 10.1" Multifunctional Meeting room scheduling panel, Android 13 Operating System, 8" 1280x800 LCD panel (16:10), 1000:1 contrast ratio, Multi points capacitive, 80 degree viewing angle, Proximity Sensor, Ambient Light Sensor, 1x Fast Ethernet Port, Wi-Fi, Bluetooth, 13.56 MHz RFID/NFC, 1x USB-C Port, 2x Array microphones, 2x Watt Speakers
YC-VB TABLETOPMOUNT 01	R 601	Yealink Tabletop Table-Mount Kit for Yealink All-in-One Video Bar, Compatible with --> MeetingBar A40 and SmartVision 40

YC-VB TVMOUNT 01	R 2,301	Yealink VESA TV Mount for A50 / A40 / SmartVision 40, 800mm Max VESA support
YC-VCR11	R 1,490	Yealink VCR11 Remote for the Yealink MeetingBar, Uses two AAA Batteries
YC-WPP30	R 5,548	Yealink WPP30 4K Wireless presentation Pod, Up to 4K/30fps decoder, 4K/30fps Full HD content sharing, Supports Dual-Band 2.4GHz / 5GHz Wireless networks, Full-Featured USB Type-C and USB Type-A Ports, 4-screen casting
YL-ROOMSENSOR	R 1,301	Yealink Battery powered Bluetooth occupancy Sensor - including Yealink RoomSensor, CR123 Lithium Battery, 3m tape and back cover screws for ceiling Mount/wall Mount, Light / temperature / Humidity / occupancy detection, Passive Infrared Tech, Bluetooth, 5 Year Battery Life
YL-USB Y TRAINER CABLE	R 668	Yealink USB-Y trainer cable (1 piece), This cable can Connect two Yealink uh or bh headsets to one PC simultaneously
YPS20	R 5,667	Yealink YPS20 Smart Partition Sensor for divisible Rooms, Diffuse reflection Sensor Type, 1.5m detection distance

< Return to the menu

Conferencing - Video & Audio : Conferencing Cameras

Product code	Price	Description
960-000867	R 5,059	Logitech BCC950 ConferenceCam Webcam, EMEA, HD 1080p 30fps video, high-quality full-duplex speakerphone, UVC H.264 onboard technology, 78-degree field of view and 180-degree remote-controlled video pan, tilt, zoom, built-in, full duplex speakerphone and noise-cancelling microphone, Carl Zeiss Optics with Autofocus.
960-001034	R 9,590	Logitech VC Conference camera Connect, AIO Video Collaboration, USB and Bluetooth Speakerphone, HDMI Connector, Full HD 1080p, Video Calling, H.264 UVC 1.5 with Scalable Video coding (SVC), Portable Conference Camera with Bluetooth Speaker, 960-001034
960-001102	R 14,489	Logitech 960-001102 MeetUp conference cam with 4K UHD sensor, super wide 120degrees field of view with motorized pan (25degrees) tilt (15degrees), custom tuned speaker with rare-earth magnet suspended speaker enclosure echo cancellation voice activity detection, 3x built-in beamforming mic's with optional expansion mic support, wall or table mountable with optional tv mount support, wireless remote control smart phone remote control app - support 4K UHD (3840x2160)/ FHD 1080P video call (1920x1080)/ HD 720P (1280x720) @ 30FPS MJPEG video encoding, Logitech optics lens - glass element super-wide angle lens - with Rightlight technology - USB, mac compatible
960-001102	R 10,820	Logitech 960-001102 MeetUp conference cam with 4K UHD sensor, super wide 120degrees field of view with motorized pan (25degrees) tilt (15degrees), custom tuned speaker with rare-earth magnet suspended speaker enclosure echo cancellation voice activity detection, 3x built-in beamforming mic's with optional expansion mic support, wall or table mountable with optional tv mount support, wireless remote control smart phone remote control app - support 4K UHD (3840x2160)/ FHD 1080P video call (1920x1080)/ HD 720P (1280x720) @ 30FPS MJPEG video encoding, Logitech optics lens - glass element super-wide angle lens - with Rightlight technology - USB, mac compatible
960-001186	R 11,207	Logitech PTZ Pro 2 Video Conference Camera with wireless remote control
960-001186	R 8,808	Logitech PTZ Pro 2 Video Conference camera with Wireless Remote control, Smooth motorized Pan & Tilt & Zoom, 10x HD Zoom, Full HD 1080p 30fps, H.264 UVC 1.5 with Scalable Video coding, Autofocus, Standard Tripod Thread, IR 8.5 m range Remote control, 3 m Power cable, 960-001186
960-001227	R 23,334	Logitech Rally delivers studio-quality video, unmatched vocal clarity, and RightSense automation for better, more natural meetings with most any software-based video conferencing service. Beautifully finished in matte black with slate gray metal accents.
960-001227	R 26,345	Logitech Rally delivers studio-quality Video, Unmatched Vocal Clarity, And RightSense Automation for better, More Natural meetings with most any software-based Video Conferencing service. beautifully finished in Matte Black with Slate Gray Metal accents.
960-001313	R 83,408	Logitech Graphite Rally Bar, All-in-one Video Conferencing System
960-001313	R 75,140	Logitech Graphite Rally Bar, All-in-one Video Conferencing System
960-001325	R 83,408	Logitech Off-White Rally Bar All-In-One Video Conferencing System
960-001341	R 66,699	Logitech Rally Bar Mini Graphite USB All-In-One Video Conferencing System

960-001341	R 62,639	Logitech Rally Bar Mini All-in-one Video Bar for Small to Medium Rooms - Graphite
960-001510	R 40,134	Logitech Sight Graphite USB Tabletop Companion Camera with intelligent multi-participant framing.
960-001510	R 37,121	Logitech Sight Graphite USB Tabletop Companion Camera with intelligent multi-participant framing.
960-001572	R 36,224	Logitech Rally Bar Huddle Graphite All-In-One Video Conferencing System
960-001572	R 37,351	Logitech Rally Bar Huddle Graphite All-In-One Video Conferencing System
A10-010	R 18,441	Yealink A10-010 All-in-One Android Video Bar for Teams with VCR11 Remote control, Built-In Bluetooth 4.2, Built-In Wi-Fi, Auto framing and Speaker Tracking, 4K camera, Built-In 8 MEMS Microphone Array, Built-In 5W high fidelity Speaker, Advanced AI noise cancellation Algorithm, Android 11 Operating System, 1x HDMI Output (CEC supported), 1x USB Type-A, 1x USB-C for content sharing, 1x Gigabit Ethernet Port, 1x Yealink VCH Port (RJ-45)
AX-4K-VBM	R 2,933	Axtel AX-4K Video Bar Mini, 4K Resolution, 94 degrees Field of View, Face Tracking, Group Close-Up, Speaker Tracking, 2 microphones with Noise Reduction, 7 m voice pick-up, USB Type-A connection
DS-UVC-X12	R 3,402	Hikvision X12 Portable All In One FULL HD Conference Camera
LOGI MEETUP2 960-001681	R 22,868	Logitech Meetup2, All-in-one USB Conference camera, Huddle Rooms
LOGI MX BRIO 4K 960-001559	R 3,128	Logitech 960-001559 MX Brio Graphite 4K Ultra HD Collaboration and Streaming Webcam - USB
LOGI VC RALLY CAM 960-001227	R 25,021	Logitech Rally delivers studio-quality video, unmatched vocal clarity, and RightSense automation for better, more natural meetings with most any software-based video conferencing service. Beautifully finished in matte black with slate gray metal accents.
LOGITECH PTZ PRO2 960-001186	R 11,179	Logitech PTZ Pro 2 Video Conference camera with Wireless Remote control, Smooth motorized Pan & Tilt & Zoom, 10x HD Zoom, Full HD 1080p 30fps, H.264 UVC 1.5 with Scalable Video coding, Autofocus, Standard Tripod Thread, IR 8.5 m range Remote control, 3 m Power cable, 960-001186
MB-12X PRO	R 16,696	Yealink 12x PTZ camera module for MeetingBoard Pro only, 4K / 30fps Video Output, 12x Optical Zoom, Automatic exposure, 3.4 - 40.4mm focal length
MB-CAMERA-12X	R 15,687	Yealink 12x PTZ camera module for MeetingBoard, 4K/30fps Video Output, 12x Optical Zoom, 90 degrees FOV, Automatic exposure, Brushless motor for High-Speed Silent Operation, Precise AI Tracking
MB-CAMERA-6X	R 10,278	Yealink 6x Optical Zoom PTZ camera module for Yealink MeetingBoard, 6x Optical Zoom, 72.5 degrees Field of View (FOV), Up to 4K at 30fps Video Resolution, H.264 / H.265 Video Compression, Compatible with --> Yealink MeetingBoard 65 / 86
MTOWER	R 23,802	Yealink MTOWER center-view Intelligent camera, Tabletop fixed bracket, 7.5m Cat5E cable, 8MP Sony Sensor telephoto camera, 8MP Sony Sensor Wide-Angle camera, Magnetic levitation automatic Privacy cover, Built-In 6 1 mics beamforming Array, Echo canceller Technology, 3-meter quality voice pickup range, 6-meter voice pick range, 1x VCH Port (RJ-45), 1x camera mute, 2x Mic mute
SMARTVISION 40	R 16,229	Yealink SmartVision 40 All-in-One AI USB Video Bar for Small to Medium Rooms, 2x 48MP camera 4K 60fps, Built-In 8 MEMS Microphone Array, 6-meter voice pickup range, 2x 10W Stereo Speakers, Full-Duplex Technology, 1x USB 3.0 Type-B Port, 1x USB 2.0 Type-A Port, 1x USB-C Port, 1x Yealink VCH Port (RJ-45), 1x 3.5mm Line-In & Line-Out Port, 1x Power Port, 1x Security lock slot, 1x Reset slot, 1x HDMI out, Built-In Wi-Fi
SMARTVISION 80	R 36,515	Yealink SmartVision80 4 Lens camera with VCR20 Remote & Mount kit, Power Adapter, 20 x Optical Zoom PTZ camera, Automatic Lens cover, Support AI noise suppression Technology, 1x USB 3.0 Type-B Port, 1x USB 2.0 Type-A Port, 2x VCH Port (RJ45), 1x Network Port (RJ45), 1x HDMI out Port, 1x line in Port, 1x line out Port, Three electronic cameras and a PTZ camera, Panoramic Lens and two telephoto lenses
UVC40 E2	R 8,114	Yealink UVC40 E2 All in one USB Video Bar for Small Rooms, Includes VCR20 Remote / 7m USB 2.0 cable / Wall Mount bracket / tv-clip Mount / Power Adapter, Ultra-HD 4K camera, Super-Wide 120 degrees Field of View, Electric Lens cap, Built-In 8 MEMS Microphone arrays
UVC84 BLACK	R 14,335	Yealink UVC84 USB Ultra HD 4K boardroom camera - Black, UVC 1.0 Protocol, 4K Maximum Resolution, 30fps Maximum FPS, 36x HD Zoom, 12x optical Plus, 3x Digital, Auto focus, 1x USB 2.0 Type-B, 1x Yealink Microphone Port (RJ45) 1x line-out Port
UVC85	R 12,954	Yealink UVC85 4K 12x PTZ USB camera, 8MP Resolution, 9 presets positions, Mechanical PTZ, 12x Optical Zoom, Auto-Framing AI features, 1x USB 3.0 USB-B Port, 1x USB 2.0 USB Type-A Port, 1x VCH Port, 1x HDMI out Port, 1x 3.5mm line in Port, 1x 3.5mm line out Port
UVC86	R 29,753	Yealink UVC86 4K Dual-Eye Intelligent camera, VCR20 Infrared Remote control, 7m USB 2.0 cable, 7.5m cate

		cable, Wall Mount bracket, Power Adapter, 8MP Sensor PTZ camera with 12x Optical Zoom, 8MP Sensor Panoramic camera, USB 3.0 Type-B, HDMI Port, Security lock slot, 1x Yealink VCH Port, 1x 3.5mm Line-In
UVC86 BLACK	R 29,753	Yealink UVC86 4K Dual-Eye Intelligent camera - Black, VCR20 Infrared Remote control, 7m USB 2.0 cable, 7.5m cate cable, Wall Mount bracket, Power Adapter, 8MP Sensor PTZ camera with 12x Optical Zoom, 8MP Sensor Panoramic camera, USB 3.0 Type-B, HDMI Port, Security lock slot, 1x Yealink VCH Port, 1x 3.5mm Line-In
WC-JVU468	R 8,845	J5-Create JVU468 4K 360 Degree AI Video Conference Camera; 12MP Sony IMX577 CMOS sensor; 3840 x 2160 at 30 FPS; HDR; AI participant detection and automatic framing; integrated omnidirectional microphones; 5W speaker; AEC, AGC and ANR; 4x digital zoom; USB-C and USB Type-A connectivity; 26.5 x 10.5 x 9 cm; 1.033 kg
YC-SMARTVISION 80	R 31,185	Yealink SmartVision80 4 Lens camera with VCR20 Remote & Mount kit, Power Adapter, 20 x Optical Zoom PTZ camera, Automatic Lens cover, Support AI noise suppression Technology, 1x USB 3.0 Type-B Port, 1x USB 2.0 Type-A Port, 2x VCH Port (RJ45), 1x Network Port (RJ45), 1x HDMI out Port, 1x line in Port, 1x line out Port, Three electronic cameras and a PTZ camera, Panoramic Lens and two telephoto lenses
YC-UVC30 ROOM	R 2,707	Yealink UVC30-ROOM USB Ultra HD 4K camera Webcam, 3x Digital Zoom, 1/2.5" CMOS 8.51m Pixel camera, UVC 1.1 Protocol, 120 degrees Field of view, Auto framing, EPTZ, 4K & 30fps Maximum Resolution
YL-UVC85	R 13,101	Yealink UVC85 4K 12x PTZ USB camera, 8MP Resolution, 9 presets positions, Mechanical PTZ, 12x Optical Zoom, Auto-Framing AI features, 1x USB 3.0 USB-B Port, 1x USB 2.0 USB Type-A Port, 1x VCH Port, 1x HDMI out Port, 1x 3.5mm line in Port, 1x 3.5mm line out Port

< Return to the menu

Conferencing - Video & Audio : Conferencing Microphones

Product code	Price	Description
85X02AA	R 3,874	HP 85X02AA Poly Trio C60 Expansion microphones, Designed for the Trio C60 IP Conference Phone, Two mics that provide enhanced Audio
952-000038	R 8,164	Logitech Off-white Rally Microphone Pod
952-000038	R 7,474	Logitech Rally Mic Pod - White, Four omnidirectional microphones forming Eight Acoustic beams, 4.5 m pickup range, AEC (Acoustic Echo cancellation), Vad (Voice activity detector), 2.95 m 12 - pin captive cable Output, 12 - pin Interface to daisy-chain Mic Pods or Connect to Rally Mic Pod Hub Input
960-001681	R 21,209	Logitech Meetup2, All-in-one USB Conference camera, Huddle Rooms
960-001681	R 18,399	Logitech Meetup2, All-in-one USB Conference camera, Huddle Rooms
989-000171	R 5,162	Logitech Extention MIC for Group, Expand the conversation area from 6m/20ft to 8.5m/28ft so that even those away from the speakerphone can be clearly heard. Microphones, sold in pairs, are automatically recognized and confgured by simply plugging them into the C2 speakerphone.
989-000171	R 4,484	Logitech Extention MIC for Group, Expand the conversation area from 6m/20ft to 8.5m/28ft so that even those away from the speakerphone can be clearly heard. Microphones, sold in pairs, are automatically recognized and confgured by simply plugging them into the C2 speakerphone.
989-000405	R 4,299	Logitech MeetUp expansion Mics
989-000405	R 3,725	Logitech MeetUp expansion Mics
989-000430	R 8,164	Logitech 989-000430 VC Rally Mic POD Graphite, Modular microphones with rightsound for Rally / Rally Bar / Rally Bar mini, 4.5 m pickup range, AI Filter noise suppression
989-000430	R 7,497	Logitech Vc Rally Mic Pod
AX-100-CS	R 1,364	Axtel AX-100 Conference Speaker Microphone, Bluetooth 5.0; USB and wireless connectivity; 4 x MEMS microphones; 360 degree voice pickup; 3m range; up to 8h battery; 20m wireless range; noise and echo cancellation; daisy chain support; weight 329g
AX-FHD-1080P	R 582	Axtel Ax-fhd Webcam; Full HD 1080p webcam; 30fps; 90 degree wide angle; auto focus; noise reduction microphone; USB plug and play; 2m cable; privacy shutter; compatible with Windows Mac Android
CM20	R 15,604	Yealink CM20 ai-powered beam-forming ceiling Microphone, White Mesh cover, 16 omni-direction Microphone, 1x RJ-45 Interface, PoE Power Supply
CPW65 PACKAGE	R 4,154	Yealink CPW65 Wireless DECT Expansion Mic for CP965 including USB DECT Dongle WDD60, Full Duplex

		Technology, Muting the Microphone with Touchpad, 3m 360 degrees voice pickup, 1500mAh Battery capacity, 13-hour talk time, 2 x CP Wireless Expansion Microphone
CPW90 PACKAGE	R 4,273	Yealink CPW90 DECT Wireless Expansion Microphone, Full Duplex Technology, Muting the Microphone with Touchpad, 3m 360 degrees voice pickup, 800mAh Battery capacity, 19-hour talking time, 2x CP Wireless Expansion Microphone, Charger cradle
DS-QAZ1MP7G1/EU	R 2,898	Hikvision Network 7-inch Paging Microphone, DS-QAZ1MP7G1/EU, ISAPI / ISUP Network Protocol, Gooseneck Microphone, Echo cancellation, 1x Network Interface, Support TF card, 1x line in, 1x line out, Local Speaker, 7 inches IPS 1024x600 Touch Screen
GS-GMD1208	R 1,926	Grandstream GMD1208 Video conferencing Microphone, 8 omni-directional mics with 26ft range, Up to 5-meter pickup range, Opus audio codecs, Bluetooth 2.1 EDR, Micro-B USB Port
SNOM-C52-SP	R 3,503	Snom C52-SP DECT Extension Speaker w/ built-in Battery
VCM34	R 380	Yealink VCM34 Video Conferencing Microphone Array, Built-In 3-microphone Array, 360 degrees voice pickup, Optima HD voice, 6m voice pickup range, Muting the Microphone with Touchpad, Background noise suppression, 1x RJ45 for Ethernet and Power, 1x RJ45 for cascading, Power over Ethernet
VCM35	R 4,057	Yealink VCM35 Video Conferencing Microphone Array, Yealink full Duplex Technology, 6m radius voice pickup range, Muting the Microphone with the Touchpad, RJ45 connector for Ethernet cable, with a 5m Network cable
VCM36W	R 4,033	Yealink VCM36 Wireless Video Conferencing Microphone, 6-meter 360 degrees voice pickup, Capacitive mute Touchpad, WiFi Technology
VCM36W-S	R 4,057	Yealink VCM36 Wireless Video Conferencing Microphone - Serialised, 6-meter 360 degrees voice pickup, Capacitive mute Touchpad, WiFi Technology
YC-CM20	R 15,748	Yealink CM20 ai-powered beam-forming ceiling Microphone, White Mesh cover, 16 omni-direction Microphone, 1x RJ-45 Interface, PoE Power Supply
YC-VCM36W PACKAGE	R 3,712	Yealink VCM36 Wireless Video Conferencing Microphone, 6-meter 360 degrees voice pickup, Capacitive mute Touchpad, WiFi Technology

< Return to the menu

Conferencing - Video & Audio : Conferencing Speakers

Product code	Price	Description
4XD1C82055	R 1,938	Lenovo 4XD1C82055 Go Wired Speakerphone - USB, Volume /-, Mute/unmute, Answer call, Hang up call, 40mm Driver, 3W RMS Power, USB 2.0 audio Input, 2x omni-direction microphones
520-BBMP	R 1,361	Dell 520-BBMP SP325 Pro Wired Speakerphone, 75 cm cable length, Digital signal Processing, Full Duplex Audio, Echo cancelation, Digital micro-electromechanical systems (MEMS) microphones, 4 microphones, Omni-Directional Polar pattern, 82 dB Peak Audio Output, 60 mm Speaker size, Mono Speaker Output mode, USB-C Host Interface, Travel Pouch, Certifications - Microsoft Teams / Zoom
772C3AA	R 1,689	HP 772C3AA Poly Sync 10 USB Type-A USB-C Speakerphone, 71.5 cm cable length, Two-microphone steerable Array, 40 mm Speaker size
952-000123	R 2,747	Logitech Rally Pendant Mic Pod Mount, Ceiling Mount, Mic holder, Microphone not included, 952-000123
960-001230	R 5,944	Logitech Rally Speaker with one Speaker, Connects to Logitech Rally for Clear rich Sound, High-Performance 76 mm Driver with rare-earth Magnet, Mini XLR cable connects to Rally Display Hub for both signal and Power, 960-001230
AVBRIDGE	R 7,731	Yealink AVBRIDGE Compact Audio Processor & A/V signal extender, 4 Input channels, 4 Output channels, 48K Sampling rate, 1x 3 pin Phoenix Connector Analog Input, 1x 5 pin Phoenix Connector Analog Output, RJ45 Connector Type
CP50	R 5,950	Yealink CP50 Speaker for UVC85 Video Conferencing, DC Power Adapter, PoE Power not supported, Built-In 8-microphone Array, 6m pickup distance, Built-In 1 x 4W Speaker, 6W Maximum Power, 360 degrees omnidirectional pickup, Full-Duplex Technology, 1x Codec Port connects to UVC cameras, 1x Audio Port connects to CPE40, 1x Type-C Port connects to a Computer, Bluetooth 5.0
CPE40	R 4,057	Yealink CPE40 Speakerphone, Works with CP50, Built-In 8-microphone Array, 6m pickup distance, Built-In 1 x 4W Speaker, 6W Maximum Power, 360 degrees omnidirectional pickup, Full-Duplex Technology

CS10	R 6,021	Yealink CS10 Ceiling Speaker
DS-QAZ1310G1T-EY	R 5,319	Hikvision Network Horn Speaker 10W with 2 PoE Ports, DS-QAZ1310G1T-EY, 2 electret microphones, 10 W Speaker, Two-Way Audio, 1x RJ45 10M/100M adaptive Ethernet Port, Built-In 64 GB eMMC, Metal material
DS-QAZ1325G1T-EY	R 5,348	Hikvision Network Anti-Corrosion 25W Horn Speaker, DS-QAZ1325G1T-EY, 2 electret microphones, 25W Speaker, Two-Way Audio, 1x Alarm Input, 1x audio line in, 2x RJ45 10M/100M adaptive Ethernet Ports, Built-In 64 GB eMMC, Metal material
FAN-A201	R 2,294	Fanvil A201 IP Ceiling Speaker, Ceiling-mounted installation, Microphone, 10W PoE / DC 24V Speaker Power, 24MB Audio filesstorage, SIP/ONVIF support Protocol
FAN-A212	R 3,080	Fanvil A212 SIP Wall mounted Speaker - Black, Microphone, 15W PoE / DC 24V Speaker Power, 24MB Audio filesstorage, SIP / ONVIF support Protocol, Audio line in/Output - support external 15W Sub Speaker
FAN-A212-WH	R 2,754	Fanvil A212 SIP Wall mounted Speaker - White, Microphone, 15W PoE / DC24v Speaker Power, 24MB Audio filesstorage, SIP / ONVIF support Protocol, Audio line in/Output - support external 15W Sub Speaker
FAN-A233	R 3,824	Fanvil A233 IP Horn Speaker, U-bracket installation, Microphone, 15W PoE / 30W DC24v Speaker Power, 24MB Audio filesstorage, SIP / ONVIF support Protocol, IP66 protection level, Commercial-grade IP Audio Terminal
FAN-CS20	R 684	Fanvil Linkvil CS20 Portable Speakerphone, 3 omnidirectional Analog microphones, 1.5m voice pickup range, 40mm Speaker, 5W Maximum Output Power, Full-Duplex Audio Technology, Environment noise cancellation (ENC), Adjustive noise suppression (Ans), Connectivity - USB-C / Dongle / Bluetooth, 2 simultaneous connections, 2000mAh Battery capacity, 2 hours charging time, Up to 16 hours talk time, 5 Touch buttons
FAN-CS30	R 1,708	Fanvil CS30 Portable Conference Speakerphone, Touch voiume buttcms, Touch-type Microphone Switch Button, Full Duplex, Noise and Echo suppression, Automatic gain, 3m voice pickup distance, 5W Speaker, 6 buttcms
FAN-CS40	R 1,636	Fanvil Linkvil CS40 Conferencing Speakerphone, 3 omnidirectional Analog microphones, 3m voice pickup range, 52mm Speaker, Connectivity - USB-A/C & Bluetooth, 2 simultaneous connections, Up to 10 hours talk time, 3.5 hours charging time, 4000mAh Battery capacity
FAN-CS40	R 1,455	Fanvil Linkvil CS40 Conferencing Speakerphone, 3 omnidirectional Analog microphones, 3m voice pickup range, 52mm Speaker, Connectivity - USB-A/C & Bluetooth, 2 simultaneous connections, Up to 10 hours talk time, 3.5 hours charging time, 4000mAh Battery capacity
FAN-FH-S01	R 3,519	Fanvil FH-S01 SIP Ceiling Speaker, Ceiling-mounted installation, Microphone, 20W Speaker Power, SIP / ONVIF support Protocol
GS-GSC3516	R 2,780	Grandstream SIP/Multicast Intercom Speaker/Microphone, GSC3516, SIP/Multicast Talk-Back Speaker, 3 directional mics, 1 omnidirectional Mic, 15W HD Speaker, 1x Ethernet 10/100 PoE Port, Wi-Fi, No PSU, Linux Operating System, Bluetooth
GS-GSC3518HS	R 4,607	Grandstream GSC3518HS 50W HD Speaker, 3 microphones with 8m pickup distance, AI Noise Reduction, 1x Ethernet 10/100 PoE Input, 1x Ethernet 10/100 PoE/PoE Output, SIP Paging, Multicast Paging, Group Paging, Ptt, Call-waiting with priority override
IDS-UVC-X28	R 12,558	Hikvision 4K Video Smart Conference SoundBar, IDS-UVC-X28, Camera with 2.02mm Lens, 4K@30 fps maximum Resolution, 360 degrees omni-direction Microphone, BLC Image enhancement, 10W Hi-Fi Built-In Speaker, 1x HDMI out, 1x USB 3.0 Type-C Interface, 1 x Mic USB
MSPEAKER II BLACK	R 4,057	Yealink MSpeaker II Video Conferencing SoundBar - Black, 10W RMS Stereo audio Output, 1 x VCH (RJ45) supports PoE (802.3af), 1x 3.5mm Line-In
NBDE520-AAVQ	R 1,436	Dell 520-AAVQ SP3022 VoIP Desktop Speakerphone - USB, Stereo sound Output mode, Digital signal Processing, Full Duplex audio, Echo cancelation, Artificial Intelligence noise cancellation, Omni-Directional Microphone, Microsoft Teams Certified, Zoom Certified
NBDE520-BBMP	R 1,609	Dell 520-BBMP SP325 Pro Wired Speakerphone, 75 cm cable length, Digital signal Processing, Full Duplex Audio, Echo cancelation, Digital micro-electromechanical systems (MEMS) microphones, 4 microphones, Omni-Directional Polar pattern, 82 dB Peak Audio Output, 60 mm Speaker size, Mono Speaker Output mode, USB-C Host Interface, Travel Pouch, Certifications - Microsoft Teams / Zoom
NEATBAR2-SE	R 70,063	Neat Bar 2 - 2nd Generation Collaboration bar with Integrated 50MP camera, 113 FOV, Wall / Table / and Display mounts, Ambient Light Sensor, Dual screen support, BYOD mode (USB passthrough), Speakerbox for maximal Tonal range, 5 microphones angled in an end-fire Array, 4 Tracking and Sensor mics, Hardware accelerated Audio

		Processing, WiFi, Ethernet, 2x HDMI out, HDMI-in for screen sharing, Requires NeatPad-SE
NEATBARPRO-SE	R 107,934	Neat Bar Pro Collaboration bar, Integrated camera, Microphones, Wall / Table / Display mounts, Automatic wakeup and sleep (Ultrasonic), Orientation Sensor (Accelerometer), Ambient Light Sensor, BYOD mode (USB passthrough), Triple screen support, 3 Full-Range Speakers, 4 Tracking mics, 16 microphones in a beamforming Array, Hardware accelerated Audio Processing, Pro 100 MP camera system with wide and tele cameras, WiFi, Ethernet, 3x HDMI out for external screens, USB-C for Input when connected to a Touch Screen, HDMI-in for screen sharing, Requires NeatPad-SE
SN-C300	R 1,760	snom C300 Personal Conference Speaker, 8 Multicolour LEDs Multi-Purpose status indication, 3 dedicated audio keys, 3.0 W RMS Power, Beamforming Microphone Array, 1.8 m pickup range, Acoustic echo cancellation (AEC), Full Duplex Speakerphone mode, Bluetooth, NFC
SP92 USB-C/A	R 1,060	Yealink SP92 USB Type-C/A Speakerphone, Bluetooth 5.3, Up to 30m Wireless range, 2 simultaneous Bluetooth connections, Up to 8 devices multiple device pairing, 1 Microphone, AI noise cancellation, 50mm Speaker, Full Duplex, Up to 20 hours Music time, Up to 20 hours talk time, Up to 2.5 hours charging time, Call control & Light
SP92-BT51-BUNDLE	R 1,272	Yealink SP92 Speakerphone USB-C/A with BT51 Dongle, 1 Mic & AI noise cancellation, 4m All-Round voice pick, 50 mm Speaker for Brilliant Audio quality, Up to 20 hours talk time, Full Duplex Audio, Echo cancellation
SP96 USB-C/A	R 2,121	Yealink SP96 USB Type-C/A Speakerphone, Bluetooth 5.3, Up to 30m Wireless range, 2 simultaneous Bluetooth connections, 6 mictophones, AI noise cancellation, 65 mm Speaker, Full Duplex, Up to 26 hours talk time, Up to 35 hours Music time, Call control & Light
SP96-BT51-BUNDLE	R 2,333	Yealink SP96 Bluetooth Speakerphone with BT51 USB Dongle, 6 mics, AI noise cancellation, Up to 5m Microphone pick up range, Full Duplex, Acoustic Echo cancellation, Reverberation cancellation, 65mm Speaker, Up to 26 hours talk time, 6000mha Battery capacity
SPEAK2 40 MS	R 2,540	Jabra SPEAK2 40 MS Teams Speakerphone, Ideal for room sizes up to 4.5m x 4.5m, 4 microphones, Digital MEMS Microphone Type, Up to 2.3m Microphone pick up range, Full Duplex, 50mm Speaker size, USB Type-C or USB Type-A connectivity
YEA-CP935W	R 9,371	Yealink CP935W Wireless Communication
YL-SP92 USB CA	R 1,198	Yealink SP92 USB Type-C/A Speakerphone, Bluetooth 5.3, Up to 30m Wireless range, 2 simultaneous Bluetooth connections, Up to 8 devices multiple device pairing, 1 Microphone, AI noise cancellation, 50mm Speaker, Full Duplex, Up to 20 hours Music time, Up to 20 hours talk time, Up to 2.5 hours charging time, Call control & Light
YL-SP96 USB CA	R 2,259	Yealink SP96 USB Type-C/A Speakerphone, Bluetooth 5.3, Up to 30m Wireless range, 2 simultaneous Bluetooth connections, 6 mictophones, AI noise cancellation, 65 mm Speaker, Full Duplex, Up to 26 hours talk time, Up to 35 hours Music time, Call control & Light

< Return to the menu

Conferencing - Video & Audio : Conferencing Systems

Product code	Price	Description
12X2S00012	R 31,601	Lenovo - ThinkSmart Core for Logitech - Gen2 U5-16GB - Microsoft Teams Room, ThinkSmart Core - Intel Core Ultra 5 135H Processor, Windows 11 IoT Enterprise for Collaboration gac, 16GB Dual-Channel DDR5, 256GB PCI-e TLC SSD, WiFi 6E, Bluetooth 5.3, 2 x HDMI out, Ethernet (RJ45), 3 x USB Type-A, 2 x USB-C, ThinkSmart Controller, 10.1" HD (1280x800) 10-point Touchscreen Display, Headphone / Mic Combo, USB-C, ThinkSmart Bar 180, 2 Stereo Speakers, 2 tweeters, 8 Built-In beamforming microphones, 3 cameras, Audio jack, USB-C, Ethernet (RJ45), Bluetooth 5.3
939-001647	R 6,899	Logitech VC Rally Mic Pod Hub for the Logitech Rally Ultra-HD ConferenceCam - GRAPHITE - MIC SPLITTER
939-001647	R 5,645	Logitech VC Rally Mic Pod Hub for the Logitech Rally Ultra-HD ConferenceCam
950-000086	R 18,327	Logitech Roommate, Off-White, Appliance based solution
950-000086	R 22,113	Logitech Roommate, Off-White, Appliance based solution
952-000002	R 2,103	Logitech VC Rally Mic POD Table mount, 25 - 65 mm grommet hole diameter, 20-50 mm Table thickness, 952-000002
952-000010	R 19,549	Logitech Swytch - Laptop Link for Video conferencing in meeting rooms
952-000010	R 17,019	Logitech Swytch - Laptop Link for Video conferencing in meeting rooms

960-000867	R 5,001	Logitech BCC950 ConferenceCam Webcam, EMEA, HD 1080p 30fps video, high-quality full-duplex speakerphone, UVC H.264 onboard technology, 78-degree field of view and 180-degree remote-controlled video pan, tilt, zoom, built-in, full duplex speakerphone and noise-cancelling microphone, Carl Zeiss Optics with Autofocus.
960-001057	R 21,849	Logitech 960-001057 Group video conferencing system (camera speaker phone hub expansion mic) - for group of 14 people, LCD display for Caller ID and other info, tripod mountable, 360-degree full-duplex speaker phone, support optional expansion microphone (989-000171), dockable w/less remote control, Bluetooth NFC wireless, 260Â° pan 130Â° tilt 10xzoom, 90-degree field of view - support 1080P HD video call @ 30FPS H.264 video streaming with SVC, Carl Zeiss optics with auto focus - glass element ultra-wide angle lens - with echo and noise-cancelling technology, 5x camera presets - USB, mac compatible
960-001057	R 11,625	Logitech Group video conferencing system (camera speaker phone hub expansion mic) - for group of 14 people, LCD display for Caller ID and other info, tripod mountable, 360-degree full-duplex speaker phone, support optional expansion microphone (989-000171), dockable w/less remote control, Bluetooth NFC wireless, 260Â° pan 130Â° tilt 10xzoom, 90-degree field of view - support 1080P HD video call @ 30FPS H.264 video streaming with SVC, Carl Zeiss optics with auto focus - glass element ultra-wide angle lens - with echo and noise-cancelling technology, 5x camera presets - USB, mac compatible
960-001230	R 5,596	Logitech VC Rally Speaker - Second speaker connects to Logitech Rally for clear, rich sound, Retail Box
960-001237	R 46,413	Logitech Rally system Ultra-HD ConferenceCam - Black - USB, Rally camera, 1x Rally Mic Pod, 1x Rally Speaker, Rally Table Hub, Rally Display Hub, Remote control, 5x Optical Rally camera, 4K Ultra HD @ 30fps, 7 m Diameter pickup range Rally Mic Pod, Four omnidirectional microphones forming Eight Acoustic beams, High-Performance 76 mm Driver with rare-earth Magnet Rally Speaker, 960-001237
960-001240	R 53,366	Logitech 960-001240 VC Rally system - HD conference CAM / 1x Speaker / 1x Mic POD / Table Hub / Display Hub / 2x power supplies / remote control
960-001240	R 42,434	Logitech 960-001240 VC Rally system - HD conference CAM / 1x Speaker / 1x Mic POD / Table Hub / Display Hub / 2x power supplies / remote control
960-001242	R 65,873	Logitech VC Rally Plus system - HD ConferenceCam / 2x Speaker / 2x Mic POD / Table Hub / Display Hub, 2x power supplies, 960-001242
960-001242	R 52,450	Logitech 960-001240 VC Rally system - HD conference CAM / 1x Speaker / 1x Mic POD / Table Hub / Display Hub / 2x power supplies / remote control
960-001332	R 27,783	Logitech Scribe Off-white Whiteboard Camera Video Conferencing Room
960-001332	R 24,896	Logitech Scribe Off-white Whiteboard Camera Video Conferencing Room
A25-010	R 24,116	Yealink A25 All-in-One Collaboration bar for Focus Rooms including VCR11 Remote, Yealink A25, Android 13 Operating System, 3 cameras, 1x Ultra-Wide camera, 2x tele camera, 3x 4K cameras All with 8MP Image sensors, Built-In a 10W Speaker, Built-In 8 MEMS Microphone Array, 5-meter pickup distance, Wi-Fi 6, Bluetooth 5.1, 1x USB 2.0 Type-A Port, 1x USB 2.0 Type-C port(side), 1XUSB3.0 Type-C Port, 1x Ethernet Port, 1x Yealink VCH Port (RJ-45), 1x HDMI out Port, 1x 3.5mm Line-Out Port, Yealink VCR11 Remote for the Yealink MeetingBar
A25-031	R 32,628	Yealink A25 All-in-One Collaboration bar for Focus Rooms including CTP25 Touch Console, Yealink CTP25 Touch Console, OS Android 13.0, 10.1 inch screen, IPS Display Type, 1280x800 Resolution, 1000:1 contrast ratio (Front), 350 nits brightness, 178 degree viewing angle, Multi-points capacitive Touch support, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, 1x USB Type-A Port, 2x USB-C Port, 1x RJ45 Port (PoE 802.3af compaint), Motion Sensor, Yealink A25, Android 13 Operating System, 3 cameras, 1x Ultra-Wide camera, 2x tele camera, 3x 4K cameras All with 8MP Image sensors, Built-In a 10W Speaker, Built-In 8 MEMS Microphone Array, 5-meter pickup distance, Wi-Fi 6, Bluetooth 5.1, 1x USB 2.0 Type-A Port, 1x USB 2.0 Type-C port(side), 1XUSB3.0 Type-C Port, 1x Ethernet Port, 1x Yealink VCH Port (RJ-45), 1x HDMI out Port, 1x 3.5mm Line-Out Port
A30-020	R 36,883	Yealink A30-020 All-in-One Android Video Bar for Teams with Yealink Collaboration Touch Panel CTP18, 120 degrees Super field of view, Built-In Bluetooth, Built-In Dual-Band Wi-Fi, Auto framing and Speaker Tracking, 8MP camera wide camera, 8MP camera telephoto camera, Built-In 8 MEMS Microphone Array, Two Built-In 5W high fidelity Speaker, Android 9.0 Operating System, 2x HDMI Output (CEC supported), HDMI Input (Through the VCH51 sharing kit), 1x Line-In (3.5mm), 1x Line-Out (3.5mm), 2x USB 2.0, 1x Gigabit Ethernet Port, 1x Yealink extension Port (RJ-45)

A3LU8AA	R 46,091	HP A3LU8AA Poly Studio Base Kit G9 Plus for Microsoft Teams HP Mini IP PC, HP Mini IP Conference PC, Poly TC10 Touch Controller
A40-010	R 27,804	Yealink A40 All-in-One Collaboration bar for Small to Medium sized Rooms including VCR11 Remote, Android 13 Operating System, 2 cameras, 2x 48MP pixels Maximum pixels, 3840x2160 maximum Resolution, Built-In 2 x 10W Speakers, 10W 10W rated Power Supply unit, Built-In 8 MEMS Microphone Array, 6-meter pickup distance, 4-meter High-Quality pickup distance, Wi-Fi 6, Bluetooth 5.0
A40-031	R 38,302	Yealink A40 All-in-One Collaboration bar for Small to Medium sized Rooms including CTP25 touch console, Android 13 Operating System, 2 cameras, 2x 48MP pixels Maximum pixels, 3840x2160 maximum Resolution, Built-In 2 x 10W Speakers, 10W 10W rated Power Supply unit, Built-In 8 MEMS Microphone Array, 6-meter pickup distance, 4-meter High-Quality pickup distance, Wi-Fi 6, Bluetooth 5.0, CTP25 unit Android 13.0 OS, 10.1 inch IPS 1280x800 screen, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, Motion Sensor
A50-010	R 43,976	Yealink A50 All-in-One Collaboration bar for Medium to Large sized Rooms including VCR11 Remote, Android 13 Operating System, 3x 50MP pixels cameras, Electronic Gimbal, 4K maximum Resolution, Built-In 4x 5W Speakers, Built-In 16 MEMS Microphone Array, 10-meter pickup distance
A50-031	R 51,069	Yealink A50 All-in-One Collaboration bar for Medium to Large sized Rooms including CTP25, Android 13 Operating System, 3x 50MP pixels cameras, Electronic Gimbal, 4K maximum Resolution, Built-In 4x 5W Speakers, Built-In 16 MEMS Microphone Array, 10-meter pickup distance, CTP25 unit Android 13.0 OS, 10.1 inch IPS 1280x800 screen, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, Motion Sensor
CAM340	R 5,658	Aver CAM340 USB Conferencing Camera
CP925	R 5,928	Yealink Audio Conference Phone, 4" 480x800 Pixel touch screen, 1 x Ethernet port 10/100 PoE support, 1 x SIP account, 6 Microphone array for voice, 1 microphone array for noise cancellation, CPW25 Expansion microphones (optional) - coming soon Built-in dual-band (2.4GHz/5GHz) Wi-Fi, Built-in Bluetooth, Supports 5-way conference calling, Optional IP to analogue converter (CPN10)
CP935W	R 8,879	Yealink CP935W DECT cordless Conference Phone, Full-Duplex speakerphone with AEC, 4" capacitive Touch Screen, Up to 20 hours talk time, Built-In 6-microphone Array for 360-degree voice pickup, 5-way conference call, Built-In Bluetooth / Wi-Fi, 1x USB 2.0 Type-C Port
CP960-UVC30-ZR	R 26,449	Yealink CP960-UVC30 Zoom Room kit, For huddle and Small Rooms, Mini-PC and Cable Management Box, Yealink Conference Phone CP960, Yealink UVC30 4K camera
CP965	R 9,925	Yealink Android Conference Phone, 5" 720x1280 Pixel colour touch screen, 1 x Ethernet port 10/100 PoE support, 12 Microphone array for voice, 1 microphone array for noise cancellation, Android 9.0 operating system, * does not include Google Play Store PoE support, Built-in dual-band (2.4GHz/5GHz) Wi-Fi, Built-in Bluetooth, Supports 5-way conference calling, CPW25 and CPW65 Expansion microphones (optional) - coming soon
FAN-CA200	R 3,864	Fanvil CA200 Wireless Conference kit, 4K UHD screen sharing, Up to 4K/30fps Resolution, Type-C PD DisplayPort Alt CP20 - Screen-Sharing Pod, 1x HDMI Type-C PD 1x USB 3.0 Type-A - RC10 receiver Hub
FAN-CA400	R 8,640	Fanvil CA400 All-in-One Wireless Conference solution, MS10 screen-share Speakerphone, 3840x2160 @30fps Maximum screen share Resolution, 8 MEMS microphones for 360 degrees pickup, 4-meter pick-up range, Full-Duplex, 50mm Speaker size, 3W Speaker rated Power, RC10 receiver Hub, 1920x1080 @30fps Maximum Output Resolution, UVC camera support camera Type, H.264 Format supported, CM70 UHD camera, USB 3.0 3840x2160 30fps maximum Resolution, USB 2.0 1920x1080 30fps, USB Microphone, 2 electret microphones, 4-meter pick-up range
GS-GAC2570	R 9,479	Grandstream Android 10 audio conference system, 12-line, Wi-Fi 6, Bluetooth, 12x microphones, 2x Gigabit Ports and PoE support, GAC2570, Full-Duplex Speakerphone, Supports 5m pickup range, 1x Media Port, 1x Network Port, 1x HDMI in, 1x USB, 1x Line-Out, 1x Micro-USB, 1x Kensington lock, Built-In Rechargeable 3300mAh Battery to allow up to 4-hour talktime
GS-GSC3574	R 2,762	Grandstream SIP Touch Screen Intercom and facility control station, GSC3574, 6 SIP accounts, 2 lines, 1x Ethernet 10/100 PoE Port, Wi-Fi, 1024x600 7.0" Touch Screen Colour LCD, Android 13, No PSU, White, 1x Type-A USB 2.0 Port, 1x MicroSD card Socket, 8 channels Alarm Input, 2 relays Alarm Output
GS-GVC3200	R 11,499	Grandstream Video Conferencing System,The GVC3200 sports an innovative, patent-pending embedded MCU that supports up to 9-way conferencing with local mixing between SIP and other protocols.

GS-GVC3202	R 9,925	Grandstream 3-way Video Conferencing System
GS-GVC3220	R 27,170	Grandstream GVC3220 5-way Video conferencing system, 1/3" 2 Megapixel CMOS 1920hx1080v @ 30fps camera, 12x optical Zoom Lens, 1x RJ45 10/100/1000 Mbps Port, Integrated Dual-Band 802.11a/b/g/n WiFi, Bluetooth, 3x HDMI up to 1080p with cec Outputs, 1x VGA / 1x HDMI with Resolution up to 1080p inputs, External Mic/Speaker, Built-in Mic, Bluetooth remote control with multi-touch Touchpad, OLED with 128 x 32 Resolution graphic Display
LOGI GROUP 960-001057	R 13,565	Logitech Group video conferencing system (camera speaker phone hub expansion mic) - for group of 14 people, LCD display for Caller ID and other info, tripod mountable, 360-degree full-duplex speaker phone, support optional expansion microphone (989-000171), dockable w/less remote control, Bluetooth NFC wireless, 260Â° pan 130Â° tilt 10xzoom, 90-degree field of view - support 1080P HD video call @ 30FPS H.264 video streaming with SVC, Carl Zeiss optics with auto focus - glass element ultra-wide angle lens - with echo and noise-cancelling technology, 5x camera presets - USB, mac compatible
LOGI MEETUP 960-001102	R 12,832	Logitech 960-001102 MeetUp conference cam with 4K UHD sensor, super wide 120Â° field of view with motorized pan (25Â°) tilt (15Â°), custom tuned speaker with rare-earth magnet suspended speaker enclosure echo cancellation voice activity detection, 3x built-in beamforming mic ' s with optional expansion mic support, wall or table mountable with optional tv mount support, wireless remote control smart phone remote control app - support 4K UHD (3840x2160)/ FHD 1080P video call (1920x1080)/ HD 720P (1280x720) @ 30FPS MJPEG video encoding, Logitech optics lens - glass element super-wide angle lens - with Rightlight technology - USB, mac compatible
LOGI MEETUP MOUNT 939-001656	R 3,905	Logitech 939-001656 VC MeetUp XL TV Mount
LOGI RALLY MIC POD Mount 952-000002	R 2,552	Logitech VC Rally Mic POD Table mount, 25 - 65 mm grommet hole diameter, 20-50 mm Table thickness, 952-000002
LOGI SWYTCH 952-000010	R 22,057	Logitech swytch - Laptop Link for Video conferencing in meeting rooms
LOGI VC 960-000867	R 5,813	Logitech VC Conference Camera BCC950 Full HD 1080p, Carl Zeiss optics 90 degree field of view with autofocus, Integrated full duplex speakerphone, 78 deg field of view, 180 deg remote controlled video pan tilt and zoom
LOGI VC 960-001034	R 9,185	Logitech 960-001034 VC conference camera connect, AIO Video collaboration, USB and bluetoot speakerphone, HDMI connector, Full HD 1080p, Video calling
LOGI VC CABLE 15M 939-001490	R 5,360	Logitech 939-001490 VC group extension cable 15m mini-din
LOGI VC GROUP CABLE 939-00148	R 3,851	Logitech 939-001487 VC Group extension cable 10m Mini-DIN, Velcro cable management straps
LOGI VC GROUP EXPANSION MIC 989-00017	R 15,526	Logitech VC expansion Microphone for use with Logitech group, Expand conversation area, Mono wideband noise canceling Microphone, Microphone mute button, Two expansion microphones, LED indicators
LOGI VC MEETUP EXPANSION MIC	R 4,330	Logitech VC expansion microphones for use with MeetUp, Microphone mute button, 6 m cable length
LOGI VC RALLY BAR 960-001313	R 93,245	Logitech Rally Bar - All-in-One Video Bar for midsize Rooms, 1080p Display Resolution, 2 displays supported, Motorized pan, Motorized Tilt, 5x optical Zoom, 2x 70 mm 8W Speakers drivers, 4.5 M pickup range microphones, 2x HDMI out, 1x HDMI in, 3x Type-A USB, 1x Type-C USB, 10/100/1g Ethernet Network, 802.11a/b/g/n/ac WiFi, External Mic Input, Remote control
LOGI VC RALLY BAR MINI 960-0013	R 75,052	Logitech - RALLY BAR MINI - ALL-IN-ONE VIDEO BAR FOR SMALL ROOMS - GRAPHITE
LOGI VC RALLY MIC POD 939-001647	R 7,343	Logitech VC Rally Mic Pod Hub for the Logitech Rally Ultra-HD ConferenceCam
LOGI VC RALLY MIC POD 989-0004	R 8,689	Logitech 989-000430 VC Rally Mic POD Graphite, Modular microphones with rightsound for Rally / Rally Bar / Rally Bar mini, 4.5 m pickup range, AI Filter noise suppression
LOGI VC RALLY MIC POD mount 952-000020	R 2,262	Logitech 952-000020 VC Rally Mic POD Table / ceiling Mount
LOGI VC RALLY MT KIT 939-001644	R 6,196	Logitech 939-001644 VC Rally mounting kit, For Logitech Rally or Logitech Rally Plus
LOGI VC RALLY PLUS 960-001242	R 61,660	Logitech VC Rally Plus system - HD ConferenceCam / 2x Speaker / 2x Mic POD / Table Hub / Display Hub, 2x power supplies, 960-001242
LOGI VC RALLY SPEAKER 960-001	R 6,335	Logitech Vc Rally Speaker
LOGI VC RALLY SYSTEM 960-001240	R 59,854	Logitech 960-001240 VC Rally system - HD conference CAM / 1x Speaker / 1x Mic POD / Table Hub / Display Hub / 2x power supplies / remote control
LOGI VC RB BRACKET 952-000044	R 2,755	Logitech 952-000044 Rally Bar Wall Mounting Bracket
M600-0012	R 20,886	Yealink MeetingEye 600 Room System including Remote control & VCH51 sharing & BYOD kit, 60fps Maximum

		Frame rate, Bi-camera combination of 20m Pixel Ultra wide angle Lens and 10x Zoom Lens, 133 degrees Field of View, Built-In 8 MEMS Microphone arrays, Built-In Speaker 10W Output, Yealink VCR11 Remote controller, VCH51 - Yealink sharing box, 1x 100 Mbps RJ45 Port (IEEE 802.3af / Full-Duplex), 1x USB 2.0 Type-A, 1x USB 2.0 Type-C (with DP Video Input), 1x HDMI Video Input
MB65-A001	R 56,125	Yealink MB65-A001 MeetingBoard 65" Anti-Glare 4K 3840x2160 All-in-One Collaboration Touch panel, D-led Touch Screen, 4K / 120 degree wide-view camera, Microsoft Teams Integrated, 6 Speaker Array, 16-mic beamforming Microphone Array, Enhanced AI noise cancellation, Acoustic echo cancellation
MB65C-A02	R 45,395	Yealink MeetingBoard 65C, 3840x2160 Resolution, 72% NTSC / 99% sRGB Colour Gamut, 1.07 Billion colours, 1200:1 contrast ratio, 350 nits Max brightness, 60Hz Refresh Rate, 178 degree viewing angle, Infrared Touch Technology, 20 points Touch, 36 ms Touch Latency, Four-level Stylus, Android 15.0 Operating System, Built-In 50 MP Max Resolution, Electronic Pan-Tilt PTZ Type, 3840x2160 Max Resolution, 60Hz Max Frame rate, X Full-Range Speakers, Built-In 8 MEMS Microphone Array, 8 m Full-Duplex pickup distance, 600 x 400 mm VESA, 1x HDMI Output, 1x HDMI Input, 1 x 3.5 mm line Input, 1 x 3.5 mm line Output, 3 x USB Type-A 2.0, 1x Gigabit adaptive Network Port, 1 x RJ45 VCH custom Interface, 1x Windows OPS slot
MB65C-EDLA	R 48,177	Yealink MeetingBoard 65C for Small and Medium Rooms - 65" , MB75C-EDLA, Manager Office - 75-inch All-in-One Collaboration Display, Google edla Certified, Google Play, Supports casting, Whiteboard, Usb-byod, Android 15.0 Operating System, 8GB Memory, 64 GB Flash, 3840x2160 Resolution, 60Hz Refresh Rate, Infrared Touch Technology, 20 points Touch, Four-level Stylus, Built-In 50 MP Max Resolution camera, Electronic Pan-Tilt PTZ Type, 2x Full-Range Speakers, Built-In 8 MEMS Microphone Array, 8 m Full-Duplex pickup distance
MB65PRO-A02	R 66,243	Yealink MeetingBoard65 Pro includes 1x 65 inch All-in-One Collaboration Display, Power Adapter, excluding Wall Mount, Infrared Touch Technology, 20 points Touch points, Built-In Triple 50MP camera, Electronic Pan-Tilt PTZ Type, 3840x2160 Max Resolution, Built-In 16 MEMS Microphone Array, 12 meters Full-Duplex pickup distance, Wi-Fi 6, Bluetooth 5.1, Android 13.0 Operating System, 3840x2160 Resolution Display, Anti-Glare panel, 3840x2160 Resolution, 72% NTSC / 99% sRGB Colour Gamut, 1200:1 contrast ratio, 400 nits brightness, 60Hz Refresh Rate, 178 degree viewing angle, Motion Sensor system wake-up
MB75C-EDLA	R 52,899	Yealink MeetingBoard 75C for Small and Medium Rooms - 75" , MB75C-EDLA, Manager Office - 75-inch All-in-One Collaboration Display, Google edla Certified, Google Play, Supports casting, Whiteboard, Usb-byod, Android 15.0 Operating System, 8GB Memory, 64 GB Flash, 3840x2160 Resolution, 60Hz Refresh Rate, Infrared Touch Technology, 20 points Touch, Four-level Stylus, Built-In 50 MP Max Resolution camera, Electronic Pan-Tilt PTZ Type, 2 x Full-Range Speakers, Built-In 8 MEMS Microphone Array, 8 m Full-Duplex pickup distance
MB75PRO-A02	R 85,815	Yealink MeetingBoard75 Pro includes 1x 75 inch All-in-One Collaboration Display, Power Adapter, excluding Wall Mount, Infrared Touch Technology, 20 points Touch points, Built-In Triple 50MP camera, Electronic Pan-Tilt PTZ Type, 3840x2160 Max Resolution, Built-In 16 MEMS Microphone Array, 12 meters Full-Duplex pickup distance, Wi-Fi 6, Bluetooth 5.1, Android 13.0 Operating System, 3840x2160 Resolution Display, Anti-Glare panel, 3840x2160 Resolution, 72% NTSC / 99% sRGB Colour Gamut, 1200:1 contrast ratio, 400 nits brightness, 60Hz Refresh Rate, 178 degree viewing angle, Motion Sensor system wake-up
MB86PRO-A02	R 105,387	Yealink MeetingBoard86 Pro includes 1x 86 inch All-in-One Collaboration Display, Power Adapter, excluding Wall Mount, Infrared Touch Technology, 20 points Touch points, Built-In Triple 50MP camera, Electronic Pan-Tilt PTZ Type, 3840x2160 Max Resolution, Built-In 16 MEMS Microphone Array, 12 meters Full-Duplex pickup distance, Wi-Fi 6, Bluetooth 5.1, Android 13.0 Operating System, 3840x2160 Resolution Display, Anti-Glare panel, 3840x2160 Resolution, 72% NTSC / 99% sRGB Colour Gamut, 1200:1 contrast ratio, 400 nits brightness, 60Hz Refresh Rate, 178 degree viewing angle, Motion Sensor system wake-up
MCORE4	R 31,209	Yealink MCore4 Mini-PC with Intel Ultra 5 125H Processor, 16GB DDR5 Memory, 256GB SSD storage, Windows 11 IoT Enterprise x64 Operating System, 1x HDMI out 2.1 Port, 2x HDMI out 2.0 Port, 1x HDMI-in Port, 4x USB 3.0 Type-A Port, 1x MTouch Port (RJ-45), 1x LAN Port for AV Network, 1x Gigabit Ethernet Port, 1x Power Supply Port, 1x 3.5mm Headphone Port, WiFi, Bluetooth
MCOREKIT-C4-MS	R 36,883	Yealink MCore base kit including Mini-PC / MTouch Plus, MCore Pro Mini-PC, Intel Core 11th i5 Processor, 8GB RAM, 128GB Solid State Drive, 3x HDMI out, Built-In EDID, MTouch E2 panel, 8-inch IPS screen, 10-point capacitive Touch Screen, 3.5mm Headset jack, Human Motion Sensor, Built-In Wi-Fi AP

MCOREKIT-C4U-MS	R 40,004	Yealink MCore4 base kit including Mini-PC and MTouch E2, Microsoft Teams, MCore4 Mini-PC with Intel Ultra 5 125H Processor, 16GB DDR5 Memory, 256GB SSD storage, Windows 11 IoT Enterprise x64 Operating System, 1x HDMI out 2.1 Port, 2x HDMI out 2.0 Port, 1x HDMI-in Port, 4x USB 3.0 Type-A Port, 1x MTouch Port (RJ-45), 1x LAN Port for AV Network, 1x Gigabit Ethernet Port, 1x Power Supply Port, 1x 3.5mm Headphone Port, WiFi, Bluetooth, MTouch E2 8-inch IPS 1280x800 Display, Support 10-point Multi-Touch, 3.5mm Headset jack, Human Motion Sensor, HDMI/USB-C Video Input
MCOREKIT-C5-MS	R 42,274	Yealink MCore base kit including Mini-PC / MTouch Plus / RoomSensor, MCore Pro Mini-PC, Intel Core 11th i5 Processor, 8GB RAM, 128GB Solid State Drive, 3x HDMI out, Built-In EDID, MTouch E2 panel, 8-inch IPS screen, 10-point capacitive Touch Screen, 3.5mm Headset jack, Human Motion Sensor, Built-In Wi-Fi AP, Yealink RoomSensor, Passive Infrared (PIR) detection Technology, Bluetooth
MCOREKIT-C5U-MS	R 45,395	Yealink MCore4 base kit including Mini-PC & MTouch Plus & RoomSensor, Microsoft Teams, MCore4 Mini-PC with Intel Ultra 5 125H Processor, 16GB DDR5 Memory, 256GB SSD storage, Windows 11 IoT Enterprise x64 Operating System, 1x HDMI out 2.1 Port, 2x HDMI out 2.0 Port, 1x HDMI-in Port, 4x USB 3.0 Type-A Port, 1x MTouch Port (RJ-45), 1x LAN Port for AV Network, 1x Gigabit Ethernet Port, 1x Power Supply Port, 1x 3.5mm Headphone Port, WiFi, Bluetooth, MTouch Plus with 11.6-inch 1920x1080 narrow Bezel IPS Display, Support HDMI/USB-C Video Input, 120 degrees RoomSensor
MVC S40-C5U-000	R 53,906	Yealink MVC S40 Native Microsoft Teams Rooms system for small-to-medium Rooms, SmartVision40, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor)
MVC S50-C5U-000	R 79,441	Yealink MVC S50 Native Microsoft Teams Rooms system for Medium-To-Large Rooms, A50, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor)
MVC S60-C5-000	R 87,385	Yealink MVC S60-C5-000 Teams Room System for Small to Medium Rooms, including S60 Intelligent All-in-One device / MCore Pro / MTouch Plus / RoomSensor
MVC S80-C5U-000	R 82,278	Yealink MVC S80 Native Microsoft Teams Rooms system for Large Rooms, SmartVision80, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor)
MVC S90-C5U-004	R 119,162	Yealink MVC S90 Native Microsoft Teams Rooms system for Boardrooms, 2x UVC86, McoreKit-C5U (Mcore4 mini-pc / Mtouch Plus and Roomsensor), AVHUB and MVC-BYOD-EXT, No audio devices
MVC S98-C5U-004	R 186,404	Yealink MVC S98 native Microsoft Teams Rooms system for Pro AV Rooms, 3x SmartVision80, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor), AVHub, RCH40 E2, MVC-BYOD-EXT, No Audio devices
MVC340-C4-000	R 26,104	Yealink MVC340 Video Conferencing solution for small boardroom - includes UVC34 All-in-One bar / MCore Mini-PC / MTouch E2 panel, MCore Pro GEN-3 Mini-PC, MTouch E2 GEN-3 Touch panel, UVC34 All-in-One Video Bar
MVC400-C4-000	R 20,160	Yealink MVC400 Video Conferencing solution for small and medium sized boardrooms - includes UVC40 All-in-One bar / MCore Mini-PC / MTouch E2 panel
MVC860-C3-000	R 40,134	Yealink MVC860 - Full Video Conferencing solution for Medium to Large Rooms (Base kit), including UVC86 4K Intelligent Cam / VCR20 Remote / Power Adapter / Wall Mount bracket & cables / MCore Pro kit (MCore Pro Mini-PC & MTouch II) / no audio device
MVC940-C5-008	R 24,111	Yealink MVC940-C5-008 arge boardroom / training room Video Conferencing MCU - including 2x UVC84 PTZ camera / MCore Mini-PC / AVHub / 2x WPP30 Wireless presentation Pod / RoomSensor / MTouch Plus panel
NEATBAR-BYOD	R 13,237	Neat BYOD Bar - All-in-One Video device for Zoom / BYOD Ideal for Small to Medium Rooms up to 10 people within 5m, Features a 12MP camera 120 degrees FOV, 8x Digital Zoom, Auto-Framing, 5 mics, Opposing drivers, Mounting Hardware included, NEATBAR-BYOD
NEATFRAME-SE	R 11,342	Neat NEATFRAME-SE Frame Personal Video Meeting device designed for MS Teams and Zoom, 15.6" 1080x1920 60Hz capacitive Multi-Touch LED screen, 450 nits screen, 1080 x 1920, 60Hz, 9:16 Aspect Ratio, Anti-Glare and anti-fingerprint coating, Ambient Light Sensor, Depth Sensor, Tripod Mount, 50MP Capture Resolution, Hardware accelerated Video encode and decode, Two-Way loudspeaker system with minimal distortion, 1 Tracking Mic, 3 beamforming microphones angled in an end-fire Array
NX96(B)	R 32,429	3CX NX96 PBX Appliance rackmount - up to 64 simultaneous calls & 250 extensions, Debian Linux Operating System, 8GB RAM, 1TB SSD storage, 2 Gigabit Ethernet, 1U Rack Mount casing
ROOMCAST E2	R 7,951	Yealink ROOMCAST E2 Wireless Presentation system, 4k/60fps HDMI out, 4K/30fps decoder, Gigabit Ethernet,

		Wi-Fi 6, Bluetooth, Ultrasonic communication, 1x HDMI out, 1x Gigabit Ethernet Port (PoE supported), 3x USB Type-A, Four sources simultaneous on screen, allows multiple participants to share their screens simultaneously using - Yealink Pod / Miracast / AirPlay / YeaCast
ROOMPANEL	R 8,655	Yealink RoomPanel - Universal Version, Android 9 Operating System, 8" 1280x800 LCD panel, 1000:1 contrast ratio, 10 points capacitive Multi-Touch, Proximity Sensor, Ambient Light Sensor, 1x Fast Ethernet Port, Wi-Fi, Bluetooth 5.0, RFID/NFC, 1x USB-C Port, 2 x Array microphones, 2x1 Watt Speakers, Intelligent room scheduling solution
ROOMPANEL E2	R 11,089	Yealink ROOMPANEL E2 (Universal Version), Purpose-Built Meeting room scheduling panel, Android 13 Operating System, 8" 1280x800 LCD panel, 1000:1 contrast, Multi points capacitive, Proximity Sensor, Ambient Light Sensor, 1 x Fast Ethernet Port (10/100 Mbps), Wi-Fi, Bluetooth, RFID/NFC, 1 x USB-C Port, 2 x Array microphones, 2x Speakers, Power over Ethernet Power Supply, Surface Mount for 2-Gang US electrical box
SMARTVISION 60	R 23,029	Yealink SMARTVISION 60 Intelligent 360 degrees All-in-One Video Conferencing camera for small-to-medium Microsoft Teams Rooms, 10K Panoramic camera, 6 x MEMS Microphone Array, Phonetic transcription, Automatic translation, Participant identification, 5W Speaker
UVC84-BYOD-H00	R 18,544	Yealink UVC84 BYOD system for Medium boardrooms including CP965, Yealink UVC84 USB Ultra HD 4K boardroom camera, UVC 1.0 Protocol, 4K maximum Resolution, 30fps Maximum fps, 36x HD Zoom, 12x Optical Plus, 3x Digital, Auto focus, 1x USB 2.0 Type-B, 1x Yealink Microphone Port (RJ45), 1x Line-Out Port, CP965 with 5 ' ' 720x1280 capacitive Touch Screen, Full-Duplex Speakerphone, 1x RJ45 10/100 Mbit Ethernet Port, Built-In Bluetooth 4.2, Built-In Wi-Fi, 10-way conferencing
UVC85-BYOD-200	R 16,499	Yealink BYOD Room System for Medium Rooms - UVC85 / VCR20 Remote / CP50 Speakerphone, UVC85 8 MP camera with 12 x Optical Zoom, Auto framing, CP50 8-mic Array, 6 m range, 4 W Speaker, Full-Duplex, AI noise cancellation, Remote (VCR20)
V02	R 148	Yealink RoomCast Wireless Presentation system, 4K / 60fps decoder, Gigabit Ethernet, Wi-Fi, Bluetooth, Ultrasonic communication, 1x HDMI out, 1x Gigabit Ethernet Port (PoE supported), 2x USB Type-A, Four sources simultaneous on screen
WC-L950	R 5,452	Logitech 960-000867 BCC950 conference cam with built-in stero speakerphone mic wireless remote control camera stand with extended pole, 180-degree pan tile zoom, speaker phone stand with multimedia control buttons, with 3.5mm headphone out jack - support Skype 5.8 1080P HD video call H.264 video streaming, Carl Zeiss optics - glass element ultra-wide angle lens - HD Pro: 1080P full HD @ 30FPS, with fluid crystal technology, auto focus, auto face-tracking - USB
WC-LAGE10	R 3,664	Logitech 989-001487 Group Extended cable - 10m (Order on request)
WC-LAGE15	R 4,992	Logitech 989-001490 Group Extended cable - 15m
WC-LAGM	R 4,989	Logitech 989-000171 Group expansion Microphone - two expansion mics with mute button indicator light, 100hz-11Khz, -28db, (requires logitech group video conference system)
WC-LARMK	R 5,710	Logitech 939-001644 Rally Mounting Kit - invertable camera bracket, 2x low-profile speaker brackets, 2x ventilated brackets for display hub table hub, 2x cable retention brackets - (requires logitech Rally / Rally Plus video conference system) (Order on request)
WC-LARMP	R 7,464	Logitech 989-000430 Rally Mic Pod - with RightSound technology, 4x omnidirectional microphones with 8x acoustic beams, AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector), upto 7 units via daisychain, mute button indicator light, 3m cable; 90hz-16Khz, - 27db - (requires logitech Rally / Rally Plus video conference system) (Order on request)
WC-LARMPH	R 6,839	Logitech 939-001647 Rally Mic Pod Hub - 3x connections for aditional hubs or mic pods - (requires logitech Rally / Rally Plus video conference system) (Order on request)
WC-LG	R 13,044	Logitech 960-001057 Group video conferencing system (camera speakerphone hub) - for group of 14 people, LCD display for Caller ID and other info, tripod mountable, 360-degree full-duplex speakerphone, support optional expansion microphone (989-000171), dockable w/less remote control, bluetooth NFC wireless, 260Â° pan 130Â° tilt 10xzoom, 90-degree field of view - support 1080P HD video call @ 30FPS H.264 video streaming with SVC, Carl Zeiss optics with auto focus - glass element ultra-wide angle lens - with echo and noise-cancelling technology, 5x camera presets - USB, mac compatible

WC-LMU	R 12,261	Logitech 960-001102 MeetUp conference cam with 4K UHD sensor, super wide 120Â° field of view with motorized pan (25Â°) tilt (15Â°), custom tuned speaker with rare-earth magnet suspended speaker enclosure echo cancellation voice activity detection, 3x built-in beamforming mic ' s with optional expansion mic support, wall or table mountable with optional tv mount support, wireless remote control smart phone remote control app - support 4K UHD (3840x2160)/ FHD 1080P video call (1920x1080)/ HD 720P (1280x720) @ 30FPS MJPEG video encoding, Logitech optics lens - glass element super-wide angle lens - with Rightlight technology - usb, mac compatible
WC-LMUM	R 4,238	Logitech 989-000405 MeetUp expansion Microphone - with mute/hold button indicator light, 6m cable; 100hz-11Khz, -28db - (requires MeetUp conference cam)
WC-LPTZP2	R 10,411	Logitech 910-001186 PTZ Pro 2 with wireless remote control, 90-degree field of view with 260Â° pan 130Â° tilt 10x lossless HD zoom - support 1080P HD video call @ 30FPS H.264 video streaming with SVC, Carl Zeiss optics with auto focus, 3x camera presets, tripod mountable - USB, mac compatible
WC-LR	R 23,302	Logitech Rally delivers studio-quality video, unmatched vocal clarity, and RightSense automation for better, more natural meetings with most any software-based video conferencing service. Beautifully finished in matte black with slate gray metal accents.
YC-A40 010 TEAMS	R 27,939	Yealink A40 All-in-One Collaboration bar for Small to Medium sized Rooms including VCR11 Remote, Android 13 Operating System, 2 cameras, 2x 48MP pixels Maximum pixels, 3840x2160 maximum Resolution, Built-In 2 x 10W Speakers, 10W 10W rated Power Supply unit, Built-In 8 MEMS Microphone Array, 6-meter pickup distance, 4-meter High-Quality pickup distance, Wi-Fi 6, Bluetooth 5.0
YC-A40 031 TEAMS	R 38,449	Yealink A40 All-in-One Collaboration bar for Small to Medium sized Rooms including CTP25 touch console - Teams, Android 13 Operating System, 2 cameras, 2x 48MP pixels Maximum pixels, 3840x2160 maximum Resolution, Built-In 2 x 10W Speakers, 10W 10W rated Power Supply unit, Built-In 8 MEMS Microphone Array, 6-meter pickup distance, 4-meter High-Quality pickup distance, Wi-Fi 6, Bluetooth 5.0, CTP25 unit Android 13.0 OS, 10.1 inch IPS 1280x800 screen, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, Motion Sensor
YC-A50 010 TEAMS	R 44,109	Yealink A50 All-in-One Collaboration bar for Medium to Large sized Rooms including VCR11 Remote, Android 13 Operating System, 3x 50MP pixels cameras, Electronic Gimbal, 4K maximum Resolution, Built-In 4x 5W Speakers, Built-In 16 MEMS Microphone Array, 10-meter pickup distance
YC-A50 031 TEAMS	R 51,200	Yealink A50 All-in-One Collaboration bar for Medium to Large sized Rooms including CTP25 - Teams, Android 13 Operating System, 3x 50MP pixels cameras, Electronic Gimbal, 4K maximum Resolution, Built-In 4x 5W Speakers, Built-In 16 MEMS Microphone Array, 10-meter pickup distance, CTP25 unit Android 13.0 OS, 10.1 inch IPS 1280x800 screen, Built-In ultrasound unit, Wi-Fi 6, Bluetooth 5.0, Motion Sensor
YC-MB65PRO A02	R 66,386	Yealink MeetingBoard65 Pro includes 1x 65 inch All-in-One Collaboration Display, Power Adapter, excluding Wall Mount, Infrared Touch Technology, 20 points Touch points, Built-In Triple 50MP camera, Electronic Pan-Tilt PTZ Type, 3840x2160 Max Resolution, Built-In 16 MEMS Microphone Array, 12 meters Full-Duplex pickup distance, Wi-Fi 6, Bluetooth 5.1, Android 13.0 Operating System, 3840x2160 Resolution Display, Anti-Glare panel, 3840x2160 Resolution, 72% NTSC / 99% sRGB Colour Gamut, 1200:1 contrast ratio, 400 nits brightness, 60Hz Refresh Rate, 178 degree viewing angle, Motion Sensor system wake-up
YC-MD75	R 26,915	Yealink MeetingDisplay 75 inch, IPS Display Type, 60Hz Refresh Rate, 8ms Grayscale response time, 72% NTSC Colour Gamut, 1.07g Colour depth, 178 degree viewing angle, 1200:1 contrast ratio, 3840x2160 Resolution, 500 nits brightness, 7x 18h Operation time, 12W x 2 Speaker, 3x HDMI in 2.0, 3.5mm Stereo Mini jack (Output), 2x USB Type-A 2.0, 1x USB-B 2.0, 2x RJ45 Gigabit Network Ports, 1x RS232 control, Wi-Fi 6, 2.4G & 5G Dual-Band, Bluetooth 5.1
YC-MD86	R 37,560	Yealink MeetingDisplay 86 inch, IPS Display Type, 60Hz Refresh Rate, 8ms Grayscale response time, 72% NTSC Colour Gamut, 1.07g Colour depth, 178 degree viewing angle, 1200:1 contrast ratio, 3840x2160 Resolution, 500 nits brightness, 7x 18h Operation time, 12W x 2 Speaker, 3x HDMI in 2.0, 3.5mm Stereo Mini jack (Output), 2x USB Type-A 2.0, 1x USB-B 2.0, 2x RJ45 Gigabit Network Ports, 1x RS232 control, Wi-Fi 6, 2.4G & 5G Dual-Band, Bluetooth 5.1
YC-MVC S40 C5U 000	R 54,041	Yealink MVC S40 Native Microsoft Teams Rooms system for small-to-medium Rooms, SmartVision40, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor)

YC-MVC S50 C5U 000	R 79,581	Yealink MVC S50 Native Microsoft Teams Rooms system for Medium-To-Large Rooms, A50, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor)
YC-MVC S80 C5U 000	R 82,422	Yealink MVC S80 Native Microsoft Teams Rooms system for Large Rooms, SmartVision80, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor)
YC-MVC S90 C5U 004	R 119,303	Yealink MVC S90 Native Microsoft Teams Rooms system for Boardrooms, 2x UVC86, McoreKit-C5U (Mcore4 mini-pc / Mtouch Plus and Roomsensor), AVHUB and MVC-BYOD-EXT, No audio devices
YC-MVC S98 C5U 004	R 186,537	Yealink MVC S98 native Microsoft Teams Rooms system for Pro AV Rooms, 3x SmartVision80, McoreKit-C5U (MCore4 Mini-PC / MTouch Plus and RoomSensor), AVHub, RCH40 E2, MVC-BYOD-EXT, No Audio devices
YC-ROOMPANEL E2	R 11,227	Yealink ROOMPANEL E2 (Universal Version), Purpose-Built Meeting room scheduling panel, Android 13 Operating System, 8" 1280x800 LCD panel, 1000:1 contrast, Multi points capacitive, Proximity Sensor, Ambient Light Sensor, 1 x Fast Ethernet Port (10/100 Mbps), Wi-Fi, Bluetooth, RFID/NFC, 1 x USB-C Port, 2 x Array microphones, 2x Speakers, Power over Ethernet Power Supply, Surface Mount for 2-Gang US electrical box
YC-SMARTVISION 40	R 16,367	Yealink SmartVision 40 All-in-One AI USB Video Bar for Small to Medium Rooms, 2x 48MP camera 4K 60fps, Built-In 8 MEMS Microphone Array, 6-meter voice pickup range, 2x 10W Stereo Speakers, Full-Duplex Technology, 1x USB 3.0 Type-B Port, 1x USB 2.0 Type-A Port, 1x USB-C Port, 1x Yealink VCH Port (RJ-45), 1x 3.5mm Line-In & Line-Out Port, 1x Power Port, 1x Security lock slot, 1x Reset slot, 1x HDMI out, Built-In Wi-Fi
YL-CP935W	R 9,017	Yealink CP935W DECT cordless Conference Phone, Full-Duplex speakerphone with AEC, 4" capacitive Touch Screen, Up to 20 hours talk time, Built-In 6-microphone Array for 360-degree voice pickup, 5-way conference call, Built-In Bluetooth / Wi-Fi, 1x USB 2.0 Type-C Port
YL-CP935W	R 10,574	Yealink CP935W DECT cordless Conference Phone, Full-Duplex speakerphone with AEC, 4" capacitive Touch Screen, Up to 20 hours talk time, Built-In 6-microphone Array for 360-degree voice pickup, 5-way conference call, Built-In Bluetooth / Wi-Fi, 1x USB 2.0 Type-C Port

< Return to the menu

Network : Other network devices

Product code	Price	Description
80182	R 39	uGreen Dual Wall Socket internet LAN and Telephone, Retail Box, No Warranty
AC-SICDSX02D00	R 3,150	Sunix CDSX02D00 Serial Device Server Dual High-speed RS232 Port Serial to Ethernet
AC-SiDP200D00	R 2,229	Sunix iDP200D00 DevicePort ethernet enabled - 2x serial/RS-232 over ethernet (1xRJ45), for iOS & Android, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, ESD protection, powered by USB (Order on request)
AC-SiDP220D00	R 3,459	Sunix iDP200D00 DevicePort ethernet enabled - 2x serial/RS-232 over ethernet (1xRJ45) 2x USB2.0 (with WiFi support), for iOS & Android, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 190x120x27mm, ESD protection, powered by USB (Order on request)
B093-004-2E4U	R 13,145	Eaton Tripp Lite series 4-Port Console Server with Dual GB NIC, 4Gb Flash and 4 USB Ports, Order on Request
B093-008-2E4U-M	R 21,695	Eaton Tripp Lite series 8-Port Console Server with Built-In Modem, Dual GbE NIC, 4Gb Flash and Dual SFP, Order on Request
BDCOM-GP3600-08	R 30,116	BDCOM GPON 08 Port L3 Headend (OLT) for FTTx, 4x Gigabit Optical and 4x Gigabit Combo Ports, 4x SFP Ports
BDCOM-GP3600-16	R 53,523	BDCOM GPON 16 Port L3 Headend (OLT) for FTTx, 4x Gigabit Optical and 4x Gigabit Combo Ports, 4x SFP Ports
BDCOM-GP6606-10	R 34,065	BDCOM GP6606 GPON OLT Chassis - Empty, 10x Expansion Slots
BDCOM-LP66-12TE-SFP+	R 32,062	BDCOM LP66-12TE-SFP 12-port 10GE uplink board - SFP port, To be used with BDCOM-GP6606-10
BDCOM-LP66-16GPON-4TE	R 56,107	BDCOM LP66-16GPON-4TE OLT GPON interface board with 16 ports, 16x GPON SFP ports and 4x 10GE SFP ports, To be used with BDCOM-GP6606-10
BDCOM-LP66-MSU	R 48,092	BDCOM LP66-MSU Management Card for BDCOM-GP6606-10
BDCOM-P1704-4F-E	R 711	BDCOM P1704-4F Subscriber (ONU) with 1x EPON port (SC/UPC) & 1x Gigabit Lan and 2x 100Mbps LAN ports, 802.11b/g/n 300Mbps wireless
BDCOM-PWR-1200-AC	R 10,020	BDCOM OLT AC power supply for the GP6606 Chassis, 100-240V AC, 1200W Max power consumption

BDCOM-PWR-1200-DC	R 10,020	BDCOM OLT DC power supply for the GP6606 Chassis, 100-240V AC, 1200W Max power consumption
CAT6WALL-DB	R 49	LinkQnet RJ45 CAT 6 Double Wall Mount Surface Box - RJ45, CAT 6, 250MHz Bandwidth
CL-ANLG-SLP	R 1,030	Clearline 10 Way analogue signal line protector
DELOCK-62620	R 748	Delock Surge Protector 6kv RJ45 with PoE, 62620. Delock 62620; RJ45 Surge Protector; Supports Gigabit Ethernet PoE; 6 kV isolation; 1000 A arrest capacity; 68 V ignition voltage; 70 x 25 x 25 mm plastic housing
GS-UCM6304A	R 8,296	Grandstream GS-UCM6304A VoIP PBX - No Video Support - 4x FXS and 4x FXO
GS-UCM6308A	R 12,058	Grandstream GS-UCM6308A VoIP PBX - No Video Support - 8x FXS and 8x FXO
IPJ-A6001-000	R 6,387	Impinj IPJ-A6001-000 antenna Hub, SMA Female RF Input, SMA Female 8 RF Outputs. High-performance RFID solution.
LSPM1FANSB	R 1,708	H3C Switch accessory - fan module, 20000 rpm fan speed, 20 CFM Max Airflow, 12 V Input Voltage, LSPM1FANSB
MI-ETH-AC-E	R 1,954	Micro Instruments 2 Port Ethernet AC relay Email support - 12V, Inform users about the status of 2 x 220 VAC inputs and 1 x Relay
MI-ETH-RELAY	R 1,916	Miro Micro Instruments 2 Port Ethernet Relay 12V
MI-GSM-RELAY	R 1,674	Miro Micro Instruments GSM Relay, 2 Inputs, 1 Relay, 28V DC input, SMA Female Connector
MI-NPMR9-RELAY	R 171	Miro Micro Instruments 5 Port Relay board for NPM R10 relay board
MI-NPMX-5R-EXP	R 590	Micro Instruments 5 Port Relay Module for NPMX Compact, For MI-NPMX-CMPT
MI-NPMX-CMPT	R 3,610	Micro Instruments compact SNMP 8-60 V network-based power monitor, NPM-X-Compact
MI-NPMX-GSM	R 1,971	Micro Instruments GSM Module Antenna for NPM X / X Compact, NPM-X-GSM, For MI-NPMX-RM / MI-NPMX-CMPT
MI-NPMX-RM	R 3,713	Micro Instruments 19" rackmount SNMP 8-60 V network-based power Monitor, NPM-X-RM
MI-TCPIP-VA-EN	R 1,971	Miro Micro Instruments Enclosed TCP IP V/A meter (SNMP) 30 Amp
MT-CWDM-MUX8A	R 5,019	MikroTik CWDM MUX / DEMUX 8-port module
MT-RB922-5HPACD	R 1,642	RouterBOARD 5HPACD, 720MHz, 128MB, 1xGb, 1xSFP, 1xUSB, 1xminiPCI-e, 802.11ac 2x2 MIMO, RPsma, L4, POE
N254-048-SH-6A	R 9,016	Eaton N254-048-SH-6A 48-Port 1U Rack-Mount STP Shielded Cat6a Feedthrough Patch Panel, RJ45 Ethernet, TAA
NA-DSPW215	R 762	D-link DSP-W215 Wireless N Smart Plug, Control electrical device wirelessly via smartphone or tablet, turn devices on/off remotely with mobile app, create on/off schedule, monitor energy usage and prevent devices from overheating, 802,1n/g/b 2,4Ghz, input: 100-240V
NET-6119214	R 146	Obo Twin Shutter Housing RJ11/RJ45
NET-TL-FC111PB-20	R 418	TP-Link TL-FC111PB-20 10/100Mbps WDM Media Converter with 1-Port PoE
NET-TL-FC311A-2	R 298	TP-Link TL-FC311A-2 Gigabit WDM Media Converter
NET-TL-FC311A-20	R 373	TP-Link TL-FC311A-20 Gigabit WDM Media Converter
NET-TL-FC311B-20	R 373	TP-Link TL-FC311B-20 Gigabit WDM Media Converter
NET-TL-MC111CS	R 261	TP-Link MC111CS Ethernet RJ45 to Ethernet Single-mode SC Fiber Converter, Full-duplex, Tx:1550nm, Rx:1310nm, Up to 20Km, Switching Power Adapter, Chassis Mountable
NET-TL-OC300	R 4,861	TP-Link OC300 Omada Hardware controller, 2x 10/100/1000 Mbps Ethernet Ports, 1x USB 3.0 Port, Centralized management for Access points / switches / gateways
NET-TL-OC400	R 11,219	TP-Link OC400 Omada Hardware controller, Centralized Cloud Management, 2x 10GE SFP slots, 4x Gigabit RJ45 Ports, 2x USB 3.0 Ports for Backup, Dual-Fixed Redundant Power supplies, 1 fan, Omada App
NW261-15117	R 52	UGreen NW261 RJ45 10Gbps Ethernet Extender Coupler; RJ45 inline network adapter; 10Gbps support; Cat5e Cat6 Cat7 Cat8 compatibility; gold plated copper contacts; aluminum alloy shell
OC300	R 5,004	TP-Link OC300 Omada Hardware controller, 2x 10/100/1000 Mbps Ethernet Ports, 1x USB 3.0 Port, Centralized management for Access points / switches / gateways
OC300	R 4,919	TP-Link OC300 Omada Hardware controller, 2x 10/100/1000 Mbps Ethernet Ports, 1x USB 3.0 Port, Centralized management for Access points / switches / gateways
PSR720-56A-GL	R 4,479	H3C Switch accessory - 720W PoE AC Power Supply module, PSR720-56A
RG-MF6000M-16FS8GT2XS	R 7,129	Reyee e-Lighten line card - compatible with RG-NBF6002M, RG-MF6000M-16FS8GT2XS, 16x e-Lighten SFP

		Ports (PON/Ethernet) - 8 Gigabit RJ45 Ports 2 SFP 10 Gbps Ports - 1 slot size
SG-SBCT-ENT-025	R 29,247	Sangoma - SBC Enterprise 25 calls - border control Gateway, Up to 250 calls, Threat prevention, Transcoding, SBCT-ENT-025
SG-VEGA-60G-0400	R 5,244	Sangoma - Vega 60 4 FXS Analog Gateway, Connecting VoIP and PSTN, Connects directly to PSTN
SG-VEGA-60G-0404	R 9,438	Sangoma - Vega 60 4 Port FXS telephone port and 4 Port FXO trunk ports, VoIP Gateway
SG-VEGA-60G-0800	R 9,019	Sangoma - Vega 60 8 FXS Analog Gateway, Connecting VoIP and PSTN, Connects directly to PSTN
TL-FC311A-20	R 514	TP-Link TL-FC311A-20 Gigabit WDM Media converter, 1x Gigabit SC Fiber Port, 1x Gigabit RJ45 Port (Auto MDI/MDIX), Single-mode Fiber, 1550 nm TX & 1310 nm RX Wave length
TL-R480T+	R 808	TP-Link TL-R480T load balance Broadband Router, 1x fixed Ethernet WAN Port, 1x fixed Ethernet LAN Port, 3x changeable Ethernet WAN/LAN Ports
TP-OC200	R 1,794	TP-Link OC200 Omada Cloud Controller
TP-OC220	R 2,019	TP-Link OC220 Omada Hardware controller 2x Gigabit Ports, 2x Gigabit Ethernet Ports, 1x USB 2.0 Port, 1x Micro USB Port, 802.3af PoE Power Supply
TP-OC300	R 4,861	TP-Link OC300 Omada Hardware controller, 2x 10/100/1000 Mbps Ethernet Ports, 1x USB 3.0 Port, Centralized management for Access points / switches / gateways
TP-OC400	R 11,219	TP-Link OC400 Omada Hardware controller, Centralized Cloud Management, 2x 10GE SFP slots, 4x Gigabit RJ45 Ports, 2x USB 3.0 Ports for Backup, Dual-Fixed Redundant Power supplies, 1 fan, Omada App
TTK-TRB140	R 2,471	Teltonika Industrial Ethernet to 4G LTE IoT Gateway
UA-RESCUE	R 1,029	Ubiquiti UniFi Access rescue manual key Switch, UA-RESCUE
UB-EP-54V-150W	R 2,586	Ubiquiti EdgePower, 54V, 150W DC Power Supply for Powering EdgePoint Units, Supports AC/DC and DC/DC, The rack-mountable EdgePower features two PSU bays, One 54V 150W AC-DC module is included
UB-EP-54V-150W-DC	R 1,264	Ubiquiti additional 54V 150W DC to DC PSU Module for UB-EP-54V-150W EdgePower
UB-UP-SENSE	R 1,205	Ubiquiti UniFi UP-SENSE Smart sensor, Motion sensor, Magnetic entry sensor for door or Window open/close, Accelerometer for garage door open/close, Temperature sensor, Humidity sensor, Ambient light sensor, Alarm sound sensor, Bluetooth 5.0, 2.4GHz antenna
UPAPAP4421A	R 22,479	APC Netshelter Rack Automatic Transfer Switch, 1U, 10A, 230V, C14 IN, 12 C13 OUT, 50/60Hz
UPAPAP4423A	R 24,006	APC NetShelter Rack Automatic Transfer Switch, 1U, 16A, 230V, 2 C20 IN, 8 C13, 1 C19 OUT, 50/60Hz
UPAPAP4424A	R 29,595	APC Rack ATS, 230V, 32A, IEC 309 in, (16) C13 (2) C19 out
UPAPAR7201	R 2,872	APC NetShelter SX 600mm Wide x 1070mm Deep Standard Roof Black
UPL-PORT-B	R 4,019	Ubiquiti UniFi PoE Audio Port Audio streamer, UPL-PORT-B, Mono / Stereo Audio Sound Output, 2x RCA Analog inputs L/R, 1x HDMI eARC Input, 1x Optical in, 1x USB-C Versatile Port, 2x RCA Analog Outputs L/R, 1x Optical out, 1x USB-C Versatile Port, Streaming - AirPlay / spotify Connect, 1x 10/100 MbE RJ45 Port, WiFi 2.4GHz / 5GHz
VER-VHW-1U	R 864	Veracity Rackmount kit (8 units in 1U), VHW-1U, For installing up to 8 Highwire units
VER-VOR-ORL	R 2,403	Veracity Outreach lite - PoE in - Ethernet out extender, Vor-orl, Extends cable range, Independently auto-configuring Port, Restores Network connection every 100m, Full unrestricted Network Bandwidth, 10/100base-t speeds
VER-VOR-ORL-G	R 4,503	Veracity Outreach lite - PoE in - GbE Ethernet out extender, VOR-ORL-G, Extends cable range, Independently auto-configuring Port, Full unrestricted Network Bandwidth, 10/100/1000base-t speeds
VER-VOR-ORL-GXT	R 5,687	Veracity Outreach lite - PoE in - GbE Ethernet out external IP66, VOR-ORL-GXT, Extends cable range, Independently auto-configuring Port, Full unrestricted Network Bandwidth, 10/100base-t speeds
VER-VOR-ORM-G	R 4,866	Veracity Outreach Max PoE in - GbE PoE out extender, VOR-ORM-G, Extends Cable Range Beyond 100m, Independently Auto-Configuring Port, Extends PoE to Connected Device, Up to 70W PoE
VER-VOR-ORM-GXT	R 6,998	Veracity Outreach Max GXT - PoE in - GbE PoE out external IP66, VOR-ORM-GXT, Extends Cable Range Beyond 100m, Independently Auto-Configuring Port, Extends PoE to Connected Device, Up to 70W PoE Power
VER-VOR-ORM-XT	R 6,706	Veracity Outreach Max GXT - PoE in - GbE PoE out external IP66, VOR-ORM-XT, Extends Cable Range Beyond 100m, Independently Auto-Configuring Port, Extends PoE to Connected Device, Up to 70W PoE Power
VER-VTN-TN-PRO	R 19,549	Veracity Timenet Pro master NTP reference clock, Vtn-tn-pro

< Return to the menu

Network device power supply

Product code	Price	Description
18POW	R 120	MikroTik 18POW Low power 24V 0.8A power supply, Fits all RouterBOARD models
48POW	R 283	MikroTik 48POW 48V 1.46A Power Adapter Power plug
APS1200W-200NES	R 10,854	Netgear APS1200W 1200W 100-240VAC Modular PSU, C14 connector, PSU Compatible Models - M4350-36X4V (XSM4340CV) / M4350-24X8F8V (XSM4340V) / M4350-32F8V (XSM4340FV) / M4350-16V4C (VSM4320C) / M4350-40X4C (XSM4344C)
APS2000W-100NES	R 17,998	Netgear APS2000W 2000W 100-240VAC Modular PSU, C14 Connector, PSU compatible models - M4350-24G4XF / M4350-48G4XF / M4350-44M4X4V / M4350-24X4V / M4350-24F4V
APS2000W-200NES	R 17,998	Netgear APS2000W 2000W 200-240VAC Modular PSU, C14 Connector, PSU compatible models - M4350-36X4V (XSM4340CV) / M4350-24X8F8V (XSM4340V) / M4350-32F8V (XSM4340FV) / M4350-16V4C (VSM4320C) / M4350-40X4C (XSM4344C)
APS920W-100NES	R 10,854	Netgear APS920W 920W 100-240VAC Modular PSU, C14 Connector, PSU compatible models M4350-24G4XF / M4350-48G4XF / M4350-44M4X4V / M4350-24X4V / M4350-24F4V
BDCOM-PWR-150-AC	R 2,965	BDCOM OLT AC Power Supply - AC 90-264V, AC power source of P3600 OLT, Input voltage AC 90-264V, Maximum power consumption 150W, Independent fan for heat cooling, For BDCOM-P3608-2TE (Replacement or secondary) 150W Max
BDCOM-PWR-150-DC	R 3,603	BDCOM OLT AC Power Supply - DC 36-72V, For BDCOM-P3608-2TE (Replacement or secondary) 150W Max
BDCOM-PWR-75-DC	R 1,866	BDCOM PWR-75-DC DC Power Supply for S3700 series, -36 ~ -72v DC Input voltage, 75W Maximum power consumption
CB-CNM-PSU-1200W-AC	R 13,562	CAMBIUM common removeable Power Supply (Cprs) for cnMatrix - AC 1200W total power, No power cord
CB-CNM-PSU-1200W-DC	R 23,024	CAMBIUM common removeable Power Supply (CPRS) for cnMatrix - DC 1200W total power, 36V - 72V, Includes 3m cable connector
CB-CNM-PSU-600W-AC	R 7,254	CAMBIUM common removeable Power Supply (Cprs) for cnMatrix - AC 600W total power, No power cord
CB-CNM-PSU-600W-DC	R 15,665	CAMBIUM common removeable Power Supply (CPRS) for cnMatrix - DC 600W total power, 36V - 72V, Includes 3m cable connector
CB-CNM-PSU-930W-AC	R 11,460	CAMBIUM common removeable Power Supply (Cprs) for cnMatrix - AC 930W total power, No power cord
CB-CNM-PSU-930W-DC	R 19,870	CAMBIUM common removeable Power Supply (CPRS) for cnMatrix - DC 930W total power, 36V - 72V, Includes 3m cable connector
DUX-NDR-120-48	R 942	DuxNet DUX-NDR-120-48 120W single Output AC-DC Industrial DIN Rail Power Supply - Output 48V/2.5A, Metal casing
DUX-NDR-240-48	R 1,432	DuxNet DUX-NDR-240-48 240W single Output AC-DC Industrial DIN Rail Power Supply - Output 48V/5A, Metal casing.
DUX-NDR-480-48	R 2,322	DuxNet DUX-NDR-480-48 480W single Output AC-DC Industrial DIN Rail Power Supply - Output 48V/10A, Metal casing
DUX-NDR-75-48	R 822	DuxNet DUX-NDR-75-48 75W single Output AC-DC Industrial DIN Rail Power Supply - Output 48V/1.5A, Metal casing
DUXP200SP	R 482	DuxNet DUXP200SP Solar Panel for DUXP200 Wirefree camera, 3.3W 5.5V/0.6A Solar Panel, Universal mounting bracket included with 3m extension cable, USB Output DC 5.5V 0.6A
EC-PSU-AC-150-F	R 8,766	Edgecore 150W AC Power Supply, Port-to-power airflow, For AS4610-30T/54T Networking Switches (SKU: YM-1151D-A03R)
HK-303701986	R 1,288	Vivotek 48V 240W DIN Rail Power Supply Unit, DRL-48V240W1EN
LW-PSU-RAPIDF	R 860	Ligowave Rapidfire Power Supply 802.3af/at, DC Input 44.0-57.0 V up to 28W, POE-MPPTP-RF
MT-G1040A-60WN	R 944	MikroTik G1040A-60WN Hot-swap power supply for the the CCR2004 router
MT-G1070	R 2,989	MikroTik G1070 Open Frame PSU 53VDC 8.8A or 26.5VDC 17.6A 500W 90-264 VAC, 120x284x38mm, For CRS328-24p-4s rm Power Supply
MT-GB60A-S12	R 499	MikroTik GB60A-S12 12V 5A internal Power Supply for CCR1016 series, Only for new r2 revisions with Dual power supplies and CCR2004 series
MT-PW-IM065B-1Y240	R 653	MikroTik Open Frame PSU 24VDC 2.71A 65W 90-264 VAC 51x76x29mm 2 pin Output con 62368, For

		CRS328-4C-20S-4S RM Power Supply
MT-PW48V-12V85W	R 856	MikroTik 48V DC telecom open Frame Power Supply with 12V 8A Output, PW48V-12V85W, For use with new " r2" revision of Cloud Core routers
MT-RBCCR1072-PSU	R 1,692	MikroTik Hot Swappable 12v 150W AC/DC hot-swappable power supply for MT-RBCCR1072-1G-8S
MT-RBCCR1072-PSU-48V	R 1,852	MikroTik Hot Swappable 48v 150W PSU for MT-RBCCR1072-1G-8S
MT-RBCCR2216-HSF	R 564	MikroTik Hot Swap Fan for the CCR2216-1G-12XS-2XQ, Replace the CCR2216 Hot Swap Fan without having to turn the router off
MT-RBG1483-0600WNB	R 2,473	MikroTik Hot Swap 600W Power Supply for CRS320-8P-8B-4S RM, G1483-0600WNB, Hot-Swap 54.5V 10.35A 600W Power Supply
MT-RBMTP250-26V94	R 1,656	MikroTik Outdoor AC/DC Power Supply for the netPower product line with 26V 250W Output, MTP250-26V94
MT-RBMTP250-53V47	R 1,757	MikroTik Outdoor AC/DC Power Supply 53V 250W Output, MT-RBMTP250-53V47, IP67 rating, Suitable for MikroTik devices requiring higher Power outdoors, High-Power Output for Outdoor equipment
MT-UP1302C-12	R 1,015	MikroTik UP1302C-12 12V 10.8A internal power supply for CCR1036 series, only for new R2 revisions with dual power supplies
MW-48DC24DC-350	R 3,271	Miro 350W Single Output DC-DC Converter, INPUT: 36-72VDC (10.4Amp), OUTPUT: 24VDC (14.6Amp), 2:1 wide input range, Protections: Short circuit / Overload / Over voltage / Over temperature, 1500VAC I/O isolation, Forced air cooling by built-in DC Fan, 100% full load burn-in test
MW-AD155-A	R 2,008	Miro 155W 12Volt Battery Charger with UPS function, 220VAC in - 12VDC out, Universal AC input/Full range, Protections: Short circuit / overload / over voltage, Battery low and battery polarity protection, Cooling by free air convection, 100% full load burn-in test
MW-AD155-B	R 1,995	Miro 155W 24Volt Battery Charger with UPS function, 220VAC in - 24VDC out, Universal AC input/Full range, Protections: Short circuit / overload / over voltage, Battery low and battery polarity protection, Cooling by free air convection, 100% full load burn-in test
MW-AD155-C	R 2,162	Miro 150W 48Volt Battery Charger with UPS function, 220VAC in - 48VDC out, Universal AC input/Full range, Protections: Short circuit / overload / over voltage, Battery low and battery polarity protection, Cooling by free air convection, 100% full load burn-in test
PAV12V25-10000S	R 552	Netgear PAV12V25 12V 2.5A Power Adapter, Compatible with --> WAX214 / WAX218 / WAX220 / WAX610 / WAX615 / WAX618 / WAX620 / WAX625 / WAX628 / WBE710 / WBE718
PDA-24-12	R 67	Syntech 12V 2A Desktop Adapter, 24W 12V Desktop Adapter, 184, 165
POWC	R 46	Unbranded Dedicated 2m Clover Power Cord
PSR75-12A-GL	R 1,326	H3C 75W AC pluggable Power Supply module for LS-6520x Switches, 12 V Output Voltage, 6.3 a Output current
PSU-12V-H	R 192	Miro 12V Power Supply - 24 Watt, 2 Amp
PSU-12V36W	R 173	Scoop 12VDC 36W 3 pin Power Supply
PSU-12V60W	R 224	Unbranded 12V DC 60W IEC Power Supply with SA Cable
PSU-24V	R 191	Miro 24V Power Supply - 20 Watt, 0.83Amp
PSU-24V120W	R 454	Scoop 24V DC 120W PSU Without IEC Cable
PSU-24V30W	R 167	Scoop 24VDC 30W 3 Pin Power Supply
PSU-24V60W	R 259	Scoop 24V DC 60W PSU Without IEC Cable
PSU-5V-H	R 95	Miro 5V Power Supply - 5 Watt, 1Amp
PSU-5V10W	R 144	Scoop 5V 2Amp DC 10W 3 Pin Power Supply - 2.1mm Jack - used with the Fanvil IP Phones (X4U, X5U, X6U, X7C, X7, X7A, X210, X210i, H2U, V62, V64, V65, H3, H5, H3W, H5W, A32i, W661W). 100V - 220V South African 3-pin direct wall plug-in power supply.
RBAPA-1	R 528	MikroTik APA-1 automotive Power Adapter with overvoltage protection, 3 pin Terminal DC Input, 12 V min Voltage, 48 V Max Voltage, 100 W Max Power consumption with Attachment
RBMT13-052400-E15BG	R 144	MikroTik 5V 2.4A 12W USB Power Supply, USB Type-A Output Connector
RBUP1302C-12	R 1,092	MikroTik UP1302C-12 internal Power Supply, 12V 10.8A 130W
TERM-JACK	R 6	Unbranded DC Terminal to 2.1mm Jack Adapter
TTK-AUTO-PSU	R 144	Teltonika automotive Power Supply, 9-30 VDC Output voltage, Fuse Input protection, Fits regular cigarette ligther Socket, 12/24VDC SUPPORTED, 4-PIN Output CONNECTOR, 2A Maximum current, PR2AM20M

TTK-PSU-250W-EU	R 2,123	Teltonika 250W EU Power Supply, PR320EUA, 54 VDC Output Voltage, 4.62A Output current, 2 pin with cord end terminals Output Connector
TTK-PSU-62W-EU	R 403	Teltonika 62W EU Power Supply, PR317EUA, 48 VDC Output Voltage, 1.3A Output current, 2 pin with cord end terminals Output CONNECTOR
UB-UE-PSU-12-150W	R 2,703	Ubiquiti Hot-Swappable Power module 12V 150W, UACC-PSU-12V-150W
UB-UE-PSU-12-550W	R 3,609	Ubiquiti Hot-Swappable Power module 12V 550W, UACC-PSU-12v-550w, C14 Input connector, 550W total Output Power
UB-UISP-27V-250W	R 2,998	Ubiquiti UISP - 27V 250W AC/DC Power Supply, UACC-PSU-27V-250W, 27V DC Output Voltage, 9.3A Output current, 250W total Output Power, Compatible product - UISP P Pro
UB-UISP-UPS	R 6,303	Ubiquiti UISP Power UISP-P, Uninterruptible Power system designed for MicroPoP applications, 1x 10/100 Mbps RJ45 LAN Port, 115Wh Li-Ion Backup Battery, 1x DC Battery Port for an external 24V Lead-Acid Battery, PSU ' s not included
UB-UISP-UPS-PRO	R 11,570	Ubiquiti UISP Power Pro (UPS), 1x 10/100 Mbps RJ45 LAN Port, 2x PSU bays with 1x 250W AC/DC Power Supply included, 1x DC Battery Port for an external 24V Lead-Acid Battery, UISP Power Professional
UB-UPS-2U	R 5,872	Ubiquiti UniFi UPS 2U 8 outlet 1000W, UPS-2U, Galvanized Steel enclosure material, Rack Mount (2U) Form Factor, IP20 weatherproofing, 1x 100 / 10 MbE Port for Network connection, 2x GbE Ports for Surge In/Out, Line Interactive Type, 1440VA / 1000W capacity, 6 ms typical transfer time, 2x Lead Acid 12V 9Ah Battery Type, 2.3 min full load Runtime, 6-8 hours recovery to 90% capacity Battery charging time
UB-USP RPS	R 8,527	Ubiquiti USP-RPS - UniFi SmartPower redundant power system, 950W DC power budget, 6x USP DC Output ports, 1x Ethernet Port, 1U rackmountable, 1.3" Touchscreen Display with status information, 1x UniFi SmartPower cable
UPS-2U	R 6,434	Ubiquiti UniFi UPS 2U 8 outlet 1000W, UPS-2U, Galvanized Steel enclosure material, Rack Mount (2U) Form Factor, IP20 weatherproofing, 1x 100 / 10 MbE Port for Network connection, 2x GbE Ports for Surge In/Out, Line Interactive Type, 1440VA / 1000W capacity, 6 ms typical transfer time, 2x Lead Acid 12V 9Ah Battery Type, 2.3 min full load Runtime, 6-8 hours recovery to 90% capacity Battery charging time
UPS-TOWER	R 3,674	Ubiquiti UniFi UPS Tower 10 outlet 600W, UPS-TOWER, IP20 weatherproofing, 1x 100 / 10 MbE Port for Network connection, 2x GbE Ports for Surge In/Out, 1000VA / 600W capacity, Line Interactive Type, 6 ms typical transfer time, Simulated Sine Wave, 1x Lead Acid 12V 9Ah Battery Type, 2 min full load Runtime, 6-8 hours recovery to 90% capacity Battery charging time
USP-RPS	R 8,792	Ubiquiti USP-RPS - UniFi SmartPower redundant power system, 950W DC power budget, 6x USP DC Output ports, 1x Ethernet Port, 1U rackmountable, 1.3" Touchscreen Display with status information, 1x UniFi SmartPower cable
USP-RPS-EU	R 8,792	Ubiquiti USP-RPS - UniFi SmartPower redundant power system, 950W DC power budget, 6x USP DC Output ports, 1x Ethernet Port, 1U rackmountable, 1.3" Touchscreen Display with status information, 1x UniFi SmartPower cable
VSOL-PWR-G16-AC	R 1,382	VSOL AC Power Supply for 16 port GPON OLT, VSOL-PWR-G16-AC, Replacement or secondary, 100 to 240VAC
VSOL-PWR-G16-DC	R 1,777	VSOL 16 port GPON OLT DC Power Supply, VSOL-PWR-G16-DC, Replacement or secondary, -36 to -75 VDC
VSOL-PWR-G4-AC	R 592	VSOL AC Power Supply for 4 port GPON OLT, VSOL-PWR-G4-AC, Replacement or secondary, 100 to 240VAC
VSOL-PWR-G4-DC	R 988	VSOL DC Power Supply for 4 port GPON OLT, VSOL-PWR-G4-DC, Replacement or secondary, -36 to -75 VDC
VSOL-PWR-G8-AC	R 691	VSOL AC Power Supply for 8 Port GPON OLT, VSOL-PWR-G8-AC, Replacement or secondary, 100 to 240VAC
VSOL-PWR-G8-DC	R 1,024	VSOL DC Power Supply for 8 Port GPON OLT, VSOL-PWR-G8-DC, Replacement or secondary, -36 to -75 VDC
VSOL-PWR-XG2-AC	R 495	VSOL AC Power Supply for 2-port PON OLT, VSOL-PWR-XG2-AC, Replacement or secondary, 100 to 240VAC
VSOL-PWR-XG2-DC	R 889	VSOL DC Power Supply for 2 Port PON OLT, VSOL-PWR-XG2-DC, Replacement or secondary, -36 to -75 VDC
VSOL-PWR-XG8C-AC	R 1,209	VSOL AC Power Supply 8 Port XGS-PON OLT, V3600-8X-AC, Replacement or secondary, 100 to 240VAC
VSOL-PWR-XG8C-DC	R 1,676	VSOL DC Power Supply 8 Port XGS-PON Combo OLT, V3600G1-C-DC, Replacement or secondary, -36 to -75 VDC

< Return to the menu

Network Fibre EPON / GPON / XPON router

Product code	Price	Description
AC-FIB-XPON-1PV1	R 270	AccoNet Xpon ONU/ONT 1x GB LAN, Up to 2.5Gbit downlink & 1.25Gbit Uplink, 1x SC/UPC Port, 1 Gbps LAN, 12V DC PSU, AC-FIB-XPON-1PV1
AC-FIB-XPON4-WIFI5	R 631	AccoNet WiFi 5 xPON 4 port Gigabit Wireless ONU/ONT, 4x Gigabit LAN Ports, 1x SC/APC Port, 2x 5dBi external antenna, SC/UPC or SC/APC Connector, 20 km distance
AC-FIB-XPON4-WIFI6	R 863	AccoNet WiFi 6 xPON 4 port Gigabit Wireless ONU/ONT, Home Gateway unit (HGU), Up to 2.5Gb downlink & 1.25GB Uplink, 1x SC/APC Port, 12V DC PSU, 4x Gigabit LAN Ports, 574 Mbps @ 2.4GHz, 1200 Mbps @ 5.8GHz, 4x 5dBi external antenna, SC/UPC or SC/APC Connector, 20 km distance
BDCOM-GP1704-2F-E	R 514	BDCOM GP1704-2F-E GPON subscriber (ONU), WiFi, 1x RF Port, 1x Gigabit Port, 1x 300 Mbps, 1x GPON n Port (SC / APC), AC 220V external adaptor
BDCOM-GP1704-2FC-S	R 1,055	BDCOM GP1704 GPON subscriber (ONU), WiFi, 1 x RF Port, 1 x Gigabit Port, 300 Mbps Wireless, 1 GPON n Port (SC/APC), 802.11n Wi-Fi, AC220v external adaptor
BDCOM-GP1704-4GV-22A	R 1,155	BDCOM GP1704-4GV subscriber (ONU) Optical Network Unit, 1x GPON Port (SC/UPC), WiFi, 4x Gbps ports, 2x POTS
BDCOM-GP1705-2G	R 876	BDCOM xPON ONU/ONT 802.11ac with 2x Gigabit LAN, GP1705-2G, Dual-Band, xPON Port (SC/UPC), Includes 12V/1.5A PSU, 2x Gigabit RJ45, 1200 Mbps WiFi
BDCOM-GP1706-4G	R 919	BDCOM xPON ONU/ONT 802.11ax with 4x Gigabit LAN, GP1706-4g, 1x SC/UPC PON Ports, 4x Gigabit RJ45 Ports, 3000 Mbps WiFi, 1x voice, 1x USB 2.0
BDCOM-GP3600-04-2AC	R 17,605	BDCOM 4 port GPON OLT Headend, GP3600-04D, 4 GPON SFP cages (Requires bdcom-olt-gsfp-c), 4x Gigabit RJ45 Ports, 4x SFP Ports, 4x PON Ports
BDCOM-GP3600-8CGP	R 123,335	BDCOM 8 Port XGS-PON combo L3 OLT Headend, GP3600-8CGP, 8x PON Ports, 4x Gigabit SFP Ports, 4x Gigabit SFP/TX combo Ports, 4x 10G SFP Ports
BDCOM-GP6606-06	R 26,050	BDCOM GPON OLT Chassis - 6 Expansion slots, GP6606-06, 2 MCU, 4 Business, 64 Maximum GPON Ports, 2 Power
BDCOM-P3600-04-2AC	R 9,077	BDCOM P3600 4 Port EPON OLT Headend - Dual AC PSU, AC 100-240V Dual Power Input, 19-inch rack-mounted, P3600-08-2AC, 4x PON Ports, 4x Gigabit TX Uplink Ports, 4x 10Gbit SFP 10GE Uplink Ports
BDCOM-P3600-08-2AC	R 16,120	BDCOM P3600 8 Port EPON OLT Headend - Dual AC PSU, AC 100-240V Dual Power Input, 19-inch rack-mounted, P3600-08-2AC, 8x PON Ports, 4x Gigabit TX Uplink Ports, 4x 10Gbit SFP 10GE Uplink Ports
BDCOM-P3600-16E	R 27,820	BDCOM P3600 16 port EPON L3 OLT Headend - Dual Hot-Swap PSU, rEquires BDCOM-PWR-100-DC, 16x EPON Ports, 4x Gigabit Ports, 4x SFP Ports, 6x SFP Ports, 1x Console
CB-PON-OLT-XGS-16	R 201,901	Cambium 16 Port GPON / XGS-PON OLT, TCX16-0A00, PSU not included add CB-PON-OLT-PSU-AC or CB-PON-OLT-PSU-DC, 2x QSFP28 Uplink Ports, 2x SFP28 / SFP Uplink Ports
CB-PON-OLT-XGS-8	R 151,404	Cambium 8 Port GPON / XGS-PON OLT, TCX08-0A00, PSU not included add CB-PON-OLT-PSU-AC or CB-PON-OLT-PSU-DC, 2x QSFP28 Uplink Ports, 2x SFP28 / SFP Uplink Ports
CB-PON-ONT-XGS-IND	R 1,927	CAMBIUM XGS-PON Indoor ONT, 1 Port XGSPON CAMBIUM ONT with 2.5Gbps LAN Port (Indoor), Not WiFi capable, 1577 nm Download Wavelength, 1270 nm Upload Wavelength
CB-PON-ONT-XGS-OUT	R 4,401	CAMBIUM SGT00 XGS-PON Outdoor ONT, Not WiFi capable, 1 Port XGSPON CAMBIUM ONT with 2.5Gbps LAN Port (Outdoor), 1577 nm Download Wavelength, 1270 nm Upload Wavelength
CD-GP10	R 201	Cudy SC/AP Gigabit xPON ONT, GP10, 1310 nm TX Wavelength, 1490 nm RX Wavelength, 20 km Max transmission distance, 1x SC/APC Port, 1x Gigabit RJ45 Ports, 2.488Gbps downstream / 1.244Gbps upstream Data rate GPON, 1.25Gbps downstream / upstream EPON
CD-GP1200	R 604	Cudy GP1200 Dual Band AC1200 WiFi 5 xPON Router, TX 1310 nm Wavelength, RX 1490 nm Wavelength, 20 km Max transmission distance, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 1x SC/APC Port, 4x Gigabit RJ45 Ports
CD-GP1200	R 742	Cudy GP1200 Dual Band AC1200 WiFi 5 xPON Router, TX 1310 nm Wavelength, RX 1490 nm Wavelength, 20 km Max transmission distance, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 1x SC/APC Port, 4x Gigabit RJ45 Ports
CD-GP3000	R 937	Cudy AX3000 WiFi 6 Wireless Dual-Band Gigabit xPON Router, GP3000, 2.488 Gbps downstream / 1.244 Gbps upstream GPON, 1.25 Gbps downstream / upstream EPON, 1310 nm TX Wavelength, 1490 nm RX Wavelength,

		20 km Max transmission distance, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, 1x C/APC Port, 4x Gigabit RJ45 Ports, 1x LAN/WAN Port the rest are LAN ports.
CD-GP3000	R 1,052	Cudy AX3000 WiFi 6 Wireless Dual-Band Gigabit xPON Router, GP3000, 2.488 Gbps downstream / 1.244 Gbps upstream GPON, 1.25 Gbps downstream / upstream EPON, 1310 nm TX Wavelength, 1490 nm RX Wavelength, 20 km Max transmission distance, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, 1x C/APC Port, 4x Gigabit RJ45 Ports, 1x LAN/WAN Port the rest are LAN ports.
EX-EPON-P	R 27,594	Extralink Predator EPON OLT 1U, 8x Gigabit RJ-45 Copper Ports, 8x SFP slots (Combo) Ports, 8x SFP PON Port
EX-ONU-J	R 454	Extralink Jowisz ONU EPON 1GE High Speed Data transmission Client, 1x 1.25Gbps PON Port, 1x Gigabit RJ45 Port Ethernet (LAN) Port
GP1200	R 597	Cudy GP1200 Dual Band AC1200 WiFi 5 xPON Router, TX 1310 nm Wavelength, RX 1490 nm Wavelength, 20 km Max transmission distance, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 1x SC/APC Port, 4x Gigabit RJ45 Ports
HG6	R 320	Tenda HG6 GPON subscriber (ONU), WiFi, 1x GB, 3x 100 Mbps, 1x USB, 1x POTS, 1x SC/APC GPON Port, 1x Gbps LAN, 3x 10/100 Mbps LAN, Includes 12V PSU
MRC-MF01G	R 261	Mercusys MF01G 1-port Gigabit xPON Terminal, GPON/EPON WAN mode, Bridge Operation modes, 1x Ethernet, 1x SC/APC Port, GPON 1.244 Gbps upstream, EPON 1.25 Gbps upstream, GPON 2.488 Gbps downstream, EPON 1.25 Gbps downstream
MRC-MF30G	R 470	Mercusys MF30G AC1200 Wi-Fi xPON Router, Wi-Fi 5, 300 Mbps Wi-Fi (2.4GHz), 867 Mbps Wi-Fi (5GHz), GPON/EPON WAN mode, 2x external Dual-Band antennas, 2x Ethernet, 1x SC/APC Port, GPON 1.244 Gbps upstream, EPON 1.25 Gbps upstream, GPON 2.488 Gbps downstream, EPON 1.25 Gbps downstream
MRC-MF80X	R 747	Mercusys MF80x AX3000 Dual Band Wi-Fi 6 xPON Router, 2402 Mbps (5GHz), 574 Mbps (2.4GHz), 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
NET-DS-P7001-01	R 6,670	TP-Link DS-P7001-01 1-port GPON OLT, 1x GPON Port, 1x 10 Gbps SFP Uplink Port, 1x 2.5Gbps RJ45 Uplink Port, 1x RJ45 Console Port, 1x RJ45 management Port, 2.5 Gbps downstream, 1.25 Gbps upstream, 1490 nm TX Wavelength, 1310 nm RX Wavelength
NET-EAP610GP-DESKTOP	R 2,019	TP-Link EAP610gp Desktop Wi-Fi 6 GPON Access Point, 1x GPON Port, 1x FXS Port, 4x Gigabit RJ45 Ports (One supporting 802.3af PoE out), Sc-apc Port Type, 1.244 Gbps (Upstream), 2.488 Gbps (Downstream), 20 km Maximum cable length, 9/125 UM Single Mode Fiber Type, 140M2 coverage, 120 concurrent clients, 574 Mbps @ 2.4GHz, 574 Mbps @ 2.4GHz
NET-TL-XX530V	R 1,150	TP-Link TP-XX530V AX3000 Dual Band WiFi 6 GPON Router, 1x SC/APC GPON Port, 1x Gigabit WAN/LAN Port, 3x Gigabit LAN Ports, 1x Phone Port, 1x USB 2.0 Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, AX3000 Wireless, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
NET-XC220-G3	R 598	TP-Link XC220-G3 AC1200 Wireless Gigabit GPON ONU, 2x Gigabit RJ45 LAN Ports, 1 PON Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, 2 external Dual Band antennas, 867 Mbps on 5GHz, 300 Mbps on 2.4GHz
NET-XX230V	R 994	TP-Link XX230v AX1800 Wireless Gigabit GPON HGU with VoIP, 574 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, 1x Gigabit WAN / LAN Port, 3x Gigabit LAN Ports, Support VoIP and DECT base fun, 1x USB 2.0 Port, 1x FXS Port, 1x SC/APC GPON Port
NET-XZ000-G6	R 299	TP-Link XZ000-G6 1 Port Gigabit xPON SFU/ONU, 1x PON Port, 1x GbE LAN Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, 1310 nm upstream Wave length, 1490 nm downstream Wave length, 0-20 km Max distance, DFB Laser transmitter
TND-GPON-HG10	R 562	Tenda HG10 AC1200 Dual-Band Wi-Fi xPON ONT, 1x SC/APC or SC/UPC (Optional) Port, 4x Gigabit RJ45 LAN Ports, 1x Tel Port, Transmit at 1310nm, Receive at 1490nm, 20km Max transmission distance, 2.4GHz & 5GHz WiFi, 4x 5 dBi antenna, 11n 300m 11ac 867m
TND-TES7001	R 3,104	Tenda TES7001 1-port GPON OLT, TND-TES7001, 1x 10G SFP/SFP Port, 4x Gigabit RJ45 Ports, 1x Console Port, 1x GPON Port, TX 1490nm & RX 1310nm Optical Wavelength, 20km Max transmission distance, Dual AC external Power Supply
TND-TES7008	R 20,009	Tenda TES7008 GPON 8-port OLT for FTTX, 4x 10/100/1000m auto-negotiation Ethernet ports, 4x SFP interfaces, 2x SFP interfaces, 8 PON Port quantity

TP-DS-P7001-01	R 6,670	TP-Link DS-P7001-01 1-port GPON OLT, 1x GPON Port, 1x 10 Gbps SFP Uplink Port, 1x 2.5Gbps RJ45 Uplink Port, 1x RJ45 Console Port, 1x RJ45 management Port, 2.5 Gbps downstream, 1.25 Gbps upstream, 1490 nm TX Wavelength, 1310 nm RX Wavelength
TP-DS-P7001-04	R 20,700	TP-Link DS-P7001-04 DeltaStream 4 port pizza-box GPON Optical line Terminal, 4x 2.5G PON Ports, 1x 10 Gbps SFP Uplink Port, 1x 10/100/1000 Mbps RJ45 Uplink Port, 1x RJ45 Console Port, 1x RJ45 management Port, Dual Power supplies, 20km transmission distance, 2.5 Gbps downstream Data rate, 1.25 Gbps upstream Data rate
TP-DS-P7001-08	R 28,463	TP-Link DS-P7001-08 DeltaStream 8 Port pizza-box GPON Optical line Terminal, 8x 2.5gpon Ports, 2x 10 Gbps SFP Uplink Ports, 1x 10/100/1000 Mbps RJ45 Uplink Port, 1x RJ45 Console Port, 1x RJ45 management Port, 20 km transmission distance, 2.5 Gbps downstream Data rate, 1.25 Gbps upstream Data rate
TP-DS-P7001-16	R 58,219	TP-Link DS-P7001-16 - DeltaStream 16 port Pizza-box GPON Optical line Terminal, 16x GPON Ports, 4x 10GE SFP Ports, 2x Gigabit Uplink Ports, Dual Redundant Power supplies, Complete L2 & Advanced L3 functions
TP-EAP610GP-D	R 2,137	TP-Link EAP610gp Desktop Wi-Fi 6 GPON Access Point, 1x GPON Port, 1x FXS Port, 4x Gigabit RJ45 Ports (One supporting 802.3af PoE out), Sc-apc Port Type, 1.244 Gbps (Upstream), 2.488 Gbps (Downstream), 20 km Maximum cable length, 9/125 UM Single Mode Fiber Type, 140M2 coverage, 120 concurrent clients, 574 Mbps @ 2.4GHz, 574 Mbps @ 2.4GHz
TP-XC220-G3	R 598	TP-Link XC220-G3 AC1200 Wireless Gigabit GPON ONU, 2x Gigabit RJ45 LAN Ports, 1 PON Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, 2 external Dual Band antennas, 867 Mbps on 5GHz, 300 Mbps on 2.4GHz
TP-XGB430V-PRO	R 3,324	TP-Link XGS-PON ONU WiFi 7 BE7200 Wireless Router with FXS, XGB430v Pro, 1x XGS-PON Port, 1x 10 GbE WAN/LAN Port, 4x GbE LAN Ports, 2x Phone Ports, 1x USB 3.0 Port, 4x internal Dual-Band antennas, 1x internal 5G antenna, 1x internal DFS Dual-Band antenna, 9.953 Gbps (XGS-PON) downstream speeds, 9.953 Gbps (XGS-PON) upstream speeds, BE7200 WiFi, Up to 5760 Mbps @ 5GHz, Up to 1376 Mbps @ 2.4GHz
TP-XX530V	R 1,150	TP-Link TP-XX530V AX3000 Dual Band WiFi 6 GPON Router, 1x SC/APC GPON Port, 1x Gigabit WAN/LAN Port, 3x Gigabit LAN Ports, 1x Phone Port, 1x USB 2.0 Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, AX3000 Wireless, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
TP-XZ000-G6	R 299	TP-Link XZ000-G6 1 Port Gigabit xPON SFU/ONU, 1x PON Port, 1x GbE LAN Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, 1310 nm upstream Wave length, 1490 nm downstream Wave length, 0-20 km Max distance, DFB Laser transmitter
TP-XZ005-G6	R 368	TP-Link 1-port 2.5GE LAN xPON ONU/ONT, TP-XZ005-G6, 1x PON Port Interface, 1x 2.5 Gigabit RJ45 LAN Port, 2.488 Gbps downstream speeds, 1.244 Gbps upstream speeds, 1310 nm upstream Wave length, 1490 nm downstream Wave length, 0-20 km Max distance
UB-UF-OLT	R 28,744	Ubiquiti UISP Fiber GPON OLT 8 PON Ports 2x SFP , UF-OLT, 8x GPON OLT SFP Ports, 2x 10 Gbps SFP Ports, 1x Ethernet Out-of-Band, 1x Ethernet in-band, 1x RJ45 Serial Console Port, Bluetooth, Power Supply - 2x hotswap AC / DC PSU
UB-UF-OLT-4	R 20,809	Ubiquiti U Fiber - 4 Port OLT Optical Line Terminal, 4 Gigabit Passive Optical Network Ports, Supports up to 512 Clients (128 per PON Port), One 1G/10G SFP Ethernet Ports
UB-UF-OLT-WDM-XGS	R 5,634	Ubiquiti UISP - UFiber coexistence wdm Filter, UF-WDM-XGS, 8x com (SC/UPC), 8x GPON (SC/UPC), 8x XGS/XG-PON (SC/UPC)
UB-UF-OLT-XGS	R 63,249	Ubiquiti UISP UFiber XGSPON OLT Headend 8 Port OLT 4x SFP28 Uplink Ports, UISP-FIBER-OLT-XGS, An eight-port Optical line Terminal that can deliver 10 Gbps Uplink/downlink speeds to over 2000 subscribers, 8x XGS/XG/G-PON OLT, 4x 1/10/25 Gbps SFP28 Ethernet
UB-UF-WAVE	R 980	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream
UB-UF-WAVE-20P	R 15,134	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU - 20 pack, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream
UB-UF-WAVE-5P	R 4,359	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU - 5 pack, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244

		Gbps upstream
UB-UF-WAVE-ONU	R 1,006	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream
UB-UF-WAVE-ONU20	R 14,254	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU - 20 Pack, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream
UB-UF-WIFI	R 1,374	Ubiquiti UF-WIFI6 UFiber WiFi 6 GPON CPE with 4 Ethernet Ports, 2.488 Gbps downstream, 1.244 Gbps upstream, 1x SC/APC, ITU-G.984 GPON WAN Port, 4x GbE RJ45 LAN Ports, WiFi 802.11ax 5 / 2.4 GHz channels
UB-UF-WIFI6	R 1,984	Ubiquiti UF-WIFI6 UFiber WiFi 6 GPON CPE with 4 Ethernet Ports, 2.488 Gbps downstream, 1.244 Gbps upstream, 1x SC/APC, ITU-G.984 GPON WAN Port, 4x GbE RJ45 LAN Ports, WiFi 802.11ax 5 / 2.4 GHz channels
UB-UF-XG	R 2,299	Ubiquiti UISP - Fiber XG, UISP-FIBER-XG, GPON ONU/ONT, Optical Network Unit that can deliver 2.5Gbps UPLINK/10gbps downlink speeds over distances up to 20 km, 1x SC/APC, ITU-G.987 XGPON WAN Port, 1x 2.5 Gigabit RJ45 LAN Port, 9.95 Gbit/s downstream, 2.44 Gbit/s upstream, Compatible with the UISP Fiber XGS OLT
UB-UF-XGS	R 2,989	Ubiquiti UISP - Fiber XGS GPON ONU/ONT, UISP-FIBER-XGS-EU, 1x SC/APC ITU-G.9807 XGSPON WAN Port, 1x 100/1000/2500/5000/10000 Mbps RJ45 LAN Ports, 9.95 Gbit/s downstream, 9.95 Gbit/s upstream, 1270nm TX, 1577nm RX, 20 km physical reach
UB-UISP FIBER XG	R 2,191	Ubiquiti UISP - Fiber XG, UISP-FIBER-XG, GPON ONU/ONT, Optical Network Unit that can deliver 2.5Gbps UPLINK/10gbps downlink speeds over distances up to 20 km, 1x SC/APC, ITU-G.987 XGPON WAN Port, 1x 2.5 Gigabit RJ45 LAN Port, 9.95 Gbit/s downstream, 2.44 Gbit/s upstream, Compatible with the UISP Fiber XGS OLT
UB-WAVE FIBER ONU	R 1,144	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream
UF-OLT-8	R 28,744	Ubiquiti UISP Fiber GPON OLT 8 PON Ports 2x SFP , UF-OLT, 8x GPON OLT SFP Ports, 2x 10 Gbps SFP Ports, 1x Ethernet Out-of-Band, 1x Ethernet in-band, 1x RJ45 Serial Console Port, Bluetooth, Power Supply - 2x hotswap AC / DC PSU
UL-GP100	R 201	UltraLAN UL-GP100 Compact 1GE xPON ONU for FTTH deployments, Features one 1xpon Fiber Port supporting GPON and gepon Dual-Mode auto-detection, One Gigabit Ethernet RJ45 LAN Port for fiber-to-ethernet handoff, Supports Bridge mode and routing mode, Transmits Data over a distance of up to 20km with SC/APC or SC/UPC connectors
UL-GP1200	R 518	UltraLAN UL-GP1200 AC1200 xPON ONU Wireless Router, Supports GPON and gepon Dual-Mode Operation with auto-detection, 1x xPON Fiber Interface compatible with EPON PX20 and GPON Class B , 4x Gigabit Ethernet RJ45 LAN Ports for Wired connectivity, Provides Dual-Band Wi-Fi 5 (AC1200) at 2.4GHz and 5GHz frequencies, Equipped with 4x 5dBi external antennas supporting 2x2 MIMO on both bands, Features EasyMesh functionality for extended Network coverage, 1x POTS voice Port with SIP/ims SIP support, Includes 1x USB 2.0 Port for Peripheral connectivity
V1600G0-B	R 20,503	V-sol V1600G0-B 4 port GPON Optical line Terminal, 10Gbps SFP Uplink, 2x RJ45, 2x SFP (10GE), 4x EPON Port (SFP slots)
V1600GS-F	R 6,725	VSOL V1600GS-F Single Port GPON Optical line Terminal, 2x RJ45 Gigabit Ports, 1x SFP (GE) / SFP (10GE) Port, 1x GPON Port, Upstream 1.244Gbps GPON Port Speed, Downstream 2.488Gbps GPON Port Speed, 20km transmission distance
V2801RGW	R 286	Unbranded V2801RGW VSOL 1x Gigabit WiFi 4 xPON ONT, 1x xPON Port, SC Single Mode, SC/UPC connector, 20km transmission distance, 1x Gigabit RJ45 Ports LAN, WIFI4
V2801SG	R 246	V-sol V2801SG 1GE xPON Optical Network Unit, xPON Dual mode, Powerful Firewall, Prevent rogue ONT, Security ONT, 1x Gigabit Interface, 1x PON Port
V2804AX30-A	R 988	VSOL WiFi 6 xPON ONU/ONT with 4 GE, V2804ax30-a, 12V 1A PSU included, 1x xPON Port, SC Single Mode, SC/APC Connector, 4x Gigabit Ethernet RJ45 Ports, 2.4GHz 2 x 2 Wi-Fi, 5GHz 3 x 3 Wi-Fi, 5 antenna (4x external antenna & 1x internal antenna)
VSOL-V1600-G1	R 4,824	VSOL 1 Port GPON OLT with Built-In C GPON SFP, V1600GS-F, 1x GPON Port, 2x Gigabit RJ45 Ports, 1x

		SFP/SFP Port, 7dBm Built-In SFP, 12V 2A PSU included, 1U Chassis Rack
VSOL-V1600-G1-O32	R 5,364	VSOL V1600GS-032 1 Port GPON OLT with Built-In 1:32 Splitter and C SFP, 1:32 SC/UPC Splitter, 1x GPON, 2x Gigabit RJ45 Ports, 1x SFP/SFP Port, AC PSU included, 1U Rack, SC/UPC Connector, Upstream 1.244Gbps & downstream 2.488Gbps GPON Port Speed, 20km transmission distance, 1x 32 Built-In Optical Splitter
VSOL-V1600-G1-R	R 3,096	VSOL V1600GS-R 1 Port Mini GPON OLT with Built-In C GPON SFP 1:64, 2x Gigabit RJ45 Ports, 1x SFP (GE) / SFP (10GE) Port, 1x GPON Port, SC/UPC Connector, Upstream 1.244Gbps & downstream 2.488Gbps GPON Port Speed, 20km transmission distance
VSOL-V1600-G16	R 47,594	VSOL 16 port GPON OLT, V1600G2-B, 2 Power slots, Single AC PSU included, 16x GPON Ports, 4x Gigabit RJ45 Ports, 4x SFP Ports
VSOL-V1600-G16-R	R 39,981	VSOL V1600G2-R 16 port GPON OLT Realtek, 1U 19 inch Standard Box Rack, 4x Gigabit RJ45 Ports, 4x SFP (GE) / SFP (10GE) Ports, 16x GPON Port (SFP slots), 20km transmission distance, Upstream 1.244Gbps & downstream 2.488Gbps GPON Port Speed, SC/UPC Connector
VSOL-V1600-G2	R 8,625	VSOL V1600GT 2 Port GPON OLT, 2x GPON Ports, 2x RJ45 Ports, 2x SFP/SFP Ports, AC PSU included, 20km transmission distance, Upstream 1.244Gbps & downstream 2.488Gbps PON Port Speed
VSOL-V1600-G4	R 19,506	VSOL 4 port GPON OLT, V1600G0-B, Single AC PSU included, 2 Power slots, 4x GPON Ports, 2x Gigabit RJ45 Ports, 2x SFP (10GE) Ports
VSOL-V1600-G8	R 26,807	VSOL 8 Port GPON OLT, V1600G1-B, Single AC PSU included, 2 Power slots, 1U 19 inch standard box, 8x GPON Ports, 4x Gigabyte RJ45 ports, 2x SFP (1GE) Ports, 2x SFP (10GE) Ports
VSOL-V1600-G8-R	R 24,097	VSOL V1600G1-R 8 Port GPON OLT Realtek, 2x Gigabit RJ45 Ports, 1x SFP (GE) / SFP (10GE) Port, 1x GPON Port, 20km transmission distance
VSOL-V1600-XG2-W	R 14,453	VSOL 2 Port XG/XGS PON OLT with Built-In WDM, V1600XG02-W, 2 Power slots, Single AC PSU included, 2x XG/XGS-PON Port, 2x Gigabit RJ45 Ports, 2x SFP/SFP Ports, 1U 19 inch standard Box, Built in WDM1r
VSOL-V2801Q	R 291	VSOL V2801Q Single Port 2.5GE xPON ONU, 1 xPON Port, SC Single Mode SC/UPC Connector, 20km transmission distance, 1x 2.5GbE LAN Interface
VSOL-V2801SC	R 406	VSOL V2801SC Single Port xPON ONU with Integrated Fibre Tray, 1x Gigabit SFU, SC/UPC, 12V / 05A PSU included, 1 xPON Port, SC Single Mode SC/UPC Connector, 20km transmission distance
VSOL-V2804AC-Z	R 570	VSOL WiFi 5 xPON ONU/ONT with 4 GE, V2804AC-Z, 12V 1.5A PSU included, 1x xPON Port (EPON PX20 and GPON Class B), SC Single Mode, SC/UPC Connector, 4x Gigabit RJ45 Ports, 1x USB 3.0 for shared storage / Printer, 2.4GHz (2T2R) Wi-Fi, 5.8GHz (2T2R) Wi-Fi
VSOL-V2804AX30-A	R 811	VSOL WiFi 6 xPON ONU/ONT with 4 GE, V2804ax30-a, 12V 1A PSU included, 1x xPON Port, SC Single Mode, SC/APC Connector, 4x Gigabit Ethernet RJ45 Ports, 2.4GHz 2 x 2 Wi-Fi, 5GHz 3 x 3 Wi-Fi, 5 antenna (4x external antenna & 1x internal antenna)
VSOL-V2902A-XGS	R 1,086	VSOL XGS-PON ONU/ONT with 10GE Port, V2902A-XGS, 12V 1A PSU included, SC Single Mode, SC/UPC Connector, 1x 10 Gigabit RJ45 Port, 1x Gigabit RJ45 Port
VSOL-V2902A-XGS-S	R 1,419	VSOL XGS-PON ONU/ONT with 10G SFP , V2902A-S-XGS, 1x 10 Gigabit Port, 1x Gigabit Port, SC Single Mode SC/UPC Connector, 20km transmission distance
VSOL-V2904AX-XGS	R 1,517	VSOL Wi-Fi 6 XGS-PON ONT 2.5GE LAN Port, V2904AX-XGS, 12V 2A PSU included, 10G PON Port (Class B), SC singe mode, SC/UPC Connector, 1x 2.5GE RJ45 Port, 3x Gigabit RJ45 Ports, 1x USB 3.0 (can Connect to USB disk and support FTP service), 2x 4dBi (2.4GHz) externa antennas, 2x 5dBi (5GHz) externa antennas
VSOL-V2905H-XGS	R 1,182	VSOL XGS-PON ONU with 10GE & 4x GE Ports, V2905H-XGS, 12V 1A PSU included, SC Single Mode, SC/UPC Connector, 1x 10 Gigabit RJ45 Port, 4x Gigabit RJ45 Ports, 1x USB 3.0 for shared storage
VSOL-V2924G	R 3,624	VSOL V2924G G/XG/XGSPON 24 Port MDU ONU, 1U 19-inch Standard Box Rack, 24x Gigabit RJ45 Ports, 1x 10 Gigabit Port
VSOL-V3600-XG8-C	R 92,468	VSOL 8 Port XGS-PON Combo OLT, VSOL-V3600-XG8-C, Single AC PSU included, 1U 19 inch standard box, 8x XG(S)PON / GPON Ports (SFP slots), 1 Gigabit Ethernet RJ45 Port, 4x 25GE SFP28 Ports, 2x QSFP28 Ports (25GE/50GE/100GE)
WAVE-ONU	R 1,006	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream

WAVE-ONU20	R 14,254	Ubiquiti UISP WaveFiber SC/APC 2.5Gbps Ethernet ONU - 20 pack, Wave-Fiber-ONU, 1x SC/APC, ITU-G.984 GPON WAN Port, 1x 1/2.5 GbE RJ45 LAN Port, 24V Passive PoE Power Supply, 2.488 Gbps downstream, 1.244 Gbps upstream

< Return to the menu

Network HUB

Product code	Price	Description
NET-TL-EH210	R 194	TP-Link EH210 1 to 2 Gigabit Ethernet Splitter, Aluminum Alloy Case, 3x Gigabit RJ45 Ports, USB-C Power (1 Gigabit RJ45 input -> 2 Gigabit RJ45 Outputs, Powered via 1x USB-C cable)

< Return to the menu

Network Interface Card / NIC

Product code	Price	Description
470-BCFV	R 411	Dell 470-BCFV USB-C to 2.5Gbps Ethernet Adapter
4X90S91831	R 569	Lenovo 4X90S91831 USB-C to Ethernet Adapter
4Z527AA	R 355	HP 4Z527AA USB-C to RJ45 Gigabit Adapter G2, 104 mm cable length
4Z7Z7AA	R 344	HP 4Z7Z7AA USB 3.0 to Gigabit RJ45 Adapter G2, 8.1 cm cable length
540-BBDS	R 9,921	Dell Intel Ethernet I350 QP 1Gb Server Adapter, Full Height, CusKit
540-BBDS	R 9,902	Dell Intel Ethernet I350 QP 1Gb Server Adapter, Full Height, CusKit
74-470BCFV	R 413	Dell 470-BCFV USB-C to 2.5Gbps Ethernet Adapter
7ZT7A00535	R 3,962	Intel I350-T4 PCIe 1Gb 4-Port RJ45 Ethernet Adapter
817709-B21	R 17,799	HPE 817709-B21 Ethernet 10/25Gb 2-port 631FLR-SFP28 Adapter
817745-B21	R 31,982	HPE 817745-B21 Ethernet 10Gb 2-port 562FLR-T Adapter
900126	R 412	Port USB Type-C to RJ45 5Gbps 30cm Adapter - Black
CD-UE10A	R 115	Cudy UE10A USB Type-A to Gigabit Ethernet Adapter, RTL8153b Chipset, 1x Gigabit RJ45 Port, Requires a USB 3.0 Type-A or higher
CD-UE25A	R 339	Cudy USB Type-A to 2.5Gbps Ethernet Adapter, UE25A, 1x 2.5 GbE RJ45 Port, Requires a USB 3.0 Type-A or higher Port
CD-UE25C	R 339	Cudy USB-C to 2.5Gbps Ethernet Adapter, UE25C, 1x 2.5 GbE RJ45 Port, Requires a USB-C 3.0 or higher Port on the Host device
DGE-528T	R 183	D-Link DGE-528T PCI Gigabit Copper Ethernet Adapter, Copper Gigabit connection for PC, 32-bit 33/66MHz clock speed PCI Bus Master operation, Built-in 72K FIFO buffer to reduce overhead of memory, 802.3x Flow Control, auto MDI/MDIX support, Supports 802.1Q VLAN Tagging, 802.1p Priority Queues
DGE-528T	R 137	D-Link DGE-528T PCI Gigabit Copper Ethernet Adapter, Copper Gigabit connection for PC, 32-bit 33/66MHz clock speed PCI Bus Master operation, Built-in 72K FIFO buffer to reduce overhead of memory, 802.3x Flow Control, auto MDI/MDIX support, Supports 802.1Q VLAN Tagging, 802.1p Priority Queues
MIM-NID	R 250	Mimosa Network Interface Device
NA-APEi10G2S	R 6,235	Asus PEi-10G/82599-2S, PCI-Express 2.0 (8x) Dual-port 10Gigabit LAN server Adapter - SFP optical LC or direct attach copper, Intel 82599Gb chipset - support AFT, SFT, VMLB, DCB, i/OAT, VMDq virtualization, DCA, SR-ioV, ALB, 5GT/sec - includes extra low-profile only for 2U rackmount or slim desktop
NA-GCLN4222	R 6,190	Gigabyte CLN4122 Intel X550-T2 Dual Port 10 Gigabit Ethernet converged Network Adapter, PCI-e V3.0, 2x 10GbE Ports RJ-45, Category-6A up to 100m, On-chip QoS & traffic management, iSCSI, FCoE, NFS storage over Ethernet, Intel Ethernet controller X550-AT2
NA-GCLN4312	R 3,449	Gigabyte CLN4312, pci-Express 2.0 (4x) Dual-port gigabit lan server adapter, 10/100/1000mbps, Intel i350 chipset - support i/OAT, VMDq virtualization, SR-ioV, RSS, ALB, 5GT/sec, with ethernet power management - includes extra low-profile only for 2U rackmount or slim desktop
NA-GCLN4314	R 4,654	Gigabyte CLN4314, pci-Express 2.0 (4x) Quad-port gigabit lan server adapter, 10/100/1000mbps, Intel i350 chipset - support i/OAT, VMDq virtualization, SR-ioV, RSS, ALB, 5GT/sec, with ethernet power management - includes extra low-profile only for 2U rackmount or slim desktop

NA-i226T1R	R 2,321	Intel I226T1 2.5Gbps PCI-e 3.1 x1 Network adaptor, 1x 10/100/1000/2.5GBASE-T Port, Intel I226 Chipset, includes extra Low-Profile only for 2U Rackmount or Slim Desktop
NA-i350T2R	R 4,250	Intel i350T2 Retail pack Pci-Express (4x) Dual-port gigabit lan server adapter, 10/100/1000mbps, Intel i350 chipset - support i/OAT, VMDq virtualization, SR-ioV, RSS, ALB, 5GT/sec - includes extra low-profile only for 2U rackmount or slim desktop
NA-i550T2	R 4,369	Intel x550-T2, pci-Express 3.0 (4x) Dual-port 10Gigabit LAN server adapter, Intel ELX550AT2 chipset - support AFT, SFT, VMLB, DCB, i/OAT, VMDq virtualization, DCA, SR-ioV, ALB, 8GT/sec, with ethernet power management - includes extra low-profile only for 2U rackmount or slim desktop
NA-i710DA2	R 5,894	Intel x710DA2 pci-Express 3.0 (8x) Dual-port 10 Gigabit lan server adapter - SFP optical LC or direct attach copper, Intel X710-AM2 chipset - support VEB, AFT, SFT, VMLB, VMDq virtualization, DCA, SR-ioV, ALB, 8GT/sec, with ethernet power management - includes extra low-profile only for 2U rackmount or slim desktop
NA-i710DA4FH	R 10,368	Intel x710DA4FH pci-Express 3.0 (8x) Quad-port 10 Gigabit lan server adapter - SFP optical LC or direct attach copper, Intel X710-AM2 chipset - support VEB, AFT SFT, VMLB, VMDq virtualization, DCA, SR-ioV, ALB, 8GT/sec, with ethernet power management - Full-Height
NA-I710T4L	R 12,003	Intel X710-T4L 4x 10Gbps Ethernet PCI-e 3.0 Network Adapter OCP 3.0, Quad Port 10GbE Base-T, PCI-e 3.0 (8.0 GT/s) system Interface Type
NA-i710T4R	R 16,474	Intel x710-T4 Retial pack pci-Express 3.0 (8x) Quad-port 10 Gigabit lan server adapter - 10GBase-T/RJ45, Intel XL710 chipset - support AFT / SFT / VMLB / DCB / i/OAT / VMDq virtualization / DCA / SR-ioV / ALB, 8GT/sec, with ethernet power management - includes extra low-profile only for 2U rackmount or slim desktop
NA-i8494	R 4,486	Intel pwla8494gt, PCI-X only (100/133mhz) Quad-Gigabit LAN server adapter, 10/100/1000mbps, 2x Intel NH82546GB chipset, 256k on-board memory - support teaming connections - OEM pack
NA-iXXV710DA2	R 9,337	Intel XXV710DA2 PCI-express 3.0 (8x) dual-port 25 Gigabit LAN Server Adapter, SFP28 direct attach copper, Intel XL710-BM2 Chipset - support FPP, NFV, NVO, VEB, AFT, SFT, VMLB, VMDQ Virtualization, Dca, SR-IOV, ALB, 8GT/sec, with Ethernet power management - includes extra low-profile only for 2U rackmount or slim Desktop
NA-JCE133	R 340	J5 create JCE133 - USB3 Type-C to Gigabit Network Adapter, with aluminum housing, 68x23x15mm 100mm cable, ideal for desktop or notebook/ new macbook - for Windows/ MAC/ Linux
NA-JUE130	R 342	J5 create JUE130 - USB 3.0 to Gigabit network adapter, with aluminium housing, 68x23x19mm - for Windows/MAC/Linux
NA-T3468	R 207	TP-Link TG-3468 Gigabit PCI Express Network Adapter
NBHP4Z527AA	R 293	HP 4Z527AA USB-C to RJ45 Gigabit Adapter G2, 104 mm cable length
NBHP4Z7Z7AA	R 282	HP 4Z7Z7AA USB 3.0 to Gigabit RJ45 Adapter G2, 8.1 cm cable length
NBLE4X90S91830	R 377	Lenovo 4X90S91830 ThinkPad USB 3.0 Ethernet Adapter
NBLE4X90S91831	R 478	Lenovo 4X90S91831 USB-C to Ethernet Adapter
NET-TG-3468	R 185	TP-Link TG-3468 Gigabit PCI Express Network Adapter
NET-TX201	R 298	TP-Link TX201 2.5 Gigabit PCI-e Network Adapter, PCI Express 2.1 x1
NET-TX401	R 1,130	TP-Link TX401 10GB Base-T PCI Express 3.0 x4 Network Adapter, 1.5m CAT6A Ethernet cable is included
PE10	R 76	Cudy PE10 Gigabit PCI-e x1 Adapter, 1x 10/100/1000 Mbps RJ45 Network
PE25	R 152	Cudy PE25 2.5Gbps PCI-E Ethernet Adapter
RCT ADP-GN101CU	R 227	RCT USB 3.0 Type-C to RJ45 Gigabit Ethernet adaptor with USB Type-C to a adaptor
TG-3468	R 184	TP-Link TG-3468 32-bit Gigabit PCI Express Network Adapter, Realtek RTL8168E, 10/100/1000Mbps RJ45 port, Auto MDI/MDIX
TG-3468	R 169	TP-Link TG-3468 Gigabit PCI-e x1 Express Network Adapter, 1x Gigabit RJ45 Port, 32-bit PCI-e Interface, Wake on LAN
TG3468	R 242	TP-Link TG-3468 Gigabit PCI-e x1 Express Network Adapter, 1x Gigabit RJ45 Port, 32-bit PCI-e Interface, Wake on LAN
TP-TG-3468	R 185	TP-Link TG-3468 Gigabit PCI-e x1 Express Network Adapter, 1x Gigabit RJ45 Port, 32-bit PCI-e Interface, Wake on LAN
TP-TX401	R 1,130	TP-Link TX401 10GB Base-T PCI Express 3.0 x4 Network Adapter, 1.5m CAT6A Ethernet cable is included
TX201	R 355	TP-Link TX201 2.5 Gigabit PCI-e Network Adapter, PCI Express 2.1 x1

TX401	R 1,187	TP-Link TX401 10 Gigabit PCI Express Network Adapter, SPEC: PCIe 3.0 x4, Include CAT6A Ethernet Cable, FATURE: Support 10/5/2.5/1 Gbps and 100 Mbps Network Standards
TXB014	R 288	Microworld TXB014 PCI-e 3x USB 3.0 Gigabit RJ45 card, VL805 8153b Chipset
VANTEC ADP CB-CU310GNA	R 311	Vantec CB-CU310GNA RJ-45 to USB Type-C adaptor with Type-C to Type-A converter
VANTEC UGT-PC130GNA	R 817	Vantec UGT-PC130GNA 4-Port PCIe Gigabit Ethernet Network Adapter Card
VANTEC UGT-PC330GNA	R 1,852	Vantec UGT-PC330GNA 2 x RJ45 Port 10G Network PCIe Card with Intel X550-AT Chip
WSHP1QL46AA	R 9,404	HP Intel 1QL46AA X550 10GBASE-T Dual Port PCI-e Network Interface card
WSHPW8X25AA	R 7,753	HP W8X25AA Intel Ethernet I350-T4 4-Port 1Gb NIC PCIe x4 slot card, Compatible with --> HP Z240 SFF Workstation / HP Z240 Tower Workstation / HP Z440 Workstation
XG-C100C V3	R 1,762	Asus XG-C100C V3 10Gbps PCIe network adapter; PCIe x4 interface; 10GBase-T RJ45; 10Gbps 5Gbps 2.5Gbps support; built-in QoS; Windows Linux support

< Return to the menu

Network mounting devices

Product code	Price	Description
60G-PM	R 1,179	Ubiquiti Precision alignment Mount for GBE-60LR / AF-60 / 60G-PM
AC-FIB-DIST-4	R 109	Acconet Distribution box 4 Core
AC-FIB-DIST-8	R 242	Acconet Distribution box 8 Core
AC-SiDPKP01H00	R 551	Sunix DPKP01H00 Device Port dock mode Ethernet enabled - 1 port parallel (SPP/BPP/ECP/EPP) over ethernet, upstream downstream with daisy support up to 4x units / 3x LPT (278/378/3BC ISA address), auto-detect & port-mapping, 2.7MBps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD IEC6000-4-2 Air Discharge 8KV ESD IEC61000-4-2 Contact Discharge protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
ALL-CAM-JB-110	R 146	Miro ALL-CAM-JB-110 Allbro Camera-Den - 110 mm Junction Box (Camera not included)
ALL-CAM-JB-90	R 118	Miro ALL-CAM-JB-90 Allbro Camera-Den - 90 mm Junction Box, IP66 (Water Proof) Rated, Works on all Mini Bullet cameras (Camera not included)
ANT4971-30HDB	R 385	UltraLAN Heavy Duty mounting bracket for ANT4971-30dp Dish Antenna, Compatible with UltraLAN ANT4971-30dp (600 mm) Dish Antenna, Attaches directly to the rear of the Dish Antenna, Designed for Pole or mast mounting with included galvanised Steel u-bolts, Supports Pole or mast diameters of 30-80 mm, Constructed from heavy-gauge Anti-Corrosion treated sheet Metal, Features fine Tilt adjustment capabilities, Includes strong Replacement bracket suitable for high-wind sites
B-SM-1000	R 863	Switchcom 1m Off Set square Wall Mount bracket
B-SM-250	R 316	Switchcom 250mm square Wall Mount bracket
B-T-150	R 144	Switchcom 150mm Tripod Wall Bracket
BRA-EC0	R 69	Unbranded Economy Mast Bracket 38mm
BRA-FM	R 431	Scoop Flush Mount Bracket Heavy Duty
BRA-GM	R 259	Unbranded Ground Mount Bracket 1000 x 50mm
BRA-PC	R 339	Unbranded Parallel Clamp 300mm
BRA-S25	R 339	Unbranded Square Bracket Wallmount 25cm
BRA-S40	R 477	Unbranded Square Bracket Wallmount 40cm
BRA-S55	R 569	Unbranded Square Bracket Wallmount 55cm
BRA-T150	R 144	Unbranded T-Stand off Bracket 150mm
BRA-T300	R 288	Unbranded T-Stand off Bracket 300mm
BRA-TL	R 224	Unbranded Tripod Bracket Wallmount 47cm
BRA-TM	R 201	Unbranded Tripod Bracket Wallmount 25cm
BRA-TS	R 144	Unbranded Tripod Bracket Wallmount 10cm
BRA-WL	R 247	Unbranded L-Bracket 500 x 500 x 50mm
BRA-WS	R 109	Scoop L-Bracket 400 x 200 x 38 mm
BRA-WX	R 288	Unbranded L-Bracket 500 x 1000 x 50mm

CB-CNM-HALF-KIT	R 332	Cambium cnMatrix 19" Rack Mount kit, CB-CNM-HALF-KIT, Designed for Cambium cnMatrix Switches
CB-CNM-TX1012-RME	R 381	Cambium cnMatrix 19" Rack Mount kit for TX1000 Series, CNM-TX1012-rme, Compatible with TX1012-P-AC / TX1012-P-DC
CB-CNW-AT	R 162	Cambium cnWave alignment tube, Accessory is useful for aligning V3000 Point-to-point links
CB-CNW-BRCKT-PRC	R 2,394	Cambium cnWave Precision Mounting Bracket, Accessory for mounting the cnWave V3000 Client Node on a vertical pole, CB-CNW-BRCKT-PRC
CB-CNW-V5000-BRCKT	R 549	Cambium V5000 Universal Pole Mount bracket for 1" - 3" Diameter poles, Required for CB-CNW-V5000
CB-CORE-BRCKT-TILT	R 781	Cambium N000045L002A PTP450i Tilt Bracket Assembly
CB-CORE-LPU-KIT	R 7,405	Cambium C000065L007B PTP LPU and Grounding Kit
CB-CORE-SP-GB	R 925	Cambium C000000L033A PTP Gigabit Surge Suppressor (56V)
CB-SP-GB	R 831	Cambium CB-SP-GB Gigabit Surge Suppressor (30V)
CPRBM06	R 64	Unbranded Set of 4 rawl bolts - M6 x 50mm
EX-B-ARM-450	R 288	Extralink Four Arms Frame 450mm x 450mm x 70mm
EX-B-ARM-600	R 247	Extralink Four Arms Frame 600mm x 600mm x 100mm
GS-GDS-INWALL	R 756	Grandstream GDS37x0-IN-WALL Mounting Kit, Compatible with --> GDS3710 GDS3705 VOIP
GS-GRP-WM-A	R 71	Grandstream Wall mount for GRP260x IP Phones
GS-GRP-WM-L	R 70	Grandstream Wall mount for Grandstream GXV3350 / GRP2614 / GRP2615 / GRP2616 IP Phones
GS-GRP-WM-S	R 67	Grandstream Wall Mount for GRP2612 and GRP2613 IP phones
IGN-ICC-BRACKET-LC	R 229	IgniteNet MetroLinq LC Precision Bracket
INS-WBAM2	R 114	UltraLAN L-Bracket - 240 x 370mm
INS-WBAM3	R 114	UltraLAN L-Bracket - 355 x 415mm
INS-WBT-15	R 207	Unbranded T-Stand Off bracket 150mm, INS-WBT-15
JW047A	R 247	HP JW047A AP-220-MNT-W1W Flat Surface Wall/Ceiling White AP Basic Flat Surface Mount Kit
MIM-B-MOUNT	R 944	Mimosa B-mount bracket, MIM-B-MOUNT, Mounting bracket for B5 and B6X, Powder-coated galvanized Steel
MK-LHG MOUNT	R 339	MikroTik Metal Pole Mount Adapter for LHG Series, LHGMount
MK-SOLID MOUNT	R 592	Mikrotik Metal Pole Mount Bracket for LHG Series, solidMOUNT
MS-GR-21-V2	R 15,438	Miro 21M Lattice Guy Rope Kit Version 2, The Revision 2 Lattice Mast Guy Rope Kit is designed for guyed installations up to 30 meters with any number of guy points and is a cost effective way to gain height for your equipment.
MS-HD-600-CC	R 7,573	Unbranded Lattice Mast Casting Cage - Connects to Y-Base Assembly, 600mm Galvanized Casting Cage, 600PL-1-CC
MS-HD-600-SC	R 14,666	Unbranded Lattice Mast 3m Section - Stacking, 600mm Galvanised Parallel Lattice Mast 3m - ZigZag bracing and flange joint.
MS-HD-600-YBA	R 20,200	Unbranded Lattice mast Y-Base assembly - Y-Base attached to first 3m section, 600mm galvanised parallel lattice mast - Y-Base and Y-Base section, 600PL-1-YBA
MS-HD-CC-V2	R 5,302	Unbranded Lattice Mast Casting Cage, Only connects to Y-Base Assembly
MS-HD-LP	R 13,199	Miro 450PL Lattice Mast Lifting Pole, 21-24 m lifting pole
MS-HD-SC-V2	R 9,446	Miro Lattice Mast 3m Section (Revised), New K bracing and flange joint, Galvanized, Guy rope kit recommended from 15-21m height (21max)
MS-HD-YBA	R 13,242	Miro Lattice Mast Y-Base Assembly, Includes Y-Base and Y-Base Section, Y-Base attached to first 3M Y-Base Section (Galvnised)
MS-PC3-200	R 476	Unbranded Mast Offset Bracket, 200mm Offset from Mast, Works with 25.2-50.8mm Pole, Single unit
MT-DRP-LTM	R 153	MikroTik - DINrail Pro kit for LtAP Mini
MT-RB5009-K-79-RM	R 152	MikroTik RB5009 rackmount kit K-79
MT-RBGPER-IP67CASE	R 98	MikroTik outdoor enclosure for GPER, IP67 outdoor enclosure, ER-IP67-CASE
MT-RBLHG-MOUNT	R 221	MikroTik LHG metal pole mount, Package also includes a U-bolt and a K-58 mounting kit
MT-RBQM-X	R 48	MikroTik quickMOUNT-X - additional axis for pole-mounting SXTsq devices, QM-X
MT-RBRMK-2-10	R 161	MikroTik - 1U Dual or 10 Rackmount kit, Allows installing two of the smaller MikroTik form-factor devices within traditional 19-inch racks, RMK-2-10 (Includes joining kit only, MikroTik electronic devices not included)

MT-RBSXTSQ-M	R 152	MikroTik SXTsq-mount durable alignment attachment for the SXTsq series products
MT-RBWNK-4011	R 153	MikroTik Wall Mount Kit for RB2011, 230 x 33 x 151 mm, Includes screw set
NEC-KIT-INST	R 3,893	NEC Installation Material Kit, Includes Cable Ties, Outdoor Cable Labels, Waterproof Tape & Grounding Kit
NET-TL-FC1420	R 2,094	TP-Link TL-FC1420 14-slot Media converter Rackmount chassis, 1 fan, 100-240VAC AC Power Supply, 14x 5VDC / 0.6A Power Output
NTX-RMK-250	R 505	Netonix Rack mounting kit for NTX-WS-12250-AC and NTX-WS-12250-DC, Includes x8 Black screws, 2x L brackets
NTX-RMK-26	R 539	Netonix Rack mounting kit for NTX-WS-26400-IDC and NTX-WS-26500-DC, Includes x8 Black screws, 2x L brackets
P-A-50-6	R 633	Switchcom 50mm galvanized pole - 6m
QMP	R 104	MikroTik QMP quickMOUNT Pro for small antennas, Adjustable, The quickMOUNT Pro is an advanced Wall Mount Adapter for small point to point and Sector antennas.
QMP-LHG	R 104	MikroTik QMP-LHG quickMOUNT Pro for LHG antennas, Adjustable, The quickMOUNT Pro LHG is a advanced wall or pole Mount Adapter for our new LHG antennas.
RAWLB	R 8	Unbranded M8 Rawl Bolt Shielded Zinc (8x65mm)
RB-5009RMKIT	R 121	MikroTik RB-5009 Rack Mount Kit (Router NOT included, this is a mounting kit)
RB-GPERO	R 98	MikroTik IP67 Outdoor Enclosure for GPeR, GPeR-IP67-Case
RB-LHGM	R 224	MikroTik Metal Pole Mount Adapter for LHG Series, LHGMount
RB-LHGM	R 247	MikroTik Metal Pole Mount Adapter for LHG Series, LHGMount
RB-LHGSM	R 489	Mikrotik Metal Pole Mount Bracket for LHG Series, solidMOUNT
RB-QM	R 58	MikroTik RB-QM quickMOUNT for small pole Mount devices, 35mm tube Diameter, 100N Maximum Wind load, SXT ' s / OmniTIK compatible devices
RB-QMP	R 109	MikroTik QMP Quickmount PRO for small antennas, Adjustable, The quickMOUNT pro is an advanced wall mount adapter for small point to point and sector antennas.
RB-QMPLHG	R 109	MikroTik QMP-LHG Quickmount PRO for LHG antennas, Adjustable, The quickMOUNT pro LHG is a advanced wall or pole mount adapter for our new LHG antennas.
RB-QMX	R 52	MikroTik quickMOUNT-X - additional axis for pole-mounting SXTsq devices, QM-X
RB-RMTRAY	R 155	Scoop 19 Inch Rack Mount Tray for MikroTik HEX & hAP Series
RB5009-RMK	R 121	MikroTik RB5009 rackmount kit K-79
RBLHGMOUNT	R 224	MikroTik Metal Pole Mount Adapter for LHG Series, LHGMount
RBQM-X	R 52	MikroTik quickMOUNT-X - additional axis for pole-mounting SXTsq devices, QM-X
RBSXTSQ-MOUNT	R 132	MikroTik SXTsq-mount durable alignment attachment for the SXTsq series products
RF-RB-SEX	R 229	RouterBOARD SEXTANT Universal Mounting Bracket, Wall or Pole mount (pole / antennae / AP not included)
RF-TP-THB	R 1,854	RF Elements RF-TP-THB twin horn bracket, The twin horn bracket allows you to Install two Symmetrical horn antennas with exactly the same alignment, 40-80 mm pole mounting diameter, Any Symmetrical HornTP antennas Gen2, Any Symmetrical horn CC antennas Gen2
RG-RAP1260-CR	R 45	Reyee RAP1260 Access Point Rose Gold cover, RG-RAP1260-CR, Indoor Rose Gold Replacement front cover accessory, Snap-On Tool-Free mounting Design, Compatible with RG-RAP1260 Wall-Plate AP only, LAN Ports and LEDs stay accessible during installation
RM-CAB-25U800-SAFE	R 28,440	AccoNet IP 55 19" vented outdoor safe / cabinet
RS-DUOB20	R 403	Unbranded Rackstuds Duo 2.2mm / 3.2mm Black - 20 pack, RSLDUO-1RUB20-S2/40
SK-EH-AWS-LONG	R 1,622	Siklu EtherHaul Long All Weather Shells, Bag of 5 long " All Weather Shell" , Protecting cable entry to Ethernet/fiber ports with long boots, EH-AWS-LONG-5
SOLIDMOUNT	R 403	Mikrotik Metal Pole Mount Bracket for LHG Series, solidMOUNT
TL-FC1420	R 2,152	TP-Link TL-FC1420 14-slot Media converter Rackmount chassis, 1 fan, 100-240VAC AC Power Supply, 14x 5VDC / 0.6A Power Output
TP-OJB-100	R 74	TP-Link OJB-100 Wall Plate Access Point Junction Box, Enables related Omada and festa Wall Plate APs to be installed directly on bare walls, 143 x 84.3 x 40mm size
TUB-AU	R 224	Unbranded 38mm Aluminium Mast of 2 metres

TUB-AU3	R 914	Scoop 50mm Aluminium Pole / Mast 3m
TUB-AU6	R 1,834	Scoop 50mm Aluminium Pole / Mast 6m
TUBE-1M	R 132	Unbranded Galvanised 50mm Mast 1m long
TUBE-2M	R 259	Unbranded Galvanised 50mm Mast 2m long
TUBE-3M	R 403	Unbranded Galvanised 50mm Mast 3m long
TUBE-6M	R 776	Unbranded Galvanised 50mm Mast 6m long
UACC-FLEX-PRO	R 1,208	Ubiquiti UniFi Flex Utility Pro Outdoor enclosure, UACC-FLEX-PRO, Universal Outdoor Weatherproof enclosure for Networking gear, Constructed from durable polycarbonate material, Rated IPX6 for high-pressure Water Jet protection, Supports Wall and Pole mounting options
UACC-G6PTZ-ICMW	R 776	Ubiquiti UniFi Protect G6 PTZ White In-Ceiling Mount, Stainless Steel mounting material, Polycarbonate enclosure material, Compatible with --> UVC-G5PTZ-B / UVC-G5PTZ-W / UVC-G6PTZ-W / UVC-G6PTZ-B camera
UACC-MAX16RM	R 978	Ubiquiti UniFi Pro Max 16 Rack-Mount kit, UACC-Pro-Max-16-RM, Compatible with --> USW-Pro-Max-16 / USW-PRO-MAX-16-PoE (180W)
UB-AM	R 138	Ubiquiti Antenna wall mount UB-AM, Universal Arm Bracket by Ubiquiti, Designed for wall or poles, Aesthetically Pleasing, Full 90 Deg Tilt Adjustment, 1.5" Dia Heavy Duty Steel Pipe for Greater Strength
UB-AM	R 161	Ubiquiti Antenna wall mount UBAM-UB-AM, Universal Arm Bracket by Ubiquiti, Designed for wall or poles, Aesthetically Pleasing, Full 90 Deg Tilt Adjustment, 1.5" Dia Heavy Duty Steel Pipe for Greater Strength
UB-AM	R 265	Ubiquiti Antenna wall mount UBAM-UB-AM, Universal Arm Bracket by Ubiquiti, Designed for wall or poles, Aesthetically Pleasing, Full 90 Deg Tilt Adjustment, 1.5" Dia Heavy Duty Steel Pipe for Greater Strength
UB-NBE-WMK	R 15	Ubiquiti NBE-WMK NanoBeam Wall Mount Kit
UB-QM	R 403	Ubiquiti Toolless Quick-Mounts for Ubiquiti CPE ' s, QUICK-MOUNT
UB-QM	R 518	Ubiquiti Toolless Quick-Mounts for Ubiquiti CPE ' s, QUICK-MOUNT
UB-UF-TERM-BOX	R 641	Ubiquiti UFiber Outdoor Terminal box, Weatherproof, Pole-mount enclosure to protect Outdoor UF-LOCO / Nano / AE, UF-Terminal-Box
UB-UISP-B	R 1,319	Ubiquiti UISP weatherproof enclosure for UISP routers and Switches, UISP-BOX, Uv-stabilized polycarbonate, Up to 200 km/hour Wind Endurance
UB-USW-FLEX-UT	R 994	Ubiquiti UniFi Switch Flex Utility Outdoor Enclosure, USW-FLEX-UTILITY
UB-USW-FLEXU	R 978	Ubiquiti UniFi Switch Flex Utility Outdoor Enclosure, USW-FLEX-UTILITY
UB-USW-PRO-MAX-16-RM	R 1,118	Ubiquiti UniFi Pro Max 16 Rack-Mount kit, UACC-Pro-Max-16-RM, Compatible with --> USW-Pro-Max-16 / USW-PRO-MAX-16-PoE (180W)
UBOLT	R 11	Unbranded U-Bolt 50mm Mild Steel
UISP-BOX	R 1,259	Ubiquiti UISP weatherproof enclosure for UISP routers and Switches, UISP-BOX, Uv-stabilized polycarbonate, Up to 200 km/hour Wind Endurance
UN-TR-CE45-IN	R 288	Uniview UNV - PTZ Dome Pendant Mount, TR-CE45-IN
UN-TR-JB03-G-IN	R 116	Uniview UNV - Fixed Dome Junction Box, Junction Box for IPC32 and IPC31 series Aluminium alloy, TR-JB03-G-IN
UN-TR-JB03-H-IN	R 143	Uniview UNV- Fixed Dome Junction Box, TR-JB03-H-IN, Junction box for IPC363X Series / IPC36XXS/E Series fixed dome and 4MP fisheye, Aluminum alloy
UN-TR-JB04-D-IN	R 184	Uniview UNV - Fixed Dome Junction Box, Wall instillation for 8MP fisheye, TR-JB04-D-IN,
UN-TR-JB07/WM03-F-IN	R 347	Uniview UNV - wall mounted assembling bracket, Bracket for A fixed metal dome camera, Wall installation for IPC363X and IPC36XXS/E series fixed dome
UN-TR-JB07/WM04-B-IN	R 385	Uniview UNV - fixed dome outdoor Wall Mount bracket, Aluminium alloy, 125mm * 252.5mm, TR-JBO7/WM04-B-IN, Wall installation for IPC323X series fixed dome (Extra back outlet)
UN-TR-UP06-B-IN	R 114	Uniview UNV - Bullet Pole Mounting Bracket
UN-TR-WE45-D-IN	R 291	Uniview UNV - wall mounting bracket for the OmniView camera, TR-WE45-D-IN, 225.0mm x 111.3mm x 150.6mm, 0.58kg, Aluminum alloy
UN-TRUP06-C-IN	R 162	Uniview UNV-Bullet Pole Mount Bracket, Works with IPC21XX / ipc23/25xxx / IPC 74XXX, TR-UP06-C-IN
USW-FLEXU	R 978	Ubiquiti UniFi Switch Flex Utility Outdoor Enclosure, USW-FLEX-UTILITY

< Return to the menu

Network Routers (wired broadband routers)

Product code	Price	Description
DSL-245GE	R 689	D-Link DSL-245GE Dual Band Wireless AC1200 VDSL2 / ADSL2 Modem Router, 1x USB 3.0 Port for Wireless File sharing, 4x 10/100/1000 Gigabit LAN Port, 1x RJ-11 xDSL Port, AC1200 Dual-Band with speeds up to 1.2 Gbps
F7D1401NT	R 644	Belkin F7D1401NT Ethernet Surf Wireless ADSL Router N150, 4x 10/100 Ethernat LAN ports
TD-W9960	R 606	TP-Link TD-W9960 4 port 300 Mbps Wireless VDSL / ADSL Router, 3x 10/100 Mbps RJ45 LAN Ports, 1x 10/100 Mbps RJ45 LAN/WAN Port, 1x RJ11 Port, Omni Directional fixed antenna Type, 2x 5dBi antenna gain
TL-R480T+	R 842	TP-Link TL-R480T load balance Broadband Router, 1x fixed Ethernet WAN Port, 1x fixed Ethernet LAN Port, 3x changeable Ethernet WAN/LAN Ports
VMG1312-B10D	R 435	Zyxel Wireless N VDSL2/ADSL2 4-port Gateway with USB, Very high-speed Internet Access VIA ADSL2 and VDSL2, Wireless N (Up to 300 Mbps) with WPS, 4-port fast Ethernet Switch, 1x USB Port, 3G/LTE failover via USB Port (3G/LTE USB Modem not included), File sharing VIA USB Port, Etherwan : 1x fast Ethernet Port can be used as A WAN Port, Support PPTP - and IPSEC VPN, Firewall and quality of service
VMG3625-T20A	R 918	Zyxel Dual-Band Wireless AC/N combo WAN Gigabit Gateway with USB, Integrated ADSL2 / VDSL2 Modem, 802.11AC1200 (Dual Band Wi-Fi), 4x Gigabit LAN ports, 1x Gigabit WAN Port for future Fibre deployments, 1x USB 2.0 (Host)
VMG3925-B10B	R 1,723	Zyxel Dual-Band Wireless AC/N VDSL2 combo WAN Gigabit Gateway with USB, Very high-speed Internet Access VIA ADSL2 and VDSL2, Wireless AC (AC1300) with WPS, Optimised RF and antenna design, Dual-Band Wireless - 2.4GHz 11n (2x2) and 5GHz 11ac (3x3), Transmit beamforming, 4-port Gigabit Switch, 1x Gigabit Ethernet WAN Port, 1x USB Port, 3G/LTE failover VIA USB Port (3G/LTE USB Modem not included), File sharing VIA USB Port, VLAN and quality of service

< Return to the menu

Network Routers (wired standalone routers)

Product code	Price	Description
02354GBG-001	R 9,982	Huawei AR720 Enterprise Router with 2x GE Combo WAN & 8x GE LAN Ports, 2x USB, 2x SIC, Up to 1200 users, Forwarding performance 6Gbps, 1U Chassis height, 8x Gigabit electrical interfaces LAN Ports, 2x Gigabit Combo WAN Ports
02354GBM-001	R 21,067	Huawei AR730 Enterprise Router with 2x GE Combo WAN & 1x 10GE SFP WAN & 8x GE LAN & 1x GE Combo LAN Ports, 2x USB, 2x SIC, Up to 700 users, Forwarding performance 4Gbps, 1U Chassis height, 8x Gigabit electrical LAN Ports, 1x Gigabit Combo LAN Port, 2 x Gigabit Combo WAN Ports, 1 x 10 Gigabit Optical (SFP) WAN Port
50010533	R 2,119	Huawei AR303 eKit Enterprise Router with 1x GE Combo WAN & 4x GE LAN, 1x USB, 4x Gigabit RJ45 LAN Ports, 1x Gigabit Combo WAN Port
AR303	R 1,709	Huawei AR303 eKit Enterprise Router with 1x GE Combo WAN & 4x GE LAN, 1x USB, 4x Gigabit RJ45 LAN Ports, 1x Gigabit Combo WAN Port
AR720	R 6,240	Huawei AR720 Enterprise Router with 2x GE Combo WAN & 8x GE LAN Ports, 2x USB, 2x SIC, Up to 1200 users, Forwarding performance 6Gbps, 1U Chassis height, 8x Gigabit electrical interfaces LAN Ports, 2x Gigabit Combo WAN Ports
AR730	R 13,073	Huawei AR730 Enterprise Router with 2x GE Combo WAN & 1x 10GE SFP WAN & 8x GE LAN & 1x GE Combo LAN Ports, 2x USB, 2x SIC, Up to 700 users, Forwarding performance 4Gbps, 1U Chassis height, 8x Gigabit electrical LAN Ports, 1x Gigabit Combo LAN Port, 2 x Gigabit Combo WAN Ports, 1 x 10 Gigabit Optical (SFP) WAN Port
ARCHER BE230	R 1,499	TP-Link Archer BE230 BE3600 Dual-Band Wi-Fi 7 Router, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 3 bedroom houses, 4 x external antennas, Beamforming, High-Power fem, Router mode, Access Point mode, 1x 2.5 Gbps WAN, 1x 2.5 Gbps LAN, 3x 1 Gbps LAN, 1x USB 3.0, Supports USB drives
ASUS RT-BE55	R 2,036	ASUS RT-BE55 Worry-FreeSmart Home WiFi 7 Router, 688 2882 Mbps BE3600 Ultimate be Performance, 4x external antenna, OFDMA, Standard-based and Universal beamforming, Operating mode - Wireless Router mode /

		Access Point mode / Media Bridge mode, 1x 2.5GbE for WAN, 4x 1GbE LAN, AiMesh, Primary AiMesh Router, AiMesh Node
ASUS RT-BE86U	R 6,394	Asus ROUTER/ Premium/ WiFi7/ 1032 5764Mbps/ 2.4GHz3x3/ 5GHz4x4/ 1xWAN(10G)/ 1xWAN(2.5G)/ 3xLAN/ 2xUSB/ AiMesh/ AiProtection/ VPN/ Instant Guard
ASUS ZenWiFi BQ16 (1pk)	R 11,903	Asus ZenWiFi BQ16 Worry-FreeSmart Home Mesh WiFi 7 Router, 1376 5764 5764 11529 Mbps BE25000 Ultimate be Performance, 12x internal antenna, OFDMA, Standard-based and Universal beamforming, Operating mode - Access Point mode / AiMesh Node mode / Wireless Router mode, 1x 10GbE WAN/LAN, 1x 10gge LAN, 1x 1GbE WAN/LAN, 2x 1 GbE LAN, USB 3.0, AiMesh, Primary AiMesh Router, AiMesh Node
CCR1009-7G-1C-1S+	R 9,516	MikroTik CCR1009-7G-1C-1S 7 Port Cloud Core Router with 9 Core CPU, Combo Port, SFP , 7x Ethernet ports, RouterOS L6, 1U Rack Mount Gigabit Ethernet Router
CCR1009-7G-1C-1S+PC	R 9,516	MikroTik CCR1009-7G-1C-1S PC - 7 Port Cloud Core Router with 9 Core CPU, Combo Port, SFP , PC, LCD Touchscreen, Smart card slot, MicroSD, SFP Port for 10 Gigabit connections, 7x Gigabit Ports, RouterOS L6
CCR1016-12S-1S+	R 14,719	MikroTik CloudCore Router 12 Port SFP Port 1 SPF Port Router rackmount 1U, Tilera TILE-GX16 CPU 16-cores - 1.2GHz per Core, 2GB RAM, 12x SFP cages, 1x SFP cage, RouterOS L6, Rackmount 1U, LCD Display, RS232 Serial Port, MicroUSB Type AB USB Port, CCR1016-12S-1S
CCR1036-12G-4S-EM	R 23,213	MikroTik CloudCore Router 12 Gigabit Port Router with 4 SFP ports rackmount 1U, Tilera TILE-GX36 CPU 36-cores - 1.2GHz per Core, 16GB RAM, 4x SFP cage, 12x Gigabit LAN, RouterOS L6, MicroUSB Type AB Port, RS232 Serial Port, LCD Display, CCR1036-12G-4S-EM
E60IUGS	R 1,107	MikroTik hEX S 5 port Gigabit SFP Router, RBE60iUGS, Dual-Core CPU, 512 MB RAM, 128 MB storage, 5x Gigabit Ethernet Ports, 1x 1G SFP Port (2.5G supported), 1 Type-A USB Port, RouterOS V7 Operating System, License level 4, DC jack or PoE-in
ER707-M2	R 2,077	TP-Link ER707-M2 Omada Multi-Gigabit VPN Router, PORT: 1x 2.5G RJ45 WAN Port, 1x 2.5G RJ45 WAN/LAN Port, 1x Gigabit SFP WAN/LAN Port, 4x Gigabit RJ45 WAN/LAN Ports, 1x USB 2.0 port, FEATURE: Integration with Omada SDN Controller, Support SSL VPN, OpenVPN and IPsec/ PPTP/ L2
L009UiGS-RM	R 1,814	MikroTik L009 Desktop Router with 2.5Gb SFP & 8x Gigabit Ethernet Ports, L009UiGS-RM, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 2 DC inputs, 802.3af/at PoE in, 8x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G supported SFP Port
L009UIGS-RM	R 2,179	MikroTik L009 Desktop Router with 2.5Gb SFP, 8x Gigabit Ethernet, PoE in & out, L009UiGS-RM, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 2 DC inputs, 802.3af/at PoE in, 8x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G supported SFP Port
LTE7460	R 4,471	Zyxel LTE Outdoor (IP65) 4G LTE-A Router, Supports bridge or router mode, Outdoor Enclosure (IP65), High Speed LTE Cat 6 (DL 300Mbps / UL 50Mbps), Built-In multi-band antenna, LTE 2nd WAN for fail-over, 2x Embedded antennas of up to 8 dBi
MK-E60IUGS	R 1,222	MikroTik hEX S 5 port Gigabit SFP Router, RBE60iUGS, Dual-Core CPU, 512 MB RAM, 128 MB storage, 5x Gigabit Ethernet Ports, 1x 1G SFP Port (2.5G supported), 1 Type-A USB Port, RouterOS V7 Operating System, License level 4, DC jack or PoE-in
MK-L009UIGS RM	R 1,856	MikroTik L009 Desktop Router with 2.5Gb SFP, 8x Gigabit Ethernet, PoE in & out, L009UiGS-RM, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 2 DC inputs, 802.3af/at PoE in, 8x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G supported SFP Port
MK-RB5009UG+S+IN	R 3,633	MikroTik Heavy Duty Router with 7x Gigabit & 1x 2.5Gb & 1x 10G SFP Ports, RouterOS License L5, RouterOS Operating System, RouterOS Operating System, 1 GB RAM, 1 GB storage size, 7x Gigabit Ethernet Ports, 1x 2.5 Gigabit Ethernet Port, 1x SFP Ports, 3x DC inputs, RB5009ug s in
MK-RB5009UPR+S+IN	R 4,842	MikroTik RouterBOARD RB5009 with 1x 2.5Gbit LAN & 7 x Gigabit LAN & 1x SFP Port, 1x 2.5Gbit LAN (802.3af/at PoE-out and PoE-in), 7x 1Gbit LAN (802.3af/at PoE-out and PoE-in), 1x SFP Port, RouterOS L5, Metal Desktop case, RB5009UPR S IN, RouterOS license 5, 130 total Output Power
MK-RB5009UPR+S+OUT	R 5,361	MikroTik 7 Port Gigabit & 1x 2.5Gbps Port & 1x SFP Port Outdoor PoE Router, RB5009UPr S OUT, RouterOS (V7 only) Operating System, 1GB RAM, 802.3af/at PoE in, 120 total Output PoE Power, 7x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x 2.5G Ethernet Ports with PoE-out, 1x SFP Port, USB 3.0 Type-A Port
MK-RB750R2	R 822	MikroTik Routerboard hEX lite 5 Port Ethernet Router, 850MHz CPU, 64MB RAM, 5x 10/100 LAN, L4, 24V PoE

		(Case and PSU included), RB750R2
MK-RB750UPR2	R 1,116	MikroTik RouterBOARD hEX PoE lite 5 Port Ethernet Router with PoE, 650MHz CPU, 64MB RAM, 5x 10/100 LAN, 1x USB, L4, PoE 2A Maximum, 1A PoE Output/Port, RouterOS, RB750UPR2
MK-RB960PGS	R 1,597	MikroTik RouterBOARD hEX 5 Port Gigabit Router with PoE, 800MHz CPU, 128MB RAM, 5x Gigabit LAN (Four with PoE out), USB, RouterOS, L4, Plastic case and PSU, RB960PGS
MK-RB960PGS PB	R 1,946	MikroTik PowerBox Pro - Outdoor PoE Router with 5x Gigabit Ports and 1x SFP Port, Waterproof Outdoor case, Supports passive or standard 802.3at/af PoE Input/Output, 800MHz CPU, Capable of All the Advanced configurations that RouterOS supports
MT-RB1100AHx4	R 5,115	MikroTik RB1100AHx4 Desktop Router with 13x Gigabit Ethernet Ports, 1U rackmount case, Powered by Annapurna Alpine AL21400 CPU with four Cortex A15 cores clocked at 1.4GHz each for a maximum throughput of up to 7.5Gbit, 13x 10/100/1000 Ethernet ports
MT-RB1100AHx4-DUDE	R 6,683	MikroTik RB1100Dx4 Dude Edition - Desktop Router with 13x Gigabit Ports and The Dude pre-loaded, Alpine AL21400 CPU with four Cortex A15 cores clocked at 1.4GHz each for a maximum throughput of up to 7.5Gbps, 1U rackmount case, RS232 serial port and dual redundant power supplies
MT-RB5009UPR+S+IN	R 4,960	MikroTik RouterBOARD RB5009 with 1x 2.5Gbit LAN & 7 x Gigabit LAN & 1x SFP Port, 1x 2.5Gbit LAN (802.3af/at PoE-out and PoE-in), 7x 1Gbit LAN (802.3af/at PoE-out and PoE-in), 1x SFP Port, RouterOS L5, Metal Desktop case, RB5009UPR S IN, RouterOS license 5, 130 total Output Power
MT-RB5009UPR+S+OUT	R 5,574	MikroTik 7 Port Gigabit & 1x 2.5Gbps Port & 1x SFP Port Outdoor PoE Router, RB5009UPr S OUT, RouterOS (V7 only) Operating System, 1GB RAM, 802.3af/at PoE in, 120 total Output PoE Power, 7x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x 2.5G Ethernet Ports with PoE-out, 1x SFP Port, USB 3.0 Type-A Port
MT-RB750R2	R 708	RouterBOARD hEX Lite, 850MHz CPU, 64MB RAM, 5 LAN, L4, 24V PoE (Case and PSU Included)
MT-RB750UPR2	R 1,003	RouterBOARD hEX PoE Lite, 650MHz CPU, 64MB RAM, 5 LAN, 1 USB, L4, PoE 2A Max, 1A PoE Output/port,It is affordable, small and easy to use. With its compact design and clean looks, it will fit perfectly into any SOHO environment.
MT-RB912UAG-5HPnD	R 1,313	RouterBOARD RB912UAG-5HPnD 600MHz CPU 64MB RAM 1Gb LAN Onboard a/n 2xMMCX 1 MiniPCI-E L4 1 USB 24V wireless router
MT-RB960PGS	R 1,611	MikroTik hEX PoE - Desktop PoE Router with 5x Gigabit Ports, 1x SFP Port, 1x USB port, 800MHz CPU, Capable of all the advanced configurations that RouterOS supports, Max current is 1A per port, Ethernet ports are shielded
MT-RB960PGS-PB	R 1,846	MikroTik PowerBox Pro - Outdoor PoE Router with 5x Gigabit Ports and 1x SFP port, Waterproof outdoor case, Supports passive or standard 802.3at/af PoE input/output, 800MHz CPU, Capable of all the advanced configurations that RouterOS supports
MT-RB962UIGS-5AC2H	R 2,068	RouterBOARD hAP AC, 720MHz CPU,128MB RAM, 5xGb LAN, 1xSFP, built-in 2.4Ghz, 5GHz, 1xUSB, L4
MT-RBCRS326-24G-2S+	R 3,717	MikroTik CRS326-24G-2S RM Cloud Router Switch Dual boot SwOS / RouterOS, 24x port Gigabit Ethernet switch with two SFP ports, SFP cage supports both 1.25Gb SFP and 10Gb SFP modules
MT-RBCRS804-4DDQ-HRM	R 21,282	MikroTik CRS804 DDQ Cloud Router Switch, CRS804-4DDQ-hRM, RouterOS License 6, RouterOS V7 Operating System, 4GB RAM, 512 MB storage size, 2 AC inputs, 2 fans, 2x 10G Ethernet Ports, 4x 400g QSFP56-DD Ports
MT-RBE60iUGS	R 1,133	MikroTik hEX S 5 port Gigabit SFP Router, RBE60iUGS, Dual-Core CPU, 512 MB RAM, 128 MB storage, 5x Gigabit Ethernet Ports, 1x 1G SFP Port (2.5G supported), 1 Type-A USB Port, RouterOS V7 Operating System, License level 4, DC jack or PoE-in
MT-RBL009UiGS-RM	R 2,077	MikroTik L009 Desktop Router with 2.5Gb SFP, 8x Gigabit Ethernet, PoE in & out, L009UiGS-RM, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 2 DC inputs, 802.3af/at PoE in, 8x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G supported SFP Port
NET-MER-H37BE-3PK	R 4,609	Mercusys Halo H37BE BE6500 Whole Home Mesh Wi-Fi 7 system - 3 Pack, 5760 Mbps at 5GHz WiFi Speed, 688 Mbps at 2.4GHz WiFi Speed, 2x 2.5 Gbps Ports (WAN/LAN Auto-Sensing), 1x 1 Gbps Port (WAN/LAN Auto-Sensing), Operation mode - Router / Access Point
NET-TL-R470T+	R 598	TP-Link TL-R470T Load Balance Broadband Router
NET-TL-R480T+	R 785	TP-Link TL-R480T Load Balance Broadband Router
PR460X-111EUS	R 18,077	Netgear PR460X 10G / Multi-Gigabit Dual-WAN Pro Router with InSight Cloud Management, 1x 10G / Multi-Gigabit Copper (Configurable LAN/WAN), 1x 2.5G/1G RJ-45 (WAN), 3x 2.5G/1G RJ-45 (LAN), 1x 10G/1G SFP (LAN),

		Maximum number of VLANs is 8
RB-5009UPSIN	R 4,801	MikroTik RouterBOARD RB5009 with 1x 2.5Gbit LAN & 7 x Gigabit LAN & 1x SFP Port, 1x 2.5Gbit LAN (802.3af/at PoE-out and PoE-in), 7x 1Gbit LAN (802.3af/at PoE-out and PoE-in), 1x SFP Port, RouterOS L5, Metal Desktop case, RB5009UPR S IN, RouterOS license 5, 130 total Output Power
RB-5009UPSO	R 5,284	MikroTik 7 Port Gigabit & 1x 2.5Gbps Port & 1x SFP Port Outdoor PoE Router, RB5009UPr S OUT, RouterOS (V7 only) Operating System, 1GB RAM, 802.3af/at PoE in, 120 total Output PoE Power, 7x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x 2.5G Ethernet Ports with PoE-out, 1x SFP Port, USB 3.0 Type-A Port
RB-750UPR2	R 1,121	MikroTik RouterBOARD hEX PoE lite 5 Port Ethernet Router with PoE, 650MHz CPU, 64MB RAM, 5x 10/100 LAN, 1x USB, L4, PoE 2A Maximum, 1A PoE Output/Port, RouterOS, RB750UPR2
RB-CRS326Q	R 9,769	MikroTik Cloud Router Switch 24x SFP ports & 2x QSFP ports, CRS326-24S 2q rm, 650 MHz CPU, RouterOS L5, SwitchOS, 64 MB RAM, 16 MB storage size, 2 AC inputs
RB-HEX	R 978	MikroTik RouterBOARD hEX 5 Port Gigabit Router, Dual Core 880MHz CPU, 256MB RAM, 5x Gigabit LAN ports, USB, RouterOS, L4, Plastic case, PSU
RB-HEXLITE	R 707	MikroTik RouterBOARD hEX Lite 5 Port Ethernet Router, 850MHz CPU, 64MB RAM, 5x 10/100 LAN, L4, 24V PoE (Case and PSU Included)
RB-HEXPOE	R 1,489	MikroTik RouterBOARD hEX 5 Port Gigabit Router with POE , 800MHz CPU, 128MB RAM, 5x Gigabit LAN (four with PoE out), USB, RouterOS, L4, Plastic case and PSU
RB-HEXPOEL	R 1,006	MikroTik RouterBOARD hEX PoE Lite 5 Port Ethernet Router with POE, 650MHz CPU, 64MB RAM, 5x 10/100 LAN, 1x USB, L4, PoE 2A Max, 1A PoE Output/port, RouterOS
RB-HEXS	R 1,121	MikroTik hEX S Dual Core Router 5xGE 1xSFP
RB-L009UGSRM	R 1,926	MikroTik L009 Desktop Router with 2.5Gb SFP & 8x Gigabit Ethernet Ports, L009UiGS-RM, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 2 DC inputs, 802.3af/at PoE in, 8x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G supported SFP Port
RB-PBPRO	R 1,811	MikroTik PowerBox Pro - Outdoor PoE Router with 5x Gigabit Ports and 1x SFP port, Waterproof outdoor case, Supports passive or standard 802.3at/af PoE input/output, 800MHz CPU, Capable of all the advanced configurations that RouterOS supports
RB1100AHX4	R 5,500	MikroTik RB1100AHX4 Desktop Router with 13x Gigabit Ethernet ports, 1U rackmount case, Powered by annapurna alpine AL21400 CPU with four Cortex A15 cores clocked at 1.4GHz each for a Maximum Throughput of up to 7.5 Gbit, 13x 10/100/1000 Ethernet ports
RB1100AHX4	R 6,779	MikroTik RB1100AHX4 Desktop Router with 13x Gigabit Ethernet ports, 1U rackmount case, Powered by annapurna alpine AL21400 CPU with four Cortex A15 cores clocked at 1.4GHz each for a Maximum Throughput of up to 7.5 Gbit, 13x 10/100/1000 Ethernet ports
RB1100DX4	R 6,389	MikroTik RB1100DX4 Dude Edition - Desktop Router with 13x Gigabit ports and the Dude pre-loaded, Alpine AL21400 CPU with four Cortex A15 cores clocked at 1.4GHz each for a Maximum Throughput of up to 7.5Gbps, 1U rackmount case, RS232 Serial Port and Dual redundant power supplies
RB2011iL-RM	R 1,673	MikroTik RouterBOARD 2011UIAS-2HND 10 Port Router with SFP Port, 600MHz CPU, LCD, 5x LAN, 5x Gigabit LAN, 1x SFP, RouterOS L5, Passive PoE out, MicroUSB Port
RB2011UiAS-IN	R 2,096	MikroTik RouterBOARD 2011UIAS-2HND 10 Port Router with SFP Port, 600MHz CPU, LCD, 5x LAN, 5x Gigabit LAN, 1x SFP, RouterOS L5, Passive PoE out, MicroUSB Port, Desktop metal case with touchscreen LCD
RB2011UiAS-RM	R 2,214	MikroTik RouterBOARD 10 Port Router with SFP Port rackmount 1U, 600MHz CPU, 128MB RAM, 5x LAN, 5x Gigabit LAN, 1x SFP, LCD Display, RouterOS L5, Rackmount 1U and PSU, Passive PoE out, MicroUSB Port, RB2011UiAS-RM
RB3011UiAS-RM	R 3,060	MikroTik RouterBOARD 10 Port Gigabit Router with SPF Port rackmount 1U, Dual-Core 1.4GHz CPU, 1GB RAM, 10x Gigabit LAN, 1x SFP, LCD Display, RouterOS L5, Rackmount 1U, Passive PoE out, USB 3.0 Type-A Port, RB3011UIAS-RM
RB5009UG+S+IN	R 3,555	MikroTik Heavy Duty Router with 7x Gigabit & 1x 2.5Gb & 1x 10G SFP Ports, RouterOS License L5, RouterOS Operating System, RouterOS Operating System, 1 GB RAM, 1 GB storage size, 7x Gigabit Ethernet Ports, 1x 2.5 Gigabit Ethernet Port, 1x SFP Ports, 3x DC inputs, RB5009ug s in
RB5009UG+S+IN	R 3,508	MikroTik Heavy Duty Router with 7x Gigabit & 1x 2.5Gb & 1x 10G SFP Ports, RouterOS License L5, RouterOS

		Operating System, RouterOS Operating System, 1 GB RAM, 1 GB storage size, 7x Gigabit Ethernet Ports, 1x 2.5 Gigabit Ethernet Port, 1x SFP Ports, 3x DC inputs, RB5009ug s in
RB5009UPR+S+IN	R 4,708	MikroTik RouterBOARD RB5009 with 1x 2.5Gbit LAN & 7 x Gigabit LAN & 1x SFP Port, 1x 2.5Gbit LAN (802.3af/at PoE-out and PoE-in), 7x 1Gbit LAN (802.3af/at PoE-out and PoE-in), 1x SFP Port, RouterOS L5, Metal Desktop case, RB5009UPR S IN, RouterOS license 5, 130 total Output Power
RB5009UPR+S+IN	R 4,773	MikroTik RouterBOARD RB5009 with 1x 2.5Gbit LAN & 7 x Gigabit LAN & 1x SFP Port, 1x 2.5Gbit LAN (802.3af/at PoE-out and PoE-in), 7x 1Gbit LAN (802.3af/at PoE-out and PoE-in), 1x SFP Port, RouterOS L5, Metal Desktop case, RB5009UPR S IN, RouterOS license 5, 130 total Output Power
RB5009UPR+S+OUT	R 5,261	MikroTik 7 Port Gigabit & 1x 2.5Gbps Port & 1x SFP Port Outdoor PoE Router, RB5009UPr S OUT, RouterOS (V7 only) Operating System, 1GB RAM, 802.3af/at PoE in, 120 total Output PoE Power, 7x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x 2.5G Ethernet Ports with PoE-out, 1x SFP Port, USB 3.0 Type-A Port
RB750GR3	R 974	MikroTik Routerboard Hex 5 Port Gigabit Router, Dual Core 880MHz CPU, 256MB RAM, 5x Gigabit LAN ports, USB, RouterOS, L4, Plastic case, PSU, RB750GR3
RB750R2	R 696	MikroTik Routerboard hEX lite 5 Port Ethernet Router, 850MHz CPU, 64MB RAM, 5x 10/100 LAN, L4, 24V PoE (Case and PSU included), RB750R2
RB750UPR2	R 974	MikroTik RouterBOARD hEX PoE lite 5 Port Ethernet Router with PoE, 650MHz CPU, 64MB RAM, 5x 10/100 LAN, 1x USB, L4, PoE 2A Maximum, 1A PoE Output/Port, RouterOS, RB750UPR2
RB760IGS	R 1,278	MikroTik RB760iGS hEX S - Desktop Router with 1x SFP port & 5x Gigabit Ports with 1x USB port, 880 MHz Dual Core CPU, RouterOS L4, 256 MB Ram, 802.3af/at PoE in, Passive PoE out, 5x 10/100/1000 Ethernet ports
RB760IGS	R 1,093	MikroTik RB760iGS hEX S - Desktop Router with 1x SFP port & 5x Gigabit Ports with 1x USB port, 880 MHz Dual Core CPU, RouterOS L4, 256 MB Ram, 802.3af/at PoE in, Passive PoE out, 5x 10/100/1000 Ethernet ports
RB960PGS	R 1,463	MikroTik RouterBOARD hEX 5 Port Gigabit Router with PoE, 800MHz CPU, 128MB RAM, 5x Gigabit LAN (Four with PoE out), USB, RouterOS, L4, Plastic case and PSU, RB960PGS
RB960PGS	R 1,466	MikroTik RouterBOARD hEX 5 Port Gigabit Router with PoE, 800MHz CPU, 128MB RAM, 5x Gigabit LAN (Four with PoE out), USB, RouterOS, L4, Plastic case and PSU, RB960PGS
RB960PGS-PB	R 1,811	MikroTik PowerBox Pro - Outdoor PoE Router with 5x Gigabit Ports and 1x SFP Port, Waterproof Outdoor case, Supports passive or standard 802.3at/af PoE Input/Output, 800MHz CPU, Capable of All the Advanced configurations that RouterOS supports
RBE60IUGS	R 1,093	MikroTik hEX S 5 port Gigabit SFP Router, RBE60iUGS, Dual-Core CPU, 512 MB RAM, 128 MB storage, 5x Gigabit Ethernet Ports, 1x 1G SFP Port (2.5G supported), 1 Type-A USB Port, RouterOS V7 Operating System, License level 4, DC jack or PoE-in
RBL009UIGS-RM	R 1,926	MikroTik L009 Desktop Router with 2.5Gb SFP, 8x Gigabit Ethernet, PoE in & out, L009UiGS-RM, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 2 DC inputs, 802.3af/at PoE in, 8x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G supported SFP Port
RG-EG105G-P-V3	R 1,323	Reyee 5 port Dual WAN Gigabit Cloud Managed PoE Router, RG-EG105G-P-V3, 1x Gigabit WAN Port, 4x Gigabit LAN Port, 54W PoE Power budget Maximum, 600 Mbps recommended Throughput, 100 recommended concurrent users
RG-EG105G-V3	R 1,121	Reyee 5 port Dual WAN Gigabit Cloud Managed Router, RG-EG105G-V3, 1x Gigabit WAN Port, 4x Gigabit LAN Port, 600 Mbps recommended Throughput, 100 recommended concurrent users
RG-EG1510XS	R 5,894	Reyee 8 Port Multi Gigabit 2SFP Multi-WAN Cloud Router, RG-EG1510XS, 1500 recommended concurrent clients, 2.5" Hard Disk Drive bay storage, Rack-mounted, 1x 2.5G WAN Port, 1x Gigabit fixed LAN Port, 3x Gigabit LAN/WAN switchable Ports, 3x 2.5G LAN/WAN switchable Ports, 2x 10G/1G Base-X SFP, 4 Gbps Throughput
RG-EG1510XS	R 5,859	Reyee 8 Port Multi Gigabit 2SFP Multi-WAN Cloud Router, RG-EG1510XS, 1500 recommended concurrent clients, 2.5" Hard Disk Drive bay storage, Rack-mounted, 1x 2.5G WAN Port, 1x Gigabit fixed LAN Port, 3x Gigabit LAN/WAN switchable Ports, 3x 2.5G LAN/WAN switchable Ports, 2x 10G/1G Base-X SFP, 4 Gbps Throughput
RG-EG210G-P-V3	R 2,128	Reyee 10 Port Multi-WAN Gigabit Cloud Managed PoE Router, RG-EG210G-P-V3, 1x Gigabit WAN Port, 9x Gigabit LAN Port, 3 LAN/WAN switchable Port, 600 Mbps recommended Throughput, 200 recommended concurrent users, 110 W PoE Power budget Max
RG-EG310GP	R 2,869	Reyee 10 Port Gigabit with 4x WAN & 8x PoE 110W Cloud Router, RG-EG310GH-P-E, 10x Gigabit Network

		Interface Ports, 4x Gigabit Max WAN Ports, 1.5Gbps recommended Bandwidth, 300 recommended concurrent clients, 802.3af/at on LAN 0-7
RG-EG406XS	R 2,409	Reyee EG406xs 5 port 2.5Gbps Cloud Managed Router with 1x 10Gbps SFP Port, 5x 2.5Gbps RJ45 Ports, 1x 10GE SFP Ports, 1 fixed LAN Port, 1 fixed WAN Port, 400 recommended number of concurrent clients, 2500 Mbps Throughput
RG-EG406XSP	R 2,639	Reyee EG406XSP 5 port 2.5G Multi-WAN with 4 PoE 110W 400 user Cloud Router, RG-406XS-P, 5x 2.5Gbps Ports with 4x PoE/PoE , 1x 10GE SFP Ports, 110 W PoE budget, 400 recommended number of concurrent clients, 2500 Mbps Throughput
RG-EG710XS	R 3,968	Reyee EG710XS 8 Port Multi Gigabit & 2x SFP Multi-WAN 700 user Cloud Router, RG-EG710XS, 4x Gigabit Ports, 4 x 2.5Gbps Ports, 2x 10GE SFP Ports, 1U Rack Mount, 700 recommended number of concurrent clients, 3000 Mbps Throughput
RG-EG710XS	R 3,789	Reyee EG710XS 8 Port Multi Gigabit & 2x SFP Multi-WAN 700 user Cloud Router, RG-EG710XS, 4x Gigabit Ports, 4 x 2.5Gbps Ports, 2x 10GE SFP Ports, 1U Rack Mount, 700 recommended number of concurrent clients, 3000 Mbps Throughput
RT-MSR610	R 2,427	H3C MSR610 Enterprise 6 Port Gigabit Ethernet Router, 200 Mbps forwarding performance in service (Imix), 1x Gigabit Copper WAN Ports, 1x Gigabit SFP WAN Port, 4x Gigabit WAN / LAN Ports
SG-NGWT-REARCLT-01	R 403	Zebra WT6x Replacement mounting cleat, For rear of Terminal, Includes 3 mounting screws, SG-NGWT-REARCLT-01, Compatible with Zebra WT6x wearable Terminal Series
TL-R470T+	R 656	TP-link TL-R470T 5 Port multi-WAN Router, Load balance, Advanced Firewall, Bandwidth control, Mirror, Ddns, UPnP, VPN, 1X fixed Ethernet WAN Port, 1x fixed Ethernet LAN Port, 3x changeable Ethernet WAN / LAN ports, 10000 concurrent Session
TTK-RUT301	R 1,341	Teltonika 5 port Ethernet Industrial Ethernet Router, RUT301, 1x Ethernet WAN Port, 4x Ethernet LAN Ports, RutOS Operating System, 4 pin Industrial DC Power Socket, 2 x configurable I/O pins on 4 pin Power connector, 1x USB Type-A Port for external devices, Aluminium housing
TTK-RUTX08	R 2,923	Teltonika RUTX08 Industrial Ethernet Router with Quad-Core CPU, 4x GbE ports, 256MB RAM, 1x GbE WAN, 3x GbE LAN, 717MHz Quad-Core arm Cortex, 9-50 V DC Input, VPN, No Wi-Fi/LTE
UB-UCK G2 SSD	R 5,169	Ubiquiti UCK-G2-SSD UniFi Console that connects directly to the site manager for powerful multi-application site management, Pre-Installed 1TB SSD, PoE, Bluetooth, Includes full UniFi Application suite for device management, 1x GbE RJ45 Port, 32GB eMMC, 3 GB RAM, Octa-core Arm Cortex A53 based Chip Processor, 1.42" gray-scale OLED Display
UB-UCK-G2-SSD	R 5,391	Ubiquiti UCK-G2-ssd UniFi Console that connects directly to the site manager for powerful multi-application site management, Pre-Installed 1TB SSD, PoE, Bluetooth, Includes full UniFi Application suite for device management, 1x GbE RJ45 Port, 32GB eMMC, 3 GB RAM, Octa-core Arm Cortex A53 based Chip Processor, 1.42" gray-scale OLED Display
UB-UCK-G2-SSD	R 5,031	Ubiquiti UCK-G2-ssd UniFi Console that connects directly to the site manager for powerful multi-application site management, Pre-Installed 1TB SSD, PoE, Bluetooth, Includes full UniFi Application suite for device management, 1x GbE RJ45 Port, 32GB eMMC, 3 GB RAM, Octa-core Arm Cortex A53 based Chip Processor, 1.42" gray-scale OLED Display
UB-UF-WIFI	R 1,562	Ubiquiti UF-WIFI UFiber WiFi GPON CPE with 4 Ethernet Ports, 24V passive PoE or DC Jack, Bridge or Router Operation Mode
UB-UISP-R-PRO	R 8,493	Ubiquiti Router Professional UISP-R-PRO Multi-WAN 10GbE Router, 8x Gigabit RJ45 LAN Ports, 1x Gigabit RJ45 WAN Port, 4x 1/10G SFP Ports
UB-UISP-R-PRO	R 8,274	Ubiquiti Router Professional UISP-R-PRO Multi-WAN 10GbE Router, 8x Gigabit RJ45 LAN Ports, 1x Gigabit RJ45 WAN Port, 4x 1/10G SFP Ports
UCK-G2-SSD	R 5,031	Ubiquiti UCK-G2-ssd UniFi Console that connects directly to the site manager for powerful multi-application site management, Pre-Installed 1TB SSD, PoE, Bluetooth, Includes full UniFi Application suite for device management, 1x GbE RJ45 Port, 32GB eMMC, 3 GB RAM, Octa-core Arm Cortex A53 based Chip Processor, 1.42" gray-scale OLED Display
UCK-G2-SSD	R 4,882	Ubiquiti UCK-G2-ssd UniFi Console that connects directly to the site manager for powerful multi-application site

		management, Pre-Installed 1TB SSD, PoE, Bluetooth, Includes full UniFi Application suite for device management, 1x GbE RJ45 Port, 32GB eMMC, 3 GB RAM, Octa-core Arm Cortex A53 based Chip Processor, 1.42" gray-scale OLED Display
UF-WIFI	R 1,374	Ubiquiti UF-WIFI UFiber WiFi GPON CPE with 4 Ethernet Ports, 24V passive PoE or DC Jack, Bridge or Router Operation Mode
UISP-RPRO	R 8,274	Ubiquiti Router Professional UISP-R-PRO Multi-WAN 10GbE Router, 8x Gigabit RJ45 LAN Ports, 1x Gigabit RJ45 WAN Port, 4x 1/10G SFP Ports
UT-E3	R 3,480	Untangle - E3 SD-WAN Router, 2X GbE WAN, 1X GbE LAN
UT-E6	R 3,449	Untangle E6 SD-WAN Router, 2X GbE WAN, 4X GbE LAN

< Return to the menu

Network to Serial RS232 / RS485

Product code	Price	Description
AC-SiDPAM21H00	R 1,264	Sunix DPAM21H00 DevicePort Advanced mode ethernet enabled with WiFi support - 2x serial (RS232) 1x parallel (SPP/BPP/ECP/EPP) over ethernet, upstream downstream with daisy support up to 255x serial 3x LPT (278/378/3BC ISA address), auto-detect & port-mapping, 2.7MBps 115.2Kbps, sunix DPL2000Q chipset, 190x119.6x27mm, 15KV ESD IEC6000-4-2 Air Discharge 8KV ESD IEC61000-4-2 Contact Discharge protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific ethernet port connection to PC (not directly on router or switch)
AC-SiDPAS02H00	R 1,911	Sunix DPAS02H00 DevicePort Advanced mode ethernet enabled with WiFi support - 2x serial/RS-232 over ethernet, upstream downstream with daisy support up to 255x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific ethernet port connection to PC (not directly on router or switch)
AC-SiDPAS04H00	R 2,354	Sunix DPAS04H00 DevicePort Advanced mode ethernet enabled with WiFi support - 4x serial/RS-232 over ethernet, upstream downstream with daisy support up to 255x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific ethernet port connection to PC (not directly on router or switch)
AC-SiDPAS04HP0	R 1,952	Sunix DPAS04HP0 DevicePort Advanced mode Ethernet enabled with WiFi support - 4x Powered serial/RS-232 over Ethernet, upstream downstream with daisy support up to 255x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPAS08H00	R 2,995	Sunix DPAS08H00 DevicePort Advanced mode Ethernet enabled with WiFi support - 8x serial/RS-232 over Ethernet, upstream downstream with daisy support up to 255x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific ethernet port connection to PC (not directly on router or switch)
AC-SiDPKM11H00	R 773	Sunix DPKM11H00 Device Port dock mode Ethernet enabled - 1x serial (RS232) 1x parallel (SPP/BPP/ECP/EPP) over Ethernet, upstream downstream with daisy support up to 4x units/ 12x serial 3x LPT (278/378/3BC ISA address), auto-detect & port-mapping, 2.7MBps 115.2Kbps, Sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD IEC6000-4-2 Air Discharge 8KV ESD IEC61000-4-2 Contact Discharge protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPKM21H00	R 883	Sunix DPKM21H00 Device Port dock mode Ethernet enabled - 2x serial (RS232) 1x parallel (SPP/BPP/ECP/EPP) over Ethernet, upstream downstream with daisy support up to 4x units/ 12x serial 3x LPT (278/378/3BC ISA address), auto-detect & port-mapping, 2.7MBps 115.2Kbps, sunix DPL2000Q chipset, 190x119.6x27mm, 15KV ESD IEC6000-4-2 Air Discharge 8KV ESD IEC61000-4-2 Contact Discharge protection, powered by USB - to

		prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPKS02H00	R 661	Sunix DPKS02H00 Device Port dock mode Ethernet enabled - 2x serial/RS-232 over Ethernet, upstream downstream with daisy support up to 4x units/ 12x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 2KV surge protection, powered by USB - to prevent on-line spy recording, Device Port Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPKS02HP0	R 1,301	Sunix DPKS02HP0 DevicePort dock mode ethernet enabled - 2x Powered serial/ RS-232 over ethernet (5VDC power output via COM 9th pin, for serial devices to function without ac-adapter), upstream downstream with daisy support up to 4x units/ 12x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific ethernet port connection to PC (not directly on router or switch)
AC-SiDPKS04H00	R 1,214	Sunix DPKS04H00 Device Port dock mode Ethernet enabled - 4x serial/RS-232 over Ethernet, upstream downstream with daisy support up to 4x units/ 12x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 190x119.6x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 2KV surge protection, powered by USB - to prevent on-line spy recording, Device Port Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPKS08H00	R 1,842	Sunix DPKS08H00 Device Port dock mode Ethernet enabled - 8x serial/RS-232 over Ethernet, upstream downstream with daisy support up to 4x units/ 12x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 190x120x46mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 2KV surge protection, powered by USB - to prevent on-line spy recording, Device Port Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPKX02H00	R 1,191	Sunix DPKX02H00 DevicePort dock mode Ethernet enabled - 2x high-speed serial/ RS-232 over ethernet, upstream downstream with daisy support up to 4x units/ 12x serial ports, auto-detect & port-mapping, 921.6 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPKX04H00	R 1,626	Sunix DPKX04H00 DevicePort dock mode ethernet enabled - 4x high-speed serial/RS-232 over ethernet, upstream downstream with daisy support up to 4x units/ 12x serial ports, auto-detect & port-mapping, 921.6 Kbps, sunix DPL2000Q chipset, 190x119.6x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific ethernet port connection to PC (not directly on router or switch)
AC-SiDPSS02H00	R 1,517	Sunix DPSS02H00 DevicePort Sharing mode Ethernet enabled with WiFi support, device sharing for connected peripherals to switch between multiple hosts - 2x serial/RS-232 over Ethernet, upstream downstream with daisy support up to 255x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
AC-SiDPSS04H00	R 1,842	Sunix DPSS04H00 DevicePort Sharing mode Ethernet enabled with WiFi support, device sharing for connected peripherals to switch between multiple hosts - 4x serial/RS-232 over Ethernet, upstream downstream with daisy support up to 255x serial ports, auto-detect & port-mapping, 115 Kbps, sunix DPL2000Q chipset, 121x81.9x27mm, 15KV ESD protection 8KV IEC1000-4-2 Contact Discharge 4KV line-to-line protection, powered by USB - to prevent on-line spy recording, DevicePort Dock Mode limits specific Ethernet port connection to PC (not directly on router or switch)
TXB011	R 746	Microworld WiFi to RS232/RS485 converter (TXB011 manual download on link)
TXB021	R 357	Microworld Ethernet to RS485 converter
TXB022	R 357	Microworld Ethernet to RS232/RS485

< Return to the menu

Network Tools

Product code	Price	Description
11366	R 321	Goobay 11366 Crimping Tool for BNC / TNC / SMA / N-Connector, Suitable for cable sizes rg 58 / 59 / 62
11945	R 160	Goobay 11945 Universal cable stripping tool for 3.2 mm to 9.5 mm cables, 4 blades, Integrated cable cutter
18-0003	R 129	NetiX 3 In 1 Crimping Tool - for cuts / strips / crimps, 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11
77146	R 229	Goobay 77146 Crimping Tool for Modular Connectors - RJ11 / RJ12 / RJ45
77271	R 167	Goobay 77271 insertion tool for CAT5 cables, For conductor diameters from 0.4 mm to 0.6 mm
97790	R 436	Goobay 97790 Tool Set for telephone and Network installation, Network tester, IDC insertion tool, Stripping tool, Crimping Tool
AC-ETH-RJ45-P-CRIMP	R 181	AccoNet Pass-Through RJ45 / RJ11 crimper, Can crimp standard RJ45 connectors
AC-FIB-CLEAN-P-LC	R 359	Acconet Fibre Pen Cleaner LC
AC-FIB-CLEAN-P-SC	R 252	Acconet Fibre Pen Cleaner SC / FC / ST Connector
AC-TOOL-CUT	R 270	AccoNet slit & Ring tool
AC-TOOL-FIB-STRIP	R 155	AccoNet Fiber Optic stripper - three hole, Precisely strip 1.6-3.0mm jacket, 600-900um Buffer coating, 250um glass Fibre
AC-TOOL-FIB-STRIP-FLAT	R 239	Acconet Flat Drop Cable Stripper, 3.0 x 2.0mm
CAB-T-C-KS90	R 482	UltraLAN 90-degree keystone jack Crimping Tool, for angled Network jack termination
CAB-T-C-RJ45	R 137	UltraLAN RJ45 ratchet Crimping Tool with cable stripper
CAB-T-C-RJ45A	R 286	UltraLAN CAT5e / 6 / 6A / 7 Crimping Tool
CAB-T-C-RJ45A-B	R 309	UltraLAN RJ45 & RJ12 Network Crimping Tool - Cat5E CAT6 CAT7, Compatible with both EZ (Pass-Through) and Standard RJ45 connectors, Features an additional Blade which provides Wire cutter and stripper functionality, Compact and Rugged Design
CAB-T-C-RJ45EZ	R 194	UltraLAN RJ45 EZ Crimping Tool, Built-In cutter and stripper
CAB-T-C-RJ45EZ-BK	R 17	UltraLAN RJ45 EZ Crimping Tool Blade kit
CAB-T-CS-E	R 13	UltraLAN RJ45 Economy crimper / cable stripper
CAB-T-CS-HD1	R 40	UltraLAN Heavy Duty cable stripper
CAB-T-IPCT2	R 4,139	UltraLAN IP Camera tester, CAB-T-IPCT2, 4-inch IPS Touch Screen, 960x640 Resolution, UTP cable testing, PTZ control, DC 12v/3a Power Output , Flashlight Function, Universal RS485 Interface, Coaxial HD camera test :
CAB-T-KT	R 40	UltraLAN Punch down / Krone tool. CAB-T-KT ; UltraLAN ; Punch Down / Krone Tool ; RJ45, RJ11, RJ12 ; Cat3, Cat5, Cat5e, Cat6 ; 20-26 AWG ; Steel Construction.
CAB-T-RJ45T	R 367	Unbranded Multifunction RJ45 Crimping Tool with Built-In wire tester, CAB-T-C-RJ45T, Comfortable grip, Efficient ratchet mechanism, Smooth cutting and stripping, Precision alignment, Built-In wire tester
CAB-T-UTA	R 125	UltraLAN Network Cable Stripper & Untwist tool, Strips Ethernet cable jackets cleanly and accurately, Built-In Wire straightening and untwisting guides
CAB-T-UTB	R 114	UltraLAN Network cable Untwist tool, helps separate and align Twisted-Pair conductors
CATCRIMPD	R 270	Cattex RJ45/RJ11 Crimp Dual Ratchet Type
CATPUNCH	R 136	Cattex RJ45 Punch Tool
CMT-900C	R 12,999	Goldtool All-in-one CCTV tester, Retail Box
CRIMP-195	R 621	Unbranded CRIMP-195 ARF195 Crimping Tool (All Connector Types)
CRIMP-400	R 1,098	Unbranded ARF400 / LMR400 Crimping Tool (All Connector Types)
CRIMP-KRONE	R 222	Miro Krone punch tool CAT5 and RJ11
CRMP1	R 230	Microworld Modular Crimping Tool RJ48 / RJ45 / RJ11, with cutting Function, can strip flat wires but not round wires, Ratchet booster structure Design
CRMP2	R 69	Unbranded Crimping Tool - RJ45 and RJ11
CRMP2	R 171	RCT Crimping Tool - RJ45 and RJ11
CTX-TOOLKIT	R 1,231	RCT 16-piece Networking Tool Kit, Long Nose Pliers, Micro Side Cutters, Cable Pliers Blade, Wire Stripper, Telephone Pliers, Punch Down Tool, Measuring Tape, Knife, Economy Wire Stripper, 30w Soldering Iron, Cable Tester, 125mm Tweezers, Flat Crystal Screwdriver, Star Crystal Screwdriver, 6x RJ45 Connectors
CTX-TOOLKIT	R 1,149	RCT 16-piece Networking Tool Kit, Long Nose Pliers, Micro Side Cutters, Cable Pliers Blade, Wire Stripper,

		Telephone Pliers, Punch Down Tool, Measuring Tape, Knife, Economy Wire Stripper, 30w Soldering Iron, Cable Tester, 125mm Tweezers, Flat Crystal Screwdriver, Star Crystal Screwdriver, 6x RJ45 Connectors
FIB-CLV	R 459	UltraLAN Fiber cleaver, Used for mass or single Fiber cleaving, Prevents Double scoring of the fibers
FIB-T-51	R 978	UltraLAN 5-in-1 Fiber tester & tracker
FIB-T-ADPT-FC/LC	R 75	Unbranded Fiber LC connector Adapter for Fiber Power meters, FIB-T-ADPT-FC/LC
FIB-T-DCS	R 546	UltraLAN Fiber Drop Cable stripper
FIB-T-FS	R 86	UltraLAN Fiber Optic Cable stripper, Designed for stripping jacket and Buffer from 125 Micron Fiber
FIB-T-FS2	R 14,949	UltraLAN 4.3" Touch Screen Fiber Fusion Splicer, FIB-T-FS2, Rapid heating Technology, High-Resolution Flip-Up screen, Sophisticated six-motor Drive system, Built-In testing tools, 5200mAh Battery
FIB-T-FS3	R 18,399	UltraLAN Fiber Fusion splicer and Tool Kit, Fiber Fusion splicer (Welding machine), Fiber cleaver, Miller clamp, Fiber Drop Cable jacket remover, Spare pair of electrodes
FIB-T-KS	R 79	UltraLAN Kevlar scissors for Fiber Optic cabling
FIB-T-OTDR1315	R 4,369	UltraLAN Fiber tester - VFL / OPM / RJ45 / 1310/1550nm, 5.55" 1280 x 720 OLED Touch Screen, 1310 / 1550nm Wavelength, Less than 100 km testing range, 1s typical Real-Time refreshing duration, SC-UPC Interface Type, Network cable length measurement up to 3km, Built-In 3.7V 4000mAh Lithium-ion Battery
FIB-T-PM	R 344	UltraLAN Fiber Power Meter, 800-1700nm Wavelength range, InGaAs probe Type
FIB-T-PM+VFL	R 546	UltraLAN Fiber Power Meter with VFL, InGaAs probe, 15km emitting energy
FIB-T-TK003	R 1,034	UltraLAN Fiber Optic Tool Kit, Fiber Power Meter, 10mW visual fault locator, Fiber stripper, Fiber FTTX Drop Cable stripper, Fiber cleaver
FT-SPRAY	R 86	Unbranded Alcohol Spray 400ml, Ideal for high-power degreasing and cleaning and essential when cleaning Fibre Optic prior to their joining, It evaporates completely with no residue
FT-WIPE	R 86	Unbranded Fibre Optic Wipes Low Lint Tissues
NET-CABLE-ROLLER	R 1,617	Unbranded Network cable roller, DCP1043; Cable Roller ; Steel zinc-plated ; Supports drums 102-600 mm diameter ; Max width 540 mm ; Max load 100 kg ; Dimensions 600 x 400 x 100 mm ; Weight 5.95 kg
NET-CP-301F4	R 386	Proskit 220mm fibre optic Crimping Tool, CP-301F4
NET-CP-376N	R 731	Proskit end pass through Professional crimper, 8P8C / RJ45, 6P2C / 6P4C / 6P6C RJ11 / RJ12, CP-376N
NET-CP-406S	R 98	ProsKit CP-406S Multi-Function Wire stripper, Wire stripping, Cutting, Crimping, Clamping, Wire splitting and winding, Made from Anti-Rust Stainless Steel, Ergonomic, Non-Slip, Two-Colour Handle
NET-CP335N	R 386	ProsKit CP335n crimps strips an cuts tool 200mm, Crimps Modular RJ11 / RJ12 / RJ45, Dual Colour Non-Slip Handle
NET-CP376KX	R 391	Proskit 200mm Pro modular crimp - Strip & Cut tool, CP-376KX
NET-CRIMP-CAT5-6-7	R 391	Sprotek STC-7388 CAT5 / 6 / 7 RJ45 Pass-Through Crimping Tool with stripping and cutting Blade, Non-Slip Handle, For EZ-RJ11 and EZ-RJ45 Modular plugs, Ratchet Action mechanism
NET-CRIMP-CAT7-2P	R 1,582	Unbranded Crimping Tool for P8-069-2 cable OD 8.0mm, HT-236Q1A
NET-CRIMP-EZ-PLUG	R 1,755	LinkQnet Crimping Tool for EZ plug, Anti-Slip Ergonomic grip, Smooth trimming, Stripping, Crimping
NET-CRIMP-RJ45-LQ	R 271	LinkQnet HQ RJ9 / RJ12 / RJ11 RJ45 Crimping Tool, Precision-Hardened Steel jaws, Integrated stripping Function, Ergonomic Non-Slip handles
NET-FB-1688	R 2,098	Proskit FB-1688 standard Precision Single Mode Fiber cleaver, 125 UM cladding diameter, Single Fiber 250um & 900um, 5-20mm cleave length
NET-MT-7051N	R 293	Proskit RJ45/11/12/BNC cable tester, MT-7051N
NET-MT-7071K	R 2,321	Proskit MT-7071K LCD cable length Toner & probe kit, Toner - 1 pc, Receiver - 1 pc, Remote unit - 1 8 pcs, RJ45 cable patch cord - 1 pc, RJ11/12 cable patch cord - 1 pc, Alligator clips patch cord - 1 pc, Earphones - 1 pc, Pouch bag - 1 pc
NET-MT-7076	R 1,559	ProsKit LCD Network cable tester & probe kit, 53x29mm LCD Display, 3x RJ45, 1x RJ11, 300m cable map Max range
NET-MT-7530	R 702	ProsKit MT-7530 30mW Fibre optic visual fault locator, > 20km measuring distance, 2.5mm FC/ST/SC Universal connector
NET-MT-7602	R 1,955	Proskit 4-in-1 Fiber Optic power multimeter, MT-7602
NET-MT-7615	R 2,213	Proskit MT-7615 4 in 1 Fiber Optical power multimeter, LAN cable tester, Visual fault locator, LED flashlight, Power

		meter
NET-MT-7616	R 2,213	Proskit 4 in 1 Fiber Optical power multimeter, Power meter, LAN cable tester, Visual fault locator & LED flashlight
NET-MT-7625	R 1,369	ProsKit MT-7625 Optical Power Meter & tone probe kits, Visual fault locator, Single-way plug crimping quality test, 1 on 2 LAN cable testing, L-ion Battery & Type-C USB charging, Power Meter 10 wavelengths
NET-PK-4013	R 1,364	Proskit 15-piece Network installation tool kit, PK-4013
NET-PK-9458	R 6,838	Proskit 20-piece FTTH fibre optic tool kit, PK-9458
NET-PUNCH-110-LQ	R 104	LinkQnet Impact and Punch down tool - Krone Type. SKU: NET-PUNCH-110-LQ; Brand: LinkQnet; Type: Impact punch down tool Krone style; Connector compatibility: Krone blocks/modules; Cut-off blade: built-in; Use case: network/telecom wiring
NET-SR-335	R 319	ProsKit SR-335 8" Stainless Steel Multi-Purpose angled electrician shears, Body made from 420 J2 Stainless Steel, Handle made from Nylon and tpr
NET-TOOL-4P-7909	R 682	Sprotek 4-piece Network tool kit, Modular crimp tool, LAN cable tester, STK-7909
NET-TOOL-DNT2047	R 99	Unbranded tool for M6 cage nut, DNT2047
NET-TOOL-STC-5704E	R 587	Sprotek STC-5704e CAT5/6 RJ45 Pass-Through crimping, Cut, Strip, Crimp, For EZ-RJ11 and EZ-RJ45 Modular plugs, Ratchet Action mechanism
NET-TTK-750	R 196	Unbranded Coaxial Cable cutter - RG58 / RG59 / RG6, HT-C206D
NTK-11P	R 368	Unbranded NTK-11P Network Tool Kit 11-piece, RJ45 Crimping Tool, Wire stripper & cutter, Punch down tool, Network cable tester, Screwdrivers, Connectors & accessories
NTK-11P-01	R 369	Netix 11 Piece Network Tool Kit - 11 Piece Tools, Pass Through Crimping Tool, RJ45 and RJ11 Master and Remote Cable Tester, Wire Punching Tool, Wire Stripper, UTP Cable Stripper, Coaxial Cable Stripper, Star And Flat Screw Driver, 20 x Pack RJ45 Rubber Boots, 20 x RJ45 Connectors, Black Tool Bag, Retail Box, No Warranty.
NW200-15115	R 307	UGreen NW200 RJ45 Network Crimping Tool, Tail clip crimping, Wire cutting, Wire stripping, SK2 Steel Blade material, Q235 Carbon structural Steel crimper material, TPE Handle material
PSD-301	R 89	Goldtool Electronic Repair Kit, Retail Box
PSD-302	R 49	Goldtool Electronic Repair Kit Plastic, Retail Box
PUNCH	R 75	Unbranded Punch Tool
RBMQS	R 339	MikroTik Mobile quick setup tool, Home Access Point for limited clients and PoE injector for around 7 W Maximum device, 2.4 GHz 802.11b/g/n Wireless, 1.5 dBi antenna gain
TAPE-ET-3M	R 148	3M Scotch 33 Vinyl Electrical Tape, 20 Meters, 19mm Wide
TCT-1900-BL	R 899	Goldtool TCT-1900-BL Linemans Test Set For RJ11 - Blue, Retail Box
TCT-3700-F	R 1,299	Goldtool VFL-Visible Fault Locator, Retail Box
TCT-5700A	R 37,999	Goldtool Optical Time-Domain Reflectomer, Retail Box
TCT-5700B	R 39,999	Goldtool Optical Reflectomer 30-32DB, Retail Box
TCT-5900-D	R 3,699	Goldtool Optical Power Meter, Retail Box
TCT-6100-B	R 5,299	Goldtool Pon Power Meter and Battery, Retail Box
TCT-6250	R 19,999	Goldtool Multi-Service Access Test PDA, Retail Box
TOOL-CRIMP	R 173	Linkbasic UTP Combo Crimp Tool RJ11/RJ12/RJ45
TOOL-EZCRIMP	R 224	Scoop EZ Combo RJ45 Crimp Tool
TOOL-KRONE	R 46	Linkbasic UTP Krone Tool. Designed to terminate wires on 110 clips. SKU: TOOL-KRONE; Brand: Linkbasic; Code: TLA03; Compatibility: Krone/110 blocks; Function: punch-down and trim; Use case: UTP/data/voice installation
TOOL-STRIP	R 40	Linkbasic UTP Cable Stripper Tool
TOOL5	R 259	Microworld All in one Network toolkit, Crimping Tool, Mini Yellow knife, Network cable tester, KD-1 Punch down tool, Network tool bag
TTK-118A	R 699	Goldtool TTK-118A 5 in 1 Impact Punch Down Tool, Retail Box
TTK-1190	R 2,299	Goldtool 29PC Fibre Toolkit, Retail Box
TTK-6500	R 15,999	Goldtool Fiber Optic Tool Kit, Retail Box
TXJ001	R 529	Microworld TXJ001 wire tracker
UB-UVC-VIEWPORT	R 4,625	Ubiquiti UniFi Protect Viewport with PoE-input, Ufp-viewport, 2x 10/100/1000 Ethernet Ports, 802.3af PoE Input

< Return to the menu

Network Tools: Cable Testers

Product code	Price	Description
129964	R 642	Equip Tools, Modular Cable Tester, Master & remote, tests shielding, transmission, short circuit & wiring errors, Extensive diagmostic display for pin-out & pair display for 10baseT, 100basetx, 10base2, USB, tests 4/ 6/ 8 pin patch cables (RJ11/ 12/ 45) & installed cables up to 100m
351898	R 159	Intellinet Cable Tester RJ45 (Wire Pair)Tests RJ-11 and RJ-45, Cable type: UTP/STP/FTP
68856	R 240	Goobay 68856 CAT5 / 6 Network cable tester, For testing CAT5 / 6 Network and ISDN connections, has RJ11 / RJ12 / RJ45 sockets
780131	R 299	Intellinet PoE Tester - Power over Ethernet Plus Test Tool, Detects Endspan, Midspan, IEEE802.3af- and IEEE802.3at, Retail Box
CAB-T-CM	R 459	UltraLAN True RMS Digital Clamp Meter with NCV, CAB-T-CM, Capacitance, Resistance, Voltage, Current, Frequency, Backlight LCD screen
CAB-T-MPCT	R 978	UltraLAN Voltage meter and cable tester, CAB-T-MPCT
CAB-T-MPCT+MM	R 1,438	UltraLAN Multi meter and cable tester
CTX-CT016	R 827	Cattex Tone and Probe Kit RJ45 & RJ11
FIB-T-MPCT-OPM-VFL	R 1,149	UltraLAN Network cable tester - RJ45 & PoE, Fiber & length test, cable length test up to 600m, Real-Time PoE testing, Digital cable Tracer, 3" high-contrast LCD, 3x AA Batteries (Emitter), 2x AA Batteries (Receiver)
NET-3PK-NT023N	R 731	Proskit tone & probe kit, 3PK-NT023N
NET-MT-7031	R 289	Proskit MT-7031 Mini LAN cable tester, RJ45, RJ11/12/22, BNC, 300m Maximum testing distance
NET-MT-7057N	R 608	Proskit RJ45/11/12/BNC cable tester, MT-7057N
NET-MT-7063	R 537	Proskit POE and LAN cable tester
NET-MT-7064	R 715	Proskit PoE RJ45/12/11 cable tester, MT-7064
NF-400PF	R 75	Noyafa NF-400PF 802.3af/at PoE checker, RJ45 connector simply plug in the cable
NF-468BL	R 102	Noyafa NF-468 - cable tester for UTP/STP cable (RJ11/RJ45)
NF-810	R 436	UltraLAN Multifunction cable tester & tracker
NTX-PN-T	R 549	Netix Multipurpose Intelligent Communication Wire Tracker - Launcher and Receiver Cable Tester, RJ45 And RJ11 Line Finding, Line Aligning, Open Circuit, Short Circuit Locating with Prompts Tones, Line Status Testing, Multimeter Functions, RJ45, RJ11, USB and BNC Connectors Included, Retail Box, 3 Months Warranty.
NTX-TM-9	R 369	Netix Wire Tracker Cable Scan And Finding - Wire Tracker Receiver and Emitter, Trace RJ11 Telephone Wire/LAN Cable, Trace Wire in Electrical System, Verify RJ45 LAN Cable Condition, Continuity Test, DC Voltage Probe, Bright White LED Flash Light Indicator, Retail Box, 3 Months Warranty.
NW167-10950	R 145	UGreen Network and telephone cable tester, RJ12 Input Ports, RJ45 Input Ports, RJ45 Output Ports, RJ12 Output Ports, Network cable testing, Telephone cable diagnostics, Fault detection
RG59TEST	R 138	Unbranded RG59 and Network Tester
TESTER	R 81	Microworld Network LAN Cable Tester
TOOL-POE	R 69	Unbranded Passive and 802.3af/at PoE Detector, It is a very handy tool for installers when needing to confirm whether a cable is carrying POE or not
TOOL-TEST	R 144	Linkbasic UTP Cable Tester
UB-UF-SFP-WIZARD	R 1,053	Ubiquiti UniFi SFP Wizard, UACC-SFP-Wizard, BLE Networking Interface, Li-Ion Battery Power Method, 1.9" Touchscreen, 1x Power buttons, Supported Form Factor - SFP / SFP / SFP28 / QSFP / QSFP28

< Return to the menu

Network: Accessories & parts

Product code	Price	Description
121169	R 67	Equip Connector, CAT6E 2X RJ45 Coupler, 2 x RJ45 Jack, Fully Shielded, Pin configuration: 1:1, Modular Inline Coupler, Connects 2 x RJ45 CAT6e network cables
121252	R 6	Equip Connector, RJ45 - RJ45 Adapter(WH, RJ45 Modular Adapter, RJ45 jack to RJ45 jack, Gold plated contact,

		White)
127603	R 43	Equip Splitter, CAT5E 1 X RJ45 - 2 X RJ4, CAT5e RJ45 Modular Adapter, Shielded, RJ45 plug to 2 x RJ45 Jack, Split 1 x RJ45 port with 15cm cable into 2 x 10/ 100Base-T, Connecting 2 units when necessary
A72010-Q	R 84	Astrum NT100 RJ45 Crimping Gold Plated Connectors - 100 Pcs x RJ45 modular connectors; Cat5e compatible; 50 micron gold plated contacts; transparent housing; straight connector; Ethernet cable termination; professional networking accessory
CAB-FAN	R 132	Linkbasic Panel Fan with Finger Guard 250V AC
CL-LAN-24	R 7,395	Miro 24 Port Gigabit Inline Protector, Protects fast gigabit ethernet LAN equipment, Cat 5e Patch Leads Included
CL-MULTI-NPP	R 879	Clearline Multitector Network Power Protector, RJ11 RJ45 8 Wire Power Lightning Surge Protector
COACH	R 5	Unbranded Coach Screw And Plug
DELOCK-65389	R 196	Delock 65389 Adapter RJ45 Male - Terminal Block 8-Pin
DELOCK-86213	R 94	Delock 1-port keystone holder for cases, 86213
DELOCK-86353	R 178	Delock USB 2.0 Type-A female to Type-A female keystone White, 86353
EN-55-168	R 3,493	Metal IP55 Weatherproof Enclosure (800x600x350), Beige, Surface Mount, Lockable Doors
EN-55-42	R 1,725	Ubiquiti Metal IP55 Weatherproof Enclosure (500x400x210), Beige, Surface Mount Lockable Doors
KD-FP14	R 9	UniQue Angled Face Plate Dual Port with Shuttle, Retail Box
KDNET8006	R 19	UniQue ADSL Modem Single Filter
LB-FM1	R 7	Linkbasic One Port Faceplate 115 x 70mm
LB-FM2	R 7	Linkbasic Two Port Faceplate 115 x 70mm
LB-KEY6A	R 29	Linkbasic Cat 6A UTP keystone jack
LB-PP246A	R 799	Linkbasic 24 Port Cat 6A rack Mount patch panel
MS-GR-15	R 5,482	Guy Rope Kit for 15 Meter Lattice Mast
MS-PC7-300	R 520	Parallel Mast Offset Bracket, 300 Offset Length, Accepts 38-90mm Poles, Single Unit
MT-RBWMK	R 145	Wall Mount Kit for RB2011
MT150-CASE	R 263	Indoor metal case for RouterBoard 150. The MT150-CASE is a black aluminium indoor case with an installation set. It fits the RB450, RB450G and the RB850Gx2. manufacture sku: CA150
NET-6113250	R 163	O-line OBO rapid 90 clip-on internal bend - white
NET-6113252	R 143	O-line OBO rapid 90 clip-on internal bend - grey
NET-6120734	R 147	O-line OBO M45 16A SSO WHITE - South African 3 pin plug. Switch and screw terminals.
NET-6120736	R 185	O-Line-OBO M45 16A SSO dedicated red. South African 3 pin plug. Switch and screw terminals.
NET-9813802	R 93	O-line OBO ONESTO 16A SLIMLINE 2 PIN IEC164-2. New IEC164-2 South African plug.
NET-CAT6A-KEYSTONE	R 45	Full CAT6 (10GB) toolless keystone, FA-2620KSF-8-C6A ab
NET-KEY-CAT6-LQ	R 47	Doppler CAT6 unshielded keystone for S2000, LKA109-C6U-AUS
NET-TRUNK-DDT11GR	R 22	Decorduct 1 compartment end cap, grey, DDT1GR *end cap only*
NET-TRUNK-DDT13GR	R 17	Decorduct 1 compartment joiner - grey, DDT13GR *joiner only*
NET003	R 9	Microworld NET003 RJ45 Extension Connector Inline; RJ45 inline coupler; female-to-female RJ45; Ethernet cable extension; joins two compatible RJ45 network cables; plug and play; home networking; office networking; network installations
NTX-RJ45RBMULTI	R 39	Netix RJ45 Rubber Boots - 100 Pieces, Fits RJ45 Cat5, Cat5e, Cat6 Connectors, Shield Connectors From Dust, Moisture, And Physical Wear, Multi Assorted Colors, No Warranty
NW114-20390	R 23	UGREEN RJ45 Network Keystone Jack Inline Coupler Female to Female 1pcs (Black)
NW301-45311	R 198	UGREEN Gigabit Ethernet Splitter 1 to 2
RG-NSEC-HDD-1T	R 2,356	Reyee 1TB HDD for Firewall logging, RG-NSEC-HDD-1T, For use with compatible reyee Security and Firewall appliances
RJ11-PLUG	R 2	Miro RJ11 Plug Connector 4 Wire, RJ11 Plug connector for use with any analogue telephony application
RJ45-INLINE	R 12	Miro RJ45 Inline Connector (Female - Female), Allows you to join to pre-crimped (RJ45) Cat5 or Cat6 cables
RJ45-INLINE-S	R 59	Miro Shielded RJ45 Inline Connector (Female - Female)
RJ45A	R 12	Linkbasic RJ45 Barrel Connector Female to Female
RM-PP-1U48P	R 1,191	Acconet 48 Port RJ45 Patch Panel, 1U, Black, Compatible with CAT5 and CAT6

UACC-SSD-TRAY	R 374	Ubiquiti UniFi M.2 SSD Tray for UCG Fiber, UACC-SSD-TRAY
UACC-TPC-1.5M	R 288	Ubiquiti UISP Power TransPort cable 1.5m, UACC-CABLE-PT-1.5m, For use between the UISP-BOX and the included Power Supply of the UISP-R or UISP-S
UACC-TPC-20M	R 1,466	Ubiquiti UISP Power TransPort cable 20m, UACC-CABLE-PT-20m, For use between the UISP-BOX and the included Power Supply of the UISP-R or UISP-S
UACC-TPC-30M	R 2,179	Ubiquiti UISP Power TransPort cable 30m, UACC-CABLE-PT-30m, For use between the UISP-BOX and the included Power Supply of the UISP-R or UISP-S
UACC-TPC-50M	R 3,674	Ubiquiti UISP Power TransPort cable 50m, UACC-CABLE-PT-50m, For use between the UISP-BOX and the included Power Supply of the UISP-R or UISP-S
UB-POE-WM	R 13	Ubiquiti Networks POE-WM Wall Mount Plate for POE-24-12W & POE-24-12W-G PoE Adapter
UB-UA-BUTTON	R 735	Ubiquiti UniFi Access - Access Button, UA-Button, Compatible with --> UA-G2-SK / UA-G2-SK-PRO / UA-HUB / EAH-8
UB-UAB	R 141	Ubiquiti Universal Arm Bracket, Designed for wall or poles.
UB-UACC CABLE PT 50M	R 3,697	Ubiquiti UISP Power TransPort cable 50m, UACC-CABLE-PT-50m, For use between the UISP-BOX and the included Power Supply of the UISP-R or UISP-S
UB-UCG-SSD-TRAY	R 378	Ubiquiti UniFi M.2 SSD Tray for UCG Fiber, UACC-SSD-TRAY
WB-470-15	R 317	HowLo Wall Bracket - Extra-Large - 470mm (tripod)
WB-FM-20	R 612	HowLo Flush Mount Heavy Duty, 20mm Offset, 38-110mm, Two Clamp, Galvanised
WB-SQ-250	R 495	HowLO Square Wall Mount Brackets, 250mm Offset, 32-60mm, Two Clamp Galvanised
WB-SQ-400	R 630	Square Wall Mount Brackets, 400mm Offset, 32-60mm, Two Clamp, Galvanised
WB-SQ-550	R 771	Square Wall Mount Brackets, 550mm Offset, 32-60mm, Two Clamp, Galvanised.

< Return to the menu

Network: PCMCIA

Product code	Price	Description
AC-SiCBS2009	R 454	Sunix CBS2009 2x RS232 serial port (9pin) cardbus / pcmcia adapter, sunix Matrix UL7512EQ chipset, 32byte hardware 128k software FiFo, 230.4Kbps, 230.4 Kbps, 15KV ESD 15KV IEC1000-4-2 Air Gap Discharge 8KV IEC1000-4-2 Contact Discharge - WHQL certified
W/LAN	R 242	Microworld Wireless Lan 54mbps PCMCIA Card

< Return to the menu

Network: Power line networks

Product code	Price	Description
550192	R 1,349	Intellinet 85 Mbps HomePlug 1.0 Turbo 4-Port LAN Switch Powerline Broadband Router
550215	R 1,199	Intellinet 85 Mbps HomePlug 1.0 Turbo54 Mbps Wireless 802.11g Powerline Wireless G Access Point *Not an ADSL / 3G modem*
MP500-KIT	R 597	Mercusys MP500-KIT AV1000 Gigabit Powerline starter kit, 300 meters range, 1000 Mbps HomePlug AV2, Ofdm (PLC) modulation technology
MP500-KIT	R 655	Mercusys MP500-KIT AV1000 Gigabit Powerline starter kit, 300 meters range, 1000 Mbps HomePlug AV2, Ofdm (PLC) modulation technology
MP500KIT	R 599	Mercusys MP500KIT Powerline WiFi AV1000 Gigabit N300, Retail Box
MP510 KIT	R 920	Mercusys MP510 AV1000 Gigabit Powerline kit, OFDM (PLC) modulation Technology, 128-bit AES Encryption, 1x MP510, 1x MP500, Up to 300 meters over an existing electrical Circuit, Compatible with All routers and HomePlug AV/AV2 Powerline adapters, 1x Gigabit Port per device
MP510-KIT	R 821	Mercusys MP510-KIT AV1000 Gigabit Powerline N300 Wi-Fi Kit, KIT: 1x MP510 1x MP500, MP510? SPEED: 300 Mbps at 2.4 GHz, 1000 Mbps Powerline, SPEC: Broadcom CPU, 1x Gigabit Port, 2x Fixed External, Antennas, Wall Plugged, HomePlug AV2, FEATURE: Plug and Play, One-Touch
MP510-KIT	R 880	Mercusys MP510-KIT AV1000 Gigabit Powerline N300 Wi-Fi Kit, KIT: 1x MP510 1x MP500, MP510? SPEED: 300 Mbps at 2.4 GHz, 1000 Mbps Powerline, SPEC: Broadcom CPU, 1x Gigabit Port, 2x Fixed External, Antennas,

		Wall Plugged, HomePlug AV2, FEATURE: Plug and Play, One-Touch
MP510KIT	R 849	Mercusys MP510 KIT AV1000 Gigabit Powerline WiFi Kit
MRC-MP500-KIT	R 598	Mercusys MP500-KIT AV1000 Gigabit Powerline starter kit, 300 meters range, 1000 Mbps HomePlug AV2, Ofdm (PLC) modulation technology
MT-PL7510Gi	R 818	MikroTik PWR-LINE Pro - speeds up to 600 Mbps, MicroUSB, 100V-240V, Suported devices : hAP lite / hAP lite tc / hAP mini / map / map lite, PL7510GI, Passive PoE out, 1 10/100/1000 Ethernet ports
NA-DHP346	R 958	D-Link DHP-346av Powerline Network Adapter - network through home plug, 4x 10/100 LAN/ 200mbps, support computers, game consoles, and multimedia devices, cable free network - leds for power/ powerline/ Ethernet, 128bit AES data encryption- ideal for network media player, wireless : No, UTP : 4x 10/ 100, speed - mbps : 200
NET-MER-MP500KIT	R 598	Mercusys AV1000 1000bps Gigabit powerline kit. 4K Streaming Mate. Enjoy an Extended Network Everywhere.
NET-MER-MP510KIT	R 822	Mercusys MP510 KIT AV1000 Gigabit Powerline WiFi Kit
NET-TL-PA4010STARTER	R 605	TP-Link TL-PA4010 STARTER AV500 Nano Powerline Adapter Starter Kit
NET-TL-PA7017KIT	R 807	TP-Link TL-PA7017 AV1000 Gigabit Powerline starter kit, Gigabit Ethernet Port, 300 meters over electrical Circuit, HomePlug AV2, HomePlug AV, IEEE 1901
NET-TL-WPA4220	R 605	TP-Link TL-WPA4220 300Mbps AV500 Wi-Fi Powerline Extender
NET-TL-WPA4220KIT	R 887	TP-Link TL-WPA4220KIT 300Mbps AV500 Wi-Fi Powerline Extender Starter Kit
NET-TL-WPA4221KIT	R 887	TP-Link WPA4221 AV600 Powerline WiFi kit, HomePlug AV, 2 * 10/100 Mbps Ethernet Port, 300 meters over electrical Circuit range, Up to 300 Mbps @ 2.4GHz
NET-TL-WPA7517KIT	R 1,210	TP-Link TL-WPA7517 AV1000 Gigabit Powerline ac Wi-Fi Kit
PA4010 KIT	R 623	TP-Link AV600 Powerline starter kit - 2 pieces, Qualcomm, Standards and protocols - HomePlug AV / IEEE802.3 / IEEE802.3u, 1x 10/100 Mbps Ethernet Port, Pair Button, Up to 300 meters range
PL7411-2ND	R 1,481	MikroTik PL7411-2ND Power-line Access Point, 650 MHz CPU, 64 MB RAM, 16MB Storage, License level RouterOS 4, 1x 10/100 Ethernet ports
TL-PA4010-KIT	R 662	TP-Link AV600 Powerline Starter Kit, Qualcomm, 1 10/100Mbps Port, 600Mbps Powerline, HomePlug AV, New PLC Utility, Twin Pack
TL-PA7017KIT	R 864	TP-Link TL-PA7017 AV1000 Gigabit Powerline starter kit, Gigabit Ethernet Port, 300 meters over electrical Circuit, HomePlug AV2, HomePlug AV, IEEE 1901
TL-WPA4220	R 618	TP-Link TL-WPA4220 AV600 Powerline Wi-FI KIT, Qualcomm, 300Mbps at 2.4GHz, 802.11b/g/n, 500Mbps Powerline, HomePlug AV, 2 Fast Ports, Plug and Play, Wi-Fi Clone, Wi-Fi Clone/ Wi-Fi On(OFF) Button, Pair Button, Reset Button, Twin Pack(1* TL-PA4010 & *TL-WPA4220)
TL-WPA4220	R 662	TP-Link TL-WPA4220 AV600 Powerline Wi-Fi extender, 2x 10/100 Mbps Ethernet Port, OFDM (PLC) modulation Technology, HomePlug AV standard, 300 meters over electrical Circuit
TL-WPA4220-KIT	R 945	TP-Link TL-WPA4220 AV600 Powerline Wi-Fi Kit
TL-WPA4220-KIT	R 887	TP-Link TL-WPA4220 AV600 Powerline Wi-Fi Kit, Qualcomm, 300Mbps at 2.4GHz, 600Mbps Powerline, HomePlug AV, 2 10/100Mbps Ports, Wi-Fi Clone, Twin Pack(1* TL-PA4010 & *TL-WPA4220)
TL-WPA4220-TKIT	R 1,429	TP-Link WPA4220TKIT 600 Mbps powerline extender (3 Pack), 300 Mbps Wi-Fi extender, 300 meters over electrical Circuit
TL-WPA4221-KIT	R 945	TP-Link TL-WPA4221 AV600 Powerline Wi-Fi Kit
TL-WPA7517-KIT	R 1,268	TP-Link TL-WPA7517 AV1000 Powerline Wi-Fi Kit
TP-PA4010KIT	R 605	TP-LINK AV500 Nano Powerline Ethernet Adapter - Ultra Compact, 500Mbps Powerline Datarate, 1x 100Mbps Port, HomePlug AV, Green Powerline, Plug & Play, Twin Pack
TP-WPA4220KIT	R 887	TP-Link TL-WPA4220KIT 300Mbps AV600 Wi-Fi Powerline Extender Starter Kit; up to 600Mbps Powerline; up to 300Mbps 2.4GHz Wi-Fi; 2 x 10/100Mbps Ethernet ports; up to 300m Powerline range; Wi-Fi Clone; 128-bit AES; TL-WPA4220 and TL-PA4010; 2 x Ethernet cables
WPA4220 KIT	R 914	TP-Link WPA4220TKIT 600 Mbps powerline extender (3 Pack), 300 Mbps Wi-Fi extender, 300 meters over electrical Circuit

< Return to the menu

Network: Printer Server

Product code	Price	Description

< Return to the menu

Network: Switch

Product code	Price	Description
02355NCG	R 6,493	Huawei AC650-128AP Access Controller, 10xGE ports, 2x10GE SFP ports, built-in 128 license
02355NCG	R 4,599	Huawei AC650-128AP Access Controller, 10xGE ports, 2x10GE SFP ports, built-in 128 license
02355NCH	R 15,303	Huawei AC650-256AP Access Controller, 10xGE ports, 2x10GE SFP ports, built-in 256 license
02355NCH	R 6,899	Huawei AC650-256AP Access Controller, 10xGE ports, 2x10GE SFP ports, built-in 256 license
023W69	R 77,305	Dell 023W69 EMC DS-6610 Brocade G610 24 Port 32GB Fibre channel Switch with 8x 16GB SFP modules, 24x 8 / 16 / 32GB SFP Ports, 1x Integrated Power Supply unit, 8x Active Ports, Fabric OS8 installed, 1U Rack mountable, 8 x 16GB gbics included
210-AEIK	R 3,374	Dell 210-AEIK Networking X1018 Smart Web Managed Switch with 16x 1GbE and 2x 1GbE SFP ports, Silent fanless operation, 16x 10/100/1000Base-T auto-sensing Gigabit Ethernet switching ports, 2x SFP fiber ports
210-AEIO	R 16,933	Dell 210-AEIO Networking X1052 Smart Web Managed Switch with 48x 1GbE and 4x 10GbE SFP ports, 48x 10/100/1000Base-T auto-sensing Gigabit Ethernet switching ports, 4x SFP/SFP fiber ports
210-AEIP	R 17,014	Dell 210-AEIP Networking X1052P Smart Web Managed Switch with 48x 1GbE (24x PoE - up to 12x PoE) & 4x 10GbE SFP ports, Up to 360W total POE power, 48x 10/100/1000Base-T auto-sensing Gigabit Ethernet switching ports PoE/PoE , 4x 10Gb SFP/SFP fiber ports
301801553	R 1,941	Hikvision NS-0318P-130 16 port Fast Ethernet Unmanaged PoE Switch, Metal material Shell, 16x 100 Mbps PoE Ports, 1x Gigabit RJ45 Port, 1x Gigabit SFP Fiber Optical Port, 7.2 Gbps switching capacity, 30 W Maximum Port Power, 130 W PoE Power budget
301803026	R 256	Hikvision NS-0108D HiLook 8 Port Fast Ethernet Unmanaged Desktop Switch, 8x 10/100 Mbps Ethernet Ports, 1.6 Gbps switching capacity
301803027	R 308	Hikvision NS-0505D HiLook 5 port Gigabit Unmanaged Desktop Switch, 5x Gigabit RJ45 Port, 10 Gbps switching capacity
301803028	R 435	Hikvision NS-0508d HiLook 8 Port Gigabit Unmanaged Desktop Switch, 8x Gigabit RJ45 Port, 16 Gbps switching capacity
523301	R 269	Intellinet 5-Port Fast Ethernet Office Switch Metal case
523318	R 369	Intellinet 8-Port 10/100 Mbps Desktop Switch Metal Case
560672	R 199	Manhattan 5-Port Fast Ethernet Switch, Retail Box
560696	R 399	Manhattan 5-Port Compact Desktop Gigabit Ethernet Switch with Five RJ45 10/100/1000 Mbps Ports and IEEE 802.3az Energy Efficient Ethernet Technology, Retail Box
560993	R 4,499	Intellinet 16-Port Gigabit Ethernet PoE Switch - 16 x PoE ports, IEEE 802.3at/af Power-over-Ethernet (PoE /PoE), Endspan, Rackmount
561068	R 1,599	Intellinet 16-Port Gigabit Ethernet Switch - 16-Port RJ45 10/100/1000 Mbps, IEEE 802.3az Energy Efficient Ethernet, Desktop, 19" Rackmount, Retail Box
561198	R 7,499	Intellinet 16-Port Gigabit Ethernet PoE Web-Managed Switch with 2 SFP Ports - IEEE 802.3at/af Power over Ethernet (PoE /PoE) Compliant, 374 W, Endspan, 19" Rackmount *TV license required*
64563	R 378	Goobay 64563 5 port Gigabit Ethernet Unmanaged Switch, 5x RJ45 sockets autonegotiation Gigabit, Fanless design
64564	R 516	Goobay 64564 8 Port Gigabit Ethernet Switch
98012197	R 3,637	Huawei S110-16LP2SR Unmanaged Switch with 16x Gigabit PoE Ports & 2x GE SFP Ports, 16x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
98012197	R 3,252	Huawei S110-16LP2SR Unmanaged Switch with 16x Gigabit PoE Ports & 2x GE SFP Ports, 16x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
98012197	R 1,379	Huawei S110-16LP2SR Unmanaged Switch with 16x Gigabit PoE Ports & 2x GE SFP Ports, 16x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
98012198	R 5,273	Huawei S110-24LP2SR Unmanaged Switch with 24x Gigabit PoE Ports & 2x GE SFP Ports, 24x Gigabit PoE

		Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
98012198	R 4,666	Huawei S110-24LP2SR Unmanaged Switch with 24x Gigabit PoE Ports & 2x GE SFP Ports, 24x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
98012198	R 2,375	Huawei S110-24LP2SR Unmanaged Switch with 24x Gigabit PoE Ports & 2x GE SFP Ports, 24x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
98012201	R 6,223	Huawei S310-24P4S CloudEngine Switch, L2 (static router), 24x10/100/1000BASE-T ports, 4xGE SFP ports, POE (370W),
98012201	R 3,449	Huawei S310-24P4S CloudEngine Switch, L2 (static router), 24x10/100/1000BASE-T ports, 4xGE SFP ports, POE (370W),
98012201	R 6,894	Huawei S310-24P4S Layer 2 Managed Switch with 24x Gigabit PoE Ports & 4x GE SFP Ports, 24x Gigabit PoE Ports downlink, 370W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 1 Built-In fan modules
98012202	R 4,639	Huawei S310-24T4S CloudEngine Switch, L2 (static route), 24x10/100/1000BASE-T ports, 4*GE SFP ports,
98012202	R 2,375	Huawei S310-24T4S CloudEngine Switch, L2 (static route), 24x10/100/1000BASE-T ports, 4*GE SFP ports,
98012203	R 6,758	Huawei S310-48T4S CloudEngine Switch, L2 (static route), 48x10/100/1000BASE-T ports, 4xGE SFP ports
98012203	R 3,206	Huawei S310-48T4S CloudEngine Switch, L2 (static route), 48x10/100/1000BASE-T ports, 4xGE SFP ports
98012269	R 2,255	Huawei S110-8LP2ST Unmanaged Switch 8x Gigabit PoE Ports & 2x GE SFP Ports, 8x RJ-45 Gigabit Ethernet Ports downlink, 124W PoE budget, 1x Gigabit SFP Port Uplink, 1x Gigabit Port Uplink
98012269	R 1,965	Huawei S110-8LP2ST Unmanaged Switch 8x Gigabit PoE Ports & 2x GE SFP Ports, 8x RJ-45 Gigabit Ethernet Ports downlink, 124W PoE budget, 1x Gigabit SFP Port Uplink, 1x Gigabit Port Uplink
98012269	R 804	Huawei S110-8LP2ST Unmanaged Switch 8x Gigabit PoE Ports & 2x GE SFP Ports, 8x RJ-45 Gigabit Ethernet Ports downlink, 124W PoE budget, 1x Gigabit SFP Port Uplink, 1x Gigabit Port Uplink
98012375	R 5,394	Huawei S220-24T4X Layer 2 Managed Switch with 24x Gigabit Ports & 4x 10GE SFP Ports, 24x Gigabit Ports downlink, 4x 10GE SFP Ports Uplink, 1 Built-In fan modules, AC Built-In Power Supply mode
98012376	R 7,176	Huawei S220-24P4X Layer 2 Managed Switch with 24x Gigabit Ports & 4x 10GE SFP Ports, 24x Gigabit Ports downlink, 400W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012376	R 7,405	Huawei S220-24P4X Layer 2 Managed Switch with 24x Gigabit Ports & 4x 10GE SFP Ports, 24x Gigabit Ports downlink, 400W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012376	R 6,270	Huawei S220-24P4X Layer 2 Managed Switch with 24x Gigabit Ports & 4x 10GE SFP Ports, 24x Gigabit Ports downlink, 400W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012377	R 9,513	Huawei S220-48T4X Layer 2 Managed Switch with 48x Gigabit Ports & 4x 10GE SFP Ports, 48x Gigabit Ports downlink, 4x 10GE SFP Ports Uplink, AC Built-In Power Supply, 1 Built-In fan modules
98012378	R 11,418	Huawei S220-48P4X Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x 10GE SFP Ports, 48x Gigabit Ports PoE downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012378	R 13,828	Huawei S220-48P4X Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x 10GE SFP Ports, 48x Gigabit Ports PoE downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012378	R 5,749	Huawei S220-48P4X Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x 10GE SFP Ports, 48x Gigabit Ports PoE downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012379	R 10,809	Huawei S220-48P4S Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x GE SFP Ports, 24x Gigabit Ports downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
98012380	R 6,857	Huawei S220-48T4S Layer 2 Managed Switch with 48x Gigabit Ports & 4x GE SFP Ports, 48x Gigabit Ports downlink, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 1 Built-In fan modules
98012381	R 5,620	Huawei S310-24T4X Layer 2 Managed Switch with 24 x Gigabit Ports & 4x 10GE SFP Ports, 24 x Gigabit Ports downlink, 4 x 10GE SFP Ports Uplink, 1 Built-In fan modules
98012382	R 8,623	Huawei S310-24P4X Layer 2 Managed Switch with 24x Gigabit PoE Ports & 4x 10GE SFP Ports, 24x Gigabit PoE Ports downlink, 400W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules

98012382	R 7,833	Huawei S310-24P4X Layer 2 Managed Switch with 24x Gigabit PoE Ports & 4x 10GE SFP Ports, 24x Gigabit PoE Ports downlink, 400W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
98012382	R 8,433	Huawei S310-24P4X Layer 2 Managed Switch with 24x Gigabit PoE Ports & 4x 10GE SFP Ports, 24x Gigabit PoE Ports downlink, 400W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
98012383	R 13,036	Huawei S310-48T4X Layer 2 Managed Switch with 48 x Gigabit Ports & 4x 10GE SFP Ports, 48x Gigabit Ports downlink, 4x 10GE SFP Ports Uplink, 1 Built-In fan modules
98012384	R 12,877	Huawei S310-48P4S Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x GE SFP Ports, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
98012384	R 5,519	Huawei S310-48P4S Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x GE SFP Ports, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
98012384	R 11,051	Huawei S310-48P4S Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x GE SFP Ports, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
98012385	R 14,073	Huawei S310-48P4X Layer 2 Managed Switch with 48 x Gigabit PoE Ports & 4x 10GE SFP Port, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules
98012385	R 14,424	Huawei S310-48P4X Layer 2 Managed Switch with 48 x Gigabit PoE Ports & 4x 10GE SFP Port, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules
98012385	R 5,634	Huawei S310-48P4X Layer 2 Managed Switch with 48 x Gigabit PoE Ports & 4x 10GE SFP Port, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules
98012552	R 3,655	Huawei eKit S220-8P4S 8x Gigabit PoE 125W & 4x 1GE SFP Ports Layer 2 Managed Switch, 1U Chassis height, 8x Gigabit PoE Ports with 125W budget, 4x Gigabit SFP Ports
98012552	R 3,349	Huawei eKit S220-8P4S 8x Gigabit PoE 125W & 4x 1GE SFP Ports Layer 2 Managed Switch, 1U Chassis height, 8x Gigabit PoE Ports with 125W budget, 4x Gigabit SFP Ports
98012552	R 919	Huawei eKit S220-8P4S 8x Gigabit PoE 125W & 4x 1GE SFP Ports Layer 2 Managed Switch, 1U Chassis height, 8x Gigabit PoE Ports with 125W budget, 4x Gigabit SFP Ports
98012554	R 9,382	Huawei S530-24T4XE 24x Gigabit & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1U Chassis height, Metal Chassis material, 2 Power slots, 1 1 Redundant Power Supply, 24x Gigabit RJ45 Ports, 4x 10 Gigabit SFP Ports, 2x 12 Gigabit Stack Ports
98012556	R 11,316	Huawei S530-24ST4XE 24x GE & 8x Combo RJ45 or SFP & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1U Chassis height, Metal Chassis material, 2 Power slots, 2 fan modules, 1 1 Redundant Power Supply, 24x Gigabit RJ45 Ports, 8x Gigabit Ports Dual purpose RJ45 or SFP, 2x 12 Gigabit Stack Ports
98012556	R 9,851	Huawei S530-24ST4XE 24x GE & 8x Combo RJ45 or SFP & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1U Chassis height, Metal Chassis material, 2 Power slots, 2 fan modules, 1 1 Redundant Power Supply, 24x Gigabit RJ45 Ports, 8x Gigabit Ports Dual purpose RJ45 or SFP, 2x 12 Gigabit Stack Ports
98012558	R 16,268	Huawei S530-48S4XE 48x Gigabit & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1 u Chassis height, 1 1 Redundant Power Supply, Built-In fans, 48x Gigabit RJ45 Ports, 4x 10 Gigabit SFP Ports, 2x 12 Gigabit Stack Ports
98012558	R 14,988	Huawei S530-48S4XE 48x Gigabit & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1 u Chassis height, 1 1 Redundant Power Supply, Built-In fans, 48x Gigabit RJ45 Ports, 4x 10 Gigabit SFP Ports, 2x 12 Gigabit Stack Ports
AC-SWI-5120-DC	R 3,811	AccoNet 5 port Gigabit MPPT Solar PoE Switch 1 SFP Port, S600GP-1BTS-15A, 5x Gigabit RJ45 Ports, 1x Gigabit SFP, Selectable IEEE802.3af / AT / PoE , Total Maximum 120W PoE power out
ARU-IO-SW14305G	R 673	HP R8R44A Aruba Instant On 1430 5 port Gigabit Switch, 5x RJ-45 autosensing 10/100/1000 ports
ARU-IO-SW14308G	R 1,060	HP R8R45A Aruba ION 1430 8 Port Layer 2 Gigabit Ethernet Switch, 8x RJ-45 10/100/1000 Ports, 16 Gbps switching capacity, External Power Adapter
ARU-IO-SW14308G-64W	R 2,502	HP R8R46A Aruba ION 1430 8 Port Class4 PoE 64W Unmanaged Layer 2 Gigabit Ethernet Switch, 8x RJ-45 10/100/1000 Class 4 PoE Ports, 16 Gbps switching capacity
ARU-IO-SW183024G	R 3,071	HP JL813A Aruba Instant On 1830 24x Gigabit with 12p Class4 PoE & 2x SFP 195W Switch

ARU-IO-SW183024G-195W	R 5,385	HP JL813a Aruba Instant On 1830 24x Gigabit Class4 PoE & 2x SFP 195W Switch, 24x RJ-45 10/100/1000 with 12 Class 4 PoE Ports, 2 SFP 1GbE Ports, 195W PoE capability, 52 Gbps switching capacity
ARU-IO-SW18308G	R 3,084	HP R8R46A Aruba Instant On 1830 8 Port Gigabit 64W Switch, 8x RJ-45 10/100/1000 Class 4 PoE Ports, 64W Class 4 PoE capability
ARU-IO-SW18308G-65W	R 3,145	HP JL810A Aruba Instant On 1830 8 Port Gigabit Switch, 8x 10/100/1000 RJ-45 Ports, 16 Gbps switching capacity, Aruba Instant On Cloud, Web Browser, SNMP manager
ARU-IO-SW193024G	R 4,913	HP JL682A Aruba IOn 1930 24x Gigabit & 4x SFP Switch, 24x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 128 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager
ARU-IO-SW193024G-195W	R 6,991	HP JL683A Aruba IOn 1930 24x Gigabit PoE & 4x SFP 195W Switch, 24x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 128 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager, 195 W Class 4 PoE capability
ARU-IO-SW193024G-370W	R 9,225	HP JL684A Aruba IOn 1930 24x Gigabit PoE & 4x SFP 370W Switch, 24x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 128 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager, 370 W Class 4 PoE capability
ARU-IO-SW193048G	R 7,373	HP Aruba JL685A IOn 1930 48x Gigabit & 4x SFP Switch, 48x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 176 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager
ARU-IO-SW193048G-370W	R 12,824	HP JL686A Aruba IOn 1930 48x Gigabit PoE & 4x SFP Port 370W Switch, 48x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 176 Gbps switching capacity, 370 W Class 4 PoE capability
ARU-IO-SW19308G	R 2,985	HP JL680A Aruba Instant On 1930 8x Gigabit & 2 SFP Port Switch, 8x RJ-45 10/100/1000 Ports, 2x SFP 1GbE Ports, 20 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager
ARU-IO-SW19308G-124W	R 5,030	HP JL681A Aruba IOn 1930 8x Gigabit PoE & 2x SFP 124W Switch, 8x RJ-45 10/100/1000 Ports, 2x SFP 1GbE Ports, 20 Gbps switching capacity, 124 W Class 4 PoE capability, Aruba Instant On Portal, Web Browser, SNMP manager
ARU-IO-SW196024G-370W	R 12,832	HP JL807A Aruba Instant On 1960 24x Gigabit 20p Class4 4p Class6 PoE 2x 10GBASE-T & 2x SFP 370W Switch, 24x RJ-45 10/100/1000 PoE (CL4 and CL6) Ports, 2x SFP 10GbE Ports, 2x 10GBASE-T Ports, 128 Gbps switching capacity, Total 370 W PoE power (Up to 240 W of Class 6 or 370 W of Class 4 PoE)
ARU-IO-SW19608G-480W	R 10,454	HP S0F35A Aruba Instant On 1960 8x Gigabit PoE & 2x 10Gigabit & 2x SFP Port 480W Switch, 8x Gigabit RJ-45 PoE Ports, 2x SFP 10GbE Ports, 2x 10GBASE-T Ports, 480W PoE budget
ASUS ExpertWiFi EBP15	R 1,603	ASUS ExpertWiFi EBP15 5 port GbE Smart Managed PoE Switch, 5x Gigabit RJ45 Ports with 4x PoE Ports, 60 watts PoE budget, 30W per Port Max
ASUS QG-U1050	R 1,771	Asus QG-U1050 5x 2.5Gbps Unmanaged Network Switch - White, 5x 2.5G RJ-45 Ethernet Ports, 25Gbps switching capacity
AW-GEV-267A-370	R 12,879	Vivotek AW-GEV-267A-370 Managed Vivocam 24-Port Gigabit Ethernet PoE 2-Port Gigabit RJ45/SFP Combo - Layer 2 switch, 370W
AW-GTS-287A	R 21,849	Vivotek AW-GTS-287A 20x GE SFP 4x Combo GE 4x 10G SFP L2 Plus Managed Switch, L2 Plus Managed Switch Provides Easier Manageability, Robust Security and QoS, IPv4/IPv6 L3 Static Route and DHCP Server, AC/DC Dual Power Supply for Redundant Design, RS-232 Console, Telnet/Command Line Interface, SSH/SSL Secure Access, 20x 100M/1G SFP Ports, 4x Gigabit GE RJ45/SFP Combo Ports, 4x 100M/1G/10GbE SFP Ports
BDCOM-IS200-2S4P	R 3,087	BDCOM IS200 4 port Gigabit Industrial PoE Switch with 2 SFP - Managed, 120W PoE budget, DIN-Rail, 48-55V DC Input (Dual Redundant), IP40, 6kV Lighting protection, IS200-2S4P, 4x PoE RJ45 Gigabit Interface, 2x SFP
BDCOM-IS200-2S4T	R 2,661	BDCOM IS200 4 Port Gigabit Industrial Switch With 2 SFP - Managed, DIN-Rail, 12-55V DC Input (Dual Redundant), IP40, 6kV Lighting protection, IS200-2S4T, 4x RJ45 Gigabit Interface, 2x SFP
BDCOM-IS200-2S8P	R 3,602	BDCOM IS200 8 port Gigabit Industrial PoE Switch with 2 SFP - Managed, 240W PoE budget, DIN-Rail, 48-55V DC Input (Dual Redundant), IP40, 6kV Lighting protection, IS200-2S8P, 8x PoE RJ45 Gigabit Interface, 2x SFP
BDCOM-IS200-2S8T	R 2,751	BDCOM IS200 8 Port Gigabit Industrial Switch With 2 SFP - Managed, DIN-Rail, 12-55V DC Input (Dual Redundant), IP40, 6kV Lighting protection, IS200-2S8T, 8x RJ45 Gigabit Interface, 2x SFP
BDCOM-PS1218-16P	R 2,529	BDCOM S1218-16P-330 18-Port 10/100 POE switch with 16 POE ports & 2x 1000Mbps Combo ports, 330W POE, Cooling fan, AC220V power supply Included
BDCOM-PS1510-8P	R 1,264	BDCOM PS1510-8P-120 10-port Gigabit POE switch, 8x POE ports, 2x Gigabit Base-T ports, 8-port 802.3af/at

		POE power supply, 120W POE max power
BDCOM-PS2226PB-400	R 3,679	BDCOM S2226PB 26-Port 10/100 POE switch with 24 POE ports & 2x 1000Mbps Combo ports, 400W POE, Cooling Fan, AC220V power supply Included, 1U, Layer 2 Managed
BDCOM-S1000-4P2F	R 347	BDCOM S1000 4 port 10/100 Mbit PoE 2 Port 10/100 Mbit RJ45 Unmanaged Switch, 60W PoE budget, Built-In AC Power Supply, Desktop enclosure, S1000-4P2F
BDCOM-S1000-8P2F	R 383	BDCOM S1000 8 port 10/100 Mbit PoE 2 Port 10/100 Mbit RJ45 Unmanaged Switch, 90W PoE budget, Built-In AC Power Supply, Desktop enclosure, S1000-8P2F
BDCOM-S1200-16P2G1S	R 1,139	BDCOM S1200 16 Port Ethernet PoE Switch with 180W PoE budget, S1200-16P2G1S, Built-In AC Power Supply, Dip Function, Rackmount installation, 9.2Gbps switching capacity, 16x 100 Mbps PoE Ports, 2x Gigabit Uplink RJ45, 1x Gigabit Uplink SFP
BDCOM-S1200-24P2G1S	R 1,884	BDCOM S1200 24 Port Ethernet PoE Switch with 280W PoE budget, S1200-24P2G1S, Built-In AC Power Supply, Dip Function, Rackmount installation, 10.8Gbps switching capacity, 24x 100 Mbps PoE Ports, 2x Gigabit Uplink RJ45, 1x Gigabit Uplink SFP
BDCOM-S1200-8P2G	R 500	BDCOM S1200-8P2G 8 Port 100M Ethernet PoE Switch with 2x GbE Ports, 8x 100M PoE Ports, 2x Gigabit RJ45 Ports, 90W PoE budget, Built-In AC Power Supply, Dip Function, Desktop/Rackmount enclosure
BDCOM-S1226-24P	R 1,954	BDCOM S1226-24P 370W 26-port 10/100 PoE Switch, 24x PoE Ports, 2x 1000 Mbps combo Ports, Maximum Output of the Port is 30W, 3 fan ' s
BDCOM-S1500-16P2S	R 1,679	BDCOM S1500 16 port Gigabit PoE 2-port Gigabit Uplink SFP Unmanaged PoE Switch, S1500-16P2G, Dip Function, Built-In AC 220V Power Supply, PoE budget 180W, Desktop / rack-mounted installation
BDCOM-S1500-24P2S	R 2,709	BDCOM S1500 24 port Gigabit PoE 2-port Gigabit Uplink SFP Unmanaged PoE Switch, S1500-24P2S, Dip Function, Built-In AC 220V Power Supply, PoE budget 230W, Desktop / rack-mounted installation
BDCOM-S1500-8P2G	R 743	BDCOM S1500 8 port Gigabit PoE 2-port Gigabit Uplink SFP Unmanaged PoE Switch, S1500-8P2G, Dip Function, Built-In AC 220V Power Supply, PoE budget 90W, Desktop / rack-mounted installation
BDCOM-S2510P	R 1,149	BDCOM 10x Port Gigabit PoE 2x Gigabit SFP Ports - Layer 2 Switch, 1U rack mountable
BDCOM-S2520P	R 5,218	BDCOM 20 Port Gigabit PoE managed Layer 2 Switch, 16x Gigabit PoE Ports 4x SFP Ports, 2x 100/gigabit Optical Ports, 250W PoE power
BDCOM-S2528P	R 5,468	BDCOM 24x Port Gigabit PoE 4 x Gb SFP Ports - Layer 2 Switch, 1U Rackmountable
BDCOM-S2928EF	R 6,989	BDCOM S2928EF 24 Port SFP Switch Layer 3 1U Rackmount, 16x SFP ports, 8x combo Gigabit SFP ports, 4x 10G SFP Ports, 1U
BDCOM-S2948S6X-2AC	R 12,663	BDCOM S2900 48-port Gigabit SFP L3-lite stackable Managed Switch, 48x Port SFP, 6x Port 10G SFP , Dual AC-220v Power Supply, 1U, S2900-48S6X
BDCOM-S3740F	R 16,833	BDCOM 24 Port SFP Switch, 24 Gigabit SFP ports, 8 Gigabit TX ports, 8 10G SFP ports
BDCOM-S3756F	R 17,334	BDCOM 48x Gigabit SFP ports 4x Combo Gigabit TX ports 8x 10G SFP ports - Layer 3 switch, 1U Rackmountable
BDCOM-S3900-48P6X	R 21,313	BDCOM S3900-48P6X 48 Port Gigabit PoE & 6x 10 Gigabit SFP Port L3 Managed Switch, Hot-Swap PSU, 1x PSU included 370W PoE budget
BDCOM-S5700-24EP6X	R 13,617	BDCOM S5700-24EP6X 24 Port 2.5G PoE Switch with 6 SFP , 16x 2.5GbE PoE RJ45 Interface Ports, 6x 10GbE SFP Ports, 240 Gbps switching capacity, 740W PoE budget
BDCOM-S5700-8EP4X	R 6,809	BDCOM S5700-8EP4X 8 Port 2.5G PoE Switch with 4x SFP , L3 Managed, Single AC PSU, 370W PoE budget, 8x 2.5GbE PoE RJ45 Interface Ports, 4x 10GbE SFP ports, 120Gbps switching capacity
BDCOM-S5864H	R 69,952	BDCOM 48 Port SFP layer 3 managed Switch, 48 x 10G auto-adaptive SFP ports, 2 x 40G QSFP ports, 4 x 100G QSFP28 ports, 2 x power slots, 1U
C5N4W	R 20,943	Dell PowerConnect 6224P 24 GbE Port Managed Switch with PoE support, 10GbE and stacking capable, N096224P02E, 24x Gigabit Ethernet Ports, 4x SFP combo Ports
CB-CNM-EX1010-P	R 6,733	Cambium EX1010-P cnMatrix Enterprise 10 Port PoE Switch, 20 Gbps Throughput, 8x PoE enabled Ports (802.3af/at), 8x Gigabit Ports, 2x SFP Uplink Ports, Fanless, 75 W PoE Power budget, 30 W PoE Max Power per Port, 1U Rack mountable
CB-CNM-EX1028-P	R 10,862	CAMBIUM cnMatrix 28 Port intelligent Ethernet PoE Switch, EX1028-p, 56 Gbps Throughput, 200 PoE power budget units (Watts), 24x 10/100/1000 Ports, 2x SFP uplink Ports, 2 internal fans

CB-CNM-EX2010-P	R 14,370	Cambium cnMatrix 10P PoE Switch, 8x Gigabit POE and 2x SFP Ports, PoE, Cloud Managed, MX-EX2010PxA-B
CB-CNM-EX2028-P	R 25,900	Cambium cnMatrix 28P PoE Switch, 24x Gigabit POE and 4c SFP Ports, PoE, Cloud Managed 400W PoE power budget, 128 Gbps Throughput, MX-EX2028PxA-B
CB-CNM-EX2052-P	R 43,316	CAMBIUM cnMatrix EX2052-P 52 Port PoE Switch, 48 10/100/1000 Ports, 4 SFP uplink Ports, 128MB Flash storage, 30W Maximum PoE power per Port
CB-CNM-TX1012-P-DC	R 16,896	CAMBIUM cnMatrix 12p DC intelligent Ethernet PoE Switch, 8x Gigabit and 4x SFP Ports, 170W power budget, Switching capacity, Cloud managed, MXTX1012GxPA20
CB-CNM-TX2012R-P	R 30,124	CAMBIUM cnMatrix TX2012R-P PoE WISP Tower Switch, 8x 10/100/1000 Mbps RJ45 Ports, 8x PoE enabled Ports 802.3af/at/bt, 4x low voltage passive PoE (24 V), 8x CAMBIUM Sync (via RJ45 Ports), 802.3af/at/bt - up to 90W, 24V passive PoE - up to 15W, 54V passive PoE - up to 90W
CB-CNM-TX2020R-P	R 44,229	CAMBIUM cnMatrix TX2020R-P PoE WISP Tower Switch, 16x 10/100/1000 Mbps RJ45 Ports, 16x PoE enabled Ports 802.3af/at/bt, 8x low voltage passive PoE (24 V), 16x CAMBIUM Sync (via RJ45 Ports), 802.3af/at/bt - up to 90W, 24V passive PoE - up to 15W, 54V passive PoE - up to 90W, Dual Redundant removable power supplies AC
CCR2004-16G-2S+	R 7,551	MikroTik CCR2004-16G-2S 16x Gigabit Ethernet & 2x 10G SFP Ports, 1x USB Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 1700 MHz Quad Core CPU, 2 AC inputs, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports, CCR2004-16G-2S
CCR2004-16G-2S+PC	R 7,068	MikroTik CCR2004-16G-2S PC 16x Gigabit Ethernet Ports & 2x 10G SFP Ports Switch, 1x RJ45 Serial Console Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 4 Core CPU, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports
CCR2004-1G-12S+2XS	R 9,176	MikroTik 12x 10G SFP & 2x 25G SFP28 Ports Switch, Serial Port, RJ45, Arm 64bit, 4GB RAM, 128 MB storage, CCR2004-1g-12s 2xs, RouterOS L6, 2x AC inputs, 12x SFP Ports, 2x 25G SFP28 Ports
CCR2116-12G-4S+	R 15,116	MikroTik CCR2116 4x 10G SFP & 13x 1g Ethernet & 1x M.2 slot Switch, CCR2116-12g-4s, 16 Core CPU, RouterOS license L6, RouterOS Operating System, 16GB RAM, 128 MB storage size, 2 AC inputs, 13x 10/100/1000 Ethernet Ports, 4x SFP Ports, RJ45 Serial Console Port, 1x M.2 slots, CCR2116-12G-4S
CCR2216-1G-12XS-2XQ	R 42,588	MikroTik 2x 100G QSFP28 & 12x 25G SFP28 & 1x 1GbE Ethernet Port Switch, 2 GHz 16 Core CPU, 16GB RAM, 128 MB storage size, RouterOS 7, 2x M.2 PCI-e slot, 1x 10/100/1000 Ethernet Port, 12x 25G SFP28 Ports, 2x 100G QSFP28 Ports, CCR2216-1G-12XS-2XQ
CD-FS1006P	R 299	Cudy 6 Port Ethernet PoE Switch 60W, FS1006p, IEEE802.3af/at PoE standard, 6x rthernet RJ45 porta with 1-4 PoE Ports, 60W PoE total, Max 32W PoE Output per port, Fanless
CD-FS1010P	R 397	Cudy FS1010p 8 Port 10/100 Mbit PoE Switch with 2 Gigabit Uplink Ports, 1~8 Port PoE Port, 120W PoE total, Max 32W PoE per Output Port, Fanless
CD-FS1010P	R 535	Cudy 8 Port Fast Ethernet PoE 115W & 2 Gigabit Port Switch, FS1010PG, 120W PoE total, Max 32W PoE Output per Port, Fanless, IEEE802.3af/at PoE standard
CD-FS1010PG	R 489	Cudy 8 Port Fast Ethernet PoE 115W & 2 Gigabit Port Switch, FS1010PG, 120W PoE total, Max 32W PoE Output per Port, Fanless, IEEE802.3af/at PoE standard
CD-FS1018PS	R 834	Cudy FS1018PS1 16 port 10/100 Mbit 190W PoE Switch with 2GbE and 1 SFP Port, 16x 10/100 Mbps Ports, 1x 1.25bps SFP, 2x Gigabit Ports, 190W PoE budget
CD-FS1018PS	R 972	Cudy FS1018PS1 16 port 10/100 Mbit 190W PoE Switch with 2GbE and 1 SFP Port, 16x 10/100 Mbps Ports, 1x 1.25bps SFP, 2x Gigabit Ports, 190W PoE budget
CD-FS1026PS	R 1,438	Cudy FS1026PS1 26 Port with 24 PoE 290W with 2x Gigabit Uplink Ports & 1x SFP combo Switch, 24 Port 10/100 Mbit PoE , 2x Gigabit Uplink Port, 1x SFP slot, DC 48-55V PoE Port Output, IEEE 802.3af 15.4W Max each Port, IEEE 802.3at 30W Max each Port, 290W PoE budget
CD-FS1026PS	R 1,576	Cudy FS1026PS1 26 Port with 24 PoE 290W with 2x Gigabit Uplink Ports & 1x SFP combo Switch, 24 Port 10/100 Mbit PoE , 2x Gigabit Uplink Port, 1x SFP slot, DC 48-55V PoE Port Output, IEEE 802.3af 15.4W Max each Port, IEEE 802.3at 30W Max each Port, 290W PoE budget
CD-GS1005PT	R 454	Cudy 5 port Gigabit PoE Switch 65W with 1 SFP slot, GS1005PTS1, 65W Power budget & 30W Maximum per Port
CD-GS1005PT	R 592	Cudy 5 port Gigabit PoE Switch 65W with 1 SFP slot, GS1005PTS1, 65W Power budget & 30W Maximum per Port

CD-GS1010P	R 546	Cudy 8 Port Gigabit PoE Switch with 2 Gigabit Uplink Ports 120W, GS1010P, 120W PoE total, Max 32W PoE output-port, Fanless, 1~8 Port PoE Port
CD-GS1010P	R 684	Cudy 8 Port Gigabit PoE 110W 2SFP 2 Gigabit Ethernet Switch, GS1010PS2, 2x 1.25G SFP slots, 10x Gigabit RJ45 Ports, #1~#8 Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 110W PoE budget, 24 Gbps Max switching capacity
CD-GS1010PS	R 719	Cudy 8 Port Gigabit PoE 110W 2SFP 2 Gigabit Ethernet Switch, GS1010PS2, 2x 1.25G SFP slots, 10x Gigabit RJ45 Ports, #1~#8 Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 110W PoE budget, 24 Gbps Max switching capacity
CD-GS1010PS	R 857	Cudy 8 Port Gigabit PoE 110W 2SFP 2 Gigabit Ethernet Switch, GS1010PS2, 2x 1.25G SFP slots, 10x Gigabit RJ45 Ports, #1~#8 Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 110W PoE budget, 24 Gbps Max switching capacity
CD-GS1016	R 489	Cudy GS1016 16 Port Gigabit Metal Switch, 16x 10/100/1000 Mbps Auto-Negotiation Ports
CD-GS1016	R 489	Cudy GS1016 16 Port Gigabit Metal Switch, 16x 10/100/1000 Mbps Auto-Negotiation Ports
CD-GS1018PS	R 1,639	Cudy GS1018PS2 16x GbE PoE Switch with 2x Uplink GbE and 2x Uplink SFP Switch, 2x 1.25G SFP slots, 2x Gigabit RJ45 Ports, 16x Gigabit RJ45 PoE Ports, 40 Gbps Max switching capacity, 200W Max Power consumption, 30W Max Power on a single PoE Port
CD-GS1018PS	R 1,777	Cudy GS1018PS2 16x GbE PoE Switch with 2x Uplink GbE and 2x Uplink SFP Switch, 2x 1.25G SFP slots, 2x Gigabit RJ45 Ports, 16x Gigabit RJ45 PoE Ports, 40 Gbps Max switching capacity, 200W Max Power consumption, 30W Max Power on a single PoE Port
CD-GS1024	R 719	Cudy GS1024 24x Port Gigabit Metal Switch, 24 x 10/100/1000 Mbps Auto-Negotiation Ports
CD-GS1024	R 719	Cudy GS1024 24x Port Gigabit Metal Switch, 24 x 10/100/1000 Mbps Auto-Negotiation Ports
CD-GS1026PS	R 1,949	Cudy GS1026PS2 24x GbE PoE Switch with 2x Uplink GbE and 2x Uplink SFP, 2x 1.25G SFP slots, 2x Gigabit RJ45 Ports, 24x Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 200W Max Power consumption, 56 Gbps Max switching capacity
CD-GS1026PS	R 2,151	Cudy GS1026PS2 24x GbE PoE Switch with 2x Uplink GbE and 2x Uplink SFP, 2x 1.25G SFP slots, 2x Gigabit RJ45 Ports, 24x Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 200W Max Power consumption, 56 Gbps Max switching capacity
CD-GS105	R 132	Cudy GS105 5 port Metal Gigabit Desktop Switch, 5x Gigabit RJ45 Ports, DC jack Power Interface, 10 Gbps Max switching capacity
CD-GS105D	R 155	Cudy 5 port Gigabit Desktop Switch, GS105D, 5x 10/100Base-TX Port interfaces
CD-GS105P	R 316	Cudy 5 port Gigabit with 4 PoE Ports 31W Switch, GS105P, 4x Gigabit RJ45 PoE Ports, 31W total PoE budget, Ports 1-4 extend mode Ports, 1x Gigabit RJ45 Port, 10 Gbps Max switching capacity, 119 x 85 x 28 mm, Metal casing material
CD-GS108	R 201	Cudy GS108 8 Port Metal Gigabit Desktop Switch, 8x Gigabit RJ45 Ports, 16 Gbps Max switching capacity, DC Power Method
CD-GSPOE40	R 454	Cudy 4 channel Gigabit PoE extender, POE40, 1x PoE in, 4x PoE out, 60W Power budget & 30W Maximum one Port
CD-GSPOE40	R 592	Cudy 4 channel Gigabit PoE extender, POE40, 1x PoE in, 4x PoE out, 60W Power budget & 30W Maximum one Port
CD-HS105	R 489	Cudy 5 port 2.5Gbps Ethernet Metal Desktop Switch, HS105, 5 2.5G RJ45 Ports, shielded RJ45 Port, 25 Gbps Max switching capacity, grounding point, Metal casing material
CD-HS105	R 627	Cudy 5 port 2.5Gbps Ethernet Metal Desktop Switch, HS105, 5 2.5G RJ45 Ports, shielded RJ45 Port, 25 Gbps Max switching capacity, grounding point, Metal casing material
CRS106-1C-5S	R 1,093	MikroTik 5x SFP Cloud Router Switch, 1x Gigabit Ethernet / SFP combo port, 5x 1.25Gbps SFP cages, Powered by a 400MHz CPU and 128MB RAM, It runs RouterOS with a L5 license, CRS106-1C-5S
CRS106-1C-5S	R 990	MikroTik 5x SFP Cloud Router Switch, 1x Gigabit Ethernet / SFP combo port, 5x 1.25Gbps SFP cages, Powered by a 400MHz CPU and 128MB RAM, It runs RouterOS with a L5 license, CRS106-1C-5S
CRS109-8G-1S2HN	R 2,243	MikroTik 8x Gigabit Ports & 1x SFP cage Cloud Router Switch, CRS109-8G-1S-2HnD-IN, RouterOS License 5, RouterOS Operating System, 2 DC inputs (DC jack / PoE-in), Wi-Fi 4, 300 Mbit/s Wireless 2.4GHz Max Data rate,

		8x Gigabit Ethernet Ports, 1x SFP Ports
CRS112-8G-4S-IN	R 3,393	MikroTik Cloud Router Switch 8 Gigabit Ports & 4x SFP Ports, CRS112-8G-4S-IN, QCA8511 CPU, RouterOS license 5, RouterOS Operating System, 128 MB RAM, 16 MB storage size, Passive PoE in, 8x Gigabit Ethernet Ports, 4x SFP Ports
CRS112-8P-4S-IN	R 3,462	MikroTik CRS112-8P-4S-IN - 8 Port Gigabit PoE Cloud Router Switch with 4x SFP ports, 400MHz CPU, 128MB RAM, desktop case, RouterOS L5, 802.3af/at PoE out
CRS112-8P-4S-IN	R 3,881	MikroTik 8 Port Gigabit PoE Cloud Router Switch with 4x SFP Ports, 400MHz CPU, 128MB RAM, Desktop case, RouterOS L5, 802.3af/at PoE out, CRS112-8p-4s-in
CRS305-1G-4S+IN	R 2,601	MikroTik CRS305 4x SFP Cloud Router Switch, Dual boot SwOS/RouterOS, 800 MHz CPU, 512 MB RAM, 16 MB Storage, License level 5, 1x 10/100/1000 Ethernet ports, 4x SFP cages, Switching capacity 82 Gbps, Dual boot, POE in, Dual DC jacks, CRS305-1G-4S IN
CRS309-1G-8S+IN	R 4,414	MikroTik Cloud Router Switch Dual Boot SwitchOS / RouterOS, Dual Core 800MHz CPU, 512MB RAM, 16MB storage, 802.3af/at PoE in 18-57V, 1x Gigabit Ethernet Port, 8x SFP Ports, CRS309-1g-8s in, RouterOS / SwitchOS Operating System, Level 5 License
CRS310-1G-5S-4S+IN	R 3,229	MikroTik Cloud Router Switch 5x SFP & 4x SFP Port, CRS310-1g-5s-4s in, RouterOS license 5, 256 MB RAM, 16 MB storage size, 1x 10/100/1000 Ethernet Ports, 5x SFP Ports, 4x SFP Ports, CRS310-1G-5S-4S IN
CRS310-1G-5S-4S+OUT	R 4,042	MikroTik netFiber 9 outdoor Switch with 5x SFP & 4x SFP & 1x Gigabit Ethernet Port, 5 RouterOS license, 256 MB RAM, 16 MB storage size, 2 DC inputs, Passive, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports, 5x SFP Ports, 4x SFP Ports, CRS310-1g-5s-4s out
CRS312-4C+8XG-RM	R 11,478	MikroTik 8x 10G RJ45 Ethernet & 4x combo SFP Port Cloud Router Switch, CRS312-4C 8XG-RM, 650 MHz CPU, RouterOS License 5, RouterOS V7 / SwitchOS Operating System, 64 MB RAM, 16 MB storage size, 2 AC inputs, 4 fans cooling Type, 1x 10/100 Ethernet Ports, 4x combo 10G Ethernet / SFP Ports, 8x 1G/2.5G/5G/10G RJ45 Ethernet Ports
CRS317-1G-16S+RM	R 8,109	MikroTik 1x Gigabit LAN & 16x SFP cages Cloud Router Switch, CRS317-1G-16S RM, Dual Core 800MHz CPU, 1GB RAM, 16 MB storage size, Dual Power supplies, RouterOS License 6, RouterOS / SwitchOS Operating System, 1x 10/100/1000 Ethernet Ports, 16X SFP Ports, RJ45 Serial Console Port
CRS318-16P-2S+OUT	R 4,531	MikroTik netPower 16P 16x PoE ouput 7 2x SFP outdoor Switch, CRS318-16P-2S OUT, 16x 10/100/1000 Ethernet ports, Pole-mount, RouterOS L5, 802.3af/at PoE Output on ports 1 to 16, 2x 1.25Gbps SFP ports, CRS318-16P-2S OUT
CRS318-1FI-15FR-2S-OUT	R 2,648	MikroTik Outdoor netPower 15FR with RouterOS L5 license, 15 POE-in ports, 1x PoE out Port, CRS318-1FI-15FR-2S-OUT, 98DX224S 800 MHz CPU, 256 MB RAM, 16 MB Flash storage size, 16x 100 Mbps Ethernet ports, 2x SFP ports, Swos / RouterOS (Dual Boot) Operating System, RouterOS license level 5
CRS320-8P-8B-4S	R 10,229	MikroTik 16 port Gigabit PoE Cloud Router Switch, CRS320-8P-8B-4S RM, 98DX226S Dual Core CPU, RouterOS License 5, RouterOS V7 Operating System, 256MB RAM, 32 MB storage size, 2 PSU slots, 3 fans, Ether9-Ether16 (BT) PoE-out Ports, 17 Gigabit Ethernet Ports with 16x with PoE-out, 4x SFP Ports, 600W Max Power consumption
CRS326-24G-2S+I	R 3,968	MikroTik 24x Gigabit Ports & 2x SFP Ports clud Router Switch Desktop Case, CRS326-24G-2S IN, RouterOS License 5, RouterOS / SwitchOS Operating System, 2 DC inputs (DC jack / PoE-in), 24x Gigabit Ethernet Ports, 2x SFP Ports
CRS326-24G-2S+R	R 3,789	MikroTik Cloud Router Switch Dual boot SwOS / RouterOS, 24x port Gigabit Ethernet switch with two SFP ports, SFP cage supports both 1.25Gb SFP and 10Gb SFP modules, CRS326-24G-2S RM
CRS326-24G-2S+RM	R 3,462	MikroTik Cloud Router Switch Dual boot SwOS / RouterOS, 24x port Gigabit Ethernet switch with two SFP ports, SFP cage supports both 1.25Gb SFP and 10Gb SFP modules, CRS326-24G-2S RM
CRS326-24S+2Q+RM	R 9,735	MikroTik 24 Port SFP & 2x QSFP Port Cloud Router Switch, CRS326-24s 2q rm, QCA9531 CPU, RouterOS License 5, RouterOS V7 / SwitchOS Operating System, 64 MB RAM, 16 MB storage size, 2 AC inputs, 3 fans, 1x 10/100 Ethernet Ports, 24x SFP Ports, 2x 40G QSFP Ports
CRS328-24P-4S+R	R 9,999	MikroTik 24 port Gigabit PoE Cloud Router Switch with 4x SFP ports, 1U rackmount case, 800 MHz CPU, 512 MB Ram, RouterOS / SwitchOS L5, RJ45 Serial port, 500W POE Maximum, 802.3af/at PoE out, CRS328-24P-4S RM
CRS328-24P-4S+RM	R 8,508	MikroTik CRS328-24P-4S RM - 24 port Gigabit PoE Cloud Router Switch with 4x SFP ports, 1U rackmount case,

		800 MHz CPU, 512 MB Ram, RouterOS / SwitchOS L5, RJ45 Serial port, 500W POE Maximum, 802.3af/at PoE out
CRS328-4C-20S+R	R 8,159	MikroTik 20x SFP Cloud Router Switch with 4 ETH/SFP combo ports and 4 SFP ports, Dual boot, Throughput 64 Gbps, Switching Capacity 128 Gbps, RouterOS L5, 800 MHz CPU, 512 MB RAM, CRS328-4C-20S-4S RM
CRS328-4C-20S-4S+RM	R 7,021	MikroTik CRS328-4C-20S-4S RM - 20x SFP Cloud Router Switch with 4 ETH/SFP combo ports and 4 SFP ports, Dual boot, Throughput 64 Gbps, Switching Capacity 128 Gbps, RouterOS L5, 800 MHz CPU, 512 MB RAM
CRS354-48G-4S+2Q+RM	R 9,968	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5
CRS354-48P-4S+2	R 18,624	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5
CRS354-48P-4S+2Q+RM	R 16,812	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5
CRS504-4XQ-IN	R 12,988	MikroTik CRS504-4XQ-IN 4x 100G QSFP28 Port Switch, 1x RJ45 Serial Console Port, RouterOS license L5, RouterOS Operating System, 64 MB size of RAM, 16 MB storage size, 2x AC inputs, 1x 10/100 Ethernet Ports, 4x 100G QSFP28 Ports
CRS510-8XS-2XQ-IN	R 16,241	MikroTik Cloud Router Switch 8x SFP28 & 2x QSFP28 Ports, CRS510-8XS-2XQ-IN, QCA9531 CPU, 5x RouterOS license, RouterOS V7 Operating System, 128 MB RAM, 32 MB storage size, 1x 10/100 Ethernet Ports, 8x 25G SFP28 Ports, 2x 100G QSFP28 Ports
CRS518-16XS-2XQ	R 32,194	MikroTik Cloud Router Switch 16x 25G SFP28 & 2x 100G QSFP28 Port Switch, CRS518-16XS-2XQ-RM, RouterOS L6, 2 AC inputs, 1x 10/100 Ethernet Ports, 16x 25G SFP28 Ports, 2x 100G QSFP28 Ports
CRS518-16XS-2XQ-RM	R 26,000	MikroTik Cloud Router Switch 16x 25G SFP28 & 2x 100G QSFP28 Port Switch, CRS518-16XS-2XQ-RM, RouterOS L6, 2 AC inputs, 1x 10/100 Ethernet Ports, 16x 25G SFP28 Ports, 2x 100G QSFP28 Ports
CRS520-4XS-16XQ	R 40,244	MikroTik 16 port 100G QSFP28 Cloud Router Switch, CRS520-4XS-16XQ-RM, AL52400 Quad Core CPU, 4GB RAM, 128 MB storage size, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans cooling, 2x 10G Ethernet Ports, 4x 25G SFP28 Ports, 16x 100G QSFP28 Ports
CSM4532-100EUS	R 562,574	Netgear CSM4532 M4500 Managed Switch with 32x 100G QSFP28 Ports, 32x QSFP28 Ports (1x 100G Default mode / other modes can be 1x 50G or 1x 40G), 2 Modular Power Supply Units and 6 Modular fan trays come Pre-Installed, Full width 1U, 508mm depth
CSS326-24G-2S+RM	R 2,625	MikroTik 24 Port Gigabit Ethernet with 2x SFP Ports Cloud Smart Switch - 1U, 24x 10/100/1000 Ethernet Ports, 2x SFP Ports SwOS Operating System, CSS326-24G-2S RM
CSS610-1Gi-7R-2S+OUT	R 2,300	MikroTik Outdoor netPower Lite 7R Switch with RouterOS, CSS610-1Gi-7R-2S OUT, 64 KB storage size, Passive PoE, 8x 10/100/1000 Ethernet Ports, 7x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x Gigabit Ethernet ports with PoE-out, 2x SFP Ports
CSS610-8G-2S+IN	R 1,916	MikroTik CSS610-8G-2S IN Cloud Smart 8x Gigabit Switch & 2x SFP , 8x 1 Gigabit Ethernet ports, 2x SFP ports for 10G Fibre connectivity, PSU, Rack Mount, SwitchOS, 64 kb storage size, Passive PoE
CSS610-8P-2S+IN	R 3,694	MikroTik 8x Gigabit PoE & 2x SFP cages Cloud Smart Switch, CSS610-8P-2S IN, SwitchOS Lite Operating System, 8 10/100/1000 Ethernet Ports with PoE-out, 2x SFP Ports, 140W total Output Power
CUDY-FS1006P	R 314	Cudy Fs1006p 6-port (4x Poe / 2x Uplink) Ethernet 60w POE Switch. The Cudy FS1006P is a robust unmanaged PoE switch offering 4 PoE ports with a combined 60 W budget and 2 uplink ports, ideal for powering cameras, access points or signage. Featuring VLAN isolation, Extend mode for long-distance transmission, and Watchdog auto recovery, it ensures secure and reliable network expansion in compact, silent form ideal for SA environments.
CUDY-FS1018PS1	R 1,332	Cudy FS1018P 18-port (16x POE / 2x Gbe Uplink / 1x SFP) Ethernet 200w POE Switch.18-port switch; 16x FE POE ; 2x GbE uplink; 1x SFP; 200W PoE budget; VLAN/Extend modes; Fanless; Desktop/Rackmount; 320x207x45 mm; Metal casing; IEEE 802.3at/af; 2048 MAC; 9.2 Gbps capacity; AC input 100-240VVac; 1623 g
CUDY-FS1026PS1	R 1,751	Cudy Fs1026p 26-port (24x Poe / 2x Gbe Uplink / 1x Sfp) Ethernet 300w Poe Switch. 24x FE PoE Ports (802.3at/af); 2x Gigabit Uplink; 1x SFP Slot; 300W PoE Budget; VLAN/Extend Modes; 10.8 Gbps Switching; Rack/Desktop; Metal Casing
CUDY-GS1005P	R 528	Cudy Gs1005p 5-port (4x Poe / 1x Gbe Uplink) Gigabit 60w Poe Switch. 5x GbE ports (4x PoE); 65W total PoE budget; fanless metal case; 52V 1.25A DC input; 10Gbps switching capacity; wall or desktop mount

CUDY-GS1016	R 700	Cudy Gs1016 16-port Gigabit Metal Switch. 16x Gigabit RJ45 ports; VLAN/Extend modes; fanless metal casing; max switching capacity 32 Gbps; MAC table 8192; AC 90-260 V power; desktop and rackmount
CUDY-GS1020PS2	R 2,377	Cudy Gs1020pe 18-port (16x Poe / 2x Gbe Sfp Uplink) Gigabit 200w Poe Switch. Quick Specs Summary: 16x GbE PoE ports; 2x SFP uplink; 200W power budget; VLAN, Extend, Watchdog modes; rack-mountable; metal casing; 36 Gbps switching capacity.
CUDY-GS1024	R 804	Cudy GS1024 24x Gigabit Port Metal Switch, 24x Gigabit Auto-Negotiation Ports, 48Gbps switching capacity
CUDY-GS2008PS2	R 1,645	Cudy 8 Port Gigabit PoE 130W with 2x SFP Ports Switch, GS2008PS2, 2x 1.25G SFP slots, 8x Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 130W total PoE budget, 20 Gbps Max switching capacity
CUDY-GS2018PS2-200W	R 3,219	Cudy 16x GbE PoE L2 Managed Switch with 2x GbE & 2x SFP Switch, GS2018PS2-200W, 2x Uplink Gigabit Ports, 2x Gigabit SFP slots, 16x Gigabit RJ45 PoE Ports, 30W Max Power on a single PoE Port, 200W PoE budget, 40 Gbps Max switching capacity
CUDY-GS2028PS4	R 4,414	Cudy Gs2028ps4 28-port (24x Poe / 4x Gbe/sfp Combo) Gigabit L2 300w POE Managed Switch. The Cudy GS2028PS4 is a robust and efficient Layer 2 Gigabit PoE switch offering 24 power-over-ethernet ports and 4 combo uplink ports. With a 300 W PoE budget, managed features like VLAN, QoS and link aggregation, and silent, rack-ready design, it brings reliable networking and power delivery for cameras, phones and access points to South African businesses and infrastructure.
CUDY-IG1008S2	R 1,585	Cudy 8 Port Gigabit Industrial & 2x SFP Port Switch, IG1008S2, 8x Gigabit Port RJ-45, Multi-mode up to 2km, 12V to 52V DC Redundant Power Input, DIN-Rail and wall-mountable, IP40 aluminum housing
CUDY-WU650	R 117	Cudy Wu650 Ac750 WiFi5 USB 2.0 External Adapter. Dual-band Wi-Fi 5 USB adapter; 433 Mbps 5GHz 200 Mbps 2.4GHz; 1T1R antenna; nano 20x15x8 mm size; plug and play; compatible with Windows/macOS/Linux
DEM-301T	R 399	Dlink 1-port 1000Base-T module.
DES-1016AE	R 286	D-Link DES-1016A 16-Port 10/100Mbps Desktop Ethernet Switch
DES-1016D	R 344	D-Link DES-1016D 16-Port 10/100 Unmanaged Switch; plug and play; rack mountable; fanless design; 3.2Gbps switching capacity; office LAN expansion; SMB networking; metal housing; IEEE 802.3x flow control; IEEE802.3az EEE (Energy Efficient Ethernet); Rack Mountable
DGS-1210-10MP	R 2,874	D-Link DGS-1210-10MP 8-ports 10/100/1000Base-T PoE Smart Switch plus 2 SFP ports 130W total POE budget, PoE Capable Ports 1 to 8, 802.3af/at compliance (for PoE ports), 20 Gbps Switching Capacity, Fanless, Dimension (LxWxH)(330x180x44mm), internal universal power supply, Internet Group Management Protocol (IGMP) snooping, Loopback Detection (LBD), Cable Diagnostics, 802.1Q Virtual LAN (VLAN)
DGS-1210-10P	R 2,184	D-Link DGS-1210-10P, 8-ports 10/100/1000Base-T PoE Smart Switch Plus 2 Combo 1000Base-T/SFP Ports, Advanced Power Saving Features, Time-Based PoE, Link Aggregation (802.3ad), 802.1q VLAN, Asymmetric VLAN, Auto Voice VLAN, 802.1p Priority Queues, MAC/IP Filtering, MAC/IP-Based ACL, 802.1x Port-Based Access Control, Port Security, D-Link SafeGuard Engine, Fanless Design for Quiet Operation, Compact 13" Desktop Enclosure with 19" Rack Mounting Option.
DGS-1210-28	R 2,184	D-Link DGS-1210-28 28-ports Gigabit Web Smart Switch, 24x 10/100/1000 Mbps Ports, 4x 10/100/1000 Mbps SFP Ports
DGS-1210-52	R 4,484	D-Link DGS-1210-52 48-port Gigabit with 4x combo SFP Smart managed Switch, 48x 10/100/1000 Mbps, 4x Gigabit SFP, 104 Gbps switching capacity
DH-PFS3005-5ET-V2	R 1,696	Dahua 5 port Unmanaged Ethernet Switch, PFS3005-5ET, 5x 100 Mbps Ports, 1 Gbit switching capacity, Metal casing material
DH-PFS3008-8ET-V2	R 1,696	Dahua 8 Port Unmanaged Ethernet Switch, PFS3008-8ET, 8x 100 Mbps Ports, 1.6 Gbit switching capacity, Metal casing material
DH-PFS3010-8ET-96-V2	R 374	Dahua 10 Port Unmanaged Desktop Switch with 8 Port PoE, 8x RJ-45 10/100 Mbps (PoE), 2x RJ-45 10/100/1000 Mbps (Uplink), 96 W PoE Power, Long distance PoE
DH-PFS3016-16GT	R 207	Dahua PFS3016-16GT 16-Port Gigabit Switch (Unmanaged), Layer 2 unmanaged access switch, All gigabit Ethernet ports, Lightning protection, Plug and play, Adopts metal enclosure, Good heat dissipation
DH-PFS3228-24GT-240-V2	R 4,852	Dahua PFS3228-24GT-240 24 Port Intelligent PoE switch PoE budget 240W, Intelligent PoE, Red Port Supports BT 90W, All-giga Ports, Smooth Transmission, Wide Working Temperature: â€“10 to 55Â°C (14Â°F to 131Â°F), Plug and Play

DMS-106XT	R 3,286	D-Link DMS-106XT 6 Port 2.5GE Unmanaged Multi-Gigabit Switch, 5x 2.5GE LAN Ports, 1x 10 Gbps Port, 45 Gbps switching capacity
DS-3E0108D-E	R 176	Hikvision DS-3E0108D-E 8 Port Fast Ethernet Unmanaged Desktop Switch, 8 x 10/100 Mbps ethernet ports, Supports ADI/ADIX, Store-and-forward switching, Supports MAC address auto-learning and aging, Simple, compact body design, Supports desktop and wall-mounting, Plug & play, easy to use
DS-3E0310HP-E	R 1,288	Hikvision 8 Port 10/100 PoE Unmanaged Switch with 2x GbE Ports, Metal material, Fan-free Design, 8 x 10/100 Mbps PoE Port, 2x Gigabit RJ45 Port, Ports 1 to 8 up to 300 m, Port 1 90W Max Port Power, Ports 2 to 8 30W Maximum Port Power, 110 W PoE Power budget
DS-3E0505HP-E	R 891	Hikvision DS-3E0505HP-E 4 Port Gigabit Unmanaged POE Switch, L2, Unmanaged, 4 Gigabit RJ45 PoE ports, 1 Gigabit RJ45 uplink port, 802.3af/at/bt, port 1 support Hi-PoE 60w, PoE power budget 60W, ports 3-4 support up to 300meter, 6KV surge protection, supports POE watchdog, port isolation
DS-3E0510P-E	R 1,495	Hikvision 8 Port Gigabit Unmanaged PoE Switch, 8x Gigabit PoE Ports, 1x Gigabit Fiber Optical Port, 1x Gigabit RJ45 Port, 20 Gbps switching capacity, Ports 1 to 8 PoE Port, 30W Maximum Port Power, 110W PoE Power budget
DS-3E1309P-EI	R 1,219	Hikvision DS-3E1309P-EI L2, Smart Managed, 9 10/100M RJ45 PoE ports, 1 10/100M RJ45 port, 802.3af/at, PoE power budget 110W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor
DS-3E1318P-EI	R 2,864	Hikvision 16x 10/100 Mbps RJ45 PoE Ports & 2 Gigabit combo Port L2 Smart Managed Switch, IEEE 802.3at/af standard for PoE ports, AF/at camera Can reach up to 300 m in extend mode, Ports 1 to 8 high priority Ports, 7.2 Gbps switching capacity, 230 W PoE Power budget, 30 W Maximum Port Power, Fan-free design, 16x 10/100 Mbps PoE Port, 2x 1Gbps combo Ports
DS-3E1318P-EI	R 3,853	Hikvision 16x 10/100 Mbps RJ45 PoE Ports & 2 Gigabit combo Port L2 Smart Managed Switch, IEEE 802.3at/af standard for PoE ports, AF/at camera Can reach up to 300 m in extend mode, Ports 1 to 8 high priority Ports, 7.2 Gbps switching capacity, 230 W PoE Power budget, 30 W Maximum Port Power, Fan-free design, 16x 10/100 Mbps PoE Port, 2x 1Gbps combo Ports
DS-3E1326P-EI	R 3,994	Hikvision DS-3E1326P-EI, L2, Smart Managed, 24 10/100M RJ45 PoE ports, 2 Gigabit combo ports, 802.3af/at, PoE power budget 370W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1326P-EI	R 3,209	Hikvision 24x 10/100 Mbps RJ45 PoE Ports & 2 Gigabit combo Port L2 Smart Managed Switch, IEEE 802.3at/af standard for PoE ports, AF/at camera Can reach up to 300 m in extend mode, Ports 1 to 8 high priority Ports, 8.8 Gbps switching capacity, 370 W PoE Power budget, 30 W Maximum Port Power, Fan-free design, 24x 10/100 Mbps PoE Ports, 2x 1Gbps combo Ports
DS-3E1326P-EI	R 4,824	Hikvision 24x 10/100 Mbps RJ45 PoE Ports & 2 Gigabit combo Port L2 Smart Managed Switch, IEEE 802.3at/af standard for PoE ports, AF/at camera Can reach up to 300 m in extend mode, Ports 1 to 8 high priority Ports, 8.8 Gbps switching capacity, 370 W PoE Power budget, 30 W Maximum Port Power, Fan-free design, 24x 10/100 Mbps PoE Ports, 2x 1Gbps combo Ports
DS-3E1506P-EI	R 753	Hikvision DS-3E1506P-EI, L2, Smart Managed, 4 Gigabit RJ45 PoE ports, 2 Gigabit RJ45 port, 802.3af/at, PoE power budget 60W, HPP Cloud managed, VLAN, STP/RSTP loop prefention, PoE watchdog, Max. 300 meter PoE transmission, Desktop/Wall mount
DS-3E1510P-SI	R 1,707	Hikvision 8 Port PoE Gigabit Smart managed Switch, 8x Gigabit PoE Ports, 2x SFP Gigabit Fiber Optical Ports, AF/AT camera CAN reach up to 300 m in extend mode., 30 W Maximum Port power, 110 W PoE power budget
DS-3E1510P-SI	R 1,760	Hikvision L2, Smart Managed, 8 Gigabit PoE ports, 2 Gigabit SFP ports, 802.3af/at, PoE power budget 110W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1512HP-SI-8P2T2F	R 2,588	Hikvision 8 Port PoE Smart Gigabit Switch with 2x Gigabit SFP Ports, Metal material Shell, 8x Gigabit PoE Port, 2x Gigabit RJ45 Port, 2x Gigabit SFP Fiber Optical Ports, Ports 1 to 8 up to 300 m, Ports 1 to 4 90W Maximum Port Power, Ports 5 to 8 30W Maximum Port Power, 130W PoE Power budget
DS-3E1518P-EI	R 3,723	Hikvision DS-3E1518P-EI 16 Port Gigabit Smart POE Switch, HPP Cloud managed, VLAN, STP/RSTP loop prefention, PoE watchdog, L2, Smart Managed, 16 Gigabit RJ45 PoE ports, 1 Gigabit RJ45 port, 1 Gigabit SFP

		port, 802.3af/at, PoE power budget 230W, HPP Cloud managed, VLAN, STP/RSTP loop prefention, PoE watchdog, Max. 300 meter PoE transmission, Rack mount
DS-3E1518P-SI	R 3,393	Hikvision L2, Smart Managed, 16 Gigabit PoE ports, 2 Gigabit SFP ports, 802.3af/at, PoE power budget 225W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1518P-SI	R 3,632	Hikvision L2, Smart Managed, 16 Gigabit PoE ports, 2 Gigabit SFP ports, 802.3af/at, PoE power budget 225W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1526P-SI	R 5,037	Hikvision L2, Smart Managed, 24 Gigabit PoE ports, 2 Gigabit SFP ports, 802.3af/at, PoE power budget 370W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1526P-SI	R 4,792	Hikvision L2, Smart Managed, 24 Gigabit PoE ports, 2 Gigabit SFP ports, 802.3af/at, PoE power budget 370W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1528P-SI-24P4F	R 6,015	Hikvision DS-3E1528P-SI-24P4F L2, Smart Managed, 24 Gigabit PoE ports, 4 Gigabit SFP ports, 802.3af/at, PoE power budget 370W, HPP Cloud managed, VLAN, STP/RSTP loop prefention, DHCP Snooping, ACL, IP& MAC filter based on port, SNMP V1/V2C, Max. 300 meter PoE transmission
DS-3E1552P-SI	R 9,654	Hikvision DS-3E1552P-SI, L2, Smart Managed, 48 Gigabit PoE ports, 2 Gigabit RJ45, 2 Gigabit SFP uplink ports, 802.3af/at, PoE power budget 470W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topo
DS-3E2528-HI-24T4F	R 3,439	Hikvision DS-3E2528-HI-24T4F, L2 , Smart Managed, 24 Gigabit RJ45 ports, 4 Gigabit SFP ports, Up to 512 IPv4 routing numbers, Loop prevention(RSTP/MSTP/PVST /RPVST), Routing(RIP/OSPF/Static), Stackable, IGMP, QoS(SP/WRR/SP WRR), VLAN(VLAN MAPPING/QinQ), SNMP V1/2/3
DS-3E2528P	R 12,271	Hikvision DS-3E2528P L2, Full managed, 24 Gigabit RJ45 PoE ports, 4 Gigabit SFP ports, 802.3af/at, PoE power budget 380W, VLAN, RSTP, IGMP, QoS, ERPS
DS-3E2552-HI-48T4F	R 7,101	Hikvision DS-3E2552-HI-48T4F, L2 , Smart Managed, 48 Gigabit RJ45 ports, 4 Gigabit SFP ports, Up to 512 IPv4 routing numbers, Loop prevention(RSTP/MSTP/PVST /RPVST), Routing(RIP/OSPF/Static), Stackable, IGMP, QoS(SP/WRR/SP WRR), VLAN(VLAN MAPPING/QinQ), SNMP V1/2/3
DS-3E2736-HI-24F8T4X	R 12,064	Hikvision DS-3E2736-HI-24F8T4X, L2 , Smart Managed, 24 Gigabit SFP ports, 8 Gigabit RJ45 ports, 6 10G SFP ports, Up to 6k IPv4 routing numbers, Loop prevention(RSTP/MSTP/PVST /RPVST), Routing(RIP/OSPF/Static), Stackable, IGMP, QoS(SP/WRR/SP WRR), VLAN(VLAN MAPPING/QinQ)
DS-3E3730	R 30,188	Hikvision DS-3E3730 24 Gigabit RJ45 ports, 6 10G SFP ports Switch (Order on request)
DS-3E3754TF	R 41,216	Hikvision DS-3E3754TF 24 Gigabit RJ45 ports, 24 Gigabit SFP ports, 6 10G SFP ports Switch
DS-3T0506HP	R 909	Hikvision L2, Unmanaged, 4 Gigabit PoE ports, 2 Gigabit SFP Uplink, 802.3af/at/bt, port 1 support Hi-PoE 60w, power budget< =110w (based on power supply, power supply unit not included), ports 3-4 support up to 300meter, 6KV surge protection, supports POE watchdog, port isolation, -40~75Â°C, DIN rail
DS-3T0506HP-E/HS	R 1,139	Hikvision DS-3T0506HP-E/HS L2, Unmanaged, 4 Gigabit RJ45 PoE ports, 2 Gigabit SFP uplink ports, 802.3af/at/bt, port 1 support Hi-PoE 60w, PoE power budget 60W, ports 3-4 support up to 300meter, 6KV surge protection, supports POE watchdog, port isolation, -30~65Â°C, DIN rail
DS-3T0510HP-E/HS	R 1,921	Hikvision DS-3T0510HP-E/HS L2, Unmanaged, 8 Gigabit RJ45 PoE ports, 2 Gigabit SFP uplink ports, 802.3af/at/bt, port 1-2 support Hi-PoE 90w, PoE power budget 110W, ports 7-8 support up to 300meter, 6KV surge protection, supports POE watchdog, port isolation, -30~65Â°C, DIN rail
DS-3T0510HP-E/HS	R 1,715	Hikvision DS-3T0510HP-E/HS L2, Unmanaged, 8 Gigabit RJ45 PoE ports, 2 Gigabit SFP uplink ports, 802.3af/at/bt, port 1-2 support Hi-PoE 90w, PoE power budget 110W, ports 7-8 support up to 300meter, 6KV surge protection, supports POE watchdog, port isolation, -30~65Â°C, DIN rail
DS-3T1306P-SI/HS	R 1,208	Hikvision DS-3T1306P-SI/HS 4 port PoE harsh Ethernet Switch with 1x SFP Port, Metal material Shell, 4x 10/100 Mbps PoE Port, 1x Gigabit RJ45 Port, 1x Gigabit Fiber Optical Port, Ports 1 to 4 PoE, 30 W Maximum Port Power, 60W PoE Power budget
DS-3T1506HP-EI-UPS	R 2,381	Hikvision 4 port Gigabit Smart Managed Industrial Solar PoE Switch - 12V / 24V, 4x Gigabit PoE Port, 2x Gigabit

		Fiber Optical Port, 1x RS485 Port, Port 1 Hi-PoE, Ports 2 to 4 PoE, Port 1 - 90 W Maximum Port Power, Ports 2 to 4 - 30 W Maximum Port Power, Ports 1 to 4 up to 300 m
DS-3T1512HP-SI-8P4F	R 2,415	Hikvision DS-3T1512HP-SI-8P4F L2, Smart Managed, 8 Gigabit PoE ports, 4 Gigabit SFP ports, 802.3af/at/bt, port 1-4 support Hi-PoE 90w, power budget ?300w(based on power supply, power supply unit not included), -40Â°C to 75Â°C, HPP Cloud managed, VLAN, STP/RSTP /ERPS, DHCP
DUX1009XM	R 2,927	DuxNet DUX1009XM Unmanaged 9 Port Multi-Gigabit Switch with 8 Port PoE & 1 Port SFP Uplink, 150W total PoE budget with Ports 1-4 supporting 90W per Port and Ports 4-8 30W per port, 8x 2.5GbE RJ45 PoE Ports, 1x 10GbE SFP Ports
DUX1010GEP	R 914	DuxNet DUX1010GEP Unmanaged 10 Port GbE with 8 Port Gigabit PoE & 2x Gigabit Uplink Ports Desktop Switch, 96W total PoE budget, Supports VLAN and PoE extend mode, 8 RJ45 Gigabit Ethernet PoE Ports, 2x 1G Uplink Ports (RJ45), 20 Gbps switching Bandwidth
DUX1010GEPF	R 1,287	DuxNet DUX1010GEPF Unmanaged 10 Port GbE with 8 Port Gigabit PoE & 2x SFP Uplink Ports Desktop Switch, 120W total PoE budget, Supports VLAN and PoE extend mode, Rackmount kit included, 8x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Ports, 20 Gbps switching Bandwidth
DUX1010Gv2	R 1,057	DuxNet DUX1010Gv2 10 Port PoE Switch with 8 Port PoE Gigabit Ports & 2x Gigabit Uplink Ports, 96W total PoE budget, Extend PoE to 250m, Intelligent Power Supply, Fanless, PoE Digital usage Display, Internal 220V Power Supply, 8x RJ45 Gigabit Ethernet PoE Ports, 2x Gigabit Uplink Ports (RJ45)
DUX1012P	R 1,747	DuxNet DUX1012P 8 Port Gigabit PoE & 2x Gigabit SFP & 2x Gigabit (Combo) Uplink Ports Desktop Switch, 120W total PoE budget, Extend PoE, PoE Digital Display, 8x RJ45 Gigabit Ethernet PoE Ports, 2x 1g Uplink Ports (RJ45), 2x 1G SFP Ports
DUX1016GPS-4F-IS-C	R 7,037	DuxNet DUX1016GPS-4F-IS 20 Port Gigabit L2 Managed Industrial PoE Switch with 16 port Gigabit PoE & 4x SFP Ports, No Power Supply included, 400W PoE budget with 480W Power Supply, 4x RJ45 Gigabit Ethernet Ports, 2x 1G SFP Ports, DIN Rail mounting, 40Gbps switching Bandwidth
DUX1018P	R 3,237	DuxNet DUX1018P Unmanaged 18 Port PoE Switch with 16 port PoE Gigabit & 2x SFP Uplink Ports, Digital Display shows current PoE Power consumption, 150W total PoE budget., 19" 1U Rackmount size, 16x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Fibre Ports
DUX1024G	R 3,817	DuxNet DUX1024G Unmanaged Switch with 24 Port PoE Gigabit & 2x SFP Uplink Ports, 200W total PoE budget, 19" 1U Rackmount size, 24x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Fibre Ports, 26x total Ports
DUX104GP-2F-IS	R 2,092	DuxNet DUX104GP-2F-IS 6 Port Gigabit Unmanaged Industrial PoE Switch with 4 port Gigabit PoE & 2x SFP ports, Low Power consumption (Less than 4W), -30c to 75c operating temperature range with IP40 protection Class, Metal housing and fanless Design, DIN Rail, No Power Supply included
DUX104GPS-2F-IS-C	R 3,932	DuxNet DUX104GPS-2F-IS 6 Port Gigabit Layer 2 Managed Industrial PoE Switch with 4 port Gigabit PoE & 2x SFP Ports, DIN Rail, No Power supply. 60W to 120W PoE budget (PSU dependant), 4x RJ45 Gigabit Ethernet Ports, 2x 1G SFP Ports, 12 Gbps switching Bandwidth
DUX105G	R 367	DuxNet DUX105G Unmanaged 5 Port Gigabit Switch with 4x Gigabit Ports & 1x Gigabit Uplink port
DUX106GEP	R 627	DuxNet DUX106GEP Unmanaged 6 Port GbE with 4 port Gigabit PoE & 2 x Gigabit Uplink Ports Desktop Switch, 65W total PoE budget, Supports VLAN and PoE extend mode, 4 RJ45 Gigabit Ethernet PoE Ports, 2 1G Uplink Ports (RJ45), 12 Gbps switching Bandwidth
DUX106Gv2	R 742	DuxNet DUX106Gv2 6 Port PoE Switch with 4 port PoE Gigabit & 2x GB Uplink Ports, 65W total PoE budget, Fanless with PoE usage Display, 220V Power Input/internal Power Supply, PoE extended for up to 250m, 4x RJ45 Gigabit Ethernet PoE Ports, 2x 1G Uplink Ports (RJ45)
DUX106SPS15A	R 4,387	DuxNet DUX106SPS15A 6 Port Gigabit Solar Unmanaged PoE Switch with 5 port Gigabit PoE & 1x SFP Port, 12V/24V Power Input options for Batteries, Solar panels or Power Supply, Max 800W Solar Panel and 500Ah Batteries, Auto charging and discharging, 75W PoE budget, 2x PoE 30W, 2x PoE 15.4W, 24V/48V on Port 4 / 5, 1x UPoE PoE 60W, No Power Supply included, Switch Must be connected to a Battery at All times to operate
DUX106SPS5A	R 2,897	DuxNet DUX106SPS5A 6 Port Gigabit Solar Unmanaged PoE Switch with 5 port Gigabit PoE & 1x SFP Port, 12V/24V Power Input options for Batteries, Solar panels or Power Supply, Max 400W Solar Panel and 50Ah Batteries, Auto charging and discharging, 75W PoE budget, 1 Port PoE (60W), 2 Ports 30W, 2 Ports 48V or 24V, No Power Supply included

DUX106SPS5A_LED	R 3,352	DuxNet DUX106SPS5A_LED 6 Port Gigabit Solar Unmanaged PoE Switch with 5 port Gigabit PoE & 1x SFP Port, Digital Monitor display, 12V/24V Power Input options for Batteries, Solar panels or Power Supply, Max 400W Solar Panel and 50Ah Batteries, Auto charging and discharging, 75W PoE budget, 1 Port PoE (60W), 2 Ports 30W, 2 Ports 48V or 24V passive and Standard 802.3af/at equipment, No Power Supply included
DUX108F2G	R 1,397	DuxNet DUX108F2G Unmanaged 10 Port Gigabit Switch with 8 Port SFP & 2 Port Gigabit Copper Uplink, 2x 1G Uplink Ports (RJ45), 8x 1G SFP Copper Ports, 20Gbps switching Bandwidth
DUX108F2GD	R 1,627	DuxNet DUX108F2GD Unmanaged 10 Port Gigabit Desktop Switch with 8 Port SFP & 2 Port Gigabit Copper uplinks, 2x 1G Uplink Ethernet Ports (RJ45), 8x 1G SFP Fibre Ports, 32Gbps switching Bandwidth
DUX108F2GR	R 2,322	DuxNet DUX108F2GR Unmanaged 10 Port Gigabit Rackmount Switch with 8 Port SFP & 2 Port Gigabit Copper uplinks, 2x 1G Uplink Ethernet Ports (RJ45), 8x 1G SFP Ports, 32Gbps switching Bandwidth
DUX108G	R 512	DuxNet DUX108G Unmanaged 8 Port Gigabit Switch, 8x Gigabit Ethernet Ports
DUX108GPS-2F-IS-C	R 4,507	DuxNet DUX108GPS-2F-IS 10 Port Gigabit L2 Managed Industrial PoE Switch with 8 Port Gigabit PoE & 2 x SFP Ports, 48-56 VDC Redundant Dual supply Voltage Input, DIN Rail mounting, No Power Supply, 200W PoE budget with 240W Power Supply, 8x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Ports
DUX108GPS-4F-ISv2	R 5,082	DuxNet 12 Port Gigabit L2 Managed Industrial PoE Switch with 8 Port Gigabit PoE & 4x SFP Ports, L2 Managed, Aluminium Alloy IP30, 200W PoE budget with 240W Power Supply, 8x RJ45 Gigabit Ethernet PoE Ports, 4x 1G SFP Ports, DIN Rail mounting, 24 Gbps switching Bandwidth
DUX118SPS	R 5,657	DuxNet DUX118SPS 8 Port Gigabit Solar Layer 2 Managed PoE Switch with 8 Port Gigabit PoE & 2x SFP Ports, AC 100-240V or 24V Power Input options for Batteries, Solar panels or Power Supply, Max 800W Solar Panel and 500Ah Batteries, Auto charging and discharging, 280W PoE budget, 8x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Ports, 8x PoE 30W, 8x PoE 15.4W, 1x UPoE PoE 60W, 56Gbps switching Bandwidth
DUX1510P-C	R 2,322	DuxNet DUX1510P 10 Port Layer 2 Managed GbE PoE with 8 Port Gigabit PoE & 2x GbE SFP Port Switch, 150W total PoE budget, Layer 2 features, Rackmount, 8x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Ports, 20 Gbps switching Bandwidth
DUX2516PA-C	R 3,467	DuxNet DUX2516PA 16 port Layer 2 Managed GbE PoE with 16 port Gigabit PoE & 2x GbE SFP Ports Switch, 150W total PoE budget, Layer 2 features, 16x RJ45 Gigabit Ethernet PoE Ports, 2 1G SFP Ports, 36 Gbps switching Bandwidth
DUX2524P-C	R 4,277	DuxNet DUX2524P 26 Port Layer 2 Managed GbE PoE with 24 Port Gigabit PoE & 2x GbE SFP Port Switch, 250W total PoE budget, Layer 2 features, Rackmount, 24x RJ45 Gigabit Ethernet PoE Ports, 2x 1G SFP Ports, 52 Gbps switching Bandwidth
DUX2528F	R 7,612	DuxNet DUX2528F 28 Port Layer 2 Managed Gigabit Switch with 16 port Gigabit RJ45 & 12 Port SFP, Layer 2 features provide, 16x RJ45 Gigabit Ethernet Ports, 12x 1G SFP Ports, 56 Gbps switching Bandwidth
DUX2528P	R 5,887	DuxNet DUX2528P 28 Port Layer 2 Managed GbE PoE with 24 Port Gigabit PoE & 4x GE/SFP Combo Port Switch, 450W total PoE budget, Layer 2 features, 24x RJ45 Gigabit Ethernet PoE Ports, 4x 1G Uplink Ports (RJ45 shared), 4x 1G SFP Ports
DUX3528PX	R 7,842	DuxNet DUX3528PX 28 Port Layer 3 Gigabit PoE Managed Switch with 24 Port Gigabit PoE & 4x 10GbE SFP Ports, Layer 3 features, 450W PoE budget, 24x RJ45 Gigabit Ethernet PoE Ports, 4x 10GbE SFP Ports, 128Gbps switching Bandwidth
DUX3536X	R 10,487	DuxNet DUX3536X 36 Port Layer 3 Gigabit Managed Switch with 24x SFP Gigabit & 8x RJ45 Combo Gigabit & 4x 10GbE SFP Ports, Layer 3 features provide, 8x RJ45 Gigabit Ethernet Ports (Shared), 24x 1G SFP Ports (Shared), 4x 10GbE SFP Ports, 128Gbps switching Bandwidth
DUX3552PX	R 11,177	DuxNet DUX3552PX 52 Port Layer 3 Gigabit PoE Managed Switch with 48 Port Gigabit PoE & 4x 10GbE SFP Ports, Layer 3 features provide, 450W PoE budget, 48x RJ45 Gigabit Ethernet PoE Ports, 4x 10GbE SFP Ports, 176Gbps switching Bandwidth
E50UG	R 927	MikroTik hEX refresh 5 port Gigabit Switch, E50UG, RouterOS V7 Operating System, Dual Core CPU, 512 MB RAM, 128 MB storage size, DC jack / PoE-in, 5x Gigabit Ethernet Ports, USB Port
EAV-FIBER	R 57,034	Ubiquiti UniFi Enterprise Audio/Video Fiber Switch, EAV-FIBER, 20x SFP 10Gbps Ports (10G/1G), 2x QSFP28 100Gbps Uplink Ports (100g/40g), 1x 1 GbE RJ45 Port, Switching capacity of 800 Gbps with 400 Gbps Non-Blocking Throughput, Forwarding rate of 595 Mpps, Dual Hot-Swappable AC/DC Power supplies (150W

		each), Four Hot-Swappable fan modules, Rack Mount 1U full-depth Form Factor
EC-AS4610-54T-O-AC-F	R 11,499	Edge-corE 1G 54-Port Gigabit Bare Metal Switch, 48x Gb LAN Port, 4x 10G SFP , 2x 20G QSFP , Fanless, Dual 110-230 VAC Dual Hot-swapable PSUs
EC-ECS2020-10P	R 2,299	Edge-Core 10 Port Gigabit Websmart PoE Switch, Layer 2 Routing/Switching, 8x Gigbait Ethernet PoE ports 2 Gigabit Ethernet SFP uplink ports, Fanless design
EC-ECS2020-28P	R 5,749	Edge-Core ECS2020-28P 28 Port Gigabit Websmart PoE Switch, Layer 2 Routing/Switching, 24x Gigbait Ethernet PoE ports 4 Gigabit Ethernet SFP uplink ports, Fanless design
EC-ECS2100-10P	R 1,149	Edge-corE 10 Port Gigabit Websmart POE Switch, 8 POE & 2 Dedicated SFP Uplink Ports 125W
EC-ECS2100-28P	R 7,014	Edge-corE 26 Port Gigabit Websmart PoE Switch, 24 POE 4 Dedicated SFP Uplink Ports 192W
EC-ECS4120-28FV2	R 17,542	Edge-corE 28 Port Gigabit layer 2 stackable Switch, ECS4120-28FV2, 4x SFP 10 Gigabit uplink ports, 24x 10/100/1000 Gigabit ports
EC-ECS4620-28T	R 5,749	Edge-corE 28 Port GB layer 3 Switch, 24x GB LAN Port, 2x SFP , 1x module slot, Stackable, ECS4620-28T
EC-ECS4620-28T-DC	R 19,867	Edge-corE ECS4620-28T 28 Port Gigabit layer 3 Switch, 24x GB LAN Port, 2x SFP Gigabit Fiber ports, 1x module slot, Stackable, Fanless
EC-ES3510MA	R 2,473	Edge-corE 10 Port Rackmount/Desktop L2/4 Switch, 8 10/100 Ports 2 Gigabit RJ-45/SFP, QoS, 802.3ad, Performance and Scalability, AC Mains or DC Power Sources, Fanless Design, Continuous Availability, Comprehensive QoS Features, Enhanced Security, Intuitive Management, Supports IPv6 Management Features, Green Saving Technology.
ED-ES1008Pv2	R 459	Edimax Long Range 8-Port Fast Ethernet PoE Switch with DIP Switch, IEEE 802.3af/at PoE compliant, Hardware DIP switch for " Standard" and " Extend" mode selection, The " Extend" mode features 30-watt PoE transmit distance of 200m at speed of 10Mbps, Port-based VLAN and Loop Protection features, Supports 802.1p Quality of Service (QoS)
ED-GS-1008PL-V2	R 1,428	Edimax GS-1008pl V2 8 Port Unmanaged Long range Gigabit PoE Switch with DIP Switch, 8 x RJ-45 10/100/1000Base-T PoE Ports, Fanless, 16Gbps switching capacity, Up to 30W per Port, 70W PoE power budget, DIP Switch on to support PoE with Long range to 200 meters at 10 Mbps
ED-GS-5654PLX-V2	R 10,349	Edimax 54 Port Web Smart 48 Gigabit PoE Long range Switch with 6 SFP Ports, GS-5654PLX-V2, 48x RJ45 Gigabit PoE Ports, 6x SFP 10 Gigabit uplinks Ports, 1x RJ45 Console Port, 4x fan with intelligent Thermal controller, 216Gbps switching capacity, Up to 30W per Port Power Output, 400W Power budget
ED-GS3005P	R 976	Edimax 5 Port Gigabit Smart Lite PoE Switch, 4x PoE Gigabit Ports, 1x Gigabit Port, Web Smart, 60W PoE Budget
ES210GMP	R 1,386	TP-Link ES210GMP Omada 10-Port Gigabit Easy Managed Switch with 8 Port PoE ; 123W PoE budget; Cloud managed; VLAN QoS; fanless; metal case; combo SFP/RJ45
ES210GMP	R 1,349	TP Link Omada Gigabit Easy Managed Switch - 8 x Gigabit 802.3at/af PoE RJ45 Ports, 1 x Gigabit RJ45 Port, 1 x Gigabit SFP/RJ45 Combo Port, 123W Power, Up to 30W Each PoE Port, Fanless, Desktop and Wall Mount Installation, 20Gbps Switching Capacity, 14.88Mbpps Packet Forwarding Rate, Centralized Management, Retail Box, 6 Month Warranty
ES220GMP	R 2,617	TP-Link ES220GMP Omada 20-Port Gigabit Easy Managed Switch with 16-Port PoE ; 250W PoE Budget; 2 x RJ45 Uplink; 2 x SFP; Omada Cloud Managed; Rack Mount Ready
FAN-PN8	R 2,329	Fanvil PN8 8 Port 2-wire PoE Switch, 1x RJ45 10/100 Mbps Network Interface, 8x 2-wire Interface, Galvanized steell Shell material
FS1006P	R 330	Cudy 6-Port Ethernet Plus 4-Port Gigabit PoE Unmanaged Switch
FS1010P	R 496	Cudy FS1010P 10-Port 10/100Mbps Unmanaged PoE Switch - 120w Internal
FS1010PG	R 553	Cudy FS1010PG 10-Port 10/100Mbps, 2 x Gigabit, Unmanaged PoE Switch - 120w Internal
FS1018PS1	R 910	Cudy FS1018PS1 16-Port 10/100Mbps 1 x Gigabit 1 x Gigabit/SFP Combo|Unmanaged PoE Switch - 200w Internal
FS1026PS1	R 1,573	Cudy FS1026PS1 24-Port RJ-45 10/100M 2 Gigabit RJ- 45 1 Gigabit Combo ports with 24 POE Ports Switch with Built-in power supply, support 16-port IEEE 802.3at PoE Injector, Steel case 300W Internal
GEU-0521	R 485	LevelOne 4 Ports RJ45, 1 Port SFP Unmanaged Gigabit Ethernet Switch, 4 x gigabit ports(10/100/1000mbps)and 1 x fibre port(1000base-x-sfp). unmanaged non-PoE Ethernet switch, external power supply
GS-GCC6010	R 2,865	Grandstream GCC6010W Unified Communications IP-PBX and networking system, 5x Gigabit RJ45 Ports eith 4x

		PoE, 2x 2.5 Gigabit SFP Ports, 1 Gbps IPSEC VPN Throughput, 2.5 Gbps Router, Up to 12 users, Up to 4 concurrent calls
GS-GWN7700	R 181	Grandstream GWN7700 Enterprise 5 port Gigabit Ethernet Unmanaged Switch, 5x Gigabit RJ-45 Ports, 10Gbps switching capability, Plastic enclosure
GS-GWN7700M	R 856	Grandstream GWN7700M 5 port Unmanaged 2.5GE Multi-Gigabit Network, 5x 2.5GE RJ45 Ports, 1x SFP Fiber Port, 45Gbps switching capability
GS-GWN7700MP	R 1,037	Grandstream GWN7700MP Enterprise 5 port Unmanaged 2.5GbE PoE Switch - 57W, 5x 2.5 Gigabit Ports, 1 x SFP Fiber Port, 4 PoE Ports, Metal enclosure, 45Gbps switching capacity, Total 57W Power budget, Up to 30 W on each Port
GS-GWN7700P	R 580	Grandstream GWN7700P Enterprise 5 port Gigabit Ethernet Unmanaged PoE Switch 60W, 1x Gigabit RJ-45 Port, 4x Gigabit RJ-45 PoE Ports, 10Gbps switching capability, Metal enclosure, 1~4 Ports 802.3 af/at compliant, Total 60W Power budget, Up to 30W on each Port
GS-GWN7701	R 284	Grandstream GWN7701 Enterprise 8 port Gigabit Ethernet Unmanaged Switch, 8x Gigabit RJ-45 Ports, 16Gbps switching capability, Plastic enclosure
GS-GWN7701M	R 1,186	Grandstream Enterprise 8 Port Unmanaged & 1x SFP Switch, GWN7701M, 8x Gigabit Ports, 1x SFP Fiber Port, 60Gbps switching capability, Metal enclosure
GS-GWN7701P	R 721	Grandstream GWN7701P Enterprise 8 port Gigabit Ethernet Unmanaged PoE Switch 60W, 4x Gigabit RJ-45 Ports, 4x Gigabit RJ-45 PoE Ports, 16Gbps switching capability, Metal enclosure, 1~4 Ports 802.3 af/at compliant, Total 60W Power budget, Up to 30W on each Port
GS-GWN7701PA	R 1,351	Grandstream Enterprise 8 Port Unmanaged GbE PoE Switch - 145W, GWN7701PA, 8 Gigabit PoE Ports, Up to 30W on each Port, Total 145W Power budget, 16Gbps switching capability
GS-GWN7702	R 1,049	Grandstream GWN7702 Enterprise 16 Port Unmanaged Gigabit Switch, 16x 10/100/1000 Mbps RJ-45 Ports, 32Gbps switching capability
GS-GWN7702P	R 1,917	Grandstream GWN7702P Enterprise 16 port Unmanaged Gigabit PoE Switch, 16x 10/100/1000 Mbps RJ-45 Ports with 8 of the Ports PoE, 48Gbps switching capability, 1-8 Ports 802.3 af/at compliant, Up to 30W on each Port, Total 138W Power budget
GS-GWN7703	R 1,235	Grandstream GWN7703 Enterprise 24 Port Unmanaged Gigabit Switch, 24x 10/100/1000 Mbps RJ-45 Ports, 48Gbps switching capability
GS-GWN7706	R 3,535	Grandstream GWN7706 Enterprise 48 Port Unmanaged Gigabit Switch, 48x 10/100/1000 Mbps RJ-45 Ports, 2x SFP Fiber Ports, 100Gbps switching capability
GS-GWN7710R	R 1,601	Grandstream GWN7710R Enterprise 5 port Outdoor IP66 Lite Cloud Managed GbE PoE Switch, 5x Gigabit Ethernet Ports, 1x 1G / 2.5G SFP Port, Standard PoE / PoE / PoE , 15Gbps switching capability, Port 5 PoE in, Port 1 - Port 4 PoE out, Port 1 - Port 4 up to 30W on each PoE Port
GS-GWN7711	R 384	Grandstream GWN7711 8 Port Lite Cloud Managed GbE Layer 2 Switch, 8 Gigabit Ethernet Ports, 16Gbps switching capability, Plastic Metal enclosure
GS-GWN7711P	R 926	Grandstream GWN7711P 8 Port Lite Cloud Managed GbE PoE Layer 2 Switch, 8 Gigabit Ethernet Ports with 4x PoE Ports, 16Gbps switching capability, Plastic Metal enclosure, Up to 30W per Port PoE out, Total 60W Power budget
GS-GWN7721	R 1,248	Grandstream Enterprise 8 Port Lite Cloud Managed 2.5GbE Switch, GWN7721, 8x 2.5 Gigabit Ethernet Ports, 2x 10 Gigabit SFP Ports, 80Gbps switching capacity
GS-GWN7721P	R 2,077	Grandstream Enterprise 8 Port Lite Cloud Managed 2.5GbE PoE Switch, GWN7721P, 8x 2.5 Gigabit Ethernet Ports, 2x 10 Gigabit SFP Ports, Port 1-8 support 802.3af/at standard PoE out, Up to 30W per Port PoE out, 80Gbps switching capacity
GS-GWN7801P	R 2,072	Grandstream GWN7801 8x Gigabit PoE & 2x Gigabit SFP Ports Enterprise Layer 2 managed Switch, 8x Gigabit PoE RJ45 Ports, 2x Gigabit SFP Ports, 120W PoE Power
GS-GWN7801P-PRO	R 2,309	Grandstream GWN7801P-PRO Enterprise L2 8 Port Managed GbE PoE Switch 120W, 8x Gigabit Ethernet Ports, 2x Gigabit SFP/SFP Ports, 8 PoE Ports, 120W total PoE Output Power, 30W per Port, 20Gbps switching capability
GS-GWN7802	R 2,492	Grandstream GWN7802 16x Gigabit & 4x Gigabit SFP Ports Enterprise Layer 2 managed Switch, 16x Gigabit RJ45 Ports, 4x Gigabit SFP Ports

GS-GWN7802P	R 3,687	Grandstream GWN7802P 16x Gigabit PoE & 4x Gigabit SFP Ports Enterprise Layer 2 managed Switch, 16x Gigabit PoE RJ45 Ports, 4x Gigabit SFP Ports, 240W PoE Power
GS-GWN7802P-PRO	R 3,831	Grandstream GWN7802P-PRO Enterprise L2 16 Port Managed GbE PoE Switch 250W, Layer 2 Managed Network Switch, 16x Gigabit Ethernet Ports, 2x Gigabit SFP Ports, 16x PoE Ports, 250W total PoE Output Power, 30W per Port, 72Gbps switching capability
GS-GWN7803P	R 3,974	Grandstream GWN7803p 24x Gigabit PoE & 4x Gigabit SFP Ports Enterprise Layer 2 managed Switch, 24x Gigabit PoE RJ45 Ports, 4x Gigabit SFP Ports, 360W PoE Power
GS-GWN7803PH-PRO	R 5,152	Grandstream GWN7803PH-PRO Enterprise L2 24 Port Managed GbE PoE Switch 400W, Layer 2 Managed Network Switch, 24x Gigabit Ethernet Ports, 2x Gigabit SFP Ports, 24x PoE Ports, 400W total PoE Output Power, 30W per Port, 88Gbps switching capability
GS-GWN7803PL-PRO	R 4,279	Grandstream GWN7803PL-PRO Enterprise L2 24 Port Managed GbE PoE Switch 250W, Layer 2 Managed Network Switch, 24x Gigabit Ethernet Ports, 2x Gigabit SFP Ports, 24x PoE Ports, 250W total PoE Output Power, 30W per Port, 88Gbps switching capability
GS-GWN7806P	R 8,329	Grandstream GWN7806p 48 Port PoE Gigabit Enterprise L2 managed Switch, 6x SFP Ports, 48x Gigabit PoE Ports, 216Gbps switching capability, 30W Maximum Output Power per PoE Port, 400W Max total PoE Output Power
GS-GWN7806PH-PRO	R 11,357	Grandstream GWN7806PH-PRO Enterprise L2 48 Port Managed GbE PoE Switch 720W, Layer 2 Managed Network Switch, 48x Gigabit Ethernet Ports, 6 Gigabit SFP Ports, 48 PoE Ports, 720W total PoE Output Power, 60W per Port, 216Gbps switching capability
GS-GWN7806PL-PRO	R 8,569	Grandstream GWN7806PL-PRO Enterprise L2 48 Port Managed GbE PoE Switch 400W, Layer 2 Managed Network Switch, 48x Gigabit Ethernet Ports, 6 Gigabit SFP Ports, 48 PoE Ports, 400W total PoE Output Power, 30W per Port, 216Gbps switching capability
GS-GWN7811P	R 3,580	Grandstream Enterprise L3 8 Port Managed GbE PoE Layer 3 Managed Switch 120W, GWN7811p, 8x Gigabit Ethernet Ports, 2x SFP 10 Gigabit Ports, 120W total PoE Output, 30W per Port, 56Gbps switching capability
GS-GWN7812P	R 4,388	Grandstream Enterprise L3 16 Port Managed GbE PoE Layer 3 Managed Switch 240W, GWN7812p, 16x Gigabit Ethernet Ports, 4x SFP 10 Gigabit Ports, 240W total PoE Output, 30W per Port, 112Gbps switching capability
GS-GWN7813P	R 6,563	Grandstream Enterprise L3 24 Port Managed GbE PoE Layer 3 Managed Switch 360W, GWN7813p, 24x Gigabit Ethernet Ports, 4x SFP 10 Gigabit Ports, 360W total PoE Output, 60W on Ports 1-8 with PoE , 30W on All remaining Ports, 128Gbps switching capability
GS-GWN7816	R 6,910	Grandstream GWN7816 48 Port Managed GbE & 6x SFP Enterprise L3 stackable Switch, 48x Gigabit Ethernet Ports, 6x SFP 10Gigabit Ports, 216Gbps switching capability
GS-GWN7816P	R 12,995	Grandstream GWN7816P 48 Port Managed GbE & 6x SFP Enterprise L3 stackable Switch with 900W PoE, 48x Gigabit Ethernet PoE Ports, 6x SFP 10Gigabit Ports, 216Gbps switching capability, 740W total PoE Output, 60W on Ports 1-8 with PoE , 30W on All remaining Ports
GS-GWN7821P	R 5,037	Grandstream Enterprise L3 8 Port Managed 2.5GbE PoE Switch 240W, GWN7821P, 8x 2.5G Gigabit Ports, 2x SFP Ports, 8x PoE Ports, 60W Maximum Output Power per PoE Port, 240W Max total PoE Output Power, 80Gbps switching capability
GS-GWN7822P	R 6,792	Grandstream Enterprise L3 8 Port Managed 2.5GbE PoE Switch 360W, GWN7822P, 16x Gigabit Ports, 8x 2.5Gbps Ports, 4x SFP Ports, 24x PoE Ports, 30W for Port 1-16, 60W for Port 17-24, 360W Max total PoE Output Power, 152Gbps switching capability
GS-GWN7830	R 2,704	Grandstream GWN7830 6x SFP & 4x SFP & 2x GbE Combo Enterprise L3 Managed Switch, 2x Gigabit Ethernet Ports, 6x SFP Ports, 4x SFP 10 Gigabit Ports, 96Gbps switching capability
GS-GWN7831	R 5,776	Grandstream GWN7831 24x SFP & 4x SFP & 4x GbE Combo Enterprise L3 Managed Switch, 4x Gigabit Ethernet Ports, 24x SFP Ports, 4x SFP 10 Gigabit Ports, 128Gbps switching capability
GS-GWN7832	R 4,207	Grandstream GWN7832 Enterprise L3 Aggregation Fibre Switch, 12x Gigabit SFP Ports, 60W Integrated Power Supply, 12v/60w external Redundant Power Supply (RPS), 240Gbps switching capability, 2x fans
GS1005P	R 469	Cudy GS1005P 5-Port 10/100/1000M PoE Switch 65W, 5 10/100/1000M ports with 4POE Ports Unmanaged Switch with UL power adapter IEEE802.3af / IEEE802.3at, 60W External
GS1010PE	R 829	Cudy GS1010PE 8-Port RJ-45 10/100/1000M PSE ports 2-Port RJ45 10/100/1000 Uplink Port Unmanaged PoE

		Switch 120W, 802.3af/at standard, Aternative 1/2( ),3/6(-), Steel Case, 120W internal
GS1016	R 580	Cudy GS1016 16 Port Gigabit Metal Switch, 16x 10/100/1000 Mbps Auto-Negotiation Ports
GS1020PS2	R 1,933	Cudy GS1020PS2 16-Port 10/100/1000 BASE-T Gigabit ports, 19-inch, 2-Port 1000 BASE-X SFP Slot, 16-port IEEE 802.3at PoE Injector, Supports PoE power up to 30W for each PoE port, CCTV Mode (Transmit distance up to 250m at 10 Mbps), VLAN Isolation, Port Lightning Protection: General Mode 6KV, Differential Mode 2KV, ESD 15KV, 200W Internal, Ver 2.0
GS1024	R 774	Cudy GS1024 24x Port Gigabit Metal Switch, 24 x 10/100/1000 Mbps Auto-Negotiation Ports
GS1028PS2	R 2,476	Cudy GS1028PS2 24-Port 10/100/1000 BASE-T Gigabit ports, 19-inch, 2-Port 1000 BASE-X SFP Slot, 24-port IEEE 802.3at PoE Injector, Supports PoE power up to 30W for each PoE port, CCTV Mode (Transmit distance up to 250m at 10 Mbps), VLAN Isolation (Port-1 to Port-24), Port Lightning Protection: General Mode 6KV, Differential Mode 2KV, ESD 15KV, 300W Internal, Ver 2.0
GS105	R 169	Cudy GS105 5-Port 10/100/1000Mbps Switch
GS105D	R 100	Cudy 5-Port Gigabit Desktop Switch
GS105E-200PES	R 959	Netgear GS105E 5 port Gigabit Ethernet Plus Managed Switch, Metal Case, 5x Gigabit Ethernet Ports
GS105GE	R 612	Netgear GS105GE 5 port Gigabit Unmanaged Switch, 5x Gigabit Ethernet Ports
GS108	R 268	Cudy GS108 8-Port 10/100/1000Mbps Switch
GS108D	R 170	Cudy 8-Port Gigabit Desktop Switch
GS108E-400EUS	R 1,034	Netgear GS108E-400EUS 8 Port Gigabit Ethernet Plus Managed Switch, Metal Case, 8 Gigabit Ports, External Power Supply
GS108GE	R 729	Netgear GS108GE 8 Port Gigabit Switch, 8x Gigabit Ethernet Ports
GS108LP-100EUS	R 2,241	Netgear GS108LP 8 Port Gigabit Ethernet PoE Unmanaged Switch with 60W PoE budget, Rack-Mount or Wall-Mount, Fanless Design, 8x PoE Ports up to 30W per Port, 60W total PoE budget
GS108PP-100EUS	R 2,755	Netgear GS108PP 8 Port Gigabit Ethernet PoE Unmanaged Switch with 120W PoE budget, Rack-Mount or Wall-Mount, 8x Gigabit Ethernet PoE Ports, Up to 30W per Port, 123W total PoE budget
GS108T-300PES	R 2,048	Netgear GS108T 8 Port Gigabit Ethernet PoE Unmanaged Switch, 8x RJ-45 Gigabit Ethernet Copper Ports. 8 port Gigabit smart managed switch; 8 x 10/100/1000 RJ45 ports; VLAN support; QoS; Layer 2/L2 features; cloud management support; fanless design; 158 x 101 x 27mm; weight: 0.43kg
GS110TP-300EUS	R 3,242	Netgear GS110TP 8 Port Gigabit Ethernet PoE Smart Switch with 8 Ports PoE (55W) & 2x SFP Ports, 8x Gigabit Ethernet PoE Ports, 55W PoE budget, 2x Gigabit SFP uplinks. 8 port Gigabit PoE smart managed switch; 8 x Gigabit PoE ports; 2 x Gigabit SFP uplinks; 55W PoE budget; VLAN; QoS; ACL; IGMP snooping; fanless design; 236 x 101.6 x 27mm; weight: 0.7kg
GS116-300EUS	R 1,891	Netgear GS116-300EUS Netgear 16 port Gigabit Ethernet Switch, 16x Gigabit Ethernet Ports, Metal Case, Fanless Design, GS116v3
GS116LP-100EUS	R 3,839	Netgear GS116LP 16 port PoE/PoE Gigabit Ethernet Unmanaged Switch with 76W PoE budget, External 90W Power Supply, 16x Gigabit Ethernet PoE Ports up to 30W per Port, 76W total PoE budget
GS116PP-100EUS	R 4,555	Netgear GS116PP 16 port PoE/PoE Gigabit Ethernet Unmanaged Switch with 183W PoE budget, External 200W Power Adapter, 16 PoE Ports up to 30W per port, 183W total PoE budget
GS2018PS2	R 3,754	Cudy GS2018PS2 16 port Layer 2 managed Gigabit PoE Switch, 300 watts total PoE power budget, Up to 30-Watt per Port, 24x Gigabit PoE Ports, 2x SFP Ports
GS2028PS4	R 4,424	Cudy GS2028PS4 24x Gigabit PoE Port Layer 2 managed Switch with 4x Gigabit combo Ports, 32W (Maximum) PoE power Output, 300watts PoE power budget, 24x Gigabit PoE Port, 2x SFP Port
GS2048PS4	R 10,497	Cudy 48-Port L2 Managed Gigabit PoE Switch with 4 10G SFP slots
GS305EP-100PES	R 1,846	Netgear GS305EP 5 port with 4x PoE 63W Ports Smart Managed Plus Gigabit Ethernet Switch, 5x Gigabit Ethernet Ports with 4 PoE Ports, 63W total PoE budget, 10Gbps Bandwidth
GS305EPP-100PES	R 2,592	Netgear GS305EPP 5 port with 4x PoE 120W Ports Smart Managed Plus Gigabit Ethernet Switch, 5x Gigabit Ethernet Ports with 4 PoE Ports, 120W total PoE budget, 10Gbps Bandwidth
GS305P-300EUS	R 1,559	Netgear GS305P-300EUS 5 port Gigabit Ethernet Unmanaged PoE Essentials Switch (63W), Metal casing, External Power Supply, 5x Gigabit Port with 4x PoE @ 30W each until budget is Met, Up to 63W total PoE budget, Fanless. 5-Port PoE Gigabit Ethernet SOHO Unmanaged Switch.

GS308-300PES	R 688	Netgear GS308 8 Port Gigabit Ethernet Unmanaged Essentials Switch, Metal Case, 8x Gigabit Ethernet Ports, Fanless, Desktop or wall-mountable
GS308EP-100PES	R 2,275	Netgear GS308EP 8 Port PoE (62W) Smart Managed Plus Gigabit Ethernet Switch, 8x Gigabit Ethernet PoE Ports, 62W total PoE budget
GS308EPP-100PES	R 3,173	Netgear GS308EPP 8 Port PoE (123W) Smart Managed Plus Gigabit Ethernet Switch, 8x Gigabit Ethernet PoE Ports, 123W total PoE budget
GS316EP-100PES	R 5,144	Netgear GS316EP 16 port Smart Managed Plus Gigabit Ethernet Switch with 15 PoE Ports (180W) & 1x SFP Port, 15x Gigabit Ethernet PoE Ports, 180W total PoE budget, 1x Gigabit SFP Port
GS316EPP-100PES	R 6,285	Netgear GS316EPP 16 port Smart Managed Plus Gigabit Ethernet Switch with 15 PoE Ports (231W) & 1x SFP Port, 15x Gigabit Ethernet PoE Ports, 231W total PoE budget, 1x Gigabit SFP Port
GS324-200EUS	R 2,238	Netgear GS324 24 Port Gigabit Ethernet Unmanaged Essentials Switch, Metal Case, 24x Gigabit Ethernet Ports, Desktop / wall-mountable / rack-mountable
GS324P-100EUS	R 6,461	Netgear GS324P 24 Port Gigabit Ethernet Unmanaged PoE Essentials Switch with 16 Ports PoE (190W), 24x Gigabit Ethernet Ports with 16x PoE Ports, 190W PoE budget
GS348-100EUS	R 6,747	Netgear GS348 48x Port Gigabit Ethernet Unmanaged Essentials Switch, Metal housing, 48x Gigabit Ethernet Ports, fanless, Desktop / wall-mountable / rack-mountable
GS348PP-100EUS	R 14,163	Netgear GS348PP 48 Port Gigabit Ethernet Unmanaged PoE Essentials Switch with 24 Ports PoE (380W), 48 Gigabit Ethernet Ports with 24x PoE Ports, Up to 380W PoE budget
GS510TPP-100EUS	R 7,669	Netgear GS510TPP ProSafe 8x Port Gigabit PoE (190W) Smart Switch with 2x Gigabit SFP Ports, 190W total PoE Power budget, Quiet Desktop Operation or Rack mounting, Include Layer 3 static routing with 32 routes (IPv4 and IPv6), Easy-to-Use web browser-based Management GUI, 8 Gigabit Ethernet PoE Ports (30W per port), 2x SFP Fibre Ports
GS516PP-100EUS	R 8,136	Netgear GS516PP 16 port High-Power PoE Gigabit Ethernet Switch, 16 Gigabit Ethernet PoE Ports, 260W PoE budget, 30W per Port, 2 fans
GS516UP-100EUS	R 8,263	Netgear GS516UP 16 port High-Power PoE (380W) Gigabit Ethernet Switch, 16x Gigabit Ethernet Ports with 8 PoE Ports & 8 PoE Ports, 380W PoE budget, 60W per Port, 3 fans
GS524UP-100EUS	R 10,564	Netgear GS524UP 24 Port High-Power PoE (480W) Gigabit Ethernet Switch, 24x Gigabit Ethernet Ports with 8 PoE Ports & 16 PoE Ports, 480W PoE budget, 2 fans
GS724T-600EUS	R 4,868	Netgear GS724T 24 Port Smart Managed Gigabit Switch with 2x SFP slots, L2 / Layer 3 Lite features, 24x Gigabit Ethernet Ports, 2x SFP Fibre Ports, Fanless
GS724TP-300EUS	R 7,957	Netgear GS724TP 24 Port PoE (190W) Smart Managed Gigabit Switch with 2 dedicated SFP Ports, 24x Gigabit Ethernet PoE Ports, 2x Gigabit SFP Ports, 190W total PoE Power budget, 2 fans
GS724TPP-300EUS	R 9,657	Netgear GS724TPP-300EUS 24 Port Gigabit PoE (380W) Smart Managed Switch with 2 dedicated SFP Ports, 52Gb/s switching Bandwidth, 380 W PoE Power budget, 24x RJ45 Gigabit Ethernet PoE (30W 802.3at), 2x SFP Gigabit Ethernet, Fan cooling system
GS728TP-300EUS	R 8,206	Netgear GS728TP 24 Port Smart Managed Gigabit Switch with 24 Ports PoE (190W) & 4x SFP Ports, 24x Gigabit Ethernet PoE Ports, 190W total PoE Power budget (Watts), 4x Gigabit SPF Ports, 2 fans
GS728TPP-300EUS	R 10,189	Netgear GS728TPP 24 Port Smart Managed Gigabit Switch with 24 Ports PoE (380W) & 4x SFP ports, 24x Gigabit RJ-45 Copper Ports with 24x PoE (380W PoE budget) Ports, 4x 1G SFP Fiber Ports, L2/L3/L4 layer, 28 total Ports
GS728TX-300EUS	R 6,734	Netgear GS728TXP 24x Gigabit Ethernet PoE Smart Switch with 24 Ports PoE (190W) & 4x 10G SFP Ports, 24x Gigabit RJ-45 Copper Ports with 24 PoE (190W PoE budget), 4x 10G SFP (Fiber) Ports, 128 Gbps Bandwidth, 2 fans
GS728TXP-300EUS	R 9,337	Netgear GS728TXP 24 Port Gigabit Ethernet PoE Smart Switch with 24 Ports PoE (190W) & 4x SFP slots, 24x Gigabit Ethernet PoE Ports (30W per port), 4x 10G SFP Ports, 190W total PoE Power budget, 2 fans
GS728TXUP-300EUS	R 10,487	Netgear GS728TXUP 24 Port Gigabit Ethernet PoE Smart Switch with 24 Ports PoE (420W) & 4x 10G SFP Ports, 24x Gigabit Ethernet Ports with 16 PoE Ports & 8 PoE Ports, 4x 10G SFP Fibre Ports, 420W total PoE Power budget, 2 fans
GS748T-500EUS	R 7,059	Netgear GS748T 48 Port mart Managed Gigabit Switch with 4x SFP slots, 48x Gigabit Ethernet Ports, 4x SFP

		Ports (2 Combo / 2 dedicated SFP Ports), 2 fans
GS748T-600EUS	R 10,073	Netgear GS748T 48 Port Smart Managed Gigabit Switch with 4x SFP slots, 48x Gigabit Ethernet Ports, 2x Combo Copper/SFP Ports, 2x dedicated SFP Ports, 2 fans
GS752TP-300EUS	R 14,627	Netgear GS752TP 48 Port Smart Managed Gigabit Switch with 48 Ports PoE (380W) & 4x SFP Ports, 48x Gigabit PoE Ports, 380W total PoE Power budget, 4x SFP Ports, 2x fans
GS752TPP-300EUS	R 21,185	Netgear GS752TPP 52 Port Smart Managed Gigabit Switch with 48 Ports PoE & 4x 1G SFP Ports, 48 RJ-45 Copper Ports with 48 PoE (380W PoE budget), 4x 1G SFP Fiber Ports, 104 Gbps Bandwidth
GS752TX-300EUS	R 12,284	Netgear GS752TX 48 Port Gigabit Ethernet Smart Switch with 48 Ports & 4x SFP Ports, 48x Gigabit Ethernet Copper Ports, 4 10G SFP Fibre Ports, 2 fans
GS752TXP-300EUS	R 13,937	Netgear GS752TXP 48 Port Gigabit Ethernet PoE Smart Switch with 48 Ports PoE (380W) & 4x 10G SFP Ports, 48x Gigabit RJ-45 Copper Ports with 48 PoE (380W PoE budget), 4x 10G SFP (Fiber) Ports, 176 Gbps Bandwidth, 3 fans
GS752TXUP-300EUS	R 14,507	Netgear GS752TXUP 48 Port Gigabit Ethernet PoE Smart Switch with 48 Ports PoE (640W) & 4x 10G SFP Ports, 48x Gigabit Port with 32 PoE Ports & 16 PoE Ports, 640W total PoE Power budget, 4x 10G SFP Fibre Ports
GSM4210PD-100EUS	R 11,057	Netgear GSM4210PD 10 Port M4250 PoE Managed Switch with 8x Gigabit PoE 110W & 1x Gigabit & 1x SFP, 8x Gigabit PoE Ports, 1x Gigabit Ethernet Port, 1x SFP Port, 30W per Port PoE , 110W total budget, Fanless, Switching engineered for 1G AV over IP
GSM4210PX-100EUS	R 16,025	Netgear GSM4210px 10 Port M4250 PoE Managed Switch with 8x Gigabit PoE (220W) & 2x SFP Ports, 8x Gigabit PoE Ports, 2x SFP Ports, 8 PoE (30W per Port), 220W PoE budget, Fanless
GSM4212P-100EUS	R 11,057	Netgear GSM4212P 12 Port M4250 PoE Managed Switch with 8x Gigabit PoE (125W) & 2x Gbit Ports & 2x SFP Ports, 10x Gigabit Ethernet Ports with 8x PoE (30W per Port), 125W PoE budget, 2x SFP Ports, Fanless, Pre-configured for Audio and Video over IP out of the Box
GSM4212PX-100EUS	R 17,387	Netgear GSM4212PX 12 Port M4250 PoE Managed Switch with 8x Gigabit PoE (240W) & 2x Gbit Ports & 2x SFP Ports, 10x Gigabit Ethernet Ports with 8x PoE (30W per Port), 240W PoE budget, 2x SFP Ports, Fanless, Configured for Audio and Video over IP out of the Box
GSM4212UX-100EUS	R 33,487	Netgear GSM4212UX 12 Port M4250 PoE Managed Switch with 8x Gigabit PoE (720W) & 2x Gbit & 2x SFP Ports, Switching engineered for AV over IP, 10x Gigabit Ethernet Ports with 8 PoE (90W per Port), 720W PoE budget, 2x SFP Port
GSM4230P-100EUS	R 29,342	Netgear GSM4230P 30 Port M4250 Managed Switch with 24x Gigabit PoE (300W) & 2x Gbit & 4x SFP Ports, Pre-configured for Audio and Video over IP out of the Box, 26x Gigabit Ethernet Ports with 24x PoE (30W per port), 4x SFP Ports, Fanless
GSM4230PX-100EUS	R 32,068	Netgear GSM4230PX 30 Port M4250 Managed Switch with 24 Port Gigabit PoE (480W) & 2x Gbit & 4x SFP Ports, Pre-configured for Audio and Video over IP out of the Box, 26x Gigabit Ethernet Ports with 24x PoE (30W / Port), 480W PoE budget, 4x SFP Ports, Fanless
GSM4230UP-100EUS	R 66,832	Netgear GSM4230UPS 30 Port M4250 Managed Switch with 24x Gigabit Ultra90 PoE (1440W) & 2x Gbit & 4x SFP Ports, Pre-configured for Audio and Video over IP out of the Box, 26x Gigabit Ethernet Ports with 24x PoE (90W / Port), 4x SFP Ports, Fanless
GSM4248P-100EUS	R 51,376	Netgear GSM4248P M4250 40 Port Gigabit PoE (480W) & 8 Port SFP fully Managed Switch, Pre-configured for Audio and Video over IP out of the Box, 40x Gigabit Ethernet PoE Ports (30W / Port), 480W PoE budget, 8x SFP Ports, Fanless
GSM4248PX-100EUS	R 61,087	Netgear GSM4248PX 48 Port M4250 Managed Switch with 40 Port Gigabit PoE (960W) & 8 Port SFP , Pre-configured for Audio and Video over IP out of the Box, 40x Gigabit Ethernet PoE Ports (30W / Port), 960W PoE budget, Fanless
GSM4248UX-100EUS	R 158,388	Netgear GSM4248UX 48 Port M4250 Managed Switch with 40 Port Gigabit Ultra90 PoE (2880W) & 8 Port SFP , Pre-configured for Audio and Video over IP out of the Box, 40x Gigabit Ethernet PoE Ports (90W / Port), 2880W PoE budget, 8x 10G SFP Ports, Fanless
GSM4328-100NES	R 65,719	Netgear GSM4328 24x Gigabit PoE (648W) ports with 4x 10G SFP uplinks Managed Switch, 880W internal Power Supply providing 648W of PoE budget, 1 slot for Modular Power Supply (1 1 Redundancy and/or EPS

		share), 24x Gigabit Ethernet PoE Ports (30withport), 4x 10G SFP Ports
GSM4352-100NES	R 94,761	Netgear GSM4352 48x Gigabit PoE (236W) Ports with 4x 10G SFP uplinks Managed Switch, 550W internal Power Supply providing 236W of PoE budget, 2 slots for Modular Power supplies (1 1 Redundancy and / or EPS share), 48x Gigabit Ethernet PoE Ports (30W / Port), Up to 1440W budget with additional PSU, 4x 10G SFP Ports, 176 Gbps switching Fabric
H3C-MAGIC-BS205	R 247	H3C Magic BS205 5x Gigabit Ports Ethernet Switch, 5x 10/100/1000Base-T Copper Ports, Natural cooling, Desktop-mount
H3C-MAGIC-BS205T-P	R 799	H3C Magic BS205T-P 5x Gigabit Port Gigabit PoE Advanced Ethernet Switch, 5x 10/100/1000Base-T Copper Ports, Supports PoE Power up to 57 W for All PoE Ports, Supports PoE Power up to 30 W for each PoE Port, Natural cooling, Desktop-mount and Wall-Mount
H3C-MAGIC-BS210T-HP	R 1,949	H3C Magic BS210T-HP 10x Gigabit Ports High-Power PoE Ethernet Switch, 10x 10/100/1000Base-T Copper Ports, Supports PoE Power up to 110 W for All PoE Ports, Supports PoE Power up to 30 W for each PoE Port, Natural cooling, Desktop-mount and Wall-Mount
H3C-MAGIC-BS210T-P	R 1,420	H3C Magic BS210t-p 10 Port Advanced Gigabit PoE Ethernet Switch, 10 x 10/100/1000Base-T Copper Ports, Supports PoE Power up to 57 W for All PoE Ports, Supports PoE Power up to 30 W for each PoE Port, Natural cooling, Desktop-mount and Wall-Mount
H3C-MAGIC-BS216	R 1,179	H3C Magic BS216 16 port Gigabit Ethernet Switch, 16x 10/100/1000Base-T Copper Ports (2 Uplink Ports), Natural cooling, Rack-Mount by using mounting brackets
HK-301801604	R 2,041	Hikvision 8 Port Gigabit Unmanaged Harsh PoE Switch with 2x Gigabit SFP Ports, DS-3T0510HP-E/HS, Metal material, Fan-free Design, Desk-Mounted / Rail installation mode, 8x Gigabit PoE Port, 2x Gigabit Fiber Optical Port, 20 Gbps switching capacity, Ports 7 to 8 up to 300m, Ports 1 to 2 Hi-PoE Port, Ports 3 to 8 PoE Port, Ports 1 and 2 90W Maximum Port Power, Ports 3 to 8 30W Maximum Port Power, 110W PoE Power budget
HK-301802030	R 5,043	Hikvision 16 port Gigabit Smart PoE Switch with 2x Gigabit SFP Ports, DS-3E1518P-SI, Metal material Shell, Rack installation mode, 16 x Gigabit PoE Port, 2x Gigabit Fiber Optical Port, 56 Gbps switching capacity, Ports 1 to 16 up to 300m, Ports 1 to 16 PoE, 30W Maximum Port Power, 225W PoE Power budget
HK-301802746	R 380	Hikvision 8 Port Gigabit Plastic Switch, DS-3E0508D-O(O-STD), ABS Shell, Desk-Mounted installation mode, 8x Gigabit RJ45 Port, 16 Gbps switching capacity
HK-301802748	R 3,162	Hikvision 16 port Gigabit Smart PoE Switch, DS-3E1518P-EI/M(O-STD), Metal material Shell, Rack installation mode, 16x Gigabit PoE Port, 1x Gigabit RJ45 Port, 1x Gigabit SFP Fiber Optical Port, 56 Gbps switching capacity, Ports 1 to 16 up to 300m, Ports 1 to 16x PoE, 30W Maximum Port Power, 130W PoE Power budget
HK-301802979	R 734	Hikvision 4 port Fast Ethernet Smart PoE Switch, DS-3E1105P-EI(O-STD)V2, Metal material Shell, 4x 10/100 Mbps PoE Port, 1x 10/100 Mbps RJ45 Port, 1 Gbps switching capacity, Ports 1 to 4 up to 300m., Ports 1 to 4 PoE, 30W Maximum Port Power, 60W PoE Power budget
HK-301803154	R 1,072	Hikvision 8 Port Fast Ethernet Smart PoE Switch, DS-3E1309P-EI (B), Metal material, Fan-free Design, Desk-Mounted, Wall-Mounted, 8 x 10/100 Mbps PoE Port, 1x Gigabit RJ45 Port, Ports 1 to 8 up to 300m, Ports 1 to 8 PoE, 30W Maximum Port Power, 110W PoE Power budget
HK-301803156	R 2,532	Hikvision 16x 10/100 Mbps RJ45 PoE Ports & 2 Gigabit combo Port L2 Smart Managed Switch, IEEE 802.3at/af standard for PoE ports, AF/at camera Can reach up to 300 m in extend mode, Ports 1 to 8 high priority Ports, 7.2 Gbps switching capacity, 230 W PoE Power budget, 30 W Maximum Port Power, Fan-free design, 16x 10/100 Mbps PoE Port, 2x 1Gbps combo Ports, DS-3E1318P-EI (B)
HP-JL682A	R 4,795	HP JL682A Aruba IOn 1930 24x Gigabit & 4x SFP Switch, 24x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 128 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager
HP-JL686B	R 12,295	HP JL686B Aruba Ion 1930 48x Gigabit Ports & 4x SFP/SFP PoE 370W Switch, 48x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 176 Gbps switching capacity, 370 W Class 4 PoE capability
HP-JL805A	R 13,431	HP JL805A Aruba Ion 1960 12x 10 Gigabit & 4x SFP Ports Switch, 12x RJ-45 10GbE Ports, 4x SFP 10GbE Ports, 320 Gbps switching capacity
HP-JL807A	R 12,303	HP JL807A Aruba Instant On 1960 24x Gigabit 20p Class4 4p Class6 PoE 2x 10GBASE-T & 2x SFP 370W Switch, 24x RJ-45 10/100/1000 PoE (CL4 and CL6) Ports, 2x SFP 10GbE Ports, 2x 10GBASE-T Ports, 128 Gbps switching capacity, Total 370 W PoE power (Up to 240 W of Class 6 or 370 W of Class 4 PoE)

HP-JL809A	R 20,078	HP JL809A Aruba ION 1960 48x Gigabit with 40P Class4 8P Class6 PoE & 2x Gigabit & 2x SFP 600W Switch, 48x RJ-45 10/100/1000 PoE Ports, 2x SFP 10GbE Ports, 2x 10GBASE-T Ports, 176 Gbps switching capacity, 131 Mpps Throughput, Total 600 W PoE Power
HP-JL811A	R 3,119	HP JL811A Aruba Instant On 1830 8x Gigabit 4p Class4 PoE 65W Switch, 8x RJ-45 10/100/1000 Class 4 PoE Ports, 16 Gbps switching capacity, 65W PoE capability
HP-JL815A	R 9,960	HP JL815A Aruba Instant On 1830 48x Gigabit 24p Class4 PoE 4x SFP 370W Switch, 48x RJ-45 10/100/1000 Class 4 PoE Ports, 4x SFP 1GbE Ports, 104 Gbps switching capacity, 370W PoE capability
HP-R8R46A	R 2,537	HP R8R46A Aruba Instant On 1830 8 Port Gigabit 64W Switch, 8x RJ-45 10/100/1000 Class 4 PoE Ports, 64W Class 4 PoE capability
HP-R8R48A	R 4,480	HP R8R48A Aruba Instant On 1430 16x Gigabit Class4 PoE 124W Switch, 16x RJ-45 autosensing Class4 PoE Gigabit Ports, 1U height, 32 Gbps switching capacity, 124W Class 4 PoE
HP-S0F35A	R 20,455	HP S0F35A Aruba Instant On 1960 8x Gigabit PoE & 2x 10Gigabit & 2x SFP Port 480W Switch, 8x Gigabit RJ-45 PoE Ports, 2x SFP 10GbE Ports, 2x 10GBASE-T Ports, 480W PoE budget
J8693A	R 11,283	HP J8693A ProCurve 3500-48G-PoE 3500yl 44x Gigabit Port Smart Ethernet Layer 3 Switch, 149.8 Gbps switching capacity, 44x autosensing Gigabit Ports with 4x combo SFP Ports, 4x SFP/SFP ports 1U height rack-mountable
J9778A	R 14,944	HP J9778A 48x 10/100 PoE & 2x Gigabit & 2x SFP Ports L2 Managed Switch, 48 RJ-45 autosensing 10/100 PoE Ports, 2 autosensing 10/100/1000 Ports, 2 fixed Gigabit Ethernet SFP Ports, 17.6 Gb/s switching capacity, 382 W PoE capability, 2530-48-PoE
J9780A	R 9,862	HP J9780A 2530 Series 8x 10/100 PoE & 2x combo SPF Port Managed Layer 2 Switch, 2530-8-poe , 8x RJ-45 autosensing 10/100 PoE Ports, 2 dual-personality Ports included, 5.6 Gb/s switching capacity, 67 W PoE capability
J9981A	R 11,471	HP J9981A 1820 Series 48x Gigabit & 4x SFP 1U Switch, 48x RJ-45 autosensing Gigabit Ports, 4x SFP GigabIt Ports, 104 Gbps switching capacity
JC099A	R 22,737	HP JC099A Aruba A5800 Series 24x Gigabit PoE & 4x SFP Ports Layer 3 Rack Mount Switch, A5800-24G-PoE, 1U rackmountable, 24x 1000Base-T RJ-45 PoE , 4x SFP Ports, 208 Gbit/s switching capacity
JG541A	R 18,988	HP JG541A FlexNetwork 5500 24x Gigabit PoE & 4x SFP & 2x SFP Port HI Switch, With 2 Interface slots, Up to 740W PoE budget, 24x RJ-45 autosensing Gigabit PoE Ports, 4x Gigabit Ethernet SFP Ports, 2x SFP 10GbE Ports
JG962A	R 19,099	HP JG962A 1950 Series 24x Gigabit PoE & 2x SFP & 2x 10 Gigabit Ports Switch, 24x RJ-45 auto-negotiating Gigabit PoE Ports, 2x SFP fixed Ports, 2x RJ-45 1/10gbase-t Ports, 128 Gbps switching capacity, 370W PoE capability
JL684A	R 15,670	HP JL684A Aruba IOn 1930 24x Gigabit PoE & 4x SFP 370W Switch, 24x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 128 Gbps switching capacity, Aruba Instant On Portal, Web Browser, SNMP manager, 370 W Class 4 PoE capability
JL808A	R 19,881	HP JL808A Aruba Instant On 1960 48x Gigabit & 2x 10 Gigabit & 2x SFP Port Switch, 48x RJ-45 GbE Ports, 2x SFP 10GbE Ports, 2x 10 GbE Ports, 176 Gbps switching capacity
JL815A	R 10,297	HP JL686B Aruba Ion 1930 48x Gigabit Ports & 4x SFP/SFP PoE 370W Switch, 48x RJ-45 10/100/1000 Ports, 4x SFP 1/10GbE Ports, 176 Gbps switching capacity, 370 W Class 4 PoE capability
LS-1600V2-10P-HPWR-GL	R 1,649	H3C S1600V2-10P-HPWR L2 Ethernet Switch with 9x Gigabit (8x PoE) & 1x SFP Port, 125W PoE capacity, AC PSU, 20Gbps switching capacity, 8x Gigabit PoE Ports with 125W PoE budget, 1x Gigabit Port, 1x Gigabit SFP Port
LS-1600V2-18P-HPWR-GL	R 3,524	H3C S1600V2-18P-HPWR L2 Ethernet Switch with 16x Gigabit PoE & 2x SFP Ports, 240W PoE capacity, AC PSU, 36Gbps switching capacity, 16x Gigabit PoE Ports with 240W PoE budget, 2x Gigabit SFP Ports
LS-1600V2-26P-HPWR-GL	R 4,856	H3C S1600V2-26P-HPWR L2 Ethernet Switch with 24x Gigabit PoE & 2x SFP Ports, 370W PoE capacity, AC PSU, 52Gbps switching capacity, 24x Gigabit PoE Ports with 370W PoE budget, 2x Gigabit SFP Ports
LS-1600V2-26S-HPWR-GL	R 5,373	H3C S1600V2-26S-HPWR L2 Ethernet Switch with 24x Gigabit PoE & 2x SFP Ports, 370W PoE capacity, AC PSU, 88Gbps switching capacity, 24x Gigabit PoE Ports with 370W PoE budget, 2x 10 Gigabit SFP Port
LS-1600V2-6P-HPWR-GL	R 1,121	H3C S1600V2-6P-HPWR L2 Ethernet Switch with 5x Gigabit (4x PoE Ports) & 1x SFP Port, 73W PoE capacity,

		AC PSU, 4x Gigabit PoE Ports with 73W PoE budget, 1x Gigabit Port, 1x Gigabit SFP Port
LS-1850V2-10P-HPWR-EI-GL	R 2,743	H3C S1850V2-10P-HPWR-EI L2 Ethernet Switch with 8x Gigabit PoE & 2x SFP Ports, 125W PoE capacity, AC PSU, 20 Gbps switching capacity, 8x Gigabit PoE Ports with 125W PoE budget, 2x Gigabit SFP Ports
LS-1850V2-52X-PWR-GL	R 14,043	H3C S1850V2-52X-PWR L2 Ethernet Switch with 48x Gigabit PoE & 4x SFP Ports, PoE 370W Power, AC PSU, 176Gbps switching capacity, 48x Gigabit PoE Ports with 370W PoE budget, 4x 10 Gigabit SFP Ports
LS-5120V2-28P-PWR-LI-GL	R 4,755	H3C S5120V2-LI Series 24x Gigabit PoE & 4x SFP Layer 2 Switch with 170W PoE budget, 56Gbps switching capacity, 24x 10/100/1000TX Ports, 4x Gigabit SFP Ports
LS-5120V3-28F-LI-GL	R 7,692	H3C S5120V3-28F-LI L3 Ethernet Switch with 24x Gigabit & 2x Gigabit Combo & 2x SFP & 2x SFP Ports, AC PSU, 92Gbps switching capacity, 24x Gigabit Ports, 2x 10 Gigabit SFP Ports, 2x Gigabit Combo Ports
LS-5120V3-28P-HPWR-LI-GL	R 7,630	H3C S5120V3-28P-HPWR-LI L3 Ethernet Switch with 24x Gigabit PoE & 4x SFP & 4x GE Combo Ports, 370W PoE capacity, AC PSU, 56Gbps switching capacity, 24x Gigabit PoE Ports with 370W PoE budget, 4x Gigabit SFP Ports, 4x Gigabit Combo Ports
LS-5120V3-28P-PWR-LI-GL	R 6,786	H3C S5120V3-28P-PWR-LI L3 Ethernet Switch with 24x Gigabit PoE & 4x SFP Ports, 240W PoE capacity, AC PSU, 56Gbps switching capacity, 24x Gigabit PoE Ports with 240W PoE budget, 4x Gigabit SFP Ports
LS-5120V3-28S-HPWR-LI-GL	R 11,345	H3C S5120V3-28S-HPWR-LI L3 Ethernet Switch with 24x Gigabit PoE & 4x SFP Combo & 4x SFP Ports, 370W PoE capacity, AC PSU, 24x Gigabit PoE Ports with 370W PoE budget, 4x 10 Gigabit SFP Ports, 4x Gigabit SFP Combo Ports, 128Gbps switching capacity
LS-5120V3-28S-PWR-LI-GL	R 8,540	H3C S5120V3-28S-PWR-LI L3 Ethernet Switch with 24x Gigabit PoE & 4x 10G SFP Ports, 240W PoE capacity, AC PSU, 128Gbps switching capacity, 24x Gigabit PoE Ports with 240W PoE budget, 4 x 10 Gigabit SFP Ports
LS-5120V3-52P-PWR-LI-GL	R 11,828	H3C S5120V3-52P-PWR-LI L3 Ethernet Switch with 48x Gigabit PoE & 4x GB SFP Ports, 370W PoE capacity, AC PSU, 104Gbps switching capacity, 48x Gigabit PoE Ports with 370W PoE budget, 4x Gigabit SFP Ports
LS-5130S-28S-HPWR-EI-GL	R 18,797	H3C S5130S-EI Series 24x Gigabit PoE & 4x SFP Ports Layer 2 Switch with 370W PoE budget, 128Gbps Port switching capacity, 48x 10/100/1000 Base-T Port, 4x SFP Port
LS-6520X-16ST-SI-GL	R 22,269	H3C S6520X-24ST-SI Layer 3 switch with 16x 10G SFP Ports (2x Combo Ports), Excludes Power supplies, 16x 1/10 Gigabit SFP Ports (2 Combo 1G/10G Base-T Ports)
LS-6520X-24ST-SI-GL	R 21,874	H3C S6520X-24ST-SI Layer 3 switch with 24x 10G SFP Ports (2x Combo Ports), Excludes Power supplies, 24x 1/10 Gigabit SFP Ports (2 Combo 1G/10G Base-T Ports)
LS-6520X-26MC-UPWR-SI-GL	R 20,802	H3C S6520X-SI Series 24x 5 Gigabit PoE Ports & 1x expanions slot Layer 3 Switch, 24x 100M/1G/2.5G/5GBASE-T Ports, 2x Power module slots, 400Gbps Port switching capacity
LS1005	R 95	TP-Link LS1005 LiteWave 5-Port 10/100M Desktop Switch, 5 10/100M RJ45 Ports, Desktop Plastic Case
LS1005G	R 236	TP-Link LS1005G LiteWave 5-Port Gigabit Desktop Switch
LS1005G	R 182	TP-Link LS1005G LiteWave 5-Port Gigabit Desktop Switch, 5 Gigabit RJ45 Ports, Desktop Plastic Case
LS1008	R 176	TP-Link LS1008 8 Port 10/100 Mbps Desktop Switch, Fanless, Green Technology
LS1008G	R 334	TP-Link LS1008G LiteWave 8-Port Gigabit Desktop Switch
LS105G	R 266	TP-Link LS105G LiteWave 5-Port Gigabit Desktop Switch
LS105G	R 208	TP-Link LS105G LiteWave 5-Port Gigabit Desktop Switch, 5 Gigabit RJ45 Ports, Desktop Steel Case
LS108G	R 378	TP-Link LS108G LiteWave 8-Port Gigabit Desktop Switch
LS108G	R 321	TP-Link LS108G LiteWave 8-Port Gigabit Desktop Switch, 8 Gigabit RJ45 Ports, Desktop Steel Case
LS108GP	R 688	TP-Link LS108GP 8-Port Gigabit Desktop Switch with 8-Port PoE , PORT: 8x Gigabit PoE Ports, SPEC: 802.3af/at, 62 W PoE Power, Desktop Steel Case, FEATURE: Extend Mode for 250m PoE Transmitting, PoE Auto Recovery, Plug and Play"
LS108GP	R 730	TP-Link with 8 Port PoE 8 Port Gigabit Desktop swirch with 8 Port PoE , 8x Gigabit RJ45 Ports (Ports 1-8 supports 802.3af/at PoE), Fanless, 62 W PoE budget, Ports 1-8 up to 30 W PoE Output per Port, 16 Gbps switching capacity
MK-CCR2004 16G 2S+	R 7,636	MikroTik CCR2004-16G-2S 16x Gigabit Ethernet & 2x 10G SFP Ports, 1x USB Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 1700 MHz Quad Core CPU, 2 AC inputs, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports, CCR2004-16G-2S
MK-CCR2004 1G 12S+2XS	R 9,739	MikroTik 12x 10G SFP & 2x 25G SFP28 ports Switch, Serial Port, RJ45, Arm 64bit, L6, 4GB RAM, 128 MB storage, CCR2004-1G-12S 2xs, RouterOS L6, 2x AC inputs, 12x SFP ports, 2x 25G SFP28 ports,

		CCR2004-1G-12S 2XS
MK-CCR2216 1G 12XS 2XQ	R 45,212	MikroTik 2x 100G QSFP28 & 12x 25G SFP28 & 1x 1GbE Ethernet Port Switch, 2 GHz 16 Core CPU, 16GB RAM, 128 MB storage size, RouterOS 7, 2x M.2 PCI-e slot, 1x 10/100/1000 Ethernet Port, 12x 25G SFP28 Ports, 2x 100G QSFP28 Ports, CCR2216-1G-12XS-2XQ
MK-CRS106 1C 5S	R 1,040	MikroTik 5x SFP Cloud Router Switch, 1x Gigabit Ethernet / SFP combo port, 5x 1.25Gbps SFP cages, Powered by a 400MHz CPU and 128MB RAM, It runs RouterOS with a L5 license, CRS106-1C-5S
MK-CRS112 8P 4S IN	R 3,577	MikroTik 8 Port Gigabit PoE Cloud Router Switch with 4x SFP Ports, 400MHz CPU, 128MB RAM, Desktop case, RouterOS L5, 802.3af/at PoE out, CRS112-8p-4s-in
MK-CRS305 1G 4S+OUT	R 3,755	MikroTik FiberBox Plus 4 SFP Outdoor Switch, CRS305-1G-4S OUT, RouterOS License L5, 1 Core CPU, 256MB RAM, 16 MB storage size, 1x Gigabit Ethernet Port, 4x 10Gbps SFP Ports
MK-CRS309 1G 8S+IN	R 4,499	MikroTik Cloud Router Switch Dual Boot SwitchOS / RouterOS, Dual Core 800MHz CPU, 512MB RAM, 16MB storage, 802.3af/at PoE in 18-57V, 1x Gigabit Ethernet Port, 8x SFP Ports, CRS309-1g-8s in, RouterOS / SwitchOS Operating System, Level 5 License
MK-CRS3108G+2S+IN	R 3,761	MikroTik Cloud Router Switch 8x 2.5Gbps Ethernet & 2x SFP Port Switch, CRS310-8G 2S IN, RouterOS V7 Operating System, RouterOS License 5, 256MB RAM, 32MB storage size, 1 fan, 8x 2.5G Ethernet Ports, 2x SFP Ports
MK-CRS317 1G 16S+RM	R 8,217	MikroTik 1x Gigabit LAN & 16x SFP cages Cloud Router Switch, CRS317-1G-16S RM, Dual Core 800MHz CPU, 1GB RAM, 16 MB storage size, Dual Power supplies, RouterOS License 6, RouterOS / SwitchOS Operating System, 1x 10/100/1000 Ethernet Ports, 16X SFP Ports, RJ45 Serial Console Port
MK-CRS318 16P 2S+OUT	R 4,649	MikroTik netPower 16P 16x PoE ouput 7 2x SFP outdoor Switch, CRS318-16P-2S OUT, 16x 10/100/1000 Ethernet ports, Pole-mount, RouterOS L5, 802.3af/at PoE Output on ports 1 to 16, 2x 1.25Gbps SFP ports
MK-CRS318 1FI 15FR 2SOUT	R 2,496	MikroTik Outdoor netPower 15FR with RouterOS L5 license, 15 POE-in ports, 1x PoE out Port, CRS318-1FI-15FR-2S-OUT, 98DX224S 800 MHz CPU, 256 MB RAM, 16 MB Flash storage size, 16x 100 Mbps Ethernet ports, 2x SFP ports, Swos / RouterOS (Dual Boot) Operating System, RouterOS license level 5
MK-CRS320 8P 8B 4S+RM	R 9,100	MikroTik 16 port Gigabit PoE Cloud Router Switch, CRS320-8P-8B-4S RM, 98dx226s Dual Core CPU, RouterOS License 5, RouterOS V7 Operating System, 256MB RAM, 32 MB storage size, 2 PSU slots, 3 fans, Ether9-Ether16 (BT) PoE-out Ports, 17 Gigabit Ethernet Ports with 16x with PoE-out, 4x SFP Ports, 600W Max Power consumption
MK-CRS326 24G 2S+ IN	R 3,807	MikroTik 24x Gigabit Ports & 2x SFP Ports clud Router Switch Desktop Case, CRS326-24G-2S IN, RouterOS License 5, RouterOS / SwitchOS Operating System, 2 DC inputs (DC jack / PoE-in), 24x Gigabit Ethernet Ports, 2x SFP Ports
MK-CRS326 24G 2S+RM	R 3,580	MikroTik Cloud Router Switch Dual boot SwOS / RouterOS, 24x port Gigabit Ethernet switch with two SFP ports, SFP cage supports both 1.25Gb SFP and 10Gb SFP modules, CRS326-24G-2S RM
MK-CRS326 24S+2Q+RM	R 9,936	MikroTik 24 Port SFP & 2x QSFP Port Cloud Router Switch, CRS326-24s 2q rm, QCA9531 CPU, RouterOS License 5, RouterOS V7 / SwitchOS Operating System, 64 MB RAM, 16 MB storage size, 2 AC inputs, 3 fans, 1x 10/100 Ethernet Ports, 24x SFP Ports, 2x 40G QSFP Ports
MK-CRS328 24P 4S+RM	R 8,458	MikroTik 24 port Gigabit PoE Cloud Router Switch with 4x SFP ports, 1U rackmount case, 800 MHz CPU, 512 MB Ram, RouterOS / SwitchOS L5, RJ45 Serial port, 500W POE Maximum, 802.3af/at PoE out, CRS328-24P-4S RM
MK-CRS354 48P 4S+2Q+RM	R 16,344	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5
MK-CRS504 4XQ IN	R 12,759	MikroTik CRS504-4XQ-IN 4x 100G QSFP28 Port Switch, 1x RJ45 Serial Console Port, RouterOS license L5, RouterOS Operating System, 64 MB size of RAM, 16 MB storage size, 2x AC inputs, 1x 10/100 Ethernet Ports, 4x 100G QSFP28 Ports
MK-CSS106 1G 4P 1S	R 1,047	MikroTik RB260gsp 5x Gigabit PoE out Ethernet Smart Switch, (RBCSS106-1G-4P-1S, MikroTik SwOS Operating System, 2 DC inputs, Passive PoE PoE in, 5x Gigabit Ethernet Ports, 1x SFP Ports
MK-CSS6108P2S+OUT	R 3,237	MikroTik netPower Lite 8P 8x PoE Output 2x SFP Integrated UPS Outdoor Switch, CSS610-8P-2S OUT, SwOS Lite Operating System, 64 KB storage size, 3 DC inputs, 8x Gigabit PoE-out Ports, 802.3af/at PoE out, 2x Gigabit SFP Fibre Ports
MK-E50UG	R 1,057	MikroTik hEX refresh 5 port Gigabit Switch, E50UG, RouterOS V7 Operating System, Dual Core CPU, 512 MB

		RAM, 128 MB storage size, DC jack / PoE-in, 5x Gigabit Ethernet Ports, USB Port, 2024 Version
MK-RBCCR2116 1 2G 4S+	R 16,347	MikroTik CCR2116 4x 10G SFP & 13x 1g Ethernet & 1x M.2 slot Switch, CCR2116-12g-4s, 16 Core CPU, RouterOS license L6, RouterOS Operating System, 16GB RAM, 128 MB storage size, 2 AC inputs, 13x 10/100/1000 Ethernet Ports, 4x SFP Ports, RJ45 Serial Console Port, 1x M.2 slots, CCR2116-12G-4S
MRC-MS105	R 89	Mercusys MS105 5 port 10/100 Mbps Desktop Switch, 5x 10/100 Mbps Ports Auto-Negotiation
MRC-MS105G	R 119	Mercusys MS105G 5 port Gigabit Desktop Switch, 5x 10/100/1000 Mbps Ports
MRC-MS105GP	R 328	Mercusys MS105GP 5 port Gigabit Desktop Switch with 4 port PoE , Long-Range up to 250 m, 65W PoE budget, PoE Power up to 30 W for each PoE Port, 5x Gigabit Ports
MRC-MS105GS	R 126	Mercusys MS105GS 5 port Gigabit Desktop Switch, 5x Gigabit Ethernet Ports
MRC-MS106LP	R 276	Mercusys MS106LP 6 Port Desktop Switch with 4 port PoE , 2x 10/100 Mbps Ports, 4x 10/100 Mbps PoE Ports, 40W PoE Power budget
MRC-MS108	R 104	Mercusys MS108 8 Port 10/100 Mbps Desktop Switch, 8x 10/100 Mbps Ports Auto-Negotiation, Fanless
MRC-MS108G	R 186	Mercusys MS108G 8 Port Gigabit Desktop Switch, 8x 10/100/1000 Mbps Ports Auto-Negotiation
MRC-MS108GP	R 426	Mercusys MS108GP 8 Port Gigabit Desktop Switch with 7-port PoE , 65 W PoE Power budget, Desktop / Wall Mount, PoE Power up to 30 W for each PoE Port, Long-Range up to 250 m
MRC-MS108GS	R 209	Mercusys MS108GS 8 Port Gigabit Desktop Switch, 8x Gigabit Ethernet Ports
MRC-MS110GMP	R 672	Mercusys MS110GMP 10 Port Gigabit Desktop Switch with 8 Port PoE , 8x Gigabit PoE Ports, 2x Gigabit RJ45 Ports, Total Power budget of 111 W, Up to 250 m Data and Power transmission range under extend mode, Fanless Design
MRC-MS116GS	R 598	Mercusys MS116GS 16 port Gigabit Desktop / Rackmount Switch, 16x Gigabit RJ45 Ports, 32 Gbps switching capacity
MRC-MS118CP	R 1,420	Mercusys 16 port PoE Rackmount Switch 2 Gigabit Ports, MS118CP, Ports 1-16 PoE Ports, 190 W PoE Power budget, 16 PoE 10/100 Mbps RJ45 Ports, 2x Gigabit RJ45 Ports, 2x Combo Gigabit SFP slots, 2 fans
MRC-MS120GP	R 1,645	Mercusys MS120GP 20-port Gigabit Rackmount Switch with 16 port PoE , 16x Gigabit PoE RJ45 Ports, 2x Gigabit RJ45 Ports, 2x Gigabit SFP slots, PoE Port 1-16 up to 30 W per Port, 192 W PoE Power budget 192 W, 40 Gbps Switch capacity
MRC-MS128GP	R 1,981	Mercusys MS128GP 28-port Gigabit Rackmount Switch with 24 Port PoE , Ports 1-24 PoE Ports up to 30 W per Port, 295 W PoE Power budget, 24x Gigabit PoE RJ45 Ports, 2x Gigabit RJ45 Ports, 2x Gigabit SFP slots, 2 fans, 56 Gbps switching capacity
MS105	R 88	Mercusys MS105 5 port 10/100 Mbps Desktop Switch, 5x 10/100 Mbps Ports Auto-Negotiation
MS105	R 99	Mercusys MS105 5 port 10/100 Mbps Desktop Switch, 5x 10/100 Mbps Ports Auto-Negotiation
MS105	R 147	Mercusys MS105 5 port 10/100 Mbps Desktop Switch, 5x 10/100 Mbps Ports Auto-Negotiation
MS105	R 229	Mercusys MS105 5 port 10/100 Mbps Desktop Switch, 5x 10/100 Mbps Ports Auto-Negotiation
MS105-100EUS	R 3,489	Netgear MS105 5 port Multi-Gigabit 2.5Gbps Ethernet Unmanaged Switch, 5x 2.5Gbps Ethernet Ports, Fanless
MS105G	R 149	Mercusys MS105 5-Port Gigabit Desktop Switch
MS105G	R 176	Mercusys MS108G 8 Port Gigabit Desktop Switch, 8x 10/100/1000 Mbps Ports Auto-Negotiation
MS105GP	R 349	Mercusys MS105 5-Port Gigabit Desktop Switch
MS105GP	R 306	Mercusys MS105GP 5-Port Gigabit Desktop Switch with 4-Port PoE , PORT: 4x Gigabit PoE Ports, 1x Gigabit Non-PoE Port, SPEC: Compatible with 802.3af/at PDs, 65 W PoE Power, Desktop Steel Case, Wall Mounting, FEATURE: Extend Mode for 250m PoE Transmitting, Priority
MS105GP	R 386	Mercusys MS105GP 5 port Gigabit Desktop Switch with 4 port PoE , Long-Range up to 250 m, 65W PoE budget, PoE Power up to 30 W for each PoE Port, 5x Gigabit Ports
MS105GS	R 159	Mercusys 5-Port Gigabit Desktop Switch - IEEE 802.3, IEEE 802.3u, IEEE 802.3x CSMA/CD Standards and Protocols, 5 ×10/100/1000Mbps Ports, Auto-Negotiation, Auto MDI/MDIX Interfaces, 5V/0.6A External Power, Desktop Wall Mount Installation, 1Mbit Buffer Capacity, 9KB Jumbo Frame, Store and Forward Transfer Method, Plug and Play, Retail Box, 6 Months Warranty.
MS105GS	R 184	Mercusys MS105GS 5-Port Gigabit Desktop Switch; 5 x 10/100/1000 Mbps RJ45 ports; 10 Gbps switching capacity; Auto-MDI/MDIX; fanless; metal casing; desktop or wall mount; IGMP Snooping; 802.1p/DSCP QoS; 99.8 x 98 x 25.1 mm; 5V/0.6A

MS106LP	R 334	Mercusys MS106LP 6-Port 10/100 Mbps Desktop Switch with 4-Port PoE , PORT: 4x 10/100 Mbps PoE Ports, 2x 10/100 Mbps Non-PoE Ports, SPEC: Compatible with 802.3af/at PDs, 40 W PoE Power, Desktop Steel Case, Wall Mounting, FEATURE: Extend Mode for 250m PoE Transmittin
MS108	R 161	Mercusys MS108 8 Port 10/100 Mbps Desktop Switch, 8x 10/100 Mbps Ports Auto-Negotiation, Fanless
MS108	R 131	Mercusys MS108 8 Port 10/100 Mbps Desktop Switch, 8x Ethernet Ports Auto-Negotiation, Fanless
MS108G	R 185	Mercusys MS108G 8 Port Gigabit Desktop Switch, 8x 10/100/1000 Mbps Ports Auto-Negotiation
MS108G	R 244	Mercusys MS108G 8 Port Gigabit Desktop Switch, 8x Gigabit Ports Auto-Negotiation
MS108GP	R 426	Mercusys MS108GP 8-Port Gigabit Desktop Switch with 7-Port PoE , PORT: 7Ã— Gigabit PoE Ports, 1Ã— Gigabit Non-PoE Ports, SPEC: Compatible with 802.3af/at PDs, 65 W PoE Power, Desktop Steel Case, Wall Mounting, FEATURE: Extend Mode for 250m PoE Transmitting, Priority
MS108GP	R 483	Mercusys MS108GP 8-Port Gigabit Desktop Switch with 7-Port PoE , PORT: 7Ã— Gigabit PoE Ports, 1Ã— Gigabit Non-PoE Ports, SPEC: Compatible with 802.3af/at PDs, 65 W PoE Power, Desktop Steel Case, Wall Mounting, FEATURE: Extend Mode for 250m PoE Transmitting, Priority
MS108GS	R 266	Mercusys MS108GS 8-Port Gigabit Desktop Switch; 8 x 10/100/1000 Mbps RJ45 ports; 16 Gbps switching capacity; fanless design; metal casing; Auto-Negotiation; Auto-MDI/MDIX; plug and play; desktop or wall mounting; 6.2 x 3.9 x 1.0 inch dimensions
MS110P	R 423	Mercusys MS110P 10-Port 10/100Mbps Desktop Switch with 8-Port PoE , PORT: 8x 10/100 Mbps PoE Ports, 2x 10/100 Mbps Non-PoE Ports, SPEC: Compatible with 802.3af/at PDs, 65 W PoE Power, Desktop Steel Case, Wall Mounting, FEATURE: Extend Mode for 250m PoE Transmittin
MS116GS	R 649	Mercusys 16-Port Gigabit Desktop/Rackmount Switch - 16×10/100/1000Mbps RJ45 Ports, Auto-Negotiation, Auto MDI/MDIX Interfaces, IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x, IEEE 802.1p Standards and Protocols, 32Gbps Switching Capacity, 8K Mac Address Table, Store and Forward Transfer Method, Isolation Mode, Loop Prevention, Plug and Play, Retail Box, 6 Months Warranty.
MS128GP	R 2,249	Mercusys Gigabit Rackmount Switch - 24 x Gigabit PoE Ports, 2 x Gigabit Uplink Ports, And 2 x Gigabit SFP Slots, Support PoE Power Up to 30W Per Port, 295W For All PoE Ports, Up to 250 Metres Transmission Distance, Isolation Mode, Priority Mode, PoE Auto Recovery, Plug and Play, Retail Box, 6 Months Warranty.
MS510TXM-100EUS	R 13,122	Netgear MS510TXM 8 Port Multi-Gigabit Smart Managed Pro Switch with 10G uplinks, 4x 2.5G Multi-Gigabit Copper Ports, 4x 10G Multi-Gigabit / 10 Gigabit Copper Ports, 2x SFP Ports, 2 fans
MSM4214X-100EUS	R 32,366	Netgear MSM4214X 14 Port M4250 Managed Switch with 12x 2.5Gbps MultiGig Copper & 2x SFP Ports, 12x 2.5Gbps Ethernet Ports, 2x 10G SFP Fibre Ports
MSM4310-100NES	R 63,894	Netgear MSM4310 M4350-8M2V 8x 2.5G PoE & 2x 25G SFP28 fully Managed Switch, 8x 2.5G PoE Ports, 2x 25G SFP28 Fibre Ports, 119W base up to 551W total PoE budget
MSM4328F-100NES	R 88,152	Netgear MSM4328F M4350-24F4X 24x 1/2.5G SFP & 4x 10G Combo Copper / 10G SFP fully Managed Switch, 24x 1/2.5G SFP Ports, 4x Combo 10GBASE-T Copper / 10G SFP Ports
MSM4332-100NES	R 94,592	Netgear MSM4332 M4350-24M4X4V 24x 2.5G PoE & 4x 10G / Multi-Gig PoE & 4x SFP28 Port Switch, 24 x 2.5G Ethernet PoE Ports, 4x 10G / Multi-Gig PoE Ports, 4x 25G SFP28 Ports, 522W base total PoE budget
MSM4352-100NES	R 141,389	Netgear MSM4352 M4350 44x 2.5G PoE & 4x 10G / Multi-Gig PoE Ports with 4x 25G SFP28 Ports, 44x 2.5G Ethernet PoE Ports, 4x 10G / Multi-Gig Ethernet PoE Ports, 4x 25G SFP28 Ports, 48 PoE (90W per Port), 194W base budget
MT-CRS310-1G-5S-4S+IN	R 3,491	MikroTik Cloud Router Switch 5x SFP & 4x SFP Port, CRS310-1g-5s-4s in, RouterOS license 5, 256 MB RAM, 16 MB storage size, 1x 10/100/1000 Ethernet Ports, 5x SFP Ports, 4x SFP Ports
MT-RB260GS	R 737	Routerboard 260GS, 5 Gigabit LAN, 1 SFP Port, Switch OS, 24V PoE (Case and PSU Included), 1 Year
MT-RB260GSP	R 937	RouterBOARD 260GSP, 5 Gigabit LAN, 1 SFP Port, Switch OS, PoE Out, 24V PoE (Case and PSU Included)
MT-RB4011iGS-RM	R 3,767	MikroTik RB4011iGS RM - Router with 10x Gigabit ports and 1x SFP port, AL21400 1400 MHz Quad Core CPU, 1 GB RAM, 512 MB Storage size, RouterOS L5, Passive PoE 18-57 V, 10x 10/100/1000 Ethernet ports, 1x SFP port, RB4011iGS RM
MT-RBCCR2004-16G-2S+	R 8,110	MikroTik CCR2004-16G-2S 16x Gigabit Ethernet & 2x 10G SFP Ports, 1x USB Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 1700 MHz Quad Core CPU, 2 AC inputs, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports

MT-RBCCR2004-16G-2S+PC	R 7,648	MikroTik CCR2004-16G-2S PC 16x Gigabit Ethernet Ports & 2x 10G SFP Ports Switch, 1x RJ45 Serial Console Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 4 Core CPU, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports
MT-RBCCR2004-1G-12S+2XS	R 10,071	MikroTik 12x 10G SFP & 2x 25G SFP28 ports Switch, Serial Port, RJ45, Arm 64bit, L6, 4GB RAM, 128 MB storage, CCR2004-1G-12S 2xs, RouterOS L6, 2x AC inputs, 12x SFP ports, 2x 25G SFP28 ports
MT-RBCCR2116-12G-4S+	R 16,296	MikroTik CCR2116 4x 10G SFP & 13x 1g Ethernet & 1x M.2 slot Switch, CCR2116-12g-4s, 16 Core CPU, RouterOS license L6, RouterOS Operating System, 16GB RAM, 128 MB storage size, 2 AC inputs, 13x 10/100/1000 Ethernet Ports, 4x SFP Ports, RJ45 Serial Console Port, 1x M.2 slots
MT-RBCCR2216-1G-12XS-2XQ	R 48,370	MikroTik 2x 100G QSFP28 & 12x 25G SFP28 & 1x 1GbE Ethernet Port Switch, 2 GHz 16 Core CPU, 16GB RAM, 128 MB storage size, RouterOS 7, 2x M.2 PCI-e slot, 1x 10/100/1000 Ethernet Port, 12x 25G SFP28 Ports, 2x 100G QSFP28 Ports
MT-RBCRS106-1C-5S	R 1,041	MikroTik CRS106-1C-5S Cloud Router Switch, 1x Gigabit Ethernet / SFP combo port, 5x 1.25Gbps SFP cages, Powered by a 400MHz CPU and 128MB RAM, It runs RouterOS with a L5 license
MT-RBCRS112-8P-4S-IN	R 3,613	MikroTik CRS112-8P-4S-IN - 8 Port Gigabit PoE Cloud Router Switch with 4x SFP ports, 400MHz CPU, 128MB RAM, desktop case, RouterOS L5, 802.3af/at PoE out
MT-RBCRS304-4XG-IN	R 3,496	MikroTik Cloud Router Switch 4 port 10Gbps with PoE Input, CRS304-4XG-IN, RouterOS V7 Operating System, 32 MB storage size, 512 MB RAM, 2 cpre 98DX2528 CPU, 4 DC inputs (DC jack / PoE-in / 2 pin Terminal), 1x Gigabit Ethernet Port, 4x 10 Gigabit Ethernet Ports, Dual boot SwOS / RouterOS
MT-RBCRS305-1G-4S+IN	R 2,560	MikroTik CRS305-1G-4S IN - Cloud Router Switch, Dual boot SwOS/RouterOS, 800 MHz CPU, 512 MB RAM, 16 MB Storage, License level 5, 1x 10/100/1000 Ethernet ports, 4x SFP cages, Switching capacity 82 Gbps, Dual boot, POE in, Dual DC jacks
MT-RBCRS305-1G-4S+OUT	R 2,299	MikroTik FiberBox Plus 4 SFP Outdoor Switch, CRS305-1G-4S OUT, RouterOS License L5, 1 Core CPU, 256MB RAM, 16 MB storage size, 1x Gigabit Ethernet Port, 4x 10Gbps SFP Ports
MT-RBCRS309-1G-8S+IN	R 4,785	MikroTik CRS309-1G-8S in - Cloud Router Switch Dual Boot SwitchOS / RouterOs, Dual Core 800MHz CPU, 512MB RAm, 16MB Storage, 802.3af/at PoE in 18-57 V, 1x 10/100/1000 Ethernet ports, 8x SFP ports
MT-RBCRS310-1G-5S-4S+OUT	R 4,116	MikroTik netFiber 9 outdoor Switch with 5x SFP & 4x SFP & 1x Gigabit Ethernet Port, 5 RouterOS license, 256 MB RAM, 16 MB storage size, 2 DC inputs, Passive, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports, 5x SFP Ports, 4x SFP Ports, CRS310-1g-5s-4s out
MT-RBCRS310-8G+2S+IN	R 3,740	MikroTik Cloud Router Switch 8x 2.5Gbps Ethernet & 2x SFP Port Switch, CRS310-8G 2S IN, RouterOS V7 Operating System, RouterOS License 5, 256MB RAM, 32MB storage size, 1 fan, 8x 2.5G Ethernet Ports, 2x SFP Ports
MT-RBCRS312-4C+8XG-RM	R 11,731	MikroTik CRS312-4C 8XG-RM - 10GB 12 port RJ45 Cloud Router Switch
MT-RBCRS317-1G-16S+R	R 8,465	MikroTik CRS317-1G-16S RM - Cloud Router Switch Dual boot SwOS / RouterOS, Rack-mountable manageable switch with Layer3 features, 16x SFP ports for high performance 10GbE connectivity and a 1GbE copper port for management
MT-RBCRS318-16P-2S+OUT	R 5,049	MikroTik netPower 16P 16x PoE ouput 7 2x SFP outdoor Switch, CRS318-16P-2S OUT, 16x 10/100/1000 Ethernet ports, Pole-mount, RouterOS L5, 802.3af/at PoE Output on ports 1 to 16, 2x 1.25Gbps SFP ports
MT-RBCRS318-1Fi-15Fr-2S-OUT	R 2,815	MikroTik Outdoor netPower 15FR with RouterOS L5 license, 15 POE-in ports, 1x PoE out Port, CRS318-1FI-15FR-2S-OUT, 98DX224S 800 MHz CPU, 256 MB RAM, 16 MB Flash storage size, 16x 100 Mbps Ethernet ports, 2x SFP ports, Swos / RouterOS (Dual Boot) Operating System, RouterOS license level 5
MT-RBCRS320-8P-8B-4S+RM	R 10,215	MikroTik 16 port Gigabit PoE Cloud Router Switch, CRS320-8P-8B-4S RM, 98dx226s Dual Core CPU, RouterOS License 5, RouterOS V7 Operating System, 256MB RAM, 32 MB storage size, 2 PSU slots, 3 fans, Ether9-Ether16 (BT) PoE-out Ports, 17 Gigabit Ethernet Ports with 16x with PoE-out, 4x SFP Ports, 600W Max Power consumption
MT-RBCRS326-24S+2Q+RM	R 10,270	MikroTik CRS326-24S 2Q RM 24 port SFP and 2 port QSFP Cloud Router Switch
MT-RBCRS328-24P-4S+R	R 9,053	MikroTik CRS328-24P-4S RM - 24 port Gigabit PoE Cloud Router Switch with 4x SFP ports, 1U rackmount case, 800 MHz CPU, 512 MB Ram, RouterOS / SwitchOS L5, RJ45 Serial port, 500W POE Maximum, 802.3af/at PoE out
MT-RBCRS328-4C20S4+R	R 8,058	MikroTik CRS328-4C-20S-4S RM - 20x SFP Cloud Router Switch with 4 ETH/SFP combo ports and 4 SFP ports,

		Dual boot, Throughput 64 Gbps, Switching Capacity 128 Gbps, RouterOS L5, 800 MHz CPU, 512 MB RAM
MT-RBCRS354-48G-4S+2Q+RM	R 10,340	MikroTik 48x 1 Gigabit & 4x SFP & 2x QSFP Port Switch, 650MHz CPU, 64MB RAM, Redundant PSU, CRS354-48G-4S 2Q RM, RouterOS L5
MT-RBCRS354-48P-4S+2Q+RM	R 18,399	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5
MT-RBCRS418-8P-8G-2S+RM	R 7,493	MikroTik Cloud Router Switch 16 port with 8 PoE 150W 2SFP , CRS418-8P-8G-2S RM, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans, 17x Gigabit Ethernet Ports, 8x Gigabit Ethernet Ports with PoE-out, 2x SFP Ports, USB 3.0 Type-A Port, 150W PoE total Output Power
MT-RBCRS504-4XQ-IN	R 14,071	MikroTik CRS504-4XQ-IN 4x 100G QSFP28 Port Switch, 1x RJ45 Serial Console Port, RouterOS license L5, RouterOS Operating System, 64 MB size of RAM, 16 MB storage size, 2x AC inputs, 1x 10/100 Ethernet Ports, 4x 100G QSFP28 Ports
MT-RBCRS510-8XS-2XQ-IN	R 17,160	MikroTik Cloud Router Switch 8x SFP28 & 2x QSFP28 Ports, CRS510-8XS-2XQ-IN, QCA9531 CPU, 5x RouterOS license, RouterOS V7 Operating System, 128 MB RAM, 32 MB storage size, 1x 10/100 Ethernet Ports, 8x 25G SFP28 Ports, 2x 100G QSFP28 Ports
MT-RBCRS518-16XS-2XQ-RM	R 26,733	MikroTik Cloud Router Switch 16x 25G SFP28 & 2x 100G QSFP28 Port Switch, CRS518-16XS-2XQ-RM, RouterOS L6, 2 AC inputs, 1x 10/100 Ethernet Ports, 16x 25G SFP28 Ports, 2x 100G QSFP28 Ports
MT-RBCRS520-4XS-16XQ-RM	R 38,262	MikroTik 16 port 100G QSFP28 Cloud Router Switch, CRS520-4XS-16XQ-RM, AL52400 Quad Core CPU, 4GB RAM, 128 MB storage size, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans cooling, 2x 10G Ethernet Ports, 4x 25G SFP28 Ports, 16x 100G QSFP28 Ports
MT-RBCRS812-8DS-2DQ-2DDQ-RM	R 21,824	MikroTik CRS812 2x 10G & 8x 50G SFP56 & 2x 200G QSFP56 & 2x 400G QSFP56-DD Cloud Router Switch, CRS812-8DS-2DQ-2DDQ-RM, RouterOS License 6, RouterOS V7 Operating System, 4GB RAM, 512 MB storage size, 2 AC inputs, 2 PSU slots, 4 fans cooling Type, 2x 10GE Ethernet Ports, 8x 50G SFP56 Ports, 2x 200G QSFP56 Ports, 2x 400G QSFP56-DD Ports
MT-RBCSS318-16G-2S+IN	R 2,496	MikroTik SWoS Cloud Smart Switch 16 port Gigabit & 2 SFP Ports, CSS318-16G-2S IN, 16x Gigabit Ethernet Ports, 2x 10 Gigabit SFP Ports, SWoS Operating System, Passive cooling
MT-RBCSS326-24G-2S+	R 2,956	MikroTik CSS326-24G-2S RM Cloud Smart Switch, SwOS powered 24 port Gigabit Ethernet switch with two SFP ports in 1U rackmount case
MT-RBCSS610-1Gi-7R-2S+OUT	R 2,453	MikroTik outdoor netPower Lite 7R Switch with RouterOS, CSS610-1GI-7R-2S OUT, 64 kb storage size, passive POE, 8x 10/100/1000 Ethernet PORTS, 2x SFP ports
MT-RBCSS610-8G-2S+IN	R 2,084	MikroTik CSS610-8G-2S IN Cloud Smart 8x Gigabit Switch & 2x SFP , 8x 1 Gigabit Ethernet ports, 2x SFP ports for 10G Fibre connectivity, PSU, Rack Mount, SwitchOS, 64 kb storage size, Passive PoE
MT-RBCSS610-8P-2S+IN	R 3,761	MikroTik 8x Gigabit PoE & 2x SFP cages Cloud Smart Switch, CSS610-8P-2S IN, SwitchOS Lite Operating System, 8 10/100/1000 Ethernet Ports with PoE-out, 2x SFP Ports, 140W total Output Power
MT-RBCSS610-8P-2S+OUT	R 3,318	MikroTik netPower Lite 8P 8x PoE Output 2x SFP Integrated UPS Outdoor Switch, CSS610-8P-2S OUT, SwOS Lite Operating System, 64 KB storage size, 3 DC inputs, 8x Gigabit PoE-out Ports, 802.3af/at PoE out, 2x Gigabit SFP Fibre Ports
MT-RBE50UG	R 1,018	MikroTik hEX refresh 5 port Gigabit Switch, E50UG, RouterOS V7 Operating System, Dual Core CPU, 512 MB RAM, 128 MB storage size, DC jack / PoE-in, 5x Gigabit Ethernet Ports, USB Port
NET-LS1005	R 96	TP-Link LS1005 5-Port 10/100Mbps Desktop Switch
NET-LS1005G	R 179	TP-Link LS1005G 5-Port 10/100/1000Mbps Desktop Switch
NET-LS1008	R 119	TP-Link LS1008 8-Port 10/100Mbps Desktop Switch
NET-LS1008G	R 276	Tp-link LS1008G 8-port Gigabit Desktop Switch
NET-LS105G	R 209	Tp-link LS105G 5-port Gigabit Desktop Switch
NET-LS108G	R 321	TP-Link LS108G 8-Port 10/100/1000Mbps Desktop Switch
NET-LS108GP	R 672	TP-Link with 8 Port PoE 8 Port Gigabit Desktop swirch with 8 Port PoE , 8x Gigabit RJ45 Ports (Ports 1-8 supports 802.3af/at PoE), Fanless, 62 W PoE budget, Ports 1-8 up to 30 W PoE Output per Port, 16 Gbps switching capacity
NET-MER-MS105	R 89	Mercusys MS105 5-port Fe Ethernet Desktop Switch
NET-MER-MS105G	R 119	Mercusys MS105G 5-Port 10/100/1000 Mbps Desktop Switch

NET-MER-MS105GP	R 328	Mercusys MS105gp 5 port Gigabit Desktop Switch with 4 port PoE , Long-Range up to 250 m, 65W PoE budget, PoE Power up to 30 W for each PoE Port, 5x Gigabit Ports
NET-MER-MS105GS	R 126	Mercusys MS105GS 5 port Gigabit Desktop Switch, 5x Gigabit Ethernet Ports
NET-MER-MS106LP	R 276	Mercusys MS106lp 6 Port Desktop Switch with 4 port PoE , 40W PoE Power budget, PoE Power up to 30W for each PoE Port, 2x Uplink Ports, 6x 10/100 Mbps Ports
NET-MER-MS108	R 104	Mercusys MS108 8-port FE Ethernet Desktop Switch
NET-MER-MS108G	R 186	Mercusys MS108G 8-Port 10/100/1000 Mbps Desktop Switch
NET-MER-MS108GP	R 426	Mercusys MS108GP 8 Port Gigabit Desktop Switch with 7-port PoE , 65 W PoE Power budget, Desktop / Wall Mount, PoE Power up to 30 W for each PoE Port, Long-Range up to 250 m
NET-MER-MS108GS	R 209	Mercusys MS108GS 8 Port Gigabit Desktop Switch, 8x Gigabit Ethernet Ports
NET-MER-MS110GMP	R 672	Mercusys MS110GMP 10 Port Gigabit Desktop Switch with 8 Port PoE , 8x Gigabit PoE Ports, 2x Gigabit RJ45 Ports, Total Power budget of 111 W, Up to 250 m Data and Power transmission range under extend mode, Fanless Design
NET-MER-MS110P	R 366	Mercusys MS110P 10 Port Desktop Switch with 8 Port PoE , PoE Power up to 30 W for each PoE, 65 W PoE Power budget, 10x 10/100 Mbps Ports, Desktop / Wall Mount
NET-MER-MS128GP	R 1,981	Mercusys MS128GP 28-port Gigabit Rackmount Switch with 24 Port PoE , Ports 1-24 PoE Ports up to 30 W per Port, 295 W PoE Power budget, 24x Gigabit PoE RJ45 Ports, 2x Gigabit RJ45 Ports, 2x Gigabit SFP slots, 2 fans, 56 Gbps switching capacity
NET-MET-MS116GS	R 598	Mercusys MS116GS 16 port Gigabit Desktop / Rackmount Switch, 16x Gigabit RJ45 Ports, 32 Gbps switching capacity
NET-TL-DS108G	R 403	TP-Link Omada 8 Port Gigabit Desktop Switch, 8x Gigabit RJ45 Ports, Fanless
NET-TL-ES205GP	R 598	TP-Link Omada 5 port Gigabit Easy Managed Switch with 4 port PoE , ES205GP, Fanless, 4x Gigabit PoE Ports, 65 W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 10 Gbps switching capacity
NET-TL-ES206GP	R 635	TP-Link ES206GP Omada 6 Port Gigabit Easy Managed Switch with 4 port PoE , 6x Gigabit RJ45 Ports (Ports 1-4 support 802.3af PoE and 802.3at PoE), Fanless, 65W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 12 Gbps switching capacity
NET-TL-ES208G	R 373	TP-Link ES208G Omada 8 Port Gigabit Easy Managed L2 Switch, 8x Gigabit RJ45 Ports, Fanless, 16 Gbps switching capacity, Durable Metal casing
NET-TL-ES210GMP	R 1,346	TP-Link Omada 10 Port Gigabit Easy Managed Switch with 8 Port PoE , ES210GMP, 8x Gigabit PoE RJ45 Ports, 123W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 1x Gigabit RJ45 Port, 1x Gigabit SFP/RJ45 Combo Port, Fanless, 20 Gbps switching capacity
NET-TL-ES216G	R 1,046	TP-Link ES216G Omada 16 port Gigabit Easy Managed Switch, 16x Gigabit RJ45 Ports, Fanless, Rackmountable, 32 Gbps switching capacity
NET-TL-ES220GMP	R 2,542	TP-Link Omada 20-port Gigabit Easy Managed Switch with 16 port PoE , ES220GMP, 16x Gigabit Mbps PoE RJ45 Ports, 250W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 2x Gigabit RJ45 Port, 2x Gigabit SFP slot, 40 Gbps switching capacity, 2 fans, Rackmountable
NET-TL-ES224G	R 1,495	Reyee 24 Port Gigabit Smart Managed Layer 2 Switch, RG-ES224GC-V2, 24x Gigabit Ethernet Ports, 48 Gbps switching capacity, Fanless
NET-TL-ES228GMP	R 3,739	TP-Link Omada 28-port Gigabit Easy Managed Switch with 24 Port PoE , ES228GMP, 24x Gigabit PoE RJ45 Ports, 2x Gigabit RJ45 Port, 2x Gigabit SFP slot, 2 fans, Rackmountable, 384W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 56 Gbps switching capacity
NET-TL-IES208G	R 1,869	TP-Link Omada IES208G 8-Port Gigabit Industrial Easy Managed Switch; 6 x 10/100/1000 Mbps RJ45; 2 x Gigabit RJ45/SFP combo; 16 Gbps switching capacity; 11.9 Mpps forwarding; IP40 aluminum casing; -40 to 75 degrees C; 9.6-60V DC redundant power; VLAN; QoS; STP/RSTP; DIN rail and wall mounting
NET-TL-IES210GPP	R 2,842	TP-Link IES210GPP Omada 10 Port Gigabit Industrial Easy Managed Switch with 6 Port PoE & 2-port PoE , 2x Gigabit PoE RJ45 Ports, 6x Gigabit PoE RJ45 Ports, 2x Gigabit SFP/RJ45 Combo slots, Fanless, DIN-Rail mounting, Wall Mounting, 12-57V 1 1 Redundant DC Power Input, 2 PoE Ports up to 60W per Port, 6 PoE Ports up to 30W per Port, 240W Max PoE budget, 20 Gbps switching capacity
NET-TL-RP108GE	R 560	TP-Link TL-RP108GE 8-Port Gigabit Managed Reverse PoE Switch; 7 x passive PoE-in ports; 1 x passive

		PoE-out port; 24 V or 48 V passive PoE; 5 V/12 V DC output; 16 Gbps switching capacity; VLAN; QoS; IGMP Snooping; 158 x 99.1 x 25 mm
NET-TL-SF1005D	R 119	TP-Link TL-SF1005D 5-Port 10/100Mbps Desktop Switch
NET-TL-SF1005LP	R 508	TP-Link TL-SF1005LP 5-Port 10/100Mbps Desktop PoE Switch with 4-Port PoE
NET-TL-SF1005P	R 484	TP-Link TL-SF1005P 5-Port 10/100Mbps Desktop Switch with 4-Port PoE
NET-TL-SF1008D	R 134	TP-Link TL-SF1008D 8-Port 10/100Mbps Desktop Switch
NET-TL-SF1008P	R 686	TP-Link TL-SF1008P 8-Port 10/100Mbps Desktop Switch with 4-Port PoE
NET-TL-SF1016	R 686	TP-Link TL-SF1016 16-Port 10/100Mbps Rackmount Switch
NET-TL-SF1016D	R 351	TP-Link TL-SF1016D 16-Port 10/100Mbps Desktop Switch
NET-TL-SF1024D	R 710	TP-Link TL-SF1024D 24-port 10/100Mbps Desktop/Rackmount Switch
NET-TL-SG1005D	R 201	TP-Link TL-SG1005D 5-Port Gigabit Desktop Switch
NET-TL-SG1005LP	R 524	TP-Link TL-SG1005LP 5-Port Gigabit Desktop Switch with 4-Port PoE
NET-TL-SG1008	R 635	TP-Link TL-SG1008 8 Port Gigabit Desktop / Rackmount Switch, 8x Gigabit RJ45 Ports, Fanless, 13" or 19" Rack mountable, 16Gbps switching capacity
NET-TL-SG1008D	R 321	TP-Link TL-SG1008D 8-Port Gigabit Desktop Switch
NET-TL-SG1008MP	R 1,645	TP-Link TL-SG1008MP 8-Port Gigabit Desktop/Rackmount Switch with 8-Port PoE
NET-TL-SG1008P	R 747	TP-Link TL-SG1008P 8-Port Gigabit Desktop Switch with 4-Port PoE, 8 Gigabit RJ45 ports including 4 PoE ports, 53W PoE Power supply, steel case
NET-TL-SG1016	R 972	TP-Link TL-SG1016 16-Port Gigabit Rackmount Switch
NET-TL-SG1016D	R 897	TP-Link TL-SG1016D 16-Port Gigabit Desktop/Rackmount Switch
NET-TL-SG1016DE	R 1,121	TP-Link TL-SG1016DE 16-Port Gigabit Easy Smart Switch
NET-TL-SG1016PE	R 1,944	TP-Link TL-SG1016PE 16-Port Gigabit Easy Smart PoE Switch with 8-Port PoE
NET-TL-SG1024	R 1,420	TP-Link TL-SG1024 24-Port Gigabit Rackmount Switch
NET-TL-SG1024D	R 1,308	TP-Link TL-SG1024D 24-Port Gigabit Desktop/Rackmount Switch
NET-TL-SG1024DE	R 1,495	TP-Link TL-SG1024DE 24-Port Gigabit Easy Smart Switch
NET-TL-SG1048	R 4,113	TP-Link TL-SG1048 48-Port Gigabit Rackmount Switch
NET-TL-SG105	R 246	TP-Link TL-SG105 5-Port 10/100/1000Mbps Desktop Switch
NET-TL-SG105-M2	R 710	TP-Link TL-SG105-M2 5-Port 2.5G Desktop Switch
NET-TL-SG105E	R 298	TP-Link 5-Port Gigabit Desktop Easy Smart Switch, 5 10/100/1000Mbps RJ45 ports, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping
NET-TL-SG105S	R 246	TP-Link TL-SG105S 5-Port 10/100/1000Mbps Desktop Switch, 5 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting, Auto-MDI/MDIX, Green Ethernet technology saves power consumption, IEEE 802.3x flow control provides reliable data transfer, Steel housing, desktop or wall-mounting design, Support 802.1p/DSCP QoS and IGMP Snooping function, Plug and play, no configuration needed
NET-TL-SG108	R 373	TP-Link TL-SG108 8-Port 10/100/1000Mbps Desktop Switch
NET-TL-SG108-M2	R 1,046	TP-Link TL-SG108-M2 8-Port 2.5G Desktop Switch
NET-TL-SG108E	R 470	TP-Link TL-SG108E 8-Port Gigabit Easy Smart Switch
NET-TL-SG108PE	R 807	TP-Link TL-SG108PE 8-Port Gigabit Easy Smart Switch with 4-Port PoE
NET-TL-SG108S	R 373	TP-Link TL-SG108S 8-Port 10/100/1000Mbps Desktop Network Switch, 8 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX, Green Ethernet technology saves power consumption, IEEE 802.3x flow control provides reliable data transfer, Steel housing, desktop or wall-mounting design, Support 802.1p/DSCP QoS and IGMP Snooping function, Plug and play, with no configuration needed
NET-TL-SG116	R 822	TP-Link TL-SG116 16-Port Gigabit Desktop Switch
NET-TL-SG1210MPE	R 1,776	TP-Link TP-SG1210MPE 10 Port Gigabit easy Smart Switch with 8 Port PoE , 9x 10/100/1000 Mbps RJ45 Ports, 1x 1000 Mbps combo SFP/RJ45 Port, Fanless, Standard 802.3 AF/at compliant, Port 1 - Port 8 PoE Ports, 123 W PoE power budget, 20 Gbps switching capacity, Up to 30 W for each Port
NET-TL-SG1210P	R 1,196	TP-Link TL-SG1210P 10-Port Gigabit Desktop Switch with 8-Port PoE
NET-TL-SG1218MPE	R 3,066	TP-Link TL-SG1218MPE JetStream 16-Port Gigabit Easy Smart PoE Switch with 2 SFP Slots
NET-TL-SG2005P-PD	R 1,533	TP-Link SG2005P-PD Omada 5 port Gigabit Smart Switch with 1-port PoE in and 4 port PoE out, 1x Gigabit

		RJ45 PoE in Ports, 4x Gigabit RJ45 PoE out Ports, Fanless, Obtain Power from 802.3af/at/bt PoE source, PoE Power budget up to 64W, 10 Gbps switching capacity
NET-TL-SG2008P	R 1,346	TP-Link TL-SG2008P JetStream 8 Port Gigabit Smart Switch with 4 port PoE , 8 x 10/100/1000 Mbps RJ45 Ports (Ports 1-4 support 802.3at/af PoE), Fanless, 62 W PoE budget
NET-TL-SG2210MP	R 2,468	TP-Link TL-SG2210MP JetStream 10-Port Gigabit Smart Switch with 8-Port PoE
NET-TL-SG2210P	R 1,570	TP-Link TL-SG2210P 8-Port Gigabit Smart PoE Switch with 2 SFP Slots
NET-TL-SG2210XMP-M2	R 3,739	TP-Link Omada SG2210XMP-M2 8 Port 2.5Gbps & 2 Port 10GE SFP Smart Switch with 8 Port PoE , 8x 2.5Gbps RJ45 PoE Ports, 2x 10Gbps SFP slots, Fanless, 160 W PoE Power budget, 80 Gbps switching capacity
NET-TL-SG2218	R 2,243	TP-Link TL-SG2218 JetStream 16-Port Gigabit Smart Switch with 2 SFP Slots
NET-TL-SG2218P	R 3,410	TP-Link TL-SG2218P JetStream 18-port Gigabit Smart Switch with 16 port PoE , 16 x Gigabit RJ45 PoE Ports, 150 W PoE Power budget, 2x Gigabit SFP slots, Rack mountable, 36 Gbps switching capacity
NET-TL-SG2428P	R 4,188	TP-Link TL-SG2428P JetStream 28-Port Gigabit Smart Switch with 24-Port PoE
NET-TL-SG3210	R 1,533	TP-Link JetStream 8 Port Gigabit L2 managed Switch with 2x SFP slots, TL-SG3210, 8x Gigabit RJ45 Ports, 2x Gigabit SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable / Desktop mounting, 20 Gbps switching capacity
NET-TL-SG3210XHP-M2	R 4,487	TP-Link TL-SG3210XHP-M2 JetStream 8-Port 2.5GBASE-T and 2-Port 10GE SFP L2 Managed Switch with 8-Port PoE
NET-TL-SG3428	R 3,066	TP-Link TL-SG3428 JetStream 24-Port Gigabit L2 Managed Switch with 4 SFP Slots
NET-TL-SG3428MP	R 5,235	TP-Link TL-SG3428MP JetStream 28-Port Gigabit L2 Managed Switch with 24-Port PoE
NET-TL-SG3428X	R 3,664	TP-Link TL-SG3428X JetStream 24-Port Gigabit L2 Managed Switch with 4 10GE SFP Slots
NET-TL-SG3428XF	R 7,778	TP-Link SG3428XF JetStream 24 Port SFP L2 managed Switch with 4x 10GE SFP slots, 20x Gigabit SFP Ports, 4x Gigabit SFP/RJ45 combo Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 1 fan, Dual reduant Power supplies, Rack mountable, 128 Gbps switching capacity
NET-TL-SG3428XMP	R 6,357	TP-Link TL-SG3428XMP JetStream 24-Port Gigabit and 4-Port 10GE SFP L2 Managed Switch with 24-Port PoE
NET-TL-SG3428XPP-M2	R 9,723	TP-Link TL-SG3428XPP-M2 JetStream 24 Port 2.5gps & 4 port 10GE SFP L2 Managed PoE Switch with 16 port PoE & 8 Port PoE , 24x 2.5 Gbps RJ45 Ports, 4x 10G SFP slots, 3x fans, 500 W Power budget, Rack mountable, 200 Gbps switching capacity, 8 Ports up to 60W per Port PoE Ports, 16 Ports up to 30 W per Port PoE Ports
NET-TL-SG3452	R 5,497	TP-Link TL-SG3452 JetStream 48-port Gigabit L2 Managed Switch, 48x 10/100/1000Mbps RJ45 Ports, 4x Gigabit SFP slots, Fanless, Rack mountable, 104 Gbps switching capacity
NET-TL-SG3452P	R 8,975	TP-Link JetStream 52-port Gigabit L2 managed Switch with 48-port PoE , 48 x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 1x Micro-USB Console Port, 1x RJ45 Console Port, 3 fans, 48 PoE Ports up to 30 W per Port, 384 W Power budget, Rack mountable, TL-SG3452P
NET-TL-SG3452XP	R 11,219	TP-Link TL-SG3452XP JetStream 48-port Gigabit L2 managed Switch, 48 x 10/100/1000 Mbps RJ45 PoE Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 3 fan, 48 Ports PoE Ports, Up to 30 W per Port, 500 W Power budget, Rack mountable, 176 Gbps switching capacity
NET-TL-SG5452XMPP	R 14,959	TP-Link Omada SG5452XMPP 48-Port Gigabit Stackable Lite L3 Managed PoE Switch with 4x 10G Slots; 8 x PoE ports up to 90W; 40 x PoE ports up to 30W; 770W PoE budget; 4 x 1/10G SFP slots; Lite L3 routing; physical stacking up to 4 units; 176 Gbps switching capacity; Omada SDN management; rackmount; 440 x 330 x 44mm; 5.7kg
NET-TL-SG6428XHP	R 20,195	TP-Link SG6428XHP Omada 24 Port Gigabit stackable L3 Managed PoE Switch with 4x 10G slots, 24x Gigabit PoE RJ45 Ports, 4x 10G SFP slots, 2x USB 2.0 Ports, Four field-replaceable and Hot-Swappable fans, Up to 720 W PoE Power budget, Up to 30 W per Port PoE Ports, Rackmountable
NET-TL-SL1226P	R 3,392	TP-Link NET-TL-SL1226P 24-Port 10/100Mbps 2-Port Gigabit Unmanaged PoE Switch
NET-TL-SL1311MP	R 1,453	TP-Link TL-SL1311MP 8-Port 10/100Mbps 3-Port Gigabit Desktop Switch with 8-Port PoE
NET-TL-SX1008	R 5,534	TP-Link TL-SX1008 8-Port 10G Desktop/Rackmount Switch
NET-TL-SX3008F	R 3,889	TP-Link TL-SX3008F JetStream 8 Port 10GE SFP L2 managed Switch, 8x 10GE SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable, 160 Gbps switching capacity
NET-TL-SX3016F	R 8,227	TP-Link JetStream 16-port 10GE SFP L2 managed Switch, 16x 10GE SFP slots, 1x RJ45 Console Port, 1x

		Micro-USB Console Port, 1x fan, Rack mountable, 320 Gbps switching capacity, TL-SX3016F
NGI-S04C2	R 5,198	Eaton Tripp Lite series 4-Port Lite Managed Industrial Gigabit Ethernet Switch - 10/100/1000 Mbps, 2 GbE SFP Slots, -10Â° to 60Â°C, DIN Mount, TAA, Order on Request
NS-ST3105GC	R 196	Netis ST3105GC 5 Port Gigabit Ethernet Switch, 5x 10/100/1000M RJ45 Ports
NS-ST3108GC	R 196	Netis ST3108GC 8 Port Gigabit Ethernet Switch, 16Gbps switching fabric capacity, 8x 10/100/1000M RJ45 Ports
NS-ST3116GS	R 253	Netis ST3116GS 16 port Gigabit Ethernet rackmount Switch, 16x 10/100/1000M RJ45 Port
NS4	R 707	Ubiquiti NS-W Nanoswitch Outdoor 4x Gigabit Ethernet with 3x POE Out, Passive 24V PoE-in PoE Interfaces, 24W per port / Total 36W for three ports, 4x 10/100/1000 Mbps Ethernet RJ45
NTX-WS-12250-AC	R 12,529	Netonix 12 Port managed 250W passive AC PoE Switch 2 SFP uplink ports, Supports 24V & 48V passive PoE, Both 2-pair and 4-pair, 220V AC Input, WS-12-250-AC, 12x 10/100/1000 Ethernet ports, 2x SFP ports
NTX-WS-12250-DC	R 13,516	Netonix 12 Port managed 250W DC PoE Switch 2 SFP uplink ports, SMART DC power supply 9V to 72V DC variable input while providing uninterrupted 24V and 48V POE
NTX-WS-26400-IDC	R 23,271	Netonix WS-26-400-IDC 24 Port Managed 400W DC POE Switch 2 SFP Uplink Ports, ISOLATED DC power supply 32V to 72V DC variable input while providing uninterrupted 24V and 48V POE
NTX-WS-8150-DC	R 8,873	Netonix WS-8-15-DC 6 Port Managed 150W DC POE Switch 2 SFP Uplink Ports, SMART DC power supply 9V to 72V DC variable input while providing uninterrupted 24V and 48V POE
P106GC	R 718	Netis P106GC 6 Port Gigabit PoE Switch, 4x Gigabit PoE Ports, 1x Gigabit Uplink RJ45 Port, 1x Gigabit SFP Port, 68W for All PoE Ports, 30W for each PoE Port
P110GC	R 804	Netis P110GC 8GbE 2GbE Gigabit PoE Switch, 8x 10/100/1000 Mbps PoE Ports (Data/power), 2x 10/100/1000mbpsuplink RJ45 Ports (Data), Supports PoE power up to 30W for each PoE Port, 100W for All PoE Ports
QSW-308S	R 3,565	QNap QSW-308S 3x 10GbE SFP & 8x Gigabit Ports Unmanaged Switch, 3x 10GbE SFP , 8x 1GbE RJ45, 76Gbps switching capacity, Fanless
RB-260GS	R 707	MikroTik RouterBOARD 260GS 5 port Gigabit Switch with SFP Port, 5x Gigabit LAN, 1x SFP Port, Switch OS, 24V PoE (Case and PSU Included), Passive PoE in
RB-260GSP	R 914	MikroTik RouterBOARD 260GSP 5 port POE Gigabit Switch with SPF Port, 5x Gigabit LAN, 1x SFP Port, Switch OS, PoE Out, 24V PoE, Case and PSU Included
RB-4011SRM	R 3,536	MikroTik RB4011iGS RM - Router with 10x Gigabit ports and 1x SFP port, AL21400 1400 MHz Quad Core CPU, 1 GB RAM, 512 MB Storage size, RouterOS L5, Passive PoE 18-57 V, 10x 10/100/1000 Ethernet ports, 1x SFP port, RB4011iGS RM
RB-CCR2004P	R 7,504	MikroTik CCR2004-16G-2S 16x Gigabit Ethernet & 2x 10G SFP Ports router, 1x USB Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 1700 MHz Quad Core CPU, 2 AC inputs, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports
RB-CCR2004PC	R 7,469	MikroTik CCR2004-16G-2S PC 16x Gigabit Ethernet Ports & 2x 10G SFP Ports Switch, 1x RJ45 Serial Console Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 4 Core CPU, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports
RB-CCR2004SP	R 9,603	MikroTik 12x 10G SFP & 2x 25G SFP28 ports Switch, Serial Port, RJ45, Arm 64bit, L6, 4GB RAM, 128 MB storage, CCR2004-1G-12S 2xs, RouterOS L6, 2x AC inputs, 12x SFP ports, 2x 25G SFP28 ports
RB-CCR2116P	R 16,094	MikroTik CCR2116 4x 10G SFP & 13x 1g Ethernet & 1x M.2 slot Switch, CCR2116-12g-4s, 16 Core CPU, RouterOS license L6, RouterOS Operating System, 16GB RAM, 128 MB storage size, 2 AC inputs, 13x 10/100/1000 Ethernet Ports, 4x SFP Ports, RJ45 Serial Console Port, 1x M.2 slots, CCR2116-12G-4S
RB-CCR2216SP	R 45,074	MikroTik Cloud Core 12x 25G SFP28 & 2x 100G QSFP28 Port Router, CCR2216-1G-12XS-2XQ, RouterOS license 6, RouterOS 7 Operating System, 16GB RAM, 128 MB storage size, 2 AC inputs, 1x 10/100/1000 Ethernet Ports, 12x number of 25G SFP28 Ports, 2x number of 100G QSFP28 Ports, 2x M.2 slots
RB-CRS106	R 949	MikroTik CRS106-1C-5S Cloud Router Switch, 1x Gigabit Ethernet / SFP combo port, 5x 1.25Gbps SFP cages, Powered by a 400MHz CPU and 128MB RAM, It runs RouterOS with a L5 license
RB-CRS1128P	R 3,444	MikroTik CRS112-8P-4S-IN - 8 Port Gigabit PoE Cloud Router Switch with 4x SFP ports, 400MHz CPU, 128MB RAM, desktop case, RouterOS L5, 802.3af/at PoE out
RB-CRS304XG	R 3,214	MikroTik Cloud Router Switch 4 port 10Gbps with PoE Input, CRS304-4XG-IN, RouterOS V7 Operating System, 32

		MB storage size, 512 MB RAM, 2 cpre 98DX2528 CPU, 4 DC inputs (DC jack / PoE-in / 2 pin Terminal), 1x Gigabit Ethernet Port, 4x 10Gigabit Ethernet Ports
RB-CRS305S	R 2,409	MikroTik CRS305-1G-4S IN 4 port SFP Cloud Router Switch, Dual Boot SwOS/RouterOS, 800 MHz CPU, 512 MB RAM, 16 MB storage, License level 5, 1x 10/100/1000 Ethernet Ports, 4x SFP cages, Switching capacity 82 Gbps, Dual Boot, PoE in, Dual DC jacks
RB-CRS309S	R 4,399	Mikrotik CRS309-1G-8S IN 8 Port SFP Cloud Router Switch
RB-CRS310	R 3,559	MikroTik Cloud Router Switch 8x 2.5Gbps Ethernet & 2x SFP Port Switch, CRS310-8G 2S IN, RouterOS V7 Operating System, RouterOS License 5, 256MB RAM, 32MB storage size, 1 fan, 8x 2.5G Ethernet Ports, 2x SFP Ports
RB-CRS310S	R 3,214	MikroTik Cloud Router Switch 5x SFP & 4x SFP Port, CRS310-1g-5s-4s in, RouterOS license 5, 256 MB RAM, 16 MB storage size, 1x 10/100/1000 Ethernet Ports, 5x SFP Ports, 4x SFP Ports
RB-CRS312	R 11,609	MikroTik Cloud Router Switch - 8x 10Gbps Ethernet ports & 4x SFP ports, CRS312-4C 8xg-rm, 1x 10/100 Ethernet ports, 8x 5G/10G Ethernet ports, 4x combo 10G Ethernet / SFP ports, RJ45 Serial Port, Rackmount 1U
RB-CRS317	R 8,079	MikroTik CRS317-1G-16S RM - Cloud Router Switch Dual boot SwOS / RouterOS, Rack-mountable manageable switch with Layer3 features, 16x SFP ports for high performance 10GbE connectivity and a 1GbE copper port for management
RB-CRS320P	R 8,964	MikroTik 16 port Gigabit PoE Cloud Router Switch, CRS320-8P-8B-4S RM, 98dx226s Dual Core CPU, RouterOS License 5, RouterOS V7 Operating System, 256MB RAM, 32 MB storage size, 2 PSU slots, 3 fans, Ether9-Ether16 (BT) PoE-out Ports, 17 Gigabit Ethernet Ports with 16x with PoE-out, 4x SFP Ports, 600W Max Power consumption
RB-CRS326	R 3,444	MikroTik CRS326-24G-2S RM Cloud Router Switch Dual boot SwOS / RouterOS, 24x port Gigabit Ethernet switch with two SFP ports, SFP cage supports both 1.25Gb SFP and 10Gb SFP modules
RB-CRS328	R 8,769	MikroTik CRS328-24P-4S RM - 24 port Gigabit PoE Cloud Router Switch with 4x SFP ports, 1U rackmount case, 800 MHz CPU, 512 MB Ram, RouterOS / SwitchOS L5, RJ45 Serial port, 500W POE Maximum, 802.3af/at PoE out
RB-CRS328S	R 7,274	MikroTik Smart Switch 28 Port SFP
RB-CRS354Q	R 9,948	MikroTik 48x 1 Gigabit & 4x SFP & 2x QSFP Port Switch, 650MHz CPU, 64MB RAM, Redundant PSU, CRS354-48G-4S 2Q RM, RouterOS L5
RB-CRS354QP	R 17,244	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5
RB-CRS418P	R 7,239	MikroTik Cloud Router Switch 16 port with 8 PoE 150W 2SFP , CRS418-8p-8g-2s rm, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans, 17x Gigabit Ethernet Ports, 8x Gigabit Ethernet Ports with PoE-out, 2x SFP Ports, USB 3.0 Type-A Port, 150W PoE total Output Power
RB-CRS418PAX	R 8,389	MikroTik Cloud Router Switch 16 port with 8 PoE 150W 2SFP WiFi 6, CRS418-8P-8G-2S 5axQ2axQ-RM, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans, Wi-Fi 6, 2400 Mbit/s Wireless 5GHz Max Data rate, 1148 Mbit/s Wireless 2.4GHz Max Data rate, 17x Gigabit Ethernet Ports, 8x Gigabyte Ports with PoE-out, 2x SFP Ports, USB 3.0 Type-A Port, 150W PoE total Output Power
RB-CRS520X	R 35,989	MikroTik 16 port 100G QSFP28 Cloud Router Switch, CRS520-4XS-16XQ-RM, AL52400 Quad Core CPU, 4GB RAM, 128 MB storage size, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans cooling, 2x 10G Ethernet Ports, 4x 25G SFP28 Ports, 16x 100G QSFP28 Ports
RB-CSS318	R 2,271	MikroTik SWoS Cloud Smart Switch 16 port Gigabit & 2 SFP Ports, CSS318-16G-2S IN, 16x Gigabit Ethernet Ports, 2x 10 Gigabit SFP Ports, SWoS Operating System, Passive cooling
RB-CSS326	R 2,818	MikroTik CSS326-24G-2S RM Cloud Smart Switch, SwOS powered 24 port Gigabit Ethernet switch with two SFP ports in 1U rackmount case
RB-CSS610P	R 3,674	MikroTik 8x Gigabit PoE & 2x SFP cages Cloud Smart Switch, CSS610-8P-2S IN, SwitchOS Lite Operating System, 8 10/100/1000 Ethernet Ports with PoE-out, 2x SFP Ports, 140W total Output Power
RB-GPERX6	R 2,294	MikroTik 3 Port Gigabit 3x SFP 154W PoE Outdoor Switch, CSS606-1G-2Gi-3S OUT, SwOS Operating System, DC jack or PoE-in DC inputs, 3x Gigabit Ethernet Ports, 1x 1G Ethernet Ports with Reverse PoE (PoE-in), 2x 1g Ethernet Ports with PoE-out, 3x SFP Fibre Ports

RB-NETPOWER16P	R 4,514	MikroTik netPower 16P 16x PoE ouput ^ 2x SFP outdoor Switch, CRS318-16P-2S OUT, 16x 10/100/1000 Ethernet ports, Pole-mount, RouterOS L5, 802.3af/at PoE Output on ports 1 to 16, 2x 1.25Gbps SFP ports
RB-NETPOWER8P	R 3,214	MikroTik netPower Lite 8P 8x PoE Output 2x SFP Integrated UPS Outdoor Switch, CSS610-8P-2S OUT, SwOS Lite Operating System, 64 KB storage size, 3 DC inputs, 8x Gigabit PoE-out Ports, 802.3af/at PoE out, 2x Gigabit SFP Fibre Ports
RB4011IGS+RM	R 3,555	MikroTik RB4011iGS RM - Router with 10x Gigabit ports and 1x SFP port, AL21400 1400 MHz Quad Core CPU, 1 GB RAM, 512 MB Storage size, RouterOS L5, Passive PoE 18-57 V, 10x 10/100/1000 Ethernet ports, 1x SFP port, RB4011iGS RM
RB4011IGS-RM	R 3,536	MikroTik RB4011iGS RM - Router with 10x Gigabit ports and 1x SFP port, AL21400 1400 MHz Quad Core CPU, 1 GB RAM, 512 MB Storage size, RouterOS L5, Passive PoE 18-57 V, 10x 10/100/1000 Ethernet ports, 1x SFP port, RB4011iGS RM
RBCCR2004-16G-2S+	R 7,504	MikroTik CCR2004-16G-2S 16x Gigabit Ethernet & 2x 10G SFP Ports, 1x USB Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 1700 MHz Quad Core CPU, 2 AC inputs, 16x Gigabit Ethernet Ports, 2x SFP Ports
RBCCR2004-16G-2S+PC	R 7,469	MikroTik 16x Gigabit Ethernet Ports & 2x 10G SFP Ports Switch, 1x RJ45 Serial Console Port, RouterOS license L6, RouterOS Operating System, 4GB RAM, 128 MB storage size, 4 Core CPU, 16x 10/100/1000 Ethernet Ports, 2x SFP Ports, CCR2004-16G-2S PC
RBCCR2004-1G-12S+2XS	R 9,603	MikroTik 12x 10G SFP & 2x 25G SFP28 ports Switch, Serial Port, RJ45, Arm 64bit, L6, 4GB RAM, 128 MB storage, CCR2004-1G-12S 2xs, RouterOS L6, 2x AC inputs, 12x SFP ports, 2x 25G SFP28 ports, CCR2004-1G-12S 2XS
RBCCR2116-12G-4S+	R 16,094	MikroTik CCR2116 4x 10G SFP & 13x 1g Ethernet & 1x M.2 slot Switch, CCR2116-12g-4s, 16 Core CPU, RouterOS license L6, RouterOS Operating System, 16GB RAM, 128 MB storage size, 2 AC inputs, 13x 10/100/1000 Ethernet Ports, 4x SFP Ports, RJ45 Serial Console Port, 1x M.2 slots, CCR2116-12G-4S
RBCCR2216-1G-12XS-2XQ	R 45,189	MikroTik 2x 100G QSFP28 & 12x 25G SFP28 & 1x 1GbE Ethernet Port Switch, 2 GHz 16 Core CPU, 16GB RAM, 128 MB storage size, RouterOS 7, 2x M.2 PCI-e slot, 1x 10/100/1000 Ethernet Port, 12x 25G SFP28 Ports, 2x 100G QSFP28 Ports, CCR2216-1G-12XS-2XQ
RBCRS112-8P-4S-IN	R 3,444	MikroTik 8 Port Gigabit PoE Cloud Router Switch with 4x SFP Ports, 400MHz CPU, 128MB RAM, Desktop case, RouterOS L5, 802.3af/at PoE out, CRS112-8p-4s-in
RBCRS305-1G-4S+IN	R 2,409	MikroTik CRS305 4x SFP Cloud Router Switch, Dual boot SwOS/RouterOS, 800 MHz CPU, 512 MB RAM, 16 MB Storage, License level 5, 1x 10/100/1000 Ethernet ports, 4x SFP cages, Switching capacity 82 Gbps, Dual boot, POE in, Dual DC jacks, CRS305-1G-4S IN
RBCRS317-1G-16S+RM	R 8,079	MikroTik 1x Gigabit LAN & 16x SFP cages Cloud Router Switch, CRS317-1G-16S RM, Dual Core 800MHz CPU, 1GB RAM, 16 MB storage size, Dual Power supplies, RouterOS License 6, RouterOS / SwitchOS Operating System, 1x 10/100/1000 Ethernet Ports, 16X SFP Ports, RJ45 Serial Console Port
RBCRS318-16P-2S+OUT	R 4,514	MikroTik netPower 16P 16x PoE ouput 7 2x SFP outdoor Switch, CRS318-16P-2S OUT, 16x 10/100/1000 Ethernet ports, Pole-mount, RouterOS L5, 802.3af/at PoE Output on ports 1 to 16, 2x 1.25Gbps SFP ports
RBCRS326-24G-2S+RM	R 3,444	MikroTik Cloud Router Switch Dual boot SwOS / RouterOS, 24x port Gigabit Ethernet switch with two SFP ports, SFP cage supports both 1.25Gb SFP and 10Gb SFP modules, CRS326-24G-2S RM
RBCRS326-24S+2Q+RM	R 9,769	MikroTik 24 Port SFP & 2x QSFP Port Cloud Router Switch, CRS326-24s 2q rm, QCA9531 CPU, RouterOS License 5, RouterOS V7 / SwitchOS Operating System, 64 MB RAM, 16 MB storage size, 2 AC inputs, 3 fans, 1x 10/100 Ethernet Ports, 24x SFP Ports, 2x 40G QSFP Ports
RBCRS328-24P-4S+RM	R 8,769	MikroTik 24 port Gigabit PoE Cloud Router Switch with 4x SFP ports, 1U rackmount case, 800 MHz CPU, 512 MB Ram, RouterOS / SwitchOS L5, RJ45 Serial port, 500W POE Maximum, 802.3af/at PoE out, CRS328-24P-4S RM
RBCRS328-4C-20S-4S+RM	R 7,274	MikroTik 20x SFP Cloud Router Switch with 4 ETH/SFP combo ports and 4 SFP ports, Dual boot, Throughput 64 Gbps, Switching Capacity 128 Gbps, RouterOS L5, 800 MHz CPU, 512 MB RAM, CRS328-4C-20S-4S RM
RBCRS354-48G-4S+2Q+RM	R 9,948	MikroTik 48x 1 Gigabit & 4x SFP & 2x QSFP Port Switch, 650MHz CPU, 64MB RAM, Redundant PSU, CRS354-48G-4S 2Q RM, RouterOS L5
RBCRS354-48P-4S+2Q+RM	R 15,525	MikroTik CRS354-48G-4S 2Q RM 48x Gigabit PoE & 4x SFP & 2x QSFP ports Switch, 650MHz CPU, 64MB RAM, Redundant PSU, 750W PoE , RouterOS L5

RBCRS418-8P-8G-2S+5AXQ2AX	R 7,991	MikroTik Cloud Router Switch 16 port with 8 PoE 150W 2SFP WiFi 6, CRS418-8P-8G-2S 5axQ2axQ-RM, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans, Wi-Fi 6, 2400 Mbit/s Wireless 5GHz Max Data rate, 1148 Mbit/s Wireless 2.4GHz Max Data rate, 17x Gigabit Ethernet Ports, 8x Gigabyte Ports with PoE-out, 2x SFP Ports, USB 3.0 Type-A Port, 150W PoE total Output Power
RBCRS418-8P-8G-2S+RM	R 5,859	MikroTik Cloud Router Switch 16 port with 8 PoE 150W 2SFP , CRS418-8p-8g-2s rm, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans, 17x Gigabit Ethernet Ports, 8x Gigabit Ethernet Ports with PoE-out, 2x SFP Ports, USB 3.0 Type-A Port, 150W PoE total Output Power
RBCRS520-4XS-16XQ-RM	R 35,989	MikroTik 16 port 100G QSFP28 Cloud Router Switch, CRS520-4XS-16XQ-RM, AL52400 Quad Core CPU, 4GB RAM, 128 MB storage size, RouterOS License 5, RouterOS V7 Operating System, 2 AC inputs, 4 fans cooling, 2x 10G Ethernet Ports, 4x 25G SFP28 Ports, 16x 100G QSFP28 Ports
RBCSS106-1G-4P-1S	R 914	MikroTik RB260gsp 5x Gigabit PoE out Ethernet Smart Switch, (RBCSS106-1G-4P-1S, MikroTik SwOS Operating System, 2 DC inputs, Passive PoE PoE in, 5x Gigabit Ethernet Ports, 1x SFP Ports
RBCSS326-24G-2S+RM	R 2,616	MikroTik 24 Port Gigabit Ethernet with 2x SFP Ports Cloud Smart Switch - 1U, 24x 10/100/1000 Ethernet Ports, 2x SFP Ports SwOS Operating System, CSS326-24G-2S RM
RBCSS606-1G-2GI-3S+OUT	R 4,514	MikroTik 3 Port Gigabit 3x SFP 154W PoE Outdoor Switch, CSS606-1G-2Gi-3S OUT, SwOS Operating System, DC jack or PoE-in DC inputs, 3x Gigabit Ethernet Ports, 1x 1G Ethernet Ports with Reverse PoE (PoE-in), 2x 1g Ethernet Ports with PoE-out, 3x SFP Fibre Ports
RBCSS610-1GI-7R-2S+OUT	R 2,667	MikroTik outdoor netPower Lite 7R Switch with RouterOS, CSS610-1GI-7R-2S OUT, 64 kb storage size, passive POE, 8x 10/100/1000 Ethernet PORTS, 2x SFP ports
RBCSS610-8G-2S+IN	R 1,926	MikroTik CSS610-8G-2S IN Cloud Smart 8x Gigabit Switch & 2x SFP , 8x 1 Gigabit Ethernet ports, 2x SFP ports for 10G Fibre connectivity, PSU, Rack Mount, SwitchOS, 64 kb storage size, Passive PoE
RBCSS610-8P-2S+IN	R 3,674	MikroTik 8x Gigabit PoE & 2x SFP cages Cloud Smart Switch, CSS610-8P-2S IN, SwitchOS Lite Operating System, 8 10/100/1000 Ethernet Ports with PoE-out, 2x SFP Ports, 140W total Output Power
RBCSS610-8P-2S+OUT	R 3,214	MikroTik netPower Lite 8P 8x PoE Output 2x SFP Integrated UPS Outdoor Switch, CSS610-8P-2S OUT, SwOS Lite Operating System, 64 KB storage size, 3 DC inputs, 8x Gigabit PoE-out Ports, 802.3af/at PoE out, 2x Gigabit SFP Fibre Ports
RBE50UG	R 949	MikroTik hEX refresh 5 port Gigabit Switch, E50UG, RouterOS V7 Operating System, Dual Core CPU, 512 MB RAM, 128 MB storage size, DC jack / PoE-in, 5x Gigabit Ethernet Ports, USB Port
RCH240	R 9,737	Yealink RCH240 24x Gigabit & 4x SFP Port L2 Web Managed PoE Switch, Up to 370W PoE/PoE Power budget, Av-oriented features including igmp snooping and VLAN, Designed for AV Networking in Large or divisible Meeting Rooms, 24x Gigabit PoE Ports, 4x Gigabit SFP Fiber Ports, 56Gbps switching capacity
RCH80	R 4,868	Yealink RCH80 8 Gigabit Port & 2x SFP Fiber Ports L2 Web Managed PoE Switch, 20Gbps switching capacity, 8x Gigabit PoE Ports, 2x Gigabit SFP Fiber Ports, 130W PoE Power
RG-CS86-20XS4VS2QXS-D	R 27,024	Ruijie RG-CS86-20XS4VS2QXS-D 26 Port Fibre Layer 3 Cloud-Managed Switch, 20x 10G SFP Ports supporting 1/2.5/10G speeds, 4x 25G SFP28 Ports operating at 10 or 25G, 2x 40G QSFP Uplink interfaces, Delivers 760 Gbps switching capacity for High-Performance routing, Provides 570 Mpps Packet forwarding rate
RG-ES05	R 861	Reyee ES05 5 port 10/100 Switch, RG-ES05, 5x 10/100 Mbit Base-T Ports, 1Gbps Backplane Bandwidth, Fanless
RG-ES08F	R 2,329	Reyee 8 Port 10/100 Mbps Unmanaged non-PoE Layer 2 Switch, RG-ES08F, 8x Ethernet RJ45 Ports, 1.6 Gbps switching capacity
RG-ES206GP	R 748	Reyee 6 Port Gigabit Smart Cloud Managed PoE Switch, RG-ES206GS-P, 6x Gigabit Ports, 1x Combo Gigabit SFP Port, 4x PoE Ports, 54W Maximum PoE budget, 12 Gbps switching capacity
RG-ES206GS-P	R 742	Reyee 6 Port Gigabit Smart Cloud Managed PoE Switch, RG-ES206GS-P, 6x Gigabit Ports, 1x Combo Gigabit SFP Port, 4x PoE Ports, 54W Maximum PoE budget, 12 Gbps switching capacity
RG-ES206MG-P	R 1,144	Reyee RG-ES206MG-P 5 port 2.5Gbps PoE Switch with 10G Uplink - Smart Cloud Managed, 5x 2.5Gbps RJ45 Ports, 1x 10GE SFP Ports, 4x PoE/PoE out Ports, 70 W PoE budget, 45 Gbps switching capacity
RG-ES206MGP	R 1,144	Reyee 5 port 2.5Gbps with 4 PoE 70W & 1x SFP Port Smart Managed Switch, RG-ES206MG-P, 5x 2.5Gbps Ports with 4 PoE/PoE out Ports, 70 W PoE budget, Layer 2 Switch
RG-ES207GS-AC-OD	R 1,489	Ruijie Reyee Outdoor 7-port Gigabit Outdoor Smart Managed PoE Switch, RG-ES207GS-AC-OD, 4x Gigabit RJ45 Ports with PoE support and a 60W Power budget, 2 x 1G SFP Optical Ports for Fiber Uplink or ERPS Ring

		topologies, Switching capacity of 14 Gbps with a forwarding rate of 10.42 Mpps, IP65 Weatherproof and IK10 Vandal-proof enclosure, Accepts direct AC Power Input between 100V and 240V via internal Terminal Block
RG-ES207GS-P	R 673	Ruijie Reyee 7-port Cloud Managed Smart CCTV Cloud-Managed PoE Switch, RG-ES207GS-P, 4x Gigabit PoE Ports with 54W total budget, 2x Gigabit RJ45 Uplink Ports and 1x Gigabit SFP slot, Supports Ruijie Cloud Management for Remote monitoring, Perpetual PoE feature maintains Power during Switch restarts, IPC recognition identifies CCTV cameras automatically, Layer 2 Switch with 14 Gbps switching capacity, Fanless Design ensures Silent Operation
RG-ES207GS-PI-OD	R 1,409	Ruijie Reyee Outdoor 7-port Gigabit Smart Switch with PoE/DC Input, RG-ES207GS-PI-OD, 5x 1 Gbps RJ45 Ports with PoE Output on Ports 1 to 4, 2x 1 Gbps SFP Optical Ports for Fiber uplinks, Port 5 supports IEEE 802.3af/at/bt PoE Input up to 90 W, PoE budget up to 60W total when Powered by DC or 90 W PoE in, Alternative Power Input via 12 V DC Terminal Block, Switching capacity of 14 Gbps with forwarding rate of 10.42 Mpps, IP65 Weatherproof enclosure
RG-ES207GSP	R 684	Reyee 6 Port Gigabit with 4 port PoE 54W 1Gbps SFP Uplink Smart Managed Switch, RG-ES207GSP, 6x Gigabit RJ45 Ports, 4x PoE/PoE Output Ports with 30W per port capability, Total PoE budget of 54 watts, 1x 1GE SFP Uplink Port for Flexible connectivity, Switching capacity of 14 Gbps, Forwarding rate of 10.42 Mpps, Supports Ruijie Cloud for Remote auto-provision and Management, Features IPC recognition for CCTV Network optimization, Includes PoE WatchDog and Port isolation Software features, Compatible with SFP-AOC5 modules
RG-ES208G	R 431	Reyee 8 Port Gigabit Smart Managed Layer 2 Switch, RG-ES208GC, 8x Gigabit Ports, 16 Gbps switching capacity, Fanless
RG-ES208GC	R 454	Reyee RG-ES208GC 8 Port Gigabit Cloud Managed Switch, 8x Gigabit RJ45 Ports, 16 Gbps switching capacity, Metal casing
RG-ES209MG-P	R 2,034	Reyee 8 Port 2.5Gbps PoE 130W & 1x SFP Smart Managed Switch, RG-ES209MG-P, 8x 2.5Gbps Ethernet Ports, 1x 10GE SFP Ports, 8x PoE/PoE out Ports, 130 W PoE budget
RG-ES209MGP	R 2,041	Reyee 8 Port 2.5Gbps PoE 130W & 1x SFP Smart Managed Switch, RG-ES209MG-P, 8x 2.5Gbps Ethernet Ports, 1x 10GE SFP Ports, 8x PoE/PoE out Ports, 130 W PoE budget
RG-ES210GP	R 1,323	Reyee 10 Port Gigabit with 8 PoE 120W & 1x SFP Combo Port Smart Managed Switch, RG-ES210GS-P, 8x Gigabit LAN PoE LAN Ports, 120W Maximum PoE budget, 1x Combo SFP 1000Base-X SFP Port, 20 Gbps switching capacity
RG-ES210GS-P	R 1,323	Reyee 10 Port Gigabit Smart Cloud Managed PoE Switch, RG-ES210GS-P, 8 Gigabit Ports, 1x Combo Gigabit SFP Port, 8x PoE Ports, 120W Maximum PoE budget, 20 Gbps switching capacity
RG-ES211GS-P	R 1,259	Ruijie Reyee 10 Port Cloud Managed Smart CCTV PoE Switch, RG-ES211GS-P, 10x Gigabit Ethernet RJ45 Ports with 8 supporting PoE , 1x 1GE SFP Optical Port for high-bandwidth Fiber uplinks, Delivers a total PoE Power budget of 120W to support IP cameras and Access points, Supports Ruijie Cloud Management via Mobile App or Web Browser, Automatically detects and resolves Frozen cameras using PoE WatchDog Function, Operates silently with a fanless Design for noise-free environments, Supports Layer 2 switching features like Port isolation and auto-loop prevention, Switching capacity of 22 Gbps ensures High-Speed Data transmission
RG-ES211GSP	R 1,259	Reyee ES211GSP 10 Port Gigabit with 8 PoE 120W 1x SFP Uplink Smart Managed Switch, 8x PoE Ports with a total 120W budget and up to 30W per port, 1x 1GE SFP Uplink Port for Flexible connectivity, Supports Ruijie Cloud Management and Reyee App deployment, Switching capacity of 22 Gbps with a forwarding rate of 16.37 Mpps, Fanless Design with Natural cooling Operation, Supports up to 16000 MAC Address entries, Allows Online upgrades and eweb Management Interface, Compatible with Ruijie SFP-AOC5 modules only
RG-ES216GC-V2	R 1,374	Reyee RG-ES216GC-V2 16 port Gigabit Smart Cloud Managed Switch, 16x Gigabit RJ45 Ports, Fixed Power Supply, 32 Gbps switching capacity, Metal casing
RG-ES216GC2MS	R 1,374	Ruijie Reyee 16 port Gigabit Layer 2 Smart Cloud-Managed non-PoE Switch, Features 16x Gigabit RJ45 Copper Ports, 2x 2.5GE SFP Optical Ports, Total Network interfaces are 18 with switching capacity of 42 Gbps, Forwarding rate reaches 31.25 Mpps for Data distribution, Fanless enclosure Design operates at 0 dBA for Silent Performance, Mounting supports Desktop or 19-inch Rack in a Steel Chassis
RG-ES216GS	R 1,294	Reyee 16 port Gigabit & 2x 2.5G SFP Smart Managed Switch, RG-ES216GS, Layer 2 switching with Automatic Loop prevention support, 16x Gigabit RJ45 Ports included, 2x 2.5GE SFP Optical Ports for higher Speed

		connections, Static Link Aggregation available for increased Throughput, Forwarding rate of 31.25 Mpps ensures fast Data Processing, Switching capacity reaches 42 Gbps, Ruijie Cloud Service enables auto-provisioning and Remote Management
RG-ES220GP	R 2,524	Reyee 18 Port Gigabit with 16x PoE 250W & 2x SFP Managed Switch, RG-ES220GS-P, 40 Gbps switching capacity, Built-In fan, 18x Gigabit Ports with 16x PoE Ports with a 250W PoE budget
RG-ES220GS-LP	R 2,128	Reyee 20 Port Gigabit Smart Cloud Managed PoE Layer 2 Switch with 130W budget, RG-ES220GS-LP, 18x Gigabit RJ45 Ports, 2x 1GE SFP Ports, 16x PoE out Ports, 130 W PoE budget, 40 Gbps switching capacity
RG-ES220GS-P	R 2,473	Reyee 20-port Gigabit Smart Cloud Managed PoE Switch, RG-ES220GS-P, 18x Gigabit Ports, 2x Gigabit SFP Ports, 16x PoE Ports, 250W Maximum PoE budget, 40 Gbps switching capacity
RG-ES220GS-P-V2	R 2,639	Ruijie Reyee 20-port Gigabit Smart Cloud-Managed PoE Switch, RG-ES220GS-P-V2, 18 x Gigabit RJ45 Ports with 16 supporting 802.3af/at PoE , 2 x 1GE SFP Optical Uplink Ports for Fiber connectivity, Delivers a total PoE Power budget of 250 W at up to 30W per port, Supports Ruijie Cloud Platform for Remote status monitoring and zero-touch Configuration, Equipped with AI PoE WatchDog for automated IP Camera recovery, Provides Perpetual PoE Power continuity during Firmware updates or rebooting, Switching capacity of 40 Gbps with a forwarding rate of 29.76 Mpps, Designed for Desktop or 19-inch Rack mounting
RG-ES224GC-V2	R 1,834	Reyee RG-ES224GC-V2 24 Port Gigabit Cloud Managed Switch, 24x Gigabit Ethernet RJ45 Ports, Fixed Power Supply, 48 Gbps switching capacity, Metal casing
RG-ES224GC2MS	R 1,834	Ruijie Reyee 24 Port Gigabit Smart Cloud-Managed Switch, RG-ES224GC2MS, 24x 10/100/1000Base-T RJ45 Ports, 2 x 2.5GE SFP Optical Ports, Layer 2 switching with 58 Gbps capacity and 43.15 Mpps forwarding rate, Ruijie Cloud Platform for Remote monitoring and zero-touch Configuration, Fanless Design operating at 0 dBA noise Level, Static Link Aggregation and ERPS Ring Network Topology support, Desktop or 19-inch Rackmount (1U) Steel enclosure
RG-ES228GP	R 3,421	Reyee 26 Port Gigabit with 24x PoE 370W 2x SFP Managed Switch, RG-ES228GS-P, 26x Gigabit Network Ports with 24x PoE Ports with 370W PoE budget, 56 Gbps switching capacity, Built-In fan, 2x Gigabit SFP Ports
RG-ES228GS-LP	R 3,099	Reyee 24 Port Gigabit Smart Cloud Managed PoE Layer 2 Switch with SFP uplinks, RG-ES228GS-LP, 26x Gigabit RJ45 Ports, 2x 1GE SFP Ports, 24x PoE/PoE out Ports, 250W PoE budget, 56 Gbps switching capacity
RG-ES228GS-P	R 3,421	Reyee 28-port Gigabit Smart Cloud Managed PoE Switch, RG-ES228GS-P, 26x Gigabit Ports, 2x Gigabit SFP Ports, 24x PoE Ports, 370W Maximum PoE budget, 56 Gbps switching capacity
RG-M6000-16SFP8GT2XS	R 5,399	Reyee module card for RG-NBS6002 Switch, RG-M6000-16SFP8GT2XS, 16x SFP Ports, 8x Gigabit adaptive RJ45 Copper Ports, 2x SFP Ports
RG-NBF5200M-8FS16GT4XS	R 8,049	Reyee RG-NBF5200M-8FS16GT4XS e-Lighten Layer 3 Core Switch and OLT Managed Switch, 16 Gigabit Ports, 8x Gigabit PON/SFP Ports, 4x 10G SFP Ports, 1200 recommended Client limit, 216Gbps switching capacity, Rack-Mount, Fixed Power module
RG-NBS24G4S	R 2,271	Reyee 24 Port Gigabit & 4x SFP managed Smart Switch, RG-NBS3100-24gt4sfp, 24x 10/100/1000 Ethernet Ports, 4x 1.25Gbps SFP Ports, Layer 2 managed Smart Switch
RG-NBS24P4S	R 4,019	Reyee NBS24P4S 24 Port Gigabit PoE 370W 7 4x SFP managed Smart Switch, RG-NBS3100-24GT4SFP-P, 24x 10/100/1000 Ethernet Ports, 802.3af/at on Ports 1 to 24, 4x 1.25Gbps SFP Ports, 30W Maximum PoE Power consumption per Port, 370W total PoE budget
RG-NBS3100-24GT4SFP-P-V2	R 3,968	Reyee 28-port Gigabit Layer 2 Cloud Managed PoE Switch, RG-NBS3100-24GT4SFP-P-V2, 24x Gigabit Ports, 4x Gigabit SFP Ports, 24x PoE/PoE Ports, 370W Maximum PoE budget, 56 Gbps switching capacity
RG-NBS3100-24GT4SFP-V2	R 2,156	Reyee 28-port Gigabit Layer 2 Cloud Managed non-PoE Switch, RG-NBS3100-24GT4SFP-V2, 24x Gigabit Ports, 4x Gigabit SFP, 56 Gbps switching capacity
RG-NBS3100-48GT4SFP-P-V2	R 7,589	Reyee 48-port PoE Gigabit 370W L2 Switch with SFP uplinks, RG-NBS3100-48GT4SFP-P-V2, 370W PoE budget, 56 Gbps switching capacity, 4094 Maximum VLAN, 24x Gigabit PoE Ports, 4x SFP Uplink, 1U Rackmount Metal Chassis
RG-NBS3100-8GT2SFP-P-V2	R 2,184	Reyee NBS3100 10 Port Gigabit Layer 2 Cloud Managed PoE Switch, RG-NBS3100-8GT2SFP-P-V2, 8x Gigabit Ports, 2x SFP SFP/SFP Ports, 8x PoE/PoE Ports, 125W Maximum PoE budget, 20 Gbps switching capacity
RG-NBS3200-48GT4XS-P-V2	R 8,504	Reyee 48-port Gigabit Layer 2 Cloud Managed PoE Layer 2 Switch with 4x 10G SFP, RG-NBS3200-48GT4XS-P-V2, 48x Gigabit RJ45 Ports, 4x 10GE SFP Ports, 48 PoE/PoE out Ports, 370 W PoE

		budget, 216 Gbps switching capacity
RG-NBS3300-16MG4XS-HP	R 8,798	Reyee RG-NBS3300-16MG4XS-HP 16 port Multi-Gigabit PoE Switch, 4x 10GE SFP Ports, 16x 2.5Gbps Ports, 16x PoE out Ports, 12x PoE/PoE out Ports, 4x PoE/PoE /PoE out Ports, 370 W PoE budget, 160 Gbps switching capacity
RG-NBS3300-8MG2XS-P	R 4,019	Reyee 8 Port 2.5GbE PoE Layer 2 Managed Switch with 2x SFP Ports, RG-NBS3300-8MG2XS-P, 8x 2.5 GbE PoE Ports, 240 W Maximum PoE Power budget, 2x 10 Gbps SFP Optical Ports, 2 fans, 80 Gbps switching capacity
RG-NBS48P4XS	R 8,389	Reyee 48-port Gigabit Layer 2 Cloud Managed PoE Switch with 4x 10G SFP, RG-NBS3200-48GT4XS-P, 48x 10/100/1000Base-T Ports, 4x SFP Ports, 48x PoE/PoE Ports, 370W Maximum PoE budget, 176 Gbps switching capacity
RG-NBS8P2S	R 2,409	Reyee NBS8P2S 8 Port Gigabit PoE 125W & 2x SFP managed Smart Switch, RG-NBS3100-8GT2SFP-P, 8x 10/100/1000 Ethernet Ports, 2x 1.25Gbps SFP Ports, 25W Maximum PoE Power consumption per Port, 802.3af/at on Ports 1 to 8 PoE Output, 125W total PoE budget
RG-NBS8P2XS	R 4,019	Reyee 8 Port 2.5GbE PoE Layer 2 Managed Switch with 2x SFP Ports, RG-NBS3300-8MG2XS-P, 8x 2.5 GbE PoE Ports, 240 W Maximum PoE Power budget, 2x 10 Gbps SFP Optical Ports, 2 fans, 80 Gbps switching capacity
RG-SF2920-16GT2SFP-P	R 6,434	Ruijie Rg-sf2920-16gt2sfp-p 16-port Ge All-optical Poe Switch, 2 Gigabit Uplink Optical Ports. The Ruijie RG-SF2920-16GT2SFP-P is a reliable, quiet, and robust 16-port Gigabit PoE switch with two fibre uplink ports. Featuring fan-less operation, strong surge protection, and compact dimensions, it is ideal for PoE-powered endpoints and high-performance networking in South African offices, schools and clinics.
RG-SF2920U-4GT1MS-P	R 3,219	Ruijie Rg-sf2920u-4gt1ms-p 4-port Ge All-optical Poe Switch, 1 X 2.5g Uplink Optical Port. The RUIJIE RG-SF2920U-4GT1MS-P is a compact, all-optical PoE switch built for silent, reliable indoor deployments. It includes four Gigabit PoE/PoE ports and a 1 GE/2.5 GE SFP uplink, complete with industry-leading surge protection and zero-touch management. Ideal for powering and connecting devices in small business or FTTR environments.
RG-SF2920U-8GT1MS-P	R 3,909	Ruijie RG-SF2920U-8GT1MS-P 8-port Ge All-optical Poe Switch, 1 2.5g Uplink Optical Port. The RUIJIE RG-SF2920U-8GT1MS-P is a compact, all-optical PoE switch delivering eight Gigabit Ethernet ports and a 2.5 G SFP uplink. Designed for silent and efficient deployment, it offers robust surge protection, easy plug-and-play setup, and secure network management. Ideal for SMEs requiring clean, high-speed in-room or cabinet installations.
RW-IDU-SI	R 27,891	Radwin IDU-SI Layer 3 Industrial DC PoE Switch, 4x 2.5Gbps PoE Ports, 90W PoE , 4x 1Gbps PoE Ports, 90W PoE , 2x Dual Speed 1/10Gbps SFP Ports, ground wire connection point, 1 Digital Input / 1 Digital Output Relay, 68Gbps switching capacity
S105	R 95	Tenda S105 5-Port Fast Ethernet Switch, 5x 10/100 ethernet ports
S108	R 124	Tenda 8-Port Fast Ethernet Switch, 8x 10/100 ethernet ports
S110-16LP2SR	R 2,167	Huawei S110-16LP2SR Unmanaged Switch with 16x Gigabit PoE Ports & 2x GE SFP Ports, 16x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
S110-24LP2SR	R 3,127	Huawei S110-24LP2SR Unmanaged Switch with 24x Gigabit PoE Ports & 2x GE SFP Ports, 24x Gigabit PoE Ports downlink, 124W PoE budget, 2x GE SFP Ports Uplink, Fanless
S110-8P2ST	R 843	Huawei S110-8LP2ST Unmanaged Switch 8x Gigabit PoE Ports & 2x GE SFP Ports, 8x RJ-45 Gigabit Ethernet Ports downlink, 124W PoE budget, 1x Gigabit SFP Port Uplink, 1x Gigabit Port Uplink
S16	R 339	Tenda S16 16 port Fast Ethernet Desktop Switch, 16x 10/100 Ethernet Ports
S220-24P4X	R 5,104	Huawei S220-24P4X Layer 2 Managed Switch with 24x Gigabit Ports & 4x 10GE SFP Ports, 24x Gigabit Ports downlink, 400W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
S220-24T4X	R 3,291	Huawei S220-24T4X Layer 2 Managed Switch with 24x Gigabit Ports & 4x 10GE SFP Ports, 24x Gigabit Ports downlink, 4x 10GE SFP Ports Uplink, 1 Built-In fan modules, AC Built-In Power Supply mode
S220-48P4S	R 6,445	Huawei S220-48P4S Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x GE SFP Ports, 24x Gigabit Ports downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
S220-48P4X	R 6,969	Huawei S220-48P4X Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x 10GE SFP Ports, 48x Gigabit

		Ports PoE downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules, AC Built-In Power Supply mode
S220-48T4S	R 4,185	Huawei S220-48T4S Layer 2 Managed Switch with 48x Gigabit Ports & 4x GE SFP Ports, 48x Gigabit Ports downlink, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 1 Built-In fan modules
S220-48T4X	R 5,806	Huawei S220-48T4X Layer 2 Managed Switch with 48x Gigabit Ports & 4x 10GE SFP Ports, 48x Gigabit Ports downlink, 4x 10GE SFP Ports Uplink, AC Built-In Power Supply, 1 Built-In fan modules
S220-8P4S	R 2,245	Huawei eKit S220-8P4S 8x Gigabit PoE 125W & 4x 1GE SFP Ports Layer 2 Managed Switch, 1U Chassis height, 8x Gigabit PoE Ports with 125W budget, 4x Gigabit SFP Ports
S220-8T4S	R 1,490	Huawei eKit S220-8T4S 8x Gigabit & 4x Gigabit SFP Ports Layer 2 Managed Switch, 1U Chassis height, Metal Chassis material, 8x Gigabit RJ45 Ports, 4x Gigabit SFP Ports
S310-24P4S	R 5,068	Huawei S310-24P4S Layer 2 Managed Switch with 24x Gigabit PoE Ports & 4x GE SFP Ports, 24x Gigabit PoE Ports downlink, 370W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 1 Built-In fan modules
S310-24P4X	R 5,242	Huawei S310-24P4X Layer 2 Managed Switch with 24x Gigabit PoE Ports & 4x 10GE SFP Ports, 24x Gigabit PoE Ports downlink, 400W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
S310-24T4X	R 3,430	Huawei S310-24T4X Layer 2 Managed Switch with 24 x Gigabit Ports & 4x 10GE SFP Ports, 24 x Gigabit Ports downlink, 4 x 10GE SFP Ports Uplink, 1 Built-In fan modules
S310-48P4S	R 7,729	Huawei S310-48P4S Layer 2 Managed Switch with 48x Gigabit PoE Ports & 4x GE SFP Ports, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x Gigabit SFP Ports Uplink, AC Built-In Power Supply, 2 Built-In fan modules
S310-48P4X	R 8,507	Huawei S310-48P4X Layer 2 Managed Switch with 48 x Gigabit PoE Ports & 4x 10GE SFP Port, 48x Gigabit PoE Ports downlink, 380W PoE budget, 4x 10GE SFP Ports Uplink, 2 Built-In fan modules
S310-48T4X	R 7,957	Huawei S310-48T4X Layer 2 Managed Switch with 48 x Gigabit Ports & 4x 10GE SFP Ports, 48x Gigabit Ports downlink, 4x 10GE SFP Ports Uplink, 1 Built-In fan modules
S4048-ON	R 82,463	Dell 210-ADUW S4048-ON - 48x 10 Gigabit SFP and 6x 40GbE QSFP ports network switch, IO to PSU air, 2x PSUs, OS9, Ultra-low-latency ToR switch, 48x 10GbE SFP , 6x 40GbE ports, Up to 720Gbps performance, Open Network Install Environment (ONIE)
S530-24ST4XE	R 7,186	Huawei S530-24ST4XE 24x GE & 8x Combo RJ45 or SFP & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1U Chassis height, Metal Chassis material, 2 Power slots, 2 fan modules, 1 1 Redundant Power Supply, 24x Gigabit RJ45 Ports, 8x Gigabit Ports Dual purpose RJ45 or SFP, 2x 12 Gigabit Stack Ports
S530-24T4XE	R 5,992	Huawei S530-24T4XE 24x Gigabit & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1U Chassis height, Metal Chassis material, 2 Power slots, 1 1 Redundant Power Supply, 24x Gigabit RJ45 Ports, 4x 10 Gigabit SFP Ports, 2x 12 Gigabit Stack Ports
S530-48S4XE	R 10,026	Huawei S530-48S4XE 48x Gigabit & 4x 10GE SFP & 2x 12GE Stack Ports Layer 3 Managed Switch, 1 u Chassis height, 1 1 Redundant Power Supply, Built-In fans, 48x Gigabit RJ45 Ports, 4x 10 Gigabit SFP Ports, 2x 12 Gigabit Stack Ports
SG04PAI+2GE-60W	R 546	UltraLAN 4 port 60W Gigabit Ethernet AI PoE Switch with 2 Gigabit Uplink Ports, 4x 802.3af/at PoE Ports, 2x Gigabit RJ45 Uplink Ports, Maximum PoE budget is 60W, Maximum budget per Port is 36W
SG05P+1SFP-65WS	R 2,414	UltraLAN 5 port Gigabit Solar and Battery powered PoE Switch, 5x Port Gigabit PoE, 1x SFP Port, Support 12V / 24V (Maximum 400W) Solar Panel Input, Port 1 support 802.3af/at PoE 60W, Port 2-3 support 802.3af/at, Port 4-5 support 802.3af/at & Passive PoE (Auto detect), Total Power up to 65W, Supports Lead-Acid Battery and Lithium Battery up to 50Ah
SG08P+2SFP-120WSM	R 4,944	UltraLAN 8 Port Gigabit Solar and Battery powered Managed PoE Switch, 8x Gigabit PoE Ports, 2x SFP Gigabit Ports, Support 12V / 24V (Maximum 1200W) Solar Panel Input, PoE Power Supply Output with total Power up to 120W
SG08PAI+2SFP-96W	R 1,029	UltraLAN 8 Port 96W Gigabit Ethernet AI PoE Switch with 2x SFP uplinks Ports, SG08PAI 2SFP-96W, 8x Gigabit PoE RJ45 Ports, IEEE 802.3af/at PoE, 2x 1Gbps SFP Ports, 96W Max Power Supply, SG08PAI 2SFP-96W
SG1006P	R 535	UltraLAN SG1006P 6 Port Gigabit AI PoE Switch, 4x Gigabit RJ45 PoE Ports, 2 x Gigabit RJ45 Uplink Ports, 12Gbps switching capacity, 60W Port 4 Max Output, 65W total Power budget
SG105	R 136	Tenda 5-Port Gigabit Ethernet Desktop Switch, 5x Gigabit Lan ports

SG108	R 229	Tenda 8-Port Gigabit Ethernet Desktop Switch, 8x Gigabit Lan ports
SG2008P	R 1,221	TP-Link TL-SG2008P JetStream 8 Port Gigabit Smart Switch with 4 port PoE , 8 x 10/100/1000 Mbps RJ45 Ports (Ports 1-4 support 802.3at/af PoE), Fanless, 62 W PoE budget
SG2210MP	R 2,525	TP-Link SG2210MP Omada 10-Port PoE Gigabit Smart Switch with 2 SFP Slots, PORT: 8x Gigabit PoE Ports, 2x Gigabit SFP Slots, SPEC: 802.3at/af, 150 W PoE Power, 1U 13-inch Rack-mountable Steel Case, FEATURE: Integration with Omada SDN Controller, 802.1Q VLAN, STP/RSTP/MSTP
SG2210P	R 1,553	TP-Link TL-SG2210P JetStream 10 Port Gigabit Smart Switch with 8 Port PoE , 8x Gigabit RJ45 PoE Ports, 61W PoE budget, 2x Gigabit SFP slots, Fanless
SG2218	R 2,152	TP-Link TL-SG2218 JetStream 16 port Gigabit Smart Switch with 2x SFP slots, 16 x Gigabit RJ45 Ports, 2 x Gigabit SFP slots, Fanless, Rack mountable, 36 Gbps switching capacity, Advanced L2 features
SG2428P	R 4,276	TP-Link SG2428P Omada 28-Port PoE Gigabit Smart Switch with 4 SFP Slots, PORT: 24x Gigabit PoE Ports, 4x Gigabit SFP Slots, SPEC: 802.3at/af, 250 W PoE Power, 1U 19-inch Rack-mountable Steel Case, FEATURE: Integration with Omada SDN Controller, Static Routing, 802.1Q VLAN
SG2428P	R 4,246	TP-Link SG2428P Omada 28-Port PoE Gigabit Smart Switch with 4 SFP Slots, PORT: 24x Gigabit PoE Ports, 4x Gigabit SFP Slots, SPEC: 802.3at/af, 250 W PoE Power, 1U 19-inch Rack-mountable Steel Case, FEATURE: Integration with Omada SDN Controller, Static Routing, 802.1Q VLAN
SG3428MP	R 4,963	TP-Link SG3428MP JetStream 28 Port Gigabit L2 managed Switch with 24 Port PoE , 24x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, PoE 24 Ports up to 30 W per Port, 384 W Power budget, Rack mountable, 56 Gbps switching capacity
SG3428MP	R 5,292	TP-Link SG3428MP JetStream 28 Port Gigabit L2 managed Switch with 24 Port PoE , 24x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, PoE 24 Ports up to 30 W per Port, 384 W Power budget, Rack mountable, 56 Gbps switching capacity
SG3428X	R 3,741	TP-Link TL-SG3428X 24 Port Gigabit L2 managed Switch with 4x 10GE SFP Ports, 24x 10/100/1000 Mbps RJ45 Ports, 4x 10G SFP slots, Fanless, Rack mountable, 128 Gbps switching capacity
SG3428XPP-M2	R 9,781	TP-Link SG3428XPP-M2 Omada 24-Port 2.5GBASE-T and 4-Port 10GE SFP L2 Managed Switch with 16-Port PoE & 8-Port PoE , PORT: 16x 2.5G PoE Ports, 8x 2.5G PoE Ports, 4x 10G SFP Slots, RJ45/Micro-USB Console Port, SPEC: 802.3bt/at/af, 500 W PoE Power, 1U 19-inch Rack-mountable
SG3452P	R 9,033	TP-Link JetStream 52-port Gigabit L2 managed Switch with 48-port PoE , 48 x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 1x Micro-USB Console Port, 1x RJ45 Console Port, 3 fans, 48 PoE Ports up to 30 W per Port, 384 W Power budget, Rack mountable, TL-SG3452P
SG3452XP	R 9,954	TP-Link TL-SG3452XP JetStream 48-port Gigabit L2 managed Switch, 48 x 10/100/1000 Mbps RJ45 PoE Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 3 fan, 48 Ports PoE Ports, Up to 30 W per Port, 500 W Power budget, Rack mountable, 176 Gbps switching capacity
SG3452XP	R 11,277	TP-Link TL-SG3452XP JetStream 48-port Gigabit L2 managed Switch, 48 x 10/100/1000 Mbps RJ45 PoE Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 3 fan, 48 Ports PoE Ports, Up to 30 W per Port, 500 W Power budget, Rack mountable, 176 Gbps switching capacity
SG6428XHP	R 20,253	TP-Link SG6428XHP Omada 24-PortGigabit Stackable L3 Managed PoE Switch with 4 10GE SFP Slots, PORT: 24x Gigabit PoE RJ45 Ports, 4x 10G SFP Slots, RJ45/Type C USB Console Port, Management Port, 2x USB2.0 Ports, SPEC: 802.3at/af, max 720 W PoE Power (depend on power supply)
SG6654XHP	R 27,732	TP-Link SG6654XHP Omada 48-PortGigabit Stackable L3 Managed PoE Switch with 6 10GE SFP Slots, PORT: 48x Gigabit PoE RJ45 Ports, 6x 10G SFP Slots, RJ45/Type C USB Console Port, Management Port, 2x USB2.0 Ports, SPEC: 802.3at/af, max 1440 W PoE Power (depend on power supply)
SMB-S1850-10P-GL	R 983	H3C S1850-10P-GL Switch - 10-Port Gigabite - 8X 10/100/1000BASE-T, 2X 100/1000 BASE-X SFP
SMB-S1850-28P-PWR-GL	R 4,748	H3C S1850 Series 24x Gigabit & 4x SFP Ports Web Managed Switch with 190W PoE budget, 24x 10/100/1000Base-T Ethernet Ports, 4x 100/1000 Base-X SFP Ports, 56 Gbps switching capacity
SPS-24F2GS	R 2,179	Scoop 24 Port PoE Switch 2xCombo GE/SFP Uplink Ports
SPS-24G2S	R 2,703	Scoop 24GE 2SFP Managed AI PoE Switch
SPS-4F2F	R 374	Scoop 6 Port Fast Ethernet Switch with 4 AI PoE Ports and 2 FE Uplink
SPS-4G2G	R 546	Scoop SPS-4G2G 6 Port Gigabit Ethernet Switch with 4x AI PoE and 2x Uplink Ports, 4x 10/100/1000Mbps PoE

		RJ45 port (Port 1-4), 2x 10/100/1000Mbps Non PoE RJ45 ports (Port 5-6), 60W Max PoE Budget (Port 1-4), 36W Max PoE Budget Per Port
SPS-8F2F	R 604	Scoop 10 Port Fast Ethernet Switch with 8 Port PoE
SPS-8G2G	R 834	Scoop 10 Port Gigabit Ethernet Switch with 8 Port PoE
SPS-8G2S	R 891	Scoop SPS-8G2S 8 Port Gigabit Ethernet AI PoE Switch with 2x SFP uplink, Sps OS, 802.3af/at PoE on Ports 1~8 PoE Output, 52V supported voltage range, 10x 10/100 Ethernet Ports, Total Maximum PoE budget is 96W and the Maximum budget per Port is 36W
ST3116GS	R 834	Netis ST3116GS 16 port Gigabit Ethernet rackmount Switch, 16x 10/100/1000M RJ45 Port
ST3124GS	R 963	Netis ST3124GS 24 Port Gigabit Ethernet rackmount Switch, 24x 10/100/1000M RJ45 Port
SVDE450-ADZM	R 14,692	Dell DAV2108 8-port analogue, upgradeable to digital KVM switch with 1 local user, 1 power supply
SW-DGSF1006P	R 1,047	D-Link DGS-F1006P 6 Port Gigabit unmanaged PoE Switch, 6x 10/100/1000 Mbps Ethernet Ports, 2x uplink Ports, 4x PoE Ports, 60 W total power budget, Up to 30 W power Output per PoE Port
SW-DMS106XT	R 3,177	D-Link DMS-106XT - 6 port (1x 10Gb 5x 2.5Gb) un-managed switch - aluminum housing with RGB, auto-MDI/MDIX, 4k MAC address, 192k ram buffer per device, 16Gbps switching capacity, 621163 hours MTBF, 162x102x28mm
SW-TLS1005G	R 205	TP-Link LightWave LS1005G - 5 port 10/100/1000 gigabit un-managed switch - black plastic, auto-MDI/MDIX, 2k MAC address, Packet Forwarding Rate: 7.4Mpps, Packet Buffer Memory: 1.5Mb, 10Gbps switching capacity, 90x72x23mm
SW-TLS1008G	R 321	TP-Link LightWave LS1008G - 8 port 10/100/1000 gigabit un-managed switch - black plastic, auto-MDI/MDIX, 4k MAC address, Packet Forwarding Rate: 11.9Mpps, Packet Buffer Memory: 1.5Mb, 16Gbps switching capacity, 127x67x23mm
SW-TSG1024D	R 1,517	TP-Link TL-SG1024D 24 Port Gigabit Desktop / rackmount Switch, 24x GbE RJ45 Ports, Fanless, 48Gbps switching capacity
SWM281	R 3,831	Teltonika 24 Port Gigabit Ethernet L2 Managed Switch, SWM281, C14 Power Connector, 24x Gigabit RJ45 Ports Ports, 4x SFP Ports Fiber, 1x grounding screw, Anodized Aluminum housing and panels, Rack mounting kit, 56 Gbps Bandwidth (Non-Blocking)
SWM282	R 6,517	Teltonika SWM282 24x Gigabit PoE & 4x SFP mananaged Switch, 4x SFP Ports Fiber, 24x Gigabit Ethernet Ports, Ports 1-24 PoE Ports, 30W PoE Max Power per Port, 300W total PoE Power budget, 1x C14 connector Power, 1x grounding screw, Anodized Aluminum housing and panels, Rack mounting kit
T2600G-28SQ	R 8,888	TP-link 28 SFP Port Gigabit L2 managed Switch with 4x 10 Gigabit SFP ports, T2600G-28SQ, 4x combo 10/100/1000 Mbps RJ45 ports, 24x Gigabit SFP slots, 4x 10G SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port
TE-S105	R 86	Tenda S105 5-Port Fast Ethernet Switch, 5x 10/100 ethernet ports
TE-S108	R 109	Tenda S108 8-Port Fast Ethernet Switch, 8x 10/100 ethernet ports
TE-S16	R 321	Tenda S16 16-Port Fast Ethernet Desktop Switch, 16x 10/100 ethernet ports
TE-SG105	R 127	Tenda SG105 5-Port Gigabit Ethernet Switch, 5×Gigabit RJ-45 ports, Desktop mounting & Wall mounting, Equipped with plastic shell, Mini and fashionable design
TE-TEF1109P-8-102W	R 804	Tenda 9-port Desktop Switch with 8-port PoE 102W, TEF1109P-8-102W, 10/100 Mbps 8-port PoE, 30W per Port, 1x 100 Mbps uplink Port, 220V PSU included
TE-TEF1109P-8-63W	R 620	Tenda TEF1109P 9 Port Fast Ethernet Switch with 8 Port PoE, PoE Max Power Supply 58W
TE-TEF1118P-16-150W	R 1,149	Tenda TEF1118P 16 Port Ethernet Switch with 16 Port PoE, 16x 10/100 POE Ports, 1x Gigabit Port, 1x Gigabit SFP Port, PoE Max Power Supply 135W
TE-TEG1120P-16-250W	R 2,399	Tenda TEG1120P-16-250W 16 PoE Plus 2SFP Port Ethernet Switch. 16 PoE ports; 2 uplink RJ45; 2 SFP ports; IEEE802.3af/at; 30W per port; 250W total budget; 40Gbps switching capacity
TE-TEM2010F	R 1,461	Tenda 8 Port 2.5 Gigabit Ethernet Switch with 2x 2.5 Gigabit SFP slots, TEM2010F, Metal material, 50Gbps Switch capacity, 8x 100/1000/2500 Mbps Base-TX Ethernet Ports, 2x 100/1000/2500 Mbps Base-X SFP Ports
TEF1016D	R 446	Tenda 16-Port Fast Ethernet Rack Mount Switch, 1U, 16x 10/100 ethernet ports
TEF1024D	R 776	Tenda 24-Port Fast Ethernet Rack Mount Switch, 24x 10/100 ethernet ports
TEF1105P-4-63W	R 304	Tenda 5-port 10/100 Desktop Switch 4-port PoE, TEF1105P-4-63W, 4x 10/100Base-TX ports (Data/power), 1x

		10/100Base-TX ports (Data), 58W PoE Maximum Power Supply
TEF1106P-4-63W	R 361	Tenda 10/100 4-port Poe 58w 1 Port 10/100 Fast-ethernet Uplink Desktop Switch
TEF1109P-8-63W	R 414	Tenda TEF1109P 9 Port Fast Ethernet Switch with 8 Port PoE, PoE Maximum Power Supply 58W, 8x 10/100Base-TX RJ45 ports (Data/power), 1x 10/100Base-TX RJ45 Port (Data)
TEF1110P-8-102W	R 1,021	Tenda 10/100 8-port POE 99w 2 Port Gigabit Ethernet Desktop Switch
TEF1110P-8-63W	R 469	Tenda 10 Port 10/100 Mbit Desktop Switch with 8 Port PoE, TEF1110p-8-63w, 8x 10/100 Mbps Base-TX RJ45 ports (Data/power), 2x 10/100 Mbps Base-TX RJ45 ports (Data), 30W Output per PoE Port, 63W Output the whole device
TEF1118P-16-150W	R 1,226	Tenda TEF1118P-16-150W 16FE 2GE/1SFP Desktop Switch With 16-Port PoE
TEF1118P-16-250W	R 1,723	Tenda TEF1118P-16-250W 16FE 2GE/1SFP Rackmount Switch With 16-Port PoE
TEF1126P-24-250W	R 1,723	Tenda TEF1126P-24-250W 24FE 2GE/1SFP Rackmount Switch With 24-Port PoE
TEF1218P-16-250W	R 2,010	Tenda TEF1218P-16-250W 16FE 2GE/1SFP Smart Switch With 16-Port PoE
TEG1005D	R 189	Tenda TEG1005D 5-Port Gigabit Desktop Switch
TEG1008M	R 294	Tenda 8 Port Gigabit Desktop Switch, 8x 10/100/1000m RJ45 ports
TEG1016G	R 653	Tenda TEG1016G 16 port Gigabit Ethernet Switch, 32Gbps Switch capacity, 16x 1GE RJ45 Ports, Metal material
TEG1024G	R 791	Tenda TEG1024G 24 Port Gigabit Rackmount Switch, TND-SG1024G, 24x 1GE RJ45 Ports interfaces, Metal material, 48Gbps Switch capacity, Rack mounting, Desktop mounting, Wall Mounting
TEG1050F	R 2,413	Tenda TEG1050f 48 Port Gigabit unmanaged Ethernet Switch, 48x 10/100/1000 BASE-T Ethernet ports, 2x 1000 Base-X SFP ports (Independent), Metal, No fan
TEG1105P-4-63W	R 403	Tenda TEG1105P 5 Port Gigabit Desktop Switch 4 Port PoE, 4x Gigabit POE ports, 1x Gigabit Port, PoE Max Power Supply 58W
TEG1105PD	R 251	Tenda 5 Port Gigabit with 4x PoE and 1x PoE Input Desktop Switch, TEG1105PD, 4x 10/100/1000 BASE-T Ethernet ports (Data/PoE out), 1x 10/100/1000 BASE-T Ethernet Port (Data/PoE in)
TEG1120P-16-150W	R 1,290	Tenda TEG1120P 18 Port Gigabit 2x SFP Port PoE 150W Switch, 18x 1GE RJ45 Ports, 2x 1GE SFP Ports, 40Gbps Switch capacity, 150W PoE budget, Maximum Output Power of a Single Port is 30W, 1 fan
TEG1128P-24-250W	R 1,978	Tenda TEG1128P 26 Port Gigabit 2x SFP Port PoE 150W Switch, 26x 1GE RJ45 Ports with 24 Ports PoE, 2x 1GE SFP Ports, 56Gbps Switch capacity, 150W PoE budget, Maximum Output Power of a Single Port is 30W
TEG5312F	R 1,379	Tenda TEG5312F 10x Port Gigabit 2x SPF Port L3 managed Switch, No fan, 10x 10/100/1000 BASE-T Ethernet Ports, 2x 1000 Base-X SFP Ports
TEG5328F	R 2,700	Tenda 24 Port Gigabit 4xsfp Layer 3 Rackmount/desktop Switch
TI-G62	R 3,299	TRENDnet TI-G62 6-port hardened Industrial Gigabit Switch - 5 Gigabit / 1 shared SFP / 1 dedicated SFP, 5x Gigabit ports, 1x shared SFP slot (Port F5), 1x Gigabit SFP slot (Port F6), 6 pin removable Terminal block, DIN-Rail Mount, Alarm relay contact, Redundant power inputs,
TL-SF1005D	R 118	TP-Link TL-SF1005D 5-port 10/100M mini Desktop Switch, 5 10/100M RJ45 ports, Plastic case
TL-SF1005D	R 176	TP-Link TL-SF1005D 5 port 10/100 Mbps Desktop Switch, Fanless, 5x 10/100 Mbps Ethernet RJ45 Ports
TL-SF1006P	R 449	TP-Link TL-SF1006P 6-Port 10/100Mbps Desktop Switch with 4-Port PoE , PORT: 4x 10/100 Mbps PoE Ports, 2x 10/100 Mbps Non-PoE Ports, SPEC: 802.3at/af, 67 W PoE Power, Desktop Steel Case FEATURE: Extend Mode for 250m PoE Transmitting, Priority Mode for Port1-2, Plug and Play
TL-SF1006P	R 483	TP-Link SF1006P 5 Port 10/100 Mbps Desktop Switch with 4 Port PoE, 6x 10/100 Mbps RJ45 ports (Ports 1-4 support 802.3af/at PoE), Fanless, 67 W PoE Power Supply
TL-SF1008D	R 133	TP-Link TL-SF1008D 8-port 10/100M mini Desktop Switch, 8 10/100M RJ45 ports, Plastic case
TL-SF1008D	R 191	TP-Link TL-SF1008D 8 Port 10/100 Mbps Desktop Switch, 8x 10/100 Mbps Ethernet Ports, Fanless
TL-SF1008LP	R 599	TP-Link TL-SF1008LP 8 Port 10/100 Mbps Desktop Switch with 4 port PoE, 41 W PoE budget, Transmission distance up to 250 m, 8x 10/100 Mbps RJ45 Ports (Ports 1-4 support 802.3af PoE), 1.6 Gbps switching capacity
TL-SF1009P	R 999	TP-Link SF1009P 9-port 10/100 Mbps Desktop Switch with 8 Port PoE , 9x 10/100 Mbps RJ45 Ports with 8x 10/100 Mbps 802.3af/at PoE Ports, Fanless, 65 W Power Supply
TL-SF1009P	R 730	TP-Link SF1009P 9-port 10/100 Mbps Desktop Switch with 8 Port PoE , 9x 10/100 Mbps RJ45 Ports with 8x 10/100 Mbps 802.3af/at PoE Ports, Fanless, 65 W Power Supply
TL-SF1016	R 699	TP-Link TL-SF1016 16 port 10/100 Mbps Rackmount Switch, Fanless, 3.2Gbps switching capacity

TL-SF1016	R 693	TP-Link TL-SF1016 16 port 10/100 Mbps Rackmount Switch, Fanless, 3.2Gbps switching capacity
TL-SF1016D	R 408	TP-Link TL-SF1016D 16 port 10/100 Mbps Ethernet Desktop Switch, Fanless, 16 x 10/100 Mbps RJ45 Ports, External Power Adapter
TL-SF1024D	R 710	TP-Link TL-SF1024D 24-port 10/100M Switch, 24 10/100M RJ45 ports, 1U 13-inch rack-mountable steel case
TL-SF1048	R 1,702	TP-Link TL-SF1048 48-port 10/100 Mbit rackmountable Switch, 48x 10/100 Mbit RJ45 Ports, 1U 19-inch Steel Case, Fanless, 9.6Gbps switching capacity
TL-SG1005D	R 206	TP-Link TL-SG1005D 5-port Desktop Gigabit Switch, 5 10/100/1000M RJ45 ports, plastic case
TL-SG1005D	R 259	TP-Link TL-SG1005D 5 Port Ethernet Mini Desktop Switch, 5x 10/100/1000mbps RJ45 Ports, Plastic Case
TL-SG1005LP	R 543	TP-Link TL-SG1005LP 5 port Gigabit Desktop Switch with 4 port PoE , Fanless, 5x Gigabit RJ45 Ports, Ports 1-4 PoE Ports, 40 W PoE Power budget, Up to 30 W for each PoE Port, 10 Gbps switching capacity
TL-SG1005P	R 597	TP-Link TL-SG1005P 5-Port Gigabit Desktop Switch with 4-Port PoE
TL-SG1005P	R 615	TP-Link 5 port Gigabit including 4 PoE Ports Desktop Switch, 5x Gigabit RJ45 Ports, Ports 1-4 PoE Ports, 802.3af, 56W PoE Power budget, Up to 30W for each PoE Port, Desktop Steel case, Fanless, 10 Gbps switching capacity, Up to 250m Data and Power transmitting range under extend mode
TL-SG1005P	R 655	TP-Link 5 port Gigabit including 4 PoE Ports Desktop Switch, 5x Gigabit RJ45 Ports, Ports 1-4 PoE Ports, 802.3af, 56W PoE Power budget, Up to 30W for each PoE Port, Desktop Steel case, Fanless, 10 Gbps switching capacity, Up to 250m Data and Power transmitting range under extend mode
TL-SG1008	R 693	TP-Link TL-SG1008 8 Port Gigabit Desktop / Rackmount Switch, 8x Gigabit RJ45 Ports, Fanless, 13" or 19" Rack mountable, 16Gbps switching capacity
TL-SG1008D	R 325	TP-Link TL-SG1008D 8-port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, plastic case
TL-SG1008D	R 378	TP-Link TL-SG1008D 8 Port Ethernet Mini Desktop Switch, 8x 10/100/1000mbps RJ45 Ports, Plastic Case
TL-SG1008MP	R 1,679	TP-Link TL-SG1008MP 8-Port Gigabit Desktop/Rackmount Switch with 8-Port PoE , 8 Gigabit RJ45 Ports, 802.3at/af, 126W PoE Power, 1U 13-inch Rack-mountable Steel Case
TL-SG1008MP	R 1,702	TP-link TL-SG1008MP 8-port Gigabit PoE Switch, 8x 10/100/1000 Mbps RJ45 PoE ports, Standard 802.3at/af (30W), 126W total PoE budget
TL-SG1008P	R 769	TP-Link 8 Port Gigabit including 4 PoE Ports Desktop Switch, 8x Gigabit RJ45 Ports including 4 PoE Ports, Ports 1-4 PoE Ports, 802.3af, 55W PoE Power budget, Up to 30W for each PoE Port, Desktop Steel case, Fanless, 16 Gbps switching capacity
TL-SG1008P	R 805	TP-Link 8 Port Gigabit including 4 PoE Ports Desktop Switch, 8x Gigabit RJ45 Ports including 4 PoE Ports, Ports 1-4 PoE Ports, 802.3af, 55W PoE Power budget, Up to 30W for each PoE Port, Desktop Steel case, Fanless, 16 Gbps switching capacity
TL-SG1016	R 995	TP-Link TL-SG1016 16 Port Gigabit Switch, 16x Gbe RJ45 Ports, 1U 19-Inch Rackmountable, Steel Case
TL-SG1016D	R 954	TP-Link TL-SG1016D 16 port Gigabit Easy Smart Switch, 16x GbE RJ45 Ports, Fanless, 32Gbps switching capacity
TL-SG1016PE	R 2,002	TP-Link TL-SG1016PE 16 port Gigabit Easy Smart Switch with 8 Port PoE , 16x Gigabit RJ45 Ports with Port 1-8 PoE , 150 W PoE Power budget, 1 fan, Rack mountable / Desktop, 32 Gbps switching capacity
TL-SG1024	R 1,478	TP-Link TL-SG1024 24 Port Gigabit Rackmount Switch, 24x 10/100/1000 Mbps Ethernet RJ45 Ports, Fanless, Rack mountable, 48Gbps switching capacity
TL-SG1024D	R 1,308	TP-Link TL-SG1024D 24-port Gigabit Switch, 24 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case
TL-SG1024D	R 1,366	TP-Link TL-SG1024D 24 Port Gigabit Desktop / rackmount Switch, 24x GbE RJ45 Ports, Fanless, 48Gbps switching capacity
TL-SG1024D	R 1,944	TP-Link TL-SG1024D 24 Port Gigabit Desktop / rackmount Switch, 24x GbE RJ45 Ports, Fanless, 48Gbps switching capacity
TL-SG1024DE	R 1,549	TP-Link TL-SG1024DE V7 24 Port Gigabit Easy Smart Switch, 24x Gigabit RJ45 Ports, Fanless, Rack mountable, 48Gbps switching capacity
TL-SG1024DE	R 1,553	TP-Link TL-SG1024DE V7 24 Port Gigabit Easy Smart Switch, 24x Gigabit RJ45 Ports, Fanless, Rack mountable, 48Gbps switching capacity
TL-SG1048	R 4,499	TP-Link TL-SG1048 48-Port Gigabit Rackmount Switch, 48x Gbe RJ45 Ports, Ports, 1U 19-Inch Rackmountable, Steel Case

TL-SG105	R 251	TP-Link TL-SG105 5-Port 10/100/1000Mbps Desktop Switch, 5x 10/100/1000mbps RJ45 Ports, Steel Case
TL-SG105	R 304	TP-Link TL-SG105S 5-port Gigabit Desktop Switch, Fanless
TL-SG105-M2	R 767	TP-Link TL-SG105-M2 5 port 2.5GbE Multi-Gigabit Desktop Switch, 5x 2.5GbE Ports, Fanless, External Power Adapter, 25 Gbps switching capacity
TL-SG105E	R 298	TP-Link 5-Port Gigabit Desktop Easy Smart Switch, 5 10/100/1000Mbps RJ45 ports, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping
TL-SG105S	R 304	TP-Link TL-SG105S 5 port Gigabit Desktop Switch, Fanless
TL-SG105S	R 254	TP-Link TL-SG105S 5 port Gigabit Desktop Switch, Fanless
TL-SG108	R 431	TP-Link TL-SG108S 8 Port Gigabit Mbps Desktop Network Switch, Fanless, 8x Gigabit RJ45 Ports
TL-SG108E	R 480	TP-Link TL-SG108E 8-Port Gigabit Easy Smart Switch, 8 10/100/1000Mbps RJ45 ports, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping
TL-SG108E	R 528	TP-Link TL-SG108E 8 Port Gigabit Easy Smart Switch, 8x Gigabit RJ45 Ports, Fanless, 16 Gbps switching capacity
TL-SG108S	R 431	TP-Link TL-SG108S 8 Port Gigabit Mbps Desktop Network Switch, Fanless, 1.5MB Buffer size
TL-SG116	R 839	TP-Link TL-SG116 16-Port Gigabit Desktop Switch, PORT: 16x Gigabit RJ45 Ports, SPEC: Desktop Steel Case, FEATURE: Plug and Play
TL-SG116	R 880	TP-Link TL-SG116 16 Port Gigabit Desktop Switch, 16x Gigabit RJ45 Ports, Fanless
TL-SG1210MP	R 1,665	TP-Link TP-SG1210MP 10 Port Gigabit Desktop Switch with 8 Port PoE , 9x 10/100/1000 Mbps RJ45 Ports, 1x 1000 Mbps combo SFP/RJ45 Port, Up to 30 W on each PoE Port, Fanless, Ports 1-8 PoE Ports, 123 W PoE Power Supply
TL-SG1210MPE	R 1,684	TP-Link TL-SG1210MPE 10 Port Gigabit easy Smart Switch with 8 Port PoE , 9x 10/100/1000 Mbps RJ45 Ports, 1x 1000 Mbps combo SFP/RJ45 Port, Fanless, Standard 802.3 AF/at compliant, Port 1 - Port 8 PoE Ports, 123 W PoE power budget, 20 Gbps switching capacity, Up to 30 W for each Port
TL-SG1210MPE	R 1,702	TP-Link TL-SG1210MPE 10 Port Gigabit easy Smart Switch with 8 Port PoE , 9x Gigabit RJ45 Ports, 1x Gigabit combo SFP/RJ45 Port, Fanless, Standard 802.3 AF/at compliant, Port 1 - Port 8 PoE Ports, 123 W PoE power budget, 20 Gbps switching capacity, Up to 30 W for each Port
TL-SG1210MPE	R 1,599	TP-Link TL-SG1210MPE 10 Port Gigabit easy Smart Switch with 8 Port PoE , 9x Gigabit RJ45 Ports, 1x Gigabit combo SFP/RJ45 Port, Fanless, Standard 802.3 AF/at compliant, Port 1 - Port 8 PoE Ports, 123 W PoE power budget, 20 Gbps switching capacity, Up to 30 W for each Port
TL-SG1210P	R 1,221	Tp-link Sg1210p 10-port Gigabit Poe Switch, 8 Gbe Poe Ports, 1 Gbe Rj45 Ports, 1 Gbe Sfp Slots, Desktop Steel Case
TL-SG1210P	R 1,254	TP-Link TL-SG1210P 10 Port Gigabit Desktop Switch with 8 Port PoE, 8x PoE 10/100/1000 Mbps RJ45 Ports, 1x 10/100/1000 Mbps RJ45 Port, 1x Gigabit SFP slot, Fanless, 63W PoE power budget
TL-SG1210P	R 1,232	TP-Link TL-SG1210P 10 Port Gigabit Desktop Switch with 8 Port PoE, 8x PoE Gigabit RJ45 Ports, 1x Gigabit RJ45 Port, 1x Gigabit SFP slot, Fanless, 63W PoE power budget
TL-SG1218MPE	R 3,139	Tp-link Sg1218mpe - 18 Port Gigabit Poe Easy Smart Switch, 16 Gigabit Poe Ports, 2 Sfp Slots, 802.3at/af, 192w Poe Power, 1U 19-inch Rack-mountable Steel Case, MTU/Port/Tag-based VLAN, QoS, IGMP Snooping, Web/Utility Management
TL-SG1218MPE	R 3,157	TP-link TP-SG1218MPE 16-port Gigabit PoE & 2x SFP Port Switch, 16x 10/100/1000 Mbps RJ45 ports, 2 Gigabit SFP ports, 2 fans, 192W PoE Power Supply, Rack mountable
TL-SG1218MPE	R 3,123	TP-link TP-SG1218MPE 16-port Gigabit PoE & 2x SFP Port Switch, 16x 10/100/1000 Mbps RJ45 ports, 2 Gigabit SFP ports, 2 fans, 192W PoE Power Supply, Rack mountable
TL-SG2008P	R 1,328	TP-Link TL-SG2008P JetStream 8 Port Gigabit Smart Switch with 4 port PoE , 8 x 10/100/1000 Mbps RJ45 Ports (Ports 1-4 support 802.3at/af PoE), Fanless, 62 W PoE budget
TL-SG2210MP	R 2,540	TP-Link SG2210MP JetStream 10 Port Gigabit Smart Switch with 8 Port PoE , 8x 10/100/1000 Mbps RJ45 Ports All supporting PoE , 2x 100/1000 Mbps SFP slots, 150 W PoE Power Supply, 802.3at/af compliant, Rack mountable
TL-SG2428P	R 4,311	TP-Link TL-SG2428P 24-port Gigabit Smart PoE Switch with 4 SFP slots, 24x 10/100/1000 Mbps RJ45 PoE Ports, 4x Gigabit SFP slots, 2 fans, Rack mountable, 250 W Power Supply

TL-SG2428P	R 4,599	TP-Link TL-SG2428P 24-port Gigabit Smart PoE Switch with 4 SFP slots, 24x 10/100/1000 Mbps RJ45 PoE Ports, 4x Gigabit SFP slots, 2 fans, Rack mountable, 250 W Power Supply
TL-SG3210	R 1,578	TP-Link JetStream 8 Port Gigabit L2 managed Switch with 2x SFP slots, TL-SG3210, 8x Gigabit RJ45 Ports, 2x Gigabit SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable / Desktop mounting, 20 Gbps switching capacity
TL-SG3210	R 1,478	TP-Link JetStream 8 Port Gigabit L2 managed Switch with 2x SFP slots, TL-SG3210, 8x Gigabit RJ45 Ports, 2x Gigabit SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable / Desktop mounting, 20 Gbps switching capacity
TL-SG3210XHP-M2	R 4,545	TP-Link SG3210XHP-M2 JetStream 8 Port 2.5GBase-T & 2-port 10GE SFP L2 managed Switch, 8 x 100/1000/2500 Mbps RJ45 Ports, 2x 10G SFP slots, 1x Micro-USB Console Port, 2 fans, 8 Ports PoE Ports, 240W PoE Power budget, 802.3at/af compliant standard
TL-SG3428	R 3,157	TP-Link SG3428 JetStream 24 port Gigabit L2 managed Switch with 4 SFP slots, 24x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable
TL-SG3428	R 2,974	TP-Link SG3428 JetStream 24 port Gigabit L2 managed Switch with 4 SFP slots, 24x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable
TL-SG3428MP	R 5,389	TP-Link SG3428MP JetStream 28 Port Gigabit L2 managed Switch with 24 Port PoE , 24x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, PoE 24 Ports up to 30 W per Port, 384 W Power budget, Rack mountable, 56 Gbps switching capacity
TL-SG3428X	R 3,772	TP-Link TL-SG3428X 24 Port Gigabit L2 managed Switch with 4x 10GE SFP Ports, 24x 10/100/1000 Mbps RJ45 Ports, 4x 10G SFP slots, Fanless, Rack mountable, 128 Gbps switching capacity
TL-SG3428X	R 3,817	TP-Link TL-SG3428X 24 Port Gigabit L2 managed Switch with 4x 10GE SFP Ports, 24x 10/100/1000 Mbps RJ45 Ports, 4x 10G SFP slots, Fanless, Rack mountable, 128 Gbps switching capacity
TL-SG3428XF	R 7,848	TP-Link SG3428XF JetStream 24 Port SFP L2 managed Switch with 4x 10GE SFP slots, 20x Gigabit SFP Ports, 4x Gigabit SFP/RJ45 combo Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 1 fan, Dual reduant Power supplies, Rack mountable, 128 Gbps switching capacity
TL-SG3428XMP	R 6,544	TP-Link SG3428XMP JetStream 24 Port Gigabit PoE & 4 port 10GE SPF L2 managed Switch, 24x 10/100/1000 Mbps RJ45 Ports, 4x 10G SFP slots, PoE 24 Ports up to 30 W per Port, 384 W Power budget, Rack mountable, 128 Gbps switching capacity
TL-SG3428XMP	R 6,415	TP-Link SG3428XMP JetStream 24 Port Gigabit PoE & 4 port 10GE SPF L2 managed Switch, 24x 10/100/1000 Mbps RJ45 Ports, 4x 10G SFP slots, PoE 24 Ports up to 30 W per Port, 384 W Power budget, Rack mountable, 128 Gbps switching capacity
TL-SG3428XPP-M2	R 10,008	TP-Link TL-SG3428XPP-M2 JetStream 24 Port 2.5gps & 4 port 10GE SFP L2 Managed PoE Switch with 16 port PoE & 8 Port PoE , 24x 2.5 Gbps RJ45 Ports, 4x 10G SFP slots, 3x fans, 500 W Power budget, Rack mountable, 200 Gbps switching capacity, 8 Ports up to 60W per Port PoE Ports, 16 Ports up to 30 W per Port PoE Ports
TL-SG3452	R 5,292	TP-Link TL-SG3452 JetStream 48-port Gigabit L2 Managed Switch, 48x Gigabit RJ45 Ports, 4x Gigabit SFP slots, Fanless, Rack mountable, 104 Gbps switching capacity
TL-SG3452P	R 9,238	TP-Link JetStream 52-port Gigabit L2 managed Switch with 48-port PoE , 48 x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 1x Micro-USB Console Port, 1x RJ45 Console Port, 3 fans, 48 PoE Ports up to 30 W per Port, 384 W Power budget, Rack mountable, TL-SG3452P
TL-SG3452P	R 9,999	TP-Link TL-SG3452P JetStream 52-Port Gigabit L2 Managed Switch with 48-Port PoE
TL-SG3452XP	R 11,548	TP-Link TL-SG3452XP JetStream 48-port Gigabit L2 managed Switch, 48 x 10/100/1000 Mbps RJ45 PoE Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 3 fan, 48 Ports PoE Ports, Up to 30 W per Port, 500 W Power budget, Rack mountable, 176 Gbps switching capacity
TL-SL1218MP	R 2,750	TP-link TL-SL1218MP 16-port 10/100 Mbps 2-port Gigabit unmanaged PoE Switch, 16x PoE 10/100 Mbps RJ45 ports, 2x 10/100/1000 Mbps RJ45 ports, 2x combo Gigabit SFP slots, Standard : 802.3at/802.3af compliant, PoE ports PORT1 - PORT16, 192W PoE power budget
TND-S105	R 489	Tenda S105 5 port Fast Ethernet Switch, 5x 10/100 Ethernet Ports
TND-S108	R 489	Tenda S108 8 Port Fast Ethernet Switch, 8x 10/100 Ethernet Ports

TND-S16	R 378	Tenda S16 16 port Fast Ethernet Desktop Switch, 16x 10/100 Ethernet Ports
TND-SG1016D	R 518	Tenda TEG1016D 16 port Rackmount Gigabit Switch, TND-SG1016D, 16x Gigabit RJ45 Ethernet Ports, Metal material, 32Gbps Switch capacity
TND-SG1024G	R 914	Tenda TEG1024G 24 Port Gigabit Rackmount Switch, TND-SG1024G, 24x 1GE RJ45 Ports interfaces, Metal material, 48Gbps Switch capacity, Rack mounting, Desktop mounting, Wall Mounting
TND-SG1048G	R 2,644	Tenda TEG1050f 48 Port Gigabit unmanaged Ethernet Switch, 48x 10/100/1000 BASE-T Ethernet ports, 2x 1000 Base-X SFP ports (Independent), Metal, No fan
TND-SG105	R 121	Tenda SG105 5 port Gigabit Ethernet Desktop Switch, 5x Gigabit LAN Ports
TND-SG108	R 213	Tenda SG108 8 Port Gigabit Ethernet Desktop Switch, 8x Gigabit LAN Ports
TP-ES205G	R 321	TP-Link Omada 5 port Gigabit Easy Managed Switch with 4 port PoE , ES205GP, Fanless, 4x Gigabit PoE Ports, 65 W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 10 Gbps switching capacity
TP-ES206GP	R 635	TP-Link ES206GP Omada 6 Port Gigabit Easy Managed Switch with 4 port PoE , 6x Gigabit RJ45 Ports (Ports 1-4 support 802.3af PoE and 802.3at PoE), Fanless, 65W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 12 Gbps switching capacity
TP-ES208G	R 373	TP-Link ES208G Omada 8 Port Gigabit Easy Managed L2 Switch, 8x Gigabit RJ45 Ports, Fanless, 16 Gbps switching capacity, Durable Metal casing
TP-ES210GMP	R 1,346	TP-Link Omada 10 Port Gigabit Easy Managed Switch with 8 Port PoE , ES210GMP, 8x Gigabit PoE RJ45 Ports, 123W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 1x Gigabit RJ45 Port, 1x Gigabit SFP/RJ45 Combo Port, Fanless, 20 Gbps switching capacity
TP-ES216G	R 1,046	TP-Link ES216g Omada 16 port Gigabit Easy Managed Switch, 16x Gigabit RJ45 Ports, Fanless, Rackmountable, 32 Gbps switching capacity
TP-ES220GMP	R 2,542	TP-Link Omada 20-port Gigabit Easy Managed Switch with 16 port PoE , ES220GMP, 16x Gigabit Mbps PoE RJ45 Ports, 250W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 2x Gigabit RJ45 Port, 2x Gigabit SFP slot, 40 Gbps switching capacity, 2 fans, Rackmountable
TP-ES224G	R 1,495	Reyee 24 Port Gigabit Smart Managed Layer 2 Switch, RG-ES224GC-V2, 24x Gigabit Ethernet Ports, 48 Gbps switching capacity, Fanless
TP-ES228GMP	R 3,739	TP-Link Omada 28-port Gigabit Easy Managed Switch with 24 Port PoE , ES228GMP, 24x Gigabit PoE RJ45 Ports, 2x Gigabit RJ45 Port, 2x Gigabit SFP slot, 2 fans, Rackmountable, 384W PoE budget, 30W Max per Port, Up to 250m PoE transmission distance, 56 Gbps switching capacity
TP-IES210GPP	R 2,842	TP-Link IES210GPP Omada 10 Port Gigabit Industrial Easy Managed Switch with 6 Port PoE & 2-port PoE , 2x Gigabit PoE RJ45 Ports, 6x Gigabit PoE RJ45 Ports, 2x Gigabit SFP/RJ45 Combo slots, Fanless, DIN-Rail mounting, Wall Mounting, 12-57V 1 1 Redundant DC Power Input, 2 PoE Ports up to 60W per Port, 6 PoE Ports up to 30W per Port, 240W Max PoE budget, 20 Gbps switching capacity
TP-LS1005G	R 179	TP-Link LS1005G 5 port Gigabit Switch, 5x 10/100/1000 Mbps Ports, Fanless, 10 Gbps switching capacity
TP-LS108G	R 321	TP-Link LS108G LiteWave 8-Port Desktop Gigabit Switch. The TP-Link LiteWave LS108G is an 8-port unmanaged Gigabit desktop switch designed for seamless network expansion in home and small office environments. With plug-and-play functionality, it offers reliable performance without the need for complex configurations. Its compact metal housing ensures durability, while Green Ethernet technology helps reduce power consumption, making it an eco-friendly choice for users seeking efficient networking solutions.
TP-SF1005D	R 119	TP-Link TL-SF1005D 5 port 10/100 Mbps Desktop Switch, Fanless, 5x 10/100 Mbps Ethernet RJ45 Ports
TP-SF1006P	R 378	TP-Link SF1006P 5 Port 10/100 Mbps Desktop Switch with 4 Port PoE, 6x 10/100 Mbps RJ45 ports (Ports 1-4 support 802.3af/at PoE), Fanless, 67 W PoE Power Supply
TP-SF1008D	R 134	TP-Link TL-SF1008D 8 Port 10/100 Mbps Desktop Switch, 8x 10/100 Mbps Ethernet Ports, Fanless
TP-SF1009P	R 1,064	TP-Link SF1009P 9-port 10/100 Mbps Desktop Switch with 8 Port PoE , 9x 10/100 Mbps RJ45 Ports with 8x 10/100 Mbps 802.3af/at PoE Ports, Fanless, 65 W Power Supply
TP-SF1016D	R 351	TP-Link TL-SF1016D 16 port 10/100 Mbps Ethernet Desktop Switch, Fanless, 16 x 10/100 Mbps RJ45 Ports, External Power Adapter
TP-SF1024D	R 710	TP-Link TP-SF1024D 24-port 10/100M Switch, 13-inch rack-mountable steel case, 24x 10/100Mbps RJ45 Ports, Fanless

TP-SF1048	R 1,645	TP-link 48-port 10/100 Mbit rackmountable Switch, 48 10/100 Mbit RJ45 ports, 1U 19-inch steel case
TP-SG1005D	R 201	TP-Link TL-SG1005D 5 Port Ethernet Mini Desktop Switch, 5x Gigabit RJ45 Ports, Plastic Case, 10Gbps Switching Capacity, 15K Jumbo frame improves performance of large data transfers, Fanless
TP-SG1008D	R 321	TP-Link TL-SG1008D 8 Port Ethernet Mini Desktop Switch, 8x Gigabit RJ45 LAN Ports, Plastic Case, Fanless, 15 KB Jumbo Frame, 16 Gbps Switching Capacity
TP-SG1008MP	R 1,645	TP-link TP-SG1008MP 8-port Gigabit PoE Switch, 8x 10/100/1000 Mbps RJ45 PoE ports, Standard 802.3at/af (30W), 126W total PoE budget
TP-SG1008P	R 747	TP-Link 8-Port Gigabit Desktop PoE Switch, 4x Gigabit RJ45 ports & 4x Gigabit PoE ports, 53W PoE Power supply, Steel case, Fanless
TP-SG1016D	R 1,121	TP-LINK 16 Port Gigabit Easy Smart Switch, 16x Gigabit Ethernet RJ45 Ports, MTU / Port / Tag-based VLAN, QoS, IGMP Snooping, 32Gbps Switching Capacity, 1U 13-inch rack-mountable steel case, Fanless
TP-SG1016PE	R 1,944	TP-Link 16-port Gigabit Easy Smart PoE Switch, 110W PoE for 8 PoE ports
TP-SG1024	R 1,420	TP-Link TL-SG1024 24 Port Gigabit Rackmount Switch, 24x 10/100/1000 Mbps Ethernet RJ45 Ports, Fanless, Rack mountable, 48Gbps switching capacity
TP-SG1024D	R 1,308	TP-link TP-SG1024D 24-port Gigabit Ethernet switch; 24 x 10/100/1000Mbps RJ45 ports; 48Gbps switching capacity; 35.7Mpps forwarding rate; fanless; 10KB Jumbo Frame; 8K MAC table; rackmountable; 294 x 140 x 44 mm; unmanaged; plug and play
TP-SG1024DE	R 1,495	TP-Link SG1024DE 24-Port Gigabit Easy Smart Switch, 24x 10/100/1000Mbps RJ45 ports, designed for Small and Medium Business networks that require simple network management, Network monitoring, Traffic prioritization, VLAN features, Innovative energy-efficient technology reduces power output by up to 18%, Simple network set-up on top of plug-and-play connectivity, Web-based user interface and management utility simplify configuration
TP-SG1048	R 4,113	TP-link TP-SG1048 48-port Gigabit rackmount Switch 1U, 48x 10/100/1000 RJ45 ports, 1U, 19 steel case
TP-SG105	R 246	TP-Link SG105 5 Port Desktop Gigabit Switch, 5 10/100/1000M RJ45 ports, steel case
TP-SG108	R 373	TP-Link SG108 8 Port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, steel case
TP-SG1210MP	R 1,607	TP-Link TP-SG1210MP 10 Port Gigabit Desktop Switch with 8 Port PoE , 9x 10/100/1000 Mbps RJ45 Ports, 1x 1000 Mbps combo SFP/RJ45 Port, Up to 30 W on each PoE Port, Fanless, Ports 1-8 PoE Ports, 123 W PoE Power Supply
TP-SG1210MPE	R 1,695	TP-Link TP-SG1210MPE 10 Port Gigabit easy Smart Switch with 8 Port PoE , 9x 10/100/1000 Mbps RJ45 Ports, 1x 1000 Mbps combo SFP/RJ45 Port, Fanless, Standard 802.3 AF/at compliant, Port 1 - Port 8 PoE Ports, 123 W PoE power budget, 20 Gbps switching capacity, Up to 30 W for each Port
TP-SG1210P	R 1,196	TP-Link SG1210p 10-port Gigabit PoE Switch, 8x PoE 10/100/1000 Mbps RJ45 ports, 1x 10/100/1000 Mbps RJ45 Port, 1x Gigabit SFP slot, Fanless, 63W PoE power budget
TP-SG1218MPE	R 3,066	TP-link TP-SG1218MPE 16-port Gigabit PoE & 2x SFP Port Switch, 16x 10/100/1000 Mbps RJ45 ports, 2 Gigabit SFP ports, 2 fans, 192W PoE Power Supply, Rack mountable
TP-SG2210MP	R 2,468	TP-Link SG2210MP jetstream 10 Port Gigabit Smart Switch with 8 port PoE , 8x 10/100/1000 Mbps RJ45 ports All supporting PoE , 2x 100/1000 Mbps SFP slots, 150 W PoE Power Supply, 802.3at/af compliant, Rack mountable
TP-SG2210P	R 1,570	TP-Link TL-SG2210P JetStream 10 Port Gigabit Smart Switch with 8 Port PoE , 8x Gigabit RJ45 PoE Ports, 61W PoE budget, 2x Gigabit SFP slots, Fanless
TP-SG2218P	R 3,410	TP-Link TL-SG2218P JetStream 18-port Gigabit Smart Switch with 16 port PoE , 16 x Gigabit RJ45 PoE Ports, 150 W PoE Power budget, 2x Gigabit SFP slots, Rack mountable, 36 Gbps switching capacity
TP-SG2428P	R 4,188	TP-Link TP-SG2428P 24-port Gigabit Smart PoE Switch with 4 SFP slots, 24x 10/100/1000 Mbps RJ45 PoE ports, 4x Gigabit SFP slots, 2 fans, Rack mountable
TP-SG3210XHP-M2	R 4,487	TP-Link SG3210XHP-M2 JetStream 8 Port 2.5GBase-T & 2-port 10GE SFP L2 managed Switch, 8 x 100/1000/2500 Mbps RJ45 Ports, 2x 10G SFP slots, 1x Micro-USB Console Port, 2 fans, 8 Ports PoE Ports, 240W PoE Power budget, 802.3at/af compliant standard
TP-SG3428	R 3,066	TP-Link SG3428 jetsream Gigabit L2 managed Switch with 4 SFP slots, 24x 10/100/1000 Mbps RJ45 ports, 4x Gigabit SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable
TP-SG3428MP	R 5,235	TP-Link SG3428MP JetStream 28 Port Gigabit L2 managed Switch with 24 Port PoE , 24x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, PoE 24 Ports up to 30 W per Port, 384 W Power budget, Rack mountable, 56

		Gbps switching capacity
TP-SG3428X	R 3,664	TP-Link TL-SG3428X 24 Port Gigabit L2 managed Switch with 4x 10GE SFP Ports, 24x 10/100/1000 Mbps RJ45 Ports, 4x 10G SFP slots, Fanless, Rack mountable, 128 Gbps switching capacity
TP-SG3428XMP	R 6,357	TP-Link SG3428XMP jetstream 24-port Gigabit PoE and 4-port 10GE SFP L2 managed Switch, 24x 10/100/1000 Mbps RJ45 ports, 4x 10G SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, 2 fans, Standard : 802.3at/af compliant, PoE ports 24 ports up to 30 W per Port, 384 W power budget, Rack mountable
TP-SG3452	R 5,497	TP-Link TP-SG3452 JetStream 48-port Gigabit L2 managed Switch, 48 x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 1x Micro-USB Console Port, Fanless, Rack mountable, 104 Gbps switching capacity
TP-SG3452P	R 8,975	TP-Link TP-SG3452P JetStream 52 Port Gigabit L2 managed Switch with 48 Port PoE , 48x 10/100/1000 Mbps RJ45 Ports, 4x Gigabit SFP slots, 3x fans, Standard 802.3at/af compliant PoE Ports (RJ45), 48 Ports PoE Ports up to 30 W per Port, 384 W Power budget, 104 Gbps switching capacity
TP-SG3452XP	R 11,219	TP-Link TP-SG3452XP JetStream 48-port Gigabit L2 managed Switch, 48 x 10/100/1000 Mbps RJ45 PoE Ports, 4x 10G SFP slots, 1x Micro-USB Console Port, 3 fan, 48 Ports PoE Ports, Up to 30 W per Port, 500 W Power budget, Rack mountable, 176 Gbps switching capacity
TP-SG5428XMPP	R 9,723	TP-Link SG5428xmpp Omada 24 Port PoE L3 Switch, TP-SG5428XMPP, 24x Gigabit RJ45 Ports (8x PoE & 16x PoE), 4x 10 Gbps SFP slots, 1x USB 2.0 Port, 3 fans, Ports 1~8 PoE Ports (Up to 90W per Port), Ports 9~24 PoE Ports (Up to 30W per Port), 500W Power budget, Rackmountable, 128 Gbps per unit switching capacity, 4 Max stacking number
TP-SG5452XMPP	R 14,959	TP-Link SG5452xmpp Omada 48-port Gigabit stackable Lite L3 Managed PoE Switch with 4x 10Gbps slots, 48x Gigabit RJ45 Ports (8x PoE & 40x PoE), 4 x 1 / 10 Gbps SFP slots, 1x USB 2.0 Port, 3 fans, Ports 1~8 PoE Ports (Up to 90W per Port), Ports 9~48 PoE Ports (Up to 30W per Port), 770W Power budget, 176 Gbps per unit switching capacity, Rackmountable, Up to 4 stackable
TP-SG6428X	R 14,959	TP-Link SG6428X Omada 24 Port Gigabit stackable L3 Managed Switch with 4x 10G slots, 24x Gigabit RJ45 Ports, 4x 10G SFP slots, 2x USB 2.0 Ports, Four internal fixed fans, Two internal fixed Power Supply modules, Rackmountable
TP-SL1218MP	R 3,084	TP-link TP-SL1218MP 16-port 10/100 Mbps 2-port Gigabit unmanaged PoE Switch, 16x PoE 10/100 Mbps RJ45 ports, 2x 10/100/1000 Mbps RJ45 ports, 2x combo Gigabit SFP slots, Standard : 802.3at/802.3af compliant, PoE ports PORT1 - PORT16, 192W PoE power budget
TP-SX3008F	R 3,889	TP-Link TP-SX3008F JetStream 8 Port 10GE SFP L2 managed Switch, 8x 10GE SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, Fanless, Rack mountable, 160 Gbps switching capacity
TP-SX3016F	R 8,227	TP-Link JetStream 16-port 10GE SFP L2 managed Switch, 16x 10GE SFP slots, 1x RJ45 Console Port, 1x Micro-USB Console Port, 1x fan, Rack mountable, 320 Gbps switching capacity
TSW010	R 493	Teltonika TSW010 Industrial 5 port DIN Rail Ethernet Switch, Supports auto MDI/MDIX crossover, 2 pin Industrial DC Power Socket connector, 9 - 30 VDC Input Voltage range, 5x 10/100 Mbps RJ45 Ports, Aluminium housing
TSW100	R 1,410	Teltonika 5-port Industrial Gigabit PoE Switch - unmanaged, 802.3af/at, 30watts per Port, 60Watt PSU included, 7-58 V DC in, 4 ports POE/1 uplink, DIN-Rail mountable
TSW101	R 1,331	Teltonika TSW101 5 port Gigabit PoE Switch, Supports auto MDI/MDIX crossover, Unmanaged L2, 5x 10/100/1000 Mbps RJ45 Ports, Port 1 - 4 PoE Ports, 30 W PoE Max Power per Port, 60 W total PoE Power budget, 2 - pin Industrial DC Power Socket
TSW200	R 1,808	Teltonika TSW200 8 Port Industrial Gigabit Switch - Unmanaged, 8 x LAN Ports 10/100/1000 Mbps, 2 x SFP Ports Fiber, Port 1 - 8 PoE Ports, 802.3af and 802.3at PoE standards, 30 W PoE Maximum power per Port (AT PSE), 240 W total PoE power budget (AT PSE)
TSW202	R 2,714	Teltonika TSW202 Industrial Managed PoE Switch, Gigabit Ethernet Ports providing 30W of Power each, 2x SFP Fibre Ports, 8x Gigabit Ports, Port 1 - 8 PoE Ports, 30 W PoE Max Power per Port, 240 W total PoE Power budget, 100 m Maximum Ethernet cable length, 2 pin Industrial DC Power Socket, 7 - 57 VDC Input Voltage range, 44 - 57 VDC PoE-out Input Voltage range
TSW210	R 1,584	Teltonika Industrial 8 Port Gigabit Switch, TSW210, 8x Gigabit Ethernet Ports, 2x SFP Ports, 2 pin Industrial DC Power Socket, 1x grounding screw, Full aluminum housing
TSW212	R 2,341	Teltonika TSW212 Industrial Managed Switch, L2 with additional L3 features, 8x Gigabit Ports, 2x SFP Fibre Ports,

		2 pin Industrial DC Power Socket, 7 - 57 VDC Input Voltage range, Anodized aluminum housing and panels
TSW212-PSU	R 2,271	Teltonika TSW212 Industrial Managed Switch with PSU, L2 with additional L3 features, 8x Gigabit Ports, 2x SFP Fibre Ports, 2 pin Industrial DC Power Socket, 7 - 57 VDC Input Voltage range, Anodized aluminum housing and panels
TTK-SWM280	R 6,009	Teltonika 24 Port Gigabit PoE L2 Managed Switch, SWM280, Port 1-12 PoE Ports, 30 W PoE Max Power per Port (at PSE), 300 W total PoE Power budget (at PSE), C14 Power Connector, 24x Gigabit RJ45 Ethernet Ports, 4x SFP Ports Fiber, 1x grounding screw, Anodized Aluminum housing and panels, Rack mounting kit, 56 Gbps Bandwidth (Non-Blocking)
TTK-SWM281	R 4,009	Teltonika 24 Port Gigabit Ethernet L2 Managed Switch, SWM281, C14 Power Connector, 24x Gigabit RJ45 Ports Ports, 4x SFP Ports Fiber, 1x grounding screw, Anodized Aluminum housing and panels, Rack mounting kit, 56 Gbps Bandwidth (Non-Blocking)
TTK-SWM282	R 6,588	Teltonika SWM282 24x Gigabit PoE & 4x SFP mananaged Switch, 4x SFP Ports Fiber, 24x Gigabit Ethernet Ports, Ports 1-24 PoE Ports, 30W PoE Max Power per Port, 300W total PoE Power budget, 1x C14 connector Power, 1x grounding screw, Anodized Aluminum housing and panels, Rack mounting kit
TTK-TSF010	R 1,040	Teltonika TSF010 Industrial flat 5 port Ethernet Switch, 5x RJ45 Ports 10/100 Mbps Ethernet Ports, 3 pin Industrial DC Power Socket, Anodized aluminum housing and panels, Integrated DIN Rail bracket mounting options
TTK-TSW010	R 584	Teltonika TSW010 Industrial 5 port DIN Rail Ethernet Switch, Supports auto MDI/MDIX crossover, 2 pin Industrial DC Power Socket connector, 9 - 30 VDC Input Voltage range, 5x 10/100 Mbps RJ45 Ports, Aluminium housing
TTK-TSW030	R 889	Teltonika TSW030 Industrial 8 Port Ethernet Switch, 8x RJ45 Ports 10/100 Mbps Ethernet Ports, 2 pin Industrial DC Power Socket, 1x grounding screw, Anodized aluminum housing and panels, Integrated DIN Rail bracket
TTK-TSW040	R 1,056	Teltonika Industrial 8 Port PoE 240W Switch, TTK-TSW040, 8x RJ45 Ports 10/100 Mbps, Port 1 - 8 PoE Ports, 30W PoE Max Power per Port, 240W total PoE Power budget, 2 pin Industrial DC Power Socket connector, 1x grounding screw, Anodized aluminum housing and panels
TTK-TSW100	R 1,581	Teltonika 5-port Industrial Gigabit PoE Switch - unmanaged, 802.3af/at, 30watts per Port, 60Watt PSU included, 7-58 V DC in, 4 ports POE/1 uplink, DIN-Rail mountable
TTK-TSW101	R 1,243	Teltonika TSW101 5 port Gigabit PoE Switch, Supports auto MDI/MDIX crossover, Unmanaged L2, 5x 10/100/1000 Mbps RJ45 Ports, Port 1 - 4 PoE Ports, 30 W PoE Max Power per Port, 60 W total PoE Power budget, 2 - pin Industrial DC Power Socket
TTK-TSW110	R 929	Teltonika TSW110 Plug and Play 5-port Industrial Gigabit PoE Switch - unmanaged L2, 5x Gigabit LAN ports, 4 pin Industrial DC power Socket, 9 - 30 VDC Input voltage range, 1x grounding screw, Full aluminum housing, DIN rail or wall mounting
TTK-TSW114	R 918	Teltonika TSW114 Industrial 5 port Gigabit DIN Rail Ethernet Switch, Supports auto MDI/MDIX crossover - Unmanaged (10Gbps), 5x Gigabit Ethernet Ports, 2 pin Industrial DC Power Socket connector, 9 - 30 VDC Input Voltage range, 1x grounding screw, Anodized aluminum housing and panels
TTK-TSW200	R 1,945	Teltonika TSW200 8 Port Industrial Gigabit Switch - Unmanaged, 8 x LAN Ports 10/100/1000 Mbps, 2 x SFP Ports Fiber, Port 1 - 8 PoE Ports, 802.3af and 802.3at PoE standards, 30 W PoE Maximum power per Port (AT PSE), 240 W total PoE power budget (AT PSE)
TTK-TSW202	R 2,555	Teltonika TSW202 Industrial Managed PoE Switch, Gigabit Ethernet Ports providing 30W of Power each, 2x SFP Fibre Ports, 8x Gigabit Ports, Port 1 - 8 PoE Ports, 30 W PoE Max Power per Port, 240 W total PoE Power budget, 100 m Maximum Ethernet cable length, 2 pin Industrial DC Power Socket, 7 - 57 VDC Input Voltage range, 44 - 57 VDC PoE-out Input Voltage range
TTK-TSW210	R 1,653	Teltonika Industrial 8 Port Gigabit Switch, TSW210, 8x Gigabit Ethernet Ports, 2x SFP Ports, 2 pin Industrial DC Power Socket, 1x grounding screw, Full aluminum housing
TTK-TSW212	R 2,205	Teltonika TSW212 Industrial Managed Switch, L2 with additional L3 features, 8x Gigabit Ports, 2x SFP Fibre Ports, 2 pin Industrial DC Power Socket, 7 - 57 VDC Input Voltage range, Anodized aluminum housing and panels
TTK-TSW304	R 1,515	Teltonika TSW304 4 port Gigabit Switch, Supports auto MDI/MDIX crossover, Unmanaged L2, 4 x 10/100/1000 Mbps RJ45 Ports, 2 - pin Power Socket connector, Passive PoE Input on Port no. 1, DIN Rail mounting, Aluminum housing
TXE018	R 574	Microworld TXE018 16 Port Gigabit Switch, 16 10/100/1000 Mbps RJ45 Ports, Fanless, Iron Shell

TXE034	R 138	Microworld TXE034 5 Port Gigabit Switch, 5x 10/100/1000 Mbps RJ45 Ports
TXE038	R 316	Microworld TXE038 4 port Gigabit PoE Switch, 5x 10/100 Mbps Auto-Negotiation Ports, 10Gbps switching capacity, 10Gbps switching capacity, 4x PoE Ports compliant with 802.3at/af, 60W PoE budget
TXE059	R 109	Mlink TXE059 8 Port 10/100 Mbps LAN Switch
TXE099	R 229	Microworld TXE099 8 Port Gigabit Switch
TXE100	R 518	Microworld TXE100 24 Port 10/100 Mbps Iron Shell Ethernet Switch, 24x 10/100 Mbps RJ45 Ports, Fanless, 4.8Gbps switching capacity
TXE102	R 247	Microworld TXE102 16 port 10/100 Mbps Ethernet Switch, Fanless, 3.2Gbps switching capacity
TXE104	R 276	Mlink TXE104 4 port 10/100 PoE 1 LAN Switch, 5 x RJ45 Ethernet Ports with 4x PoE, 15.4W per Port, Metal Case
TXE143	R 459	Microworld 8x Gigabit PoE 2x Gigabit uplink Port Switch, 10x 10/100 Mbps auto -negotiation Ports, 8x PoE Ports compliant with 802.3at/af (RJ45), 120W PoE budget
TXE193	R 919	Mlink TXE193 16 2 PoE Switch, Unmanaged Network Switch Design for Plug and Play Operation, 16x PoE Ports Plus 2 Uplink Ports Port Configuration
TXE269	R 863	Mlink TXE269 24 Port Gigabit Switch, 24x RJ45 Gigabit Ethernet Ports, Full-Duplex and Half-Duplex transfer mode, 19-inch Metal Rack-Mountable Shell Design
TXE301	R 1,725	Mlink TXE301 24 2 PoE Switch, Unmanaged Plug and Play Ethernet Networking device, Features 24 RJ45 Gigabit Ethernet Ports, Speed of 10/100/1000 Mbps Auto-Negotiation per Port, Transfer mode supports Full-Duplex and Half-Duplex, 19-inch Metal Rack-Mountable Shell Design
TXE306	R 2,013	Mlink TXE306 24 2 Gigabit PoE Switch, 24x Gigabit PoE RJ45 Ports 2 x Gigabit SFP/Uplink Ports, High-Speed Data transmission capacity up to 56Gbps, Compatible with IEEE802.3af/at PoE standards, Automatic Power detection for connected devices
TXE318	R 1,379	Mlink TXE318 16 2 Gigabit PoE Switch Unmanaged Network Switch, Features 16 Power over Ethernet (PoE) Ports and 2 Gigabit Uplink Ports, Total of 18 Ports with 10/100/1000 Mbps Speed across All Ports
UB-ES-24-250W	R 8,009	Ubiquiti EdgeSwitch, 24 Port Gigabit POE, 250W, 802.3at/af 24V Passive PoE, RM, RM, 2 SFP
UB-N-SW	R 728	Ubiquiti N-SW NanoSwitch Outdoor 4-Port PoE Passthrough Switch, 4x 10/100/1000 Gigabit RJ45 Ports
UB-NS4	R 707	Ubiquiti NS-W Nanoswitch Outdoor 4x Gigabit Ethernet with 3x POE Out, Passive 24V PoE-in PoE Interfaces, 24W per port / Total 36W for three ports, 4x Gigabit Ethernet RJ45
UB-UDM PRO MAX	R 12,782	Ubiquiti UniFi - Dream Machine Pro Max with 8-ports, UDM-PRO-MAX, 8x GbE RJ45 Ports LAN, 1x 10G SFP Port LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen LCM Display
UB-UDM-PRO-MAX	R 12,656	Ubiquiti UniFi - Dream Machine Pro Max with 8-ports, UDM-PRO-MAX, 8x GbE RJ45 Ports LAN, 1x 10G SFP Port LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen LCM Display
UB-UDM-PRO-MAX	R 12,644	Ubiquiti UniFi - Dream Machine Pro Max with 8-ports, UDM-PRO-MAX, 8x GbE RJ45 Ports LAN, 1x 10G SFP Port LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen LCM Display
UB-UISP S PRO	R 8,044	Ubiquiti UISP 24 Port Gigabit with 16 PoE 220W Ports & 4x SFP Ports Switch, UISP-S-PRO, 64 Gbps total Non-Blocking Throughput, 24x GbE RJ45 LAN Ports with 16 of them PoE, 220W total available PoE, 30W Max passive PoE wattage per Port, 4x 1/10G SFP Ports, 1.3" Touchscreen LCM Display
UB-UISP-CONSOLE	R 5,744	Ubiquiti UISP Console 9 Port Gigabit & 2x SFP Port Switch, UISP-CONSOLE, UISP Operating System, 1x 10Gbps (LAN) & 1x 10Gbps (WAN) SFP Ports, 8x Gigabit (LAN) Ethernet Port, 1x Gigabit (WAN) Ethernet Port, 1x MicroSD card slot, Quad-Core Processor, 4GB DDR4 system Memory
UB-UISP-CTRL	R 5,809	Ubiquiti UISP Eight-port Layer 2 Gigabit PoE Switch designed for MicroPoP applications, UISP-S-EU, 18 Gbps switching capacity, 8x Gigabit RJ45 Ports PoE, 1x 1G SFP Port, 110W total available PoE Power, 30W 27V DC Max passive PoE wattage per Port
UB-UISP-S	R 2,318	Ubiquiti uisp-s UISP Switch - Gigabit PoE Switch for MicroPoP applications, 8x Gigabit Ethernet RJ45 Ports with 27V passive PoE that support 2-pair and 4-pair modes, 1x Gigabit SFP Port, 30W / 27VDC Maximum passive PoE wattage per Port
UB-UISP-S	R 2,271	Ubiquiti UISP-S UISP Switch - Gigabit PoE Switch for MicroPoP applications, 8x Gigabit Ethernet RJ45 Ports with 27V passive PoE that support 2-pair and 4-pair modes, 1x Gigabit SFP Port, 30W / 27VDC Maximum passive PoE wattage per Port
UB-UISP-S-PRO	R 8,016	Ubiquiti UISP 24 Port Gigabit with 16 PoE 220W Ports & 4x SFP Ports Switch, UISP-S-PRO, 64 Gbps total

		Non-Blocking Throughput, 24x GbE RJ45 LAN Ports with 16 of them PoE, 220W total available PoE, 30W Max passive PoE wattage per Port, 4x 1/10G SFP Ports, 1.3" Touchscreen LCM Display
UB-UISP-S-PRO	R 7,906	Ubiquiti UISP 24 Port Gigabit with 16 PoE 220W Ports & 4x SFP Ports Switch, UISP-S-PRO, 64 Gbps total Non-Blocking Throughput, 24x GbE RJ45 LAN Ports with 16 of them PoE, 220W total available PoE, 30W Max passive PoE wattage per Port, 4x 1/10G SFP Ports, 1.3" Touchscreen LCM Display
UB-USW 16 POE	R 6,227	Ubiquiti 16 Port Gigabit 42W with 8x PoE ports & 2 SFP ports UniFi Switch, USW-16-POE, 32W Maximum PoE wattage per Port by PSE 802.3at
UB-USW 24 POE	R 7,901	Ubiquiti USW-24-POE UniFi Switch Gen 2 - 24 Port Gigabit Layer 2 Switch, 24x Gigabit Ethernet ports, 16x auto-sensing 802.3at PoE ports, 2x SFP ports, 1.3" touch LCM
UB-USW ENT 48 POE	R 34,103	Ubiquiti 48 Port 2.5Gbps 720W PoE & 2x SFP UniFi Switch, USW-Enterprise-48-PoE, 150W Maximum power consumption, Rack-Mount, 48x 802.3af/at PoE Output, 4x 10Gbps SFP Ports, UCK-G2-PLUS
UB-USW ENT 8 POE	R 8,838	Ubiquiti 8 Port 2.5Gbps 120W PoE & 2x SFP UniFi Enterprise Switch, USW-Enterprise-8-PoE, 40 Gbps total Non-Blocking Throughput, 120W Maximum PoE power, 8x 2.5 Gbps RJ45 Ethernet ports, 2x 10 Gbps SFP port, 32W Maximum PoE wattage per Port by PSE
UB-USW FLEX	R 2,202	Ubiquiti 5 Port Gigabit 1 PoE in 4 PoE out UniFi Flex Switch, USW-FLEX, 5x 10/100/1000 Mbps RJ45 ports, 15.4W Maximum PoE wattage per Port
UB-USW FLEX 25G 8 POE	R 3,416	Ubiquiti UniFi Flex 2.5G PoE 8 Port PoE with 10G Combo Uplink, USW-Flex-2.5G-8-PoE, 8x 2.5 GbE RJ45 Ports (All PoE), 1x 10 GbE RJ45 (PoE), 1x 10G SFP , 76W PoE Input total PoE availability, 46W PoE Input total PoE availability, 16W PoE Input total PoE availability, 60 Gbps switching capacity
UB-USW FLEX XG	R 5,882	Ubiquiti 4 port 10Gbps 1 Gigabit PoE Input UniFi Flex XG Switch, USW-FLEX-XG, 1x 10/100/1000 Mbps RJ45 Ethernet, 4x 10 Gigabit RJ45 Ethernet, SMB Layer 2 Gigabit Ethernet Switch, 1x 802.3at PoE
UB-USW LITE 16 POE	R 4,324	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x 10/100/1000 Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
UB-USW PRO HD 24	R 12,731	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port 600W PoE Layer 3 Etherlighting Switch, USW-Pro-HD-24-PoE, 22x 2.5 GbE RJ45 PoE Ports, 2x 10 GbE RJ45 PoE Ports, 4x 10G SFP Ports, Up to PoE Maximum PoE Output, 600W total PoE availability, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW PRO HD 24 POE	R 20,781	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port 600W PoE Layer 3 Etherlighting Switch, USW-Pro-HD-24-PoE, 22x 2.5 GbE RJ45 PoE Ports, 2x 10 GbE RJ45 PoE Ports, 4x 10G SFP Ports, Up to PoE Maximum PoE Output, 600W total PoE availability, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW PRO MAX 16 POE	R 8,131	Ubiquiti UniFi Pro Max 16 PoE 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 180W PoE budget, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 12x PoE/PoE , 4x 60W PoE , 84 Gbps switching capacity, USW-PRO-MAX-16-POE
UB-USW PRO MAX 24 POE	R 16,232	Ubiquiti UniFi 24 Port with 16x PoE & 8x 2.5Gbps PoE 400W Pro Max Switch, USW-Pro-Max-24-POE, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 8x PoE/PoE , 16x 60W PoE , 112 Gbps switching capacity, 400W total available PoE
UB-USW PRO MAX 48	R 15,169	Ubiquiti UniFi 48 Port with 32x Gigabit & 16x 2.5Gbps RJ45 & 4x 10G SFP Port Pro Max Switch, USW-PRO-MAX-48, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 224 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW PRO XG 24 POE	R 37,277	Ubiquiti UniFi Pro XG 8x 2.5 GbE & 16x 10 GbE & 2x 25G SFP28 Port 720W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-24-PoE, 8x 2.5 GbE RJ45 PoE Ports, 16x 10 GbE RJ45 PoE Ports, 2x 25G SFP28 Ports, Up to PoE Maximum PoE Output, 720W total PoE availability, Rack Mount (1U), 460 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-16-POE	R 6,089	Ubiquiti 16 Port Gigabit 42W with 8x PoE ports & 2 SFP ports UniFi Switch, USW-16-POE, 32W Maximum PoE wattage per Port by PSE 802.3at
UB-USW-16-POE-GEN2	R 6,376	Ubiquiti UniFi Switch Gen 2 - 16 Port Gigabit Layer 2 Switch, 1.3" touch LCM, 16x Gigabit Ethernet ports, 8x auto-sensing 802.3at PoE ports, 2x SFP ports, USW-16-POE
UB-USW-24	R 4,594	Ubiquiti UniFi Switch Gen 2 - 24x Gigabit Ethernet ports & 2x SFP ports, 1.3" touch LCM, 24x Gigabit Ethernet

		ports, 2x SFP 1Gbps Fiber ports, Fanless, USW-24-GEN2, 1U rackmountable
UB-USW-24-POE	R 7,763	Ubiquiti UniFi Switch Gen 2 - 24 Port Gigabit Layer 2 Switch, 24x Gigabit Ethernet ports, 16x auto-sensing 802.3at PoE ports, 2x SFP ports, 1.3" touch LCM, USW-24-POE
UB-USW-24-POE-GEN2	R 8,072	Ubiquiti UniFi Switch Gen 2 - 24 Port Gigabit Layer 2 Switch, 24x Gigabit Ethernet ports, 16x auto-sensing 802.3at PoE ports, 2x SFP ports, 1.3" touch LCM, USW-24-POE
UB-USW-48	R 8,223	Ubiquiti UniFi Switch 48 Port Gigabit & 4x SFP Port managed Layer 2 Switch, USW-48, 48x GbE RJ45 Ports, 4x 1G SFP Ethernet Ports, 52 Gbps total Non-Blocking Throughput, 1.3" Touchscreen with AR Switch management
UB-USW-48-POE	R 11,724	Ubiquiti UniFi Switch Gen 2 - 48 Port with 240W Power Supply, USW-48-POE-GEN2, 48x Gigabit Ethernet ports including 32x 802.3at PoE , 4x 1g SFP ports, 32W Maximum PoE wattage per Port by PSE
UB-USW-48-POE-GEN2	R 12,174	Ubiquiti UniFi Switch Gen 2 - 48 Port with 240W Power Supply, USW-48-POE-GEN2, 48x Gigabit Ethernet ports including 32x 802.3at PoE , 4x 1g SFP ports, 32W Maximum PoE wattage per Port by PSE
UB-USW-AGG-PRO	R 16,784	Ubiquiti UniFi Switch Pro-Aggregation 28x 10G SFP & 4x 25G SFP Ports Layer 3 Switch, 1.3" LCM Colour Touchscreen with ar Switch management, 28x 1/10 Gbps SFP Ethernet, 4x 1/10/25 Gbps SFP28 Ethernet
UB-USW-AGGREGATION	R 5,514	Ubiquiti UniFi Switch aggregation Layer 2 Switch with 8x 10G SFP ports, USW-AGG, 8x 10G SFP ports, 1.3" Touchscreen with ar Switch management, Fanless, 4.7" depth compact enclosure, 1U rackmountable
UB-USW-ENT-24-POE	R 16,828	Ubiquiti USW-ENT-24-POE UniFi 24 Port 400W PoE Switch Enterprise, 1.3" LCM Colour Touchscreen with ar Switch management, 12x GbE 802.3at PoE RJ45 Ports, 12x 2.5GbE 802.3at PoE RJ45 Ports, 2x 10G SFP Ports, 400W total PoE supply, Layer 3 switching features
UB-USW-ENT-24-XG	R 24,947	Ubiquiti USW-ENT-24-XG UniFi XG 24x 10GbE RJ45 Port Switch Enterprise, 24x 100/1000/2500/5000/10 000 Mbps RJ45 Ethernet, 2x 1/10/25 Gbps SFP28, SMB Layer 3 Gigabit Ethernet Switch, 1.3" Touchscreen
UB-USW-ENT-48-POE	R 33,402	Ubiquiti USW-ENT-48-POE 48 Port PoE 750W PoE UniFi Enterprise Switch, 1.3" LCM Colour Touchscreen with ar Switch management, 48x 2.5GbE 802.3at PoE RJ45 Ports, 4x 10G SFP Ports, 1x USP RPS DC Input, 720W total PoE supply
UB-USW-ENT-8-POE	R 9,996	Ubiquiti USW-ENT-8-POE UniFi 8 2.5GbE Port PoE 120W PoE Switch Enterprise, 1.3" LCM Colour Touchscreen with AR Switch management, 8x 2.5 Gbps RJ45 Ethernet, 2x 1 / 10 Gbps SFP , 32W Maximum PoE wattage per Port by PSE
UB-USW-FLEX	R 2,201	Ubiquiti 5 Port Gigabit 1 PoE in 4 PoE out UniFi Flex Switch, USW-FLEX, 5x 10/100/1000 Mbps RJ45 ports, 15.4W Maximum PoE wattage per Port
UB-USW-FLEX	R 2,099	Ubiquiti 5 Port Gigabit 1 PoE in 4 PoE out UniFi Flex Switch, USW-FLEX, 5x 10/100/1000 Mbps RJ45 ports, 15.4W Maximum PoE wattage per Port
UB-USW-FLEX-2.5G	R 3,372	Ubiquiti UniFi Flex Mini 5 port 2.5GbE Switch, USW-Flex-2.5G-5, Can be powered with PoE or a USB-C Adapter, 5x 2.5 GbE RJ45 Ports, 25 Gbps switching capacity
UB-USW-FLEX-2.5G-8	R 3,278	Ubiquiti UniFi Flex 8x 2.5Gbps Switch with a 10 GbE RJ45 / SFP combination Uplink Port, USW-Flex-2.5G-8, 60 Gbps switching capacity, Can be Powered with a USB-C or PoE Adapter
UB-USW-FLEX-2.5G-8P	R 4,083	Ubiquiti UniFi Flex 2.5G PoE 8 Port PoE with 10G Combo Uplink, USW-Flex-2.5G-8-PoE, 8x 2.5 GbE RJ45 Ports (All PoE), 1x 10 GbE RJ45 (PoE), 1x 10G SFP , 76W PoE Input total PoE availability, 46W PoE Input total PoE availability, 16W PoE Input total PoE availability, 60 Gbps switching capacity
UB-USW-FLEX-2.5G-POE	R 4,164	Ubiquiti UniFi Flex 2.5G PoE 8 Port PoE with 10G Combo Uplink, USW-Flex-2.5G-8-PoE, 8x 2.5 GbE RJ45 Ports (All PoE), 1x 10 GbE RJ45 (PoE), 1x 10G SFP , 76W PoE Input total PoE availability, 46W PoE Input total PoE availability, 16W PoE Input total PoE availability, 60 Gbps switching capacity
UB-USW-FLEX-MINI	R 618	Ubiquiti 5 Port Gigabit managed 1 PoE Input UniFi Flex Switch, USW-Flex-Mini, 5x 10/100/1000 Mbps RJ45 ports, 802.3af/at PoE PoE in Interface
UB-USW-FLEX-MINI	R 604	Ubiquiti 5 Port Gigabit managed 1 PoE Input UniFi Flex Switch, USW-Flex-Mini, 5x 10/100/1000 Mbps RJ45 ports, 802.3af/at PoE PoE in Interface
UB-USW-FLEX-MINI-2.5G	R 1,080	Ubiquiti UniFi Flex Mini 5 port 2.5GbE Switch, USW-Flex-2.5G-5, Can be powered with PoE or a USB-C Adapter, 5x 1/2.5 GbE RJ45 Ports, 25 Gbps switching capacity
UB-USW-FLEX-XG	R 6,407	Ubiquiti 4 port 10Gbps 1 Gigabit PoE Input UniFi Flex XG Switch, USW-FLEX-XG, 1x 10/100/1000 Mbps RJ45 Ethernet, 4x 10 Gigabit RJ45 Ethernet, SMB Layer 2 Gigabit Ethernet Switch, 1x 802.3at PoE
UB-USW-FLEX2.5G	R 1,052	Ubiquiti UniFi Flex Mini 5 port 2.5GbE Switch, USW-Flex-2.5G-5, Can be powered with PoE or a USB-C Adapter,

		5x 1/2.5 GbE RJ45 Ports, 25 Gbps switching capacity
UB-USW-LITE-16-POE	R 4,440	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x 10/100/1000 Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
UB-USW-LITE-16-POE	R 39,094	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x 10/100/1000 Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
UB-USW-LITE-8-POE	R 2,401	Ubiquiti UniFi PoE Switch Lite 8 Port Gigabit PoE managed Layer 2 Switch, 4 auto-sensing 802.3at PoE ports, 52W PoE wattage, USW-LITE-8-POE, 8x 10/100/1000 Mbps Ethernet RJ45 ports, 4x PoE IEEE 802.3af/at, 30W Maximum PoE wattage per Port by PSE
UB-USW-LITE-8-POE	R 2,214	Ubiquiti UniFi PoE Switch Lite 8 Port Gigabit PoE managed Layer 2 Switch, 4 auto-sensing 802.3at PoE ports, 52W PoE wattage, USW-LITE-8-POE, 8x 10/100/1000 Mbps Ethernet RJ45 ports, 4x PoE IEEE 802.3af/at, 30W Maximum PoE wattage per Port by PSE
UB-USW-MC	R 20,990	Ubiquiti UniFi USW Mission-Critical 120W PoE Switch with Battery Backup, 9x Gigabit RJ45 Ports, 4x PoE/PoE Ports, 18 Gbps switching capacity, 120W PoE budget, PoE 30W Maximum PoE wattage per Port by PSE, PoE 60W Maximum PoE wattage per Port by PSE
UB-USW-PRO-24-GEN2	R 7,879	Ubiquiti UniFi - Switch Gen 2 - 24 Port with UniFi SmartPower RPS power, 24x Gigabit RJ45 ports, 2x 10G SFP ports, layer 2 and Layer 3 features, 1.3" Touchscreen display, near-silent COOLING, 88 Gbps switching capacity, USW-PRO-24-GEN2
UB-USW-PRO-24-POE	R 14,139	Ubiquiti 24 Port Gigabit 450W with 16x PoE & 8x PoE & 2x SFP ports UniFi Switch, USW-PRO-24-POE, 8x Gigabit RJ45 802.3bt PoE ports, 16x Gigabit RJ45 802.3at PoE ports, 2x 10G SFP ports, Layer 2 and Layer 3 features, 400W Maximum PoE power, 1.3" Touchscreen Display
UB-USW-PRO-24-POE-GEN2	R 14,867	Ubiquiti UniFi Switch Gen 2 - 24 Port Gigabit Layer 2 & 3 Switch, 1.3" touch LCM, Auto-sensing 802.3at PoE and 802.3bt PoE , 400W PoE budget, 16x PoE & 8x PoE RJ45 Ethernet ports, 2x SFP ports
UB-USW-PRO-48	R 11,839	Ubiquiti 48 Port Gigabit & 4x SFP managed UniFi Switch, USW-PRO-48, 48x 10/100/1000 RJ45 ports, 4x 1/10G SFP Ethernet ports Ethernet in-band, 176 Gbps switching capacity
UB-USW-PRO-48-GEN2	R 12,157	Ubiquiti USW-PRO-48 UniFi Switch Gen 2 - 48 Port with UniFi SmartPower RPS power Redundancy, (48) Gigabit RJ45 ports, 4x 10G SFP ports, Layer 2 and Layer 3 features, 1.3" Touchscreen Display
UB-USW-PRO-48-POE	R 22,304	Ubiquiti 48 Port Gigabit 600W with 48x PoE & 4x SFP ports UniFi Switch, USW-PRO-48-POE, 8x Gigabit RJ45 802.3bt PoE ports, 40x Gigabit RJ45 802.3at PoE ports, 4x 10G SFP ports, Layer 2 and Layer 3 features, 600W Maximum PoE power, 1.3" Touchscreen Display
UB-USW-PRO-48-POE-GEN2	R 22,907	Ubiquiti UniFi Switch Gen 2 - 48 Port Gigabit Layer 2 Switch, 1.3" touch LCM, Auto-sensing 802.3at PoE and 802.3bt PoE , 600W PoE budget, 40x PoE & 8x PoE RJ45 Ethernet ports, USW-Pro-48-POE
UB-USW-PRO-8-POE	R 6,204	Ubiquiti UniFi Pro 8 Port with 6x PoE & 2x PoE 120W Switch, USW-Pro-8-PoE (120W), 8x GbE RJ45 Ports, 2x 10G SFP Ports, 56 Gbps switching capacity, 120W total available PoE power, 1.3" Touchscreen
UB-USW-PRO-8-POE-GEN2	R 7,027	Ubiquiti UniFi Pro 8 Port with 6x PoE & 2x PoE 120W Switch, USW-Pro-8-PoE (120W), 8x GbE RJ45 Ports, 2x 10G SFP Ports, 56 Gbps switching capacity, 120W total available PoE power, 1.3" Touchscreen
UB-USW-PRO-AGGREGATION	R 18,394	Ubiquiti Switch Pro Aggregation 28x 10G SFP Ports & 4x 25G SFP28 Ports Layer 3 Switch, 28x 1/10G SFP Ports, 4x 1/10/25G SFP28 Ports, 380 Gbps total Non-Blocking Throughput, 760 Gbps switching capacity
UB-USW-PRO-HD-24	R 13,116	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port Layer 3 Etherlighting Switch, USW-Pro-HD-24, 22x 2.5 GbE RJ45 Ports, 2x 10 GbE RJ45 Ports, 4x 10G SFP Ports, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-HD-24-POE	R 21,352	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port 600W PoE Layer 3 Etherlighting Switch, USW-Pro-HD-24-PoE, 22x 2.5 GbE RJ45 PoE Ports, 2x 10 GbE RJ45 PoE Ports, 4x 10G SFP Ports, Up to PoE Maximum PoE Output, 600W total PoE availability, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-MAX-16	R 6,121	Ubiquiti UniFi Pro Max 16 - 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 84 Gbps switching capacity, USW-PRO-MAX-16
UB-USW-PRO-MAX-16	R 5,744	Ubiquiti UniFi Pro Max 16 - 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 84 Gbps switching capacity, USW-PRO-MAX-16
UB-USW-PRO-MAX-16-POE	R 9,041	Ubiquiti UniFi Pro Max 16 PoE 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 180W PoE budget, 12x GbE

		RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 12x PoE/PoE , 4x 60W PoE , 84 Gbps switching capacity, USW-PRO-MAX-16-POE
UB-USW-PRO-MAX-16-POE	R 7,993	Ubiquiti UniFi Pro Max 16 PoE 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 180W PoE budget, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 12x PoE/PoE , 4x 60W PoE , 84 Gbps switching capacity, USW-PRO-MAX-16-POE
UB-USW-PRO-MAX-24	R 8,803	Ubiquiti UniFi 24 Port with 16x Gigabit & 8x 2.5Gbps RJ45 & 2x 10G SFP Port Pro Max Switch, USW-PRO-MAX-24, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 112 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-MAX-24	R 9,373	Ubiquiti UniFi 24 Port with 16x Gigabit & 8x 2.5Gbps RJ45 & 2x 10G SFP Port Pro Max Switch, USW-PRO-MAX-24, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 112 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-MAX-24-POE	R 16,915	Ubiquiti UniFi 24 Port with 16x PoE & 8x 2.5Gbps PoE 400W Pro Max Switch, USW-Pro-Max-24-POE, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 8x PoE/PoE , 16x 60W PoE , 112 Gbps switching capacity, 400W total available PoE
UB-USW-PRO-MAX-24-POE	R 16,094	Ubiquiti UniFi 24 Port with 16x PoE & 8x 2.5Gbps PoE 400W Pro Max Switch, USW-Pro-Max-24-POE, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 8x PoE/PoE , 16x 60W PoE , 112 Gbps switching capacity, 400W total available PoE
UB-USW-PRO-MAX-48	R 14,137	Ubiquiti UniFi 48 Port with 32x Gigabit & 16x 2.5Gbps RJ45 & 4x 10G SFP Port Pro Max Switch, USW-PRO-MAX-48, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 224 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-MAX-48-POE	R 27,065	Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP PoE 720W Pro Max Switch, USW-PRO-MAX-48-poe, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 32x PoE/PoE , 16x 60W PoE , 224 Gbps switching capacity, 720W total available PoE, 1.3" Touchscreen LCM Display
UB-USW-PRO-MAX-48-POE	R 26,099	Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP PoE 720W Pro Max Switch, USW-PRO-MAX-48-poe, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 32x PoE/PoE , 16x 60W PoE , 224 Gbps switching capacity, 720W total available PoE, 1.3" Touchscreen LCM Display
UB-USW-PRO-XG-10-POE	R 14,723	Ubiquiti UniFi Pro XG 10x 10 GbE & 2x 10G SFP Port 400W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-10-PoE, 10x 10 GbE RJ45 PoE Ports, 2x 10G SFP Ports, Up to PoE Maximum PoE Output, 400W total PoE availability, Rack Mount (1U), 240 Gbps switching capacity
UB-USW-PRO-XG-24-POE	R 38,095	Ubiquiti UniFi Pro XG 8x 2.5 GbE & 16x 10 GbE & 2x 25G SFP28 Port 720W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-48-PoE, 8x 2.5 GbE RJ45 PoE Ports, 16x 10 GbE RJ45 PoE Ports, 2x 25G SFP28 Ports, Up to PoE Maximum PoE Output, 720W total PoE availability, Rack Mount (1U), 460 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-XG-48-POE	R 49,088	Ubiquiti UniFi Pro XG 16x 2.5 GbE & 32x 10 GbE & 4x 25G SFP28 Port 1080W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-48-PoE, 16x 2.5 GbE PoE RJ45 Ports, 32x 10 GbE PoE RJ45 Ports, 4x 25G SFP28 Ports, Up to PoE Maximum PoE Output, Rack Mount (1U), 920 Gbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-PRO-XG-8-POE	R 10,817	Ubiquiti UniFi Pro XG 8x 10 GbE Port 155W PoE Layer 3 Switch, USW-Pro-XG-8-POE, 8x 10 GbE RJ45 PoE Ports, 2x 10G SFP Ports, 155W total PoE availability, 200 Gbps switching capacity
UB-USW-PRO-XG-AGG	R 55,318	Ubiquiti UniFi Pro XG Aggregation 32 Port 25G SFP28 Layer 3 Etherlighting Switch, USW-Pro-XG-Aggregation, 32x 25G SFP28 Ports, 1.6 Tbps switching capacity, 1.3" Touchscreen LCM Display
UB-USW-ULTRA	R 2,151	Ubiquiti USW-ULTRA UniFi Ultra 8 Port Gigabit Switch with 7 Ports PoE/PoE , 8x Gigabit Ethernet RJ45 Ports with 7x PoE/PoE , 16 Gbps switching capacity, 42W PoE Input, 16W PoE Input, 30W Maximum PoE wattage per Port
UB-USW-ULTRA	R 2,128	Ubiquiti USW-ULTRA UniFi Ultra 8 Port Gigabit Switch with 7 Ports PoE/PoE , 8x Gigabit Ethernet RJ45 Ports with 7x PoE/PoE , 16 Gbps switching capacity, 42W PoE Input, 16W PoE Input, 30W Maximum PoE wattage per Port
UB-USW-ULTRA-210W	R 3,946	Ubiquiti UniFi Ultra 8x GbE PoE Port Layer 2 210W Switch, USW-ULTRA-210w, 7x GbE PoE Output Ports, 1x GbE Port with optional PoE Input, 202W PoE availability with the included AC Power Adapter, 16 Gbps switching capacity, 30W Maximum PoE wattage per Port by PSE

UB-USW-ULTRA-60W	R 2,767	Ubiquiti UniFi Ultra 8x GbE PoE Port Layer 2 Switch 60 Watt, USW-ULTRA-60W, 7x GbE PoE Output Ports, 1x GbE Port with optional PoE Input, 52W PoE availability with the included AC Power Adapter, 16 Gbps switching capacity, 30W Maximum PoE wattage per Port by PSE
UB-USW-ULTRA-60W	R 2,869	Ubiquiti UniFi Ultra 8x GbE PoE Port Layer 2 Switch 60 Watt, USW-ULTRA-60W, 7x GbE PoE Output Ports, 1x GbE Port with optional PoE Input, 52W PoE availability with the included AC Power Adapter, 16 Gbps switching capacity, 30W Maximum PoE wattage per Port by PSE
UB-USW-WAN	R 5,274	Ubiquiti UniFi 10G SFP WAN Switch, USW-WAN, 1x 1 GbE RJ45 Port, 3x 10G SFP Port, 2x AC inputs Redundancy, Rack Mount (1U), 20 Gbps switching capacity, Linking two Shadow mode high availability UniFi gateways to a single ISP
UB-USW-WAN-RJ45	R 5,143	Ubiquiti UniFi 10Gbps WAN Switch, USW-WAN-RJ45, 1x 1 GbE RJ45 port, 3x 10 GbE RJ45 ports, 2x AC inputs Redundancy, Rack Mount (1U), 20 Gbps switching capacity, 10 GbE WAN Switch linking two Shadow mode high availability UniFi gateways to a single ISP
UDM-PRO-MAX	R 12,938	Ubiquiti UniFi - Dream Machine Pro Max with 8-ports, UDM-PRO-MAX, 8x GbE RJ45 Ports LAN, 1x 10G SFP Port LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen LCM Display
UDM-PRO-MAX	R 13,852	Ubiquiti UniFi - Dream Machine Pro Max with 8-ports, UDM-PRO-MAX, 8x GbE RJ45 Ports LAN, 1x 10G SFP Port LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen LCM Display
UDM-PRO-MAX-EU	R 12,012	Ubiquiti UniFi - Dream Machine Pro Max with 8-ports, UDM-PRO-MAX, 8x GbE RJ45 Ports LAN, 1x 10G SFP Port LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen LCM Display
UISP-CON	R 5,744	Ubiquiti UISP Console 9 Port Gigabit & 2x SFP Port Switch, UISP-CONSOLE, UISP Operating System, 1x 10Gbps (LAN) & 1x 10Gbps (WAN) SFP Ports, 8x Gigabit (LAN) Ethernet Port, 1x Gigabit (WAN) Ethernet Port, 1x MicroSD card slot, Quad-Core Processor, 4GB DDR4 system Memory
UISP-S	R 2,271	Ubiquiti uisp-s UISP Switch - Gigabit PoE Switch for MicroPoP applications, 8x Gigabit Ethernet RJ45 Ports with 27V passive PoE that support 2-pair and 4-pair modes, 1x Gigabit SFP Port, 30W / 27VDC Maximum passive PoE wattage per Port
UISP-SPLUS	R 7,763	Ubiquiti UISP Switch Plus 4 port 2.5Gbps PoE 160W & 4x SFP , UISP-S-PLUS, 4x 2.5 GbE RJ45 LAN Ports, 4x 1/10G SFP Ports, 100 Gbps switching capacity, 160W total available PoE
UISP-SPRO	R 7,906	Ubiquiti UISP 24 Port Gigabit with 16 PoE 220W Ports & 4x SFP Ports Switch, UISP-S-PRO, 64 Gbps total Non-Blocking Throughput, 24x GbE RJ45 LAN Ports with 16 of them PoE, 220W total available PoE, 30W Max passive PoE wattage per Port, 4x 1/10G SFP Ports, 1.3" Touchscreen LCM Display
UL-FS1006P	R 270	UltraLAN UL-FS1006P 4 port 100 Mbps PoE Switch, 4x 10/100 Mbps PoE RJ45 Ports supporting IEEE 802.3af/at standards, 2 x Fast Ethernet RJ45 Uplink Ports for Network connectivity, Provides up to 30W of Power per PoE Port with a total budget of 65 W, Supports front-panel extend mode for 10 Mbps long-distance deployments, Urge, Constructed with a durable Metal enclosure
UL-FS1010P	R 362	UltraLAN UL-FS1010P 8 Port 100 Mbps PoE Unmanaged Switch, 8x 10/100 Mbps PoE RJ45 Ports with up to 30W per port, 2x 10/100 Mbps Fast Ethernet RJ45 Uplink Ports, IEEE 802.3af/at compatible Powered device auto-detection, Total Built-In PoE Power budget of 120 W, Switching capacity of 2.06 Gbps and forwarding rate of 1.5 Mpps, Front-panel extend mode Switch for 10 Mbps long-distance Operation, Metal enclosure with Built-In Power Supply
UL-FS1010PG	R 436	UltraLAN UL-FS1010PG 8 Port PoE Switch with Gigabit uplinks, 8x 10/100 Mbps RJ45 PoE Ports with IEEE 802.3af/at support, 2x Gigabit RJ45 Uplink Ports for Backbone connectivity, Total PoE budget of 120W with up to 30W per port, Switching capacity of 5.6 Gbps and forwarding rate of 4.2 Mpps, Built-In 120W Power Supply, Metal enclosure
UL-FS1018PS	R 811	UltraLAN UL-FS1018PS 16 port PoE Switch with SFP, Layer 2 Unmanaged PoE Switch, 16 x 10/100 Mbps RJ45 PoE Ports supporting IEEE 802.3af/at standards, Includes 2 x Gigabit RJ45 uplinks for High-Speed connectivity, 1x Gigabit SFP Fiber Uplink Port, Delivers a total PoE budget of 200W with up to 30W per port, Supports Automatic detection of Powered devices, Offers front-panel extend mode for 10 Mbps long-distance deployments
UL-FS1026PS	R 1,374	UltraLAN UL-FS1026PS 24 Port PoE Switch with SFP, 24x 10/100 Mbps RJ45 PoE Access Ports, 2x Gigabit RJ45 Uplink Ports, 1x Gigabit SFP Fiber Uplink Port, IEEE 802.3af/at PoE Standard support, Up to 30W Power per PoE Port, 300W total PoE Power budget, Front-panel extend mode for long-distance deployment, 10.8Gbps switching

		capacity, Layer 2 store-and-forward Operation, Metal enclosure with Built-In 300W Power Supply, Metal enclosure
UL-GS1005PT	R 431	UltraLAN UL-GS1005PT 4 port Gigabit PoE Switch with SFP, 4x Gigabit RJ45 PoE Ports with up to 30W per port, 1x Gigabit RJ45 Uplink and 1x Gigabit SFP Uplink for Flexible connectivity, Provides a total PoE budget of 65W with Sequential Power-On capability, Delivers 12 Gbps switching capacity and 9 Mpps forwarding rate, Metal enclosure
UL-GS1010P	R 518	UltraLAN UL-GS1010P 8 Port Unmanaged Layer 2 Gigabit PoE Switch, 8x Gigabit RJ45 PoE Ports with IEEE 802.3af/at support, 2x Gigabit Gigabit RJ45 Uplink Ports included, 1x Gigabit SFP Port for Fiber Backbone connectivity, Up to 30W PoE Power delivered per Port with auto-detection, Total PoE budget of 120 W from Built-In Power Supply, Switching capacity of 22 Gbps with 16.4 Mpps forwarding rate, Front-panel Switch enables VLAN mode on or off Operation
UL-GS1018PS	R 1,593	UltraLAN UL-GS1018PS 16 port Gigabit PoE Switch with SFP, 16x Gigabit RJ45 PoE Ports with up to 30W per Port support, Includes a Built-In 200 W Power Supply for total PoE budget needs, 2 x Gigabit RJ45 Uplink Ports, 1x Gigabit SFP Uplink Port, Delivers a switching capacity of 38 Gbps with a forwarding rate of 28.3 Mpps, Includes a front-panel VLAN mode Switch for deployment flexibility, Constructed from durable Metal enclosure material
UL-GS1026PS	R 1,938	UltraLAN UL-GS1026PS 24 Port Gigabit PoE Switch with SFP, 24x Gigabit RJ45 PoE Ports with IEEE 802.3af/at support, 2x Gigabit RJ45 Uplink Ports for Network Expansion, 1x Gigabit SFP Uplink Port for Fiber connectivity options, Delivers a total PoE budget of 300 W, Supports up to 30 W per Individual PoE Port, Offers 54 Gbps switching capacity and 40.1 Mpps forwarding rate
UL-GS1028S	R 863	UltraLAN UL-GS1028S 8 Port Gigabit SFP Switch, 8x Gigabit SFP slots for Multi-mode or Single-mode Fiber, 2 x Gigabit RJ45 Ports with Auto-Negotiation support, 20 Gbps switching Backplane capacity, Compact Black Metal enclosure measuring 215 x 106 x 28 mm, Powered by external 12 V DC Adapter, Fiber distance up to 550 m Multi-mode or 120 km Single-mode depending on module
UL-GS1034S	R 689	UltraLAN UL-GS1034S 4 port Gigabit SFP Switch, 4x 1.25Gbps SFP slots for Fiber connectivity, 3x Gigabit RJ45 Ports with Auto-Negotiation support, Provides a 12Gbps switching Backplane Bandwidth, Operates at Layer 2 with plug-and-play Unmanaged functionality, Designed for fanless cooling using a Heat Sink
UL-GS105	R 125	UltraLAN UL-GS105 5 port Gigabit Ethernet Switch, Unmanaged Plug and Play Operation, Auto-Negotiation on All Ports, Auto MDI/mdi-x cable detection, External 5 V DC Power Supply Input, Metal enclosure Design, LED status indicators for Link and activity monitoring
UL-GS108	R 194	UltraLAN UL-GS108 8 Port Gigabit Unmanaged Desktop Switch, 8x Gigabit RJ45 Ethernet Ports with Auto-Negotiation and auto MDI/mdi-x detection, Provides a switching capacity of 16 Gbps, Operates at a Maximum of 5 W using a 12 V DC external Power Supply, Constructed within a Compact Metal enclosure measuring 125 x 60 x 28 mm
UN-NSW2010-24T2GC-P	R 1,991	Uniview UNV - 24x POE Port 10/100 Ethernet switch, 24x10/100Base-TX autosensing Ethernet ports(all support PoE), 2x Gigabit combo ports (RJ45 and SFP), 802.3at/af Max PoE capacity 400W, NSW2010-24T2GC-PO
UN-NSW2020-10T-POE-IN	R 615	Uniview UNV 8 Port PoE & 2 Uplink Port Ethernet Switch, 10x 100 Mbps Network Ports with 8x PoE, 2 Gbps switching capacity, 30 W Max capacity for Single Port, 88 W Max PoE budget, Up to 250m transmission distance on extend mode
UN-NSW2020-16T1GT1GC-POE-IN	R 1,501	Uniview NSW2020 16x 10/100 PoE Ports & 2x Gigabit Ports & 2x SFP Ports Switch, 7.2 Gbps switching capacity, 250W Maximum PoE Power, 30W Max capacity for Single Port, 1 cooling fans, 16 x 100 Mbps PoE Ports (RJ45), 1x Gigabit Ethernet Port, 1x Gigabit Combo Port
UN-NSW2020-24T2GC-POE-IN	R 2,054	Uniview UNV 24x PoE Ports & 2x Combo Ports, NSW2020, 24x 100Mbps PoE Ports (RJ45), 370W PoE budget, 30W per Port, 2x Gigabit Ethernet Combo Ports, 8.8 Gbps switching capacity, 1 cooling fan
UN-NSW2020-6T-POE-IN	R 407	Uniview UNV 4 port PoE & 2 Uplink Port Ethernet Switch, 6x 100 Mbps Network Ports with 4x PoE, 1.2 Gbps switching capacity, 30 W Max capacity for Single Port, 88 W Max PoE budget, Up to 250m transmission distance on extend mode, 30 W Max capacity for Single Port, 65 W Max PoE budget, Up to 250m transmission distance on Surveillance mode
US-XG-6POE	R 9,373	Ubiquiti UniFi 10GB Switch - 6 Ports PoE, 4x Gigabit and 2.5/5/10G RJ45 Ports, 2x 10G SFP Ethernet Ports, 60W Maximum 802.3bt wattage per Port by PSE
USG6000E-S03	R 6,235	Huawei USG6000E-S03-AC 10x GE RJ45 2x 10GE SFP Port Switch, 1x Power Adapter external, Include SSL

		VPN 100 users, 1 u Chassis height, 10x Gigabit RJ45 Ports, 2x 10 Gigabit SFP Ports
USG6000E-S13	R 21,480	Huawei USG6000E-S13-AC 2x GE RJ45 8x GE Combo 2x 10GE SFP Ports Switch, 1x AC Power, Include SSL VPN 100 users, 1 u Chassis height [u], Optional M.2 SSD Hot-Swappable
USW-16-POE	R 6,779	Ubiquiti 16 Port Gigabit 42W with 8x PoE ports & 2 SFP ports UniFi Switch, USW-16-POE, 32W Maximum PoE wattage per Port by PSE 802.3at
USW-16-POE-EU	R 5,572	Ubiquiti 16 Port Gigabit 42W with 8x PoE ports & 2 SFP ports UniFi Switch, USW-16-POE, 32W Maximum PoE wattage per Port by PSE 802.3at
USW-16P	R 6,204	Ubiquiti 16 Port Gigabit 42W with 8x PoE ports & 2 SFP ports UniFi Switch, USW-16-POE, 32W Maximum PoE wattage per Port by PSE 802.3at
USW-24-POE	R 8,796	Ubiquiti UniFi Switch Gen 2 - 24 Port Gigabit Layer 2 Switch, 24x Gigabit Ethernet ports, 16x auto-sensing 802.3at PoE ports, 2x SFP ports, 1.3" touch LCM, USW-24-POE
USW-24-POE-EU	R 7,820	Ubiquiti UniFi Switch Gen 2 - 24 Port Gigabit Layer 2 Switch, 24x Gigabit Ethernet ports, 16x auto-sensing 802.3at PoE ports, 2x SFP ports, 1.3" touch LCM, USW-24-POE
USW-24P	R 7,878	Ubiquiti 24 Port Gigabit 95W with 16x PoE & 2x SFP ports UniFi Switch, USW-24-POE, 1.3" touch LCM, 120W Power Supply, 32W Maximum PoE wattage per Port by PSE 802.3at
USW-48	R 8,223	Ubiquiti UniFi Switch 48 Port Gigabit & 4x SFP Port managed Layer 2 Switch, USW-48, 48x GbE RJ45 Ports, 4x 1G SFP Ethernet Ports, 52 Gbps total Non-Blocking Throughput, 1.3" Touchscreen with AR Switch management
USW-48-POE	R 11,901	Ubiquiti UniFi Switch Gen 2 - 48 Port with 240W Power Supply, USW-48-POE-GEN2, 48x Gigabit Ethernet ports including 32x 802.3at PoE , 4x 1g SFP ports, 32W Maximum PoE wattage per Port by PSE
USW-48P	R 12,414	Ubiquiti 48 Port Gigabit 195W 32PoE 4SFP UniFi Switch USW-48-POE
USW-5FLEX	R 2,128	Ubiquiti 5 Port Gigabit 1x PoE in with 4x PoE out UniFi Flex Switch, USW-FLEX, 5x 10/100/1000 Mbps RJ45 ports, 15.4W Maximum PoE wattage per Port
USW-5FLEX-2.5G	R 1,052	Ubiquiti UniFi Flex Mini 5 port 2.5GbE Switch, USW-Flex-2.5G-5, Can be powered with PoE or a USB-C Adapter, 5x 1/2.5 GbE RJ45 Ports, 25 Gbps switching capacity
USW-5FLEXMINI	R 604	Ubiquiti 5 Port Gigabit managed 1 PoE Input UniFi Flex Switch, USW-Flex-Mini, 5x 10/100/1000 Mbps RJ45 ports, 802.3af/at PoE PoE in Interface
USW-8FLEX-2.5G	R 3,306	Ubiquiti UniFi Flex 8x 2.5Gbps Switch with a 10 GbE RJ45 / SFP combination Uplink Port, USW-Flex-2.5G-8, 60 Gbps switching capacity, Can be Powered with a USB-C or PoE Adapter
USW-8FLEX-2.5GP	R 4,083	Ubiquiti UniFi Flex 2.5G PoE 8 Port PoE with 10G Combo Uplink, USW-Flex-2.5G-8-PoE, 8x 2.5 GbE RJ45 Ports (All PoE), 1x 10 GbE RJ45 (PoE), 1x 10G SFP , 76W PoE Input total PoE availability, 46W PoE Input total PoE availability, 16W PoE Input total PoE availability, 60 Gbps switching capacity
USW-AGG	R 5,629	Ubiquiti UniFi Switch aggregation Layer 2 Switch with 8x 10G SFP ports, USW-AGG, 8x 10G SFP ports, 1.3" Touchscreen with ar Switch management, Fanless, 4.7" depth compact enclosure, 1U rackmountable
USW-ENTERPRISE-24-POE	R 19,606	Ubiquiti USW-E24P 12 Port 2.5Gbps & 12 Port Gigabit 400W 2x SFP UniFi Switch, USW-ENTERPRISE-24-poe, 550W Maximum power consumption, 12x 10/100/1000 Mbps RJ45 Ethernet, 12x 100 / 1000 / 2500 Mbps RJ45 Ethernet, 2x 1/10G SFP , 24x PoE IEEE 802.3af/at PoE interfaces, 34.2W Maximum PoE wattage per Port by PSE
USW-LITE-16-POE	R 4,428	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x Gigabit Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
USW-LITE-16-POE	R 4,944	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x 10/100/1000 Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
USW-LITE-16-POE-EU	R 4,249	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x 10/100/1000 Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
USW-LITE-8-POE	R 2,759	Ubiquiti UniFi PoE Switch Lite 8 Port Gigabit PoE managed Layer 2 Switch, 4 auto-sensing 802.3at PoE ports, 52W PoE wattage, USW-LITE-8-POE, 8x Gigabit Ethernet RJ45 ports, 4x PoE IEEE 802.3af/at, 30W Maximum PoE wattage per Port by PSE
USW-LITE-8-POE-EU	R 2,271	Ubiquiti UniFi PoE Switch Lite 8 Port Gigabit PoE managed Layer 2 Switch, 4 auto-sensing 802.3at PoE ports, 52W PoE wattage, USW-LITE-8-POE, 8x 10/100/1000 Mbps Ethernet RJ45 ports, 4x PoE IEEE 802.3af/at, 30W Maximum PoE wattage per Port by PSE

USW-LITE16P	R 4,249	Ubiquiti UniFi PoE Switch Lite 16 Port Gigabit PoE managed Layer 2 Switch, 8 auto-sensing 802.3at PoE ports, 45W PoE wattage, USW-LITE-16-POE, 16x 10/100/1000 Mbps Ethernet RJ45, 8x PoE IEEE 802.3af/at
USW-LITE8P	R 2,294	Ubiquiti UniFi PoE Switch Lite 8 Port Gigabit PoE managed Layer 2 Switch, 4 auto-sensing 802.3at PoE ports, 52W PoE wattage, USW-LITE-8-POE, 8x 10/100/1000 Mbps Ethernet RJ45 ports, 4x PoE IEEE 802.3af/at, 30W Maximum PoE wattage per Port by PSE
USW-PRO-24-POE-EU-A	R 16,156	Ubiquiti 24 Port Gigabit 450W with 16x PoE & 8x PoE & 2x SFP ports UniFi Switch, USW-PRO-24-POE, 8x Gigabit RJ45 802.3bt PoE ports, 16x Gigabit RJ45 802.3at PoE ports, 2x 10G SFP ports, Layer 2 and Layer 3 features, 400W Maximum PoE power, 1.3" Touchscreen Display
USW-PRO-48-POE	R 24,144	Ubiquiti 48 Port Gigabit 600W with 48x PoE & 4x SFP ports UniFi Switch, USW-PRO-48-POE, 8x Gigabit RJ45 802.3bt PoE ports, 40x Gigabit RJ45 802.3at PoE ports, 4x 10G SFP ports, Layer 2 and Layer 3 features, 600W Maximum PoE power, 1.3" Touchscreen Display
USW-PRO-48-POE	R 24,144	Ubiquiti 48 Port Gigabit 600W with 48x PoE & 4x SFP ports UniFi Switch, USW-PRO-48-POE, 8x Gigabit RJ45 802.3bt PoE ports, 40x Gigabit RJ45 802.3at PoE ports, 4x 10G SFP ports, Layer 2 and Layer 3 features, 600W Maximum PoE power, 1.3" Touchscreen Display
USW-PRO-AGG	R 18,394	Ubiquiti Switch Pro Aggregation 28x 10G SFP Ports & 4x 25G SFP28 Ports Layer 3 Switch, 28x 1/10G SFP Ports, 4x 1/10/25G SFP28 Ports, 380 Gbps total Non-Blocking Throughput, 760 Gbps switching capacity
USW-PRO-AGGXG	R 51,003	Ubiquiti UniFi Pro XG Aggregation 32 Port 25G SFP28 Layer 3 Etherlighting Switch, USW-Pro-XG-Aggregation, 32x 25G SFP28 Ports, 1.6 Tbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-HD-24-EU	R 12,242	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port 600W PoE Layer 3 Etherlighting Switch, USW-Pro-HD-24-PoE, 22x 2.5 GbE RJ45 PoE Ports, 2x 10 GbE RJ45 PoE Ports, 4x 10G SFP Ports, Up to PoE Maximum PoE Output, 600W total PoE availability, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-HD-24-POE-EU	R 20,752	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port 600W PoE Layer 3 Etherlighting Switch, USW-Pro-HD-24-PoE, 22x 2.5 GbE RJ45 PoE Ports, 2x 10 GbE RJ45 PoE Ports, 4x 10G SFP Ports, Up to PoE Maximum PoE Output, 600W total PoE availability, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-HD24	R 12,593	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port Layer 3 Etherlighting Switch, USW-Pro-HD-24, 22x 2.5 GbE RJ45 Ports, 2x 10 GbE RJ45 Ports, 4x 10G SFP Ports, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-HD24P	R 20,694	Ubiquiti UniFi Pro HD 22x 2.5 GbE & 2x 10 GbE & 4x 10G SFP Port 600W PoE Layer 3 Etherlighting Switch, USW-Pro-HD-24-PoE, 22x 2.5 GbE RJ45 PoE Ports, 2x 10 GbE RJ45 PoE Ports, 4x 10G SFP Ports, Up to PoE Maximum PoE Output, 600W total PoE availability, Rack Mount (1U), 230 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-MAX-16-POE	R 9,486	Ubiquiti UniFi Pro Max 16 PoE 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 180W PoE budget, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 12x PoE/PoE , 4x 60W PoE , 84 Gbps switching capacity, USW-PRO-MAX-16-POE
USW-PRO-MAX-24-POE-EU	R 17,302	Ubiquiti UniFi 24 Port with 16x PoE & 8x 2.5Gbps PoE 400W Pro Max Switch, USW-Pro-Max-24-POE, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 8x PoE/PoE , 16x 60W PoE , 112 Gbps switching capacity, 400W total available PoE
USW-PRO-MAX-48-POE	R 29,956	Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP PoE 720W Pro Max Switch, USW-PRO-MAX-48-poe, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 32x PoE/PoE , 16x 60W PoE , 224 Gbps switching capacity, 720W total available PoE, 1.3" Touchscreen LCM Display
USW-PRO-MAX-48-POE-EU	R 25,352	Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP PoE 720W Pro Max Switch, USW-PRO-MAX-48-poe, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 32x PoE/PoE , 16x 60W PoE , 224 Gbps switching capacity, 720W total available PoE, 1.3" Touchscreen LCM Display
USW-PRO-MAX16	R 5,744	Ubiquiti UniFi Pro Max 16 - 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 84 Gbps switching capacity, USW-PRO-MAX-16
USW-PRO-MAX16P	R 8,274	Ubiquiti UniFi Pro Max 16 PoE 16 port Layer 3 Etherlighting Switch with 2.5 GbE, 180W PoE budget, 12x GbE RJ45 Ports, 4x 2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 12x PoE/PoE , 4x 60W PoE , 84 Gbps switching

		capacity, USW-PRO-MAX-16-POE
USW-PRO-MAX24	R 9,373	Ubiquiti UniFi 24 Port with 16x Gigabit & 8x 2.5Gbps RJ45 & 2x 10G SFP Port Pro Max Switch, USW-PRO-MAX-24, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 112 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-MAX24P	R 16,439	Ubiquiti UniFi 24 Port with 16x PoE & 8x 2.5Gbps PoE 400W Pro Max Switch, USW-Pro-Max-24-POE, 16x GbE RJ45 Ports, 8x 1/2.5 GbE RJ45 Ports, 2x 10G SFP Ports, 8x PoE/PoE , 16x 60W PoE , 112 Gbps switching capacity, 400W total available PoE
USW-PRO-MAX48	R 13,311	Ubiquiti UniFi 48 Port with 32x Gigabit & 16x 2.5Gbps RJ45 & 4x 10G SFP Port Pro Max Switch, USW-PRO-MAX-48, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 224 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-MAX48P	R 26,444	Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP PoE 720W Pro Max Switch, USW-PRO-MAX-48-poe, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP Ports, 32x PoE/PoE , 16x 60W PoE , 224 Gbps switching capacity, 720W total available PoE, 1.3" Touchscreen LCM Display
USW-PRO-XG-8-POE-EU	R 11,552	Ubiquiti UniFi Pro XG 8x 10 GbE Port 155W PoE Layer 3 Switch, USW-Pro-XG-8-POE, 8x 10 GbE RJ45 PoE Ports, 2x 10G SFP Ports, 155W total PoE availability, 200 Gbps switching capacity
USW-PRO-XG10P	R 14,829	Ubiquiti UniFi Pro XG 10x 10 GbE & 2x 10G SFP Port 400W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-10-PoE, 10x 10 GbE RJ45 PoE Ports, 2x 10G SFP Ports, Up to PoE Maximum PoE Output, 400W total PoE availability, Rack Mount (1U), 240 Gbps switching capacity
USW-PRO-XG24	R 22,994	Ubiquiti UniFi Pro XG Switch 16x 10Gbps & 8x 2.5Gbps Ports with 2x SFP28 Ports Layer 3 Switch, USW-Pro-XG-24, 8x 2.5 GbE RJ45 Ethernet Ports, 16x 10 GbE RJ45 Ethernet Ports, 2x 25G SFP28 Optical Ports, Rack Mount (1U), 460 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-XG24P	R 37,139	Ubiquiti UniFi Pro XG 8x 2.5 GbE & 16x 10 GbE & 2x 25G SFP28 Port 720W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-24-PoE, 8x 2.5 GbE RJ45 PoE Ports, 16x 10 GbE RJ45 PoE Ports, 2x 25G SFP28 Ports, Up to PoE Maximum PoE Output, 720W total PoE availability, Rack Mount (1U), 460 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-XG48	R 40,244	Ubiquiti UniFi Pro XG Switch 32x 10Gbps & 16x 2.5Gbps Port with 2x SFP28 Ports Layer 3 Switch, USW-Pro-XG-48, 16x 2.5 GbE RJ45 Ethernet Ports, 32x 10 GbE RJ45 Ethernet Ports, 4x 25G SFP28 Optical Ports, DC Power Backup Redundancy, Rack Mount (1U), 920 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-XG48P	R 48,294	Ubiquiti UniFi Pro XG 16x 2.5 GbE & 32x 10 GbE & 4x 25G SFP28 Port 1080W PoE Layer 3 Etherlighting Switch, USW-Pro-XG-48-PoE, 16x 2.5 GbE PoE RJ45 Ports, 32x 10 GbE PoE RJ45 Ports, 4x 25G SFP28 Ports, Up to PoE Maximum PoE Output, Rack Mount (1U), 920 Gbps switching capacity, 1.3" Touchscreen LCM Display
USW-PRO-XG8P	R 10,459	Ubiquiti UniFi Pro XG 8x 10 GbE Port 155W PoE Layer 3 Switch, USW-Pro-XG-8-POE, 8x 10 GbE RJ45 PoE Ports, 2x 10G SFP Ports, 155W total PoE availability, 200 Gbps switching capacity
USW-PRO24P	R 14,139	Ubiquiti 24 Port Gigabit 450W with 16x PoE & 8x PoE & 2x SFP ports UniFi Switch, USW-PRO-24-POE, 8x Gigabit RJ45 802.3bt PoE ports, 16x Gigabit RJ45 802.3at PoE ports, 2x 10G SFP ports, Layer 2 and Layer 3 features, 400W Maximum PoE power, 1.3" Touchscreen Display
USW-PRO48P	R 22,764	Ubiquiti 48 Port Gigabit 600W with 48x PoE & 4x SFP ports UniFi Switch, USW-PRO-48-POE, 8x Gigabit RJ45 802.3bt PoE ports, 40x Gigabit RJ45 802.3at PoE ports, 4x 10G SFP ports, Layer 2 and Layer 3 features, 600W Maximum PoE power, 1.3" Touchscreen Display
USW-U60	R 2,984	Ubiquiti UniFi Ultra 8x GbE PoE Port Layer 2 Switch 60 Watt, USW-ULTRA-60W, 7x GbE PoE Output Ports, 1x GbE Port with optional PoE Input, 52W PoE availability with the included AC Power Adapter, 16 Gbps switching capacity, 30W Maximum PoE wattage per Port by PSE
USW-ULTRA	R 2,128	Ubiquiti USW-ULTRA UniFi Ultra 8 Port Gigabit Switch with 7 Ports PoE/PoE , 8x Gigabit Ethernet RJ45 Ports with 7x PoE/PoE , 16 Gbps switching capacity, 42W PoE Input, 16W PoE Input, 30W Maximum PoE wattage per Port
USW-ULTRA-210W	R 4,771	Ubiquiti UniFi Ultra 8x GbE PoE Port Layer 2 210W Switch, USW-ULTRA-210w, 7x GbE PoE Output Ports, 1x GbE Port with optional PoE Input, 202W PoE availability with the included AC Power Adapter, 16 Gbps switching capacity, 30W Maximum PoE wattage per Port by PSE

USW-WAN	R 5,089	Ubiquiti UniFi 10G SFP WAN Switch, USW-WAN, 1x 1 GbE RJ45 Port, 3x 10G SFP Port, 2x AC inputs Redundancy, Rack Mount (1U), 20 Gbps switching capacity, Linking two Shadow mode high availability UniFi gateways to a single ISP
USW-WAN-RJ45	R 5,089	Ubiquiti UniFi 10Gbps WAN Switch, USW-WAN-RJ45, 1x 1 GbE RJ45 port, 3x 10 GbE RJ45 ports, 2x AC inputs Redundancy, Rack Mount (1U), 20 Gbps switching capacity, 10 GbE WAN Switch linking two Shadow mode high availability UniFi gateways to a single ISP
VIVOTEK AW-GEL-065A-060	R 1,321	Vivotek 4x GE PoE & 2x GE UTP Lite Managed Switch, 4x Gbit PoE Ports, 2x Gigabit RJ45 Port, 12 Gbps switching Bandwidth, 30W PoE Output Power per Port, 60W total PoE Power budget, AW-GEL-065A-060
VIVOTEK AW-GEL-105A-110	R 2,471	Vivotek 8x GE PoE & 1x GE UTP & 1x GE SFP Lite Managed Switch, 8x Gigabit PoE Ports, 1x Gigabit RJ45 Port, 1x Gigabit SFP Port, 20 Gbps switching Bandwidth, Port 1-2 at 90W PoE Output Power, Port 3-8 at 30W PoE Output Power, 110W totol PoE Power budget, AW-GEL-105A-110
VIVOTEK AW-GEL-285A-380	R 6,209	Vivotek 24x GE PoE & 2x GE UTP & 2x GE SFP Lite Managed PoE Switch, 24x Gigabit PoE Ports, 2x Gigabit RJ45 Port, 2x SFP Port, 56 Gbps switching Bandwidth, Port 1-4 at 90W PoE Output Power, Port 5-24 at 30W PoE Output Power, 380W total PoE Power budget, AW-GEL-285A-380
VIVOTEK AW-GET-050A-065	R 1,724	Vivotek unmanaged 4x Gigabit PoE 1x Gigabit PoE Switch, AW-GET-050A-065, 5x Gigabit Ethernet (RJ45), 4 PoE out ports, Per Port 56VDC Maximum 30W PoE power Output, 60 W total PoE power budget
VIVOTEK AW-GEV-104C-130	R 3,391	Vivotek 8x Gigabit PoE 2x Gigabit SFP Web Smart managed Switch, 20Gbps switching Bandwidth, 8x 10M/100M/1G RJ45 Port, 2x 100M/1G SFP Port
VIVOTEK AW-GEV-107A-130	R 6,900	Vivotek VivoCam L2 Series 8 Port Gigabit & 2 Port SFP Gigabit combo managed PoE Switch, 8x 10M/100M/1G RJ45 PoE Port, 2 GE RJ45 / SFP combo Port, 1x RJ45 Console Port, 54VDC Maximum 30W PoE Output Power per Port, 130W total PoE Power budget
VIVOTEK AW-GEV-264B-370	R 2,874	Vivotek AW-GEV-264B-370 24xGE PoE 2xGE SFP Web Smart Managed Switch
VIVOTEK AW-IHB-0400	R 4,139	Vivotek Industrial 2x 90W bt PoE 2x SFP Switch, 2x Gigabit Ethernet 10/100/1000 Mbps (RJ45), 2x Gigabit Ethernet 100/1000 Mbps (SFP), 8 Gbps switching Bandwidth, 180W total PoE Power budget, 2x 90W bt PoE, AW-IHB-0400
VIVOTEK AW-IHT-0800	R 3,564	Vivotek Industrial PoE Switch 4x Gigabit PoE & 2x Gigabit UTP & 2x SFP Ports, 4x Gigabit Ethernet RJ45 PoE Port, 2x Gigabit Ethernet RJ45 Port, 2x Gigabit SFP Port, 120W total PoE power budget, 54VDC Maximum 30W Maximum PoE Output power / per PoE Port, AW-IHT-0800
VIVOTEK AW-IHT-1000	R 4,369	Vivotek AW-IHT-1000 Industrial 8x Gigabit PoE 2x Gigabit SFP Switch, 8 Gigabit Ethernet RJ45 PoE Port, 2 Gigabit SFP Port, 20 Gbps switching Bandwidth, 54VDC Maximum PoE Output power, 30W per PoE Port, 240W total PoE power budget
VS-APM4X4A	R 7,945	Aavara PM4X4A - 4 signal to 4 display 1080p HDMi matrix switch/splitter (for audio video) with remote control RS232 control, support HDCP, HDMI ver1.4 3D, 7.1 HD Dolby DTS-HD master audio, bandwidth: 340Mhz/10.2Gbps, 36bit colour - for PS3, PC, HD/Blu-ray DVD player..ETC - support daisy chain - transmit same source or 4 different sources to 4 display
VSM4320C-100NES	R 232,154	Netgear VSM4320C 16x 25G SFP28 Ports with 4x 100G QSFP28 uplinks Managed Switch, 420W internal Power Supply, 1 slot for Modular Power Supply (1 1 Redundancy), 16x 25G SFP28 Fibre Ports, 4x 100G QSFP28 Fibre Ports
XS508TM-100EUS	R 24,600	Netgear XS508TM S3600 Series 8 Port 10G / Multi-Gigabit Ethernet Smart Switch with 2x SFP Ports, 8x 10G / Multi-Gigabit Ports, 2x 10G SFP Fibre Ports, 2 fans
XS516TM-100EUS	R 38,849	Netgear XS516TM S3600 Series 16 port 10G / Multi-Gigabit Ethernet Smart Switch with 2x 10G SFP Ports, 16x 10G / Multi-Gigabit Ports, 2x 10G SFP Ports, 3 fans
XS724TM-100EUS	R 54,211	Netgear XS724TM S3600 Series 24 Port 10G / Multi-Gigabit Ethernet Smart Switch with 4x 10G SFP Ports, 24x 10G / Multi-Gigabit Ethernet Ports, 4x 10G SFP Ports, Internal Power Supply, 3 fans
XSM4216F-100EUS	R 21,315	Netgear XSM4216F 16 port M4250 Managed Switch with 16x SFP Ports, Pre-configured for Audio and Video over IP out of the Box, 16x 1G/10G Fiber SFP Ports, Fanless
XSM4316-100NES	R 47,064	Netgear XSM4316 8x 10G / Multi-Gig & 8x 10G SFP Ports Managed Switch, 8x 10G / Multi-Gig Ethernet Ports, 8x 10G SFP Fibre Ports, Enhanced igmp support
XSM4324-100NES	R 56,160	Netgear XSM4324 12x 10G / Multi-Gig Ports & 12x 10G SFP Ports Managed Switch, 240W internal Power

		Supply, Half-Width Form Factor enables one or two Switches in a single Rack Space, 12x 10G / Multi-Gig Ports, 12x 10G SFP Ports, 480 Gbps switching Fabric
XSM4324CS-100NES	R 90,936	Netgear XSM4324CS M4300-24X Half-Width 24x 10G stackable Managed Switch with 4x shared SFP Ports, 24x 10G RJ45 Ports, 4x shared SFP 10G Fiber Ports, Layer 3 Switch, 1 Modular PSU
XSM4328CV-100NES	R 75,526	Netgear XSM4328CV 24x 10G / Multi-Gig PoE (576W) Ports with 4x 25G SFP28 uplinks Managed Switch, 880W internal Power Supply providing 576W of PoE budget, 1 slot for Modular Power Supply (1 1 Redundancy and/or EPS share), 24x 10G / Multi-Gig PoE Ports (30W / Port), 4x 25G SFP28 Ports
XSM4328FV-100NES	R 57,437	Netgear XSM4328FV 24x 10G SFP Ports with 4 25G SFP28 uplinks Managed Switch, 240W internal Power Supply, 1 slot for Modular Power Supply (1 1 Redundancy), 24x 10G SFP Ports, 4x 25G SFP28 Ports
XSM4340CV-100NES	R 145,676	Netgear XSM4340CV 36x 10G / Multi-Gig PoE (280W) Ports with 4x 25G SFP28 uplinks Managed Switch, 750W internal Power Supply providing 280W of PoE budget, 1 slot for Modular Power Supply (1 1 Redundancy and/or EPS share), 36 x 10G / Multi-Gig PoE (90W / Port), 4x 25G SFP28 Ports, Up to 1760W PoE budget with additional PSU ' s
XSM4340FV-100NES	R 82,219	Netgear XSM4340FV 32x 10G SFP Ports with 8x 25G SFP28 uplinks Managed Switch, 420W internal Power Supply, 1 slot for Modular Power Supply (1 1 Redundancy), 32x 10G SFP Ports, 8x 25G SFP28 Ports
XSM4340V-100NES	R 66,707	Netgear XSM4340V 24x 10G / Multi-Gig PoE (290W) Ports & 8x 10G SFP & 8x 25G SFP28 Ports Managed Switch, 750W internal Power Supply providing 290W of PoE budget, 1 slot for Modular Power Supply (1 1 Redundancy and/or EPS share), 24x 10G / Multi-Gig PoE (90W / Port), 8 x 10G SFP , 8 x 25G SFP28, 290W base up to 1770W PoE budget with additional PSU
XSM4344C-100NES	R 191,952	Netgear XSM4344C 40x 10G / Multi-Gig PoE (196W) Ports with 4x 100G QSFP28 uplinks Managed Switch, 750W internal Power Supply providing 196W of PoE budget, 1 slot for Modular Power Supply (1 1 Redundancy and/or EPS share), 40x 10G / Multi-Gig PoE Ports (90W / Port), 4x 100G QSFP28 Ports, 196W base up to 1676W PoE budget with additional PSU
XSM4556-100EUS	R 487,668	Netgear XSM4556 M4500 48x 10G/25G SFP28 Ports & 8x 40G/50G/100G QSFP28 Ports Managed Switch, 2x PSU ' s and 6x fan trays already installed, 48x SFP28 Ports (1x10G Default mode / other modes can be 1x25G and 1x10G), 8x QSFP28 Ports (1x100G Default mode / other modes can be 1x50G and 1x40G), Full width 1U (508mm depth)

< Return to the menu

Network: VoIP

Network: VoIP : Network: VoIP software licenses

Product code	Price	Description
SN-A729	R 1,665	Snom A729 DSP Module for SNOM M700 Multi-Cell DECT Base Station, Enables G.729 Codec Input for Snom M700
SN-A900	R 1,173	Snom A900 DSP Module for SNOM M900 Multi-Cell DECT Base Station

< Return to the menu

Network: VoIP : VoIP accessories / cables / PSU / mounts

Product code	Price	Description
939-001811	R 5,749	Logitech 939-001811 VC Tap Table Mount - swiveling Table Mount with cable management, 180 degree swivel, through-grommet cabling, 14 degree Display angle
AXC-03	R 132	Axtel spiral cord 0.5m-2m Quick Disconnect coiled cord for various Phone models - Yealink, Stretches from 0.5 to 2, QD Port, AXC-03
AXC-SM22	R 293	Axtel SM22 QD/RJ straight cable - 1.1m, Universal straight cord with 8-position selector Switch that enables to connection to Headset of most phones with an RJ9 Port, QD Port
AXC-USB-Y	R 782	Axtel USB Type-A Y-Splitter training cable with microphones, Mute and Volume adjustment, 2x QD Ports, Marked QD for supervisor, Optimised for S4B
AXC-Y	R 391	Axtel Y-Splitter QD to Type-A trainer cable, 2x QD Ports, Allows 2x Axtel headsets to be connected to a single Headset Adapter cable, Perfect for managers and supervisors to Monitor calls during training, 50cm 150cm cable

		length
AXC-YM	R 436	Axtel Y-Type training cable with mute Function, Designed for supervisor and trainee setups, IT allows two headsets to Connect to a single device for monitoring or training purposes
BHC76	R 955	Yealink Wireless Charging stand for the Yealink BH72 and BH76 (Does not support BH72 Lite), 15W Max Wireless Output, 5~8 mm Wireless distance, 2x coils, QI standard
BLT60	R 265	Yealink BLT60 Busy Light Bar - for WH6X headsets, Synchronously displays the current Desk phone / softphone presence State with the colours
BT41	R 391	Yealink BT41 USB Dongle for Bluetooth headsets, Phone support - T48S / T46S / T42S / T41S / T29G / T27G
BT51-A-S	R 397	Yealink BT51-A Bluetooth USB-A Dongle compatible with BH72 Lite / BH72 / BH76, Up to 30m Bluetooth range
BT51-C-S	R 397	Yealink BT51-c Bluetooth USB-C Dongle compatible with BH72 Lite / BH72 / BH76, Up to 30m Bluetooth range
CAM50	R 1,305	Yealink CAM50 USB camera for SIP-T58A, Phone support - T58A, 720p @ 30fps, Plug and Play, Privacy shutter, USB
COM-BTH58	R 627	Yealink BTH58 Bluetooth Handset for SIP-T58W and MP58, Compatible with the SIP-T58W and MP58 IP phones, Volume control Keys, Mute key, Hookswitch, HD Speaker and Microphone, 420mAh Battery capacity, 17 hours talk time
COM-CARRY CASE BH74-WH68	R 79	Yealink Carry Case for BH74 / WH68 / UH Series headsets
COM-CHRG-BH70/WH64	R 317	Yealink Charing Stand for BH70 an WH64 Headsets
COM-CHRG-BH74/WH68-S	R 317	Yealink Charging Stand for BH74 / WH68 Hybrid
COM-CP700-CASE	R 115	Yealink CP700 USB Speaker Carry Case
COM-CP900-CASE	R 132	Yealink CP900 USB Speaker Carry Case
COM-EAR-BH76	R 317	Yealink Black Ear Cushion for BH76 Plus - 1 Pair
COM-EAR-CUSH-BH74-WH68-UH48	R 171	Yealink Ear Cushion for BH74 / WH68 / UH48 headsets - 1 pair, Easy installation
COM-EAR-CUSH-BH74-WH68-UH48(5)	R 821	Yealink Ear Cushion for BH74 / WH68 / UH48 headsets - 5 pair, Easy installation
COM-EAR-CUSHION-BH72-1PR	R 230	Yealink Black Ear Cushion for BH72 - 1 Pair
COM-EAR-CUSHION-UH42/UH44 (1PR	R 79	Yealink Ear Cushion for UH42 / UH44 - 1 pair
COM-EAR-CUSHION-UH46 (1PR)	R 118	Yealink Ear Cushion for UH46 - Leatherette - 1 pair
COM-EAR-CUSHION-XX62-XX66-12PC	R 955	Yealink leather ear cushion for WH62 / WH66 / UH36 / YHS36 - 12 pieces
COM-EAR-FOAM-XX34	R 317	Yealink foam Ear Cushions for YHS34 and UH34 Series - 12 pack
COM-EAR-FOAM-XX34-1PCS	R 26	Yealink foam Ear Cushions for YHS34 and UH34 Series - 1 piece
COM-EAR-LEA-XX34	R 955	Yealink Leatherette Ear Cushions for YHS34 and UH34 Series (1 Set of 12 pieces)
COM-EAR-LEA-XX36	R 955	Yealink Leatherette Ear Cushions for WH6x / YHS36 / UH36 Series - 12 pack
COM-EAR-SIDE-XX62-XX66	R 132	Yealink headband side cushion of the WH62 / WH66 Mono - 5 pieces
COM-EAR-UH37	R 79	Yealink Leatherette Ear Cushions For UH37 Series - 1 Pair
COM-SC	R 45	Yealink 3.5m spiral cord
COM-T40/T41/T42 WMB	R 75	Yealink T40/T41/T42 Wall Mount Bracket
COM-T46 WMB	R 75	Yealink Wall Mount bracket for SIP-T46G / T46S / T46U IP phones
COM-T46G/T46U/T48G/T48U HS	R 113	Yealink T46G / T46U / T48G / T48U / T46S / T48S / VP59 spare Handset for IP phones
COM-W52P/H-BC	R 29	Yealink W52P/H belt clip
COM-W56H-BC	R 29	Yealink W56H belt clip
COM-W56P/H-BACK-COVER	R 23	Yealink Protective Cover for W56H / W60P Handset
COM-W59R-CHRG	R 140	Yealink W59R Ruggedized DECT Handset charging cradle, PSU excluded (Phone excluded)
COM-W73P/H-CHRG	R 56	Yealink W73p and W73H Cordless phones charging cradle, Does not include PSU
COM-YHC20T-USBC	R 291	Yealink YHC20T USB-C controller for UH34-SE and UH36, USB-C and 3.5mm connection, In line call / Volume controls, Microsoft Teams Certified
CPE90	R 1,305	Yealink Wired Expansion KIT for CP960, Additional wired microphones to extend the audio pickup range of the CP960. Sold as a KIT of 2 Units
CPN10	R 469	Yealink CPN10 IP to Analogue converter for CP860, Support Yealink Diamond IPConference Phone CP860, Plug and Play, USB call recording, Support up to 2 cascaded CPN10 to setup PSTN Conference
CS-PENDANTMOUNT	R 1,081	Yealink Pendant Mount enclosure for CS10 / CS10-D, Ideal for areas where Ceiling cutouts aren ' t feasible

CTP25-MOUNT-KITS	R 541	Yealink CTP25 Mount kits used respectively for CTP25 deployment, Mounts included - Desk stand low / Desk stand high / Wall Mount / Table lock Mount
DD10K	R 286	Yealink USB DECT Dongle for use with T41S / T42S, Conveniently turn T41S / T42S into DECT Endpoint, Up to 50m indoors, 300m open area
EHS35	R 417	Yealink Wireless Headset Adapter for T3 range
EHS36	R 783	Yealink EHS36 Wireless Headset Adapter, Compatible with --> Jabra / Plantronics / Sennheisher
EHS60	R 522	Yealink EHS60 Wireless Headset Adapter for WH62 / WH63, 1x Micro USB Port, 1x RJ45 (8P8C), 1x RJ9 (4p4c) Headset jacks, Perfectly compatible with Cisco / Avaya / poly / Grandstream IP phones
EHS61	R 522	Yealink EHS61 Wireless Headset Adapter for WH62 / WH63, Perfectly compatible with mitel / Unify / Yealink T2x / T4xg IP phone, 1x Micro USB jack for Yealink Wireless Headset
EHS62	R 530	Yealink EHS62 Wireless Headset Adapter for WH64 Series headsets, Compatible with mainstream IP phones
EXP43	R 1,383	Yealink LCD Expansion module for T43u / T46u / T48u phones, 4.3-inch color-screen LCD, 20 physical keys each with a dual-color LED
EXP50	R 1,827	Yealink EXP50 Colour LCD expansion module For T56A and T58A, 4.3" 272x480 Pixel Colour LCD Display, 20 physical keys, Dual Colour LED, 40 additional keys via Page View, Up to 3 expansion modules per phone, PSU's required for expansion modules 2 & 3
EXP55	R 1,515	Yealink EXP55 Expansion module for T8X phones, 5.5" 480x960-pixel Colour Display with backlight, Different Colour Icons for each Function shown on the LCD, 26 physical Keys each with a dual-color LED, 3 Independent control Keys, Up to three EXP55 can be attached on Yealink T7x/t8x IP phones
FAN-BT20	R 219	Fanvil BT20 Bluetooth Dongle, Compatible with --> X4U / X7C phones, 10 meters operating distance, 3 Mbps transmission rate, USB 2.0 Interface
FAN-EHS20	R 363	Fanvil EHS20 EHS Adapter, 2x RJ9, 1x RJ45, Connect DECT base to Fanvil IP phones with EHS20 adaptor
FAN-H2C	R 397	Fanvil H2C USB to HDMI signal converter
FAN-PN1	R 2,018	Fanvil 2-wire PN1 converter solution, 1x RJ45 Network Interface, 1x 2-wire Interface 300M (network and power supply), Transmission Distance
FAN-WB101	R 167	Fanvil Wall Mount Accessory for Select Fanvil VoIP Phones, WB101, Compatible with --> FAN-X1S / FAN-X1SP / FAN-X3S / FAN-X3SP / FAN-X3SG
FAN-WB102	R 178	Fanvil WB102 X4U / X5U / X6U Wall Bracket, ABS material, Wall Bracket accessory package when the IP Phone needs to be Wall-Mounted
FAN-WB108	R 58	Fanvil WB108 Wall Mount accessory for select Fanvil VoIP phones, Compatible with --> FAN-X301 / FAN-X301p / FAN-X301g / FAN-X303 / FAN-X303p / FAN-X303g
FAN-WF20	R 198	Fanvil WF20 WiFi Dongle, Compatible with --> X4U / X5U / X7C / X210 phones, USB 2.0 Interface
FAN-X210-HANDSET	R 459	Fanvil Replacement Handset for Fanvil X210 High-end Enterprise IP Phone
GS-DP760	R 1,796	Grandstream DP760 Wideband DECT Repeater, The DP760 is a powerful DECT VoIP base station that pairs with up to 5 of Grandstream's DP720 DECT handsets, Up to 300 meters outdoors and 50 meters indoors, 1x 10/100 Mbps auto-sensing Ethernet port with integrated PoE
GS-GBX20-EXT	R 2,176	Grandstream GBX20 expansion 20 button module, 2- pages, 40-lines per module, Up to 4 MODULES, 4.3 inch (272 x 480) TFT color LCD graphic Display
GS-GXP2200-EXT	R 1,658	Grandstream GXP-2200 20 Button LCD Keypad Expansion Module, Supports GXP2200
GS-GXV3380-WM	R 93	Grandstream Wall mount for GS-GXV3380
GS-SPARE-CC	R 95	Grandstream GXP Spare Curly Cord
GS-SPARE-PSU-5V	R 86	Grandstream spare Power Supply 0.6A for GS-GXP1600 and GRP2600 series
PLD-QD	R 92	Microworld RJ9 cable telephone Plantronics, QD RJ9 cable, Max when straight 2.8 meters, Standard Plantronics connector
PSU-COLOUR	R 143	Yealink PSU for Colour screen IP phones
PSU-MONO	R 117	Yealink PSU for MONO screen IP phones
RT30	R 1,932	Yealink RT30 DECT Repeater, Up to 6 repeaters per base, Automatic association, Up to 2 repeaters in cascade, Plug and Play setup, Compatible with Yealink W52P / W60P, Up to 50m indoors, 300m outdoors
SNOM-A900	R 1,608	Snom A900 DSP Module for SNOM M900 Multi-Cell DECT Base Station

SNOM-ACUSB	R 739	Snom USB Quick Release Adapter for A100M, A100D and PC - Integrated volume and call buttons.
SNOM-D3-EXP	R 1,144	Snom D3 Expansion Module - USB - Supports D3xx Series (except D305)
SNOM-D7-EXP	R 1,167	Snom D7 Expansion Module - USB - Supports Dxx Series (except D712 D710)
SNOM-D7C-EXP	R 1,863	snom D7c expansion module with Colour Display - USB - supports D7x series (Except D712 & D710), D7c-exp, 6.8" high-resolution Colour Display, 48 programmable keys, Expandable with up to two additional modules
SNOM-D7W-EXP	R 739	Snom D7 Expansion Module in White - USB - Supports Dxx Series (except D712 D710)
SNOM-M5-RP	R 2,175	Snom M5 Range Extending Repeater
TT-OPLQD002(P)	R 21	Talkto Quick Disconnect to RJ9 cable for use with TT-SE906-QD and TT-SD906-QD
WF40	R 391	Yealink WF40 WiFi USB Dongle for T48S / T46S / T42S / T41S / T29G / T27G IP phone, Up to 150Mbps, Connects to 2.4GHz wireless networks, Plug and play
WF50	R 469	Yealink WF50 Dual Band USB Wi-Fi Dongle, Phone support - T48S / T46S / T42S / T41S / T27G, Up to 433 Mbps, Connects to 2.4GHz & 5GHz Wireless networks, Plug and Play
YC-CTP25 MOUNT KIT	R 679	Yealink CTP25 Mount kits used respectively for CTP25 deployment, Mounts included - Desk stand low / Desk stand high / Wall Mount / Table lock Mount
YEA-BT41	R 454	Yealink IP phone Bluetooth USB Dongle
YEA-COM-SC	R 29	Yealink 3.5m spiral cord
YEA-EXP20	R 1,650	Yealink LCD Expansion Module for T27P and T29G, 160x320 Grey-scale backlight LCD display, 20 Physical Keys, Dual Colour LED, 18 Additional Keys via Page View, Up to 6 Expansion Modules per phone, PSU's Required for 2 Expansion Modules.
YEA-EXP43	R 1,375	Yealink LCD Expansion module for T43u / T46u / T48u phones, 4.3-inch color-screen LCD, 20 physical keys each with a dual-color LED
YEA-PSU-COLOUR	R 143	Yealink PSU for Colour screen phones
YEA-PSU-MONO	R 116	Yealink PSU for Mono screen phones
YL-BH70 WH64	R 455	Yealink Charing Stand for BH70 an WH64 Headsets
YL-BHC76	R 1,093	Yealink Wireless Charging stand for the Yealink BH72 and BH76 (Does not support BH72 Lite), 15W Max Wireless Output, 5~8 mm Wireless distance, 2x coils, QI standard
YL-BT41	R 529	Yealink BT41 USB Dongle for Bluetooth headsets, Phone support - T48S / T46S / T42S / T41S / T29G / T27G
YL-DD10K	R 424	Yealink USB DECT Dongle for use with T41S / T42S, Conveniently turn T41S / T42S into DECT Endpoint, Up to 50m indoors, 300m open area
YL-EHS36	R 921	Yealink EHS36 Wireless Headset Adapter, Compatible with --> Jabra / Plantronics / Sennheisher
YL-EHS62	R 668	Yealink EHS62 Wireless Headset Adapter for WH64 Series headsets, Compatible with mainstream IP phones
YL-EXP55	R 1,653	Yealink EXP55 Expansion module for T8X phones, 5.5" 480x960-pixel Colour Display with backlight, Different Colour Icons for each Function shown on the LCD, 26 physical Keys each with a dual-color LED, 3 Independent control Keys, Up to three EXP55 can be attached on Yealink T7x/t8x IP phones
YL-WF40	R 529	Yealink WF40 WiFi USB Dongle for T48S / T46S / T42S / T41S / T29G / T27G IP phone, Up to 150Mbps, Connects to 2.4GHz wireless networks, Plug and play
YLPOE30	R 522	Yealink 802.3 AF/AT PoE Injector, For Yealink CP960 IP Conference Phone and other Yealink IP phones which support PoE feature
YR-O2	R 1,366	Yeastar 2 FXO Ports O2 module, Compatible with P520 / P550 / P560 / P570 (P560 and P570 require EX-08 Expansion board)
YST-B2	R 2,374	Yeastar B2 2 NT/TE BRI Ports module, Compatible with P520 / P550 / P560 / P570 (P560 and P570 require EX-08 Expansion board)
YST-D30	R 3,516	Yeastar D30 DSP Expansion module, Add 100 VoIP users & 30 concurrent calls - installed only on the P560 & P570
YST-EX30	R 7,199	Yeastar EX30 E1 / T1 / PRI Expansion module, 1x onboard E1/T1/PRI port - P560 supports one expansion board and P570 allows two
YST-TE100	R 10,955	Yeastar YST-TE100 E1 / T1 / pri Gateway, 2x E1/T1/J1 Ports, 1x Gigabit LAN, 1x Gigabit WAN

< Return to the menu

Network: VoIP : VoIP Base units / cradles

Product code	Price	Description
520-AAVQ	R 1,128	Dell 520-AAVQ SP3022 VoIP Desktop Speakerphone - USB, Stereo sound Output mode, Digital signal Processing, Full Duplex audio, Echo cancelation, Artificial Intelligence noise cancellation, Omni-Directional Microphone, Microsoft Teams Certified, Zoom Certified
74-520AAVQ	R 1,141	Dell 520-AAVQ SP3022 VoIP Desktop Speakerphone - USB, Stereo sound Output mode, Digital signal Processing, Full Duplex audio, Echo cancelation, Artificial Intelligence noise cancellation, Omni-Directional Microphone, Microsoft Teams Certified, Zoom Certified
COM-W56P/H-CHRG	R 140	Yealink W56P/H charging cradle, Excludes PSU
FAN-A11	R 2,473	Fanvil A11 5w Poe Outdoor Sip Audio Intercom; 5W speaker; 2 SIP lines; PoE IEEE 802.3at Class 4; IP66; IK10; full-duplex hands-free; dual microphones; up to 5m voice pickup; microSD support; relay output; 100.95 x 100 x 45mm; -40 to 70 degrees C
FAN-W620P	R 2,024	Fanvil W620P DECT IP phone system; W710D base W620D handset; up to 10 handsets; up to 10 simultaneous calls; 20 SIP accounts; 50m indoor range; 300m outdoor range; 2.4 inch 240 x 320 colour screen; HD voice; 6-party conference; PoE; 2 x 10/100M Ethernet; up to 13h talk time; up to 240h standby
GS-DP750	R 851	Grandstream DECT Base, the DP750 offers a powerful DECT VoIP base station that allows any business or residential user to create a cordless VoIP solution.
GS-DP752	R 858	Grandstream DP752 DECT Base only - compatible with DP720 / DP722 / DP730, Up to 10 SIP accounts per system, up to 10 lines per handset
GS-DP755	R 826	Grandstream DP755 DECT base only, Compatible with DP720 / DP722 / DP730 handsets, Up to 20 Distinct SIP accounts per system, 350 meters Outdoor range, 50 meters Indoor range
GS-UCM6302A	R 5,059	Grandstream UCM6302a VoIP PBX - no Video support - 2x FXS and 2x FXO, 75 simultaneous calls, 500 SIP clients, LCD Display, Built in instant messaging
SN-M900	R 5,101	Snom M900 Multicell DECT SIP Base Station, Up to 4k Base Stations, up to 16k Handsets
SN-M900 OUTDOOR	R 4,400	snom M900 Multicell DECT Base Station - Out Door, Multi-Cell with up to 1000 bases in a Cluster, Up to 4000 handsets in a Cluster, TLS Encryption
SNOM-M400	R 2,156	snom M400 Dual-cell DECT Base Station, Wall mountable, Power-over-Ethernet, Call manager for up to 20 parallel calls with up to 40 SIP accounts in a Dual-cell setup
W70B	R 1,096	Yealink W70B High-Performance IP DECT Base Station, Up to 20 simultaneous calls per Base Station, Up to 10 handsets, Up to 10 SIP accounts, Paging/intercom/auto answer/dial plan, Call hold/call transfer/call waiting, 1 x RJ45 10/100 Mbit Ethernet Port
W75	R 2,063	Yealink W75 Mini Multi-Cell DECT System, incl. Base Station and DECT Manager
W80B	R 3,839	Yealink W80B Multi-Cell DECT Base Station, Up to 100 Handsets and 30 Base Stations, Seamless Call Handover, Up to 8 Simultaneous calls per base station, Works with W53H/W56H, Wall Mountable Only
W80B-DM	R 3,839	Yealink Multi-Cell DECT Manger, Management base for Yealink Multi-Cell solution, Required for Yealink Multi-Cell DECT Base Station, Wall mountable, Cannot be used as a DECT base station, Yealink DECT Phones (W53H/W56H) will not connect to DECT Manager
W90B	R 4,518	Yealink W90B Multi-Cell DECT Base Station, Up to 250 handsets and 60 base stations, Up to 250 VoIP accounts, Up to 250 simultaneous calls, Up to 2 simultaneous calls per handset, Call hold, Call transfer, 3-way conference, Switching between calls, Caller ID with name and number, 1x RJ45 10/100 Mbit Ethernet Port
W90DM	R 4,518	Yealink Multi-Cell DECT manger - management base for Yealink Multi-Cell solution, Manages the W90b, Seamless handover and roaming, Up to 250 simultaneous calls, Up to 60 base stations, Up to 250 handsets, Up to 250 SIP accounts, PoE support
YEA-W70B	R 1,038	Yealink W70B High-Performance IP DECT Base Station, Up to 20 simultaneous calls per Base Station, Up to 10 handsets, Up to 10 SIP accounts, Paging/intercom/auto answer/dial plan, Call hold/call transfer/call waiting, 1 x RJ45 10/100 Mbit Ethernet Port
YL-W70B	R 1,234	Yealink W70B High-Performance IP DECT Base Station, Up to 20 simultaneous calls per Base Station, Up to 10 handsets, Up to 10 SIP accounts, Paging/intercom/auto answer/dial plan, Call hold/call transfer/call waiting, 1x RJ45 10/100 Mbit Ethernet Port

YL-W80B	R 3,977	Yealink W80B Multi-Cell DECT Base Station, Up to 100 Handsets and 30 Base Stations, Seamless Call Handover, Up to 8 Simultaneous calls per base station, Works with W53H/W56H, Wall Mountable Only
YL-W80DM	R 3,977	Yealink W80B-DM multi-cell solution base, Required for multi-cell DECT Base Station, Wall mountable, Can ' t be used as a DECT Base Station, Manages the W80b, Up to 100 parallel calls, Up to 30 base stations, Up to 100 handsets, Up to 100 SIP accounts, PoE support, Manages the Network of DECT base stations, Responsible for call control
YL-W80DM	R 4,428	Yealink W80B-DM multi-cell solution base, Required for multi-cell DECT Base Station, Wall mountable, Can ' t be used as a DECT Base Station, Manages the W80b, Up to 100 parallel calls, Up to 30 base stations, Up to 100 handsets, Up to 100 SIP accounts, PoE support, Manages the Network of DECT base stations, Responsible for call control
YL-W90B	R 4,656	Yealink W90B Multi-Cell DECT Base Station, Up to 250 handsets and 60 base stations, Up to 250 VoIP accounts, Up to 250 simultaneous calls, Up to 2 simultaneous calls per handset, Call hold, Call transfer, 3-way conference, Switching between calls, Caller ID with name and number, 1x RJ45 10/100 Mbit Ethernet Port
YL-W90DM	R 4,656	Yealink Multi-Cell DECT manger - management base for Yealink Multi-Cell solution, Manages the W90b, Seamless handover and roaming, Up to 250 simultaneous calls, Up to 60 base stations, Up to 250 handsets, Up to 250 SIP accounts, PoE support

< Return to the menu

Network: VoIP : VoIP FXS / FXO routers & gateways

Product code	Price	Description
FAN-PA2S	R 2,024	Fanvil PA2s SIP Paging Gateway, 2 SIP line, Standalone Intercom - no central unit /Server needed, 1 Built-In Electric Relay, 2 Access Control, Audio Line-In/Line-Out, Maximum 30W Power amplifier
FAN-PA3	R 2,105	Fanvil PA3 SIP Paging Gateway, 2 SIP line, Standalone Intercom - no central unit /Server needed, Audio Line-In/Line-Out, TF cardreader, USB 2.0, MP3 broadcasting
FAN-W712	R 7,002	Fanvil W712 RoIP Gateway, Support 1 connection of Analog / Defective Media Retention II Digital Radio, 1 connection of SIP call, Integrate 400~470 MHz Radio modules to Connect the Analog/DMR II Digital radios, Dual 10/100 Mbps Ethernet
FAN-W712	R 7,021	Fanvil W712 RoIP Gateway, Support 1 connection of Analog / Defective Media Retention II Digital Radio, 1 connection of SIP call, Integrate 400~470 MHz Radio modules to Connect the Analog/DMR II Digital radios, Dual 10/100 Mbps Ethernet
GS-GCC6011	R 4,295	Grandstream Unified Communications IP-PBX and Networking system, GCC6011, VPN Router, NGFW, Switch and IP PBX, 2x 2.5G SFP Ports, 10x GbE Ports, 3 fixed WAN Ports, 4x PoE-out, 2.5Gbps NAT routing, 160K NAT sessions, VPN 1Gbps, IDS/IPS 900 Mbps, PBX up to 200 SIP users or 24 concurrent calls
GS-GXW-4108	R 4,395	Grandstream GXW4108 8 port FXO Gateway; SIP VoIP integration; 2 x 10/100Mbps Ethernet; T.38 fax support; SRTP security; H.264 video support; IP PBX compatible; 225 x 135 x 35mm; 0.6kg
GS-GXW4216	R 6,351	Grandstream 16 port FXS Gateway, a cost-effective hybrid IP and analog telephone system that offers the benefits of VoIP communications and takes advantage of Gigabit speeds while preserving investment on existing analog phones, fax machines and legacy PBX systems.
GS-GXW4224	R 8,716	Grandstream 24-port FXS Gateway, Gigabit Ethernet, LCD Screen, Rackmount
GS-GXW4232	R 11,508	Grandstream 32 port FXS Gateway
GS-GXW4248	R 15,942	Grandstream 48 port FXS Gateway
GS-HA100	R 2,537	Grandstream High Availability Controller for UCM6510 IP PBX, Connects and constantly monitors two UCM6510 together for high availability, Gratuitous ARP forces SIP endpoints to refresh the MAC address of the new UCM6510 without interruptions, BACK PANEL --> 2x Analog Telephone FXS Ports / 2x PSTN Line FXO Ports / 1x T1/E1 Interface / 1x LAN / 1x WAN / 2x RS-485, FRONT PANEL --> 4x Analog Telephone FXS Ports / 4x PSTN Line FXO Ports / 2x T1/E1 Interface / 2x LAN / 2x WAN
GS-HT-801	R 713	Grandstream SIP ATA, 1x WAN, 1x FXS, Supports 1 SIP profile through a single FXS port and a single 10/100Mbps port, TLS and SRTP security encryption technology to protect calls and accounts, Automated provisioning options include TR-069 and XML config files, Supports 3-way voice conferencing, Failover SIP server

		automatically switches to secondary server if main server loses connection. Connect and old analogue phone to VoIP (SIP).
GS-HT-802	R 741	Grandstream SIP ATA, 1x LAN, 2x FXS. Connects two old analogue phones to two VoIP lines (SIP) [2 SIP profiles through 2 FXS ports on HT802 and single 10/100Mbps port]
GS-HT-812	R 807	Grandstream SIP ATA, 1x WAN, 2x FXS
GS-HT-813	R 1,326	Grandstream SIP ATA 1x FXS 1x FXO analog telephone adapter, Supports 2 SIP profiles through 1 FXS port and 1 FXO port, Dual 100Mbps LAN and WAN ports, Lifeline support (FXS port will be hard-relayed to FXO port) in case of power outage, 3-way voice conferencing per port. Converts a standard telephone line into a SIP VoIP phone (Remote calling over the Internet, dialed out on your standard landline. Receive landline calls remotely). Note: Does not convert VoIP calls to standard telephones, the line must be analogue.
GS-HT-814	R 1,356	Grandstream SIP ATA 1xLAN, 1x WAN, 4x FXS, Supports 2 SIP profiles through 4 FXS ports and dual Gigabit ports, Includes a built-in NAT router which can handle routing speeds up to 100MBps, TLS and SRTP security encryption technology to protect calls and accounts, Automated provisioning options include TR-069 and XML config files, Supports 3-way voice conferencing, Failover SIP server automatically switches to secondary server if main server loses connection
GS-HT-818	R 2,292	Grandstream HT-818 SIP ATA 1x LAN / 1x WAN / 8x FXS, Supports 2 SIP profiles and 8 FXS ports, 3-way voice conferencing per port, Supports dual Gigabit network ports, High performance NAT router, 2x 10/100/1000Mbps RJ45 ports, 8x RJ11 FXS ports
GS-HT-841	R 2,240	Grandstream HT841 4 Port FXO VoIP Gateway, Supports 3 SIP profiles through 1 FXS Port and 4 FXO Ports, 3-way voice conferencing per Port, 4x RJ11 FXO Ports, 1x RJ11 FXS, 2x Gigabit RJ45 Ports
GS-HT-881	R 3,265	Grandstream HT881 8 Port FXO VoIP Gateway, Supports 3 SIP profiles through 1 FXS Port and 8 FXO Ports, 3-way voice conferencing per Port, 8x RJ11 FXO Ports, 1x RJ11 FXS, 2x Gigabit RJ45 Ports
GS-UCM6301	R 4,544	Grandstream UCM6301 VoIP PBX - 1x FXS & 1x FXO, 25 simultaneous calls, 100 SIP clients, LCD Display, Opus supported
GS-UCM6304	R 13,112	Grandstream UCM6304 VoIP PBX 4 x FXS and 4 x FXO, UCM6304, 250 simultaneous calls, 3000 SIP clients, LCD Display, Opus supported
GS-UCM6308	R 15,255	Grandstream UCM6308 VoIP PBX 8 x FXS and 8 x FXO, UCM6308, 500 Simultaneous Calls, 6000 SIP clients, LCD Display, OPUS Supported
HG325AC-A	R 657	V-Sol 1XPON 4GE 1POTS CATV USB 3.0 Wi-Fi 5 HGU ONT; Fibre triple play ONT; 4GE Gigabit; Wi-Fi5; POTS; CATV optional; USB3.0; 18 x 12 x 3.2 cm
NX256	R 55,199	Call4Tel NX256 PBX Appliance powered by 3CX - Rackmount, Up to 256 simultaneous calls & 800 extensions, Debian Linux Operating System, 2x Gigabit Ethernet Ports, 2x PCI-e x1 slots, 1U Rack Mount casing
NX32 LITE	R 8,509	Call4Tel 3CX PBX appliance - lightweight casing, Ideal for up to 48 simultaneous calls, Up to 150 extensions
UB-UCG-ULTRA	R 2,096	Ubiquiti UniFi Ultra Cloud Gateway, UCG-ULTRA, Manages 30 UniFi Network devices and 300 clients, 1 Gbps routing with IDS/IPS, Multi-WAN Load Balancing, USB-C powered, 4x GbE RJ45 Ports, 1x 1/2.5 GbE RJ45 WAN Port
UB-UCG-ULTRA	R 1,719	Ubiquiti UniFi Ultra Cloud Gateway, UCG-ULTRA, Manages 30 UniFi Network devices and 300 clients, 1 Gbps routing with IDS/IPS, Multi-WAN Load Balancing, USB-C powered, 4x GbE RJ45 Ports, 1x 1/2.5 GbE RJ45 WAN Port
UB-UXG LITE	R 1,857	Ubiquiti UniFi UXG-Lite Gateway Lite, Dual-Core Arm Cortex CPU, 1 GB DDR3L Memory, 1x Gigabit Ethernet RJ45 WAN Port, 1x Gigabit Ethernet RJ45 LAN Port, USB Type-C Power Method
UB-UXG-LITE	R 2,957	Ubiquiti UniFi UXG-Lite Gateway Lite, Dual-Core Arm Cortex CPU, 1 GB DDR3L Memory, 1x Gigabit Ethernet RJ45 WAN Port, 1x Gigabit Ethernet RJ45 LAN Port, USB Type-C Power Method
UB-UXG-LITE	R 1,719	Ubiquiti UniFi UXG-Lite Gateway Lite, Dual-Core Arm Cortex CPU, 1 GB DDR3L Memory, 1x Gigabit Ethernet RJ45 WAN Port, 1x Gigabit Ethernet RJ45 LAN Port, USB Type-C Power Method
UCG-ULTRA	R 1,719	Ubiquiti UniFi Ultra Cloud Gateway, UCG-ULTRA, Manages 30 UniFi Network devices and 300 clients, 1 Gbps routing with IDS/IPS, Multi-WAN Load Balancing, USB-C powered, 4x GbE RJ45 Ports, 1x 1/2.5 GbE RJ45 WAN Port
UXG-LITE	R 2,352	Ubiquiti UniFi UXG-Lite Gateway Lite, Dual-Core Arm Cortex CPU, 1 GB DDR3L Memory, 1x Gigabit Ethernet

		RJ45 WAN Port, 1x Gigabit Ethernet RJ45 LAN Port, USB Type-C Power Method
YL-RT30	R 2,070	Yealink RT30 DECT Repeater, Up to 6 repeaters per base, Automatic association, Up to 2 repeaters in cascade, Plug and Play setup, Compatible with Yealink W52P / W60P, Up to 50m indoors, 300m outdoors
YL-RT30	R 2,409	Yealink RT30 DECT Repeater, Up to 6 repeaters per base, Automatic association, Up to 2 repeaters in cascade, Plug and Play setup, Compatible with Yealink W52P / W60P, Up to 50m indoors, 300m outdoors
YR-D30	R 3,442	Yeastar D30 DSP Expansion module, Add 100 VoIP users & 30 concurrent calls - installed only on the P560 & P570
YR-EX08	R 1,229	Yeastar EX08 Expansion board for P560 and P570, 4 OnBoard module slots and 8 interfaces on the panel - P560 supports one Expansion board and P570 allows two
YR-EX30	R 8,602	Yeastar EX30 E1 / T1 / PRI Expansion module, 1x onboard E1/T1/PRI port - P560 supports one expansion board and P570 allows two
YR-LTE E	R 3,551	Yeastar YST-LTE 4G LTE module for P-Series PBX systems, Compatible with P520 / P550 / P560 / P570 (P560 and P570 require EX-08 Expansion board), 3G/4G Standard SIM Card
YR-P520	R 5,817	Yeastar P520 P-Series 20-user PBX with 4 Analog Ports, 10 concurrent calls, 4x FXS Ports, 4x FXO/BRI Ports, 1x 3G/4G Ports
YR-P550	R 10,378	Yeastar P550 P-Series 50-user PBX with 8 Analog Ports, 25 concurrent calls, 8x FXS Ports, 4x 3G/4G Ports
YR-P560	R 15,975	Yeastar P560 P-Series 100-user PBX with 8 Analog Ports, 30 concurrent calls, 8x FXS Ports, 8x FXO/BRI Ports, 4x 3G/4G Ports, 1x E1/T1/J1 Ports
YR-TA100	R 902	Yeastar TA100 1 Port FXS VoIP Gateway / ATA, 1x RJ11 FXS Ports, 1x 10/100 Mbps LAN, 1x Micro USB Port, SIP Protocol
YR-TA200	R 1,066	Yeastar TA200 2 Port FXS ATA, 1x 10/100 Mbps LAN, 2x RJ11 FXS ports
YR-TE100	R 10,650	Yeastar YST-TE100 E1 / T1 / pri Gateway, 2x E1/T1/J1 Ports, 1x Gigabit LAN, 1x Gigabit WAN
YST-EX08	R 1,084	Yeastar EX08 Expansion board for P560 and P570, 4 OnBoard module slots and 8 interfaces on the panel - P560 supports one Expansion board and P570 allows two
YST-P520	R 6,153	Yeastar P520 P-Series 20-user PBX with 4 Analog Ports, 10 concurrent calls, 4x FXS Ports, 4x FXO/BRI Ports, 1x 3G/4G Ports
YST-P550	R 10,969	Yeastar P550 P-Series 50-user PBX with 8 Analog Ports, 25 concurrent calls, 8x FXS Ports, 4x 3G/4G Ports
YST-P560	R 15,961	Yeastar P560 P-Series 100-user PBX with 8 Analog Ports, 30 concurrent calls, 8x FXS Ports, 8x FXO/BRI Ports, 4x 3G/4G Ports, 1x E1/T1/J1 Ports
YST-TA100	R 653	Yeastar TA100 1 Port FXS VoIP Gateway / ATA, 1x RJ11 FXS Ports, 1x 10/100 Mbps LAN, 1x Micro USB Port, SIP Protocol
YST-TA400	R 2,199	Yeastar TA400 4 port FXS VoIP Gateway, 4x RJ11 FXS Ports, 1x 10/100 Mbps LAN, Fully compliant with SIP and IAX2
YST-TA410	R 3,549	Yeastar TA410 4 port FXO VoIP Gateway, 4x RJ11 FXO Ports, 1x 10/100 Mbps LAN, Fully compliant with SIP and IAX2
YST-TA800	R 3,545	Yeastar TA800 8 Port FXS VoIP Gateway, 8x RJ11 FXS Ports, 1x 10/100 Mbps LAN Port, Fully compliant with SIP and IAX2
YST-TA810	R 6,401	Yeastar TA810 8 Port FXO VoIP Gateway, 8x RJ11 FXO Ports, 1x 10/100 Mbps LAN, Fully compliant with SIP and IAX2
YST-TE200	R 19,277	Yeastar TE200 2-port E1/T1/PRI Gateway, 2x E1/T1/J1 Ports, SIP Protocol, 1x Gigabit LAN, 1x Gigabit WAN

< Return to the menu

Network: VoIP : VoIP handsets phones

Product code	Price	Description
82Z84AA	R 9,452	HP 82Z84AA Poly CCX 600 Business Media Phone for Microsoft Teams and PoE-enabled, 7" 1024x600 Touchscreen Colour LCD, On-Screen Virtual Keyboard, 1x USB 2.0 Type-A (For Media and storage applications), 1x USB 2.0 Type-C (For Media and storage applications), 2 1x Gigabit RJ-45 LAN Ports, Bluetooth, Wi-Fi, Poly HD voice
830A1AA	R 13,189	HP 830A1AA Poly Trio C60 IP Conference Phone for Microsoft Teams and PoE-enabled, No Radio, 1x USB 2.0

		Type-A (For USB Battery charging), 1x USB 2.0 Micro-B (For USB Audio device), 2 Gigabit RJ-45 LAN Ports, Three Cardioid microphones, 5" 720 x 1280 Touch Display, Bluetooth, Wi-Fi Network connectivity
848Z8AA	R 4,208	HP 848Z8AA Poly CCX 400 Business Media Phone for Microsoft Teams and PoE-enabled, 1x USB 2.0 Type-A Port, 2x Gigabit RJ-45 LAN Ports, Android 12 compatible operating systems, Colour Touchscreen with 5" Multi-Touch LCD display., Poly HD voice and Poly Acoustic Clarity technologies
89B59AA	R 3,253	HP 89B59AA Poly OBi VVX 350 6-line IP Phone and PoE-enabled, 2x USB 2.0 Type-A Ports, 2x Gigabit RJ-45 LAN Ports, HD voice Technology
AX83H	R 1,880	Yealink AX83H Portable IP Phone with Built-In Wi-Fi, Includes charger, Full-Duplex Hands-Free Speakerphone with AEC, Smart noise cancellation Technology, 2.4" 240x320 TFT Colour screen, Keypad backlight, Vibration, 4 VoIP accounts, 6 Function Keys, 1 x 3.5 mm Headset jack, 1 x Type-C Port, Built-In Dual-Band Wi-Fi, Built-In Bluetooth 5.0
AX86R	R 2,742	Yealink AX86R Portable IP Phone with Built-In Wi-Fi, IP67 protection standard, Includes charger, Dual Noise-Canceling microphones, Full-Duplex Hands-Free Speakerphone with AEC, 2.4" 240 x 320 TFT Colour screen, Keypad backlight, Vibration, 4x VoIP accounts, 6x Function Keys, 1x 3.5 mm Headset jack, 1x Type-C Port, Built-In Dual-Band Wi-Fi, Built-In Bluetooth 5.0
COM-T3X HST	R 101	Yealink Handset for T31P and T33G, Standard RJ9 connection (Phone base set not included)
COM-T56/T58-HS	R 81	Yealink T56 / T58 / T57W Handset, Compatible with --> Yealink T52S / T54S / T55A / T56A / T57W / T58A / T58V phones
COM-W53H COVER	R 289	Yealink Cover for W53H IP Phone, Water Proof, Dust Proof, Shock Proof
CP965-TEAMS	R 10,117	Yealink CP965 Android Conference Phone - MS Teams Certified, Optimal HD Audio, 6-meter Microphone pickup range, Built-In 12-microphone Array, 360-degree voice pickup, 56mm Diameter and 5W Speaker, Full-Duplex Speakerphone with AEC, Background noise suppression, 5" 720x1280 capacitive Touch Screen, 1x RJ45 10/100 Mbit Ethernet Port, Built-In Dual Band Wi-Fi, Built-In Bluetooth 4.2, 1x USB 2.0 Type-A device Port, 1x USB 2.0 Type-C device Port
FAN-A308I	R 6,572	Fanvil A308i Android Console IP Phone, 1024x600 7-inch Colour Touch Screen, Support Two-Way Video call, Built-In adjustable 5 mega-pixel camera, Gooseneck Microphone, 116 DSS Keys, 20 SIP lines, 10-party Audio Conference, 3-party Video Conference, HD Audio, Built-In (2.4g 5g), 1x Gigabit LAN Port, EHS Headset
FAN-A320	R 8,424	Fanvil A320 High End IP Phone Android 9.0, 1280x800 10.1-inch Colour Touch Screen, Support Two-Way Video call, Built-In adjustable 8 mega-pixel camera with a Privacy cover, 116 DSS Keys, 20 SIP lines, 10-party Audio Conference, 3-party Video Conference, HD Audio, Built-In Bluetooth 5.0, Built-In 2.4GHz / 5GHz Wi-Fi, 1x Gigabit LAN Ports, EHS Headset
FAN-A320	R 8,274	Fanvil A320 High End IP Phone Android 9.0, 1280x800 10.1-inch Colour Touch Screen, Support Two-Way Video call, Built-In adjustable 8 mega-pixel camera with a Privacy cover, 116 DSS Keys, 20 SIP lines, 10-party Audio Conference, 3-party Video Conference, HD Audio, Built-In Bluetooth 5.0, Built-In 2.4GHz / 5GHz Wi-Fi, 1x Gigabit LAN Ports, EHS Headset
FAN-A320I	R 12,409	Fanvil A320i Android Touch Screen Console IP Phone, 10.1-inch 1280x800 Colour Touch Screen, Support Two-Way Video call, Built-In adjustable 8 mega-pixel camera with a Privacy cover, Goose Neck Microphone, 116 DSS Keys, 20 SIP lines, 10-party Audio Conference, HD Audio, Built-In Bluetooth 5.0, Built-In (2.4GHz / 5GHz), 1x Gigabit LAN Port, EHS Headset. Integrated PoE (IEEE 802.3af/at Class 3 or 4.). No Power supply (Sold separately if required)
FAN-A320I-WH	R 12,363	Fanvil A320i nurse Console Phone - White, Built-In nurse call Software for Healthcare system, Equipped with PTM Handset, Built-In adjustable 8 mega-pixel camera, HD Audio, Dual Gigabit Ports, Bluetooth, 2.4GHz / 5GHz Wi-Fi, 10.1-inch (1280x800) Touch Screen
FAN-DB20-H	R 1,403	Fanvil Linkvil DB20-H All-in-One Phone station, Base unit -, 2 omnidirectional Analog microphones, 1.5 meters voice pickup range, Full-Duplex, Speakerphone, 3W speaker, Wireless Handset -, 2 omnidirectional Analog microphones, 300mAh Battery capacity, 14h talk time, Bluetooth, 2 simultaneous connections, Wireless Charging
FAN-EM60	R 1,771	Fanvil EM60 Colour screen Expansion model, 4.3-inch 480x272 Colour screen, 20 physical DSS Keys, 3 illuminated page-switch Keys, Supports up to 4 cascaded EM60 modules via USB
FAN-H3	R 1,098	Fanvil H3 IP Hotel Phone, 1 SIP Line, POE Enable or Optional External PSU, Handset (HS) / Hands-free(HF),

		Desktop, 10/100Mbps Ethernet, Dual bridged port for PC bypass
FAN-H6W	R 1,403	Fanvil H6W Dual-Band Wi-Fi 6 IP Phone, 3.5" 320x480 IPS Colour screen screen, 5 DSS Keys, 10 Speed Dial Keys, 2 SIP lines, HD Audio, PoE, 10/100 Mbps Network, Built-In 2.4GHz / 5GHz Wi-Fi Wi-Fi, 1x USB charging Port
FAN-V50G	R 633	Fanvil V50G 2SIP Gigabit entry level PoE VoIP Phone, Linux system, 132 x 64 Pixel dot-matrix Display with backlight, 2 SIP lines, Wired Handset, 6-way local Conference, PoE, 2 x Gigabit Network. No Power Supply (Sold separately if required).
FAN-V50G	R 631	Fanvil V50G 2SIP Gigabit entry level PoE VoIP Phone, Linux system, 132 x 64 Pixel dot-matrix Display with backlight, 2 SIP lines, Wired Handset, 6-way local Conference, PoE, 2 x Gigabit Network (PoE enabled, No power supply included)
FAN-V50P	R 604	Fanvil 2SIP Fast Ethernet entry level PoE VoIP Phone, V50P, 2.3-inch 132 x 64 Pixel dot-matrix Display, 2 SIP lines, Wired Handset, 6-way local Conference, PoE, 2x 10/100 Mbps Network, Linux-based Operating System. No Power supply (Sold separately if required)
FAN-V50P	R 603	Fanvil 2SIP Fast Ethernet entry level PoE VoIP Phone, V50P, 2.3-inch 132 x 64 Pixel dot-matrix Display, 2 SIP lines, Wired Handset, 6-way local Conference, PoE, 2x 10/100 Mbps Network, Linux-based Operating System. No Power supply (Sold separately if required)
FAN-V60G	R 840	Fanvil V60G 4 SIP lines Basic Level IP Phone, Linux system, 2.4-inch 320 * 240 Colour screen, 6 DSS Keys, 4 SIP lines, Wired Handset, 6-way local Audio Conference, PoE, 2x Gigabit Network (PoE enabled; No power supply included)
FAN-V60P	R 684	Fanvil 4SIP Fast Ethernet Colour screen PoE VoIP Phone, V60P, 2.4-inch 320x240 Colour screen, 6-way local Conference, 2x 10/100 Mbps Network Ports, No Wifi. No Power supply (Sold separately if required).
FAN-V60P	R 683	Fanvil 4SIP Fast Ethernet Colour screen PoE VoIP Phone, V60P, 2.4-inch 320x240 Colour screen, 6-way local Conference, 2x 10/100 Mbps Network Ports, No Wifi. No Power supply (Sold separately if required)
FAN-V60W	R 863	Fanvil 4SIP Fast Ethernet Colour screen PoE WiFi 6 VoIP Phone, V60W, 2.4-inch 320x240 Colour screen, 6-way local Conference, Built-In Bluetooth, Built-In 2.4GHz & 5GHz Wi-Fi, 2x 10/100 Mbps Network Ports. PoE. No Power supply (Sold separately if required).
FAN-V60W	R 857	Fanvil 4SIP Fast Ethernet Colour screen PoE WiFi 6 VoIP Phone, V60W, 2.4-inch 320x240 Colour screen, 6-way local Conference, Built-In Bluetooth, Built-In 2.4GHz & 5GHz Wi-Fi, 2x 10/100 Mbps Network Ports. No Power supply (Sold separately if required).
FAN-V61G	R 863	Fanvil V61G 4 SIP Gigabit Colour screen PoE VoIP Phone, Linux system, 2.4-inch 320 * 240 Colour screen, 12 DSS Keys, 4 SIP lines, 1000 local Phone book, 6-way local Conference
FAN-V61G	R 861	Fanvil V61G 4 SIP Gigabit Colour screen PoE VoIP Phone, Linux system, 2.4-inch 320x240 Colour screen, 12 DSS Keys, 4 SIP lines, 1000 local Phone book, 6-way local Conference
FAN-V61W	R 1,121	Fanvil V61W 4 SIP Colour screen PoE WiFi VoIP Phone, V61w Prime Business Phone, Linux system, 2.4-inch 320x240 Colour screen, 12 DSS Keys, 4 SIP lines, 1000 local Phone book, 6-way local Conference, Built-In Bluetooth 5.4, WiFi 6, PoE, 2x Gigabit LAN Ports
FAN-V62G	R 978	Fanvil V62G 12 SIP Gigabit PoE VoIP Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, PoE, 2x Gigabit LAN Ports
FAN-V62G	R 1,121	Fanvil V62G 12 SIP Gigabit PoE VoIP Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, PoE, 2x Gigabit LAN Ports
FAN-V62G	R 972	Fanvil V62G 12 SIP Gigabit PoE VoIP Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, PoE, 2x Gigabit LAN Ports
FAN-V62PRO	R 1,236	Fanvil 12SIP Gigabit Cordless PoE VoIP Prime Business Phone, V62G Pro, 2.8-inch 320 * 240 Colour screen, 21 DSS Keys, 12 SIP lines, 6-way local Conference, PoE, 2x Gigabit Network
FAN-V62PRO	R 1,235	Fanvil 12SIP Gigabit Cordless PoE VoIP Prime Business Phone, V62G Pro, 2.8-inch 320 * 240 Colour screen, 21 DSS Keys, 12 SIP lines, 6-way local Conference, PoE, 2x Gigabit Network
FAN-V62W	R 1,179	Fanvil V62W 12 SIP Colour screen PoE WiFi VoIP Phone, V62W Prime Business Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, Built-In BLUETOOTH5.4, Wi-Fi 6, PoE, 2x Gigabit LAN Ports

FAN-V62W	R 1,235	Fanvil V62W 12 SIP Colour screen PoE WiFi VoIP Phone, V62W Prime Business Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, Built-In BLUETOOTH5.4, Wi-Fi 6, PoE, 2x Gigabit LAN Ports
FAN-V64	R 1,696	Fanvil V64 Prime Business IP Phone Bluetooth / Wifi, Linux system, 3.5" 480 * 320 Colour screen, 21 DSS Keys, 12 SIP lines, Wired Handset, 6-way local Conference, USB Type-A x 1, Connect with USB Headset & USB, Bluetooth 4.2, Built-In 2.4GHz & 5GHz Wi-Fi, 2x Gigabit Network
FAN-V65	R 2,293	Fanvil V65 Prime Business Phone, Linux system, 4.3-inch 480x272 Colour screen (IPS), 45 DSS Keys, 20 SIP lines, Wired Handset, 6-way local Conference, USB Type-A x 1, Connect with USB Headset & USB, Bluetooth 4.2, Built-In 2.4GHz & 5GHz Wi-Fi, 2x Gigabit Network
FAN-V65W	R 2,294	Fanvil 20sip Gigabit Bluetooth PoE WiFi VoIP Phone, V65, Linux system, 4.3-inch 480x272 Colour screen (IPS), 45 DSS Keys, 20 SIP lines, 6-way local Conference, 1x USB Type-A - Connect with USB Headset, Built-In 2.4GHz & 5GHz Wi-Fi, Bluetooth 4.2, PoE, 2x Gigabit LAN Ports
FAN-V66	R 2,625	Fanvil V66 Prime Business Phone 7 inch Wifi / Bluetooth, Linux system, 7-inch 1024x600 IPS Touch Screen, 116 DSS Keys, 20 SIP lines, Wired Handset, 6-way local Conference, 1x USB Type-A, Connect with USB Headset & USB, Built-In Bluetooth 5.4, Built-In 2.4GHz & 5GHz Wi-Fi, 2x Gigabit Network
FAN-V66PRO	R 3,232	Fanvil V66 Pro Prime IP Phone Gigabit with WiFi / Bluetooth, Linux system, 7-inch 1024x600 IPS Touch Screen, 116 DSS Keys, 20 SIP lines, Wired Handset, Wireless Handset, 6-way local Conference, USB Type-A x 1, Built-In Bluetooth 5.4, Built-In 2.4GHz & 5GHz Wi-Fi 6, 2x Gigabit LAN Ports, EHS
FAN-V67	R 5,618	Fanvil V67 Flagship Smart Video Phone Android WiFi, Android 9.0 system, 7-inch 1024x600 IPS Touch Screen, 7-inch 1024x600 IPS Touch Screen, Multi-light Keypad, Multi-light Keypad, 116 DSS Keys, 20 SIP lines, Wired Handset, Built-In 5 mega-pixel camera 1080p@30fps, 1x USB Type-A, Bluetooth 4.2, Built-In 2.4GHz & 5GHz Wi-Fi, 2x Gigabit Ethernet LAN Ports, EHS
FAN-W610D	R 1,144	Fanvil 4SIP Portable DECT IP Phone, W610D, Integrated Bluetooth 5.0, 1900mAh Rechargeable Battery, 3.5mm standard jack Headset Port, 4 SIP lines
FAN-W610D	R 1,258	Fanvil 4SIP Portable DECT IP Phone, W610D, Integrated Bluetooth 5.0, 1900mAh Rechargeable Battery, 3.5mm standard jack Headset Port, 4 SIP lines
FAN-W610W	R 1,691	Fanvil W610W 4 SIP Portable Dual Band WiFi VoIP phone, 2.0" 240x320 Colour High-Definition LCD Display, 4 SIP lines, 3-way Conference, 2.4GHz & 5GHz WiFi
FAN-W611W	R 2,767	Fanvil Linkvil W611W Portable WiFi IP Phone, 2.4-inch 240x320 Colour High-Definition LCD Display, 4 SIP lines, Caller ID, Support custom DSS Keys, HD voice, Belt clip, Standard Type-C Interface, Rechargeable Lithium Battery, Support Wi-Fi 6, Support Bluetooth 5.0, 3-way Conference, 3.5mm standard jack Headphone jack
FAN-W620D	R 1,403	Fanvil W620D Portable Dect Handset; 2.4" 240 x 320 TFT colour display; Bluetooth 5.0; 4 SIP lines; 3000 mAh battery; up to 13h talk time; up to 240h standby; 16 DSS keys; Push-to-Talk; 1000 contacts; 600 call logs; 160 x 53 x 16 mm; 256 g; compatible with W710D
FAN-W620P	R 2,064	Fanvil W620p 20 SIP PoE DECT IP Phone & Base Station, Fanvil FAN-W620P is a PoE-powered DECT IP Phone and Base Station kit, The Base Station supports up to 10 handsets with provision for 20 SIP accounts, Wireless signal coverage extends up to 50 meters indoors and 300 meters outdoors, Handset features include a 2.4-inch 240x320 Colour High-Definition LCD Display, Battery capacity is 3000mAh providing up to 13 hours talk time or 240 hours Standby, System supports up to 10 simultaneous calls and 10 internal extensions, Screen Interface includes 16 Virtual DSS Keys Plus 1 physical DSS key and side key
FAN-W620W	R 1,553	Fanvil W620W 8SIP Portable Dual Band WiFi 6 VoIP Phone, 2.4" 240x320 chigh-definition LCD Display, 8 SIP lines, Support custom DSS Keys, HD voice, Desktop charging base, Support Wi-Fi 6, Support Bluetooth 5.0, 6-way Audio Conference, Type-C Port Headphone jack
FAN-W620W	R 1,603	Fanvil W620W 8SIP Portable Dual Band WiFi 6 VoIP Phone, 2.4" 240x320 chigh-definition LCD Display, 8 SIP lines, Support custom DSS Keys, HD voice, Desktop charging base, Support Wi-Fi 6, Support Bluetooth 5.0, 6-way Audio Conference, Type-C Port Headphone jack
FAN-W710P	R 2,178	Fanvil 4SIP DECT IP Phone & Base Station, W710P, DECT Phone package consisting of a base (W710D) and a Handset (W610D), 1x 10/100 Mbps Ethernet Ports, 802.3af/at PoE Input, 2.0" 240 x 320 Colour screen, Up to 10 handsets and 10 simultaneous calls, Up to 20 SIP Server and 20 SIP accounts, 1 side key and 16 DSS Keys, Up to

		8 hours talk time
FAN-X210	R 3,048	Fanvil X210 Enterprise IP phone Colour with 20 SIP, PoE enabled, 3 lcds (Main DSS), Handset / handsfree / headset mode, Intelligent DSS keys, H.264 Video Codec, Support Bluetooth headset, 4.3" main color Display, Dual Gigabit ports, Support EHS headset
FAN-X210-PHONE	R 3,782	Fanvil X210 Enterprise IP phone Colour with 20 SIP, PoE enabled, 3 lcds (Main DSS), Handset / handsfree / headset mode, Intelligent DSS keys, H.264 Video Codec, Support Bluetooth headset, 4.3" main color Display, Dual Gigabit ports, Support EHS headset (PoE enabled, No Power supply included)
FAN-X210I	R 6,025	Fanvil X210i Paging Console Phone, FAN-X210I, 4.3-inch 480 x 272 Colour screen, 2x 3.5" side Colour displays for DSS Keys, 20 SIP lines, HD Audio on Speakerphone and Handset, Built-In Bluetooth, 6-way Audio Conference, Up to 106 DSS Keys (42 tri-colored physical Keys), Video Codec H.264 support for receiving Video calls, Dual Gigabit Ports, Integrated PoE, Stand with 2 adjustable angles of 40 and 50 degrees
FAN-X2P	R 638	Fanvil X2P 2x SIP Colour Call Centre VoIP Phone, 2x SIP Line, HD Voice, POE Enable or Optional External Power Supply (Not included), 2.8" color screen, Headphone(HP) mode (EHS support for Plantronics headsets), RJ9 and 3.5mm headset port. No Power supply (Sold separately if required).
FAN-X301	R 518	Fanvil X301 2 SIP entry level VoIP phone with PSU, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 1x 10/100 Ethernet Port (includes power supply - No POE)
FAN-X301	R 545	Fanvil X301 2 SIP entry level VoIP phone with PSU, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 1x 10/100 Ethernet Port (includes power supply - No POE)
FAN-X301G	R 569	Fanvil X301G 2 SIP entry level VoIP phone with PoE, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 2x Gigabit Ethernet Port with POE, No PSU
FAN-X301G	R 627	Fanvil X301G 2 SIP entry level VoIP phone with PoE, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 2x Gigabit Ethernet Port with POE, No PSU
FAN-X301G	R 827	Fanvil X301G 2 SIP entry level VoIP phone with PoE, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 2x Gigabit Ethernet Port with POE, No PSU
FAN-X301G	R 603	Fanvil X301G 2 SIP entry level VoIP phone with PoE, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 2x Gigabit Ethernet Port with POE, No Power supply (Sold separately if required)
FAN-X301P	R 592	Fanvil X301P 2 SIP entry level VoIP phone with PoE, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 2x 10/100 Ethernet Port with POE, No Power supply (Sold separately if required)
FAN-X301W	R 592	Fanvil 2SIP entry level WiFi VoIP Phone, X301W, Linux Operating System, 2.4" 320x240 color-screen, 3 line Keys, 3 DSS Keys, 4 SIP lines, 6-way Audio Conference, 2.4GHz & 5GHz WiFi, 2x 10/100 Mbps Network Ports, Power Supply included, No PoE, EHS Headset
FAN-X301W	R 631	Fanvil 2SIP entry level WiFi VoIP Phone, X301W, Linux Operating System, 2.4" 320x240 color-screen, 3 line Keys, 3 DSS Keys, 4 SIP lines, 6-way Audio Conference, 2.4GHz &5GHz WiFi, 2x 10/100 Mbps Network Ports, EHS Headset. Power supply included. No POE.
FAN-X303-2	R 848	Fanvil X303-2 Wire IP Phone, Linux Operating System, 2.4" 320x240 Colour screen, 3 line Keys, 3 DSS Keys, 4 SIP lines, 6-way Audio Conference, HD Audio, EHS Headset
FAN-X303G	R 926	Fanvil X303G 4 SIP Colour screen VoIP phone with Gigabit PoE, 2.4" 320 x 240 Colour screen, 3 line keys, 3 DSS keys, 4 SIP lines, 6-way audio conference, 1000 local phonebook, 2x Gigabit Ethernet Ports. No Power supply (Sold separately if required).
FAN-X303P	R 840	Fanvil X303P 4 SIP Colour screen VoIP phone with PoE, 2.4" 320 x 240 Colour screen, 3 line keys, 3 DSS keys, 4 SIP lines, 6-way audio conference, 1000 local phonebook, 2x 10/100 Ethernet Ports, No PSU
FAN-X303W	R 926	Fanvil X303W 4 SIP Colour screen PoE WiFi VoIP phone with PSU, Linux Operating System, 2.4" 320x240 Colour screen, 3 line Keys, 3 DSS Keys, 4 SIP lines, 6-way audio Conference, 600 call logs, 2x 10/100 Mbps Network Ports
FAN-X305	R 1,995	Fanvil x305 Big Button IP Phone with SOS and WiFi, 3.5" 320 x 240 Colour screen, 4 DSS Keys, 2 SIP lines, Built-In Bluetooth 4.2, Built-In 2.4GHz / 5GHz Wi-Fi, 1x Gigabit LAN Port, EHS Headset
FAN-X3S	R 558	Fanvil X3S 2SIP Colour screen VoIP phone with PSU - no PoE, HD voice, Two Network interfaces (10M/100M), 128 x 50 graphic LCD Display, RJ9 headset Port, External Power Supply, Caller ID Display (Power supply included - No POE)

FAN-X3S-PRO	R 558	Fanvil X3S Pro 4SIP Colour screen IP Phone PSU, FAN-X3S-PRO, 4 SIP lines, 2.4" Main Colour Display, HD Audio on Speakerphone and Handset, Support 6-way Audio Conference, Support EHS Wireless Headset, Dual fast Ports, Stand with 2 adjustable angles of 45 and 50 degrees (Power supply included - No POE)
FAN-X4U	R 1,691	Fanvil X4u 12 SIP Colour screen PoE VoIP phone, 12 SIP lines, 2.8-inch 320x240-pixel Colour Display, 2.4-inch 320x240-pixel Colour side Display, 30 DSS keys, 3 line keys with LED light, Dual Gigabit Port, PoE Integrated, Support EHS Wireless headset
FAN-X5U	R 1,597	Fanvil X5U 16 SIP Gigabit Bluetooth PoE VoIP phone, PoE enabled, Supports Bluetooth headset, 4 line keys on the main Display, 4 line keys on the main Display, 3-way conference, SIP hotspot, 1x 3.5" main color Display, 1x 2.4" side color displays for DSS keys, Dual Gigabit ports
FAN-X5U	R 1,823	Fanvil X5U 16 SIP Gigabit Bluetooth PoE VoIP phone, PoE enabled, Supports Bluetooth headset, 4 line keys on the main Display, 4 line keys on the main Display, 3-way conference, SIP hotspot, 1x 3.5" main color Display, 1x 2.4" side color displays for DSS keys, Dual Gigabit ports
FAN-X7	R 2,869	Fanvil X7 Enterprise IP Phone, FAN-X7, 20 SIP lines, HD Audio on Speakerphone and Handset, 7 inch 1024x600 capacitive Touch Screen, Built-In Bluetooth, Up to 116 DSS Keys, Video Codec H.264 support for receiving Video calls, Dual Gigabit Ports, Integrated PoE, Stand with 2 adjustable angles of 40 and 50 degrees
FVIL-V61G	R 863	Fanvil V61G 4 SIP Gigabit Colour screen PoE VoIP Phone, Linux system, 2.4-inch 320x240 Colour screen, 12 DSS Keys, 4 SIP lines, 1000 local Phone book, 6-way local Conference
FVIL-V62G	R 978	Fanvil V62G 12 SIP Gigabit PoE VoIP Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, PoE, 2x Gigabit LAN Ports
FVIL-V62PRO	R 1,236	Fanvil V62Pro Prime Cordless Business Phone, FVIL-V62PRO, 2.8-inch 320 x 240 Colour screen, 21x DSS Keys, 12 SIP lines, Wired Handset / Wireless Handset, 2x Gigabit Network Ports
FVIL-V62W	R 1,179	Fanvil V62W 12 SIP Colour screen PoE WiFi VoIP Phone, V62W Prime Business Phone, Linux system, 2.8-inch 320x240 Colour screen, 21 DSS Keys, 12 SIP lines, 1000 local Phone book, 6-way local Conference, Built-In BLUETOOTH5.4, Wi-Fi 6, PoE, 2x Gigabit LAN Ports
FVIL-W610D	R 1,144	Fanvil 4SIP Portable DECT IP Phone, W610D, Integrated Bluetooth 5.0, 1900mAh Rechargeable Battery, 3.5mm standard jack Headset Port, 4 SIP lines
FVIL-W620W	R 1,553	Fanvil W620W 8SIP Portable Dual Band WiFi 6 VoIP Phone, 2.4" 240x320 chigh-definition LCD Display, 8 SIP lines, Support custom DSS Keys, HD voice, Desktop charging base, Support Wi-Fi 6, Support Bluetooth 5.0, 6-way Audio Conference, Type-C Port Headphone jack
FVIL-W710P	R 1,949	Fanvil 4SIP DECT IP Phone & Base Station, W710P, DECT Phone package consisting of a base (W710D) and a Handset (W610D), 1x 10/100 Mbps Ethernet Ports, 802.3af/at PoE Input, 2.0" 240 x 320 Colour screen, Up to 10 handsets and 10 simultaneous calls, Up to 20 SIP Server and 20 SIP accounts, 1 side key and 16 DSS Keys, Up to 8 hours talk time
FVIL-X301	R 518	Fanvil X301 2 SIP entry level VoIP phone with PSU, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 1x 10/100 Ethernet Port (Power supply included - No POE)
FVIL-X301G	R 569	Fanvil X301G 2 SIP entry level VoIP phone with PoE, 2.3" 128 x 48 main screen, 6-way audio conference, 1000 local phonebook, 2x Gigabit Ethernet Port with POE (802.3af/at PoE), No Power supply (Sold separately if required)
GS-DP720	R 859	Grandstream DECT handset, Up to five DP720 handsets are supported on each DP750 while each DP720 supports a range of up to 300 meters outdoors and 50 meters indoors from the base station.
GS-DP722	R 852	Grandstream DECT handset - Compatible with DP750 DP752, DP722 VoIP DECT Handset with Charging Base, Supports 10 SIP accounts 20-hour Talk Time, 1.8 inch (128x160) color LCD, 2 programmable soft keys
GS-DP725	R 833	Grandstream DECT HD Handset - compatible with DP750 / DP752 / DP755, 400 meters Outdoor range, 50 meters Indoor range, 1.8 inch 128x160 Colour TFT LCD, Each Handset may Access up to 20 lines, 3.5mm Headset jack, Removable belt clip, Type-C USB Port
GS-DP730	R 1,423	Grandstream DP730 DECT handset - Compatible with DP750 DP752, 2.4 inch (240x320) color LCD with 3 programmable soft keys, Offers 40-hour talk time and 500-hour standby time, Supports up to 10 SIP accounts and 10 lines per handset
GS-DP735	R 1,457	Grandstream DP735 Ruggedised DECT Handset compatible with DP75x, DECT IP Phone, 20 SIP accounts, 20

		lines, 2.4" 240x320 LCD Display, 2000mAh Li-Ion Battery, 27 Keys including 3 soft Keys, 3.5mm Headset jack, Proximity and accelerometer sensors
GS-GHP610	R 587	Grandstream GHP610 2 line Compact hotel phone - White, 3-way audio conferencing, Includes one 100 Mbps Network Port with PoE, Hearing aid compatibility
GS-GHP610W	R 951	Grandstream GHP610W 2 line Compact hotel phone WiFi 5 - White, 3-way audio conferencing, Hearing aid compatibility, Integrated Dual-Band 2.4GHz & 5GHz 802.11 a/b/g/n/ac
GS-GHP611	R 613	Grandstream GHP611 2 line Compact hotel phone - Black, 3-way audio conferencing, Includes one 100 Mbps Network Port with PoE, Hearing aid compatibility
GS-GHP611W	R 838	Grandstream GHP611W 2 line Compact hotel phone WiFi 5 - Black, 3-way audio conferencing, Hearing aid compatibility, Integrated Dual-Band 2.4GHz & 5GHz 802.11 a/b/g/n/ac
GS-GHP620	R 528	Grandstream GHP620 2 line Compact hotel phone - White, 2 SIP accounts, 3-way audio conferencing, Includes one 100 Mbps Network Port with PoE, Hearing aid compatibility
GS-GHP620W	R 1,049	Grandstream GHP620W 2 line Compact hotel phone WiFi 5 - White, 2 SIP accounts, 3-way audio conferencing, Integrated Dual-Band 2.4GHz & 5GHz 802.11 a/b/g/n/ac, Hearing aid compatibility
GS-GHP621	R 624	Grandstream GHP621 2 line Compact hotel phone - Black, 2 SIP accounts, 3-way audio conferencing, Includes one 100 Mbps Network Port with PoE, Hearing aid compatibility
GS-GHP621W	R 888	Grandstream GHP621W 2 line Compact hotel phone WiFi 5 - Black, 2 SIP accounts, 3-way audio conferencing, Integrated Dual-Band 2.4GHz & 5GHz 802.11 a/b/g/n/ac, Hearing aid compatibility
GS-GHP630	R 963	Grandstream GHP630 2 line 3.5" Colour LCD hotel Phone - White, 2 lines, 2 SIP accounts, 10/100 Mbps PoE Ethernet Port, 1x USB Type-C for charging external devices, 3.5" 480x320 Colour LCD Display, 26 Keys, No Wi-Fi
GS-GHP630W	R 1,113	Grandstream GHP630W 2 line 3.5" Colour LCD WiFi 6 hotel Phone - White, 2 lines, 2 SIP accounts, 10/100 Mbps PoE Ethernet Port, 1x USB Type-C for charging external devices, 3.5" 480x320 Colour LCD Display, 26 Keys, Wi-Fi
GS-GHP631	R 895	Grandstream GHP631 2 line 3.5" Colour LCD hotel Phone - Black, 2 lines, 2 SIP accounts, 10/100 Mbps PoE Ethernet Port, 1x USB Type-C for charging external devices, 3.5" 480x320 Colour LCD Display, 26 Keys, No Wi-Fi
GS-GHP631W	R 1,049	Grandstream GHP631W 2 line 3.5" Colour LCD WiFi 6 hotel Phone - Black, 2 lines, 2 SIP accounts, 10/100 Mbps PoE Ethernet Port, 1x USB Type-C for charging external devices, 3.5" 480x320 Colour LCD Display, 26 Keys, Wi-Fi
GS-GRP2601P	R 498	Grandstream GRP2601P 2-line carrier desk phone, PoE, No PSU, Dual switched auto-sensing 10/100 Mbps Ethernet ports, 132 x 48 (2.21") LCD Display, 4 XML programmable context sensitive soft keys, RJ9 headset jack, No PSU
GS-GRP2602G	R 726	Grandstream GRP2602G 2 line Desk phone, PSU not included, 2x Gigabit Ethernet Ports, Supports PoE, Supports 2 line, And 4 SIP accounts, Full-Duplex speakerphone, Supports 5-way audio conferencing, 132 x 48 (2.41 ' ') backlit graphical LCD Display, 2 line keys with dual-color LED, RJ9 headset jack
GS-GRP2602P	R 643	Grandstream GRP2602P 2 line desk phone, PSU not included, Supports PoE, Supports 2 lines and 4 SIP accounts, Full-Duplex speakerphone with HD audio, Supports 5-way audio conferencing for easy conference calls, RJ9 headset jack
GS-GRP2602W	R 819	Grandstream GRP2602w 2-line Wi-Fi desk phone with PoE, Dual switched auto-sensing 10/100 Mbps Ethernet Ports, Integrated Dual-Band Wi-Fi 802.11 a/b/g/n/ac, 132 x 48 (2.41 ' ') backlit graphical LCD Display, 2 line keys with dual-color LED and support for 4 SIP account, RJ9 headset jack
GS-GRP2603P	R 871	Grandstream GRP2603P 3 line Gigabit carrier desk phone with PoE, No PSU, 3 lines 6 SIP accounts up to 3 call appearances, Full-Duplex speakerphone with HD audio, Dual switched autosensing 10/100/1000 Mbps Gigabit Ethernet ports with Integrated PoE, Supports 5-way audio conferencing for easy conference calls
GS-GRP2604P	R 1,032	Grandstream GRP2604P 3-line Gigabit carrier phone, PoE, No PSU, 10 BLF keys, Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, 132 x 64 (2.48 ' ') backlit graphical LCD Display, 3 line keys with dual-color LED and support for 6 SIP accounts, 4 XML programmable context sensitive soft keys, RJ9 headset jack
GS-GRP2611G	R 781	Grandstream GRP2611G Professional 3 line Desk Phone, 2.8" (320x240) TFT Colour LCD graphic Display, 3 line Keys with up to 3 SIP accounts, RJ9 Headset jack, 2x Gigabit Ethernet Ports with Integrated PoE
GS-GRP2612	R 792	Grandstream GRP2612 2 2 line carrier desk phone with out PoE, Supports 2 SIP accounts and 4 multi-purpose

		line keys, Up to 12 Digital blf keys, HD audio supporting All major codecs, 2.4 inch (320x240) TFT color LCD, 4 line keys with up to 2 SIP accounts, 4 XML programmable context sensitive soft keys, RJ9 headset jack
GS-GRP2612G	R 850	Grandstream GRP2612g 2-line carrier Desk phone with 2x Gigabit Ethernet PoE Ports, Supports PoE, Supports 2 SIP accounts, Up to 16 Digital BLF keys, HD audio, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet Ports with Integrated PoE, 2.4" 320x240 TFT Colour LCD graphic Display, 4 line keys, RJ9 headset jack
GS-GRP2612P	R 822	Grandstream GRP2612 2 2 line carrier desk phone with PoE, Supports 2 SIP accounts and 4 multi-purpose line keys, Up to 12 Digital blf keys, HD audio supporting All major codecs, 2.4 inch (320x240) TFT color LCD, 4 line keys with up to 2 SIP accounts, 4 XML programmable context sensitive soft keys, RJ9 headset jack
GS-GRP2612W	R 988	Grandstream GRP2612W 2-line carrier desk phone with PoE Wi-Fi, 2.4 inch (320x240) TFT color LCD, 4 line keys with up to 2 SIP accounts, RJ9 headset jack, Dual switched auto-sensing 10/100 Mbps Ethernet ports
GS-GRP2613	R 1,001	Grandstream GRP2613 3 3 line carrier desk phone with PoE, Supports up to 3 SIP accounts and 6 multipurpose line keys, Dual switched autosensing 10/100/1000 Mbps Gigabit Ethernet ports with Integrated PoE, HD audio with support for All major codecs, Up to 24x Digital BLF keys, 2.4 inch (320 x 240) TFT color LCD, 4x XML programmable context sensitive soft - keys, 5x navigation/menu keys, 11x dedicated Function keys, RJ9 headset jack
GS-GRP2614	R 2,432	Grandstream GRP2614 4-line carrier desk phone with PoE, 4 line keys with up to 4 SIP accounts, 8mpk extension keys with dual-color LED with 2 left/right keys, Dual LCD screens with Digital BLF keys, Integrated Dual-Band 802.11a/b/g/n WiFi, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with Integrated PoE, Integrated Bluetooth
GS-GRP2615	R 2,402	Grandstream GRP2615 10-line carrier desk phone with PoE, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports, Bluetooth, Integrated Dual-Band Wi-Fi 802.11 a/b/g/n/AC (2.4GHz & 5GHz), 4.3 inch (480x272) TFT color LCD graphic Display
GS-GRP2616	R 2,481	Grandstream GRP2616 6-line carrier desk phone with PoE, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports, Bluetooth, Integrated Dual-Band Wi-Fi 802.11 a/b/g/n/AC (2.4GHz & 5GHz), 4.3 inch (480x272) TFT color LCD, 2.4 inch (240x320) additional screen, RJ9 headset jack
GS-GRP2624	R 1,565	Grandstream GRP2624 8-line carrier Wi-Fi Desk phone, 8 lines 4 SIP accounts, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet Ports with Integrated PoE, 2.8" (320 x 240) TFT Colour LCD, Wi-Fi, Bluetooth, RJ9 headset jack
GS-GRP2634	R 1,612	Grandstream GRP2634 8-line carrier Wi-Fi Desk phone, 8 lines 4 SIP accounts, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet Ports with Integrated PoE, 2.8" (320x240) TFT Colour LCD, Wi-Fi, Bluetooth, RJ9 headset jack
GS-GRP2636	R 2,240	Grandstream GRP2636 12-line carrier Wi-Fi Desk phone, 2.8" (320x240) TFT Colour LCD graphic Display, Integrated Dual-Band Wi-Fi, Bluetooth, 8 line keys with up to 4 SIP accounts, RJ9 headset jack
GS-GRP2650	R 2,501	Grandstream GRP2650 14-line carrier Desk phone, 14 lines and 6 SIP accounts, RJ9 headset jack, Full-Duplex speakerphone, Dual switched autosensing 10/100/1000 Mbps Gigabit Ethernet Ports with Integrated PoE, Supports 5-way audio conferencing, 5.0 inch (1280x720) TFT Colour LCD, Wi-Fi, Bluetooth
GS-GRP2670	R 2,732	Grandstream GRP2670 12-line carrier Wi-Fi Desk phone, Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet Ports with Integrated PoE, 7 inch (1024x600) capacitive Touch Screen TFT LCD, Wi-Fi, Bluetooth, RJ9 headset jack
GS-GXP1615	R 576	Grandstream 1 Line Desk Phone
GS-GXP1625	R 638	Grandstream 2 Line Desk Phone, This Linux-based model features 2 lines, 3 XML programmable soft keys, HD audio and 3-way conferencing. 2x100Mb LAN, Backlit LCD, 5V DC, Jack RJ9 Headset.
GS-GXP1628	R 850	Grandstream 2 Line Desk Phone, This Linux-based model includes 2 lines, 3 XML programmable soft keys, 8 BLF keys and 3-way conferencing - 2x 1 Gigabit LAN.
GS-GXP1630	R 961	Grandstream entry level 3-Line VOIP Desk phone, 3 SIP accounts, 3 line keys, 4-way conferencing, 3 XML programmable context-sensitive soft keys, HD audio on speakerphone and handset, Dual-switched Gigabit ports, integrated PoE, 8 dual-colored BLF/speed dial keys, EHS support for Plantronics headsets, Up to 500 contacts, call history up to 200 records
GS-GXP2135	R 1,689	Grandstream 8 Line Desk Phone, The GXP2135 is the perfect choice for business users looking for a powerful and

		reliable IP phone with advanced functionality
GS-GXP2140	R 1,958	Grandstream 4-Line PoE SIP phone - 2x1000Mb LAN, 48V PoE, RJ9 Headset Jack, Colour LCD
GS-GXP2160	R 2,103	Grandstream 6-Line PoE SIP phone - 2x1000Mb LAN, 48V PoE, RJ9 Headset Jack, Colour LCD
GS-GXP2170	R 1,807	Grandstream 12 Line and 6 SIP accounts Desk Phone, The GXP2170 also features up to 48 digital, on-screen speed-dial / BLF keys.
GS-GXV3350	R 1,839	Grandstream GXV3350 16-line Enterprise Video phone, Android 7.0, 16-lines, PoE, 2x Gigabit LAN, Wi-Fi, Bluetooth, PSU included, Built-in 1 mega-pixel CMOS tiltable camera, Built-in Bluetooth, Integrated Dual-Band Wi-Fi, Dual-mic HD speakerphone, 5.0" (1280x720) capacitive 5-point touch screen HD TFT LCD, HDMI out, USB, Headset jack, EHS
GS-GXV3450	R 4,200	Grandstream GXV3450 Enterprise High End Smart Video phone, 16 lines with up to 16 SIP accounts, Built-In 2 mega-pixel CMOS camera for Video calling, Runs on the Android 11 Operating System, Bluetooth 5.0, Dual-switched auto-sensing 10/100/1000 Mbps Network Ports, Integrated Dual-Band Wi-Fi 5, Built-In PoE/PoE , 5" 1280x720 capacitive 5-point Touch Screen IPS LCD, 10-way audio conferencing & 3-way 720p 30fps HD Video conferencing capability
GS-GXV3470	R 6,562	Grandstream GXV3470 Enterprise High End Smart Video phone, Dual switched 10/100/1000 Mbps Ports with Integrated PoE/PoE , 7.0 inch 1280x800 capacitive Touch Screen (5 points) IPS LCD graphic Display, Tiltable 2 mega-pixel CMOS camera with Privacy shutter 1080p@30fps, Bluetooth 5.0, Dual-Band dual-stream Wi-Fi 6, RJ9 headset jack
GS-GXV3480	R 6,687	Grandstream GXV3480 Enterprise High End Smart Video phone, Dual switched 10/100/1000 Mbps Ports with Integrated PoE/PoE , 8.0" 1280x800 capacitive Touch Screen IPS LCD, Tiltable 2 mega-pixel CMOS camera 1080p@30fps, Bluetooth 5.0, Dual-Band (2.4GHz & 5GHz) WiFi, RJ9 headset jack, Runs Android 11, 2 Omni-Directional microphones
GS-SPARE-HS	R 275	Grandstream GXP Spare Handset for GXP1625 phone (Handset only)
GS-UCM6300A	R 2,798	Grandstream UCM6300A VoIP PBX - no Video support - no FXS & no FXO, 50 simultaneous calls, 250 SIP clients, LCD Display, Built in instant messaging
GS-UCM6302	R 5,847	Grandstream VoIP PBX 2x FXS and 2x FXO, UCM6302, 150 simultaneous calls, 1000 SIP clients, LCD Display, Opus supported, 2 RJ11 ports, Three self-adaptive Gigabit ports, 1x USB 2.0, 1x USB 3.0, 1x SD card Interface, 320 x 240 Colour LCD with Touch Screen
GS-WP810	R 1,405	Grandstream WP810 Enterprise Dual-Band cordless Wi-Fi phone, 2-line, Dual-Band 802.11a/b/g/n/ac, HD voice, 6 hour talk time, Bluetooth, 1.8 inch (128x160) TFT Colour LCD, 3.5 mm headset jack, Micro USB Port for charging
GS-WP816	R 1,112	Grandstream WP816 Enterprise Cordless Wi-Fi IP phone with Integrated Dual-Band and 6-hour talk time, Rechargeable 1500mAh Li-Ion Battery, Bluetooth, Integrated Dual-Band Wi-Fi 6, 1.77 inch 128 x 160 Colour LCD, 3.5mm Headphone Interface, Type-C charging Interface
GS-WP820	R 2,260	Grandstream WP820 Enterprise Cordless Wi-Fi Phone, 2-Line, Dual-Band 802.11a/b/g/n, HD Voice, 7.5 Hour Talk Time, Bluetooth, Micro USB port and 3.5mm headset jack, 2 SIP accounts, 2 lines
GS-WP822	R 1,477	Grandstream WP822 Enterprise cordless Wi-Fi phone, Dual-Band Wi-Fi, 2 SIP accounts, 2 lines, Rechargeable 2000mAh battery, 8 hour talk time, Integrated Bluetooth to connect headsets, Configurable button for push-to-talk, Micro USB Port and 3.5mm headset jack, 2.4" 240x320 TFT Colour LCD
GS-WP825	R 2,456	Grandstream WP825 Enterprise Ruggedized Cordless Wi-Fi phone, 2 lines, 2 SIP accounts, Dual-Band WiFi, Bluetooth for syncing headsets and Mobile devices, IP67 weather proof rating, IP66-level weather proof capability, HD voice and Dual Mic design, Rechargeable battery with 8 hour talk time, Built-In push-to-talk and panic buttons
GS-WP826	R 1,381	Grandstream WP826 Enterprise Cordless Wi-Fi IP phone with Integrated Dual-Band Wi-Fi 6, Rechargeable 3000mAh Li-Ion Battery, 12 hour talk time 240-hour Standby, Bluetooth, 2.4 inch 240x320 Colour LCD, Type-C charging Interface
GS-WP836	R 2,154	Grandstream WP836 Enterprise Ruggedised Cordless WiFi Phone, 2.8" (240x320) Colour LCD, Bluetooth, 3 soft Keys, Type-C charging Interface, 3000mAh Lithium-ion Battery, Dual-Band Wi-Fi 6, 3 SIP accounts, 3 lines, 4-way voice conferencing, 10-hour talk time
MP45	R 1,325	Yealink MP45 MS Teams USB Phone, HD voice, Full-Duplex Hands-Free Speakerphone with AEC, Noise suppression (NS), Hearing aid compatible (HAC), 4" 480x800 Pixel capacitive Touch Screen, 4 feature Keys,

		Volume control Keys, RJ9 Handset Port, RJ9 Headset Port, 1x 2.5 mm jack for busylight
MP52 E2	R 3,195	Yealink MP52 E2 Basic Phone for MS Teams, Excludes PSU, HD voice, Yealink noise proof Technology, 2.4 inches (320x240) Non-Touch screen, Dual-Port Gigabit Ethernet, 1x USB Type-A Port, 1x Security lock Port, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
MP54 E2	R 3,993	Yealink MP54 E2 Entry-Level Phone for MS Teams, Excludes PSU, HD voice, Yealink noise proof Technology, 4" 480x800 capacitive Touch Screen, 5 points Multi-Touch Surface, Dual-Port Gigabit Ethernet, 1x USB Type-A Port, Built-In Bluetooth 5.2, Built-In Dual Band 2.4GHz / 5GHz Wi-Fi, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
MP55 E2	R 4,207	Yealink MP55 E2 Phone for Microsoft Teams, Excludes PSU, HD voice, Hearing aid compatible (HAC) Handset, AI noise cancellation, Full-Duplex Hands-Free Speakerphone with AEC, 4.3 inches (480x272) Non-Touch screen, 10 line Keys with LED, 4 Touch buttons, 4 feature Keys, Volume control Keys, Dual-Port Gigabit Ethernet, 1x USB Type-A Port, Dual Band 2.4GHz / 5GHz Wi-Fi, Bluetooth, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
MP56 E2	R 5,058	Yealink MP56 E2 Android Phone for MS Teams, Excludes PSU, HD voice, Yealink noise proof Technology, 7" 1024x600 capacitive Touch Screen Display, 5 points Multi-Touch Surface, Dual-Port Gigabit Ethernet, Built-In Dual Band 2.4GHz / 5GHz Wi-Fi, Built-In Bluetooth, 1x USB Type-A Port, 1x USB Type-C Port, 1x Security lock Port, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
MP58-WH E2	R 6,124	Yealink MP58-WH E2 Premium Phone with Bluetooth Handset for MS Teams, Excludes PSU, AI noise cancellation, HD voice, Full-Duplex Hands-Free Speakerphone with AEC, 7" 1024x600 capacitive Touch Screen, 5 points Multi-Touch Surface, Dedicated Teams Button, Dual-Port Gigabit Ethernet, Built-In Dual Band 2.4GHz / 5GHz Wi-Fi, Built-In Bluetooth, 2x USB Type-A Port, 1x USB Type-C Port, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port. (Note: Power supply not included)
SG-PHON-D10M	R 1,622	Sangoma D10M DECT extra handset (Universal handset), Extra headset to use with sangoma DB20 DECT base stations, Includes PSU, 1.44" TFT Display (128 x 128 x 64K) with graphical User Interface, 75 hours Standby time, Up to 8 hours talk time
SG-PHON-DC201E	R 1,608	Sangoma DECT combo : D10M handset and DB20E Base Station (EU/UK), Up to 5 simultaneous calls (Base Station), 75 hours Standby time, Up to 8 hours talk time, Up to 50m indoors range, 1x RJ45 10 / 100m Ethernet Port
SG-PHON-S505	R 1,610	Sangoma IP phone S505 mid level phone, 3.5 inch 480x320 pixelcolour screen, 35 programable softkeys, 4x SIP accounts, Dual-Port Gigabit Ethernet, 1x RJ9 (4P4C) handset Port, Power over Ethernet (IEEE 802.3af)
SG-PHON-S705	R 3,280	Sangoma - IP phone S705 Executive level phone, Exclusively work with PBXact, 6x SIP acounts, WiFi, 4.3 inch 480x272 Colour screen, 45x programmable softkeys, WiFi and Bluetooth support, Wall mountable, Stand with 3 adjustable angles, Dual-Port gigabity Ethernet, 1x RJ9 (4P4C) handset Port, Power over Ethernet (IEEE 802.3af)
SIP-T30	R 738	Yealink SIP-T30 Single Line entry level IP phone, No PoE, Includes PSU, 2.3" 132x64-pixel graphical LCD, Linux based Operating System, HD Handset, HD Speaker, Full-Duplex Speakerphone, 2x RJ45 10/100 Mbit Ethernet Ports, Local 5-way conferencing
SIP-T31G	R 992	Yealink SIP-T31G 2-line Gigabit Desktop IP phone, Excluding PSU, 2.3" graphical LCD, 132 x 64 Resolution, PoE, Gigabit LAN, EHS35 Wireless headset Adapter, 5 N-Way audio conferencing
SIP-T31P	R 835	Yealink SIP-T31P 10/100 Desktop IP phone, Excludes PSU, 2.3" 132 x 64 Pixel back light LCD Display, 2x Ethernet Ports 10/100 PoE support, 2x SIP accounts, 2x Dual Colour line keys, Hall Switch
SIP-T31W	R 1,044	Yealink Desktop IP Phone with built-in Wi-Fi, 10/100Mb Ethernet, Includes PSU
SIP-T33G	R 1,071	Yealink SIP-T33G Gigabit Colour screen Desktop IP phone, Excludes PSU, 2.4" 320 x 240 Pixel Colour LCD Display, 2x Ethernet Ports 10/100/1000 PoE support, 4x SIP accounts, 4x Dual Colour line keys, Hall Switch, Local 5-way conferencing, 1x RJ9 (4p4c) handset Port
SIP-T34W	R 1,305	Yealink Desktop IP Phone with built-in Wi-Fi, Excludes PSU
SIP-T44W	R 1,724	Yealink Advanced Gigabit Desktop IP Phone, with built-in Wi-Fi, Bluetooth and Dual USB ports, Excludes PSU
SIP-T73U	R 1,749	Yealink T73U Gigabit IP Phone with USB Port, Excludes PSU, 3.7" 360x160-pixel graphical LCD with backlight, Dual USB Ports, Up to 12 SIP accounts, PoE support, USB Headset and EHS support, Stand with 2 adjustable angles

SIP-T73W	R 1,985	Yealink T73W Multifunctional SIP Phone, Wi-Fi, Built-In Bluetooth, PoE support, Excludes PSU, HD voice, 2.8-inch 320 x 240 LCD screen, 12 VoIP accounts, 5-way Conferencing, 8 linekeys with LED Keys, 4 Touch buttons, 4 Function Keys, 2 Volume control Keys, 6 navigation Keys, Dual Gigabit Ethernet Ports, 1x USB 2.0 Interface (Phone side), 1 x RJ9 (4P4C) Handset Interface, 1 x RJ9 (4P4C) Headset jack, Built-In Dual-Band Wi-Fi, Bluetooth 5.0
SIP-T74U	R 2,637	Yealink T74U high-end Gigabit IP Phone with USB Port, Excludes PSU, 2.7" 192x64-pixel graphical LCD with backlight, Dual USB Ports, Up to 12 SIP accounts, Dual-Port Gigabit Ethernet, USB Headset and EHS support, Stand with 2 adjustable angles
SIP-T74W	R 2,898	Yealink T74w Multifunctional SIP Phone, Wi-Fi, Built-In Bluetooth, PoE support, Excludes PSU, HD voice, 4.3-inch 480 x 272 LCD screen, 16 VoIP accounts, 10-way Conferencing, 10 linekeys with LED Keys, 4 Touch buttons, 4 Function Keys, 2 Volume control Keys, 6 navigation Keys, Dual-Port Gigabit Ethernet, 1x USB 2.0 Interface (Phone side), 1x RJ9 (4P4C) Handset Interface, 1x RJ9 (4P4C) Headset jack
SIP-T77U	R 3,578	Yealink T77U SIP IP Phone, 7-inch 800x480 pixel backlit Touch Screen, 16 VoIP accounts, 10-way conferencing, USB Headset, 84x One-Touch DSS Keys, 7x feature Keys, Volume control Keys, Dual-Port Gigabit Ethernet, 2x USB Port (Type-USB A / Type-USB C), 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
SIP-T85W	R 3,029	Yealink T85W Prime Business Desktop IP Phone, Built-In Bluetooth, W-fi, PoE support, Dual system Function, Excludes PSU, 7 inch 1024x600 capacitive adjustable Touch Screen, Runs Android 9.0, 720P30 HD Video, Yealink noise proof Technology, Optimal HD Audio, Dual Band 2.4G / 5G Wi-Fi, 2x USB 2.0 Ports for USB Headset, Up to 16 SIP accounts, Dual-Port Gigabit Ethernet
SIP-T87W	R 4,387	Yealink T87w Prime Business IP Phone, 7" 800x480 capacitive adjustable Touch Screen, 16 VoIP accounts, 84x One-Touch DSS Keys, 4x Function Keys, 2x Volume adjustment buttons, 6x navigation Keys, Dual-Port Gigabit Ethernet, 2x USB Port (Type-USB A / Type-USB C), 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
SIP-T88V	R 6,738	Yealink T88V Smart Business Phone with 7" Multi-Touch screen, Camera included, PSU excluded, 7" (1024x600) capacitive adjustable Touch Screen with backlight, 16 VoIP accounts, 2MP camera, 84 dsskeys, Wi-Fi 6, Bluetooth, 2x USB, 2x Gigabit PoE Ports (Note: Power supply not included)
SIP-T88V PRO	R 7,313	Yealink T88v Pro Smart Business Phone with BTH88 Bluetooth Handset, PSU excluded, 7" 1024x600 capacitive adjustable Touch Screen, Vertical Tilt angle adjustable, 5 points Multi-Touch Surface, 16 VoIP accounts, 10-party Audio Conferencing, 5 mega-pixel camera, 84 One-Touch DSS Keys, 7 feature Keys, Volume control Keys, Dual-Port Gigabit Ethernet, Built-In Dual-Band Wi-Fi, Built-In Bluetooth 5.0, Simultaneous connection of one Headset and one Mobile Phone, 2x USB 2.0 Port (Type-A/Type-C), 1x RJ-9 (4P4C) Handset Port, 1x RJ-9 (4P4C) Headset Port
SIP-T88W	R 5,431	Yealink SIP-T88W Smart Business IP Phone, Android 13 OS, 7" capacitive Touchscreen (1024 x 600), Built-In Bluetooth 5.0 & Dual-Band Wi-Fi, 2x USB 2.0 Ports, 16 VoIP accounts, Up to 10-party Audio conferencing, Dual Gigabit Ethernet with PoE
SIP-T88W PRO	R 5,174	Yealink T88W Pro Smart Business Phone with BTG88 Bluetooth Handset, Excludes camera & PSU, 7" 1024x600 capacitive adjustable Touch Screen, 5 points Multi-Touch Surface, 16 VoIP accounts, 10-party Audio Conferencing, 84 One-Touch DSS Keys, 7 feature Keys, Volume control Keys, Dual-Band Wi-Fi, Dual-Port Gigabit Ethernet, Bluetooth 5., Simultaneous connection of one Headset and one Mobile Phone, 2x USB 2.0 Port, 1 x RJ-9 (4P4C) Handset Port (Note: Power supply not included, camera not included)
SN-D140	R 955	snom D140 4-line Desktop SIP phone corded, 2 SIP identities, 2.8" 320x240 Pixel TFT LCD - Grayscale Display, 360 degree notification Display, 3 LED indicators, 36 hard keys in total, Power over Ethernet (PoE), 2x 10/100 Mbit/s Ethernet Ports
SN-D713	R 1,462	snom D713 4-line Desktop SIP phone - no PSU included, 4-line 2.8" 320x240 Pixel Colour display, 38 hard keys in total, 5-way navigation key, Standard ITU telephone keypad, 8 dedicated Function keys, 2x RJ45-8p8c Gigabit Ethernet Ports, 1x RJ9-4p4c standard connector for corded receiver, 1x RJ9-4p4c standard connector for Wired headsets, 1x RJ12-6p6c ext connector for snom EHS Adapter
SN-D7C	R 1,869	snom D7c expansion module with Colour Display - USB - supports D7x series (Except D712 & D710), D7c-exp, 6.8" high-resolution Colour Display, 48 programmable keys, Expandable with up to two additional modules
SN-D862	R 2,611	snom D862 8-line Desktop SIP phone - USB, No PSU included, Large tiltable 5 inch 1280x720 Pixel IPS Colour

		Display, USB 2.0 High Speed connection, 39 hard keys in total, 12 Function keys, 4 context-sensitive Function keys, 8 freely programmable line / Function keys, 5 dedicated audio keys, 5 dedicated Function keys
SN-D865	R 2,990	snom D865 12-line Desktop SIP phone - USB, No PSU included, Large tiltable 5" 1280 x 720 Pixel IPS Colour Display, 43 hard keys in total, 14 Function keys, 5-way navigation key, 4 context-sensitive Function keys, 5 dedicated audio keys, 10 freely programmable line / Function keys, 7 dedicated Function keys
SN-HD100	R 1,588	snom HD-Series HD100 IP phone - Corded DECT Handset - 1 line, Gigabit Ethernet, Power over Ethernet (PoE), Telephone base, Cordless DECT Handset, 2 LED indicators, 26 hard keys in total
SN-HD101	R 2,404	snom HD-Series HD101 IP phone - Cordless DECT Handset - 1 line, Gigabit Ethernet, Power over Ethernet (PoE), Telephone base, Cordless DECT Handset, 6 LED indicators, 31 hard keys in total
SN-HD350W	R 1,792	snom HD-Series HD350w WiFi IP phone - Corded DECT Handset - 1 line, 3 LED indicators, Cordless DECT Handset, Telephone base, 27 hard keys in total, Power over Ethernet (PoE), Gigabit Ethernet, Wireless LAN
SN-HD351W	R 2,658	snom HD-Series HD351w WiFi IP phone - Cordless DECT Handset - 1 line, 9 LED indicators, Cordless DECT Handset, Telephone base, 50 hard keys in total, Power over Ethernet (PoE), Gigabit Ethernet, Wireless LAN
SN-M30	R 1,869	snom M30 advanced DECT SIP phone with charging base, 2" 176x220 Pixel Display size, 28 hard keys in total, 5-way navigation key, 3 context-sensitive Function keys, 4 dedicated audio keys, 3 dedicated Function keys, Compatible with snom DECT multicell systems
SN-M430	R 2,861	Snom M430 DECT-IP Doublecell bundle: M400 & M30, snom M30 advanced DECT SIP phone with charging base, 2" 176x220 Pixel Display size, 28 hard keys in total, 5-way navigation key, 3 context-sensitive Function keys, 4 dedicated audio keys, 3 dedicated Function keys, Compatible with snom DECT multicell systems, snom M400 Dual-cell DECT Base Station, Wall mountable, Power-over-Ethernet, Call manager for up to 20 parallel calls with up to 40 SIP accounts in a Dual-cell setup
SN-M70	R 2,836	snom M70 Office DECT SIP handset with charging base, 240x320 pixels 5cm Display, Backlit keypad with 24 keys, Standard ITU telephone keypad, 12 keys 4x3 with star and pound/Hash key
SN-M80	R 4,007	Snom M80 ruggedized DECT SIP phone with charging base, IP65, 2" TFT Colour Display, Built-in alarms, Alarm key on the top of the handset, Drop test 2m
SN-M90	R 7,189	snom M90 anti-bacterial DECT SIP phone with charging base, 5cm diagonal 240x320 pixels 262K TFT color LCD, Backlit keypad with 24 keys, Standard ITU telephone keypad, 12 keys 4x3 with star and pound/Hash key
SNOM-A100M	R 642	Snom A100 Monaural Headset - Wideband - Noise Cancellation
SNOM-D140	R 1,020	snom D140 4-line Desktop SIP phone corded, 2 SIP identities, 2.8" 320x240 Pixel TFT LCD - Grayscale Display, 360 degree notification Display, 3 LED indicators, 36 hard keys in total, Power over Ethernet (PoE), 2x 10/100 Mbit/s Ethernet Ports
SNOM-D150	R 1,168	snom D150 4-line Desktop SIP phone, 2.8" 320x240 Pixel TFT LCD Display, 36 hard Keys in total, 5-way navigation key, 8 dedicated Function Keys, 2x Gigabit Ethernet Ports, RJ9 Headset Port
SNOM-D335	R 1,837	Snom D335 12-line Desktop SIP Phone - Wideband Audio - Hi-Res Colour TFT Display - USB
SNOM-D385	R 3,205	Snom D385 12-line Desktop SIP Phone - Wideband Audio - Hi-Res Colour TFT Display - USB
SNOM-D717W	R 1,539	Snom D717 6-line Desktop SIP Phone in White - Wideband Audio - Wide Colour TFT Display - USB
SNOM-D735W	R 1,834	Snom D735 12-line Desktop SIP Phone in White - Wideband Audio - Hi-Res 2.7" Colour TFT Display - USB
SNOM-D785	R 3,077	Snom D785 12-line Desktop SIP Phone - Wideband Audio - Hi-Res 4.3" Colour TFT Display - USB
SNOM-D785W	R 2,512	Snom D785 12-line Desktop SIP Phone in White - Wideband Audio - Hi-Res 4.3" Colour TFT Display - USB
SNOM-D862	R 2,414	snom D862 8-line Desktop SIP phone - USB, No PSU included, Large tiltable 5 inch 1280x720 Pixel IPS Colour Display, USB 2.0 High Speed connection, 39 hard keys in total, 12 Function keys, 4 context-sensitive Function keys, 8 freely programmable line / Function keys, 5 dedicated audio keys, 5 dedicated Function keys
SNOM-D865	R 2,928	snom D865 12-line Desktop SIP phone - USB, No PSU included, Large tiltable 5" 1280 x 720 Pixel IPS Colour Display, 43 hard keys in total, 14 Function keys, 5-way navigation key, 4 context-sensitive Function keys, 5 dedicated audio keys, 10 freely programmable line / Function keys, 7 dedicated Function keys
SNOM-HD101	R 2,167	snom HD-Series HD101 IP phone - Cordless DECT Handset - 1 line, Gigabit Ethernet, Power over Ethernet (PoE), Telephone base, Cordless DECT Handset, 6 LED indicators, 31 hard keys in total
SNOM-HD351W	R 2,745	snom HD-Series HD351w WiFi IP phone - Cordless DECT Handset - 1 line, 9 LED indicators, Cordless DECT Handset, Telephone base, 50 hard keys in total, Power over Ethernet (PoE), Gigabit Ethernet, Wireless LAN

SNOM-M90	R 6,095	snom M90 anti-bacterial DECT SIP phone with charging base, 5cm diagonal 240x320 pixels 262K TFT color LCD, Backlit keypad with 24 keys, Standard ITU telephone keypad, 12 keys 4x3 with star and pound/Hash key
SPEAK-710	R 3,978	Jabra SPEAK-710 Portable Conference Phone, Connect via Bluetooth or USB, Up to 15 hours talk time, 480 day standby time, 360 Degree microphone, Built in stand, Suited for music, Can pair 2x 710's for stereo, Wideband audio support
UTP-G3-ENT	R 5,744	Ubiquiti UniFi G3 Touch Enterprise VoIP Phone, UTP-G3-Touch-Enterprise, 2x GbE RJ45 Ports, Wifi, Bluetooth, NFC support, USB Type-C PoE Power Method, 7" 1280x800 diagonal Multi-Touch Touch Screen, Dual omnidirectional MEMS Microphone Hands-Free Microphone, Dual 3W Speaker, Omnidirectional electret Condenser Microphone Handset Microphone, 3.5 mm Audio jack Headset support
UTP-G3-PRO	R 4,249	Ubiquiti UniFi G3 Touch Pro VoIP Phone, UTP-G3-PRO, 5 inch diagonal HD Touch Display with 720 x 1280 Resolution, Octa-core Arm Cortex A53 Processor with 2GB RAM and 32GB storage, Integrated 5MP camera with 2592 x 1944 Resolution and Privacy shutter, Dual Gigabit Ethernet RJ45 Ports for connectivity, Built-In Wifi 5, Bluetooth 4.2 connectivity, Powered via PoE with Max consumption of 10W, UniFi talk and talk Relay Application suite integration, Dual omnidirectional MEMS microphones for Hands-Free Operation, Single 2W Speaker for Audio Output, 3.5 mm Headset jack support
VP59	R 9,481	Yealink VP59 VC enabled Desktop IP phone, 1080p Full HD Video, Android 7.1 (No play store), Built-in Bluetooth, Built-in Dual-Band Wi-Fi (2.4GHz and 5GHz), HDMI Output, PoE support, 8" 1280x800 capacitive touch screen, Dual-Port Gigabit Ethernet, 2x USB Port, Handset Port (RJ-9), Headset Port (RJ-9)
W56H	R 1,305	Yealink W56H Cordless DECT Handset - Additional handset for W60P
W57R	R 1,958	Yealink W57R Rugged DECT Cordless Handset, 1.8" 128 x 160 TFT Colour screen, Caller ID with name and number, Up to 2 simultaneous calls per Handset, 3-way conference, Full-Duplex speakerphone, Up to 40-hour of talk Time, Up to 575-hour of Standby Time, Headset jack (3.5 mm), Backlit keypad with 25 keys
W59R	R 2,298	Yealink Rugged DECT Cordless Handset, 1.8" 128x160 pixel back light colour LCD display, Up to 28 hours talk time, 360 hours standby, Shock, dust and water resistant - IP67 rated, Built-in Bluetooth, Vibration alert, Spring loaded belt clip, Emergency alarm in case of emergencies, Compatible with Yealink W60B and W80B base stations
W59R PRO	R 2,298	Yealink W59R PRO Rugged DECT Handset IP67, 2.4" 240 x 320 TFT Colour screen, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per Handset, Built-In Bluetooth, Vibration Alarm, Alarm functions, 3-way Conference, Full-Duplex Speakerphone, HD Audio, 5 navigation Keys, 3 softkeys, 6 Function Keys
W73H	R 1,175	Yealink W73H High-Performance IP DECT handset, 1.8" 128x160 TFT Colour screen, Intuitive User Interface with icons and soft keys, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per handset, Handset select for receiving call, 3-way conference
W73P	R 1,880	Yealink W73P High-Performance IP DECT Base Station and handset, W73H handset, Base Station stand, 1.8" 128x160 TFT Colour screen, Intuitive User Interface with icons and soft keys, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per handset, Handset select for receiving call, 3-way conference, W70B High-Performance IP DECT Base Station, Up to 20 simultaneous calls per Base Station, Up to 10 handsets, Up to 10 SIP accounts, Paging/intercom/auto answer/dial plan, Call hold/call transfer/call waiting, 1x RJ45 10/100 Mbit Ethernet Port
W74H	R 1,305	Yealink W74H IP DECT Handset
W74P	R 2,351	Yealink W74P IP DECT Phone And Base Station (Incl. W70B And W74H)
W76P	R 2,324	Yealink W76P DECT Phone System
W78H	R 1,723	Yealink W78H Premium DECT Handset with Bluetooth, 1.8" 128x160 TFT Colour screen, Caller ID with name and number, Keypad backlight, Up to 2 simultaneous calls per Handset, 3-way conference, Full-Duplex speakerphone, Headset jack (3.5 mm), Backlit keypad with 25 keys
W78P	R 2,533	Yealink W78P Premium IP DECT phone - includes W78H Handset and W70B Base Station, Up to 20 simultaneous calls, Up to 10 handsets, Up to 10 SIP accounts, Full-Duplex speakerphone, 1 x RJ45 10/100 Mbit Ethernet Port
WH66-DUAL	R 4,242	Yealink WH66-DUAL DECT Wireless On-Ear stereo headset with Touch Screen Base Station, 2x microphones, Dual earpieces, Up to 10 hours talk time, USB 3.0 Port, Bluetooth, 2 Port USB Hub, 4" Colour Touch Screen, Handsfree speakerphone, 2.5mm Port, Dual microphones with Yealink acoustic Shield

YEA-RT30	R 2,260	Yealink DECT Repeater compatable with YEA-W25P/H & YEA-W56P/H, Up to 2 Simultaneous calls per repeater, Up to 6 Repeaters per base station, Call handover between Base/Repeaters, Excellent DECT range and security
YEA-SIP-T31G	R 1,160	Yealink SIP-T31G 2-line Gigabit Desktop IP phone, Excluding PSU, 2.3" graphical LCD, 132 x 64 Resolution, PoE, Gigabit LAN, EHS35 Wireless headset Adapter, 5 N-Way audio conferencing
YEA-SIP-T54W	R 3,536	Yealink T54w Mid-level Phone, Dual-port Gigabit Ethernet, WiFi
YEA-T31P	R 830	Yealink T31P 2-line Poe IP Phone
YEA-T33G	R 1,064	Yealink T33G 4-line POE Gigabit IP Phone
YEA-T43U	R 1,834	Yealink T43U 12-line Gigabit IP Phone
YEA-T46U	R 2,873	Yealink T46U 16-line Gigabit IP phone, 2x Ethernet Ports 10/100/1000 PoE support, 4.3" 480x272 Pixel backlight Colour LCD Display, 16x SIP accounts, 10x line keys, 27x Memory keys, Dual USB Ports
YEA-W56H	R 1,297	Yealink W56H Handset Only IP Phone, 2.4" color display with intuitive user interface, 30 hours talk time, 400 hours standby time, Exceptional HD sound with wideband technology, Requires a basestation to connect to
YEA-W59R	R 2,685	Yealink W59R, Ruggedized Dect Handset For W60b And W80b
YEA-W73H	R 1,167	Yealink W73H High-Performance IP DECT handset, 1.8" 128x160 TFT Colour screen, Intuitive User Interface with icons and soft keys, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per handset, Handset select for receiving call, 3-way conference
YEA-W73P	R 1,869	Yealink W73P High-Performance IP DECT Base Station and handset, W73H handset, Base Station stand, 1.8 ' ' 128x160 TFT Colour screen, Intuitive User Interface with icons and soft keys, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per handset, Handset select for receiving call, 3-way conference, W70B High-Performance IP DECT Base Station, Up to 20 simultaneous calls per Base Station, Up to 10 handsets, Up to 10 SIP accounts, Paging/intercom/auto answer/dial plan, Call hold/call transfer/call waiting, 1x RJ45 10/100 Mbit Ethernet Port
YEA-W76P	R 2,077	Yealink W76P DECT phone including W56H Handset & W70B Base Station, Up to 20 simultaneous calls, Up to 10 handsets, Up to 2 simultaneous calls per Handset, Full-Duplex speakerphone, 1x RJ45 10/100 Mbit Ethernet Port, Headset jack (3.5 mm), 2.4" 240 x 320 pixels Colour Display, 30 hours talk Time
YEA-W78H	R 1,714	Yealink W78H Premium DECT Handset with Bluetooth, 1.8" 128x160 TFT Colour screen, Caller ID with name and number, Keypad backlight, Up to 2 simultaneous calls per Handset, 3-way conference, Full-Duplex speakerphone, Headset jack (3.5 mm), Backlit keypad with 25 keys
YEA-YHS34-MONO	R 492	Yealink YHS34 mono headset with RJ-9 and letherette ear cushions, Quick disconnect cord, Noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Compatible with --> Yealink IP phones T19(P) E2 / T21(p) E2 / T23g / T27g / T29g / T31p / T31g / T33g / T40p / T40g / T41s / T42s / T46s / T48s / T43u / T46U / T48u / T53w / T54w / T57w / T58a / MP56
YL-AX83H	R 2,018	Yealink AX83H Portable IP Phone with Built-In Wi-Fi, Includes charger, Full-Duplex Hands-Free Speakerphone with AEC, Smart noise cancellation Technology, 2.4" 240x320 TFT Colour screen, Keypad backlight, Vibration, 4 VoIP accounts, 6 Function Keys, 1 x 3.5 mm Headset jack, 1 x Type-C Port, Built-In Dual-Band Wi-Fi, Built-In Bluetooth 5.0
YL-AX86R	R 2,880	Yealink AX86R Portable IP Phone with Built-In Wi-Fi, IP67 protection standard, Includes charger, Dual Noise-Canceling microphones, Full-Duplex Hands-Free Speakerphone with AEC, 2.4" 240 x 320 TFT Colour screen, Keypad backlight, Vibration, 4x VoIP accounts, 6x Function Keys, 1x 3.5 mm Headset jack, 1x Type-C Port, Built-In Dual-Band Wi-Fi, Built-In Bluetooth 5.0
YL-CP965	R 10,063	Yealink CP965 Android Conference Phone - Standard version, Optimal HD Audio, 6-meter Microphone pickup range, Built-In 12-microphone Array, 360-degree voice pickup, 56mm Diameter and 5W Speaker, Full-Duplex Speakerphone with AEC, Background noise suppression, 5" 720x1280 capacitive Touch Screen, 1x RJ45 10/100 Mbit Ethernet Port, Built-In Dual Band Wi-Fi, Built-In Bluetooth 4.2, 1x USB 2.0 Type-A device Port, 1x USB 2.0 Type-C device Port
YL-CP965 TEAMS	R 10,255	Yealink CP965 Android Conference Phone - MS Teams Certified, Optimal HD Audio, 6-meter Microphone pickup range, Built-In 12-microphone Array, 360-degree voice pickup, 56mm Diameter and 5W Speaker, Full-Duplex Speakerphone with AEC, Background noise suppression, 5" 720x1280 capacitive Touch Screen, 1x RJ45 10/100 Mbit Ethernet Port, Built-In Dual Band Wi-Fi, Built-In Bluetooth 4.2, 1x USB 2.0 Type-A device Port, 1x USB 2.0

		Type-C device Port
YL-EXP50	R 1,574	Yealink EXP50 Colour LCD expansion module For T56A and T58A, 4.3" 272x480 Pixel Colour LCD Display, 20 physical keys, Dual Colour LED, 40 additional keys via Page View, Up to 3 expansion modules per phone, PSU ' s required for expansion modules 2 & 3
YL-MP45 TEAMS	R 1,469	Yealink MP45 MS Teams USB Phone, HD voice, Full-Duplex Hands-Free Speakerphone with AEC, Noise suppression (NS), Hearing aid compatible (HAC), 4" 480x800 Pixel capacitive Touch Screen, 4 feature Keys, Volume control Keys, RJ9 Handset Port, RJ9 Headset Port, 1x 2.5 mm jack for busylight
YL-MP52 E2 TEAMS	R 3,333	Yealink MP52 E2 Basic Phone for MS Teams, Excludes PSU, HD voice, Yealink noise proof Technology, 2.4 inches (320x240) Non-Touch screen, Dual-Port Gigabit Ethernet, 1x USB Type-A Port, 1x Security lock Port, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
YL-MP54 E2 TEAMS	R 4,131	Yealink MP54 E2 Entry-Level Phone for MS Teams, Excludes PSU, HD voice, Yealink noise proof Technology, 4" 480x800 capacitive Touch Screen, 5 points Multi-Touch Surface, Dual-Port Gigabit Ethernet, 1x USB Type-A Port, Built-In Bluetooth 5.2, Built-In Dual Band 2.4GHz / 5GHz Wi-Fi, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
YL-MP56 E2 TEAMS	R 5,196	Yealink MP56 E2 Android Phone for MS Teams, Excludes PSU, HD voice, Yealink noise proof Technology, 7" 1024x600 capacitive Touch Screen Display, 5 points Multi-Touch Surface, Dual-Port Gigabit Ethernet, Built-In Dual Band 2.4GHz / 5GHz Wi-Fi, Built-In Bluetooth, 1x USB Type-A Port, 1x USB Type-C Port, 1x Security lock Port, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
YL-MP58WH E2 TEAMS	R 6,262	Yealink MP58-WH E2 Premium Phone with Bluetooth Handset for MS Teams, Excludes PSU, AI noise cancellation, HD voice, Full-Duplex Hands-Free Speakerphone with AEC, 7" 1024x600 capacitive Touch Screen, 5 points Multi-Touch Surface, Dedicated Teams Button, Dual-Port Gigabit Ethernet, Built-In Dual Band 2.4GHz / 5GHz Wi-Fi, Built-In Bluetooth, 2x USB Type-A Port, 1x USB Type-C Port, 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
YL-T27G	R 1,512	Yealink SIP-T27G Executive IP phone (with PoE), 3.66" 240x120 Pixel back light LCD Display, 2x Ethernet ports 10/100/1000 PoE support, 6x SIP accounts, 8x line keys, 21x Memory keys (3 Page View), Wall-mountable (Optional), Expansion module support, USB Port (For future use)
YL-T29G	R 2,041	Yealink SIP-T29G Executive IP Phone (with PoE), 4.3" 480x272 pixel back light colour LCD display, 2x Ethernet ports 10/100/1000 PoE support, 16x SIP accounts, 10x Line keys, 27x Memory keys (3 page view), Wall-mountable, Expansion module support, USB port
YL-T31P	R 973	Yealink SIP-T31P 10/100 Desktop IP phone, Excludes PSU, 2.3" 132 x 64 Pixel back light LCD Display, 2x Ethernet Ports 10/100 PoE support, 2x SIP accounts, 2x Dual Colour line keys, Hall Switch
YL-T33G	R 1,209	Yealink SIP-T33G Gigabit Colour screen Desktop IP phone, Excludes PSU, 2.4" 320 x 240 Pixel Colour LCD Display, 2x Ethernet Ports 10/100/1000 PoE support, 4x SIP accounts, 4x Dual Colour line keys, Hall Switch, Local 5-way conferencing, 1x RJ9 (4p4c) handset Port
YL-T3X HAN	R 104	Yealink Handset for T31P and T33G, Standard RJ9 connection (Phone not included)
YL-T46U	R 2,775	Yealink T46U 16-line Gigabit IP phone, 2x Ethernet Ports Gigabit PoE support, 4.3" 480x272 Pixel backlight Colour LCD Display, 16x SIP accounts, 10x line keys, 27x Memory keys, Dual USB Ports
YL-T57W	R 4,525	Yealink SIP-T57W IP Multimedia phone, 7" 800 x 480 Pixel capacitive touch LCD Display, Built-in Bluetooth 4.0, Built-in Dual Band Wi-Fi (2.4GHz & 5GHz 802.11ac), Opus Codec support, Built-in USB 2.0, 29 touch keys, Dual-port Gigabit Ethernet, Handset Port (RJ-9)
YL-T58W PRO	R 6,118	Yealink SIP-T58W-PRO Elite Desktop Collaboration IP phone with Wireless Handset, Excludes PSU, Android 9.0 OS, 7 ' ' capacitive adjustable Touch Screen, Up to 16 SIP accounts, Full-Duplex Hands-Free speakerphone with AEC, Built-In Bluetooth / Wi-Fi, Dual USB 2.0 Ports, Dual-Port Gigabit Ethernet, PoE support
YL-T73U	R 1,887	Yealink T73U Gigabit IP Phone with USB Port, Excludes PSU, 3.7" 360x160-pixel graphical LCD with backlight, Dual USB Ports, Up to 12 SIP accounts, PoE support, USB Headset and EHS support, Stand with 2 adjustable angles
YL-T73W	R 1,864	Yealink T73W Multifunctional SIP Phone, Wi-Fi, Built-In Bluetooth, PoE support, Excludes PSU, HD voice, 2.8-inch 320 x 240 LCD screen, 12 VoIP accounts, 5-way Conferencing, 8 linekeys with LED Keys, 4 Touch buttons, 4 Function Keys, 2 Volume control Keys, 6 navigation Keys, Dual Gigabit Ethernet Ports, 1x USB 2.0 Interface

		(Phone side), 1 x RJ9 (4P4C) Handset Interface, 1 x RJ9 (4P4C) Headset jack, Built-In Dual-Band Wi-Fi, Bluetooth 5.0
YL-T74U	R 2,775	Yealink T74U high-end Gigabit IP Phone with USB Port, Excludes PSU, 2.7" 192x64-pixel graphical LCD with backlight, Dual USB Ports, Up to 12 SIP accounts, Dual-Port Gigabit Ethernet, USB Headset and EHS support, Stand with 2 adjustable angles
YL-T74W	R 3,036	Yealink T74w Multifunctional SIP Phone, Wi-Fi, Built-In Bluetooth, PoE support, Excludes PSU, HD voice, 4.3-inch 480 x 272 LCD screen, 16 VoIP accounts, 10-way Conferencing, 10 linekeys with LED Keys, 4 Touch buttons, 4 Function Keys, 2 Volume control Keys, 6 navigation Keys, Dual-Port Gigabit Ethernet, 1x USB 2.0 Interface (Phone side), 1x RJ9 (4P4C) Handset Interface, 1x RJ9 (4P4C) Headset jack
YL-T77U	R 3,716	Yealink T77U SIP IP Phone, 7-inch 800x480 pixel backlit Touch Screen, 16 VoIP accounts, 10-way conferencing, USB Headset, 84x One-Touch DSS Keys, 7x feature Keys, Volume control Keys, Dual-Port Gigabit Ethernet, 2x USB Port (Type-USB A / Type-USB C), 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
YL-T85W	R 2,774	Yealink T85W Prime Business Desktop IP Phone, Built-In Bluetooth, W-fi, PoE support, Dual system Function, Excludes PSU, 7 inch 1024x600 capacitive adjustable Touch Screen, Runs Android 9.0, 720P30 HD Video, Yealink noise proof Technology, Optimal HD Audio, Dual Band 2.4G / 5G Wi-Fi, 2x USB 2.0 Ports for USB Headset, Up to 16 SIP accounts, Dual-Port Gigabit Ethernet
YL-T87W	R 4,525	Yealink T87W Prime Business IP Phone, 7" 800 x 480 capacitive adjustable Touch Screen, 16 VoIP accounts, 84x One-Touch DSS Keys, 4x Function Keys, 2x Volume adjustment buttons, 6x navigation Keys, Dual-Port Gigabit Ethernet, 2x USB Port (Type-USB A / Type-USB C), 1x RJ9 (4P4C) Handset Port, 1x RJ9 (4P4C) Headset Port
YL-T88W	R 5,569	Yealink SIP-T88W Smart Business IP Phone, Android 13 OS, 7" capacitive Touchscreen (1024 x 600), Built-In Bluetooth 5.0 & Dual-Band Wi-Fi, 2x USB 2.0 Ports, 16 VoIP accounts, Up to 10-party Audio conferencing, Dual Gigabit Ethernet with PoE
YL-T88W PRO	R 6,118	Yealink T88W Pro Smart Business Phone with BTG88 Bluetooth Handset, Excludes camera & PSU, 7" 1024x600 capacitive adjustable Touch Screen, 5 points Multi-Touch Surface, 16 VoIP accounts, 10-party Audio Conferencing, 84 One-Touch DSS Keys, 7 feature Keys, Volume control Keys, Dual-Band Wi-Fi, Dual-Port Gigabit Ethernet, Bluetooth 5., Simultaneous connection of one Headset and one Mobile Phone, 2x USB 2.0 Port, 1 x RJ-9 (4P4C) Handset Port
YL-VP59 TEAMS	R 9,157	Yealink VP59 VC enabled Desktop IP Phone - Teams Edition, 1080p Full HD Video, Android 7.1 (No Play Store), Built-In Bluetooth, Built-In Dual-Band Wi-Fi (2.4GHz and 5GHz), HDMI Output, PoE support, 8" 1280x800 capacitive Touch Screen, Dual-Port Gigabit Ethernet, 2x USB Port, Handset Port (RJ-9), Headset Port (RJ-9)
YL-W56H	R 1,443	Yealink W56H Cordless DECT Handset - Additional handset for W60P, Includes cradle
YL-W57R	R 2,096	Yealink W57R Rugged DECT Cordless Handset, 1.8" 128 x 160 TFT Colour screen, Caller ID with name and number, Up to 2 simultaneous calls per Handset, 3-way conference, Full-Duplex speakerphone, Up to 40-hour of talk Time, Up to 575-hour of Standby Time, Headset jack (3.5 mm), Backlit keypad with 25 keys
YL-W73H	R 1,313	Yealink W73H High-Performance IP DECT Handset, 1.8" 128 x 160 TFT Colour screen, Intuitive User Interface with Icons and soft Keys, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per Handset, Handset select for receiving call, 3-way Conference
YL-W73P	R 2,018	Yealink W73P High-Performance IP DECT Base Station and handset, W73H handset, Base Station stand, 1.8 ' ' 128x160 TFT Colour screen, Intuitive User Interface with icons and soft keys, Caller ID with name and number, Screen saver, Keypad backlight, Up to 2 simultaneous calls per handset, Handset select for receiving call, 3-way conference, W70B High-Performance IP DECT Base Station, Up to 20 simultaneous calls per Base Station, Up to 10 handsets, Up to 10 SIP accounts, Paging/intercom/auto answer/dial plan, Call hold/call transfer/call waiting, 1x RJ45 10/100 Mbit Ethernet Port
YL-W76P	R 2,462	Yealink W76P DECT phone including W56H Handset & W70B Base Station, Up to 20 simultaneous calls, Up to 10 handsets, Up to 2 simultaneous calls per Handset, Full-Duplex speakerphone, 1x RJ45 10/100 Mbit Ethernet Port, Headset jack (3.5 mm), 2.4" 240 x 320 pixels Colour Display, 30 hours talk Time
YL-W78H	R 1,861	Yealink W78H Premium DECT Handset with Bluetooth, 1.8" 128x160 TFT Colour screen, Caller ID with name and number, Keypad backlight, Up to 2 simultaneous calls per Handset, 3-way conference, Full-Duplex speakerphone, Headset jack (3.5 mm), Backlit keypad with 25 keys

< Return to the menu

Network: VoIP : VoIP headsets		
Product code	**Price**	**Description**
3210	R 459	Plantronics 3210 Blackwire USB Type-A Mono Headphone with Mic, Monaural (Single-Ear) with Boom Mic, Inline controls, Soft foam Ear Cushion, Adjustable headband, USB Type-A connection, 1.61 metres cable length
3MK27005AA	R 799	Alcatel-Lucent H2P 2-Line SIP Handheld Deskphone - Adjustable foot stand 45° to 50°, 2.3 inches graphical black and white 128x64 LCD with backlight, 2 Line keys (Line 1/2) with LED, 4 menu keys, Volume control keys (and -), 4-way navigation OK, Hands-free, mute, and message keys, Call hold, call transfer, and redial key, Dial pad Telephony features
981-001458	R 1,574	Logitech Zone 305 Bluetooth Headset - Midnight Black, MS Teams version, USB-C to USB Type-A Adapter, 30 mm Driver, Dual Omni-Directional MEMS beamforming mics with Noise-Canceling algorithms, Built-In Battery, USB-C charging cable, 981-001458
AXH-ACEQDD	R 459	Axtel Ace QD Duo Wired Headset, QD Headset Interface, Stereo HD, 40 mm Speaker Driver size, Noise-Cancelling Microphone
AXH-ACEQDM	R 436	Axtel Ace QD Mono Wired Headset, QD Headset Interface, Stereo HD, 40 mm Speaker Driver size, Noise-Cancelling Microphone
AXH-ACEUCDCA	R 651	Axtel Ace UC Stereo USB Type-A/C Wired Headset, USB Type-A / USB-C/A Headset Interface, Stereo HD, 40 mm Speaker Driver size, Dual Microphone with environmental noise cancellation (ENC), Digital signal Processing (DSP), Automatic gain control (AGC), Busy Light indicator, Integrated with controls for mute / Volume / call Management
AXH-EHDM	R 782	Axtel Elite HDvoice Mono NC Wired Headset, QD Headset connectivity, HD Sound quality, Strong Advanced noise cancellation, 28mm Speaker size, Leatherette cushion material, Noise-Cancelling Microphone, Mono wearing style, AXH-EHDM
AXH-EHDUCD	R 1,305	Axtel Elite UC Stereo USB Type-A Headset, USB Type-A Headset connectivity, Softphone compatibility, HD Sound quality, Advanced noise cancellation, 28mm Speaker size, Leatherette cushion material, Noise-Cancelling Microphone, Digital signal Processing Technology
AXH-EHDUCM	R 1,075	Axtel Elite UC Mono USB Type-A Headset, USB Type-A Headset connectivity, Softphone compatibility, HD Sound quality, Advanced noise cancellation, 28mm Speaker size, Leatherette cushion material, Noise-Cancelling Microphone, Digital signal Processing Technology
AXH-FLOWUCDC	R 489	Axtel Flow USB Type-A/C Stereo Headset, USB-A/C Headset Interface, Stereo HD, 30 mm Speaker Driver size, Microphone Noise Reduction, Acoustic protection Technology, Digital signal Processing (DSP), Automatic gain control (AGC), Busy Light indicator, Integrated with controls for mute / Volume / call Management
AXH-ONEBTD-CB	R 1,848	Axtel One Bluetooth Duo wth charging base & Headset, USB-C charging Port, Stereo HD, 40 mm Speaker Driver size, Dual Microphone with environmental noise cancellation (ENC), Digital signal Processing (DSP), Automatic gain control (AGC), Busy Light indicator, Integrated with controls for mute / Volume / call Management, 500mAh Battery capacitance, Up to 40 hours talk time, Up to 8.5 days Standby time, Up to 2 hours charging time
AXH-ONEQDD	R 489	Axtel One QD Duo Professional Headset, QD Headset connectivity, Stereo HD, 40 mm Audio Driver size, Microphone noise cancellation, Digital signal Processing, Automatic gain control, Busy Light
AXH-ONEQDM	R 459	Axtel One QD Mono Professional Headset, QD Headset connectivity, Stereo HD, 40 mm Audio Driver size, Microphone noise cancellation, Digital signal Processing, Automatic gain control, Busy Light
AXH-ONEUCD-35	R 856	Axtel One UC35 Stereo USB Type-A Wired Headset, USB Type-A / jack 3.5 mm Headset connectivity, Stereo HD, 40 mm Audio Driver size, Microphone noise cancellation, Digital signal Processing, Automatic gain control, Busy Light
AXH-ONEUCDCA	R 782	Axtel One UC Stereo USB-C/A Headset, Stereo HD, 40 mm Audio Driver size, Microphone noise cancellation, Digital signal Processing, Automatic gain control, Busy Light
BH70-DUAL-USB-C/A	R 1,696	Yealink BH70 Dual Bluetooth Headset - Teams Certified, USB-C/A connection, 3-mic beamforming noise cancellation Technology, Power Battery Life & visible busylight, 35mm custom Speakers, Up to 35 hours Wireless Battery Life, Bluetooth 5.2, 50m Wireless range

BH70-MONO-USB-C/A	R 1,432	Yealink BH70 mono Bluetooth Headset - Teams Certified, USB-C/A connection, 3-mic beamforming noise cancellation Technology, Power Battery Life & visible busylight, 35mm custom Speakers, Up to 35 hours Wireless Battery Life, Bluetooth 5.2, 50m Wireless range
BH71 LITE	R 1,193	Yealink BH71 LITE Mono Bluetooth Headset - Teams Certified, 2 simultaneous Bluetooth connections, 160 mAh Battery capacity, 10 hours talking time, Up to 90 min charging time
BH71 PRO USB-C/A	R 1,856	Yealink BH71 PRO mono Bluetooth Headset with Portable Charging Case and BT51 Dongle, USB-C/A Connection, Bluetooth 5.2, Rechargeable Lithium-ion Battery Type in Headset, 160mAh Battery capacity, 10-hour talking time, Rechargeable Lithium-ion Battery Type in Battery Charging Case, 420mAh Battery capacity
BH71 WORKSTATION	R 2,931	Yealink BH71 Mono Bluetooth Headset with Workstation, BHB710 station, 3x Type-A USB 3.0 Built-In USB Hub, 1x Micro USB 2.0, 1x Type-C USB 3.0, Bluetooth 5.2, Rechargeable Lithium-ion Battery Type in Headset, 160mAh Battery capacity, 10-hour talking time, Wireless Charger, Portable Charging Case and BT51 dongle not included
BH71 WORKSTATION PRO USB-C/A	R 4,508	Yealink BH71 Workstation Pro Mono Bluetooth Headset with Workstation & charger, BHC71P Portable Charging Case, BT51 USB Dongle USB C/A, 3x Type-A USB 3.0 Built-In USB Hub, 1x Micro USB 2.0, 1x Type-C USB 3.0, Bluetooth 5.2, Rechargeable Lithium-ion Battery Type in Headset, 160mAh Battery capacity, 10-hour talking time, Rechargeable Lithium-ion Battery Type in Battery Charging Case, 420mAh Battery capacity, Wireless Charger
BH74 TEAMS USB-C/A	R 1,909	Yealink BH74 Dual Bluetooth Headset - Teams Certified, USB-C/A connection, Hybrid acitive noise cancellation, 4-mic noise cancellation, 32 hours talk time, Auto-wear detection, Dual busylight, 30mm Speaker size
BH76-PLUS-USB C/A	R 2,651	Yealink BH76 Plus Over-Ear Bluetooth Headset, Teams Certified, USB-C/A connection, Up to 35 hours talking time, Within 2 hours charging time (cable), 40mm Speaker size, Active Noise Cancellation, 1 directional Analog ECM and 4 Analog MEMS Microphone, Bluetooth 5.3, 1.2 m USB 2.0 USB-C to USB-C cable
BH78 WITH STAND USB-C/A	R 3,447	Yealink BH78 Dual Bluetooth Headset with stand USB-C/A, 4-mic AI noise cancellation, Adaptive Hybrid acitive noise cancellation, Hidden Mic Boom, 38 hours talk time & 120 hours Music time, 50-meter connection range, Wearing detection, Dual-Sided busylights, 6 microphones, 35mm Speaker size, Rechargeable Lithium-ion Battery Type, Up to 130min charging time, Bluetooth 5.3
COM-CHRG-BH70/WH64-S	R 317	Yealink Charging Stand for BH70 and WH64 headsets range, USB Type-A 2.0 cable
EVOLVE-20 USB C/A-MS	R 919	Jabra Evolve 20, Duo Headset with USB C/A, MS Version, USB Power Supply by PC, USB connection, 95 cm control cable cord length, 120 cm HS cable cord length
EVOLVE2-40-SE-MS-USBC	R 2,593	Jabra EVOLVE2 40 SE Stereo USB-C Headset, Microsoft Version, 40mm Speaker size, 3 Digital MEMS Microphone Type, On-Ear headband, USB-C connection
FAN-HT202	R 574	Fanvil HT202 RJ9 binaural on-ear headset with MIC, 1M headset cable length, quick-disconnect (QD) cord, 1x RJ9 headset jack
FAN-HT301U	R 420	Fanvil HT301U Mono USB Headset, USB Type-A Interface, HD Wideband Audio, ENC environmental noise cancellation Technology, Dual Colour LED indicator, Built-In Controller, 2 omnidirectional Noise Reduction microphones, 260 degrees bendable Boom Arm, 1.8 m cable length
FAN-HT302	R 742	Fanvil HT302 Duo RJ9 Headset, RJ9 Interface, HD Wideband Audio, Support passive noise cancellation, 1 omnidirectional Noise Reduction Microphone, 260 degrees bendable Boom Arm, 1.8 m cable length
SNOM-A150	R 2,259	Snom A150 Wireless DECT Headset - Wideband - Noise Cancellation - Over the Ear
SNOM-A310M	R 728	snom A310M mono Over-Ear Headset, Passive noise cancellation Microphone, VoIP phone Headset, RJ9, snom 4P4C Quick Release Adapter cable, 40 mm Diameter
TT-SE803-QD	R 337	Talk2 SE803-QD Eco Range Monaural Headset with flexable adjustable Mic, Buy with TT-OPLQD009 or TT-QDUSB-2
UH34 SE DUAL USB A	R 742	Yealink UH34 Dual Headset Special Edition with USB Type-A connection, Teams Edition, Noise-Canceling Microphone, Passive noise cancellation, 320 degrees bendable Boom Arm, 1.2 m Headset cable length, 0.9 m USB cable length, USB Type-A and 3.5 mm jack connection Type, Uni-Directional ECM Microphone Type, 28 mm Speaker size
UH42 DUAL TEAMS USB-C/A	R 636	Yealink UH42 Dual USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 0.65 m Headset cable length, 1.5 m USB cable length, 1 Microphone, 35mm Speaker size, Headset control and lights
UH42 MONO TEAMS USB-C/A	R 477	Yealink UH42 mono USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 0.65 m Headset cable length, 1.5 m USB cable length, 1 Microphone, 35mm Speaker size, Headset control and lights

UH42 SE DUAL TEAMS USB-C/A	R 662	Yealink UH42 SE Dual USB Headset - Teams Certified, USB-C with USB-C/A Adapter, 1.2 m Headset cable length, 0.95 m USB cable length, 1 Microphone, 35mm Speaker size
UH42 SE MONO TEAMS USB-C/A	R 530	Yealink UH42 SE Mono USB Headset - Teams Certified, USB-C with USB-C/A Adapter, 1.2 m Headset cable length, 0.95 m USB cable length, 1 Microphone, 35mm Speaker size
UH44 DUAL TEAMS USB-C/A	R 848	Yealink UH44 Dual USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 0.65 Headset cable length, 1.5 m USB cable length, 2 microphones, 35mm Speaker size, Headset control and lights
UH44 MONO TEAMS USB-C/A	R 742	Yealink UH44 mono USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 0.65 Headset cable length, 1.5 m USB cable length, 2 microphones, 35mm Speaker size, Headset control and lights
UH46 DUAL TEAMS USB-C/A	R 955	Yealink UH46 Dual USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 3 microphones, 35mm Speaker size, Headset control and lights
UH46 MONO TEAMS USB-C/A	R 874	Yealink UH46 mono USB Headset, USB-C with USB-C/a Adapter, MS Teams Certified, 3 microphones, 35mm Speaker size, Headset control and lights
UH48 DUAL TEAMS USB-C/A	R 1,325	Yealink UH48 Dual earpiece Headset with USB-C/a, 1.7 m Headset cable length, USB-C cord with USB Type-A Adapter, 6 microphones, 30mm Speaker size
UH48 SE DUAL TEAMS USB-C/A	R 1,458	Yealink UH48 SE Dual earpiece Headset with USB-C/A connection, Teams certified, 1.7 m Headset cable length, USB-C cord with USB Type-A Adapter, 6 microphones, Active Noise Cancellation, 30mm Speaker
WH63 E2	R 1,839	Yealink WH63 E2 DECT Wireless Convertible Headset, MS Teams Certified, 4 wearing styles, 2-mic noise cancellation, Acoustic Shield Technology 3.0, All-day-wearing Comfort, Up to 185m Wireless range, Up to 8 hours talk time, In-Ear wearing style, Dual Microphone, 13.6mm Speaker size, 2 hours charge time, 2 Type-C USB 2.0 Port, 1 Mini USB Port, 1 DC Power Port
WH64 DUAL	R 2,784	Yealink WH64 DUAL DECT Hybrid Wireless Headset, MS Teams Certified, Wireless connectivity Technology, Up to 80 m (DECT) Wireless range, 3-microphone noise cancellation
WH64 HYBRID DUAL WITH CHARGE	R 2,439	Yealink WH64 DUAL DECT Hybrid Wireless Headset with charger stand, MS Teams Certified, Wireless / Bluetooth connectivity Technology, Up to 80 m (DECT) Wireless range, Up to 40 m (Bluetooth) Wireless range, 3-microphone noise cancellation
WH64 HYBRID MONO WITH CHARC	R 2,121	Yealink WH64 MONO DECT and Bluetooth Hybrid Wireless Headset with charger stand, MS Teams Certified, Up to 14 hours Battery Life, Bluetooth Version 5.1, Padded ear cup, Adjustable headband, 30mm Driver Diameter, Built-In Microphone
WH64 MONO	R 2,439	Yealink WH64 MONO DECT Hybrid Wireless Headset, MS Teams Certified, Up to 14 hours Battery Life, Bluetooth Version 5.1, Padded ear cup, Adjustable headband, 30mm Driver Diameter, Built-In Microphone
WH68 DUAL	R 3,182	Yealink WH68 DECT Wireless Headset, 30 mm Speaker size, DECT & Bluetooth Wireless Technology, ANC, Boom Arm adjustable
WH68 HYBRID TEAMS	R 2,545	Yealink WH68 Hybrid DECT Wireless Headset for Teams, Bluetooth 5.3, WDD60 Dongle, 30 mm Speaker size, 6 MEMS Microphone, ANC, Boom Arm adjustable, Integrates both DECT and Bluetooth technologies
WH68 HYBRID WITH CHARGE STAI	R 2,705	Yealink WH68 Hybrid DECT Wireless Headset for Teams with charging stand, Bluetooth 5.3, WDD60 Dongle, 30 mm Speaker size, 6 MEMS Microphone, ANC, Boom Arm adjustable, Integrates both DECT and Bluetooth technologies
YEA-WH66-MONO-TEAMS	R 3,973	Yealink WH66 Mono UC Workstation DECT Wireless Headset - Teams kit, 4.0 inch (480x800) capacitive Touch Screen, 2 feature buttons, Built-In Bluetooth, USB 3.0 connectivity, 2x Type-A USB 3.0 Ports, Boom Arm adjustable, Charging stand (For Headset), Talk time up to 13 hours, 2.5 hours charging time, Dual Microphone, 28mm Speaker size, 40mm Speaker size (Base)
YHS34-DUAL	R 583	Yealink YHS34-DUAL Professional stereo Call Centre headset with RJ-9 connector, Dual earpiece, RJ-9 connectivity, Quick disconnect cord, Noise Cancelling Microphone, Leatherette ear cushion
YHS36 E2 DUAL	R 742	Yealink YHS36 E2 Dual Headset with RJ-9 & Noise Cancelling Microphone & Leatherette Ear Cushions, HD voice, Wideband Speaker Performance, Noise-Canceling Microphone, Passive noise cancellation, 300 degrees bendable Boom Arm, 0.9m Headset cable length, 1.2m QD to RJ9 cable length
YHS36 E2 MONO	R 583	Yealink YHS36 E2 MONO Headset with RJ-9 & Noise Cancelling Microphone & Leatherette Ear Cushions, HD voice, Wideband Speaker Performance, Noise-Canceling Microphone, Passive noise cancellation, 300 degrees bendable Boom Arm, 0.9m Headset cable length, 1.2m QD to RJ9 cable length

YL-UH34 DUO TEAMS	R 787	Yealink UH34-DUO stereo USB headset - USB 2.0 - Teams Edition, Dual earpiece, Noise cancelling Microphone and passive noise cancellation, 330 degrees bendable Boom arm, Certified for Microsoft teams, Leather ear cushions
YL-UH34 LITE DUAL TEAMS	R 668	Yealink UH34-LITE-DUAL Dual USB Type-A headset - Teams Edition, Dual earpiece, Noise Cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Foamy ear cushions
YL-UH34 LITE MONO TEAMS	R 549	Yealink UH34-LITE Mono USB Headset - USB 2.0 - Teams Edition, Noise Cancelling Microphone and Passive noise cancellation, 330 degree bendable Boom, Foam Ear Cushions, Certified for Microsoft Teams
YL-UH34 MONO TEAMS	R 615	Yealink UH34 mono USB headset - USB 2.0 - Teams Edition, noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom, leather ear cushions, Certified for Microsoft teams
YL-UH36-M	R 983	Yealink UH36-Mono-USBC Mono USB-C headset, USB-C and 3.5mm headset jack, In line call/Volume controls, Mono earpiece, Soft Leatherette ear cushions, Microsoft Teams Certified, Unidirectional Noise Cancelling Microphone
YL-UH42 DUAL TEAMS USB C	R 774	Yealink UH42 Dual USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 0.65 m Headset cable length, 1.5 m USB cable length, 1 Microphone, 35mm Speaker size, Headset control and lights
YL-UH42 MONO TEAMS USB C	R 615	Yealink UH42 mono USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 0.65 m Headset cable length, 1.5 m USB cable length, 1 Microphone, 35mm Speaker size, Headset control and lights
YL-UH46 DUAL TEAMS USB C	R 1,093	Yealink UH46 Dual USB Headset, USB-C with USB-C/A Adapter, MS Teams Certified, 3 microphones, 35mm Speaker size, Headset control and lights
YL-UH46 MONO TEAMS USB C	R 1,012	Yealink UH46 mono USB Headset, USB-C with USB-C/a Adapter, MS Teams Certified, 3 microphones, 35mm Speaker size, Headset control and lights
YL-YHS34 DUAL	R 721	Yealink YHS34-LITE-DUAL Professional stereo Call Centre headset with RJ-9 connector, Dual earpiece, RJ-9 connectivity, Quick disconnect cord, Noise Cancelling Microphone, 330 degree bendable Boom arm, Foamy ear cusions
YL-YHS34 MONO	R 561	Yealink YHS34 mono headset with RJ-9 and letherette ear cushions, Quick disconnect cord, Noise cancelling Microphone and passive noise cancellation, 330 degree bendable Boom arm, Compatible with --> Yealink IP phones T19(P) E2 / T21(p) E2 / T23g / T27g / T29g / T31p / T31g / T33g / T40p / T40g / T41s / T42s / T46s / T48s / T43u / T46U / T48u / T53w / T54w / T57w / T58a / MP56
YL-YHS36 E2 DUAL	R 880	Yealink YHS36 E2 Dual Headset with RJ-9 & Noise Cancelling Microphone & Leatherette Ear Cushions, HD voice, Wideband Speaker Performance, Noise-Canceling Microphone, Passive noise cancellation, 300 degrees bendable Boom Arm, 0.9m Headset cable length, 1.2m QD to RJ9 cable length
YL-YHS36 E2 MONO	R 721	Yealink YHS36 E2 MONO Headset with RJ-9 & Noise Cancelling Microphone & Leatherette Ear Cushions, HD voice, Wideband Speaker Performance, Noise-Canceling Microphone, Passive noise cancellation, 300 degrees bendable Boom Arm, 0.9m Headset cable length, 1.2m QD to RJ9 cable length
YL-YHS36-DUAL	R 960	Yealink YHS36-DUAL Wideband stereo Call Centre headset with RJ-9 connector, Dual earpiece, Quick disconnect cord, Letherette ear cushions, Noise Cancelling Microphone, 330 degree bendable Boom arm, Soft Leatherette ear cushions
ZE-WB610MKII-QD5	R 1,206	Unbranded Binaural Headset - Noise Cancelling - QD connector, WB610MKII

< Return to the menu

Network: VPN routers (wired)

Product code	Price	Description
ASUS ExpertWiFi EBG15	R 1,737	ASUS ExpertWiFi EBG15 VPN Wired Router, AiMesh Node mode, 1x internal Bluetooth antenna, 1x Gigabit WAN Port, 4x Gigabit LAN Port, 1x USB 3.2 Gen 1, AiMesh
ASUS ExpertWiFi EBP19	R 3,991	1x Asus ExpertWiFi EBG19P Gigabit PoE VPN Wired Router, 1x internal Bluetooth antenna, AiMesh Node mode operating mode, 8x Gigabit WAN Port, 1x Gigabit LAN Port, 1x USB 3.2 Gen 1, AiMesh
CD-R700	R 518	Cudy 5 port Gigabit multi-WAN VPN Router, R700, 1x Gigabit WAN Port, 3x Gigabit LAN/WAN Ports, 1x Gigabit LAN Port
CD-R700	R 518	Cudy 5 port Gigabit multi-WAN VPN Router, R700, 1x Gigabit WAN Port, 3x Gigabit LAN/WAN Ports, 1x Gigabit LAN Port

ER605	R 765	TP-Link SafeStream Gigabit multi-WAN VPN Router, 1x fixed Gigabit WAN Port, 1x fixed Gigabit LAN Port, 3x changeable Gigabit WAN/LAN Ports, 41.5 Mbps IPSEC VPN Throughput, 25000 concurrent Session, ER605
ER605	R 923	TP-Link SafeStream Gigabit multi-WAN VPN Router, 1x fixed Gigabit WAN Port, 1x fixed Gigabit LAN Port, 3x changeable Gigabit WAN/LAN Ports, 41.5 Mbps IPSEC VPN Throughput, 25000 concurrent Session
GS-GCC6020	R 6,898	Grandstream UC IP-PBX & Networking system - VPN Router / NGFW / Switch / IP PBX, GCC6020, 1x 10G SFP port, 1x 2.5Gbps Ethernet Port, 1x GbE Port, All WAN/LAN, 5x PoE-out, 320K NAT sessions, VPN 1.3Gbps, IDS/IPS 3Gbps, PBX up to 500 SIP users or 120 concurrent calls
GS-GCC6021	R 12,622	Grandstream UC IP-PBX & Networking system - VPN Router / NGFW / Switch / IP PBX, GCC6021, 4x 10G SFP Ports, 8x 2.5Gbps ethernet Ports, 16x GbE Ports, Max 5x WAN Ports, 24x PoE-out, 320K NAT sessions, VPN 1.3Gbps, IDS/IPS 3Gbps, PBX up to 500 SIP users or 120 concurrent calls
GS-GWN7001	R 887	Grandstream GWN7001 Multi-WAN Gigabit VPN Router, 6x WAN/LAN Gigabit Ethernet Ports, 2.2Gbps NAT routing and 530 Mbps IPSEC VPN performance
GS-GWN7002	R 1,045	Grandstream GWN7002 Multi-WAN Gigabit VPN Router, 2x Gigabit SFP Ports and 4x Gigabit Ethernet Ports, Up to 50 tunnels
GS-GWN7003	R 1,678	Grandstream GWN7003 Multi-WAN Gigabit VPN Router, 2.2Gbps NAT routing and 530 Mbps IPSEC VPN performance, 2x WAN/LAN 2.5 Gigabit SFP Ports, 9x WAN/LAN Gigabit Ethernet Ports
NET-ER605	R 897	TP-Link NET-ER605 Gigabit VPN router. 1x fixed Gigabit WAN, 2x fixed Gigabit LAN, 2x switchable WAN/LAN, 1x USB 2.0, supports 150,000 concurrent sessions, 2,600 new sessions/sec, up to 945Mbps NAT throughput, 20 IPsec VPN tunnels, supports OpenVPN, L2TP, PPTP, SPI firewall, DoS defense, MAC/IP filtering, VLAN, IGMP, IPv6, bandwidth control, load balancing, Omada SDN integration, USB 4G/3G WAN backup, 128MB flash, 256MB RAM, dimensions 158x101x25mm, power 12V/1A, max power 7.94W, CE/FCC/RoHS certified, operating temp 0-40degreesC, storage temp -40-70degreesC.
NET-TL-ER706W	R 2,094	TP-Link Omada ER706w AX3000 Gigabit VPN Router, 1x Gigabit SFP WAN/LAN Port, 1x Gigabit WAN Port, 4x Gigabit LAN/WAN Ports, 1x USB 3.0 (Supports USB LTE Dongle and USB storage), 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz, Beamforming, Mesh, 50 tunnels SSL VPN, 2x 3 dBi Dual-Band detachable antennas 2.4GHz, 3x 4.5 dBi Dual-Band detachable antennas 5GHz
NET-TL-ER707-M2	R 2,019	TP-Link ER707-M2 Omada Multi-Gigabit VPN Router, 1 x 2.5G RJ45 WAN Port, 1x 2.5G RJ45 WAN/LAN Port, 1x Gigabit SFP WAN/LAN Port, 4x Gigabit RJ45 WAN/LAN Ports, 1x USB 2.0 Port, Fanless, Load balance, Highly Secure VPN
NET-TL-ER7212PC	R 4,936	TP-Link TL-ER7212pc Omada 3-in-1 Gigabit VPN Router, Fanless design, 110W PoE budget, 2x Gigabit SFP WAN/LAN Ports, 1x Gigabit WAN Port, 1x Gigabit LAN/WAN Port, 8x Gigabit LAN Ports PoE , Supports up to 20x LAN-to-LAN IPSEC VPN, 16x OpenVPN, 16x L2TP / PPTP VPN connections.
NET-TL-ER7412-M2	R 3,141	TP-Link ER7412-M2 Omada Multi-Gigabit VPN Router, 2x 2.5Gbps RJ45 WAN/LAN Ports, 10x Gigabit WAN/LAN Ports (2x SFP & 8x RJ45), 1x USB 3.0 Port (Supports USB storage), Rackmountable
NET-TL-ER8411	R 8,975	TP-Link ER8411 Omada VPN Router with 10G Ports
R700	R 553	Cudy 5 port Gigabit multi-WAN VPN Router, R700, 1x Gigabit WAN Port, 3x Gigabit LAN/WAN Ports, 1x Gigabit LAN Port
TL-ER605	R 1,259	TP-Link SafeStream Gigabit multi-WAN VPN Router, 1x fixed Gigabit WAN Port, 1x fixed Gigabit LAN Port, 3x changeable Gigabit WAN/LAN Ports, 41.5 Mbps IPSEC VPN Throughput, 25000 concurrent Session
TP-ER7206	R 1,645	TP-Link Omada ER7206 Gigabit VPN Router, Integrated into Omada SDN, 1x fixed Gigabit SFP WAN Port, 1x fixed Gigabit RJ45 WAN Port, 2x fixed Gigabit RJ45 LAN Ports, 2x changeable Gigabit RJ45 WAN/LAN Ports, Fanless, Steel enclosure
TP-ER7412-M2	R 3,141	TP-Link ER7412-M2 Omada Multi-Gigabit VPN Router, 2x 2.5Gbps RJ45 WAN/LAN Ports, 10x Gigabit WAN/LAN Ports (2x SFP & 8x RJ45), 1x USB 3.0 Port (Supports USB storage), Rackmountable
TP-ER8411	R 8,975	TP-Link ER8411 Omada VPN Router with 10G Ports, 2x 10 Gigabit SFP Ports, 1x Gigabit SFP WAN/LAN Ports, 8x Gigabit RJ45 WAN/LAN Ports, 2x USB Ports, 2 fans, Rack mountable, 2 300 000 concurrent Session

< Return to the menu

Optical Fibre Networking

Product code	Price	Description
004-ZOOM-10	R 167	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 10m
004-ZOOM-20	R 116	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 20m
004-ZOOM-30	R 186	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 30m
004-ZOOM-40	R 247	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 40m
004-ZOOM-50	R 294	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 50m
004-ZOOM-60	R 346	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 60m
004-ZOOM-75	R 398	Unbranded LC/APC - SC/APC (Simplex) fibre cable - 75m
00MN502	R 273	Lenovo 00MN502 1m LC-LC OM3 MMF Cable
00MN505	R 367	Lenovo 00MN505 3m LC-LC OM3 MMF Cable
00MN508	R 347	Lenovo 00MN508 5m LC-LC OM3 MMF Cable
00MN508	R 2,874	Lenovo 00MN508 5m LC-LC OM3 MMF Cable
01CV840	R 15,749	Lenovo 01CV840 Emulex 16GB FC Dual-Port HBA, PCI-e 3.0 x8 Host Interface
038VG1	R 668	Dell 470-ACMO 038VG1 OM4 LC to LC EMC Fibre networking cable - 3m
0RH538	R 470	Dell 0RH538 LC to LC 50 / 125 Multi-mode Fibre optic cable / patch cable - 1m
0TH263	R 673	Dell 0TH263 Tyco Optical FC cable LC to LC 50 / 125 (5m) Fibre optic cable
0XYD50	R 664	Dell 0XYD50 Intel 10GB SFP 850nm Transceiver module
407-10942	R 2,517	Dell 407-10942 Transceiver SFP 10GbE SR 850nm Wavelength, 300m Reach
407-BBOR	R 1,376	Dell 407-BBOR Networking Transceiver SFP 1000BASE-SX, 850nm Wavelength, 550m Reach - Kit
407-BBOU	R 9,276	Dell 407-BBOU Networking Transceiver SFP 10GbE SR, 850nm Wavelength, 300m Reach - Kit, Â© 2018 Laptop Direct
407-BBOU	R 1,732	Dell 407-BBOU Networking Transceiver SFP 10GbE SR, 850nm Wavelength, 300m Reach - Kit
455883-B21	R 3,410	HP BladeSystem c-Class 10Gb SFP SR Transceiver
46C3447	R 7,399	Lenovo 46C3447 10GBASE-SR SFP Transceiver
46C3447	R 689	Lenovo 46C3447 10GBase-SR SFP Transceiver, RackSwitch G8100 compatibility, Bnt SFP Transceiver
4M17A13527	R 1,834	Lenovo 4M17A13527 10Gb iSCSI/16Gb FC Universal SFP Module
4M17A13528	R 6,311	Lenovo 4M17A13528 32Gb FC SFP Transceiver
505116	R 499	Intellinet 1000Base-SX Gigabit Ethernet Module: Fiber SC Multi-Mode Port for Web-Smart Switch 505093, Retail Box
510530	R 599	Intellinet Fast Ethernet WDM Bi-Directional Single Mode Media Converter - 10/100Base-TX to 100Base-FX (SC) Single-Mode, 20 km (12.4 mi.), WDM (RX1310/TX1550)
7ZT7A00537	R 7,004	Lenovo 7ZT7A00537 ThinkSystem Intel X710-DA2 PCI-e 10GB 2-port SFP Ethernet Adapter, PCI Express 3.0 x8
9270CFCCAB06-0010	R 986	Infortrend Optical FC cable LC-LC MM-50 125 Duplex LSZH
A30001-Y	R 138	Astrum Fp101 Optical Fibre Cable Sc-sc Sm 1m
A30003-Y	R 138	Astrum Fp103 Optical Fibre Cable Sc-sc Sm 3m
A30005-Y	R 138	Astrum Fp105 Optical Fibre Cable Sc-sc Sm 5m
A30021-Y	R 22	Astrum Fp201 Optical Fibre Cable Sc-lc Sm 1m
A30023-Y	R 90	Astrum Fp203 Optical Fibre Cable Sc-lc Sm 3m
A30025-Y	R 29	Astrum Fp205 Optical Fibre Cable Sc-lc Sm 5m
AC-FIB-CAB-DUAL-2	R 3,013	AccoNet Dual purpose Fibre optic Drop Cable 2 Core 3.8mm - 1 km reel, Designed for both aerial and underground applications, G.657A2 Fibre Type, Float/blown Fibre
AC-FIB-CAB-DUAL-4	R 3,732	AccoNet Dual purpose Fibre optic Drop Cable 4 Core 3.8mm - 1 km reel, Designed for both aerial and underground applications, G.657A2 Fibre Type, Float/blown Fibre
AC-FIB-CAB-LC-120M-A	R 255	AccoNet Uplink cable LC-LC APC 120m, 2 Core, G657A2, Single Mode, Indoor
AC-FIB-CAB-LC-120M-U	R 334	Acconet Uplink Cable LC-LC APC - 120m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-LC-150M-U	R 596	Acconet Uplink Cable LC-LC APC - 150m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-LC-30M-A	R 163	AccoNet Uplink cable LC-LC APC 30m, 2 Core, G657A2, Single Mode, Indoor
AC-FIB-CAB-LC-30M-U	R 152	AccoNet Uplink cable LC-LC UPC - 30m, 2 Core, G657A1, Single Mode, Indoor
AC-FIB-CAB-LC-60M-A	R 270	AccoNet Uplink cable LC-LC APC 60m, 2 Core, G657A2, Single Mode, Indoor

AC-FIB-CAB-LC-60M-U	R 296	AccoNet Uplink cable LC-LC UPC - 60m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-LC-90M-A	R 262	AccoNet Uplink cable LC-LC APC 90m, 2 Core, G657A2, Single Mode, Indoor
AC-FIB-CAB-LC-90M-U	R 382	AccoNet Uplink cable LC-LC UPC - 90m, 2 Core, G657A1, Single Mode,
AC-FIB-CAB-SC-120M-U	R 348	Acconet Uplink Cable SC-SC UPC - 120m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-SC-150M-U	R 420	Acconet Uplink Cable SC-SC UPC - 150m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-SC-30M-U	R 158	Acconet Uplink Cable SC-SC UPC - 30m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-SC-60M-U	R 197	Acconet Uplink Cable SC-SC UPC - 60m, 2 Core, G657A1, Single Mode
AC-FIB-CAB-SC-90M-U	R 283	Acconet Uplink Cable SC-SC UPC - 90m, 2 Core, G657A1, Single Mode
AC-FIB-CON-FAST-SC-A	R 14	Acconet Fast Connector SC/APC
AC-FIB-CON-FAST-SC-U	R 15	Acconet Fast Connector SC/UPC
AC-FIB-DIST-16	R 343	Acconet Distribution box 16 Core
AC-FIB-DJ-24	R 330	Acconet 24 port Fibre dome joint
AC-FIB-DJ-48	R 236	Acconet 48 port Fibre dome joint
AC-FIB-DJ-72	R 591	Acconet 72 port Fibre dome joint
AC-FIB-MIDC-LC-APC	R 9	Acconet LC/APC Duplex mid coupler
AC-FIB-MIDC-LC-UPC	R 11	Acconet LC/UPC Duplex mid coupler
AC-FIB-MIDC-SC-APC	R 3	Acconet SC/APC Simplex mid coupler
AC-FIB-MIDC-SC-UPC	R 3	Acconet SC/UPC Simplex mid coupler
AC-FIB-PANEL-24	R 555	Acconet Fibre Patch Panel 24 port - Unpopulated
AC-FIB-PANEL-48	R 843	Acconet Fibre Patch Panel 48 port - Unpopulated
AC-FIB-PIGT-LC-APC	R 14	AccoNet open ended pigtail LC/APC - 1m
AC-FIB-PIGT-LC-UPC	R 13	AccoNet open ended pigtail LC/UPC - 1m
AC-FIB-PIGT-SC-APC	R 13	AccoNet open ended pigtail SC/APC - 1m
AC-FIB-PIGT-SC-UPC	R 20	AccoNet open ended pigtail SC/UPC - 1m
AC-FIB-PL-LC-1M-AD	R 51	AccoNet Patch Lead LC/APC-LC/APC Duplex - 1m, G.652D , 2.0mm , LSZH
AC-FIB-PL-LC-1M-AS	R 24	AccoNet Patch Lead LC/APC-LC/APC Simplex - 1m, G.652d, 2.0mm, LSZH
AC-FIB-PL-LC-1M-UD	R 46	AccoNet Patch Lead LC/UPC-LC/UPC Duplex - 1m
AC-FIB-PL-LC-1M-US	R 27	AccoNet Patch Lead LC/UPC-LC/UPC Simplex - 1m
AC-FIB-PL-LC-3M-AD	R 64	AccoNet Patch Lead LC/APC-LC/APC Duplex - 3m, G.652D , 2.0mm , LSZH
AC-FIB-PL-LC-3M-AS	R 42	AccoNet Patch Lead LC/APC-LC/APC Simplex - 3m, G.652d, 2.0mm, LSZH
AC-FIB-PL-LC-3M-UD	R 49	AccoNet Patch Lead LC/UPC-LC/UPC Duplex - 3m
AC-FIB-PL-LC-3M-US	R 34	AccoNet Patch Lead LC/UPC-LC/UPC Simplex - 3m
AC-FIB-PL-LC-5M-AD	R 91	AccoNet Patch Lead LC/APC-LC/APC Duplex - 5m, G.652D , 2.0mm , LSZH
AC-FIB-PL-LC-5M-AS	R 34	AccoNet Patch Lead LC/APC-LC/APC Simplex - 3m, G.652d, 2.0mm, LSZH
AC-FIB-PL-MPO-1M	R 390	AccoNet Patch Lead 12core MPO Female to MPO Female 1m, OM3 B Type, 3.0mm, LSZH
AC-FIB-PL-MPO-2M	R 631	AccoNet Patch Lead 12core MPO Female to MPO Female 2m, OM3 B Type, 3.0mm, LSZH
AC-FIB-PL-MPO-5M	R 790	AccoNet Patch Lead 12core MPO Female to MPO Female 5m, OM3 B Type, 3.0mm, LSZH
AC-FIB-PL-SC-1M-AS	R 37	AccoNet Patch Lead SC/APC - SC/APC Simplex 1m Single Mode, G.652D, 2.0mm, LSZH
AC-FIB-PL-SC-1M-UAS	R 25	AccoNet Patch Lead SC/APC - LC/UPC Simplex - 1m, G.652d, 2.0mm, LSZH
AC-FIB-PL-SC-1M-US	R 40	AccoNet Patch Lead SC/UPC - SC/UPC Simplex - 1m, G.652d, 2.0mm, LSZH
AC-FIB-PL-SC-3M-AS	R 37	AccoNet Patch Lead SC/APC - SC/APC Simplex - 3m
AC-FIB-PL-SC-3M-UAS	R 30	AccoNet Patch Lead SC/UPC - SC/APC Simplex - 3m, G.652d, 2.0mm, LSZH
AC-FIB-PL-SC-3M-US	R 43	AccoNet Patch Lead SC/UPC - SC/UPC Simplex - 3m, G.652d, 2.0mm, LSZH
AC-FIB-PL-SC-LC-1M-AS	R 31	AccoNet Patch Lead SC/APC - LC/APC Simplex - 1m
AC-FIB-PL-SC-LC-1M-UAS	R 32	AccoNet Patch Lead SC/UPC - LC/APC Simplex - 1m
AC-FIB-PL-SC-LC-1M-US	R 27	AccoNet Patch Lead SC/UPC - LC/UPC Simplex - 1m
AC-FIB-SLEEVE-40	R 81	Acconet Splice Protection Sleeve 40mm - 100 Pack, 40mm Steel 1.2mm 1.3mm inner diameter
AC-FIB-SLEEVE-60	R 79	Acconet Splice Protection Sleeve 60mm - 100 Pack, 60mm Steel 1.2mm 1.3mm inner diameter
AC-FIB-SPLIT-16	R 256	Acconet Fibre Splitter 1/16, 1 to 16 way Splitter with UPC connector

AC-FIB-SPLIT-2	R 101	Acconet Fibre Splitter 1/2, 1 to 2 way Splitter with UPC connector
AC-FIB-SPLIT-32	R 566	AccoNet Fibre splitter 1/32, 1 to 32 way splitter with UPC connector
AC-FIB-SPLIT-4	R 127	Acconet Fibre Splitter 1/4, 1 to 4 way Splitter with UPC connector
AC-FIB-SPLIT-8	R 150	Acconet Fibre Splitter 1/8, 1 to 8 way Splitter with UPC connector
AC-FIB-TERM-1	R 27	Acconet Termination Box 1 Port
AC-FIB-TERM-2	R 11	Acconet Termination Box 2 Port
AGM731F	R 2,993	Netgear AGM731F SFP Gigabit Ethernet Fiber module with LC Duplex Connector for Managed Switches, 1000Base-SX GBIC module LC-Connector, Multi-mode, LC Duplex Connector
AGM731FEPS	R 598	DuxNet AGM731FEPS 1000Base-SX GBIC Module LC-Connector Transiever Module, Multi-Mode
AGM732F	R 6,176	Netgear AGM732F SFP Gigabit Ethernet Fiber module with LC Duplex Connector up to 10km distance for Managed Switches, 1000BASE-LX GBIC module LC-Connector, Single Mode, Drives Gigabit Ethernet up to 10 km distances with 9/125& #181; m Single Mode Fiber cables
AGM734-10000S	R 2,993	Netgear AGM734 1000Base-T GBIC module LC-Connector, Module 1000Base-T SFP RJ45 GBIC, Adds Gigabit Ethernet Copper connectivity to GSM7328fs, Drives Gigabit Ethernet up to 100m distances with Cat5E/CAT6
AJ716B	R 1,198	HP 8Gb Shortwave B-series Fibre Channel 1 Pack SFP Transceiver
AJ834A	R 888	HP LC to LC Multi-mode OM3 2-Fiber 1.0m 1-Pack Fiber Optic Cable
AJ835A	R 1,027	HP LC to LC Multi-mode OM3 2-Fiber 2.0m 1-Pack Fiber Optic Cable
AJ836A	R 1,331	HP LC to LC Multi-mode OM3 2-Fiber 5.0m 1-Pack Fiber Optic Cable
ARU-IO-OPT10GSFP+LC	R 1,424	HP R9D18A Aruba Instant On 10G SFP LC SR 300m MMF XCVR SFP module
ARU-IO-OPT1GSFPLC	R 803	HP R9D16A Aruba Instant On 1G SFP LC SX 500m MMF XCVR SFP module
AXC763-10000S	R 3,575	Netgear AXC763 ProSafe 3m SFP Direct Attach Copper cable, SFP Connector on both sides, Drives 10 Gigabit Ethernet (3m distance), Copper twin-axial cable
AXM761-C	R 1,259	Netgear AXM761 ProSafe 10GBase-SR " short reach" SFP module, Up to 300m, 10GBase-SR for Multi-mode 50/125micro-m OM3 or OM4 Fiber, LC Duplex Connector
AXM762-10000S	R 18,431	Netgear AXM762 ProSafe 10GBase-LR " Long Reach" SFP module, For Single Mode 9/125& #181; m Fiber, Fit into M5300 / M7100 / M7300 Series, Drives 10 Gigabit Ethernet up to 10 km distances with 9/125& #181; m Single Mode Fiber cables, LC Duplex Connector
AXM762-C	R 2,207	Netgear AXM762 ProSafe 10GBase-LR " Long Reach" SFP module, For Single Mode 9/125& #181; m Fiber, Fit into M5300 / M7100 / M7300 Series, Drives 10 Gigabit Ethernet up to 10 km distances with 9/125& #181; m Single Mode Fiber cables, LC Duplex Connector
AXM762P10-10000S	R 100,425	Netgear AXM762 ProSafe 10GBase-LR " Long Reach" SFP module - 10 Pack, For Single Mode 9/125& #181; m Fiber, Fit into M5300 / M7100 / M7300 Series, Drives 10 Gigabit Ethernet up to 10 km distances with 9/125& #181; m Single Mode Fiber cables, LC Duplex Connector
AXM763-10000S	R 7,786	Netgear AXM763 ProSafe 10GBase-LRM SFP Transceiver, Dual LC-Connector, Adds 10 Gigabit Ethernet " Long Reach Multimode" Fiber connectivity, Fits into Built-In 10GE SFP interfaces of GSM73xxs / GSM72xxps / AX743 module, Drive 10 Gigabit Ethernet up to 220m distances with Legacy 62.5/125um Multi-mode Fiber, For Multi-mode 62.5/125& #181; m OM1 or OM2 Fiber
AXM764-10000S	R 7,786	Netgear AXM764 ProSafe 10 Gigabit base-lr Lite SFP Single Mode module, For Single Mode 9/125& #181; m Fiber, 10 Gigabit Ethernet " Long Range LR Lite" Fiber connectivity, Drives 10 Gigabit Ethernet up to 2 km distances with Legacy 9/125& #181; m Single Mode Fiber cables, LC Duplex Connector
AXS85-192-M3-Mikrotik	R 683	MikroTik SFP transceiver module 10G with a Dual LC UPC connector, Multi-mode Fiber connection, 300m distance, 850nm Wavelength, S 85DLC03D
BDCOM-GP1702-1G	R 320	BDCOM Xpon ONU with 1x GB LAN for FTTX, 2.5GB downlink, 1.25 GB uplink, 1x SC/UPC Port, 1x Gbps LAN, 12V PSU
BDCOM-OLT-CGG-C+	R 6,167	BDCOM XGS-PON Combo OLT SFP module, Downlink 10G / Uplink 10G, TX Wavelength 1490nm, RX Wavelength 1310nm, SC Interface, OLT-CGG-C
BDCOM-OLT-GSFP-C+	R 516	BDCOM GPON OLT SFP module, Class C standard, Downlink 2.5G / Uplink 1.25G, TX wavelength 1490nm, RX wavelength 1310nm, SC Interface
BDCOM-OLT-SFP-20	R 488	BDCOM EPON OLT SFP Module, 1:32 distance 20Km, 1:64 distance 10Km, SC/UPC, TX 1490nm, RX 1310nm,

		1.25 Gigabit
BDCOM-PLC-1X16	R 120	Unbranded 1x16 Single Mode PLC Splitter - G657A, Suitable for supporting multiple operating wavelengths on single fibre strand
BDCOM-PLC-1X32	R 451	Unbranded 1x32 Single Mode PLC Splitter - G657A, Suitable for supporting multiple operating wavelengths on single fibre strand
BDCOM-SFP-BIDI-1310-10	R 98	BDCOM Single-mode Bi-Directional SFP 10km, GSFP-LX-SM1310-10-BIDI, TX1310 / RX1550, LC, DDM (Pair with BDCOM-SFP-BIDI-1550-10), Up to 1.25Gbps Data Link, LC pluggable Optical Interface, Support Digital diagnostic monitoring Interface
BDCOM-SFP-BIDI-1310-20	R 102	BDCOM Single-mode Bi-Directional SFP 20km, GSFP-LX-SM1310-20-BIDI, TX1310 / RX1550, LC, DDM (Pair with BDCOM-SFP-BIDI-1550-20), Up to 1.25Gbps Data Link, LC pluggable Optical Interface, Support Digital diagnostic monitoring Interface
BDCOM-SFP-BIDI-1550-10	R 107	BDCOM Single-mode Bi-Directional SFP 10km, GSFP-LX-SM1550-10-BIDI, TX1550 / RX1310, LC, DDM (Pair with BDCOM-SFP-BIDI-1310-10), Up to 1.25Gbps Data Link, LC pluggable Optical Interface, Support Digital diagnostic monitoring Interface
BDCOM-SFP-BIDI-1550-20	R 112	BDCOM Single-mode Bi-Directional SFP 20km, GSFP-LX-SM1310-20-BIDI, TX1550 / RX1310, LC, DDM (Pair with BDCOM-SFP-BIDI-1310-20), Up to 1.25Gbps Data Link, LC pluggable Optical Interface, Support Digital diagnostic monitoring Interface
BDCOM-SFP-SM-10	R 86	BDCOM Single-mode SFP 10km, GSFP-LX-10-D, 1310nm, DDM, Up to 1.25Gbps Data rate, Duplex LC receptacle Optical Interface compliant
BDCOM-SFP-SM-20	R 86	BDCOM Single-mode Bi-Directional SFP 20km, GSFP-LX-20-D, 1310nm, LC, DDM, Up to 1.25Gbps Data rate
BDCOM-SFP-SM-40	R 115	BDCOM Single-mode SFP 40km, GSFP-LX-40-D, 1310nm, Up to 1.25Gbps Data rate, Duplex LC, DDM Function implemented
CAB-SC-SC-SM-APC-2M	R 94	Linkqnet Fibre 2m Simplex Sc/sc Apc (9/125) Cable (Flylead)
CD-MC220	R 173	Cudy MC220 Gigabit Ethernet Media converter, 1x 10/100/1000 RJ45 connector, 1x SFP, Supports full Duplex and half Duplex, 2Mbit RAM for Data Buffer, Supports jumbo Frame size 9 KB
CD-SFP-MM	R 86	Cudy Multi Mode 1.25G LC SFP 850nm 500m Copper small form pluggable (SFP) Transceiver, SM100GMA-05, 2x LC connector, 1.25Gbps Data rate, SFP Form Factor, Multi Mode, 500m supported distance, 850nm Wavelength
CD-SFP-MM10	R 173	Cudy Multi Mode 10Gbps LC SFP 850nm 300m Copper small form pluggable Transceiver, SM10GMA-03, 300m supported distance, 850nm Wavelength, SFP Form Factor, 10Gbps Data rate, 2x LC connector
CD-SFP-MM25	R 288	Cudy Multi Mode 25Gbps LC SFP28 850nm 100m Fibre module, SM25GMA-01, 25Gbps Data rate, SFP28 Form Factor, 100m supported distance, 2x LC connector
CD-SFP-RJ45	R 109	Cudy SFP to RJ45 Gigabit Ethernet module, SM220, Copper mode, 1Gbps at 100m supported distance
CD-SFP-SM	R 86	Cudy Single Mode 1.25G LC SFP 1310nm 20km Copper small form pluggable (SFP) Transceiver, SM100GSA-20, 2x LC connector, 1.25Gbps Data rate, SFP Form Factor, Single Mode, 20km supported distance, 1310nm Wavelength
CD-SFP-SM10	R 201	Scoop Single Mode SFP 10Gbps 1310nm 10km, 10Gbps Data rate, SFP Form Factor, Single Mode, 10km supported distance, 1310nm Wavelength, 2x LC connector
CD-SFP-SM25	R 489	Cudy Single Mode 25Gbps LC SFP28 1310nm 10km Fibre module, SM25GSA-10, 25Gbps Data rate, SFP28 Form Factor, 10km supported distance, 1310nm Wavelength, 2x LC connector
CD-SFP-SMB	R 201	Cudy Single Mode 1.25G LC Bi-Directional SFP 20km, SM100GSB-20AB, 1.25Gbps Data rate, SFP (BiDi) Form Factor, Single Mode, 20km supported distance, 1310nm / 1550nm Wavelength
CD-SFP-SMB10	R 518	Cudy Single Mode 10G LC Bi-Directional SFP 20km, SM10GSB-20AB, 10Gbps Data rate, SFP (BiDi) Form Factor, Single Mode, 20km supported distance, 1330nm / 1270nm Wavelength
CLT-SFP+MM-850nm	R 261	Unbranded 10G SFP Multi-mode 850nm 300m LC Transceiver, CLSFPP8510GSR, Duplex LC connector, Hot-pluggable SFP footprint
CLT-SFP+SM-1310nm	R 445	Unbranded 10G SFP Single mode 1310nm 10km LC
CLT-SFP+SM-40KM	R 1,880	Unbranded 10G SFP Single Mode 1550nm 40km LC Fibre convertor, Duplex LC connector, 1550nm eml Laser
CLT-SFP-MM-850nm	R 164	Miro 1.25G SFP Multi-Mode 850nm 550m LC, It is suitable for multi-mode fiber (MMF) communications in 1G/2G Ethernet and 1.06Gbps Fiber Channel

CLT-SFP-SM-1310nm	R 150	Miro 1.25G SFP Single mode 1310nm 20km LC, It is suitable for single-mode fiber (SMF) communications in 1.25Gbps Ethernet and 1G/2G Fiber Channel
CLT-SFP-SM-40KM	R 279	Unbranded 1.25Gb/s SFP Single Mode 1310nm 40km LC Fibre convertor, LC dulplex connector
CLT-SFP-SM-BIDI-10	R 187	Unbranded 1.25G SFP Single mode T1310/R1550nm 10km LC, Bi-Directional
CLT-SFP-SM-BIDI-10v2	R 224	Unbranded 1.25G SFP Single mode R1310/T1550nm 10km LC, Bi-Directional
CNT-236220436-PL	R 63	Unbranded 0.9mm Field assembly LC Single Mode connector - Blue, can be reused around 10 times
CNT-LC-MM-DUP-PC	R 17	Unbranded Fibre Duplex LC/PC Multi Mode mid coupler ceramic Sleeve - Beige
CNT-SC-MM-DUP-PC	R 26	Unbranded Fibre Duplex SC/PC Multi Mode Mid Coupler ceramic Sleeve - Beige
CNT-SC-SM-DUP-PC	R 14	Unbranded Fibre Duplex SC Single Mode Mid Coupler ceramic Sleeve - Blue
CNT-SC-SM-SIM-APC	R 13	Unbranded Fibre Simplex SC/APC Single Mode Mid Coupler ceramic Sleeve - Green
CNT-SC-SM-SIM-PC	R 20	Unbranded Fibre Simplex SC Single Mode Mid Coupler
CUDY-MC220	R 240	Cudy Gigabit Ethernet Media coverter, MC220, 1x 1.25G SFP slots, SFP Hot swapping, 1x Gigabit RJ45 Ports
DEM-310GT	R 286	Dlink 1-port mini-GBIC LX Single-mode Fiber Transceiver (up to 10km, support 3.3V power)
DEM-311GT	R 378	Dlink 1-port mini-GBIC SX Multi-mode Fiber Transceiver (up to 550m, support 3.3V power)
DS-3D501R-A	R 437	Hikvision Fiber Optical Receiver - 1x Gigabit RJ45 & 1x Gigabit SFP Ports, DS-3D501R-A, 1x Gigabit RJ45 Port and 1x Gigabit SC Fiber Optical Port, 4 Gbps switching capacity, SC Optical Interface, Single-mode bidirectional Fiber, 20 km transmission distance, TX1550nm / Rx1310nm Wavelength
DS-3D501T-A	R 414	Hikvision Fiber Optical Transceiver - 1x GbE & 1x SFP Ports, DS-3D501T-A, SC Optical module intergrated Single-mode singlle-fiber, 20km distance, Tx1310nm / RX1550nm, 1x Gigabit RJ45 Port and 1x Gigabit, SC Fiber Optical Port, 4 Gbps switching capacity
DS-K1T673DWX-E1	R 9,355	Hikvision Face Recognition Terminal with 7-inch LCD Touch Screen, DS-K1T673DWX-E1 2 Mega Pixel Wide-Angle Lens, Built-In Mifare card, PoE, Linux Operating System, 7 inch IPS 600 x 1024 capacitive Touch Screen, PAL / NTSC Video Standard, Built-In omnidirectional Microphone, 1x RJ-45 10/100/1000 m Self-Adaptive Network Interface, 1 lock control, 1 Exit Button, 1 Door contact Input, 2 Alarm Input, 1 Alarm Output, 1 tamper, 1x RS-485, 1 Wiegand, 1x 3.5 mm Audio Output Interface, 10000 face capacity, 50000 card capacity, 150000 event capacity, 0.3 to 3 m Face Recognition distance
EC-EM4510-SFP+	R 4,802	Edge-core Dual port 10G SFP uplink optional module for ECS4510 Series, 1 Year
EF-6DIST-OS2LSZH-BK	R 15	SCP EasyFiber 6-strand Single Mode OS2 9/125 LSZH Duplex Indoor / Outdoor - Black - Price per m 4.8mm outer diameter
EF-CON-MM-LC	R 353	SCP EasyFiber field-assembly LC Simplex 50/125 OM3 / OM4 Fiber connector - Aqua, Built-In Button for one click termination, Re-usable
EF-CON-MM-SC	R 353	SCP EasyFiber Field-assembly SC Simplex Multi-mode OM3 / OM4 Fiber connector - Aqua, Built-In Button for one click termination, Re-usable
EF-CON-SM-LCZ	R 353	SCP EasyFiber Field-assembly LC Single Mode Fiber connector - Blue, Built-In Button for one click termination, Re-usable
EF-CON-SM-SC	R 353	SCP EasyFiber Field-assembly SC Single Mode Fiber connector - Blue, Built-In Button for one click termination, Re-usable
EF-CON-SM-SCA	R 353	SCP EasyFiber Field-assembly SC APC Single Mode Fiber connector - Green, Built-In Button for one click termination, Re-usable
EF-CONMM-LCZ	R 353	SCP EasyFiber Field-assembly LC Simplex Multi-mode 50/125 OM3 / OM4 Fiber connector - Aqua, Built-In Button for one click termination, Re-usable
EF-DUP-OM3LSZH-AQ	R 15	SCP EasyFiber 10G Multi-mode OM3 50/125 LSZH Duplex Indoor/Outdoor - Aqua - price per m, Sold per meter (300m box), Duplex (Two strand) Zip cord construction, 2mm Outer Diameter
EF-DUP-OS2LSZH-YL	R 10	SCP EasyFiber Single Mode OS2 9/125 LSZH Duplex Indoor/Outdoor - Yellow, Duplex (Two strand) Zip cord construction, 2mm Outer Diameter
EF-SIM-OS2LSZH-WT	R 10	SCP EasyFiber Single Mode OS2 9/125 LSZH Duplex Indoor/Outdoor - White, 2mm Outer Diameter
F-D-6/12	R 309	Switchcom 6 / 12 way Fiber Splice Dome enclosure
F-DB-DC-24	R 173	Switchcom 24 Drop Cable distribution box
F-DE-14.2-15.6M	R 155	Switchcom 14.2-15.6mm adss Dead End Fibre cable

F-DEAD-END-CBL	R 171	Switchcom 5.7-6.5mm SSW for 12-72F dead end Fibre cable
F-DJ-96	R 799	Switchcom 96 Core heat shrinkable Dome joint
F-MC-MMOM3-SC	R 17	Switchcom OM3 Multi-mode Midcoupler SC Duplex
F-MC-SM-LCA	R 9	Switchcom Single Mode Midcoupler LC/APC Duplex
F-MC-SM-SC	R 6	Switchcom Single Mode Midcoupler SC Simplex
F-MC-SM-SCAPC	R 12	Switchcom Single Mode Midcoupler SC/APC Duplex
F-MC-SM-SCAPC-S	R 4	Switchcom Single Mode Midcoupler SC/APC Simplex
F-MC-SM-ST	R 12	Switchcom Single Mode Midcoupler ST - Yellow
F-PC-MMOM3-LC-1	R 178	Switchcom LC-LC Multi Mode OM3 Fibre Patch cord
F-PC-MMOM3-SC-1	R 178	Switchcom SC-DX Multi Mode OM3 1m Fibre Patch cord
F-PC-MMOM3-SC-2	R 190	Switchcom SC-DX Multi Mode OM3 2m Fibre Patch cord
F-PC-MMOM3-SC-3	R 167	Switchcom Dual LC connector to Dual SC connector Multi Mode OM3 3m Fibre Patch cord
F-PC-OM3-LCSC-2	R 217	Switchcom LCSC-DX Multi Mode OM3 2m Fibre Patch cord
F-PC-SM-LC-1	R 183	Switchcom patch cord - Single Mode - LC/UPC - Duplex - 1m
F-PC-SM-SCAPC-1	R 183	Switchcom SC/APC - SC/APC Single Mode Fibre Patch cord
F-PP-24	R 518	Switchcom 24-way LC Fibre Patch panel Splice caset. 12 DX / 24 SX.
F-PP-SC/APC-24	R 1,254	Switchcom 24-way SC / APC Fibre Patch panel
F-PT-MMOM3-SC-1	R 17	Switchcom SC/DX Multi Mode OM3 1m Fibre pigtail
F-PT-MMOM3-ST-1	R 17	Switchcom ST Multi Mode OM3 1m Fibre pigtail
F-PT-SM-LC-1	R 12	Switchcom LC Single Mode 1m Fibre pigtail - LC/UPC
F-PT-SM-SCAPC-2	R 24	Switchcom SC/APC Single Mode 2m Fibre pigtail
F-PT-SM-ST-1	R 15	Switchcom ST Single Mode 1m Fibre pigtail
F-SM-4	R 8	Switchcom Heavy Duty Fibre cable Multi Loose Tube 4 Core (Hard Disk Drive) 9/125 - price per m
F-SP-40-L	R 1	Switchcom 40mm Fibre Splice protector
FB-D16	R 259	Scoop Fibre Distribution Box 16 Cores
FB-D24	R 288	Scoop Fibre Distribution Box 24 Cores
FB-D4	R 92	Scoop Fibre Distribution Box 4 Cores
FB-D8	R 201	Scoop Fibre Distribution Box 8 Cores
FB-T1	R 17	Scoop Fibre Termination Box 1 Port
FB-T2	R 10	Scoop Fibre Termination Box 2 Port
FD-D24	R 316	Scoop Fibre Dome Box 24 Core
FDC-150M	R 374	Scoop Fibre outdoor drop cable 150m LC-LC APC 2 Core, 0.45mm phosphate wire x 2, 2 x 3 mm diameter, Single mode
FDC-150MU	R 776	Scoop 150M LC-LC UPC 2Core Fibre Outdoor Uplink Cable
FDC-150MU1	R 374	Scoop Fibre Outdoor uplink cable 150m LC-LC UPC 1 core, 150m cable length, LC-LC (UPC) connector Type, 2x3mm Diameter, Single Mode
FDC-1K2D	R 4,824	Scoop Fibre outdoor 2 Core Dual purpose drop cable 1km, 2.4 mm tube diameter, 2 Fibre per tube
FDC-30M	R 109	Scoop Fibre Outdoor drop cable 30m LC-LC APC 1core, 30m cable length, LC-LC connector Type, 2x3mm Diameter, 1x Fibre cores, Single Mode
FDC-30MU	R 201	Scoop 30M LC-LC UPC 2Core Fibre Outdoor Uplink Cable
FDC-30MU1	R 109	Scoop Fibre Outdoor uplink cable 30m LC-LC UPC 1 core, 30m cable length, LC-LC (UPC) connector Type, 2x3mm Diameter, Single Mode
FDC-60M	R 173	Scoop Fibre Outdoor Drop Cable 60M LC-LC APC 2Core
FDC-60MU	R 339	Scoop 60M LC-LC UPC 2Core Fibre Outdoor Uplink Cable
FDC-60MU1	R 173	Scoop Fibre Outdoor uplink cable 60m LC-LC UPC 1 core, 60m cable length, LC-LC (UPC) connector Type, 2x3mm Diameter, Single Mode
FDC-90M	R 247	Scoop Fibre Outdoor Drop Cable 90M LC-LC APC 2Core
FDC-90MU	R 489	Scoop 90M LC-LC UPC 2Core Fibre Outdoor Uplink Cable
FDC-90MU1	R 247	Scoop Fibre Outdoor uplink cable 90m LC-LC UPC 1 core, 90m cable length, LC-LC (UPC) connector Type,

		2x3mm Diameter, Single Mode
FF-FCLC-S1A	R 25	Scoop Fibre Flylead LC-FC SM 1M APC
FF-LCLC-M1U	R 52	Scoop Fibre Flylead LC-LC UPC MM 1M
FF-LCLC-M1UF	R 46	Scoop Fibre Flylead LC-LC MM 1M with Flex Boot
FF-LCLC-M5U	R 69	Scoop Fibre Flylead LC-LC MM 5M
FF-LCLC-O310U	R 86	Scoop Fibre Flylead LC-LC mm 10m OM3, 2 Fibre Cores, PVC jacket, Multi-mode (OM3) mode, 10m cable length, LC-LC UPC connector
FF-LCLC-O320U	R 127	Scoop Fibre Flylead LC-LC mm 20m OM3, 2 Fibre Cores, PVC jacket, Multi-mode (OM3) mode, 10m cable length, LC-LC UPC connector
FF-LCLC-O35U	R 69	Scoop Fibre Flylead LC-LC mm 5m OM3, 2 Fibre Cores, PVC jacket, Multi-mode (OM3) mode, 10m cable length, LC-LC UPC connector
FF-LCLC-O3U	R 52	Scoop Fibre Flylead LC-LC UPC OM3 3M
FF-LCLC-S1A	R 23	Scoop Fibre Flylead LC-LC SM 1M APC
FF-LCLC-S1U	R 52	Scoop Fibre Flylead LC-LC UPC SM 1M
FF-LCLC-S5U	R 58	Scoop Fibre Flylead LC-LC SM 5m
FF-LCLC-SMAF	R 40	Scoop Fibre Flylead LC-LC SM 1M APC Flex Boot
FF-LCLC-SMUF	R 40	Scoop Fibre Flylead LC-LC SM 1M Flex Boot
FF-SCLC-S1A	R 25	Scoop Fibre Flylead LC-SC APC 1m SM, 2.0mm
FF-SCLC-S1UA	R 21	Scoop Fibre Flylead SC-LC SM 1M UPC-APC
FF-SCSC-S1A	R 25	Scoop Fibre Flylead SC-SC APC 1m SM, 2.0mm
FI-LC-MM-2M	R 22	Unbranded Fibre Patch Lead, LC to LC, 2 Meter, Multimode, OM2, Simplex
FI-SC-SC-SM-3M	R 27	Miro Fibre Patch Lead SC-SC UPC 3M, Single mode, G657A, 2.0mm, PVC jacket, 3 meter
FIB-CBL-DC2C-RND-BCK	R 7,359	UltraLAN Fiber Drop Cable (Round) - 2 Core - 2000m drum, Single Mode
FIB-CBL-DCPL-LCAPC030MD	R 201	UltraLAN Pre-Terminated Drop Cable (LC/APC) Duplex - 30m, LC APC connectors
FIB-CBL-DCPL-LCAPC030MSW	R 109	UltraLAN Pre-Terminated Drop Cable (LC/APC) Simplex - 30m - White, LC APC connectors
FIB-CBL-DCPL-LCAPC060MD	R 288	UltraLAN Pre-Terminated Drop Cable (LC/APC) Duplex - 60m, LC APC connectors
FIB-CBL-DCPL-LCAPC060MS	R 155	UltraLAN Pre-Terminated Drop Cable (LC/APC) Simplex - 60m, LC APC connectors
FIB-CBL-DCPL-LCAPC060MSW	R 155	UltraLAN Pre-Terminated Drop Cable (LC/APC) Simplex - 60m - White, LC APC connectors
FIB-CBL-DCPL-LCAPC090MD	R 420	UltraLAN Pre-Terminated Drop Cable (LC/APC) Duplex - 90m, LC APC connectors
FIB-CBL-DCPL-LCAPC150MD	R 574	UltraLAN Pre-Terminated Drop Cable (LC/APC) Duplex - 150m, LC APC connectors
FIB-CBL-DCPL-LCAPC150MS	R 282	UltraLAN Pre-Terminated Drop Cable (LC/APC) Simplex - 150m, LC APC connectors
FIB-DWC	R 13	UltraLAN Fiber Optic Dead End 4.2mm, FIB-DWC, For terminating and securing loose Fiber Optic cables, Tailored to Fit 4.2mm Diameter cables
FIB-FC-LCA-0.9	R 56	UltraLAN LC/APC fast connector for 0.9mm Fiber
FIB-FC-LCA-DC	R 79	UltraLAN LC/APC fast connector for drop Fiber, Suitable for 2.0x3.0mm drop cables
FIB-FC-LCP-0.9	R 45	UltraLAN LC/APC fast connector for 0.9mm Fiber
FIB-FC-LCP-DC	R 45	UltraLAN LC/UPC fast connector for drop Fiber, Suitable for 2.0x3.0mm drop cables
FIB-FC-SCA	R 17	UltraLAN SC/APC fast connector
FIB-FL-LC-LC/APC-SM-01	R 54	UltraLAN Fiber Flylead LC-LC APC SM - 1 meter
FIB-FL-LC-LC/APC-SM-01S	R 26	UltraLAN Fiber Flylead LC-LC APC SM Simplex - 1 Meter
FIB-FL-LC-LC/APC-SM-03	R 68	UltraLAN Fiber Flylead LC-LC APC SM - 3 meter
FIB-FL-LC-LC/UPC-MM-01OM2	R 52	UltraLAN Fiber Flylead LC-LC UPC MM OM2 - 1 meter
FIB-FL-LC-LC/UPC-MM-01OM3	R 52	UltraLAN Fiber Flylead LC-LC UPC MM OM3 - 1 meter
FIB-FL-LC-LC/UPC-SM-01	R 52	UltraLAN Fiber Flylead LC-LC UPC SM - 1 meter
FIB-FL-LC-LC/UPC-SM-01S	R 26	UltraLAN Fiber Flylead LC-LC UPC SM Simplex - 1 meter
FIB-FL-LC-LC/UPC-SM-03	R 68	UltraLAN Fiber Flylead LC-LC UPC SM - 3 meter
FIB-FL-LC-LC/UPC-SM-03S	R 40	UltraLAN Fiber Flylead LC-LC UPC SM Simplex - 3 meter
FIB-FL-LC-LC/UPC-SM-05S	R 45	UltraLAN Fiber Flylead LC-LC UPC SM Simplex - 5 meter
FIB-FL-LC-LC/UPC-SM-10S	R 52	UltraLAN Fiber Flylead LC-LC UPC SM Simplex - 10 meter

FIB-FL-LC-LC/UPC-SM-15S	R 78	UltraLAN Fiber Flylead LC-LC UPC SM Simplex - 15 meter
FIB-FL-LC-LC/UPC-SM-20S	R 91	UltraLAN Fiber Flylead LC-LC UPC SM Simplex - 20 meter
FIB-FL-LC-SC/APC-SM-01	R 49	UltraLAN Fiber Flylead LC-SC APC SM - 1 meter
FIB-FL-LC/UPC-SC/APC-SM1S	R 40	UltraLAN Fiber Flylead LC UPC - SC APC SM Simplex - 1 meter
FIB-FL-SC-SC/APC-SM-01	R 52	UltraLAN Fiber Flylead SC-SC APC SM - 1 meter
FIB-FL-SC-SC/APC-SM-05S	R 45	UltraLAN Fiber Flylead SC-SC APC SM Simplex - 5m, FIB-FL-SC-SC/APC-SM-05S, 1310/1550nm Wavelength, SC to SC connector Type, Simplex Fiber count
FIB-FL-SC-SC/APC-SM-10S	R 52	UltraLAN Fiber Flylead SC-SC APC SM Simplex - 10m, FIB-FL-SC-SC/APC-SM-10S, 1310/1550nm Wavelength, SC to SC connector Type, Simplex Fiber count, APC to APC polish Type
FIB-FL-SC-SC/APC-SM-20S	R 98	UltraLAN Fiber Flylead SC-SC APC SM Simplex - 20m, FIB-FL-SC-SC/APC-SM-20S, SC to SC connector Type, Simplex Fiber count, 1310/1550nm Wavelength, APC to APC polish Type
FIB-FL-SC-SC/UPC-SM-05S	R 45	UltraLAN Fiber Flylead SC-SC UPC SM Simplex - 5m, FIB-FL-SC-SC/UPC-SM-05S, SC to SC connector Type, Simplex Fiber count, 1310/1550nm Wavelength, UPC to UPC polish Type
FIB-FL-SC-SC/UPC-SM-10S	R 52	UltraLAN Fiber Flylead SC-SC UPC SM Simplex - 10m, FIB-FL-SC-SC/UPC-SM-10S, SC to SC connector Type, Simplex Fiber count, 1310/1550nm Wavelength, UPC to UPC polish Type
FIB-FL-SC-SC/UPC-SM-20S	R 91	UltraLAN Fiber Flylead SC-SC UPC SM Simplex - 20m, FIB-FL-SC-SC/UPC-SM-20S, 1310/1550nm Wavelength, SC to SC connector Type, Simplex Fiber count, UPC to UPC polish Type
FIB-FL-ST-ST/UPC-SM-01	R 75	UltraLAN Fiber Flylead LC-LC UPC SM - 1 meter
FIB-MC-LC-LC/APC	R 12	UltraLAN Midspan Coupler LC-LC UPC Duplex, Full flanged mounting Type, Single/Multi mode
FIB-MC-LC-LC/UPC	R 12	UltraLAN Midspan Coupler LC-LC UPC Duplex, Single/Multi mode, Full flanged mounting Type
FIB-MC-SC-SC/APC	R 9	UltraLAN Midspan Coupler SC-SC APC Simplex, Single Mode, Full flanged mounting Type
FIB-MC-ST-ST/UPC	R 25	UltraLAN Midspan coupler ST-ST UPC Duplex, Single Mode, Full flanged mounting Type
FIB-MCGSFP	R 229	UltraLAN Fiber to Gigabit RJ45 converter
FIB-PT-LC/APC-SM-01	R 13	UltraLAN Fiber pigtail - LC APC SM Simplex 0.9m
FIB-PT-LC/UPC-SM-01	R 14	UltraLAN Fiber pigtail - LC UPC SM Simplex 0.9m
FIB-PT-SC/APC-SM-01	R 16	UltraLAN Fiber pigtail - SC APC SM Simplex 0.9m
FIB-SC-24	R 23	UltraLAN 24 Fiber Splice tray
FIB-SFP-GP-C++	R 459	UltraLAN GPON SFP Class C SC/UPC for OLT, FIB-SFP-GP-C , 1490nm continuous-mode DFB Laser transmitter and 1310nm burst-mode APD-TIA receiver, SC/UPC connector, Bi-Directional Data Link supporting 2488 Mbps transmit and 1244 Mbps receive rates
FIB-SFP-ULCS001XC-CNM1	R 190	UltraLAN SFP/SFP 10G DAC cable - 1 meter, Support for Multi-Gigabit Data rates up to 10.5Gbps, Hot-pluggable SFP
FIB-SFP-ULCS001XC-CNM3	R 288	UltraLAN SFP/SFP 10G DAC cable - 3 meter, Support for Multi-Gigabit Data rates up to 10.5Gbps, Hot-pluggable SFP
FIB-SFP-ULSB232XL-CD20	R 3,334	UltraLAN 25g SFP BiDi module pair - SM 20km 1270/1330nm
FIB-SFP-ULSB321XL-CD10	R 919	UltraLAN 10G SFP BiDi module pair - SM 3km 1270/1330nm
FIB-SFP-ULSB355312L-CD03	R 321	UltraLAN SFP BiDi module pair - SM 3km 1310/1510nm, Bi-Directional LC connector, Hot pluggable SFP, Applicable for 3km smf connection
FIB-SFP-ULSB355312L-CD20	R 201	UltraLAN SFP BiDi module pair - SM 20km 1310/1510nm, Bi-Directional LC connector, Hot pluggable SFP, Applicable for 20km smf connection
FIB-SFP-ULSB355325L-CD10	R 518	UltraLAN 2.5G SFP BiDi module pair - SM 10km 1310/1510nm, Supports 2.5Gbps Bit rates, Bi-Directional LC Connector, Hot pluggable SFP footprint, Applicable for Max 10km SMF connection
FIB-SFP-ULSP3112L-CD10	R 114	UltraLAN SFP module - SM 1.25G 10km 1310nm, Duplex LC connector, Hot pluggable SFP, Applicable for 10km smf connection
FIB-SFP-ULSP3112L-CD20	R 114	UltraLAN SFP module - SM 1.25G 20km 1310nm, Duplex LC connector, Hot pluggable SFP, Applicable for 20km smf connection
FIB-SFP-ULSP311XL-CD10	R 252	UltraLAN SFP module - SM 10G 10km 1310nm, Duplex LC connector, Supports up to 11.3Gb/s Bit rates
FIB-SFP-ULSP8512L-CDS5	R 109	UltraLAN SFP module - 1.25G 500m 850nm, Duplex LC connector, Hot pluggable SFP
FIB-SFP-ULSP851XL-CDS3	R 144	UltraLAN SFP module - mm 10G 300m 850nm, Duplex LC connector, Supports up to 11.3Gb/s Bit rates

FIB-SFP-ULSP852XL-CDS1	R 316	UltraLAN SFP28 25Gbps 850nm Multi-mode 100m Transceiver, Supports Data rates up to 25.78Gbps, 850nm VCSEL Laser transmitter, Multi-mode Fiber (MMF) support, Transmission distance up to 70m (OM3) & 100m (OM4), Duplex LC Connector, Hot-pluggable SFP28 Form Factor
FIB-SFP-ULSQ00XC-CNM5	R 459	UltraLAN SFP/SFP 10G AOC cable - 5m, Hot pluggable SFP Form Factor
FIB-SFP-ULSTMRR-CDS1	R 171	UltraLAN Gigabit RJ45 SFP module - Gigabit Ethernet module, Applicable for 100m distance transmission
FIB-SP-45	R 114	UltraLAN 45mm Fiber splicing Sleeve - 100 pack
FIB-SPLT-1X02NC	R 79	UltraLAN 1x2 900um bare Fiber splitter
FIB-SPLT-1X04LC/APCSM	R 114	UltraLAN 1x4 LC/APC 900um PLC splitter
FIB-SPLT-1X04SC/APCSM	R 125	UltraLAN 1x4 SC/APC 900um PLC splitter
FIB-SPLT-1X08LC/APCSM	R 173	UltraLAN 1x8 LC/APC 900um PLC Splitter
FIB-SPLT-1X08NC	R 79	UltraLAN 1x8 900um bare Fiber splitter
FIB-SPLT-1X08SC/APCSM	R 183	UltraLAN 1x8 SC/APC 900um PLC splitter
FIB-SPLT-1X16NC	R 1,696	UltraLAN 1x16 900um bare Fiber splitter
FIB-SPLT-1X16SC/APCSM	R 259	UltraLAN 1x16 SC/APC 900um PLC splitter
FIB-SPLT-1X32NC	R 144	UltraLAN 1x32 900um bare Fiber splitter
FIB-SPLT-1X32SC/APCSM	R 378	UltraLAN 1x32 SC/APC 900um PLC splitter
FIB-T-ADPT-SCA-SCU	R 29	UltraLAN SC-APC to SC-UPC Fiber Adapter, Essential when joining GPON drop cables (APC) to upc-terminated equipment, Single-mode Fiber Type
FIB-TB-1PA	R 21	UltraLAN Fiber termination box (1 port) & installation pack
FIB-TB-2P	R 23	UltraLAN Fiber termination box (2 Port) & installation pack, Supports two LC or SC connectors, Midcouplers not included
FIB-TB-8P	R 229	UltraLAN Fiber termination box (8 Port) & installation pack, Supports Eight LC or SC connectors, Midcouplers not included
FM-LCA	R 12	Scoop Fibre Adapter LC-LC APC Duplex
FM-LCU	R 12	Scoop Fibre Midcoupler LC-LC UPC Duplex
FM-SCA	R 3	Scoop Fibre Adapter SC-SC APC Simplex
FP-LC-S1A	R 14	Scoop Fibre Pigtail LC APC 1m SM, 0.9mm
FP-LC-S1U	R 14	Scoop Fibre Pigtail LC UPC SM 1M
FP-SC-S1A	R 14	Scoop Fibre Pigtail SC APC 1m SM, 0.9mm
FPD50-LCSC-01	R 75	Unbranded 1m Fibre Duplex LC/SC Multi Mode (50/125) LSOH cable
FPD50-LCSC-05-OM3	R 142	Unbranded 5m Fibre Duplex SC/LC OM3 (50/125) LSOH cable
FPD50-LCSC-10-OM3	R 214	Unbranded 10m Fibre Duplex SC/LC OM3 (50/125) LSOH cable
FPD50-SCST-03	R 82	Unbranded 3m Fibre Duplex SC/ST OM2 Multi Mode (50/125) LSOH cable
FPD50-SCST-05	R 92	Unbranded 5m Fibre Duplex SC/ST OM2 Multi Mode (50/125) LSOH cable
FPD50-SCST-10	R 118	Unbranded 10m Fibre Duplex SC/ST OM2 Multi Mode (50/125) LSOH cable
FPD50-SCST-50R-OM3	R 1,133	Unbranded Fibre 50m Rugged Duplex ST/SC OM3 (50/125) LSOH cable
FPP-24	R 339	Scoop Fibre Patch Panel 24 Port Blank
FPP-24S	R 546	Scoop 24 Port Fibre Sliding Patch Panel Blank
FPP-SC24	R 21	Scoop 24 Fibre Splice Cassette, PVC material, FPP-SC24
FPS09-SCSC-05	R 66	Unbranded 5m Fibre Simplex Sc/sc Single Mode (9/125) Lsoh Cable. The FPS09-SCSC-05 is a 5-meter singlemode (9/125) duplex fibre optic patch cable with SC/SC connectors and an LSOH jacket. It is designed for high-speed data transmission in networking environments, offering minimal signal loss and optimal performance. Ideal for use in data centres, telecommunications, and high-speed internet connectivity setups.
FPS09-SCSC-10	R 78	Unbranded 10m Fibre Simplex Sc/sc Single Mode (9/125) Lsoh Cable. The 10M Single Mode SC-SC Fibre Patch Lead (09/125) offers reliable and high-performance connectivity for various networking applications. With its durable construction and precise manufacturing, it ensures efficient data transmission over extended distances, making it suitable for both commercial and residential installations.
FS-LC16	R 316	Scoop Fibre Splitter Blockless LC APC SM 1-16
FS-LC32	R 633	Scoop Fibre Splitter Blockless LC APC SM 1-32

FS-LC4	R 86	Scoop Fibre Splitter Blockless LC APC SM 1-4
FS-LC8	R 173	Scoop Fibre Splitter Blockless LC APC SM 1-8
FTLX8571D3BCL-FC	R 574	DELL WTRD1 10GB SFP SR 850NM GBIC SFP N743D Optic Transceiver Module
FVT-2001	R 439	LevelOne 10/100BASE-TX to 100BASE-FX MMF SC Converter, rj45- fibre mmf sc 2km/100mbps, 10/100base-tx to 100base-fx mmf(Multi-Mode Fibre)duplex sc converter, speed - 100mbps, external power supply, 2km distance
FVT-2002	R 439	LevelOne 10/100BASE-TX to 100BASE-FX MMF ST Converter, RJ45- fibre MMF st 2km/100mbps, 10/100base-tx to 100base-fx mmf(Multi-Mode Fibre)Duplex st converter, speed - 100mbps, external power supply, 2km distance
FVT-2201	R 538	levelOne 10/100BASE-TX to 100BASE-FX SMF SC Converter, RJ45- Fibre SMF sc 20km/100Mbps, 10/100base-tx to 100base-fx SMF(Single-Mode Fibre)duplex sc converter, speed - 100Mbps, external power supply, 20km distance
GS-GWN-MM-10G	R 339	Grandstream GWN Multi-mode SFP 850nm Wave-Length 300m 10Gbps, F-MM850-300M-10G, Multi Mode Fibre, Duplex LC connector Type, 850nm nominal Wavelength, 10Gbps SFP Data rate, 0.3km transfer distance
GS-GWN-MM-1G	R 231	Grandstream GWN Multi-mode SFP 850nm Wave-Length 550m 1.25Gbps, F-MM850-550m-1.25g, Multi-mode Fiber, Duplex LC connector Type, 850nm nominal Wavelength, 1.25Gbps SFP Data rate
GS-GWN-SM-10G	R 477	Grandstream gwn Single-mode SFP 1310nm Wave-Length 10km 10Gbps, F-SM1310-10KM-10G, Single-mode Fiber Multi-mode Fiber, Duplex LC connector Type, 1310nm nominal Wavelength, 10Gbps SFP Data rate
GS-GWN-SM-1G	R 225	Grandstream GWN Single-mode SFP 1310nm Wave-Length 20km 1.25Gbps, F-SM1310-20km-1.25g, Single-mode Fiber, Duplex LC connector Type, 1310nm nominal Wavelength, 1.25Gbps SFP Data rate, 20km transfer distance
GVT-2001	R 730	LevelOne 10/100/1000BASE-T to 1000BASE-SX MMF SC Converter, RJ45 - fibre MMF sc - 1000Mbps, 10/100/1000base-t to 1000base-sx MMF(Multi-Mode Fibre)duplex sc converter, speed - 1000Mbps, external power supply, distance depends on transceivers
HK-SFP+-10G-20-1310-DF	R 6,900	Hikvision 10G LC Single Mode and Duplex Fiber 20km SFP module, HK-SFP -10G-20-1310-DF, LC Optical Interface, SMF / Duplex Fiber, Tx1310nm / Rx1310nm Wavelength
HK-SFP-1.25G-1310-DF-MM	R 265	Hikvision HK-SFP-1.25G-1310-DF-MM TX1310nm/1.25G, RX1310nm/1.25G, LC, Multi mode and duplex fiber, 1km, 0-70degC, SFP
HK-SFP-1.25G-20-1310-DF	R 230	Hikvision LC Single Mode and Duplex Fiber SFP module, TX 1310nm / 1.25Gbps date rate, RX 1310nm /1.25g bps date rate, Up to 20km distance, Single Fiber Bi-Directional LC connector, Hot pluggable capability
HO-D-LCUPC-LCUPC-1M	R 113	Unbranded duplex LC / LC G657A2 3.0mm 1m PVC LSZH Yellow fibre cable
HO-D-LCUPC-LCUPC-3M	R 135	Unbranded duplex LC / LC G657A2 3.0mm 3m PVC LSZH Yellow fibre cable
HO-D-LCUPC-LCUPC-5M	R 97	Unbranded duplex LC / LC G657A2 3.0mm 5m PVC LSZH Yellow fibre cable
HO-LCUPC-LCUPC-D-5M	R 112	Brand-Rex LCUPC - LCUPC Duplex 50/125 OM3 Patchcord - 5m
HO-SCAPC-LCAPC-5M	R 23	Mecer SC/APC to LC/APC Simplex Patch Lead (G657.A1) - 5m
LC-LC-SM10MTR	R 58	Microworld LC-LC-SM 10m Fibre cable
LC-LC-SM1MTR	R 29	Microworld LC-LC-SM 1 meter Single-Mode fibre cable
LC-LC-SM3MTR	R 40	Microworld LC-LC-SM 3 meter Single-Mode fibre cable
LC-LC-SM5MTR	R 46	Microworld LC-LC-SM 5m Fibre cable
LC-LC-SX1MTR	R 81	Microworld LC-LC-SX 1 meter Multi-Mode fibre cable
LC-LC-SX2MTR	R 92	Microworld LC-LC-SX 2 meter Multi-mode fibre cable
LC-LC-SX3MTR	R 104	Microworld LC-LC-SX 3 meter Multi-mode fibre cable
LC-SC-SX1MTR	R 46	Microworld LC-SC-SX 1m Multi-mode fibre cable
LC-SC-SX2MTR	R 58	Microworld LC-SC-SX 2m Multi-mode fibre cable
LC-SC-SX3MTR	R 69	Microworld LC-SC-SX 3m Multi-mode fibre cable
MC100CM	R 321	TP-Link MC100CM Fast Ethernet Media Converter, Full-duplex,up to 2Km, switching power adapter, chassis mountable
MC111CS	R 319	TP-Link MC111CS 10/100 Mbps WDM Media converter, 1x 100M SC/UPC Port, 1x 10/100 Mbit RJ45 Port, 1550nm TX / 1310nm RX, Single-mode Fiber
MC112CS	R 319	TP-Link MC112CS 10/100 Mbps WDM Media converter, 1x 100M SC/UPC Port, 1x 10/100 Mbit RJ45 Port, 1310nm TX / 1550nm RX, Single-mode Fiber

MC200CM	R 447	TP-Link MC200CM 1000Mbps RJ45 to 1000Mbps multi-mode SC fiber Converter, Full-duplex, up to 550m, switching power adapter, chassis TL-MC1400 rack-mountable
MC200CM	R 506	TP-Link Gigabit Multi-mode Media SC Fiber converter, 1x 1000Mbps SC/UPC Port, 1x Gigabit RJ45 Port, 850nm Wave length
MC210CS	R 381	TP-Link MC210CS 1000Mbps RJ45 to 1000Mbps single-mode SC fibre Converter, Full-duplex,up to 15Km, switching power adapter, chassis mountable
MC210CS	R 431	TP-Link MC210cs Gigabit Single-mode SC Fiber converter, Extends Fiber distance up to 15km, 1x 1000Mbps SC/UPC Port, 1x Gigabit RJ45 Port, 1310nm Wave length
MC220	R 194	Cudy MC220 10/100/1000M Fibre to Gigabit Ethernet Media Converter
MC220L	R 198	TP-Link MC220L 1000Mbps RJ45 to 1000Mbps SFP slot supporting MiniGBIC modules, switching power adapter, chassis TL-MC1400 rack-mountable
MC220L	R 200	TP-Link MC220l Gigabit SFP Media converter, 1x Gigabit SFP Port, 1x 10/100/1000M RJ45 Port (Auto MDI/MDIX)
MC220L	R 251	TP-Link MC220l Gigabit SFP Media converter, 1x Gigabit SFP Port, 1x 10/100/1000M RJ45 Port (Auto MDI/MDIX)
MK-FTC11XG	R 2,300	MikroTik 10Gbps Fibre to Copper converter, FTC11XG, 1x Gigabit Ethernet Port, 1x 10G Ethernet Port, 1x SFP Port, 802.3 BT PoE in, 43-57 V PoE in Input Voltage
MK-FTC21 UPS	R 1,742	MikroTik Gigabit Smart Managed Outdoor Fibre to Copper converter, FTC21, 2x Gigabit Ethernet Ports, Passive cooling Type, 24-57 V DC jack Input Voltage, 2 number of DC inputs, 802.3af/at PoE in, 1x SFP Port
MK-S 3553LC20D	R 1,397	MikroTik S-3553LC20D 1.25g Single Mode optical SFP with an LC connector - Dual pack, Works for connections up to 20km and supports DDM, S-35LC20D is A 1.25g Single Mode optical SFP module with A LC connector, T1310NM / R1550NM, S-53LC20D is A 1.25g Single Mode optical SFP transceiver with an LC connector, T1550NM / R1310NM
MT-CWDM-SFP1470	R 794	MikroTik SFP CWDM module 1.25G SM 40km 1470nm LC-connector DDM
MT-CWDM-SFP1530	R 794	MikroTik SFP CWDM module 1.25G SM 40km 1530nm LC-connector DDM
MT-CWDM-SFP1550	R 641	MikroTik SFP CWDM module 1.25G SM 40km 1550nm LC-connector DDM
MT-CWDM-SFP1570	R 675	MikroTik SFP CWDM module 1.25G SM 40km 1570nm LC-connector DDM
MT-CWDM-SFP1590	R 675	MikroTik SFP CWDM module 1.25G SM 40km 1590nm LC-connector DDM
MT-CWDM-SFP1610	R 675	MikroTik SFP CWDM module 1.25G SM 40km 1610nm LC-connector DDM
MT-RBFTC11	R 661	RouterBOARD Fiber to Copper Converter, Outdoor enclosure, poe injector, power supply
MT-RBFTC21-UPS	R 1,622	MikroTik Gigabit Smart Managed Outdoor Fibre to Copper converter, FTC21, 2x Gigabit Ethernet Ports, Passive cooling Type, 24-57 V DC jack Input Voltage, 2 number of DC inputs, 802.3af/at PoE in, 1x SFP Port
MT-RBQSFP28-10	R 6,140	MikroTik QSFP28 40G/100G module 10km SM Dual LC UPC, SM mode, 1296nm / 1300nm / 1305nm / 1309nm Wavelength, Dual LC UPC connector
MT-RBQSFP28-MM	R 1,531	MikroTik Multi-mode QSFP28 module - 100m, 850nm Wavelength
MT-RBSFP-1M	R 491	MikroTik SFP/SFP direct attach cable 1m, This is a highly cost-effective way to connect two SFP / SFP devices for very short distances within racks and across adjacent racks
MT-RBSFP-3M	R 645	RouterBOARD SFP/SFP , flylead 3m, Â© 2015 Laptop Direct
MT-RBSFP-5M	R 853	MikroTik SFP/SFP Direct Attach cable 5m, S AO0005
MT-RBSFP-MM	R 285	RouterBOARD SFP Module, LC, 1.25G, Multi-mode, 850nm, 550 meters
MT-RBSFP-MM+	R 957	RouterBOARD SFP Module, LC, 1.25G, Multi-mode, 850nm, 300 meters, 10Gbps
MT-RBSFP-MM28	R 966	MikroTik XS 85LC01D combined 1.25G / 10G SFP / 25G SFP28 module, Dual LC UPC connector, 1G / 10G / 25G Data rate, 100m distance, SFP / SFP / SFP28 Format, MM mode, 850nm Wavelength
MT-RBSFP-RJ01	R 489	RouterBOARD SFP Module, 1.25G, RJ45 Copper, 100m
MT-RBSFP-S+RJ10	R 1,098	MikroTik 10Gb RJ45 SFP Module, Up to 200m distance, data Rate - 10 Mbps / 100 Mbps / 1 Gbps / 2.5 Gbps / 5 Gbps / 10 Gbps
MT-RBSFP-SM	R 389	RouterBOARD SFP Module, LC, 1.25G, Single-mode, 1310nm, 20km
MT-RBSFP-SM+	R 2,382	RouterBOARD SFP Module, LC, 1.25G, Single-mode, 1310nm, 10km, 10Gbps
MT-RBSFP-SM-80	R 601	MikroTik Single-mode SFP Module 80Km Dual LC-Connector, 1.25G, 80KM, Dual LC, UPC, DDMI, 1550nm
MT-RBSFP-SM-BiDi	R 1,157	RouterBOARD SFP Modules (Pair), One LC Connector, 1.25G, Single-mode, Bi-directional, 1310nm/1550nm, 1 Year

MT-RBSFP-SM-BiDi+	R 6,182	MikroTik Bi-directional SFP Modules (Pair), 10G, Single-mode, Bi-directional, 1270nm/1330nm, Kit contains two SFP modules that can be used as pair to achieve operating data rate up to 10Gbps for distances up to 10km on single optical cable
MT-RBSFP-SM-BiDi-80	R 1,484	MikroTik Bi-directional SFP Modules (Pair) 80km, Single mode, 1.25G, 80KM, LC, UPC, DDMI, Tx:1490nm Rx:1550nm / Tx:1550nm Rx:1490nm, S-4554LC80D
N785-INT-SC-SM	R 2,375	Eaton Tripp Lite series Gigabit Singlemode Fiber to Ethernet Media Converter, SC, 1310 nm, 20 km (12.4 mi.), Order on Request
NEDE407-BBOU	R 8,847	Dell 407-BBOU Networking Transceiver SFP 10GbE SR, 850nm Wavelength, 300m Reach - Kit
NEDE470-AAVJ	R 808	Dell 470-AAVJ Networking Cable SFP to SFP 10GbE Copper Twinax Direct Attach Cable, 3 Meter - Kit
NEDE470-ABPS	R 783	Dell 470-ABPS Networking Cable SFP to SFP 10GbE Copper Twinax Direct Attach Cable, 2 Meter - Kit
NEDE470-ACEX	R 545	Dell 470-ACEX Networking SFP28 to SFP28 25GbE Passive Copper Twinax Direct Attach Cable, 1 Meter, Customer Kit
NEDE470-ACLT	R 1,120	Dell 470-ACLT Networking Cable OM4 LC/LC Fiber Cable, (Optics required), 2 Meter, Customer kit
NET-MC100CM	R 321	TP-Link MC100CM Fast Ethernet Media Converter, Full-duplex,up to 2Km, switching power adapter, chassis mountable, Â© 2018 Laptop Direct
NET-MC110CS	R 321	TP-Link MC110CS Fast Ethernet Media Converter, Full-duplex,up to 20Km, switching power adapter, chassis mountable
NET-MC112CS	R 261	TP-Link MC112CS 10/100Mbps WDM Media Converter
NET-MC200CM	R 448	TP-Link MC200CM Gigabit Ethernet Media Converter
NET-MC210CS	R 373	TP-Link NET-MC210CS Gigabit Ethernet Media Converter, Full-duplex,up to 15Km, switching power adapter, chassis mountable
NET-MC220L	R 194	TP-Link NET-MC220L Gigabit Ethernet Media Converter
NET-TL-MC420L	R 485	TP-Link MC420l Omada 10GB to SFP Media converter, 1 x SFP Port, 1 x 10Gbps RJ45 Port, Multi-mode / Single-mode SFP module, External Power Adapter
NET-TL-SM321A	R 224	TP-Link TL-SM321A 1000Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1550nm/RX:1310nm, single-mode, 10km
NET-TL-SM321B	R 224	TP-Link TL-SM321B 1000Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1310nm/RX:1550nm, single-mode, 10km
NET-TL-SM331T	R 224	TP-Link TL-SM331T - 1000Base-T RJ45 SFP module, Hot Swappable, 100m Maximum cable length, 1.25 Gbps Data rate, 1x Gigabit RJ45 Port
NET-TL-SM5110-LR	R 500	TP-Link TL-SM5110-LR 10GBase-LR SFP LC Transceiver
NET-TL-SM5110-SR	R 306	TP-Link TL-SM5110-SR 10GBase-SR SFP LC Transceiver, 850nm Wave length, 300m Maximum cable length, 10Gbps Data rate, LC/UPC Port Type
NET-TL-SM5220-1M	R 336	TP-Link TL-SM5220-1M 1 Meter 10G SFP Direct Attach Cable
NET-TL-SM5220-3M	R 433	TP-Link TL-SM5220-3M 3 Meters 10G SFP Direct Attach Cable
NET-TL-SM5310-T	R 635	TP-Link TL-SM5310-T 10G Base-T SFP to RJ45 module, 1x 10Gbps RJ45 Port, 10.3 Gbps Data rate, Fiber to RJ45 Port, Transmit Data up to 30m at 10 Gbps
OPT-FL-LC/LC-DPX-OS2-SM1	R 56	Optcore Fibre Flylead LC-LC SM OS2 Duplex - 1m
OPT-FL-LC/LC-DPX-SM30	R 148	Optcore Fibre Flylead LC-LC SM UPC Duplex - 30m
OPT-FL-LC/LC-MM.5	R 91	Optcore Fibre Flylead LC-LC 50/125 MM Multi Mode - 0.5m
OPT-FL-LC/LC-MM1	R 52	Optcore Fibre Flylead LC-LC 50/125 MM - 1m
OPT-FL-LC/LC-OM2-MM1	R 56	Optcore LC-LC 50/125& #181; m OM2 Multi-mode Duplex PVC Fiber Optic patch cable - 1m
OPT-FL-LC/LC-OM2-MM10	R 114	Optcore LC-LC 50/125& #181; m OM2 Multimode Duplex PVC Fiber Optic Patch Cable - 10M
OPT-FL-LC/LC-OM2-MM5	R 98	Optcore LC-LC 50/125& #181; m OM2 Multi-mode Duplex PVC Fiber Optic patch cable - 5m
OPT-QSFP28-100G-CIR4-MIK	R 1,696	Optcore QSFP-100G-CIR4 (CWDM4) Transceiver, 100Gbps transmission up to 2km, Duplex LC Interface, Advanced CWDM4 Technology, fully compliant with QSFP28 MSA standards
OPT-SFP-10KM-10G-DPX	R 263	Optcore 10G SFP LR Transceiver 10km SM Duplex LC, DDM (1310nm), 10 Gigabit Ethernet links up to 10 km over Single-mode Fiber
OPT-SFP-10KM-25G	R 1,103	Unbranded Optcore 25GBASE-LR SFP28 Transceiver, Single-mode, 1310nm, Hot-pluggable SFP28 Form Factor,

		Support for 25Gb/s Data rate, Distance up to 10km on Single Mode Fiber, LC Duplex Connector, Single 3.3V Power Supply
OPT-SFP-20KM-10G-DPX	R 224	Optcore 10GBase-LR SFP Transceiver module, 1310nm, DOM, Supports 10GBase-LR and 10gbase-lw Throughput up to 20km over Single-mode Fiber (SMF), LC Duplex Connector
OPT-SFP-20KM-DPX	R 109	Optcore 1.25G SFP LX 20km SM Duplex LC, DDM (1310nm), 1.25 Gbps SFP LX Optical Transceiver compatible with 1000BASE-LX networks, Offering reliable Gigabit Ethernet Fiber connectivity up to 20 km over Single-mode Fiber with a 1310 nm Wavelength
OPT-SFP-300M-10G-DPX	R 201	Optcore 10GBase-SR SFP Transceiver module, Multi-mode, 850nm, Up to 300m over OM3 Multi-mode Fiber
OPT-SFP-30M-C	R 919	Optcore 10GBASE-T SFP RJ45 Copper, 10GBASE-T SFP Copper Transceiver offering 10 Gigabit Ethernet over Standard CAT6A/CAT7 cabling up to 30m
OPT-SFP-500M-DPX	R 114	Optcore 1.25G SFP SX Multi-mode 1km OM3 Duplex LC, DDM (850nm), 1.25 Gbps SFP SX Multi-mode Optical Transceiver supporting short-distance Ethernet and Fiber links up to 1 km over OM3 Multi-mode fiber
OPT-SFP-BIDI-1	R 240	Optcore 1.25G BiDi SFP 3km SMF LC, DDM (1310/1550nm), 1.25 Gbps bidirectional Data over a single strand of Single-mode Fiber for up to 3 km
OPT-SFP-BIDI-1A	R 1,344	Optcore 1.25G BiDi SFP 80km SM LC MikroTik, DDM (1490/1550nm), 1.25 Gbps BiDi SFP Optical Transceiver compatible with the MikroTik S-45lc80d module delivering bidirectional Gigabit connectivity over a single strand of Single-mode Fiber up to 80 km
OPT-SFP-RJ45	R 206	Optcore 1G SFP Copper Transceiver, Supporting 1000Base-T Ethernet over CAT5/5E/6 cabling up to 100m
OPT-SFP-RJ45-A	R 459	Optcore 1G SFP Copper RJ45, Supporting 1000Base-T Ethernet over CAT5/5E/6 cabling up to 100m
QK732A	R 1,125	HPE QK732A Premier Flex LC/LC Multi-mode OM4 2 Fiber 1m Cable
QK733A	R 399	HP Premier Flex LC/LC Multi-mode OM4 2 Fiber 2m Cable
QK734A	R 529	HP Premier Flex LC/LC Multi-mode OM4 2 Fiber 5m Cable
QK735A	R 2,139	HPE QK735A Premier Flex LC/LC Multi-mode OM4 2 fiber 15m Cable
RB-CSS610	R 1,949	MikroTik CSS610-8G-2S IN Cloud Smart 8x Gigabit Switch & 2x SFP , 8x 1 Gigabit Ethernet ports, 2x SFP ports for 10G Fibre connectivity, PSU, Rack Mount, SwitchOS, 64 kb storage size, Passive PoE
RB-FTC	R 633	MikroTik Gigabit Fibre to Copper converter, RBFTC11, Outdoor case, 12-57V PoE with 802.3af/at support, 1x Gigabit Ethernet Port, 1x SFP Port
RB-FTC21	R 978	MikroTik Gigabit Smart Managed Outdoor Fibre to Copper converter, FTC21, 2x Gigabit Ethernet Ports, Passive cooling Type, 24-57 V DC jack Input Voltage, 2 number of DC inputs, 802.3af/at PoE in, 1x SFP Port
RB-FTC21-UPS	R 1,604	MikroTik Gigabit Smart Managed Outdoor Fibre to Copper converter, FTC21, 2x Gigabit Ethernet Ports, Passive cooling Type, 24-57 V DC jack Input Voltage, 2 number of DC inputs, 802.3af/at PoE in, 1x SFP Port
RBFTC11	R 627	MikroTik RBFTC11 RouterBOARD Fiber to Copper Converter in Outdoor enclosure, POE injector, Power supply, 1x SFP port, 1x 10/100/1000 Ethernet port, 12-57V input voltage, RBFTC11
RBFTC11	R 633	MikroTik RBFTC11 RouterBOARD Fiber to Copper Converter in Outdoor enclosure, POE injector, Power supply, 1x SFP port, 1x 10/100/1000 Ethernet port, 12-57V input voltage, RBFTC11
RBFTC21	R 804	MikroTik Gigabit Smart Managed Outdoor Fibre to Copper converter, FTC21, 2x Gigabit Ethernet Ports, Passive cooling Type, 24-57 V DC jack Input Voltage, 2 number of DC inputs, 802.3af/at PoE in, 1x SFP Port
RG-NIS-GE-SFP-10KM-SM1310	R 489	Reyee SFP Single-mode Fiber LC Duplex Transceiver, RG-NIS-GE-SFP-10KM-SM1310, Single-mode Fiber (SMF), Up to 10 km distance, LC Duplex connector Type
RG-OM-GE-SFP-10KM-SM1490	R 689	Reyee e-Lighten GPON Single Mode SFP module 10km, RG-OM-GE-SFP-10KM-SM1490, SC connector, 1Gbps Throughput, 1490nm continuous-mode transmitter, 1310nm burst-mode receiver
RG-SPL2016-SC	R 978	Reyee 2-in 16-out uniform Optical Splitter, RG-SPL2016-SC, 1260 nm to 1650nm operating Wavelength
RG-SPL2032-SC	R 1,551	Reyee 2-in 32-out uniform Optical Splitter, RG-SPL2016-SC, 1260 nm to 1650nm operating Wavelength
S+85DLC03D	R 929	MikroTik SFP transceiver module 10G with a Dual LC UPC connector, Multi-mode Fiber connection, 300m distance, 850nm Wavelength, S 85DLC03D
S+RJ10	R 1,045	MikroTik 10GB RJ45 SFP module, Up to 200m distance, Data rate - 10 Mbps / 100 Mbps / 1 Gbps / 2.5 Gbps / 5 Gbps / 10 Gbps, S RJ10
S-31DLC20D	R 371	MikroTik SFP transceiver module 1.25g Dual LC UPC, Single Mode Fibre connection, 20km distance, 1310nm Wavelength, S-31DLC20D

S-3553LC20D	R 1,139	MikroTik S-3553LC20D 1.25g Single Mode optical SFP with an LC connector - Dual pack, Works for connections up to 20km and supports DDM, S-35LC20D is A 1.25g Single Mode optical SFP module with A LC connector, T1310NM / R1550NM, S-53LC20D is A 1.25g Single Mode optical SFP transceiver with an LC connector, T1550NM / R1310NM
S-3553LC20D	R 1,604	MikroTik S-3553LC20D 1.25g Single Mode optical SFP with an LC connector - Dual pack, Works for connections up to 20km and supports DDM, S-35LC20D is A 1.25g Single Mode optical SFP module with A LC connector, T1310NM / R1550NM, S-53LC20D is A 1.25g Single Mode optical SFP transceiver with an LC connector, T1550NM / R1310NM
S-35LC20D	R 688	MikroTik SFP single LC UPC module S-35LC20D, 1.25G Data rate, 20km distance, Single Mode, 1310nm / 1550nm Wavelength, Single unit
S-35LC20D	R 1,121	MikroTik SFP single LC UPC module S-35LC20D, 1.25G Data rate, 20km distance, Single Mode, 1310nm / 1550nm Wavelength, Single unit
S-53LC20D	R 688	MikroTik SFP single LC UPC module S-53LC20D, 1.25G Data rate, 20km distance, SM mode, 1550nm / 1310nm Wavelength, Single Unit
S-85DLC05D	R 278	MikroTik SFP transceiver module 1.25G Dual LC UPC, Multi Mode fibre connection, 550m distance, 850nm Wavelength
S-85DLC05D	R 339	MikroTik SFP transceiver module 1.25G Dual LC UPC, Multi Mode fibre connection, 550m distance, 850nm Wavelength
S-RJ01	R 465	MikroTik S-RJ01 - RJ45 SFP 10/100/1000m Copper module, 1.25Gbps Data rate, Distance 100m
SC-SC-SM1MTR	R 35	Microworld SC-SC single-mode fibre 1 meter patch cable 2mm
SC-SC-SM2MTR	R 21	Microworld SC-SC single-mode fibre 2 meter patch cable 2mm
SC-SC-SX1MTR	R 52	Microworld SC-SC-SX 1 meter fibre Multi-mode patch cable 2mm
SC-SC-SX2MTR	R 58	Microworld SC-SC-SX 2 meter fibre Multi-mode patch cable 2mm
SC-SC-SX3MTR	R 69	Microworld SC-SC-SX 3 meter fibre Multi-mode patch cable 2mm
SFP-1000-MM13-02	R 574	Vivotek SFP-1000-MM13-02 Gigabit Mini GBIC Multi Mode 1310nm 2KM SFP Transceiver Module, LC Connector
SFP-1000-SM13-10	R 574	Vivotek SFP-1000-SM13-10 Gigabit Mini GBIC Single Mode 1310nm 10KM SFP Transceiver Module, LC Connector
SFP-AOC5	R 569	Scoop Active Optical Cable 5m 10G SFP
SFP-D25G1	R 339	Scoop Direct Attached SFP28 Cable 25Gbps 1m
SFP-DC1	R 201	Scoop Direct Attached Copper 1m 10G SFP
SFP-GE-LX-SM1310-A	R 4,299	H3C Switch accessory - 1000BASE-LX SFP Transceiver, 1310 nm central Wavelength, 10 km Maximum transmission distance, 1250 Mbps Data rate, Duplex LC connector Type, SMF Fiber mode
SFP-GE-SX-MM850-A	R 1,701	H3C Switch accessory - 1000Base-SX SFP Transceiver, 850 nm central Wavelength, 550 m Maximum transmission distance, 1250 Mbps Data rate, Duplex LC connector Type, MMF Fiber mode
SFP-GE-SX-MM850-A	R 1,933	H3C Switch accessory - 1000Base-SX SFP Transceiver, 850 nm central Wavelength, 550 m Maximum transmission distance, 1250 Mbps Data rate, Duplex LC connector Type, MMF Fiber mode
SFP-XG-SX-MM850-E	R 1,892	H3C SFP module 850nm 300m LC
SFP-XG-SX-MM850-E	R 936	H3C SFP module 850nm 300m LC, Supports 10 Gigabit Ethernet connections over Multi-mode Fiber, Transmission distance of up to 300 meters, Standard LC Interface
SI-SFP-LC	R 2,018	SIAE 2.5Gbps single mode SFP module - duplex LC connector, Up to 6.144 Gb/s bi-directional, Used for wireless basestation links up to 2 km, Built-in digital diagnostic functions
SM100GSA-20	R 105	Cudy SM100GSA-20 Single Mode 1.25Gb/s SFP module, SFP package with LC connector, 1310nm fp Laser and pin Photo detector, Up to 20km transmission on SMF
SM100GSB-20AB	R 221	Cudy Single Mode 1.25G LC Bi-Directional SFP 20km
SM10GL	R 719	Cudy SM10GL SFP to 10G RJ45 Ethernet module, RJ45 connector, 10Gbps Data rate, SFP Form Factor, Hot-pluggable SFP footprint, Compact RJ-45 connector assembly, 10 Gigabit Ethernet over Cat 6A cable
SM10GMA-03	R 194	Cudy SM10GMA-03 SFP 10Gbps LC MMF 300m module, Hot-pluggable SFP Design
SM10GSA-10	R 221	Cudy Single Mode 10G SFP 10km Optical module, SM10GSA-10, Fibre reach of up to 10 km, Duplex LC Connector Interface, compatible with SFP and SFP slots, 1310 nm Wavelength with DDM

SM220	R 133	Cudy SM220 SFP-T Gigabit RJ45 Ethernet module, Up to 1.25 Gb/s Bi-Directional Data links, Hot-pluggable SFP footprint, Compact RJ-45 connector assembly
SM311LS	R 208	TP-Link SM311LS Gigabit SFP module - Single-mode, 1310 nm Wave length, Single-mode Fiber, 20 km Maximum cable length, 1.25 Gbps Data rate, LC Duplex Port Type
SM311LS	R 259	TP-Link SM311LS Gigabit SFP module - Single-mode, 1310 nm Wave length, Single-mode Fiber, 20 km Maximum cable length, 1.25 Gbps Data rate, LC Duplex Port Type
SM321A	R 281	TP-Link SM321A Omada Gigabit Single-Mode WDM Bi-Directional SFP Module, SPEC: LC Connector, TX:1550nm/RX:1310nm, Single-mode, 10 km
SM321B	R 281	TP-Link SM321B Omada Gigabit Single-Mode WDM Bi-Directional SFP Module, SPEC: TX:1310nm/RX:1550nm, Single-mode, 10km
SM331T	R 281	TP-Link TL-SM331T 1000BASE-T RJ45 SFP Module, SPEC: 1000Mbps RJ45 Copper Transceiver, Plug and Play with SFP Slot, Up to 100 m Distance (Cat5e or above)
SM5110-LR	R 500	TP-Link SM5110-LR Omada 10Gbase-LR SFP LC Transceiver, SPEC: 1310 nm Single-mode, LC Duplex Connector, Up to 10 km Distance
SM5110-LR	R 558	TP-Link SM5110-LR Omada 10Gbase-LR SFP LC Transceiver, SPEC: 1310 nm Single-mode, LC Duplex Connector, Up to 10 km Distance
SM5110-SR	R 306	TP-Link TL-SM5110-SR Omada 10Gbase-SR SFP LC Transceiver, SPEC: 850nm Multi-mode, LC Duplex Connector, Up to 300m Distance
SM5110-SR	R 363	TP-Link TL-SM5110-SR Omada 10Gbase-SR SFP LC Transceiver, SPEC: 850nm Multi-mode, LC Duplex Connector, Up to 300m Distance
SW-DEM431XT	R 2,635	D-link DEM-431XT SFP module - multi-mode fiber transceiver - 10Gbase-SR , up to 300m (ORDER ON REQUEST)
SW-DEM432XT	R 4,741	D-link DEM-432XT SFP module - multi-mode fiber transceiver - 10Gbase-SR, up to 10Km (ORDER ON REQUEST)
TI-F11SFP	R 2,299	TRENDnet TI-F11SFP hardened Industrial 100/1000base-t to SFP Media converter, 1x Gigabit Port, 1x Gigabit SFP slot, 4 pin removable Terminal block, DIP Switch, DIN-Rail Mount, Alarm relay, IP30 metal case
TL-FC111PB-20	R 476	TP-Link TL-FC111PB-20 10/100 Mbps WDM Media converter with 1-port PoE, 1x 10/100Mbps PoE RJ45 Port, 1x 100Mbps SC Fiber Port, 1310nm TX & 1550nm RX Wave length
TL-FC311B-20	R 431	TP-Link TL-FC311B-20 Gigabit WDM Media converter, 1x Gigabit SC Fiber Port, 1x Gigabit RJ45 Port, Single-mode Fiber, 1310 nm TX Wave length, 1550 nm RX Wave length
TL-MC110CS	R 436	TP-Link 10/100Mbps RJ45 to 100Mbps single-mode SC fibre Converter, Full-duplex,up to 20Km, switching power adapter, chassis mountable
TL-MC111CS	R 562	TP-Link MC111CS Ethernet RJ45 to Ethernet Single-mode SC Fiber Converter, Full-duplex, Tx:1550nm, Rx:1310nm, Up to 20Km, Switching Power Adapter, Chassis Mountable
TL-MC112CS	R 562	TP-Link 10/100Mbps RJ45 to 100Mbps single-mode SC fibre Converter, Full-duplex,Tx:1310nm, Rx:1550nm, up to 20Km, switching power adapter, chassis mountable
TL-SM311LM	R 374	TP-Link NET-TL-SM311LM MiniGBIC Module, Multi-mode, MiniGBIC, LC Interface, Up to 550/275m Distance
TL-SM311LM	R 420	TP-Link NET-TL-SM311LM MiniGBIC Module, Multi-mode, MiniGBIC, LC Interface, Up to 550/275m Distance
TL-SM331T	R 249	TP-Link TL-SM331T - 1000Base-T RJ45 SFP module, Hot Swappable, 100m Maximum cable length, 1.25 Gbps Data rate, 1x Gigabit RJ45 Port
TL-SM5110-LR	R 792	TP-Link 10GBase-LR SFP LC Transceiver, 1310 nm Wave length, 10 km Maximum cable length, 10 Gbps Data rate, LC Duplex Port Type
TL-SM5220-3M	R 491	TP-Link TL-SM5220-3M Omada 3M Direct Attach SFP Cable for 10 Gigabit Connections, SPEC: Up to 3 m Distance
TL-SM5310-T	R 650	TP-Link TL-SM5310-T 10GBASE-T RJ45 SFP Module, SPEC: 10Gbps RJ45 Copper Transceiver, Plug and Play with SFP Slot, Support DDM (Temperature and Voltage), Up to 30 m Distance (Cat6a or above)
TL-SM5310-T	R 649	TP-Link TL-SM5310-T 10G Base-T SFP to RJ45 module, 1x 10Gbps RJ45 Port, 10.3 Gbps Data rate, Fiber to RJ45 Port, Transmit Data up to 30m at 10 Gbps
TP-DS-PMA-C+	R 621	TP-Link GPON OLT SFP Optical module - Class C , TX 1490nm, RX 1310nm, SC/UPC Fiber, 2488.32 Mbps TX,

		1244.16 Mbps RX, Maximum 20 km transmission distance, DS-PMA-C
TP-DS-PMA-C++	R 489	TP-Link GPON OLT SFP Optical module, TP-DS-PMA-C , TX : 1490 nm Wave length, RX : 1310 nm Wave length, GPON SFP device, SC/UPC Fiber, TX : 2488.32 Mbps Data rate, RX : 1244.16 Mbps Data rate
TP-MC110CS	R 321	TP-Link MC110cs 10/100 Mbps RJ45 to 100 Mbps Single-mode SC Fiber converter, 1x 100m SC/UPC Port, 1x 10/100 Mbit RJ45 Port, 1310nm Wave length, Single-mode Fiber, External Power Supply, Extends Fiber distance up to 20km
TP-MC200CM	R 448	TP-Link Gigabit Multi-mode Media SC Fiber converter, 1x 1000Mbps SC/UPC Port, 1x Gigabit RJ45 Port, 850nm Wave length
TP-MC210CS	R 373	TP-Link MC210cs Gigabit Single-mode SC Fiber converter, Extends Fiber distance up to 15km, 1x 1000Mbps SC/UPC Port, 1x Gigabit RJ45 Port, 1310nm Wave length
TP-MC220L	R 194	TP-Link MC220l Gigabit SFP Media converter, 1x Gigabit SFP Port, 1x 10/100/1000M RJ45 Port (Auto MDI/MDIX)
TP-SM311LM	R 224	TP-Link Gigabit SFP module Multi-mode, 850nm Wave length, Multi-mode Fiber, 550m Maximum cable length, 1.25Gbps Data rate, LC/UPC Port Type
TP-SM311LS	R 201	TP-Link Gigabit SFP module Single-mode, 1310 nm Wave length, Single-mode Fiber, 20 km Maximum cable length, 1.25 Gbps Data rate, LC Duplex Port Type
TP-SM331T	R 224	TP-Link TL-SM331T - 1000Base-T RJ45 SFP module, Hot Swappable, 100m Maximum cable length, 1.25 Gbps Data rate, 1x Gigabit RJ45 Port
TP-SM5110-LR	R 500	TP-Link 10GBase-LR SFP LC Transceiver, 1310 nm Wave length, 10 km Maximum cable length, 10 Gbps Data rate, LC Duplex Port Type
TP-SM5110-SR	R 306	TP-Link 10GBase-SR SFP LC Transceiver, 850nm Wave length, 300m Maximum cable length, 10Gbps Data rate, LC/UPC Port Type
TP-SM5310T	R 635	TP-Link 10G Base-T RJ45 SFP module, SM5310-T, Hot Swappable, 10.3 Gbps Data rate, 1x 10G RJ45 Port
TP-XX230V	R 967	TP-Link XX230v AX1800 Wireless Gigabit GPON HGU with VoIP, 574 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, 1x Gigabit WAN / LAN Port, 3x Gigabit LAN Ports, Support VoIP and DECT base fun, 1x USB 2.0 Port, 1x FXS Port, 1x SC/APC GPON Port
UACC-MM10G	R 776	Ubiquiti multi mode 10G LC SFP 850nm 300m, UACC-OM-MM-10G-D-2, 2x LC connector, 10Gbps Data rate, SFP Form Factor, Multi mode, 300m supported distance, 850nm Wavelength
UACC-MM1G	R 339	Ubiquiti Multi Mode 1.25Gbps LC SFP 850nm 550m, UACC-OM-MM-1G-D-2, 2x LC connector, 1.25Gbps Data rate, SFP Form Factor, Multi mode mode, 550m supported distance, 850nm Wavelength
UACC-OM-MM-1G-D-2	R 458	Ubiquiti Multi Mode 1.25Gbps LC SFP 850nm 550m, UACC-OM-MM-1G-D-2, 2x LC connector, 1.25Gbps Data rate, SFP Form Factor, Multi mode mode, 550m supported distance, 850nm Wavelength
UACC-RJ451G	R 339	Ubiquiti UFiber 1 Gigabit RJ45 SFP Transceiver module, UACC-CM-RJ45-1G, RJ45 connector, 1.25Gbps Data rate, SFP Form Factor, Copper mode, 100m supported distance
UACC-SFP-WIZARD	R 1,029	Ubiquiti Portable SFP Optical module programmer, UACC-SFP-WIZARD, SFP Wizard tool for reprogramming SFP/QSFP modules via UniFi Mobile App, Read DDM diagnostic information including Laser Link checks, OTA updates enabled through the UniFi Mobile Application, Powered by Rechargeable Li-Ion Battery with up to 75 minutes of continuous use, USB-C Power Supply a, 1.9-inch Touchscreen LCM Display for Operation
UACC-SM10G	R 1,696	Ubiquiti Single Mode 10G LC SFP 1310nm 10km, UACC-OM-SM-10G-D-2, 2x LC connector, 10Gbps Data rate, SFP Form Factor, Single Mode mode, 10km supported distance, 1310nm Wavelength
UACC-SM1GS	R 454	Ubiquiti Single Mode 1.25Gbps LC SFP Bi direct 3km, UACC-OM-SM-1G-S-2, 1x LC connector, 1.25Gbps Data rate, SFP (BiDi) Form Factor, Single Mode mode, 3km supported distance, 1310nm / 1550nm Wavelength
UB-OM-SFP28-SR	R 1,066	Ubiquiti UniFi 25 Gbps Multi-mode Optical module, Optical Transceiver capable of sustaining 25 Gbps Throughput over a Fiber connection, UACC-OM-SFP28-SR, Multi-mode Fiber, 2x LC connector Type, 850nm TX Wavelength, 850nm RX Wavelength, 100m cable distance
UB-UACC OM MM 10G D 2	R 914	Ubiquiti Multi Mode 1.25Gbps LC SFP 850nm 550m, UACC-OM-MM-1G-D-2, 2x LC connector, 1.25Gbps Data rate, SFP Form Factor, Multi mode mode, 550m supported distance, 850nm Wavelength
UB-UF GP C+	R 1,742	Ubiquiti GPON SFP ClassC SM SC/UPC 20km, UF-GP-C , 20km cable distance, 1x SC/UPC connector Type, 2.5Gbps downstream Data rate, 1310nm RX Wave length, Single mode, 1490nm TX Wavelength, 1.25 Gbps upstream Data rate, UF-GP-C

UB-UF-AE	R 660	Ubiquiti UFiber converter - 1 Gbps Fiber to Copper media converter, 24V 802.3af PoE, 1Gbps, UF-AE(SA)
UB-UF-GP-B+	R 1,549	Ubiquiti U Fiber GPON OLT SFP Module, Single-Mode Fiber, Downstream Data Rate 2.5 Gbps, Upstream Data Rate 1.25 Gbps, Cable Distance 20 km
UB-UF-GP-C+	R 1,737	Ubiquiti GPON SFP ClassC SM SC/UPC 20km, UF-GP-C , 20km cable distance, 1x SC/UPC connector Type, 2.5Gbps downstream Data rate, 1310nm RX Wave length, Single mode, 1490nm TX Wavelength, 1.25 Gbps upstream Data rate, UF-GP-C
UB-UF-GP-C+	R 1,604	Ubiquiti GPON SFP ClassC SM SC/UPC 20km, UF-GP-C , 20km cable distance, 1x SC/UPC connector Type, 2.5Gbps downstream Data rate, 1310nm RX Wave length, Single mode, 1490nm TX Wavelength, 1.25 Gbps upstream Data rate, UF-GP-C
UB-UF-INSTANT	R 831	Ubiquiti UFiber Gigabit Passive Optical Network GPON CPE, UF-INSTANT, Up to 20km GPON links, Layer 2/3 management features, 2.4Gbps downstream, 1.2Gbps upstream
UB-UF-MM-10G	R 791	Ubiquiti U Fiber, Multi-Mode Module SFP, 10G, 2 pack, TX Wavelength 850 nm, RX Wavelength 850 nm, Data Rate 10 Gbps SFP , Cable Distance 300m
UB-UF-MM-10G	R 776	Ubiquiti U Fiber Multi-mode module SFP/SFP 10 Gbps - 2 pack, 850 nm TX Wavelength, 850 nm RX Wavelength 850 nm, 10 Gbps SFP Data rate, 300m cable distance, UF-MM-10G
UB-UF-MM-1G	R 343	Ubiquiti U Fiber, Multi-Mode Module SFP, 1G, 2 pack, TX Wavelength 850 nm, RX Wavelength 850 nm, Data Rate 1.25 Gbps SFP, Cable Distance 550 m
UB-UF-MM1G	R 339	Ubiquiti UF-MM-1G U Fiber Multi-Mode Module SFP 1G - 2 pack, TX Wavelength 850 nm, RX Wavelength 850 nm, Data Rate 1.25 Gbps SFP, Cable Distance 550 m
UB-UF-OLT	R 32,999	Ubiquiti U Fiber OLT Optical Line Terminal, The OLT features eight PON ports to connect up to 1024 Nano G devices, 2x SFP ports deliver up to 20 Gbps of uplink connectivity, The 1U-high metal chassis allows for convenient mounting in a standard-sized 19" -wide rack
UB-UF-OLT-4	R 18,697	Ubiquiti U Fiber - 4 Port OLT Optical Line Terminal, 4 Gigabit Passive Optical Network Ports, Supports up to 512 Clients (128 per PON Port), One 1G/10G SFP Ethernet Ports
UB-UF-OM-XGS	R 6,494	Ubiquiti UISP UFiber GPON - XG/XGS - OLT SFP module, Single-mode Fiber, 1x SC/UPC connector Type, 1577nm TX Wavelength, 1270nm RX Wavelength, 10 Gbps downlink Data rate, 10 Gbps Uplink Data rate, 20 km Maximum cable distance
UB-UF-RJ45-1G	R 346	Ubiquiti U Fiber - RJ45 Module SFP - 1G, Allows connecting RJ45 Copper Ethernet connections to existing SFP ports
UB-UF-RJ45-1G	R 339	Ubiquiti U Fiber - RJ45 module SFP - 1G, Allows connecting RJ45 Copper Ethernet connections to existing SFP Ports, UF-RJ45-1G
UB-UF-RJ45-MG	R 1,356	Ubiquiti 10G SFP to 10/5/2.5GbE RJ45 module, UACC-CM-RJ45-MG, Up to 100 meters CAT6A cable distance, SFP to RJ45 Adapter
UB-UF-SM-10G	R 1,725	Ubiquiti U Fiber, Single-Mode Module SFP, 10Gbps, 2 pack, TX Wavelength 1310 nm, RX Wavelength 1310 nm, Data Rate 10 Gbps SFP , Cable Distance 10 km
UB-UF-SM-10G	R 1,696	Ubiquiti UF-SM-10G U Fiber Single-Mode Module SFP/SFP 10Gbps - 2 pack, TX Wavelength 1310 nm, RX Wavelength 1310 nm, Data Rate 10 Gbps SFP , Cable Distance 10 km
UB-UF-SM-10G-S	R 3,197	Ubiquiti U Fiber, Single-Mode Module SFP, 10 Gbps, BiDi, 2 pack, TX Wavelength Blue 1270 nm Red 1330 nm, RX Wavelength Blue 1330 nm Red 1270 nm, Data Rate 10 Gbps SFP , Cable Distance 10 km
UB-UF-SM-1G-S	R 501	Ubiquiti U Fiber, Single-Mode Module SFP, 1Gbps, BiDi, 2-Pack, TX Wavelength Blue 1310 nm Yellow 1550 nm, RX Wavelength Blue 1550 nm Yellow 1310 nm, Data Rate 1.25 Gbps SFP, Cable Distance 3 km
UB-UF-SM1GS	R 454	Ubiquiti UF-SM-1G U Fiber, Single-mode module SFP 1Gbps - BiDi - 2 pack, TX Wavelength Blue 1310 nm Yellow 1550 nm, RX Wavelength Blue 1550 nm Yellow 1310 nm, Data rate 1.25 Gbps SFP, cable distance 3 km
UB-USW-24-GEN2	R 5,090	Ubiquiti UniFi Switch Gen 2 - 24x Gigabit Ethernet ports & 2x SFP ports, 1.3" touch LCM, 24x Gigabit Ethernet ports, 2x SFP 1Gbps Fiber ports, Fanless, USW-24-GEN2, 1U rackmountable
UB-USW-AGG	R 5,580	Ubiquiti UniFi Switch aggregation Layer 2 Switch with 8x 10G SFP ports, USW-AGG, 8x 10G SFP ports, 1.3" Touchscreen with ar Switch management, Fanless, 4.7" depth compact enclosure, 1U rackmountable
UF-GPC	R 1,604	Ubiquiti GPON SFP ClassC SM SC/UPC 20km, UF-GP-C , 20km cable distance, 1x SC/UPC connector Type, 2.5Gbps downstream Data rate, 1310nm RX Wave length, Single mode, 1490nm TX Wavelength, 1.25 Gbps

		upstream Data rate
UF-MM-1G	R 293	Ubiquiti UF-MM-1G U Fiber Multi-Mode Module SFP 1G - 2 pack, TX Wavelength 850 nm, RX Wavelength 850 nm, Data Rate 1.25 Gbps SFP, Cable Distance 550 m
UF-OLT-4	R 20,464	Ubiquiti U Fiber - 4 Port OLT Optical Line Terminal, 4 Gigabit Passive Optical Network Ports, Supports up to 512 Clients (128 per PON Port), One 1G/10G SFP Ethernet Ports
UXG-FIBER	R 6,722	Ubiquiti 10G Multi-WAN UniFi Gateway Fiber, UXG-FIBER, 1x 10G SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Ports, 5 Gbps IDS/IPS Throughput, 30W PoE Maximum PoE wattage per Port, 30W PoE budget
VIVOTEK AW-IHS-0202	R 2,184	VIVOTEK AW-IHS-0202 Industrial 1x FE 1x FE SFP Media converter, 1x Fast Ethernet 10/100 Mbps (RJ45), 1x SFP Fast Ethernet 100 Mbps (Fiber)
VIVOTEK SFP-1000-MM85-X5I	R 631	Vivotek SFP-1000-MM85-X5I SFP module, 1.25G Data rate Gigabit, 850 nm center Wave length, VCSEL Laser Type, MMF Fiber Type, LC connector
VIVOTEK SFP-1000-SM13-10I	R 804	Vivotek Industrial Gigabit Mini GBIC Single Mode 1312nm 10km LC connector, 1.25G Data rate Gigabit, 1310 nm center Wave length, Fabry-Perot Laser Type, LC connector
VSOL-SFP-GPON-C4	R 460	VSOL GPON OLT SFP module C , 9dBm TX Power, Designed for use in Gigabit passive Optical Network (GPON) Optical line terminals (OLTs), C Power classification, Single-mode Fibre (SMF)
VSOL-SFP-XGS-C	R 3,295	VSOL XGS-PON Combo OLT SFP module N2/C , TX Power 4/7dBm, Combines both XGS-PON and GPON functionality into a single SFP package, Class N2 optics for XGS-PON, Class C optics for GPON
VSOL-SFP-XGS-N2	R 2,705	VSOL XGS-PON OLT SFP module N2, Symmetrical 10Gbps connectivity over a passive Optical Network (PON), 4-7dBm TX Power
VSOL-V2801F	R 836	VSOL V2801F xPON ONU SFP module, SC/UPC Connector, 20km transmission distance, SC/UPC Connector Optical Interface, 1xge Ethernet interfaces SFP Connector
VSOL-V2801RD	R 220	VSOL Single Port xPON ONU, V2801RD, 12V / 0.5A PSU included, 1x xPON Port (EPON PX20 and GPON Class B), SC Single Mode, SC/UPC Connector, 1x Gigabit RJ45 connectors
VSOL-V2801RGW	R 348	VSOL WiFi 4 xPON ONU/ONT with 1 GE, V2801RGW, 12V 0.5A PSU included, 1x xPON Port (EPON PX20 & GPON Class B), SC Single Mode, SC/UPC Connector, 1x Gigabit RJ45 Port
VSOL-V2802DAC	R 514	VSOL WiFi 5 xPON ONU/ONT with 2 GE, V2802DAC, 12V 1A PSU included, 1x xPON Port (EPON PX20 and GPON Class B), SC Single Mode, SC/UPC Connector, 2x Gigabit RJ45 Ports, 2.4GHz (2T2R) Wi-Fi, 5.8GHz (2T2R) Wi-Fi, Support MIMO rate up to 1.167Gbps
XQ+31LC10D	R 5,670	MikroTik 100 Gigabit QSFP28 Dual LC UPC module, 10km range, Dual LC UPC, SM Single Mode, Wavelength 1296nm / 1300nm / 1305nm / 1309nm
XS+31LC10D	R 2,323	MikroTik 10G SFP 10km Dual LC UPC module, SM Single Mode, 1310nm Wavelength, 1G / 10G / 25G Data rate, SFP / SFP / SFP28 Format
ZSK-MM-10G	R 2,400	Siklu Multi-Mode Module SFP 10Gbps MMF 850nm LC connector, AX-SFP 10G-MM
ZSK-SFP+10G-MM	R 3,756	SIKLU Multi-mode SFP 10Gbps MM 850nm Module, AX-SFP 10G-MM

< Return to the menu

Power device controllers - network

Product code	Price	Description
CL-LAN-12P	R 6,691	Clearline 12 P Port Gigabit inline protector, Protects fast Gigabit Ethernet LAN equipment, CAT5e patch leads included, 12-00376, All 8 lines protected, Each pair supports 250 Mbits/s

< Return to the menu

Power over Ethernet POE

Product code	Price	Description
502900	R 579	Intellinet Power over Ethernet (PoE) Splitter IEEE802.3af, 5, 7.5, 9 or 12 V DC output current, Retail Box
560443	R 899	Intellinet POE Splitter, IEEE802.3at, 5, 7.5, 9 or 12 V DC output current, Colour: Black
720342	R 1,899	Intellinet 12 Port Passive PoE Patch Panel - 24 Port Patch Panel with 12 port RJ45 Data In and 12 port RJ45 Data and Power Out, Retail Box

AC-POE-48V-30WP-10G	R 409	AccoNet 10 Gigabit Power over Ethernet (PoE) 48V 30W, AC-POE-48V-30WP-10G, 30W user Port Power
AC-POE-48V-65W-10G	R 654	AccoNet 10 Gigabit Power over Ethernet (PoE) 48V, 1.35Amp 65 Watt, 10gbs 802.3af/at/bt, Active PoE unit, Can not Power passive PoE devices, AC-POE-48V-65W-10G
AC-POE-USBC-24V	R 229	AccoNet Gigabit USB-C passive PoE injector 24V, LQS-POE24
ADP040-54V-POE-GL	R 470	H3C 54V 40W High Power Adapter Power Supply - including PoE injector, ADP040-54V-POE-GL, 54V Output Voltage, 40W Output Power
ADP060-55V-POE-GL	R 753	H3C 55V 60W PoE Adapter Power Supply, ADP060-55V-POE-GL, 55V Output Voltage, 60W total Output Power
AP-FIC-010A-015	R 424	Vivotek AP-FIC-010A-015 15W Indoor IEEE802.3af FE PoE Injector; 15.4W PoE output; 54VDC; 2 x 10/100Mbps RJ45 ports; automatic PoE detection; overcurrent protection; short circuit protection; 100-240VAC; 146 x 64 x 42mm; 0.2kg; IP camera compatible
CB-CNP-PSU-GB	R 268	Cambium cnPilot E410 PSU-15W, 56V, Gbps Support, AC/DC Ijector for CB-CNP-E410, Energy Level 6
CB-CNW-PSU-5GB	R 557	Cambium cnWave 5 Gigabit Ethernet DC Injector, 60W, 56V, 5GbE DC Injector, Indoor, Energy Level 6 Supply, accepts C5 connector
CB-CORE-ACDC-POE	R 8,737	Cambium C000065L002C PTP ACDC Enhanced Power Injector 56V, Accepts either 100-240 VAC or 48 VDC input
CB-CORE-PSU-GB	R 478	Cambium N000000L034A PTP PSU - Gigabit PoE Power Supply 56V 30W, Note that this PSU requires a clover power cord
CL-GPOE-RMPP24	R 9,738	Clear Line 24 Port Gigabit Rackmount PoE Surge Arrestor
CL-LAN-1	R 388	Clearline single Port Gigabit inline protector, Protects fast Gigabit Ethernet LAN equipment
CL-LAN-12	R 4,843	Miro 12 Port Gigabit Inline Protector, Protects fast gigabit ethernet LAN equipment, Cat 5e Patch Leads Included
CL-LAN-1P	R 461	Miro Single Port Gigabit PoE in-line Protector, Protects fast gigabit ethernet LAN equipment
CL-LAN-DR	R 912	Clearline Din Rail Gigabit in-line Protector Power Over Ethernet - POE Mode A B. Protects gigabit POE ethernet LAN equipment.
CL-LAN-DR Special	R 877	(On Promotion) Clearline Din Rail Gigabit in-line Protector Power Over Ethernet - POE Mode A B. Protects gigabit POE ethernet LAN equipment.
CL-POE-GB	R 959	Clearline outdoor single port POE RJ45 Gigabit Cat5e surge arrestor
CL-POE48V	R 784	Surge Protected Power over Ethernet Injector 48V, 0.8 Amp, South African 3-Pin Kettle Cord, 10/100
CT-POE-PP12G	R 1,266	Miro Rackmount 12 port passive PoE injector, Shielded, 1U, Black, 2.1mm Jack
CT-POE-PP8G	R 596	Unbranded 8 Port passive PoE injector - 24V or 48V, 10/100 Mbps, Black, No Power Supply, 2.1mm jack
CT-POE-SPLIT	R 469	Unbranded 802.3at Gigabit POE Splitter, Adjustable 5/9/12/18 Volts, ESD/Surge Protection, 60V Max Input, 25Watts Max, 30cm Network Fly Lead & Male-to-Male DC Jack Lead Included
DPE-301GI	R 569	D-Link 1-port Gigabit POE Injector
DPE-301GS	R 385	D-Link DPE-301GS gigabit POE (Power Over Ethernet) splitter terminal unit to work with DPE-301Gi base unit or PoE switch, transmit data power through network (1port), up to 100m, ideal to work with 5V/9V/12V networking device like access point, bridge, switch, router, internet security camera... etc, in: POE rj45, out: rj45 DC
DS-3E1105P-EI	R 532	Hikvision DS-3E1105P-EI, L2, Smart Managed, 4 10/100M RJ45 PoE ports, 1 10/100M RJ45 port, 802.3af/at, PoE power budget 60W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1105P-EI	R 615	Hikvision DS-3E1105P-EI, L2, Smart Managed, 4 10/100M RJ45 PoE ports, 1 10/100M RJ45 port, 802.3af/at, PoE power budget 60W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1309P-EI(B)	R 1,024	Hikvision L2, Smart Managed, 9 10/100M RJ45 PoE ports, 1 10/100M RJ45 port, 802.3af/at, PoE power budget 110W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3E1318P-EI	R 2,755	Hikvision DS-3E1318P-EI L2, Smart Managed, 16 10/100M RJ45 PoE ports, 2 Gigabit combo ports, 802.3af/at, PoE power budget 230W, Max. 300 meter long distance PoE transmission, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview
DS-3T1310P-SI-HS	R 1,917	Hikvision DS-3T1310P-SI/HS 8 Port Fast Ethernet Smart Harsh POE Switch
DS-3WG105GP-SI	R 1,231	Hikvision DS-3WG105GP-SI Access Router Concurrent Users 100, Up to 2 WAN Loadbalancing, 1 Gigabit WAN Port, 4 Gigabit PoE LAN Ports with 1 LAN/WAN Switchable, 32 APs, 58w, IPSec throughput 100Mpbs, 40K

		Concurrent sessions, Desktop/Wall
DUXPOE30	R 1,006	DuxNet DUXPOE30 30W Gigabit PoE injector, Delivers up to 30W of PoE Power with 48VDC, Gigabit Speed, Connectivity up to 100 meters
DUXPOE48V	R 397	DuxNet DUXPOE48V Passive Gigabit PoE injector, Delivers up to 30W of PoE Power with 48VDC, Supports Gigabit Speed up to 100 meters
DUXPOE90	R 1,006	DuxNet DUXPOE90 90W Gigabit PoE injector, Delivers up to 90W of PoE Power with 48VDC, Gigabit Speed, Connectivity up to 100 meters
DUXPOE90X	R 1,144	DuxNet DUXPOE90X 90W Multi-Gig PoE injector (Up to 10GB), Delivers up to 90W of PoE Power with 48VDC, 10 Gigabit Speed, 10G connectivity up to 30 meters, 5G connectivity up to 90 meters
EX-POE-1-G	R 167	Extralink PoE injector 1 Port Gigabit
EX-POE-12-GIG	R 1,489	Extralink 12 PoE injector Gigabit, 18 to 57 V 120W Output, For 19 ' ' Rack Mount (1U)
FT-HSFP	R 109	Unbranded Splice Protectors 40mm HSFP-40T 1mm Pin - 100 Pack, Heat shrinkable fibre optic splice protectors
GPER	R 518	MikroTik Gigabit passive Ethernet Repeater up to 150m, 802.3af/at, 24-57 V, 1X 10/100/1000 Ethernet ports
GS-POE15W-MG	R 301	Grandstream Enterprise 2.5Gbps 48V 15W PoE Adapter, GS-POE15W-MG, 1x 2.5Gbps RJ45 LAN in, And 1x 2.5Gbps RJ45 LAN out with PoE, Input Voltage range of 100-240VAC, 48V (15W Max) Output Voltage
GS-POE30W-MG	R 355	Grandstream Enterprise 2.5Gbps 48V 30W PoE Adapter, GS-POE30W-MG, 1x 2.5Gbps RJ45 LAN in, And 1x 2.5Gbps RJ45 LAN out with PoE, Input Voltage range of 100-240VAC, Output Voltage 54V (30W Max)
HG15A	R 229	Microworld PoE injector 15W, 1x PoE Power Supply Port, 1x 1000 Mbps Uplink Port
HG90A-DG	R 689	Microworld PoE injector 90W, 1x PoE Power Supply Port, 1x 1000 Mbps Uplink Port
HK-101700365	R 1,798	Hikvision 30W PoE injector, 30W Max Output Power, AC100V-240V Input Voltage, 56V Output Voltage range, Gigabit Pass Through Data rates, Two Gigabit adaptive RJ45 Ports, DS-2PA3000-POE
IPJ-A2010-000	R 1,010	Impinj R700 PoE Power injector without AC Power cord, The Impinj R700 Power over Ethernet Power injector powers your r700 reader, PoE Power injector 30W 56V
KIT-1	R 69	Unbranded POE KIT. Carry power a network cable from NON-POE routers to NON-POE cameras. Scenario (1): Connect cable 1 to the network router the power supply's cable to the power connector > network cable goes to the camera > Connect Cable 2 to the camera power plug to the cameras' power connector. Scenario (2): Connect cable 1 to the network router the power supply's cable to the power connector > network cable goes to the camera > Connect the Network cable to the POE camera.
LW-GPOE-RAPIDF	R 229	LigoWave RapidFire Gigabit PoE, AC input 110/220V, DC output 48V/0/5A, Data rate 10/100/1000M, POE Standard IEEE 802.3at, Designed for LigoPTP PRO and LigoPTP Unity
MI-12DC24DC-POE	R 1,164	Micro Instruments Gigabit DC PoE Injector - 12V in 24V out - 30W Max
MI-24DC48DC-POE	R 1,164	Micro Instruments Gigabit DC PoE Injector - 24V in 48V out - 30W Max
MI-GPOE-B	R 405	Miro Micro Intruments Passive Gigabit PoE, The board supports Phantom power meaning data and power on all 8 pairs of the cable, The POE was specially designed for Ubiquiti Airfiber radios and have also been tested on Siae micro wave radios
MI-POE-24-8GM-V2	R 3,862	Micro Instruments 8 channel Gigabit PoE injector with a remote management Ethernet Port, Supports Mode-B & Phantom PoE modes selectable per 4 Ports
MI-POE-F300	R 394	Unbranded Passive 24V Gigabit DC PoE Injector, For use with Cambium Force 300, Mode B Config, Fuse and Over Voltage Protection
MI-POE-PH	R 399	Miro Passive Gigabit Phantom POE Injector with Fuse and over voltage protection 60V Max
MI-POE-SP	R 810	Micro Instruments POE-SP Passive Gigabit POE injector with Surge Protection
MIM-POE-24-12W-G	R 138	Mimosa Gigabit PoE injector 24V, 24V 0.5A Power Output, Supports the A5x / C5x / C5c
MT-GESP+POE-IN	R 228	MikroTik indoor Gigabit PoE injector with surge protection, Gesp poe-in, 1x 10/100/1000 Ethernet Ports
MT-RB-GPOE	R 98	MikroTik Passive Gigabit PoE injector. The cable is used to supply power over an Ethernet cable from a NON-POE network router to a POE enabled device. A power supply is required at the originating point.
MT-RBGPEN11	R 235	MikroTik GPEN11 wall mounted power injector, 2x GB Ethernet, 1x DC Input, Passive PoE out, 12 - 57V POE
MT-RBGPEN21	R 681	MikroTik GPEN21 Smart PoE injector with SFP, 2 DC inputs (DC jack / PoE-in), 802.3af/at PoE in, 12-57 V PoE in Input Voltage, 2x Gigabit Ethernet Ports, 1x 1G Ethernet Ports with PoE-out, 1x SFP Ports
MT-RBGPER	R 445	MikroTik Gigabit passive Ethernet Repeater up to 150m, 802.3af/at, 24-57 V, 1X 10/100/1000 Ethernet ports

MT-RBGPERX4	R 988	MikroTik Outdoor PoE Splitter 1x 90W to 3x 30W, GPER14i, 4x Gigabit Ethernet Ports, 2 DC inputs, GPER14i
MT-RBGPOE-4824	R 547	MikroTik 48V to 24V Gigabit PoE Converter, This device lets you use any 48V PoE source (including Passive PoE / Telecom PoE / 802.3af / 802.3at) to power RouterBOARD devices.
NE-DPE301Gi	R 566	D-Link DWL-P301Gi Gigabit PoE Injector - iEEE 802.3AT (PoE) / 802.3AF (PoE), to work with terminal POE unit, transmit data power through network (1port), up to 100m, ideal to work with 5V/12V networking device like access point, bridge, switch, router, internet security camera... etc, with power surge protection
NET-TL-POE10R	R 171	TP-Link TL-POE10R PoE Reciever Splitter, 5V/9V/12V Output
NET-TL-POE150S	R 201	TP-Link TL-POE150S Single Port PoE Injector (48VDC)
NET-TL-POE160S	R 276	TP-Link TL-POE160S PoE Injector
NET-TL-POE170S	R 560	TP-Link Omada POE170s PoE injector, 1x Gigabit RJ45 data-in Port, 1x Gigabit RJ45 Power data-out Port, 1x AC Socket, Metal casing
NET-TL-POE2412G	R 171	TP-Link TL-POE2412G PoE Adapter
NET-TL-POE380S	R 972	TP-Link Omada POE380s 90W 10Gbps PoE injector, 1x 10Gbps RJ45 data-in Port, 1 x 10Gbps RJ45 Power data-out Port (Maximum 90 W)
NET-TL-POE4818G	R 194	TP-Link TL-POE4818G 48V 18W Passive PoE Adapter, 1x Gigabit RJ45 shielded Data in Port, 1x Gigabit RJ45 shielded Passive PoE Port, 1x AC Power Input Port
NET-TL-POE4824G	R 224	TP-Link TL-POE4824G 48V Passive PoE Adapter
NET-TL-SF1008LP	R 645	TP-Link TL-SF1008LP 8-Port 10/100Mbps Desktop Switch with 4-Port PoE
NET-TL-SG1005P	R 598	TP-Link SG1005P 5 Port Gigabit Desktop PoE Switch, 5 x FE Ports (4 PoE ports), 56W PoE Power Supply
NET-TL-SL1218MP	R 2,907	TP-Link TL-SL1218MP 16-Port 10/100Mbps 2-Port Gigabit Unmanaged PoE Switch
POE	R 29	Unbranded Single Port Fast Ethernet PoE Injector. Power supply not included - requires power supply - Inner DC connector pin (tip) powers the VDC 4/5 RJ45 network pins, Outer DC connector pin (Sleeve) powers the -VDC 7/8 pins on the RJ45 network connector.
POE-01P	R 29	Unbranded Single Port 10/100 Mbps Passive PoE injector, Female DC jack for Power Input, 2x RJ45 Ethernet LAN Ports
POE-01PG	R 46	Unbranded Gigabit Passive PoE injector, 2x Gigabit Ethernet Ports, Power Output same as Input Voltage
POE-01PG-S	R 22	Unbranded Passive PoE injector & splitter kit
POE-04PG	R 194	Unbranded 4 port Gigabit Passive PoE injector, 12-57V 1A Max per Port Power Output
POE-08P	R 148	Unbranded 8 Port Passive PoE injector, 8x 10/100 Mbps Ethernet Ports, Power Output same as Input Voltage
POE-08PG	R 259	Unbranded 8 Port Passive PoE injector, 8x Gigabit Ethernet RJ45 Ports, Power Output same as Input Voltage
POE-16G	R 1,374	Scoop 16 Port Gigabit PoE Injector, Output 18-57V
POE-24-12W-G	R 247	Ubiquiti Gigabit PoE Adapter 24V 12W with Type N cable - White, POE-24-12w-g-wh, 24VDC @ 0.5A Output voltage, Gigabit LAN Port
POE-24-12W-G-A	R 339	Ubiquiti Gigabit PoE Adapter 24V 12W with Type N cable - White, POE-24-12w-g-wh, 24VDC @ 0.5A Output voltage, Gigabit LAN Port
POE-24-12W-GEU	R 339	Ubiquiti Gigabit PoE Adapter 24V 12W with Type N cable - White, POE-24-12w-g-wh, 24VDC @ 0.5A Output voltage, Gigabit LAN Port
POE-24-24W-G-WH	R 286	Ubiquiti Gigabit PoE Adapter 24V 24W with Type N cable, POE-24-24W-G-WH, 24VDC @ 1.0A Output voltage
POE-24-30W	R 339	Procet Gigabit 24V 30W PoE Adapter with no cable, 2x Gigabit Ethernet Ports, 24V 1.25A Passive PoE Output
POE-24G	R 1,668	Ubiquiti POE-24-24W-G POE Adapter 24VDC @ 1.0A, Gigabit LAN port
POE-24PG	R 1,834	Unbranded 24 Port Rackmount Gigabit Passive PoE injector, Automatic Resettable fuse on each Port, 1U high standard Rack Mount
POE-24V-30WPG	R 292	Unbranded Gigabit Power over Ethernet (PoE) Injector - 24V, Passive, 30 watt
POE-24V15W	R 92	Procet Gigabit 24V 15W PoE Adapter with no cable, EN15G-24-3, 1x LAN Port, 1x PoE Output Port, 1x AC inout, 10/100/1000 Mbps pass through Data rates
POE-24V30W	R 132	Procet Gigabit 24V 30W PoE Adapter with no cable, 2x Gigabit Ethernet Ports, 24V 1.25A Passive PoE Output
POE-48POE-12V-OD	R 91	UltraLAN Weatherproof 48V to 12V PoE Splitter with enclosure, 10/100 Mbps Ethernet, 5.5mm x 2.1mm plug
POE-48POE-12V1A	R 79	UltraLAN PoE Splitter 802.3af/at to 12V/1A DC & Ethernet, Ccepts Standard 48-57 V Power over Ethernet and extracts a regulated 12V DC Output at up to 1.2A

POE-48POE-12V1AG	R 114	UltraLAN Gigabit PoE Splitter - 802.3af/at to 12V/1A DC & Ethernet
POE-48POE-3XGBE	R 374	UltraLAN 3-port Gigabit PoE extender - Expand Power & Network easily, 1x PoE in, 3x PoE out, Maximum Input of 30 W
POE-48POE-4XGBE	R 385	UltraLAN 4 port Gigabit PoE extender - Expand Power & Network easily, 1x PoE in 4x PoE out, Input Port accepts up to 90W of Power, Port 2 supports up to 60W, Ports 3 to 5 each provide up to 30W
POE-48POE-4XGBE-OD	R 470	UltraLAN Outdoor Gigabit 4 port PoE extender - IP55 Weatherproof, 1x PoE in, 4x PoE out, IP55-rated weather-resistant
POE-48POE-5V2.4AC	R 125	UltraLAN PoE Splitter 802.3af/at to 5V / 2.4A Type-C & Ethernet, 48V to 5V PoE Splitter, Converts Standard 802.3af/at PoE Input (48-57V) into a regulated 5V DC Output via a USB Type-C Connector
POE-48POE-5V2.4AM	R 125	UltraLAN PoE Splitter 802.3af/at to 5V / 2.4A Micro-USB & Ethernet, 48V to 5V PoE Splitter, Converts Standard 802.3af/at PoE Input (48-57V) into a regulated 5V DC Output via a Micro-USB Connector
POE-48V-12V-WP	R 68	UltraLAN Waterproof PoE Splitter 48V to 12V, Converts PoE Input to 12V DC Output, 40-57v PoE Input Voltage range, 12V DC up to 2A Output
POE-48V-30WPG	R 263	Unbranded Gigabit Power over Ethernet (PoE) Injector 48V - Passive, 30 watt
POE-48V15W	R 92	Procet Gigabit 48V 15W PoE Adapter with no cable, EN15G-3, 2x 10/100/1000 Ethernet Ports, 48V 0.32A passive PoE
POE-4G	R 173	Scoop 4 Port Gigabit PoE Injector
POE-52V-65W	R 899	Miro Gigabit power over Ethernet (PoE) 52V, 1.25Amp 65 Watt (2 x RJ45) & cord, 802.3af/at/bt PoE , Supports Siklu / Uniview / SIAE / Radwin, PSE65WI
POE-52V30W	R 132	Procet Gigabit 52V 30W PoE Adapter with no cable, EN30G, 2x 10/100/1000 Ethernet Ports, 52V 0.58A passive PoE, 10/100/1000 Mbps Data speed
POE-55V-90W	R 1,060	Miro Gigabit Power over Ethernet (PoE) 55V, 1.63Amp 90 Watt (2x RJ45) & Cord, 802.3af/at/bt POE , Support NEC Single & Dual Pole Configurations
POE-802O	R 403	Ubiquiti 802.3af to 24VDC Gigabit Outdoor Adapter
POE-8G	R 259	Scoop 8 Port Gigabit Passive PoE Injector DC
POE-BASE-G	R 68	Miro 1 Port Passive Power over Ethernet Injector Gigabit - Requires External PSU 2.1mm Jack
POE-DC24-G-AT	R 564	AccoNet DC Input Gigabit PoE injector, 802.3af/at PoE injector with 11-30 VDC Input
POE-GIG	R 46	Unbranded Single Port Gigabit PoE Injector
POE-KIT	R 25	Unbranded Passive PoE Injector and Splitter Set
POE-LAS60	R 1,386	Hikvision 60W PoE Midspan Single-Port Power Adapter LAS60, 1x Gigabit Ethernet Input Ports, 1x Gigabit Ethernet Output Ports, 60W Maximum Output Power
POE150S	R 208	TP-Link TL-POE150s Passive PoE injector, 2x Gigabit RJ45 Port, 1x 48VDC Power Input Port, 15.4W Power Supply
POE150S	R 200	TP-Link TL-POE150s Passive PoE injector, 2x Gigabit RJ45 Port, 1x 48VDC Power Input Port, 15.4W Power Supply
POE160S	R 282	TP-Link TL-POE160S PoE Plus injector Adapter, Supplies up to 30 W, 1x Gigabit RJ45 data-in Port, 1x Gigabit RJ45 power data-out Port, 1 AC Power Port
POE200	R 179	Cudy POE200 30W Gigabit PoE /PoE Injector, Up to 100 Meters, Plastic Case
POE200H	R 221	Cudy POE200H 30W 2.5Gbps Gigabit PoE injector, Up to 30W PoE Output, 1x 2.5GbE Uplink Stream, 1x 2.5GbE downlink Stream
POE2412G	R 229	TP-Link TL-POE2412G Gigabit 24VDC Passive PoE Adapter, 2x Gigabit RJ45 Port, 24V 12W Power Supply
POE300	R 414	Cudy POE300 60W Gigabit PoE /PoE Injector, Up to 100 Meters, Metal Case
POE30G-AT	R 228	Tenda POE30G-AT PoE Injector delivers up to 30W output power per port
POE40	R 496	Cudy POE40 4 port Gigabit PoE with 1x PoE Input 60W Switch, Connect a single 802.3bt/at/af PoE Input on Port 5, Split it into Four Gigabit PoE Outputs delivering up to 30W, Max Power Output of 2x 30W or 4x 12.95W across the Four Output Ports
POE400	R 664	Cudy POE400 90W Gigabit PoE injector, 10/100/1000 Mbps pass through Data rates, Output power voltage : 56VDC, 90W user Port power
POE4824G	R 228	TP-Link POE4824G 48V 24W passive PoE injector Adapter, 1x Gigabit RJ45 shielded Data IN Port, 1x Gigabit

		RJ45 shielded passive PoE Port, 1x 48VDC Power Input Port
POE4824G	R 281	TP-Link POE4824G 48V 24W passive PoE injector Adapter, 1x Gigabit RJ45 shielded Data IN Port, 1x Gigabit RJ45 shielded passive PoE Port, 1x 48VDC Power Input Port
PSU-52V60W	R 201	Scoop 52VDC 60W PSU without IEC cable, 2.1mm jack DC connector
PSU-52V96W	R 259	Scoop 52VDC 96W PSU without IEC cable, 2.1mm jack DC connector
RB-GESPIN	R 230	MikroTik indoor Gigabit PoE injector with surge protection, Gesp poe-in, 1x 10/100/1000 Ethernet Ports
RB-GPEN21	R 661	MikroTik GPEN21 PoE injector with Software Repeater, 2x 10/100/1000 Ethernet ports, Wall-mount, 802.3af/at PoE Input, 12V-57V passive PoE PoE Output, 1x 1.25Gbps SFP ports
RB-GPER	R 454	MikroTik Gigabit passive Ethernet Repeater up to 150m, 802.3af/at, 24-57 V, 1X 10/100/1000 Ethernet ports
RB-GPERX4	R 949	MikroTik Outdoor PoE Splitter 1x 90W to 3x 30W, GPER14i, 4x Gigabit Ethernet Ports, 2 DC inputs
RB-GPOE-USB	R 316	MikroTik Gigabit PoE to USB-C Adapter, Gpoe-usb, Converts Standard 802.3af/at PoE Input into stable 5 V Power, Provides 15W Output Power for Heavy loads, Maintains 2.5 Gigabit Ethernet passthrough connectivity, Includes two 2.5G Ethernet Ports, Features an Integrated DC Terminal for low-voltage 2 pin devices
RB57POW	R 328	MikroTik 57V Power Supply - high Voltage PoE injector support, Provides 57V at 0.8A (45.6W), MT48-570080-11DG
RBGESP+POE-IN	R 229	MikroTik indoor Gigabit PoE injector with surge protection, GESP POE-IN, 1x 10/100/1000 Ethernet Ports
RBGPEN11	R 1,323	MikroTik GPEN11 wall mounted power injector, 2x GB Ethernet, 1x DC Input, Passive PoE out, 12 - 57V POE
RBGPER14I	R 861	MikroTik Outdoor PoE Splitter 1x 90W to 3x 30W, GPER14i, 4x Gigabit Ethernet Ports, 2 DC inputs, GPER14i
RBGPOE	R 92	MikroTik RBGPOE Gigabit PoE injector, For using with any RouterBOARD that supports 9-48 V PoE, The Gigabit PoE has shielded connectors
RBGPOE-CON-HP	R 511	MikroTik 48 to 24V Gigabit PoE Converter, This device lets you use any 48V PoE source (including Passive PoE / Telecom PoE / 802.3af / 802.3at) to power RouterBOARD devices, RBGPOE-CON-HP
RBPOE	R 51	MikroTik RBPOE low cost passive PoE base unit, For using with routerboards that support 10-28 V PoE powering
RW-IPOE-DC	R 2,850	RADWIN RW-9921-2059 2000/5000 Indoor DC-PoE Injector, DC-DC Step-up Transformer, 10VDC - 60VDC input 48VDC PoE Out
RW-POE-24V	R 500	RADWIN RW-9921-1028 24V Gigabit PoE injector, Full over current/voltage protections
RW-POE-AC	R 1,816	Radwin indoor AC PoE device for Radwin radios, DC Output voltage 53-57v, 4-pair passive PoE, Supports up to 2.5GBase-T Ethernet, 56watts PoE power Output
RW-POE-DC-V2	R 4,886	Radwin Indoor DC 2.5GbE PoE injector, 20-60 VDC Input, 55 VDC Output, 55W Power, 4-pair Passive PoE, Terminal Block (3 pins : /- / ground)
SPS-16F2GS	R 1,489	Scoop 16 Port Fast Ethernet AI PoE Switch 2GE/1SFP Uplink
SPS-16G2S	R 2,179	Scoop 16 Port Gigabit AI PoE Switch with 2 SFP Uplink
SPS-8F2G	R 661	Scoop 8 Port Fast Ethernet Switch with 8 AI PoE Ports and 2 GE Uplink
TL-POE10R	R 229	TP-Link TL-POE10R PoE Splitter Adapter, IEEE 802.3af compliant, Data/Power over same cable, Upto 100m, 5V / 9V / 12V Power Output, Plastic case, 2x 10/100/1000 Mbps RJ45 Port
TL-POE150S	R 259	TP-Link TL-POE150s Passive PoE injector, 2x Gigabit RJ45 Port, 1x 48VDC Power Input Port, 15.4W Power Supply
TL-POE160S	R 334	TP-Link TL-POE160S PoE Plus injector Adapter, Supplies up to 30 W, 1x Gigabit RJ45 data-in Port, 1x Gigabit RJ45 power data-out Port, 1 AC Power Port
TP-POE150S	R 201	TP-Link TL-POE150s Passive PoE injector, 2x Gigabit RJ45 Port, 1x 48VDC Power Input Port, 15.4W Power Supply
TP-POE160S	R 276	TP-Link TL-POE160S PoE Plus injector Adapter, Supplies up to 30 W, 1x Gigabit RJ45 data-in Port, 1x Gigabit RJ45 power data-out Port, 1 AC Power Port
TP-POE4824G	R 224	TP-Link POE4824g 48V 24W passive PoE injector Adapter, 1x Gigabit RJ45 shielded Data IN Port, 1x Gigabit RJ45 shielded passive PoE Port, 1x 48VDC Power Input Port
TP-SF1008P	R 630	TP-Link 8 Port 10/100 Desktop PoE Switch, 8 x FE ports (4 PoE ports), 57W PoE Power Supply
TP-SG1005P	R 598	TP-Link SG1005P 5 Port Gigabit Desktop PoE Switch, 5 x FE Ports (4 PoE ports), 56W PoE Power Supply
U-POE	R 229	Ubiquiti Gigabit PoE Adapter 48V 15W with no cable, U-POE, 48V DC @ 0.32A Output Voltage
U-POE-EU	R 229	Ubiquiti Gigabit PoE Adapter 48V 15W with no cable, U-POE, 48V DC @ 0.32A Output Voltage

UACC-ETHSP-DIN	R 604	Ubiquiti UniFi 10Gbps PoE Single Port DIN Rail Surge Protector, UACC-ETHSP-DIN, Supports up to 10Gbps Ethernet Data line protection, Provides PoE passthrough capability, Features 20kA discharge current Surge rating, 2x RJ45 Female connectors
UACC-ETHSP24	R 8,044	Ubiquiti UniFi 10Gbps PoE 24 Port Surge Protector, UACC-ETHSP24, Rack-Mount Indoor panel with 1U Design, Supports up to 10 Gbps Ethernet passthrough, Includes PoE Power Delivery capability, Provides 20kA Surge discharge per Port, 48x RJ45 Female connectors for paired Ports, Enclosure constructed from SGCC Steel material
UACC-LRE	R 604	Ubiquiti UACC-LRE Long-Range Ethernet Repeater 100m , Daisy-chain up to 9 UACC-LRE ' s if used with UISP Pro cable and UniFi PoE Switch, 2x Gigabit Ethernet RJ45 Ports
UACC-PSU-210W	R 1,604	Ubiquiti 54V 210W AC Power Supply, UACC-Adapter-AC-210W-EU, C14 inlet AC Input connector, Polycarbonate jacket enclosure material, 54V DC Output rating
UB-INS-3AF-O-G	R 403	Ubiquiti instant 802.3af Outdoor Gigabit PoE converter, INS-3af-o-g, 1x GbE RJ45 Port (PoE out), 1x GbE RJ45 Port (PoE in), 24V DC 0.5A Max Power Output
UB-POE +	R 426	Ubiquiti Gigabit PoE Adapter 48V 30W with no cable, U-POE , 48V DC @ 0.65A Output Voltage
UB-POE 24 12W	R 282	Ubiquiti Gigabit PoE Adapter 24V 12W with no cable, POE-24-12W-G-WH, 24V DC @ 0.5A, Gigabit LAN Port
UB-POE 24 12W G	R 345	Ubiquiti Gigabit PoE Adapter 24V 12W with Type N cable - White, POE-24-12W-G-WH, 24VDC @ 0.5A Output Voltage, Gigabit LAN Port
UB-POE 24 24W G	R 357	Ubiquiti Gigabit PoE Adapter 24V 24W with Type N cable, POE-24-24W-G-WH, 24VDC @ 1.0A Output voltage
UB-POE 48 24W G	R 397	TP-Link POE4824G 48V 24W passive PoE injector Adapter, 1x Gigabit RJ45 shielded Data IN Port, 1x Gigabit RJ45 shielded passive PoE Port, 1x 48VDC Power Input Port
UB-POE 50 60W	R 684	Ubiquiti PoE Injector 50V 60W airFiber PoE, POE-50-60W
UB-POE-24-12W	R 152	Ubiquiti POE Injector 24V, Support passive PoE, Output Voltage 24VDC @ 0.5A
UB-POE-24-12W-G	R 173	Ubiquiti Gigabit PoE Adapter 24V 12W with Type N cable - White, POE-24-12w-g-wh, 24VDC @ 0.5A Output voltage, Gigabit LAN Port
UB-POE-24-12W-G-WH	R 223	Ubiquiti Gigabit PoE Adapter 24V 12W with Type N cable - White, POE-24-12w-g-wh, 24VDC @ 0.5A Output voltage, Gigabit LAN Port
UB-POE-24-24W-G	R 224	Ubiquiti PoE Adapter 24VDC @ 1.0A - Gigabit LAN Port, POE-24-24W-G
UB-POE-24-7W	R 742	Ubiquiti Gigabit PoE Adapter 24V 7W with no cable, POE-24-7W-G-WH, 24V DC @ 0.3A Output Voltage
UB-POE-48-24W	R 217	Ubiquiti PoE Injector 48VDC 24W, Support passive PoE, Output Voltage 48VDC @ 0.5A
UB-POE-48-24W-G	R 314	Ubiquiti PoE Injector 48VDC 24W with Gigabit LAN Port, Support passive PoE, Output Voltage 48VDC @ 0.5A
UB-POE-48G-15W	R 173	Ubiquiti PoE Adapter Gigabit 48V 15W, U-POE-AF, RJ45 shielded Socket
UB-POE-48G-30W	R 316	Ubiquiti Gigabit PoE Adapter 48V 30W, U-POE-AT, Surge protection and clamping protection, Compatible with the next generation of U6 Access points, Provides up to 30W of PoE (802.3at) Power
UB-POE-48ODU-G	R 337	Ubiquiti Instant 802.3af Adapter, Outdoor, Gigabit, 24V 0.5A Maximum power output
UB-POE-54V-80W	R 538	Ubiquiti POE Adapter for EdgePoint 54V 80W, Ubiquiti ' s EdgePoint POE-54V-80W PoE Injector is designed to power Ubiquiti ' s EP-R8 and EP-S16 EdgePoint models.
UB-POE-F	R 580	Ubiquiti Fiber Power Solution for Outdoor PoE Devices
UB-POE15	R 128	Ubiquiti Power over Ethernet Injector 15v, 0.8Amp PoE; 2 x RJ45 ports; indoor use; compact design; Ubiquiti compatible; network power supply; 85 x 44 x 29 mm; 91.7g
UB-POE24	R 223	Ubiquiti Power over Ethernet Injector 24v, 1Amp PoE, Reset Switch
UB-POE24-7W-G-WH	R 125	Ubiquiti POE24-7W-G-WH PoE Injector 24V Gigabit, 0.3A Passive PoE with SA Power Cord, Reset Switch
UB-POE24-G	R 220	Ubiquiti Power over Ethernet Injector 24v, 1Amp Gigabit PoE, Reset Switch
UB-POE24-G-WH	R 232	Ubiquiti UB-POE24-G-WH UniFi PoE injector 24V Gigabit, 1A Passive PoE with SA Power Cord, Reset Switch
UB-POE50	R 546	Ubiquiti Power over Ethernet Injector 50v, 1, 2Amp Gigabit PoE, Reset Switch
UB-U POE++	R 702	Ubiquiti 802.3af Gigabit PoE Adapter 48V - 60W, U-PoE , Gigabit LAN Ports, 48V DC @ 1.25A Output Voltage
UB-U-POE	R 148	Ubiquiti Gigabit PoE Adapter 48V 15W with no cable, U-POE, 48V DC @ 0.32A Output Voltage
UB-U-POE+	R 301	Ubiquiti Gigabit PoE Adapter 48V 30W with no cable, U-POE , 48V DC @ 0.65A Output Voltage
UB-U-POE++	R 536	Ubiquiti 802.3af Gigabit PoE Adapter 48V - 60W, U-PoE , Gigabit LAN Ports, 48V DC @ 1.25A Output Voltage
UB-U-POE+++-10G	R 943	Ubiquiti Ubiquiti 10GbE 54V 90W PoE Adapter, UB-U-POE -10G, 54VDC 1.67A Output Voltage, 4-pair Power,

		Shielded RJ45, 10GbE
UB-U-POE+-2.5G	R 375	Ubiquiti 2.5GbE 48VDC PoE Adapter (30W), UACC-PoE -2.5G, 48VDC 0.65A Output Voltage, 2-pair Power, Shielded RJ45
UB-UACC ADAPTER AC 210W	R 1,719	Ubiquiti 54V 210W AC Power Supply, UACC-Adapter-AC-210W-EU, C14 inlet AC Input connector, Polycarbonate jacket enclosure material, 54V DC Output rating
UB-USW-PSU-54V-210W	R 1,704	Ubiquiti 54V 210W AC Power Supply, UACC-Adapter-AC-210W-EU, C14 inlet AC Input connector, Polycarbonate jacket enclosure material, 54V DC Output rating
UL-POE-24-15W-G	R 109	UltraLAN Gigabit 24V (15W) PoE Adapter
UL-POE-24-30W-G	R 144	UltraLAN Gigabit 24V (30W) PoE Adapter
UL-POE-48-15W-G	R 109	UltraLAN Gigabit 48V (15W) Auto-Sensing PoE Adapter
UL-POE-52-30W-G	R 144	UltraLAN Gigabit 52V (30W) PoE Midspan injector
UPOE24-12W	R 173	Ubiquiti Gigabit PoE Adapter 24V 12W with no cable, POE-24-12W-G-WH, 24V DC @ 0.5A, Gigabit LAN Port
UPOE24-24W	R 224	Ubiquiti Gigabit PoE Adapter 24V 24W with no cable, POE-24-24W-WH, 24V DC @ 1.0A Output Voltage
UPOE24-7W	R 132	Ubiquiti Gigabit PoE Adapter 24V 7W with no cable, POE-24-7W-G-WH, 24V DC @ 0.3A Output Voltage
UPOE48-15W	R 173	Ubiquiti Gigabit PoE Adapter 48V 15W with no cable, U-POE, 48V DC @ 0.32A Output Voltage
UPOE48-30W	R 316	Ubiquiti Gigabit PoE Adapter 48V 30W with no cable, U-POE , 48V DC @ 0.65A Output Voltage
UPOE48-30W-2G	R 403	Ubiquiti 2.5Gbps 48V 30W PoE Adapter with no cable, UACC-PoE -2.5G, 48V DC @ 0.65A Output Voltage, 2.5 GbE LAN Port
UPOE48-60W	R 569	Ubiquiti 802.3af Gigabit PoE Adapter 48V - 60W, U-PoE , Gigabit LAN Ports, 48V DC @ 1.25A Output Voltage
UPOE54-60W-10G	R 776	Ubiquiti 10Gbps 54V 60W PoE Adapter with no cable, UACC-PoE -10G, 54V DC @ 1.12A Output Voltage, 10 GbE LAN Port
VER-VCS-4P1	R 4,038	Veracity Camswitch 4 Plus, VCS-4P1, 5-Port Unmanaged 10/100 Switch, Use with CAT5/5e/6 Cables, For up to 4 IP Cameras, All Ports Support 10/100 Base-T, Can be DC or PoE Powered, IEEE 802.3af PoE Standard, Supports PoE Devices up to 25W
VER-VCS-4P1-MOB	R 5,387	Veracity Camswitch 4 Mobile, VCS-4P1-MOB, 4 x Network PORTS, 1 x Data only PORT, 802.3AF PoE/802.3at PoE standards, converts wide Input voltage range to poe, up to 80 W total output, auto-configuring 10 / 100 Ethernet Switch
VER-VCS-8P2	R 7,256	Veracity Camswitch 8 Plus, VCS-8P1, Eight PoE Network Camera Ports, Two RJ45 10/100 Network Ports, Can be used with External Power Supply, Compatible with Rack-Mounting System
VER-VCS-8P2-MOB	R 8,080	Veracity Camswitch 8 Mobile, VCS-8P1-MOB, 8 x Network ports, 2 x Data only ports, 802.3af PoE/802.3at PoE standards, converts wide Input voltage range to poe, up to 80 W total output, auto-configuring 10 / 100 Ethernet switch
VER-VOR-OB12	R 966	Veracity PoE splitter (Network pass through and 12V DC), VOR-OB12
VER-VOR-OB5	R 966	Veracity PoE splitter (Network pass through and 5V DC jack), VOR-OB5
VIVOTEK AP-GIC-011A-060	R 1,896	Vivotek Gigabit Ethernet 60W UPoE Injector with Surge Protection 12KV
VIVOTEK AP-GIC-011B-090	R 1,551	VIVOTEK AP-GIC-011B-090 Gigabit 90W PoE injector, 802.3af/at/bt IEEE PoE standard, 1x Gigabit Ethernet (Data in), 1x PoE Output Port, 90W Maximum PoE Output Power
VIVOTEK AW-FET-060C-065	R 746	Vivotek 4x 10/100 Ethernet PoE Ports 2x 10/100 Ethernet Ports, Total PoE Power 60W, Output Power per Port 54VDC Max 30W
ZSK-AX-IN-10G-60W-AC-POE	R 2,345	Siklu AC PoE Injector 60W, AX-IN-10G-60W-AC-POE, 10Gbps, 100-240V Source, Used with ZSK-MH-TG-N366
ZSK-EH-60W-AC-PoE-EU	R 1,858	Siklu 60W 48V PoE Adapter, AX-IN-60W-AC-PoE-EU, 10/100/1000 Mbps pass through Data rates

< Return to the menu

Security Gateway

Product code	Price	Description
02354GBG-001	R 9,022	Huawei NetEngine AR720 Multi-Service Gateway, 2xGE combo WAN, 8xGE LAN, 2xUSB, 2xSIC, up to1200 users, forwarding performance 6Gbps
98012177	R 2,257	Huawei S380-L4T1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN, Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Ports

98012177	R 2,291	Huawei S380-L4T1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN, Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
98012178	R 3,797	Huawei S380-L4P1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN (PoE 50W), Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Port with 50 W PoE budget
98012178	R 3,540	Huawei S380-L4P1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN (PoE 50W), Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Port with 50 W PoE budget
98012178	R 4,372	Huawei S380-L4P1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN (PoE 50W), Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Port with 50 W PoE budget
98012180	R 5,751	Huawei S380-S8P2T Multi-Service Gateway with 2x GE WAN & 8x GE LAN (PoE 124W) Ports, Up to 350 users, Forwarding performance 2Gbps, Metal Chassis material, 2 x Gigabit WAN Ports, 8x Gigabit LAN with 124W PoE budget
98012180	R 3,219	Huawei S380-S8P2T Multi-Service Gateway with 2x GE WAN & 8x GE LAN (PoE 124W) Ports, Up to 350 users, Forwarding performance 2Gbps, Metal Chassis material, 2 x Gigabit WAN Ports, 8x Gigabit LAN with 124W PoE budget
ARU-IO-SG1004	R 6,061	HP SG1004 Instant On 4 port Gigabit Secure Gateway, 1x Gigabit WAN, 1x Gigabit WAN/LAN configurable, 2x Gigabit LAN, Firewall, IDS/IPS, Hardware-accelerated VPN, Site-to-site VPN, WAN resiliency, Supports up to 300 users, 64W Class 4 PoE Power, 2.4 Gbps IDS/IPS Performance, 2.3 Gbps VPN Performance
ARU-IO-SG2505P	R 8,802	HPE SG2505P Instant On 5 port 2.5G PoE Gateway, 1x 2.5GbE WAN, 1x 2.5GbE WAN/LAN, 1x 1GbE WAN/LAN, 2x 1GbE LAN, 64W Class 4 PoE, 2.3 Gbps VPN Performance, 2.4 Gbps IDS/IPS Performance
DNH-100	R 3,087	D-Link DNH-100 Nuclias Connect Hub Built-In free Nuclias Connect Software, 1x Gigabit Port, 1x Console Port, 1x USB 3.0, 1x MicroSD, Manage up to 100 Access point ' s free Nuclias Connect App
DSG350	R 8,872	Duxbury DSG350 Service Gateway 350 Mini Desktop Network Appliance, Intel Celeron J4125 Processor, 4 x RJ-45 Gigabit Ethernet Ports, 4x external USB Ports (USB 2.0), 4GB Memory DDR4 ECC DRAM, 32GB SSD storage included, Fanless Design with no noise, Made from High-Quality Aluminium, VESA Wall-Mount bracket included, DC 12V Input, Unit ships with pfSense Firewall installed
DSG365 v2	R 12,787	Duxbury DSG365 v2 Service Gateway 365 Mini Desktop Network Appliance, Intel Core i5-10210U Quad-Core Processor, 6x RJ-45 2.5GbE Ethernet Ports, 4x external USB Ports (USB 3.0), 8GB Memory DDR4 ECC DRAM, 64GB SSD storage included, Fanless Design with no noise, Made from High-Quality Aluminium, VESA Wall-Mount bracket included, DC 12V Input, Unit ships with pfSense Firewall installed
DSG770 v2	R 12,787	Duxbury DSG770 v2 Services Gateway 770 Mini Desktop Network Appliance, OnBoard Intel Core I7-10810u Quad-Core Processor, 6x RJ-45 2.5GbE Ethernet Ports, 4x external USB Ports (USB 3.0), 8GB Memory DDR4 ECC DRAM, 64GB SSD storage included, Fanless Design with no noise, Made from High-Quality Aluminium, VESA Wall-Mount bracket included, DC 12V Input, Unit ships with pfSense Firewall installed
DUX600APC	R 1,834	DuxNet DUX600APC Wireless Three-in-One Gateway Controller 1x Gigabit RJ45 WAN, 1x Gigabit RJ45 LAN Port/WAN Port (Support PoE), 7x Gigabit RJ45 LAN Ports (Support PoE), Control up to 64 Access points. DuxNet Cloud enabled
EF-CORE	R 73,284	Ubiquiti UniFi Enterprise Firewall Core Gateway, EF-CORE, IDS/IPS Throughput up to 79 Gbps, Supports over 22500 concurrent clients, Capable of 5000 concurrent IPSEC tunnels, Features a 1.3-inch Touchscreen Display, Includes an Integrated 128 GB SSD, Dual Hot-Swappable Power supplies for Redundancy, 4x 100Gbps QSFP28 Ports, 4x 25Gbps SFP28 Ports, 8x 10 GbE RJ45 Ports, 2x Gigabit Ethernet Ports, Stateful Firewall and layer 7 application-aware filtering
ER7212PC	R 4,993	TP-Link TL-ER7212pc Omada 3-in-1 Gigabit VPN Router, Fanless design, 110W PoE budget, 2x Gigabit SFP WAN/LAN Ports, 1x Gigabit WAN Port, 1x Gigabit LAN/WAN Port, 8x Gigabit LAN Ports PoE , Supports up to 20x LAN-to-LAN IPSEC VPN, 16x OpenVPN, 16x L2TP / PPTP VPN connections.
MT-RBKNOT	R 1,912	MikroTik KNOT 2.4GHz 1.5dBi Bluetooth IoT Gateway, RB924I-2ND-BT5& BG77, 650 MHz CPU, RouterOS license 4, RouterOS, 64 MB RAM, 16 MB storage size, 3 DC inputs, 802.3af/at PoE in, 12-57 V PoE in Input

		voltage, ETHER2 (18V and up) poe-out ports, 802.3af/at PoE out, 12W total Output power, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate, 2 10/100 Ethernet ports, 1 Modem (Nano SIM), RS485 Serial Console Port, 1 USB ports
MT-RBKNOT-LR8G	R 3,107	MikroTik KNOT LR8G IoT LoRaWAN Gateway - 2.4GHz Wireless / Bluetooth / LoRa, 2x 100 Mbps Ethernet Ports, RouterOS V7 Operating System, 64 MB RAM, 128 MB storage size, DC inputs - DC jack / PoE-in / MicroUSB, 300 Mbit/s Wireless 2.4GHz Max Data rate, Wi-Fi 4, SIM slots 1 Smart card (Nano SIM), 1x Mini PCI-e slots, RS485 Serial Console Port, 1x USB Port, SMA GPS RF connector Type, Uufl Bluetooth RF connector Type
MT-RBWAP-LoRa8	R 2,432	MikroTik LoRaWAN Gateway, 2.4 GHz R11E LORA8, 650MHz CPU, 64 MB RAM, 802.11b/g/n, Dual chain, LORA8 863-870 MHz antenna, RBWAPR-2ND& R11E-LORA8, RouterOS L4
MT-RDS2216-2XG-4S+4XS-2XQ	R 32,712	MikroTik RouterOS Enterprise Storage and Networking Data Serveror , DS2216-2XG-4S 4XS-2XQ, RouterOS License 6, RouterOS V7 Operating System, 32GB RAM, 128 MB storage size, 2 AC inputs, 1x Gigabit Ethernet Port, 2x 1G/2.5G/5G/10G Ethernet Ports, 4x SFP Ports, 4x 25G SFP28 Ports, 2x 100G QSFP28 Ports, 2x USB Ports, 2x M.2 slots
MT-TG-BT5-OUT	R 317	MikroTik TG-BT5-out outdoor Bluetooth Tag for KNOT or other IoT asset-tracking, 32 kb RAM, 512 kb storage size, 1x DC Input
RB-TAG-IN	R 173	MikroTik TG-BT5-IN indoor Bluetooth Tag for KNOT or other IoT asset-tracking, 32 kb RAM, 352 kb storage size, CORTEX-M33 Architecture
RB-TAG-OUT	R 288	MikroTik TG-BT5-OUT outdoor Bluetooth Tag for KNOT or other IoT asset-tracking, 32 kb RAM, 512 kb storage size, 1x DC Input
RB-WAPLORA8	R 2,294	MikroTik LoRaWAN miniPCI-e Gateway, 2.4 GHz R11E LORA8, 650MHz CPU, 64 MB RAM, 802.11b/g/n, Dual chain, LORA8 863-870 MHz antenna, RBwAPR-2nD& R11e-LoRa8, RouterOS L4
RBRDS2216-2XG-4S+4XS-2XQ	R 36,794	MikroTik RouterOS Enterprise Storage and Networking Data Server, DS2216-2XG-4S 4XS-2XQ, RouterOS License 6, RouterOS V7 Operating System, 32GB RAM, 128 MB storage size, 2 AC inputs, 1x Gigabit Ethernet Port, 2x 1G/2.5G/5G/10G Ethernet Ports, 4x SFP Ports, 4x 25G SFP28 Ports, 2x 100G QSFP28 Ports, 2x USB Ports, 2x M.2 slots
RG-CF30XS	R 14,950	Ruijie Cybrey RG-CF30XS Next-Generation Firewall, RG-CF30XS, Dual-Engine Matrix Architecture with dedicated spu decryption Chip accelerator, 1.6 Gbps NGFW Throughput for policy traffic inspection, 9.0 Gbps Maximum Packet Processing Bandwidth capacity, 8x 1g Base-T RJ45 Ports, 2x 2.5G Multi-Gig Ports, 2x 1G SFP Fiber interfaces, 2x 10G SFP Optical uplinks, Up to 1125 concurrent SSL VPN users included without License cost, Integrated 8-in-1 Security suite, Supports up to 1.5 million Active TCP sessions, New connections rate of 105000 TCP sessions per second, Built-In 64 GB Solid State Memory for log retention, Cloud Management support via Ruijie Cloud EcoSystem with AnyLink SD-WAN, Rack-Mountable 1U Chassis Design Profile
RG-WALL-1600-Z3200-S	R 10,119	Reyee Z Series 10 port Cloud-Managed Firewall, RG-WALL-1600-Z3200-S, 8x Gigabit Ethernet Ports, 1x 1G SFP Port, 1x 10G SFP Port
RG-WALL-1600-Z5100-S	R 20,124	Reyee Ruijie New-Gen Cloud-Managed Firewall, RG-WALL-1600-Z5100-S, 15 Gbps Firewall Throughput of IPv4 packets, 2.3 Mpps Firewall Throughput (Packets per second), 1000 Gateway-to-Gateway IPSEC VPN tunnels
S380-H8T3ST	R 5,438	Huawei S380-H8T3ST Multi-Service Gateway with 2x GE WAN & 1x GE SFP WAN & 8x GE LAN Ports, Up to 500 users, Forwarding performance 2Gbps, 1U Chassis height, Metal Chassis material, 2 x Gigabit WAN Port, 1x Gigabit SFP WAN Port, 8x Gigabit LAN Ports
S380-L4P1T	R 2,367	Huawei S380-L4P1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN (PoE 50W), Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Port with 50 W PoE budget
S380-L4T1T	R 2,509	Huawei S380-L4T1T Multi-Service Gateway with 1x GE WAN & 4x GE LAN, Up to 150 users, Forwarding performance 2Gbps, Metal Chassis material, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
S380-S8P2T	R 3,793	Huawei S380-S8P2T Multi-Service Gateway with 2x GE WAN & 8x GE LAN (PoE 124W) Ports, Up to 350 users, Forwarding performance 2Gbps, Metal Chassis material, 2 x Gigabit WAN Ports, 8x Gigabit LAN with 124W PoE budget
TG-BT5-IN	R 162	MikroTik TG-BT5-IN indoor Bluetooth Tag for KNOT or other IoT asset-tracking, 32 kb RAM, 352 kb storage size, CORTEX-M33 Architecture
UB-UCG FIBER	R 5,917	Ubiquiti 10G Multi-WAN UniFi Cloud Gateway Fibre, UCG-FIBER, 500 simultaneous users connected, 1x 10G

		SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Port, 5 Gbps IDS/IPS Throughput
UB-UCG MAX	R 6,107	Ubiquiti UCG-MAX UniFi Ultra Max - Multi-WAN Cloud Gateway Max, 4x 2.5 GbE RJ45 LAN Ports, 1x 2.5 GbE RJ45 WAN Port, 1.5 Gbps IDS/IPS Throughput, USB Type-C Power Method
UB-UCG-FIBER	R 6,384	Ubiquiti 10G Multi-WAN UniFi Cloud Gateway Fibre, UCG-FIBER, 500 simultaneous users connected, 1x 10G SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Port, 5 Gbps IDS/IPS Throughput
UB-UCG-FIBER	R 5,836	Ubiquiti 10G Multi-WAN UniFi Cloud Gateway Fibre, UCG-FIBER, 500 simultaneous users connected, 1x 10G SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Port, 5 Gbps IDS/IPS Throughput
UB-UCG-IND	R 11,344	Ubiquiti UCG-IND UniFi Cloud Gateway Industrial, 15x HD or 8x 2K or 5x 4K Managed cameras, 50 Managed Access hubs, 500 simultaneous users connected, 1x 10G SFP Port, 1x 10 GbE RJ45 Port, 1x 2.5 GbE RJ45 Port, 5 Gbps IDS/IPS Throughput, 115 m2 coverage area, WiFi 7, 4.3 Gbps @ 5GHz Throughput, 688 Mbps @ 2.4GHz Throughput, MicroSD card Expansion slot, 270W PoE budget, 30W PoE per Port, 90W PoE per Port
UB-UCG-MAX	R 6,036	Ubiquiti UCG-MAX UniFi Ultra Max - Multi-WAN Cloud Gateway Max, 4x 2.5 GbE RJ45 LAN Ports, 1x 2.5 GbE RJ45 WAN Port, 1.5 Gbps IDS/IPS Throughput, USB Type-C Power Method
UB-UCG-MAX	R 5,974	Ubiquiti UCG-MAX UniFi Ultra Max - Multi-WAN Cloud Gateway Max, 4x 2.5 GbE RJ45 LAN Ports, 1x 2.5 GbE RJ45 WAN Port, 1.5 Gbps IDS/IPS Throughput, USB Type-C Power Method
UB-UDM-BEAST	R 33,153	Ubiquiti UDM-BEAST UniFi Dream Machine Beast 8x 10G Ethernet & 2x SFP28 2SFP Port Cloud Gateway, 750 Managed UniFi devices, (40) 4K Managed cameras, 200 Managed Access hubs, 7500 simultaneous users connected, 8 Maximum WAN Port count, 2x 1 GbE RJ45, 8x 10 GbE RJ45, 2x 10G SFP , 2x 25G SFP28, 25 Gbps IDS/IPS Throughput, Rack Mount (1U), 128GB SSD as well as 2x 3.5" HDD Hard Drive bays
UB-UDM-PRO	R 8,830	Ubiquiti UDM-PRO UniFi Dream Machine Pro with 8 ports, All-in-One Enterprise Network appliance, 8x 10/100/1000 RJ45 LAN ports, 1x 10/100/1000 RJ45 WAN Port, 1x 1/10G SFP LAN Port, 1x 1/10G SFP WAN Port, 3.5 Gbps IDS/IPS Throughput, 4GB DDR4 system Memory, 16GB eMMC on-board Flash storage, Quad arm CORTEX-A57 Core at 1.7 GHz Processor
UB-UDM-PRO	R 8,389	Ubiquiti UDM-PRO UniFi Dream Machine Pro with 8 ports, All-in-One Enterprise Network appliance, 8x 10/100/1000 RJ45 LAN ports, 1x 10/100/1000 RJ45 WAN Port, 1x 1/10G SFP LAN Port, 1x 1/10G SFP WAN Port, 3.5 Gbps IDS/IPS Throughput, 4GB DDR4 system Memory, 16GB eMMC on-board Flash storage, Quad arm CORTEX-A57 Core at 1.7 GHz Processor
UB-UDM-SE	R 11,147	Ubiquiti UDM-SE UniFi Dream Machine Special Edition with USG & UProtect-Ready, All-in-One Router and security Gateway with an Integrated PoE Switch and Network Video recorder, 1x 2.5 GbE RJ45 Port WAN, 8x GbE RJ45 Ports LAN, 1x 10G SFP WAN, 1x 10G SFP LAN, 15.4W Maximum PoE wattage per Port by PSE 802.3af, 30W Maximum PoE wattage per Port by PSE 802.3at
UB-UDM-SE	R 10,459	Ubiquiti UDM-SE UniFi Dream Machine Special Edition with USG & UProtect-Ready, All-in-One Router and security Gateway with an Integrated PoE Switch and Network Video recorder, 1x 2.5 GbE RJ45 Port WAN, 8x GbE RJ45 Ports LAN, 1x 10G SFP WAN, 1x 10G SFP LAN, 15.4W Maximum PoE wattage per Port by PSE 802.3af, 30W Maximum PoE wattage per Port by PSE 802.3at
UB-UE-EFG	R 33,793	Ubiquiti EFG UniFi Enterprise Fortress Gateway, 12.5 Gbps routing with IDS/IPS, 2x 25G SFP28 Ports, 2x 10G SFP Ports, 2x 2.5 GbE RJ45 Ports, 2x included Hot-Swap psus for Power Redundancy, 1.3" Touchscreen
UB-USG-PRO-4	R 3,449	Ubiquiti UniFi Security Gateway, Pro-version with 4-ports
UB-UVC-AI-PORT	R 4,060	Ubiquiti UniFi Protect AI Port, UP-AI-PORT, 1x GbE RJ45 Port Networking Interface, 3840x2160 pixels Maximum camera Resolution, PoE Power Method, Enhances any UniFi or third-party camera with AI dete
UB-UXG MAX	R 4,157	Ubiquiti UniFi - UXG Max Gateway, 4x 2.5 GbE RJ45 Ports LAN, 1x 2.5 GbE RJ45 Port WAN, USB Type-C Power Method, Up to 1.5 Gbps routing with IDS/IPS
UB-UXG-FIBER	R 5,971	Ubiquiti 10G Multi-WAN UniFi Gateway Fiber, UXG-FIBER, 1x 10G SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Ports, 5 Gbps IDS/IPS Throughput, 30W PoE Maximum PoE wattage per Port, 30W PoE budget
UB-UXG-MAX	R 3,964	Ubiquiti UniFi - UXG Max Gateway, 4x 2.5 GbE RJ45 Ports LAN, 1x 2.5 GbE RJ45 Port WAN, USB Type-C Power

		Method, Up to 1.5 Gbps routing with IDS/IPS
UB-UXG-PRO	R 11,095	Ubiquiti uxg-pro UniFi next-generation Gateway Pro, 1x 1 GbE RJ45 Port LAN, 1x 10G SFP Port LAN, 1x GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen
UBNT-UDM	R 6,618	Ubiquiti UDM All-in-one Enterprise Security Gateway & Network Appliance
UCG-FIBER	R 5,836	Ubiquiti 10G Multi-WAN UniFi Cloud Gateway Fibre, UCG-FIBER, 500 simultaneous users connected, 1x 10G SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Port, 5 Gbps IDS/IPS Throughput
UCG-FIBER-TRAY	R 6,204	Ubiquiti 10G Multi-WAN UniFi Cloud Gateway Fibre with M.2 SSD Tray, UCG-Fiber & UACC-SSD-Tray, 500 simultaneous users connected, 1x 10G SFP WAN Port, 1x 10 GbE RJ45 WAN Port, 1x 10G SFP LAN Port, 4x 2.5 GbE RJ45 LAN Port, 5 Gbps IDS/IPS Throughput
UCG-IND	R 11,213	Ubiquiti UCG-IND UniFi Cloud Gateway Industrial, 15x HD or 8x 2K or 5x 4K Managed cameras, 50 Managed Access hubs, 500 simultaneous users connected, 1x 10G SFP Port, 1x 10 GbE RJ45 Port, 1x 2.5 GbE RJ45 Port, 5 Gbps IDS/IPS Throughput, 115 m2 coverage area, WiFi 7, 4.3 Gbps @ 5GHz Throughput, 688 Mbps @ 2.4GHz Throughput, MicroSD card Expansion slot, 270W PoE budget, 30W PoE per Port, 90W PoE per Port
UCG-MAX	R 6,066	Ubiquiti UCG-MAX UniFi Ultra Max - Multi-WAN Cloud Gateway Max, 4x 2.5 GbE RJ45 LAN Ports, 1x 2.5 GbE RJ45 WAN Port, 1.5 Gbps IDS/IPS Throughput, USB Type-C Power Method
UCG-MAX-EU	R 5,112	Ubiquiti UCG-MAX UniFi Ultra Max - Multi-WAN Cloud Gateway Max, 4x 2.5 GbE RJ45 LAN Ports, 1x 2.5 GbE RJ45 WAN Port, 1.5 Gbps IDS/IPS Throughput, USB Type-C Power Method
UDM-BEAST	R 31,619	Ubiquiti UDM-BEAST UniFi Dream Machine Beast 8x 10G Ethernet & 2x SFP28 2SFP Port Cloud Gateway, 750 Managed UniFi devices, (40) 4K Managed cameras, 200 Managed Access hubs, 7500 simultaneous users connected, 8 Maximum WAN Port count, 2x 1 GbE RJ45, 8x 10 GbE RJ45, 2x 10G SFP , 2x 25G SFP28, 25 Gbps IDS/IPS Throughput, Rack Mount (1U), 128GB SSD as well as 2x 3.5" HDD Hard Drive bays
UDM-PRO	R 8,504	Ubiquiti UDM-PRO UniFi Dream Machine Pro with 8 ports, All-in-One Enterprise Network appliance, 8x 10/100/1000 RJ45 LAN ports, 1x 10/100/1000 RJ45 WAN Port, 1x 1/10G SFP LAN Port, 1x 1/10G SFP WAN Port, 3.5 Gbps IDS/IPS Throughput, 4GB DDR4 system Memory, 16GB eMMC on-board Flash storage, Quad arm CORTEX-A57 Core at 1.7 GHz Processor
UDM-PRO-EU	R 8,102	Ubiquiti UDM-PRO UniFi Dream Machine Pro with 8 ports, All-in-One Enterprise Network appliance, 8x 10/100/1000 RJ45 LAN ports, 1x 10/100/1000 RJ45 WAN Port, 1x 1/10G SFP LAN Port, 1x 1/10G SFP WAN Port, 3.5 Gbps IDS/IPS Throughput, 4GB DDR4 system Memory, 16GB eMMC on-board Flash storage, Quad arm CORTEX-A57 Core at 1.7 GHz Processor
UDM-SE	R 10,459	Ubiquiti UDM-SE UniFi Dream Machine Special Edition with USG & UProtect-Ready, All-in-One Router and security Gateway with an Integrated PoE Switch and Network Video recorder, 1x 2.5 GbE RJ45 Port WAN, 8x GbE RJ45 Ports LAN, 1x 10G SFP WAN, 1x 10G SFP LAN, 15.4W Maximum PoE wattage per Port by PSE 802.3af, 30W Maximum PoE wattage per Port by PSE 802.3at
UDM-SE	R 1,271	Ubiquiti UDM-SE UniFi Dream Machine Special Edition with USG & UProtect-Ready, All-in-One Router and security Gateway with an Integrated PoE Switch and Network Video recorder, 1x 2.5 GbE RJ45 Port WAN, 8x GbE RJ45 Ports LAN, 1x 10G SFP WAN, 1x 10G SFP LAN, 15.4W Maximum PoE wattage per Port by PSE 802.3af, 30W Maximum PoE wattage per Port by PSE 802.3at
UDM-SE-EU	R 10,350	Ubiquiti UDM-SE UniFi Dream Machine Special Edition with USG & UProtect-Ready, All-in-One Router and security Gateway with an Integrated PoE Switch and Network Video recorder, 1x 2.5 GbE RJ45 Port WAN, 8x GbE RJ45 Ports LAN, 1x 10G SFP WAN, 1x 10G SFP LAN, 15.4W Maximum PoE wattage per Port by PSE 802.3af, 30W Maximum PoE wattage per Port by PSE 802.3at
UP-AI-KEY	R 18,394	Ubiquiti UniFi Protect AI Key enhances deployment with proactive threat detection, UP-AI-KEY, Capable of analyzing up to 1800 Smart detection events per hour, Features Natural Language search for quick camera event finding, Supports Advanced Face Recognition on compatible G5 and G4 cameras, Includes License Plate Recognition functionality for compatible cameras, Managed via the UniFi Protect Application Interface, Powered by PoE Method with a 50-57V supported Voltage range
UP-AI-PORT	R 3,853	Ubiquiti UniFi Protect AI Port, UP-AI-PORT, 1x GbE RJ45 Port Networking Interface, 3840x2160 pixels Maximum camera Resolution, PoE Power Method, Enhances any UniFi or third-party camera with AI dete

UXG-PRO-EU	R 10,402	Ubiquiti UXG-PRO UniFi next-generation Gateway Pro, 1x 1 GbE RJ45 Port LAN, 1x 10G SFP Port LAN, 1x GbE RJ45 Port WAN, 1x 10G SFP Port WAN, 1.3" Touchscreen

< Return to the menu

Serial RS232 to Network

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Notebook accessories

Accessories for laptops

Product code	Price	Description
0PH6K2	R 2,047	Dell 0PH6K2 T77W968 DW5821E Latitude 5420 / 5424 / 7424 Snapdragon X20 LTE Network card
0T98N2	R 414	Dell 0T98N2 Latitude 5420 / 7420 Touchpad Sensor Module
41WJD	R 416	Dell 41WJD Mini Active Stylus Pen for Latitude 11 - 5175 / 5179
460-BDVL	R 942	Dell 460-BDVL CG7325l EcoLoop protective case for Latitude 7350 detachable, Hand strap, Shoulder strap, Elastic Pen holder, Lockable
4X491AA	R 378	HP 4X491AA Rechargable Slim Pen Charger, pEn not included
4X90Q84427	R 518	Lenovo 4X90Q84427 ThinkPad Ethernet extension Adapter Gen 2, For ThinkPad x280 ThinkPad X1 Carbon (6th), Converts the special Micro Ethernet connector on supported ThinkPad computers to the standard RJ45 connector
4XC0M95181	R 1,839	Lenovo ThinkPad EM7455 4G LTE Mobile Broadband, PCIe M.2 form factor, 300 Mbps maximum Download Speed, 50 Mbps maximum Upload Speed
4XC0R38452	R 4,599	Lenovo 4XC0R38452 ThinkPad Fibocom L850-gl CAT9 M.2 WWAN
580-AKTI	R 3,655	Dell 580-AKTI XPS Folio Keyboard for XPS 13 2-in-1
5C10S30052	R 102	Microworld SATA HDD / SSD cable, Generic Lenovo SATA Hard Drive cable that connects the Motherboard to the internal 2.5" bay (Lenovo products as listed)
750-ADRC	R 1,490	Dell 750-ADRC Premier Rechargeable Active Pen - PN7522W, Bluetooth 5.0 Interface, 3x buttons, 4096 pressure levels, Pressure sensitivity, Tilt sensitive, Rechargeable battery, LED indicator, Find my Pen Function, Up to 40 days run time
750-ADRD	R 804	Dell 750-ADRD Active Stylus Pen - PN5122W, 2x buttons, 4096 pressure levels
750-ADRD	R 819	Dell 750-ADRD Active Stylus Pen - PN5122W, 2x buttons, 4096 pressure levels
A72514-B	R 138	Astrum CS140 3 in 1 Multi Cleaning Kit
AMM163AMGL	R 101	Targus AMM163AMGL Antimicrobial 2-in-1 Pen Stylus Black, Works with capacitive Touch Screen devices, Simply twist to use the Pen
DSY-SK653	R 79	Disney High School Musical 15" Full-Color printed, 5 mm thick Notebook Skin, Retail Packaged *LAPTOP NOT INCLUDED*
DW-L8SS	R 266	LG 8x Sata internal Slim (12.7mm) super-multi DVD writer, DL dvd R, dvd& #177; r/rw dvd-ram cd /-rw
E5M74AA	R 1,329	HP lt4112 LTE/HSPA 4G Mobile Broadband, Compatible with --> HP EliteBook 825 G2 / HP Elitebook 845 G2 / HP Revolve 810 G2 / HP ZBook 14 / HP ZBook 15 / HP ZBook 17 / HP ProBook 655 G1 / HP ProBook 650 G1 / HP ProBook 645 G1 / HP ProBook 640 G1 / HP Elitebook 820 G1 / HP Elitebook 850 G1 / HP Elitebook 840 G1 notebooks
E5M76AA	R 599	HP hs3110 HSPA Mobile Broadband Module, Compatible with --> HP EliteBook 825 G2 / HP Elitebook 845 G2 / HP ZBook 14 / HP ZBook 15 / HP ZBook 17 / HP ProBook 655 G1 / HP ProBook 650 G1 / HP ProBook 645 G1 / HP ProBook 640 G1 / HP Elitebook 820 G1 / HP Elitebook 850 G1 / HP Elitebook 840 G1 notebooks
GCCLP	R 62	GIZZU Laptop Lock Plate
HU-JCH349	R 274	J5-Create JCH349 charging bridge - USB type-C (10Gbps) -> 1x type-A (Gen2 10Gbps) 1x type-C hub, ideal for desktop or notebook/new macbook, 30x10x50mm direct attach design, USB-powered, also work as type-C charger for mobile or new macbook

LAPSTICK	R 114	Microworld 15.6" Laptop Skin - Marble, Durable protection, Easy to apply & remove
LAPSTICK1	R 114	Microworld 15.6" Laptop Skin - Denim, Durable protection, Easy to apply & remove
LAPSTICK2	R 114	Microworld 15.6" Laptop Skin - Travel Graffiti, Durable protection, Easy to apply & remove
LAPSTICK3	R 114	Microworld 15.6" Laptop Skin - 90 ' s Kids, Durable protection, Easy to apply & remove
MU736	R 633	Huawei M.2 Mini PCIe Internal 3.75G HSPA Module, *Download: 21Mbps, Upload: 5.76Mbps
NA-i8265NG	R 286	Intel 8265.NGwmg.dtx1 - Wi-fi AC desktop kit - m.2 2230 (key A/E) - 2.4/5Ghz, WiFi-AC 8265 867Mbps BT5.0 combo, external antenna
NA-SECL1400	R 412	Sunix ECL1400: 1 x 10/100/1000 Gigabit LAN, Express Card 34 (for 34 or 54 slot) card, single lane PCI-express link (2.5Gb/sec)
NBDE750-ADRC	R 1,689	Dell 750-ADRC Premier Rechargeable Active Pen - PN7522W, Bluetooth 5.0 Interface, 3x buttons, 4096 pressure levels, Pressure sensitivity, Tilt sensitive, Rechargeable battery, LED indicator, Find my Pen Function, Up to 40 days run time
NBDE750-ADRD	R 884	Dell 750-ADRD Active Stylus Pen - PN5122W, 2x buttons, 4096 pressure levels
NBHP4X491AA	R 383	HP 4X491AA Rechargable Slim Pen Charger, pen not included
NBLE4X80R38451	R 700	Lenovopen 4X80R38451 Pro for 11e Yoga 5th Gen, 4096 level of pressure sensitivity
NBLE4X80U90631	R 700	Lenovo 4X80U90631 ThinkPad Pen Pro - 7, 6.5mm Diameter, Up to 4096 levels of pressure sensitivity, Rapid charge, Up to 130 minutes active use for one full charge, Compatible with: ThinkPad x390 Yoga
NBLE4X90Q84427	R 580	Lenovo 4X90Q84427 ThinkPad Ethernet extension Adapter Gen 2, For ThinkPad x280 ThinkPad X1 Carbon (6th), Converts the special Micro Ethernet connector on supported ThinkPad computers to the standard RJ45 connector
NNABC2950XU01	R 999	AirBar Touchscreen Sensor for 13.3" Windows 10 Laptops - Adds Touch Functionality to Your Laptop, Touch With A Finger, Glove, Paintbrush, Stylus, Designed for 13.3 inch Windows 10 Laptops, Power Source USB Bus-Powered, USB Type A Host Port - Black, Retail Box
PA3408U-2ETC SPECIAL	R 463	(On Promotion) Toshiba Ultra Slim Select Bay HDD Adaptor
SN-208BB/BEBE	R 230	Samsung Notebook Slim-Type DVD/RW Super Multi SATA Optical Drive, Windows 7 Compatibility, Buffer Unerrun Free, Firmware Live Update, DVD Read/Write Speed 8X, CD Read/Write Speed 24X, 1 MB Buffer Memory, Horizontal/Vertical Drive Installing Method.
SVC3225G/10	R 145	Philips Cleaning kit SVC3225G Computer/Notebook screen
U9BA7E	R 450	HP Care Pack 3 Year Next Business Day Onsite Warranty upgrade Service, Notebook Only
U9BA7E	R 1,022	HP Care Pack 3 Year Next Business Day Onsite Warranty upgrade Service, Notebook Only
U9BA7E	R 459	HP Care Pack 3 Year Next Business Day Onsite Warranty upgrade Service, Notebook Only
U9BA7E	R 454	HP Care Pack 3 Year Next Business Day Onsite Warranty upgrade Service, Notebook Only
UNIMLDBGEOAK	R 149	UniQue Multifunctional Foldable Laptop Desk-Wood Finish Table Top - Compact Space Saving Design, Durable And Stable, Strong Steel Base Frame, Powder Coated Finished Legs, Four Skid-Proof Rubber Foot Pad, Ideal For Laptops, Tablets PC's And Reading, Colour Beige Oak Finish Retail Box No Warranty
UNIMLDBLKOAK	R 149	UniQue Multifunctional Foldable Laptop Desk-Wood Finish Table Top - Compact Space Saving Design, Durable And Stable, Strong Steel Base Frame, Powder Coated Finished Legs, Four Skid-Proof Rubber Foot Pad, Ideal For Laptops, Tablets PC's And Reading, Colour Black Oak Finish, Retail Box, No Warranty
UNIMLDGREEN	R 149	UniQue Multifunctional Foldable Laptop Green Table Top - Compact Space Saving Design, Durable And Stable, Strong Steel Base Frame, Powder Coated Finished Legs, Four Skid-Proof Rubber Foot Pad, Ideal For Laptops, Tablets PC's And Reading

< Return to the menu

Notebook cooling / stands

Product code	Price	Description
8020201	R 1,021	Fellowes Smart Suites Laptop Riser, 3 height adjustments (Notebook, cellphone and flash not included)
8024602	R 1,080	Fellowes Prof Series Laptop Workstation & USB Hub, 9 angle height adjustment (Notebook not included)
8030402	R 414	Fellowes Go Riser Black up to 15.4" laptop - 3 height adjustments
8032001	R 979	Fellowes Office Suites Black Laptop Riser - 6 height adjustments (Notebook not included)
8038401	R 807	Fellowes Designer Suites Laptop Riser

901099	R 396	Port 901099 connect 15.6" Notebook Cooler Pro, Ergonomic 6-level height adjustment, Quiet dual-propeller ventilation system, 2 side USB Ports
901099	R 332	Port 901099 connect 15.6" Notebook Cooler Pro, Ergonomic 6-level height adjustment, Quiet dual-propeller ventilation system, 2 side USB Ports
901103	R 436	Port 901103 Notebook stand Aluminium Ergonomic Notebook stand with no fan, Compatible with 10 " to 15.6" notebooks
901107	R 248	Port 901107 connect Travel fold-able 15.6" Notebook stand, Ergonomic 6-level height adjustment, ITS structure is fold-able, Ultra-thin, Light for Maximum portability (Laptop not included)
901108	R 711	Port 901108 connect Ergonomic Aluminium 15.6" Notebook stand, Ergonomic height adjustment, Support is adjustable from 6.5 to 20.5 cm in height (laptop not included)
901108	R 698	Port 901108 connect Ergonomic Aluminium 15.6" Notebook stand, Ergonomic height adjustment, Support is adjustable from 6.5 to 20.5 cm in height
9311202	R 434	Fellowes I-Spire Graphite Laptop Lift, Holds max 6kg. Curvature design
A83010-B	R 91	Astrum CP100 Laptop / Tablet stand expendable Multi-Level, Lightweight & durable materials, Designed for optimal Airflow, Non-Slip Surface
ALCP150B	R 108	Astrum LCP150 15.6" Laptop Cooling Pad; 125mm quiet fan; 1000 RPM plus or minus 10%; USB DC 5V; USB-A male input; USB-A female pass-through; metal mesh; adjustable tilt stand; LED indicator; 350 x 260 x 32mm; 0.4kg
ALCP152B	R 148	Astrum ALCP152B LCP152 15.6" Led 4 Level 2 x 120mm Fan Laptop Cooling Pad. Dual 120mm LED fans; 4-level adjustable stand; Anti-slip feet; Integrated phone stand; Dual USB ports; Compatible with laptops up to 15.6" ; USB powered; Metal mesh surface; Approximately 360 x 270 x 30 mm; Approximately 0.75 kg
ALCP156B	R 251	Astrum ALCP156B LCP156 15.6" 6 x 60mm Fan Led 5 Level Laptop Cooling Pad. Fan Configuration: 6 x 60mm LED fans; Fan Speed: 2500 - 10% RPM; Height Adjustment: 5 levels; USB Ports: 2; Compatibility: Laptops up to 15.6 inches; Surface Material: Metal mesh; Power Input: 5V DC; Dimensions: ~370 x 270 x 30 mm; Weight: ~0.85 kg
ALCP172B	R 361	Astrum ALCP172B LCP172 17" Laptop Cooling Pad with 2 x 120mm Fan RGB 6 Level. Fan Size: 125mm x 125mm x 15mm; Fan Speed: 1100@10% RPM; RGB Lighting: Yes; Adjustable Stand: 6 Levels; USB Ports: 2 x USB 2.0; Phone Holder: Yes; Compatibility: Up to 17-inch laptops; Power Input: 5V DC; Dimensions: 355 x 257 x 24 mm; Weight: ~540g
AWE810GL	R 322	Targus AWE810GL adjustable portable ergonomic Laptop/Tablet stand Silver, Works with most 10-15.6" screens, 6 adjustable heights, Made of high-quality aluminum, Folds flat for easy storing and portability, Grey pouch
BRK-AR-1	R 338	Lumi 11-15" Deluxe Aluminium Desktop Stand
BRK-FAN-ERGO-STAND	R 221	Unbranded Ergo Stand - Notebook Cooler Fan - 370 x 265 x 33 ~ 58mm
BRK-LSTAND-D1109A	R 1,781	Unitek rotating Laptop stand wth USB-C Dock, D1109A, Single 4K@60Hz 3840x2160 @ 60Hz Display, Foldable and detachable Design, 100W PD charging & Data transfer, RJ-45 Gigabit Ethernet Port, 2x USB 3.0 Ports. Up to 14" - check base size (260mm x 224mm)
BRK-LSTAND-D1109B	R 1,364	Unitek D1109B 17" Universal Notebook stand with 360 degrees Rotating base and Port replicator, USB-C PD 100W Host Power (PD), 4K@60Hz Max Output Resolution, 1x HDMI, 2x USB Type-A 5Gbps (Downstream), 1x USB-C 5Gbps (Upstream), Gigabit Ethernet RJ45 jack, 60cm cable length, Aluminum Alloy material
BRK-NBH-2	R 489	Lumi Steel Laptop Holder, 75x75/ 100x100, Vesa
CL-03	R 344	Microworld Folding Laptop / Notebook Stand Silver, 11-16 inch laptops; folding design; silver; aluminum alloy; 4mm thickness; silicone support; up to 10kg load capacity; portable laptop stand
CL-N004-PL20BL-A	R 458	Thermaltake Massive V20 Notebook Cooler/ Stand
CL-N011-PL20BL-A	R 573	Thermaltake Massive A21 Notebook Cooler/ Notebook Stand
CL-N013-PL12BL-A	R 354	Thermaltake massive A23 Notebook cooler, 350x260 x 32 mm dimensions, Plastic metal Mesh, 38 CFM air flow fan
CL-N014-PL20SW-A	R 768	Thermaltake Massive 20 RGB Notebook Cooler, For 10" - 19" notebooks, 471 x 354.5 x 46.5 mm dimensions, 600-800 rpm fan Speed, 64 CFM Air Flow, 256 colors RGB LED strip
CT-27-B	R 286	Microworld Foldable ALU Alloy Tablet Phone stand, Aluminum Alloy material, 7-13" Tablet and Phone

DP-N214A5-UPAL	R 178	Deep Cool U PAL Dual Fan Notebook Cooling Stand, 1000 fan Speed, 92.22cfm Maximum Air Flow, Hydro bearing, 2 x 140mm fans
DS-USB-DOCK-D1137A	R 837	Unitek D1137A Foldable Laptop stand with USB Type-C Port replicator, USB-C PD 100W Host Power (PD), 4K@60Hz Max Output Resolution, 1x HDMI, 2x USB Type-A 5Gbps, 3x USB-C, 1x Micro USB, 1x SD card slot, 1x Micro SD card slot, 60cm cable length, Aluminum Alloy material
HDDCOOLER	R 75	Microworld 30cm x 24.5cm notebook stand, 3x 60mm Fans, USB power
LAP001	R 459	Microworld Laptop stand Docking Station - Black, Aluminum Alloy Silicone ABS PC material, 7-17 inch devices supported, Type-C x1 Dock Input Interface, Type-C Output Interface, 3x USB 3.0 5Gbps
LP258-20471	R 267	Ugreen Vertical Aluminium 15.6" Laptop stand with Extensible slot, Aluminium Alloy with Silicone padding, Up to 1.0" slot width range, Up to 15.6" screen, Adjustable slot width, Silicone Anti-Slip padding
LP339-40291	R 544	UGreen 17.3" adjustable Laptop stand - Silver, Aluminum Alloy Silicone material, 5 kg Maximum weight of the device, Up to 17.3" notebooks
LP451-40289	R 274	Ugreen Aluminium adjustable Laptop stand up to 17.3" , Aluminium Alloy Silicone material, 4.65cm - 13.65cm height adjustment range, Silicone padding
LS-AANT01	R 677	Aavara ANT01 - Notebook Tray with mousepad expansion - 100x100 vesa mount for desk stands & wall mount
MST01	R 259	Microworld MST01 Monitor stand with 4x USB
NBC001	R 144	Microworld 2000 17" Cooler Pad with 2 x fans (Blue 140mm LED). Metal Mesh Panel. 6 adjustable angles. On/Off switch with red LED power indicator. USB2.0 pass-through port. Anti-slip pop-up catch at front.
NBLEGXF0X02619	R 285	Lenovo GXF0X02619 2-in-1 Laptop stand & phone stand, 0-190mm height adjustment range, 10 levels of adjustment from 0 to 54 degrees, Additional cellphone stand for Multitasking, Non-Slip rubber Surface
NBT001	R 229	Microworld Bamboo notebook tray type II - angled for easier viewing and use - ideal for use while in bed, sitting on couch (no cooling fan or connections)
NC-ANCD	R 216	Antec Notebook Cooler Designer - portable, compact light weight, 23dBA, 4.5CFM, 110mm fan, 800rpm, powered by usb - silver
NC-CMATHK	R 163	CHoiiX C-HL02-KP, Mini Air-Through, with usb HUB, black, 10" notebook cooler - aluminum/ plastic, 70mm fan, powered by usb plus 4 x USB downstream port.
NC-CMATHW	R 163	CHoiiX C-HL02-WP, Mini Air-Through, with USB HUB, White Silver, 10" notebook cooler - aluminium plastic, 70mm fan, powered by USB 4 x USB downstream port, 300x230x30mm - retail pack
NC-CMATK	R 163	CHoiiX C-HL03-KP, Mini Air-Through, Black, 10" notebook cooler - aluminium plastic, 70mm fan, powered by USB, 300x230x30mm - retail pack
NC-CUCB	R 145	CHoiiX C-HS01-BE - U cool notebook pad, Blue, for 15" notebook, protect legs from heat generated by notebook, U-shape design allow airflow underneath notebook, skid-proof, EVA/ micro-fiber, no fan.
NC-CUCG	R 145	CHoiiX C-HS01-GE - U cool notebook pad, Green, for 15" notebook, protect legs from heat generated by notebook, U-shape design allow airflow underneath notebook, skid-proof, EVA/ micro-fiber, no fan.
NC-CUCK	R 164	CHoiiX C-HS01-KE - U cool notebook pad, black, for 15" notebook, protect legs from heat generated by notebook, U-shape design allow airflow underneath notebook, skid-proof, EVA/ micro-fiber, no fan.
NC-JTS127	R 802	J5-Create JTS127 multi-angle mobile stand, up to 16" notebook - aluminum construction, adjustable angle and height, support up to 4Kg, fold-able design
NC-JTS223	R 1,071	J5create JTS223 multi-angle mobile stand with 4-port USB hub, up to 16" notebook - aluminum construction, adjustable angles and height, support up to 4Kg, fold-able design, detachable type-C USB hub (4x type-A), fold-able design with protective bag
NC-TAWE81	R 524	Targus AWE81EU Chill Mat, 4 angle adjustable settings, 17" Notebook Cooler - plastic, powered by USB 4 x USB downstream port, 2500 RPM fan, 355x25x260mm
NC-VN420	R 368	Vantec LPC-420 LapCool 4 Foldable Notebook Cooler with Dual Adjustable Fans and USB Hub
NO114	R 12	Okion FriGpad Laptop Cooling Mat. Passive gel cooling mat; fits 12-17" laptops; no fans; silent; reduces heat transfer to lap & furniture.
NP3600	R 193	Jetart Notebook Cooling Portable, Metalic Blue, An evolved external notebook cooling device... come out with a slimmer body, smarter structure and super fine touch. 12-15"
NP3600-BK	R 233	Jetart Notebook Cooling Portable, Black, An evolved external notebook cooling device... come out with a slimmer

		body, smarter structure and super fine touch. 12-15" Jetart Notebook Cooler, Hidden Rubber Pad, Fine Metallic Blue Coating, Outline Dimensions - 300 X 262 X 20 Mm, Fan Dimensions - 70 X 70 X 10 Mm, Power - Usb Wire (Shares Notebook Power), Rated Voltage - Dc 5 V, Rated Current - 0.5 A, Power Consumption - 2
NP6980	R 334	Jetart Notebook Cooler Outline Dimensions - 305 X 160.0 X 22.7 Mm, Power - Usb Wire (Provided By Notebook), Rated Voltage - Dc 5 V, Rated Current - 0.2 A, Power Consumption - 1.0 W, Fan Speed - 2300 R.P.M, Bearing Type - Sleeve Bearing, Weight - 550 G, Accessories - Usb Wire 50 Cm.
NP8000	R 79	Jetart Notebook Cooling Mini Usb Powered, Compact and light body,Ultra silent fan,USB power supply,Complete hidden design,Unique cable storage compartment,Suitable for 12” to 17" notebooks.
RD-GCP500	R 455	Redragon RGB Gaming Notebook Stand with Fans
RD-GCP511	R 370	Redragon Dual Usb 3 Fan RGB Gaming Notebook Stand
RL02	R 529	Microworld Triple Lift adjustable aluminum alloy Laptop stand, 210x198 mm product size. For 13" laptops.
SF48818	R 412	Surefire Bora 17" Green Gaming Laptop Cooling Pad
SF48819	R 386	Surefire Bora Red 17" Gaming Laptop Cooling Pad
SNSTD-LAPMA-BK	R 316	Snug multiangle Steel Laptop stand for 11-17 inch notebooks, Multiangle adjustable, Made from Aluminum, Non-Slip rubber pads, Foldable for Easy storage
SNSTD-LAPRO-BK	R 382	Snug multiangle Steel 11-17 inch Rotating Steel Notebook stand, Multi-Angle stand, 360 degree Rotating base, Made from Aluminum, Adjustable viewing angles, Non-Slip rubber pads, Lightweight and Portable, Foldable for Easy storage
STAND-COOL-YL-339-LQ	R 191	LinkQnet 17-inch Ergo Notebook Cooling Stand, 5 height settings, Metal Mesh Surface with built---in 14cm Silent fan, Adjustable fan Speed control, 1x USB Port
STAND-HUB-XY1-LQ	R 391	LinkQnet Foldable Notebook stand with USB Hub, Height adjustable, Aluminium Alloy, 2x USB 2.0, 2x USB Type-C, 1x USB Type-C PD 100W
STAND-ROT-LAP-A6-LQ	R 293	LinkQnet Rotating and Foldable Notebook stand, Suitable for laptops ranging from 10 to 17 inches, Carbon Steel and Silicone material, 23.7 x 21.4 x 4cm dimensions, Adjustable gears
STAND-ROT-LAP-B21	R 484	LinkQnet LinkQnet A6 360 degrees Rotating adjustable Aluminium Laptop / Notebook stand with Triple-Axis height control, 360 degrees Rotating base, Triple-Axis height and angle adjustment, Heavy-Duty Aluminium-Alloy construction, Built to support laptops up to 10kg, Expandable panel Design, Adjustable screw Torque, Full Silicone Anti-Slip protection, Foldable and Portable
STAND-SH-LTSPS-LQ	R 93	LinkQnet Foldable 17" Notebook stand, Aluminium Alloy and Silicone material, Supports devices up to 17 inches, 23 x 4.3 x 1.5cm dimensions, 6 adjustable gears
STAND-XYX-A-3-LQ	R 269	LinkQnet Upright Notebook storage stand, Aluminium Alloy and Silicone material, Multi-sided Silicone protection, Anti-Slip, Anti-Scratch
UNIMLDBLUE	R 149	UniQue Multifunctional Foldable Laptop Desk-Wood Finish Table Top - Compact Space Saving Design, Durable And Stable, Strong Steel Base Frame, Powder Coated Finished Legs, Four Skid-Proof Rubber Foot Pad, Ideal For Laptops, Tablets PCâ€™s And Reading, Colour Blue Finish, Retail Box, No Warranty
UNIMLDCEDOAK	R 149	UniQue Multifunctional Foldable Laptop Desk-Wood Finish Table Top - Compact Space Saving Design, Durable And Stable, Strong Steel Base Frame, Powder Coated Finished Legs, Four Skid-Proof Rubber Foot Pad, Ideal For Laptops, Tablets PC's And Reading, Colour Cedar Oak Finish Retail Box No Warranty
VENDAVALG2RGB	R 470	Alcatroz Vendaval G2 RGB Notebook Cooler. Dual 125 mm fans; 86.5 CFM airflow; USB powered; RGB lighting; aluminum mesh top; adjustable tilt support (Phone not included)
VENDAVALS6RGB	R 516	Alcatroz Vendaval S6 RGB Notebook Cooler. 6x60mm fans; 73.8 CFM; 10 RGB modes; 8 height levels; dual USB; weight 0.8 kg; dims 358x255x30 mm
VK-1131-BK	R 517	Volkano Aquarius Series True Wireless earphones charging case - Black, Charging case gives up to 12 hours of playtime, Hands-Free calling, Touch control
VK-20013-BK[V2]	R 207	Volkano Arctic Series Notebook stand, USB powered, Blue LED backlit, Fits up to 17" laptops
VK-20053-BK[V2]	R 287	Volkano Glacier Series upright Notebook Cooling Stand with Dual fans, USB powered, Dual 140 mm fans, Blue LED backlit, Adjustable angle up to 45 degrees, Fits up to 17" laptops
VK-8147-BK	R 241	Volkano Chill Series Aluminium folding Laptop stand, VK-8147-BK, 44 x 13 x 253 mm folded size, 15 - 40 degrees angle adjustment, Anodised Aluminium

VK20053BKV2	R 303	Volkano Glacier Series upright Notebook Cooling Stand with Dual fans, VK-20053-BKV2, USB powered, Dual 140mm fans, Blue LED backlit, Adjustable angle up to 45 degrees
VX-208-BK	R 437	Volkano VX Gaming Boreas Series 5 fan 17" Notebook Cooling Stand, 10 tgb ligghting modes, 7 positions with ajustable stand
WX-LS101	R 224	WINX DO Ergo Adjustable Laptop Stand
WX-LS102	R 453	Syntech WINX DO Ergo Multi-Adjustable Laptop Stand
WX-LS103	R 123	Winx Do Ergo Foldable Laptop Stand - 11" to 17" laptops
WX-LS104	R 133	WINX DO Ergo 17" Vertical Laptop stand, Aluminium & Silicone material, Laptops up to 17" screens, Adjustable 10 to 25-mm width
ZA-LS001	R 359	Unique 15.6" Notebook stand with Electric fan - Silver, Full adjustable angle, Aluminium Alloy
ZALS-001G	R 449	Unique 360 Rotating Notebook stand - Grey, Aluminum Alloy Silicone material, Equipped with AR Rotating shaft

< Return to the menu

Notebook docking station / replicator

Product code	Price	Description
109913194	R 403	Zagg 4 port USB-C Hub Black and Grey, USB Type-C Input, USB-C Power Delivery, USB-C, USB 3.0 Type-A Port, HDMI, Supports a 4K Resolution 60Hz, Provides up to 100W Pass-Through charging
10IN1DOCK	R 401	Microworld USB Type-C 10 in 1 Dock, 4Kx2K 30Hz / 3840x2160 HDMI Output, 3x USB 3.0 5Gbps port, Gigabit Ethernet RJ45 LAN, Support 60 or 87W charging PD Power Delivery, TF/SD Port, 10IN1DOCK
11IN1DOCK	R 431	Microworld USB Type-C 11 in 1 Dock, USB 3.1 Type-C Input, USB 3.0, HDMI VGA, PD Power Delivery, Audio 3.5mm jacj, SD/TF reader, RJ45 Gigabit LAN Port, 87W (Max) Power rate, 5Gbps transmission rate, 1080p @60Hz Resolution, 3840p @30Hz Resolution
133483	R 413	Equip USB-C 5in1 Multifunctional Adapter - HDMI / VGA (HD15) / PD 100W / USB 3.0 / Aux, Supports HDMI Resolution up to 4K / 30Hz, Supports VGA Resolution up to 1080p / 60Hz, Support VGA & HDMI simultaneously (Both 1080p/60hz), 100W Maximum Power Delivery, USB 3.2 Gen 1 Superspeed (5Gb/s), Aluminum casing, 133483
133484	R 459	Equip USB-C 4-in-1 Dual HDMI Adapter - USB 3.0 / 100W USB PD, Single HDMI Resolution up to 4K/30Hz, Dual HDMI Resolution up to 1080p/60hz simultaneously, USB 3.2 Gen 1 Super speed (5Gb/s), 100W Maximum Power Delivery, Aluminum casing, 133484
133487	R 469	Equip USB-C 5in1 Multifunctional Adapter - HDMI / USB 3.2 Gen1 / 100W USB PD, 3x USB 3.2 Gen1 Super speed (5Gb/s) Ports, 100W Maximum Power Delivery, Aluminum casing, 133487
133497	R 515	Equip 133497 USB-C 8in1 Multifunction Hub, USB-C Male Connector, HDMI Port supporting resolutions up to 4K/30Hz, Gigabit Ethernet Port, 2x USB Type-A 3.2 Gen1 Superspeed (5Gb/s) Ports, 1x USB-C 3.2 Gen1 Superspeed (5Gb/s) Port, 1x Micro SD 2.0 slot, 1x TF 2.0 slot, USB-C PD charging Port - Power Delivery up to 100W Max, Aluminum casing, 25cm cable length
1400GSR-2USB-1	R 1,154	Honeywell 1400GSR Voyager XP Curve USB kit Black 2D Standard range Scanner, USB cable (CBL-500-150-S00), Black rigid Presentation stand (STND-19R02-002-0), Decode capability - 1D / PDF / 2D / digimarc / OCR, 13 mil UPC - up to 410mm depth of Field, Area Image (1040 x 720 Pixel Array) Scan pattern, Red dot aimer Type, 1.8 meter drop specifications
210-AZBW	R 4,965	Dell 210-AZBW WD19dcs USB-C performance Dock with 240W AC Adapter, Gigabit Ethernet, 2x Display / Video - DisplayPort - 20 pin DisplayPort, 1x Display / Video - HDMI - 19 pin HDMI Type-A, 1x USB-C, 3x USB 3.1 Gen 1 - 9 pin USB Type-A, 2x USB-C 3.1 Gen 2, 5120x2880 - 60 Hz Maximum Resolution details
210-AZBX	R 3,011	Dell 210-AZBX WD19S USB-C Dock with 130W AC Adapter, 3840x2160 - 60 Hz Maximum Resolution details, Gigabit Ethernet, 2x Display / Video - DisplayPort - 20 pin DisplayPort, 1x Display / Video - HDMI - 19 pin HDMI Type-A, 1x USB-C, 3x USB 3.1 Gen 1 - 9 pin USB Type-A, 2x USB-C 3.1 Gen 2
210-BRFL	R 5,886	Dell Pro 210-BRFL SD25TB4 Thunderbolt 4 Smart Dock, 4 displays supported, Up to 4x 4K (3840x2160) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 2x Thunderbolt 4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 4 (15W

		each), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
210-BRFL	R 5,763	Dell Pro 210-BRFL SD25TB4 Thunderbolt 4 Smart Dock, 4 displays supported, Up to 4x 4K (3840x2160) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 2x Thunderbolt 4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 4 (15W each), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
210-BRFM	R 4,462	Dell 210-BRFM Pro Smart Dock SD25, 4 displays supported, Up TP 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DP1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4 USB Ports (Data only), 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
210-BRFM	R 4,329	Dell 210-BRFM Pro Smart Dock SD25, 4 displays supported, Up TP 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DP1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4 USB Ports (Data only), 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
210-BRFM	R 4,473	Dell 210-BRFM Pro Smart Dock SD25, 4 displays supported, Up TP 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DP1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4 USB Ports (Data only), 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
210-BRFN	R 7,724	Dell 210-BRFN Pro Thunderbolt 5 Smart Dock SD25TB5 - Power Delivery 300W, 83 cm cable length, 4 displays supported, 8K @ 60Hz Max screen mode supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 5 (15W each), 240W Power Delivery (Non-dell systems), 300W Power Delivery (Dell systems), 2.5 Gigabit Ethernet, Thunderbolt 5 Host Interface, 4x USB 3.2 Gen 2 Type-A Ports, 4x USB Type-A Ports, 2x USB Type-C Ports, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 2.1, 1x USB-C 3.2 Gen 2 (10 Gbps), 2 DisplayPorts, 1x HDMI Ports, 2x Thunderbolt Ports
210-BRFN	R 7,313	Dell 210-BRFN Pro Thunderbolt 5 Smart Dock SD25TB5 - Power Delivery 300W, 83 cm cable length, 4 displays supported, 8K @ 60Hz Max screen mode supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 5 (15W each), 240W Power Delivery (Non-dell systems), 300W Power Delivery (Dell systems), 2.5 Gigabit Ethernet, Thunderbolt 5 Host Interface, 4x USB 3.2 Gen 2 Type-A Ports, 4x USB Type-A Ports, 2x USB Type-C Ports, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 2.1, 1x USB-C 3.2 Gen 2 (10 Gbps), 2 DisplayPorts, 1x HDMI Ports, 2x Thunderbolt Ports
210-BRFQ	R 3,156	Dell 210-BRFQ Pro Dock WD25, 4 displays supported, Up to 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 100W (Dell systems) USB Power Delivery, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W Maximum Power Supply wattage
210-BRFQ	R 3,054	Dell 210-BRFQ Pro Dock WD25, 4 displays supported, Up to 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 100W (Dell systems) USB Power Delivery, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W Maximum Power Supply wattage
210-BTHY	R 4,715	Dell 210-BTHY WD25TB4 Pro Thunderbolt 4 Dock, 83 cm cable length, Power Delivery Pass-Through, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x USB-C Multi-Function DisplayPort, 2x Thunderbolt 4 (15W each), 96W Power Delivery (Non-dell systems), 2.5 Gigabit Ethernet, Thunderbolt 4 Host Interface, 2 DisplayPorts, 1x HDMI Ports

210-BTHY	R 4,822	Dell 210-BTHY WD25TB4 Pro Thunderbolt 4 Dock, 83 cm cable length, Power Delivery Pass-Through, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x USB-C Multi-Function DisplayPort, 2x Thunderbolt 4 (15W each), 96W Power Delivery (Non-dell systems), 2.5 Gigabit Ethernet, Thunderbolt 4 Host Interface, 2 DisplayPorts, 1x HDMI Ports
210-BTHZ	R 6,619	Dell 210-BTHZ WD25TB5 Pro Thunderbolt 5 Dock, 83 cm cable length, Power Delivery Pass-Through, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x USB-C Multi-Function DisplayPort, 2x Thunderbolt 5 (15W each), Up to 240W Power Delivery - non-dell systems, 2.5 Gigabit Ethernet, 2x DisplayPorts, 1x HDMI Port
210-BTHZ	R 6,852	Dell 210-BTHZ WD25TB5 Pro Thunderbolt 5 Dock, 83 cm cable length, Power Delivery Pass-Through, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x USB-C Multi-Function DisplayPort, 2x Thunderbolt 5 (15W each), Up to 240W Power Delivery - non-dell systems, 2.5 Gigabit Ethernet, 2x DisplayPorts, 1x HDMI Port
40AF0135SA	R 3,974	Lenovo ThinkPad Hybrid USB-C with USB-A Dock, 3x USB 3.1 gen2 (10Gbps / 1x always-on), 2x USB2.0, 1x USB-C port (Data / 5V 3A power), 1x Gigabit Ethernet, 2x DisplayPort, 2x HDMI Port, 1x Combo Audio jack
40AF0135SA	R 3,909	Lenovo 40AF0135SA ThinkPad Hybrid USB-C with USB-A Dock, 3x USB 3.1 gen2 (10Gbps / 1x always-on), 2x USB2.0, 1x USB-C port (Data / 5V 3A power), 1x Gigabit Ethernet, 2x DisplayPort, 2x HDMI Port, 1x Combo Audio jack
40AJ0135SA	R 4,139	Lenovo Accessory ThinkPad Ultra Dock CS18 - 135W (South Africa AC Power Adapter), 4x USB 3.1 gen2 (10Gbps) with 1x always-on USB charging, 2x USB-C ports (10Gbps / 5V 3A power), Gigabit Ethernet, 2x DisplayPort 1.4, 1x HDMI 2.0, 1x VGA, 1x Stereo/Mic Combo Audio Port, 1x DC-IN
40AY0090SA	R 3,732	Lenovo 40AY0090SA ThinkPad Universal USB-C Dock, 2x DisplayPort, 1x HDMI Port, 3x USB 3.1, 2x USB 2.0, 1x USB-C USB Ports, 1x combo audio jack audio Ports, 1x Gigabit Ethernet Ethernet, 1x security lock slot physical security feature, 3 Maximum number of external monitors, 2x 3840x2160 @ 60Hz Maximum Resolution, 90W Input power, Power Delivery, Slim-tip power plug
40B00135SA	R 5,935	Lenovo 40B00135SA ThinkPad Universal Thunderbolt 4 Dock, 1x HDMI 2.1, 2x DisplayPort 1.4, 4x USB Ports, 1x USB-C, 3.5mm audio combo jack, Gigabit Ethernet, 4 external monitors Maximum, DC-in charging Port, Maximum 100W Output power, 8K 30Hz via HDMI 2.1 with 1 Video Output, 4K 60 Hz with 4 Video Outputs
40B90100SA	R 2,228	Lenovo 40B90100SA USB-C Dual Display Travel Dock with 100W Adapter, USB-C Dual Display, Supports Dual 4K displays, 65W Power Delivery, 1x HDMI, 1x DisplayPort, 1x Gigabit LAN Port LAN, 1x USB Type-A, 2x USB Type-C
40B90100SA	R 2,576	Lenovo 40B90100SA USB-C Dual Display Travel Dock with 100W Adapter, USB-C Dual Display, Supports Dual 4K displays, 65W Power Delivery, 1x HDMI, 1x DisplayPort, 1x Gigabit LAN Port LAN, 1x USB Type-A, 2x USB Type-C
40BC0135SA	R 3,943	Lenovo 40BC0135SA ThinkPad USB4 Smart Dock 5500 - 135W Adapter, 2x USB Type-A 3.2 Gen 2, 2x USB-C 3.2 Gen 2, 2x USB Type-A 3.2 Gen 2, 100W Output Power, 135W Input Power, DC-in charging Port, 4x 3840x2160 @ 60Hz maximum Resolution, 4 external monitors, 1x gigabit Ethernet, 1x HDMI 2.1, 2x DisplayPort 1.4, 1x USB-C full Function Video Port
40BF0100SA	R 3,022	Lenovo 40BF0100SA ThinkPad USB4 Dock 5000 - 100W Adapter, 4x USB Type-A 3.2 Gen 2, 2x USB-C 3.2 Gen 2, 100W Input Power, 65W Output Power, DC-in charging Port, 4x 3840x2160 @ 60Hz maximum Resolution, 4 external monitors, 1x NanoSaver lock slot, 1x MicroSaver lock slot, 1x gigabit Ethernet, 1x HDMI 2.1, 2 x 1x DisplayPort 1.4, 1x USB-C full Function Video Port
40BF0100SA	R 3,393	Lenovo 40BF0100SA ThinkPad USB4 Dock 5000 - 100W Adapter, 4x USB Type-A 3.2 Gen 2, 2x USB-C 3.2 Gen 2, 100W Input Power, 65W Output Power, DC-in charging Port, 4x 3840x2160 @ 60Hz maximum Resolution, 4 external monitors, 1x NanoSaver lock slot, 1x MicroSaver lock slot, 1x gigabit Ethernet, 1x HDMI 2.1, 2 x 1x DisplayPort 1.4, 1x USB-C full Function Video Port
470-AEGY	R 718	Dell 470-AEGY USB-C to HDMI / DisplayPort with power delivery adaptor, 3840x2160 Maximum Output Resolution, 60 Hz Refresh Rate
470-AEGY	R 742	Dell 470-AEGY USB-C to HDMI / DisplayPort with power delivery adaptor, 3840x2160 Maximum Output Resolution, 60 Hz Refresh Rate

470-AELP	R 1,885	Dell 470-aelp MH3021P USB-C Mobile Adapter speakerphone, 1 x USB-C multi functional cable that supports Data transfer / power delivery / Display, 1 x USB-C, 1 x HDMI, 2 x USB Type-A, HDMI 2.0 4K (3840x2160) @ 60Hz, USB-C 4K (3840x2160) @ 60Hz, Electrodynamic Speaker with Neodymium magnet
470-AEUP	R 23,130	Dell 470-AEUP USB-C to multi Dock, Includes - Ethernet / 2x USB Type-A 3.1 / USB-C (90W power pass through) / HDMI 2.0 / VGA / DisplayPort, 3840x2160 - 60 Hz (DisplayPort only), 3840x2160 - 60 Hz (HDMI only), 1920x1080 - 60 Hz (VGA only)
470-AEUP	R 1,657	Dell 470-AEUP USB-C to multi Dock, Includes - Ethernet / 2x USB Type-A 3.1 / USB-C (90W power pass through) / HDMI 2.0 / VGA / DisplayPort, 3840x2160 - 60 Hz (DisplayPort only), 3840x2160 - 60 Hz (HDMI only), 1920x1080 - 60 Hz (VGA only)
470-AFKL	R 1,114	Dell 470-AFKL Adapter DA305 - 6-IN-1 USB-C multiport Adapter, 3840x2160 60 Hz (DisplayPort only) Maximum Resolution, 3840x2160 60 Hz (HDMI only) Maximum Resolution, 2x USB 3.1 Gen 2 Type-A, 1x USB-C 3.1 Gen 2 / DisplayPort, 1x HDMI, 1x DisplayPort, 1x Gigabit Ethernet RJ-45
470-BGCG	R 1,425	Dell 470-BGCG DA326 Pro 7-in-1 USB-C Travel Hub, 248mm cable length, 2 displays supported, 100W Power Delivery, 2.5 Gigabit Ethernet, 1x DisplayPort, 1x HDMI Port, 1x USB Type-A 3.2 Gen1 (5G), 1x USB Type-A 3.2 Gen2 (10G), 1x USB-C (Data / Video / Power), 1x USB-C 3.2 Gen 2, 1x HDMI 2.1 up to 6K @60Hz, 1x DisplayPort 1.4 up to 6K @60Hz
470-BGCG	R 1,407	Dell 470-BGCG DA326 Pro 7-in-1 USB-C Travel Hub, 248mm cable length, 2 displays supported, 100W Power Delivery, 2.5 Gigabit Ethernet, 1x DisplayPort, 1x HDMI Port, 1x USB Type-A 3.2 Gen1 (5G), 1x USB Type-A 3.2 Gen2 (10G), 1x USB-C (Data / Video / Power), 1x USB-C 3.2 Gen 2, 1x HDMI 2.1 up to 6K @60Hz, 1x DisplayPort 1.4 up to 6K @60Hz
49985	R 1,149	Goobay 49985 USB-C 11 in 1 multiport Dock with Wireless fast charging and 100W Power Delivery, 1x 4K HDMI Port, 3x USB 3.0, 1x VGA, 1x RJ45 Gigabit LAN, MicroSD & SD Card Reader, 3.5 mm audio Port, 1920x1200 @ 60Hz for VGA, 4Kx2K @ 30Hz for HDMI, Simultaneous use of HDMI & VGA
4IN1C	R 155	Microworld USB-C 4-in-1 Dock, 2x HDMI, 4K x 2K (3840x2160) Max Resolution, USB Type-C PD 20V @ 5A support Max 100W Power Adapter (Input), 1x USB 3.0 Port
4J0A2AA	R 1,694	HP 4J0A2AA Thunderbolt 120W G4 Dock, 1x USB-C Data/Power out (USB 3.2 Gen 2 10 Gbps Data only), 1x Kensington standard lock slot, 2x USB 3.2 Gen 1 Ports, 2x USB 3.2 Gen 1 (5Gbps), 1x HDMI 2.0 Port, 2x DisplayPort 1.4 Ports, 1 AC Adapter Port, 1x Ethernet Port - 2 internal Network Interface card cards to support 1GB and 2.5Gb Ethernet, 1x USB-C DP alt mode Port, 1x Thunderbolt 4 port
4X91A30366	R 1,265	Lenovo 4X91A30366 USB-C Travel Hub Gen2, 1x HDMI, 1x VGA, HDMI 4K@30Hz Refresh Rate, VGA 1080p 60Hz Refresh Rate
50H98AA	R 1,403	HP 50H98AA Universal USB-C Multiport Hub, 30 cm cable length, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, 1x HDMI 2.0, 1x DisplayPort 1.2, 1x USB Type-C pass through (Up to 65 W USB Power Delivery), 1x RJ-45 (10/100/1000 Mbps)
5IN1DOCK	R 259	Microworld USB Type-C 5 in 1 Dock, HDMI support 4K UHD 3840x2160 @ 30Hz, 100W Power Delivery PD, Gigabit LAN Port, Dual Video Output, 2x USB 3.0 Ports
5TW10AA	R 2,698	HP USB-C Dock G5 Docking Station, Â© 2019 Laptop Direct
62105	R 666	Goobay 62105 USB-C Multiport Adapter - White, 1x HDMI pot, HDMI Resolution of up to 4Kx2K @ 30Hz, PD Power Delivery of up to 60W, 1x RJ45 Gigabit LAN, 1x USB 3.0 Port
62113	R 1,551	Goobay 62113 USB-C Aluminium multiport Adapter, 3x USB 3.0 Ports, USB-C Output, HDMI, VGA, Gigabit Ethernet, 3.5 mm jack connection, SD and Micro SD Card Reader, Mini DisplayPort, Power Delivery 60 W
710-A1504020R7	R 216	HuntKey Dock USB-C 4-in-1, 1x HDMI, 1x USB 3.0, 1x USB 2.0, 1x USB-C (PD 100W), Aluminium Alloy material, 4K x 2K 30Hz Max HDMI Resolution, 150mm wire length, 100W Max Input, 92W Max Output
710-A1506020R7	R 343	HuntKey Dock USB-C 6-in-1, 2x USB 3.0, USB-C (PD 100W), HDMI (4K / 60Hz), SD card, TF card, Aluminium Alloy material, 4K x 2K 60Hz Max HDMI Resolution, 150mm wire length, 100W Max Input, 92W Max Output, Type-C Two-Way Data transmission
710-A1508020R7	R 377	HuntKey Dock USB-C 8-in-1, 1x HDMI (4K x 2K 30Hz Max), USB 3.0, USB 2.0, USB-C Data USB-C (PD 100W), 1x RJ45 Gigabit Ethernet LAN, TF SD card reader, Aluminium Alloy materials, 150mm wire length, 100W Max Input, 92W Max Output

74-210AZBW	R 4,675	Dell 210-AZBW WD19DCS USB-C performance Dock with 240W AC Adapter, Gigabit Ethernet, 2x Display / Video - DisplayPort - 20 pin DisplayPort, 1x Display / Video - HDMI - 19 pin HDMI Type-A, 1x USB-C, 3x USB 3.1 Gen 1 USB Type-A, 2x USB-C 3.1 Gen 2, 5120x2880 - 60 Hz Maximum Resolution
74-210BEYV	R 2,026	Dell 210-BEYV UD22 Universal Dock with 130W AC Adapter - Power Delivery 96W, 2x Display / Video - DisplayPort - 20 pin DisplayPort (1.4), 1x Display / Video - HDMI, 1x USB-C 3.2 Gen 2 / DisplayPort, 1x USB 3.2 Gen 2 with PowerShare, 3x USB 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x Gigabit Ethernet Network
74-210BFNY	R 1,817	Dell 210-BFNY HD22Q Dual charge Dock - Power Delivery 90W, 8K - 30 Hz (Single Display) Max Resolution, 4K - 60 Hz (Dual Display) Max Resolution, 4x USB 3.2 Gen 1 - 9 pin USB Type-A, 1x USB-C 3.2 Gen 2 with Power Delivery 3.0 - 24 pin USB-C, 1x HDMI 2.1, 1x DisplayPort 1.4, 1x Gigabit Ethernet RJ-45
74-210BRFL	R 5,875	Dell Pro 210-BRFL SD25TB4 Thunderbolt 4 Smart Dock, 4 displays supported, Up to 4x 4K (3840x2160) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 2x Thunderbolt 4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 4 (15W each), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
74-210BRFM	R 4,549	Dell 210-BRFM Pro Smart Dock SD25, 4 displays supported, Up TP 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DP1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4 USB Ports (Data only), 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
74-210BRFN	R 7,419	Dell 210-BRFN Pro Thunderbolt 5 Smart Dock SD25TB5 - Power Delivery 300W, 83 cm cable length, 4 displays supported, 8K @ 60Hz Max screen mode supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 5 (15W each), 240W Power Delivery (Non-dell systems), 300W Power Delivery (Dell systems), 2.5 Gigabit Ethernet, Thunderbolt 5 Host Interface, 4x USB 3.2 Gen 2 Type-A Ports, 4x USB Type-A Ports, 2x USB Type-C Ports, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 2.1, 1x USB-C 3.2 Gen 2 (10 Gbps), 2 DisplayPorts, 1x HDMI Ports, 2x Thunderbolt Ports
74-210BRFQ	R 3,225	Dell 210-BRFQ Pro Dock WD25, 4 displays supported, Up to 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 100W (Dell systems) USB Power Delivery, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W Maximum Power Supply wattage
74-470AELP	R 2,266	Dell 470-AELP MH3021P USB-C Mobile Adapter speakerphone, 1 x USB-C multi functional cable that supports Data transfer / power delivery / Display, 1 x USB-C, 1 x HDMI, 2 x USB Type-A, HDMI 2.0 4K (3840x2160) @ 60Hz, USB-C 4K (3840x2160) @ 60Hz, Electrodynamic Speaker with Neodymium magnet
74-470AEUP	R 1,778	Dell 470-AEUP USB-C to multi Dock, Includes - Ethernet / 2x USB Type-A 3.1 / USB-C (90W power pass through) / HDMI 2.0 / VGA / DisplayPort, 3840x2160 - 60 Hz (DisplayPort only), 3840x2160 - 60 Hz (HDMI only), 1920x1080 - 60 Hz (VGA only)
74210BTJB	R 3,594	Dell 210-BTJB USB-C Pro Dock - WD25Z, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) Power Delivery, 2.5 Gigabit Ethernet, USB Type-C Host Interface, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4
7IN1DOCK	R 344	Microworld USB-C Dock 7 in 1, HDMI Support 4K x 2K 3840x2160 @ 30Hz, VGA Supports 1080p, 100W Power Delivery PD, Gigabit LAN Port, Dual Video Output, 3x USB 3.0 Ports
8IN1DOCK	R 344	Microworld USB Type-C 8 in 1 Dock, 1x PD Power Delivery, 1x RJ45 Gigabit LAN, USB 3.0 Hub, 1x USB 2.0 Hub, 1x SD slot, 1x Micro SD slot, USB Type-C Data, USB 3.1 Type-C Multiport USB Type, 1x HDMI Port, Up to 4K UHD 3840x2160 @30Hz
900140	R 227	PORT USB Type-C to 1 x HDMI, 1 x USB3.0, 1 x Type-C 60W PD Dock - Black
900140	R 205	Port Design USB-C Mini Docking Station with HDMI / 1x USB Type-A / 1x USB-C, 60W power distribution, 4K Maximum Video Resolution

900147	R 652	Port USB Hub Type-C 4 Ports - 3x USB-C 3.1 Gen1 USB-C Ports & 1 x USB-C with 100W PD, Provides up to 100W Power Delivery, 3x USB-C 3.1 Gen1 Ports, up to 5 Gb/s High-Speed Data transfer, 900147
900162	R 299	Port Design USB Type-C Mobile Docking Station - TypeC Interface, 1 x HDMI Up to 4k Display Connectivity, 2 x USB-A Ports, 1 x USB-C Port, 100W Power, Plug and Play, Connects Up to 5 Peripheral Devices, Retail Box
900162	R 278	Port 900162 Mobile Docking Station 1x 4K USB-C 5 devices 100W, 1x HDMI Display up to 4K, Up to 100W Power via USB-C PD, Manages up to 5 peripherals
901103	R 445	Port Ergonomic Notebook Stand - from 10â€³ to 15.6â€³
901904V2EU	R 4,106	Port Connect USB-C Desktop Docking Station with 11 Ports and Dual 4K Display Output, 96W USB-C Power Delivery for Laptop charging, 11 total Ports including DisplayPort and HDMI Outputs, Integrated Kensington Security slot and reinforced screw-lock USB-C cable, Gigabit Ethernet connectivity, 3x USB Type-A 3.1 Gen 2 Ports transferring Data at 10Gbps, 2x USB-C 3.1 Gen 2 Ports with 10Gbps transfer rate
901906-W	R 1,070	Port 901906-W Connect USB Type-C Travel Docking Station, 1x USB Type-C Input, 1x USB 3.1 Gen2 Type-C, 2x USB Type-A 3.0, 2x USB Type-A 2.0, 1x DisplayPort V2.1a, 1x HDMI V1.4b, 1x RJ45 Gigabit Ethernet, 1x SD MicroSD Card Reader combo, 1x audio/Microphone combo jack, DP or HDMI - up to 3840x2160 @30Hz, VGA - up to 2048 x 1152 @ 60Hz, Up to 2048 x 1152 @ 60Hz Dual Display support, Up to 1920x1080 @ 60Hz Triple Display support
901906-W	R 1,128	Port 901906-W Connect USB Type-C Travel Docking Station, 1x USB Type-C Input, 1x USB 3.1 Gen2 Type-C, 2x USB Type-A 3.0, 2x USB Type-A 2.0, 1x DisplayPort V2.1a, 1x HDMI V1.4b, 1x RJ45 Gigabit Ethernet, 1x SD MicroSD Card Reader combo, 1x audio/Microphone combo jack, DP or HDMI - up to 3840x2160 @30Hz, VGA - up to 2048 x 1152 @ 60Hz, Up to 2048 x 1152 @ 60Hz Dual Display support, Up to 1920x1080 @ 60Hz Triple Display support
901906V2	R 1,350	Port Mobile Docking Station 4K USB-C 9 devices 100W, Expand USB Type-C Host to nine total Ports, Supports 4K @60Hz single Display or three Full HD displays simultaneously, Includes two HDMI 2.0 Ports and one DisplayPort 1.2, Delivers up to 100W Power Delivery to connected Notebook, Features two USB-C 3.1 Gen 2 Ports with 10 Gbps transfer Speed, Provides Gigabit Ethernet connection at 10/100/1000 Mbps, Includes two USB Type-A 2.0 Ports for Peripheral connectivity, Includes Integrated Security slot for cable locking
901907	R 2,096	Port 901907 USB Type-C 2x4k Docking Station, 2x 4K Display, 2 Year, 5x USB Type-A 3.1 Gen 1 Ports, 1x USB-C 3.1 Gen 2 Port with Power Delivery up to 85W, 2x DisplayPort 1.4 - 4K Ultra HD Video Output, Card Reader SD 4.0, RJ45 Gigabit Ethernet
901907	R 33,374	Port 901907 USB Type-C 2x4k Docking Station, 2x 4K Display, 2 Year, 5x USB Type-A 3.1 Gen 1 Ports, 1x USB-C 3.1 Gen 2 Port with Power Delivery up to 85W, 2x DisplayPort 1.4 - 4K Ultra HD Video Output, Card Reader SD 4.0, RJ45 Gigabit Ethernet
901908	R 3,000	PORT USB Type-C to 1 x RJ45, 2 x USB3.1 Gen1, 2 x HDMI, 1 x Type-C, 1 x USB3.1 Gen1 & Apple Charging 2.4A, 1 x Aux Dock - Black
901908	R 3,821	PORT USB Type-C to 1 x RJ45, 2 x USB3.1 Gen1, 2 x HDMI, 1 x Type-C, 1 x USB3.1 Gen1 & Apple Charging 2.4A, 1 x Aux Dock - Black
901908-W-EU	R 3,798	Port 901908 USB-C & USB Type-A Docking Station with Dual Video Output, Combo USB Type-A or USB-C Output connectivity, 85W Power distribution, Up to 2 screens Video Display, 4K Video Resolution (1 screen), 2K Video Resolution (2 screen), 2x HDMI Ports, 3x USB Type-A Ports, RJ-45 connectivity, Audio Port, Security slot
901908V2EU	R 2,815	Port Connect 901908V2EU Multi-Port USB Type-C 2x 4K Office Docking Station, 1x USB Type-C 3.1 Gen 2 PD 85W to Notebook, 4x USB Type-A 3.1 Gen 1 (5 Gbps), 2x USB Type-C 3.1 Gen 2 (10Gbps), 1x RJ-45 Gigabit Ethernet, Combo jack 3.5mm Audio, 2x HDMI
901909	R 1,278	PORT USB Type-C to 1 x RJ45, 1 x USB3.0 SS, 1 x Type-C 85W PD, 1 x HDMI2.0, 1 x VGA 30cm Cable Dock - Black
901909	R 1,251	Port 901909 Universal Travel Type-C 4K 85W Docking Station, USB-C Output connectivity, 85W Power distribution, 4K maximal Video Resolution, 1x VGA Port, 1x HDMI Port, 1x USB Type-A Port, 1x USB-C Port, RJ-45 connectivity
901910V2EU	R 3,228	Port Connect USB-C Office 11 Port Docking Station, Triple 4K Display support via two DisplayPort 1.4 and one HDMI 2.0 Ports, Connects up to 11 peripherals through a single USB Type-C Host Connector, Delivers up to 100W

		USB-C Power Delivery to the Host Laptop, Transfer Data at speeds up to 10 Gbps on USB Type-A and USB-C Ports, 2x USB Type-A 3.1 Gen 2, 2x USB-C 3.1 Gen 2 Ports with fast-charge support, Provides Gigabit Ethernet connectivity via RJ45 Port, Features a 3.5 mm Combo Audio jack for Headset and Microphone, Integrated Security slot supports physical device protection
901913	R 974	Port 901913 9 Port Type-C Docking Station Black, 1x HDMI, 1x vga, 3x USB 3.0 Type-A, 1x RJ-45, 1x TF, 1x SD, 50cm Long cable, 100W of Power Delivery, Video Display up to 4K
901913	R 1,273	Port 901913 9 Port Type-C Docking Station Black, 1x HDMI, 1x vga, 3x USB 3.0 Type-A, 1x RJ-45, 1x TF, 1x SD, 50cm Long cable, 100W of Power Delivery, Video Display up to 4K
901913V2	R 900	PORT Connect USB-C docking station; 7 ports; 4K at 30Hz; HDMI 2.0; DisplayPort 1.2; 2 x USB-A 3.1 Gen 1; 2 x USB-C 3.1 Gen 2; Gigabit Ethernet; 100W Power Delivery; 12.4 x 5.5 x 1.7 cm; 100g; Black
986-000020	R 8,969	Logitech Logi Dock - Graphite, 55 mm Driver size Speaker, Beamforming Mic Array with six mics, USB-C alt mode docking Interface, Up to 100 Watt charging, 1x HDMI 2.0, 1x DisplayPort 1.4, 2x USB Type-A, 1x USB 3.1 Gen 1 (5Gbps) with 4.5W charging, 1x USB 3.1 Gen 1 (5Gbps) with 7.5W fast charging, 3x USB-C, 2x USB 3.1 Gen 1 (5 Gbps) with 4.5W charging, 1x USB 3.1 Gen 1 (5 Gbps) with 7.5W fast charging, 1x USB-C upstream, Kensington Security slot
986-000020	R 8,244	Logitech Logi Dock - Graphite, 55 mm Driver size Speaker, Beamforming Mic Array with six mics, USB-C alt mode docking Interface, Up to 100 Watt charging, 1x HDMI 2.0, 1x DisplayPort 1.4, 2x USB Type-A, 1x USB 3.1 Gen 1 (5Gbps) with 4.5W charging, 1x USB 3.1 Gen 1 (5Gbps) with 7.5W fast charging, 3x USB-C, 2x USB 3.1 Gen 1 (5 Gbps) with 4.5W charging, 1x USB 3.1 Gen 1 (5 Gbps) with 7.5W fast charging, 1x USB-C upstream, Kensington Security slot
9X3V1UT	R 2,575	HP 9X3V1UT USB-C 100W G6 Dock, 1m cable length, 1x USB Type-C 10Gbps (Data and 15W USB Power Delivery), Up to 4K Resolution (Maximum), 1x HDMI 2.1, 2x DisplayPort 1.4, 2x USB-C Ports, 3x USB Type-A Ports, WLAN, Bluetooth
9X3V1UT	R 2,717	HP 9X3V1UT USB-C 100W G6 Dock, 1m cable length, 1x USB Type-C 10Gbps (Data and 15W USB Power Delivery), Up to 4K Resolution (Maximum), 1x HDMI 2.1, 2x DisplayPort 1.4, 2x USB-C Ports, 3x USB Type-A Ports, WLAN, Bluetooth
9X472UT	R 3,388	HP 9X472UT Thunderbolt 4 100W G6 Dock, 120 W external Power Adapter, 1x USB Type-C 10Gbps (Up to 15 W USB Power Delivery), Up to 8K Resolution (Maximum), Front LED bar, Thunderbolt 4 port, 1x HDMI, 1x RJ-45 Gigabit LAN, 3x USB-C Ports, 2x DisplayPorts, 3x USB Type-A Ports
9X472UT	R 3,552	HP 9X472UT Thunderbolt 4 100W G6 Dock, 120 W external Power Adapter, 1x USB Type-C 10Gbps (Up to 15 W USB Power Delivery), Up to 8K Resolution (Maximum), Front LED bar, Thunderbolt 4 port, 1x HDMI, 1x RJ-45 Gigabit LAN, 3x USB-C Ports, 2x DisplayPorts, 3x USB Type-A Ports
A38009-B	R 633	Astrum DA090 9 IN 1 USB-C HDMI VGA RJ45 TF PD USB. Model: DA090; Ports: HDMI, VGA, RJ45, 3x USB3.0, USB-C PD; Card Slots: SD, TF; PD: 100W; Cable: 150 mm; Size: 280x60x16 mm; Weight: ~100 g
A7E34AA	R 1,479	HP 230W Docking Station A7E34AA offers a full line of docking stations designed exclusively for select HP Business Notebook platforms so you can maintain the connectivity and comfort of your laptop at a fixed station.
ACAS90XB08DN-BDS010	R 4,821	Asus Triple 4K Thunderbolt 4 Dock DC500, 1x Thunderbolt 4, 2x HDMI 2.1, 1x SD Card Reader 4.0 (UHS II), 1x Micro SD Card Reader (UHS II), 2x USB Type-A 3.2 Gen2, 2x USB Type-A 2.0, 1x RJ45 2.5 GbE, 1x audio Combo jack, 1x Kensington lock, 1x Power Button with indicator LED, 150W DC20.0v / 7.5A Power Adapter, Kensington lock, 80cm cable length
ACAS90XB09NN-BDS010	R 6,205	Asus Master Thunderbolt 5 Dock DC510, 1x USB 3.0 Gen2 Type-A Port (5Gbps), 3x USB 3.2 Gen2 Type-A Port (10Gbps), 1x M.2 NVMe PCI-e 4.0 2280 SSD slot, 3x Thunderbolt 5, 1x Kensington lock, 1x audio Combo jack, 1x RJ45 2.5 GbE, 1x Micro SD Card Reader (UHS II), 1x SD Card Reader 4.0 (UHS II), Thunderbolt 5 Output 3840x2160 @ 144Hz, 100cm cable length, 3x 4K 144 Hz, 2x 8K 60Hz, 1x 8K 60Hz
ACAS90XB0A5N-BDS010	R 2,624	Asus Triple Display USB-C Dock Duo DC301, 2x USB 3.2 Gen 1 Type-A Port, 1x USB 3.2 Gen 2 Type-C Port, RJ-45 (Gigabit) Port, Type-C DisplayPort 1.4, 1x HDMI 2.0, 1x DisplayPort 1.4, 1x USB 3.2 Gen 2 Type-C upstream Port, DC-in, Kensington lock, Power key, SD Card Reader, Audio Port, Docking stand, 150W Adapter, Up to 90W USB Power Delivery
ACAS90XB0AIN-BDS010	R 374	Asus DC110 4-in-1 USB-C Dock, 2x USB 3.2 Gen1 Type-A Port (5Gbps, 1x USB 3.2 Gen 2 Type-C Port (10Gbps,

		1x USB 3.2 Gen 2 Type-A Port (10Gbps, 1x HDMI 2.1, 1x RJ-45 (Gigabit) Port, 1x USB-C Port (100W Input), HDMI & DisplayPort single 3840x2160 @60Hz Output, 65 cm cable length
ACAS90XB0AWN-BDS010	R 2,170	Asus DC320 Triple Display 11 in 1 USB-C Dock, 3x USB 3.2 Gen 1 Type-A Port 5Gbps, 1x USB 3.2 Gen1 Type-C Port 10Gbps, 1x USB 3.2 Gen2 Type-C Port 10Gbps, 2x DisplayPort 1.4 Port, 1x HDMI 2.0 Port, 1x 3.5mm Audio Combo jack, 1x RJ-45 (Gigabit) Port, 1x USB-C Port (100W Input), HDMI & DisplayPort single 3840x2160 @60Hz Output, 65 cm cable length
ADA-EU-S1232A01	R 534	Unitek NVMe M.2 SSD enclosure Adapter, S1232A01, USB 10Gbps, 12V 2A Power Adapter, 30cm cable length, Support M.2 NVMe and SATA SSDs
ASUS DC201	R 1,264	ASUS Dock/ DC201/ DUAL 4K/ USB-C Dock/ Up to 100w Power delivery/ RJ45/ Dual 4K 60 Hz (HDMI 2.1 USB-C with DP 1.4)/ Single display: 4
ASUS DOCK DC301	R 2,586	Asus Triple Display USB-C Dock Duo DC301, 2x USB 3.2 Gen 1 Type-A Port, 1x USB 3.2 Gen 2 Type-C Port, RJ-45 (Gigabit) Port, Type-C DisplayPort 1.4, 1x HDMI 2.0, 1x DisplayPort 1.4, 1x USB 3.2 Gen 2 Type-C upstream Port, DC-in, Kensington lock, Power key, SD Card Reader, Audio Port, Docking stand, 150W Adapter, Up to 90W USB Power Delivery
ASUS DOCK DC510	R 6,209	Asus Master Thunderbolt 5 Dock DC510, 1x USB 3.0 Gen2 Type-A Port (5Gbps), 3x USB 3.2 Gen2 Type-A Port (10Gbps), 1x M.2 NVMe PCI-e 4.0 2280 SSD slot, 3x Thunderbolt 5, 1x Kensington lock, 1x audio Combo jack, 1x RJ45 2.5 GbE, 1x Micro SD Card Reader (UHS II), 1x SD Card Reader 4.0 (UHS II), Thunderbolt 5 Output 3840x2160 @ 144Hz, 100cm cable length, 3x 4K 144 Hz, 2x 8K 60Hz, 1x 8K 60Hz
ASUS ROG 100W DOCK	R 1,609	Asus ROG 100W Gaming charger Dock - GaN (Gallium Nitride), Functions as a USB Hub even when not connected to AC Power, HDMI 2.0 outp, 100W total Output, HDMI 2.0 4K@60Hz Resolution, 150 cm cable length
AW5M5UT	R 5,588	HP AW5M5UT Thunderbolt 4 Ultra 280W G6 Dock, 330 W external Power Adapter, 1x USB Type-C 10Gbps (Up to 15 W USB Power Delivery), Up to 8K Resolution (Maximum), Front LED bar, with up to 280W of Power Delivery and 40 Gbps of Data transfer speeds, Thunderbolt 4 port, USB-C DisplayPort Alt mode, 1x HDMI, 1x RJ-45 Gigabit LAN, 2x USB-C Port, 2x DisplayPorts, 5x USB Type-A Ports
AWE81EU	R 461	Targus Chill Mat With 4-Port 2.0 Hub, System Requirements: USB Port; Exterior Dimensions: 35.5 x 2.5 x 26cm; Weight: 0,91 kg; Material: Plastic
CD-CS700	R 2,064	Cudy CS700 Dual 4K 10Gbps USB Type-A & USB-C Gigabit Ethernet Docking Station, 1x USB-C 3.2 Gen 2 Port (10 Gbps Max 100W charging) upstream connection, 2x DisplayPort 1.2A, 2x HDMI 2.0, 2x USB-C 3.2 Gen 2 Ports (10 Gbps Max 14W charging each), 4x USB Type-A 3.2 Gen 2 Ports (10 Gbps Max 5W charging each), 1x Gigabit RJ45 Port, 1x 3.5 mm Combo jack, 150W Max Power consumption (W), Aluminum CNC machining, 1x Kensington Security slot
CD-UH407	R 201	Cudy UH407 7-in-1 4K 60Hz HDMI USB Type-A and USB-C Hub, 1x USB-C 3.2 Gen 1 Male connector (5 Gbps) upstream connection, 1x HDMI 2.0, 4K 4096x2160 @ 60Hz, 1x USB-C 3.2 Gen 1 Port (5 Gbps), 2x USB Type-A 3.2 Gen 1 Ports (5 Gbps), 1x SD card slot (250 Mbps), 1x TF card slot (250 Mbps), Aluminum casing
CD-UH407	R 339	Cudy UH407 7-in-1 4K 60Hz HDMI USB Type-A and USB-C Hub, 1x USB-C 3.2 Gen 1 Male connector (5 Gbps) upstream connection, 1x HDMI 2.0, 4K 4096x2160 @ 60Hz, 1x USB-C 3.2 Gen 1 Port (5 Gbps), 2x USB Type-A 3.2 Gen 1 Ports (5 Gbps), 1x SD card slot (250 Mbps), 1x TF card slot (250 Mbps), Aluminum casing
CD-UH606	R 288	Cudy 6-in-1 4K 60Hz HDMI USB Type-A and USB-C Gigabit Ethernet Hub, UH606, 1x HDMI 2.0 with Max 4K @ 60Hz, 1x upstream PD USB-C Male (5 Gbps), 3x USB Type-A 3.2 Gen 1 (5 Gbps), 1x Gigabit Ethernet RJ45 Port, 1x USB-C receiving 100W PD, extend, Mirror Video Output modes, Aluminum casing
CD-UH606	R 426	Cudy 6-in-1 4K 60Hz HDMI USB Type-A and USB-C Gigabit Ethernet Hub, UH606, 1x HDMI 2.0 with Max 4K @ 60Hz, 1x upstream PD USB-C Male (5 Gbps), 3x USB Type-A 3.2 Gen 1 (5 Gbps), 1x Gigabit Ethernet RJ45 Port, 1x USB-C receiving 100W PD, extend, Mirror Video Output modes, Aluminum casing
CM478-15495	R 237	Ugreen Revodok 5-in-1 Type-C Hub, Aluminium Alloy casing, Type-C Male Input, 1x HDMI (4K@30Hz), 1x USB Type-A 3.0 (5Gbps), 2x USB Type-A 2.0 (480 Mbps), 1 x Type-C (PD 100W Pass-Through), 20cm cable length
CM498-15600	R 665	Ugreen 9-in-1 Type-C Hub, Type-C Male Input, 3x USB 3.0, 1x HDMI, 1x VGA, 1x RJ45 Gigabit Ethernet, 1x SD card slot, 1x TF card slot, 1x USB-C PD charging Port, Supports up to 4K@30Hz HDMI Resolution, Supports up to 1080P@60Hz VGA Resolution, Dual Display mode
CM511-15596	R 263	Ugreen Revodok 5-in-1 Type-C Hub, Type-C Male Input, 4K@30Hz HDMI Output, 3x USB 3.0 Type-A Ports,

		Supports up to 100W Power Delivery, Premium Aluminium Alloy casing, 15cm cable length
CM512-45000	R 389	UGreen CM512 6-in-1 USB Type-C Docking Station, Aluminium Alloy material, USB Type-C Interface, 1x 4K @60Hz HDMI Output, 2x USB Type-A 3.2 (10Gbps) Ports, 1x USB Type-C 3.2 (10Gbps) Port, 1x usb-type-c PD (100W) Port, 1x RJ45 Gigabit Ethernet, HDMI up to 4K@60Hz, Mirror mode & extended mode
CM512-60515	R 528	Ugreen Revodok 7-in-1 Type-C Hub, Type-C Input, 4K@60Hz HDMI Output, Gigabit Ethernet Port, 100W Type-C PD, SD Card Reader, TF Card Reader, 5Gbps 2x USB 3.0 Ports, Aluminium casing housing material, 20cm cable length
CM639-35625	R 715	Ugreen 8in1 USB Type-C Hub, 100W Fast Charge PD Port, Metal Aluminium Alloy, 30cm cable length, 2x HDMI 4K@60Hz, 1x DisplayPort 4K@60Hz, 2x USB Type-C 3.2 Gen2 10Gbps, 2x USB Type-A 3.2 Gen2 10Gbps
CM639-45380	R 830	UGreen CM639 100W PD 9-in-1 USB Type-C Hub, USB Type-C Input, 1x USB Type-A 3.2 10 Gbps Port, 1x USB 3.0 Type-A 5 Gbps Port, 2x USB Type-C 3.2 10 Gbps Ports, 2x HDMI Ports Maximum 4K@60Hz, 1x Gigabit RJ45 Ethernet Port, 1x TF Card Reader, 1x SD Card Reader, 1x up to 100W charging USB Type-C PD Port, Aluminium Case material
CM681-15978	R 1,157	UGreen CM681 Revodok Pro 13-in-1 USB Type-C HDMI and DisplayPort Docking Station, 2x HDMI 2.0 Output, 1x DisplayPort 1.4, 1x Gigabit RJ45, 1x Type-C PD 100W, 1x USB Type-C 3.2 10Gbps, 2x USB 3.2 Ports 10Gbps, 2x USB 3.0 Ports 5Gbps, 1x SD Card Reader, 1x TF Card Reader, 1x 3.5mm Audio jack, Aluminium casing, 20cm cable length
CM841-65487	R 884	UGreen CM841 Mac Mini M4 11-in-1 Dock with SSD enclosure, Mac Mini M4 compatibility, Supports up to 8TB SSD Expansion, M.2 NVMe SSD Interface, Up to 10Gbps SSD transfer Speed, 2 USB-C Ports (10Gbps), 3x USB Type-A Ports (10Gbps), 2x USB Type-A Ports (5Gbps), SD Card Reader, MicroSD (TF) Card Reader
CM843-85489	R 2,420	UGreen CM843 14-in-1 USB Type-C Docking Station, Triple 4K Display Output, 14 Ports in one Dock, 1x USB Type-C upstream (Host 100W Max), 1x USB Type-C PD (27W Output), 2x USB Type-C (10Gbps), 2x USB Type-A (5Gbps), 1x USB Type-A (10Gbps), 1x HDMI 2.0 (4K@60Hz), 2x DisplayPort 1.4 (4K@120Hz), 1x Ethernet (1Gbps), 1x TF Card Reader, 1x SD Card Reader, 1x audio (Combo jack)
CM888-35998	R 362	UGreen 6-in-1 Type-C Hub with 4K HDMI - Grey, HDMI Port 4K@60Hz HDR, PD 100W (PD3.0), 2x USB Type-A 3.2 Gen 2 10Gbps, 2x Type-C 3.2 Gen 2 10Gbps, 20cm cable length
CNS-TDS01DG	R 269	Canyon DS-1 3-in-1 Multiport Thunderbolt 3 Docking Station, Dual Thunderbolt 3 Type-C Male Port, 1x Thunderbolt 3 Female, 1x HDMI, 1x USB 3.0, 1x USB-C PD100 Port Aluminium Alloy, Space Gray
CNS-TDS03DG	R 490	Canyon DS-3 Multiport USB Type-C Hub 4-in-1, 2x USB 3.0, 1x HDMI, 1x USB Type-C PD input, Space Grey
CNS-TDS05B	R 465	Canyon DS-5 7-in-1 Hub for a MacBook with Dual Thunderbolt Type-C Male Ports, 1x Type-C PD 100W Input, 2x HDMI, 1x USB 3.0, 1x USB 2.0, 1x Card Reader, Aluminum Alloy, Space Gray
CNS-TDS05DG	R 295	Canyon DS-5 5in1 Thunderbolt 3 Docking Station, Dual Thunderbolt 3 Type-C Male Ports, 1x Thunderbolt 3 Female, 1x HDMI, 1x USB 3.0, 1x Card Reader, USB Type-C PD100w Input, Aluminium Alloy, Space Gray
CNS-TDS06DG	R 482	Canyon DS-6 USB Type-C Multiport Hub 6-in-1, 2x USB Type-C port with PD Input, 1x HDMI, 2x USB 3.0, 1x RJ45, 1x audio 3.5mm, Space Gray,
CNS-TDS07DG	R 857	Canyon DS-7 5in1 Multiport Docking Station with Wireless 10W charger, 2x USB Type-C with 1 PD 100W Input, 1x HDMI, 1x USB 3.0, 1x USB 2.0, Space Gray
CNS-TDS12	R 890	Canyon DS-12 13in1 USB Type-C Hub, USB Type-C PD 100W, Gigabit Ethernet, Connects 2 monitors simultaneously, 3x USB 3.0 Type-A, 1x USB Type-A 2.0, Audio 3.5 mm, Card Reader, Aluminum housing, 2x HDMI, VGA, 2x USB Type-C Ports
CNS-TDS13	R 697	Canyon DS-13 7in1 4K USB-C Transparent Hub - Space Grey, 1x HDMI, HDMI 4K Ultra HD @ 30Hz, 3x USB 3.0 Type-A, 1x USB Type-C with 100W PD, Two-slot SD/MicroSD Card Reader, Zinc Alloy and Tempered Glass Body
CNS-TDS16	R 1,065	Canyon DS-16 Grey 4k 13 Port USB-C Hub, Two HDMI 4K Ultra HD slots, 60 Hz, Display Port 4K, 60Hz, 3.5 mm audio output, Three USB-A USB 3.2, 10Gbps, USB2.0, One USB-C with 100W PD, Card reader - SD/microSD, Gigabit Ethernet, Compatibility: Windows, MacOS, Android, Aluminum case, Size - 130x57,5x15 mm, Weight - 116,1 g, Cable length - 15cm
CNS-TDS17	R 497	Canyon DS-17 Grey 6 Ports USB-C HUB, HDMI 4K Ultra HD, 60 Hz, Two USB-A USB 3.2, 10Gbps, One USB-C, 10Gbps, MicroSD card reader, Charging - PD 100W, Compatibility: Windows, MacOS, Android, Aluminum case, Size - 113x31x11 mm, Weight - 49,2 g, Cable length - 15cm

CR125-30333	R 204	UGreen CR125 4-in-1 USB 3.0 Card Reader, USB 3.0 Type-A Male Interface, Read and write up to 4 Memory cards simultaneously, Up to 2TB Maximum Memory card capacity, Up to 90MB/s Data transfer Speed
CSV-1460-CLUB3D	R 3,420	Club 3D CSV-1460 USB 3.0 Dual Display 4K60Hz Docking Station
CSV-1555-CLUB3D	R 1,235	Club 3D USB3.2 Gen2 Type-C (DP Alt-Mode) to DisplayPort Dual Monitor 4K 60Hz M/F MST Hub, CSV-1555, Support Dual Display 3840x2160 @ 60Hz, USB3.2 Gen2 Type-C Port with DP Alt-Mode support, USB3.2 Gen 1 Type-C male inout, 2x DisplayPort female Output
CSV-1558-CLUB3D	R 910	Club 3D CSV-1558 USB Type-C to Dual HDMI 4K 60Hz PD 100 Watt, 2x HDMI Female, Support Dual 4K 60Hz Output, Support PD 3.0 charging with Max 100W
CSV-1564W100-CLUB3D	R 2,635	Club 3D Type-C 3.2 Gen1 Triple Display Dynamic PD charging Dock 100W PD Power charger, 3x USB 3.2 Gen1 Type-C Female (1 for Data / 1 for PD charging / 1 for connecting to Host), 3x USB 3.0 Type-A Female, 2x USB 2.0 Type-A Female, 1x HDMI Female, 1x DisplayPort Female, 1x VGA Female, 1x RJ45 jack, 1x SD slot, 1x Micro SD slot, 1x 3.5mm Stereo jack(headphone/mic)
CSV-1580-CLUB3D	R 4,057	Club 3D CSV-1580 Thunderbolt 4 portable 5-in-1 Hub with Smart power, 1x Thunderbolt 4 receptacle (To Host) support Maximum 60W, 3x Thunderbolt 4 receptacle, 1x USB Gen2 Type-A, Maximum 10Gbps Data transmission, Downward compatible with lower versions, Maximum 900mA downstream charging
CSV-1582-CLUB3D	R 3,905	Club 3D CSV-1582 Thunderbolt 4 Certified 12-in-1 Docking Station, 1x support Thunderbolt 4 up to 40Gbps, DisplayPort, 2x HDMI, 1x USB3.2 Gen2 Type-C, 2x USB3.2 Type-A Gen2, 2x USB 2.0 Gen1 Type-A, 1x RJ45 Gigabit Ethernet, 1x audio jack 3.5mm
CSV-1583-CLUB3D	R 4,497	Club 3D CSV-1583 Thunderbolt 4 16-in-1 Quadra Displays Docking Station
CSV-1585-CLUB3D	R 2,635	Club 3D CSV-1585 DisplayPort / HDMI KVM Switch / Dock 4K 60Hz for USB Type-C inputs, KVM for USB Type-C inputs, Docking Station with MST functionality, 1x HDMI Female, 1x DisplayPort Female, 1x USB Type-C PD3.0 (100Watt) for charging PC1, 2x USB Type-C Gen1 Data (5 Gbps), 2x USB Type-A Gen1 Data (5 Gbps), 1x USB Type-A Gen1 Data (5 Gbps) BC1.2, 1x headset 3.5mm Stereo Port, Remote switching, Ethernet Gigabit RJ-45
CSV-1591-CLUB3D	R 1,082	Club 3D CSV-1591 USB Type C 4-in-1 Hub to HDMI 4K60Hz USB Type C PD / USB Type A / Audio jack
CSV-1598-CLUB3D	R 1,559	Club 3D USB Gen2 Type-C to Dual DisplayPort 4K60Hz 7-in-1 Portable Dock, 2x DisplayPort Female, 2x USB Gen2 Type-A Female, 1x Gigabit RJ45 jack, 2x USB Gen2 Type-C Female, 1598-CLUB3D
CSV-1599-CLUB3D	R 1,955	Club-3D CSV-1599 USB-C 10Gbps, 6-in-1 Hub with HDMI 8K60Hz or 4K120Hz, 2xUSB Type-A(10G), Ethernet RJ45(2.5G) and 2xUSB-C, 1x Data(10G) and 1xPD3.0 charging 100 watt
CSV-1611-CLUB3D	R 1,887	Club 3D CSV-1611 USB Gen1 Type-C/A to Dual HDMI (4K/30Hz) / VGA (1080/60Hz), Support HDMI Max 3840x2160 @ 30Hz Output, Support VGA Max 1920x1080 @ 60Hz Output, Support Output Dual 3840x2160 @ 30Hz 1080p @ 60Hz simultaneously under MST mode
CSV-2541-CLUB3D	R 2,439	Club-3D CSV-2541 12-1 USB-C Triple Display PD3.0 100W Docking Station Charger
CSV-2550-CLUB3D	R 1,364	Club 3D CSV-2550 10-1 Portable Dock - USB-C 10Gbps to HDMI 8K30Hz PD3.1 Max.140Watt
CSV-2552-CLUB3D	R 1,173	Club 3D CSV-2552 9-1 Dual HDMI USB-C Hub PD3.0 100W
CSV-3103D-CLUB3D	R 3,060	Club 3D CSV-3103d USB 3.0 4K Docking Station, USB 3.1 Gen 1 Interface, HDMI or DisplayPort, DVI, 3 x USB 3.1 Gen 1, Gigabit Ethernet, Audio 2.1ch, Mic
CSV-3104D-CLUB3D	R 2,761	Club 3D CSV-3104D USB 3.2 Gen 1 4K UHD at 30Hz Mini Docking Station Ultra slim design, USB 3.0 Input, HDMI, DVI-I, 4x full size USB 3.2 Gen 1, RJ45 Ethernet, 3.5mm audio, Mic combo jack
CSV-3242HD-CLUB3D	R 3,279	Club 3D USB 3.0 Dual DisplayPort Docking Station, CSV-3242HD, USB 3.1 Gen 1 to HDMI / DVI / 2 x USB 3.1 Gen 1 / 4 x USB 2.0 / Ethernet / Audio 2.1ch / Mic
DELOCK-87751	R 978	Delock Type-C 100W PD 4K Docking Station, 87751, 1x USB Type-C male, 1x HDMI-A female, 1x USB 2.0 Type-A female, 1x USB Type-C 2.0 female (Data transmission Power Delivery), 1x headset 3.5 mm 4 pin jack, Resolution up to 3840x2160 @ 60 Hz, Supports HDR, USB Power Delivery (PD) 3.0
DLK5514C/94	R 459	Philips USB-C 4 port Hub - 2x USB 3.0 / HDMI 4K / Type-C, 4K Ultra HD picture quality, Aluminum material
DOCK310EUZ	R 2,163	Targus DOCK310EUZ Universal USB-C DV4K Docking Station with 65W Power Delivery, Kensington T-Bar lock slot compatibility, Supports single 5K and Dual 4K UHD HDR @ 60Hz, 130W AC Power Adapter, 1x USB 3.2 Gen 1 Type-C upstream facing Port, 1x USB 3.2 Gen 1 Type-C, 3x USB 3.2 Gen 1 Type-A, 1 Gigabit Ethernet Port, 1x 3.5mm combo audio In/Out Port
DOCK419EUZ	R 845	Targus DOCK419EUZ USB-C single Video 4K HDMI / VGA Dock, 100W Maximum Host power, 1x HDMI, 1 VGA,

		2x USB Type-A Ports, 1x USB-C / USB 3.2 G2 port
DOCK430EUZ	R 2,029	Targus DOCK430EUZ USB-C Multi-Function DisplayPort Alt mode Docking Station with 85W Power, 1x HDMI 1.4 Port, 2x DisplayPort Ports, 1x Gigabit Ethernet Port, 1x USB-C / 3.2 Gen 2 Port, 1x USB 3.2 Gen1 Type-A Fast-Charging Port, 3x USB 3.2 Gen1 Type-A Ports, 1x audio In/Out Port
DOCK570EUZ	R 6,671	Targus DOCK570EUZ USB-C Universal Quad 4K Docking Station with 100W Power Delivery, 4x HDMI Ports, 4x DisplayPort Ports, 1x Gigabit Ethernet Port, 1x USB-C 3.0 Port, 4x USB 3.0 Ports, 1x audio In/Out Port
DS-DUBM910	R 1,178	D-link DUB-M910 9-in-1 mini dock - USB3 Type-C (Gen1 5Gbps) universal docking station - with HDMi D-SUB 2x USB3 Type-C with 100w PD3.0 (Gen1 5Gbps) 2x USB3 Type-A (Gen1 5Gbps) dual card reader (miCroSDXC SDXC) gigabit LAN
DS-JCA351	R 507	j5 create JCA351 USB 3.0 Type-C (Gen1 / 5Gbps) Universal Docking Station, 4K HDMI (Up to 3840x2160 @ 30Hz or 1920x1080 @ 60Hz), Gigabit LAN, USB 3.0 Type-C with 100W PD3.0
DS-JCA374	R 661	j5 Create JCA374 minidocking - USB3.0 Type-C universal docking station with HDMi LAN 2x USB 3.0 - 4K HDMi (up to 3840x2160) 1x gigabit LAN 1x USB 3.0 downstream hub; for windows or MAC, 51x15x97mm 100mm cable, aluminium housing
DS-JCA379	R 507	J5 Create JCA379 Minidocking - USB3.0 Type-C universal docking station with HDMi USB3.0 - (up to 1920x1200) 1x USB 3.0 downstream hub; for windows or MAC, 38x15x75mm 200mm cable
DS-JCA399	R 673	J5 Create JCA399 - USB-C multi-adapter, Gen1, HDMI 1080p, USB-A 5Gbps, PD 60W
DS-JCA399G	R 639	J5 Create JCA399G - USB-C multi-adapter, Gen2, HDMI 4K, USB-A 10Gbps, PD 100W
DS-JCD3191	R 1,104	j5 create JCD3191 4K60 Elite Type-C Travel Adapter, USB 3.0 Type-C Gen2 10Gbps, 4K HDMI 3840x2160 @ 60Hz, 1x USB-C PD-in with PD 3.1 up to 140W, 2x Type-A Gen2 10Gbps, 20cm cable with ac-adapter, 1x RJ45 Gigabit Ethernet
DS-JCD3196	R 1,768	J5 Create JCD3196 - USB-C docking station, 2x HDMI 4K @ 60Hz, USB-A 3.0, USB-C PD 100W, Gigabit Ethernet, compact design
DS-JCD348	R 455	J5create JCD348 5-in-1 ultra dock - USB3.0 Type-C (Gen1/5GBPs) universal docking station - 3x USB3.0 type-A dual card readers (SDXC miCroSDXC); for windows or MAC, 28x10x90mm, aluminum housing
DS-JCD353	R 673	J5 Create JCD353 - USB-C 4K HDMI multi-port adapter, USB-A 5Gbps, PD 100W, Ethernet
DS-JCD361	R 750	j5 create JCD361 fexible Ports USB-C 4K 144Hz HDMI Cube Plus 6 in 1, USB 3.0 Type-C Gen1 5Gbps Universal Docking Station, 1x 4K HDMI upto 3840x2160 @ 144Hz, 20cm cable, Aluminum housing, 2x USB-C 3.2 Gen 1 5Gbps, 2x USB Type-A 3.2 Gen 1 5Gbps, 1x USB-C Pd-in with PD 3.0 up to 100W
DS-JCD362	R 750	j5 create JCD362 Flexible Ports USB-C 4K 144Hz HDMI Hub - Slim 8in1, USB 3.0 Type-C Gen1 5Gbps Universal Docking Station, 4K HDMI up to 3840x2160 @ 144Hz, 20cm cable, Aluminum housing, 3x USB-C 3.2 Gen 1 5Gbps, 3x USB Type-A 3.2 Gen 1 5Gbps, 1x USB-C Pd-in with PD 3.0 up to 100W
DS-JCD371	R 618	J5 JCD371 - USB-C 4K HDMI mini dock, USB-A 5Gbps, PD 60W, SD card slot
DS-JCD372	R 575	J5 Create JCD372 5-in-1 ultradrive minidock - USB3.0 Type-C (Gen2/10GBPs) universal docking station - with HDMI 2x USB3 type-A (Gen2 10Gbps) dual card reader - 32x12x126mm, aluminum housing - 135x50x14mm
DS-JCD373	R 608	J5create JCD373 7-in-1 minidock - USB3.0 Type-C (Gen1/5GBPs) universal docking station - with 4K HDMi USB3 Type-C with 60w PD3.0 2x USB3.0 type-A dual card readers (SDXC miCroSDXC) 3.5mm audio in/out; for windows or MAC, 39x11x122mm 150
DS-JCD375	R 972	J5 Create JCD375 9-in-1 ultradrive modular mini dock - USB3.0 Type-C (Gen2/10GBPs) universal docking station - base unit - with HDMI USB3 Type-C with 100w PD3.0 (Gen2 10Gbps) 3x USB3 Type-A (Gen2 10Gbps) - 32x12x126mm, aluminum housing - 2x type-C modular kit (work as individual type-C converter separately) - dual card reader / gigabit LAN - 34x13x21mm per module
DS-JCD376	R 1,037	J5 Create JCD376 minidocking - USB3.0 Type-C universal docking station with D-sub HDMi LAN 2xUSB3.0 AC power in for type-C charging - 4K HDMi (up to 3840x2160) 1x Gigabit LAN 1x USB 3.0 downstream hub; for windows or MAC, 53x15x115mm 210mm cable, aluminium housing
DS-JCD381	R 1,370	J5 Create JCD381 minidocking - USB3.0 Type-C universal docking station with 2x HDMi gigabit Lan 2x USB3.0 type-C AC power in for type-C charging - 4K 2K HDMi (up to 3840x2160); for windows or MAC, 54x15x130mm 200mm cable, aluminum housing
DS-JCD382	R 1,034	j5 Create JCD382 ultradrive with dual card readers for Macbook Pro 2016 13" / 15" - 2x Thunderbolt 3/Type-C (40

		Gbps for upto 1x 5K or 2x 4K display 100w power delivery) universal docking station with HDMi 2x USB3.1(10Gbps) Thunderbolt 3 (40GBPs) USB3 Type-C (Gen1 5Gbps) dual card readers (SDXC miCroSDXC) - 32x12x120mm, aluminum housing
DS-JCD383	R 1,104	J5 Create JCD383 minidocking - USB3.0 Type-C (Gen1/5GBPs) universal docking station with HDMI gigabit LAN USB3.0 type-C 2x USB3.0 type-A 1x USB3.0 BC1.2 2.4A type-A for fast charge dual card readers (SDXC miCroSDXC) - 4K HDMi (up to 3840x2160); for windows or MAC, 50x105x16.5mm 137mm cable, aluminium housing
DS-JCD384	R 1,270	J5 Create JCD384 minidocking - USB3.0 Type-C (Gen1/5GBPs) universal docking station with HDMI D-sub gigabit LAN USB3.0 type-C 2x USB3.0 type-A 1x USB3.0 BC1.2 2.4A type-A for fast charge dual card readers (SDXC miCroSDXC) - 4K HDMi (up to 3840x2160), for windows or MAC, 50x120x16.5mm 137mm cable, aluminum housing
DS-JCD387EK	R 1,259	J5 Create JCD387EK ultradrive kit type-C 8-in-1 modular mini dock - for Macbook Pro / Macbook Air or normal NB - base unit - with HDMi 2x USB3 Type-C with 100w PD3.0 (Gen1 5Gbps) 2x USB3 Type-A (Gen1 5Gbps) - 34x13x98mm, aluminum housing - 1x type-C modular kit (work as individual type-C converter separately) - gigabit Ethernet - 34x13x21mm per module
DS-JCD388	R 562	J5create JCD388 6-in-1 ultra dock - USB3.0 Type-C (Gen1/5GBPs) universal docking station - USB3.0 type-C 2x USB3.0 type-A dual card readers (SDXC miCroSDXC); for windows or MAC, 32x11x107mm, aluminum housing
DS-JCD389	R 1,270	J5 Create JCD389 ultradrive kit type-C 11-in-1 modular mini dock - for Macbook Pro base unit - with HDMi 2x USB3 Type-C with 100w PD3.0 (Gen1 5Gbps) 2x USB3 Type-A (Gen1 5Gbps) - 34x13x98mm, aluminum housing, 5x type-C modular kit (work as individual type-C converter separately) - D-sub/ 4K HDMi/ 4K miniDP/ dual card reader/ gigabit Lan - 34x13x21mm per module
DS-JCD390	R 817	J5 Create JCD390 - USB-C 4K 60Hz HDMI multi-port adapter, USB-A 5Gbps, Gigabit Ethernet
DS-JCD392	R 1,049	J5-Create JCD392 4K60 Elite Travel Dock - USB3 Type-C (Gen2/10GBPs) 6-in-1 universal docking station, integrated E-mark iC usb4/Thunderbolt3/Thunderbolt4, with HDMi (3840x2160@60Hz or 2560x1440@120Hz or 1920x1080@144Hz) gigabit LAN USB3 type-C with PD3.0 100w 2x USB3 type-A (Gen2/10GBPS); for windows or MAC, 110x47x16mm 150mm cable, aluminum housing
DS-JCD393	R 1,325	J5-Create JCD393 4K60 Elite mini dock - USB3 Type-C (Gen2/10GBPs) 9-in-1 universal docking station, integrated E-mark iC usb4/Thunderbolt3/Thunderbolt4, with HDMi (3840x2160@60Hz or 2560x1440@120Hz or 1920x1080@144Hz) gigabit LAN 2x USB3 type-C with 100w PD3.0 2x USB3 type-A (Gen2/10GBPS) dual card readers (SDXC miCroSDXC); for windows or MAC, 138x50x16mm 200mm cable, aluminum housing
DS-JCD396	R 1,159	J5 Create JCD396 - Type-C 6-in-1 docking station, HDMI 4K, USB-A 5Gbps, PD 100W
DS-JCD397	R 1,602	j5 Create JCD393 4K60 Elite Triple-Monitor mini dock - USB3 Type-C (Gen2/10GBPs) 11-in-1 universal docking station, integrated E-mark iC usb4/ Thunderbolt3/ Thunderbolt4, with 2x HDMi (3840x2160@60Hz or 2560x1440@120Hz or 1920x1080@144Hz) 4K DisplayPort gigabit LAN 2x USB3 type-C with 100w PD3.0 2x USB3 type-A (Gen2/10GBPS) dual card readers (SDXC miCroSDXC); for windows or MAC, 148x55x17mm 200mm cable, aluminum housing
DS-JCD401	R 1,856	j5 create JCD401 Dual 4K multi-port Hub USB 3.0 Type-C 5-in-1 Universal Docking Station, 1x USB-C 3.2 Gen 2 (10Gbps) with DP 1.4 support, 1x USB Type-A 3.2 Gen 2 (10Gbps), 1x USB-C Power Delivery 3.0, 1x 4K HDMI, 1x DisplayPort 1.4, 3840x2160 Maximum Display Resolution, 60 Hz Maximum Display Refresh Rate, Up to 85W via USB-C Power Delivery
DS-JCD403	R 1,811	j5 Create JCD403 8K Multi-Port Hub - type-C USB4 (40GBPs) universal docking station, integrated E-mark iC USB 4/ Thunderbolt3/ Thunderbolt4, with 8K HDMi (7680x4320@60Hz or 3840x2160@144Hz) 2.5 Gb LAN 2x USB3 type-C with 100w PD3.0 2x USB3 type-C
DS-JCD533	R 1,325	J5 Create JCD533 single display docking station - USB3.0 Type-C (Gen1/5GBPs) universal docking station - power delivery 100W pass-through, with 1x 4K HDMI gigabit LAN 3x USB 3.0 Type-A 1x USB3.0 Type-C downstream hub with fast charge port 3.5mm
DS-JCD542	R 1,624	j5 Create JCD542 Dual Display Docking Station - USB3.0 Type-C (Gen1/5GBPs) universal docking station - power delivery 100W pass-through, with 2x HDMi(4K 2K) gigabit LAN 3x USB 3.0 Type-A 1x USB3.0 Type-C downstream hub with fast charge port 3.5

DS-JCD543	R 1,668	J5 Create JCD543 triple display docking station - USB3.0 Type-C (Gen1/5GBPs) universal docking station - power delivery 100W pass-through, with 2x HDMI DisplayPort D-sub gigabit LAN 3x USB 3.0 Type-A 2x USB3.0 Type-C downstream hub with fast charge port 3.5mm audio in/out, 350x83x23mm slim size; for windows or MAC
DS-JCD543P	R 2,475	J5 create JCD543P Triple Display Docking Station 100W PD ac-adapter, USB 3.0 Type-C Gen1 / 5Gbps Universal Docking Station - Power Delivery 100W Pass-Through, 4K HDMI upto 3840x2160 @30Hz, 4K HDMI / DisplayPort, D-Sub, Gigabit LAN, 3x USB 3.0 Type-A, 2x USB 3.0 Type-C downstream Hub with Fast Charge Port, SD 3.0 x 1 slot, MicroSD 3.0 x 1 slot, Microphone and Speaker Combo Audio jack
DS-JCD551	R 1,624	J5 Create JCD551 - Type-C docking station, HDMI 4K 60Hz, Gigabit Ethernet, 100W PD
DS-JCD552	R 1,425	J5 Create JCD552 dual display 12-in-1 docking station with M.2 slot (NVMe or SATA) - USB3 Type-C (Gen2/10GBPs) universal docking station - power delivery 100W pass-through, with 4K HDMi 4K DisplayPort gigabit LAN 1x USB3 Type-A (Gen1/5GBPs)
DS-JCD552P	R 2,697	j5 create JCD552p Dual Display 12-in-1 Docking Station with M.2 slot (NVMe or SATA), 100W PD ac-adapter, USB 3.0 Type-C Gen2 10Gbps Universal Docking Station - Power Delivery 100W Pass-Through, 4K HDMI (Upto 3840x2160 @60Hz), 4K DisplayPort (Upto 3840x2160 @60Hz), Gigabit LAN, 1x USB 3.0 Type-A Gen1 5Gbps, 2x USB 3.0 Type-A Gen2 10Gbps, 2x USB 3.0 Type-C Gen2 10Gbps downstream Hub with Fast Charge Port
DS-JCD554	R 2,906	j5 create JCD554 Triple 4K Display 12-in-1 Docking Station with M.2 slot (NVMe or SATA), Thunderbolt 4 / USB4 Type-C (40Gbps) Universal Docking Station, Power Delivery 100W Pass-Through, 2x 4K HDMI @ 60Hz, 1x 4K DisplayPort @60Hz, Gigabit LAN, 1x USB 3.0 Type-A (Gen1 / 5Gbps), 2x USB 3.0 Type-A (Gen2 / 10Gbps), 2x USB 3.0 Type-C (Gen2 / 10Gbps) downstream Hub with Fast Charge Port, 3.5mm Audio In/Out, 1x SD / MicroSD 4.0 card, Aluminum enclosure Type
DS-JCDS335	R 2,155	J5create JCDS335 8-in-1 Speakerphone Dock - with Meeting controls, 5W Speaker, 4 microphones Array, 5x Touch buttons, 1x HDMI 4K@60Hz HDR, 2x USB Type-A Gen 1 (5Gbps), 1x USB Type-C Gen 1 (5Gbps), 1x RJ45 Gigabit Ethernet, 1x USB Type-C PD 100W
DS-JCDS337	R 3,095	J5create JCDS337 9-in-1 Dual 4K Speakerphone Dock Pro - with Meeting controls, 5W Speaker, 4 microphones Array, 5x Touch buttons, 2x HDMI 4K@60Hz HDR, 2x USB Type-A 3.2 Gen 2 (10Gbps), 1x USB Type-C 3.2 Gen 2 (10Gbps), 1x RJ45 Gigabit Ethernet, 1x USB Type-C PD 100W
DS-JTD562	R 5,637	j5 Create JTD562 8K Thunderbolt4 Docking Station - USB4 Type-C (Gen3/40GBPs), integrated E-mark iC usb4//Thunderbolt4, support dual 4K display or 1x 8K display (4K@120Hz or 8K@60Hz) gigabit LAN 3x Thunderbolt4 / USB4 (Gen3/40Gbps) type-C
DS-JUD380	R 1,037	j5 Create JUD380 Mini Docking Station - USB3.0 universal docking station with video LAN USB audio - HDMi D-sub 1x Gigabit LAN 2x USB 3.0 downstream hub with fast charge port; 120x14x43mm, for windows or MAC - with AC-adapter
DS-JUD480	R 1,104	j5 Create JUD480 Boomerang Station - USB3.0 universal docking station with video LAN USB Audio - HDMi D-sub 1x gigabit LAN 4x USB 3.0 downstream hub with fast charge port audio in/out; for windows or MAC
DS-SC0V50PB	R 773	Sunix C0V50PB minidocking - USB3.0 Type-C (Gen1/5GBPs) universal docking station with D-sub HDMi gigabit Lan USB3.0 - FHD HDMi (up to 1920x1200); for windows or MAC, 66x16x102mm 150mm cable
DS-SCCV50PB	R 938	Sunix CCV50PB minidocking - USB3.0 Type-C (Gen1/5GBPs) universal docking station with D-sub HDMi gigabit LAN USB3.0 type-C - FHD HDMi (up to 1920x1200); for windows or MAC, 66x16x102mm 150mm cable
DS-USB-C-D1019B	R 978	Unitek USB Type-C 8in1 Ethernet Hub, D1019b, 2x USB Type-A, HDMI, VGA, RJ45 Gigabit Ethernet, SD card slot, USB-C up to 100W PD, HDMI supports 4K 30Hz Resolution, VGA supports Full HD 1080p, 3.5mm jack Adapter
DS-USB-C-DOCK-D1135A	R 2,977	Unitek D1135 Triple 4K Universal Displaylink Port replicator supporting MST, USB-C PD 100W Host Power (PD), 4K@60Hz (Single) or 4K@60Hz (Dual) Max Output Resolution, 2x HDMI, 1x DisplayPort, 2x USB Type-A 10Gbps (Downstream), 1x USB Type-A 5Gbps (Downstream), 2x USB Type-A 480 Mbps (Downstream), 1x USB-C 10Gbps (Downstream), 1x USB-C 5Gbps (Downstream), 1x SD card slot, 1x 3.5mm Aux jack (Audio in / out), Gigabit Ethernet RJ45 jack, 1m cable length, Aluminum Alloy material
DS-USB-DOCK-D1103A01	R 2,581	Unitek Universal Dual 4K KVM Docking Station, D1103A01, 2x HDMI 2.0 1x DisplayPort 1.2, 100cm 30cm cable length, USB-C 10Gbps upstream, Dual Output supports 2x HDMI or HDMI DP (Both up to 4K@60Hz), 2x USB 10Gbps Ports (1x USB-C and 1x USB Type-A), 3x USB 5Gbps po, Built in SD and Micro SD 3.0 card slots, The KVM Docking Station, RJ-45 Gigabit Ethernet Port

DS-USB-DOCK-D1104A01	R 2,098	Unitek USB Type-C 8K 13-in-1 Docking Station with 100W PD, D1104A01, 2x HDMI 2.1 1x DisplayPort 2.0, Single Display up to 8K@30Hz, Dual Display up to 4K@60Hz, USB4, Thunderbolt 4 / 3, 100cm cable length, USB-C 10Gbps upstream, 2.5Gbps Ethernet Port, Built in SD 4.0 and Micro SD 3.0 card slots, Triple 4K docking
DS-USB-DOCK-D1106A	R 1,780	Unitek D1106A UHUB15 USB Type-C Triple 4K KVM Port replicator pedestal, USB-C PD 100W Host Power (PD), Single / Dual Display up to 4K@60Hz Max Output Resolution, Triple Display (2x 4K@60Hz & 1x 4K@30Hz) Max Output Resolution, 2x HDMI, 1x DisplayPort, 2x USB Type-A 5Gbps, 1x USB Type-A 10Gbps, 3x USB-C 10Gbps (2 x Host), 1x SD card slot, 1 Micro SD card slot, 1x 3.5mm Aux jack (Audio in / out), Ethernet RJ45 jack, KVM, Aluminum Alloy material
DS-USB-DOCK-D1147A	R 1,955	Unitek UHUB11 USB-C Displaylink 4K Docking Station, D1147A, USB-C PD 100W Host Power (PD), 4K@30Hz Max Output Resolution, 2x HDMI, 1x DVI, 1x VGA, 3 x 5Gbps USB Type-A, 1 (Audio in / out) 3.5mm Aux jack, Gigabit Ethernet RJ45 jack, 60cm cable length, USB-C Power source, Aluminum Alloy material
DS-USB-HUB-D1122A01	R 1,271	Unitek D1122A 8-in-1 USB Type-C Dual HDMI Port replicator and 100W PD charging, USB-C PD100W Host Power (PD), 4K@60Hz Max Output Resolution, 2x HDMI, 2x USB Type-A 5Gbps (Downstream), 1x USB-C (Upsteam), 1x SD card slot, 1 Micro SD card slot, Gigabit Ethernet RJ45 jack, 20cm cable length, Aluminum Alloy material
DU3223	R 575	Mecer USB3.0 Universal Docking Station, *DVI-I Port *HDMI Port *Gigabit LAN Port, *4 x USB2.0 Port *2 x USB3.0 Port * Speaker and Microphone Jack
ET-W18	R 286	Microworld 6 in 1 4K HD USB-C multi-function Adapter, 3x USB 3.0 Ports up to 5Gbps, 1x HDMI Output Port up to 4K quality, 1x SD card, 1x TF card
GAPCHHUPD	R 192	Gizzu 4-in-1 Type-C to Dual HDMI Hub, Type-C (Male) Input Interface, 1x Type-C PD 100W, 2x HDMI up to 4K @ 30Hz, 1x USB 3.0 Female, Aluminium housing, 16cm cable length
GAPCHVUPD	R 110	Gizzu 4-in-1 Type-C to HDMI / VGA / USB 3.0 Hub, Type-C (Male) Input Interface, 1x Type-C PD 100W, 1x HDMI up to 4K @ 30Hz, 1x VGA up to 1080p @ 60Hz, 1x USB 3.0 Female, Aluminium housing, 16cm cable length
GC-CT3DM	R 2,846	Corsair TBT100 Thunderbolt 3 DockMi, 2x HDMI 2.0 Video Output, 2x USB Type-A Superspeed 5Gbps, 2x USB-C Superspeed 10Gbps, Gigabit Ethernet 1x, Up to 85W upstream to Laptop Power Delivery, Up to 15W for USB-C Ports, P to 7.5W for USB Type-A Ports, Up to 4096x2160 pixels each Max Resolution, Thunderbolt 3 Port, SD Card Reader, 3.5mm Combo Port
HDM1H-GL	R 2,323	Targus Hyper HyperDrive Dual HDMI 10in1 Travel Dock for M1/M2 MacBook, Silicon motion Silver, 1 x 4K 30Hz HDMI, 1x Gigabit Ethernet, 2 x 5Gbps USB Type-A, 1 x 40Gbps 100W USB-C, 1 x 5Gbps 60W USB-C
HU-JCH341	R 430	j5 create JCH341 Eco-Friendly USB-C to 4 port Type-A Gen 2 Hub, 4x Type-A Gen2 10Gbps, 150mm cable, USB powered
HU-JCH342	R 596	j5 create JCH342 Eco-Friendly USB-C to 4 port Type-C & Type-A Gen 2 10Gbps Hub, 2x Type-C 2x Type-A Gen2 10Gbps, 150mm cable, Usb-powered
HU-JCH345	R 541	j5 create JCH345 Eco-Friendly USB-C to 4 port Type-C Gen 2 10Gbps Hub, 4x Type-C Gen2 10Gbps 150mm cable, Usb-powered
HU-JCH474+L	R 463	j5 create JCH474 USB Type-C to 3x USB 3.0 Ports & Gigabit LAN, 30cm cable, Aluminum housing, Usb-powered (No ac-adapter), 1x USB Type-C Gen1 5Gbps Input, 3x USB 3.0 Type-A Gen1 5Gbps outpus
HU-JCT425+S	R 1,933	J5 Create JCT425 8-in-1 USB Type-C PD Docking Station - type-C (Gen1 5Gbps) -> 5x Usb3.0 hub 1x type-C (PD3.0 100w fast charge) HDMi (up to 4K@30Hz) notebook/lcd Stand with cable management, aluminum handmade solid wood finish, 534x95x248mm - USB-powered
HUB-TYPE-C-D1077A	R 1,613	Unitek USB Type-C KVM Dock Switch with 100 Watt Power Delivery, D1077A, 50cm cable length, USB-C 10Gbps upstream, USB-C 10Gbps downstream, 2x USB 5Gbps and 2x USB 10Gbps Data Ports, Supports UHD 4K @ 60Hz, RJ-45 Gigabit Ethernet Port, 3.5mm Stereo audio Output, 3.5mm Microphone Input, Built in SD and TF slots
HUB-TYPE-C-D1084A	R 489	Unitek uHub H6 gloss 6-in-1 USB-C Ethernet Hub with HDMI and 100W Power Delivery, 15cm cable length, 3x USB Type-A, USB-C PD, HDMI, Gigabit Ethernet RJ45, D1084A
HUB-USB-3P-H1112F	R 631	Unitek 6in1 USB-C 5Gbps Hub / 4K HDMI / Power Delivery, H1112F, HDMI 1.4b, 4K@30Hz Resolution Max, 100W PD charging, Gigabit LAN Port, 1x USB 3.0, 2x USB 2.0
HUB-USB-5P-H1107C	R 338	Unitek H1107C USB 3.1 3-port Card Reader, USB-C male upstream, 3x USB Type-A, SD, Micro SD, USB-C (For PD 100W charging)

HUB-USB-C-6P-D1113C	R 367	Unitek 6-in-1 USB-C Hub 4K / PD / Ethernet / 3x USB, D1113C, USB-C PD 100W Host Power (PD), 4K@30Hz (Single) Max Output Resolution, 1x HDMI, 3 x 5Gbps USB Type-A, Gigabit Ethernet RJ45 jack, 20V 5A Power Supply, Aluminum Alloy
HUB-USB-C-D1092A	R 1,711	Unitek 9-in-1 USB-C Dock with Keyboard, D1092A, HDMI Output supports Video Resolution up to 4K@60Hz, Three USB 3.0 Ports, 1x USB-C Port (PD Pass-Through), 1x 3.5mm audio / Mic jack, 1x SD Card Reader and 1x Micro SD Card Reader, 100W PD charging
HUB-USB-H1118A	R 391	Unitek uHub S7 7-in-1 USB-C 5Gbps Hub with 4K HDMI and 100W Power Delivery, H1118A, HDMI 1.4 (4K@30Hz), 1x USB 3.0, 2x USB 2.0, 100W Power Delivery
HUB-USB-H1320A	R 240	Unitek H1320a uHub P5 5-in-1 USB 3.0 Type-A/C 5Gbps Hub with SD and Micro SD Card Reader, 1x USB Type-A 5Gbps (Upstream), 3x USB Type-A 5Gbps (Downstream), 1x USB-C 5Gbps (Upstream), 1x SD card slot up to 104MB/s, 1x Micro SD card slot up to 104MB/s, 15cm cable length, Aluminum Alloy material
HUB-USB-Q4-LITE	R 827	Unitek D1049A Hub Q4 Lite 4in1x USB / VGA / HDMI, USB-C male upstream, HDMI, VGA, USB 2.0 Type-C PD 100W, USB 2.0 Type-A
HUB-USB2.1C-3P-U	R 180	Unitek H1108B uHub Q4 5-in-1 USB-C Hub with Dual Card Reader, H1108b, 3x USB Type-A, SD / Micro SD Memory Card Reader, 15cm cable length
HUB-USB3.0-C-D1113A	R 919	Unitek 9in1 USB 3.0 Hub with Dual Card Reader, D1113A, 3 x USB 3.0, SDHC / SDXC, 100with USB-C Power Delivery, HDMI single Video Output at 4K@30Hz, Gigabit Ethernet
HUB-USB3.0C-1P-U	R 943	Unitek Y-9117 USB3.1 Type-C Aluminium Multi-Port Hub (1-Port USB Type-A 1-Port USB Type-C HDMI Gigabit Ethernet Converter)
HUB-USB3.1-TYPE-C	R 1,327	Unitek D1056A USB 3.1 7in1 USB Ethernet Hub, USB-C male upstream, 1x DisplayPort (Up to 4k@30hz), 1x HDMI (Up to 4k@30hz), 1x USB-C (PD 100W & Data 5Gbps), 2x USB Type-A (Superspeed @ 5Gbps), 1x Gigabit Ethernet (RJ45), 1x Card Reader (24mm size)
HUB-USB3.2C-D1029A	R 1,212	Unitek D1029A 7-in-1 USB Type-C Dock with PD 100W, Aluminium-Alloy housing materials, Full-Featured USB-C upstream, 2x USB Type-A (Up to 10Gbps), 1x USB-C (Up to 10Gbps), 1x HDMI (Up to 4K 60Hz, HDCP2.3), 1x Ethernet RJ45 (Gigabit), 1x 3.5mm audio, 1x USB-C PD (100W PD charging)
HUB15	R 127	Microworld USB-C to HDMI 4K PD 100W Hub, Supports HDMI 4K Resolution Output, Includes Power Delivery up to 100W charging, Connects via a single USB-C Port, Features Compact Design for Portable use
HV1-U60D2L	R 3,259	Mediasonic HV1-U60D2L ProBox SmartDock Pro USB 3.0 Universal Docking Station, 6x USB 3.0 Ports, HDMI output up to 2560x1440, 3.5mm audio Ports, Front 2x USB Ports support 5V / 2.1A fast charging mode, Gigabit Ethernet, DVI Output
LENOVO 40B00300SA	R 7,084	Lenovo 40B00300SA Docking Station Thunderbolt 4 Workstation Dock, 1x HDMI 2.1, 2x DisplayPort 1.4, 4x USB Type-A, 1x USB-C, 1x 3.5mm audio combo jack, 1x Gigabit Ethernet, 4 external monitors
LENOVO 40BF0100SA	R 3,324	Lenovo 40BF0100SA ThinkPad USB4 Dock 5000 - 100W Adapter, 4x USB Type-A 3.2 Gen 2, 2x USB-C 3.2 Gen 2, 100W Input Power, 65W Output Power, DC-in charging Port, 4x 3840x2160 @ 60Hz maximum Resolution, 4 external monitors, 1x NanoSaver lock slot, 1x MicroSaver lock slot, 1x gigabbit Ethernet, 1x HDMI 2.1, 2 x 1x DisplayPort 1.4, 1x USB-C full Function Video Port
M32150	R 825	Verbatim CMH-05 USB-C Pro Multiport 5 port Hub, 1x HDMI up to 4K@60Hz, 1x RJ45 up to 1Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB-C PD up to 100W
M32151	R 892	Verbatim CMH-08 USB-C Pro Multiport Hub 8 Port, 2x HDMI one is 8K@30Hz and the other is 4K@30Hz, 3x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x SD 3.0, 1x MicroSD 3.0, 1x USB-C PD up to 100W
M32152	R 858	Verbatim CMH-09 USB-C Pro Multiport Hub 9 Port, 32152, 1x HDMI Up to 4K@60Hz, 1x RJ45, Up to 1Gb/s, 2x USB-C 3.2 Gen2 up to 10Gb/s, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x SD 3.0, 1x MicroSD 3.0
M32153	R 1,533	Verbatim CMH-13 USB-C Pro Multiport Hub 13 Port, 1x HDMI up to 4K@60Hz, 1x RJ45 up to 1Gb/s, 2x USB-C 3.2 Gen2 up to 10Gb/s, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s
M32154	R 1,274	Verbatim CMH-14 USB-C Pro Multiport Hub 14 Port, 2x HDMI one is 4K@60Hz and the other is 4K@30Hz, 1x VGA up to 1080p, 1x RJ45 up to 1Gb/s, 3x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB-C 3.2 Gen1 up to 5Gb/s, 2x USB Type-A 2.0 up to 480MB/s, 1x audio jack, 1x SD 3.0, 1x MicroSD 3.0, 1x USB-C PD up to 100W
M32155	R 322	Verbatim 32155 USB-C Essentials Multiport Hub 4 port, 1x HDMI up to 4K@30Hz, 1x USB Type-A up to 1Gb/s, 1x

		USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB-C PD up to 100W
M32156	R 412	Verbatim 32156 USB-C Essentials Multiport Hub 6 Port with Card Reader, 1x HDMI up to 4K@30Hz, 1x USB Type-A up to 1Gb/s, 1x USB Type-A 3.2 Gen1 up to 5Gb/s, 1 x USB-C PD up to 100W, 1x Micro SD, 1x SD
M32157	R 473	Verbatim 32157 USB-C Essentials Multiport Hub 6 Port with RJ46, PD 3.0 up to 100W Input, 1x HDMI up to 4K/30Hz (3840x2160), 1x Gigabit RJ45 Ethernet, 18.8 cm cable length
M32171	R 2,205	Verbatim 32171 USB-C Pro Docking Station 15 Port, CDS-15, 2x HDMI up to 8K@30Hz, 1x DisplayPort up to 8K@30Hz, 1x RJ45, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB Type-A 2.0, 2x USB-C 3.2 Gen2 up to 10Gb/s, 1x SD 4.0, 1x MicroSD 3.0, 1x audio jack, 1x USB-C PD up to 100W
M32172	R 4,433	Verbatim 32172 USB-C Pro Docking Station 17 Port, CDS-17, 1x HDMI up to 8K@30Hz, 2x HDMI up to 4K@60Hz, 2x DisplayPort up to 4K@60Hz, 1x RJ45, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 2x USB Type-A 2.0, 1x USB-C 3.2 Gen2 up to 10Gb/s, 1x SD 4.0, 1x Micro SD 3.0, 1x audio jack, PD Port
M32173	R 2,462	Verbatim 32173 USB-C Pro Docking Station 15 Port with SSD slot, CDS-15S, 2x HDMI up to 8K@30Hz, 1x DisplayPort up to 8K@30Hz, 1x RJ45, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB Type-A 2.0, 1x USB-C 3.2 Gen2 up to 10Gb/s, 1x SD 4.0, 1x Micro SD 3.0, 1x SSD enclosure NVMe 10G & SATA 5G, 1x audio jack, 1x USB-C PD up to 100W
M32174	R 2,917	Verbatim 32174 USB-C Pro Docking Station 15 Port with 256GB SSD included, CDS-15SSD, 2x HDMI up to 8K@30Hz, 1x DisplayPort up to 8K@30Hz, 1x RJ45, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB Type-A 2.0, 1x USB-C 3.2 Gen2 up to 10Gb/s, 1x SD 4.0, 1x Micro SD 3.0, 1x SSD enclosure NVMe 10G & SATA 5G, 1x audio jack, 1x USB-C PD up to 100W, 1x 256GB PCI-e 3 SSD included
M49140	R 447	Verbatim USB-c Multiport Hub - USB 3.1 Gen1 / U3.0 / HDMI
M49141	R 913	Verbatim USB-c Multiport Hub - USB 3.1 Gen 1/ USB 3.0 X 2/ HDMI/ Rj46
M49142	R 977	Verbatim USB-c Multiport Hub - USB 3.1 Gen 1/ USB 3.0x3/ HDMI/ SDHC/ MicroSDHC/ RJ46
MC-U501P-GY-BP	R 518	Orico MC-U501p 5 in 1 Multifunctional Docking Station, USB 3.1 Type-C Input Interface, HDMI 4k/30hz, USB 3.0, VGA 1080p, Audio, Power Delivery, Space Grey, Aluminum alloy material
MOVEV32150	R 710	Verbatim CMH-05 USB-C Pro Multiport 5 port Hub, 1x HDMI up to 4K@60Hz, 1x RJ45 up to 1Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB-C PD up to 100W. The Verbatim CMH-05 USB-C Pro Multiport Hub is designed to expand a single USB-C port into a full productivity workstation. With HDMI output supporting up to 4K@60Hz, Gigabit Ethernet, dual USB-A ports, and USB-C Power Delivery, it enables efficient multitasking across displays, networks, and peripherals.
MOVEV32151	R 777	Verbatim CMH-08 USB-C Pro Multiport Hub 8 Port, 2x HDMI one is 8K@30Hz and the other is 4K@30Hz, 3x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x SD 3.0, 1x MicroSD 3.0, 1x USB-C PD up to 100W
MOVEV32152	R 743	Verbatim CMH-09 USB-C Pro Multiport Hub 9 Port, 32152, 1x HDMI Up to 4K@60Hz, 1x RJ45, Up to 1Gb/s, 2x USB-C 3.2 Gen2 up to 10Gb/s, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x SD 3.0, 1x MicroSD 3.0
MOVEV32153	R 1,418	Verbatim 32153 CMH-13 USB-C Pro Multiport Hub 13 Port, 1x HDMI up to 4K@60Hz, 1x RJ45 up to 1Gb/s, 2x USB-C 3.2 Gen2 up to 10Gb/s, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s
MOVEV32171	R 2,090	Verbatim 32171 USB-C Pro Docking Station 15 Port, CDS-15, 2x HDMI up to 8K@30Hz, 1x DisplayPort up to 8K@30Hz, 1x RJ45, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB Type-A 2.0, 2x USB-C 3.2 Gen2 up to 10Gb/s, 1x SD 4.0, 1x MicroSD 3.0, 1x audio jack, 1x USB-C PD up to 100W
MOVEV32173	R 2,069	Verbatim 32173 USB-C Pro Docking Station 15 Port with SSD slot, CDS-15S, 2x HDMI up to 8K@30Hz, 1x DisplayPort up to 8K@30Hz, 1x RJ45, 1x USB Type-A 3.2 Gen2 up to 10Gb/s, 2x USB Type-A 3.2 Gen1 up to 5Gb/s, 1x USB Type-A 2.0, 1x USB-C 3.2 Gen2 up to 10Gb/s, 1x SD 4.0, 1x Micro SD 3.0, 1x SSD enclosure NVMe 10G & SATA 5G, 1x audio jack, 1x USB-C PD up to 100W
NA-JCE145C	R 761	j5 create JCE145c USB 3.0 Type-A / Type-C / Thunderbolt to 2.5 Gigabit Network Adapter, Aluminum housing, with Surge protection LED activity indicator, 10cm cable, 2.5 Gbps Max Data Transfer Rate
NB-HAKP080AA	R 961	HP KP080AA - basic docking station with 120w ac-adapter, 4 port USB hub, Ethernet modem pass-through, 2 x

		ps2, serial, parallel, VGA, DVI, Audio in/out - for TC4400, NC4400, NC6320, NC6400, 6510b, 6530b, 6710b, 6715b, 6720S, 6730b, 6735b, 6910p, 6930p, NC8430, 8510p, 8510w, 8530p, 8530w, 8710p, 8710w, 8730s, 8730w
NB-HAPA507A	R 559	HP PA507A - with notebook on/off button on the top , support upto 21" CRT monitor , require with EN488AA , EN489AA - for HP NC2400, 2510p, 2530p, TC4200, NC4400, NC6120, NX6125, NC6220, NC6320, NC6400, 6710b, 6715b, 6910p, NC8230, NX8220, NW8240, 8510p, 8510w, 8710p, 8710w, 8730w, NX9420
NB-LA39T4571	R 2,904	Lenovo 39T4571 thinkpad advance dock - Ultrabay, express card 54 slot , 6-in-1 card reader, analog and digital s/pdif audio out , d-sub DVI-D vga out, 1x ps2, Gigabit Ethernet (RJ45) , modem (RJ11) , 5x usb , serial , parallel - for T61, T400, T500, R6, R400, R500, W500
NBDE210-BRFL	R 6,163	Dell Pro 210-BRFL SD25TB4 Thunderbolt 4 Smart Dock, 4 displays supported, Up to 4x 4K (3840x2160) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 2x Thunderbolt 4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 4 (15W each), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
NBDE210-BRFM	R 4,771	Dell 210-BRFM Pro Smart Dock SD25, 4 displays supported, Up TP 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DP1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4 USB Ports (Data only), 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) USB Power Delivery, 180W Maximum Power Supply wattage
NBDE210-BRFN	R 8,118	Dell 210-BRFN Pro Thunderbolt 5 Smart Dock SD25TB5 - Power Delivery 300W, 83 cm cable length, 4 displays supported, 8K @ 60Hz Max screen mode supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 2x Thunderbolt 5 (15W each), 240W Power Delivery (Non-dell systems), 300W Power Delivery (Dell systems), 2.5 Gigabit Ethernet, Thunderbolt 5 Host Interface, 4x USB 3.2 Gen 2 Type-A Ports, 4x USB Type-A Ports, 2x USB Type-C Ports, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 2.1, 1x USB-C 3.2 Gen 2 (10 Gbps), 2 DisplayPorts, 1x HDMI Ports, 2x Thunderbolt Ports
NBDE210-BRFQ	R 3,196	Dell 210-BRFQ Pro Dock WD25, 4 displays supported, Up to 4x WQHD (3440x1440) @ 60Hz, 2.5GbE RJ45 Ethernet Port, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4, 4x USB Type-A 3.2 Gen 2 (10 Gbps), 1x USB-C 3.2 Gen 2 (10 Gbps), 100W (Dell systems) USB Power Delivery, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W Maximum Power Supply wattage
NBDE210-BTHY	R 5,197	Dell 210-BTHY WD25TB4 Pro Thunderbolt 4 Dock, 83 cm cable length, Power Delivery Pass-Through, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x USB-C Multi-Function DisplayPort, 2x Thunderbolt 4 (15W each), 96W Power Delivery (Non-dell systems), 2.5 Gigabit Ethernet, Thunderbolt 4 Host Interface, 2 DisplayPorts, 1x HDMI Ports
NBDE210-BTHZ	R 7,209	Dell 210-BTHZ WD25TB5 Pro Thunderbolt 5 Dock, 83 cm cable length, Power Delivery Pass-Through, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x USB-C Multi-Function DisplayPort, 2x Thunderbolt 5 (15W each), Up to 240W Power Delivery - non-dell systems, 2.5 Gigabit Ethernet, 2x DisplayPorts, 1x HDMI Port
NBDE210-BTJB	R 3,932	Dell 210-BTJB USB-C Pro Dock - WD25Z, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) Power Delivery, 2.5 Gigabit Ethernet, USB Type-C Host Interface, 2x DisplayPort 1.4, 1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4
NBHP9X472UT	R 3,289	HP 9X472UT Thunderbolt 4 100W G6 Dock, 120 W external Power Adapter, 1x USB Type-C 10Gbps (Up to 15 W USB Power Delivery), Up to 8K Resolution (Maximum), Front LED bar, Thunderbolt 4 port, 1x HDMI, 1x RJ-45 Gigabit LAN, 3x USB-C Ports, 2x DisplayPorts, 3x USB Type-A Ports
NBHP9X481UT	R 4,361	HP 9X481UT HP Thunderbolt 4 Ultra 180W G6 Dock, 230 W external Power Adapter, 1x USB Type-C 10Gbps (Up to 15 W USB Power Delivery), Up to 8K Resolution (Maximum), Up to 180W of Power Delivery and 40 Gbps of Data transfer speeds, Thunderbolt 4 port, 1x USB-C DisplayPort Alt mode, 1x HDMI, 1x RJ-45 Gigabit LAN, 2x

		USB-C Ports, 2x DisplayPorts, 5x USB Type-A Ports
NBHPAW5M5UT	R 5,076	HP AW5M5UT Thunderbolt 4 Ultra 280W G6 Dock, 330 W external Power Adapter, 1x USB Type-C 10Gbps (Up to 15 W USB Power Delivery), Up to 8K Resolution (Maximum), Front LED bar, with up to 280W of Power Delivery and 40 Gbps of Data transfer speeds, Thunderbolt 4 port, USB-C DisplayPort Alt mode, 1x HDMI, 1x RJ-45 Gigabit LAN, 2x USB-C Port, 2x DisplayPorts, 5x USB Type-A Ports
NBLE40AF0135SA	R 4,074	Lenovo 40AF0135SA ThinkPad Hybrid USB-C with USB-A Dock, 3x USB 3.1 gen2 (10Gbps / 1x always-on), 2x USB2.0, 1x USB-C port (Data / 5V 3A power), 1x Gigabit Ethernet, 2x DisplayPort, 2x HDMI Port, 1x Combo Audio jack
NBLE40AY0090SA	R 3,504	Lenovo 40AY0090SA ThinkPad Universal USB-C Dock, 2x DisplayPort, 1x HDMI Port, 3x USB 3.1, 2x USB 2.0, 1x USB-C USB Ports, 1x combo audio jack audio Ports, 1x Gigabit Ethernet Ethernet, 1x security lock slot physical security feature, 3 Maximum number of external monitors, 2x 3840x2160 @ 60Hz Maximum Resolution, 90W Input power, Power Delivery, Slim-tip power plug
NBLE40B00135SA	R 5,629	Lenovo 40B00135SA ThinkPad Universal Thunderbolt 4 Dock, 1x HDMI 2.1, 2x DisplayPort 1.4, 4x USB Ports, 1x USB-C, 3.5mm audio combo jack, Gigabit Ethernet, 4 external monitors Maximum, DC-in charging Port, Maximum 100W Output power, 8K 30Hz via HDMI 2.1 with 1 Video Output, 4K 60 Hz with 4 Video Outputs
NBLE40B00300SA	R 7,031	Lenovo 40B00300SA Docking Station Thunderbolt 4 Workstation Dock, 1x HDMI 2.1, 2x DisplayPort 1.4, 4x USB Type-A, 1x USB-C, 1x 3.5mm audio combo jack, 1x Gigabit Ethernet, 4 external monitors
NBLE40BF0100SA	R 3,307	Lenovo 40BF0100SA ThinkPad USB4 Dock 5000 - 100W Adapter, 4x USB Type-A 3.2 Gen 2, 2x USB-C 3.2 Gen 2, 100W Input Power, 65W Output Power, DC-in charging Port, 4x 3840x2160 @ 60Hz maximum Resolution, 4 external monitors, 1x NanoSaver lock slot, 1x MicroSaver lock slot, 1x gigabit Ethernet, 1x HDMI 2.1, 2 x 1x DisplayPort 1.4, 1x USB-C full Function Video Port
NC-JTS327	R 1,602	J5-Create JTS327 multi-angle mobile stand with mini dock, up to 16" notebook - aluminum construction, adjustable angle and height, support up to 4Kg, foldable design, with magnetic attached type-C mini dock (2x type-A 1x type-C with 100W PD 4K HDMi)
NC-JTS426	R 1,712	J5 Create JTSA26 - Mobile docking station, HDMI 4K @ 60Hz, USB-A 5Gbps, USB-C PD 100W, compact form factor
NC-JTS427	R 2,155	J5-Create JTS427 multi-angle mobile stand with mini dock, up to 16" notebook - aluminum construction, adjustable angle and height, support up to 4Kg, foldable design, with magnetic attached type-C mini dock (2x type-A 1x type-C with 100W PD 2x HD HDMI or 1x 4K HDMI RJ45 gigabit Ethernet)
NET-TL-330C	R 351	TP-Link UE330C USB Type-C 3-port Hub & Gigabit Ethernet, 3x USB 3.0 Type-A Ports, 1x Gigabit Ethernet Port, 1x 3.0 USB-C Connector Input Interface
NET-TL-UH3020C	R 351	TP-Link UH3020C Type-C to HDMI & USB 100W PD, 1x USB Type-C Connector Input, 1x HDMI 4K@60Hz, 1x PD 100W Power Delivery Interface, 1x USB Type-A 5Gbps, Aluminum Alloy Case, 180mm Braided cable
NET-TL-UH5020C	R 426	TP-Link UH5020C Type-C 5in1 Hub, 1x USB Type-C Connector Input, 1x HDMI 4K@60Hz, 1x PD 100W Power Delivery Interface, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, 180mm Braided cable
NET-TL-UH6120C	R 575	TP-Link UH6120C USB Type-C 6-Port Hub, SPEC: 1 x USB-C Connector, 1 x HDMI 4K 60Hz Port, 1 x USB-C PD 100W Port, 1 x RJ45 1000Mbps Port, 2 x USB-A 3.0 Ports, 1 x USB-C 3.0 Port, FEATURE: Plug and Play, Self-storage for Connector, Fast Heat Dissipation, Flexible and Durable
NET-TL-UH7020C	R 485	TP-Link UH7020C USB Type-C 7-in-1 Port replicator, 1x HDMI 4K@60Hz Video Interface, SD Interface, MicroSD Interface, 1x PD 100W Power Delivery Interface, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, Aluminum Alloy Case, 180mm Braided cable
NET-TL-UH7021C	R 470	TP-Link UH7021c USB Type-C 7-port Hub, 1x USB Type-C Connector Input, 1x HDMI 4K@60Hz, UHS-I SD / MicroSD Interface up to 200MB/s, 1x PD 100W Power Delivery Interface, 3x USB Type-A 5Gbps Ports
NET-TL-UH9120C	R 672	TP-Link UH9120C USB Type-C 9-in-1 Port replicator with Gigabit Ethernet, 1x HDMI 4K@60Hz, 1x RJ45 1Gbps Ethernet Interface, SD Interface, MicroSD Interface, 1x PD 100W Power Delivery Interface, 1x USB Type-C 5Gbps, 3x USB Type-A 5Gbps, Aluminum Alloy Case, 180mm Braided cable
NP.DCK11.001	R 817	Acer Port Replicator - Connects via USB, 1 x RJ45 Connector, 3 x USB2.0 at the back, 1 x USB2.0 at the front, 1 x DVI Connector, AC adapter, USB cable to connect, DVI to VGA adapter, (Does not charge the device it connects to)

P7Z54AA	R 529	HP P7Z54AA USB Type-C to VGA Display Adapter. Model: P7Z54AA; USB-C to VGA adapter; Host compatibility: HP USB-C devices; Video output: VGA 2560 x 1600 @ 60 Hz; Plug-and-play; Compact design; Operating systems: Windows 10, Windows 11, Chrome OS; Weight: 0.02 kg; Dimensions: 151 x 25.5 x 13 mm
PA5356E-1PRP	R 3,104	Toshiba PA5356E-1PRP dynabook USB-C Dock, 1x USB Type-C PC connection, Single Display - up to 3840x2160 @30Hz via DP or HDMI, Dual Display - up to 1920x1080 @ 60Hz, Triple Display - up to 1920x1080 @ 30Hz, 1x HDMI, 1x DisplayPort, 1x VGA, 1x headphone/Microphone combo jack, 2x USB Type-C ports (One for PC connection), 4x USB 3.0 ports (2x USB 3.1 Gen2 on the front supporting BC 1.2 charging & 2x USB 3.1 Gen1 on the back), 1x SD card slot, 1x DC-in jack, Gigabit LAN (10/100/1000 Base-TX Ethernet)
RCT ADP-GN401U	R 250	RCT ADP-GN401U USB Type-A to Gigabit RJ45 adaptor with 3 Port USB 3.0 Type-A Hub
RCT DS-GN601C	R 393	RCT DS-GN601c USB Type-C 6 in 1 hubm 1x HDMI, 3x USB 3.0, RJ45, USB Type-C power pass through
SC-JCA164	R 541	J5create JCA164 Type-C USB 3.0 to 2x Type-C Adapter, Ideal for VR/AR Glasses or Portable USB-C Monitor, Usb-powered, 1x USB-C 4K 3840x2160 @ 240 Hz with USB 480 Mbps, 1x USB-C with Power Delivery 3.0 upstream charging up to 100W
SC-JCA175	R 606	J5create JCA175 USB-C to HDMI & VGA Adapter with USB 3.0 / Power Delivery, Type-C downstream with 100W Power Delivery, Support up to Full HD @ VGA (1920x1080 @60Hz) or 4K HDMI (3840x2160 @60Hz), Supports Mirror and extended modes 1x USB 3.1 Gen1 5 Gbps
SC-JCH453	R 1,303	J5create JCH453 type-C to 8K HDMi (female, work with existing cable) 4x downstream hubs (2x type-C 2x type-A), ideal for desktop or notebook/new mac book, support upto 8K HD (7680x4320@30Hz / 3840x2160@60Hz) / 1x8K HD (7680x4320@60Hz), 45x116x11mm 200mm cable - USB-powered, aluminum housing
SNPW-MHUB-7P	R 710	Snug 7 Port Multifunction Hub, 1x HDMI, 4Kx2K (3840x2160) supported, 2x USB 3.0 Ports, 1x USB-C PD Port, 1x RJ45 Ethernet Port, SD/TF Card Reader
TP-UE330	R 336	TP-Link UE330 USB 3.0 3-port Hub & Gigabit Ethernet Adapter, 4x USB Type-A 3.0 Ports, 1x Gigabit Ethernet Port, 1x USB Type-A 3.0 Connector Input Interface, RTL8153 Chipset
TYPEC5	R 288	Microworld TYPEC5 5 port USB-C Hub, Supports 4K x 2K Resolution at 3840x2160, Compatible with Thunderbolt 3 and USB3.0/3.1 Ports, Includes two High-Speed USB Ports with up to 4.5W Power Supply, Features one USB-C Female Port supporting PD 20v@3a for up to 87W Input
U442-DOCK5D-GY	R 1,415	Eaton U442-DOCK5D-GY USB-C Dock - 4K HDMI, USB 3.2 Gen 1, USB-A Hub, GbE, Memory Card, 100W PD Charging, Detachable Cord
U712-75795F	R 4,778	UGreen U712 10-in-1 Thunderbolt 5 Docking Station, 1x Thunderbolt 5 (Host Input), 2x Thunderbolt 5 (Output), 1x DisplayPort, 3x USB Type-A (10Gbps), 1x RJ45 Gigabit Ethernet, 1x SD card slot, 1x TF (MicroSD) card slot, 8K@60Hz Max Display Output, 140W Power Delivery to Host
U716-85590F	R 6,609	UGreen Maxidok 17-in-1 Thunderbolt 5 Docking Station, Up to 120Gbps Thunderbolt 5 Bandwidth, Windows & Mac compatible platforms, Supports Dual 8K displays @ 60Hz Video Output, Up to Triple 4K @ 144Hz Multi-Display support, 2x Thunderbolt 5, 1x DisplayPort 2.1, 1x Thunderbolt 5 upstream Port, Up to 140W PD 3.1 USB Power Delivery, 2x Thunderbolt 5 downstream Thunderbolt Ports, Up to 15W per Port downstream Thunderbolt charging, 3x USB Type-C 10Gbps, Up to 60W total USB Type-C charging Output, 3x USB Type-A 10Gbps, 2.5 Gigabit Ethernet, Built-In M.2 NVMe PCI-e Gen4 x4 SSD slot, UHS-II SD & MicroSD, 3.5mm Combo Audio jack, 3.5mm Audio in, 3.5mm Audio out, 240W Adapter included
UH3020C	R 349	TP-Link UH3020C Type-C to HDMI & USB 100W PD, 1x USB Type-C Connector Input, 1x HDMI 4K@60Hz, 1x PD 100W Power Delivery Interface, 1x USB Type-A 5Gbps, Aluminum Alloy Case, 180mm Braided cable
UH3231	R 2,217	Aten UH3231 USB-C Dual-DisplayPort mini Dock, Supports 4K (UHD) resolutions via single Display Output, Supports dual-display Video Output up to 1920x1080 simultaneously
UH3234	R 1,770	Aten UH3234 USB-C Multiport Dock with Power Pass-Through
UH3238	R 804	Aten UH3238 USB-C Travel Dock with Power Pass-Through, USB 3.2 Gen 1 Type-C PC connector, 1x USB 3.2 Gen 1 Type-A Female supports BC 1.2, 1x USB 3.2 Gen 1 Type-A Female, 1x USB 3.2 Gen 1 Type-C Female, 1x HDMI Female (Black), 1x 3.5mm Stereo 4-pole Microphone and Headphone jack, Support Power Delivery 3.0 for Laptop charging up to 92W, 3840x2160 @ 60Hz Maximum Video Resolution

UH3239	R 976	Aten UH3239 USB-C Multiport Mini Dock with Power Pass-Through, USB 3.2 Gen1 Type-C male cable PC connection, 2x USB 3.2 Gen 1 Type-A Female, 1x USB 3.2 Gen 1 Type-C Female, 1x USB Type-C Female (Supports USB 3.2 Gen1 Type-C Port Data transfer), 1x HDMI Female (Black), SD Card Reader, 3840x2160 @ 30Hz Video Resolution, Support Power Delivery 2.0 for Laptop charging up to 60W
UH3240	R 1,811	Aten 11-in-1 USB-C Multiport Dock with Power Pass-Through, 40cm cable length, 1 x USB-C 3.2 Gen 1 Male cable, 3 x USB 3.2 Gen 1 Type-A Female, 1x USB 3.2 Gen 1 Type-C Female, 2 x HDMI Female, 1x Gigabit Ethernet Female, 1x 3.5mm Stereo 4-pole Microphone and Headphone jack, 1x USB Type-C Female Power Delivery 3.0 for charging up to 100W, 1x SD card slot, 1 x Micro SD card slot, 0.18 kg, Aluminum housing
UH3240	R 2,064	Aten 11-in-1 USB-C Multiport Dock with Power Pass-Through, 40cm cable length, 1 x USB-C 3.2 Gen 1 Male cable, 3 x USB 3.2 Gen 1 Type-A Female, 1x USB 3.2 Gen 1 Type-C Female, 2 x HDMI Female, 1x Gigabit Ethernet Female, 1x 3.5mm Stereo 4-pole Microphone and Headphone jack, 1x USB Type-C Female Power Delivery 3.0 for charging up to 100W, 1x SD card slot, 1 x Micro SD card slot, 0.18 kg, Aluminum housing
UH7020C	R 499	TP-Link UH7020C USB Type-C 7-in-1 Port replicator, 1x HDMI 4K@60Hz Video Interface, SD Interface, MicroSD Interface, 1x PD 100W Power Delivery Interface, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, Aluminum Alloy Case, 180mm Braided cable
USB-C-6	R 1,696	Dtech USB-C 6-in-1 Docking Station with 100W PD fast charging, HDMI Port, 3x USB 3.0 Type-A Port, 1x USB Type-A 2.0 Port, SD and MicroSD card readers, 1x USB-C Port
USB-CHARGER-P1242ABK	R 338	Unitek 65W 2 Port GaN Wall charger with HDMI, P1242ABK-EU, 65W Host Power (PD), 1 x 5Gbps USB Type-A, 1 x 5Gbps USB-C, 5Gbps Data Transfer Rate, 20v3a Power Supply, 4K@60Hz HDMI mirrors screen lag-free
VANTEC CB-CU306MDSH	R 989	Vantec Link USB Type-C Multi-Function 11 in 1 Adapter with 100W Power Delivery, 1x HDMI 2.0 Port (4K60Hz), 1 x VGA (1920x1080p 60Hz) Video Port, 1x Gigabit Ethernet RJ45 Port, 1x SD Memory card slot, 1x MicroSD Memory card slot, 1x USB 3.1 Gen 2 (10Gbps) Type-C Port, 1x USB 3.1 Gen 2 (10Gbps) Type-A Port, 2x USB 2.0 Type-A Port, 1x Headphone jack (3.5 mm)
VK-20041-CH	R 517	VolkanoX Core Dock Series USB Type-C Dock Hub, 2160 HDMI Video, 5.1 channel audio via HDMI, RJ-45 LAN up to 1000 Mbps, Type-A USB V3.0 & V2.0, USB Type-C up to 60W, Card Reader
VK-20058-BK	R 437	VolkanoX Core Hub Series USB Type-C to 3x USB 3.0 Plus Power - 10cm - Charcoal
VK-20075-CH	R 586	VolkanoX Core Multi Series USB Type-C multiport Dock, HDMI, 3x USB 3.0, Card Reader, PD Power Delivery, 2160p HDMI Video, 5.1 channel via HDMI Stereo Aux 3.5mm Output, RJ-45 LAN up to 1000 Mbps Network
VK-20209-BK	R 506	VolkanoX Core Type-C 3-in-1 adaptor dock, USB 3.1 Type-C Input, 4K Ultra HD Output, USB 3.0, High Power 100W PD Power Port
VK-8148-BK	R 1,184	VolkanoX Core Multi Duo 13-in-1 Type-C Hub, 2x HDMI 1 4K @ 30Hz / 1080p @ 60Hz, VGA Output 1080p @ 60Hz, Gigabit Ethernet up to 1000 Mbps, Type-C PD charge Port up to 100 Watt, Type-C High Speed Data Port, 3x USB 3.0 High Speed Data and charge Ports, 1x USB 2.0 480 Mbps Data Port, 3.5mm audio Output Port, SD Card Reader, Micro SD Card Reader
VK20075CH	R 803	VolkanoX Core Multi Series USB Type-C multiport Dock, HDMI, 3x USB 3.0, Card Reader, PD Power Delivery, 2160p HDMI Video, 5.1 channel via HDMI Stereo Aux 3.5mm Output, RJ-45 LAN up to 1000 Mbps Network, VK-20075-CH
VK20140BK	R 896	VolkanoX VK-20140-BK Core Interface Series USB Type-C Dock, Up to 5.0 Gbps Data speed, Up to 3840x2160 @ 30Hz HDMI, Up to 1920x1080 @ 60Hz VGA, Stereo Aux 3.5mm Output, 2x Type-A USB V2.0, 1x Type-A USB V3.0, USB Type-C up to 87W, Card Reader
WB-6RJ-GY-BP	R 689	Orico WB-6RJ Dock Type-C 6 Port Hub Grey, 4K 30Hz HDMI support, 1x USB 3.0 Type-C Input Port, Transparent PC aluminum alloy, RJ45 Port, 100W Power Delivery, USB 3.0 Ports
WB-6TS-GY-BP	R 598	Orico WB-6TS-GY 6-in-1 Hub - Transparent Grey, 3x USB 3.0, 1x HDMI, 1x TF slot, 1x SD slot
WD19DCS	R 6,008	Dell 210-AZBW WD19DCS USB-C performance Dock with 240W AC Adapter, Gigabit Ethernet, 2x Display / Video - DisplayPort - 20 pin DisplayPort, 1x Display / Video - HDMI - 19 pin HDMI Type-A, 1x USB-C, 3x USB 3.1 Gen 1 USB Type-A, 2x USB-C 3.1 Gen 2, 5120x2880 - 60 Hz Maximum Resolution
WD19S	R 5,213	Dell 210-AZBU WD19S USB-C Dock with 180W AC Adapter, 3840x2160 - 60 Hz Maximum Resolution details, Gigabit Ethernet, 2x Display / Video - DisplayPort - 20 pin DisplayPort, 1x Display / Video - HDMI - 19 pin HDMI Type-A, 1x USB-C, 3x USB 3.1 Gen 1 - 9 pin USB Type-A, 2x USB-C 3.1 Gen 2

WD19TBS	R 5,264	Dell 210-AZBV WD19TBS USB-C Thunderbolt Dock with 180W AC Adapter, 5120x2880 - 60 Hz Maximum Resolution details, Gigabit Ethernet, 2x Display / Video - DisplayPort - 20 pin DisplayPort, 1x Display / Video - HDMI - 19 pin HDMI Type-A, 1x USB-C, 3x USB 3.1 Gen 1 - 9 pin USB Type-A, 2x USB-C 3.1 Gen 2, 1x Thunderbolt 3 - Thunderbolt - 24 pin USB-C
WX-HB110	R 227	WINX Connect Essential 5-in-1 Type-C Hub, Type-C Host Interface, 1x HDMI 4K@60Hz, 1x Type-C 100W Power Delivery, 1x Type-C (Up to 5Gbps), 2x USB 3.0 (Up to 5Gbps), Single Display, Aluminium Alloy material
WX-HB111	R 451	WINX Connect Pro 6-in-1 Type-C Hub, Type-C Host Interface, 1x HDMI 4K@60Hz, 1x Type-C 100W Power Delivery, 2x USB 3.1 (Up to 10Gbps), 1x RJ45 Gigabit Ethernet, 1x Type-C 3.1 (Up to 10Gbps), Single Display, Aluminium Alloy material
WX-HB112	R 490	WINX Connect Max 11-in-1 Type-C Hub, Type-C Host Interface, 1x HDMI (Single Display) 4K@30Hz, 1x VGA (Single/Dual Display) 1080@60Hz, 1x Type-C 100W Power Delivery, 3x USB 3.0 (Up to 5Gbps), 1x USB 2.0 (Up to 480 Mbps), 1x RJ45 Gigabit Ethernet, 1x 3.5mm Aux Stereo, 1x SD Card Reader, 1x MicroSD Card Reader, Aluminium Alloy & ABS material
WX-HB113	R 752	WINX Connect Ultra 14-in-1 Type-C Hub, Type-C Host Interface, 2x HDMI (Single Display) 4K@60Hz, 1x DisplayPort (Single Display) 8K@30Hz, 1x Type-C 100W Power Delivery, 1x Type-C 3.0 (Up to 5Gbps), 2x USB 3.0 (Up to 5Gbps), 3x USB 2.0 (Up to 480 Mbps), 1x RJ45 Gigabit Ethernet, 1x 3.5mm Aux Stereo, 1x SD Card Reader, 1x MicroSD Card Reader, Triple Display, 15cm cable length, Aluminium Alloy material

< Return to the menu

Notebook security

Product code	Price	Description
1AJ39AA	R 424	HP Nano Keyed Cable Lock, { Compatible with --> HP Elite x2 1012 G2 / HP Pro x2 612 G2 }
1AJ40AA	R 654	HP Nano Keyed Cable Lock (Master Key Version), { Compatible with --> HP Elite x2 1012 G2 / HP Pro x2 612 G2 }
440271	R 99	Manhattan Mobile Security Lock - Key lock with 2 keys, 1.4 metre, Steel cable, Die cast zinc alloy, Cable diameter - 3 mm, Clear PVC Jacket, Retail Box
440820	R 199	Manhattan Notebook Briefcase Alarm with Panic Remote
461-10053	R 927	Dell Kengsington Slim Microsaver Twin lock
461-AAEU	R 703	DELL 461-AAEU ClickSafe Combination Lock for All Dell Security Slots, 1.8m cable, ClickSafe Lock provides one-step security after Security Anchor has been installed into the correct Security Slot found on Dell systems, The lock offers 10000 different combination codes, Carbon steel cable is cut-resistant
4XE0N80914	R 588	Lenovo 4XE0N80914 Kensington MicroSaver 2.0 cable lock
4XE1B81915	R 713	Lenovo 4XE1B81915 NanoSaver cable lock, Tough 10mm lock head, Cleat locking technology, 5mm keying system, Carbon Steel cable, 1.8m cable length
4XE1F30276	R 454	Lenovo NanoSaver Essential Cable Lock
4XE1F30276	R 518	Lenovo NanoSaver Essential Cable Lock
4XE1F30278	R 845	Lenovo 4XE1F30278 T-Bar combination lock, T-Bar lock mechanism, 5mm cable Diameter, 1.8m length
57Y4303	R 633	Lenovo Security Cable Lock, Compatible with --> Edge 92 SFF (VGA DisplayPort), Edge 92 Tower (VGA DisplayPort), Edge 72 SFF (VGA DVI), Edge 72 Tower (VGA DVI), Edge 72z All-In-One (optional DisplayPort), Edge 91 SFF (VGA DisplayPort), ©2013 Laptop Direct
6UW42AA	R 700	HP 6UW42AA Sure Key Cable Lock
901200	R 377	Port Security Cable Slim Keyed For Ultrabook & slim devices with T security slot Slim size : 12mm keyed tubular barrel adapted to thin notebooks
901201	R 359	Port Connect Security Cable Twin Head Keyed
901209	R 158	Port Security Cable Combination For laptop, desktop, monitor & devices with T security slot 4 digits combination lock
901209	R 212	Port Security Cable Combination For laptop, desktop, monitor & devices with T security slot 4 digits combination lock
901210	R 236	Port 901210 keyed lock security cable with Master key

901212	R 521	Port Security Cable Keyed Nano Slot Security cable for ultrabook and devices with a Nano security slot Slim size: 11mm keyed tubular barrel
901215	R 373	Port Connect Nano Slot Lock 1.55m - Black
901215	R 339	Port Connect Nano Slot Lock 1.55m - Black, Â© 2020 Laptop Direct
901220	R 501	Port 901220 Security slot anchor kit Pro Aluminium, Standard t-shaped hook system
901221	R 415	Port 901221 Connect Nano Slot Security combination cable, 4.4 mm Diameter, 2m cable length, Steel / Zinc / Nickel / PVC material
901221	R 369	Port Design Nano Coded Notebook Security Cable; 4 digit combination lock; 10000 combinations; steel braided 2m cable; zinc alloy lock body; pvc coated; rotating head; laptop anti theft; weight 0.14kg
93037	R 206	Goobay 93037 Security key lock for notebooks, 2 keys included, 4.5 mm Outer Diameter
93038	R 252	Goobay 93038 Security combination lock for notebooks, Combination lock with 4-digit combination, 4.5mm Outer Diameter
A72512-B	R 138	Astrum NB120 Digital Combination Lock with Metal Wire; digital combination lock; resettable 4-digit code; 10000 combinations; galvanized steel cable; PVC coating; stainless steel lock head; 1.8m cable; 56 x 25 x 20mm; 130g; laptop and MacBook compatible; luggage and backpack security
A72521-B	R 190	Astrum NB210 lock N17 6.5 x 2.5mm Digital Slim, Digital combination lock, approximately 1.8 meters cable length, reinforced Steel cable with protective coating, N17 Security slot compatibility
A72522-B	R 213	Astrum NB220 Lock Nano 8 x 2.5mm Digital Slim Z, Digital combination lock, Nano Security slot compatibility, Approximately 1.8 meters cable length, Steel cable with protective coating
ASP96RGLX	R 419	Targus ASP96RGLX Defcon Ultimate Universal Resettable combination lock, Galvanized Steel material, Kensington T-Bar, Noble wedgelock, Kensington Nano, Combination lock Type, User-resettable 4-digit code provides up to 10000 codes, 360 degrees Rotating head, 2 m galvanized and sleeved Steel cable
BRK-TLP02	R 2,031	Lumi TLP02 Lockable Laptop Cabinet; Steel construction; Powder coated finish; 403 x 356 x 83mm; Maximum load 10kg; Lockable design; TT02 series accessory
DISK01	R 81	Notebook lock hole disk for tablets / laptops that require a kensington lock. Zinc Alloy - silver colour. Add a kensington lock slot onto any tablet or laptop. Sticks onto chassis (3M adhesive sticker included). Basic security for opportunistic thieves as this will destroy the plastic chassis if they attempt to steal the unit by force. For metal structures, like PC chassis, we recommend adding additional securing measures.
DTHPT1A63AA	R 587	HP T1A63AA Master Keyed Cable Lock 10mm (w/MK) - MOQ 25 units, 6 ft (1.83 m) vinyl-coated galvanized steel cable, Insert the master key into the lock and turn clockwise 90 degrees, The cable head swivels 360-degrees to help you position the cable as needed before you lock, Compatible with all computer equipment with an industry-standard lock slot
GCSCL2M	R 152	Gizzu Slimline Notebook & Ultrabook with Kensington Combination Lock 2m, New slimline design enables lock use on thinner notebooks like ultrabooks, Reinforced cable
GCTKLMK	R 144	GIZZU Laptop Lock (T-Bar Standard Security Lock) - Cable Length 1.8m - 2 user keys included (compatible with master key)
GCWKLMK	R 175	GIZZU Noble Wedge Laptop Lock (for Dell 3.2mm x 4.5mm slot) - Cable Length 1.8m - 2 user keys included (compatible with master key)
GSCNC	R 178	Gizzu nano security cable with combination lock, 100 cm cable length, Strengthened steel cable
GSCNK	R 178	Gizzu nano security cable with key lock key included, Compatible with master key, Steel material, 100 cm cable length, Additional keys
GSCWC	R 178	Gizzu Secure wedge code cable lock 1.8m, Combination lock Type, Steel material, Compatible Noble wedge Security slots
LKC1C	R 12	Okion Compact Notebook Case/Bag Zipper Combination Lock
LKCP-0093	R 161	Mecer 4-Dial Notebook Cable Lock. Uses: Laptop security, desktop PC security, office workstations, classrooms, libraries, public access computers, reception areas, travel, co-working spaces.
LNBC	R 115	Legion 1.8m Combination lock
LNBCM	R 459	Legion 3 in 1 Combination Notebook Multi Lock, Retail Box
LNBCW	R 361	Legion LNBCW Noble wedge combination lock, 4-digit resettable combination, Galvanized high tensile steel, 2m

		cable length, 4.4mm cable diameter, Bumper spacer & Velcro strap
LNBCW	R 399	Legion LNBCW Noble wedge combination lock, 4-digit resettable combination, Galvanized high tensile steel, 2m cable length, 4.4mm cable diameter, Bumper spacer & Velcro strap
LOCK-CPOT-033	R 43	Kensington CPOT-033 Security Slot Clip.
LOCK-LKCP-1196	R 358	Unbranded Delux Computer lock with padlock, LKCP-1196
LOCK-LKCP-1236KTM	R 391	Unbranded Anti-theft Security Lock For Desktop Setup - 6mmx240cm
LOCK-LKCP-6624-SL	R 258	Unbranded 4-dial Combination Wedge Laptop Lock. (LKCP-6624). 4.4MM X 180CM, SILVER LOCK & CABLE.
LOCK-LKCP-6693	R 183	Unbranded Notebook Lock - 4 Dial Combination, Silver
LOCK-LKCP-7203	R 391	Ingamar key Type security lock for Surface Pro, LKCP-7203
LOCK-LKCP-7227-SL	R 363	Ingamar key type USB security lock for notebook, LKCP-7227
LOCK-LKCP-7233	R 223	Ingamar Push-in key Type (4mm) wedge notebook cable lock, LKCP-7233
LOCK-LKCP-7236	R 240	Unbranded LKCP-7236 Push-in Key Type Notebook Lock
LOCK-LKCP-7293	R 221	Ingamar push-in key type notebook lock, LKCP-7293
LOCK-UNIVERSAL-LQ	R 319	Linkqnet RI5006 Universal Laptop Lock with 4 re-settable digits
NB LOCK	R 92	Microworld Notebook Lock with Number Lock - 1.1m long
NB-TPA410E	R 292	Targus PA410E DEFCON CL - 4 digit combination lock; 210cm steel cable; laptop security lock; anti-theft device; PA410E; 4mm cable diameter; keyless lock system; office security accessory
NBHP1AJ39AA	R 408	HP 1AJ39AA Nano Keyed Cable Lock, Compatible with --> Elite x2 1012 G2 / Pro x2 612 G2, 6 ft (1.83 m) vinyl-coated galvanized steel cable Insert the key into the lock and turn clockwise 90 degrees, Use the 360-degree range to position the cable lock head as needed
NBHP6UW42AA	R 597	HP 6UW42AA Sure Key Cable Lock
NBHPT0Y16AA	R 332	HP T0Y16AA Essential 4 digit Combination Lock, 4 ft (1.22 m) vinyl-coated galvanized steel cable, Lock with the push-button mechanism and your four-digit combination, The cable head swivels 360 degrees to help you position the cable as needed before you lock, Compatible with all computer equipment with an industry-standard lock slot
NBHPT1A62AA	R 383	HP T1A62AA Keyed Cable Lock 10mm, 6 ft (1.83 m) vinyl-coated galvanized steel cable Insert the master key into the lock and turn clockwise 90 degrees, The cable head swivels 360-degrees to help you position the cable as needed before you lock, Compatible with all computer equipment with an industry-standard lock slot
NBLOCK-1	R 229	Microworld Notebook lock 3.5mm slot, Zinc Alloy Stainless Steel brass, 5.0mm cable Diameter, 4 combination lock, 1.88 meters length, Wedge lock compatibility
NBLOCK-2	R 81	Microworld Key notebook lock (kensington lock with 2 keys)
NBLOCK-3	R 173	Microworld Notebook lock 2.5 x 6mm, Zinc Alloy Steel materials, 5.0mm cable Diameter, Chrome/Nickel plated Surface treatment, 4 combination unlock, 1.8mtrs cable length, 2.5 x 6mm Nano like slot
NBLOCK-4	R 344	Microworld Universal Notebook lock, 5.0mm cable Diameter, Chrome/Nickel plated Surface treatment, Keys lock, 1.9m length, Wedge lock slot compatiable
NET-LOCK-PC-SECURITY	R 293	Lindy Computer Security Kit
NET-POPUP-COLUMN-LQ	R 978	Unbranded 80MM POP-UP COLUMN - 2X SA, 2X NSA, 2X USB 2.1A. The NET-POPUP-COLUMN-LQ is a compact and efficient pop-up column designed to integrate seamlessly into modern workspaces. With an 80mm cutout size, it offers 2 x USB 5V 2.1A ports and 4 x SA power outlets (2 standard and 2 slimline), providing ample connectivity options for various devices. Its pop-up mechanism ensures a clean and organized workspace, making it an ideal choice for offices, conference rooms, and home offices.
PA410E	R 214	Targus - Secure - Defcon Cable Lock - Combination
RCT NL-K01K	R 102	RCT Keyed Notebook security 1.8m cable lock - standard slot
RCT NL-N02N	R 169	RCT NL-N02N 4 digit Notebook Security lock 1.9m - Kensington T-Bar Nano compatiable
T0Y15AA	R 459	HP Combination Lock,
T0Y16AA	R 401	HP Essential Combination Lock
T1A62AA	R 413	HP Keyed Cable Lock 10mm
UNI-PING-NBL	R 59	Unique Universal Notebook Key Lock - 1.8M Length, Keyed Lock, Plated Steel With Protective Vinyl Coating, Metal Alloy Lockhead, 2 Metal Keys Included, 90° Swivel Joint, Compact Design, Anti-Cut Cable, Tamper Resistant lock Mechanism, 1 Month Warranty.

USBLOCK	R 229	Microworld USB Laptop Security lock cable, 5mm x 200mm size, Individually Resettable 3 or 4 digit code, 1000 different combinations, 1.9m length
VK-20022-BK	R 287	Volkano Secure series Silver notebook security lock
WX-CL101	R 336	WINX Secure Max Universal code cable lock, 3-in-1 (T-Bar / Nano / wedge) lock Type, Standard Kensington Security slot, Nano Security slot, Noble wedge Security slot, 180cm cable length, Zinc Alloy & Steel material

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Notebook bags / carry bags

12 inch notebook carry bags

Product code	Price	Description
439848	R 199	Manhattan Dashpack - Lightweight, Sling-style Carrier for Most Tablets and Ultrabooks up to 12" , Black & Green
439855	R 199	Manhattan Dashpack - Lightweight, Sling-style Carrier for Most Tablets and Ultrabooks up to 12" , Black & Blue
439879	R 199	Manhattan Dashpack - Lightweight, Sling-style Carrier for Most Tablets and Ultrabooks up to 12" , Black & Pink
439886	R 199	Manhattan Dashpack - Lightweight, Sling-style Carrier for Most Tablets and Ultrabooks up to 12" , Black & Grey
CB-CMB02SB	R 236	CHoiiX C-MB02-C1, Silver with Brown finish 12" -13" notebook ergonomic metal sleeve/bag with handle, metal Sleeve for heat dissipation and screen protection, work as angled notebook stand.
CB-VEN-BMU	R 562	VAX vax-150009 Entenza - netbook messenger - vertical 12" netbook messenger - Black Melt Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VEN-BU	R 562	VAX vax-150000 Entenza - netbook messenger - vertical 12" netbook messenger - Black Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VEN-DLU	R 562	VAX vax-150003 Entenza - netbook messenger - vertical 12" netbook messenger - Dark blue Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VEN-GU	R 374	VAX vax-150006 Entenza - netbook messenger - vertical 12" netbook messenger - Green Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VEN-MGU	R 562	VAX vax-150002 Entenza - netbook messenger - vertical 12" netbook messenger - Metallic Grey Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VEN-PU	R 390	VAX vax-150007 Entenza - netbook messenger - vertical 12" netbook messenger - Purple Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VEN-RU	R 562	VAX vax-150004 Entenza - netbook messenger - vertical 12" netbook messenger - Red Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
EKS622XL	R 1,770	EVERKI Venue XL Premium RFID Messenger Bag - Felt-Lined and Extra Padded Tablet Pocket fits iPad Pro 12" / Surface Pro/ MacBook 12"
EVERKI EKF861S11	R 403	EVERKI ContemPro 11.6" sleeve Black / Ash, Memory foam protection, Personalizable Window, Quick-access pocket, Rear stash pocket, Dual Carry handles, Durable zippers and metal pulls
LVB02UF	R 345	Urban Factory Ladies 12" Notebook carry bag
MSA13UF	R 196	Urban Factory Crazy Sleeve 12" - Black
MSA14UF	R 230	Urban Factory Crazy Sleeve 12" - Fushia
TSS865GL	R 439	Targus Citygear 10-12" Black Slim Topload Laptop Case - 29.7 x 3.8 x 21.1cm
TSS866GL	R 461	Targus Citygear 12-14" Black Slim Topload Laptop Case - 34.9 X 2.5 X 24.9 Cm
W5351-1C-TW	R 89	Tweety Notebook Bag 12" Colour: Pink, Retail Box, No warranty
WX-LB101	R 98	WINX GO Simple 11.6" Laptop Sleeve - Black, Stretchable Fabric for a snug Fit, Fold-open flap for protection, Neoprene material, 32 x 23.5 x 2 cm product size
WX-LB102	R 104	WINX GO Simple 12.2" Laptop Sleeve - Black, Fold-open flap for protection, 32 x 25.5 x 2 cm product size

< Return to the menu

13 inch to 13.9 inch notebook carry bags

Product code	Price	Description

105063	R 388	Port Designs Hanoi Black 13.3" Clamshell Case
105063	R 300	Port 105063 Hanoi II Clamshell 13.3" Black case, Trolley strap, Shoulder strap, Front pocket with organizer
110201	R 301	Port Designs BELIZE Black 13.3" Toploading Case - 34 x 25.5 2.8 cm
110201	R 270	Port BELIZE Top Loading 13.3" Elegant & Ultra Slim Ultra slim trendy design Padded construction Shoulder strap Frontal zipped pocket - 34 x 25.5 2.8 cm
135171	R 374	Port Designs Sydney 13/14" ECO Toploading Case - 34 x 25.5 x 3 cm
160519	R 583	Port Designs COURCHEVEL 13.3" /14" Toploading Case - Black, Pocket for Tablet up to 10.1" , Webbing Handles, Trolley Strap, Full Metal Buckles, Back File Compartment for Documents, Front Organizer Pocket
160519	R 551	Port Designs COURCHEVEL 13.3" /14" Toploading Case - Black, Pocket for Tablet up to 10.1" , Webbing Handles, Trolley Strap, Full Metal Buckles, Back File Compartment for Documents, Front Organizer Pocket
400702	R 641	Port Designs Yosemite Grey 13-14" Backpack Bag
400704	R 247	Port Designs Yosemite Grey 13-14" Notebook Sleeve
4X40N18008	R 443	Lenovo ThinkPad 13 inch Sleeve, ThinkPad branded protective sleeve customised for 13" ThinkPad notebooks, Durable & lightweight construction, Padded with easy-grip handles
CB-DC8598	R 399	Dicota Carry2Go Toploader, Black - Nylon/MicroFiber, 325mm x 270mm x 45mm, 1.1kg, 12" / 13"
CB-VFo13-Bo	R 253	VAX vax-2001 Fontana 13.5" nb sleeve - black Orange rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 355x263x30mm / 335x245x30mm, 195g
CB-VFo13-G	R 253	VAX vax-s135fagys Fontana 13.5" nb sleeve - Grey Silver rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 355x263x30mm / 335x245x30mm, 195g
CB-VFo13-M	R 169	VAX vax-s135famgb Fontana 13.5" nb sleeve - Magenta black rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 355x263x30mm / 335x245x30mm, 195g
CB-VFo13-o	R 169	VAX vax-s135faols Fontana 13.5" nb sleeve - Olive Silver rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 355x263x30mm / 335x245x30mm, 195g
CB-VFo13-P	R 169	VAX vax-s135fatvs Fontana 13.5" nb sleeve - Purple Silver rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 355x263x30mm / 335x245x30mm, 195g
CB-VFo13-R	R 253	VAX vax-s135fards Fontana 13.5" nb sleeve - Red Silver rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 355x263x30mm / 335x245x30mm, 195g
CB-VMAMA13	R 286	VAX Bo280003 Marina Macbook Air 13 - black laser stitch sleeve , waterproof , nylon - 325x227x17mm
CB-VMAMP13	R 286	VAX Bo280004 Marina Macbook Pro 13 - black laser stitch sleeve , waterproof , nylon - 325x227x24.1mm
CB-VPE13-M	R 169	VAX vax-s135psmgb Pedralbes 13.5" nb sleeve - Magenta - water repellent zippers, custom rubber zipper pullers, with velvet interior - 352x245x25 / 335x245x20mm, 195g
CB-VPE13-o	R 253	VAX vax-s135psols Pedralbes 13.5" nb sleeve - Olive - water repellent zippers, custom rubber zipper pullers, with velvet interior - 352x245x25 / 335x245x20mm, 195g
CB-VPE13-P	R 253	VAX vax-s135psvts Pedralbes 13.5" nb sleeve - Purple -water repellent zippers, custom rubber zipper pullers, with velvet interior - 352x245x25 / 335x245x20mm, 195g
CB-VPE13-R	R 169	VAX vax-s135psrds Pedralbes 13.5" nb sleeve - Red - water repellent zippers, custom rubber zipper pullers, with velvet interior - 352x245x25 / 335x245x20mm, 195g
CB-VTUB13-BG	R 452	VAX vax-3002b Tuset Bag 13.5" - Black Grey interior - with stylish integrated handle, envelope sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water repellent neoprene and double-stitched microfibre, 4mm interior foam for maximum protection - 365x345x110mm/ 350x235x40mm, 730g
CB-VTUB13-BR	R 684	VAX vax-3001b Tuset Bag 13.5" - Black Red interior - with stylish integrated handle, envelope sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water repellent neoprene and double-stitched microfibre, 4mm interior foam for maximum protection - 365x345x110mm/ 350x235x40mm, 730g
CB-VTUS13-BG	R 462	VAX vax-3002sb Tuset Sleeve 13.5" - Black Grey interior - nb sleeve with stylish intergrated handle, envelope

		sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water repellent neoprene and double-stitched microfiber, 4mm interior foam for maximum protection - 360x350x50mm/ 336x254x50mm, 450g
CB-VTUS13-BR	R 462	VAX vax-3001sb Tuset Sleeve 13.5" - Black Red interior - nb sleeve with stylish intergrated handle, envelope sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water repellent neoprene and double-stitched micro-fibre, 4mm interior foam for maximum protection - 360x350x50mm/ 336x254x50mm, 450g
EKF808S13B	R 229	EVERKI 808-13 Notebook sleeve 13.3" Black, with Memory foam, 24.3 x 33.6 x 3 cm Laptop pocket size
EKF808S13B	R 224	EVERKI 808-13 Notebook sleeve 13.3" Black, with Memory foam, 24.3 x 33.6 x 3 cm Laptop pocket size
MBL01UF Special	R 198	(On Promotion) Urban Factory MBL01UF notebook case 33.8 cm (13.3") Leather Sleeve case Black for MacBook Air 13.3
NBLE4X40N18008	R 598	Lenovo 4X40N18008 ThinkPad 13 inch sleeve, ThinkPad branded protective sleeve customised for 13" ThinkPad notebooks, Durable & lightweight construction, Padded with easy-grip handles
PAL03UF	R 345	Urban Factory Peace and Love 13" notebook carry Bag
ST4001-13	R 63	Tbyte 13.3" Laptop sleeve bag
TBS64602GL	R 311	Targus TBS64602GL Cypress 13-14" Sleeve with EcoSmart - Grey, Eco 300 material, 34.9 x 24.9 x 2.5 cm Laptop compartment dimensions
TSS930GL	R 247	Targus TSS930GL CityGear 13.3" Laptop sleeve Black, Poly & PU material, 35 x 2.3 x 26 cm
VK-7020-BK13.3	R 241	Volkano Premier series 13.3" Laptop sleeve Black
VK-7022-BK13.3	R 201	Volkano 13.3" Wrap series Laptop sleeve Black

< Return to the menu

14 inch notebook carry bags

Product code	Price	Description
110302	R 699	Port Designs ZURICH Red 13" /14" Toploading Case - Red
140411	R 272	Port 140411 Torino II Sleeve 14 inch - Grey, L-shaped opening, Stretch material made of Neoprene cotton, Double lockable Metal dashes
140418	R 356	Port 140418 Designs LA Mariniere Memory Foam Sleeve 13-14" - Blue and Red stripe, 5mm Memory Foam inside, Colour cotton outside, 33 x 23 x 2.5cm Laptop Max compartment size
140721	R 321	Port 140721 Designs Milano II Eco 13/14" Universal Laptop Sleeve - Navy Blue, Eco T Cloth Fabric inside, Corduroy outside, 34.5 x 24.5 x 2.5 cm Laptop compartment size
140722	R 321	Port 140722 Designs Milano II Eco 13/14" Universal Laptop Sleeve - Sage Green, Eco T Cloth Fabric inside, Corduroy outside, 34.5 x 24.5 x 2.5 cm Laptop compartment size
140723	R 321	Port 140723 Designs Milano II Eco 13/14" Universal Laptop Sleeve - Desert Brown, Eco t Cloth Fabric inside, Corduroy outside, 34.5 x 24.5 x 2.5 cm Laptop compartment size
140724	R 321	Port 140724 Designs Milano II Eco 13/14" Universal Laptop Sleeve - Plush Pink, Eco t Cloth Fabric inside, Corduroy outside, 34.5 x 24.5 x 2.5 cm Laptop compartment size
170230	R 828	Port Designs MANHATTAN Black 13" /14" Backpack - 255 x 340 x 30 mm
3E5F9AA	R 539	HP 3E5F9AA Renew Business 14.1" Laptop bag, Made from 100% ocean-bound plastics, RFID pocket, Lockable zippers and slip pockets, Bluetooth tracker pocket, cable pass-through, Pass-through
3E5F9AA	R 179	HP 3E5F9AA Renew Business 14.1" Laptop bag, Made from 100% ocean-bound plastics, RFID pocket, Lockable zippers and slip pockets, Bluetooth tracker pocket, cable pass-through, Pass-through
400700	R 411	Port 400700 Yosemite Eco Toploader 14.0" Grey Carry bag, Trolley strap, Shoulder strap, Front pocket with organizer
400700	R 476	Port 400700 Yosemite Eco Toploader 14.0" Grey Carry bag, Trolley strap, Shoulder strap, Front pocket with organizer
400702	R 539	Port 400702 Yosemite Eco Backpack 14.0" Grey, Trolley strap, Raincover
400704	R 252	Port 400704 Yosemite Eco sleeve 14.0" Grey, zipped pocket for accessories
439923	R 149	Manhattan 439923 Seattle Notebook sleeve 14.5" Top Load Pink, Fits most laptops up to 14.5" , Premium

		padding, Water-resistant, Notebook compartment, Front pocket, 300D fabric, Soft-touch fleece lining, Notebook compartment with two zippers for devices up to 14.5"
460-BDLJ	R 522	Dell 460-bdlj EcoLoop Pro Sleeve 11" to 14" , CV5423, 840d fabric product material, 35 cm x 3 cm x 24.5 cm size, Organizer, Front zippered pocket, Weather resistant, Luggage pass through, Padded Carry handles, Detachable shoulder strap, Nylex lining material
460-BDLJ	R 532	Dell 460-bdlj EcoLoop Pro Sleeve 11" to 14" , CV5423, 840d fabric product material, 35 cm x 3 cm x 24.5 cm size, Organizer, Front zippered pocket, Weather resistant, Luggage pass through, Padded Carry handles, Detachable shoulder strap, Nylex lining material
460-BDSR	R 622	Dell 460-BDSR EcoLoop Pro Classic Briefcase 14, CC5425C, Max Laptop dimension 340 x 240 x 20 mm, Dedicated Laptop compartment with Anti-Scratch nylex lining, Spacious Main compartment, Front expandable zippered compartment, Quick Access zippered front pocket, Dedicated Tablet padded Sleeve, Internal zippered Mesh pocket, Heavy Duty 900d Body Fabric, Luggage Pass-Through, Detachable and padded shoulder strap
460-BDWQ	R 356	Dell 460-BDWQ Pro 11-14 EcoLoop Urban sleeve - CV4425, Zippered Pocket, Retractable Handle, Lightweight, Heather Gray Colour, Foam & 300D woven Fabric product material, Fabric exterior material, Water resistant
460-BFCJ	R 575	Dell Pro 460-BFCJ CP5426G 13-14 Plus EcoLoop Backpack, Shoulder strap, 2x side pockets, 2x pockets, 18000 ml Volume capacity, Zipper closure Type, Laptop compartment, Polyurethane & 350d Ripstop product material
460-BFCJ	R 584	Dell Pro 460-BFCJ CP5426G 13-14 Plus EcoLoop Backpack, Shoulder strap, 2x side pockets, 2x pockets, 18000 ml Volume capacity, Zipper closure Type, Laptop compartment, Polyurethane & 350d Ripstop product material
460-BFDD	R 431	Dell CP5625G Pro 14-16" Plus EcoLoop Urban Backpack - 480x315x210mm
460-BFGC	R 435	Dell 460-BFGC Pro 11-14 Plus EcoLoop Sleeve CV5426, Luggage strap, Shoulder strap, Zippered Pocket, 14" Maximum screen size supported, Front Pocket, 1.50 L Volume capacity, Zipper closure Type, Adjustable strap, 400d Fabric product material, Xpe foam padding, Weather resistant, 270 mm x 365 mm x 35 mm size
460-BFGC	R 436	Dell 460-BFGC Pro 11-14 Plus EcoLoop Sleeve CV5426, Luggage strap, Shoulder strap, Zippered Pocket, 14" Maximum screen size supported, Front Pocket, 1.50 L Volume capacity, Zipper closure Type, Adjustable strap, 400d Fabric product material, Xpe foam padding, Weather resistant, 270 mm x 365 mm x 35 mm size
9C2H0AA	R 684	HP 9C2H0AA Convertible 14" Backpack Tote - Black, PE foam padding material, 100% Polyester interior lining material, Carrying strap, Zipper closing system, Compartments - Laptop / Document / Main / accessories, 1 quick Access, RFID-blocking Pocket, Trolley Pass-Through, Padded back panel
CB-CMB03SB	R 267	CHoiiX C-MB03-C1, 14" notebook ergonomic metal sleeve/ bag with handle, metal Sleeve for heat dissipation and screen protection, Silver with Brown finish, work as angled notebook stand/cooler.
CB-CMB03SG	R 265	CHoiiX C-MB03-G1, 14" notebook ergonomic metal sleeve/ bag with handle, metal Sleeve for heat dissipation & screen protection, Silver with Green finish, work as angled notebook stand/cooler.
CB-TCN414	R 497	Targus CN414eu Classic Clamshell for 14.3" , black red highlight - polyester, 380x70x340mm, 0.6kg
CB-TCUCT02UA14	R 1,547	NBTABCUCT02UA14EU-52, Targus Corporate Traveller 14" Topload Laptop Case, Colour: Black; Compatibility: 14" (35.6 cm); Exterior Dimensions: 43.0 x 14.0 x 41 cm ; Material: 1680D Ballistic Nylon ; Weight: 1.15 kg
CB-VBo14-o	R 268	VAX Bo180022 Bonanova Olive sleeve for 14" notebook - bubble design extra EVA foam cushioning for extra protection, water resistant.
CB-VBo14-R	R 330	VAX Bo180023 Bonanova Red sleeve for 14" notebook - bubble design extra EVA foam cushioning for extra protection, water resistant.
CB-VRAV14-BKS	R 413	VAX bo160002P RAVella Black Square 14" women ' s Tote netbook messenger bag - polyester, 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm.
CB-VRAV14-BRS	R 606	VAX bo160003P RAVella Brown Square 14" women ' s Tote netbook messenger bag - polyester, 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm.
CB-VRAV14-MG	R 397	VAX bo160003U RAVella - 14" size - for 12" laptops - women's Tote - netbook messenger - Metallic Grey , umbrella polyester with PU coating , 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm
CB-VRAV14-P	R 413	VAX bo160004U RAVella - 14" size - for 12" laptops - women's Tote - netbook messenger - Purple, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm
CB-VRAV14-R	R 606	VAX bo160005U RAVella - 14" size, for 12" laptops - women's Tote - netbook messenger - Red, umbrella

		polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm
CB-VRAV14-ST	R 413	VAX bo160001P RAVella - 14" size - for 12" laptops - women's Tote - netbook messenger - STars (black) - polyester, 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm
CB-VRAV14-Y	R 413	VAX bo160006U RAVella - 14" size - for 12" laptops - Women's Tote - Netbook Messenger - Yellow, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 445x135x34 / 440x130x330mm
CN414EU	R 408	Targus 13 - 14.1" Classic and Camshell Case, Colour: Black; Compatibility: 13 - 14.1" / 33 - 35.8cm; Interior Dimensions: 34 x 3.8 x 24 cm; Material: Poly; Weight: 0.600 kg
EKB407NCH14	R 282	Everki Advance 14" Notebook/Tablet/Ultrabook Briefcase bag, Full-size, ergonomic, non-slip shoulder pad - Separate zippered accessory compartment and front stash pocket - Self-healing zippers
EKB407NCH14-ECO	R 374	EVERKI Advance 14" Eco-Friendly Laptop Briefcase, 9.5 L capacity, Made from plastic bottles, Trolley Handle Pass-Through, Two-Way adjustable shoulder strap, High-contrast lining, Top-loading compartment, Zippered accessory compartment, EKB407NCH14-ECO
EKB414	R 1,351	EVERKI Business 414 14.1" Laptop Briefcase, 28 x 35 x 6 cm external dimensions, 9.5 L capacity, Memory foam protection, Trolley Handle pass-through, Two-way adjustable shoulder strap
EKP127B	R 2,333	EVERKI EKP127B Versa 14.1" Premium Notebook Backpack, Checkpoint friendly Laptop compartment, Shell-protected quick-access sunglass case, Patented corner-guard protection system, Trolley Handle pass-through
EVERKI EKS660	R 1,012	EVERKI CONTEMPRO BIKE MESSENGER 14.1" BLACK/GREY - Dedicated pockets for 15.6-inch laptop and iPad / Pro / Kindle / tablet, Personalizable window, Spacious and well-organized, Multifunctional side pockets with water bottle loop, Comfortable and cooling molded back panel, Trolley handle pass-through, Durable zippers and metal pulls
EVERKI EKS660	R 518	EVERKI ContemPro Bike Messenger 14.1" Black / Grey, Dedicated pockets for 15.6" Laptop and iPad / Pro / Kindle / Tablet, Personalizable Window, Spacious and well-organized, Multifunctional side pockets with water bottle Loop, Comfortable and cooling molded back panel, Trolley Handle pass-through, Durable zippers and metal pulls
EVERKI EKS660 NAVY	R 518	EVERKI ContemPro Bike Messenger 14.1" Navy / Grey, dedicated pockets for 15.6" Laptop and iPad / Pro / Kindle / Tablet, Personalizable Window, Spacious and well-organized, Multifunctional side pockets with water bottle Loop, Comfortable and cooling molded back panel, Trolley Handle pass-through, Durable zippers and metal pulls
EVERKI EKS661N	R 344	EVERKI ContemPro shoulder bag 14.1" Navy / Ash, Dedicated pockets for 14.1-inch Laptop / MacBook Pro 15 and iPad / Pro / Kindle / Tablet, Personalizable Window, Well-organized compartments, File divider, Trolley Handle pass-through, Padded Carry Handle, Durable zippers and metal pulls
NBDE460-BDWQ	R 401	Dell 460-BDWQ Pro 11-14 EcoLoop Urban sleeve - CV4425, Zippered Pocket, Retractable Handle, Lightweight, Heather Gray Colour, Foam & 300D woven Fabric product material, Fabric exterior material, Water resistant
NBDE460-BFCJ	R 597	Dell Pro 460-BFCJ CP5426G 13-14 Plus EcoLoop Backpack, Shoulder strap, 2x side pockets, 2x pockets, 18000 ml Volume capacity, Zipper closure Type, Laptop compartment, Polyurethane & 350d Ripstop product material
NBDE460-BFGC	R 447	Dell 460-BFGC Pro 11-14 Plus EcoLoop Sleeve CV5426, Luggage strap, Shoulder strap, Zippered Pocket, 14" Maximum screen size supported, Front Pocket, 1.50 L Volume capacity, Zipper closure Type, Adjustable strap, 400d Fabric product material, Xpe foam padding, Weather resistant, 270 mm x 365 mm x 35 mm size
NBHP3E2U7AA	R 422	HP 3E2U7AA Renew Business 14.1" Laptop sleeve, Front organizer pocket, Numerous slip and Zip pockets, RFID pocket, Lockable zippers and slip pockets, Made from 100% ocean-bound plastics
NBHP3E5F9AA	R 523	HP 3E5F9AA Renew Business 14.1" Laptop bag, Made from 100% ocean-bound plastics, RFID pocket, Lockable zippers and slip pockets, Bluetooth tracker pocket, cable pass-through, Pass-through
NBHP6B8Y3AA	R 630	HP 6B8Y3AA Renew Executive 14.1" Laptop Sleeve, EPE foam padding material, Polyester interior lining material, Zipper closing system, Tracker pocket
NBLE4X40N18009	R 598	Lenovo 4X40N18009 ThinkPad 14 inch Notebook Sleeve, Padded, Easy-grip handles
NBTABCN414EU	R 477	Targus CN414EU Black/Red Classic 14" Clamshell Case. 14 inch; clamshell; black/red; lightweight; padded protection; travel; school; work; slim design; 38 x 7 x 34cm; 0.35kg
RIVA-8126-BLACK	R 1,335	RIVACSE 8126 LAPTOP 14 CLARK BPACK-BK Made from eco-friendly RPET polyester, each backpack repurposes the equivalent of 8 x 500ml plastic bottles, helping reduce waste in landfills and oceans.
SN-1000-BK	R 506	Kingsons Ladies in fashion 14.1" khaki Shoulder Laptop Bag - 43 x 11.5 x 30 cm

SN-1013-GN	R 287	SupaNova Gisele Geojungle 14" Backpack - Green. Carry your essentials in style with the SupaNova Gisele Geojungle 14" Backpack. Featuring a green jungle print, padded 15.6" laptop compartment, and multiple pockets-perfect for school, college, or commuting in bold, everyday comfort.
SN-1032-TN	R 631	SupaNova Steph 14.1" Laptop Backpack - Tan, 3x exterior compartments, Adjustable shoulder straps, 38h x 27w x 12.5d cm size. Designed to carry laptops, tablets or iPads securely, up to 14.1" . Perfect for ladies looking to make a statement, while keeping things practical and FUNctional.
ST4001-14	R 63	Tbyte 14" Laptop sleeve bag
TBS574GL	R 460	Targus TBS574GL 14" Sagano Slipcase Grey, Two-tone minimalistic design, Padded Laptop compartment, Easy Access zippered front pocket, Comfort handles, Removable shoulder strap
TBS97004GL	R 273	Targus TBS97004GL Pulse 13-14" Sleeve - Charcoal, 3.3mm NE material, Form-fitting Design, Thin and Lightweight, Durable Water repellent coating, Printed grip for added Tactile feel, Neoprene Laptop protection, Interior Brushed lining, Dual Zipper closure
TBT913GL	R 461	Targus TBT913GL CitySmart Essential multi-fit 12.5-14" Laptop Topload - Black and Grey, 34.9 x 2.5 x 24.9 cm Laptop compartment, Multi-fit cradle, Slim Design, Intuitively organised pockets, Additional Tablet Pocket, Padded and adjustable shoulder strap, Trolley strap
TCG455GL	R 889	Targus Citygear 14" Black Slim Topload Laptop Case - 34.9 x 24.9 x 2.5 cm 28 cm
TCG655GL	R 818	Targus Citygear 14" Black Laptop Backpack - 34.9 x 2.5 x 24.9 cm
TSS931GL	R 224	Targus TSS931GL CityGear 14" Laptop sleeve Black, Poly & PU material, 34.3 x 24.5 x 2.5 cm
VK-7020-BK14.1	R 264	Volkano Premier series 14.1" Laptop sleeve Black
VK-7022-BK14.1	R 207	Volkano 14.1" Wrap series Laptop sleeve Black
VK-9114-GR13-14	R 264	Volkano Trend Series 13.3" to 14.1" Laptop Sleeve - Grey, Laptop compartment, 1x exterior pocket, 1x main compartment

< Return to the menu

15 inch notebook carry bags

Product code	Price	Description
105330	R 223	Port Portland 15.6" Backpack Bag - 330 x 50 x 460 mm
105330 Stock Clearance	R 211	Port Designs PORTLAND 15.6" Backpack Case - Black, Pocket for Tablet up to 10.1" , Front Pocket for Accessories, Padded Bottom/Shoulder and Back
131BL	R 114	Microworld 15" Blue Backpack, Lightweight school bag
131G	R 114	Microworld 131G 15" Green Backpack, Lightweight school bag
131GY	R 114	Microworld 15" Grey Backpack, Lightweight school bag
460-BDLF	R 532	Dell 460-BDLF EcoLoop Urban 15" Backpack - Grey, CP4523B, 420d fabric product material, 31.5 cm x 17 cm x 48 cm size, 40 cm x 27 cm x 2.5 cm Notebook compatibility dimensions, Documents, Pens, 2 x side Mesh pockets, Front zippered pocket, Slip pockets, Padded Laptop compartment, Reflective accent, Top Carry Handle, S-curve shoulder straps, 20 litres capacity
74-460BDLF	R 542	Dell 460-BDLF EcoLoop Urban 15" Backpack - Grey, CP4523B, 420d fabric product material, 31.5 cm x 17 cm x 48 cm size, 40 cm x 27 cm x 2.5 cm Notebook compatibility dimensions, Documents, Pens, 2 x side Mesh pockets, Front zippered pocket, Slip pockets, Padded Laptop compartment, Reflective accent, Top Carry Handle, S-curve shoulder straps, 20 litres capacity
A21120-B	R 163	Astrum LB200 15" Oxford Backpack - Black, USB charging Port, Multi pockets and compartments
A21120-C	R 163	Astrum LB200 Backpack Oxford 15" - Blue, Made from Oxford rigid material, Multiple pockets and compartments, USB charging Port
A21120-N	R 163	Astrum LB200 Backpack Oxford 15" - Red, Made from Oxford rigid material, Multiple pockets and compartments, USB charging Port
A21120-T	R 163	Astrum A21120-T LB200 Laptop Backpack 15" USB, Laptop backpack with USB charging port, support upto 15" laptops, Oxford rigid material, Multiple pockets.
A21121-B	R 251	Astrum LB210 15" Backpack Nylon PU Black, USB charging Port, Multi pockets and compartments, 70 x 46 x 32 cm dimensions

A21121-T	R 251	Astrum A21121-T LB210 Laptop Backpack 15" USB, Laptop backpack with USB charging port, support upto 15" laptops, Nylon PU stylish material, Multiple pockets.
BC4	R 12	Okion Brinley Up To 15" Lightweight Notebook Sleeve
BGN5	R 285	Okion Pro ' S 5 15" Black Topload Notebook Case 41x32x10 cm
CB-RMBB3	R 524	Razer gaming gear - Messenger Bag Sling Battlefield 3 collector ' s edition, black, tear-resistant, weather-proof, heavy duty 1680D ballistic nylon, water-resistant rip stop nylon inner lining, include padded compartment for 15" laptop - 36x22x13cm
CB-VGVB	R 458	VAX / Bolsarium Bo-320001 Gran Via Backpack 15.6" - padded compartment for notebook and iPad , quick access velcro at the front mesh side compartment , 305x203x508 / 290x190x495mm, notebook size : 15.6" , dimension exterior / interior 12" x 7.99" x 20" (30.8 x 20.3cm x 50.8cm), 11.4" x 7.48" x 19.5"
CB-VMAMP15	R 430	VAX Bo280005 MArina Macbook Pro 15 - black laser stitch sleeve , waterproof , nylon - 364X249X24.1mm
CN31	R 279	Targus Classic 15" Clamshell Case - Black, Screen Size Compatibility: up to 16" ; , Max Int Dimensions: 37.5 x 3.9 x 26cm; External Dimensions: 39 x 9 x 36 cm; Material: Nylon, Colour: Black, Weight: 0.65kg.
EKP118	R 1,183	Everki Studio 14.1" Slim Macbook or MacBook Pro 15" Backpack - Integrated Laptop Corner Guard System - Trolley Handle Pass-Through with Hidden Stash PocketWide, Ergonomic Shoulder Straps
NBLE4X40N18010	R 598	Lenovo 4X40N18010 ThinkPad 15" notebook sleeve, Slim and lightweight, Zippered Document pocket, 100% polyester
NBTABTBR003EU	R 1,249	Targus Executive 15-16" Black Laptop Roller, Compatibility - Designed to fit laptops with up to 15-16" screens Fuctionality - Zip-down workstations includes pen loops, business card holder, zippered pocket, cell phone pocket and large puch to store additional accessories; large storage space for other office essentials or clothing for an overnight stay. Material - consturcted of durbable/water resistant 1200D polyester material
TEB01	R 729	Targus TEB01 Campus Backpack with Compartment for Notebooks with up to 15.6" Screens , 3D contoured air-mesh back padding which helps alleviate back stress/strain ,Multiple pockets for maximum storage capacity (Mobile phone, CD player, smartphone, iPod, pens, business/student card , Neoprene comfort grip handle , Removable waist strap included - Black, Retail Box

< Return to the menu

15.4 / 15.6 inch notebook carry bags

Product code	Price	Description
105064	R 339	Port 105064 Designs Hanoi II 15.6" Clamshell Carry bag Black, 600D polyester outer material, 38.5 x 26 x 3.5cm Laptop compartment size, Large front pocket, Removable & adjustable shoulder strap, Trolley strap for rolling luggage Handle
105064	R 353	Port 105064 Designs Hanoi II 15.6" Clamshell Carry bag Black, 600D polyester outer material, 38.5 x 26 x 3.5cm Laptop compartment size, Large front pocket, Removable & adjustable shoulder strap, Trolley strap for rolling luggage Handle
105220	R 218	Port Portland 15.6" sleeve - Black, 370x260x30 mm Notebook compartment dimensions (W x d x h), Polyester material, Scratch resistant, Monotone Surface coloration
105220	R 245	Port Portland 15.6" sleeve - Black, 370x260x30 mm Notebook compartment dimensions (W x d x h), Polyester material, Scratch resistant, Monotone Surface coloration
105340	R 1,090	Port Designs Hanoi II Black 15.6" Trolley Case
105352	R 209	Port Designs Portland II Eco 15.6/16" Backpack
105400	R 336	Port Designs Jozi 15.6 Backpack - 26 x 41 x 3cm
105400	R 320	Port 105400 Jozi 15.6" Backpack Black, 210d polyester inside material, Jacquard & 600D polyester outside material, Padded shoulder straps and back, Reflective stripe
105400	R 329	Port 105400 Jozi 15.6" Backpack Black, 210d polyester inside material, Jacquard & 600D polyester outside material, Padded shoulder straps and back, Reflective stripe
110200	R 274	Port Belize 15.6" Top Loading Elegant & Ultra Slim Ultra slim trendy design Padded construction Shoulder strap Frontal zipped pocket
110200	R 320	Port Belize 15.6" Top Loading Elegant & Ultra Slim Ultra slim trendy design Padded construction Shoulder strap

		Frontal zipped pocket, Â© 2019 Laptop Direct
110200	R 369	Port Designs 110200 Belize 15.6" Toploading Notebook case, Polyester 600D PU Snow texture exterior material, Polyester 210D interior material, Full padded structure, Large zipped front pocket, Adjustable & removable shoulder strap
110202	R 313	Port Designs Belize II 15.6/16" Toploading Case With Ergoview
110265	R 410	Port Houston 15.6" Black Backpack. ; up to 15.6" laptop compartment; tablet sleeve up to 10.1" ; organiser front pocket; durable 1680D/600D materials; black; approx external size 48x36x17 cm
110265-E	R 469	Port Designs Houston II ECO 15.6" Laptop Backpack - 48 x 36 x 19 cm
110277	R 503	Port Designs Seattle 15.6" Backpack - Grey, 110277, Polyester and r-PET material, 14l loading capacity, 27.5 x 38 cm Laptop compartment size, 2 front zipped pockets for accessories, 2 side Mesh pockets, Reinforcement at the back, Strap for Suitcase Handle, Handle on the top of the bag
135172	R 374	Port Eco Sydney 15.6" top loading Notebook bag, Padded Laptop compartment, Dedicated Tablet Pocket up to 11" , Front Pocket with Large Organizer, Quick Access front Pocket, Back Trolley strap
135172	R 415	Port Eco Sydney 15.6" top loading Notebook bag, Padded Laptop compartment, Dedicated Tablet Pocket up to 11" , Front Pocket with Large Organizer, Quick Access front Pocket, Back Trolley strap
135173	R 561	Port 135173 Designs Eco Sydney 15.6" Backpack - Black, Padded dedicated Laptop compartment, Comfortable padded back and shoulders, 2 side Mesh pockets, 2 front pockets with organiser, 1 Inner pocket in main compartment
135174	R 547	Port 135174 Eco Sydney 14" Backpack, Padded dedicated Laptop compartment, Comfortable padded back and shoulders, 2 handy side Mesh pockets, 2 front pockets with Organizer, 1 Inner Pocket in Main compartment
135174	R 542	Port 135174 Eco Sydney 14" Backpack, Padded dedicated Laptop compartment, Comfortable padded back and shoulders, 2 handy side Mesh pockets, 2 front pockets with Organizer, 1 Inner Pocket in Main compartment
140409	R 469	Port Designs 140409 Torino II 15.6" Notebook Sleeve case - Black, L-shaped opening for Easy Access, Stretch material made of Neoprene cotton, Double lockable Metal dashes
140412	R 258	Port 140412 Torino II 15.6" Sleeve - Grey, L-shaped opening for Easy Access, Stretch material made of Neoprene cotton, Double Metal lockable pullers
140417	R 252	Port 140417 Designs LA Mariniere Memory Foam Sleeve 15.6" - Blue and White stripe, 5mm Memory Foam inside, Colour cottonoutside, 37 x 26 x 2.5cm Laptop Max compartment size
140419	R 266	Port Designs La Mariniere 15.6" Red Notebook Sleeve
140419	R 252	Port Designs 140419 LA Mariniere 15.6" Red Notebook Sleeve, 37 x 26 x 2.5cm Laptop Max compartment size, 5mm Memory Foam inside, Colour cotton outside, Metallic pullers, Piping Frame
140423	R 584	Port 140423 Torino II Backpack 15.6" - Blue, Padded shoulder straps, Quick Access front pocket, Padded top-loading compartment, 15l Volume
140423	R 518	Port 140423 Torino II Backpack 15.6" - Blue, Padded shoulder straps, Quick Access front pocket, Padded top-loading compartment, 15l Volume
140424	R 477	Port 140424 Torino II Backpack 15.6" Red, 38.6 x 26.7 x 3 cm Laptop compartment size, 15l Storage Capacity, 210D polyester material inside, Composite polyester material outside
140424	R 518	Port 140424 Torino II Backpack 15.6" Red, 38.6 x 26.7 x 3 cm Laptop compartment size, 15l Storage Capacity, 210D polyester material inside, Composite polyester material outside
140424	R 499	Port Torino 11 Notebook Backpack - 14 To 15.6 Inch, Padded Top-Loading, Padded Shoulder Straps, 15L Volume Capacity, Padded Notebook And Tablet Compartment, Front Pocket For Small Items, Sustainable Design, Monochromatic Colour Scheme, From Durable Polyester, Red Colour
140425	R 489	Port 140425 Designs Torino II 15.6" Backpack Black, 15l Volume, Polyester material, Monochromatic colouration, Front pocket, Tablet pocket
140425	R 478	Port 140425 Designs Torino II 15.6" Backpack Black, 15l Volume, Polyester material, Monochromatic colouration, Front pocket, Tablet pocket
150038	R 221	Port Designs CLAMSHELL 14" /15.6" Notebook Case - Black, Rigid ABS Frame, Hook and Loop PC Strap, Adjustable Shoulder Strap, Metallic Buckles and Pullers, Easy Access Front Pocket
150038	R 206	Port S15 CLAMSHELL Volume Essential Laptop Case Rigid ABS frame Hook and loop PC strap Adjustable

		shoulder strap Metallic buckles and pullers
150041	R 201	Port Designs 150041 L15 15.6" Top Loader Notebook, 600D Polyester material, Padded Laptop compartment, Large zipped front Pocket, Adjustable shoulder strap
160510	R 645	Port Designs COURCHEVEL 14" /15.6" Backpack Case - Black and Red, Padded Compartment for 14" /15.6" Notebook, Adjustable Padded Shoulder Strap, Rain cover, 2 Zipped Side Pockets, Side Mesh Pocket, Flat Front Zipper Pocket, Padded Bottom/Shoulder and Back, Front Compartment with Organizer
160510	R 627	Port Courchevel 15.6" Black backpack - 385 x 260 x 40mm
160510	R 589	Port Design 160510 Courchevel 15.6" Student Laptop Backpack, Ergonomic Design with 6 adjustable angles, Foldable ultra-mince and Light structure, Safety hooks and Non-Slip skates, Ultra-resistant Aluminium Body, Transport pouch included
160512	R 465	Port Designs Courchevel Black 15.6" Clamshell Case - 385 x 260 x 60mm. ; reinforced padded compartment; water-resistant nylon; dimensions: 385 x 260 x 60 mm; weight: 0.75 kg; suitable for professionals and students
160512	R 405	Port Designs Courchevel Black 15.6" Clamshell Case - 385 x 260 x 60mm. ; reinforced padded compartment; water-resistant nylon; dimensions: 385 x 260 x 60 mm; weight: 0.75 kg; suitable for professionals and students
160514	R 434	Port Courchevel 15.6" Toploading Case. laptop case; size: 440 x 335 x 80mm; material: 1680D/600D nylon; fits 15.6"
160514	R 466	Port Courchevel 15.6" Toploading Case. laptop case; size: 440 x 335 x 80mm; material: 1680D/600D nylon; fits 15.6"
1700-R	R 160	Microworld 1700-R Red 15.6" Backpack
170224	R 1,104	Port Manhattan 14/15.6" Toploading Bf Bag. padded compartments; multiple accessory pockets; top-loading design; compact 435 x 350 x 135mm; lightweight 0.6 kg; adjustable strap; durable polyester; black; work school travel
170226	R 861	Port Designs MANHATTAN 15" /17" Backpack Case - Black, Padded Laptop and Tablet Compartments, Secret Pocket, Integrated Rain Cover, Ergonomic Back, Power Adaptor Pocket, Integrated Trolley Strap, Front Pocket with Organizer, Side Pocket
170231	R 1,649	Port Designs Chicago Evo Black 15.6" Trolley - 38.5 x 26 x 3.5 cm
170231	R 1,491	Port 170231 Chicago Evo 15.6" Trolley Backpack Black, Front pocket with organizer, Compartment for Tablet, Front pocket for accessories
170231	R 1,699	Port 170231 Chicago Evo 15.6" Trolley Backpack Black, Front pocket with organizer, Compartment for Tablet, Front pocket for accessories
170400	R 1,899	Port 170400 Melbourne Black 15.6" Backpack bag - 35 x 27 x 50.5 cm, 1680 D Polyester & 210 D Polyester material, 10" Tablet size compatibility, Large organizer pocket, Removable weather resistant rain cover, Rear pocket with anti RFID hacking protection
1803-B	R 194	Microworld 1803-B 15.6" Backpack Black, Polyester Oxford material, Campus Student bag for school and Office. 41 x 28 x 12 cm.
1E7D7AA	R 332	HP 1E7D7AA Prelude 15.6" Top Load Notebook Carry bag, Durable nylon exterior, 15.6 inch diagonal padded compartment, with Double handles, Hands free cross body strap, Luggage pass-through
1E7D7AA	R 314	HP Prelude 15.6" Topload Notebook Bag - 6 x 28.5 x 40 cm
1X644AA	R 620	HP Prelude Pro 15.6" Backpack. Commute with a stylish and durable backpack thoughtfully designed with the environment in mind and made with recycled fabric. The HP Prelude Pro Recycled Backpack comes with safety features for your peace of mind when you carry your devices from work to home and beyond.
1X645AA	R 551	HP 1X645AA Prelude Pro recycled 15.6" Top Load Slate Gray Carry bag, 425.4 x 127 x 317.5 mm size
2Z8A3AA	R 568	HP 2Z8A3AA ReNew Travel 15.6" Backpack, 72% Recycled Polyester material, Water resistant, Charcoal Colour, Polyester interior lining material, Compartments - Laptop / Document / Main / accessories, External pockets - accessories / 2 quick Access / 1 Water Bottle / umbrella
2Z8P3AA	R 300	HP 2Z8P3AA Prelude 15.6" Backpack, Padded straps, Ad-protected pocket
2Z8P4AA	R 275	HP 2Z8P4AA Prelude 15.6" Top Load Carry bag, 100% polyester, Water resistant, Padded straps, Pad-protected pocket
3E5F8AA	R 528	HP 3E5F8AA Renew Business 15.6" Laptop bag, Made from 100% ocean-bound plastics, RFID pocket, Lockable

		zippers and slip pockets, Bluetooth tracker pocket, cable pass-through, Pass-through
400508	R 710	Port Designs Chigaco Evo Black 13.3" /15.6" Backpack - 38.5 x 26 x 3.5mm
400510	R 1,203	Port 400510 Designs Manhattan 15.6" combo Toploader Backpack, Polyester 1680D Outer material, 210D lining Inner material, 38.6 x 26.7 x 3 cm Laptop compartment size, Screen protector foam, Backfile with divider for A4 documents, Front pocket with organizer, Magnetic handles, Back zipped flat pocket, Strap for rolling case Handle
400511	R 626	Port 400511 Chicago Evo expandable 13" /15.6" Backpack - Black, R-PET 210D Polyester material inside, Polyester 600D material outside, Mini 6l Inner Volume, Maxi 14l Inner Volume, Multiple storage spaces, Large front compartment with Organizer and removable key holder, Inner Zip Pocket
400511	R 530	Port 400511 Chicago Evo expandable 13" /15.6" Backpack - Black, R-PET 210D Polyester material inside, Polyester 600D material outside, Mini 6l Inner Volume, Maxi 14l Inner Volume, Multiple storage spaces, Large front compartment with Organizer and removable key holder, Inner Zip Pocket
400701	R 428	Port 400701 Yosemite Eco Toploader 15.6" Grey Carry bag, Malette case Type, Front pocket, Shoulder strap, Zip closure
400701	R 506	Port 400701 Yosemite Eco Toploader 15.6" Grey Carry bag, Malette case Type, Front pocket, Shoulder strap, Zip closure
400703	R 656	Port Designs Yosemite Grey 15.6" Backpack Bag
400703	R 596	Port 400703 Yosemite Eco XL Backpack 15.6" Grey, Trolley strap, Secret pocket, Raincover, Backpack is made from 58% recycled material
400703	R 599	Port 400703 Yosemite Eco XL Backpack 15.6" Grey, Trolley strap, Secret pocket, Raincover, Backpack is made from 58% recycled material
400705	R 260	Port Designs Yosemite Grey 15.6" Notebook Sleeve
400705	R 255	Port 400705 Yosemite Eco sleeve 15.6" Grey, Trolley strap, Shoulder strap, Front pocket with organizer
400708	R 1,427	Port Designs YOSEMITE 15.6" Eco Beau 25L Trolley Bag - 43.5 x 40 x 20.5 cm
400708	R 1,396	Port Designs YOSEMITE 15.6" Eco Beau 25L Trolley Bag - 43.5 x 40 x 20.5 cm
460-BCQL	R 1,222	Dell 460-BCQL Premier Briefcase 15.6" Black, Polyester, Battery charger compartment, Detachable strap, Water-resistant, Foam padding, Padded shoulder strap, Shock absorbing lining, Anti-scratch inner lining, Shoulder carrying strap, Trolley strap, Top Carry Handle
460-BCQL	R 1,399	Dell 460-BCQL Premier Briefcase 15.6" Black, Polyester, Battery charger compartment, Detachable strap, Water-resistant, Foam padding, Padded shoulder strap, Shock absorbing lining, Anti-scratch inner lining, Shoulder carrying strap, Trolley strap, Top Carry Handle
460-BDQP	R 559	Dell 460-BDQP EcoLoop Pro Slim Backpack 15.6" , CP5724S, Polyester material, Organizer, 2x side Mesh pockets, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Weather resistant, Luggage pass through, Reflective accent, Adjustable shoulder strap, Zipper closure Type, 600D fabric lining material
460-BDQP	R 557	Dell 460-BDQP EcoLoop Pro Slim Backpack 15.6" , CP5724S, Polyester material, Organizer, 2x side Mesh pockets, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Weather resistant, Luggage pass through, Reflective accent, Adjustable shoulder strap, Zipper closure Type, 600D fabric lining material
460-BDQP	R 548	Dell 460-BDQP EcoLoop Pro Slim Backpack 15.6" , CP5724S, Polyester material, Organizer, 2x side Mesh pockets, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Weather resistant, Luggage pass through, Reflective accent, Adjustable shoulder strap, Zipper closure Type, 600D fabric lining material
460-BDQQ	R 614	Dell 460-BDQQ EcoLoop Pro Slim Briefcase 15, CC5624S, 15.6" Notebook compatibility, 36 cm x 25.5 cm x 2.5 cm Notebook compatibility dimensions, Organizer, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Grab Handle, Adjustable shoulder strap, Zipper closure Type, 600D Fabric lining material
460-BDQQ	R 630	Dell 460-BDQQ EcoLoop Pro Slim Briefcase 15, CC5624S, 15.6" Notebook compatibility, 36 cm x 25.5 cm x 2.5 cm Notebook compatibility dimensions, Organizer, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Grab Handle, Adjustable shoulder strap, Zipper

		closure Type, 600D Fabric lining material
460-BDXT	R 1,362	Dell 460-BDXT EcoLoop Premier Backpack 14-16, Shoulder strap, Trolley strap, Handle, Side Pocket, Front Pocket, Lockable Zipper, Side Handle, Padded shoulder strap, Zippered Pocket, Flap Magnetic closure Type, Polyester, 600D Fabric
470-BFBN	R 643	Dell 470-BFBN DA225 Pro 4-in-1 USB-C Travel Hub, 27 cm cable length, 1.25 Gb/s Maximum Data Transfer Rate, 1x USB 3.2 Gen 2 Type-A Ports, 2x USB-C 3.2 Gen2 (10Gbps, Data only), 1x HDMI, 4K @ 60Hz screen mode supported, 3840x2160 supported resolutions
470-BFBN	R 611	Dell 470-BFBN DA225 Pro 4-in-1 USB-C Travel Hub, 27 cm cable length, 1.25 Gb/s Maximum Data Transfer Rate, 1x USB 3.2 Gen 2 Type-A Ports, 2x USB-C 3.2 Gen2 (10Gbps, Data only), 1x HDMI, 4K @ 60Hz screen mode supported, 3840x2160 supported resolutions
4X40K09936	R 593	Lenovo ThinkPad 15.6 Basic Backpack Black, Padded PC compartment, Shoulder straps and comfort handle
4X40L45611	R 944	Lenovo 4X40L45611 ThinkPad Active Backpack Medium (Black), Constructed of lightweight and weather-resistant ripstop nylon
4X40Q26383	R 2,299	Lenovo 4X40Q26383 ThinkPad 15.6" professional backpack refresh, Front pocket, Water bottle holder
4X41C12468	R 805	Lenovo 4X41C12468 ThinkPad 15.6" Essential Backpack (Eco), Polyester & RPET outside fabric material, Dedicated padded PC pocket, Two additional front Zip pockets, One Mesh side water bottle holder, Convenient luggage strap
4X41C12468	R 863	Lenovo 4X41C12468 ThinkPad 15.6" Essential Backpack (Eco), Polyester & RPET outside fabric material, Dedicated padded PC pocket, Two additional front Zip pockets, One Mesh side water bottle holder, Convenient luggage strap
4X41C12469	R 794	Lenovo 4X41C12469 ThinkPad Essential Eco 16" Notebook bag Black, Dedicated padded PC pocket, Two additional front Zip pockets, Removable adjustable shoulder strap, Luggage strap, Easy-grip zippers
4X41Q27250	R 1,925	Lenovo ThinkPad Professional 16" Backpack Gen 2, 435 mm height, 300 mm length, 185 mm depth, RFID Pocket, Slip Pocket inside PC compartment, charge opening reserved on top right corner inside Main compartment, Padded Notebook compartment, Made from Recycled pet, Convenient Trolley strap, Single comfort Handle
501901	R 412	Port 501901 Premium 15.6" Backpack & Mouse bundle, Large zipped front pocket, Mouse comes with a USB Type-A Dongle and a USB Type-A to USB-C converter, 2.4GHz Wireless Mouse, 3 buttons, Scroll Wheel
6B8U6AA	R 378	HP 6B8U6AA Travel 18 litre 15.6" Iron Grey Laptop Backpack, EPE foam padding material, Polyester interior lining material, Ergonomic padded shoulder carrying strap, Zipper closing system, Trolley Pass-Through
6H2D8AA	R 735	HP Travel 25L 15.6 IGR Laptop Backpack - 360 x 226 x 20 mm. The HP Travel 25 L 15.6" Iron Grey Laptop Backpack is a lightweight, expandable travel partner made entirely from recycled materials. It protects your laptop with smart compartments, RFID security, lockable zippers and a tracker pocketâ€"ideal for busy South African professionals and travellers.
6H2D9AA	R 482	HP 6H2D9AA Travel 18 liter 15.6" Iron Grey Laptop Backpack, EPE foam padding material, Polyester interior lining material, Zipper closing system, Lockable zippers, Reflective material, Tracker pocket, Trolley Pass-Through, Padded back panel, cable Pass-Through
6H2D9AA	R 436	HP 6H2D9AA Travel 18 liter 15.6" Iron Grey Laptop Backpack, EPE foam padding material, Polyester interior lining material, Zipper closing system, Lockable zippers, Reflective material, Tracker pocket, Trolley Pass-Through, Padded back panel, cable Pass-Through
74-460BCQK	R 1,507	Dell 460-BCQK Premier Backpack 15.6" Black, Battery charger Compartment, Trolley strap, top carry handle, Molded EVA foam Lining Material, 21 litres Capacity
74-460BCZV1	R 220	Dell 460-BCZV ES1520C Essential Briefcase 15.6" carry bag, 440 mm x 330mm x 50mm size
74-460BDQP	R 535	Dell 460-BDQP EcoLoop Pro Slim Backpack 15.6" , CP5724S, Polyester material, Organizer, 2x side Mesh pockets, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Weather resistant, Luggage pass through, Reflective accent, Adjustable shoulder strap, Zipper closure Type, 600D fabric lining material
74-460BDXT	R 1,365	Dell 460-BDXT EcoLoop Premier Backpack 14-16, Shoulder strap, Trolley strap, Handle, Side Pocket, Front Pocket, Lockable Zipper, Side Handle, Padded shoulder strap, Zippered Pocket, Flap Magnetic closure Type, Polyester, 600D Fabric

7J597AA	R 258	HP 7J597AA Campus Lavender 15.6" Backpack, 17 L Volume, PE foam padding material, 100% Polyester interior lining material, Padded shoulder carrying strap, Compartments - Laptop / Document / Main / accessories, 2 quick Access pockets, 2 Water bottle / umbrella pockets, padded Air Mesh panel, rain hood, lockable zippers, double-coil Zipper closing system
7K0E4AA	R 470	HP 7K0E4AA Campus Green Backpack up to 15.6" , PE foam padding material, 100% polyester interior lining material, Double-coil Zipper closing system, Trolley Pass-Through, Padded back panel
7K0E5AA	R 436	HP 7K0E5AA Campus Blue Backpack up to 15.6" , PE foam padding material, 100% polyester interior lining material, Double-coil Zipper closing system, Trolley Pass-Through, Padded back panel
8709C	R 150	Microworld 8709C Office 15.6" Notebook Carry bag
90XB0510-BBP000	R 899	Asus ROG Ranger BP1500 15.6" Gaming Backpack, Military-style triangular base-corner guards, Textured zippers, Generous 16l interior, Water-Repellent and scratch-resistant, Extensive Mesh on backrest area, Soft padded shoulder straps
9J4C1AA	R 1,001	HP 15.6 Modular Notebook Backpack; fits up to 15.6 inch laptops; modular compartments; padded laptop protection; 325 x 200 x 495 mm; durable fabric; ergonomic straps; commuter and travel use
A21110-B	R 185	Astrum LB100 Sling Bag Oxford 300D 15.6" - Black, Oxford water resistant fabric, Single-shoulder carrying, Adjustable straps, Breathable padding
A21110-C	R 185	Astrum LB100 Sling Bag Oxford 300D 15.6" - Blue, Oxford water resistant fabric, Single-shoulder carrying, Adjustable straps, Breathable padding
A21110-N	R 185	Astrum LB100 Sling Bag Oxford 300D 15.6" - Red, Oxford water resistant fabric, Single-shoulder carrying, Adjustable straps, Breathable padding
A21122-N	R 190	Astrum LB220 Backpack Oxford 300D 15.6" - Red / Black, USB charging Port, Oxford water resistant fabric, Multiple pockets and compartments
A21131-B	R 535	Astrum LB310 Backpack PU Travel Black, Expendable, Premium PU material, Dual Carry Handle, USB charge Port, 20l base capacity
ACER D5 DIVOX Laptop Bag clearan	R 225	(On Promotion) Acer 15.4" laptop bag. Black Faux Leather. One compartment externally (back) for documents. 3 distinct and separate compartments internally as follows: Front compartment for pens, business cards, and stationary. Middle compartment: Split into 3 divisions with 3 separators, One division is padded for a laptop (with adjustable padding to cater for smaller laptops). Back compartment: 2 divisions for stationery or accessories. The bag Bundle includes a zip-up pouch for cables or a power supply. Includes shoulder strap. Includes a strap for luggage handles (for travel). [Official Acer box packaging, individually packed, fine detail, superior quality]
BAG-6	R 206	Microworld 15.6" anti theft notebook backpack
BAG061	R 327	Targus Intellect 15.6" Backpack - Black, Up to 15.6" laptops, 16.11 Litre capacity, Polyester material, 30.5 x 11 x 42.5 cm exterior dimensions, Side loading Design, Padded and adjustable shoulder straps
BM1	R 58	Okion BM1 Conventio EasyPull Series 15.4" Laptop Messenger Case
CAS-BACKPACK-15.6-LQ	R 230	LinkQnet LinkQnet USB 15.6" Backpack, 32 x 43 x 1.3 cm size, 3x zipped compartments, Travel strap, USB Type-A external Port
CB-L45K1609	R 101	Lenovo 43R9113 ThinkPad Basic Case , topload case with foam padded PC compartment , 15.4" - 387x311x111mm
CB-TCN01	R 516	Targus CN01 notepac for 15.4" , black - nylon with koskin trim; 400 x 330 x 100 mm; 1.2kg; padded laptop compartment; organiser pockets; shoulder strap; business travel laptop case
CB-TCN31	R 401	Targus CN31, 17- 18.4 inch XL Deluxe Laptop Case, Compatibility: Holds laptops with 17" - 18.4" screens; Exterior Dimensions: 45.4 x 10.2 x 36.8cm; Material: Nylon & Polyester; Weight: 1.37 kg
CB-TCUCT02UA15	R 1,877	Targus 15 - 15.6 inch / Ultralite Corporate Traveller, Colour: Black; Compatibility: 15" - 15.6" ; Exterior Dimensions: 43.0 x 12.0 x 32cm; Interior Dimensions: Compartment Dimensions 37.46 x 3.88 x 26.03cm; Material: 1680D Ballistic Nylon; Weight: 1.52 kg, ©2013 Laptop Direct
CB-TTBB013	R 1,474	Targus TBB013eu eco spruce backpack for 15.6" , black - polyester, 312x178x470mm, 1.05kg
CB-TTBT259	R 289	Targus TBT259 Prospect Topload for 15.6" , black - polyurethane, 440x60x340 mm, 0.4kg
CB-TTEB01	R 787	Targus TEB01 notebook campus backpack for 16" , black - 480x381x200 mm, 1kg
CB-TTSB700	R 897	Targus TSB700eu rolling backpack for 15.4" , black - nylon, 370x220x500mm, 2.84kg

CB-TTSB925GL	R 903	Targus DrifterTrek Black & Grey 15.6" Laptop Backpack - 35 x 16.5 x 46 cm
CB-TTSB971GL	R 1,526	Targus TSB971GL Sol-Lite 15.6" Backpack Black, 21.5l litre capacity, Poly/PU material, 38.7 x 26.5 x 2.5 cm Laptop compartment dimensions, 28 x 18 x 48.3 cm exterior dimensions, Wide opening Access to main compartment, Security hood design, Dual Handle design, Side pockets, Contoured padded Mesh back panel
CB-VBo15-o	R 574	VAX Bo180026 Bonanova Olive sleeve for 15.6" Notebook - bubble design extra EVA foam cushioning for extra protection, water resistant
CB-VBo15-R	R 574	VAX Bo180027 Bonanova Red sleeve for 15.6" Notebook - bubble design extra EVA foam cushioning for extra protection, water resistant
CB-VBP15-Bo	R 562	VAX bo09004p basic Back Pack 15.6" Bolsarium (black) backpack, water proof heavy coating reverse polyester fabric, anti slippery soft rubber for maximum ergonomic grip, easy access side pocket, water repellent zippers, iPAD/netbook pocket inside - 320x170x430 / 315x165x425mm, 730g.
CB-VBP15-BRS	R 507	VAX bo09003p basic Back Pack 15.6" Brown Square backpack, water proof heavy coating reverse polyester fabric, anti slippery soft rubber for maximum ergonomic grip, easy access side pocket, water repellent zippers, iPAD/netbook pocket inside - 320x170x430 / 315x165x425mm, 730g.
CB-VBP15-MGU	R 562	VAX vax-b154bugyb Back Pack 15.6" - Metallic Grey Umbrella fabric/ nylon, back pack, water proof heavy coating reverse polyster fabric, anti slipery soft rubber for maximum ergonomic grip, easy access side pocket, water repellent zippers, netbook pocket inside - 320x170x430/ 315x165x425mm, 730g
CB-VBP15-PU	R 562	VAX vax-b154buvtb Back Pack 15.6" - Metallic Violet Umbrella fabric/ nylon, back pack, water proof heavy coating reverse polyster fabric, anti slipery soft rubber for maximum ergonomic grip, easy access side pocket, water repellent zippers, netbook pocket inside - 320x170x430 / 315x165x425mm, 730g
CB-VBP15-ST	R 507	VAX bo09001p basic Back Pack 15.6" - Stars (black), back pack, water proof heavy coating reverse polyester fabric, anti slippery soft rubber for maximum ergonomic grip, easy access side pocket, water repellent zippers, iPAD/netbook pocket inside - 320x170x430 / 315x165x425mm, 730g
CB-VCAV-B	R 596	VAX / Bolsarium Bo-310004 Calvet Black 15.6" backpack - with specific pocket for the iPhone or MP3 player and headphone output. Padded pocket for your iPad , 240x170x438 / 230x160x425mm
CB-VCAV-BP	R 620	VAX / Bolsarium Bo-310002 Calvet 15.6" Black & Purple Backpack - with specific pocket for the iPhone or MP3 player and headphone output. Padded pocket for your iPad, 240x170x438 / 230x160x425mm
CB-VCAV-BR	R 596	VAX / Bolsarium Bo-310001 Calvet Black & Red 15.6" backpack - with specific pocket for the iPhone or MP3 player and headphone output. Padded pocket for your iPad , 240x170x438 / 230x160x425mm
CB-VMA15	R 286	VAX Bo280007 Marina 15.6" black laser stitch sleeve, waterproof, nylon - 370x270x40mm.
CB-VME15-MG	R 352	VAX vax-9001 Messenger 15.6" - Metallic Grey - umbrella polyester with two resistant fabric combinations, netbook pocket inside, 7 available pockets - 430x160x310/ 420x150x300mm, 940g
CB-VME15-W	R 529	VAX vax-9001 Messenger 15.6" - White - PVC with two resistant fabric combinations, netbook pocket inside, 7 available pockets - 430x160x310/ 420x150x300mm, 940g
CB-VRAV15-BS	R 397	VAX vax-160008 Ravella - women ' s Tote - 15.6" netbook messenger - Bright Silver, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 530x200x380/ 500x170x360mm, 540g
CB-VRAV15-DL	R 397	VAX vax-160002 Ravella - women ' s Tote - 15.6" netbook messenger - Dark blue, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 530x200x380mm
CB-VRAV15-G	R 397	VAX vax-160007 Ravella - women ' s Tote - 15.6" netbook messenger - Green, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 530x200x380/ 500x170x360mm, 540g
CB-VRAV15-R	R 606	VAX vax-160005 Ravella - women ' s Tote - 15.6" netbook messenger - Red, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 530x200x380mm
CB-VRAV15-Y	R 606	VAX vax-160006 Ravella - women ' s Tote - 15.6" netbook messenger - Yellow, umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 530x200x380mm
CB-VTUB15-BR	R 684	VAX vax-3001 Tuset Bag 15.6" - Black Red interior - with stylish integrated handle, envelope sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water repellent neoprene and double-stitched microfibre, 4mm interior foam for maximum protection - 380x390x110mm/ 360x285x50mm, 800g
CB-VTUS15-BG	R 462	VAX vax-3002s Tuset Sleeve 15.6" - Black Grey interior - nb sleeve with stylish integrated handle, envelope sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water

		repellent neoprene and double-stitched microfibre, 4mm interior foam for maximum protection - 400x370x50mm/ 375x285x50mm, 500g
CB-VTUS15-BR	R 462	VAX vax-3001s Tuset Sleeve 15.6" - Black Red interior - nb sleeve with stylish intergrated handle, envelope sleeve outlined with stitching, magnet lock, quick front pocket access for accessories and documents; water repellent neoprene and double-stitched microfibre, 4mm interior foam for maximum protection - 400x370x50mm/ 375x285x50mm, 500g
CN01	R 348	Targus CN01 Notepac Black 15.6" Clamshell Case; polyester construction; padded notebook compartment; detachable shoulder strap; rear document pocket; luggage strap; accessory pockets; dimensions: 40 x 9 x 35 cm; weight: 0.98 kg
CN415EU	R 423	Targus Classic 15.6" Clamshell Case - Black/Red, Compatibility: Up to 15.6" laptops; Exterior Dimensions: 42 x 8 x 38cm; Material: Polyester; Weight: 068kg
CNE-CB5G4	R 425	Canyon B-4 Elegant 15.6" Notebook bag - Grey, Polyester case material, Secure zipped external Pocket, Slip-proof padded shoulder strap
CNS-CSZ03YW01	R 305	Canyon CSZ-03 15.6 ' cabin size Backpack - Yellow, Fit for cabin 20 x 25 x 40cm, Anti-Theft hidden Zipper, Made of high density Polyester (420D), 20l, Large capacity, Ventilated back & shoulder straps (Travel bag size)
CUCT02BEU	R 1,746	NBTABCUCT02BEU-52, Targus Corporate Traveller 15.6" Laptop Backpack, Colour: Black; Compatibility: Up to 16" (40.6 cm) ; Exterior Dimensions: 34.5 x 21.5 x 51.5cm ; Material: 1680D Ballistic Nylon; Weight: 1.45 kg
DSY-LB3030	R 129	Disney 15.4" Full colour High School Musical Laptop Bag, Retail Packaged. size: ~30.8cm x 3cm x 21.7cm; weight: 0.484kg; compatible up to 15" notebook; neoprene 3mm cushion; licensed Disney High School Musical print; everyday carry
DSY-LB3050	R 129	Disney 15.4" Princess Pink Laptop Bag, Retail Packaged. Disney 15.4" Princess Pink Laptop Bag with neoprene build, anti-shock padding, and full-color princess design. Water-resistant with shoulder strap and accessory compartments. Note: The pattern is not pink with vertical stripes - It is plain pink with star-light sparkles - please see photo taken of the actual bag sealed in a plastic bag. (Official Disney licensed - manufactured by Cirkuit)
DSY-LB3095	R 129	Disney 15.4" Toy Story Laptop Bag, Retail Packaged. neoprene sleeve; 45 x 32 x 3 cm; handles shoulder strap; fits up to 15.4"
EKB418	R 597	EVERKI EKB418 Business 418 15.6" Laptop Briefcase, Memory foam protection, Premium leather handles and accents, Two-way adjustable shoulder strap, Trolley Handle pass-through, Durable zippers and metal pulls
EKF808S15B	R 263	EVERKI EKF808S15B 808-15 15.6 ' ' notebook sleeve Black, 27.5 x 39 x 3.5 cm Laptop pocket, 9.5 L capacity, Memory foam
EKF808S15B	R 339	EVERKI EKF808S15B 808-15 15.6 ' ' notebook sleeve Black, 27.5 x 39 x 3.5 cm Laptop pocket, 9.5 L capacity, Memory foam
EKP105	R 282	EVERKI 105 15.6" Laptop Backpack - Tablet Pocket - Spacious, Well-Organized
EKP106	R 512	EVERKI 106 light Laptop Backpack 15.6" , Fits Tablets up to 13" , 39.5 x 27.5 x 3.3 cm Laptop pocket, 23 L capacity, Hidden stash pocket, Felt-lined Laptop & Tablet pockets, Trolley Handle pass-through, Durable zippers and metal pulls
EKP107	R 650	EVERKI Advance 15.6" Notebook Backpack, Dedicated pockets for 15.6-inch laptop and iPad / Pro / Kindle / tablet, Spacious, Ergonomic shoulder straps, Hidden stash pocket, Trolley handle pass-through, Quick-access pocket
EKP118E-ECO	R 1,781	EVERKI EKP118E Studio 15.6" Eco-Friendly slim Laptop MacBook Backpack, Expandable storage, Eco-Friendly materials, Felt-lined Laptop slot, Laptop corner guard system, Trolley Handle Pass-Through, Hidden stash pocket, Durable zippers and Metal pulls, Side water bottle pockets
EKP121S15	R 1,639	Everki EKP121S15 Atlas 11" to 15.6" Adaptable Compartment Backpack Black & Orange, 27x 3.5x 39.5 cm Laptop compartment, 29.5 L Capacity
EKP123-ECO	R 2,644	Everki Ekp123-eco 15.6" Wheeled Backpack - 50 x 37.5 x 20 cm
EKP132	R 3,628	EVERKI EKP132 Onyx 15.6" Premium Notebook Backpack, Checkpoint friendly Laptop compartment, High-grade leather Handle, Sunglasses/Gadget case, Corner-Guard Protection, Ballistic Nylon Exterior
EKP132N	R 4,104	EVERKI EKP132N Onyx 15.6" Laptop Backpack - Navy, Fits device sizes 15.6" , Fits Tablets up to 13" , 25 L capacity, 42.5 x 35 x 19 cm external dimensions
ETT11700	R 899	Macaroni Lettiga 15.6" Business Professional Trolley Laptop and Lugguge Case - Black. 1680D ballistic nylon; fits

		up to 15.6" ; 360 Degree spinner wheels; 45x30x15cm; weight 3kg; business travel trolley
EVERKI EKP160 NAVY	R 804	EVERKI ContemPro 15.6" , Commuter Backpack - Navy/Grey, Personalizable Window, Multifunctional side pockets with water bottle Loop, Comfortable and cooling molded back panel, Trolley Handle pass-through, Dedicated Laptop and iPad / Pro / Kindle / Tablet compartment
EVERKI EKP161 NAVY	R 804	EVERKI ContemPro Roll Top Backpack 15.6" Navy / Grey, Dedicated pockets for 15.6" Laptop and iPad / Pro / Kindle / Tablet, Personalizable Window, Spacious and well-organized, Multifunctional side pockets with water bottle Loop, Comfortable and cooling molded back panel, Trolley Handle pass-through, Durable zippers and metal pulls
GX40Q17225	R 353	Lenovo GX40Q17225 15.6" B210 Laptop casual backpack Black, Durable and water repellant fabric, conveniently placed compartments and pockets
GX40Q17225	R 229	Lenovo GX40Q17225 15.6" B210 Laptop casual backpack Black, Durable and water repellant fabric, conveniently placed compartments and pockets
JLB05UF	R 518	Urban Factory Jenny ' s Notebook Bag 16" Sleeve 10"
K8106V-BK	R 172	Kingsons Everyday series 15.6" Black laptop sleeve
K8380W	R 1,184	Kingsons - 15.6 Backpack - Trolley Bag, Prime Series, Jacquard, Compartmentalised for laptop and tablet, With two zipper compartments, trolley handle, wheel covers and wheels, Water resistant. Black.
K8533W-B	R 506	Kingsons K8533W-B 15.6" Evolution Laptop Backpack Black, Water Resistant, Compartment for your laptop, Separate padded sleeve for your iPad / tablet
K8533W-G	R 460	Kingsons K8533W-G 15.6" Evolution Laptop Backpack Grey, Water Resistant, Compartment for your laptop, Separate padded sleeve for your iPad / tablet
K8533W-R	R 506	Kingsons K8533W-R 15.6" Evolution Laptop Backpack Red, Water Resistant, Compartment for your laptop, Separate padded sleeve for your iPad / tablet
K8569W	R 402	Kingsons 15.6" laptop Backpack Bag, Made From Jacquard Material, Available in Black, Compartment for Laptop, Two zippered compartments Netted pockets on either side of the bag, Water resistant
K8674W-BK	R 264	Kingsons - 15.6" Laptop Shoulder Bag, 600D Nylon, Compartmentalised for laptop, with one zipper compartment, Detachable shoulder strap & trolley strap, Water resistant, Black
K8890W-BK	R 586	Kingsons K8890W 15.6" Trendy Series Backpack Black, 600D Nylon, Water Resistant
K8927W-BK	R 264	Kingsons K8927W 15.6" Ladies Bag Trace Series Black, Two Hidden Zippered Inner Compartment, Water Resistant
K8927W-PK	R 322	Kingsons Trace Series Pink 15.6" Ladies Bag
K8933W-BK	R 506	Kingsons Arrow series 15.6" Black Backpack
K8933W-RD	R 506	Kingsons Arrow series 15.6" Red backpack
K8982W-BK	R 356	Kingsons K8982W 15.6" Legacy Series Shoulder Bag Black, Zippered compartments, Water resistant, Smugglers compartment
K9007W-BK	R 483	Kingsons K9007W 15.6" Charged Series Backpack Black - Including a USB Port, Nylon, Water Resistant, Removable Carry Strap, Trolley Strap
K9117W	R 460	Kingsons K9117W 15.6" Global Series Shoulder Bag Black
KF0047W-BK	R 437	Kingsons Spartan Series Black 15.6" laptop Backpack
KS3009W15-P	R 655	Kingsons Ladies in fashion Pink 15.4" shoulder laptop bag
KS3009W15B	R 506	Kingsons Ladies in fashion Black 15.4" Shoulder Laptop Bag
KS3022W	R 862	Kingsons Elite 15.6" Laptop Backpack
KS3077W	R 1,035	Kingsons 15.6" Laptop Backpack Bag, Made from High Quality Jacquard Material, Available in Black, Compartment for laptop, Compartment for Tablet, Two zippered compartments with side pockets, Trolley Strap, Water Resistant
KS3108W-BLU	R 402	Kingsons - 15.6 Laptop Backpack, Casual Series, Nylon, Compartmentalised for laptop, Front zipper compartments and side pockets, Water resistant. Blue
KS3117W	R 632	Kingsons Prime Series 15.6" Laptop Shoulder Bag, Jacquard Nylon, Compartmentalizedfor laptop & tablet, Water resistant, Black
KS3118W	R 1,552	Kingsons KS3118W - 15.6 Trolley Bag, Prime Series, Jacquard, Compartmentalised for laptop and tablet, With three zipper compartments, trolley handle and wheels, Water resistant, Black

KS3128-BK	R 402	Kingsons 15.6" Classy series Black Ladies Shoulder Bag
KS3132W-C	R 689	Kingsons KS3132W 15.6" Stealth series Smart Backpack Black, Compartmentalized for laptop and tablet, With two zipper & one hidden zipper compartments
KS3152W-BK	R 517	Kingsons KS3152W-BK 15.6" Ladies Bag Bella Series Black
KS3152W-PU	R 517	Kingsons KS3152W-PU 15.6" Ladies Bag Bella Series Purple
KS6062W-B	R 437	Kingsons 15.4" Laptop BackPack Bag, Made From High Quality Nylon Material, Available in Black, Compartment for Laptop, Two front Zippers with inner compartments, Netted pockets on each side of the bag, Water Resistant
KY3148W-G	R 1,092	Kingsons KY3148W Anti Theft 15.6" Dark Grey Smart Backpack
LENOVO 4X40K09936	R 426	Lenovo ThinkPad 15.6 Basic Backpack Black, Padded PC compartment, Shoulder straps and comfort handle
LP664-90798	R 529	Ugreen Laptop Backpack B02 up to 15.6" - Dark Grey, Waterproof, YKK zips, Wear-Resistant, 600D Oxford Cloth exterior material, Suede interior lining, Pearl cotton interlayer padding, Laptop compartment, Accessory/gadget Pocket, Document section, Personal items area
LVB001	R 299	Legion LVB001 15.6" Value Backpack - 30 x 13 x 45.5 cm, Retail Box
LVB001	R 262	Lenovo Legion 15.6" Value multipurpose Notebook and Tablet Backpack, 26 x 38.5 x 3.5 cm Laptop compartment size, 210D polyester fabric and Nylon
LVC001	R 191	Legion 15.6" Value Notebook Carry Case - 385 x 260 x 35mm, Retail Box
NBDE460-BDQP	R 585	Dell 460-BDQP EcoLoop Pro Slim Backpack 15.6" , CP5724S, Polyester material, Organizer, 2x side Mesh pockets, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Weather resistant, Luggage pass through, Reflective accent, Adjustable shoulder strap, Zipper closure Type, 600D fabric lining material
NBDE460-BDQQ	R 689	Dell 460-BDQQ EcoLoop Pro Slim Briefcase 15, CC5624S, 15.6" Notebook compatibility, 36 cm x 25.5 cm x 2.5 cm Notebook compatibility dimensions, Organizer, Front zippered pocket, Document compartment, Padded Tablet pocket, Padded Laptop compartment, Accessories compartment, Grab Handle, Adjustable shoulder strap, Zipper closure Type, 600D Fabric lining material
NBDE460-BDWR	R 413	Dell 460-BDWR EcoLoop Urban Sleeve 15-16" Carry bag, Zippered Pocket, Retractable Handle, Lightweight, Woven Fabric product material, Water resistant
NBHP1E7D7AA	R 325	HP 1E7D7AA Prelude 15.6" Top Load Notebook Carry bag, Durable nylon exterior, 15.6 inch diagonal padded compartment, with Double handles, Hands free cross body strap, Luggage pass-through
NBHP1X644AA	R 622	HP 1X644AA Prelude Pro Recycle 15.6" Backpack, Made with 95% recycled external fab, Water-Resistant coating, Shoulder strap is adjustable and padded, Zippered pockets, Lockable zippers, Smart cable pass-through
NBHP1X645AA	R 474	HP 1X645AA Prelude Pro recycled 15.6" Top Load Slate Gray Carry bag, 425.4 x 127 x 317.5 mm size
NBHP2Z8P3AA	R 350	HP 2Z8P3AA Prelude 15.6" Backpack, Padded straps, Ad-protected pocket
NBHP3E5F8AA	R 518	HP 3E5F8AA Renew Business 15.6" Laptop bag, Made from 100% ocean-bound plastics, RFID pocket, Lockable zippers and slip pockets, Bluetooth tracker pocket, cable pass-through, Pass-through
NBHP6B8U4AA	R 611	HP 6B8U4AA Travel 25 litre 15.6" Iron Grey Laptop Backpack, EPE foam padding material, Polyester interior lining material, Zipper closing system, RFID pocket, Trolley Pass-Through
NBHP6B8U6AA	R 363	HP 6b8u6aa Travel 18 litre 15.6" Iron Grey Laptop Backpack, EPE foam padding material, Polyester interior lining material, Ergonomic padded shoulder carrying strap, Zipper closing system, Trolley Pass-Through
NBHP7K0E4AA	R 422	HP 7K0E4AA Campus Green Backpack up to 15.6" , PE foam padding material, 100% polyester interior lining material, Double-coil Zipper closing system, Trolley Pass-Through, Padded back panel
NBHP7K0E5AA	R 422	HP 7K0E5AA Campus Blue Backpack up to 15.6" , PE foam padding material, 100% polyester interior lining material, Double-coil Zipper closing system, Trolley Pass-Through, Padded back panel
NBLE4X40K09936	R 541	Lenovo 4X40K09936 ThinkPad 15.6" Basic Backpack Black, Padded PC compartment, Shoulder straps and comfort handle
NBLE4X41A30364	R 1,110	Lenovo 4X41A30364 ThinkPad 15.6" Essential Plus Backpack, 60% RPET and 40% polyester, Made with recycled materi, Dedicated separate Laptop compartment, Large storage AREA for documents and Tech accessories, Front Zip pocket, Front quick-stash pocket, Rugged Carry Handle, Water bottle holder
NBLE4X41C12468	R 826	Lenovo 4X41C12468 ThinkPad 15.6" Essential Backpack (Eco), Polyester & RPET outside fabric material, Dedicated padded PC pocket, Two additional front Zip pockets, One Mesh side water bottle holder, Convenient

		luggage strap
NBLE4X41Q27250	R 1,963	Lenovo ThinkPad Professional 16" Backpack Gen 2, 435 mm height, 300 mm length, 185 mm depth, RFID Pocket, Slip Pocket inside PC compartment, charge opening reserved on top right corner inside Main compartment, Padded Notebook compartment, Made from Recycled pet, Convenient Trolley strap, Single comfort Handle
NBLEGX40Q17225	R 228	Lenovo GX40Q17225 15.6" B210 Laptop casual backpack Black, Durable and water repellant fabric, conveniently placed compartments and pockets
NBLEGX40Q17229	R 214	Lenovo GX40Q17229 T210 15.6" Casual Toploader Black Carry bag, Polyester outside fabric material, Conveniently placed compartments and pockets, Integrated luggage strap
NBTABCN01	R 389	Targus CN01 Notepac 15/15.4" Notebook Case - 40 x 33 x 10cm, Screen Size Compatibility: 15/15.4" , Filing Comp: Inner Document Pocket, No Printer/Luggage Comp, Max Int Dimensions: 39x30x5cm, Notebook Comp Dimensions: 33x30x5cm, Nylon Material, Black, Weight: 1.2kg.
NBTABCN31	R 330	Targus CN31, 17- 18.4 inch XL Deluxe Laptop Case, Compatibility: Holds laptops with 17" - 18.4" screens; Exterior Dimensions: 45.4 x 10.2 x 36.8cm; Material: Nylon & Polyester; Weight: 1.37 kg
NBTABTEB01	R 731	Targus TEB01 15.4" Campus Notebook Backpack - 45 x 40 x 13cm, Filing Compartment, No Printer/Luggage Compartment, Interior Dimensions: 33x28x5cm, N/book Compartment Dimensions: 33 x 28 x 5cm, Material: Nylon, Colour: Black & Silver.
RD-GB-76	R 375	Redragon AENEAS 15.6â€³ Gaming Backpack - 27.5 x 12 x 43 cm
RD-S129W	R 1,047	Redragon 3in1 White Ms, Hs, Kb Wired Combo
RECCE15GREY	R 378	Armaggeddon Recce 15 Grey 15.6" Lifestyle Laptop Backpack
RELOAD5BG	R 311	Armaggeddon Reload 5 Notebook 15.6" Backpack - Beige, 2 side Water bottle pocket, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Made from approximately seven bottles, 350 x 430mm dimension
RELOAD5BLK	R 311	Armaggeddon Reload 5 Notebook 15.6" Backpack - Black, 2 side Water bottle pocket, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Made from approximately seven bottles, 350 x 430mm dimension
RELOAD5LB	R 311	Armaggeddon Reload 5 Notebook 15.6" Backpack - Light Blue, 2 side Water bottle pocket, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Made from approximately seven bottles, 350 x 430mm dimension
RELOAD5RED	R 311	Armaggeddon Reload 5 Notebook 15.6" Backpack - Red, 2 side Water bottle pocket, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Made from approximately seven bottles, 350 x 430mm dimension
RELOAD5SBL	R 311	Armaggeddon Reload 5 Notebook 15.6" Backpack - Sea Blue, 2 side Water bottle pocket, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Made from approximately seven bottles, 350 x 430mm dimension
RELOAD5WHT	R 311	Armaggeddon Reload 5 Notebook 15.6" Backpack - Light Grey, 2 side Water bottle pocket, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Made from approximately seven bottles, 350 x 430mm dimension
RELOAD7BG	R 311	Armaggeddon Reload 7 Notebook 15.6" Backpack - Beige, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Padded back and shoulder straps, 350 x 430mm dimension, Made from approximately seven bottles
RELOAD7BLK	R 311	Armaggeddon Reload 7 Notebook 15.6" Backpack - Black, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Padded back and shoulder straps, 350 x 430mm dimension, Made from approximately seven bottles
RELOAD7LB	R 311	Armaggeddon Reload 7 Notebook 15.6" Backpack - Light Blue, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Padded back and shoulder straps, 350 x 430mm dimension, Made from approximately seven bottles
RELOAD7RED	R 311	Armaggeddon Reload 7 Notebook 15.6" Backpack - Red, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Padded back and shoulder straps, 350 x 430mm dimension, Made from approximately seven bottles

RELOAD7SBL	R 311	Armaggeddon Reload 7 Notebook 15.6" Backpack - Sea Blue, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Padded back and shoulder straps, 350 x 430mm dimension, Made from approximately seven bottles
RELOAD7WHT	R 311	Armaggeddon Reload 7 Notebook 15.6" Backpack - Light Grey, Padded Laptop compartment, Multiple front pocket, Adjustable strap, Padded back and shoulder straps, 350 x 430mm dimension, Made from approximately seven bottles
RIVA-5131-BLACK	R 491	RIVACSE 5131 LAPTOP 15.6 HARDSHELL-BK Universal case for Laptops designed to carry and protect your device.
RIVA-8465-BLACK	R 1,543	RIVACSE 8465 LAPTOP 17.3 ECO BPACK-BK Made from eco-friendly RPET polyester, each backpack repurposes 11 x 500ml plastic bottles, reducing waste in landfills and oceans.
SHIELD3BLK	R 401	Armaggeddon Shield 3 15.6" Notebook Backpack Black, Anti-theft code lock Zipper Backpack, USB charging Port, Breathable foam back panel, Splash proof
SHIELD3GREY	R 401	Armaggeddon Shield 3 15.6" Notebook Backpack Grey, Anti-theft code lock Zipper Backpack, USB charging Port, Breathable foam back panel, Splash proof
SHIELD5BLK	R 512	Armaggeddon Shield 5 15.6" Backpack, Build in foampad, Splash proof, Security lock, USB charging Port, Breathable foam back panel
SHIELD7BLK	R 569	Armaggeddon Shield 7 Notebook 15.6" Backpack Black, Equipped with number security lock, Equipped with USB charger, Waterproof material
SN-1026-BK	R 586	SupaNova Sasha 15.6" Laptop bag - Black, One Main padded compartment, One Small internal Pocket, One front zippered Pocket, Adjustable shoulder straps, Carry Handle. The SupaNova Sasha 15.6" Laptop Bag - Black is a sleek, professional carry option with padded protection, ample storage, and a shoulder strap for easy travel. Ideal for work, school, or meetings, it combines function with classic style.
SN-1026-BL	R 586	SupaNova Sasha 15.6" Laptop bag - Blue, One Main padded compartment, One Small internal Pocket, One front zippered Pocket, Adjustable shoulder straps, Carry Handle. Everyday fashionable carry bag for ladies.
SN-1044-BK	R 287	SupaNova Lyndal 15.6" Laptop Sleeve - Black. The SupaNova Lyndal 15.6" sleeve in Black offers slim, water-resistant protection with plush lining and reinforced edges. Designed for easy carry and everyday use, it ' s perfect for commuters, students, and professionals.
SN-1047-BK	R 394	SupaNova Lakey 15.6" Laptop Backpack - Black
SN-1047-PK	R 437	SupaNova Lakey 15.6" Laptop Backpack - Pink. The SupaNova Lakey 15.6" Laptop Backpack in Pink features a padded compartment for your laptop, with stylish, everyday design for school, office or travel. With multiple zip pockets and comfy shoulder straps, it ' s both functional and fashionable.
SN-1053-PK	R 506	SupaNova Gabi 15.6" Laptop Backpack - Pink. The SupaNova Gabi 15.6" Laptop Backpack in Pink blends chic vegan suede PU with padded laptop protection, reinforced stitching, and smart pockets-perfect for students, professionals, and everyday commuters.
SN-1054-BK	R 1,184	SupaNova Zoe 15.6" Laptop buisness Trolley - Black
TBB013EU	R 912	Targus 15.6 inch EcoSpruce Backpack, Colour: Black; Compatibility: 15.6" / 39.6 cm; Exterior Dimensions: 31.75 x 17.8 x 46.99 cm; Interior Dimensions: 37.5 x 3.9 x 26 cm; Material: Polyester; Weight: 1.05 kg
TBB58602GL	R 1,125	Targus TBB58602GL Cypress 15.6" Hero Backpack with EcoSmart - Grey, 20 litres capacity, 30.5 x 13.5 x 50 cm dimensions, Dedicated padded Laptop compartment, Large main compartment for files and gear, 3 compartments for accessories, Front quick-stash pocket, Comfortable Carry Handle
TBB58802GL	R 890	Targus TBB58802GL Cypress Eco Security 15.6" Backpack - Grey, 300D material, 21l litre capacity, 38.7 x 26.5 x 2.5 cm Laptop compartment dimensions, No external zips or pockets, Single interior compartment opens backward, Padded Laptop pocket, Structured design keeps bag standing upright, Trolley strap
TBB634GL	R 935	Targus TBB634GL 15.6" Sagano EcoSmart Travel Backpack - Grey, two-tone minimalistic design, dedicated padded Laptop compartment, two exterior front pockets, RFID-blocking protection and padded Tablet pocket, Ergonomic shoulder straps, two water bottle pockets, hidden pocket with rain cover, made from 9 recycled pet bottles
TBB635GL	R 815	Targus TBB635GL 15.6" Sagano Commuter Backpack Grey, Two-tone minimalistic design, Padded Laptop compartment, Large zippered front pocket, Hidden pocket with rain cover, Adjustable comfort shoulder straps,

		Breathable Mesh fabric, Two water bottle pockets
TBB636GL	R 585	Targus TBB636GL 15.6" Sagano Campus Backpack Grey, Minimalistic design with slim profile, Padded Laptop compartment, Large zippered front pocket, Padded back with breathable Mesh fabric, 2 water bottle pockets
TBB65302GL	R 461	Targus TBB65302GL 15.6" Octave III Backpack - Blue Fog, Padded Laptop Pocket, Secondary compartment, Padded shoulder straps and back panel, 2 Water bottle pockets, 2 front stash pockets, Reflective accents, Comfortable Carry Handle
TBB65307GL	R 462	Targus Orchid 15.6" Octave III Backpack - 44.9 x 37.4 x 7 cm
TBB65313GL	R 460	Targus TBB65313GL 15.6" Octave III Backpack - Oxford Tan, Padded Laptop Pocket, Secondary compartment, Padded shoulder straps and back panel, 2 Water bottle pockets, 2 front stash pockets, Reflective accents, Comfortable Carry Handle
TBB653GL	R 451	Targus Black 15.6" Octave III Backpack - 44.9 x 37.4 x 7 cm
TBT238EU	R 202	Targus Intellect 15.6" Topload Laptop Case Black
TBT238EU	R 221	Targus Intellect 15.6" Topload Laptop Case Black - 38 x 31 x 4 cm
TBT914GL	R 484	Targus CitySmart Advanced Multi-Fit 14-15.6" Laptop Topload - Black Grey, 38.7 x 2.5 x 26.5 cm Laptop compartment, Multi-Fit cradle, Slim Design, Intuitively organised pockets, Additional Tablet Pocket, Padded and adjustable shoulder strap, Trolley strap easily attaches to your rolling Luggage
TBT92602GL	R 803	Targus TBT92602GL Cypress Eco Topload 15.6" Grey Notebook Carry bag, Eco 300 material, 38.7 x 26.5 x 2.5 cm Laptop compartment dimensions, Made from 20 recycled plastic water bottles, Front stash pocket, Padded shoulder strap, Soft-touch Carry handles, Luggage pass-through
TCG460GL	R 942	Targus Citygear 15.6" Black Slim Topload Laptop Case - 38.7 X 2.5 X 26.5 Cm
TCG470GL	R 996	Targus Citygear 15-17.3" Black Slim Topload Laptop Case - 42.4 x 29.2 x 3.8cm
TCG661GL	R 829	Targus TCG661GL CityGear 15.6" Backpack - Black, 32 x 11 x 46.5 cm dimensions, Detachable shoulder straps, Retractable Handle, Dome protection system, Laptop & Tablet compartments, Comfort-padded grab Handle, Padded shoulder straps, Zipped Mesh pockets, Trolley strap, Rain cover included
TCG662GL	R 1,048	Targus TCG662GL CityGear 15.6 Backpack with raincover, 30.8l litre capacity, Poly/PU material, 38.7 x 2.5 x 26.5 cm Laptop compartment dimensions, Dome protection system, Dedicated Laptop & Tablet compartments, Moulded back panel padding, Shoulder straps, Zipped Mesh pockets, Trolley strap
TEB01	R 703	Targus - Bags - Black Campus Back-Pack
TEB01	R 687	Targus Screen Size Compatibility - 15 to 16" ; Filing Compartment - Yes; Printer/Luggage Compartment - No; Interior Dimensions: 33x28x5cm; N/book Comp Dimensions: 33 x 28 x 5cm; External Dimensions:45x40x13; Material: Nylon.
TNT003EU SPECIAL	R 397	(On Promotion) Targus Premier Nylon Deluxe 15.4" , Interior Dimensions 36 X 30 X 6 cm, External Dimensions 44 X 33 X 1 cm, BLACK NYLON/ KOSKIN, 2.1g
TSB700	R 1,535	Targus 15.4" Rolling Backpack, Notebook Dimension 36 X 30 X 5 cm, External Dimension 49.5 X 38 X 23 cm, 1680D NYLON, 2.7g
TSB700EU	R 1,458	Targus Sport 15-15.6" Rolling Backpack Black, Screen Size Compatibilty: 15.4" ; Filing Copartment: Inner Pocket; Notebook Compartment: 36 x 29 x 6cm; External Dimensions: 49 x 38 x 22cm; Material: 1680D Nylon; Colour: Black & Platinum; Weight: 2.7kg
TSB700EU	R 1,250	Targus Sport 15-15.6" Rolling Backpack Black, Screen Size Compatibilty: 15.4" ; Filing Copartment: Inner Pocket; Notebook Compartment: 36 x 29 x 6cm; External Dimensions: 49 x 38 x 22cm; Material: 1680D Nylon; Colour: Black & Platinum; Weight: 2.7kg
TSB960GL	R 408	Targus TSB960GL 15.6" Geolite EcoSmart Essential Backpack, 23 litres capacity, Padded Laptop compartment, Durable Water-Resistant fabric, Padded back panel, Top Handle
TSB962GL	R 518	Targus TSB962GL 15.6" Geolite EcoSmart Advanced Backpack, 27 litres capacity, Dedicated Laptop compartment, Large secondary main compartment, Two zippered front quick Access pockets, Internal Mesh pocket, Two convenient Water bottle pockets, Pass-Through luggage Trolley strap, Durable Water-Resistant fabric, Padded and ventilated back panel
TSS984GL	R 282	Targus 15.6" Geolite EcoSmart Essential Laptop case, Slipcase style, Zippered padded Laptop compartment, Front zippered storage pocket, Removable adjustable shoulder strap, Luggage Trolley Pass-Through strap,

		Soft-touch comfort Carry handles, Water-Resistant fabric
TSS994GL	R 276	Targus TSS994GL CityGear 15.6" Laptop Sleeve, 420D Pol material, Elasticated Neoprene corners, Zipped front pocket
VB-VLB200	R 269	Volkano VLB200 15.6" Industrial Series shoulder bag Black, Removable adjustable shoulder strap, Reinforced sides, Trolley strap
VB-VLB200-V	R 171	Volkano VLB200 15.6" Industrial Series shoulder bag black
VB-VLB2000-A	R 171	Volkano 15.6" Industrial series shoulder Black bag
VBVLB200	R 217	Volkano VLB200 Industrial Series 15.6" Black Shoulder Bag
VK-7004-BK	R 437	Volkano 15.6" Stealth Series backpack black
VK-7010-BKBL	R 437	Volkano 15.6" Bolt series backpack Black and Blue
VK-7013-BK	R 230	Volkano 15.6" Aztec Series Backpack Black
VK-7020-BK15.6	R 287	Volkano Premier series 15.6" Laptop sleeve Black
VK-7022-BK15.6	R 247	Volkano 15.6" Wrap series Laptop sleeve Black
VK-7026-BK	R 747	Volkano BamM Black 15.6" 18L Trolley Backpack
VK-7026-CM	R 861	Volkano BamM Camo 15.6" 18L Trolley Backpack
VK-7027-BKGR	R 736	Volkano G-Unit Black/Grey/Turquoise Backpack - 34cm x 46 cm x 38 cm
VK-7028-BKCH	R 747	Volkano Smart Black & Charcoal 15.6" Laptop Backpack
VK-7028-CH	R 747	Volkano Smart Charcoal 15.6" Anti Theft Laptop Backpack
VK-7034-GEO	R 310	Volkano Champ Printed Geometric Mixed 15.6" 22L Backpack Bag
VK-7038-NV	R 356	Volkano Victory 15.6" Backpack - Navy. Padded laptop sleeve fits up to 15.6" , navy polyester build, 2 zippered compartments, water-resistant, padded back panel, adjustable shoulder straps, bottle holders, top carry handle, ideal for students or commuters.
VK-7053-BKOR	R 494	Volkano Latitude Black & Orange 15.6" Laptop Backpack
VK-7054-NVL	R 655	Volkano Latitude Navy & Lime 15.6" Laptop Backpack
VK-7076-PK	R 632	Volkano Pink Anti-theft Smart Backpack
VK-7081-BKCH	R 808	Volkano Smart Deux Laptop 15.6" Backpack - Black /Charcoal. The Volkano Smart Deux Laptop Backpack is designed to securely carry your laptop and essentials while offering comfortable, ergonomic support for everyday use. Extras: Integrated USB port, reflective strip, suitcase strap.
VK-7087-GRAQ	R 436	Volkano Crush 15.6" Backpack - Grey / Aqua, 18 x 7.8 x 12 cm size, 4 compartments, Splash proof, reinforced stitching, sturdy zippers
VK-7093-DGRPK	R 586	Volkano Orthopaedic 15.6" Backpack 27L - Dark Grey / Pink, 2 main compartments, Padded Laptop compartment, Front zippered pocket, Padded Backpack straps, Padded top Handle
VK-7093-NVGR	R 586	Volkano Orthopaedic 15.6" Backpack 36L - Navy / Grey
VK-7094-NVGR	R 954	Volkano Orthopaedic 15.6" Trolley Backpack 27L - Navy / Grey, 15.6" Laptop compartment, Adjustable padded shoulder straps, Adjustable chest strap, Mesh side pockets, Air-Passage technology, Carry Handle, 34cm x 20cm x 52cm size
VK-7113-BK	R 506	Volkano Relish 15.6" Laptop Backpack, 15.6" padded Laptop compartment, Adjustable padded shoulder straps, One front zippered pocket, Two water bottle side pockets
VK-7114-BL	R 632	Volkano Harrier 15.6" Laptop Backpack - Blue, Adjustable, Padded shoulder straps, 15.6" padded Laptop compartment, Two front zippered pockets, Sunglasses pocket, Trolley Sleeve, Carry Handle
VK-7117-BKTQ	R 586	Volkano Suave 15.6" Laptop Backpack - Black / Turquoise
VK-7119-BKCH	R 658	Volkano Refine 15.6" Laptop Backpack - Black /Charcoal, USB charging Port, Lockable zips, Luggage strap, Superior padding, 1x exterior Pocket, 1x Main compartment, Dedicated 15.6" Laptop compartment.
VK-7135-BK	R 862	Volkano Smart Deux Dobby 15.6" Laptop Backpack Black, TSA lock - anti-theft, Multiple hidden compartments, Adjustable padded shoulder straps, Integrated USB charging Port, Breathable padded back. 45.5cm x 31cm x 17cm size
VK-7136-DGR	R 586	Volkano Woodrow 15.6" Laptop Backpack - Dark Grey, 15.6" Laptop compartment, Three zippered front pockets, Two Mesh bottle pockets, Breathable padded back, Adjustable padded shoulder straps, Carry Handle, 43cm x 33cm x 13cm dimensions

VK-7137-GRCH	R 196	VolkanoX Infinity 15.6" Laptop Backpack Grey / Charcoal
VK-7140-BK	R 805	VolkanoX Arena 15.6" Laptop Backpack Black, Two Main compartments with, Multiple Function pockets, Dual internal padding, Multiple Access zippered compartments, Rear Passport Pocket, Contoured padded back panel, Trolley Sleeve. The VolkanoX Arena 15.6" Laptop Backpack in Black offers durable splash-proof nylon protection for your device, padded straps, rear trolley sleeve, dual compartments, and organized pockets, perfect for school, commuting, and travel.
VK-7144-NVBK	R 586	Volkano Franklin 15.6" Laptop Backpack - Navy / Black, 15.6" Laptop compartment, Adjustable padded shoulder straps, Three zippered front pockets, Two Mesh bottle pockets, Adjustable chest strap, Breathable padded back, Carry Handle
VK-7149-BK	R 631	Volkano Lincoln 15.6" Laptop Backpack - Black, 15.6" Laptop compartment, Adjustable padded shoulder straps, Three zippered front pockets, Two Mesh bottle pockets, Adjustable chest strap, Carry Handle
VK-7150-BK	R 805	Volkano Lincoln 15.6" Laptop Trolley Backpack - Black, VK-7150-BK, Trolly Handle, Three zippered front pockets, Padded backing and Carry straps, One main compartment, Two Mesh bottle pockets, Breathable padded back
VK-9102-BK	R 494	Volkano Monza 15.6" Laptop Backpack Black, Trolly strap, Zippered front compartment, Adjustable shoulder strap, Zippered front pocket, Side bottle pockets
VK-9105-BK	R 286	Volkano Track Series 15.6" Laptop Backpack - Black
VK-9114-GR15.6	R 287	Volkano Trend Series 15.6" Laptop Sleeve - Grey, Laptop compartment, 1 x exterior pocket, 1 x main compartment
VK-9117-BK	R 310	Volkano Panama 15.6" Laptop shoulder bag Black
VK-9139-BK	R 736	Volkano Trident 15.6" Laptop Backpack - Black. 15.6" laptop compartment, anti-theft design, padded shoulder straps, multiple compartments, water-resistant material, ergonomic handle, black color. For daily commuting, business travel, campus use.
VK-9150-NV	R 655	Volkano Winner Trolley Backpack 22L - Navy. Basic specs: 22L capacity, telescopic handle, padded shoulder straps, wheeled base, durable zippers, navy finish, suitable for school or travel.
VK-9170-NV	R 954	Volkano Midtown 15.6" Trolley Backpack - Navy, Laptop compartment, Side zippered pockets, Trolley functionality, Adjustable padded shoulder straps, Padded back panel, USB charging Port
VK-9171-BK	R 655	Volkano ReNew 15.6" Laptop Backpack - Black, 15.6" Laptop compartment, 180 degrees opening Function, USB and Type-C charging Port, Adjustable shoulder strap, Trolley strap, Zipped front Pocket, Splashproof Fabric
VK-9173-BK	R 586	Volkano Boston 15.6" Laptop Backpack - Black, 15.6" Laptop compartment, USB charging Port, Adjustable shoulder strap, Trolley strap, Zipped front compartment, Zipped front Pocket, Splashproof Fabric
VK-9174-BK	R 586	Volkano Atlanta 15.6" Laptop Backpack - Black, 15.6" Laptop compartment, USB and Type-C charging Port, Adjustable shoulder straps, Trolley strap, Zipped Main compartment, Zipped front Pocket, Waterproof Pocket, Side Bottle Pocket
VK-9176-GR	R 437	Volkano Slater 15.6" Laptop Backpack - Grey, 15.6" Laptop compartment, Adjustable shoulder strap, Zippered Main compartment, Zippered front Pocket, Reflective strips, Side Bottle pockets
VK-9180-BKNV	R 437	Volkano Seismic 15.6" Laptop shoulder bag - Black / Navy, 1 x Laptop compartment, 2 x exterior Pocket, Device protection, Superior padding, Padded shoulder strap, Trolley strap
VL1015-B	R 287	Volkano VL1015-B distinct series 15.6" Black Backpack, Comfortable shoulder straps, Main Zip with Laptop/Tablet separator, Front Zip pocket
VL1015-N	R 287	Volkano Distinct Series Backpack 15.6" Blue, 15.6 elasticized Laptop compartment, Adjustable shoulder straps, Main zipped compartment, Zipped front compartment
VL1015-R	R 287	Volkano Distinct Series Backpack 15.6" Red, 15.6 elasticized Laptop compartment, Adjustable shoulder straps, Main zipped compartment, Zipped front compartment
VL1016	R 437	Volkano 15.6" Element series Backpack Black
VL1020-BK	R 437	Volkano 15.6" Jet series Backpack Black

< Return to the menu

16 inch notebook carry bags

Product code	Price	Description

105350	R 290	Port Designs 105350 Portland II Eco 14/16" Backpack, Lining made from Recycled and recyclable materials, Padded dedicated compartment, Large Main compartment for documents and Personal belongings, Spacious front zippered Pocket, Padded and comfortable back panel and shoulder straps, Capacity suited for Daily needs (10l), Modern Royal Blue touches
105350	R 263	Port Designs 105350 Portland II Eco 14/16" Backpack, Lining made from Recycled and recyclable materials, Padded dedicated compartment, Large Main compartment for documents and Personal belongings, Spacious front zippered Pocket, Padded and comfortable back panel and shoulder straps, Capacity suited for Daily needs (10l), Modern Royal Blue touches
135180	R 1,351	Port Designs 135180 Muse Signature 16" Eco Backpack for women - Pouch included, Fits laptops up to 16 inches screen size, 17 Litre internal capacity with Smart organisation compartments, Water-Repellent Outer Fabric composed of 75% Polyester and 25% PU, Inner lining made from 100% Recycled r-PET Polyester, Padded Laptop compartment raised from the base for Shock protection, Trolley strap included for Attachment to rolling Luggage handles, Two expandable side pockets accommodate a Water Bottle or umbrella, Matching accessory Pouch included for cables and charger storage, Stable base features Four Metal feet with refined Gunmetal finish Hardware
135181	R 1,275	Port Designs 135181 Muse Signature Business 16" Laptop handbag - Clutch bag included, Black exterior with r-PET Polyester Inner lining made from Recycled materials, Top-loading Design provides quick Access to Laptop compartment, Padded Laptop compartment raised on Four Metal feet for Impact protection, Water-Resistant Outer Fabric with gunmetal-finish Hardware, Two expandable side pockets accommodate a Water Bottle or umbrella, Matching accessory Pouch included for Essential storage, Trolley strap allows Secure Attachment to rolling Suitcase handles
135182	R 848	Port Designs 135182 Muse Signature 16" Tote bag in Black, Fits laptops up to 16 inches, Padded Laptop compartment raised from base for protection, Water-Resistant Outer Fabric made of 99% Polyester and 1% Microfiber, Inner lining is 100% r-PET Polyester from Recycled Plastic bottles, Includes a removable and adjustable shoulder strap, Features a Trolley strap for rolling Luggage Attachment, Contains multiple storage compartments including front quick-access Pocket, has an Inner zipped Pocket with Organiser, Large hidden back Pocket for Tablet or documents
140720	R 321	Port 140720 Milano II Eco Laptop Sleeve 16" Navy Blue, Padded interior, Anti-Scratch Eco-Friendly lining, Durable Zipper with refined Gunmetal Metallic finishes, Made from Recycled and recyclable materials, Corduroy outside, Eco T Cloth Fabric inside
140725	R 859	Port Designs 140725 Milano II Eco 14 / 16" Totepack - Navy Blue, 37 x 26 x 3 cm Laptop compartment, Corduroy with 600D Water-Repellent Polyester exterior, 210D Recycled r-PET Polyester lining, Refined Gunmetal finish zips, Top handles hideaway shoulder straps, 2 side pockets, Trolley strap
140726	R 859	Port Designs 140726 Milano II Eco 14 / 16" Totepack - Sage Green, 37 x 26 x 3 cm Laptop compartment, Corduroy with 600D Water-Repellent Polyester exterior, 210D Recycled r-PET Polyester lining, Refined Gunmetal finish zips, Top handles hideaway shoulder straps, 2 side pockets, Trolley strap
140727	R 859	Port Designs 140727 Milano II Eco 14 / 16" Totepack - Desert Brown, 37 x 26 x 3 cm Laptop compartment, Corduroy with 600D Water-Repellent Polyester exterior, 210D Recycled r-PET Polyester lining, Refined Gunmetal finish zips, Top handles hideaway shoulder straps, 2 side pockets, Trolley strap
140728	R 859	Port Designs 140728 Milano II Eco 14 / 16" Totepack - blush Pink, 37 x 26 x 3 cm Laptop compartment, Corduroy with 600D Water-Repellent Polyester exterior, 210D Recycled r-PET Polyester lining, Refined Gunmetal finish zips, Top handles hideaway shoulder straps, 2 side pockets, Trolley strap
460-BDLI	R 728	Dell 460-BDLI EcoLoop Pro Briefcase 16" , 39 cm x 11 cm x 29 cm size, Weather resistant, Luggage pass through, Padded Carry handles, Detachable shoulder strap, Nylex lining material, 840d fabric product material
460-BDSS	R 332	Dell 460-BDSS EcoLoop Essential Backpack 16" , CP3724, 360 degree foam Laptop cushioning, Water-Resistant, Durable 400d Body fabric, Spacious main compartment, Dedicated padded Laptop Sleeve, Built-In accessories organizer, Quick Access zippered front pocket, Two Mesh side pockets, Reflective accents, Lightweight with adjustable shoulder strap, 18 litres capacity
460-BDSS	R 322	Dell 460-BDSS EcoLoop Essential Backpack 16" , CP3724, 360 degree foam Laptop cushioning, Water-Resistant,

		Durable 400d Body fabric, Spacious main compartment, Dedicated padded Laptop Sleeve, Built-In accessories organizer, Quick Access zippered front pocket, Two Mesh side pockets, Reflective accents, Lightweight with adjustable shoulder strap, 18 litres capacity
460-BDSS	R 334	Dell 460-BDSS EcoLoop Essential Backpack 16" , CP3724, 360 degree foam Laptop cushioning, Water-Resistant, Durable 400d Body fabric, Spacious main compartment, Dedicated padded Laptop Sleeve, Built-In accessories organizer, Quick Access zippered front pocket, Two Mesh side pockets, Reflective accents, Lightweight with adjustable shoulder strap, 18 litres capacity
460-BDST	R 3,283	Dell 460-BDST EcoLoop Essential Briefcase 16" , CC3624, 360 degree foam cushion, Anti-scratch nylex lining, Water resistant, Durable 400d Body fabric, Zippered front pocket, Reflective accents, Luggage Pass-Through, Lightweight with adjustable shoulder strap, 7 litres capacity
460-BDST	R 327	Dell 460-BDST EcoLoop Essential Briefcase 16" , CC3624, 360 degree foam cushion, Anti-scratch nylex lining, Water resistant, Durable 400d Body fabric, Zippered front pocket, Reflective accents, Luggage Pass-Through, Lightweight with adjustable shoulder strap, 7 litres capacity
460-BDST	R 342	Dell 460-BDST EcoLoop Essential Briefcase 16" , CC3624, 360 degree foam cushion, Anti-scratch nylex lining, Water resistant, Durable 400d Body fabric, Zippered front pocket, Reflective accents, Luggage Pass-Through, Lightweight with adjustable shoulder strap, 7 litres capacity
460-BDXV	R 1,058	Dell 460-BDXV EcoLoop Premier Slim Backpack 14-16" , CP7625S, Padded shoulder strap, Trolley strap, Side Pocket, Tablet compartment, 600D Fabric, Nylex lining material
460-BDXV	R 974	Dell 460-BDXV EcoLoop Premier Slim Backpack 14-16" , CP7625S, Padded shoulder strap, Trolley strap, Side Pocket, Tablet compartment, 600D Fabric, Nylex lining material
460-BDXW	R 1,340	Dell 460-BDXW CC7625 Pro 14-16 Premium EcoLoop Briefcase, Trolley strap, Handle, Shoulder strap, Front Pocket, Zippered Pocket, Lockable Zipper, Magnetic flap closure Type, 600D Fabric, Scratch resistant interior, Impact resistant
460-BFCR	R 950	Alienware 460-BFCR AW5625p 16" Backpack, Alienware Design with 3D Iridescent reflective Alienware logo, Shoulder strap, Mesh back, Breathable back, Buckle, 2x side pockets, 21 L Volume capacity, Dirt resistant, Water resistant, Weather resistant
460-BFCR	R 927	Alienware 460-BFCR AW5625p 16" Backpack, Alienware Design with 3D Iridescent reflective Alienware logo, Shoulder strap, Mesh back, Breathable back, Buckle, 2x side pockets, 21 L Volume capacity, Dirt resistant, Water resistant, Weather resistant
460-BFDD	R 439	Dell Pro 460-BFDD CP5625G 14-16 Plus EcoLoop Urban Backpack, Shoulder strap, 2 x side pockets, Laptop compartment, 300D rPET Polyester & woven Fabric product material, PU coating at the bottom, Dirt resistant, Water resistant, 27-liter capacity
460-BFDD	R 463	(On Promotion) Dell Pro 460-BFDD CP5625G 14-16 Plus EcoLoop Urban Backpack, Shoulder strap, 2 x side pockets, Laptop compartment, 300D rPET Polyester & woven Fabric product material, PU coating at the bottom, Dirt resistant, Water resistant, 27-liter capacity
460-BFFV	R 767	Dell 460-BFFV CP5626 Pro 14-16 Plus EcoLoop Backpack, Shoulder strap, Padded compartment, Accessory Pocket, Tablet compartment, Front Pocket, 23 L Volume capacity, Zipper closure Type
460-BFFV	R 814	Dell 460-BFFV CP5626 Pro 14-16 Plus EcoLoop Backpack, Shoulder strap, Padded compartment, Accessory Pocket, Tablet compartment, Front Pocket, 23 L Volume capacity, Zipper closure Type
460-BFFY	R 741	Dell 460-BFFY Pro 14-16" Plus EcoLoop Briefcase CC5626, Detachable shoulder strap, Handle, Padded compartment, Accessory Pocket, Tablet compartment, 17 L Volume capacity, Zipper closure Type, 310 mm x 383 mm x 120 mm size
460-BFFY	R 739	Dell 460-BFFY Pro 14-16" Plus EcoLoop Briefcase CC5626, Detachable shoulder strap, Handle, Padded compartment, Accessory Pocket, Tablet compartment, 17 L Volume capacity, Zipper closure Type, 310 mm x 383 mm x 120 mm size
460-BFGD	R 487	Dell 460-BFGD Pro 15-16" Plus EcoLoop Sleeve CV5626, Luggage strap, Shoulder strap, Zippered Pocket, 16" Maximum screen size supported, Front Pocket, 2 L Volume capacity, Zipper closure Type, Adjustable strap, 400d Fabric product material, Xpe foam padding, Weather resistant, 295 mm x 395 mm x 35 mm size
4X41Q27245	R 286	Lenovo 4X41Q27245 B210 16" Laptop Backpack - Black/Grey, PE bag package Type, Polyester outside Fabric

		material, Snow yarn Polyester Fabric, Quick Access Pocket, Padded interior, Adjustable shoulder strap, Padded Notebook compartment
4X41Q27245	R 229	Lenovo 4X41Q27245 B210 16" Laptop Backpack - Black/Grey, PE bag package Type, Polyester outside Fabric material, Snow yarn Polyester Fabric, Quick Access Pocket, Padded interior, Adjustable shoulder strap, Padded Notebook compartment
6B8Y1UT	R 1,287	HP 6B8Y1UT ReNew Executive 16" Laptop Backpack, EPE foam padding material, Polyester interior lining material, Zipper closing system, 1 quick Access external Pocket, RFID external Pocket, Water Bottle / umbrella external Pocket, Lockable zippers, Reflective material, Padded Laptop Pocket, Trolley Pass-Through, Padded back panel
6B8Y1UT	R 1,320	HP 6B8Y1UT ReNew Executive 16" Laptop Backpack, EPE foam padding material, Polyester interior lining material, Zipper closing system, 1 quick Access external Pocket, RFID external Pocket, Water Bottle / umbrella external Pocket, Lockable zippers, Reflective material, Padded Laptop Pocket, Trolley Pass-Through, Padded back panel
6B8Y2AA	R 1,160	HP 6B8Y2AA Renew Executive 16" Laptop bag, EPE foam padding material, Polyester interior lining material, Zipper closing system, RFID pocket, Lockable zippers, Tracker pocket, Trolley Pass-Through, cable Pass-Through, External USB Port
74-460BDSS	R 336	Dell 460-BDSS EcoLoop Essential Backpack 16" , CP3724, 360 degree foam Laptop cushioning, Water-Resistant, Durable 400d Body fabric, Spacious main compartment, Dedicated padded Laptop Sleeve, Built-In accessories organizer, Quick Access zippered front pocket, Two Mesh side pockets, Reflective accents, Lightweight with adjustable shoulder strap, 18 litres capacity
74-460BDXV	R 1,025	Dell 460-BDXV EcoLoop Premier Slim Backpack 14-16" , CP7625S, Padded shoulder strap, Trolley strap, Side Pocket, Tablet compartment, 600D Fabric, Nylex lining material
74-460BFDD	R 446	Dell Pro 460-BFDD CP5625G 14-16" Plus EcoLoop Urban Backpack, Shoulder strap, 2 x side pockets, Laptop compartment, 300D rPET Polyester & woven Fabric product material, PU coating at the bottom, Dirt resistant, Water resistant, 27-liter capacity
7K0E2AA	R 585	HP 7K0E2AA Campus XL Marble Stone Backpack up to 16" , Marble Stone pattern product design, PE foam padding material, 100% polyester interior lining material, Double-coil Zipper, Trolley Pass-Through, Padded back panel, Rain hood, Cable Pass-Through
7K0E3AA	R 562	HP 7K0E3AA Campus XL Tie Dye Backpack up to 16" , Tie Dye pattern product design, PE foam padding material, 100% polyester interior lining material, Double-coil Zipper, Trolley Pass-Through, Padded back panel, Rain hood, Cable Pass-Through
A08KLUT	R 447	HP A08KLUT Everyday Essential 16" Laptop Backpack - Odyssey Gray, EPE foam padding material, 100% Polyester interior lining material, Zipper closing system, Padded Laptop Pocket, Trolley Pass-Through, Padded back panel, Padded Air Mesh panel, cable Pass-Through
A08KLUT	R 465	HP A08KLUT Everyday Essential 16" Laptop Backpack - Odyssey Gray, EPE foam padding material, 100% Polyester interior lining material, Zipper closing system, Padded Laptop Pocket, Trolley Pass-Through, Padded back panel, Padded Air Mesh panel, cable Pass-Through
ACAS90XB08L0-BBP050	R 398	ASUS AP4600 Backpack 16" - Grey, Entry Backpack, Scratch-resistant, Water-Repellent, 32.20 x 27.10 x 4.50 cm NB compartment size, Polyester material, Backpack has over a dozen pockets
ASP71GL	R 282	Targus ASP71GL Defcon Compact keyed cable lock, Compatible with Kensington Nano lock slots, Galvanized Steel material, Unique combination and Serial number, 360 degrees Rotating head, 6.5 ' galvanized Steel cable, Security base plate with adhesive and screws included
ASUS AP4600 Backpack	R 495	ASUS AP4600 Backpack 16" - Grey, Entry Backpack, Scratch-resistant, Water-Repellent, 32.20 x 27.10 x 4.50 cm NB compartment size, Polyester material, Backpack has over a dozen pockets
ASUS AX4600 VIVO 3IN1 BACKPACK	R 1,034	Asus AX4600 VIVO 3IN1 Backpack/ Up to 16 inch/ 3-in-1 design can be used as a tote bag/ handbag or backpack/ Water repellent PU coate
ASUS BP2600 ROG ARCHER BACK	R 2,414	Asus BP2600 ROG Archer Backpack/ Up to 16" / Military-grade MOLLE system/ Ventilated mesh back panel/ Ergonomic cushioned shoulder strap
ASUS NEREUS BACKPACK	R 459	Asus Nereus 16" Backpack Black, Water-Repellent, Lightweight, Easy-access front Zip pocket, Large internal

		compartment
Asus Nereus Backpack	R 459	Asus Nereus 16" Backpack Black, Water-Repellent, Lightweight, Easy-access front Zip pocket, Large internal compartment
BEARBAG	R 288	Powerland 16" 3D Bear Kids Backpack
CARBAG	R 288	Powerland 16" 3D Car Kids Backpack
CB-VFo16-Bo	R 297	VAX vax-2010 Fontana 16" nb sleeve - black Orange rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 410x320x35mm / 390x300mm
CB-VFo16-GB	R 196	VAX vax-2004 Fontana 16" nb sleeve - Green black rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 410x320x35mm / 390x300mm
CB-VFo16-M	R 297	VAX vax-s16famgb Fontana 16" nb sleeve - Magenta black rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 410x320x35mm / 390x300mm
CB-VFo16-R	R 297	VAX vax-s16fards Fontana 16" nb sleeve - Red Silver rubber dots for maximum grip - water repellent zippers, custom rubber zipper pullers, 4mm interior foam for maximum protection - 410x320x35mm / 390x300mm
CB-VPE16-M	R 297	VAX vax-s16psmgb Pedralbes 16" nb sleeve - Magenta - water repellent zippers, custom rubber zipper pullers, with velvet interior - 420x320x41 / 380x285x40mm, 285g
CB-VPE16-R	R 297	VAX vax-s16psrds Pedralbes 16" nb sleeve - Red - water repellent zippers, custom rubber zipper pullers, with velvet interior - 420x320x41 / 380x285x40mm, 285g
CN600GL	R 619	Targus CN600GL Classic 16" Backpack, 25 litres capacity, Made from durable Water-Resistant Fabric, Adjustable shoulder straps, Reinforced Carry Handle, One Zipper side Pocket, One Bottle Pocket, Pass-Through Trolley strap
CN600GL	R 564	Targus CN600GL Classic 16" Backpack, 25 litres capacity, Made from durable Water-Resistant Fabric, Adjustable shoulder straps, Reinforced Carry Handle, One Zipper side Pocket, One Bottle Pocket, Pass-Through Trolley strap
EA-TTE-BACBLK-01	R 734	Thermaltake Battle Dragon 2015 Edition Backpack - 350 x 570 x 250mm
EKB407NCH	R 263	EVERKI Advance Laptop Bag - 41 x 32.5 x 11cm, Fit Up To 16" Screen, Extra-padded, ergonomic, non-slip shoulder pad, Separate zippered accessory compartment and front stash pocket, Trolley handle pass-through strap, High contrast lining makes items easy to find, Self-healing zippers.
EKB407NCH-ECO	R 355	EVERKI Advance 16" Eco-Friendly Notebook Briefcase bag, 14 L capacity, Made from plastic bottles, Trolley Handle Pass-Through, Two-Way adjustable shoulder strap, High-contrast lining, Top-loading compartment, Zippered accessory compartment, EKB407NCH-ECO
EKB419	R 926	Everki flight checkpoint friendly laptop bag fits to 16" (39 x 3.8 x 27.5 cm). Travel-friendly 16-inch laptop bag; Checkpoint Friendly technology compartment; felt-lined tablet pocket; ergonomic adjustable shoulder strap; trolley handle pass-through; 15L capacity; 1.04 kg weight; compact professional briefcase.
EKB419	R 1,288	Everki 16" Checkpoint Friendly Notebook Briefcase - 43 x 9.5 x 30cm, up to 16" Screen, Felt-Lined iPad/Kindle/Tablet Pocket, Well-Organized Compartments, Trolley Handle Pass-Through Strap, Ergonomic Two-Way Adjustable Shoulder Strap, High-Contrast Lining, Large Zippers with Metal Pulls.
EKB440	R 3,437	Everki Journey 16" Adaptable Notebook Compartment Trolley-Rolling Briefcase - Separate, Spacious Clothing Compartment, Lightweight Construction, Smooth, Quiet Wheels
EKP119	R 873	Everki 16" Flight Checkpoint Friendly Notebook Backpack - 33 x 24 x 45cm, up to 16" Screen, Multi-Functional Easy Access Side Pockets, Headphone/Audio Cable Outlet, iPad/Tablet Pocket, 5-Point Balance Strap System, Ergonomic Back Panel and Shoulder Straps, See-It-All Pockets, Dedicated Laptop Compartment, Large Zippers and Metal Zipper Pulls, Multi-Functional Mini Straps, Water Bottle Loop.
EKP119	R 1,346	Everki 16" Flight Checkpoint Friendly Notebook Backpack - 33 x 24 x 45cm, up to 16" Screen, Multi-Functional Easy Access Side Pockets, Headphone/Audio Cable Outlet, iPad/Tablet Pocket, 5-Point Balance Strap System, Ergonomic Back Panel and Shoulder Straps, See-It-All Pockets, Dedicated Laptop Compartment, Large Zippers and Metal Zipper Pulls, Multi-Functional Mini Straps, Water Bottle Loop.
FLB06UF	R 316	Urban Factory Florida Vintage Bag for Notebook 16"
NBDE460-BDSS	R 378	Dell 460-BDSS EcoLoop Essential Backpack 16" , CP3724, 360 degree foam Laptop cushioning, Water-Resistant, Durable 400d Body fabric, Spacious main compartment, Dedicated padded Laptop Sleeve, Built-In accessories organizer, Quick Access zippered front pocket, Two Mesh side pockets, Reflective accents, Lightweight with adjustable shoulder strap, 18 litres capacity

NBDE460-BDST	R 344	Dell 460-BDST EcoLoop Essential Briefcase 16" , CC3624, 360 degree foam cushion, Anti-scratch nylex lining, Water resistant, Durable 400d Body fabric, Zippered front pocket, Reflective accents, Luggage Pass-Through, Lightweight with adjustable shoulder strap, 7 litres capacity
NBDE460-BDXV	R 1,080	Dell 460-BDXV EcoLoop Premier Slim Backpack 14-16" , CP7625S, Padded shoulder strap, Trolley strap, Side Pocket, Tablet compartment, 600D Fabric, Nylex lining material
NBDE460-BFCR	R 965	Alienware 460-BFCR AW5625p 16" Backpack, Alienware Design with 3D Iridescent reflective Alienware logo, Shoulder strap, Mesh back, Breathable back, Buckle, 2x side pockets, 21 L Volume capacity, Dirt resistant, Water resistant, Weather resistant
NBDE460-BFDD	R 470	Dell Pro 460-BFDD CP5625G 14-16" Plus EcoLoop Urban Backpack, Shoulder strap, 2 x side pockets, Laptop compartment, 300D rPET Polyester & woven Fabric product material, PU coating at the bottom, Dirt resistant, Water resistant, 27-liter capacity
NBDE460-BFFV	R 827	Dell 460-BFFV CP5626 Pro 14-16 Plus EcoLoop Backpack, Shoulder strap, Padded compartment, Accessory Pocket, Tablet compartment, Front Pocket, 23 L Volume capacity, Zipper closure Type
NBDE460-BFGD	R 493	Dell 460-BFGD Pro 15-16" Plus EcoLoop Sleeve CV5626, Luggage strap, Shoulder strap, Zippered Pocket, 16" Maximum screen size supported, Front Pocket, 2 L Volume capacity, Zipper closure Type, Adjustable strap, 400d Fabric product material, Xpe foam padding, Weather resistant, 295 mm x 395 mm x 35 mm size
NBHP6B8Y2AA	R 1,191	HP 6B8Y2AA Renew Executive 16" Laptop bag, EPE foam padding material, Polyester interior lining material, Zipper closing system, RFID pocket, Lockable zippers, Tracker pocket, Trolley Pass-Through, cable Pass-Through, External USB Port
NBHP7K0E2AA	R 550	HP 7K0E2AA Campus XL Marble Stone Backpack up to 16" , Marble Stone pattern product design, PE foam padding material, 100% polyester interior lining material, Double-coil Zipper, Trolley Pass-Through, Padded back panel, Rain hood, Cable Pass-Through
NBHP7K0E3AA	R 550	HP 7K0E3AA Campus XL Tie Dye Backpack up to 16" , Tie Dye pattern product design, PE foam padding material, 100% polyester interior lining material, Double-coil Zipper, Trolley Pass-Through, Padded back panel, Rain hood, Cable Pass-Through
NBLE4X41Q27245	R 228	Lenovo 4X41Q27245 B210 16" Laptop Backpack - Black/Grey, PE bag package Type, Polyester outside Fabric material, Snow yarn Polyester Fabric, Quick Access Pocket, Padded interior, Adjustable shoulder strap, Padded Notebook compartment
PAL06UF	R 426	Urban Factory Peace and Love 16" notebook carry Bag
PRINBAG	R 288	Powerland 16" 3D Pink Princess Kids Backpack
PUBAG	R 288	Powerland 16" 3D Unicorn Kids Backpack
TBA00102GL	R 797	Targus TBA00102GL Avila 15-16" Tote bag - Midnight Navy, rPET 150 material, Protective Laptop/Tablet cradle, Magnetic closure, Zippered 13l Main compartment, One interior zipped Pocket, Four slip pockets, Double shoulder Carry handles, Front zippered quick-access Pocket, Back stash Pocket, Premium Metallic Hardware with Vegan leather accents
TBA00113GL	R 815	Targus TBA00113GL Avila 15-16" Tote bag - French Oak, 13 liters capacity, Protective Laptop/Tablet cradle with Magnetic closure, Zippered 13l Main compartment, Interior zipped Pocket, Four slip pockets, Double shoulder Carry handles, Front zippered quick-access Pocket, Back stash Pocket with Magnetic closure, Premium Metallic Hardware with Vegan leather accents
TBB64904GL	R 707	Targus TBB64904GL 16" Terra EcoSmart Backpack - Grey, Dedicated Laptop compartment with Security fasten, 23l Main compartment, Air Mesh back panel, Rear hidden lumbar Pocket, Padded shoulder straps, Quick-stash card holder on shoulder straps, Removable rain cover, Helmet harnessing system, Expandable side pockets for Water bottle or Small accessories, Integrated Pass-Through Trolley strap
TBB649GL	R 707	Targus TBB649GL 16" Terra EcoSmart Backpack - Black, Dedicated Laptop compartment with Security fasten, 23l Main compartment, Air Mesh back panel, Rear hidden lumbar Pocket, Padded shoulder straps, Quick-stash card holder on shoulder straps, Removable rain cover, Helmet harnessing system, Expandable side pockets for Water bottle or Small accessories, Integrated Pass-Through Trolley strap
TBB65002GL	R 876	Targus TBB65002GL Avila 15-16" Backpack - Midnight Navy, 15 liters capacity, Dedicated zippered Laptop compartment, Secondary 15l compartment, One interior zipped Pocket and four slip pockets, Convenient front

		zippered Pocket, Hidden back panel Pocket, Adjustable padded shoulder straps, Soft-touch top Handle, Water-Resistant Memory Fabric
TBB65102GL	R 946	Targus TBB65102GL Avila 15-16" 2 in 1 Convertible bag - Midnight Navy, rPET 150 material, Easily converts from a Backpack to Tote with tuckaway shoulder straps, Protective Laptop/Tablet cradle, Magnetic closure, Zippered 12l Main compartment, One interior zipped Pocket, UR slip pockets, Convenient front zippered Pocket, Soft-touch Carry handles, Premium Metallic Hardware with Vegan leather accents
TBB652GL	R 1,329	Targus TBB652GL 16" Commuter EcoSmart Backpack - Black, Protective compartment for Laptop and Tablet, Lockable zippers on both Laptop and Main compartment, Main compartment expands from 16 to 20 litres, USB-C connector to charge your Phone in Transit, Ergonomic shoulder straps, Air Mesh back panel, Hidden rear Pocket for extra Security, Trolley strap, Reflective accents
TBB65602GL	R 2,862	Targus TBB65602GL HeritageLuxe 15-16" Backpack - Blue, 100% Polyester material, SafePort SafeSling protection, Removeable Tech accessory Pouch, Main compartment expands with our flexdivider adjustable bottom, RFID-blocking stash Pocket, Retractable USB-C Connector, Retractable Luggage Tag holder, Ergonomic shoulder straps, Padded back panel, Luggage Pass-Through Trolley strap
TBB656GL	R 2,862	Targus TBB656GL HeritageLuxe 15-16" Backpack - Black, 100% Polyester material, SafePort SafeSling protection, Removeable Tech accessory Pouch, Main compartment expands with our flexdivider adjustable bottom, RFID-blocking stash Pocket, Retractable USB-C Connector, Retractable Luggage Tag holder, Ergonomic shoulder straps, Padded back panel, Luggage Pass-Through Trolley strap
TBB657GL	R 980	Targus TBB657GL Work EcoSmart 15-16" Backpack - Black, 300DX400 material, Detachable Tech Organiser, 23l capacity, Multi-Flex strap, Hidden Security side Pocket, Expandable side Pocket for Water Bottle or Tripod, Soft-lined accessory Pocket with divider, Zippered interior Pocket, Lockable zippers, Padded and ventilated back panel
TBB65802GL	R 921	Targus TBB65802GL 15-16" Work Play Trio Backpack, 20l capacity, Dedicated Laptop compartment, Secondary compartment for key work accessories, Separate compartment for shoes and Active wear, Multi-Flex strap, Front elastic webbing, Front stash Pocket with key clip, 2 Water Bottle pockets, Padded and ventilated back panel
TBB65905GL	R 944	Targus TBB65905GL 15-16" Work Play Flex Backpack - Green, 15l capacity, Dedicated Laptop compartment, Secondary compartment with adjustable base, Stash Pocket for Keys, Multi-Flex strap, Front elastic webbing, Zip-away Mesh Water Bottle holder, Padded and ventilated back panel
TBB943GL	R 394	Targus TBB943GL 16" modern Classic Backpack - Black, Dedicated padded Laptop compartment, Secondary compartment with Built-In Workstation and storage pockets, Two large Mesh water bottle pockets, Lockable zippers on main Laptop compartment, Convenient Carry Handle
TBR003EU	R 1,056	Targus Executive 15-16" Black Laptop Roller, Compatibility - Designed to fit laptops with up to 15-16" screens Fuctionality - Zip-down workstations includes pen loops, business card holder, zippered pocket, cell phone pocket and large puch to store additional accessories; large storage space for other office essentials or clothing for an overnight stay. Material - consturcted of durbable/water resistant 1200D polyester material
TSB238EU	R 1,071	Targus 16" Drifter Backpack, 35 x 20.5 x 45cm, internal padding, Air mesh back panel, wire re-enforced grab handle, Suspended Laptop compartment, adjustable premium padded straps, 2 X exterior mesh water bottle compartments.
TSB911GL	R 746	Targus TSB911GL CitySmart Essential Multi Fit 15.6" Laptop Backpack - Black, 38.7 x 2.5 x 26.5 cm Laptop compartment, 20 litres capacity, Faux Leather (PU) & Poly material, Dedicated storage compartments, Additional Tablet Pocket, Padded shoulder straps, Ventilated back padding, Trolley strap
VB-VL-1017-BLK	R 736	Volkano 16" Tough series Backpack Tough series Black
VB-VL1022-BK	R 953	Volkano 16" Drifter series Trolley backpack Black

< Return to the menu

17 inch notebook carry bags

Product code	Price	Description
105065	R 399	Port Hanoi II Laptop Bag - 17.3 Inches, Reinforced Compartment For Shock Computer, Large Front Pocket With Accessories Organizer, Compact And Lightweight Design, Adjustable And Removable Transport Strap, Trolley

		Strap For Suitcase Handle
140425	R 469	Port Design Torino II 15.6-inch Backpack is a practical and stylish choice for everyday use. Designed to protect laptops up to 15.6 inches, it features a padded compartment, multiple storage pockets, and comfortable shoulder straps. The sleek black design suits work, study, or travel needs. Comes in a retail box
160511	R 629	Port Courchevel 17.3" Urban Business Backpack Padded compartment for 17.3" " notebook Front Compartment with organizer Adjustable Padded Shoulder strap Rain cover / 2 zipped side pockets Side mesh pocket /Flat front zipper pocket Padded bottom/shoulder and back Rugged Bottom Part Material:600D Nylon /ballistic nylon 1680D/210D Nylon
160511	R 673	Port Courchevel 17.3" Black Backpack - 420 x 280 x 40mm
160511	R 679	Port Designs COURCHEVEL 17.3" Backpack Case - Black and Red, Padded Compartment for 14" /15.6" Notebook, Adjustable Padded Shoulder Strap, Integrated Rain cover, 2 Zipped Side Pockets, Side Mesh Pocket, Flat Front Zipper Pocket, Padded Bottom/Shoulder and Back, Front Compartment with Organizer
160512	R 429	Port Designs Courchevel Black 15.6" Clamshell Case - 385 x 260 x 60mm. ; reinforced padded compartment; water-resistant nylon; dimensions: 385 x 260 x 60 mm; weight: 0.75 kg; suitable for professionals and students
160513	R 545	Port Designs Courchevel Black 17.3" Clamshell Case. ; for up to 17.3 inch notebook; internal 420x280x40mm; ballistic nylon exterior; removable shoulder strap; trolley strap; approx weight 0.78kg
160513	R 699	Port Designs Courchevel Black 17.3" Clamshell Case. ; for up to 17.3 inch notebook; internal 420x280x40mm; ballistic nylon exterior; removable shoulder strap; trolley strap; approx weight 0.78kg
3E2U5UT	R 769	HP 3E2U5UT ReNew Business 17.3" Laptop Backpack - negotium, Polyester interior lining material, Zipper closing system, Laptop / Document / Main / accessories compartments, 1 quick Access / RFID / 2 Water Bottle / umbrella external pockets, Lockable zippers, Trolley Pass-Through, cable Pass-Through
421560	R 369	Manhattan 17" Empire Notebook Briefcase. padded laptop compartment; multiple accessory pockets; adjustable shoulder strap; professional business design; 43 x 33 x 8 cm; 1.2 kg
460-BDLE	R 861	Dell 460-BDLE EcoLoop Pro Backpack 17" , Mesh pocket, Nylex lining material, 44 cm x 17 cm x 31 cm size
460-BDLE	R 791	Dell 460-BDLE EcoLoop Pro Backpack 17" , Mesh pocket, Nylex lining material, 44 cm x 17 cm x 31 cm size
460-BFCQ	R 2,075	Alienware 460-BFCQ AW7825P 18" Backpack, Alienware Design with 3D Iridescent reflective Alienware logo, Shoulder strap, Handle, Trolley strap, Buckle, Breathable back, Mesh back, Tablet compartment, 2x side pockets, Front Pocket, 28 L Volume capacity, Laptop compartment, Dirt resistant, Water resistant, Weather resistant, RFID resistant
500S6AA	R 538	HP 500S6AA Professional 17.3" Backpack, Polyester interior lining material, Compartments - Laptop / Document / Main / accessories, 1 quick Access external Pocket, 2 Water Bottle / umbrella pockets, RFID Pocket, cable Pass-Through
74-460BCYY	R 779	Dell 460-BCYY Gaming Backpack 17 - GM1720PM, Black with Rainbow reflective front panel, 32.5 cm x 17 cm x 49 cm dimensions (WxDxH), Top grab Handle, Two S-shaped shoulder straps, Airflow Mesh back panel, Deployable rain cover
74-460BDLE	R 883	Dell 460-BDLE EcoLoop Pro Backpack 17" , Mesh pocket, Nylex lining material, 44 cm x 17 cm x 31 cm size
AHA00023446	R 189	Hama â€œAHAâ€• Series Green and White 17" Messenger Notebook Bag - Padded notebook compartment, Large main compartment, Two zipped compartments under the lid, Two small compartments for a mobile phone and accessories, Small zipped compartment at the side, Padded handle - Retail Box
ASUS BP2701 ROG BACKPACK	R 2,184	Asus BP2701 ROG Backpack/ Up to 17 inch/ Water repellent anti scratch leatherette/ Polyurethane/ Water resistant zippers/ Black
ASUS BP4701 ROG BACKPACK	R 804	Asus BP4701 ROG Backpack/ Fits up to 17 inch laptops/ Water-repellent polyester material/ Bold holographic cyber-text with reflection (Notebook not included)
CB-TTCB001	R 921	TARGUS TCB001EU XL Notebook Backpack Screen Size Compatibility - 17 to 18"; Filing Compartment - Yes; Printer/Luggage Compartment - No; Interior Dimensions:44 x 30 x 6cm; Notebook Compartment Dimensions: 40 x 30 x 6cm; External Dimensions: 54 x 37 x 14cm; Material - Nylon Colour - Black & Blue Weight - 1.6 kg - Black/Blue, Up To 18" Wide Notebooks - Nylon, Wrist Strap, Rain Cover
EA-TTE-UBPBLK-01	R 791	Thermaltake Battle Dragon Utility Backpack - 350 x 570 x 250mm
EKB407NCH17	R 505	Everki 17" Advanced Notebook Case / Briefcase - 44 x 11 x 33cm, up to 17" Screen, Extra-padded, ergonomic,

		non-slip shoulder pad, Separate zippered accessory compartment and front stash pocket, Trolley handle pass-through strap, High contrast lining makes items easy to find, Self-healing zippers.
EKB407NCH17	R 551	Everki 17" Advanced Notebook Case / Briefcase - 44 x 11 x 33cm, up to 17" Screen, Extra-padded, ergonomic, non-slip shoulder pad, Separate zippered accessory compartment and front stash pocket, Trolley handle pass-through strap, High contrast lining makes items easy to find, Self-healing zippers.
EKB427BK17	R 2,333	Everki Versa Premium 17.3" Checkpoint Laptop. laptop up to 17.3" ; external dims 41.9 x 3.81 x 28 cm; weight 2.48 kg; premium travel briefcase; checkpoint friendly
EKF808S17B	R 298	EVERKI EKF808S17B 808-17 17.3" Laptop sleeve with Memory foam, 28 x 40.5 x 3.5 cm Laptop pocket, 12 L capacity
EKP116NBK	R 493	Everki 17.3" Swift Light Notebook Backpack, up to 17.3" Screen, Elastic Snug-Fit laptop compartment, Large interior zippered pocket, High contrast lining makes items easy to find, Outside zippered pocket for keeping items within quick reach, Side drink or quick-stow pockets, Quick-adjust shoulder straps, Padded shoulder straps and hand-carry grip, Integrated shoulder strap headphone cable management, Self-healing zippers, Ruggedized water-resistant bottom cover.
EKP116NBK	R 489	Everki 17.3" Swift Light Notebook Backpack, up to 17.3" Screen, Elastic Snug-Fit laptop compartment, Large interior zippered pocket, High contrast lining makes items easy to find, Outside zippered pocket for keeping items within quick reach, Side drink or quick-stow pockets, Quick-adjust shoulder straps, Padded shoulder straps and hand-carry grip, Integrated shoulder strap headphone cable management, Self-healing zippers, Ruggedized water-resistant bottom cover.
EKP121	R 1,793	Everki Atlas 17.3" Adaptable Compartment Notebook Backpack. 32L capacity; adjustable laptop fit 13" -17.3" ; external dims 34x23x47.8cm; weight 1.72kg; trolley strap; ergonomic 5-point strap system
EKP122B-ECO	R 3,525	EVERKI EKP122B-ECO Wheeled Travel Notebook Backpack 13" to 17.3" , Fits laptops up to 43.94 cm, 28 x 3.81 x 41.9 cm Laptop compartment, 30 L capacity, Trolley Handle Pass-Through, Wheel cover, High-Contrast lining, Durable zippers and Metal pulls
EKP122BG-ECO	R 3,506	EVERKI EKP122BG-ECO Atlas Wheeled 2 17.3 ' ' Wheeled Laptop Backpack Grey, Fits Tablets up to 13" , Stowable Handle and shoulder straps, External replaceable wheels, Adjustable removable Laptop Sleeve, 30 liters Storage Capacity
EKP129	R 988	EVERKI GLIDE laptop backpack; fits laptops or notebooks up to 17.3" screen. ; fits up to 17.3" laptop; 44 x 32 x 17 cm; approx 1.08 kg; 26.5 L capacity; ergonomic straps; corner-guard system; commuter/travel ready
EKP129	R 1,236	EVERKI GLIDE laptop backpack; fits laptops or notebooks up to 17.3" screen. ; fits up to 17.3" laptop; 44 x 32 x 17 cm; approx 1.08 kg; 26.5 L capacity; ergonomic straps; corner-guard system; commuter/travel ready
EKP129	R 1,251	EVERKI GLIDE laptop backpack; fits laptops or notebooks up to 17.3" screen. ; fits up to 17.3" laptop; 44 x 32 x 17 cm; approx 1.08 kg; 26.5 L capacity; ergonomic straps; corner-guard system; commuter/travel ready
EKP132S17	R 4,242	EVERKI EKP132S17 Onyx 17.3 ' ' Notebook Backpack, 46 x 28 x 4 cm Laptop pocket, 36 L capacity, Patented corner-guard protection system, Discreet rfid-blocking pocket, Premium leather handles and accents, Front-loading quick-access File divider, Multifunctional side pockets with water bottle Loop, Water-repellent ballist nylon exterior
EKP132S17N	R 4,502	EVERKI EKP132S17N Onyx 17.3" Laptop Backpack - Navy, Fits Tablets up to 13" , Fits device sizes 17.3" , 36 L capacity, 121 x 91 x 51 cm external dimensions
EKP133B	R 4,219	EKP133B, Everki Concept 17.3" Premium Notebook Backpack, Checkpoint Friendly Laptop Compartment, High-Grade Leather Handle and Accents, Corner-Guard Protection, Ballistic Nylon Exterior
NBDE460-BFCQ	R 2,161	Alienware 460-BFCQ AW7825P 18" Backpack, Alienware Design with 3D Iridescent reflective Alienware logo, Shoulder strap, Handle, Trolley strap, Buckle, Breathable back, Mesh back, Tablet compartment, 2x side pockets, Front Pocket, 28 L Volume capacity, Laptop compartment, Dirt resistant, Water resistant, Weather resistant, RFID resistant
NBHP3E2U6AA	R 546	HP 3E2U6AA Renew Business 17.3" Laptop bag, Made from 100% ocean-bound plastics, RFID pocket, Lockable zippers and slip pockets, Bluetooth tracker pocket, cable pass-through, Pass-through
NBLE4X40X54260	R 1,280	Lenovo 4X40X54260 Business Casual Grey 17" Backpack, Charging opening, Separate cushioned Laptop compartment, Quick Access pocket, Zippered side pocket, Anti-theft pocket, Luggage strap, 100% polyester
S220	R 345	Microworld S220 adjustable 17" Notebook Backpack, Water-Resistant Polyester, Adjustable shoulder straps,

		Integrated Suitcase strap, Multiple compartments, Dedicated padded compartment for Laptop protection, 2 front zippered pockets, Built-In USB charging Port, Charger not included
S3610	R 403	Microworld adjustable Notebook 13" - 17" Backpack, 46 x 32 x 16 cm size, Polyester material, Laptop compartment & USB charging, Padded Backpack with Suitcase compartment, Built-In USB charging Port, Padded back and shoulder straps, Two front pockets
TBB639GL	R 754	Targus TBB639GL 17.3" Strike2 Gaming Backpack, Dedicated padded Laptop compartment, Oversized internal compartment for Gaming accessories, 2 front stash pockets and 2 water bottle pockets, Padded back with adjustable Ergonomic shoulder straps, Reinforced top Handle, Trolley strap, Spacious 27l capacity
TCG670GL	R 1,160	Targus Citygear 17.3" Black Laptop Backpack Bag - 42.4 x 29.2 x 3.8cm
TCG717GL	R 1,993	Targus TCG717GL CityGear 17.3" Laptop roller case Black, Polyester material, 42.4 x 29.2 x 3.8cm Laptop compartment dimensions, Dome protection system, Comfort-padded but heavy duty Carry Handle, Zipped Mesh pockets
TSS991GL	R 289	Targus TSS991GL Geolite EcoSmart Slim Briefcase 17.3" - Black, Zippered padded Laptop compartment, Front zippered storage Pocket, Removable adjustable shoulder strap, Luggage Trolley Pass-Through strap, Soft-touch comfort Carry handles, 43.5 x 5.7 x 31 cm size
VK-7097-BK	R 206	Volkano Daily Grind 18" Backpack - Black, Main compartment, Front Organizer Pocket, Padded shoulder straps, Ventilated back panel, Secure zippers, Reinforced stitching
VK-7097-TL	R 206	Volkano Daily Grind 18" Backpack - Teal, Main compartment, Front Organizer Pocket, Padded shoulder straps, Ventilated back panel, Secure zippers, Reinforced stitching
VX-1000-BK	R 953	Volkano VX Gaming Alien 17.3" Laptop Backpack - Black

< Return to the menu

18.4 inch notebook carry bag

Product code	Price	Description
1700-B	R 194	Microworld 18" Laptop Black Backpack, Front Zipper Pocket, Adjustable straps
460-BFCQ	R 2,127	Alienware 460-BFCQ AW7825P Black 18" Backpack - 410 x 320 x 30 mm. The Alienware 18 Backpack AW7825P is a premium, weather-resistant backpack designed to securely transport 18-inch laptops and accessories. With a 28L capacity, it features ergonomic shoulder straps, a chest buckle for balanced weight distribution, and multiple compartments for organization. The backpack ' s durable construction and reflective elements enhance visibility and protection, making it an ideal choice for gamers and professionals on the go.
ASUS BP3800 ROG ARCHER ERGOAIR	R 3,449	Asus BP3800 ROG ARCHER ERGOAIR Backpack/ 40l Storage/ Up to 18 inch/ Heavy duty breathable foam backrest padded/ Black
CB-TCNFS418	R 714	Targus CNFS5418EU 17" - 18.2" Classic Clamshell Notebook Case with File Section - Multi-functional Front Zipped Storage Section & Additional Filing Section - Black - Durable Polyester
CB-VRA-BP	R 761	VAX vax-7001 Ramblas messenger saddlebag - Black PVC/ microfibre - up to 20" nb A3 document, fold-able design - multi-function, ideal bag for art and graphic designers, netbook pocket inside - 559x90x419mm or 270x415x90mm fold-able, 1150g
CB-VRA-BU	R 496	VAX vax-7004 Ramblas messenger saddlebag - Black Umbrella fabric / nylon - up to 20" nb A3 document, fold-able design - multi-function, ideal bag for art and graphic designers, netbook pocket inside - 559x90x419mm or 270x415x90mm fold-able, 1150g
CB-VRA-GS	R 516	VAX vax-7003 Ramblas messenger saddlebag - Grey Soft PU - upto 20" nb A3 document, fold-able design - multi-function, ideal bag for art and graphic designers, netbook pocket inside - 559x90x419mm or 270x415x90mm fold-able, 1150g
CB-VRA-MGU	R 496	VAX vax-7006 Ramblas messenger saddlebag - Metallic Grey Umbrella fabric/ nylon - up-to 20" nb A3 document, fold-able design - multi-function, ideal bag for art and graphic designers, netbook pocket inside - 559x90x419mm or 270x415x90mm fold-able, 1150g
CB-VRA-PU	R 496	VAX vax-7005 Ramblas messenger saddlebag - Purple Umbrella fabric/ nylon - upto 20" nb A3 document, fold-able design - multi-function, ideal bag for art and graphic designers, netbook pocket inside - 559x90x419mm or 270x415x90mm fold-able, 1150g

CB-VRA-WS	R 761	VAX vax-7002 Ramblas messenger saddlebag - White Soft PU - up-to 20" nb A3 document, fold-able design - multi-function, ideal bag for art and graphic designers, netbook pocket inside - 559x90x419mm or 270x415x90mm fold-able, 1150g
CN418EU	R 500	Targus Classic 18" Black Clamshell Laptop Case (17-18" laptops)
EKB407NCH18	R 574	Everki 18.4" Advance Laptop Bag / Briefcase - 49 x 8 x 36cm, up to 18.4" Screen, Extra-padded, ergonomic, non-slip shoulder pad, Separate zippered accessory compartment and front stash pocket, Trolley handle pass-through strap, High contrast lining makes items easy to find, Self-healing zippers.
EKB407NCH18	R 631	Everki 18.4" Advance Laptop Bag / Briefcase - 49 x 8 x 36cm, up to 18.4" Screen, Extra-padded, ergonomic, non-slip shoulder pad, Separate zippered accessory compartment and front stash pocket, Trolley handle pass-through strap, High contrast lining makes items easy to find, Self-healing zippers.
EKB417BK18	R 1,489	Everki 18.4" Lunar Notebook Briefcase - 47.5 x 8 x 36cm, up to 18.4" Screen, Water Resistant, Padded Laptop Compartment, Shoulder carrying strap, Padded Sleeve, Anti-Shock Casing.
EKB420	R 3,600	EVERKI Wheeled 420 Laptop Trolley bag, Fits 15" to 18.4" Separate, Spacious Storage Compartment, Felt-Lined iPad / Pro / Kindle / Tablet Pocket. File Organizer, Smooth, Quiet Wheels, Magnetic Quick-Access Pocket
EKF808S18B	R 401	EVERKI 808-18 Notebook sleeve 18.4" , Memory foam protection, Felt-lined interior, Front stash pocket, Stashable Dual Carry handles, Large zippers and metal pulls
EKP117B	R 1,737	EVERKI contempro 117 18.4" Laptop Backpack, 53 x 42 x 22 cm external dimensions, 42 L capacity, Dedicated spaces for key items like headphone and Keyboard, Top quick-access pocket, Trolley Handle pass-through, Easy-lift Dual handles, Water-resistant weather cover
EKP120	R 2,133	Everki Business 120 18.4" Travel-Friendly Laptop Backpack. up to 18.4-inch; 40L capacity; weight 1.96kg; dimensions 54x38x21cm; water-resistant rain cover; ergonomic strap system
EKP120P-ECO	R 3,473	EVERKI EKP120P-ECO Business 120 Pro 18.4" Notebook Backpack, Fits Tablets up to 13" , 40 L capacity, Holds 2 laptops - fits a 18.4" 16" , Trolley strap and separate Laptop compartment, Includes rain cover and Mesh cable Pouch
NBTABCN418EU	R 598	Targus Classic 18" Black Clamshell Laptop Case (17-18" laptops) Colour: Black; Compatibility: 17 - 18.2" ; Exterior Dimensions: 49.21 x 8.89 x 34.29 cm; Exterior Dimensions: 46 x 4.4 x 30 cm; Material: Poly; Weight: 0.890 kg
RD-GB-94	R 749	Redragon TARDIS 2 18" Gaming Backpack - 31 x 13 x 45 cm

< Return to the menu

19+ inch notebook carry bags

Product code	Price	Description
BHR8767GL	R 3,396	Xiaomi front Pocket 20" carry-on luggage, Polycarbonate and Fabric Shell material, Polyester lining material, Quick Access front Pocket, Multifunctional front compartment, Durable Outer Shell material, Embedded TSA-approved lock for Security, Quiet Caster wheels, TPE rubber covers, Four-level adjustable Telescopic Handle

< Return to the menu

Carry bags

Product code	Price	Description

< Return to the menu

Carry bags: miscellaneous

Product code	Price	Description
025NB	R 229	Microworld Kids SM baby school bag with reflectors - Navy & Black, 2 reflectors, Fabric is Waterproof Nylon Polyester, 1 Main Double Zipper Pocket, 1 front Zipper Pocket, 1 Small Zipper Pocket
025NFBL	R 173	Microworld Kids SM baby school bag with reflectors - Navy French & Blue, 2 reflectors, Fabric is Waterproof Nylon Polyester, 1 Main Double Zipper Pocket, 1 front Zipper Pocket, 1 Small Zipper Pocket
025PB	R 229	Microworld Kids SM baby school bag with reflectors - Pink & Black, 2 reflectors, Fabric is Waterproof Nylon Polyester, 1 Main Double Zipper Pocket, 1 front Zipper Pocket, 1 Small Zipper Pocket

025RB	R 229	Microworld Kids SM baby school bag with reflectors - Red & Black, 2 reflectors, Fabric is Waterproof Nylon Polyester, 1 Main Double Zipper Pocket, 1 front Zipper Pocket, 1 Small Zipper Pocket
100150	R 4,497	Port Designs 100150 VAL D ' ISERE 30l Metal Travel Suitcase, Polyester 210D and Aluminium material, 360 degrees Silent wheels, Two carrying handles, Versatile storage Space
4860272	R 319	ThrustMaster T-Pack for Boys
BAU-1028-GR	R 356	Totes Babe Peony Diaper - Tote Grey. The Totes Babe Peony 20 L diaper tote in Grey blends chic quilted design with eco-friendly rPet felt, removable organiser and stroller strap-perfect for stylish parents on the go.
BCR014F	R 334	Urban Factory Women Crossbody brown Blue bag
BGLUG-TECHL-BLK	R 343	Body Glove Tech Storage Bag - Large Mesh pockets Removable dividers Cable compartments Carry handle Front zipper pocket for mobile phone or earphones Padded pocket with lid fits a 12inch tablet Top compartment with mesh pockets and elastic bands for organizing cables or accessories
BGLUG-TECHM-BLK	R 197	Body Glove Tech Storage Bag - Medium Mesh pockets Zipper pockets Cable compartments Top compartment has 6 mesh pockets and 6 small elastic bands for organizing all your cables. 1 mesh pocket with zipper for easy access and 3 more elastic bands for pens or a USB flash drive
BGLUG-TECHS-BLK	R 122	Body Glove Tech Storage Bag - Small Mesh pockets Zipper pockets Removable arm strap Secure elastic band compartment for power bank storage. 2 mesh pockets for storing USB flash disc, earphones etc
CNS-CBD1B1	R 320	Canyon CB-1 fanny pack 3.5l - Black, 290mm x 160mm x 90mm size, 3.5l capacity, Shoulder / Backpack strap, Ventilated back side, 3 outside pockets, 3 internal pockets, 2 separate internal compartments, USB Type-A Port for charging
CNS-CBD2B1	R 329	Canyon CB-2 fanny pack 3.5l - Black, 350mm x 170mm x 70mm size, Shoulder strap for two sides, 3.5l capacity, 3 outside pockets, 2 internal pockets, Polyester case material
EKB407NCH11	R 275	Everki Advance Notebook Briecase - Fits Up To 11.6" Screens; padded laptop compartment; dedicated tablet pocket; accessory organizer; front quick-access pocket; adjustable shoulder strap; trolley pass-through; 4L capacity; 23.1 x 32.0 x 5.1cm; 0.41kg
EKF550	R 390	EVERKI EKF550 Quick Release key chain, Magnetic key holder uses a fidlock fastener, Comes in two parts : a Dock with a Large Ring that hooks into a bag ' s Loop & a key module with Ring that stays on your Keyring
EKF822	R 194	Everki EKF822 Accessories Pouch for devices Black, 26 x 11 x 11 cm External dimensions
EKF823	R 190	EVERKI EKF823 accessories pouch Mesh Edition, External dimensions 11 x 26 x 11 cm, Vented Mesh allows adapters to cool faster, Padded for extra protection, High-contrast Orange so accessories stand out
EKW200	R 919	EVERKI EKW200 RFID blocking Slim Wallet, Securely holds 6-8 cards, Features RFID blocking, Leather with Lightweight Eco rPET, Coin Pocket, Compartment for banknotes, Hidden card slot
EKW230	R 707	EVERKI EKW230 RFID Passport Holder, Protects your cards and Passport from unauthorized scanning, Magnetic closure, Lightweight and Compact, Crafted from Recycled Polyester with genuine leather accents
MUL-BAG001	R 99	Unique Mvix branded Universal sling shoulder bag, Adjustable shoulder straps, Nylon fabric material, 21x 15x 5.5 cm size, 70cm strap adjustment, 2 x Inner compartments with plenty of space for your Essentials
NOMAD15CARBON	R 1,034	Armaggeddon Nomad 15 Carbon Multi-Functional Travel Backpack; Padded laptop compartment; Combination lock; Concealed USB-A and USB-C charging ports; Splash-proof exterior; Separate shoe compartment; Waterproof document compartment; Luggage trolley strap; SBS zippers
NOMAD15MOSS	R 1,034	Armaggeddon Nomad 15 Moss Multi-Functional Travel Backpack; combination lock; concealed USB Type-A and Type-C charging ports; splash-proof exterior; waterproof document compartment; separate shoe compartment; bottle or umbrella holder; luggage trolley strap; padded lumbar support; SBS zippers
NOMAD15SLT	R 1,034	Armaggeddon Nomad 15 Slate Multi-Functional Travel Backpack; Padded laptop compartment; Combination lock; Concealed USB-A and USB-C charging ports; Splash-proof exterior; Separate shoe compartment; Waterproof document compartment; Luggage trolley strap; SBS zippers
QT-1075-PK	R 115	Quest Sequin Narwhale Pencil Case - Pink.The Quest Sequin Narwhale Pencil Case - Pink (QT-1075-PK) is a vibrant, reversible-sequin stationery pouch featuring an adorable narwhale design. Designed with a single zippered compartment and a handy carry handle, it is perfect for school, office, or art supplies.
QT-1153-BK	R 356	Quest Mentor 20L Backpack - Black. The Quest Mentor 20L Backpack combines sleek style with practical function. Featuring water-resistant fabric, 20 L capacity, padded straps and organized pockets, it ' s perfect for commuters,

		students and travelers on the go.
QT-1159-GR	R 287	Quest Lunchbreak 16L Backpack Combo - Grey. The Quest Lunchbreak 16 L Backpack Combo in Grey offers a roomy pack with an insulated lunch section, durable polyester build and padded straps-ideal for school, work, gym or day trips.
QT-1256-GR	R 356	Quest Origin 18L Backpack - Grey. A sleek, durable 18 L grey backpack designed for daily commutes, school, or light travel- complete with a laptop sleeve, padded straps, and water-resistant polyester.
QT-6013-PU	R 207	Quest Butterfly Deluxe Lunch Cooler - Purple. Stay stylish and keep meals fresh with the Quest Butterfly Deluxe Lunch Cooler - Purple. Designed for durability and convenience, it features insulated lining, a secure zip closure, and a vibrant butterfly motif - perfect for work, school, or picnics.
QT-6114-NV	R 321	Quest Game On 4 Piece Backpack Combo - Navy. Practical and stylish, the Quest Game On 4â€'Piece Backpack Combo in Navy includes backpack, lunch bag, pencil case & water bottle-ideal for students on the go.
QT-6607-PA	R 241	Quest Mini Mermaid Tail Backpack - Pink/Aqua.The Quest Mini Mermaid Tail Backpack (QTâ€'6607â€'PA) brings fairytale fun to preschool days with its pink-aqua tieâ€'dye finish, mermaid tail accent, two zippered pockets, and adjustable straps - durable, water-resistant, and perfect for little ones on the go.
QT-6804-BL	R 356	Quest Camo Duffle - Blue
QT-6917-PK	R 161	Quest Rainbow Value Lunch Bag - Pink with rainbow print
QT-6918-SL	R 287	Quest Rainbow Cross Body Bag - Silver
QT-7021-BK	R 207	Quest On the Move EVA Lunch Cooler - Black.Lightweight yet durable, the Quest " On the Move" EVA Lunch Cooler in black keeps snacks and drinks cool while you ' re on the goâ€"perfect for kids and adults alike. (Tyre shaped)
QT-9209-BK	R 506	Quest Bobby 27L Backpack - Black. The Quest Bobby 27L Backpack - Black (QT-9209-BK) is a sleek, durable 27-litre daypack ideal for students, commuters, and urban explorers. Featuring a padded 15.6" laptop sleeve, dual zip main compartments, front organization pockets, mesh side bottle holders, and water-resistant 900D polyester construction - this stylish yet practical backpack combines everyday versatility with rugged reliability.
QT-9223-PK	R 207	Quest Glitzy Backpack - Pink. The Quest Glitzy Backpack - Pink combines sparkle and function for everyday school or weekend use. Lightweight with adjustable straps and handy zip compartments, it ' s perfect for kids and teens who love to stand out while staying organised.
QT-9234-Pk	R 207	Quest Pug 3D EVA Lunch Bag - Pink. The Quest Pug 3D EVA Lunch Bag - Pink (QT-9234-Pk) is a durable and lightweight insulated lunch bag featuring a charming 3D pug face design. Made from high-quality EVA material, it offers excellent insulation, easy cleaning, and a spacious interior - perfect for kids to take lunch to school or on outings in style.
QT-9236-BK	R 207	Quest Footy 3D EVA Lunch Bag - Black
QY-1016-MM	R 155	Quest Mermaid Lunch Cooler. Keep your childâ€™s lunch fresh with the Quest Mermaid Lunch Cooler. Featuring thermal insulation, a padded handle and fun mermaid print, itâ€™s perfect for school or outings. Compact, wipe-clean and cute enough to carry anywhere.
QY-1019-PK	R 287	Quest Gleam Backpack - Hot Pink. Bold and functional daily backpack designed for school or everyday use.
SN-1055-BK	R 286	SupaNova Donna Device Cross Body - Black. This handbag is designed to be worn across the body, with the strap going over one shoulder and the bag positioned at the opposite hip.
SN-1056-BK	R 286	SupaNova Demi Device Cross Body - Black
ST4001-10	R 63	Tbyte ST4001-10 10" Carry bag
SW01G	R 420	EVERKI SW01G Replacement wheels Grey for the EKP123-ECO and EKP122B-ECO
TB-1007-BL	R 505	Totes Babe Alma 18L Diaper Backpack Blue
TB-1007-GR	R 631	Totes Babe Alma 18L Diaper Backpack - Grey
TB-1014-NV	R 586	Totes Babe Montana Diaper Backpack - Navy. Stylish and practical, the Totes Babe Montana Diaper Backpack in Navy offers 20 L of space with multiple organiser pockets, an insulated bottle holder, change mat, and stroller straps - perfect for organised parents on the move.
TB-1017-PH	R 505	Totes Babe Alma 18L Diaper Backpack - Peach
TB-1045-SG	R 506	Totes Babe Selva Diaper Backpack - Botanical Sage. The Totes Babe Selva Diaper Backpack in Botanical Sage offers a blend of style and practicality with its spacious compartments and elegant design, making it a perfect

		companion for parents on the go.
TW-1016-BK	R 1,035	Travelwize RichB Business Trolley 16 inch - Black. Take your office on the road with the Travelwize RichB 16 inch Business Trolley. Featuring spinner wheels, aluminium trolley handle, padded 14.1 inch laptop sleeve and zippered organizers, it ensures smooth, professional travel.
TW-1020-DGR	R 3,553	Travelwize Stratus ABS 3 Piece Set - Dark Grey. The Travelwize Stratus Dark Grey 3â€'piece spinner set includes 50/60/70 cm ABS suitcases with aluminium trolley handles, double-spinner wheels, combo locks and lined interiors. Durable and stylish for all your travel adventures.
TW-1072-RD	R 736	Travelwize Arctic 55cm 4-wheel Spinner Trolley Case - Red. The Travelwize Arctic 55cm 4â€'wheel spinner trolley case in red is your ideal travel companion for short trips and business travel. Its compact size, durable construction, and stylish design make it a must-have for the modern traveller.
TW-1073-RD	R 954	Travelwize Arctic 65cm 4-wheel Spinner Trolley Case - Red. The Travelwize Arctic 65 cm red spinner trolley case offers reliable travel protection, organised packing and smooth mobility. Ideal for short trips and business travel.
TW-1075-NV	R 736	Travelwize Arctic 55cm 4-wheel Spinner Trolley Case - Navy. The Travelwize Arctic 55cm 4-Wheel Spinner Trolley Case in Navy offers a compact design with 360degree spinner wheels, a fully lined interior with compression straps, and lockable zippers, making it perfect for short trips and as cabin luggage.
TW-1076-NV	R 954	Travelwize Arctic 65cm 4-wheel Spinner Trolley Case - Navy. The Travelwize Arctic 65 cm 4â€'wheel spinner trolley case in navy is built to deliver smooth mobility, practical organisation and robust travel protection. Ideal for weekend getaways and business travel, it combines waterâ€'resistant softâ€'shell fabric with front storage pockets and a telescopic handle.
TW-1077-NV	R 1,104	Travelwize Arctic 75cm 4-wheel Spinner Trolley Case - Navy. The Travelwize Arctic 75 cm spinner trolley case in Navy combines large capacity with durable softâ€'shell design, spinner wheels and secure organisation.
TW-1080-BK	R 1,035	Travelwize Cabana ABS 4-wheel Spinner 65cm Luggage - Black. The Travelwize Cabana 65 cm ABS spinner luggage in Black delivers compact, secure and stylish travel with spinner wheels, padded interior and combination lock.
TW-1087-AZ	R 1,035	Travelwize Java PP 4-wheel Spinner 55cm Luggage - Azure. The Travelwize Java PP 55 cm spinner luggage in Azure Blue combines compact size, durable polypropylene shell, spinner wheels and TSA lock for secure compact travel.
TW-1088-AZ	R 1,265	Travelwize Java PP 4-wheel Spinner 65cm Luggage - Azure. The Travelwize Java PP 65 cm spinner luggage in Azure Blue or Black offers rugged polypropylene hardâ€'shell protection, smooth spinner mobility and smart internal organisation.
TW-1091-BK	R 1,035	Travelwize Java PP 4-wheel Spinner 55cm Luggage - Black. The Travelwize Java PP 55 cm spinner luggage in Black offers compact, secure travel with durable polypropylene shell, spinner wheels and smart interior organisation.
TW-1092-BK	R 1,253	Travelwize Java PP 4-wheel Spinner 65cm Luggage - Black. The Travelwize Java PP 65 cm spinner luggage in Black provides secure and organized mediumâ€'size travel with spinner wheels, padded interior and integrated lock.
TW-1107-PL	R 805	Travelwize Cabana ABS 4-wheel Spinner 55cm Luggage - Platinum. The Travelwize Cabana 55 cm ABS spinner luggage in Platinum is a compact, durable and secure travel companion with spinner wheels, padded interior and combination lock.
TW-1108-PL	R 1,035	Travelwize Cabana ABS 4-wheel Spinner 65cm Luggage - Platinum. The Travelwize Cabana 65 cm spinner suitcase in Platinum offers stylish, secure and organised midâ€'size travel with spinner wheels and integrated lock.
TW-1111-OC	R 805	Travelwize Maui ABS 4-Wheel Spinner 55cm Luggage - Ocean. The Travelwize Maui ABS 55 cm 4â€'wheel spinner luggage in ocean is an ideal cabinâ€'sized case offering durable ABS protection, spinner mobility, integrated lock and internal organisation.
TW-1115-LM	R 1,035	Travelwize Java PP 4-wheel Spinner 55cm Luggage - Lime. Travelwize Java PP 55 cm fourâ€'wheel spinner luggage in lime is an ultraâ€'durable, cabinâ€'sized hardâ€'shell suitcase designed for business and weekend travel. Featuring TSA lock, padded interior and spinner wheels for effortless mobility.
TW-1117-LM	R 1,403	Travelwize Java PP 4-wheel Spinner 75cm Luggage - Lime
TW-1118-GT	R 3,059	Travelwize Cyclone ABS 4-wheel Spinner 3pc Luggage Set - Granite. The Travelwize Cyclone 3â€'piece ABS

		spinner luggage set in Granite provides spacious, durable and secure travel cases in 55cm, 67cm and 77cm sizes. Perfect for family or extended trips.
TW-1132-BK	R 1,334	Travelwize Ripple PP 4-wheel Spinner 65cm Luggage - Black. Travel confident in the Travelwize Ripple 65 cm spinner suitcase. Its robust polypropylene shell, ripple texture, TSA lock, aluminium handle and 360degree spinner wheels offer style, durability and smooth navigation for trips and vacations.
TW-1147-BlK	R 805	Travelwize Astra ABS 55cm 4-wheels Spinner Luggage - Black. A spinner suitcase in sleek black: a lightweight, durable, and carry-on-ready travel essential.
TW-1147-NV	R 805	Travelwize Astra ABS 55cm 4-wheels Spinner Luggage - Navy. A spinner suitcase in elegant navy: a lightweight, durable, and carry-on-ready travel essential.
TW-1148-BlK	R 1,104	Travelwize Astra ABS 67cm 4-wheels Spinner Luggage - Black. The Travelwize Astra 67 cm ABS spinner luggage in Navy, Black or Jade is a stylish and durable mediumâ€‘size suitcase. It features spinner wheels, organised interior, combination lock and spacious capacity. (Kindly select the correct SKU for your colour style choice)
TW-1148-JD	R 1,104	Travelwize Astra ABS 67cm 4-wheels Spinner Luggage - Jade. The Travelwize Astra 67 cm ABS spinner luggage in Navy, Black or Jade is a stylish and durable mediumâ€‘size suitcase. It features spinner wheels, organised interior, combination lock and spacious capacity. (Kindly select the correct SKU for your colour style choice)
TW-1148-NV	R 1,104	Travelwize Astra ABS 67cm 4-wheels Spinner Luggage - Navy. The Travelwize Astra 67 cm ABS spinner luggage in Navy, Black or Jade is a stylish and durable mediumâ€‘size suitcase. It features spinner wheels, organised interior, combination lock and spacious capacity. (Kindly select the correct SKU for your colour style choice)
TW-1149-BlK	R 1,253	Travelwize Astra ABS 77cm 4-wheels Spinner Luggage - Black. The Travelwize Astra 77 cm ABS spinner luggage in Jade, Black or Navy provides largeâ€‘capacity, secure checkâ€‘in travel with smooth spinner wheels, internal organisation and a combination lock. (Please select the correct product code for your colour style).
TW-1149-JD	R 1,253	Travelwize Astra ABS 77cm 4-wheels Spinner Luggage - Jade. The Travelwize Astra 77 cm ABS spinner luggage in Jade, Black or Navy provides largeâ€‘capacity, secure checkâ€‘in travel with smooth spinner wheels, internal organisation and a combination lock. (Please select the correct product code for your colour style).
TW-1149-NV	R 1,253	Travelwize Astra ABS 77cm 4-wheels Spinner Luggage - Navy. The Travelwize Astra 77 cm ABS spinner luggage in Jade, Black or Navy provides largeâ€‘capacity, secure checkâ€‘in travel with smooth spinner wheels, internal organisation and a combination lock. (Please select the correct product code for your colour style).
TW-1151-BG	R 805	Travelwize Terra ABS 55cm 4-wheels Spinner Luggage - Bottle Green.Fly light and smart with the Travelwize Terra 55 cm spinner case in Bottle Green. Featuring a robust ABS shell, TSA lock, smooth 360â€‘degree wheels and retractable handle, itâ€™s a reliable carryâ€‘on solution for business or weekend travel.
TW-1151-BlK	R 805	Travelwize Terra ABS 55cm 4-wheels Spinner Luggage - Black. The Travelwize Terra 55 cm spinner luggage in Black offers compact durability, organised packing and secure travel features. Perfect for cabin or short trips.
TW-1152-BG	R 1,104	Travelwize Terra ABS 67cm 4-wheels Spinner Luggage - Bottle Green. Travel with ease using the Travelwize Terra 67 cm spinner luggage in Bottle Green. Its impactâ€‘resistant ABS shell, smooth 360-spinner wheels, telescopic handle and TSA lock make it ideal for weekend trips and domestic travel.
TW-1152-BlK	R 1,104	Travelwize Terra ABS 67cm 4-wheels Spinner Luggage - Black. Travel effortlessly with the Travelwize Terra 67 cm spinner suitcase in Black. Its impact-resistant ABS shell, smooth 360-degree wheels and telescopic handle offer style and functionality for weekend getaways and short trips.
TW-1152-SL	R 1,104	Travelwize Terra ABS 67cm 4-wheels Spinner Luggage - Silver. The Travelwize Terra 67 cm ABS spinner luggage in Silver offers durable, secure and organised travel with smooth spinner wheels and smart interior layout.
TW-1153-BG	R 1,253	Travelwize Terra ABS 77cm 4-wheels Spinner Luggage - Bottle Green. Travelwize Terra 77 cm spinner in Bottle Green offers resilient ABS protection, 360â€‘degree spinner wheels, a telescopic handle and spacious lined interiorâ€”perfect for long trips, vacations and heavy packing.
TW-1153-BlK	R 1,253	Travelwize Terra ABS 77cm 4-wheels Spinner Luggage - Black. The elegant black finish adds a sleek, professional look for business and leisure trips alike.
TW-1153-SL	R 1,253	Travelwize Terra ABS 77cm 4-wheels Spinner Luggage - Silver. Travel with confidence using the Travelwize Terra 77 cm spinner luggage. Its durable ABS shell, smooth 4-spinner wheels, telescopic handle and spacious interior make it ideal for longâ€‘haul trips and family adventures.
TW-1155-BK	R 805	Travelwize Maple ABS 55cm 4-wheels Spinner Luggage - Black. The Travelwize Maple 55 cm ABS spinner

		luggage in Silver, Navy or Black offers compact, secure travel with smooth spinner wheels, integrated lock and internal organisation. (Please select the correct model for the colour that suits your style)
TW-1155-NV	R 805	Travelwize Maple ABS 55cm 4-wheels Spinner Luggage - Navy. The Travelwize Maple 55 cm ABS spinner luggage in Silver, Navy or Black offers compact, secure travel with smooth spinner wheels, integrated lock and internal organisation. (Please select the correct model for the colour that suits your style)
TW-1155-SV	R 805	Travelwize Maple ABS 55cm 4-wheels Spinner Luggage - Silver. The Travelwize Maple 55 cm ABS spinner luggage in Silver, Navy or Black offers compact, secure travel with smooth spinner wheels, integrated lock and internal organisation. (Please select the correct model for the colour that suits your style)
TW-1156-BK	R 1,035	Travelwize Maple ABS 65cm 4-wheels Spinner Luggage - Black. The Travelwize Maple 65 cm ABS spinner luggage in Black, Navy or Silver is a durable midâ€'size case with spinner wheels, organised interior and builtâ€'in lock.
TW-1156-SV	R 1,035	Travelwize Maple ABS 65cm 4-wheels Spinner Luggage - Silver. Travel in style with the Travelwize Maple 65 cm spinner suitcase in Silver. Its sturdy ABS shell, smooth 360Â° wheels, telescopic handle and lined interior make it perfect for mid-length family or business trips.
TW-1157-BK	R 1,184	Travelwize Maple ABS 75cm 4-wheels Spinner Luggage - Black. The Travelwize Maple 75 cm ABS spinner luggage in Silver, Navy or Black offers spacious, secure travel protection with smooth spinner wheels and internal organisation. (Please select the correct colour model)
TW-1157-NV	R 1,184	Travelwize Maple ABS 75cm 4-wheels Spinner Luggage - Navy. The Travelwize Maple 75 cm ABS spinner luggage in Silver, Navy or Black offers spacious, secure travel protection with smooth spinner wheels and internal organisation. (Please select the correct colour model)
TW-1157-SV	R 1,184	Travelwize Maple ABS 75cm 4-wheels Spinner Luggage - Silver. The Travelwize Maple 75 cm ABS spinner luggage in Silver, Navy or Black offers spacious, secure travel protection with smooth spinner wheels and internal organisation. (Please select the correct colour model)
TW-1158-BK	R 1,483	Travelwize Maple ABS 85cm 4-wheels Spinner Luggage - Black. The Travelwize Maple 85 cm ABS spinner case in silver, navy or black offers spacious (please select the correct model), secure luggage for long trips. Featuring impactâ€'resistant shell, spinner wheels, internal organisation and combination lock.
TW-1158-NV	R 1,483	Travelwize Maple ABS 85cm 4-wheels Spinner Luggage - Navy. The Travelwize Maple 85 cm ABS spinner case in silver, navy or black offers spacious (please select the correct model), secure luggage for long trips. Featuring impactâ€'resistant shell, spinner wheels, internal organisation and combination lock.
TW-1158-SV	R 1,483	Travelwize Maple ABS 85cm 4-wheels Spinner Luggage - Silver. The Travelwize Maple 85 cm ABS spinner case in silver, navy or black offers spacious (please select the correct model), secure luggage for long trips. Featuring impactâ€'resistant shell, spinner wheels, internal organisation and combination lock.
TW-1160-NV	R 1,035	Travelwize Quartz PP 55cm 4-wheels Spinner Luggage - Navy. The Travelwize Quartz PP 55 cm 4â€'wheel spinner cabin luggage in navy is a robust hardâ€'shell case designed for secure, organised travel. Ideal for business and short domestic trips, it offers smooth mobility, TSAâ€'style security and lightweight convenience.
TW-1160-SV	R 1,035	Travelwize Quartz PP 55cm 4-wheels Spinner Luggage - Silver. Travelwize Quartz 55cm Spinner Luggage in Silver is compact, durable, and lightweight. It features 4 spinner wheels, a telescopic handle, and a lined interior - perfect for carry-on air travel, weekend getaways, or everyday business trips.
TW-1161-BK	R 1,184	Travelwize Quartz PP 66cm 4-wheels Spinner Luggage - Black
TW-1161-NV	R 1,184	Travelwize Quartz PP 66cm 4-wheels Spinner Luggage - Navy
TW-1161-SV	R 1,184	Travelwize Quartz PP 66cm 4-wheels Spinner Luggage - Silver
TW-1162-NV	R 1,403	Travelwize Quartz PP 76cm 4-wheels Spinner Luggage - Navy. Travelwize Quartz 76cm spinner in navy offers strong PP construction, 4 smooth spinner wheels, and a sleek design. Ideal for extended trips, it features a telescopic handle and a spacious, lined interior to pack everything with ease and style.
TW-1162-SV	R 1,403	Travelwize Quartz PP 76cm 4-wheels Spinner Luggage - Silver. The Travelwize Quartz 76 cm 4â€'wheel spinner luggage in silver offers premium hardâ€'shell protection, smooth manoeuvring and internal organisation for longâ€'distance travel.
VA-1008-BK	R 126	Rocka VA-1008-BK adjustable Running Belt - Black, Water-Resistant zippered pouch, Fits smartphones up to 6.5 inches, Reflective strip for low-light safety, Secure clip closure, Fits 70 to 120 cm waist, Lightweight and Slim

		Design
VA-1010-BY	R 126	Volkano VA-1010-BY boys Green Armband Pouch, Holds smartphones up to 5.5 inches, Breathable sweat-resistant Fabric, Adjustable strap for Secure Fit, Clear Touchscreen Window, Designed for Hands-Free use, Lightweight and durable construction for Active youth
VA-1010-GL	R 126	Rocka Volkano Active Speed Series armbands - Girls, Model VA-1010-GL, Provide safe and comfortable buoyancy support for young swimmers, made from durable PVC, These armbands feature two inflatable chambers for extra safety and a snug adjustable Fit for ages 3 to 6 years
VB-VLB200	R 247	Volkano VLB200 15.6" Industrial Series shoulder bag black
VK-7074-BL	R 747	Volkano Glacier 45L hiking Backpack Blue, Padded adjustable shoulder straps, Adjustable chest strap, Rain cover at base of bag, One main compartment large enough for All your items, Multiple additional compartments and hanging loops, Two netted side compartments, Adjustable hip belt, 29cm x 17cm x 60cm size
VK-9113-GR	R 356	Volkano Vidal 35L Duffle Bag - Grey. The Volkano Vidal 35 L Duffle Bag in Grey features a durable polyester build, twin carry handles, adjustable shoulder strap and spacious compartments - ideal for gym, weekend travel or daily errands.
VK-9130-NV	R 178	Volkano Apollo Moon Bag - Navy
VK-9130-RD	R 172	Volkano Rover Moon Bag - Red. Compact and stylish, the Volkano Rover Moon Bag - Red (VK-9130-RD) offers a lined main compartment, front pocket, and adjustable strap - perfect for daily essentials on the move
W5501-3C	R 59	Tweety PSP Bag, Retail Box, No warranty
X23	R 229	Microworld X23 Anti-Theft sling Cross Body bag, Fits up to a 9.7 inch iPad, Durable PU Skin Film exterior with Water-Resistant finish, Integrated external USB Port for On-The-Go charging, Includes Built-In combination lock for Security, Adjustable single shoulder strap for chest or back wear

< Return to the menu

Netbook carry bags <12inch

Product code	Price	Description
90NV00D0-P00030	R 1,170	Asus ROG Xbox Ally (2-in-1) Premium Case - Black, Hard Plastic Outer Shell, Water-Repellent material, Soft fleece Inner liner, SD card holder, Detachable accessory Pouch, Built-In Portable Velcro stand
BAG-3	R 23	Unbranded 10" Black Notebook Sleeve
CB-CEFB	R 108	CHoiiX C-ND01-CK, Ez-Fit Brown 10" netbook sleeve, ergonomic sleeve/open-book design, PU leather and Nylon, back ventilation holes for better heat dissipation. Dimensions - 270 x 220 x 45mm
CB-CEFP	R 107	CHoiiX C-ND01-NW, Ez-Fit, Pink 10" netbook sleeve, ergonomic sleeve/open-book design, PU leather Nylon, back ventilation holes for better heat dissipation. Dimensions - 270 x 220 x 45mm
CB-CEFW	R 79	CHoiiX C-ND01-WS, Ez-Fit White 10" netbook sleeve, ergonomic sleeve/open-book design, PU leather and Nylon, back ventilation holes for better heat dissipation. Dimensions - 270 x 220 x 45mm
CB-CEFY	R 68	CHoiiX C-ND01-TW, Ez-Fit, Yellow 10" netbook sleeve, ergonomic sleeve/open-book design, PU leather and Nylon, back ventilation holes for better heat dissipation. Dimensions - 270 x 220 x 45mm
CB-CMB01SB	R 138	CHoiiX C-MB01-C1, Silver with Brown finish, 7" -8.9" notebook ergonomic metal sleeve/bag, no handle, metal Sleeve for heat dissipation and screen protection, work as angled netbook stand /cooler. Dimensions - 232 x 171 x 36mm
CB-CMB01SL	R 132	CHoiiX C-MB01-B1, Silver with blue finish, 7" -8.9" netbook ergonomic metal sleeve/bag, no handle, metal Sleeve for heat dissipation and screen protection, work as angled notebook stand/cooler. Dimensions - 232 x 171 x 36mm
CB-CMB01SP	R 132	CHoiiX C-MB01-N1, Silver with Pink finish, 7" -8.9" netbook ergonomic metal sleeve/bag, no handle, metal Sleeve for heat dissipation and screen protection, work as angled netbook stand /cooler. Dimensions - 232 x 171 x 36mm
CB-VBo10-B	R 216	VAX Bo180004 Bonanova black sleeve for 10" notebook - bubble design, extra EVA foam cushioning for extra protection, water resistant.
CB-VBo10-o	R 216	VAX Bo180002 Bonanova Olive sleeve for 10" notebook - bubble design extra EVA foam cushioning for extra protection, water resistant.
CB-VBo10-P	R 216	VAX Bo180001 Bonanova Purple sleeve for 10" notebook - bubble design extra EVA foam cushioning for extra protection, water resistant.

CB-VBo10-R	R 216	VAX Bo180003 Bonanova Red sleeve for 10" notebook - bubble design extra EVA foam cushioning for extra protection, water resistant.
CB-VCA-B	R 102	Vax Bo250001 CArmel multi-purpose sling bag - Black - neoprene
CB-VCA-o	R 102	Vax Bo250004 CArmel multi-purpose sling bag - Olive - neoprene
CB-VCA-P	R 102	Vax Bo250003 CArmel multi-purpose sling bag- Purple- neoprene
CB-VCA-R	R 102	Vax Bo250002 Carmel multi-purpose sling bag - Red - neoprene
CB-VEN-BSU	R 374	VAX vax-150008 Entenza - netbook messenger - vertical 12" netbook messenger - Bright Silver Umbrella polyester with PU coating, 2x internal 1x external pocket with water proof zipper - 260x130x340mm
CB-VMA10	R 298	VAX Bo280000 Marina 10" black laser stitch sleeve, waterproof, nylon - 285x205x25mm.
CB-VMAMA11	R 286	VAX Bo280002 MArina Macbook Air 11 - black laser stitch sleeve , waterproof , nylon - 300x192x17mm
CB-VME11-BKS	R 367	VAX Bo9006BS Messenger 11" Black Square Notebook bag - PVC with two resistant fabric combinations, Dimensions - 43 x 16 x 31cm
CB-VME11-Bo	R 529	VAX Bo9009BS Messenger 11" Bolsarium Notebook bag - PVC with two resistant fabric combinations, Dimensions - 43 x 16 x 31cm
CB-VME11-BRS	R 529	VAX Bo9007BS Messenger 11" Brown Square Notebook bag - PVC with two resistant fabric combinations, Dimensions - 43 x 16 x 31cm
CB-VPE10-G	R 220	VAX vax-s10psgys Pedralbes iPAD or 10" nb sleeve - Grey - water repellent zippers, custom rubber zipper pullers, with velvet interior - 290x210x28 / 285x205x25mm, 190g
CB-VPE10-M	R 148	VAX vax-s10psmgb Pedralbes iPAD or 10" nb sleeve - Magenta - water repellent zippers, custom rubber zipper pullers, with velvet interior - 290x210x28 / 285x205x25mm, 190g
CB-VPE10-o	R 148	VAX vax-s10psols Pedralbes iPAD or 10" nb sleeve - Olive - water repellent zippers, custom rubber zipper pullers, with velvet interior - 290x210x28 / 285x205x25mm, 190g
CB-VPE10-P	R 148	VAX vax-s10psvts Pedralbes iPAD or 10" nb sleeve - Purple -water repellent zippers, custom rubber zipper pullers, with velvet interior - 290x210x28 / 285x205x25mm, 190g
CB-VPE10-R	R 148	VAX vax-s10psrds Pedralbes iPAD or 10" nb sleeve - Red - water repellent zippers, custom rubber zipper pullers, with velvet interior - 290x210x28 / 285x205x25mm, 190g
CB-VTi10-M	R 208	VAX vax-s10Tomgb TIbidabo Magenta - sleeve for 10" nb - water repellent zippers, custom rubber zipper pullers, rubber dots for maximum grip, 4mm interior foam for maximum protection - 284x204x48mm / 276x195x40mm
CB-VTi10-o	R 145	VAX vax-s10Tools TIbidabo Olive - sleeve for 10" nb - water repellent zippers, custom rubber zipper pullers, rubber dots for maximum grip, 4mm interior foam for maximum protection - 284x204x48mm / 276x195x40mm
CB-VTi10-P	R 145	VAX vax-s10Tovts TIbidabo Purple - sleeve for 10" nb - water repellent zippers, custom rubber zipper pullers, rubber dots for maximum grip, 4mm interior foam for maximum protection - 284x204x48mm / 276x195x40mm
DSY-LB3095K	R 129	Disney 10" Toy Story Full colour Netbook Bag, Retail Packaged
EKF808S11B	R 224	EVERKI 808-11 11.6" Sleeve with Memory Foam
GIGABYTE X11	R 81	Gigabyte Netbook X11 11.6" Carry Bag
NBHP4U9G9AA	R 407	HP 4U9G9AA Mobility 11.6" Laptop case, PE foam padding material, Polyester interior lining material, Multi-handle carrying strap, Zipper closing system, Hard Shell cover
UUS02UF	R 288	Urban Factory Urban Ultra Sleeve 10.2"
VK-7022-BK11.6	R 195	Volkano 11.6" Wrap series Laptop sleeve Black
VK-7148-BK	R 229	Volkano Lincoln Cross-Chest 11" Tablet bag - Black, Adjustable padded cross body strap, Two zippered front compartments, 10.1" Tablet compartment
VK-9114-GR11.6	R 276	Volkano Trend Series 11.6" Laptop Sleeve - Grey
VL1021-BK	R 207	Volkano 10.1" Sloe Series Tablet Bag Black

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Notebook Spare Parts

Notebook Batteries

Product code	Price	Description
4GVMP	R 689	Microworld 4GVMP Replacement Battery 7.6V 68Wh, Compatible with --> Dell Latitude 5400 / 5500 / 5410 / 5510 / P84f / P42e / Dell Precision 3540 / M3540 / Inspiron 7590 / 7591 / 7791 laptops
ABT-AC4732	R 351	Astrum Battery FOR Acer 4732 5517 5332 11.1V 4400MA
ABT-AC4741	R 360	Astrum Battery FOR Acer 4741 4771 5741 11.1V 4400MA
ABT-AC5635	R 360	Astrum ABT-AC5635 ACER 5635Z, AS09C31, AS09C70, AS09C71, ABT-SC5635, AS09C75, BT.00603.078, BT.00603.093, BT.00607.072, BT.00607.073, 5235, 5235-301G16Mn, 5235-904G16Mn, 5235G, 5235Z, 5235Z-432G16Mn, 5235Z-901G16Mn, 5635, 5635-5b2G16n, 5635-6011, 5635-652G25n, 5635-654G25Mn, 5635-654G64Mn, 5635-662G32Mn, 5635-676, 5635-6897, 5635G, 5635G-654G32, 5635G-662G25Mi, 5635G-664G25Mn, 5635Z, 56
ABT-ACE5-475G	R 338	Astrum ABT-ACE5-475G ACER E5-475G, AS16A5K 4ICR19/66 AS16A7K AS16A8K KT.00405.001 KT.00407.004 KT.0040G.007 KT.00605.002, Acer Aspire E15 E5-475 E5-475G E5-523 E5-523G E5-553 E5-553G E5-575 E5-575G E5-575T E5-575TG E5-576 E5-576G E5-774 E5-774G Series E5-575G-30ZJ E5-575G-3561 E5-575G-50CB E5-575G-50QS E5-575G-513W E5-575G-52DD E5-575G-52NP E5-575G-534D E5-575G-53B8 E5-575G-
ABT-ACES1	R 392	Astrum Battery FOR Acer ES1 CM13 CM15 11.4V 2200MAH
ABT-ACV5	R 334	Astrum Battery For Acer E15 M5 R7 V5 14.8V 2200MAH
ABT-ASX540	R 334	Astrum Battery For Asus X540 Series
ABT-ASX550	R 334	Astrum ABT-ASX550 ASUS X550, A41-X550A, A41X550A, A41-X550, A41X550, 0B110-00230000, 0B110-00230200, 0B110-00230400, 0B110-00230900, 0B110-00231100, 450VE, A450, A450CA-WX102D, A450CA-WX104D, A450CA-WX105D, A450CA-WX106D, A450CA-WX107D, A450CA-WX243D, A450CA-WX314D, A450CC-WX147D, A450CC-WX154D, A450CC-WX247D, A450CC-WX249
ABT-ASX551	R 334	Astrum ABT-ASX551 ASUS X451, 0B110-00250100, A41N1308, ABT-ASX551, A31LJ9, Asus X451, X, 551, X451C, X451CA, X551C, X551CA, X551CA-SX024H, X551CA-SX029H, X551CA-DH21, x551m
ABT-ASX553	R 360	Astrum ABT-ASX553 ASUS X453, B21N1329, ABT-ASX553, Asus X403 X403M X403MA X503M X502CA X453 X453MA X553 X553M F453 F453MA F553M P553
ABT-DL33YDH	R 491	Astrum Battery For Dell 13 / 15 / 17 Series Poly
ABT-DL3521-11	R 431	Astrum Battery For Dell 14 15 3421 3521 11.1V 4400M
ABT-DL3551	R 431	Astrum Battery For Dell 14 15 3000 3551 14.8V 2200M
ABT-DLDJ1J0	R 431	Astrum ABT-DLDJ1J0 Dell 7280, DJ1JO P28S P28S001 451-BBZL C27RW PGFX4 K8X0T1, 7280 K8X0T KHY0C 7290 E7280 E7290//Dell Latitude 13 7380 7390 E7380 E7390//Dell Latitude 14 7480 7490 E7480 E7490 Series// Dell P28S P28S001 Series.
ABT-DLE5420	R 431	Astrum Battery For Dell 5420 5520 7420 11.1V 4400MA
ABT-DLE5440	R 431	Astrum Battery For Dell 5440 5540 11.1V 4400MAH
ABT-DLE5450	R 431	Astrum ABT-DLE5450 DELL E5450, 8V5GX, R9XM9, 1KY05, 08V5GX, ABT-DLE5450, VMKXM, 5XFWC, PF59Y, 451-BBLN, 451-BBLL, 451-BBLK, Dell Latitude 14 E5450 5450 Series, Dell Latitude 15 E5550 5550 Series
ABT-DLE5470	R 431	Astrum ABT-DLE5470 DELL E5470, F5WW5, HK6DV, 6MT4T, 7V69V, 79VRK, 8V5GX, 08NH55, 08V5GX,0K3JK9, ABT-DLE5470, 0R9XM9, R9XM9, TXF9M, WYJC2, 451-BBUQ, Dell Latitude E5270, E5470, E5570, 6MT4T, 7V69V, E5450, E5550, E5570,
ABT-DLE5480	R 491	Astrum Battery For Dell E5480 7.6v 6000mAh Polymer
ABT-DLE6320	R 431	Astrum Battery For Dell 6120 6220 6330 11.1V 4400MA
ABT-DLE6400	R 491	Astrum Battery For Dell 6400 6410 6500 11.1V 4400MA
ABT-DLE7420	R 491	Astrum Battery FOR DELL 7000 7240 7440 - 7.4V 4500MAH
ABT-DLJ60J5	R 431	Astrum ABT-DLJ60J5 Dell 7470, 451-BBSY 451-BBSX 451-BBSU WYWJ2 R1V85 MC34Y 242WD PDNM2 1W2Y2 GG4FM F1KTM NJJ2H 5F08V P61G001 P26S001 J6OJ5, Dell Latitude E7270 Latitude E7470 7270 7470 Series laptop
ABT-DLN4020	R 431	Astrum Battery For Dell 4010 5030 7110 11.1V 4400MA
ABT-DLV3300	R 360	Astrum Battery For Dell 3300 3400 3500 14.8V 2200MA
ABT-DLWDXOR	R 431	Astrum ABT-DLWDXOR Dell 7560, 3CRH3 T2JX4 FC92N CYMGM P69G P69G001 P58F P58F001 P75F, Dell

		Inspiron 15 5565 5567 5568 5570 5578 7560 7570 7569 7579 13 7368 7378 7375 5368 5378 5379 17 5765 5767 5770
ABT-DLXPS15	R 431	Astrum Battery For Dell XPS 15 L511 1569 11.1V 440M
ABT-DLYRDD6	R 431	Astrum ABT-DLYRDD6 Dell 5485, 0FJMK, 1VX1H, FDRHM, VM732, WJPC4, YRDD6, Dell Inspiron 5485, 5493, 5584, 5590, 14 5480, 14 5481, 14 5482, 14 5485, 14 5488, 14 5491, 14 5493, 14 5494, 15 5580, 15 5582, 15 5583, 15 5584, 15 5585, 15 5590, 15 5591, 15 5593, 15 5594, 15 5598, 5480, 5481, 5482, 5488, 5491, 5494, 5580, 5582, 5583, 5
ABT-FU250	R 431	Astrum ABT-FU250 BP250 CP477891-01, CP477891-03, CP478214-02, FMVNBP186, FMVNBP189, FPCBP250, FPCBP250AP, FPCBP277, FPCBP277AP, FPCSP274, S26391-F495-L100, S26391-F840-L100, LifeBook A530, A531, AH/D, AH42/C, AH42/D, AH42/E, AH502, AH530, AH530/3A, AH531, LH52/C, LH520, LH520/3B, LH530, LH701, LH701A, P701 Series, PH50/C, PH50/E, PH521
ABT-HP4321	R 334	Astrum Battery For HP 420 425 620 625 10.8V 4400MAH
ABT-HP4530	R 351	Astrum Battery For HP 4430 4440 4530 10.8V 4400MAH
ABT-HP4730	R 351	Astrum Battery for HP 4370 Series 14.4V 4400MAH
ABT-HP6360	R 334	Astrum Battery For HP 8460 8560 8570 10.8V 4400MAH
ABT-HP6535	R 334	Astrum Battery for HP 6530 6730 6930 10.8V 4400MAH
ABT-HP6720	R 351	Astrum Battery For HP 550 610 6730 6735 10.8V 4400M
ABT-HPCA06	R 334	Astrum Battery For HP 6540 645 650 655 10.8V 4400MA
ABT-HPCD03XL	R 351	Astrum ABT-HPCD03XL HP CD03XL, HSTNN-LB8F, HSTNN-IB8B, HSTNN-UB7K, 931702-421, CDO3XL, 931702-171, ABT-HPCD03XL, 931702-541, 931719-850, HSN-114C, HSN-115C, HP ProBook 640 645 650 G4 ProBook 640 650 G5 ProBook 650 G7 Series Notebook
ABT-HPCM03	R 360	Astrum ABT-HPCM03 HP CM03, HP CM03, CM03XL, CO06, CO06XL, CM03024XL-PL, CM03050XL, HSTNN-DB4Q, HSTNN-DB4R, HSTNN-IB4R, HSTNN-I11C, HSTNN-I11C-4, HSTNN-I11C-5, HSTNN-LB4R, HSTNN-UB4R, 996TA048H, D8R80AV, D8R82AV, E2P27AV, E3W16UT, E3W17UT, E3W19UT, E3W20UT, E3W24UT, E3W28UT, E7M95PA, HP EliteBook 840, 845, 850, 855, 740, 745, 750, 755, G1, G2, Series. ZBook 14 G2, 15u, G2,
ABT-HPCQ42	R 378	Astrum Battery For HP 630 635 G42 G62 10.8V 4400MAH
ABT-HPCS03	R 360	Astrum Battery For Hp Cs03 11.4v 4000mah Polymer
ABT-HPDV04	R 378	Astrum Battery For HP DV4 DV6 DV7 M6 M7 11.1V 4400M
ABT-HPDV2000	R 401	Astrum Battery For HP 6000 6010 6030 10.8V 4400MAH
ABT-HPFP06	R 334	Astrum Battery for HP 440 445 450 455 10.8V 4400MAH
ABT-HPHS04	R 334	Astrum Battery For HP G4 240 245 250 255 14.8V 2200
ABT-HPHT03	R 360	Astrum ABT-HPHT03 HP HT03XL, HP, HSTNN-UB7J, HSTNN-IB80, HSTNN-IB8O, HSTNN-LB8L, HSTNN-IB8OL, HSTNN-DB8SL, HSTNN-DB8R, HSTNN-DB8S, HSTNN-LB8M, HT03XL, L11119-855, L11421-1C1, L11421-1C2, L11421-2C1, L11421-2C2, L11421-2C3, L11421-2D1, L11421-2D2, L11421-421, L11421-422, L11421-423, HP Pavilion 14-CE0000 14-CF0000 14-CK0000 14-CM0000 14-MA0000 14Q-CS0000 14S-CF0000 14S-CR0000 15-CS0000 15-CW0000 15-DA0000 15-DB0000 17-BY0000 17-CA0000; 14-CE0068ST 14-CE0025TU 14-CE0034TX 14-CF0013DX 14-CF0014DX 14-CF1015CL 14-CM0012NR 15-CR0087CL 15-C
ABT-HPJC04	R 334	Astrum Battery For HP G6 250 255 15Q 15G 14.8V 2200
ABT-HPLA04	R 334	Astrum Battery For HP G1 248 340 350 14 15 14.4V 44
ABT-HPNC6120	R 351	Astrum Battery For HP 6110 6140 6510 6710 10.8V 440
ABT-HPOA04	R 334	Astrum Battery For HP G2 250 246 248 250 14.4V 2600
ABT-HPPI06	R 334	Astrum Battery For HP ENVY 14 15 17 10.8V 4400MAH
ABT-HPRA04	R 334	Astrum Battery For HP G1 430 G2 430 14.8V 2200MAH
ABT-HPRI04	R 334	Astrum Battery For HP G3 450 455 470 14.8V 2200MAH
ABT-HPRO04	R 351	Astrum Battery for HP 400 G3 430 440 14.8V 2200MAH
ABT-HPSR03	R 351	Astrum ABT-HPSR03 HP SR03, SR03XL, SR03052XL, HSTNN-DB8Q, L08934-2C1, L08934-2B1, L08934-1B1, L08855-855, ABT-HPSR03, HSTNN-IB8L, TPN-C133, TPN-C134, TPN-Q194, HP Envy 17-bw0000, 17-bw0000na, 17-bw0001nc, 17-bw0001ng, 17-bw0001ni, 17-bw0007ur, 17-bw0008ca, 17-bw0011nr, 17-bw0200nz,

		17-bw0003ng, 17-bw0004na, 17-bw0706nz, 17-bw0999na, Pavilion, Gaming 15-cx0000, 15-cx0000TX, 15-cx0001TX, 15-cx0010TX, 15-cx0027TX,
ABT-HPSS03	R 360	Astrum ABT-HPSS03 HP SS03XL, HP SS03XL SS03 933321-855 932823-171 933321-852 932823-1C1 932823-271 932823-2C1 932823-421 93282823. 3-2B1HSN-112C HSN-113C-4 HSN-I13C-4 HSN-I12C HSN-I13C-5 HSN-I16C HSN-I17C-4 HSN-I17C-5 HSTNN-IB8C HSTNN-LB8G HSTNN-DB8J SS03050XL, HP Elitebook 730 G5, 735 G5, 740 G5, 745 G5, 755 G5, 830 G5, 840 G5, 846 G5 Series, HP Elitebook 735 G6, 745 G6, 830 G6, 840 G6 series
ABT-HPTF03	R 360	Astrum ABT-HPTF03 HP TF03, HP TF03XL, 14-bf108TX, 15-cc707TX, HSTNN-IB7Y, HSTNN-LB7X, HSTNN-LB7J, HSTNN-UB7J, ABT-HPT03, HSTNN-LB7L, 920046-121, 920046-421, 920046-541, 920070-855, 859026-421, 859356-855, 14-bf108TX, 14-bf109TX, 14-bf110TX, 14-bf111TX, 14-bf112TX, 14-bf113TX, 14-bf114TX, 14-bf115TX, 14-bf116TX, 14-bf117TX, 14-bf118TX, 14-bf119TX, 14-bf120TX, 14-bf121TX, 14-bf122TX, 14-bf123TX, 14-bf124TX, 14-bf007TU, 14-bf008TU, 14-bf009TU, 14-bf010TU
ABT-HPVK04	R 360	Astrum Battery For HP PAVILLION 14 15 M4 14.4V 2200MAH
ABT-LN320	R 360	Astrum ABT-LN320 LENOVO 320, L16C2PB2, L16C2PB1, L16L2PB2, L16L2PB1, L16L2PB3, L16S2PB1, L16M2PB1, L16M2PB2, L16M2PB3, L17L2PF1, L17M2PB7, Lenovo IdeaPad 320-14AST 320-14ISK 320-14IAP 320-14IKB 320-15AST 320-15ABR 320-15IAP 320-151ap 320-15IKB 320-151kb 320-15ISK 320-17ISK 320-17ABR 320-17AST 320-17IKB 520-15IKB, IdeaPad 330 Touch-15IKB 330-14AST 330-14IGM 330-14IKB 330-15AST 330-15IGM 330-
ABT-LNG450	R 378	Astrum Battery For Lenovo 360 430 450 550 11.1v 440
ABT-LNG50	R 360	Astrum Battery For Lenovo G40 G500 G41 14.4V 2200MA
ABT-LNG560	R 360	Astrum Battery For Lenovo 360 460 470 570 10.8V 440
ABT-LNM4400	R 360	Astrum ABT-LNM4400 LENOVO M4400, 121500239 121500240 121500241 121500242 121500243 121500244 45N1182 45N1183 45N1185 45N1186 45N1187 L12L4E55 L12M4E55 L12S4E55 L13L4A01 L13M4A01 L13S4A01 5B10K10151 5B10K10153 5B10K10154 4ICR18/65 4ICR18/66, Lenovo IdeaPad B40-30 B40-45 B40-70 B50-30 B50-30 Touch B50-45 B50-70 N40-30 N40-45 N40-70 N50-30 N50-45 N50-70 M4400 M4400A M4450 M4450A V4400 V4400A V4400 V4400A Notebook PC.
ABT-LNSL410	R 431	Astrum Battery for Lenovo 410 510 520 10.8V 4400MAH
ABT-LNY480	R 360	Astrum Battery FOR Lenovo 480 485 580 585 11.1V 440
ABT-PRW540	R 360	Astrum ABT-PRW540 MECER W540, 6-87-C480S-4P4, 6-87-C480S-4P4, 6-87-W540S-427, B5130M, C4500, C4500BAT-6, W240BAT-6, 6-87-W24ES-4W4, CL C4500-3S2P, Mecer W540, W540EU, W550, W550EU, W55EU, Mecer XPRESSION W150HNQ, W251HUQ,
ABT-SMR470	R 351	Astrum Battery For Samsung 318 418 429 460 11.1V 44
ABT-TO3634	R 351	Astrum Battery For Toshiba M50 M51 M52 M60 10.8V 44
ABT-TO3788	R 334	Astrum ABT-TO3788 TOSHIBA PA3788U, PA3786U-1BRS, PA3787U-1BRS, PA3788U-1BRS, PABAS221, PABAS222, PABAS223, A11 Series, A11-001, A11-00N, A11-00P, A11-00Q, A11-S3510, A11-S3511, A11-S3512, A11-S3520, A11-S3521, A11-S3522, A11-S3530, A11-S3531, A11-S3532, A11-S3540, A11-S3541, A11-SP5001L, A11-SP5001M, A11-SP5002L, A11-SP5002M, A11-SP5003L, A11-SP5003M, A11-SP50
ABT-TO5024	R 334	Astrum Battery For Toshiba 800 840 850 855 11.1V 44
ABT-TO5212	R 334	Astrum ABT-TO5212 TOSHIBA 5212, PA5212U-1BRS PA5212U PABAS283, Toshiba Satellite Pro : A40, A50, R40, R50 Searies, Toshiba Tecra : A40, A40-C, A50-C, C40, C50, C50-B, Z50, Z50-C Series
AR-AS4315	R 1,499	BTI Acer Aspire 4310, 4315, 4320, 4520, 4710, -10.8V 4400mAh -6 Cells Battery
DL-700M	R 1,099	BTI Dell Inspiron 700M - 14.8V, 2200mAh - 4 Cells
DL-D820	R 1,099	BTI Dell Latitude D531, D820, D830 series; Precision M65 series - 11.1V, 4800mAh - 6 Cells
DL-E4310X6	R 1,099	BTI Dell Latitude E4300, E4310 series - 10.8V, 5600mAh - 6 Cells
DL-E5400	R 1,099	BTI Dell Latitude E5400, E5410, E5500, E5510 - 10.8V, 5200mAh - 6 Cells
DL-E6400	R 1,099	BTI Dell Latitude E6400, E6500; Precision M2400, M4400 - 10.8V, 5200mAh - 6 Cells
DL-I14	R 1,099	BTI Dell Inspiron 14, 1440, 17, 1750 - 10.8V, 4400mAh - 6 Cells
DL-M1330	R 1,199	BTI Dell XPS M1330; Inspiron 13, 1318 - 10.8V, 5200mAh - 6 Cells
DL-XPS15	R 1,499	BTI Dell XPS 14, 15, 17 - 10.8V, 5200mAh - 6 Cells

GT-NV44	R 999	BTI Gateway NV44 -10.8V, 4400mAh -6 Cells
HP-500	R 1,499	BTI HP 500, 520 series -14.8V, 2200mAh -4 Cells
HP-6720S	R 1,499	BTI HP Compaq 6720s, 6820s -10.8V, 4400mAh -6 Cells
HP-6730B	R 1,199	BTI HP Compaq 6530b, 6535b, 6730b, 6735b; Elitebook 6930p (6-cells) -10.8V , 5200mAh -6 Cells
HP-NC6200	R 1,099	BTI HP Business Notebook NC6100, NC6105, NC6110, NC6115, NC6120, - 11.1V, 4800mAh - 6 Cells
HP-NC8200	R 1,499	BTI HP Business Notebook 7400, 8200, 8400, 9400 series -14.8V, 5200mAh -8 Cells
HP-PB4510S14	R 1,199	BTI HP Probook 4410s, 4411s, 4415s, 4416s, 4510s, 4515s (14" display) -10.8V, 4400mAh -6 Cells
IB-R60	R 1,199	BTI Lenovo ThinkPad R60, R60e, T60, T60p series -10.8V, 4800mAh -6 Cells
IB-X200	R 1,199	BTI Lenovo IBM ThinkPad X200, X200s, X200si, X201, X201i, X201s; ThinkPad 47 (6-cells) -10.8V, 5200mAh -6 Cells
IB-X60	R 1,199	BTI Lenovo ThinkPad X60, X60s, X61, X61s (4 cells) -14.4V, 2600mAh -4 Cells
LC.BTP00.005	R 1,099	UniQue Acer eMachine BTY Li-Ion 6C TM6410/6460/5710/
LC.BTP01.011	R 1,599	UniQue Acer eMachine Li-Ion 9-Cell Battery Pack TM62
LN-N100	R 1,199	BTI Lenovo 3000 N100, N200, C200 (not compatible with N200 14.1") -11.1V, 4400mAh -6 Cells
NB-HAKU528AA	R 391	HP KU528AA - 6 cell battery - for mini-note 2100 series
NB-HAPK403A	R 335	HP PK403A - 2 bay battery charger - for HP 6510, 6710, 6715b, 6715s, 6910p, 8510p, 8510w, 8710p, 8710w
NB-HAQK639AA	R 1,264	HP QK639AA - ST09 9 cell extended life battery - for 6360b, 6460b, 6465B, 6470B, 6560b, 6565b, 6570b, 8460p, 8470P, 8470W, 8560p, 8560w, 8570p, 8570W, 8760w, 8770w
NB-HAQK640AA	R 788	HP QK640AA - BB09 9 cell ultra extended life battery , support battery charging in docking station - for 6360b, 6460b, 6465B, 6470B, 6560b, 6565b, 6570B, 8460p, 8470p, 8470w, 8560p, 8560w, 8570p, 8570w, 8760w, 8770w
NB-LA45K1275	R 1,011	Lenovo 45K1275 6-cell notebook battery Black, for S9 / S10 series Lenovo notebooks
PA-CF18	R 1,499	BTI Panasonic ToughBook 18, CF-18, CF-18D, CF-18F, CF-18K -7.4V, 6600mAh -6 Cells
SAG-R40	R 1,499	BTI Samsung M60, P50, P60, R40, R45, R65, R70, X60, X65 series; -10.8V, 4400mAh -6 Cells
SY-S	R 1,199	BTI Sony Vaio FS series; Vaio FJ series; Vaio S series -11.1V, 4800mAh -6 Cells
TS-A200H	R 1,599	BTI Toshiba Satellite A200, A205, A210, A215, A300, A305, A305D, L305, L305D (9-cells) -10.8V, 6600mAh -9 Cells
TS-A665D	R 1,199	BTI Toshiba Satellite A660, A665, C675, L630, L640, L650, L670, L670, L730, L740, L750, L770, M640, P740, P750, P770 series (6-cells) -10.8V, 4400mAh -6 Cells
TS-L10/15	R 1,599	BTI Toshiba Satellite L10, L15 series -14.8V, 4400mAh -8 Cells
TS-M11	R 1,499	BTI Toshiba Tecra A11, M11 series -10.8V, 5200mAh, 56Whr. 6-Cell Battery -Replaces: PABAS223, PA3788U-1BRS.
TS-P200H	R 1,499	BTI Toshiba Satellite P200, P300, P305, L350, L355, X200, X205 -11.1V, 6600mAh -9 Cells

< Return to the menu

Notebook chargers / power supplies

Product code	Price	Description
06TM1C	R 748	Dell 06TM1C 65W PA-12 7.4mm 19.50V 3.34A AC Power Adapter
098R6C	R 687	Dell 098R6C 19.5V 3.34A 65W 7.4mm Power Adapter, 7.4 x 5.0 mm connector tip
0A36265	R 472	Lenovo ThinkPad 65W AC Adapter Slim Tip South Africa, { Compatible with --> L540, T440p, T440, T440s, X240, S100 Yoga, Edge 540, Edge 440, Edge 531 }, Â© 2014 Laptop Direct
0B47000	R 604	Lenovo ThinkPad 90W AC Adapter - X1 Carbon - Slim tip
0B47462	R 804	Lenovo 0B47462 Slim ThinkPad 65W AC Adapter (Slim Tip), Square power Input
0DRGNJ	R 922	Dell 0DRGNJ USB-C Power Adapter Plus 45W, USB 5V - 1A, 20V/5V - 2.25A/3A
0W56DH	R 480	Dell 0W56DH Power Adapter Plus 45W with extra USB Type-A Port, 19.5V 7.4mm barrel AC Adapter
1P3K6AA	R 332	HP 1P3K6AA 65W USB-C LC Power Adapter
1P3K6AA	R 323	HP 1P3K6AA 65W USB-C LC Power Adapter
210-BTJB	R 3,675	Dell 210-BTJB USB-C Pro Dock - WD25Z, 4 displays supported, Kensington Security slot, Noble wedge Security slot, 4x USB Type-A 3.2 Gen 2 (4.5W each), 1x USB-C 3.2 Gen 2 (15W), 1x USB-C Multi-Function DisplayPort (7.5W), 130W (Dell systems) Power Delivery, 2.5 Gigabit Ethernet, USB Type-C Host Interface, 2x DisplayPort 1.4,

		1x HDMI 2.1, 1x USB-C 3.2 Gen 2 Multi-Function DisplayPort 1.4
40AK0065WW	R 1,019	Lenovo 40AK0065WW 65W USB-C DC Travel Adapter
450-18120	R 490	Power Cord: South African 90W AC Adapter (Kit), { Compatible with --> N5110 /N7110, N5050, All-In One 23x0, V13, V3x00, V3x50, V3x60, 1540, 1015, V2520, XT2, XT3, L2110, L2120, E4200, E4300, E4310, E5400, E5410, E5500, E6500, E5510, E6400, E6410, E6510,
450-18167	R 373	Dell 450-18167 65W AC Adaptor with power cord (Kit), Compatible with Inspiron 3543 / Inspiron 5547 / Inspiron 5548 / Inspiron 7746 / 7370
450-18167	R 353	Dell 450-18167 65W AC Adaptor with power cord (Kit), Compatible with Inspiron 3543 / Inspiron 5547 / Inspiron 5548 / Inspiron 7746 / 7370
450-18167	R 489	Dell South African 65W AC Adapter with power cord, {Compatible with --> Latitude E6420 / E5520 / E6520, Latitude E5430, Latitude E5530, Latitude E6230, Latitude E6330, Latitude E6430, Latitude E6430S, Latitude E6430U, Latitude E6530, Latitude E3440, Latitude E3540, Latitude E5440, latitude E5540, Latitude E6440, Latitude E6540, Inspiron 5050, Inspiron 3520, Inspiron 5520 (15R), Vostro 3360, Vostro 3460, Vostro 3560}
450-AHRH	R 1,126	Dell 450-AHRH 130W USB-C AC Adapter with 1m power cord (Kit)
450-ALOF	R 370	Dell 450-ALOF 65W AC Adapter - 4.5mm
450-BBNW	R 997	Dell 450-BBNW 100W USB-C AC Adapter with 1 meter Power Cord
450-BBNW	R 986	Dell 450-BBNW 100W USB-C AC Adapter with 1 meter Power Cord
450-BDZB	R 2,644	Dell 450-BDZB 280W USB-C GaN AC Adapter with Power Cord
450-BFFM	R 395	Dell 450-BFFM 65W USB-C AC Adapter with Power cord - South Africa, 1 m Power cord, USB Type-C Output Connector, 65 W Maximum Output Power
450-BFFM	R 809	Dell 450-BFFM 65W USB-C AC Adapter with Power cord - South Africa, 1 m Power cord, USB Type-C Output Connector, 65 W Maximum Output Power
450-BFJD	R 957	Dell 450-BFJD 100W USB-C AC Adapter
450-BGJW	R 1,143	Dell 450-BGJW 130W USB-C E5 AC Adapter with Red Top Plug Power Cord - South Africa
451-BDJD	R 1,771	Dell 451-BDJD Targus APB080gl 100W USB-C Power Bank, 25000 mAh capacity, USB Type-A Output 1, 2x USB-C up to 100W PD 3.0 Output 2, USB-C Input
451-BDJD	R 1,792	Dell 451-BDJD Targus APB080gl 100W USB-C Power Bank, 25000 mAh capacity, USB Type-A Output 1, 2x USB-C up to 100W PD 3.0 Output 2, USB-C Input
451-BDJG	R 2,071	Dell 451-BDJG Targus APB081GL 140W USB-C Power Bank, 24000 mAh capacity, USB Type-A 5V/2A 10W Output 1, 2x USB-C up to 140W PD 3.1 Output 2, USB-C Input
451-BDJG	R 1,944	Dell 451-BDJG Targus APB081GL 140W USB-C Power Bank, 24000 mAh capacity, USB Type-A 5V/2A 10W Output 1, 2x USB-C up to 140W PD 3.1 Output 2, USB-C Input
452-BDUI	R 901	Dell 452-BDUI USB-C 90 W AC Adapter with 1 meter Power Cord - South Africa (Order on request-4 weeks)
470-ACFH	R 513	Dell 470-ACFH adaptor 7.5mm barrel to USB-C, For 45W - 65W barrel power adapters
492-BDSB	R 1,438	Dell 492-BDSB 100W USB-C GaN Ultra Slim AC Adapter with Power cord - South Africa, USB-C connector, 100 to 240 VAC Input Voltage, 100W Output Power
4SC18AA	R 1,103	HP 4SC18AA 150W Smart AC Adapter with 4.5mm connector
4X20E50564	R 1,047	Lenovo ThinkPad 135W AC Adapter Slim Tip South Africa, Compatible with --> W540, T540p, T440p, Â© 2014 Laptop Direct
4X20E50564	R 1,055	Lenovo ThinkPad 135W AC Adapter Slim Tip South Africa, Compatible with --> W540, T540p, T440p, Â© 2014 Laptop Direct
4X20M26259	R 587	Lenovo 4X20M26259 45W Standard AC Adapter (USB Type-C) ZA, Compatoble with --> ThinkPad 13 2nd Gen / X1 Tablet 2nd Gen / X1 Yoga 2nd Gen / X1 Carbon 5th Gen / T470 / T470s / T570
4X20M26275	R 549	Lenovo 65W Standard AC Adapter (USB Type-C) - RSA
4X20M26275	R 604	Lenovo 65W Standard AC Adapter (USB Type-C) - RSA
74-450AHRH	R 1,372	Dell 450-AHRH 130W USB-C AC Adapter with 1m power cord (Kit)
74-450BBSG	R 2,356	Dell 450-BBSG 240W 7.4mm GaN SFF AC Adapter with 1m SAF Power cord
74-450BBTZ	R 872	Dell 450-BBTZ USB Type-C 65W AC Adapter with 1 meter Power cord
74-450BFFM	R 394	Dell 450-BFFM 65W USB-C AC Adapter with Power cord - South Africa, 1 m Power cord, USB Type-C Output

		Connector, 65 W Maximum Output Power
74-452BDUI	R 849	Dell 452-BDUI USB-C 90W AC Adapter with 1 meter Power Cord - South Africa
8B3Y2UT	R 1,057	HP 8B3Y2UT 110W USB-C Laptop charger, Supports up to 100 W Power Delivery
900007-AS	R 633	Port Connect 90W Notebooks Adapter for Asus
900007-AS	R 529	Port Connect 90W Notebooks Adapter for Asus, Â© 2020 Laptop Direct
900007-DE	R 633	Port 900007-DE Connect 90W Notebook Adapter for Dell, Includes 2 tips, 19V 4.74A
900007-HP	R 703	Port Designs 90W Notebook Adapter for HP
900007-LE	R 703	Port Designs 90W Notebooks Adapter for Lenovo
900090B	R 420	Port 900090 Connect 45W Universal Notebook Adapter, Compatible with most notebooks up to 13" , 7 Universal tips
900090B-EU	R 436	Port 900090B-EU Connect Power Supply 45W Universal, Compatible with most notebooks up to 13" , 7 Universal plugs, 45 W Maximum
900093-ACTO	R 415	Port 900093-ACTO Connect Power Supply 65W for Acer and Toshiba, 19.5V DC Output Voltage, 3.33A Output current, 65W Output Power
900093-AS	R 539	Port Connect 65W Notebook Adapter - Asus
900093-AS	R 508	Port 900093-AS 65W Power Supply for Asus
900093-DE	R 539	Port Connect 65W Notebooks Adapter - Dell
900093-DE	R 442	Port 900093-DE 65W Power Supply for Dell, 2 tips
900093-HP	R 539	Port Connect 65W Notebook Adapter - HP
900093-HP	R 439	Port 65W Power Supply for HP - EU, 5 tips compatible with All HP computers
900093-LE	R 539	Port Connect 65W Notebooks Adapter - Lenovo
900093-LE	R 424	Port 900093 65W Universal Power Supply with 8 tips
900093B-EU	R 453	Port Connect 65W Universal Notebook Adapter, 900093B-EU, 65W Max Output Power, 19.5V 3.33A Output, 1.5 m cable length
900093B-EU	R 452	Port Connect 65W Universal Notebook Adapter, 900093B-EU, 65W Max Output Power, 19.5V 3.33A Output, 1.5 m cable length
900096B-EU	R 454	Port Connect Type C 45W Universal Notebook Adapter
900096B-EU	R 369	Port Connect Type C 45W Universal Notebook Adapter
900097B-EU	R 508	Port Connect Type-C 65W Universal Notebook Adapter
900098	R 842	Port Connect 90W USB-C Notebook Adapter
900103	R 1,011	Port 900103 Power Supply Universal 150 W - EU, 6 Universal tips
900106-EU	R 630	Port Connect 65W Typce-C GaN Universal Charger
904001EU	R 1,149	Port Connect 250W Universal Power Supply, Compatible with most laptops and Pro workstations, 8 Universal plugs, 1m DC cable
9H0H9AA	R 2,483	HP 9H0H9AA Universal USB-C Hub and Laptop charger Combo, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, 1x HDMI 2.0, 1x DisplayPort 1.2, 1x RJ-45 Gigabit LAN Port, 30 cm (Hub) cable length, 180 cm (AC Adapter) cable length
A90506-B	R 278	Astrum CU065 90W Universal AC Adapter 15 - 24V output, 11 DC Plugs, Support most laptops, Auto power
A90509-B	R 315	Astrum CU090 65W Universal AC Adapter 15 - 24V output, 11 DC Plugs, Support most laptops, Auto power
A90521-B	R 160	Astrum CL210 Laptop Charger For Asus 65W 19V 3.42A; 3.0 x 1.0mm connector; Smart IC; OVP; OCP; SCP; 100-240V AC; flame retardant V-0 material; 108 x 46 x 31mm; 210g
A90522-B	R 160	Astrum CL220 Laptop Adapter 65W 19V, 19V Output Voltage, 3.42A Output current, 65W Output, 4.0 x 1.35mm connecter Type
A90532-B	R 160	Astrum CL320 Laptop Charger, 65W 19.0V 3.42A 5.5*2.5 Acer
A90540-B	R 160	Astrum CL400 65W Replacement AC Adapter, For Dell , 19.5V, 3.34A, 4.5 x 3.0mm pin, IC Protection, Black
A90541-B	R 208	Astrum CL410 Notebook Charger for Dell 90W, 19.5V 4.62A. 7.4x5.0mm Pin Size, Compatible with all Dell Laptops for this size
A90546-B	R 160	Astrum CL460 90W Home Laptop Charger for Fujitsu; 90W; AC 100 - 240V; DC 19V; 3.1A; 5.5 x 2.5mm connector; smart IC protection; flame retardant housing; 114 x 50 x 31mm; approximately 200g

A90551-B	R 160	Astrum A90551-B CL510 65W Home Laptop Charger for HP; 65W; AC 100-240V 1.5A 50/60Hz; DC 19.5V 3.33A; 4.5 x 3.0mm blue pin; Smart IC protection; fluctuation absorption; flame retardant housing; HP compatible notebooks; 114 x 50 x 31mm; 200g
A90552-B	R 176	Astrum CL520 Laptop Charger, 90W 19.0V 4.74A 7.4*5.5 HP
A90556-B	R 160	Astrum CL560 65W Home Laptop Charger for Lenovo; AC 100-240V; DC 20V 3.25A; 4.0mm x 1.7mm connector; smart IC; over-charge protection; flame retardant housing; 110 x 50 x 31mm; 200g
A90561-B	R 133	Astrum CL610 Laptop Charger, 65W 19.0V 3.70A 5.5*2.5 Lenovo
A90564-B	R 176	Astrum CL640 Laptop Charger, 90W 20.0V 4.50A 7.9*5.5 Lenovo
A90565-B	R 176	Astrum CL650 Laptop Charger, 90W 20.0V 4.50A Lenovo; USB shaped Lenovo connector; 7.9mm x 5.4mm; Smart IC; Flame retardant housing; 11 x 7 x 3 cm; 0.2kg
A90566-B	R 160	Astrum CL660 Laptop Charger, 60W 19.0V 3.16A 5.5*3.3 Samsung
A90573-B	R 245	Astrum CL730 charger 65W PD Laptop charger, 5V / 3A, 9V / 3A, 12V / 3A, 15V / 3A, 20V / 3.25A
A90574-B	R 277	Astrum CL740 USB Type-C Universal Adapter Laptop charger, 5-20V Variable Output
A90576-B	R 176	Astrum CL760 Laptop Charger, 90W 19.0V 4.74A 5.5*2.5mm connector; AC 100-240V input; Smart IC control; fluctuation absorption; fire resistant housing; 132 x 57 x 31mm; 250g; Toshiba compatible
AC-1965135	R 1,099	BTI HP Envy 14, 15, Tough Smart Pavilion 15
AC-U90EU-SY	R 799	BTI AC-U90EU-SY-90w Universal AC 100-240V Power Adapter, 47/63Hz, DC 16-19V, 90W, 4.74A for Sony Notebooks
AC-U90EU-TS	R 799	BTI AC-U90EU-TS-90w Universal AC 100-240V Power Adapter, 47/63Hz, DC 16-19V, 90W, 4.74A for Toshiba Notebooks
ACERCH	R 161	Microworld Mini pin 19V 45W PSU for Acer, 3 x 1.1mm DC connector size
ACERCHY1	R 201	Microworld 19V 4.74A 90W Yellow charger for Acer
AP96W	R 459	Microworld 96W Type-C charger for MacBook, Delivers 0 to 50% charge in around 30 minutes, 96 watts Power Output, USB-C Connector Type, USB-C to USB-C compatible cable
APA108EU	R 766	Targus APA108EU USB-C 100W PD Power Delivery charger, cable management tie, 1.8 m cable
AS120W	R 305	Microworld 19V 120W charger for Asus
AS230W	R 518	Microworld 19.5V 230W charger for Asus
AS65W	R 173	Microworld 19V 65W charger for Asus
AS90W	R 259	Microworld 19V 90W charger for Asus
ASUS ROG 280W DC ADAPTER	R 1,839	Asus ROG 280W AC Adapter DC 20V / 14A for fast charging ROG/Asus Gaming laptops, Ncludes USB Power Delivery (PD) 3.0 Technology, USB Type-C (USB-C) Connector
C-P58	R 115	Lenovo AC Adapter UK Black for Yoga Tab 2
DELLCH	R 161	Microworld charger 90W 19.5V for Dell, 7.4mm x 5.0mm connection
DELLSCH	R 196	Microworld Small pin 65W 19.5V PSU for Dell laptops, 4.5 x 3.0mm connector size
DELLSCH1	R 229	Microworld Small pin 90W 19.5V PSU for Dell, 90W 19.5V 4.62A Power Supply, 4.5mm small-pin Connector
DTHPL2X04AA	R 94	HP Desktop Mini 65w Power Supply Kit
DTHPL4R65AA	R 452	HP L4R65AA Desktop Mini 90w Power Supply Kit SA, { Compatible with --> HP EliteDesk 705 G3 Desktop Mini / HP Elite Slice / HP Elite Slice for Meeting Rooms / HP ProDesk 600 G2 Desktop Mini / HP EliteDesk 705 G2 Desktop Mini / HP EliteDesk 800 G2 65W Desktop Mini / HP Collaboration PC G2 / HP EliteDesk 705 G1 Desktop Mini }
FSP030-DHAN3	R 151	FSP PSU 30W 2.5MM 12V 2.5A Adapter
GCT36TC	R 21,000	Gizzu 36 bay Type-C storage charging Trolley for 15.6" laptops, 4 inch wheels with brake, Type-C Power standard charge, Type-C (Up to 65W) Power Output, ABS Plastic separator with Cable Management, 180-degree opened Door with 3-point lock
GX20K78591	R 309	Lenovo GX20K78591 Ideapad AC Adapter 65w Round Tip SA
H6Y89AA	R 390	HP 65W Smart AC Adapter (4.5mm), { Compatible with --> HP Pro x2 612 G1, HP ProTablet x2 612 G1, HP 255 G3, HP 250 G3, HP 255 G2, HP 250 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook Folio 1040 }
H6Y89AA	R 440	HP 65W Smart AC Adapter (4.5mm), { Compatible with --> HP Pro x2 612 G1, HP ProTablet x2 612 G1, HP 255 G3, HP 250 G3, HP 255 G2, HP 250 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook Folio 1040 }

H6Y90AA	R 551	HP 90W Smart AC Adapter, { Compatible with --> HP 255 G3, HP 250 G3, HP Chromebook 14, HP 255 G2, HP 250 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook 1040 }
HJG140WW	R 1,592	Targus HJG140WW Hyper HyperJuice 140W GaN USB-C charger, 1x USB-C PD 3.1 140W, 1x USB-C PD 100W, 1x USB Type-A QC 30W, EU / UK / AU pin adapters included
HKA03619021-6D	R 229	Huntkey 40W Mini Universal Laptop Charger, Input: 100-240Vac, 1.0A, 50/60Hz, Output: 19V 2.1A, DC Tip: Interchangeable, Efficiency Level: VI, Dimensions(mm): 72*72*30, AC Cable: 1.5m, DC Cable: 1.5m
HKA06519034-8K	R 424	HuntKey Universal Adapter 65W ES III, 19V 3.4A Output, Interchangeable DC tip, 1.5m AC cable, 1.5m DC cable, 10 tips
HKA06520033-016	R 401	HuntKey Universal Adapter 65W Type-C
HKA09019047-8U	R 459	HuntKey Universal Adapter 90W Mini II, 19V 4.74A output, interchangeable DC tip, 10 tips included
HKB00505010-0D	R 75	Huntkey Car Charger Lightning for Apple, Applicable for worldwide cars (12VDC/16VDC), Multi-Protection Functions: OVP, OCP, OTP, SC, Compliant with MFi certificate, Made for iPhone5, ipod Touch 5th, ipod, Nano 7th, ipad 4th, ipad mini and other digital devices
HPCH	R 196	Microworld Blue pin 19.5V for HP, 4.5mm x 3.0mm Blue pin DC pin size
HPCH1	R 184	Microworld Big Pin 19V PSU for HP, 7.4mm (length) x 5mm (Diameter) pin size
HPYP	R 173	Microworld 18.5V 65W Yellow pin charger for HP, 4.8mm (Outer Diameter) x 1.7mm (Inner Diameter) Yellow pin DC Connector size
HU-JUP2290	R 949	J5 create JUP2290 2-Port Charger - support PD3.0, 2x USB DCP (Dedicated Charger Port) - 1x type-C up to 90W 1x type-A (up to 12w/2.4A), upstream downstream charging when using USB-C hub / docking station, 125x59x26mm 1.2m cable, with AC-adapter
HU-JUP2290DC	R 1,159	j5 create JUP2290dc 2-port 100W charger - support Power Delivery 3.0 (PD3.0), 2x USB DCP (Dedicated charger Port), 1x USB Type-C, 1x USB Type-A (Up to 12W 2.4A), Upstream downstream charging when using USB-C Hub / Docking Station, 1.2m cable, 6x types of DC connectors for HP / Dell / Acer / Asus / Lenovo / Toshiba
L12V	R 161	Microworld 12V 3A charger for Lenovo
L2X04AA	R 114	HP Desktop 65w Mini Power Supply Kit SA, { Compatible with --> HP ProDesk 400 G3 DM (Mini) / HP EliteDesk 705 G3 Desktop Mini / HP Elite Slice / HP Elite Slice for Meeting Rooms / HP 260 G2 DM (Mini) / HP ProDesk 400 G2 DM (Mini) / HP EliteDesk 800 G2 35W Desktop Mini / HP 260 G1 DM (mini) / HP ProDesk 400 G1 DM (Mini) / HP ProDesk 600 G1 DM (Mini) / HP EliteDesk 800 G1 DM (Mini) }
L4R65AA	R 470	HP Desktop Mini 90w Power Supply Kit SA, { Compatible with --> HP EliteDesk 705 G3 Desktop Mini / HP Elite Slice / HP Elite Slice for Meeting Rooms / HP ProDesk 600 G2 Desktop Mini / HP EliteDesk 705 G2 Desktop Mini / HP EliteDesk 800 G2 65W Desktop Mini / HP Collaboration PC G2 / HP EliteDesk 705 G1 Desktop Mini }
LENCH	R 161	Microworld USB Yellow pin square 90 Watt charger, 20V 4.5A for Lenovo laptops
LENCH1	R 138	Microworld LENCH1 USB charger 20V 65W for Lenovo, Generic charger
LENOVO 4X20M26275	R 506	Lenovo 4X20M26275 65W Standard AC Adapter (USB Type-C) - RSA
LENOVO 4X21L54610	R 426	Lenovo 4X21L54610 65W USB-C wall Adapter - EU
LENRCH	R 196	Microworld 90W round pin 20V 4.5A charger for Lenovo, 7.9 x 5.5mm center pin
LENSCH	R 196	Microworld Small pin 65W 20V 3.25A PSU for Lenovo, 4.0mm x 1.35mm connector size
LIP	R 167	Microworld 6V 4A charger for Lenovo IdeaPad
MC461Z/A	R 725	Apple Apple MagSafe Power Adapter - 60W, Model A1344, Compatible with --> MacBook and 13" / MacBook Pro, MC461Z/A
MC556Z/B	R 644	Apple Apple MagSafe Power Adapter - 85W - MacBook Pro 2010, Model A1343, MC556Z/B
MD565B/B	R 1,484	Apple Apple 60W MagSafe 2 Power Adapter, Model A1435, Compatible with --> MacBook Pro with 13" Retina Display, MD565B/B
MD565Z/A	R 1,484	Apple MagSafe 2 Power Adapter 60W for MacBook Pro, MD565Z/A
MD837ZM/A	R 610	Apple World Travel Adapter kit (2015), MD837ZM/A, Compatible with --> MacBook / MacBook Pro / MacBook Air
MYH83Z/A	R 1,484	Apple 85W MagSafe 2 Power Adapter (For MacBook Pro with Retina Display), Model A1424
NB-AAR2HCC	R 524	Asus R2H car charger
NBDE450-18167	R 367	Dell South African 65W AC Adapter with power cord, { Compatible with --> Latitude E6420 / E5520 / E6520,

		Latitude E5430, Latitude E5530, Latitude E6230, Latitude E6330, Latitude E6430, Latitude E6430S, Latitude E6430U, Latitude E6530, Latitude E3440, Latitude E3540, Latitude E5440, latitude E5540, Latitude E6440, Latitude E6540, Inspiron 5050, Inspiron 3520, Inspiron 5520 (15R), Vostro 3360, Vostro 3460, Vostro 3560 }
NBDE450-ALOF	R 401	Dell 450-ALOF 65W AC Adapter - 4.5mm
NBDE450-BDZB	R 2,874	Dell 450-BDZB 280W USB-C GaN AC Adapter with Power Cord
NBDE450-BFFM	R 424	Dell 450-BFFM 65W USB-C AC Adapter with Power cord - South Africa, 1 m Power cord, USB Type-C Output Connector, 65 W Maximum Output Power
NBDE450-BGJW	R 1,218	Dell 450-BGJW 130W USB-C E5 AC Adapter with Red Top Plug Power Cord - South Africa
NBDE450-BGLY	R 1,862	Dell 450-BGLY 165W USB-C GaN AC Adapter with Power cord - South Africa
NBDE470-BFBN	R 562	Dell 470-BFBN DA225 Pro 4-in-1 USB-C Travel Hub, 27 cm cable length, 1.25 Gb/s Maximum Data Transfer Rate, 1x USB 3.2 Gen 2 Type-A Ports, 2x USB-C 3.2 Gen2 (10Gbps, Data only), 1x HDMI, 4K @ 60Hz screen mode supported, 3840x2160 supported resolutions
NBDE492-BDSB	R 1,413	Dell 492-BDSB 100W USB-C GaN Ultra Slim AC Adapter with Power cord - South Africa, USB-C connector, 100 to 240 VAC Input Voltage, 100W Output Power
NBHP1P3K6AA	R 336	HP 1P3K6AA 65W USB-C LC Power Adapter
NBHPAQ9X8AA	R 1,118	HP AQ9X8AA 230W Smart AC Adapter, 230W Power Output support for HP laptops and Mobile workstations, 19.5V DC Output Voltage, 4.5 mm barrel Type Connector, Power cable length is 100 cm, Non-detachable cable length is 180 cm, Includes AC Power Adapter and Power cord in the Box
NBHPH6Y89AA	R 388	HP 65W Smart AC Adapter (4.5mm), { Compatible with --> HP Pro x2 612 G1, HP ProTablet x2 612 G1, HP 255 G3, HP 250 G3, HP 255 G2, HP 250 G2, HP Spectre 13 Pro, HP Spectre x2, HP EliteBook Folio 1040 }
NBHPH6Y90AA	R 554	Commercial Notebook Accessories Compatibility Matrix : H6Y90AA, HP 90W Smart AC Adapter, { Compatible with --> PB 470 G4, PB 450 G4, PB 455 G4, PB 440 G4, PB 430 G4, PB 645 G3, PB 655 G3, ChromeB 13 G1, ChromeB 11 G5, Spectre Pro 13 G1, 250 G5, 255 G5, EB 1030 G1, Zbook 15u G3, PB 640 G2, PB 650 G2, PB 645 G2, PB 655 G2, EB 1040 G3, EB 850 G3, EB 840 G3, EB 820 G3, EB 745 G3, EB 755 G3, ChromeB 14 G4, PB 470 G3, PB 450 G3, PB 455 G3, PB 440 G3, PB 430 G3, EB 725 G3, ChromeB 11 G4, x360 310 G2, 350 G2, EB Revolve 810 G3, EB 1040 G2, EB 1020 G1, Zbook 15u G2, Zbook 14 G2, EB Folio 9480m, EB 850 G2, EB 840 G2, EB 820 G2, EB 750 G2, EB 740 G2, EB 720 G2, EB 750 G1, EB 740 G1, EB 720 G1, x360 310 G1, 355 G2, Pro x2 612 G1, PB 470 G2, EB 455 G2, PB 450 G2, PB 430 G2, EB 725 G2, EB 755 G2, EB 745 G2, 255 G3, 250 G3, 355 G1, 350 G1, ChromeB 14, Pro x2 612 G1, 255 G2, 250 G2, EB 810 G2, Spectre 13 Pro, Spectre x2, EB Folio 1040, ZBook 14, PB 470 G1, PB 450 G1, PB 655 G1, PB 650 G1, PB 645 G1, PB 640 G1, EB 820 G1, EB 850 G1, EB 840 G1, PB 430 G1, PB 455 G1, PB 450 G0, PB 470 G0, 255 G1, 250 G1, EB 810 G1, mt40, EB Folio 9480m, EB 2570p, EB 2170p, EB 8470w, PB 6570b, EB 8470p, PB 6475b, PB 6470b, PB 6570b, PB 4340s, PB 4540s, PB 4545s, PB 4740s, 655, 650 }
NBLE0A36265	R 547	Lenovo 0A36265 ThinkPad 65W AC Adapter Slim Tip, Square power Input
NBLE4X20E50564	R 964	Lenovo 4X20E50564 ThinkPad 135W AC Adapter Slim Tip, Square power Input
NBLE4X20M26259	R 504	Lenovo 4X20M26259 45W Standard AC Adapter (USB Type-C), Compatible with --> ThinkPad 13 2nd Gen / X1 Tablet 2nd Gen / X1 Yoga 2nd Gen / X1 Carbon 5th Gen / T470 / T470s / T570
NBLE4X20S56704	R 1,205	Lenovo 4X20S56704 ThinkPad 170W Slim Power Adapter Slim Tip, Square power Input
NBLE4X20S56720	R 1,862	Lenovo 4X20S56720 ThinkPad 230W slim power Adapter Slim Tip
NBLE4X20V24681	R 745	Lenovo 4X20V24681 ThinkPad 65W USB-C slim power Adapter
NET-DC35135-H	R 29	Unbranded DC adaptor 3.5 x 1.35 mm Male Red to 5.5 x 2.1 mm female Black, NET-DC35135
NET-DC4017-G	R 26	Unbranded DC adaptor 4.0 x 1.7 mm m Yellow to 5.5 x 2.1 mm female Black, NET-DC4017
NET-DC4817-F	R 26	Unbranded DC adaptor 4.8 x 1.7 mm male yellow to 5.5 x 2.1 mm female Black, NET-DC4817
NET-DC5521-D	R 26	Unbranded DC adaptor 5.5 x 2.1 mm male Blue to 5.5 x 2.1 mm female Black, NET-DC5521
NET-DC5525-C	R 28	Unbranded DC adaptor 5.5 x 2.5 mm male White to 5.5 x 2.1 mm female Black, NET-DC5525
NET-DC6044-A	R 28	Unbranded DC adaptor 6.0 x 4.4 mm male Black to 5.5 x 2.1 mm female Black, NET-DC6044
NET-DC6330-B	R 28	Unbranded DC adaptor 6.3 x 3.0 mm male Green to 5.5 x 2.1 mm female Black, NET-DC6330
NET-DC7450-J	R 28	Unbranded DC adaptor 7.4 x 5.0 mm male Black to 5.5 x 2.1 mm female Black, NET-DC7450
NET-DC7955-K	R 29	Unbranded DC adaptor 7.9 x 5.5 mm male Yellow to 5.5 x 2.1 mm female Black, NET-DC7955

NP.ADT0A.008	R 633	Acer AC Adapter Lite-on 65W 19 V retail pack, 1.7 x 5.5 x 11 cm - without power cord, Compatible with --> Acer TravelMate 6594 Notebook Series
PNA0450404	R 522	FSP 45W Universal ultrabook Adapter, 19V DC Output, 9 x exchangeable tips, 2.37A Output current
PNA0652511	R 564	FSP 65W Universal Notebook Adapter, 19V DC Output, 9 x exchangeable tips, 3.42A Output current
PNA0652521	R 437	FSP Pro 65W Universal Laptop Adapter - Acer, 19V Output Voltage, Exchangeable tips, 5.5mm, 4.1mm, 3mm
PNA0652522	R 437	FSP Pro 65W Universal Laptop Adapter - Asus, 19V Output Voltage, Exchangeable tips, 5.5mm, 4.5mm, 4mm
PNA0652523	R 477	FSP Pro 65W Universal Laptop Adapter - Dell, 19V Output Voltage, Exchangeable tips, 7.4mm, 4mm, 4.5mm
PNA0652524	R 437	FSP Pro 65W Universal Laptop Adapter - HP, 19V Output Voltage, Exchangeable tips, 7.4mm, 4.5mm
PNA0652525	R 437	FSP Pro 65W Universal Laptop Adapter - Lenovo, 19V Output Voltage, Exchangeable tips, 7.9mm, 4.1mm, 11mm
PNA0652603	R 601	FSP NB c Type-C 60W Universal Adapter
PNA0902209	R 642	FSP 90W Universal Notebook Adapter, 19V DC Output, 9 x exchangeable tips, 4.74A Output current
PNA0902215	R 368	FSP NB 90W Acer Notebook Adapter
PNA0902217	R 377	FSP NB 90W Dell Notebook Adapter
PNA0902218	R 368	FSP NB 90W HP Notebook Adapter
PNA0902219	R 368	FSP NB 90W Lenovo Notebook Adapter
PNA1000200	R 676	FSP NB 100W Type C Adapter SA Power Cord
PNA1200901	R 750	FSP Slim 120W Universal Notebook Adapter
PSU-TIP-N02-12V	R 53	LVSUN 12V 3-PIN (HP/ASUS) TIP NO.2. Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N03-20V	R 53	Lvsun 20v 3-pin (Asus) Tip No.3 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N04-19V	R 53	LVSUN 19V 3-PIN (HP/DELTA/ASUS/NEC) TIP NO.4 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N07-19V	R 53	Lvsun 19v 3-pin (Ibm/dell/compaq/asus/gateway/nec/lieon/toshiba/delta) Tip No.7. Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N08-12V	R 53	Lvsun 12v 3-pin Angled Dc (Acer/benq) Tip No.08 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N10-14V	R 53	LVSUN 14V 3-PIN (DELL/SAMSUNG) TIP NO.10 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N11-19V	R 53	LVSUN 19V 3-PIN (ACER/LITEON/TOSHIBA/DELTA) TIP NO.11 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N12-12V	R 53	LVSUN 12V 3-PIN (SAMSUNG/KODAK) TIP NO.12 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N17-19V	R 53	LVSUN 19V 3-PIN ANGLED DC (HP/COMPAQ) TIP NO.17. Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N18-19V	R 53	LVSUN 19V 3-PIN (ACER/LITEON/NEC) TIP NO.18 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N19-19V	R 53	LVSUN 19V 3-PIN (SAMSUNG) TIP NO.19 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N20-19V	R 53	LVSUN 19V 3-PIN (ASUS) TIP NO.20 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N22-19.5V	R 53	LVSUN 19.5V 3-PIN ANGLED DC 7MM (DELL) TIP NO.22 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N27-20V	R 61	LVSUN 20V 3-PIN (DELL) TIP NO.27 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N33-19V	R 53	LVSUN 19V 3-PIN (SAMSUNG ULTRABOOK) TIP NO.33 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
PSU-TIP-N35-20V	R 66	LVSUN 20V 3-PIN ANGLED DC (LENOVO) SQUARE TIP NO.35 Use with Lvsun USB To 3-pin Dc Cable (sold separately).
UNTC90W	R 344	Microworld UNTC90W Universal charger auto adjust - 90W, 10 connecter compatible - Asus / HP / Lenovo / Toshiba / NEC / Acer / Samsung / Sony / Dell / Liteon
USB-CHARGE-60W-TYPEC	R 484	LVSUN LS-PD60 60W Universal Type-c Notebook Charger
USB-CHARGER-P1123A01	R 963	Unitek GaN 100W Universal Travel Adapter, P1123ABK01, PD 100W USB-C Output (Max), 4x USB-C 1x USB Type-A charging Ports, Travel-friendly
USB-CHRG-87W-QC3-BLK	R 777	Lvsun 87w Qc3.0 Universal Notebook Charger (No Tips). LS-PD87-2C. Requires CAB-USB-3PIN Lvsun Usb To 3-pin Dc Cable and tips.
VK-8046-BK	R 368	Volkano Brio Series Type-C 45W Laptop charger, VK-8046-BK
VK-8047-BK	R 506	Volkano Omni Plus Universal 70W Laptop charger with 12V out, For All popular entry-level laptops, Automatic voltage sensing, 8 tips included

VK-8048-BK	R 586	Volkano Total Series Universal 90 Watt Laptop charger, 20 tips included, VK-8048-BK
VK8048BK	R 813	Volkano Total Series Universal 90 Watt Laptop charger, 20 tips included, VK-8048-BK
WA-30A19G	R 349	Geeko AC/DC Adapter Power Supply - 19V 1.58A 30W
WX-DC103	R 262	WINX charge Max Type-C 65W GaN Power Adapter, Type-C connection, Up to 65W GaN Output Power (Power Delivery 3.0)
WX-DC104	R 514	WINX Charge Pro Type-C 100W GaN Power Adapter, Type-C connection, Up to 100W GaN Output Power (Power Delivery 3.0)
WX-DC105	R 712	WINX charge Ultra Type-C 140W GaN Power Adapter, Up to 140W GaN Output Power (Power Delivery 3.1), Type-C connection

< Return to the menu

Notebook Keyboards

Product code	Price	Description
0JYP58	R 665	Dell 0JYP58 US English QWERTY Non-Backlit Keyboard replacement for Vostro Series 3500 15 model & Inspiron 3000 Series
CM7JH	R 791	Dell CM7JH US Keyboard for Dell Latitude 5420 (including 2-1) / 7420 / 7430 (including 2-1) / 7520, 79 keys, Backlit
KBAC5810-CB	R 160	Astrum KBAC5810-CB Laptop Replacement Keyboard For Acer 5810 Chocolate Black US
KBAC5830-CB	R 160	Astrum KBAC5830-CB Laptop Replacement Keyboard For Acer, 5830 Chocolate W/O F Black US
KBACA315-NB	R 160	Astrum Laptop Keyboard For Acer A315 Series
KBACE1-571-NB	R 160	Astrum KBACE1-571-NB Laptop Replacement Keyboard For Acer, E1-571 Normal Black US
KBASG60	R 160	Astrum Replacement Keyboard For Asus
KBDL15-3000	R 160	Astrum Laptop Replacement Keyboard for Dell 15-3000 - Normal Black US
KBDL3521-NB	R 160	Astrum KBDL3521-NB Laptop Replacement Keyboard For Dell, 15 3521 Normal Black US
KBDLN5010-NB	R 114	Astrum KBDLN5010-NB Laptop Replacement Keyboard For Dell, N5010 Normal Black US
KBDLN5040-NB	R 114	Astrum Laptop replacement Keyboard for Dell N5040 - normal Black US
KBHP15-DA	R 160	Astrum KBHP15-DA 15-DA 15-DB 15-DX 15-DB0030NR 15-DB0031NR, HP 15-DA 15-DB 15-DX 15-DK 15-CX 15-CN 15-CR 15-SC TPN-C136 C135 C133 15Q-DS
KBHP15A15AC	R 160	Astrum Laptop Keyboard For Hp 15A 15AC Black
KBHP250-G6	R 160	Astrum Keyboard For HP250 G6 Series
KBHP430 G3	R 160	Astrum KBHP430 G3 490.0D107 0201, 935425-001, V151530NS1, KBHP430 G3, T17071300576, 822338-001 840801-001 SG81510-XUA 6037b0114501, HP ProBook 430-G3, 440-G3, 440-G4, 445-G3, 446-G3
KBHP430 G5	R 160	Astrum KBHP430 G5 929820-001, 929820-001, 935653-001, L01072-001, KBHP430 G5, 9Z.NEESQ.001, NSK-XJ0SQ, HP ProBook 430-G5, 440-G5, 445-G5
KBHP450-G1	R 160	Astrum Keyboard For HP 450 G0, 455 G1, 470 G1, 470 G2
KBHP450-G3	R 160	Astrum Keyboard For HP PROBOOK 450 G3, 455 G3, 470 G3
KBHP4530-CB	R 160	Astrum KBHP4530-CB Laptop Replacement Keyboard For HP 4530S Chocolate W/O F Black US
KBHP4540-CB	R 160	Astrum KBHP4540-CB Laptop Replacement Keyboard For HP, 4540S Chocolate W/O F Black US
KBHP630-NB	R 138	Astrum KBHP630-NB Laptop Replacement Keyboard For HP, 630 Normal Black US
KBHP650-G1	R 208	Astrum Laptop Keyboard For Hp 650 G1 Black
KBHP650-G2	R 171	Astrum Laptop Keyboard For Hp 650 G2 Black
KBHPCQ60	R 106	Astrum KBHPCQ60 Laptop Replacement Keyboard For HP, CQ60 Normal Black US
KBHPCQ62-CB	R 160	Astrum Keyboard For Hp CQ62 Chocolate Key Black
KBHPM6-1000	R 106	Astrum Laptop replacement Keyboard for HP M6-1000 - normal Black US
KBHPPAV-15E-CB	R 114	Astrum KBHPPAV-15E-CB Laptop Replacement Keyboard For HP, PAV-15E Chocolate W/O F Black US
KBLES145-15	R 160	Astrum Laptop Keyboard For Lenovo S145-15iwl
KBLEV330-15ISK	R 277	Astrum KBLEV330-15ISK SN20M62734 PC5C-US LCM16K2 LCM16K23US-686, Lenovo Ideapad 330s-15isk s340-15api s340-15iil s340-15iml s340-15iwl v130-15igm v130-15ikb
KBLN110-15ACL	R 160	Astrum Keyboard For Lenovo Ideapad 110-15ACL, 15AST, 15IBR

KBLN110-15ISK	R 160	Astrum Keyboard For Lenovo Ideapad 110-15ISK
KBLN3000	R 114	Astrum KBLN3000 Laptop Replacement Keyboard For Lenovo, 3000 Normal Black US
KBLNG500-CB	R 160	Astrum KBLNG500-CB Laptop Replacement Keyboard For Lenovo, G500 Chocolate Black US
KBLNG5030-NB	R 160	Astrum Keyboard For Lenovo G50-30 Black
KBLNG570-CB	R 114	Astrum KBLNG570-CB Laptop Replacement Keyboard For Lenovo, G570 Chocolate Black US
KBLNG580-CB	R 160	Astrum KBLNG580-CB Laptop Replacement Keyboard For Lenovo, G580 Chocolate Black US
KBLNZ570-CB	R 106	Astrum KBLNZ570-CB Laptop Replacement Keyboard For Lenovo Z570 Chocolate Black US
KBTOC650-NB	R 160	Astrum KBTOC650-NB Laptop Replacement Keyboard For Toshiba C650 Normal Black US
KBTOC850-NB	R 160	Astrum KBTOC850-NB Laptop Replacement Keyboard For Toshiba C850 Normal Black US
KBTOL850-CB	R 106	Astrum Laptop replacement Keyboard for Toshiba L850 chocolate W/F Black US

< Return to the menu

Notebook LCD Hinges

Product code	Price	Description

< Return to the menu

Notebook LCD Inverters

Product code	Price	Description

< Return to the menu

Notebook LCD Screen Replacement

Product code	Price	Description
14S30	R 1,380	Microworld 14s30 Lcd 14" 30 Pin Slim
15630FHD	R 1,034	Microworld 15.6" Laptop screens 30 pin Full HD, 16:9 Display ratio, 220nits brightness, 500:1 contrast ratio, TFT panel Type, 60Hz Refresh Rate, Edp 30 pin Interface, W-LED backlight
15630SLM	R 1,034	Microworld 15.6" Laptop screens 30 pin Slim, 16:9 Display ratio, 220 nit brightness, Edp Interface Type, 400:1 contrast ratio, Matte plate Surface
LE140S30B	R 780	Astrum LE140S30B 14" 30PIN LCD HD 1366 X 768 Bend Conne, NT140WHM-N43 V8.0, NT140WHM-N43 V8.3, NT140WHM-N44, NT140WHM-N44 V8.0, LE140S30B, NT140WHM-N47, NT140WHM-N46, NT140WHM-N49, Slim with Bend connector
LE140S30P	R 891	Astrum LE140S30P - LED Laptop replacement screen 14.0" matte, Slim, 1366x768, 30pins
LE141N50P	R 769	Astrum LE141N50P LED Laptop Replacement Screen 14.1" , For Dell, 1440 x 900, 50pins
LE156L40P	R 1,337	Astrum LE156L40P 15.6" AUO B156HAN09.2 1A, PANDA LM156LF1F02, LG LP156WFG-SPP1, LP156WFG(SP)(P1), BOE NV156FHM-N4J V3.0, NV156FHM-NY4 V8.0, NV156FHM-NX3, LE156L40P, IPS 144Hz
LE156N30P	R 804	Astrum Screen 15.6" LED 30PIN 1366 x 768
LE156N40P	R 668	Astrum LE156N40P LED Laptop Replacement 15.6" Matte, 1366 x 768, 40pins
LE156S30P	R 836	Astrum LE156S30P - LED Laptop replacement 15.6" slim glossy, 1366x768, 30pins
LE156S30P FHD	R 40	Astrum Screen 15.6" LED 30 PIN FULL HD SLIM
LE156S30P-N61	R 948	Astrum Laptop Screen 15.6" 30p Full Hd

< Return to the menu

Notebook optical drives

Product code	Price	Description
726536-B21	R 1,012	HP 9.5mm SATA DVD-ROM JackBlack Gen9 Optical Drive
726537-B21	R 1,436	HP 9.5mm SATA DVD-RW JackBlack Gen9 Optical Drive
CW-H24D8iS	R 421	HP PA850A 24x cd-rw 8x DVD combo drive - Ide, Slim
L95SS-V1	R 144	Orico L95SS-V1 7 & 9.5mm Optical to 2.5" SATA Hard Drive Caddy, Aluminum Chassis. Convert CD / DVD bay to a 2.5" drive caddy. For 2.5 inch 7mm SATAI, II, III HDD / SSD.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Notebooks

Acer notebooks

Product code	Price	Description
Acer Aspire NX.J4GEA.003	R 10,536	Acer Aspire AG15-71P Series 13th gen Acer Aspire NX.J4GEA.003 AG15-71P-59QF Silver Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 3.2 Gen 2 Type-C Ports, HDMI output, 3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ACER Extensa 015 NX.ELKEA.003	R 12,548	Acer Extensa EXO15-41 Series ACER Extensa 015 NX.ELKEA.003 EXO15-41-R310 Grey Notebook, AMD Ryzen 5 7430U Hex Core 2.0Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 16GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" WXGA HD (1366 x 768 resolution) Comfyview TN Type LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 1 Type-C Ports, HDMI output, 2.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ACER Extensa 214 NX.EJQEA.001	R 15,510	Acer Extensa EXO14-71 Series Core Ultra ACER Extensa 214 NX.EJQEA.001 Black Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 2x USB 3.2 Gen 1 Type-C Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ACER Extensa 215 NX.EJ4EA.002	R 10,427	Acer Extensa EX215-24 Series ACER Extensa 215 NX.EJ4EA.002 EX215-24-R6Y4 Iron Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 2 Type-C Ports, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ACER Extensa 215 NX.EJ8EA.00J	R 17,151	Acer Extensa EX215-57 Series 13th gen ACER Extensa 215 NX.EJ8EA.00J Silver Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports, HDMI output, 3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ACER Extensa 215 NX.EJ9EA.011	R 16,717	Acer Extensa EX215-57 Series 13th gen ACER Extensa 215 NX.EJ9EA.011 EX215-57-5825 Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN,

		Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.1 Gen 3 Type-A Ports, USB Type-C, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ACER Extensa 215 NX.EJ9EA.016	R 15,510	Acer Extensa EX215-57 Series 13th gen ACER Extensa 215 NX.EJ9EA.016 EX215-57-51FH Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.1 Gen 3 Type-A Ports, USB Type-C, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ACER Extensa 215 NX.EJ9EA.017	R 21,422	Acer Extensa EX215-57 Series Core ACER Extensa 215 NX.EJ9EA.017 EX215-57-76S4 Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.1 Gen 3 Type-A Ports, USB Type-C, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ACER Extensa 215 NX.EJ9EA.019	R 23,775	Acer Extensa EX215-57 Series Core ACER Extensa 215 NX.EJ9EA.019 EX215-57-79BN Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 32GB DDR5-4800 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.1 Gen 3 Type-A Ports, USB Type-C, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
Acer Predator Helios Neo NH.QVQEA	R 59,247	Acer Predator Neo PHN16-73 Series Core Ultra Series 2 Acer Predator Helios Neo NH.QVQEA.00A PHN16-73-90G6 Black Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Comfyview IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 2.5 Gigabit LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 2 Type-A Ports, 2x USB 3.2 Gen 2 Type-C Ports, HDMI output, 2.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
Acer Predator Helios Neo NH.QX2EA.005	R 88,820	Acer Predator Neo PHN16-73 Series Core Ultra Series 2 Acer Predator Helios Neo NH.QX2EA.005 PHN16-73-96N8 Black Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 64GB DDR5-5600 SO-Dimm Memory (2x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Comfyview IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 Ti with 12GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 2.5 Gigabit LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 2 Type-A Ports, 2x USB 3.2 Gen 2 Type-C Ports, HDMI output, 2.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
Acer Predator Helios Neo NH.QX3EA	R 47,423	Acer Predator Neo PHN16-73 Series Core Ultra Series 2 Acer Predator Helios Neo NH.QX3EA.001 Black Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Comfyview IPS LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 2.5 Gigabit LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports (USB4 40Gbps / Thunderbolt 4), HDMI output, 2.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in

		warranty
ACER Travelmate P216 NX.BFQEA.002	R 22,665	Acer Travelmate P216-41 Series ACER Travelmate P216 NX.BFQEA.002 TMP216-41-TCO-R18V Black Notebook, AMD Ryzen 7 7735U Octa Core with Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, AMD Radeon 680M graphics 2200MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports 2, 1x USB Type-C port supporting USB4 40Gbps / Thunderbolt 4, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
ACER Travelmate P4 NX.B7ZEA.00B	R 27,334	Acer Travelmate Spin P4 P414RN-54 Series Core Ultra ACER Travelmate P4 NX.B7ZEA.00B TMP414RN-54-TCO-54RE Blue Notebook Tablet, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, HDMI output, Active Stylus, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ACER Travelmate P4 NX.B7ZEA.00C	R 30,894	Acer Travelmate Spin P4 P414RN-54 Series Core Ultra ACER Travelmate P4 NX.B7ZEA.00C TMP414RN-54-TCO-54RE Blue Notebook Tablet, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, HDMI output, Stylus, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ACER Travelmate P4 NX.B9BEA.003	R 21,422	Acer Travelmate P416-53 Series Core Ultra ACER Travelmate P4 NX.B9BEA.003 TMP416-53-TCO Slate Blue Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB3.2 Gen 1 Type A Ports, 2x USB 4.0 Type-C ports with Thunderbolt 4, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
ACER Travelmate P6 NX.BJMEA.001	R 41,511	Acer Travelmate P16 AI P614-54T Series Core Ultra Series 2 ACER Travelmate P6 NX.BJMEA.001 TMP614-54T-TCO-72H5 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A Ports, 2x USB Type-C ports, HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
ACER Travelmate X4 NX.BPUEA.001	R 23,775	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 ACER Travelmate X4 NX.BPUEA.001 TMX414-51-TCO-50ZJ Iron Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty

ACER Travelmate X4 NX.BPUEA.003	R 35,221	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 ACER Travelmate X4 NX.BPUEA.003 Iron Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
HP.NBETB.004	R 8,416	Acer E10 ETBook R3 Series HP.NBETB.004 Silver Netbook, AMD Ryzen 5 3500U Quad Core 2.1Ghz with Turbo Boost up to 3.7Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon RX Vega 8 graphics 1200MHz, 802.11b/g/n Wireless Lan, Webcam, Full Size Keyboard with Numpad, HDMI output, 1.7 kg, Microsoft Windows 8.1 Single Language Edition 64 bit, 1 Year Collect Repair and Return warranty
HP.NBETB.004	R 8,524	Acer E10 ETBook R3 Series HP.NBETB.004 Silver Netbook, AMD Ryzen 5 3500U Quad Core 2.1Ghz with Turbo Boost up to 3.7Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon RX Vega 8 graphics 1200MHz, 802.11b/g/n Wireless Lan, Webcam, Full Size Keyboard with Numpad, HDMI output, 1.7 kg, Microsoft Windows 8.1 Single Language Edition 64 bit, 1 Year Collect Repair and Return warranty
NH.QPEEA.005	R 18,716	Acer Nitro ANV15 Series NH.QPEEA.005 Black Notebook, AMD Ryzen 7 7735HS Octa Core 3.2Ghz with Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 40Gbps Type-C Port with DisplayPort & 65W Power Delivery, 3x USB 5Gbps Type-A Ports, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty
NH.QUAEA.00C	R 20,144	Acer Nitro V 15 ANV15-52 Series Core Series 2 NH.QUAEA.00C ANV15-52-53XA Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports 3, 1x USB 3.2 Gen 2 Type-C Ports, 1x Thunderbolt Port, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NH.QUAEA.00D	R 22,056	Acer Nitro V 15 ANV15-52 Series Core Series 2 NH.QUAEA.00D ANV15-52-715N Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports 3, 1x USB 3.2 Gen 2 Type-C Ports, 1x Thunderbolt Port, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NH.QUAEA.00D	R 20,227	Acer Nitro V 15 ANV15-52 Series Core Series 2 NH.QUAEA.00D ANV15-52-715N Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated

		graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports 3, 1x USB 3.2 Gen 2 Type-C Ports, 1x Thunderbolt Port, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NH.QYXEA.001	R 23,957	Acer Aspire Nitro V16 ANV16-42 Series NH.QYXEA.001 ANV16-42-R508 Black Notebook, AMD Ryzen 5 240 Six (6) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 180Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 2 Type-A Ports, 1x USB 4 Port, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty
NH.QYXEA.003	R 29,003	Acer Aspire Nitro V16 ANV16-42 Series NH.QYXEA.003 Black Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 2 Type-A Ports, 1x USB 4 Port, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty
NH.QZ9EA.00E	R 24,738	Acer Nitro ANV15-52 Series 13th gen NH.QZ9EA.00E ANV15-52-544V Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C Port, HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NH.U3NEA.001	R 23,014	Acer Nitro V 15 ANV15-A31 Series NH.U3NEA.001 Black Notebook, AMD Ryzen 5 150 Six (6) Core Turbo Boost up to 4.55Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports, 1x USB4 Port, HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NH.U3NEA.002	R 24,923	Acer Nitro V 15 ANV15-A31 Series NH.U3NEA.002 Black Notebook, AMD Ryzen 7 170 Eight (8) Core Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports, 1x USB4 Port, HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NH.U3NEA.002	R 20,837	Acer Nitro V 15 ANV15-A31 Series NH.U3NEA.002 Black Notebook, AMD Ryzen 7 170 Eight (8) Core Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports, 1x USB4 Port, HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NH.U3PEA.001	R 26,831	Acer Nitro V 15 ANV15-A31 Series NH.U3PEA.001 ANV15-A31-R02E Black Notebook, AMD Ryzen 7 170 Eight

		(8) Core Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports, 1x USB4 Port, HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NH.U3PEA.001	R 24,494	Acer Nitro V 15 ANV15-A31 Series NH.U3PEA.001 ANV15-A31-R02E Black Notebook, AMD Ryzen 7 170 Eight (8) Core Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports, 1x USB4 Port, HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.B3HEA.003	R 36,196	Acer Travelmate P614-53T Series 13th gen NX.B3HEA.003 TMP614-53T-TCO-76D3 Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 5G, Webcam, 1x USB 3.2 Gen 1 Type-A Ports, 2x USB Type-C ports, HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, ÂÂ© 2023 Laptop Direct
NX.B3XEA.00F	R 20,153	Acer Travelmate P214-55 Series 13th gen ACER Travelmate P214 NX.B3XEA.00F TMP214-55-TCO-713D Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 3.1 Gen 1 Type-A Ports, 1x USB 3.1 Gen 1 Type-C Port (Charging / Display Port / Data), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.B65EA.00J	R 23,153	Acer Travelmate P214-55-G2 Series Core NX.B65EA.00J TMP214-55-G2-TCO-72Y6 Steel Grey Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 4 Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.B7ZEA.006	R 30,101	Acer Travelmate Spin P4 P414RN-54 Series Core Ultra NX.B7ZEA.006 TMP414RN-54-TCO-54AU Blue Notebook Tablet, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.B7ZEA.007	R 33,027	Acer Travelmate Spin P4 P414RN-54 Series Core Ultra NX.B7ZEA.007 TMP414RN-54-TCO-76GK Blue Notebook Tablet, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit

		Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.B9BEA.003	R 21,690	Acer Travelmate P416-53 Series Core Ultra NX.B9BEA.003 Slate Blue Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB3.2 Gen 1 Type A Ports, 2x USB 4.0 Type-C ports with Thunderbolt 4, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.B9BEA.003	R 22,535	Acer Travelmate P416-53 Series Core Ultra NX.B9BEA.003 Slate Blue Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB3.2 Gen 1 Type A Ports, 2x USB 4.0 Type-C ports with Thunderbolt 4, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BCWEA.004	R 21,690	Acer Travelmate P216-51-G2 Series Core NX.BCWEA.004 TMP216-51-G2-TCO-58L0 Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports 2, 1x USB Type-C port supporting USB4 40Gbps / Thunderbolt 4, HDMI output, 2.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BCWEA.00N	R 24,006	Acer Travelmate P216-51-G2 Series Core NX.BCWEA.00N TMP216-51-G2-TCO-749F Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports 2, 1x USB Type-C port supporting USB4 40Gbps / Thunderbolt 4, HDMI output, 2.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BFQEA.001	R 17,118	Acer Travelmate P216-41 Series NX.BFQEA.001 TMP216-41-TCO-R844 Black Notebook, AMD Ryzen 5 7535U Hex Core 2.9Ghz with Turbo Boost up to 4.55Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, AMD Radeon 660M graphics 1900MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports 2, 1x USB Type-C port supporting USB4 40Gbps / Thunderbolt 4, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BFQEA.002	R 19,007	Acer Travelmate P216-41 Series NX.BFQEA.002 TMP216-41-TCO-R18V Black Notebook, AMD Ryzen 7 7735U Octa Core with Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, AMD Radeon 680M graphics 2200MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports 2, 1x USB Type-C port supporting USB4 40Gbps / Thunderbolt 4, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in

		warranty
NX.BFSEA.002	R 24,371	Acer Travelmate P416-54 Series Core Ultra Series 2 NX.BFSEA.002 TMP416-54-TCO-72XB Slate Blue Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB3.2 Gen 1 Type A Ports, 2x USB 4.0 Type-C ports with Thunderbolt 4, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BHHEA.00B	R 21,690	Acer Travelmate P216-51-G2 Series Core NX.BHHEA.00B TMP216-51-G2-TCO-59RJ Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports 2, 1x USB Type-C port supporting USB4 40Gbps / Thunderbolt 4, HDMI output, 2.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BJ2EA.00Q	R 15,961	Acer Travelmate P214-55 Series 13th gen NX.BJ2EA.00Q TMP214-55-39GY Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 2x USB 3.1 Gen 1 Type-A Ports, 1x USB 3.1 Gen 1 Type-C Port (Charging / Display Port / Data), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BJMEA.001	R 40,341	Acer Travelmate P16 AI P614-54T Series Core Ultra Series 2 NX.BJMEA.001 TMP614-54T-TCO-72H5 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A Ports, 2x USB Type-C ports, HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BL2EA.008	R 24,872	Acer Travelmate P214-55T-G2 Series Core NX.BL2EA.008 TMP214-55T-G2-TCO-59WX Steel Grey Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 4 Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BL2EA.00B	R 26,688	Acer Travelmate P214-55T-G2 Series Core NX.BL2EA.00B TMP214-55T-G2-TCO-79NZ Steel Grey Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 4 Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty

NX.BPUEA.001	R 23,275	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 NX.BPUEA.001 TMX414-51-TCO-50ZJ Iron Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BPUEA.003	R 31,442	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 NX.BPUEA.003 Iron Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BPUEA.003	R 32,417	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 NX.BPUEA.003 Iron Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQCEA.001	R 22,421	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 NX.BQCEA.001 TMX414-51-TCO-51CL Iron Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQCEA.001	R 22,420	Acer Travelmate X4 TMX414-51 Series Core Ultra Series 2 NX.BQCEA.001 TMX414-51-TCO-51CL Iron Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 ports, 1x USB 3.2 Type-A port, 1x USB 2.0 Type-A port, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQHEA.001	R 24,494	Acer Travelmate P214-75-G3 Series Core Ultra NX.BQHEA.001 TMP214-75-G3-TCO-534N Grey Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQHEA.002	R 27,663	Acer Travelmate P214-75-G3 Series Core Ultra NX.BQHEA.002 TMP214-75-G3-TCO-702K Grey Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory

		(1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQHEA.003	R 25,176	Acer Travelmate P214-75-G3 Series Core Ultra NX.BQHEA.003 TMP214-75-G3-TCO-77ZF Grey Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BQNEA.002	R 18,154	Acer Travelmate P214-55-G3 Series Core Ultra NX.BQNEA.002 TMP214-55-G3-TCO-54G Grey Notebook, Intel Core Ultra 5 115U Eight (8) Core Meteor Lake Turbo Boost up to 4.2Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BQQEA.001	R 25,311	Acer Travelmate P214-75-G3 Series Core Ultra NX.BQQEA.001 TMP214-75-G3-TCO-56PW Grey Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQQEA.002	R 28,151	Acer Travelmate P214-75-G3 Series Core Ultra NX.BQQEA.002 TMP214-75-G3-TCO-77DN Grey Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BQREA.001	R 25,311	Acer Travelmate P214-55-G3 Series Core Ultra NX.BQREA.001 TMP214-55-G3-TCO-56MU Grey Notebook, Intel Core Ultra 5 115U Eight (8) Core Meteor Lake Turbo Boost up to 4.2Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, 2x USB 4 Type-C / Thunderbolt 4 Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BQXEA.006	R 26,932	Acer Travelmate P216-71-G3 Series Core Ultra NX.BQXEA.006 TMP216-71-G3-TCO-701H Black Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO

		optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Type-A Gen 1, 2x Type-C Ports, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NX.BQXEA.00B	R 24,494	Acer Travelmate P216-71-G3 Series Core Ultra NX.BQXEA.00B TMP216-71-G3-TCO-56ZD Black Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Type-A Gen 1, 2x Type-C Ports, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NX.BR0EA.003	R 23,031	Acer Travelmate P216-51-G3 Series Core Ultra NX.BR0EA.003 TMP216-51-G3-TCO-51G6 Black Notebook, Intel Core Ultra 5 115U Eight (8) Core Meteor Lake Turbo Boost up to 4.2Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Type-A Gen 1, 2x Type-C Ports, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BR4EA.001	R 19,129	Acer Travelmate P216-51-G3 Series Core Ultra NX.BR4EA.001 TMP216-51-G3-TCO-5521 Black Notebook, Intel Core Ultra 5 115U Eight (8) Core Meteor Lake Turbo Boost up to 4.2Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Type-A Gen 1, 2x Type-C Ports, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.BSEEA.001	R 25,957	Acer Travelmate P214-57 Series Core Ultra Series 3 NX.BSEEA.001 TMP214-57-TCO-589M Grey Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BSEEA.002	R 27,785	Acer Travelmate P214-57 Series Core Ultra Series 3 NX.BSEEA.002 TMP214-57-TCO-75T Grey Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.BXYEA.002	R 27,297	Acer Travelmate Spin P214RN-51 Series Core Series 3 NX.BXYEA.002 TMP214RN-51-TCO-561C Grey Notebook Tablet, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display,

		Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-C (10Gbps), 2x USB 3.2 Gen 1 Type-A (5Gbps), HDMI output, Active Stylus, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.D3KEA.001	R 7,428	Acer Aspire Lite AL14-32P Series NX.D3KEA.001 Silver Notebook, Intel Core i3 Twin Lake Octa (8) Core i3-N355 Turbo Boost up to 3.9Ghz 6MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 2.0 port, 1x USB3.2 Gen 1 Type A Port, 1x USB3.2 Gen 2 Type C Port, HDMI output, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty, ÂÂ© 2025 Laptop Direct
NX.DFHEA.002	R 7,428	Acer Aspire Lite AL14-36P Series NX.DFHEA.002 Grey Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, 2x USB 3.2 Gen 1 Type A Ports, 2x USB 3.2 Gen 2 Type C Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty
NX.DJVEA.001	R 10,841	Acer Aspire Lite AL15-44P Series NX.DJVEA.001 AL15-44P-R34W Silver Notebook, AMD Ryzen 5 7430U Hex Core 2.0Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 16GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 2.0 Ports, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 1 Type-C Port, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NX.DJXEA.001	R 6,897	Acer Aspire Lite AL15-32P Series NX.DJXEA.001 AL15-32P-C651 Silver Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) LPDDR4 Memory onboard, Supports 8GB Max Mem, No memory slots, 128GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0 Type-C port, 3x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NX.DQNEA.001	R 10,841	Acer Aspire Lite AL14-46P Series NX.DQNEA.001 AL14-46P-R9PP Silver Notebook, AMD Ryzen 3 5400U Quad Core 2.6Ghz with Turbo Boost up to 4.0Ghz 8MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 8GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, AMD Radeon RX Vega 6 graphics 1600 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 2.0 Port, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 1 Type-C Port, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NX.DZAEA.002	R 8,891	Acer Aspire Lite AL15-47P Series NX.DZAEA.002 AL15-47P-R9GL Silver Notebook, AMD Ryzen 3 5400U Quad Core 2.6Ghz with Turbo Boost up to 4.0Ghz 8MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 8GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, AMD Radeon RX Vega 6 graphics 1600 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 1 Type-C Port, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NX.DZAEA.002	R 8,999	Acer Aspire Lite AL15-47P Series NX.DZAEA.002 AL15-47P-R9GL Silver Notebook, AMD Ryzen 3 5400U Quad Core 2.6Ghz with Turbo Boost up to 4.0Ghz 8MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 8GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, AMD Radeon RX Vega 6 graphics 1600 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 1 Type-C Port, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

NX.EJ9EA.011	R 16,569	Acer Extensa EX215-57 Series 13th gen NX.EJ9EA.011 EX215-57-5825 Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.1 Gen 3 Type-A Ports, USB Type-C, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EJ9EA.011	R 16,807	Acer Extensa EX215-57 Series 13th gen NX.EJ9EA.011 EX215-57-5825 Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.1 Gen 3 Type-A Ports, USB Type-C, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EJMEA.002	R 18,170	Acer Extensa EXO14-71 Series Core Ultra NX.EJMEA.002 EXO14-71-796W Black Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 2x USB 3.2 Gen 1 Type-C Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NX.EJQEA.001	R 14,543	Acer Extensa EXO14-71 Series Core Ultra NX.EJQEA.001 Black Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 2x USB 3.2 Gen 1 Type-C Ports, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Collect Repair and Return warranty
NX.ELVEA.001	R 17,180	Acer Extensa EXO14-72 Series Core Ultra NX.ELVEA.001 EXO14-72-51AG Iron Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 3.2 Gen 1 Type-C Ports, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EM2EA.003	R 20,837	Acer Extensa EXO14-52 Series Core Ultra NX.EM2EA.003 EXO14-52-722V Iron Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 3.2 Gen 1 Type-C Ports, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EM3EA.003	R 19,740	Acer Extensa EXO16-51 Series Core Ultra NX.EM3EA.003 EXO16-51-77QK Iron Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" FULL HD

		(1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 1 Type-C Ports, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EM3EA.004	R 16,205	Acer Extensa EXO16-51 Series Core Ultra NX.EM3EA.004 EXO16-51-53W7 Iron Notebook, Intel Core Ultra 5 115U Eight (8) Core Meteor Lake Turbo Boost up to 4.2Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 1x USB 3.2 Gen 1 Type-A Port, 2x USB 3.2 Gen 1 Type-C Ports, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EMBEA.002	R 19,618	Acer Extensa EXO15-51 Series Core Ultra NX.EMBEA.002 EXO15-51-76WA Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB3.2 Gen 1 Type A Ports, 2x USB3.2 Gen 2 Type C Ports, HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EMBEA.002	R 20,227	Acer Extensa EXO15-51 Series Core Ultra NX.EMBEA.002 EXO15-51-76WA Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB3.2 Gen 1 Type A Ports, 2x USB3.2 Gen 2 Type C Ports, HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.EMBEA.004	R 18,399	Acer Extensa EXO15-51 Series Core Ultra NX.EMBEA.004 EXO15-51-5183 Silver Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB3.2 Gen 1 Type A Ports, 2x USB3.2 Gen 2 Type C Ports, HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NX.J63EA.004	R 18,521	Acer Chromebook Plus 514 CBE594-2 Series Core NX.J63EA.004 CBE594-2-TCO-55US Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortView IPS LED Backlit Display, Intel Graphics, Wi-Fi 7, Bluetooth, Webcam, HDMI output, 1.4 kg, Google Chrome operating system 64 bit, 3 Year On-site warranty
NX.J7LEA.001	R 12,548	Acer Aspire Lite AL15-71P Series 12th gen NX.J7LEA.001 Silver Notebook, Intel Core i7 Adler Lake Ten (10) Core i7-12650H Turbo Boost up to 4.7Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel UHD Graphics for 12th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 1 Type-C Port, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty, Â© 2025

		Laptop Direct
NX.JAKEA.001	R 8,342	Acer Spin 511 R757T Series NX.JAKEA.001 R757T-TCO-C70Y Black 2in1 Notebook Tablet, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 4GB LPDDR5 Memory onboard, Supports 4GB Max Mem, No memory slots, 32GB eMMC Multimedia Card Storage, NO optical drive (No CD), 11.6" Capacitive Multi Touch Screen WXGA HD (1366 x 768 resolution) Glossy Type IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 2x USB Type-A ports, 2x USB Type-C port, HDMI output, Micro SD Card Reader, 1.4 kg, Google Chrome operating system 64 bit, 3 Year Carry in warranty
NX.JRREA.002	R 14,132	Acer Aspire Go AG15-72P Series Core NX.JRREA.002 AG15-72P-56M3 Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 3.2 Gen 2 Type-C Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 3 Year Carry in warranty
NX.JRREA.003	R 15,961	Acer Aspire Go AG15-72P Series Core NX.JRREA.003 AG15-72P-705P Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports, 2x USB 3.2 Gen 2 Type-C Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 3 Year Carry in warranty
NX.JTGEA.001	R 17,180	Acer Aspire Go AG16-71P Series Core NX.JTGEA.001 AG16-71P-70L6 Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 32GB DDR5-4800 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Comfyview IPS LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A Ports, 1x USB 3.2 Gen 2 Type-C Port, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NX.KECEA.004	R 9,134	Acer Spin 511 R757TN Series NX.KECEA.004 R756TN-TCO-C2E5 Black 2in1 Notebook Tablet, Intel Adler Lake Quad Core N100 Turbo Boost up to 3.4Ghz 6MB Cache Processor, 4GB LPDDR5 Memory onboard, Supports 4GB Max Mem, No memory slots, 32GB eMMC Multimedia Card Storage, NO optical drive (No CD), 11.6" Capacitive Multi Touch Screen WXGA HD (1366 x 768 resolution) Glossy Type IPS LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 2x USB Type-A ports, 2x USB Type-C port, HDMI output, Micro SD Card Reader, Active Stylus, 1.4 kg, Google Chrome operating system 64 bit, 3 Year Carry in warranty
NX.KZ7EA.001	R 6,714	Acer Aspire Lite AL15-31P Series NX.KZ7EA.001 AL15-31P-C56Q Black Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) LPDDR4 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Comfyview LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0 Type-C port, 2x USB 3.2 Gen 1 Type-A Ports, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
TMP214-52-71JW	R 17,968	Acer Travelmate P214-52 Series 10th gen TMP214-52-71JW Black Notebook, Intel Core i7 Comet Lake Quad Core i7-10510U 1.8Ghz with Turbo Boost up to 4.9Ghz 8MB L3 Cache Processor, 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Comfyview IPS LED Backlit Display, Intel UHD Graphics for 10th gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3x USB 3.1 Gen 1 Type-A Ports, 1x USB 3.1 Gen 1 Type-C Ports, HDMI output, TPM 2.0, 1.6 kg, Microsoft Windows 10 Professional 64 bit, 1 Year Carry in warranty
ZL.OTH11.055	R 6,818	Acer E10 ETBook ET-10NT Series ZL.OTH11.055 Grey Netbook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4 Memory onboard, Supports 8GB Max

	Mem, No memory slots, 256GB SSD Solid State Hard Drive, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3.2 Gen 1 Type A Ports, 2x USB3.2 Gen 2 Type C Ports, HDMI output, Micro SD Card Reader, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

< Return to the menu

Alienware notebooks

Product code	Price	Description
74-AC16250RPLHR007	R 42,546	Alienware 16 Aurora AC16250 Series Core Series 2 74-AC16250RPLHR007 Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-AC16251ARLHX008	R 48,875	Alienware 16X Aurora AC16251 Series Core Ultra Series 2 74-AC16251ARLHX008 Indigo Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with DisplayPort 2.1, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_006	R 45,604	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_006 Indigo Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_006	R 42,191	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_006 Indigo Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_007	R 51,987	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_007 Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7,

		10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_007	R 48,564	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_007 Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_010	R 63,044	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_010 Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_010	R 39,836	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_010 Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
AC16250_RPLH-R_014_HOM	R 64,763	Alienware 16 Aurora AC16250 Series Core Series 2 AC16250_RPLH-R_014_HOM Indigo Notebook, Intel Core 9 270H Series 2 Fourteen (14) Core Raptor Lake Turbo Boost up to 5.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
AC16251_ARLHX_013	R 56,387	Alienware 16X Aurora AC16251 Series Core Ultra Series 2 AC16251_ARLHX_013 Indigo Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortViewPlus 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with DisplayPort 2.1, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

DLAW16C5-16G512G11P	R 30,187	Alienware 16 Aurora AC16250 Series Core Series 2 DLAW16C5-16G512G11P Indigo Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 120Hz LED Backlit Display, nVidia Geforce RTX 3050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NBDEAC16250C5165121P	R 46,741	Alienware 16 Aurora AC16250 Series Core Series 2 NBDEAC16250C5165121P Indigo Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEAC16250C7161W11P	R 53,152	Alienware 16 Aurora AC16250 Series Core Series 2 NBDEAC16250C7161W11P Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEAC16250C7321W11P	R 65,196	Alienware 16 Aurora AC16250 Series Core Series 2 NBDEAC16250C7321W11P Indigo Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEAC16250C9321W11P	R 82,628	Alienware 16 Aurora AC16250 Series Core Series 2 NBDEAC16250C9321W11P Indigo Notebook, Intel Core 9 270H Series 2 Fourteen (14) Core Raptor Lake Turbo Boost up to 5.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) ComfortView 300nits 120Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4a ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery, HDMI output, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA15260EDB2W11H	R 42,754	Alienware 15 DA15260 Series Core 2 Series NBDEDA15260EDB2W11H Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200

		resolution) Non Gloss Type 300nits, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery / DisplayPort 1.4a port, 1x USB 3.2 Gen 1 Type-C port, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEDA15260EDB3W11H	R 43,023	Alienware 15 DA15260 Series Core 2 Series NBDEDA15260EDB3W11H Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits, 165Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery / DisplayPort 1.4a port, 1x USB 3.2 Gen 1 Type-C port, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEDA15260EDB5W11H	R 50,251	Alienware 15 DA15260 Series Core 2 Series NBDEDA15260EDB5W11H Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery / DisplayPort 1.4a port, 1x USB 3.2 Gen 1 Type-C port, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEDA15260EDB6W11H	R 29,321	Alienware 15 DA15260 Series Core 2 Series NBDEDA15260EDB6W11H Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits, 165Hz LED Backlit Display, nVidia Geforce RTX 3050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with Power Delivery / DisplayPort 1.4a port, 1x USB 3.2 Gen 1 Type-C port, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty

< Return to the menu

Apple Mac notebooks

Product code	Price	Description
MC6K4ZE/A	R 27,031	Apple MacBook Air 15 2025 MC6K4ZE/A Model A3241 Starlight Notebook, Apple M4 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Touch ID , Ambient light sensor, Force Touch trackpad, 1.5 kg, macOS , 1 Year Carry in warranty, Â© 2025 Laptop Direct
MC7C4ZE/A	R 23,203	Apple MacBook Air 15 2025 MC7C4ZE/A Model A3241 Sky Blue Notebook, Apple M4 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Touch ID , Ambient light sensor, Force Touch

		trackpad, 1.5 kg, macOS , 1 Year Carry in warranty
MC7D4ZE/A	R 28,762	Apple MacBook Air 15 2025 MC7D4ZE/A Model A3241 Sky Blue Notebook, Apple M4 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Touch ID , Ambient light sensor, Force Touch trackpad, 1.5 kg, macOS , 1 Year Carry in warranty, Â© 2025 Laptop Direct
MC7W4ZE/A	R 15,999	Apple MacBook Air MC7W4ZE/A Model A2681 Starlight Notebook, Apple M2 chip 8-core CPU with 4 performance cores & 4 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for (Charging / DisplayPort / Thunderbolt 3 up to 40Gb/s, USB 4 up to 40Gb/s / USB 3.1 Gen 2 up to 10Gb/s), Touch ID, Ambient light sensor, Force Touch trackpad, 1.3 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MC9K4ZE/A	R 22,240	Apple MacBook Air 15 2024 MC9K4ZE/A Model A3114 Starlight Notebook, Apple M3 chip 8-core CPU with 4 performance cores & 4 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Touch ID , Ambient light sensor, Force Touch trackpad, 1.5 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MDE14	R 41,695	Apple MacBook Pro 14 M5 MDE14ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, MDE14
MDE14ZE/A	R 39,318	Apple MacBook Pro 14 M5 MDE14ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE14ZE/A	R 37,955	Apple MacBook Pro 14 M5 MDE14ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE34ZE/A	R 43,146	Apple MacBook Pro 14 M5 MDE34ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1

		Year Carry in warranty
MDE34ZE/A	R 41,666	Apple MacBook Pro 14 M5 MDE34ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE44ZE/A	R 29,907	Apple MacBook Pro 14 M5 MDE44ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE54	R 41,695	Apple MacBook Pro 14 M5 MDE54 Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE54ZE/A	R 39,318	Apple MacBook Pro 14 M5 MDE54ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE54ZE/A	R 37,955	Apple MacBook Pro 14 M5 MDE54ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDE64	R 45,781	Apple MacBook Pro 14 M5 MDE64ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, MDE64
MDE64ZE/A	R 43,146	Apple MacBook Pro 14 M5 MDE64ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1

		Year Carry in warranty
MDE64ZE/A	R 41,666	Apple MacBook Pro 14 M5 MDE64ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MDH74ZE/A	R 25,019	Apple MacBook Air 13 M5 MDH74ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDH74ZE/A	R 24,692	Apple MacBook Air 13 M5 MDH74ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDH84ZE/A	R 30,870	Apple MacBook Air 13 M5 MDH84ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDH84ZE/A	R 30,350	Apple MacBook Air 13 M5 MDH84ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDH94ZE/A	R 34,905	Apple MacBook Air 13 M5 MDH94ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDH94ZE/A	R 34,246	Apple MacBook Air 13 M5 MDH94ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHA4ZE/A	R 25,019	Apple MacBook Air 13 M5 MDHA4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort /

		Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHA4ZE/A	R 24,692	Apple MacBook Air 13 M5 MDHA4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHC4ZE/A	R 30,870	Apple MacBook Air 13 M5 MDHC4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHC4ZE/A	R 30,350	Apple MacBook Air 13 M5 MDHC4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHD4ZE/A	R 34,905	Apple MacBook Air 13 M5 MDHD4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHD4ZE/A	R 34,246	Apple MacBook Air 13 M5 MDHD4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHE4ZE/A	R 25,019	Apple MacBook Air 13 M5 MDHE4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHE4ZE/A	R 24,692	Apple MacBook Air 13 M5 MDHE4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHF4ZE/A	R 30,870	Apple MacBook Air 13 M5 MDHF4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty

MDHF4ZE/A	R 30,350	Apple MacBook Air 13 M5 MDHF4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHG4ZE/A	R 34,905	Apple MacBook Air 13 M5 MDHG4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHG4ZE/A	R 34,246	Apple MacBook Air 13 M5 MDHG4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHH4ZE/A	R 25,019	Apple MacBook Air 13 M5 MDHH4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHH4ZE/A	R 24,692	Apple MacBook Air 13 M5 MDHH4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 super cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHJ4ZE/A	R 30,870	Apple MacBook Air 13 M5 MDHJ4ZE/A Sky Blue Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHJ4ZE/A	R 30,350	Apple MacBook Air 13 M5 MDHJ4ZE/A Sky Blue Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHK4	R 37,622	Apple MacBook Air 13 M5 MDHK4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty, MDHK4
MDHK4ZE/A	R 34,905	Apple MacBook Air 13 M5 MDHK4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6

		efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDHK4ZE/A	R 34,246	Apple MacBook Air 13 M5 MDHK4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.3 kg, macOS , 1 Year Carry in warranty
MDV94ZE/A	R 28,957	Apple MacBook Air 15 M5 MDV94ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDV94ZE/A	R 28,495	Apple MacBook Air 15 M5 MDV94ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVA4ZE/A	R 34,905	Apple MacBook Air 15 M5 MDVA4ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVA4ZE/A	R 34,246	Apple MacBook Air 15 M5 MDVA4ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVC4ZE/A	R 38,733	Apple MacBook Air 15 M5 MDVC4ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVC4ZE/A	R 37,955	Apple MacBook Air 15 M5 MDVC4ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVD4ZE/A	R 28,957	Apple MacBook Air 15 M5 MDVD4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem,

		No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVD4ZE/A	R 28,495	Apple MacBook Air 15 M5 MDVD4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVE4ZE/A	R 34,905	Apple MacBook Air 15 M5 MDVE4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVE4ZE/A	R 34,246	Apple MacBook Air 15 M5 MDVE4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVF4ZE/A	R 38,733	Apple MacBook Air 15 M5 MDVF4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVF4ZE/A	R 37,955	Apple MacBook Air 15 M5 MDVF4ZE/A Starlight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVH4ZE/A	R 28,957	Apple MacBook Air 15 M5 MDVH4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVH4ZE/A	R 28,495	Apple MacBook Air 15 M5 MDVH4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVK4ZE/A	R 34,905	Apple MacBook Air 15 M5 MDVK4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864

		resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVK4ZE/A	R 34,246	Apple MacBook Air 15 M5 MDVK4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVN4ZE/A	R 38,733	Apple MacBook Air 15 M5 MDVN4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVN4ZE/A	R 37,955	Apple MacBook Air 15 M5 MDVN4ZE/A Midnight Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVQ4ZE/A	R 28,957	Apple MacBook Air 15 M5 MDVQ4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVQ4ZE/A	R 28,495	Apple MacBook Air 15 M5 MDVQ4ZE/A Sky Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVT4ZE/A	R 34,246	Apple MacBook Air 15 M5 MDVT4ZE/A Sky Blue Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVT4ZE/A	R 34,905	Apple MacBook Air 15 M5 MDVT4ZE/A Sky Blue Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVU4ZE/A	R 38,733	Apple MacBook Air 15 M5 MDVU4ZE/A Sky Blue Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7,

		Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MDVU4ZE/A	R 37,955	Apple MacBook Air 15 M5 MDVU4ZE/A Sky Blue Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" Retina (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 (USB-C) ports with support for Charging / DisplayPort / Thunderbolt 4 (up to 40Gb/s) / USB 4 (up to 40Gb/s), 1.5 kg, macOS , 1 Year Carry in warranty
MGDN4	R 52,090	Apple MacBook Pro 14 M5 MGDN4ZE/A Silver Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty, MGDN4
MGDN4ZE/A	R 49,094	Apple MacBook Pro 14 M5 MGDN4ZE/A Silver Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDN4ZE/A	R 47,416	Apple MacBook Pro 14 M5 MGDN4ZE/A Silver Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDP4ZE/A	R 62,820	Apple MacBook Pro 14 M5 MGDP4ZE/A Silver Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDP4ZE/A	R 60,680	Apple MacBook Pro 14 M5 MGDP4ZE/A Silver Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDQ4ZE/A	R 80,569	Apple MacBook Pro 14 M5 MGDQ4ZE/A Silver Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1

		Year Carry in warranty
MGDQ4ZE/A	R 77,838	Apple MacBook Pro 14 M5 MGDQ4ZE/A Silver Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDR4	R 52,090	Apple MacBook Pro 14 M5 MGDR4ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty, MGDR4
MGDR4ZE/A	R 49,094	Apple MacBook Pro 14 M5 MGDR4ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDR4ZE/A	R 47,416	Apple MacBook Pro 14 M5 MGDR4ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDT4ZE/A	R 62,820	Apple MacBook Pro 14 M5 MGDT4ZE/A Space Black Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDT4ZE/A	R 60,680	Apple MacBook Pro 14 M5 MGDT4ZE/A Space Black Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGDU4ZE/A	R 80,569	Apple MacBook Pro 14 M5 MGDU4ZE/A Space Black Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1

		Year Carry in warranty
MGDU4ZE/A	R 77,838	Apple MacBook Pro 14 M5 MGDU4ZE/A Space Black Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MGE44ZE/A	R 58,883	Apple MacBook Pro 16 M5 MGE44ZE/A Silver Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE44ZE/A	R 56,877	Apple MacBook Pro 16 M5 MGE44ZE/A Silver Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE64ZE/A	R 70,683	Apple MacBook Pro 16 M5 MGE64ZE/A Silver Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE64ZE/A	R 68,285	Apple MacBook Pro 16 M5 MGE64ZE/A Silver Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE74ZE/A	R 86,225	Apple MacBook Pro 16 M5 MGE74ZE/A Silver Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE74ZE/A	R 83,311	Apple MacBook Pro 16 M5 MGE74ZE/A Silver Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE94ZE/A	R 98,025	Apple MacBook Pro 16 M5 MGE94ZE/A Silver Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 40-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR

		(3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 40-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGE94ZE/A	R 94,718	Apple MacBook Pro 16 M5 MGE94ZE/A Silver Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 40-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 40-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGEA4ZE/A	R 58,883	Apple MacBook Pro 16 M5 MGEA4ZE/A Space Black Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGEA4ZE/A	R 56,877	Apple MacBook Pro 16 M5 MGEA4ZE/A Space Black Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGEC4ZE/A	R 70,683	Apple MacBook Pro 16 M5 MGEC4ZE/A Space Black Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGEC4ZE/A	R 68,285	Apple MacBook Pro 16 M5 MGEC4ZE/A Space Black Notebook, Apple M5 Pro chip 18-core CPU with 6 super cores cores & 12 performance cores & 20-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGED4ZE/A	R 86,225	Apple MacBook Pro 16 M5 MGED4ZE/A Space Black Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGED4ZE/A	R 83,311	Apple MacBook Pro 16 M5 MGED4ZE/A Space Black Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina

		XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGEE4ZE/A	R 98,025	Apple MacBook Pro 16 M5 MGEE4ZE/A Space Black Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 40-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 40-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MGEE4ZE/A	R 94,718	Apple MacBook Pro 16 M5 MGEE4ZE/A Space Black Notebook, Apple M5 Max chip 18-core CPU with 6 super cores cores & 12 performance cores & 40-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 40-core GPU onboard, 16-core Neural Engine, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 2.2 kg, macOS , 1 Year Carry in warranty
MHFA4	R 14,381	Apple MacBook Neo MHFA4ZE/A Silver Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFA4
MHFA4ZE/A	R 13,122	Apple MacBook Neo MHFA4ZE/A Silver Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFA4ZE/A	R 13,099	Apple MacBook Neo MHFA4ZE/A Silver Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFC4	R 16,418	Apple MacBook Neo MHFC4ZE/A Touch ID Silver Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFC4
MHFC4ZE/A	R 14,950	Apple MacBook Neo MHFC4ZE/A Touch ID Silver Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFC4ZE/A	R 14,954	Apple MacBook Neo MHFC4ZE/A Touch ID Silver Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6,

		Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFD4	R 14,381	Apple MacBook Neo MHFD4ZE/A Citrus Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFD4
MHFD4ZE/A	R 13,099	Apple MacBook Neo MHFD4ZE/A Citrus Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFE4	R 16,418	Apple MacBook Neo MHFE4ZE/A Touch ID Citrus Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFE4
MHFE4ZE/A	R 14,950	Apple MacBook Neo MHFE4ZE/A Touch ID Citrus Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFE4ZE/A	R 14,954	Apple MacBook Neo MHFE4ZE/A Touch ID Citrus Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFF4ZE/A	R 13,122	Apple MacBook Neo MHFF4ZE/A Indigo Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFF4ZE/A	R 13,099	Apple MacBook Neo MHFF4ZE/A Indigo Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFG4	R 16,418	Apple MacBook Neo MHFG4ZE/A Touch ID Indigo Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFG4
MHFG4ZE/A	R 14,950	Apple MacBook Neo MHFG4ZE/A Touch ID Indigo Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty

MHFG4ZE/A	R 14,954	Apple MacBook Neo MHFG4ZE/A Touch ID Indigo Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFH4	R 14,381	Apple MacBook Neo MHFH4ZE/A Blush Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFH4
MHFH4ZE/A	R 13,122	Apple MacBook Neo MHFH4ZE/A Blush Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFH4ZE/A	R 13,099	Apple MacBook Neo MHFH4ZE/A Blush Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFJ4	R 16,418	Apple MacBook Neo MHFJ4ZE/A Touch ID Blush Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty, MHFJ4
MHFJ4ZE/A	R 14,950	Apple MacBook Neo MHFJ4ZE/A Touch ID Blush Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MHFJ4ZE/A	R 14,954	Apple MacBook Neo MHFJ4ZE/A Touch ID Blush Notebook, Apple A18 Pro chip 6-core CPU with 2 performance & 4 efficiency cores & 5-core GPU & 16-core Neural Engine, 8GB unified memory, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" (2408 x 1506 resolution) Glossy Type 500nits LED Backlit Display, 5-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 3 (USB-C) port, 1x USB 2 (USB-C) port, 1.3 kg, macOS , 1 Year Carry in warranty
MJ3D4ZE/A	R 47,181	Apple MacBook Pro 14 M5 MJ3D4ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 32GB unified memory, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJ3D4ZE/A	R 45,561	Apple MacBook Pro 14 M5 MJ3D4ZE/A Space Black Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 32GB unified memory, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort /

		Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJ3E4ZE/A	R 47,181	Apple MacBook Pro 14 M5 MJ3E4ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 32GB unified memory, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJ3E4ZE/A	R 45,561	Apple MacBook Pro 14 M5 MJ3E4ZE/A Silver Notebook, Apple M5 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 32GB unified memory, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJLV4ZE/A	R 58,883	Apple MacBook Pro 14 M5 MJLV4ZE/A Silver Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJLV4ZE/A	R 56,877	Apple MacBook Pro 14 M5 MJLV4ZE/A Silver Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJLW4ZE/A	R 58,883	Apple MacBook Pro 14 M5 MJLW4ZE/A Space Black Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MJLW4ZE/A	R 56,877	Apple MacBook Pro 14 M5 MJLW4ZE/A Space Black Notebook, Apple M5 Pro chip 15-core CPU with 5 super cores cores & 10 performance cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4& 5/ USB 4.0), HDMI output, SDXC card slot, Ambient Light Sensor, 1.6 kg, macOS , 1 Year Carry in warranty
MW0Y3ZE/A	R 17,437	Apple MacBook Air 2025 MW0Y3ZE/A Model A3240 Starlight Notebook, Apple M4 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 8-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.6" Retina 13.6 (2560 x 1664 resolution) Glossy Type 500nits LED Backlit Display, 8-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB

		4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Ambient Light Sensor, macOS , 1 Year Carry in warranty
MW1K3ZE/A	R 23,203	Apple MacBook Air 15 2025 MW1K3ZE/A Model A3241 Starlight Notebook, Apple M4 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Touch ID , Ambient light sensor, Force Touch trackpad, 1.5 kg, macOS , 1 Year Carry in warranty, Â© 2025 Laptop Direct
MW1M3ZE/A	R 23,203	Apple MacBook Air 15 2025 MW1M3ZE/A Model A3241 Midnight Notebook, Apple M4 chip 10-core CPU with 4 performance cores & 6 efficiency cores & 10-core GPU & 16-core Neural Engine, 16GB unified memory, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.3" (2880 x 1864 resolution) Glossy Type 500nits LED Backlit Display, 10-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, 1080p FaceTime HD camera, Backlit Keyboard, 2x Thunderbolt / USB 4 ports with support for Charging / DisplayPort / Thunderbolt 3 / USB 4, Touch ID , Ambient light sensor, Force Touch trackpad, 1.5 kg, macOS , 1 Year Carry in warranty, Â© 2025 Laptop Direct
MX2E3ZE/A	R 39,501	Apple MacBook Pro 14 M4 Pro MX2E3ZE/A Silver Notebook, Apple M4 Pro chip 12-core CPU with 8 performance cores & 4 efficiency cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2F3ZE/A	R 47,376	Apple MacBook Pro 14 M4 Pro MX2F3ZE/A Silver Notebook, Apple M4 Pro chip 14-core CPU with 10 performance cores & 4 efficiency cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2G3ZE/A	R 63,101	Apple MacBook Pro 14 M4 Max MX2G3ZE/A Silver Notebook, Apple M4 Max chip 14-core CPU with 10 performance cores & 4 efficiency cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2H3ZE/A	R 39,501	Apple MacBook Pro 14 M4 Pro MX2H3ZE/A Space Black Notebook, Apple M4 Pro chip 12-core CPU with 8 performance cores & 4 efficiency cores & 16-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 16-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2J3ZE/A	R 47,376	Apple MacBook Pro 14 M4 Pro MX2J3ZE/A Space Black Notebook, Apple M4 Pro chip 14-core CPU with 10 performance cores & 4 efficiency cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging /

		DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2K3ZE/A	R 63,101	Apple MacBook Pro 14 M4 Max MX2K3ZE/A Space Black Notebook, Apple M4 Max chip 14-core CPU with 10 performance cores & 4 efficiency cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Retina XDR (3024 x 1964 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 1.6 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2T3ZE/A	R 49,289	Apple MacBook Pro 16 M4 Pro MX2T3ZE/A Silver Notebook, Apple M4 Pro chip 14-core CPU with 10 performance cores & 4 efficiency cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2U3ZE/A	R 57,152	Apple MacBook Pro 16 M4 Pro MX2U3ZE/A Silver Notebook, Apple M4 Pro chip 14-core CPU with 10 performance cores & 4 efficiency cores & 20-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2V3ZE/A	R 68,952	Apple MacBook Pro 16 M4 Max MX2V3ZE/A Silver Notebook, Apple M4 Max chip 14-core CPU with 10 performance cores & 4 efficiency cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2W3ZE/A	R 78,838	Apple MacBook Pro 16 M4 Max MX2W3ZE/A Silver Notebook, Apple M4 Max chip 16-core CPU with 12 performance cores & 4 efficiency cores & 40-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 40-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2X3ZE/A	R 49,289	Apple MacBook Pro 16 M4 Pro MX2X3ZE/A Space Black Notebook, Apple M4 Pro chip 14-core CPU with 10 performance cores & 4 efficiency cores & 20-core GPU & 16-core Neural Engine, 24GB unified memory, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX2Y3ZE/A	R 57,152	Apple MacBook Pro 16 M4 Pro MX2Y3ZE/A Space Black Notebook, Apple M4 Pro chip 14-core CPU with 10 performance cores & 4 efficiency cores & 20-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 20-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging /

		DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX303ZE/A	R 68,952	Apple MacBook Pro 16 M4 Max MX303ZE/A Space Black Notebook, Apple M4 Max chip 14-core CPU with 10 performance cores & 4 efficiency cores & 32-core GPU & 16-core Neural Engine, 36GB unified memory, Supports 36GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 32-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct
MX313ZE/A	R 78,838	Apple MacBook Pro 16 M4 Max MX313ZE/A Space Black Notebook, Apple M4 Max chip 16-core CPU with 12 performance cores & 4 efficiency cores & 40-core GPU & 16-core Neural Engine, 48GB unified memory, Supports 48GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16.2" Retina XDR (3456 x 2234 resolution) Glossy Type 1000 nits LED Backlit Display, 40-core GPU onboard, 16-core Neural Engine, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt (USB-C) ports (Charging / DisplayPort / Thunderbolt 4&5/ USB 4.0), HDMI output, SDXC card slot, Touch ID , Ambient light sensor, 2.2 kg, macOS , 1 Year Carry in warranty, Â© 2024 Laptop Direct

< Return to the menu

Asus notebooks

Product code	Price	Description
A1504VA-I316512BL0X	R 12,791	Asus VivoBook 15 A1504VA Series 13th gen A1504VA-I316512BL0X Blue Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
A1504VAP-I516512BL0X	R 14,742	Asus VivoBook 15 X1504VAP Series Core A1504VAP-I516512BL0X Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS B1503CVA-C516512G0X	R 21,690	Asus ExpertBook B1503CVA Series Core Series 2 ASUS B1503CVA-C516512G0X Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS B1503CVA-C516512G1X	R 17,545	Asus ExpertBook B1503CVA Series Core ASUS B1503CVA-C516512G1X Grey Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with

		Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS B1503CVA-C73210G0X	R 38,390	Asus ExpertBook B1 B1503CVA Series Core Series 2 ASUS B1503CVA-C73210G0X Grey Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS B3405CCA-U516512GLX	R 24,006	Asus ExpertBook B3 B3405CCA Series Core Ultra ASUS B3405CCA-U516512GLX Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
ASUS B3405CCA-U716512GLX	R 27,054	Asus ExpertBook B3 B3405CCA Series Core Ultra ASUS B3405CCA-U716512GLX B3405CCA-U716512GLX Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
ASUS B9400CEA-I71610B1R	R 32,052	Asus B9400CEA Series 11th gen ASUS B9400CEA-I71610B1R Black Notebook, Intel Core i7 Tiger Lake Quad Core I7-1165G7 1.2Ghz with Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor, 16384MB (16GB) LPDDR4-4267 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 USB-C (up to 40 Gbps / DisplayPort and power delivery support), 1x USB 3.2 Gen 2 Type-A, HDMI output, Kensington Lock slot, 0.9 kg, Microsoft Windows 10 Professional 64 bit, 1 Year On-site warranty
ASUS B9406CAA-U73210G0X	R 41,925	Asus ExpertBook Premium B9406CAA Series Core Ultra Series 3 ASUS B9406CAA-U73210G0X Grey Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 600nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 support display / power delivery, HDMI output, 1.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year onsite warranty
ASUS B9406CAA-U76410B0X	R 75,814	Asus ExpertBook Premium B9406CAA Series Core Ultra Series 3 ASUS B9406CAA-U76410B0X Jet Fog Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 450 nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery,

		Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 support display / power delivery, HDMI output, 1.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS BR1104CTA-N00195W	R 6,045	Asus BR1104CTA Series ASUS BR1104CTA-N00195W Grey Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 128GB eMMC Multimedia Card Storage, M.2 2280 slot, NO optical drive (No CD), 11.6" WXGA HD (1366 x 768 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 1x USB 2.0 Type-C support power delivery, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty
ASUS E1504TA-N82B0W	R 9,522	Asus VivoBook Go 15 E1504TA Series 13th gen ASUS E1504TA-N82B0W Black Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS FA401UM-716512G0W	R 27,907	Asus TUF Gaming A14 FA401UM Series ASUS FA401UM-716512G0W Grey Gaming Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" 2.5K (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / power delivery, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / G-SYNC, 2x USB 3.2 Gen 2 Type-A, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS FA608UH-716512G0W	R 26,322	Asus TUF Gaming A16 FA608UH Series ASUS FA608UH-716512G0W Grey Gaming Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C USB 4 with support for DisplayPort (40Gbps), 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / PD), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS FX608JHR-I716512G0W	R 29,248	Asus TUF Gaming F16 FX608JHR Series 14th gen ASUS FX608JHR-I716512G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS FX608JMR-I71610G0W	R 31,808	Asus TUF Gaming F16 FX608JMR Series 14th gen ASUS FX608JMR-I71610G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2

		Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS G615JMR-I93210G0W	R 50,702	Asus ROG STRIX G16 G615JMR Series 14th gen ASUS G615JMR-I93210G0W Grey Gaming Notebook, Intel Core i9 Raptor Lake Twenty Four (24) Core i9-14900HX Turbo Boost up to 5.8Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula Display, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS G615LW-U93210G0W	R 88,613	Asus ROG STRIX G16 G615LW Series Core Ultra Series 2 ASUS G615LW-U93210G0W Grey Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 240Hz LED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with support for DisplayPort / power delivery / G-SYNC (data speed up to 120Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula Display, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS G815LP-U93210G0W	R 60,820	Asus ROG STRIX G18 G815LP Series Core Ultra Series 2 ASUS G815LP-U93210G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, 3.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS H7606WP-O93210B0X	R 70,938	Asus ProArt P16 OLED H7606WP Series ASUS H7606WP-O93210B0X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 4K (3840 x 2400 resolution) Glossy Type 400 nits, 120Hz OLED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 2 Type-A, 1x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, SD Express Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS H7606WP-O96420B2X	R 94,952	Asus ProArt P16 OLED H7606WP Series ASUS H7606WP-O96420B2X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500 nits, 120Hz OLED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 2 Type-A, 1x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, SD Express Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS H7606WR-O96420B0X	R 101,291	Asus ProArt P16 OLED H7606WR Series ASUS H7606WR-O96420B0X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Glossy Type 400 nits, 120Hz OLED Backlit

		Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C with support for display / power delivery (10Gbps), 1x USB 4.0 Gen 3 Type-C with support for display / power delivery (40Gbps), 2x USB 3.2 Gen 2 Type-A (10Gbps), HDMI output, SD Express Card Reader, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS H7606WX-O93210B0X	R 94,952	Asus ProArt P16 OLED H7606WP Series ASUS H7606WX-O93210B0X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Glossy Type 400 nits, 120Hz OLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 2 Type-A, 1x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, SD Express Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS H7606WX-O96420B0X	R 122,745	Asus ProArt P16 OLED H7606WP Series ASUS H7606WX-O96420B0X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Glossy Type 400 nits, 120Hz OLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 2 Type-A, 1x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, SD Express Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS H7606WX-O96440B0X	R 139,080	Asus ProArt P16 OLED H7606WP Series ASUS H7606WX-O96440B0X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Glossy Type 400 nits, 120Hz OLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 2 Type-A, 1x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, SD Express Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS P1503CVA-C716512G0W	R 14,010	Asus ExpertBook P1 P1503CVA Series Core Series 2 ASUS P1503CVA-C716512G0W Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS P3406CCAP-U516512G0X	R 21,081	Asus ExpertBook P3 G1 P3406CCA Series Core Ultra Series 2 ASUS P3406CCAP-U516512G0X Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4, compliant with USB4, support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS P3406CCAP-U716512G0X	R 22,909	Asus ExpertBook P3 G1 P3406CCA Series Core Ultra Series 2 ASUS P3406CCAP-U716512G0X Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm

		Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4, compliant with USB4, support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS P3606CCA-U516512G0X	R 26,688	Asus ExpertBook P3 G1 P3606CCA Series Core Ultra Series 2 ASUS P3606CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
ASUS P3606CCA-U716512G0X	R 28,516	Asus ExpertBook P3 G1 P3606CCA Series Core Ultra Series 2 ASUS P3606CCA-U716512G0X Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS P3606CCAP-U516512G0W	R 18,277	Asus ExpertBook P3 G1 P3606CCAP Series Core Ultra Series 2 ASUS P3606CCAP-U516512G0W Misty Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS P3606CCAP-U716512G0W	R 20,593	Asus ExpertBook P3 G1 P3606CCAP Series Core Ultra Series 2 ASUS P3606CCAP-U716512G0W Misty Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS P5405CAA-U716512GAIX	R 30,954	Asus ExpertBook P5405CAA Series Core Ultra Series 3 ASUS P5405CAA-U716512GAIX Grey Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 supports

		display / power delivery, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS PM5406CKA-R516512GAIW	R 20,349	Asus ExpertBook PM5406CKA Series ASUS PM5406CKA-R516512GAIW Grey Notebook, AMD Ryzen AI 5 330 Four (4) Core Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type LED Backlit Display, AMD Radeon 820M Graphics, AMD Ryzen AI 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS TP3407SA-OU716512G1X	R 29,248	Asus Vivobook 14 Flip OLED TP3407SA Series Core Ultra Series 2 ASUS TP3407SA-OU716512G1X Grey Notebook Tablet, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 300nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (data speed up to 5Gbps), 1x USB 3.2 Gen 2 Type-C with support for display / power delivery (data speed up to 20Gbps), 1x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS TP5408QA-OQ16512BL0X	R 27,297	Asus Vivobook S14 Flip OLED TP5408QA Series ASUS TP5408QA-OQ16512BL0X Blue Notebook Tablet, Qualcomm Snapdragon X X1-26-100 8 Oryon CPU cores up to 2.98GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 300nits OLED Backlit Display, Adreno X1-45 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 2x USB 3.2 Gen 2 Type-C with support for display / power delivery (10Gbps), HDMI output, Stylus, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS UM3406GA-O73210B0W	R 27,907	Asus Zenbook 14 OLED UM3406GA Series ASUS UM3406GA-O73210B0W Black Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C with support for display / power delivery, 1x USB 4.0 Gen 3 Type-C with support for display / power delivery, HDMI output, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS UM3406KA-O71610B0W	R 22,909	Asus Zenbook 14 OLED UM3406KA Series ASUS UM3406KA-O71610B0W Black Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C with support for display / power delivery, 1x USB 4.0 Gen 3 Type-C with support for display / power delivery, HDMI output, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS UM5606GA-O93220G0W	R 50,702	Asus Zenbook S 16 OLED UM5606WA Series ASUS UM5606GA-O93220G0W Grey Notebook, AMD Ryzen AI 9 465 Ten (10) Core 2.0Ghz with Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, AMD Radeon 880M Graphics, AMD Ryzen AI 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A, 2x USB 4.0 Gen 3 Type-C support display / power delivery,

		HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS UM5606GA-O93220G0X	R 54,481	Asus Zenbook S 16 OLED UM5606WA Series ASUS UM5606GA-O93220G0X Grey Notebook, AMD Ryzen AI 9 465 Ten (10) Core 2.0Ghz with Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, AMD Radeon 880M Graphics, AMD Ryzen AI 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A, 2x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS UX3405CA-OU93210BL1X	R 50,702	Asus Zenbook 14 OLED UX3405CA Series Core Ultra Series 2 ASUS UX3405CA-OU93210BL1X Ponder Blue Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500nits, 120Hz OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Touchpad support NumberPad, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS UX5406AA-OU93210G0X	R 53,872	Asus Zenbook S 14 OLED UX5406AA Series Core Ultra Series 3 ASUS UX5406AA-OU93210G0X Grey Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" 3K (2880 x 1800 resolution) Glossy Type 400nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A (data speed up to 10Gbps), 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Stylus, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS UX8406CA-0U91610G2W	R 45,704	Asus Zenbook Duo OLED UX8406CA Series Core Ultra Series 2 UX8406CA-0U91610G2W Inkwell Grey Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 60Hz, 400nits OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Soft Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS UX8407AA-OU93210G1W	R 68,378	Asus Zenbook Duo OLED UX8407AA Series Core Ultra Series 3 ASUS UX8407AA-OU93210G1W Grey Notebook, Intel Core Ultra 9 388H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.1Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 500nits, 144Hz OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Soft Keyboard, 1x USB 3.2 Gen 2 Type-A (10Gbps), 2x Thunderbolt 4 with support for display / power delivery (40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS UX8407AA-OU93220G2X	R 73,498	Asus Zenbook Duo OLED UX8407AA Series Core Ultra Series 3 ASUS UX8407AA-OU93220G2X Grey Notebook, Intel Core Ultra 9 378H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.0Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 500nits, 144Hz OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell

		Battery, Soft Keyboard, 1x USB 3.2 Gen 2 Type-A (10Gbps), 2x Thunderbolt 4 with support for display / power delivery (40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ASUS X1504MA-I716512BL0W	R 20,349	Asus VivoBook 15 X1504MA Series Core Series 3 ASUS X1504MA-I716512BL0W Blue Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS X1504VAP-I382BL0W	R 11,572	Asus VivoBook 15 X1504VAP Series Core ASUS X1504VAP-I382BL0W Blue Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS X1504VAP-I516512BL4W	R 17,911	Asus VivoBook 15 X1504VAP Series Core ASUS X1504VAP-I516512BL4W Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS X1504VAP-I58512BL4W	R 15,351	Asus VivoBook 15 X1504VAP Series Core ASUS X1504VAP-I58512BL4W Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS X1504VAP-I71610BL0W	R 19,130	Asus VivoBook 15 X1504VAP Series Core ASUS X1504VAP-I71610BL0W Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS X1652DA-516512S0W	R 13,401	Asus VivoBook 16 X1652DA Series ASUS X1652DA-516512S0W Silver Notebook, AMD Ryzen 5 3501U Quad Core 2.1Ghz with Turbo Boost up to 3.7Ghz 4MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, AMD Radeon Vega 8 Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A (5Gbps), 2x USB 3.2 Gen 1 Type-C with support for display / power delivery (5Gbps), HDMI output, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ASUS X1652DA-582S0W	R 12,182	Asus VivoBook 16 X1652DA Series ASUS X1652DA-582S0W Silver Notebook, AMD Ryzen 5 3501U Quad Core 2.1Ghz with Turbo Boost up to 3.7Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory

		(1x8192), Supports 32GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, AMD Radeon RX Vega 8 graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A (5Gbps), 2x USB 3.2 Gen 1 Type-C with support for display / power delivery (5Gbps), HDMI output, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
B1502CGA-I38128B1X	R 9,866	Asus ExpertBook B1502CGA Series B1502CGA-I38128B1X Star Black Notebook, Intel Core i3 Adler Lake Octa (8) Core i3-N305 Turbo Boost up to 3.8Ghz 6MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 1 Memory slot, 128GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C support power delivery, 1x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B1503CVA-C716512G0X	R 23,970	Asus ExpertBook B1 B1503CVA Series Core Series 2 ASUS B1503CVA-C716512G0X Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B1503CVA-C716512G1X	R 23,275	Asus ExpertBook B1 B1503CVA Series Core Series 2 B1503CVA-C716512G1X Grey Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B1503CVA-I716512B0X	R 17,180	Asus ExpertBook B1503CVA Series 13th gen B1503CVA-I716512B0X Grey Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, ÂÂ© 2025 Laptop Direct
B1503CVA-S75396X	R 12,304	Asus ExpertBook B1503CVA Series 13th gen B1503CVA-S75396X Grey Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B1503CVAC73210G0X	R 20,823	Asus ExpertBook B1 B1503CVA Series Core Series 2 ASUS B1503CVAC73210G0X Grey Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x

		1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B3402FBA-I58512G0X	R 19,008	Asus ExpertBook B3402FBA Series 12th gen B3402FBA-I58512G0X Star Black Notebook Tablet, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 48GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 supports display / power delivery, HDMI output, MPP 2.0 garaged stylus, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3402FEA-I78512B1X	R 22,787	Asus ExpertBook B3402FEA Series 11th gen B3402FEA-I78512B1X Star Black Notebook Tablet, Intel Core i7 Tiger Lake Quad Core i7-1165G7 1.2Ghz with Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 supports display / power delivery, HDMI output, MPP 2.0 garaged stylus, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty, Â© 2023 Laptop Direct
B3402FVA-C716512B0W	R 19,618	Asus ExpertBook B3 Flip B3402FVA Series Core B3402FVA-C716512B0W Star Black Notebook Tablet, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, MPP 2.0 garaged stylus, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
B3402FVA-EC2220X	R 24,494	Asus ExpertBook B3 Flip B3402FVA Series Core B3402FVA-EC2220X Star Black Notebook Tablet, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, MPP 2.0 garaged stylus, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
B3402FVA-EC2497X	R 22,056	Asus ExpertBook B3 Flip B3402FVA Series Core B3402FVA-EC2497X Star Black Notebook Tablet, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, MPP 2.0 garaged stylus, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
B3402FVA-EC2703X	R 16,168	Asus ExpertBook B3 Flip B3402FVA Series Core B3402FVA-EC2703X Star Black Notebook Tablet, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores &

		8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, MPP 2.0 garaged stylus, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
B3402FVA-I516512B3X	R 23,799	Asus ExpertBook B3 Flip B3402FVA Series 13th gen B3402FVA-I516512B3X Star Black Notebook Tablet, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 48GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B3402FVA-I716512B0W_Z10	R 17,180	Asus ExpertBook B3 Flip B3402FVA Series 13th gen B3402FVA-I716512B0W_Z10 Star Black Notebook Tablet, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct
B3404CMA-U716512B0X	R 23,909	Asus ExpertBook B3 B3404CMA Series Core Ultra B3404CMA-U716512B0X Star Black Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 supports display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3405CCA-LY3723X	R 25,713	Asus ExpertBook B3 B3405CCA Series Core Ultra Series 2 B3405CCA-LY3723X Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3405CCA-U516512G0X	R 22,190	Asus ExpertBook B3 B3405CCA Series Core Ultra B3405CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G

		(LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3405CCA-U516512G0X-1	R 23,275	Asus ExpertBook B3 B3405CCA Series Core Ultra B3405CCA-U516512G0X-1 Grey Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B3405CCA-U516512GLX	R 27,261	Asus ExpertBook B3 B3405CCA Series Core Ultra B3405CCA-U516512GLX Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3405CCA-U716512G0X	R 24,006	Asus ExpertBook B3 B3405CCA Series Core Ultra B3405CCA-U716512G0X Grey Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3405CCA-U716512G0X-1	R 24,006	Asus ExpertBook P3 G1 P3606CCAP Series Core Ultra Series 2 P3606CCAP-U716512G0W-1 Misty Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
B3405CCA-U716512GLX	R 29,065	Asus ExpertBook B3 B3405CCA Series Core Ultra B3405CCA-U716512GLX Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
B3604CMA-QV0439X	R 23,996	Asus ExpertBook B3 B3604CMA Series Core Ultra B3604CMA-QV0439X Black Notebook, Intel Core Ultra 7 155H

		Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 supports display / power delivery, HDMI output, SD Card Reader, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
B5402CVA-KC0542X	R 19,264	Asus ExpertBook B5 B5402CVA Series 13th gen B5402CVA-KC0542X Star Black Notebook, Intel Core i5 Raptor Lake Twelve (12) Core i5-1340P Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-4800 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4, compliant with USB4, supports display / power delivery, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
B5405CCA-U516512G0X	R 20,837	Asus ExpertBook B5 B5405CCA Series Core Ultra Series 2 B5405CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty, ÂÂ© 2025 Laptop Direct
B9406CAA-U76410B0X	R 73,254	Asus ExpertBook Premium B9406CAA Series Core Ultra Series 3 B9406CAA-U76410B0X Jet Fog Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 450 nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 support display / power delivery, HDMI output, 1.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
BR1100CKA-C4128G1W	R 7,662	Asus BR1100FKA Series BR1100CKA-C4128G1W Grey Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 4096MB (4GB) DDR4-2400 Memory onboard, Supports 4GB Max Mem, No memory slots, 128GB eMMC Multimedia Card Storage, M.2 2280 slot, NO optical drive (No CD), 11.6" WXGA HD (1366 x 768 resolution) Glossy Type LED Backlit Display, Intel UHD Graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C support power delivery, HDMI output, 1.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Collect Repair and Return warranty
BR1402CGA-I382G1W	R 8,647	Asus Rugged BR1402CGA Series Core ASUS BR1402CGA-I382G1W Grey Notebook Tablet, Intel Core i3 Adler Lake Octa (8) Core i3-N305 Turbo Boost up to 3.8Ghz 6MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 60Hz LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 1x USB 3.2 Gen 1 Type-C support display / power delivery, 1x USB2.0 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
BR1402FGA-NT0675XA	R 11,696	Asus Rugged BR1402FGA Series Core BR1402FGA-NT0675XA Grey Notebook Tablet, Intel Adler Lake Quad Core N100 Turbo Boost up to 3.4Ghz 6MB Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory

		(1x8192), Supports 8GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Glossy Type 60Hz LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 1 Type-C support display / power delivery, 1x USB 2.0 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, Garageble Stylus Pen, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
CX5403CMA-QN0508	R 26,493	Asus Chromebook CX5403CMA Series Core Ultra CX5403CMA-QN0508 Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) Non Gloss Type 500nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4, HDMI output, Micro SD Card Reader, 1.3 kg, Google Chrome operating system , 3 Year On-site warranty
E1504FA-382B1W	R 7,576	Asus VivoBook Go 15 E1504FA Series E1504FA-382B1W Black Notebook, AMD Ryzen 3 30 Four (4) Core Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon 610M graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504FA-382S1W	R 7,576	Asus VivoBook Go 15 E1504FA Series E1504FA-382S1W Silver Notebook, AMD Ryzen 3 7320U Quad Core 2.4Ghz with Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon 610M graphics 1900 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504FA-382S1W	R 7,915	Asus VivoBook Go 15 E1504FA Series E1504FA-382S1W Silver Notebook, AMD Ryzen 3 7320U Quad Core 2.4Ghz with Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon 610M graphics 1900 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504FA-O58512B0W	R 10,597	Asus VivoBook E1504FA Series ASUS E1504FA-O58512B0W Green Grey Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 8GB DDR5-4800 Memory onboard, Supports 8GB Max Mem, No Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, ASUS SonicMaster Audio, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504TA-N82B0W	R 9,522	Asus VivoBook Go 15 E1504TA Series 13th gen E1504TA-N82B0W Black Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504TA-N82B0W	R 7,624	Asus VivoBook Go 15 E1504TA Series 13th gen E1504TA-N82B0W Black Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3

		Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504TA-N82B0W	R 9,393	Asus VivoBook Go 15 E1504TA Series 13th gen E1504TA-N82B0W Black Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E1504TA-N82B0W	R 7,204	Asus VivoBook Go 15 E1504TA Series 13th gen E1504TA-N82B0W Black Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E410MA-C42BL1W	R 5,416	Asus Vivobook Go 14 E410MA Series E410MA-C42BL1W Peacock Blue Notebook, Intel Celeron Dual Core N4020 1.10Ghz with Turbo Boost up to 2.8Ghz 4MB L3 Cache Processor, 4096MB (4GB) DDR4 Memory onboard, Supports 4GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WXGA HD (1366 x 768 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics 600, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, HDMI output, 1.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA506NCG-78512B0W	R 18,399	Asus TUF Gaming A15 FA506NCR Series FA506NCG-78512B0W Black Gaming Notebook, AMD Ryzen 5 7640HS Hex Core 4.3Ghz with Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support DisplayPort, 3x USB 3.2 Gen 1 Type-A, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA506NCG-78512B0W	R 17,911	Asus TUF Gaming A15 FA506NCR Series FA506NCG-78512B0W Black Gaming Notebook, AMD Ryzen 5 7640HS Hex Core 4.3Ghz with Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support DisplayPort, 3x USB 3.2 Gen 1 Type-A, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA506NCG-78512B0W	R 16,014	Asus TUF Gaming A15 FA506NCR Series FA506NCG-78512B0W Black Gaming Notebook, AMD Ryzen 5 7640HS Hex Core 4.3Ghz with Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support DisplayPort, 3x USB 3.2 Gen 1 Type-A, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA506NCG-78512B0W	R 20,146	Asus TUF Gaming A15 FA506NCR Series FA506NCG-78512B0W Black Gaming Notebook, AMD Ryzen 7 7445HS Hex Core 3.55Ghz with Turbo Boost up to 4.7Ghz 16MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6,

		10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support DisplayPort, 3x USB 3.2 Gen 1 Type-A, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA608PM-91610G0W	R 39,225	Asus TUF Gaming A16 FA608PM Series FA608PM-91610G0W Grey Gaming Notebook, AMD Ryzen 9 8940HX Sixteen (16) Core up to 5.3Ghz 64MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" 2.5K (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / G-SYNC, 3x USB 3.2 Gen 2 Type-A, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G-SYNC, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA608UH-716512G0W	R 26,582	Asus TUF Gaming A16 FA608UH Series FA608UH-716512G0W Grey Gaming Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C USB 4 with support for DisplayPort (40Gbps), 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / PD), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA608UHI-71610G0W	R 34,170	Asus TUF Gaming A16 FA608UHI Series FA608UHI-71610G0W Grey Gaming Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" 2.5K (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C USB 4 with support for DisplayPort (40Gbps), 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / PD), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA608UHI-716512G0W	R 32,070	Asus TUF Gaming A16 FA608UHI Series FA608UHI-716512G0W Grey Gaming Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" 2.5K (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (data speed up to 10Gbps), 1x USB 2.0 Type-A, 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FA608UMI-716512G0W	R 33,027	Asus TUF Gaming A16 FA608UMI Series FA608UMI-716512G0W Grey Gaming Notebook, AMD Ryzen 7 260 Eight (8) Core Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" 2.5K (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C USB 4 with support for DisplayPort (40Gbps), 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / PD), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX506HM-I516512B0W	R 22,909	Asus TUF Gaming 15 FX506HM Series 11th gen FX506HM-I516512B0W Black Gaming Notebook, Intel Core i5

		Tiger Lake Hex Core i5-11400H 2.2Ghz with Turbo Boost up to 4.5Ghz 12MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3060 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 support DisplayPort, 3x USB 3.2 Gen 1 Type-A porrts, HDMI output, DTS:X Ultra audio, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2024 Laptop Direct
FX608JHI-I716512G0W	R 34,855	Asus TUF Gaming F16 FX608JHI Series 14th gen FX608JHI-I716512G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JHR-I716512G0W	R 26,152	Asus TUF Gaming F16 FX608JHR Series 14th gen FX608JHR-I716512G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JHR-I716512G0W	R 27,579	Asus TUF Gaming F16 FX608JHR Series 14th gen FX608JHR-I716512G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JMI-I71610G0W	R 35,465	Asus TUF Gaming F16 FX608JMI Series 14th gen FX608JMI-I71610G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JMR-I71610G0W	R 29,794	Asus TUF Gaming F16 FX608JMR Series 14th gen FX608JMR-I71610G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with

		8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JMR-I71610G0W	R 29,036	Asus TUF Gaming F16 FX608JMR Series 14th gen FX608JMR-I71610G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JMR-I71610G0W	R 29,215	Asus TUF Gaming F16 FX608JMR Series 14th gen FX608JMR-I71610G0W Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
FX608JPR-I71610G0X	R 39,439	Asus TUF Gaming F16 FX608JPR Series 14th gen FX608JPR-I71610G0X Grey Gaming Notebook, Intel Core i7 Raptor Lake Sixteen (16) Core i7-14650HX Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 165Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery, 3x USB 3.2 Gen 2 Type-A, HDMI output, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
G614FP-91610G0W	R 52,043	Asus ROG STRIX G16 G614FP Series ASUS G614FP-91610G0W Eclipse Grey Gaming Notebook, AMD Ryzen 9 9955HX Sixteen Core 2.5Ghz with Turbo Boost up to 5.4Ghz 80MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / G-SYNC (40Gbps), 1x Type-C USB 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G614PM-91610G0W	R 36,684	Asus ROG STRIX G16 G614PM Series G614PM-91610G0W Grey Gaming Notebook, AMD Ryzen 9 8940H Octa Core 4.0Ghz with Turbo Boost up to 5.3Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / G-SYNC (40Gbps), 1x Type-C USB 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G614PM-91610G0W	R 41,560	Asus ROG STRIX G16 G614PM Series G614PM-91610G0W Grey Gaming Notebook, AMD Ryzen 9 8940HX

		Sixteen (16) Core up to 5.3Ghz 64MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / G-SYNC (40Gbps), 1x Type-C USB 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G614PP-91610GR0W	R 43,754	Asus ROG STRIX G16 G614PP Series G614PP-91610GR0W Grey Gaming Notebook, AMD Ryzen 9 8940HX Sixteen (16) Core up to 5.3Ghz 64MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / G-SYNC (40Gbps), 1x Type-C USB 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G614PP-91610GR0W	R 51,698	Asus ROG STRIX G16 G614PP Series G614PP-91610GR0W Grey Gaming Notebook, AMD Ryzen 9 8940HX Sixteen (16) Core up to 5.3Ghz 64MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / G-SYNC (40Gbps), 1x Type-C USB 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G614PP-91610GR0W	R 49,118	Asus ROG STRIX G16 G614PP Series G614PP-91610GR0W Grey Gaming Notebook, AMD Ryzen 9 8940HX Sixteen (16) Core up to 5.3Ghz 64MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-C USB 4 with support for DisplayPort / G-SYNC (40Gbps), 1x Type-C USB 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G615JMR-I93210G0W	R 47,817	Asus ROG STRIX G16 G615JMR Series 14th gen G615JMR-I93210G0W Grey Gaming Notebook, Intel Core i9 Raptor Lake Twenty Four (24) Core i9-14900HX Turbo Boost up to 5.8Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery / G-SYNC (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula Display, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G615LP-U91610G0W	R 47,833	Asus ROG STRIX G16 G615LP Series Core Ultra Series 2 G615LP-U91610G0W Grey Gaming Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with support for DisplayPort / power delivery / G-SYNC (data speed up to 120Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula Display, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

G615LW-U93210G0W	R 64,984	Asus ROG STRIX G16 G615LW Series Core Ultra Series 2 G615LW-U93210G0W Grey Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 240Hz LED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with support for DisplayPort / power delivery / G-SYNC (data speed up to 120Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula Display, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G615LW-U93210G0WR	R 69,312	Asus ROG STRIX G16 G615LW Series Core Ultra Series 2 G615LW-U93210G0WR Grey Gaming Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 240Hz LED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with support for DisplayPort / power delivery / G-SYNC (data speed up to 120Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula Display, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G815LP-U91610G0W	R 54,969	Asus ROG STRIX G18 G815LP Series Core Ultra Series 2 G815LP-U91610G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, 3.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G815LP-U91610G0WR	R 50,234	Asus ROG STRIX G18 G815LP Series Core Ultra Series 2 G815LP-U91610G0WR Eclipse Grey Gaming Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, 3.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G815LP-U91610G0WR	R 53,544	Asus ROG STRIX G18 G815LP Series Core Ultra Series 2 G815LP-U91610G0WR Eclipse Grey Gaming Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, 3.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G815LP-U93210G0W	R 53,750	Asus ROG STRIX G18 G815LP Series Core Ultra Series 2 G815LP-U93210G0W Eclipse Grey Gaming Notebook,

		Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, 3.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G815LR-U93210G0W	R 59,266	Asus ROG STRIX G18 G815LP Series Core Ultra Series 2 G815LR-U93210G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 Ti with 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, 3.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G835LX-U93220B0W	R 82,031	Asus ROG STRIX SCAR 18 G835LX Series Core Ultra Series 2 G835LX-U93220B0W Black Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type 240Hz miniLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with support for DisplayPort / power delivery / G-SYNC (data speed up to 120Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula HDR Display, 3.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
G835LXG-U93220G0W	R 91,826	Asus ROG STRIX SCAR 18 G835LXG Series Core Ultra Series 2 G835LXG-U93220G0W Black Gaming Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-6400 CSO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" 4K (3840 x 2400 resolution) Non Gloss Type 240Hz miniLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with support for DisplayPort / power delivery / G-SYNC (data speed up to 120Gbps), 3x USB 3.2 Gen 2 Type-A, HDMI output, ROG Nebula HDR Display, 3.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
GU605CM-OU91610G0W	R 49,231	Asus ROG Zephyrus G16 GU605CM Series Core Ultra Series 2 GU605CM-OU91610G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
GU605CM-OU91610G0X	R 55,443	Asus ROG Zephyrus G16 GU605CR Series Core Ultra Series 2 GU605CM-OU91610G0X Eclipse Grey Gaming Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3

		Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
GU605CP-OU91610G0X	R 59,261	Asus ROG Zephyrus G16 GU605CP Series Core Ultra Series 2 GU605CP-OU91610G0X Eclipse Grey Gaming Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
GU605CP-OU91610G0X	R 51,312	Asus ROG Zephyrus G16 GU605CP Series Core Ultra Series 2 GU605CP-OU91610G0X Eclipse Grey Gaming Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
GU605CR-OU93220G0W	R 59,589	Asus ROG Zephyrus G16 GU605CR Series Core Ultra Series 2 GU605CR-OU93220G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5070 Ti with 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 with support for DisplayPort / power delivery (40Gbps), 1x USB 3.2 Gen 2 Type-C with support for DisplayPort / power delivery / G- SYNC (10Gbps), 2x USB 3.2 Gen 2 Type-A, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
GU606AW-U93220G0W	R 80,446	Asus ROG Zephyrus G16 GU606AW Series Core Ultra Series 3 GU606AW-U93220G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 (data speed up to 40Gbps), 2x USB 3.2 Gen 2 Type-A, 1x USB 3.2 Gen 2 Type-C, HDMI output, SD Card Reader, 2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
GU606AX-U96420G0W	R 99,812	Asus ROG Zephyrus G16 GU606AX Series Core Ultra Series 3 GU606AX-U96420G0W Eclipse Grey Gaming Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3

		Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 240Hz OLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 (data speed up to 40Gbps), 2x USB 3.2 Gen 2 Type-A, 1x USB 3.2 Gen 2 Type-C, HDMI output, SD Card Reader, 2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
GZ302EA-RU043X	R 50,929	Asus ROG FLOW 13 GZ302EA Series GZ302EA-RU043X Black Notebook Tablet, AMD Ryzen AI Max 395 Sixteen (16) Core 3.0Ghz with Turbo Boost up to 5.1Ghz 64MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 13.4" Capacitive Multi Touch Screen QHD (2560 x 1600 resolution) Glossy Type IPS, 180Hz LED Backlit Display, AMD Radeon 8060S Graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Chiclet Keyboard, 1x USB 3.2 Gen 2 Type-A (data speed up to 10Gbps), 2x Type-C USB 4 with support for DisplayPort / power delivery (data speed up to 40Gbps), HDMI output, Stylus, ROG Nebula Display, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
H7606WI-O93210B1X	R 73,254	Asus ProArt StudioBook P16 OLED H7606WI Series H7606WI-O93210B1X Black Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Glossy Type 400 nits, 60Hz OLED Backlit Display, nVidia Geforce RTX 4070 with 8GB dedicated graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 2 Type-A, 1x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, SD Express Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
K3407VA-I71610S0X	R 20,593	Asus VivoBook S14 K3407VA Series Core Series 2 K3407VA-I71610S0X Silver Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 1 Type-C with support for display / power delivery, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
K6502VJ-OI91610BL0W	R 30,808	Asus VivoBook Pro K6502VJ Series 13th gen K6502VJ-OI91610BL0W Blue Notebook, Intel Core i9 Raptor Lake Fourteen (14) Core i9-13900H Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" 2.8K (2880 x 1620 resolution) Glossy Type 400nits OLED Backlit Display, nVidia Geforce RTX 3050 with 6GB dedicated graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 supports display / power delivery, HDMI output, SD Card Reader, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
M1407GA-716512S0W	R 11,563	Asus VivoBook 14 M1407GA Series M1407GA-716512S0W Silver Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 16GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 1 Type-C with support for display / power delivery (data speed up to 5Gbps), Micro HDMI port, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
M1407GA-716512S0W	R 15,473	Asus VivoBook 14 M1407GA Series M1407GA-716512S0W Silver Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 16GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14"

		WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 1 Type-C with support for display / power delivery (data speed up to 5Gbps), Micro HDMI port, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
M1502IA-716512BL0W	R 13,035	Asus VivoBook 15 M1502IA Series M1502IA-716512BL0W Blue Notebook, AMD Ryzen 7 4800H Octa Core 2.9Ghz with Turbo Boost up to 4.2Ghz 8MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon RX Vega 7 graphics 1600MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
M1502NAQ-516512S0W	R 12,915	Asus VivoBook 15 M1502NAQ Series ASUS M1502NAQ-516512S0W Silver Notebook, AMD Ryzen 5 150 Six (6) Core Turbo Boost up to 4.55Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 60Hz, 250nits LED Backlit Display, AMD Radeon 660M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
M1502YA-58512S0W	R 9,500	Asus VivoBook 15 M1502IA Series ASUS M1502YA-58512S0W Silver Notebook, AMD Ryzen 5 7430U Hex Core 2.0Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 60Hz, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
M1502YA-58512S2W	R 10,719	Asus VivoBook 15 M1502IA Series M1502YA-58512S2W Silver Notebook, AMD Ryzen 5 7430U Hex Core 2.0Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 60Hz, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NB-AB2502-5T2S	R 20,625	Asus ExpertBook B2502CBA Series 12th gen NB-AB2502-5T2S B2502cba-i582B0X Black Notebook, Intel Core i5 Adler Lake Twelve (12) Core i5-1240P Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C support power delivery, 1x Thunderbolt 4 supports display / power delivery, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty, Â© 2023 Laptop Direct
NB-AB5302-7Q5S	R 27,739	Asus ExpertBook B5 B5302CEA Series 11th gen NB-AB5302-7Q5S B5302cea-i716512B0X Star Black Notebook, Intel Core i7 Tiger Lake Quad Core i7-1165G7 1.2Ghz with Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" FULL HD (1920 x 1080 resolution) Glossy Type 400nits OLED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, Interactive NumberPad / touchpad, 1x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 supports display / power delivery, HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty, Â© 2022 Laptop Direct

NB-AB7402F-7Q5S	R 35,966	Asus ExpertBook Premium B7402FA Series 11th gen NB-AB7402F-7Q5S B7402Fea-i716512B0X Star Black Notebook, Intel Core i7 Tiger Lake Quad Core i7-1195G7 2.9Ghz with Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" Capacitive Multi Touch Screen QHD (2560 x 1600 resolution) Glossy Type LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Interactive NumberPad / touchpad, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 supports display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty, Â© 2022 Laptop Direct
NB-AB9400-7T1S	R 30,711	Asus B9400CBA Series 12th gen NB-AB9400-7T1S B9400cba-i73210B0X Black Notebook, Intel Core i7 Adler Lake Ten (10) Core i7-1255U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 32GB DDR5-4800 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 supports display / power delivery, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AFX507-5TN5	R 15,229	Asus TUF Gaming F15 FX507ZC4 Series 12th gen NB-AFX507-5TN5 FX507ZC4-i58512G0W Mecha Grey Gaming Notebook, Intel Core i5 Adler Lake Twelve (12) Core i5-12500H Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 support DisplayPort, 1x USB 3.2 Gen 2 Type-C support DisplayPort / G-SYNC, 2x USB 3.2 Gen 1 Type-A, HDMI output, Kensington Security Slot, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AG614-9F32N6	R 54,798	Asus ROG STRIX G16 G614JV Series 13th gen NB-AG614-9F32N6 G614jv-i93210G0W Grey Gaming Notebook, Intel Core i9 Raptor Lake 24 Core i9-13980HX Turbo Boost up to 5.6Ghz 36MB L3 Cache Processor, 32GB DDR5-4800 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 4060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 support DisplayPort, 1x USB 3.2 Gen 2 Type-C support DisplayPort / power delivery / G-SYNC, 2x USB 3.2 Gen 2 Type-A, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AG814-9F32N7	R 62,296	Asus ROG STRIX G18 G814JI Series 13th gen NB-AG814-9F32N7 G814ji-i93210GR0W Volt Green Gaming Notebook, Intel Core i9 Raptor Lake 24 Core i9-13980HX Turbo Boost up to 5.6Ghz 36MB L3 Cache Processor, 32GB DDR5-4800 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 18" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 4070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 support DisplayPort, 1x USB 3.2 Gen 2 Type-C support DisplayPort / power delivery / G-SYNC, 2x USB 3.2 Gen 2 Type-A, HDMI output, 3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AGU603-7FN5	R 45,407	Asus ROG ZEPHYRUS M16 GU603ZM Series 12th gen NB-AGU603-7FN5 GU603zm-i71610B0W Black Gaming Notebook, Intel Core i7 Adler Lake Fourteen (14) Core i7-12700H Turbo Boost up to 4.7Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 48GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 165Hz LED Backlit Display, nVidia Geforce RTX 3060 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Thunderbolt 4 support DisplayPort / power delivery, 1x USB 3.2 Gen 2 Type-C

		support DisplayPort / power delivery, 2x USB 3.2 Gen 2 Type-A, HDMI output, Micro SD Card Reader, Aura Sync Light Bar, 2 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AM1502-5H85S	R 11,938	Asus VivoBook 15 M1502IA Series NB-AM1502-5H85S M1502ia-58512S0W Silver Notebook, AMD Ryzen 5 4600H Hex Core 3.0Ghz with Turbo Boost up to 4.0Ghz 8MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon RX Vega 6 graphics 1500MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2022 Laptop Direct
NB-ATN3402F-5HS	R 16,205	Asus Vivobook 14 Flip TN3402QA Series NB-ATN3402F-5HS TN3402qa-582BL0W Quiet Blue Notebook Tablet, AMD Ryzen 5 5600H Hex Core 3.3Ghz with Turbo Boost up to 4.2Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 48GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 300nits LED Backlit Display, AMD Radeon RX Vega 6 graphics 1800MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 2 Type-A, 1x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, ASUS Pen 2.0, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AX515-CD41	R 6,126	Asus VivoBook X515MA Series NB-AX515-CD41 X515ma-C41G0W Grey Notebook, Intel Celeron Dual Core N4020 1.10Ghz with Turbo Boost up to 2.8Ghz 4MB L3 Cache Processor, 4096MB (4GB) DDR4-2400 SO-Dimm Memory (1x4096), Supports 8GB Max Mem, 1 Memory slot, 1TB 5400rpm SATA Hard Drive, NO optical drive (No CD), 15.6" WXGA HD (1366 x 768 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics 600, 802.11ac Wireless Lan, Bluetooth, Webcam, 2 Cell battery, Full Size Keyboard with Numpad, 1x Type-C USB 3.2 (Gen 1), 1x Type-A USB 3.2 (Gen 1), 2x USB 2.0 ports, HDMI output, ASUS SonicMaster Audio, Micro SD Card Reader, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2023 Laptop Direct
NB-AX543-CD41	R 5,916	Asus VivoBook X543NA Series NB-AX543-CD41 X543NA-C41GT0T Grey Notebook, Intel Celeron Dual Core N3350 1.10Ghz with Turbo Boost up to 2.4Ghz 2MB L3 Cache Processor, 4096MB DDR3L Low Power Memory onboard, Supports 4GB Max Mem, No memory slots, 1TB 5400rpm SATA Hard Drive, NO optical drive (No CD), 15.6" WXGA HD (1366 x 768 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x Type-A USB 3.1 (Gen 1), 2x USB 2.0 ports, HDMI output, ASUS SonicMaster Audio, Micro SD Card Reader, 1.9 kg, Microsoft Windows 10 Home 64 bit, 1 Year Carry in warranty
NBAS90NX0801-M08270	R 18,764	Asus ExpertBook B1 B1503CVA Series Core Series 2 NBAS90NX0801-M08270 B1503CVA-C716512G0X Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0801-M08ND0	R 16,936	Asus ExpertBook B1503CVA Series Core ASUS B1503CVA-C516512G1X Grey Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NBAS90NX0861-M01X20	R 20,837	Asus ExpertBook P5405CSA Series Core Ultra Series 2 NBAS90NX0861-M01X20 P5405CSA-U516512GAIX Grey

		Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 supports display / power delivery, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0861-M01X30	R 25,713	Asus ExpertBook P5405CSA Series Core Ultra Series 2 NBAS90NX0861-M01X30 P5405CSA-U732512GAIX Grey Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 supports display / power delivery, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0881-M03ST0	R 20,994	Asus ExpertBook P1 P1503CVAY Series Core Series 2 NBAS90NX0881-M03ST0 P1503CVAY-C716512G0W Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16384MB (16GB) DDR4-2666 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0881-M03V30	R 14,466	Asus ExpertBook P1 P1503CVAY Series Core Series 3 NBAS90NX0881-M03V30 P1503CVAY-C38512G0W Grey Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0881-M04290	R 18,378	Asus ExpertBook P1 P1503CVAY Series Core Series 2 NBAS90NX0881-M04290 P1503CVAY-C516512G0W Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16384MB (16GB) DDR4-2666 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0881-M049L0	R 17,082	Asus ExpertBook P1 P1503CVAY Series Core Series 3 NBAS90NX0881-M049L0 P1503CVAY-C38512G0X Grey Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX08I1-M00J00	R 19,618	Asus ExpertBook B5 B5405CCA Series Core Ultra Series 2 NBAS90NX08I1-M00J00 B5405CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB

		L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 / supports display / power delivery, HDMI output, Micro SD Card Reader, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX08L1-M012M0	R 20,837	Asus ExpertBook B3 B3405CCA Series Core Ultra NBAS90NX08L1-M012M0 B3405CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX08L1-M04HY0	R 23,884	Asus ExpertBook B3 B3405CCA Series Core Ultra NBAS90NX08L1-M04HY0 B3405CCA-U516512GLX Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX08L1-M04HZ0	R 26,932	Asus ExpertBook B3 B3405CCA Series Core Ultra NBAS90NX08L1-M04HZ0 B3405CCA-U716512GLX Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX08N1-M00B90	R 18,399	Asus ExpertBook B3 B3605CCA Series Core Ultra NBAS90NX08N1-M00B90 B3605CCA-U58512G0X Grey Notebook, Intel Core Ultra 5 125H Fourteen (14) Core Meteor Lake Turbo Boost up to 4.5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, Micro SD Card Reader, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0971-M014Y0	R 22,058	Asus ExpertBook PM5406CKA Series NBAS90NX0971-M014Y0 PM5406CKA-R516512GAIW Grey Notebook, AMD Ryzen AI 5 330 Four (4) Core Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type LED Backlit Display, AMD Radeon 820M Graphics, AMD Ryzen AI 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1

		Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX09J2-M00FP0	R 73,254	Asus ExpertBook Premium B9406CAA Series Core Ultra Series 3 NBAS90NX09J2-M00FP0 B9406CAA-U76410B0X Jet Fog Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 450 nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 support display / power delivery, HDMI output, 1.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBAS90NX09J2-M024S0	R 79,649	Asus ExpertBook B9 B9406CAA Series Core Ultra Series 3 NBAS90NX09J2-M024S0 B9406CAA-X76410B0X Jet Fog Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 600 nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 with USB4 / compliant support display power delivery, HDMI output, 1.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBAS90NX0A01-M009Z0	R 24,494	Asus ExpertBook B3 B3405CAA Series Core Ultra Series 3 NBAS90NX0A01-M009Z0 B3405CAA-U716512GAIX Grey Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, 1x Thunderbolt 4, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0AA1-M00DN0	R 27,892	Asus ExpertBook P5 PM5406CGA Series NBAS90NX0AA1-M00DN0 PM5406CGA-R716512G0W Grey Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 300nits OLED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0AK1-M00550	R 24,095	Asus ExpertBook B5 Flip B5406FMA Series Core Series 3 NBAS90NX0AK1-M00550 B5406FMA-C516512G0W Grey Notebook Tablet, Intel Core 5 315 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.4GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0AK1-M00560	R 26,039	Asus ExpertBook B5 Flip B5406FMA Series Core Series 3 NBAS90NX0AK1-M00560 B5406FMA-C716512G0W Grey Notebook Tablet, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical

		drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0AL1-M004B0	R 17,789	Asus ExpertBook P3 G1 P3606CCAP Series Core Ultra Series 2 NBAS90NX0AL1-M004B0 P3606CCAP-U516512G0W Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0AL2-M004W0	R 20,837	Asus ExpertBook P3 G1 P3606CCA Series Core Ultra Series 2 NBAS90NX0AL2-M004W0 P3606CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0AM1-M00620	R 20,227	Asus ExpertBook P3 G1 P3406CCA Series Core Ultra Series 2 NBAS90NX0AM1-M00620 P3406CCAP-U716512G0W Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4, compliant with USB4, support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBAS90NX0AM2-M00630	R 20,227	Asus ExpertBook P3 G1 P3406CCA Series Core Ultra Series 2 NBAS90NX0AM2-M00630 P3406CCA-U516512G0X Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4, compliant with USB4, support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
NBAS90NX0AM2-M00640	R 28,516	Asus ExpertBook P3 G1 P3406CCA Series Core Ultra Series 2 NBAS90NX0AM2-M00640 P3406CCA-U716512G0X Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200

		resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4, compliant with USB4, support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
P1503CVA-C38512G0W	R 10,292	Asus ExpertBook P1 P1503CVA Series Core Series 2 P1503CVA-C38512G0W Grey Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
P1503CVA-C516512G0W	R 17,087	Asus ExpertBook P1 P1503CVA Series Core Series 2 P1503CVA-C516512G0W Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
P1503CVA-C516512G0W	R 14,437	Asus ExpertBook P1 P1503CVA Series Core Series 2 P1503CVA-C516512G0W Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 2 Type-C support display / power delivery, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
P3406CCAP-U716512G0X	R 26,566	Asus ExpertBook P3 G1 P3406CCA Series Core Ultra Series 2 P3406CCAP-U716512G0X Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4, compliant with USB4, support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
P3606CCAP-U516512G0W	R 19,618	Asus ExpertBook P3 G1 P3606CCAP Series Core Ultra Series 2 P3606CCAP-U516512G0W Misty Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
P3606CCAP-U716512G0W	R 24,177	Asus ExpertBook P3 G1 P3606CCAP Series Core Ultra Series 2 P3606CCAP-U716512G0W Misty Grey Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3

		Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Arc Graphics 130T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 2x USB 3.2 Gen 1 Type-A, 1x Thunderbolt 4 compliant with USB4, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
P5405CSA-U516512GAIX	R 27,529	Asus ExpertBook P5405CSA Series Core Ultra Series 2 P5405CSA-U516512GAIX Grey Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 compliant with USB4 supports display / power delivery, HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
PM3406CHAP-R716512G0W	R 19,386	Asus ExpertBook P3 G2 PM3406CHAP Series PM3406CHAP-R716512G0W Grey Notebook, AMD Ryzen 7 Pro 8840HS Octa Core 3.3Ghz with Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, AMD Radeon 780M graphics 2700 MHz, NPU Performance Up to 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 1x USB 3.2 Gen 2 Type-C support display / power delivery, 1x USB 4.0 Type-C support display / power deliver, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
S3407AA-OU716512S0X	R 22,977	Asus VivoBook S14 OLED S3407AA Series Core Ultra Series 3 S3407AA-OU716512S0X Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 Memory onboard, Supports 48GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 300nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 1 Type-C with support for display / power delivery, HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
S3407VA-I71610S0W	R 19,370	Asus VivoBook S14 S3407VA Series 13th gen S3407VA-I71610S0W Silver Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A, 2x USB 3.2 Gen 1 Type-C with support for display / power delivery, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
S5408QA-Q16512G0W	R 20,837	Asus VivoBook S14 S5408SA Series S5408QA-Q16512G0W Grey Notebook, Qualcomm Snapdragon X X1-26-100 8 Oryon CPU cores up to 2.98GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, Adreno X1-45 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 2x USB 3.2 Gen 2 Type-C with support for display / power delivery (10Gbps), HDMI output, Micro SD Card Reader, 1.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
TP3407SA-OU71610G1W	R 20,837	Asus Vivobook 14 Flip OLED TP3407SA Series Core Ultra Series 2 TP3407SA-OU71610G1W Grey Notebook Tablet, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory

		onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 300nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (data speed up to 5Gbps), 1x USB 3.2 Gen 2 Type-C with support for display / power delivery (data speed up to 20Gbps), 1x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UM3406GA-O71610B0W	R 21,263	Asus Zenbook 14 OLED UM3406GA Series UM3406GA-O71610B0W Black Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C with support for display / power delivery, 1x USB 4.0 Gen 3 Type-C with support for display / power delivery, HDMI output, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UM3406KA-O73210B0W	R 23,275	Asus Zenbook 14 OLED UM3406KA Series UM3406KA-O73210B0W Black Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 Type-C with support for display / power delivery, 1x USB 4.0 Gen 3 Type-C with support for display / power delivery, HDMI output, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UM5606GA-O91610G0X	R 38,512	Asus Zenbook S 16 OLED UM5606WA Series UM5606GA-O91610G0X Grey Notebook, AMD Ryzen AI 9 465 Ten (10) Core 2.0Ghz with Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500nits, 120Hz OLED Backlit Display, AMD Radeon 880M Graphics, AMD Ryzen AI 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A, 2x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UM5606WA-O93220G0X	R 41,560	Asus Zenbook S 16 OLED UM5606WA Series UM5606WA-O93220G0X Grey Notebook, AMD Ryzen AI 9 HX 370 Twelve Core up to 5.1Ghz 36MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 890M Graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A, 2x USB 4.0 Gen 3 Type-C support display / power delivery, HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UX3405CA-OU73210BL0X	R 30,589	Asus Zenbook 14 OLED UX3405CA Series Core Ultra Series 2 UX3405CA-OU73210BL0X Ponder Blue Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 400nits, 120Hz OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Touchpad support NumberPad, 1.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UX3405CA-OU91610BL1X	R 36,684	Asus Zenbook 14 OLED UX3405CA Series Core Ultra UX3405CA-OU91610BL1X Ponder Blue Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No

		CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500nits, 120Hz OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Touchpad support NumberPad, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UX3405CA-OU93210BL0X	R 31,808	Asus Zenbook 14 OLED UX3405CA Series Core Ultra Series 2 UX3405CA-OU93210BL0X Ponder Blue Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 400nits, 120Hz OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Touchpad support NumberPad, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UX3405CA-OU93210BL0X	R 43,754	Asus Zenbook 14 OLED UX3405CA Series Core Ultra Series 2 UX3405CA-OU93210BL0X Ponder Blue Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 400nits, 120Hz OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Touchpad support NumberPad, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UX3407QA-OQ1610G0W	R 24,494	Asus Zenbook A14 OLED UX3407QA Series UX3407QA-OQ1610G0W Grey Notebook, Qualcomm Snapdragon X X1-26-100 8 Oryon CPU cores up to 2.98GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Adreno X1-45 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A (data speed up to 10Gbps), 2x USB 4.0 Gen 3 Type-C with support for display / power delivery (data speed up to 40Gbps), HDMI output, 1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UX3407QA-OQ3210G0X	R 26,444	Asus Zenbook A14 OLED UX3407QA Series UX3407QA-OQ3210G0X Grey Notebook, Qualcomm Snapdragon X Plus X1P-26-100 8 Oryon CPU cores up to 2.98GHz 30MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Adreno X1-45 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A (data speed up to 10Gbps), 2x USB 4.0 Gen 3 Type-C with support for display / power delivery (data speed up to 40Gbps), HDMI output, 1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UX5406AA-OU93210G0W	R 47,167	Asus Zenbook S 14 OLED UX5406AA Series Core Ultra Series 3 UX5406AA-OU93210G0W Grey Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A (data speed up to 10Gbps), 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, Stylus, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UX7602ZM-I93210B0W	R 56,400	Asus Zenbook Pro 16X OLED UX7602ZM Series 12th gen UX7602ZM-I93210B0W Black Notebook, Intel Core i9 Adler Lake Fourteen (14) Core i9-12900H Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB

		SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Glossy Type 60Hz OLED Backlit Display, nVidia Geforce RTX 3060 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-A, 2x Thunderbolt 4 supports display / power delivery, HDMI output, Micro SD Card Reader, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2024 Laptop Direct
UX8406CA-OU91610G2W	R 39,366	Asus Zenbook Duo OLED UX8406CA Series Core Ultra Series 2 UX8406CA-OU91610G2W Inkwell Grey Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 60Hz, 400nits OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Soft Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UX8406CA-OU93210G0W	R 46,436	Asus Zenbook Duo OLED UX8406CA Series Core Ultra Series 2 UX8406CA-OU93210G0W Inkwell Grey Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 120Hz, 400nits OLED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Soft Keyboard, 1x USB 3.2 Gen 1 Type-A, 2x Thunderbolt 4 with support for display / power delivery (data speed up to 40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
UX8407AA-OU93210G1W	R 52,775	Asus Zenbook Duo OLED UX8407AA Series Core Ultra Series 3 UX8407AA-OU93210G1W Grey Notebook, Intel Core Ultra 9 388H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.1Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 500nits, 144Hz OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Soft Keyboard, 1x USB 3.2 Gen 2 Type-A (10Gbps), 2x Thunderbolt 4 with support for display / power delivery (40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
UX8407AA-OU93210G1W	R 55,234	Asus Zenbook Duo OLED UX8407AA Series Core Ultra Series 3 UX8407AA-OU93210G1W Grey Notebook, Intel Core Ultra 9 388H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.1Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 500nits, 144Hz OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Soft Keyboard, 1x USB 3.2 Gen 2 Type-A (10Gbps), 2x Thunderbolt 4 with support for display / power delivery (40Gbps), HDMI output, 2x Full-size touchscreens, Detachable full-size keyboard, Built-in kickstand, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
V3607VH-I71610B0X	R 25,713	Asus V16 V3607VH Series Core Series 2 V3607VH-I71610B0X Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-C with support for display / power delivery), 2x USB 3.2 Gen 1 Type-A, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

V3607VH-I71610B0X	R 27,541	Asus V16 V3607VH Series Core Series 2 V3607VH-I71610B0X Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-C with support for display / power delivery), 2x USB 3.2 Gen 1 Type-A, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
V3607VH-I71610B0X	R 25,877	Asus V16 V3607VH Series Core Series 2 V3607VH-I71610B0X Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-C with support for display / power delivery), 2x USB 3.2 Gen 1 Type-A, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
V3607VM-I73210B0X	R 28,734	Asus V16 V3607VM Series Core Series 2 V3607VM-I73210B0X Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits 144Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-C with support for display / power delivery), 2x USB 3.2 Gen 1 Type-A, HDMI output, 2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
X1404VAP-I58512BL0W	R 13,157	Asus VivoBook 14 X1404VAP Series Core X1404VAP-I58512BL0W Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 1x USB 3.2 Gen 1 Type-C (5Gbps), 1x USB 2.0 Type-A (480Mbps), HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1404VAP-I58512P0W	R 13,157	Asus VivoBook 14 X1404VA Series Core X1404VAP-I58512P0W Terra Cotta Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 1x USB 3.2 Gen 1 Type-C (5Gbps), 1x USB 2.0 Type-A (480Mbps), HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1404VAP-I58512P0W	R 9,744	Asus VivoBook 14 X1404VA Series Core X1404VAP-I58512P0W Terra Cotta Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 1x USB 3.2 Gen 1 Type-C (5Gbps), 1x USB 2.0 Type-A (480Mbps), HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1404VAP-I58512S0W	R 13,157	Asus VivoBook 14 X1404VAP Series Core X1404VAP-I58512S0W Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED

		Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 1x USB 3.2 Gen 1 Type-C (5Gbps), 1x USB 2.0 Type-A (480Mbps), HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1404VAP-I58512S0W	R 9,744	Asus VivoBook 14 X1404VAP Series Core X1404VAP-I58512S0W Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5Gbps), 1x USB 3.2 Gen 1 Type-C (5Gbps), 1x USB 2.0 Type-A (480Mbps), HDMI output, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504MA-I382BL0W	R 11,085	Asus VivoBook 15 X1504MA Series Core X1504MA-I382BL0W Blue Notebook, Intel Core 3 304 Five (5) Core Wildcat Lake Turbo Boost up to 4.3Ghz 6MB L3 Cache Processor (1 Perfomance Cores & 4 Low Power Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, Intel AI Boost 15 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504MA-I382BL0W	R 8,810	Asus VivoBook 15 X1504MA Series Core X1504MA-I382BL0W Blue Notebook, Intel Core 3 304 Five (5) Core Wildcat Lake Turbo Boost up to 4.3Ghz 6MB L3 Cache Processor (1 Perfomance Cores & 4 Low Power Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, Intel AI Boost 15 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504MA-I58512BL0W	R 10,451	Asus VivoBook 15 X1504MA Series Core Series 3 X1504MA-I58512BL0W Blue Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504MA-I58512BL0W	R 10,396	Asus VivoBook 15 X1504MA Series Core Series 3 X1504MA-I58512BL0W Blue Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504VA-I316512BL0X	R 12,791	Asus VivoBook 15 X1504VA Series 13th gen X1504VA-I316512BL0X Blue Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
X1504VA-I78512BL0W	R 14,742	Asus VivoBook 15 X1504VA Series 13th gen X1504VA-I78512BL0W Blue Notebook, Intel Core i7 Raptor Lake

		Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel Iris Xe Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, ï¿½Â© 2025 Laptop Direct
X1504VA-I78512BL0W	R 13,888	Asus VivoBook 15 X1504VA Series 13th gen X1504VA-I78512BL0W Blue Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel Iris Xe Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct
X1504VAP-I516512BL0X	R 14,742	Asus VivoBook 15 X1504VA Series 13th gen X1504VAP-I516512BL0X Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
X1504VAP-I516512BL2W	R 11,572	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I516512BL2W Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504VAP-I516512BL4W	R 16,692	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I516512BL4W Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504VAP-I516512BL4X	R 19,618	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I516512BL4X Blue Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
X1504VAP-I716512BL1W	R 17,074	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I716512BL1W Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD

		Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
X1504VAP-I716512BL1X	R 21,568	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I716512BL1X Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
X1504VAP-I78512BL4W	R 15,961	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I78512BL4W Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-4800 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1504VAP-I78512BL4W	R 14,424	Asus VivoBook 15 X1504VAP Series Core X1504VAP-I78512BL4W Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-4800 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X415JA-I382G0W-F	R 7,708	Asus X415JA Series 10th gen X415JA-I382G0W-F Grey Notebook, Intel Core i3 Ice Lake Dual Core i3-1005G1 1.2Ghz with Turbo Boost up to 3.4Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x4096 onboard,1x4098), Supports 36GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WXGA HD (1366 x 768 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics for 10th gen processor, 802.11ac Wireless Lan, Bluetooth, Webcam, 2 Cell battery, 1x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 1 Type-C, 2x USB 2.0 Type-A, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2022 Laptop Direct
X515JA-I582G1W	R 8,482	Asus VivoBook X515JA Series 10th gen X515JA-I582G1W Slate Grey Notebook, Intel Core i5 Ice Lake Quad Core i5-1035G1 1.0Ghz with Turbo Boost up to 3.6Ghz 6MB L3 Cache Processor, 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x4096 onboard,1x4098), Supports 36GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics for 10th gen processor, 802.11ac Wireless Lan, Bluetooth, Webcam, 2 Cell battery, Full Size Keyboard with Numpad, 1x Type-C USB 3.2 (Gen 1), 1x Type-A USB 3.2 (Gen 1), 2x USB 2.0 ports, HDMI output, ASUS SonicMaster Audio, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X515JA-I78512G3W	R 12,304	Asus VivoBook X515JA Series 10th gen X515JA-I78512G3W Grey Notebook, Intel Core i7 Ice Lake Quad Core i7-1065G7 1.3Ghz with Turbo Boost up to 3.9Ghz 8MB L3 Cache Processor, 8192MB (8GB) DDR4-2666 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel Iris Plus Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 2 Cell battery, Full Size Keyboard with Numpad, 1x Type-C USB 3.2 (Gen 1), 1x Type-A USB 3.2 (Gen 1), 2x USB 2.0 ports, HDMI output, ASUS SonicMaster Audio, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

< Return to the menu

Blackview notebooks

Product code	Price	Description
BLK-ACEBOOK12	R 10,475	Blackview Acebook 12 Series 12th gen BLK-ACEBOOK12 Black Notebook, Intel Core i5 Adler Lake Eight (8) Core i5-12450H Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16384MB (16GB) LPDDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" FULL HD (1920 x 1080 resolution) Non Gloss Type 60Hz LED Backlit Display, Intel UHD Graphics for 12th Gen processor, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 ports, 1x USB 2.0 port, 1x USB Type-C port, HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

< Return to the menu

Dell notebooks

Product code	Price	Description
6F-N012L545014EMEAVP	R 25,225	Dell Latitude 5450 Series Core Ultra 6F-N012L545014EMEAVP Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, Wedge-shaped lock slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
6FPOLARISN16MTLHTAIH	R 29,748	Dell Inspiron 7640 Series Core Ultra 6FPOLARISN16MTLHTAIH Ice Blue Gaming Notebook, Intel Core Ultra 9 185H Sixteen (16) Core Meteor Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) ComfortViewPlus LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A, 1x Thunderbolt 4.0, HDMI output, Micro SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-BTO006PC14250EMEA	R 20,464	Dell PRO 14 PC14250 Series Core 74-BTO006PC14250EMEA Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO006PC16250EMEA	R 23,289	Dell PRO 16 PC16250 Series Core 74-BTO006PC16250EMEA Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11

		Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO010PC14250EMEA	R 18,788	Dell PRO 14 PC14250 Series Core 74-BTO010PC14250EMEA Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO010PC16250EMEA	R 19,831	Dell PRO 16 PC16250 Series Core 74-BTO010PC16250EMEA Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO013PC14250EMEA	R 22,990	Dell PRO 14 PC14250 Series Core 74-BTO013PC14250EMEA Magnetite Notebook, Intel Core 5 220U Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO102MA14250EMEA	R 60,831	Dell PRO Max 14 Premium MA14250 Series Core Ultra Series 2 74-BTO102MA14250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2 x USB Type-C Thunderbolt 5 (80 / 120 Gbps) ports with Power Delivery / DisplayPort 2.1, 2 x USB Type-C Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort 2.1, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO102PB16250EMEA	R 27,244	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 74-BTO102PB16250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI

		output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO103MA14250EMEA	R 61,967	Dell PRO Max 14 Premium MA14250 Series Core Ultra Series 2 74-BTO103MA14250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2 x USB Type-C Thunderbolt 5 (80 / 120 Gbps) ports with Power Delivery / DisplayPort 2.1, 2 x USB Type-C Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort 2.1, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO103MB18250EMEA	R 104,472	Dell PRO Max Plus MB18250 Series Core Ultra Series 2 74-BTO103MB18250EMEA Black Workstation Notebook, Intel Core Ultra 7 265HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.3Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-6400 CSO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" QHD (2560 x 1600 resolution) Non Gloss Type 500nits LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, 2x Thunderbolt 5 (80 Gbps) ports with Power Delivery / DisplayPort, HDMI output, SD Card Reader, Wedge-shaped lock slot, 3.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO105MA14250EMEA	R 99,979	Dell PRO Max 14 Premium MA14250 Series Core Ultra Series 2 74-BTO105MA14250EMEA Black Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2 x USB Type-C Thunderbolt 5 (80 / 120 Gbps) ports with Power Delivery / DisplayPort 2.1, 2 x USB Type-C Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort 2.1, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO105PB14250EMEA	R 25,069	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO105PB14250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO105PC16250EMEA	R 33,095	Dell PRO 16 PC16250 Series Core Ultra Series 2 74-BTO105PC16250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt

		4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO106MB18250EMEA	R 96,699	Dell PRO Max Plus MB18250 Series Core Ultra Series 2 74-BTO106MB18250EMEA Black Workstation Notebook, Intel Core Ultra 9 285HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-6400 CSO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" QHD (2560 x 1600 resolution) Non Gloss Type 500nits LED Backlit Display, nVidia RTX Pro 3000 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, 2x Thunderbolt 5 (80 Gbps) ports with Power Delivery / DisplayPort, HDMI output, SD Card Reader, Wedge-shaped lock slot, 3.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO106PB142504G	R 25,314	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO106PB142504G Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO106PB14250EMEA	R 25,780	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO106PB14250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO106PC14250EMEA	R 29,437	Dell PRO 14 PC14250 Series Core Ultra Series 2 74-BTO106PC14250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO106PC16250EMEA	R 44,331	Dell PRO 16 PC16250 Series Core Ultra Series 2 74-BTO106PC16250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps)

		Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO107PB16250EMEA	R 31,713	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 74-BTO107PB16250EMEA Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO107PC14250EMEA	R 34,015	Dell PRO 14 PC14250 Series Core Ultra Series 2 74-BTO107PC14250EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO107PC16250EMEA	R 36,664	Dell PRO 16 PC16250 Series Core Ultra Series 2 74-BTO107PC16250EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO108MC14250EMEA	R 40,927	Dell PRO Max 14 MC14250 Series Core Ultra Series 2 74-BTO108MC14250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO108PB14250EMEA	R 26,977	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO108PB14250EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory

		(2x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO109MB18250EMEA	R 146,506	Dell PRO Max Plus MB18250 Series Core Ultra Series 2 74-BTO109MB18250EMEA Black Workstation Notebook, Intel Core Ultra 9 285HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 64GB DDR5-6400 CSO-Dimm Memory (2x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" QHD (2560 x 1600 resolution) Non Gloss Type 500nits LED Backlit Display, nVidia RTX Pro 3000 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, 2x Thunderbolt 5 (80 Gbps) ports with Power Delivery / DisplayPort, HDMI output, SD Card Reader, Wedge-shaped lock slot, 3.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO109PC14250EMEA	R 41,488	Dell PRO 14 PC14250 Series Core Ultra Series 2 74-BTO109PC14250EMEA Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO110MC14250EMEA	R 27,895	Dell PRO Max 14 MC14250 Series Core Ultra Series 2 74-BTO110MC14250EMEA Black Notebook, Intel Core Ultra 5 235H Series 2 Forteen (14) Core Arrow Lake Turbo Boost up to 5.0Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO110PB132502N14G	R 27,794	Dell PRO 13 Plus PB13250 Series Core Ultra Series 2 74-BTO110PB132502N14G Silver 2in1 Notebook Tablet, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO110PB132502N4G	R 31,742	Dell PRO 13 Plus PB13250 Series Core Ultra Series 2 74-BTO110PB132502N4G Silver 2in1 Notebook Tablet, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm

		Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO110PB14250EMEA	R 30,100	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO110PB14250EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO111PB14250EME4G	R 32,711	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO111PB14250EME4G Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO111PB14250EMEA	R 40,563	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO111PB14250EMEA Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO120MC14250EMEA	R 36,912	Dell PRO Max 14 MC14250 Series Core Ultra Series 2 74-BTO120MC14250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO123MC16250EMEA	R 46,497	Dell PRO Max 16 MC16250 Series Core Ultra Series 2 74-BTO123MC16250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display,

		nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO128MC16250EMEA	R 56,716	Dell PRO Max 16 MC16250 Series Core Ultra Series 2 74-BTO128MC16250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO201PB16250EMEA	R 32,976	Dell Pro 16 Plus V PB16250 Series Core Ultra Series 2 74-BTO201PB16250EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO205PA14250EME5G	R 41,668	Dell PRO 14 Premium V PA14250 Series Core Ultra Series 2 74-BTO205PA14250EME5G Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO206PB16250EME5G	R 39,324	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 74-BTO206PB16250EME5G Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO207PB16250EMEA	R 35,799	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 74-BTO207PB16250EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports,

		2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO209PB13250EMEA	R 50,543	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 74-BTO209PB13250EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO209PB14250EMEA	R 37,948	Dell Pro 14 Plus V PB14250 Series Core Ultra Series 2 74-BTO209PB14250EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO212PB13250EMEA	R 38,712	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 74-BTO212PB13250EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO212PB14250EMEA4G	R 36,902	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 74-BTO212PB14250EMEA4G Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO214PB13250EMEA	R 35,728	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 74-BTO214PB13250EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO503PB16255EMEA	R 34,615	Dell Pro 16 Plus PB16255 Series 74-BTO503PB16255EMEA Silver Notebook, AMD Ryzen 5 220 Six (6) Core

		Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO504PB14255EMEA	R 24,633	Dell Pro 14 Plus PB14255 Series 74-BTO504PB14255EMEA Silver Notebook, AMD Ryzen 5 Pro 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO504PC14255EMEA	R 27,477	Dell PRO 14 PC14255 Series 74-BTO504PC14255EMEA Magnetite Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C Thunderbolt 4 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO504PC16255EMEA	R 27,477	Dell Pro 16 Plus PC16255 Series 74-BTO504PC16255EMEA Magnetite Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO505PB16255EMEA	R 35,937	Dell Pro 16 Plus PB16255 Series 74-BTO505PB16255EMEA Silver Notebook, AMD Ryzen 5 Pro 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO506PB16255EMEA	R 48,758	Dell Pro 16 Plus PB16255 Series 74-BTO506PB16255EMEA Silver Notebook, AMD Ryzen 5 Pro 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader,

		Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO507PB14255EMEA	R 25,301	Dell Pro 14 Plus PB14255 Series 74-BTO507PB14255EMEA Silver Notebook, AMD Ryzen 7 Pro 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-BTO507PC14255EMEA	R 31,905	Dell PRO 14 PC14255 Series 74-BTO507PC14255EMEA Magnetite Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C Thunderbolt 4 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO507PC16255EMEA	R 31,905	Dell Pro 16 Plus PC16255 Series 74-BTO507PC16255EMEA Magnetite Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-BTO606PB14255EMEA	R 31,652	Dell Pro 14 Plus PB14255 Series 74-BTO606PB14255EMEA Silver Notebook, AMD Ryzen AI 7 Pro 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 2.1, 2x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-DC15250RPLU001P	R 14,255	Dell 15 DC15250 Series 13th gen 74-DC15250RPLU001P Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480 Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-DC15250RPLU006P	R 16,948	Dell 15 DC15250 Series 13th gen 74-DC15250RPLU006P Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-2666 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480

		Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-DC15255BCLR802-AMD	R 15,415	Dell 15 DC15255 Series 74-DC15255BCLR802-AMD Black Notebook, AMD Ryzen 5 7530U Hex Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-2666 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 2000 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480 Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-DC16250RPLUR010	R 22,270	Dell PRO 16 DC16250 Series Core 74-DC16250RPLUR010 Magnetite Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 (10Gbps) Type-C with DP / PD, HDMI output, Wedge-shaped lock slot, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-DC16250RPLUR012	R 20,598	Dell PRO 16 DC16250 Series Core 74-DC16250RPLUR012 Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 (10Gbps) Type-C with DP / PD, HDMI output, Wedge-shaped lock slot, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-DIABLOMTL25011100H	R 60,921	Dell XPS 16 9640 Series Core Ultra 74-DIABLOMTL25011100H Platinum Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 500nits LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, NPU Intel AI Boost 1.4GHz, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 Gen 2 Type-C ports with DisplayPort Alt Mode / USB4 / PowerDelivery, Micro SD Card Reader, CNC machined aluminum, 2.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-N001L554015EMEA4G	R 27,408	Dell Latitude 5540 Series 13th gen 74-N001L554015EMEA4G Grey Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 port with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Micro SD Card Reader, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-N001L554015EMEAVP	R 23,384	Dell Latitude 5540 Series 13th gen 74-N001L554015EMEAVP Grey Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x

		Thunderbolt 4 port with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Micro SD Card Reader, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-N001P3590EMEAVP	R 33,780	Dell Precision 3590 Series Core Ultra 74-N001P3590EMEAVP Silver Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 60Hz, 250nits LED Backlit Display, nVidia RTX 500 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Micro SD Card Reader, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-N006L544014EMEA4G	R 26,444	Dell Latitude 5440 Series 13th gen 74-N006L544014EMEA4G Grey Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 ports with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Wedge-Shaped Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-N011L344014EMEAVP	R 22,236	Dell Latitude 3440 Series 13th gen 74-N011L344014EMEAVP Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen1, USB 3.2 Gen1 with PowerShare, USB Type-C 3.2 Gen2 with Power Delivery & DisplayPort, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-N015L545014EMEA4G	R 37,197	Dell Latitude 5450 Series Core Ultra 74-N015L545014EMEA4G Silver Notebook, Intel Core Ultra 7 165U Twelve (12) Core Meteor Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, Wedge-shaped lock slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-N015L545014EMEAVP	R 36,216	Dell Latitude 5450 Series Core Ultra 74-N015L545014EMEAVP N015L545014EMEA_VP Silver Notebook, Intel Core Ultra 7 165U Twelve (12) Core Meteor Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, Wedge-shaped lock slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2024 Laptop Direct

74-PISTAMTL25011100H	R 44,109	Dell XPS 14 9440 Series Core Ultra 74-PISTAMTL25011100H Platinum Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14.5" WUXGA (1920 x 1200 resolution) Non Gloss Type LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with Power Delivery / DisplayPort, Micro SD Card Reader, CNC machined aluminum, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-POLARISN16MTL29AIH	R 24,322	Dell Inspiron 7640 Series Core Ultra 74-POLARISN16MTL29AIH Ice Blue Gaming Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" FULL HD (1920 x 1080 resolution) ComfortViewPlus LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A, 1x Thunderbolt 4.0, HDMI output, Micro SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-PV14250RPLR002	R 27,874	Dell PRO 14 Essential PV14250 Series Core 74-PV14250RPLR002 Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-PV14250RPLR004	R 21,265	Dell PRO 14 Essential PV14250 Series Core 74-PV14250RPLR004 Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-PV14250RPLR009	R 33,029	Dell PRO 14 Essential PV14250 Series Core 74-PV14250RPLR009 Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Next Business Day On-site warranty
74-PV15250RPLU004PRO	R 11,731	Dell Pro 15 Essential PV15250 Series 13th gen 74-PV15250RPLU004PRO Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Next Business Day On-site warranty
74-PV15250RPLU005HOME	R 12,238	Dell Pro 15 Essential PV15250 Series 13th gen 74-PV15250RPLU005HOME Black Notebook, Intel Core i5 Raptor

		Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-PV15250RPLU005PRO	R 20,753	Dell Pro 15 Essential PV15250 Series 13th gen 74-PV15250RPLU005PRO Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Next Business Day On-site warranty
74-PV15250RPLU007PRO	R 15,402	Dell Pro 15 Essential PV15250 Series 13th gen 74-PV15250RPLU007PRO Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-QUAKEN14RPLU1503FT	R 18,272	Dell Inspiron 5430 Series 13th gen 74-QUAKEN14RPLU1503FT QUAKEN14_RPL_U_2401_1503_SPP_HOM Silver Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x Intel Thunderbolt 4.0, 2x USB 3.2 Gen 1 Type-A, HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
74-SENTRYN142N1RP256H	R 21,560	Dell Inspiron 7440 2in1 Series Core 74-SENTRYN142N1RP256H Ice Blue Notebook Tablet, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView WVA, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C 3.2 Gen 2 (10 Gbps) with Power Delivery / DisplayPort 1.4 ports, 2x USB 3.2 Gen 1 Type-A ports, HDMI output, SD Card Reader, Wedge-Shaped Lock Slot, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-SENTRYN14RPLU25001	R 16,340	Dell Inspiron 5440 Series 13th gen 74-SENTRYN14RPLU25001 Ice Blue Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type WVA, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 1 (5 Gbps) Type-C port, HDMI output, SD Card Reader, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74-TRIBUTOLNL25011200	R 53,177	Dell XPS 13 9350 Series Core Ultra Series 2 74-TRIBUTOLNL25011200 Platinum Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max

		Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.4" WUXGA (1920 x 1200 resolution) Non Gloss Type 500nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, CNC machined aluminum, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-TRIBUTOLNL2501120H	R 40,849	Dell XPS 13 9350 Series Core Ultra Series 2 74-TRIBUTOLNL2501120H Platinum Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.4" WUXGA (1920 x 1200 resolution) Non Gloss Type 500nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, CNC machined aluminum, 1.2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-TRIBUTOLNL25011300	R 48,146	Dell XPS 13 9350 Series Core Ultra Series 2 74-TRIBUTOLNL25011300 Platinum Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.4" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, CNC machined aluminum, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74-TRIBUTOQC25011300	R 46,476	Dell XPS 13 9345 Series 74-TRIBUTOQC25011300 Graphite Silver Notebook, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.4" Capacitive Multi Touch Screen QHD (2560 x 1600 resolution) Glossy Type 500nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB4 40Gbps USB Type-C with DisplayPort / Power Delivery, CNC machined aluminum, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74-TRIBUTOQC25011300H	R 42,261	Dell XPS 13 9345 Series 74-TRIBUTOQC25011300H Graphite Silver Notebook, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.4" Capacitive Multi Touch Screen QHD (2560 x 1600 resolution) Glossy Type 500nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB4 40Gbps USB Type-C with DisplayPort / Power Delivery, CNC machined aluminum, 1.2 kg, Microsoft Windows 11 Home 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
74BTO127MC16250EMEA	R 64,771	Dell PRO Max 16 MC16250 Series Core Ultra Series 2 74BTO127MC16250EMEA Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 64GB DDR5-5600 SO-Dimm Memory (2x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74BTO208PB16250EMEA	R 31,878	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 74BTO208PB16250EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4

		Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74BTO211PB16250EMEA	R 40,735	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 74BTO211PB16250EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74BTO212PB13250EME5G	R 42,160	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 74BTO212PB13250EME5G Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74DB14250LNL202	R 34,086	Dell 14 Plus V DB14250 Series Core Ultra Series 2 74DB14250LNL202 Ice Blue Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) ComfortViewPlus IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 port with DisplayPort 2.1 / Power Delivery, HDMI output, Copilot Key, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74PV15250RPLU001PRO	R 17,867	Dell Pro 15 Essential PV15250 Series 13th gen 74PV15250RPLU001PRO Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
74PV15250RPLU005PHOM	R 18,833	Dell Pro 15 Essential PV15250 Series 13th gen 74PV15250RPLU005PHOM Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x

		USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74PV15250RPLU008PHOM	R 23,097	Dell Pro 15 Essential PV15250 Series 13th gen 74PV15250RPLU008PHOM Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
74PV15250RPLU008PRO	R 24,873	Dell Pro 15 Essential PV15250 Series 13th gen 74PV15250RPLU008PRO Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO102_PB16250_EMEA	R 21,842	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 BTO102_PB16250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO105_PB16250_EMEA	R 40,463	Dell Pro 16 Plus PC16250 Series Core Ultra Series 2 BTO105_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO105_PC16250	R 30,954	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO105_PC16250 Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

BTO105_PC16250_EMEA	R 34,091	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO105_PC16250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO105_PC16250_EMEA	R 31,081	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO105_PC16250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PB14250_EMEA	R 28,598	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 BTO106_PB14250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PB14250_EMEA-4G	R 29,516	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 BTO106_PB14250_EMEA-4G Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PC14250_EMEA	R 31,259	Dell PRO 14 PC14250 Series Core Ultra Series 2 BTO106_PC14250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power

		Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PC14250_EMEA	R 34,166	Dell PRO 14 PC14250 Series Core Ultra Series 2 BTO106_PC14250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PC16250	R 34,977	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO106_PC16250 Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PC16250_EMEA	R 40,571	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO106_PC16250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO106_PC16250_EMEA	R 34,733	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO106_PC16250_EMEA Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO107_PB16250_EMEA	R 26,773	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 BTO107_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical

		drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
BTO107_PB16250_EMEA-4G	R 33,586	Dell Pro 16 Plus PC16250 Series Core Ultra Series 2 BTO107_PB16250_EMEA-4G Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
BTO107_PC14250	R 36,659	Dell PRO 14 PC14250 Series Core BTO107_PC14250 Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO107_PC14250_EMEA	R 37,373	Dell PRO 14 PC14250 Series Core BTO107_PC14250_EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO107_PC14250_EMEA	R 34,236	Dell PRO 14 PC14250 Series Core BTO107_PC14250_EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO107_PC16250	R 33,514	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO107_PC16250 Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports

		64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO107_PC16250_EMEA	R 37,715	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO107_PC16250_EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO107_PC16250_EMEA	R 33,657	Dell PRO 16 PC16250 Series Core Ultra Series 2 BTO107_PC16250_EMEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO109_PC14250_EMEA	R 38,972	Dell PRO 14 PC14250 Series Core Ultra Series 2 BTO109_PC14250_EMEA Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO110_PB13250_2N1EMEA	R 34,901	Dell PRO 13 Plus PB13250 Series Core Ultra Series 2 BTO110_PB13250_2N1EMEA Silver 2in1 Notebook Tablet, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

BTO110_PB14250	R 28,847	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 BTO110_PB14250 Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO111_PB14250_EMEA-4G	R 36,323	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 BTO111_PB14250_EMEA-4G Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty,
BTO112_PB13250_EMEA	R 28,863	Dell PRO 13 Plus PB13250 Series Core Ultra Series 2 BTO112_PB13250_EMEA Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO201_PB16250_EMEA	R 33,108	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO201_PB16250_EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO203_PA13250_EMEA	R 35,908	Dell PRO 13 Premium V PA13250 Series Core Ultra Series 2 BTO203_PA13250_EMEA Grey Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 500nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO203_PA13250_EMEA-5G	R 38,797	Dell PRO 13 Premium V PA13250 Series Core Ultra Series 2 BTO203_PA13250_EMEA-5G Grey Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem,

		No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 500nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO205_PA14250	R 40,702	Dell PRO 14 Premium V PA14250 Series Core Ultra Series 2 BTO205_PA14250 Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO205_PA14250_EMEA	R 51,657	Dell PRO 14 Premium V PA14250 Series Core Ultra Series 2 BTO205_PA14250_EMEA Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16384MB (16GB) LPDDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO205_PA14250_EMEA-5G	R 54,494	Dell PRO 14 Premium V PA14250 Series Core Ultra Series 2 BTO205_PA14250_EMEA-5G Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16384MB (16GB) LPDDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
BTO206_PA13250_EMEA	R 40,051	Dell PRO 13 Premium V PA13250 Series Core Ultra Series 2 BTO206_PA13250_EMEA Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16384MB (16GB) LPDDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
BTO206_PA13250_EMEA	R 40,806	Dell PRO 13 Premium V PA13250 Series Core Ultra Series 2 BTO206_PA13250_EMEA Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16384MB (16GB) LPDDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen

		1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO206_PB16250_EMEA	R 47,713	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO206_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO206_PB16250_EMEA	R 48,630	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO206_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO206_PB16250_EMEA-5G	R 52,267	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO206_PB16250_EMEA-5G Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO207_PB16250	R 53,406	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 BTO207_PB16250 Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO207_PB16250_EMEA	R 55,045	Dell Pro 16 Plus PC16250 V Series Core Ultra Series 2 BTO207_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO208_PB16250_EMEA	R 28,918	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO208_PB16250_EMEA Silver Notebook, Intel Core

		Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO209_PB13250_EMEA	R 34,166	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 BTO209_PB13250_EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO209_PB13250_EMEA	R 35,715	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 BTO209_PB13250_EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO209_PB16250	R 35,343	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO209_PB16250 Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO209_PB16250_EMEA	R 38,478	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO209_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO209_PB16250_EMEA	R 35,704	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO209_PB16250_EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost

		48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO211_PB14250_EMEA	R 34,093	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO211_PB14250_EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO211_PB14250_EMEA	R 36,622	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO211_PB14250_EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO211_PB16250_EMEA-5G	R 43,931	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO211_PB16250_EMEA-5G Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO212_PB13250_EMEA	R 39,252	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 BTO212_PB13250_EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO212_PB13250_EMEA	R 37,282	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 BTO212_PB13250_EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next

		Business Day On-site warranty
BTO212_PB14250_EMEA	R 35,704	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 BTO212_PB14250_EMEA Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO212_PB14250_EMEA-5G	R 37,378	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 BTO212_PB14250_EMEA-5G Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO213_PB14250_EMEA	R 37,479	Dell Pro 14 Plus V PB14250 Series Core Ultra Series 2 BTO213_PB14250_EMEA Silver Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB13250_EMEA-5G	R 38,047	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 BTO216_PB13250_EMEA-5G Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB14250-5G	R 41,560	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO216_PB14250-5G Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB14250_EMEA	R 39,252	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO216_PB14250_EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4

		Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB14250_EMEA	R 39,534	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO216_PB14250_EMEA Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB14250_EMEA-5G	R 43,593	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO216_PB14250_EMEA-5G Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB16250	R 36,580	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO216_PB16250 Silver Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO216_PB16250_EMEA	R 43,429	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 BTO216_PB16250_EMEA Silver Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO217_PB14250	R 50,891	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO217_PB14250 Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with

		DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO217_PB14250_EMEA	R 51,463	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO217_PB14250_EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
BTO217_PB14250_EMEA	R 52,452	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 BTO217_PB14250_EMEA Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DA16250_ARLH_003	R 62,022	Dell Pro 16 Premium DA16250 Series Core Ultra Series 2 DA16250_ARLH_003 Platinum Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 Gen 2 Type-C ports with DisplayPort 2.1 / Power Delivery, HDMI output, Micro SD Card Reader, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DA16250_ARLH_008	R 97,758	Dell Pro 16 Premium DA16250 Series Core Ultra Series 2 DA16250_ARLH_008 Platinum Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16.3" Capacitive Multi Touch Screen UHD (3840 x 2160 resolution) Glossy Type 400nits OLED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 Gen 2 Type-C ports with DisplayPort 2.1 / Power Delivery, HDMI output, Micro SD Card Reader, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DA16250_ARLH_011	R 83,907	Dell Pro 16 Premium DA16250 Series Core Ultra Series 2 DA16250_ARLH_011 Platinum Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16.3" Capacitive Multi Touch Screen UHD (3840 x 2160 resolution) Glossy Type 400nits OLED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 Gen 2 Type-C ports with DisplayPort 2.1 / Power Delivery, HDMI output, Micro SD Card Reader, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DB04250_LNL_201	R 33,372	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_201 Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4

		Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DB04250_LNL_201_HOM	R 35,318	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_201_HOM Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
DB04250_LNL_202	R 30,920	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_202 Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DB04250_LNL_202_HOM	R 28,307	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_202_HOM Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
DB04250_LNL_202_HOME	R 25,554	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_202_HOME Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
DB04250_LNL_202_P	R 25,265	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_202_P Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14"

		Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DB04250_LNL_204	R 41,808	Dell 14 Plus 2in1 DB04250 V Series Core Ultra Series 2 DB04250_LNL_204 Ice Blue 2in1 Notebook Tablet, Intel Core Ultra 9 288V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.1Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) ComfortView IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 67 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A (5 Gbps), 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 / Power Delivery, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
DC16251_RPLU-R_005	R 23,185	Dell 16 DC16251 Series Core DC16251_RPLU-R_005 Midnight Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2 (10Gbps) Type-C with DP 1.4 / PD, HDMI output, SD Card Reader, Wedge-Shaped Lock Slot, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
Dell7420-2in1-i7512G16G	R 27,133	Dell Inspiron 7420 Series 12th gen Dell7420-2in1-i7512G16G Platinum Silver Notebook Tablet, Intel Core i7 Adler Lake Ten (10) Core i7-1255U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) TruLife WVA Wide Viewing Angle LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, 2x USB 3.2 Gen 2x1 Type-C with PowerDelivery / Video, 1x USB 3.2 Gen 1 Type A port, HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Â© 2024 Laptop Direct
DL15i5-512G16G-LNX	R 11,660	Dell 15 DC15250 Series 13th gen DL15i5-512G16G-LNX Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-2666 SO-Dimm Memory (1x16384), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480 Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Ubuntu OS , 1 Year Carry in warranty
DL15i5-512G8G11P-T	R 14,471	Dell 15 DC15250 Series 13th gen DL15i5-512G8G11P-T Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480 Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DL15R5-512G16G11P	R 13,199	Dell 15 DC15255 Series DL15R5-512G16G11P Black Notebook, AMD Ryzen 5 7530U Hex Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-2666 SO-Dimm Memory (2x8192),

		Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 2000 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480 Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DL15R7-1T16G11P	R 15,854	Dell Pro 15 DC15255 Series DL15R7-1T16G11P Black Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-2666 SO-Dimm Memory (1x16384), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 2.0 (480 Mbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DL3535-R7-1TB16GB11P	R 15,103	Dell Inspiron 3535 Series DL3535-R7-1TB16GB11P Black Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 120Hz, 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 3.2 Gen 1 Type-C port (data only), 1x USB 2.0 port, HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DL7640-U7-1T16G11P	R 26,927	Dell Inspiron 7640 Series Core Ultra DL7640-U7-1T16G11P Ice Blue Gaming Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen WQXGA (2560 x 1600 resolution) Non Gloss Type IPS LED Backlit Display, nVidia Geforce RTX 4060 with 8GB dedicated graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 2x USB 3.2 Gen 1 Type A, 1x Thunderbolt 4.0, HDMI output, Micro SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DLP14PU7-1T16G11P	R 31,537	Dell 14 Plus V DB14250 Series Core Ultra Series 2 DLP14PU7-1T16G11P Ice Blue Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WQXGA (2560 x 1600 resolution) ComfortViewPlus IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 (5 Gbps) port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort 1.4 / Power Delivery, 1x Thunderbolt 4 port with DisplayPort 2.1 / Power Delivery, HDMI output, Copilot Key, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
IS5440-7150U-161TBSL	R 20,630	Dell Inspiron 5440 Series Core IS5440-7150U-161TBSL Ice Blue Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortView WVA, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) ports, 1x USB 3.2 Gen 1 (5 Gbps) Type-C port, HDMI output, SD Card Reader, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
MC16250-U7-16512GB-5G	R 49,397	Dell PRO Max 16 MC16250 Series Core Ultra Series 2 MC16250-U7-16512GB-5G Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display,

		nVidia RTX Pro 500 6GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
MC16250-U7-321TB-5G	R 71,650	Dell PRO Max 16 MC16250 Series Core Ultra Series 2 MC16250-U7-321TB-5G Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
MC16250T-U7-16512GB-5G	R 59,067	Dell PRO Max 16 MC16250 Series Core Ultra Series 2 MC16250T-U7-16512GB-5G Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 (5 Gbps) port with PowerShare, 1x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N006L535013EMEA-4G	R 26,294	Dell Latitude 5350 Series Core Ultra N006L535013EMEA-4G Silver Notebook, Intel Core Ultra 7 165U Twelve (12) Core Meteor Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 13.3" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, Wedge-shaped lock slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO010PC14250EM	R 35,099	Dell PRO 14 PC14250 Series Core NBDEBTO010PC14250EM Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO010PC16250EM	R 35,465	Dell PRO 16 PC16250 Series Core NBDEBTO010PC16250EM Magnetite Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State

		Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO103MA16250EM	R 85,566	Dell PRO Max 16 Premiun MA16250 Series Core Ultra Series 2 NBDEBTO103MA16250EM Black Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2 x USB Type-C Thunderbolt 5 (80 / 120 Gbps) ports with Power Delivery / DisplayPort 2.1, 1 x USB Type-C Thunderbolt 4 (40 Gbps) port with Power Delivery / DisplayPort 2.1, HDMI output, SD Card Reader, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO105PC16250EM	R 34,368	Dell PRO 16 PC16250 Series Core Ultra Series 2 NBDEBTO105PC16250EM Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
NBDEBTO106PC14250EM	R 30,589	Dell PRO 14 PC14250 Series Core Ultra Series 2 NBDEBTO106PC14250EM Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Performance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO106PC16250EM	R 36,074	Dell PRO 16 PC16250 Series Core Ultra Series 2 NBDEBTO106PC16250EM Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct

NBDEBTO107PC14250EM	R 32,783	Dell PRO 14 PC14250 Series Core Ultra Series 2 NBDEBTO107PC14250EM Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO107PC16250EM	R 38,025	Dell PRO 16 PC16250 Series Core Ultra Series 2 NBDEBTO107PC16250EM Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
NBDEBTO110PB132502N1	R 39,487	Dell PRO 13 Plus PB13250 Series Core Ultra Series 2 NBDEBTO110PB132502N1 Silver 2in1 Notebook Tablet, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO201PB162505G	R 38,512	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO201PB162505G Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO201PB16250EM	R 33,722	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO201PB16250EM Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO205PA14250EM	R 52,409	Dell PRO 14 Premium V PA14250 Series Core Ultra Series 2 NBDEBTO205PA14250EM Grey Notebook, Intel

		Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16384MB (16GB) LPDDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO206PB16250EM	R 48,874	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO206PB16250EM Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO207PB16250EM	R 55,334	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO207PB16250EM Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO209PB13250EM	R 36,318	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 NBDEBTO209PB13250EM Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO209PB162505G	R 43,388	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO209PB162505G Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO209PB16250EM	R 39,487	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO209PB16250EM Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost

		48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO211PB14250EM	R 34,611	Dell Pro 14 Plus V PC14250 Series Core Ultra Series 2 NBDEBTO211PB14250EM Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO212PB13250EM	R 42,413	Dell PRO 13 Plus PB13250 Series Core V Ultra Series 2 NBDEBTO212PB13250EM Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, 2x USB 3.2 Gen 1 Type A ports, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO212PB142505G	R 42,047	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 NBDEBTO212PB142505G Silver Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO216PB14250EM	R 42,413	Dell Pro 14 Plus V PB14250 Series Core Ultra Series 2 NBDEBTO216PB14250EM Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO216PB16250EM	R 44,485	Dell Pro 16 Plus V PC16250 Series Core Ultra Series 2 NBDEBTO216PB16250EM Silver Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

NBDEBTO217PB14250EM	R 52,653	Dell Pro 14 Plus PB14250 Series Core Ultra Series 2 NBDEBTO217PB14250EM Silver Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO504PB14255EM	R 35,099	Dell Pro 14 Plus PB14255 Series NBDEBTO504PB14255EM Silver Notebook, AMD Ryzen 5 Pro 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 (5 Gbps) port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO505PB16255EM	R 32,076	Dell Pro 16 Plus PB16255 Series NBDEBTO505PB16255EM Silver Notebook, AMD Ryzen 5 Pro 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEBTO507PC14255EM	R 30,345	Dell PRO 14 PC14255 Series NBDEBTO507PC14255EM Magnetite Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C Thunderbolt 4 with Power Delivery 3.1 & DisplayPort 1.4a, 2x USB 3.2 Gen 1 Type-A, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
NBDEBTO507PC16255EM	R 22,336	Dell Pro 16 Plus PC16255 Series NBDEBTO507PC16255EM Magnetite Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type-A, 2 x USB Type-C Thunderbolt 4.0 with Power Delivery 3.1 & DisplayPort 1.4a, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
NBDEDA14260UX732111P	R 72,778	Dell XPS 14 DA14260 Series Core Ultra Series 3 NBDEDA14260UX732111P Black Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 500nits LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB

		Type-C) with DisplayPort 2.1 / Power Delivery, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA14260UX7O3211P	R 75,253	Dell XPS 14 DA14260 Series Core Ultra Series 3 NBDEDA14260UX7O3211P Black Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) ComfortViewPlus 400nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA14260UX9O6411P	R 91,514	Dell XPS 14 DA14260 Series Core Ultra Series 3 NBDEDA14260UX9O6411P Black Notebook, Intel Core Ultra 9 388H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.1Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) ComfortViewPlus 400nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA16250U7161W11P	R 59,564	Dell Pro 16 Premium DA16250 Series Core Ultra Series 2 NBDEDA16250U7161W11P Platinum Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 Gen 2 Type-C ports with DisplayPort 2.1 / Power Delivery, HDMI output, Micro SD Card Reader, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA16260UX732111P	R 74,278	Dell XPS 16 DA16260 Series Core Ultra Series 3 NBDEDA16260UX732111P Black Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 500nits LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA16260UX7O3211P	R 78,703	Dell XPS 16 DA16260 Series Core Ultra Series 3 NBDEDA16260UX7O3211P Black Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 3.2K (3200 x 2000 resolution) Non Gloss Type 400nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDA16260UX9O6411P	R 94,952	Dell XPS 16 DA16260 Series Core Ultra Series 3 NBDEDA16260UX9O6411P Black Notebook, Intel Core Ultra 9 388H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.1Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen 3.2K (3200 x 2000 resolution) Non Gloss Type 400nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, 1.8 kg, Microsoft Windows 11

		Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEDS14260U7165121H	R 34,075	Dell 14S DS14260 Series Core Ultra Series 3 NBDEDS14260U7165121H Frost Blue Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus 60Hz OLED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort 2.1, 2x USB 3.2 Gen 1 ports, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEDS14265R7165121H	R 27,675	Dell 14S DS14265 Series NBDEDS14265R7165121H Frost Blue Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) ComfortViewPlus 60Hz OLED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort 2.1, 2x USB 3.2 Gen 1 ports, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEDS16265R7165121H	R 29,114	Dell 16S DS16265 Series NBDEDS16265R7165121H Frost Blue Notebook, AMD Ryzen AI 7 445 Six (6) Core Turbo Boost up to 4.6Ghz 14MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type 500nits LED Backlit Display, AMD Radeon 840M Graphics, AMD XDNA NPU up to 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort 2.1, 2x USB 3.2 Gen 1 ports, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEI3530I38512W11H	R 10,038	Dell Inspiron 3530 Series 13th gen NBDEI3530I38512W11H Black Notebook, Intel Core i3 Raptor Lake Five (5) Core i3-1305U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (1 Perfomance Cores & 4 Efficient Cores), 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 120Hz, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 3.2 Gen 1 Type-C full function, 1x USB 2.0 port, HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBDEN006L345014EMEA	R 19,618	Dell Latitude 3450 Series 13th gen NBDEN006L345014EMEA Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB4 20 Gbps with PowerDelivery / DisplayPort, 3x USB 3.2 Gen 1 ports, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, ÂÂ© 2024 Laptop Direct
NBDEPB142507165125G	R 41,682	Dell Pro 14 Plus V PB14250 Series Core Ultra Series 2 NBDEPB142507165125G Silver Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" QHD (2560 x 1600 resolution) ComfortViewPlus IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port,, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV14250C3851211H	R 20,300	Dell PRO 14 Essential PV14250 Series Core NBDEPV14250C3851211H Black Notebook, Intel Core 3 100U Six

		(6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV14250C5165121H	R 23,677	Dell PRO 14 Essential PV14250 Series Core NBDEPV14250C5165121H Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV14250C7161W11H	R 29,662	Dell PRO 14 Essential PV14250 Series Core NBDEPV14250C7161W11H Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV14250C7165121H	R 26,018	Dell PRO 14 Essential PV14250 Series Core NBDEPV14250C7165121H Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV14250RPLR002	R 28,516	Dell PRO 14 Essential PV14250 Series Core NBDEPV14250RPLR002 Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV14250RPLR008	R 30,101	Dell PRO 14 Essential PV14250 Series Core NBDEPV14250RPLR008 Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV14255HWK551	R 25,225	Dell PRO 14 Essential PV14255 Series NBDEPV14255HWK551 Black Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports

		64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C (DisplayPort / Power Delivery), 2x USB 3.2 Gen 1 Type-A (5 Gbps), HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV14255R5165121H	R 22,714	Dell PRO 14 Essential PV14255 Series NBDEPV14255R5165121H Black Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C (DisplayPort / Power Delivery), 2x USB 3.2 Gen 1 Type-A (5 Gbps), HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV14255R7AI1611H	R 30,906	Dell PRO 14 Essential PV14255 Series NBDEPV14255R7AI1611H Black Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C (DisplayPort / Power Delivery), 2x USB 3.2 Gen 1 Type-A (5 Gbps), HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250001P8LH	R 21,544	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250001P8LH Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250002MHOM	R 25,469	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250002MHOM Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250003MH	R 30,418	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250003MH Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250005P8LH	R 25,737	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250005P8LH Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080

		resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250006P8LH	R 23,263	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250006P8LH Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250008P8LH	R 31,735	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250008P8LH Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
NBDEPV15250RPLU001P	R 17,631	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250RPLU001P Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV15250RPLU004P	R 22,421	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250RPLU004P Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV15250RPLU005P	R 25,225	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250RPLU005P Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV15250RPLU008P	R 33,758	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250RPLU008P Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth,

		Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPV15255AR38512WH	R 10,865	Dell Pro 15 Essential PV15255 Series NBDEPV15255AR38512WH Black Notebook, AMD Ryzen 3 7320U Quad Core 2.4Ghz with Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, AMD Radeon 610M graphics 1900 MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB Type-A 3.2 Gen 1 (5 Gbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C port (data only), 1x USB 2.0 (480 Mbps) port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBDEPV15255AR58512WH	R 18,508	Dell Pro 15 Essential PV15255 Series NBDEPV15255AR58512WH Black Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB Type-A 3.2 Gen 1 (5 Gbps) port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C port (data only), 1x USB 2.0 (480 Mbps) port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
NBDEPW516261716512W1	R 58,133	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 NBDEPW516261716512W1 Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-7567 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPW51626173212W11	R 93,977	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 NBDEPW51626173212W11 Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-7567 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPW51626173218W11	R 76,423	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 NBDEPW51626173218W11 Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-8533 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, HDMI output, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
NBDEPW5162617321W11P	R 75,814	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 NBDEPW5162617321W11P Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4

		Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-7567 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PB16250-U716G1TB-4G	R 34,341	Dell Pro 16 Plus PB16250 Series Core Ultra Series 2 PB16250-U716G1TB-4G Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PB16250_LAT5550-U51TB	R 29,923	Dell Pro 16 Plus PC16250 Series Core Ultra Series 2 PB16250_LAT5550-U51TB Silver Notebook, Intel Core Ultra 5 235U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PB16250_LAT5550-U7	R 32,572	Dell Pro 16 Plus PC16250 Series Core Ultra Series 2 PB16250_LAT5550-U7 Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty, Â© 2025 Laptop Direct
PB16250_LAT5550-U7-4G	R 33,367	Dell Pro 16 Plus PC16250 Series Core Ultra Series 2 PB16250_LAT5550-U7-4G Silver Notebook, Intel Core Ultra 7 265U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) with DisplayPort 2.1 Alt Mode / USB Type-C / USB4 / Power Delivery ports, 2x USB 3.2 Gen 1 Type-A port, HDMI output, Micro SD Card Reader, Wedge-shaped lock slot, Copilot Key, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PC16250-U732G1TB	R 47,582	Dell PRO 16 PC16250 Series Core Ultra Series 2 PC16250-U732G1TB Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores

		& 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PC16250_LAT3550-C716512	R 28,267	Dell PRO 16 PC16250 Series Core PC16250_LAT3550-C716512 Magnetite Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (5 Gbps) Type-A port, 1x USB 3.2 Gen 2 (10 Gbps) Type-C port with DisplayPort Alt mode / Power Delivery, 1x Thunderbolt 4 (40 Gbps) port with Power Delivery 3.1 & DisplayPort2.1 Alt Mode / USB Type-C / USB4 / Power Delivery, HDMI output, Wedge-shaped lock slot, Copilot Key, 2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PREC5_U716G_RTX500	R 53,805	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 PREC5_U716G_RTX500 Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-8533 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, HDMI output, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PREC5_U732G_RTX2000	R 73,666	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 PREC5_U732G_RTX2000 Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-8533 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, HDMI output, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PREC5_U732G_RTX500	R 66,184	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 PREC5_U732G_RTX500 Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-8533 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, HDMI output, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_002	R 15,672	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_002 Black Notebook, Intel Core 5 120U Ten (10)

		Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_002	R 26,864	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_002 Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient) , 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_002_HOM	R 26,199	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_002_HOM Black Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV14250_RPLR_004	R 20,213	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_004 Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_004	R 20,723	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_004 Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_004_HOM	R 15,409	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_004_HOM Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV14250_RPLR_008_HOM	R 21,597	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_008_HOM Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient),

		16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV14250_RPLR_009	R 23,470	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_009 Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_009	R 23,397	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_009 Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_009	R 29,437	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_009 Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14250_RPLR_009_HOM	R 18,170	Dell PRO 14 Essential PV14250 Series Core PV14250_RPLR_009_HOM Black Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 2x USB 3.2 Gen 1 Type-A (5 Gbps) ports, 1x USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery / DisplayPort, HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV14255_HWK_550	R 22,013	Dell PRO 14 Essential PV14255 Series PV14255_HWK_550 Black Notebook, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C (DisplayPort / Power Delivery), 2x USB 3.2 Gen 1 Type-A (5 Gbps), HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14255_HWK_551	R 20,525	Dell PRO 14 Essential PV14255 Series PV14255_HWK_551 Black Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No

		CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C (DisplayPort / Power Delivery), 2x USB 3.2 Gen 1 Type-A (5 Gbps), HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV14255_KRK_501	R 27,535	Dell PRO 14 Essential PV14255 Series PV14255_KRK_501 Black Notebook, AMD Ryzen AI 7 Pro 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 2 Type-C (DisplayPort / Power Delivery), 2x USB 3.2 Gen 1 Type-A (5 Gbps), HDMI output, Wedge-shaped lock slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250-RPLU-005-HOM	R 18,134	Dell Pro 15 Essential PV15250 Series 13th gen PV15250-RPLU-005-HOM Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250C38512WH	R 10,963	Dell Pro 15 Essential PV15250 Series 13th gen NBDEPV15250C38512WH Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250RPLU004P	R 13,523	Dell Pro 15 Essential PV15250 Series 13th gen PV15250RPLU004P Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250RPLU008P	R 23,434	Dell Pro 15 Essential PV15250 Series 13th gen PV15250RPLU008P Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_001_P	R 13,163	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_001_P Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3

		Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_001_P8L	R 17,874	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_001_P8L Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_001_P8L	R 18,001	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_001_P8L Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_001_P8L_HOM	R 19,027	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_001_P8L_HOM Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_002_M	R 30,364	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_002_M Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_002_M_HOM	R 21,091	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_002_M_HOM Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_004_P	R 11,628	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_004_P Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5

		Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_004_P8L_HOM	R 15,098	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_004_P8L_HOM Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_004_P_HOM	R 10,636	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_004_P_HOM Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_004_P_HOM	R 9,806	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_004_P_HOM Black Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_005_P8L	R 20,651	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_005_P8L Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_005_P8L	R 27,731	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_005_P8L Black Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_006_P8L	R 25,312	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_006_P8L Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft

		Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_006_P8L_HOM	R 17,868	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_006_P8L_HOM Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_007_P_HOM	R 14,715	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_007_P_HOM Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PV15250_RPLU_008_P	R 16,136	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_008_P Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_008_P8L	R 25,677	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_008_P8L Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_008_P8L	R 24,914	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_008_P8L Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PV15250_RPLU_008_P8L	R 26,257	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_008_P8L Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

PV15250_RPLU_008_P8L_HOM	R 23,262	Dell Pro 15 Essential PV15250 Series 13th gen PV15250_RPLU_008_P8L_HOM Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 120Hz LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1 Type-A port, 1x USB 2.0 port, 1x USB 3.2 Gen 1 (5 Gbps) Type-C data only port, HDMI output, SD Card Reader, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
PW516261-U7-321TB-5G	R 68,644	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 PW516261-U7-321TB-5G Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-7567 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
PW516261T-U7-16512GB-5G	R 62,629	Dell Precision 5 16 PW516261 Series Core Ultra Series 3 PW516261T-U7-16512GB-5G Silver Notebook, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-7567 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (40 Gbps) ports with Power Delivery / DisplayPort, 2x USB 3.2 Gen 1 (5 Gbps) ports, Wedge-shaped lock slot, 2.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
XPS14_DA14260_U964G1TB_TOUC	R 87,965	Dell XPS 14 DA14260 Series Core Ultra Series 3 XPS14_DA14260_U964G1TB_TOUCH Black Notebook, Intel Core Ultra 9 388H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5.1Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) ComfortViewPlus 400nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Thunderbolt 4 (USB Type-C) with DisplayPort 2.1 / Power Delivery, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

< Return to the menu

Demo notebooks

Product code	Price	Description
20VYS19E00#D1	R 38,025	Lenovo Thinkpad P14s g2 Series 11th gen 20VYS19E00#D1 Black Notebook, BOX OPENED/BOX DAMAGED, Intel Core i7 Tiger Lake Quad Core i7-1165G7 1.2Ghz with Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor, 32768MB (32GB) DDR4-3200 SO-Dimm Memory (1x16384 onboard,1x16384), Supports 48GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia Quadro T500 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), 2x Thunderbolt 4 / USB4 40Gbps / USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, Micro SD Card Reader, TPM 2.0, 1.5 kg, Microsoft Windows 10 Professional 64 bit, 3 Year On-site warranty
21JK0026ZA#D1	R 19,618	Lenovo Thinkpad E14 gen5 Series 13th gen 21JK0026ZA#D1 Black Notebook BOX OPENED / BOX DAMAGED, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2

		Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, 1x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x USB 2.0, 1x USB 3.2 Gen 1 (Always On), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, Kensington Nano Security Slot, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
IS5430-I51335U-16512SL#D3	R 15,410	Dell Inspiron 5430 Series 13th gen IS5430-I51335U-16512SL#D3 Silver Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x Intel Thunderbolt 4.0, 2x USB 3.2 Gen 1 Type-A, HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year On-site warranty
IS5530-I713650HX-161TBSL#D2	R 25,228	Dell Inspiron 5530 G15 Series 13th gen IS5530-I713650HX-161TBSL#D2 Dark Shadow Grey Gaming Notebook, DEMO / DISPLAY UNIT, Intel Core i7 Raptor Lake Fourteen (14) Core i7-13650HX Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) ComfortViewPlus LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB 3.2 Gen 1 ports, 1x USB-C 3.2 Gen 2 port with DisplayPort, HDMI output, 2.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Next Business Day On-site warranty
N006L544014EMEA#D1	R 20,936	Dell Latitude 5440 Series 13th gen N006L544014EMEA#D1 Grey Notebook BOX OPENED / BOX DAMAGED, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 ports with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, Wedge-Shaped Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N006L545014EMEA#D2	R 20,716	Dell Latitude 5450 Series Core Ultra N006L545014EMEA#D2 Silver Notebook, DEMO / DISPLAY UNIT, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2230 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (40 Gbps) with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Wedge-shaped lock slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N006L764016EMEA-4G#D2	R 31,949	Dell Latitude 7640 Series 13th gen N006L764016EMEA-4G#D2 Grey Notebook DISPLAY / DEMO UNIT, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A port, 1x USB 3.2 Gen 1 Type-A port with PowerShare, 2x USB Type-C Thunderbolt 4.0 with Power Delivery & DisplayPort 1.4, HDMI output, Wedge-Shaped Lock Slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day

		On-site warranty
N010L554015EMEA#D1	R 20,920	Dell Latitude 5540 Series 13th gen N010L554015EMEA#D1 Grey Notebook BOX OPENED / BOX DAMAGED, Intel Core i5 Raptor Lake Ten (10) Core i5-1345U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 port with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Micro SD Card Reader, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N011L355015EMEA#D2	R 22,940	Dell Latitude 3550 Series Core Ultra N011L355015EMEA#D2 Black Notebook, DEMO / DISPLAY UNIT, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB4 20 Gbps with PowerDelivery / DisplayPort, 3x USB 3.2 Gen 1 ports, Wedge-shaped lock slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
N013L534013EMEA#D2	R 23,064	Dell Latitude 5340 Series 13th gen N013L534013EMEA#D2 Grey Notebook DISPLAY / DEMO UNIT, Intel Core i5 Raptor Lake Ten (10) Core i5-1345U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 ports with Power Delivery / DisplayPort, 1x USB 3.2 Gen1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Wedge-Shaped Lock Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N029L554015EMEA#D2	R 21,015	Dell Latitude 5540 Series 13th gen N029L554015EMEA#D2 Grey Notebook DISPLAY / DEMO UNIT, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 port with Power Delivery / DisplayPort, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, HDMI output, Wedge-Shaped Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N040L544014EMEA#D2	R 19,434	Dell Latitude 5440 Series 13th gen N040L544014EMEA#D2 Grey Notebook - DISPLAY / DEMO UNIT, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 ports with DisplayPort Alt Mode / USB Type-C / USB4 / Power Delivery, 1x USB 3.2 Gen 1 port with PowerShare, 1x USB 3.2 Gen 1 port, Wedge-Shaped Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N043L734013EMEA-4G#D1	R 34,275	Dell Latitude 7340 Series 13th gen N043L734013EMEA-4G#D1 Grey Notebook BOX OPENED / BOX DAMAGED, Intel Core i7 Raptor Lake Ten (10) Core i7-1365U Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200

		resolution) Non Gloss Type LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1 Type-A with PowerShare port, 2x Thunderbolt 4.0 with Power Delivery & DisplayPort 1.4 (USB Type-C) ports, HDMI output, Wedge-Shaped Lock Slot, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N1003VNB5630EMEA01#D1	R 17,471	Dell Vostro 5630 Series 13th gen N1003VNB5630EMEA01#D1 Grey Notebook BOX OPENED / BOX DAMAGED, Intel Core i5 Raptor Lake Twelve (12) Core i5-1340P Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type A ports, 1x Thunderbolt 4 port with DisplayPort / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N1007VNB5630EMEA01#D1	R 17,967	Dell Vostro 5630 Series 13th gen N1007VNB5630EMEA01#D1 Grey Notebook BOX OPENED / BOX DAMAGED, Intel Core i5 Raptor Lake Twelve (12) Core i5-1340P Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 Type A ports, 1x Thunderbolt 4 port with DisplayPort / Power Delivery, HDMI output, Wedge-shaped lock slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
N201L5430MLK14EMEA-4G#D2	R 21,705	Dell Latitude 5430 Series 12th gen N201L5430MLK14EMEA-4G#D2 Grey Notebook DISPLAY / DEMO UNIT, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 (USB Type-C), 2x USB 3.2 Gen 1 Type-A, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
XPS17-I712700H-161TBP#D1	R 50,055	Dell XPS 17 9720 Series 12th gen XPS17-I712700H-161TBP#D1 Silver Aluminium Notebook BOX OPENED / BOX DAMAGED, Intel Core i7 Adler Lake Fourteen (14) Core i7-12700H Turbo Boost up to 4.7Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 17" WUXGA (1920 x 1200 resolution) Non Gloss Type LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 4x Thunderbolt 4 (USB Type-C) with DisplayPort / Power Delivery, 1x eDP port with max 3 USB Type-C, Wedge-Shaped Lock Slot, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
XPS17-I713700H-161TBP#D1	R 62,452	Dell XPS 17 9730 Series 13th gen XPS17-I713700H-161TBP#D1 Silver Aluminium Notebook BOX OPENED / BOX DAMAGED, Intel Core i7 Raptor Lake Fourteen (14) Core i7-13700H Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 17" Capacitive Multi Touch Screen UHD (3840 x 2400 resolution) Non Gloss Type 500nits LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 4x Thunderbolt 4 (USB Type-C) ports with DisplayPort / Power Delivery support, SD Card Reader, Wedge-Shaped Lock Slot, CNC machined aluminum, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty

< Return to the menu

Gigabyte notebooks		
Product code	**Price**	**Description**

< Return to the menu

HP notebooks		
Product code	**Price**	**Description**
15-dy4013dx	R 16,448	HP 15-dy4013dx Series 11th gen 15-dy4013dx Silver Notebook, Intel Core i5 Tiger Lake Quad Core i5-1155G7 2.5Ghz with Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor, 12288MB (12GB) DDR4-3200 SO-Dimm Memory (1x8192,1x4096), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" Capacitive Multi Touch Screen WXGA HD (1366 x 768 resolution) Brightview 220nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps Ports, HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
15-er1025od	R 16,692	HP Pavilion x360 15-er1025od Series 12th gen 15-er1025od Silver 2 in 1 Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (2x4096), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" Capacitive Multi Touch Screen WXGA HD (1366 x 768 resolution) Brightview 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, No Pen, Accelerometer, Gyroscope, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
15-er1051cl	R 17,175	HP Pavilion x360 15-er1051cl Series 12th gen 15-er1051cl Silver 2 in 1 Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 12288MB (12GB) DDR4-3200 SO-Dimm Memory (1x8192,1x4096), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Brightview 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, HP Rechargeable MPP2.0 Tilt Pen, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
5F9N1ES	R 45,278	HP ZBook Studio 16 G11 Series Core Ultra 5F9N1ES Silver Notebook, Intel Core Ultra 7 165H Sixteen (16) Core Meteor Lake Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-4800 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia Quadro RTX 2000 Ada with 8GB dedicated graphics, NPU Intel AI Boost 1.4GHz, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 with USB4 Type-C 40Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (charging), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), Micro SD Card Reader, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
6F6Z9EA	R 21,314	HP Elitebook 860 Gen9 Series 12th gen 6F6Z9EA Silver Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB4 Type-C 40Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (1 charging), 1.8 kg, Microsoft Windows 10 Professional 64 bit, 1 Year Carry in warranty
6S7T9EA	R 11,696	HP Probook 445 G9 Series 6S7T9EA Silver Notebook, AMD Ryzen 5 Pro 5625U Quad Core 2.3Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 3x USB

		Type-A 5Gbps, 1x USB4 Type-C 40Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
6S7T9EA-1	R 12,304	HP Probook 445 G9 Series 6S7T9EA-1 Silver Notebook, AMD Ryzen 5 Pro 5625U Quad Core 2.3Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 3x USB Type-A 5Gbps, 1x USB4 Type-C 40Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Â© 2024 Laptop Direct
7N0M6ES#ACQ	R 5,723	HP 250 G9 Series 7N0M6ES#ACQ Ash Silver Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-2666 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps ports, 1x USB Type-C 5Gbps port, HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
968K3ET	R 27,491	HP Probook x360 435 G10 Series 968K3ET Silver Notebook Tablet, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Brightview UWVA, eDP LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
968K3ET	R 36,208	HP Probook x360 435 G10 Series 968K3ET Silver Notebook Tablet, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Brightview UWVA, eDP LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
9G0Z6ET	R 20,130	HP Elitebook 830 Gen11 Series Core Ultra 9G0Z6ET Silver Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (1 charging / 1 power), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
9G2J5ET	R 17,247	HP Probook x360 435 G10 Series 9G2J5ET Silver Notebook Tablet, AMD Ryzen 5 7530U Hex Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Brightview UWVA, eDP LED Backlit Display, AMD Radeon RX Vega 7 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
9G2J5ET	R 29,650	HP Probook x360 435 G10 Series 9G2J5ET Silver Notebook Tablet, AMD Ryzen 5 7530U Hex Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Brightview UWVA, eDP LED

		Backlit Display, AMD Radeon RX Vega 7 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps, HDMI output, Micro SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
A23RGEA	R 9,393	HP 250RT G9 Series A23RGEA Black Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (powered), HDMI output, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
A37X4ET	R 15,053	HP Probook 460 Gen11 Series Core Ultra A37X4ET Silver Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps (1 charging / 1 power), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
A37X6ET	R 20,269	HP Probook 460 Gen11 Series Core Ultra A37X6ET Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps (1 charging / 1 power), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
A37X7ET	R 23,797	HP Probook 460 Gen11 Series Core Ultra A37X7ET Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps (1 charging / 1 power), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year On-site warranty
A37X8ET	R 24,848	HP Probook 460 Gen11 Series Core Ultra A37X8ET Silver Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps (1 charging / 1 power), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
A37XCET	R 26,329	HP Probook 460 Gen11 Series Core Ultra A37XCET Silver Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia Geforce RTX 2050 with 4GB dedicated

		graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps (1 charging / 1 power), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
A4BD6EA	R 10,601	HP 15-fc0014ni 15s Series A4BD6EA Gold Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps (supports data transfer only), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
AD1L1ET	R 24,471	HP Probook 465 Gen11 Series AD1L1ET Silver Notebook, AMD Ryzen 7 7735U Octa Core with Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 32GB DDR5-4800 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 680M graphics 2200MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (USB Power Delivery), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
AD3T9ET	R 37,198	HP Elitebook 8 G1i 13 Series Core Ultra 2 Series AD3T9ET Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
AD3U0ET	R 41,655	HP Elitebook 8 G1i 13 Series Core Ultra 2 Series AD3U0ET Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
AD3U3ET	R 55,932	HP Elitebook 8 G1i 16 Series Core Ultra 2 Series AD3U3ET Silver Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
AD3U3ET	R 30,791	HP Elitebook 8 G1i 16 Series Core Ultra 2 Series AD3U3ET Silver Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth,

		Webcam, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
AD3U4ET	R 58,467	HP Elitebook 8 FLIP G1i 13 Series Core Ultra 2 Series AD3U4ET Silver 2in1 Notebook Tablet, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Brightview 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
AD3U5ET	R 25,012	HP Elitebook 8 FLIP G1i 13 Series Core Ultra 2 Series AD3U5ET Silver 2in1 Notebook Tablet, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Brightview 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
AD3U7ET	R 42,133	HP Elitebook 6 G1i 13 Series Core Ultra 2 Series AD3U7ET Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
AD3U7ET	R 46,965	HP Elitebook 6 G1i 13 Series Core Ultra 2 Series AD3U7ET Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
AD3V1ET	R 51,017	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series AD3V1ET Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B2NK2ES(BMH)	R 9,317	HP 250 Gen10 Series 13th gen B2NK2ES(BMH) Silver Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard

		Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" WXGA HD (1366 x 768 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Bag Mouse Headphone
B39Q2AT	R 10,570	HP 250 Gen10 Series 13th gen B39Q2AT Silver Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps, 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
B39RPAT	R 19,514	HP Probook 455 Gen10 Series B39RPAT Silver Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 32GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB Type-A 5Gbps, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
B82DVEA	R 12,069	HP 15-fd0093ni 15s Series Core B82DVEA Blue Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps (supports data transfer only), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
B9YL8ET	R 22,255	HP Probook 4 G1i 16 Series Core Ultra 2 Series B9YL8ET Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
B9ZZ5ET	R 56,043	HP Elitebook Ultra 4 G1i 14 Series Core Ultra 2 Series B9ZZ5ET Blue Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Brightview 120Hz OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, 1x USB Type-A 10Gbps (charging), 3x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
BP5Q0EA	R 32,511	HP Victus 15-fa2013ni Series 13th gen BP5Q0EA Silver Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard

		with Numpad, 2x USB Type-A 5Gbps, 1x USB Type-C 5Gbps (DisplayPort 1.4a / HP Sleep / Charge), HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
C29PMEA	R 11,235	HP 15s Series C29PMEA Silver Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps (supports data transfer only), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
C38KSAT	R 24,596	HP Probook 4 G1ah 16 Series C38KSAT Silver Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KTAT	R 16,444	HP Probook 4 G1a 16 Series C38KTAT Silver Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type- C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KXAT	R 19,496	HP Probook 4 G1iR 14 Series Core C38KXAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KXAT	R 23,016	HP Probook 4 G1iR 14 Series Core C38KXAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KXAT	R 21,885	HP Probook 4 G1iR 14 Series Core C38KXAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KYAT	R 21,081	HP Probook 4 G1iR 14 Series Core C38KYAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell

		Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KYAT	R 25,006	HP Probook 4 G1iR 14 Series Core C38KYAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KYAT	R 25,051	HP Probook 4 G1iR 14 Series Core C38KYAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KYAT	R 26,329	HP Probook 4 G1iR 14 Series Core C38KYAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KZAT	R 23,275	HP Probook 4 G1iR 14 Series Core C38KZAT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KZAT	R 28,395	HP Probook 4 G1iR 14 Series Core C38KZAT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KZAT	R 28,254	HP Probook 4 G1iR 14 Series Core C38KZAT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38KZAT	R 25,834	HP Probook 4 G1iR 14 Series Core C38KZAT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell

		Battery, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38L4AT	R 14,986	HP Probook 4 G1iR 16 Series Core C38L4AT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38L5AT	R 18,025	HP Probook 4 G1iR 16 Series Core C38L5AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38L5AT	R 24,382	HP Probook 4 G1iR 16 Series Core C38L5AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38L6AT	R 26,688	HP Probook 4 G1iR 16 Series Core C38L6AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C38L6AT	R 30,686	HP Probook 4 G1iR 16 Series Core C38L6AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C67G7EA	R 32,076	HP Probook 4 G1i 14 Series Core Ultra 2 Series C67G7EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep /

		Charge), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C67GCEA	R 32,198	HP Probook 4 G1i 16 Series Core Ultra 2 Series C67GCEA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C67GCEA	R 27,122	HP Probook 4 G1i 16 Series Core Ultra 2 Series C67GCEA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
C67GFEA	R 24,144	HP Probook 4 G1i 14 Series Core Ultra 2 Series C67GFEA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
C67GGEA	R 27,066	HP Probook 4 G1i 14 Series Core Ultra 2 Series C67GGEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
C67GGEA	R 20,781	HP Probook 4 G1i 14 Series Core Ultra 2 Series C67GGEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Next Business Day On-site warranty
C67GHEA	R 29,102	HP Probook 4 G1i 16 Series Core Ultra 2 Series C67GHEA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full

		Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C67GJEA	R 30,589	HP Probook 4 G1i 16 Series Core Ultra 2 Series C67GJEA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C67GLEA	R 21,278	HP Probook 4 G1a 14 Series C67GLEA Silver Notebook, AMD Ryzen 5 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type- C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
C67GMEA	R 23,094	HP Probook 4 G1a 14 Series C67GMEA Silver Notebook, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type- C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
C67GNEA	R 17,724	HP Probook 4 G1a 16 Series C67GNEA Silver Notebook, AMD Ryzen 5 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type- C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C67GPEA	R 22,882	HP Probook 4 G1a 16 Series C67GPEA Silver Notebook, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type- C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
C67GPEA	R 20,879	HP Probook 4 G1a 16 Series C67GPEA Silver Notebook, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type- C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E7AT	R 18,033	HP 250R G10 Series Core Ultra C78E7AT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo

		Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E7AT	R 12,834	HP 250R G10 Series Core Ultra C78E7AT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E7AT	R 19,069	HP 250R G10 Series Core Ultra C78E7AT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E7AT#16GB	R 19,557	HP 250R G10 Series Core Ultra C78E7AT#16GB Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E8AT	R 11,085	HP 250R G10 Series Core Ultra C78E8AT Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E8AT	R 13,060	HP 250R G10 Series Core Ultra C78E8AT Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78E8AT	R 17,185	HP 250R G10 Series Core Ultra C78E8AT Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8192MB (8GB) DDR4-3200

		SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78F0AT	R 17,180	HP 250R G10 Series Core Ultra C78F0AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78F0AT	R 22,080	HP 250R G10 Series Core Ultra C78F0AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78F0AT	R 24,474	HP 250R G10 Series Core Ultra C78F0AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78GGAT	R 19,374	HP Probook 4 G1iR 16 Series Core C78GGAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78GGAT	R 23,000	HP Probook 4 G1iR 16 Series Core C78GGAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78GGAT	R 21,861	HP Probook 4 G1iR 16 Series Core C78GGAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe,

		M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C78GGAT	R 22,249	HP Probook 4 G1iR 16 Series Core C78GGAT Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C7VG0EA	R 31,341	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series C7VG0EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C7VH6EA	R 31,463	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series C7VH6EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
C81SSEA	R 17,401	HP UltraSlim 15s Series Core C81SSEA fd0088ni Silver Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1334U Turbo Boost up to 4.6GHz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps (supports data transfer only), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
C9EQ6ET	R 61,048	HP ZBook X G1i 16 Series Core Ultra Series 2 C9EQ6ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack Mouse
C9EQ7ET	R 65,800	HP ZBook X G1i 16 Series Core Ultra Series 2 C9EQ7ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores

		& 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack Mouse
C9EQ8ET	R 75,160	HP ZBook X G1i 16 Series Core Ultra Series 2 C9EQ8ET Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack Mouse
C9ER1ET	R 65,124	HP ZBook X G1i 16 Series Core Ultra Series 2 C9ER1ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Backpack Mouse
C9ER1ET	R 95,525	HP ZBook X G1i 16 Series Core Ultra Series 2 C9ER1ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Backpack Mouse
C9TT3ES	R 66,337	HP ZBook X G1i 16 Series Core Ultra Series 2 C9TT3ES Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack Mouse
C9TT6ES	R 68,700	HP ZBook X G1i 16 Series Core Ultra Series 2 C9TT6ES Grey Workstation Notebook, Intel Core Ultra 7 255H

		Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Backpack Mouse
C9TT8ES	R 78,026	HP ZBook X G1i 16 Series Core Ultra Series 2 C9TT8ES Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse
CF8H3ET	R 69,292	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CF8H3ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8H4ET	R 34,368	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CF8H4ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8H9ET	R 55,143	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CF8H9ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8J1ET	R 88,772	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CF8J1ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports

		64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Prelude Pro 15.6 Backpack HP 235 Slim Wireless Mouse
CF8J3ET	R 68,061	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CF8J3ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8J4ET	R 46,047	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CF8J4ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8J5ET	R 55,344	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CF8J5ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8J6ET	R 49,938	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CF8J6ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse
CF8Q5EA	R 38,281	HP Elitebook 8 G1i 14 Series Core Ultra 2 Series CF8Q5EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8

		Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8R0EA	R 60,089	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series CF8R0EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8R0EA	R 58,961	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series CF8R0EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CF8S5EA	R 40,277	HP Elitebook 8 G1i 13 Series Core Ultra 2 Series CF8S5EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 1x USB Type-C 10Gbps (DisplayPort 1.4 / HP Sleep / Charge), 1x USB Type-A 5Gbps (powered), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0G3ET	R 58,970	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CG0G3ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0G5ET	R 59,458	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CG0G5ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam,

		8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Prelude Pro 15.6 Backpack HP 235 Slim Wireless Mouse
CG0G9ET	R 88,321	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CG0G9ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0G9ET	R 59,171	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CG0G9ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0H1ET	R 89,186	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CG0H1ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse
CG0H2ET	R 62,892	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CG0H2ET Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse HP Thunderbolt 4 Ultra 180W G6 Dock
CG0K8ET	R 47,313	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CG0K8ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No

		CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0K8ET	R 46,305	HP ZBook 8 G1i 16 Series Core Ultra Series 2 CG0K8ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0Q0ET	R 32,295	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CG0Q0ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CG0Q3ET	R 68,847	HP ZBook 8 G1i 14 Series Core Ultra Series 2 CG0Q3ET Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Prelude Pro 15.6 Backpack HP 235 Slim Wireless Mouse
CK2J0ES	R 74,849	HP ZBook Fury G1i 16 Series Core Ultra Series 2 CK2J0ES Grey Workstation Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK2J2ES	R 86,896	HP ZBook Fury G1i 16 Series Core Ultra Series 2 CK2J2ES Grey Workstation Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200

		resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK2J3ES	R 98,285	HP ZBook Fury G1i 16 Series Core Ultra Series 2 CK2J3ES Grey Workstation Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 3000 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse
CK2J4ES	R 107,840	HP ZBook Fury G1i 16 Series Core Ultra Series 2 CK2J4ES Grey Workstation Notebook, Intel Core Ultra 9 285HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, nVidia RTX Pro 3000 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK2J5ES	R 86,281	HP ZBook Fury G1i 18 Series Core Ultra Series 2 CK2J5ES Grey Workstation Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 165Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 3.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK2J6ES	R 81,192	HP ZBook Fury G1i 18 Series Core Ultra Series 2 CK2J6ES Grey Workstation Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 165Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 3.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK2J7ES	R 101,607	HP ZBook Fury G1i 18 Series Core Ultra Series 2 CK2J7ES Grey Workstation Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory

		slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 165Hz LED Backlit Display, nVidia RTX Pro 3000 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 3.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK2J8ES	R 111,020	HP ZBook Fury G1i 18 Series Core Ultra Series 2 CK2J8ES Grey Workstation Notebook, Intel Core Ultra 9 285HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 128GB Max Mem, 4 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 18" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits, 165Hz LED Backlit Display, nVidia RTX Pro 3000 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 with USB Type-C 80 Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 10Gbps, 1x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 3.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK8G4EA	R 41,271	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series CK8G4EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK8G4EA	R 40,432	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series CK8G4EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK8G5EA	R 36,954	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series CK8G5EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
CK8G9EA	R 39,504	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series CK8G9EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost

		12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
CK8G9EA	R 40,500	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series CK8G9EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK8H0EA	R 37,664	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series CK8H0EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK8H0EA	R 36,864	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series CK8H0EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
CK8H0EA	R 36,879	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series CK8H0EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE-A), Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
D0ML7AT	R 11,318	HP 255R Gen10 Series D0ML7AT Silver Notebook, AMD Ryzen 5 7535U Hex Core 2.9Ghz with Turbo Boost up to 4.55Ghz 16MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 660M graphics 1900MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D0ML8AT	R 9,866	HP 255R Gen10 Series D0ML8AT Silver Notebook, AMD Ryzen 3 7335U Quad Core 3.0Ghz with Turbo Boost up to 4.3Ghz 8MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 2

		Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 660M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D0ML8AT	R 8,517	HP 255R Gen10 Series D0ML8AT Silver Notebook, AMD Ryzen 3 7335U Quad Core 3.0Ghz with Turbo Boost up to 4.3Ghz 8MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 660M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D20C2ET	R 55,676	HP ZBook 8 G1i 16 Series Core Ultra Series 2 D20C2ET Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse HP Thunderbolt 4 Ultra 180W G6 Dock
D20C4ET	R 61,011	HP ZBook 8 G1i 16 Series Core Ultra Series 2 D20C4ET Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse HP Thunderbolt 4 Ultra 180W G6 Dock
D20CDET	R 105,825	HP ZBook X G1i 16 Series Core Ultra Series 2 D20CDET Grey Workstation Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
D20CDET	R 71,531	HP ZBook X G1i 16 Series Core Ultra Series 2 D20CDET Grey Workstation Notebook, Intel Core Ultra 7 265H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.3Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth,

		Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
D20CJET	R 83,013	HP ZBook X G1i 16 Series Core Ultra Series 2 D20CJET Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits, 60Hz LED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A with 5 Gb / s data rate, 2x Thunderbolt 4 with USB Type-C with 40 Gb / s data rate (USB Power Delivery / DisplayPort 2.1), HDMI output, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse HP Thunderbolt 4 Ultra 180W G6 Dock
D20CNET	R 61,060	HP ZBook 8 G1i 14 Series Core Ultra Series 2 D20CNET Grey Workstation Notebook, Intel Core Ultra 9 285H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.4Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Prelude Pro 15.6 Backpack HP 235 Slim Wireless Mouse HP Thunderbolt 4 Ultra 180W G6 Dock
D27K7AT	R 16,448	HP Probook 4 G1iR 16 Series Core D27K7AT Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
D27K9AT	R 16,448	HP Probook 4 G1iR 14 Series Core D27K9AT Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
D27KCET	R 26,742	HP Elitebook 6 G1i 14 Series Core Ultra 2 Series D27KCET Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
D27KDET	R 25,891	HP Elitebook 6 G1i 16 Series Core Ultra 2 Series D27KDET Silver Notebook, Intel Core Ultra 5 225U Series 2

		Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
D3SA6ATP	R 22,787	HP Probook 4 G1iR AL 14 Series Core D3SA6ATP Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
D3SC2AT	R 19,608	HP Probook 4 G1iR 16 Series Core D3SC2AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
D3SC4AT	R 27,471	HP Probook 4 G1iR 16 Series Core D3SC4AT Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
D4VQ1ET	R 23,094	HP Probook 4 G1i 16 AL Series Core Ultra 2 Series D4VQ1ET Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, FreeDos Operating System , 1 Year Carry in warranty
D4ZB6ET	R 14,522	HP 250R G10 Series Core D4ZB6ET Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 24GB DDR5-5200 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Chiclet Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1.0 Type-A ports 5Gbps, 1x USB 3.2 Gen 2.0 Type-C charging port 10Gbps (USB Power Delivery / DisplayPort 1.4 / data transfer), HDMI output, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

D67R4EA	R 18,793	HP 15-fc0048ni Series D67R4EA Silver Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 5Gbps (supports data transfer only), 2x USB Type-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D67W1EA	R 27,117	HP Victus 15-fb3037ni Series D67W1EA Silver Notebook, AMD Ryzen 5 8645HS Hex Core 4.3Ghz with Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, nVidia Geforce RTX 2050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 1x USB Type-C 5Gbps (DisplayPort 1.4a / HP Sleep / Charge), HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D68CKEA	R 55,181	HP Omen 17-db1011ni Series D68CKEA Black Gaming Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 17.3" QHD (2560 x 1440 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 10Gbps , 1x USB Type-A 5Gbps (HP Sleep / Charge), 1x USB Type-C 10Gbps (USB Power Delivery 3.1 / DisplayPort 2.1 / HP Sleep / Charge), HDMI output, 3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D6ZT0EA	R 23,462	HP UltraSlim 15s Series Core D6ZT0EA fd1054ni Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4b / HP Sleep / Charge), HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D6ZT5EA	R 18,184	HP UltraSlim 15-fd2014ni Series Core Ultra Series 2 D6ZT5EA Silver Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps (USB Power Delivery 3.1 / DisplayPort 1.4b / HP Sleep / Charge), HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D6ZT7EA	R 21,519	HP UltraSlim AI 15s Series Core D6ZT7EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4b / HP Sleep / Charge), HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
D7KH0EA	R 36,330	HP Probook 4 G1i 16 Series Core Ultra 2 Series D7KH0EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB

		Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
D7KH1EA	R 37,391	HP Probook 4 G1i 14 Series Core Ultra 2 Series D7KH1EA Silver Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps (powered), 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
D85A2ET	R 22,809	HP Probook 4 G1iR 16 Series Core D85A2ET Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
D85A3ET	R 25,384	HP Probook 4 G1iR 14 Series Core D85A3ET Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), 2x USB Type-A 5Gbps, HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DE5W0EA	R 11,755	HP 15-fc0115ni Series DE5W0EA Silver Notebook, AMD Ryzen 5 7530U Hex Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 8GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 2000 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB-C 5Gbps (Data Transfer Only), 2x USB-A 5Gbps, HDMI output, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
DF6L7ET	R 15,584	HP 250R G9 Series DF6L7ET Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (powered), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DF6L7ET	R 15,083	HP 250R G9 Series DF6L7ET Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery,

		Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (powered), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DF6L7ET	R 11,708	HP 250R G9 Series DF6L7ET Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x16384), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (powered), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DF6L7ET#8GB	R 13,343	HP 250R G9 Series DF6L7ET#8GB Silver Notebook, Intel Core 3 100U Six (6) Core Raptor Lake Turbo Boost up to 4.7Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), 2x USB Type-A 5Gbps (powered), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
DM7P4ES	R 44,449	HP ZBook 8 G1i 14 Series Core Ultra Series 2 DM7P4ES Grey Workstation Notebook, Intel Core Ultra 5 225H Series 2 Fourteen (14) Core Arrow Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DM7P8ES	R 46,979	HP ZBook 8 G1i 16 Series Core Ultra Series 2 DM7P8ES Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Business 17 Backpack HP 235 Slim Wireless Mouse
DM7P9ES	R 51,519	HP ZBook 8 G1i 14 Series Core Ultra Series 2 DM7P9ES Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (2x12GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DM7Q0ES	R 42,857	HP ZBook 8 G1i 14 Series Core Ultra Series 2 DM7Q0ES Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports

		64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Prelude Pro 15.6 Backpack HP 235 Slim Wireless Mouse
DM7Q2ES	R 46,748	HP ZBook 8 G1i 14 Series Core Ultra Series 2 DM7Q2ES Grey Workstation Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, HP Prelude Pro 15.6 Backpack HP 235 Slim Wireless Mouse
DS3X3AT	R 52,322	HP ZBook 8 G2i 14 Series Core Ultra Series 3 DS3X3AT Silver Workstation Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 48GB DDR5-5600 SO-Dimm Memory (2x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS3X4AT	R 60,202	HP ZBook 8 G2i 14 Series Core Ultra Series 3 DS3X4AT Silver Workstation Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 48GB DDR5-5600 SO-Dimm Memory (2x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS3X5AT	R 60,709	HP ZBook 8 G2i 16 Series Core Ultra Series 3 DS3X5AT Silver Workstation Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 48GB DDR5-5600 SO-Dimm Memory (2x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
DS3X6AT	R 40,132	HP ZBook 8 G2a 14 Series DS3X6AT Silver Workstation Notebook, AMD Ryzen AI 7 Pro 450 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 48GB DDR5-5600 SO-Dimm Memory (2x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, AMD Radeon 860M graphics,

		Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
DS3X7AT	R 40,132	HP ZBook 8 G2a 16 Series DS3X7AT Silver Workstation Notebook, AMD Ryzen AI 7 Pro 450 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 48GB DDR5-5600 SO-Dimm Memory (2x24GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, AMD Radeon 860M graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps, 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
DS5H7ET	R 30,633	HP Probook 4 G2i AI 14 Series Core Series 3 DS5H7ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5H7ET	R 31,076	HP Probook 4 G2i AI 14 Series Core Series 3 DS5H7ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5H9ET	R 30,491	HP Probook 4 G21i AI 14 Series Core DS5H9ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5H9ET	R 29,660	HP Probook 4 G2i AI 14 Series Core Series 3 DS5H9ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5J0ET	R 33,530	HP Probook 4 G2i AI 14 Series Core Series 3 DS5J0ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000

		Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L4ET	R 23,238	HP Probook 4 G2i AI 16 Series Core Series DS5L4ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L4ET	R 23,661	HP Probook 4 G2i AI 16 Series Core Series 3 DS5L4ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L5ET	R 26,640	HP Probook 4 G2i 16 AL Series Core Series 3 DS5L5ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L6ET	R 30,349	HP Probook 4 G2i 16 AL Series Core Series 3 DS5L6ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L6ET	R 30,382	HP Probook 4 G2i 16 AL Series Core Series 3 DS5L6ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L7ET	R 26,965	HP Probook 4 G2i 16 AL Series Core Series 3 DS5L7ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad,

		2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5L7ET	R 27,005	HP Probook 4 G2i 16 AL Series Core Series 3 DS5L7ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5M0ET	R 22,970	HP Probook 4 G21i AI 14 Series Core Series DS5M0ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS5M0ET	R 23,560	HP Probook 4 G2i AI 14 Series Core Series 3 DS5M0ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS8A4ET	R 43,279	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 DS8A4ET Silver 2in1 Notebook Tablet, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS8A4ET	R 42,284	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 DS8A4ET Silver 2in1 Notebook Tablet, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS8A4ET	R 40,323	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 DS8A4ET Silver 2in1 Notebook Tablet, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Graphics, Intel

		NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS8A5ET	R 57,114	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 DS8A5ET Silver 2in1 Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS8A5ET	R 56,428	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 DS8A5ET Silver 2in1 Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS8A6ET	R 46,296	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 DS8A6ET Silver 2in1 Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, HP G2 Garaged Pen, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9B7ET	R 36,407	HP Elitebook 8 G2i 13 Series Core Ultra Series 3 DS9B7ET Silver Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9B8ET	R 45,412	HP Elitebook 8 G2i 13 Series Core Ultra Series3 DS9B8ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9B8ET	R 42,526	HP Elitebook 8 G2i 13 Series Core Ultra Series3 DS9B8ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power

		Efficient Cores), 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9C1ET	R 41,473	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9C1ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9C4ET	R 51,646	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9C4ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9C8ET	R 60,318	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9C8ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9C9ET	R 39,772	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9C9ET Silver Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9D0ET	R 44,107	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9D0ET Silver Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9D2ET	R 56,752	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9D2ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight

		(8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9D3ET	R 63,154	HP Elitebook 8 G2i 14 Series Core Ultra Series 3 DS9D3ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9D4ET	R 34,421	HP Elitebook 8 G2i 16 Series Core Ultra Series 3 DS9D4ET Silver Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DS9D5ET	R 53,611	HP Elitebook 8 G2i 16 Series Core Ultra Series 3 DS9D5ET Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type 400nits, 120Hz LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DW2G4ET	R 29,723	HP Probook 4 G2i AI 16 Series Core Series 3 DW2G4ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DW2G4ET	R 34,648	HP Probook 4 G2i AI 16 Series Core Series 3 DW2G4ET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty

DW2G5ET	R 29,553	HP Probook 4 G2i AI 16 Series Core Series DW2G5ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DW2G5ET	R 32,233	HP Probook 4 G2i AI 16 Series Core Series 3 DW2G5ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
DW5C5ET	R 27,268	HP Probook 4 G2i 14 AL Series Core Series 3 DW5C5ET Silver Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 16 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.1 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E40X2ET	R 28,552	HP Probook 4 G2a 16 Series E40X2ET Silver Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 740M Graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps , 2x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
E40XHET	R 33,145	HP Probook 4 Flip G2i AI 13 Series Core Series 3 E40XHET Silver Notebook Tablet, Intel Core 5 315 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.4GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 15 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), HDMI output, HP Garage Pen, Accelerometer, Thermal sensor, Inertial Measurement Unit sensor, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E40XHET	R 31,540	HP Probook 4 Flip G2i AI 13 Series Core Series 3 E40XHET Silver Notebook Tablet, Intel Core 5 315 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.4GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 15 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), HDMI output, HP Garage Pen, Accelerometer, Thermal sensor, Inertial Measurement Unit sensor, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty

E40XKET	R 36,746	HP Probook 4 Flip G2i AI 13 Series Core Series 3 E40XKET Silver Notebook Tablet, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), HDMI output, HP Garage Pen, Accelerometer, Thermal sensor, Inertial Measurement Unit sensor, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E40XKET	R 35,063	HP Probook 4 Flip G2i AI 13 Series Core Series 3 E40XKET Silver Notebook Tablet, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), HDMI output, HP Garage Pen, Accelerometer, Thermal sensor, Inertial Measurement Unit sensor, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E40XLET	R 30,471	HP Probook 4 G2i AI 13 Series Core Series 3 E40XLET Silver Notebook, Intel Core 5 315 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.4GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 15 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E40XMET	R 33,990	HP Probook 4 G2i AI 13 Series Core Series 3 E40XMET Silver Notebook, Intel Core 7 350 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.8GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 17 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB Type-A 5Gbps, 2x USB Type-C 20Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E45H5ET	R 48,525	HP EliteBook X Flip G2i Series Core Ultra Series 3 E45H5ET Blue Notebook Tablet, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), 1x USB Type-A 5Gbps, HDMI output, HP Garaged AES Pen, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E45HJET	R 62,324	HP EliteBook X Flip G2i Series Core Ultra Series 3 E45HJET Blue Notebook Tablet, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit

		Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), 1x USB Type-A 5Gbps, HDMI output, HP Garaged AES Pen, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E45HLET	R 79,223	HP EliteBook X Flip G2i Series Core Ultra Series 3 E45HLET Blue Notebook Tablet, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Brightview 700nits, 120Hz OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 6 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery 3.0 / DisplayPort 1.4), 1x USB Type-A 5Gbps, HDMI output, HP Garaged AES Pen, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E4LE7ET	R 47,179	HP Elitebook 6 G2i 14 Series Core Ultra 3 Series E4LE7ET Silver Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E4LE8ET	R 43,522	HP Elitebook 6 G2i 16 Series Core Ultra 3 Series E4LE8ET Silver Notebook, Intel Core Ultra 5 332 Series 3 Six (6) Core Panther Lake Turbo Boost up to 4.4GHz 12MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 24GB DDR5-5600 SO-Dimm Memory (1x24GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel NPU Peak 46 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1 / HP Sleep / Charge), 2x USB Type-A 5Gbps (powered), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E59LWET	R 45,546	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 E59LWET Silver 2in1 Notebook Tablet, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Brightview 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, HP G2 Garaged Pen, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E59LXET	R 59,479	HP Elitebook 8 FLIP G2i 13 Series Core Ultra Series3 E59LXET Silver 2in1 Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Brightview 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB Type-A 10Gbps (powered), 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery 3.0 / DisplayPort 2.1), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, HP G2 Garaged Pen, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E59TXET	R 20,967	HP Probook 200 G2i Series E59TXET Silver Notebook, Intel Core 5 120U Ten (10) Core Raptor Lake Turbo Boost

		up to 5Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E5UR1ES	R 72,344	HP ZBook 8 G2i 14 Series Core Ultra Series 3 E5UR1ES Silver Workstation Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E5UR2ES	R 71,669	HP ZBook 8 G2i 14 Series Core Ultra Series 3 E5UR2ES Silver Workstation Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E5US6ES	R 72,615	HP ZBook 8 G2i 16 Series Core Ultra Series 3 E5US6ES Silver Workstation Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E5US7ES	R 71,940	HP ZBook 8 G2i 16 Series Core Ultra Series 3 E5US7ES Silver Workstation Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 8 cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 with USB Type-C 40Gbps (USB Power Delivery / DisplayPort 2.1), 1x USB Type-A 5Gbps (powered), 1x USB Type-C 20Gbps (USB Power Delivery / DisplayPort 1.4), HDMI output, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E7PN0ET	R 7,321	HP Probook 200 G2i Series E7PN0ET Grey Notebook, Intel Twin Lake Quad Core N150 Turbo Boost up to 3.6Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Full Size Keyboard with Numpad, 2x USB Type-A 5Gbps, 2x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 1.4 / HP Sleep / Charge), HDMI output, 1.8 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

HP7F086U8	R 22,997	HP Probook 440 G9 Series 12th gen HP7F086U8 Silver Notebook, Intel Core i7 Adler Lake Ten (10) Core i7-1255U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type UWVA Ultra Wide Viewing Angle LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, 3x USB Type-A 5Gbps (1 charging / 1 power), 1x USB Type-C 10Gbps (USB Power Delivery / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty

< Return to the menu

Huawei notebooks

Product code	Price	Description
Huawei Matebook D16 i5	R 19,375	Huawei MateBook D16 Series 12th gen Huawei Matebook D16 i5 Grey Notebook, Intel Core i5 Adler Lake Eight (8) Core i5-12450H Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16384MB (16GB) DDR4 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel UHD Graphics for 12th Gen processor, 802.11ac Wireless Lan, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-C (support data / charging / DisplayPort), 1x USB-C (support data / charging), 1x USB3.2 Gen1, 1x USB 2.0, HDMI adaptor, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
Huawei Matebook X Pro 2024 Moran(	R 39,245	Huawei MateBook X Pro 2024 series Core Ultra Huawei Matebook X Pro 2024 Morandi Blue Morandi Blue Notebook, Intel Core Ultra 9 185H Sixteen (16) Core Meteor Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 2TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Capacitive Multi Touch Screen (3120 x 2080 resolution) Glossy Type 1000nits, 120Hz OLED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4, 1x USB-C, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
Huawei Matebook X Pro 2024 White	R 37,295	Huawei MateBook X Pro 2024 series Core Ultra Huawei Matebook X Pro 2024 White White Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14.2" Capacitive Multi Touch Screen (3120 x 2080 resolution) Glossy Type 1000nits, 120Hz OLED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4, 1x USB-C, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct

< Return to the menu

Lenovo notebooks / IBM

Product code	Price	Description
21KX000JZA	R 46,505	Lenovo Thinkpad P16v gen2 Series Core Ultra 21KX000JZA Black Notebook, Intel Core Ultra 7 155H Sixteen (16) Core Meteor Lake Turbo Boost up to 4.8Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX 500 Ada with 4GB dedicated graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 2.2 kg, Microsoft Windows 11 Professional 64

		bit, 3 Year Carry in warranty
21L10006ZA	R 26,689	Lenovo Thinkpad L14 gen5 Series Core Ultra 21L10006ZA Black Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Â© 2025 Laptop Direct
21L10006ZA-16GB	R 26,383	Lenovo Thinkpad L14 gen5 Series Core Ultra 21L10006ZA-16GB Black Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21L3000NZA	R 27,154	Lenovo Thinkpad L16 gen1 Series Core Ultra 21L3000NZA Black Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 2x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2x2 Type-C USB 20Gbps with USB PD 3.0 / DisplayPort 1.4, 1x Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Â© 2025 Laptop Direct
21NS0140ZA	R 48,930	Lenovo Thinkpad X1 gen13 Carbon Aura Edition Series Core Ultra Series 2 21NS0140ZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21NU00K4ZA	R 56,438	Lenovo Thinkpad X13 2-in-1 Gen10 Aura Edition Series Core Ultra Series 2 21NU00K4ZA Grey Notebook Tablet, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Lenovo Yoga Pen, Kensington Nano Security Slot, Copilot PC, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

21NX0042ZA	R 49,277	Lenovo Thinkpad X1 gen13 Carbon Aura Edition Series Core Ultra Series 2 21NX0042ZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21NX004MZA	R 48,991	Lenovo Thinkpad X1 gen13 Carbon Series Core Ultra Series 2 21NX004MZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2025 Laptop Direct
21Q0006HZA	R 54,604	Lenovo Thinkpad X13 2-in-1 Gen10 Aura Edition Series Core Ultra Series 2 21Q0006HZA Grey Notebook Tablet, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Lenovo Yoga Pen, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21QA002KZA	R 36,644	Lenovo Thinkpad X9-14 Gen 1 Series Core Ultra Series 2 21QA002KZA Grey Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 and DisplayPort 2.1), HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21QA007UZA	R 38,087	Lenovo Thinkpad Aura Edition X9-14 Gen 1 Series Core Ultra Series 2 21QA007UZA White Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 3K (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 and DisplayPort 2.1), HDMI output, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21QC000YZA	R 35,996	Lenovo Thinkpad T14 Gen6 Series Core Ultra Series 2 21QC000YZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4

		40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, ï¿½ÂÂ© 2025 Laptop Direct
21QC0013ZA	R 31,075	Lenovo Thinkpad T14 Gen6 Series Core Ultra Series 2 21QC0013ZA Black Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, ï¿½ÂÂ© 2025 Laptop Direct
21QC001HZA	R 36,026	Lenovo Thinkpad T14 Gen6 Series Core Ultra Series 2 21QC001HZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21QE0016ZA	R 37,019	Lenovo Thinkpad T16 gen4 Series Core Ultra Series 2 21QE0016ZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
21QE001CZA	R 33,549	Lenovo Thinkpad T16 gen4 Series Core Ultra Series 2 21QE001CZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2025 Laptop Direct
21QX00MQZA	R 47,143	Lenovo Thinkpad T14s gen6 Series Core Ultra Series 2 V 21QX00MQZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21R1000UZA	R 39,079	Lenovo Thinkpad T14s gen6 Series Core Ultra Series 2 21R1000UZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem,

		No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21RK006PZA	R 35,065	Lenovo Thinkpad X13 Gen6 Series Core Ultra Series 2 21RK006PZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21RQ0003ZA	R 79,106	Lenovo Thinkpad P16 gen3 Series Core Ultra Series 2 21RQ0003ZA Black Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 96GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 5 with DisplayPort 2.1 / USB PD 3.1, 1x Thunderbolt 4 with DisplayPort 2.1 / USB PD 3.1, HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 2.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
21RS0006ZA	R 68,034	Lenovo Thinkpad P16v gen3 Series Core Ultra Series 2 21RS0006ZA Black Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x Thunderbolt 4 with USB PD 3.1 / 140W input / 15W output, HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
21SA000WZA	R 24,348	Lenovo Thinkpad L16 gen2 Series Core Ultra Series 2 21SA000WZA Black Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21SG005SZA	R 16,178	Lenovo ThinkBook 14 G8 IRL Series Core Series 2 21SG005SZA Arctic Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, 2x USB-A (USB 5Gbps

		/ USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21SJ005MZA	R 18,936	Lenovo ThinkBook 14 G8 IAl Series Core Ultra Series 2 21SJ005MZA Arctic Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2025 Laptop Direct
21SJ005PZA	R 17,940	Lenovo ThinkBook 14 G8 IAL Series Core Ultra Series 2 21SJ005PZA Arctic Grey Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21SK000RZA	R 19,574	Lenovo ThinkBook 16 G8 IAL Series Core Ultra Series 2 21SK000RZA Arctic Grey Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2025 Laptop Direct
21SK001AZA	R 20,068	Lenovo ThinkBook 16 G8 IAL Series Core Ultra Series 2 21SK001AZA Arctic Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2025 Laptop Direct
21SQ001MZA	R 28,484	Lenovo Thinkpad 14 2in1 Gen5 Series Core Ultra Series 2 21SQ001MZA Luna Grey Notebook Tablet, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader,

		Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 1.4), HDMI output, Micro SD Card Reader, Lenovo Yoga Pen, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, ÂÂ© 2025 Laptop Direct
21SR005EZA	R 20,493	Lenovo Thinkpad E16 Gen3 Series Core Ultra Series 2 21SR005EZA Black Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.1 & DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 & DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21SR005UZA	R 20,688	Lenovo Thinkpad E16 Gen3 Series Core Ultra Series 2 21SR005UZA Black Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.1 & DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 & DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21SX006GZA	R 19,061	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 21SX006GZA Black Notebook, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.1 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21SX006HZA	R 20,449	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 21SX006HZA Black Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.1 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21SX006XZA	R 21,785	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 21SX006XZA Black Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc

		Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.1 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
21TF004VZA	R 18,547	Lenovo Thinkpad E16 Gen3 Series Core Series 2 21TF004VZA Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.1 & DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 & DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
21U2000JZA	R 24,230	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 21U2000JZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps) with USB PD 3.1 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21U2005XZA	R 24,188	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 21U2005XZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps) with USB PD 3.1 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21U20067ZA	R 25,312	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 21U20067ZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps) with USB PD 3.1 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21UR004HZA	R 23,823	Lenovo ThinkBook 16 G9 IPL Series Core Ultra Series 3 21UR004HZA Arctic Grey Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year

		Carry in warranty
21UX002FZA	R 24,006	Lenovo ThinkBook 14 G9 IPL Series Core Ultra Series 3 21UX002FZA Arctic Grey Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort 2.1, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21V700CGZA	R 64,111	Lenovo Thinkpad X1 gen14 Carbon Aura Edition Series Core Ultra Series 3 21V700CGZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 3x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21V9005BZA	R 64,080	Lenovo Thinkpad Aura Edition X1 2-in-1 Gen11 Series Core Ultra Series 3 21V9005BZA Grey Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 with USB PD 15-65W and DisplayPort 2.1, HDMI output, Lenovo Slim Pen 2, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21VV004LZA	R 60,087	Lenovo Thinkpad X9-15p Gen 1 Aura Edition Series Core Ultra Series 3 21VV004LZA Grey Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" Capacitive Multi Touch Screen WQXGA (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 10Gbps), 3x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21WN002RZA	R 36,562	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 21WN002RZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21WN003GZA	R 45,461	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 21WN003GZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty

21WN003SZA	R 40,543	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 21WN003SZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21WT001CZA	R 46,073	Lenovo Thinkpad T16 gen5 Series Core Ultra Series 3 21WT001CZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21WT001TZA	R 43,635	Lenovo Thinkpad T16 gen5 Series Core Ultra Series 3 21WT001TZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21X20018ZA	R 32,905	Lenovo Thinkpad L14 gen7 Series Core Ultra Series 3 21X20018ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21X80018ZA	R 32,905	Lenovo Thinkpad L16 gen3 Series Core Ultra Series 3 21X80018ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB), 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21X8003JZA	R 31,966	Lenovo Thinkpad L16 gen3 Series Core Ultra Series 3 21X8003JZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7,

		10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB), 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21Y6001RZA	R 28,638	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 21Y6001RZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21Y60027ZA	R 25,504	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 21Y60027ZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21Y60029ZA	R 31,564	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 21Y60029ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21YC0035ZA	R 29,449	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 21YC0035ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
21YC003BZA	R 25,996	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 21YC003BZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty

21YH000FZA	R 48,798	Lenovo Thinkpad X13 Gen7 Series Core Ultra Series 3 21YH000FZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
21YU000PZA	R 55,825	Lenovo Thinkpad T14s gen7 Series Core Ultra Series 3 21YU000PZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 3x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
22AR000WZA	R 30,990	Lenovo Thinkpad 14 2in1 Gen6 Series Core Ultra Series 3 22AR000WZA Luna Grey Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-A (USB 5Gbps), , 2x USB-C (USB 5Gbps) with USB PD 45-65W / DisplayPort, HDMI output, Micro SD Card Reader, Lenovo Pen Gen 2, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
22AW0010ZA	R 38,356	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 2 V 22AW0010ZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), , 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 15-100W / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
22AY002DZA	R 21,944	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V 22AY002DZA Black Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
22AY002MZA	R 22,017	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V 2AY002MZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A

		(USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
22AY002NZA	R 26,060	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V 22AY002NZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
22BG0076ZA	R 24,764	Lenovo ThinkBook 14x Series Core Ultra Series 2 22BG0076ZA Grey Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x USB-C (USB 10Gbps with USB PD 45-65W / DisplayPort 1.4), HDMI output, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
82QY00P6SA	R 6,388	Lenovo V15 G2 Series 11th gen 82QY00P6SA Black Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-2933 SO-Dimm Memory (1x8192), Supports 8GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 2 Cell battery, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1, 1x USB 2.0, 1x USB-C 3.2 Gen 1 (support data transfer only), HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
82RK00B1SA(BMH)	R 12,365	Lenovo IdeaPad 3 series 12th gen 82RK00B1SA Arctic Grey Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics for 12th Gen processor, 802.11ac Wireless Lan, Bluetooth, Webcam, 2 Cell battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery 3.0 / DisplayPort 1.2), HDMI output, Dolby Audio, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warrant
82XB00D4SA	R 141	Lenovo IdeaPad Slim 3 series 82XB00D4SA 15IAN8 Arctic Grey Notebook, Intel Core i3 Adler Lake Octa (8) Core i3-N305 Turbo Boost up to 3.8Ghz 6MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, Dolby Audio, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
82XM01C8SA	R 12,304	Lenovo IdeaPad 3 series 82XM01C8SA 15ABR8 Grey Notebook, AMD Ryzen 5 5625U Quad Core 2.3Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

82XQ01D8SA	R 8,853	Lenovo IdeaPad Slim 3 series 82XQ01D8SA 15AMN8 Grey Notebook, AMD Ryzen 3 30 Four (4) Core Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
82XQ01EESA	R 10,522	Lenovo IdeaPad Slim 3 series 82XQ01EESA 15AMN8 Grey Notebook, AMD Ryzen 5 40 Four (4) Core Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, AMD Radeon 610M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
82YU015XSA	R 11,411	Lenovo V15 G4 AMN Series 82YU015XSA Black Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83A1002CSASB	R 11,133	Lenovo V15 G4 IRU Series 13th gen 83A1002CSASB Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery 3.0 / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
83GW006CZA	R 13,646	Lenovo V15 G5 IRL Series 13th gen 83GW006CZA Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
83GW006CZA	R 11,655	Lenovo V15 G5 IRL Series 13th gen 83GW006CZA Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
83GW006CZA-BUN1Q2	R 13,219	Lenovo V15 G5 IRL Series 13th gen 83GW006CZA-BUN1Q2 Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss

		Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, B210 backpack 7 Lenovo 300 Wireless mouse
83GW0077ZA	R 15,109	Lenovo V15 G5 IRL Series 13th gen 83GW0077ZA Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83GW0077ZA-BUN2Q2	R 15,092	Lenovo V15 G5 IRL Series 13th gen 83GW0077ZA-BUN2Q2 Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, B210 backpack 7 Lenovo 300 Wireless mouse
83GW0078ZA	R 17,425	Lenovo V15 G5 IRL Series 13th gen 83GW0078ZA Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
83GW0078ZA-BUN3Q2	R 15,587	Lenovo V15 G5 IRL Series 13th gen 83GW0078ZA-BUN3Q2 Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, B210 backpack 7 Lenovo 300 Wireless mouse
83JG001BSA	R 26,294	Lenovo LOQ 15AHP10 Gaming Series 83JG001BSA Grey Gaming Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) with USB PD 65-100W / DisplayPort 1.4, HDMI output, 2.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83JG001CSA	R 28,215	Lenovo LOQ 15AHP10 Gaming Series 83JG001CSA Grey Gaming Notebook, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports

		64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) with USB PD 65-100W / DisplayPort 1.4, HDMI output, 2.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83K100EVSA	R 9,823	Lenovo IdeaPad Slim 3i series 13th gen 83K100EVSA Luna Grey Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-4800 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 15.6" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB PD 3.0 / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83K100EWSA	R 13,869	Lenovo IdeaPad Slim 3i series 13th gen 83K100EWSA Luna Grey Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 15.6" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB PD 3.0 / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, ÂÂ© 2025 Laptop Direct
83K100EWSA	R 15,412	Lenovo IdeaPad Slim 3i series 13th gen 83K100EWSA Luna Grey Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB PD 3.0 / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83M40015ZA	R 7,333	Lenovo V15 G6 ITN Series 83M40015ZA Black Notebook, Intel Adler Lake Quad Core N100 Turbo Boost up to 3.4Ghz 6MB Cache Processor, 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB Power Delivery (20V only) / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83M40015ZA	R 8,677	Lenovo V15 G6 ITN Series 83M40015ZA Black Notebook, Intel Adler Lake Quad Core N100 Turbo Boost up to 3.4Ghz 6MB Cache Processor, 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB Power Delivery (20V only) / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83RR00CWSA	R 18,399	Lenovo IdeaPad Slim 3 series 83RR00CWSA 15IWC11 Grey Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x

		USB-A (USB 5Gbps), 1x USB-C (USB 5Gbps with USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83RR00J0SA	R 14,404	Lenovo IdeaPad Slim 3 series 83RR00J0SA 15IWC11 Grey Notebook, Intel Core 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 5Gbps with USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
83RR00YSSA	R 14,128	Lenovo IdeaPad Slim 3i series 83RR00YSSA 15IWC11 Blue Notebook, Intel Core 3 304 Five (5) Core Wildcat Lake Turbo Boost up to 4.3Ghz 6MB L3 Cache Processor (1 Perfomance Cores & 4 Low Power Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 15 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 5Gbps with USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
E14 21M8S2JC00	R 16,448	Lenovo Thinkpad E14 Gen6 Series Core Ultra E14 21M8S2JC00 Black Notebook, Intel Core Ultra 5 135U Twelve (12) Core Meteor Lake Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E14 21U2005XZA	R 23,337	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 E14 21U2005XZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps) with USB PD 3.1 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E14 21Y60027ZA	R 25,263	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 E14 21Y60027ZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E16 21JN000RZA	R 22,428	Lenovo Thinkpad E16 Gen1 Series 13th gen E16 21JN000RZA Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN,

		Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x USB 2.0, 1x USB 3.2 Gen 1 (Always On), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
E16 21MA0009ZA	R 20,789	Lenovo Thinkpad E16 Gen2 Series Core Ultra E16 21MA0009ZA Black Notebook, Intel Core Ultra 5 125U Twelve (12) Core Meteor Lake Turbo Boost up to 4.3Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 20Gbps / USB 3.2 Gen 2x2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E16 21YC0026ZA	R 31,785	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 E16 21YC0026ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E16 21YC0035ZA	R 26,214	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 E16 21YC0035ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E16 21YC003BZA	R 28,609	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 E16 21YC003BZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E16 22AY002MZA	R 23,020	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V E16 22AY002MZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1,

		HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
E16 22AY002NZA	R 24,934	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V E16 22AY002NZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
Ideapad Flex5 83UJ0013SA	R 20,715	Lenovo IdeaPad 5 Series Ideapad Flex5 83UJ0013SA 14AHP11 Grey 2in1 Notebook Tablet, AMD Ryzen 5 230 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 400nits LED Backlit Display, AMD Radeon 760M Graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x USB-C (USB 10Gbps) with USB PD 45-65W / DisplayPort 1.4, HDMI output, Micro SD Card Reader, Lenovo Pen Gen 2, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
Ideapad Flex5 83UJ0014SA	R 21,324	Lenovo IdeaPad 5 Series Ideapad Flex5 83UJ0014SA 14AHP11 Grey 2in1 Notebook Tablet, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 400nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x USB-C (USB 10Gbps) with USB PD 45-65W / DisplayPort 1.4, HDMI output, Micro SD Card Reader, Lenovo Pen Gen 2, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP1 82LV0082SA	R 7,333	Lenovo IdeaPad 1 series IP1 82LV0082SA Cloud Grey Notebook, Intel Celeron Dual Core N4500 1.10Ghz with Turbo Boost up to 2.80Ghz 4MB L3 Cache Processor, 8192MB (8GB) DDR4-2933 SO-Dimm Memory (1x8192), Supports 8GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type 220nits LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer only), HDMI output, SD Card Reader, 1.3 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP1 82VG00LGSA	R 11,085	Lenovo IdeaPad 1 series IP1 82VG00LGSA 15AMN7 Cloud Grey Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 220nits LED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer only), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct
IP3 82RK0156SA	R 16,326	Lenovo IdeaPad 3 series 12th gen IP3 82RK0156SA 15IAU7 Arctic Grey Notebook, Intel Core i7 Adler Lake Ten (10) Core i7-1255U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery 3.0 / DisplayPort 1.2), HDMI output, Dolby Audio, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP3 82XM009DSA	R 12,304	Lenovo IdeaPad Slim 3 series IP3 82XM009DSA Abyss Blue Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz

		with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP3 82XM009USA	R 15,351	Lenovo IdeaPad 3 series IP3 82XM009USA 15ABR8 Abyss Blue Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP3 83K100EWSA	R 13,523	Lenovo IdeaPad Slim 3i series 13th gen IP3 83K100EWSA Luna Grey Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x8GB onboard,1x8GB), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type 300nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB PD 3.0 / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP3 83RR00HCSA	R 12,669	Lenovo IdeaPad Slim 3 series IP3 83RR00HCSA 15IWC11 Grey Notebook, Intel Core 3 304 Five (5) Core Wildcat Lake Turbo Boost up to 4.3Ghz 6MB L3 Cache Processor (1 Perfomance Cores & 4 Low Power Efficient), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 15 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 5Gbps with USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
IP3 83RR00J0SA	R 14,132	Lenovo IdeaPad Slim 3 series 83RR00J0SA 15IWC11 Grey Notebook, Intel Core Ultra 5 320 Series 3 Six (6) Core Wildcat Lake Turbo Boost up to 4.6GHz 6MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, AMD Ryzen AI 16 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 5Gbps with USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
L13 2-in-1 21R70010ZA	R 34,966	Lenovo Thinkpad L13 2-in-1 Gen6 Series Core Ultra Series 2 L13 2-in-1 21R70010ZA Grey Notebook Tablet, Intel Core Ultra 5 225U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps), with USB PD 3.1 / DisplayPort 2.1, HDMI output, Lenovo Integrated Pen, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
L13 21B30033ZA	R 23,922	Lenovo L13 Gen3 Series 12th gen L13 21B30033ZA Black Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits

		LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, Smart Card reader, Kensington Nano Security Slot, TPM 2.0, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
L14 21H10058ZA	R 28,262	Lenovo Thinkpad L14 gen4 Series 13th gen L14 21H10058ZA Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-1355U Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 SO-Dimm Memory (1x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, Dolby Audio, Micro SD Card Reader, TPM 2.0, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2024 Laptop Direct
L14 21X20018ZA	R 34,887	Lenovo Thinkpad L14 gen7 Series Core Ultra Series 3 L14 21X20018ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
L16 21L3001BZA	R 27,297	Lenovo Thinkpad L16 gen1 Series Core Ultra L16 21L3001BZA Black Notebook, Intel Core Ultra 7 155U Twelve (12) Core Meteor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB 2.0 Port, 2x USB 3.2 Gen 1 Type-A, 1x USB 3.2 Gen 2x2 Type-C USB 20Gbps with USB PD 3.0 / DisplayPort 1.4, 1x Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
L16 21X80018ZA	R 35,222	Lenovo Thinkpad L16 gen3 Series Core Ultra Series 3 L16 21X80018ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB), 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LEN-BUN-322	R 9,439	Lenovo V15 G4 AMN Series LEN-BUN-322 82YU010NSA Black Notebook, AMD Ryzen 3 7320U Quad Core 2.4Ghz with Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics 1900 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2),

		HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Bag Mouse Headphone
LEN-BUN-323	R 9,927	Lenovo V15 G4 AMN Series LEN-BUN-323 82YU010NSA Black Notebook, AMD Ryzen 3 7320U Quad Core 2.4Ghz with Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics 1900 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Bag Mouse Headphone Power Bank
LENOVO E14 21Y60029ZA	R 31,955	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 LENOVO E14 21Y60029ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO E16 21YC0026ZA	R 31,955	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 LENOVO E16 21YC0026ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO E16 21YC0035ZA	R 31,297	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 LENOVO E16 21YC0035ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO E16 21YC003BZA	R 29,469	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 LENOVO E16 21YC003BZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO E16 22AY002LZA	R 25,994	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V LENOVO E16 22AY002LZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max

		Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO E16 22AY002MZA	R 25,373	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V LENOVO E16 22AY002MZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
Lenovo Ideapad Slim5 83J10076SA	R 20,105	Lenovo IdeaPad Slim series Core Series 2 Lenovo Ideapad Slim5 83J10076SA 16IRH10R Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" 2.8K (2880 x 1800 resolution) Glossy Type 500nits, 120Hz OLED Backlit Display, Intel Graphics, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C USB 5Gbps with USB PD 65-100W / DisplayPort 1.4, HDMI output, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 3 Year Carry in warranty
LENOVO L14 21S60071ZA	R 37,685	Lenovo Thinkpad L14 gen6 Series Core Ultra Series 2 LENOVO L14 21S60071ZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO L14 21S6007RZA	R 34,186	Lenovo Thinkpad L14 gen6 Series Core Ultra Series 2 LENOVO L14 21S6007RZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO L14 21S6007WZA	R 38,440	Lenovo Thinkpad L14 gen6 Series Core Ultra Series 2 LENOVO L14 21S6007WZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G

		(LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO L14 21X2001MZA	R 44,938	Lenovo Thinkpad L14 gen7 Series Core Ultra Series 3 LENOVO L14 21X2001MZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO L14 21X20029ZA	R 31,833	Lenovo Thinkpad L14 gen7 Series Core Ultra Series 3 LENOVO L14 21X20029ZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO L16 21SA0011ZA	R 34,113	Lenovo Thinkpad L16 gen2 Series Core Ultra Series 2 LENOVO L16 21SA0011ZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO L16 21SA0055ZA	R 35,405	Lenovo Thinkpad L16 gen2 Series Core Ultra Series 2 LENOVO L16 21SA0055ZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO L16 21X8001GZA	R 44,938	Lenovo Thinkpad L16 gen3 Series Core Ultra Series 3 LENOVO L16 21X8001GZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB), 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1.9 kg,

		Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO L16 21X8003KZA	R 31,833	Lenovo Thinkpad L16 gen3 Series Core Ultra Series 3 LENOVO L16 21X8003KZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB), 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO P14s 21XJ0011ZA	R 68,099	Lenovo Thinkpad P14s gen7 Series Core Ultra Series 3 LENOVO P14s 21XJ0011ZA Black Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-7567 Memory, Supports 96GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14.5" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x Thunderbolt 4 with USB PD 3.1 / DisplayPort 2.1 140W input / 15W output/, HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO P14s 21XJ0023ZA	R 99,110	Lenovo Thinkpad P14s gen7 Series Core Ultra Series 3 LENOVO P14s 21XJ0023ZA Black Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 64GB LPCAMM2 LPDDR5X-7567 Memory, Supports 96GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14.5" 3K (3072 x 1920 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, nVidia RTX Pro 1000 8GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x Thunderbolt 4 with USB PD 3.1 / DisplayPort 2.1 140W input / 15W output/, HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO P16s 21XE0017ZA	R 108,618	Lenovo Thinkpad P16s gen5 Series Core Ultra Series 3 LENOVO P16s 21XE0017ZA Black Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 64GB LPCAMM2 LPDDR5X-7567 Memory, Supports 96GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" 2.8K (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, nVidia RTX Pro 2000 8GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x Thunderbolt 4 with USB PD 3.1 / DisplayPort 2.1 140W input / 15W output/, HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO P16s 21XE001FZA	R 68,099	Lenovo Thinkpad P16s gen5 Series Core Ultra Series 3 LENOVO P16s 21XE001FZA Black Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-7567 Memory, Supports 96GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x Thunderbolt 4 with USB PD 3.1 / DisplayPort 2.1 140W input / 15W output/, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO T14 21QG00BFZA	R 38,916	Lenovo Thinkpad T14 Gen6 Series V Core Ultra Series 2 LENOVO T14 21QG00BFZA Black Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem,

		No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On, 2x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO T14 21WN002RZA	R 41,354	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 LENOVO T14 21WN002RZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO T14 21WQS60D00	R 46,144	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 LENOVO T14 21WQS60D00 Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO T14s 21YU000PZA	R 56,859	Lenovo Thinkpad T14s gen7 Series Core Ultra Series 3 LENOVO T14s 21YU000PZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 3x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO T16 21WT001PZA	R 56,799	Lenovo Thinkpad T16 gen5 Series Core Ultra Series 3 LENOVO T16 21WT001PZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO T16 21WT009YZA	R 41,378	Lenovo Thinkpad T16 gen5 Series Core Ultra Series 3 LENOVO T16 21WT009YZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11

		Professional 64 bit, 3 Year Carry in warranty
LENOVO TB16 21MW0082SA	R 18,961	Lenovo ThinkBook 16 G7 ARB Series LENOVO TB16 21MW0082SA Arctic Grey Notebook, AMD Ryzen 7 7735HS Octa Core 3.2Ghz with Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, AMD Radeon 680M graphics 2200 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) with USB PD 3.0 / DisplayPort 1.4, 1x USB-C (USB4 40Gbps) with USB PD 3.0 / DisplayPort 1.4, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO TB16 21SK001AZA	R 24,324	Lenovo ThinkBook 16 G8 IAL Series Core Ultra Series 2 LENOVO TB16 21SK001AZA Arctic Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO TB16 21SK001JZA	R 24,934	Lenovo ThinkBook 16 G8 IAL Series Core Ultra Series 2 LENOVO TB16 21SK001JZA Arctic Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO TB16 21US002SZA	R 20,168	Lenovo ThinkBook 16 G9 IRL Series Core Series 2 LENOVO TB16 21US002SZA Arctic Grey Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 10Gbps) with USB Power Delivery 3.0 / DisplayPort 1.4, 1x Thunderbolt 4 with USB PD 3.0 / DisplayPort 1.4, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO TB16 21US0031ZA	R 21,350	Lenovo ThinkBook 16 G9 IRL Series Core Series 2 LENOVO TB16 21US0031ZA Arctic Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 10Gbps) with USB Power Delivery 3.0 / DisplayPort 1.4, 1x Thunderbolt 4 with USB PD 3.0 / DisplayPort 1.4, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO V15 83CR005TSA	R 14,194	Lenovo V15 G4 ABP Series LENOVO V15 83CR005TSA Black Notebook, AMD Ryzen 7 Pro 5825U Octa Core

		2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2000 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1 / with UB PD 45-65W / DisplayPort 1.2), 1x USB 2.0, HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
LENOVO V15 83CR005USA	R 11,805	Lenovo V15 G4 ABP Series LENOVO V15 83CR005USA Black Notebook, AMD Ryzen 5 5625U Quad Core 2.3Ghz with Turbo Boost up to 4.3Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, AMD Radeon RX Vega 7 graphics 1800 MHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1 / with UB PD 45-65W / DisplayPort 1.2), 1x USB 2.0, HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
LENOVO V15 83GW00EQZA	R 20,155	Lenovo V15 G5 IRL Series Core Series 2 LENOVO V15 83GW00EQZA Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
LENOVO V15 83GW00F1ZA	R 16,572	Lenovo V15 G5 IRL Series Core Series 2 LENOVO V15 83GW00F1ZA Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
LENOVO V15 83GW00FGZA	R 14,194	Lenovo V15 G5 IRL Series Core Series 2 LENOVO V15 83GW00FGZA Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
LENOVO X1 2-IN-1 21V9005MZA	R 68,806	Lenovo Thinkpad Aura Edition X1 2-in-1 Gen11 Series Core Ultra Series 3 LENOVO X1 2-IN-1 21V9005MZA Grey Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 with USB PD 15-65W and DisplayPort 2.1, HDMI output, Lenovo Slim Pen 2, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO X1 CARBON 21V700GAZA	R 85,457	Lenovo Thinkpad X1 gen14 Carbon Aura Edition Series Core Ultra Series 3 LENOVO X1 CARBON 21V700GAZA Black Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB

		L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 3x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO X13 21RK006PZA	R 33,027	Lenovo Thinkpad X13 Gen6 Series Core Ultra Series 2 LENOVO X13 21RK006PZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LENOVO X13 21RK006WZA	R 46,169	Lenovo Thinkpad X13 Gen6 Series Core Ultra Series 2 LENOVO X13 21RK006WZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO X13 21YH000FZA	R 48,521	Lenovo Thinkpad X13 Gen7 Series Core Ultra Series 3 LENOVO X13 21YH000FZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
LENOVO X9-15 21VV004LZA	R 61,638	Lenovo Thinkpad X9-15p Gen 1 Aura Edition Series Core Ultra Series 3 LENOVO X9-15 21VV004LZA Grey Notebook, Intel Core Ultra X7 358H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" Capacitive Multi Touch Screen WQXGA (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 10Gbps), 3x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, SD Card Reader, 1.5 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
LOQ 83S000DUSA	R 22,056	Lenovo LOQ 15ARP10E Gaming Series LOQ 83S000DUSA Grey Gaming Notebook, AMD Ryzen 5 150 Six (6) Core Turbo Boost up to 4.55Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps), HDMI output, 1.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty

NBLE21Q6001FZA	R 41,422	Lenovo Thinkpad X9-15 Gen 1 Aura Edition Series Core Ultra Series 2 NBLE21Q6001FZA Grey Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WQXGA (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Â© 2025 Laptop Direct
NBLE21QA002KZA	R 40,257	Lenovo Thinkpad X9-14 Gen 1 Series Core Ultra Series 2 NBLE21QA002KZA Grey Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 and DisplayPort 2.1), HDMI output, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Â© 2025 Laptop Direct
NBLE21QG00BHZA	R 35,522	Lenovo Thinkpad T14 Gen6 Series V Core Ultra Series 2 NBLE21QG00BHZA Black Notebook, Intel Core Ultra 5 228V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On, 2x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21QG00BMZA	R 51,159	Lenovo Thinkpad T14 Gen6 Series V Core Ultra Series 2 NBLE21QG00BMZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On, 2x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21S6007WZA	R 37,630	Lenovo Thinkpad L14 gen6 Series Core Ultra Series 2 NBLE21S6007WZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21SA0055ZA	R 37,848	Lenovo Thinkpad L16 gen2 Series Core Ultra Series 2 NBLE21SA0055ZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam,

		Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21SJ005MZA	R 24,493	Lenovo ThinkBook 14 G8 IAl Series Core Ultra Series 2 NBLE21SJ005MZA Arctic Grey Notebook, Intel Core Ultra 7 255H Series 2 Sixteen (16) Core Arrow Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140T, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Fingerprint Reader, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty, Â© 2025 Laptop Direct
NBLE21SK00N8ZA	R 23,681	Lenovo ThinkBook 16 G8 IAL Series Core Ultra Series NBLE21SK00N8ZA Arctic Grey Notebook, Intel Core Ultra 9 185H Sixteen (16) Core Meteor Lake Turbo Boost up to 5.1Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21U2000JZA	R 26,117	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 NBLE21U2000JZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps) with USB PD 3.1 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21U2005XZA	R 27,283	Lenovo Thinkpad E14 Gen7 Series Core Ultra Series 2 NBLE21U2005XZA Black Notebook, Intel Core Ultra 7 256V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps) with USB PD 3.1 / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21UR0048ZA	R 25,190	Lenovo ThinkBook 16 G9 IPL Series Core Ultra Series 3 NBLE21UR0048ZA Arctic Grey Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort, HDMI output, SD

		Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21UR004HZA	R 23,344	Lenovo ThinkBook 16 G9 IPL Series Core Ultra Series 3 NBLE21UR004HZA Arctic Grey Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21UX002FZA	R 23,344	Lenovo ThinkBook 14 G9 IPL Series Core Ultra Series 3 NBLE21UX002FZA Arctic Grey Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort 2.1, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21V700CGZA	R 64,774	Lenovo Thinkpad X1 gen14 Carbon Aura Edition Series Core Ultra Series 3 NBLE21V700CGZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 3x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21V9005BZA	R 68,489	Lenovo Thinkpad Aura Edition X1 2-in-1 Gen11 Series Core Ultra Series 3 NBLE21V9005BZA Grey Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 with USB PD 15-65W and DisplayPort 2.1, HDMI output, Lenovo Slim Pen 2, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21WN002RZA	R 37,149	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 NBLE21WN002RZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE21X2001MZA	R 41,571	Lenovo Thinkpad L14 gen7 Series Core Ultra Series 3 NBLE21X2001MZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit

		Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21X20028ZA	R 32,165	Lenovo Thinkpad L14 gen7 Series Core Ultra Series 3 NBLE21X20028ZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (Hi-Speed USB / USB 2.0), 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.1 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21X8001GZA	R 41,571	Lenovo Thinkpad L16 gen3 Series Core Ultra Series 3 NBLE21X8001GZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (1x32GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (Hi-Speed USB), 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort, HDMI output, Kensington Nano Security Slot, 1.9 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21Y6001RZA	R 27,060	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 NBLE21Y6001RZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21Y6001RZABUN	R 25,957	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 NBLE21Y6001RZABUN Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack
NBLE21Y60027ZA	R 29,020	Lenovo Thinkpad E14 Gen8 Series Core Ultra Series 3 NBLE21Y60027ZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21YC0026ZA	R 32,043	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 NBLE21YC0026ZA Black Notebook, Intel Core Ultra 7 355

		Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21YC0026ZABUN	R 31,198	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 NBLE21YC0026ZABUN Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack
NBLE21YC0035ZA	R 28,448	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 NBLE21YC0035ZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE21YC0035ZABUN	R 27,663	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 NBLE21YC0035ZABUN Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, Backpack
NBLE21YC003BZA	R 27,168	Lenovo Thinkpad E16 Gen4 Series Core Ultra Series 3 NBLE21YC003BZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 2x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE22AR000WZA	R 33,321	Lenovo Thinkpad 14 2in1 Gen6 Series Core Ultra Series 3 NBLE22AR000WZA Luna Grey Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type IPS, 400nits LED Backlit Display, Intel

		Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-A (USB 5Gbps), , 2x USB-C (USB 5Gbps) with USB PD 45-65W / DisplayPort, HDMI output, Micro SD Card Reader, Lenovo Pen Gen 2, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
NBLE22AY002DZA	R 24,089	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V NBLE22AY002DZA Black Notebook, Intel Core Ultra 5 226V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE22AY002NZA	R 26,117	Lenovo Thinkpad E16 Gen3 Series Core Series 2 V NBLE22AY002NZA Black Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C Thunderbolt 4 / USB4 40Gbps with USB PD 45-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE82XM01AUSA	R 16,601	Lenovo IdeaPad 3 series NBLE82XM01AUSA 15ABR8 Grey Notebook, AMD Ryzen 7 Pro 5825U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2000 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE82XQ01EFSA	R 10,568	Lenovo IdeaPad Slim 3 series NBLE82XQ01EFSA 15AMN8 Grey Notebook, AMD Ryzen 3 30 Four (4) Core Turbo Boost up to 4.1Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE82XQ01EJSA	R 14,585	Lenovo IdeaPad Slim 3 series NBLE82XQ01EJSA 15AMN8 Grey Notebook, AMD Ryzen 5 40 Four (4) Core Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 300nits LED Backlit Display, AMD Radeon 610M graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83CX0022SA	R 47,181	Lenovo Yoga Slim 9i 14ILL10 Series Core Ultra Series 2 NBLE83CX0022SA Tidal Teal Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WQUXGA (3840 x 2400 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 2.1), Micro SD Card Reader, Copilot PC, 1.3 kg,

		Microsoft Windows 11 Professional 64 bit, 2 Year Carry in warranty, Â© 2025 Laptop Direct
NBLE83F3004BSA	R 60,957	Lenovo Legion 5i series Core Ultra Series 2 NBLE83F3004BSA 16IAX10 Black Gaming Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Glossy Type 500nits, 165Hz OLED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2), 1x USB-C (Thunderbolt 4 / USB4 40Gbps), HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83GW0078ZA	R 17,068	Lenovo V15 G5 IRL Series 13th gen NBLE83GW0078ZA Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NBLE83GW007BZA	R 13,464	Lenovo V15 G5 IRL Series 13th gen NBLE83GW007BZA Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83GW007BZABUN	R 13,157	Lenovo V15 G5 IRL Series 13th gen NBLE83GW007BZABUN Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Backpack
NBLE83GW00F1ZA	R 17,417	Lenovo V15 G5 IRL Series Core Series 2 NBLE83GW00F1ZA Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
NBLE83GW00F1ZABUN	R 16,448	Lenovo V15 G5 IRL Series Core Series 2 NBLE83GW00F1ZABUN Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output,

		Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Backpack
NBLE83GW00FGZA	R 16,715	Lenovo V15 G5 IRL Series Core Series 2 NBLE83GW00FGZA Black Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83GW00MJZA	R 14,509	Lenovo V15 G5 IRL Series 13th gen NBLE83GW00MJZA Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83GW00MJZABUN	R 14,132	Lenovo V15 G5 IRL Series 13th gen NBLE83GW00MJZABUN Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Backpack
NBLE83JE003HSA	R 32,028	Lenovo LOQ 15IRX10 Gaming Series 14th gen NBLE83JE003HSA Grey Gaming Notebook, Intel Core i7 Raptor Lake Twenty (20) Core i7-14700HX Turbo Boost up to 5.5Ghz 33MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-4800 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 65-100W / DisplayPort 1.4), HDMI output, 2.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83JE01CVSA	R 39,948	Lenovo LOQ 15IRX10 Gaming Series 14th gen NBLE83JE01CVSA Grey Gaming Notebook, Intel Core i7 Raptor Lake Twenty (20) Core i7-14700HX Turbo Boost up to 5.5Ghz 33MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 144Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 3x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 with USB PD 65-100W / DisplayPort 1.4), HDMI output, 2.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83JH009QSA	R 41,671	Lenovo LOQ 17IRX10 Gaming Series 14th gen NBLE83JH009QSA Grey Gaming Notebook, Intel Core i7 Raptor Lake Twenty (20) Core i7-14700HX Turbo Boost up to 5.5Ghz 33MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits, 165Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit

		Keyboard, Full Size Keyboard with Numpad, 4x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2) with USB PD 65-100W / DisplayPort 1.4, HDMI output, 2.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83QK006ESA	R 41,327	Lenovo Yoga Slim 7-14 series Core Ultra Series 3 NBLE83QK006ESA 14IPH11 Cosmic Blue 2in1 Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WQXGA (2880 x 1800 resolution) Glossy Type 500nits, 120Hz POLED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 3x Thunderbolt 4 with USB PD 45-65W and DisplayPort 2.1, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty, USB-C 4-in-1 Hub Gen 2 Yoga Mouse Cosmic Blue Lenovo Yoga Tote Sleeve 14" Blue
NBLE83RR00CWSA	R 19,286	Lenovo IdeaPad Slim 3 series NBLE83RR00CWSA 15IWC11 Grey Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 32GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 5Gbps with USB PD 45-65W / DisplayPort 1.2), HDMI output, SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
NBLE83SE001HSA	R 43,622	Lenovo Yoga 9i 2-in-1 Series Core Ultra Series 3 NBLE83SE001HSA Cosmic Blue 2 in 1 Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen 2.8K (2880 x 1800 resolution) Glossy Type 500nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 10Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort 2.1, Lenovo Yoga Pen Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year On-site warranty
NBLE83TC004ESA	R 28,814	Lenovo Yoga 9i Yoga 7 2in1 14IPH11 Series Core Ultra Series 3 NBLE83TC004ESA Seashell 2 in 1 Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort 2.1, Micro SD Card Reader, Lenovo Yoga Pen Gen 2, 1.4 kg, Microsoft Windows 11 Home 64 bit, 2 Year On-site warranty
NBLE83UJ0014SA	R 21,755	Lenovo IdeaPad 5 Series NBLE83UJ0014SA 14AHP11 Grey 2in1 Notebook Tablet, AMD Ryzen 7 250 Eight (8) Core Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 400nits LED Backlit Display, AMD Radeon 780M graphics, AMD Ryzen AI 16 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x USB-C (USB 10Gbps) with USB PD 45-65W / DisplayPort 1.4, HDMI output, Micro SD Card Reader, Lenovo Pen Gen 2, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
P14s 21HF000HZA	R 42,487	Lenovo Thinkpad P14s gen4 Series 13th gen P14s 21HF000HZA Black Notebook, Intel Core i7 Raptor Lake Twelve (12) Core i7-1360P Turbo Boost up to 5.0Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia RTX A500 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 2.0), 2x USB 3.2 Gen 1 (one Always

		On), HDMI output, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
P14s 21XJ0011ZA	R 65,161	Lenovo Thinkpad P14s gen7 Series Core Ultra Series 3 P14s 21XJ0011ZA Black Notebook, Intel Core Ultra 7 356H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPCAMM2 LPDDR5X-7567 Memory, Supports 96GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14.5" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, nVidia RTX Pro 500 6GB dedicated graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x Thunderbolt 4 with USB PD 3.1 / DisplayPort 2.1 140W input / 15W output/, HDMI output, SD Express Card Reader, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
P16s 21HK000EZA	R 40,354	Lenovo Thinkpad P16s gen2 Series 13th gen P16s 21HK000EZA Black Notebook, Intel Core i7 Raptor Lake Twelve (12) Core i7-1360P Turbo Boost up to 5.0Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, nVidia RTX A500 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1 (one Always On), 2x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 2.0), HDMI output, TPM 2.0, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
Retail 5G 82KF000PSA	R 21,690	Lenovo IdeaPad 5G Retail 5G 82KF000PSA Silver Notebook, Qualcomm Snapdragon 8cx Gen 2 Processor up to 2.84 GHz Processor, 8192MB (8GB) LPDDR4 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Qualcomm Adreno 680 GPU, 802.11ac Wireless Lan, Bluetooth, Built in 5G, Webcam, Backlit Keyboard, 1x USB 3.2 Gen 1 (Always On), 2x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
Retail Flex5 83KX004MSA	R 19,374	Lenovo IdeaPad Flex5 series 13th gen Retail Flex5 83KX004MSA 14IRH9 Grey Notebook Tablet, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) Always On, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) with USB PD 3.1 / DisplayPort 1.4, HDMI output, Micro SD Card Reader, Lenovo Digital Pen 2, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
Retail Ideapad5 83KX005HSA	R 17,180	Lenovo IdeaPad Flex5 series 13th gen Retail Ideapad5 83KX005HSA 14IRH9 Grey 2in1 Notebook Tablet, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type 400nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 5Gbps / USB 3.2 Gen 1) Always On, 2x USB-C (USB 10Gbps / USB 3.2 Gen 2) with USB PD 3.1 / DisplayPort 1.4, HDMI output, Micro SD Card Reader, Lenovo Digital Pen 2, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct
Retail IP1 82QD00BFFU	R 12,304	Lenovo IdeaPad 1 series 12th gen Retail IP1 82QD00BFFU Cloud Grey Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 220nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ac Wireless Lan, Bluetooth, Webcam, 2 Cell battery, Full Size Keyboard with Numpad, 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer only),

		HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
Retail IP1 82XM00EQSA	R 11,694	Lenovo IdeaPad 3 series Retail IP1 82XM00EQSA 15ABR8 Grey Notebook, AMD Ryzen 7 7730U Octa Core 2.0Ghz with Turbo Boost up to 4.5Ghz 16MB L3 Cache Processor, 8192MB (8GB) DDR4-3200 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon RX Vega 8 graphics 2200 MHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, SD Card Reader, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
T14 21WN002RZA	R 37,544	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 T14 21WN002RZA Black Notebook, Intel Core Ultra 5 325 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.5GHz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 47 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, 4 Cell Battery, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
T14 21WN003GZA	R 44,255	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 T14 21WN003GZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
T14 21WN003SZA	R 42,146	Lenovo Thinkpad T14 Gen7 Series Core Ultra Series 3 T14 21WN003SZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
T14s 21BR005KZA	R 32,350	Lenovo Thinkpad T14s gen3 Series 12th gen T14s 21BR005KZA Black Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 2.0), 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), HDMI output, Dolby Audio, TPM 2.0, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
T14s 21R1000YZA	R 35,850	Lenovo Thinkpad T14s gen6 Series Core Ultra Series 2 T14s 21R1000YZA Black Notebook, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty

T14s 21YU000PZA	R 55,293	Lenovo Thinkpad T14s gen7 Series Core Ultra Series 3 T14s 21YU000PZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 1x USB-A (USB 5Gbps), 3x Thunderbolt 4 with USB PD 15-65W / DisplayPort 2.1, HDMI output, Kensington Nano Security Slot, 1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
T16 21WT001CZA	R 44,816	Lenovo Thinkpad T16 gen5 Series Core Ultra Series 3 T16 21WT001CZA Black Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPCAMM2 LPDDR5X-6800 Memory, Supports 64GB Max Mem, 1 Memory slot, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 15-100W / DisplayPort 2, HDMI output, Kensington Nano Security Slot, 1.8 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
THINKBOOK 2-in-1 21SQ001MZA	R 28,273	Lenovo Thinkpad 14 2in1 Gen5 Series Core Ultra Series 2 THINKBOOK 2-in-1 21SQ001MZA Luna Grey Notebook Tablet, Intel Core Ultra 7 255U Series 2 Twelve (12) Core Arrow Lake Turbo Boost up to 5.2Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type IPS, 300nits LED Backlit Display, Intel Graphics, Intel AI Boost 12 TOPS, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 10Gbps / USB 3.2 Gen 2 / USB PD 3.0 / DisplayPort 1.4), 1x USB-C (Thunderbolt 4 / USB4 40Gbps / USB PD 3.0 / DisplayPort 1.4), HDMI output, Micro SD Card Reader, Lenovo Yoga Pen, Kensington Nano Security Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
THINKBOOK 2-in-1 22AR000WZA	R 33,857	Lenovo Thinkpad 14 2in1 Gen6 Series Core Ultra Series 3 THINKBOOK 2-in-1 22AR000WZA Luna Grey Notebook Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-A (USB 5Gbps), , 2x USB-C (USB 5Gbps) with USB PD 45-65W / DisplayPort, HDMI output, Micro SD Card Reader, Lenovo Pen Gen 2, Kensington Nano Security Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
ThinkBook 20VE00Q8SA	R 18,973	Lenovo ThinkBook 15 G2 Series 11th gen ThinkBook 20VE00Q8SA Mineral Grey Notebook, Intel Core i7 Tiger Lake Quad Core i7-1165G7 1.2Ghz with Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor, 16384MB (16GB) DDR4-3200 SO-Dimm Memory (1x8192 onboard,1x8192), Supports 40GB Max Mem, 1 Memory slot, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 250nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), 1x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, SD Card Reader, TPM 2.0, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
THINKBOOK 21DJ008GSA	R 19,680	Lenovo ThinkBook 15 Gen4 Series 12th gen THINKBOOK 21DJ008GSA Mineral Grey Notebook, Intel Core i7 Adler Lake Ten (10) Core i7-1255U Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8192MB (8GB) DDR4-3200 Memory onboard, Supports 40GB Max Mem, 1 Memory slot, 256GB

		SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x Thunderbolt 4 / USB 4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, SD Card Reader, TPM 2.0, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
THINKBOOK 21KH004NSA	R 17,438	Lenovo ThinkBook 16 G6 IRL Series 13th gen THINKBOOK 21KH004NSA Arctic Grey Notebook, Intel Core i5 Raptor Lake Ten (10) Core i5-1335U Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB DDR5-5200 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 1x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), 1x USB-C 3.2 Gen 2 (support data transfer / Power Delivery 3.0 / DisplayPort 1.4), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
THINKBOOK 21R0004KZA	R 50,173	Lenovo ThinkBook 16p G6 IAX Series Core Ultra Series 2 THINKBOOK 21R0004KZA Luna Grey Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" WQXGA (2560 x 1600 resolution) Non Gloss Type IPS, 500nits LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, Bluetooth, Webcam, Fingerprint Reader, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-A (USB 10Gbps / USB 3.2 Gen 2) Always On, 2x USB-C (Thunderbolt 4 / USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, SD Card Reader, Kensington Nano Lock Slot, 2.1 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
THINKBOOK 21UR004HZA	R 23,380	Lenovo ThinkBook 16 G9 IPL Series Core Ultra Series 3 THINKBOOK 21UR004HZA Arctic Grey Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 2x Thunderbolt 4 with USB PD 45-65W / DisplayPort, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
THINKBOOK 21US0031ZA	R 21,027	Lenovo ThinkBook 16 G9 IRL Series Core Series 2 THINKBOOK 21US0031ZA Arctic Grey Notebook, Intel Core 5 210H Series 2 Eight (8) Core Raptor Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot M.2 2280 Slot, NO optical drive (No CD), 16" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 400nits LED Backlit Display, Intel Graphics, Wi-Fi 7, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Fingerprint Reader, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 10Gbps) with USB Power Delivery 3.0 / DisplayPort 1.4, 1x Thunderbolt 4 with USB PD 3.0 / DisplayPort 1.4, HDMI output, SD Card Reader, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
V15 82YU015XSA	R 10,537	Lenovo V15 G4 AMN Series V15 82YU015XSA Black Notebook, AMD Ryzen 5 7520U Quad Core 2.8Ghz with Turbo Boost up to 4.3Ghz 4MB L3 Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type 250nits LED Backlit Display, AMD Radeon 610M graphics 1900MHz, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad,

		2x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer / Power Delivery / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.7 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
V15 83GW006CZA	R 15,889	Lenovo V15 G5 IRL Series 13th gen V15 83GW006CZA Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
V15 83GW0077ZA	R 15,107	Lenovo V15 G5 IRL Series 13th gen V15 83GW0077ZA Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
V15 83GW0078ZA	R 16,431	Lenovo V15 G5 IRL Series 13th gen V15 83GW0078ZA Black Notebook, Intel Core i5 Raptor Lake Eight (8) Core i5-13420H Turbo Boost up to 4.6Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
V15 83GW007BZA	R 12,506	Lenovo V15 G5 IRL Series 13th gen V15 83GW007BZA Black Notebook, Intel Core i3 Raptor Lake Six (6) Core i3-1315U Turbo Boost up to 4.5Ghz 10MB L3 Cache Processor (2 Perfomance Cores & 4 Efficient Cores), 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics for 13th Gen processor, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 1x USB-C (USB 5Gbps / USB 3.2 Gen 1) with USB Power Delivery (20V only) / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
V15 83M40015ZA	R 7,514	Lenovo V15 G6 ITN Series V15 83M40015ZA Black Notebook, Intel Adler Lake Quad Core N100 Turbo Boost up to 3.4Ghz 6MB Cache Processor, 8GB DDR5-5600 SO-Dimm Memory (1x8GB), Supports 16GB Max Mem, 1 Memory slot, 256GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 250nits LED Backlit Display, Intel UHD Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB 5Gbps / USB 3.2 Gen 1 with USB Power Delivery (20V only) / DisplayPort 1.2), HDMI output, Kensington Nano Lock Slot, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
V15 83V4003AZA	R 12,913	Lenovo V15 G6 ARP Series V15 83V4003AZA Black Notebook, AMD Ryzen 7 170 Eight (8) Core Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 8GB DDR5-4800 SO-Dimm Memory (1x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type TN, 300nits LED Backlit Display, AMD Radeon 680M graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Full Size Keyboard with Numpad, 2x USB-A (USB 5Gbps), 1x USB-C (USB 10Gbps) with USB PD 45-65W / DisplayPort 1.2, HDMI output, Kensington Nano Lock Slot, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
X1 2-in1 21V9005BZA	R 66,733	Lenovo Thinkpad Aura Edition X1 2-in-1 Gen11 Series Core Ultra Series 3 X1 2-in1 21V9005BZA Grey Notebook

		Tablet, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" Capacitive Multi Touch Screen WUXGA (1920 x 1200 resolution) Glossy Type IPS, 500nits LED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, Wi-Fi 7, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 3x Thunderbolt 4 with USB PD 15-65W and DisplayPort 2.1, HDMI output, Lenovo Slim Pen 2, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
X13 21BN0055ZA	R 30,029	Lenovo Thinkpad X13 Gen3 Series 12th gen X13 21BN0055ZA Black Notebook, Intel Core i5 Adler Lake Ten (10) Core i5-1235U Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores), 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.3" WUXGA (1920 x 1200 resolution) Non Gloss Type IPS, 300nits LED Backlit Display, Intel Iris Xe Graphics, 802.11ax Wi-Fi 6, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, Backlit Keyboard, 2x Thunderbolt 4 / USB4 40Gbps (support data transfer / Power Delivery 3.0 / DisplayPort 2.0), 1x USB 3.2 Gen 1, 1x USB 3.2 Gen 1 (Always On), HDMI output, TPM 2.0, Kensington Nano Security Slot, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 3 Year Carry in warranty
Yoga Slim7 83JY002NSA	R 28,151	Lenovo Yoga Slim 7-14 series Yoga Slim7 83JY002NSA 14AKP10 Tidal Teal Notebook, AMD Ryzen AI 7 350 Eight (8) Core Turbo Boost up to 5.0Ghz 16MB L3 Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2242 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type 400nits OLED Backlit Display, AMD Radeon 860M graphics, AMD Ryzen AI 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), 2x USB-C (USB4 40Gbps with USB PD 3.0 / DisplayPort 2.1), HDMI output, 1.2 kg, Microsoft Windows 11 Home 64 bit, 3 Year On-site warranty

< Return to the menu

Mecer notebooks

Product code	Price	Description
MW10Q17-LTE+	R 4,886	Mecer Exec Series MW10Q17-LTE Black Tablet, Intel Celeron Dual Core N4020 1.10Ghz with Turbo Boost up to 2.8Ghz 4MB L3 Cache Processor, 4096MB (4GB) LPDDR4 Memory onboard, Supports 4GB Max Mem, No memory slots, 128GB eMMC Multimedia Card Storage, NO optical drive (No CD), 10.1" Capacitive Multi Touch Screen WXGA (1280 x 800 resolution) Non Gloss Type IPS LED Backlit Display, Intel UHD Graphics 600, 802.11b/g/n Wireless Lan, Bluetooth, Built in 4G (LTE), Webcam, Hard docking Keyboard, 0.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct
QA14Q18	R 5,853	Mecer AlwaysOn 14 SF40IL6 QA14Q18 Silver Notebook, Intel Core i3 Ice Lake Dual Core i3-1005G1 1.2Ghz with Turbo Boost up to 3.4Ghz 4MB L3 Cache Processor, 4096MB (4GB) DDR4-3200 SO-Dimm Memory (1x4096), Supports 4GB Max Mem, No memory slots, 128GB eMMC Multimedia Card Storage, NO optical drive (No CD), 14.1" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, Intel UHD Graphics for 10th gen processor, 802.11ac Wireless Lan, Bluetooth, Built in 4G (LTE), Webcam, 1x USB3.0 Type A, 1x USB3.0 Type C, 1x USB2.0, Mini HDMI output, Micro SD Card Reader, 1.2 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
YA13Q50-LTE	R 5,812	Mecer Move YA13Q50 Series YA13Q50-LTE Grey Notebook, Intel Celeron Quad Core N4120 1.1Ghz with Turbo Boost up to 2.6Ghz 4MB L3 Cache Processor, 4096MB (4GB) LPDDR4 Memory onboard, Supports 4GB Max Mem, No memory slots, 128GB SSD Solid State Hard Drive, NO optical drive (No CD), 13.3" Capacitive Multi Touch Screen FULL HD (1920 x 1080 resolution) Non Gloss Type IPS LED Backlit Display, Intel UHD Graphics 600, 802.11b/g/n Wireless Lan, Bluetooth, Built in 4G (LTE), Webcam, Fingerprint Reader, 2x USB 3.0 ports, Mini HDMI output, Micro SD Card Reader, Microsoft Ink with Active Stylus, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Â© 2025 Laptop Direct

< Return to the menu

Microsoft notebooks

Product code	Price	Description
EP2-15036	R 38,179	Microsoft Surface Pro 10 13" AI Series Core Ultra EP2-15036 Platinum 2in1 Notebook Tablet, Intel Core Ultra 5 135U Twelve (12) Core Meteor Lake Turbo Boost up to 4.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Built in 5G, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, PSU not included
EP2-15040	R 42,090	Microsoft Surface Pro 10 13" AI Series Core Ultra EP2-15040 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 165U Twelve (12) Core Meteor Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Built in 5G, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, PSU not included
EP2-15042	R 52,584	Microsoft Surface Pro 10 13" AI Series Core Ultra EP2-15042 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 165U Twelve (12) Core Meteor Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Built in 5G, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, PSU not included
EP2-20028	R 46,478	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20028 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20045	R 50,677	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20045 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20073	R 54,874	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20073 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20090	R 34,268	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20090 Black 2in1 Notebook Tablet, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1

		kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20107	R 34,268	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20107 Platinum 2in1 Notebook Tablet, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20124	R 36,367	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20124 Black 2in1 Notebook Tablet, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20141	R 40,135	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20141 Platinum 2in1 Notebook Tablet, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20158	R 47,834	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20158 Platinum 2in1 Notebook Tablet, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20175	R 44,857	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20175 Platinum 2in1 Notebook Tablet, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20192	R 43,474	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20192 Black 2in1 Notebook Tablet, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20209	R 33,024	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20209 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1

		kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20226	R 42,281	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20226 Black 2in1 Notebook Tablet, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20243	R 42,281	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20243 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20260	R 46,478	Microsoft Surface Pro 11 13" Copilot Series Core Ultra Series 2 EP2-20260 Platinum 2in1 Notebook Tablet, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB4 / Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20944	R 26,929	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-20944 Platinum Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20969	R 36,367	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-20969 Platinum Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-20994	R 47,834	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-20994 Platinum Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21019	R 45,334	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-21019 Platinum Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1

		Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21067	R 38,084	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-21067 Platinum Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21093	R 40,182	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-21093 Platinum Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21118	R 51,086	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-21118 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21143	R 49,055	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-21143 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21168	R 53,348	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-21168 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21319	R 31,805	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21319 Platinum Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21344	R 43,989	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21344 Platinum Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD

		Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21369	R 51,688	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21369 Platinum Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21394	R 55,542	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21394 Platinum Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21419	R 45,381	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21419 Platinum Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21445	R 44,381	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21445 Platinum Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21470	R 54,903	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21470 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21495	R 52,776	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21495 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-21520	R 62,516	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-21520 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD

		Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22158	R 34,268	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22158 Black Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22183	R 36,367	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22183 Black Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22208	R 40,660	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22208 Black Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22233	R 36,681	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22233 Black Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22258	R 38,084	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22258 Black Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22283	R 40,182	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22283 Black Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22308	R 44,381	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22308 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg,

		Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22333	R 48,578	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22333 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22359	R 52,776	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-22359 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22637	R 42,062	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-22637 Black Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22662	R 43,989	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-22662 Black Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22700	R 51,688	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-22700 Black Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22725	R 49,150	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-22725 Black Notebook, Intel Core Ultra 5 238V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22801	R 44,381	Microsoft Surface 7th Edition 15" Series Core Ultra Series 2 EP2-22801 Black Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning

		Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22839	R 54,903	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-22839 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22864	R 53,348	Microsoft Surface 7 15" Copilot Series Core Ultra Series 2 EP2-22864 Black Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-22903	R 56,973	Microsoft Surface 7th Edition 15" Series Core Ultra Series 2 EP2-22903 Black Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-27191	R 28,000	Microsoft Surface Pro 12 Series EP2-27191 Platinum Tablet, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 12" Capacitive Multi Touch Screen (2196 x 1464 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-27208	R 22,915	Microsoft Surface Pro 12 Series EP2-27208 Platinum Tablet, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB UFS Universal Flash Storage, NO optical drive (No CD), 12" Capacitive Multi Touch Screen (2196 x 1464 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-27225	R 37,330	Microsoft Surface Pro 12 Series EP2-27225 Platinum Tablet, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB UFS Universal Flash Storage, NO optical drive (No CD), 12" Capacitive Multi Touch Screen (2196 x 1464 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-27242	R 42,758	Microsoft Surface Pro 12 Series EP2-27242 Platinum Tablet, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 1TB UFS Universal Flash Storage, NO optical drive (No CD), 12" Capacitive Multi Touch Screen (2196 x 1464 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-31000	R 39,514	Microsoft Surface 13 PixelSense AI Series EP2-31000 Platinum Notebook, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB UFS Universal Flash Storage, NO optical drive (No CD), 13" Capacitive

		Multi Touch Screen WUXGA (1920 x 1280 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1x USB-A 3.1 port, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-31225	R 20,836	Microsoft Surface 13 PixelSense AI Series EP2-31225 Platinum Notebook, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB UFS Universal Flash Storage, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1280 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1x USB-A 3.1 port, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-31279	R 22,055	Microsoft Surface 13 PixelSense AI Series EP2-31279 Platinum Notebook, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB UFS Universal Flash Storage, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1280 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1x USB-A 3.1 port, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-31337	R 33,343	Microsoft Surface 13 PixelSense AI Series EP2-31337 Platinum Notebook, Qualcomm Snapdragon X Plus X1P-42-100 8 Oryon CPU cores up to 3.4GHz 30MB Cache Processor, 24GB LPDDR5 Memory onboard, Supports 24GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen WUXGA (1920 x 1280 resolution) Glossy Type 400nits LED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 2x USB-C 3.2 ports, 1x USB-A 3.1 port, 1.3 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-36329	R 39,801	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-36329 Platinum Notebook, Intel Core Ultra 5 236V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.7Ghz 8MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 130V, Intel AI Boost 40 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-36378	R 44,094	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-36378 Platinum Notebook, Intel Core Ultra 7 266V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5.0Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-36453	R 59,167	Microsoft Surface 7 13.8" Copilot Series Core Ultra Series 2 EP2-36453 Platinum Notebook, Intel Core Ultra 7 268V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 5Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 600nits LED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 48 TOPS, Wi-Fi 7, Bluetooth, Built in 5G, Webcam, Backlit Keyboard, 2x USB-C with USB4 / Thunderbolt 4 ports, 1x USB-A 3.1 Gen 2, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-47874	R 55,751	Microsoft Surface 13.8" 8th Edition Series Core Ultra Series 3 EP2-47874 Platinum Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

EP2-47924	R 86,193	Microsoft Surface 13.8" 8th Edition Series Core Ultra Series 3 EP2-47924 Platinum Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-48024	R 76,157	Microsoft Surface 13.8" 8th Edition Series Core Ultra Series 3 EP2-48024 Platinum Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-48074	R 97,547	Microsoft Surface 13.8" 8th Edition Series Core Ultra Series 3 EP2-48074 Platinum Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-48898	R 57,718	Microsoft Surface Pro 12th Edition Series Core Ultra Series 3 EP2-48898 Black Tablet, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB 4 /Thunderbolt 4 ports, Ambient color sensor, Accelerometer, Gyroscope, Magnetometer, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-51163	R 59,692	Microsoft Surface 15" 8th Edition Series Core Ultra Series 3 EP2-51163 Platinum Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (3270 x 2180 resolution) Glossy Type LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-51213	R 83,580	Microsoft Surface 15" 8th Edition Series Core Ultra Series 3 EP2-51213 Platinum Notebook, Intel Core Ultra X7 368H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 5Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (3270 x 2180 resolution) Glossy Type LED Backlit Display, Intel Arc B390 Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, Micro SD Card Reader, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-55254	R 81,615	Microsoft Surface Pro 12th Edition Series Core Ultra Series 3 EP2-55254 Platinum Tablet, Intel Core Ultra 7 366H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.8Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 4x Efficient-cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type OLED Backlit Display, Intel Graphics, Intel NPU Peak 50 TOPS, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB 4 /Thunderbolt 4 ports, Ambient

		color sensor, Accelerometer, Gyroscope, Magnetometer, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-59551	R 40,822	Microsoft Surface 13.8" 8th Edition Series EP2-59551 Black Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-59649	R 61,695	Microsoft Surface 13.8" 8th Edition Series EP2-59649 Black Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-59942	R 54,636	Microsoft Surface 13.8" 8th Edition Series EP2-59942 Platinum Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-60003	R 76,215	Microsoft Surface 13.8" 8th Edition Series EP2-60003 Platinum Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 64GB LPDDR5 Memory onboard, Supports 64GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-60149	R 50,372	Microsoft Surface 15" 8th Edition Series EP2-60149 Platinum Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (3270 x 2180 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-60247	R 42,797	Microsoft Surface 15" 8th Edition Series EP2-60247 Black Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (3270 x 2180 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-60319	R 64,024	Microsoft Surface 15" 8th Edition Series EP2-60319 Platinum Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (3270 x 2180 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-60710	R 57,688	Microsoft Surface 15" 8th Edition Series EP2-60710 Black Notebook, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (3270 x 2180 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 1x USB 3.2 Type-A, 2x Thunderbolt 4, 1.7 kg,

		Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-61688	R 42,892	Microsoft Surface Pro 12th Edition Series Snapdragon EP2-61688 Black Tablet, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB 4 /Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
EP2-61726	R 63,870	Microsoft Surface Pro 12th Edition Series Snapdragon EP2-61726 Platinum Tablet, Qualcomm Snapdragon X2 Elite X2E-78-100 12 Oryon CPU cores up to 4.0GHz 34MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type LED Backlit Display, Adreno X2-85 Intergrated GPU, 80 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB 4 /Thunderbolt 4 ports, 1 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
XGT-00004	R 16,570	Microsoft Surface Go 4 10.5" Series XGT-00004 Platinum Tablet, Intel Adler Lake Quad Core N200 Turbo Boost up to 3.7Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 64GB UFS Universal Flash Storage, NO optical drive (No CD), 10.5" Capacitive Multi Touch Screen WUXGA (1920 x 1280 resolution) Glossy Type PixelSense display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Front and Back webcam, 1x USB-C 3.1 (Data / DisplayPort / Charging), Micro SD Card Reader, Corning Gorilla Glass 3, 0.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
XGT-00004-787611	R 15,595	Microsoft Surface Go 4 10.5" Series XGT-00004-787611 Platinum Tablet, Intel Adler Lake Quad Core N200 Turbo Boost up to 3.7Ghz 6MB Cache Processor, 8GB LPDDR5 Memory onboard, Supports 8GB Max Mem, No memory slots, 64GB UFS Universal Flash Storage, NO optical drive (No CD), 10.5" Capacitive Multi Touch Screen WUXGA (1920 x 1280 resolution) Glossy Type PixelSense display, Intel UHD Graphics, 802.11ax Wi-Fi 6, Bluetooth, Front and Back webcam, 1x USB-C 3.1 (Data / DisplayPort / Charging), Micro SD Card Reader, Corning Gorilla Glass 3, 0.6 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZDY-00009	R 50,801	Microsoft Surface Pro Pro 10 Edition 13" Series Core Ultra ZDY-00009 Platinum Notebook Tablet, Intel Core Ultra 7 165U Twelve (12) Core Meteor Lake Turbo Boost up to 4.9Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz PixelSense Flow display, Intel Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, Keyboard not included, 2x USB-C with USB 4 / Thunderbolt 4, Corning Gorilla Glass 5, Ambient colour sensor, Accelerometer, Gyroscope, Magnetometer, NFC, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZEW-00007	R 30,642	Microsoft Surface Pro Copilot 11th Edition 13" Series ZEW-00007 Platinum Notebook Tablet, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Built in 5G, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZFB-00007	R 42,090	Microsoft Surface Pro Copilot 11th Edition 13" Series ZFB-00007 Platinum Notebook Tablet, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Built in 5G, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

ZGV-00015	R 19,617	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZGV-00015 Platinum Notebook, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZGX-00015	R 35,661	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZGX-00015 Platinum Notebook, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZGX-00052	R 28,162	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZGX-00052 Black Notebook, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZGZ-00015	R 37,502	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZGZ-00015 Black Notebook, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Black Arc Mouse
ZHB-00015	R 59,262	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZHB-00015 Black Notebook, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Black Arc Mouse
ZHP-00015	R 26,929	Microsoft Surface Pro Copilot 7th Edition 15" Series ZHP-00015 Platinum Notebook, Qualcomm Snapdragon X Elite X1E-78-100 12 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZHQ-00015	R 33,410	Microsoft Surface Pro Copilot 7th Edition 15" Series ZHQ-00015 Platinum Notebook, Qualcomm Snapdragon X Elite X1E-78-100 12 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

ZHQ-00040	R 33,410	Microsoft Surface Pro Copilot 7th Edition 15" Series ZHQ-00040 Black Notebook, Qualcomm Snapdragon X Elite X1E-78-100 12 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZHR-00015	R 46,765	Microsoft Surface Pro Copilot 7th Edition 15" Series ZHR-00015 Black Notebook, Qualcomm Snapdragon X Elite X1E-78-100 12 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZIK-00009	R 23,773	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIK-00009 Platinum Notebook Tablet, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZIL-00009	R 26,922	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIL-00009 Platinum Notebook Tablet, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ZIL-00027	R 24,493	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIL-00027 Black Notebook Tablet, Qualcomm Snapdragon X Plus X1P-64-100 10 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
ZIN-00009	R 38,885	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIN-00009 Platinum Notebook Tablet, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZIN-00027	R 32,550	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIN-00027 Black Notebook Tablet, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 512GB SSD Solid State Hard Drive

		PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZIP-00009	R 33,024	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIP-00009 Platinum Notebook Tablet, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZIP-00027	R 37,511	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIP-00027 Black Notebook Tablet, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZIR-00009	R 45,049	Microsoft Surface Pro Copilot 11th Edition 13" Series ZIR-00009 Platinum Notebook Tablet, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13" Capacitive Multi Touch Screen 3K (2880 x 1920 resolution) Glossy Type 120Hz, 600nits OLED Backlit Display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Front and Back webcam, Keyboard not included, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Accelerometer : Gyroscope, Magnetometer, Ambient Color Sensor, NFC, Corning Gorilla Glass 5, 0.9 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZJV-00015	R 38,036	Microsoft Surface 6 Edition 13.5" Series Core Ultra ZJV-00015 Black Notebook, Intel Core Ultra 7 165H Sixteen (16) Core Meteor Lake Turbo Boost up to 5.0Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 8 Efficient Cores & 2 Low Power Efficient Cores), 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 256GB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.5" Capacitive Multi Touch Screen (2256 x 1504 resolution) Glossy Type 400nits LED Backlit Display, Intel Arc Graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 1x USB-C with USB 4 /Thunderbolt 4 ports, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZXY-00015	R 38,275	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZXY-00015 Black Notebook, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Black Arc Mouse
ZXY-00052	R 35,507	Microsoft Surface Pro Copilot 7th Edition 13.8" Series ZXY-00052 Black Notebook, Qualcomm Snapdragon X Elite X1E-80-100 12 Oryon CPU cores up to 3.4GHz with 4.0GHz Dual Core Boost 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 13.8" Capacitive Multi Touch Screen (2304 x 1536 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla

		Glass 5, 1.4 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty, Black Arc Mouse
ZYU-00015	R 47,882	Microsoft Surface Pro Copilot 7th Edition 15" Series ZYU-00015 Platinum Notebook, Qualcomm Snapdragon X Elite X1E-78-100 12 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty
ZYU-00040	R 37,320	Microsoft Surface Pro Copilot 7th Edition 15" Series ZYU-00040 Black Notebook, Qualcomm Snapdragon X Elite X1E-78-100 12 Oryon CPU cores up to 3.4GHz 42MB Cache Processor, 16GB LPDDR5 Memory onboard, Supports 16GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 15" Capacitive Multi Touch Screen (2496 x 1664 resolution) Glossy Type 120Hz PixelSense Flow display, Adreno X1-85 Intergrated GPU, 45 TOPS Hexagon NPU Intergrated, Wi-Fi 7, Bluetooth, Webcam, 2x USB-C / USB4 ports with support for Charging / Data transfer / DisplayPort 1.4a, Corning Gorilla Glass 5, 1.7 kg, Microsoft Windows 11 Professional 64 bit, 1 Year Carry in warranty

< Return to the menu

MSI notebooks

Product code	Price	Description
CROSSHAIR 17 HX AI D2XWFKG-070ZA	R 34,368	MSI Crosshair 17 HX D2XWFKG Series Core Ultra Series 2 CROSSHAIR 17 HX AI D2XWFKG-070ZA Cosmos Grey Notebook, Intel Core Ultra 7 255HX Series 2 Twenty (20) Core Arrow Lake Turbo Boost up to 5.2Ghz 30MB L3 Cache Processor (8 Perfomance Cores & 12 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 17" QHD (2560 x 1440 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), 3x Type-A USB3.2 Gen1, HDMI output, 2.8 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
CROSSHAIR 17 HX AI D2XWGKG-0	R 41,438	MSI Crosshair 17 HX D2XWGKG Series Core Ultra Series 2 CROSSHAIR 17 HX AI D2XWGKG-069ZA Cosmos Grey Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 17" QHD (2560 x 1440 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), 3x Type-A USB3.2 Gen1, HDMI output, 2.8 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
CYBORG 15 A13UC-2058ZA	R 17,241	MSI Cyborg 15 A13UC Series 13th gen CYBORG 15 A13UC-2058ZA Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen1 / DP), 2x Type-A USB3.2 Gen1, HDMI output, 2 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
CYBORG 15 B13WEKG-474ZA	R 21,263	MSI Cyborg 15 B13WFKG Series 13th gen CYBORG 15 B13WEKG-474ZA Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 96GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080

		resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen2, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
CYBORG 15 B13WFKG-473ZA	R 23,275	MSI Cyborg 15 B13WFKG Series 13th gen CYBORG 15 B13WFKG-473ZA Black Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 96GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen2, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
CYBORG 15 B2RWEKG-092ZA	R 25,347	MSI Cyborg 15 B2RWEKG Series Core Series 2 CYBORG 15 B2RWEKG-092ZA Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, NPU Intel AI Boost 1.4GHz, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen2, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
CYBORG 15 MAX C13WE-063ZA	R 31,381	MSI Cyborg 15 MAX C13WE Series 13th gen CYBORG 15 MAX C13WE-063ZA Platinum Grey Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 96GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 1x Type-A USB3.2 Gen1, 2x Type-A USB3.2 Gen2, HDMI output, 2 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
CYBORG 15 MAX C13WF-022ZA	R 36,379	MSI Cyborg 15 MAX C13WF Series 13th gen CYBORG 15 MAX C13WF-022ZA Platinum Grey Notebook, Intel Core i7 Raptor Lake Ten (10) Core i7-13620H Turbo Boost up to 4.9Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-5200 SO-Dimm Memory (1x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5060 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 1x Type-A USB3.2 Gen1, 2x Type-A USB3.2 Gen2, HDMI output, 2 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
CYBORG 17 B2RWEKG-082ZA	R 22,300	MSI Cyborg 17 B2RWEKG Series Core Series 2 CYBORG 17 B2RWEKG-082ZA Black Notebook, Intel Core 7 240H Series 2 Ten (10) Core Raptor Lake Turbo Boost up to 5.2Ghz 24MB L3 Cache Processor (6 Perfomance Cores & 4 Efficient Cores), 16GB DDR5-6400 CSO-Dimm Memory (2x8GB), Supports 96GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 5050 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen2, HDMI output, 2.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
KATANA 17 HX B14WGK-229ZA	R 39,976	MSI Katana HX B14WGK Series 14th gen KATANA 17 HX B14WGK-229ZA Black Notebook, Intel Core i9 Raptor Lake Twenty Four (24) Core i9-14900HX Turbo Boost up to 5.8Ghz 36MB L3 Cache Processor (8 Perfomance

		Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 17.3" QHD (2560 x 1440 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 3x Type-A USB3.2 Gen2, HDMI output, 2.7 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
MODERN 14 F1MG-438ZA	R 14,742	MSI Modern 14 F1MG Series Core MODERN 14 F1MG-438ZA Urban Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Type-A USB3.2 Gen1, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), HDMI output, Micro SD Card Reader, Copilot Key, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
MODERN 14S AI+ G3MG-020ZA	R 22,787	MSI Modern 14S AI G3MG series Core Ultra Series 3 MODERN 14S AI G3MG-020ZA Silver Notebook, Intel Core Ultra 7 355 Series 3 Eight (8) Core Panther Lake Turbo Boost up to 4.7Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type OLED Backlit Display, Intel Graphics, Intel NPU Peak 49 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen1, HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
MODERN 14S AI+ G3MG-021ZA	R 20,776	MSI Modern 14S AI G3MG series Core Ultra Series 3 MODERN 14S AI G3MG-021ZA Silver Notebook, Intel Core Ultra 5 322 Series 3 Six (6) Core Panther Lake Turbo Boost up to 4.4hz 12MB L3 Cache Processor (2 Perfomance Cores & 4 Low Power Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" WUXGA (1920 x 1200 resolution) Glossy Type OLED Backlit Display, Intel Graphics, Intel NPU Peak 46 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen1, HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
MODERN A14 AI F2HMG-024ZA	R 13,218	MSI Modern A14 AI F2HMG Series MODERN A14 AI F2HMG-024ZA Grey Notebook, AMD Ryzen 5 220 Six (6) Core Turbo Boost up to 4.9Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 32GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS LED Backlit Display, AMD Radeon 740M Graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 2x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen1, HDMI output, Micro SD Card Reader, 1.4 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
MODERN A15 AI+ F3HMG-012ZA	R 14,254	MSI Modern A15 AI F3HMG Series MODERN A15 AI F3HMG-012ZA Grey Notebook, AMD Ryzen AI 5 330 Four (4) Core Turbo Boost up to 4.5Ghz 8MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS LED Backlit Display, AMD Radeon 820M Graphics, AMD Ryzen AI 50 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Type-A USB3.2 Gen1, 2x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), HDMI output, Micro SD Card Reader, 1.6 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
MSI CROSSHAIR 17 HX AI D2XWGK	R 41,175	MSI Crosshair 17 HX D2XWGKG Series Core Ultra Series 2 MSI CROSSHAIR 17 HX AI D2XWGKG-069ZA Cosmos Grey Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 16GB DDR5-5600 SO-Dimm Memory (1x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO

		optical drive (No CD), 17" QHD (2560 x 1440 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Intel AI Boost 13 TOPS, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), 3x Type-A USB3.2 Gen1, HDMI output, 2.8 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
MSI Katana A15 AI B8VE-645ZA	R 21,799	MSI Katana A15 AI B8VE Series MSI Katana A15 AI B8VE-645ZA Black Notebook, AMD Ryzen 7 7735HS Octa Core 3.2Ghz with Turbo Boost up to 4.75Ghz 16MB L3 Cache Processor, 16GB DDR5-5200 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 4050 with 6GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB 3.2 Gen1 / DisplayPort), 2x Type-A USB 3.2 Gen1, 1x Type-A USB 2.0, HDMI output, 2.3 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
MSI MODERN 14 F1MG-855ZA	R 15,294	MSI Modern 14 F1MG Series Core MSI MODERN 14 F1MG-855ZA Urban Silver Notebook, Intel Core 7 150U Ten (10) Core Raptor Lake Turbo Boost up to 5.4Ghz 12MB L3 Cache Processor (2 Perfomance Cores & 8 Efficient), 16384MB (16GB) DDR4-3200 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 2 Memory slots, 512GB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 14" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 60Hz LED Backlit Display, Intel Graphics, 802.11ax Wi-Fi 6, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 3x Type-A USB3.2 Gen1, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), HDMI output, Micro SD Card Reader, Copilot Key, 1.5 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
MSI Prestige 13 AI A2VMG	R 24,879	MSI Prestige 13 AI EVO A2VMG series Core Ultra Series 2 MSI Prestige 13 AI A2VMG Grey Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" 2.8K (2880 x 1800 resolution) Glossy Type OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 1x Type-A USB3.2 Gen2, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), HDMI output, 1 kg, Microsoft Windows 11 Home 64 bit, 1 Year Carry in warranty
MSI Thin A15 B7UC-678ZA	R 17,937	MSI Thin A15 B7UC Series MSI Thin A15 B7UC-678ZA Black Notebook, AMD Ryzen 7 Pro 8845HS Octa Core 3.8Ghz with Turbo Boost up to 5.1Ghz 16MB L3 Cache Processor, 16GB DDR5-4800 SO-Dimm Memory (2x8GB), Supports 64GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS, 144Hz LED Backlit Display, nVidia Geforce RTX 3050 with 4GB dedicated graphics, 802.11ax Wi-Fi 6, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 3 Cell Battery, Backlit Keyboard, 1x Type-C (USB3.2 Gen2 / DisplayPort / Power Delivery 3.0), 3x Type-A USB3.2 Gen1, HDMI output, 1.9 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
NB-MGT73V7Q7HS	R 30,589	MSI Titan GT73VR-6RE Series 6th gen NB-MGT73V7Q7HS Black Aluminium Gaming Notebook, Intel Mobile CM236 chipset, Intel Core i7 SkyLake Quad Core i7-6820HK 2.7Ghz with Turbo Boost up to 3.6Ghz 8MB L3 Cache Processor, 16384MB (16GB) DDR4-2133 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 256GB (2 x 128GB) SSD Solid State Hard Drive PCIe, NO optical drive (No CD), 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS LED Backlit Display, nVidia Geforce GTX 1070M with 8GB dedicated graphics, G-Sync, 802.11ac Wireless Lan, Killer Gaming 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 8 cell battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 5x USB 3.0 ports, 1x USB 3.1 Type C Port, HDMI output, Mini Display Port output, SD Card Reader, 3.9 kg, Microsoft Windows 10 Home 64 bit, 2 Year Carry in warranty, Â© 2016 Laptop Direct
NB-MGT80S7K98SG	R 39,122	MSI Titan SLI Game Edition Heroes of Storm GT80s-6QE Series 6th gen NB-MGT80S7K98SG GT80s-6QE-042ZA Black Gaming Notebook, Intel Mobile CM236 chipset, Intel Core i7 SkyLake Quad Core i7-6820HK 2.7Ghz with Turbo Boost up to 3.6Ghz 8MB L3 Cache Processor, 32768MB (32GB) DDR4-2133 SO-Dimm Memory (4x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 2 x 128GB SSD Card, Bluray Writer / DVD Super Multi Writer optical drive, 18.4" FULL HD (1920 x 1080 resolution) Glossy Type LED Backlit Display,

		Dual nVidia Geforce GTX 980M with 8GB dedicated graphics SLI, 802.11ac Wireless Lan, Killer Gigabit LAN, Bluetooth, Webcam, 8 cell battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 5x USB 3.0 ports, 1x USB 3.1 Type C Port, HDMI output, Mini Display Port output, ESS SABRE HiFi audio DAC technology, SD Card Reader, 4.5 kg, Microsoft Windows 10 Home 64 bit, 2 Year Carry in warranty, Â© 2016 Laptop Direct
NB-MGT83V7Q7HS	R 40,341	MSI Titan SLI GT83VR-6RE Series 6th gen NB-MGT83V7Q7HS GT83VR-6RF-054za Black Aluminium Gaming Notebook, Intel Mobile CM236 chipset, Intel Core i7 SkyLake Quad Core i7-6820HK 2.7Ghz with Turbo Boost up to 3.6Ghz 8MB L3 Cache Processor, 16384MB (16GB) DDR4-2133 SO-Dimm Memory (2x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 2 x 128GB SSD Card, Bluray Writer / DVD Super Multi Writer optical drive, 18.4" FULL HD (1920 x 1080 resolution) Non Gloss Type IPS LED Backlit Display, nVidia 2 x Geforce GTX 1070M with 8GB dedicated graphics SLI, G-Sync, 802.11ac Wireless Lan, Killer Gaming 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 9 Cell Battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 5x USB 3.0 ports, 2x USB 3.1 Type C Ports, HDMI output, Mini Display Port output, SD Card Reader, 5.5 kg, Microsoft Windows 10 Home 64 bit, 2 Year Carry in warranty, Bundled Carry Bag, Â© 2016 Laptop Direct
NB-MWS60-5KM6	R 24,494	MSI WS60-6QH Series 6th gen NB-MWS60-5KM6 WS60-6QH-091ZA Black Workstation Notebook, Intel Mobile HM170 chipset, Intel Core i5 SkyLake Quad Core i5-6300HQ 2.3Ghz with Turbo Boost up to 3.3Ghz 6MB L3 Cache Processor, 8192MB (8GB) DDR4-2133 SO-Dimm Memory (1x8192), Supports 32GB Max Mem, 2 Memory slots, 1TB 7200rpm SATA Hard Drive, 128GB SSD Solid State Drive, NO optical drive (No CD), 15.6" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, nVidia Quadro M600M with 2GB dedicated graphics, G-Sync ready with 75Hz, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 6 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x USB 3.0 ports, 1 x USB 3.1 Type C Port, HDMI output, Mini Display Port output, Sound by Dynaudio, SD Card Reader, Nahimic Audio Enhancer, 1.9 kg, Microsoft Windows 10 Professional 64 bit, 3 Year Carry in warranty, Â© 2016 Laptop Direct
NB-MWT72-7KM30	R 42,779	MSI WT72-6QK Series 6th gen NB-MWT72-7KM30 WT72-6QK-464ZA Black Workstation Notebook, Intel Mobile CM236 chipset, Intel Core i7 SkyLake Quad Core i7-6700HQ 2.6Ghz with Turbo Boost up to 3.5Ghz 6MB L3 Cache Processor, 32768MB (32GB) DDR4-2133 SO-Dimm Memory (4x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 2 x 128GB SSD Card, Bluray Writer / DVD Super Multi Writer optical drive, 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, nVidia Quadro M3000M with 4GB dedicated graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 9 Cell Battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 6x USB 3.0 ports, 1x USB 3.1 Type C Ports, HDMI output, Mini Display Port output, Nahimic audio, SD Card Reader, 3.8 kg, Microsoft Windows 10 Professional 64 bit, 3 Year Carry in warranty, Â© 2016 Laptop Direct
NB-MWT72-7KM40	R 48,874	MSI WT72-6QL Series 6th gen NB-MWT72-7KM40 WT72-6QL-461ZA Black Workstation Notebook, Intel Mobile CM236 chipset, Intel Core i7 SkyLake Quad Core i7-6700HQ 2.6Ghz with Turbo Boost up to 3.5Ghz 6MB L3 Cache Processor, 32768MB (32GB) DDR4-2133 SO-Dimm Memory (4x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 2 x 128GB SSD Card, Bluray Writer / DVD Super Multi Writer optical drive, 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, nVidia Quadro M4000M with 4GB dedicated graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 9 Cell Battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 6x USB 3.0 ports, 1x USB 3.1 Type C Ports, HDMI output, Mini Display Port output, Nahimic audio, SD Card Reader, 3.8 kg, Microsoft Windows 10 Professional 64 bit, 3 Year Carry in warranty
NB-MWT72-XKM40	R 50,093	MSI WT72-6QL Series 6th gen NB-MWT72-XKM40 WT72-6QL-459ZA Black Workstation Notebook, Intel Mobile CM236 chipset, Intel Xeon Quad E3-1505Mv5 2.8Ghz with Turbo Boost up to 3.7Ghz 8MB L3 Cache Processor, 32768MB (32GB) DDR4-2133 SO-Dimm Memory (4x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 2 x 128GB SSD Card, Bluray Writer / DVD Super Multi Writer optical drive, 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, nVidia Quadro M4000M with 4GB dedicated graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 9 Cell Battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 6x USB 3.0 ports, 1x USB 3.1 Type C Ports,

		HDMI output, Mini Display Port output, Nahimic audio, SD Card Reader, 3.8 kg, Microsoft Windows 10 Professional 64 bit, 3 Year Carry in warranty
NB-MWT72-XKM50	R 59,845	MSI WT72-6QM Series 6th gen NB-MWT72-XKM50 WT72-6QM-458ZA Black Workstation Notebook, Intel Mobile CM236 chipset, Intel Xeon Quad E3-1505Mv5 2.8Ghz with Turbo Boost up to 3.7Ghz 8MB L3 Cache Processor, 32768MB (32GB) DDR4-2133 SO-Dimm Memory (4x8192), Supports 64GB Max Mem, 4 Memory slots, 1TB 7200rpm SATA Hard Drive, 2 x 128GB SSD Card, Bluray Writer / DVD Super Multi Writer optical drive, 17.3" FULL HD (1920 x 1080 resolution) Non Gloss Type LED Backlit Display, nVidia Quadro M5000M with 8GB dedicated graphics, 802.11ac Wireless Lan, 10/100/1000 Gigabit Ethernet LAN, Bluetooth, Webcam, 9 Cell Battery, Backlit SteelSeries Designed Keyboard, Full Size Keyboard with Numpad, 6x USB 3.0 ports, 1x USB 3.1 Type C Ports, HDMI output, Mini Display Port output, Nahimic audio, SD Card Reader, 3.8 kg, Microsoft Windows 10 Professional 64 bit, 3 Year Carry in warranty
PRESTIGE 13 AI UKIYOE EDITION A2VMG-210ZA	R 102,334	MSI Prestige 13 AI UKIYOE EDITION A2VMG series Core Ultra Series 2 PRESTIGE 13 AI UKIYOE EDITION A2VMG-210ZA Ukiyoe Notebook, Intel Core Ultra 7 258V Series 2 Eight (8) Core Lunar Lake Turbo Boost up to 4.8Ghz 12MB L3 Cache Processor (4 Perfomance Cores & 4 Low Power Efficient Cores), 32GB LPDDR5 Memory onboard, Supports 32GB Max Mem, No memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 13.3" 2.8K (2880 x 1800 resolution) Glossy Type OLED Backlit Display, Intel Arc Graphics 140V, Intel AI Boost 47 TOPS, Wi-Fi 7, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), HDMI output, Micro SD Card Reader, 1 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
RAIDER 16 HX B2WH-049ZA	R 60,576	MSI Raider 16 HX B2WH series Core Ultra Series 2 RAIDER 16 HX B2WH-049ZA Black Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-6400 CSO-Dimm Memory (2x16GB), Supports 128GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type 240Hz LED Backlit Display, nVidia Geforce RTX 5070 Ti with 12GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.1), 3x Type-A USB3.2 Gen2, HDMI output, SD Card Reader, 2.5 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
RAIDER 16 MAX HX B2WI-048ZA	R 90,746	MSI Raider 16 MAX HX B2WI series Core Ultra Series 2 RAIDER 16 MAX HX B2WI-048ZA Black Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-6400 CSO-Dimm Memory (2x16GB), Supports 128GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Glossy Type 240Hz OLED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.1), 3x Type-A USB3.2 Gen2, HDMI output, SD Card Reader, 2.5 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
RAIDER 16 MAX HX B2WJ-047ZA	R 107,873	MSI Raider 16 MAX HX B2WJ series Core Ultra Series 2 RAIDER 16 MAX HX B2WJ-047ZA Black Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 64GB DDR5-6400 CSO-Dimm Memory (2x32GB), Supports 128GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Glossy Type 240Hz OLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.1), 3x Type-A USB3.2 Gen2, HDMI output, SD Card Reader, 2.5 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
RAIDER 18 MAX HX A2WI-1067ZA	R 99,828	MSI Raider 18 MAX HX A2WI series Core Ultra Series 2 RAIDER 18 MAX HX A2WI-1067ZA Black Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-6400 CSO-Dimm Memory (2x16GB), Supports

		128GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" UHD (3840 x 2400 resolution) Non Gloss Type 120Hz miniLED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 (DisplayPort / Power Delivery 3.1), 3x Type-A USB3.2 Gen2, HDMI output, SD Card Reader, 3.6 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
RAIDER 18 MAX HX A2WJ-1066ZA	R 110,921	MSI Raider 18 MAX HX A2WJ series Core Ultra Series 2 RAIDER 18 MAX HX A2WJ-1066ZA Black Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 64GB DDR5-6400 CSO-Dimm Memory (2x32GB), Supports 128GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 18" UHD (3840 x 2400 resolution) Non Gloss Type 120Hz miniLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 (DisplayPort / Power Delivery 3.1), 3x Type-A USB3.2 Gen2, HDMI output, SD Card Reader, 3.6 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
STEALTH 16 AI+ B3WH-024ZA	R 65,574	MSI Stealth 16 Ai B3WI series Core Ultra Series 3 STEALTH 16 AI B3WH-024ZA Black Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB DDR5-7200 CSO-Dimm Memory (2x16GB), Supports 128GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Glossy Type 240Hz OLED Backlit Display, nVidia Geforce RTX 5070 Ti with 12GB dedicated graphics, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen2, HDMI output, 2 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
STEALTH 16 AI+ B3WI-023ZA	R 77,703	MSI Stealth 16 Ai B3WI series Core Ultra Series 3 STEALTH 16 AI B3WI-023ZA Black Notebook, Intel Core Ultra 9 386H Series 3 Sixteen (16) Core Panther Lake Turbo Boost up to 4.9Ghz 18MB L3 Cache Processor (4 Perfomance Cores & 8 Efficient Cores & 4 Low Power Efficient Cores), 32GB DDR5-7200 CSO-Dimm Memory (2x16GB), Supports 128GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Glossy Type 240Hz OLED Backlit Display, nVidia Geforce RTX 5080 with 16GB dedicated graphics, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, 2x Thunderbolt 4 (DisplayPort / Power Delivery 3.0), 2x Type-A USB3.2 Gen2, HDMI output, 2 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
STEALTH A16 MERCEDES AMG AI A3XWGG-059ZA	R 85,508	MSI Stealth A16 MERCEDES AMG AI A3XWGG series STEALTH A16 MERCEDES AMG AI A3XWGG-059ZA Black Notebook, AMD Ryzen AI 9 HX 370 Twelve (12) Core 2.0Ghz with Turbo Boost up to 5.1Ghz 36MB L3 Cache Processor, 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5070 with 8GB dedicated graphics, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 1x Type-C (USB4 / DisplayPort / Power Delivery 3.0 / Thunderbolt 4 compatible), 2x Type-A USB3.2 Gen2, HDMI output, 2.1 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
TITAN 18 HX A2WJ-1065ZA	R 131,034	MSI Titan 18 HX A2WJ Series Core Ultra Series 2 TITAN 18 HX A2WJ-1065ZA Black Notebook, Intel Core Ultra 9 290HX Plus Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.5Ghz 36MB L3 Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 64GB DDR5-6400 CSO-Dimm Memory (2x32GB), Supports 128GB Max Mem, 2 Memory slots, 2TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot M.2 2280 Slot, NO optical drive (No CD), 18" UHD (3840 x 2400 resolution) Non Gloss Type 240Hz miniLED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 (DisplayPort / Power Delivery 3.1), 3x Type-A USB3.2 Gen2, HDMI output, SD Express Card Reader, 3.6 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty
VECTOR 16 HX AI A2XWJG-644ZA	R 73,680	MSI Vector 16 HX AI A2XWJG Series Core Ultra Series 2 VECTOR 16 HX AI A2XWJG-644ZA Cosmos Grey

	Notebook, Intel Core Ultra 9 275HX Series 2 TwentyFour (24) Core Arrow Lake Turbo Boost up to 5.4Ghz 36MB Cache Processor (8 Perfomance Cores & 16 Efficient Cores), 32GB DDR5-5600 SO-Dimm Memory (2x16GB), Supports 96GB Max Mem, 2 Memory slots, 1TB SSD Solid State Hard Drive PCIe, M.2 2280 slot M.2 2280 Slot, NO optical drive (No CD), 16" QHD (2560 x 1600 resolution) Non Gloss Type IPS, 240Hz LED Backlit Display, nVidia Geforce RTX 5090 with 24GB dedicated graphics, Intel AI Boost 13 TOPS, Wi-Fi 7, 2.5 Gigabit LAN, Bluetooth, Webcam, 4 Cell Battery, Backlit Keyboard, Full Size Keyboard with Numpad, 2x Thunderbolt 5 (DisplayPort / Power Delivery 3.1), 2x Type-A USB3.2 Gen2, HDMI output, SD Express Card Reader, Copilot Key, 2.7 kg, Microsoft Windows 11 Home 64 bit, 2 Year Carry in warranty

< Return to the menu

Samsung notebooks

Product code	Price	Description

< Return to the menu

Sony notebooks

Product code	Price	Description

< Return to the menu

Toshiba notebooks

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Office furniture & supplies

Backpacks for school

Product code	Price	Description
EKF821	R 178	Everki Shield Backpack Rain Cover - Fits these backpacks: Atlas (EKP121) - Versa (EKP127) - Flight (EKP119) - Glide (EKP129)
ETB10826BK	R 349	Macaroni Laureate Student Backpack - Lightweight, Padded shoulder straps and Back, Dual Main zippered compartments, Padded Top Grip Handle, Waterproof Material - Two Tone Blue and Purple
ETB10826BL	R 349	Macaroni Laureate Student Backpack - Lightweight, Padded shoulder straps and Back, Dual Main zippered compartments, Padded Top Grip Handle, Waterproof Material - Two Tone Black and Grey
ETB10826PK	R 349	Macaroni Laureate Student Backpack - Lightweight, Padded shoulder straps and Back, Dual Main zippered compartments, Padded Top Grip Handle, Waterproof Material - Two Tone Pink and Red
ETB10827BK	R 349	Macaroni Ateneo Student Backpack - Lightweight ,Padded shoulder straps and Back, Dual Main zippered compartments, Top Grip Handle, Waterproof Material – Two Ton Black and Grey
ETB10827BL	R 349	Macaroni Ateneo Student Backpack - Lightweight, Padded shoulder straps and Back, Dual Main zippered compartments, Top Grip Handle, Waterproof Material – Two Tone Blue and Grey
ETB10827PK	R 349	Macaroni Ateneo Student Backpack - Lightweight,Padded shoulder straps and Back, Dual Main zippered compartments, Top Grip Handle, Waterproof Material – Two Ton Pink and Grey
ETB8996BK	R 349	Macaroni Scolaro Student Backpack - Lightweight, Padded Back and shoulder straps, Triple Main Plus One Side zippered compartments, Top Grip Handle, Waterproof Material - Two Tone Black and Grey, Retail Box
ETB8996BL	R 349	Macaroni Scolaro Student Backpack - Lightweight, Padded Back and shoulder straps, Triple Main Plus One Side zippered compartments, Top Grip Handle, Waterproof Material - Two Tone Blue and Grey
ETB8996PK	R 349	Macaroni Scolaro Student Backpack - Lightweight, Padded Back and shoulder straps, Triple Main Plus One Side zippered compartments, Top Grip Handle, Waterproof Material - Two Tone Pink and Grey
KLB112860BR	R 169	Macaroni Versitas Lightweight Canvas Multipurpose Backpack - Padded shoulder straps and Back, Four Main zippered compartments, Top Grip Handle, Dual Exterior Mesh Side pockets, Mobile phone Pocket - Brown, Poly

		Bag
PG-1019-GBK	R 171	Playground Badges Girls Black Backpack
VK-7029-RDBK	R 333	Volkano Notties Weekender Red & Black 50L Duffle Bag
VK-7030-GRBK	R 436	Volkano Notties Weekender Grey & Black 70L Duffle Bag
VK-7031-BLBK	R 437	Volkano Notties Weekender Navy & Black 90L Duffle Bag
VK-7036-NZ	R 207	Volkano Diva Navy Aztec 16L Backpack
VK-7038-PK	R 356	Volkano Victory Pink Mel 16L Backpack
VK-7039-BKYL	R 402	Volkano Clarence Day Black & Yellow 40L Backpack
VK-7042-GRD	R 286	Volkano Suede Series Ethnic Pattern Dark Grey Backpack
VK-7042-PK	R 206	Volkano Suede Series Pineapples Pattern Pink Backpack
VK-7064-BK	R 310	Volkano Champ Black Shattered Geo Backpack

< Return to the menu

Document shredders

Product code	Price	Description
3311401	R 501	Fellowes Trito 2S Shredder, Shreds up to 5 sheets in 7 mm strips, 3 minute duty cycle., 11 litre capacity Trash
35250	R 284	Fellowes Shredder Oil 350ml 1Pk
3608501	R 177	Fellowes Shredder oil 120ml in PDU, Amber Colour
4025601	R 243	Fellowes Shredder Lubrication sheet - 10 pack, White
4600103	R 5,127	Fellowes Powershred 63Cb Cross-Cut Shredder
4601102	R 6,493	Fellowes Powershred 73Ci Cross Cut Shredder
4603101	R 959	Fellowes M-7C 23cm Cross Shredder Powershred, 23 cm working width, 46 mm shredding size, Shreds 7 sheets per pass, 4x46mm Cross-Cut particles, Shreds continuously for up to 4 minutes, 14l bin with Lift off head, Also shreds Staples and credit cards
4604101	R 2,705	Fellowes Powershred M-8C Cross Cut Shredder, Max: 8 sheets, Bin: 15 litre. Light use. Cross-cut security level 3.
4606101	R 3,774	Fellowes Powershred 60Cs Cross Cut Shredder, Max: 10 sheets, Bin: 22 litre. Medium use.Cross-cut security level 3.
4612601	R 15,640	Fellowes Powershred 125Ci Cross Cut Shredder, Max: 18 sheets, Bin: 53 litre
4613501	R 16,018	Fellowes Powershred 125i Strip Cut Shredder, Max: 18 sheets, Bin: 53 litre
4622601	R 20,240	Fellowes Powershred C-225Ci Cross Cut Shredder, Max: 20 sheets, Bin: 60 litre
4623501	R 16,100	Fellowes Powershred C-225i Strip Cut Shredder, Max: 20 sheets, Bin: 60 litre
4629201	R 8,022	Fellowes 4629201 AutoMax 100m Mini-Cut auto feed shredder, Mini-Cut Cut Type, 4x10mm Cut size, 15 minutes Maximum run time, Auto-Reverse & Anti-Jam technology, Can shred staples / credit cards / paper clips, Pull-out bin
4630601	R 4,383	Fellowes Powershred 10M Micro-Cut shredder, 2x12mm Cut size, MicroShred Cut Type, 10 minutes Maximum run time, Can shred credit cards & staples, Pull-out bin
4631101	R 965	Fellowes 4631101 Powershred 6m Mini-Cut shredder, 4x12mm Cut size, 5 minutes Maximum run time, Safety lock, CAN shred - staples / credit cards / paper clips, Wastebasket
4632001	R 32,637	Fellowes Powershred 325Ci Cross Cut Shredder, Max: 24 sheets, Bin: 83 litre
4633001	R 14,206	Fellowes Powershred 325i Strip Cut Shredder, Max: 26 sheets, Bin: 83 litre
4653601	R 10,297	Fellowes AutoMax 200C Auto Feed Shredder - 32litre
4656301	R 10,120	Fellowes AutoMax 200M Micro-Cut Shredder. AF, SM, S, Microshred, 32 litre
4679601	R 7,820	Fellowes Powershred 79Ci Cross Cut Shredder, Max: 14 sheets, Bin: 23 litre
4680101	R 7,441	Fellowes AutoMax 130C Auto Feed Shredder - 32litre
4691601	R 11,903	Fellowes Powershred 99Ci Cross Cut Shredder, Max: 17 sheets, Bin: 34 litre
4692501	R 2,554	Fellowes Powershred 8Mc Micro-Cut Shredder. Microshred, Compatible with (70gsm) : 8 sheets, 14 litre
4701001	R 736	Fellowes Powershred P-25 Strip-Cut Shredder
4710101	R 1,229	Fellowes Powershred P-28 Strip-Cut Shredder
4964101	R 19,320	Fellowes AutoMax 350C Cross-Cut Shredder. JG, SL, SF, SM, S, 68 litre

5012501	R 1,357	Fellowes Powershred P-42c Cross-Cut Shredder, Wastebasket Type, can shred staples & credit cards, Up to 3 minutes run time, 458 shreds per page
6008101	R 1,237	Fellowes P-30C Cross-Cut shredder, can shred staples & credit cards, Wastebasket Type, Traditional feed Type, 4x34mm Cut size, 15 litre capacity
SHHP12CC	R 4,094	HP OneShred 12CC paper Shredder, 12 sheet, 23 litres, Cross Cut, 1.8 metres per minute cutting Speed, 6 minutes operating time, 50 minutes cooling time
SHHP12MC	R 7,827	HP OneShred 12MC paper Shredder, 12 sheet, 25 litres, Micro Cut, Operating time of 20 minutes, Cooling time 20 minutes, Anti-paper jam Technology, Removable Waste bin with a Volume of 25 litres

< Return to the menu

Health safety and hygene

Product code	Price	Description
12919A	R 79	Casey Non Woven Disposable Full Body Coverall Suit - Size Medium, Elasticated Wrists, Legs and Waist, Hooded, Nylon Zipper Front. Non-Woven Spun Bond 50 gsm Polypropylene, Colour White, No Warranty
12919B	R 79	Casey Non Woven Disposable Full Body Coverall Suit - Size Large, Elasticated Wrists, Legs and Waist, Hooded, Nylon Zipper Front. Non-Woven Spun Bond 50 gsm Polypropylene, Colour White, No Warranty
12919S	R 79	Casey Non Woven Disposable Full Body Coverall Suit - Size Small, Elasticated Wrists, Legs and Waist, Hooded, Nylon Zipper Front. Non-Woven Spun Bond 50 gsm Polypropylene, Colour White Retail Box No Warranty
12919XXXL	R 79	Casey Non Woven Disposable Full Body Coverall Suit - Size 3X Large, Elasticated Wrists, Legs and Waist, Hooded, Nylon Zipper Front. Non-Woven Spun Bond 50 gsm Polypropylene, Colour White Retail Box No Warranty
12935	R 599	Casey Hand Sanitizer Dispenser Floor Stand Retail Box No Warranty
12936	R 69	Casey Surgical Disposable Single Elastic Mop Cap-Durable, Lightweight Non-Woven Polypropylene Material, Single Broad Stretch Elastic Band Simplifies Donning And Doffing, Spun-Bonded Polypropylene Creates A Solid Barrier To Provide Full Hair Coverage, Breathable, Dustproof, Snug Fit To Any Head , Suitable For Men And Women, Colour White - Pack of 100 Retail Box No Warranty
12941	R 99	Casey Disposable Non Woven Shoe Covers - Provide A Barrier Against Possible Exposure To Airborne Organisms Or Contact With A Contaminated Environment, Elastic Band For Flexibility, Ambidextrous Design, Fits All Shoes Or Boots Up To Size 12, Suitable For Men And Women ,Colour Blue Pack of 10 Retail Box No Warranty
12943	R 129	Casey Disposable SMS Fabric Reinforced Surgical Gown-EO sterilized, Lightweight, Durable, Breathable, SMS Polypropylene Reinforced Fabric Widely Used at Clinics, Hospitals, Examination Rooms, Operating Theatres, Effective Protection From Blood Borne Pathogens and Liquid Spills, Colour Blue Size Small Sold as a Single Unit, Retail Box No Warranty
12943-LRG	R 89	Casey Disposable SMS Fabric Reinforced Surgical Gown - Non Sterile, Lightweight, Durable, Breathable, SMS Polypropylene Reinforced Fabric Widely Used at Clinics, Hospitals, Examination Rooms, Operating Theatres, Effective Protection From Blood Borne Pathogens and Liquid Spills, Colour Light Blue Size Large Sold as a Single Unit Retail Box No Warranty
12943-MED	R 89	Casey Disposable SMS Fabric Reinforced Surgical Gown - Non Sterile, Lightweight, Durable, Breathable, SMS Polypropylene Reinforced Fabric Widely Used at Clinics, Hospitals, Examination Rooms, Operating Theatres, Effective Protection From Blood Borne Pathogens and Liquid Spills, Colour Light Blue Size Medium Sold as a Single Unit Retail Box No Warranty
12943-XLRG	R 89	Casey Disposable SMS Fabric Reinforced Surgical Gown - Non Sterile, Lightweight, Durable, Breathable, SMS Polypropylene Reinforced Fabric Widely Used at Clinics, Hospitals, Examination Rooms, Operating Theatres, Effective Protection From Blood Borne Pathogens and Liquid Spills, Colour Light Blue Size Extra Large Sold as a Single Unit Retail Box No Warranty
12975	R 69	Casey Disposable Polyethylene Surgical Sleeve And Arm Protector Cover - Pack 100, Water-Repellent And Smudge-Proof,10 Micron Low Density Polyethylene (LDPE), Colour White Retail Box No Warranty
12988	R 49	Casey Powasol Biosan Fogger Disinfect 150ml- Contains 70% Isopropyl Alcohol Combined With A Mixture Of A Perfume Scent Efficient Aerosol Sanitiser Suitable For Small Areas Such As Rooms , Offices Or Vehicle Interior , SABS Approved Manufactured Under ISO 2015 Accreditations, Retail Box No Warranty

13014	R 799	Casey Infrared Wall Thermometer, Retail Box, No Warranty
15213	R 79	Casey Protective Transparent Anti Fog Isolation Face Shield with Spectacle Frame Mask, Colour Clear Retail Box No Warranty
201785475004	R 189	Casey ExamPro Powder Free Latex Disposable Gloves Box of 100- Size Large, Natural White Rubber Latex Non-sterile, Ambidextrous Retail Box No Warranty
6007945052586	R 49	Casey Pocket and Travel Gel Sanitiser 3ml Sachet - Sold as Pack of 30, 70% Ethanol Alcohol Hydrogen Peroxide, Glycerine, Soft And Gentle Against Sensitive Skin, Bulk Pack
6971956770054	R 399	Casey Automatic Non-Touch Infrared Battery Operated Foam Soap Dispenser - Flattop Stand 350ml Water Or Liquid Capacity - Built-In Rechargeable Lithium Battery, Charge With A Standard Micro USB Cable, Uses Water And Foam Soap Tablets Or Standard Liquid Hand Soap, Colour White Retail Box No Warranty
AF-008	R 71	Liquid Clinic 20ml Hand Sanitizer Liquid Spray - 75% Alcohol
BH511	R 39	Casey XYT Branded 3 Ply Disposable Face Mask with Earloop - 50 Per Pack Non-Woven, Flexible Nose Piece, 3 Layer Fabric Ensure High Filtration Efficiency and Absorption, Colour Blue Retail Box No Warranty
BH511B	R 79	Casey 3 Ply Disposable Face Mask with Earloop 50 Per Pack Black, Retail Box, No Warranty
CG-M001-BK	R 167	Clinic Gear Black Adult Respiratory Masks - face mask with valve. Ten layers of protection with the mask and filter. 95% filtration. 5 layer Filter: Spindle cloth layers x2, Meltdown Cloth x2, Active carbon Layer x1. 5 layer Face-mask: Inner Cotton layer, Non-woven cloth x3 layers, Outer cotton layer.
CH511WP20	R 29	Casey 3 Ply Disposable Face Mask with Earloop - 20 Per Pack Non-Woven, Flexible Nose Piece, 3 Layer Fabric Ensure High Filtration Efficiency and Absorption, Colour Blue Clear Packaging No Warranty
CS12917	R 69	Casey Electronic Thermometer With Contact Measurement Technology- Easy To Use For Fever Measurement, Easy To Read Digital Screen Fast 10 Second Readout, Dependable Accuracy, Stored Memory Function, Automatic Shut-Off Retail Box No Warranty
CSPEW001	R 29	Casey Safety Protective Eyewear - To Protect Against Saliva Droplets, Blood Borne Pathogens Such Covid-19, MERS, SARS, Hepatitis Or HIV From Blood And Body Fluids, Clear Polycarbonate Mono Lens, Ergonomic Lightweight Design, May Be Worn With Prescription Glasses and Contact Lenses, Provide A Secure Shield Around The Entire Eye Bulk Packaging No Warranty
CSY15213GREEN	R 79	Casey Protective Transparent Anti Fog Isolation Face Shield with Spectacle Frame Mask, Colour Green, Retail Box No Warranty
CSY15213PURPLE	R 79	Casey Protective Transparent Anti Fog Isolation Face Shield with Spectacle Frame Mask, Colour Purple, Retail Box No Warranty
CSY6001023	R 239	Esquire Allrind Puro Hand and Multi Surface Sanitizing Wet- Wipes Alcohol Formula to protect against Covid-19, Contains 70% Denatured Ethanol Alcohol, A Hand Moisturiser and Glycerine That Has Antimicrobial And Antiviral Properties, 500 Sheets per Bucket Retail Box No Warranty
CSYBBHFS	R 99	Casey Yellow Top Helmet Face Shield Anti Fog and Reusable - Clear Design Retail Box No Warranty
CSYKFSCLR	R 19	Casey Kiddies Face Shield Protection With Spectacle Frame Anti Fog and Reusable Clear Design - To Protect Against Saliva Droplets And Chemical Splashes, Extensive Side Shield Coverage, Clear Polycarbonate, Ergonomic Lightweight Design, Retail Box No Warranty
CSYPFSHIELD139	R 39	Casey Clear CSYPFSHIELD139 FaceShield 5 pack - lightweight, reusable protective shield with an adjustable headband and high transparency for clear visibility. Ideal for safeguarding the face in healthcare, public spaces, and other environments. Retail Box No Warranty
CSYRFMDF-CAMOGREEN	R 19	Casey Reusable 3D Structured Unisex Dual Layer Face Masks With Breath Valve Colour Camo Military Green - Masks Are Washable, Reusable, And Can Be Folded For Easy Carrying, Breath Valve Closes When You Inhale And Opens When You Exhale, 3D Structured Dual Layer Design Make The Masks Fits Any Shape Of Face Perfectly, Not Medical Grade, Skin-Friendly Breathable Fabric For People With Skin Sensitive Allergies, Fit Comfortably Around Ears- Green Black and Beige Retail Box No Warranty
CSYRFMDF-CAMOWOOD	R 19	Casey Reusable 3D Structured Unisex Dual Layer Face Masks With Breath Valve Colour Camo Woodland Green - Masks Are Washable, Reusable, And Can Be Folded For Easy Carrying, Breath Valve Closes When You Inhale And Opens When You Exhale, 3D Structured Dual Layer Design Make The Masks Fits Any Shape Of Face Perfectly, Not Medical Grade, Skin-Friendly Breathable Fabric For People With Skin Sensitive Allergies, Fit

		Comfortably Around Ears- Green Black Beige and Brown Retail Box No Warranty
FACE2	R 49	Casey Splash Protection Faceshield with Wide Foam Padding - Clear Visor For Maximum Visibility, Light Weight For Maximum Comfort, Wide Foam Padding To Limit Top Ingress And Aid In Comfort, May Be Worn With Glasses or Goggles and Mask, Elastic Headband For Versatile Sizing Retail Box No Warranty
FLXG9171	R 49	Casey FlexGuard Support Strap For Elbow - Provides support and compression to the elbow and surrounding areas, Retains body swollen area or around the elbow area, easy to wear, suitable for any sports.
FLXG9175	R 49	Casey FlexGuard Support Strap For Ankle - To protect your joint of Ankle, provide underprop and protect your muscle, Easy to wear, suitable for any sports.
FLXG9177	R 39	Casey FlexGuard Palm Strap Support - To protect your Wrist, Extra length for more protection area, Easy to wear, suitable for any sports.
FLXGA901	R 49	FlexGuard Wrist Support - To protect your joint wrist, Provide underprop and protect your muscle, easy to wear, suitable for any sports.
FLXGA914	R 69	FlexGuard Knee Support - To support your joint of knee, Provide Underprop and protect your muscle, Easy to wear, suitable for any sports.
FLXGA924	R 99	FlexGuard Waist Trimmer Belt - Unisex, Protect Your Waist Joint, Provide Support and Muscle Protection, Easy to Wear, Suitable for Any Sports, Innovative Design with Flexible Support, Soft and Elastic Material, No Allergic Effect on Skin, Retail Box
FSEL01BK	R 39	Casey Faceshield With Adjustable Elastic Band - Black Splash - Proof To Protect Against Saliva Droplets And Chemical Splashes, Extensive Side Shield Coverage, Clear Polycarbonate Mono Lens, Ergonomic Lightweight Design, May Be Worn With Prescription Glasses , Eyes Are Protected From All Sides Retail Box No Warranty
FSEL02BLU	R 29	Casey Premium Splash Guard Faceshield With Narrow Foam Band Blue -Splash-Proof To Protect Against Saliva Droplets And Chemical Splashes, Extensive Side Shield Coverage, Clear Polycarbonate Mono Lens, Ergonomic Lightweight Design, May Be Worn With Prescription Glasses, Eyes Are Protected From All Sides Retail Box No Warranty
GOG001	R 49	Casey Health And Safety Full Protective Wide Vision Goggles- Splash-Proof To Protect Against Saliva Droplets And Chemical Splashes, Extensive Side Shield Coverage With Vents, Clear Polycarbonate Mono Lens, Ergonomic Lightweight Design, May Be Worn With Prescription Glasses, Eyes Are Protected From All Sides. Bulk Packaging, No Warranty
HANDS125ML	R 39	Unique 125ml hand sanitiser spray bottle
HW-F7	R 229	Simzo Hw-F7 Infrared Thermometer
LY168	R 518	Unbranded LY168 Digital infrared non-contact forehead thermometer, 10mm ~ 30mm measuring distance
MASK	R 17	Microworld Stylish Reusable Mask
MIS003	R 549	Casey 4 Tier Self Supporting L Shaped Foldable Protective Transparent Shield - Easily Creates A Safety Barrier Between Students And Teachers In A Classroom, Foldable Designed To Take From Classroom To Home, Also Ideal For Cafeterias, Restaurants And Work Places Where People Work Or Have A Face-To-Face Interactions With Each Other Retail Box No Warranty
N2400124002	R 199	Casey Medtex Powder Free Blue Nitrile Disposable Gloves Medium Box of 100 - Size Medium, Latex Free, Finger textured, Non-sterile, Ambidextrous-Blue Retail Box No Warranty
N2400124003	R 199	Casey Medtex Examination Powder Free Nitrile Disposable Gloves Box of 100 - Size Large, Latex Free, Finger textured, Non-sterile, Ambidextrous-Blue Retail Box No Warranty
NK6502	R 599	Casey Nikki 6502 FFP2NR Disposal Mask With Aluminium Strip Bonded Nose Clip - 3 Layer Non-Woven Polyester Respirator, Low Profile And Adjustable Nose Clip, Latex Free Head Straps 20 Masks Per Pack Retail Box No Warranty
PUL001	R 58	Unbranded Fingertip Pulse Oxymeter
RELIS01	R 19	Casey 250ml Blue GelHand and Surface Alcohol Based Gel Instant Sanitiser with Nozzle Button - 70% Ethyl Alcohol; Ethyl Ethanol, Carbomer, Triethanolamine, Glycerin, Water Retail Box No Warranty
RELIS02	R 19	Casey 250ml Blue Gel Hand and Surface Alcohol Based Gel Instant Sanitiser with Hand Pump - 70% Ethyl Alcohol; Ethyl Ethanol, Carbomer, Triethanolamine, Glycerin, Water, Retail Box No Warranty
RELIS03	R 29	Casey 500ml Blue Gel Hand and Surface Alcohol Based Gel Instant Sanitiser with Hand Pump - 70% Ethyl

		Alcohol; Ethyl Ethanol, Carbomer, Triethanolamine, Glycerin, Water, Retail Box No Warranty
RGWS	R 89	Casey Disposable SMS Fabric Reinforced Sterile and Sealed Surgical Gown - Lightweight, Durable, Breathable, SMS Polypropylene Reinforced Fabric Widely Used at Clinics, Hospitals, Examination Rooms, Operating Theatres, Effective Protection From Blood Borne Pathogens and Liquid Spills, Colour Light Blue Size Free Size Once Size Fits All, Sold as a Single Unit Retail Box No Warranty
SAN040	R 49	Casey UniQue 150ml Hand and Surface Alcohol Based Sanitiser - 75% Ethanol, Water, Glycerine Clear Liquid Retail Box No Warranty
TiTEC001	R 39	Casey TI Techn 500ml Clear Hand Gel Alcohol Based Sanitiser in Pump Spray Bottle - Unscented 75% Alcohol Hydrogen Peroxide, Glycerine Clear Gel Liquid - Rapidly Evaporates From Hands Without Leaving A Residue Or Odour. Kills A Wide Range Of Bacteria And Viruses, Including The (H1n1) Swine Flu Virus, Covid-19, MERS Colour Clear Gel Liquid, Ideal For Use In The Food Industry. Retail Box No Warranty
TiTEC001BLU	R 39	Casey TI Techn 500ml Bubble Gum Scent Blue Hand Sanitiser in Pump Spray Bottle-75% Alcohol, Hydrogen Peroxide, Glycerine, Blue Liquid - Rapidly Evaporates From Hands Leaving A Nice Bubble-Gum Scent. Kills A Wide Range Of Bacteria And Viruses, Including The (H1n1) Swine Flu Virus, Covid-19, MERS, Colour Blue With Bubble Gum Flavour Retail Box No Warranty Retail Box No Warranty
TiTEC001GRN	R 39	Casey TI Techn 500ml Apple Green Hand Sanitiser in Pump Spray Bottle-75% Alcohol, Hydrogen Peroxide, Glycerine, Green Liquid - Rapidly Evaporates From Hands Leaving A Nice Green Apple Scent. Kills A Wide Range Of Bacteria And Viruses, Including The (H1n1) Swine Flu Virus, Covid-19, MERS, Colour Green With Apple Flavour Retail Box No Warranty Retail Box No Warranty
TiTEC001RD	R 39	Casey TI Techn 500ml Strawberry Red Hand Sanitiser in Pump Spray Bottle-75% Alcohol, Hydrogen Peroxide, Glycerine, Red Liquid. Rapidly Evaporates From Hands Leaving A Nice Strawberry Scent. Kills A Wide Range Of Bacteria And Viruses, Including The (H1n1) Swine Flu Virus, Covid-19, MERS, Colour Red With Strawberry Flavour Retail Box No Warranty Retail Box No Warranty
UBOOST-A	R 249	Ultimate 02 Boost Apple Flavour - Recreational Aviation Oxygen, 95% Oxygen, 12L Can Retail Box No Warranty
UBOOST-N	R 249	Ultimate O2 Boost Natural Flavour with mouth piece - Recreational Aviation Oxygen, 95% Oxygen, 12L Can Retail Box
UN-EP-S31-W-NB	R 1,990	Uniview UNV Mounting Pole Stand for the Forehead or Wrist Temperature Measurement Modules, EP-S31-W-NB - COVID-19 no-touch temperature checking
UN-OTC-513	R 3,449	Uniview UNV wrist thermometer with 7 inch Touchscreen, Pole stand included, 30 to 45 degree C measurement range, 1cm to 4cm measurement distance, Sound alarm, Stainless steel - COVID-19 no-touch temperature check
W1746	R 429	Casey Self Supporting L Shaped Protective Transparent Shield - Easily Creates A Physical Barrier Separation Between Employees In A Call Centre And Work Place -Ideal for staff that work in close proximity and face-to-face interactions of each other Retail Box No Warranty

< Return to the menu

Laminators, Guillotines, Comb binders, Rotary bins

Product code	Price	Description
21106	R 322	Fellowes Workstation Document Holder (Black), Holds up to 125 sheets
4560001	R 828	Fellowes ION A4 laminator, 4 min warm-up time, 359 x 62 x 170 mm size
4570001	R 511	Fellowes Arc A4 Laminator, Ready to Laminate after 4 minutes warm-up, Automatically shuts off after 30 minutes of inactivity
5227901	R 1,076	Fellowes Starlet 2 Comb Binder
5306114	R 194	Fellowes ImageLast A4 80Micron 100Pack Laminating Pouch, Basic, 216mmx303mm
5306207	R 523	Fellowes ImageLast A3 80Micron 100Pack Laminating Pouch, Basic, 303mmx426mm
5307407	R 380	Fellowes ImageLast A4 Laminating Pouch 125 micron 100pack, (216mmx303mm), Advanced
5312801	R 44	Fellowes Pouch Lamination Kit 80 Micron - 10 Pieces
53962	R 94	Fellowes Enhance Glossy A4 80 Micron laminating Pouch 25Pk (216mmx303mm), Max: A4, Bin: 80 micron
53964	R 200	Fellowes Enhance Glossy A3 80 Micron laminating Pouch 25Pk (303mmx426mm), Max: A3, Bin: 80 micron
5410001	R 559	Fellowes Neutron A4 Rotary Trimmer, STRIP/: 10 sheets, Max: 320mm, Bin: Plastic

5410101	R 583	Fellowes Neutron A4 PLUS Rotary Trimmer, STRIP/: 10 sheets, Max: 320mm, Bin: Metal Bed
5410801	R 722	Fellowes Fusion A4 Guillotine, STRIP/: 10 sheets, Max: 320mm, Bin: Metal
5410901	R 1,428	Fellowes Fusion A3 Guillotine, STRIP/: 10 sheets, Max: 455mm, Bin: Metal
5452003	R 966	Fellowes A3 Matt 80 Micron Laminating Pouch - 100 pack
5452103	R 483	Fellowes Starlet 2 Comb Binder
5601601	R 2,475	Fellowes Pixel A3 Laminator Pixel A3, 80 & 125 Micron Laminating capability, Release trigger for retrieving and re-aligning misfed documents, 3 minutes warm-up time, HeatGuard safety feature
5627501	R 2,751	Fellowes Star 150 Comb Binder, FEATURES: AEG, PCDM, ST, ACR, CT, STRIP/: 150, Max: 12, BIN: 19mm
5627601	R 5,157	Fellowes Pulsar 300 Comb Binder, FEATURES: AEG, PCDM, ST, ACR, CT, STRIP/: 300, Max: 17, Bin: 38mm
5627701	R 6,952	Fellowes Quasar 500 Comb Binder, FEATURES: AEG, PCDM, ACR, CT, STRIP/: 500, Max: 22, Bin: 51mm
5642001	R 4,799	Fellowes Helios 60 Thermal Binder, FEATURES: SM, TS, LED interface, STRIP/: 600
5642601	R 11,693	Fellowes Orion 500 Manual Comb Binder, AS, PS, AEG, DM, AR, CT, 500, 30, 51mm
5707001	R 14,948	Fellowes Galaxy-E 500 Electric Comb Binder, FEATURES: BMAS, PS, AEG, PCDM, ACR, CT, STRIP/: 500, Max: 25, Bin: 51mm
5709001	R 16,100	Fellowes Proteus A3 Laminator, Max: 95 cm/min, Bin: 3 min
5721501	R 5,563	Fellowes Neptune 3 A3 Laminator - 4 Roller, AS, HG, JF, SM, 175 micron, 60 cm/min, 60 sec
5724801	R 3,019	Fellowes Saturn 3i A4 Laminator
5733501	R 6,494	Fellowes Jupiter 2 A3 Laminator - 6 Roller, AS, HG, JF, SM, 250 micron, 75 cm/min, 60 sec
5736001	R 1,624	Fellowes Saturn 3i A3 Laminator
5737801	R 1,150	Fellowes Spectra A4 Personal Laminator
5738301	R 946	Fellowes Spectra A3 Personal Laminator
6009699519729	R 179	Marlin Office Essentials Laminating Pouches A4 100 ' s 75mic, Retail Packaging, No Warranty
8029901	R 923	Fellowes Prof Series Mesh Back Support, Gently moulds to body ' s contours
8035001	R 743	Fellowes Office Suites Microban Adjust Foot Rest, Built in Microban fights germs
8067001	R 932	Fellowes Prof Series Ultimate Foot Support, Improve circulation, reduce fatigue
9191301	R 700	Fellowes Office Suites Mesh Back Support, Mid spinal & lower lumbar support (Chair not included)
9361701	R 1,081	Fellowes I-Spire Series Foot Lift, Comfort & elevation of feet & legs, Graphite
BROTHER CAMATSTD24	R 253	Brother CAMATSTD24 - standard mat 24" , 297.18mm x 601.98mm, For use with Brother cutting machines
BW-LA3B	R 699	Brainware A3 Home and Office Basic Laminator, Laminates popular sizes from A6 to A3, Hot or Cold Laminating mode, Lightweight and Portable, 2x Roller heating system, Warm up time of 3-6 minutes, Easy to use, 1 hour continuous working time, Laminating Speed at 350mm/min, Colour Black
E2023POW	R 649	GiCom Eco Lami A4 Laminator - Max. A4, 230mm, 9 Inches Laminating width, 0.6 mm Max. Laminating Thickness, 150 To 250 Mic, Up To 4 Minutes Warm Up Time, 60 Seconds Per A4 Laminating Speed, Auto Shutdown In 30 Minutes, For Home Office And School
LAHPP600A3	R 2,740	HP Pro Laminator 600 A3, Up to 0.5 mm Film thickness, 60 seconds warm-up time, 600 mm per minute Laminating Speed, 2 rollers are heated from the outside, 330 mm Input width
LP160A3G	R 249	Penguin A3 Laminating Gloss pouches - 100 pack, 160 microns, Designed to protect and enhance documents, 160 microns thickness (80 microns each side)
LP160A3G	R 184	Penguin A3 Laminating Gloss pouches - 100 pack, 160 microns, Designed to protect and enhance documents, 160 microns thickness (80 microns each side)
LP250A3G	R 229	Penguin A2 Laminator pouches 250 Micron - Gloss - 100 pack
NOVTH60	R 1,446	Novaro TH-60 Thermal binding machine, 0 minutes Warm-Up time, 60mm Maximum binding thickness, 315mm Maximum binding length, Heating wire heating system, 750W Power
ZU013620-FE	R 99	Royal Laminating Pocket Business Card (100pcs), Retail Packaging, No Warranty
ZU013622-FE	R 129	Royal Laminating Pocket Photo 100pcs, Retail Packaging, No Warranty
ZU013625-FE	R 329	Royal Laminating Pocket A3 100pcs, Retail Packaging, No Warranty
ZU013626-FE	R 169	Royal Laminating Pocket Assorted, Retail Packaging, No Warranty
ZU013627-FE	R 169	Royal Laminating Pocket A5 100pcs, Retail Packaging, No Warranty

< Return to the menu

Office Cleaning

Product code	Price	Description
12911	R 599	Casey Nikki 6501 FFP1 Disposal Mask With Aluminium Strip Bonded Nose Clip- 3 Layer Non-Woven Polyester Respirator, Low Profile And Adjustable Nose Clip, Latex Free Head Straps 20 Masks Per Pack , Retail Box No Warranty
6009608644160-BLU	R 49	Marlin Multi Purpose Kids Plastic Aprons - Blue, Made from durable Plastic material
6009608644160-GN	R 49	Marlin Multi Purpose Kids Plastic Aprons - Teal Green, Made from durable Plastic material
6009608644160-LME	R 49	Marlin Multi Purpose Kids Plastic Aprons - Lime Green, Made from durable Plastic material
6009608644160-ORN	R 49	Marlin Multi Purpose Kids Plastic Aprons - Orange, Made from durable Plastic material
6009608644160-PNK	R 49	Marlin Multi Purpose Kids Plastic Aprons - Pink, Made from durable Plastic material
6009608644160-RD	R 49	Marlin Multi Purpose Kids Plastic Aprons - Red, Made from durable Plastic material
9971519	R 102	Fellowes 9971519 clean sanitizing Surface wipes, 100 per pack
A72515-B	R 138	Astrum CS150 2 in 1 fluid screen cleaning kit
AD2337	R 120	ADDIS ELECTROSTATIC DAZZLE DUSTER
AD2342	R 166	ADDIS ELECTROSTATIC DAZZLE DUSTER
AD9018	R 172	ADDIS MULTI USE CLOTH AD9018
AD9023	R 155	ADDIS SPONGE SCOURERS 5PK
BHR07WFEU	R 13,329	Xiaomi Robot Vacuum / Mop 5 Pro - White, Lifting D-ToF LDS navigation system, AI binocular 3D Active obstacle avoidance, Dual Mopping, Hot Water auto Mop washing, Auto dust emptying, 15mm auto-lifting Mop pads, 2cm obstacle crossing height, Hot Air drying, 20000Pa powerful suction fan blower, 2.5l disposable dust bag
BHR08C6EU	R 7,565	Xiaomi Vacuum Cleaner G30 Max, Maximum 280AW suction Power, Three Distinct Power modes, Up to 90 minutes of Runtime in Eco mode, Rapidly recharge your Vacuum in under 3.5 hours
BHR08J7EU	R 1,808	Xiaomi Vacuum Cleaner P30 Handheld - White, 22kPa Max suction Power, 1800mAh rated capacity, Up to 40 minutes of continuous cleaning in Eco mode, Dust Box capacity of at least 0.2l
BHR08V2EU	R 24,939	Xiaomi Robot Vacuum 6 Max, 35000 PA suction Power for dust and debris removal, AI triple-camera system recognizes over 320 items and stains, Bionic Dual robotic legs climb obstacles up to 6 cm high, Roller Mopping system with 16 Water outlets for stain removal, Auto-Empty Omni station washes pads at 85& #176; c, Hot Air drying mode operates at 50& #176; c, Up to 75 days Hands-Free Maintenance capability, LiDAR navigation lowers automatically to clean areas as low as 9.3 cm, Retractable side Brush and Mechanical Arm Roller for Edge cleaning, 6400 mAh nominal Battery capacity for extended sessions
BHR08X0EU	R 19,778	Xiaomi Robot Vacuum 6 Pro, 30000 PA Hurricane suction Power, AI triple-camera obstacle avoidance system, LiDAR navigation with retractable Sensor, 85& #176; c hot-water Mop Pad washing capability, Up to 75 days Hands-Free auto-emptying, Constant-pressure running-water Roller Mopping, Dual Mechanical arms for Edge cleaning, Anti-tangle Automatic hair-cutting Brush, Climbs up to 4 cm combined dual-step obstacles, Retractable LiDAR enables cleaning in spaces as low as 9.3 cm, 5200 mAh nominal Battery capacity
BHR08ZTEU	R 14,186	Xiaomi Robot Vacuum 6, 30000Pa suction Power, Roller Mopping with running Water, LiDAR navigation system, Auto-dust emptying Dock included, 280ml dustbin capacity, 80ml Water Tank capacity, Multi-floor mapping support, 40mm threshold climb height, Xiaomi Home App Control enabled, White Colour finish
BHR098KEU	R 10,324	Xiaomi Mijia Truclean 5 Pro Wet Dry Vacuum, 26000 PA Maximum suction Power for Wet and Dry cleaning, Steam sanitising up to 160 Degrees C for hygienic Floor care, Anti-hair-tangle Roller Brush with comb teeth system, Self-cleaning base with Hot Water washing at up to 100 Degrees C, Automatic Roller drying cycle on the cleaning base, Up to 40 minutes Runtime in absorption mode, 700 ml dirty Water Tank capacity, Clean Water Tank of at least 1 Litre capacity, 5 hours charge time required for full Battery, .
BHR09BXEU	R 2,754	Xiaomi Mijia Vacuum Cleaner 4C, Powerful 20000 PA suction, 75-minute Cordless Runtime, 5-stage hepa-grade filtration, Led-lit Brush Bar, LED Display, 400W rated Power
BHR09C1EU	R 7,487	Xiaomi Mijia Vacuum Cleaner 4 Pro, 27000 PA Maximum suction Power, 180 degrees Wide-Angle blue-light dust detection system, Up to 90 minutes Runtime in Eco mode, 5-stage H14-grade HEPA filtration captures 99.99% of particles, LCD Display for intuitive controls, Bendable tube Attachment for cleaning under furniture, Dual anti-tangle system on all-flooring Brush Bar and Mini Electric Brush, Includes 6 Versatile attachments and charging Dock Wall

		Mount, 12-cone Cyclone separation Technology minimizes suction loss, Rated capacity of 3750mAh Battery
BHR09C4EU	R 5,078	Xiaomi Mijia Vacuum Cleaner 4 model F203, Cordless Vacuum Cleaner with 25000 PA suction Power and 230AW Airflow, Up to 90 minutes Runtime on a single charge in auto mode, 180 degrees Blue Light dust-revealing system with 30 cm illumination range, Auto mode adjusts suction based on Real-Time Infrared dust detection, 5-stage H13-grade HEPA filtration captures 99.99% of particles, Dual anti-tangle Design handles up to 200 strands of Long hair in a single pass, LED Smart Display shows Battery Level, 12-cone cyclonic separation maintains stable Airflow and extends Filter Life
BHR09IVGL	R 248	Xiaomi Mijia Vacuum Cleaner 4 Pro / 4 Max Filter, Compatible with Xiaomi Mijia Vacuum Cleaner 4 Pro and 4 Max, Includes two pre-filters and one H14 HEPA post-filter for a total of three Units, H14 HEPA material captures particles as Small as 0.3 micrometers, Filtration efficiency reaches up to 99.99% for cleaner Air exhaust, Pre-filters Block larger particles and debris to Protect the Vacuum motor, Post-filter features a densely folded H14 HEPA structure, Both pre-filters and post-filters are washable and reusable
CDC40	R 39	Casey Allring IDash Multi Surface Hand Sanitizing Wet Wipes Alcohol Formula to protect against Covid-19, 40 wipes per Container, Retail Box, No Warranty
CL000001	R 35	Microworld foam cleaner 600ml. Foam cleaner; 600ml spray; universal cleaning; non-toxic; antimicrobial; safe for electronics, cars, furniture, ceramics; deodorizing.
FIB-T-KW280	R 75	Kimtech wipes - 280 sheets, 1-ply wipers, Soft and non-abrasive, Mono-fiber construction
GSG002PINK	R 39	Kleaner Multi Purpose household quick dry Microfiber Cleaning Cloth - size 38x40cm - Pink, Super absorbent non-abrasive Microfiber cloths, Will not scratch paints or other surfaces, Absorbs Eight times ITS own weight, Rinse and reuse 100 ' s of times, Sold as a pack of one
GSG002YELLOW	R 39	Kleaner Multi Purpose household quick dry Microfiber Cleaning Cloth - size 38x40cm - Yellow, Super absorbent non-abrasive Microfiber cloths, Will not scratch paints or other surfaces, Absorbs Eight times ITS own weight, Rinse and reuse 100 ' s of times, Sold as a pack of one
MSW40	R 49	Casey Allring IDash Multi Surface Hand Sanitizing Wet Wipes Alcohol Formula to protect against Covid-19, 40 wipes per Container, Retail Box, No Warranty
NET-TAPO-RV20MXP-BLK	R 3,515	TP-Link Tapo RV20 Max Plus Robot Vacuum & Mop, 2600 mAh Battery capacity, 4h charging time, MagSlim LiDAR navigation, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, Auto dust Collection, 3l dust bag capacity Dock, 5300Pa vacuuming Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, Wireless connection
NET-TAPO-RV20MXP-WH	R 3,440	TP-Link Tapo RV20 Max Plus Robot Vacuum & Mop - White, 2600 mAh Battery capacity, 4h charging time, MagSlim LiDAR navigation, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, Auto dust Collection, 3l dust bag capacity Dock, 5300Pa vacuuming Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, Wireless connection
NET-TAPO-RV30MX-WH	R 3,290	TP-Link Tapo RV30 Max 5300Pa Hyper suction Robot Vacuum and Mop, 2600 mAh Battery capacity, 4h charging time, LiDAR imu Dual navigation mapping/Path planning, High-Precision map, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, 5300Pa Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Carpet boost, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz Wireless connection, Bluetooth
NET-TL-TAPO-RVA300	R 249	TP-Link Tapo RV300 Robot Vacuum washable Mop Cloth - 3 pack, Compatible Models - Tapo RV30 Plus / Tapo RV30 / Tapo RV10 Plus / Tapo RV10
NET-TL-TAPO-RVA301	R 224	TP-Link Tapo RVA301 Robot Vacuum washable Mop Cloth - Set of 5, Compatible with --> Tapo RV30 Max Plus / Tapo RV30 Max / Tapo RV20 Max Plus / Tapo RV20 Max, Easy to wash and can be reused many times over
TAPORV30PLUS	R 6,217	TP-Link Tapo RV30 Plus LiDAR Vacuum Mop Smart Auto-Empty Dock, 5000 mAh Battery capacity, LiDAR Gyroscope mapping/Path planning, LiDAR obstacle avoidance, 20 mm Barrier-Cross height, Auto dust Collection, 4l dust bag capacity, 4200Pa Max suction Power, 4 levels suction level adjustment, 350 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, 300 ml Water Tank capacity, 2.4GHz Wireless connection
TP-TAPO-RV20-MAX-PLUS-B	R 3,515	TP-Link Tapo RV20 Max Plus Robot Vacuum & Mop, 2600 mAh Battery capacity, 4h charging time, MagSlim

		LiDAR navigation, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, Auto dust Collection, 3l dust bag capacity Dock, 5300Pa vacuuming Max suction Power, 5 levels suction level adjustment, 300 ml dustbin capacity, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, Wireless connection
TP-TAPO-RV30-MAX-PLUS-W	R 3,664	TP-Link Tapo RV30 Max Plus Auto-Empty Vacuum & Mop - White, TP-TAPO-RV30-MAX-W, 2600 mAh Battery capacity, 4h charging time, LiDAR imu Dual navigation, High-Precision map, LiDAR obstacle avoidance, 22 mm Barrier-Cross height, 17000Pa suction Power of Auto-Empty Dock, 3l dust bag capacity, 5300Pa Max suction Power Vacuum, H11 HEPA Filter, Wet Mopping, Electric Water Flow control Mopping Type, 3 levels Water level adjustment, 300 ml Water Tank capacity, 2.4GHz WiFi
TP-TAPO-RV50-PRO-OMNI	R 7,105	TP-Link Tapo RV50 Pro Omni Robot Vacuum & Mop All-in-One Dock, Tapo RV50 Pro Omni, 5200 mAh Battery capacity, Dtof mapping/Path planning, High-Precision map, Dual-Laser Precision avoidance, 20 mm Barrier-Cross height, Carpet detection, Dock features, Self-washing, Self-drying, Auto detergent dispensing, Smart dirt detection, 3l dust bag capacity, Vacuuming features, 15000Pa Max suction Power, 5 levels suction level adjustment, 280 ml dustbin capacity, H11 HEPA Filter, Mopping features, Wet Mopping, Deepedge adaptive Mopping, Dual spinning mops, 3 levels Water level adjustment, 95 ml (Robot Vacuum) Water Tank capacity, Wireless connection

< Return to the menu

Office furniture

Product code	Price	Description
6009608644177-GRN	R 69	Marlin Kids Chairbag - Green
650803	R 7,036	Equip Grey Ergo Steel Table
650804	R 7,093	Equip White Ergo Steel Table
650805	R 6,978	Equip Black Ergo Steel Table
BGCHAIR	R 575	Microworld inflatable Bean Gaming Chair, Designed for Kids and teens with a capacity of up to 100kg, Constructed from durable 0.25 mm PVC material, Features Built-In cup holder for drinks and snacks, Includes spacious side Pocket for Gaming accessories, Chair stays inflated for several days, Washable and Portable for Indoor or Outdoor use
BHR8955EU	R 554	Xiaomi Desk Lamp Lite - adjustable LED Light, Ra90 high cri for True Colour Rendering, Three-Level brightness adjustment, 25 degrees up and down Tilt, One-Touch operation for Power and brightness adjustments, 3900K Colour temperature, 7.5W rated Power
BRK-DWS28-02N	R 2,835	Lumi DWS28-02N Gas Spring Sit-Stand Desk Converter with Keyboard Tray Deck (Standard MDF Board Surface)
BRK-FWS07-5	R 2,254	Linkqnet Fws07-5 Height Adjustable Mobile Workstation With Paddle Lever And Tiltable Desktop
BRK-GMD03-1	R 1,559	Lumi GMD03 RGB Gaming Desk, 750 (L) x 600 (W) x 1200 (H), Maximum 100kg, RGB Multi-Color lights, Textured Desk Surface, Built-In Headphone hook, Leveling feet, Drink holder, 750mm height range
BRK-M06-23D-B	R 7,170	Lumi M06-23D Black DualMotor Electric Sit-Stand Desk (Standard) 170(W)X128(H)cm, Max 125KG. (TABLE TOP NOT INCLUDED. CUTTING OF TABLE TOP IS TO BE DONE BY A THIRD PARTY (WOODWORKER, CARPENTER OR THROUGH A STORE)
BRK-M06-23D-W	R 7,170	Lumi M06-23D White Dual Motor Electric Sit-Stand Desk (Standard) 170(W)X128(H)cm, Max 125KG. . TABLE TOP NOT INCLUDED. CUTTING OF TABLE TOP IS TO BE DONE BY A THIRD PARTY (WOODWORKER, CARPENTER OR THROUGH A STORE.)
BRK-N08-22D-B	R 2,786	LinkQnet N08-22D manually adjustable Sit-Stand Desk Frame, 60kg weight capacity, Two legs, 16mm/turn Maximum Speed, Crank Handle.
BRK-S08-22D-SWW-BLK	R 5,176	LinkQnet Single Motor Sit-Stand Desk with drawer & Memory controller & Wireless Charger - Black, 1180 x 600 x 720-1200mm dimensions, 1180 x 600mm Tabletop size, Natural Wood Tabletop Colour, 60kg weight capacity, 720~1200mm height range, 1 motor, 25mm/s Maximum Speed, Button Control Panel, S08-22d-sww
BRK-S08-22D-WH	R 5,167	Lumi S08-22D Compact Electric Single-Motor Sit-Stand Desk, Easy-to-Use press controller, Strong lifting Power with low noise level, Adjustable height, Adjustable width, 1000~1600 x 600~800mm tabletop size, 80kg weight capacity, 25mm/s Maximum speed
BW-3515	R 89	Brainware round Steel Mesh Trash Can Black - sleek Versatile look, Mesh breathable Design, Reinforced with solid

		Metal base, Solid edging along bottom and rim
CD-GSPOE40	R 454	Cudy POE40 2.0 4-Channel Gigabit PoE Extend PoE Network. One Gigabit PoE input, four Gigabit PoE outputs, IEEE802.3af/at/bt support, up to 30 W per port, extends PoE range by 100 m (250 m in extend mode), daisyâ€'chainable.
CF-9010056-WW	R 5,049	Corsair T3 Rush (2023) Fabric Gaming Chair - Gray / Charcoal, Steel seat Frame construction, 48cm minimum seat height, Adjustable lumbar Pillow, Nylon chair base material, 49cm x 54cm seat size, 65mm wheel size, Adjustable neck Pillow, 120 kg weight capacity, 85cm backrest height, 54cm backrest shoulder width, 4D armrest Type, 58cm Maximum seat height, Class 4 grade gas Lift Class, 100mm height adjustability
CF-9010057-WW	R 5,865	Corsair T3 Rush (2023) Fabric Gaming Chair - Charcoal, Steel seat Frame construction, 48cm minimum seat height, Adjustable lumbar Pillow, Nylon chair base material, 49cm x 54cm seat size, 65mm wheel size, Adjustable neck Pillow, 120 kg weight capacity, 85cm backrest height, 54cm backrest shoulder width, 4D armrest Type, 58cm Maximum seat height, Class 4 grade gas Lift Class, 100mm height adjustability
CT-1913L1-BK	R 1,782	Volkano VX Gaming donahue Gaming Desk - Black, Headphone hook, 1200 x 630 x 880 mm size, Durable melamine Laminate, 18 mm board thickness
DH-123	R 299	UniQue Wood Finish Computer Workstation Desk
EXOIIIGRAVITY	R 4,944	Armaggeddon EXO-III Gravity Professional Gaming Chair. Vegan leather upholstery; 3D adjustable PU armrests; Butterfly mechanism with 3-stop adjustable backrest; 80mm Class 4 gas lift; 350mm KD nylon base; 60mm roadster PU casters; Gravity color finish; Weight: 36 kg; Dimensions: 105 x 60 x 35 cm
EXOIIIHBOURBON	R 4,944	Armaggeddon EXO-III Honey Bourbon Professional Gaming Chair. Vegan leather upholstery; 3D adjustable armrests; Butterfly mechanism with 3-stop adjustable backrest; 80mm Class 4 gas lift; 350mm KD nylon base; 60mm roadster PU caster; Honey Bourbon color; Approximately 36 kg weight; Dimensions: 105x60x35 cm
EXOIIINAUTICAL	R 4,944	Armaggeddon EXO-III Nautical Professional Gaming Chair. Vegan leather upholstery; 3D adjustable PU armrests; butterfly mechanism with 3-stop adjustable backrest; 80mm class 4 gas lift; 350mm nylon base; 60mm PU casters; supports up to 150kg; dimensions 105 x 60 x 35 cm; weight 36kg
EXOIIISFLAT	R 4,944	Armaggeddon EXO-III Salt Flat Professional Gaming Chair. Vegan leather upholstery; 3D adjustable PU armrests; Butterfly mechanism with 3-stop adjustable backrest; Class 4 gas lift (80mm); 350mm KD nylon base; 60mm roadster PU casters; Up to 150kg weight capacity; Dimensions: 105 x 60 x 35 cm; Weight: 36kg; Color options: Gravity, Honey, Nautical, Salt Flat
FD-OC-GA-74	R 1,483	Volkano VX Gaming logan High Back Gaming Chair, PU material, Nylon base
FD-OD-GD-8	R 1,334	Volkano VX Gaming Gladiator Gaming Desk, 1200mm, Melamine, Powder Coated Steel
FLEXIONAIRBLK	R 2,529	Armaggeddon Flexion Air Black Gaming Chair. Material: Mesh PVC; Armrest: 4D adjustable; Mechanism: Butterfly; Gas Lift: 100 mm Class 3; Base: 320 mm metal; Caster: 50 mm nylon
GC-CCR1-KW	R 4,523	Cooler Master Caliber R1 Gaming Chair - Black and White, Ergonomic design, breathable PU leather, adjustable gas lift, head and lumbar pillows, height adjustable (125-133cm), recline 90-180 degrees, max weight capacity 150kg
MAT-14MPVC002	R 360	Unbranded carpet protector mat 1200 x 920 x 2 m, 14MPVC002
MOU-PAD-14MPC004	R 192	Unbranded smooth desk mat transparent, 14MPC004
NEBUKAIIIMGREY	R 3,564	Armaggeddon Nebuka III Gaming Chair - Midnight Grey, Premium PU leather, Back and headrest cushion, Neck and back support, Ultra Large 75mm high grade PU gastors, Heavy Duty Class 4 hydraulic Piston, Support up to 150kg
OCGCAMR12BL	R 1,379	OCPC AMR-12 Amore Kids Gaming Chair - Blue, 3D Ergonomic, High quanlity PU leather, For age 5-12, Powder Coated Steel seat Frame, Polyurethane foam, 4D armrests, 270mm aluminum base, 2.5" Nylon mute wheels, SGS Class 4 grade gaslift, Adjustable and removable Magnetic cushion. AMORE Kids Gaming Chair is designed for Age 5-12 years old With Max. Height 165 cm and Maximum Weight 100 Kg
OCGCAMR12PK	R 1,379	OCPC AMR-12 Amore Kids Gaming Chair - Pink, 3D Ergonomic, High quanlity PU leather, For age 5-12, Powder Coated Steel seat Frame, Polyurethane foam, 4D armrests, 270mm aluminum base, 2.5" Nylon mute wheels, SGS Class 4 grade gaslift, Adjustable and removable Magnetic cushion. For Children 5-12 years old With Max. Height 165 cm and Maximum Weight 100 Kg.
OCGCARM800BK	R 3,449	OCPC ARM-800 Airmesh 800 Gaming Chair - Black, High density Polyurethane foam, Premium Mesh Fabric, 3D

		adjustable armrests, 3 buttons Multi-Functional mechanism Type, Class 4 gas Lift, High back chair, Adjustable lumbar cushion, Adjustable headrest, 5-star aluminum base, 60mm Caster size, 58 x 56cm seat size, 150 kg Maximum recommended weight
OCGCLOTUSBY	R 4,025	OCPC Lotus Gaming Chair - Black / Yellow, 4D adjustable armrests, High density Polyurethane foam, Powder Coated Steel seat Frame, Best quality Premium PU leather, Frog Multi-Functional mechanism Type, Class 4 gas Lift, Adjustable lumbar cushion, Adjustable headrest, 5-star aluminum base, 3 inch Roller Blade PU Caster, 58 x 56cm seat size, 150 kg Maximum recommended weight
PCB-SD-APEX	R 3,203	PCBuilder Apex Gaming height adjustable Electric standing Desk, Height range of 73 - 118 cm for adjustable Comfort, Tabletop dimensions of 160 x 70 cm provide ample Space, Load capacity supports up to 80kg of equipment, Single Motor Lift system operates at a Speed of 20mm/s, Controller features 6 buttons with 3 Memory Keys, Built-In anti-collision Technology ensures safe movement, Tabletop thickness is 15mm constructed from Wood & Steel, Frame finish utilizes durable powder coating in Black
PCB-SD-SUMMIT	R 3,204	PCBuilder Summit height adjustable Electric standing Desk, 72-120cm height range, 120x60cm Tabletop dimensions, 15mm Tabletop thickness, Up to 70kg load capacity, Up to 25mm/s Speed, Single Electric motor, LCD Button Control Panel, 2m Power cord length, Powder coat Frame finish
PCB-SD-SUMMIT2	R 2,404	PCBuilder Summit 2 height adjustable Electric standing Desk, Single Electric motor Lift system, Height range of 73-118cm, Tabletop dimensions of 120x60cm, Tabletop thickness of 15mm, Load capacity up to 60kg, Lift Speed up to 20mm/s, Durability tested for 20000 lifting cycles, Button Control Panel with 4 buttons and 2 Memory Keys, Frame finish is powder coating, Material construction includes Wood & Steel
PCB-SD-VISTA	R 2,798	PCBuilder Vista height adjustable Electric standing Desk, Features a Single Motor Lift system for Everyday reliability, Tabletop dimensions measure 160 x 70cm at 15mm thickness, Height range adjusts from 73 to 118cm, Load capacity supports up to 80kg of equipment, Motor Speed reaches 20mm/s during Operation, Durability tested for 20 000 Lift cycles, Controller is a Button panel with 6 buttons and 3 Memory Keys, Frame finish utilizes powder coating on Steel and Wood materials
PCB_GC_NAVIGATORX	R 3,436	Syntech PCBuilder Navigator X Gaming Chair, Class 4 gas Lift, 350mm Metal base, 4D adjustable armrests, 90-160 degree adjustable backrest angle, Cold-moulded foam seat foam material, Scratch-resistant PU leather, 60mm castor wheels, 150kg weight limit
RW-GD100	R 1,259	Rogueware GD100 Apex Rgb LED Gaming Desk. The Rogueware GD100 Apex RGB Desk combines dynamic RGB edge lighting, steel I-frame legs, and a large 1360mm surface with cable routing, headphone and cup holders. Perfect for serious gamers and clean desk setups.
RW-GD200	R 1,321	Rogueware GD200 Goliath RGB LED Gaming Desk. The Rogueware GD200 Goliath RGB LED Gaming Desk offers a robust build with a 100 kg load rating, adjustable height options, and integrated RGB lighting for an immersive gaming setup. With added features like a headphone hook and cup holder, itâ€™s designed for practical, immersive use by South African gamers.
RW-GD300	R 1,666	Rogueware GD300 Vanguard Adjustable Gaming Desk. The Rogueware GD300 Vanguard Adjustable Gaming Desk offers steelâ€'reinforced construction, 75 kg capacity, four height settings, keyboard tray, drink and headset holders-built for comfort during long gaming or work sessions.
SL-Z182-25	R 499	UniQue Folding Square Table 180X76X74CM
TL-SG105PE	R 693	TP-Link TL-SG105PE 5 port Gigabit Easy Smart Switch with 4 port PoE , Fanless, 65 W PoE Power budget, Port 1 - Port 4 Gigabit PoE Ports, 10 Gbps switching capacity
TX3-CORESAMRT-MB	R 4,934	THUNDERX3 Core Smart Ergonomic chair - Mesh Black, TEGC-2072101.11, 8D total adjustability, 2-in-1 neck & side support, Steel Frame Type, Breathable Mesh (Mesh) Surface material, 1D Core 180 self-adjusting lumbar support, SYNC5 mechanism Type, Synchronous Tilt recline Type, Bifma tested Class 4 gas Lift, 350mm Steel base, TX3 75mm Silent Caster
TX3-XTC-PRO-MB	R 5,635	THUNDERX3 XTC Pro Ergonomic chair - Mesh Black, TEGC-3091101.11, 2D adjustable headrest, Nylon Frame Type, Breathability Mesh Surface material, 1D adjustable lumbar support, 4D x 360 adjustable armrests, SYNC6 mechanism Type, Synchronous Tilt recline Type, 350mm Steel base, TX3 75mm Silent Caster
VERTEBRAVEV3BLK	R 2,299	Armaggeddon Vertebrae V3 Black Gaming Chair. Full mesh construction; 100 mm class-3 gas lift; 320 mm metal base; 50 mm PP casters; up/down armrests; Y17 butterfly tilt

VX-193-LED-CF	R 1,207	Volkano VX Gaming Electra Series Rocking Gaming Chair with LED lights, Lights up with over 30 colours, Foam padded seat and backrest

< Return to the menu

Office Stationery

Product code	Price	Description
001F-WISH4WORK	R 20	Marlin Kids Precut A4 Donâ€™t Wish For Work Book Cover 5 pack, No Warranty.
16007749006240	R 29	Nexx A4 College Exercise Book Unruled book 72 page (Pack of 5), No Warranty
3474370077011	R 15	Pentel superb BK77 Series ballpoint Pen single Black - 0.7mm fine point, Classic style cap, Handy pocket clip, Oil-Based Ink, Sold as single unit
3474370077028	R 15	Pentel Superb BK77 Series Ballpoint Pen single Blue - 0.7mm fine point, Classic style Cap, Handy Pocket clip, Oil-Based Ink, Sold as single unit
4007817557112	R 39	Staedtler Mathset 11pcs, Retail Packaging, No Warranty
4712805740253	R 19	Tweety Mechanical Pen, 1pc In Opp Bag, Retail Packaging, No Warranty
4712805740277	R 19	Tweety Mechanical Pen, 1pc In Opp Bag, Retail Packaging, No Warranty
4712805740284	R 39	Tweety Mechanical Pen & Pencil, Retail Packaging, No Warranty
4712805740291	R 19	Tweety Mechanical Pen, 1pc In Opp Bag, Retail Packaging, No Warranty
4712805740352	R 19	Tweety Mechanical Pencil - 1pc In Opp Bag - Retail Packaging, No Warranty
4712805740369	R 19	Tweety Mechanical Pencil - 1pc In Opp Bag - Retail Packaging, No Warranty
4712805740376	R 19	Tweety Mechanical Pencil - 1pc In Opp Bag - Retail Packaging, No Warranty
4712805740383	R 15	Tweety Pencil - Retail Packaging, No Warranty
4712805740468	R 19	Tweety 15cm Ruler Steel Cutting Edge - Retail Packaging, No Warranty
4712805740536	R 10	Tweety shaped Eraser non PVC
4712805740574	R 10	Tweety Jelly Eraser - Retail Packaging, No Warranty
4712805740697	R 19	Tweety Mechanical Eraser (2 Mix Design), Retail Packaging, No Warranty
4712805740864	R 15	Tweety Roller Type Glue Pen -15ml 2mix, Retail Packaging, No Warranty
4712805740901	R 15	Tweety Ice Cream Glue (20cc)2 Mix Design, Retail Packaging, No Warranty
4712805740932	R 10	Tweety Non-Sharpening Color Pen, Retail Packaging, No Warranty
4712805741076	R 19	Tweety Presentation Folders L Type (4 Mix Design), No Warranty
4712805741083	R 19	Tweety 11 Holes 10 Pockets Data Book, Retail Packaging, No Warranty
6001364002611	R 25	Bostik Clear All Purpose Adhesive Glue, No Warranty
6001539-104089	R 369	Bic Clic Medium Ballpoint Pen with Retractable Side Push Button - Blue - Medium 1.0 mm point - Sold as a Box of 60, Retail Packaging, No Warranty
6001539-175065	R 369	Bic Clic Medium Ballpoint Pen with Retractable Side Push Button - Black - Medium 1.0 mm point - Sold as a Box of 60, Retail Packaging, No Warranty
6001539-175072	R 369	Bic Clic Red Medium Ballpoint Pen with Retractable Side Push Button - Medium 1.0 mm point - Sold as a Box of 60, Retail Packaging, No Warranty
6001539-185149	R 259	BIC Orange Fine Point Ballpoint Pen - Blue - Fine point: 0.8mm line width 0.3mm, Cap and plug colour matches ink colour - Sold as a Box of 60, Retail Packaging, No Warranty
6001539-185163	R 259	Bic Orange Fine Point Red Ballpoint Pens - Fine point: 0.8mm line width 0.3mm, Cap and plug colour matches ink colour-Sold as a Box of 60, Retail Packaging, No Warranty
6002324000395	R 19	Treeline File Ringbinder budget/trunk board: 2-Ring Green, No Warranty
6007652002424	R 29	Treeline File Divider C/Board Tab1-10, Retail Packaging, No Warranty
6007652006613	R 29	Treeline File PVC Ringbinder 25mm A4 2-Ring Green, No Warranty
6007652007283	R 29	Treeline File PVC Ringbinder 25mm A4 2-Ring Yellow, No Warranty
6007749002054	R 29	Nexx Fabric 1 Pocket 33cm Pencil Bag-Colour Beige Brown, Single Compartment 1 x Easy Slide Zip Closure Pencil Bag , Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items , Flat Shape So You Can Easily Slip It Into Your Bag, Includes Label Tag Holder With Label Retail Packaging, No Warranty
6007749002061	R 29	Nexx Fabric 1 Pocket 33cm Pencil Bag-Colour Light Blue, Single Compartment 1 x Easy Slide Zip Closure Pencil

		Bag , Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items, Flat Shape So You Can Easily Slip It Into Your Bag, Includes Label Tag Holder With Label Retail Packaging, No Warranty
6007749002092	R 59	Nexx Fabric 2 Pocket 33cm Pencil Bag-Colour Beige, Dual Compartments 2 x Easy Slide Zip Closure Pencil Bag, Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items, Flat Shape So You Can Easily Slip It Into Your Bag, Includes Label Tag Holder With Label Retail Packaging, No Warranty
6007749002108	R 59	Nexx Fabric 2 Pocket 33cm Pencil Bag-Colour Light Blue, Dual Compartments 2 x Easy Slide Zip Closure Pencil Bag , Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items , Flat Shape So You Can Easily Slip It Into Your Bag, Includes Label Tag Holder With Label Retail Packaging, No Warranty
6007749002122	R 59	Nexx Fabric 2 Pocket 33cm Pencil Bag-Colour Rose Pink, Dual Compartments 2 x Easy Slide Zip Closure Pencil Bag, Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items, Flat Shape So You Can Easily Slip It Into Your Bag, Includes Label Tag Holder With Label Retail Packaging, No Warranty
6007749002139	R 79	Nexx Fabric 3 Pocket 33cm Pencil Bag-Colour Beige Brown, Triple Compartments 3 x Easy Slide Zip Closure Pencil Bag, Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items, Flat Shape So You Can Easily Slip It Into Your Bag, Includes Label Tag Holder With Label Retail Packaging, No Warranty
6009608-560040	R 13	Esquire Brainware A4 Precut Book Covers Assorted Fancy Designs (Pack of 5), No Warranty
6009608640070	R 14	Marlin Metal Sharpener 1 hole and eraser 60 x 20 x 10mm combo Single pack, Retail Packaging, No Warranty
6009608640193	R 29	Marlin Stationery Clear Tape - 12mm x 33m-Pack of 12, Retail Packaging, No Warranty
6009608640438	R 10	Marlin Multipunch Pockets 40 Micron (Pack of 10), Retail Packaging, No Warranty
6009608640964	R 10	Marlin Vinyl Eraser 60 X 20 X 10mm Single Blister Pack, Retail Packaging, No Warranty
6009608640995GRN	R 19	Marlin 6 Piece Writing Pack - 30cm Ruler, Black Ball Point Pen, Blue Ball Point Pen, Rubber Tipped Pencil, Sharpener, Eraser, Colour Green, Retail Packaging, No Warranty
6009608640995PNK	R 19	Marlin 6 Piece Writing Pack - 30cm Ruler, Black Ball Point Pen, Blue Ball Point Pen, Rubber Tipped Pencil, Sharpener, Eraser, Colour Pink, Retail Packaging, No Warranty
6009608640995YLW	R 19	Marlin 6 Piece Writing Pack - 30cm Ruler, Black Ball Point Pen, Blue Ball Point Pen, Rubber Tipped Pencil, Sharpener, Eraser, Colour Yellow, Retail Packaging, No Warranty
6009608641039	R 19	Marlin Kids fibre tip koki pens - Pack of 12, Retail Packaging, No Warranty
6009608641046	R 39	Marlin Kids Fibre Tip Koki Pens 24 ' s, Retail Packaging, No Warranty
6009608641251	R 19	Unbranded Yellow Barrel Rubber-Tipped Pencils 12 ' s, Retail Packaging, No Warranty
6009608641329	R 29	Marlin Kids jumbo 9 Wax Crayons 14mm Single pack, Retail Packaging, No Warranty
6009608641336	R 29	Marlin Masonite Clipboards 240mm X 340mm - Retail Packaging, No Warranty
6009608641510	R 19	Marlin Clear Liquid Glue 50ml, No Warranty
6009608641596-PINK	R 10	Marlin 30cm Finger Grip Ruler Clear Pink - Raised Centre For Easy Handling, Centimetres And Millimetres, Translucent Colour, Perfect For Home, Classroom And Office Use, Durable Plastic, Retail Packaging, No Warranty
6009608641879	R 99	Marlin Pure Point Transparent Box of 50-Blue, Retail Packaging, No Warranty
6009608641886	R 99	Marlin Pure Point Transparent 50 ' s Black, Retail Packaging, No Warranty
6009608641893	R 99	Marlin Pure Point Transparent 50 ' s Red, Retail Packaging, No Warranty
6009608642159-BL	R 19	Marlin Large Scissors 165mm Blue - Stainless Steel Blades, Ergonomic Design, Right Handed, Colour Blue, Retail Packaging, No Warranty
6009608642159-GN	R 19	Marlin Large Scissors 165mm Green -Stainless Steel Blades, Ergonomic Design, Right Handed, Colour Green, Retail Packaging, No Warranty
6009608642159-PK	R 19	Marlin Large Scissors 165mm Pink -Stainless Steel Blades, Ergonomic Design, Right Handed, Colour Pink, Retail Packaging, No Warranty
6009608642159-RD	R 19	Marlin Large Scissors 165mm Red - Stainless Steel Blades, Ergonomic Design, Right Handed, Colour Red, Retail Packaging, No Warranty
6009608642227	R 39	Marlin Gel Glide Gel Ink Pens 3 ' s Assorted (Blue, Black, Red), Retail Packaging, No Warranty
6009608642234	R 39	Marlin Gel Glide Gel Ink Pens 3 ' s Blue, Retail Packaging, No Warranty
6009608642265	R 15	Marlin Blue Border School Labels 60s, Retail Packaging, No Warranty
6009608642289	R 9	Marlin Metal Sharpener 1 Hole 1 ' s, Retail Packaging, No Warranty
6009608642326	R 10	Marlin File Dividers A4 Polyprop 5 position - pack of 5, Positioned Index Tab 1 to 5, Unprinted File Dividers

6009608642487	R 39	Marlin Staples 5000 ' s 26/6 Box, Retail Packaging, No Warranty
6009608642890	R 39	Marlin Kids jumbo koki pens - Pack of 8, Retail Packaging, No Warranty
6009608644177-ORNG	R 69	Marlin Kids Chairbag Orange -Dual Pocket Compartments and Name Tag Pocket, Sturdy And Durable Polyester Fabric, Colour Orange, Retail Box
6009608644177-RD	R 69	Marlin Kids Chairbag Red -Dual Pocket Compartments and Name Tag Pocket, Sturdy And Durable Polyester Fabric, Colour Red, Retail Box
6009608644177-YLW	R 69	Marlin Kids Chairbag - Yellow
6009608644870	R 15	Marlin Kids Easy Stick Prestick 120g, Retail Packaging, No Warranty
6009608644917	R 20	Marlin A4 Slipon Plastic Book Cover 10s, Retail Packaging, No Warranty
6009608644924	R 19	Marlin A5 Slipon Book Covers 10 ' s, Retail Packaging, No Warranty
6009608645006	R 10	Marlin Kids Favourite Colouring Book 24 page, Retail Packaging, No Warranty
6009608645013	R 15	Marlin Kids Fun Time Colouring Book 48pg, Retail Packaging, No Warranty
6009608645020	R 19	Marlin Kids Big Time Colouring Book 80 page - Essential Early Learning Skills, Develops Eye-Hand Co-Ordination And Fine Motor Skills While Colouring., Retail Packaging, No Warranty
6009608645037	R 25	Marlin Kids Fun with Colouring Books 96 page, Retail Packaging, No Warranty
6009608645044	R 29	Marlin Kids Mega Colouring Books 120pgs, Retail Packaging, No Warranty
6009608645860	R 19	Marlin Kids Super Activity Books 80 Page, Retail Packaging, No Warranty
6009608646539	R 15	Marlin Kids Precut book covers A4 Fancy Designs Sports-Pack of 5, Retail Packaging, No Warranty
6009608646645	R 49	Marlin Kids 6 Colours Glitter Powder Shaker 60g - 6 Vibrant Colours , 10g Per Concentrated Glitter Colours, Easy-To-Use Shaker, Retail Packaging, No Warranty
6009608647482	R 29	Marlin Kids Oil Pastels (Pack of 12), Retail Packaging, No Warranty
6009608647833	R 29	Marlin Kids Modelling Clay 200g - 12 Colours, Retail Packaging, No Warranty
6009608648090	R 15	Marlin Jumbo Professional Eraser, Retail Packaging, No Warranty
6009608648106	R 7	Marlin Eraser 60 x 20 x 10mm Neon Two colours- Pack of 2 Blister card, Retail Packaging, No Warranty
6009608648571	R 19	Marlin Kids Colour Pencils Long - Pack of 12, Retail Packaging, No Warranty
6009608648588	R 39	Marlin Kids Colour Pencils 24 ' s Long, Retail Packaging, No Warranty
6009608648861	R 39	Marlin Precision Fineliner 3 ' s Assorted, Retail Packaging, No Warranty
6009608648960	R 10	Marlin Colour Border Labels 24 ' s, Retail Packaging, No Warranty
6009608649042-RBL	R 69	Marlin Canvas book bag - Royal Blue - safe and Secure Zip closure, Size 29cm x 37cm, Fits A4 size items comfortably
6009608649042-RD	R 69	Marlin Canvas Book Bag - Red, Safe And Secure Zip Closure, Size 29cmx37cm, Fits A4 Size Items Comfortably
6009608649301	R 39	Marlin Justice League Ringbinder - 2 Designs, Retail Packaging, No Warranty
6009608649349	R 10	Unbranded Justice League Book Labels W/Lines 8 ' s - 4 Designs, Retail Packaging, No Warranty
6009608649585	R 69	Marlin Non Toxic 35g Glue Stick Value Pack - Includes 3 x 35g Glue Sticks , Handy Easy-To-Use Twist-Up Glue Stick, Quick Sticking , Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009635830031-5PK	R 99	Freedom A4 Counter Book 1 Quire 96 Pages Quad And Margin - Pack Of 5, Durable Hardcover, Ideal For Writing With Pen Or Pencil, Pack Of 5, Retail Packaging, No Warranty
6009635830079	R 109	Freedom A4 2 Quire C/Book 192 Page - 5pack, Retail Packaging, No Warranty
6009635830130	R 149	Freedom A4 Feint and Margin 3 Quire Counter Book 288 Page (Pack of 5), Retail Packaging, No Warranty
6009635830154	R 19	Marlin A4 100 Page Exam Pads Punched, Retail Packaging, No Warranty
6009635830161	R 89	Marlin A4 Exam Pad Punched 100 page 5 pack, No Warranty
6009635830222	R 79	Marlin A4 Exam Pad Punched 80 Page (Pack of 5), Retail Packaging, No Warranty
6009635830291	R 79	Freedom A5 48 pages Exercise Book Feint and Margin - 25 pack, Ideal for writing with Pen or Pencil,
6009635830291-5PK	R 16	Freedom A5 48 Pages Exercise Book Feint And Margin 5 Pack- Ideal For Writing With Pen Or Pencil, Pack Of 5 , Retail Packaging, No Warranty
6009635830475-5PK	R 49	Freedom A5 Manuscript Book 1 Quire 96 Pages Feint and Margin- Pack of 5, Durable Hard Cover, Ideal For Writing With Pen Or Pencil, Pack Of 5, Retail Packaging, No Warranty
6009635830529	R 69	Freedom A5 2 Quire M/Book 192 Page 5pack, Retail Packaging, No Warranty
6009635830857	R 129	Freedom A4 Feint and Margin College Exercise Book 72page-Pack of 20, Retail Packaging, No Warranty

6009635830857-5PK	R 39	Freedom A4 72 Pages College Exercise Book Feint And Margin 5 Pack - Soft Durable Cover, Ideal For Writing With Pen Or Pencil, Pack Of 5, Retail Packaging, No Warranty
6009635830857S	R 10	Freedom A4 College Exercise Book Feint and Margin 72 Page Single, No Warranty
6009635831366	R 39	Marlin Uni-File Flip File 30 Page, Retail Packaging, No Warranty
6009635831496	R 29	Marlin Uni-File Flip File 20 Page, Retail Packaging, No Warranty. A practical and affordable solution for organizing documents, presentations, artwork, reports, school projects, and more.
6009635833698	R 49	Marlin Uni-File Flip File 50 Page, Retail Packaging, No Warranty
6009635835463	R 19	Marlin Chalkboard Duster - Wooden Handle with green felt, No Warranty
6009635840757	R 15	Marlin Kids Colour Pencils Short - Pack of 12, Retail Packaging, No Warranty
6009635841532	R 59	Marlin Multipunch Pockets Sleeves (Pack of 100), Retail Packaging, No Warranty
6009635842324	R 29	Marlin Non Toxic Glue Stick Single - 1x 35g Glue Stick, Handy Easy-To-Use Twist-Up Glue Stick, Quick Sticking, Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009635842331	R 19	Marlin Non Toxic 20g Glue Stick Single -1x 20g Super Glue Stick, Handy Easy-To-Use Twist-Up Glue Stick, Quick Sticking, Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009635842560	R 15	Edo Wax Crayons 8mm - pack of 12, Easy grip Design, Impressively bright colours, Great Creative fun for Kids and adults
6009635842591	R 25	Edo Wax Crayons 8mm - pack of 24, Easy grip Design, Impressively bright colours, Great Creative fun for Kids and adults
6009635843444	R 19	Marlin Arrowline Retractable Pens 2 Blue, Retail Packaging, No Warranty
6009635843659	R 15	Marlin Liqui Liner Roller Ball Pen Blue Single - Medium 0.7mm Nib, Smooth Flowing Liquid Ink, Use The Pens For Everyday Writing And Drawing, Retail Packaging, No Warranty
6009635843680	R 15	Marlin Liqui Liner Roller Ball Pen Black Single - Medium 0.7mm Nib, Smooth Flowing Liquid Ink, Use The Pens For Everyday Writing And Drawing, Retail Packaging, No Warranty
6009635843710	R 15	Marlin Liqui Liner Roller Ball Pen Red Single - Medium 0.7mm Nib, Smooth Flowing Liquid Ink, Use The Pens For Everyday Writing And Drawing, Retail Packaging, No Warranty
6009685850010	R 12	Marlin Scribblers HB end dipped pencil Black and Silver striped blister card Pack of 4, Retail Packaging, No Warranty
6009685850041	R 35	Marlin Scribblers HB end dipped pencil Black and Silver striped Box of 12, Retail Packaging, No Warranty
6009685850072	R 29	Marlin Kids Colour Pencils Long Triangular Pack of 12 - Ideal for beginners, Reduced Hand fatigue, Allows for Smooth drawing, 2.8mm Thick Leads, Retail Packaging, No Warranty
6009685850102	R 29	Marlin Kids End dipped Pencil triangular jumbo blister card 3 ' s sharpener, Retail Packaging, No Warranty
6009685850188-BL	R 19	Marlin Kids 2 Hole Sharpener With Container Blue - Round Shaped, Stainless Blades, High Quality Plastic Casing, Retail Packaging, No Warranty
6009685850188-PK	R 19	Marlin Kids 2 Hole Sharpener With Container Pink - Round Shaped, Stainless Blades, High Quality Plastic Casing, Retail Packaging, No Warranty
6009685850188-YLW	R 19	Marlin Kids 2 Hole Sharpener With Container Yellow - Round Shaped, Stainless Blades, High Quality Plastic Casing, Retail Packaging, No Warranty
6009685850201	R 15	Marlin Metal Sharpener 2 hole-Single pack, Retail Packaging, No Warranty
6009685850256	R 19	Marlin Artist Brush Set Plastc X4 - 3 Sizes, No Warranty
6009685850409GRN	R 10	Marlin A4 Green Quotation and Presentation Folder - Clear View Front, 170 Micron Heavy Duty PVC Material, Mechanism Inside For Filing, A4 Size With White Side Strip, Ideal For Presentations And Reports, Retail Packaging, No Warranty
6009685850409ORG	R 10	Marlin A4 Orange Quotation and Presentation Folder - Clear View Front, 170 Micron Heavy Duty PVC Material, Mechanism Inside For Filing, A4 Size With White Side Strip, Ideal For Presentations And Reports, Retail Packaging, No Warranty
6009685850409RED	R 10	Marlin A4 Red Quotation and Presentation Folder - Clear View Front, 170 Micron Heavy Duty PVC Material, Mechanism Inside For Filing, A4 Size With White Side Strip, Ideal For Presentations And Reports, Retail Packaging, No Warranty
6009685850409YEL	R 10	Marlin A4 Yellow Quotation and Presentation Folder - Clear Front, 170 Micron Heavy Duty PVC Material,

		Mechanism Inside For Filing, A4 Size With White Side Strip, Ideal For Presentations And Reports, Retail Packaging, No Warranty
6009685850416	R 29	Marlin Math Set 11 Pcs Metal Container, Retail Packaging, No Warranty
6009685850638	R 8	Marlin Blue Border School Labels (Pack of 24) are classic rectangular labels with a crisp blue border and pre-printed linesâ€"perfect for schoolbooks, notebooks, files, or craft projects. Each retail-pack is neatly sealed, featuring the Marlin brand and product code 6009685850638
6009685851116	R 15	Marlin Kids Dot To Dot Activity Book 48 page, Retail Packaging, No Warranty
6009685853219	R 17	Marlin File Dividers Jan - Dec Polyprop
6009685853400	R 39	Marlin A4 Clear Carry Folder with Stud (Pack of 5), No Warranty
6009685853981	R 179	Marlin A4 Flat File Folders in bright green. Made from premium-quality, durable material, these folders are perfect for everyday office or school use. Their vibrant color makes identifying files quick and easy, while the standard A4 size fits most reports and papers comfortably. Each pack includes 100 folders, offering great value for bulk filing needs. Supplied in retail packaging, these folders ensure reliable and long-lasting performance.
6009685853998	R 179	Marlin A4 Flat File Folders Pink Pack of 100, Premium Quality Durable Construction, Bright Pink for Easy Identification, Holds Multiple Documents and Reports, Standard A4 Size, Retail Packaging, No Warranty
6009685854018	R 179	Marlin A4 Flat File Folders Yellow Pack of 100, Premium Quality Durable Construction, Bright Yellow for Easy Identification, Holds Multiple Documents and Reports, Standard A4 Size, Retail Packaging, No Warranty
6009685854346	R 19	Marlin Correction fluid pen type 7ml 1â€™s metal tip 0.8mm-Pack of 2, Retail Packaging, No Warranty
6009685854438	R 19	Marlin Ultraglide Retractable Ballpoint Pen Black 2 Pack - Rubber Grip, Fine Point 0.7mm , Spring Load Cartridge, Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009685854469	R 10	Marlin Dense Permanent Markers 1 ' s Red, No Warranty
6009685854490	R 10	Marlin Dense Permanent Markers 1 ' s Blue, No Warranty
6009685854582-BL	R 29	Marlin Clicker Clutch Pencil and Lead Set - Blue, Lead liner Clutch Pencil and Easy to refill 12x HB 0.5mm leads, Integrated Eraser, Comfortable to hold
6009685854582-RD	R 19	Marlin Clicker Clutch Pencil And Lead Set Red - Lead Liner Clutch Pencil and Easy To refill 12x HB 0.5mm Leads, Integrated Eraser, Comfortable to Hold, Retail Packaging, No Warranty
6009685854865	R 8	Marlin Brown Kraft Roll 480mm X 2m Bande, A sturdy, eco-friendly brown kraft paper roll, 480 mm wide and 2 m long, banded for easy dispensing. Ideal for covering books, wrapping, packaging, and protective stationary tasks.
6009685854995	R 29	Marlin Kids 12 Water Colours Brush, Retail Packaging, No Warranty
6009685855022	R 45	Marlin Kids 12 Jumbo Water Colours Brush in box, Retail Packaging, No Warranty
6009685855114	R 15	Marlin Kids Precut book covers A4 Brown Kraft Pack of 10, Retail Packaging, No Warranty
6009685855275	R 15	Marlin Non Toxic Multi Purpose White Craft Glue - 1x 40ml Bottle, Fast Drying , Precision Non-Clog Nozzle, Suitable On Wood, Paper And Card Board, Retail Packaging, No Warranty
6009685855305	R 19	Marlin White Craft Glue Non-Toxic 125ml Multi Purpose - Individual, Retail Packaging, No Warranty
6009685855350-BL	R 15	Marlin Kids A4 Precut Book Cover Blue 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A4 Size Books, Retail Packaging, No Warranty
6009685855350-GN	R 15	Marlin Kids A4 Precut Book Cover Green 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A4 Size Books, Retail Packaging, No Warranty
6009685855350-ORNG	R 15	Marlin Kids A4 Precut Book Cover Orange 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A4 Size Books, Retail Packaging, No Warranty
6009685855350-RD	R 15	Marlin Kids A4 Precut Book Cover Red - 5 pack, High quality craft paper, Protects books, Old school charm Design, Ideal for A4 size books
6009685855350-YLW	R 15	Marlin Kids A4 Precut Book Cover Yellow 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A4 Size Books, Retail Packaging, No Warranty
6009685855565	R 19	Marlin Pencil Leads 0.5mm - Blister of 3 Tubes, Retail Packaging, No Warranty
6009685856517	R 15	Marlin Office Essentials Thumbtacks 11mm Silver 100 Pack - Drawing Pins For Attaching Notes, Art And Menus To Display Board, Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009685856685	R 12	Marlin Plastic Sharpener 1 Hole Container, Retail Packaging, No Warranty
6009685856920	R 49	Marlin Kids Retractable Crayons Pack of 12, Non Toxic Non Edible, Bright Colours, Retail Packaging, No Warranty

6009685857088	R 29	Marlin Cube Refills White 10x10cm in shrink-wrap, Retail Packaging, No Warranty
6009689250458	R 25	Megastar A5 72page Quad/Margin-5pack, Retail Packaging, No Warranty
6009696190709	R 29	Brainware Multi Purpose Kids Plastic Aprons - Blue, Made from durable Plastic material, Excellent for arts & crafts
6009697791295	R 39	Marlin A4 Blue Carry Folder with Stud (Pack of 5), No Warranty
6009698061342	R 39	Marlin A4 Green Carry Folder with Press Stud on Flap Pack of 5- PVC Material 180 Micron, Perfect For Documents And Envelopes, Retail Packaging, No Warranty
6009698061380	R 39	Marlin A4 Red Carry Folder with Press Stud on Flap Pack of 5- PVC Material 180 Micron, Perfect For Documents And Envelopes, Retail Packaging, No Warranty
6009698061472	R 39	Marlin A4 Yellow Carry Folder with Press Stud on Flap Pack of 5- PVC Material 180 Micron, Perfect For Documents And Envelopes, Retail Packaging, No Warranty
6009698061779	R 19	Marlin Paper Clips Silver 33mm Box, Retail Packaging, No Warranty
6009698062097	R 39	Marlin A4 Slipon Book Covers 120micron (Pack of 10), Retail Packaging, No Warranty
6009698062219	R 39	Marlin A4 Pink Carry Folder with Press Stud on Flap Pack of 5- PVC Material 180 Micron, Perfect For Documents And Envelopes, Retail Packaging, No Warranty
6009698065852	R 201	Marlin Flat Files And Folders Manilla Folders Tag 100 Sheets Blue - 180gsm Sturdy Corrugated Vertical Flat Files And Folders , Great For Organising And Protecting Documents, Retail Packaging, No Warranty
6009698067054-BL	R 13	Marlin Kids A5 Precut Book Cover Blue 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A5 Size Books, Retail Packaging, No Warranty
6009698067054-GN	R 11	Marlin Kids A5 Precut Book Cover Green 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A5 Size Books, Retail Packaging, No Warranty
6009698067054-ORNG	R 13	Marlin Kids A5 Precut Book Cover Orange 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A5 Size Books, Retail Packaging, No Warranty
6009698067054-RD	R 13	Marlin Kids A5 Precut Book Cover Red 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A5 Size Books, Retail Packaging, No Warranty
6009698067054-YLW	R 13	Marlin Kids A5 Precut Book Cover Yellow 5 Pack - High Quality Craft Paper, Protects Books, Old School Charm Design, Ideal For A5 Size Books, Retail Packaging, No Warranty
6009698068921	R 39	Marlin Make-A-File A4 Lever Arch 70mm - Black, No Warranty
6009699510887	R 49	Marlin Non Toxic 20g Glue Stick Value Pack Of 3 - Handy 3 x 20g Glue Sticks , Easy-To-Use Twist-Up Glue Stick, Quick Sticking , Works Best On Paper, Ideal For School, Home Or Office , Retail Packaging, No Warranty
6009699511624	R 19	Marlin Metal Sharpeners 1 Hole 5 ' s Blister pack - Retail Packaging, No Warranty
6009699513277	R 35	Marlin Kids Jumbo Wax Crayons 14mm - Pack of 12
6009699513765	R 25	Marlin A4 Slipon Book Covers 120micron (Pack of 5), Retail Packaging, No Warranty. Protect and refresh your A4 textbooks, workbooks, reports, and notebooks with Marlin's durable and adjustable slipâ€‘on covers. This value pack of five provides a sleek, professional finishâ€”ideal for schools, offices, and home use.
6009699515004-CLR	R 19	Marlin Flexible 30cm Ruler Clear - Made From Durable Elastic And Plastic, Perfect To Store Inside A Knapsack Or Pencil Case, , Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009699515004-PK	R 19	Marlin Flexible 30cm Ruler Pink - Made From Durable Elastic And Plastic, Perfect To Store Inside A Knapsack Or Pencil Case, Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009699515004-YLW	R 19	Marlin Flexible 30cm Ruler Yellow - Made From Durable Elastic And Plastic, Perfect To Store Inside A Knapsack Or Pencil Case, , Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009699515035	R 69	Marlin Round Brush Set 12 ' s - Size 1-12, No Warranty
6009699515059	R 19	Marlin Black Precision Fineliner - Retail Packaging, No Warranty
6009699515073	R 19	Marlin Blue Precision Fineliner - Retail Packaging, No Warranty
6009699515097	R 19	Marlin Red Precision Fineliner - Retail Packaging, No Warranty
6009699517886	R 19	Marlin Kids Glitter Glue 10ml 2 ' s - Gold & Silver blister card, Retail Packaging, No Warranty
6009699518807	R 15	Marlin Self Adhesive Labels 180 Gold Stars-Single pack, Retail Packaging, No Warranty
6009699518975-1	R 19	Marlin Clear PVC 23cm Pencil Bag Blue -Single Compartment, 1 x Slide Zip Closure , Store And Organise Your Pens, Pencils, Erasers And Other Stationery Items, 23cm x 11cm, Retail Packaging, No Warranty
6009699518975-2	R 19	Marlin Clear PVC 23cm Pencil Bag Green -Single Compartment, 1 x Slide Zip Closure, Store And Organise Your

		Pens, Pencils, Erasers And Other Stationery Items, 23cm x 11cm, Retail Packaging, No Warranty
6009699519026	R 39	Marlin PVC Book Bag Pouch Clear - Velcro Closure, Name Card Holder, Size 24cmx36cm, Fits A4 Size Items Comfortably, Ideal For School, Home Or Office, Retail Packaging, No Warranty
6009699519057	R 35	Marlin Bright Liners Pen Type Highlighters - Blister Pack of 4, Retail Packaging, No Warranty
6009699519200-BL	R 19	Marlin Astro Stand Up 2 Hole Sharpener Blue - Tub With A Lid for Shavings , Metal Sharpener Insert, High Quality PVC Casing , Retail Packaging, No Warranty
6937544337962	R 10	Foska Single Black Permanent Markers-Colour Black- Versatile And Vibrant-Coloured Premium Quality Marker Suitable For Virtually Any Surface, Add A Burst Of Colour To Every Design, Non-Toxic, Permanent, UV And Water Resistant Ink, Quick Drying, Retail Packaging, No Warranty
6937544338082	R 29	Foska 4 Pack Whiteboard Markers - Red, Blue, Black, Green, No Warranty
6937544338501	R 10	Foska Green Whiteboard Marker - Single, No Warranty
6937544339485	R 10	Foska Single Red Permanent Markers-Colour Red-Versatile And Vibrant-Coloured Premium Quality Marker Suitable For Virtually Any Surface, Add A Burst Of Colour To Every Design, Non-Toxic, Permanent, UV And Water Resistant Ink, Quick Drying, Retail Packaging, No Warranty
6937544339492	R 10	Foska Single Green Permanent Markers-Colour Green-Versatile And Vibrant-Coloured Premium Quality Marker Suitable For Virtually Any Surface, Add A Burst Of Colour To Every Design, Non-Toxic, Permanent, UV And Water Resistant Ink, Quick Drying, Retail Packaging, No Warranty
6937544340092	R 10	Foska Ballpoint Pen Push Type Retractable Single Red - 1.0mm Point, 140mm Length, Soft Rubber Grip , Sold As Single Unit, Colour Red, Retail Packaging, No Warranty
6937544340801	R 10	Foska Ballpoint Pen Push Type Retractable Single Blue - 1.0mm Point, 140mm Length, Soft Rubber Grip, Sold As Single Unit, Colour Blue, Retail Packaging, No Warranty
8410020008931	R 45	Pritt Glue Stick 43g - Individual, Retail Packaging, No Warranty
8851934730080	R 19	Unbranded Kid Art Wax Crayons 24 pack - Non-Toxic, Bright colours, Ideal learning tool, For ages 3 and up
AR105	R 499	Casey Arrow Genuine No 105 Vintage Chrome Finish Desk Stapler- Made in Brooklyn New York, Manufactured In 1960â€™s, Staples 2 To 40 Sheets Of Paper In One Easy Smooth Motion, Easy To Reload Pull-Out Strip Compartment In The Rear, Compatible Standard Staples, Brand New Complete With The Original Classic Box And Stapler Wrapped In Paper, Retail Packaging, No Warranty
B340800006	R 129	Bantex A4 Flap Document Folder - Pack Of 10, 250gsm Kraft Board Folder With 3 Internal Flaps To Secure Contents, Creased For Extra Capacity, For Presentations And Projects, Retail Packaging, No Warranty
BOSC30MSMCORE	R 29	Esquire Brainware Office and Student Clear Tape 18mm x 30m Small Core Shrink Wrap Sold 8 per pack, Shrink Wrap, No Warranty
BRAINWARE10TABDIVIDER	R 29	Esquire Brainware A4 Board Dividers Tab 1-10, No Warranty
BRK-SW03-9	R 240	Lumi SW03-9 Pencil Cup, Work with Slatwall System
Brother 2504D	R 7,130	Brother 2504D 3 or 4 Thread Overlocker sewing machone, LED Lighting, Up to 1000 spm Maximum sewing speed, 3.0mm - 7.0mm stitch width, 0.8mm - 4.0mm stitch length, Foot controller, Manual Thread tension control
Brother JA1400	R 5,175	Brother JA1400 Basic multi purpose sewing machine (Purple), LED Lighting, Dial selection stitch select Display, 14 built-in stitches, Free arm sewing, 4 step hole Method, 5mm stitch width, 4mm stitch length, Foot controller, Horizontal bobbin Type, Manual Thread tension control
Brother LX27NT	R 4,025	Brother LX27NT portable free arm sewing machine, LED Lighting, Dial selection stitch select Display, 27 built-in stitches, Free arm sewing, 1 step buttonhole Method, 5mm stitch width, 4mm stitch length, Foot controller, Quick Set bobbin & horizontal bobbin Type, Manual Thread tension control
BW-10316-21	R 39	Brainware Artist 12 Nylon brush Set - can be used for Water Colour and poster colours, Suitable for acrylic painting, Oil Media, Watercolours, Glide easily on the Canvas or any medium, Perfect for fine details and lines
BW-12CLRHGCHALK	R 11	Brainware Kids coloured Chalk pack of 12 - Non-Toxic, Non edible, Allows for smooth drawing and writing on Chalk board
BW-12WHTHGCHALK	R 9	Brainware Kids White Chalk pack of 12 - Non-Toxic, Non Edible, Allows For Smooth Drawing And Writing On Chalk Board
BW-4730-4-BLK	R 19	Brainware A4 Clear Carry Folder with Black Easy Slide Zip closure, Easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Ideal for storing and transport of File and documents

BW-4730-4-BLU	R 19	Brainware A4 Clear Carry Folder with Blue Easy Slide Zip closure, Easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Ideal for storing and transport of File and documents
BW-4730-4-GN	R 19	Brainware A4 Clear Carry Folder with Green Easy Slide Zip closure, Easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Ideal for storing and transport of File and documents
BW-4730-4-RD	R 19	Brainware A4 Clear Carry Folder with Red Easy Slide Zip closure, Easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Ideal for storing and transport of File and documents
BW-DL047	R 15	DLOffice Multicolour 24mm pushpins thumb tacks Plastic tub of 40 pieces, For attaching items to Display or notice boards, 5x colours - Yellow / Green / Blue / White / Red, Storage Plastic tub Container
BW-DL1028	R 29	DLOffice Multicolour 28mm paper clips Plastic tub of 70 pieces, Bind and organise loose papers or cash together, 6x colours - Yellow / Pink / Green / Blue / Red / White, Nickel plated paper clips, Clips storage Plastic tub
BW-DL6022	R 15	DLOffice Multicolour sticky notepad 100 sheets per pad - size 76 x 76mm, Stick firmly and can be removed easily, 5 x fluorescence bright colours - Yellow / Pink / Green Orange / Red, Ideal for setting up reminders and brainstorming Ideas, Sold a single pack of 100 sheets per pad
BW-GVN0754-2	R 159	Brainware A3 Magnetic Whiteboard - size 40 x 60cm, Includes 1x Eraser and marker holder, Includes 2x hanging hooks, Perfect for writing instant and removable notes and memos
BW-IYD840814	R 299	Brainware Multi functional Education board - wooden Frame and stand, Dual-Sided Magnetic whiteboard and chalk Blackboard, Includes Built-In abacus and clock, Magnetic alphabets with numerical numbers and mathematical symbols, Includes dry erase marker with Eraser on top, 1x box of chalk and Mini Duster, Size : 44cm x 1.5cm x 32cm, Ideal for early child development, Exceptional gift for Kids ages 2 to 6 years
BW-IZY3659C	R 499	Brainware Dino designed Multi functional Education board, Dual-sided Magnetic whiteboard and chalk Blackboard, Includes Magnetic alphabets with numerical numbers and mathematical symbols, Includes dry erase marker with Eraser on top, 1x box of chalk and Mini Duster, Size 27x32cm, Recommended age 3 and older
BW-JC-462-FER	R 49	Brainware PU leather 1 pocket 20cm Pencil bag, Ferrari Racing printed artwork, Single compartment, 1x Easy Slide Zip closure, Store and organise stationery items, Flat shaped easily slips into bag
BW-JC-462-MAZ	R 49	Brainware PU leather 1 pocket 20cm Pencil bag - Mazda Racing printed artwork, Single compartment, 1x Easy Slide Zip closure, Store and organise stationery items, Flat shaped easily slips into bag
BW-JC-462-MUST	R 49	Brainware PU leather 1 pocket 20cm Pencil bag - Mustang Racing printed artwork, Single compartment, 1x Easy Slide Zip closure, Store and organise stationery items, Flat shaped easily slips into bag
BW-WN-3106-BLK	R 79	Brainware Fabric 2 pocket 20cm Pencil bag with combination lock - Black, Fun Dino printed artwork, Dual compartments, 2x Easy Slide Zip closures, 3 Numeric combination code lock, Flat shaped easily slips into bag
BW705-2-PK	R 59	Brainware A4 Magnetic Whiteboard Pink, Includes 1x Dry Erase Pink marker with Eraser on top, Includes 2x magnets buttons, Perfect for writing instant and removable notes and memos
BWBD-MT3512	R 39	Brainware Bertand 12 short Colour pencils with sharpener, high quality wooden shafts and strong, Multi-Colour leads, Pre-Sharpened ready to use right away, Will not break easily, Built in sharpener on Container
BWBD102-4	R 29	Brainware Bertand Pastel highlighters pack of 4, Add a fun Touch to your study notes or artworks, Ideal for marking or underlining, pack contains highlighters in four different colours
BWDL0130BK	R 399	DLOffice full Metal Heavy Duty 100 sheets Stapler - Black, Ergonomic Design with comfortable grip, Quick loading mechanism, can staple up to 100 sheets of paper at a time, Ideal for stapling Multi-Page memos, Reports, Good binding effect, Non-Slip base, Requires Heavy Duty staples to operate
BWDL0130GR	R 399	DLOffice full Metal Heavy Duty 100 sheets Stapler - Grey, Ergonomic Design with comfortable grip, Quick loading mechanism, can staple up to 100 sheets of paper at a time, Ideal for stapling Multi-Page memos, Reports, Good binding effect, Non-Slip base, Requires Heavy Duty staples to operate
BWDL0207BL	R 29	DLOffice Basic Mini Half Strip Stapler - Blue, Tooth Ergonomic Design confortable grip, Easy top loading mechanism, Staples up to 20 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL0207GN	R 29	DLOffice Basic Mini Half Strip Stapler - Green, Tooth Ergonomic Design confortable grip, Easy top loading mechanism, Staples up to 20 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL0207PK	R 29	DLOffice Basic Mini Half Strip Stapler - Pink, Tooth Ergonomic Design confortable grip, Easy top loading mechanism, Staples up to 20 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL0390	R 299	DLOffice full Metal Heavy Duty 100 sheets Stapler - Grey, Ergonomic Design with comfortable grip, Quick loading

		mechanism, can staple up to 100 sheets of paper at a time, Ideal for stapling Multi-Page memos, Reports, Good binding effect, Non-Slip base, Requires Heavy Duty staples to operate
BWDL0788BL	R 59	DLOffice Basic Half Strip Stapler - Blue, Ergonomic Design confortable grip, Easy loading mechanism, Staples up to 25 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL0788RD	R 59	DLOffice Basic Half Strip Stapler - Red, Ergonomic Design confortable grip, Easy loading mechanism, Staples up to 25 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL0788WH	R 59	DLOffice Basic Half Strip Stapler - White, Ergonomic Design confortable grip, Easy loading mechanism, Staples up to 25 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL2001BK	R 39	DLOffice Permanent Markers pack of 10 - Black, Non-Toxic Long lasting fade-resistant Ink, Durable writing, Can write on almost any Surface, Long lasting Bullet tip Bullet tip for precise writing, Quick drying Ink and Waterproof
BWDL2001BLU	R 39	DLOffice Permanent Markers pack of 10 - Blue, Non-Toxic Long lasting fade-resistant Ink, Durable writing, Can write on almost any Surface, Long lasting Bullet tip Bullet tip for precise writing, Quick drying Ink and Waterproof
BWDL2001RD	R 39	DLOffice Permanent Markers pack of 10 - Red, Non-Toxic Long lasting fade-resistant Ink, Durable writing, Can write on almost any Surface, Long lasting Bullet tip Bullet tip for precise writing, Quick drying Ink and Waterproof
BWDL2010BL	R 39	DLOffice Whiteboard Marker Blue - Pack of 10 , Non-Toxic Long Lasting Fade-Resistant Ink, Bullet Tip, Can Write On Almost Any Whiteboard , Easy To Erase, Leaves No Traces, Vivid Writing
BWDL3135-BLU	R 15	DLOffice Kiddies Multi use Blunt Nose Plastic scissors Blue - length 130mm, Durable Stainless-Steel blades, High quality Plastic housing, Rounded handles, Right and left-handed students,
BWDL3135-GN	R 15	DLOffice Kiddies Multi use Blunt Nose Plastic scissors Green - length 130mm, Durable Stainless-Steel blades, High quality Plastic housing, Rounded handles, Right and left-handed students,
BWDL3135-PK	R 15	DLOffice Kiddies Multi use Blunt Nose Plastic scissors Pink - length 130mm, Durable Stainless-Steel blades, High quality Plastic housing, Rounded handles, Right and left-handed students,
BWDL5269-BLU	R 11	DLOffice A4 Carry Folder with Press Stud on flap Blue - easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Includes name Tag pocket, Ideal for storing and transport of File and documents
BWDL5269-CLR	R 11	DLOffice A4 Carry Folder with Press Stud on flap Clear - easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Includes name Tag pocket, Ideal for storing and transport of File and documents
BWDL5269-GN	R 11	DLOffice A4 Carry Folder with Press Stud on flap Green - easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Includes name Tag pocket, Ideal for storing and transport of File and documents
BWDL5269-PK	R 11	DLOffice A4 Carry Folder with Press Stud on flap Pink - easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Includes name Tag pocket, Ideal for storing and transport of File and documents
BWDL5269-YLW	R 11	DLOffice A4 Carry Folder with Press Stud on flap Yellow - easily stores A4 documents, PVC material 180 Micron, Perfect for documents and envelopes, Includes name Tag pocket, Ideal for storing and transport of File and documents
BWDL6579-3-BL	R 59	DLOffice Basic Mini Half Strip Stapler Set - Blue , Includes - Stapler / Stapler Remover/ Mini Box Of Staples, Ergonomic Design Confortable Grip , Easy Top Loading Mechanism, Staples Up To 30 Sheets Of 80g Paper, Metal Body Construction With High Quality ABS Plastic Housing
BWDL6579-3-GN	R 59	DLOffice Basic Mini Half Strip Stapler Set - Green, Includes - Stapler / Stapler remover / Mini box of staples, Ergonomic Design confortable grip, Easy top loading mechanism, Staples up to 30 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL6579-3-ORN	R 59	DLOffice Basic Mini Half Strip Stapler Set - Orange, Includes - Stapler / Stapler remover / Mini box of staples, Ergonomic Design confortable grip, Easy top loading mechanism, Staples up to 30 sheets of 80g paper, Metal Body construction with high quality ABS Plastic housing
BWDL8230BLU	R 29	DLOffice Student Metal 2 Hole Punch - Blue, Punches up to 12 sheets of paper, 6mm Diameter holes, Bottom confetti Collection Tray
BWDL8230RD	R 29	DLOffice Student Metal 2 Hole Punch - Red, Punches up to 12 sheets of paper, 6mm Diameter holes, Bottom

		confetti Collection Tray
BWHF-4008-BLU	R 39	Brainware 8 compartment expanding File Organiser - Blue, Easily stores A4 documents, Includes name Tag sticker, Window on top to allow Easy view of the tabs
BWHF-4008-GN	R 39	Brainware 8 compartment expanding File Organiser - Green, Easily stores A4 documents, Includes name Tag sticker, Window on top to allow Easy view of the tabs
BWHF-4008-PK	R 39	Brainware 8 compartment expanding File Organiser - Pink, Easily stores A4 documents, Includes name Tag sticker, Window on top to allow Easy view of the tabs
BWHF-4008-PURP	R 39	Brainware 8 compartment expanding File Organiser - Purple, Easily stores A4 documents, Includes name Tag sticker, Window on top to allow Easy view of the tabs
BWHF-4008-WHT	R 39	Brainware 8 compartment expanding File Organiser - White, Easily stores A4 documents, Includes name Tag sticker, Window on top to allow Easy view of the tabs
BWJL-023	R 69	Brainware Magnetic Weekly Planner - Includes Black Whiteboard Pen With Eraser At Other End, 215mm x 280mm Size, 2x Magnet Buttons , 2x Double-Sided Tape For Wall Mounting, Magnetic Patch For Mounting on Fridge Or Metal Surface , Helps Plan Your Week Ahead, Suitable For Children And Adults
CPWE600800	R 123	Unbranded Correx CP WE 3mm 600x800 450gsm boards - pack of 10 sheets
CSY-855-BLK	R 79	Brainware Black Denim Pencil Case - Two Zipped Compartments Case, Perfect For Organizing Pencils, Pens, Markers, Erasers, And Other Small Essentials, Can Easily Fit Into School Bag Or Backpack, Rectangular Shape, Black Colour, No Warranty.
CSY-855-DBLU	R 79	Brainware Dark Blue Denim Pencil Case - Two Zipped Compartments Case, Perfect For Organizing Pencils, Pens, Markers, Erasers, And Other Small Essentials, Can Easily Fit Into School Bag Or Backpack, Rectangular Shape, Dark Blue Colour, No Warranty.
GKSSPBLU	R 39	Geeko 3 in 1 Sanitizer Spray Stylus and Blue ink Pen - 3 Functions - Refillable Sanitizer Container with Spray Nozzle, Stylus for use with all Touch Screens, Smart Phones and Tablets PCâ€™s , Medium Ball Point Retractable Blue Ink Pen - Blue, OEM, no Warranty
GKSSPGRN	R 39	Geeko 3 in 1 Sanitizer Spray Stylus and Blue ink Pen - 3 Functions - Refillable Sanitizer Container with Spray Nozzle, Stylus for use with all Touch Screens, Smart Phones and Tablets PCâ€™s , Medium Ball Point Retractable Blue Ink Pen - Green, OEM, no Warranty
GKSSPORG	R 39	Geeko 3 in 1 Sanitizer Spray Stylus and Blue ink Pen - 3 Functions - Refillable Sanitizer Container with Spray Nozzle, Stylus for use with all Touch Screens, Smart Phones and Tablets PCâ€™s , Medium Ball Point Retractable Blue Ink Pen - Orange, OEM, no Warranty
GKSSPPUR	R 39	Geeko 3 in 1 Sanitizer Spray Stylus and Blue ink Pen - 3 Functions - Refillable Sanitizer Container with Spray Nozzle, Stylus for use with all Touch Screens, Smart Phones and Tablets PCâ€™s , Medium Ball Point Retractable Blue Ink Pen - Purple, OEM, no Warranty
KB-1094-1	R 129	Brainware DIY wooden Desk Organizer, Multiple small compartments to keep Desk organized, Includes Easy instructions to build up unit
PAD0002	R 29	Nexx Cube 800 Sheets Refills White Paper In Shrink-Wrap -70gsm White Paper, Plain Pages, Refill For Cube Holder Approx. 800 Sheets, Size: 90x90mm, Retail Packaging, No Warranty
PEN0061_MK8001L	R 10	Foska Single Blue Permanent Markers-Colour Blue-Versatile And Vibrant-Coloured Premium Quality Marker Suitable For Virtually Any Surface, Add A Burst Of Colour To Every Design, Non-Toxic, Permanent, UV And Water Resistant Ink, Quick Drying, Retail Packaging, No Warranty
RRW05.5BK3:1	R 189	Fellowes Ringwire 5.5mm / 3/16" 3:1 - Black - 100pk
T48X100X38B	R 528	Unbranded packaging tape Buff 48mm x 100 metres 38 microns - 36 items in the box, Double the standard 50m tape, May require a bigger tape gun
T48X100X38C	R 528	Unbranded packaging tape Clear 48mm x 100 metres 38 microns - 36 items in the box, Double the standard 50m tape, May require a bigger tape gun
T48X100X45C	R 695	Unbranded packaging tape Clear 48mm x 100 metres 45 microns - 36 items in the box, Double the standard 50m tape, May require a bigger tape gun
T48X50X38C	R 277	Unbranded Packaging tape Clear 48mm x 50 metres 38 microns - 36 items in the box
T48X50X45C	R 401	Unbranded Packaging tape Clear 48mm x 50 metres 45 microns - 36 items in the box

UN180	R 399	Casey Counterfeit Money detector Lamp ultra-Violet, Dim. 268x116x107mm 12Watt, Retail Box
UN2100A	R 3,299	Casey Notes Count machine with Auto decetor of fake Notes; 1000Notes/min count speed; Automatic detection with UV while counting; Suitable for all Currencies; Dim.: 29 x24 x16 cm, Retail Box
UN2600A	R 4,699	Casey Robust Note Counting Machine with 3 point counterfeit detection; 1000Notes/ min; 200Notes stacking capacity; Dust Removal system, ; Dim.: 31 x28 x 20cm, Retail Box
UNPEN	R 79	Casey Ultra Violet Tester Pen, Identify forged notes very quickly., Retail Box
XOXO-9904	R 39	Brainware Chalkboard Eraser - Blackboard Duster, Wooden Handle with soft Black felt, Designed to not scratch board surfaces, Keeps Chalkboard or writing Slate clean

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Photo frames

Product code	Price	Description
DPF202-B	R 149	Esquire Heart Necklace Photo Frame Colour:Black, Retail Box. 3 month warranty. 1.1-inch (2.8cm) CSTN screen; 8MB internal memory (up to 74 photos); JPG/BMP support; manual and auto slideshow; adjustable intervals; USB rechargeable 3.7V 210mAh battery.
DPF202-P	R 149	Esquire Heart Necklace Photo Frame Colour:Pink, Retail Box. 3 month warranty. 1.1-inch (2.8cm) CSTN screen; 8MB internal memory (up to 74 photos); JPG/BMP support; manual and auto slideshow; adjustable intervals; USB rechargeable 3.7V 210mAh battery.
DPF202-R	R 149	Esquire Heart Necklace Photo Frame Colour:Red, Retail Box. 3 month warranty. 1.1-inch (2.8cm) CSTN screen; 8MB internal memory (up to 74 photos); JPG/BMP support; manual and auto slideshow; adjustable intervals; USB rechargeable 3.7V 210mAh battery.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Point of sale

Barcode scanners

Product code	Price	Description
1202g-2USB-5	R 2,574	Honeywell Voyager 1202G 1D Bluetooth Wireless general purpose Handheld Scanner, Up to 10 m from the base, Black, USB, Scan pattern - Area Image (640 x 480 Pixel Array), Reads standard 1D and GS1 DataBar symbologies, charge & communication base (CCB00-010bt-01n), USB Type-A 3m straight cable (CBL-500-300-S00)
1250G KBW	R 1,662	Voyager Lite 1D Single-Line Laser Scanner - Keyboard wedge (NO USB)
1250G-2USB-1	R 1,018	Honeywell 1250G 1D USB single line Laser Scanner, 3m cable including stand, Black, 1D decode capability, Flex neck, Presentation stand (STND-15F03-009-4), USB Type-A 3m coiled cable (CBL-500-300-C00)
1300G HONEYWELL COMBO	R 2,931	Honeywell Hyperion 1300G-2 1D general purpose Handheld Linear Imager - 3 Pack, USB, Black, No moving parts, USB Type-A 3m straight cable (CBL-500-300-S00)
1300G WINTER COMBO	R 2,931	Honeywell Hyperion 1300G-2 1D general purpose Handheld Linear Imager - 3 Pack, USB, Black, No moving parts, USB Type-A 3m straight cable (CBL-500-300-S00)
1300G-2USB	R 1,057	Honeywell Hyperion 1300G-2 1D general purpose Handheld Linear Imager, USB, Black, No moving parts, USB Type-A 3m straight cable (CBL-500-300-S00)
1470G2D-2USB-1-R	R 1,234	Honeywell Voyager XP 1470G 1D/2D Barcode Scanner - Black, EMEA USB kit, Includes Flexible presentation stand (Part# STND-15F03-009-6), USB Type-A 1.5m straight cable (Part# CBL-500-150-S00), 1470G2D-2USB-1-R, LED aimer Type, LED light source, Omni-Directional Scan pattern
1472G HONEYWELL COMBO	R 12,759	Honeywell 1472G 2D Bluetooth omni-directional Scanner Black - USB - 5 pack, 3m USB cable including charger and communication base, 2400 mAh Li-ion battery, Up to 50000 scans per charge, Area image (1040x720 Pixel Array) scan pattern, 1472G2D-2USB-5-R

1472G WINTER COMBO	R 12,759	Honeywell 1472G 2D Bluetooth omni-directional Scanner Black - USB - 5 pack, 3m USB cable including charger and communication base, 2400 mAh Li-ion battery, Up to 50000 scans per charge, Area image (1040x720 Pixel Array) scan pattern, 1472G2D-2USB-5-R
1472G2D-2USB-5-R	R 2,986	Honeywell 1472G 2D Bluetooth omni-directional Scanner Black - USB, 3m USB cable including charge and communication base, 2400 mAh Li-ion battery, Up to 50000 scans per charge, Area image (1040x720 Pixel Array) scan pattern
177603	R 3,699	Manhattan 2D Handheld Barcode Scanner
1950GSR-2USB-2-R	R 3,753	Honeywell 1950G USB kit 1D / 2D bardcode Scanner, USB, SR Focus, Black, LED Sensor Type, PDF417 Linear (1D) barcodes supported, 1280x800 pixels Optical Sensor Resolution, USB Type-A 3m straight cable
1990IXR-3USB-R	R 4,626	Honeywell 1990IXR Ultra Rugged 1D / 2D / PDF417 / XR USB tethered Scanner, Ultra Rugged/Industrial, XR FlexRange focus with vibration, Red Scanner, USB Type-A 3m straight cable
1991IXR-3USB-5-R	R 10,379	Honeywell 1991IXR Wireless Industrial 1D / 2D / PDF417 Red Scanner, XR with vibration, Charge and communication base, USB Type-A 3m, 5V Host power cable, 2450 mAh Li-ion battery, Up to 50, 000 scans per charge, Area Imager (1280 x 800 Pixel Array) scan pattern
650	R 518	Microworld 650 USB Wireless 2D Scanner, Uses Advanced CMOS camera Technology
BS80	R 3,623	Newland BS80 Piranha 2D CMOS Wireless Bluetooth Scanner, Based on 0370 decoder Chip, Reads PDF / Data Matrix / QR, Supports Apple iOS & Android & Windows devices, BT Class 1 range up to 100 m, CMOS 752x480 image sensor, 612nm-624nm Red LED illumination, 650nm Laser Diode, Trigger scan modes, 60 frames per second scan rate, 6 hours of continuous operation expected battery life, 3.5 hours expected charge time, 3.7V 900mA rechargeable Li-ion battery
BTRY-TC2L-3XMAXX-01	R 2,789	Zebra 5200 mAh extended Battery with PowerPrecision Plus for TC22 / TC27, Compatible with --> Zebra TC22 / TC27 Mobile computers
CBA-R01-S07PBR	R 546	Zebra cable RS232 DB9 female 2m ST cable, TXD-2, with TTL current limit protection, 2.13m straight 5V RS-232 Serial (DB9 female / TXD on 2) cable with TTL current limit protection circuitry - requires 5V Power Supply sold separately, Compatible with --> Zebra DS4308-sr handheld Scanner
CBA-RF1-C09PAR	R 1,415	Zebra Cable RS-232 Db9 Female Connector 2.8M Coiled, Txd On 2, 12V (Requires 12V Power supply), Low Temp -30C, Compatible with --> DS3678 scanner
CD-3870U	R 920	Posiflex CD-3870U Handy CCD scanner long range between 30-50cm, USB interface, 270 scan / sec, 1.5 m Drop Resistance 1.5 m, Decodable Capability : Code 39 / Full ASCII Code 39 / Code 32 / Code 128 / Code 93 / Code 11 / Codabar / NW7 / All UPC / EAN / JAN code (EAN-13 / EAN-8 / UPC-A / UPC-E / EAN-128) / Interleave 2 of 5 / STD 2 of 5 / Industrial 2 of 5 / matrix 2 of 5 / Chinese Postage Code / IATA / MSI / PLESSY / Italian Pharmacy Code / Telepen
CH-MICAHISTD	R 199	Champtek Optional Mica High Stand, Retail Box
DP8210	R 861	Mlink DP8210 USB RS232 Desktop 1D/2D Barcode Scanner, 640 x 480 pixels CMOS Image Sensor, Red Light LED Light source, Scan mode - Automatic induction / continuous / auto Sense, Up to 100cm/s Scan Speed, 5mil Resolution, 0-380mm depth of Field, 1.8m cable length
DP8283S	R 633	Mlink 2D USB Barcode Desktop Scanner, 640x480 pixels Resolution, USB (Wired) Interface
DP9291	R 1,494	Mlink DP9291 USB RS232 Box Scanner, Prolific PL2303gt Chipset, 1x USB Type-A (Male), 1x DB-9 (9 pin D-Sub) Serial (Male)
DS2208	R 1,679	Zebra DS2208 2D Corded Imager Handheld GunType scanner USB Black with stand
DS2208-HCBU2100AZR	R 3,002	Zebra DS2208-HC Healthcare 2D Scanner USB kit, CBA-U21-S07ZBR shielded USB cable
DS2208-SR7U2100AZW	R 2,243	Zebra DS2208-SR 2D image Handheld Scanner Black USB kit, DS2208-SR00007ZZWW Scanner, CBA-U21-S07ZBR shielded USB cable, Linear 624nm amber LED aiming pattern, Illumination 2x 645nm Super-Red LEDs, 640x480 pixels image Sensor
DS2208-SR7U2100SGW	R 1,748	Zebra DS2208 2D Corded Imager Handheld GunType scanner USB Black with stand
DS2208-SR7U2100SGW	R 1,576	Zebra DS2208 2D Corded Imager Handheld GunType scanner USB Black with stand
DS2278	R 3,536	Zebra DS2278-SR Black Cordeless 2D Scanner & cradle USB kit, Imager Scanner Type, Cordless, Bluetooth communication, 4 mil minimum bar width, 640x480 sensor Resolution, Single-pass scan mode
DS2278-HCBU2100PRR	R 5,118	Zebra DS2278-HC presentation cradle 2D Scanner USB kit - DS2278-HC0000BZZRW Scanner &

		CBA-U21-S07ZBR shielded USB cable, 640x480 pixels image sensor, Health Care Scanner
DS2278-SR7U2100PRW	R 3,686	Zebra DS2278 Handheld 2D Imager Cordless Black, Cradle Kit & Direct Bluetooth Comms
DS3608-DP3U4602ZVW	R 27,035	Zebra DS3608-DP 1D/2D Rugged vibration USB kit - DS3608-DP20003VZWW Scanner & CBA-U46-S07ZAR shielded USB high current cable, Array Imager Scanning Technology
DS3608-SR3RF50AZVW	R 12,282	Zebra DS3608-SR 1D/2D Corded rockwell Industrial Ethernet (Straight cable) kit, DS3608-SR00003VZWW Scanner, CBA-RF5-S07ZAR Serial cable, EA3600-R1CP-00 Ethernet Adapter, Laser Sensor Type, 1280x800 pixels Optical Sensor Resolution, 3100 mAh Battery capacity
DS3608-SR3U4600VZW	R 5,382	Zebra DS3608-SR standard range 2D Rugged Green Vibration Motor USB kit - DS3608-SR00003VZWW Scanner & CBA-U46-S07ZAR high current shielded USB cable, array imaging scanning technology
DS3678-DP2F003VZWW	R 22,885	Zebra DS3678-DP Rugged Green 1D/2D area imager Rugged Wireless Scanner, Cradle not included, DS3678-DP2F003VZWW, 100 000 scans per full charge, 655 nm Laser aimer, 1280x960 pixels image sensor, Vibration motor, FIPS, Direct 2x warm White light LED illumination, Diffuse Ring of Red 634 nm leds illumination
DS3678-DP2RF50BS1W	R 32,775	Zebra DS3678-DPA Cordless 1D/2D Siemens Industrial Ethernet kit, For Automation, DS3678-DPAF002VZWW 1D/2D Scanner, Imager Image Sensor Type, Bluetooth, Serial Host Interface
DS3678-DP3U42A2S1W	R 27,859	Zebra DS3678-DP Rugged Green 1D/2D area imager Rugged Wireless Scanner with cradle, Shielded USB cable, DS3678-DP3U42A2S1W, 100 000 scans per full charge, 655 nm Laser aimer, 1280 x 960 pixels image sensor, Vibration motor, FIPS, Direct 2x warm White light LED illumination, Diffuse Ring of Red 634 nm leds illumination
DS3678-SR0F003VZWW	R 12,154	Zebra DS3678-SR Standard Range Wireless 2D Area Imager Rugged, Green Vibration Motor, No cradle, DS3678-SR0F003VZWW
DS3678-SR3U42A0SFW	R 13,024	Zebra DS3678-SR Rugged Green 1D/2D rugged Wireless Scanner with standard cradle, Standard range, Shielded USB cable, No line cord, DS3678-SR3U42A0SFW, 100 000 scans per full charge, One 1x 660 nm LED illumination, 610 nm LED aimer, 1280x800 pixels image sensor
DS4608-HD00007ZZWW	R 3,715	Zebra DS4608-HD high density Area Imager 2D Scanner USB, Twilight Black Scanner only, No USB cable, DS4608-HD00007ZZWW, 1280x800 pixels image sensor
DS4608-SR7U2100SGW	R 2,639	Zebra DS4608-SR 2D Scanner Black with stand USB kit - DS4608-SR00007ZZWW Scanner, CBA-U21-S07ZBR shielded USB cable, 20-71043-04R stand, 1280x800 pixels image sensor, Images can be exported as Bitmap / JPEG / TIFF, Standard range
DS6100C	R 344	Microworld DS6100C 2D Barcode handheld Scanner USB, Red light LED light source, 640 x 480 Resolution, 4mil Resolution, 10mm-500mm depth of Field
DS6100CB	R 689	Microworld DS6100CB 2D Wireless Bluetooth Barcode Scanner, Red light LED light source, 640 x 480 Resolution, 4mil Resolution, 2000mAh battery capacity, 20h continuous working time, USB, Wireless 2.4G, Bluetooth 4.2
DS8178-SR0F007ZZWW	R 9,097	Zebra DS8178 standard range 2D Area Imager cordless, Twilight Black, Digimarc, No cradle or cables, DS8178-SR0F007ZZWW, 1280x960 pixels image sensor
DS8178-SR7U2100SFW	R 13,041	Zebra DS8178SR standard range 2D Area Imager Cordless, Twilight Black, Digimarc, 1280 x 960 pixels Image Sensor, FIPS Presentation cradle USB kit, DS8178-SR0F007ZZWW Scanner, CBA-U21-S07ZBR shielded USB cable, CR8178-SC100F4WW cradle
DS9308	R 2,703	ZEBRA DS9308-SR Laser 1D/2D Presentation Scanner Black USB, Shielded USB cable, EMEA only, DS9308-sr4u2100aze, Circular 617 nm amber LED aiming pattern, 660 nm Hyper Red LED illumination, 1280x800 pixels image sensor, DS9308-SR4U2100AZE
DS9308-SR00004ZCWW	R 4,865	Zebra DS9308-SR Laser 1D/2D Presentation Scanner Black - USB, Shielded USB cable, EMEA only, Circular 617 nm amber LED aiming pattern, 660 nm Hyper Red LED illumination, 1280x800 pixels Image Sensor, Checkpoint EAS
DS9308-SR4U2100AZE	R 2,415	ZEBRA DS9308-SR Laser 1D/2D Presentation Scanner Black USB, Shielded USB cable, EMEA only, DS9308-sr4u2100aze, Circular 617 nm amber LED aiming pattern, 660 nm Hyper Red LED illumination, 1280x800 pixels image sensor
FL-9800	R 794	Microworld Laser Hand-held Barcode Scanner USB
FM430	R 1,840	Newland FM430 Barracuda 2D CMOS Mega Pixel fixed mounted reader with 2m USB extension cable, Laser aimer, White light & IR sensor, CMOS 1280x800 image sensor, Scan modes - Sense mode / continuous mode /

		level mode / Pulse mode, 60 frames per second scan rate
FM8080-20	R 2,956	Newland FM80 Salmon 2D CMOS Mega Pixel large Window fixed Mount Scanner, 3 meter USB cable, 1280x1080 CMOS image sensor, Red LED illumination, Advanced Sense mode, 3.5m/s motion tolerance
FR40	R 1,932	Newland FR40 Koi II 2D CMOS Mega Pixel omnidirectional presentation Desktop Scanner, 2m USB cable, 1280 x 800 CMOS image sensor, White LED illumination, 2.5m/s motion tolerance
FR8080-20	R 2,823	Newland FR80 Salmon 2D CMOS Mega Pixel large Window vertical Desktop Scanner, with ' 'I' ' mounting bracket, 3 meter USB cable, 1280 x 1080 CMOS image sensor, Red LED illumination, 0mm-180mm depth of Field, 3.5m/s motion tolerance
GBT4500	R 8,280	Datalogic Gryphon I GBT4500 2D Wireless Barcode Scanner kit, Bluetooth, WLC4090-BK-BT base and USB cable 90A052258, Single Line Scan pattern, Image Sensor Type
GD4130	R 1,817	DataLogic Gryphon General Purpose Linear Imager, Available with USB interface, Reading depth: 20mm - 800mm, Reading Rate: 325 / sec, Readable Barcodes: 1D / Linear, Codes: Autodiscriminates all standard 1D codes including GS1 DataBar linear codes.
GD4590	R 3,899	Datalogic Gryphon GD4590 Corded Barcode with 2D Imager - USB, 4-dot aimer with center cross, General purpose, Handheld, USB / Serial / KBW Multi-Interface support, USB cable included, Includes Barcode Scanner and stand
GM4200-BK-433K1	R 5,578	Datalogic Gryphon GM4200 Cordless Barcode 1D Linear Imager Scanner, General purpose, Handheld, 433 MHz, Kit including Scanner & WLC4190-BK-433 base, USB cable 90A052258, 2550 mAh Lithium-ion Battery, 80 000 reads per charge, GM4200-BK-433K1
HF680-R1-1USB	R 2,295	Honeywell Orbit HF680 Scanner kit 1D/2D Imager general purpose, USB hands free, 1.5m USB Host cable Black, 1280x800 Pixel dpi Scan
HH490 HONEYWELL COMBO	R 9,728	Honeywell HH490 Handheld 2D Area-Imaging Scanner with stand - USB - 10 Pack, Black, Merta & ANZ USB kit with stand & 1m cable, 1D, PDF, 2D, Array Scan pattern, 35mm - 430mm scanning range, 35mm - 430mm depth of Field, HH490-R1-1USB-1-R
HH490 WINTER COMBO	R 9,728	Honeywell HH490 Handheld 2D Area-Imaging Scanner with stand - USB - 10 Pack, Black, Merta & ANZ USB kit with stand & 1m cable, 1D, PDF, 2D, Array Scan pattern, 35mm - 430mm scanning range, 35mm - 430mm depth of Field, HH490-R1-1USB-1-R
HH490-R1-1USB-1-R	R 1,081	Honeywell HH490 Handheld 2D Area-Imaging Scanner with stand - USB, Black, Merta & ANZ USB kit with stand, 1D, PDF, 2D, Array Scan pattern, 35mm - 430mm scanning range, 35mm - 430mm depth of Field
HH492 HONEYWELL COMBO	R 23,109	Honeywell HH492 Handheld 2D Area-Imaging Performance Scanner - 10 pack, Black, Charge and communication base (BASE-100-2-492), 1.5m USB cable, Up to 50 000 scans per charge, Area Imager CMOS 1040 x 720 Pixel Array Scan pattern, Up to 400mm for 13 mil UPC depth of Field, Bluetooth, Area Imager scanning Engine Type
HH492 WINTER COMBO	R 23,109	Honeywell HH492 Handheld 2D Area-Imaging Performance Scanner - 10 pack, Black, Charge and communication base (BASE-100-2-492), 1.5m USB cable, Up to 50 000 scans per charge, Area Imager CMOS 1040 x 720 Pixel Array Scan pattern, Up to 400mm for 13 mil UPC depth of Field, Bluetooth, Area Imager scanning Engine Type
HH492-R1-1USB-5	R 2,414	Honeywell HH492 Handheld 2D Area-Imaging performance Scanner, Black, charge and communication base (BASE-100-2-492), 1.5m USB cable, Up to 50 000 scans per charge, Area Imager CMOS 1040x720 Pixel Array Scan pattern, Up to 400mm for 13 mil UPC depth of Field, Bluetooth, Area Imager scanning Engine Type
HON 1250G2USB1	R 1,495	Honeywell HON 1250G2USB1 Voyager 1250G Gunshape 1D laser scanner, USB cable & stand included, Single Dot Scan, Reads standard 1D and GS1 DataBar symbologies
HR10	R 920	Newland HR10 Sardina 1D CCD handheld reader USB, Grey top cover with USB cable, Autosense, including foldable stand (No Smart stand support), CCD 1500 image sensor, Red LED illumination, Scan modes - trigger / Sense / continuous mode / command trigger mode, 300 scans per second
HR1150P-30F	R 955	Newland ID HR11 Aringa 1D CCD handheld reader with USB cable, Autosense, including foldable Smart stand, 2500-pixel Linear Imager sensor, Red LED illumination, > 3mil Resolution
HR1150P-30F	R 932	Newland ID HR11 Aringa 1D CCD handheld reader with USB cable, Autosense, including foldable Smart stand, 2500-pixel Linear Imager sensor, Red LED illumination, > 3mil Resolution
HR12	R 1,024	Newland HR12 Anchoa 1D CCD handheld reader, with 2m direct USB cable, CCD 1500 image sensor, Red LED illumination, Scan modes - trigger mode / Sense mode / continuous mode / command trigger mode, 300 scans per

		second, Trigger button
HR23	R 1,208	Newland HR2300-SA HR23 Dorada 2D CMOS Handheld reader with 3.5m coiled USB cable, 640x480 CMOS image Sensor, Red LED aiming, White LED illumination
HR2300-BT	R 1,668	Newland HR23 Dorada Bluetooth 2D CMOS Wireless Handheld Scanner, For direct connection or with Dongle, Stand with USB charging cable, 640x480 CMOS image Sensor, Red LED aiming, White LED illumination, 2600mAh Lithium-ion Battery, 16 hours of continuous operation
IHS320X-B-022-A1	R 1,109	Honeywell IHS320 2D Handheld Scanner kit with 2m USB straight cable & stand ISS100, 617nm LED aimer White LED Light source, Image CMOS Scan Type, 30 frames/sec Scan rate, IHS320X-B-022-A1
LI2208-SR7U2100SGW	R 1,282	Zebra LI2208 Handheld 1D Linear Imager Black, With stand USB Kit, Single bright aiming line Scan Pattern, 547 scans per second
LI2208USB	R 1,248	Zebra LI2208USB 1D General Purpose USB Corded Linear Imager Guntype Scanner with stand, 547 scans per second, LED Class 1 device 617nm (amber), Single bright aiming line
LI3608-ER3U4600ZVW	R 9,079	Zebra LI3608-ER Rugged Green 1D Extended Range Linear Imager scanner USB, No cradle, Shielded USB high current cable, LI3608-ER3U4600ZVW, Illumination 660 nm LED, Aimer 655 nm Laser, 2496 pixels image sensor
LI3608-SR3U4600VZW	R 6,417	ZEBRA LI3608-SR Rugged Green 1D Linear Imager USB, Standard Range, Shielded USB cable, LI3608-SR3U4600VZW, Two 2x 617nm amber leds illumination, 35 degree imager Field of view, 1500 pixels image sensor, Vibration Motor
LI3678-ER3U42A0S1W	R 16,399	Zebra LI3678-ER Rugged Green 1D Extended Range cordless Linear Imager Scanner, Standard cradle, LI3678-ER2F003VZWW, CBA-U42-S07PAR shielded USB cable, Illumination 660 nm LED, Aimer 655 nm Laser, 2496 pixels image sensor, FIPS, Vib ration motor
LI3678-SR3U42A0S1W	R 12,713	ZEBRA LI3678-SR Rugged Green 1D cordless Linear Imager scanner with cradle, Standard Range, Shielded USB cable, Cradle and Power Supply included, LI3678-SR3U42A0S1W, PowerPrecision 3100 mAh Li-ion rechargeable battery, 70 000 scans per full charge, Two 2x 617nm amber leds illumination, 35 degree imager Field of view, 1500 pixels image sensor
LI4278	R 3,623	Zebra LI4278 Laser Handheld 1D Laser, Bluetooth Kit, Single bright aiming line, 547 scans per second, Up to 57000 Scans Per Charge
LI4278-TRBU0100ZER	R 3,888	Motorola General Purpose LI4278 Cordless Linear Bluetooth Scanner
LI4278-TRBU0100ZER	R 4,474	Zebra general purpose LI4278 1D cordless linear Bluetooth Scanner, 72 hours per full charge, IP53 sealing, 1D decode capability, 547 scans per second, Single bright aiming line, LED Class 1 device 617nm light source, Up to 57000 scans per charge
LS2208-SR20007R-UR	R 1,177	Symbol LS2208 Handheld 1D Laser Black with stand - USB Kit, 650nm visible laser diode, 100 scans per second typical; USB interface; 650nm visible laser; 100 scans per second; black; includes stand; retail POS; inventory scanning; warehouse use
LS2208-SR20007R-UR	R 1,282	Symbol LS2208 Handheld 1D Laser Black with stand - USB Kit, 650nm visible laser diode, 100 scans per second typical; USB interface; 650nm visible laser; 100 scans per second; black; includes stand; retail POS; inventory scanning; warehouse use
LS2208USB	R 1,438	Motorola Symbol Laser Hand held Barcode Scanner - USB - Black
MD-RS232CABLE	R 98	Mindeo MD-Series Barcode scanner Spare RS232 Cable
MS-7120	R 2,749	Honeywell Orbit Omnidirectional Laser Scanner-USB
NLS-BS8080-1D	R 1,742	Newland BS80 Piranha II 1D Linear Imager Bluetooth Scanner, Reads 1D barcodes, Supports Apple iOS / Android / Windows devices, 2500 Linear Imager Sensor, 50m Bluetooth transmission range
NLS-BS8080-2D	R 2,662	Newland BS80 Piranha II 2D CMOS Bluetooth Scanner, 1280x800 CMOS image Sensor, > 5mil Resolution, 5 hours of continuous operation expected Battery Life, Type-C USB, Bluetooth
NLS-FR4080-20	R 1,852	Newland FR40 Koi II 2D CMOS Mega Pixel omnidirectional Presentation Desktop Scanner, 2m USB cable, 1280x800 CMOS Image Sensor, White LED illumination, 3mil Resolution, IP52 sealing
NLS-FR8080-20	R 2,892	Newland-FR80 Salmon 2D CMOS Mega Pixel Large window vertical desktop scanner with " L" mounting bracket; 3 mtr USB cable and mu
NLS-HR1150P-30F	R 811	Newland ID HR11 Aringa 1D CCD handheld reader with USB cable, Autosense, including foldable Smart stand, 2500-pixel Linear Imager sensor, Red LED illumination, > 3mil Resolution

NLS-HR1250-70	R 431	Newland-HR12 Anchoa 1D CCD Handheld Reader with 2 mtr. direct USB cable
NLS-HR2300-BT	R 1,944	Newland NLS-HR2300-BT HR23 Dorada 2D CMOS Wireless Bluetooth Handheld Reader with Stand/Docking Station (NLS-HCD2333); USB Cable
NLS-HR2300-BT	R 1,949	Newland HR23 Dorada Bluetooth 2D CMOS Wireless Handheld Scanner, For direct connection or with Dongle, Stand with USB charging cable, 640x480 CMOS image Sensor, Red LED aiming, White LED illumination, 2600mAh Lithium-ion Battery, 16 hours of continuous operation
NLS-HR2300-S8	R 1,236	Newland HR23 Dorada 2D CMOS Handheld reader with 2m straight cable - RS232, 640x480 CMOS Image Sensor, Red LED aiming, White LED illumination, 3mil Resolution, Serial RS232
NLS-HR2300-SA	R 1,173	Newland HR2300-SA HR23 Dorada 2D CMOS Handheld reader with 3.5m coiled USB cable, 640x480 CMOS image Sensor, Red LED aiming, White LED illumination
NLS-HR3300-BT	R 2,858	Newland HR23 Dorada 2D CMOS Wireless Bluetooth Handheld reader with stand/docking station, 1280x800 CMOS Image Sensor, Laser aiming, White LED illumination, > 3mil Resolution, 2600mAh Lithium-ion Battery, Hours of continuous Operation (Scan once per 6 seconds), USB (Type-A) Interface, Bluetooth 5.0, 100m Wireless distance (Maximum), IP52 rating, Charging cradle
NLS-NVH220-V2-XD	R 3,094	Newland NVH220 Lophius AI Handheld 2D Scanner, AI-powered Barcode detection and decoding, Cross Laser aiming, Red & Blue LEDs, White LED illumination, 1280x800 CMOS Image Sensor, 20% minimal print contrast, 2 m/s motion tolerance, 2mil Resolution, USB
NLS-NVH220B-V2-XD	R 5,647	Newland NVH220B Lophius II Wireless Handheld 2D Industrial Scanner, AI-powered Barcode detection and decoding, Cross Laser aiming, Red & Blue LEDs, White LED illumination, 1280x800 CMOS Image Sensor, 20% minimal print contrast, 2 m/s motion tolerance, 2mil Resolution, USB, RS-232, Ethernet
OSL-4110-USB-B	R 1,499	Esquire Hand Held Laser Scanner Slim Housing
PSC QW2520-BKK1	R 1,668	Datalogic QW2520 Black Lite 2D imager USB, including USB cable, No stand, VGA (640x480 pixels) image sensor
QSD-2430U	R 1,265	Datalogic QD2400 series 2D Quick Scan Scanner USB Black, Datalogic ' s patented ' Green Spot ' technology for good-read feedback, Advanced motion tolerance optics
SP7201-SV00004ZSWW	R 4,399	Zebra SP72-V Vertical 1D/2D baracode Scanner - USB, Single plane, Vertical, USB only, No Aux Port, Standard range, Midnight Black, Sensormatic EAS, Auto-induction trigger mode, 1920x1200 pixels Optical Sensor Resolution, SP7201-SV00004ZSWW
SP7208-SV00004ZZWW	R 7,337	Zebra SP7208 single plane 1D/2D Scanner - Vertical, Multi-Interface, Aux Port, Standard range, Midnight Black, RJ45, USB Type-A, 2.3 Megapixel (1920x1200 pixels) Resolution
WS5001-0B2J3020EA6	R 38,588	Zebra WS50 Converged 2D Back of Hand Mount Scanner with SE4770 1D/2D Imager, 1300mAh Battery, Android 2D, No proximity Sensor, 5.08cm 460 x 460 AMOLED Touchscreen Display, Wi-Fi, Bluetooth, NFC, 13 MP rear camera, Ilt-in Microphone, Speakers, USB 2.0 Port, 1D/2D Scanner Type, WS5001-0B2J3020EA6
XM4200	R 249	XM4200 Postron Wired USB handheld 1D Laser Barcode Scanner USB, 3 - 55 mm depth of Field, Ergonomic design and durable housing, USB Interface,
Z-3100PS2	R 607	Zebex Z-3100PS2 handheld CCD barcode scanner; black finish; 330 scans per second; PS2 interface; 32-bit processor; Ultrascan decoding; supports 1D barcodes; reads mobile screen barcodes; 152.3 x 64.4 x 104.9mm; 84g; retail POS scanner; warehouse inventory scanner
Z-3100USB	R 614	Zebex Z-3100USB Black handheld CCD barcode scanner; USB HID; 330 scans per second; 1D barcode support; black finish; 32-bit processor; scan mobile screens; 152.3 x 64.4 x 104.9mm; 84g to 120g; retail POS; 1.5m drop resistance
Z-3101U	R 1,829	ZEBEX Hand Held Laser Barcode Scanner, USB Interface, Black, Light and Rugged, 630 nm Light Source, Reliable and Sensitive Scanning. 1D Advanced Handheld Laser Barcode Scanner, Carry-In-Warranty, Blue LED, Scan Rate: 100 scans per second, Readable Barcodes:, UPC/ EAN/ JAN; UPC-A & UPC-E; EAN-8 & EAN-13; JAN-8 & JAN-13; ISBN/ ISSN; , Code 39; Codabar; Code 128 & EAN 128; Code 93; ITF 2 of 5; IATA Code; MSI; , Chinese Postal Code; Code 32; Industrial 2 of 5; Standard 2 of 5; JAP; Code 11; , GS1 DataBar; GS1 DataBar Limited; GS1 DataBar Expanded;
Z-3102USB	R 1,140	Zebex Z-3102USB 1D / 2D Handheld Scanner USB, 617 nm LED aiming element, White LED illumination element, 1280h x 800V CMOS Optical system, 4 mils min bar width, Blue LED indicator, Programmable tone & beep time, Standard 2m straight cable, Stand not included

Z-3190BT	R 3,795	1D Bluetooth Handheld Gun-Type Laser Barcode Scanner - NOTE: Bluetooth Dongle and Cradle are not included and are sold separately.
Z-3190BT	R 2,852	1D Bluetooth Handheld Gun-Type Laser Barcode Scanner - NOTE: Bluetooth Dongle and Cradle are not included and are sold separately.
Z-8182U	R 3,528	Zebex Z-8182U 2D On-Counter vertical Scanner - USB, 1280x720 pixels Optical system, 4 mil minimum bar width
ZA-7708	R 2,069	Microworld ZA-7708 2D Presentation Barcode Scanner, Hands-Free scanning for faster workflow, 1 x bracket / stand, USB Interface, Auto-Sensing Technology
ZA-7708	R 2,499	Microworld ZA-7708 2D Presentation Barcode Scanner, Hands-Free scanning for faster workflow, 1 x bracket / stand, USB Interface, Auto-Sensing Technology
ZAS2D001	R 399	Postron 2D USB Barcode Scanner - USB, ZAS2D001, ZapoScan 2D

< Return to the menu

Cash registers

Product code	Price	Description
CD-405	R 499	Postron 405 Series Cash Drawer - 3 x Position Lock, Controlled Mode, Locked Mode, Manual Mode, RJ11 Interface, Connect with PC or Printer Via RJ11 Cable, 2 x Keys Included, RJ11 Cable Included, 4 Notes Compartments and 8 Coins Compartments Drawer, Color Black, Retail Box, 3 Months Warranty.
CK-420	R 972	Maken CK-420 cost effective Cash Drawer, Printer kick Interface, 5 billl and 8 Coins Tray slot, Roller mechanism
CR-2005-T	R 861	Microworld CR-2005-T Black Cash Drawer
CR-2022-M	R 792	Maken CM410 Cash Drawer Black, 24V, RJ11 connector, 5 bill 8 coin insert tray
CR-2022-M	R 943	Maken CM410 Cash Drawer Black, 24V, RJ11 connector, 5 bill 8 coin insert tray, 410 x 420 x 100mm size, CR-2022-M
CR-2025-M	R 903	Maken CR-2025-M POS Cash Drawer 5 note 8 Coin, 3 position lock, RJ11 Interface suits, 405x400 x 100mm size
CR-INSERT-TRAY	R 511	Proline Cash Drawer Insert for CR-2007/ CR-2005)
CR-KEYS	R 288	Keys for the keylock for CR4000 & CR4100 Series
CR2210	R 2,036	Posiflex CR-2210 Cash Drawer, Available in Black with Printer Kick Device interface, 2 Fixed and 4 Adjustable bill compartments (total 6), 1 Fixed and 7 Adjsutable coin compartments (total 8), Media slot for non-cash / large bill transactions, Three level lock for maximum cash security, Optional: Removable Insert Tray and Locakable Try Cover.
CR4100BK	R 1,484	POSIFLEX Cash register. 5 fixed bill compartments. 9 Fixed coin compartments. Bill weight is made of heavy metal material. Media slot for non-cash / large bill transactions. CR4100 - has a receipt kick device interface. BLACK
CT-4100	R 403	Insert Tray for CR4100 Series
KEYLOCK4	R 121	Replacement Lock for CR4000 & CR4100 Series
MAKEN-CABLE	R 46	Maken Cash Drawer Spare Cable for Printer Kick Interface
MAKEN-INSERT-MK425	R 253	Maken Cash Drawer Insert / Tray-425E for MK-425 cash draw, Cash Draw not included
MAKEN-LOCKSET	R 6	Maken Cash Drawer Spare Lock Set with 2 Keys
POSHPFK182AA	R 7,027	HP FK182AA heavy duty POS cash drawer; steel construction; 4 million cycle durability; industrial ball bearing slides; 406 x 424 x 124mm; 8.62kg; removable till insert; secure lock system; retail and hospitality compatible
POSHPQT458AA	R 2,479	HP Standard Duty Till with Lockable Lid
PSNT405	R 599	Unbranded Postron Compact Cash Drawer - 5 Notes And 5 Coins Compartments Trays With RJ11 Interface - Colour Black- Built-in 3-Position Key Lock, Connect Directly To POS Printer Widely Used In Retail Stores, Supermarkets And Restaurants, Retail Box
PSNT405	R 750	Postron Compact Cash Drawer - 5 notes and 5 Coins compartments trays with RJ11 Interface, Black, Built-In 3-position key lock, Metal construction, removable internal divisions
PWRV-1210F	R 89	Esquire Cash Drawer Adapter for PCD-426S-B-2 (This is an adapter only - the Cash drawer is not included)
SK-410	R 1,093	Maken Heavy Duty Cash Drawer with Printer kick Interface - Black, 5bill and 8 Coins Tray slot, Ball bearing slide mechanism, 2 Media slot, RJ11 connector
XEA137WH	R 3,335	Sharp XE A137 White Cash Register
ZH-405N	R 699	UniQue Compact 5 Notes and 5 Coins Cash Drawer - With RJ11 Interface, Colour Black, Built-in 3-Position Key

		Lock, Mechanism Roller, Connect Directly To Printer, Widely Used In Retail Stores, Supermarkets And Restaurants, Retail Box

< Return to the menu

Cash sorting machines

Product code	Price	Description
M2100	R 3,639	Avansa LightCount 2100 counts the number of notes up to 1000 per minute, Suitable for All currencies, 1000 notes/minute, Automatic counterfeit detection with ultraviolet (UV) while counting
UN2050A	R 2,899	Casey CompactCount 2050 Money Counter is a reliable and efficient note-counting machine designed for speed and accuracy. It counts up to 1000 notes per minute and features dual-point counterfeit detection for secure operation. With a 200-note stacking capacity and built-in dust removal system, it ensures smooth and long-lasting performance. Compact in size (25 x 23 x 15 cm) and easy to use, this machine is perfect for businesses needing fast, accurate cash handling.

< Return to the menu

Hand held computer / Mobile data terminal

Product code	Price	Description
303201399	R 5,083	Hikvision DS-MDT201 Handheld 5.5" 720x1440 Mobile Computer PDA with 2D Scan, DS-MDT201/64G/GLE, 5 MP front camera, 13 MP rear camera, 1920x1080 maximum Resolution, Flashing Light supported, 5.5" IPS capacitive Touch panel 720x1440, 8 Core CPU, 4GB RAM, 64GB ROM, Wi-Fi, Bluetooth 5.0, GPS, NFC, Nano-SIM slot, Type-C charging Interface, USB 2.0, Android 10.0 Operating System, Built-In Speaker, IP68 sealing, 1.5 m drop specifications, 4900 mAh Lithium-ion Battery
303202552	R 6,325	Hikvision DS-MDT202 Mobile 5.5" 720x1440 Handheld Mobile Computer with OCR Function, DS-MDT202/4& 64/GLE/AI(O-STD)/GMS, 5 MP front camera, 13 MP rear camera, 5.5" 720x1440 Pixel IPS capacitive Touch panel, 8 Core CPU, 4GB RAM, 64GB ROM, 4G LTE, Wi-Fi, Bluetooth 5.0, GPS, Beidou, Glonass, Galileo, 3 Virtual Keys 6 side Keys, 2 Nano-SIM slots, Waterproof Type-C USB Interface, Android 14.0 Operating System, 1.5 m drop specifications, IP 68, 5000 mAh replaceable Battery
313201752	R 1,061	Hikvision DS-MSH100 Industrial USB Barcode 2D Scanner, USB & Serial, DS-MSH100/03U/03S/W2, 0.3 MP gmos, NPU CPU, Deep Learning, Orange LED aiming, Minimum 5 mil, USB & serail, Most 1d& 2d codes, Dpm
CC6000-10-3200LCWW-S	R 40,940	Zebra CC6000 concierge Data Terminal with 1D/2D SE4710 Scanner, 10 inch 1280x800 Display, Landscape, 5MP front camera, Virtual Keypad, 2x full size USB 2.0 Type-A Ports, 1x USB-C OTG, RJ45 Ethernet Gigabit compatible, 3.5 mm Connector external Audio in, Two microphones, Qualcomm Snapdragon 660 CPU, 4GB RAM, 32GB internal storage, WiFi, Buetooth, 1D/2D Zebra SE4710 decoded Scanner, CC6000-10-3200LCWW-S
CK62-HS-5PK	R 657	Honeywell CK62 hand strap for device without Scan Handle - 5 pieces, For Honeywell CK62 Mobile Computer, CK62-HS-5PK
CK65-L0N-B8C214E	R 30,620	Honeywell CK65 Android 8 Mobile Computer, Alpha Numeric Keyboard, 1D/2D Imager, 4GB RAM, 32GB Flash, Camera, GMS, 2.2 GHz Qualcomm 64-bit Snapdragon Octa-core Processor, Android 8.0 Oreo Operating System, 4" 480x800 bright Colour LCD Display, Rugged Multi-Touch capacitive Touch panel, IEEE 802.11ac WLAN, Bluetooth, SCP, GMS, Standard environment, WW mode, ETSI
CK65-L0N-B8C214E-X	R 30,620	Honeywell CK65 Android 8 Mobile Computer, Alpha Numeric Keyboard, 1D/2D Imager, 4GB RAM, 32GB Flash, Camera, GMS, 2.2 GHz Qualcomm 64-bit Snapdragon Octa-core Processor, Android 8.0 Oreo Operating System, 4" 480x800 bright Colour LCD Display, Rugged Multi-Touch capacitive Touch panel, IEEE 802.11ac WLAN, Bluetooth, SCP, GMS, Standard environment, WW mode, ETSI
CK65-L0N-B8N212E	R 30,620	Honeywell CK65 Android 8 Mobile Computer, Alpha Numeric Keyboard - FlexRange, 1D/2D Imager, 4GB RAM, 32GB Flash, GMS, 2.2 GHz Qualcomm 64-bit Snapdragon Octa-core Processor, Android 8.0 Oreo Operating System, 4" 480x800 bright Colour LCD Display, Rugged Multi-Touch capacitive Touch panel, IEEE 802.11ac WLAN, Bluetooth, No camera, SCP, GMS, Cold storage, Enhanced durability, WW mode, Cold storage up to -30 Degrees C, Ultra-Rugged, Long-Life Smart Battery
CK65-L0N-BMC210E	R 13,485	Honeywell CK65 Android 8 Mobile Computer, Alpha Numeric Keyboard, EX20 Honeywell NearFar range 2D area

		image, 4GB RAM, 32GB Flash, Camera, GMS, 2.2 GHz Qualcomm 64-bit Snapdragon Octa-core Processor, Android 8.0 Oreo Operating System, 4" 480x800 bright Colour LCD Display, Rugged Multi-Touch capacitive Touch panel, IEEE 802.11ac WLAN, Bluetooth
CK65-LON-B8C214E	R 28,928	Honeywell CK65 Android 8 Mobile Computer, Alpha Numeric Keyboard, 1D/2D Imager, 4GB RAM, 32GB Flash, Camera, GMS, 2.2 GHz Qualcomm 64-bit Snapdragon Octa-core Processor, Android 8.0 Oreo Operating System, 4" 480x800 bright Colour LCD Display, Rugged Multi-Touch capacitive Touch panel, IEEE 802.11ac WLAN, Bluetooth, SCP, GMS, Standard environment, WW mode, ETSI
CK67-XON-58S1AOG	R 20,572	Honeywell CK67 4.3" Mobile Handheld Computer, CK67-X0N-58S1A0G, Wi-Fi 6E, No SIM, 4.3" screen, 51-key alphanumeric, 8GB RAM / 128GB storage, FlexRange Engine-Green Laser, Front & rear camera, Standard Battery, GMS, IP65/68, Standard environment & Battery, Li-Ion 7000mAh Battery
CT30 XP HONEYWELL COMBO	R 38,404	Honeywell CT30 XP HONEYWELL COMBO Bundle, Includes 3x CT30P-SH-UVB [CT30 XP Scan handles] 3x CT30P-HB-UVB-0 [CT30 XP Booted Home base kits] 3x CT30P-L1N-27D1ENA [CT30 XP Mobile devices] 3x CT30P-PB-XP [CT30 XP protective boots] 1x CT30P-BTSC-001 - free [CT30 XP disinfectant-ready Battery pack]
CT30 XP WINTER COMBO	R 38,404	Honeywell CT30 XP WINTER COMBO Bundle, Includes 3x CT30P-SH-UVB [CT30 XP Scan handles] 3x CT30P-HB-UVB-0 [CT30 XP Booted Home base kits] 3x CT30P-L1N-27D1ENA [CT30 XP Mobile devices] 3x CT30P-PB-XP [CT30 XP protective boots] 1x CT30P-BTSC-001 - free [CT30 XP disinfectant-ready Battery pack]
CT30P-L1N-27D1ENA	R 7,014	Honeywell CT30 XP Disinfectant ready Mobile Computer with 2D imager (S0703), GPS, Micro sd-slot, 13MP camera, 8MP front camera, Interactive Sensor, Warm swappable, E-Compass, USB-C, Bluetooth, Wi-Fi (802.11ax), eSIM, 4G (LTE), NFC, 2160x1080 pixels Display, Qualcomm Octa Core 2.0 GHz CPU, 4GB RAM, 64 GB Flash, Android 11, IP67, 3400 mAh Battery
EDA10A-11BE64N21RK	R 12,033	Honeywell ScanPal EDA10A 5G & WiFi6 eSIM 10.1" Full HD 1920x1080 Touchscreen Rugged Tablet, 4GB RAM / 64GB storage, Front & rear camera, Standard 8000mAh Battery, GMS, IP65, Standard S0703 SR Imager, NFC, USB Type-C, No Adapter, Android 12, 1920x1200 pixels Display Resolution, Gorilla Glass, Qualcomm Snapdragon CPU
EDA52-11AE64N21RK	R 7,956	Honeywell EDA52 Honeywell ScanPal EDA52 2 pin Mobile Computer, Android 11 with GMS, WWAN & WLAN, S0703 imager, 2.0GHz 8 Core CPU, 4GB RAM, 64GB storage, 13mp 5mp cameras, Bluetooth 5.0, NFC, Battery 4500 mAh, USB Type-C
EDA5S-11AE34N21RK	R 23,898	Honeywell ScanPal EDA5s 5.5" Mobile Computer, Android 11 with GMS, WWAN and WLAN, 1D/2D S0703 Imager, 2.0GHz 8 Core CPU, 3GB RAM / 32GB storage Memory, 13MP 5MP cameras, Bluetooth 5.0, NFC, 3060 mAh Battery, USB Type-C, 5.5" 1440x720 pixels Display Resolution, Wi-Fi, GPS
EDA61 HONEYWELL COMBO	R 62,209	Honeywell ScanPal EDA61K Handheld Computer & 2D Imager with Scan Handle and Charger - 5 Pack, Android OS, WWAN, 3GB RAM, 32GB storage, EX20 Scan Engine, 4" WVGA 480x800 screen, GMS, Extended Battery, Hot Swap, DCP preloaded, No camera, Integrated GPS, Qualcomm SDM450 1.8 GHz Octacore Processor, 46 key Keypad alphanumeric, Honeywell EDA61k Scan Handle, Dockable with EDA61k homebase, Includes EDA61K-1AUB34PGRK & EDA61K-SH-DC & EDA61K-HB-2
EDA61 WINTER COMBO	R 62,209	Honeywell ScanPal EDA61K Handheld Computer & 2D Imager with Scan Handle and Charger - 5 Pack, Android OS, WWAN, 3GB RAM, 32GB storage, EX20 Scan Engine, 4" WVGA 480x800 screen, GMS, Extended Battery, Hot Swap, DCP preloaded, No camera, Integrated GPS, Qualcomm SDM450 1.8 GHz Octacore Processor, 46 key Keypad alphanumeric, Honeywell EDA61k Scan Handle, Dockable with EDA61k homebase, Includes EDA61K-1AUB34PGRK & EDA61K-SH-DC & EDA61K-HB-2
EDA61K-1AUB34PGRK	R 8,164	Honeywell ScanPal EDA61k Handheld Computer with alpha-numeric Keypad & 2D imager, Android OS, WWAN, 3GB RAM, 32GB storage, EX20 Scan Engine, 4" WVGA 480x800 screen, GMS, Extended Battery, Hot Swap, DCP preloaded, No camera, Integrated GPS, Qualcomm SDM450 1.8 GHz Octacore Processor, 46 key Keypad alphanumeric
ET45CB-101D1B0-A6	R 19,378	Zebra ET45 Rugged Tablet, Android GMS, Qualcomm Snapdragon Octa-core, 4GB RAM / 64GB storage Memory, 10" 1920x1200 Display, Corning Gorilla Glass, SE4710 1D/2D Scan Engine, 13 MP rear camera, 5 MP front camera, USB-C side Port (Tablet charging and Data only), 1 Nano SIM, 5G, GPS, NFC, Wi-Fi 6, 2x2 MU-MIMO,

		Bluetooth 5.1 BLE, 7600 mAh Rechargeable Li-Ion user replaceable Battery, IP65 sealing
ET65AW-ESQAGS00A0-A6	R 55,045	Zebra ET65 5G 10.1" Rugged Tablet, Standard Touch Screen, 1 physical SIM and 1 eSIM, 8GB RAM / 128 GB storage, Android GMS, Standard Battery, Row, 10.1" WUXGA 1920x1200 capacitive Touchscreen, Fingerprint resistant, Qualcomm Processor, 2 microphones, 16 MP rear camera, 8 MP front camera, 5G Mobile Network, Wi-Fi 6E, Bluetooth, 2x USB 3.2 Gen 1 (3.1 Gen 1) Type-A Ports, 1x USB 3.2 Gen 1 (3.1 Gen 1) Type-C Port, 8920 mAh Battery capacity, Android Platform, ET65AW-ESQAGS00A0-A6
KT-MC220J-2A3S2RW	R 11,891	Zebra MC2200 4-inch Handheld Mobile Computer, Brick, 802.11 a/b/g/n/ac, Bluetooth, 2D Imager SE4100, 4 inch 800 x 480 Multi-Touch Display, 34 key, 3500mAh Battery, Android 10 GMS, 2GB RAM / 16GB Flash, USB cradle, Row
KT-MC220K-2B3S3RW	R 13,754	Zebra KT-MC220k kit Mobile PC with 2D imager, Brick, 802.11 a/b/g/n/ac, Bluetooth, 2D imager SE4100, Camera, 4.0 ' ' Display, 34 key, 3500mAh battery, Android GMS, NFC, 3GB ram, 32 GB Flash memory
KT-MC27BJ-2A3S2RW	R 9,913	Zebra MC2700 4inch Handheld Mobile Computer, 10.2 cm (4") 800x480 pixels LED Multi-Touch capacitive Display, Gorilla Glass, 802.11 a/b/g/n/ac, Bluetooth, 2D Imager SE4100, Camera, 34 key, 3500mAh Battery, Android GMS, NFC, 3GB RAM / 32GB Flash
MC330L-GE2EG4RW	R 52,033	Zebra MC3300x - Gun Mobile Computer 2D Imager Long Range Wireless, 802.11 a/b/g/n/ac, Bluetooth, 2D Imager SE485x Long Range, 4inch display, 29 Key, Extended Capacity Battery, Android 10 GMS, 4GB RAM/32GB ROM, Sensors, NFC, MC330L-GE2EG4RW
MC330L-SJ3EG4RW	R 24,167	Zebra MC3300x Brick straight shooter, 802.11 a/b/g/n/ac, Bluetooth, 2D SE4770 scanner, 4.0 ' ' Display, 38 key, Extended capacity battery, Android 10 GMS, 4GB RAM / 32GB ROM, Sensors, NFC
MC3401-0G1J54SS-A6	R 37,231	Zebra MC34 MC3400 gun Handheld Computer with SE58 2D Imager, LAN, WiFi 6E, Gun, Bluetooth, NFC, 4.0 ' ' Display, Vibrator, Android GMS, SE4770 Imager, 6GB RAM / 64GB UFS, 47 key, 7000mA Battery, Dual-touch Touch Technology, 800 x 480 pixels Display Resolution, 1D/2D Scanner Type
MC3401-0G1M53SS-A6	R 40,204	Zebra MC34 MC3400 gun Handheld Computer with SE58 2D Imager, LAN, WiFi 6E, Gun, Bluetooth, NFC, 4.0 ' ' Display, Vibrator, Android GMS, SE58 Imager, 6GB RAM / 64GB UFS, 38 key, 7000mA Battery, Dual-touch Touch Technology, 800 x 480 pixels Display Resolution, 1D/2D Scanner Type
MC3401-0G1M54SS-A6	R 40,204	Zebra MC34 MC3400 gun Handheld Computer with SE58 2D Imager, LAN, WiFi 6E, Gun, Bluetooth, NFC, 4.0 ' ' Display, Vibrator, Android GMS, SE58 Imager, 6GB RAM / 64GB UFS, 47 key, 7000mA Battery, Dual-touch Touch Technology, 800 x 480 pixels Display Resolution, 1D/2D Scanner Type
MC3401-0G1R64SS-A6	R 42,136	Zebra MC34 MC3400 gun Handheld Computer with SE58 2D Imager, LAN, WiFi 6E, Gun, Bluetooth, NFC, 4.0 ' ' Display, Vibrator, Android GMS, SE58 Imager, 6GB RAM / 128GB UFS, 47 key, 7000mA Battery, Dual-touch Touch Technology, 800 x 480 pixels Display Resolution, 1D/2D Scanner Type
MC9401-0G1J6DSS-A6	R 56,574	Zebra MC94 MC9400 Mobile Computer with SE4770 Imager, LAN, WiFi 6E, Gun, Bluetooth, NFC, 4.3 ' ' Display, Vibrator, GMS, SE4770 Imager, 6GB RAM / 128GB UFS, 53 key standard, 7000 mA Battery, 800 x 430 pixels Display Resolution, Touchscreen
MC9401-0G1R6DSS-A6	R 61,445	Zebra MC94 MC9400 Mobile Computer with SE58 Imager, LAN, WiFi 6E, Gun, Bluetooth, NFC, 4.3 ' ' Display, Vibrator, GMS, SE4770 Imager, 6GB RAM / 128GB UFS, 53 key Standard, 7000 mA Battery, 800x430 pixels Display Resolution, Touchscreen, MC9401-0G1R6DSS-A6
MT9052-GL-2WE	R 6,659	Newland MT90 Orca II Mobile Computer with 5" Touch Screen, 2D CMOS Mega Pixel imager with Laser aimer, Bluetooth, WiFi, 4G, GPS, NFC, 1280x800 CMOS image sensor, Android 8.1 - GMS Operating System, 1.5GHz Quad-Core 64-bit Processor, 60 frames per second scan rate, 5" full Colour (1280x720) Display, Capacitive Touch Screen, 10 keys keypad, 10 hours expected battery life, 3.5mm Earphone, 8 megapixels camera
MT9300-W4-AS	R 6,325	Newland MT9300 Megattera standard Mobile Computer with 5.5" Touchscreen, Angled 2D CMOS Mega Pixel Imager with Laser aimer, 1280x800 CMOS Image Sensor, Laser Diode aiming, White LED illumination, 60 frames per second Scan rate, Android 13 GMS Operating System, 2.2GHz Octa-core 64-bit Processor (MT8781), 4GB RAM, 64GB Flash Memory, 3.85V 5000mAh Battery Type, 5.5" 720 x 1440 multi-point capacitive Touch Screen with hardened Glass Display, Micro SD card, USB Type-C interfaces, Dual microphones supports Noise Reduction, Light & proximity Sensor, Gravity Sensor, Gyroscope, Electronic compass
MT9300-W4-SS	R 6,325	Newland MT9300 Megattera standard Mobile Computer with 5.5" Touchscreen, Straight shoter 2D CMOS Mega Pixel Imager with Laser aimer, 1280x800 CMOS Image Sensor, Laser Diode aiming, White LED illumination, 60

		frames per second Scan rate, Android 13 GMS Operating System, 2.2GHz Octa-core 64-bit Processor (MT8781), 4GB RAM, 64GB Flash Memory, 3.85V 5000mAh Battery Type, 5.5" 720 x 1440 multi-point capacitive Touch Screen with hardened Glass Display, Micro SD card, USB Type-C interfaces, Dual microphones supports Noise Reduction, Light & proximity Sensor, Gravity Sensor, Gyroscope, Electronic compass, including cable (USB-C), USB Power charger, 5000 mAh Battery, Hand-strap, Protective foil, Protective Case
N7-Pro-W4-E4	R 16,370	Newland N7 Cachalot Pro II Mobile Computer with 4GB RAM / 64GB strorage, 4" Gorilla Glass Touch Screen, 47 Keys Keyboard, 2D CMOS Duo near & Far Scanner, Laser Diode aiming, 1280x800 CMOS image Sensor, 60 frames per second Scan rate, Android 11 - GMS Operating System, Micro SD/TF card (Max 128 GB), 13 megapixels, Camera, 4.0" WVGA 480 x 800 IPS screen with Gorilla Glass, Gravity Sensor, Hall Switch
N7-Pro-W4-E4-A13	R 14,548	Newland N7 Cachalot Pro II Mobile Computer with 4GB RAM / 64GB strorage, 4" Gorilla Glass Touch Screen, 47 Keys Keyboard, 2D CMOS Duo near & Far Scanner, Laser Diode aiming, 1280x800 CMOS image Sensor, 60 frames per second Scan rate, Android 11 - GMS Operating System, Micro SD/TF card (Max 128 GB), 13 megapixels, Camera, 4.0" WVGA 480 x 800 IPS screen with Gorilla Glass, Gravity Sensor, Hall Switch
N7-Pro-W4-S2	R 14,059	Newland N7 Cachalot Pro II Mobile Computer 4GB / 64GB with 4" Gorilla Glass Touch Screen, 29 Keys Keyboard, 2D CMOS Mega Pixel Imager with Laser aimer, Bluetooth, GPS, NFC, 4G & WiFi, Camera, including USB cable, Android 11 GMS, 1280x800 CMOS Image Sensor, 4.0" WVGA 480x800 IPS screen with Gorilla Glass, Supports Input with gloves, MicroSD card (Maximum 128GB), N7-Pro-W4-S2
ND0D0	R 1,259	Sunmi L2k Charging Base (Cn& en eu Adapter)
NLS-MT3752-W4	R 4,922	Newland MT37 2.8" Touch Screen Mobile computer, Bluetooth, WiFi, 4G, GPS, NFC, including wrist strap, Android 8.1 Go GMS, 1.8GHz Quad-Core Processor, 1GB Memory RAM, 8GB Memory Flash, 2.8" (320 x 240) capacitive Touch Screen Display, 24 keys keypad, Newland dcapp by kalipso Data Collection Software
NLS-MT6755-W4-A13	R 9,666	Newland MT6755 Sei Mobile Computer with 4" Touchscreen, 2D CMOS Mega Pixel Imager with Laser aimer (CM6x), 4GB RAM / 64GB storage, Bluetooth, Wifi, Laser Diode aiming, White LED illumination, 1280x800 CMOS Image Sensor, Android 11 Operating System, Micro SD/TF card, 2.0 GHz Octa-core 64-bit Processor, 4" WVGA (800 x 480) capacitive Touchscreen Gorilla Glass, 10 hours expected Battery Life, 5MP fixed Focus front camera, USB-C interfaces, 27 Keys Keypad, 13MP LED Flash auto Focus rear camera, 2 Nano SIM Card slots, Glonass, GPS
NLS-MT6757-W4	R 9,114	Newland MT6757 Sei II Mobile Computer with 4" Touchscreen, 2D CMOS Mega Pixel Imager with Laser aimer (CM6x), 4GB RAM / 64GB storage, Bluetooth, Wif, Android 15, 2.0 GHz Octa-core 64-bit Processor, 4" WVGA (800x480) capacitive Touch Screen, 450 nits brightness, Micro SD/TF card, 5MP front camera, 24 Keys & 3 Virtual Keys Keypad, 13MP rear camera, Light & proximity Sensor, Acceleration Sensor, Nano SIM, Beidou, Glonass, Galileo, GPS
NLS-MT9055-W4X-A13	R 9,516	Newland MT9055 Orca III Mobile Computer with 5 ' ' Touchscreen, 2D CMOS Mega Pixel Imager with Laser aimer (CM6x), 1280x800 CMOS Image Sensor, Laser Diode aiming, White LED illumination, Android 11 - GMS Operating System, Android 11 GMS Operating System, 2.0GHz Octa-core 64-bit Processor, 4GB RAM / 64GB storage, Micro SD card (Maximum 128GB), Microphone / Speaker, 3.5mm Earphone Audio jack, 8 megapixels camera, 10 hours expected Battery Life, USB-C interfaces, 10 Keys Keypad, Capacitive Touch Screen, 4G LTE, IP65 rating
NLS-MT9085-W4	R 11,155	Newland MT90 Orca Pro II Mobile Computer with 5" Touch Screen, 2D CMOS Mega Pixel Imager with Laser aimer (CM6x), 6GB RAM / 128GB storage, Bluetooth, 1280x800 CMOS image Sensor, Red LED aiming, White LED illumination, Android 11 - GMS, 2GHz Octa-core 64-bit Processor, 5" full Colour (1280x720) Display, Micro SD card Expansion slot, 10 Keys Keypad, Dual SIM, Capacitive Touch Screen, WiFi, GPS
NLS-MT9300-W4-SS	R 7,257	Newland MT9300 Megattera standard Mobile Computer with 5.5" Touchscreen, Straight shoter 2D CMOS Mega Pixel Imager with Laser aimer, 1280x800 CMOS Image Sensor, Laser Diode aiming, White LED illumination, 60 frames per second Scan rate, Android 13 GMS Operating System, 2.2GHz Octa-core 64-bit Processor (MT8781), 4GB RAM, 64GB Flash Memory, 3.85V 5000mAh Battery Type, 5.5" 720 x 1440 multi-point capacitive Touch Screen with hardened Glass Display, Micro SD card, USB Type-C interfaces, Dual microphones supports Noise Reduction, Light & proximity Sensor, Gravity Sensor, Gyroscope, Electronic compass, including cable (USB-C), USB Power charger, 5000 mAh Battery, Hand-strap, Protective foil, Protective Case

NLS-MT9356-W4	R 11,069	Newland MT93 Megaterra Mobile Computer with 5.5" 720 x 1440 Touchscreen, 2D CMOS Mega Pixel imager with Laser aimer (DE5I), 4GB RAM / 64GB storage, Bluetooth, 1280x800 CMOS image Sensor, Laser Diode aiming, White LED illumination, Android 13 GMS Operating System, 5.5" 720 x 1440 multi-point capacitive Touch Screen with Gorilla Glass, WiFi 6, Bluetooth, NFC, GPS
NLS-MT9356-W4-UHF1	R 16,405	Newland MT93 Megaterra Mobile Computer with 5.5" 720x1440 Touchscreen, UHF RFID reader, 4GB RAM / 64GB storage, Bluetooth, 1280x800 CMOS Image Sensor, Laser Diode aiming, White LED illumination, Android 13 GMS Operating System, 5.5" 720x1440 multi-point capacitive Touch Screen with Gorilla Glass, WiFi 6, Bluetooth, NFC, GPS, 4G LTE, Pistol grip
PC-AT1032TB	R 8,379	Aopen Etile-X 1032TB 10" VA 1280x800 Mini Computer, 2GB DDR3L RAM, 16GB storage, Rockchip RK3288 Quad-Core Cortex-A17 1.8 GHz CPU, Arm Mali-T764 Graphics, 250 nits Maximum brightness, 800:1 contrast ratio, PCT supports 10 points touch, 100 / 1000 Mbps LAN, WiFi 802.11b/g/n 2.4G, 2MP front camera, 1x DC jack (12V), 2x USB 2.0, 1x line-out, 1x USB OTG, 1x RFID, 1x NFC, 1x Bluetooth 4.0, Android OS
RPL10-LZV2X1W4S0X0X0	R 48,027	Zebra XPad L10 10.1" ViewAnywhere 1000nit Rugged Tablet, Long ePen, ZBCR, IP65, Pentium Apollo Lake Processor, 8GB RAM, 128GB Solid State Drive, Windows 10 RPL10
TC530E-0T1E1B1000-A6	R 22,138	Zebra TC53e 6-inch Handheld Mobile Computer with SE4720 2D Imager, LAN, 6.0" 1080x2160 pixels Display, WiFi 6E, 6GB RAM / 64GB ROM, SE4720 2D Imager, Warm swap, 4680 mAh Standard Battery, Wi-Fi, Bluetooth, 16 MP rear camera, 8 MP front camera, 1x USB 3.2 Gen 1 (3.1 Gen 1) Type-C Port, 1x USB 2.0 Port, Android Operating System installed, RFID reader
TC58BE-3T1E1B1A80-A6	R 39,370	Zebra TC58BE 6-inch Handheld with SE4720 2D Scanner, WAN, 6.0" 1080 x 2160 pixels Display, 6GB RAM / 64GB ROM, SE4720 Imager, Warm swap, 4680 mAh standatd Battery, Wi-Fi 6E, Bluetooth, Nanosim eSIM, 5G Data Network, NFC, GPS, 16 MP rear camera, 8 MP front camera, Speakers, 1x USB 3.2 Gen 1 (3.1 Gen 1) Type-C Port, 1x USB 2.0 Port, 2D Scanner Type, RFID reader, Android Operating System
URO-DT50P	R 9,574	Urovo DT50U-AE02 UHF RFID Smart Handheld Terminal, Octa-core 2.0GHz CPU, 3GB RAM, 32GB ROM, 5.5" HD 720 x 1440 Resolution Display, Ultrasensitive capacitive Touch panel, Speakers, Dual microphones, 1D/2D Barcode Scanner, 5MP camera front, 13MP auto-focus Colour rear camera, Bluetooth, Wi-Fi, GPS, Beidou, Glonass
URO-DT50S	R 6,895	Urovo DT50S 5.7" Android Mobile Computer with 2D Scanner, 4GB RAM, 64GB storage, 5.7" 720 x 1440 pixels TFT-LCD sunlight Display, Ultra-sensitive capacitive Touch panel, Works with gloves and wet fingers, Rechargeable 3.85 V 5000 mAh Battery, Dual microphones with noise cancellation, High-Quality Speaker, 1D / 2D Imager Scanner Type, 5 MP front camera, 13 MP rear camera, 2 x Scan buttons, Bluetooth, 2.4GHz / 5GHz Wi-Fi, 4G Cellular connectivity, 2x Nano-SIM slots, GPS, Glonass, Beidou, IP67 ingress protection, Android OS
WCMTB-T27B6ABC2-A6	R 15,462	Zebra TC27 Mobile Computer, Android OS, WWAN, 5G, Wi-Fi 6, 2D Imager SE4710, 6" 1080x2160 Touch Display, 6GB RAM / 64GB storage Memory, 16MP rear camera, 5MP front camera, 2 pin back I/O, Standard Battery, NFC, Bluetooth, USB-C, SIM & eSim, GMS
WCMTB-T27B8ABC8-A6	R 19,101	Zebra TC27 6" Mobile Computer with SE4710 Scanner, WWAN, 5G, WiFi 6, 6" 1080x2160 Display, 8GB RAM, 128GB storage, 8 pin back I/O, Standard Battery, NFC, Bluetooth, USB-C, SIM & eSIM, GMS, 16 MP rear camera, 5 MP front camera, 1D/2D Scanner Type, Android Operating System installed
WLMT0-T22B6ABC2-A6	R 13,881	Zebra TC22 6-inch Handheld Touchscreen Mobile Computer with SE4710 2D Imager, WLAN, WiFi 6, 6" 1080x2160 pixels Display, 6GB RAM / 64GB storage, 2 pin back I/O, Standard Battery, NFC, Bluetooth, 16 MP rear camera, 5 MP front camera, 1x USB 3.2 Gen 1 (3.1 Gen 1) Type-C Port, SE4710 1D/2D Scanner, Android Operating System installed, 3800 mAh Battery capacity
WLMT0-T22B6ABE2-A6	R 18,872	Zebra TC22 6-inch Handheld Touchscreen Mobile Computer with SE4710 2D Imager, WLAN, WiFi 6, 6" 1080x2160 pixels Display, 6GB RAM / 64GB storage, 2 pin back I/O, Extended Battery, NFC, Bluetooth, 16 MP rear camera, 5 MP front camera, 1x USB 3.2 Gen 1 (3.1 Gen 1) Type-C Port, SE4710 1D/2D Scanner, Android Operating System installed, 5200 mAh Battery capacity
Z-9000	R 5,175	Zebex Portable CCD Data Collector Kit - Bluetooth. Mono FSTN, 128 x 128 dots graphic LCD with White Back Light, 32-Bit RISC ARM Cortex-M4 100MHz Microprocessor, 8MB Flash ROM, 4MB RAM (8MB optional), BT Class 1 compliance, SPP profile, Support the ZAC Software

< Return to the menu

Label printers

Product code	Price	Description
470B	R 2,128	Microworld 470B 203 dpi Direct Thermal Label Printer, 152 mm/s Max print Speed, 108 mm Max print width, 20-112 mm Media width, SD Card Reader for up to 4GB of extra Flash Memory, USB 2.0 standard, 8 Alpha-Numeric Bitmap fonts
880199-025D	R 3,870	Zebra 880199-025D Z-Select 2000D Label Paper - 51 x 25mm - Direct Thermal, Coated, Permanent Adhesive, 25mm Core, Compatible Printers - LP 2824 / LP 2824 Plus / LP 2824-Z / LP 2844 / LP 2844-Z / TLP 2824 / TLP 2824-Z / GC420t / GK420t / TLP 2844-Z / TLP 3842 / TLP 3844-Z / TLP 2844 / GC420d / GK420d / GX420d / GX420t / GX430t / TLP 2824 Plus / LP 2824 Plus / ZD420dt / ZD620dt
99-059A003-6002	R 4,677	TSC TC200 108mm Thermal Transfer Label Printer - Navy Colour, 8MB SDRAM, 4MB Flash, RS-232, USB 2.0, Ethernet, Real time clock, MicroSD Card Reader for Memory Expansion, 152 mm/sec print speed, 203 dpi maximum Resolution, 10.8 cm Maximum printing width, Autocutter, 99-059A003-6002
99-065A301-00LF00	R 4,267	TSC TE210 108mm Thermal Transfer Label Printer, USB, Ethernet, RS-232, USB Host, 203 dpi, 64MB SDRAM, 128MB Flash, Real time clock, 152.4 mm/sec print speed, 20 - 108 mm supported paper width
99-068A001-1202	R 11,993	TSC MB240T 120mm Thermal Transfer Label Printer with 3.5" Display, 128MB RAM, 128MB Flash, RS-232, USB 2.0, Ethernet, USB Host, 6 buttons, 3.5" 320x480 Colour LCD Touch Display, 203 dpi maximum Resolution, 203 mm/sec print speed, 20 - 120 mm supported paper width, 99-068A001-1202
99-135A002-0002	R 36,726	TSC TTP-286mt Thermal Transfer / Direct Thermal Label Printer, USB, RS232, Parallel, Ethernet, 8 dots/mm (203 dpi), 241mm Media width, 216 mm print width, 208mm Roll Diameter, 152 mm/s Speed, 16 bits Colour 480x272 pixels LCD panel, 4.3" Touch LCD Display with 6-button menus, 600 meter Ribbon supply, SD Flash Memory Expansion up to 32GB, Up to 6" per sec print Speed for 203 dpi
99-158A001-0002	R 3,212	TSC DA210 108mm Direct Thermal Receipt Printer, USB, 203 dpi maximum Resolution, 152.4 mm/sec print speed, 10.8 cm Maximum printing width
99-158A015-2102	R 4,165	TSC DA220 108mm Direct Thermal Receipt Printer, USB, Ethernet, RTC, 203 dpi maximum Resolution, 152 mm/sec print speed, 10.8 cm Maximum printing width, Autocutter, 19 - 114 mm supported paper width
Badgy200	R 15,065	Evolis Card Printer; Badgy200. Entry Level - for End-Users.
Brother TD-4550DNWB	R 9,200	Brother TD-4550DNWB Direct Thermal Desktop Label Printer - USB / Serial / LAN / Bluetooth / WiFi, Prints on rolls up to 118mm, 108mm Maximum print width, 300 dpi print Resolution, AirPrint and MFi, 7 button 3 LED Display, 152mm/sec print speed
CT30P-HB-UVB-0	R 1,786	Honeywell CT30 XP Booted Home base kit, Kit includes homebase & Power Supply, For recharging Computer with protective Boot (CT30P-PB-XP) attached and a spare Battery, Supports USB Client via USB Type-B connector, CT30P-HB-UVB-0
CT30P-PB-XP	R 247	Honeywell CT30 XP protective Boot, IT is compatible with Booted Universal docks (CT30p-xx-uvb-x), CT30P-PB-XP
CT30P-SH-UVB	R 930	Honeywell CT30 XP Scan Handle, Compatible with CT30 XP protective Boot (CT30P-PB-XP), CT30P-SH-UVB
D101	R 518	Niimbot D101 White Portable Thermal Label Printer
D11-BK	R 345	Niimbot D11 Portable Thermal Label Printer - Black, 203 dpi Resolution, Bluetooth connectivity, 1200mAh Lithium Battery, 12mm effective printing width, 15mm (Max) paper width
D11-BL	R 345	Niimbot D11 Portable Thermal Label Printer - Blue, 203 dpi Resolution, Bluetooth connectivity, 1200mAh Lithium Battery, 12mm effective printing width, 15mm (Max) paper width
D11-PK	R 345	Niimbot D11 Portable Thermal Label Printer - Pink, 203 dpi Resolution, Bluetooth connectivity, 1200mAh Lithium Battery, 12mm effective printing width, 15mm (Max) paper width
D11-WH	R 345	Niimbot D11 Portable Thermal Label Printer - White, 203 dpi Resolution, Bluetooth connectivity, 1200mAh Lithium Battery, 12mm effective printing width, 15mm (Max) paper width
G4	R 5,174	Microworld SMK-G4 203 dpi USB Thermal Transfer Printer, WiFi, 8 dots/mm Resolution, 127mm/s max.print Speed, 108 mm max.print width
GK42-202520-000	R 6,272	Zebra GK-420D Direct Thermal Label Printer with Parallel / Serial / USB Interfaces., 203 dpi (8 dots/mm), 104mm Maximum Print width
LMB001	R 66,070	Botlr LMB001 automatic Bottle Label Applicator solution, Unique label gap Sensor, Platen Roller Sensor, 13mm

		minimal Diameter, 120mm maximal Diameter, 220mm Maximum label Roll width, 220mm Maximum label Roll Diameter, 6kg Maximum label Roll weight
M4201	R 2,299	Microworld Direct Thermal Label Printer - USB, Works perfectly for 4 x 6 labels, Up to 152mm/s printing Speed
MK231	R 196	Brother MK-231 Black-On-White Tape (8m X 12mm) 0.5" x 26.2" ; non-laminated; thermal transfer printing; M Series tape; standard adhesive; indoor labeling; compatible with Brother P-touch label makers
MK231	R 189	Brother MK-231 Black-On-White Tape (8m X 12mm) 0.5" x 26.2" ; non-laminated; thermal transfer printing; M Series tape; standard adhesive; indoor labeling; compatible with Brother P-touch label makers
ML241P-A001-0202	R 8,759	TSC ML241P 4" Compact Industrial Thermal Transfer & Direct Thermal Label Printer, 203 dpi Resolution, RS232, Ethernet, USB, 118 mm Media width (Maximum), 108 mm print width (Maximum), 203 mm Roll Diameter (Maximum), Black mark Sensor, Gap Sensor
MPTD210	R 1,351	Brother P-touch D210, Handheld 2 Line Printer, 6-12mm Tape. (9 Volt Adapter Not Included) (Replaces D200)
MPTD460	R 2,689	Brother PT-D460BT Desktop / Mobile Label Printer, QWERTY Keyboard, 20-character x 2 lines Display Type, Tze tape Media Type, 30 mm/sec print Speed, 180 dpi Resolution, 1008 number of characters, 800 number of symbols, USB 2.0, Bluetooth, 12mm to 18mm Maximum tape width, Manual cutter, 6 x AA Alkaline batteries
MPTH110	R 1,173	Brother P-touch H-110 (Handheld 2 Line Printer; 6-12mm; Tape) - (9 Volt Adapter Not Included) Qwerty Keyboard
MPTM95AD	R 1,126	Brother P-Touch M95 handheld 2 line Printer, 9-12mm non-laminated tape, 12 characters / 1 line LCD, 7.5mm/sec print speed, 203 dpi print Resolution, 8mm Maximum print height, M-tapes, PT M95AD
MPTP700	R 2,670	Brother P-touch P-700 (Windows, Usb, Desktop I/f, 6-24mm Tape, Adapter) - (12 Volt Adapter Included)
MQL810W	R 4,908	Brother QL810W Direct Thermal Label Printer, Auto cutter, 62mm wide, Wi-Fi, Print Black & Red text, Operation modes --& gt ; PC connected / stand alone, Up to 110 labels per minute, 2.4" Maximum tape width, 300x600 (Superfine mode) maximum Resolution (dpi), USB, Wireless (802.11 b/g/n), Wireless direct
NET-LAB-BR-H110	R 1,160	Brother PT H110 P-Touch H110 handheld 2 line printer, 6-12mm tape,, Prints 6 / 9 / 12mm TZe laminated labels, Create stylish labels using 12 Deco Mode layouts, 16 Characters graphic LCD, 3 Fonts, 10 font styles, 253 Symbols, Fast print speed of 20mm/sec, Manual cutter, Qwerty Keyboard, 30 - 300mm label length, Max 2 line printing
NET-M21-375-595-YL	R 459	Brady Black On Yellow Vinyl Label Tape 9.53mm X 6.4m, All Weather Permanent Adhesive Vinyl Label Tape with Ribbon for M21 Printers - 0.375" , Black on Yellow. The Brady NET-M21-375-595-YL is a durable, all-weather thermal-transfer label cartridge designed for long-lasting industrial and safety identification. It features low-shrink vinyl and aggressive adhesive that adhere securely to textured, rough, or cold surfaces, and delivers sharp, reliable labels that resist abrasion, chemicals, oils, and UVâ€"making it a dependable solution for pipelines, labelling, warehouse management and panel marking across South Africa and beyond.
NET-M21-500-595-WT	R 909	Brady Black On White Vinyl Label Tape - 12.7mm X 6.4m, All Weather Permanent Adhesive Vinyl Label Tape with Ribbon for M21 Printers - 0.5" , Black on White. The Brady NET-M21-500-595-WT label tape cartridge is a 12.7mm x 6.4m black on white vinyl tape designed for industrial and laboratory applications. Featuring a permanent acrylic adhesive and matte finish, it offers durability in harsh environments, including exposure to UV light, chemicals, and extreme temperatures. Compatible with BMP21 series (BMP21-PLUS and BMP21-LAB), ID PAL, and LabPal printers, this tape ensures clear, long-lasting labels for asset tracking, equipment identification, and freezer storage labeling.
PC42E-TB02200	R 3,129	Honeywell PC42E-T 4.25" Desktop Thermal Transfer Barcode Printer, USB, Ethernet, 203 dpi resolutions, 6 IPS print speeds, 4.25" Max print width, No power cord
PC43DA00000202	R 5,398	Honeywell PC43D 4" Direct Thermal Desktop Label Printer, USB, 203 dpi maximum Resolution, 203.2 mm/sec print Speed, 106mm (4.17") Max print width, 203 mm/s (8 IPS) print Speed, Intuitive Icons Display with print / feed Button, Fixed Sensor
PC43DA00100202	R 3,797	Honeywell PC43D 104mm Direct Thermal Desktop Label Printer, USB, 8 dots/mm (203 dpi), 118 mm Media width (Maximum), 104 mm print width, 127mm roll Diameter, 203 mm/s speed, 128 MB RAM, 128 MB Flash, Movable Sensor, Real time clock, 2.3" Colour LCD Display, Black mark Sensor, Gap Sensor,
PC45T000000200	R 7,564	Honeywell PC45 Thermal Transfer Label Printer, 3.5" Colour LCD Display, Latinfont, RTC, Ethernet, Wi-Fi, Bluetooth, USB Port, RS-232 Port, No powercord, 203x203 dpi maximum Resolution, 8 lpm print Speed, 10.8 cm Maximum printing width

PC45T020000200	R 8,701	Honeywell PC45 Thermal Transfer Label Printer, 3.5" Colour LCD Display, Latinfont, RTC, Ethernet, Wi-Fi, Bluetooth, USB Port, RS-232 Port, No powercord, 203x203 dpi maximum Resolution, 8 lpm print Speed, 10.8 cm Maximum printing width
PD4500C0010000200	R 9,782	Honeywell PD4500C Direct Thermal & Thermal Transfer Label Printer, Colour Display, 203 dpi Resolution, 50-250mm/s print speeds, 108mm Maximum width, Ethernet 10/100 Mbps, LAN, 2.36" keyed LCD
PD45S0F0010000200	R 12,275	Honeywell PD45S0F Direct Thermal and Thermal Transfer Industrial Label Printer, Ethernet, USB, Colour LCD, 8 dots/mm printing Resolution, 50 - 250 mm/s printing speed, 108 mm Maximum width, 3.5" Colour Touch control LCD
PM45A10000000200	R 15,653	Honeywell PM45A 203 dpi Thermal Transfer Printer, Full Touch Display, Ethernet, Fixed hanger, TT, 203 dpi, No Power cord, 50-350 mm/s print Speed, 8 dots/mm print Resolution, 38-76 mm label Roll Core, Gigabit Ethernet, USB 2.0, RS-232 Serial
PT D210	R 1,093	Brother P-Touch D210, handheld 2 line printer, 6-12mm tape.
PT D610BT	R 2,990	Brother P-Touch D610 Desktop / Mobile Label Printer, USB, Bluetooth, QWERTY Keyboard, Colour LCD, 7 lines of print, 6-24mm tape, 180 dpi print Resolution, 30 mm/sec print speed, 2x 20-character lines Display
PT E110VP	R 1,380	Brother P-Touch E100VP Handheld Thermal transfer printer, 6-12mm Tape, Create durable labels up to 12mm in width, Dedicated functions for common labelling tasks, Built-in cutter for accurate labelling, 16 characters x 1 line - 58mm x 23mm Display size, Orange and Black, QWERTY Keyboard
PT H110	R 978	Brother PT H110 P-Touch H110 handheld 2 line printer, 6-12mm tape,, Prints 6 / 9 / 12mm TZe laminated labels, Create stylish labels using 12 Deco Mode layouts, 16 Characters graphic LCD, 3 Fonts, 10 font styles, 253 Symbols, Fast print speed of 20mm/sec, Manual cutter, Qwerty Keyboard, 30 - 300mm label length, Max 2 line printing
PT M95AD	R 978	Brother P-Touch M95 handheld 2 line Printer, 9-12mm non-laminated tape, 12 characters / 1 line LCD, 7.5mm/sec print speed, 203 dpi print Resolution, 8mm Maximum print height, M-tapes
PT P300BT	R 1,208	Brother PT P300BT Smartphone Label Machine with Bluetooth for 2 line printing, Prints 6 / 9 / 12mm TZe laminated labels, Fast print speed of 20mm/sec, Manual cutter, 25 - 300mm label length, Bluetooth connection via Design & Print app, Max 2 line printing, Sleek & Stylish design fits perfectly into your interior
PT P700	R 2,300	Brother P-Touch P700, Windows & Mac, USB, 6-24mm tape, pc connectable
PT P950NW	R 9,775	Brother P-Touch P950NW Line Printer, Windows & Mac, 6-36mm tape, Wifi Enabled, USB, Network, Serial,, Prints 6 / 9 / 12 / 18 / 24 / 36mm TZe laminated tapes, P-Touch user guide included, 32mm max print height, 360dpi Print resolution, Most image formats supported, Barcodes supported, Fast print speed of 60mm/sec, Automatic cutter, Uses P-touch Editor software, Brother mobile app friendly
PTB680	R 8,790	Pantum PT-B680 Thermal Barcode Label Printer, 300 dpi print Resolution, 203 mm/sec Maximum print Speed, 106.7 mm Maximum print width, 710 mm Maximum print length, 25.4 mm to 38 mm Core Diameter, USB, Ethernet, RS-232
PTD610B	R 3,391	Brother P-Touch D610 Desktop / Mobile Label Printer, USB, Bluetooth, QWERTY Keyboard, Colour LCD, 7 lines of print, 6-24mm tape, 180 dpi print Resolution, 30 mm/sec print speed, 2x 20-character lines Display
QL800	R 3,450	Brother QL800 Label printer, USB, 62mm Wide, Print black & red text
QL810W	R 4,025	Brother QL810W Direct Thermal Label Printer, Auto Cutter, 62mm Wide, Wi-Fi, Print black & red text, Operation Modes --> PC Connected / Stand Alone, Up to 110 labels per minute, 2.4" Maximum Tape Width, 300 x 600 (Superfine Mode) Maximum Resolution (dpi), USB, Wireless (802.11 b/g/n), Wireless Direct
QL820NWB	R 5,750	Brother QL820NWB 62mm direct thermal label Printer wih auto cutter, Wi-Fi and Bluetooth connectivity, Print Black & Red text, 62mm Maximum label width, Direct thermal technology, 176 mm per second standard print speed, 110 labels per minute standard print speed, 300x300 Resolution (dpi)
RJ-4250WB	R 10,695	Brother RJ-4250WB Rugged 4" Mobile Printer, USB 2.0, Bluetooth, WiFi, 5ips, On body usage Type, 64 MB Flash RAM, 256 MB Memory capacity, 104 mm Maximum print width, 203 dpi Resolution, 127 mm per second standard print speed, 118 roll widths
RP4F0000D22	R 7,981	Honeywell RP4f Direct Thermal Bluetooth WiFi 5 Mobile Label Printer, 8 dots/mm (203 dpi), 112 mm Media width (Max), 104 mm print width (Max), 58 mm roll Diameter (Max), 125mm/sec, USB, Bluetooth (Class 5.0), Wi-Fi (802.11ac), 256 MB RAM, 2GB Flash, Including 4900 mAh Battery

SLP-DX220EG	R 3,990	Bixolon 2" DT Label Printer USB Ethernet Black, Direct Thermal, 152mm/sec, 203dpi, 60mm, USB Ethernet, 800, No, Thermal Labels
T420-310	R 2,908	Printronix T420-310 T400 Direct Thermal Desktop Printer, 104mm Maximum print width, 203 dpi Resolution, 203 dpi Resolution, 6 IPS @ 203 dpi Maximum print Speed (4"), Serial RS232, USB 2.0, Ethernet 10/100 BaseT
T42X4-200-0	R 12,569	Printronix T42X4-200-0 T4000 4" 203 DP Thermal Transfer Printer, 7ips @ 300 dpi Maximum print Speed, 104mm Maximum print width, Serial RS232, USB, Ethernet
T6E2X4-3100-00	R 23,732	Printronix T6204e 104mm Thermal Transfer Printer, USB, RS232, Ethernet, 8 dots/mm (203 dpi) Resolution, 114 mm Media width (Maximum), 104 mm print width (Maximum), 203mm roll Diameter (Maximum), 356 mm/s speed (Maximum), 512 MB RAM, 128 MB Flash, Black mark Sensor, Gap Sensor, T6E2X4-3100-00
T6E2X6-2100-00	R 35,174	Printronix T6206e 6" wide Direct Thermal and Thermal Transfer Label Printer - 203 dpi, USB, RS232, Ethernet, Black mark Sensor, Gap Sensor, 12ips @ 203 dpi Max print Speed, 166.4 mm Maximum print width
T820-300-0	R 9,846	Printronix T800 104mm Thermal Transfer Label Printer, USB Type-A, USB Type-B, RS232, Ethernet, 8 dots/mm (203 dpi) Resolution, 4.1" (104mm) Maximum print width, T820-300-0
T82R-300-2	R 21,041	Printronix T800 104mm Thermal Transfer Label Printer with RFID, USB Type-A, USB Type-B, RS232, Ethernet, 8 dots/mm (203 dpi) Resolution, 4.1" (104mm) Maximum print width, T82R-300-2
T82X8-2100-0	R 76,365	Printronix T8208 8" wide Thermal Transfer Industrial Label Printer - 203 dpi, T82X8-2100-0, RS232, USB, Ethernet, direct & Thermal Transfer print Method, 216mm print width, 245mm/sec print Speed, 203 dpi Resolution, Large full Colour Display panel
TM-U590 (112U)	R 2,421	Posiflex TM-U590 Impact Flatbed slip Printer - Dark Grey - no Power Supply included, Serial port, 9 pin Impact Dot Matrix print Method, 135.6mm printing width, 311 / 233 characters per second print Speed, One Original and 4 copies Copy capability, ERC-31 Ribbon
XD3-40DEK/PNC	R 3,295	Bixolon XD3-40D 4" Direct Thermal Label Printer - USB 2.0 / Serial / Ethernet, No peeler, No cutter, Black, Direct Thermal print Method, 127 mm/sec print speed, 203 dpi print Resolution, Up to 104 mm print width
XD3-40TEK/PNC	R 3,540	Bixolon XD3-40t 4" Thermal Transfer Label Printer, No peeler, No cutter, USB 2.0, Serial, Ethernet, Up to 127 mm/sec print speed, 203 dpi print Resolution, Up to 104 mm print width
XD5-40DEK	R 3,437	Bixolon XD5 4" Direct Thermal Label Printer - USB / Serial / LAN, 203 dpi, 8 dots/mm (203 dpi), USB Type-B, USB Host, RS232 (9 pin), Ethernet, Mark sensor, Gap sensor
XD5-40TEK	R 3,662	Bixolon XD5 4" TT Thermal Transfer Desktop Label PrinterBlack, 203 dpi, USB, Serial, Ethernet
ZC11-0000000EM00	R 14,576	Zebra ZC100 direct-to-card Printer single sided - USB, Color - 150 cph print speed, Mono - 700 cph print speed
ZC11-0000Q00EM00	R 18,245	Zebra ZC100 Direct-to-Card Printer Single Sided - USB, Colour 150cph print speed, Mono 700cph print speed, Cardstudio 2.0 (Standard) Application, 200 PVC cards, YMCKO Ribbon (200 images)
ZC32-000CQ00EM00	R 23,702	Zebra ZC300, Dual Sided, UK/EU, USB & Ethernet, CardStudio 2.0 (Standard) application, 200 PVC cards, YMCKO K (200 Images)
ZD421-D	R 6,325	Zebra ZD421-D Direct Thermal Printer USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, ZD4A042-D0EM00EZ
ZD421-T	R 7,303	Zebra ZD421-T Thermal Transfer Printer - USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, ZD4A042-30EM00EZ
ZD421D-E	R 7,867	Zebra ZD421 Direct Thermal Printer USB & Ethernet & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, 10/100 Ethernet LAN Port, ZD4A042-D0EE00EZ
ZD421T-E	R 8,913	Zebra ZD421 Thermal Transfer Printer - USB & Bluetooth & LAN, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, Ethernet, ZD4A042-30EE00EZ
ZD4A042-30EE00EZ	R 9,252	Zebra ZD421 Thermal Transfer Printer - USB & Bluetooth & LAN, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, Ethernet
ZD4A042-30EE00EZ	R 7,717	Zebra ZD421 Thermal Transfer Printer - USB & Bluetooth & LAN, USB Host, Modular connectivity slot, Bluetooth

		5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, Ethernet
ZD4A042-30EM00EZ	R 7,613	Zebra ZD421 Thermal Transfer Printer - USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter
ZD4A042-30EM00EZ	R 6,854	Zebra ZD421 Thermal Transfer Printer - USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter
ZD4A042-D0EE00EZ	R 8,159	Zebra ZD421 Direct Thermal Printer USB & Ethernet & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter, 10/100 Ethernet LAN Port
ZD4A042-D0EM00EZ	R 6,521	Zebra ZD421 Direct Thermal Printer USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter
ZD4A042-D0EM00EZ	R 5,837	Zebra ZD421 Direct Thermal Printer USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter
ZD4A042-D0EM00EZ	R 6,599	Zebra ZD421 Direct Thermal Printer USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter
ZD4A042-D0EM00EZ	R 5,118	Zebra ZD421 104mm Direct Thermal Printer USB & Bluetooth, USB Host, Modular connectivity slot, Bluetooth 5, EZPL, 152 mm/s print speed, 203 dpi print Resolution, 104 mm print width, 108 mm label width, 127 mm roll outside Diameter
ZD6A042-32EF00EZ	R 14,300	Zebra ZD621 Thermal Transfer 4" Label Printer (74/300M), 203 dpi, USB, USB Host, Ethernet, Serial, Bluetooth, Swiss Font, EZPL, 104 mm dpi Maximum print width
ZD6A142-30EF00EZ	R 12,443	Zebra ZD621 Thermal Transfer 203 dpi Label Printer, 10.9cm 480x272 pixels Colour Touch LCD, 203 dpi, USB, USB Host, Ethernet, Serial, Bluetooth, Row, 203 x 203 dpi maximum Resolution, 203 mm/sec print Speed, 11.8 cm Maximum printing width, 2.54 cm Core Diameter, (74/300M)
ZD6A142-30EFR2EZ	R 23,328	Zebra ZD621R Thermal Transfer 203 dpi Label Printer, 10.9cm 480x272 pixels Colour Touch LCD, 203 dpi, USB, USB Host, Ethernet, Serial, Bluetooth, Row, 203 x 203 dpi maximum Resolution, 203 mm/sec print Speed, 11.8 cm Maximum printing width, 2.54 cm Core Diameter, Built-In RFID module
ZQ62-AUWAE14-00	R 23,684	Zebra ZQ620 Plus 3" Mobile Direct Thermal label and Receipt Printer, 203 dpi (8 dot/mm), 72mm mm/s (4 IPS) Maximum print width, Linered platen, USB 2.0, Serial, Bluetooth 4x 10/100 (BLE), WLAN 802.11ac, Colour LCD (288x240) Display, 256MB RAM / 512 MB Flash, Media width Sensor, 400 MHz 32-bit Arm Processor, CPCL, EPL, ZPL programming languages, Link-OS, Includes Standard 3250 mAh Battery, Linered platen, 0.75 inch Core, IP54, Group E, Shoulder strap, Belt clip, USB Port
ZQ63-AUWAE14-00	R 28,756	Zebra Direct ZQ630 Plus Direct Thermal Mobile Label Printer, 8 dots per mm (203 dpi), 104 mm Max print width, English fonts, Dual WLAN 802.11ac, Bluetooth 4.2, Linered platen, 0.75 inch Core, IP54, Group E, Shoulder strap, Belt clip
ZT111	R 8,878	Zebra ZT111 4" Thermal Transfer Printer, Tear, EU/UK cords, USB, Serial, Ethernet, Bluetooth, USB Host, EZPL, 104 mm Maximum print width, 203 dpi Maximum print length, ZT11142-T0E000FZ
ZT11142-T0E000FZ	R 9,263	Zebra ZT111 4" Thermal Transfer Printer, Tear, EU/UK cords, USB, Serial, Ethernet, Bluetooth, USB Host, EZPL, 104 mm Maximum print width, 203 dpi Maximum print length
ZT231	R 10,349	Zebra ZT231 Thermal Transfer Industrial Label Printer, 104 mm Maximum print width, 203 dpi, USB, Serial, 4.3" Colour Resistive Touch screen with intuitive menu, ZT23142-T0E000FZ
ZT23142-T0E000FZ	R 10,799	Zebra ZT231 Thermal Transfer Industrial Label Printer, 104 mm Maximum print width, 203 dpi, USB, Serial, 4.3" Colour Resistive Touch screen with intuitive menu
ZT23142-T0E000FZ	R 9,718	Zebra ZT231 Thermal Transfer Industrial Label Printer, 104 mm Maximum print width, 203 dpi, USB, Serial, 4.3" Colour Resistive Touch screen with intuitive menu

ZT411	R 19,435	Zebra ZT411 4" TT Thermal Transfer label Printer, 203 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/mfi, USB Host, 4.3-inch Colour touch Display, Print speed up to 356 mm / second, Printhead 203 dpi (8 dots / mm), ZT41142-T0E0000Z
ZT41142-T0E0000Z	R 20,252	Zebra ZT411 4" TT Thermal Transfer label Printer, 203 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/mfi, USB Host, 4.3-inch Colour touch Display, Print speed up to 356 mm / second, Printhead 203 dpi (8 dots / mm)
ZT41142-T0E0000Z	R 16,767	Zebra ZT411 4" TT Thermal Transfer label Printer, 203 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/mfi, USB Host, 4.3-inch Colour touch Display, Print speed up to 356 mm / second, Printhead 203 dpi (8 dots / mm)
ZT41142-T0E00C0Z	R 46,046	Zebra ZT411 4" TT Thermal Transfer label Printer, 203 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/MFi, USB Host, 4.3-inch Colour touch Display, Print speed up to 356 mm / second, Printhead 203 dpi (8 dots / mm), RFID UHF Encoder
ZT41143-T0E0000Z	R 30,550	Zebra ZT411 4" TT Thermal Transfer label Printer, 300 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1/mfi, USB Host, 4.3-inch Colour touch Display, Print speed up to 356 mm / second, Printhead 300 dpi (12 dots / mm)
ZT42162-T0E0000Z	R 53,676	Zebra ZT421 TT Thermal Transfer 6" Industrial Label Printer, 203 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4.1 / MFi, USB Host, EZPL, 4.3-inch Colour Touch Display, 12 IPS/305 mm per second Maximum print speed
ZT42163-T0E0000Z	R 61,238	Zebra ZT421 TT Thermal Transfer 6" Industrial Label Printer - 300 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 4x 10/100 / MFi, USB Host, EZPL, 4.3-inch Colour Touch Display, 305 mm/sec print Speed, 16.8 cm Maximum printing width, ZT42163-T0E0000Z
ZT61042-T0E01C0Z	R 58,225	Zebra ZT610R 4" TT Thermal Transfer Printer, Serial, USB, Gigabit Ethernet, Bluetooth 4.0, 203 dpi, Tear, RFID UHF, Media spindle, Bi-fold door Thermal Transfer & Direct Thermal print modes, Adjustable transmissive & fixed reflective Sensor
ZT62063-T2E0100Z	R 68,379	Zebra ZT620 6" Thermal Transfer Printer, Euro and UK cord, Serial, USB, Gigabit Ethernet, Bluetooth 4.0, USB Host, Rewind, Colour, 300x300 dpi maximum Resolution, 16.8 cm Maximum printing width, 17.4 cm Ribbon width, 450 m Ribbon length, 20.3 cm Maximum Roll Diameter, 7.6 cm Core Diameter, 10.9 cm LCD Display

< Return to the menu

Magnetic card readers

Product code	Price	Description
MR2100P	R 1,380	Posiflex MR-2100 Magnetic Card Stripe Reader, Available in Black with PS2 interface
MR2100U	R 1,034	Posiflex MR-2100 Magnetic Card Stripe Reader, Available in Black with USB interface.
MR2200U	R 1,047	Posiflex MR-2200 Magnetic Card Reader, Available in Black with USB interface, Dual Head, Can read Tracks 1, 2 & 3, Can operate with or without PC compatible keyboard connected, Dual Colour LED: Green for Good read or Ready to Read, Red for Invalid Read, Metal housing for more secure, durable product.
MSR-33UB	R 878	PROLINE BLACK CARD READER T1,2,3 - USB
RA101-15	R 748	Posiflex RA101-15 slim 3 track msr Attachment for 15 inch RT series - Black Colour, Bi-directional Swipe, Support ISO 7811 magnetic card
SA-305Z	R 6,439	Posiflex Integrated Magnetic Card Reader w/ Track 1, 2 & 3 - USB for XT-Series, Optional (Not included): RFID / FP *POS system / Monitor not included*
SA-405Z	R 949	Posiflex Integrated Magnetic Card Reader w/ Track 1, 2 & 3 - USB for XT-Series Optional: 3G Dongle / FP (Monitor not included)

< Return to the menu

Pole displays for POS systems

Product code	Price	Description
PD-2609UE	R 1,455	Posiflex PD-2609UE 2x 20 line VFD (Blue or Green) rear mounted customer Display, USB Interface for PS series POS terminals, 5 x 7 dots Dot Matrix Resolution, USB Interface, Tilt angle adjustment

PD-320	R 840	Posiflex Customer Pole Display, Available in Black with Blue VFD and USB Interface, Can create a Virtual COMM Port, 2-Line display with 20-alphanumeric characters per line Vaccum Flourescent Display, Large characters for easy viewing, Two adjustable view angles and programmable brightness, Brightness adjustable by software, Pole height adjustable, Has 2x USB connections: to give the display sufficient power and to transfer data.
PD2600	R 1,478	Blue VFD Display - 2 Line, 20 Characters per Line - Serial Interface & 12V adapter - Black
PD2600U	R 1,553	Posiflex Blue VFD Pole Display- 2 Line, 20 Characters per Line - USB Interface & 12V adapter- Black
PL-200FS	R 1,317	Poslab PL-200FU 20x2 Line VFD/Pole Display, RS232 Interface, 5V ~ 19V wide voltage range
PL-200FU	R 1,271	Poslab PL-200FU 20x2 Line VFD/Pole Display, USB Interface
PT-VFD2800-USB	R 1,034	Partner Africa VFD2800 2x 20 customer Display USB - No pole, Blue Green Display Colour, 700nits brightness, USB Interface

< Return to the menu

POS accessories

Product code	Price	Description
1-110501-00	R 542	Honeywell Printhead cleaning card kit (4.5" x 6") - 25 cards, 1-110501-00
11-134228-04	R 143	Zebra 11-134228-04 Desk Mount for DS92XX scanner range
1300G U CAB	R 403	Honeywell 1300G U CAB USB Cable for the 1300g Scanner, 3m Straight
190237776	R 235	Hikvision Rubber Boot for the MDT202 handheld
191002207	R 196	Hikvision screen Film for the MDT202 Handheld
203-183-420	R 1,757	Honeywell Wifi and Bluetooth module - PC23D / PC43D / PC43T, User installable Wi-Fi and Bluetooth Dual Radio module, Provides both WLAN (802.11 b/g/n) and Bluetooth connectivity, Compatible with --> PC23D / PC43D / PC43T pronters
203-879-003	R 895	Honeywell CK65 / CK3 / EDA60K Pistol Grip kit, Field attachable scan handle (replaces the hand strap), 203-879-003
213-063-001	R 404	Honeywell Protective Rubber Boot for CK65 Computers with EX20 scan engine - Orange, 213-063-001
225-783-001	R 1,915	Honeywell PC43 PD43 Printhead 203 dpi, 225-783-001, Compatible with --> PC43 / PD43 printers
23844-00-00R	R 259	Zebra 18AWG AC line cord grounded 3-prong cable - 2m, 23844-00-00R
25-124330-01R	R 259	Zebra Micro USB Sync cable Black - 1.22m, For Zebra charging / transmitter cradles
25-124330-01R	R 237	Zebra Micro USB Sync cable Black - 1.22m, For Zebra charging / transmitter cradles
251011-001	R 10,234	Printronix T5204r & SL5204r 203dpi Printhead, 251011-001
258681-001	R 18,120	Printronix autoid T5000 - 1D ODV verifier, Integrates directly to Printronix Thermal Transfer printers, Back up and Void non-conforming labels automatically *Note: This is an add-on, Printer not included*
258705-001	R 10,358	Printronix Field Kit Printhead module T8206, 258705-001, Compatible with --> T8206 printer
258706-001	R 14,396	Printronix Field Kit Printhead module T8208, 258706-001, Compatible with --> T8208 printer
258955-901	R 3,320	Printronix T8000 Control Panel assembly v2, 258955-901, Compatible with --> T8000 Label Printer
3011-8248-001	R 742	Honeywell 12V/30W Universal Adaptor with Bead, 12V 3.5mm x 1.35mm, Level VI for Desktop Single Dock & Quad Battery Charger, 3011-8248-001
3012-6759-001	R 1,351	Honeywell WiFi & Bluetooth module kit, For PC310T / PC42E-T / PC42E-D / OT820 Label Printer Series, 3012-6759-001
303201892	R 1,061	Hikvision DS-MHH1421-01 single charging Home Dock, Compatibility - Hikvision DS-MDT202 Mobile Handheld Terminal
318-052-031	R 1,546	Honeywell 318-052-031 CN51 Battery pack, Compatible with --> Honeywell Intermec CN51 Mobile Computer
318-055-011	R 1,313	Honeywell 318-055-011 CT40 Battery pack - 3.9V 4040mAh
318-055-067	R 1,000	Honeywell CT40 / CT40 XP / CT45 / CT45 XP spare Battery pack, 4020 mAh Li-Ion Smart Battery, 318-055-067
318-063-001	R 518	Honeywell CK65 7000 mAh Li-Ion Battery, Extended Rechargeable 7000 mAh Smart Battery pack, Standard temperature range, 318-063-001
50123301-001FRE	R 178	Honeywell Ribbon accessories kit for PC42T, 50123301-001FRE
50125125-001FRE	R 1,317	Honeywell PC42 - Printhead, 50125125-001FRE, Compatible with --> PC42 printer
50130570-001	R 290	Honeywell USB Power Adapter 5V 2A, Includes EU / UK / US / India plugs, 50130570-001, Compatible with -->

		ScanPal EDA50 / EDA50hc
50138010-001	R 1,208	Honeywell RP4e Receipt Printer Battery pack - 4000 mAh, 50138010-001
50141384-001	R 224	Honeywell EDA51 hand strap, 50141384-001
50172021-001	R 820	Honeywell ScanPal EDA52 & EDA56 3.8V 4500mAh Battery, 50172021-001
50176081-001	R 493	Honeywell EDA50 / EDA51 Battery pack - 3.8V 4000mAh
710-118S-002	R 1,246	Honeywell PM43 Platen Roller Assembly - Customer Replaceable, 710-118S-002
710-129S-001	R 4,274	Honeywell 203 dpi 4inch Printhead for PM42 & PM43 lable printers
800033-801	R 391	Zebra IX Series Monochrome Ribbon for ZXP Series 3 - Black, Black Resin Ribbon, 1000 images per Ribbon, 800033-801
800085-914	R 1,564	Zebra i Series Clear top Laminate for ZXP Series 7 - 750 cards, 800085-914, 1 & #181; m printing Media thickness
800300-301	R 472	Zebra Black Monochrome Ribbon for ZC300 card Printer, 2000 images, Compatible with --> ZC300 / ZC350 / ZC100 ID card printers, Monochrome Ribbons print a single Colour, Solid Colour only - no shades or shadows, 800300-301
800350-562EM	R 937	Zebra YMCPKO Colour Ribbon, Color-YMCPKO, 200 images, Compatible with --> ZC350 card Printer, 800350-562EM, Printing colours - Black / Cyan / Magenta / Yellow
851-061-501	R 1,710	Honeywell Universal AC Adapter - 12V 2.5A, 3 skt, For Honeywell IF2B RFID reader, 851-061-501
871-228-201	R 2,273	Honeywell CK3 & CK65 single Dock, Requires Power Supply 851-810-002 and country specific AC Power cord, cable assy, USB Type-A to Micro USB Type-B 236-209-001, Not compatible with Battery 318-046-011
871-229-201	R 9,818	Honeywell CK65 Quad multidock charger cradle only, 871-229-201, Requires Power Supply (851-064-316) and Country specific Power cord, Compatible with CK3X / CK3R / CK65 Mobile computers
871-230-101	R 3,780	Honeywell CK65 / CK3 / EDA60 Quad Battery charger, Requires Power Supply 851-810-002 and country specific AC Power cord, Not compatible with Battery 318-046-011, 871-230-101
8754-870650-01	R 937	Honeywell CK65 handstrap kit - 5 pack, 8754-870650-01 Compatible with --> Honeywell CK65 Mobile Computer
98-0720032-00LF	R 4,686	Printronix Printhead module T4000 4 inch 203 dpi, 98-0720032-00LF, Compatible with --> T4000 Printer
98-0720050-00LF	R 533	Printronix T4204 platen Roller, 98-0720050-00LF, Compatible with --> Printronix T4000 Compact Industrial Label Printer
A5012	R 529	Evolis Cleaning Kit - 10 Cleaning Cards & 5 Swabs, for plastic card printers
AC-12	R 184	Posiflex AC Adapter for the CR4101 and CR4105 Cash Drawers
ACL001	R 690	Evolis Cleaning Kit (Primacy Printer) for plastic card printer
ACL001	R 657	Evolis Cleaning Kit (Primacy Printer) for plastic card printer
ADP-RFD40-TC2X-2E	R 1,380	Zebra RFD40 sled Adapter with eConnex Port for TC22/TC27, Allows both the RFD40 and TC22/TC27 to be docked as a pair in single or Multi-Slot ShareCradles, ADP-RFD40-TC2X-2E
ADP-RFD40-TC5X-0R	R 466	Zebra RFD40 Sled Bluetooth adaptor for TC51 / 52 / 52x / 52ax with SE4720 / 56 / 57 / 57x, ADP-RFD40-TC5X-0R
BRKT-TM0072-04	R 334	Zebra SP72 Table Mount for SP72-V - Midnight Black, BRKT-TM0072-04
BTRY-NGTC5TC7-44MA-01	R 2,185	Zebra TC53/58 and TC73/78 4400 mAh Standard Battery, Compatible products - TC53 / TC58 / TC73 / TC78, BTRY-NGTC5TC7-44MA-01
BTRY-NGTC5TC7-66MA-01	R 2,918	Zebra 7000 mAh extended capacity Battery with PowerPrecision Plus, BTRY-NGTC5TC7-66MA-01, Compatible with --> TC53 / TC58 / TC53e / TC58e / TC53e-RFID / TC73 / TC78
BTRY-RFD49-70MA1-01	R 3,007	Zebra RFD40 PowerPrecision spare Lithium-ion Battery - 7000mAh, Compatible with --> Zebra RFD40 / RFD90 RFID Sled / TC22r RFID reader
BTRY-RS51-4MA-01	R 1,829	Zebra RS5100 480mAh Lithium Ion Battery, Standard capacity, BTRY-RS51-4MA-01
BTRY-TC2L-2XMAXB-01	R 2,519	Zebra TC22/TC27 Standard Power Precision Li-Ion Battery with BLE Beacon - 3800 mAh - single, BLE Beacon allows device with this Battery to be located even if Powered off using Zebra device tracker
BTRY-TC2L-2XMAXX-01	R 1,880	Zebra TC22/TC27 Standard Power Precision Li-on Battery - 3800 mAh - single, Compatibility - TC22 / TC27, 3800 mAh Battery capacity, BTRY-TC2L-2XMAXX-01
BTRY-TC51-43MA1-10-S	R 20,585	Zebra TC5X PowerPrecision spare Lithium Ion Battery - 4150 mAh - 10 pack, compatible with --> TC51 / TC56 PowerPrecision
C-4003	R 3	Evolis White HiCo MagStripe Cards - Single Cards, for plastic card printers

C823061	R 394	Epson C823061 UB-S01 RS232 Interface Card; DB25 connector; Type-B interface; POS printer accessory; serial communication; retail POS systems; Epson TM-series compatible; restaurant printing; hospitality systems
C824131	R 1,057	UB-U03II USB Interface Card - USB Interface Board (UB-U03II) (L2 CAB 3)
CAB-PAR	R 37	Posiflex CAB-PAR Parallel port convert cable for KS-6715 / 72XX / 771X / 751X / XT / HS series
CAB-POWER-USB-24V-R	R 523	LinkQnet 4m 24V powered USB Y-Splitter cable for POS printers and terminals
CBA-U01-S07ZAR	R 587	Zebra CBA-U01-S07ZAR Cable 7ft USB for scanners
CBA-U23-S07ZBR	R 782	Zebra shielded Power Plus USB cable 2.1m, CBA-U23-S07ZBR, Straight, Compatible with DS2208 / CR2278 / DS4208 / DS4308 / DS6878 / DS7708 / DS8108 / CR8178 / DS9208 / DS9808 / DS9908 / LI2208 / LI4278 scanners
CBA-U51-S16ZAR	R 1,012	Zebra Multi-Plane Scanner standard USB cable - 5m, Type-A connector to RJ45
CBL-DC-383A1-01	R 207	Zebra DC Line Cord 5.4V 3A for PWR-BUA5V16W0WW Power Supply, DC line cord for connecting a Level VI Power Supply PWR-BUA5V16W0WW to single slot cradles or charging cables, CBL-DC-383A1-01
CBL-DC-387A1-01	R 137	Zebra DC line cord for Level 6 power supply PWR-BGA12V50W0WW 12VDC 5A - 1.5m, CBL-DC-387A1-01
CBL-DC-388A1-01	R 230	Zebra DC line cord for use with PWR-BGA12V50W0WW Power Supply, DC Power cord used to Power Single-Slot cradles or four-slot Battery chargers when using Level VI efficiency Power Supply (PWR-BGA12V50W0WW), 1.8 meters cable length, CBL-DC-388A1-01
CBL-DC-388A1-01	R 136	Zebra DC line cord for use with PWR-BGA12V50W0WW Power Supply, DC Power cord used to Power Single-Slot cradles or four-slot Battery chargers when using Level VI efficiency Power Supply (PWR-BGA12V50W0WW), 1.8 meters cable length, CBL-DC-388A1-01
CBL-DC-395A1-01	R 575	Zebra DC Power Cord for running the MC90/MC91/MC92 4-Slot battery charger from a single Level VI power supply (PWR-BGA12V50W0WW)
CBL-MPM-USB1-01	R 265	Zebra USB Type-A to Type-C cable - Black, can be used with a ZQ300 Series Printer
CBL-MPV-USB1-05	R 909	Zebra USB cable (Type-A to Type-C) - 5 pack, ZR138, Use this cable with the AC - USB Adapter or the vehicle lighter Adapter to charge your Printer, CBL-MPV-USB1-05
CBL-TC2X-USBC-01	R 247	Zebra CBL-TC2X-USBC-01 Value USB-C Communications & Charging Cable, A 1.5 m (5 ft) rugged USB-A to USB-C cable with integrated ferrite bead, designed for reliable charging and data/ADB communication with Zebra TC2X-series devices.
CBL-TC2X-USBC-01	R 240	Zebra CBL-TC2X-USBCâ€'01 Value USBâ€'C Communications & Charging Cable, A 1.5 m (5 ft) rugged USB-A to USB-C cable with integrated ferrite bead, designed for reliable charging and data/ADB communication with Zebra TC2X--series devices.
CBL-TC7X-USB1-01	R 3,053	Zebra TC70 Adapter to USB cable, TC7x Snap-On USB / charge cable, Requires PWR-BUA5v16w0ww Power Supply
CD-HS	R 2,760	Posiflex 2D scanner module upgrade for HS-351x and HS-65XX Series POS stations
CD9050-3	R 759	Newland cradle for MT90 Series charging & USB communication, including USB charging cable, UR90 and EX90 compatible
CD9050-3	R 920	Newland cradle for MT90 Series charging & USB communication, including USB charging cable, UR90 and EX90 compatible
CHG-MPV-SNGBC1-01	R 362	Zebra single Battery charger for ZQ220 / ZQ220 Plus / ZQ120 / ZQ120 Plus / ZR138, CHG-MPV-SNGBC1-01
CK65-SCH	R 1,584	Honeywell CK65 Mobile Computer Scan Handle, Disinfectant ready, Includes Stylus, CK65-SCH
CK67-BTSC-001	R 1,296	Honeywell CK67 and CK62 Standard Battery - 7000mAh, for CK67 & CK62 Mobile Handheld computers
CK67-PB-1	R 632	Honeywell CK67 Protective Rubber Boot, CK67-PB-1
CK67-SCH	R 1,991	Honeywell CK67 Scan Handle, For CK67 4.3" Mobile Handheld Computer
CK67-SP-1PK	R 231	Honeywell CK67 Screen Protector - 1 piece, For CK67, 4.3" Mobile Handheld Computer
CN80-STY-5SH	R 587	Honeywell CN80 Scan Handle Stylus 5-pack, CN80-STY-5SH, Compatible with --> Honeywell Dolphin CN80
CP03RTBSCB10	R 1,420	Epson CP03RTBSCB10 3-Year Extended Warranty for the TM-T20 Series POS printers
CR-LOCK-KEY	R 121	Unbranded 1x Lock & 2x Keys for the CR4100L0ML Cash Draw Units
CR40-3S4T-TC5-G-01	R 18,946	Zebra Multi-Slot charging share cradle for RFD40 and TC5X, 3 device slots /4 Toaster slots, charge only cradle with support for TC51 / 52 / 52x / 52ax / 56 / 57 / 57x, Requires Power Supply (PWR-BGA12V108W0WW) & DC line cord (CBL-DC-382A1-01)

CRD-ET4X-1SCG1-01	R 5,008	Zebra ET4X one slot charge only cradle for 10" ET40 / ET45 / ET40HC / ET45HC, CRD-ET4X-1SCG1-01, Power Supply sold separately (PWR-BGA12V50W0WW)
CRD-MC33-2SUCHG-01	R 4,244	Zebra MC33 single slot USB / charge cradle with spare Battery charger, Charges one device and one spare Battery, Llows USB communication to the device with an additional Micro-USB cable, Requires : Power Supply PWR-BGA12V50W0WW & , DC line cord CBL-DC-388A1-01
CRD-MC33-5SETH-01	R 6,792	Zebra Zebra MC33 5 slot Ethernet share cradle, CRD-MC33-5SETH-01, Not compatible with MC32, Requires Power Supply
CRD-MC93-4SCHG-01	R 8,378	Zebra MC93 4slot charge only Sharecradle, Requires - Level VI Power Supply PWR-BGA12V108W0WW / DC cord CBL-DC-381A1-01 / Country specific 3 Wire AC line cord, CRD-MC93-4SCHG-01, Zebra MC9300 Charging Cradle
CRD-NGTC5-2SC1B	R 2,795	Zebra single-slot and spare Battery charging cradle kit for TC53 / TC58 / TC53e / TC58e / TC53e-RFID, Includes Power Supply, Charges a single device and any TC53/TC58 spare Li-Ion Battery, CRD-NGTC5-2SC1B
CRD-NGTC5-5SC5D	R 20,832	Zebra five-slot cradle kit to charge TC53 / TC58 / TC53e / TC58e / TC53e-RFID devices, Includes five-pack of shims (Shim-crd-ngtc), with shims and Power Supply, CRD-NGTC5-5SC5D
CRD-TC2L-BS11B-01	R 7,331	Zebra single-slot and spare Battery charging cradle for TC22 / TC27 device and ITS spare Battery, Power Supply not included (PWR-BGA12V50W0WW), CRD-TC2L-BS11B-01
CRD-TC2L-BS1CO-01	R 782	Zebra TC22/TC27 single slot charge only cradle, Removable shim Pre-Installed for device without Boot, Remove the shim for compatibility with TC22 / TC27 with Rugged Boot / trigger Handle, CRD-TC2L-BS1CO-01
CRD-TC2L-BS5CO-01	R 13,794	Zebra TC22/TC27 5-slot charge only cradle (Shims included), Supports device with Boot / trigger Handle after shim is removed, compatible with --> TC22 / TC27 devices
CRD-TC2Y-BS1CO-01	R 782	Zebra TC21/TC26 single slot charge cradle, Support Terminal and Terminal with trigger Handle, Power Supply and USB cable sold separately, CRD-TC2Y-BS1CO-01, Support Terminal and Terminal with trigger Handle
CRD-TC51-20S4BC-01	R 36,064	Zebra TC5X 20-slot Battery charger, No Fast-Charging, 0-90% in 6 hours, Order separately - AC cable / DC cable / Power Supply, Fits TC5X Batteries
CRD-TC51-5SC4B-01-S	R 18,998	Zebra TC51/56 5-slot charge only cradle with 4-slot spare Battery charger, Charges up to 4 devices and up to 4 spare Batteries, CRD-TC51-5SC4B-01-S, Compatibility - TC51 / TC56, Includes Power Supply and DC cable
CRD5500-101UES	R 1,774	Zebra MC55 / MC65 / MC67 Desktop single slot cradle kit, CRD5500-101UES, Includes a Single-Slot USB cradle (CRD5500-1000UR) and Power Supply (PWRS-14000-148R)
CRD9101-4001CR	R 4,304	Zebra MC90 / MC91 / MC92 4 slot charge only cradle, CRD9101-4001CR, Order SAC9000-4000R for spare Battery charging, Must order Power Supply PWR-BGA12V108W0WW / DC line cord CBL-DC-382A1-01
CS025	R 60	Epson CS025 Serial Cable 9-pin Femle to 25-pin male, D-type connectors
CS032	R 63	Posiflex Serial Cable (9 pin Male to 9 pin Female) for PP-6900 / PP-8800 / PP-8900 / CR4101
CT30P-BTSC-001	R 789	Honeywell CT30P XP Disinfectant ready Battery pack - 3400mAh
DT-100RS	R 454	Maken Interface conversion from RJ11 Printer kick to Serial RS232, Compatible with --> CK-420 and SK-410 cash drawers
DT-100U	R 385	Maken Interface Conversion from RJ11 Printer Kick to USB, Compatible with --> SK-410 and CK-420 Cash Drawer
DT-100U	R 282	Maken Interface Conversion from RJ11 Printer Kick to USB, Compatible with --> SK-410 and CK-420 Cash Drawer
DT50-BATT	R 800	Urovo DT50 spare Battery 3.85V 4300mAh 16.56Wh, For Urovo DT50 RFID Data Collection Terminal
DX2A2BB20	R 4,365	Honeywell 4-pos Battery charger, DX2A2BB20, No powercord, Compatible with --> CK70 / CK71 Mobile computers
EDA10A-BAT	R 1,114	Honeywell ScanPal EDA10 spare Battery - 3.85V 8000mAh
EDA10A-RB-0	R 371	Honeywell EDA10 Rubberboot, IT is compatible with single charging Dock (EDA10A-SC-R) / Display Dock (EDA10a-db-x) / Quad bay charging base (EDA10A-CB-X), EDA10A-RB-0
EDA10A-SC-R	R 1,730	Honeywell EDA10A single charging Dock, Kit includes Dock / USB cable / 5V 2A Power Adapter / and plugs, EDA10A-SC-R
EDA10A-SP-1PK	R 1,278	Honeywell EDA10A Front Screen Film - 5 pieces kit
EDA10A-SS-1PK	R 425	Honeywell EDA10A Shoulder Strap for Tablets and Carrying Cases
EDA10A-STL-1PKC	R 246	Honeywell Stylus for EDA10A Tablets - 1 piece/kit

EDA40-SH-R	R 954	Honeywell EDA61K Scan Handle dockable with EDA61, Compatible with --> Honeywell ScanPal EDA52 / EDA56 / EDA57
EDA50-CB-2	R 2,505	Honeywell Quad charging base for 4 Mobile computers, EDA50-CB-2, Compatible products - EDA50 / EDA50hc / EDA51
EDA51-HB-0	R 1,381	Honeywell EDA51 kit charger Dock - no Power cord, Compatible with --> Honeywell ScanPal Handheld terminals EDA50 / EDA50hc / EDA51
EDA51-SH-R	R 863	Honeywell EDA51 Scan Handle kit, EDA51-SH-R, Compatible with EDA51 ' s handstrap
EDA51-SP-10PK	R 955	Honeywell EDA51 screen protector - 10 pack, EDA51-SP-10PK
EDA52-CB-0	R 3,093	Honeywell EDA52 charging base, EDA52-CB-0, Compatible with --> EDA52 / EDA52-HC mobile computers
EDA52-HB-2	R 1,436	Honeywell ScanPal EDA52 & EDA5s single charging homebase for device, Comes with Power Supply and EU Power cord, EDA52-HB-2
EDA52-RB-0	R 278	Honeywell Rubber Boot for ScanPal EDA52, EDA52-RB-0
EDA52-SH-R	R 925	Honeywell Scan Handle for ScanPal EDA52, Compatible with EDA52 hand strap, EDA52-SH-R
EDA61K-CB-0	R 5,114	Honeywell EDA61K Quad Dock, Kit includes Dock and Power Supply, Power cord NT included, EDA61K-CB-0
EDA61K-HB-2	R 1,741	Honeywell Home charging base for Honeywell EDA61K, EDA61K-HB-2
EDA61K-SH-DC	R 1,401	Honeywell EDA61k Scan Handle, Dockable with EDA61k homebase, EDA61K-SH-DC
FP-200 HS	R 2,438	Posiflex FP-200 HS Finger print sensor for HS-2310
FS80	R 1,328	Fingerprint Scanner - USB - Black* Finlogon Personal Edition and Add-On Pack Included
FS82	R 1,898	Mecer FS82 Fingerprint/Smart Card Reader (Combo Unit) - USB - Black *Finlogon Personal Edition and Add-On Pack Included.
HS-MSR	R 460	Posiflex HS-MSR 3T MSR module with decoder board for DT-108 /DT-308 / HS series
KIT-MPV-BLTCP21-05	R 532	Zebra Belt Clip for ZQ210 / ZQ112 / ZR118 Series - 5 pack, KIT-MPV-BLTCP21-05
KS-PSU-1.	R 403	Posiflex KS-PSU-1 PSU 60W for the KS-6815N / KS-7215 / KS-6715
KT-CRD-MC33-2SUCHG-01	R 2,076	Zebra MC33 single slot USB / charge cradle with spare Battery charger, Charges one device and one spare Battery, Llows USB communication to the device with an additional Micro-USB cable, Includes Power Supply and DC cable
KT-CRD-MC33-2SUCHG-01	R 2,116	Zebra MC33 single slot USB / charge cradle with spare Battery charger, Charges one device and one spare Battery, Llows USB communication to the device with an additional Micro-USB cable, Includes Power Supply and DC cable
LMD005	R 10,146	Labelmate LD-100-U (v2) label dispenser for Transparent labels up to 115 mm wide, 220mm Roll Diameter capacity, Handles labels up to 115mm wide, Label length from 10 to 150mm for regular labels, Label length from 20 to 150mm for Transparent labels, 11cm/sec min Speed
LMR003	R 7,306	Labelmate MC-11 Rewinder with adjustable Core hold, Handles labels up to 115mm wide, Roll Diameter capacity up to 220mm, Adjustable Core holder from 25 to 101mm, Speed up to 50cm/sec, Suitable for rewinding and unwinding with the Bi-Directional motor
LS2208-CAB-U	R 690	Symbol LS2208-CAB-U Symbol LS2208 scanner USB Cable
M9VADAPTER	R 475	BROTHER 9V ADAPTER FOR P-TOUCH PT1010 PT1090 PT1290. No refunds, no returns.
misc-mc2x-scrnpt-01	R 1,518	Zebra MC22/MC27 Tempered Glass Screen Protector - 5 Pack
MISC-MC34-SCRN-01	R 1,196	Zebra Set of five Tempered Glass screen protectors for MC3400 / MC3450 devices, Includes two alcohol wipes, One Cleaning Cloth, MISC-MC34-SCRN-01
MOD-MT2-EU1-01	R 1,853	Zebra MOD-MT2-EU1-01 USB to Ethernet module, Attaches to the 2-Slot USB / Charging ShareCradle CRD-TC7X-SE2EU1-01 to provide Ethernet support
P1031365-024	R 1,456	Zebra kit - qln / ZQ5 / ZQ6 AC Adapter, US (Type-A) cord, Compatible with --> QLN220 / QLN320 / QLN420 / ZQ510 / ZQ520
P1031365-024	R 1,265	Zebra kit - qln / ZQ5 / ZQ6 AC Adapter, US (Type-A) cord, Compatible with --> QLN220 / QLN320 / QLN420 / ZQ510 / ZQ520
P1058930-107	R 2,358	Zebras Toggle Bar kit for ZT420 & ZT421 Thermal Barcode Label Printer, P1058930-107, Thermal Barcode 203dpi & 300dpi models
P1063406-062	R 1,863	Zebra Vehicle Cradle with USB lock for ZQ500 Series, Compatibility - ZQ510 / ZQ520, P1063406-062

P1112640-017C	R 3,197	Zebra Kit Wireless Module - WiFi 802.11ac / MFI 3.0 / Bluetooth 4.1, Compatible with --> ZD421D / ZD621D / ZD421T / ZD411D / ZD411T / ZD611D / ZD611T
P1112640-017C	R 2,892	Zebra Kit Wireless Module - WiFi 802.11ac / MFI 3.0 / Bluetooth 4.1, Compatible with --> ZD421D / ZD621D / ZD421T / ZD411D / ZD411T / ZD611D / ZD611T
P1112640-202	R 3,490	Zebra Cover Assembly for Standard models - ZD421T
P220063-901	R 7,855	Printronix Printerhead assembly T6000 4 inch 203 dpi, P220063-901, Compatible with --> T6000 4" Printer
P220065-901	R 7,439	Printronix Printhead assembly T6000 6 inch 203 dpi, P220065-901. Compatible with --> T6000 6" printer
P220354-001	R 7,068	Printronix Printhead assembly T6000e 4inch 203 dpi, P220354-001, Compatible with --> T6000e printer
PA-6000	R 351	Universal Power Supply for POS Printers
PD-340U	R 978	Posiflex Rear Mounted Customer Display - HS-Series - USB (Rear display only - POS and monitor not included)
PD-350U	R 822	Posiflex Rear Mounted Customer Display - XT-Series *Monitor not included, this display attaches to the monitor*
PD6607	R 2,300	7" Colour Integrated LCD Customer Display for XT-Systems (Mounted on the top back) - USB. PRIMARY MONITOR AND POS UNIT NOT INCLUDED.
PH-ML240-0003	R 2,841	TSC ML240 Print Head (203 dpi), Compatible with --> ML240 Series / ML241 Series printers
PH-TE200-0001	R 1,811	TSC printerhead assembly TE200 203 dpi, 8 dots/mm (203 dpi)
PL-1500T-MSR	R 523	Poslab Integrated 3-Track MSR for PL-1500T
PL-260N	R 1,104	Poslab PL-260N 3" Thermal Receipt Printer, Autocut, 260mm/s, USB / LAN / RS-232
PL-MSR-USB	R 736	Poslab 3 Track MSR USB (MSR-250)
PM-900L	R 644	Posiflex PM-900L LAN Interface Board for PP-6900 / PP-8800 / PP-9000 POS Printers
PM-900P	R 293	Posiflex PM-900P Parallel Interface Board for PP-6900 / PP-8800 / PP-9000 POS Printers
PM-900S	R 293	Posiflex PM-900S Serial Interface Board for PP-6900 / PP-8800 / PP-9000 POS Printers
PM65-PR	R 1,719	Honeywell PM65 platen Roller kit, PM65-PR, Compatible with --> PM65 Industrial Printer
PM65-TPH-203	R 9,528	Honeywell PM65 Printerhead 203 dpi, PM65-TPH-203, compatible with --> Honeywell PM65 Industrial Printer
POSHPQT538AA	R 557	HP Cable Pack for Dual HP Cash Drawer
PWR-BGA12V50W0WW	R 1,248	Zebra TC25 Level VI AC/DC Power Supply Brick. AC Input: 100-240V; 2.4A. DC Output: 12V; 4.16A; 50W. Requires: DC line cord and C
PWR-BGA24V150W1WW	R 3,910	Zebra Level VI AC/DC Power Supply Brick, 100-240V AC Input, 24V 2.0A DC Output
PWR-WUA5V12W0EU	R 690	Zebra PWR-WUA5V12W0EU (power adapter for wall). USB Power Supply, 100-240 VAC Input with Europe plug, Output = 5 V, 2.5 A.
PWR-WUA5V12W0EU	R 529	Zebra Power Supply 100-240 VAC with 5V 2.5A Output with Europe plug
PWR-WUA5V4W04C	R 805	Zebra 5VDC Scanner Power Adapter, 5.2V 1.1A 5.7W, Brazil, China, EU / australia Adapter plugs, Level 6 compliant, PWR-WUA5V4W04C
RB9050	R 98	Newland Rubber Boot for MT90 Series, Compatible with --> MT9050 Mobile Computer
RB9050	R 408	Newland Rubber Boot for MT90 Series, Compatible with --> MT9050 Mobile Computer
RF-300	R 633	Posiflex RFID reader module with HID interface, KB simulation, Selectable to read ID only for SD-860W / 866W / 870W / 876W attachment
SAC-RS51-40SCHG-01	R 51,612	Zebra RS5100 40-slot Ring Scanner spare Battery charger, Allows charging of 40 spare Batteries, Compatible products - RS5100, Requires PSU (PWR-BGA12V108W0WW) / DC cable (CBL-DC-381A1-01) / Power cord (50-16000-219r)
SAC-TC2L-4SCHG-01	R 8,016	Zebra four-slot Battery charger for TC22 / TC27 devices spare Batteries, Requires - Power Supply (PWR-BGA12V50W0WW) & DC cable (CBL-DC-388A1-01) & AC line cord (23844-00-00r)
SAC-TC2L-4SCHG-01	R 3,379	Zebra four-slot Battery charger for TC22 / TC27 devices spare Batteries, Requires - Power Supply (PWR-BGA12V50W0WW) & DC cable (CBL-DC-388A1-01) & AC line cord (23844-00-00r)
SF61-BAT-S002	R 878	Honeywell SF61 920mAh Lithium-Ion Battery Pack, SF61-BAT-S002, Compatible with --> Honeywell SF61B Rugged Bluetooth Scanner
SG-ET4X-10EXOSKL1-01	R 2,294	Zebra ET4X 10 ' ' Rugged Boot / Exoskeleton for 10 inch ET40 & ET45, Compatible with --> Zebra ET40 / ET45 Android Tablets
SG-ET4X-10EXOSKL1-01	R 1,058	Zebra ET4X 10 ' ' Rugged Boot / Exoskeleton for 10 inch ET40 & ET45, Compatible with --> Zebra ET40 / ET45 Android Tablets

SG-ET5X-SHDRSTP-01	R 1,196	Zebra ET5X breakaway shoulder strap, Break away shoulder strap for your ET50 / ET51 / ET55 / ET56, Has a safety feature near the clip that breaks when pulled
SG-MC33-RBTG-02	R 178	Zebra MC3300R Rubber Boot for RFID gun
SG-MC34-RBTG-01	R 259	Zebra Rubber Boot for MC3400 / MC3450 devices with gun configurations
SG-MC9X-SHLSTG-01	R 1,673	Zebra MC93 soft Holster for gun, Compatibility - Zebra MC93 (Pistol grip), SG-MC9X-SHLSTG-01
SG-NGTC5-SCRNP-01	R 477	Zebra TC53/TC58 Tempered Glass Screen Protector - 1 pack, Compatibility - TC53 / TC58 / TC53e / TC58e / TC53e
SG-NGTC5-SCRNP-03	R 1,369	Zebra Set of three screen protectors for TC53 / TC58 / TC53e / TC58e / TC53e-RFID devices, Scratch resistant Protective Film, Scratch & Impact protection - the specially designed, Compatible only with Zebra TC53 and Zebra TC58 Android Mobile Barcode Scanner models, 9H Surface hardness, SG-NGTC5-SCRNP-03
SG-NGTC5EXO1-01	R 541	Zebra Rugged boot for TC53 / TC58 / TC53e / TC58e / TC53e-RFID devices, SG-NGTC5EXO1-01
SG-RFD40-LOCKFT-01	R 167	Zebra RFD40 Battery locking foot, Locking foot that screws into the bottom of the RFD40 RFID Sled to prevent Battery removal
SG-TC1XTN28-EXO1-01	R 322	Zebra Rugged Boot - compatible with TC15 / TN28 Mobile computers
SG-TC2L-BOOT-01	R 506	Zebra TC22/TC27 Rugged Protective bumper Boot, SG-TC2L-BOOT-01, Compatible with --> TC22 / TC27 Mobile computers, The Protective bumper allows you to easily attach a trigger Handle to your Zebra TC22 or TC27
SG-TC2L-HSTRP1-01	R 713	Zebra TC22/TC27 handstrap, SG-TC2L-HSTRP1-01, Compatible with --> TC22 / TC27 Mobile computers
SG-TC2L-SCRNPT1-01	R 454	Zebra TC22/TC27 Tempered Glass Screen Protector, SG-TC2L-SCRNPT1-01, Provides an oleophobic layer to disperse finger oils
SG-TC5X-EXO1-01-S	R 1,679	Zebra TC5X rubber Case Exoskeleton with hand strap, SG-TC5X-EXO1-01-S, Compatible with TC51 / TC52 / TC56 / TC57
SG-WEAR-HNWPRM-02	R 1,110	Zebra spare hand wrap for RS5100 / RS6100 / WS50 Enterprise hand Mount, Right hand Medium, SG-WEAR-HNWPRM-02
STND-15F03-009-6	R 625	Honeywell stand Flexible Rod weighted Mid-Sized Universal base 6" - Gray, Compatible with Honeywell Voyager 1250G Barcode Scanner, STND-15F03-009-6
STND-19R02-002-4	R 328	Honeywell 7.5" rigid Plastic Pole stand with weighted Tripod base - Gray, 19cm (7.5 ') stand height, For the Voyager 1200G Single-Line Laser barcode scanner, STND-19R02-002-4
STND-ET4X-10POS1-01	R 8,769	Zebra ET4X 10" Presentation stand for 10" ET40 / ET45 Tablets, Connects to 8 pin Connector on the back side of the Tablet, Electro Mechanical lock, Accommodates Tablet with or without Rugged Boot, STND-ET4X-10POS1-01
STU430/STU530-PEN	R 759	Wacom Stylus Pen for STU430 / STU530 Signature pad
TA-220	R 633	Posiflex 3T MSR module USB interface for MT series, option:RFID
TC-4000	R 253	Lockable Lid for CR4000 and CR4100 Series
TM-OT-WL06-327	R 1,282	Epson OT-WL06-327 2.4GHz / 5GHz WiFi Dongle, C32C891327, Compatible with --> TM-T20IIE
TM-PS180-PSU	R 805	Epson TM PS180 PSU Power Cable, Compatible with --> T88V 042 / TM T88V 833 /TM T88VI-III printers
TPC	R 190	Microworld Thermal Printer charger 24V 2.5A 60W, Three pin plug, For xprinter PS180 & PS179 bill counter
TRG-MC2X-SNP1-01	R 1,231	Zebra MC22/MC27 Snap-On trigger Handle, Supports Terminal with either Standard or extended Battery, TRG-MC2X-SNP1-01
TRG-MC2X-SNP1-01	R 1,099	Zebra MC22/MC27 Snap-On trigger Handle, Supports Terminal with either Standard or extended Battery, TRG-MC2X-SNP1-01
TRG-NGTC5-ELEC-01	R 1,507	Zebra TC53 / TC58 / TC53e / TC58e / TC53e-RFID Electric trigger Handle, Requires a Rugged Boot (SG-NGTC5EXO1-01), TRG-NGTC5-ELEC-01
TRG-TC2L-SNP1-01	R 1,121	Zebra TC22/TC27 Snap on trigger Handle, Supports device with either Basic or extended Battery (Requires Protective Boot SG-TC2L-BOOT-01 - sold separately), TRG-TC2L-SNP1-01, Compatibility - TC22 / TC27
UB-E04	R 1,029	Epson UB-E04 10/100 Ethernet Interface card for Epson POS printers, Built-in USB Port - supports Wireless Adapter connectivity, Standard TCP / IP Protocol, Speeds up to 100 Mbps, Easy installation and Configuration
URO-HBCDT50P-CRD	R 1,841	Urovo DT50U single slot cradle - HBCDT50P, compatible with DT50U Android Handheld Barcode Scanner
Urovo i6310 - S/C	R 666	Urovo I6310 1 slot charging cradle, For Urovo I6310 Android Handheld Barcode Scanner
Urovo-DT50-Boot Cover	R 295	Urovo DT50 Boot cover - Silicone
Urovo-DT50-Cradle	R 978	Urovo DT50 Single Slot Cradle Charging Dock

USB-004	R 99	Esquire USB Adapter For 2 Keyboard Device
VX89A501RAMARM	R 1,727	Honeywell mounting Hardware RAM Medium Arm - 215mm, For the VX8 and VX9
Win10 IoT- Entry	R 1,091	Microsoft Windows 10 IoT ' Entry ' for system with Atom / N2807 / J1900 CPU / Apollo Lake, Windows 10 Internet of Things

< Return to the menu

POS Consumables

Product code	Price	Description
02100BK22045	R 9,373	Zebra 2100 Wax Ribbon - 220mm x 450m, High Performance, 25mm (1in) Core, 12 rolls per Box
02300CT11007	R 201	Zebra 2300 Wax Ribbon 110mm x 74m standard Cartridge
02300GS11007	R 69	Zebra Original Wax Ribbon 110mm x 74m 2300 Standard, 12mm core for GC and GK Series
02300GS11007	R 64	Zebra Original Wax Ribbon 110mm x 74m 2300 Standard, 12mm core for GC and GK Series, Â© 2018 Laptop Direct
03200BK11045	R 696	Zebra Original Wax/Resin Ribbon 110mm x 450m, 3200 High Performance, 25mm core for ZT200 Series
03200GS11007	R 1,765	Zebra Original Wax/Resin Ribbon 110mm x 74m 3200 High Performance, 12mm core for GC and GK Series
05095GS11007	R 2,892	Zebra 5095 4.3" Performance Resin Ribbon, Print Technology Thermal Transfer, 110mm x 74m, High Performance, 05095GS11007, Compatible with Desktop printers and Polyester Labels, Core Size 0.5"
10005007	R 2,094	Zebra Z-Band direct White adult wristbands - 25.4 x 279.4mm, Z-Band direct, Adhesive closure, 76.2mm Core, 6 rolls per Box, 450 labels per Roll, Acrylic material, Direct Thermal printable polypropylene wristbands
10015355K	R 7,889	Zebra Z-Band UltraSoft Wristband Cartridge kit, Wristband synthetic 1x 11in (25.4x279.4mm), Compatible with Direct Thermal Printer, Z-Band Ultra soft, Coated, Permanent adhesive, 175 bands per cartridge, 6x cartridges per box, Zebra HC100 Desktop Printer compatibility
10015357K	R 8,154	Zebra Z-Band UltraSoft Wristband Cartridge kit, Wristband synthetic 1x 7in (25.4x177.8mm), Compatible with Direct Thermal Printer, Z-Band Ultra soft, Coated, Permanent adhesive, 250 wristbands per Cartridge, 6 cartridges per case, Zebra HC100 Desktop Printer compatibility
104524-101	R 2,616	Zebra White PVC 30mil cards (500 per Box), White composite 70% PVC / 30% Pet cards, 30 mil thickness, For Zebra card printers
105999-302	R 765	Zebra 105999-302 ZXP Series 1& 3 cleaning kit, 4 print engine cleaning cards and 4 feeder cards, 1000 prints per card
105999-302	R 897	Zebra 105999-302 ZXP Series 1& 3 cleaning kit, 4 print engine cleaning cards and 4 feeder cards, 1000 prints per card
105999-701	R 2,708	Zebra 105999-701 ZXP series 7 print station cleaning kit, Includes 12 feeder and print Path cleaning cards for 60 000 prints
13108080	R 521	Unbranded Bond Till Rolls 76 x 76 - 50 pack
13109000	R 1,008	Unbranded Thermal Add Rolls 80x83 55gsm paper - 50 units
13109000B	R 954	Unbranded Till Rolls Thermal Blue paper - 80 x 83mm - 60gsm - 50 per box, Blue-tinted Thermal paper
13109000G	R 954	Unbranded Till Rolls Thermal Green paper - 80 x 83mm - 60gsm - 50 per box, Green-tinted Thermal paper
13109000P	R 954	Unbranded Till Rolls Thermal Pink paper - 80 x 83mm - 60gsm - 50 per box, Pink-tinted Thermal paper
13109000Y	R 954	Unbranded Till Rolls Thermal Yellow paper - 80 x 83mm - 60gsm - 50 per box, Pink-tinted Thermal paper
13109001	R 846	Unbranded Till Roll Thermal paper 80x83mm - 65gsm - 50 per box
13109005	R 265	Unbranded Thermal Till Rolls 57 x 30 paper - 100 pack
13109008	R 166	Unbranded Thermal Till Rolls 57 x 40 55gsm paper - 10 pack
13109009	R 181	Unbranded Thermal Till Rolls 57 x 40 55gsm paper - 50 pack
13109010	R 363	Unbranded Thermal Add Rolls 57x40 55gsm paper - 100 units
13109011	R 344	Unbranded Thermal Till Roll paper 57x40mm - 65gsm - 100 per box
13109020	R 993	Unbranded Till Rolls Thermal paper 57x57mm - 100 per box
13109022	R 216	Unbranded Thermal Till Rolls 80 x 83 55gsm paper - 5 pack
13109023	R 208	Unbranded Thermal Till Rolls 80 x 83 65gsm paper - 5 pack
13109030	R 541	Unbranded Till Rolls Bond Paper 57x57mm - 100 Per Box

13109040	R 978	Unbranded Thermal Add Rolls 76x76 55gsm paper - 50 units
13109055	R 932	Unbranded Till Rolls Bond White On Yellow Paper 76x76mm - 2 ply - 50 Per Box
13109060	R 574	Unbranded Till Rolls Bond Paper 44x70mm - 100 Per Box
13109061	R 1,089	Unbranded Thermal Till Rolls 44 x 70 paper - 100 pack
179499-001	R 2,409	Printronix P7000 Ribbon Ultra Capacity - 6 pack, 179499-001, Ultra Capacity Ribbon 81 million characters, Compatibility - All P7000 Spool Series printers
3006419-T-singles	R 61	Zebra receipt paper Direct Thermal - 101.6mm x 31.70m, Uncoated, 19mm Core, 10 years estimated archival Life
76536	R 18,336	Zebra 76x51mm - Thermal Transfer Polyester label, Z-Ultimate 3000T White, Permanent adhesive, 76mm Core, 6 units per box
800011-101	R 500	Zebra 800011-101 ZXP1 Ribbon Black, 1000 Images yield, Load-N-Go monochrome ribbon for ZXP Series 1 printer
800011-140	R 880	Zebra 800011-140 ZXP1 Colour Ribbon, Colour-YMCKO, 100 Images yield, Load-N-Go colour ribbon for ZXP Series 1 printer
800011-140	R 920	Zebra 800011-140 ZXP1 Colour Ribbon, Colour-YMCKO, 100 Images yield, Load-N-Go colour ribbon for ZXP Series 1 printer
800012-944	R 3,243	Zebra ZXP Series Thermal Transfer Ribbon for Zebra Series 8 printers, 6 panel Colour YMCKKi, 415 images, Retransfer
800033-840	R 1,121	Zebra 800033-840 ZXP3 Colour Ribbon, YMCKO, 200 Images yield, Thermal ribbons compatible with the Zebra ZXP Series 3
800033-840	R 1,139	Zebra 800033-840 ZXP3 Colour Ribbon, YMCKO, 200 Images yield, Thermal ribbons compatible with the Zebra ZXP Series 3
800077-742EM	R 3,416	Zebra ix Series colour ribbon for ZXP Series 7 YMCKO, Color-YMCKO, 750 Images, 800077-742EM
800264-505	R 5,526	Zebra Label Paper Direct Thermal - 102 x 127mm, Z-Select 2000D, Coated, Permanent Adhesive, 25mm Core, Perforation
800294-155	R 3,692	Zebra 800294-155 Z-Perform 1000T Label Paper - 102 x 38mm - Thermal Transfer, Uncoated, Permanent Adhesive, 25mm Core, Perforation, 1790, Labels per Roll, Compatible Printers - GC420t / GK420t / TLP 2844-Z / TLP 3842 / TLP 3844-Z / TLP 2844 / GX420t / GX430t
800300-250EM	R 943	Zebra 800300-250EM Ribbon Color-YMCKO, 58mm x 99m, 200 images, Compatible with --> ZC100/ZC300 printers
800300-255EM	R 1,242	Zebra ZC300 Colour-YMCKO Ribbon - 58mm x 148m, 300 images, Compatible with --> ZC300 printers, Printing colours - Black / Cyan / Magenta / Yellow, ZC300 compatibility, 800300-255EM
800300-255EM	R 1,288	Zebra ZC300 Colour-YMCKO Ribbon - 58mm x 148m, 300 images, Compatible with --> ZC300 printers, Printing colours - Black / Cyan / Magenta / Yellow, ZC300 compatibility, 800300-255EM
800300-360EM	R 1,150	Zebra ZC300 Color-YMCKOK Ribbon, Color-YMCKOK, 200 Images, Compatible with --> ZC300 printers, 800300-360EM
800300-360EM	R 1,553	Zebra ZC300 Color-YMCKOK Ribbon, Color-YMCKOK, 200 Images, Compatible with --> ZC300 printers, 800300-360EM
800300-370EM	R 1,081	Zebra Ribbon Colour-1/2 YMCKO for ZC100 / ZC300 printers, Thermal Transfer print Technology, Black / Cyan / Magenta / Yellow printing colours, 400 pages yield
800350-350EM	R 932	Zebra ZC350 Ribbon Color-YMCKO, 200 images, Compatible with --> ZC350 printers, 800350-350EM
880350-050	R 10,735	Zebra 880350-050 Z-Ultimate 3000T White 102 x 51mm Thermal Transfer Polyester Labels, Permanent Adhesive, 76mm Core
98-0730027-01LF	R 4,699	Printronix Printhead module T800 4 inch 300 dpi, 98-0730027-01LF, Compatible with --> T800 Printer
APR1 - T74346IO	R 936	Inkanto T74346IO Thermal Transfer Ribbon - 110mm x 74m Value Wax Resin Ink APR1 half inch - 25 rolls per box, 110mm Ribbon width, 74m Ribbon length, APR1 standard Wax/Resin, Outside (CSO) Coated side, 12.5mm Core
APR1 - T74594IO	R 1,125	Inkanto T74594io Thermal Transfer Ribbon - 110mm x 91m Value Wax Resin Ink APR1 half inch - 25 rolls per box, 110mm Ribbon width, 91m Ribbon length, APR1 standard Wax/Resin, Outside (CSO) Coated side, 12.5mm Core
APR1 - T76605IO	R 1,486	Inkanto T76605io Thermal Transfer Ribbon - 110mm x 360m Value Wax Resin Ink APR1 one inch - 10 rolls per

		box, 110mm Ribbon width, 360m Ribbon length, APR1 standard Wax/Resin, Inside (CSI) Coated side, 25mm Core
APR6 - T42501IO	R 1,281	Inkanto T42501IO Thermal Transfer Ribbon - 110 mm x 91m Wax Resin Ink APR6 half inch - 25 rolls per box, 110mm Ribbon width, 91m Ribbon length, APR6 Premium Wax/Resin, Outside (CSO) Coated side, 12.5mm Core
APR6 - T47331IO	R 1,063	Inkanto T47331io Thermal Transfer Ribbon - 110 mm x 74m Wax Resin Ink APR6 half inch - 25 rolls per box, 110mm Ribbon width, 74m Ribbon length, APR6 Premium Wax/Resin, Outside (CSO) Coated side, 12.5mm Core
APR6 - T63368IO	R 1,727	Inkanto T63368IO Thermal Transfer Ribbon - 110mm x 360m Wax Resin Ink APR6 one inch - 10 rolls per box, 110mm Ribbon width, 360m Ribbon length, APR6 Premium Wax/Resin, Inside (CSI) Coated side, 25mm Core
APR6 - T63369IO	R 1,229	Inkanto T63369io Thermal Transfer Ribbon - 76mm x 360m Wax Resin Ink APR6 one inch - 10 rolls per box, 76mm Ribbon width, 360m Ribbon length, APR6 Premium Wax/Resin, Inside (CSI) Coated side, 25mm Core
AWR1 - T57605IO	R 508	Inkanto T57605IO Thermal Transfer Ribbon - 110mm x 74m Value Wax Ink AWR1 half inch - 25 rolls per box, 110mm Ribbon width, 74m Ribbon length, AWR1 Economy Wax, Outside (CSO) Coated side, 12.5mm Core
AWR1 - T57638IO	R 652	Inkanto T57638IO Thermal Transfer Ribbon - 110mm x 360m Value Wax Ink AWR1 one inch - 10 rolls per box, 110mm Ribbon width, 360m Ribbon length, AWR1 Economy Wax, Inside (CSI) Coated side, 25mm Core
AWR1 - T57929IO	R 599	Inkanto T57929IO Thermal Transfer Ribbon - 110mm x 91m Value Wax Ink AWR1 half inch - 25 rolls per box, 110mm Ribbon width, 91m Ribbon length, AWR1 Economy Wax, Outside (CSO) Coated side, 12.5mm Core
AWR1 - T60180IO	R 487	Inkanto T60180IO Thermal Transfer Ribbon - 104mm x 74m Value Wax Ink AWR1 half inch - 25 rolls per box, 104mm Ribbon width, 74m Ribbon length, AWR1 Economy Wax, Outside (CSO) Coated side, 12.5mm Core
AWR1 - T69515IO	R 623	Inkanto T69515IO Thermal Transfer Ribbon - 104mm x 360m Value Wax Ink AWR1 one inch - 10 rolls per box, 104mm Ribbon width, 360m Ribbon length, AWR1 Economy Wax, Inside (CSI) Coated side, 25mm Core
AWR1 - T76596IO	R 603	Inkanto T76596io Thermal Transfer Ribbon - 40mm x 360m Value Wax Ink AWR1 one inch - 25 rolls per box, 40mm Ribbon width, 360m Ribbon length, AWR1 Economy Wax, Inside (CSI) Coated side, 25mm Core
AWR8 - T52385IO	R 889	Inkanto T52385IO Thermal Transfer Ribbon - 110mm x 360m standard Wax Ink AWR8 one inch - 10 rolls per box, 110mm Ribbon width, 360m Ribbon length, AWR8 standard Wax, Inside (CSI) Coated side, 25mm Core
AWR8 - T53060IO	R 630	Inkanto T53060IO Thermal Transfer Ribbon - 110mm x 74m standard Wax Ink AWR8 half inch - 25 rolls per box, 110mm Ribbon width, 74m Ribbon length, AWR8 standard Wax, Outside (CSO) Coated side, 12.5mm Core
AWR8 - T53540IO	R 847	Inkanto T53540io Thermal Transfer Ribbon - 104mm x 360m standard Wax Ink AWR8 one inch - 10 rolls per box, 104mm Ribbon width, 360m Ribbon length, AWR8 standard Wax, Inside (CSI) Coated side, 25mm Core
AWR8 - T54168IO	R 748	Inkanto T54168io Thermal Transfer Ribbon - 110mm x 91m standard Wax Ink AWR8 half inch - 25 rolls per box, 110mm Ribbon width, 91m Ribbon length, AWR8 standard Wax, Outside (CSO) Coated side, 12.5mm Core
AWXFH - T42929IO	R 921	Inkanto T42929io Thermal Transfer Ribbon - 110mm x 91m Premium Wax Ink - 25 rolls per box, AWX FH Resin enhanced Wax, 110mm Ribbon width, 91m length, 12.5mm Core, Outside (CSO) Coated side
AWXFH - T47652IO	R 770	Inkanto T49187io Thermal Transfer Ribbon - 104mm x 74m Premium Wax Ink - 25 rolls per box, AWX FH Resin enhanced Wax, 104mm Ribbon width, 74m length, 12.5mm Core, Outside (CSO) Coated side
AWXFH - T47654IO	R 988	Inkanto T47654io Thermal Transfer Ribbon - 110mm x 300m Premium Wax Ink - 10 rolls per box, AWX FH Resin enhanced Wax, 110mm Ribbon width, 300m length, 25mm Core, Inside (CSI) Coated side
AWXFH - T49187IO	R 735	Inkanto T49187io Thermal Transfer Ribbon - 104mm x 74m Premium Wax Ink - 25 rolls per box, AWX FH Resin enhanced Wax, 104mm Ribbon width, 74m length, 12.5mm Core, outside (CSO) Coated side
AWXFH - T63362IO	R 839	Inkanto T63362io Thermal Transfer Ribbon - 76mm x 360m Premium Wax Ink - 10 rolls per box, AWX FH Resin enhanced Wax, 76mm Ribbon width, 360m length, 25mm Core, Inside (CSI) Coated side
AWXFH - T63363IO	R 1,162	Inkanto T63363io Thermal Transfer Ribbon - 110mm x 360m Premium Wax Ink - 10 rolls per box, AWX FH Resin enhanced Wax, 110mm Ribbon width, 360m length, 25mm Core, Inside (CSI) Coated side
AWXFH - T63364IO	R 972	Inkanto T63364IO Thermal Transfer Ribbon - 90mm x 360m Premium Wax Ink - 10 rolls per box, AWX FH Resin enhanced Wax, 90mm Ribbon width, 360m length, 25mm Core, Inside (CSI) Coated side
AWXFH - T63414IO	R 1,305	Inkanto T63414io Thermal Transfer Ribbon - 50mm x 360m Premium Wax Ink - 25 rolls per box, AWX FH Resin enhanced Wax, 50mm Ribbon width, 360m length, 25mm Core, Inside (CSI) Coated side
AWXFH - T63415IO	R 1,067	Inkanto T63415io Thermal Transfer Ribbon - 40mm x 360m Premium Wax Ink - 25 rolls per box, AWX FH Resin enhanced Wax, 40mm Ribbon width, 360m length, 25mm Core, Inside (CSI) Coated side
AWXFH - T69516IO	R 1,105	Inkanto T69516io Thermal Transfer Ribbon - 104mm x 360m Premium Wax Ink - 10 rolls per box, AWX FH Resin enhanced Wax, 104mm Ribbon width, 360m length, 25mm Core, Inside (CSI) Coated side

AXR1 - T59198IO	R 1,477	Inkanto T59198IO Thermal Transfer Ribbon - 110mm x 74m Value Resin Ink AXR1 half inch - 25 rolls per box, 110mm Ribbon width, 74m Ribbon length, AXR1 standard Resin, Outside (CSO) Coated side, 12.5mm Core
AXR1 - T59451IO	R 1,790	Inkanto T59451IO Thermal Transfer Ribbon - 110mm x 91m Value Resin Ink AXR1 half inch - 25 rolls per box, 110mm Ribbon width, 91m Ribbon length, AXR1 standard Resin, Outside (CSO) Coated side, 12.5mm Core
AXR1 - T69517IO	R 2,538	Inkanto T69517io Thermal Transfer Ribbon - 104mm x 360m Value Resin Ink AXR1 one inch - 10 rolls per box, 104mm Ribbon width, 360m Ribbon length, AXR1 standard Resin, Inside (CSI) Coated side, 25mm core
AXR7+RESIN - T14694IO	R 2,170	Inkanto T24939IO Thermal Transfer Ribbon - 110mm x 91m Resin Ink AXR7 half inch - 25 rolls per box, 110mm Ribbon width, 91m Ribbon length, AXR7 Premium Resin, Oustside (CSO) Coated side, 12.5mm core
AXR7+RESIN - T24939IO	R 1,376	Inkanto T24939IO Thermal Transfer Ribbon - 83mm x 74m Resin Ink AXR7 half inch - 25 rolls per box, 83mm Ribbon width, 74m Ribbon length, AXR7 Premium Resin, Oustside (CSO) Coated side, 12.5mm core
AXR7+RESIN - T47618IO	R 1,786	Inkanto T47618IO Thermal Transfer Ribbon - 110mm x 74m Resin Ink AXR7 half inch - 25 rolls per box, 110mm Ribbon width, 74m Ribbon length, AXR7 Premium Resin, Oustside (CSO) Coated side, 12.5mm core
AXR7+RESIN - T63285IO	R 2,974	Inkanto T63285IO Thermal Transfer Ribbon - 104mm x 360m Resin Ink AXR7 one inch - 10 rolls per box, 104mm Ribbon width, 360m Ribbon length, AXR7 Premium Resin, Inside (CSI) Coated side, 25mm core
AXR7+RESIN - T63293IO	R 3,551	Inkanto T63293IO Thermal Transfer Ribbon - 50mm x 360m Resin Ink AXR7 one inch - 25 rolls per box, 50mm Ribbon width, 360m Ribbon length, AXR7 Premium Resin, Inside (CSI) Coated side, 25mm core
AXR7+RESIN - T63341IO	R 1,902	Inkanto T63341IO Thermal Transfer Ribbon - 65mm x 360m Resin Ink AXR7 one inch - 10 rolls per box, 65mm Ribbon width, 360m Ribbon length, AXR7 Premium Resin, Inside (CSI) Coated side, 25mm core
BTRY-MC9X-26MA-01	R 2,588	Zebra battery pack MC9X 2600 mAh lithium-ion PP BTRY QTY-1. MC90XX-G/K, MC9190-G, MC9200 Powerprecisionspare Lithium Ion Battery, 2600 Mah.
C-4001	R 2	Evolis White PVC High Quality Gloss Cards - single cards, 30mil thickness, For card printer
CBGR100B	R 345	Evolis Mono Ribbon for BADGY 100/200 printer
CBGR100C	R 897	Evolis Colour Ribbon for Badgy Printer
CBL-TC5X-USBC2A-02	R 293	Zebra USB Type-A to USB-C communications and charging cable - 1m, compatible with Zebra tc Series Mobile computers, CBL-TC5X-USBC2A-02
CS011	R 31	Till Roll 1 Ply 76 x 76mm for TM-U220D B Series and PP5600 Series
CS022	R 43	Till Roll 2 Ply 76 x 76mm for TM-U220A Series
DK11201	R 311	Labels for Brother-QL700: Standard Address Label (29mm x 90mm) 400 labels/roll 100.00
DK11202	R 529	Labels for Brother-QL700: Shipping Label (62mm x 100mm) 300 labels/roll
DK11203	R 253	Labels for Brother-QL700: File Folder Label (17mm x 87mm) 300 labels/roll
DK11204	R 311	Labels for Brother-QL700: Multi-Purpose Label (17mm x 54mm) 400 labels/roll 64.
DK11208	R 414	Labels for Brother-QL700: Large Address Label (38 x 90mm) 400 labels/roll
DK11209	R 506	Labels for Brother-QL700: Small Address Label (29 x 62mm) 800 labels/roll
DK11218	R 437	Labels for Brother-QL700: 24mm Round Label 1000 labels/roll
DK11240	R 1,104	Brother DK-11240 White Paper Thermal (102mm x 51mm) 600 labels/roll; die-cut labels; permanent adhesive; direct thermal printing; compatible with Brother QL printers; white labels; shipping and barcode labels
DK22113	R 1,380	Brother DK-22113 Clear Vinyl Film (62mm x 15.24m); black on clear; direct thermal printing; continuous film tape; permanent adhesive; compatible with Brother QL printers; professional labeling solution
DK22205	R 506	Labels for Brother-QL700: White Paper Thermal (62mm x 30.48m)
DK22210	R 345	Labels for Brother-QL700: White Paper Thermal (29mm x 30.48m)
DK22212	R 1,093	Brother DK-22212 White Vinyl Film (62mm x 15.24m); black on white print; direct thermal; continuous label tape; Brother QL compatible; durable adhesive labels; professional labeling solution
DK22214	R 276	Labels for Brother-QL700: DK22214 White Thermal Paper (12mm x 30.48m)
DK22606	R 1,610	Brother DK-22606 Yellow Vinyl Film (62mm x 15.24m); direct thermal printing; durable film; strong adhesive; Brother QL compatible; warehouse labels; signage; office organisation; 0.183kg
ERC-38	R 52	Black Ribbon for TM-U220
ERC31	R 92	Black Ribbon for TM-950
G4LABEL	R 114	Microworld Coated paper label 100x100 for G4, Used with Wax / resin ribbons
LAB000	R 385	100 x 128mm Thermal Labels for LP2844-Z / EPL

LAB004	R 253	Mecer 100mm x 50mm Thermal Labels with 40mm Core - 1000 Labels/roll - Compatible with PC43D / GC420D / GK420D label printers
LAB005	R 115	30 x 20mm Thermal Labels for LP2844-Z / EPL
LAB006	R 109	50 x 26mm Thermal Labels for LP2844-Z / EPL
LAB007	R 253	70 x 45mm Thermal Labels for LP2844-Z / EPL
LAB100	R 437	Mecer 80mm x 40mm Thermal Labels with 76mm Core - 1000 Labels/roll
LABSG004	R 92	50 x 26mm Semi-Gloss Labels for TLP2844-Z / EPL Printers
LABSG006	R 242	30 x 20mm Semi-Gloss Labels for TLP2844-Z / EPL
LABSG007	R 288	Mecer 100mm x 128mm Semi-Gloss Labels with 40mm Core - 500 Labels/roll - Compatible iwth PC43D / PC43T / PC42T label printers
LABSG009	R 224	Mecer 100mm x 50mm Semi-Gloss Labels with 40mm Core - 1000 Labels/roll - Compatible iwth PC43D / PC43T / PC42T label printers
M890540	R 190	PPC Bond Roll 80gsm - 76mm Core - 297mm width x 150m length
M890542	R 179	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 50m length
M890542MP5	R 1,012	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 50m length - 5 pack
M890543	R 178	PPC Bond Roll 80gsm - 50mm Core - 297mm width x 50m length
M890543MP5	R 316	PPC Bond Roll 80gsm - 50mm Core - 297mm width x 50m length - Multi pack 5
M890545	R 378	PPC Bond Roll 80gsm - 76mm Core - 594mm width x 150m length
M890545MP2	R 872	PPC Bond Roll 80gsm - 76mm Core - 594mm width x 150m length - Multi pack 2
M890546	R 127	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 50m length
M89054676	R 127	PPC Bond Roll 80gsm - 76mm Core - 594mm width x 50m length
M89054676MP5	R 748	PPC Bond Roll 80gsm - 76mm Core - 594mm width x 50m length - Multi pack 5
M890546BLFP	R 127	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 50m length
M890546MP5	R 748	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 50m length - Multi pack 5
M890547	R 253	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 100m length
M89054776	R 253	PPC Bond Roll 80gsm - 76mm Core - 594mm width x 100m length
M89054776200	R 506	PPC Bond Roll 80gsm - 76mm Core - 594mm width x 200m length
M890547MP2	R 506	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 100m length - Multi pack 2
M890548	R 179	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 50m length
M890548B	R 191	PPC Bond rolls 80gsm 50mm Core - 841mm width x 50m length
M890548BLFP	R 179	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 50m length
M890548MP5	R 1,012	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 50m length - Multi pack 5
M890549	R 378	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 150m length
M890549MP2	R 872	PPC Bond Roll 80gsm - 50mm Core - 594mm width x 150m length - Multi pack 2
M890550	R 359	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 100m length
M890550200	R 833	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 200m length
M89055050	R 359	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 100m length
M89055050B	R 370	PPC Bond rolls 80gsm 50mm Core - 841mm width x 100m length
M89055050BLFP	R 359	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 100m length
M89055050MP2	R 833	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 100m length - Multi pack 2
M890550MP2	R 833	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 100m length - Multi pack 2
M890552	R 538	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 150m length
M89055250	R 538	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 150m length
M89055250MP2	R 1,191	PPC Bond Roll 80gsm - 50mm Core - 841mm width x 150m length - Multi pack 2
M890552MP2	R 1,191	PPC Bond Roll 80gsm - 76mm Core - 841mm width x 150m length - Multi pack 2
M890554	R 194	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 50m length
M89055476	R 194	PPC Bond Roll 80gsm - 76mm Core - 914mm width x 50m length
M890554B	R 206	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 50m length
M890554BLFP	R 194	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 50m length

M890554MP5	R 1,098	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 50m length - Multi pack 5
M890555	R 389	PPC Bond Roll 80gsm - 76mm Core - 914mm width x 100m length
M890557	R 698	PPC Bond Roll 80gsm - 76mm Core - 914mm width x 150m length
M89055750	R 698	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 150m length
M890557MP2	R 1,281	PPC Bond Roll 80gsm - 76mm Core - 914mm width x 150m length - Multi pack 2
M890558	R 389	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 100m length
M890558B	R 400	PPC Bond rolls 80gsm 50mm Core - 914mm width x 100m length
M890558BLFP	R 389	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 100m length
M890558MP2	R 892	PPC Bond Roll 80gsm - 50mm Core - 914mm width x 100m length - Multi pack 2
M890561	R 389	PPC Bond Roll 80gsm - 76mm Core - 610mm width x 150m length
M890713	R 205	PPC Bond Roll 80gsm - 50mm Core - 420mm width x 50m length
M890713100	R 179	PPC Bond Roll 80gsm - 50mm Core - 420mm width x 100m length
M89071376	R 205	PPC Bond Roll 80gsm - 76mm Core - 420mm width x 50m length
M890713MP5	R 449	PPC Bond Roll 80gsm - 50mm Core - 420mm width x 50m length - Multi pack 5
M890714	R 130	PPC Bond Roll 80gsm - 50mm Core - 610mm width x 50m length
M89071476	R 130	PPC Bond Roll 80gsm - 76mm Core - 610mm width x 50m length
M890714B	R 141	PPC Bond Roll 80gsm - 50mm Core - 610mm width x 50m length
M890714BLFP	R 130	PPC Bond Roll 80gsm - 50mm Core - 610mm width x 50m length
M890714MP5	R 765	PPC Bond Roll 80gsm - 50mm Core - 610mm width x 50m length - Multi pack 5
M890715	R 269	PPC Bond Roll 80gsm - 76mm Core - 420mm width x 150m length
M890715MP2	R 538	PPC Bond Roll 80gsm - 76mm Core - 420mm width x 150m length - Multi pack 2
M890716	R 269	PPC Bond Roll 80gsm - 50mm Core - 420mm width x 150m length
M890717	R 260	PPC Bond Roll 80gsm - 50mm Core - 610mm width x 100m length
M89071776	R 260	PPC Bond Roll 80gsm - 76mm Core - 610mm width x 100m length
M890735	R 270	PPC Bond Roll 80gsm - 50mm Core - 1067mm width x 50m length
M890736	R 541	PPC Bond Roll 80gsm - 76mm Core - 1067mm width x 100m length
M89073650	R 541	PPC Bond Roll 80gsm - 50mm Core - 1067mm width x 100m length
M890737	R 270	PPC Bond Roll 80gsm - 50mm Core - 1270mm width x 50m length
M89073776	R 270	PPC Bond Roll 80gsm - 76mm Core - 1270mm width x 50m length
M890738	R 541	PPC Bond Roll 80gsm - 50mm Core - 1270mm width x 100m length
M89073876	R 541	PPC Bond Roll 80gsm - 76mm Core - 1270mm width x 100m length
M890739	R 270	PPC Bond Roll 80gsm - 50mm Core - 1118mm width x 50m length
M89073910050	R 698	PPC Bond Roll 80gsm - 50mm Core - 1370mm width x 100m length
M89073910076	R 698	PPC Bond Roll 80gsm - 76mm Core - 1370mm width x 100m length
M8907395050	R 292	PPC Bond Roll 80gsm - 50mm Core - 1370mm width x 50m length
M8907395076	R 292	PPC Bond Roll 80gsm - 76mm Core - 1370mm width x 50m length
M890740	R 546	PPC Bond Roll 80gsm - 50mm Core - 1118mm width x 100m length
M890813	R 260	PPC Bond Roll 80gsm - 76mm Core - 150mm width x 400m length
MK221	R 190	4 Metres long 9mm wide - Black text on white plastic M Tape
MK221	R 180	Brother 9mm Black On White Non-laminated Tape - 8m
MK631	R 196	Brother MK631 12mm Black on Yellow Non-Laminated tape - 8m, Compatible with Brother P Touch printers; thermal transfer printing; indoor labeling; compatible with Brother P-touch label makers; office and home organization tape
NET-LAB-BRR-TZE621	R 452	Brother TZE621 9mm Black/Yellow tape, Black print on Yellow tape
NET-LAB-BRR-TZE631	R 463	Brother TZE631 12mm Black/Yellow tape, Black print on Yellow tape
R5F002	R 1,144	Evolis 5 Panel - YMCKO Ribbon - 200 Prints, for plastic card printing
R5F008	R 1,455	Evolis 5-Panel Colour Ribbon YMCKO - 300 Prints, for plastic card printer
R5H004	R 1,346	Evolis 1/2 Half Panel - YMCKO Ribbon - 400 Prints, for plastic card printing
RCT023	R 454	Evolis RCT023 Black Mono Ribbon - 2000 Prints, for plastic card printing

RIB-INT-1	R 115	Intermec Wax Ribbon 110mm x 91m with 40mm Core - Compatible with PC43T / PC42T barcode printers
RIB-INT-2	R 437	Intermec Wax Ribbon 110mm x 91m with 450mm Core - Compatible with PD41/ PD42 / PM43 / PX4i barcode printers
T80ROLL	R 28	80 x 83mm Thermal Roll for TM-T88III Series & PP-7000 Series
T80ROLL	R 23	80 x 83mm Thermal Roll for TM-T88III Series & PP-7000 Series
TPR002	R 749	Postron Premium Thermal 80mm x 80mm paper roll - 50 rolls per box - White, 80mm width, 75mm roll Diameter, 83um thickness, 15mm Core, 59m paper length, 55gsm Grammage, TPR002
TUP104	R 863	Unbranded Thermal Paper Roll - 104mm width x 24m length - 55gsm - 50 rolls per box
TZFA3	R 414	Brother 12mm fabric tape 3m - Blue on White, Compatible with --> PTH105 / D200 / E100VP / PT7600 / PT9600VP / PT2430PC / PT9700PC / PT9800PCN / PT2100VP / PT2730VP / PT3600
Z-RIB 01	R 109	Zebra Wax Ribbon 110mm x 74m with 40mm Core
ZIPRD3015155	R 7,450	Zebra Z-Band UltraSoft (LR) 25 x 362mm RFID Wristband, Polypropylene, Direct Thermal, Z-Band UltraSoft, Coated, 25mm Core, RFID, 178 per Roll, 3 rolls per Box

< Return to the menu

POS Keyboard

Product code	Price	Description
KB6600BK	R 1,765	84 Key POS Keyboard (68 programmable keys) (Black)
KB6600USB	R 1,426	Posiflex KB6600 Point of Sale Keyboard, Black, with USB Interface, 84-Key (68 Programmable Keys and 16 Numeric Keys) Keyboard, Software Programming Under MS-DOS; Win 98/2000/NT/XP Without TSR Program, 6-Position Control Key Structure, Spill-Proof Structure, State-Of-The-Art Design with Water Drainage System.
POSHPFK218AA	R 4,835	HP POS Keyboard MSR with built in Mouse pad, 106-position key layout with 28 reconfigurable keys, USB 2.0 plug and play capability, Touchpad with two mouse buttons, IP54 spill and dust resistant key area, Integrated 3-track magnetic stripe reader with bi-directional swipe, LED, and buzzer indicators.

< Return to the menu

POS Kiosk

Product code	Price	Description
EK-2152	R 48,410	Posiflex EK-2152 21" counter top Kiosk with Printer, Supports Intel Core CPU, 1x DDR4 SO-DIMM slot, 1x M.2 connector fro SSD, TPM 2.0, 1x DB9 Serial Port, 2x RJ50 Serial Port, 4x USB 3.0, 4x USB 2.0, 1x HDMI, 2x Gigabit Ports, 2x internal 3W Speaker, 21.5" 1920x1080 Display, True-flat PCAP Touch with Multi-Touch support
NLS-NQUIRE1000-W4-SL	R 9,781	Newland NQuire 1000 Manta III Micro Kiosk with 10" Touch Screen, 2D CMOS Mega Pixel Imager with Laser aimer (CM6x / Landscape), Android 13 GMS Operating System, 4GB RAM, 64GB Flash, 8MP front camera, 10.1" 1280x800 capacitive Touch Screen Display, Built in 4G module, 1x USB Type-C, 1x USB Type-A, 2x GPIO, 1x Expansion slot, Ethernet RJ45, MicroSD card support (Up to 128GB), Avity Sensor, Infrared Sensor, Bluetooth 5.2, WiFi, GPS
NLS-NQUIRE1500-W4-SL	R 9,315	Newland NQuire 1500 Mobula II mikro Kiosk with 15.6" Touch Screen, 2D CMOS Mega Pixel Imager with Laser aimer (CM6x / landscape), Android 13 GMS Operating System, 4GB RAM, 64GB ROM, 8MP front camera, 15.6" 1920x1080 capacitive Touch Screen, 1x USB Type-C, 1x USB Type-A, 2x GPIO, 1x Expansion slot, Ethernet RJ45, MicroSD card support (Up to 128GB), Built in 4G module, Gravity Sensor, Infrared Sensor, WiFi, Bluetooth 5.2, GPS
NLS-NQUIRE500-W4-SL	R 8,366	Newland NQuire 500 Skate II Micro Kiosk with 5 ' ' Touch Screen & 2D CMOS Mega Pixel Imager with Laser aimer (CM6x landscape), 8MP front camera, Bluetooth, 4G, GPS, WiFi including Wall Mount bracket and Multiplug Adapter, Android 13 GMS OS, 4GB RAM, 64GB Flash, 2.0GHz Octa-core Processor, 5" 854x480 capacitive Touch Screen, 1x USB Type-C, 2x GPIO, 1x Expansion slot, Ethernet RJ45, MicroSD card support (Up to 128GB), Gravity Sensor, Infrared Sensor
TK-3252	R 165,851	Posiflex 32" single side Floor Standing Kiosk PCAP Multi Touch Display, Intel Core i3-1115G4 1.7GHz up to 4.1GHz 6MB Cache Dual Core Processor with intergrated Intel UHD Graphics 630, 8GB DDR4 Memory, 128GB M.2 SSD, Win 10 LTSC (64 BIT-21H2), with EB-302tk in Charcoal Grey, Without service indicator & proximity

		Sensor, 32" 1920x1080 Display

< Return to the menu

POS monitors

Product code	Price	Description
A1503-T	R 2,312	Mecer A1503-T 15" LCD capacitive touch Monitor - Black, Ten points touch projected capacitive, 4:3 aspect ratio. D-sub 15-pins analogue video.
LM-6810-B	R 3,220	Posiflex LM-6810-B USB 9.7" LCD 2nd monitor 1024x768 resolution for PS series, Black color, USB interface
PL-WP68i-DUAL10	R 2,674	Poslab 10.1 LCD Secondary Monitor for WP68i Non Touch
TM-3010E/3010E-B	R 6,325	Posiflex 9.7 ' ' LCD 2nd Touch monitor display 1024x768 resolution rear mounted on XT-series, Black color, 500:1 Contrast Ratio, 350 cd / m2 Brightness, USB Interface for Touch, VGA Display Interface, 12V Power from Posiflex terminal VGA port, Bezel-free PCAP touch
TM-7117E-B	R 8,712	Posiflex TM-7117E-B 17" Touch monitor 1280x1024 resolution, Black color, 1000:1 Contrast Ratio, 250cd/m2 Brightness, USB touch controller, VGA, 12V / 40W PSU

< Return to the menu

POS Workstation

Product code	Price	Description
HS-3514W	R 16,261	Posiflex Jiva HS-3514W 14" WXGA HD (1366x768 resolution) Fanfree Multi Touch Terminal Mini AIO POS station, 3" detachable thermal printer with auto cutter, 200mm/sec Max print speed, Intel Bay Trail J1900 Quad Core CPU up to 2.42 GHz 2M Cache, Supports DDR3L SO-Dimm Memory, 1x modules for Max 8GB, Support SATA Hard Drive, No Operating system, 24V / 60W PSU, True-flat PCAP touch with multi-touch support, 2x DB9 serial ports, 1x RJ50 serial ports, 1x USB3.0, 4x USB2.0, 1x Gigabit LAN, Mini-PCIe slot x1, VGA, CR Port, 1x Line-out
HS-3514W G2	R 14,375	Posiflex HS-3514W G2 14" Mini AIO fanfree Touch Terminal, 3" detachable Thermal Printer with auto cutter, Intel Celeron J6412 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics Processor, 4GB DDR4 Memory, 128GB M.2 Solid State Drive, TPM, Windows 10 IoT support, 14" 1366x768 TFT LCD, True-flat PCAP Touch with Multi-Touch support, 2x DB9 Serial Port, 1x RJ50 Serial Port, Parallel Port, 1x USB 3.0, 3x USB 2.0, Gigabit LAN Port, 1x VGA, 1 CR Port, PS/2 Port, 1x Line-Out
KS-2272	R 26,341	POSLAB KS-2272 Touch unit, 15-inch TFT LCD panel PCAP multitouch screen, Intel Celeron J6412 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics, 8GB DDR4 RAM, 256GB Solid State Drive, Table top included, Win 10 IoT LTSC Value, Zebra 4107 Printer
KS-2272-i3 KIOSK TABLE TOP	R 29,377	POSLAB KS-2272-i5 22" TFT LCD panel Touch POS Terminal, PCAP multitouch screen, Intel Core i3-1115G4 1.7GHz up to 4.1GHz 6MB Cache Dual Core Processor with intergrated Intel UHD Graphics 630, 8GB RAM, 256GB SSD, LX300 Receipt Printer, Zebra Scanner 1D/2D
KS-2272-i5 KIOSK TABLE TOP	R 31,907	POSLAB KS-2272-i5 22" TFT LCD panel Touch POS Terminal, PCAP multitouch screen, Intel Core i5 Tiger Lake Quad Core i5-1135G7 0.9GHz with Turbo boost up to 4.2GHz 8MB L3 Cache Processor, 8GB RAM, 256GB SSD, LX300 Receipt Printer, Zebra Scanner 1D/2D
PL-IRONPOS76-J1900	R 9,828	POSLAB IronPOS 76 15" 1024x768 Bezel Free Resistive Touch POS Workstation, Intel Celeron J1900 Quad Core 2.4GHz CPU, 2.5" 64GB SSD Solid State Drive, 4GB DDR3 RAM, Fanless, 5 wires resistive touch panel, Supports POS ready 7 / Windows 7 / Windows 8 / Windows 10
PL-WP68-15T-J6412	R 8,734	POSLAB Wavepos 68 15" 1024x768 PCAP Touch POS Workstation, PCAP multitouch screen, Metal base, Intel Celeron J6412 Quad Core 2.6GHz Processor, 2.5" 128GB SSD Solid State Drive, 4GB DDR3L-1600 RAM, 3x external com (RJ Type ; with 5v/12v Power selectable), 3x external USB 2.0 Ports, 1x external USB 3.0 Ports, Ethernet 1 x 10/100/1000 Mbps (RJ45), 1x DB-15 VGA Interface, Cashdrawer 1x RJ11 (12V), Supports POS ready 7 / Windows 7 / Windows 8 / Windows 10
PL-WP68i-J1900	R 10,592	POSLAB Wavepos 68 15" 1024x768 PCAP touch Pos Workstation, PCAP Multitouch Screen, Metal base, Intel Celeron bay trail J1900 Processor (Up to 2.42 GHz), 2.5" 128GB SSD Solid State Drive, 4GB DDR3L-1600 RAM, 3x external com (Rj type ; with 5V/12V power selectable), 3x external USB 2.0 ports, 1x external USB 3.0 ports, Ethernet 1 x 10/100/1000 Mbps (RJ45), 1x DB-15 VGA Interface, Cashdrawer 1x RJ11 (12V), Supports pos ready

		7 / Windows 7 / Windows 8 / Windows 10
PL-WP9590-i3	R 14,875	POSLAB WavePos WP95 POS station, Intel Core i3 Tiger Lake Dual Core i3-1115G4 1.7GHz with Turbo boost up to 4.1GHz 6MB L3 Cache Processor with Intel UHD Graphics for 11th Gen Processor, 128GB 2.5" Solid State Drive, 4GB RAM, 15" 1024x768 Touch LCD with capacitive Touch, 400 nits brightness, PCAP multitouch screen, 2x 2W Speaker, 3x com (RJ45), 1x 12V/24V C/D (RJ11), 3x USB 3.0 Ports, 1x USB 2.0 Port, 1x Gigabit LAN (RJ45)
PL-WP9590-i5	R 20,252	POSLAB WavePos WP95 POS stsation, Intel Core i5 Tiger Lake Quad Core i5-1135G7 0.9GHz with Turbo boost up to 4.2GHz 8MB L3 Cache Processor with Intel Iris Xe Graphics, 128GB 2.5" Solid State Drive, 4GB RAM, 15" 1024x768 Touch LCD with capacitive Touch, 400 nits brightness, PCAP multitouch screen, 2x 2W Speaker, 3x com (RJ45), 1x 12V/24V C/D (RJ11), 3x USB 3.0 Ports, 1x USB 2.0 Port, 1x Gigabit LAN (RJ45)
PL-WP9590-I5T-J6412	R 13,685	POSLAB WavePos 9590 with Celeron 10th Gen J612 Quad Core 2.6GHz, 128GB 2.5" Solid State Drive ; 4GB RAM, 15" 1024x768 Touch LCD with capacitive Touch, 400 nits brightness, PCAP multitouch screen, 2 x 2W Speaker, 3x com (RJ45), 1 x 12V/24V c/D (RJ11), 3x USB 3.0 Ports, 1x USB 2.0 Port, 1x Gigabit LAN (RJ45)
PS-3216	R 11,385	Posiflex PS-3216 15.6" PCAP Touch base unit, Rockchip RK3399 CPU, 4GB DDR RAM, 32GB eMMC storage, Android OS support, 15.6" 1366x768 TFT LCD, True-flat PCAP Touch with Multi-Touch support, 2x DB9 Serial Port, 5x USB 2.0, Gigabit LAN Port, 1x HDMI, 1x RJ11 CR Port, Internal 2W Speaker
PS-3515G2	R 10,983	Posiflex PS-3515 G2 15 ' ' fanfree Touch Terminal GEN7 base, Intel Celeron J6412 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics, 1x DDR4 SO-DIMM slot, 1x M.2 connector for SSD, TPM 2.0, 15" 1024x768 TFT 5-wire Resistive Touch LCD, 3x DB9 Serial Port, 1x RJ50 Serial Port, 2x USB 3.0, 3x USB 2.0, Gigabit LAN Port, 1x VGA, 1x RJ11 CR Port
QP1100 Windows	R 7,688	POSLAB QP1100 10.1 ' ' 1280x800 PCAP Touch panel POS Terminal, Intel Celeron N3350 1.1GHz up to 2.4GHz 2MB Cache Dual Core Processor with Intel HD 500 Graphics N3350, with stand, 4GB DDR3L RAM, 128GB eMMC, 60W Power Supply, 10.1" 1280x800 TFT LCD Display PCAP multitouch screen / 10 points, 330 nits brightness, 2x 2W Speaker, Supports Windows, No OS
QP1171-Android	R 8,361	POSLAB QP1171 10.1 ' ' 1280x800 PCAP Touch panel POS Terminal - Android, Rockchip RK3568 Processor, 4GB LPDDR4 RAM, 64GB eMMC on board, Wifi, Android 11, PCAP multitouch screen / 10 points, 300 nits brightness, 2 x 2W Speaker, 80mm Printer
QP1171-Windows	R 9,436	POSLAB QP1171 10" 1280x800 PCAP Touch POS Terminal - Windows, Intel Celeron N3350 1.1GHz up to 2.4GHz 2MB Cache Dual Core Processor with Intel HD 500 Graphics, 4GB DDR3L RAM, 128GB eMMC, Windows, 120W Power Supply, PCAP multitouch screen / 10 points Touch Screen, 300 nits brightness, Windows 10 IoT, 80 mm Printer
RT-2015	R 13,208	Posiflex RT-2015 15" 1024x768 Super slim system POS system, True-flat PCAP touch with multi-touch support, Intel Bay Trail J1900 Quad Core CPU up to 2.42 GHz 2M Cache, 1x DDR3L SO-DIMM slot - max. 8GB 3x Serial Port (1x DB9 2x RJ50 ; 5V/12V support on all COM ports), 5x USB ports (1x USB 3.0 4x USB 2.0), 1x Gigabit LAN, 1x VGA via proprietary connector (12V support for Posiflex monitors), 1x mini DP, CR Port, Internal 2W speaker, M.2 slot, No RAM, No HDD, No OS
TX-2300E G2	R 13,053	Posiflex TX-2300E G2 fanfree POS box, Intel Celeron J6412 2.0GHz up to 2.6GHz 1.5MB Cache Quad Core Processor with Intel UHD Graphics, 16GB DDR4 SO-DIMM Memory, 256GB M.2 Solid State Drive, Windows 11 IoT, TPM 2.0, Serial - 2x DB92 / 2x RJ50 / COM5/COM6, 2x USB 3.0, 4x USB 2.0, 1x Gigabit LAN, 1x VGA, 1x RJ11 CR Port, PS2 Port, Internal 2W Speaker, Line-Out/Mic-In Combo jack. The Posiflex TX-2300E G2 is a compact, fanless POS system ideal for retail and hospitality environments. It combines a reliable Intel Celeron processor with 16GB RAM and a 256GB SSD for fast, efficient performance. Its quiet operation and multiple connectivity options make it a versatile and dependable choice for modern businesses.
XT-6315-i5	R 20,827	Posiflex XT-6315 i5 15" 1024x768 PCT 10 point multi-touch Terminal, GEN7E base, True-flat PCAP touch with multi-touch support, 6x serial ports, 4x USB 3.0, 2x USB 2.0, 2x Gigabit LAN, 1x VGA - 12V support for Posiflex monitors, 1x Mini HDMI, 1x CR Port, Internal 2W speaker, M.2 slot, 2x SO-DIMM DDR4 slots, No HDD, No RAM, No OS

< Return to the menu

Receipt printers

Product code	Price	Description
8330	R 1,206	Microworld 8330 Wired Thermal Receipt Printer, Thermal Line printing Method, 512 dots / line Character size, 300mm/second print Speed, parallel / Serial Port / USB Port / Ethernet, 83mm print Diameter, full or partial Cut cutter
8330-A	R 1,494	Microworld POS-8330 Bluetooth Direct Thermal Receipt Printer, USB LAN RS232, 512 dots / line, 300mm/second print Speed, Full or partial Cut
C824131	R 909	UB-U03II USB Interface Card - USB Interface Board (UB-U03II) (L2 CAB 3)
E200L	R 1,149	Microworld E200L 203 dpi POS Direct Thermal line Printer, RS232, USB, LAN, Maximum 200 mm/s printing Speed, 203 dpi (Dots per inch) Resolution, 79.5 Max paper width, 72 mm print width, Partial Cut auto cutter
ECL27142	R 5,221	Epson TM-U220IIB EDG LAN Impact Receipt Printer with Auto-Cutter, Near-end sensor, EDG Auto-Cutter 2nd Generation, 4.70 lps print Speed, Roll paper types, Drawer kick-out, USB 2.0, Ethernet LAN, C31CL27142
EPTML90412	R 8,046	Epson TM-L90 EDG USB SER 2 Colour Direct Thermal Label Printer, 150mm/sec print Speed, 48 / 64 Column capacity, Space saving Design, USB, Serial, PS-180 Power Supply
EPTML90465	R 8,046	Epson TM-L90 EDG ETH 2 Colour Direct Thermal Label Printer, 150mm/sec print Speed, 48 / 64 Column capacity, Space saving Design, USB, Ethernet LAN, PS-180 Power Supply
EPTMT20III012	R 3,552	Epson TM-T20III (012) POS Thermal Receipt Printer, USB, Ethernet, Black, Thermal line printing, 250 mm/sec print Speed, Paper width 80 mm, 203 dpi x 203 dpi dot density, PS
EPTMT88VII112	R 6,063	Epson TM-T88VII High-Speed Receipt Printer - USB / Ethernet / Serial, Black, 500mm/s Max print speed
ETMU220IIB	R 3,023	Epson TM-U220IIB EDG Serial Impact Receipt Printer with Auto-Cutter, Near-end Sensor, EDG Auto-Cutter 2nd Generation, 4.70 lps print Speed, Roll paper types, Drawer kick-out, USB 2.0, Serial, C31CL27102
ETMU220IID	R 3,420	Epson TM-U220iid (102) Serial Impact Dot Matrix Receipt Printer, Serial, Near-end sensor, EDG, 4.70 lps print Speed, Roll paper types, RS-232, Drawer kick-out, Partial Cut
ETMU220IIU	R 3,830	Epson Tm-u220iid USB Auto Cutter Dot Matrix Slip Printer; 9-pin serial impact printing; paper widths: 57.5 mm, 69.5 mm, 76 mm; maximum roll diameter: 83 mm; drop-in paper loading; dimensions: 160 x 248 x 138.5 mm; weight: approximately 2.3 kg; 24 V DC; interface depends on SKU; standard IID configuration has no automatic cutter.
IHR810X-B-214IN	R 2,005	Honeywell IHR810X Direct Thermal Receipt Printer, 80 mm printing width, 260mm/sec speed, USB Serial Ethernet Interface
KPN200	R 1,149	Microworld Kpn200 (USB Bluetooth) Receipt Printer
POS438	R 5,489	Zebra ZD230 Thermal Transfer Printer USB & LAN, Standard EZPL, 203 dpi, EU and UK power cords, USB, Ethernet, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed, ZD23042-30EC00EZ
POSTR-E200L	R 1,099	Postron Thermal Printer with horizontal, wall-mounting design, which is easy drop-in paper loading, high printing speed Max. 260mm/s, supports QR code, and OPOS driver available for all
POSTR-S300M	R 1,499	Postron S300M Thermal Receipt Printer - High Speed Printing, USB, RS232 Serial, LAN Interfaces, Automatic Paper Cutting, Easy Paper Loading, Sound Reminder, Feed Button, 3 x LED Indicator, Paper, Power, Error Indicator, 80mm Paper Width, 300mm/s Printing Speed, Include Software Driver Disc, Retail Box, 6 Months Warranty.
PP-6900U	R 2,300	Compact & Lightweight Thermal Receipt Printer - USB
PP-8803	R 2,243	Posiflex PP-8803 super High Speed 3" thermal Printer with auto cutter, Black, USB serial LAN 3-in-1 interface, up to 220 mm/sec Maximum print speed, up to 8 dots/mm and 576 dots/line RESOLUTION, 80 mm or 58 mm paper WIDTH, 64 mm printing width
PP-9000U	R 3,623	Posiflex Aura 9000U Receipt Printer, Available in Black with USB interface, High Speed Thermal Receipt Printer, Print Speed: 300mm per second, Print Resolution: 8 dots/mm and 640 (Max.) dots/ line, Auto Cutter, Supports Application Environments of Windows or OPOS, Drop-And-Load Structure
RE300-A001-0002	R 3,305	TSC RE300 Portable Bluetooth Direct Thermal Label Printer, 8 dots/mm (203 dpi) Resolution, Up to 102mm Maximum print Speed, 72mm Maximum print width, USB 2.0, Bluetooth 4.2, 7.4V DC 2000mAh Li-Ion Rechargeable Battery, 128x32 pixels LCD

RE310-A001-0002	R 4,502	TSC RE310 Bluetooth Combo EU 3" Mobile Direct Thermal Receipt Printer, 203 dpi Resolution, 72mm print width, 4 IPS print Speed, 102mm per second Max print Speed, USB, Bluetoth, WiFi, 80mm Media width (Maximum), Black mark Sensor, 3080 mAh Battery, 3080 mAh, No WiFi
RE310-A001-0102	R 5,682	TSC RE310 WiFi Bluetooth Combo EU 3" Mobile Direct Thermal Receipt Printer, 203 dpi Resolution, 72mm print width, 4 IPS print Speed, 102mm per second Max print Speed, USB, Bluetoth, WiFi, 80mm Media width (Maximum), Black mark Sensor, 3080 mAh Battery, 3080 mAh
S300M	R 1,379	Microworld S300M 203 dpi Direct Thermal Printer, RS232 Serial, USB, Ethernet LAN, 72 mm print width, Maximum 300 mm/s printing Speed, 79.5mm paper width, Partial Cut auto cutter
SRP-275IIICOESG/PNC	R 4,036	Bixolon SRP-275IIICOESG3" Impact Dotmatrix Printer with Autocutter Ethernet / Serial / USB, Dot Matrix Impact, Print Speed 5.1lps, Resolution Horizontal 80dpi, Resolution Vertical 144dpi, Ethernet Serial USB CR Port, Auto Cutter, Paper Width 76mm
SRP-330IIIESK/PNC	R 2,610	Bixolon SRP-330III 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Ethernet, Serial Interface, Black, Up to 250 mm/sec print Speed, 180 dpi print Resolution, Up to 72 mm print width, 80 mm Media width, Up to 80 mm Media Roll Diameter
SRP-330IIIPK/PNC	R 2,497	Bixolon SRP-330III 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Parallel Interface, Black, Up to 250 mm/sec print Speed, 180 dpi print Resolution, Up to 72 mm print width, 80 mm Media width, Up to 80 mm Media Roll Diameter
SRP-330IIISK/PNC	R 2,270	Bixolon SRP-330III 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Serial Interface, Black, Up to 250 mm/sec print Speed, 180 dpi print Resolution, Up to 72 mm print width, 80 mm Media width, Up to 80 mm Media Roll Diameter
SRP-350PLUSVK/PNC	R 3,037	Bixolon SRP-350 Plus V 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Ethernet, Black, 180 dpi print Resolution, 80 mm Media width, Up to 83 mm Media Roll Diameter, 2 Ports drawer Port, Up to 400 mm/sec print Speed
SRP-350PLUSVPK/PNC	R 3,544	Bixolon SRP-350 Plus V 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Ethernet, Parallel port, Black, 180 dpi print Resolution, 80 mm Media width, Up to 83 mm Media Roll Diameter, 2 Ports drawer Port, Up to 400 mm/sec print Speed
SRP-350VK/PNC	R 2,376	Bixolon SRP-350V 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Black, Up to 300 mm/sec print Speed, 180 dpi print Resolution, Up to 72 mm print width, 80 mm Media width, Up to 83 mm Media Roll Diameter, 2 Ports drawer Port
SRP-350VPK/PNC	R 3,017	Bixolon SRP-350V 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Parallel Interface, Black, Up to 300 mm/sec print Speed, 180 dpi print Resolution, Up to 72 mm print width, 80 mm Media width, Up to 83 mm Media Roll Diameter, 2 Ports drawer Port
SRP-350VSK/PNC	R 2,575	Bixolon SRP-350V 3" Direct Thermal Receipt Printer with auto cutter, USB 2.0, Serial Interface, Black, Up to 300 mm/sec print Speed, 180 dpi print Resolution, Up to 72 mm print width, 80 mm Media width, Up to 83 mm Media Roll Diameter, 2 Ports drawer Port
SRP-E300ESK/PNC	R 1,792	Bixolon SRP-E300esk Direct Thermal Receipt Printer - USB, 220 mm/sec print Resolution, 203 dpi print speed, Up to 72mm print width, 80 mm Media width, Receipt Media Type, Up to 83 mm Media roll Diameter
SRP-E300ESK/PRN	R 2,049	Bixolon SRP-E300 3 inch Direct Thermal receipt pinter, USB, LAN, Serial, 180 dpi print Speed, Up to 72mm print width, Paper end Sensor, 220 mm/sec print Resolution, 80 mm Media width, Up to 83 mm Media Roll Diameter, 2 Ports drawer Port
TM-L90IIE	R 7,445	Epson TM-L90IIE Thermal Label Printer Black, Ethernet Port, Built-in USB, Power supply included, EDG
TM-M30III (112	R 4,157	Epson TM-M30iii (112) Standard Direct Thermal Receipt Printer - Black, 203 dpi Resolution, Barcode printing characters, 300mm/sec printing Speed Max, 80mm printing width, Thermal Line printing Method, Auto cutter, C31CK50112
TM-T20III-011	R 2,599	Epson TM T20III 011 EDG USB/Serial POS Printer incl. Power cord & Communications cable, Retail Box
TM-T20IIIE	R 2,830	Epson TM-T20IIIE Thermal Receipt Printer including Power Supply USB & LAN, 250 mm/sec print speed, Ank printing Font, Paper width 80 mm, 22.6 CPI / 16.9 CPI characters per inch, 203x203 dpi dot density
TM-T20IIIE	R 3,278	Epson TM-T20IIIE Thermal Receipt Printer including Power Supply USB & LAN, 250 mm/sec print speed, Ank printing Font, Paper width 80 mm, 22.6 CPI / 16.9 CPI characters per inch, 203x203 dpi dot density

TM-T20IIIS	R 2,520	Epson TM-T20IIS POS Receipt Printer, (Everything in one box) - USB & Serial, Dark Grey, Max 80mm Min 58mm
TM-T20IIIS	R 2,766	Epson TM-T20IIIS Thermal Receipt Printer - USB & Serial, 200 mm/sec print speed, 80 mm paper width, 250 mm/sec print speed, 200 mm/sec print speed receipt, 203 dpi x 203 dpi dot density, Partial Cut cutter
TM-T70IIE	R 3,606	Epson TM-T70II (025C0) UB-E04 80mm Thermal receipt printer, USB, Ethernet LAN, Including power supply, Black, 250 mm/sec print speed, Paper width 80 mm, 180dpi x 180dpi dot density, Partial Cut cutter
TM-T70IIE	R 4,002	Epson TM-T70II (025C0) UB-E04 80mm Thermal receipt printer, USB, Ethernet LAN, Including power supply, Black, 250 mm/sec print speed, Paper width 80 mm, 180dpi x 180dpi dot density, Partial Cut cutter
TM-T70IIS	R 3,398	Epson TM-T70IIE Multi-Purpose Thermal Receipt Printer Black, Serial Port, Built-in USB, Power supply included, EDG
TM-T70IIS	R 3,427	Epson TM-T70IIE Multi-Purpose Thermal Receipt Printer Black, Serial Port, Built-in USB, Power supply included, EDG
TM-T88VII	R 4,876	Epson TM-T88VII High-Speed Receipt Printer - USB / Ethernet / Serial, Black, 500mm/s Max print speed
TM-T88VII	R 4,653	Epson TM-T88VII High-Speed Receipt Printer - USB / Ethernet / Serial, Black, 500mm/s Max print speed
TM-U220AE	R 3,741	Epson TM-U220AE Entry Level Impact/Dot Matrix Receipt Printer with Auto Cutter and Journal Roll, Ethernet LAN
TM-U220BC	R 3,065	Epson TM-U220BC Entry Level Impact Receipt Printer with Auto Cutter - Serial, Including Power Supply, Black, 9-pin serial impact dot matrix, 76mm maximum paper width
TM-U220IIB (102)	R 3,908	Epson TM-U220IIB EDG Serial Impact Receipt Printer with Auto-Cutter, Near-end Sensor, EDG Auto-Cutter 2nd Generation, 4.70 lps print Speed, Roll paper types, Drawer kick-out, USB 2.0, Serial, C31CL27102
TM-U220IIB (102B0)	R 3,908	Epson TM-U220IIB EDG Serial Impact Receipt Printer with Auto-Cutter, Near-end sensor, EDG Auto-Cutter 2nd Generation, 4.70 lps print Speed, Roll paper types, Drawer kick-out, USB 2.0, C31CL27102B0
TM-U220IIB (142)	R 4,393	Epson TM-U220IIB EDG Serial Impact Receipt Printer with Auto-Cutter, Near-end sensor, EDG Auto-Cutter 2nd Generation, 4.70 lps print Speed, Roll paper types, Drawer kick-out, Ethernet LAN, C31CL27142
TM-U220IID (102)	R 3,657	Epson TM-U220iid (102) Serial Impact Dot Matrix Receipt Printer, Serial, Near-end sensor, EDG, 4.70 lps print Speed, Roll paper types, RS-232, Drawer kick-out, Partial Cut
TM-U220IID (102)	R 3,306	Epson TM-U220iid (102) Serial Impact Dot Matrix Receipt Printer, Serial, Near-end sensor, EDG, 4.70 lps print Speed, Roll paper types, RS-232, Drawer kick-out, Partial Cut
TM-U220PBC	R 3,701	Epson TM-U220PBC Black Impact Receipt Printer with Auto Cutter & Journal Incl P/S - Parallel
TM-U220UBC	R 4,336	Epson Entry Level Receipt Printer with Tear Off Incl P/S - USB (BLACK)
TM-U295S	R 5,503	Epson TM-U295S Compact POS Slip Printer; 7-pin dot matrix; RS-232 serial; 2.1 lines per second; 35-42 columns; 1 original plus 2 copies; ERC-27B ribbon; 180 x 190.5 x 101.5mm; 1.6kg; retail and banking printer
TM-U950	R 3,631	Epson Multifunction Impact Printer Exclude P/S - Serial (Ivory)
TMT20III	R 2,759	Epson TM-T20III POS Thermal Receipt Printer, USB, Serial, Black, Thermal line printing, 250 mm/sec print Speed, Paper width 80 mm, 203 dpi x 203 dpi dot density, PS
TMT70II	R 4,147	Epson TM-T70II Thermal Line Printer Black, 250 mm/sec print Speed, 250 mm/sec print Speed receipt, Paper width 80 mm, 180x180 dpi dot density, USB 2.0 Type-B, Wired Network, Drawer kick-out, Partial Cut cutter
ZD220-D	R 3,887	Zebra ZD220-D Direct Thermal Receipt Printer USB, Standard EZPL, EU and UK Power Cords, USB, 203 dpi / 8 dots per mm Resolution, ZD22042-D0EG00EZ
ZD220-D	R 3,756	Zebra ZD220-D Direct Thermal Receipt Printer USB, Standard EZPL, EU and UK Power Cords, USB, 203 dpi / 8 dots per mm Resolution, ZD22042-D0EG00EZ
ZD220-T	R 3,968	Zebra ZD220t Thermal Transfer Receipt Printer USB, 203 dpi / 8 dots per mm Resolution, 104 mm Maximum print width, 102 mm per second Maximum print speed
ZD22042-D0EG00EZ	R 3,795	Zebra ZD220 Direct Thermal Receipt Printer USB, Standard EZPL, EU and UK Power Cords, USB, 203 dpi / 8 dots per mm Resolution
ZD22042-T0EG00EZ	R 3,881	Zebra ZD220t Thermal Transfer Receipt Printer USB, 203 dpi / 8 dots per mm Resolution, 104 mm Maximum print width, 102 mm per second Maximum print speed
ZD230-D	R 5,348	Zebra ZD230d Direct Thermal Printer USB / Ethernet, Standard EZPL, EU and UK power cords, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed, ZD23042-D0EC00EZ
ZD230-T	R 5,848	Zebra ZD230 Thermal Transfer Printer USB & LAN, Standard EZPL, 203 dpi, EU and UK power cords, USB,

		Ethernet, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed, ZD23042-30EC00EZ
ZD23042-30EC00EZ	R 6,107	Zebra ZD230 Thermal Transfer Printer USB & LAN, Standard EZPL, 203 dpi, EU and UK power cords, USB, Ethernet, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed
ZD23042-30EC00EZ	R 5,070	Zebra ZD230 Thermal Transfer Printer USB & LAN, Standard EZPL, 203 dpi, EU and UK power cords, USB, Ethernet, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed
ZD23042-30EG00EZ	R 5,773	Zebra ZD230t Thermal Transfer Printer - USB, Standard EZPL, EU and UK power cords, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed, ZD23042-30EG00EZ
ZD23042-D0EC00EZ	R 5,572	Zebra ZD230d Direct Thermal Printer USB / Ethernet, Standard EZPL, EU and UK power cords, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed
ZD23042-D0EC00EZ	R 5,016	Zebra ZD230d Direct Thermal Printer USB / Ethernet, Standard EZPL, EU and UK power cords, 203 dpi / 8 dots per mm Resolution, 104 mm for 203 dpi Maximum print width, 152 mm per second Maximum print speed, ZD23042-D0EC00EZ
ZD4A022-D0EE00EZ	R 8,286	Zebra ZD411 Direct Thermal Printer - USB & Ethernet, 203 dpi, USB, USB Host, Bluetooth, Swiss Font, EZPL
ZD4A022-D0EM00EZ	R 4,606	Zebra ZD411 Direct Thermal Printer - USB, 203 dpi, USB, USB Host, Modular connectivity slot, Bluetooth, Swiss Font, EZPL
ZD4A023-D0EM00EZ	R 7,855	Zebra ZD411 2" Direct Thermal Printer - USB, 12 dots/mm - 300 dpi, USB Host, Modular connectivity slot, Bluetooth, EU and UK cords, Swiss Font, EZPL
ZD6A042-30EF00EZ	R 10,960	Zebra ZD621 Thermal Transfer Printer, 203 dpi, USB, USB Host, Ethernet, Serial, Bluetooth, Swiss Font, EZPL, 104 mm dpi Maximum print width
ZQ21-A0E01KE-00	R 4,037	Zebra ZQ210 2.25" label & receipt Direct Thermal Printer, Bluetooth, Belt clip, USB cable, 203 dpi / 8 dots per mm Resolution, 58 mm Maximum print width, 1500 mAh (7.4V) built-in rechargeable Li-ion battery
ZQ51-BUE000E-00	R 13,398	Zebra ZQ511 80mm Direct Thermal Portable Printer, 80mm Media width, Standard Battery, LCD Display, Black mark Sensor, Gap Sensor, 3250 mAh Battery 3250 mAh, 203 x 203 dpi maximum Resolution, 127 mm/sec print Speed, 7.2 cm Maximum printing width, Wi-Fi, Bluetooth, 1x USB 2.0 Port, ZQ51-BUE000E-00
ZT51042-T0E0000Z	R 39,112	Zebra ZT510 4" Thermal Transfer Receipt Printer, 203 dpi Resolution, Tear, UK and Euro Power cords, Media hanger, Thermal Transfer & Direct Thermal print modes, USB 2.0, Serial, Parallel, Gigabit Ethernet, Bluetooth low energy, 512MB SDRAM Memory, 2GB Flash Memory, Adjustable transmissive & fixed reflective sensor, 104 mm Maximum print width, 12 IPS / 305 mm per second Maximum print speed
ZT51042-T1E0000Z	R 48,864	Zebra ZT510 4" Thermal Transfer Receipt Printer, 203 dpi Resolution, Tear, UK and Euro Power cords, Media hanger, Thermal Transfer & Direct Thermal print modes, USB 2.0, Serial, Parallel, Gigabit Ethernet, Bluetooth low energy, 512MB SDRAM Memory, 2GB Flash Memory, Adjustable transmissive & fixed reflective sensor, 104 mm Maximum print width, 12 IPS / 305 mm per second Maximum print speed, Adjustable Transmissive & Fixed Reflective Sensor
ZT51043-T2E0000Z	R 54,953	Zebra ZT510 4" 300 dpi Thermal Transfer & Direct Thermal Receipt Printer, 300 dpi Resolution, Tear, UK and Euro Power cords, Media hanger, Thermal Transfer & Direct Thermal print modes, USB 2.0, Serial, Gigabit Ethernet, Parallel, Bluetooth low energy, 512MB SDRAM Memory, 2GB Flash Memory, Adjustable transmissive & fixed reflective Sensor, 104 mm Maximum print width, 12 IPS / 305 mm per second Maximum print speed, Rewind (including peel), Adjustable transmissive & fixed reflective Sensor

< Return to the menu

Touch units / screens

Product code	Price	Description
LM-3014E	R 3,772	Posiflex LM-3014E 14" 1366x768 LCD 2nd wide screen Monitor Bezel free Display, 1366x768 rear mounted at XT-series, Black Colour, 600:1 contrast ratio, 3 ms response time, 220nits brightness, VGA, All XT series (Excluding XT-2614Q) system supported, No Touch

LM-4010	R 3,312	Posiflex LM-4010 9.7" 1024x768 LCD 2nd Monitor Bezel free, 1024x768 rear mounted at RT-series, Black Colour, VGA Interface, 500:1 contrast ratio, 20 ms response time, 350nits brightness, No touch
LM-6507	R 1,921	Posiflex 7" 800x480 LCD 2nd Monitor for HS-series - Black Colour, USB Interface, 800:1 contrast ratio, 20 ms response time, 300nits brightness, No touch
PL-1500T	R 5,192	POSLAB PL-1500T 15" 1024x768 PCAP touch Monitor, USB Interface, Resolution 1024x768, VESA 75 compatible

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Printers, Copiers & Fax Machines

Fax machines

Product code	Price	Description
6356B008AA	R 2,458	Canon i-SENSYS Fax-L410 Business Level Fax Machine, 25ppm, 50 sheet ADF, 33.6Kbps (Super G3), USB 2,0 High Speed
CFX6	R 3,744	Canon Fx-6 Black Toner For Fax L1000 (5000 Page Yield)

< Return to the menu

ID / Card printers

Product code	Price	Description
104523-111	R 1,024	Zebra white PVC cards - 30 mil (500 cards)
104523-111	R 932	Zebra white PVC cards - 30 mil (500 cards)
105999-311-01	R 690	Zebra cleaning card kit (Improved) - 5 cards, Compatible with --> ZC100 / ZC300 printers
105999-311-01	R 575	Zebra cleaning card kit (Improved) - 5 cards, Compatible with --> ZC100 / ZC300 printers
800077-748EM	R 1,846	Zebra IX Series Colour Ribbon YMCKOK - 250 images, 60mm x 148m, Compatible with --> ZXP Series 7 ZXP 7 Series 7 YMCKOK, 800077-748EM
N5F208M100	R 1,415	Evolis Primacy2 5-panel Colour Ribbon YMCKO - 300 prints, Suitable for All your single or double-sided Colour printing
N5F208M100	R 1,338	Evolis Primacy2 5-panel Colour Ribbon YMCKO - 300 prints, Suitable for All your single or double-sided Colour printing
PM2-0001-M	R 25,703	Evolis Primacy 2 LCD Simplex Expert card Printer, USB & Ethernet, Single Side print, with Cardpresso XXS Software licence, Touch Screen LCD Display, Direct-to-Card dye-sublimation / Resin Thermal Transfer, 300 dpi Print Head, 16 million colors, 120 - 150 cards/hour Colour (YMCKO), 400 - 500 cards/hour Monochrome
PM2-0025-M	R 29,906	Evolis Primacy 2 LCD Duplex Expert card Printer, USB & Ethernet, Double sided printing, with Cardpresso XXS Software licence, Touch Screen LCD Display, Direct-to-Card dye-sublimation / Resin Thermal Transfer, 300 dpi Print Head, 16 million colours, 120 - 150 cards/hour Colour (YMCKO), 400 - 500 cards/hour Monochrome
ZC31-000C000EM00	R 19,165	Zebra ZC300 Single Sided Direct-to-Card Printer, UK/EU cord, USB & Ethernet, YMCKO Ribbon (200 images), ZC31-000C000EM00, 300 dpi (11.8 dots/mm) print Resolution, 1006 x 640 pixels image size, 3 Tricolor Printer status indicator lights
ZC31-000CQ00EM00	R 21,333	Zebra ZC300 Single Sided Direct-to-Card Printer, UK/EU cord, USB & Ethernet, Cardstudio 2.0 (Standard) Application, 200 PVC cards, YMCKO Ribbon (200 images), ZC31-000CQ00EM00, 300 dpi (11.8 dots/mm) print Resolution, 1006 x 640 pixels image size, 3 Tricolor Printer status indicator lights
ZC31-0M0C000EM00	R 28,463	Zebra ZC300 Single Sided Direct-to-Card Printer, UK/EU cord, USB & Ethernet, Cardstudio 2.0 (Standard) Application, 200 PVC cards, YMCKO Ribbon (200 images), ZC31-000CQ00EM00, 300 dpi (11.8 dots/mm) print Resolution, 1006 x 640 pixels image size, 3 Tricolor Printer status indicator lights
ZC31-C0	R 19,205	Zebra ZC300 Single Sided Direct-to-Card Printer, UK/EU cord, USB & Ethernet, YMCKO Ribbon (200 images), ZC31-000C000EM00, 300 dpi (11.8 dots/mm) print Resolution, 1006 x 640 pixels image size, 3 Tricolor Printer status indicator lights
ZC31-CQ	R 20,700	Zebra ZC300 Single Sided Direct-to-Card Printer, UK/EU cord, USB & Ethernet, Cardstudio 2.0 (Standard)

		Application, 200 PVC cards, YMCKO Ribbon (200 images), ZC31-000CQ00EM00, 300 dpi (11.8 dots/mm) print Resolution, 1006 x 640 pixels image size, 3 Tricolor Printer status indicator lights
ZC32-000C000EM00	R 30,262	Zebra ZC300 Single Sided Direct-to-Card Printer - Dual sided, UK/EU cord, USB & Ethernet, 300 dpi (11.8 dots/mm) print Resolution, 1006x640 pixels image size, 3 Tricolor Printer status indicator lights, ZC32-000C000EM00
ZC32-CQ	R 22,793	Zebra ZC300 Double Sided Direct-to-Card Printer, UK/EU cord, USB & Ethernet, YMCKO Ribbon (200 images), ZC32-000CQ00EM00, 300 dpi (11.8 dots/mm) print Resolution, 1006 x 640 pixels image size, 3 Tricolor Printer status indicator lights
ZN1U0000RS	R 15,985	Evolis Zenius Classic Fire Red card Printer - USB, with Cardpresso XXS Lite Software licence, ZN1U0000RS, Direct-to-Card dye-sublimation / Resin Thermal Transfer, 300 dpi Print Head, 16 million colors, 400 - 500 cards/hour Monochrome, 120 - 150 cards/hour Colour (YMCKO), USB

< Return to the menu

Printer peripherals

Product code	Price	Description
152525	R 199	Manhattan Full-Speed USB-C to Cen36 Parallel Printer Converter - USB-C Male to Cen36 Female, 1 m (3 ft.), Black, Retail Box
44575714	R 3,514	OKI 44575714 2nd Paper Tray for B4xx / B5xx Series printers
44713903	R 4,620	Oki Tray-C822/C831/C841 44713903 - C831n additional 530 sheet paper tray, Â© 2014 Laptop Direct
45513301	R 900	OKI 45513301 Staple-Offline for printers, Compatible MC760 / MB760 printers
45531503	R 420	Oki C931 Waster Toner Box (OKI 45531503) WTBOX-C931/ ES9431/ 9541 > > > > , Â© 2014 Laptop Direct
45830202	R 904	OKI Wireless Kit B4 / 5x2 / MC8x3 / ES84x3, B4 / 5x2 / MC8x3 / ES84x3
52D0Z00	R 1,113	Lexmark 520Z Black Return Program Imaging Unit, Â© 2014 Laptop Direct
54G0P00	R 1,633	Lexmark 540P Photoconductor Unit - 125000 Pgs, MS911de, MX910de, MX910dxe, MX911de, MX912de
7112285	R 3,143	Epson 7112285 medium cabinet, Compatible with --> WF-C52 / C579 Series
7112434	R 4,520	Epson 7112434 high cabinet, Compatible with --> WF-C878r / WF-C879r printers
74C0W00	R 558	LEXMARK Waste Toner Bottle, 90,000 pages, C4150 / CS720de / CS720dte / CS725de / CS725dte / CX725de / CX725dhe / CX725dthe / XC4150
9V ADAPTER	R 518	Brother 9V Power Adapter
AC-SIUTP1025	R 175	Sunix UTP1025 usb to parallel (SPP) adapter, 32 byte hardware FIFO, 2.7mb/sec, no IRQ, DMA required, Prolific PL2305 chipset, 2KV ESD protection
BROTHER TC4000	R 1,150	Brother Tray Converter for TT4000, Compatible with --> Brother HL-L9310CDW / HL-L9310CDWMT printers, Increase the paper input of your printer with the tower tray connector to be used with the Tower Tray unit
C12C932611	R 6,906	Epson C9326 500 sheet paper Cassette, Compatible with --> WorkForce Pro EM-C7100 / EP-C7000 / WF-C878r / WF-C879r / WF-C8190 / WF-C8690 / WF-C869r printers
C811141	R 2,500	Epson C8111 SIDM Paper Roll Holder for impact printer, C12C811141, Compatible with Epson FX-890II Impact Printer Series / Epson FX-890II NT Impact Printer Series / LX-300 II Impact Printer / LX-300 Impact Printer / LX-350 Impact Printer
C823891	R 535	Epson UB-PO211 Parallel Interface Card, Compatible with --> H-5000II / TM-T88II / H-6000 receipt printers
C824432	R 1,469	Epson C824432 Serial I/F Card, No Buffer, Type-B
C844151	R 17,994	Epson MFP Scanner stand A0/ 36, SureColor SC-T5200 Series
C844161	R 17,994	Epson 44" Stand for MFP Scanner
C891071	R 62,814	Epson 36" Scanner. The MFP Scanner adds high-speed Copy, Scan and share capabilities to the SureColor T5200, T5200D, T7200 and T7200D printer.
C932611	R 4,062	Epson C932611 500-sheet paper Cassette, Compatible with --> WF-C869r / WF-C878r / WF-C879r printrers, C12C932611
C932871	R 2,941	Epson C932871 500-sheet paper Cassette unit, Compatible with --> WF-C5290 / WF-C5790 / WF-M5299 / WF-M5799 printers, C12C932871

C933041	R 28,349	Epson C933041 3000-sheet High Capacity Paper Tray for WF-C17590 / WF-C20590 printers
C933151	R 9,061	Epson Stand 24" LFP desktop
C934321	R 6,691	Epson C934321 Printer Stand, Compatible with --> WF-C878R / WF-C879R printers, C12C934321
C934361	R 5,458	Epson C934361 manual stapler, Compatible with --> WF-C879r Printer
C934491	R 15,055	Epson C934491 Super G3/G3 fax board, Compatible with --> WF-C20600 / WF-C21000 / WF-M21000 printers, C12C934491
C935171	R 13,996	Epson C935171 2 / 4 Hole Punch unit, Compatible with --> WF-M21000 / C21000 / C20750 / C20600 printers, Compatible with booklet or staple finisher
C950X76G	R 860	LEXMARK C950, X950/2/4 Waste Toner Bottle
CGPCP200	R 1,732	Canon CG-CP200 (CP810/900 Charger Adaptor)
CQM37018	R 5,565	Canon QM3-7018-030000 Purge Unit, Compatible with --> Canon imagePROGRAF IPF8300 / IPF8300s / IPF8400 / IPF8400s / IPF9400 printers
CRU42	R 26,348	Canon RU-42 roll unit RU-42 for imagePROGRAF TX-4000 44" large-format Printer, Dual roll feeding, Bi-Directional rewinding
CSD24	R 8,361	Canon SD-24 Printer stand, Compatible with --> imagePROGRAF TA-20 / TM-240 Printers
HW1B44A	R 3,177	Hp Pagewide Service Fluid Container For 4200
iP-CALK60	R 797	Canon LK-60 rechargable battery for canon pixma mini260
iP-HA548	R 746	HP cn548a 250sheet paper tray - for HP officejet pro 8600 series , 276DW
iP-HA8257	R 484	HP c8257a car adapter - for deskjet 450 , 460 series, H470 series
iP-HAM9L89A	R 1,329	HP M9L89A Mobile Printer Battery (for HP Officejet 202 and 252)
LC950X76G	R 1,029	LEXMARK C950, X950/2/4 WASTE TONER BOTTLE
LP-HA404	R 2,361	HP CF404A LaserJet 550 sheet feeder tray, For color LaserJet M452 / M477 series
LP-HA860	R 5,610	HP CE860A 500s input tray for color laserjet 5225 series , 5525 series
LP-HAA2W80A	R 57,720	HP A2W80A Stapler/Stacker unit, up to 3000s - for laser M855, M880 series (Order on request)
LP-HAA2W82A	R 73,783	HP A2W82A Stapler/Stacker unit with 2/4 hole punch, up to 3000s - for laser M855, M880 series (Order on request)
LP-HAA2W83A	R 76,077	HP A2W83A booklet maker/finisher, up to 3000s - for laser M855, M880 series (Order on request)
LP-HAB5L34A	R 5,177	HP B5L34A Colour LaserJet 550 sheet Media tray, For LaserJet M552 / M553 / M577
LP-HAC3F79A	R 33,188	HP C3F79A LaserJet 3500-sheet high-capacity Input tray, For LaserJet M806 / M830 series
LP-HACZ285A	R 57,980	HP CZ285A LaserJet booklet Maker/Finisher, For Laser M806 / M830 printers
LP-HACZ994A	R 45,296	HP CZ994A LaserJet stapler/stacker, For Laser M806 / M830 printers
LP-HACZ996A	R 56,168	HP CZ996A LaserJet stapler/stacker with 2/4 hole Punch, For Laser M806 / M830 printers
LP-HACZ999A	R 92,317	HP CZ999A booklet maker/finisher with 2/4 hole punch, up to 3000s - for laser M855, M880 series (Order on request)
LP-HAF2A72A	R 2,635	HP F2A72A LaserJet 550-sheet paper tray, For LaserJet M501 / M506 / M527 printers
LP-HAF2A73A	R 6,541	HP F2A73A LaserJet Printer cabinet, For LaserJet M506 / M527 series
LP-HAJ8J89	R 5,251	HP J8J89A LaserJet 550-sheet paper tray, For HP LaserJet Enterprise MFP M631DN (J8J63A) / flow MFP M631H (J8J64A) / MFP M631Z (J8J65A) / MFP M632H (J8J70A) / MFP M632FHT (J8J71A) / flow MFP M632Z (J8J72A) / MFP M631Z (J8J65A) printers
LP-HAJ8J90	R 5,630	HP J8J90A LaserJet Envelope Feeder, For HP LaserJet Enterprise MFP M631DN (J8J63A) / flow MFP M631H (J8J64A) / MFP M632H (J8J70A) / MFP M632FHT (J8J71A) / flow MFP M632Z (J8J72A) / MFP M631Z (J8J65A) / M633 series printers
LP-HAJ8J91	R 8,720	HP J8J91A LaserJet 1 x 550- sheet paper feeder with stand and cabinet, For HP LaserJet Enterprise MFP M631DN (J8J63A) / flow MFP M631H (J8J64A) / MFP M632H (J8J70A) / MFP M632FHT (J8J71A) / flow MFP M632Z (J8J72A) / MFP M631Z (J8J65A) / M633 series printers
LP-HAJ8J92	R 20,349	HP J8J92A LaserJet 1x550 and 2000-sheet HCI feeder and stand, For HP LaserJet Enterprise MFP M631DN (J8J63A) / flow MFP M631H (J8J64A) / MFP M632H (J8J70A) / MFP M632FHT (J8J71A) / flow MFP M632Z (J8J72A) / MFP M631Z (J8J65A) / M633 series printers
LP-HAJ8J93	R 17,805	HP J8J93A LaserJet 3x550-sheet paper feeder and stand, For HP LaserJet Enterprise MFP M631DN (J8J63A) /

		flow MFP M631H (J8J64A) / MFP M632H (J8J70A) / MFP M632FHT (J8J71A) / flow MFP M632Z (J8J72A) / MFP M631Z (J8J65A) / M633 series printers
LP-HAJ8J96	R 451	HP J8J96A staple cartridge refill with 5000 staples in the refill cartridge, For LaserJet M607 / M608 / M609 / M631 / M632 / M633 printers
LP-HAL0H17	R 5,251	HP L0H17A LaserJet 550-sheet paper tray, For HP LaserJet Enterprise M607DN (K0Q15A), M607N (K0Q14A) / M608DN (K0Q18A) / M608N (K0Q17A) / M608X (K0Q19A) / M609DH (K0Q20A) / M609DN (K0Q21A) / M609X (K0Q22A) printers
LP-HAL0H18	R 13,515	HP L0H18A LaserJet 2100 sheet paper tray, For HP LaserJet Enterprise M607DN (K0Q15A) / M607N (K0Q14A) / M608DN (K0Q18A) / M608N (K0Q17A) / M608X (K0Q19A) / M609DH (K0Q20A) / M609DN (K0Q21A) / M609X (K0Q22A) printers
LP-HAL0H19	R 7,177	HP L0H19A LaserJet Printer stand, for HP LaserJet Enterprise M607DN (K0Q15A) / M607N (K0Q14A) / M608DN (K0Q18A) / M608N (K0Q17A) / M608X (K0Q19A) / M609DH (K0Q20A) / M609DN (K0Q21A) / M609X (K0Q22A) printers
LP-HAL0H20	R 17,120	HP L0H20A LaserJet stapler / stacker / mailbox, For HP LaserJet Enterprise M607DN (K0Q15A) / M607N (K0Q14A) / M608DN (K0Q18A) / M608N (K0Q17A) / M608X (K0Q19A) / M609DH (K0Q20A) / M609DN (K0Q21A) / M609X (K0Q22A) printers
LP-HAL0H21	R 5,160	HP L0H21A LaserJet envelope feeder, For HP LaserJet Enterprise M607DN (K0Q15A) / M607N (K0Q14A) / M608DN (K0Q18A) / M608N (K0Q17A) / M608X (K0Q19A) / M609DH (K0Q20A) / M609DN (K0Q21A) / M609X (K0Q22A) printers
LP-HAL0H22	R 259	HP L0H22A LaserJet extension tray cover, For HP LaserJet Enterprise M607DN (K0Q15A) / M607N (K0Q14A) / M608DN (K0Q18A) / M608N (K0Q17A) / M608X (K0Q19A) / M609DH (K0Q20A) / M609DN (K0Q21A) / M609X (K0Q22A) printers
LP-HAP1B09	R 5,832	HP P1B09A Colour LaserJet 550-sheet Media tray, For HP color LaserJet Enterprise M652N / M652DN / M653DN / M653X / MFP M681DH / MFP M681F / flow MFP M681Z / flow MFP M682Z printers
LP-HAP1B10	R 10,339	HP P1B10A coloir LaserJet 550-sheet paper tray with stand, For M652N / M652DN / M653DN / M653X / MFP M681DH / MFP M681F / flow MFP M681Z / flow MFP M682Z printers
LP-HAP1B11	R 19,529	HP P1B11A Colour LaserJet 3x 550 - sheet feeder and stand, For HP color LaserJet Enterprise M652N / M652DN / M653DN / M653X / MFP M681DH / MFP M681F / flow MFP M681Z / flow MFP M682Z printers
LP-HAP1B12	R 22,373	HP P1B12A Colour LaserJet 1x 550/2000-sheet HCI feeder and stand, For HP color LaserJet Enterprise M652N / M652DN / M653DN / M653X / MFP M681DH / MFP M681F / flow MFP M681Z / flow MFP M682Z
LT340CL	R 3,105	Brother LT340CL Lower Paper Tray, 500 Sheets, Compatilble with --> HL-L8360CDW / HL-L8360CDWT / HL-L9310CDW / MFC-L8900CDW / MFC-L9570CDW Printers
LT6500	R 2,875	Brother-Lower paper tray (520 Sheet)
LT6505	R 3,220	Brother LT6505 Lower paper tray (520 Sheet) for HL-L6000 / DCP-L6000 / MFC-L6000 series brother printers
M1100	R 4,469	Lexmark 550-Sheet Drawer
MK222	R 207	Brother MK222 Red on White Tape for brother line printers, Non Laminated, 8m x 9mm
PA-AD-600UK	R 1,035	AC adapter PA-AD-600UK
PA-BT-002	R 2,300	Brother PA-BT-002 Rechargeable battery for PJ773, For PJ-700 PocketJet 7 Series Printers, 600 Pages per Charge
PR4090B6P	R 2,645	Black PR Stamp 40mm x 90mm, Box of 6 for use with the brother stamp creator sc2000usb
PRHP3JN69A	R 712	HP 3JN69A JetDirect 3100W ble/NFC/Wireless accessory, Compatible with --> HP LaserJet Enterprise M506 series / M527 series / M604 series / M605 series / M606 series / M607 series / M608 series / M609 series / M631 series / M632 series / M633 series / HP color LaserJet Enterprise M552 series / M553 series / MFP M577 series / M652 series / M653 series / M681 series / M682 series printers
PRHPA7W14A	R 304	HP A7W14A LaserJet Swedish Overlay Keyboard, Compatible with --> HP LaserJet Enterprise color flow MFP M575c / HP LaserJet Enterprise flow MFP M525c
PRHPB5L28A	R 1,393	HP B5L28A LaserJet Two Internal USB Ports
PRHPB5L29A	R 6,464	HP B5L29A Secure High Performance Hard Disk Drive (FIPS - CSR-A)
PRHPB5L31A	R 1,799	HP B5L31A Foreign Interface Harness port

PRHPCE483A	R 12,540	HP 512MB DDR2 144pin x32 DIMM (M712dn, M712xh)
PRHPCE860A	R 5,199	HP CE860A Color LaserJet 500 sheet tray - M750 / CP5225
PRHPCF239A	R 4,249	HP CF239A 500-sheet feeder and tray assembly M725
PRHPCF242A	R 15,907	HP CF242A 3x 500-sheet feeDer and stand - M725
PRHPCF243A	R 8,203	HP CF243A 1x 500-sheet feeder / cabinet / stand - M725
PRHPCF245A	R 20,486	HP CF245A 3500 sheet HCI and stand M725
PRHPCF306A	R 13,644	HP CF306A 512MB 200 pin x64 DDR2 DIMM - M725
PRHPCF404A	R 1,964	HP CF404A LaserJet 550 Sheet Feeder Tray
PRHPD9P29A	R 1,830	HP D9P29A LaserJet Pro 550-sheet Feeder Tray M426 Series
PRHPE5K48A	R 1,687	HP E5K48A 1 GB x32 144-pin 800 MHz DDR3 SO-DIMM memory for HP laserjet printers, Compatible with --> HP LaserJet Enterprise M506n F2A68A / HP LaserJet Enterprise M506dn F2A69A / HP LaserJet Enterprise M506x F2A70A / HP LaserJet Enterprise M506dh F2A71A / HP LaserJet Managed M506dnm F2A66A / HP LaserJet Managed M506xm F2A67A
PRHPF2A72A	R 2,007	HP F2A72A LaserJet 550-sheet Paper Tray
PRHPF2A73A	R 5,149	HP F2A73A LaserJet Printer Cabinet
PRHPG6W84A	R 5,522	HP G6W84A 1 GB 90-pin DDR3 DIMM memory for printers
PRHPJ8J89A	R 4,200	HP J8J89A LaserJet 550-sheet Paper Tray, for HP LaserJet Enterprise MFP M631dn (J8J63A) / HP LaserJet Enterprise Flow MFP M631h (J8J64A) / HP LaserJet Enterprise MFP M631z (J8J65A) / HP LaserJet Enterprise MFP M632h (J8J70A) / HP LaserJet Enterprise MFP M632fht (J8J71A) / HP LaserJet Enterprise Flow MFP M632z (J8J72A) / HP LaserJet Enterprise MFP M631z (J8J65A)
PRHPJ8J90A	R 5,218	HP J8J90A LaserJet Envelope Feeder, for HP LaserJet Enterprise MFP M631dn (J8J63A) / HP LaserJet Enterprise Flow MFP M631h (J8J64A) / HP LaserJet Enterprise MFP M631z (J8J65A) / HP LaserJet Enterprise MFP M632h (J8J70A) / HP LaserJet Enterprise MFP M632fht (J8J71A) / HP LaserJet Enterprise Flow MFP M632z (J8J72A) / HP LaserJet Enterprise MFP M631z (J8J65A)
PRHPJ8J91A	R 7,529	HP J8J91A LaserJet 1x550-sheet paper feeder with stand and cabinet, for HP LaserJet Enterprise MFP M631dn (J8J63A) / HP LaserJet Enterprise Flow MFP M631h (J8J64A) / HP LaserJet Enterprise MFP M631z (J8J65A) / HP LaserJet Enterprise MFP M632h (J8J70A) / HP LaserJet Enterprise MFP M632fht (J8J71A) / HP LaserJet Enterprise Flow MFP M632z (J8J72A) / HP LaserJet Enterprise MFP M631z (J8J65A)
PRHPJ8J92A	R 16,275	HP J8J92A LaserJet 1x550 and 2,000-sheet HCI feeder and stand, for HP LaserJet Enterprise MFP M631dn (J8J63A) / HP LaserJet Enterprise Flow MFP M631h (J8J64A) / HP LaserJet Enterprise MFP M631z (J8J65A) / HP LaserJet Enterprise MFP M632h (J8J70A) / HP LaserJet Enterprise MFP M632fht (J8J71A) / HP LaserJet Enterprise Flow MFP M632z (J8J72A) / HP LaserJet Enterprise MFP M631z (J8J65A)
PRHPJ8J93A	R 14,240	HP J8J93A LaserJet 3x550-sheet paper feeder and stand, for HP LaserJet Enterprise MFP M631dn (J8J63A) / HP LaserJet Enterprise Flow MFP M631h (J8J64A) / HP LaserJet Enterprise MFP M631z (J8J65A) / HP LaserJet Enterprise MFP M632h (J8J70A) / HP LaserJet Enterprise MFP M632fht (J8J71A) / HP LaserJet Enterprise Flow MFP M632z (J8J72A) / HP LaserJet Enterprise MFP M631z (J8J65A)
PRHPL0H17A	R 4,200	HP L0H17A LaserJet 550-sheet Paper Tray, for HP LaserJet Enterprise M607dn (K0Q15A), HP LaserJet Enterprise M607n (K0Q14A) / HP LaserJet Enterprise M608dn (K0Q18A) / HP LaserJet Enterprise M608n (K0Q17A) / HP LaserJet Enterprise M608x (K0Q19A) / HP LaserJet Enterprise M609dh (K0Q20A) / HP LaserJet Enterprise M609dn (K0Q21A) / HP LaserJet Enterprise M609x (K0Q22A)
PRHPL0H18A	R 10,172	HP L0H18A LaserJet 2100 Sheet Paper Tray, for HP LaserJet Enterprise M607dn (K0Q15A) / HP LaserJet Enterprise M607n (K0Q14A) / HP LaserJet Enterprise M608dn (K0Q18A) / HP LaserJet Enterprise M608n (K0Q17A) / HP LaserJet Enterprise M608x (K0Q19A) / HP LaserJet Enterprise M609dh (K0Q20A) / HP LaserJet Enterprise M609dn (K0Q21A) / HP LaserJet Enterprise M609x (K0Q22A)
PRHPL0H19A	R 5,740	HP L0H19A LaserJet Printer Stand, for HP LaserJet Enterprise M607dn (K0Q15A) / HP LaserJet Enterprise M607n (K0Q14A) / HP LaserJet Enterprise M608dn (K0Q18A) / HP LaserJet Enterprise M608n (K0Q17A) / HP LaserJet Enterprise M608x (K0Q19A) / HP LaserJet Enterprise M609dh (K0Q20A) / HP LaserJet Enterprise M609dn (K0Q21A) / HP LaserJet Enterprise M609x (K0Q22A)
PRHPL0H20A	R 16,083	HP L0H20A LaserJet Stapler / Stacker / Mailbox, for HP LaserJet Enterprise M607dn (K0Q15A) / HP LaserJet

		Enterprise M607n (K0Q14A) / HP LaserJet Enterprise M608dn (K0Q18A) / HP LaserJet Enterprise M608n (K0Q17A) / HP LaserJet Enterprise M608x (K0Q19A) / HP LaserJet Enterprise M609dh (K0Q20A) / HP LaserJet Enterprise M609dn (K0Q21A) / HP LaserJet Enterprise M609x (K0Q22A)
PRHPL0H21A	R 4,127	HP L0H21A LaserJet Envelope Feeder, for HP LaserJet Enterprise M607dn (K0Q15A) / HP LaserJet Enterprise M607n (K0Q14A) / HP LaserJet Enterprise M608dn (K0Q18A) / HP LaserJet Enterprise M608n (K0Q17A) / HP LaserJet Enterprise M608x (K0Q19A) / HP LaserJet Enterprise M609dh (K0Q20A) / HP LaserJet Enterprise M609dn (K0Q21A) / HP LaserJet Enterprise M609x (K0Q22A)
PRHPL0H22A	R 240	HP L0H22A LaserJet Extension Tray Cover, for HP LaserJet Enterprise M607dn (K0Q15A) / HP LaserJet Enterprise M607n (K0Q14A) / HP LaserJet Enterprise M608dn (K0Q18A) / HP LaserJet Enterprise M608n (K0Q17A) / HP LaserJet Enterprise M608x (K0Q19A) / HP LaserJet Enterprise M609dh (K0Q20A) / HP LaserJet Enterprise M609dn (K0Q21A) / HP LaserJet Enterprise M609x (K0Q22A)
PRHPM9L89A	R 1,233	HP M9L89A Mobile Printer Battery (202 and 252)
PRHPU9NL8PE	R 4,704	HP U9NL8PE 1 Year Post Warranty Next Business Day Hardware support with defective Media Retention for LaserJet Enterprise MFP M63X
PRHPU9TW2E	R 7,723	HP U9TW2E 3 Year Next Business Day with defective Media retention services for Digital sender 8500FN2
PRHPX3D03A	R 2,975	HP X3D03A Universal USB Proximity Card Reader, RF proximity reader / SMART card reader - contactless, USB, Frequency 125 KHz / 13.56 MHz
PT511H	R 1,609	Pantum PT511H paper Tray, Compatible with --> BP5100 / BM5100 Series Mono Laser Printer
TC5	R 219	Brother TC5 Cutter blade
To-S406W	R 251	Samsung clt-W406 Waste container , 7000 page black / 1750 page colour - for samsung CLP-365 / CLX-3305 / SL-C410 / SL-C460 series
To-S407R	R 2,599	Samsung clt-R407s image unit (drum kit) , blk : 24000 pages ; color : 6000 pages - for samsung CLP-320, 325CLX-3185
To-S409W	R 204	Samsung clt-W409s waste container , blk : 10000 pages ; color : 2500 pages - for samsung clp-310, 315, 320, 325CLX-3185
To-S504W	R 390	Samsung clt-W504 waste container , blk : 14000 pages ; color : 3500 pages - for samsung CLP-415 series , CLX-4195 series , sl-C1860FW
To-S506W	R 511	Samsung clt-w506 Waste container , blk : 14000 pages ; color : 3500 pages - for samsung CLP-680 series , CLX-6260 series
To-S609T	R 187	Samsung clt-T609s image unit (drum kit) , standard yield , 50000pages - for samsung clp-77xND series
TO-S659W	R 266	Samsung clt-W659 waste container, 80000pages - for samsung CLX-8650ND / 8640ND series
TO-S809W	R 419	Samsung clt-W809 waste container, 26300pages - for samsung CLX-9201ND, 9201NA, 9251ND, 9251NA, 9301NA
TT4000	R 17,250	Brother-Tower Tray 520 sheet x 4 Casettes, 2080 Sheets

< Return to the menu

Printers

Printers : Printers - 3D Printers

Product code	Price	Description
2101030265	R 74	Creality Hi X-axis limit switch; 3D printer endstop sensor; mechanical axis detection switch; replacement part; Creality compatible; X-axis homing accuracy; printer calibration component
2104010150	R 133	Creality FPC Cable for K2 Plus; OEM replacement ribbon cable; flexible flat cable; internal printer signal cable; compatible with K2 Plus 3D printer; repair and maintenance part; black; direct fit component
3103010104	R 113	Creality Heating Tube for CR-M4; 24V 50W; 70mm cartridge heater; XH2.54-2P connector; hotend replacement part; stable extrusion heating
3202002684	R 109	Creality Ender-5 Max Strain Gauge; auto bed leveling sensor; metal alloy; 3.4 x 3.4 x 0.15 cm; compatible with Ender-5 Max; improves print accuracy; replacement part; 1 unit included
3204120242	R 208	Creality Hi Extruder Motor; stepper motor; 3D printer part; filament drive; Creality Hi extruder compatible; replacement motor; extrusion control; maintenance component

3205010016	R 107	Creality 3010 Axial Fan CR-6 SE_CR-6 Max compatible; 3D printer cooling replacement; axial airflow fan; maintenance spare part; printer thermal management
3205010423	R 155	Creality Ender-5 Max Throat Cooling Fan; 12V voltage; 0.15 kg; 10 x 5 x 2 cm; prevents overheating; improves print quality; compatible with Creality Ender-5 Max
3205050159	R 118	Creality Nozzle Nozzle M6xd0.4xH23 for CR-M4; 0.4mm extrusion diameter; H23 height; 3D printer replacement part; Creality compatible nozzle; precision filament flow component
3205990692	R 133	Creality Hi Strain Gauge for Hi Printer
3N10XXTW00D	R 602	XYZprinting 3D Pen, XYZprinting ' s da Vinci 3D Pen is a standalone device that can create 3D printed objects without the need of computer, Fused Filament Fabrication Print Technology, Nozzle Diameter 0.8 mm, Filament Diameter 1.75mm, Filament Material PLA
4001010038	R 133	Creality K2 Plus Strain Gauge sensor OEM replacement; auto bed leveling component; Z offset calibration sensor; compatible with K2 Plus 3D printer; lightweight precision force detection module
4001020085	R 560	Creality Hi Extruder Kit; 3D printing upgrade; improved filament feeding; reduced jams; compatible with Creality 3D printers; easy installation; precision printing
4001040060	R 1,621	Creality Heated Bed Kit for K2 Plus; 363 x 366mm build area; aluminium plate; up to 120C; 24V or 120V/220V; improves adhesion; reduces warping; easy install; weight 0.5kg
4001050089	R 830	Creality Display Kit for K2 Plus; 4.3" touchscreen display; 480 x 800 resolution; OEM Creality K2 Plus compatible; capacitive touch interface; 4001050089 model; 0.5 kg weight; ribbon cable connection; printer control panel; replacement LCD kit
4001080087	R 215	Creality K2 Pro Z-Axis Ring Belt
4001080088	R 185	Creality K2 Z-Axis Closed-Loop Belt (Loop Belt) OEM replacement; 3D printer Z-axis timing belt; compatible with Creality K2 series; improves layer accuracy and reduces banding; precision motion component; lightweight replacement belt
4002020078	R 643	Creality CFS Motherboard Kit for CFS; upgrade for Creality printers; improved 3D printing performance; faster printing speeds; better thermal management; easy to install; compatible with Creality models
4004010212	R 110	Creality Pneumatic Connector Combination Package - Ender 2 Pro/V3; improves filament flow; easy installation; durable plastic and metal; reliable 3D printing system upgrade; prevents clogs and jams
4004010218	R 80	Creality Quick Release Claw and Clamp Kit; build plate removal system; maintenance tool; compatibility: Creality printers; workflow efficiency upgrade; manual installation; hobbyist and professional use END-BRIEFSPEC -->
4004010251	R 80	Creality Heating block silicone sleeve for CR M4
4004010264	R 485	Creality Independent Feeding & Withdrawing Kit; OEM replacement part; 24V DC brush motor; filament feed and withdrawal system; compatible with Creality CFS; 0.17A current; 2mm shaft; automated filament handling; 3D printer maintenance component
4004010265	R 830	Creality Bottom Bracket Kit for CFS; OEM replacement part; supports 5 filament paths; 3D printer CFS system component; filament routing bracket; multi material printing support; easy installation; maintenance spare part
4004010266	R 163	Creality K2 Plus nozzle wiper module kit; 3D printer maintenance part; automatic nozzle cleaning system; reduces clogs and filament buildup; compatible with K2 Plus series; replacement cleaning module; improves print consistency
4004010267	R 402	Creality K2 Plus Top Glass Kit; 3D printer enclosure upgrade; tempered glass top cover; improves temperature stability; reduces warping; compatible with K2 Plus; easy installation; professional printing enhancement
4004010272	R 291	Creality K2 Plus Nozzle Camera; OEM nozzle camera; real time monitoring; AI calibration support; toolhead mounted; K2 Plus compatible; extrusion inspection; compact design; smart 3D printer accessory
4004010273	R 118	Creality K2 Plus LED Light Kit; 3D printer accessory; plug and play installation; low power LED; internal chamber lighting; compatible K2 Plus; improved print visibility
4004010278	R 110	Creality K2 Plus Nozzle Wiper Adhesive Tape; 3D printer maintenance part; nozzle cleaning strip; replacement consumable; improves print quality; easy peel and apply installation
4004010280	R 95	Creality K1 Series Multi-color Upgrade package mouth wipe kit; multicolor 3D printing wipe module; nozzle cleaning system; filament transition improvement; printer accessory; compatibility: Creality K1; improves print clarity and reduces color mixing

4004010286	R 125	Creality K2 Pro Screen Cable; Compatible with Creality K2 Pro 3D printer; Durable and flexible material; Easy installation; Replacement part for screen connection
4004010287	R 118	Creality Air Filter for K2 Plus / K2 / K2 Pro; reduces particles and odors; 101 x 101 x 10mm; FDM printer accessory; replacement maintenance part
4004010288	R 95	Creality Hot end adapter board; OEM PCB; K2 K2 Pro K2 Plus compatible; toolhead interface board; heater and thermistor signal routing; 3D printer repair part; compact electronics module
4004010289	R 95	Creality K2 Pro/K2 Plus filament spool holder inlet; OEM replacement part; part 4004010289; compatible K2 K2 Pro K2 Plus; filament guide inlet; PTFE tube entry guide; lightweight plastic component; 3D printer maintenance part; reduces filament friction; improves feed reliability
4004010290	R 110	Creality K2 Pro 3D Printer PTFE Tube & Connector
4004020006	R 69	Creality Single Brass Nozzle D6xd0.8xH13_brass; 0.8mm nozzle diameter; D6 x 0.8 x 13mm; brass material; Creality compatible; filament extrusion part; replacement nozzle; entry-level accessory
4004020043	R 178	Creality Nozzle Pack of 5 D6x0.2; 5x nozzles; 0.2mm extrusion; 3D printer maintenance; replacement nozzle set
4004030004	R 80	Creality Heating Block for Creality 3D printers; Replacement part; Compatible with Ender, CR series; Durable aluminum construction; Simple installation; Improves print quality
4004030006	R 82	Creality Heating Block; 3.5 x 2.5 x 1.5 cm; weight: 0.05 kg; precision temperature control for 3D printers; compatible with Creality models
4004050022	R 69	Creality Throat Tube Kit; 3D printer hotend part; filament guide tube; extruder replacement component; metal construction; FDM printer maintenance; Creality compatible spare part
4004100020	R 261	Creality 42-34 Stepper motor; 12V; 1.2A; 1.8 degrees step angle; 34 Ncm torque; weight: 0.35kg
4004100060	R 215	Creality 42-34 Z Axis Motor Kit; 12V motor; stepper motor; 1.5A current; 1.8degrees step angle; 3.5kg-cm torque; Z-axis upgrade; 3D printing South Africa; motor replacement
4004100081	R 530	Creality Round Extruder Motor for K2 Plus; OEM replacement; step angle 1.8deg; 0.8A current; round stepper motor; 3D printer extrusion drive; compatible K2 Plus; filament feeder motor
4004100083	R 276	Creality K2 Pro 3D Printer Z-Axis Stepper Motor (Replacement); 3D printer motor; vertical axis control; precision stepping motor; K2 Pro compatible; maintenance spare part; plug and play replacement
4004110135	R 148	Creality K2 Plus Axial-tech Fan Kit; 3D printer cooling upgrade; axial airflow fan; K2 Plus compatible; 2-pin connector; heat dissipation; low noise operation; direct replacement part; extruder cooling support
4004110137	R 261	Creality K2 Plus Model Fan Cooling Module; OEM part cooling fan; 3D printer print head cooling; compatible with Creality K2 Plus; approx 55g; directed airflow cooling system; easy install replacement module; improves overhang and print quality
4004110138	R 170	Creality K2 Plus Motherboard Cooling Fan; OEM replacement; 24V DC; centrifugal blower; 2-pin connector; plug and play; 3D printer cooling component; K2 Plus compatible; mainboard thermal control; compact internal fan
4004150039	R 155	Creality Tray Shaft Kit for CFS; Upgrade for Creality 3D printers; Continuous Filament System; Easy installation; Durable materials; Ideal for smooth filament feeding
4004160027	R 80	Creality K2 Plus Cutter Pusher; 3D printer accessory; filament cutting support; extrusion maintenance part; compatible with K2 Plus system
4004170014	R 1,160	Creality Power Supply for CR-200B_CR-10 Smart_Sermoon D1_Sermoon V2_CR-200B Pro_K2 Plus; 350W power supply; 24V 14.6A output; CR-200B compatible; CR-10 Smart compatible; Sermoon D1 V2 K2 Plus support; switching PSU; over-voltage protection; 100-240V input; 3D printer replacement part
4006030061	R 193	Creality K2 Print Head Cable; OEM replacement ribbon cable; 3D printer toolhead wiring; Creality K2 compatibility; flexible cable design; power and data transmission; internal printer component
CREALITY-K1C2025	R 8,566	Creality K1-C 3D Printer; 220 x 220 x 250 mm build volume; 600 mm/s max speed; hardened steel nozzle; 300 C hotend; enclosed frame; CFS integration support
DS20BK1A-O	R 5,100	Anycubic ACE 2 Pro for Kobra 3 Max, Anycubic ACE 2 Pro is a multi-material Filament feed and drying Hub for Kobra 3 Max, Features Four Independent Brushless motors with Active feed and retract capability, Delivers feed rates up to 50 mm/s for smooth Operation, Provides Active drying functionality at temperatures reaching 65 Degrees C while printing, Includes sealed storage with Silicone sealing Ring for moisture protection, Equipped with

		Built-In temperature and Humidity sensors for Real-Time monitoring, Utilizes alumina Ceramic Filament feeding Ports to reduce abrasion, Supports Filament runout detection and auto-resume printing features, Compatible with Filament Diameter of 1.75 mm for various materials, Accepts spools with flange diameters between 195mm to 200mm
DS20BK2A-O	R 5,100	Anycubic ACE 2 Pro multi-material Filament Hub and dryer - for Kobra X and S1/M, Compatible with Kobra x / S1 Max / S1 / 3 Max / 3 v2 / 3 printers, Supports Active drying at temperatures up to 65 ° C during printing, Features Four Independent Brushless motors for Quiet Operation under 48 dB, Maintains Filament freshness with sealed storage and electromagnetic moisture valve, Includes Next-Generation Buffer mechanism that doubles loading Speed, Uses alumina Ceramic Filament feeding Port for superior wear resistance, Monitors temperature and Humidity in Real Time via App and screen Display, Handles Four spools with flange Diameter of 195-200mm and width of 60-68mm, Detects Filament runout and supports auto-resume printing functions, Compatible with 1.75 mm Filament Diameter
ET-2000	R 3,506	EasythreeD ET-2000 LCD UV Resin Printer - Build Volume 130 x 82 x 150mm. The EasythreeD ET-2000 LCD UV Resin Printer is a compact and efficient 3D printer designed for high-precision resin printing. With a build volume of 130 x 82 x 150mm, it is ideal for creating detailed models, prototypes, and miniatures. The printer features a 5.5-inch 2K monochrome LCD screen with a resolution of 1920 x 1080 pixels, ensuring sharp and accurate prints. Its user-friendly interface and compatibility with 405nm UV resin make it a versatile choice for various applications.
KB3MBK0A-O	R 10,202	Anycubic Kobra 3 Max FDM 3D Printer, 420 mm x 420 mm x 500 mm build Volume, Max printing Speed up to 600 mm/s, Precise auto-levelling system, Pei Magnetic Spring hotbed, Power-loss resume Function, Filament runout detection with auto resume, Wi-Fi connectivity for Remote Control, Compatible with PLA / TPU / PETG / ABS filaments, 0.4 mm nozzle Diameter, Layer thickness range 0.08 - 0.28 mm, Dual Metal spindles on y-axis, Lead screws on z-axis, Touchscreen Control Panel with multilingual support
KBS1BK0C-O	R 9,346	Anycubic Kobra S1 Filament 3D Printer, KBS1BK0C-O, 250 x 250 x 250mm build Volume, Fully enclosed CoreXY Speed, 320 Degrees C hotend, Ultra-quiet 44dB Operation, FDM (Fused deposition modeling) Printer Technology, Recommended 300 mm/s Max printing Speed, Supporting filaments - PLA / PETG / TPU / ABS / ASA, Standard 0.4 mm nozzle Diameter, Kobra OS Firmware, CoreXY construction, 4.3" capacitive Touchscreen, Standard HD camera Video monitoring, USB / Wi-Fi connectivity
KBX0WH0A-O	R 7,650	Anycubic Kobra X 3D FDM Printer, FDM Printer Technology with a 260 x 260 x 260 mm build Volume, Built-In 4-colour multi-material printing expandable to 19 colours Maximum, Automatic bed levelling for consistent first layer adhesion, AI spaghetti detection monitors prints and alerts on failures, Remote printing capability via the Anycubic App, Supports soft and hard multi-material printing applications, Uses Anycubic slicer next Software for print preparation
KS1MBK0B-O	R 16,146	Anycubic Kobra S1 Max 3D Printer, FDM Technology with CoreXY motion system, 350 x 350 x 350 mm build Volume for Large-Format printing, Max Speed of 600 mm/s, LeviQ3.0 Automatic bed levelling with Pressure Advance and Flow calibration, Hardened Steel nozzle rated to 350 ° C compatible with abrasive filaments like carbon-fibre composites, Pei Spring Steel build plate, OnBoard 720p HD camera for Remote monitoring via Anycubic App, 4.3-inch capacitive Touchscreen running Kobra OS, AI spaghetti detection and power-loss resume features
KS2CBK0A-O	R 12,328	Anycubic Kobra S1 ACE 2 Pro Combo 3D Printer, FDM Printer with CoreXY construction, Print Speed up to 600mm/s, Build Volume of 250mm x 250mm x 250mm, Base 4-colour printing expandable to 16 colours with ACE 2 Pro unit, Fully Automatic leveling with object-skip and area levelling, AI spaghetti detection via chamber camera, Nozzle Max temperature of 320 ° C and heated bed Max temperature of 120 ° C, 4.3-inch capacitive Touchscreen for Control, Wi-Fi connectivity for Anycubic App and AC Cloud monitoring
KSMCBK0B-O	R 20,400	Anycubic Kobra S1 Max Combo - 3D Printer, Fused deposition modelling (FDM) printing Technology, Build Volume of 350 x 350 x 350mm for Large-Scale prints, Up to 16-colour printing capability with ACE 2 Pro Units, Fully-enclosed CoreXY construction for Precision and stability, Hardened Steel nozzle capable of 350 ° C Maximum temperature, Active chamber heating at 65 ° C for consistent print environment, Prints Large models in a single Session without splitting parts, Automatic Colour exchange system Managed by ACE 2 Pro Units

PM40BK0A-O	R 4,253	Anycubic Photon Mono 4 Resin 3D Printer, MSLA Resin and LCD printing Technology, 153.4 x 87 x 165mm printing Volume, 0.02mm minimum print layer thickness, Max printing Speed of 70mm/h, Supports UV Resin consumables, Features a 7" High-Definition Touchscreen, Power-loss resume functionality enabled
PM7RBK0C-O	R 11,897	Anycubic Photon Mono M7 Pro 10.1" 14K Resin 3D Printer, PM7RBK0C-O, 223x126 x 230mm printing Volume, 130mm/h printing Speed, Laser-engraved build plate, Dual Linear rails with 10 UM Precision, USB / Wi-Fi / LAN File transfer, 4.3" Touch-Control, 10.1-inch Monochrome LCD, Resin-based photopolymer printing Process
PP10BK0A-O	R 14,027	Anycubic Photon P1 3D Resin Printer, PP10BK0A-O, Resin Printer Technology, 223x126 x 230 mm printing Volume, 0.02 - 0.15 mm print layer thickness, Automatic levelling system, 10.1" 14K Touchscreen, Anycubic Photon workshop slicer Software, Connectivity - USB / Wi-Fi (WLAN) / LAN
PP1MBK0B-O	R 21,252	Anycubic Photon P1 Max Large-Format MSLA Resin 3D Printer, Printing Volume of 285.5 x 214x300 mm (18.3l), Layer height range from 0.02 to 0.15 mm for fine detail, Printing Speed up to 15-25 mm/H with Standard Resin, Leveling-Free 3.0 system with Automatic self-check and factory calibration, Integrated camera enables Remote monitoring via the Anycubic App over Wi-Fi or Ethernet, Quiet Operation at less than or equal to 45 dB for Home use, Precision-ground Steel build Platform with Dual Linear guide rails on z-axis, Supports All Anycubic resins and high-viscosity Resin up to 8000 CPS, 14-inch Monochrome LCD with COB fresnel mask Light source technology
ScanNCut SDX1200	R 8,430	Brother SDX1200 scan n Cut home & hobby cutting machine - WiFi enabled, 1303 built-in designs, 17 built-in fonts, 12.7cm LCD Touchscreen, 600 dpi scanning Resolution, Fully automatic adjustable Blade depth, Fully automatic adjustable Blade pressure, 3mm maximun cutting thickness
WC3MWH0B-O	R 6,803	Anycubic Wash and Cure 3 Max, Ultra-large 15.1 Litre curing Volume for Large prints, Maximum cleaning dimensions of 305x165 x 300 mm, Alcohol soaking and spray rinse cleaning Method, One-Click fully automated washing and curing cycle, 20 x 405nm LEDs Plus Gooseneck Light for curing, Full-process Intelligent monitoring with error alerts, Compatible with Photon M3 Max and Photon Mono M7 Max printers, Fits most mainstream LCD printers up to 13.6 inches build Volume, Touch Button Control Interface for Easy Operation
WS3B0WH-Y-O	R 2,128	Anycubic Wash and Cure 3, 165 x 100 x 180mm Maximum cleaning Volume, 3.18l Maximum curing Volume, 3l cleaning basket capacity, Two-in-one washing and curing station, Fits Resin prints up to 165x100x180mm, Gooseneck Light for targeted curing, 10x405nm LEDs for uniform results, Simple touch-button Operation

< Return to the menu

Printers : Printers - Dot matrix

Product code	Price	Description
AUI BP9000E	R 28,057	AUI BP-9000E 24 pin Dot Matrix Impact Printer, Up to 60 lines per second, Push tractor or friction paper feed, Original Plus 8 copies, USB, Ethernet Port, Serial, Parallel, High Speed at 1000 CPS, Print Head Life 500 million dots/pin, 7 resident LQ fonts
AUI SP330	R 3,597	AUI SP-330 9 pin Dot Matrix iimpact Printer, 80 columns print width, 18 lines per second line feed Speed, Push tractor of friction paper feed, Original Plus 3 duplicates, Parallel, USB, Serial
BP9000E	R 28,057	AUI BP-9000E 24 pin Dot Matrix Impact Printer, Up to 60 lines per second, Push tractor or friction paper feed, Original Plus 8 copies, USB, Ethernet Port, Serial, Parallel, High Speed at 1000 CPS, Print Head Life 500 million dots/pin, 7 resident LQ fonts
DFX-9000	R 73,870	Epson DFX-9000 A3 9-pin 136 column Mono Dot Matrix Printer, Parallel, USB & serial interfaces, Prints 1 plus 9 forms, 15 million characters/ribbon
DFX-9000N	R 82,024	Epson DFX-9000N 9pin 136 column Dot Matrix Printer
DP-EFX890ii	R 9,751	Epson FX-890ii Dot Matrix Printer - (dual 9 pin, 80 clm, 735 cps; 128kb, 1 6 copies), front and rear paper paths - parallel USB
DP-EFX890iiN	R 10,991	Epson FX-890iiN Dot Matrix Printer, Network ready - (dual 9 pin, 80 clm, 735 cps; 128kb, 1 6 copies), front and rear paper paths - parallel USB UTP (ORDER ON REQUEST)
DP-ELQ2190	R 10,580	Epson LQ-2190 Dot Matrix Printer - (24 pin, 136 clm, 576 cps; 128kb, 1 5 copies), support colour upgrade kit, top, bottom and rear paper paths - parallel USB
DP-ELQ350	R 3,902	Epson LQ-350 Dot Matrix Printer, Black - (24 pin, 80 clm, 347 cps; 128kb, 1 3 copies), top, bottom and rear paper paths - parallel USB [GTIN:8715946521886]

DP-ELQ590ii	R 11,027	Epson LQ-590ii Dot Matrix Printer, black - (24 pin, 80clm, 550cps; 128kb, 1 6 copies), top and rear paper paths - parallel USB (ORDER ON REQUEST)
DP-ELX350	R 3,920	Epson LX-350 dot matrix printer - (9 pin, 80 clm, 347 cps; 64kb, 1 4 copies) - parallel USB
EPDFX9000	R 79,146	Epson DFX9000 36Pin/136Col Dot Matrix Printer
EPDFX9000N	R 87,868	Epson DFX9000 36Pin/136Col Dot Matrix Network Printer
EPFX2190	R 11,615	Epson FX2190 A3 9 Pin/136 Column Dot Matrix Printer
EPFX2190N	R 17,757	Epson FX2190N A3 9 Pin/136 Column Dot Matrix Network Printer
EPFX890II	R 10,962	Epson FX-890II Dot Matrix Printer 9 pin 80 Column - USB, Impact Dot Matrix, 80 columns, 6 Plus one original Carbon copies, 240 x 144 dpi printing Resolution
EPFX890IIN	R 15,143	Epson FX-890IIN 9pin 80 Column Dot Matrix Impact Printer - USB & Ethernet, 80 columns, 6 Plus one original Carbon copies, 240x144 dpi printing Resolution
EPLQ2190	R 19,717	Epson LQ2190 24Pin/136Con Dot Matrix Printer
EPLQ2190N	R 23,375	Epson LQ2190 24Pin/136Col Dot Matrix Network Printer
EPLQ350	R 3,970	Epson LQ350 24Pin/80Col Dot Matrix Printer [GTIN:8715946521886]
EPLQ590II	R 11,223	Epson LQ-590II 24 pin / 80 Column Dot Matrix Printer, 24 needles, 550 chars/s printing speed, 6 Plus one original Carbon copies, USB 2.0, Parallel, Single sheet front and rear, Document feed, Continuous Media front and rear
EPLQ590IIN	R 20,468	Epson LQ-590IIN 24 pin / 80 Column Dot Matrix Printer, 24 needles, 550 chars/s printing speed, 6 Plus one original Carbon copies, USB 2.0, Parallel, Network, Single sheet front and rear, Document feed, Continuous Media front and rear
EPLQ690II	R 9,767	Epson LQ-690ii 24 pin / 106 Column Dot Matrix Printer, 24 needles, 6 Plus one original Carbon copies, 360 x 180 dpi printing Resolution, USB 2.0, Bidirectional parallel, Single sheet front Document feed, Continuous Media rear Document feed, Paper Output front
EPLX350	R 4,080	Epson Dot Matrix LX-350 9-Pin Printer, 80 Column, Parallel/USB Interface, 357Characters Per Second, 1 4 Copies
EPPRC11CF37403A0	R 15,413	Epson FX-890IIN 9pin 80 Column Dot Matrix Impact Printer - USB & Ethernet, 80 columns, 6 Plus one original Carbon copies, 240x144 dpi printing Resolution
EPPRC11CF38402A0	R 17,489	Epson FX-2190IIN 136 Column 9 pin Dot Matrix Impact Printer, USB, Parallel, Network LAN, 18 needles (2 x 9) pins, 6 Plus one Original Carbon copies, 240x144 dpi printing Resolution
EPPRC11CF39402A0	R 19,365	Epson LQ-590IIN 24 pin / 80 Column Dot Matrix Printer, 24 needles, 550 chars/s printing speed, 6 Plus one original Carbon copies, USB 2.0, Parallel, Network, Single sheet front and rear, Document feed, Continuous Media front and rear
EPSON LQ2190	R 13,271	Epson LQ-2190 Dot Matrix Printer; 24-pin impact; 136 columns; 576 cps; 6-part forms; USB parallel; 13kg; 693 x 405 x 268mm; business invoice printer
FB-7600	R 7,654	AUI FB-7600 82 Column Dot Matrix Printer - Parallel / USB, FB-7600-UTP-AUI, 660cps extremely High Speed, Print up to 525 characters per second, 7 resident LQ fonts, 1 6 print, Epson esc/p Emulation mode
FX-2190	R 12,529	Epson FX-2190 A3 9 pin Impact dot matrix printer, Parallel, USB, 136 columns, 6 plus one original Carbon Copies, 240x144 DPI Printing Resolution
FX-2190II	R 11,118	Epson FX-2190II 136 Column 9 pin Dot Matrix Printer, USB, Bidirectional parallel, 18 needles (2 x 9) pins, 6 Plus one Original Carbon copies, 240x144 dpi printing Resolution
FX-2190IIN	R 17,181	Epson FX-2190IIN 136 Column 9 pin Dot Matrix Impact Printer, USB, Parallel, Network LAN, 18 needles (2 x 9) pins, 6 Plus one Original Carbon copies, 240x144 dpi printing Resolution
FX-890	R 10,885	Epson FX-890 Dot Matrix Printer 9-pin 80 Column, USB & Parallel, Class-leading speed - up to 680cps, Handles 1 original 5 copies, Handles media up to 80 columns wide
FX-890II	R 10,624	Epson FX-890II 9 pin 80 Column Impact Dot Matrix Printer, USB, Parallel, 6 Plus one Original Carbon copies, 240x144 dpi printing Resolution
FX-890IIN	R 15,141	Epson FX-890IIN, Dot Matrix Printers, Impact dot matrix, 80 columns, 18 Needles (2 x 9), Ethernet interface (100 Base-TX / 10 Base-T), Bidirectional parallel, USB - compatible with USB 2.0 specification, 250.000 Hours, 400 Million Strokes/Wire, AC cable
FX2190IIN	R 19,372	Epson FX-2190IIN 136 Column 9 pin Dot Matrix Impact Printer, USB, Parallel, Network LAN, 18 needles (2 x 9) pins, 6 Plus one Original Carbon copies, 240x144 dpi printing Resolution

KA02014 - B611	R 5,406	Fujitsu DL3850 24 pin 136 columns Serial Dot Matrix Printer, Serial, USB, 113 characters per second printing speed (10 CPI), 60 ms per 1/6" line feed speed, 5.6 inches per second form feed speed, 360x360 dots per inch Resolution, 5 copies including original, 136 columns print line (10cpi)
KA02014-B511	R 10,190	Fujitsu DL3850 24 pin 136 columns Serial Dot Matrix Printer, USB, Centronics, 113 characters per second printing speed (10 CPI), 60 ms per 1/6" line feed speed, 5.6 inches per second form feed speed, 360x360 dots per inch Resolution, 5 copies including original, 136 columns print line (10cpi)
KA02100-B711	R 9,334	Fujitsu DL3100 24 pin Serial Dot Matrix Printer, USB, LAN, Bi-Directional with logical seeking print Technology, 120cps (10cpi) letter quality, 360 x 360 dpi Resolution, Original 6 carbonless copies, 0.52mm Maximum paper thickness, 4" per second continuous feed speed, 60ms per 1/6" line feed speed
LQ-2190	R 13,588	Epson LQ-2190 High Volume A3 24-Pin Dot Matrix Printer, 480cps Print Speed High Speed Draft 10CPI, 1 5 Copies, 136 Columns, Parallel Standard, Serial Interface (C12C824432) & 10/100 Int Print Server (C12C824352)Optional, Bi-Directional with Logic Seeking.
LQ-2190N	R 21,741	Epson LQ-2190N 24pin 136column Dot Matrix Printer
LQ-350	R 3,705	Epson LQ-35 24-pin 80-column Dot Matrix Printer
LQ-350	R 4,399	Epson LQ-350 A4 24 pin Dot Matrix Printer, Black, 24 pin, 3 plus one original Carbon Copies, Top / bottom / rear paper paths, Parallel, USB, 80 columns
LQ-590II	R 12,751	Epson LQ-590II Dot Matrix Printer, Impact dot matrix, 80 columns, 24 Needles, Hi-Speed USB - compatible with USB 2.0 specification, Parallel, 25.000 Hours, 400 Million Strokes/Wire, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
LQ-590IIN	R 19,023	Epson LQ-590IIN Dot Matrix Printers, Impact dot matrix, 80 columns, 24 Needles, Hi-Speed USB - compatible with USB 2.0 specification, Parallel, Ethernet interface (100 Base-TX / 10 Base-T), 25.000 Hours, 400 Million Strokes/Wire, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
LQ-590IIN	R 22,580	Epson LQ-590IIN 24 pin Impact Dot Matrix Printer - Black, Network ready 80 columns, Top and rear paper paths, Parallel, USB, LAN, 550 chars/s, 6 Plus one Original Carbon copies
LQ-690II	R 8,766	Epson LQ-690ii 24 pin / 106 Column Dot Matrix Printer, 24 needles, 6 Plus one original Carbon copies, 360 x 180 dpi printing Resolution, USB 2.0, Bidirectional parallel, Single sheet front Document feed, Continuous Media rear Document feed, Paper Output front
LQ-690IIN	R 13,341	Epson LQ-690IIN 106 Column 24 pin Dot Matrix Printer, USB, Bidirectional parallel, Ethernet, 6 Plus one Original Carbon copies, 360 x 180 dpi printing Resolution, Single sheet front Document feed, Continuous Media rear, Paper Output front, 400 million strokes/Wire Print Head Life
LX-350	R 4,180	Epson LX-350 Dot-Matrix Printer, 9-pin, 80 Column, USB / RS-232 / Parallel, 4 plus one original Carbon Copies, 240 x 144 DPI Printing Resolution
LX-350	R 3,705	Epson LX-350 9 pin Impact Dot Matrix - 80 columns, Bidirectional parallel, USB 2.0, 347 CPS High Speed draft, 65 CPS near letter quality
PRTN2056EN	R 6,549	Compuprint 2056EN 24 pins 80 columns Dot Matrix Printer, Parallel, USB 2.0, Serial, Ethernet LAN, 10x CPI print speed, Maximum 80 columns @ 10 characters / inch print WIDTH1 5 copies, 0.52 mm thickness Max, 360 dpi x 360 dpi graphic Resolution
PRTN3056	R 9,309	Compuprint 3056 24 pins 136 Column Dot Matrix Printer, Parallel, Serial, USB, Fanfold and single sheet, 360 x 180 dpi printing Resolution, 136 columns @ 10 CPI line length, 1 5 copies, Automatic paper parking, Zero tear-off, 400 million strokes/wire Print Head Life
PRTN3056N	R 10,981	Compuprint 3056N 24 pins 136 Column Dot Matrix Printer, Parallel, USB, LAN, Fanfold and single sheet, 360 x 180 dpi printing Resolution, 136 columns @ 10 CPI line length, 1 5 copies, Automatic paper parking, Zero tear-off, 400 million strokes/wire Print Head Life
SM-809-EMEA	R 40,035	Printronix S809 24 pin 136 columns Serial Matrix Printer, Ethernet, USB 2.0, Serial, Parallel, 136 columns @ 10cpi, 24 pin Serial Dot Matrix Printer, Front feed 6 pin tractor with jam Sensor, 1 7 copies, Continuous form & front loading Media Type, 800 million Character yield Printhead Life, 57000 pages per month workload
SM828-EMEA	R 35,851	Printronix S828 18 pin 136 columns Serial Dot Matrix Printer, Ethernet, USB 2.0, Serial, Parallel, Front feed 6 pin tractor with jam Sensor, Continuous form & front loading Media Type, 1 7 copies, 0.635mm Max thickness, 800 million Character yield Printhead Life, 57000 pages per month workload

TM-FX890IIN	R 17,302	Epson FX-890IIN Dot Matrix Printer 9 pin 80 Column - USB & Ethernet, Impact Dot Matrix, 80 columns, 6 Plus one original Carbon copies, 240 x 144 dpi printing Resolution

< Return to the menu

Printers : Printers - HP DesignJet

Product code	Price	Description

< Return to the menu

Printers : Printers - InkJet 4 colour

Product code	Price	Description
2314C009AA	R 1,696	Canon Pixma G1410 High Yield Single Function Printer, pigment black dye colour inks with Integrated Ink tanks, 4 single ink; A4, 4800x1200dpi; mono/color: 8.8/5 ipm, input: 100s rear tray - USB
2314C025AA	R 1,975	Canon Pixma G1411 A4 Single Function Printer, G1411 Single Function continuous ink supply system, 4800 x 1200 dpi, 8.8 ipm momo, 5.0 ipm colour, Borderless printing, 100 sheets paper supply, USB. Uses GI-490 PGBK, GI-490C, GI-490M and GI-490Y, 6,000 page yield Black, 7,000 page yield colours 1 extra Black Ink
5252B041AA	R 2,939	Canon G2430 A4 Colour 3-in-1 MegaTank Ink Printer, Print, Scan, Copy, 2 fine Print Head print Technology, Refillable Ink Tank Printer, Up to 4800x1200 dpi print Resolution, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear Tray, CIS Flatbed Photo and Document Scanner, 600 x 1200 dpi Scanner Resolution (Optical), Hi-Speed USB
9491B007AA	R 1,693	Canon Maxify iB4040 Business Inkjet, network cloud ready (wired wireless), black, 4 single ink, duplex printing; A4, 600x1200dpi; mono/colour: 23/15 ipm, input: 250 250s dual paper tray, duty: 30000pages per month - USB
Brother SP-1	R 5,382	Brother SP-1 A4 Colour Sublimation Printer, 6.8cm Colour Touchscreen LCD, 1200 x 2400 dpi print Resolution, Inkjet printing Technology, Mobile App compatible, USB, LAN, WiFi, Uses Sublimation paper only, Works on Polyester and Polymer Coated materials (USB cable not included / optional)(Note: A heat press is required - not included)
C11CD76413	R 2,375	Epson EcoTank L121 Single Function A4 Printer; Purpose-built, refillable ink tank; Small footprint ideal for home use; Ultra-low-cost per page; Hassle-free with simple set-up; 9 pages/min Monochrome, 4,8 pages/min Colour; 50 sheet paper tray; manual duplex
C11CJ80302	R 9,275	Epson SureColor SC-F100 A4 Dye Sublimation Printer, 140ml Ink bottles, Wi-Fi, Wi-Fi direct, Ethernet, USB 2.0 connectivity, PrecisionCore MicroTFP Printhead, Tilting 2.4-inch screen
C11CK25402	R 5,572	Epson WorkForce Pro WF-C5390dw A4 Colour Inkjet Printer, PrecisionCore Print Head printing Method, DURABrite Ultra Ink Technology, 4800 x 1200 dpi printing Resolution, 4 Colour, 34 pages/min Monochrome & Colour printing Speed, 150 sheets Output Tray capacity, 330 sheets standard paper Tray capacity, Automatic Duplex, WiFi, USB, Gigabit LAN, AirPrint, Google Cloud print, 6.1 cm Colour Display, Direct print
C11CK38403	R 11,638	Epson L18050 EcoTank A3 Ink Tank Printer, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour, 22 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, USB, Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi direct, 100 sheets standard, Paper tray capacity, Borderless print, CD/DVD print, Epson iprint App
C11CK39403	R 9,488	Epson L11050 A3 Colour Ink Tank Printer, Dye Ink technology, 4800 x 1200 dpi printing Resolution, 4 Colour, 30 pages/min Monochrome printing speed, 20 pages/min Colour printing speed, 1 paper trays, 30 sheets Output tray capacity, 100 sheets standard paper tray capacity, Borderless print, USB, WiFi
CG1420	R 3,691	Canon G1420 A4 Colour Refillable Ink Tank Printer, Continuous Ink supply system, 4800x1200 dpi, 9.1 ipm mono print speed, 5.0 ipm Colour print speed, Borderless printing, 00 sheets paper Input, Hi-Speed USB (USB Type-B Port)
CG3411	R 4,225	Canon Pixma G3411 A4 Multifunction Printer - Wireless G3411 3 in 1, Print, Copy, Scan, Wi-fi and Cloud - DOES NOT SUPPORT AIRPRINT - Continuous ink supply system Wireless, 4800 x 1200 dpi, 8.8 ipm mono, 5.0 ipm colour, Borderless printing, 100 sheets paper supply, USB. Uses GI-490 BK, GI-490 C, GI-490 M and GI-490 Y
EPL11050	R 9,193	Epson EcoTank L11050 A3 Business Colour Single Function Wifi Printer; print only; PrecisionCore printhead; 4800 x 1200 dpi; ISO speed up to 15 ppm mono and 8 ppm colour on A4; Wi-Fi; Wi-Fi Direct; USB 2.0;

		100-sheet A4 input; refillable black, cyan, magenta and yellow dye ink; dimensions 498 x 358 x 165mm; weight 6.4kg
EPL11160	R 13,314	Epson L11160 EcoTank A3 Colour single Function Printer, PrecisionCore Print Head, 800 nozzles Black, 800 nozzles per Colour, 4800x1200 dpi printing Resolution, 32 pages/min Monochrome, 32 pages/min Colour, 3 paper trays, 125 sheets Output tray capacity, 550 sheets standard, Automatic duplex, USB, Ethernet, WiFi, Wi-Fi direct
EPL18050	R 10,508	Epson L18050 EcoTank A3 Ink Tank Printer, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour, 22 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, USB, Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi direct, 100 sheets standard, Paper tray capacity, Borderless print, CD/DVD print, Epson iprint App
EPPRC11CK38403	R 11,152	Epson L18050 EcoTank A3 Ink Tank Printer, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour, 22 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, USB, Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi direct, 100 sheets standard, Paper tray capacity, Borderless print, CD/DVD print, Epson iprint App
iP-CG1411	R 2,960	Canon PPixma G1411 High Yield Single Function Printer, pigment black dye colour inks with Integrated Ink tanks, 4 single ink; A4, 4800x1200dpi; mono/color: 8.8/5 ipm, input: 100s rear tray - USB
iP-CG1420	R 3,389	Canon Pixma G1420 High Yield Single Function Printer, pigment black dye colour inks with Integrated Ink tanks, 4 single ink; a4, 4800x1200dpi; mono/color: 9.1/5 ipm, input: 100s rear tray - USB
iP-H202M	R 5,940	HP N4K99C officejet 202 Mobile printer, built-in wireless, 36.4x18.6x6.9 compact size, powered by AC-adapter or optional battery, 5cm mono display; 525mhz, 128mb DDR3; 4800x1200dpi; mono/colour: 10/7ppm, 50s input tray, duty: 500pages per month - USB PictBridge
iP-H2710o	R 1,109	HP 5AR83B 2710 Multifunction - Print-Scan-Copy, White; wireless network ready; A4, 180mhz, 512mb, 4800x1200dpi; mono/color: 20/16, 60s input, 25sheets output, duty: 1000 pages per month; scan: 1200x1200dpi, 24bit; standalone copy: 6 multiple copies
L11050 Printer	R 8,634	Epson L11050 A3 Colour Ink Tank Printer, Dye Ink technology, 4800 x 1200 dpi printing Resolution, 4 Colour, 30 pages/min Monochrome printing speed, 20 pages/min Colour printing speed, 1 paper trays, 30 sheets Output tray capacity, 100 sheets standard paper tray capacity, Borderless print, USB, WiFi, C11CK39403
L11160 Printer	R 12,626	Epson L11160 EcoTank A3 Colour single Function Printer, PrecisionCore Print Head, 800 nozzles Black, 800 nozzles per Colour, 4800x1200 dpi printing Resolution, 32 pages/min Monochrome, 32 pages/min Colour, 3 paper trays, 125 sheets Output tray capacity, 550 sheets standard, Automatic duplex, USB, Ethernet, WiFi, Wi-Fi direct
L1250 Printer	R 2,237	Epson EcoTank L1250 A4 Colour Printer, Epson Micro piezo Print Head, Dye Ink technology, 5760x1440 dpi printing Resolution, 4 Colour, 33 pages/min Monochrome printing speed, 15 pages/min Colour printing speed, 1 paper tray, 30 sheets Output tray capacity, 100 sheets standard paper tray capacity, USB, WiFi, Wi-Fi direct
L18050 Printer	R 10,590	Epson L18050 EcoTank A3 Ink Tank Printer, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour, 22 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, USB, Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi direct, 100 sheets standard, Paper tray capacity, Borderless print, CD/DVD print, Epson iprint App
N4K99C	R 5,616	HP OfficeJet 202 Printer A4 Colour Inkjet Printer, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality Black, 2.0" Hi-Res mono graphic Display, Black plus Tri-Colour ink, USB 2.0, Wi-Fi, 100 to 300 recommended monthly page Volume, Up to 10 ppm print speed Black, Up to 7 ppm print speed Colour
SP01BK	R 230	Brother SP01BK standard Black Ink for SP-1 Sublimation Printer, 47ml capacity. For cloth and clothing. Expertly designed to produce vivid, long-lasting colour with high wash fastness.
SP01C	R 230	Brother SP01C standard Cyan Ink for SP-1 Sublimation Printer, 47ml capacity
SP01M	R 230	Brother SP01Y standard Magenta Ink for SP-1 Sublimation Printer, 47ml capacity
SP01Y	R 230	Brother SP01Y standard Yellow Ink for SP-1 Sublimation Printer, 47ml capacity
WF-C5390DW	R 7,102	Epson WorkForce Pro WF-C5390dw A4 Colour Inkjet Printer, PrecisionCore Print Head printing Method, DURABrite Ultra Ink Technology, 4800 x 1200 dpi printing Resolution, 4 Colour, 34 pages/min Monochrome & Colour printing Speed, 150 sheets Output Tray capacity, 330 sheets standard paper Tray capacity, Automatic Duplex, WiFi, USB, Gigabit LAN, AirPrint, Google Cloud print, 6.1 cm Colour Display, Direct print
WF-M5299DW Promo	R 3,012	Epson WorkForce Pro WF-M5299dw A4 mono Ink Printer, PrecisionCore Print Head printing Method, DURABrite

	Ultra Ink Technology, 34 pages/min Monochrome printing Speed, 1200x2400 dpi printing Resolution, 80 sheets MP Tray, 250 sheets paper Tray, 150 sheets Output Tray, Automatic Duplex, 6.1 cm Display, WiFi, Hi-Speed USB, Gigabit LAN, NFC

< Return to the menu

Printers : Printers - InkJet 5/6/7/8/+ colours

Product code	Price	Description
3109C038AA	R 1,825	Canon Pixma TS704A A4 Printer, 15ipm mono, 10ipm colour, 4800 x 1200 dpi resolution, 250 sheet front feed, rear tray 100 sheets Automatic duplex, USB, Wi-Fi, Mobile App and Apple Airprint - MIB, Single Ink Technology, 1pl, 5 ink CRGs. Uses PG-480BK, CL-481BK, CLI-481C
4621C009AA	R 1,839	Canon Pixma G540 Colour A4 Ink Tank Printer, Wi-Fi, Print & Cloud, Up to 4800x1200 dpi print Resolution, 2 fine print heads, Approx 3.9 ipm mono print speed, Approx 3.9 ipm Colour print speed, Borderless printing, Full dot LCD Display Type, Hi-Speed USB (USB Type-B Port), PictBridge Wi-Fi, Apple AirPrint, Wireless direct, Mopria (Android)
8747B022AA	R 4,490	Canon PIXMA iX6840, A3 Printer, 11.3ipm mono, 8.8ipm colour, 9600 x 2400 dpi resolution, 150 sheet rear tray, Manual duplex, USB, Wi-Fi therefore Apple Airprint, Google Cloud Print, PIXMA Printing Solutions App, Ethernet - Single Ink Technology, 1pl, 5 ink cartridges. Uses PGI-450PGBK, CLI-451BK, CLI-451C, CLI-451M, CLI-451Y or PGI-450PGBK XL, CLI-451BK XL, CLI-451C XL, CLI-451M XL, CLI-451Y XL and PGI-455XXL
C11CK37403	R 6,687	Epson L8050 6-colour A4 Ink Photo EcoTank Printer, Dye Ink technology, 5760 x 1440 dpi printing Resolution, 22 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, 100 sheets standard paper tray capacity, 20 photo sheets paper tray capacity, Borderless print, CD/DVD print, USB, WiFi, C11CK37403
CIPF785	R 77,806	Canon imagePROGRAF 785 - 36" Large Format Printer, CARTRIDGES: Maintenance cartridge MC-10, Print head PF-04, 130ml Ink Tank- (matte black) PFI-107 MBK, (black) PFI-107 BK, (cyan) PFI-107 C, (magenta) PFI-107 M, (yellow) PFI-107 Y, 300ml Ink Tank- (matte black) PFI-207 MBK, (black) PFI-207 BK, (cyan) PFI-207 C, (magenta) PFI-207 M, (yellow) PFI-207 Y
CIPFPRO4000	R 131,678	Canon Ipf Pro-4000 - 44" /a0 (1117mm) 12 Color Photo/ proofing/ fine Art/ poster Printer
CIX6840	R 4,850	Canon iX6840 A3 5 single ink - network ready (wired wireless), manual duplex printing; A3 , 9600x2400dpi; mono/colour: 14.5/10.4iPM, 1pl Micro-Nozzles, FINE, input: 150s - USB. 5 INK CARTRIDGES. USES PGI-450PGBK, CLI-451BK, CLI-451C, CLI-451M, CLI-451Y OR PGI-450PGBK XL, CLI-451BK XL, CLI-451C XL, CLI-451M XL, CLI-451Y XL AND PGI-455XXL
CPRO200S	R 12,301	Canon Pixma PRO-200 A3 8 ink Photo Printer, ChromaLife 100 Type, 4800 x 2400 dpi Maximum printing Resolution, 1 Multi-Purpose tray, USB Type-B Port, Gigabit LAN, WiFi, 7.5cm LCD Display
CTS704	R 1,577	Canon PIXMA TS704 A4 Single Function Inkjet Printer - CD/DVD Print A4 Printer, 15ipm mono, 10ipm colour, 4800 x 1200 dpi resolution, 350 sheet paper handling, Automatic duplex, USB, Wi-Fi, DIrect CD/DVD Printing, Mobile App and Apple Airprint - MIB, Single Ink Technology, 1pl, 5 ink cartridges. Uses PG-480BK, CL-481BK, PG-480BK, CL-481BK, CLI-481C, CLI-481M, CLI-481Y or PG-480/CLI-481XL or Multipack
iP-CG540	R 5,875	Canon Pixma G540 Printer with 6x integrated dye ink tanks, wireless network ready, 2-line LCD - print 4800x1200dpi; mono/color: 3.9 / 3.9 ipm, 100s input tray - USB 2.0
iP-CG640o	R 7,282	Canon Pixma G640 Multifunction print scan copy with 6x integrated dye ink tanks, wireless network ready, 2-line LCD - print 4800x1200dpi; mono/color: 3.9 / 3.9 ipm, 100s input tray, scan 600x1200 /19200dpi; standalone copy, 99 multiple copies - USB 2.0
iP-CiP8740	R 3,818	Canon Pixma iP8740, 6 single ink - wireless network ready, manual duplex printing; A3 , 9600x2400dpi; mono/colour: 14.5/10.4iPM, 1pl Micro-Nozzles, FINE, input: 150s CD/DVD printing tray - USB
iP-CiX6840	R 4,449	Canon iX6840, 5 single ink - network ready (wired wireless), manual duplex printing; A3 , 9600x2400dpi; mono/colour: 14.5/10.4iPM, 1pl Micro-Nozzles, FINE, input: 150s - USB
IP-CTS704	R 1,806	Canon PIXMA TS704 A4 Single Function Inkjet Printer - CD/DVD Print A4 Printer, 15ipm mono, 10ipm colour, 4800 x 1200 dpi resolution, 350 sheet paper handling, Automatic duplex, USB, Wi-Fi, DIrect CD/DVD Printing, Mobile App and Apple Airprint - MIB, Single Ink Technology, 1pl, 5 ink cartridges. Uses PG-480BK, CL-481BK, PG-480BK, CL-481BK, CLI-481C, CLI-481M, CLI-481Y or PG-480/CLI-481XL or Multipack
iP-H8210	R 2,494	HP D9L63A Officejet Pro 8210, with auto duplex printing unit network ready (wired wireless), 5cm mono display,

		individual ink; 1.2 GHz ARM A9 processor/ 600MHz ARM R4 processor, 256mb DDR, 2400x1200dpi; mono/colour: 22/18ppm, 250s input tray, 150sheets output, duty: 30000pages per month - USB UTP
L8050 Printer	R 6,086	Epson L8050 6-colour A4 Ink Photo EcoTank Printer, Dye Ink technology, 5760 x 1440 dpi printing Resolution, 22 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, 100 sheets standard paper tray capacity, 20 photo sheets paper tray capacity, Borderless print, CD/DVD print, USB, WiFi, C11CK37403
N4K99C	R 5,579	HP OfficeJet 202 Printer. 10/7 ppm ISO speed. Yield K 600 / CMY 300. (XL supplies). USB, 802.11.n - Wireless/Wi-Fi Direct, Ethernet. ePrint, AirPrint, IN OS mobile printing, Wifi Direct, Auto Wireless connect. 5.1 cm Mono Graphic Display . Black pigment ink. PCL 3 GUI. 50 sheet input tray. RMPV 100 - 200 pages. Duty cycle 500 pg/mo. CPP TBC.
PRCAIX6840	R 4,577	Canon PIXMA iX6840 A3 Inkjet Printer, A3 Printer, 11.3ipm mono, 8.8ipm colour, 9600 x 2400 dpi resolution, 150 sheet rear tray, Manual duplex, USB, Wi-Fi therefore Apple Airprint, Google Cloud Print, PIXMA Printing Solutions App, Ethernet - Single Ink Technology, 1pl, 5 ink cartridges
PRHPN4K99C	R 5,487	HP OfficeJet 202 Printer. 10/7 ppm ISO speed. Yield K 600 / CMY 300. (XL supplies). USB, 802.11.n - Wireless/Wi-Fi Direct, Ethernet. ePrint, AirPrint, IN OS mobile printing, Wifi Direct, Auto Wireless connect. 5.1 cm Mono Graphic Display . Black pigment ink. PCL 3 GUI. 50 sheet input tray. RMPV 100 - 200 pages. Duty cycle 500 pg/mo. CPP TBC.
SC-P700	R 16,253	Epson SureColor SC-P700 A3 Professional Photo Printer, C11CH38402, 5760x1440 dpi printing Resolution, 120 sheets standard paper tray capacity, USB 3.0, Ethernet Interface, WiFi, Borderless print, CD/DVD print, Fine art, Manual Duplex, Portrait & landscape printing, Roll paper, 109 cm Colour smart-navigation touch-panel, 11 Ink colours
SC-P900	R 27,212	Epson SureColor SC-P900 A2 Professional Photo Printer, C11CH37402, 10x individual Cartridge, Pigment-Based Ink Type, 5760x1440 dpi print Resolution, 2x Input tray, Roll feed, USB, Network, WiFi, Apple AirPrint, Google Cloud print, Wi-Fi direct

< Return to the menu

Printers : Printers - Large Format Printers LFP

Product code	Price	Description
4278C009AA	R 17,078	Canon IPF Pro 300 A3 /14 Professional Printer, 10 ink system, 4800 x 2400 dpi resolution, 150 sheet paper handling, CD/DVD Printing, Manual duplex, USB, Wi-Fi, Ethernet, PFI-300 MBK, PFI-300 PBK, PFI-300 C, PFI-300 M, PFI-300 Y, PFI-300 PM, PFI-300 R, PFI-300 GY, PFI-3
C11CJ17301A0	R 47,823	Epson SureColor SC-F500 A3 Colour Ink Tank Printer, PrecisionCore TFP Print Head, Dye Sublimation Ink Technology, 110 ml Ink Tank capacity, 2400x1200 dpi printing Resolution, Automatic Document feed, USB 3.0, Gigabit Ethernet Interface, Wireless LAN, 4.3-inch Touchscreen, 1:119 mm Diameter Roll capacity
CIPFPRO2000	R 69,422	Canon iPF Pro-2000 24" 12 ink Colour Professional Inkjet Printer, for Technical / CAD / GIS / Poster printing, A1 PRINTER, No Roll Unit, No Roll Holder, No stand, 2400x2400 dpi, USB A Port: USB Memory Direct Print for JPEG/PDF files, USB B Port: Built-in Hi-Speed USB 2.0, Ethernet: 10/100/1000 base-T, Wireless LAN: IEEE802.11n/IEEE802.11g/IEEE802.11b
iP-CP1000	R 24,013	Canon imageprograf Pro-1000, 12 single ink - network ready (wired wireless) 3" lcd; A2, 2400x1200dpi; 4pl Micro-Nozzles, 1536 nozzles per color, input: single feed up to A2 - USB UTP PictBridge direct print (ORDER ON REQUEST)
SC-P7500	R 67,116	Epson SureColor SC-P7500 Large Format Printer, 24 " (61.0 cm), 12 Ink Cartridges, pKmKClCYvMvlMVOGgRlgR, 1.200 x 2.400 dpi, Touchscreen, LCD screen: Type: Colour, Touch-panel, USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
SC-P7500SP	R 136,917	Epson SureColor SC-P7500 spectro 24" Large Format Printer, 12 ink cartridges, 1200x2400 dpi printing Resolution, 800 nozzles Black, 800 nozzles per Colour, 700 ML Ink Tank capacity, USB 3.0 Gigabit LAN, Touch-panel Colour LCD screen, Precisioncore Micro tfp printhead, C11CH12301A2
SC-P8500D STD	R 131,239	Epson SureColor SC-P8500D STD 44" 6 Colour Ink Large Format Printer, C11CJ50301A0, PrecisionCore Micro tfp Printhead printing Method, UltraChrome PRO6 Ink technology, 1200x2400 dpi printing Resolution - Maximum quality, Apple AirPrint, Epson Cloud solution Port, Touchscreen, Bluetooth, Direct print from USB, Driver preview,

		Auto take up reel, Nozzle verification technology, Hi-Speed USB, Gigabit LAN, WiFi, 11 cm Colour Touch panel Display
SC-P8500D STD	R 131,239	Epson SureColor SC-P8500D STD 44" 6 Colour Ink Large Format Printer, C11CJ50301A0, PrecisionCore Micro tfp Printhead printing Method, UltraChrome PRO6 Ink technology, 1200x2400 dpi printing Resolution - Maximum quality, Apple AirPrint, Epson Cloud solution Port, Touchscreen, Bluetooth, Direct print from USB, Driver preview, Auto take up reel, Nozzle verification technology, Hi-Speed USB, Gigabit LAN, WiFi, 11 cm Colour Touch panel Display
SC-P9500	R 115,759	Epson SureColor SC-P9500 44" Large Format Printer, 12 ink cartridges, Precisioncore Micro tfp printhead, 700 ML Ink Tank capacity, 800 nozzles Black, 800 nozzles per Colour, 1200x2400 dpi printing Resolution, USB 3.0, Gigabit LAN, Colour touch-panel LCD screen
SC-T3100	R 18,604	SureColor SC-T3100, A1 Large Format Printer, Wi-Fi Direct, 4 Ink , MKYC, 2.400 x 1.200 dpi, Touchscreen, Direct scan-to-print without PC, Auto Sheet Feeder, Auto cutter, Roll Paper, LCD screen: Colour, Touchscreen: 10,9 cm, Gigabit ethernet interface, USB
SC-T3100M	R 36,618	Epson SureColor SC-T3100M-MFP 24" Large Format Wireless Printer, Print, Copy, Scan, No stand, C11CJ36301A0, Built in Wi-Fi, AirPrint, USB, LAN
SC-T3100N	R 17,048	SureColor SC-T3100N, A1 Large Format Printer, Wi-Fi Direct, 4 Ink , MKYC, 2.400 x 1.200 dpi, Touchscreen, Direct scan-to-print without PC, Auto Sheet Feeder, Auto cutter, Roll Paper, LCD screen: Colour, Touchscreen: 10,9 cm, Gigabit ethernet interface, US
SC-T3100X	R 42,796	Epson SureColor SC-T3100X 220V, Large Format Printers, A1, 4 Ink Cartridges, YCMK, 2400 x 1200 dpi, Touchscreen, Direct scan-to-print without PC, Auto Sheet Feeder, Auto cutter, Roll Paper, LCD screen: Type: Colour, Touchscreen, Diagonal: 10,9 cm, Gigabit ethernet
SC-T3405	R 31,336	Epson SureColour 24" A1 4 Colour Ink Technical & CAD Large Format Printer with stand, C11CJ55301A0, 2400 x 1200 dpi printing Resolution, Apple AirPrint, USB 3.0, Ethernet, Wireless LAN IEEE 802.11b/g/n, Wi-Fi direct, Auto cutter, Borderless print, Roll paper, 10.9 cm diagonal Colour Touchscreen
SC-T5100	R 26,692	Epson SureColor SC-T5100, A0 Large Format Printers, Wi-Fi Direct, 4 Ink , MKYC, 2.400 x 1.200 dpi, Touchscreen, Direct scan-to-print without PC, Auto Sheet Feeder, Auto cutter, Roll Paper, LCD screen: Colour, Touchscreen: 10,9 cm, Wireless LAN IEEE 802.11b/g/n
SC-T5100M	R 64,417	Epson SureColor SC-T5100M 36" 4-colour Inkjet Large Format Printer, Print, Copy, Scan, C11CJ54301A0, 2400x1200 dpi printing Resolution, 50 sheets stacker capacity, Apple AirPrint, Epson Cloud solution Port, Hi-Speed USB, Gigabit LAN, WiFi, Auto sheet feeder, Auto cutter, Auto-Switch between front/rear, Roll paper, Colour Touchscreen, Integrated Scanner, Contact image sensor (CIS) Scanner Type, 36" Scan width, 600 dpi x 600 dpi Optical Resolution, Stand included
SC-T5400M	R 90,094	Epson SureColor SC-T5400M, Large Format Printer With Integrated A0 Scanner, 36" (91.4 cm), 4 Ink Cartridges, KCYM, 2.400 x 1.200 dpi, Touchscreen, Direct print from USB, Auto cutter, Roll Paper, LCD screen: Type: Colour, Touchscreen, Diagonal: 10,9 cm, USB 3.0
SC-T5405	R 38,410	Epson SureColor SC-T5405 36" 4 Colour Ink Large Format Printer, C11CJ56301A0, 2400 x 1200 dpi printing Resolution, Apple AirPrint, USB 3.0, Ethernet, Wireless LAN IEEE 802.11b/g/n, Wi-Fi direct, Auto cutter, Roll paper, 10.9 cm Colour Touchscreen
SC-T5700D	R 115,419	Epson SureColor T5700d 36" Dual Roll Large Format Printer, 6 Colour Ink Set, Touchscreen, Bluetooth, Direct print from USB, Driver preview, 2nd Roll optional as a auto take up reel, Nozzle verification Technology, Touchscreen, Hi-Speed USB, Gigabit LAN Port, Wireless LAN, Adobe PostScript 3, Ink Set, Power cable, Roll feed spindle 36" , SureColor T-Series Printer/Scanner, 6 colours, 2400 x 1200 DPI Printing Resolution, 1645x499 x 975 mm
SC-T5700D	R 92,700	Epson SureColor T5700d 36" Dual Roll Large Format Printer, 6 Colour Ink Set, Touchscreen, Bluetooth, Direct print from USB, Driver preview, 2nd Roll optional as a auto take up reel, Nozzle verification Technology, Touchscreen, Hi-Speed USB, Gigabit LAN Port, Wireless LAN, Adobe PostScript 3, Ink Set, Power cable, Roll feed spindle 36" , SureColor T-Series Printer/Scanner, 6 colours, 2400 x 1200 DPI Printing Resolution, 1645x499 x 975 mm
SC-T5700DM	R 228,008	Epson SureColor T5700dm 36" Multi-Function Large Format Printer, Print, Scan, Copy, No Ink included,

		Touchscreen, Bluetooth, Direct print from USB, Driver preview, Scan preview, Auto take up reel, Nozzle verification Technology, Touchscreen, Hi-Speed USB, Gigabit LAN Port, Wireless LAN Adobe PostScript 3, Ink Set, Power cable, Roll feed spindle 36" , SureColor T-Series Printer/Scanner, UltraChrome XD3 Ink Technology, 1200 x 2400 dpi printing Resolution, Contact Image Sensor (CIS) Scanner Type, Dual LED (RGB) Light source, 36" Scan width, 10 inch/sec scanning Speed
SC-T7200	R 44,112	Epson C11CD68301A0, SureColor SC-T7200, Large Format Printers, 5 Ink Cartridges, pKmKCYM, Auto cutter, Borderless print, USB,
SC-T7700D	R 121,314	Epson SureColor SC-T7700D 44" 6 Colour Ink Large Format Printer, C11CH83301A0, PrecisionCore Micro tfp Printhead printing Method, UltraChrome XD3 Ink technology, 2400x1200 dpi Maximum quality, Apple AirPrint, Bluetooth, Direct print from USB, Driver preview, Auto take up reel, Nozzle verification technology, Hi-Speed USB, Gigbait LAN, WiFi, 11 cm Colour touch-panel

< Return to the menu

Printers : Printers - Laser colour A3

Product code	Price	Description
HQ3985A	R 10,620	HP Color LaserJet M750dn - ImageRet 3600, Prints up to 30ppm A4, 15ppm A3, 1GB RAM, 1 x 100 sheet, 1 x 250 sheet, 1 x 500 sheet input trays, Duplex printing, Standard Gigabit Ethernet, USB 2.0.
LP-HCCP5225	R 21,467	HP CE710A A3 color laserjet CP5225 ; 540mhz motorola coldfire V5x processor, 192mb upto 448, 600/600dpi; 20ppm, hp Imageret 3600 , 350 (100 250)s input tray upto 850, 250s output, duty : 75000pages per month - USB
LP-HCCP5225DN	R 26,091	HP CE712A 10/100 Network Ready, A3 Colour Laserjet Printer with Auto Duplex Printing Unit, 540mhz Motorola Coldfire V5x Processor, 192mb Memory, 600/600dpi Print Resolution, 20ppm Print Speed, Duty: 75000 pages per Month.
LP-HCCP5225N	R 23,008	HP CE711A 10/100 Network Ready, A3 Color Laserjet Printer, 540mhz Motorola Coldfire V5x Processor, 192mb Memory, 600/600dpi Print Resolution, 20ppm Print Speed, Duty: 75000 pages per month
PRHPCE710A	R 21,553	HP CE710A CP5225 Color LaserJet Professional Printer, USB (A3/A4) PCL, PS3, standard 250 sheet input tray and 100 sheet multi-purpose tray (Media handling: upto 220 g/m2 for multipurpose tray and upto 220g/m2 for 250 sheet tray)
PRHPCE711A	R 23,101	HP Colour LaserJet CP5225n USB (A3/A4) Printer, PCL, PS3, Built in Ethernet Print Server, standard 250 sheet input tray and 100 sheet multi-purpose tray (Media handling: up to 220 g/m2 for multipurpose tray and up to 220g/m2 for 250 sheet tray), 20ppm colour/mono print speed, 600 x 600dpi print resolution, 448MB memory, 540MHz processor speed.
PROK45530407	R 96,971	OKI PRO9431 A3 four Colour Printer, Digital 4 LED full-color electrophotographic printing Method, 1200x1200 dpi (2 levels) print Resolution, USB 2.0 (High speed), Gigabit Ethernet LAN, 25000 pages/month duty cycle, Prints on : gloss paper / film / transfer paper / waterproof paper, A3 28ppm color & 28ppm mono print speed, 45530407, A4/A3/A3 four Colour Printer
U47074329	R 19,800	Printronix LP844C Digital Industrial Colour Laser Printer A3 36ppm, 36ppm color/mono print speed, 1200x1200 dpi Resolution, Mono LCD, USB 2.0, Gigabit Ethernet, WiFi, 300-sheet main tray, 100-sheet Multi-Purpose tray, 250 sheets main Output bin, 100 sheets face up tray, Duplex

< Return to the menu

Printers : Printers - Laser colour A4

Product code	Price	Description
1PV88A	R 15,116	HP LJ Enterprise M507x - 5-15 Users , Prints up to 43ppm A4, 100 sheet multipurpose tray, 550 sheet tray 2, Automatic Duplex printing, Additional 550 sheet tray 3, Adjustable 4.3" Colour VGA control panel, Integrated NFC/Touch
3PZ95A	R 9,584	HP 3PZ95A Colour LaserJet Enterprise M455dn A4 Colour Laser Printer, Up to 27 ppm normal print speed Black, Normal up to 27 ppm print speed Colour, Up to 600 x 600 dpi print quality Black (Best), Up to 55 000 pages duty cycle, 6.75 cm diagonal Colour tft-lcd back-lit, HP ePrint, Apple AirPrint, NFC touch-to-print (Optional), Mopria Certified, Printeron print, Roam capable for easy printing, Wi-Fi direct printing, 2 Hi-Speed USB 2.0 Host, 1x

		Hi-Speed USB 2.0 device, 1x Gigabit Ethernet 10/100/1000 Network, 50 sheet multipurpose tray, 250 sheet Input tray, 150 sheet Output bin, Automatic duplex printing
499M7A	R 8,523	HP Colour LaserJet Pro MFP 3303fdn A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 25 ppm print Speed, Automatic Duplex printing, Up to 600x600 dpi print quality, Gigabit Ethernet, Hi-Speed USB 2.0, Apple AirPrint, Mopria Certified, 4.3" diagonal Colour tft-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
499M7A	R 7,785	HP Colour LaserJet Pro MFP 3303fdn A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 25 ppm print Speed, Automatic Duplex printing, Up to 600x600 dpi print quality, Gigabit Ethernet, Hi-Speed USB 2.0, Apple AirPrint, Mopria Certified, 4.3" diagonal Colour tft-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
499M8A	R 8,810	HP 499M8A Colour LaserJet Pro MFP 3303fdw A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 25 ppm print Speed, Automatic Duplex printing, Up to 600 x 600 dpi print quality, Gigabit Ethernet, Hi-Speed USB 2.0, Wi-Fi, Direct printing capability, 4.3" diagonal Colour tft-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray, ADF / Flatbed Scanner, Single-pass 2-sided ADF, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
499M8A	R 8,342	HP 499M8A Colour LaserJet Pro MFP 3303fdw A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 25 ppm print Speed, Automatic Duplex printing, Up to 600 x 600 dpi print quality, Gigabit Ethernet, Hi-Speed USB 2.0, Wi-Fi, Direct printing capability, 4.3" diagonal Colour tft-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray, ADF / Flatbed Scanner, Single-pass 2-sided ADF, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
499N4A	R 5,762	HP 499N4A Colour LaserJet Pro 3203dw A4 Colour Laser Printer, up to 25 ppm print Speed Black & Colour, automatic Duplex printing, up to 600x600 dpi print quality, Gigabit Ethernet, 1 Hi-Speed USB 2.0, Wi-Fi, direct printing capability, 2" diagonal dfstn-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray
499N4A	R 5,925	HP 499N4A Colour LaserJet Pro 3203dw A4 Colour Laser Printer, up to 25 ppm print Speed Black & Colour, automatic Duplex printing, up to 600x600 dpi print quality, Gigabit Ethernet, 1 Hi-Speed USB 2.0, Wi-Fi, direct printing capability, 2" diagonal dfstn-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray
4RA89A	R 9,052	HP 4RA89A Colour LaserJet Pro 4203dn A4 Laser Printer, Automatic duplex, Up to 33 ppm print speed Black, Up to 33 ppm print speed Colour, Up to 600 x 600 dpi print quality Colour, Gigabit Ethernet, Hi-Speed USB 2.0, Apple AirPrint, Mopria Certified, 2.2-in Monochrome LCD Display, 50-sheet multipurpose tray, 250-sheet Input tray, 150-sheet Output bin
4ZB94A	R 4,433	HP 4ZB94A 150A A4 Colour Laser Printer, Up to 18 ppm print Speed Black, Up to 4 ppm print Speed Colour, No Duplex, 600x600 dpi print quality Black and Colour, USB 2.0 Port, LED Display, 150 sheet Input Tray, 50 sheet Output bin
4ZB94A	R 4,744	HP 4ZB94A 150A A4 Colour Laser Printer, Up to 18 ppm print Speed Black, Up to 4 ppm print Speed Colour, No Duplex, 600x600 dpi print quality Black and Colour, USB 2.0 Port, LED Display, 150 sheet Input Tray, 50 sheet Output bin
4ZB95A	R 4,807	HP 4ZB95A Colour Laser 150nw A4 Printer, Up to 18 ppm print Speed Black, Up to 4 ppm print Speed Colour, No Duplex printing, 600x600 dpi print quality Black & Colour, Laser print Technology, Hi-Speed USB 2.0 Port, Fast Ethernet, Wireless 802.11 b/g/n, Apple AirPrint, Mopria Certified, LED Display, 150 sheet Input Tray, 50 sheet Output bin
4ZB95A	R 5,126	HP 4ZB95A Colour Laser 150nw A4 Printer, Up to 18 ppm print Speed Black, Up to 4 ppm print Speed Colour, No Duplex printing, 600x600 dpi print quality Black & Colour, Laser print Technology, Hi-Speed USB 2.0 Port, Fast Ethernet, Wireless 802.11 b/g/n, Apple AirPrint, Mopria Certified, LED Display, 150 sheet Input Tray, 50 sheet

		Output bin
58M42A	R 25,842	HP 58M42A Colour LaserJet Enterprise 6701dn A4 Laser Printer, Automatic Duplex printing, Up to 61 ppm print speed Black, Up to 61 ppm print speed Colour, Up to 1200x1200 dpi print quality, Gigabit Ethernet, USB 3.0, Apple AirPrint, Mopria Certified, 4.3" Colour graphic Display with Touchscreen & rotating Display (Adjustable angle), 550-sheet Input tray, 100-sheet Multi-Purpose tray, 500-sheet Output bin
5HH48A	R 6,310	HP 5HH48A Colour LaserJet Pro 4203dn A4 Laser Printer, Automatic Duplex, Up to 33 ppm print speed Black, Up to 33 ppm print speed Colour, Up to 600x600 dpi print quality Colour, Gigabit Ethernet, Hi-Speed USB 2.0, WiFi, Apple AirPrint, Mopria Certified, 2.2-in Monochrome LCD Display, 50-sheet multipurpose tray, 250-sheet Input tray, 150-sheet Output bin
6QN33A	R 22,276	HP 6QN33A Colour LaserJet Enterprise 6700dn A4 Laser Printer, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 4.3" Colour graphic Display with Touchscreen & rotating (Adjustable angle) Display, 100-sheet Multi-Purpose tray, 550-sheet Input tray 2, 500-sheet Output bin
CE710A	R 21,728	HP CE710A CP5225 Color LaserJet Professional Printer, USB (A3/A4) PCL, PS3, standard 250 sheet input tray and 100 sheet multi-purpose tray (Media handling: upto 220 g/m2 for multipurpose tray and upto 220g/m2 for 250 sheet tray)
CE712A	R 26,343	HP CE712A CP5225dn Color LaserJet Professional Printer, USB (A3/A4) PCL, PS3, Built in Ethernet Print Server, Standard Duplexing, standard 250 sheet input tray and 100 sheet multi-purpose tray (Media handling: upto 220 g/m2 for multipurpose tray and upto 220g/m2 for 250 sheet tray)
CLBP633CDW	R 6,469	Canon i-SENSYS LBP633cdw A4 Colour Laser Printer, Duplex, Up to 21 ppm print speed, Up to 1200x1200 dpi print Resolution, 45 PCL fonts, 136 PS fonts, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input, 1-sheet manual feed slot, 100-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Control Panel, 10-key Numeric Keypad
HL-L3280CDW	R 5,635	Brother HL-L3280cdw A4 Colour Laser Printer, Up to 26 / 27 ppm print speed, Up to 250 sheets Maximum paper capacity, 600 x 600 dpi print Resolution, Duplex, Up to 250 sheets Tray, Up to 150 sheets paper Output, USB 2.0, Gigabit LAN Port, WiFi, 6.8 cm Colour Touchscreen
HL-L8430CDW	R 7,590	Brother HL-L8430CDW Business A4 Colour Laser Printer, Up to 33ppm print Speed, Up to 250 sheets Maximum paper capacity, Up to 600x600 dpi print Resolution, 2-sided (Duplex) printing, Up to 150 sheets paper Output, Hi-Speed USB 2.0, Gigabit Ethernet, Wifi, NFC, 6.8 cm Colour LCD Touchscreen, 512 MB Memory capacity, Mobile Connect, AirPrint, Mopria
HLL8360CDW	R 7,590	Brother HL-L8360CDW A4 33ppm Mono and Full Colour Duplex Laser Printer, 2400x600 dpi Print Resolution, Windows and PCL6, 2.7" Color Touchscreen display, 60000 pages Maximum Monthly Duty Cycle, 250-Sheet Input Capacity, Wireless 802.11b/g/n, Gigabit Ethernet network, USB 2.0, Mobile Device Compatibility: AirPrint / Google Cloud Print 2.0 / Mopria / Brother iPrint and Scan / Cortado Workplace / NFC / Wi-Fi Direct
L40N9426	R 7,226	Lexmark CS431dw A4 Colour Laser Printer, Duplex (2-sided) printing, Up to 24.7 ppm print Speed, 2.8" (7.2 cm) LCD Touch panel Display, 100-sheet Output bin, Single-Sheet manual feed, 250-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, AirPrint, Mopria print
L47C9069	R 12,936	Lexmark CS730de A4 Colour Laser Printer, Duplex (2-sided) printing, Up to 42 ppm print Speed, 1200x1200 dpi print Resolution, Lexmark e-Task 4.3-inch (10.9 cm) Colour Touch Screen Display, 100-sheet multipurpose feeder, 300-sheet Output bin, 550-sheet Input, Gigabit Ethernet, USB 2.0, AirPrint, Mopria print
LP-C352X	R 22,825	Canon i-SENSYS LBP352x, with auto-duplex unit gigabit network ready 5 line LCD, 29 sec warm up time, 1Gb buffer, A4, 600/ 1200x1200dpi; 62ppm, 100 500s input tray up to 2600, 500 sheets output tray, duty: 280000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP, buffer - mb : 1024, duplex printing : Y - auto, speed ppm : 62, lcd : Y - 5line, duty cycle per month - k : 280, resolution - dpi : 600 / 1200x1200, input std -s : 100 500, optional input tray : 4x B1 - 500 sheets / 1x G1 1500 sheets optional, ADF - pages : N, output std -s : 500, interface : usb2.0 UTP, network ready : Y - gigabit, toner : 039 : 11000p039H : 25000p, printer language : UFRii/ PCL5e/ PCL6/ PostScript 3
LP-CC621CW	R 4,092	Canon i-SENSYS Lbp-621CW Colour Laser, with iW management console, network ready (gigabit wireless), 5 line lcd, 13 sec warm up time; 800mhz 800mhz dual processors, 1Gb memory, A4, 600 / 1200x1200dpi;

		mono/color: 18/18ppm, 250s input tray, 100s output tray, duty: 30000 pages per month, UFRii - USB 2.0 UTP
LP-CC623CDW	R 3,245	Canon i-SENSYS Lbp-623CDW Colour Laser, with iW management console, auto-duplex unit network ready (gigabit wireless), 5 line lcd, 13 sec warm up time; 800mhz 800mhz dual processors, 1Gb memory, A4, 600 / 1200x1200dpi; mono/color: 21/21ppm, 250s input tray, 100s output tray, duty: 30000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP
LP-CC663CDW	R 7,458	Canon i-SENSYS Lbp-663CDW colour laser, with iW management console, auto-duplex unit network ready (gigabit wireless) 5 line lcd, 13 sec warm up time; 800mhz 800mhz dual processors, 1Gb memory, A4, 600 / 1200x1200dpi; mono/color: 27/27ppm, 50 250s input tray up to 850, 150s output tray, duty: 50000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP (Order on request)
LP-CC664CX	R 5,233	Canon i-SENSYS Lbp-664CX colour laser, with iW management console Embedded SFP MEAP, auto-duplex unit network ready (gigabit wireless) 12.7cm color touchscreen lcd, 13 sec warm up time; 800mhz 800mhz dual processors, 1Gb memory, A4, 600 / 1200x1200dpi; mono/color: 27/27ppm, 50 250s input tray up to 850, 150s output tray, duty: 50000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP (Order on request)
LP-CC710CX	R 6,889	Canon i-SENSYS LBP710Cx - Colour Laser, with iW management console Embedded SFP MEAP, auto-duplex unit gigabit network ready 5 line LCD, 31 sec warm up time; 528mhz 264mhz dual processors, 1Gb memory, A4, 600/ 9600x600dpi; mono/colour: 33/33ppm, 100 550s input tray up to 1200, 200s output tray, duty: 80000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP
LP-CC712CX	R 9,206	Canon i-SENSYS LBP712Cx - colour Laser, with iW management console Embedded SFP MEAP, auto-duplex unit gigabit network ready 5 line LCD, 31 sec warm up time; 528mhz 264mhz dual processors, 1Gb memory, A4, 600/ 9600x600dpi; mono/colour: 38/38ppm, 100 550s input tray up to 2300, 200s output tray, duty: 80000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP
LP-HCM255DW	R 5,022	HP 7KW64A laserjet pro Color M255DW, white, with auto-duplex printing unit network ready (gigabit wired wireless) 6.8cm color LCD; 800MHz processor, 256mb 256mb flash, 600x600dpi; 21/21ppm, 250s input tray, 100sheets output, duty: 40000pages per month - USB UTP
LP-HCM454DN	R 8,632	HP W1Y44A laserjet pro Color M454DN; auto-duplex printing unit gigabit network ready, 2-line LCD: 1200MHz processor, 256 512mb, 600x600dpi; 27/27ppm, 50 250s input tray up to 850, 150sheets output, duty: 50000pages per month - USB UTP
LP-HCM454DW	R 9,222	HP W1Y45A laserjet pro Color M454DW; auto-duplex printing unit network ready (gigabit wired wireless), 6.9 cm color touchscreen LCD: 1200MHz processor, 512 512mb, 600x600dpi; 27/27ppm, 50 250s input tray up to 850, 150sheets output, duty: 50000pages per month - USB UTP
LP-HCM554DN	R 13,403	HP 7ZU81A laserjet enterprise Color M554DN A4 - auto duplex printing unit gigabit network ready 6.86cm color LCD with 24-key pad; 1200MHz processor, 1Gb memory 4GB non-volatile storage, 1200x1200dpi; 35ppm, HP Imageret 3600, 650 (100 550)s input (Order on Request)
LP-HCM555DN	R 16,331	HP 7ZU78A Laserjet Enterprise Color M555DN - auto duplex printing unit gigabit network ready 10.92cm touchscreen colour graphic display; 1200MHz processor, 1Gb memory up to 2Gb 4GB non-volatile storage, 1200x1200dpi; 38ppm, HP Imageret 3600 (Order on request)
LP-HCM555X	R 20,920	HP 7ZU79A Laserjet Enterprise Color M555X - auto duplex printing unit network ready (wireless gigabit) 10.92cm touchscreen colour graphic display; 1200MHz processor, 1Gb memory up to 2Gb 4GB non-volatile storage, 1200x1200dpi; 38ppm (Order on request)
LP-HCM652DN	R 25,094	HP J7Z99A Laserjet Enterprise Color M652DN, with auto duplex printing unit gigabit network ready 6.86cm color QVGA LCD; 1.2ghz processor, 1Gb memory up to 2Gb 8GB non-volatile storage, 1200x1200dpi; 47ppm, HP Imageret 3600, 650s (100 550) input tray up to 3200, 500s output, duty: 100000pages per month - USB UTP (Order on request)
LP-HCM751DN	R 49,249	HP T3U44A enterprise laser Color M751DN, A3 wide format, with auto Duplex printing unit 6.86cm QVGA Colour Graphic Display gigabit network ready: 1200 Mhz processor, 1.5Gb memory up to 2Gb, 41ppm, 1200x1200 dpi, 650 (100 550)s input tray up to 2350, 250s output, duty: 150000 pages per month - 4x USB 2.0 UTP HiP (Order on Request)
LP-HM507X	R 14,576	HP 1PV88A laserjet pro M507X, with auto duplex printing unit network ready (gigabit wired wireless) 10.9cm touchscreen color WQVGA LCD; 1200MHz risc processor, 512mb ram up to 1536, 1200x1200dpi; 43ppm, 100

		550 550s input tray up to 2300, 250sheets output, 5.9sec instant-on from powersave mode, duty: 150000pages per month - USB UTP (Order on request)
MFCL2700DW	R 3,565	Brother A4, Flatbed Multifunction, 30ppm mono laser, duplex Printer Copy Scan And Fax Printer, 35 Sheet ADF, 250 sheet paper tray, 2 line LCD, 32MB Memory, 10/100 Network card and IEEE 802.11b/g/n, & USB.
PRCALBP631Cw	R 4,814	Canon i-SENSYS LBP631cw A4 Colour Laser Printer, Up to 18 ppm print speed, Up to 1200x1200 dpi print Resolution, Secure print, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input, 1-sheet manual feed slot, 100-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD, Control Panel, 10-key Numeric Keypad
PRCALBP633Cdw	R 6,142	Canon i-SENSYS LBP633cdw A4 Colour Laser Printer, Duplex, Up to 21 ppm print speed, Up to 1200x1200 dpi print Resolution, 45 PCL fonts, 136 PS fonts, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input, 1-sheet manual feed slot, 100-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Control Panel, 10-key Numeric Keypad
PRCALBP673Cdw	R 8,480	Canon i-SENSYS LBP673cdw A4 Colour Laser Printer, Duplex, Up to 33 ppm print speed, Up to 1200x1200 dpi print Resolution, 45 PCL fonts, 136 PS fonts, Secure print, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input, 50-sheet Multi-Purpose tray, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Control Panel, 10-key Numeric Keypad
PRCALBP722Cdw	R 17,188	Canon i-SENSYS LBP722cdw A4 Colour Laser Printer, Up to 38 ppm Colour and mono print speed, Up to 1200x1200 dpi print Resolution, 550-sheet Cassette paper Input, 100-sheet multi-purpose tray, 200-sheet face down paper Output, Automatic Double sided printing, USB 2.0 High-Speed, Gigabit LAN, Wireless 802.11b/g/n, Wireless direct connection, Maximum 80000 pages per month duty cycle
PRCAMF651Cw	R 6,862	Canon i-SENSYS MF651cdw A4 3-in-1 Colour Laser Printer, Print, Copy, Scan, Up to 18 ppm print speed, Up to 1200x1200 dpi print Resolution, Secure print, iOS AirPrint, Android Mopria Certified, Platen Scanner Type, Up to 600x600 dpi Optical can Resolution, 250-sheet Cassette paper Input, 1-sheet manual feed slot, 100-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 12.7 cm LCD Colour Touch Screen
PRCAMF832Cdw	R 22,558	Canon i-SENSYS MF832cdw A4 4-in-1 Colour Laser Printer, Print, Scan, Copy, Fax, 38ppm single-sided A4 print speed, 7-inch LCD Touchscreen, Up to 1200x1200 dpi print Resolution, Platen 2-sided ADF (Single pass) Colour Scanner, Up to 600x600 dpi Scan Resolution, 550-sheet Cassette, 100-sheet Multi-Purpose tray, 100-sheet ADF, 200-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi
PRHP3PZ95A	R 10,122	HP 3PZ95A Colour LaserJet Enterprise M455dn A4 Colour Laser Printer, Up to 27 ppm normal print speed Black, Normal up to 27 ppm print speed Colour, Up to 600 x 600 dpi print quality Black (Best), Up to 55 000 pages duty cycle, 6.75 cm diagonal Colour tft-lcd back-lit, HP ePrint, Apple AirPrint, NFC touch-to-print (Optional), Mopria Certified, Printeron print, Roam capable for easy printing, Wi-Fi direct printing, 2 Hi-Speed USB 2.0 Host, 1x Hi-Speed USB 2.0 device, 1x Gigabit Ethernet 10/100/1000 Network, 50 sheet multipurpose tray, 250 sheet Input tray, 150 sheet Output bin, Automatic duplex printing
PRHP499N4A	R 5,256	HP 499N4A Colour LaserJet Pro 3203dw A4 Colour Laser Printer, up to 25 ppm print Speed Black & Colour, automatic Duplex printing, up to 600x600 dpi print quality, Gigabit Ethernet, 1 Hi-Speed USB 2.0, Wi-Fi, direct printing capability, 2" diagonal dfstn-backlit Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray
PRHP4RA89A	R 7,967	HP 4RA89A Colour LaserJet Pro 4203dn A4 Laser Printer, Automatic duplex, Up to 33 ppm print speed Black, Up to 33 ppm print speed Colour, Up to 600 x 600 dpi print quality Colour, Gigabit Ethernet, Hi-Speed USB 2.0, Apple AirPrint, Mopria Certified, 2.2-in Monochrome LCD Display, 50-sheet multipurpose tray, 250-sheet Input tray, 150-sheet Output bin
PRHP58M42A	R 24,728	HP 58M42A Colour LaserJet Enterprise 6701dn A4 Laser Printer, Automatic Duplex printing, Up to 61 ppm print speed Black, Up to 61 ppm print speed Colour, Up to 1200x1200 dpi print quality, Gigabit Ethernet, USB 3.0, Apple AirPrint, Mopria Certified, 4.3" Colour graphic Display with Touchscreen & rotating Display (Adjustable angle), 550-sheet Input tray, 100-sheet Multi-Purpose tray, 500-sheet Output bin
PRHP5HH48A	R 7,994	HP 5HH48A Colour LaserJet Pro 4203dn A4 Laser Printer, Automatic Duplex, Up to 33 ppm print speed Black, Up to 33 ppm print speed Colour, Up to 600x600 dpi print quality Colour, Gigabit Ethernet, Hi-Speed USB 2.0, WiFi, Apple AirPrint, Mopria Certified, 2.2-in Monochrome LCD Display, 50-sheet multipurpose tray, 250-sheet Input tray,

		150-sheet Output bin
PRHP6QN28A	R 13,636	HP 6QN28A Colour LaserJet Enterprise 5700dn A4 Laser Printer, Automatic Duplex printing, Up to 43 ppm print speed Black, Up to 43 ppm print speed Colour, Up to 1200x1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 4.3" Colour graphic Display with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, 250-sheet Output bin
PRHP6QN33A	R 21,315	HP 6QN33A Colour LaserJet Enterprise 6700dn A4 Laser Printer, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 4.3" Colour graphic Display with Touchscreen & rotating (Adjustable angle) Display, 100-sheet Multi-Purpose tray, 550-sheet Input tray 2, 500-sheet Output bin
PRHPCE712A	R 24,180	HP CE712A CP5225dn Color LaserJet Professional Printer, USB (A3/A4) PCL, PS3, Built in Ethernet Print Server, Standard Duplexing, standard 250 sheet input tray and 100 sheet multi-purpose tray (Media handling: upto 220 g/m2 for multipurpose tray and upto 220g/m2 for 250 sheet tray)
PRHPT3U44A	R 38,930	HP Colour LaserJet Enterprise M751dn Print . 250 sheet output bin. Front door (access to JetIntelligence toner cartridges and imaging drums). Automatic two-sided printing Duplex. 550 sheet tray 2 supports media sizes up to A3
PRHPT3U51A	R 53,258	HP T3U51A Colour LaserJet Enterprise M856DN A4 Colour Printer, 4.3 inch Colour Graphics Display with Touchscreen, Duplex printing, Up to 56 ppm print speed Black, Up to 56 ppm print speed Colour, Up to 1200 x 1200 dpi print quality, Up to 250 000 pages duty cycle (Monthly A4), 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Google Cloud print, Mopria Certified, 1x Hi-Speed device USB 2.0, 2x Hi-Speed USB 2.0 rear Host ports, 1x walkup USB 2.0 Host Port, 1x Gigabit/fast Ethernet 10/100/1000 Base-TX Network Port, 1.5 GB Memory, 100 sheet multipurpose tray, 550 sheet Input tray, 500 sheet Output bin
PROK09006144	R 10,339	OKI C650dn Colour A4 LED Printer, Digital LED electrophotographic printing Method, Duplex, 1200x1200 dpi printing Resolution, A4 35 ppm print speed, USB 2.0, Gigabit LAN, 250 sheets Input capacity, 100 sheets Multi-Purpose tray, 09006144
T3U51A	R 51,716	HP T3U51A Colour LaserJet Enterprise M856dn A4 Colour Printer, 4.3 inch Colour Graphics Display with Touchscreen, Duplex printing, Up to 56 ppm print speed Black, Up to 56 ppm print speed Colour, Up to 1200 x 1200 dpi print quality, Up to 250 000 pages duty cycle (Monthly A4), 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Google Cloud print, Mopria Certified, 1x Hi-Speed device USB 2.0, 2x Hi-Speed USB 2.0 rear Host ports, 1x walkup USB 2.0 Host Port, 1x Gigabit/fast Ethernet 10/100/1000 Base-TX Network Port, 1.5 GB Memory, 100 sheet multipurpose tray, 550 sheet Input tray, 500 sheet Output bin
U1023G019	R 13,512	Printronix LP654C Digital Industrial Colour Laser Printer A4 35ppm, 1200x1200 dpi Resolution, Gigabit Ethernet, USB 2.0, 250 sheets tray 1 paper Input capacity, 150 sheets face down paper Output, 100 sheets face up paper Output, Duplex

< Return to the menu

Printers : Printers - Laser mono A3

Product code	Price	Description
LP-HM712DN	R 35,467	HP CF236A A3 laserjet 712DN with auto duplex printing unit gigabit network ready ; 800 MHz processor , 512mb ddr upto 1Gb , 1200x1200dpi ; a4/a3 : 41/20ppm , 600 (100 250 250)s input tray upto 2100(A3)/4600(A4) , 250s output upto 3600 , duty : 100000pages per month - USB UTP
LP-HM806DN	R 71,208	HP CZ244A enterprise laser M806DN A3 wide format - with auto duplex printing unit gigabit network ready 10.9cm touchscreen color WQVGA LCD; 533 MHz 20Kc MIPS processor, 1Gb ddr up to 1.5Gb, 1200x1200dpi, 56ppm, 1100 (100 500 500)s input tray up to 4600, 600 (500 100)s output up to 3600, duty: 300000pages per month, auto duplex printing unit optional - 3xUSB UTP (ORDER ON REQUEST)
PRHPCF236A	R 29,208	HP LaserJet Enterprise 700 M712dn (Replaces 5200tn/dtn), A4/A3, Superior standard and maximum input capability to reduce user intervention and increase paper usage versatility. HP Auto-on/Auto - off technology can lower energy consumption to 1 watt in sleep mode and cut energy use, compared to a majority of competing laser printers. Easy integration and protection of third-party security card solutions with the Hardware Integration Pocket. HP ePrint enables printing from mobile devices. Implement company printing policies like double side printing and

secure print jobs with the HP Universal Print Driver. Standard Duplex. 2x250 sheet input trays. Ships with full cartridge

< Return to the menu

Printers : Printers - Laser mono A4

Product code	Price	Description
1PV87A	R 13,450	HP LaserJet Enterprise M507dn - A4 Print speed (black), Print up to 43 pages per minute, 6.9 cm LCD with keypad, Automatic Duplex, 100-sheet multipurpose tray 1, 550-sheet input tray 2, Optional 550-sheet paper tray, Optional printer cabinet,
29S0065	R 5,499	Lexmark MS431dn single Function A4 mono Laser Printer, 2-line Display, 100-sheet multipurpose feeder, Integrated Duplex, 150-sheet Output bin, 50-sheet Input, Gigabit Ethernet (10/100/1000), USB 2.0, Up to 42 ppm print speed
2Z610A	R 4,188	HP LaserJet Pro 4003dw A4 mono Laser Printer, Up to 40 ppm print speed Black, 1200x1200 dpi print quality Black, 1x Hi-Speed USB 2.0, Gigabit Ethernet, Wi-Fi, Bluetooth, HP Smart App, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 2-line back lit LCD graphic Display, 100-sheet multipurpose tray 1, 250-sheet Input tray 2, 150-sheet Output bin
3515C027AA	R 12,676	Canon LBP325X I-sensys Mono Laser Printer, 43ppm, 650 Sheet, 5 Line Lcd, Duplex, Optional Secure Print, USB, Ethernet Google Cloud Print
38S0315	R 9,620	Lexmark MS531dw A4 Mono Laser Printer, Duplex (2-sided) printing, Up to 46 ppm print Speed, 2.8" (7.2 cm) Colour Touch Screen Display, 100-sheet multipurpose feeder, 150-sheet Output bin, 250-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, AirPrint, Mopria print
38S0415	R 11,430	Lexmark MS631dw A4 Mono Laser Printer, 2.8" (7.2 cm) Colour Touch Screen Display, Up to 50 ppm print Speed, 1200x1200 dpi print Resolution, Duplex (2-sided) printing, 100-sheet multipurpose feeder, 250-sheet Output bin, 550-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, AirPrint, Mopria print
3G653A	R 4,046	HP 3G653A LaserJet Pro 3003dw A4 Mono Laser Printer, Up to 33 ppm print Speed Black, Automatic Duplex printing, Up to 1200 x 1200 dpi print quality Black, 1x Hi-Speed USB, 1x 10/100 Mbps Ethernet LAN, Apple AirPrint, Mopria Certified, 1 Main Tray - 250 sheets or 10 envelopes, 150-sheet Output Tray
3G654A	R 4,306	HP 3G654A LaserJet Pro 3003dw A4 Mono Laser Printer, Up to 33 ppm print Speed Black, Automatic Duplex printing, Up to 1200 x 1200 dpi print quality Black, 1x Hi-Speed USB, 1x 10/100 Mbps Ethernet LAN, WiFi, Apple AirPrint, Mopria Certified, 1 Main Tray - 250 sheets or 10 envelopes, 150-sheet Output Tray
45762002	R 3,608	OKI B412dn - A4 33ppm, 1200 x 1200 dpi, 512MB RAM, 250 sheet input, standard duplex, Hi-Speed USB 2.0, 10/100/1000 Ethernet, Langueges: PCL5e, PCL6(XL), EPSON FX, IBM ProPrinter, XPS
45762012	R 5,245	OKI B432dn - A4 40 ppm, 1200 x 1200 dpi, 512MB RAM, 250 sheet input, standard duplex, Hi speed USB 2.0, 10/100 BaseT Ethernet, Languages: PostScript 3; PCL5e, PCL6, Epson FX, IBM ProPrinter
5620C015AA	R 4,414	Canon i-SENSYS LBP122dw A4 mono Laser Printer, Duplex print, Up to 29 ppm print speed Single Sided, Up to 18.5 ipm Double sided print speed, 600 dpi print Resolution, AirPrint, Mopria Certified, 150-sheet Cassette paper Input (Standard), 50 sheets paper Output, USB 2.0 Hi-Speed, LAN, WiFi, 5 line LCD Control Panel, Up to 18.5 ipm Double sided print speed
5952C006AA	R 6,090	Canon i-SENSYS LBP246dw A4 mono Laser Printer, Duplex, Up to 40 ppm (A4) print speed, Up to 1200x1200 dpi print Resolution, 45 PCL fonts, 136 PS fonts, Secure print, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input, 100-sheet Multi-Purpose tray, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Control Panel, 10-key Numeric Keypad
7MD67A	R 2,326	HP 7MD67A LaserJet M111a A4 Mono Laser Printer, Up to 20 ppm print Speed Black, No Duplex printing, Up to 600 x 600 dpi print quality Black, 1 Hi-Speed USB, LED Display, 150-sheet Input Tray, 100-sheet Output bin
7MD67A	R 2,303	HP 7MD67A LaserJet M111a A4 Mono Laser Printer, Up to 20 ppm print Speed Black, No Duplex printing, Up to 600 x 600 dpi print quality Black, 1 Hi-Speed USB, LED Display, 150-sheet Input Tray, 100-sheet Output bin
7MD68A	R 2,638	HP 7MD68A LaserJet M111W A4 Mono Laser Printer, Up to 20 ppm print Speed Black, Up to 600 x 600 dpi print quality Black (Best), 1 Hi-Speed USB 2.0, WiFi 4, Apple AirPrint, Mopria Certified, LED Display, 150-sheet Input Tray, 100-sheet Output bin

7MD68A	R 3,164	HP 7MD68A LaserJet M111W A4 Mono Laser Printer, Up to 20 ppm print Speed Black, Up to 600 x 600 dpi print quality Black (Best), 1 Hi-Speed USB 2.0, WiFi 4, Apple AirPrint, Mopria Certified, LED Display, 150-sheet Input Tray, 100-sheet Output bin
7PS84A	R 12,550	HP 7PS84A LaserJet Enterprise M611DN A4 Mono Laser Printer, 4.3 in Colour Graphics Display (CGD) with Touchscreen, Up to 65 ppm print speed Black, Up to 1200 x 1200 dpi Resolution (Black), Up to 275 000 pages monthly duty cycle, 1.2 GHz Processor speed, 2 paper trays standard, HP ePrint, Apple AirPrint, Google Cloud print, Mopria Certified, Roam optional for easy printing, 1x Hi-Speed USB 2.0 device, 2x Hi-Speed USB 2.0 Host, 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100-sheet multipurpose feeder, 550-sheet Input feeder, 500 sheet Output bin, Duplex printing
7PS86A	R 14,061	HP 7PS86A LaserJet Enterprise M612DN A4 mono Printer, 4.3-inch Colour Touchscreen Control Panel, Automatic duplex printing, Print functions, Up to 71 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Google Cloud print, Mopria Certified, Roam optional for easy printing, 1x Hi-Speed USB 2.0 device, 2x Hi-Speed USB 2.0 Host, 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 512 MB Memory, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet Output bin
9S187A	R 56,036	HP 9S187A LaserJet Enterprise 8501dn A4 Mono Laser Printer, Up to 70 ppm print Speed Black, Automatic Duplex printing, Up to 250000 duty cycle monthly, 1x Gigabit Ethernet, 1x Hi-Speed USB 2.0, 10.92 cm Touchscreen WQVGA Colour graphic Display, 100-sheet Multi-Purpose Tray, 2 x 520-sheet Input Tray, 500 sheet paper handling Output
BP2305	R 1,610	Pantum P2305W A4 Mono Laser Printer, Up to 22ppm print Speed, 150 pages paper Input, 100 pages paper Output, USB 2.0
BP2305W	R 1,735	Pantum P2305W A4 Mono Laser Printer, Up to 22ppm print Speed, 150 pages paper Input, 100 pages paper Output, USB 2.0, 2.4GHz Wi-Fi
BP4205DW	R 3,074	Pantum BP4205DW A4 Mono Laser Printer, Wi-Fi, Network, Duplex, 33ppm printing Speed, 15ipm Duplex print Speed, AirPrint, Mopria, Pantum App, WiFi direct, 250 pages paper Input capacity, 120 pages paper Output capacity, Wi-Fi, LAN, USB
CLBP325X	R 13,866	Canon LBP325X I-sensys Mono Laser Printer, 43ppm, 650 Sheet, 5 Line Lcd, Duplex, Optional Secure Print, USB, Ethernet Google Cloud Print
CLBP6030	R 3,584	Canon Mono Laser Lbp6030 Printer; 18ppm; 150 Sheet Paper Tray; 2400 X 600dpi With Air; Fpot 7.8sec; 2w In Sleep Mode; Server 2003; 8; Xp; Vista; win7; win8; win8.1; Mac & Linux Web Distribution Only; Crg 725 Starter
CMF465DW	R 9,007	Canon i-SENSYS MF465dw 4-in-1 mono Laser Printer, Print, Copy, Scan, Fax, Duplex, Up to 40 ppm print speed, Up to 1200 x 1200 dpi print Resolution, 45 PCL fonts, 136 PostScript fonts, Secure print, iOS AirPrint, Android Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input, 100-sheet Multi-Purpose tray, 50-sheet ADF, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 12.7 cm LCD Colour Touch Screen
DCP1610W	R 2,875	Brother A4 Mono Printer, 20PPM Multifunction 3-in-1 Laser Printer with Print, Copy and Scan. 32MB RAM, USB and 802.11b/g/n Wireless Networking, and mobile printing.
HL-L1232W	R 2,070	Brother HL-L1232W A4 Mono Laser Printer, Up to 20 ppm print Speed, Up to 150 sheets Maximum paper capacity, Up to 2400 x 600 dpi Resolution, Up to 50 sheets paper Output, Hi-Speed USB 2.0, WiFi direct
HL-L5210DW	R 4,830	Brother HL-L5210dw A4 Mono Laser Printer, 2-sided (Duplex) printing, Up to 48 ppm print Speed, Up to 1200x1200 dpi print Resolution, 100 sheets Multi-Purpose Tray, Up to 150 sheets paper Output, Hi-Speed USB 2.0, LAN WiFi, 1 line LCD 16 characters Display
HL-L6210DW	R 6,095	Brother HL-L6210DW A4 Mono Laser Printer, 1200x1200 dpi print Resolution, Duplex printing, 50 ppm print Speed, 6.7 seconds first print out time, 520 sheet Input Tray 1, 100 sheet multipurpose Tray, LAN Port, USB 2.0, WiFi, Apple AirPrint, Brother Mobile Connect, Mopria, Wi-Fi direct, LCD Display
HL-L6410DN	R 8,625	Brother HL-L6410dn A4 Mono Laser Printer, Up to 50ppm print Speed, Up to 1200x1200 dpi Resolution, 2-sided (Duplex) printing, Up to 100 sheets Multi-Purpose Tray, Up to 250 sheets paper Output, Hi-Speed USB 2.0, LAN, WiFi, 8.9cm Colour LCD Touchscreen Display
HL1210W	R 1,840	Brother Black & white laser printer A4, 20ppm, 32MB, 2400 x 600 dpi, GDI, Includes USB Cable

HLL2365DW	R 2,875	Brother HL-L2365DW A4 Mono Laser Printer, A4, 30PPM Duplex, 32MB, HQ1200dpi, PCL6, Wifi and Network ready, Includes USB Cable
J8H61A	R 7,229	HP M501n LaserJet Pro Laser Printer - 5-15 Users, Print up to 43ppm, 2-line; Backlit text display; 6 buttons, Manual Duplex, 256 MB standard memory and 1.5 GHz processor, Network ready standard (built-in Gigabit Ethernet), Paper weight: Tray 1: 60 to 220 g/m2; Tray 2, Tray 3: 60 to 220 g/m2, HP 87A Black Toner - CF287A
L29S0065	R 5,778	Lexmark MS431dn single Function A4 mono Laser Printer, 2-line Display, 100-sheet multipurpose feeder, Integrated Duplex, 150-sheet Output bin, 50-sheet Input, Gigabit Ethernet (10/100/1000), USB 2.0, Up to 42 ppm print speed
L29S0115	R 6,176	Lexmark MS431dw A4 Mono Laser Printer, 2-line All points Monochrome LCD Display, Duplex (2-sided) printing, 100-sheet multipurpose feeder, 150-sheet Output bin, 250-sheet Input, USB 2.0, Ethernet LAN, WiFi, 42 ppm print Speed, 600 x 600 dpi print Resolution, AirPrint, Mopria print
L38S0315	R 10,023	Lexmark MS531dw A4 Mono Laser Printer, Duplex (2-sided) printing, Up to 46 ppm print Speed, 2.8" (7.2 cm) Colour Touch Screen Display, 100-sheet multipurpose feeder, 150-sheet Output bin, 250-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, AirPrint, Mopria print
L38S0415	R 11,886	Lexmark MS631dw A4 Mono Laser Printer, 2.8" (7.2 cm) Colour Touch Screen Display, Up to 50 ppm print Speed, 1200x1200 dpi print Resolution, Duplex (2-sided) printing, 100-sheet multipurpose feeder, 250-sheet Output bin, 550-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, AirPrint, Mopria print
L38S0515	R 14,719	Lexmark MS632dwe A4 Mono Laser Printer, Duplex (2-sided) printing, Up to 50 ppm print Speed, 1200x1200 dpi print Resolution, Lexmark e-Task 4.3-inch Colour Touch Screen Display, 100-sheet multipurpose feeder, 250-sheet Output bin, 550-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, AirPrint, Mopria print
LP-C122DW	R 4,166	Canon i-SENSYS LBP122dw A4 mono Laser Printer, Duplex print, Up to 29 ppm print speed Single Sided, Up to 18.5 ipm Double sided print speed, 600 dpi print Resolution, AirPrint, Mopria Certified, 150-sheet Cassette paper Input (Standard), 50 sheets paper Output, USB 2.0 Hi-Speed, LAN, WiFi, 5 line LCD Control Panel, Up to 18.5 ipm Double sided print speed
LP-C228X	R 4,681	Canon i-SENSYS 228X Mono Laser Printer, with auto-duplex unit network ready (gigabit wired wireless NFC) 5" colour touch lcd secure print bardcode print, 14 sec warm up time, 1.6Ghz (800mhz x2), 1Gb buffer, A4, 600/1200x1200dpi; 38ppm, 100 250s input tray up to 900, 150 sheets output tray, duty: 80000 pages per month, UFRii/PCL6/PostScript 3 - USB 2.0 UTP
LP-C233DW	R 5,158	Canon i-SENSYS LBP233dw A4 mono Laser Printer, Duplex, Up to 33 ppm (A4) Single Sided print speed, Up to 28.7 ipm (A4) Double sided print speed, Up to 1200x1200 dpi print Resolution, 45 PCL fonts, AirPrint, Mopria Certified, 250-sheet Cassette paper Input (Standard), 100-sheet Multi-Purpose tray, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Display
LP-C246DW	R 5,749	Canon i-SENSYS LBP246dw A4 mono Laser Printer, Duplex, Up to 40 ppm (A4) Single Sided print speed, Up to 33.6 ipm (A4) Double sided print speed, Up to 1200 x 1200 dpi print Resolution, 45 PCL fonts, 136 PS fonts, Encrypted Secure print, AirPrint, Mopria Certified, 250-sheet Cassette paper Input (Standard), 100-sheet Multi-Purpose tray, Up to 900 sheet Maximum paper Input capacity, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Display
LP-C325X	R 11,730	Canon i-SENSYS Lbp-325X, with auto-duplex unit gigabit network ready 5 line lcd, 30 sec warm up time, 528 264mhz processor, 1Gb buffer, A4, 600 / 1200x1200dpi; 43ppm, 100 550s input tray up to 2300, 150 sheets output tray, duty: 150000 pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP
LP-C351X	R 18,317	Canon i-SENSYS LBP351x - 55ppm single function printer, 1200 x 1200 dpi, 550 sheet tray, Secure print, Google Cloud Printer, Airprint, Mopria Certified, Pcl5e/6, Adobe PostScript, Ships with stater CRG 039 - Canon i-SENSYS 351X, with auto-duplex unit gigabit network ready 5 line lcd, 29 sec warm up time, 528 264mhz processor, 1Gb buffer, a4, 600/1200x1200dpi ; 55ppm, 100 500s input tray upto 2600, 500 sheets output tray, duty : 250000 pages per month, UFRii / PCL5e / PCL6 / PostScript 3 - USB 2.0 UTP, buffer - mb : 1024, duplex printing : Y - auto, speed ppm : 55, lcd : Y - 5line, duty cycle per month - k : 250, resolution - dpi : 600 / 1200x1200, input std -s : 100 500, optional input tray : 4x B1 - 500 sheets / 1x G1 1500 sheets optional, ADF - pages : N, output std -s : 500, interface : usb2.0 UTP, network ready : Y - gigabit, toner : 039 : 11000p039H : 25000p, printer language : UFRii / PCL5e / PCL6 / PostScript 3

LP-C6030	R 2,412	Canon Lbp-6030 mono laser printer; 7.8sec warm up time, 32mb buffer, A4, 600/ 2400x600dpi; 18ppm, 150s input tray, 100sheets output tray, duty: 5000pages per month - USB 2.0
LP-HCM455DN	R 10,321	HP 3PZ95A Laserjet Enterprise Color M455DN - auto duplex printing unit gigabit network ready 6.75cm color LCD; 800MHz processor, 1.25Gb memory 4GB non-volatile storage, 600x600dpi; 27ppm, 300 (50 250)s input tray up to 850, 150s output (Order on request)
LP-HM107A	R 2,530	HP 4ZB77A laserjet pro M107A, led display; 400MHz processor, 64mb ram, 1200x1200dpi; 20ppm, 150s input tray, 100sheets output, 8.3sec instant-on from powersave mode, duty: 10000pages per month - USB
LP-HM107W	R 2,888	HP 4ZB78A laserjet pro M107W, wireless network ready, led display; 400MHz processor, 64mb ram, 1200x1200dpi; 20ppm, 150s input tray, 100sheets output, 8.3sec instant-on from powersave mode, duty: 10000pages per month - USB
LP-HM211D	R 3,740	HP 9YF82A Laserjet Pro M211D; with auto duplex printing unit; 500MHz processor, 64mb ram, 600x600dpi; 29ppm, 150s input tray, 100sheets output, 7sec instant-on from powersave mode, duty: 20000pages per month - USB
LP-HM211DW	R 3,256	HP 9YF83A laserjet pro M211DW; with auto duplex printing unit, wireless network ready; 500MHz processor, 64mb ram, 600x600dpi; 29ppm, 150s input tray, 100sheets output, 7sec instant-on from powersave mode, duty: 20000pages per month - USB
LP-HM236SDWo	R 5,829	HP 9YG09A laserjet M236SDW O-in-1 - Print-Scan-Copy, flatbed, with 40s ADF auto duplex printing unit network ready (wired wireless) 4cm icon LCD: 500mhz processor, 64mb ram, 29ppm, 600/1200dpi, 150s input tray, 100s output, duty: 20000
LP-HM406DN	R 9,325	HP 3PZ15A Laserjet Enterprise M406DN, with auto duplex printing unit gigabit network ready 6.75cm color LCD; 800MHz risc processor, 1Gb memory 4Gb non-volatile storage, 1200x1200dpi; 40ppm, 350 (100 250)s input tray up to 900, 150sheets output (Order on request)
LP-HM501DN	R 8,033	HP J8H61A laserjet pro M501DN with auto duplex printing unit, gigabit network ready; 1500MHz processor, 256mb ram, 4800x600dpi; 45ppm, 100 550s input tray up to 1200, 250sheets output, 5.8sec instant-on from powersave mode, duty: 100000pages per month - USB UTP
LP-HM507DN	R 11,079	HP 1PV87A laserjet pro M507DN, with auto duplex printing unit network ready (gigabit wired) 6.9cm color LCD; 1200MHz risc processor, 512mb ram up to 1536, 1200x1200dpi; 43ppm, 100 550s input tray up to 2300, 250sheets output, 5.9sec instant-on from powersave mode, duty: 150000pages per month - USB UTP (Order on request)
LP-HM611DN	R 11,014	HP 7PS84A Laserjet Enterprise M611DN, gigabit network auto duplex printing unit 10.92cm touchscreen colour graphic display; 1.2ghz processor, 512mb memory up to 1.5Gb 4GB non-volatile storage, 1200/1200dpi; 61ppm, 650 (100 550)s input tray up to (Order on request)
LP-HM612DN	R 16,861	HP 7PS86A Laserjet Enterprise M612DN, gigabit network auto duplex printing unit 10.92cm touchscreen colour graphic display; 1.2ghz processor, 512mb memory up to 1.5Gb 4GB non-volatile storage, 1200x1200dpi; 71ppm, 650 (100 550)s input tray up to (Order on request)
M1180 Printer	R 5,494	Epson EcoTank M1180 Low TCO Printer, Single Function A4, 20 ppm Mono Single Function USB Wi-Fi Ethernet PCL EcoTank Epson
P2512W	R 1,518	Pantum P2512W A4 mono Laser Printer, 22ppm print speed, 2000 pages recommended monthly Volume, 1200 x 1200 resolution(dpi), Manual Duplex mode, 150 paper Input tray, 100 paper Output tray, Hi-Speed USB 2.0, WiFi 802.11b/g/n
PRCALBP122dw	R 4,628	Canon i-SENSYS LBP122dw A4 mono Laser Printer, Duplex print, Up to 29 ppm print speed Single Sided, Up to 18.5 ipm Double sided print speed, 600 dpi print Resolution, AirPrint, Mopria Certified, 150-sheet Cassette paper Input (Standard), 50 sheets paper Output, USB 2.0 Hi-Speed, LAN, WiFi, 5 line LCD Control Panel, Up to 18.5 ipm Double sided print speed
PRCALBP243DW	R 5,895	Canon i-SENSYS LBP243dw A4 Mono Laser Printer, Duplex, 5952C013AA, Up to 36 ppm print Speed Single Sided, Up to 1200 x 1200 dpi print Resolution, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input (Standard), 100-sheet Multi-Purpose Tray, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD 3 LED Display, 10-key Numeric Keypad Control Panel
PRCALBP246DW	R 6,387	Canon i-SENSYS LBP246dw A4 mono Laser Printer, Duplex, Up to 40 ppm (A4) print speed, Up to 1200x1200 dpi

		print Resolution, 45 PCL fonts, 136 PS fonts, Secure print, iOS AirPrint, Android Mopria Certified, 250-sheet Cassette paper Input, 100-sheet Multi-Purpose tray, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 5 line LCD Control Panel, 10-key Numeric Keypad
PRCALBP325X	R 13,293	Canon LBP325X I-sensys Mono Laser Printer, 43ppm, 650 Sheet, 5 Line Lcd, Duplex, Optional Secure Print, USB, Ethernet Google Cloud Print
PRCALBP361DW	R 20,498	Canon i-SENSYS LBP361dw A4 mono Laser Printer, Duplex, 61ppm print speed, Up to 1200 x 1200 dpi print Resolution, 93 PCL fonts, Secure print, iOS AirPrint, Android Mopria Certified, 550-sheet Cassette paper Input, 100-sheet Multi-Purpose tray, 500-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN WiFi, 5 line LCD Control Panel, 10-key Numeric Keypad
PRCALBP6030	R 1,866	Canon i-SENSYS LBP6030 A4 Mono Laser Printer, 18ppm, 150 Sheet paper tray, 2400 x 600dpi with AIR, FPOT 7.8sec, 2W in Sleep mode, Server 2003/8, XP, Vista/Win7/Win8/Win8.1, Mac & Linux web distribution Only, CRG 725 Starter, Wi-Fi, CA725BK
PRCAMF465DW	R 8,892	Canon i-SENSYS MF465dw 4-in-1 mono Laser Printer, Print, Copy, Scan, Fax, Duplex, Up to 40 ppm print speed, Up to 1200 x 1200 dpi print Resolution, 45 PCL fonts, 136 PostScript fonts, Secure print, iOS AirPrint, Android Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input, 100-sheet Multi-Purpose tray, 50-sheet ADF, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 12.7 cm LCD Colour Touch Screen
PRCAMF553dw	R 19,103	Canon i-SENSYS MF553dw 4-in-1 A4 mono Laser Printer, Print, Copy, Scan, Fax, Duplex, Up to 43 ppm print speed, Up to 1200 x 1200 dpi print Resolution, 93 PCL fonts, 136 PostScript fonts, Secure print, iOS AirPrint, Android, Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Optical Scan Resolution, 550-sheet Cassette paper Input, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 12.7 cm LCD Colour Touch Screen
PRHP2Z609A	R 3,359	HP 2Z609A LaserJet Pro 4003dn A4 mono Laser Printer, Up to 40 ppm print speed Black, 1200x1200 dpi print quality Black, 1 Hi-Speed USB 2.0, Gigabit Ethernet, 2-line back lit LCD graphic Display, 100-sheet multipurpose tray 1, 250-sheet Input tray 2, 150-sheet Output bin
PRHP2Z610A	R 3,932	HP 2z610a LaserJet Pro 4003dn A4 mono Laser Printer, Up to 40 ppm print speed Black, 1200 x 1200 dpi print quality Black, 1 Hi-Speed USB 2.0, Gigabit Ethernet, WiFi, 2-line back lit LCD graphic Display, 100-sheet multipurpose tray 1, 250-sheet Input tray 2, 150-sheet Output bin
PRHP7MD68A	R 2,878	HP 7MD68A LaserJet M111W A4 Mono Laser Printer, Up to 20 ppm print Speed Black, Up to 600 x 600 dpi print quality Black (Best), 1 Hi-Speed USB 2.0, WiFi 4, Apple AirPrint, Mopria Certified, LED Display, 150-sheet Input Tray, 100-sheet Output bin
PRHP7PS84A	R 12,924	HP 7PS84A LaserJet Enterprise M611DN A4 Mono Laser Printer, 4.3 in Colour Graphics Display (CGD) with Touchscreen, Up to 65 ppm print speed Black, Up to 1200 x 1200 dpi Resolution (Black), Up to 275 000 pages monthly duty cycle, 1.2 GHz Processor speed, 2 paper trays standard, HP ePrint, Apple AirPrint, Google Cloud print, Mopria Certified, Roam optional for easy printing, 1x Hi-Speed USB 2.0 device, 2x Hi-Speed USB 2.0 Host, 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100-sheet multipurpose feeder, 550-sheet Input feeder, 500 sheet Output bin, Duplex printing
PRHP7PS86A	R 14,542	HP 7PS86A LaserJet Enterprise M612DN A4 mono Printer, 4.3-inch Colour Touchscreen Control Panel, Automatic duplex printing, Print functions, Up to 71 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Google Cloud print, Mopria Certified, Roam optional for easy printing, 1x Hi-Speed USB 2.0 device, 2x Hi-Speed USB 2.0 Host, 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 512 MB Memory, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet Output bin
PRHP9YF83A	R 3,051	HP LaserJet M211dw. Print. Connectivity: Dual band Wi-Fi with self-reset, built-in fast Ethernet, Hi-Speed USB. Print speed 29 ppm. Paper Handling: 150 Sheet input tray and 100 sheet output tray. Automatic Duplex Printing. Standard printing
PRHPJ8H61A	R 7,444	HP J8H61A laserjet pro M501DN with auto duplex printing unit, gigabit network ready; 1500MHz processor, 256mb ram, 4800x600dpi; 45ppm, 100 550s input tray up to 1200, 250sheets output, 5.8sec instant-on from powersave mode, duty: 100000pages per month - USB UTP

< Return to the menu

Printers : Printers - Line printers		
Product code	**Price**	**Description**
MPTHE110VP	R 1,612	Brother P-Touch E100vp Handheld Thermal Transfer Printer, 6-12 mm tape, Create durable labels up to 12mm in width, Dedicated functions for common labelling tasks, Built-In cutter for accurate labelling, 16 characters x 1 line - 58mm x 23mm Display size, Orange and Black, QWERTY Keyboard
NET-LAB-BR-PTE110VP	R 1,839	Brother p-touch E100VP handheld thermal transfer Printer, 6-12 mm tape, Create durable labels up to 12mm in width, Dedicated functions for common labelling tasks, Built-in cutter for accurate labelling, 16 characters x 1 line - 58mm x 23mm Display size, Orange and Black, QWERTY Keyboard
P8C15-1213-0	R 162,303	Printronix P8C15 Plus line Matrix Printer 1500lpm, Cabinet, Fixed fence front paper Tray, Standard emulations, RS232 Serial, USB, 10/100 Ethernet Port, 1500 lines per minute, Quiet cabinet Form Factor
P8P05-1213-0	R 78,625	Printronix Dual branded P8000 line Matrix Printer 500 LPM open pedestal, Low paper tray, P8P05-1213-0, RS 232 Serial i/OS, USB, PrintNet Ethernet 10/100 BaseT Print Server, 500 lines per minute (LPM), Open pedestal Form Factor
PT P900W	R 6,900	Brother PT P900W P-Touch P900W Line Printer, Windows & Mac, 6-36mm tape, USB2.0, Serial, Wireless direct, Prints 6 / 9 / 12 / 18 / 24 / 36mm TZe laminated tapes, P-Touch user guide included, 32mm max print height, 360dpi Print resolution, Most image formats supported, Barcodes supported, Fast print speed of 60mm/sec, Automatic cutter, Uses P-touch Editor software, Brother mobile app friendly

< Return to the menu

Printers : Printers - Multifunction Inkjet		
Product code	**Price**	**Description**
0727C007BA	R 589	Canon Pixma MG2540S Black, A4 MFP, Print, Copy and Scan. 8ipm mono, 4.0ipm colour, 4800 x 1200 print resolution, 600 x 1200 dpi scan resolution, 60 sheet rear tray, manual duplex, USB - 4 ink system, 2pl, Black and Tri Cartridge (C,M,Y). Uses PG-445, CL-446 or Optional PG-445XL, CL-446XL or multipack.
0727C067AA	R 665	Canon MG2541s Grey All-in-One Inkjet Printer, Print / Copy / Scan, 2 fine cartridges print Technology, Manual two sided printing, Up to 4800 x 600 dpi print Resolution, CIS Flatbed Photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 8.0 ipm mono print Speed, 4.0 ipm Colour print Speed, USB
0727C067AA	R 662	Canon MG2541s Grey All-in-One Inkjet Printer, Print / Copy / Scan, 2 fine cartridges print Technology, Manual two sided printing, Up to 4800 x 600 dpi print Resolution, CIS Flatbed Photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 8.0 ipm mono print Speed, 4.0 ipm Colour print Speed, USB
0958C007AA	R 2,594	Canon Maxify MB2740 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, input: 250 250s dual paper tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 15000pages per month - UTP USB 2.0; support scan to USB
0959C007AA	R 2,218	Canon Maxify MB2140 print scan copy fax Multifunction business Inkjet - wireless network cloud ready, 4 single ink, duplex printing copy, 6.2cm LCD; print 600x1200dpi; mono/colour: 19/13ipm, 250 sheets input tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 15000pages per month - USB 2.0; support scan/fax to USB
0959C040AA	R 2,205	Canon Maxify MB2140 A4 Multi-Function Colour Inkjet Printer, Print, Copy, Fax, Scan, 19 ipm mono print Speed, 13 ipm Colour pront Speed, 600x1200 dpi print Resolution, 250 sheet paper handling, 50 sheet ADF, Automatic Duplex, USB, Wi-Fi, Flatbed / ADF Scanner Type, CIS Colour Scanner, Up to 1200x1200 dpi Scanner Resolution (Optical), Mopria, Apple AirPrint, 6.2cm Colour Display Display
0960C007AA	R 3,042	Canon Maxify MB5140 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, 250 sheets input tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with

		33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 30000pages per month - UTP USB 2.0; support scan to USB
0960C040AA	R 3,087	Canon Maxify MB5140 A4 Multi-Function Colour Inkjet Printer, Print, Copy, Fax, Scan, 24ipm mono print speed, 15ipm Colour print speed, 600x1200 dpiprint Resolution, 250 sheet paper handling, 50 sheet ADF, Automatic Duplex, USB, Wi-Fi, Ethernet, Flatbed / ADF Scanner Type, 2x CIS Colour Scanner Technology, Up to 1200x1200 dpi Scanner Resolution (Optical), Mopria, Apple AirPrint, 8.8cm Colour Touch Screen Display
0971C040AA	R 3,502	Canon MB5440 A4 Multi-function Printer, Print, Copy, Fax and Scan. 24ipm mono, 15ipm colour, 600 x 1200 print resolution, 1200 x 2400 dpi scan resolution, 500 sheet paper handling, Single pass two sided 50 Sheet DADF, Automatic duplex, touch screen, USB, Wi-Fi, Ethernet, Smartphone and Tablet print, Scan to cloud, Scan to USB, Quick first print of 6 seconds. - 4 ink system, ,(BK, C, M, Y). Uses PGI -2400 BK, C, M and Y XL cartrdiges SNMP AND SMTP SUPPORT
0971C040AA	R 3,528	Canon Maxify MB5440 A4 Colour Multifunction Business Inkjet Printer, Scan, Copy, Fax, 24.0 ipm mono A4 print speed, 15.5 ipm Colour A4 print speed, 600 x 1200 dpi Maximum print Resolution, Inkjet fine Print Head print technology, 2-sided printing, Flatbed single pass 2-sided ADF Scanner Type, Up to 1200 x 1200 dpi Scanner Resolution (optical), Up to 99 pages multiple Copy, Hi-Speed USB 2.0, Ethernet 10/100 Mbps (Auto switchable), Wi-Fi IEEE802.11 b/g/n, Mopria, Microsoft Mobile print, Apple AirPrint, Google Cloud print
1F3Y2A	R 3,347	HP 1F3Y2A Smart Tank 580 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 12 ppm print speed Black, Up to 5 ppm print speed Colour, Hi-Speed USB 2.0, Bluetooth, Wi-Fi 802.11b/g/n, Wi-Fi direct, HP Smart App, Apple AirPrint, Mopria print service, 100-sheet Input tray, 30-sheet Output tray, Flatbed contact image sensor (CIS) Scanner Type, Up to 1200 dpi Scan Resolution Optical
1F3Y2A	R 3,207	HP 1F3Y2A Smart Tank 580 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 12 ppm print speed Black, Up to 5 ppm print speed Colour, Hi-Speed USB 2.0, Bluetooth, Wi-Fi 802.11b/g/n, Wi-Fi direct, HP Smart App, Apple AirPrint, Mopria print service, 100-sheet Input tray, 30-sheet Output tray, Flatbed contact image sensor (CIS) Scanner Type, Up to 1200 dpi Scan Resolution Optical
1KR49B	R 1,765	HP OfficeJet Pro 9013 All-in-One - Print, Copy, Scan, Fax, Print up to 22 ppm Black & up to 18 ppm Colour, HP ePrint; Apple AirPrint; Mopria-certified; Wireless Direct printing, 1 to 5 users; Recommended monthly page volume Up to 1,500 , Scanner type
1KR64B	R 3,512	HP OfficeJet Pro 8023 Multifunction Printer - Print, Copy, Scan, Fax, Print up to 20 ppm Black & up to 10 ppm Colour, Recommended monthly page volume Up to 800 pages ; Number of users 1-5; Mac compatible; Apple AirPrintâ„¢; Wi-Fi Direct Printing; Mopria Certified
2313C009AB	R 1,727	Canon Pixma G2410 3-in-1 Multifunction Colour Ink Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine cartridges (Black and Colour), Efillable Ink Tank Printer, Approx. 8.8 ipm mono print speed, Approx. 5.0 ipm Colour print speed, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution Optical, 1.2" LCD Display, Hi-Speed USB, Maximum 100 sheets rear tray
2315C056AA	R 2,333	Canon Pixma G3410 Colour A4 3-in-1 Ink Tank Printer, Print, Copy, Scan, Up to 4800x1200 dpi print Resolution, Refillable Ink Tank Printer, Approx 8.8 ipm mono print speed, Approx 5.0 ipm Colour print speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 dpi Optical Scanner Resolution, 1.2 inch segment mono Display, USB, WiFi, Mopria
2315C056AA	R 2,318	Canon Pixma G3410 Colour A4 3-in-1 Ink Tank Printer, Print, Copy, Scan, Up to 4800x1200 dpi print Resolution, Refillable Ink Tank Printer, Approx 8.8 ipm mono print speed, Approx 5.0 ipm Colour print speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 dpi Optical Scanner Resolution, 1.2 inch segment mono Display, USB, WiFi, Mopria
25R76A	R 2,759	HP DeskJet Ink Advantage Ultra 4828 A4 Colour Multifunction Printer, Print, Copy, Scan, Wireless, Up to 8.5 ppm print speed Black, Up to 5.5 ppm print speed Colour, Up to 1200x1200 rendered dpi print quality, HP Thermal Inkjet print technology, 1 Hi-Speed USB 2.0, Apple AirPrint, Mopria print service, Built-In Wi-Fi 802.11a/b/g/n, Icon LCD Display, 60-sheet Input tray, 25-sheet Output tray, Flatbed Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan technology
2988C007AA	R 5,204	Canon TS9540 A3 Multifunction Colour Inkjet printer, Copy / Fax / scan, Can print A3, Copy A4 or stitch Copy A3, 15 ipm mono, 10 ipm Colour, 4800x1200 print Resolution, 2400x4800 dpi scan Resolution, Fastfront, 100 sheet

		front cassette, 100 sheet rear cassette paper handling, 20 sheet ADF, Duplex, Direct dist print, Nail sticker print, Booklet layout copy, 10.8cm TFT Colour touch screen, USB, Wi-Fi, Ethernet, Wireless, LAN Pictbridge, Memory card slot, Wireless direct, Bluetooth
3112C025AA	R 5,104	Canon Pixma G5040 Printer with 4x integrated ink tanks for high volume printing (3x Black or B/C/M/Y), network ready (wired wireless), duplex printing, 2-line LCD - print 4800x1200dpi; mono/color: 13 / 6.8 ipm, 100 250s input tray - USB 2.0
404K9C	R 6,419	HP 404K9C OfficeJet Pro 9130 A4 Colour all-in-on Thermal Inkjet Printer, Print Copy, Scan, Fax, Up to 25 ppm print Speed Black, Up to 20 ppm print Speed Colour, Automatic Duplex printing, 1200 x 1200 print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1 Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 4.3" intuitive Touchscreen Colour graphic Display (CGD), 250 sheet Input Tray, 250 sheet multipurpose Tray, 35 sheet ADF, Up to 100 sheets paper handling Output, Contact image Sensor (CIS) Scan Technology, Up to 1200 dpi Scan Resolution Optical, Easy slide-off Glass single-pass 2-sided ADF Scanner Type
404K9C	R 4,127	HP 404K9C OfficeJet Pro 9130 A4 Colour all-in-on Thermal Inkjet Printer, Print Copy, Scan, Fax, Up to 25 ppm print Speed Black, Up to 20 ppm print Speed Colour, Automatic Duplex printing, 1200 x 1200 print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1 Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 4.3" intuitive Touchscreen Colour graphic Display (CGD), 250 sheet Input Tray, 250 sheet multipurpose Tray, 35 sheet ADF, Up to 100 sheets paper handling Output, Contact image Sensor (CIS) Scan Technology, Up to 1200 dpi Scan Resolution Optical, Easy slide-off Glass single-pass 2-sided ADF Scanner Type
405W0C	R 1,411	HP 405W0C OfficeJet Pro 8123 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, Up to 10 ppm print Speed Colour, Automatic Duplex printing, 1200x1200 dpi print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 2.7" capacitive Touchscreen CGD Display, 225-sheet Input Tray, 35-sheet ADF, 60-sheet Output Tray, Flatbed 1-sided ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
405W0C	R 2,006	HP 405W0C OfficeJet Pro 8123 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, Up to 10 ppm print Speed Colour, Automatic Duplex printing, 1200x1200 dpi print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 2.7" capacitive Touchscreen CGD Display, 225-sheet Input Tray, 35-sheet ADF, 60-sheet Output Tray, Flatbed 1-sided ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
4465C009AA	R 2,021	Canon G2420 Multifunction Colour A4 Inkjet Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine print head print technology, Refillable Ink Tank Printer, Approx. 9.1 ipm mono print speed, Approx. 5.0 ipm Colour print speed, Borderless printing, CIS Flatbed photo and Document Scanner Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), Full dot LCD Display Type, Hi-Speed USB (USB-B Port)
4465C009BF	R 2,021	Canon G2420 Multifunction Colour A4 Inkjet Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine print head print technology, Refillable Ink Tank Printer, Approx. 9.1 ipm mono print speed, Approx. 5.0 ipm Colour print speed, Borderless printing, CIS Flatbed photo and Document Scanner Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), Full dot LCD Display Type, Hi-Speed USB (USB-B Port)
4620C048AA	R 8,003	Canon G640, A4 MFP, 3.9 ipm mono, 3.9 ipm colour, 4800 x 1200 print resolution, 600 X 1200 scan resolution, 100 sheet paper handling rear cassette, USB, Wi-Fi, , Smartphone and Tablet print,. - inktank (BK, C, M, Y, R, GY . Uses GI-43 BK, C, M, Y, R, GY
4A8D4A	R 3,105	HP 4A8D4A Smart Tank 581 AIO A4 Colour Multifunction Thermal Inkjet Printer, Print, Copy, Scan, Up to 12 ppm print speed Black, Up to 5 ppm print speed Colour, Up to 1200x1200 print quality Black, 1 Hi-Speed USB 2.0, Bluetooth, Wi-Fi 802.11b/g/n, Apple AirPrint, Mopria print service, 100-sheet Input tray, 30-sheet Output tray, Flatbed only Scanner, Up to 1200 dpi Scan Resolution Optical
4A8D4A	R 2,653	HP 4A8D4A Smart Tank 581 AIO A4 Colour Multifunction Thermal Inkjet Printer, Print, Copy, Scan, Up to 12 ppm print speed Black, Up to 5 ppm print speed Colour, Up to 1200x1200 print quality Black, 1 Hi-Speed USB 2.0, Bluetooth, Wi-Fi 802.11b/g/n, Apple AirPrint, Mopria print service, 100-sheet Input tray, 30-sheet Output tray, Flatbed only Scanner, Up to 1200 dpi Scan Resolution Optical
4SB24A	R 4,580	HP 4SB24A Smart Tank 530 Wireless All-in-One A4 Colour Printer, Print, Copy, Scan, ADF, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200

		rendered dpi print quality, 5.58cm MGD (Monochrome Touchscreen) Display, 1 each Black bottle, Set of 3 color bottles, Built-in Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Bluetooth, 100 sheet Input tray, 30-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical, Up to 35 sheets automatic Document feeder capacity
4SB24A	R 5,657	HP 4SB24A Smart Tank 530 Wireless All-in-One A4 Colour Printer, Print, Copy, Scan, ADF, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.58cm MGD (Monochrome Touchscreen) Display, 1 each Black bottle, Set of 3 color bottles, Built-in Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Bluetooth, 100 sheet Input tray, 30-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical, Up to 35 sheets automatic Document feeder capacity
4SB24A	R 4,977	HP 4SB24A Smart Tank 530 Wireless All-in-One A4 Colour Printer, Print, Copy, Scan, ADF, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.58cm MGD (Monochrome Touchscreen) Display, 1 each Black bottle, Set of 3 color bottles, Built-in Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Bluetooth, 100 sheet Input tray, 30-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical, Up to 35 sheets automatic Document feeder capacity
4V2M9C	R 2,630	HP 4V2M9C OfficeJet Pro 9120 A4 All-in-One Colour Thermal Inkjet Printer, Print, Copy, Scan, Fax, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, 1200x1200 dpi quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 2.7" capacitive Touchscreen CGD Display, 250-sheet Input Tray, 35-sheet ADF, 60-sheet Output Tray, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
4V2M9C	R 2,719	HP 4V2M9C OfficeJet Pro 9120 A4 All-in-One Colour Thermal Inkjet Printer, Print, Copy, Scan, Fax, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, 1200x1200 dpi quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 2.7" capacitive Touchscreen CGD Display, 250-sheet Input Tray, 35-sheet ADF, 60-sheet Output Tray, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
4V2N8C	R 4,980	HP 4V2N8C OfficeJet Pro 9120b A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Fax, Up to 22 ppm print Speed Black (ISO), Up to 18 ppm print Speed Colour (ISO), Automatic Duplex printing, 1200x1200 rendered dpi print quality Black, 1x Ethernet LAN, 1x USB 2.0, Wi-Fi, 2x RJ-11 fax / Modem Port / Phone line, Direct printing, Mopria Certified, 6.86 cm capacitive Touchscreen CGD Display, 250-sheet Input Tray, 35-sheet ADF, 60-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200 DPI Scan Resolution Optical, Contact Image Sensor (CIS) Scan Technology
4WF66A	R 6,058	HP 4WF66A Smart Tank 790 All-in-One A4 Colour Printer, Print, Copy, Scan, Fax, ADF, Wireless, Up to 15 ppm print speed Black, Up to 9 ppm print speed Colour, Up to 6000 pages duty cycle, Up to 1200x1200 rendered dpi print quality, 76.2 mm Touchscreen MGD (Mono Graphics Display), 1 USB Host, Bluetooth LE, Ethernet, Hi-Speed USB 2.0, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 250-sheet Input tray, 100-sheet Output tray, Duplex printing, Flatbed and ADF Scanner Type, Up to 1200 dpi scan Resolution optical
4WF66A	R 6,522	HP 4WF66A Smart Tank 790 All-in-One A4 Colour Printer, Print, Copy, Scan, Fax, ADF, Wireless, Up to 15 ppm print speed Black, Up to 9 ppm print speed Colour, Up to 6000 pages duty cycle, Up to 1200x1200 rendered dpi print quality, 76.2 mm Touchscreen MGD (Mono Graphics Display), 1 USB Host, Bluetooth LE, Ethernet, Hi-Speed USB 2.0, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 250-sheet Input tray, 100-sheet Output tray, Duplex printing, Flatbed and ADF Scanner Type, Up to 1200 dpi scan Resolution optical
5072C038AA	R 1,013	CANON PIXMA TR4640 A4 Multifunction Colour Ink Printer, Print, Copy, Fax, Scan, Up to 4800x1200 dpi print Resolution, 2 fine cartridges, Approx. 8.8 ipm mono print speed, Approx. 4.4 ipm Colour print speed, Auto Duplex print, Maximum 100 sheets front tray, Flatbed (ADF / platen) CIS Colour Scanner, 600 x 1, 200 dpi Scanner Resolution (Optical), Full dot LCD Display, Hi-Speed USB, Wi-Fi, Pixma Cloud Link, Apple AirPrint, Wireless direct
5072C045AA	R 1,064	Canon Pixma TR4645 4-in-1 A4 Colour Multifunction Printer, Print, Copy, Scan, Fax, Up to 4800x1200 dpi print Resolution, 2 fine cartridges (Black & Colour), Approx 8.8 ipm mono print Speed, Approx 4.4 ipm Colour print Speed, Auto Duplex print, Maximum 100 sheets front Tray, Flatbed (ADF / platen) CIS Colour Scanner, 600 x 1200

		DPI Scanner Resolution (Optical), Full dot LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Canon print App Easy-PhotoPrint editor App, Apple AirPrint
5072C045AA	R 1,058	Canon Pixma TR4645 4-in-1 A4 Colour Multifunction Printer, Print, Copy, Scan, Fax, Up to 4800x1200 dpi print Resolution, 2 fine cartridges (Black & Colour), Approx 8.8 ipm mono print Speed, Approx 4.4 ipm Colour print Speed, Auto Duplex print, Maximum 100 sheets front Tray, Flatbed (ADF / platen) CIS Colour Scanner, 600 x 1200 DPI Scanner Resolution (Optical), Full dot LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Canon print App Easy-PhotoPrint editor App, Apple AirPrint
50C1006	R 899	Lexmark Genesis S815 Multifunction Colour Inkjet Print, Copy, Scan, Fax, USB/Parallel/Wi-Fi Connectivity, 33ppm/30ppm Mono/Colour Print Speed, 1200dpi Resolution, Photo Print, Card Slot, Pic Bridge and 4.3" Colour LCD Touch Screen
537P5C	R 4,961	HP 537P5C OfficeJet Pro 9730 Wide Format All-in-One A4 Colour Thermal Inkjet Printer, Print, Copy, Scan, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, Up to 1200x1200 rendered dpi print quality, 1x Ethernet, 1x Hi-Speed USB 2.0, 1x Wi-Fi, Apple AirPrint, Mopria Certified, 4.3" LCD (Colour) with cap Sense Touchscreen Function, 250-sheet Input Tray, 250-sheet plain paper Tray, 75-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200x1200 dpi Scan Resolution Optical, Standard, 35 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
537P5C	R 5,659	HP 537P5C OfficeJet Pro 9730 Wide Format All-in-One A4 Colour Thermal Inkjet Printer, Print, Copy, Scan, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, Up to 1200x1200 rendered dpi print quality, 1x Ethernet, 1x Hi-Speed USB 2.0, 1x Wi-Fi, Apple AirPrint, Mopria Certified, 4.3" LCD (Colour) with cap Sense Touchscreen Function, 250-sheet Input Tray, 250-sheet plain paper Tray, 75-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200x1200 dpi Scan Resolution Optical, Standard, 35 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
53N94C	R 4,201	HP OfficeJet Pro 9720 Wide Format A4 Colour All-in-One Thermal Inkjet, Printer, Print, Copy, Scan, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, Up to 1200 x 1200 print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 2.7" capacitive Touchscreen CGD, 250-sheet Input Tray, 75-sheet Output Tray, Flatbed / ADF Scanner Type, CIS Scan Technology, Up to 1200 dpi Scan Resolution Optical, Standard 35 sheets automatic Document feeder capacity
53N94C	R 4,463	HP OfficeJet Pro 9720 Wide Format A4 Colour All-in-One Thermal Inkjet, Printer, Print, Copy, Scan, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, Up to 1200 x 1200 print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 2.7" capacitive Touchscreen CGD, 250-sheet Input Tray, 75-sheet Output Tray, Flatbed / ADF Scanner Type, CIS Scan Technology, Up to 1200 dpi Scan Resolution Optical, Standard 35 sheets automatic Document feeder capacity
5777C027AA	R 5,603	Canon Maxify GX3040 Megatank 3-in-1 A4 Colour Multifunction Printer, Print / Copy / Scan, Up to 600 x 1200 dpi print Resolution, Refillable Ink Tank Printer, 1 Print Head, Approx. 18.0 ipm mono print speed, APPROX.13.0 ipm Colour print speed, Flatbed (Platen) CIS Colour Scanner Type, 1200 x 2400 dpi Scanner Resolution (Optical), 1.35" / 3.4 cm LCD Display, Hi-Speed USB, 802.11 b/g/n WiFi, Apple AirPrint, Mopria
5804C009AA	R 2,290	Canon Pixma G2470 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 11 ipm mono print speed, 6.0 ipm Colour print speed, 100 sheets rear tray, CIS Flatbed photo and Document Scanner, 600 x 1200 dpi Scanner Resolution (Optical), Hi-Speed USB, 3.0 cm segment LCD
5805C075AA	R 3,106	Canon Pixma G3470 Colour A4 3-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head print technology, Refillable Ink Tank Printer, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear tray paper Input, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
5805C075AA	R 3,087	Canon Pixma G3470 Colour A4 3-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head print technology, Refillable Ink Tank Printer, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear tray paper Input, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)

5805C077AA	R 3,127	Canon Pixma G3470 Colour A4 3-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head print technology, Refillable Ink Tank Printer, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear tray paper Input, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
5807C026AA	R 4,883	Canon Pixma G4470 Colour A4 4-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Fax, Up to 4800x1200 dpi print Resolution, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Up to 35 sheets (1-sided) automatic Document feeder (ADF), CIS Flatbed photo and Document Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Wireless PictBridge, Apple AirPrint, Mopria (Android)
5807C026AA	R 4,851	Canon Pixma G4470 Colour A4 4-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Fax, Up to 4800x1200 dpi print Resolution, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Up to 35 sheets (1-sided) automatic Document feeder (ADF), CIS Flatbed photo and Document Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Wireless PictBridge, Apple AirPrint, Mopria (Android)
5991C009AA	R 2,452	Canon Pixma G2430 3-in-1 A4 Colour Multifunction Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head (Black and Colour), Refillable Ink Tank Printer, Approx 11 ipm mono print Speed, Approx 6.0 ipm Colour print Speed, Maximum 100 sheets rear Tray, CIS Flatbed Photo and Document Scanner, 600x1200 DPI Scanner Resolution (Optical), Hi-Speed USB
60K49C	R 1,842	HP 60K49C DeskJet Ink Advantage 4276 All-in-One A4 Colour Printer, Print, Copy, Scan, Wireless, Send Mobile fax, Up to 8.5 ppm print speed Black, Up to 5.5 ppm print speed Colour, Up to 1000 pages duty cycle, Icon LCD Display, Built-In Wi-Fi 802.11b/g/n, 1 Hi-Speed USB 2.0, 60-sheet Input tray, 25-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Standard 35 sheets automatic Document feeder
60K49C	R 1,801	HP 60K49C DeskJet Ink Advantage 4276 All-in-One A4 Colour Printer, Print, Copy, Scan, Wireless, Send Mobile fax, Up to 8.5 ppm print speed Black, Up to 5.5 ppm print speed Colour, Up to 1000 pages duty cycle, Icon LCD Display, Built-In Wi-Fi 802.11b/g/n, 1 Hi-Speed USB 2.0, 60-sheet Input tray, 25-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Standard 35 sheets automatic Document feeder
6171C021AA	R 4,462	Canon GX2040 A4 Colour MegaTank 4-in-1 Multifunction Printer, Print, Copy, Scan, Fax, Up to 600 x 1200 dpi print Resolution, Refillable Ink Tank Printer, Approx 15.0 ipm mono print speed, APPROX10.0 ipm Colour print speed, Flatbed (ADF / platen) CIS Colour Scanner Type, 1200 x 2400 dpi Optical Scanner Resolution, 6.7cm LCD Touch Screen Colour Display, 10/100 Mbps LAN, USB, WiFi, Mopria (Android), Apple AirPrint
6171C021AA	R 4,433	Canon GX2040 A4 Colour MegaTank 4-in-1 Multifunction Printer, Print, Copy, Scan, Fax, Up to 600 x 1200 dpi print Resolution, Refillable Ink Tank Printer, Approx 15.0 ipm mono print speed, APPROX10.0 ipm Colour print speed, Flatbed (ADF / platen) CIS Colour Scanner Type, 1200 x 2400 dpi Optical Scanner Resolution, 6.7cm LCD Touch Screen Colour Display, 10/100 Mbps LAN, USB, WiFi, Mopria (Android), Apple AirPrint
6670C037AA	R 798	Canon TS3640 Pixma A4 Colour 3-in-1 Ink Printer, Print, Copy, Scan, Up to 4800 x 1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 7.7 ipm mono print Speed, Approx. 4.0 ipm Colour print Speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 DPI Scanner Resolution (Optical), 3.7cm LCD segment mono, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
6670C037AA	R 794	Canon TS3640 Pixma A4 Colour 3-in-1 Ink Printer, Print, Copy, Scan, Up to 4800 x 1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 7.7 ipm mono print Speed, Approx. 4.0 ipm Colour print Speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 DPI Scanner Resolution (Optical), 3.7cm LCD segment mono, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
6880C034AA	R 11,494	Canon Maxify GX7140 A4 Colour 4-in-1 Continuous Ink Tank Printer, 6880C034AA, Print, Copy, Scan, Fax, Up to 600 x 1200 DPI print Resolution, Approx. 24.0 ipm mono print Speed, Approx. 15.5 ipm Colour print Speed, Auto Duplex print, D-adf / platen CIS Colour Scanner Scanner Type, Simplex 22.1 ipm Colour Scan Speed, 1200x1200 dpi Scanner Resolution (Optical), 6.9cm LCD Touch Screen Colour, Hi-Speed USB (B Port), Wi-Fi, Ethernet, Apple AirPrint, Wireless direct, Mopria (Android)
6880C034AA	R 11,468	Canon Maxify GX7140 A4 Colour 4-in-1 Continuous Ink Tank Printer, 6880C034AA, Print, Copy, Scan, Fax, Up to

		600 x 1200 DPI print Resolution, Approx. 24.0 ipm mono print Speed, Approx. 15.5 ipm Colour print Speed, Auto Duplex print, D-adf / platen CIS Colour Scanner Scanner Type, Simplex 22.1 ipm Colour Scan Speed, 1200x1200 dpi Scanner Resolution (Optical), 6.9cm LCD Touch Screen Colour, Hi-Speed USB (B Port), Wi-Fi, Ethernet, Apple AirPrint, Wireless direct, Mopria (Android)
6UU46A	R 6,564	HP 6UU46A Smart Tank 720 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, Up to 15 ppm print Speed Black, Up to 9 ppm print Speed Colour, Automatic Duplex printing, Up to 1200x1200 rendered dpi print quality, HP PCL 3 GUI print languages, 1 Wi-Fi direct, 2 Hi-Speed USB 2.0, Apple AirPrint, Mopria print service, TN reflective positive LCD 7x12mm Display, 250-sheet Input Tray, 100-sheet Output Tray, Flatbed only Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
6UU46A	R 5,928	HP 6UU46A Smart Tank 720 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, Up to 15 ppm print Speed Black, Up to 9 ppm print Speed Colour, Automatic Duplex printing, Up to 1200x1200 rendered dpi print quality, HP PCL 3 GUI print languages, 1 Wi-Fi direct, 2 Hi-Speed USB 2.0, Apple AirPrint, Mopria print service, TN reflective positive LCD 7x12mm Display, 250-sheet Input Tray, 100-sheet Output Tray, Flatbed only Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
6UU47A	R 5,816	HP 6UU47A Smart Tank 750 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, ADF, Up to 15 ppm print speed Black, Up to 9 ppm print speed Colour, Up to 5000 pages duty cycle, Up to 1200 x 1200 dpi print quality, Automatic paper sensor, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, LAN, Apple AirPrint, Mopria print service, HP print service plugin (Android printing), HP Smart App, 250-sheet Input tray, 100-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical
6UU47A	R 6,871	HP 6UU47A Smart Tank 750 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, ADF, Up to 15 ppm print speed Black, Up to 9 ppm print speed Colour, Up to 5000 pages duty cycle, Up to 1200 x 1200 dpi print quality, Automatic paper sensor, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, LAN, Apple AirPrint, Mopria print service, HP print service plugin (Android printing), HP Smart App, 250-sheet Input tray, 100-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical
6UU48A	R 5,577	HP 6UU48A Smart Tank 670 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, Up to 12 ppm print speed Black, Up to 7 ppm print speed Colour, Up to 3 000 pages duty cycle, Up to 1200 x 1200 dpi print quality, 2-line LCD Smart guided buttons Display, Hi-Speed USB 2.0, WiFi, Bluetooth LE, Apple AirPrint, Mopria print service, HP print service plugin (Android printing), HP Smart App, Wi-Fi direct printing, 150-sheet Input tray, 100-sheet Output tray, Automatic duplex printing, Flatbed Scanner Type, Up to 1200 dpi scan Resolution optical
6W7G3B	R 2,514	HP 6W7G3B DeskJet Ink Advantage 4927 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 8.5 ppm print Speed Black, Up to 5.5 ppm print Speed Colour, Up to 1200x1200 rendered dpi quality, Wi-Fi, 1x Hi-Speed USB 2.0, Apple AirPrint, Mopria print service, Icon LCD Display, 60-sheet Input Tray, 25-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
6W7G3B	R 2,232	HP 6W7G3B DeskJet Ink Advantage 4927 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 8.5 ppm print Speed Black, Up to 5.5 ppm print Speed Colour, Up to 1200x1200 rendered dpi quality, Wi-Fi, 1x Hi-Speed USB 2.0, Apple AirPrint, Mopria print service, Icon LCD Display, 60-sheet Input Tray, 25-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
7WN42B	R 472	HP DeskJet 2320 All in one A4 Colour Printer, Print / Scan / Copy, Up to 7.5 ppm Black, Up to 5.5 ppm Colour, 60sheet Input tray, 25 sheet Output tray, Up to 1200x1200 Black rendered dpi, HP Thermal Inkjet print technology, 2 print cartridges, 1 Hi-Speed USB 2.0, Flatbed Scanner Type, Up to 1200 dpi Scan Resolution Optical
7WN42B	R 761	HP DeskJet 2320 All in one A4 Colour Printer, Print / Scan / Copy, Up to 7.5 ppm Black, Up to 5.5 ppm Colour, 60sheet Input tray, 25 sheet Output tray, Up to 1200x1200 Black rendered dpi, HP Thermal Inkjet print technology, 2 print cartridges, 1 Hi-Speed USB 2.0, Flatbed Scanner Type, Up to 1200 dpi Scan Resolution Optical
7WN42B	R 643	HP DeskJet 2320 All in one A4 Colour Printer, Print / Scan / Copy, Up to 7.5 ppm Black, Up to 5.5 ppm Colour, 60sheet Input tray, 25 sheet Output tray, Up to 1200x1200 Black rendered dpi, HP Thermal Inkjet print technology, 2 print cartridges, 1 Hi-Speed USB 2.0, Flatbed Scanner Type, Up to 1200 dpi Scan Resolution Optical
8468B006AA	R 1,827	Canon LBP6030B Personal Printer, 18 ppm, 150 Sheet Paper tray, 2400 x 600 dpi. FPOT 7.8 sec. USB. CRG 725

		Starter. (RMPV - 200 - 800)
89G05C	R 1,574	HP 89G05C DeskJet Ink Advantage 4376 3-in-1 All-in-One A4 Colour Thermal Inkjet Printer, Print, Copy, Scan, Up to 8.5 ppm print Speed Black, Up to 5.5 ppm print Speed Colour, Up to 1200 x 1200 rendered dpi print quality, 1 Hi-Speed USB 2.0 (Device), Dual Band Wi-Fi, Apple AirPrint, Mopria print service, Icon LCD Display, 60-sheet Input Tray, 25-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200 DPI Scan Resolution Optical, Contact Image Sensor (CIS) Scan Technology
C11CG92404SA	R 5,796	Epson EcoTank M3170 A4 mono Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head, 400 nozzles Black, 1200 x 2400 dpi printing Resolution, 39 pages/min Monochrome printing Speed, ADF / Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Resolution, Automatic Duplex, 35 pages automatic Document feed, 100 sheets Output Tray capacity, 250 sheets standard paper Tray capacity, USB, Ethernet, WiFi, Apple AirPrint, Google Cloud print, Touchscreen 6.1 cm Display
C11CG93404	R 7,234	Epson M3180 Ecotank A4 Mono Multifunction Inkjet Printer
C11CG94404SA	R 6,038	Epson M1180 EcoTank A4 mono Inkjet Printer, Duplex, 39 pages/min Monochrome printing speed, 1200 x 2400 dpi printing Resolution, USB 2.0, Ethernet LAN, WiFi, 100 sheets Output Tray capacity, 250 sheets standard paper Tray capacity, 11000 pages Black yield
C11CH43403	R 5,302	Epson EcoTank M2170 3-in-1 A4 mono Printer, Print, Scan, Copy, 400 nozzles Black, Pigment ink, 1200x2400 dpi printing Resolution, 20 pages/min Monochrome, 39 pages/min Monochrome, 20000 pages per month Maximum duty cycle, Flatbed Scanner, 1200x2400 dpi scanning Resolution, Contact image sensor (CIS) Scanner Type, Duplex, 100 sheets Output tray capacity, USB, Ethernet, WiFi, Wi-Fi direct
C11CH60402SA	R 25,099	Epson WorkForce Pro WF-C878rdwf A3 Colour Multifunction Inkjet RIPS Printer, Print, Scan, Copy, Fax, Duplex, Replaceable Ink pack system (RIPS), 35 pages/min Colour printing Speed, 35 pages/min Monochrome printing Speed, 4800x1200 dpi printing Resolution, Contact image Sensor (CIS) Scanner Type, Double-sided scanning, 600x600 dpi Optical Resolution, 600x600 dpi Optical Resolution (ADF), USB 2.0, Gigabit Ethernet, Wi-Fi, 50 pages automatic Document feed, 335 sheets standard paper Input, 85 sheets Multi-Purpose Tray, 250 sheets paper Tray, 250 sheets Output Tray, Colour Touchscreen 12.7 cm panel, 2K to 10K pages per month
C11CH71403SA	R 19,303	Epson EcoTank L15160 A3 Colour Ink Tank AIO Printer, Print, Scan, Copy, Fax, PrecisionCore print head, 800 nozzles Black 800 nozzles per Colour, Pigment ink technology, 4800x1200 dpi printing Resolution, 25 pages/min Monochrome 25 pages/min Colour, Double-sided scanning, Contact image sensor (CIS) Scanner Type, 1200 dpi x 1200 dpi optical Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 250 sheets Output tray capacity, 250 sheets standard, Touchscreen, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
C11CH71407	R 18,320	Epson EcoTank Pro L15180 - Ultra-low cost A3 print. Ultra-low cost; 4-in-1 A3 printer. Economical ink tank system. Fast print and scan
C11CH72403SA	R 17,607	Epson EcoTank L15150 A3 AIO Colour ink Printer, Print, Scan, Copy, Fax, 32ppm mono, 22ppm Colour, Autoduplex, Precisioncore print head, Pigment ink technology, 4800x2400 dpi printing Resolution, Double-sided scanning, 2400x1200 dpi optical Resolution Scanner, Contact image sensor (CIS) Scanner Type, 50 pages automatic Document feed, 125 sheets Output tray capacity, 250 sheets standard, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
C11CH96403SA	R 9,769	Epson L14150 A3 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, 38ppm mono printing speed, 24ppm Colour printing speed, USB, Wi-Fi, Ethernet, Autoduplex, Pigment Black and dye Colour inks, 4800x1200 dpi printing Resolution, PrecisionCore Print Head, 400 nozzles Black, 128 nozzles per Colour, 1200 x 2400 dpi Optical Scanner Resolution, Contact image sensor (CIS) Scanner Type, 35 pages automatic Document feed, 30 sheets Output tray capacity, 250 sheets standard paper tray capacity, 6.8 cm Touchscreen display
C11CJ18403	R 4,347	Epson EcoTank M2120 Mono 3-in-1 Ink Tank Printer, Print, Scan, Copy, Epson Micro Piezo Print Head, Pigment Ink Technology, 1440x720 dpi printing Resolution, 32 pages/min Monochrome printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200x2400 dpi Optical Scanner Resolution, 30 sheets Output Tray capacity, 150 sheets Standard paper Tray capacity, USB, Wifi, Wi-Fi direct, Apple AirPrint, Mopria print Service, 3.7 cm Colour Display
C11CJ20403	R 9,620	Epson L8160 EcoTank Multifunction All-in-One A4 Colour photo Printer, Print, Scan, Copy, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour inks, 16 pages/min Monochrome printing

		speed, 12 pages/min Colour printing speed, Flatbed Scanner, Contact image sensor (CIS), 1.200 dpi x 4.800 dpi Optical Scanner Resolution, 2 paper trays, Duplex, 50 sheets Output tray capacity, 100 sheets standard, Paper tray capacity, 10, 9 cm Colour Touchscreen, WiFi, USB, Ethernet, Wi-Fi direct, USB Host
C11CJ28403	R 17,371	Epson EcoTank Pro L6580 A4 4-in-1 Wi-Fi Ink Tank Printer Print; Copy; Ccan and Fax. Included ink prints up to 4; 500 pages in black and 2,800 pages in colour
C11CJ29403SA	R 13,179	Epson EcoTank L6570 A4 All in one Colour Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, 4800x2400 dpi printing Resolution, 32 pages/min Monochrome / Colour printing speed, Duplex printing, Contact image sensor (CIS) Scanner Type, Double-sided scanning, ADF Scan, 1200 x 2400 dpi Optical Resolution, 3 paper trays, 50 pages automatic Document feed, 125 sheets Output tray capacity, 550 sheets standard paper tray capacity, ADF 2-sided Copy, USB, Ethernet, Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi direct, Epson Connect, Apple AirPrint, 10.9 cm Colour Touchscreen
C11CJ30403SA	R 11,356	Epson L6550 EcoTank A4 Multifunction All-in-One Colour Ink Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, Pigment Ink technology, 4.800 x 2.400 dpi printing Resolution, 32 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Scanner Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 550 sheets standard paper tray capacity, 10.9 cm Colour Touchscreen, USB, WiFi, Epson Connect, Apple AirPrint
C11CJ41407SA	R 18,084	Epson EcoTank Pro M15180 A3 mono Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head, DURABrite ET Ink technology, 25 pages/min Monochrome printing speed, 4800x1200 dpi printing Resolution, Contact image sensor (CIS) Scanner Type, Double-sided scanning, 1200 dpi Optical Resolution, 50 pages automatic Document feed, Duplex, 125 sheets Output tray capacity, 250 sheets standard paper tray capacity, 3 paper trays, 10.9 cm Colour Touchscreen, ADF 2-sided Copy, USB 2.0, Ethernet Interface, Wireless LAN, Wi-Fi direct
C11CJ65405SA	R 4,567	Epson EcoTank L5290 A4 Colour 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head printing Method, Dye Ink Technology, 5760x1440 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, 4 colours, Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 DPI x 2400 DPI Optical Resolution, 30 pages automatic Document feed, 30 sheets Output Tray capacity, 100 sheets standard paper Tray capacity, WiFi, USB, Ethernet, Pple AirPrint, Google Cloud print, 3.7 cm Colour Display
C11CJ88404SA	R 8,447	Epson L6490 EcoTank A4 Multifunction 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Duplex, 4800x1200 dpi printing Resolution, 4 Colour, 17 pages/min Monochrome printing speed, 9.5 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Resolution, 35 pages automatic Document feed, 30 sheets Output tray capacity, 250 sheets standard paper tray capacity, WiFi, USB, Ethernet, Wi-Fi direct, Apple AirPrint, 610 cm Colour Touchscreen panel
C11CK23402SA	R 14,720	Epson WorkForce Pro WF-C5890dwf A4 Colour Inkjet Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, DURABrite Ultra Ink Technology, 4800x1200 dpi printing Resolution, 4 colours, 34 pages/min printing Speed, Contact image Sensor (CIS) Scanner Type, Double-sided scanning, 1200x2400 dpi Optical Resolution Flatbed, 1200x1200 dpi Optical Resolution (ADF), Duplex, 50 pages automatic Document feed, 150 sheets Output Tray capacity, 330 sheets standard paper Tray capacity, WiFi, USB, Gigabit Ethernet Interface, Apple AirPrint, Google Cloud print, 10.9 cm Touchscreen Colour Display
C11CK58404	R 3,699	Epson EcoTank L3560 Multifunction Printer - A4 Multifunction Printer, Print, Copy & Scan, Ultra-low-cost Printing, Up to 66 Cartridges in One Set of Inks, Print Up to 4, 300 Pages in Black And 7, 300 Pages in Color, Hassle-free Ink Tank System, Epson Smart Panel App, Set up, Print, Scan, and More, All From Your Smart Device, Retail Box
C11CK59404	R 3,399	Epson EcoTank L3550 Inkjet A4 Multifunction Colour Inkjet Printer. Print, Scan, Copy; Wi-Fi, Wi-Fi Direct; 4800 x 1200 dpi; 15 ipm (Black), 8 ipm (Color); 33 ppm (Black), 20 ppm (Color); CIS Scanner; 1200 x 2400 dpi; 100-sheet Input, 30-sheet Output; Manual Duplex; USB 2.0, Wi-Fi; 12 W (Printing), 0.8 W (Sleep), 0.2 W (Off); 375 x 347 x 179 mm; 4.1 kg
C11CL41411	R 4,899	Epson EcoTank L4360 Multifunction Ink Printer - 3 In 1 Color Printer, Double Sided Printing, LCD Screen, Ultra-low-cost Printing, Prints Up to 14, 000 Pages in Black and White And 5, 200 in Color, Hassle-free Ink Tank System, Epson Smart Panel App, Wirelessly Set Up, Monitor, Print, Scan, Color Black, Retail Box

C11CL41411	R 5,451	Epson EcoTank L4360 A4 Colour Multifunction Wi-Fi Ink Tank Printer, Print, Copy, Scan, PrecisionCore Print Head, 4.00 x 1200 DPI printing Resolution, 4 Colour, 33 pages/min Monochrome printing Speed, 20 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200 x 2400 dpi Optical Scanner Resolution, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, Automatic Duplex, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service, 3.7 cm Colour Display
C11CL43405	R 6,687	Epson L6370 A4 EcoTank Multifunctional ITS Inkjet All-in-One Ink Tank Printer, Print, Scan, Copy, PrecisionCore Printhead printing Method, Pigment Ink Black and colored Dye Ink Technology, 4800 x 1200 dpi print Resolution, 35 pages/min mono print Speed, 23 pages/min Colour print Speed, Duplex print, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 1200x2400 DPI Scan Resolution, 1 paper Tray, 30 pages automatic Document Feeder, 30 sheets Output paper Tray capacity, USB, Ethernet, Wi-Fi, Wi-Fi direct, 6.1 cm Colour Display
C11CL61402	R 3,019	EcoTank L3310 A4 Multifunction Ink Tank Printer, Print, Scan, Copy, including 1 Set of Ink (2x Black), Epson Micro Piezo Print Head, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 4 Colour, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 600 x 1200 DPI Optical Resolution, 1 paper trays, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB
C11CL62414	R 2,668	Epson EcoTank Home L3351 A4 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, USB W including 2x Black & 1 each Colour inks, Epson Micro Piezo Printhead, Dye-based Ink Technology, 5760 x 1440 dpi print Resolution, 4 colours, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200 x 2400 dpi Optical scanning Resolution, 30 sheets paper Output Tray capacity, 100 Standard sheets paper Store capacity, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service
C11CL65404	R 2,519	Epson EPL1350 EcoTank Home A4 Colour Ink Tank Printer with WiFi, 5760x1440 dpi Resolution, Epson Micro Piezo Print Head, Dye Ink Technology, Wi-Fi, Wi-Fi direct, Apple AirPrint, 33 ppm Black printing Speed, 15 ppm Colour printing Speed
CANON PIXMA MG2545S	R 673	Canon Pixma MG2545S A4 3-in-1 Multifunction Colour Inkjet Printer Black, USB, A4 MFP, Print / Copy / Scan, 8ipm mono, 4ipm colour, 4800x600 print resolution, 600x1200 dpi scan resolution, Flatbed Scanner, 60 sheet rear tray, manual duplex, USB, 4 ink system - Black and Tri Cartridge (C, M, Y)
CANON PIXMA TS3140 Black	R 587	CANON PIXMA TS3140 Black - A4 MFP, Print, Copy and Scan. 7.7ipm mono, 4.0ipm colour, 4800 x 600 print resolution, 600 x 1200 dpi scan resolution, 60 sheet rear tray, manual duplex, Wi-Fi, Access Mode - 4 ink system, 2pl, Black and Tri Cartridge (C,M,Y). Uses PG-445, CL-446 or Optional PG-445XL, CL-446XL or multipack.
CG2410	R 1,893	Canon Pixma G2410 3-in-1 Multifunction Colour Ink Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine cartridges (Black and Colour), Efillable Ink Tank Printer, Approx. 8.8 ipm mono print speed, Approx. 5.0 ipm Colour print speed, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution Optical, 1.2" LCD Display, Hi-Speed USB, Maximum 100 sheets rear tray
CG2470	R 4,385	Canon Pixma G2470 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 11 ipm mono print speed, 6.0 ipm Colour print speed, 100 sheets rear tray, CIS Flatbed photo and Document Scanner, 600 x 1200 dpi Scanner Resolution (Optical), Hi-Speed USB, 3.0 cm segment LCD
CG3410	R 2,516	Canon Pixma G3400 Multifunction Printer, Print, Copy, Scan, Wi-fi and Cloud - DOES NOT SUPPORT AIRPRINT - Continuous ink supply system Wireless, 4800 x 1200 dpi, 8.8 ipm mono, 5.0 ipm colour, Borderless printing, 100 sheets paper supply, USB. Uses GI-490 PGBK, GI-490C, GI-490M and GI-490 BK, GI-490 C, GI-490 M, GI-490 Y
CG3470	R 3,311	Canon Pixma G3470 Colour A4 3-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head print technology, Refillable Ink Tank Printer, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear tray paper Input, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
CG4470	R 5,138	Canon Pixma G4470 Colour A4 4-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Fax, Up to 4800x1200 dpi print Resolution, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Up to 35 sheets (1-sided) automatic Document feeder (ADF), CIS Flatbed photo and Document Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Wireless PictBridge, Apple AirPrint, Mopria (Android)

CGX2040	R 4,706	Canon GX2040 A4 Colour MegaTank 4-in-1 Multifunction Printer, Print, Copy, Scan, Fax, Up to 600 x 1200 dpi print Resolution, Refillable Ink Tank Printer, Approx 15.0 ipm mono print speed, APPROX10.0 ipm Colour print speed, Flatbed (ADF / platen) CIS Colour Scanner Type, 1200 x 2400 dpi Optical Scanner Resolution, 6.7cm LCD Touch Screen Colour Display, 10/100 Mbps LAN, USB, WiFi, Mopria (Android), Apple AirPrint
CGX7140	R 11,991	Canon Maxify GX7140 A4 Colour 4-in-1 Continuous Ink Tank Printer, 6880C034AA, Print, Copy, Scan, Fax, Up to 600 x 1200 DPI print Resolution, Approx. 24.0 ipm mono print Speed, Approx. 15.5 ipm Colour print Speed, Auto Duplex print, D-adf / platen CIS Colour Scanner Scanner Type, Simplex 22.1 ipm Colour Scan Speed, 1200x1200 dpi Scanner Resolution (Optical), 6.9cm LCD Touch Screen Colour, Hi-Speed USB (B Port), Wi-Fi, Ethernet, Apple AirPrint, Wireless direct, Mopria (Android)
CM2105ADW	R 7,014	Pantum CM2105ADW 3-in-1 Multifunction Colour Laser Printer, Print, Copy, Scan, 20 ppm mono and Colour print, 600 x 1200 DPI print Resolution, 18 ppm Scan Speed, 1200x1200 dpi Scan Resolution, 50 sheets automatic Document Feeder (ADF), Auto Duplex print, 250 sheets front Tray, USB, Wi-Fi
CMB2140	R 2,397	Canon Maxify MB2140 print scan copy fax Multifunction business Inkjet - wireless network cloud ready, 4 single ink, duplex printing copy, 6.2cm LCD; print 600x1200dpi; mono/colour: 19/13ipm, 250 sheets input tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 15000pages per month - USB 2.0; support scan/fax to USB
CMB2740	R 2,854	Canon Maxify MB2740 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, input: 250 250s dual paper tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 15000pages per month - UTP USB 2.0; support scan to USB
CMB5140	R 3,311	Canon Maxify MB5140 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, 250 sheets input tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 30000pages per month - UTP USB 2.0; support scan to USB
CMB5440	R 3,769	Canon Maxify MB5440 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing copy, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, input: 250 250s dual paper tray; with 50pages duplex ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 30000pages per month - UTP USB 2.0; support scan to USB
CMG2541S	R 799	Canon MG2541s Grey All-in-One Inkjet Printer, Print / Copy / Scan, 2 fine cartridges print Technology, Manual two sided printing, Up to 4800 x 600 dpi print Resolution, CIS Flatbed Photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 8.0 ipm mono print Speed, 4.0 ipm Colour print Speed, USB
CTR4645	R 1,210	Canon TS3640 Pixma A4 Colour 3-in-1 Ink Printer, Print, Copy, Scan, Up to 4800 x 1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 7.7 ipm mono print Speed, Approx. 4.0 ipm Colour print Speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 DPI Scanner Resolution (Optical), 3.7cm LCD segment mono, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
CTS3440	R 834	Canon MultiPass Pixma TS3440 A4 Multifunction Colour inket Printer, Up to 4800 1 x 1200 dpi print Resolution, 2 fine cartridges print technology, Approx. 7.7 ipm mono print speed, Approx. 4.0 ipm Colour print speed, Borderless printing, CIS Flatbed photo and Document Scanner, 600 x 1200 dpi Scanner Resolution (Optical), 3.8cm LCD segment mono Display, Hi-Speed USB (B Port), Wi-Fi : IEEE802.11 b/g/n
CTS3640	R 936	Canon TS3640 Pixma A4 Colour 3-in-1 Ink Printer, Print, Copy, Scan, Up to 4800 x 1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 7.7 ipm mono print Speed, Approx. 4.0 ipm Colour print Speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 DPI Scanner Resolution (Optical), 3.7cm LCD segment mono, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
CTS5140	R 1,466	Canon Pixma TS5140 - Black - A4 Multifunction Printer, Print, Copy and Scan. 12.6ipm mono, 9ipm colour, 4800 X 1200 Print resolution, 1200 x 2400 dpi scan resolution, 100 sheet paper handling rear tray, Manual duplex, 7.5cm

		colour display, USB,Wi-Fi, Access Point mode, memory card slot
CTS5340A	R 1,475	Canon Pixma TS5340a A4 Multifunction Colour Ink Printer, Print, Copy, Scan, Up to 4800x1200 dpi print Resolution, 2 fine cartridges, APPROX.13.0 ipm mono print Speed, Approx. 6.8 ipm Colour print Speed, Auto Duplex print, CIS Flatbed Photo and Document Scanner, 1200x2400 dpi Scanner Resolution (Optical), 216x297 mm Maximum Document size, OLED 1.44 inch Display, Hi-Speed USB, WiFi, Apple AirPrint, Wireless direct, Access Point mode, WLAN PictBridge
CTS7440	R 2,049	Canon Pixma TS7440 A4 Multifunction Colour ink Printer, Print, Copy, Scan, Up to 4800x1200 dpi print Resolution, 2 fine cartridges, Approx 13.0 ipm mono print speed, Approx 6.8 ipm Colour print speed, Auto Duplex print, Flatbed ADF and CIS Colour Scanner, 1200 x 2400 dpi Scanner Resolution (Optical), OLED 1.44" Display, Hi-Speed USB, Wi-Fi 802.11b/g/n, Up to 35 sheets automatic Document feeder
CTS7640I	R 2,724	Canon Pixma TS7640i A4 3-in-1 Multifunction Ink Printer - White, Print, Copy, Scan, Up to 1200x1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 15.0 ipm mono print Speed, Approx. 10.0 ipm Colour print Speed, Auto Duplex print, Maximum 100 sheets (Plain paper) rear Tray, Maximum 100 sheets (Plain paper) front Cassette, Flatbed & CIS Colour Scanner Scanner Type, 1200x2400 dpi Scanner Resolution (Optical), 6.7cm LCD Touch Screen Colour Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
CTS7740I	R 3,163	Canon Pixma TS7740i 3-in-1 Ink Printer - White, Print, Copy, Scan, Up to 1200x1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 15.0 ipm mono print Speed, Approx. 10.0 ipm Colour print Speed, Up to 35 sheets (1-sided) automatic Document feeder (ADF), Max 100 sheets (Plain paper) rear Tray, Max 100 sheets (Plain paper) front Cassette, Flatbed / ADF / CIS Colour Scanner, 1200x2400 dpi Scanner Resolution (Optical), 6.7cm LCD Touch Screen Colour Display, Hi-Speed USB, Wi-Fi, Mopria (Android), Apple AirPrint
CTS9540A	R 5,602	Canon Pixma TS9540a A3 Colour All-in-One Ink Printer, Print, Copy, Scan, Up to 4800x1200 dpi print Resolution, 5 individual inks print Technology, Approx 15.0 ipm mono print Speed, Approx 10.0 ipm Colour print Speed, Auto Duplex print, Maximum 100 sheets front Cassette, A4 Flatbed / ADF / CIS Colour Scanner, 1200x2400 dpi Scanner Resolution (Optical), 10.8cm LCD Display, Hi-Speed USB, Ethernet LAN, Wi-Fi, Apple AirPrint, Wireless direct, Mopria (Android)
DCP-T230	R 2,875	Brother DCP-T230 A4 Colour 3-in-1 Ink Tank Printer, Print, Scan, Copy, Inkjet Printer, Up to 16.0 (Mono) ipm print Speed, Up to 9.0 (Colour) ipm print Speed, Up to 150 sheets Maximum paper capacity, Up to 1200x6000 dpi print Resolution, Up to 50 sheets paper Output, Up to 99 pages multiple copies, Up to 1200x2400 dpi Resolution - Scanner Glass, Hi-Speed USB 2.0, LED Display Type
DCP-T430W	R 3,335	Brother DCP-T430W 3-in-1 A4 Colour Ink Tank Printer, Print, Scan, Copy, Up to 16 ipm print Speed, Up to 150 sheets Maximum paper capacity, Up to 1200x6000 dpi print Resolution, 1 sheet manual feed slot, Up to 50 sheets paper Output, Up to 99 pages multiple copies, Colour / Monochrome Scan, Up to 1200x2400 dpi Resolution - Scanner Glass, Hi-Speed USB 2.0, WiFi, LED Display Type
DCP-T530DW	R 3,565	Brother DCP-T530DW 3-in-1 A4 Colour Ink Tank Printer, Print, Scan, Copy, Up to 16 ipm print Speed, Up to 150 sheets Maximum paper capacity, Up to 1200x6000 dpi Resolution, 2-sided Duplex printing, Up to 150 sheets Tray, 1 sheet manual feed slot, Up to 99 pages multiple copies, Colour / Monochrome Scan, Up to 1200x2400 dpi Resolution - Scanner Glass, Hi-Speed USB 2.0, WiFi, 1 line LCD (16 characters) Display
DCP-T536DW	R 2,703	Brother DCP-T536DW A4 Colour 3-in-1 Ink Tank Printer, Print, Scan, Copy, InkTank Printer Type, Up to 17.0 pages/min print Speed, Up to 150 sheets Maximum paper capacity, Up to 1200x6000 dpi print Resolution, 2-sided (Duplex) - printing, Up to 50 sheets paper Output, Up to 99 pages multiple copies, Up to 1200x2400 dpi Resolution - Scanner Glass, WiFi direct, Hi-Speed USB 2.0, 1 line LCD, Display
DCP-T730DW	R 4,255	Brother DCP-T730dw A4 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Up to 16.0 print Speed, Up to 1200x6000 dpi print Resolution, 2-sided (Duplex) - printing, Up to 20 sheets automatic Document Feeder (ADF) Maximum paper capacity, Up to 50 sheets paper Output, Up to 150 sheets Maximum paper capacity, Up to 1200x2400 dpi Scanner Glass, Up to 1200x600 dpi automatic Document Feeder (ADF), WiFi direct, USB, 1 line LCD (16 characters) Display Type
DCP-T830DW	R 4,600	Brother DCP-T830dw A4 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Up to 17.0 ipm print Speed, Up to 1200x6000 dpi print Resolution, 2-sided (Duplex) - printing, Up to 20 sheets automatic Document Feeder (ADF) Maximum paper capacity, Up to 50 sheets paper Output, Up to 80 sheets Multi-Purpose Tray - Maximum paper

		capacity, Up to 1200x2400 dpi Scanner Glass, Up to 1200x600 dpi automatic Document Feeder (ADF), WiFi direct, USB 2.0, WiFi, LAN, 1 line LCD (16 characters) Display. Mobile print; Cost-effective; for home and business; 5-year warranty
EPL1350	R 2,925	Epson EPL1350 EcoTank Home A4 Colour Ink Tank Printer with WiFi, 5760x1440 dpi Resolution, Epson Micro Piezo Print Head, Dye Ink Technology, Wi-Fi, Wi-Fi direct, Apple AirPrint, 33 ppm Black printing Speed, 15 ppm Colour printing Speed
EPL14150	R 9,261	Epson L14150 A3 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, 38ppm mono printing speed, 24ppm Colour printing speed, USB, Wi-Fi, Ethernet, Autoduplex, Pigment Black and dye Colour inks, 4800x1200 dpi printing Resolution, PrecisionCore Print Head, 400 nozzles Black, 128 nozzles per Colour, 1200 x 2400 dpi Optical Scanner Resolution, Contact image sensor (CIS) Scanner Type, 35 pages automatic Document feed, 30 sheets Output tray capacity, 250 sheets standard paper tray capacity, 6.8 cm Touchscreen display
EPL15150	R 16,450	Epson EcoTank L15150 A3 AIO Colour ink Printer, Print, Scan, Copy, Fax, 32ppm mono, 22ppm Colour, Autoduplex, Precisioncore print head, Pigment ink technology, 4800x2400 dpi printing Resolution, Double-sided scanning, 2400x1200 dpi optical Resolution Scanner, Contact image sensor (CIS) Scanner Type, 50 pages automatic Document feed, 125 sheets Output tray capacity, 250 sheets standard, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
EPL15160	R 18,541	Epson EcoTank L15160 A3 Colour Ink Tank AIO Printer, Print, Scan, Copy, Fax, PrecisionCore print head, 800 nozzles Black 800 nozzles per Colour, Pigment ink technology, 4800x1200 dpi printing Resolution, 25 pages/min Monochrome 25 pages/min Colour, Double-sided scanning, Contact image sensor (CIS) Scanner Type, 1200 dpi x 1200 dpi optical Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 250 sheets Output tray capacity, 250 sheets standard, Touchscreen, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
EPL15180	R 20,903	Epson L15180 A3 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, DURABrite et ink technology, 4 Colour, 25 pages/min Monochrome, 25 pages/min Colour, 4800x1200 dpi printing Resolution, 66 000 pages per month printing Volume, Duplex, 50 pages automatic Document feed, Contact image sensor (CIS) Scanner Type, Double-sided scanning, 250 sheets standard paper tray capacity, Touchscreen, Direct print from USB, Wi-Fi direct, USB, Ethernet LAN
EPL3250	R 3,002	Epson EcoTank L3250 A4 Colour 3-in-1 Ink Tank Printer, Print, Scan, Copy, 4 Colour, Epson Micro piezo Print Head printing Method, Dye Ink Technology, 5760x1440 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, 30 sheets Output Tray capacity, Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200x2400 dpi Optical Resolution, 100 sheets standard, Paper Tray capacity, USB, WiFi
EPL3310	R 2,794	EcoTank L3310 A4 Multifunction Ink Tank Printer, Print, Scan, Copy, including 1 Set of Ink (2x Black), Epson Micro Piezo Print Head, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 4 Colour, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 600 x 1200 DPI Optical Resolution, 1 paper trays, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB
EPL3350	R 3,118	Epson L3350 EcoTank Home A4 3 in 1 Colour Wifi Printer, scan and copy; refillable ink tanks; Wi-Fi; Wi-Fi Direct; Epson Smart Panel; 5760 x 1440 dpi; ISO print speed: 11 ppm black, 6 ppm colour; manual duplex; dimensions: 36.1 x 31.7 x 16.2 cm; weight: 4.2 kg
EPL3351	R 3,118	Epson EcoTank Home L3351 A4 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, USB W including 2x Black & 1 each Colour inks, Epson Micro Piezo Printhead, Dye-based Ink Technology, 5760 x 1440 dpi print Resolution, 4 colours, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200 x 2400 dpi Optical scanning Resolution, 30 sheets paper Output Tray capacity, 100 Standard sheets paper Store capacity, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service
EPL3354	R 3,118	Epson EcoTank L3354 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, 5760 x 1440 printing Resolution, A4 Flatbed Scanner, 1200x2400 dpi Optical Scanner Resolution, Epson Micro Piezo Print Head, Dye Ink Technology, 33 ppm Black printing Speed, 15 ppm Colour printing Speed, USB, Wi-Fi direct, Wireless LAN
EPL3356	R 3,118	Epson EcoTank L3356 A4 Colour Multifunction Wi-Fi & AirPrint Ink Tank Printer, Print, Scan, Copy, Epson Micro Piezo Print Head, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 4 Colour, 33 pages/min Monochrome

		printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200x2400 dpi Optical Scanner Resolution, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service
EPL3360	R 3,464	Epson EcoTank L3360 A4 Colour Multifunction Wi-Fi & AirPrint Ink Tank Printer, Print, Scan, Copy, Epson Micro Piezo Print Head, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 4 Colour, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200x2400 dpi Optical Scanner Resolution, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service, 3.7 cm Colour Display
EPL3550	R 3,811	Epson EcoTank Home L3550 A4 Home Plus 3 in 1 Colour Wifi Printer; Print, scan and copy; Wi-Fi; PrecisionCore print technology; 4800 x 1200 dpi print resolution; Up to 15 ppm black and 8 ppm colour ISO; Up to 6600 black pages and 5900 colour pages; 100-sheet input tray; Manual duplex; Borderless photos up to 10 x 15 cm; 375 x 347 x 179 mm
EPL3560	R 4,273	Epson L3560 A4 Ecotank Home Plus 3 in 1 Colour LCD Wifi Printer; Print, scan, copy; Refillable ink tanks; Wi-Fi; Wi-Fi Direct; USB; 3.7 cm colour LCD; 4800 x 1200 dpi; ISO speed: 15 ppm black, 8 ppm colour; Manual duplex; 100-sheet input; Borderless photos up to 10 x 15 cm; Ink yield: up to 6600 black pages and 5900 colour pages; 37.5 x 34.7 x 17.9 cm; 4.3 kg
EPL4360	R 5,197	Epson EcoTank L4360 A4 Colour Multifunction Wi-Fi Ink Tank Printer, Print, Copy, Scan, PrecisionCore Print Head, 4.00 x 1200 DPI printing Resolution, 4 Colour, 33 pages/min Monochrome printing Speed, 20 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200 x 2400 dpi Optical Scanner Resolution, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, Automatic Duplex, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service, 3.7 cm Colour Display
EPL5290	R 5,312	Epson EcoTank L5290 A4 Colour 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head printing Method, Dye Ink Technology, 5760x1440 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, 4 colours, Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 DPI x 2400 DPI Optical Resolution, 30 pages automatic Document feed, 30 sheets Output Tray capacity, 100 sheets standard paper Tray capacity, WiFi, USB, Ethernet, Pple AirPrint, Google Cloud print, 3.7 cm Colour Display
EPL5296	R 5,212	Epson EcoTank L5296 A4 Colour 4-in-1 Multifunction Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head, Dye Ink Ink technology, 5760 x 1440 dpi printing Resolution, 33 pages/min Monochrome printing speed, 15 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Scanner Resolution, 1 paper tray, 30 pages automatic Document feed, 30 sheets Output tray capacity, 100 sheets standard paper tray capacity, Borderless print, WiFi, USB, Ethernet, Wi-Fi direct, 3.7 cm Colour Display
EPL6370	R 6,087	Epson L6370 A4 EcoTank Multifunctional ITS Inkjet All-in-One Ink Tank Printer, Print, Scan, Copy, PrecisionCore Printhead printing Method, Pigment Ink Black and colored Dye Ink Technology, 4800 x 1200 dpi print Resolution, 35 pages/min mono print Speed, 23 pages/min Colour print Speed, Duplex print, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 1200x2400 DPI Scan Resolution, 1 paper Tray, 30 pages automatic Document Feeder, 30 sheets Output paper Tray capacity, USB, Ethernet, Wi-Fi, Wi-Fi direct, 6.1 cm Colour Display
EPL6490	R 8,199	Epson L6490 EcoTank A4 Multifunction 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Duplex, 4800x1200 dpi printing Resolution, 4 Colour, 17 pages/min Monochrome printing speed, 9.5 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Resolution, 35 pages automatic Document feed, 30 sheets Output tray capacity, 250 sheets standard paper tray capacity, WiFi, USB, Ethernet, Wi-Fi direct, Apple AirPrint, 610 cm Colour Touchscreen panel
EPL6550	R 13,050	Epson L6550 A4 EcoTank Business Plus Colour 4 In 1 ADF Wifi Printer; print, scan, copy and fax; PrecisionCore printhead; 4800 x 2400 dpi; 25 ppm black, 12 ppm colour ISO; automatic duplex printing; 50-sheet ADF; 550-sheet paper capacity; Wi-Fi; Wi-Fi Direct; Ethernet; USB; 10.9 cm colour touchscreen; 425 x 500 x 350 mm; 17.5 kg
EPL6570	R 15,129	Epson EcoTank L6570 A4 All in one Colour Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, 4800x2400 dpi printing Resolution, 32 pages/min Monochrome / Colour printing speed, Duplex printing, Contact image sensor (CIS) Scanner Type, Double-sided scanning, ADF Scan, 1200 x 2400 dpi Optical Resolution,

		3 paper trays, 50 pages automatic Document feed, 125 sheets Output tray capacity, 550 sheets standard paper tray capacity, ADF 2-sided Copy, USB, Ethernet, Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi direct, Epson Connect, Apple AirPrint, 10.9 cm Colour Touchscreen
EPL6580	R 18,979	Epson EcoTank Pro L6580 A4 Colour Ink Tank AIO Printer, Print, Scan, Copy, Fax, PrecisionCore print head, 800 nozzles Black 800 nozzles per Colour, 25 pages/min Monochrome 25 pages/min Colour, 4800 x 2400 dpi printing Resolution, Double-sided scanning, 2 400 dpi x 1 200 dpi optical Resolution, Hi-Speed USB, Wired Network, Wireless LAN IEEE 802.11b/g/n, Wi-Fi direct, Near Field communication (NFC), 50 pages automatic Document feed, Duplex, 125 sheets Output tray capacity, 250 sheets standard, 3 paper trays
EPL8050	R 6,513	Epson Ecotank L8050 Multifunction Photo Inkjet Printer
EPL8100	R 8,430	Epson L8100 EcoTank A4 Colour InkTank Photo Multifunction Printer, Print, Scan, Copy, Epson Micro Piezo Print Head printing Method, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 6 Colour, 22 pages/min Monochrome & Colour printing Speed, Flatbed Scanner, 1200 DPI x 4800 dpi Optical Scanner Resolution, Contact Image Sensor (CIS) Scanner Type, 100 sheets standard paper Tray capacity, 20 Photo sheets, Borderless print, CD/DVD print, Wireless LAN, 6.1 cm Colour Touchscreen panel
EPL8160	R 9,236	Epson L8160 EcoTank Multifunction All-in-One A4 Colour photo Printer, Print, Scan, Copy, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour inks, 16 pages/min Monochrome printing speed, 12 pages/min Colour printing speed, Flatbed Scanner, Contact image sensor (CIS), 1.200 dpi x 4.800 dpi Optical Scanner Resolution, 2 paper trays, Duplex, 50 sheets Output tray capacity, 100 sheets standard, Paper tray capacity, 10, 9 cm Colour Touchscreen, WiFi, USB, Ethernet, Wi-Fi direct, USB Host
EPM1180	R 5,890	Epson M1180 EcoTank A4 mono Inkjet Printer, Duplex, 39 pages/min Monochrome printing speed, 1200 x 2400 dpi printing Resolution, USB 2.0, Ethernet LAN, WiFi, 100 sheets Output Tray capacity, 250 sheets standard paper Tray capacity, 11000 pages Black yield
EPM15180	R 17,439	Epson EcoTank Pro M15180 A3 mono Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head, DURABrite ET Ink technology, 25 pages/min Monochrome printing speed, 4800x1200 dpi printing Resolution, Contact image sensor (CIS) Scanner Type, Double-sided scanning, 1200 dpi Optical Resolution, 50 pages automatic Document feed, Duplex, 125 sheets Output tray capacity, 250 sheets standard paper tray capacity, 3 paper trays, 10.9 cm Colour Touchscreen, ADF 2-sided Copy, USB 2.0, Ethernet Interface, Wireless LAN, Wi-Fi direct
EPM2170	R 5,197	Epson EcoTank M2170 3-in-1 A4 mono Printer, Print, Scan, Copy, 400 nozzles Black, Pigment ink, 1200x2400 dpi printing Resolution, 20 pages/min Monochrome, 39 pages/min Monochrome, 20000 pages per month Maximum duty cycle, Flatbed Scanner, 1200x2400 dpi scanning Resolution, Contact image sensor (CIS) Scanner Type, Duplex, 100 sheets Output tray capacity, USB, Ethernet, WiFi, Wi-Fi direct
EPM3170	R 5,659	Epson EcoTank M3170 A4 mono Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head, 400 nozzles Black, 1200 x 2400 dpi printing Resolution, 39 pages/min Monochrome printing Speed, ADF / Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Resolution, Automatic Duplex, 35 pages automatic Document feed, 100 sheets Output Tray capacity, 250 sheets standard paper Tray capacity, USB, Ethernet, WiFi, Apple AirPrint, Google Cloud print, Touchscreen 6.1 cm Display
EPM3180	R 7,044	Epson EcoTank M3180 A4 mono 4-in-1 Inkjet Printer, Print, Scan, Copy, Fax, PrecisionCore tfp Print Head, Duplex, 39 pages/min Monochrome printing speed, 1200x2400 dpi printing Resolution, 7 ipm with ADF Scan Single-Sided Scan speed, 1200x2400 dpi Optical Resolution Flatbed, 1200x2400 dpi Optical Resolution ADF, Contact image Sensor (CIS) Scanner Type, USB 2.0, Ethernet LAN, WiFi, 35 pages automatic Document feed, 100 sheets Output Tray capacity, 251 sheets standard paper Tray capacity, 6.1 cm Touchscreen Display
EPPRC11CG92404SA	R 5,553	Epson EcoTank M3170 A4 mono Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head, 400 nozzles Black, 1200 x 2400 dpi printing Resolution, 39 pages/min Monochrome printing Speed, ADF / Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Resolution, Automatic Duplex, 35 pages automatic Document feed, 100 sheets Output Tray capacity, 250 sheets standard paper Tray capacity, USB, Ethernet, WiFi, Apple AirPrint, Google Cloud print, Touchscreen 6.1 cm Display
EPPRC11CH43403	R 5,090	Epson EcoTank M2170 3-in-1 A4 mono Printer, Print, Scan, Copy, 400 nozzles Black, Pigment ink, 1200x2400 dpi printing Resolution, 20 pages/min Monochrome, 39 pages/min Monochrome, 20000 pages per month Maximum

		duty cycle, Flatbed Scanner, 1200x2400 dpi scanning Resolution, Contact image sensor (CIS) Scanner Type, Duplex, 100 sheets Output tray capacity, USB, Ethernet, WiFi, Wi-Fi direct
EPPRC11CH71403SA	R 18,509	Epson EcoTank L15160 A3 Colour Ink Tank AIO Printer, Print, Scan, Copy, Fax, PrecisionCore print head, 800 nozzles Black 800 nozzles per Colour, Pigment ink technology, 4800x1200 dpi printing Resolution, 25 pages/min Monochrome 25 pages/min Colour, Double-sided scanning, Contact image sensor (CIS) Scanner Type, 1200 dpi x 1200 dpi optical Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 250 sheets Output tray capacity, 250 sheets standard, Touchscreen, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
EPPRC11CH71407	R 20,823	Epson L15180 A3 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, DURABrite et ink technology, 4 Colour, 25 pages/min Monochrome, 25 pages/min Colour, 4800x1200 dpi printing Resolution, 66 000 pages per month printing Volume, Duplex, 50 pages automatic Document feed, Contact image sensor (CIS) Scanner Type, Double-sided scanning, 250 sheets standard paper tray capacity, Touchscreen, Direct print from USB, Wi-Fi direct, USB, Ethernet LAN
EPPRC11CH72403SA	R 16,890	Epson EcoTank L15150 A3 AIO Colour ink Printer, Print, Scan, Copy, Fax, 32ppm mono, 22ppm Colour, Autoduplex, Precisioncore print head, Pigment ink technology, 4800x2400 dpi printing Resolution, Double-sided scanning, 2400x1200 dpi optical Resolution Scanner, Contact image sensor (CIS) Scanner Type, 50 pages automatic Document feed, 125 sheets Output tray capacity, 250 sheets standard, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
EPPRC11CJ30403SA	R 12,957	Epson L6550 EcoTank A4 Multifunction All-in-One Colour Ink Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, Pigment Ink technology, 4.800 x 2.400 dpi printing Resolution, 32 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Scanner Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 550 sheets standard paper tray capacity, 10.9 cm Colour Touchscreen, USB, WiFi, Epson Connect, Apple AirPrint
EPPRC11CJ41403	R 12,725	Epson EcoTank M15140 A3 Mono Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Micro tfp Printhead, DURABrite ET Ink technology, 4800 x 2400 dpi printing Resolution, 32 pages/min Monochrome printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Scanner Optical Resolution, Double-sided scanning, 3 paper trays, Duplex, 50 pages automatic Document feed, 550 sheets standard paper tray capacity, 6.8 cm Colour Touchscreen, Apple AirPrint, USB, WiFi, Ethernet
EPPRC11CJ65405SA	R 5,206	Epson EcoTank L5290 A4 Colour 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head printing Method, Dye Ink Technology, 5760x1440 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, 4 colours, Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 DPI x 2400 DPI Optical Resolution, 30 pages automatic Document feed, 30 sheets Output Tray capacity, 100 sheets standard paper Tray capacity, WiFi, USB, Ethernet, Pple AirPrint, Google Cloud print, 3.7 cm Colour Display
EPPRC11CJ65406SA	R 5,206	Epson EcoTank L5296 A4 Colour 4-in-1 Multifunction Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head, Dye Ink Ink technology, 5760 x 1440 dpi printing Resolution, 33 pages/min Monochrome printing speed, 15 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Scanner Resolution, 1 paper tray, 30 pages automatic Document feed, 30 sheets Output tray capacity, 100 sheets standard paper tray capacity, Borderless print, WiFi, USB, Ethernet, Wi-Fi direct, 3.7 cm Colour Display
EPWFC5890DWF	R 14,698	Epson WorkForce Pro WF-C5890dwf A4 Colour Inkjet Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, DURABrite Ultra Ink Technology, 4800x1200 dpi printing Resolution, 4 colours, 34 pages/min printing Speed, Contact image Sensor (CIS) Scanner Type, Double-sided scanning, 1200x2400 dpi Optical Resolution Flatbed, 1200x1200 dpi Optical Resolution (ADF), Duplex, 50 pages automatic Document feed, 150 sheets Output Tray capacity, 330 sheets standard paper Tray capacity, WiFi, USB, Gigabit Ethernet Interface, Apple AirPrint, Google Cloud print, 10.9 cm Touchscreen Colour Display
EPWFC878RDTWF	R 33,675	Epson WorkForce Pro WF-C878RDTWF A3 Colour Multifunction Inkjet RIPS Printer, Print, Scan, Copy, Fax, Duplex, Replaceable Ink pack system (RIPS), 35 pages/min Colour printing speed, 35 pages/min Monochrome printing speed, 4800x1200 dpi printing Resolution, Contact image Sensor (CIS) Scanner Type, Double-sided scanning, 600x600 dpi Optical Resolution, 600x600 dpi Optical Resolution (ADF), USB 2.0, Gigabit Ethernet, Wi-Fi, 50 pages automatic Document feed, 335 sheets standard paper Input trays, 85 sheets Multi-Purpose tray, 250

		sheets paper tray, 250 sheets Output tray, Colour Touchscreen 12.7 cm panel, 2k to 10k pages per month, Extra paper Tray
iP-CG2470o	R 2,523	Canon Pixma G2470 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 11 ipm mono print speed, 6.0 ipm Colour print speed, 100 sheets rear tray, CIS Flatbed photo and Document Scanner, 600 x 1200 dpi Scanner Resolution (Optical), Hi-Speed USB, 3.0 cm segment LCD
iP-CG3470o	R 3,196	Canon Pixma G3470 Colour A4 3-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head print technology, Refillable Ink Tank Printer, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear tray paper Input, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
iP-CG4470o	R 4,829	Canon Pixma G4470 Colour A4 4-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Fax, Up to 4800x1200 dpi print Resolution, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Up to 35 sheets (1-sided) automatic Document feeder (ADF), CIS Flatbed photo and Document Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Wireless PictBridge, Apple AirPrint, Mopria (Android)
iP-CG5040	R 5,101	Canon Pixma G5040 Printer with 4x integrated ink tanks for high volume printing (3x Black or B/C/M/Y), network ready (wired wireless), duplex printing, 2-line LCD - print 4800x1200dpi; mono/color: 13 / 6.8 ipm, 100 250s input tray - USB 2.0
iP-CG6040o	R 7,010	Canon Pixma G6040 A4 MFP 3-in-1 Refillable Ink Tank Printer - Black, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 13.0ipm mono print speed, 6.8 ipm Colour print speed, Duplex, USB, Wi-Fi, Ethernet, Wireless direct, Apple AirPrint, Mopria, Mac support, Borderless printing, 100 sheets rear tray, 250 sheets front Cassette, 3113C038AA, CIS Flatbed photo and Document Scanner, Tiltable front panel with 2-line LCD
iP-CG7040o	R 7,476	Canon Pixma G7040 Multifunction print scan copy fax - with 4x integrated ink tanks for high volume printing (3x Black or B/C/M/Y), network ready (wired wireless), duplex printing, 2-line LCD - print 4800x1200dpi; mono/color: 13 / 6.8 ipm, 100 250s input tray, 35pages ADF, scan 1200x2400 /19200dpi; standalone copy, 99 multiple copies; 25-400%; as standalone fax with 33.6k G3 modem, support color fax, 250pages fax memory, 100 3 x speed dial - USB
iP-CGX3040	R 7,967	Canon maxify GX3040 Multifunction print scan copy with 4x integrated dye ink tanks, wireless network ready, 3.4cm mono LCD - print 600x1200dpi; mono/color: 3.9 / 3.9 ipm, 100 250s input tray, scan 1200x2400 /19200dpi; standalone copy, 99 mutiple copies, duty: 33000pages per month - USB 2.0
iP-CGX4040	R 8,677	Canon Maxify GX4040 Multifunction print scan copy fax with 4x integrated dye ink tanks, network cloud ready (wired wireless), 6.7cm color touch screen LCD - print 600x1200dpi; mono/color: 3.9 / 3.9 ipm, 100 250s input tray, with 35pages ADF, scan 1200x2400 /19200dpi; standalone copy, 99 mutiple copies; as standalone fax with 33.6k G3 modem, support color fax, 250pages fax memory, 100 3 x speed dial, duty: 33000pages per month - UTP USB 2.0
iP-CGX6040	R 9,382	Canon Maxify GX6040 Multifunction print scan copy fax with 4x integrated dye ink tanks, network cloud ready (wired wireless), duplex printing copy, 6.9cm color touch screen LCD - print 600x1200dpi; mono/color: 3.9 / 3.9 ipm, 100 250s input tray, with 50pages duplex ADF, scan 1200x2400 /19200dpi; standalone copy, 99 multiple copies; as standalone fax with 33.6k G3 modem, support color fax, 250pages fax memory, 100 3 x speed dial, duty: 45000pages per month - UTP USB 2.0
iP-CGX7040	R 11,876	Canon Maxify GX7040 Multifunction print scan copy fax with 4x integrated dye ink tanks, network cloud ready (wired wireless), duplex printing copy, 6.9cm color touch screen LCD - print 600x1200dpi; mono/color: 3.9 / 3.9 ipm, 100 250 250s input tray, with 50pages duplex ADF, scan 1200x2400 /19200dpi; standalone copy, 99 multiple copies; as standalone fax with 33.6k G3 modem, support color fax, 250pages fax memory, 100 3 x speed dial, duty: 45000pages per month - UTP USB 2.0
iP-CMB2140	R 2,264	Canon Maxify MB2140 print scan copy fax Multifunction business Inkjet - wireless network cloud ready, 4 single ink, duplex printing copy, 6.2cm LCD; print 600x1200dpi; mono/colour: 19/13ipm, 250 sheets input tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 15000pages per month - USB 2.0;

		support scan/fax to USB
iP-CMB2740	R 2,747	Canon Maxify MB2740 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, input: 250 250s dual paper tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 15000pages per month - UTP USB 2.0; support scan to USB
iP-CMB5140	R 2,984	Canon Maxify MB5140 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, 250 sheets input tray; with 50pages ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 30000pages per month - UTP USB 2.0; support scan to USB
iP-CMB5440	R 3,411	Canon Maxify MB5440 print scan copy fax Multifunction business Inkjet - network cloud ready (wired wireless), 4 single ink, duplex printing copy, 7.5cm touch screen LCD; print 600x1200dpi; mono/colour: 24/15.5ipm, input: 250 250s dual paper tray; with 50pages duplex ADF, scan 1200x1200dpi, 48/24bit; 99 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, support colour fax, 250pages fax memory, 100 3 x speed dial, duty: 30000pages per month - UTP USB 2.0; support scan to USB
iP-CMG2545	R 875	Canon Pixma MG2545S A4 3-in-1 Multifunction Colour Inkjet Printer Black, USB, A4 MFP, Print / Copy / Scan, 8ipm mono, 4ipm colour, 4800x600 print resolution, 600x1200 dpi scan resolution, Flatbed Scanner, 60 sheet rear tray, manual duplex, USB, 4 ink system - Black and Tri Cartridge (C, M, Y)
iP-CTR4645	R 1,144	Canon Pixma TR4645 4-in-1 A4 Colour Multifunction Printer, Print, Copy, Scan, Fax, Up to 4800x1200 dpi print Resolution, 2 fine cartridges (Black & Colour), Approx 8.8 ipm mono print Speed, Approx 4.4 ipm Colour print Speed, Auto Duplex print, Maximum 100 sheets front Tray, Flatbed (ADF / platen) CIS Colour Scanner, 600 x 1200 DPI Scanner Resolution (Optical), Full dot LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Canon print App Easy-PhotoPrint editor App, Apple AirPrint
iP-CTS3340	R 844	Canon Pixma TS3340 Multifunction, print scan copy web print, cloud printing, network ready (wireless bluetooth), 3.8cm mono LCD - print 4800x1200dpi; mono/color: 7.7 / 4 ipm, 60s input tray; scan: 600x1200dpi, 24bit; standalone copy: 20 multiple copies - USB 2.0
iP-CTS3440	R 696	Canon Pixma TS3440 Oin1, print scan copy web print, cloud printing, network ready (wireless Bluetooth), 3.8cm mono LCD - print 4800x1200dpi; mono/color: 7.7 / 4 ipm, 60s input tray; scan: 600x1200dpi, 24bit; standalone copy: 20 multiple copies
iP-CTS5140	R 1,954	Canon Pixma TS5140 Multi-function Printer, print scan copy web print, cloud printing, network ready (wireless Bluetooth), duplex printing, 6.2cm color LCD - print 4800x1200dpi; mono/color: 13/ 6.8 ipm, 100 20s input tray; scan: 1200x2400dpi, 24bit; standalone copy: 99 multiple copies; 25-400% - USB 2.0
iP-CTS5340	R 1,167	Canon pixma TS5340 Multifunction Printer, print scan copy web print, cloud printing, network ready (wireless bluetooth), 5 single ink, 3.7cm OLED display with status bar, duplex printing - print 4800x1200dpi; mono/color: 15 / 10 ipm, 100 20s input tray; scan: 1200x2400dpi, 24bit; standalone copy: 99 multiple copies; 25-400% - USB 2.0
iP-CTS6340	R 2,393	Canon Pixma TS6340 Multifunction Printer, print scan copy web print, cloud printing, network ready (wireless bluetooth), 5 single ink, 3.7cm OLED display with status bar, duplex printing - print 4800x1200dpi; mono/color: 15 / 10 ipm, 100 20s input tray; scan: 1200x2400dpi, 24bit; standalone copy: 99 multiple copies; 25-400% - USB 2.0
iP-CTS7440	R 1,834	Canon Pixma TS7440 Oin1, print scan copy web print, cloud printing, wireless network ready, 4 single ink, 3.7cm OLED display with status bar, duplex printing - print 4800x1200dpi; mono/color: 13/ 6.8 ipm, 100 20s input tray, 35pages ADF; scan
iP-CTS8340	R 2,821	Canon Pixma TS8340 Multifunction Printer, print scan copy web print, cloud printing, network ready (wireless bluetooth), 6 single ink, 10.8cm color touch-screen LCD - print 4800x1200dpi; mono/color: 15 / 10 ipm, 100 20s input tray multi-purpose printing tray for cd/dvd nail stickers; scan: 2400x4800dpi, 24bit; standalone copy: 99 multiple copies; 25-400% - USB 2.0 flash card reader
iP-CTS9540	R 4,747	Canon TS9540 A3 Multifunction Colour Inkjet printer, Copy / Fax / scan, Can print A3, Copy A4 or stitch Copy A3, 15 ipm mono, 10 ipm Colour, 4800x1200 print Resolution, 2400x4800 dpi scan Resolution, Fastfront, 100 sheet front cassette, 100 sheet rear cassette paper handling, 20 sheet ADF, Duplex, Direct dist print, Nail sticker print,

		Booklet layout copy, 10.8cm TFT Colour touch screen, USB, Wi-Fi, Ethernet, Wireless, LAN Pictbridge, Memory card slot, Wireless direct, Bluetooth
iP-H2320o	R 919	HP 7WN42B 2320 Multifunction- Print-Scan-Copy, white; A4, 500mhz, 128mb, 4800x1200dpi; mono/color: 20/16, 60s input, 25sheets output, duty: 1000 pages per month; scan: 1200x1200dpi, 24bit; standalone copy: 9 multiple copies - USB
iP-H315o	R 3,659	HP Z4B04A ink tank 315 Multifunction Printer - Print-Scan-Copy; 4x single ink tank; 360mhz, 4800x1200dpi; mono/color: 8/5ppm, 60s input, 25sheets output, duty: 1000pages per month; scan: 1200x1200dpi, 24bit; standalone copy, 9 multiple copies, 25-400% - USB
iP-H4120o	R 1,585	HP 3XV14B DeskJet 4120 All-in-One A4 Colour Thermal Inkjet Printer White, Print, Scan, Copy, Fax, White with Gray accent, A4, 1200x1200 dpi print quanlity, Up to 8.5 ppm print speed Black, Up to 5.5 ppm print speed Colour, Up to 1000 pages duty cycle, Built-in Wi-Fi 802.11a/b/g/n, 1x Hi-Speed USB 2.0, 60 sheet Input tray, 25-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical
IP-H415O	R 4,460	HP Z4B53A ink tank 415 Multifunction - Print-Scan-Copy-web; wireless network ready, 4x single ink tank; 360mhz, 4800x1200dpi; mono/color: 8/5ppm, 60s input, 25sheets output, duty: 1000pages per month; scan: 1200x1200dpi, 24bit; standalone copy, 9 multiple copies, 25-400% - USB
IP-H515o	R 4,428	HP 1TJ09A ink tank 515 Multifunction - Print-Scan-Copy-web; wireless network ready, 4x single ink tank; 1200mhz, 256mb DDR3, 4800x1200dpi; mono/color: 11/5ppm, 100s input, 30sheets output, duty: 1000pages per month; scan: 1200x1200dpi, 24bit; standalone copy, 9 multiple copies, 25-400% - USB
IP-H530o	R 4,510	HP 4SB24A Smart Tank 530 Wireless All-in-One A4 Colour Printer, Print, Copy, Scan, ADF, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.58cm MGD (Monochrome Touchscreen) Display, 1 each Black bottle, Set of 3 color bottles, Built-in Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Bluetooth, 100 sheet Input tray, 30-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical, Up to 35 sheets automatic Document feeder capacity
iP-H6075o	R 2,001	HP 5SE22C DeskJet 6075 All-in-One A4 Colour Thermal Inkjet Printer White, Print, Scan, Copy, Photo, Auto duplex printing unit, 1200x1200 dpi print quanlity, Up to 10 ppm print speed Black, Up to 7 ppm print speed Colour, Up to 1000 pages duty cycle, Built-in Wi-Fi 802.11ac (Dual Band), 1x Hi-Speed USB 2.0, 60 sheet Input tray, 25-sheet Output tray, Flatbed Scanner Type, Up to 1200 dpi scan Resolution optical
IP-H615o	R 4,299	HP Y0F71A ink tank 615 O-in-one - Print-Scan-Copy-Fax-web; with 35s ADF wireless network ready 5.58cm colour touchscreen, 4x single ink tank; 1200mhz, 256mb DDR3, 4800x1200dpi; mono/color: 22/16ppm, 100s input, 30sheets output, duty: 1000pages per month; scan: 1200x1200dpi, 24bit; standalone copy, 9 multiple copies, 25-400%, as standalone fax with 33.6k modem, support color fax - USB
iP-H6475o	R 2,891	HP 5SD78C DeskJet 6475 All-in-One A4 Colour Thermal Inkjet Printer White, Print, Scan, Copy, Fax, Photo, 35 sheet ADF, Auto duplex printing unit, 1200x1200 dpi print quanlity, Up to 10 ppm print speed Black, Up to 7 ppm print speed Colour, Up to 1000 pages duty cycle, Built-in Wi-Fi 802.11ac (Dual Band), 1x Hi-Speed USB 2.0, 100 sheet Input tray, 25-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical
iP-H670o	R 6,502	HP 6UU48A smart tank 670 O-in-one - Print-Scan-Copy-web; with auto duplex printing unit wireless network ready 5.18cm 2-line lcd, 4x single ink tank; 800mhz, 128mb DDR3, 4800x1200dpi; mono/color: 22/21ppm, 150s input, 100sheets output, duty
iP-H750o	R 5,990	HP 6UU47A Smart Tank 750 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, ADF, Up to 15 ppm print speed Black, Up to 9 ppm print speed Colour, Up to 5000 pages duty cycle, Up to 1200 x 1200 dpi print quality, Automatic paper sensor, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, LAN, Apple AirPrint, Mopria print service, HP print service plugin (Android printing), HP Smart App, 250-sheet Input tray, 100-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical
iP-H7720o	R 4,339	HP Y0S18A officejet pro 7720 Multifunction Printer: Print-Scan-Copy-Fax-Web A3 wide format, with 35s ADF 6.75cm touchsmart colour LCD duplex printing unit network ready (10/100 wired wireless), 4 x single ink: 512mb; mono/colour: 34/34ppm, 250s input, 75sheets output, duty: 30000pages per month; scan: 1200dpi, 24bit; standalone copy, 34/34cpm, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, support colour fax, 100pages fax memory, 99 speed dial - USB UTP

iP-H7740o	R 6,315	HP G5J38A Officejet Pro 7740 Multifunction Printer - Print-Scan-Copy-Fax-web, with 35s ADF auto duplex printing unit network ready (10/100 wired wireless) 6.75cm colour touchscreen 4 x single ink; 1200mhz cpu, 128mb, 4800x1200dpi; mono/colour: 22/18ppm, 250 250s input tray, 75sheets output, duty: 30000pages per month; scan: 1200dpi, 24bit; standalone copy: 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, support colour fax, 100pages fax memory, 99 speed dial - USB UTP
iP-H790o	R 6,631	HP 4WF66A smart tank 790 O-in-one - Print-Scan-Copy-Fax-web; with 35s ADF auto duplex printing unit network ready (wired wireless) 5.18cm 2-line lcd, 4x single ink tank; 800mhz, 256mb DDR3, 4800x1200dpi; mono/color: 23/22ppm, 250s input
IP-H8013o	R 4,034	HP 1KR70B officejet pro 8013 Multifunction - Print-Scan-Copy-web, with 35s ADF auto duplex printing unit wireless network ready 5.58cm colour touchscreen 4 x single ink; 1200mhz cpu, 256mb, 4800x1200dpi; mono/color: 18/10ppm, 225s input tray, 60sheets output, duty: 20000pages per month; scan: 1200dpi, 24bit; standalone copy, 99 multiple copies, 25-400% - USB
iP-H8023o	R 3,163	HP 1KR64B officejet pro 8023 Multifunction - Print-Scan-Copy-Fax-web, with 35s ADF auto duplex printing unit network ready (10/100 wired wireless) 6.86cm colour touchscreen 4 x single ink; 1200mhz CPU, 256mb, 4800x1200dpi; mono/color: 20/10ppm, 225s input tray, 60sheets output, duty: 20000pages per month; scan: 1200dpi, 24bit; standalone copy, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, support color fax, 100pages fax memory, 99 speed dial - USB UTP
IP-H8730O	R 8,528	HP D9L20A officejet pro 8730 Multifunction - Print-Scan-Copy-Fax-web, white with 50s ADF auto duplex printing unit network ready (10/100 wired wireless) 10.92cm colour touchscreen 4 x single ink; 1200mhz cpu, 512mb, 2400x1200dpi; mono/colour: 24/20ppm, 250s input tray up to 500, 150sheets output, duty: 30000pages per month; scan: 1200dpi, 24bit; standalone copy, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, support colour fax, 100pages fax memory, 99 speed dial - USB, UTP, card reader, PictBridge
iP-H9013o	R 3,826	HP 1KR49B officejet pro 9013 Multifunction - Print-Scan-Copy-Fax, with 35s ADF auto duplex printing unit network ready (10/100 wired wireless), 6.75cm colour touchscreen , 4 x single ink; 1200mhz CPU, 512mb, 1200x1200dpi; mono/color: 22/18ppm, 250s input tray, 60sheets output, duty: 25000pages per month; scan: 600x600/1200dpi, 24bit; standalone copy, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, support color fax, 100pages fax memory, 99 speed dial - USB UTP
iP-H9023o	R 3,471	HP 1MR70B officejet pro 9023 Multifunction - Print-Scan-Copy-Fax, with 35s ADF auto duplex printing unit network ready (10/100 wired wireless), 6.75cm colour touchscreen, 4 x single ink; 1200mhz CPU, 512mb, 4200x1200dpi; mono/color: 24/20ppm, 250s input tray, 100sheets output, duty: 30000pages per month; scan: 600x600/1200dpi, 24bit; standalone copy, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, support color fax, 100pages fax memory, 99 speed dial - 2x USB UTP
L14150 Printer	R 8,892	Epson L14150 A3 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, 38ppm mono printing speed, 24ppm Colour printing speed, USB, Wi-Fi, Ethernet, Autoduplex, Pigment Black and dye Colour inks, 4800x1200 dpi printing Resolution, PrecisionCore Print Head, 400 nozzles Black, 128 nozzles per Colour, 1200 x 2400 dpi Optical Scanner Resolution, Contact image sensor (CIS) Scanner Type, 35 pages automatic Document feed, 30 sheets Output tray capacity, 250 sheets standard paper tray capacity, 6.8 cm Touchscreen display
L15150 Printer	R 16,024	Epson EcoTank L15150 A3 AIO Colour ink Printer, Print, Scan, Copy, Fax, 32ppm mono, 22ppm Colour, Autoduplex, Precisioncore print head, Pigment ink technology, 4800x2400 dpi printing Resolution, Double-sided scanning, 2400x1200 dpi optical Resolution Scanner, Contact image sensor (CIS) Scanner Type, 50 pages automatic Document feed, 125 sheets Output tray capacity, 250 sheets standard, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
L15160 Printer	R 17,566	Epson EcoTank L15160 A3 Colour Ink Tank AIO Printer, Print, Scan, Copy, Fax, PrecisionCore print head, 800 nozzles Black 800 nozzles per Colour, Pigment ink technology, 4800x1200 dpi printing Resolution, 25 pages/min Monochrome 25 pages/min Colour, Double-sided scanning, Contact image sensor (CIS) Scanner Type, 1200 dpi x 1200 dpi optical Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 250 sheets Output tray capacity, 250 sheets standard, Touchscreen, USB, Ethernet, WiFi, Wi-Fi direct, USB Host
L15180 Printer	R 19,759	Epson L15180 A3 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, Fax, DURABrite et ink technology, 4 Colour, 25 pages/min Monochrome, 25 pages/min Colour, 4800x1200 dpi printing Resolution, 66 000 pages per

		month printing Volume, Duplex, 50 pages automatic Document feed, Contact image sensor (CIS) Scanner Type, Double-sided scanning, 250 sheets standard paper tray capacity, Touchscreen, Direct print from USB, Wi-Fi direct, USB, Ethernet LAN
L3310 Printer	R 2,844	EcoTank L3310 A4 Multifunction Ink Tank Printer, Print, Scan, Copy, including 1 Set of Ink (2x Black), Epson Micro Piezo Print Head, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 4 Colour, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 600 x 1200 DPI Optical Resolution, 1 paper trays, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB
L3351 Printer	R 2,946	Epson EcoTank Home L3351 A4 Colour Ink Tank Multifunction Printer, Print, Scan, Copy, USB W including 2x Black & 1 each Colour inks, Epson Micro Piezo Printhead, Dye-based Ink Technology, 5760 x 1440 dpi print Resolution, 4 colours, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200 x 2400 dpi Optical scanning Resolution, 30 sheets paper Output Tray capacity, 100 Standard sheets paper Store capacity, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service
L3550 Printer	R 3,517	Epson EcoTank L3550 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Duplex, USB, Wi-Fi, Dye Ink Technology, 4800 x 1200 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 20 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200 x 2400 dpi Optical Scan Resolution, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, Apple AirPrint
L3560 Printer	R 3,951	Epson EcoTank L3560 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Duplex print, PrecisionCore printing Method, Dye Ink Ink Technology, 4800 x 1200 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 20 pages/min Colour printing Speed, Contact Image Sensor (CIS) Scanner Type, 1200x2400 dpi Optical Scan Resolution, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB, WiFi, Apple AirPrint
L4360 Printer	R 5,135	Epson L4360 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Includes - 1 Set of Ink (2x Black), PrecisionCore Print Head, 4800 x 1200 dpi printing Resolution, 4 Colour colours, 33 pages/min Monochrome printing Speed, 20 pages/min Colour printing Speed, Duplex printing, 1200x2400 dpi Optical Scan Resolution, Contact Image Sensor (CIS) Scanner Type, 30 sheets Output Tray capacity, 100 sheets Standard paper Tray capacity, USB, Wi-Fi direct, Wireless LAN, Apple AirPrint, Mopria print Service, 3.7 cm Colour Display
L5290 Printer	R 4,939	Epson EcoTank L5290 A4 Colour 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head printing Method, Dye Ink Technology, 5760x1440 dpi printing Resolution, 33 pages/min Monochrome printing Speed, 15 pages/min Colour printing Speed, 4 colours, Flatbed Scanner, Contact image Sensor (CIS) Scanner Type, 1200 DPI x 2400 DPI Optical Resolution, 30 pages automatic Document feed, 30 sheets Output Tray capacity, 100 sheets standard paper Tray capacity, WiFi, USB, Ethernet, Pple AirPrint, Google Cloud print, 3.7 cm Colour Display
L5296 Printer	R 4,939	Epson EcoTank L5296 A4 Colour 4-in-1 Multifunction Printer, Print, Scan, Copy, Fax, Epson Micro piezo Print Head, Dye Ink Ink technology, 5760 x 1440 dpi printing Resolution, 33 pages/min Monochrome printing speed, 15 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Scanner Resolution, 1 paper tray, 30 pages automatic Document feed, 30 sheets Output tray capacity, 100 sheets standard paper tray capacity, Borderless print, WiFi, USB, Ethernet, Wi-Fi direct, 3.7 cm Colour Display
L6370 Printer	R 6,086	Epson L6370 A4 EcoTank Multifunctional ITS Inkjet All-in-One Ink Tank Printer, Print, Scan, Copy, PrecisionCore Printhead printing Method, Pigment Ink Black and colored Dye Ink Technology, 4800 x 1200 dpi print Resolution, 35 pages/min mono print Speed, 23 pages/min Colour print Speed, Duplex print, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 1200x2400 DPI Scan Resolution, 1 paper Tray, 30 pages automatic Document Feeder, 30 sheets Output paper Tray capacity, USB, Ethernet, Wi-Fi, Wi-Fi direct, 6.1 cm Colour Display
L6490 Printer	R 7,687	Epson L6490 EcoTank A4 Multifunction 4-in-1 Ink Tank Printer, Print, Scan, Copy, Fax, Duplex, 4800x1200 dpi printing Resolution, 4 Colour, 17 pages/min Monochrome printing speed, 9.5 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Resolution, 35 pages automatic Document feed, 30 sheets Output tray capacity, 250 sheets standard paper tray capacity, WiFi, USB, Ethernet, Wi-Fi direct, Apple AirPrint, 610 cm Colour Touchscreen panel
L6550 Printer	R 12,290	Epson L6550 EcoTank A4 Multifunction All-in-One Colour Ink Printer, Print, Scan, Copy, Fax, PrecisionCore Print

		Head printing Method, Pigment Ink technology, 4.800 x 2.400 dpi printing Resolution, 32 pages/min Monochrome printing speed, 22 pages/min Colour printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Optical Scanner Resolution, 3 paper trays, Duplex, 50 pages automatic Document feed, 550 sheets standard paper tray capacity, 10.9 cm Colour Touchscreen, USB, WiFi, Epson Connect, Apple AirPrint
L6570 Printer	R 14,266	Epson EcoTank L6570 A4 All in one Colour Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, 4800x2400 dpi printing Resolution, 32 pages/min Monochrome / Colour printing speed, Duplex printing, Contact image sensor (CIS) Scanner Type, Double-sided scanning, ADF Scan, 1200 x 2400 dpi Optical Resolution, 3 paper trays, 50 pages automatic Document feed, 125 sheets Output tray capacity, 550 sheets standard paper tray capacity, ADF 2-sided Copy, USB, Ethernet, Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi direct, Epson Connect, Apple AirPrint, 10.9 cm Colour Touchscreen
L6580 Printer	R 15,807	Epson EcoTank Pro L6580 A4 Colour Ink Tank AIO Printer, Print, Scan, Copy, Fax, PrecisionCore print head, 800 nozzles Black 800 nozzles per Colour, 25 pages/min Monochrome 25 pages/min Colour, 4800 x 2400 dpi printing Resolution, Double-sided scanning, 2 400 dpi x 1 200 dpi optical Resolution, Hi-Speed USB, Wired Network, Wireless LAN IEEE 802.11b/g/n, Wi-Fi direct, Near Field communication (NFC), 50 pages automatic Document feed, Duplex, 125 sheets Output tray capacity, 250 sheets standard, 3 paper trays
L8100 Printer	R 8,102	Epson L8100 EcoTank A4 Colour InkTank Photo Multifunction Printer, Print, Scan, Copy, Epson Micro Piezo Print Head printing Method, Dye Ink Technology, 5760 x 1440 dpi printing Resolution, 6 Colour, 22 pages/min Monochrome & Colour printing Speed, Flatbed Scanner, 1200 DPI x 4800 dpi Optical Scanner Resolution, Contact Image Sensor (CIS) Scanner Type, 100 sheets standard paper Tray capacity, 20 Photo sheets, Borderless print, CD/DVD print, Wireless LAN, 6.1 cm Colour Touchscreen panel
L8160 Printer	R 8,754	Epson L8160 EcoTank Multifunction All-in-One A4 Colour photo Printer, Print, Scan, Copy, Epson Micro piezo Print Head printing Method, 5760x1440 dpi printing Resolution, 6 Colour inks, 16 pages/min Monochrome printing speed, 12 pages/min Colour printing speed, Flatbed Scanner, Contact image sensor (CIS), 1.200 dpi x 4.800 dpi Optical Scanner Resolution, 2 paper trays, Duplex, 50 sheets Output tray capacity, 100 sheets standard, Paper tray capacity, 10, 9 cm Colour Touchscreen, WiFi, USB, Ethernet, Wi-Fi direct, USB Host
M15140 Printer	R 12,073	Epson EcoTank M15140 A3 Mono Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Micro tfp Printhead, DURABrite ET Ink technology, 4800 x 2400 dpi printing Resolution, 32 pages/min Monochrome printing speed, Contact image sensor (CIS) Scanner Type, 1200 dpi x 2400 dpi Scanner Optical Resolution, Double-sided scanning, 3 paper trays, Duplex, 50 pages automatic Document feed, 550 sheets standard paper tray capacity, 6.8 cm Colour Touchscreen, Apple AirPrint, USB, WiFi, Ethernet
M15180 Printer	R 16,459	Epson EcoTank Pro M15180 A3 mono Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head, DURABrite ET Ink technology, 25 pages/min Monochrome printing speed, 4800x1200 dpi printing Resolution, Contact image sensor (CIS) Scanner Type, Double-sided scanning, 1200 dpi Optical Resolution, 50 pages automatic Document feed, Duplex, 125 sheets Output tray capacity, 250 sheets standard paper tray capacity, 3 paper trays, 10.9 cm Colour Touchscreen, ADF 2-sided Copy, USB 2.0, Ethernet Interface, Wireless LAN, Wi-Fi direct
M2170	R 4,821	Epson EcoTank M2170 3-in-1 A4 mono Printer, Print, Scan, Copy, 400 nozzles Black, Pigment ink, 1200x2400 dpi printing Resolution, 20 pages/min Monochrome, 39 pages/min Monochrome, 20000 pages per month Maximum duty cycle, Flatbed Scanner, 1200x2400 dpi scanning Resolution, Contact image sensor (CIS) Scanner Type, Duplex, 100 sheets Output tray capacity, USB, Ethernet, WiFi, Wi-Fi direct
M3170 Printer	R 5,276	Epson EcoTank M3170 Low TCO Multifunction Printer, Print, copy, scan, fax, 39ppm mono, Duplex 9xA4/ppm, 1200x2400DPI, 20k pages p/mth. Incl 2 x Inks. C13T03P14A 6k pages, Maint Box C13T04D100
M3180 Printer	R 6,580	Epson EcoTank M3180, Inkjet Printers, A4, 1 Ink Cartridges, K, Print, Scan, Copy, Fax, Yes, 1.200 x 2.400 dpi, 39 pages/min Monochrome (plain paper), 250 Sheets Standard, 1.200 dpi x 2.400 dpi (Horizontal x Vertical), 35 pages, LCD screen: Diagonal: 6,1 cm
MFC-J2340DW	R 4,945	Brother MFC-J2340DW InkBenefit A3 4-in-1 Inkjet Wireless Multifunction Printer, Print, Copy, Scan, Fax, Automatic 2-sided A4 print, 1-sided A3 print, 6.8cm Colour LCD Touchscreen Display, Hi-Speed USB 2.0, Fast Ethernet Wired Network, Wi-Fi and Wi-Fi direct, Apple AirPrint, Brother apps, Brother Mobile Connect, Brother print service plugin, Mopria, Web Connect, Up to 1200x4800 dpi print Resolution, CIS (Contact image sensor) Scanner Type,

		ADF 600x600 dpi Scan Resolution, Scanner Glass - 1200x4800 dpi (Mono) & 1200x1200 dpi (Colour) Scan Resolution, Single sheet manual feed slot Multi purpose tray, 250 sheets standard tray, Up to 50 sheets automatic Document feeder, 100 sheets A4 paper Output, 50 sheets A3 paper Output
MFC-J3540DW	R 5,980	Brother MFC-J3540DW InkBenefit A3 4-in-1 Inkjet Wireless Multifunction Printer, Print, Copy, Scan, Fax, Automatic 2-sided A4 print, Automatic 2-sided A3 print, 6.8cm Colour LCD Touchscreen Display, High-Speed USB 2.0, Fast Ethernet, Wi-Fi and Wi-Fi direct, Apple AirPrint, Brother apps, Brother Mobile Connect, Brother print service plugin, Web Connect, Up to 1200x4800 dpi print Resolution, CIS (Contact image sensor) Scanner Type, ADF 300 x 600 dpi (Colour) Scan Resolution, ADF 600 x 600 dpi (Mono) Scan Resolution, Scanner Glass 1200 x 2400 dpi (Mono) & 1200 x 1200 dpi (Colour) Scan Resolution, 250 sheets paper Input : standard tray, Single sheet manual feed slot Multi purpose tray, Up to 50 sheets automatic Document feeder, 100 sheets A4 paper Output, 50 sheets A3 paper Output
MFC-J3940DW	R 7,130	Brother MFC-J3940DW A3 Inkjet All-in-One Multifunction Printer, Print, Copy, Scan, Fax, 1-sided A3 Scan, Automatic 2-sided A3 print, 8.8cm Colour LCD Touchscreen Display, Hi-Speed USB 2.0, NFC, Fast Ethernet, Wi-Fi, Apple AirPrint, Brother apps, Brother Mobile Connect, Brother print service plugin, Mopria, Web Connect, Up to 1200x4800 dpi print Resolution, Up to A3 auto 2-sided printing, CIS (Contact image sensor) Scanner Type, Flaybed and ADF Scan, Up to A3 auto 2-sided Scan, 250 sheets paper Input standard tray, 100 sheets A4/A3 Multi purpose tray, Up to 50 sheets automatic Document feeder, 100 sheets A4 paper Output, 50 sheets A3 paper Output
MFC-L2885DW	R 5,290	Brother MFC-L2885dw Multifunction A4 Mono Laser Printer, Print, Scan, Copy, Fax, Up to 34 ppm print Speed, Up to 1200x1200 dpi print Resolution, 2-sided (Duplex), Up to 250 sheets Tray, Up to 50 sheets automatic Document Feeder (ADF), Up to 120 sheets paper Output, Up to 1200x1200 dpi Resolution Scanner Glass, Up to 600x600 dpi Resolution automatic Document Feeder (ADF), USB 2.0, Ethernet LAN, WiFi, 6.8cm TFT Colour screen
MFC-T930DW	R 4,945	Brother MFC-T930dw Multifunction A4 Colour Ink Tank Printer, Print, Scan, Copy, Fax, Up to 17 ipm mono print Speed, Up to 16.5 ipm Colour print Speed, Up to 1200x6000 dpi print Resolution, 2-sided (Duplex), Up to 80 sheets Multi-Purpose Tray, Up to 20 sheets automatic Document Feeder (ADF), Up to 50 sheets paper Output, Up to 1200x2400 dpi Resolution Scanner Glass, USB, WiFi, LAN, 1.8" Colour LCD Display Type
PRCAG2410	R 1,778	Canon Pixma G2410 A4 multifunctional Colour Printer, Print / Copy / Scan, Integrated ink tanks, Hybrid ink system, Borderless printing, Auto power On, Sharp black text, Rear paper feeding, 1.2" LCD, Up to 4800x1200 dpi print, Refillable ink tank printer, 8.8 ipm Mono Print Speed, 5.0 ipm Colour Print Speed, CIS flatbed photo and document scanner, 600x1200 dpi Scanner Resolution, Hi-Speed USB (B Port)
PRCAG2470	R 2,222	Canon Pixma G2470 A4 Colour Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 11 ipm mono print speed, 6.0 ipm Colour print speed, 100 sheets rear tray, CIS Flatbed photo and Document Scanner, 600 x 1200 dpi Scanner Resolution (Optical), Hi-Speed USB, 3.0 cm segment LCD
PRCAG3410	R 2,401	Canon Pixma G3400 Multifunction Printer, Print, Copy, Scan, Wi-fi and Cloud - DOES NOT SUPPORT AIRPRINT - Continuous ink supply system Wireless, 4800 x 1200 dpi, 8.8 ipm mono, 5.0 ipm colour, Borderless printing, 100 sheets paper supply, USB. Uses GI-490 PGBK, GI-490C, GI-490M and GI-490 BK, GI-490 C, GI-490 M, GI-490 Y
PRCAG3470B	R 3,196	Canon Pixma G3470 Colour A4 3-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Up to 4800x1200 dpi print Resolution, 2 fine Print Head print technology, Refillable Ink Tank Printer, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Maximum 100 sheets rear tray paper Input, CIS Flatbed photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
PRCAG4470	R 5,023	Canon Pixma G4470 Colour A4 4-in-1 Multifunction Ink Tank Printer, Print, Scan, Copy, Fax, Up to 4800x1200 dpi print Resolution, Approx 11 ipm mono print speed, Approx 6.0 ipm Colour print speed, Borderless printing, Up to 35 sheets (1-sided) automatic Document feeder (ADF), CIS Flatbed photo and Document Scanner Type, 600 x 1200 dpi Scanner Resolution (Optical), 3.4 cm square LCD (Monochrome) Display, Hi-Speed USB, Wi-Fi, Wireless PictBridge, Apple AirPrint, Mopria (Android)
PRCAG640	R 8,091	Canon PIXMA G640 A4 3-in-1 Continuous Ink Printer, A4 MFP, 3.9 ipm mono, 3.9 ipm colour, 4800 x 1200 print resolution, 600 X 1200 scan resolution, 100 sheet paper handling rear cassette, USB, Wi-Fi, Smartphone and Tablet print. - inktank (BK, C, M, Y, R, GY. Uses GI-43 BK, C, M, Y, R, GY

PRCAGX2040	R 4,591	Canon GX2040 A4 Colour MegaTank 4-in-1 Multifunction Printer, Print, Copy, Scan, Fax, Up to 600 x 1200 dpi print Resolution, Refillable Ink Tank Printer, Approx 15.0 ipm mono print speed, APPROX10.0 ipm Colour print speed, Flatbed (ADF / platen) CIS Colour Scanner Type, 1200 x 2400 dpi Optical Scanner Resolution, 6.7cm LCD Touch Screen Colour Display, 10/100 Mbps LAN, USB, WiFi, Mopria (Android), Apple AirPrint
PRCAGX3040	R 9,029	Canon PIXMA GX3040 A4 Multifunction Continuous Ink Printer - Wireless, A4, Print Copy, and Scan. 18ipm mono, 13ipm colour, 600 x 1200 print resolution, 1200 x 2400 dpi scan resolution, 250 sheet paper handling front cassette, 100 sheet rear feed. , 1 sheet rear flat feed, Automatic duplex, USB, Wi-Fi
PRCAGX7140	R 11,876	Canon Maxify GX7140 A4 Colour 4-in-1 Continuous Ink Tank Printer, 6880C034AA, Print, Copy, Scan, Fax, Up to 600 x 1200 DPI print Resolution, Approx. 24.0 ipm mono print Speed, Approx. 15.5 ipm Colour print Speed, Auto Duplex print, D-adf / platen CIS Colour Scanner Scanner Type, Simplex 22.1 ipm Colour Scan Speed, 1200x1200 dpi Scanner Resolution (Optical), 6.9cm LCD Touch Screen Colour, Hi-Speed USB (B Port), Wi-Fi, Ethernet, Apple AirPrint, Wireless direct, Mopria (Android)
PRCAMB2140	R 2,282	Canon MAXIFY MB2140 A4 Multifunction Printer, A4 MFP, Print, Copy, Fax and Scan. 19 ipm mono, 13 ipm colour, 600 x 1200 print resolution, 1200 x 2400 dpi scan resolution, 250 sheet paper handling, 50 Sheet ADF, Automatic duplex, USB, Wi-Fi, Smartphone and Tablet print, Scan to Cloud, scan to USB, Quick first print of 6 seconds. - 4 ink system, ,(BK, C, M, Y). Uses PGI -1400 BK, C, M and Y XL cartrdiges SNMP AND SMTP SUPPORT, PGI -1400 BK, C, M and Y XL cartrdiges
PRCAMB2740	R 2,739	Canon MAXIFY MB2740 A4 Multifunction Printer, A4 MFP, Print, Copy, Fax and Scan. 24 ipm mono, 15.5 ipm colour, 600 x 1200 print resolution, 1200 x 2400 dpi scan resolution, 500 sheet paper handling, 50 Sheet ADF, Automatic duplex, touch screen , USB, Wi-Fi, Ethernet, Smartphone and Tablet print, Scan to cloud, Scan to USB, Quick first print of 6 seconds. - 4 ink system, ,(BK, C, M, Y). Uses PGI -1400 BK, C, M and Y XL cartrdiges SNMP AND SMTP SUPPORT, PGI -1400 BK, C, M and Y XL cartrdiges
PRCAMB5140	R 3,196	Canon MAXIFY MB5140 A4 Multifunction Printer, A4 MFP, Print, Copy, Fax and Scan. 24ipm mono, 15ipm colour, 600 x 1200 print resolution, 1200 x 2400 dpi scan resolution, 250 sheet paper handling, 50 Sheet ADF, Automatic duplex, touch screen , USB, Wi-Fi, Ethernet. , Smartphone and Tablet print, Scan to cloud, Scan to USB, Quick first print of 6 seconds. - 4 ink system, ,(BK, C, M, Y). Uses PGI- 2400 BK, C, M and Y XL cartrdiges SNMP AND SMTP SUPPORT, PGI -2400 BK, C, M and Y XL cartrdiges
PRCAMB5440	R 3,654	Canon MAXIFY MB5440 A4 Multifunction Printer, A4 MFP, Print, Copy, Fax and Scan. 24ipm mono, 15ipm colour, 600 x 1200 print resolution, 1200 x 2400 dpi scan resolution, 500 sheet paper handling, Single pass two sided 50 Sheet DADF, Automatic duplex, touch screen, USB, Wi-Fi, Ethernet, Smartphone and Tablet print, Scan to cloud, Scan to USB, Quick first print of 6 seconds. - 4 ink system, ,(BK, C, M, Y). Uses PGI -2400 BK, C, M and Y XL cartrdiges SNMP AND SMTP SUPPORT, PGI -2400 BK, C, M and Y XL cartrdiges
PRCAMG2541S	R 685	Canon MG2541s Grey All-in-One Inkjet Printer, Print / Copy / Scan, 2 fine cartridges print Technology, Manual two sided printing, Up to 4800 x 600 dpi print Resolution, CIS Flatbed Photo and Document Scanner, 600x1200 dpi Scanner Resolution (Optical), 8.0 ipm mono print Speed, 4.0 ipm Colour print Speed, USB
PRCATR4645	R 1,095	Canon TS3640 Pixma A4 Colour 3-in-1 Ink Printer, Print, Copy, Scan, Up to 4800 x 1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 7.7 ipm mono print Speed, Approx. 4.0 ipm Colour print Speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 DPI Scanner Resolution (Optical), 3.7cm LCD segment mono, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
PRCATS3640BLK	R 821	Canon TS3640 Pixma A4 Colour 3-in-1 Ink Printer, Print, Copy, Scan, Up to 4800 x 1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 7.7 ipm mono print Speed, Approx. 4.0 ipm Colour print Speed, CIS Flatbed Photo and Document Scanner, 600 x 1200 DPI Scanner Resolution (Optical), 3.7cm LCD segment mono, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
PRCATS7640i	R 2,522	Canon Pixma TS7640i A4 3-in-1 Multifunction Ink Printer - White, Print, Copy, Scan, Up to 1200x1200 dpi print Resolution, 2 fine cartridges print Technology, Approx. 15.0 ipm mono print Speed, Approx. 10.0 ipm Colour print Speed, Auto Duplex print, Maximum 100 sheets (Plain paper) rear Tray, Maximum 100 sheets (Plain paper) front Cassette, Flatbed & CIS Colour Scanner Scanner Type, 1200x2400 dpi Scanner Resolution (Optical), 6.7cm LCD Touch Screen Colour Display, Hi-Speed USB, Wi-Fi, Apple AirPrint, Mopria (Android)
PRCATS9540BLK	R 5,304	Canon PIXMA TS9540 A3 Multifunction Printer - Black A3 Print, Copy, Fax and Scan. Can print A3, but copy A4 or

		stitch copy A3. 15 ipm mono, 10 ipm colour, 4800 x 1200 print resolution, 2400 x 4800 dpi scan resolution, fastfront, 100 sheet front cassette, 100 sheet rear cassette paper handling, 20 Sheet
PRHP1F3Y2A	R 2,937	HP 1F3Y2A Smart Tank 580 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 12 ppm print speed Black, Up to 5 ppm print speed Colour, Hi-Speed USB 2.0, Bluetooth, Wi-Fi 802.11b/g/n, Wi-Fi direct, HP Smart App, Apple AirPrint, Mopria print service, 100-sheet Input tray, 30-sheet Output tray, Flatbed contact image sensor (CIS) Scanner Type, Up to 1200 dpi Scan Resolution Optical
PRHP404K9C	R 4,162	HP 404K9C OfficeJet Pro 9130 A4 Colour all-in-on Thermal Inkjet Printer, Print Copy, Scan, Fax, Up to 25 ppm print Speed Black, Up to 20 ppm print Speed Colour, Automatic Duplex printing, 1200 x 1200 print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1 Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 4.3" intuitive Touchscreen Colour graphic Display (CGD), 250 sheet Input Tray, 250 sheet multipurpose Tray, 35 sheet ADF, Up to 100 sheets paper handling Output, Contact image Sensor (CIS) Scan Technology, Up to 1200 dpi Scan Resolution Optical, Easy slide-off Glass single-pass 2-sided ADF Scanner Type
PRHP405W0C	R 2,023	HP 405W0C OfficeJet Pro 8123 A4 Colour All-in-One Thermal Inkjet Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, Up to 10 ppm print Speed Colour, Automatic Duplex printing, 1200x1200 dpi print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Wi-Fi direct printing, Mopria Certified, 2.7" capacitive Touchscreen CGD Display, 225-sheet Input Tray, 35-sheet ADF, 60-sheet Output Tray, Flatbed 1-sided ADF Scanner Type, Up to 1200 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
PRHP4A8D4A	R 2,410	HP 4A8D4A Smart Tank 581 AIO A4 Colour Multifunction Thermal Inkjet Printer, Print, Copy, Scan, Up to 12 ppm print speed Black, Up to 5 ppm print speed Colour, Up to 1200x1200 print quality Black, 1 Hi-Speed USB 2.0, Bluetooth, Wi-Fi 802.11b/g/n, Apple AirPrint, Mopria print service, 100-sheet Input tray, 30-sheet Output tray, Flatbed only Scanner, Up to 1200 dpi Scan Resolution Optical
PRHP4SB24A	R 4,610	HP 4SB24A Smart Tank 530 Wireless All-in-One A4 Colour Printer, Print, Copy, Scan, ADF, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.58cm MGD (Monochrome Touchscreen) Display, 1 each Black bottle, Set of 3 color bottles, Built-in Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Bluetooth, 100 sheet Input tray, 30-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical, Up to 35 sheets automatic Document feeder capacity
PRHP4WF66A	R 6,738	HP Smart Tank 790 Wireless All-in-One - Print, Copy, Scan & Fax. Wireless and Mobile printing. 35-page ADF. Colour Fax. Automatic Duplex Printing. Connectivity Standard: 1 USB Host; Hi-Speed USB 2.0; Wi-Fi; Bluetooth LE; Ethernet; Fax. Wireless Yes, 2.4
PRHP537P5C	R 4,982	HP 537P5C OfficeJet Pro 9730 Wide Format All-in-One A4 Colour Thermal Inkjet Printer, Print, Copy, Scan, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, Up to 1200x1200 rendered dpi print quality, 1x Ethernet, 1x Hi-Speed USB 2.0, 1x Wi-Fi, Apple AirPrint, Mopria Certified, 4.3" LCD (Colour) with cap Sense Touchscreen Function, 250-sheet Input Tray, 250-sheet plain paper Tray, 75-sheet Output Tray, Flatbed / ADF Scanner Type, Up to 1200x1200 dpi Scan Resolution Optical, Standard, 35 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan Technology
PRHP53N94C	R 4,252	HP OfficeJet Pro 9720 Wide Format A4 Colour All-in-One Thermal Inkjet, Printer, Print, Copy, Scan, Up to 22 ppm print Speed Black, Up to 18 ppm print Speed Colour, Automatic Duplex printing, Up to 1200 x 1200 print quality, 1x Ethernet LAN, 1x Hi-Speed USB 2.0, 1x Wi-Fi 5, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 2.7" capacitive Touchscreen CGD, 250-sheet Input Tray, 75-sheet Output Tray, Flatbed / ADF Scanner Type, CIS Scan Technology, Up to 1200 dpi Scan Resolution Optical, Standard 35 sheets automatic Document feeder capacity
PRHP6UU47A	R 6,369	HP 6UU47A Smart Tank 750 All-in-One A4 Colour Thermal Inkjet Printer, Print, Scan, Copy, ADF, Up to 15 ppm print speed Black, Up to 9 ppm print speed Colour, Up to 5000 pages duty cycle, Up to 1200 x 1200 dpi print quality, Automatic paper sensor, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, LAN, Apple AirPrint, Mopria print service, HP print service plugin (Android printing), HP Smart App, 250-sheet Input tray, 100-sheet Output tray, Flatbed / ADF Scanner Type, Up to 1200 dpi scan Resolution optical
PRHP7WN42B	R 649	HP DeskJet 2320 All-in-One Print; Copy & Scan. Manual Duplex. Connectivity standard: 1 Hi-speed USB 2.0. Standard print languages: HP PCL 3 GUI. No Borderless printing. No wireless. Mobile Print Capability not supported. Input capacity Standard: Up to 6

PRHPY0F71A	R 4,812	HP Y0F71A Smart Tank 615 Wireless All-in-One A4 Colour Printer, Copy, Scan, Fax, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.59 cm Touchscreen MGD (Monochrome Graphics) Display, 1 each Black bottle, Set of 3 color bottles, Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, 100 sheet Input tray, 30-sheet Output tray, Flatbed Scanner Type, Up to 1200 dpi scan Resolution optical
WF-AM-C400	R 33,788	Epson WorkForce Enterprise AM-C400 A4 Colour Multifunction Inkjet Printer, Print, Scan, Copy, Fax, Duplex print, 40ppm Mono & Colour, PrecisionCore printing Method, DURABrite Ink Technology, 600 x 1200 DPI printing Resolution, Double-sided scanning, Contact Image Sensor (CIS) Scanner Type, 600 dpi x 600 dpi Optical Scan Resolution (Glass), 600 dpi x 600 dpi Optical Scan Resolution (ADF), 100 pages Automatic Document feed, 600 sheets Standard Standard paper Input, 100 sheets MP Tray, 500 sheets paper Tray, 300 sheets Output Tray capacity, ADF 2-sided Copy, USB, WiFi, Gigabit Ethernet Interface, Apple AirPrint, Mopria, 27.7 cm Touchscreen Display
WF-AM-C4000	R 85,223	Epson WorkForce Enterprise am-c4000 Colour A3 Multifunction Inkjet Printer, Print, Scan, Copy, Fax, Auto Duplex print & Scan, 2 trays, Initialisation inks included, PrecisionCore Micro TFP Printhead printing Method, DURABrite Pro Ink Technology, 4 colours, 40 pages/min printing Speed, 600 x 2400 DPI printing Resolution, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 60 ipm scanning Speed, 600 x 1200 DPI Optical Resolution, 600 x 600 dpi Optical Resolution (ADF), Up TO40 ipm Copy Speed, 600 x 600 dpi Copy Resolution, 150 pages automatic Document feed, 500 sheets Output Tray capacity, 2x 500-sheet paper trays, 25.7 cm Touchscreen, Gigabit LAN Port, USB
WF-AM-C5000	R 98,003	Epson WorkForce enterprise am-c5000 Colour A3 Multifunction Inkjet Printer, Scan, Copy, Fax, 2 trays, Initialisation inks included, Duplex print, PrecisionCore Micro TFP Printhead printing Method, DURABrite Pro K Technology, 4 colours, 50 pages/min printing Speed, 600 x 2400 DPI printing Resolution, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 60 ipm scanning Speed, 600 x 1200 DPI Optical Resolution, 600x600 dpi Optical Resolution (ADF), Up to 50 ipm Copy Speed, 600x600 dpi Copy Resolution, 150 pages automatic Document feed, Duplex, 500 sheets Output Tray capacity, 2x 500-sheet paper trays, 25.7 cm Touchscreen, Gigabit LAN Port, USB
WF-AM-C6000	R 112,824	Epson WorkForce Enterprise am-c6000 Colour A3 Multifunction Inkjet Printer, Print, Scan, Copy, Fax, Auto Duplex print & Scan 2 trays, Initialisation inks included, PrecisionCore Micro TFP Printhead printing Method, DURABrite Pro Ink Technology, 4 colours, 60 pages/min print Speed, 600 x 2400 DPI printing Resolution, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 60 ipm scanning Speed, 600 dpi x 1200 DPI Optical Resolution, 600 dpi x 600 dpi Optical Resolution (ADF), Up TO60 ipm Copy Speed, 600x600 dpi Copy Resolution, Gigabit LAN, USB, 150 pages automatic Document feed, 500 sheets Output Tray capacity, 2 x 500-sheet paper Tray, 25.7 cm Touchscreen Display
WF-C21000D4TW	R 190,866	Epson WorkForce Enterprise WF-C21000 D4TW Colour A3 3-in-1 Multifunction Inkjet Printer, Print, Scan, Copy, Fax, Only 4 trays, No inks included, PrecisionCore Micro TFP Printhead printing Method, DURABrite Pro Ink Technology, 100 pages/min print Speed, 600 x 2400 DPI printing Resolution, Contact Image Sensor (CIS) Scanner Type, 600 dpi x 600 dpi Optical Resolution, Double-sided scanning, 60 ipm scanning Speed, Up TO100 ipm Copy Speed, 150 pages automatic Document feed, Duplex Scan, 2350 sheets standard, 150 sheets MP Tray, 550 sheets paper Tray, 550 sheets Output Tray capacity, 22.7 cm Touchscreen Display, Gigabit LAN Port, USB, WiFi
WF-C5890DWF	R 8,916	Epson WorkForce Pro WF-C5890dwf A4 Colour Inkjet Multifunction Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing Method, DURABrite Ultra Ink Technology, 4800x1200 dpi printing Resolution, 4 colours, 34 pages/min printing Speed, Contact image Sensor (CIS) Scanner Type, Double-sided scanning, 1200x2400 dpi Optical Resolution Flatbed, 1200x1200 dpi Optical Resolution (ADF), Duplex, 50 pages automatic Document feed, 150 sheets Output Tray capacity, 330 sheets standard paper Tray capacity, WiFi, USB, Gigabit Ethernet Interface, Apple AirPrint, Google Cloud print, 10.9 cm Touchscreen Colour Display
WF-C879RDWF	R 44,367	Epson WorkForce Pro WF-C879RDWF Colour A3 Multifunction Inkjet Printer, Print, Scan, Copy, Fax, PrecisionCore printing Method, Replaceable Ink pack system (RIPS) Ink Technology, 35 pages/min Monochrome / Colour printing Speed, 4800 x 1200 dpi printing Resolution, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 600 dpi x 600 dpi Optical Resolution ADF, Up TO22 ipm Copy Speed, 600 x 1200 DPI

		Copy Resolution, 150 pages automatic Document feed, Duplex print, 250 sheets Output Tray capacity, 250-sheet paper Tray standard paper Tray, 12.7 cm Touchscreen Display, USB 2.0, Ethernet LAN, WiFi
WF-C879RDWF Promo	R 23,054	Epson WorkForce Pro WF-C879RDWF Colour A3 Multifunction Inkjet Printer, Print, Scan, Copy, Fax, PrecisionCore printing Method, Replaceable Ink pack system (RIPS) Ink Technology, 35 pages/min Monochrome / Colour printing Speed, 4800 x 1200 dpi printing Resolution, Contact Image Sensor (CIS) Scanner Type, Double-sided scanning, 600 dpi x 600 dpi Optical Resolution ADF, Up TO22 ipm Copy Speed, 600 x 1200 DPI Copy Resolution, 150 pages automatic Document feed, Duplex print, 250 sheets Output Tray capacity, 250-sheet paper Tray standard paper Tray, 12.7 cm Touchscreen Display, USB 2.0, Ethernet LAN, WiFi
WF-M21000D4TW	R 194,531	Epson WorkForce Enterprise WF-M21000 D4TW mono A3 3-in-1 Inkjet Printer, Print, Copy, Scan, 4 trays, No inks included, PrecisionCore Micro TFP Printhead printing Method, DURABrite Pro Ink Technology, 100 pages/min Monochrome printing Speed, 600 x 2400 DPI printing Resolution, Contact Image Sensor (CIS) Scanner Type, 600 dpi x 600 dpi Optical Resolution, Double-sided scanning, Maximum Copy size A3, Up to 100 ipm Black Copy Speed, Ethernet LAN, USB, WiFi, 150 pages automatic Document feed, Duplex print, 227 cm Touchscreen Display, 2.350 sheets standard, 150 sheets MP Tray, 550 sheets paper Tray, 550 sheets Output Tray capacity
WF-M5899DWF	R 10,119	Epson WF-M5899DWF mono A4 4-in-1 Multifunction Inkjet Printer, Print, Scan, Copy, Fax, PrecisionCore Print Head printing, 34 pages/min Monochrome printing Speed, 16 A4 pages/min Monochrome Duplex printing Speed, 1200 x 2400 dpi printing Resolution, Contact Image Sensor (CIS) Scanner Type, 30 ipm scanning Speed, 1200 x 2400 dpi Optical Resolution, Up to 22 ipm Black Copy Speed, Hi-Speed USB, Gigabit LAN Port, WiFi, 50 pages automatic Document feed, Duplex print, 330 sheets standard paper Input, 80 sheets MP Tray, 150 sheets Output Tray capacity, 10.9 cm Touchscreen Display. The Epson WorkForce Pro WF-M5899DWF is a monochrome A4 4-in-1 multifunction inkjet printer tailored for high-volume business environments. It offers fast printing speeds, robust paper handling, and advanced scanning capabilities, all while maintaining energy efficiency. With comprehensive connectivity options and a low total cost of ownership, this printer is designed to enhance productivity and streamline document workflows in professional settings.
Y0F71A	R 5,594	HP Y0F71A Smart Tank 615 Wireless All-in-One A4 Colour Printer, Copy, Scan, Fax, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.59 cm Touchscreen MGD (Monochrome Graphics) Display, 1 each Black bottle, Set of 3 color bottles, Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, 100 sheet Input tray, 30-sheet Output tray, Flatbed Scanner Type, Up to 1200 dpi scan Resolution optical
Y0F71A	R 5,192	HP Y0F71A Smart Tank 615 Wireless All-in-One A4 Colour Printer, Copy, Scan, Fax, Up to 11ppm print speed Black, Up to 5ppm print speed color, Up to 1000 pages duty cycle, HP thermal Inkjet, Up to 1200x1200 rendered dpi print quality, 5.59 cm Touchscreen MGD (Monochrome Graphics) Display, 1 each Black bottle, Set of 3 color bottles, Dual Band Wi-Fi 802.11b/g/n, Wireless direct, Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE, 100 sheet Input tray, 30-sheet Output tray, Flatbed Scanner Type, Up to 1200 dpi scan Resolution optical

< Return to the menu

Printers : Printers - Multifunction Laser A3

Product code	Price	Description
8AF43A	R 10,082	HP 8AF43A HP LaserJet MFP M438n 3in1 A3 mono Printer, Print, Scan, Copy, Scanner glass (A3), Up to 22 ppm print speed Black, Up to 50 000 pages per month duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 4-line LCD Display, 600 MHz Processor speed, 1x Hi-Speed USB 2.0 device, 1x Ethernet 10/100 base TX, 100 sheet tray, 250 sheet trat, Flatbed Scanner Type, Up to 600 dpi scan Resolution optical
8AF71A	R 12,510	HP 8AF71A LaserJet MFP M442dn 3in1 A3 mono Printer, Print, Scan, Copy, Automatic duplex printing only, Up to 24 ppm print speed Black, Up to 50 000 pages per month duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 4-line LCD Display, 600 MHz Processor speed, 1x Hi-Speed USB 2.0 device, 1x Ethernet 10/100 base TX, 100 sheet tray, 250 sheet tray, Flatbed Scanner Type, Up to 600 dpi scan Resolution optical
8AF72A	R 17,341	HP 8AF72A LaserJet MFP M443nda 3in1 A3 mono Printer, Print, Copy, Scan, Automatic duplex printing, Automatic duplex copying, 100-sheet ADF, pin printing, Up to 25 ppm print speed Black, Up to 50 000 pages per month duty cycle (Monthly A4), Up to 1200x1200 dpi print quality Black, 4-line LCD Display, 600 MHz Processor speed,

		Hi-Speed USB 2.0 device, Ethernet 10/100 base TX, 100 sheet tray, 250 sheet tray, Flatbed, ADF Scanner Type, Up to 600 dpi scan Resolution optical
CF066A	R 41,700	HP LaserJet Enterprise 700 MFP M725dn 3-in-1 - Print up to 40 ppm black (ISO speed), Copy Speed Up to 40 cpm, Fax optional, Scan Speed 19 ppm black; 14 ppm colour, Duplex (Automatic), 100-sheet ADF, 600-sheet input tray, 250 sheet output tray, Connectivity 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,Foreign Interface, Hardware Integration Pocket,2 Internal USB Host, Digital Sending Features, Std Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL, HP ePrint, Apple AirPrint
CF067A	R 56,769	HP LaserJet Enterprise 700 MFP M725f 4-in-1 - Print up to 40 ppm black (ISO speed), Copy Speed Up to 40 cpm, Fax Resolution Up to 300 x 300 dpi, Scan Speed 19 ppm black; 14 ppm colour, Duplex (Automatic), 100-sheet ADF, 1,600-sheet input tray, 250 sheet output tray, Connectivity 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,Foreign Interface, Hardware Integration Pocket,2 Internal USB Host, Digital Sending Features, Std Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL, HP ePrint, Apple AirPrint
CF068A	R 68,109	HP LaserJet Enterprise 700 MFP M725z 4-in-1 - Print up to 40 ppm black (ISO speed), Copy Speed Up to 40 cpm, Fax Resolution Up to 300 x 300 dpi, Scan Speed 19 ppm black; 14 ppm colour, Duplex (Automatic), 100-sheet ADF, 2,100-sheet input tray, 750 sheet output tray, Connectivity 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,Foreign Interface, Hardware Integration Pocket,2 Internal USB Host, Digital Sending Features, Std Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL, HP ePrint, Apple AirPrint
CF367A	R 175,507	HP LaserJet Enterprise flow MFP M830z - Print up to 55 ppm black (ISO speed), Copy Speed Up to 55 cpm, Fax Resolution Up to 300 x 300 dpi, Scan Speed 70 ppm black; 68 ppm colour, Duplex (Automatic), 200-sheet ADF, 4,600-sheet input tray, 3000 sheet output tray, Connectivity; 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 2 Internal USB Host., Â© 2014 Laptop Direct
LP-HCM880Z+o	R 174,439	HP A2W76A enterprise flow laser Color M880Z O-in-1 A3 wide format - Print-Scan-Copy-Fax , with 20.32cm touchscreen color SVGA angle adjustable LCD auto Duplex printing unit 200s duplex ADF gigabit network ready : 800 MHz intel LE80578 processor , 2.5Gb memory 320Gb secure HDD with 256bit AES , 46ppm, 1200 dpi, 4100 (100 500 1500 2000)s input tray , 500s output upto 3000 , duty: 200000 pages per month ; scan: 600dpi, scan to email; standalone copy, 46cpm, 9999 mutiple copies, 25-400% , as standalone fax with 33.6k modem , 100x speed dial - 3x usb2.0 UTP
LP-HCM880Zo	R 169,704	HP Colour Laserjet A3 M880z - Print up to 46 ppm black and up to 46 ppm colour (ISO speed), Copy Speed Up to 45 cpm, Fax Resolution Up to 300 x 300 dpi, Scan Speed 70 ppm black; 68 ppm colour, Duplex (Automatic), 200-sheet ADF, 2,100-sheet input tray, 500 sheet output tray, Connectivity; 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 hardware integration pocket; 2 Internal USB Host, ©2014 Laptop Direct
LP-HM725DNo	R 59,917	HP CF066A laserjet enterprise M725F Multifunction - A3 wide format - Print-Scan-Copy, with 100 sheets duplex ADF auto duplex printing unit gigabit network ready 20.32cm touchscreen color SVGA LCD: 800 MHz RISC processor, 1Gb ddr up to 1.5Gb 320Gb secure HDD with 256bit AES, 41ppm, 1200/1200 dpi, 600 (100 250 250)s input tray up to 4100, 250s output tray, duty: 200k pages per month; scan: 600x600/9600dpi, scan to email; standalone copy, 9999 mutiple copies, 25-400% - 3xUSB UTP (ORDER ON REQUEST)
LP-HM725Fo	R 77,558	HP CF067A laserjet enterprise M725F Multifunction - A3 wide format - Print-Scan-Copy-FAX, with 100 sheets duplex ADF auto duplex printing unit gigabit network ready 20.32cm touchscreen color SVGA LCD: 800 MHz RISC processor, 1Gb ddr up to 1.5Gb 320Gb secure HDD with 256bit AES, 41ppm, 1200/1200 dpi, 1600 (100 250 250 500 500)s input tray up to 4100, 250s output tray, duty: 200k pages per month; scan: 600x600/9600dpi, scan to email; standalone copy, 9999 multiple copies, 25-400%; as standalone fax with 33.6k modem, 100pages fax memory, 100 speed dial - 3xUSB UTP (ORDER ON REQUEST)
LP-HM725Zo	R 91,810	HP CF068A laserjet enterprise M725Z Multifunction - A3 wide format - Print-Scan-Copy-FAX, with 100 sheets duplex ADF auto duplex printing unit gigabit network ready 20.32cm touchscreen color SVGA LCD: 800 MHz

		RISC processor, 1Gb ddr up to 1.5Gb 320Gb secure HDD with 256bit AES, 41ppm, 1200/1200 dpi, 2100 (100 250 250 3x500)s input tray up to 4100, 250s output tray 500s inline stapler/stacker, duty: 200k pages per month; scan: 600x600/9600dpi, scan to email; standalone copy, 9999 mutiple copies, 25-400%; as standalone fax with 33.6k modem, 100pages fax memory, 100 speed dial - 3xUSB UTP (ORDER ON REQUEST)
LP-HM806X+	R 106,812	HP CZ245A enterprise laser M806X A3 wide format - with auto duplex printing unit gigabit network ready 10.9cm touchscreen color WQVGA LCD; 533 MHz 20Kc MIPS processor, 1Gb ddr up to 1.5Gb 320Gb secure HDD with 256bit AES, 1200x1200dpi, 56ppm, 4600 (100 500 500 1500 2000)s input tray, 600 (500 100)s output up to 3600, duty: 300000pages per month, auto duplex printing unit optional - 3xUSB UTP (ORDER ON REQUEST)
LP-HM830Zo	R 210,558	HP CF367A laserjet enterprise flow M830Z Multifunction - A3 wide format - Print-Scan-Copy-FAX, with 200 sheets duplex ADF auto duplex printing unit gigabit network ready 20.32cm touchscreen color SVGA LCD: 800 MHz RISC processor, 1Gb ddr up to 1.5Gb 320Gb secure HDD with 256bit AES, 56ppm, 1200/1200 dpi, 4600 (100 500 500 3500)s input tray, 3500s output tray with stapler/stacker, duty: 300k pages per month; scan: 600x600/9600dpi, scan to email; standalone copy, 999 mutiple copies, 25-400%; as standalone fax with 33.6k modem, 500pages fax memory, 100 speed dial - 3xUSB UTP (ORDER ON REQUEST)
PRHP8AF71A	R 12,312	HP 8AF71A LaserJet MFP M442dn 3in1 A3 mono Printer, Print, Scan, Copy, Automatic duplex printing only, Up to 24 ppm print speed Black, Up to 50 000 pages per month duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 4-line LCD Display, 600 MHz Processor speed, 1x Hi-Speed USB 2.0 device, 1x Ethernet 10/100 base TX, 100 sheet tray, 250 sheet tray, Flatbed Scanner Type, Up to 600 dpi scan Resolution optical
PRHP8AF72A	R 17,858	HP 8AF72A LaserJet MFP M443nda 3in1 A3 mono Printer, Print, Copy, Scan, Automatic duplex printing, Automatic duplex copying, 100-sheet ADF, pin printing, Up to 25 ppm print speed Black, Up to 50 000 pages per month duty cycle (Monthly A4), Up to 1200x1200 dpi print quality Black, 4-line LCD Display, 600 MHz Processor speed, Hi-Speed USB 2.0 device, Ethernet 10/100 base TX, 100 sheet tray, 250 sheet tray, Flatbed, ADF Scanner Type, Up to 600 dpi scan Resolution optical
PRHP9S186A	R 107,346	HP 9S186A Enterprise MFP M8601dn A3 Mono 3-in-1 LaserJet Printer, Print, Copy, Scan, Up to 70 ppm print Speed Black, Automatic Duplex printing, Up to 60000 recommended monthly page Volume, 1 Gigabit Ethernet, 1x USB 3.0, 10.1-in Touchscreen WXGA Colour graphic Display (CGD), 100-sheet Multi-Purpose Tray, 4x 520-sheet Input Tray, Up to 500 sheets paper handling Output, Flatbed / ADF Scanner Type, Up to 600x600 dpi Scan Resolution Optical, Standard 200 sheets Automatic Document Feeder capacity, Single pass Duplex ADF scanning

< Return to the menu

Printers : Printers - Multifunction Laser A4

Product code	Price	Description
1PV64A	R 23,163	HP 1PV64A enterprise laser M528DN Multifunction - Print-Scan-Copy, with auto duplex printing unit 100s single-pass duplex ADF, gigabit network ready, 20.32cm SVGA color touchscreen LCD: 1200MHz processor, 1.75GB memory up to 2.75GB, 43ppm, 1200/1200 dpi, 650 (100 550)s input tray up to 2300, 250s output tray, duty: 150000 pages per month; scan:43/38ppm, 600x600dpi, scan to email digital sending; standalone copy, 9999 multiple copies, 25-400% - 2 1x USB UTP HiP (Order on request)
2925C008AA	R 7,451	Canon i-SENSYS MF260 series MF267dw A4 mono Laser All in one Printer, Print, Copy, Scan, Fax, Up to 28 ppm Single Sided, Up to 17.8 ipm Double sided, 600x600 dpi print Resolution, Google Cloud print ready, AirPrint, Up to 28 ppm Single Sided Copy speed, Double sided copying, Flatbed and automatic Document feeder Colour Scanner, Up to 600x600 dpi optical scan Resolution, 35-sheet ADF, 250-sheet Cassette, 1-sheet multi-purpose tray, 50-sheet paper Output, USB 2.0 Hi-Speed, 10Base-T / 100Base-TX LAN, Wireless 802.11b/g/n, Wireless direct connection
2925C070AA	R 5,684	Canon i-Sensys MF264DW Multifunction printer, print scan copy with auto duplex print/copy 50s duplex ADF network ready (wired wireless) 5 lines B& W lcd - 400mhz processor, 256mb memory, A4, print 600 / 1200x1200dpi; 28ppm, 250s input, 50s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; duty: 30000pages per month - USB 2.0 UTP Wireless Direct
29S0215	R 7,915	Lexmark MX431adn A4 Multifunction mono Laser Printer, Copy, Print, Scan, Fax, 2.8" LCD Touch panel Display, 100-sheet multipurpose feeder, Integrated Duplex, 150-sheet Output bin, 250-sheet Input, 600 x 600 dpi print

		Resolution, Gigabit Ethernet, USB 2.0, Up to 40 ppm print speed, Flatbed Scanner with ADF, DADF (Single pass Duplex), CIS Scan technology, Up to 600 x 600 PPI (Colour) Optical scanning Resolution, 50-sheet automatic Document feeder
2R7F5A	R 5,023	HP 2R7F5A LaserJet Tank MFP 2602sdw A4 mono Laser Printer, Print, Copy, Scan, Up to 22 ppm print speed Black, Automatic Duplex printing, Up to 600 x 600 dpi print quality Black (Best), Hi-Speed USB, Ethernet 10/100 Base-TX, 802.11a/b/g/n (2.4 / 5 GHz) Wi-Fi, HP Smart App, Apple AirPrint, Mopria Certified, Wi-Fi direct PrintingApple AirPrint, HP Smart App, Mopria Certified, Wi-Fi direct printing, 250-sheet Input tray, Flatbed Scanner Type, Scan technology contact image sensor (CIS), Up to 600 dpi Scan Resolution Optical, Standard 40 sheets automatic Document feeder capacity
2Z627A	R 6,333	HP 2Z627A LaserJet Pro MFP 4103dw A4 Multifunction mono Laser Printer, Print, Scan, Copy, Up to 40 ppm print speed Black, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216 x 356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200 x 1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN, 2.4 / 5GHz WiFi
2Z627A	R 7,843	HP 2Z627A LaserJet Pro MFP 4103dw A4 Multifunction mono Laser Printer, Print, Scan, Copy, Up to 40 ppm print speed Black, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216 x 356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200 x 1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN, 2.4 / 5GHz WiFi
2Z628A	R 8,267	HP 2Z628A LaserJet Pro MFP 4103fdn A4 Multifunction mono Laser Printer, Print, Scan, Copy, Fax, Up to 40 ppm print speed Black, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216 x 356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200 x 1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN
2Z628A	R 9,614	HP 2Z628A LaserJet Pro MFP 4103fdn A4 Multifunction mono Laser Printer, Print, Scan, Copy, Fax, Up to 40 ppm print speed Black, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216 x 356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200 x 1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN
2Z629A	R 7,028	HP 2Z629A LaserJet Pro MFP 4103fdw A4 Multifunction mono Laser Printer, Print, Scan, Copy, Fax, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216x356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200x1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN, 2.4 / 5 GHz Wi-Fi
2Z629A	R 8,690	HP 2Z629A LaserJet Pro MFP 4103fdw A4 Multifunction Mono Laser Printer, Print, Scan, Copy, Fax, Up to 150 sheets Output capacity, 100 sheets Tray 1, 250 sheets Tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216 x 356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document Feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact Image Sensor (CIS) Scan Technology, Up to 1200 x 1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN, 2.4 / 5GHz Wi-Fi
3G631A	R 6,556	HP 3G631A LaserJet Pro MFP 3103fdw A4 mono Multifunction Printer, Print, Copy, Scan, Fax, up to 33 ppm print Speed Black, automatic (Standard) Duplex printing, up to 1200x1200 dpi print quality Black (Best), Laser print Technology, Hi-Speed USB, 10/100 Mbps ethernet., Apple AirPrint, Mopria Certified, 2.7" CGD Touch Screen Display, 1 Main Tray 250 sheets, 150 sheets Output Tray, ADF / Flatbed Scanner Type, up to 300 dpi ADF Scan

		Resolution Optical, up to 1200 dpi Flatbed Scan Resolution Optical, standard 50 sheets automatic Document feeder capacity
3G631A	R 6,746	HP 3G631A LaserJet Pro MFP 3103fdw A4 mono Multifunction Printer, Print, Copy, Scan, Fax, up to 33 ppm print Speed Black, automatic (Standard) Duplex printing, up to 1200x1200 dpi print quality Black (Best), Laser print Technology, Hi-Speed USB, 10/100 Mbps ethernet., Apple AirPrint, Mopria Certified, 2.7" CGD Touch Screen Display, 1 Main Tray 250 sheets, 150 sheets Output Tray, ADF / Flatbed Scanner Type, up to 300 dpi ADF Scan Resolution Optical, up to 1200 dpi Flatbed Scan Resolution Optical, standard 50 sheets automatic Document feeder capacity
3G632A	R 6,949	HP 3G632A LaserJet Pro MFP 3103fdw A4 Mono Laser Printer, Print, Copy, Scan, Fax, Up to 33 ppm print Speed Black, Automatic Duplex printing, 1x Hi-Speed USB 2.0, 10/100 Mbps Ethernet Port, WiFi, Apple AirPrint, Mopria Certified, 2.7" CGD Touch Screen Display, 1 Main Tray - 250 sheets or 10 envelopes, 150 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity
3G632A	R 7,619	HP 3G632A LaserJet Pro MFP 3103fdw A4 Mono Laser Printer, Print, Copy, Scan, Fax, Up to 33 ppm print Speed Black, Automatic Duplex printing, 1x Hi-Speed USB 2.0, 10/100 Mbps Ethernet Port, WiFi, Apple AirPrint, Mopria Certified, 2.7" CGD Touch Screen Display, 1 Main Tray - 250 sheets or 10 envelopes, 150 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity
3PZ55A	R 9,522	HP 3pz55a LaserJet Enterprise MFP M430f multifunction A4 Laser Printer, Print, Copy, Scan, Fax, Up to 38 ppm print speed Black, Up to 100 000 pages duty cycle, Up to 1200 x 1200 dpi print quality Black (Best), 10.9 cm diagonal Colour backlit 480 RGB (H) x 272 (V) Display, HP ePrint, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 2 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 device, 1 Gigabit Ethernet 10/100/1000t Network, 1 fax, 100 sheet tray 1 paper handling Input, 50 sheet automatic Document feeder (ADF), 250 sheet Input tray 2, 150 sheet Output bin, Automatic duplex printing, Flatbed / ADF Scanner Type, Up to 600 dpi scan Resolution optical
3QA55A	R 12,576	HP 3QA55A Colour LaserJet Enterprise MFP M480f A4 Printer, Print, Copy, Scan, Fax, Up to 27 ppm print speed Black, Up to 27 ppm print speed Colour, Up to 55000 pages duty cycle, Up to 600 x 600 dpi print quality, 4.3" diagonal Colour TFT LCD backlit Display, HP ePrint, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, NFC touch-to-print (Optional), Roam capable for easy printing, PrinterOn print, 2x Hi-Speed USB 2.0 Host, 1x Hi-Speed USB 2.0 device, 1x Gigabyte Ethernet 10/100/1000 Network, 1x fax, 50-sheet multipurpose tray, 250-sheet Input tray, 150-sheet Output bin, Automatic duplex printing, Flatbed ADF Scanner Type, Up to 600 dpi scan Resolution optical, Duplex ADF scanning
3WT91A	R 70,313	HP LaserJet Enterprise 700 colour MFP M776z - Print, Copy, Scan,Fax, digital send, easy access USB, 5-20 Users, Print up to 46 ppm Black & 46 ppm color, Duplex, 100 sheet multi-purpose tray; 2 x 550 sheet paper trays and stand, 600x600 dpi, built-in Embedd
499M6A	R 7,623	HP 499M6A Colour LaserJet Pro MFP 3303sdw A4 Colour Laser Multifunction Printer, Print, Copy, Scan, Up to 25 ppm print Speed Black & Colour, Automatic Duplex printing, Up to 600x600 dpi print quality, 1x Hi-Speed USB 2.0, Wi-Fi 802.11ac, 1x Gigabit Ethernet, Direct printing, HP Smart App, Mobile apps, 4.3" diagonal Colour tft-backlit (480x272) Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity, Contact Image Sensor (CIS) Scan Technology, No Duplex ADF scanning
499M6A	R 7,202	HP 499M6A Colour LaserJet Pro MFP 3303sdw A4 Colour Laser Multifunction Printer, Print, Copy, Scan, Up to 25 ppm print Speed Black & Colour, Automatic Duplex printing, Up to 600x600 dpi print quality, 1x Hi-Speed USB 2.0, Wi-Fi 802.11ac, 1x Gigabit Ethernet, Direct printing, HP Smart App, Mobile apps, 4.3" diagonal Colour tft-backlit (480x272) Display, 250 sheets Main Input Tray, 1 sheet priority feed Tray, 100 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity, Contact Image Sensor (CIS) Scan Technology, No Duplex ADF scanning
4ZB84A	R 4,169	HP Mono LaserJet MFP 137fnw Print, Copy, Scan and Fax. Control Panel: 2-Line LCD; 30 Buttons (Power, Cancel, Start, Navigation (Menu, OK, Back, Left, Right), ID Copy, Contrast, Scale, Wireless, Numeric & Tel(1 to 9, 0, *, #, Address Book, Redial, On hook

4ZB84A	R 4,299	HP Mono LaserJet MFP 137fnw Print, Copy, Scan and Fax. Control Panel: 2-Line LCD; 30 Buttons (Power, Cancel, Start, Navigation (Menu, OK, Back, Left, Right), ID Copy, Contrast, Scale, Wireless, Numeric & Tel(1 to 9, 0, *, #, Address Book, Redial, On hook), Mode (Fax, Copy, Scan to); LED indicator lights (Power, Status, Wireless, Mode). Manual duplex and booklet print, N-up printing, skip blank pages, poster print, watermarks. Manual Duplex printing (driver support provided). Connectivity:USB 2.0 high-speed, Wireless, WiFi Direct, Ethernet. Memory: 128MB/600MHz. Apple AirPrint; Google Cloud Print; Mobile Apps; Mopria Certified; Wi-Fi Direct Printing. Security Management: Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPV2/V3; IPSec; Filtering: MAC, IPv4, IPv6. 35 - sheet ADF.
4ZB84A	R 4,511	HP 4ZB84A Laser MFP 137fnw A4 mono Multifunction Laser Printer, Print, Copy, Scan, Fax, Up to 20 ppm print Speed Black, Up to 1200x1200 dpi print quality Black (Best), Hi-Speed USB 2.0, Fast Ethernet LAN, Wireless, Apple AirPrint, Mopria Certified, 2-line LCD (16 characters per line) Display, 150 sheet Input Tray, 100 sheet Output bin, Flatbed / ADF Scanner Type, Contact image Sensor (CIS) Scan Technology, Up to 600x600 dpi Scan Resolution Optical, Standard 40 sheets automatic Document feeder
4ZB96A	R 6,040	HP 4ZB96A MFP 178nw A4 Colour Laser Multifunction Printer, Print, Copy, Scan, Up to 18 ppm print Speed Black, Up to 4 ppm print Speed Colour, No Duplex printing, Up to 600x600 print quality Black & Colour, Hi-Speed USB 2.0 Port, Wireless 802.11 b/g/n, Fast Ethernet, Apple AirPrint, Mopria Certified, 2-line LCD Display, 150 sheet Input Tray, 50 sheet Output bin, Flatbed Scanner Type, Up to 600x600 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
4ZB96A	R 6,696	HP 4ZB96A MFP 178nw A4 Colour Laser Multifunction Printer, Print, Copy, Scan, Up to 18 ppm print Speed Black, Up to 4 ppm print Speed Colour, No Duplex printing, Up to 600x600 print quality Black & Colour, Hi-Speed USB 2.0 Port, Wireless 802.11 b/g/n, Fast Ethernet, Apple AirPrint, Mopria Certified, 2-line LCD Display, 150 sheet Input Tray, 50 sheet Output bin, Flatbed Scanner Type, Up to 600x600 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan Technology
4ZB97A	R 6,982	HP Colour LaserJet 179fnw. Print, Copy, Scan and Fax. Memory 128MB/800MHz. Control panel: 2-line LCD and keypad. Mobile printing: HP ' s best-in-class mobile app - HP Smart app; Mopria; AirPrint 1.8 enabled; Google Cloud Print.
4ZB97A	R 7,428	HP 4ZB97A Colour Laser 179fnw A4 Multifunction Colour Laser Printer, Print, Copy, Scan, Fax, Up to 18 ppm print speed Black, Up to 4 ppm print speed Colour, Up to 600x600 dpi print quality, Hi-Speed USB 2.0 Port, Fast Ethernet LAN, Wireless 802.11b/g/n, Apple AirPrint, Mopria Certified, Google Cloud print, 2-line LCD Display, 150 sheet Input tray, 50 sheet Output bin, Flatbed ADF Scanner Type, Up to 600x600 dpi Scan Resolution Optical, Standard 40 sheets automatic Document feeder capacity, Contact image Sensor (CIS) Scan technology
5158C023AA	R 8,179	Canon i-SENSYS MF650 MF657cdw 4-in-1 A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 21 ppm print speed, Colour Laser beam printing, Up to 1200x1200 dpi print Resolution, Secure print, AirPrint, Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input (Standard), 1-sheet manual feed slot, 50-sheet ADF, 251 sheets Maximum paper Input capacity, 100-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n
5252B031AA	R 2,754	CANON MF3010 A4 mono 3in1 Multifunction Laser Printer, Print, Scan, Copy, Up to 18 ppm print speed, 600x400 dpi print Resolution, Colour Flatbed Scanner, Up to 600x600 dpi Optical Scan Resolution, 150-sheet tray paper Input (Standard), 100-sheet paper Output, USB 2.0 Hi-Speed
5455C009AA	R 8,608	Canon i-SENSYS MF754cdw A4 4-in-1 Colour Laser Printer, Print, Scan, Copy, Fax, 33ppm print speed, Up to 1200 x 1200 dpi print Resolution, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Scan Resolution Optical, 50-sheet Multi-Purpose tray, 250-sheet Cassette, 50-sheet ADF, 150-sheet paper Output, Double sided printing, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n, 12.7 cm LCD Colour Touch Screen Control Panel
5621C032AA	R 4,410	Canon i-SENSYS MF275dw A4 Multifunction mono Laser Printer, Print, Copy, Scan, Fax, Up to 29 ppm Single Sided print speed, Up to 18.5 ipm Double sided print speed, Up to 2400 equivalent x 600 dpi print Resolution, AirPrint, Mopria Certified, Microsoft Universal print support, Flatbed and automatic Document feeder (ADF) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 35-sheet ADF, 186 sheets Maximum paper Input capacity, 50-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, 10/100 Mbit LAN, Wireless

		802.11b/g/n
5621C038AA	R 3,444	Canon i-SENSYS MF275dw A4 Multifunction mono Laser Printer, Print, Copy, Scan, Fax, Up to 29 ppm Single Sided print speed, Up to 18.5 ipm Double sided print speed, Up to 2400 equivalent x 600 dpi print Resolution, AirPrint, Mopria Certified, Microsoft Universal print support, Flatbed and automatic Document feeder (ADF) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 35-sheet ADF, 186 sheets Maximum paper Input capacity, 50-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, 10/100 Mbit LAN, Wireless 802.11b/g/n
5938C033AA	R 8,036	Canon i-SENSYS MF260 series MF267dw II A4 mono Laser All in one Printer, Print, Copy, Scan, Fax, Up to 28 ppm Single Sided, Up to 17.8 ipm Double sided, 600x600 dpi print Resolution, Google Cloud print ready, AirPrint, Up to 28 ppm Single Sided Copy speed, Double sided copying, Flatbed and automatic Document feeder Colour Scanner, Up to 600x600 dpi optical scan Resolution, 35-sheet ADF, 250-sheet Cassette, 1-sheet multi-purpose tray, 50-sheet paper Output, USB 2.0 Hi-Speed, 10Base-T / 100Base-TX LAN, Wireless 802.11b/g/n, Wireless direct connection
5HH65A	R 8,037	HP 5HH65A Colour LaserJet Pro 4203dw A4 Multifunction Printer, Print, Copy, Scan, Up to 33 ppm print speed, Automatic Duplex printing, Up to 600 x 600 dpi print quality, Gigabit Ethernet Ethernet, Wi-Fi 5, Apple AirPrint, Mopria Certified, 4.3" diagonal wled-backlit Anti-Glare Display, 50-sheet multipurpose tray, 50-sheet Input tray, 50-sheet automatic Document feeder (ADF), 150-sheet Output bin, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Standard 50 sheets uncurled automatic Document feeder capacity, Contact image Sensor (CIS) Scan technology
5HH65A	R 10,005	HP 5HH65A Colour LaserJet Pro 4203dw A4 Multifunction Printer, Print, Copy, Scan, Up to 33 ppm print speed, Automatic Duplex printing, Up to 600 x 600 dpi print quality, Gigabit Ethernet Ethernet, Wi-Fi 5, Apple AirPrint, Mopria Certified, 4.3" diagonal wled-backlit Anti-Glare Display, 50-sheet multipurpose tray, 50-sheet Input tray, 50-sheet automatic Document feeder (ADF), 150-sheet Output bin, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Standard 50 sheets uncurled automatic Document feeder capacity, Contact image Sensor (CIS) Scan technology
5HH67A	R 9,040	HP Colour LaserJet Pro 4303dw A4 Multifunction Printer, Print, Copy, Scan, Fax, Up to 35 ppm print speed, Automatic Duplex printing, Built-In Dual-Band Wi-Fi, Gigabit LAN, USB, 4.3" diagonal wled-backlit Anti-Glare Display, 50-sheet multipurpose tray, 250-sheet Input tray, 50-sheet automatic Document feeder (ADF), 150-sheet Output bin, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Standard 50 sheets uncurled automatic Document feeder capacity, Contact image Sensor (CIS) Scan technology
6928C001AA	R 5,594	Canon MF667dw Colour A4 Laser All-in-One Printer, Print, Copy, Scan, Fax, Up to 25 ppm (A4) Single Sided print Speed, Up to 15 ipm (A4) Double sided print Speed, Up to 1200 x 1200 dpi print Resolution, AirPrint, Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Optical Scan Resolution, 250-sheet Cassette, 1-sheet manual feed slot, 50-sheet ADF, 100-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, Gigabit Ethernet, WiFi, 12.7 cm LCD Colour Touch Screen
6QN29A	R 29,791	HP 6QN29A Colour LaserJet Enterprise MFP 5800dn Multifunction A4 Laser Printer, Print, Copy, Scan, Up to 43 ppm print speed Black, Up to 43 ppm print speed Colour, Automatic Duplex printing, Up to 1200 x 1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 8.0" Colour graphic Display with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan technology
6QN35A	R 55,428	HP 6QN35A Colour LaserJet Enterprise MFP 6800dn Multifunction A4 Laser Printer, Print, Copy, Scan, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, Up to 1200x1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 8.0" Colour Graphics Display with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Duplex ADF scanning, Standard 150 sheets automatic Document feeder capacity, charge coupled device (CCD) Flatbed & contact image Sensor (CIS) ADF Scan technology
6QN36A	R 63,140	HP 6QN36A Colour LaserJet Enterprise Flow MFP 6800zf Multifunction A4 Laser Printer, Print, Copy, Scan, Fax, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, Up to 1200 x 1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 10.1 in Colour Graphics Display with

		Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, Up to 500 sheets paper handling Output standard, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Duplex ADF scanning, Standard 150 sheets automatic Document feeder capacity, Charge coupled device (CCD) Flatbed & contact image Sensor (CIS) ADF Scan technology
7MD73A	R 2,904	HP 7MD73A LaserJet M141a A4 mono Multifunction Laser Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, No Duplex printing, 600x600 dpi print quality Black, 1 Hi-Speed USB, LED Display, 150-sheet Input Tray, 100-sheet Output bin, Flatbed Scanner Type, Up to 600 ppi Scan Resolution Optical, CIS Scan Technology
7MD73A	R 2,461	HP 7MD73A LaserJet M141a A4 mono Multifunction Laser Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, No Duplex printing, 600x600 dpi print quality Black, 1 Hi-Speed USB, LED Display, 150-sheet Input Tray, 100-sheet Output bin, Flatbed Scanner Type, Up to 600 ppi Scan Resolution Optical, CIS Scan Technology
7MD74A	R 3,232	HP 7MD74A LaserJet M141w A4 mono Multifunction Laser Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, No Duplex printing, 600x600 dpi print quality Black, 1 Hi-Speed USB, WiFi, Apple AirPrint, Mopria Certified, Icon LCD LED Display, 150-sheet Input Tray, 100-sheet Output bin, Flatbed Scanner Type, Up to 600 ppi Scan Resolution Optical, CIS Scan Technology
7MD74A	R 3,308	HP 7MD74A LaserJet M141w A4 mono Multifunction Laser Printer, Print, Copy, Scan, Up to 20 ppm print Speed Black, No Duplex printing, 600x600 dpi print quality Black, 1 Hi-Speed USB, WiFi, Apple AirPrint, Mopria Certified, Icon LCD LED Display, 150-sheet Input Tray, 100-sheet Output bin, Flatbed Scanner Type, Up to 600 ppi Scan Resolution Optical, CIS Scan Technology
7PS97A	R 37,718	HP 7PS97A LaserJet Enterprise MFP M635H 3-1 mono Printer, Print, Copy, Scan, Atomatic duplex, 8.0 in Colour Graphics Display (CGD) with Touchscreen, up to 61 ppm print speed black, up to 50 ipm print speed duplex, up to 300 000 pages duty cycle (Monthly A4), up to 1200x1200 dpi print quality Black, 1.2 GHz Processor speed, hp ePrint, Apple AirPrint, Mopria Certified, Google Cloud print, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, up to 650 sheets Input CAPACITY, 500 sheet ouput feeder, up to 500 sheets Output capacity, flatbed / ADF Scanner type, up to 600 dpi scan Resolution optical
7PS98A	R 51,162	HP 7PS98A LaserJet Enterprise MFP M635fht 4-1 mono Printer, Print, Copy, Scan, Fax, Automatic duplex printing, 8.0 in Colour Graphics Display (CGD) with Touchscreen, Illuminated home button, Up to 61 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, Apple AirPrint, 1.2 GHz Processor speed, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet ouput feeder, Flatbed / ADF Scanner Type, Up to 600 dpi scan Resolution optical, Single pass duplexing ADF
7PS99A	R 77,277	HP 7PS99A LaserJet Enterprise MFP M636FHZ 4-1 A4 mono Printer, Print, Copy, Scan, Fax, Automatic duplex printing, Two-sided printing, 150-sheet ADF, Strong security, 8.0 in Colour Graphics Display (CGD) with Touchscreen, Up to 61 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Mopria Certified, Google Cloud print, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet ouput feeder, Flatbed /ADF Scanner Type, Up to 600 dpi scan Resolution Optical
7PT01A	R 75,498	HP 7PT01A LaserJet Enterprise Flow MFP M636z A4 Mono Laser Printer, Print, Copy, Scan, Fax, Up to 71 ppm print Speed Black, Automatic Duplex printing, Up to 300000 pages duty cycle, Up to 1200x1200 dpi print quality Black, 1x Hi-Speed device USB 2.0, 1x Gigabit Ethernet, 20.3 cm Colour Graphics Display (CGD) with Touchscreen, 100 sheet Multipurpose Feeder, 550 sheet Input Feeder, 150 sheet Automatic Document Feeder, 2000 sheet Feeder High Capacity Input with 1 x 550-sheet paper Feeder, 500 sheet Output Feeder, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Single pass duplexing ADF, charge coupled device (CCD) Scan Technology
9YG09A	R 5,908	HP LaserJet MFP M236sdw All in one A4 mono Laser Printer, Print, Copy, Scan, Up to 29 ppm print speed Black, Up to 20 000 pages duty cycle, Up to 600x600 dpi print quality Black, 4 cm Display, Apple AirPrint, HP Smart App,

		Mopria Certified, Wi-Fi direct printing, 1 built-in Wi-Fi 802.11b/g/n, 1x Hi-Speed USB 2.0, 1x Fast Ethernet 10/100Base-TX, 1x Dual-Band (2.4/5.0GHz) Wireless 802.11b/g/n with Bluetooth low energy, 150 sheet Input tray, 100 sheet Output tray, Auto-duplex, Flatbed / ADF Scanner Type, Up to 600 dpi scan Resolution optical
9YG09A	R 6,435	HP LaserJet MFP M236sdw All in one A4 mono Laser Printer, Print, Copy, Scan, Up to 29 ppm print speed Black, Up to 20 000 pages duty cycle, Up to 600x600 dpi print quality Black, 4 cm Display, Apple AirPrint, HP Smart App, Mopria Certified, Wi-Fi direct printing, 1 built-in Wi-Fi 802.11b/g/n, 1x Hi-Speed USB 2.0, 1x Fast Ethernet 10/100Base-TX, 1x Dual-Band (2.4/5.0GHz) Wireless 802.11b/g/n with Bluetooth low energy, 150 sheet Input tray, 100 sheet Output tray, Auto-duplex, Flatbed / ADF Scanner Type, Up to 600 dpi scan Resolution optical
BM2305AW	R 2,557	Pantum BM2305AW 3-in-1 A4 Mono Laser Printer with ADF, Print, Scan, Copy, 22ppm print Speed, 22cpm Copy Speed, Flatbed ADF Scanner Type, 150 pages paper Input capacity, 100 pages paper Output capacity, 35 pages ADF capacity, Hi-Speed USB 2.0, 2.4GHz Wi-Fi, Bluetooth
BM4245ADW	R 4,361	Pantum BM4245ADW A4 mono 3-in-1 Laser Printer, Print, Scan, Copy, ADF, Duplex, Wi-Fi, LAN, USB, 33ppm print Speed, 15ipm Duplex print Speed, AirPrint, Mopria, Pantum App, WiFi direct, AirPrint, Mopria, Pantum App, WiFi direct, 33cpm Copy Speed, Manual Duplex Copy, CIS Scan Technology, FB ADF Scanner Type, 250 pages paper Input capacity, 120 pages paper Output capacity
BM4305ADW	R 4,726	Pantum BM4305ADW A4 mono 3-in-1 Laser Printer, Print, Scan, Copy, 33ppm print Speed, 15ipm Duplex print Speed, AirPrint, Mopria, Pantum App, WiFi direct, Automatic Duplex Copy, CIS Scan Technology, FB DADF Scanner Type, ADF Duplex Scan, 24ppm ADF Scan Speed, 250 pages paper Input capacity, 120 pages paper Output capacity, WiFi, LAN, USB
BM5100ADW	R 4,714	Pantum BM5100ADW A4 3-in-1 Multifunction mono Laser Printer, Print, Scan, Copy, 40ppm printing speed, 750 to 4000 pages recommended monthly page Volume, Maximum 1200x1200 dpi print Resolution, 2line LCD Control Panel, Auto Duplex print, NFC Function, Booklet printing, Support AirPrint, Mopria, Mobile App (iOS App/Android App), Flatbed DADF Scan Type, 50 pages ADF capacity, 1200 x 1200 dpi Flatbed Scan Resolution, 600 x 600 dpi ADF Scan Resolution, 250 pages paper Input tray, 60 pages multipurpose tray, 150 pages paper Output tray, High-speed USB 2.0, 10/100/1000Base-TX LAN, WiFi (2.4G / 5G)
BM5100FDW	R 5,174	Pantum BM5100FDW A4 4-in-1 Multifunction mono Laser Printer, Print, Scan, Copy, Fax, 40ppm print speed, Auto Duplex print, 750 to 4000 pages recommended monthly page Volume, 3.5" Touch Screen Control Panel, Maximum 1200x1200 dpi print Resolution, Flatbed DADF Scanner Type, Auto Duplex Scan, 50 pages ADF capacity, Flatbed 1200x1200 dpi Scan Resolution, ADF 600x600 dpi Scan Resolution, 250 pages paper Input tray, 60 pages multipurpose tray, 150 pages paper Output tray, High-speed USB 2.0, 10/100/1000Base-TX LAN, WiFi (2.4G / 5G)
CM1100ADW	R 4,944	Pantum CM1100ADW A4 3 in 1 Multifunction Colour Laser Printer, Print, Copy, Scan, 18ppm print speed, Optical 600x600dpi Resolution, 300-1500 pages recommended monthly page Volume, 3.5" Touch Screen, USB 2.0, 10/100Base-TX LAN, AirPrint, Mopria, Pantum App, Auto Duplex printing, 250 pages paper Input capacity, 1 page multipurpose tray, 100 pages paper Output capacity, Flatbed ADF Scanner Type, CIS Scan technology, 50 pages ADF capacity
CMF264DW	R 5,891	Canon i-Sensys MF264DW Multifunction printer, print scan copy with auto duplex print/copy 50s duplex ADF network ready (wired wireless) 5 lines B& W lcd - 400mhz processor, 256mb memory, A4, print 600 / 1200x1200dpi; 28ppm, 250s input, 50s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; duty: 30000pages per month - USB 2.0 UTP Wireless Direct
CMF267DW	R 7,685	Canon i-Sensys MF267DW Multifunction Printer, print scan copy fax all-in-1 printer, with auto duplex print/copy/fax 50s duplex ADF network ready (wired wireless) 6 lines B& W touch lcd - 400mhz processor, 256mb memory, A4, print 600 / 1200x1200dpi; 28ppm, 250s input tray, 50s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; as standalone double fax with 33.6k modem, 256pages fax memory, 104 speed dial, 200x400dpi; duty: 30000pages per month - USB 2.0 UTP Wireless Direct
CMF275DW	R 3,671	Canon i-SENSYS MF275dw A4 Multifunction mono Laser Printer, Print, Copy, Scan, Fax, Up to 29 ppm Single Sided print speed, Up to 18.5 ipm Double sided print speed, Up to 2400 equivalent x 600 dpi print Resolution, AirPrint, Mopria Certified, Microsoft Universal print support, Flatbed and automatic Document feeder (ADF) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 35-sheet ADF, 186 sheets Maximum paper Input

		capacity, 50-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, 10/100 Mbit LAN, Wireless 802.11b/g/n
CMF3010	R 2,960	Canon Mono Laser 3 In 1 MF3010 Printer, Modern, eye-catching design, Easy to use vertical display, 18 ppm, 7.8 seconds First Print Out Time, Energy efficient, 600 x 400dpi resolution, Flatbed scanner, USB 2.0 Hi-speed interface.
CMF455DW	R 12,310	Canon i-SENSYS MF450DW A4 4-in-1 Multifunction Laser Printer, Print, Scan, Copy, Fax, Up to 38 ppm Single Sided print speed, Up to 1200x1200 dpi print Resolution, Secure print, Print from Cloud, AirPrint, Mopria Certified, Up to 38 ppm Single Sided Copy speed, Up to 600x600 dpi Copy Resolution, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 250-sheet Cassette, 100-sheet Multi-Purpose tray, 50-sheet ADF, 150-sheet paper Output, USB 2.0 Hi-Speed, Wireless 802.11b/g/n, Gigabit LAN, 12.7 cm LCD Colour Touch Screen
CMF543X	R 17,902	Canon i-SENSYS MF543X A4 Multifunction Mono Laser Printer, Fax, Print, Scan, Copy, 43ppm, 650 Sheet Duplex, 5 Inch Colour Touch Screen, USB, Ethernet, Wireless Direct Connection
CMF657CDW	R 8,987	Canon i-SENSYS MF650 MF657cdw 4-in-1 A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 21 ppm print speed, Colour Laser beam printing, Up to 1200x1200 dpi print Resolution, Secure print, AirPrint, Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input (Standard), 1-sheet manual feed slot, 50-sheet ADF, 251 sheets Maximum paper Input capacity, 100-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n
CMF664CDW	R 5,005	Canon i-SENSYS MF664cdw A4 Multifunction Colour Laser Printer, Print, Copy, Scan, Up to 25 ppm print Speed, Up to 15 ipm print Speed Double sided, Up to 1200x1200 dpi print Resolution, AirPrint, Mopria Certified, Up to 600x600 dpi Copy Resolution, Automatic Double sided copying, Platen ADF Scanner Type, 250-sheet Cassette, 1-sheet manual feed slot, 50-sheet ADF, 100-sheet paper Output, Automatic Double sided printing, USB 2.0, Gigabit Ethernet, Wifi, 12.7 cm LCD Colour Touch Screen
CMF667CDW	R 5,895	Canon i-SENSYS MF667cdw A4 Multifunction Colour Laser Printer, Print, Copy, Scan, Fax, Up to 25 ppm print Speed, Up to 15 ipm print Speed Double sided, Up to 1200x1200 dpi print Resolution, AirPrint, Mopria Certified, Up to 600x600 dpi Copy Resolution, Automatic Double sided copying, Platen 2-sided ADF (Single pass) Scanner Type, 600x600 dpi Optical Scan Resolution, 250-sheet Cassette, 1-sheet manual feed slot, 50-sheet ADF, 100-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, Gigabit Ethernet, Wifi, 12.7 cm LCD Colour Touch Screen
CMF752DW	R 8,118	Canon i-SENSYS MF752dw A4 Colour Laser All-in-One Printer, Print, Copy, Scan, 33ppm print speed, Up to 1200x1200 dpi print Resolution, 2-sided to 2-sided (Automatic) Double sided copying, Platen 2-sided ADF (Single pass) Scanner, Up to 600x600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input, 50-sheet ADF, 150-sheet paper Output, Double sided printing, USB 2.0 Hi-Speed, Wireless 802.11b/g/n, Gigabit LAN, 12.7 cm LCD Colour Touch Screen
CMF754CDW	R 9,007	Canon MF754CDW Colour Laser Multifunction Printer with Fax
DCP-L1632W	R 3,105	Brother DCP-L1632W Compact Wireless 3-in-1 A4 Mono Laser Printer, Print, Copy, Scan, Up to 20 ppm print Speed, Up to 150 sheets Maximum paper capacity, Up to 2400x600 dpi Resolution, Up to 50 sheets paper Output, Up to 600x600 dpi Resolution, Up to 600 x 1200 DPI Resolution Scanner Glass, WiFi direct, Hi-Speed USB 2.0, Ethernet LAN, 2 lines LCD Display
DCP-L2540DW	R 2,645	Brother DCP-L2540dw A4 mono 3-in-1 Laser Printer, Print, Scan, Copy, Up to 30 ppm print speed, Up to 250 sheets paper capacity, 600x600 dpi print Resolution, Up to 100 sheets paper Output, ADF / Flatbed Scanner, Maximum 600 x 2400 dpi Scanner Resolution Flatbed, Maximum 600x600 dpi Scanner Resolution ADF, 16-character 2 line Display, USB 2.0 Interface, LAN Port, WiFi
DCP-L2640DW	R 3,910	Brother DCP-L2640DW Mid-Range A4 All-in-One Mono Laser Printer, Print, Scan, Copy, Up to 34 ppm print Speed, Up to 250 sheets Maximum paper capacity, Up to 1200x1200 dpi Resolution, 2-sided (Duplex) - printing, Up to 50 sheets Automatic Document Feeder (ADF), Up to 120 sheets paper Output, Up to 99 pages multiple copies, Up to 1200x1200 dpi Resolution - Scanner Glass, Up to 600x600 dpi Resolution - Automatic Document Feeder (ADF), WiFi direct, Hi-Speed USB 2.0, Ethernet LAN, 2 line LCD
DCP-L5510DW	R 7,475	Brother DCP-L5510dw 3-in-1 Mono Laser Printer, Print, Scan, Copy, Up to 48 pages print speed, Up to 1200 x

		1200 dpi print Resolution, 2-sided Duplex printing, Up to 250 sheets Tray 1, Up to 100 sheets Multi-Purpose Tray, Up to 50 sheets automatic Document feeder (ADF), Up to 150 sheets paper Output, Up to 1200x1200 dpi Resolution - Scanner Glass, Up to 600x600 dpi Resolution - automatic Document feeder (ADF), USB, Gigabit LAN, WiFi, 8.9 cm Colour Touchscreen Display
L29S0215	R 8,625	Lexmark MX431adn A4 Multifunction mono Laser Printer, Copy, Print, Scan, Fax, 2.8" LCD Touch panel Display, 100-sheet multipurpose feeder, Integrated Duplex, 150-sheet Output bin, 250-sheet Input, 600 x 600 dpi print Resolution, Gigabit Ethernet, USB 2.0, Up to 40 ppm print speed, Flatbed Scanner with ADF, DADF (Single pass Duplex), CIS Scan technology, Up to 600 x 600 PPI (Colour) Optical scanning Resolution, 50-sheet automatic Document feeder
L29S0515	R 9,007	Lexmark MX431adw A4 Mono Laser Multifunction Printer, Print, Scan, Copy, Fax, Duplex (2-sided) printing, Up to 42 ppm print Speed, 600 x 600 dpi print Resolution 2.8" (7.2 cm) LCD Touch panel Display, 100-sheet multipurpose feeder, 150-sheet Output bin, 250-sheet Input, USB 2.0, Ethernet LAN, WiFi, Flatbed Scanner with ADF, Scan Technology, Up to 600 x 600 dpi (Colour) Optical scanning Resolution, 50-sheet automatic Document feeder, AirPrint, Mopria print
L29S8115	R 11,680	Lexmark MX432adwe A4 mono Multifunction Laser Printer, Print, Scan, Copy, Fax, Duplex (2-sided) printing, 600 x 600 dpi print Resolution, Up to 40 ppm print Speed, Lexmark e-task 10.9 cm (4.3-inch) Colour Touch Screen Display, 100-sheet multipurpose feeder, 150-sheet Output bin, 250-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, Flatbed Scanner with automatic Document feeder, CIS Scan Technology, Up to 600 x 600 PPI (Colour) Optical scanning Resolution, 50-sheet automatic Document feeder, AirPrint, Mopria print
L38S0835	R 21,612	Lexmark MX532adwe A4 mono Multifunction Laser Printer, Print, Copy, Scan, Fax, Up to 46 ppm print Speed, 1200x1200 dpi print Resolution, Duplex (2-sided) printing, Lexmark e-Task 4.3-inch Colour Touch Screen Display, 100-sheet multipurpose feeder, 250-sheet Output bin 550-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, DADF (Single pass Duplex) ADF Scan, 600x600 dpi Optical scanning Resolution, 100-sheet automatic Document feeder, AirPrint, Mopria print
L38S0915	R 26,294	Lexmark MX632adwe A4 mono Multifunction Laser Printer, Print, Copy, Scan, Fax, Duplex (2-sided) printing, Up to 50 ppm print Speed, 1200 x 1200 dpi print Resolution, Lexmark e-Task 7-inch (17.8 cm) Colour Touch Screen Display, 100-sheet multipurpose feeder, 250-sheet Output bin, 550-sheet Input, Gigabit Ethernet, USB 2.0, WiFi, DADF (Single pass Duplex) ADF Scan, 600x600 dpi Optical scanning Resolution, 100-sheet automatic Document feeder, AirPrint, Mopria print
L38S0974	R 29,777	Lexmark XM3350 A4 Multifunction Mono Laser Printer, Copy, Scan, Print, Fax, Lexmark e-Task 7-inch Display, Up to 47 ppm print Speed - Black, 1200x1200 dpi print Resolution, DADF (Single pass Duplex) ADF Scan, 100-sheet multipurpose Feeder, 250-sheet Output bin, 550-sheet Input, Gigabit Ethernet, USB 2.0, WiFi
L47C9696	R 44,973	Lexmark CX735adse A4 Colour Multifunction Laser Printer, Print, Copy, Scan, Fax, Duplex (2-sided) printing, 1200x1200 dpi print Resolution, Up to 52 ppm print Speed, Lexmark e-Task 10-inch (25 cm) Class Colour Touch Screen Display, 100-sheet multipurpose feeder, 300-sheet Output bin, 550-sheet Input, Flatbed Scanner with ADF, DADF (Single pass Duplex), Trilinear CIS Scan Technology, 600x600 dpi Optical scanning Resolution Black, 300x300 dpi Optical scanning Resolution Colour, 100-sheet automatic Document feeder
L50M0076	R 10,962	Lexmark CS632dwe A4 Colour Laser Printer, Duplex (2-sided) printing, 1200x1200 dpi, Print Resolution, Up to 42 ppm print Speed, Lexmark e-Task 4.3-inch Colour Touch Screen Display, 170-sheet Output bin, Single sheet multipurpose feeder, 250-sheet Tray, AirPrint, Mopria print, Gigabit Ethernet, USB 2.0, WiFi
L50M7096	R 24,430	Lexmark CX635adwe A4 Colour Multifunction Laser Printer, Print, Copy, Scan, Fax, Duplex (2-sided) printing, 1200x1200 dpi print Resolution, Up to 42 ppm print Speed, Lexmark e-Task 7-inch (17.8 cm) Colour Touch Screen Display, 200-sheet Output bin, Single sheet multipurpose feeder, 250-sheet Tray, Gigabit Ethernet, USB 2.0, WiFi, DADF (Single pass Duplex) ADF Scan, CIS Scan Technology, 600x600 dpi Optical scanning Resolution, 100-sheet automatic Document feeder, AirPrint, Mopria print
LP-CMF113W	R 2,708	Canon i-SENSYS MF113W Multifunction printer, print scan copy, network ready (wired wireless) 5 lines lcd - A4, 256mb; print 600/1200x1200dpi, 22ppm, 150s input tray, 50s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; duty: 10000pages per month - USB 2.0 UTP
LP-CMF264DW	R 5,750	Canon i-Sensys MF264DW Multifunction printer, print scan copy with auto duplex print/copy 50s duplex ADF

		network ready (wired wireless) 5 lines B& W lcd - 400mhz processor, 256mb memory, A4, print 600 / 1200x1200dpi; 28ppm, 250s input, 50s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; duty: 30000pages per month - USB 2.0 UTP Wireless Direct
LP-CMF267DW	R 7,531	Canon i-Sensys MF267DW Multifunction Printer, print scan copy fax all-in-1 printer, with auto duplex print/copy/fax 50s duplex ADF network ready (wired wireless) 6 lines B& W touch lcd - 400mhz processor, 256mb memory, A4, print 600 / 1200x1200dpi; 28ppm, 250s input tray, 50s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; as standalone double fax with 33.6k modem, 256pages fax memory, 104 speed dial, 200x400dpi; duty: 30000pages per month - USB 2.0 UTP Wireless Direct
LP-CMF269DW	R 5,992	Canon i-Sensys MF269DW Multifunction Printer, print scan copy fax all-in-1 printer, with auto duplex print/copy/fax 50s duplex DADF network ready (wired wireless) 6 lines B& W touch lcd - 400mhz processor, 256mb memory, A4, print 600/ 1200x1200dpi; 28ppm, 250s input tray, 50s output; scan 600x600/9600x9600dpi, 2-side to 2-side copying, 999 multiple copies, 25-400%; as standalone double-sided fax with 33.6k modem, 256pages fax memory, 104 speed dial, 200x400dpi; duty: 30000pages per month - USB 2.0 UTP Wireless Direct
LP-CMF275DW	R 4,507	Canon i-SENSYS MF275dw A4 Multifunction mono Laser Printer, Print, Copy, Scan, Fax, Up to 29 ppm Single Sided print speed, Up to 18.5 ipm Double sided print speed, Up to 2400 equivalent x 600 dpi print Resolution, AirPrint, Mopria Certified, Microsoft Universal print support, Flatbed and automatic Document feeder (ADF) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 35-sheet ADF, 186 sheets Maximum paper Input capacity, 50-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, 10/100 Mbit LAN, Wireless 802.11b/g/n
LP-CMF3010	R 3,115	Canon i-SENSYS MF3010 3-in-1 Multifunction Mono Laser Printer: Print, scan, copy, 18 ppm print speed, 1200 x 600 dpi print resolution, 150-sheet input tray, 1-sheet multi-purpose tray, 35-sheet ADF, USB 2.0 connectivity, Energy Star compliant, compact design, quiet operation.
LP-CMF443DW	R 8,608	Canon i-SENSYS MF443DW All in one mono Laser Printer, Print / Scan / Copy, Auto duplex print/Copy, 50 sheet duplex ADF, Network ready (Gigabit Wired Wireless), 12.7cm Colour touch LCD, 1.6GHz (800MHz x2) Processor, 1GB Memory, A4, 600x600 dpi print Resolution, 38ppm, 100 250 sheet Input tray, 150 sheet Output, 600x600 scan Resolution optical, 999 mutiple copies, UFRII/PCL5E/PCL6, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n, Wireless direct connection (Order on request)
LP-CMF445DW	R 10,402	Canon i-SENSE MF445DW, print scan copy fax all-in-1 printer, with auto duplex print/copy/fax 50s duplex ADF network ready (gigabit wired wireless) 12.7cm colour touch lcd - 1.6Ghz (800mhz x2) processor, 1Gb memory, A4, print 600 / 1200x1200dpi; 38ppm, 100 250s input tray up to 900, 150s output; scan 600x600/9600x9600dpi, 999 multiple copies, 25-400%; as standalone fax with 33.6k modem, 512pages fax memory, 281 speed dial, 400x400dpi; duty: 80000pages per month, UFRii/PCL5e/PCL6/PostScript 3 - USB 2.0 UTP Wireless Direct (Order on request)
LP-CMF446X	R 6,124	Canon i-SENSYS MF446X All in one mono Laser Printer, Print / Scan / Copy, Auto duplex Print/Copy, 50 sheet duplex ADF, Network ready (Gigabit Wired Wireless), 12.7cm Colour touch LCD, 1.6GHz (800MHz x2) Processor, 1GB Memory, A4, 600x600 dpi print Resolution, 38ppm, 100 250 sheet Input tray, 150 sheet Output, 600x600 scan Resolution optical, 999 mutiple copies, UFRII / PCL5E / PCL6 / PostScript 3, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n, Wireless direct connection, Barcode Print, Barcode Printing Kit-E1E (Order on request)
LP-CMF449X	R 7,385	Canon i-SENSYS MF449X All in one mono Laser Printer, Print / Scan / Copy / Fax, Auto duplex print/Copy, 50 sheet duplex ADF, Network ready (Gigabit Wired Wireless), 12.7cm Colour touch LCD, 1.6GHz (800MHz x2) Processor, 1GB Memory, A4, 600x600 dpi print Resolution, 38ppm, 100 250 sheet Input tray, 150 sheet Output, 600x600 scan Resolution optical, 999 mutiple copies, Ufrii / PCL5E / PCL6 / PostScript 3, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n, Wireless direct connection, Barcode print, Barcode printing KIT-E1E (Order on request)
LP-CMF542X	R 14,705	Canon i-Sensys MF542X Multifunction Printer, print scan copy fax all-in-1 printer, with auto duplex print/copy/fax 50s duplex ADF network ready (gigabit wired wireless) 12.7cm colour touch lcd, uniFLOW ready secure mobile print, support optional barcode print kit (E1E) - 1.6Ghz (800mhz x2) processor, 1Gb memory, A4, print 600 / 1200x1200dpi; 43ppm, 100 550s input tray up to 2300, 150s output; scan 600x600/9600x9600dpi, 2-side to 2-side copying, 999 multiple copies, 25-400%; as standalone fax with 33.6k modem, 512pages fax memory, 281

		speed dial, 400x400dpi; duty: 150000pages per month - USB 2.0 UTP Wireless Direct (Order on request)
LP-CMF543X	R 17,441	Canon i-Sensys MF543X Multifunction Printer, print scan copy fax all-in-1 printer, with auto duplex print/copy/fax 50s duplex ADF network ready (gigabit wired wireless NFC) 12.7cm colour touch lcd, uniFLOW ready secure mobile print, support optional barcode print kit (E1E) - 1.6Ghz (800mhz x2) processor, 1Gb memory, A4, print 600 / 1200x1200dpi; 43ppm, 100 550s input tray up to 2300, 150s output; scan 600x600/9600x9600dpi, 2-side to 2-side copying, 999 multiple copies, 25-400%; as standalone fax with 33.6k modem, 512pages fax memory, 281 speed dial, 400x400dpi; duty: 150000pages per month - USB 2.0 UTP Wireless Direct NFC (Order on request)
LP-CMF641CW	R 5,169	Canon imageclass MF641CW Multifunction Printer, color all-in-1 print-scan-copy, network ready (gigabit wired wireless), 12.7cm color touchscreen lcd, secure mobile print - A4, 1024mb, print 1200x1200/9600dpi; mono / color: 18/18ppm, 150s input tray, 100sheets output tray; scan 600x600dpi, 999 multiple copies, 25-400%, duty: 30000pages per month, UFRii/PCL5e/PCL6 - USB 2.0 UTP (Order on request)
LP-CMF643CDW	R 6,304	Canon imageclass MF643CDW Multifunction Printer, color all-in-1 print-scan-copy, network ready (gigabit wired wireless) auto printing/copy unit 50s ADF, 12.7cm color touchscreen lcd, secure mobile print - A4, 1024mb, print 1200x1200/9600dpi; mono / color: 21/21ppm, 150s input tray, 100sheets output tray; scan 600x600dpi, 999 multiple copies, 25-400%, duty: 30000pages per month, UFRii/PCL5e/PCL6 - USB 2.0 UTP
LP-CMF645CX	R 6,234	Canon imageclass MF645CX, color all-in-1 print-scan-copy-fax, network ready (gigabit wired wireless) auto duplex printing/copy unit 50s single-pass duplex ADF, 5" color touchscreen lcd - A4, 1024mb, print 1200x1200/9600dpi; mono / color: 21/21ppm, 150s input tray, 100sheets output tray; scan 600x600dpi, 999 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, 512 pages fax memory, 281x speed dial, duty: 30000pages per month - USB 2.0 UTP
LP-CMF742CDW	R 7,606	Canon laserbase MF742CDW color Multifunction print-scan-copy, network ready (gigabit wired wireless NFC) built-in Duplex unit for printing, 12.7cm color touchscreen lcd - A4, 800mhz x2 processor, 1024mb, print 1200x1200dpi; mono / color: 27/27ppm, 50 250s input tray up to 850s 50pages ADF, 150sheets output tray; scan 600x600/9600dpi, 999 multiple copies, 25-400%; duty: 40000pages per month - USB 2.0 UTP (Order on request)
LP-CMF744CDW	R 9,500	Canon laserbase MF744CDW, color all-in-1 print-scan-copy-fax, network ready (gigabit wired wireless NFC) built-in Duplex unit for printing/copy, 12.7cm color touchscreen lcd - A4, 800mhz x2 processor, 1024mb, print 1200x1200dpi; mono / color: 27/27ppm, 50 250s input tray up to 850s 50pages duplex ADF (for double sided scanning/ copying/ fax), 150sheets output tray; scan 600x600/9600dpi, 999 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, 512 pages fax memory, 281x speed dial, duty: 50000pages per month - USB 2.0 UTP (Order on request)
LP-CMF746CX	R 9,125	Canon laserbase MF746CX, color all-in-1 print-scan-copy-fax, network ready (gigabit wired wireless NFC) built-in Duplex unit for printing/ copy, 12.7cm color touchscreen lcd - A4, 800mhz x2 processor, 1024mb, print 1200x1200dpi; mono / color: 27/27ppm, 50 250s input tray up to 850s 50pages duplex ADF (for double sided scanning/ copying/ fax), 150sheets output tray; scan 600x600/9600dpi, 999 multiple copies, 25-400%; as standalone fax with 33.6k G3 modem, 512 pages fax memory, 281x speed dial, duty: 50000pages per month - USB 2.0 UTP (Order on request)
LP-HCM179FNWo	R 6,488	HP Colour LaserJet 179fnw. Print, Copy, Scan and Fax. Memory 128MB/800MHz. Control panel: 2-line LCD and keypad. Mobile printing: HP ' s best-in-class mobile app - HP Smart app; Mopria; AirPrint 1.8 enabled; Google Cloud Print.
LP-HCM182No	R 5,476	HP 7KW54A laserjet pro Color M182N O-in-1 - Print-Scan-Copy, white, flatbed, with 10/100 network ready: 800MHz processor, 256 128mb ram, 16/16ppm, 600x600dpi, 150s input tray, 100s output, duty: 30000pages per month, scan: 15ppm, 1200dpi, 24bit; standalone copy: 99 multiple copies, 25-400% - usb utp
LP-HCM183FWo	R 5,919	HP 7KW56A laserjet pro Color M183FW Multifunction - Print-Scan-Copy-Fax, white, flatbed, with 35s ADF, Network ready (wired dual band wireless): 800MHz processor, 256 128mb ram, 16/16ppm, 600x600dpi, 150s input tray, 100s output, duty: 30000pages per month, scan: 15ppm, 1200dpi, 24bit; standalone copy: 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, 1300pages fax memory, 120 speed dial - USB utp
LP-HCM480Fo	R 16,099	HP 3QA55A laserjet enterprise M480F Multifunction - Print-Scan-Copy Fax, with auto duplex printing unit 50s single-pass duplex ADF, gigabit network ready, 10.9cm color LCD: 800MHz processor, 2GB memory 16GB

		non-volatile storage, 27ppm, 1200/1200 dpi (Order on Request)
LP-HCM578Co	R 38,694	HP 7ZU87A Laserjet Enterprise Color M578C O-in-1 - Print-Scan-Copy-Fax built-in convenience stapler, auto duplex printing unit 100 sheets single-pass duplex ADF gigabit network ready 20.32cm color touchscreen LCD: 1200 Mhz processor, 1.75gb DDR (Order on request)
LP-HCM578DNo	R 39,821	HP 7ZU85A laserjet enterprise Color M578DN O-in-1 - Print-Scan-Copy, with auto duplex printing unit 100 sheets single-pass duplex ADF gigabit network ready 20.32cm color touchscreen LCD: 1200 Mhz processor, 1.75gb DDR3 memory up to 3.75gb 500Gb (Order on request)
LP-HCM681DHo	R 71,194	HP J8A10A Laserjet Enterprise Color M681DH Multifunction - Print-Scan-Copy, with 20.32cm touchscreen color SVGA LCD auto duplex printing unit 150s single-pass duplex ADF gigabit network ready: 1200 MHz processor, 1.5GB 512mb memory up to 2.5GB 320Gb secure HDD with 256bit AES, 47ppm, 1200x1200 dpi, 650 (100 550)s input tray up to 3200, 500s output up to 900, duty: 100000 pages per month; scan: 69ipm, 600dpi, scan to email; standalone copy, 47cpm, 9999 multiple copies, 25-400%; support optional module: Fax CC487A, wireless J8030A - 3x usb2.0 UTP (Order on request)
LP-HCM681Zo	R 120,894	HP J8A13A Laserjet Enterprise flow Color M681Z Multifunction - Print-Scan-Copy-Fax, with 20.32cm touchscreen color SVGA LCD auto duplex printing unit 150s single-pass duplex ADF gigabit network ready pull-out keyboard: 1200 MHz processor, 1.5GB 1GB memory up to 3GB 320Gb secure HDD with 256bit AES, 47ppm, 1200x1200 dpi, 2300 (100 550 550 550 550)s input tray, 500s output 500-sheet 3-bin stapler/stacker, duty: 100000 pages per month; scan: 83ipm, 600dpi, scan to email; standalone copy, 47cpm, 9999 multiple copies, 25-400%, as standalone fax with 33.6k modem, 500pages fax memory, 1000 speed dial; support optional module: wireless J8030A - 3x USB 2.0 UTP (Order on request)
LP-HCM682Zo	R 137,765	HP J8A17A Laserjet Enterprise flow Color M682Z Multifunction - Print-Scan-Copy-Fax, with 20.32cm touchscreen color SVGA LCD auto duplex printing unit 150s single-pass duplex ADF network ready (wireless gigabit bluetooth) pull-out keyboard: 1200 MHz processor, 1.5GB 1GB memory up to 3GB 320Gb secure HDD with 256bit AES, 56ppm, 1200x1200 dpi, 3200 (100 550 550 2000)s input tray, 500s output 500-sheet 3-bin stapler/stacker, duty: 120000 pages per month; scan: 83ipm, 600dpi, scan to email; standalone copy: 56cpm, 9999 multiple copies, 25-400%, as standalone fax with 33.6k modem, 500pages fax memory, 1000 speed dial - 3x USB 2.0 UTP (Order on request), Â© 2019 Laptop Direct
LP-HM135Ao	R 3,218	HP 4ZB82A laserjet pro M135A Multifunction - Print-Scan-Copy, flatbed, 2-line LCD: 600mhz processor, 128mb ram, 20ppm, 600/1200dpi, 150s input tray, 100s output, duty: 10000pages per month; scan: 600x600/19200dpi, 20ppm; standalone copy: 99 multiple copies, 20cpm, 25-400% - USB
LP-HM135Wo	R 3,498	HP 4ZB83A laserjet pro M135W Multifunction - Print-Scan-Copy, flatbed, wireless network ready, 2-line LCD: 600mhz processor, 128mb ram, 20ppm, 600/1200dpi, 150s input tray, 100s output, duty: 10000pages per month; scan: 600x600/19200dpi, 20ppm; standalone copy: 99 multiple copies, 20cpm, 25-400% - USB
LP-HM137FNWo	R 4,254	HP 4ZB84A laserjet pro M137FNW Multifunction - Print-Scan-Copy-Fax, flatbed, 40s ADF network ready (wired wireless), 2-line LCD: 600mhz processor, 128mb ram, 20ppm, 600/1200dpi, 150s input tray, 100s output, duty: 10000pages per month; scan: 600x600/19200dpi, 20ppm; standalone copy: 99 multiple copies, 20cpm, 25-400%; as standalone fax with 33.6k modem, 400pages fax memory, 200 speed dial - USB UTP
LP-HM227FDNo	R 7,380	HP G3Q79A Laserjet Pro M227FDN Multifunction Printer - Print-Scan-Copy-Fax, flatbed, with auto duplex printing 35s ADF, 10/100 network ready: 800 MHz processor, 256mb, 25ppm, 600/1200 dpi, 260 (10 250)s input tray, 150s output, duty: 30000 pages per month; scan: 1200x1200/19200dpi, 24bit; standalone copy, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, 1000pages fax memory, 120 speed dial - USB UTP
LP-HM227FDWo	R 8,101	HP G3Q75A Laserjet Pro M227FDW Multifunction Printer - Print-Scan-Copy-Fax, flatbed, with auto duplex printing 35s ADF, network ready (wired wireless) 6.8cm colour touchscreen: 800 MHz processor, 256mb, 28ppm, 1200x1200 dpi, 260 (10 250)s input tray, 150s output, duty: 30000 pages per month; scan: 1200x1200/19200dpi, 24bit; standalone copy, 99 multiple copies, 25-400%; as standalone fax with 33.6k modem, 1000pages fax memory, 120 speed dial - USB UTP
LP-HM428FDNo	R 11,675	HP W1A29A laserjet pro M428FDN Multifunction - Print-Scan-Copy Fax, with 50 sheets single-pass duplex ADF auto duplex printing unit gigabit network ready 6.8cm touchscreen LCD: 1200 MHz RISC processor, 512mb, 38ppm, 1200x1200dpi, 350 (100 250)s input tray up to 900, 150s output tray, duty: 80000 pages per month; scan:

		1200dpi, scan to email digital sending; standalone copy, 999 multiple copies, 25-400%, 33.6 kbps fax - 2 1x USB UTP
LP-HM428FDWo	R 12,243	HP W1A30A laserjet pro M428FDW Multifunction - Print-Scan-Copy Fax, with 50 sheets single-pass duplex ADF auto duplex printing unit network ready (wireless gigabit) 6.8cm touchscreen LCD: 1200 MHz RISC processor, 512mb, 38ppm, 1200x1200dpi, 350 (100 250)s input tray up to 900, 150s output tray, duty: 80000 pages per month; scan: 1200dpi, scan to email digital sending; standalone copy, 999 multiple copies, 25-400%, 33.6 kbps fax - 2 1x USB UTP
LP-HM430Fo	R 9,731	HP 3PZ55A Laserjet Enterprise M430F O-in-1 - Print-Scan-Copy Fax, with auto duplex printing unit 50s single-pass duplex ADF, gigabit network ready, 10.9cm color LCD: 800MHz processor, 2GB memory 16GB non-volatile storage, 40ppm, 1200/1200 dpi (Order on request)
LP-HM528DNo	R 29,294	HP 1PV64A enterprise laser M528DN Multifunction - Print-Scan-Copy, with auto duplex printing unit 100s single-pass duplex ADF, gigabit network ready, 20.32cm SVGA color touchscreen LCD: 1200MHz processor, 1.75GB memory up to 2.75GB, 43ppm, 1200/1200 dpi, 650 (100 550)s input tray up to 2300, 250s output tray, duty: 150000 pages per month; scan:43/38ppm, 600x600dpi, scan to email digital sending; standalone copy, 9999 multiple copies, 25-400% - 2 1x USB UTP HiP (Order on request)
LP-HM528Fo	R 33,413	HP 1PV65A enterprise laser M528F Multifuction - Print-Scan-Copy Fax, with built-in convenience stapler, auto duplex printing unit 100s single-pass duplex ADF, gigabit network ready, 20.32cm SVGA color touchscreen LCD: 1200MHz processor, 1.75GB memory up to 2.75GB 320Gb secure HDD with 128bit AES, 43ppm, 1200/1200 dpi, 650 (100 550)s input tray up to 2300, 250s output tray, duty: 150000 pages per month; scan:43/38ppm, 600x600dpi, scan to email digital sending; standalone copy, 9999 multiple copies, 25-400%, 33.6 kbps fax, 500pages fax memory, 1000 speed dial - 2 2x USB UTP HiP (Order on request)
MFC-L2805DW	R 5,060	Brother MFC-L2805DW Mid-Range A4 All-in-One Mono Laser Printer, Print, Scan, Copy, Fax, Up to 34 ppm print Speed, Up to 250 sheets Maximum paper capacity, Up to 1200 x 1200 dpi print Resolution, 2-sided (Duplex) - printing, Up to 50 sheets Automatic Document Feeder (ADF), Up to 120 sheets paper Output, Up to 99 pages multiple copies, Up to 1200 x 1200 dpi Resolution - Scanner Glass, Up to 600 x 600 dpi Resolution - Automatic Document Feeder (ADF), WiFi direct, Hi-Speed USB 2.0, Ethernet LAN, 2 lines Display
MFC-L3760CDW	R 5,348	Brother MFC-L3760cdw A4 Colour Multifunction Laser Printer, Print, Scan, Copy, Fax, Duplex, Up to 26 / 27 ppm print Speed, Up to 250 sheets Maximum paper capacity, 600 x 600 dpi print Resolution, Up to 50 sheets automatic Document feeder (ADF), Up to 150 sheets paper Output, Up to 1200 x 1200 dpi Resolution Scanner Glass, Up to 600 x 600 dpi Resolution automatic Document feeder (ADF), Hi-Speed USB 2.0, WiFi, 8.8 cm Colour LCD Touchscreen Display
MFC-L5710DW	R 6,555	Brother MFCL-5710dw All-in-One A4 mono Laser Printer, Print, Scan, Copy, Fax, Up to 48 / 50 ppm print speed, Up to 1200 x 1200 dpi print Resolution, 2-sided Duplex printing, Up to 250 sheets Tray 1, Up to 100 sheets Multi-Purpose Tray, Up to 50 sheets automatic Document feeder (ADF), Up to 150 sheets paper Output, Up to 1200 x 1200 dpi Scanner Glass Resolution, Up to 600x600 dpi automatic Document feeder (ADF) Resolution, USB 2.0, WiFi, Gigabit LAN, 8.9 cm Colour LCD Touchscreen Display
MFC-L6910DN	R 13,685	Brother MFC-L6910dn 4-in-1 A4 mono Laser Printer, Print, Scan, Copy, Fax, Up to 50 / 52 ppm print speed, Up to 1200x1200 dpi print Resolution, Duplex, Up to 520 sheets Tray, Up to 100 sheets Multi-Purpose Tray, Up to 80 sheets automatic Document feeder ADF, Up to 250 sheets paper Output, Up to 1200x1200 dpi Optical Scanner Resolution Glass, Up to 600x600 dpi automatic Document feeder (ADF) Resolution, USB 2.0, Gigabit LAN, WiFi, 17.8cm Colour Touchscreen panel
MFC-L8390CDW	R 8,050	Brother MFC-L8390cdw 4-in-1 A4 Colour Laser Printer, Print, Scan, Copy, Fax, Up to 31 / 33 ppm print speed, Up to 600 x 600 dpi Resolution, Duplex, Up to 250 sheets Tray, Up to 50 sheets Multi-Purpose Tray, Up to 50 sheets automatic Document feeder (ADF), Up to 150 sheets paper Output, Up to 1200 x 2400 dpi Optical Scanner Resolution, Up to 1200x600 dpi Automatic Document Feeder (ADF) resolution, USB 2.0, Gigabit LAN Port, Wireless LAN, 9.3 cm Colour LCD Touchscreen
MFC-L8730CDW	R 9,200	Brother MFC-L8730CDW A4 Colour Laser Multifunction Printer, Print, Copy, Scan, Fax, Electrophotographic Laser print Technology, Automatic Duplex print, Up to 33ppm Colour / Black print speeds, Up to 2400x600 dpi Class print Resolution, ADF (Optical) up to 600x600 dpi Scan Resolution, Glass (Optical) up to 1200x1200 dpi Scan

		Resolution, Dual Band Wireless, Gigabit Ethernet, Hi-Speed USB 2.0, 250-sheet Standard Tray, 50-sheet Multipurpose Tray, 150 sheets Output capacity, 80 pages auto Document Feeder capacity, 3.5" Colour Touchscreen Display
MFC-L8970CDW	R 16,100	Brother MFC-L8970CDW Colour Laser A4 Multi-Function Printer, Print, Copy, Scan, Fax, Full Duplex print, 31ppm print Speed, Scanner Glass, Automatic Document Feeder (ADF) Scanner up to 600x600 dpi Resolution, Wi-Fi, USB, Ethernet LAN, 17.6 cm Colour Touchscreen, 250-sheet Standard paper Input, 150 sheets paper Output, iPrint& Scan, AirPrint
PM7105DW	R 4,024	Pantum M7105dnw A4 3-in-1 Multifunction mono Laser Printer, Print, Copy, Scan, 33ppm print speed, Automatic Duplex printing, Flatbed & ADF Scanner Type, 50 pages ADF capacity, Flatbed Maximum 1200x1200dpi Scan Resolution, ADF Maximum 600x600dpi Scan Resolution, 150 pages paper Output Tray, 250 pages paper Input capacity, 1 page multipurpose Tray, Hi-Speed USB 2.0, WiFi
PRCAMF275DW	R 3,479	Canon I-SENSYS MF275DW 4-in-1 Mono Laser Printer, Personal or small workgroup, 4 in1 Print/Scan/Copy/Fax. 29 ppm. 150 Sheet Cassette, 1 sheet multipurpose tray, 35 sheet ADF . 600 x 600 dpi. 6 Line B & W LCD. Scan to PC, Cloud. USB, Wireless, Direct Connection. CRG 071 Starter. CRG 071H available.
PRCAMF3010	R 2,845	Canon i-SENSYS MF3010 Multi Function Laser Printer, 18PPM Laser 3 in1 Print/Scan/Copy, 32MB, 1200x600dpi, 250 sheets, Win/XP/Vista/Win7 Only & Mac(scanning not supported) - optional networking CRG 728 Starter, PPM: 18 ppm, COPY SPEED: 9 sec, DPI: 1200 x 600, MEMORY: 32MB, PAPER HANDLING: 250, SCANNER RES. OPTICAL: 600 x 1200
PRCAMF752Cdw	R 8,003	Canon i-SENSYS MF752Cdw A4 Multifunction Colour Laser Printer, Personal or small workgroup, 3 in1 Print/Scan/Copy. 33 ppm 600 x 600 dpi. Platen, 2 sided 50 sheet DADF, 250 sheet casette, 50 sheet MP Tray, UFRII, PCL5C, PCL6, (RMPV 750 - 4 000) CRG069 C/M/Y/K CRG069 H C/M/Y/B
PRCAMF754Cdw	R 10,169	Canon i-SENSYS MF754cdw A4 4-in-1 Colour Laser Printer, Print, Scan, Copy, Fax, 33ppm print speed, Up to 1200 x 1200 dpi print Resolution, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Scan Resolution Optical, 50-sheet Multi-Purpose tray, 250-sheet Cassette, 50-sheet ADF, 150-sheet paper Output, Double sided printing, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n, 12.7 cm LCD Colour Touch Screen Control Panel
PRHP1PV64A	R 23,955	HP 1PV64A enterprise laser M528DN Multifunction - Print-Scan-Copy, with auto duplex printing unit 100s single-pass duplex ADF, gigabit network ready, 20.32cm SVGA color touchscreen LCD: 1200MHz processor, 1.75GB memory up to 2.75GB, 43ppm, 1200/1200 dpi, 650 (100 550)s input tray up to 2300, 250s output tray, duty: 150000 pages per month; scan:43/38ppm, 600x600dpi, scan to email digital sending; standalone copy, 9999 multiple copies, 25-400% - 2 1x USB UTP HiP (Order on request)
PRHP2Z627A	R 6,549	HP 2Z627A LaserJet Pro MFP 4103dw A4 Multifunction mono Laser Printer, Print, Scan, Copy, Up to 40 ppm print speed Black, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216 x 356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200 x 1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN, 2.4 / 5GHz WiFi
PRHP2Z629A	R 7,267	HP 2Z629A LaserJet Pro MFP 4103fdw A4 Multifunction mono Laser Printer, Print, Scan, Copy, Fax, Up to 150 sheets Output capacity, 100 sheets tray 1, 250 sheets tray 2, 2.7" intuitive Colour Touchscreen Display, Automatic Duplex printing, 84 Scalable TrueType fonts, 216x356 mm Scan size (ADF) Maximum, Standard 50 sheets auto Document feeder capacity, Flatbed / ADF Scanner Type, Duplex ADF scanning, Contact image sensor (CIS) Scan technology, Up to 1200x1200 dpi Scan Resolution Optical, 1 Hi-Speed USB 2.0, Gigabit Ethernet LAN, 2.4 / 5 GHz Wi-Fi
PRHP3G631A	R 5,983	HP 3G631A LaserJet Pro MFP 3103fdw A4 mono Multifunction Printer, Print, Copy, Scan, Fax, up to 33 ppm print Speed Black, automatic (Standard) Duplex printing, up to 1200x1200 dpi print quality Black (Best), Laser print Technology, Hi-Speed USB, 10/100 Mbps ethernet., Apple AirPrint, Mopria Certified, 2.7" CGD Touch Screen Display, 1 Main Tray 250 sheets, 150 sheets Output Tray, ADF / Flatbed Scanner Type, up to 300 dpi ADF Scan Resolution Optical, up to 1200 dpi Flatbed Scan Resolution Optical, standard 50 sheets automatic Document feeder capacity

PRHP3G632A	R 6,696	HP 3G632A LaserJet Pro MFP 3103fdw A4 Mono Laser Printer, Print, Copy, Scan, Fax, Up to 33 ppm print Speed Black, Automatic Duplex printing, 1x Hi-Speed USB 2.0, 10/100 Mbps Ethernet Port, WiFi, Apple AirPrint, Mopria Certified, 2.7" CGD Touch Screen Display, 1 Main Tray - 250 sheets or 10 envelopes, 150 sheets Output Tray, ADF / Flatbed Scanner Type, Up to 300 dpi Scan Resolution Optical, Standard 50 sheets automatic Document feeder capacity
PRHP3PZ55A	R 9,790	HP 3pz55a LaserJet Enterprise MFP M430f multifunction A4 Laser Printer, Print, Copy, Scan, Fax, Up to 38 ppm print speed Black, Up to 100 000 pages duty cycle, Up to 1200 x 1200 dpi print quality Black (Best), 10.9 cm diagonal Colour backlit 480 RGB (H) x 272 (V) Display, HP ePrint, Apple AirPrint, Mopria Certified, Wi-Fi direct printing, 2 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 device, 1 Gigabit Ethernet 10/100/1000t Network, 1 fax, 100 sheet tray 1 paper handling Input, 50 sheet automatic Document feeder (ADF), 250 sheet Input tray 2, 150 sheet Output bin, Automatic duplex printing, Flatbed / ADF Scanner Type, Up to 600 dpi scan Resolution optical
PRHP3QA55A	R 12,870	HP Colour LaserJet Enterprise MFP M480f. Print, Copy, Scan and Fax. 4.3-inch(10.9cm) Colour touchscreen. 50-sheet ADF. Print languages: HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint. Processor speed: 80
PRHP3WT91A	R 74,266	HP LaserJet Enterprise 700 colour Flow MFP M776z - A3/A4 MFP (Replaces M775z) Print, copy, scan, fax. Automatic Duplex printing, Control panel 22.9 cm (9.0 in) with 20.3 cm (8.0 in) functional touchscreen; Colour graphic display; Rotating (adjustable angle), Â© 2019 Laptop Direct
PRHP4ZB84A	R 4,081	HP Laser 137fnw - Print, scan, copy and fax, print up to 20 ppm in A4, Memory/processor 128MB/600MHz, 2-line LCD and keypad, HP Smart App; AirPrint 1.8 enabled; Mopria; Google Cloud Print, USB 2.0 high-speed, wireless, Wi-Fi Direct, Ethernet.
PRHP4ZB97A	R 7,121	HP Colour LaserJet 179fnw. Print, Copy, Scan and Fax. Memory 128MB/800MHz. Control panel: 2-line LCD and keypad. Mobile printing: HP ' s best-in-class mobile app - HP Smart app; Mopria; AirPrint 1.8 enabled; Google Cloud Print.
PRHP58R10A	R 42,930	HP 58R10A Colour LaserJet Enterprise MFP 5800zf A4 Multifunction Laser Printer, Print, Copy, Scan, Fax, Automatic Duplex printing, Up to 43 ppm print speed Black, Up to 43 ppm print speed Colour, Up to 1200x1200 dpi print quality, Gigabit Ethernet, USB 3.0, Apple AirPrint, Mopria Certified, 10.1 in Colour graphic Display) with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, 250-sheet Output bin, Convenience stapler, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan technology
PRHP5HH65A	R 8,597	HP 5HH65A Colour LaserJet Pro 4203dw A4 Multifunction Printer, Print, Copy, Scan, Up to 33 ppm print speed, Automatic Duplex printing, Up to 600 x 600 dpi print quality, Gigabit Ethernet Ethernet, Wi-Fi 5, Apple AirPrint, Mopria Certified, 4.3" diagonal wled-backlit Anti-Glare Display, 50-sheet multipurpose tray, 50-sheet Input tray, 50-sheet automatic Document feeder (ADF), 150-sheet Output bin, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Standard 50 sheets uncurled automatic Document feeder capacity, Contact image Sensor (CIS) Scan technology
PRHP5HH67A	R 9,873	HP 5HH67A Colour LaserJet Pro 4303dw A4 Multifunction Printer, Print, Copy, Scan, Fax, Up to 35 ppm print speed, Automatic Duplex printing, Built-In Dual-Band Wi-Fi, Gigabit LAN, USB, 4.3" diagonal wled-backlit Anti-Glare Display, 50-sheet multipurpose tray, 250-sheet Input tray, 50-sheet automatic Document feeder (ADF), 150-sheet Output bin, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Standard 50 sheets uncurled automatic Document feeder capacity, Contact image Sensor (CIS) Scan technology
PRHP6QN29A	R 30,482	HP 6QN29A Colour LaserJet Enterprise MFP 5800dn Multifunction A4 Laser Printer, Print, Copy, Scan, Up to 43 ppm print speed Black, Up to 43 ppm print speed Colour, Automatic Duplex printing, Up to 1200 x 1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 8.0" Colour graphic Display with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Contact image Sensor (CIS) Scan technology
PRHP6QN35A	R 53,666	HP 6QN35A Colour LaserJet Enterprise MFP 6800dn Multifunction A4 Laser Printer, Print, Copy, Scan, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, Up to 1200x1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 8.0" Colour Graphics Display with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, Flatbed / ADF Scanner

		Type, Up to 600 dpi Scan Resolution Optical, Duplex ADF scanning, Standard 150 sheets automatic Document feeder capacity, Charge coupled device (CCD) Flatbed & contact image Sensor (CIS) ADF Scan technology
PRHP6QN36A	R 64,402	HP 6QN36A Colour LaserJet Enterprise Flow MFP 6800zf Multifunction A4 Laser Printer, Print, Copy, Scan, Fax, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, Up to 1200 x 1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 10.1 in Colour Graphics Display with Touchscreen & rotating (Adjustable angle) Display, 550-sheet Input tray, 100-sheet Multi-Purpose tray, Up to 500 sheets paper handling Output standard, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Duplex ADF scanning, Standard 150 sheets automatic Document feeder capacity, charge coupled device (CCD) Flatbed & contact image Sensor (CIS) ADF Scan technology
PRHP6QN37A	R 91,631	HP 6QN37A Colour LaserJet Enterprise Flow MFP 6800zfSF Multifunction A4 Laser Printer, Print, Copy, Scan, Fax, Automatic Duplex printing, Up to 52 ppm print speed Black, Up to 52 ppm print speed Colour, Up to 1200x1200 dpi print quality, USB 3.0, Gigabit Ethernet, Apple AirPrint, Mopria Certified, 10.1 in Colour Graphics Display with Touchscreen & rotating (Adjustable angle) Display, 3x 550-sheet Input tray, 100-sheet Multi-Purpose tray, Up TO1000 sheets paper handling Output standard, Flatbed / ADF Scanner Type, Up to 600 dpi Scan Resolution Optical, Duplex ADF scanning, Standard 150 sheets automatic Document feeder capacity, charge coupled device (CCD) Flatbed & contact image Sensor (CIS) ADF Scan technology, Staple / Stack / job offset finished Output handling
PRHP7PS97A	R 38,842	HP 7PS97A LaserJet Enterprise MFP M635H 3-1 mono Printer, Print, Copy, Scan, Atomatic duplex, 8.0 in Colour Graphics Display (CGD) with Touchscreen, up to 61 ppm print speed black, up to 50 ipm print speed duplex, up to 300 000 pages duty cycle (Monthly A4), up to 1200x1200 dpi print quality Black, 1.2 GHz Processor speed, hp ePrint, Apple AirPrint, Mopria Certified, Google Cloud print, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, up to 650 sheets Input CAPACITY, 500 sheet ouput feeder, up to 500 sheets Output capacity, flatbed / ADF Scanner type, up to 600 dpi scan Resolution optical
PRHP7PS98A	R 52,688	HP 7PS98A LaserJet Enterprise MFP M635fht 4-1 mono Printer, Print, Copy, Scan, Fax, Automatic duplex printing, 8.0 in Colour Graphics Display (CGD) with Touchscreen, Illuminated home button, Up to 61 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, Apple AirPrint, 1.2 GHz Processor speed, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet ouput feeder, Flatbed / ADF Scanner Type, Up to 600 dpi scan Resolution optical, Single pass duplexing ADF
PRHP7PS99A	R 79,580	HP 7PS99A LaserJet Enterprise MFP M636FHZ 4-1 A4 mono Printer, Print, Copy, Scan, Fax, Automatic duplex printing, Two-sided printing, 150-sheet ADF, Strong security, 8.0 in Colour Graphics Display (CGD) with Touchscreen, Up to 61 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Mopria Certified, Google Cloud print, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet ouput feeder, Flatbed /ADF Scanner Type, Up to 600 dpi scan Resolution Optical
PRHP7PT00A	R 50,792	HP 7PT00A LaserJet Enterprise MFP M635Z 4-1 A4 mono Printer, Print, Copy, Scan, Fax, Automatic duplex printing. 8.0 in Colour Graphics Display (CGD) with Touchscreen, up to 71 ppm print speed black, up to 300 000 pages duty cycle (Monthly A4), up to 1200x1200 dpi print quality black, apple AIRPRINT, 1.2 GHz Processor speed, hp ePrint, Apple AirPrint, Mopria Certified, Google Cloud print, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100 sheet multipurpose FEEDER, 550 sheet Input FEEDER, 150 sheet automatic Document FEEDER, 500 sheet Output feeder, flatbed / ADF Scanner type, up to 600 dpi scan Resolution, Optical
PRHP7PT01A	R 84,589	HP LaserJet Enterprise MFP M636z. 4-1 Mono Printer - Print, Copy, Scan and Fax.Top key features: Scan to email, Two-sided printing, 150-sheet ADF, Strong Security. Print colours:No. Duplex printing: Automatic (standard). Mac compatible: Yes. Network capacity

PRHP9YG09A	R 5,523	HP Mono LaserJet MFP M236sdw, Print, Copy and Scan. Connectivity: 1 Hi-Speed USB 2.0; 1 Fast Ethernet, 10/100Base-TX; 1 Dual-band (2.4/5.0GHz), Wireless 802.11b/g/n with BluetoothÂ® Low, Energy. Paper Handling: 150 sheet
PRHPCF066A	R 42,943	HP LaserJet Enterprise 700 MFP M725dn, Print, copy, scan, digital send. 1 HP High Performance Secure Hard Disk. 1 Gigabit Ethernet 10/100/1000Base-T. 100-sheet multipurpose tray, 2 x 250-sheet input trays, 250-page output tray, 100-sheet Automatic Document Feeder (ADF). Enables large-volume printing, up to A3 with a 4600-sheet maximum input capacity
PRHPCF067A	R 58,461	HP LaserJet Enterprise 700, M725f Multifunction Printer (Replaces M5035)Print, copy, scan, digital send. 1 HP High Performance Secure Hard Disk. 1 Gigabit Ethernet 10/100/1000Base-T. 100-sheet multipurpose tray, 2x 250-sheet input trays, 250-page output tray, 100-sheet Automatic Document Feeder (ADF). 1 x 500-sheet tray, 1 x 500-sheet feeder, cabinet and stand
PRHPCF068A	R 70,140	HP LaserJet Enterprise 700 Multifunction Printer, M725z (Replaces M5035) Print, copy, scan, with built in fax. 1 HP High Performance Secure Hard Disk. 1 Gigabit Ethernet 10/100/1000Base-T. 100-sheet multipurpose tray, 2x 250-sheet input trays, 250-page output tray, 100-sheet Automatic Document Feeder (ADF). 1 x 500-sheet tray, 1 x 500-sheet feeder, cabinet and stand. 500-sheet inline stapler/stacker. 3 x 500-sheet paper feeder and stand
PRHPT3U55A	R 52,409	HP LaserJet Enterprise 700 colour MFP M776DN - A3/A4 MFP (Replaces M775dn and M775f) Print, copy, scan,optional fax, 22.9 cm (9.0 in) with 20.3 cm (8.0 in) functional touchscreen; Colour graphic display; Rotating (adjustable angle); Job control buttons, Â© 2019 Laptop Direct
PRHPT3U56A	R 81,342	HP LaserJet Enterprise 700 colour Flow MFP M776zs - A3/A4 MFP (Replaces M775z) Print, copy, scan, fax. Automatic Duplex printing, Control panel 22.9 cm (9.0 in) with 20.3 cm (8.0 in) functional touchscreen; Colour graphic display; Rotating (adjustable angle), Â© 2019 Laptop Direct
T3U55A	R 50,892	HP LaserJet Enterprise 700 colour MFP M776dn - Print, Copy, Scan, digital send, easy access USB, 5-20 Users, Print up to 46 ppm Black & 46 ppm color, Duplex, STD 500 sheets, 600x600 dpi, 1 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 Device, 1 Gigabit Ethernet

< Return to the menu

Printers : Printers - Photo

Product code	Price	Description
5539C015AA	R 2,064	Canon Selphy CP1500 Compact Photo Printer - Black, 300x300 dpi Maximum Resolution, Dye-sublimation Thermal Transfer printing system, 3 Colour inks, Auto feed from paper Cassette, USB / Wi-Fi
5540C017AA	R 2,228	Canon Selphy CP1500 Compact Photo Printer - White, 300x300 dpi Maximum Resolution, Dye-sublimation Thermal Transfer printing system, 3 Colour inks, Auto feed from paper Cassette, USB / Wi-Fi
CP1000HB	R 1,245	Canon Selphy CP-1000 Photo Printer - Includes Postcard paper cassette, compact power adapter CA - CP200, software Canon SELPHY bag
CP1500BK	R 2,732	Canon Selphy CP1500 Compact Photo Printer - Black, 300x300 dpi Maximum Resolution, Dye-sublimation Thermal Transfer printing system, 3 Colour inks, Auto feed from paper Cassette, USB / Wi-Fi
CP1500PK	R 2,732	Canon Selphy CP1500 Compact Photo Printer - Pink, 300x300 dpi Maximum Resolution, Dye-sublimation Thermal Transfer printing system, 3 Colour inks, Auto feed from paper Cassette, USB / Wi-Fi
CP1500WH	R 2,732	Canon Selphy CP1500 Compact Photo Printer - White, 300x300 dpi Maximum Resolution, Dye-sublimation Thermal Transfer printing system, 3 Colour inks, Auto feed from paper Cassette, USB / Wi-Fi
iP-CANBCP2Li	R 3,864	Canon NB-CP2Li rechargable battery for canon Selphy CP1300, CP1500 (Order on request)
iP-CP200S	R 10,394	Canon Pixma Pro-200S, 8 single ink - network ready (wired wireless) - with 3" LCD, with cloud link (print from cloud scan to cloud), manual duplex printing; A3 , 4800x2400dpi; input: 50s CD/DVD printing tray - USB UTP PictBridge direc
iP-CP300	R 17,103	Canon Pixma Pro-300, 10 single ink - network ready (wired wireless) - with 3" LCD, with cloud link (print from cloud scan to cloud), manual duplex printing; A3 , 4800x2400dpi; input: 50s cd/dvd printing tray - USB UTP PictBridge direct (Order on request)
iP-CSCP1000	R 999	Canon SELPHY CP1000 White - WiFi network ready, compact photo printer with 2.7" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing, ultra fast when using a Canon camera with

		DIGIC II, post card size printing: 47sec; 4" x 8" - USB PictBridge flash card reader (SD/ SDHC/ SDXC/ CF/ MMC/ MD), 4" x6" speed - sec : 47, optional battery pack : NB-CP2L, LCD : 2.7" - tilt, interface : usb PictBridge card reader, network ready : WiFi, flash memory reader : Y- SD/ SDHC/ SDXC/ CF/ MMC/ MD, size mm : 178x135x60.5, weight - g : 840, resolution dpi : 300x300 Dye-sublimation thermal, max paper size : 4" x8" , 4" X6" paper ink : KP-36i / KP-72i / KP-108i, 4" X8" paper ink : ?, L size paper ink : KL-36i, credit card size paper ink : KC-36i, credit card size sticker ink : KC-18iF, credit card size mini label ink : KC-18iL, IrDA wireless printing : N
iP-CSCP1000B	R 2,053	Canon SELPHY CP1000 Bundle (with carrybag KP-36iP) - white - WiFi network ready, compact photo printer with 2.7" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing, ultra fast when using a Canon camera with DIGIC II, post card size printing: 47sec; 4" x 8" - USB PictBridge flash card reader (SD/ SDHC/ SDXC/ CF/ MMC/ MD), 4" x6" speed - sec : 47, optional battery pack : NB-CP2L, LCD : 2.7" - tilt, interface : usb PictBridge card reader, network ready : WiFi, flash memory reader : Y- SD/ SDHC/ SDXC/ CF/ MMC/ MD, size mm : 178x135x60.5, weight - g : 840, resolution dpi : 300x300 Dye-sublimation thermal, max paper size : 4" x8" , 4" X6" paper ink : KP-36i / KP-72i / KP-108i, 4" X8" paper ink : ?, L size paper ink : KL-36i, credit card size paper ink : KC-36i, credit card size sticker ink : KC-18iF, credit card size mini label ink : KC-18iL, IrDA wireless printing : N
iP-CSCP1300-K	R 2,052	Canon Selphy CP1300 Black - WiFi network ready, Compact Photo Printer with 3.2" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing with 4x print finishes, ultra fast when using a Canon camera with DIGIC II, post card size printing: 300x300dpi, 47sec print speed; 4" x 6" - USB PictBridge flash card reader (SD/ SDHC/ SDXC/ CF/ MMC/ MD)
iP-CSCP1300-P	R 2,052	Canon Selphy CP1300 Pink - WiFi network ready, compact photo printer with 3.2" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing with 4x print finishes, ultra fast when using a Canon camera with DIGIC II, post card size printing: 300x300dpi, 47sec print speed; 4" x 6" - USB PictBridge flash card reader (SD/ SDHC/ SDXC/ CF/ MMC/ MD)
iP-CSCP1300-W	R 2,052	Canon Selphy CP1300 White - WiFi network ready, compact photo printer with 3.2" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing with 4x print finishes, ultra fast when using a Canon camera with DIGIC II, post card size printing: 300x300dpi, 47sec print speed; 4" x 6" - USB PictBridge flash card reader (SD/ SDHC/ SDXC/ CF/ MMC/ MD)
iP-CSCP1500-K	R 2,529	Canon Selphy CP1500 Black - WiFi network ready, compact photo printer with 3.5" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing with 4x print finishes, ultra fast when using a Canon camera with DIGIC II, post card size printing: 300x300dpi, 47sec print speed; 4" x 6" - USB type-C PictBridge flash card reader (SD/ SDHC/ SDXC) (Order on request)
iP-CSCP1500-P	R 2,529	Canon Selphy CP1500 Pink - WiFi network ready, compact photo printer with 3.5" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing with 4x print finishes, ultra fast when using a Canon camera with DIGIC II, post card size printing: 300x300dpi, 47sec print speed; 4" x 6" - USB type-C PictBridge flash card reader (SD/ SDHC/ SDXC) (Order on request)
iP-CSCP1500-W	R 2,529	Canon Selphy CP1500 White - WiFi network ready, compact photo printer with 3.5" LCD (angle adjustable), support optional battery, Dye-sublimation thermal transfer printing with 4x print finishes, ultra fast when using a Canon camera with DIGIC II, post card size printing: 300x300dpi, 47sec print speed; 4" x 6" - USB type-C PictBridge flash card reader (SD/ SDHC/ SDXC) (Order on request
PRCACP1000WHT	R 1,093	Canon Selphy CP-1000 White Photo Printer - Includes Postcard paper cassette, compact power adapter CA - CP200, software
PRCACP1500BLK	R 2,530	Canon CP-1500 Selphy Compact Photo Printer, Black, WI-FI, print direct from smart devices and computers.DYE-SUBLIMATION - Fast, high quality prints due to thermal dye-sublimation printing system. 41 SECOND PRINTING - High quality postcards prints, fast
PRCACP1500PNK	R 2,530	Canon CP-1500 Selphy Compact Photo Printer, Pink , WI-FI, print direct from smart devices and computers.DYE-SUBLIMATION - Fast, high quality prints due to thermal dye-sublimation printing system. 41 SECOND PRINTING - High quality postcards prints, fast
PRCACP1500WHT	R 2,530	Canon CP-1500 Selphy Compact Photo Printer, White, WI-FI, print direct from smart devices and computers.DYE-SUBLIMATION - Fast, high quality prints due to thermal dye-sublimation printing system. 41

		SECOND PRINTING - High quality postcards prints, fast
PRCAPRO200S	R 11,779	Canon PIXMA Pro 200S A3 /14" Professional Printer, 8 ink system, 4800 x 2400 dpi resolution, 150 sheet paper handling, CD/DVD Printing, Manual duplex, USB, Wi-Fi, Ethernet, USB PictBridge, Pixma Cloud Link, Apple Airprint, PIXMA printing solutions App, pro Gallery Print app, CLI-65 BK, CLI-65C, CLI-65M, CLI-65Y, CLI-65PC, CLI-65PM, CLI-65GY, CLI-65LGY

< Return to the menu

Printers : Printers - Portable & compact

Product code	Price	Description
4167C056AA	R 6,440	Canon Pixma TR150 A4 Colour ink Printer with battery, 9ipm mono, 5.8ipm Colour, 4800 x 1200 dpi Resolution, 50 sheet rear tray, Manual duplex, USB, WiFi, Direct print through Access mode, WLAN pictbridge, 4167C056AA, 2 ink cartridges, ChromaLife100 system, Borderless 10 x 15 cm, 3.6cm OLED Display, Lithium-ion battery
BHR9974GL	R 1,530	Xiaomi 1S Silver Portable Photo Printer; ZINK bez ink printing; Bluetooth 5.2; 2x3 inch prints; 313x512 dpi; 124x82x22 mm; 180 g; 500 mAh; Android iOS
C11CE05404	R 5,083	Epson WorkForce WF-100W Portable Inkjet Printer, 5760 x 1440 dpi, 14 Pages/min Monochrome (plain paper), 11 Pages/min Color (plain paper), 20 Sheets Standard, 20 Sheets maximum, 5 Photo Sheets, Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n, USB 2.0 Type Mini-B, AC Adaptor, Ink cartridges (1 black / 1 three-colour cartridge), Mini-USB cable, Built-in Lithium-ion battery
iP-CALK72	R 3,034	Canon LK-72 rechargable battery for canon pixma TR150 (Order on request) (Only one Battery)
iP-CSSQX10-G	R 3,020	Canon Selphy Square QX10 Green - ultra compact pocket size (143x102x31mm, 445g), colour and detail lasts for up to 100 years, WiFi network ready, Dye-sublimation thermal transfer printing, 287x287dpi, for 2.7" x 2.7" media - with built-in rechargable battery (Order on request)
iP-CSSQX10-K	R 3,020	Canon Selphy Square QX10 Black - ultra compact pocket size (143x102x31mm, 445g), colour and detail lasts for up to 100 years, WiFi network ready, Dye-sublimation thermal transfer printing, 287x287dpi, for 2.7" x 2.7" media - with built-in rechargable battery (Order on request)
iP-CSSQX10-P	R 3,020	Canon Selphy Square QX10 Pink - ultra compact pocket size (143x102x31mm, 445g), colour and detail lasts for up to 100 years, WiFi network ready, Dye-sublimation thermal transfer printing, 287x287dpi, for 2.7" x 2.7" media - with built-in rechargable battery (Order on request)
iP-CSSQX10-W	R 3,020	Canon Selphy Square QX10 White - ultra compact pocket size (143x102x31mm, 445g), colour and detail lasts for up to 100 years, WiFi network ready, Dye-sublimation thermal transfer printing, 287x287dpi, for 2.7" x 2.7" media - with built-in rechargable battery (Order on request)
PRCABX110+BATT	R 7,071	Canon Pixma BX110 A4 Colour Portable Ink Printer with Battery, 7069C027AA, Up to 4800 x 1200 dpi print Resolution, ChromaLife100 system, Approx. 9.0 ipm mono print Speed, Approx. 5.5 ipm Colour print Speed, Borderless printing, Maximum 50 sheets rear Tray, 3.6cm OLED Display (Monochrome), Lithium-ion Battery, Hi-Speed USB (USB Type-C)
PRCALK-72	R 3,393	Canon Pixma TR150 A4 Colour ink Printer with battery, 9ipm mono, 5.8ipm Colour, 4800 x 1200 dpi Resolution, 50 sheet rear tray, Manual duplex, USB, WiFi, Direct print through Access mode, WLAN pictbridge, 4167C056AA, 2 ink cartridges, ChromaLife100 system, Borderless 10 x 15 cm, 3.6cm OLED Display, Lithium-ion battery
PRCANB-CP2LI	R 3,864	Canon Selphy NB-CP2LI Double Power Battery, (CP-810, 820 & CP-900, 910, 1000 Compatible with NB-CP2L Battery and battery is optional, not included, CP-810,820 / CP-900, 910 need Charger Adapter in order for battery to fit)
WF-100	R 4,438	Epson WorkForce WF-100W Portable Inkjet Printer, 5760 x 1440 dpi, 14 Pages/min Monochrome (plain paper), 11 Pages/min Color (plain paper), 20 Sheets Standard, 20 Sheets maximum, 5 Photo Sheets, Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n, USB 2.0 Type Mini-B, AC Adaptor, Ink cartridges (1 black / 1 three-colour cartridge), Mini-USB cable, Built-in Lithium-ion battery

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Processors: AMD CPU

AMD Ryzen Socket AM4 Processors

AMD Ryzen Socket AM4 Processors : AMD Ryzen 3 Socket AM4 Processor

Product code	Price	Description
100-100000148MPK	R 1,528	AMD Ryzen 3 Pro 4350G AM4 Quad Core 3.80 GHz up to 4.0GHz 4MB Cache Processor, 4 MB L3 Cache, 2 MB L2 Cache, 7 nm, Socket AM4, Radeon Graphics Graphics, 65 W, 8 threads, Retail box, TSMC 7nm FinFET, PCI-e 3.0, Wraith Stealth thermal solution (Mpk), 65W TDP
100-100000510BOX	R 1,195	AMD Ryzen 3 4100 Socket AM4 Quad Core 4C/8T 3.8GHz up to 4.0GHz 4MB Cache Processor, 65W Default TDP, TSMC 7nm FinFET, AMD Wraith Stealth thermal solution (PIB), No Graphics
YD3000C6FHSBX	R 909	AMD Athlon 3000G Socket AM4 3.5GHz duial Core 4MB Cache Processor, 35W TDP, RX Vega Graphics, Cooler included
YD3200C5FHBOX	R 1,150	AMD Ryzen3 3200G socket AM4 - 4 cores (3.6ghz box CPU/ 4.0ghz turbo core) Vega8 GPU (1.1Ghzhz, 8 cores / 512 shader units); unlocked clock multiplier; 384k L1 2mb L2 4mb L3 cache, intergrated dual channel DDR4-2933 memory controller; 12nm, 65w TDP - box CPU (with wraith stealth fan)

< Return to the menu

AMD Ryzen Socket AM4 Processors : AMD Ryzen 5 Socket AM4 Processor

Product code	Price	Description
100-100000031AWOF	R 1,688	AMD Ryzen 5 3600 3rd gen 6 Core up to 4.2GHz 36MB Cache Processor, 6 CPU cores, 12 threads, Up to 4.2GHz Maximum Boost Clock, 3.6GHz base clock, 384KB L1 Cache, 3MB L2 Cache, 32MB L3 Cache, 65W Default TDP, TSMC 7nm FinFET, No Integrated Graphics, No Cooler included
100-100000065BOX	R 6,499	AMD Ryzen 5 5600X 6 Core 3.7GHz up to 4.6GHz 32MB L3 Cache Socket AM4 Processor, 16 threads, 3.7GHz base clock, Up to 4.6GHz Maximum boost clock, 3MB total L2 Cache, 32MB total L3 Cache, TSMC 7nm FinFET CMOS, PCI-e 4.0, 65W TDP
100-100000457BOX	R 1,856	AMD Ryzen 5 Hex (6) Core Socket AM4 5500 3.6GHz boost up to 4.2GHz 19MB L3 Cache Processor, 65W Default TDP, TSMC 7nm FinFET, No Graphics, AMD Wraith Stealth thermal solution
100-100000457BOX	R 1,776	AMD Ryzen 5 Hex (6) Core Socket AM4 5500 3.6GHz boost up to 4.2GHz 19MB L3 Cache Processor, 65W Default TDP, TSMC 7nm FinFET, No Graphics, AMD Wraith Stealth thermal solution
100-100000457BOX	R 1,999	AMD Ryzen 5 AM4 Socket Processor - AMD Ryzen 5 5500 Processor, 3.6GHz Base Clock, Up to 4.2GHz Boost Clock Frequency, 6 Cores, 12 Threads, AMD 7nm Zen 3 Architecture, Up to DDR4-3200MHz Memory Supported, PCIe Version 3.0, 65W TDP, Desktop Compatible, Retail Box
100-100000644BOX	R 1,580	AMD RYZEN 5 4500 6-CORE 3.8GHz AM4 CPU (No onboard graphics)
100-100000644BOX	R 1,497	AMD Ryzen 5 4500 6 Core Socket AM4 3.7GHz with boost to 4.2GHz 8MB L3 Cache Desktop CPU, 6 Core 12 Thread, 65W Default TDP, 384kb total L1 Cache, 3MB total L2 Cache, 8MB total L3 Cache, TSMC 7nm FinFET, PCI-e 3.0 x16, Boxed CPU (No onboard graphics)
100-100000927BOX	R 2,849	AMD Ryzen 5 Hex (6) Core Socket AM4 5600 3.5GHz boost up to 4.4GHz 32MB L3 Cache Processor, 65W Default TDP, TSMC 7nm FinFET, No Graphics, AMD Wraith Stealth thermal solution
100-100001488BOX	R 2,734	AMD Ryzen 5 5600GT 6 Core 3.6GHz up to 4.6GHz 16MB L3 Cache Socket AM4 Processor, Zen 3 Architecture, 12 threads, 65W Default TDP, TSMC 7nm FinFET, AMD Wraith Stealth Thermal solution, Radeon Graphics 7 Core Integrated Graphics 1900 MHz
100-100001585BOX	R 3,042	AMD Ryzen 5 5600XT 6 Core 3.7GHz up to 4.7 GHz Socket AM4 32MB L3 Cache CPU, Zen 3 Processor Architecture, 384 KB L1 Cache, 3 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, Unlocked for Overclocking, AMD Wraith Stealth Thermal solution, No OnBoard Graphics
CP-AR3400GF	R 1,423	AMD Ryzen5 3400G socket AM4 - 4 cores / 8 threads (3.7ghz box cpu / 4.2ghz turbo core) Vega11 GPU (1.25Ghz, 11 cores / 704 shader units); unlocked clock multiplier; 384k L1 2mb L2 4mb L3 cache, intergrated dual channel DDR4-2933 memory controller; 12nm, 65w TDP - box cpu (with wraith spire fan)
CP-AR4500+F	R 1,578	AMD 100-100000644BOX socket AM4, Ryzen5 4500 - 6 cores / 12 threads (3.6Ghz box CPU / 4.1ghz turbo core), unlocked clock multiplier; 576k L1 3mb L2 8mb L3 cache, integrated dual channel DDR4-3200 memory controller; 7nm, 65w TDP - box CPU

CP-AR5500+F	R 1,773	AMD Ryzen 5 Hex (6) Core Socket AM4 5500 3.6GHz boost up to 4.2GHz 19MB L3 Cache Processor, 65W Default TDP, TSMC 7nm FinFET, No Graphics, AMD Wraith Stealth thermal solution
CP-AR5700X	R 4,001	AMD socket AM4, Ryzen 7 5700X - 8 cores / 16 threads (3.4ghz box CPU / 4.6ghz turbo core), unlocked clock multiplier; 768k L1 4mb L2 32mb L3 cache, integrated dual channel DDR4-3200 memory controller; 7nm, 65w TDP - box CPU (with no fan)
YD3400C5FHBOX	R 1,599	AMD Ryzen 5 3400G Socket AM4 Quad Core up to 4.2 GHz 4MB L3 Cache Processor, 4 CPU Cores, 8 threads, 3.7 GHz base clock, Up to 4.2 GHz Maximum Boost Clock, 384 KB L1 Cache, 2 MB L2 Cache, 4 MB L3 Cache, 65W Default TDP, Radeon Vega 11 Graphics
YD3400C5FHSBX	R 1,424	AMD Ryzen 5 3400G Socket AM4 Quad Core up to 4.2 GHz 4MB L3 Cache Processor, 4 CPU Cores, 8 threads, 3.7 GHz base clock, Up to 4.2 GHz Maximum Boost Clock, 384 KB L1 Cache, 2 MB L2 Cache, 4 MB L3 Cache, 65W Default TDP, Radeon Vega 11 Graphics
YD3400C5FHSBX	R 1,319	AMD Ryzen 5 3400G Socket AM4 Quad Core up to 4.2 GHz 4MB L3 Cache Processor, 4 CPU Cores, 8 threads, 3.7 GHz base clock, Up to 4.2 GHz Maximum Boost Clock, 384 KB L1 Cache, 2 MB L2 Cache, 4 MB L3 Cache, 65W Default TDP, Radeon Vega 11 Graphics

< Return to the menu

AMD Ryzen Socket AM4 Processors : AMD Ryzen 7 Socket AM4 Processor

Product code	Price	Description
100-100000263BOX	R 4,370	AMD Ryzen 7 5700G 8-core 3.8GHz up to 4.6GHz Socket AM4 16MB L3 Cache Processor, 16 threads, 4MB total L2 Cache, 16MB total L3 Cache, Unlocked, TSMC 7nm FinFET, PCI-e 3.0, Wraith Stealth thermal solution (Pib), 65W Default TDP / TDP, Radeon Graphics built in
100-100000263BOX	R 4,249	AMD Ryzen 7 5700G 8-core 3.8GHz up to 4.6GHz Socket AM4 16MB L3 Cache Processor, 16 threads, 4MB total L2 Cache, 16MB total L3 Cache, Unlocked, TSMC 7nm FinFET, PCI-e 3.0, Wraith Stealth thermal solution (Pib), 65W Default TDP / TDP, Radeon Graphics built in
100-100000263MPK	R 6,107	AMD Ryzen 7 5700G 8-core 3.8GHz up to 4.6GHz Socket AM4 16MB L3 Cache Processo - Tray, 16 threads, 4MB total L2 Cache, 16MB total L3 Cache, Unlocked, TSMC 7nm FinFET, PCI-e 3.0, 65W Default TDP / TDP, Radeon Graphics built in, No heatsink and fan
100-100000651POF	R 6,839	AMD Ryzen 7 5800X3D 8 Core 3.4GHz base up to 4.5GHz Socket AM4 96MB L3 Cache Processor, Ryzen 5000 Series, Vermeer former codename, Zen 3 Processor Architecture, 8 Cores, 16 threads, 512 KB L1 Cache, 4 MB L2 Cache, 96 MB L3 Cache (3D V-Cache), 105W Default TDP, TSMC 7nm FinFET, No OnBoard Graphics, No Heatsink and fan
100-100000651POF	R 6,723	AMD Ryzen 7 5800X3D 8 Core 3.4GHz base up to 4.5GHz Socket AM4 96MB L3 Cache Processor, Ryzen 5000 Series, Vermeer former codename, Zen 3 Processor Architecture, 8 Cores, 16 threads, 512 KB L1 Cache, 4 MB L2 Cache, 96 MB L3 Cache (3D V-Cache), 105W Default TDP, TSMC 7nm FinFET, No OnBoard Graphics, No Heatsink and fan
100-100000743SBX	R 2,786	AMD Ryzen 7 5700 8 Core 3.7GHz up to 4.6GHz Socket AM4 16MB L3 Cache Processor, Zen 3 Architecture, 8 CPU Cores, 16 threads, Up to 4.6GHz Maximum Boost Clock, 512KB L1 Cache, 4MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 7nm FinFET, AMD Wraith Stealth Thermal solution, No Integrated Graphics
100-100000926WOF	R 3,976	AMD Ryzen 7 Octa (8) Core Socket AM4 5700X 3.4GHz boost up to 4.6GHz 32MB L3 Cache Processor, 65W Default TDP, TSMC 7nm FinFET, No graphics, no heatsink and fan
100-100000926WOF	R 3,895	AMD Ryzen 7 Octa (8) Core Socket AM4 5700X 3.4GHz boost up to 4.6GHz 32MB L3 Cache Processor, 65W Default TDP, TSMC 7nm FinFET, No graphics, no heatsink and fan
100-100001582BOX	R 4,365	AMD Ryzen 7 5800XT 8-Core/ 16-Threads; Socket AM4; 36MB Cache; 105W Processor with Wraith Prism Cooler BOX
CP-AR5700GF	R 4,364	AMD 100-100000263BOX socket AM4, Ryzen7 pro 5700G - 8 cores / 16 threads (3.8Ghz box CPU / 4.6ghz turbo core) Vega8 GPU (2Ghz, 8 cores / 512 shader units); unlocked clock multiplier; 4mb L2 16mb L3 cache, integrated dual channel DDR4-3200
CP-AR5800X3D	R 6,830	AMD socket AM4, Ryzen7 5800X3D - 8 cores / 16 threads (3.4Ghz box CPU / 4.5ghz turbo core), unlocked clock multiplier; 512k L1 4mb L2 96mb L3 (32-2D 64mb 3D), integrated dual channel DDR4-3200 memory controller;

		7nm, 105w TDP - box CPU
CP-AR5800XT+F	R 4,360	AMD Ryzen 7 5800XT 8 Core 3.8GHz boost up to 4.7GHz 32MB Cache Socket AM4 Processor, 8 Cores / 16 threads, 512 KB L1 Cache, 4 MB L2 Cache, 32 MB L3 Cache, Unlocked clock multiplier, 105W TDP, Box CPU with Wraith Prism fan, No Built-In Graphics, 100-100001582box, Vermeer former codename
CPU636	R 4,652	AMD Ryzen 7 1700X - 3.4GHz/3.8GHz Eight Core/Sixteen Thread, Socket AM4, 20MB Cache, 14nm, AMD SenseMi Technology, AMD Precision Boost, AMD XFR - Unlocked
CPU637	R 5,083	Amd socket AM4, Ryzen7 1800X - 8 cores / 16 threads (3.6ghz box cpu / 4.0ghz turbo core), unlocked clock multiplier, 768k L1 4mb L2 16mb L3 cache, intergrated dual channel DDR4-2400 memory controller, 14nm, 95w TDP - box cpu (with no fan)
YD2700BBAFMPK	R 5,088	AMD Ryzen7 2700 socket AM4 - 8 cores/ 16 threads (3.2Ghz box cpu/ 4.1Ghz turbo core), unlocked clock multiplier; 768k L1 4mb L2 16mb L3 cache, integrated dual channel DDR4-2933 memory controller; 14nm, 65w TDP - box cpu (with wraith spire RGB LED fan)

< Return to the menu

AMD Ryzen Socket AM4 Processors : AMD Ryzen 9 Socket AM4 Processor

Product code	Price	Description
100-100000063WOF	R 4,907	AMD Ryzen 7 5800X 8 Core 3.8GHz up to 4.7GHz 32MB L3 Cache Socket AM4 Processor, 16 threads, 3.8GHz base clock, Up to 4.7GHz Maximum boost clock, 4MB total L2 Cache, 32MB total L3 Cache, TSMC 7nm FinFET CMOS, PCI-e 4.0, 105W TDP - No fan
100-100000719WOF	R 13,342	AMD Ryzen 9 9950X3D; 16 Core/32 Thread base Clock 4.3 GHz; Max Boost 5.7 GHz; 128MB Cache; Radeon Graphics
100-100001581WOF	R 6,174	AMD Ryzen 9 5900XT 16 Core Socket AM4 3.3GHz up to 4.8GHz 64MB L3 Cache Zen 3 Processor, Ryzen 5000 Series, 16 CPU Cores, 32 threads, 1024 KB L1 Cache, 8 MB L2 Cache, 64 MB L3 Cache, 105W Default TDP, TSMC 7nm FinFET CPU Cores, No intergrated Graphics, No Heatsink and fan
CP-AR5900XT	R 6,166	AMD Ryzen 9 5900XT 16 Core Socket AM4 3.3GHz up to 4.8GHz 64MB L3 Cache Zen 3 Processor, Ryzen 5000 Series, 16 CPU Cores, 32 threads, 1024 KB L1 Cache, 8 MB L2 Cache, 64 MB L3 Cache, 105W Default TDP, TSMC 7nm FinFET CPU Cores, No intergrated Graphics, No Heatsink and fan

< Return to the menu

AMD Ryzen Threadripper Pro Processor

Product code	Price	Description
100-100000444WOF	R 130,155	AMD socket SWrx8 LGA 4094 ThreadRipper pro 5995WX (for WRX80 chipset mb) - 64 cores / 128 threads (2.7Ghz / 4.5Ghz turbo core); 4mb L1 32mb L2 256mb L3 cache, integrated 8 channel DDR4-3200 memory controller, 128x pci-e 4.0 lan - No fan
100-100000453WOF	R 69,804	AMD Ryzen Threadripper PRO 7975WX, Socket sTR5, Up to 5.3GHz, 32Core 64 Thread - No Fan
100-100000453WOF	R 89,843	AMD Ryzen Threadripper PRO 7975WX, Socket sTR5, Up to 5.3GHz, 32Core 64 Thread - No Fan
100-100000454WOF	R 160,079	AMD Ryzen Threadripper PRO 7985WX, Socket sTR5, Up to 5.1GHz, 64Core 128 Thread - No Fan
100-100000454WOF	R 172,324	AMD Ryzen Threadripper PRO 7985WX, Socket sTR5, Up to 5.1GHz, 64Core 128 Thread - No Fan
100-100000722WOF	R 175,019	AMD Ryzen ThreadRipper Pro 9985WX 64-core 3.2GHz up to 5.4GHz Processor, 64 CPU Cores, 128 threads, 3.2GHz base clock, Up to 5.4GHz Max Boost Clock, 5120 KB total L1 Cache, 64MB total L2 Cache, 256MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP
100-100000723WOF	R 89,831	AMD Ryzen ThreadRipper Pro 9975WX 32-core 4.0GHz up to 5.4GHz Processor, 32 CPU Cores, 64 threads, 4.0GHz base clock, Up to 5.4GHz Max Boost Clock, 2560 KB total L1 Cache, 32MB total L2 Cache, 128MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP, No Cooler
100-100000724WOF	R 62,992	AMD Ryzen ThreadRipper Pro 9965WX 24 Core 4.2GHz up to 5.4GHz Processor, 24 CPU Cores, 48 threads, 4.2GHz base clock, Up to 5.4GHz Max Boost Clock, 1920 KB total L1 Cache, 24MB total L2 Cache, 128MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP, No Cooler. The AMD Ryzen ThreadRipper Pro 9965WX is a professional-grade processor with 24 cores and 48 threads, designed to handle the most demanding workstation tasks. With a 4.2GHz base and 5.4GHz boost clock, it provides exceptional speed for

		rendering, simulations, and multitasking. Ideal for engineers, content creators, and developers, this CPU delivers reliable, high-performance processing for complex applications and enterprise-grade workflows.
100-100000725WOF	R 35,685	AMD Ryzen ThreadRipper Pro 9955WX 16-core 4.5GHz up to 5.4GHz Processor, 16 CPU Cores, 32 threads, 4.5GHz base clock, Up to 5.4GHz Max Boost Clock, 1280 KB total L1 Cache, 16MB total L2 Cache, 64MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP, No Cooler
100-100000884WOF	R 220,688	AMD Ryzen Threadripper PRO 7995WX, Socket sTR5, Up to 5.1GHz, 96Core 192 Thread - No Fan
100-100000884WOF	R 224,064	AMD Ryzen Threadripper PRO 7995WX, Socket sTR5, Up to 5.1GHz, 96Core 192 Thread - No Fan
100-100000885WOF	R 57,156	AMD Ryzen Threadripper PRO 7965WX, Socket sTR5, Up to 5.3GHz, 24Core 48 Thread - No Fan
100-100000885WOF	R 61,528	AMD Ryzen Threadripper PRO 7965WX, Socket sTR5, Up to 5.3GHz, 24Core 48 Thread - No Fan
100-100001361WOF	R 256,704	AMD Ryzen ThreadRipper Pro 9995WX 96-core 2.5GHz up to 5.4GHz Processor, 96 CPU Cores, 192 threads, 7680 KB total L1 Cache, 96MB total L2 Cache, 384MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP, No cooler
100-100001593WOF	R 109,670	AMD Ryzen ThreadRipper 9980WX 64-core 3.2GHz up to 5.4GHz Processor, 64 CPU Cores, 128 threads, 3.2GHz base clock, Up to 5.4GHz Max Boost Clock, 5120 KB total L1 Cache, 64MB total L2 Cache, 256MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP, No Cooler
100-100001594WOF	R 54,823	AMD Ryzen ThreadRipper 9970WX 32-core 4.0GHz up to 5.4GHz Processor, 32 CPU Cores, 64 threads, 4.0GHz base clock, Up to 5.4GHz Max Boost Clock, 2560 KB total L1 Cache, 32MB total L2 Cache, 128MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP, No Cooler
100-100001595WOF	R 32,651	AMD Ryzen ThreadRipper 9960WX 24-core 4.2GHz up to 5.4GHz Processor, 24 CPU Cores, 48 threads, 4.2GHz base clock, Up to 5.4GHz Max Boost Clock, 1920 KB total L1 Cache, 24MB total L2 Cache, 128MB total L3 Cache, Unlocked, TSMC 4nm FinFET, sTR5 CPU Socket, 350W Default TDP

< Return to the menu

AMD Ryzen Threadripper TR4 Processor

Product code	Price	Description
CP-AT2920X	R 11,584	AMD ThreadRipper 2920X socket TR4 - 12 cores / 24 threads (3.5Ghz / 4.3Ghz turbo core), unlocked clock multiplier; 1.125mb L1 6mb L2 32mb L3 cache, intergrated Quad channel DDR4-2933 memory controller; 12nm, 180w TDP - box cpu (with no fan)
CP-AT2950X	R 16,054	Amd socket TR4 ThreadRipper 2950X - 16 cores / 32 threads (3.5ghz/ 4.4ghz turbo core), unlocked clock multiplier; 1.5mb L1 8mb L2 32mb L3 cache, integrated Quad channel DDR4-2933 memory controller; 12nm, 180w TDP - box cpu (with no fan) - come with mounting bracket for Corsair H80i GT(V2), H105, H100i GTX(V2), H115i
CPU650	R 12,774	AMD socket TR4 ThreadRipper 1920X - 12 cores/ 24 threads (3.5ghz box cpu/ 4.0ghz turbo core), unlocked clock multiplier; 1.5mb L1 6mb L2 32mb L3 cache, inter-grated Quad channel DDR4-2667 memory controller; 14nm, 180w TDP - box cpu (with no fan) - come with mounting bracket for Corsair H80i GT(V2), H105, H100i GTX(V2), H115i Coolermaster Masterliquid 240

< Return to the menu

AMD Ryzen Threadripper TR5 Processor

Product code	Price	Description
100-100001350WOF	R 90,911	AMD Ryzen Threadripper 7980X, Socket sTR5, Up to 5.1GHz, 64Core 128 Thread - No Fan
100-100001350WOF	R 99,102	AMD Ryzen Threadripper 7980X, Socket sTR5, Up to 5.1GHz, 64Core 128 Thread - No Fan
100-100001351WOF	R 45,039	AMD Ryzen Threadripper 7970X, Socket sTR5, Up to 5.3GHz, 32Core 64 Thread - No Fan
100-100001351WOF	R 49,111	AMD Ryzen Threadripper 7970X, Socket sTR5, Up to 5.3GHz, 32Core 64 Thread - No Fan
100-100001352WOF	R 24,531	AMD Ryzen Threadripper 7960X, Socket sTR5, Up to 5.3GHz, 24Core 48 Thread - No Fan
100-100001352WOF	R 27,492	AMD Ryzen Threadripper 7960X, Socket sTR5, Up to 5.3GHz, 24Core 48 Thread - No Fan

< Return to the menu

AMD Ryzen Zen4 Socket AM5 Processor

Product code	Price	Description
100-1000001084WOF	R 10,555	AMD Ryzen 7 9800X3D AM5 8 Core 4.7GHz up to 5.2GHz 96MB L3 Cache Gaming Processor, 8 CPU Cores, 16 threads, 640KB L1 Cache, 8MB L2 Cache, 96MB L3 Cache, 120W Default TDP, TSMC 4nm FinFET, Unlocked for Overclocking, AMD Radeon Graphics 2200MHz, No Heatsink and fan
100-100000589WOF	R 7,392	AMD Ryzen 9 7900X 5nm Socket AM5 12 Core 4.7GHz up to 5.6GHz 76MB Cache Processor, Zen 4 Architecture, Up to 5.7GHz Maximum Boost Clock, 12 CPU cores, 24 threads, 4.7GHz base clock, 768kb L1 Cache, 12MB L2 Cache, 64MB L3 Cache, 170W Default TDP, TSMC 5nm FinFET, No heastsink and fan, AMD Radeon Graphics 2200 MHz - No fan
100-100000590BOX	R 6,611	AMD Ryzen 9 7900 5nm Socket AM5 12 Core 3.7GHz up to 5.4GHz 64 MB L3 Cache Processor, Wraith prism Cooler, 768KB L1 Cache, 12MB L2 Cache, 64MB L3 Cache, 65W Default TDP, AMD Radeon Graphics, TSMC 5nm FinFET Processor technology for CPU cores, TSMC 6nm FinFET Processor technology for I/O die
100-100000592BOX	R 5,711	AMD Ryzen 7 7700 5nm Socket AM5 8 Core 3.8GHz up to 5.3GHz 32MB L3 Cache Processor, Wraith prism Cooler, 512KB L1 Cache, 8MB L2 Cache, 32MB L3 Cache, 65W Default TDP, AMD Radeon Graphics, TSMC 5nm FinFET Processor technology for CPU cores, TSMC 6nm FinFET Processor technology for I/O die
100-100000593WOF	R 4,141	AMD Ryzen 5 7600X 5nm Socket AM5 6 Core 4.7GHz up to 5.3GHz 38MB Cache Processor, Zen 4 Architecture, Up to 5.3GHz Maximum Boost Clock, 6 CPU cores, 12 threads, 4.7GHz base clock, 384KB L1 Cache, 6MB L2 Cache, 32MB L3 Cache, 105W Default TDP, No heatsink and fan, AMD Radeon Graphics 2200 MHz - No fan
100-100000662WOF	R 8,074	AMD Zen 5 Ryzen 9 9900X 12-core 4.4GHz up to 5.6GHz 64MB Cache AM5 CPU, 12 Cores / 24 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 960 KB L1 Cache, 12 MB L2 Cache, 64 MB L3 Cache, 120W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100000662WOF	R 7,776	AMD Zen 5 Ryzen 9 9900X 12-core 4.4GHz up to 5.6GHz 64MB Cache AM5 CPU, 12 Cores / 24 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 960 KB L1 Cache, 12 MB L2 Cache, 64 MB L3 Cache, 120W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100000719WOF	R 13,299	AMD Ryzen 9 9950X3D Zen5 16-core up to 5.7GHz 128 MB L3 Cache AM5 Processor, Granite Ridge AM5 former codename, 16 CPU Cores, 32 threads, 4.3 GHz base clock, 1280 KB L1 Cache, 16 MB L2 Cache, 128 MB L3 Cache, 170W Default TDP, 2nd Gen AMD 3D V-Cache Technology, AMD Radeon intergrated Graphics, No Heatsink and fan
100-100000910WOF	R 7,789	AMD RYZEN 7 7800X3D 8-Core 4.2GHz AM5 CPU - No fan
100-100000910WOF	R 7,990	AMD Ryzen 7 7800X3D 5nm Socket AM5 8 Core up to 5.0GHz Processor, AMD 3D V-Cache technology, Zen 4 Architecture, 8 CPU cores, 16 threads, 4.2GHz base clock, 512KB L1 Cache, 8MB L2 Cache, 96MB L3 Cache, 120W Default TDP, TSMC 5nm FinFET, AMD Radeon Graphics, 100-100000910WOF, No CPU Cooler
100-100000910WOF	R 8,692	AMD Ryzen 7 7800X3D 5nm Socket AM5 8 Core up to 5.0GHz Processor, AMD 3D V-Cache technology, Zen 4 Architecture, 8 CPU cores, 16 threads, 4.2GHz base clock, 512KB L1 Cache, 8MB L2 Cache, 96MB L3 Cache, 120W Default TDP, TSMC 5nm FinFET, AMD Radeon Graphics, 100-100000910WOF, No CPU Cooler
100-100000931BOX	R 2,754	AMD Ryzen 5 8500G 6 Core 3.5GHz up to 5.0GHz 16MB L3 Cache Socket AM5 Processor, 2x ZEN4 & 4x Zen4c Architecture, 6 CPU Cores, 12 threads, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, Wraith Stealth Cooler included, AMD Radeon 740m Integrated Graphics, Wraith Stealth Cooler included
100-100000931BOX	R 2,834	AMD Ryzen 5 8500G 6 Core 3.5GHz up to 5.0GHz 16MB L3 Cache Socket AM5 Processor, 2x ZEN4 & 4x Zen4c Architecture, 6 CPU Cores, 12 threads, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, Wraith Stealth Cooler included, AMD Radeon 740m Integrated Graphics, Wraith Stealth Cooler included
100-100001015BOX	R 3,800	AMD Ryzen 5 7600 5nm Socket AM5 6 Core 3.8GHz up to 5.1GHz 32MB L3 Cache Processor, Included Cooler, 384KB L1 Cache, 6MB L2 Cache, 32MB L3 Cache, 65W Default TDP, AMD Radeon Graphics, TSMC 5nm FinFET Processor technology for CPU cores, TSMC 6nm FinFET Processor technology for I/O die, Â© 2023 Laptop Direct
100-100001084WOF	R 9,120	AMD Ryzen 7 9800X3D AM5 8 Core 4.7GHz up to 5.2GHz 96MB L3 Cache Gaming Processor, 8 CPU Cores, 16 threads, 640KB L1 Cache, 8MB L2 Cache, 96MB L3 Cache, 120W Default TDP, TSMC 4nm FinFET, Unlocked for Overclocking, AMD Radeon Graphics 2200MHz, No Heatsink and fan
100-100001084WOF	R 8,934	AMD Ryzen 7 9800X3D AM5 8 Core 4.7GHz up to 5.2GHz 96MB L3 Cache Gaming Processor, 8 CPU Cores, 16

		threads, 640KB L1 Cache, 8MB L2 Cache, 96MB L3 Cache, 120W Default TDP, TSMC 4nm FinFET, Unlocked for Overclocking, AMD Radeon Graphics 2200MHz, No Heatsink and fan
100-100001236SBX	R 5,268	AMD Ryzen 7 8700G 8 Core 4.2GHz up to 5.1GHz 16MB L3 Cache Socket AM5 Processor, Zen 4 Architecture, 8x CPU Cores, 16x threads, 8MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, Unlocked for Overclocking, Wraith Stealth Cooler included, AMD Radeon 780M Integrated Graphics
100-100001237BOX	R 3,772	AMD Ryzen 5 8600G 6 Core 4.3GHz up to 5.0GHz 16MB L3 Cache Socket AM5 Processor, Zen 4 Architecture, 6 CPU Cores, 12 threads, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, Wraith Stealth Cooler included, AMD Radeon 760M Integrated Graphics
100-100001237BOX	R 3,579	AMD Ryzen 5 8600G 6 Core 4.3GHz up to 5.0GHz 16MB L3 Cache Socket AM5 Processor, Zen 4 Architecture, 6 CPU Cores, 12 threads, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, Wraith Stealth Cooler included, AMD Radeon 760M Integrated Graphics
100-100001277WOF	R 11,399	AMD Zen 5 Ryzen 9 9950X 16-core 4.3GHz up to 5.7GHz 64MB Cache AM5 CPU, 16 Cores / 32 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 1280 KB L1 Cache, 16 MB L2 Cache, 64 MB L3 Cache, 170W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001277WOF	R 10,827	AMD Zen 5 Ryzen 9 9950X 16-core 4.3GHz up to 5.7GHz 64MB Cache AM5 CPU, 16 Cores / 32 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 1280 KB L1 Cache, 16 MB L2 Cache, 64 MB L3 Cache, 170W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001368WOF	R 10,925	AMD Ryzen 9 9900X3D Zen5 12-core up to 5.5GHz 128 MB L3 Cache AM5 Processor, Granite Ridge AM5 former codename, Zen 5 Architecture, 12 CPU Cores, 24 threads, 960 KB L1 Cache, 12 MB L2 Cache, 128 MB L3 Cache, 120W Default TDP, 2nd Gen AMD 3D V-Cache Technology, No intergrated Graphics, No Heatsink and fan
100-100001368WOF	R 11,650	AMD Ryzen 9 9900X3D Zen5 12-core up to 5.5GHz 128 MB L3 Cache AM5 Processor, Granite Ridge AM5 former codename, Zen 5 Architecture, 12 CPU Cores, 24 threads, 960 KB L1 Cache, 12 MB L2 Cache, 128 MB L3 Cache, 120W Default TDP, 2nd Gen AMD 3D V-Cache Technology, No intergrated Graphics, No Heatsink and fan
100-100001404WOF	R 6,460	AMD Zen 5 Ryzen 7 9700X 8-core 3.8GHz up to 5.5GHz 32MB Cache AM5 CPU, 8 Cores / 16 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 640 KB L1 Cache, 8 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001404WOF	R 8,220	AMD Zen 5 Ryzen 7 9700X 8-core 3.8GHz up to 5.5GHz 32MB Cache AM5 CPU, 8 Cores / 16 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 640 KB L1 Cache, 8 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001405WOF	R 4,598	AMD Zen 5 Ryzen 5 9600X 6-core 3.9GHz up to 5.4GHz 32MB Cache AM5 CPU, 6 Cores / 12 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 480 KB L1 Cache, 6 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001405WOF	R 4,444	AMD Zen 5 Ryzen 5 9600X 6-core 3.9GHz up to 5.4GHz 32MB Cache AM5 CPU, 6 Cores / 12 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 480 KB L1 Cache, 6 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001590BOX	R 4,727	AMD Ryzen 7 8700Fx4nm TSMC AM5 CPU; 6 Core/12 Thread Base Clock 4.2GHz; Max Boost Clock 4.7GHz; 16MB Cache; BOX 16 MB Cache, TDP 65W - NO GRAPHICS, Graphics not included
100-100001590BOX	R 4,815	AMD Ryzen 7 8700Fx4nm TSMC AM5 CPU; 6 Core/12 Thread Base Clock 4.2GHz; Max Boost Clock 4.7GHz; 16MB Cache; BOX 16 MB Cache, TDP 65W - NO GRAPHICS, Graphics not included
100-100001590MPK	R 3,355	AMD Ryzen 7 8700F 8 Core 4.1GHz up to 5.0GHz 16MB L3 Cache Socket AM5 Processor, Zen 4 Architecture, 8x CPU Cores, 16x threads, 8MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, No Integrated Graphics, No Cooler
100-100001590MPK	R 3,050	AMD Ryzen 7 8700F 8 Core 4.1GHz up to 5.0GHz 16MB L3 Cache Socket AM5 Processor, Zen 4 Architecture, 8x

		CPU Cores, 16x threads, 8MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, No Integrated Graphics, No Cooler
100-100001591BOX	R 2,915	AMD Ryzen 5 8400F Socket AM5 6 Core 4.2GHz up to 4.7GHz 16MB L3 Cache Processor, Ryzen 8000 Series, Zen 4 Architecture, 6 CPU Cores, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, No OnBoard Graphics
100-100001591BOX	R 3,039	AMD Ryzen 5 8400F Socket AM5 6 Core 4.2GHz up to 4.7GHz 16MB L3 Cache Processor, Ryzen 8000 Series, Zen 4 Architecture, 6 CPU Cores, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, No OnBoard Graphics
100-100001591MPK	R 2,792	AMD Ryzen 5 8400F Socket AM5 6 Core 4.2GHz up to 4.7GHz 16MB L3 Cache Processor, Ryzen 8000 Series, Zen 4 Architecture, 6 CPU Cores, 12 Threads, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET, No OnBoard Graphics, No Cooler
100-100001900BOX	R 3,134	AMD Ryzen 5 7400 6 Core 3.3GHz up to 4.3GHz 16MB L3 Cache AM5 Processor, 6 CPU Cores, 12 threads, AMD Radeon Graphics, 384KB L1 Cache, 6MB L2 Cache, 16MB L3 Cache, 65W Default TDP, AMD Wraith Stealth Thermal solution (PIB)
100-100001904WOF	R 4,939	AMD Ryzen 5 7500X3D 6 Core 4.0GHz up to 4.5 GHz Socket AM5 Processor, 384 KB L1 Cache, 6 MB L2 Cache, 96 MB L3 Cache, Raphael AM5 former codename, Zen 4 Processor Architecture, 6 CPU Cores, 12 threads, 65W Default TDP, No CPU Cooler
100-100001904WOF	R 4,984	AMD Ryzen 5 7500X3D 6 Core 4.0GHz up to 4.5 GHz Socket AM5 Processor, 384 KB L1 Cache, 6 MB L2 Cache, 96 MB L3 Cache, Raphael AM5 former codename, Zen 4 Processor Architecture, 6 CPU Cores, 12 threads, 65W Default TDP, No CPU Cooler
CP-AY7600+GF	R 3,794	AMD 100-100001015BOX socket AM5 Ryzen5 7600 - 6 cores / 12 threads (3.8ghz box CPU / 5.1ghz turbo core), Radeon Graphics (2 cores, 400/2200 Mhz); 384k L1 6mb L2 32mb L3 cache, PCi-E Gen5 (24-lanes), intergrated dual channel DDR5-5200 memory
CP-AY7800X3D+G	R 7,777	Amd 100-100000910WoF socket AM5 rYzen7 7800X3D - 8 cores / 16 threads (4.2Ghz box CPU / 5ghz turbo core), unlocked clock multiplier Radeon Graphics (2 cores, 400/2200 Mhz); 768k L1 8mb L2 32mb L3 cache 64mb 3D V-Cache, PCi-E Gen5 (24-lan)
CP-AY8400+F	R 3,035	AMD Ryzen 5 8400F 6-Core 12-Thread Processor, 4.2 GHz Base Clock, 4.7 GHz Boost Clock, 16MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 4.0, Includes Wraith Stealth Cooler
CP-AY8500+GF	R 3,449	AMD Ryzen 5 8500G 6-Core 12-Thread Processor, 3.5 GHz Base Clock, 5.0 GHz Boost Clock, 16MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 4.0, Radeon 740M Graphics, Includes Wraith Stealth Cooler
CP-AY8600+GF	R 3,767	AMD Ryzen 5 8600G 6-Core 12-Thread Processor, 4.3 GHz Base Clock, 5.0 GHz Boost Clock, 16MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 4.0, Radeon 760M Graphics, Includes Wraith Stealth Cooler
CP-AY8700+F	R 4,808	AMD Ryzen 7 8700 8-Core 16-Thread Processor, 4.2 GHz Base Clock, 5.1 GHz Boost Clock, 16MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 4.0, Includes Wraith Spire Cooler
CP-AY8700+GF	R 5,260	AMD Ryzen 7 8700G 8-Core 16-Thread Processor, 4.2 GHz Base Clock, 5.1 GHz Boost Clock, 16MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 4.0, Radeon 780M Graphics, Includes Wraith Spire Cooler

< Return to the menu

AMD Ryzen Zen5 Socket AM5 Processor

Product code	Price	Description
100-100000718BOX	R 3,989	AMD Ryzen 5 9600 6 Core 3.8GHz up to 5.2 GHz 32MB L3 Cache Socket AM5 Processor, Granite Ridge AM5 former codename, 480KB L1 Cache, 6MB L2 Cache, 32MB L3 Cache, 65W Default TDP, AMD Wraith Stealth Thermal solution (PIB), AMD Radeon Graphics 2200 MHz
100-100001404WOF	R 6,371	AMD Zen 5 Ryzen 7 9700X 8-core 3.8GHz up to 5.5GHz 32MB Cache AM5 CPU, 8 Cores / 16 threads, PCI-e 5.0 and DDR5 support, Granite Ridge AM5 former codename, Zen 5 Architecture, 640 KB L1 Cache, 8 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, TSMC 4nm FinFET for CPU Cores, TSMC 6nm FinFET for I/O die, AM5 CPU

		Socket, AMD Radeon Graphics intergrated, No Heatsink and fan
100-100001407MPK	R 8,860	AMD Ryzen 9 Pro 9945 Granite Ridge 12 Core AM5 3.4GHz up to 5.4GHz 64MB L3 Cache Processor, Zen 5 Processor Architecture, 960 KB L1 Cache, 12 MB L2 Cache, 64 MB L3 Cache, 65W Default TDP, AMD Radeon Graphics 2200MHz, AMD Wraith Stealth Cooler
100-100001408MPK	R 7,320	AMD Ryzen 7 Pro 9745 Granite Ridge 8 Core AM5 3.8GHz up to 5.4GHz 32MB L3 Cache Processor, Zen 5 Processor Architecture, 640 KB L1 Cache, 8 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, AMD Radeon Graphics 2200MHz, AMD Wraith Stealth Cooler
100-100001409MPK	R 5,628	AMD Ryzen 5 Pro 9645 Granite Ridge 6 Core AM5 3.9GHz up to 5.4GHz 64MB L3 Cache Processor, Zen 5 Processor Architecture, 480 KB L1 Cache, 6 MB L2 Cache, 32 MB L3 Cache, 65W Default TDP, AMD Radeon Graphics 2200MHz, AMD Wraith Stealth Cooler
100-100001973WOF	R 9,499	AMD Ryzen 7 9850X3D 8-core 4.7GHz up to 5.6 GHz 96 MB Cache Socket AM5 Processor, Granite Ridge AM5 former codename, Zen 5 Processor Architecture, 8 Cores, 16 threads, 640 KB L1 Cache, 8 MB L2 Cache, 96 MB L3 Cache, 120W Default TDP, No Heatsink and fan, AMD Radeon Graphics 2200 MHz
100-100001973WOF	R 9,488	AMD Ryzen 7 9850X3D 8-core 4.7GHz up to 5.6 GHz 96 MB Cache Socket AM5 Processor, Granite Ridge AM5 former codename, Zen 5 Processor Architecture, 8 Cores, 16 threads, 640 KB L1 Cache, 8 MB L2 Cache, 96 MB L3 Cache, 120W Default TDP, No Heatsink and fan, AMD Radeon Graphics 2200 MHz
100-100001978WOF	R 16,149	AMD Ryzen 9 9950X3D2 Dual Edition 16-core 4.3GHz up to 5.6 GHz 192MB Cache AM5 Processor, Granite Ridge AM5 CPU Socket, Zen 5 Processor Architecture, 1280KB L1 Cache, 16MB L2 Cache, 192MB L3 Cache, 200W Default TDP, Thermal solution not included, AMD Radeon Graphics
100-100001978WOF	R 16,561	AMD Ryzen 9 9950X3D2 Dual Edition 16-core 4.3GHz up to 5.6 GHz 192MB Cache AM5 Processor, Granite Ridge AM5 CPU Socket, Zen 5 Processor Architecture, 1280KB L1 Cache, 16MB L2 Cache, 192MB L3 Cache, 200W Default TDP, Thermal solution not included, AMD Radeon Graphics
CP-AY9600X+G	R 4,592	AMD Ryzen 5 9600X 6-Core 12-Thread Processor, 3.9 GHz Base Clock, 5.4 GHz Boost Clock, 32MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 5.0, Radeon Graphics, No Cooler Included
CP-AY9700X+G	R 6,449	AMD Ryzen 7 9700X 8-Core 16-Thread Processor, 3.8 GHz Base Clock, 5.5 GHz Boost Clock, 32MB L3 Cache, AM5 Socket, 65W TDP, Dual-Channel DDR5 Support, PCIe 5.0, Radeon Graphics, No Cooler Included
CP-AY9800X3D+G	R 9,107	AMD Ryzen 7 9800X3D 8-Core 16-Thread Processor, 4.7 GHz Base Clock, 5.2 GHz Boost Clock, 96MB L3 Cache, AM5 Socket, 120W TDP, Dual-Channel DDR5 Support, PCIe 5.0, Radeon Graphics, No Cooler Included
CP-AY9900X+G	R 8,063	AMD Ryzen 9 9900X 12-Core 24-Thread Processor, 4.4 GHz Base Clock, 5.6 GHz Boost Clock, 64MB L3 Cache, AM5 Socket, 120W TDP, Dual-Channel DDR5 Support, PCIe 5.0, Radeon Graphics, No Cooler Included
CP-AY9900X3D+G	R 10,909	AMD 100-100001368WOF socket AM5 rYzen9 9900X3D - 12 cores / 24 threads (4.4GHz box CPU / 5.5GHz turbo core), unlocked clock multiplier Radeon Graphics (2 cores, 2200 Mhz); 960k L1 12mb L2 64mb L3 cache 64mb 3D V-Cache, PCi-E Gen5 (24-lanes), integrated dual channel DDR5-5600 memory controller; 4nm, 120w TDP - box CPU (with no fan)
CP-AY9950X+G	R 11,384	AMD Ryzen 9 9950X 16-Core 32-Thread Processor, 4.3 GHz Base Clock, 5.7 GHz Boost Clock, 64MB L3 Cache, AM5 Socket, 170W TDP, Dual-Channel DDR5 Support, PCIe 5.0, Radeon Graphics, No Cooler Included
CP-AY9950X3D+G	R 13,280	AMD 100-100000719WOF socket AM5 Ryzen9 9950X3D - 16 cores / 32 threads (4.3GHz box CPU / 5.7GHz turbo core), unlocked clock multiplier Radeon Graphics (2 cores, 2200 Mhz); 1280k L1 16mb L2 64mb L3 cache 64mb 3D V-Cache, PCi-E Gen5 (24-lanes), integrated dual channel DDR5-5600 memory controller; 4nm, 170w TDP - box CPU (with no fan)
ME-AD51660RN30	R 5,914	Adata XPG AX5U6000C3016G - LANCER NEON RGB 16GB DDR5-6000 CL30, desktop memory module, ARGB lighting, CL30 latency, dual-channel DDR5.

< Return to the menu

AMD socket-L1 CPU

Product code	Price	Description
CP-ALFX70	R 2,874	Amd socket-L1 (1207FX) FX-70 , 2600mhz dual core cpu , support DSDC dual socket platform for QuadFX - 2x128k L1 2X1mb L2 ; 2000mhz HT2.0 linkX1 - 8Gb/sec , memory bandwidth - 12.8gb/sec - box cpu

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Processors: AMD CPU (old)

AMD A series CPU

Product code	Price	Description
CPU651	R 1,615	AMD socket AM4, A12-9800 box CPU - 4 cores CPU (3.8Ghz/ 4.2Ghz turbo core) GPU (8 cores 512 shader units); 320k L1 2mb L2, integrated dual channel DDR4-2400 memory controller; 28nm, 65w TDP - box CPU fan

< Return to the menu

AMD AM1 CPU

Product code	Price	Description

< Return to the menu

AMD AM3 Vishera CPU

Product code	Price	Description
CP-AZH6300B	R 1,861	AMD Vishera/socket AM3, FX-6300 - 6x cores (3.5ghz box cpu / 4.1ghz turbo core) Black edition, unlocked clock multiplier; 288k L1 3x 2mb L2 shared 8mb L3, intergrated dual channel DDR3-1866 memory controller; 32nm, 95w, 4000mhz HT3.0 HT3.0, with PVT - box cpu (with fan)
CP-AZo8300B	R 3,065	Amd vishera / socket AM3 , FX-8300 - 8x cores (3.3ghz box cpu / 4.2ghz turbo core) Black edition, unlocked clock multiplier, 384k L1 4x 2mb L2 shared 8mb L3, intergrated dual channel DDR3-1866 memory controller, 32nm, 95w, 4000mhz HT3.0 HT3.0, with PVT - box cpu (with fan)
CP-AZo9370B	R 3,554	Amd vishera / socket AM3 , FX-9370 - 8x cores (4.4ghz box cpu / 4.7ghz turbo core) Black edition , unlocked clock multiplier ; 384k L1 4x 2mb L2 shared 8mb L3 , intergrated dual channel DDR3-1866 memory controller ; 32nm , 220w , 4000mhz HT3.0 HT3.0 , with PVT - box cpu (with no fan)
CPU632	R 3,436	Amd vishera / socket AM3 , FX-8370 - 8x cores (4.0ghz box cpu / 4.3ghz turbo core) Black edition, unlocked clock multiplier; 384k L1 4x 2mb L2 shared 8mb L3, integrated dual channel DDR3-1866 memory controller; 32nm, 125w , 4000mhz HT3.0 HT3.0, with PVT - box cpu (with fan)

< Return to the menu

AMD AM3+ Bulldozer CPU

Product code	Price	Description
CP-AZo9590B	R 3,857	Amd vishera / socket AM3 , FX-9590 - 8x cores (4.7ghz box cpu / 5.0ghz turbo core) Black edition , unlocked clock multiplier ; 384k L1 4x 2mb L2 shared 8mb L3 , intergrated dual channel DDR3-1866 memory controller ; 32nm , 220w , 4000mhz HT3.0 HT3.0 , with PVT - box cpu (with no fan)

< Return to the menu

AMD AM3+ Piledriver CPU

Product code	Price	Description

< Return to the menu

AMD Athlon 200GE AM4 Processor

Product code	Price	Description

< Return to the menu

AMD Athlon II X2 Dual Core AM3 Socket

Product code	Price	Description

< Return to the menu

AMD Athlon II X3 Tripple Core AM3 Socket

Product code	Price	Description

< Return to the menu

AMD Athlon II X4 Quad core

Product code	Price	Description

< Return to the menu

AMD Athlon X4 Quad core

Product code	Price	Description

< Return to the menu

AMD Athlon64 AM2 Socket 940

Product code	Price	Description

< Return to the menu

AMD Athlon64 Socket 939

Product code	Price	Description

< Return to the menu

AMD AthlonX2 Dual Core AM3 Socket

Product code	Price	Description

< Return to the menu

AMD Epyc SP3 Processor

Product code	Price	Description

< Return to the menu

AMD FM1 Processors

Product code	Price	Description

< Return to the menu

AMD FM2 Processors

Product code	Price	Description
CP-AFD7300	R 1,094	AMD socket FM2 (Richland APU) A4-7300 with GPU, Dual-cores (3.8ghz box CPU/ 4.0ghz turbo core), 1mb L2 cache; built-in HD 8470D graphics (800/850mhz, 192 stream processor, 12x texture unit, 4x RoPs, 9.6 Gigatexels/s texture fill rate, 307.2 GFLoPS), integrated DDR3-1600 memory controller, 32nm, 65w - box CPU (with fan). speed / turbo core - Ghz : 3.8 / 4.0, L1 Cache - k : 64 2x16, L2 Cache - mb : 1, L3 Cache - mb : x, core / thread : 2 / 2, built-in DDR3 memory controller : upto 1600, GPU core - mhz : HD 8470D - 800/ 850, stream processor : 192, texture unit / RoPs : 12 / 4, Texture fill rate / Pixel fill rate - Gigatexels/ s : 9.6 / 3.2, GFLOPS : 307.2, micron - nm : 32, TDP - w : 65, code name : Richland
CP-AFD7470K	R 1,641	AMD socket FM2 (Godavari APU) A6-7470K with GPU Black Edition, Dual-cores (3.7Ghz box cpu/ 4.0Ghz turbo core) Black edition, 1mb L2 cache; built-in HD graphics (756mhz, 256 stream processor), integrated DDR3-1866 memory controller, 28nm, TDP:65w - box CPU (with fan) | speed / turbo core - Ghz : 3.7 / 4.0, L1 Cache - k : 64 2x16, L2 Cache - mb : 1, L3 Cache - mb : x, core / thread : 2 / 2, built-in DDR3 memory controller : upto 1866, GPU core - mhz : R5 series - 4 cores - 756, stream processor : 256, micron - nm : 28, TDP - w : 65, code name : kaveri
CPU624	R 3,130	AMD Socket FM2 (Godavari APU) A10-7890K 4.1GHz with GPU Black edition, 12 compute cores (4 CPU & 8 GPU), 4.1 GHz Clock Speed, 4.3 GHz Maximum turbo Frequency, FM2 Socket, 4MB L2 Cache & 256kb L1 Cache, Radeon R7 series Graphics, DDR3-2133 Memory, DisplayPort & HDMI, DirectX 12 & 866 MHz Graphics Frequency, 95W TDP

< Return to the menu

AMD Opteron Socket 940 64-Bit

Product code	Price	Description
CP-A9265D	R 1,724	Amd socket 940 opteron 265, 1800mhz, 95w, dual core, support core-to-core, 2000mhz HT 2.0 linkX3 - 24GB/sec, memory bandwidth - 12.8gb/sec - 2x128k L1 2x 1mb L2; 2000mhz fsb hyper transport, support dual CPU - box CPU
CP-AG6128	R 3,013	AMD Opteron 6128 socket-G34 (LGA1944) Processor - 2.0ghz , 8x core , support core-to-core , HT 3.0 linkX4 - 25.6GB/S , quad channel integrated DDR3 memory controller - 8x 512k L2 shared 8mb L3 cache , 80w ; support quad cpu socket - box cpu no fan.

< Return to the menu

AMD Phenom 64 bit

Product code	Price	Description

< Return to the menu

AMD Phenom AM3

Product code	Price	Description

< Return to the menu

AMD Phenom II X2

Product code	Price	Description

< Return to the menu

AMD Phenom II X4

Product code	Price	Description

< Return to the menu

AMD Phenom II X6

Product code	Price	Description

< Return to the menu

AMD Sempron AM3

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Processors: Intel CPU

Intel LGA1151 8th gen Processors

Product code	Price	Description

< Return to the menu

Intel LGA1151 9th gen Processors

Product code	Price	Description
CP-iC9700KF	R 8,845	Intel Core i7-9700KF Coffeelake-s LGA 1151 - 8 cores / 8 threads, 3.6Ghz box CPU / 4.9Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, no built-in graphics, 2mb L2 cache 12mb L3 cache, 95w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan

< Return to the menu

Intel LGA1200 10/11th gen Processors

Product code	Price	Description
BX8070811400	R 3,986	Intel BX8070811400 11th Gen Rocket Lake Intel Core Hex (6) LGA 1200 Core i5-11400 2.6 GHz with turbo boost up to 4.4GHz 12MB Cache Processor, 6 Core, 12 Thread, 12MB smartcache, 65W TDP, LGA 1200, No fan included, 14 nm lithography, Intel UHD Graphics 730 Processor Graphics
BX8070811400F	R 3,450	Intel Core i5 11400F 2.6GHz, Turbo @ 4.4GHZ, 6 Core, 12 Thread, 12MB Smartcache, 65W TDP, Features: 128GB Max RAM, 20 Max PCIe 4.0 Lanes, Hyperthreading Supported, Optane Supported, 4K Support, Virtualization Support - NO VGA SUPPORTED
BX8070811700	R 7,211	Intel BX8070811700 11th Gen Rocket Lake Intel Core Octa (8) LGA 1200 Core i7-11700 2.5 GHz with turbo boost up to 4.9GHz 16MB Cache Processor, 8 Core, 16 Thread, 16MB smartcache, 65W TDP, LGA 1200, No fan included, 14 nm lithography, Intel UHD Graphics 730 Processor Graphics
CP-iM10105	R 2,431	Intel coMet lake Core i3-10105 LGA 1200 - 4 cores Hyper-Threading/ 8 threads, 3.7Ghz box cpu / 4.4Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, no vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller
CP-iM10105F	R 2,376	Intel coMet lake Core i3-10105F LGA 1200 - 4 cores Hyper-Threading/ 8 threads, 3.7Ghz box cpu/ 4.4Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, no vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller
CP-iM10105Fo	R 1,724	Intel coMet lake Core i3-10105F LGA 1200 - 4 cores Hyper-Threading/ 8 threads, 3.7Ghz box cpu / 4.4Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, no vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller (OEM - No box or Heatsink)
CP-iM10105o	R 2,408	Intel Comet Lake 10th Gen Quad Core i3-10105 3.70 GHz up to 4.40 GHz 6MB Cache Socket LGA1200 Processor - OEM tray pack with no fan, 14nm, SSE4, AVX2, BMI, FMA3, SBA, No vPro, TSX, VT-x VT-d AES-N, Built-In Dual channel DDR4-2666 (non-ECC only) Memory controller, 41.6GB/sec Memory Bandwidth, 65 W TDP, Built-In UHD630 Graphics (OEM - No box or Heatsink)
CP-iM10300	R 3,081	Intel coMet lake LGA 1200 Core i3-10300 - 4 cores Hyper-Threading / 8 threads, 3.7Ghz box CPU / 4.4Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1150mhz, dual stream video decode HDMi), 1mb L2 cache 8mb L3 cache, 65w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan
CP-iM10320	R 3,092	Intel coMet lake LGA 1200 Core i3-10320 - 4 cores Hyper-Threading / 8 threads, 3.8Ghz box CPU / 4.6Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1150mhz, dual stream video decode HDMi), 1mb L2 cache 8mb L3 cache, 65w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan
CP-iM10400Fo	R 2,759	Intel Comet Lake LGA 1200 i5-10400F 6 cores Hyper-Threading / 12 threads 2.9GHz - Oem Tray pack with no Fan, 4.3GHz Turbo boost, 14nm, SSE4, AVX2, BMI, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, Built-In Dual channel DDR4-2666 (non-ECC only) Memory controller, 41.6GB/sec Memory Bandwidth, No Built-In Graphics, 1.5MB L2 Cache 12MB L3 Cache, 65W
CP-iM10500o	R 3,794	Intel Rocket Lake 10th Gen Six Core i5-10500 3.1GHz up to 4.5GHz 12MB Cache Socket LGA1200 Processor - OEM tray pack with no fan, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, Built-In Dual channel DDR4-2666 (non-ECC only) Memory controller, 41.6GB/sec Memory Bandwidth, 65 W TDP, Built-In UHD630 graphics (OEM - No box or Heatsink)
CP-iM10600	R 6,411	Intel coMet lake LGA 1200 Core i5-10600 - 6 cores Hyper-Threading / 12 threads, 3.3Ghz box CPU / 4.8Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1200mhz, dual stream video decode HDMi), 1.5mb L2 cache 12mb L3 cache, 65w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan
CP-iM10600KF	R 3,564	Intel CoMet Lake LGA 1200 i5-10600KF - 6 cores Hyper-Threading/ 12 threads, 4.1Ghz box cpu/ 4.8Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in

		dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, no built-in graphics, 1.5mb L2 cache 12mb L3 cache, 125w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-iM10700	R 6,578	Intel CoMet lake LGA 1200 Core i7-10700 - 8 cores Hyper-Threading / 16 threads, 2.9Ghz box CPU / 4.8Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1200mhz, dual stream video decode HDMi), 2mb L2 cache 16mb L3 cache, 65w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan
CP-iM10700F	R 6,411	Intel CoMet lake LGA 1200 Core i7-10700F - 8 cores Hyper-Threading / 16 threads, 2.9Ghz box CPU / 4.8Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, 2mb L2 cache 16mb L3 cache, 65w - box CPU with fan. No built-in graphics.
CP-iM10700K	R 7,553	Intel CoMet Lake LGA 1200 i7-10700K - 8 cores Hyper-Threading / 16 threads, 3.8Ghz box CPU/ 5.1Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1200mhz, dual stream video decode HDMi), 2mb L2 cache 16mb L3 cache, 125w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-iM10700KF	R 7,281	Intel CoMet Lake LGA 1200 i7-10700KF - 8 cores Hyper-Threading/ 16 threads, 3.8Ghz box CPU/ 5.1Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, no built-in graphics, 2mb L2 cache 16mb L3 cache, 125w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-iM10700o	R 6,633	Intel coMet lake i7-10700 LGA 1200 - 8 cores Hyper-Threading / 16 threads, 2.9Ghz box cpu / 4.8Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller (OEM - No box or Heatsink)
CP-iM10900	R 9,422	Intel CoMet lake LGA 1200 Core i9-10900 - 10 cores Hyper-Threading / 20 threads, 2.8Ghz box CPU / 5.2Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1200mhz, dual stream video decode HDMi), 2.5mb L2 cache 20mb L3 cache, 65w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-iM10900F	R 9,170	Intel CoMet lake LGA 1200 Core i9-10900F - 10 cores Hyper-Threading / 20 threads, 2.8Ghz box CPU / 5.2Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, no built-in graphics, 2.5mb L2 cache 20mb L3 cache, 65w - box CPU with no fan
CP-iM10900KF	R 9,435	Intel CoMet Lake LGA 1200 i9-10900KF - 10 cores Hyper-Threading/ 20 threads, 3.7Ghz box CPU / 5.3Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (non-ECC only) memory controller, 45.8Gb/sec memory bandwidth, no built-in graphics, 2.5mb L2 cache 20mb L3 cache, 125w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-iM11500	R 5,306	Intel Rocket Lake Core i5-11500 LGA 1200 - 6 cores Hyper-Threading / 12 threads, 2.7Ghz box cpu / 4.6Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (non-ECC only) memory controller
CP-iM11600	R 6,523	Intel Rocket Lake Core i5-11600 LGA 1200 - 6 cores Hyper-Threading / 12 threads, 2.8Ghz box cpu / 4.8Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (non-ECC only) memory controller
CP-iM11600K	R 6,854	Intel Rocket Lake Core i5-11600K LGA 1200 - 6 cores Hyper-Threading / 12 threads, 3.9Ghz box CPU / 4.9Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (non-E

CP-iM11600KF	R 6,080	Intel Rocket Lake Core i5-11600KF LGA 1200 - 6 cores Hyper-Threading / 12 threads, 3.9Ghz box cpu / 4.9Ghz turbo boost, unlocked clock multiplier, 14nm, SSE4, AVX2, BMi, FMA3, SBA, no vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200
CP-iM11600o	R 6,301	Intel Rocket Lake Hex (6) Core LGA 1200 i5-11600 2.8 GHz with turbo boost up to 4.8GHz 12MB Cache Processor - Oem Tray pack with no Fan, 11th gen processor, 14 nm lithography, 6 cores, 12 threads, 12 MB Intel Smart Cache, 8 GT/s Bus speed, 65 W TDP, Intel UHD Graphics 750 Processor Graphics (OEM - No box or Heatsink)
CP-iM11700F	R 6,964	Intel Rocket Lake Core i7-11700F LGA 1200 - 8 cores Hyper-Threading / 16 threads, 2.5Ghz box CPU / 4.9Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, no vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (non-ECC only) memory controller
CP-iM11700o	R 7,244	Intel rocket lake Core i7-11700 LGA 1200 - 8 cores Hyper-Threading / 16 threads, 2.5Ghz box cpu / 4.9Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (non-ECC only) memory controller (OEM - No box or Heatsink)
CP-iM11900	R 9,869	Intel Rocket Lake Core i9-11900 LGA 1200 - 8 cores Hyper-Threading / 16 threads, 2.5Ghz box CPU / 5.2Ghz turbo boost, 14nm, with Thermal Velocity Boost, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (non-ECC)
CP-iM11900F	R 9,617	Intel Rocket Lake Core i9-11900F LGA 1200 - 8 cores Hyper-Threading / 16 threads, 2.5Ghz box CPU / 5.2Ghz turbo boost, 14nm, with Thermal Velocity Boost, SSE4, AVX2, BMi, FMA3, SBA, no vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-3200 (Non-ECC)
CP-IM11900K	R 9,957	Intel Rocket Lake Core i9-11900K LGA 1200 - 8 cores Hyper-Threading / 16 threads, 3.5Ghz box CPU / 5.3Ghz turbo boost, unlocked clock multiplier, 14nm, with Thermal Velocity Boost, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in
CP-iMG5905	R 1,325	Intel coMet lake Celeron G5905 LGA 1200 - 2 cores/ 2 threads, 3.5Ghz box CPU, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1050mhz, dual stream video decode HDMi), 0.5mb L2 cache 4mb L3 cache, 58w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan
CP-iMG5925	R 1,449	Intel coMet lake Celeron G5925 LGA 1200 - 2 cores / 2 threads, 3.6Ghz box CPU, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, 41.6Gb/sec memory bandwidth, built-in UHD630 graphics (24EU, 350/1050mhz, dual stream video decode HDMi), 0.5mb L2 cache 4mb L3 cache, 58w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan

< Return to the menu

Intel LGA1700 12th/13th gen Processors

Intel LGA1700 12th/13th gen Processors : Intel Celeron Socket LGA 1700 Processor

Product code	Price	Description
BX80715G6900	R 1,252	Intel Celeron G6900 3.4GHz, 2 Core (2P 0E), 2 Thread, 4MB Smartcache, 46W TDP - Intel Laminar RS1 Cooler included, Features: 128GB Max, Up to DDR4 3200 MT/s, Up to DDR5 4800 MT/s, 20 Max PCIe5.0 and 4.0, Optane Supported, Virtualization Support
BX80715G6900	R 1,355	Intel Alder Lake Socket 1700 Celeron G6900 3.70GHz Dual Core 4MB Cache Processor, 2 performance-cores, 4 MB Intel Smart Cache, 2.5 MB total L2 Cache, 46 W Processor base Power, Intel UHD Graphics 710
BX80715G6900	R 1,329	Intel Alder Lake Socket 1700 Celeron G6900 3.70GHz Dual Core 4MB Cache Processor, 2 performance-cores, 4 MB Intel Smart Cache, 2.5 MB total L2 Cache, 46 W Processor base Power, Intel UHD Graphics 710
CP-iAG6900	R 1,436	Intel Alder lake LGA 1700 Celeron G6900 - 2x Performance-cores, no Energy-efficient-cores, P-Core: 3.4Ghz, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4800 / DDR4-3200 memory controller, 76.8Gb/s

< Return to the menu

Intel LGA1700 12th/13th gen Processors : Intel i3 Socket LGA 1700 Processor

Product code	Price	Description
BX8071512100	R 2,375	Intel Core i3 12100 3.3GHz, Turbo @ 4.3GHZ, 4Core (4P 0E), 8 Thread, 12MB Smartcache, 60W TDP - Intel Laminar RM1 Cooler included, Features: 128GB Max RAM Up to DDR4 3200 MT/s, Up to DDR5 4800 MT/s, 20 Max PCIe5.0 and 4.0 Lanes, Hyperthreading Supported, Optane Supported, 4K Support, Virtualization Support
BX8071512100	R 2,989	Intel Alder Lake 12th gen i3-12100 up to 4.3GHz 4 Core Socket LGA 1700 5MB L2 Cache Processor, 8 performance-cores, 8 total threads, 12 MB Intel Smart Cache, 5 MB total L2 Cache, 60 W Processor base power, 89 W Maximum Turbo power, Intel UHD Graphics 730
BX8071512100F	R 1,486	Intel Alder Lake 12th gen i3-12100F up to 4.3GHz 4 Core Socket LGA 1700 5MB L2 Cache Processor, 8 performance-cores, 8 total threads, 12 MB Intel Smart Cache, 5 MB total L2 Cache, 58 W Processor base power, 89 W Maximum Turbo power, No onboard graphics
BX8071514100	R 2,688	Intel 14th Gen Raptor Lake Core i3-14100 4 Core up to 4.7GHz 12MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 4 Performance-cores, 0 Efficient-cores, 8 total threads, 12 MB Intel Smart Cache, 60 W Processor base Power, 110 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics
BX8071514100	R 2,933	Intel 14th Gen Raptor Lake Core i3-14100 4 Core up to 4.7GHz 12MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 4 Performance-cores, 0 Efficient-cores, 8 total threads, 12 MB Intel Smart Cache, 60 W Processor base Power, 110 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics
BX8071514100F	R 1,877	Intel 14th Gen Raptor Lake Core i3-14100F 4 Core up to 4.7GHz 12MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 4 Performance-cores, 0 Efficient-cores, 8 total threads, 12 MB Intel Smart Cache, 60W Processor base Power, 110 W Maximum Turbo Power, Intel Laminar RH1 Cooler included, No OnBoard Graphics
CP-iA12100	R 2,929	Intel Alder lake Core i3-12100 LGA 1700 - 4x Performance-cores with Hyper-Threading / 8 threads, no Energy-efficient-cores, P-Core: 3.3Ghz / 4.3Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-48
CP-iA12100F	R 2,287	Intel Alder lake Core i3-12100F LGA 1700 - 4x Performance-cores with Hyper-Threading / 8 threads, no Energy-efficient-cores, P-Core: 3.3Ghz / 4.3Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4
CP-IA14100	R 2,984	Intel 14th Gen Raptor Lake Core i3-14100 4 Core up to 4.7GHz 12MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 4 Performance-cores, 0 Efficient-cores, 8 total threads, 12 MB Intel Smart Cache, 60 W Processor base Power, 110 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics, BX8071514100
CP-IA14100F	R 2,431	Intel 14th Gen Raptor Lake Core I3-14100f 4 Core up to 4.7GHz 12MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 4 Performance-cores, 0 Efficient-cores, 8 total threads, 12 MB Intel Smart Cache, 60W Processor base Power, 110 W Maximum Turbo Power, Intel Laminar RH1 Cooler included, No OnBoard Graphics

< Return to the menu

Intel LGA1700 12th/13th gen Processors : Intel i5 Socket LGA 1700 Processor

Product code	Price	Description
BX8071512400	R 3,703	Intel Alder Lake 12th gen i5-12400 up to 4.4GHz 6 Core Socket LGA 1700 7.5MB L2 Cache Processor, 8 performance-cores, 12 total threads, 18 MB Intel Smart Cache, 7.5 MB total L2 Cache, 65 W Processor base power, 117 W Maximum Turbo power, Intel UHD Graphics 770
BX8071512400	R 3,205	Intel Alder Lake 12th gen i5-12400 up to 4.4GHz 6 Core Socket LGA 1700 7.5MB L2 Cache Processor, 8 performance-cores, 12 total threads, 18 MB Intel Smart Cache, 7.5 MB total L2 Cache, 65 W Processor base power, 117 W Maximum Turbo power, Intel UHD Graphics 770
BX8071512400-CA	R 4,773	Intel Alder Lake 12th gen i5-12400 up to 4.4GHz 6 Core Socket LGA 1700 7.5MB L2 Cache Processor, 6 performance-cores, 12 total threads, 18 MB Intel Smart Cache, 7.5 MB total L2 Cache, 65 W Processor base power, 117 W Maximum Turbo power, Intel UHD Graphics 770
BX8071512400F	R 3,004	Intel Alder Lake 12th gen i5-12400F up to 4.4GHz 6 Core Socket LGA 1700 7.5MB L2 Cache Processor, 6 performance-cores, 12 total threads, 18 MB Intel Smart Cache, 7.5 MB total L2 Cache, 65 W Processor base power, 117 W Maximum Turbo power, No onboard graphics
BX8071514400	R 3,968	Intel 14th Gen Raptor Lake Core i5-14400 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7

		Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics
BX8071514400	R 4,129	Intel 14th Gen Raptor Lake Core i5-14400 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics
BX8071514400-CA	R 4,953	Intel 14th Gen Raptor Lake Core i5-14400 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics
BX8071514400F	R 2,812	Intel 14th Gen Raptor Lake Core i5-14400F 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 Cooler included, No OnBoard Graphics
BX8071514400F-CA	R 4,077	Intel 14th Gen Raptor Lake Core i5-14400F 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 Cooler included, No OnBoard Graphics
BX8071514600K-CA	R 5,727	Intel Core i5-14600K LGA 1700 up to 5.3GHz 14 Cores (6P 8E) 24MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 6 Performance-cores, 8 Efficient-cores, 20 total threads, 24 MB Intel Smart Cache Cache, 20 MB total L2 Cache, 125 W Processor base Power, 181 W Maximum Turbo Power, Intel UHD Graphics 770 built in
CP-iA12400	R 4,255	Intel Alder lake Core i5-12400 LGA 1700 - 6x Performance-cores with Hyper-Threading / 12 threads, no Energy-efficient-cores, P-Core: 2.5Ghz / 4.4Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4800
CP-iA12400F	R 3,648	Intel Alder lake Core i5-12400F LGA 1700 - 6x Performance-cores with Hyper-Threading / 12 threads, no Energy-efficient-cores, P-Core: 2.5Ghz / 4.4Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4800
CP-iA12500	R 4,919	Intel Alder lake Core i5-12500 LGA 1700 - 6x Performance-cores with Hyper-Threading / 12 threads, no Energy-efficient-cores, P-Core: 3.0Ghz / 4.6Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4800
CP-iA12600	R 6,644	Intel Alder lake Core i5-12600 LGA 1700 - 6x Performance-cores with Hyper-Threading / 12 threads, no Energy-efficient-cores, P-Core: 3.3Ghz / 4.8Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5
CP-IA14400	R 4,808	Intel 14th Gen Raptor Lake Core i5-14400 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 730 Graphics, BX8071514400
CP-IA14400F	R 3,957	Intel 14th Gen Raptor Lake Core i5-14400F 10 Core up to 4.7GHz 20MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 4 Efficient-cores, 16 total threads, 20 MB Intel Smart Cache, 9.5 MB total L2 Cache, 65 W Processor base Power, 148 W Maximum Turbo Power, Intel Laminar RH1 Cooler included, No OnBoard Graphics,
CP-iA14600K	R 5,527	Intel Core i5-14600K LGA 1700 up to 5.3GHz 14 Cores (6P 8E) 24MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 6 Performance-cores, 8 Efficient-cores, 20 total threads, 24 MB Intel Smart Cache Cache, 20 MB total L2 Cache, 125 W Processor base Power, 181 W Maximum Turbo Power, Intel UHD Graphics 770 built in, BX8071514600K
CP-iA14600KF	R 5,417	Intel Core i5-14600KF LGA 1700 up to 5.3GHz 14 Cores (6P 8E) 24MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 6 Performance-cores, 8 Efficient-cores, 20 total threads, 24 MB Intel Smart Cache

	Cache, 20 MB total L2 Cache, 125 W Processor base Power, 181 W Maximum Turbo Power, No Graphics built in, BX8071514600KF

< Return to the menu

Intel LGA1700 12th/13th gen Processors : Intel i7 Socket LGA 1700 Processor

Product code	Price	Description
BX8071512700	R 6,638	Intel Alder Lake 12th gen i7-12700 up to 4.9GHz 12 Core Socket LGA 1700 12MB L2 Cache Processor, 8 performance-cores, 4 efficient-cores, 20 total threads, 25 MB Intel Smart Cache, 12 MB total L2 Cache, 65 W Processor base power, 180 W Maximum Turbo power, Intel UHD Graphics 770
BX8071512700	R 6,402	Intel Core i7-12700 2.1GHz, Turbo @ 4.9GHz, 12 Core (8P 4E), 20 Thread, 25MB Smartcache, 65W TDP - Intel Laminar RM1 Cooler included, Features: 128GB Max RAM Up to DDR4 3200 MT/s,Up to DDR5 4800 MT/s 20 Max PCIe 5.0 and 4.0 Lanes, Hyperthreading Supported, Optane Supported, 4K Support, Virtualization Support, Intel vPro Technology
BX8071513700	R 9,287	Intel Raptor Lake i7-13700 LGA 1700 up to 5.2GHz 16 Core (8 performance-cores & 8 efficient-cores) 30MB Cache Processor, Intel 7 lithography, 24 total threads, 5.20 GHz Max Turbo Frequency, 30 MB Intel Smart Cache Cache, 24 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel UHD Graphics 770, Intel Laminar RM1 Cooler
BX8071514700	R 7,807	Intel 14th Gen Raptor Lake Core i7-14700 20 Core up to 5.4GHz 33MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 8 Performance-cores, 12 Efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel Laminar RH1 included, Intel UHD Graphics 770 Graphics, BX8071514700
BX8071514700	R 7,618	Intel 14th Gen Raptor Lake Core i7-14700 20 Core up to 5.4GHz 33MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 8 Performance-cores, 12 Efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel Laminar RH1 included, Intel UHD Graphics 770 Graphics, BX8071514700
BX8071514700K	R 8,040	Intel Core i7-14700K LGA 1700 up to 5.6GHz 20 cores (8P 12E) 33MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 8 performance-cores, 12 efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in
BX8071514700K	R 8,021	Intel Core i7-14700K LGA 1700 up to 5.6GHz 20 cores (8P 12E) 33MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 8 performance-cores, 12 efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in
CP-iA12700F	R 7,297	Intel Alder lake Core i7-12700F LGA 1700 - 8x Performance-cores with Hyper-Threading 4x Energy-efficient-cores, 20(16 4) threads, P-Core: 2.1Ghz / 4.8Ghz boost, E-Core: 1.6Ghz / 3.6Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-
CP-iA12700K	R 8,181	Intel Alder lake Core i7-12700K LGA 1700 - 8x Performance-cores with Hyper-Threading 4x Energy-efficient-cores, 20(16 4) threads, P-Core: 3.6Ghz/ 4.9Ghz boost, E-Core: 2.7Ghz / 3.8Ghz boost, unlocked clock multiplier, 10nm, SSE4, AVX2, BMi, FMA3
CP-iA12700KF	R 7,407	Intel Alder lake Core i7-12700KF LGA 1700 - 8x Performance-cores with Hyper-Threading 4x Energy-efficient-cores, 20(16 4) threads, P-Core: 3.6Ghz / 4.9Ghz boost, E-Core: 2.7Ghz / 3.8Ghz boost, unlocked clock multiplier, 10nm, SSE4, AVX2, BMi, FMA3
CP-IA14700	R 9,398	Intel 14th Gen Raptor Lake Core i7-14700 20 Core up to 5.4GHz 33MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 8 Performance-cores, 12 Efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel Laminar RH1 included, Intel UHD Graphics 770 Graphics, BX8071514700
CP-IA14700F	R 8,955	Intel 14th Gen Raptor Lake Core i7-14700F 20 Core up to 5.4GHz 33MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 8 Performance-cores, 12 Efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel Laminar RH1 included, No OnBoard Graphics, BX8071514700F
CP-iA14700K	R 10,005	Intel Core i7-14700K LGA 1700 up to 5.6GHz 20 cores (8P 12E) 33MB Smart Cache 14th Gen Processor, Raptor

		Lake, Intel 7 Lithography, 8 performance-cores, 12 efficient-cores, 28 total threads, 33 MB Intel Smart Cache, 28 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in, BX8071514700K
CP-iA14700KF	R 9,508	Intel Core i7-14700KF LGA 1700 up to 5.6GHz 20 cores (8P 12E) 30MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 8 performance-cores, 12 efficient-cores, 28 total threads, 30 MB Intel Smart Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, No Graphics built in, BX8071514700KF

< Return to the menu

Intel LGA1700 12th/13th gen Processors : Intel i9 Socket LGA 1700 Processor

Product code	Price	Description
BX8071514500	R 5,405	Intel 14th Gen Raptor Lake Core i5-14500 14 Core up to 5.0GHz 24MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 8 Efficient-cores, 20 total threads, 24 MB Intel Smart Cache, 11.5 MB total L2 Cache, 65 W Processor base Power, 154 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 770 Graphics, BX8071514500
BX8071514900	R 13,159	Intel Core i9-14900KS LGA 1700 up to 6.2GHz 24 Core (8P 16E) 36MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 lithography, 8 performance-cores, 16 efficient-cores, 32 total threads, 32 MB total L2 Cache, 150 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in
BX8071514900K	R 10,696	Intel Core i9-14900K LGA 1700 up to 6.0GHz 24 Core (8P 16E) 36MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 lithography, 8 performance-cores, 16 efficient-cores, 32 total threads, 32 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in
BX8071514900K	R 11,009	Intel Core i9-14900K LGA 1700 up to 6.0GHz 24 Core (8P 16E) 36MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 lithography, 8 performance-cores, 16 efficient-cores, 32 total threads, 32 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in
BX8071514900K	R 11,038	Intel Core i9-14900K LGA 1700 up to 6.0GHz 24 Core (8P 16E) 36MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 lithography, 8 performance-cores, 16 efficient-cores, 32 total threads, 32 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in
CP-iA12700	R 8,071	Intel Alder lake Core i7-12700 LGA 1700 - 8x Performance-cores with Hyper-Threading 4x Energy-efficient-cores, 20(16 4) threads, P-Core: 2.1Ghz / 4.8Ghz boost, E-Core: 1.6Ghz / 3.6Ghz boost, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d
CP-iA12900K	R 10,694	Intel Alder lake Core i9-12900K LGA 1700 - 8x Performance-cores with Hyper-Threading 8x Energy-efficient-cores, 24(16 8) threads, P-Core: 3.2Ghz / 5.1Ghz boost, E-Core: 2.4Ghz / 3.9Ghz boost, unlocked clock multiplier, 10nm, SSE4, AVX2, BMi, FMA3
CP-iA12900KF	R 9,563	Intel Alder lake Core i9-12900KF LGA 1700 - 8x Performance-cores with Hyper-Threading 8x Energy-efficient-cores, 24(16 8) threads, P-Core: 3.2Ghz / 5.1Ghz boost, E-Core: 2.4Ghz / 3.9Ghz boost, unlocked clock multiplier, 10nm, SSE4, AVX2, BMi, FMA3
CP-iA12900KS	R 12,131	Intel Alder lake LGA 1700 i9-12900KS - 8x Performance-cores with Hyper-Threading 8x Energy-efficient-cores, 24(16 8) threads, P-Core: 3.4Ghz / 5.2Ghz boost, E-Core: 2.5Ghz / 4.0Ghz boost, unlocked clock multiplier, 10nm, SSE4, AVX2, BMi, FMA3
CP-iA13900K	R 12,879	Intel rAptor lake Core i9-13900K LGA 1700 - 8x Performance-cores with Hyper-Threading 16x Energy-efficient-cores, 32(16 16) threads, P-Core: 3.0Ghz / 5.4Ghz boost, E-Core: 2.2Ghz / 4.3Ghz boost, unlocked clock multiplier, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-5600 / DDR4-3200 memory controller, 89.6Gb/sec memory bandwidth, built-in UHD770 graphics (32EU , 300/1650mhz, dual stream video decode HDMi), 32mb L2 cache, 36mb L3 cache, 125w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-IA14500	R 5,517	Intel 14th Gen Raptor Lake Core i5-14500 14 Core up to 5.0GHz 24MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 6 Performance-cores, 8 Efficient-cores, 20 total threads, 24 MB Intel Smart Cache, 11.5 MB total L2 Cache, 65 W Processor base Power, 154 W Maximum Turbo Power, Intel Laminar RH1 cooler included, Intel UHD Graphics 770 Graphics, BX8071514500

CP-IA14900	R 13,488	Intel 14th Gen Raptor Lake Core i9-14900 24 Core up to 5.8GHz 36MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 8 Performance-cores, 16 Efficient-cores, 32 total threads, 36 MB Intel Smart Cache, 32 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel laminar RH1 included, Intel UHD Graphics 770 Graphics, BX8071514900
CP-IA14900F	R 12,837	Intel 14th Gen Raptor Lake Core i9-14900F 24 Core up to 5.8GHz 36MB Smart Cache LGA1700 Processor, Intel 7 Lithography, 8 Performance-cores, 16 Efficient-cores, 32 total threads, 36 MB Intel Smart Cache, 32 MB total L2 Cache, 65 W Processor base Power, 219 W Maximum Turbo Power, Intel laminar RH1 included, No OnBoard Graphics, BX8071514900F
CP-iA14900K	R 12,494	Intel Core i9-14900K LGA 1700 up to 6.0GHz 24 Core (8P 16E) 36MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 lithography, 8 performance-cores, 16 efficient-cores, 32 total threads, 32 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, Intel UHD Graphics 770 built in, BX8071514900K
CP-iA14900KF	R 11,830	Intel Core i9-14900KF LGA 1700 up to 6.0GHz 24 Core (8P 16E) 36MB Smart Cache 14th Gen Processor, Raptor Lake, Intel 7 Lithography, 8 performance-cores, 16 efficient-cores, 32 total threads, 32 MB total L2 Cache, 125 W Processor base Power, 253 W Maximum Turbo Power, No Graphics built in, BX8071514900KF
CP-IA14900KS	R 14,629	Intel Core i9 14900KS 24/32 - Raptor: LGA 1700, 24 Cores, 32 Threads, 3.2 GHz Base, 6.2 GHz Turbo, PCIe 5.0, DDR5-5600, Integrated UHD 770 Graphics, Unlocked for Overclocking.

< Return to the menu

Intel LGA1700 12th/13th gen Processors : Intel Pentium Socket LGA 1700 Processor		
Product code	**Price**	**Description**
BX80715G7400	R 1,742	Intel Pentium Gold G7400 3.7GHz, 2 Core (2P 0E), 4 Thread, 6MB Smartcache, 46W TDP - Intel Laminar RS1 Cooler included, Features: 128GB Max, Up to DDR4 3200 MT/s,Up to DDR5 4800 MT/s, 20 Max PCIe5.0 and 4.0, Hyperthreading Supported, Optane Supported, Virtualization Support
BX80715G7400	R 1,953	Intel Alder Lake LGA1700 G7400 3.7GHz Dual Core 6 MB Cache Processor, Intel 7 lithography, 2 total cores, 4 total threads, 6 MB Intel Smart Cache, 2.5 MB total L2 Cache, 46 W Processor base Power, Intel UHD Graphics 710 Graphics
CP-iAG7400	R 2,044	Intel Alder lake LGA 1700 Pentium Gold G7400 - 2x Performance-cores with Hyper-Threading / 4 threads, no Energy-efficient-cores, P-Core: 3.7Ghz, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4800
CP-iAP300	R 2,398	Intel rAptor lake LGA 1700 Pentium 300 - 2x Performance-cores with Hyper-Threading / 4 threads, no Energy-efficient-cores, P-Core: 3.9Ghz, 10nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR5-4800 / DDR4-3
G7400	R 12,443	Intel Alder Lake LGA1700 G7400 3.7GHz Dual Core 6 MB Cache Processor, Intel 7 lithography, 2 total cores, 4 total threads, 6 MB Intel Smart Cache, 2.5 MB total L2 Cache, 46 W Processor base Power, Intel UHD Graphics 710 Graphics

< Return to the menu

Intel Ultra 5 Socket LGA 1851 Processor		
Product code	**Price**	**Description**
BX80768225	R 3,473	Intel Arrow Lake Socket LGA 1851 Core Ultra 5 (Series 2) 10 Core 245 up to 4.9GHz 20MB Smart Cache Desktop Processor, 23 overall peak TOPS (Int8), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel AI boost, 13 NPU peak TOPS (Int8), No Heatsink and Cooler, Intel Graphics, 4 GPU peak TOPS (Int8)
BX80768225	R 3,793	Intel Arrow Lake Socket LGA 1851 Core Ultra 5 (Series 2) 10 Core 245 up to 4.9GHz 20MB Smart Cache Desktop Processor, 23 overall peak TOPS (Int8), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel AI boost, 13 NPU peak TOPS (Int8), No Heatsink and Cooler, Intel Graphics, 4 GPU peak TOPS (Int8)
BX80768225	R 3,720	Intel Arrow Lake Socket LGA 1851 Core Ultra 5 (Series 2) 10 Core 245 up to 4.9GHz 20MB Smart Cache Desktop Processor, 23 overall peak TOPS (Int8), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB

		total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel AI boost, 13 NPU peak TOPS (Int8), No Heatsink and Cooler, Intel Graphics, 4 GPU peak TOPS (Int8)
BX80768225F	R 3,238	Intel Arrow Lake Socket LGA 1851 Core Ultra 5 (Series 2) 10 Core 245F up to 4.9GHz 20MB Smart Cache Desktop Processor, 19 overall peak TOPS (Int8), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel AI boost, 13 NPU peak TOPS (Int8), No OnBoard Graphics, No Heatsink and Cooler
BX80768225F	R 3,288	Intel Arrow Lake Socket LGA 1851 Core Ultra 5 245F (Series 2) 10 Core up to 4.9GHz 20MB Smart Cache Desktop Processor, 19 overall peak TOPS (Int8), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel AI boost, 13 NPU peak TOPS (Int8), No OnBoard Graphics, No Heatsink and Cooler
BX80768245K	R 4,347	Intel Core Ultra 5 desktop processor 245K, Up to 5.2 GHZ, 14 cores (6 P-cores 8 E-cores), 14 Thread, 24MB intel Smartcache, 125W TDP, LGA1851, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN, Intel vPro Enterprise, Intel vPro Platform, Graphics Output: DP2.1 UHBR20, HDM2.1 FRL 12GHz, eDP1.4b, Max Resolution (HDMI) 4K @ 60Hz (HDMI 2.1 TMDS) 8K @ 60Hz (HDMI2.1 FRL), Max Resolution (DP) 8K @ 60Hz
BX80768245K	R 4,822	Intel Core Ultra 5 245K LGA1851 4.2GHz up to 5.2GHz 14-core Processor, Code name Arrow Lake, 6 Performance-cores, 8 Efficient-cores, 24 MB Intel Smart Cache Cache, 26 MB total L2 Cache, 125 W Processor base Power, 159 W Maximum Turbo Power, Intel Graphics, Intel AI boost npu
BX80768245KF	R 5,934	Intel Core Ultra 5 desktop processor 245KF, Up to 5.2 GHZ, 14 cores (6 P-cores 8 E-cores), 14 Thread, 24MB intel Smartcache, 125W TDP, LGA1851, No graphics, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN, Intel vPro Enterprise, Intel vPro Platform
BX80768250K	R 4,859	Intel Core Ultra 5 250K 4.2GHz up to 5.3GHz LGA1851 18-core Processor, Intel Core Ultra Processors (Series 2), Products formerly Arrow Lake, 30 overall Peak TOPs (Int8), 6 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 30 MB total L2 Cache, 125 W Processor base Power, 159 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPs (Int8), Intel Graphics, No Heatsink and fan
BX80768250K	R 4,223	Intel Core Ultra 5 250K Plus 4.2GHz up to 5.3GHz LGA1851 18-core Processor, Intel Core Ultra Processors (Series 2), Products formerly Arrow Lake, 30 overall Peak TOPs (Int8), 6 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 30 MB total L2 Cache, 125 W Processor base Power, 159 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPs (Int8), Intel Graphics, No Heatsink and fan
BX80768250KF	R 4,505	Intel Core Ultra 5 250KF Plus 4.2GHz up to 5.3GHz LGA1851 18-core Processor, Intel Core Ultra processors (Series 2), Products formerly Arrow Lake, 22 overall Peak TOPs (Int8), 6 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 30 MB total L2 Cache, 125 W Processor base Power, 159 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPs (Int8), No Heatsink and fan, No OnBoard Graphics
BX80768250KF	R 3,931	Intel Core Ultra 5 250KF Plus 4.2GHz up to 5.3GHz LGA1851 18-core Processor, Intel Core Ultra processors (Series 2), Products formerly Arrow Lake, 22 overall Peak TOPs (Int8), 6 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 30 MB total L2 Cache, 125 W Processor base Power, 159 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPs (Int8), No Heatsink and fan, No OnBoard Graphics
CP-IR225	R 3,702	Intel Core Ultra 5 225 LGA1851 3.3GHz up to 4.9GHz 10-core Processor, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), Boxed, No Heatsink or fan
CP-IR225F	R 3,150	Intel Core Ultra 5 225F LGA1851 3.3GHz up to 4.9GHz 10-core Processor - OEM, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, No Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), No Box oem
CP-IR225O	R 3,449	Intel Core Ultra 5 225 LGA1851 3.3GHz up to 4.9GHz 10-core Processor - OEM, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2

		Cache, 65 W Processor base Power, 121 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), No Box oem
CP-IR225TO	R 4,992	Intel Core Ultra 5 225T LGA1851 2.5GHz up to 4.9GHz 10-core Processor - OEM, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 6 Performance-cores, 4 Efficient-cores, 20 MB Intel Smart Cache, 22 MB total L2 Cache, 35 W Processor base Power, 114 W Maximum Turbo Power, Intel Graphics onboard, Intel AI boost NPU, 13 NPU peak TOPS (Int8), No Box oem
CP-iR235	R 6,356	Intel aRrow lake LGA 1851 Ultra 5 235 - 6x Performance-cores 8x Energy-efficient-cores, 14(6 8) threads, P-Core: 3.4Ghz / 5.0Ghz boost, E-Core: 2.9Ghz / 4.4Ghz boost, 26mb L2 cache 24mb L3 cache, 3nm, built-in dual channel DDR5-6400 memory controller, built-in Arc Xe-2 graphics (32EU, 300/1900mhz), 65w - box cpu with fan
CP-iR235To	R 5,206	Intel aRrow lake LGA 1851 Ultra 5 235T - 6x Performance-cores 8x Energy-efficient-cores, 14(6 8) threads, P-Core: 2.2Ghz / 5.0Ghz boost, E-Core: 1.6Ghz / 4.4Ghz boost, 26mb L2 cache 24mb L3 cache, 3nm, built-in dual channel DDR5-6400 memory controller, built-in Arc Xe-2 graphics (32EU, 300/1900mhz), 35w - tray cpu with no fan
CP-IR245K	R 4,369	Intel Core Ultra 5 desktop processor 245K, Up to 5.2 GHZ, 14 cores (6 P-cores 8 E-cores), 14 Thread, 24MB intel Smartcache, 125W TDP, LGA1851, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN, Intel vPro Enterprise, Intel vPro Platform, Graphics Output: DP2.1 UHBR20, HDM2.1 FRL 12GHz, eDP1.4b, Max Resolution (HDMI) 4K @ 60Hz (HDMI 2.1 TMDS) 8K @ 60Hz (HDMI2.1 FRL), Max Resolution (DP) 8K @ 60Hz
CP-IR245KF	R 4,139	Intel Core Ultra 5 desktop processor 245KF, Up to 5.2 GHZ, 14 cores (6 P-cores 8 E-cores), 14 Thread, 24MB intel Smartcache, 125W TDP, LGA1851, No graphics, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN, Intel vPro Enterprise, Intel vPro Platform

< Return to the menu

Intel Ultra 7 Socket LGA 1851 Processor

Product code	Price	Description
BX80768265	R 7,390	Intel Core Ultra 7 265 LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Intel Core Ultra Processor (Series 2), Code name Arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768265	R 7,727	Intel Core Ultra 7 265 LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Intel Core Ultra Processor (Series 2), Code name Arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768265	R 7,783	Intel Core Ultra 7 265 LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Intel Core Ultra Processor (Series 2), Code name Arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768265-CA	R 7,606	Intel Core Ultra 7 265 LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Intel Core Ultra Processor (Series 2), Code name Arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768265F	R 7,012	Intel Core Ultra 7 265F LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Intel Core Ultra Processor (Series 2), Code name Arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, No Intel Graphics, Intel AI boost NPU, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768265K	R 6,923	Intel Core Ultra 7 265K LGA1851 3.9GHz up to 5.5GHz 20-core Processor, Code name arrow Lake, 8

		Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel Graphics, Intel AI boost npu
BX80768265K	R 6,860	Intel Core Ultra 7 265K LGA1851 3.9GHz up to 5.5GHz 20-core Processor, Code name arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel Graphics, Intel AI boost npu
BX80768265K-CA	R 6,775	Intel Core Ultra 7 265K LGA1851 3.9GHz up to 5.5GHz 20-core Processor, Code name arrow Lake, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel Graphics, Intel AI boost npu
BX80768265KF	R 6,439	Intel Core Ultra Series 2 LGA1851 Ultra 7 265KF LGA1851 up to 5.50GHz 20 Core 30MB Cache Processor, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPs (Int8), No onboard graphics, No heatsink or fan
BX80768265KF-CA	R 7,242	Intel Core Ultra Series 2 LGA1851 Ultra 7 265KF LGA1851 up to 5.50GHz 20 Core 30MB Cache Processor, 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPs (Int8), No onboard graphics, No heatsink or fan
BX80768270K	R 7,056	Intel Core Ultra 7 (Series 2) 270K Plus LGA1851 3.70GHz up to 5.5GHz 36MB Cache 24 Core Processor, Arrow Lake code name, 8 Performance-cores, 16 Efficient-cores, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel Graphics, Intel AI boost, 13 NPU Peak TOPs (Int8), No heatink and fan, BX80768270K
BX80768270K	R 7,312	Intel Core Ultra 7 (Series 2) 270K Plus LGA1851 3.70GHz up to 5.5GHz 36MB Cache 24 Core Processor, Arrow Lake code name, 8 Performance-cores, 16 Efficient-cores, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel Graphics, Intel AI boost, 13 NPU Peak TOPs (Int8), No heatink and fan, BX80768270K
BX80768270K	R 6,843	Intel Core Ultra 7 (Series 2) 270K Plus LGA1851 3.70GHz up to 5.5GHz 36MB Cache 24 Core Processor, Arrow Lake code name, 8 Performance-cores, 16 Efficient-cores, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel Graphics, Intel AI boost, 13 NPU Peak TOPs (Int8), No heatink and fan, BX80768270K
CP-IR265	R 7,590	Intel Core Ultra 7 265 LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), Boxed, No Heatsink or fan
CP-IR265F	R 7,450	Intel Core Ultra 7 265F LGA1851 2.4GHz up to 5.3GHz 20-core Processor, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, No Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), Boxed, No Heatsink or fan
CP-IR265KF	R 7,297	Intel Core Ultra 7 desktop processor 265KF, Up to 5.5 GHZ, 20 cores (8 P-cores 12 E-cores), 20 Thread, 30MB intel Smartcache, 125W TDP, LGA1851, No graphics, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN
CP-IR265TO	R 6,956	Intel Core Ultra 7 265T LGA1851 1.5GHz up to 5.3GHz 20-core Processor - OEM, Code name Arrow Lake, Intel Core Ultra processors (Series 2), 8 Performance-cores, 12 Efficient-cores, 30 MB Intel Smart Cache, 36 MB total L2 Cache, 35 W Processor base Power, 112 W Maximum Turbo Power, Intel Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), No box OEM

< Return to the menu

Intel Ultra 9 Socket LGA 1851 Processor		
Product code	**Price**	**Description**
BX80768285	R 12,751	Intel Core Ultra 9 285 Socket 1851 up to 5.6 GHz 36MB Smart Cache 24 Core (8 P-Cores 16 E-Cores) Desktop

		Processor, Arrow Lake code name, 24 total Cores, 8 Performance-cores, 16 Efficient-cores, 24 total threads, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768285	R 12,248	Intel Core Ultra 9 285 Socket 1851 up to 5.6 GHz 36MB Smart Cache 24 Core (8 P-Cores 16 E-Cores) Desktop Processor, Arrow Lake code name, 24 total Cores, 8 Performance-cores, 16 Efficient-cores, 24 total threads, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, Intel Graphics, Intel AI boost, 13 NPU Peak TOPS (Int8), No Heatsink and fan
BX80768285K	R 12,900	Intel Core Ultra 9 desktop processor 285K, Up to 5.7 GHZ, 24 cores (8 P-cores 16 E-cores), 24 Thread, 36MB intel Smartcache, 125W TDP, LGA1851, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN, Intel vPro Eligibility, Graphics Output: DP2.1 UHBR20, HDM2.1 FRL 12GHz, eDP1.4b, Max Resolution (HDMI) 4K @ 60Hz (HDMI 2.1 TMDS) 8K @ 60Hz (HDMI2.1 FRL), Max Resolution (DP) 8K @ 60Hz
BX80768285K	R 12,128	Intel Core Ultra 9 285K Socket 1851 up to 5.7 GHz 36MB Smart Cache 24 Core (8 P-Cores 16 E-Cores) Desktop Processor, Arrow Lake code name, 24 total Cores, 8 Performance-cores, 16 Efficient-cores, 24 total threads, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPS (Int8), Intel Graphics, No Heatsink and fan
BX80768285K	R 14,850	Intel Core Ultra 9 285K Socket 1851 up to 5.7 GHz 36MB Smart Cache 24 Core (8 P-Cores 16 E-Cores) Desktop Processor, Arrow Lake code name, 24 total Cores, 8 Performance-cores, 16 Efficient-cores, 24 total threads, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 125 W Processor base Power, 250 W Maximum Turbo Power, Intel AI boost, 13 NPU Peak TOPS (Int8), Intel Graphics, No Heatsink and fan
CP-IR285	R 12,688	Intel Core Ultra 9 285 LGA1851 2.5GHz up to 5.6GHz 24-core Processor, Code name Arrow Lake, 8 Performance-cores, 16 Efficient-cores, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 65 W Processor base Power, 182 W Maximum Turbo Power, TSMC N3B CPU Lithography, Intel Graphics, Intel AI boost NPU, 13 NPU peak TOPS (INT8), Ho heatsink or Fan, Boxed
CP-IR285K	R 12,808	Intel Core Ultra 9 desktop processor 285K, Up to 5.7 GHZ, 24 cores (8 P-cores 16 E-cores), 24 Thread, 36MB intel Smartcache, 125W TDP, LGA1851, Features: 192GB Up to DDR5 6400 MT/s I 24 Max PCIe 5.0 and 4.0 Lanes, Intel AI Boost NPU, Intel Thunderbolt 4, AI Software Frameworks Supported by CPU: OpenVINO, WindowsML, DirectML, ONNX RT, WebNN, Intel vPro Eligibility, Graphics Output: DP2.1 UHBR20, HDM2.1 FRL 12GHz, eDP1.4b, Max Resolution (HDMI) 4K @ 60Hz (HDMI 2.1 TMDS) 8K @ 60Hz (HDMI2.1 FRL), Max Resolution (DP) 8K @ 60Hz
CP-IR285TO	R 11,614	Intel Arrow Lake Socket 1851 Core Ultra 9 285T 24 Cores to 5.4GHz boost Processor - OEM, Intel Core Ultra processors (Series 2), 8 Performance-cores, 16 Efficient-cores, 36 MB Intel Smart Cache, 40 MB total L2 Cache, 35 W Processor base Power, 112 W Maximum Turbo Power, TSMC N3B CPU Lithography, Intel Graphics, Intel AI boost NPU, 13 NPU peak TOPS (Int8), No Box oem

< Return to the menu

Intel Xeon Server Processors

Product code	Price	Description
338-BJEU	R 10,726	Dell 338-BJEU Intel Xeon Eight Core E5-2620 v4 2.1GHz up to 3.0GHz Turbo 20M Cache processor, 8.0GT/s QPI, Turbo, HT, 8C/16T (85W), Processor only, Customer Kit
338-BQJR	R 5,180	Dell 338-BQJR Intel Xeon E-2124 3.3GHz 8MB Cache 4C/4T turbo (71W) Processor, Customer Kit
338-BSVU	R 8,817	Dell 338-BSVU Intel Xeon Silver 4208 2.1G 8C/16T 9.6GT/s 11M Cache Turbo HT (85W) DDR4-2400 Processor
77-338CBXK	R 15,616	Dell 338-CBXK Intel Xeon Silver 4310 2.1GHz Twelve Core Processor, 12 Core / 24 thread, 10.4GT/s, 18M Cache, Turbo, HT (120W) DDR4-2666
77-338CBXX	R 21,630	Dell 338-CBXX Intel Xeon Silver 4314 2.4GHz Sixteen Core Processor, 16 Core / 32 thread, 10.4GT/s, 24m Cache, Turbo, HT (135W) DDR4-2666
77-338CBXY	R 15,604	Dell 338-CBXY Intel Xeon Silver 4309Y 2.8GHz Eight Core Processor, 8 core / 16 thread, 10.4GT/s, 12MB Cache, Turbo, HT (105W) DDR4-2666

860649-B21 Open Box	R 6,785	HPE 860649-B21 DL360 Gen10 Intel Xeon-Bronze 3104 (1.7GHz / 6-core / 85W) Processor Kit
CP-iXE51620V4	R 4,829	Intel Xeon E5-1620 V4 (support single CPU socket), socket FC LGA 2011-v4 Broadwell-EP, 4 core Hyper-Threading/ 8 threads, 3.5Ghz up to 3.8Ghz turbo boost, 140w, vPro VT-x VT-d TXT DBS (Demand-Based Switching), 14nm - shared 10mb L3 cache, built-in quad channel DDR4-2133 memory controller support up to 1536Gb, 76.8 GB/sec bandwidth, 40lanes PCI-e 3.0 - box CPU with no fan
CP-iXE51650V4	R 10,349	Intel Xeon E5-1650 V4 (support single CPU socket), socket FC LGA 2011-v4 Broadwell-EP, 6 core Hyper-Threading/ 12 threads, 3.6Ghz up to 4Ghz turbo boost, 140w, vPro VT-x VT-d TXT DBS (Demand-Based Switching), 14nm - shared 15mb L3 cache, built-in quad channel DDR4-2133 memory controller support up to 1536Gb, 76.8 GB/sec bandwidth, 40lanes PCI-e 3.0 - box CPU with no fan | speed / turbo boost - Ghz : 3.6 / 4, L3 Cache - mb : 15, core / thread : 6 / 12, memory controller : 4x DDR4-2133, memory bandwidth - gb/ sec : 76.8, max memory size - Gb : 1536, micron - nm : 14, TDP - w : 85, vPro : Y, VT-x : Y, VT-d (VT for Direct i/ o) : Y, TXT : Y, code name : Broadwell, pci-E lane : 40
CP-iXE52603V4	R 9,950	Intel Xeon E5-2603 V4 (support single/ dual CPU socket), socket FC LGA 2011-v4 Broadwell-EP, 6 core, 1.7Ghz, 85w, vPro VT-x VT-d TXT DBS (Demand-Based Switching), 6.4GT/s - 2x QPi, 14nm - shared 15mb L3 cache, built-in quad channel DDR4-1866 memory controller support up to 1536Gb, 59.7 GB/sec bandwidth, 40 lanes PCI-e 3.0 - box CPU with no fan
CP-iXE52640V2	R 13,495	Intel Xeon E5-2640V2 (ivybridge , dual cpu support) , socket FCLGA2011 , 8 core Hyper-Threading / 16 threads , 2Ghz upto 2.5ghz turbo boost , 95w, vPro VT-x VT-d TXT DBS (Demand-Based Switching) , 7.2GT/s - 2x QPi , 22nm - shared 20mb cache , built-in quad channel DDR3-1600 memory controler support upto 768gb , 51.2 GB/sec bandwidth per link, 40lanes pci-e 3.0 - box cpu with no fan
CP-iXE52640V4	R 22,246	Intel Xeon E5-2640 V4 (support single/ dual CPU socket), socket FC LGA 2011-v4 Broadwell-EP, 10 core Hyper-Threading/ 20 threads, 2.2Ghz up to 3.4Ghz turbo boost, 90w, vPro VT-x VT-d TXT DBS (Demand-Based Switching), 8GT/s - 2x QPi, 14nm - shared 25mb L3 cache, built-in quad channel DDR4-2133 memory controller support up to 1536Gb, 68.3 GB/sec bandwidth, 40lanes PCI-e 3.0 - box CPU with no fan
CP-iXE52650	R 14,374	Intel Xeon E5-2650 (dual cpu support) socket FCLGA2011, 8 core, Hyper-Threading / 16 threads, box cpu with no fan, 2Ghz upto 2.8ghz turbo boost, 95w, vPro, VT-x, VT-d, TXT, DBS (Demand-Based Switching), 8GT/s - 2x QPi, 32nm - shared 20mb cache, built-in quad channel DDR3-1600 memory controller support upto 750gb, 51.2 GB/sec bandwidth per link, 40lanes pci-e 3.0 - box cpu with no fan.
CP-iXE52683V4	R 34,599	Intel Xeon E5-2683 V4 (support single/ dual cpu socket), socket FC LGA 2011-v4 Broadwell-EP, 16 core Hyper-Threading/ 32 threads, 2.1Ghz up to 3Ghz turbo boost, 120w, vPro VT-x VT-d TXT DBS (Demand-Based Switching), 9.6GT/s - 2x QPi, 14nm - shared 40mb L3 cache, built-in quad channel DDR4-2400 memory controller support up to 1536Gb, 76.8 GB/sec bandwidth, 40lanes PCI-e 3.0 - box CPU with no fan
CP-iXK2234	R 6,709	Intel Xeon coffeelake E-2234 - LGA 1151 - Quad core Hyper-Threading / 8 threads, 3.6Ghz box CPU / 4.8Ghz turbo boost; VT-x VT-d AES-N TXT AVX, built-in dual channel DDR4-2666 ECC or non-ECC memory controller, no built-in graphics, 8mb L3 cache, 14nm, 71w - Quick Sync Video InTru 3D Insider FDi Clear Video HD, 41.6GB/sec memory bandwidth, 16 lanes PCI-express - box CPU with fan
CP-iXM1270P	R 11,173	Intel coMet lake Xeon w-1270P LGA 1200 (for W480 chipset) - 8 cores Hyper-Threading / 16 threads, 3.8Ghz box CPU / 5.1Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (ECC or non-ECC) memory controller, 45.8Gb/sec memory bandwidth, built-in UHD P630 graphics (24EU, 350/1200mhz, dual stream video decode HDMi), 2mb L2 cache 16mb L3 cache, 125w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with no fan
CP-iXM1290	R 11,729	Intel coMet lake Xeon w-1290 LGA 1200 (for W480 chipset) - 10 cores Hyper-Threading / 20 threads, 3.2Ghz box CPU / 5.2Ghz turbo boost, 14nm, SSE4, AVX2, BMi, FMA3, SBA, vPro, TSX, VT-x VT-d AES-N, built-in dual channel DDR4-2933 (ECC or non-ECC) memory controller, 45.8Gb/sec memory bandwidth, built-in UHD P630 graphics (24EU, 350/1200mhz, dual stream video decode HDMi), 2.5mb L2 cache 20mb L3 cache, 80w - Quick Sync Video InTru 3D Insider Clear Video HD Triple Display Capable wireless display Capable - box CPU with fan
CP-iXQX9775	R 10,349	Intel Xeon QX9775 (Core2 extreme) , socket 771 , quad core 3.2ghz box cpu with no fan (require LGA775 cooler

		) , 150w , 1600mhz fsb , with VT , 45nm - 4x64k L1 , shared 2x6mb L2 cache - with EDB , EiST, EM64T
CP-iXS3106	R 9,065	Intel Xeon Scalable Bronze 3106 (support dual cpu socket), socket LGA 3647 skylake-sp, 8 cores, 1.7Ghz, 85w, AVX-512 vPro VT-x VT-d TXT DBS (Demand-Based Switching), 9.6GT/s - 2x UPi, 14nm - shared 11mb L3 cache, built-in 6-channel DDR4-2133 memory controller support up to 768Gb, 48 lanes pci-e 3.0 - box CPU with no fan
CP-iXS3175W	R 64,600	Intel Xeon Scalable w-3175x xeon-W LGA3647 skylake-sp - 28 cores Hyper-Threading/ 56 threads, 3.1Ghz box CPU / 3.8Ghz turbo boost, 48x PCIe lanes. 14nm, SSE4.2, AVX-512 (512bit Advanced Vector eXtensions), BMi2, dual FMA3, VT-x VT-d AES-N, built-in Quad channel DDR4-2666 (non-ECC or ECC) memory controller, support up to 512Gb, 85.3GB/sec memory bandwidth, 28mb L2 cache 38.5mb L3 cache, 255w - box CPU with no fan
CP-iXS3204	R 6,523	Intel Xeon Scalable Bronze 3204 (support dual cpu socket), socket LGA3647 skylake-sp, 6 cores, 1.9Ghz, 85w, AVX-512 vPro VT-x VT-d TXT DBS (Demand-Based Switching), 9.6GT/s - 2x UPi, 14nm - shared 8.25mb L3 cache, built-in 6-channel DDR4-2133 memory controller support up to 1024Gb, 48 lanes pci-e 3.0 - box CPU with no fan (Order on Request)
CP-iXS4210R	R 13,821	Intel Xeon Scalable silver 4210R (support dual CPU socket), socket LGA3647 Cascade Lake, 10 cores Hyper-Threading / 20 threads, 2.4Ghz up to 3.2Ghz turbo boost, 100w, AVX-512 vPro VT-x VT-d TXT DBS (Demand-Based Switching), 9.6GT/s - 2x UPi, 14nm - shared 13.75mb L3 cache, built-in 6-channel DDR4-2400 memory controller support up to 1024Gb, 48 lanes pci-e 3.0 - box CPU with no fan (Order on request)
CP-iXS4214	R 17,692	Intel Xeon Scalable silver 4214 (support dual cpu socket), socket LGA3647 skylake-sp, 12 cores Hyper-Threading / 24 threads, 2.2Ghz up to 3.2Ghz turbo boost, 85w, AVX-512 vPro VT-x VT-d TXT DBS (Demand-Based Switching), 9.6GT/s - 2x UPi, 14nm - shared 16.5mb L3 cache, built-in 6-channel DDR4-2400 memory controller support up to 1024Gb, 48 lanes pci-e 3.0 - box CPU with no fan
CP-iXS4216	R 26,979	Intel Xeon Scalable silver 4216 (support dual cpu socket), socket LGA3647 skylake-sp, 16 cores Hyper-Threading / 32 threads, 2.2Ghz up to 3.2Ghz turbo boost, 85w, AVX-512 vPro VT-x VT-d TXT DBS (Demand-Based Switching), 9.6GT/s - 2x UPi, 14nm - shared 22mb L3 cache, built-in 6-channel DDR4-2400 memory controller support up to 1024Gb, 48 lanes pci-e 3.0 - box CPU with no fan (Order on request)
CP-iXS5218R	R 39,363	Intel Xeon Scalable Gold 5218R, Socket LGA3647 Cascade Lake 20 cores Hyper-Threading / 40 threads 2.1GHz, 125W, AVX-512 vPro VT-x VT-d TXT DBS (Demand-based switching), 10.4GT/s - 2x UPI, 14nm - shared 22MB L3 Cache, Built-in 6-channel DDR4-2666 Memory controller support upto 1024GB, 48 lanes PCI-e 3.0 - box CPU with no fan, Support Dual CPU Socket
CP-iXS5220R	R 47,214	Intel Xeon Scalable Gold 5220r Socket LGA3647 Cascade Lake 24 cores Hyper-Threading / 48 threads, 2.2GHz, 125W, AVX-512 vPro VT-x VT-d TXT DBS (Demand-based switching), 10.4GT/s - 2x UPI, 14nm - shared 35.75MB L3 Cache, Built-in 6-channel DDR4-2666 Memory controller support upto 1024GB, 48 lanes PCI-e 3.0 - box CPU with no fan, 4.00 GHz Maximum turbo Frequency
CP-iXS6230R	R 47,839	Intel Xeon Scalable Gold 6230R Socket LGA3647 Cascade Lake 26 cores Hyper-Threading / 52 threads 2.1GHz, 125W, AVX-512 vPro VT-x VT-d TXT DBS (Demand-based switching), 10.4GT/s - 3x UPI, 14nm - shared 35.75MB L3 Cache, Built-in 6-channel DDR4-2666 Memory controller support upto 1024GB, 48 lanes PCI-e 3.0 - box CPU with no fan, Support Dual CPU SOCKET, 4.00 GHz Maximum turbo Frequency
Gold_5122	R 13,456	Intel Xeon Gold 5122 4 Core 3.6GHz up to 3.7GHz 16.5MB Cache Processor, 4 total Cores, 8 total threads, 16.5 MB Cache, 105 W TDP, Intel Xeon Scalable processors, LGA3647 Socket
Gold_6138	R 22,744	Intel Xeon Gold 6138 20 Core 2.0GHz up to 3.8GHz 27.5MB Cache Processor, 20 total Cores, 40 total threads, 27.5 MB Cache, 125 W TDP, Intel Xeon Scalable processors, LGA3647 Socket
Intel-Gold5118	R 16,987	Intel Xeon Gold 5118 12 Core 2.3GHz up to 3.2GHz 16.5MB Cache Processor, 12 total Cores, 24 total threads, 16.5 MB Cache, 105 W TDP, Intel Xeon Scalable processors, LGA3647 Socket, Tray package - OEM
INTEL-PLT-8164	R 100,531	Intel Xeon Platinum 8164 2.0GHz uo to 3.70GHz 35.75MB L3 Cache 26 Core Processor - Tray oem, 14 nm Lithography, 26 Cores, 52 threads, 150 W TDP, LGA3647 Socket (Tray OEM, no fan)
P02592-B21	R 47,240	Intel HPE P02592-B21 DL360 Gen10 Intel Xeon-Gold 5218 (2.3GHz / 16-core / 125W) Processor Kit
Silver_4114	R 15,756	Intel Xeon Silver 4114 Ten Core 2.2GHz up to 3.0GHz Turbo 13.75MB L3 Cache processor, 10C/20T, 9.6GT/s, 14M Cache, Turbo, HT, 85W
SILVER_4116	R 20,930	Intel Xeon Silver 4116 12 Core 2.1GHz up to 3.0GHz 16.5MB Cache Processor, 12 total Cores, 24 total threads,

		16.5 MB Cache, 85 W TDP, Intel Xeon Scalable processors, LGA3647 Socket
Silver_4215R	R 15,963	Intel Xeon Silver 4215R 8 Core 3.2GHz up to 4.0GHz 11MB Cache Processor, 8 total Cores, 16 total threads, 11 MB Cache, 130 W TDP, 2rd generation Intel Xeon Scalable processors, LGA3647 Socket
Silver_4309Y	R 12,989	Intel Xeon Silver 4309Y 8 Core 2.8GHz up to 3.6GHz 12MB Cache Processor, 8 total Cores, 16 total threads, 12 MB Cache, 105 W TDP, 3rd generation Intel Xeon Scalable processors, LGA4189 Socket
Silver_4310T	R 16,090	Intel Xeon Silver 4310T 10 Core 2.3GHz up to 3.4GHz 15MB Cache Processor, 10 total Cores, 20 total threads, 15 MB Cache, 105 W TDP, 3rd generation Intel Xeon Scalable processors, LGA4189 Socket

< Return to the menu

Processors Cooling

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Processors: Intel CPU (old)

Intel Celeron Processors

Intel Celeron Processors : Intel Celeron 300 Series Socket 478 [533MHz]

Product code	Price	Description

< Return to the menu

Intel Celeron Processors : Intel Celeron 400 Series Socket 775 [800MHz]

Product code	Price	Description

< Return to the menu

Intel Celeron Processors : Intel Celeron Dual Core Series Socket 775 [533MHz]

Product code	Price	Description

< Return to the menu

Intel Celeron Processors : Intel Celeron Dual Core socket 775 [800MHz]

Product code	Price	Description
CP-iE5700	R 743	Intel Pentium E5700 - dual core 3.0ghz box CPU, (no VT, vPro, ViiV), 45nm, Lga775, 800mhz fsb - 2x64k L1 shared 2mb L2 cache - with EDB, EiST, EM64T, WDE, ASC, SMA, ADMB

< Return to the menu

Intel Core 2 Duo processors

Intel Core 2 Duo processors : Intel Core 2 Duo Socket 775 Processors [1066MHz]

Product code	Price	Description

< Return to the menu

Intel Core 2 Duo processors : Intel Core 2 Duo Socket 775 Processors [1333MHz]

Product code	Price	Description

< Return to the menu

Intel Core 2 Duo Socket 775 Processors [800MHz]

Product code	Price	Description
CPU388	R 574	Intel Pentium E5700 Wolfdale 3.0GHz, 2MB L2 Cache, 800MHz FSB, LGA 775 65W Dual-Core Desktop Processor, 45nm Fabrication Technology, Enhanced Intel SpeedStep Technology (EIST), Intel Smart Cache Technology.

< Return to the menu

Intel Core 2 Quad processors

Intel Core 2 Quad processors : Intel Core 2 Quad Socket 775 Processors [1066MHz]

Product code	Price	Description

< Return to the menu

Intel Core 2 Quad processors : Intel Core 2 Quad Socket 775 Processors [1333MHz]

Product code	Price	Description

< Return to the menu

Intel Core 2 Quad processors : Intel Core 2 Quad Socket 775 Processors [1600MHz]

Product code	Price	Description

< Return to the menu

Intel i7 LGA2011 Processors

Intel i7 LGA2011 Processors : Intel Core i7 10-Core / Ten Core Socket 2011 Processors

Product code	Price	Description
CP-i2H6900K	R 10,464	Intel Broadwell-e i7-6900K LGA 2011 - 8 core Hyper-Threading / 16 threads, 3.2Ghz / 4.0Ghz turbo boost, 40x PCI-express lanes, 5GT/s -1x QPi, VT-x AES-N, VT-d no TXT, built-in Quad channel DDR4-2133 memory controller, support up to 128Gb, 76.8Gb/sec memory bandwidth, 14nm - 20mb smart cache - box CPU with no fan | speed / turbo boost - Ghz : 3.2 / 4.0, built-in GPU : N, L3 Cache - mb : 20, core / thread : 8 / 16, memory controller : 4x DDR4-2133, memory bandwidth - gb/ sec : 76.8, max memory size - Gb : 128, micron - nm : 14, TDP - w : 140, vPro : N, VT-x : Y, VT-d (VT for Direct i/ o) : Y, TXT : N, code name : Broadwell, pci-E lane : 40
CP-I2h6950x	R 17,249	Intel Broadwell-e i7-6950X LGA 2011 - 10 core Hyper-Threading / 20 threads, 3.0Ghz / 4.0Ghz turbo boost, 40x PCI-express lanes, 5GT/s -1x QPi, VT-x AES-N, VT-d no TXT, built-in Quad channel DDR4-2133 memory controller, support up to 128Gb, 76.8Gb/sec memory bandwidth, 14nm - 25mb smart cache - box CPU with no fan | speed / turbo boost - Ghz : 3.0 / 4.0, built-in GPU : N, L3 Cache - mb : 25, core / thread : 10 / 20, memory controller : 4x DDR4-2133, memory bandwidth - gb/ sec : 76.8, max memory size - Gb : 128, micron - nm : 14, TDP - w : 140, vPro : N, VT-x : Y, VT-d (VT for Direct i/ o) : Y, TXT : N, code name : Broadwell, pci-E lane : 40

< Return to the menu

Intel i7 LGA2011 Processors : Intel Core i7 4-Core / Quad Core Socket 2011 Processors

Product code	Price	Description
CP-i2S4820K	R 5,244	Intel i7-4820K Ivybridge-e LGA 2011 - Quad core Hyper-Threading / 8 threads, 3.7ghz box CPU/ 3.9ghz turbo boost, 5GT/s -1x QPi, VT-x AES-N VT-d no TXT, built-in Quad channel DDR3-1866 memory controller, support up to 64gb, 51.2GB/sec memory bandwidth, 22nm - 10mb smart cache - box CPU with no fan

< Return to the menu

Intel i7 LGA2011 Processors : Intel Core i7 4-Core / Quad Core Socket LGA1366 Processors

Product code	Price	Description

< Return to the menu

Intel i7 LGA2011 Processors : Intel Core i7 6-Core / Hex Core Socket 2011 Processors

Product code	Price	Description
CP-i2H6800K	R 5,404	Intel Broadwell-e i7-6800K LGA 2011 - Hex/6 core Hyper-Threading/ 12 threads, 3.4Ghz / 3.8Ghz turbo boost, 28x PCI-express lanes, 5GT/s -1x QPi, VT-x AES-N, VT-d no TXT, built-in Quad channel DDR4-2133 memory controller, support up to 128Gb, 76.8Gb/sec memory bandwidth, 14nm - 15mb smart cache - box CPU with no fan | speed / turbo boost - Ghz : 3.4 / 3.8, built-in GPU : N, L3 Cache - mb : 15, core / thread : 6 / 12, memory controller :

		4x DDR4-2133, memory bandwidth - gb/ sec : 76.8, max memory size - Gb : 128, micron - nm : 14, TDP - w : 140, vPro : N, VT-x : Y, VT-d (VT for Direct i/ o) : Y, TXT : N, code name : Broadwell, pci-E lane : 28
CP-i2H6850K	R 6,209	Intel Broadwell-e i7-6850K LGA 2011 - Hex/6 core Hyper-Threading/ 12 threads, 3.6Ghz / 4.0Ghz turbo boost, 40x PCI-express lanes, 5GT/s -1x QPi, VT-x AES-N, VT-d no TXT, built-in Quad channel DDR4-2133 memory controller, support up to 128Gb, 76.8Gb/sec memory bandwidth, 14nm - 15mb smart cache - box CPU with no fan | speed / turbo boost - Ghz : 3.6 / 4.0, built-in GPU : N, L3 Cache - mb : 15, core / thread : 6 / 12, memory controller : 4x DDR4-2133, memory bandwidth - gb/ sec : 76.8, max memory size - Gb : 128, micron - nm : 14, TDP - w : 140, vPro : N, VT-x : Y, VT-d (VT for Direct i/ o) : Y, TXT : N, code name : Broadwell, pci-E lane : 40
CP-i2S4960X	R 10,234	Intel i7-4960X ivybridge-e LGA 2011- Hex/6 core Hyper-Threading/ 12 threads, unlocked clock multiplier, 3.6ghz box CPU / 4.0ghz turbo boost, 5GT/s -1x QPi, vPRO VT-x AES-N, VT-d no TXT, built-in Quad channel DDR3-1866 memory controller, support up to 64gb, 51.2GB/sec memory bandwidth, 32nm - 15mb smart cache - box CPU with no fan

< Return to the menu

Intel i7 LGA2011 Processors : Intel Core i7 6-Core / Hex Core Socket LGA1366 Processors		
Product code	**Price**	**Description**
CP-i2S4930K	R 5,306	Intel i7-4930K ivybridge-e LGA 2011 - Hex/6 core Hyper-Threading / 12 threads, 3.4ghz box CPU / 3.9ghz turbo boost, 5GT/s -1x QPi, VT-x AES-N, VT-d no TXT, built-in Quad channel DDR3-1866 memory controller, support up to 64gb, 51.2GB/sec memory bandwidth, 32nm - 12mb smart cache - box CPU with no fan

< Return to the menu

Intel i7 LGA2011 Processors : Intel Core i7 8-Core / Octa Core Socket 2011 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1150 7th gen Processors		
Intel LGA1150 7th gen Processors : Intel G series LGA 1150 processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1150 7th gen Processors : Intel i3 DUAL Core Socket LGA1150 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1150 7th gen Processors : Intel i5 QUAD Core Socket LGA1150 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1150 7th gen Processors : Intel i7 QUAD Core Socket LGA1150 Processors		
Product code	**Price**	**Description**
CP-iH4790K	R 5,404	Intel Haswell LGA 1150 i7-4790K - Quad core Hyper-Threading/ 8 threads, 4ghz box CPU/ 4.4ghz turbo boost, unlocked clock multiplier, 22nm, SSE4, AVX2, BMi, FMA3, no vPro, TSX VT-x VT-d AES-N AVX, built-in dual channel DDR3-1600 memory controller, 25.6Gb/sec memory bandwidth, built-in HD4600 graphics (20EU, 350/1250mhz, dual stream video decode HDMi), 8mb L3 cache, 88w- Quick Sync Video InTru 3D Insider Clear Video HD Tripple Display Capable wireless display Capable
CP-iH5775C	R 5,634	Intel Broadwell LGA 1150 i7-5775C - Quad core Hyper-Threading/ 8 threads, 3.3Ghz box CPU/ 3.7Ghz turbo boost, unlocked clock multiplier, 14nm, (ADX RDSEED SSE4, AVX2, BMi, FMA3, no vPro, TSX VT-x VT-d AES-N AVX), built-in dual channel DDR3-1600L memory controller, 25.6Gb/sec memory bandwidth, built-in Intel iRiS Pro 6200 graphics (48EU, 300/1.15Ghz GPU), 6mb L3 cache 128mb L4 cache for graphics, 65w- Quick Sync

< Return to the menu

Intel LGA1151 Processors		
Intel LGA1151 Processors : Intel G-Series LGA1151 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1151 Processors : Intel i3 2 Core Socket LGA 1151 Processor		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1151 Processors : Intel i3 4 Core Socket LGA 1151 Processor		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1151 Processors : Intel i5 4 Core Socket LGA 1151 Processor		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1151 Processors : Intel i5 6 Core Socket LGA 1151 Processor		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1151 Processors : Intel i7 4 Core Socket LGA 1151 Processor		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1151 Processors : Intel i7 6 Core + Hyper-Threading LGA 1151 Processor		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1155 Processors		
Intel LGA1155 Processors : Intel Core i3 DUAL Core Socket LGA1155 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1155 Processors : Intel Core i3 Quad Core Socket LGA1155 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1155 Processors : Intel Core i5 Quad Core Socket LGA1155 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1155 Processors : Intel Core i7 Quad Core Socket LGA1155 Processors		
Product code	**Price**	**Description**

< Return to the menu

Intel LGA1155 Processors : Intel G-series LGA1155 Processors

Product code	Price	Description

< Return to the menu

Intel LGA1156 Processors

Intel LGA1156 Processors : Intel Core i3 DUAL Core Socket LGA1156 Processors

Product code	Price	Description
CPU383	R 1,205	Intel I3-560 C/ I3, 3.33GHz LGA 1156, 4M GPU, 2 x Cores; 4 x Threads. 3.33GHz; 4MB Cache; DMI 2.5GT/s; Memory Type DDR3-1066/1333

< Return to the menu

Intel LGA1156 Processors : Intel Core i5 DUAL Core Socket LGA1156 Processors

Product code	Price	Description
CP-i11i5D680	R 3,315	Intel lga1156 i5-680 - Dual core Hyper-Threading / 4 threads, 3.6ghz box cpu / 3.86ghz turbo boost, built-in 733mhz GPU (with dual stream video decode HDMi), VT-x VT-d TXT AES-N, built-in dual channel DDR3-1333 memory controler, 32nm 45nm - 2x64k L1 512kb (2 x 256kb) L2 cache 4mb L3 cache

< Return to the menu

Intel LGA1156 Processors : Intel Core i5 Quad Core Socket LGA1156 Processors

Product code	Price	Description

< Return to the menu

Intel LGA1156 Processors : Intel Core i7 Quad Core Socket LGA1156 Processors

Product code	Price	Description

< Return to the menu

Intel LGA1156 Processors : Intel Dual Core Socket LGA1156 Processors

Product code	Price	Description

< Return to the menu

Intel LGA2066 Processors R4

Intel LGA2066 Processors R4 : Intel Core i5 Socket LGA2066 Processors

Product code	Price	Description
CP-iX7640X	R 4,369	Intel kabylake-X LGA 2066 i5-7640X - Quad core/ 4 threads, 4.0Ghz box cpu/ 4.2Ghz turbo boost, 14nm, SSE4, AVX2 (256bit), BMi, FMA3, SBA, no vPro, TSX , VT-x VT-d AES-N, built-in dual channel DDR4-2666 (non-ECC only) memory controller, support up to 64Gb, 39.74GB/sec memory bandwidth, 256K L1 6mb L2 cache, 112w (Intel X-series processor for high-end platforms for gamers and creators)

< Return to the menu

Intel LGA2066 Processors R4 : Intel Core i7 Socket LGA2066 Processors

Product code	Price	Description

< Return to the menu

Intel LGA2066 Processors R4 : Intel Core i9 Socket LGA2066 Processors

Product code	Price	Description
CP-iX10940X	R 17,709	Intel cascadelake-X LGA 2066 i9-10940X - 14 cores Hyper-Threading / 28 threads, 3.3Ghz box CPU / 4.8Ghz turbo boost, 48x PCIe lanes. 14nm, SSE4.2, AVX-512 (512bit Advanced Vector eXtensions), BMi2, FMA3, VT-x VT-d AES-N, built-in Quad channel DDR4-2933 (non-ECC only) memory controller, support up to 256Gb, 85.3GB/sec memory bandwidth, 14mb L2 cache 19.25mb L3 cache, 165w - box CPU with no fan

CP-iX10980XE	R 22,079	Intel Cascadelake-X LGA 2066 i9-10980XE EXtreme edition - 18 cores Hyper-Threading / 36 threads, 3.0Ghz box CPU / 4.8Ghz turbo boost, 48x PCIe lanes. 14nm, SSE4.2, AVX-512 (512bit Advanced Vector eXtensions), BMi2, FMA3, VT-x VT-d AES-N, built-in Quad channel DDR4-2933 (non-ECC only) memory controller, support up to 256Gb, 85.3GB/sec memory bandwidth, 18mb L2 cache 24.75mb L3 cache, 165w - box CPU with no fan
CP-iX7920X	R 12,419	Intel skylake-X LGA 2066 i9-7920X - 12 cores Hyper-Threading/ 24 threads, 2.9Ghz box cpu/ 4.3Ghz turbo boost, 14nm, SSE4.2, AVX-512 (512bit Advanced Vector eXtensions), BMi2, FMA3, VT-x VT-d AES-N, built-in Quad channel DDR4-2666 (non-ECC only) memory controller, support up to 128Gb, 79.47GB/sec memory bandwidth, 12mb L2 cache 16.5mb L3 cache, 140w - box CPU with no fan (Intel X-series processor for high-end platforms for gamers and creators - 12 cores / 24 threads)
CP-iX9820X	R 9,149	Intel Core i9-9820X skylake-X LGA 2066 - 10 cores Hyper-Threading/ 20 threads, 3.3Ghz box CPU/ 4.2Ghz turbo boost, 44x PCIe lanes. 14nm, SSE4.2, AVX-512 (512bit Advanced Vector eXtensions), BMi2, FMA3, VT-x VT-d AES-N, built-in Quad channel DDR4-2666 (non-ECC only) memory controller, support up to 128Gb, 85.3GB/sec memory bandwidth, 8mb L2 cache 16.5mb L3 cache, 165w - box CPU with no fan

< Return to the menu

Intel Mobile Processors

Intel Mobile Processors : Intel Celeron M Processor

Product code	Price	Description

< Return to the menu

Intel Mobile Processors : Intel Core 2 Duo M Processor

Product code	Price	Description

< Return to the menu

Intel Mobile Processors : Intel Core Duo M Processor

Product code	Price	Description

< Return to the menu

Intel Mobile Processors : Intel Core i-3 M Series Processor

Product code	Price	Description

< Return to the menu

Intel Mobile Processors : Intel Core i-5 M Series Processor

Product code	Price	Description

< Return to the menu

Intel Mobile Processors : Intel Core i-7 M Series Processor

Product code	Price	Description

< Return to the menu

Intel Pentium 600 Series Socket 775 2MB Cache

Product code	Price	Description

< Return to the menu

Intel Pentium 800 Series Dual Core Socket 775 1MB Cache

Product code	Price	Description

< Return to the menu

Intel Pentium processor

Intel Pentium processor : Intel Pentium 500 Series Socket 775 1MB Cache		
Product code	**Price**	**Description**

< Return to the menu

Intel Pentium processor : Intel Pentium Dual Core Socket 775		
Product code	**Price**	**Description**

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Projectors

Projector accessories

Product code	Price	Description
BHR08JMEU	R 551	Xiaomi Projector Multi-Angle Stand, metal projector stand; 360 degree rotation; 1 4 inch mount; supports up to 3kg; anti slip base; dimensions 15 x 11.4 x 16.6 cm; weight 0.86kg; universal compatibility
CAB-40090	R 69	SVGA Cable Male - Male for Projector [Note: color might differ (black/blue black/black)])
ELPAF39	R 416	Epson ELPAF39 Air Filter, V13H134A39, Compatible with --> EH-LS10000 / EH-LS10500 / EH-TW6600w / EH-TW6700 / EH-TW6700w / EH-TW6800 / EH-TW7000 / EH-TW7100 / EH-TW7200 / EH-TW7300 / EH-TW9200 / EH-TW9200 with HC Lamp warranty / EH-TW9200w / EH-TW9300 / EH-TW9300w / EH-TW9400 / EH-TW9400w / EH-TW8100 with HC Lamp warranty / EH-TW9000w / EH-TW9100 / EH-TW9100w projectors
ELPAF46	R 2,294	Epson ELPAF46 Air Filter, V13H134A46, Compatible with --> EB-L1050u / EB-L1070u / EB-L1075u / EB-PU1006w / EB-PU1007b / EB-PU1007w / EB-PU1008b / EB-PU1008w / EB-PU2010b / EB-PU2010w / EB-Z10000u / EB-Z10005u / EB-Z11000 / EB-Z11000w / EB-Z11005 / EB-Z9750u / EB-Z9800w / EB-Z9870 / EB-Z9875u / EB-Z9900w projectors
ELPAF53	R 437	Epson ELPAF53 Air Filter, V13H134A53, Compatible with --> EB-1780w / EB-1785w / EB-1795f projectors
ELPAF56	R 1,914	Epson ELPAF56 Air Filter, V13H134A56, Compatible with --> EB-1480fi / EB-1485fi / EB-800f / EB-805f / EB-L510u / EB-L520u / EB-L530u / EB-L570u / EB-L610u / EB-L615u / EB-L630su / EB-L630u / EB-L635su / EB-L720u / EB-L730u / EB-L735u / EB-L770u / EB-L775u / EH-LS500B / EH-LS500B Android TV Edition / EH-LS500w / EH-LS500w Android TV Edition projectors
ELPAP10	R 1,878	Epson V12H731P01 Wireless LAN 802.11b/g/n Adaptor for projectors, Compatible with EB-U04, Compliant with 802.11b/g/n standards, Uses USB type A connector, Compatible with PC or Mac, Able to transmit audio
ELPAP11	R 3,033	Epson V12H005A01 ELPAP11 Dual Function Wireless Adapter (5Ghz Wireless & Miracast), Compatible with --> EB-1485Fi / EB-1480Fi projectors
ELPCB03	R 6,266	Epson ELPCB03 control and connection box, V12H927040, Compatible with --> EB-2250u / EB-530 / EB-535w / EB-536wi / EB-5520w / EB-5530u / EB-685w / EB-685wi / EB-695wi / EB-710ui / EB-720 / EB-725w / EB-725wi / EB-735f / EB-735fi / EB-750f / EB-755f / EB-760w / EB-760wi / EB-770f / EB-775f / EB-800f / EB-805f / EB-L200f / EB-L200sw / EB-L200sx / EB-L200w / EB-L210sf / EB-L210sw / EB-L260f / EB-L210w / EB-L265f projectors
ELPFT01	R 6,615	Epson V12H007A24 ELPFT01 Finger Touch Unit for Epson BrightLink 1480 Series Projectors (Projector not included)
ELPKS68	R 1,183	Epson V12H001K68 Soft Carry Case for Projectors, Compatible with EB-1970W / EB-1975W / EB-1980WU / EB-1985WU
ELPKS69	R 445	Epson V12H001K69 ELPKS69 Soft Carry Case - Compatible with --> EB-x05/x41/x42 & EH-TW6 series projectors
ELPKS69	R 469	Epson ELPKS69 soft Carry Projector Case
ELPKS70	R 1,183	Epson V12H001K70 ELPKS70 Soft Carry Case, Compatible with --> EB-W39 / EB-990U / EB-108 / EB-980W / EB-970 projectors
ELPKS71	R 1,183	Epson V12H001K71 ELPKS71 Soft Carry Case for projectors
ELPPN05A	R 928	Epson ELPPN05A Interactive Pen - Orange, V12H773010, Compatible with --> EB-1440ui / EB-1450ui / EB-1460ui / EB-1470ui / EB-1485fi / EB-675wi / EB-685wi / EB-695wi / EB-710ui / EB-725wi / EB-735fi / EB-760wi

		projectors
ELPPN05B	R 928	Epson ELPPN05B Interactive Pen - Blue, V12H774010, Compatible with --> EB-1440ui / EB-1450ui / EB-1460ui / EB-1470ui / EB-1485fi / EB-675wi / EB-685wi / EB-695wi / EB-710ui / EB-725wi / EB-735fi / EB-760wi projectors
FLOOR STAND PRO TRAY	R 240	Wanbo Floor stand Pro tray, 5kg load-bearing, 1/4" threaded screw Mount Interface, Non-Slip Surface safety strap, 100 cm Maximum height, 30 degrees horizontal rotation
T2 BAG	R 184	Wanbo T2 Projector carrying Case - Grey, Premium bag for wanbo projectors, Comfortable Handle and shoulder strap, Removable Velcro strap separators, Designed to hold the wanbo T2 Projector
WANBO-BT-REMOTE	R 123	Wanbo Projector Bluetooth Remote control, Compatible with --> x5 Pro / Davinci 1 Pro / Vali 1 / Cube 2 Pro / T2 Ultra / Cube 1, IR Bluetooth control Method, Voice Function, Mute key, Focus shortcut key, Apply shortcut Keys, Projection mode Switch key
WANBO-IR-REMOTE	R 76	Wanbo IR Remote control for Mini Pro / T2 Max / X5 / Mozart 1 / X2 Max projectors
X1 BAG	R 176	Wanbo x1 Projector carrying Case - Grey, Premium bag for wanbo projectors, Comfortable Handle and shoulder strap, Removable Velcro strap separators, Designed to hold the wanbo x1 Projector
X5 BAG	R 212	Wanbo Projector bag for Wanbo X5 Projector, 300D Frosted Oxford Cloth material, Light Grey Colour

< Return to the menu

Projector mounts

Product code	Price	Description
51896	R 551	Goobay 51896 Projector Ceiling Mount (M) for small to medium projectors, 10 kg Maximum load, 130mm - 200mm wall distance, 360 degrees swivel range, 15 degrees tilting ranges
650700	R 390	Equip Projector Ceiling Mount Bracket
650702	R 412	Equip Black Projector Ceiling Wall Mount Bracket
650703	R 343	Equip White Projector Ceiling Wall Mount Bracket
650704	R 584	Equip 650704 Universal Projector Ceiling/Wall Mount Bracket, Tool-free length adjustment, Integrated cable management system, 26kg Load Capacity, Tilt, Swivel, Rotate
80174	R 505	Goobay Ceiling TV Mount (L); 37 to 75 inch TVs; Maximum load 50 kg; Adjustable height 52.7 to 77.7 cm; 6 height positions; Tilt 0 to -25 degrees; Swivel plus or minus 180 degrees; VESA up to 400 x 400 mm; Flat and sloped ceiling installation up to 45 degrees; Integrated cable management; Black powder-coated steel; Weight 3.35 kg
BRK-EPB-2	R 416	Lumi EPB-2 Steel Projector Ceiling Mount For Projectors Weighing Up to 15kgs/33lbs
BRK-PRB-11S	R 475	Bracket Prb-11s Projector Bracket, Roof, Wall, 20kg, 10tilt, 360swivel
BRK-PRB-21L	R 880	Lumi PRB-21L Steel Short Throw Projector Wall Mount (Long)
BRK-PRB-2W	R 544	Lumi Universal Projector Wall Mount Bracket, 20kg Max, Tilt
ELPFP13	R 1,481	Epson ELPFP13 ceiling pipe (450mm), V12H003P13
ELPFP14	R 2,468	Epson ELPFP14 ceiling pipe (700mm), V12H003P14
ELPMB22	R 4,442	Epson ELPMB22 White Ceiling Mount, V12H003B22
ELPMB23	R 3,994	Epson V12H003B23 Ceiling Mount (White) for projectors, Compatible with Epson EH-TW450 with HC Lamp warranty / Epson EB-1910 / Epson EB-1915 / Epson EB-1920W / Epson EB-1925W / EB-1900 / Epson EB-84H Video Projector / Epson EB-824H [240v] / Epson EB-S92 / Epson EB-S10 / Epson EB-925 [240v] / Epson EB-93 / Epson EB-915W / Epson EB-96W [240v] / Epson EB-D6155W / Epson EB-D6250 / Epson EB-W12 / Epson EB-1775W / Epson EB-1770W / Epson EB-1760W / Epson EB-1750 / Epson EB-X11 / Epson EB-W02 / Epson EB-1880 / Epson EB-1860 / Epson EB-1840W / Epson MG-850HD / Epson EB-435W / Epson EB-425W / Epson EB-420 / Epson EB-430 / Epson EB-475W / Epson EB-1915 (AFIS ME) / Epson EB-1925W (AFIS ME) / Epson EB-485Wi / Epson EH-TW480 / Epson EB-1751 / Epson EB-1761W / Epson EB-1771W / Epson EB-1776W / Epson EB-93H / Epson EB-W16SK / Epson EH-TW550 / Epson EB-1410Wi / Epson EB-1965 / Epson EB-1945W / Epson EB-1935 / Epson EB-1950 / Epson EB-1960 / Epson EB-1940W / Epson EB-1930 / Epson EB-1400Wi / EB-S18 / EB-X18 / EH-TW490 / EB-570 / EB-575W / EB-580 / EB-575Wi / EB-585W / EB-585Wi / EB-595Wi / EB-536Wi / EB-535W / EB-525W / EB-530 / EB-1970W / EB-1975W / EB-1980WU / EB-1985WU / EH-TW570 /

		EB-1430Wi / EB-1420Wi / EB-W28 / EB-X27 / EB-W29 / EB-98H / EB-965H / EB-955WH / EB-U04 / EH-TW5300 / EH-TW5350
ELPMB30	R 3,585	Epson ELPMB30 Ceiling Mount (Low profile), V12H526040
ELPMB62	R 3,172	Epson ELPMB62 Ultra-Short throw Wall Mount, V12HA06A06, Compatible with --> EB-725w / EB-725wi / EB-735f / EB-735fi / EB-750f / EB-755f / EB-760w / EB-760wi / EB-770f / EB-775f / EB-800f / EB-805f / EH-LS500B Android TV Edition / EH-LS500w Android TV Edition projectors
ELPMB63	R 1,663	Epson V12HA05A09 ELPMB63 Finger Touch Wall Bracket for ELPFT01
ELPMB64	R 4,371	Epson ELPMB64 Short-Throw Wall Mount, V12HA39010, Compatible with --> EB-520 / EB-525w / EB-530 / EB-530s / EB-535w / EB-536wi / EB-L200sw / EB-L200sx Projector
ELPMB68	R 5,153	Epson ELPMB68 Ceiling Mount, V12H006AE0, Compatible with --> EB-L1500uh / EB-L1505uh / EB-L1710s / EB-L1715s / EB-L1750u / EB-L1755u / EB-L520u / EB-L530u / EB-L630su / EB-L630u / EB-L635su / EB-L720u / EB-L730u / EB-L735u / EB-PU1006w / EB-PU1007b / EB-PU1007w / EB-PU1008b / EB-PU1008w / EB-PU2010b / EB-PU2010w / EB-PU2113w / EB-PU2116w / EB-PU2120w / EB-PU2213b / EB-PU2216b / EB-PU2220b projectors
ELPMB70	R 2,131	Epson extension pole - ELPMB70 for ELPMB68, V12H006AG0, Compatible with --> EB-L1500uh / EB-L1505uh / EB-L1710s / EB-L1715s / EB-L1750u / EB-L1755u / EB-L520u / EB-L530u / EB-L630su / EB-L630u / EB-L635su / EB-L720u / EB-L730u / EB-L735u / EB-PU1006w / EB-PU1007b / EB-PU1007w / EB-PU1008b / EB-PU1008w / EB-PU2010b / EB-PU2010w / EB-PU2113w / EB-PU2116w / EB-PU2120w / EB-PU2213b / EB-PU2216b / EB-PU2220b projectors
ELPMB75	R 4,531	Epson ELPMB75 Extreme Short Throw Wall Mount, V12HB12010, Compatible with --> EB-810e / EB-815e projectors
ELPPT01	R 1,187	Epson ELPPT01 setting plate, V12H003D01, Compatible with --> EB-1751 / EB-1761w / EB-1771w / EB-1776w / EB-1780w / EB-1785w / EB-1795f / Epson EB-1751 [240V] / Epson EB-1776w projectors
ELPWR01	R 453	Epson ELPWR01 safety wire, V12H003W01
EPPRV12HA06A06	R 2,314	Epson ELPMB62 Ultra-Short throw Wall Mount, V12HA06A06, Compatible with --> EB-725w / EB-725wi / EB-735f / EB-735fi / EB-750f / EB-755f / EB-760w / EB-760wi / EB-770f / EB-775f / EB-800f / EB-805f / EH-LS500B Android TV Edition / EH-LS500w Android TV Edition projectors
FLOOR STAND TRIPOD	R 240	Wanbo Tripod Floor stand - White, Tripod only, 170 cm Max-Height, 3-section height adjustable, 60 cm Min-Height, 2kg load capacity, 50cm Tripod Diameter, 360 degrees Ball-Head Design
LS-APB053	R 1,777	Aavara PB053 wall mount projector hanger - 525mm from wall, 360 Degree Rotation, /- 25 Degree inclination on mount plate, -5 Degree on pillar, support up to 15kg, compatible with hole patterns up to 325mm
LS-APL320	R 1,240	Aavara PL320 Ceiling Mount Projector Hanger - in-tube smart cable management, quick attach detach mounting for easy assembling, Horizontal/vertical inclination /-25 Degree, 360 Degree rotation 25 Degree tilt, 402-577mm length adjustable; compatible with hole patterns up to 325mm, support up to 15kg
LS-APR320	R 735	Aavara PR320 projector ceiling mount unit - in-tube smart cable management, quick attach detach mounting for easy assembling, Horizontal/vertical inclination /-25degrees, 360degrees rotation 25degrees tilt; compatible with hole patterns up to 325mm diameter, support up to 15kg
LS-APT400	R 503	Aavara PT400 projector mount extended pole for PL320 ceiling mount - extend PL320 length to 755-955mm; aluminum alloy; 15kg load capacity; in-tube cable management; silver; 0.44kg
LS-APW120	R 1,954	Aavara PW120 wall mount projector hanger - 1250mm from wall, 360deg Rotation, /- 25deg inclination on mount plate, -5deg on pillar, support up to 15kg, compatible with hole patterns up to o325mm
SM-6	R 2,461	Wall/Ceiling Mounted, 4:3, 2800x2425, Matt
T-TYPE CEILING MOUNT	R 481	Wanbo Ceiling Mount for x5 Pro / Mini Pro / T2 Max projectors, 5kg Max load, Tilt motion Type
VK-4019-BK	R 287	Volkano Steel Series Projector Ceiling Mount - Black
VK-4019-BK	R 239	Volkano Steel Series Projector Ceiling Mount - Black, Easily adjustable Clutch length and angle to Fit various projectors, Design avoids ventilation issues by eliminating the need for an adaptive plate
WX-BR108	R 276	Winx Mount Simple Adjustable Projector Bracket
WX-BR109	R 589	Winx Mount Simple Projector Bracket

< Return to the menu

Projector replacement lamps

Product code	Price	Description
ELPLP60	R 1,128	Epson ELPLP60, V13H010L60, Lamp Unit, EB-93/95/96W/905/915W/925
ELPLP85	R 2,333	Epson V13H010L85 Projector Lamp, Compatible with EH-TW6600W / EH-TW6600
ELPLP87	R 1,670	Epson V13H010L87 Projector Lamp, Compatible with EB-520 / EB-536Wi / EB-535W / EB-530 / EB-525W
ELPLP89	R 2,775	Epson ELPLP89 replacement Projector Lamp / bulb, V13H010L89, Compatible with --> EH-TW9300 / EH-TW9400 / EH-TW9400w projectors
ELPLP91	R 1,659	Epson V13H010L91 Projector Lamp, Compatible with EB-68x / EB-69x (250W)
ELPLP92	R 1,659	Epson V13H010L92 Projector Lamp, Compatible with EB-69x / EB-14x (268W)
ELPLP93	R 6,519	Epson ELPLP93 replacement Projector Lamp / bulb, V13H010L93, Compatible with --> EB-G7100 / EB-G7200w / EB-G7400u / EB-G7805 / EB-G7900u / EB-G7905u projectors
ELPLP95	R 2,612	Epson V13H010L95 ELPLP95 Projector Lamp, Compatible with --> EB-5530U / EB-5520W / EB-2265U / EB-2255U / EB-2250U / EB-2165W / EB-2155W / EB-2065 / EB-2055 projectors
ELPLP97	R 1,587	Epson ELPLP97 replacement Projector Lamp / bulb, V13H010L97, Compatible with --> EB-2042 / EB-980w / EB-982w / EB-992f / EB-E01 / EB-E05 / EB-E10 / EB-E20 / EB-FH06 / EB-FH52 / EB-S05 / EB-S41 / EB-U05 / EB-U42 / EB-U50 / EB-W05 / EB-W39 / EB-W41 / EB-W49 / EB-X05 / EB-X06 / EB-X39 / EB-X41 / EB-X49 / EB-X51 / EH-TW5400 / EH-TW5600 / EH-TW5650 / EH-TW5820 / EH-TW610 / EH-TW6150 / EH-TW6250 / EH-TW650 / EH-TW710 projectors

< Return to the menu

Projector screens

Product code	Price	Description
100TS169	R 1,399	HTPNEO Portable Projector Screen with Tripod Stand - 100" Wide Screen Display, 4K & Full HD Compatible, 16:9 Aspect Ratio, Tripod Stand Included, Tool Free Assembly, Indoor and Outdoor Use, Lightweight and Portable, Compact Storage, Retail Box
CE-50MB	R 1,199	ETOE 50" Manual Pull-Up Projector Screen - 50" Display (4:3 Aspect Ratio), Matte White Screen Surface, 160° Wide Viewing Angle, Black Backing, 4-Side Black Borders, Manual Pull-Up Design,Portable & Lightweight, Durable Aluminium Alloy Housing, Retail Box
CEL180R	R 3,299	Esquire Electric Projector Screen 180 X 180 with RF Remote Control, 174 x 174 cm viewing area, 3cm black border (left/right/bottom), 10cm black drop (top), Power: 40W, voltage: 230V, frequency: 50Hz, Ideal for home cinema and business applications with a gain factor of 1.2, Extremely low-noise motor with stabilizer shaft, Suitable for wall or ceiling mounting, White casing, Comes with control box (wall mounted), Retail Box
CEW300	R 3,699	Esquire Electric Projector Screen - 300 x 169cm, Retail Box
CP200	R 746	Connex E-Luminate Pulldown Projector Screen 100" - 16:9
CP201	R 1,207	Connex E-Luminate Portable Projector Screen 100" - 16:9
CP202	R 1,322	Connex E-Luminate Tripod Projector Screen 100" - 16:9
CP203	R 1,104	Connex E-Luminate Electric Projector Screen with Remote 100" - 16:19
MS-10	R 10,202	Mecer ES61_3000 Motorised Projector Screen 3000x1875 mm, 16:9 ratio, Easy to install (Wall or Ceiling), Matt White Fabric offering a Bright Crisp Image, Full Black Border, Includes Wireless Remote Control
MS-7	R 4,760	Mecer ES61_2000 Motorised Projector Screen 2000x1250 mm, 16:9 ratio, Easy to install (Wall or Ceiling), Matt White Fabric offering a Bright Crisp Image, Full Black Border, Includes Wireless Remote Control
MS-9	R 5,736	Projector Screen Wall / Ceiling Mounted Motorised 16:10 2400x1500mm (GTMWBRIDGE)
PLW120	R 3,499	Esquire Pull Up Projector Screen 120 X 68
PS100	R 2,644	Microworld PS100 Projector screen 100 with Remote, Motorized / Electric Operation, 3 or 4-layer PVC / fiberglass material, 1.0 to 1.3 gain, Dual Wall / Ceiling mounting
PST100	R 1,264	Microworld PST100 Tripod Projector screen 100" , 16:9 Aspect Ratio, 221cm x 125cm viewable area, Matte White screen material, 1.2 gain, 160 degrees viewing angle, Foldable Tripod, Lightweight Design, Auto-Locking height adjustment
SM-2	R 2,712	PPM Screen Wall / Ceiling Mounted Manual Pulldown 16:10 2000x1250mm

SM-3	R 3,269	70 inch (1.778m diagonal) Wall/Ceiling Mounted, 16:9, 1803 x 1340, Matt projector screen. Optional WM06 brackets are available for wall mounting *Note: image may differ from actual product
SM-7	R 3,219	Mecer PS43_2000 Projector Pulldown Screen 4:3, 2000 x 1500mm, Wall / Ceiling Mounted, Easy to install, Matt White Fabric offering a Bright Crisp Image, Full Black Border
ST-1	R 1,947	Tripod, 1:1 Gain, 1190x1190, Matt
ST-2	R 2,109	Tripod, 1:1 Gain, 1500x1500, Matt
ST-3	R 2,248	Screen Tripod 4:3 1800X1350mm Matt (no carry bag) - CB-3 (GTMWBRIDGE)
ST-4	R 2,577	Screen Tripod 4:3 2000X1540mm Matt (no carry bag) - CB-4 (GTMWBRIDGE)

< Return to the menu

Projectors - Digital

Product code	Price	Description
A1223	R 3,299	Etoe Starfish Google Certified 4K Android Smart TV Projector - 4K Android TV, Full HD 1920 x 1080 Resolution, 300 ANSI Lumens Brightness, 16:9 Aspect Ratio, 5W Built-In Speaker, 24.5dB Noise Level, HDMI, USB, Aux Connectivity, Chromecast, Airplay Screen Mirroring, Google Assistant Supported, Android 11 with Netflix Built-in, Retail Box
A1363	R 7,899	ETOE Seal Pro Google TV Home Cinema Projector - Google TV 3.0 with Built-in Netflix, Chromecast, AirPlay Screen Mirroring, 1300 ANSI Brightness, 1920 x 1080 Native Resolution, 3000:1 Contrast Ratio, 16:9 Aspect Ratio, 1.2-3.3m Projection Distance, 45-120 Inches Projection Size, LED Light Source, 2GB Memory and 16GB Storage, 2*10W Speaker, 2.4G & 5G Wi-Fi and 5.1 Bluetooth Connectivity, 180W Power Consumption, Retail Box
ACER PROJ MR.JV311.001	R 4,495	Aopen PV12a DLP 480p 800 LED Lm (200 ANSI) 5000:1 EMEA 0.4 Kg Carrying Case EURO/UK Power. The Aopen PV12a is a lightweight, portable projector offering 480p resolution, vivid LED brightness and long-lasting performance. Its compact design, wireless and wired connectivity, smart functions, and easy setup features make it ideal for mobile professionals or home entertainment on the go.
ACER PROJ MR.P0C11.001	R 9,509	Acer Aopen Fire Legend QU80GTV 800 ANSI Lumens LCD 4K UHD 3840x2160 Projecxtor, 13000 LED Lumens / 800 ANSI Lumens, LED Light source, 1000:1 contrast ratio, Google TV Smart Platform, Chromecast Wireless projection, 2x 8W Speakers Audio, 2x HDMI, HDMI cable included cable, MR.P0C11.001
ACER PROJ S1387 MR.JY811.001	R 9,394	Acer S1387 4000 lumen DLP WXGA 1280x800 Projector, 4000 ANSI Lumens brightness, 16:10 Aspect Ratio, DLP projection system, Lamp osram 240W Light source, 36" - 300" Image size, 0.52 throw ratio, 2x HDMI1.4b (HDCP 1.4) , 1x VGA in, 1x VGA out, 1x Component, 1x RCA Video, 1x 3.5mm Mini jack Audio in, 1x 3.5mm Mini jack Audio ouy, 16.7ms @ 120Hz Input Lag
ACER PROJ X1128I MR.JTU11.004	R 6,496	Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 11.80 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA Input, 1x audio Input, 1x audio Output, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
ACER PROJ X1228I MR.JTV11.004	R 7,290	Acer X1228i Essential 4000 Lumens DLP 1024x768 XGA Digital Projector, Manual Zoom and manual focus, 300" Maximum diagonal image size, 12.0m Maximum projection distance, 1x optical Zoom, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 1.96 ~ 2.15 throw ratio, 4000 ANSI Lumens standard mode brightness, 1x 3W Speaker, HDMI, Analog RGB, Component Video, Analog RGB Output
ACER PROJ X1328WI MR.JTW11.0(	R 7,865	Acer X1328Wi 4500 Lumens DLP 3D WXGA 1280x800 Projector, 16:10 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 10 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA input, 1x audio inputs, 1x audio Outputs, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
ACER PROJ X1528Ki MR.JW011.001	R 11,165	Acer X1528Ki 5200 Lumens DLP Full HD 1920x1080 Data Projector, 16:9 native Aspect Ratio, 10000:1 contrast ratio, 2x Digital Zoom, 245 W Lamp Power, USB, HDMI, Audio line in, Audio line out, 3 W Speaker, Ezcast, Miracast Wi-Fi

BHR9417EU	R 5,097	Xiaomi L1 200 Lumen 1080p Full HD Smart Projector, Screen size from 40" to 120" , Built-In Google system supporting Netflix, Integrated Dolby Audio, Auto Focus & keystone, 1x HDMI
BHR9588EU	R 7,648	Xiaomi L1 Pro 400 ANSI Lumens Full HD 1080p Smart Projector, 1.21:1 throw ratio, Supports screens from 40" to 120" , Auto Focus, Auto keystone correction, 2GB DDR3 / 16GB eMMC storage, Stream directly from your Phone with Google Cast, HDMI Port
CO-FD01	R 8,638	Epson CO-FD01 3000 Lumen Full HD 1920x1080 16:9 Projector - White, 3LCD Technology, RGB Liquid Crystal shutter, 1080p Resolution, 16:9 Aspect Ratio, 350:1 contrast ratio, UHE Lamp Light source, 16.77 million colours, Optical Lens, 26 inches - 391 inches screen size, Manual Lens Focus, HDMI 1.4, USB 1.0-A Port, 5 Watt loudspeaker
CO-W01	R 6,706	Epson CO-W01 3000 Lumen WXGA 1280x800 3LCD Projector, V11HA86040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, UHE Lamp light source, Optical Lens, HDMI 1.4, 5 Watt loudspeaker, 25" - 378" screen size
CO-WX01	R 6,706	Epson CO-WX01 3000 Lumen WXGA 1280x800 16:10 Projector - White, 3LCD Technology, RGB Liquid Crystal shutter, HD ready, 16:10 Aspect Ratio, UHE Lamp Light source, 6000 hour Life, 16.77 million colours, Optical Lens, 25 inches - 378 inches screen size, 1x HDMI 1.4, USB 2.0-A poer, 5 Watt loudspeaker, Manual Lens Focus
CO-WX02	R 6,706	Epson CO-WX02 3000 Lumen WXGA 1280x800 3LCD Projector, V11HA86340, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, UHE Lamp light source, Optical Lens, 25" - 378" screen size, HDMI 1.4, USB 2.0, 5 Watt loudspeaker
COFD01	R 9,112	Epson COFD01 3000LM 350:1 1080p FULL HD Projector
CP102	R 1,781	Connex Falcon 2 series 720P Projector with WIFI - Silver
CP104	R 3,621	Connex Lumen series 1080P Projector with WIFI - Black
CUBE 2 PRO	R 3,759	Wanbo Cube 2 Pro White 1080P 500ANSI Android 11 Smart Home Theatre Projector; built-in 2 x 5W speakers; 113x111x212 mm; weight ~1.4 kg
CUBE 2 PRO BLU	R 3,843	Wanbo Cube 2 Pro 1080p 500 ANSI Android 11 Smart Projector - Deep Night, 450-500 ANSI Lumens brightness, LCD Display Technology, 1080p (1920x1080 Full HD) Native Resolution, ToF keystone correction, Seamless auto Focus, 1.20:1 Aspect Ratio, 40-140 inch projection size, 1.1-3.9m projection distance, 8W Speaker, Dual Band Wi-Fi, HDMI, Android TV
EB-1780W	R 15,796	Epson EB-1780W Projector, Ultra mobile, WXGA 1280 x 800, 16:10, HD ready, 3.000 lumen- 1.900 lumen (economy), 3.000 lumen - 1.900 lumen (economy), 10,000:1, USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Stereo mini jack audio in
EB-1795F	R 23,412	Epson EB-1795F Projector, Ultra mobile, Full HD 1080p, 1920 x 1080, 16:9, Full HD, 3,200 lumen- 1,900 lumen (economy), 3.200 lumen - 1.900 lumen (economy), 10,000: 1, USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Stereo mini jack audio
EB-2250U	R 29,548	Epson EB-2250U, Gesture Presenter, Multi-PC projection, Wifi optional, 5000lm WUXGA 1920x200 15000:1 16:10 USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Gigabit ethernet interface, WLAN (optional), Wireless LAN IEEE 802.11b/g/n
EB-685W	R 22,274	Epson EB-685Wi Projector, Ultra short distance/Education, WXGA 1280 x 800, 16:10, HD ready, 3.500 lumen- 2.900 lumen (economy), 3.500 lumen - 2.900 lumen (economy) In accordance with ISO 21118:2012, 14000:1, USB 2.0 Type A, USB 2.0 Type B, RS-232C
EB-760Wi	R 38,186	Epson EB-760Wi 4100 Lumen WXGA 1280x800 16:9 Laser UltraShort throw Projector, 3LCD Technology, 16:10 Aspect Ratio, Laser Light source, 10 bits Colour Video Processing, Upto 1.07 Billion colours, Optical Lens, 53 inches - 100 inches screen size, Manual Lens Focus, 2x USB 2.0, RS-232C, Ethernet Interface, Wireless LAN, 2x VGA in, VGA out, 3x HDMI in, Composite in, Miracast, Microphone Input, Pen and finger-touch interactivity
EB-770F	R 36,140	Epson EB-770F 4100 lumen Full HD 1920x1080 3LCD Laser Projector, Ultra Short Throw, V11HA79080, What ' s in the box - Power cable / Remote control including batteries, 3LCD technology, RGB Liquid Crystal shutter, 2500000:1 contrast ratio, Laser light source, Optical Lens, 60" - 150" screen size, 2x USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, 3x HDMI in, Composite in, Miracast, Microphone Input, 16 Watt loudspeaker
EB-770Fi	R 47,732	Epson EB-770Fi 4100 Lumen Full HD 1920x1080 16:9 Interactive Laser Projector - White, 3LCD Technology, RGB Liquid Crystal shutter, 16:9 Aspect Ratio, Laser Light source, 10 bits Colour Video Processing, Upto 1.07 Billion

		colours, 60 inches - 100 inches screen size, 2x USB 2.0-A Ports, RS-232C, Ethernet Interface, Wireless LAN, 2x VGA in, VGA out, 3x HDMI in, Composite in, Miracast, Interactive pens
EB-800F	R 52,278	Epson EB-800F 5000 Lumen Full HD 1920x1080 3LCD Laser Projector, Ultra Short Throw, V11H923540, What ' s in the box - CD manual / cable cover / Lens cap / Power cable / Remote control including batteries / warranty Document, No bracket, 3LCD technology, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, 65" - 130" screen size, Optical Lens, 2x USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 3x HDMI in, HDMI out, Composite in, HDBaseT, 8 Watt loudspeaker
EB-805F	R 52,278	Epson EB-805F 5000 Lumen Full HD 1920x1080 3LCD Laser Projector, Ultra Short Throw, V11H923640 what ' s in the box - CD manual, cable cover, Lens cap, Power cable, Remote control including batteries, No bracket, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 65" - 130" screen size, 2x USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, 3x HDMI in, HDMI out, Composite in, HDBaseT, 8 Watt, Loudspeaker
EB-810E	R 69,324	Epson EB-810E 5000 Lumen Full HD 1920x1080 3LCD Laser Projector, Super Ultra Short Throw, 4K enhancement High Definition, 3LCD technology, RGB Liquid Crystal shutter, V11HA99080, What ' s in the box - Power cable / quick start guide / Remote control including batteries, No bracket, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, HDR10, Hlg, Optical Lens, 80 inches - 160 inches screen size, 2x USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x HDMI in, HDMI out, HDBaseT, Miracast
EB-982W	R 12,046	Epson EB-982W 4200 Lumen WXGA 1280x800 3LCD Projector, V11H987040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 16000:1 native contrast, UHE Lamp light source, 1.6 Zoom, Optical Lens, 29" - 280" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in, Composite in, Cinch audio out, 16 Watt loudspeaker
EB-994F	R 19,353	Epson EB-994F 4100 Lumen Full HD 1920x1080 16:9 Projector - White, 3LCD Technology, RGB Liquid Crystal shutter, 1080p Resolution, 16:9 Aspect Ratio, UHE Lamp Light source, 100 Hz - 120Hz 2D Vertical Refresh Rate, Upto 1.07 Billion colours, Manual Zoom, Optical Lens, 30" - 300" screen size, Manual Lens Focus, USB 2.0-A, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in, Composite in, Jack plug out, Jack plug in (2x), Cinch Audio in, Microphone Input, Miracast, Wireless LAN, 16 Watt loudspeaker
EB-E24	R 12,158	Epson EB-E24 3600 Lumen XGA 1024x768 4:3 Projector - White, 3LCD Technology, RGB Liquid Crystal shutter, 4:3 Aspect Ratio, UHE Lamp Light source, Upto 1.07 Billion colours, 30" - 350 inches screen size, 0.9 m - 10.3 m projection distance wide, RS-232C, 2x VGA in, VGA out, HDMI in, Composite in, 5 Watt loudspeaker
EB-L210SF	R 31,594	Epson EB-L210SF 4000 Lumen Full HD 1920x1080 3LCD Laser Projector, Short Throw, V11HA75080, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 55" - 125" screen size, USB 2.0, RS-232C, Gigabit Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, 2x HDMI in, Miracast, Microphone Input, 16 Watt loudspeaker
EB-L210SW	R 29,094	Epson EB-L210SW 4000 Lumen WXGA 1280x800 3LCD Laser Projector, Short Throw, V11HA76080, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 55" - 120" screen size, USB 2.0, RS-232C, Gigabit Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, 2x HDMI in, Miracast, Microphone Input, 16 Watt loudspeaker
EB-L210W	R 25,485	Epson EB-L210W 4500 Lumen WXGA 1280x800 3LCD Wireless Laser Projector, V11HA70080, What ' s in the box - HDMI cable 1.8m / main unit / Power cable / Remote control including batteries, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 30" - 300" screen size, USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, Composite in, Miracast, Cinch audio out, Microphone Input, 2x HDMI, 16 Watt loudspeaker
EB-L260F	R 29,094	Epson EB-L260F 4600 Lumen Full HD 1920x1080 3LCD Wireless Laser Projector, V11HA69080, What ' s in the box - HDMI cable 1.8m / main unit / Power cable / Remote control including batteries, 3LCD technology, RGB Liquid Crystal shutter, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 31" - 310" screen size, USB 2.0, RS-232C, Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, Composite in, Miracast, Cinch audio out, Microphone Input, 2x HDMI, 16 Watt loudspeaker
EB-L265F	R 29,094	Epson EB-L265F 4600 Lumen Full HD 1920x1080 3LCD Wireless Laser Projector, V11HA69080, What ' s in the box - HDMI cable 1.8m / main unit / Power cable / Remote control including batteries, 3LCD technology, RGB

		Liquid Crystal shutter, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 31" - 310" screen size, USB 2.0, RS-232C, Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, Composite in, Miracast, Cinch audio out, Microphone Input, 2x HDMI, 16 Watt loudspeaker
EB-L520U	R 41,822	Epson EB-L520U 5200 Lumen WUXGA 1920x1200 3LCD Laser Projector, V11HA30040, What ' s in the box - Power cable / Remote control including batteries / user guide, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 50 inches - 500 inches screen size, RS-232C, Gigabit Ethernet Interface, WiFi, 2x VGA in, VGA out, 2x HDMI in, HDBaseT, USB 2.0, 10 Watt loudspeaker
EB-L530U	R 45,232	Epson EB-L530U 5200 Lumen WUXGA 1920x1200 3LCD Laser Projector, V11HA27040, What ' s in the box - Power cable / Remote control including batteries / user guide, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 50" - 500" screen size, USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, HDMI out, HDBaseT, Miracast, 2x HDMI, WiFi, 10 Watt loudspeaker
EB-L790U	R 65,006	Epson EB-L790U 7300 Lumen WUXGA 1920x1200 16:10 Laser Projector - White, 3LCD Technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, Laser Light source, Upto 1.07 Billion colours, 50" - 500" screen size, 2x USB 2.0, RS-232C, Ethernet, Wireless, HDMI out, Miracast, 2x HDMI, NFC, Apple AirPlay 2, 10 Watt loudspeaker
EB-W49	R 12,420	Epson EB-W49 3800 Lumen WXGA 1280x800 3LCD Projector, V11H983040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 16000:1 contrast ratio, UHE Lamp light source, 1.2 Zoom, Optical Lens, 33" - 320" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in / composite in, Cinch audio out, 5 Watt loudspeaker
EB-X49	R 9,174	Epson EB-X49 3600 Lumen XGA 1024x768 3LCD Projector, V11H982040, 3LCD technology, RGB Liquid Crystal shutter, 4:3 Aspect Ratio, UHE Lamp light source, Optical Lens, 1.2 Zoom, 30" - 300" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, HDMI in, Composite in, Cinch audio out, 5 Watt loudspeaker, 16000:1 native contrast
EB49X	R 10,262	Epson EB-X49 3600 Lumen XGA 1024x768 3LCD Projector, V11H982040, 3LCD technology, RGB Liquid Crystal shutter, 4:3 Aspect Ratio, UHE Lamp light source, Optical Lens, 1.2 Zoom, 30" - 300" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, HDMI in, Composite in, Cinch audio out, 5 Watt loudspeaker, 16000:1 native contrast
EBE12	R 11,615	Epson EB-E12 3600 Lumens XGA 1024x768 Lamp Projector, 3LCD Technology, 3000:1 contrast ratio, Etorl Lamp, 33" - 318 inches screen size, Manual projection Lens Focus, USB 2.0, VGA in, HDMI in, Composite in, S-Video in, 2 Watt loudspeaker
EBL770U	R 129,011	Epson EB-L770U 7000 Lumen WUXGA 1920x1200 3LCD Laser Projector, V11HA96080, What ' s in the box - cable cover / main unit / Remote control including batteries / user guide, 3LCD technology, 4K enhancement, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, HDR10, Optical Lens, 50" - 500" screen size, USB 2.0, RS-232C, 2x HDMI in, HDMI out, HDBaseT, WiFi, 10 Watt loudspeaker
EBW49	R 13,644	Epson EB-W49 3800 Lumen WXGA 1280x800 3LCD Projector, V11H983040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 16000:1 contrast ratio, UHE Lamp light source, 1.2 Zoom, Optical Lens, 33" - 320" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in / composite in, Cinch audio out, 5 Watt loudspeaker
EBW53	R 11,209	Epson EBW53 4000 Lumens WXGA 1280x800 Lamp Projector, 3LCD Technology, 16:10 Aspect Ratio, UHE Lamp Light source, 16.77 million colours, 33" - 375 inches screen size, Manual projection Lens Focus, 2x HDMI in, 2 Watt loudspeaker
EBW55	R 13,103	Epson EBW55 4000 Lumens WXGA 1280x800 Lamp Projector, 3LCD Technology, 16:10 Aspect Ratio, UHE Lamp Light source, 16.77 million colours, 33" - 320" screen size, Manual projection Lens Focus, 2x HDMI in, USB 2.0 Type-A, Wireless LAN, 2 Watt loudspeaker
EC0W01	R 7,015	Epson EC0W01 3000LM 16:10 WXGA Projector. WXGA 1280 x 800 3LCD projector; 3000 lumens brightness; 16:10 aspect ratio; HDMI 1.4; 5W speaker; 25 inch to 378 inch projection; UHE lamp; 6000 hour lamp life; 12000 hour economy mode; 295 x 211 x 87 mm; weight:2.4 kg.
ECOWX02	R 7,083	Epson COWX02 3000 Lumen WXGA 800x600 Projector, 3LCD Technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, Lamp light source, UHE, Lamp, Optical Lens, HDMI 1.4, USB 2.0, 5 Watt loudspeaker

EF-12	R 16,745	Epson EF-12 1000 lumen Full HD 1920x1080 3LCD Mini Laser Smart Projector, V11HA14040, What ' s in the box - main unit / Power code / quick start guide / Remote control including batteries / user guide, 3LCD technology, RGB Liquid Crystal shutter, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, 30" - 150" screen size, Motorized projection Lens focus, USB 2.0, HDMI Arc, HDMI, Android TV, 10 Watt loudspeaker
EHTW7000	R 33,988	Epson EHTW7000 3000LM 40000:1 4K PRO UHD Projector
EHTW7100	R 45,679	Epson EHTW7100 3000LM 100000:1 4K PRO UHD Projector
EPPJV11H982040	R 10,065	Epson EB-X49 3600 Lumen XGA 1024x768 3LCD Projector, V11H982040, 3LCD technology, RGB Liquid Crystal shutter, 4:3 Aspect Ratio, UHE Lamp light source, Optical Lens, 1.2 Zoom, 30" - 300" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, HDMI in, Composite in, Cinch audio out, 5 Watt loudspeaker, 16000:1 native contrast
EPPJV11H983040	R 12,957	Epson EB-W49 3800 Lumen WXGA 1280x800 3LCD Projector, V11H983040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 16000:1 contrast ratio, UHE Lamp light source, 1.2 Zoom, Optical Lens, 33" - 320" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in / composite in, Cinch audio out, 5 Watt loudspeaker
EPPJV11H987040	R 12,262	Epson EB-L530U 5200 Lumen WUXGA 1920x1200 3LCD Laser Projector, V11HA27040, What ' s in the box - Power cable / Remote control including batteries / user guide, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 50" - 500" screen size, USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, HDMI out, HDBaseT, Miracast, 2x HDMI, WiFi, 10 Watt loudspeaker
EPPJV11HA27040	R 46,043	Epson EB-L530U 5200 Lumen WUXGA 1920x1200 3LCD Laser Projector, V11HA27040, What ' s in the box - Power cable / Remote control including batteries / user guide, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 50" - 500" screen size, USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, HDMI out, HDBaseT, Miracast, 2x HDMI, WiFi, 10 Watt loudspeaker
EPPJV11HA72180	R 29,615	Epson EB-L265F 4600 Lumen Full HD 1920x1080 3LCD Wireless Laser Projector, V11HA69080, What ' s in the box - HDMI cable 1.8m / main unit / Power cable / Remote control including batteries, 3LCD technology, RGB Liquid Crystal shutter, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 31" - 310" screen size, USB 2.0, RS-232C, Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, Composite in, Miracast, Cinch audio out, Microphone Input, 2x HDMI, 16 Watt loudspeaker
EPPJV11HA86040	R 6,825	Epson CO-W01 3000 Lumen WXGA 1280x800 3LCD Projector, V11HA86040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, UHE Lamp light source, Optical Lens, HDMI 1.4, 5 Watt loudspeaker, 25" - 378" screen size
EPPJV11HB59042ZA	R 16,659	Epson EB-FH54 4100 Lumen 3LCD Full HD 1920x1080 Collaborative Wireless Projector, WiFi Miracast Mobile, Install bag, Lamp Light source, 16:9 native Aspect Ratio, 16000:1 contrast ratio, Up to 16.77 million colours, 1 - 1.62 Optical Zoom, Manual Focus Method, 2x HDMI, 1x USB Type-A, 1x Stereo Mini (Audio out), 16 W Built-In Speaker
EV-110	R 36,822	Epson EV-110 2000 lumen WXGA 1280x800 3LCD Laser Digital Lighting Projector, V11HA22040 What ' s in the box - cable cover / direct Mount unit / HDMI cable clamp / Hexagon wrench / Power cable / Remote control including batteries, Safety wire Set, 3LCD technology, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Motorized Zoom, Optical Lens, 30" - 150" screen size, Motorized projection Lens focus, USB 2.0, Ethernet Interface, WiFi, HDMI in, SD card slot, SD card playback
EV-115	R 36,822	Epson EV-115 2000 lumen WXGA 1280x800 3LCD Laser Digital Lighting Projector, V11HA22140, What ' s in the box - cable cover / direct Mount unit / HDMI cable clamp / Hexagon wrench / Power cable / Remote control including batteries, Safety wire Set, 3LCD technology, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Motorized Zoom, Optical Lens, 30" - 150" screen size, Motorized projection Lens focus, USB 2.0, Ethernet Interface, WiFi, HDMI in, SD card slot, SD card playback
HE80L5	R 29,999	Hisense HE80L5 80" UHD Laser TV (DLP short-throw projector) *TV license required*
Hisense C2 ULTRA	R 39,593	Hisense C2 ULTRA Long throw 3000 Lumen 4K 3840x2160 Smart Triple Colour Laser Projector, 65" to 300" , 4K trichroma Laser Technology, BT2020 110% wide Colour Gamut, Builtin Speakers, VIDAA U7.6 Operating System, 2000:1 static contrast, 1.07b colours, 4K@60Hz Refresh Rate, Auto Focus, Auto screen Fit, Auto keystone correction, Auto obstacle avoidance, 2x 10W 20W Powered by JBL Sound Output Power, Subwoofer, 2x HDMI 2.1,

		2x USB 3.0, 1 S/PDIF Output, Ethernet RJ45 Port, WiFi 6E, Bluetooth 5.3
HISENSE LEDN100L9G	R 61,225	Hisense LEDN100L9G Ultra-short Throw 100" 4K Smart Laser TV, Sonic Screen, 4K UHD Picture Quality, Tuner Built- in, X-Fusion Laser Light Source, 88" Ambient Light Rejection Screen, Eye-friendly Design (No eyestrain), Powered by VIDAA with Plenty of Apps, Pure Colour, Delivered from Laser Light, dbx-tv Audio, HDR Compatible, See the Detail in Dark and Bright Scenes, Smooth Motion, Light-Easy Moutable Screen, Low Power Consumption, Long Lifespan-25000 Hours *TV license required*
HISENSE M2 PRO	R 17,272	Hisense M2 PRO Long throw 65" -200" Triple Colour 4K Laser Smart Mini Projector. 65-200 inch projection; 1300 ANSI Lumens brightness; Triple-Color Laser; Dolby Vision & HDR10; AI-powered adjustments; VIDAA Smart OS; Optical Zoom; Built-in Dolby Audio; Portable design; 3.9 kg weight; 20.5x20.5x20.5 cm dimensions
Hisense PT1	R 25,000	Hisense PT1 2500 Lumens Ultra Short Throw 4k Smart Triple Colour 80 to 150" Trichroma 4K Laser Cinema. Ultra-short-throw 80-150" 4K laser projector; 2 500 ANSI lumens; tri-laser RGB; 110% BT.2020; smart streaming; Dolby Vision IMAX-Enhanced; compact 521x282x119mm; 7.2kg
HPCC200	R 4,714	HP CC200 200 Lumens Full HD 1920x1080 Smart LED Projector, 1.2 throw ratio, 3.5mm audio out, Motorized Focus via Remote control, Dual 3W Speakers Built-In, Project an 80" image from just 2.1m away, 1x HDMI, 2x USB Ports, 16:9 native Aspect Ratio
HPMP250	R 7,014	HP MP250 DLP 120 Lumens WVGA Smart Mobile Projector, LED Light source, Ti DLP Display Technology, 120 ANSI brightness, 250 LED Lumens brightness, 16:9 Display ratio, 1.2 throw ratio, Auto focusing, 4 points correction keystone, 2x 3W Speaker, 1x HDMI, 1x USB, Wi-Fi, Bluetooth 4.0
HTPNEOH80	R 2,799	HTPNEO H80 FHD Smart Home Theatre Projector - FUll HD 1920 x 1080 Native Resolution, Supports 4K, 16:9 Aspect Ratio, 3000:1 Contrast Ratio, 600 ANSI Brightness Lumens, 42 - 150" Projector Size, 1.2 - 4.6 Meters Projection Distance, 20000 Hours Light lifespan, Auto Focus, 2 x 5W Built-in Speakers, 75W Power Consumption, HDMI, USB, AV, Audio Out Inputs, Bluetooth 5.0, Whale OS, Retail Box
HTPNEOH86	R 4,999	HTPNEO H86 Multimedia Smart Projector - 5" LTPS LCD, 1920 x 1080 Resolution, 700 Ansi Lumens Brightness, 1.3:1 Throw Ratio, 40 - 200 Inches Projection Size, 12 - 5.6m Distance, LED> 30000 Hours Lamp Life, Auto Focus, Auto Keystone, Whale OS With Official Netflix, DSTV, Showmax, and Disney access, MiraCast, Wi-Fi, Bluetooth, Dual 5W Speakers, HDMI x2, USB x2, RJ45, and Audio Output
HY6	R 1,898	HY6 Kalobee 260 ANSI Lumens Smart 1280x720p Projector, 3840x2160 (4K UHD decoding) Maximum supported Resolution, Dual-Band WiFi, Bluetooth, LED Light source, 25 to 150" projection size, 0.5m to 4m projection distance, Electric Focus, Built-In 5W HiFi Speaker, HDMI, AV Input, Android 9.0 Operating System
KP1	R 4,277	Mecool Android TV Full HD 1920x1080p Projector, 700 ANSI Lumens brightness, Netflix Certified Android 11 TV Stick Mecool KD5 Built-In, Up to 240" Large screen, 5W Speaker, 1.3 throw ratio, 3x HDMI in, 1x USB 2.0, 1x AV, 1x TF
M10	R 16,999	ViewSonic M10 Portable Full HD RGB Laser Smart Projector with Harman Kardon Speaker, 1920x1080 native Resolution, 2200 brightness (RGB Laser Lumens), RGB Laser Light source Type, 1.2 throw ratio, 40" -180" image size, 176ms Input Lag, 1x USB Type-C, 1x USB Type-A, 7W Cube Speaker
MR.JTU11.004	R 6,461	Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 11.80 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA Input, 1x audio Input, 1x audio Output, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTU11.004	R 6,209	Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 11.80 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA Input, 1x audio Input, 1x audio Output, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTU11.004	R 6,554	Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 11.80 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA Input, 1x audio Input, 1x audio Output, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTU11.004	R 6,209	Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection

		distance, 11.80 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA Input, 1x audio Input, 1x audio Output, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTU11.004	R 6,699	Acer X1128i Data Projector 4500 ANSI Lumens DLP SVGA 3D. The Acer X1128i is a powerful data projector delivering 4500 ANSI lumens brightness and SVGA resolution. It is ideal for classrooms, offices, and conference rooms, providing clear and vivid visuals. Its 3D-ready support and versatile connectivity make it a flexible choice for presentations and multimedia content. Lightweight and portable, the X1128i combines performance and convenience, ensuring reliable use for professional and educational applications.
MR.JTV11.004	R 6,899	Acer X1228i Essential 4000 Lumens DLP 1024x768 XGA Digital Projector, Manual Zoom and manual focus, 300" Maximum diagonal image size, 12.0m Maximum projection distance, 1x optical Zoom, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 1.96 ~ 2.15 throw ratio, 4000 ANSI Lumens standard mode brightness, 1x 3W Speaker, HDMI, Analog RGB, Component Video, Analog RGB Output, WiFi dongle included
MR.JTV11.004	R 7,047	Acer X1228i Essential 4000 Lumens DLP 1024x768 XGA Digital Projector, Manual Zoom and manual focus, 300" Maximum diagonal image size, 12.0m Maximum projection distance, 1x optical Zoom, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 1.96 ~ 2.15 throw ratio, 4000 ANSI Lumens standard mode brightness, 1x 3W Speaker, HDMI, Analog RGB, Component Video, Analog RGB Output, WiFi dongle included
MR.JTV11.004	R 6,841	Acer X1228i Essential 4000 Lumens DLP 1024x768 XGA Digital Projector, Manual Zoom and manual focus, 300" Maximum diagonal image size, 12.0m Maximum projection distance, 1x optical Zoom, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 1.96 ~ 2.15 throw ratio, 4000 ANSI Lumens standard mode brightness, 1x 3W Speaker, HDMI, Analog RGB, Component Video, Analog RGB Output
MR.JTV11.004	R 7,197	Acer X1228i Essential 4000 Lumens DLP 1024x768 XGA Digital Projector, Manual Zoom and manual focus, 300" Maximum diagonal image size, 12.0m Maximum projection distance, 1x optical Zoom, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 1.96 ~ 2.15 throw ratio, 4000 ANSI Lumens standard mode brightness, 1x 3W Speaker, HDMI, Analog RGB, Component Video, Analog RGB Output
MR.JTW11.004	R 7,474	Acer X1328Wi 4500 Lumens DLP 3D WXGA 1280x800 Projector, 16:10 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 10 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA input, 1x audio inputs, 1x audio Outputs, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTW11.004	R 8,050	Acer X1328Wi 4500 Lumens DLP 3D WXGA 1280x800 Projector, 16:10 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 10 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA input, 1x audio inputs, 1x audio Outputs, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTW11.004	R 7,703	Acer X1328Wi 4500 Lumens DLP 3D WXGA 1280x800 Projector, 16:10 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 10 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA input, 1x audio inputs, 1x audio Outputs, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JTW11.004	R 7,474	Acer X1328Wi 4500 Lumens DLP 3D WXGA 1280x800 Projector, 16:10 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 10 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA input, 1x audio inputs, 1x audio Outputs, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi
MR.JV311.001	R 4,599	Acer Fire Legend PV12A 220 ANSI Lumens FWVGA 848x480 Portable LED Projector, Native 480p (854x480) Resolution, 800 LED Lumens, 16:9 Aspect Ratio (Native), 5000:1 contrast ratio, 16.7 million colours, 1.3 throw ratio, 30" - 100" projection screen size, LED Light source, HDMI, 2W Speaker x 1, Li-Ion Rechargeable Battery, 2 hours (Eco) Battery run time
MR.JW011.001	R 11,154	Acer X1528Ki 5200 Lumens DLP Full HD 1920x1080 Data Projector, 16:9 native Aspect Ratio, 10000:1 contrast ratio, 2x Digital Zoom, 245 W Lamp Power, USB, HDMI, Audio line in, Audio line out, 3 W Speaker, Ezcast,

		Miracast Wi-Fi
MR.JW011.009	R 10,234	Acer X1528ki 5200 Lumens DLP Full HD 1920x1080 Data Projector, 16:9 native Aspect Ratio, 10000:1 contrast ratio, 2x Digital Zoom, 245 W Lamp Power, USB, HDMI, Audio line in, Audio line out, 3 W Speaker, Ezcast, Miracast Wi-Fi
MR.JW211.001	R 6,415	Aopen PV12P DLP 854x480 220 ANSI Lumens Projector - Black, DLP projection system, 800 Lumens (LED brightness), 220 ANSI Lumens (Standard), 16:9 native Aspect Ratio, 5000:1 contrast ratio, 29" - 100" projection screen size, LED Light source, HDMI, Headphone out, 2W Speaker x 1, 2 hours (Standard) Battery run time
MR.JWT11.001	R 15,639	Acer Vero Laser PL3510atv 5000 Lumen DLP Full HD 1920x1080 Digital Projector, Android TV Dongle (Wireless projection via Chromecast), 16:9 Native Aspect Ratio, 1.07 Billion colours, Laser Diode Light Technology, 1x 10 W Speaker, 20000 hours Maximum Lamp Life, 3x HDMI, Audio out (3.5 mm jack), SPDIF Audio out, 1x USB Type-A, MR.JWT11.001
MR.JWT11.001	R 15,466	Acer Vero Laser PL3510atv 5000 Lumen DLP Full HD 1920x1080 Digital Projector, Android TV Dongle (Wireless projection via Chromecast), 16:9 Native Aspect Ratio, 1.07 Billion colours, Laser Diode Light Technology, 1x 10 W Speaker, 20000 hours Maximum Lamp Life, 3x HDMI, Audio out (3.5 mm jack), SPDIF Audio out, 1x USB Type-A, MR.JWT11.001
MR.JXC11.002	R 3,000	Acer Aopen QF23s LCD Yellow 1080p 6500 LED Lumen (250 ANSI) Full HD 1920x1080 Projector, WiFi, 2x 3W Speakers Smart system, BT Speaker, 16:9 (Native) Aspect Ratio, 1000:1 contrast ratio, 16.7 million colours, Auto Focus projection Lens, 1.26 throw ratio, 40" to 120" projection screen size, 1.12m to 3.35m projection distance, LED Light source, 1x HDMI 2.0 (HDCP) , 1x USB (Type-A 2.0) , IR Remote control
MR.JXV11.001	R 2,069	Acer Aopen QH15s LCD 720p 6500 LED Lumens (180 ANSI) Projector, WiFi, 3W Speakers, Native 720p (1280 x 720) Resolution, 180 ANSI Lumens (Standard) brightness, 16:9 Aspect Ratio, 1000:1 contrast ratio, Manual Focus, 1.25 throw ratio, 74" @ 2m, LED Light source, HDMI 1.4, 1x USB (Type-A 2.0), 1x Micro SD, Headphone out
MR.JXV11.001	R 2,184	Acer Aopen QH15s LCD 720p 6500 LED Lumens (180 ANSI) Projector, WiFi, 3W Speakers, Native 720p (1280 x 720) Resolution, 180 ANSI Lumens (Standard) brightness, 16:9 Aspect Ratio, 1000:1 contrast ratio, Manual Focus, 1.25 throw ratio, 74" @ 2m, LED Light source, HDMI 1.4, 1x USB (Type-A 2.0), 1x Micro SD, Headphone out
MR.JXW11.001	R 15,639	Acer Vero PL2535i 5500 Lumen DLP Laser Full HD 1920x1080 Projector, DLP projection system, Nichia 66 W Laser Diode Light source, 16:9 Aspect Ratio, 31" - 7.62 m Image size, 1.12 to 1.47 throw ratio, 1.3x Zoom ratio, 1.07 Billion Display Colour, HDMI1.4b, D-Sub, Audio in 3.5mm Mini jack, Audio out 3.5mm Mini jack, 15 W Speaker, Wi-Fi, Wireless projection - EZCast / Miracast Wi-Fi / Chromecast
MR.JY211.001	R 10,924	Acer PD1810IC Dlp Projector. 4K UHD 1,000 ANSI lumens LED RGB projector; weight: 2.4kg; throw ratio 1.12-1.46; resolution 3840x2160; LED life 20,000h standard; USB-C one-cable display
MR.JY611.001	R 8,164	Acer PD1520s 1200 ANSI Lumens Full HD 1920x1080 DLP Projector, DLP projection system, LED Light source, 1200 ANSI Lumens (Standard) brightness, 16:9 Aspect Ratio (Native), 5000:1 contrast ratio, 37.5" - 120" Image size, 1.2 throw ratio, Auto Focus, HDMI 2.1 (HDCP 1.4) x 1, x1 3.5mm Mini jack, BT Audio, 802.11 AX Wi-Fi standard, Miracast Wi-Fi, AirPlay
MR.JYF11.001	R 8,049	Acer P1258i 4800 Lumen DLP XGA 1024x768 WiFi Digital Projector, Osram 240W E30.1 Lamp Light source, 4:3 (Native) Aspect Ratio, Up to 6.76 m screen, 1.3x Zoom ratio, 2x HDMI 1.4b (HDCP 1.4), 1x D-Sub, 1x RCA Video, 3.5mm Mini jack Audio Input and Output, 10 W Speaker, USB Type-A Output, DLP 3D ready, HDMI 3D ready, MR.JYF11.001
MR.JYG11.001	R 8,509	Acer P1358i 5000 Lumen DLP 3D WXGA 1280x800 Digital Projector, WiFi Dongle, Lamp Light source Type, 16:10 (Native) Aspect Ratio, 1.07 Billion colours, 240 Watt osram UHP Light Technology, 1x 10 Watt Speaker, 2x HDMI with HDCP, 1x VGA Analog D-Sub, 1x composite Video RCA, 1x audio in (3.5mm), 2x USB Type-A, 1x audio out (3.5 mm), MR.JYG11.001
MR.JYW11.001	R 8,739	Acer Short Throw S1287N 4000 lumen DLP XGA 1024x768 Digital Projector, Osram Lamp 240 W E30.1 Light source, 4:3 (Native) Aspect Ratio, 32" to 300" screen, 1x magnification ratio, 2x HDMI1.4b (HDCP 1.4), 1x D-Sub, 1x RCA, 1x RJ45, 3.5mm mini-jack Audio Input, 3.5mm mini-jack Audio Output, 16W Speaker, DLP 3D ready, HDMI 3D ready, MR.JYW11.001
MR.P0R11.001	R 12,419	Acer Vero XL2521i DLP 4000 Lumens Full HD 1920x1080 Digital Projector, Lamp nichia 54 W Laser Diode Light source, 20000 hours Light source Life, 4000 ANSI Lumens (Standard), 16:9 Native Aspect Ratio, 28" to 300"

		Image size, 1.1x Zoom ratio, 2x HDMI 2.0 (HDCP 2.2), 3.5mm Mini jack, 15 W Speaker, 2.4GHz / 5GHz Wi-Fi, Wireless projection - EZCast, Miracast Wi-Fi, Google Cast, HDR10 compatible, MR.P0R11.001
PA700S	R 6,726	ViewSonic PA700S 4500 ANSI Lumens SVGA Business & Education Projector - 4500 (ANSI Lumens); Contrast Ratio with SuperEco Mode: 12500:1; Throw Ratio: 1.94-2.16; Throw Distance: 1.18m-13.17m (100" @3.94m); HDMI: 2, (HDMI 1.4 / HDCP 1.4), Audio-in (3.5mm): 1, Monitor out: 1, Audio-out (3.5mm): 1, Speaker: 3W, USB Type A (Power): 1 (5V/1.5A), Retail Box
PX701-4K	R 17,999	ViewSonic PX701-4K DC3 3200 ANSI Lumens 4K 3840x2160 home Projector, 12000:1 contrast ratio with SuperEco mode, 1.07 Billion colors, Lamp light source Type, 6000 light source life (Hours) with normal mode, 203W Lamp Watt, 1.5-1.65 throw ratio, 1.1x optical Zoom, 30" -300" image size, 1m-10.96m throw distance, 2x HDMI, 1 audio out (3.5mm), 10W Speaker
RICOH PJ WUL5860	R 24,150	Ricoh WUL5860 4000 Lumens WUXGA 1920x1200 Compact IP6x DLP Laser Projector, 1920x1200 Native Resolution, 4000 Lumens Maximum brightness, Laser phosphor Light source, Maximum 3840x2160 @ 60Hz supported resolutions, 16:10 Native Aspect Ratio, DLP Link 3D, 10-bit Colour depth, 30 to 300" projection size, 8 W Speaker Power, 2x HDMI 2.0, 1x RCA (Composite) Video Input, 1x VGA Video Input, 1x VGA Video Output, 1x RJ45 (Ethernet), 20 000 hours expected Lamp Life
RICOH PJ WUL5A50	R 25,645	Ricoh WUL5A50 Business & Classroom Laser Projector, WUXGA 1920x1200 5200 Lumens USB Memory Projection 3LCD Laser Projector With 1x16W Speaker Zoom Focus and Lens Shift 20K Hour Light-source Life
RICOH PJ WXL5860	R 20,700	Ricoh WXL5860 4700 Lumens WXGA 1280x720 Compact IP6x DLP Laser Projector, Laser phosphor Light source, 16:10 Native Aspect Ratio, DLP Link 3D, 10-bit Colour depth, 1.36x manual Optical Zoom, 30" to 300" projection size, 8 W Speaker Power, 2x HDMI 2.0, 1x RCA (Composite) Video Input, 1x VGA Video Input, 1x VGA Video Output, 1x RJ45 (Ethernet), 20 000 hours expected Lamp Life
T2 ULTRA	R 3,759	Wanbo T2 Ultra White 1080P 500ANSI Android 11 Smart Home Theatre Projector; projection size 45-140" (up to 180"); dual 5W speakers; HDMI USB AUX connectivity; sealed optical engine; weight ~1.5 kg
T28	R 3,506	VGKE T28 380 ANSI Lumens 5" LCD Full HD 1920x1080 Resolution Smart Android Projector, 4000:1 contrast ratio, 40" to 150" projection, 2x HDMI Ports, 2x USB 2.0 Ports, 1x VGA, Wi-Fi, 20x Digital Maximum Zoom, TFT Active Matrix Display Technology
TO GO PRO	R 4,882	Wanbo TO GO PRO 500ansi Lumen Full HD 1920x1080 Android 14 Mobile Smart Projector, LCD projection Technology, 2500:1 contrast ratio, 1.3:1 throw ratio, 120" Max Image size, Google TV Smart OS, 8W Built-In Speakers, Auto keystone / Focus, 1x HDMI, 1x USB, 1x 3.5mm
V11H795040	R 15,215	Epson EB-1780W 3000 Lumens WXGA 1280x800 Ultra Mobile Business Projector, 16:10 Aspect Ratio, 3LCD Technology, Lamp Light source, Upto 1.07 Billion colours, 30" - 300" screen size, Manual projection Lens Focus, USB 2.0, VGA in, HDMI in, Composite in, Wifi, 1 Watt loudspeaker
V11H871040	R 27,025	Epson EB-2250U 5000 Lumen Full HD 1920x1080 Business Projector, 3LCD Technology, 16:10 Aspect Ratio, Lamp Light source, Upto 1.07 Billion colours, Optical Lens, 50" - 300" screen size, Manual projection Lens Focus, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in, Composite in, 16 Watt loudspeaker
V11H982040	R 9,591	Epson EB-X49 3600 Lumen XGA 1024x768 3LCD Projector, V11H982040, 3LCD technology, RGB Liquid Crystal shutter, 4:3 Aspect Ratio, UHE Lamp light source, Optical Lens, 1.2 Zoom, 30" - 300" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, HDMI in, Composite in, Cinch audio out, 5 Watt loudspeaker, 16000:1 native contrast
V11H983040	R 12,817	Epson EB-W49 - HD-Ready WXGA; Network and wireless; HDMI input and mobile connectivity. The Epson EB-W49 is a versatile and portable WXGA projector offering bright 3,800 lm output, long lamp life up to 17,000 hours in Eco mode, and flexible connectivity including dual HDMI and network options. Its compact design, simple setup features, and built-in speaker make it an excellent choice for educators and professionals in South Africa seeking reliable, high-quality projection.
V11H987040	R 11,903	Epson EB-982W 4200 Lumen WXGA 1280x800 3LCD Projector, V11H987040, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 16000:1 native contrast, UHE Lamp light source, 1.6 Zoom, Optical Lens, 29" - 280" screen size, USB 2.0, RS-232C, Ethernet Interface, 2x VGA in, VGA out, 2x HDMI in, Composite in, Cinch audio out, 16 Watt loudspeaker
V11HA27040	R 39,675	Epson EB-L530U 5200 Lumen WUXGA 1920x1200 3LCD Laser Projector, V11HA27040, What ' s in the box -

		Power cable / Remote control including batteries / user guide, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 50" - 500" screen size, USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, HDMI out, HDBaseT, Miracast, 2x HDMI, WiFi, 10 Watt loudspeaker
V11HA70080	R 26,324	Epson EB-L210W 4500 Lumen WXGA 1280x800 3LCD Wireless Laser Projector, V11HA70080, What's in the box - HDMI cable 1.8m / main unit / Power cable / Remote control including batteries, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 30" - 300" screen size, USB 2.0, RS-232C, Ethernet Interface, WiFi, 2x VGA in, VGA out, Composite in, Miracast, Cinch audio out, Microphone Input, 2x HDMI, 16 Watt loudspeaker
V11HA72180	R 29,296	Epson EB-L265F 4600 Lumen Full HD 1920x1080 3LCD Wireless Laser Projector, V11HA69080, What's in the box - HDMI cable 1.8m / main unit / Power cable / Remote control including batteries, 3LCD technology, RGB Liquid Crystal shutter, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 31" - 310" screen size, USB 2.0, RS-232C, Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, Composite in, Miracast, Cinch audio out, Microphone Input, 2x HDMI, 16 Watt loudspeaker
V11HA75080	R 31,815	Epson EB-L210SF 4000 Lumen Full HD 1920x1080 3LCD Laser Projector, Short Throw, V11HA75080, 16:9 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 55" - 125" screen size, USB 2.0, RS-232C, Gigabit Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, 2x HDMI in, Miracast, Microphone Input, 16 Watt loudspeaker
V11HA76080	R 29,296	Epson EB-L210SW 4000 Lumen WXGA 1280x800 3LCD Laser Projector, Short Throw, V11HA76080, 16:10 Aspect Ratio, 2500000:1 contrast ratio, Laser light source, Optical Lens, 55" - 120" screen size, USB 2.0, RS-232C, Gigabit Ethernet Interface, Wi-Fi, 2x VGA in, VGA out, 2x HDMI in, Miracast, Microphone Input, 16 Watt loudspeaker
V11HA79080	R 36,392	Epson EB-770F 4100 lumen Full HD 1920x1080 3LCD Laser Projector; ultra short throw; supports 60-150" screen; digital zoom 1-1.35x; weight 5.9kg; multiple inputs; built-in 16W speaker
V11HA83180	R 39,825	Epson EB-775F 4100 Lumen Full HD 1920x1080 3LCD Laser Projector, ultra-short throw laser projector; Full HD 1920x1080; 4100 ANSI lumens; 3LCD; bright large display 49-150" ; weight 5.9 kg
V11HA84240	R 8,079	Epson CO-FD01 3000 Lumen Full HD 1920x1080 LCD Lamp Projector, 3LCD technology, RGB Liquid Crystal shutter, 3LCD technology, RGB Liquid Crystal shutter, 0.59 inch with mla (D10) LCD panel, 16:9 Aspect Ratio, 350:1 contrast ratio, UHE Lamp light source, Optical Lens, 26 inches - 391 inches screen size, USB Type-A, HDMI 1.4, 5 Watt loudspeaker
V11HA86040	R 6,756	Epson CO-W01 3000LM 350:1 3LCD WXGA Projector. 3LCD WXGA 3000lm, lamp 6 000h / 12 000h, 378´´ max screen, 295 x 211 x 87 mm, 2.4kg
V11HA86240	R 6,756	Epson CO-WX01 3000Lm 16:10 WXGA 3LCD Laser Projector. WXGA 1280x800 3000lm 3LCD projector; screen 25-378" ; 2.4kg; HDMI USB; lamp UHE 6000h / 12000h semi-colon delimited brief spec
V11HA86340	R 6,756	Epson CO-WX02 3000 Lumen WXGA 1280x800 3LCD Projector, V11HA86340, 3LCD technology, RGB Liquid Crystal shutter, 16:10 Aspect Ratio, UHE Lamp light source, Optical Lens, 25" - 378" screen size, HDMI 1.4, USB 2.0, 5 Watt loudspeaker
V11HB28080ZA	R 65,458	Epson EB-L790U 7300lm 5000000:1 WUXGA 1920x1200 3LCD Laser Projector. WUXGA 1920x1200; 7300lm laser projector; 50" -500" screen; weight 8.2kg; HDMI HDBaseT LAN USB; laser life up to 30,000h
V11HB31180ZA	R 71,179	Epson PowerLite L695SU 6200Lm Short Throw WUXGA 3LCD Laser Projector; WUXGA 1920x1200; short-throw 0.79-1.36x; laser light 30000h; supports up to 400" display; weight ~10kg
V11HB35040	R 13,547	Epson EF-21W 1000 lumen 3LCD Full HD 1920x1080 Laser Projector, 16:9 Aspect Ratio, Laser Light source, 16.77 million colours, HDR10 support, Optical Lens, 30" - 150" screen size, Motorized projection Lens Focus, USB 2.0 Type-A Port, Jack plug out, HDMI ARC, HDMI, Bluetooth, Google TV Media operating systems, 5 Watt loudspeaker
V11HB38140	R 16,733	Epson EF-22B 1000 Lumens 3LCD Full HD 1920x1080 Laser Projector, The EF-22B comes with a fixed stand, 16:9 Aspect Ratio, Laser Light source, 16.77 million colours, HDR10 support, Optical Lens, 30" - 150" screen size, Motorized projection Lens Focus, USB 2.0 Type-A Port, Jack plug out, HDMI ARC, HDMI, Bluetooth, Google TV Media operating systems, 5 Watt loudspeaker
V11HB51042	R 12,817	Epson EB-E24 XGA 3600lm 15000:1 3LCD projector; up to 350" screen; 210 W lamp, 6000/12000 h; inputs

		HDMI VGA composite; weight 2.7 kg; built-in 5W speaker
V11HB59042ZA	R 16,480	Epson EB-FH54 4100 Lumen 3LCD Full HD 1920x1080 Collaborative Wireless Projector, WiFi Miracast Mobile, Install bag, Lamp Light source, 16:9 native Aspect Ratio, 16000:1 contrast ratio, Up to 16.77 million colours, 1 - 1.62 Optical Zoom, Manual Focus Method, 2x HDMI, 1x USB Type-A, 1x Stereo Mini (Audio out), 16 W Built-In Speaker
V11HB60042ZA	R 20,183	Epson EB-994F 4100lm Full HD 16000:1 wireless projector with exceptional connectivity. Full HD 1080p; 4100 lm brightness; 3LCD; built-in WiFi; up to 304" screen; lamp life 17000h; weight 3.1kg
VALI 1 PRO	R 4,882	Wanbo VALI 1 PRO 900 ANSI Lumen Full HD 1080p Google TV Smart Projector, Android 14 & Built-In Netflix, DLP projection Technology, 3000:1 contrast ratio, 260" Max Image size, 12W Built-In Speakers, Auto keystone / Focus, HDMI 2.1, USB, 3.5mm Aux
X5 PRO	R 6,164	Wanbo X5 PRO 1100 ANSI Lumens Full HD 1920x1080 HD Smart Projector, ASA 3.0, Autofocus, Android 11 TV OS Operating System, Netflix (Native 1080p) Streaming, 2 x 5W HiFi Full-Band Speakers, Dual-Band Wi-Fi, Bluetooth 5.0, 1x HDMI, 2x USB, 1x Aux (3.5mm)
X5S	R 5,597	Wanbo X5S 1080p VIDAA OS 1100 ANSI Lumens Full HD 1920x1080 LCD Projector, Native Resolution of 1920x1080 pixels with HDR10 support, Brightness rated at 1100 ANSI Lumens through a Glass Lens, Max projection size up to 140 inches at 4x 10/100 to 3.9 metres throw distance, Runs on VIDAA OS, Features auto keystone correction, Cold start time is 12 seconds with Standby wake-up in 1.5 seconds, Wireless casting supports AirPlay and Miracast protocols, Connectivity includes Dual-Band Wi-Fi (2.4/5GHz) and Bluetooth 5.0, Built-In 12W Speaker with Dolby Audio support, 1x HDMI 2.1 Port supporting 4K HDR Input, 2x USB connections and an Aux Output, Light source Life is rated for over 20000 hours

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Scanners

Document scanners

Product code	Price	Description
20G05A	R 5,032	HP ScanJet Pro 2600 F1 A4 Document Scanner, ADF, CIS scanning technology, Flatbed, ADF up to 600 dpi Scan Resolution Optical, Flatbed up to 1200 dpi Colour and mono Scan Resolution Optical, 1500 pages recommended daily duty cycle, 24-bit (External) Bit depth, 48-bit (Internal) Bit depth, Up to 25 PPM/50 ipm automatic Document feeder Scan speed, Standard 60 sheets automatic Document feeder capacity, Duplex ADF scanning, 256 levels of Grayscale, Single-pass Duplex scanning, Light emitting Diode (LED) light source (Scanning), USB 2.0 connectivity
20G05A	R 6,078	HP ScanJet Pro 2600 F1 A4 Document Scanner, ADF, CIS scanning technology, Flatbed, ADF up to 600 dpi Scan Resolution Optical, Flatbed up to 1200 dpi Colour and mono Scan Resolution Optical, 1500 pages recommended daily duty cycle, 24-bit (External) Bit depth, 48-bit (Internal) Bit depth, Up to 25 PPM/50 ipm automatic Document feeder Scan speed, Standard 60 sheets automatic Document feeder capacity, Duplex ADF scanning, 256 levels of Grayscale, Single-pass Duplex scanning, Light emitting Diode (LED) light source (Scanning), USB 2.0 connectivity
20G06A	R 6,379	HP Scanjet Pro 3600 f1 Flatbed Scanner. Control panel: 6 lights (Shortcut, Duplex, Error); 5 button (Power, Scan, Duplex, Shortcut Select, Cancel). Scanner specifications: Scanner type ADF; CIS scanning technology; Flatbed; Scan technology: ADF; Flatbed; Contact Image Sensor (CIS); Scan input modes: Scan front-panel function: Save as PDF, Save as JPEG, Scan to E-mail, Send to Cloud and Scan to USB. HP Scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN.; Twain version: Version 2.4; Colour scanning: Yes; Output resolution dpi settings: 150; 200; 300; 400; 500; 600; 1200 ppi; Image scaling or enlargement range: Will not perform any arbitrary scaling Scan speed Up to 30 ppm/60 ipm (b& w, gray and color, 300 dpi). Scan resolution: Optical Up to 600 dpi; Hardware: Up to 600 x 1,200 dpi. Scan file format: For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV. Scanner advanced features: One pass duplex scanning; Configurable Scan shortcuts. Duty cycle: Recommended daily duty cycle: 3000 pages (ADF). Auto document feeder capacity: Standard, 60 sheets. Connectivity: Standard USB 3.0. Memory: Standard 256 MB. Media handling: Media types Paper (banner, inkjet,

		photo, plain), envelopes, labels, cards (greeting, index). Media size (ADF): Letter; Legal; Executive; A4; A5; A6; B5; B5 (JIS). Media weight (ADF): 49 to 120 g/m2. Compatible operating systems: Win 7 or higher; Mac OS 10.14(Mojave) or higher. Minimum system requirements: PC: MicrosoftÂ® WindowsÂ® (11, 10, 8.1, 7 : 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019); 2 GB available hard disk space, Internet connection, MicrosoftÂ® Internet Explorer or any browser. Software included: HP Scanner Device Driver, HP WIA scan driver, HP TWAIN scan driver, HP Scan, HP Scanner Tools Utility, HP Windows Installer, ISIS driver.
20G07A	R 10,248	HP ScanJet Pro N4600 fnw1 A4 Document Scanner, Flatbed, ADF, ADF up to 600 dpi Scan Resolution Optical, Up to 1200 dpi Colour and mono Flatbed Scan Resolution Optical, 6000 pages recommended daily duty cycle, 24-bit (External), Bit depth, 48-bit (Internal) Bit depth, Up to 40 PPM/80 ipm automatic Document feeder Scan speed, Automatic Document feeder 100 sheets capacity standard, Duplex ADF scanning, Multifeed detection, Light emitting Diode (LED) light source (Scanning), Ethernet 10/100/1000 BASE-T, USB 3.0, WiFi 802.11 b/g/n, WiFi direct
20G08A	R 19,241	HP ScanJet Enterprise Flow N6600 Fnw1 Document Scanner, ADF / CIS scanning technology / Flatbed Scanner Type, Up to 600 dpi Scan Resolution Optical, 8000 pages commended daily duty cycle, Up to 50 ppm / automatic Document feeder Scan speed, Standard 100 sheets automatic Document feeder capacity, Duplex ADF scanning, Single-pass Duplex scanning, Multifeed detection, Light emitting Diode (LED) light source (Scanning), Ethernet 10/100/1000 BASE-T, USB 3.0, WiFi 802.11 b/g/n, WiFi direct, 2.8-in Touchscreen Display
2405C003AA	R 16,557	CANON DR-M260 Desktop Type Sheet Fed Scanner, 60ppm Scanning speed A4 (single sided), 80 page Automatic document feeder, Enhanced image quality using new on-board DR processor, Double-sided scanning with wide range of media, Efficient batch scanning, Large LCD panel with five-line display is mounted on the scanner for easy intuitive scanning, PDF creation and editing, Up to 7500 sheets per day 600dpi Optical resolution, USB3.1 Gen1
3258C003AA	R 7,029	Canon DR-C225 II - A4 Colour Ultra Compact Desktop Scanner, 25ppm, 30 sheet Auto Document Feeder, One Touch Scanning, Approx 1500 scans per day
4044C003AA	R 12,816	Canon imageFORMULA DR-S150 Network Document Scanner, 4044C003AA, Desktop Type sheet fed Scanner, CMOS CIS 1 line sensor, 600 dpi optical Resolution, RGB LED light source, Front / back / duplex scanning side, USB 3.2 GEN1X1 / USB 2.0, IEEE 802.11b/g/n WiFi, Gigabit LAN, 45ppm / 90ipm Black and White & 45ppm / 90ipm Colour scan speed, Approx 4000 scans suggested daily duty cycle
6FW06A	R 5,507	HP 6FW06A ScanJet Pro 2000 S2 A4 sheet-feed Colour Scanner, Single Function sheet-feed Scanner, Fast scan speeds up to 35ppm, 50-page automatic Document feeder (ADF), Automatic two-sided scanning that captures both sides at once, Scan up to 3500 pages per day, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Single-pass duplex, USB 3.0
6FW07A	R 6,956	HP 6FW07A ScanJet Pro 3000 s4 sheet-feed A4 Colour Scanner, Single Function sheet-feed Scanner, Fast scan speeds up to 40ppm, 50-page automatic Document feeder (ADF), Automatic two-sided scanning, Scan up to 4000 pages per day, Sheetfed Scanner Type, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Multifeed detection, Single-pass duplex, USB 3.0
6FW08A	R 8,886	HP ScanJet Pro N4000 snw1 A4 sheet-feed Scanner, Up to 600 dpi scan Resolution optical, 4000 pages recommended daily duty cycle, 256 levels of Grayscale, Multifeed detection, Standard 50 sheets automatic Document feeder capacity, Up to 40 ppm automatic Document feeder speed, Single-pass duplex, 216 x 3100 mm scan size (ADF) Maximum, Ethernet 10/100 BASE-T, USB 3.0, Wi-Fi 802.11 b/g/n, Wi-Fi direct
6FW09A	R 10,191	HP 6FW09A ScanJet Enterprise Flow 5000 S5 sheet-feed A3 Colour Scanner, Built-in Software, 80-page automatic Document feeder, Scan at up to 65 PPM/130 ipm, Recommended for 7500 pages per day, Simplify the way you scan A3-SIZE documents - no need for a carrier sheet, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Multifeed detection, Single-pass duplex, USB 3.0
6FW10A	R 12,944	HP 6FW10A ScanJet Enterprise Flow 7000 snw1 sheet-feed A3 Colour Scanner, Black-and-white scan speeds up to 75 PPM/150 ipm, Recommended for 7500 pages per day, Capture entire documents with one-pass duplex scanning up to 150 ipm, Wi-Fi direct, Up to 80 pages ADF, Simplify the way you scan A3-SIZE documents - no need for a carrier sheet, 10.9 cm (4.3") Colour Touchscreen, Scan directly to Mobile devices, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Multifeed detection, Single-pass duplex, Ethernet 10/100/1000

		BASE-T, USB 3.0, Wi-Fi 802.11 b/g/n, Wi-Fi direct
765010457369	R 1,889	IRIS Scan Book 2 Executive Scanner - a light, small, USB-connected multi-purpose full-page color scanner.
8Q4W0A	R 35,327	HP 8Q4W0A ScanJet Enterprise A3 Flow 9000 S1 Sheetfed documnet Scanner, Sheetfed Scanner Type, Up to 600 dpi Scan Resolution Optical, 30000 pages recommended Daily duty cycle, Up to 80 ppm automatic Document Feeder Scan Speed, 100 sheets automatic Document Feeder capacity, Duplex ADF scanning, ADF / CMOS CIS (Contact Image Sensor) Scan Technology, Single-pass Duplex, Multifeed detection, 1x USB 3.0 Port, 2-line 16 Character per line LCD Display
8Q4W1A	R 44,446	HP ScanJet Enterprise A3 Flow N9000 sn1 Sheetfed Document Scanner, Sheetfed Scanner Type, Up to 600 dpi Scan Resolution Optical, 30000 pages recommended Daily duty cycle, Up to 80 ppm automatic Document Feeder Scan Speed, 100 sheets automatic Document Feeder capacity, Duplex ADF scanning, ADF / CMOS CIS (Contact Image Sensor) Scan Technology, Single-pass Duplex, Multifeed detection, 1x USB 3.0 Port, 1x Gigabit Ethernet LAN, Resistive 10.9 cm Touch panel Display
8Q4W2A	R 8,349	HP 8Q4W2A ScanJet A4 Pro 4200 s1 Document Scanner, Up to 600x600 dpi Resolution, ADF / Sheetfed Input Type, 50 sheets auto Document Feeder, 1x USB 3.0 Port, 40 pages / 80 images per minute, One-pass Duplex scanning
9704B003AD	R 2,789	Canon P-208II Personal Document Scanner, Portable USB-Powered, 600dpi, 100scans, 10sheet ADF, 8ppmB&W, 8ppm Colour, A4 2-sided, Windows & Mac, Software: CaptureOnTouch, CaptureOnTouch Lite, Presto! BizCard Reader
B11B224401	R 22,989	Epson Perfection V850 Pro Flatbed Scanner, B11B224401, 6400 dpi Optical Resolution, Dual Lens system, 4 Dmax Optical density, A4 216 mm x 297 mm scanning range (Maximum), Matrix CCD with Micro Lens and high pass optics Sensor, White LED / IR LED Light source, 25 - 12800 dpi Output Resolution, Reflective scanning, 35mm Film scanning, Hi-Speed USB 2.0
B11B239402	R 5,445	Epson WorkForce DS-1630 A4 Colour Flatbed Scanner, 600 dpi x 600 dpi Optical Resolution (ADF), 1200 DPI x 1200 DPI Optical Resolution Glass, ReadyScan LED Technology Light source, 25 pages/min Colour & Monochrome scanning Speed, 50 pages automatic Document feed, Duplex Scan, 1.500 pages per day scanning Volume, USB 3.2 Gen 1x1 interfaces
B11B244402	R 7,550	Epson DS-1660W A4 Flatbed Scanner, 600x600 dpi Optical Resolution (ADF), 1200x1200 dpi scanning Resolution, RGB LED Light source, 25 pages/min Monochrome / Colour scanning Speed, 50 sheets ADF paper setting capacity, 1500 pages reliability daily duty cycle, Duplex Scan, USB 3.0, Wireless LAN , 5-line LCD with Push Scan features
B11B249401BA	R 8,384	Epson WorkForce DS-410 A4 Sheet-fed Business Scanner, Sheetfed Scanner, White, 600 dpi x 600 dpi Optical Resolution (ADF), 50 dpi x 1200 dpi scanning Resolution, CIS (Contact image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 50 sheets ADF paper setting capacity, Duplex Scan, USB 2.0 Type-B Interface
B11B251401BA	R 21,482	Epson WorkForce DS-970 A4 Sheetfed Scanner, 170ipm scanning Speed, 600 dpi x 600 dpi (Optical Resolution (ADF), ReadyScan LED Technology Light source, 1200 DPI Output Resolution, 85 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning automatic Document Feeder Type, 100 pages automatic Document feed, Duplex Scan, USB 3.2 Gen 1x1 interfaces
B11B253401	R 4,640	Epson Workforce ES-60W Wireless Mobile Scanner, Fastest, smallest, lightest wireless mobile single-sheet-fed document, scanner in its class, Scan documents in as fast as 4 seconds per page, Wirelessly scan to PC, Mac, iOS or Android, Easily scan, review and save, Automatically detects wireless/USB mode
B11B253402	R 4,594	Epson WorkForce DS-80W 600 dpi A4 Mobile Scanner, 600 dpi x 600 dpi (Optical Resolution (ADF), 600 dpi x 600 dpi Optical Resolution, CIS (Contact image Sensor), ReadyScan LED Technology Light source, 4 sec/page scanning Speed, Wi-Fi direct, USB 2.0 Micro-B, Monochrome LCD
B11B259401BA	R 10,649	Epson WorkForce DS-730N A4 Network Sheetfed Scanner, 600x600 dpi Optical Resolution, Ultrasonic Sensor, ReadyScan LED Technology Light source, CIS (Contact Image Sensor) Optical Sensor, 40 pages/min Monochrome & Colour scanning Speed, Single pass Dual scanning automatic Document feeder Type, 6500 pages daily duty cycle, 100 pages automatic Document feed, Duplex Scan, USB 2.0, Gigabit Ethernet Interface, 3.7 cm LCD Colour panel
B11B262401BA	R 10,678	Epson WorkForce DS-770II Compact A4 Sheet-fed Scanner, 600 dpi x 600 dpi Optical Resolution, Ultrasonic

		Sensor, ReadyScan LED Technology Light source, 45 pages/min Monochrome & Colour scanning Speed, Single pass Dual scanning, 7000 pages daily duty cycle, 100 pages automatic Document feed, Duplex Scan, USB 3.2 Gen 1x1 interfaces
B11B263401BA	R 12,874	Epson WorkForce ES-500wii A4 Sheetfed Scanner, 600x600 dpi Optical Resolution, CIS (Contact Image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 35 pages/min scanning Speed, USB 3.0, Wi-Fi direct, Wireless LAN, 50 sheets paper setting capacity, Single pass Dual scanning, 100 pages automatic Document feed
B11B265401BA	R 17,210	Epson WorkForce DS-790wn A4 600 dpi Sheetfed Scanner, Ultrasonic Sensor, 10.9 cm Touchscreen Display, 45 pages/min scanning Speed single side, 100 sheets paper setting capacity, Auto loading, Single pass Dual scanning, Duplex Scan, Wi-Fi, Gigabit LAN, USB 3.2 Gen 1x1 Port
B11B268401	R 1,972	Epson Perfection V39ii Photo and Document A4 Flatbed Scanner, 4800 x 4800 dpi Optical Resolution, 216 mm x 297 mm scanning range (Maximum), A4 Paper formats, CIS (Contact image Sensor), White LED light source, 50 - 6400 dpi Output Resolution, USB 2.0
B11B269402	R 11,667	Epson ES-C380W A4 Compact Network Scanner, ADF 600x600 dpi Optical Resolution, Contact Image Sensor (CIS), 3 Colour RGB LED Light source, Hi-Speed USB, Duplex scanning, Sheet-fed one-pass Duplex Colour Scanner Type, 2.4" Colour Touchscreen, 3500 sheets daily duty cycle
B11B270402	R 8,188	Epson ES-C320W A4 Compact Sheetfed Scanner, 600x600 dpi Optical Resolution (ADF), ReadyScan LED Technology Light source, 30 pages/min Monochrome & Colour scanning Speed, Single pass Dual scanning automatic Document feeder Type, 3500 pages daily duty cycle, 20 pages automatic Document feed, Duplex Scan, USB 2.0, WiFi
B11B271402	R 15,985	Epson DS-C490 Premium Compact Scanner; Ultra-compact - Smallest footprint, even while in use; Versatile - Scan passports, receipts, invoices, cards and more; Two-in-one - U-turn pass and straight pass give you two scanners in one; Lower environmental impact
B11B272402	R 8,309	Epson DS-C330 A4 Compact deskop Sheetfed Scanner, 600x600 dpi Optical Resolution (ADF), ReadyScan LED Technology Light source, 30 pages/min scanning Speed, 20 sheets paper setting capacity, Single pass Dual scanning, 5000 pages reliability Daily duty cycle, 20 pages automatic Document feed, Duplex Scan, Hi-Speed USB
B11B273402	R 5,210	Epson WorkForce DS-1730 A4 Flatbed Scanner, 600 dpi x 600 dpi (Optical Resolution (ADF), 1200 DPI x 1200 DPI Optical Resolution Flatbed, CIS (Contact Image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 30 pages/min scanning Speed, Single pass Dual scanning, 3000 pages reliability Daily duty cycle, 60 pages automatic Document feed, Duplex Scan, USB 2.0 Interface
B11B274402	R 10,040	Epson WorkForce DS-1760wn A4 Colour Flatbed / ADF Scanner, 600 dpi x 600 dpi Optical Resolution (ADF), 1200 DPI x 1200 DPI Optical Resolution (Flatbed), CIS (Contact Image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 6cm Colour Touchscreen panel, 30 pages/min scanning Speed, 60 sheets paper setting capacity, Single pass Dual scanning automatic Document Feeder Type, 3000 pages reliability Daily duty cycle, Duplex Scan, USB 2.0, Gigabit Ethernet Interface, Wi-Fi
B11B275402	R 18,745	Epson WorkForce DS-800WN A4 50ppm Duplex Network Business Scanner, Sheetfed Scanner Type, 600 dpi x 600 dpi Optical Resolution (ADF), Ultrasonic Sensor, ReadyScan LED Technology Light source, 50-1200 dpi Output Resolution, 10.9 cm Colour Touchscreen, 50 pages/min Scan Speed, 100 sheets paper setting capacity, Single pass Dual scanning, 100 pages automatic Document feed, 8000 pages Daily duty cycle, USB 3.2 Gen 1x1, Wi-Fi direct, Gigabit Ethernet Interface, Wireless LAN
B11B276402	R 21,436	Epson WorkForce DS-900WN 70ppm A4 Sheetfed Network Business Scanner, 600 x 600 dpi Optical Resolution, Ultrasonic Sensor, ReadyScan LED Technology Light source, 10.9 cm Touchscreen Display, 70 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning, 11.000 pages reliability Daily duty cycle, Duplex Scan, Standard (Built-In) Automatic Document feed, USB 3.2 Gen 1x1, Wi-Fi direct, Gigabit Ethernet Interface, WiFi, Mopria Scan
CCR190I	R 51,513	CANON CR 190i SCANNER
CDR6010C	R 34,126	CANON DR 6010C A4 SCANNERS.
CDR6030C	R 63,101	CANON DR 6030C A3 SCANNER
CDRC230	R 9,117	CANON imageFORMULA DR-C230 Desktop Type Sheet Fed Scanner, Scanning speed - 30 ppm / 60 ipm (B& W and colour), Scanning side - Front / Back / Duplex, Automatic Document Feeder, High-speed USB 2.0, Efficient

		batch scanning, 600dpi Optical resolution
CDRC240	R 12,249	Canon DR-C240 Desktop A4 Multi-Document Scanner - A4 Colour Desktop Type Sheet Feed Scanner, 600dpi, Duplex, 60-sheet ADF, 45ppm B&W and 30ppm Colour. USB. Approx 4000 scans per day
CDRF120	R 6,618	Canon DR-F120 Desktop ADF and Flatbed Document Scanner - A4 Colour Desktop Type Sheet Feed Scanner, 2400dpi, Duplex, 50-sheet ADF, Flatbed, 20ppm B& W and 10ppm Colour. USB. Approx 800 scans per day
CDRM1060	R 42,995	Canon DR-M1060 Compact A3 Scanner with U-Turn feed - Desktop Type Sheet Fed Scanner, 600dpi, Duplex, 60 sheet ADF, 60ppm B& W and Colour. USB. Approx 7500 scans per day
CDRM140	R 14,629	Canon DR-M140 High Speed Document Scanner - Desktop Type Sheet Fed Scanner, 600dpi, Front / Back / Duplex, B& W Grayscale - 200 / 300dpi: 40ppm/80ipm, Colour - 200dpi / 300dpi: 40ppm/80ipm, USB 2.0, Approx: 6,000 scans/day
CDRM160II	R 15,890	Canon DR-M160 High Speed Document Scanner - Desktop Type Sheet Fed Scanner, 600dpi, Front/ Back/ Duplex, B& W Grayscale - 200/ 300dpi: 60ppm/ 120ipm, Colour - 200dpi: 60ppm/ 120ipm / 300dpi: 40ppm/ 80ipm USB 2.0, Approx: 7,000 scans/day
CDRX10C	R 218,853	CANON DR X10C A3 SCANNER
CLIDE300	R 1,781	Canon LiDE 300 RGB Scanner, USB-powered, 2400x2400 / 19200 dpi, preview 9sec, 48 48/24bit, 4x EZ buttons; with Z-lid - USB 2.0
CP208II	R 2,997	Canon P-208II Personal Document Scanner, Portable USB-Powered, 600dpi, 100scans, 10sheet ADF, 8ppmB& W, 8ppm Colour, A4 2-sided, Windows & Mac, Software: CaptureOnTouch, CaptureOnTouch Lite, Presto! BizCard Reader
CP215II	R 6,460	Canon P-215II Scanner, Compact Fast And Portable USB-powered
Doccam-F17-8M	R 8,859	Aver F17-8M Visualizer
DOCCAM-U50	R 4,945	AVermedia U50 Document Camera, 5.0 Megapixel Camera, 8x Digital Zoom, Output Resolution HD 1080p (1920 x 1080), 30fps, Auto/ Manual Focus, Recording via Software, 2x USB 2.0 Input 1 Mini USB 2.0 Output Ports, Includes A Interactive Software CD
Doccam-U70	R 6,633	Aver U70 4K Visualizer, UHD, 8x Megapixel & 32x Digital Zoom
DS-1630 Gray	R 3,585	Epson WorkForce DS-1630 A4 Colour Flatbed Scanner - Gray, 600 dpi x 600 dpi Optical Resolution (ADF), 1200 DPI x 1200 DPI Optical Resolution Glass, ReadyScan LED Technology Light source, 25 pages/min Colour & Monochrome scanning Speed, 50 pages automatic Document feed, Duplex Scan, 1.500 pages per day scanning Volume, USB 3.2 Gen 1x1 interfaces
DS-1760WN	R 9,171	Epson WorkForce DS-1760wn A4 Colour Flatbed / ADF Scanner, 600 dpi x 600 dpi Optical Resolution (ADF), 1200 DPI x 1200 DPI Optical Resolution (Flatbed), CIS (Contact Image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 6cm Colour Touchscreen panel, 30 pages/min scanning Speed, 60 sheets paper setting capacity, Single pass Dual scanning automatic Document Feeder Type, 3000 pages reliability Daily duty cycle, Duplex Scan, USB 2.0, Gigabit Ethernet Interface, Wi-Fi
DS-30000	R 55,953	Epson WorkForce DS-30000 fast A3 sheetfed duplex ADF Scanner, 600x600 dpi optical Resolution (ADF), 50x1200 dpi scanning Resolution, Ultrasonic sensor, Contact image sensor), Readyscan LED technology light source, 600 dpi Output Resolution, 70 pages/min scanning speed, 120 sheets ADF paper setting capacity, Duplex scan, 40 000 pages per day scanning Volume, USB 3.0. *Order on request only. 12 Weeks from payment (taken as a deposit). Prices can change due to Exchange rates
DS-32000	R 67,467	Epson WorkForce DS-32000 fast A3 sheetfed duplex ADF Scanner, 600x600 dpi optical Resolution (ADF), 50x1200 dpi scanning Resolution, Ultrasonic sensor, Contact image sensor), Readyscan LED technology light source, 600 dpi Output Resolution, 90 pages/min scanning speed, 120 sheets ADF paper setting capacity, Duplex scan, 40 000 pages per day scanning Volume, USB 3.0, Single pass Dual scanning automatic Document feeder Type, Colour Touchscreen 6.8 cm LCD screen (B11B255401BA)
DS-410	R 7,646	Epson DS-410 A4 Sheet-fed Business Scanner, Sheetfeed, 50 Sheet ADF, White, 26ppm mono/clr, A4, A3 with stitching function, 50 dpi x 1.200 dpi (Horizontal x Vertical), Input: 10 Bits Colour , Output: 8 Bits Colour, 50 pages ADF, RGB colour dropout / enhance, Skip blank page, Automatic de-skew, RGB
DS-730N	R 9,386	Epson DS-730N A4, A3 with stitching function, SheetFeed Scanner, 600 dpi x 600 dpi (Horizontal x Vertical), Mono 40ppm / Colour 40ppm, 100 sheets, 4500 page Daily Duty Cycle, 27g-413g Media, USB 2.0 Type B, Ethernet

		Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
DS-7500	R 24,701	Epson WorkForce DS-7500 High-speed A4 Document Scanner. Letter, 1.200 dpi x 1.200 dpi (Horizontal x Vertical), Input: 48 Bits Color / 16 Bits Monochrome, Output: 24 Bits Color / 8 Bits Monochrome, 100 Pages, Yes, Skip blank page, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/ W colour detection, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge enhancement, Unsharp Mask (USM), Descreening, USB 2.0 Type B, ABBYY FineReader Sprint 8.0 (MacOS), ABBYY FineReader Sprint 9.0 (Windows), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager (Mac Only), Epson Scan, E-mail, FTP, Microsoft SharePoint, Print, Web folders, Network folders, Mac OS 10.4.11 or later (Epson Scan Only), Presentation Server 4.5, Terminal Service, Windows 7, Windows 7 x64, Windows 8, Windows Server 2003 (32/ 64bit), Windows Server 2008 (32/ 64bit), Windows Server 2008 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64, Windows server 2003 R2, XenApp 5.0, XenApp 6.0, AC Adaptor, Main unit, Setup guide, Software (CD), USB cable, User manual (CD), Warranty document
DS-770II	R 10,847	Epson DS-770II, A4 maximum (A3 with stitching function), SheetFeed Scanner, 600 dpi x 600 dpi (Horizontal x Vertical), Mono 45ppm / Colour 45ppm, 100 sheets, 7000 page Daily Duty Cycle, 27g-413g Media, USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional)
DS-790WN	R 15,186	Epson DS-790WN 45ppm A4 sheetfeed Network Scanner, USB 3.0, Wi-Fi, LAN, A3 with stitching Function, 600 dpi x 600 dpi Optical Resolution, Ultrasonic Sensor, ReadyScan LED Technology Light source, 45 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning automatic Document Feeder Type, 7000 pages reliability Daily duty cycle, Automatic Document feed, Duplex Scan
DS-80W	R 4,060	Epson WorkForce DS-80W Wi-Fi mobile business scanner
DS-870	R 11,792	Epson DS-870, A4, 600 dpi x 600 dpi (Horizontal x Vertical), Input: 30 Bits Colour , Output: 24 Bits Colour, 100 pages, Yes, USB 3.0, Document Capture Pro 2.0, Epson Scan 2, Mac OS 10.6 , Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3
DS-900WN	R 18,901	Epson WorkForce DS-900WN 70ppm A4 Sheetfed Network Business Scanner, 600 x 600 dpi Optical Resolution, Ultrasonic Sensor, ReadyScan LED Technology Light source, 10.9 cm Touchscreen Display, 70 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning, 11.000 pages reliability Daily duty cycle, Duplex Scan, Standard (Built-In) Automatic Document feed, USB 3.2 Gen 1x1, Wi-Fi direct, Gigabit Ethernet Interface, WiFi, Mopria Scan
DS-970	R 18,945	Epson DS-970, A4 Sheetfeed Scanner, 600 dpi x 600 dpi (Horizontal x Vertical), Input: 30 Bits Colour , Output: 24 Bits Colour, 100 pages, Yes, USB 3.0, Document Capture Pro 2.0, Epson Scan 2, Mac OS 10.6 , Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3
EDS1630	R 5,189	Epson WorkForce DS-1630 A4 Colour Flatbed Scanner, 600 dpi x 600 dpi Optical Resolution (ADF), 1200 DPI x 1200 DPI Optical Resolution Glass, ReadyScan LED Technology Light source, 25 pages/min Colour & Monochrome scanning Speed, 50 pages automatic Document feed, Duplex Scan, 1.500 pages per day scanning Volume, USB 3.2 Gen 1x1 interfaces
EDS1660W	R 7,369	Epson Workforce DS-1660W Document Scanner
EDS32000	R 71,107	Epson Workforce Ds-32000 Document Scanner
EDS410	R 8,160	Epson Workforce Ds-410 Document Scanner
EDS490	R 13,764	Epson Ds-c490 Document Scanner
EDS530II	R 6,947	Epson Workforce Ds-530ii Document Scanner
EDS60000	R 78,620	Epson Workforce Ds-60000 Document Scanner
EDS60000N	R 78,620	Epson Workforce Ds-60000n Document Scanner
EDS6500	R 20,046	Epson Workforce Ds-6500 Document Scanner
EDS6500N	R 20,046	Epson Workforce Ds-6500n Document Scanner
EDS70	R 3,279	Epson Workforce Ds-70 Document Scanner
EDS70000	R 67,254	Epson Workforce Ds-70000 Document Scanner

EDS70000N	R 67,254	Epson Workforce Ds-70000N Document Scanner
EDS730N	R 7,015	Epson Workforce Ds-730n Document Scanner
EDS7500	R 26,103	Epson Workforce Ds-7500 Document Scanner
EDS7500N	R 26,103	Epson Workforce Ds-7500n Document Scanner
EDS770II	R 10,262	Epson Workforce Ds-770ii Document Scanner
EDS790WN	R 12,968	Epson Workforce ED-790WN Document Scanner
EDS80W	R 3,497	Epson Workforce DS-80W Document Scanner
EDS870	R 12,521	Epson WorkForce DS-870 A4 departmental Sheetfed Scanner, 600x600 dpi Optical Resolution (ADF), Ultrasonic Sensor, ReadyScan LED Technology Light source, 1200 DPI Output Resolution, 3.7 cm Colour Display, 65 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning automatic Document Feeder, 100 pages automatic Document feed, 10000 pages reliability Daily duty cycle, USB 2.0, USB 3.2 Gen 1x1
EDS970	R 20,046	Epson WorkForce DS-970 A4 Sheetfed Scanner, 170ipm scanning Speed, 600 dpi x 600 dpi (Optical Resolution (ADF), ReadyScan LED Technology Light source, 1200 DPI Output Resolution, 85 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning automatic Document Feeder Type, 100 pages automatic Document feed, Duplex Scan, USB 3.2 Gen 1x1 interfaces
ELPDC07	R 5,108	Epson ELPDC07 Full HD Display 3D objects, 8x digital zoom, USB power & signal transmission Built-in Microphone 30fps auto focus
ELPDC13	R 12,473	Epson ELPDC13 Full HD Display 3D objects A3 shooting area Smooth Video streaming 30fps 16xDigital zoom Built in Microphone HDMI out VGA in and out SD Card slot Easy interactive tools, TWAIN driver, 2.5kg
ELPDC21	R 15,872	Epson ELPDC21 2MP 1080p Full HD 1920x1020 Education document camera, 16:9 Aspect Ratio, Max 30fps, Optical Zoom f / 3.4-5, 12x Optical Zoom, 10x Digital Zoom, White LED Illumination, Auto focus, Kensington Lock, Microscope adaptor included, Split screen, Time lapse, Colour & black & white selection, Negative & positive conversion, Digital scroll pan / tilt, Remote Control, A3 sized 297x 420 mm Shooting Area, USB 1.1 Type B, VGA in, VGA out, HDMI out, built-in microphone, SD memory card, Easy Interactive Tools software
EPV39II	R 1,944	Epson Perfection V39ii Photo and Document A4 Flatbed Scanner, 4800 x 4800 dpi Optical Resolution, 216 mm x 297 mm scanning range (Maximum), A4 Paper formats, CIS (Contact image Sensor), White LED light source, 50 - 6400 dpi Output Resolution, USB 2.0
ES-50	R 3,029	Epson WorkForce ES-50 Mobile scanner
ES-500WII	R 11,363	Epson ES-500WII, A4, SheetFeed Scanner, 600 dpi x 600 dpi (Horizontal x Vertical), Mono 35ppm / Colour 35ppm, 100 sheets, 4000 page Daily Duty Cycle, 27g-413g Media, USB 3.0, Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n, Single-Pass Dual-Scanning
ES-580W	R 13,554	Epson ES-580W, A4, SheetFeed Scanner, 600 dpi x 600 dpi (Horizontal x Vertical), Mono 35ppm / Colour 35ppm, 200 sheets, 4000 page Daily Duty Cycle, 27g-413g Media, USB 3.0, Wi-Fi Direct, USB host, Wireless LAN IEEE 802.11a/b/g/n, Single-Pass Dual-Scanning
ES-C380W	R 10,289	Epson ES-C380W A4 Compact Network Scanner, ADF 600x600 dpi Optical Resolution, Contact Image Sensor (CIS), 3 Colour RGB LED Light source, Hi-Speed USB, Duplex scanning, Sheet-fed one-pass Duplex Colour Scanner Type, 2.4" Colour Touchscreen, 3500 sheets daily duty cycle
ES13000XL	R 97,219	Epson Expression 13000xl A3 Graphics Scanner, Flatbed Scanner, Graphics Scanner, 2400x4800 dpi Optical Resolution, 310 mm x 437 mm scanning range (Maximum), ReadyScan LED Technology Light source, 12 s/page scanning Speed, USB 2.0 interfaces
ES13000XLP	R 97,219	Epson Expression 13000xl Pro A3 Flatbed Scanner, including transparency unit for Film & slides, 2400x4800 dpi Optical Resolution, 310 mm x 437 mm scanning range (Maximum), ReadyScan LED Technology Light source, 12 sec/page scanning Speed, USB 2.0 Interface
ES320W	R 7,708	Epson ESC-320w A4 Compact Wi-Fi Sheetfed Scanner, 600x600 dpi Optical Resolution (ADF), CIS (Contact Image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 30 pages/min scanning Speed, 20 sheets paper setting capacity, Single pass Dual scanning, 20 pages automatic Document feed, 3500 pages reliability Daily duty cycle, Duplex Scan, Hi-Speed USB, Wireless LAN
ES50	R 2,618	Epson WorkForce ES-50 A4 Mobile Sheetfed Scanner, 600x600 dpi Optical Resolution (ADF), ReadyScan LED Technology Light source, 600 dpi Output Resolution, 5.5 s/page scanning Speed, 1 sheets paper setting capacity,

		300 pages reliability Daily duty cycle, Hi-Speed USB
ES500WII	R 12,069	Epson WorkForce ES-500wii A4 Sheetfed Scanner, 600x600 dpi Optical Resolution, CIS (Contact Image Sensor) Optical Sensor, ReadyScan LED Technology Light source, 35 pages/min scanning Speed, USB 3.0, Wi-Fi direct, Wireless LAN, 50 sheets paper setting capacity, Single pass Dual scanning, 100 pages automatic Document feed
ES580W	R 11,615	Epson WorkForce ES-580w A4 auto-sheet feed Scanner, Sheetfed Scanner, 600 dpi x 600 dpi Optical Resolution, ReadyScan LED Technology Light source, 109 cm Touchscreen Display, 35 pages/min scanning Speed, 100 sheets paper setting capacity, Single pass Dual scanning, 200 pages automatic Document feed, Duplex Scan, 4000 pages per day scanning Volume, Wireless LAN, USB 3.2 Gen 1x1
ESFF680W	R 11,052	Epson fastfoto FF-680w A4 auto-feeder Scanner, Sheetfed Scanner Type, 600 x 600 dpi Optical Resolution, CIS (Contact Image Sensor) Optical Sensor, RGB LED Light source, 45 pages/min scanning Speed, Single pass Dual scanning, 100 sheets standard, 36 Photo sheets, Duplex Scan, USB 3.0, Wireless LAN
ESV850	R 21,086	Epson Perfection V850 Pro Flatbed Scanner, B11B224401, 6400 dpi Optical Resolution, Dual Lens system, 4 Dmax Optical density, A4 216 mm x 297 mm scanning range (Maximum), Matrix CCD with Micro Lens and high pass optics Sensor, White LED / IR LED Light source, 25 - 12800 dpi Output Resolution, Reflective scanning, 35mm Film scanning, Hi-Speed USB 2.0
EXP13000XL-PRO	R 115,381	Epson Expression 13000xl Pro A3 Flatbed Scanner, including transparency unit for Film & slides, 2400x4800 dpi Optical Resolution, 310 mm x 437 mm scanning range (Maximum), ReadyScan LED Technology Light source, 12 sec/page scanning Speed, USB 2.0 Interface
EXP13000XL-PRO	R 124,833	Epson Expression 13000xl Pro A3 Flatbed Scanner, including transparency unit for Film & slides, 2400x4800 dpi Optical Resolution, 310 mm x 437 mm scanning range (Maximum), ReadyScan LED Technology Light source, 12 sec/page scanning Speed, USB 2.0 Interface
FF-680W	R 10,396	Epson FF-680W Personal Photo Scanner, Sheetfeed, USB 3.0, WiFi, 600 dpi x 600 dpi (Horizontal x Vertical), Output: 24 Bits Colour / 8 Bits Monochrome, Yes, Skip blank page, Punch holes removal, Automatic de-skew, Auto-rotation, Automatic Folder Creation, Scan to Cloud
FI-5950 PS	R 143,750	Fujitsu FI-5950 PS 105ppm / 210ipm A3 ADF duplex Document Scanner, Includes paperstream IP, Paperstream capture, Scanner central administrator, 2D barcode module for paperstream, Dual color charge coupled device image sensor Type, Simplex and duplex scanning mode, 500 sheets ADF capacity, 120000 sheets expected daily Volume, Ultra wide SCSI / USB 2.0
FI-6770G	R 33,350	Fujitsu FI-6770 A3 Duplex ADF / Flatbed Low-Volume production Scanner, Automatic Document Feeder (ADF) & Flatbed, charge coupled device (CCD) Image Sensor, 600 dpi Optical Resolution, 200 sheets ADF capacity, 80 ppm sanning at 300 dpi, Multi-feed detection, Long paper scanning, USB 2.0
fi-7300NX	R 22,449	Fujitsu FI-7300NX 60ppm/120ipm A4 duplex ADF workgroup Scanner, USB 3.1, Gigabit Ethernet, WiFi, , Simplex 60ppm scanning speed, Color CCD x2 image sensor Type, White LED Array x2 light source, 600 dpi optical Resolution, 80 sheets ADF capacity, 9000 sheets expected daily Volume, 4.3" TFT color touch screen, NFC / Keyboard authentication
FI-7480	R 63,845	Fujitsu fi-7480 A3 Image Scanner, 80/80ppm, 160/160ipm, Sheetfed, 100 Page ADF, USB2, 64MB, 600dpi, 5000pgs Daily Duty Cycle, 80ppm / 160ipm duplex A4L ADF document scanner. Includes PaperStream IP, PaperStream Capture, Scanner Central administrator software and 12 months Advanced Exchange (2 day) warranty.Available for download: 2D Barcode Module for PaperStream, ScanSnap Manager for fi-series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap
FI-7600	R 1,150,000	Fujitsu PA03740-B501 80ppm / 160ipm A3 ADF duplex document scanner. Includes PaperStream IP, PaperStream Capture, ScanSnap Manager for fi-series, Scanner Central Administrator, 2D Barcode module for PaperStream.
FI-7700	R 1,150,000	Fujitsu FI-7700 80ppm / 160ipm A3 ADF & Flatbed duplex Document Scanner, including paperstream IP/PS capture/ScanSnap manager for Fi-series/scan, Colour CCD x 3 image sensor Type, White LED Array x 6 light source, 600 dpi optical Resolution, 300 sheets ADF capacity, 44 000 sheets expected daily Volume
FI-800R	R 13,284	Fujitsu FI-800R 40ppm/80ipm/ A4 Duplex ADF Single Feed Return Scan USB3.0 Scanner
fi-8040	R 10,792	Fujitsu FI-8040 A4 Workgroup Colour Scanner, Automatic Document Feeder (ADF), 50x A4 ADF capacity, 600 dpi Optical Resolution, 50 to 500 dpi Output Resolution, Contact Image Sensor (CIS) x 2 with Clear image capture

		Technology image Sensor Type, RGB LED Light source, Simplex 40 ppm scanning Speed, Duplex 80 ipm scanning Speed, Overlap detection (Ultrasonic), Brake Roller paper separation Method, 6000 sheets expected daily Volume, USB 3.2 Gen 1 Port, Gigabit LAN Port, 4.3" TFT LCD with Touchscreen operation
fi-8150	R 12,578	Fujitsu fi-8150 A4 50ppm / 100ipm Duplex ADF USB 3.2 LED Workgroup Scanner, Automatic Document feeder (ADF) / manual feed, Duplex, 100 x ADF capacity, 600 dpi Optical Resolution, Monochrome contact image sensor (CIS) x 2 image sensor Type, RGB LED light source, Simplex 50 ppm scanning speed (A4 portrait), Duplex 100 ipm scanning speed (A4 portrait), 8000 expected daily Volume, USB, Gigabit LAN
fi-8170	R 15,481	Fujitsu fi-8170 A4 70ppm / 140ipm duplex ADF Workgroup Scanner - USB 3.2 & LAN, Automatic Document feeder, Manual feed, Duplex, 70 ppm scanning speed (A4 portrait), 2x CIS image sensor Type, 2x RGB LED light source, 600 dpi Optical Resolution, 10000 sheets expected daily Volume, 100 sheets ADF capacity, Overlap detection, Length detection, Gigabit Ethernet, USB 3.2 Gen1x1
fi-8250	R 19,176	Fujitsu fi-8250 A4 50ppm / 100ipm A4 Duplex Workgroup Scanner, ADF / Flatbed, 2x CIS Image Sensor Type ADF, 1x Colour CCD Image Sensor Flatbed, 600 dpi Optical Resolution, 100 sheets ADF capacity, 8000 sheets expected Daily Volume, USB 3.2 Gen1x1 Port
IRISBOOK3	R 1,852	Canon IRIScan A4 book 3 Scanner, A4 Colour contact image sensor, 217mm image sensor width, 300 / 600 / 900 dpi Scan Resolution, JPEG & PDF File formats, Wide Colour LCD screen, USB 2.0, 32GB MicroSD card
IRISEXPRESS4	R 2,851	Canon IRIScan Express 4 Scanner, A4/letter Colour contact image sensor, 300 / 600 dpi Optical Resolution, 8 pages per minute scanning speed, USB Power Supply
iX100	R 7,932	Fujitsu ScanSnap iX100 - Wi-Fi, 11ppm (5.2 seconds/page), Mobile Sheetfed, USB 3.0, 600dpi, 80pgs Daily Duty Cycle. Fujitsu ScanSnap iX100 - Wi-Fi, 11ppm (5.2 seconds/ page), Mobile Sheetfed, USB3, 600dpi, 80pgs Daily Duty Cycle, The worlds most lightweight, fastest and compact mobile scanner in its class. Battery operated without the necessity of cable connection. Dual Scan - scanning 2 small sized documents at the same time, automatically stitch a two-page spread. Scan to folder, email, or to cloud Dropbox, SharePoint, Evernote, FileBound and Google Drive and more (*Private Wifi or mobile Phone tethering required for optional cloud scanning)
L2757A	R 13,089	HP ScanJet Enterprise Flow 7000 s3 Sheet-Feed Scanner, Single-pass Duplex Scanning Up to 75 ppm/150 ipm, up to 600 dpi, Recommended for 7,500 pages per day, 80-sheet ADF, Connectivity USB 2.0 port, optional Wi-Fi (L2761A) accessory, 2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED and Tool button, Scan file format: For text & images: ePub 3.0, HTML 4.0, Excel file format (*.xls, *.xlsx), PowerPoint file format (*.pptx), Word (*.docx), WordPerfect (*.wpd), searchable PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf), XML and XPS
L2762A	R 48,029	HP Digital Sender Flow 8500 fn2 Document Capture Workstation - Flatbed Single-pass Duplex Scanning, up to 60 pages per minute (ppm)/120 images per minute ipm, up to 600 dpi, 100-Sheet ADF, STD 10/100/1000 Ethernet; 1 Hi-Speed USB Host (rear); Recommended for 5,000 pages per day, Full-SVGA Control Panel Display with HP Easy Select User Interface, Scan file Format: JPG, TIFF, MTIFF, PDF (image-only, searchable, high-compressed and AES encrypted), PDF/A, TXT, Unicode TXT, RTF, HTML
L2763A	R 55,095	HP Scanjet Enterprise Flow N9120 fn2 Flatbed Scanner - Single-pass Duplex Scanning, up to 50 ppm/100 ipm , up to 600 dpi, 200-sheet ADF, 2 quick start buttons (Scan, Copy), Cancel, Tools, Powersave, Recommended for 5,000 pages per day, Scan file Format: PDF (image-only, searchable, MRC, PDF/A, encrypted), TIFF (single page, multi-page, compressed: G3, G4, LZW, JPEG), DOC, RTF, WPD, XLS, TXT, XML, XPS, HTML, OPF, JPG, BMP, PNG, Connectivity 1 Hi-Speed USB 2.0
Perf V39II	R 1,739	Epson Perfection V39ii Photo and Document A4 Flatbed Scanner, 4800 x 4800 dpi Optical Resolution, 216 mm x 297 mm scanning range (Maximum), A4 Paper formats, CIS (Contact image Sensor), White LED light source, 50 - 6400 dpi Output Resolution, USB 2.0
Perf V850 Pro	R 20,277	Epson Perfection V850 Pro, Scanners, A4, 6.400 dpi (Horizontal x Vertical), 4 Dmax, Input: 48 Bits Colour, Output: 48 Bits Color, Grain reduction, Dust removal, Print Image Matching II, Color palette tool for Easy Color Fix, Backlight Correction, Colour Restoration, Unsharp Mask with Noise Reduction, De-Screening with Document Type Optimizer, Digital ICE Technologies (for film and photo), Tone Curve Adjustment with Histogram, Hi-Speed USB - compatible with USB 2.0 specification, Epson Copy Utility, Epson Event Manager, Epson Scan, LaserSoft Imaging SilverFast SE Plus 8, X-Rite i1 Scanner (with IT8 targets), Mac OS 10.6 , Windows 7, Windows 8, Windows 8.1,

		Windows Vista, Windows XP SP2 or higher, 8 film holders: 35mm negatives (x2), 35mm slides (x2), medium format (x2) and 4 x 5 inch (x2), AC adapter, Driver and utilities (CD), Main unit, Power cable, Setup guide, Software (CD), USB cable, Warranty document
PRHP20G05A	R 5,204	HP ScanJet Pro 2600 F1 A4 Document Scanner, ADF, CIS scanning technology, Flatbed, ADF up to 600 dpi Scan Resolution Optical, Flatbed up to 1200 dpi Colour and mono Scan Resolution Optical, 1500 pages recommended daily duty cycle, 24-bit (External) Bit depth, 48-bit (Internal) Bit depth, Up to 25 PPM/50 ipm automatic Document feeder Scan speed, Standard 60 sheets automatic Document feeder capacity, Duplex ADF scanning, 256 levels of Grayscale, Single-pass Duplex scanning, Light emitting Diode (LED) light source (Scanning), USB 2.0 connectivity
PRHP20G06A	R 6,629	HP Scanjet Pro 3600 f1 Flatbed Scanner (20G06A). Control panel: 6 lights (Shortcut, Duplex, Error); 5 button (Power, Scan, Duplex, Shortcut Select, Cancel). Scanner specifications: Scanner type ADF; CIS scanning technology; Flatbed; Scan technology: ADF; Flatbed; Contact Image Sensor (CIS); Scan input modes: Scan front-panel function: Save as PDF, Save as JPEG, Scan to E-mail, Send to Cloud and Scan to USB. HP Scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN.; Twain version: Version 2.4; Colour scanning: Yes; Output resolution dpi settings: 150; 200; 300; 400; 500; 600; 1200 ppi; Image scaling or enlargement range: Will not perform any arbitrary scaling Scan speed Up to 30 ppm/60 ipm (b& w, gray and color, 300 dpi). Scan resolution: Optical Up to 600 dpi; Hardware: Up to 600 x 1,200 dpi. Scan file format: For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV. Scanner advanced features: One pass duplex scanning; Configurable Scan shortcuts. Duty cycle: Recommended daily duty cycle: 3000 pages (ADF). Auto document feeder capacity: Standard, 60 sheets. Connectivity: Standard USB 3.0. Memory: Standard 256 MB. Media handling: Media types Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index). Media size (ADF): Letter; Legal; Executive; A4; A5; A6; B5; B5 (JIS). Media weight (ADF): 49 to 120 g/m2. Compatible operating systems: Win 7 or higher; Mac OS 10.14(Mojave) or higher. Minimum system requirements: PC: MicrosoftÂ® WindowsÂ® (11, 10, 8.1, 7 : 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019); 2 GB available hard disk space, Internet connection, MicrosoftÂ® Internet Explorer or any browser. Software included: HP Scanner Device Driver, HP WIA scan driver, HP TWAIN scan driver, HP Scan, HP Scanner Tools Utility, HP Windows Installer, ISIS driver.
PRHP20G07A	R 11,057	HP 20G07A ScanJet Pro N4600 fnw1 A4 Document Scanner, Flatbed, ADF, ADF up to 600 dpi Scan Resolution Optical, Up to 1200 dpi Colour and mono Flatbed Scan Resolution Optical, 6000 pages recommended daily duty cycle, 24-bit (External), Bit depth, 48-bit (Internal) Bit depth, Up to 40 PPM/80 ipm automatic Document feeder Scan speed, Automatic Document feeder 100 sheets capacity standard, Duplex ADF scanning, Multifeed detection, Light emitting Diode (LED) light source (Scanning), Ethernet 10/100/1000 BASE-T, USB 3.0, WiFi 802.11 b/g/n, WiFi direct
PRHP20G08A	R 20,322	HP ScanJet Enterprise Flow N6600 Fnw1 Document Scanner, ADF / CIS scanning technology / Flatbed Scanner Type, Up to 600 dpi Scan Resolution Optical, 8000 pages commended daily duty cycle, Up to 50 ppm / automatic Document feeder Scan speed, Standard 100 sheets automatic Document feeder capacity, Duplex ADF scanning, Single-pass Duplex scanning, Multifeed detection, Light emitting Diode (LED) light source (Scanning), Ethernet 10/100/1000 BASE-T, USB 3.0, WiFi 802.11 b/g/n, WiFi direct, 2.8-in Touchscreen Display
PRHP6FW06A	R 5,620	HP 6FW06A ScanJet Pro 2000 S2 A4 sheet-feed Colour Scanner, Single Function sheet-feed Scanner, Fast scan speeds up to 35ppm, 50-page automatic Document feeder (ADF), Automatic two-sided scanning that captures both sides at once, Scan up to 3500 pages per day, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Single-pass duplex, USB 3.0
PRHP6FW07A	R 7,022	HP 6FW07A ScanJet Pro 3000 s4 sheet-feed A4 Colour Scanner, Single Function sheet-feed Scanner, Fast scan speeds up to 40ppm, 50-page automatic Document feeder (ADF), Automatic two-sided scanning, Scan up to 4000 pages per day, Sheetfed Scanner Type, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Multifeed detection, Single-pass duplex, USB 3.0
PRHP6FW08A	R 9,385	HP 6FW08A ScanJet Pro N4000 snw1 A4 sheet-feed Scanner, Up to 600 dpi scan Resolution optical, 4000 pages recommended daily duty cycle, 256 levels of Grayscale, Multifeed detection, Standard 50 sheets automatic Document feeder capacity, Up to 40 ppm automatic Document feeder speed, Single-pass duplex, 216 x 3100 mm

		scan size (ADF) Maximum, Ethernet 10/100 BASE-T, USB 3.0, Wi-Fi 802.11 b/g/n, Wi-Fi direct
PRHP6FW09A	R 10,764	HP 6FW09A ScanJet Enterprise Flow 5000 S5 sheet-feed A3 Colour Scanner, Built-in Software, 80-page automatic Document feeder, Scan at up to 65 PPM/130 ipm, Recommended for 7500 pages per day, Simplify the way you scan A3-SIZE documents - no need for a carrier sheet, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Multifeed detection, Single-pass duplex, USB 3.0
PRHP6FW10A	R 13,671	HP 6FW10A ScanJet Enterprise Flow 7000 snw1 sheet-feed A3 Colour Scanner, Black-and-white scan speeds up to 75 PPM/150 ipm, Recommended for 7500 pages per day, Capture entire documents with one-pass duplex scanning up to 150 ipm, Wi-Fi direct, Up to 80 pages ADF, Simplify the way you scan A3-SIZE documents - no need for a carrier sheet, 10.9 cm (4.3") Colour Touchscreen, Scan directly to Mobile devices, Up to 600 dpi scan Resolution optical, 256 levels of Grayscale, Multifeed detection, Single-pass duplex, Ethernet 10/100/1000 BASE-T, USB 3.0, Wi-Fi 802.11 b/g/n, Wi-Fi direct
PRHPL2757A	R 13,479	HP ScanJet Enterprise Flow 7000 s3 Sheet-Feed Scanner, Single-pass Duplex Scanning Up to 75 ppm/150 ipm, up to 600 dpi, Recommended for 7,500 pages per day, 80-sheet ADF, Connectivity USB 2.0 port, optional Wi-Fi (L2761A) accessory, 2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED and Tool button, Scan file format: For text & images: ePub 3.0, HTML 4.0, Excel file format (*.xls, *.xlsx), PowerPoint file format (*.pptx), Word (*.docx), WordPerfect (*.wpd), searchable PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf), XML and XPS
PRHPL2762A	R 49,460	HP Digital Sender Flow 8500 fn2 Document Capture Workstation - Flatbed Single-pass Duplex Scanning, up to 60 pages per minute (ppm)/120 images per minute ipm, up to 600 dpi, 100-Sheet ADF, STD 10/100/1000 Ethernet; 1 Hi-Speed USB Host (rear); Recommended for 5,000 pages per day, Full-SVGA Control Panel Display with HP Easy Select User Interface, Scan file Format: JPG, TIFF, MTIFF, PDF (image-only, searchable, high-compressed and AES encrypted), PDF/A, TXT, Unicode TXT, RTF, HTML (replaces L2719A)
PRHPL2763A	R 56,738	HP Scanjet Enterprise Flow N9120 fn2 Flatbed Scanner - Single-pass Duplex Scanning, up to 50 ppm/100 ipm , up to 600 dpi, 200-sheet ADF, 2 quick start buttons (Scan, Copy), Cancel, Tools, Powersave, Recommended for 5,000 pages per day, Scan file Format: PDF (image-only, searchable, MRC, PDF/A, encrypted), TIFF (single page, multi-page, compressed: G3, G4, LZW, JPEG), DOC, RTF, WPD, XLS, TXT, XML, XPS, HTML, OPF, JPG, BMP, PNG, Connectivity 1 Hi-Speed USB 2.0
ScanPartner SP-1125N	R 9,647	Fujitsu ScanPartner SP-1125N 25ppm / 50ipm A4 duplex ADF Gigabit Ethernet USB3.2 LED Office Scanner, Automatic Document feeder, Duplex, Single line CMOS-CIS x 2 Image sensor Type, RGB LED x 2 light source, 600 dpi optical Resolution, 50 sheets ADF capacity, 4000 sheets expected daily Volume, Overlap detection (Ultrasonic sensor), USB 3.2 Gen 1x1 / USB 2.0 / USB 1.1, 10Base-T / 100Base-TX / 1000Base-T Ethernet
ScanSnap iX1300	R 8,511	Fujitsu ScanSnap iX1300 A4 30ppm / 60ipm Duplex Dual-Path ADF Desktop Scanner - WiFi / USB 3.2, Automatic Document feeder (ADF) / manual feed, LED light source, 2 x contact image sensor (CIS), Duplex scanning, Single pass Duplex, Wi-Fi 5, USB Type-B. Scan to folder, email, or to cloud Dropbox, SharePoint, Evernote, FileBound and Google Drive and more (*Private Wifi or mobile Phone tethering required for optional cloud scanning)
ScanSnap iX2500	R 12,532	Ricoh ScanSnap iX2500 A4 Duplex ADF Desktop Scanner - White, ADF (Automatic Document Feeder), Duplex scan, CIS x 2 Image Sensor, 3 Colour LED Light source, 600 dpi Optical Resolution, 45 ppm scanning Speed, 100 sheets ADF capacity, USB 3.2 Gen1, Wi-Fi, 5" Colour IPS Touch Screen LCD
SCCADR-C225II	R 6,465	Canon DR-C225 II Desktop Workgroup Document Scanner, J-Path feeder , 600dpi , 1500scans , 30sheet ADF , 25ppm B& W , 25ppm Colour , A4 2-sided , USB 2.0 , Windows & Mac, Software: CaptureOnTouch, Bizcard, eCopy PDF Pro Office (Win), Omnipage (Win), PaperPort (Win), PageManager (Mac)
SCCADR-F120	R 6,478	Canon DR-F120 Person Document Scanner, Desktop ADF & Flatbed, 2400dpi, 800scans, 50sheet ADF Flatbed, 20ppm B& W, 10ppm Colour, A4 2-sided, USB 2.0, Windows, Software: CaptureOnTouch
SCCADR-G2090	R 77,663	Canon DR-G2090 Production Scanner, High Volume & High Performance Scanner, 30000scans, 300sheet ADF, 75ppm/150ipm B& W , 75ppm/150ipm Colour, A3 2-sided, Long Length up to 5.588mm, USB 3.1, Wired LAN, Windows, Software: CapturePerfect, Kofax VRS
SCCADR-G2110	R 107,883	Canon DR-G2110 Production Scanner, High Volume & High Performance Scanner Canon DR-G2110 Production Scanner, High Volume & High Performance Scanner , 600dpi , 50000scans , 500sheet ADF, 90ppm/180ipm B& W , 90ppm/180ipm Colour, A3 2-sided, Long Length up to 5.588mm, USB 3.1, Wired LAN, Windows, Software:

		CapturePerfect, Kofax VRS
SCCADR-G2140	R 168,615	Canon DR-G2140 Production Scanner, High Volume & High Performance Scanner , 600dpi , 70000scans , 500sheet ADF, 140ppm/280ipm B& W & Colour, A3 2-sided, Long Length up to 5.588mm, USB 3.1, Wired LAN, Windows, Software: CapturePerfect, Kofax VRS
SCCADR-M1060ii	R 35,688	Canon DR-M1060ii A4 departmental Document sheet fed Scanner, 6049C003AA, CIS one-line Contact Image Sensor unit, 600 dpi Optical Resolution, RGB LED Light source, Simplex / Duplex scanning, USB 2.0, 60ppm / 120ipm - landscape Speed Black / Colour, From 7500 to 13000 scans/day suggested daily duty cycle, 3000mm Max Long Document mode
SCCADR-M140	R 14,158	Canon DR-M140 Departmental Document Scanner, U-Turn & Straight Paper Paths, 600dpi, 6000scans, 50sheet ADF, 40ppm B& W, 40ppm Colour, A4 2-sided, USB 2.0, Windows & Mac, Software: CaptureOnTouch, CapturePerfect (Win), Kofax VRS (Win), eCopy PDF Pro Office (Win)
SCCADR-M160II	R 14,899	Canon DR-M160 II Departmental Document Scanner, Outstanding Feeding reliability & Performance, 600dpi, 7000scans, 60sheet ADF, 60ppm B& W, 60ppm Colour, A4 2-sided, USB 2.0, Windows & Mac, Software: CapturePerfect (Win), CaptureOnTouch, eCopy PDF Pro Office (Win), Kofax VRS (Win)
SCCADR-M260	R 17,071	CANON DR-M260 Desktop Type Sheet Fed Scanner, 60ppm Scanning speed A4 (single sided), 80 page Automatic document feeder, Enhanced image quality using new on-board DR processor, Double-sided scanning with wide range of media, Efficient batch scanning, Large LCD panel with five-line display is mounted on the scanner for easy intuitive scanning, PDF creation and editing, Up to 7500 sheets per day 600dpi Optical resolution, USB3.1 Gen1
SCCALIDE300	R 1,610	Canon LiDE 300 RGB Scanner, USB-powered, 2400x2400 / 19200 dpi, preview 9sec, 48 48/24bit, 4x EZ buttons; with Z-lid - USB 2.0
SCCALIDE400	R 2,056	Canon LiDe 400 USB Powered Flatbed scanner. 4800 x 4800 dpi, 4 EZ Buttons, Upright scanning, Scan to cloud, USB Powered. USB powered,
SCCAP208II	R 2,785	Canon P-208II Personal Document Scanner, Portable USB-Powered, 600dpi, 100scans, 10sheet ADF, 8ppmB& W, 8ppm Colour, A4 2-sided, Windows & Mac, Software: CaptureOnTouch, CaptureOnTouch Lite, Presto! BizCard Reader
SCCAP215II	R 5,916	Canon P-215II Personal Document Scanner, Fast & Portable USB-Powered, 600dpi, 500scans, 20sheet ADF, Business Card Slot, 15ppmB& W, 10ppm Colour, A4 2-sided, Windows & Mac, Software: CaptureOnTouch, CaptureOnTouch Lite, Presto! BizCard Reader, PageManager (Mac), PaperPort (Win)
SCCASCANFRONT400	R 29,389	CANON imageFORMULA ScanFront 400 ADF Network Document Scanner, Intelligent network scanning, Duplex, Double-sided scanning, Ethernet LAN, Scan to Folder, Scan to FTP, Scan to email, Scan to USB memory, Scan to network printer, Scan to fax, 600dpi Optical resolution, RGB LED Light source, 3x USB 2.0 (for USB Memory / Keyboard / Mouse / etc), 10.1" LCD touch display WSGVA 1024x600, Approx. 6000 scans/day Daily duty cycle, 45ppm / 90ipm scanning speed
SN-C400	R 30,090	Canon imageFORMULA 400 - Dedicated Document Scanner - space-saving vertical stand, 10.1" colour LCD touchcreen with USB keyboard mouse support, 60-sheets single-pass duplex ADF, 90iPM/45PPM, 600x600 dpi, 6000pages duty cycle per day, up to 3m long document, scan to: email/ ftp/ fax/ print/ USB - 3x usb 2.0 gigabit network ready (Order on request)
SN-CDR6010C	R 32,232	Canon imageFORMULA DR-6010C - dedicated document scanner - with selectable paper paths, 100-sheets single-pass duplex ADF, 120iPM/60PPM, 600x600 dpi, 7500pages duty cycle per day, up to 3m long document - USB 2.0 SCSI-3 (Order on request)
SN-CDR6030C	R 59,692	Canon imageFORMULA DR-6030C - A3 dedicated document scanner - with selectable paper paths, 100-sheets single-pass duplex ADF, 160iPM/80PPM, 600x600 dpi, 10000pages duty cycle per day, up to 3m long document - USB 2.0 SCSI-3
SN-CDRC225ii	R 8,625	Canon imageFORMULA DR-C225 ii - dedicated document scanner - space-saving vertical stand, 30-sheets Duplex ADF (duplex scanning), 50iPM/25PPM, 600x600 dpi, 1500pages duty cycle per day - USB 2.0 (Order on request)
SN-CDRC225Wii	R 6,803	Canon imageFORMULA DR-C225W ii - dedicated document scanner - space-saving vertical stand, 30-sheets Duplex ADF (duplex scanning), 50iPM/25PPM, 600x600 dpi, 1500pages duty cycle per day - USB 2.0 WiFi network ready (Order on Request)

SN-CDRC230	R 8,531	Canon imageFORMULA DR-C230 - Dedicated Document Scanner - space-saving vertical stand, 60-sheets single-pass duplex ADF, 60iPM/30PPM, 600x600 dpi, 3500pages duty cycle per day, up to 3m long document - USB 2.0 (Order on request)
SN-CDRC240	R 11,500	Canon imageFORMULA DR-C240 - A4 document scanner. Dedicated document scanner - space-saving vertical stand, 60-sheets Duplex ADF (duplex scanning), 90iPM/45PPM, 600x600 dpi, 2000pages duty cycle per day - USB 2.0
SN-CDRF120	R 6,662	Canon imageFORMULA DR-F120 - dedicated document scanner - 50-sheets Duplex ADF (duplex scanning), 36iPM/20PPM, 2400x2400 dpi, 800pages duty cycle per day - USB 2.0
SN-CDRM1060	R 37,278	Canon imageFORMULA DR-M1060 - A3 dedicated document scanner - with selectable paper paths, 60-sheets single-pass duplex ADF, 120iPM/60PPM, 600x600 dpi, 7500pages duty cycle per day, up to 3m long document - USB 2.0 (Order on request)
SN-CDRM140	R 13,754	Canon imageFORMULA DR-M140 - Dedicated Document Scanner - with selectable paper paths, 50-sheets single-pass duplex ADF, 80iPM/40PPM, 600x600 dpi, 6000pages duty cycle per day, up to 3m long document - USB 2.0 (Order on request)
SN-CDRM160	R 14,181	Canon imageFORMULA DR-M160 - Dedicated Document Scanner - space-saving vertical stand, 60-sheets single-pass duplex ADF, 120iPM/60PPM, 600x600 dpi, 7000pages duty cycle per day, up to 3m long document - USB 2.0 (Order on request)
SN-CDRM260	R 16,248	Canon imageFORMULA DR-M260 - Dedicated Document Scanner - space-saving vertical stand, 80-sheets single-pass duplex ADF, 120iPM/60PPM, 600x600 dpi, 7500pages duty cycle per day, up to 3m long document - USB 3.0 (Order on Request)
SN-CDRX10C	R 207,300	Canon imageFORMULA DR-X10C - A3 dedicated document scanner - with selectable paper paths, 500-sheets single-pass duplex ADF, 260iPM/130PPM, 600x600 dpi, 60000pages duty cycle per day, up to 3m long document - USB 2.0 SCSI-3 (Order on request)
SN-CP208	R 2,786	Canon P-208 High Speed Document Scanner, USB-powered, 312x55x40mm portable compact size, duplex scanning, 16ipm/8ppm, 10s ADF. non-flat-bed - 600 dpi, 24bit - USB 2.0, support optional WU10 w/less unit
SN-CP215	R 6,013	Canon P-215 high speed document scanner, usb-powered, 280x95x40mm portable compact size, duplex scaning, 30ipm/15ppm, 20s ADF. non-flat-bed - 600 dpi, preview 3sec, 24bit - usb 3.0.
SN-H2500F1	R 8,024	HP L2747A scanjet pro 2500F1 - with 50 sheets duplex ADF (20ppm/40ipm), 600x1200 dpi, 24bit, 5 x quick buttons, recommended duty: 1500pages per day - USB (Order on request)
SN-H3500F1	R 9,507	HP L2741A Scanjet pro 3500F1 - with 50 sheets duplex ADF (25ppm/50ipm) 2 lines LCD, 600x1200 dpi, 24bit, 5 x quick buttons, recommended duty: 3000pages per day - USB (Order on request)
SN-H4500FN1	R 16,816	HP L2749A Scanjet pro 4500FN1 Document Scanner with flatbed sheet feed scan, gigabit network ready, A4, 50 sheets single-pass duplex ADF (30ppm/ 60ipm), 600/1200dpi, 24bit, 7.11cm color touchscreen 3 buttons, recommended duty (flat/adf): 100/4000pages per day - USB 3.0 (2.0 backwards compatible) UTP (Order on request)
SN-H7000S3	R 16,848	HP L2757A Scanjet 7000S3 Document Scanner, A4, sheet-feed/ non-flatbed, 80 sheets single-pass duplex ADF, 75ppm/150ipm, hardware 600dpi, 48bit, recommended duty: 7500 pages per day - USB 3.0 (Order on request)
SV600	R 21,632	Fujitsu ScanSnap SV600 Contactless overhead document scanning solution; Format < A8 up to A3; Document thickness up to 30mm; USB 2.0 (cable in the box); Software for WIN and Mac OS: CardMinder, Quick Menu, ABBYY Fine Reader for ScanSnap; Software for Win OS only: Organizer, Rack2-Filer Smart with Magic Desktop, Acrobat XI Std.; Black Background desktop pad included

< Return to the menu

Scanner peripherals

Product code	Price	Description
B808411	R 8,419	Epson B12B808411 Network Interface Panel for scanners Comaptible with Epson WorkForce DS-5500N / Epson Workforce DS-5500 / Epson Workforce DS-6500 / Epson Workforce DS-7500 / Epson WorkForce DS-6500N / Epson WorkForce DS-7500N / Epson WorkForce DS-50000 / Epson WorkForce DS-50000N / Epson WorkForce DS-60000 / Epson WorkForce DS-60000N / Epson WorkForce DS-70000 / Epson WorkForce DS-70000N

B813431	R 840	Epson B12B813431, Carrier Sheet x5GT-S50/GT-S80
B813481	R 1,693	Epson B813481 Roller Assembly Kit, Compatible with --> Epson WorkForce DS-6500, DS-6500N, DS-7500, DS-7500N scanners
B813501	R 1,401	Epson B12B813501 Roller Assembly Kit for scanners, Compatible with Epson WorkForce DS-60000N / Epson WorkForce DS-60000 / Epson WorkForce DS-70000 / Epson WorkForce DS-70000N
B819031	R 1,425	Epson B12B819031 Roller Assembly Kit for scanners, Compatible with WorkForce DS-530 / Flatbed Scanner Dock / WorkForce DS-530N / WorkForce DS-570W
B819051	R 1,341	Epson B12B819051 Carrier Sheet for scanners, Compatible with WorkForce DS-530 / Flatbed Scanner Dock / WorkForce DS-530N / WorkForce DS-570W
B819381	R 572	Epson B12B819381 Roller Assembly Kit for scanners, Compatible with WorkForce DS-410
BROTHER CAEBSBMS1	R 345	Brother CAEBSBMS1 Embossing Metal Sheet - Bronze, incl. 2 x sheets
BROTHER CAEBSKIT1	R 1,035	Brother CAEBSKIT1 Embossing Starter Kit; Incl. Embossing Mat, Template Sheet, Scanning Support Sheet, Metal Sheets with Self-adhesive Protective Sheets (1x Silver & 1x Brass), Embossing Tool Holder, Embossing Tools, Activation Code for SNC Canvas
BROTHER CAEBSSMS1	R 184	Brother CAEBSSMS1 Embossing Metal Sheet - Silver, incl. 2 x sheets
BROTHER CAMATS24	R 633	Brother CAMATS24 Scanning Mat 12" x 24"
BROTHER CAPEN1	R 265	Brother CAPEN1 Color Pen Set - Permanent (Includes 6 colours - Blue, Pink, Brown, Black, Orange & Green)
BROTHER CASPHK1	R 288	Brother CASPHK1 Spatula and Hook Set
BROTHER CASTBL1	R 173	Brother CASTBL1 Iron-On Fabric Applique Contact Sheet - 1 x Sheet
BROTHER CASTCL1	R 242	Brother CASTCL1 Stencil Sheet - 12" x 24" , 1 x Sheet
BROTHER CAUNIPHL1	R 265	Brother CAUNIPHL1 Universal Pen Holder
CON-3450-1200K	R 10,120	Fujitsu CON-3450-1200K includes 2x pick rollers & 2x separation rollers & 2x brake rollers & 2x separation pads, Estimated life up to 1.2 million scans, 2 pack, For FI-5950 / FI-5900C scanners
CON-3540-400K	R 2,187	Fujitsu CON-3540-400K includes 2x pick rollers and 2x brake rollers, Estimated life up to 400K scans, For FI-6130 / FI-6130Z / FI-6230 / FI-6230Z / FI-6140 / FI-6140Z / FI-6240 / FI-6240Z scanners
CON-3541-100K	R 1,328	Fujitsu CON-3541-100K includes 1x pick roller and 1x separation roller, Estimated life up to 100K scans, Compatible with --> S1300I / S1300 / S300 / S300M scanners
CON-3575-1200K	R 5,816	Fujitsu CON-3575-1200K includes 2x pick rollers & 2x separation rollers & 2x brake rollers, Estimated life up to 1.2 million scans, For FI-6400 / FI-6800 scanners, Double Pack
CON-3575-600K	R 4,048	Fujitsu CON-3575-600K includes 1x pick roller & 1x separation roller & 1x brake roller, Estimated life up to 600K scans, For FI-6400 / FI-6800 scanners, Single Pack
CON-3670-400K	R 2,666	Fujitsu CON-3670-400K includes 2x pick rollers and 2x brake rollers, Estimated life up to 400K scans, For FI-7140 / FI-7240 / FI-7160 / FI-7260 / FI-7180 / FI-7280 scanners
CON-3706-200K	R 1,206	Fujitsu CON-3706-200K includes 1x pick roller and 1x brake roller, Estimated life : up to 200K scans, For FI-7030 / N7100 / N7100A scanners
CON-3708-100K	R 1,048	Fujitsu CON-3708-100K Includes 2x Pick Rollers and 1x Brake Roller, Estimated Life: Up to 100K scans, For SP-1120 / SP-1125 / SP-1130 scanners
CON-3710-400K	R 2,666	Fujitsu CON-3710-400K includes 2x pick rollers and 2x brake rollers, Estimated life up to 400K scans, For FI-7460 / FI-7480 scanners
CON-3740-500K	R 9,995	Fujitsu CON-3740-500K includes 2x pick rollers and 2x brake rollers, Estimated life up to 500K scans, For FI-7600 / FI-7700S / FI-7700 scanners
CON-CLE-W24	R 730	Fujitsu Pack of 24x F1 Cleaning Wipes for Fujitsu scanners - All models
CON-CLE-W72	R 1,555	Fujitsu CON-CLE-W72 Pack of 72x F1 Cleaning Wipes for Fujitsu scanners
PA03360-0013	R 984	Fujitsu ScanSnap Carrier sheets (5 sheets), Enables image-stitching for A3 document scanning. Enables damaged documents to be scanned. For use in ScanSnap iX100; ScanSnap iX500; ScanSnap S510; ScanSnap S510M; ScanSnap S500; ScanSnap S500M; ScanSnap S1100; ScanSnap S1100i; ScanSnap S1500; ScanSnap S1500M; ScanSnap fi-5110EOX;
PA03541-0004	R 643	Fujitsu ScanSnap S1300i Softcase, Soft transport case for S1300i series. Also fits S1300 series.
PA03688-0101	R 1,206	Fujitsu PA03688-0101 Hard transport case for iX100 portable scanner

PA03770-0015	R 539	Fujitsu PA03770-0015 Transparent sleeves for scanning photographs and postcards
PRHPC9943B	R 542	Automatic document feeder (ADF) cleaning cloth - Package of ten cloths (Replace 9934A)
SC-CLE-HV	R 748	Fujitsu SC-CLE-HV includes 1 bottle of F1 cleaner & 1 bottle of F2 cleaner & 75 sheets of lint-free cloth, Note : F2 cleaner is for metal parts only, Not for use on rubber rollers

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Screens

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Security products & CCTV

Alarm systems

Alarm systems : AJAX smart alarm

Product code	Price	Description
AJAX-AD-DH-B	R 133	Ajax - Automation - Black DIN holder bracket for the Ajax relay or WallSwitch for a DIN Rail, For AJAX-AD-RELAY or AJAX-AD-WS-B, 1940696-132-BL
AJAX-AD-RELAY-B	R 654	Ajax - Automation - Black dry contact relay to control 12-24V Power Supply remotely, Operates in bistable / Pulse modes, Protects against overcurrent & voltage surges, Control Power, 1948524-19-NC1
AJAX-AD-WS-B	R 713	Ajax - Automation - Black WallSwitch, Power relay to control 100/230V Power Supply remotely, Protects against overcurrent and voltage surges, Operates in bistable / Pulse modes, Power control, 1948523-13-BL1
AJAX-CP-G	R 1,569	Ajax Manual Call Point Jeweller - Green, Wireless Resettable Button featuring programmable scenarios., Up to 1700 m Radio signal range, 2x CR123A batteries, The batteries can last up to 7 years.
AJAX-CP-INDR-B	R 1,428	AJAX - CombiProtect - Black Wired Combined Motion & Glass Break Detector, Detection up to 12m, 88.5 degree horizontal & 80 degree vertical viewing, Pet Immune, Smart Detect, Electret Microphone, 1948505-06-BL1
AJAX-CP-INDR-W	R 1,429	AJAX - CombiProtect - White Wired Combined Motion & Glass Break Detector, Detection up to 12m, 88.5 degree horizontal & 80 degree vertical viewing, Pet Immune, Smart Detect, Electret Microphone, 1948506-06-WH1
AJAX-CP-R	R 1,481	Ajax Manual Call Point Jeweller - Red, Wireless Resettable Button featuring programmable scenarios., Up to 1700 m Radio signal range, 2x CR123A batteries, The batteries can last up to 7 years.
AJAX-DC-PSU	R 408	AJAX - 4.2V-16V DC PSU Power Converter for the Hub 2 and Hub 2 Plus, For AJAX-HUB-2-4G-B or AJAX-HUB-2-4G-W or AJAX-HUB-2-PLUS-B or AJAX-HUB-2-PLUS-W, 1920763-78-NC
AJAX-DC-PSU-12V	R 332	Ajax - 12V DC PSU Power converter for the Hub 2 / Hub 2 Plus / ReX 2
AJAX-DP-INDR-B	R 597	Ajax - DoorProtect Jeweller - Black Indoor Wireless opening detector, Up to 7 years Battery Life, Suitable for doors and Windows, Battery powered, Remote control & setup, 1948493-03-BL1
AJAX-DP-INDR-W	R 575	Ajax - DoorProtect Jeweller - White Indoor Wireless opening detector, Up to 7 years Battery Life, Suitable for doors and Windows, Battery powered, Remote control & setup, 1948494-03-WH1
AJAX-DP-PLUS-INDR-B	R 918	Ajax - DoorProtect Plus Jeweller - Black Indoor opening detector with Shock and Tilt sensors, Up to 5 years Battery Life, Battery powered, Adjustable Tilt angle for alarm triggering, 1948497-21-BL1
AJAX-DP-PLUS-INDR-W	R 919	Ajax - DoorProtect Plus Jeweller - White Indoor opening detector with Shock and Tilt sensors, Up to 5 years Battery Life, Battery powered, Adjustable Tilt angle for alarm triggering, 1948497-21-WH1
AJAX-FP-2-RB-INDR-B	R 2,018	Ajax - Black Wireless FireProtect 2 RB (Heat / Smoke / CO) detector Jeweller, Dual-Spectrum Optical Sensor to prevent false alarms, Built-In Siren, Up to 7 years Battery Life, Recognizes Smoke by the size of particles in the air., Does not React to Water vapor., Chemical CO Sensor
AJAX-FP-2-RB-INDR-W	R 1,869	Ajax - White Wireless FireProtect 2 RB (Heat / Smoke / CO) detector Jeweller, Dual-Spectrum Optical Sensor to prevent false alarms, Built-In Siren, Up to 7 years Battery Life, Recognizes Smoke by the size of particles in the air., Does not React to Water vapor., Chemical CO Sensor

AJAX-GP-INDR-B	R 1,073	Ajax - GlassProtect Jeweller - Black Wireless Indoor Glass Break detector, Up to 9m Glass Break detection, 180 degree detection angle, Built-battery up to 7 years, 1948495-05-BL1
AJAX-GP-INDR-W	R 1,021	Ajax - GlassProtect Jeweller - White Wireless Indoor Glass Break detector, Up to 9m Glass Break detection, 180 degree detection angle, Built-battery up to 7 years, 1948496-05-WH1
AJAX-HS-INDR-B	R 1,021	Ajax - HomeSiren Jeweller - Black Indoor Compact Wireless Siren, 80-98 dB ajustable Volume, Opening door notifications, Up to 5 years Battery Life, Duration 3-180s, 1948533-11-BL1
AJAX-HS-INDR-W	R 953	Ajax - HomeSiren Jeweller - White Indoor Compact Wireless Siren, 80-98 dB ajustable Volume, Opening door notifications, Up to 5 years Battery Life, Duration 3-180s, 1948534-11-WH1
AJAX-HUB-2-4G-B	R 4,893	Ajax - Hub 2 Black 4G with Control Panel & Photo verification, 2x SIM and Ethernet Port, Support up to 100 devices, 50 users & 9 groups, 2 / 3 / 4G SIM cards, Built-In Battery, Indoor, 1933151-108-BL1
AJAX-HUB-2-4G-W	R 4,658	Ajax - Hub 2 White 4G with Control Panel & Photo verification, 2x SIM and Ethernet Port, Support up to 100 devices, 50 users & 9 groups, 2 / 3 / 4G SIM cards, Built-In Battery, Indoor, 1933152-108-WH1
AJAX-HUB-2-PLUS-B	R 5,656	Ajax - Hub 2 Black Plus with Advanced Control Panel & Alarm photo verification, 2 SIM, Ethernrt, And Wi-Fi, Support up to 200 devices, 200 users & 25 groups, 2, 3, 4G, LTE SIM cards, Built-In Battery, Indoor, 1948509-40-BL1
AJAX-HUB-2-PLUS-W	R 6,333	Ajax - Hub 2 White Plus with Advanced Control Panel & Alarm photo verification, 2 SIM, Ethernrt, And Wi-Fi, Support up to 200 devices, 200 users & 25 groups, 2, 3, 4G, LTE SIM cards, Built-In Battery, Indoor, 1948510-40-WH1
AJAX-HUB-4G-B	R 3,049	Ajax Security - Hub Black 4G with Control Panel - 1x 4G SIM and Ethernet Port, AJAX-HUB-4G-W, Support up to 100 devices, 50 users & 9 groups, 4G SIM Card, Built-In Battery, Indoor, Up to 10 sirens and 1 Range Extender, Up to 2000 m Radio communication range, 1992211-259-BL1
AJAX-HUB-4G-W	R 3,049	Ajax Security - Hub White 4G with Control Panel - 4G SIM and Ethernet Port, AJAX-HUB-4G-W, Support up to 100 devices, 50 users & 9 groups, 4G SIM Card, Built-In Battery, Indoor, Up to 10 sirens and 1 Range Extender, Up to 2000 m Radio communication range, 1992210-259-WH1
AJAX-IC-B	R 3,640	Ajax Security Indoor Black 4MP WiFi camera with PIR & AI, AJAX-IC-W, 12V PSU, 4MP camera up to 2688x1520 Resolution, H.264 Video Codec, 2.4GHz Wi-Fi, Up to 8m Smart IR illumination, Microphone for 2 way Audio, 1x PIR Sensor, Up to 4 m Motion Detection distance, 111567.303.BL1
AJAX-IC-W	R 3,059	Ajax Security Indoor White 4MP WiFi camera with PIR & AI, AJAX-IC-W, 12V PSU, 4MP camera up to 2688x1520 Resolution, H.264 Video Codec, 2.4GHz Wi-Fi, Up to 8 m Smart IR illumination, Microphone for 2 way Audio, 1 x PIR Sensor, Up to 4 m Motion Detection distance, 111566.303.WH1
AJAX-KP-B	R 1,632	Ajax - Keypad Jeweller - Wireless Black Indoor Keypad, Up to 2 years of Battery Life, Remote control via App, Panic Button, Two-stage arming, 1948489-12-BL1
AJAX-KP-PLUS-B	R 2,037	Ajax - Keypad Plus Jeweller - Wireless Black Indoor Keypad, Up to 4.5 years of Battery Life, Remote control via App, Panic Button, Two-stage arming, Contactless, 1948491-83-BL1
AJAX-KP-PLUS-W	R 2,039	Ajax - Keypad Plus Jeweller - Wireless White Indoor Keypad, Up to 4.5 years of Battery Life, Remote control via App, Panic Button, Two-stage arming, Contactless, 1948492-83-WH1
AJAX-KP-TS-B	R 5,128	Ajax - Black Wireless Keypad Touch Screen, Up to 1700 m Radio signal range, 5" IPS 480x854 diagonal Display, Capacitive Sensor, Panic buttons, Access codes, Duress codes, Tamper alarm, 6 x AA batteries, Up to 1.5 years calculated Battery Life
AJAX-KP-TS-W	R 4,812	Ajax - White Wireless Keypad Touch Screen, Up to 1700 m Radio signal range, 5" IPS 480x854 diagonal Display, Capacitive Sensor, Panic buttons, Access codes, Duress codes, Tamper alarm, 6 x AA batteries, Up to 1.5 years calculated Battery Life
AJAX-KP-W	R 1,587	Ajax - Keypad Jeweller - Wireless White Indoor Keypad, Up to 2 years of Battery Life, Remote control via App, Panic Button, Two-stage arming, 1948490-12-WH1
AJAX-LC-1-GANG	R 956	Ajax LightCore (1-Gang) Smart Switch Jeweller, Does not include cover, Touch-Sensitive panel, Lighting control via App, Supports auto timers
AJAX-LC-2-GANG	R 1,130	Ajax LightCore (2-Gang) Smart Switch Jeweller, Does not include cover, Touch-Sensitive panel, Lighting control via App, Supports auto timers
AJAX-LC-2W-1-GANG	R 1,036	Ajax - LightCore (2 way) Relay for light Switch, From 5 to 600 W Power of switched device, LightSwitch only needs

		a live wire to operate
AJAX-LP-B	R 815	Ajax - LeaksProtect - Black Wireless leak detector, Tool-Free installation, Notifies when water is drying, IP56, Up to 5 years of Battery Life, 1948525-08-BL1
AJAX-LP-W	R 887	Ajax - LeaksProtect - White Wireless leak detector, Tool-Free installation, Notifies when water is drying, IP56, Up to 5 years of Battery Life, 1948526-08-WH1
AJAX-LQ-SNSR-B	R 4,484	Ajax - LifeQuality Wireless Smart Air Quality Monitor - Black, Digital temperature and Humidity Sensor, Carbon dioxide concentration measurement, From 400 to 10000 ppm measurement range, 2 x CR123A Battery, Up to 2.5 years of autonomous operation.
AJAX-LQ-SNSR-W	R 3,449	Ajax - LifeQuality Wireless Smart Air Quality Monitor - White, Digital temperature and Humidity Sensor, Carbon dioxide concentration measurement, From 400 to 10000 ppm measurement range, 2 x CR123A Battery, Up to 2.5 years of autonomous operation.
AJAX-MC-INDR-B	R 2,341	Ajax - MotionCam Jeweller - Black Wireless Indoor Motion Detector with photo camera, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1948501-23-BL1
AJAX-MC-INDR-W	R 2,344	Ajax - MotionCam Jeweller - White Wireless Indoor Motion Detector with photo camera, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1948502-23-WH1
AJAX-MC-OUT-W	R 4,091	AJAX - MotionCam Jeweller - White Wireless Outdoor Motion Detector with Photo Verification, 2x PIR Sensors, Horizontal 90 degrees Motion Detection, Photo by demand or alarm, Battery Powered, 1948536-84-WH1
AJAX-MC-PHOD-INDR-B	R 2,567	Ajax - MotionCam (PhOD) Jeweller - Black Wireless Motion Detector with Photo on Demand and by alarm, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1936488-120-BL1
AJAX-MC-PHOD-INDR-W	R 2,565	Ajax - MotionCam (PhOD) Jeweller - White Wireless motion deteror with Photo on Demand and by alarm, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1936489-120-WH1
AJAX-MC-PHOD-OUT-HM-W	R 5,641	Ajax Security - HighMount Outdoor motion Cam with Photo on Demand, AJAX-MC-PHOD-OUT-HM-W, 2x PIR sensors, Horizontal 90 degrees Motion Detection, 2-4 meter installation height, Photo by demand or Alarm, Battery Powered
AJAX-MC-PHOD-OUT-W	R 4,253	Ajax - MotionCam (PhOD) Jeweller - White Wireless Outdoor Motion Detector with Photo on Demand, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1936489-120-WH1
AJAX-MP-CRT-B	R 1,234	Ajax - MotionProtection - Black Wireless Indoor Motion Narrow Detector for Windows & doors, Detection up to 15m, Vertically 90 degrees & horizontally 6 degrees, Battery last up to 3 years, Two PIR sensors, 1948545-36-BL1
AJAX-MP-CRT-OUT-W	R 2,466	Ajax Security Outdoor Curtain Motion Sensor White with PIR & Microwave, AJAX-MP-CRT-OUT-W, Detection up to 15m, Battery up to 3 years, Anti-Masking protection, Pet Immunity, Independent zones, Up to 1700 m Radio communication range, 2 x PIR sensors, 1 x K-Band Microwave Sensor, 2 x CR123A Battery Pre-Installed, Up to 3 years Battery Life, 101441.289.WH1
AJAX-MP-CRT-W	R 1,185	Ajax - MotionProtection - White Wireless Indoor Motion Narrow Detector for Windows & doors, Detection up to 15m, Vertically 90 degrees & horizontally 6 degrees, Battery last up to 3 years, Two PIR sensors, 1948546-36-WH1
AJAX-MP-DUAL-OUT-W	R 3,059	Ajax - DualCurtain White Outdoor Bi-Directional Motion Sensor, Detection up to 15m, Battery up to 4 years, Anti-Masking protection, Pet immunity, Independent zones, 1949036-81-WH1
AJAX-MP-HOOD-OUT-W	R 191	AJAX - MotionProtect Outdoor Hood for AJ-MP-DUAL-OUT-W, 1920309-60-WH1
AJAX-MP-INDR-B	R 919	Ajax - MotionProtect - Black Wireless Pet Immune Indoor Motion Detector, Detection up to 12m, 88.5 degrees horizontal and 80 degrees Vertical viewing, Pets immune up to 20kg, Smart detect, 1948499-09-BL1
AJAX-MP-INDR-W	R 861	Ajax - MotionProtect - White Wireless Pet Immune Indoor Motion Detector, Detection up to 12m, 88.5 degrees horizontal and 80 degrees Vertical viewing, Pets immune up to 20kg, Smart detect, 1948500-09-WH1
AJAX-MP-OUT-W	R 2,462	Ajax - MotionProtect - White Wireless Outdoor Motion Detector with Anti-Masking & Pet Immunity, Detection up to 15m, Horizontal 90 degrees, 3 adjustable levels, Battery Life up to 5-years, 1948535-33-WH1
AJAX-MP-PLUS-INDR-B	R 1,348	Ajax - MotionProtect Plus - Black Wireless Pet Immune Indoor Motion Detector Thermal Filter Tech, Detection up to 12m, 88.5 degrees horizontal and 80 degrees Vertical viewing, Pets immune up to 20kg, Smart detect,

		1948503-02-BL1
AJAX-MP-PLUS-INDR-W	R 1,428	Ajax - MotionProtect Plus - White Wireless Pet Immune Indoor Motion Detector Thermal Filter Tech, Detection up to 12m, 88.5 degrees horizontal and 80 degrees Vertical viewing, Pets immune up to 20kg, Smart detect, 1948504-02-WH1
AJAX-MT-INDR-B	R 2,262	Ajax - MultiTransmitter Jeweller - Black Indoor module for connecting Wired alarms to Ajax systems, 18 zones for connecting devices, Sabotage-proof body, 3 Power lines, Add Backup Battery, 1920354-62-BL1
AJAX-MT-INDR-W	R 2,547	Ajax - MultiTransmitter Jeweller - White Indoor module for connecting Wired alarms to Ajax systems, 18 zones for connecting devices, Sabotage-proof body, 3 Power lines, Add Backup Battery, 1927321-62-WH1
AJAX-PB-B	R 490	AJAX - Button Jeweller - Black Wireless Smart Button for Panic and Control Modes, Panic & Control Modes, Selectable alarm type, Command execution, Up to 5 years in battery life
AJAX-PB-DOUBLE-B	R 509	AJAX - DoubleButton Jeweller - Double Black Wireless Smart Button for Panic and Control Modes, Panic & Control Modes, False alarm prevention, Up to 5 years in battery life, IP55, 1948552-79-BL1
AJAX-PB-DOUBLE-W	R 511	AJAX - DoubleButton Jeweller - Double White Wireless Smart Button for Panic and Control Modes, Panic & Control Modes, False alarm prevention, Up to 5 years in battery life, IP55, 1948553-79-WH1
AJAX-PB-H-B	R 79	AJAX - Black Button Holder for Button / DoubleButton Jeweller, For AJAX-PB-B or AJAX-PB-DOUBLE-B, 1921657-82-BL
AJAX-PB-H-W	R 81	AJAX - White Button Holder for Button / DoubleButton Jeweller, For AJAX-PB-B or AJAX-PB-DOUBLE-B, 1921658-82-WH
AJAX-PB-W	R 511	Ajax - Button Jeweller - White Wireless Smart Button for panic and control modes, Panic & control modes, Selectable alarm Type, Command execution, Up to 5 years in Battery Life, 1948551-26-WH1
AJAX-REX-2-INDR-B	R 2,629	Ajax - ReX 2 Jeweller - Black Indoor Radio signal Range Extender with photo verification, Transmits alarms in 0.3s, Operates up to 38 hours on its backup battery, Suitable for Motion Cams, 1948517-106-BL1
AJAX-REX-2-INDR-W	R 2,668	Ajax - ReX 2 Jeweller - White Indoor Radio signal Range Extender with photo verification, Transmits alarms in 0.3s, Operates up to 38 hours on its backup battery, Suitable for Motion Cams, 1948519-106-WH1
AJAX-REX-INDR-B	R 2,039	Ajax - ReX Jeweller - Black Indoor Radio signal Range Extender, Transmits alarms in 0.3s, Operates up to 35 hours on ITS Backup Battery, Remote updates, 1948515-37-BL1
AJAX-REX-INDR-W	R 1,957	Ajax - ReX Jeweller - White Indoor Radio signal Range Extender, Transmits alarms in 0.3s, Operates up to 35 hours on ITS Backup Battery, Remote updates, 1948516-37-WH1
AJAX-S-TR-INDR	R 815	AJAX - Single Transmitter Module for integrating wired third-party devices, 1948547-18-NC1
AJAX-SB-1-GANG-B	R 166	AJAX - Black SoloButton (1-GANG / 2-Way), For AJAX-LC-1-GANG
AJAX-SB-1-GANG-W	R 166	AJAX - White SoloButton (1-GANG / 2-Way), For AJAX-LC-1-GANG
AJAX-SB-2-GANG-B	R 176	Ajax - Black SoloButton 2-Gang, For AJAX-LC-2-GANG
AJAX-SB-2-GANG-W	R 187	Ajax - White SoloButton 2-Gang, For AJAX-LC-2-GANG
AJAX-SB-DIM-B	R 324	Ajax Security - Black SoloButton (Dimmer) Cover, AJAX-SB-DIM-B, 98607.257.BL1, Just the cover, Requires AJAX-LC-DIM
AJAX-SC-FOB-B	R 466	AJAX - SpaceControl Wireless Black Fob Remote, Up to 5 years battery life, Four Buttons, Support Panic Button, 1948527-04-BL1
AJAX-SC-FOB-W	R 511	AJAX - SpaceControl Wireless White Fob Remote, Up to 5 years battery life, Four Buttons, Support Panic Button, 1948528-04-WH1
AJAX-SP-B	R 1,819	Ajax AJAX-SP-W Security - Black Speakerphone Jeweller, Designed for quick Audio Alarm verification via direct voice calls between a monitoring Company and a secured site, Up to 1700 m Radio communication range, 3 W Output Speaker Power, Up to 103 dB Speaker Volume, 4 x CR123 Battery Pre-Installed, Up to 3 years Battery Life in a Standby mode., Up to 12 hours in a conversation mode, 87531.180.BL1
AJAX-SP-W	R 1,866	Ajax AJAX-SP-W Security - White Speakerphone Jeweller, Designed for quick Audio Alarm verification via direct voice calls between a monitoring Company and a secured site, Up to 1700 m Radio communication range, 3 W Output Speaker Power, Up to 103 dB Speaker Volume, 4 x CR123 Battery Pre-Installed, Up to 3 years Battery Life in a Standby mode., Up to 12 hours in a conversation mode, 87530.180.WH1
AJAX-SS-OUT-B	R 1,932	Ajax - StreetSiren Jeweller - Black Outdoor Wireless Siren, Ajustable Volume : 80-98 dB, IP54 rating, Up to 5 years Battery Life, Duration 3-180s, 1948529-07-BL1

AJAX-SS-OUT-W	R 2,038	Ajax - StreetSiren Jeweller - White Outdoor Wireless Siren, Ajustable Volume : 80-98 dB, IP54 rating, Up to 5 years Battery Life, Duration 3-180s, 1948530-07-WH1
AJAX-UNI-BRACKET	R 286	AJAX - Unversal Bracket for MotionProtect & MotionCam Outdoor Series, 19MCO-MPO-BRACKET
AJAX-VHF-B-INDR-W	R 1,899	Ajax - VHF Bridge Jeweller - White module for connecting Third Party VHF transmitters, Up to 75 hours of autonomous operation, Space for 7Ah Backup Battery, Adjustable signalling, 1925353-92-WH1
AJAX-WS-15-W	R 3,183	Ajax - White Wireless WaterStop with 15/15" mm Thread, Turn Water off in 5 seconds, Battery Life up to 3 years, Compatible with cold and Hot Water pipes, Electric actuator, Up to 8.5 nm Torque, Up to 10 bars operating Pressure, 4x CR123A Battery, Up to 3 years of Battery life.
AJAX-WS-20-W	R 3,588	Ajax - White Wireless WaterStop with 20/20" mm Thread, Turn Water off in 5 seconds, Battery Life up to 3 years, Compatible with cold and Hot Water pipes, Electric actuator, Up to 8.5 nm Torque, Up to 10 bars operating Pressure, 4x CR123A Battery, Up to 3 years of Battery life.
AJAX-WS-25-W	R 4,200	Ajax - White Wireless WaterStop with 25/25" mm Thread, Turn Water off in 5 seconds, Battery Life up to 3 years, Compatible with cold and Hot Water pipes, Electric actuator, Up to 8.5 nm Torque, Up to 10 bars operating Pressure, 4x CR123A Battery, Up to 3 years of Battery life.
AJX-BTN	R 459	Ajax Wireless alarm button / smart button - White, Configuring in the Ajax Mobile and Desktop apps
AJX-BTN-SC	R 459	Ajax SpaceControl Jeweller & 4-button Wireless Keyfob Remote, Features dedicated buttons for Arm, Disarm, Night mode and panic functions, Uses encrypted Two-Way communication via the Ajax Jeweller Radio Protocol, Provides a Wireless transmission range of up to 1300 meters in open Space, Includes LED indicator for Command confirmation feedback, Powered by one CR2032 Battery with a Life of up to 5 years
AJX-DP	R 551	Ajax - DoorProtect Jeweller - White Indoor Wireless opening detector, Up to 7 years Battery Life, Suitable for doors and Windows, Battery powered, Remote control & setup, 1948494-03-WH1
AJX-DP+	R 827	Ajax - DoorProtect Plus Jeweller - White Indoor opening detector with Shock and Tilt sensors, Up to 5 years Battery Life, Battery powered, Adjustable Tilt angle for alarm triggering, 1948497-21-WH1
AJX-DP-B	R 528	Ajax DoorProtect Jeweller Wireless Magnetic Door/Window opening detector - Black, Alarm signal delivery time of 0.15 seconds, Battery Life up to 7 years with one Pre-Installed CR123A Battery, Communication range up to 1200 meters in open Space, Sealed reed Switch rated for over 2 million openings, Small Magnet activation threshold of 1 cm and Large Magnet threshold of 2 cm, External NC Terminal for connecting third-party Wired detectors, Contact-chattering protection to Filter minor vibrations
AJX-FP-2RB	R 1,770	Ajax - White Wireless FireProtect 2 RB (Heat / Smoke / CO) detector Jeweller, Dual-Spectrum Optical Sensor to prevent false alarms, Built-In Siren, Up to 7 years Battery Life, Recognizes Smoke by the size of particles in the Air, Does not React to Water vapor, Chemical CO Sensor
AJX-H-H2+	R 5,749	Ajax Hub 2 Plus Jeweller - LTE Ethernet and WiFi Control Panel - White, Ethernet / WiFi / LTE communication channels, 200 connected devices, 5 connected rex, 25 groups, Indoors installation, 50 rooms, 64 scenarios, 2x LTE Micro SIM slots, Up to 2km transmission distance, 200 users, Visual alarm verification, Up to 100 cameras or dvrs Video support
AJX-H-H2-4G	R 4,829	Ajax Hub 2 Jeweller White 4G with Control Panel & Photo verification, 2x SIM and Ethernet Port, Support up to 100 devices, 50 users & 9 groups, 2 / 3 / 4G SIM cards, Built-In Battery, Indoor
AJX-H-H2-4G-B	R 4,967	Ajax Hub 2 (4G) Alarm Hub, Features Dual-SIM 4G / LTE and Ethernet connectivity for Multi-Channel Redundancy, Supports up to 100 Wireless devices including 25 IP cameras or dvrs, Delivers Photo verification via MotionCam detectors in under 9 seconds using Wings Protocol, Integrated Li-Ion Battery provides up to 16 hours of Backup Power, Operates on Jeweller and Wings Radio protocols with ranges up to 1700 meters, Supports 50 users across 9 Security Groups with 32 automated scenarios, Includes tamper Switch for enclosure opening detection and jamming protection
AJX-H-H4G	R 2,793	Ajax Security Hub 4G Jeweller White with Control Panel - 4G SIM and Ethernet Port, Support up to 100 devices, 50 users & 9 groups, 4G SIM Card, Built-In Battery, Indoor, Up to 10 sirens and 1 Range Extender, Up to 2000 m Radio communication range, 1992210-259-WH1
AJX-H-SKC+	R 9,199	Ajax StarterKit Cam Plus & complete starter Alarm kit with Photo verification, Includes Hub 2 Plus Jeweller with Ethernet, Wi-Fi and Dual SIM (4G) connectivity, Features MotionCam detector for Photo verification on Alarm events, DoorProtect Sensor provides opening detection for doors and Windows, HomeSiren delivers loud audible

		alerts during Alarm events, SpaceControl Remote allows convenient system Control, Expandable system supports up to 200 connected devices, Remote monitoring and Control available via Ajax Mobile and Desktop apps
AJX-KP	R 1,505	Ajax Keypad Jeweller - Wireless White Indoor Keypad, Up to 2 years of Battery Life, Remote control via App, Panic Button, Two-stage arming, 1948490-12-WH1
AJX-KP+	R 1,885	Ajax Keypad Plus Jeweller - Wireless White Indoor Keypad, Up to 4.5 years of Battery Life, Remote control via App, Panic Button, Two-stage arming, Contactless, 1948492-83-WH1
AJX-KP-TS	R 4,369	Ajax - White Wireless Keypad Touch Screen Jeweller, Up to 1700 m Radio signal range, 5" IPS 480x854 diagonal Display, Capacitive Sensor, Panic buttons, Access codes, Duress codes, Tamper alarm, 6 x AA batteries, Up to 1.5 years calculated Battery Life
AJX-M-CO	R 2,299	Ajax Security Outdoor Curtain Jeweller Motion Sensor White with PIR & Microwave, AJAX-MP-CRT-OUT-W, Detection up to 15m, Battery up to 3 years, Anti-Masking protection, Pet Immunity, Independent zones, Up to 1700 m Radio communication range, 2 x PIR sensors, 1x K-Band Microwave Sensor, 2x CR123A Battery Pre-Installed, Up to 3 years Battery Life, 101441.289.WH1
AJX-M-DCO	R 2,989	Ajax Wireless Outdoor Dual Curtain Motion Detector 30m, Anti-Masking, 868.0-868.6 MHz Frequency, 4x PIR Sensor, IP54, Ajax Dual Curtain Outdoor, 4.5 degree detection angle horizontal, 4 to 15 meters Motion Detection on each side, From 0.3 to 2 m/s Motion Detection Speed, Up to 4 years Battery Life
AJX-M-HOOD	R 183	Ajax MotionProtect Outdoor Hood, 1920309-60-WH1, Hood to Protect an Anti-Masking system from rain and Snow
AJX-M-MCI	R 2,069	Ajax MotionCam Jeweller - White Wireless Indoor Motion Detector with photo camera, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1948502-23-WH1
AJX-M-MCIP	R 2,333	Ajax MotionCam (PhOD) Jeweller - White Wireless motion deteror with Photo on Demand and by alarm, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1936489-120-WH1
AJX-M-MCO	R 3,702	AJAX MotionCam Jeweller - White Wireless Outdoor Motion Detector with Photo Verification, 2x PIR Sensors, Horizontal 90 degrees Motion Detection, Photo by demand or alarm, Battery Powered, 1948536-84-WH1
AJX-M-MCOP	R 4,093	Ajax MotionCam (PhOD) Jeweller - White Wireless Outdoor Motion Detector with Photo on Demand, 1x PIR sensor, Motion up to 12m, Horizontal 88.5 degrees & Vertical 80 degrees, Pet immunity, IR, Battery powered, 1936489-120-WH1
AJX-M-MP	R 804	Ajax MotionProtect - White Wireless Pet Immune Indoor Motion Detector, Detection up to 12m, 88.5 degrees horizontal and 80 degrees Vertical viewing, Pets immune up to 20kg, Smart detect, 1948500-09-WH1
AJX-M-MPN	R 1,091	Ajax MotionProtect Curtain Jeweller Wireless Indoor Motion Detector - White, Dual PIR Optical Sensor with multifaceted Mirror Technology, Detection Zone creates a narrow Curtain up to 15 meters Long, Communication range reaches up to 1700 m using encrypted Jeweller Protocol, Up to 3-year Battery Life Powered by one CR123A 3 V Cell, Alarm signal delivery time is 0.15 seconds for instant threat detection, Ignores pets when installed at recommended height of 2.4 m, Detection angles are 6 degrees horizontal and 90 degrees Vertical
AJX-M-MPN-B	R 1,091	Ajax MotionProtect Curtain Jeweller (Black), creates a narrow-beam detection Zone up to 15 meters long., utilizes Dual PIR sensors with a multifaceted Mirror system for Zero blind spots., features encrypted Two-Way communication via Jeweller Radio protocol., communication range reaches up to 1700 m in open space., detection distance is adjustable from 6-15 meters via app., Alarm signal delivery time is 0.15 seconds., includes jamming and signal loss detection features., ignores pets when installed at the recommended height of 2.4 m., Power Input uses one CR123A 3V Battery for up to 3 years life.
AJX-M-MPO	R 2,356	Ajax MotionProtect White Wireless Outdoor Motion Detector with Anti-Masking & Pet Immunity, Detection up to 15m, Horizontal 90 degrees, 3 adjustable levels, Battery Life up to 5-years, 1948535-33-WH1
AJX-R-WIFI	R 654	Ajax Jeweller Wireless Smart Relay with low Voltage from 7VDC to 24VDC, Electromagnetic Relay, Compatible with --> All Ajax hubs and range extenders, Indoors installation, 5A at 36V Maximum load current, 13A at 230V AC Maximum load current, Pulse & bistable Operation mode, 7 - 24 V (DC only) Power Input, Up to 1km transmission distance
AJX-REX	R 1,862	Ajax ReX Jeweller - White Indoor Radio signal Range Extender, Transmits alarms in 0.3s, Operates up to 35 hours on ITS Backup Battery, Remote updates, 1948516-37-WH1
AJX-REX2	R 2,605	AjaxReX 2 Jeweller White Indoor Radio signal Range Extender with photo verification, Transmits alarms in 0.3s,

		Operates up to 38 hours on its backup battery, Suitable for Motion Cams, 1948519-106-WH1
AJX-REX2-B	R 2,605	Ajax ReX 2 Jeweller Black Indoor Radio signal Range Extender with Photo verification, Transmits alarms in 0.3 seconds using Jeweller Radio or Ethernet, Operates up to 38 hours on ITS Li-Ion Backup Battery, Supports connection of up to 99 devices on Hub 2 or 199 on Hub 2 Plus, Extends coverage up to 35 km& #178; when using five range extenders, Delivers visual verification snapshots from MotionCam detectors in under 10 seconds
AJX-S-HS	R 896	Ajax HomeSiren Jeweller - White Indoor Compact Wireless Siren, 80-98 dB ajustable Volume, Opening door notifications, Up to 5 years Battery Life, Duration 3-180s, 1948534-11-WH1
AJX-S-SIM	R 2	Ajax SIM Card & Pre-Configured SIM for Ajax Alarm hubs, Pre-Installed in Hub SIM slot ready to use straight out of the Box, Hardware-locked to a specific Hub for Secure anti-spoofing protection, Unlimited Alarm and telemetry Data included without SMS or voice calls, Service activated directly in the Ajax Pro App, Additional SIM cards can be used as Backup channels without limitations
AJX-S-SS	R 1,857	Ajax StreetSiren Jeweller - White Outdoor Wireless Siren, Ajustable Volume : 80-98 dB, IP54 rating, Up to 5 years Battery Life, Duration 3-180s, 1948530-07-WH1
AJX-S-SS-B	R 1,857	Ajax AJ-SS-B StreetSiren Compact Indoor or Outdoor Siren 113dB Black, Compatible with --> All Ajax hubs and range extenders, Indoors or outdoors, IP54, Sound and Light notification, Up to 1.5km transmission distance, Adjustable 85-113 dB at a distance of 1m, Compatible with All Ajax hubs and range extenders, IP54 rated weather protection for Outdoor installation, Powered by 4x CR123A Batteries with included Power Input
AJX-T-MULTI	R 2,184	Ajax - MultiTransmitter Jeweller - White Indoor module for connecting Wired alarms to Ajax systems, 18 zones for connecting devices, Sabotage-proof body, 3 Power lines, Add Backup Battery, 1927321-62-WH1

< Return to the menu

Alarm systems : Alarm accessories

Product code	Price	Description
AC-IOT-BP-B	R 114	Acconet IoT 4x2 Smart Wall Switch Adapter Plate - Black - 100mmx50mm, Compatible with --> AQ-CTRL-SW2-WALL-NEU / AQ-CTRL-SW2-WALL-NON / AJAX-SB-1-GANG-W / AJAX-SB-2-GANG-W
AC-IOT-BP-W	R 114	Acconet IoT 4x2 Smart Wall Switch Adapter Plate - White - 100mmx50mm, Compatible with --> AQ-CTRL-SW2-WALL-NEU / AQ-CTRL-SW2-WALL-NON / AJAX-SB-1-GANG-W / AJAX-SB-2-GANG-W
DS-PDB-IN-Universalbracket	R 52	Hikvision 868MHz AX PRO Series Universal Bracket, Multi-angle adjustment, Installation methods:wall mounting and ceiling mounting, Used cooperatively with indoor detector
DS-PM1-I1-WE	R 463	Hikvision DS-PM1-I1-WE Single Input Transmitter For Wireless Ready Detector 868mhz 2way Communication Up To 1700m
DS-PS1-E-WE/RED	R 1,129	Hikvision DS-PS1-E-WE Red Wireless External Sounder

< Return to the menu

Alarm systems : Alarm Communication

Product code	Price	Description

< Return to the menu

Alarm systems : Alarm control panels

Product code	Price	Description
DS-PWA64-L-WE	R 2,128	Hikvision 868MHz AX PRO Wireless Control Panel 64 Wireless Zones, 868MHz two-way wireless, Dual Wireless Technology: Tri-X & CAM-X; Long RF transmition distance

< Return to the menu

Alarm systems : Alarm Keypads

Product code	Price	Description
DS-PK1-LT-WE	R 1,409	Hikvision DS-PK1-LT-WE 868MHz AX PRO Series Wireless LCD Keypad, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1200m(open space); LCD screen and LED to indicate system status, System configuration through LCD screen, Stay/away arming,

		disarming, alarm clearing for specified area or all areas; One-Push fire alarm, panic alarm, and medical alarm(Silent/Audible alarm selectable); Output control; Fully remote configurable through APP; Battery Type: 4 * AA batteries (included by default, easy replaceable), Battery Life: more than 2 years (standby time)

< Return to the menu

Alarm systems : Alarm motion detector (PIR / Microwave)

Product code	Price	Description
DS-PA0103-A	R 4,431	Hikvision IP 120 dB Horn Speaker, 10/100Base-TX Self-Adaptive Network, Micro SD card up to 32GB, Built-In 15 W Class-D amplifier
DS-PDCM15PF-IR	R 1,254	Hikvision DS-PDCM15PF-IR AX PRO Series RF Camera Module (Used with DS-PDTT15AM-LM-WE), 1/2.7" Progressive Scan CMOS; 3D Digital Noise Reduction; Adjustable coverage in order to fit with main detector; Easy installation, plug to enroll, Fully remote configuration through APP; IP66 weather resistance for outdoor application. 1/2.7" CMOS, 2.0 mm lens, 137.2degreesx80.1degrees FOV; Infrared up to 15 m; 640x480/320x240/160x120 JPEG; 3 VDC, 1200 mA; IP66; -25-60 C; 74.1x72.35x53 mm; 155 g
DS-PDD12P-EG2-WE	R 1,024	Hikvision DS-PDD12P-EG2-WE 868MHz AX PRO Series Wireless Dual-Tech Detector, 868MHz two-way Tri-X wireless technology; Dual Detection Technologies: PIR 24GHz Microwave; Detection Logic Mode of Dual-tech: AND / OR, Frequency hooping against jamming for reliable transmission; RF Range: 1,600m(open space); Detection Range: 12m / 85.9Â°; Up to 30KG pet-immunity; Multiple Enrolling Methods: Power up, Remote ID, QR Code; Sealed Optics and Creep-Zone protection; SEC(Smart Environment Control) - Advanced figital signal processing and 3D optics; SSI(Signal Strength Indicators); Environment Temperature Indication; Fully remote configurable through APP; Installation Height: 1.8 to 2.4 m; Battery Type: 1 * CR123A batteries (included by default, easy replaceable), Battery Life: 5 years in working status(triggered 10 times every day)
DS-PDD15AM-EG2	R 412	Hikvision DS-PDD15AM-EG2 Wired Dual-Tech AM Detector, Detection Range: 15m / 85.9Âdegrees, Anti-masking, Anti-cloaking and Anti-blocking detection for higher security scenario, Automatic sensitivity and 24Ghz smart microwave, Digital temperature compensation and IFT technology
DS-PDP18-HM	R 813	Hikvision DS-PDP18-HM Wired Double PIR Detector, High/Low mount adjustment, IP65 weather resistance for outdoor application, Automatic sensitivity, Selectable EOL resistors for alarm and tamper-proof wiring, Digital temperature compensation and IFT technology, 9 to 16 V wide voltage adaptation with polarity reverse conncection protection
DS-PDP18-HM-WE	R 1,357	Hikvision DS-PDP18-HM-WE 868MHz AX PRO Series Wireless Double PIR Detector, 868MHz two-way Tri-X wireless technology; Double PIR; Frequency hooping against jamming for reliable transmission; RF Range: 1,600m(open space); Detection Range: 18m/90Â°, Multiple Enrolling Methods: Power up, Remote ID, QR Code , SSI(Signal Strength Indication); Fully remote configuration through APP; Adjustable mounting height: 2.5 - 3m High Mount 0.8 - 1.2m Low Mount , Battery Type: 2 * CR123A battery (included by default, easy replaceable); Battery Life: 5 years (triggered 20 times every day) , IP65 weather resistance for outdoor application , External bracket included
DS-PDPC12PF-EG2-WE	R 1,636	Hikvision DS-PDPC12PF-EG2-WE Wireless PIR-Camera Detector - 30Kg Pet immunity
DS-PDPC12PF-EG2-WE(B)	R 1,811	Hikvision DS-PDPC12PF-EG2-WE(B) 868MHz AX PRO Series Wireless PIRCAM Detector, 868MHz two-way CAM-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 800m(open space); PIR Detection Range: 12m / 85.9Â°; Up to 30 kg Pet-immunity; Camera Lens Coverage: 88Â°(H), 68Â°(V); 24/7 Color imaging; Large integrated memory buffer for image storage; Support JPEG image capture with resolution of VGA, QVGA, QQVGA; Multiple Enrolling Methods: Power up, Remote ID, QR Code; Sealed Optics and Creep-Zone protection; SEC(Smart Environment Control) - Advanced figital signal processing and 3D optics; SSI(Signal Strength Indicators); Environment Temperature Indication; Fully remote configurable through APP; Installation Height: 1.8 to 2.4m; Battery Type: 3 * CR123A batteries (included by default, easy replaceable) , Battery Life: 6 years (triggered twice every week, 20 QVGA frames captured for every alarm)
DS-PDTT15AM-LM-WE	R 2,300	Hikvision DS-PDTT15AM-LM-WE 868MHz AX PRO Series Wireless Tri-Tech AM Detector, 868MHz two-way Tri-X wireless technology; Tri-signal logic: 2PIR 24GHz Microwave; Frequency hopping against jamming for reliable transmission; RF Range: 1,600m(open space); Detection Range: 15m/90Âdegrees@180Âdegrees adjustable ,

		Multiple Enrolling Methods: Power up, Remote ID, QR Code , SSI(Signal Strength Indication); Fully remote configuration through APP; Installation Height: 0.8 to 1.2m; Battery Type: 5 * CR123A battery (included by default, easy replaceable); Battery Life: 5 years (triggered 10 times every day) , Anti-masking support , IP65 weather resistance for outdoor application

< Return to the menu

Alarm systems : Alarm Power Supplies + Enclosures

Product code	Price	Description
UNICH	R 161	Microworld Universal 3V to 12V charger, Six different detachable DC plugs, Inner positive ( ), Outer negative (-)

< Return to the menu

Alarm systems : Alarm remote controls

Product code	Price	Description
DS-PDEB1-EG2-WE	R 287	Hikvision AX Pro Wireless Emergency Button, Frequency hopping against jamming, Blue LED indicator, Two-Way RF Wireless, 868MHz transmission Frequency, 1.2km transmission range (Free space), 3 years in work status standard Battery Life
DS-PDEB1-EG2-WE	R 328	Hikvision AX Pro Wireless Emergency Button, Frequency hopping against jamming, Blue LED indicator, Two-Way RF Wireless, 868MHz transmission Frequency, 1.2km transmission range (Free space), 3 years in work status standard Battery Life
DSPKFE5	R 299	Hikvision wireless Remote with panic button

< Return to the menu

Alarm systems : Alarm Sensors & Sirens

Product code	Price	Description
AJAX-DB-B	R 3,544	Ajax Security Outdoor Black 4MP WiFi Video Doorbell with PIR & AI, AJAX-DB-B, Two-Way Audio, AC/DC PSU, Built-In Backup Battery, 4MP camera up to 2688x1520 Resolution, H.264 Video Codec, 2.4GHz Wi-Fi, Up to 6 m Smart IR illumination, 1x PIR Sensor, Up to 4 m Motion Detection distance, 3 levels sensitivity, 66391.125.BL1
BDSVA	R 39	Ellies Door and Window Vibration alarm, Ideal for use on doors and Windows, Easy to Install, Battery operated, No wiring required, Suitable for Indoor use only, Required 3x LR44 batteries to operate
BHR8995GL	R 301	Xiaomi Motion Sensor 2S, Bluetooth 5.0 Wireless connectivity, CR2450 Battery Type, 130 degrees detection angle, 7m detection range
DS-PDEB1-EG2-WE (Single button)	R 311	Hikvision 868MHz AX Pro Series wall-mounted Wireless Emergency Button, Effective Emergency Button, Fully Remote configurable through App, IP66 Water proof, Blue (Alarm) LED indicator, Tri-X Wireless transmission Technology, Two-Way RF Wireless, 1.2km transmission range (Free Space), Up to 3 years standard Battery Life
DS-PDMCK-EG2-WE	R 633	Hikvision 868MHz AX Pro Series Wireless Magnet Shock detector, Opening contact detection Method, 43 mm Max detection gap, 8 levels Shock detection, Up to 25 degrees Tilt detection, Tri-X Wireless transmission Technology, Up to 3 years (Standby time) Standard Battery Life, CR123A x 1 Battery Type
DS-PM1-I16O2-WE	R 2,036	Hikvision DS-PM1-I16O2-WE Multi IO transmitter. Frequency hooping against jamming .
DS-PS1-E-WE	R 1,108	Hikvision AX Pro Wireless Outdoor sounder, Up to 3 years Battery Life span, 868 MHz RF Frequency, 1.6 km (Open area) RF distance
DS-PS1-E-WE (Red Indicator)	R 1,202	Hikvision 868MHz AX Pro Series Wireless Outdoor sounder - Red, 868 MHz Two-Way Wireless communication, 3 years Battery Life span, Kinds of Alarm sounds, 110 dB buzzer decibel, IP65 protective level, 1.6 km (Open area) RF distance
DS-PS1-I-WE (Red Indicator)	R 679	Hikvision 868MHz AX Pro Series Wireless Indoor sounder - Red indicator, 868 MHz Two-Way Wireless communication, Configurable arming/disarming prompt Sound and LED indicator, 3 years Battery Life span, 3 kinds of Alarm sounds, 90 to 110 dB buzzer decibel
DSPD1MCWWS	R 299	Hikvision Wireless Magnetic Contact - DS-PD1-MC-WWS Hikvision's Wireless Magnetic Contact (DS-PD1-MC-WWS) is a wireless security device designed to detect when a door or window is opened. It is designed to be used with home security systems.

UP-AI-SPEAKER	R 4,313	Ubiquiti UniFi AI Horn Speaker 120dB, UP-AI-Horn-Speaker-W, 25-63.5 mm Pole Mount Diameter, Uv-stabilized polycarbonate Aluminum Alloy enclosure material, IP66 weatherproofing, PoE Power Method, 1x MbE RJ45 Port Networking Interface
UP-SIREN-POE	R 2,099	Ubiquiti UniFi Protect 110dB PoE Siren, UP-SIREN-POE, Wall & Ceiling mounting plate, PoE Power Method, Buzzer, 1x 10/100 MbE RJ45 Port Networking Interface, IP56 weatherproofing, 5W Maximum Power consumption
USL-GLASS	R 1,144	Ubiquiti UniFi Superlink Glass Break and Motion Sensor, USL-GLASS, Battery-Powered Sensor with PIR Motion Detection, Built-In tamper Switch triggers alerts if opened or removed, Requires usl-gateway for Operation, Configured via UniFi Protect Application on iOS and Android, Connectivity uses Superlink proprietary Protocol
USL-SIREN	R 2,064	Ubiquiti UniFi Superlink 110dB Siren, IP56 weatherproofing, 4x CR123A Batteries, 1x Power Input, 1x signal Input, Superlink connectivity, Buzzer, 2 dBi Superlink antenna gain, 2 km Superlink Maximum range
UVC-G6BPRO-B	R 11,011	Ubiquiti UniFi Protect G6 Pro Bullet 8MP Black IP Camera with 5.9-13.8 mm Lens, UVC-G6-Pro-Bullet-B, 40 m IR Night Vision, 2.36x Optical Zoom mode, Face Recognition, License Plate Recognition, Smart detections, Two-Way Audio, IK04 tamper resistance, IP66 weatherproofing, 1x GbE RJ45 Port, 30 fps Maximum Frame rate, 8MP 3840x2160 (16:9) Resolution, PoE Power Method, MicroSD card Expansion slot
UVC-G6BPRO-W	R 11,011	Ubiquiti UniFi Protect G6 Pro Bullet 8MP White IP Camera with 5.9-13.8 mm Lens, UVC-G6-Pro-Bullet-W, 40 m IR Night Vision, 2.36x Optical Zoom mode, Face Recognition, License Plate Recognition, Smart detections, Two-Way Audio, IK04 tamper resistance, IP66 weatherproofing, 1x GbE RJ45 Port, 30 fps Maximum Frame rate, 8MP 3840x2160 (16:9) Resolution, PoE Power Method, MicroSD card Expansion slot

< Return to the menu

Alarm systems : Alarm system kits

Product code	Price	Description
DSPWA32NKGT	R 799	Hikvision Basic Wireless Alarm Control Panel Kit - Supports Up To 32 Wireless Inputs And 4 Wireless Output Expanders, Two Way Wireless Technology , Supports Wifi and Ethernet Lan (No GPRS), Push Notification Via App, Included 1x Wireless Control Panel, 1x PIR Motion Detector, 1x Reed Switch , 1x Magnetic Contact, 1x Remote Controller, 1x Manual, 1x Power Adapter, Built-in Rechargeable Lithium Battery , Complete Installation kit, Colour White
UP-ALARMHUB	R 8,504	Ubiquiti UniFi Protect 32 Input Alarm Hub kit, Indoor Alarm Control Hub, Supports 32 inputs for hardwired intrusion sensors Plus 1 Emergency Input, Powered via PoE / PoE Input up to 90W with optional 12V SLA Battery Backup, Features 2 Wet Dry / Output relays rated at 12V DC 1A or 30V DC 1A, Includes auxiliary Power Outputs of 12V DC 1A on both left and right sides, Managed using the UniFi Protect Application

< Return to the menu

Biometrics / Fingerprint reader

Product code	Price	Description
BIO-DP-4500	R 1,601	Digital DP-4500 Persona URU Fingerprint Reader - USB, 8-bit grayscale Scan Data, USB fingerprint reader with superior ESD resistance, Utilizes optical fingerprint scanning technology, STQC and FIPS 201 PIV certified
BIO-DP-4500	R 1,829	Digital DP-4500 Persona URU Fingerprint Reader - USB, 8-bit grayscale Scan Data, USB fingerprint reader with superior ESD resistance, Utilizes optical fingerprint scanning technology, STQC and FIPS 201 PIV certified
BIO-DP-5300	R 1,673	Unbranded Digital Persona U.are.U 5300 fingerprint reader, USB 2.0 connection, 500 PPI Resolution, 20 x 25 mm image capture area, Optical Sensor Type, Blue LEDs illumination
DP4500	R 2,013	Digital Persona URU Fingerprint Reader - USB, 8-bit grayscale Scan Data, USB fingerprint reader with superior ESD resistance, Utilizes optical fingerprint scanning technology, STQC and FIPS 201 PIV certified
DP500	R 1,747	Digital DP500 Persona U.are.U 4500 Standard Coated Fingerprint Sensor, USB 2.0, 512 ppi Resolution, 15x 18 mm Image capture area, Optical Sensor, Blue LEDs Illumination
DS-K1T804AMF	R 1,443	Hikvision DS-K1T804AMF, LCD Display Standalone Access Control Terminal, Built-in EM card reading module, Storage with 3,000 cards, 3,000 fingerprints and 100,000 access control events; Support Access Control and Time Attendance Function, Optical Fingerprint Module; Uplink Commu
FS88	R 1,610	FBI Certified Single Fingerprint Reader - USB - Black, * Finlogon Personal Edition and Add-On Pack Included, *

		SDK (Software Development Kit) Optional
ZK-F12	R 1,908	ZKTeco F12 Slave Reader, Finger Print RFID, IP65
ZK-F17	R 6,184	ZKTeco F17 Biometric/ RFID Reader, IP65 Outdoor
ZK-F17MIFARE	R 6,265	ZKTeco - F17 Mifare Out/indoor Biometric reader, IP65, Access control, TA
ZK-FR1500	R 2,550	ZKTeco Flush mounted RS 485 Fingerprint reader
ZK-ICLOCK990/ID	R 8,113	ZKTeco iClock990 TA F/P Terminal RFID
ZK-IN05-A/ID	R 8,542	ZKTeco IN05-A F/P TA Terminal RFID
ZK-PROCAPTURE-WP	R 7,411	ZKTeco Outdoor Access fingerprint and RFID. Dry, wet, rough fingers
ZK-ZK9500	R 1,027	ZKTeco Desktop Take on Reader

< Return to the menu

Electric Fence

Electric Fence : Electrical fence accessories

Product code	Price	Description

< Return to the menu

Electric Fence : Electrical fence cable

Product code	Price	Description

< Return to the menu

Electric Fence : Electrical fence controllers & keypads

Product code	Price	Description

< Return to the menu

Electric Fence : Electrical fence energisers

Product code	Price	Description

< Return to the menu

Electric Fence : Electrical fence poles and brackets

Product code	Price	Description

< Return to the menu

Electric Fence : Garage Motor tracks and brackets

Product code	Price	Description

< Return to the menu

Garage Door Motors

Garage Door Motors : Garage Automatic Door Motors

Product code	Price	Description

< Return to the menu

Garage Door Motors : Garage Motor accessories

Product code	Price	Description

< Return to the menu

Garage Door Motors : Garage Motor controllers

Product code	Price	Description

< Return to the menu

Gate Motors

Gate Motors : Gate Motor accessories

Product code	Price	Description

< Return to the menu

Gate Motors : Gate Motor Brackets

Product code	Price	Description

< Return to the menu

Gate Motors : Gate Motor Controllers

Product code	Price	Description

< Return to the menu

Gate Motors : Gate Motor Remotes & Receivers

Product code	Price	Description

< Return to the menu

Gate Motors : Sliding Gate Motors

Product code	Price	Description
DS-K3GL606WX-WE	R 6,130	Hikvision sliding gate opener 600kg - includes 868 MHz Wireless Keyfob & 2 Controller charger base plate, DS-K3GL606WX-WE, Brush motor, 600 kg gate mass - Maximum, Up to 0.6 m/second open Speed, Requires 12V 7Ah x 2 Battery (Not included), 20 m gate length - Maximum, 10/100 Mbps Self-Adaptive Ethernet, Wi-Fi, 2 Exit Button, 2 Alarm Output, 1 tamper, 1x RS-485, 2 Case Input, 2 IR connection, 1 Emergency Input, 250000 card capacity, 500000 event capacity

< Return to the menu

Gate Motors : Swing Gate Motors

Product code	Price	Description

< Return to the menu

GRS Guard Route Supervisor

Product code	Price	Description

< Return to the menu

Intercoms / access control

Product code	Price	Description
280M-S8	R 592	Dnake 280M-S8 7" Indoor Monitor - Smart life App version, 7" TFT LCD 800 x 480 Pixel capacitive Touch Screen, Supports up to 8 IP cameras, PoE support, 8 alarm zones, 2x 10/100 Mbps Ethernet Ports
280SD-C12	R 2,620	Dnake 280SD-C12 1-button SIP Video door phone, 1280x720 Video Resolution, 1x RJ45 10/100 Mbps adaptive Ethernet Port, 1x RS485 Port, 1x relay out, 1x exit button, 1x door Magnetic
902D-B9	R 3,968	Dnake 902D-B9 4.3" Android Door Phone with Facial Recognition, Android Operating System, 4.3" TFT LCD 480 x 272 Pixel Colour TFT LCD, 2MP HD camera with Infrared support, Supports SIP 2.0, LED night Vision, Relay Output Interface, RS485 Interface, 1x 10/100 Mbps Ethernet Port
902M-S8	R 776	Dnake 902M-S8 7" Android Indoor Monitor, Android 4.4.2, 7" TFT LCD 1024x600 capacitive Touch Screen Display, Supports up to 8 IP cameras, PoE support, 8 alarm zones, 1x 10/100 Mbps Ethernet Port
904M-S3	R 958	Dnake 904M-S3 10.1" Android Indoor Monitor, Android 6.0.1 Operating System, 10.1" TFT LCD 1024 x 600 Pixel capacitive Touch Screen, Supports up to 8 IP cameras, PoE support, 8 alarm zones, 1x 10/100 Mbps Ethernet Port
905D-Y4	R 3,214	Dnake 905D-Y4 7" Android Door Phone with Facial Recognition, 7" TFT LCD 1024 x 600 Pixel capacitive Touch Screen, Supports SIP 2.0, Facial Recognition, CMOS 2m Pixel camera, 1x 10/100 Mbps Ethernet Port, Relay

		Output Interface, RS485 Interface, Android Operating System
AA-2-PAIR-MYLAR	R 764	ZKTeco Access Control 2 pair Mylar screened cable - 100m (For use with access control systems)
AA-CARD-PRINT	R 31	Access AA-CARD-PRINT Control Credit Card ISO - Print quality with clip Slot
AA-MAG-300	R 1,059	Access Control Magnetic Lock - 136kg holding force - 300lbs holding force
AC-CS4311-PCB	R 3,163	Controlsoft iNet Input/ Output Controller PCB RS-485 with AC-3114, AC-4100, AC-4101 System
AP9370-10	R 1,390	APC NetBotz HID Proximity Cards - 10 Pack
AQ-VDB-G4	R 1,970	Aqara G4 Video door Bell, Wired or Battery powerd, AI Face Recognition, On-demand Video and Two-Way talk, 1080p Video Resolution, 2.4GHz Doorbell Wireless connection, Support up to 512 GB MicroSD card local storage, 1x Smart Video Doorbell G4, 1x Chime Repeater
BHR7068GL	R 1,871	Xiaomi Smart Doorbell 3S, 5200mAh Battery capacity Doorbell, Ultra clear 2K resolution, Wi-Fi 2.4GHz & RF 433MHz, 940 nm Infrared Light, Two-Way voice calls, Chime RF 433MHz (Receiving only)
DHI-ASI1201E	R 265	Dahua ASI1201E Water-proof RFID Standalone, Input 1x door Sensor & Exit Button, Output 1x Relay, 1x reader, 30 000 cardholders, 60 000 events, RJ45 10/100 Mbit Port, Wiegand 26 / 34, Sensitive Touch Keypad with Blue backlight, Buzzer beep tone
DS-K1201AMF	R 834	Hikvision DS-K1201AMF fingerprint reader, Mifare 1 card Type, Optical fingerprint module
DS-K1201AMF	R 897	Hikvision IP65 Finger Print Reader Reads Mifare 1 card, Fingerpint(capacity: 5000), Supports RS485(HIK private), IP65
DS-K1F100-D8E	R 562	Hikvision DS-K1F100-D8E Card Enroller, Plug-and-play USB with no-driver technology; Supports various card types (Mifare card and EM card).
DS-K1F100-D8E	R 541	Hikvision Card Encoder Plug-and-play USB with no-driver technology; Supports various card types (Mifare card and EM card
DS-K1F600U-D6E-F	R 6,210	Hikvision DS-K1F600U-D6E-F Enrollment Stataion, Supports enrolling face picture, fingerprint
DS-K1F820-F	R 1,081	Hikvision DS-K1F820-F Fingerprint Enroller, Plug-and-play USB with no-driver technology, USB 2.0; Fingerprint enrollment for DS-K1T201, DS-K1201, DS-K1T804, DS-K1A802 and DS-K1T501.
DS-K1T341CMFW	R 5,359	Hikvision DS-K1T341CMFW Face Recognition Terminal, 4.3-inch LCD touch screen,2 Mega pixel wide-angle lens,Built-in Mifare card reading module; Max.3000 faces capacity and Max.3000 fingerprints capacity, Max.3000 cards; Face recognition in dark environment, Two-way audio with client software, indoor station, and master station, Supports TCP/IP, WiFi, DC 12V/2A, Supports ISUP5.0, ISAPI, Configuration via the web client, Supports 6 attendance status, including check in, check out, break in, break out, overtime in, overtime out multiple languages: English, Spanish, Arabic, Thai, Indonesian, Russian, Vietnamese, Portuguese (Brazil) and Korean, IP65, Face Recognition Accuracy Rate > 99%, Face Recognition Duration(1:N)
DS-K1T342MFWX-E1	R 4,485	Hikvision DS-K1T342MFWX-E1 POE Face Recognition, Fingerprint and Card Terminal 4.3-inch LCD touch screen,2 Mega pixel wide-angle lens,Built-in Mifare card read
DS-K1T342MWX-E1	R 2,627	Hikvision DS-K1T342MWX-E1 Face Recognition Terminal, Linux operation system, 4.3-inch 272x480 LCD capacitive Touch Screen Display, 2 MP camera, PAL Video standard, Ethernet Self-Adaptive Wired Network, 1x RS-485, 1 Wiegand, 1 lock Output, 1 Exit Button, 1 Door contact Input, 1 tamper, 1x USB, 3000 card capacity, 1500 face capacity, 150000 event capacity, M1 card card Type. No fingerprint reader (FPR).
DS-K1T344MBFWX-E1	R 5,405	Hikvision DS-K1T344MBFWX-E1 Value Series Facial Recognition Access Terminal, Linux Operating System, 4.5-inch 480x854 Touch Screen, 2 Mega Pixel Wide-Angle Lens and Built-In M1 card reading module, 10/100 Mbps self adaptive Wired Network, Wi-Fi, Max 3000 faces capacity, Max 3000 fingerprints capacity, Max 3000 cards, Face / card / pin / Fingerprint authentication
DS-K1T502DBFWX	R 2,703	Hikvision DS-K1T502DBFWX Vandal Proof Access Control Terminal, 2 Mega pixels camera, Built-in
DS-K1T804AMF	R 1,650	Hikvision DS-K1T804AMF Pro Series Fingerprint Terminal, 2.4 inch LCD Display Standalone Access Control Terminal,
DS-K1T807MBFWX-E1	R 1,599	Hikvision Value Fingerprint Terminal with card & 2.4" LCD Display - PoE Powered, DS-K1T807MBFWX-E1, Linux Operating System, 2.4 inch 320x240 LCD screen, 1x RJ-45 10/100 m Self-Adaptive Network Interface, 1 lock control, 1 Exit Button, 1 Door contact Input, 2 Alarm Input, 1 tamper, 1 Alarm Output, 1x RS-485, 1 Wiegand, 1x USB, 5000 Fingerprint capacity, 5000 card capacity, 150000 event capacity, M1 card authentication, Optical Fingerprint module

DS-K2622X	R 3,978	Hikvision DS-K2622X Pro Series two-door Access Controller, 1x 10/100 Ethernet self adaptive Wired Network, 2 lock control, 2 Exit Button, 2 Door contact Input, 4 Alarm Input, 4 Alarm Output, 2 for Card Reader RS-485, 4 Wiegand, 2 linked Door capacity
DS-K2622X	R 4,307	Hikvision DS-K2622X Pro Series two-door Access Controller, 1x 10/100 Ethernet self adaptive Wired Network, 2 lock control, 2 Exit Button, 2 Door contact Input, 4 Alarm Input, 4 Alarm Output, 2 for Card Reader RS-485, 4 Wiegand, 2 linked Door capacity
DS-K2702WX-E1	R 7,297	Hikvision DS-K2702WX-E1 POE 2 Door Controller. Supports: Card capacity 3000; Face capacity 1500; Fingerprint capacity 3000; Event capacity 150000
DS-K2M061	R 650	Hikvision K2M061 secure door control module, 1 lock control, 1 exit button, 1 door contact Input, 48 mm x 115 mm x 26 mm dimensions
DS-K2M061	R 656	Hikvision K2M061 Secure module. Communicates with the access control terminal via RS-485 to execute the commands from the terminal including open door, close door, normally open and normally closed, Input interface: Door Magneticx1, Tamper-proofx1, Alarm input x2; Output interface: Door Switch Relayx1, Alarm Relayx1. DC 12V. Dimensionsï¼š48 mm x 115 mm x 26 mm (1.9" x 4.5" x 1.0")
DS-K2M061	R 684	Hikvision K2M061 secure door control module, 1 lock control, 1 exit button, 1 door contact Input, 48 mm x 115 mm x 26 mm dimensions
DS-K7M102-M	R 12	Hikvision DS-K7M102-M Mifare 1 Contactless Smart card, Frequency: 13.56vMHz, Designed with the PVC and AB glue Dimension(LÃ—WÃ—H): 26 mm Ã— 50 mm Ã— 4 mm, suggest to be used with the below reader seriesï¼šDS-K1107M/MK, S-K1108M/MK, DS-K1104M/MK.
DS-K7P01	R 104	Hikvision DS-K7P01 Aluminum alloy panel, metal button; Dimension(LxWxH): 86x86x20mm(3.39x3.39x0.79").
DS-K7P03	R 239	Hikvision DS-K7P03 new version of DS-K7P03, there is " /T" in the label. Stainless steel panel, Led Indicator; Dimension(L x W x H): 86 x 86 x 25.7mm(3.39 x 3.39 x 1.01").
DS-K7P04	R 181	Hikvision DS-K7P04 new version of DS-K7P03, there is " /T" in the label. Stainless steel panel; Dimension(L x W x H): 90 x 35 x 37.7mm(3.54 x 1.38 x 1.48").
DS-K7PEB	R 230	Hikvision DS-K7PEB Emergency Break glass, green color.
DS-K7PEB-GREEN	R 182	Hikvision DS-K7PEB Emergency Break glass, green color.
DS-KC9570-WTE1/S	R 9,447	Hikvision 9 Series Control Panel 10.1 Android Indoor station, Android 14 Operation system, Embedded high Performance Processor, 16GB ROM, 4GB RAM, 10.1-inch IPS 1920x1200 capacitive Touch Screen, 2 Built-In omnidirectional Microphone, 2 Built-In loudspeaker, Wi-Fi 6, Bluetooth, 2x RJ-45 10/100 Mbps Self-Adaptive Network Interface, 1x RS-485, Support TF card, 2 Alarm Output, 50cm distance proximity Sensor
DS-KD-KP	R 1,254	Hikvision DS-KD-KP Keypad module, module connection with RS-485 , IP65,Backlight compensation,Flush mounting, Surface mounting, 98.21mmx100.21 mm x33.7mm, unlock door via inputing swiping card, powered by other module (Power input: 12VDC, Power output: 12VDC)
DS-KD8003-IME1	R 1,777	Hikvision DS-KD8003-IME1 Video Intercom Module Door Station, Main unit, needs accessories. CMOS 2MP HD Colorful Camera, Fish eye, 1 Call Button, 1-ch Indoor station access, 2 relays for door lock control IR Supplement , 10M/100M Self-adaptive Ethernet, module connection with RS-485 , 4-ch alarm input IP65,
DS-KH6350-WTE1	R 2,352	Hikvision KH6 Series 7-inch IP-based Indoor station, Linux Operation system, 32 MB ROM, 128 MB RAM, 7-inch 1024x600 capacitive Touch Screen, H.265 Video Compression Standard, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, 200 notice capacity, Wi-Fi, 8 Alarm Input, 1x RJ-45 10/100 Mbps Self-Adaptive, 1x RS-485 (Half Duplex), 2 relays lock control
DS-KH9510-WTE1	R 5,388	Hikvision All-in-One 10.1" 1024x600 indoor door station, Android 10.1 Operation system, 8GB ROM, 2GB RAM, 10.1-inch colorful IPS 1024x600 capacitive Touch Screen, H.265 / H.264 Video Compression standard, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, Noise suppression and Echo cancellation, 200 captured pictures, 200 Alarm records, 200 notice capacity, 16 linked Indoor extensions capacity, 16 linked Network camera capacity, 17 linked DoorPhone capacity, Wi-Fi, 8 Alarm Input, 1x RJ-45 10/100 Mbps Self-Adaptive Network Interface, 1x RS-485 (Half Duplex), Support TF card up to 128GB, 1 Alarm Output, 1 Relay lock control, Surface mounting
DS-KIS213	R 1,464	Hikvision DS-KIS213 Video Intercom 4 wire HD kit, HD TVI Video quality, Door Station, IR Light up to 3m, 1280x720 @60fps Stream Resolution camera, Built-In omnidirectional Microphone, Built-In loudspeaker, 1 Relay, 1

		four-wire Interface, Indoor station, 7-inch 1024x600 colorful TFT, Built-In omnidirectional Microphone, 4 physical buttons
DS-KIS602	R 4,388	Hikvision DS-KIS602 Video Intercom Kit, IP video intercom kit for villa or house, only one call button. DS-KD8003-IME1/Surface x1; DS-KH6320-WTE1 x1; 4 port standard PoE switch x1; 16GB TF card x1; No need additional power supply, but you have to mark which standard of power line
DS-KV6114-MWBE1	R 2,887	Hikvision 4MP IP Villa Door Station PoE 2 locks control, DS-KV6114-MWBE1, Linux Operation system, Embeded high Performance Processor, Main Stream 4MP (2688x1520p) Resolution camera, IR Light up to 3 m, H.264 / H.265 / MJPEG Video Compression Standard, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, 2000 user capacity, 6000 card capacity, Wi-Fi, Bluetooth, 4 Alarm Input, 1x RJ-45 10/100 Mbps Self-Adaptive Network Interface, 1 tamper, 1 Exit Button, 1x RS-485, Support TF card, 2 Relay lock control, 1 Door contact Input, Surface mounting installation
DS-KV6133-WME1/Surface	R 1,898	Hikvision Villa Door Station 2MP camera one Button Calling Card Reader PoE Powered IP65, DS-KV6133-WME1/Surface, Linux Operation system, Embeded high Performance Processor, 1920 x 1080p Resolution Main Stream, IR Light up to 2.5 m, H.264 Video Compression Standard, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, 2000 user capacity, 10000 card capacity, 2.4GHz Wi-Fi, 4 Alarm Input, 1x RJ-45 10/100 Mbps Self-Adaptive, 1 tamper, 1 Exit Button, 1x RS-485, 1 Relay lock control, 1 Door contact Input, Surface mounting installation
DS-KV8113-WME1	R 2,759	Hikvision DS-KV8113-WME1, CMOS 2MP HD Colorful Camera, Aluminum alloy, 1-ch Indoor station access, Wi-Fi 802.11b/g/n, Standard PoE/ 12 VDC, Mifare card reading module; 10M/100M Self-adaptive Ethernet, RS-485; 4-ch alarm input,2 relay for door lock contrl; IP65, 3 indicator integrated, Internal Mifare card reader, 1-ch Indoor station access control, Noise suppression and echo cancellation, 2MP HD Camera with IR supplement, Standard PoE/12 VDC. The Hikvision DS-KV8113-WME1 is a state-of-the-art villa door station that combines advanced video intercom capabilities with robust access control features. Designed for discerning homeowners, it offers high-resolution video, clear two-way audio, and secure entry options. Its sleek design, coupled with durable construction, ensures both functionality and aesthetic appeal. Ideal for modern residences seeking enhanced security and convenience.
DS-KV8213-WME1	R 3,030	Hikvision Villa Outdoor station 2MP camera Wifi 2ch Indoor station Access, DS-KV8213-WME1, Linux Operation system, Embeded high Performance Processor, 1920 x 1080p Resolution Main Stream, IR Light up to 3 m, H.264 / H.265 / MJPEG Video Compression Standard, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, 2000 user capacity, 10000 card capacity, 4 Alarm Input, 1x RJ-45 10/100 Mbps Self-Adaptive, 1 tamper, 2 Exit Button, 1x RS-485, 2 relays lock control, 2 Door contact Input, Surface mountingnstallation
DS-KV8413-WME1	R 3,260	Hikvision 4 buttons Metal Villa Door Station, DS-KV8413-WME1, Aluminum Alloy, 2MP HD camera with IR supplement, 1920x1080 Max Resolution, Standard POE/12 VDC, 10/100 Mbps Self-Adaptive Ethernet, 2 Exit Button, 2 lock control, 2 Door contact Input, Surface mounting installation
DS-KV9503-WBE1	R 4,462	Hikvision Metal Vandal-resistant Facial Recognition IP Villa Door Station, Linux Operation system, Embeded high Performance Processor, 4.3-inch IPS 800 x 480 capacitive Touch Screen, 2x 2MP camera ' s, IR Light up to 3 m, H.264 Main Stream and Sub Stream Video Compression, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, 20000 user capacity, 10000 face capacity, 100000 card capacity, Wi-Fi, Bluetooth, 4 Alarm Input, 1 tamper, 2 Exit Button, 1x RS-485, 2 relays lock control, 2 Door contact Input, Surface mounting installation
DS-PT-M1	R 36	Hikvision DS-PT-M1 Mifare Tag, Small and solid structure, Convenient to carry with
DS-TMG035(Trigger Radar)	R 3,335	Hikvision 79GHz Entrance & Exit radar, DS-TMG035, Vertical 10 degrees & horizontal 38 degrees beamwidth, 50ms response time, 0.1 to 6m trigger distance, IP67 protection, Able to recognize the target moving direction, Communication via RS-485 or Wi-Fi
DT-S10	R 199	Digitech White 100 Metres Wireless Doorbell
DT-S10B	R 199	Digitech Wireless Doorbell offers a reliable 100-metre range with one transmitter button and one receiver box. Featuring 38 melodies, three volume levels, and easy installation, it runs on 3 AA batteries (not included). Sleek black design, retail boxed, and backed by a 6-month warranty, it's perfect for convenient, wireless home or office use.
E-DL06P	R 2,414	Ezviz E-DL06P Smart Dual-Sided Fingerprint lock, CS-DL06-r101-wbcp-gr(m) model, Aluminum Alloy panel

		material, Metallic Grey Colour, Lift-Up lock Body, 2885 / 3585 lock cylinder, IP65 Weatherproof, Type-C Emergency charging, 1450 mAh Rechargeable Lithium Battery, Unlocking Method - Fingerprint / Passcode / proximity card / Mechanical key, 2.4GHz Wi-Fi, Bluetooth, 50x user capacity, 50x Fingerprint capacity, 50x Passcode capacity, 50x card capacity, 30-110 mm supported Door thickness
FAN-A10	R 1,057	Fanvil A10 2SIP IP54 Audio Intercom, 2 SIP line, Standalone Intercom - no central unit /Server needed, HD Audio, 1 Built-In Electric Relay, 2W Power amplifier, No wireless
FAN-A10W	R 1,121	Fanvil A10 WiFi SIP Intercom, 2 SIP line, Standalone Intercom - no central unit /Server needed, ONVIF, HD Audio, 1 Built-In Electric Relay, 3 Speed Dial Button, IP54 protection level, 2W Power amplifier
FAN-A12	R 3,933	Fanvil A12 Audio Intercom, 2 SIP line, Standalone Intercom - no central unit /Server needed, ONVIF, HD Audio, 2 Built-In Electric Relay, 1 Speed Dial Button, Audio Line-In/Line-Out, IP66 & IK10 protection level, 10W Power amplifier, TF cardreader, MP3 broadcast
FAN-A12V	R 7,078	Fanvil A12V IP Video Intercom, 2 SIP line, Camera, Standalone intercom-no central unit /Server needed, Built-In 4 mega-pixel Starlight HD camera, HD Video (720p), 2 Built-In Electric Relay, 1 Speed Dial Button, Audio Line-In/Line-Out, IP66 & IK10 protection level, 10W Power amplifier, TF cardreader, MP3 broadcast
FAN-A12V	R 5,405	Fanvil A12V IP Video Intercom, 2 SIP line, Camera, Standalone intercom-no central unit /Server needed, Built-In 4 mega-pixel Starlight HD camera, HD Video (720p), 2 Built-In Electric Relay, 1 Speed Dial Button, Audio Line-In/Line-Out, IP66 & IK10 protection level, 10W Power amplifier, TF cardreader, MP3 broadcast
FAN-HT302-U	R 420	Fanvil HT302-U dual-ear Wired USB Headset, USB Type-A connection, Wideband HD Audio, Environmental noise cancellation (ENC), Two omnidirectional noise-reduction microphones, 260 degrees adjustable Boom Arm, Inline controls, 1.8 m cable length
FAN-I10SV	R 1,517	Fanvil i10SV SIP Mini Intercom, 2 SIP line, Camera, Standalone Intercom - no central unit /Server needed, ONVIF, HD Video, 1 Built-In Electric Relay, 1 Speed Dial Button, Audio Line-Out, 1W Power amplifier, MP3 broadcast
FAN-I16S	R 2,329	Fanvil I16S SIP 1 button IP65 PoE Intercom, 2x 10/100 Ethernet Ports, Single button, Wall-Mount, 802.3af/at PoE Input, IP65 & IK10 rating, 2 Embedded short-circuit Input interfaces, 2 Embedded short-circuit Output interfaces, 2 SIP lines
FAN-I16SV	R 3,255	Fanvil I16SV Outdoor Video SIP Intercom, 2 SIP line, Standalone Intercom, HD Video (720p), HD Audio, 2 Built-In Electric Relay, 2 Speed Dial Button, Audio Line-In/Line-Out, Tamper-Proof, IP65 & IK10 protection level, 3W Power amplifier, TF cardreader, MP3 broadcast
FAN-I503W	R 1,208	Fanvil I503w Wire-free Sip Indoor Station; 2.8" IPS colour display; 320 x 240 resolution; Wi-Fi 6; 2.4 GHz / 5 GHz; 2600 mAh typical battery; 5 programmable buttons; 5 W speaker; H.264; SIP 2.0; remote door unlocking; 12.95 x 5.96 x 6.75 cm; 395.3 g
FAN-I507W	R 4,295	Fanvil I507W 10.1" Android Sip Indoor Monitor; 1280 x 800 resolution; Android 9.0; SIP 2.0; 2.4 GHz and 5 GHz Wi-Fi; 10/100 Mbps Ethernet; IEEE 802.3af PoE; 2W speaker; 8 alarm inputs; remote door unlocking; IP camera viewing; wall-mounted; 247.96 x 156.96 x 25.6 mm
FAN-I53W	R 1,225	Fanvil I53W SIP Indoor station, 6 SIP lines, HD voice, 7-inch 800 x 480 Colour Touch Screen LCD, HD voice speech quality with Built-In 2W Speaker, Acoustic Echo canceller (AEC), Built-In 2.4GHz Wi-Fi, Possess 8 Alarm inputs, 1x RS485 interfaces, 10/100 Mbps Ethernet
FAN-I60	R 1,208	Fanvil I60 Compact Video Door Phone, Single Speed Dial Button, 2 SIP lines, 10000 Access card number, 2 mega-pixel camera, Motion Detection, IR supplement Light, 1W Power amplifier, Up to 128g TF card, Door Magnetic Port, Wiegand Port, IP65 protection Level. Power consumption PoE:1.63 - 6.93W; Adapter: 1.51 - 6.16W; Power Supply DC 12V / 1A (Not included); PoE 802.3af Class 3.
FAN-I60K	R 1,627	Fanvil I60K Sip Video Door Phone Keypad; 2MP camera; 12-key numeric keypad; SIP 2.0; ONVIF Profile S; 140 degree FOV; IP65; PIN, IC card, BLE and DTMF access; 13.56 MHz cards; up to 10,000 cards; Wiegand 26/34-bit; PoE 802.3af; 70.7 x 30.0 x 149.7 mm; 0.53 kg
FAN-I64	R 4,209	Fanvil I64 Sip Ip66 Video Door Phone Keypad; 2MP camera; 1080P at 30fps; 120 degree horizontal FOV; 16-key keypad; IC/ID card; PIN; DTMF; app access; PoE 802.3af Class 3; IP66; IK07; ONVIF Profile S; 10/100 Ethernet; aluminium housing; 177.4 x 88 x 36.15 mm; 0.72 kg
FAN-I67	R 9,913	Fanvil I67 Face Recognition Door Phone, 2 SIP lines, Ways to Unlock Door - Face Recognition / IC/ID card / pin code QR Code / By DTMF code / Remote Door opening, Tamper-Proof, 2 mega-pixel camera, Motion Detection,

		White Light/IR supplement, 3W Power amplifier, Line-Out Interface, Door Magnetic Port, Wiegand Port, Flush-mounted, IP66 / IK07 protection level Ways to Unlock Door. Supports IEEE 802.3at Class 4 PoE. No Power supply (Sold separately if required, requires a 12V 1.5Amp or higher current)
FAN-KT30	R 196	Fanvil Kt30 Wireless Sos Pull-cord Button; IP65; 433MHz; 2m pull-cord; 23A 12V battery; FSK modulation; ABS housing; 86 x 86 x 19mm; at least 100,000 activations; indoor range 12-30m; outdoor range 70-80m; Y501/Y501-Y, X305, i506W, i507W compatible
FAN-VIK-01	R 2,523	Fanvil VIK-01 Video Intercom kit - Indoor / Outdoor SIP Access Control solution, Fanvil I504W Indoor station, 7-inch 1024x600 Colour capacitive Touch Screen, 2W Speaker, 2.4G / 5G Wi-Fi, 8x Alarm Input, 1x short Circuit Output, 1x Doorbell Input, 1x RS485, 10/100 Mbps adaptive Network, Wall-mounted installation, Fanvil I60 Outdoor Video Door Phone, 1 speed-dial Button Keyboard, 2MP camera with Infrared, H.264 Output Video, 0.1lux Light sensitivity
FAN-VIK1	R 2,524	Fanvil VIK-01 Dual Band Video Intercom kit, I504w SIP Indoor station, 1x 10/100 Mbps Ethernet Port, 8x Alarm Input, 1x short Circuit Output, 1x Doorbell Input, Wall Mount, PoE Input 802.3af/at, 7-inch Colour capacitive Touch Screen 1024 x 600, 2W Speaker, WiFi Dual Band, I60 Video Door Phone, 2MP supports Infrared camera
FAN-Y501	R 1,403	Fanvil Y501 SIP Healthcare Intercom, 2 SIP line, Standalone Intercom - no central unit /Server needed, HD Audio, 1 Built-In Electric Relay, 3 Speed Dial Button, 2W Power amplifier
FVIL-VIK-01	R 2,524	Fanvil VIK-01 Video Intercom kit - Indoor / Outdoor SIP Access Control solution, Fanvil I504W Indoor station, 7-inch 1024x600 Colour capacitive Touch Screen, 2W Speaker, 2.4G / 5G Wi-Fi, 8x Alarm Input, 1x short Circuit Output, 1x Doorbell Input, 1x RS485, 10/100 Mbps adaptive Network, Wall-mounted installation, Fanvil I60 Outdoor Video Door Phone, 1 speed-dial Button Keyboard, 2MP camera with Infrared, H.264 Output Video, 0.1lux Light sensitivity
GS-GDS3710	R 3,825	Grandstream SIP Doorphone intercom with 2MP video camera and RF card reader, Powerful video resolutions up to 1080p, Built-in RFID chip reader for keyless entry, Built with a metal casing to make it weatherproof and vandal resistant, Built-in hemispheric camera allows for 180-degree wall-to wall coverage, Supports motion detection, Integrated PoE to power the device and provide a network connection, Built-in microphone and speaker offers voice options and intercom functionality
GS-GDS3710-RFID-RD	R 432	Grandstream USB RFID Card Reader for use with GDS3710 IP Video Door Station
GS-GDS3712	R 2,874	Grandstream GDS3712 SIP DoorPhone Intercom with Video camera and RF Card Reader - no keypad, 2 relay for electric lock and alarm out, 2 alarm in for exit button and door sensor, Supports motion detection, Integrated PoE, Built-In Microphone, 1920x1080 Maximum Video Resolution 30 frames per second, Built-In HD loudspeaker, 1 call button with Blue LED backlight, 10M/100M auto-sensing Network Interface
GS-GDS3725	R 2,875	Grandstream GDS3725 SIP DoorPhone Intercom with 4MP Video camera, IK10, RFID, Keypad, IP Access Control system, Metal casing, IK10 Vandal-resistant, IP66, NFC, Bluetooth, 6x White Light LED for day & night, Up to 1920x1080 Max Video Resolution, 30 frames per second Max Frame rate, Up to 2560x1440 snapshots, 3-5m adjustable sensitivity PIR, Ai-based Motion Detection, Two Microphone, 3W Speaker, 15-key Numeric Keypad, Up to 5000 RFID supported, 2x Relay (Ssr) Access Control, 3x Alarm in, 2x Alarm out, 1x RJ45 one 10/100 Mbps Port with Integrated PoE, RS485, Wiegand 26 / 34 Input and Output, SD card slot
GS-GDS3726	R 2,473	Grandstream GDS3726 SIP DoorPhone Intercom with 4MP Video camera, IK10, RFID, 1 doorbell key, IP Access Control system, Metal casing, IK10 Vandal-resistant, IP66, NFC, Bluetooth, 6x White Light LED for day & night, Up to 1920x1080 Max Video Resolution, 30 frames per second Max Frame rate, Up to 2560x1440 snapshots, 3-5m adjustable sensitivity PIR, Ai-based Motion Detection, Two Microphone, 3W Speaker, Up to 5000 RFID supported, 2x Relay (Ssr) Access Control, 3x Alarm in, 2x Alarm out, 1x RJ45 one 10/100 Mbps Port with Integrated PoE, RS485, Wiegand 26 / 34 Input and Output, SD card slot
GS-GDS3727	R 1,517	Grandstream GDS3727 SIP DoorPhone Intercom with 4MP Video camera, IK10, RFID, 1 Doorbell key, IP Access Control system, Metal casing, IK10 Vandal-resistant, IP66, NFC, Bluetooth, 6x White Light LED for day & night, Up to 1920x1080 Max Video Resolution, 30 frames per second Max Frame rate, Up to 2560x1440 snapshots, 3-5m adjustable sensitivity PIR, Ai-based Motion Detection, Two Microphone, 3W Speaker, Up to 5000 RFID supported, 1x Relay (SSR) Access Control, 1x Alarm in, 1x Alarm out, 1x RJ45 10/100 Mbps Port with Integrated PoE, RS485, SD card slot, Dual-Band Wi-Fi 6

GS-GSC3570	R 1,891	Grandstream GSC3570 SIP Touch Screen intercom Speaker / Microphone, WiFi, Bluetooth, Dual switched 10/100 Mbps Ports Network Interface, 7" 1024x600 capacitive Touch Screen TFT LCD with home key graphic Display, Dual-Band 802.11 a/b/g/n/ac Wi-Fi, 4x channels alarm Input, 1x channel/relay alarm Output, 4x SIP accounts
HK-302902421	R 1,792	Hikvision Pro Series Magnetic lock, DS-K4H450S, Green locked indicator, Red unlocked indicator, 12 / 24 VDC Power Supply, Dry contact signal Output, No Output while locking and NC Output while unlocking, 500 kg thrust
HK-302915288	R 1,467	Hikvision K1T804A Fingerprint Access Control Terminal, DS-K1T804AMF, 2.4-inch 320x240 lcd-tft Display screen, 1 loudspeaker, 1 buzzer, Wired Network, 1x RS-485, 1 Wiegand, 1 lock control, 1 Exit Button, 1 Door contact Input, 1 Alarm Input, 1 Alarm Output, 1 tamper, 1x USB, 3000 card capacity, 3000 Fingerprint capacity, M1 card Type, 0 to 4.5 cm card reading distance, Surface mounting installation
HK-302918167	R 15,397	Hikvision Indoor / Outdoor Facial Recognition & Mifare Access Control Terminal, DS-K1T673DWX, 7-inch Touch Screen Display, 2MP Video, Dual-Lens, PAL Video Standard, Gigabit LAN, 1 Alarm Input, 1 Alarm Output, 1 (3.5 mm) Audio Output Interface, 1x RS-485, 1 Wiegand, 1 lock Output, 1 Exit Button, 1 Door contact Input, 1 tamper, 50000 card capacity, 10000 face capacity, Mifare 1 card, DESfire card, Felica card, 0.3 to 3 m Face Recognition distance
HK-302918282	R 8,369	Hikvision DS-K1t673dwx Indoor/Outdoor Facial Recognition & Mifare Access Control Terminal, 7-inch Touch Screen Display, 2 MP Video, Dual-Lens, PAL Video standard, Gigabit LAN, 1 alarm Input, 1 alarm Output, 1 (3.5 mm) audio Output Interface, 1x RS-485, 1 Wiegand, 1 lock Output, 1 exit button, 1 door contact Input, 1 tamper, 50000 card capacity, 10000 face capacity, Mifare 1 card, DESFire card, Felica card, 0.3 to 3 m Face Recognition distance, DS-K1T673DWX
HK-302918809	R 3,225	Hikvision Access Control Terminal with Fingerprint reader, DS-K1T502DBFWX-C, Linux Operating System, H.264 and H.265 Video Compression Standard, 2MP Resolution camera, 10/100 Mbps Self-Adaptive Wired Network, 1 lock control, 1 Exit Button, 1 Door contact Input, 1 Alarm Input, 1 Alarm Output, 1 tamper, 1x RS-485, 1 Wiegand, 1x SD card slot, 10000 Fingerprint capacity, 100000 card capacity, Capacitive Fingerprint recognition, M1 card, DESfire card
HK-302919041	R 3,550	Hikvision Value Series face Access Terminal, DS-K1T341CMW, 4.3 inch capacitive Touch Screen screen, 2MP Resolution camera, Noise suppression and Echo cancellation, Wi-Fi, 1x RJ-45 10/100 m Self-Adaptive Network Interface, 1 lock control, 1 Exit Button, 1 Door contact Input, 1 tamper, 1x RS-485, 1 Wiegand, 1x USB, Greater than 2m Face Recognition distance, M1 card
HK-302920730	R 3,374	Hikvision DS-K1T342MFWX-E1 Face Recognition Terminal, Linux operation system, 4.3-inch 272x480 LCD capacitive Touch Screen Display, 2 MP camera, PAL Video standard, Ethernet Self-Adaptive Wired Network, 1x RS-485, 1 Wiegand, 1 lock Output, 1 Exit Button, 1 Door contact Input, 1 tamper, 1x USB, 3000 card capacity, 1500 face capacity, 3000 Fingerprint capacity, 150000 event capacity, M1 card card Type, DS-K1T342MFWX-E1
HK-305303043	R 2,179	Hikvision KD8 Series Pro Modular Door Station, DS-KD8003-IME1/SURFACE(B), Embedded Linux Operation system, Embedded Processor, 32 MB ROM, 256MB RAM, H.264 Video Standard, IR supplement lights, 2MP Resolution camera, Built-In omnidirectional Microphone, Built-In loudspeaker, 2000 user capacity, 6000 card capacity, 10/100 Mbps Self-Adaptive Ethernet Wired Network, 4 Alarm Input, 1 tamper, 2 Exit Button, 2 Door contact Input, 1x RS-485, 2 lock control, Surface mounting installation
HK-305303808	R 4,263	Hikvision DS-KIS604-P IP Video intercom kit for villa or house, Power adaptor included, Embedded Linux operation system, Single-button, 2MP HD camera, 3 m low illumination IR supplement mode, True WDR, H.264 Video Compression standard, 1080p @ 30fps, Motion detection, Built-in omnidirectional Microphone, Built-in loudspeaker, Two-way audio communication, 10/100 Mbps Ethernet Wired Network, RS-485, 4 alarm Input, 7-inch 1024 x 600 colorful TFT capacitive Touch Screen on indoor station, DS-KIS604-P(C)
IC S50	R 17	Hikvision IC S50 Mifare 1 Contactless Smart card, Frequency: 13.56vMHz.
ISD-SMG1118L	R 24,392	Hikvision ISD-SMG1118L Walk through metal detector, Networking function: It can be networked on a single machine, and parameters can be configured through the web terminal, Metal detection: 1 yuan coin-sized metal can be detected, effectively verifying illegal items, Ultra-low detection height: metal objects more than 3cm above the ground can alarm when they enter the detection area, Power-on self-diagnosis function: self-test the system when power on, and display the test results, 7-inch color LCD display, which can display information such as menu, number of people passing through and metal alarmed number, Multi-zone alarm function: multiple metals in

		different positions of the human body will alarm at the same time when passing through the gate, and can indicate the positions of multiple metals, supporting up to 18 zones, Modular component design: convenient transportation and maintenance, With flying object alarm function: metal objects thrown from the middle of the door will be accurate alarm
ISD-SMG533LC-I	R 81,736	Hikvision ISD-SMG533LC-I Walk-though Metal Detector, Metal Detection: Detect metals as small as a paperclip, enable effective inspection of prohibited items, Network Connectivity: Operate as a standalone unit with the ability to connect to network, allowing parameter configuration through a web-based interface, Additionally, it can be integrated with HCP or other platform for the aggregation of passenger flow and alarm data, Display: Features a 7-inch LCD screen (front) and a 29-inch LCD screen (back). 7-inch screen displays passenger flow and alarm data, while 29-inch screen displays monitoring data, facial captures, zone indications, and alarms. Remote Control: Equipped with an IR remote control for remote parameter configuration, Multi-Zone Alarm: Supports up to 33 zones. When metals are located at different areas, the simultaneous alarms will be triggered and indicating the locations accordingly. Additionally, it can accurately detect a thrown-through metal object, Ultra-Low Detection Height: Can detect metals located higher than 3cm above the ground, Power-On Self-Diagnosis: The system performs a self-check and displays the diagnostic results upon startup, Monitor and Capture: Equipped with a 2 million pixel IPC for continuous recording and capturing of images, allowing for easy review and retrieval.
NET-TAPO-D210	R 1,121	TP-Link D210 Tapo Smart Video Doorbell camera kit, 6-month Battery Life, Expansive Head-to-Toe views, 2K live Video, Two-Way Audio, IR LED up to 7.6m Night Vision, Built-In spotlights Lighting, Full-colour Night Vision, 1x Doorbell Button, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, MicroSD card slot on camera (Up to 512 GB), Dual PIR Motion Sensor, One ambient Light Sensor, Person Detection, Connect via 2.4GHz Wi-Fi, 6400 mAh Built-In Rechargeable Lithium-ion Battery, 1x Tapo D210 Video Doorbell, 1x Tapo Doorbell Chime
NET-TL-TAPO-D205	R 822	TP-Link Tapo D205 2K Wire free 2K Battery Video Doorbell Mini with 2.4mm camera, IR LEDs up to 7.6 m, 1 x Doorbell Button, 1 x MicroSD card slot, 1x USB Type-C Port, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single PIR Motion Sensor, Person and Motion Detection, Connect via 2.4GHz Wi-Fi, 5200mAh Built-In Rechargeable Lithium-ion Battery
NET-TL-TAPO-D230S1	R 2,019	TP-Link TAPO-D230S1 Smart Video Doorbell Camera Kit 1 x Tapo D230, 1 x Tapo H200, SPEC: 2K 5MP (2560x1920), 2.4 GHz, 6700mAh rechargeable lithium-ion battery, FEATURE: Ringtones, 180 days battery life, Head to Toe View (4:3), Smart Detection and Notifications
NET-TL-TAPO-D235	R 1,944	TP-Link Tapo D235 Smart Video Doorbell camera kit, 2K 5MP Head-to-Toe View, Smart AI detection and notification, Two-Way Audio, Powered by hardwire or Battery, 180 degrees Ultra-Wide FOV, Full-colour Night Vision, Built-In spotlights, IR LED up to 10m, 1x Doorbell Button, 2K 5MP (2560 x 1920px) maximum Resolution, 15 / 20 fps Frame rate, H.264 Video Compression, Live View, 3DNR & WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 98dB Siren Volume, MicroSD card slot on Hub (Up to 512 GB), Single PIR Motion Sensor, One ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Package detection, 1x Tapo Video Doorbell, 1x Tapo Chime
NET-TL-TAPO-H200	R 598	TP-Link Tapo H200 Smart Hub, 2.4GHz Wi-Fi, Gigabit LAN, Local MicroSD storage, 19 ringtone options, Low-power Wireless, Connect up to 64 Switches / sensors / buttons 4 cameras or doorbells
TAPO D210	R 1,149	TP-Link Tapo Video Doorbell Camera - 2K Live Video, Expansive Head to Toe Views, Ring Call, 6 Month Battery Life, Full Color Night Vision, Quick Responses, 2-Way Audio Communication, Local (Up to 512GB MicroSD Card) & Cloud Storage, Smarter Detection, No Subscription, Retail Box, 6 Months Warranty.
TAPO-D205	R 880	TP-Link Tapo D205 2K Wire free 2K Battery Video Doorbell Mini with 2.4mm camera, IR LEDs up to 7.6 m, 1 x Doorbell Button, 1 x MicroSD card slot, 1x USB Type-C Port, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single PIR Motion Sensor, Person and Motion Detection, Connect via 2.4GHz Wi-Fi, 5200mAh Built-In Rechargeable Lithium-ion Battery
TAPO-D230S1	R 1,927	TP-Link TAPO-D230S1 Smart Video Doorbell Camera Kit 1 x Tapo D230, 1 x Tapo H200, SPEC: 2K 5MP

		(2560x1920), 2.4 GHz, 6700mAh rechargeable lithium-ion battery, FEATURE: Ringtones, 180 days battery life, Head to Toe View (4:3), Smart Detection and Notifications
TAPO-H200	R 580	TP-Link Tapo H200 Smart Hub, SPEC: 2.4 GHz, 868 MHz, 1 x Ethernet Port, FEATURE: 90dB Adjustable Audio Alarm, 19 Ringtones, Up to 64 Switches, Sensors or Buttons 4 Cameras or Doorbells, Mute Button, Easy Setup, Device Sharing, Flame-Retardant, Local Storage through microSD
TAPO-H200	R 549	TP-Link Tapo H200 Smart Hub, 2.4GHz Wi-Fi, Gigabit LAN, Local MicroSD storage, 19 ringtone options, Low-power Wireless, Connect up to 64 Switches / sensors / buttons 4 cameras or doorbells
TP-TAPO-D210	R 1,121	TP-Link D210 Tapo Smart Video Doorbell camera kit, 6-month Battery Life, Expansive Head-to-Toe views, 2K live Video, Two-Way Audio, IR LED up to 7.6m Night Vision, Built-In spotlights Lighting, Full-colour Night Vision, 1x Doorbell Button, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, MicroSD card slot on camera (Up to 512 GB), Dual PIR Motion Sensor, One ambient Light Sensor, Person Detection, Connect via 2.4GHz Wi-Fi, 6400 mAh Built-In Rechargeable Lithium-ion Battery, 1x Tapo D210 Video Doorbell, 1x Tapo Doorbell Chime
TP-TAPO-D235	R 1,944	TP-Link Tapo D235 Smart Video Doorbell camera kit, 2K 5MP Head-to-Toe View, Smart AI detection and notification, Two-Way Audio, Powered by hardwire or Battery, 180 degrees Ultra-Wide FOV, Full-colour Night Vision, Built-In spotlights, IR LED up to 10m, 1x Doorbell Button, 2K 5MP (2560 x 1920px) maximum Resolution, 15 / 20 fps Frame rate, H.264 Video Compression, Live View, 3DNR & WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 98dB Siren Volume, MicroSD card slot on Hub (Up to 512 GB), Single PIR Motion Sensor, One ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Package detection, 1x Tapo Video Doorbell, 1x Tapo Chime
TP-TAPO-H200	R 598	TP-Link Tapo H200 Smart Hub, 2.4GHz Wi-Fi, Gigabit LAN, Local MicroSD storage, 19 ringtone options, Low-power Wireless, Connect up to 64 Switches / sensors / buttons 4 cameras or doorbells
UA-CARD	R 799	Ubiquiti UA-CARD UniFi - Secure NFC Smart Access Card
UA-G3-W	R 2,703	Ubiquiti UniFi Access Reader, UA-G3-W, NFC card & keyfob Access, IP55 weatherproofing, Polycarbonate enclosure material, Aluminum Alloy Mount material, Indoor and Outdoor use, Proximity Sensor, Speaker, 13.56 MHz NFC Frequency
UA-G3SK-PRO	R 10,753	Ubiquiti UniFi Access G3 starter kit Pro with Hub & 2x readers, UA-G3-SK-Pro, 1x Door Hub, 1x G3 reader Pro, 1x G3 reader, 2x Pocket Keyfobs
UA-HUB-DM	R 2,243	Ubiquiti UniFi Access Door Hub Mini single Door Access Hub, UA-Hub-Door-Mini, 1 supported doors, Plastic enclosure with Metal Mount plate, DIN Rail mounting, Dry Output Relay, Powered Output Relay, Indoor only use, 4x 1 GbE Ports, 3x PoE Ports, 60W total available PoE
UA-HUB-DOOR	R 4,111	Ubiquiti UniFi Access Door Hub 4x Input & 4x Relay, UA-HUB-DOOR, 1 Door supported Door, PoE Power Method, DIN-Rail (Included) mounting, 5x Gigabit Networking Interface, 4x PoE Outputs 50V DC 30W per Port, 2x Door exit request, 1x Door position, 1x Emergency
UA-HUB-DOOR	R 3,732	Ubiquiti UniFi Access Door Hub 4x Input & 4x Relay, UA-HUB-DOOR, 1 Door supported Door, PoE Power Method, DIN-Rail (Included) mounting, 5x Gigabit Networking Interface, 4x PoE Outputs 50V DC 30W per Port, 2x Door exit request, 1x Door position, 1x Emergency
UA-HUB-DOOR-MINI	R 2,586	Ubiquiti UniFi Access Door Hub Mini single Door Access Hub, UA-Hub-Door-Mini, 1 supported doors, Plastic enclosure with Metal Mount plate, DIN Rail mounting, Dry Output Relay, Powered Output Relay, Indoor only use, 4x 1 GbE Ports, 3x PoE Ports, 60W total available PoE
UA-HUB-GATE	R 5,284	Ubiquiti UniFi Access Gate Hub 5x Input & 4x Relay, UA-HUB-GATE, 1 gate / 1 side Door supported, PoE Power Method, DIN-Rail (Included) mounting, 5x Gigabit Networking Interface, 4x PoE Outputs 50V DC 30W per Port, 1x gate exit request, 1x gate position, 1x side Door exit request, 1x side Door position, 1x Emergency
UA-POCKET	R 2,041	Ubiquiti UniFi Access - Secure NFC Smart Fob, UA-Pocket, 13.56 MHz NFC Frequency
UA-ULTRA	R 2,156	Ubiquiti ua-ultra UniFi Access - Access Reader Ultra, Wall Mount gang box Mount, IP55 weatherproofing, 10/100 mbe RJ45 Port, Bluetooth 4.2, PoE Power Method, Buzzer, NFC Technology, 1x exit request Digital Input, 12V 1A lock terminals
UA-ULTRA	R 2,007	Ubiquiti ua-ultra UniFi Access - Access Reader Ultra, Wall Mount gang box Mount, IP55 weatherproofing, 10/100

		mbe RJ45 Port, Bluetooth 4.2, PoE Power Method, Buzzer, NFC Technology, 1x exit request Digital Input, 12V 1A lock terminals
UB-UA HUB GATE	R 5,422	Ubiquiti UniFi Access Gate Hub 5x Input & 4x Relay, UA-HUB-GATE, 1 gate / 1 side Door supported, PoE Power Method, DIN-Rail (Included) mounting, 5x Gigabit Networking Interface, 4x PoE Outputs 50V DC 30W per Port, 1x gate exit request, 1x gate position, 1x side Door exit request, 1x side Door position, 1x Emergency
UB-UA-EAH-8	R 20,821	Ubiquiti EAH-8 Enterprise Access Hub, 8x lock terminals (12V or dry), 8 8 inputs for request-to-exit devices and door position sensors, 8x PoE Ports for Access readers, 4x Aux terminals, 60W total available PoE, 15.4W Maximum PoE wattage per Port
UB-UA-G2	R 2,872	Ubiquiti UniFi G2 Access Reader- modern NFC and Bluetooth, 1x 10/100 Mbps RJ45 Port, PoE Power Method, 48V DC supported voltage range, Proximity Sensor, 13.56 MHz NFC Frequency
UB-UA-G2-BLK	R 2,968	Ubiquiti UniFi Access modern NFC and Bluetooth G2 Access Reader - Black, GA-G2-black, In Wall / gang box mounting, 1x 10/100 RJ45 Port networking Interface, Bluetooth connectivity, PoE Power Method, Proximity Sensor, 13.56 MHz NFC Frequency
UB-UA-G2-PRO	R 7,952	Ubiquiti UniFi G2 - Pro Access Reader - Premium NFC and Bluetooth, 1x 10/100/1000 Mbps RJ45 Port, Bluetooth 4.2, NFC, PoE Power Method, 48V DC supported voltage range, ToF Sensor, 4000x3000 12MP 30fps camera, Speaker, 13.56 MHz NFC Frequency
UB-UA-G2-PRO-BLK	R 7,938	Ubiquiti UniFi G2 Pro Access Premium NFC and Bluetooth Access Reader - Black, UA-G2-Pro-Black, Aluminum Alloy Mount material, Wall / gang box mounting, IP55 weatherproofing, 1x Gigabit RJ45 Port, Bluetooth 4.2, NFC, PoE Power Method, ToF Sensor, 4000x3000 12MP 30 fps camera, 1.5W Speaker, 13.56 MHz NFC Frequency
UB-UA-G3-ICOM	R 7,568	Ubiquiti UniFi Access G3 Intercom, UA-G3-INTERCOM, Integrated camera, NFC card & Keyfob Access, pin Access, Apple/Google Wallet, Mobile unlock, Two-Way Intercom & Doorbell Access, Indoor and Outdoor use, 1x GbE RJ45 Port, BLE 4.2, NFC, Proximity Sensor, ALS Sensor, 177 mm 1024x600 capacitive Multi-Touch Display, Microphone, Speaker
UB-UA-G3-SK-PRO	R 10,869	Ubiquiti UniFi Access G3 starter kit Pro with Hub & 2x readers, UA-G3-SK-Pro, 1x Door Hub, 1x G3 reader Pro, 1x G3 reader, 2x Pocket Keyfobs
UB-UA-HUB	R 4,165	Ubiquiti UA-HUB UniFi - Access Hub, An intelligent IP networked single door controller, Powered by 802.3bt (PoE) Switch, Three 802.3af PoE ports for UniFi readers and G3 Flex surveillance camera, Four inputs for motion sensors, DIN-Rail mounting
UB-UA-POCKET	R 2,220	Ubiquiti UniFi Access - Secure NFC Smart Fob, UA-Pocket, 13.56 MHz NFC Frequency
UB-UA-PRO	R 5,339	Ubiquiti UA-PRO UniFi - Premium NFC and Bluetooth Access reader - Pro, 802.3af PoE powered by UniFi Access Hub, High Resolution Touchscreen and Integrated camera, Built-in security element Chip
UB-UA-READER-LITE	R 2,072	Ubiquiti UniFi Access reader Lite, UA-READER-LITE, 1x 10/100 MB networking Interface, PoE power Method, Ethernet / Bluetooth 4x 10/100 connectivity, 13.56 MHz NFC Frequency, Mifare Classic, Mifare Plus, Mifare Ultralight, Mifare DESFire
UB-UA-RESCUE	R 1,680	Ubiquiti UniFi Access - Rescue KeySwitch, UA-RESCUE, COM/NO/NC Terminal Block, Brass internal Wave key 28VDC 4A key Switch
UB-UA-ULTRA	R 2,069	Ubiquiti ua-ultra UniFi Access - Access Reader Ultra, Wall Mount gang box Mount, IP55 weatherproofing, 10/100 mbe RJ45 Port, Bluetooth 4.2, PoE Power Method, Buzzer, NFC Technology, 1x exit request Digital Input, 12V 1A lock terminals
UB-USP-CABLE	R 626	Ubiquiti USP-CABLE - UniFi USP Smart 1.5m Power Cable for the USP-RPS unit
UB-USP-RPS	R 8,687	Ubiquiti USP-RPS - UniFi SmartPower redundant power system, 950W DC power budget, 6x USP DC Output ports, 1x Ethernet Port, 1U rackmountable, 1.3" Touchscreen Display with status information, 1x UniFi SmartPower cable
UB-UVC-DOORBELL-LITE	R 1,964	Ubiquiti UniFi Protect Video Doorbell Lite - White, UVC-Doorbell-Lite-W, 5m IR Night Vision, Smart detections, Two-Way Audio, IPX5 weatherproofing, 10/100 MbE Port Networking Interface, 24 fps Maximum Frame rate, 5MP 1920x2560 (3:4) Resolution, 1/2.7" 5MP Sensor, PoE Power Method
UB-UVC-G4-DOORBELL-PRO-POE-KIT	R 7,658	Ubiquiti UniFi Protect G4 Doorbell Professional PoE kit, UVC-G4 Doorbell Pro PoE, Built-In IR LED illumination, H.264 Video Compression, 2MP 1600x1200 (4:3) main camera, 2MP 1600x1200 (4:3) package camera, 30 fps Maximum Frame rate, GbE RJ45 Port, PoE Power Method, Up-chime PoE, 10/100 mbe Port, PoE Power Method

UB-UVC-G6-ENTRY	R 4,925	Ubiquiti UniFi G6 Entry Smart Door Access System, UVC-G6-Entry, G6 entry prioritizes full Person visibility for accurate face identification, 5 m IR Night Vision, Face Recognition, Smart detections, 5MP Main camera, 8MP package camera, Two-Way Audio, IP55 weatherproofing, IK07 tamper resistance, NFC card & Keyfob Access, 1x Gigabit Ethernet RJ45 Port, Bluetooth 4x 10/100, NFC
UP-AI-HORN	R 6,549	Ubiquiti UniFi AI Horn Speaker 120dB - White, IP66 weatherproofing, PoE Power Method, 1x 10/110 MbE RJ45 Port Networking Interface
UVC-DBLITE-B	R 2,128	Ubiquiti UniFi Protect Video Doorbell Lite - Black, UVC-Doorbell-Lite-B, 5m IR Night Vision, Smart detections, Two-Way Audio, IPX5 weatherproofing, 10/100 MbE Port Networking Interface, 24 fps Maximum Frame rate, 5MP 1920x2560 (3:4) Resolution, 1/2.7" 5MP Sensor, PoE Power Method
UVC-DBLITE-W	R 2,128	Ubiquiti UniFi Protect Video Doorbell Lite - White, UVC-Doorbell-Lite-W, 5m IR Night Vision, Smart detections, Two-Way Audio, IPX5 weatherproofing, 10/100 MbE Port Networking Interface, 24 fps Maximum Frame rate, 5MP 1920x2560 (3:4) Resolution, 1/2.7" 5MP Sensor, PoE Power Method
UVC-G4-DOORBELL-PRO-POE-KIT	R 8,907	Ubiquiti UniFi Protect G4 Doorbell Professional PoE kit, UVC-G4 Doorbell Pro PoE, Built-In IR LED illumination, H.264 Video Compression, 2MP 1600x1200 (4:3) main camera, 2MP 1600x1200 (4:3) package camera, 30 fps Maximum Frame rate, GbE RJ45 Port, PoE Power Method, Up-chime PoE, 10/100 mbe Port, PoE Power Method
UVC-G4-DOORBELL-PRO-POE-KIT-WHITE	R 7,416	Ubiquiti UniFi Protect G4 Doorbell Professional PoE kit - White, UVC-G4 Doorbell Pro PoE, Built-In IR LED illumination, H.264 Video Compression, 2MP 1600x1200 (4:3) main camera, 2MP 1600x1200 (4:3) package camera, 30 fps Maximum Frame rate, GbE RJ45 Port, PoE Power Method, Up-chime PoE, 10/100 mbe Port, PoE Power Method
UVC-G6-ENTRY	R 5,629	Ubiquiti UniFi G6 Entry Smart Door Access System, UVC-G6-Entry, G6 entry prioritizes full Person visibility for accurate face identification, 5 m IR Night Vision, Face Recognition, Smart detections, 5MP Main camera, 8MP package camera, Two-Way Audio, IP55 weatherproofing, IK07 tamper resistance, NFC card & Keyfob Access, 1x Gigabit Ethernet RJ45 Port, Bluetooth 4x 10/100, NFC
VN-BP20C	R 709	Vandsec BP20C 2MP Mini IP Camera - 2MP Camera, 1 x RJ45 Port Video Output, Onvif Support, Support Gmail/Google/QQ/Email, Plug And Play, Support Smart Phone And Tablets, OSD, Motion Detection, Remote View And Control, -10 Degree C~ 60 Degree C Working Temperature.
VN-DB01	R 1,929	Vandsec Low Power Doorbell - 2.4G Wi-Fi Connection, High Quality Two-way Talk With Noise Cancellation, Million HD Pixels Collocated With Wide-Angle Lens, Support PIR Motion Detection, Day And Night Mode Automatic Switching, Two 18650 Specification Batteries Work Regularly For 8-12 Months, Retail Box
VN-FB40	R 1,359	Vandsec Waterproof IR Bullet IP Color CCTV Camera - PAL, 3.6mm Lens, DC12V Power
ZK-BOOM-BARRIER	R 1,378	ZKTeco - PSA43 3m Replacement Boom Barrier for PB3030, ZKREC0065
ZK-BS-ELE-ONLINE	R 2,307	ZKTeco - Online elevator Software, Maximum personnel 30 000, 1 elevator controller = 1 elevator Software, ZKBS-ELE-ONLINE-S1
ZK-CALLPOINT-G	R 691	ZKTeco - Green Call Point - Resettable
ZK-CR20E	R 516	ZKTeco USB Proximity Reader
ZK-CR20M	R 771	ZKTeco Take On Reader, Read (CR20E/M) Write (CR20M/W)
ZK-CR60W	R 1,387	ZKTeco CR60W card encoder for hotel locks, RFID USB reader for hotel management, Mifare proximity
ZK-D2180	R 15,913	ZKTeco ZK-D2180 walk through Metal detector - 18 Zone, Remote control, 18 detection zones, 256 sensitivity levels, 3.5 LCD display
ZK-D4330	R 49,779	ZKTeco ZK-D4330 33 Zone Walk Through Metal Detector
ZK-DOORCLOSER-M	R 508	ZKTeco Access Control Silver Door Closer - medium duty, Door weight 60 kg - 85 kg, DC6085
ZK-EXIT-BUTTON-EB2	R 370	ZKTeco Securi-Prod Touch to Exit Sensor, EB2
ZK-F12INDR	R 232	ZKTeco - F12 slave standoff box - Cable tray only, F12INDR
ZK-F12RNS	R 396	ZKTeco - F12 Rain Shield, Cable Tray with a rain shield, F12RNS
ZK-F17INDR	R 148	ZKTeco - Standoff Box for F17, Cable tray only, F17INDR
ZK-F17RNS	R 279	ZKTeco - Rain Shield with a standoff box for F17, Cable Tray wth a rain shield
ZK-FACE-DEPOT-7A	R 17,825	ZKTeco Android FaceDepot 7A - Facial recogition Access Control Terminal, Face capacity - 10000, RFID - 10000, ZKBiosecurity, 2MP Dual Lens, Wi-Fi connected
ZK-FH-TURNSTILE	R 65,701	ZKTeco FHPC2400 Series four arm full height Bi-Directional turnstile

ZK-HORUS-E1	R 8,726	ZKTeco HORUS-E1 2MP Wireless facial recognition time & attendance Terminal, Only 10 000 face capacity, WiFi connected 2.4 / 5GHz, Bluetooth, Biotime 8, Only time & attendance, 720 x 1280 IPS touch LCD, 2MP Dual camera, Quad-Core 1.5GHz CPU, Android 8.1, RAM 2GB, ROM 16GB
ZK-HORUS-E1-FP	R 10,266	ZKTeco HORUS-E1-FP 2MP Wireless facial recognition time & attendance Terminal with Fingerprinr Reader, Only 10 000 face capacity, WiFi connected 2.4 / 5GHz, Bluetooth, Biotime 8, Only time & attendance, 720 x 1280 IPS touch LCD, 2MP Dual camera, Quad-Core 1.5GHz CPU, Android 8.1, RAM 2GB, ROM 16GB
ZK-HORUS-RFID	R 10,266	ZKTeco HORUS-RFID 2MP Wireless facial recognition Time & Attendance Terminal with RFID, Dual camera, Only 10000 face capacity, WiFi connected 2.4 / 5GHz, Bluetooth, Biotime 8, Android 8.1 Operating System
ZK-IN01-A-WIFI	R 6,561	ZK Teco IN01-A-WIFI fingerprint time & attendance Terminal, Fingerprint recognition ta & Access Terminal, Comes with a Power Supply, Colour TFT screen with GUI Interface for ease of use, Zk optical sensor, 1 touch a-second user recognition, Reads fingerprint and/or pins, Built-in serial and Ethernet ports, Built-in battery Backup, Built-in Wireless Wi-Fi
ZK-INBIO160	R 3,945	ZKTeco InBio 160 1 Door Controller
ZK-K2	R 421	ZKTeco Non Touch sensor with remote Key
ZK-KR300	R 407	ZKTeco - KR300 RFID and Mifare proximity slave unit, Up to 10cm read range, 2 color LED indicators (Red and Green), Beeper
ZK-KR310	R 461	ZK Teco KR310 Dual Frequency RFID and Mifare slave wiegand Card Reader, 125khz proximity / 13.56MHz Mifare Card Reader, Up to 10cm read range, External LED control, External buzzer control, Waterproof IP65
ZK-KR601	R 325	ZKTeco RFID and Mifare Card Reader
ZK-KR602E	R 407	ZKTeco RFID / Mifare slave Card Reader with additional keypad, Keypad slave reader IP64 (Paired with controller or stand alone device), Don ' t work with Access control units or controllers, Economic 50 devices - 500 employees
ZK-LH3000	R 2,224	ZKTeco LH3000 RFID Hotel Lock
ZK-LH3000R	R 2,224	ZKTeco - Mifare hotel lock (Right door lock), Stainless steel, Audit trail, Warning low battery, Silver, Battery powered
ZK-LH4000L	R 2,692	ZKTeco Mifare Hotel Lock (Left Door Lock)
ZK-LH4000R	R 2,692	ZKTeco Mifare Hotel Lock (Right Door Lock)
ZK-MIFARECARD	R 13	ZKTeco - Hotel lock Mifare Card, Stores infomation on the card used for Hotel locks ONLY
ZK-MULTIBIO-600	R 4,161	ZKTeco - MultioBio 600 facial / fingerprint & RFID stand alone T& A and Access Control Terminal, 800 face capacity, 3000 fingerprint capacity, 5000 card capacity, 100000 Record capacity, 2.8-inch TFT Colour screen, Biotime 8 Software
ZK-PRO-MA	R 7,470	ZKTeco ProMA Outdoor Facial / Fingerprint / RFID Access Control Standalone reader, 10 000 Fingerprint, 30 000 face, 50 000 cards, 500 000 transactions, 2.0 inches Colour TFT Monitor, 1x TCP/IP LAN port, 1x Wiegand Input / Output, 1x standard RS485, 1x alarm Output / auxiliary Input, 1x Exit Button / door Sensor, 1x Doorbell Output
ZK-PROFACE-X	R 20,019	ZKTeco PROFACE-X 2MP WDR outdoor & Vandal-resistant facial and Palm recognition Access control Terminal, Measurement distance of 30-50 cm, 50000 users / cards, 30000 faces, 8" High Brightness (400lux) IPS Touch LCD, 125KHz EM Reader, IP68, IK04
ZK-PSU	R 466	ZK Teco - PSU (Requires connection cable to work), Use with zk-psu-cable-x, A17010105, Plug to device 90 degree, Diameter 2.1mm, 1.8m cable length
ZK-RFID	R 7	ZKTeco - RFID ID card, 125kHz thin card with numbers
ZK-RFID-TAG	R 8	ZKTeco - RFID tag 125kHz
ZK-SENSEFACE-2A	R 3,081	ZKTeco SenseFace-2A stand alone Access Control device face and Fingerprint recognition with WiFi, SenseFace-2A, 1500 face capacity, 3000 Fingerprint capacity, 3000 card capacity, 2.4" TFT Colour LCD screen (320 x 240), WDR binocular camera @ 1MP, Linux Operation system, Microphone, 17 Keys physical Keypad, Zk Optical Fingerprint Sensor
ZK-SPEEDFACE-M4	R 9,599	ZKTeco SpeedFace M4 Facial / Palm / card / Password Outdoor Access Control reader, 5" Touch Screen Display, 6000 face capacity, 3000 Palm capacity, 10000 card capacity, 200 000 transaction capacity, TCP/IP, Wiegand Input / Output, RS485, Access Control Interface - 3rd-party Electric lock / door Sensor / Exit Button / alarm Output / aux. Input, Supplement light with adjustable brightness
ZK-SPEEDFACE-V4L-PRO	R 6,263	ZKTeco Speedface-V4L stand alone Access Control device face and Fingerprint recognition with WiFi, 3000 face

		capacity, 3000 Fingerprint capacity, 3000 card capacity, 4" 480x800 TFT Colour Touch LED screen, Binocular camera @ 2MP, Linux Operation system, Microphone, In-glass Fingerprint Sensor
ZK-SPEEDFACE-V5L-P	R 9,599	ZKTeco SpeedFace V5 facial / Fingerprint / Palm / RFID indoor stand alone Access Control Terminal, 6000 face capacity, 5-inch Touch Screen Display, 3000 Palm capacity, 6000 fingerprint capacity, 10000 card capacity, 200000 transactions, Linux operation system
ZK-TS1000-PRO	R 13,350	ZKTeco Standard Tripod Turnstile Access Control gate, ZK-TS1000-PRO, Maximum 30/minute RFID Speed of Throughput, Maximum 25/minute Fingerprint Speed of Throughput, 500 mm lane width, SUS304 Stainless Steel material, Rotation barrier movement
ZK-TS2022-PRO	R 25,954	ZKTeco tripod Turnstile with InBio 260 controller and 2x F12 readers
ZK-UHF-10M	R 12,475	ZKTeco U2000E 10m range UHF Radio with Built-In controller - Standalone reader, 5000 cards card capacity, 30000 transactions, Access Control Interface - 3rd Party Electric lock / door Sensor / Exit Button / alarm / Wiegand in/out
ZK-UHF-6M	R 10,385	ZKTeco U1000E 6m range UHF Radio with Built-In controller - Standalone reader, 5000 cards card capacity, 30000 transactions, Access Control Interface - 3rd Party Electric lock / door Sensor / Exit Button / alarm / Wiegand in/out

< Return to the menu

Intercoms / access control accessories

Product code	Price	Description
AQ-ACC-VDB-G4-CASE	R 136	Aqara Video Doorbell G4 Weatherproof Case, FFGJT11LM, Requires AQ-VDB-G4, Protect your Aqara Video Doorbell G4 with a Premium Weatherproof Silicone Case
DS-K1107AM	R 403	Hikvision DS-K1107AM Card Reader, RS-485 and Wiegand (W26/W34) Protocol, Build-in Mifare card reading module 13.56 MHz, Built-In buzzer
DS-K1109DKFB-QR	R 1,884	Hikvision Card Reader with Fingerprint, Supports RS-485 and Wiegand Protocol, Supports reading DESfire card / Felica card / M1 card, Maximum 5000 Fingerprint capacity
DS-K2M062	R 265	Hikvision Secure module for Access Control Terminal, DS-K2M062, 1 lock control, 1 Exit Button, 1 Door contact Input, 1x RS-485
DS-K4DC104	R 512	Hikvision door closer for door weight 60-85kg, Width less than 1100mm, EN4 close strength, 180 degrees open angle, 1 million Life cycle,
DS-K4DC104	R 432	Hikvision door closer for door weight 60-85kg, Width less than 1100mm, EN4 close strength, 180 degrees open angle, 1 million Life cycle,
DS-K4DC105	R 546	Hikvision Door Closer weight 80-120 kg, DS-K4DC105, Latching Speed valve adjustable angle range is 0-15 degrees, Closing Speed valve adjustable angle range is 15-180 degrees
DS-K4H255-LZ	R 147	Hikvision DS-K4H255-LZ Value Magnetic ZL bracket, High strength Aluminum Alloy Surface sandblasting oxidation
DS-K4H255S	R 378	Hikvision DS-K4H255S Value Magnetic lock, Hard anodizing electroplating operated Shell, Shell : hard anodizing electroplating operated, Lock Body : Eco-Friendly Zinc electroplating operated, Eco-Friendly Zinc electroplating operated armature plate, Maximum 272 kg thrust, Current interruption unlock Method
DS-K4H258-LZ	R 259	Hikvision LZ-Bracket of Magnetic lock for DS-K4H258S, Hard anodizing electroplated Shell
DS-K4H258S	R 460	Hikvision single-door Magnetic lock, 280kg linear thrust, 12 VDC, 340mA Power draw, Current interruption unlock Method
DS-K4H258S	R 489	Hikvision single-door Magnetic lock, 280kg linear thrust, 12 VDC, 340mA Power draw, Current interruption unlock Method
DS-K7M-AW24	R 460	Hikvision PSU 12VDC 2A, DS-K7M-AW24, 24 W Power Output, 5 a momentary current, 2 a persistent current
DS-K7P04	R 288	Hikvision no Touch sensor on Stainless Steel panel, 90 x 35 x 37.7mm dimensions, 1A @ 30VDC current rating, NO/NC/COM contact
DS-K7P04	R 286	Hikvision no Touch sensor on Stainless Steel panel, 90 x 35 x 37.7mm dimensions, 1A @ 30VDC current rating, NO/NC/COM contact
DS-K7P07	R 259	Hikvision Touchless Exit Button, DS-K7P07, DC 12-24V Power Supply, Stainless Steel material, NO/NC/COM Output contact, Hollow Door Frame suitable Door

DS-K7P07	R 156	Hikvision Touchless Exit Button, DS-K7P07, DC 12-24V Power Supply, Stainless Steel material, NO/NC/COM Output contact, Hollow Door Frame suitable Door
DS-K7P08	R 242	Hikvision Touchless Exit Button 86 x 86 x 16, DS-K7P08, Aluminum Alloy panel with sandblast, Metal Button, NO/NC/COM contact signal Output
DS-KAB344-S1	R 265	Hikvision Protecttive Shield for DS-K1T344 Series Face Recognition Terminal
DS-KAB502-S1	R 288	Hikvision protective Shield for DS-K1T502 Series, Protective cover for DS-K1t341a/c and DS-K1T342 Series Face Recognition terminals
DS-KAB673-FB	R 984	Hikvision Bluetooth Fingerprint recognition module for DS-K1T673 Series Terminal, USB Type-C Port, DS-KAB673-FB
DS-KAB673-FBQR	R 1,489	Hikvision Peripheral Bluetooth Fingerprint and QR Module for the DS-K1T673 series face recognition terminal
DS-KAB673-S1	R 349	Hikvision protecttive Shield for DS-K1T673 Series Face Recognition Terminal, Polycarbonate material
DS-KAB805-S1	R 259	Hikvision rain Shield for K1T805 Series, Surface Mount mounting, DS-K1t805x Access controllers compatibility, Material SECC
DS-KABV8113-RS	R 207	Hikvision Surface Mount protective rainshield for DS-KV8X13, Protective Shield for KV8113 Series Villa Door Station, SECC material
DS-KIS602(B)	R 4,945	Hikvision IP Video Intercom kit for Villa or house, Only one call Button, 1x DS-KD8003-ime1(b)/surface, 1x DS-KH6320-WTE1, 1x 4 port standard PoE Switch, 1x 16GB TF card, Stores messages and captured pictures in the TF card, Outside unit, 2MP HD camera, 3 m low illumination IR supplement mode, H.264 Video Compression standard, Built-In omnidirectional Microphone, Built-In loudspeaker, Two-Way audio communication, 1x 10/100 Mbps RJ45 Network Interface, 1x RS-485, 4 alarm Input, 2 lock control, 1 tamper Switch, Indoor station, 7-inch 1024 x 600 colorful capacitive Touch Screen, Built-In omnidirectional Microphone, Built-In loudspeaker, 10/100 Mbps Self-Adaptive Wired Network, Wi-Fi 802.11 b/g/n Wireless Network, 8-ch alarm inputs, 2 relay Output
DS-QAE0120G1R/EN/BLACK	R 1,024	Hikvision Analog cabinet Speaker 20W - Black, DS-QAE0120G1R/EN/WHITE, 1x 5.25 ' ' Speaker unit, Fixed Pressure in 100 V, Fixed Pressure in 70 V, Fixed resistance Input 8 ohm x 1
DS-QAE0120G1R/EN/WHITE	R 1,024	Hikvision Analog cabinet Speaker 20W - White, DS-QAE0120G1R/EN/WHITE, 1x 5.25 ' ' Speaker unit, Fixed Pressure in 100 V, Fixed Pressure in 70 V, Fixed resistance Input 8 ohm x 1
DS-QAE0206G1-V	R 161	Hikvision Analog Ceiling Speaker 6W, DS-QAE0206G1-V, 1x 5.25 ' ' Speaker unit, 6 W rated Power, Audio in 100V rated Voltage
DS-QAE0420G1-V	R 1,093	Hikvision Analog Column Speaker 20W, DS-QAE0420G1-V, 20W rated Power, IP66 protection, Green end (Terminal Block) Audio in, 100V COM Constant Voltage Input
DS-QAZ0610G1	R 909	Hikvision Analog Frameless Ceiling Speaker 10W, DS-QAZ0610G1, 10W rated Power, 1x 1.0-inch tweeter and 1x 6.5-inch Woofer
DS-QAZ0630G1	R 1,369	Hikvision Analog Frameless Ceiling Speaker 30W, DS-QAZ0630G1, 30W rated Power, 1x 1.0-inch tweeter and 1x 6.5-inch Woofer
FAN-IC-CARD	R 63	Fanvil IC Access card
FAN-KT10	R 167	Fanvil KT10 Kinetic Wireless Button, Self-Powered, 433 MHz Wireless Frequency, Compatible devices - Fanvil Y501 Series / Y501-Y Series / x305 Big Button IP Phone
FB-MAGLOCK-280	R 507	Forbatt Brushed Stainless electromagnetic lock - 280kg, 280kg holding Force, DC 12V Input Voltage
GS-GDS-RFID-CARD	R 12	Grandstream RFID Card use with the GDS3710 GDS3705, 125KHz
HK-302900560	R 265	Hikvision DS-K7P02 alluminium Button, Aluminum Alloy panel with sandblast material, NO/NC/COM contact
HK-302901663	R 360	Hikvision Exit & Emergency Button, DS-K7PEB, NO/NC/COM signal Output
HK-302901737	R 536	Hikvision single-door Magnetic lock, 280kg linear thrust, 12 VDC, 340mA Power draw, Current interruption unlock Method, DS-K4H258S
HK-302901747	R 362	Hikvision LZ-Bracket of Magnetic lock for DS-K4H258S, Hard anodizing electroplated Shell, DS-K4H258-LZ
HK-302902420	R 772	Hikvision Pro Series Magnetic lock bracket, DS-K4H450-LZ, Anodized Aluminum Shell, High strength Aluminum with the Surface sandblast lock Body
HK-302903596	R 13	Hikvision M1 card, DS-K7M102-M, PVC & AB glue material, 13.56MHz card reading Frequency, Read/write Function, Up to 4cm card reading distance
HK-302908147	R 373	Hikvision no Touch sensor on Stainless Steel panel, 90 x 35 x 37.7mm dimensions, 1A @ 30VDC current rating,

		NO/NC/COM contact, DS-K7P04
HK-302915236	R 865	Hikvision 50W Power Box, DS-K7M-AW50, Output Voltage 12 VDC, Output Power 50 W
HK-305303100	R 3,034	Hikvision All-in-One 10.1" 1024x600 indoor door station, Android 10.1 Operation system, 8GB ROM, 2GB RAM, 10.1-inch colorful IPS 1024x600 capacitive Touch Screen, H.265 / H.264 Video Compression standard, 1 Built-In omnidirectional Microphone, 1 Built-In loudspeaker, Noise suppression and Echo cancellation, 200 captured pictures, 200 Alarm records, 200 notice capacity, 16 linked Indoor extensions capacity, 16 linked Network camera capacity, 17 linked DoorPhone capacity, Wi-Fi, 8 Alarm Input, 1x RJ-45 10/100 Mbps Self-Adaptive Network Interface, 1x RS-485 (Half Duplex), Support TF card up to 128GB, 1 Alarm Output, 1 Relay lock control, Surface mounting, DS-KH9510-WTE1(B)
HK-305303834	R 4,727	Hikvision IP Video Intercom kit for Villa or house, Only one call Button, 1x DS-KD8003-ime1(b)/surface, 1x DS-KH6320-WTE1, 1x 4 port standard PoE Switch, 1x 16GB TF card, Stores messages and captured pictures in the TF card, Outside unit, 2MP HD camera, 3 m low illumination IR supplement mode, H.264 Video Compression standard, Built-In omnidirectional Microphone, Built-In loudspeaker, Two-Way audio communication, 1x 10/100 Mbps RJ45 Network Interface, 1x RS-485, 4 alarm Input, 2 lock control, 1 tamper Switch, Indoor station, 7-inch 1024 x 600 colorful capacitive Touch Screen, Built-In omnidirectional Microphone, Built-In loudspeaker, 10/100 Mbps Self-Adaptive Wired Network, Wi-Fi 802.11 b/g/n Wireless Network, 8-ch alarm inputs, 2 relay Output, DS-KIS602(B)
HK-305700742	R 606	Hikvision door closer for door weight 60-85kg, Width less than 1100mm, EN4 close strength, 180 degrees open angle, 1 million Life cycle, DS-K4DC104
HK-305700902	R 342	Hikvision protective Shield for DS-K1T502 Series, Protective cover for DS-K1t341a/c and DS-K1T342 Series Face Recognition terminals, DS-KAB502-S1
HK-305701021	R 500	Hikvision protecttive Shield for DS-K1T673 Series Face Recognition Terminal, Polycarbonate material, DS-KAB673-S1
HK-305701053	R 289	Hikvision DS-K4H255-LZ Value Magnetic ZL bracket, High strength Aluminum Alloy Surface sandblasting oxidation
HK-347000134	R 4,179	Hikvision 7W Network Horn Speaker with 110 dB sensitivity, DS-QAZ1307G1-E(C), 121 dbspl Maximum Acoustic Pressure, PoE IEEE 802.3at, 10/100 Mbps Ethernet, Two-Way Audio, Scheduled / live / Emergency broadcasting, Alarm linkage, Tts, Dual microphones, 4GB eMMC storage, IP67 and IK10 protection, 2 electret microphones, 1x RJ45 10M/100M adaptive Ethernet Port, Metal material
RL-VDB2K02W	R 1,896	Reolink RL-VDB2K02W Smart 2K Wireless Video Doorbell. Quick Specs: 2K 2560 x 1920 resolution, Dual-band Wi-Fi 2.4 GHz and 5 GHz, Two-way audio, 180Â° wide-angle view, Smart human detection, Infrared night vision, IP65 weatherproof, Works with Google Assistant and Alexa, microSD and cloud storage, Chime included.
TTK-AP-DAP142	R 1,314	Teltonika Industrial Wireless Access Point Wi-Fi 4 PoE, DAP142, Up to 50 simultaneous connections, RutOS Operating System, 9-30 VDC Input Voltage range, 3-pos plugable Terminal Block connector, 2x RJ45 Ports 10/100 Mbps, 1x RP-SMA for Wi-Fi antennas, 1x DB9 Socket RS232
UA-G2-SK-EU	R 5,231	Ubiquiti UniFi G2 Access - Starter Kit, UA-G2-SK, 1x UniFi Access Door Hub, 1x Access Reader G2, 10x UniFi Access Cards
UA-PROJB-B	R 569	Ubiquiti UniFi Access Reader Pro Junction Box, UA-PROJB-B, Designed for UniFi Professional Access readers and doorbells, Conduit Attachment compatible with 3/4" conduit, Supports Wall and VESA Mount installation, Note that G4 Doorbell Pro PoE installation requires an Add-on gang Box Mount accessory
UACC-AIPORT-RM	R 1,639	Ubiquiti AI Port Rack-Mount kit, UACC-AI-Port-RM, SGCC Steel & polycarbonate enclosure material, Compatibile with UP-AI-PORT
UB-UA-CARD-B-10	R 681	Ubiquiti UniFi Access Secure NFC Smart Access card Black - 10 pack, UA-Card-B-10, Mifare DESfire EV3 NFC Technology, UniFi Access proprietary Security Protocol, 13.56 MHz NFC Frequency
UB-UA-ICOM-FM	R 1,058	Ubiquiti UniFi Access Intercom Flush Mount, UACC-Intercom-FM, Uv-stabilized polycarbonate with PU coating, Powder-coated galvanized Steel, Compatibility with UA-INTERCOM & UA-G3-INTERCOM
UB-UA-POCKET	R 3,393	Ubiquiti UniFi Access - Secure NFC Smart Fob, UA-Pocket, 13.56 MHz NFC Frequency
UB-UAP-COV-U7-FM	R 757	Ubiquiti UniFi - Wi-Fi 7 Pro wall paintable flush Mount, Compatible with --> Ubiquiti UniFi U7 Pro wall
USP-CABLE	R 972	Ubiquiti USP-CABLE - UniFi USP Smart 1.5m Power Cable for the USP-RPS unit
ZK-FR1500-S	R 1,900	ZK Teco IP65 slave Fingerprint reader, RS-485 communication Interface, Z-Id Sensor, Three-color indicator Light,

		ZK-FR1500-S
ZK-ML300-R	R 2,713	ZKTeco ML300 Stand-Alone App Controllable Indoor Smart Lock, Right. The ZK-ML300-R Smart Lock by ZKTeco provides secure, keyless entry for indoor doors. With multiple unlocking options and simple app control, it is ideal for homes and offices. Durable construction and quiet operation ensure reliability and convenience every day.
ZK-SLG200	R 1,248	ZKTeco SLG200 Bluetooth Gateway for ML300 Smart Locks. The ZKTeco ZK-SLG200 Bluetooth Gateway is an essential accessory for enhancing the capabilities of ML300 and ML200 smart locks. It enables remote access control and monitoring through Bluetooth connectivity, facilitating efficient management of access permissions. Its compact design and easy installation process make it a valuable addition to any security system.
ZK-UHF-TAG-1	R 12	ZKTeco UHF Thin Card, Used with the ZK-UHF-6M and ZK-UHF-10M, UHF1-Tag1

< Return to the menu

Security : other devices

Product code	Price	Description
3XJ17AA	R 562	HP 3XJ17AA Business PC security lock v3
AA-4-PAIR-MYLAR	R 1,650	Access Control 4 Pair Twisted Mylar, 100m roll
AA-EXIT-BUTTON	R 22	Miro Access Control EXIT Button
AA-EXIT-NOTOUCH	R 168	Miro Access Control Exit Button No Touch
AA-POWER-3.2AMP	R 623	Access control - Power Supply, 12VDC, 3.2A
ATS213	R 149	Esquire Anti-Theft Luggage Zipper Strap
BHR8618GL	R 592	Xiaomi Outdoor Camera Base Station; Support BW300 BW500; SD storage 16-256GB; 2.4GHz WiFi hub; MJA1 security chipset; instant event alerts
CB-EPMP-EXT-PSU-GB	R 293	Cambium ePMP Spare Gb PSU for ePMP 1000 EXT with SYNC
CM915-75644	R 354	UGreen CM915-75644 FineTrack Slim Pro Smart Tracker for Android and iOS, IP68 Water resistance rating, Polymer Lithium-ion Battery, Up to 5 years operating Life, Non-Replaceable Battery Design
DS-PDMC-EG2-WE	R 428	Hikvision DS-PDMC-EG2-WE Wireless Magnet Detector, Designed for serface installation; 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,600m(open space); 2-ch External Zones for wired sensors; Multiple Enrolling Methods: Power up, Remote ID
DS-PDMCS-EG2-WE	R 460	Hikvision DS-PDMCS-EG2-WE 868MHz AX PRO Series Wireless Slim Magnetic Contact, Slim Designed for an unobtrusive(unnoticeable) installation; 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,200m(open space); Multiple Enrolling Methods: Power up, Remote ID, QR Code; SSI(Signal Strength Indicators); Environment Temperature Indication; Fully remote configurable through APP; Battery Type: 1 * CR2450 battery (included by default, easy replaceable), Battery Life: 3 years (triggered 10 times every day)
DS-PK1-E-WE	R 891	Hikvision 868MHz AX PRO Series Wireless Keypad, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1200m(open space); Stay/away arming, disarming, alarm clearing for specified area or all areas; One-Push fire alarm, panic alarm, and medical alarm(Silent/Audible alarm selectable); Output control; Fully remote configurable through APP; Battery Type: 4 * AA batteries (included by default, easy replaceable), Battery Life: more than 2 years (standby time)
DS-PKF1-WE	R 348	Hikvision DS-PKF1-WE Wireless Keyfob, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 900m(open space); Keyfob lock and unlock function; Multiple enrollment method and easy installation design; 4 keys, programmable to various fun
DS-PKF1-WE	R 357	Hikvision DS-PKF1-WE Wireless Keyfob, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 900m(open space); Keyfob lock and unlock function; Multiple enrollment method and easy installation design; 4 keys, programmable to various fun
DS-PM1-O1L-WE	R 431	Hikvision DS-PM1-O1L-WE 868MHz AX PRO Series Relay Module, 868MHz two-way Tri-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,800m(open space); Multiple Enrolling Methods: Power up, Remote ID, QR Code, SSI(Signal Strength Indication); Fully remote configuration through APP; One-way ouput and one-way tamper input, Voltage protection, Trigger By Zone Alarm, By Arm/Disarm/Away/Clear Alarm, By Faults, By Manually, By Schedule

DS-PR1-WE	R 1,393	Hikvision DS-PR1-WE Repeater, 868MHz two-way Tri-X and Cam-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,600m(open space); Multiple Enrolling Methods: Power up, Remote ID, QR Code SSI(Signal Strength Indication); Fully remote configuration
DS-PR1-WE	R 1,346	Hikvision DS-PR1-WE 868MHz AX PRO Series Repeater, 868MHz two-way Tri-X and Cam-X wireless technology; Frequency hooping against jamming for reliable transmission; RF Range: 1,600m(open space); Multiple Enrolling Methods: Power up, Remote ID, QR Code, SSI(Signal Strength Indication); Fully remote configuration through APP; Auto pairing with detectors and peripherals, Long battery backup time, PIRCAM suppported
DS-PWA96-M-WE	R 2,953	Hikvision DS-PWA96-M-WE AX PRO Wireless System, 868MHz two-way wireless, Dual Wireless Technology: Tri-X & CAM-X; Long RF transmission range; Up to 96 Wireless Zones/Outputs, 8 Wireless Ta Readers/Keypads, 6 Wireless Sounder, 48 Keyfobs, 4 Wireless Repeaters, 48 Tags; PIRCAM supported; Built-in LAN, WiFi
DS-PWA96-M-WE	R 3,163	Hikvision 868MHz AX PRO Wireless Control Panel, 868MHz two-way wireless, Dual Wireless Technology: Tri-X & CAM-X; Long RF transmission range; Up to 96 Wireless Zones/Outputs, 8 Wireless Ta Readers/Keypads, 6 Wireless Sounder, 48 Keyfobs, 4 Wireless Repeaters, 48 Tags; PIRCAM supported; Built-in LAN, WiFi and 3/4G; Dual SIM Slots; Built-in Card Reader; Up to 32 areas, 48 users, and 5000 log events; Voice Prompt; Multiple configuration via Web Client, Hik-Connect and Convergence Cloud(Hik-ProConnect) (Hik-Connect and Hik-ProConnect configuration depends on the user access level), Pushes alarm notification via SMS or Voice Call; HD Live Videos from Hik-Connect; 4-ch 7s Alarm Video Clips(5s before 2s after, or reverse) via E-mail or Hik-Connect; Built-in 4520mAh lithium backup battery for 12 hours (standby time); Uploads alarm reports to ARC; SIA-DC09 Protocol, and supports both Contact-ID and SIA-DCS data format, Support ISUP 5.0, ISAPI (SDK) Protocols
HKA02412020-8D	R 115	Huntkey HKA02412020-8D 12V 2A 24W AC/DC Power Adapter - exact replacement OEM (Barrel size: Outer diameter 5.5mm, inner diameter 2.5mm, length: 11mm, yellow power tip)
IRL-180	R 2,169	Miro IR illuminator 50-180 m range, 100m at 45 degree angle, DC12V2A, No PSU INCLUDED, KDM-6052A
ISD-SC5030S-2CVL	R 328,526	Hikvision ISD-SC5030S-2CVL Intelligent X-Ray Security Inspection System, Raytina new generation image enhancement engine, using advanced intelligent image imaging algorithm, signal-to-noise ratio optimization obvious imaging more delicate, image clearer, more prominent details, Advanced material properties identification technology can effectively identify the equivalent of atomic number of item(such as metal and organics) and give a different color, Intelligent recognition technology is a deep learning recognition algorithm with full independent intellectual property rights, which realizes the integration of intelligent recognition algorithm and X-ray imaging software, and achieves better recognition effect, The radiation leakage dose rate is far lower than the relevant international standards, The conveyor speed can be adjusted according to the field efficiency to meet the different needs of high efficiency and energy saving, Double lead curtain design effectively reduce the radiation lead shade place Supports access to Hik-central, and implement the data upload, Support security check machine video, picture, alarm information local and network storage, view,playback, Event tracing can organically combine X-ray image with passenger video information to realize human package tracing, Supports login with Password and fingerprint authentication,energy saving light barrier sensor, operation training system, Brand new appearance and exquisite manufacturing technology, high standard quality control give products high reliability and long life
ISD-SC6550S-4CVL	R 454,348	Hikvision ISD-SC6550S-4CVL Intelligent X-Ray Security Inspection System, Raytina new generation image enhancement engine, using advanced intelligent image imaging algorithm, signal-to-noise ratio optimization obvious imaging more delicate, image clearer, more prominent details, Advanced material properties identification technology can effectively identify the equivalent of atomic number of item(such as metal and organics) and give a different color, Intelligent recognition technology is a deep learning recognition algorithm with full independent intellectual property rights, which realizes the integration of intelligent recognition algorithm and X-ray imaging software, and achieves better recognition effect, The radiation leakage dose rate is far lower than the relevant international standards, The conveyor speed can be adjusted according to the field efficiency to meet the different needs of high efficiency and energy saving, Double lead curtain design effectively reduce the radiation lead shade place, Supports access to Hik-central, and implement the data upload, Support security check machine video, picture, alarm information local and network storage, view,playback, Event tracing can organically combine X-ray image with passenger video information to realize human package tracing, Supports login with Password and

		fingerprint authentication,energy saving light barrier sensor, operation training system, Brand new appearance and exquisite manufacturing technology, high standard quality control give products high reliability and long life
M32138	R 296	Verbatim My Finder card Bluetooth Item Finder - 1 pack Black, 32138, MYFCR-01B, Built in buzzer, Internal 110mAh Rechargeable Battery, Wireless charge / QI recharge, Wireless Rechargeable Battery lasts 60 days on a single charge, Works with Apple ' s Find My App
M32140	R 519	Verbatim My Finder card Bluetooth Item Finder - 2 pack Black / Silver, 32140, MYFCR-02BS, Built in buzzer, Internal 110mAh Rechargeable Battery, Wireless charge / QI recharge, Wireless Rechargeable Battery lasts 60 days on a single charge, Works with Apple ' s Find My App
M32141	R 881	Verbatim My Finder card Bluetooth Item Finder - 3 pack Black / Silver / White, 32141, MYFCR-03BSW, Built in buzzer, Internal 110mAh Rechargeable Battery, Wireless charge / QI recharge, Wireless Rechargeable Battery lasts 60 days on a single charge, Works with Apple ' s Find My App
MT-TG-BT5-IN	R 220	MikroTik TG-BT5-IN indoor Bluetooth Tag for KNOT or other IoT asset-tracking, 32 kb RAM, 352 kb storage size, CORTEX-M33 Architecture
NS4214HW227DREMOTE	R 229	Kguard 4 Channel 960H DVR Remote Control, OEM, 6 Month Limited Warranty
PCS-100-9M	R 411	Syntech 9CH PSU 12V 8.3A PTC, 100W
PCS-300-18M	R 745	Syntech 18CH PSU 12V 25A PTC, 300W
PDA-60-12	R 109	Syntech 12V 5A Desktop Adapter, Syntech 60W 12V Desktop Adapter, 394, 355
TR-711	R 269	Securnix 12VDC 10Amp 9 Channel CCTV Power Supply, Input: 110-220VAC, output: 12VDC 10A/9ch, PTC 1m AC cord with SA plug
TRB142	R 2,714	Teltonika Industrial LTE Gateway board, 1x mini SIM, 1x SMA (For LTE), RS232, 2x Digital I/O, Micro-USB, No housing
TTK-TRB142	R 2,205	Teltonika Industrial LTE Gateway board, 1x mini SIM, 1x SMA (For LTE), RS232, 2x Digital I/O, Micro-USB, No housing
VER-VLS-1N-L	R 3,281	Veracity Longspan Lite Long Range Ethernet - Camera Unit - No POE out
ZK-BRACKET-280ZL	R 385	ZKTeco bracket for 280 kg Maglock
ZK-D1065S	R 14,373	ZKTeco Walk through Metal Detector - 6 Zone
ZK-FHT-SA2400	R 54,740	ZKTeco Heavy-Duty full height single Turnstile, ZK-FHT-SA2400, Single-lane, Four-arm (90 degrees) Design
ZK-MAGLOCK-280	R 643	ZKTeco - Maglock 280 kg with LED, Pair with ZK-BRACKET-280ZL
ZK-TS2011	R 19,831	ZKTeco Tripod turnstile with RFID readers

< Return to the menu

Security cameras

Security cameras : Camera CCTV power supplies

Product code	Price	Description
10APSU	R 574	Microworld 10 Amp CCTV PSU Battery, 12V DC Output Power at 10 Amp total capacity, Input Voltage supports 100-240VAC or 110-220VAC (50/60Hz), Equipped with PTC and fuses, Housed in a lockable Metal Box with an epoxy-coated finish, Includes a 3 pin South African (SA) plug Lead
CAM-SP6020	R 6,141	TP-Link SP6020 Vigi Intelligent Solar Power Supply system, 60W Power, 18 V Voltage, 10.8 V 20.8 Ah Lithium Battery capacity, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel connector, 3x 5.5mm DC Power plugs
CAM-SP6030	R 7,224	TP-Link Vigi SP6030 Intelligent Solar Power Supply system, TP-VIGI-SP6030, 60W Power, 18 V Voltage, 31.2 Ah Lithium Battery, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel Connector, 3x 5.5mm DC Power plugs, IP66 Weatherproof
CAM-SP9030	R 9,392	TP-Link Vigi Intelligent Solar Power Supply system, 90W Solar Panel, 30Ah 10.8V Lithium Battery, IP66 weatherproof, 1x 10/100 Mbps RJ45 Interface, 1x Photovoltaic panel connector, 3x 5.5mm DC Power plugs, More than 500 cycles Life
DH-PFM340-5CH	R 173	Dahua 5-ch CCTV distributed Power Box, AC90-264V Input voltage range, 5x 12VDC Outputs, 4 Amp Maximum Output, 84 % efficiency
DS-2FA1205-C8	R 213	Hikvision 12VDC 10 Amp 8 channel CCTV Power Supply, Input 110-220 VAC, Output 12 VDC 10A / 8ch, Ptc 1m

		AC cord with SA plug, DS-2FA1205-C8
DS-2FA1205-C8(EUR)	R 201	Hikvision 12VDC 10Amp 8 channel CCTV Power Supply, Input 110-220 VAC, Output 12 VDC 10A / 8ch, Ptc 1m AC cord with SA plug
DS-2FA1225-C4	R 161	Hikvision 4ch Power Supply 12VDC / 1A per channel, 12 VDC / 1A per channel Output, C4 AC Input Connector
DS-2FA1225-C4	R 190	Hikvision 4ch Power Supply 12VDC / 1A per channel, 12 VDC / 1A per channel Output, C4 AC Input Connector
HK-101701022	R 2,311	Hikvision EUV-150S036ST-KW02 150W Power Supply, DS-2PA3641, DC 36 V Output Voltage, 4.17 a Output current, Two Wire Output Interface
HK-304901235	R 291	Hikvision 4ch Power Supply 12VDC / 1A per channel, 12 VDC / 1A per channel Output, C4 AC Input Connector
HK-304901236	R 342	Hikvision 12VDC 10 Amp 8 channel CCTV Power Supply, Input 110-220 VAC, Output 12 VDC 10A / 8ch, Ptc 1m AC cord with SA plug, DS-2FA1205-C8
HK-304901289	R 342	Hikvision 12V DC 60W 16 channel CCTV Power Supply, 110-220 VAC Input, 12V DC 16ch Output, PTC 1m AC cord with SA plug, DS-2FA1208-C16(EUR)(Africa)
NET-TL-TAPO-A100	R 411	TP-Link Tapo A100 - Battery pack, 3.6V Adapter Output, Micro USB, 6700mAh Battery capacity, Works with Tapo C420 / Tapo C400 / Tapo D230
NET-TL-TAPO-A100	R 431	TP-Link Tapo A100 - Battery pack, 3.6V Adapter Output, Micro USB, 6700mAh Battery capacity, Works with Tapo C420 / Tapo C400 / Tapo D230
NET-TL-TAPO-A200	R 485	TP-Link Tapo A200 Solar Panel, 4m charging cable, Adjustable mounting bracket, 5.2V Max Output Voltage, Micro USB charging Port, 4.5W Maximum Power Output
NET-TL-TAPO-A201	R 298	TP-Link Tapo A201 Solar Panel, Compatible with --> Tapo C400 / Tapo C410 / Tapo C420 / Tapo C425 and more, Type-C Output Port, IP65 weather resistance, Wall-Mounted
NET-TL-TAPO-A202	R 448	TP-Link Tapo A202 Solar Panel, Works with Tapo Battery cameras, Type-C Output Port, 5.2 V Solar Panel Max charging Voltage, 4.5 W lar panel Max charging Power, 0.48m cable length, 3.6m charging cable length, IP65 weather resistance, Wall-Mounted
PCS-120-5M	R 477	Syntech PD Power 5CH PSU 12V 10A PTC, Universal AC input / Full range, Protections: Short circuit / Overload / Over voltage, 100% full load burn-on test, Cooling by free air convection, LED indicator for power on, High efficiency up to 82%
TAPO-A100	R 419	TP-Link Tapo A100 Battery Pack, SPEC: 3.6V 6700mAh 24.12Wh, 1 x Micro USB Port, FEATURE: Rechargeable Battery, Works with Tapo Battery Camera & Doorbell, Short-circuit Protection, Over-voltage Protection, Over-current Protection, Over-charging Protection, Over-discharging
TAPO-A100	R 468	TP-Link Tapo A100 Battery Pack, SPEC: 3.6V 6700mAh 24.12Wh, 1 x Micro USB Port, FEATURE: Rechargeable Battery, Works with Tapo Battery Camera & Doorbell, Short-circuit Protection, Over-voltage Protection, Over-current Protection, Over-charging Protection, Over-discharging
TAPO-A200	R 496	TP-Link Tapo A200 Solar Panel, 4m charging cable, Adjustable mounting bracket, 5.2V Max Output Voltage, Micro USB charging Port, 4.5W Maximum Power Output
TAPO-A200	R 543	TP-Link Tapo A200 Solar Panel, 4m charging cable, Adjustable mounting bracket, 5.2V Max Output Voltage, Micro USB charging Port, 4.5W Maximum Power Output
TP-TAPO-A100	R 411	TP-Link Tapo A100 - Battery pack, 3.6V Adapter Output, Micro USB, 6700mAh Battery capacity, Works with Tapo C420 / Tapo C400 / Tapo D230
TP-TAPO-A200	R 485	TP-Link Tapo A200 Solar Panel, 4m charging cable, Adjustable mounting bracket, 5.2V Max Output Voltage, Micro USB charging Port, 4.5W Maximum Power Output
TP-TAPO-A202	R 448	TP-Link Tapo A202 Solar Panel, Works with Tapo Battery cameras, Type-C Output Port, 5.2 V Solar Panel Max charging Voltage, 4.5 W lar panel Max charging Power, 0.48m cable length, 3.6m charging cable length, IP65 weather resistance, Wall-Mounted
TP-VIGI-SP6030	R 7,224	TP-Link Vigi SP6030 Intelligent Solar Power Supply system, TP-VIGI-SP6030, 60W Power, 18 V Voltage, 31.2 Ah Lithium Battery, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel Connector, 3x 5.5mm DC Power plugs, IP66 Weatherproof
TR-712	R 399	Securnix 12VDC 20Amp 18 channel CCTV Power Supply box, 110-220VAC Input, 12VDC 30A / 18ch Output, PTC 1m AC cord with SA plug
VER-VLS-LSM-B	R 5,018	Veracity Longspan Max adapters for Long-Range Ethernet and High-Power PoE - Base device, IEEE 802.3bt Input

		PoE in (Base)
VER-VLS-LSM-C4	R 7,463	Veracity VLS-LSM-C4 Longspan Max Quad 4 port camera Adapter for Long-Range Ethernet & High-Power PoE, IEEE 802.3bt Input PoE in, 4 x IEEE 802.3bt (Up to 90W) PoE out Ports, Detachable screw Terminal for optional local veracity PoE Power Supply, RJ45 Connector Longspan Interface - 200 Mbps (100 Mbps Full-Duplex) up to 820m (CAT6), 4x Ethernet RJ45 Connector
VER-VPSU-57V-1500	R 1,214	Veracity optional 57V PSU 1500mA 1.5A for PoE , 100 - 240V AC Power Input, 57V DC 1500mA Power Output, Can be shorted without damage and auto recovery
VER-VPSU-57V-800	R 748	Veracity optional 57V PSU 800mA for PoE , 100 - 240V AC Power Input, 57V DC 800mA Power Output, can be shorted without damage and auto recovery
VIGI SP6020	R 6,105	TP-Link SP6020 Vigi Intelligent Solar Power Supply system, 60W Power, 18 V Voltage, 10.8 V 20.8 Ah Lithium Battery capacity, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel connector, 3x 5.5mm DC Power plugs
VIGI-SP6030	R 7,282	TP-Link Vigi SP6030 Intelligent Solar Power Supply system, TP-VIGI-SP6030, 60W Power, 18 V Voltage, 31.2 Ah Lithium Battery, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel Connector, 3x 5.5mm DC Power plugs, IP66 Weatherproof
VIVOTEK MDR-10-12	R 424	Vivotek 12V 10W single Output Industrial DIN Rail Power Supply
ZA-16FA1208-F8	R 230	Microworld ZA-Tech 16ch Indoor Power Supply, Adjustable Output Voltage of 12V / 13.5V / 15V DC, Maximum total current of 8A with 1A per channel, Total Output Power of 96W, Wide Input Voltage range from 150V to 285V AC, Green LED indicator Light, Suitable for CCTV camera installations
ZA-4FA1204-F8	R 144	Microworld ZA-Tech 4ch Indoor Power Supply, Total Output Power of 48 watts, Adjustable Voltage options of 12V / 13.5V / 15V, Built-In short Circuit protection, Built-In overload protection, Built-In overvoltage protection, Sturdy and Compact Metal casing, Compatible with Analog and IP Camera systems
ZA-8FA1205-F8	R 161	Microworld ZA-Tech 8ch Indoor Power Supply, 8 channel Output for Analog and IP cameras, Adjustable Voltage options of 12V / 13.5V / 15V, Total Output Power of 60 watts, Sturdy Metal housing for enhanced durability, Easy installation and stable Power Supply
ZA-8FA1205-F8	R 179	Microworld ZA-Tech 8ch Indoor Power Supply, 8 channel Output for Analog and IP cameras, Adjustable Voltage options of 12V / 13.5V / 15V, Total Output Power of 60 watts, Sturdy Metal housing for enhanced durability, Easy installation and stable Power Supply

< Return to the menu

Security cameras : Camera enclosures & accessories for security

Product code	Price	Description
4-WAYPOWER	R 39	Kguard 4 way power splitter cable, Retail box, No Warranty
550802	R 279	Intellinet Wall Mount Bracket, Accessory for Network Dome Cameras 550406, 550420, 550413 and 550444 Aluminium bracket for wall installation Includes mounting material
ADA-DC-F-SCREW-TERM	R 20	Unbranded DC 3.5 mm female connector, JR-53
AE-DF7351	R 225	Hikvision Buckline Power cable 3.5m F6 Pro B1, 350cm cable length, Micro-USB connector, Designed for parking monitoring while vehicle is off, Versatile Power solution for automobile Security systems. Hikvision AE-DF7351 3.5m Buckline Power Cable with Micro-USB, stable 5.0V-5.3V output, designed for parking monitoring and vehicle security cameras, low power protection, compatible with multiple Hikvision models, perfect for South African vehicle theft prevention.
AE-IFC00(cable alarm)(2.5m)	R 173	Hikvision cable Alarm 2.5m, AE-IFC00, Bm Interface, Alarm cable with key of Push Type
AE-MC0708-5.5	R 259	Hikvision Dashcam 5.5m extension cable, BM4M Input Interface Type, BM4F Output Interface Type, Analog camera extension cable
AE100	R 269	Casey Video Anti-Jamming Equipment
AJ-10A	R 299	Casey HOUSING INDOOR PLASTIC CCTV camera housing
AJAX-JB-118-B	R 555	AJAX JunctionBox - Black, 118x59mm, IP66, Aluminum, Compatible with --> TurretCam / BulletCam / DomeCam Mini cameras
AJAX-JB-118-W	R 552	AJAX JunctionBox - White, 118x59mm, IP66, Aluminum, Compatible with --> TurretCam / BulletCam /

		DomeCam Mini cameras
AM-218	R 362	VIVOTEK Wall Mount Bracket. Compatible with Select Corner Mounts, Pole Mounts, Adapters, Junction Boxes, and Pendant Pipes from Vivotek.
AM-312	R 362	VIVOTEK Pole Mount adapter. The AM-312 is a Pole Mount Adaptor for use with a selection of Vivotek cameras. Made from SECC and Stainless Steel it is white in appearance and can be used with other accessories to mount IP camera ' s on to a pole.
AM-314	R 362	Vivotek AM-314 Pole Mount Bracket White
AM-525	R 976	Vivotek AM-525 Mounting Adapter for Outdoor Dome (3/4" NPT F and 1.5" PS11 M) Compatible with the: FD9371-HTV, FD9371-EHTV, FD9381-HTV, FD9381-EHTV, FD836B-HTV, FD836B-EHTV, FD836B-HVF2, FD836B-EHVF2, FD8382-TV, FD8382-ETV, FD8382-VF2, FD8382-EVF2
AM-611	R 362	VIVOTEK AM-611 NVR Mounting Ear Bracket for ND8322P and ND8422P
AM-612	R 1,034	NVR Rack Mount Rails for ND9441, ND9541. The AM-612 from Vivotek is a pair of rackmount rails designed for the ND9441 and ND9541 NVRs. They have a 23Kg (51.1lb) maximum load capacity and a 70.1cm (27.6") to 89.616cm (35.4") mounting depth range.
AP-38x300 Cranked	R 358	Miro 38mm Aluminium Cranked Pole - 3m - 1mm Sidewall, For more tricky outdoor installations this alluminium antenna mast is perfect, Having a bent crank shape it allows for installations under house roofs and the like.
AP-38x3000	R 323	Miro 38mm Aluminium Pole 3m - 1mm Sidewall
AP-50x600	R 1,073	Miro 50mm Aluminium Pole - 6m - 1.8mm Sidewall
AP-50x600(5)	R 2,406	Miro 50mm Aluminium Pole - 6m - 5mm Sidewall
BALUN4	R 265	Mircoworld Active Balun up to 2400m
BNC04	R 19	Securnix RG59 4 Pack BNC Connectors - Pack of 4, No Warranty
BNC08	R 39	Securnix RG59 8 Pack BNC Connectors - Pack of 8, No Warranty
BNC16	R 69	Securnix RG59 16 Pack BNC Connectors - Pack of 16, No Warranty
BNC2HDMI	R 229	Microworld BNC to HDMI convertor, Composite BNC and audio Input to HDMI Output Adapter with 720p/1080p Switch
C24T12P	R 219	Casey AC/DC Voltage converter, input:20-36VAC, output:DC12V-1.5A, short circuit & overload protection-Twin Pack
CAM-ARM-SVL-CNR	R 68	Reolink Aluminum Universal Security Camera mounting bracket, Designed for installing CCTV cameras and junction boxes on external building corners, Angled mounting Design positions equipment away from the building corner, Compatible with traditional CCTV cameras featuring an underside threaded mounting point
CAM-ARM-SVL-FLT	R 102	UltraLAN Heavy-Duty Metal Security Camera mounting bracket, Designed for Wall installation on flat Vertical surfaces, Heavy-Duty Metal construction provides a strong and rigid mounting solution, Stand-off Design positions cameras or enclosures away from the Wall, Compatible with traditional CCTV cameras featuring an underside mounting Thread, Allows camera position and viewing direction to be adjusted, Universal bracket not designed specifically for any particular camera model
CAM-BKT-DOME1	R 75	UltraLAN Outdoor l-Type Wall Mount bracket for CCTV enclosures, Designed for Wall Mounting Dome and turret-style CCTV cameras, Integrated junction enclosure keeps Network connections neatly concealed behind the mounting Surface, Wall Mount Design positions the camera away from the Wall for improved installation, Internal cable routing reduces exposed wiring, Suitable for various camera base sizes and mounting patterns, Constructed from Lightweight Plastic
CAM-BKT-PM	R 56	Uniview Universal Vertical Pole Mount bracket, Provides a Secure flat Surface for installing cameras and enclosures onto poles, Constructed from durable Steel for a strong and rigid mounting Platform, Compact dimensions of 110 x 100 x 100mm, Designed as a Universal bracket adaptable
CAM-MOUNT-BK349	R 404	Sunell Bk349 Camera Corner Mount Bracket
CAM-MOUNT-CBK627D	R 243	Sunell Sn-cbk627d Camera Pole Mount Bracket
CAM-MOUNT-CBK645A	R 257	Sunell Junction Box For UDR, EEDR, HDR Cameras. The SUNELL CAM-MOUNT-CBK645A is a white aluminium alloy junction box crafted for UDR, EEDR and HDR camera models. Rated IP66 for superior weather resistance, it simplifies cable management and mounting in both indoor and outdoor settings. Lightweight at 560 g yet durable, it supports fast and reliable installations â€” ideal for South African security system needs.

CAM-MOUNT-CBK646A	R 243	Sunell SN-CBK646A Junction Box For Dome And Eyeball Camera
CAM-MOUNT-CBK649A	R 270	Sunell Junction Box For Bullet Camera. A reliable aluminium-alloy junction box designed for bullet cameras with IP66 protection. It supports multiple Sunell camera models, conceals wiring, simplifies installation and offers durable performance indoors or outdoors.
CAM-OD-ENC-RND	R 33	UltraLAN Outdoor circular CCTV Junction Box
CAM-OD-ENC-SVL	R 75	UltraLAN Universal camera Junction Box with hinged Access Door, Plastic White Surface Mount enclosure for CCTV cameras, Hinged front Access Door allows wiring connection without camera removal, Suitable for Dome and Turret compatible CCTV cameras, Internal junction compartment manages excess cabling, Dimensions 14 x 13 x 6.5 cm, Lightweight Plastic construction
CAM-OD-JB-REC	R 68	UltraLAN ABS dustproof & Waterproof rectangular Junction Box
CAM-PL-ENC-REC	R 79	UltraLAN vented Plastic electronics enclosure
CAM-STE-ENC-REC	R 98	UltraLAN Steel corner Mount bracket for Speed Dome enclosures
CAM-VJB-240	R 237	TP-Link VJB-240 Vigi Network camera Junction Box, Aluminum Alloy & SGCC material
CAM-VJB-300	R 299	TP-Link VJB-300 Vigi Network camera Junction Box, Aluminum Alloy material
CT-DC-ST	R 5	Miro DC Power Plug with Screw Terminals. 2.1mm Jack - Male type
CT5015	R 129	Casey BNC male crimp on for RG59 cable, with long boot 10 per Packet
CV-MP016	R 369	Catchview CV-MP016 Smoke Detector type Surveillance Security Camera Microphone - Frequency 100-20KHz, Monitor area 10-100M2, Working voltage: 9-18VDC, Retail Box
CV-MP208	R 699	Catchview Outdoor Waterproof Microphone - Meta Housing, Built-in automatic gain control (AGC)Current: 20mA, Frequency 300-5 KHz Monitor area 50-100M2, Retail Box *Note that this is an outdoor microphone (Camera / IR not functional)
DH-PFA122-V2	R 114	Dahua PFA122 V2 Water-proof Junction Box, Aluminum material, IP66 protection, Compatible with --> TPC-BF5421-t / TPC-BF5421 camera ' s
DH-PFA134	R 58	Dahua PFA134 Junction Box
DS-1227ZJ	R 390	Hikvision Indoor Flush Mount Dome Bracket. Suitable for DS-2CD783F-E(I), DS-2CD754F-E(I), DS-2CD763NF-E, etc.
DS-1260ZJ	R 213	Hikvision Power Intake Box for Hikvision Bullet Range, Indoor/Outdoor, Aluminium alloy material, Dimensions 88.5mm
DS-1275ZJ-S-SUS	R 275	Hikvision DS-1275ZJ-S-SUS Vertical Pole Mount
DS-1275ZJ-SUS	R 384	Hikvision Hik vertical pole Mount bracket, Hikvision White, Stainless steel material, 127 mm x 46 mm x 250 mm dimension
DS-1276ZJ-SUS	R 1,042	Hikvision corner Mount bracket, Stainless Steel material
DS-1280ZJ-DM18	R 316	Hikvision Junction Box for Dome cameras. Indoor/Outdoor, Hikvision White, Aluminium Alloy material, Dimension Diameter 111mm, DS-1280ZJ-DM18
DS-1280ZJ-DM46	R 180	Hikvision junction box 120mm x 37.2mm, Hikvision White, Aluminum alloy
DS-1280ZJ-DM46	R 229	Hikvision junction box 120mm x 37.2mm, Hikvision White, Aluminum alloy
DS-1280ZJ-S	R 604	Hikvision Junction Box for Dome Cameras, Indoor/Outdoor, Hikvision White, Aluminium alloy material, 157 x 185 x 51.5 mm
DS-1280ZJ-XS	R 190	Hikvision DS-1280ZJ-XS Junction box for Dome
DS-1294ZJ	R 316	Hikvision DS-1294ZJ Wall Mount Bracket For Ptz Camera. The DS-1294ZJ-PT wall mount bracket offers a secure and elegant mounting solution for Hikvision mini PTZ cameras. Built with durable materials and internal cable management, it ensures a neat and professional installation both indoors and outdoors, supporting reliable camera operation and long-term performance.
DS-1473ZJ-155	R 344	Hikvision DS-1473ZJ-155 Wall Mount Bracket
DS-1530HMI	R 1,064	Hikvision DS-1530HMI panic alarm button, Status Display, G-sensor, LEDs show the alarm Terminal status, Built-in IR receiver for remote control, Built-in gyroscope for brake detection
DS-1602ZJ	R 268	HIKVISION 2AE / 2DE PTZ WALL MOUNT BRACKET
DS-1602ZJ	R 403	HIKVISION 2AE / 2DE PTZ WALL MOUNT BRACKET
DS-1602ZJ	R 328	Hikvision In- & Outdoor Wall Mount Camera Bracket. Wall mount bracket; Hikvision White; Aluminium alloy &

		Steel; 97x182x305mm
DS-1602ZJ-Corner	R 518	Hikvision DS-1602ZJ-Corner Corner mount, white, Aluminum alloy, 176.8x194x419.5mm
DS-1602ZJ-Pole	R 447	HIKVISION 2AE / 2DE PTZ POLE MOUNT BRACKET
DS-1602ZJ-POLE	R 851	Hikvision DS-1602ZJ-POLE Vertical Pole Mount for Speed Dome
DS-1603ZJ-Pole-P	R 1,380	Hikvision Pole Mount bracket, DS-1603ZJ-Pole-P, Aluminum Alloy / Steel / Stainless Steel, Platinum Gray
DS-1619ZJ-HP2	R 2,466	Hikvision DS-1619ZJ-HP2 Gooseneck Mount, Steel Platinum gray
DS-1H18S/E	R 30	Hikvision DS-1H18S/E TVI convert to UTP transmission with extend cable, passive
DS-2FA1225-C4(EUR)	R 151	Hikvision DS-2FA1225-C4(EUR) Switching Mode PSU
DS-4603ZJ-PAAC	R 1,265	Hikvision Wall Mount bracket, DS-4603ZJ-PAAC, Aluminum Alloy material, Platinum Gray
DS-K1005KI	R 3,531	Hikvision DS-K1005KI USB port, used to control DVR, NVR and software, 4-axis joystick
DT-WB	R 344	Microworld XProd CCTV camera mounting Pole with base stand, Dedicated camera mounting, Built with a sturdy Metal Pole (Aluminum), Heavy-Duty Plastic base plate
GK-310802	R 1,019	Casey Mongoose Wireless Receiver for CM-802 - Ideal for home security ,4 channel receiver, (Up to 4 receivers, 1 cam per receiver) Frequency: 2.4 GHz Picture and audio power: 12c DC, 500mA, Retail Box
GP100	R 319	Casey Video Ground Loop Isolator, BNC male to terminal block with 15cm mini coax cable.
HK-302600066	R 3,113	Hikvision USB Keyboard and Joystick, DS-1005KI(O-STD), For compatible - cameras / nvrs / dvrs / IVMS-4200, Featuring a Flexible 4-axis Joystick with 3-axis control and Rotating Zoom, USB 2.0 connectivity
HK-302600372	R 3,913	Hikvision Serial Keyboard, DS-1006KI(B)(O-STD), For cameras / nvrs, Dvrs, 4-axis single-button Joystick, 128 x 64 dot-matrix Display, RS-232, RS-485, RS-422, USB 2.0, 12 VDC Power Supply
HK-302700180	R 484	Hikvision DS-1662ZJ
HK-302700239	R 298	Hikvision Power Intake Box for Hikvision Bullet Range, Indoor/Outdoor, Aluminium alloy material, Dimensions 88.5mm, DS-1260ZJ
HK-302700250	R 82	Hikvision DS-1258ZJ Indoor Wall Mount for Mini Dome and Dome cameras, ABS PC construction, Hikvision White finish, Designed for Indoor Camera installations.
HK-302700325	R 346	Hikvision DS-1272ZJ-120 Wall Mounting bracket for Mini Dome cameras, Aluminum alloy material, Diameter 120x122 x 173.5mm
HK-302700333	R 369	Hikvision DS-1273ZJ-140 Wall Mount bracket for DS-2CC51xxP(N) Dome cameras, Aluminum Alloy construction, Hikvision White finish, 140 mm Diameter, Designed for convenient Wall Mounting installation
HK-302700334	R 593	Hikvision DS-1272ZJ-120B wall mount bracket for mini dome cameras with integrated junction box, aluminum alloy construction, HIkvision white finish, suitable for dome camera wall mounting
HK-302700398	R 268	Hikvision DS-1280ZJ-DM21 Junction Box for Dome cameras, Aluminum Alloy construction, Hikvision White finish
HK-302700581	R 369	Hikvision Junction Box for Dome Camera - White, aluminum alloy material, 157mm diameter
HK-302700611	R 50	Hikvision DS-1281ZJ-DM27 inclined Ceiling Mount bracket for Dome cameras, Plastic construction, Hikvision White
HK-302700648	R 361	Hikvision DS-1294ZJ PTZ camera Wall Mount bracket Toughened Plastic and Steel construction, Hikvision White finish
HK-302700683	R 553	Hikvision DS-1602ZJ-Corner corner Mount Wall Bracket for Speed Dome cameras, Aluminum Alloy and Steel construction, Hikvision White finish, Suitable for Speed Dome Wall corner mounting
HK-302701533	R 593	Hikvision Hik vertical pole Mount bracket, Hikvision White, Stainless steel material, 127 mm x 46 mm x 250 mm dimension
HK-302701666	R 1,876	Hikvision Hik vertical pole mounting bracket for Speed Dome, Aluminum alloy and steel, 355.5 mm x 261.8 mm x 170.7 mm dimension, DS-1604ZJ-pole
HK-302701734	R 607	Hikvision DS-1603ZJ-P Wall Mount for PanoVu cameras, Aluminum Alloy construction, Platinum Gray finish
HK-302701980	R 952	Hikvision Wall Mount for Dome Camera - 155mm / 243mm / 300mm, Aluminum Alloy, DS-1473ZJ-155B
HK-302702118	R 359	Hikvision DS-1294ZJ-PT Wall Mount, Plastic and Steel construction, Hikvision White, Designed for Wall Mounting compatible Hikvision equipment
HK-302702337	R 484	Hikvision DS-1275ZJ-S-SUS Vertical Pole Mount, Stainless Steel construction, Hikvision White finish, T, Designed for compatible Hikvision Security equipment installations
HK-302702475	R 295	Hikvision junction box 120mm x 37.2mm, Hikvision White, Aluminum alloy
HK-302703610	R 874	Hikvision Wall Mount, DS-4604ZJ-PA(O-STD), ADC12 material

HK-307400306	R 34	Hikvision DS-1h18s/e(c) Video Balun for Real-Time 1-channel CCTV Video transmission over UTP Cat5E/CAT6 cable, Up to 350 m, Compatible with HD-TVI / TVI / AHD / CVBS, Supports resolutions up to 8MP, Greater than 60 dB anti-interference, BNC Male and tool-less push-pin Terminal Block, TVs Surge protection
KG-REMOTE	R 59	KGuard DVR Remote, Retail Box, 1 Year warranty
LS-AACAH01	R 2,393	Aavara CAH01 - camera pole for CT440 / CNH01 / CND01 / CNR01
MLS-CA-A41	R 742	Milesight camera accessory - A41 Wall Mount, Compatible with --> AI Speed Dome camera ' s
MLS-CA-A75	R 358	Milesight camera accessory - A75 Junction Box, Compatible with --> (AI) Pro Dome / (AL) 360 degree Panoramic Fisheye
NET-TL-RACKMOUNTK-13	R 59	TP-Link 13 inch Switch Rack Mount kit
NET-TL-VMB-350	R 163	TP-Link Vigi VMB-350 Network camera Pole mounting bracket, SGCC galvanized and Stainless Steel material
PCS-180-18M	R 612	Folksafe 8 Channel Passive HD Balun
RL-UJB	R 52	Unbranded Universal Waterproof Junction Box - White, RL-UJB, IP65 Cable Management for Surveillance cameras, Removable entry points (2 side & 1 rear), 12 cm (120 mm) Diameter
SCIC1	R 159	Securnix CCTV Motion Scanner Control for SC001, Retail Box. SCIC1; Motion detection control unit; Compatible with SC001; 20 m detection range; 14x10x7.5 cm; 0.3 kg; Plastic housing; Plug-and-play
SCO01	R 249	Securnix CCTV Motion Scanner Dog, Retail Box
SEC4WPS	R 69	Unique 4 Way Power Splitter, Retail Box, No Warranty
STAND	R 138	Microworld stand for CCTV camera
TP-VIGI-C420-28	R 505	TP-Link Vigi EasyCam 2MP Full-colour Turret Network camera with 2.8mm Lens, IR & White LED 30m range, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Built-In Microphone Audio Input, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port
TP-VIGI-SP6020	R 6,141	TP-Link SP6020 Vigi Intelligent Solar Power Supply system, 60W Power, 18 V Voltage, 10.8 V 20.8 Ah Lithium Battery capacity, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel connector, 3x 5.5mm DC Power plugs
TP-VIGI-VJB-240	R 237	TP-Link VJB-240 Vigi Network camera Junction Box, Aluminum Alloy & SGCC material
TP-VIGI-VJB-300	R 299	TP-Link VJB-300 Vigi Network camera Junction Box, Aluminum Alloy material
TP-VIGI-VJB-305	R 319	TP-Link VJB-305 Vigi Network camera Junction Box, Aluminum Alloy material
TP-VIGI-VMB-350	R 183	TP-Link Vigi VMB-350 Network camera Pole mounting bracket, SGCC galvanized and Stainless Steel material
UACC-G5-PTZ-CM	R 516	Ubiquiti UniFi Protect G5/G6 White PTZ corner Mount, UACC-G5-PTZ-CM, Polycarbonate enclosure material, Polycarbonate mounting material, UVC-G5-PTZ compatibility
UACC-G5-PTZ-CM-B	R 516	Ubiquiti UniFi Protect G5/G6 Black PTZ corner Mount, UACC-G5-PTZ-CM, Polycarbonate enclosure material, Polycarbonate mounting material, UVC-G5-PTZ compatibility
UACC-G5PTZ-CMW	R 403	Ubiquiti UniFi Protect G5/G6 White PTZ corner Mount, UACC-G5-PTZ-CM, Polycarbonate enclosure material, Polycarbonate mounting material, UVC-G5-PTZ compatibility
UACC-G5TAM	R 1,006	Ubiquiti UniFi Protect G5 Turret Ultra Arm Mount, UACC-Camera-AM-W, 38-50mm on pipe Outer Diameter, IP66 IP rating, Compatibility - UVC-G5TU G5 Turret Ultra
UACC-JUNCTION	R 2,961	Ubiquiti UniFi Indoor / Outdoor junction Utility enclosure, UACC-Junction-Utility, Galvanized Steel enclosure material, IP55 weatherproofing, Compatible with --> UA-Hub-Gate / UA-Hub-Door-Mini / UA-Hub-Door / UA-SK-Elevator / USW-Flex / USW-Flex-2.5G-8-PoE / USW-Ultra / USW-ULTRA-60W / USW-Ultra-210W / UACC-Retrofit-PoE-2Wire
UB-UC-DISPLAY-FM	R 4,331	Ubiquiti UniFi Display Flush Mount, Polycarbonate & aluminum enclosure material, Flush Mount for UniFi Connect Display, Compatibility with UC-Display
UB-UVC-G3-LED	R 960	Ubiquiti IR LED Range Extender Accessory for UnFi G3 Video Camera
UB-UVC-G4-LED	R 1,034	Ubiquiti UniFi IR range extender for UniFi G4 Bullet Camera, UVC-G4-irextender, Extends IR range up to 25 m, Weather resistent for outdoor use, Powered and controlled by the UniFi Video camera
UN- TR-JB07/WM03-G-IN-V2	R 381	Uniview UNV Wall mounted assembling bracket, Wall installation for 32 fix-dome & Mini fix-dome & Plastic Turret camera (Extra back outlet), Aluminum Alloy bracket material, TR-JB07/WM03-G-IN-V2

UN-KB-1100-E	R 4,275	Uniview UNV KB1100 E Joystick and Keyboard for PTZs, Four-dimensional Joystick, 1x RS232 Serial Port, 2x RS485 Ports, 1x RJ45 Gigabit Network Interface
UN-TR-A01-IN	R 30	Uniview UNV NPT Plastic Waterproof Joint, TR-A01-IN, Diameter 37 x 46mm size
UN-TR-FM152-A-IN	R 276	Uniview UNV- Indoor Fixed Dome in-ceiling Mount
UN-TR-JB04-C-IN	R 173	Uniview UNV - Fixed Dome Junction Box, TR-JB04-C-IN, Wall installation for IPC323x Series Fixed Dome
UN-TR-JB05-A-IN	R 148	Uniview UNV fixed mini bullet junction box, TR-JB05-A-IN, Aluminum alloy material, Junction box for mini bullet dome camera (Extra back outlet)
UN-TR-JB05-B-IN	R 185	Uniview UNV - fixed round Series Mini Bullet Junction Box, TR-JB05-B-IN, Aluminum alloy material, Junction Box for IPC21xx Series with circular base (Extra back outlet)
UN-TR-JB06-A-IN	R 202	Uniview UNV - Junction Box
UN-TR-JB07/WM03-A-IN	R 273	Uniview UNV - Wall mounted Assembling Bracket, Outdoor, Wall installation for 3-inch fixed dome, Aluminum alloy
UN-TR-JB07/WM03-G-IN	R 368	Uniview UNV wall mounted assembling bracket, Fixed Dome outdoor Wall Mount, Wall installation for IPC36xxl / IPCD1xx / IPCT1xx series Fixed Dome
UN-TR-JB07/WM04-IN	R 321	Uniview UNV - 4 inch Hemisphere wall mounting, Outdoor, Wall installation for 4-inch fixed dome, Aluminum alloy
UN-TR-JB12-IN	R 1,076	Uniview UNV PTZ 12-inch junction box, TR-JB12-IN, Outdoor or indoor cable junction box for PTZ dome series, Aluminium alloy
UN-TR-UC08-A-IN	R 193	Uniview UNV - PTZ Dome Corner Mount (Need TR-WE45-IN) IPC64x Series - IPC62xx Series, Indoor or outdoor, PTZ Dome Corner installation, Aluminum alloy
UN-TR-UP06-IN	R 160	Uniview UNV - Box Pole mount bracket, Outdoor / pole / rail installation, Galvanized sheet
UN-TR-UP08-A-IN	R 262	Uniview UNV - PTZ Pole mount adapter, Indoor / outdoor / pole installation for PTZ dome camera, aluminum alloy
UN-TR-WE45-A-IN	R 435	Uniview UNV - Long wall mounting bracket for dome, Indoor / outdoor wall installation for PTZ dome camera
UN-TR-WE45-B-IN	R 871	Uniview UNV - Goose Neck Mount for PTZ Dome Camera, Aluminum Alloy material
UN-TR-WE45-IN	R 258	Uniview UNV - PTZ Wall mount Bracket, Indoor / outdoor wall installation for PTZ dome camera, Aluminum alloy
UN-TR-WM03-D-IN-V2	R 253	Uniview UNV - Fixed Dome Mount, Wall installation for 32 fix-dome & Mini fix-dome & Plastic Turret camera, Aluminum Alloy bracket material
UN-TR-WM04-IN	R 228	Uniview TR-WM04-IN UNV - fixed wall dome Mount, Indoor wall installation for 4-inch Fixed Dome camera, Aluminum alloy
VB120T	R 169	Casey 1 Channel Active Video Balun
VB302T	R 259	Casey 1 Channel Active Video/Audio/data Transmitter, Aluminum alloy case
VER-VHW-HW	R 4,599	Veracity Highwire Ethernet over Coax (Single unit), Vhw-hw, Highwire allows IP Network cameras to communicate over existing Coax
VER-VHW-HWPS-B	R 3,508	Veracity Highwire Powerstar base unit, VHW-HWPS-B, Delivers PoE over Coax cable, Supports PoE and non-PoE IP cameras, Provides up to 25W of PoE, Safeview connection and power status, 100Base-T Ethernet support, Compatible with RG59 and RG11 cable
VER-VHW-HWPS-C	R 3,319	Veracity Highwire Powerstar camera unit, VHW-HWPS-C, Transmits PoE to camera, Supports PoE and non-PoE IP cameras, Provides up to 25W of PoE, Safeview connection and power status, 100Base-T Ethernet support, Compatible with RG59 and RG11 cable
VER-VHW-RMPSU	R 1,237	Veracity Highwire Power Supply for 8 units in rackmount, VHW-RMPSU
VER-VLS-1P-B	R 5,026	Veracity Longspan PoE base unit, VLS-1P-B, Extends Ethernet Networks, Up to 25.5W PoE , Compatible with Cat5e and Cat6 Cabling, Increases IP Camera Range Up to 3500 ' , Unrestricted 10/100 Mbps Connection, LED Indicators
VER-VLS-1P-C	R 5,026	Veracity Longspan PoE camera unit, VLS-1P-C, Extends Ethernet Networks, Up to 25.5W PoE , Compatible with Cat5e and Cat6 Cabling, Increases IP Camera Range Up to 3500 ' , Unrestricted 10/100 Mbps Connection, LED Indicators
VER-VLS-2P-C	R 5,978	Veracity longspan Dual Port PoE camera unit, VLS-2P-C, Ethernet Network extender, Connects up to 2 IP cameras, Works with CAT5e and CAT6 cabling, Supports UTP cables, 10/100 Mbit Ethernet connection
VER-VLS-4P-C	R 6,740	Veracity Longspan Quad Port PoE camera unit, VLS-4P-C, Ethernet Network Extender, Connects Up to 4 IP Cameras, Extends IP Camera Range Up to 2690 ' , Works with Cat 5e and Cat 6 Cabling, Supports UTP Cables, 10/100M Ethernet Connection

VER-VOR-ORL-XT	R 3,650	Veracity Outreach Lite Ethernet Extender For Non-poe Connections (Vor-orl-xt). IP66.
VIGI-SP6020	R 6,199	TP-Link SP6020 Vigi Intelligent Solar Power Supply system, 60W Power, 18 V Voltage, 10.8 V 20.8 Ah Lithium Battery capacity, More than 500 cycles Life, 1x 10/100 Mbps RJ45, 1x Photovoltaic panel connector, 3x 5.5mm DC Power plugs
VIGI-SP9030	R 9,449	TP-Link Vigi SP9030 Intelligent Solar Power Supply System, Spec: 90W/18V_998x516x30mm Solar Panel; 30Ah/3x12VDC Output Battery, More than 500 cycles; Charging Condition:-20~45 Degrees C (With intelligent auxiliary heat); Discharging Condition: -30~60 Degrees C (With intelligent auxiliary heating technology)
VIVOTEK AE-23A-P	R 8,049	Vivotek AE-23A-P Enclosure with 48W IR (Camera not included)
VIVOTEK AJ-001	R 3,772	VIVOTEK AJ-001 Joystick for NVR ' s and camera ' s, Compatible with --> ND8322p / ND8422p / ND9541 / ND9441 / ND9441p / ND9541p NVR, Compatible with --> Vivotek Speed Dome SD83x4e / SD83x6e / SD8333-e / SD8161 / SD8363e / SD8364e / SD9161-h / SD9361-ehl / SD9362-eh / SD9362-ehl / SD9363-ehl / SD9364-eh / SD9364ehl
VIVOTEK AM-114	R 1,173	VIVOTEK AM-114 Outdoor Pendant Head, Precision aluminum pendant head designed for outdoor installation of VIVOTEK dome and PTZ cameras. Matches 1 1/2" PF threading and supports pairing with AM-116/117 pendant pipes.
VIVOTEK AM-21A	R 483	Vivotek AM-21A Dome L shaped bracket
VIVOTEK AM-21E	R 1,126	VIVOTEK AM-21E Wall Mount Bracket, Durable aluminum wall mount bracket in sleek white finish, designed for secure installation of VIVOTEK box camera enclosures and compatible accessories.
VIVOTEK AM-312 V03	R 805	VIVOTEK AM-312 Bracket
VIVOTEK AM-719	R 362	Vivotek AM-719 conduit box for IB9367-HT, Aluminum alloy, White
VIVOTEK AM-71C	R 362	VIVOTEK AM-71C AM-71c Junction Box, Aluminum alloy material, White Colour, PF 3/4" pipe Thread, Compatible with --> FD9360-h / FD9380-h / IT9360-h / IT9380-h / IB9360-h / IB9368-ht / IB9380-h / IB9388-ht / IB9389-(E)h / IB9389-(E)hm / IB9389-(E)HT
WC-DADCS45	R 880	D-Link DCS-45 outdoor enclosure with thermal barrier - for DCS-2000 series , DCS-3220 series , DCS3420

< Return to the menu

Security cameras : CCTV camera lenses

Product code	Price	Description
524391	R 189	Intellinet 1/3" " CS MOUNT 3.5mm - 8mm VARI-FOCAL LENS, F1.4 Field of View: 80 - 36 deg Max apeture ratio: 1:1.4 Manual zoom, focus, iris
524407	R 239	Intellinet 1/3" CS MOUNT 2.8mm - 12mm VARI-FOCAL LENS F1.4, Field of View: 92 - 24 deg Max apeture ratio: 1:1.4 Manual zoom, focus, iris
524414	R 149	Intellinet 1/3" CS MOUNT 6mm - 15mm VARI-FOCAL LENS F1.4, Field of View: 46 - 19 deg Max aperture ratio: 1:1.6 Manual zoom, focus, iris
LF04A	R 159	Casey LENS 4MM FIXED for CCTV cameras
LF06A	R 159	Casey 6mm Fixed Lens for CCTV cameras
LF08A	R 159	Casey LENS 8MM FIXED IRIS for CCTV cameras
LF120	R 159	Casey LENS 12MM FIXED for CCTV cameras
LF160	R 129	Casey LENS 16MM FIXED for CCTV cameras
LF250	R 159	Casey LENS 25MM FIXED for CCTV cameras
LO412A	R 339	Securnix DC AUTO IRIS Manual FOCUS 4mm,Focal Lenght:4MM Format:1/3 Apertre:F1.2 Ã¸43.5x37.5x34.5, Retail Box, No Warranty
LO812A	R 339	Casey DC AUTO IRIS MANUAL FOCUS 8mm FOCAL LENGTH:8MM FORMAT:1/3 APERTURE:F1.2 (CCTV Cameras)
SSE-0412	R 199	Casey 4MM LENS MANUAL IRIS FOCAL LENGTH:4MM FORMAT:1/3APERTURE:F1.2AOV:78*
SSE-0412NI	R 99	Casey LENS 4MM FIXED IRIS for CCTV cameras
SSE-0612	R 199	Casey 6MM LENS MANUAL IRIS FOCAL LENGTH:6MM FORMAT:1/3APERTURE:F1.2AOV:53*
SSE-0612NI	R 99	Casey LENS 6MM FIXED IRIS for CCTV cameras
SSE-0812	R 209	Casey 8MM LENS MANUAL IRIS FOCAL LENGTH:8MM FORMAT:1/3APERTRE:F1.2AOV:35*

SSE-0812NI	R 99	Casey LENS 8MM FIXED IRIS for CCTV cameras
SSE-1212	R 209	Casey 12MM LENS MANUAL IRIS FOCAL LENGTH:12MMFORMAT:1/3APERTRE:F1.2AOV:25*
SSE-1212NI	R 109	Casey LENS 12MM FIXED IRIS for CCTV cameras
SSE-1612NI	R 109	Casey LENS 16MM FIXED IRIS for CCTV cameras
SSE-1616	R 209	Casey 16MM LENS MANUAL IRIS FOCAL LENGTH:16MMFORMAT:1/3APERTRE:F1.2AOV:20*

< Return to the menu

Security cameras : CCTV monitors

Product code	Price	Description
HK-302600346	R 16,828	Hikvision DS-1100KI Network Keyboard 7" TFT Touch Screen, 1x 100/1000 self-adaptive Network Interface, 1x USB 2.0 Interface, Linux Operating System, Supports Two-Way audio, 1x RS-232, 1x RS-485, H.264, H.265, MPEG4 decoding Format, 7" TFT LCD at 1024x600 Resolution, 4d Joystick

< Return to the menu

Security cameras : Hidden cameras stand-alone

Product code	Price	Description
MV-326CS	R 633	Microworld 1/3" Sony 420TVL PIR analogue camera with 3.7mm Lens (Looks like a standard passive infra red detection eye)

< Return to the menu

Security cameras : IP network security cameras

Product code	Price	Description
4GCB2	R 1,609	Ezviz CB2 2K 4G with Power Partner kit, 4G Cellular connectivity, including Power Bank, Nano SIM Card slot, 2K Resolution, Able to detect movements at a distance of up to 20 meters, Up to 12 meters during the nighttime
550291	R 4,499	Intellinet Pro Series Night Vision Network Camera, 1/3" " SONY Super HAD CCD image sensor for excellent image quality Up to 25 frames per second in all image resolutions Supports image resolutions up to 720 x 576 (D1) For surveillance in low light or night time conditions, minimum 0 lux (complete darkness) Equipped with an IR lens with 12 IR LEDs and 1 IR sensor IR sensitive, supports external IR Illuminators Integrated motion detection with pre- and post-alarm image/video buffering Event-triggered FTP and email upload of still images and videos Audio support, full duplex, up to 3.4 kHz External microphone input connector External speaker output connector Terminal block for external sensors or external alarm devices Supports MPEG4 streaming and Motion-JPEG direct image access Supports MPEG4 video streaming with CBR (constant bit rate) and VBR (variable bit rate) modes Controllable frame rate
550307	R 5,899	Intellinet MPEG4 CCD WIRELESS IR CAMERA 1/3" SONY Super HAD CCD image sensor for excellent image quality Up to 25 frames per second in all image resolutions Supports image resolutions up to 720 x 576 (D1) Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness) Equipped with an IR lens with 12 IR LEDs and 1 IR sensor IR sensitive, supports external IR Illuminators Integrated motion detection with pre- and post-alarm image/video buffering Event-triggered FTP and email upload of still images and videos Audio support, full duplex, up to 3.4 kHz External microphone input connector External speaker output connector Terminal block for external sensors or external alarm devices Supports MPEG4 streaming and Motion-JPEG direct image access Supports MPEG4 video streaming with CBR (constant bit rate) and VBR (variable bit rate) modes Controllable frame rate
550406	R 4,999	Intellinet PRO SERIES NETWORK HIGH RES DOME CAMERA VARI-FOCAL 4 TO 9 mm High Resolution 620TVL, 1/3 Sony Super HAD CCD, 0.5LUX Vandal and Tamper Proof Aluminium Housing Up to 25FPS pal resolution 720 x 576 (PAL) Supports Simultaneous MPEG4 and Motion-JPEG image compression HTTPS encryption, RTSP (real time streaming protocol), IEEE802.3af power over ethernet injectors Audio support, Full Duplex,up to 3.4 kHz Integrated HTTP web server, integrated e-mail, FTP, DDNS, and DHCP client
550413	R 5,999	Intellinet PRO SERIES NETWORK DOME IR High-resolution Camera, (620 TV lines) 1/3" " Sony Super HAD CCD image sensor for excellent image quality Vandal- and tamper-proof aluminum housing Up to 25 frames per second

		in all image resolutions Supports image resolutions up to 720 x 576 (D1) For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness) Equipped with an IR lens with 24 IR LEDs and 1 IR sensor IR sensitive, supports external IR illuminators Supports simultaneous MPEG4 and Motion-JPEG image compression Supports MPEG4 video streaming with CBR (constant bit rate) and VBR (variable bit rate) modes Supports HTTPS encryption for enhanced security RTSP (Real-Time Steaming Protocol) support Supports IEEE 802.3af Power over Ethernet injectors, mid- and endspans Controllable frame rate Video access through any standard Web browser Additional administrator functions include disabling the camera LEDs during operation, disabling audio and/or video Audio support, full duplex, up to 3.4 kHz External microphone input connector
550468	R 3,499	Intellinet PRO SERIES DIGITAL PTZ NETWORK CAMERA 6 MM 0.1LUX 2.0 Megapixel CMOS image sensor for crystal clear images Supports image resolution up to 720 x 480 (D1) Up to 25FPS in all image resolutions, Digital PAN/TILT/ZOOM Supports Simultaneous MPEG4 and Motion-JPEG image compression HTTPS encryption, RTSP (real time streaming protocol), IEEE802.3af power over ethernet injectors Audio support, Full Duplex,up to 3.4 kHz Integrated HTTP web server, integrated e-mail, FTP, DDNS, and DHCP client
550710	R 2,299	Intellinet PRO SERIES NETWORK CAMERA, 6MM 1/3" cmos image sensor for crystal clear images Resolution 640 x 480 (VGA) JPEG video compression 25 FPS IEEE802.3af power over ethernet injectors Audio support, Full Duplex,up to 3.4 kHz Integrated HTTP web server, integrated e-mail, FTP, DDNS, and DHCP client
550796	R 5,199	Intellinet PRO SERIES NETWORK CAMERA, 6MM 1/3 Sony Super HAD CCD, 0.1LUX, Vandal and Tamper Proof Aluminium Housing Up to 25FPS pal resolution 720 x 576 (D1) Supports Simultaneous MPEG4 and Motion-JPEG image compression HTTPS encryption, RTSP (real time streaming protocol), IEEE802.3af power over ethernet injectors Audio support, Full Duplex,up to 3.4 kHz Integrated HTTP web server, integrated e-mail, FTP, DDNS, and DHCP client
550956	R 2,079	Intellinet NFC30-WG Network Camera, Excellent image quality with 30 fps full-motion video in all resolutions Progressive-scan image sensor with OmniPixel2 technology Supports image resolutions up to 640 x 480 (VGA) Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption Audio support, full duplex, up to 8 kHz, with integrated microphone Video access through any standard Web browser Integrated motion detection with pre- and post-alarm image/video buffering Event-triggered FTP and e-mail upload of still images and videos Supports simultaneous MPEG4 and Motion-JPEG image compression Controllable frame rate Supports MPEG4 video streaming with CBR (constant bit rate) and VBR (variable bit rate) modes Supports low light conditions, minimum 0.5 lux Mobile phone streaming live video through 3GPP / ISMA / RTSP Mobile phone live image through 2.5 WAP MPEG4 Motion-JPEG 3GPP mobile phone streaming, audio and 10x digital zoom Supports HTTPS encryption for enhanced security Integrated e-mail, FTP, DDNS and DHCP client
550963	R 2,089	Intellinet NFC30-IR Night-Vision Network Camera, Excellent image quality with 30 fps full-motion video in all resolutions Progressive-scan image sensor with OmniPixel2 technology Supports image resolutions up to 640 x 480 (VGA) Audio support, full duplex, up to 8 kHz, with integrated microphone Video access through any standard Web browser Integrated motion detection with pre- and post-alarm image/video buffering Event-triggered FTP and e-mail upload of still images and videos Supports simultaneous MPEG4 and Motion-JPEG image compression Supports MPEG4 video streaming with CBR (constant bit rate) and VBR (variable bit rate) modes For surveillance in low light or night time conditions, minimum 0 lux (complete darkness) Equipped with an IR lens with 12 IR LEDs and one IR sensor IR sensitive, supports external IR Illuminators Mobile phone streaming live video through 3GPP / ISMA / RTSP Mobile phone live image through 2.5 WAP MPEG4 Motion - JPEG 3GPP mobile phone streaming, audio and 10x digital zoom Integrated e-mail, FTP, DDNS and DHCP client
550970	R 2,179	Intellinet NFC30-IRWG Night-Vision Network Camera, Excellent image quality with 30 fps full-motion video in all resolutions Progressive-scan image sensor with OmniPixel2 technology Supports image resolutions up to 640 x 480 (VGA) Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption Audio support, full duplex, up to 8 kHz, with integrated microphone Video access through any standard Web browser Integrated motion detection with pre- and post-alarm image/video buffering Event-triggered FTP and e-mail upload of still images and videos Terminal block for external sensors or external alarm devices Supports simultaneous MPEG4 and Motion-JPEG image compression For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness) Equipped with an IR lens with 12 IR LEDs and one IR sensor IR sensitive, supports external IR Illuminators Mobile

		phone streaming live video through 3GPP / ISMA / RTSP Mobile phone live image through 2.5 WAP MPEG4 Motion-JPEG 3GPP mobile phone streaming, audio and 10x digital zoom Integrated e-mail, FTP, DDNS and DHCP client Easy-to-use 16-channel camera viewing and recording utility included (not compatible with NSC10 and NSC18 cameras)
550987	R 2,569	Intellinet NFD30 Network Dome Camera MPEG4 Motion-JPEG Dual Mode PoE Audio Excellent image quality with 30 fps full-motion video in all resolutions Progressive-scan image sensor with OmniPixel2 technology Supports image resolutions up to 640 x 480 (VGA) Audio support, full duplex, up to 8 kHz, with integrated microphone 3.7 - 12 mm, F1.4 vari-focal lens Video access through any standard Web browser Integrated motion detection with pre- and post-alarm image/video buffering Event-triggered FTP and e-mail upload of still images and videos Terminal block for external sensors or external alarm devices Supports simultaneous MPEG4 and Motion-JPEG image compression Supports MPEG4 video streaming with CBR (constant bit rate) and VBR (variable bit rate) modes Supports low light conditions, minimum 0.5 lux Mobile phone streaming live video through 3GPP / ISMA / RTSP Mobile phone live image through 2.5 WAP MPEG4 Motion-JPEG 3GPP mobile phone streaming, audio and 10x digital zoom Integrated e-mail, FTP, DDNS and DHCP client Easy-to-use 16-channel camera viewing and recording utility included (not compatible with NSC10 and NSC18 cameras)
551021	R 2,619	Intellinet NFC31 Megapixel Network Camera, 1.3 Progressive-Scan Megapixel CMOS image sensor for crystal-clear images, Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p), Supports simultaneous H.264, MPEG4 and Motion-JPEG image compression, Excellent image quality with 30 fps full-motion video in VGA and 15 fps video in 1.3 Megapixel resolution, Audio support, full duplex, up to 8 kHz, with integrated microphone, Video access through any standard Web browser, Event-triggered FTP and e-mail upload of still images and videos, Supports local network storage: Can write video clips directly to a network attached storage (NAS) drive, NAS storage supports cyclic recording, automatically overwriting older files once the allocated storage space is exceeded, Supports SMB/CIFS (Windows) and NFS (Linux) network file systems, External microphone input connector, External speaker output connector, Mobile phone streaming live video through 3GPP / ISMA / RTSP, H.264 MPEG4 Motion-JPEG 3GPP mobile phone streaming, audio and 10x digital zoom, Integrated e-mail, FTP, DDNS and DHCP client
551045	R 2,909	Intellinet NFC31-IR Megapixel Night-Vision Network Camera, 1.3 Progressive-Scan Megapixel CMOS image sensor for crystal-clear images, Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p), Supports simultaneous H.264, MPEG4 and Motion-JPEG image compression, Excellent image quality with 30 fps full-motion video in VGA and 15 fps video in 1.3 Megapixel resolution, Audio support, full duplex, up to 8 kHz, with integrated microphone, Integrated motion detection with pre- and post-alarm image/video buffering, Equipped with an IR lens with 12 IR LEDs and one IR sensor, IR sensitive, supports external IR Illuminators, Event-triggered FTP and e-mail upload of still images and videos, Supports local network storage: Can write video clips directly to a network attached storage (NAS) drive, NAS storage supports cyclic recording, Supports SMB/CIFS (Windows) and NFS (Linux) network file systems, External microphone input connector, External speaker output connector, Controllable frame rate, Mobile phone streaming live video through 3GPP / ISMA / RTSP
6957576290516	R 4,189	Oplink Security & Monitoring and Surveillance Solution-includes:1 x OPU2120, 1 x Wi-Fi IP Cam, 2 x Door/Window Sensor, 1 x Siren, 1 Year warranty
A63011-Q	R 447	Astrum A63011-Q IP110 Smart IP Camera with APP, IP Camera Full HD Video, Speaker, Mic for 2 way communication, Remote View, TF Card recording, Motion Detection, Pan / Tilt, Night Vision, 5V DC, APP
AJAX-BULLET-5MP-28-B	R 2,160	AJAX 5MP Bullet IP Camera with a 2.8mm Wide-view Lens - Black, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-BULLET-5MP-28-W	R 2,223	Ajax 5MP IP White Bullet Camera with a 2.8mm wide-view Lens, 2880x1620 Resolution, 25 fps, H.265 / H.264 codecs, 100 Mbps Ethernet, Motion Detection, Object detection, Up to 35 m Smart IR illumination, Microphone, Viewing angle from 100 degrees to 110 degrees
AJAX-BULLET-5MP-4-B	R 2,468	AJAX 5MP Bullet IP Camera with a 4mm focused Lens - Black, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35

		m Smart IR illumination range
AJAX-BULLET-5MP-4-W	R 2,175	Ajax 5MP IP White Bullet Camera with a 4mm wide-view Lens, 2880x1620 Resolution, 25 fps, H.265 / H.264 codecs, 100 Mbps Ethernet, Motion Detection, Object detection, Up to 35 m Smart IR illumination, Microphone, Viewing angle from 75 degrees to 85 degrees
AJAX-BULLET-8MP-28-B	R 3,710	AJAX 8MP Bullet IP Camera with a 2.8mm Wide-view Lens - Black, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-BULLET-8MP-28-W	R 3,022	AJAX 8MP Bullet IP Camera with a 2.8mm Wide-view Lens - White, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-BULLET-8MP-4-B	R 4,947	AJAX 8MP Bullet IP Camera with a 4mm focused Lens - Black, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-BULLET-8MP-4-W	R 2,982	AJAX 8MP Bullet IP Camera with a 4mm focused Lens - White, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-DOME-5MP-28-B	R 2,781	Ajax 5MP Mini Dome IP Camera with a 2.8mm Wide-view lens - Black, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 15 m Smart IR illumination range
AJAX-DOME-5MP-28-W	R 2,459	Ajax - 5MP IP White Mini Dome camera with a 2.8mm wide-view Lens, 2880x1620 Resolution, 25 fps, Viewing angle from 100 degrees to 110 degrees, H.265 / H.264 codecs, 100 Mbps Ethernet, Motion Detection, Object detection, Up to 30 m Smart IR illumination, Microphone
AJAX-DOME-5MP-4-B	R 2,493	Ajax 5MP Mini Dome IP Camera with a 4mm focused Lens - Black, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 15 m Smart IR illumination range
AJAX-DOME-5MP-4-W	R 2,780	Ajax - 5MP IP White Mini Dome camera with a 2.8mm 4mm focused Lens, 2880x1620 Resolution, 25 fps, Viewing angle from 75 degrees to 85 degrees, H.265 / H.264 codecs, 100 Mbps Ethernet, Motion Detection, Object detection, Up to 30 m Smart IR illumination, Microphone
AJAX-DOME-8MP-28-B	R 3,100	Ajax 8MP Mini Dome IP Camera with a 2.8mm Wide-view lens - Black, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 15 m Smart IR illumination range
AJAX-DOME-8MP-28-W	R 3,742	Ajax 8MP Mini Dome IP Camera with a 2.8mm Wide-view Lens - White, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 15 m Smart IR illumination range
AJAX-DOME-8MP-4-B	R 4,830	Ajax 8MP Mini Dome IP Camera with a 4mm Focused Lens - Black, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-DOME-8MP-4-W	R 3,739	Ajax 8MP Mini Dome IP Camera with a 4mm Focused Lens - White, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 15 m Smart IR illumination range
AJAX-TURRET-5MP-28-B	R 2,276	Ajax 5MP Turret IP Camera with a 2.8mm Wide-view Lens - Black, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-TURRET-5MP-28-W	R 2,224	Ajax 5MP Turret IP Camera with a 2.8mm Wide-view Lens - White, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-TURRET-5MP-4-B	R 2,372	Ajax 5MP Turret IP Camera with a 4mm focused Lens - Black, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range

AJAX-TURRET-5MP-4-W	R 2,783	Ajax 5MP Turret IP Camera with a 4mm focused Lens - White, 2880x1620 Resolution up to 25 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-TURRET-8MP-28-B	R 3,618	Ajax 8MP Turret IP Camera with a 2.8mm Wide-view Lens - Black, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-TURRET-8MP-28-W	R 3,600	Ajax 8MP Turret IP Camera with a 2.8mm Wide-view Lens - White, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-TURRET-8MP-4-B	R 4,547	Ajax 8MP Turret IP Camera with a 4mm focused Lens - Black, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AJAX-TURRET-8MP-4-W	R 3,984	Ajax 8MP Turret IP Camera with a 4mm focused Lens - White, 3840x2160 Resolution up to 20 fps, MicroSD slot up to 256GB, H.265 / H.264 Video Codec, True WDR, 100 Mbps Ethernet Port, Using AI object detection, Up to 35 m Smart IR illumination range
AQ-CAM-G100-B	R 1,186	Aqara Select G100 2K Smart Security Camera - Black, CH-C08D-BLACK, 2-way Audio, Spotlight Colour / IR Night Vision, AI detection, 140 degrees FOV, Wi-Fi 6, 2304x1296 Video Resolution, H.264 Video Codec, Wi-Fi, Bluetooth, MicroSD card up to 512GB storage.
AQ-CAM-G100-W	R 1,183	Aqara Select G100 2K Smart Security Camera - White, CH-C08D-BLACK, 2-way Audio, Spotlight Colour / IR Night Vision, AI detection, 140 degrees FOV, Wi-Fi 6, 2304x1296 Video Resolution, H.264 Video Codec, Wi-Fi, Bluetooth, MicroSD card up to 512GB storage
AY-NN-KIT031	R 3,941	Ayrus AY-NN-KIT031 IP CCTV Kit Security Recording System Kit with 4pcs metal Bullet IP Wireless Cameras
BC1C	R 1,954	EZVIZ BC1C Standalone Smart Home Battery Camera
BHR07UIEU	R 1,105	Xiaomi CW100 Dual Outdoor Camera, Bluetooth 5.2 Wi Fi 6 outdoor security camera; 2304x1296 dual image; IP66 weatherproof; AI detection; microSD 16-256GB storage; two way audio
BHR07VOGL	R 641	Xiaomi C100 Smart Camera, 2K HD indoor smart camera; Wi-Fi 6; 2304x1296 resolution; 2-way audio; microSD up to 256GB; night vision; Android iOS compatible
BHR089AEU	R 1,193	Xiaomi Smart C500 6MP 3.5K UHD 3200 x 1800 Pan / Tilt IP Network camera, Colour Night Vision, MicroSD card up to 256GB, H.265 Video Encoding, Dual-Band Wi-Fi 2.4GHz / 5GHz, USB Type-C Power Port, human and Pet Detection
BHR08NBGL	R 598	Xiaomi Smart C201 1080p indoor security camera; 1080p Full HD; 360 degree pan; 107 degree tilt; AI human pet detection; two-way audio; Wi-Fi 6; microSD storage
BHR08SVGL	R 768	Xiaomi Smart C302 White 2K Indoor Wi-Fi Security Camera
BHR6540GL	R 879	Xiaomi C300 Smart Camera
BHR6619GL	R 1,102	Xiaomi C400 Smart Camera
BHR6766GL	R 627	Xiaomi C200 Smart Camera
BHR7624GL	R 1,443	Xiaomi CW400 Outdoor Camera
BHR8097EU	R 1,357	Xiaomi CW300 Outdoor Camera
BHR8303GL	R 1,356	Xiaomi BW300 Outdoor Camera
BHR8352GL	R 820	Xiaomi Outdoor Camera Solar Panel for BW Series
BHR8683GL	R 851	Xiaomi Smart Camera C301 White 2K Indoor Wi-Fi Security Camera; 2K 2304 x 1296 video; infrared night vision; two way audio; MicroSD storage 8GB to 256GB; 360 x 107 rotation; WiFi monitoring
BHR8755EU	R 1,868	Xiaomi C500 Dual Smart Camera
BHR9166EU	R 1,359	Xiaomi White Smart C300 Dual 2K Indoor Wi-Fi Security Camera; AI human detection; two-way audio; night vision; Wi-Fi 6 connectivity; MicroSD, cloud, NAS storage; 78x78x126 mm; 0.384 kg
BHR9402EU	R 1,781	Xiaomi CW500 White Dual Outdoor 2.5K Wi-Fi 6 Smart Security Camera; 2.5K resolution; Wi-Fi 6 connectivity; AI human and vehicle detection; IP66 weatherproof; two way audio; night vision
C1C-B	R 541	Ezviz C1C Wireless Mini Camera 1080P, 108 degree wide angle, IR upto 12m, Motion Detection, Two-Way Talk, Support SD card upto 256G, Retail Box

C3TN	R 689	Ezviz C3TN Wi-fi Smart Home Camera
C3TN-P	R 746	Ezviz Outpro 2K Wi-Fi Smart Home Camera
C3W-P	R 1,494	Ezviz C3w Pro Smart Home Camera
CAM-C220I-2.8MM	R 577	TP-Link Vigi C220I 2MP Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 30m IR working distance, ONVIF, Two streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, People detection, Vehicle Detection, Motion Detection, 2MP (1920x1080) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
CAM-C230-2.8MM	R 794	TP-Link Vigi C230 3MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, 1 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection
CAM-C230I-MINI-2.8MM	R 794	TP-Link C230I Mini Vigi 3MP IR Mini Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker
CAM-C240-2.8MM	R 866	TP-Link C240 Vigi 4MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range 1 IR LED, 30m range 1 White LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Audio Input, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Built-In Microphone, Motion detection, Human & vehicle classification
CAM-C240I-2.8MM	R 758	TP-Link Vigi C240I IR Dome Network camera with 2.8mm Lens, 3D DNR Digital Noise Reduction, DWDR, IP67 weatherproof rating, 30m IR working distance, No White LEDs, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, DC Power Port, Motion Detection, Video tampering detection, Exception (Illegal Login), 4MP 2560x1440 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 1 region of interest, H.265 / H.265 / H.264 / H.264 Video Compression
CAM-C250-2.8MM	R 1,011	TP-Link Vigi 5MP Full-colour Dome PoE IP Network camera with 2.8mm Lens, 3 Main streams & 3 Sub-Streams simultaneous live view, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Motion Detection, Video tampering detection, Human & vehicle classification, 1x IR LED up to 30m, 1x White LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement BLC / 3D DNR / HLC / SmartIR, ROI
CAM-C250-4MM	R 1,011	TP-Link Vigi 5MP Full-colour Dome PoE IP Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams simultaneous live view, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Motion Detection, Video tampering detection, Human & vehicle classification, 1x IR LED up to 30m, 1x White LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement BLC / 3D DNR / HLC / SmartIR, ROI
CAM-C320I-2.8MM	R 541	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
CAM-C320I-4MM	R 541	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
CAM-C320I-6MM	R 545	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
CAM-C330-2.8MM	R 722	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human &

		vehicle classification, Motion detection
CAM-C330-4MM	R 722	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C330-6MM	R 722	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 6mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C330I-2.8MM	R 613	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C330I-4MM	R 613	TP-Link VIGI 3MP Outdoor IR Bullet Network Camera with 4mm Lens
CAM-C330I-6MM	R 577	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C340-2.8MM	R 866	TP-Link VIGI 4MP Outdoor Full-Color Bullet Network Camera with 2.8mm Lens
CAM-C340-4MM	R 866	TP-Link VIGI 4MP Outdoor Full-Color Bullet Network Camera with 4mm Lens
CAM-C340-6MM	R 866	TP-Link VIGI C340 4MP Outdoor Full-Color Bullet Network Camera with 6mm Lens
CAM-C340-W-4MM	R 1,155	TP-Link VIGI C340-W 4MP Outdoor Full-Color Wi-Fi Bullet Network Camera with 4mm Lens
CAM-C340I-4MM	R 686	TP-Link Vigi C340I 4MP Outdoor Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 30m IR working distance, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, People detection, Motion Detection, 4MP (2560x1440) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
CAM-C340S-4MM	R 1,950	TP-Link C340S VIGI 4MP Outdoor ColorPro Night Vision Bullet Network camera with 4mm Lens, 1/1.8" Progressive Scan CMOS image Sensor, 4 White LED with 30m illumination distance, No IR LED, 3D DNR Digital Noise Reduction, IP67 weatherproof rating, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC, 120 dB wide Dynamic range, 1 region ROI, Two-Way audio, 3 main streams & 3 Sub-Streams, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Built-In Microphone, Built-In Speaker, Built-In Memory card slot, Support MicroSD card up to 256 GB
CAM-C345-6MM	R 1,160	TP-Link Vigi C345 4MP Outdoor full Colour Bullet Camera with 6mm Lens, 2 IR LED 30m range, 2 White LED 30m range, 2688x1520 maximum Resolution, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Human & vehicle classification, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB
CAM-C350-4MM	R 1,083	TP-Link C350 Vigi 5MP Outdoor Full-colour Bullet PoE Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Two-Way audio, Human & vehicle classification, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI
CAM-C355-4MM	R 1,233	TP-Link Vigi C355 5MP Outdoor full Colour Bullet Camera with 4mm Lens, 2 IR LED 30m range, 2 White LED 30m range, 2880x1620 maximum Resolution, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Human & vehicle classification, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB
CAM-C355-6MM	R 1,233	TP-Link Vigi C355 5MP Outdoor full Colour Bullet Camera with 6mm Lens, 2 IR LED 30m range, 2 White LED 30m

		range, 2880x1620 maximum Resolution, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Human & vehicle classification, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB
CAM-C420I-2.8MM	R 505	TP-Link C420I 2MP IR Turret Network camera with 2.8mm Lens, 3D DNR, DWDR, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range IR LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Motion detection, Human & vehicle classification,
CAM-C420I-4MM	R 505	TP-Link C420I 2MP IR Turret Network camera with 4mm Lens, 3D DNR, DWDR, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range IR LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Motion detection, Human & vehicle classification
CAM-C430-2.8MM	R 686	TP-Link C430 Vigi 3MP Full-colour Turret Network camera with 2.8mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection
CAM-C430-4MM	R 686	TP-Link C430 Vigi 3MP Full-colour Turret Network camera with 4mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection
CAM-C430I-2.8MM	R 556	TP-Link C430I Vigi 3MP IR Turret Network camera with 2.8mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C430I-4MM	R 600	TP-Link C430I Vigi 3MP IR Turret Network camera with 4mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C440-2.8MM	R 794	TP-Link VIGI C440 4MP Full-Color Wi-Fi Turret Network Camera with 2.8mm Lens
CAM-C440-4MM	R 794	TP-Link VIGI C440 4MP Full-Color Wi-Fi Turret Network Camera with 4mm Lens
CAM-C440-W-4MM	R 939	TP-Link C440-W Vigi 4MP Full-colour Wi-Fi Turret Network camera with 4mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, 2.4GHz Frequency, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
CAM-C440I-2.8MM	R 613	TP-Link C440I Vigi 4MP IR Turret Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C440I-4MM	R 662	TP-Link C440I Vigi 4MP IR Turret Network camera with 4mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
CAM-C450-2.8MM	R 975	TP-Link Vigi C450 4MP Full-colour Turret PoE Network with 2.8mm Lens, ONVIF, 3 Main streams & 3 Sub-Streams simultaneous live View, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Human & vehicle classification, Motion Detection, 2 IR LED up to 30m, 2 White LED LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI
CAM-C450-4MM	R 975	TP-Link Vigi C450 4MP Full-colour Turret PoE Network with 4mm Lens, ONVIF, 3 Main streams & 3 Sub-Streams simultaneous live View, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Human & vehicle classification, Motion Detection, 2 IR LED up to 30m, 2 White LED LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264

		Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI
CAM-C485-2.8MM	R 1,469	TP-Link C485 Vigi 8MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED with 30m range, 4 White LED with 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI, 3 Main streams & 3 Sub-Streams, Human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, Two-Way audio
CAM-C540-4G-4MM	R 1,950	TP-Link Vigi C540-4g 4MP Outdoor full Colour 4G Pan Tilt Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2560x1440 maximum Resolution, Video Compression - H.265 / H.265 / H.264 / H.264, BLC / 3D DNR / HLC / SmartIR, DWDR, 1 region ROI, Two-Way audio, ONVIF, 2 Main streams & 2 Sub-Streams simultaneous live View, 4G Nano SIM slot, Motion Detection, Human & Vehicle Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-C540-4MM	R 1,228	TP-Link VIGI C540 4MP Outdoor Full-Color Pan Tilt Network Camera with 4mm Lens
CAM-C540-W-4MM	R 1,372	TP-Link VIGI C540-W 4MP Outdoor Full-Color Wi-Fi Pan Tilt Network Camera with 4mm Lens
CAM-C540S-4MM	R 2,384	TP-Link Vigi C540S Vigi 4MP Outdoor ColorPro Night Vision Pan Tilt Network camera with 4mm Lens, Pan / Tilt, 2 White LED with 30m range, No IR LED, 2688x1520 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC, 120dB wide Dynamic range, 1 region ROI, Two-Way audio, ONVIF, 3 main streams & 3 Sub-Streams, Motion Detection, Video tampering detection, Exception (Illegal Login), 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, IP66 protection
CAM-C540V	R 1,589	TP-Link Vigi C540V 4MP Outdoor Full-colour Dual-Lens Varifocal Pan Tilt Network camera, 3x mixed Zoom, ONVIF, 3 main streams & 3 Sub-Streams, IP66 protection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Motion Detection, Video tampering detection, Exception (Illegal Login), 4-12 mm (Mixed Zoom) focal length, Pan / Tilt, Two-Way audio, 1 IR LED with 30m range, 3 White LED with 30m range, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI
CAM-E1302FVD-CB3	R 415	Sunell E1302FVD-CB3 2mp AHD/TVI/CVI/CVBS Analogue Eyeball IR Dome IP Camera
CAM-IPD57-41ZDR-B	R 1,891	Sunell SN-IPD57/41ZDR-B 4mp IP (2592X1520) Poe Ceiling Dome Camera With Mic
CAM-IPD5920ZDR-B	R 1,993	Sunell SN-IPD5920ZDR-B 2MP IP Poe Ceiling Dome Camera With Mic
CAM-IPP5790DDN-B	R 27,084	Sunell SN-IPP5790DDN 32MP Multi-Sensor Panoramic Network Camera
CAM-IPR57-20AKDNTZ	R 6,148	Sunell IPR57-20AKDNTZ 2MP Motorized Vari-focal IP POE Bullet Lpr Camera
CAM-IPR57-80AKDN-Z	R 6,950	Sunell 12MP motorized Network IR bullet camera, 1/1.7" Progressive Scan CMOS, Motorized lens 4.1~12.8mm, 20fps @ 12MP (4000x3000), Triple streams, Smart IR up to 80m, dWDR, 3D DNR, P-iris, ROI, Defog, HLC, Corridor mode, DIS, IP67, H.265 / H.264 / MJPEG Compression, 1x Ethernet 10/100 BASE-T RJ-45 connector
CAM-IPS57-20BDRZSC22	R 10,088	Sunell 2MP ATPTZ dome IP camera, 22x optical Zoom, 16x Digital Zoom, 1/2.8" Progressive Scan CMOS image sensor, HD 1080p (1920x1080), Multiple streams, Smart IR range 150m, 3D DNR, dWDR, ICR, Auto Tracking, 4.7~103mm focal length, Pan/Tilt, H.265 Compression, 1x RJ-45 10/100base-t Ethernet
CAM-IPS5950CDR-Z12WO	R 8,788	SUNELL MINI PTZ, 5MP, 12X, SDR, POE
CAM-IPV57-02GDR-Z	R 2,005	Sunell IPV57-02GDR-Z 2MP Network IR Mini IR PT Dome Camera, 1/2.8" Progressive Scan CMOS, 2.8-8mm motorized lens, 25fps/ 30fps@2MP (1920X1080), Triple Streams, Smart IR Up to 20m, Low bitrate, Excellent low light performance, WDR, 3D DNR, ROI, Defog, HLC, Corridor mode, DIS, IP66
CAM-IPV57-04EEDR-Z	R 2,026	Sunell SN-IPV57/04EEDR/Z 4MP Manual Vari-focal Ip Poe Mini Dome Camera
CAM-IPV57-41CLDR-Z	R 2,641	Sunell SN-IPV57/41CLDR/Z 4MP Motorized Vari-focal IP Poe Ceiling Dome Camera With Mic
CAM-IPV57-41UDR-Z	R 2,791	Sunell IPV57-41UDR-Z 4MP Motorized Vandal Network IR Dome Camera, 1/3â€• Progressive Scan CMOS, Motorized lens, 2.7~12mm, 25fps/ 30fps@4MP (2592x1520), Triple Streams, Smart IR Up to 30m, Low bitrate, Excellent low light performance, WDR, 3D DNR, ROI, Defog, HLC, Corridor mode, DIS, IP67, IK10
CAM-IPV5880EEAR-Z	R 3,356	Sunell IPV5880EEAR-Z 4k 8MP Motorised Vari-focal IP Poe Dome Camera. The Sunell CAM-IPV5880EEAR-Z offers ultra-HD 8MP resolution and motorized lens control for flexible, professional surveillance. Built with rugged

		IP66 and IK10 ratings, it delivers detailed imaging and intelligent IR performance in demanding South African environments.
CAM-NVR2508E1-E	R 2,214	Sunell SN-NVR2508E1-E 8-channel 1-bay H.265 Nvr. The Sunell CAM-NVR2508E1-E is a compact, high-performance 8-channel NVR designed for reliable surveillance. Offering H.265 compression, up to 8 TB storage, dual display outputs, USB backup, and smart mobile access, it suits both home and business monitoring needs.
CAM-NVR2516E2-E	R 2,467	Sunell SN-NVR2516E2-E 16-channel 2 Bay H.265 NVR for security cameras. Up to 16ch IP cameras access. Easy to use Same Interface of GUI/WEB/Client. 2 SATA hard disk up to 8TB. Simultaneous HDMI&VGA up to 4K output. 2 x 2.0 USB Host. 8ch Alarm In/1ch Alarm Out. 1ch Audio I/O. Wide compatibility with various manufacturers that support ONVIF, SDK, CGI.
CAM-NVR2608E1-P8J	R 4,305	Sunell SN-NVR2608E1-P8E-J 8-channel 1-bay Network Video Recorder, 1x LAN, 8x POE, H.265, Face Recognition.1ch 12MP / 4ch 8MP / 8ch 4MP @30fps. 4K output. For recording of camera footage from various camera manufacturers who support ONVIF, SDK, CGI - wide compatibility.
CAM-S225-2.8MM	R 866	TP-Link Vigi InSight S225 2MP Full-colour Dome Camera with 2.8mm Lens, IR LED & White LED 30m range, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, DWDR wide Dynamic range, 1 region ROI, Audio Input, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, IP67 Waterproof, IK10 vandal proof
CAM-S245-4MM	R 1,444	TP-Link Vigi InSight S245 4MP Full-colour Dome Camera with 4mm Lens, IR LED & White LED up to 30m, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S245ZI	R 2,600	TP-Link Vigi InSight S245zi 4MP 5x Zoom Varifocal Dome Camera, Motorized Varifocal Lens 2.7 - 13.5 mm, 2688x1520 maximum Resolution, IR Light 60m range, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 1 Alarm in, 1 Alarm out, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, 1x audio in, 1x audio out
CAM-S345-2.8MM	R 1,444	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 2.8mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S345-4G-4MM	R 2,673	TP-Link InSight S345-4G Vigi 4MP Outdoor Full-colour 4G Bullet Network camera with 4mm Lens, 2 IR LED up to 50m range, 2 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Built-In Microphone, Built-In Speaker, 3 Main streams & 3 Sub-Streams simultaneous live View, 4G LTE standard, Nano SIM, Category 4, 50 Mbps Uplink, 150 Mbps downlink, 2 antenna, Motion Detection, Enhanced with human & vehicle classification, 3x RJ45 10/100 Mbit LAN Ports Network Interface, Built-In Memory card slot support MicroSD card up to 512GB
CAM-S345-4MM	R 1,372	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 4mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S345-6MM	R 1,482	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 6mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People

		detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S345ZI	R 2,600	TP-Link INSIGHT S345ZI Vigi 4MP Outdoor IR motorized Varifocal Bullet Network camera with 5x Optical Zoom, 2.7-13.5 mm motorized Varifocal Lens, IR Night Vision up to 60m, Smart detection (Human & vehicle classification), 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, IP67 Weatherproof, IK10 vandal proof
CAM-S355-2.8MM	R 1,517	TP-Link InSight S355 5MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S355-4MM	R 1,517	TP-Link InSight S355 5MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S355-6MM	R 1,638	TP-Link InSight S355 5MP Outdoor Full-colour Bullet Network camera with 6mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-S385-2.8MM	R 1,806	TP-Link Vigi InSight S385 8MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Speaker
CAM-S385-4MM	R 1,806	TP-Link Vigi InSight S385 8MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Speaker
CAM-S385PI-8MP	R 3,178	TP-Link InSight S385PI Vigi 8MP Outdoor IR Panoramic Bullet Network camera with 1.65mm Lens, 4 IR LED up to 20m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 4 regions ROI, Two-Way Audio, Built-In Microphone, Built-In Speaker, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, Red-Blue warning lights, Built-In Memory card slot support MicroSD card up to 512 GB, 1x audio in, 1x audio out, IP67 Weatherproof, IK10 vandal proof

CAM-S445-2.8MM	R 1,372	TP-Link InSight S445 Vigi 4MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED up to 30m range, 4 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Audio Input, Audio Output, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB
CAM-S445ZI	R 2,384	TP-Link InSight S445ZI Vigi 4MP IR motorized Varifocal Turret Network camera with 2.7-13.5 mm Lens, 5x Optical Zoom, 4 IR LED up to 60m, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, One-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, 1x audio in, 1x audio out, IP67 Weatherproof, IK10 vandal proof
CAM-S455-4MM	R 1,372	TP-Link InSight S455 Vigi 5MP Full-colour Turret Network camera with 4mm Lens, 4 IR LED up to 30m range, 4 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Audio Input, Audio Output, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, Built-In Speaker
CAM-S485-2.8MM	R 1,733	TP-Link InSight S485 Vigi 8MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED up to 30m, 4 White LED up to 30m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, Built-In Speaker
CAM-S485PI	R 3,106	TP-Link InSight S485PI Vigi 8MP IR Panoramic Turret Network camera with 1.65mm Lens, 4 IR LED up to 20m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 4 region ROI, Two-Way Audio, Built-In Microphone, Audio in Interface, Built-In Speaker, Audio out Interface, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, Red-Blue warning lights, Built-In Memory card slot support MicroSD card up to 512GB
CAM-S655I	R 2,600	TP-Link Vigi S655i 5MP Fisheye Network camera, 1.44 mm focal length, Ceiling Mount, Wall Mount, Pendant Mount, IR LED up to 30m, 2560x1920 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
CAM-TPC4201KT-3-F50	R 54,213	Sunell TPC4201KT(III)/F50 50mm Fixed Lens Thermal Camera. Poe Bullet Camera. Night vision security camera / Thermal security camera. Ideal solution for South African users in high risk areas where standard cameras might not capture the full risk. Used in fire risk areas, and in areas where high heat could pose a risk. Used for security monitoring, offices, banks, farms. Used for wild-life observation and perimeter surveillance.
CAS-NASBOX-BC500	R 4,460	Synology BC500 2880x1620 Network Bullet camera with 2.8mm Lens, 30m Maximum IR distance, 1/2.7" image Sensor, 2880x1620 @ 30 fps Maximum Video Resolution, 3DNR, 2DNR, Microphone, 1x RJ45 10M/100M Ethernet Port, 1x Micro SD card slot
CAS-NASBOX-TC500	R 4,868	Synology TC500 2880x1620 Network Turret camera with 2.8mm Lens, 30m Maximum IR distance, 1/2.7" image Sensor, 2880x1620 @ 30 fps Maximum Video Resolution, 3DNR, 2DNR, Microphone, 1x RJ45 10M/100M Ethernet Port, 1x Micro SD card slot
CC-C1002	R 334	Connex Smart WiFi 720P IP Camera Indoor

CC-C1003	R 742	Connex Smart WiFi 1080P Bullet IP Camera Outdoor
CH7-WCA	R 803	The Outdoor Wi-Fi Pan/Tilt Camera CH7-WCA, is a high-performance outdoor surveillance camera that integrates 360Â° visual coverageï¼ŒFull-Color night visionï¼Œ4MP resolution video, full-duplex two-way audio, human detection, vehicle detection, sound and light alarm functions. The product is mostly used for outdoor monitoring scenarios such as courtyard, farms and shops, etc. The users can access the video via wireless or wired connection to the Internet.
CP3	R 385	Tenda CP3 Indoor Home Camera, 1080p Full Duplexed, Two-way Audio, Pan Tilt Camera, Perfect As A Nanny Cam Or Standalone Store Camera, Comes With Infrared Smart Tracking Sound And Light Alarm Microsd/cloud Storage And Privacy Shutter
CP7	R 630	Tenda CP7 Indoor Home Camera, 4mp Full Duplexed Two-way Audio Pan Tilt Camera Perfect As A Nanny Cam Or Standalone Store Camera Comes With Infrared Smart Tracking Sound And Light Alarm Microsd/cloud Storage And Privacy Shutter
CS-CB3-2K	R 1,199	Ezviz Standalone Smart Home Battery Camera - 1080p Resolution, Up to 120 Days of Battery Life (5200 mAh), Smart Human Motion Detection, Color Night Vision, Weatherproof Design, Active Defense with Siren and Strobe Light, Two-Way Talk, Customizable Voice Alerts, H.265 Video Technology, Works with EZVIZ Solar Panel for Battery Charging, Supports MicroSD Card (Up to 256 GB) & EZVIZ Cloud Storage, Retail Box, 6 Months Warranty
CS-LC1-A0-1B2WPFRL(2.8MM)	R 2,299	Ezviz LC1 Wireless Floodlight Camera 1080p, Full HD, 270 degree PIR detecton range, Omni-directonal protecton, Night vision, up to 60f, Dustproof and Waterproof, IP65, Retail Box
CT3-WCA	R 573	Tenda CT3 1080P Outdoor Wi-Fi Camera, Water and dust resistant (IP66), Built-in microphone and speaker for two-way audio, Support motion and human detection, sound and light alert, High quality imaging with 2MP resolution and full-color night vision
DH-SD5A232GB-HNR	R 4,024	Dahua 2MP 32x Starlight IR Network PTZ IP Camera with 4.5mm - 144mm Lens, 1920x1080 maximum Resolution, Progressive scanning system, 150 m illumination distance, 4x IR illuminator, 32 x Optical Zoom, Tripwire, Intrusion, Face detection, SMD, H.264H / H.264B / Smart H.265 / H.264 / H.265 Video Compression, 3 streams, 120 dB WDR, BLC, HLC, 2D NR, 3D NR, Motion detection, Region of interest, Electronic (EIS) image stabilization, Electronic Defog, 1x RJ-45 10/100 Mbps Network Port
DHI-TPC-BF1241-B7F8-DW-S2	R 2,989	Dahua eureka Series Thermal Network Mini Hybrid Bullet IP Camera, Thermal 256 (H) x 192 (V) Maximum Resolution, Vanadium Oxide uncooled focal plane detector, 8um - 14um spectral range, < 40 mk Thermal sensitivity (Netd), 16 levels Digital Zoom, Auto / manual AGC, 2D NR / 3D NR noise reduction, 1/2.7 ' ' CMOS image sensor, Visible 1/2.7 ' ' CMOS image sensor, 2336 (H) x 1752 (V) Maximum Resolution, 4 MP, BLC, DWDR, HLC, Region of interest (RoI), Cold & Hot Spot trace, Heat detection & alarm, Human & vehicle classification, Smoking detection, Call detection, H.265 / H.264M / H.264H / H.264B / mjepg Video Compression, 1x RJ-45 Network, 1x audio Input, 1x audio Output, 1 alarm Input, 1 alarm Output
DS-2CD1023G0E-I(2.8mm)	R 1,190	Hikvision 2MP Fixed Bullet Network camera with 2.8mm Lens, IR up to 30m, IP67, 1920x1080 maximum Resolution, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, Digital WDR, BLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection
DS-2CD1023G0E-I-2.8MM	R 1,005	Hikvision DS-2CD1023G0E-I 2 MP Fixed Bullet Network Camera with 2.8mm Lens
DS-2CD1123G0E-I(2.8mm)	R 1,167	Hikvision 2MP Fixed Dome Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, Up to 30 m IR Light range, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream region of interest (ROI), Up to 6 channels simultaneous live View, Digital WDR, BLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection, IP67 protection, IK10 protection, DS-2CD1123G0E-I-2.8MM
DS-2CD1123G0E-I-2.8MM	R 989	Hikvision 2MP Fixed Dome Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, Up to 30 m IR Light range, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream region of interest (ROI), Up to 6 channels simultaneous live View, Digital WDR, BLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection, IP67 protection, IK10 protection, DS-2CD1123G0E-I-2.8MM
DS-2CD2021G0-LIU-2.8MM	R 1,225	Hikvision 2MP WDR Fixed Bullet Audio Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, M12 Lens Mount, IR & White Light up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region region of interest (ROI), Mono sound, Up to 6 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR,

		1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Motion Detection
DS-2CD2021G0-LIU-2.8MM	R 1,155	Hikvision 2MP WDR Fixed Bullet Audio Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, M12 Lens Mount, IR & White Light up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region region of interest (ROI), Mono sound, Up to 6 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Motion Detection
DS-2CD2021G0-LIU-4MM	R 1,114	Hikvision 2MP WDR Fixed Bullet Audio Network camera with 4mm Lens, 1920x1080 maximum Resolution, M12 Lens Mount, IR & White Light up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region region of interest (ROI), Mono sound, Up to 6 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Motion Detection
DS-2CD2026G2-I(2.8mm)	R 1,765	Hikvision 2MP AcuSense fixed Mini Bullet IP Network camera with 2.8mm Lens, Darkfigter Tech, 1/2.8" Progressive Scan CMOS image sensor, 1920x1080 Maximum Resolution, M12 Lens Mount, Up to 40 m IR light, Up to 6 channels simultaneous live view, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion detection, Face capture
DS-2CD2026G2-I(4mm)	R 1,829	Hikvision 2MP AcuSense fixed Mini Bullet IP Network camera with 4mm Lens, Darkfigter Tech, 1/2.8" Progressive Scan CMOS image sensor, 1920x1080 Maximum Resolution, M12 Lens Mount, Up to 40 m IR light, Up to 6 channels simultaneous live view, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion detection, Face capture
DS-2CD2027G2-L4MM	R 2,253	Hikvision 2MP ColorVU fixed Mini bullet Network camera with 4mm Lens, 1/2.8" Progressive Scan CMOS image sensor, 1920x1080 Maximum Resolution, M12 Lens Mount, 40 m IR range, H.265 / H.264 / H.265 / H.264 Video Compression, 1x RJ45 10 M/100 m self-adaptive Ethernet Port, No Microphone, 120 dB WDR technology, 24/7 colorful imaging, Water and dust resistant
DS-2CD2041G0-LIU(2.8mm)	R 1,294	Hikvision 4 MP Outdoor WDR Fixed Smart Hybrid Light Bullet Network Camera 2.8mm with Built-in Microphone, IR or White Light up to 30m
DS-2CD2041G0-LIU(4mm)	R 1,553	Hikvision 4MP Smart Hybrid Light Fixed Bullet Network camera with 4mm Lens, 2560x1440 maximum Resolution, IR & White Light supplement Light Type, Up to 30 m Light range, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone
DS-2CD2041G0-LIU-2.8MM	R 1,298	Hikvision 4MP Smart Hybrid Light Fixed Bullet Network camera with 2.8mm Lens, 2560x1440 maximum Resolution, IR & White Light supplement Light Type, Up to 30 m Light range, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone
DS-2CD2046G2-I(2.8mm)	R 2,214	Hikvision 4 MP AcuSense Fixed Bullet Network camera with 2.8mm Lens, 1/3" Progressive Scan CMOS image sensor, 2688 x 1520 Maximum Resolution, Focus on human and vehicle targets classification based on Deep Learning, M12 Lens Mount, H.265 / H.264 / H.265 / H.264 Video Compression, 120 dB wide dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10 M/100 m self-adaptive Ethernet Port, Built-in Micro SD/SDHC/SDXC slot
DS-2CD2046G2-IU/SL(2.8mm)	R 2,243	Hikvision 4 MP AcuSense strobe light and audible warning Fixed Bullet Network camera with 2.8mm Lens, 1/3" Progressive Scan CMOS image sensor, Focus on human and vehicle targets classification based on Deep Learning, Active strobe light and audio alarm to warn intruders off, 120 dB wide dynamic range, 2688 x 1520 Maximum Resolution, M12 Lens Mount, Up to 40 m IR, H.265 / H.264 / H.265 / H.264 Video Compression, Mono sound, BLC, HLC, 3D DNR, Built-in Micro SD/SDHC/SDXC slot, 1x RJ45 10 M/100 m self-adaptive Ethernet Port, Face capture, Perimeter protection
DS-2CD2046G2H-I(2.8mm)	R 2,248	Hikvision DS-2CD2046G2H-I 4 MP Powered by Darkfighter Fixed Mini Bullet Network Camera with 2.8mm lens, 1/3" Progressive Scan CMOS; H.265 / H.265/ H.264 / H.264/ MJPEG; Color: 0.001 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; IR LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot
DS-2CD2046G2H-I-2.8MM	R 2,002	Hikvision DS-2CD2046G2H-I 4 MP Fixed Mini Bullet Network Camera with 2.8mm lens
DS-2CD2046G2H-I-2.8MM	R 2,087	Hikvision DS-2CD2046G2H-I 4 MP Powered by Darkfighter Fixed Mini Bullet Network Camera with 2.8mm Lens.

		Model: DS-2CD2046G2H-I-2.8MM, Resolution: 4 MP, Max Resolution: 2688 x 1520, Lens Type: Fixed, Focal Length: 2.8 mm, Aperture: F1.0, Field of View: Horizontal 100.2deg; Vertical 54.7deg; Diagonal 119.7deg, Sensor: 1/3" Progressive Scan CMOS, Min Illumination: 0.001 Lux (Color), 0 Lux with IR, IR Range: Up to 40 m, Compression: H.265/H.264/MJPEG, WDR: 120 dB, Storage: microSD/SDHC/SDXC up to 512 GB, Interface: RJ45 10/100M Ethernet, Power: 12 VDC or PoE (802.3af), Power Consumption: Max 7 W, Weather Rating: IP67, Housing Material: Metal, Dimensions: 74.4 mm x 179.2 mm, Weight: 0.525 kg, Operating Temperature: -30 to 60 degC, Deep Learning Features: Human and vehicle classification, Smart Detection: Motion, intrusion, line crossing, Face Capture: Supported
DS-2CD2046G2H-I-4MM	R 1,966	Hikvision DS-2CD2046G2H-I 4 MP Fixed Mini Bullet Network Camera with 4mm lens
DS-2CD2046G2H-I2U/SL(2.8mm)	R 2,496	Hikvision 4MP AcuSense Strobe Light & audible warning fixed bulet Network camera with 2.8mm Lens, White Light flashing Light, IR up to 40m, IP67, 2688x1520 maximum Resolution, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, 2 Built-In microphones, Built-In Memory card slot, Motion Detection, Face Capture
DS-2CD2046G2H-I2U/SL(4mm)	R 2,496	Hikvision 4MP AcuSense Strobe Light & audible warning fixed bulet Network camera with 4mm Lens, White Light flashing Light, IR up to 40m, IP67, 2688x1520 maximum Resolution, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, 2 Built-In microphones, Built-In Memory card slot, Motion Detection, Face Capture
DS-2CD2046G2H-IU(2.8mm)	R 2,358	Hikvision DS-2CD2046G2H-IU 4 MP AcuSense Smart Hybrid Fixed Mini Bullet Network Camera 2.8mm, IR and white light up to 40m, with Built-in Microphone, IP67, horizontal FOV 100.2Â°, vertical FOV 54.7Â°, diagonal FOV 119.7Â°
DS-2CD2047G2H-LI(2.8mm)	R 2,289	Hikvision DS-2CD2047G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera, 2.8mm, 1/1.8" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; IR LED and 3000K Warm LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect service
DS-2CD2047G2H-LI(4mm)	R 2,289	Hikvision DS-2CD2047G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera, 4mm, 1/1.8" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688Ã—1520, 2304Ã—1296, 1920Ã—1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; IR LED and 3000K Warm LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect service
DS-2CD2047G2H-LI-2.8MM	R 2,268	Hikvision DS-2CD2047G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera with 2.8mm lens
DS-2CD2047G2H-LI-4MM	R 2,096	Hikvision DS-2CD2047G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera with 4mm lens
DS-2CD2047G2H-LIU-SL-2.8MM	R 2,610	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, Up to 40 m supplement IR Light range, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Mono sound, Up to 6 channels simultaneous live View, H.265 / H.264 / H.265 / H.264 Video Compression, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Motion Detection, Human and Vehicle Detection, Face capture, DS-2CD2047G2H-LIU/SL(2.8mm)(eF)
DS-2CD2047G2H-LIU-SL-2.8MM-BLI	R 2,691	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 2.8mm Lens - Black, 2688x1520 maximum Resolution, IR & White Light supplement Light Type, Up to 40 m supplement Light range, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono sound audio Type, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Memory card slot up to 512 GB, Motion Detection, Human and vehicle, Face capture (includes one camera)
DS-2CD2047G2H-LIU-SL-4MM	R 2,540	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 4mm Lens, 2688x1520 maximum Resolution, IR & White Light supplement Light Type, Up to 40 m supplement Light range, H.265 / H.264

		/ H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono sound audio Type, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Memory card slot up to 512 GB, Motion Detection, Human and vehicle, Face capture
DS-2CD2047G2H-LIU/SL(2.8mm)	R 2,680	Hikvision 4MP Smart Hybrid Light Fixed Mini Bullet Network Camera, 2.8mm, IR up to 40m, IP67, Strobe and Audio Alarm, two-way audio
DS-2CD2047G3-LI2UY(2.8mm)	R 2,634	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 2.8mm Lens, Two-Way Audio strobe & audible Alarm, White flashing Light, 2688x1520 maximum Resolution, White Light & IR up to 40 m, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, EIS Image stabilization, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Arrayed dual-microphone, Motion Detection, Face Capture, IP67 protection
DS-2CD2047G3-LI2UY/SL(4mm)	R 2,818	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 4mm Lens, Two-Way Audio strobe & audible Alarm, White flashing Light, 2688x1520 maximum Resolution, White Light & IR up to 40 m, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, EIS Image stabilization, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Arrayed dual-microphone, Motion Detection, Face Capture, IP67 protection
DS-2CD2086G2H-I(2.8mm)	R 2,634	Hikvision 8MP Darkfighter Fixed Mini Bullet Network Camera 2.8mm, IR up to 40m, IP67, horizontal FOV 105.1Â°, vertical FOV 54.8Â°, diagonal FOV 128.2Â°
DS-2CD2086G2H-I2U/SL(2.8mm)	R 2,864	Hikvision 8MP AcuSense Strobe Light and Audible Warning Fixed Bullet Network Camera, 2.8mm, IR up to 40m, two-way audio, IP67, horizontal FOV 105Â°, vertical FOV 56Â°, diagonal FOV 130Â°
DS-2CD2121G0-LIU-2.8MM	R 1,231	Hikvision DS-2CD2121G0-LIU 2MP Outdoor WDR Fixed Smart Hybrid Light Dome Network Camera 2.8mm with Built-in Microphone, IR or White Light up to 30m. The Hikvision DS-2CD2121G0-LIU-2.8MM is a high-performance 2MP fixed dome network camera designed for reliable surveillance in various environments. Equipped with Smart Hybrid Light technology, it provides clear imaging in different lighting conditions. The camera features a built-in microphone for real-time audio monitoring and offers durability with its IP67 and IK08 ratings. With H.265 compression, it ensures efficient video storage and transmission, making it an ideal choice for comprehensive security systems.
DS-2CD2121G0-LIU-2.8MM	R 1,239	Hikvision DS-2CD2121G0-LIU 2MP Outdoor WDR Fixed Smart Hybrid Light Dome Network Camera 2.8mm with Built-in Microphone, IR or White Light up to 30m. The Hikvision DS-2CD2121G0-LIU-2.8MM is a high-performance 2MP fixed dome network camera designed for reliable surveillance in various environments. Equipped with Smart Hybrid Light technology, it provides clear imaging in different lighting conditions. The camera features a built-in microphone for real-time audio monitoring and offers durability with its IP67 and IK08 ratings. With H.265 compression, it ensures efficient video storage and transmission, making it an ideal choice for comprehensive security systems.
DS-2CD2121G0-LIU-4MM	R 1,130	Hikvision 2MP WDR Fixed Dome IP Network camera with 4mm Lens, 1920x1080 maximum Resolution, Up to 30 m IR Light range, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, Support 1 fixed region for Main Stream region of interest (ROI), Up to 6 channels simultaneous live View, BLC, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection, Smart event
DS-2CD2126G2-ISU	R 2,237	Hikvision 2 MP AcuSense Fixed Dome Network camera with 2.8mm Lens, 1/2.8" Progressive Scan CMOS image sensor, 1920x1080 Maximum Resolution, M12 Lens Mount, Up to 30 m IR light, H.265 and H.264 Encoding, 1x RJ45 10 M/100 m self-adaptive Ethernet Port, Built-in Microphone, 1x Input (Line in) audio
DS-2CD2141G0-LIU(2.8mm)	R 1,553	Hikvision 4MP Outdoor WDR Fixed Smart Hybrid Light Dome Network Camera 2.8mm with Built-in Microphone, IR or White Light up to 30m
DS-2CD2141G0-LIU-2.8MM	R 1,348	Hikvision 4MP Smart Hybrid Light Fixed Dome Network camera with 2.8mm Lens, 2560x1440 maximum Resolution, IR & White Light supplement Light Type, Up to 30 m Light range, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port,

		Built-In Microphone, Motion Detection
DS-2CD2141G0-LIU-2.8MM	R 1,229	Hikvision 4MP Smart Hybrid Light Fixed Dome Network camera with 2.8mm Lens, 2560x1440 maximum Resolution, IR & White Light supplement Light Type, Up to 30 m Light range, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Motion Detection
DS-2CD2141G0-LIU-4MM	R 1,351	Hikvision 4MP Built-in Mic Fixed Dome Network camera with 4mm Lens, 1/3" Progressive Scan CMOS image Sensor, 120dB wide Dynamic range, Fixed focus Lens, Up to 30 m IR range, 2688x1520 maximum Resolution, Up to 6 channels simultaneous live View, Support Micro SD card up to 128GB, 3D DNR, BLC/3d DNR/HLC image enhancement, 1x audio Input, Built-In Microphone, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Face detection, Motion Detection, H.265 / H.264 Video Compression
DS-2CD2146G2H-I-2.8MM	R 1,824	Hikvision DS-2CD2146G2H-I 4 MP Powered by Darkfighter Fixed Dome Network Camera with 2.8mm lens
DS-2CD2146G2H-I-2.8MM	R 2,011	Hikvision 4MP powered by DarkFighter Fixed Dome Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, Up to 30 m IR Light range, Main Stream H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Motion Detection, Face capture, Perimeter protection
DS-2CD2146G2H-I-4MM	R 1,957	Hikvision DS-2CD2146G2H-I 4 MP Fixed Dome Network Camera with 4mm lens
DS-2CD2146G2H-ISU(2.8mm)	R 2,289	Hikvision DS-2CD2146G2H-ISU 4 MP Powered by Darkfighter Fixed Dome Network Camera with 2.8mm lens, 1/3" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Color: 0.001 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; IR LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot
DS-2CD2146G2H-ISU-2.8MM	R 2,240	Hikvision DS-2CD2146G2H-I(SU) 4 MP Powered by Darkfighter Fixed Dome Network Camera with 2.8mm Lens
DS-2CD2186G2H-ISU(2.8mm)	R 2,639	Hikvision 8MP Darkfighter Acusense Fixed Dome Network Camera, 2.8mm w/built-in Microphone, IR up to 30m, IP67, IK10, horizontal FOV 105.1Â°, vertical FOV 54.8Â°, diagonal FOV 128.2Â°
DS-2CD2346G2H-IS2U-SL-2.8MM	R 2,349	Hikvision DS-2CD2347G2H-LISU/SL 4 MP Smart Hybrid Light with ColorVu Fixed Turret Network Camera with 2.8mm Lens
DS-2CD2346G2H-IS2U/SL(2.8mm)	R 2,289	Hikvision 4MP Acusense Stobe Light & Warning Fixed Turret Network Camera, 2.8mm, IR / WL 30m, Two Way Audio, IP67
DS-2CD2346G2H-IS2U/SL(4mm)	R 2,312	Hikvision 4MP Acusense Strobe Light & Audible Warning Fixed Turret Network Camera, 4mm, IR / WL 30m, Two Way Audio, IP67
DS-2CD2347G2-L(2.8mm)	R 2,358	Hikvision 4MP ColorVU fixed Turret Network IP Camera with 2.8mm Lens, 30 m supplement light range, H.265 / H.264 / H.265 / H.264 Video Compression, Region of interest, Up to 6 channels simultaneous live view, 130 dB WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion detection, Line crossing detection, Intrusion detection, Face capture, 2688x1520 Max Resolution
DS-2CD2347G2H-LI-2.8MM	R 2,663	Hikvision DS-2CD2347G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Turret Network Camera with 2.8mm lens
DS-2CD2347G2H-LISU-SL-2.8MM	R 3,124	Hikvision DS-2CD2347G2H-LISU/SL 4MP ColorVu Turret IP Camera; 2.8mm lens; smart hybrid imaging; full color night vision; audio support; strobe light alarm; IP surveillance camera; indoor outdoor security
DS-2CD2347G2H-LISU-SL-4MM	R 2,541	Hikvision DS-2CD2347G2H-LISU/SL 4 MP Smart Hybrid Light with ColorVu Fixed Turret Network Camera with 4mm Lens
DS-2CD2347G2H-LIU(2.8mm)	R 2,898	Hikvision DS-2CD2347G2H-LIU 4 MP Smart Hybrid Light with ColorVu Fixed Turret Network Camera 2.8mm with built-in Microphone, 1/1.8" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps (2688x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; IR LED and 3000K Warm LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect service; Built-in micphone"
DS-2CD2347G2H-LIU(4mm)	R 2,898	Hikvision DS-2CD2347G2H-LIU 4 MP Smart Hybrid Light with ColorVu Fixed Turret Network Camera 4mm with built-in Microphone, 1/1.8" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25fps/30fps(2688x1520, 2304x1296, 1920x1080); VCA functions; 3

		streams; 3D DNR; BLC; ICR; IR LED and 3000K Warm LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect service; Built-in micphone
DS-2CD2347G2H-LIU-2.8MM	R 2,453	Hikvision DS-2CD2347G2H-LIU 4 MP Smart Hybrid Light with ColorVu Fixed Turret Network Camera with 2.8mm lens
DS-2CD2347G2P-LSU/SL(2.8mm)	R 3,542	Hikvision DS-2CD2347G2P-LSU/SL 4 MP Panoramic ColorVu Fixed Turret Network Camera, 2*1/2.5" Progressive Scan CMOS; H.265 / H.265/ H.264 / H.264/ MJPEG; Color: 0.0005 lux @(F1.0, AGC ON), 0 lux with LED on; 25/24fps(3040x1368),VCA functions; 2 streams; 3D DNR; BLC; ICR; 3000K Warm LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot
DS-2CD2347G2P-LSU/SL_2.8MM	R 3,023	Hikvision 4MP Panoramic ColorVU fixed Turret Network IP Camera with 2.8mm Dual Lens, 2x 1/2.5" Progressive Scan CMOS image sensor, 3040x1368 Maximum Resolution, M12 Lens Mount, Up to 30 m IR light range, H.265 / H.265 / H.264 / H.264 Video Compression, Mono sound, Up to 6 channels simultaneous live view, WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Microphone, Built-In Speaker, Alarm in and out, Acudi in and out, Motion detection
DS-2CD2347G3-LI2UY(2.8mm)	R 2,979	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Turret Network camera with 2.8mm Lens, Two way Audio, 2688x1520 maximum Resolution, White Light & IR up to 30m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Arrayed dual-microphone, Motion Detection, Face Capture, IP67 protection
DS-2CD2387G2P-LSU/SL(4mm)	R 3,968	Hikvision 8MP Panoramic ColorVu AcuSense LiveGuard Fixed Turret Network Camera, White Light up to 30m, IP67, Dual 4mm, horizontal FOV: 180Â°, vertical FOV: 44Â° Built-in microphone and speaker
DS-2CD2443G2-IW(2.8mm)	R 748	HIkvision 4MP Wireless Indoor Audio Fixed Human Body Detection Cube Network Camera. 2.8mm, Built-in Two way Audio, IR up to 10m
DS-2CD2546G2-IS(2.8mm)	R 2,760	Hikvision DS-2CD2546G2-IS DarkFighter 4MP Acusense Fixed 2.8mm Mini Dome Network Camera, IR up to 30m, IP67, IK08, horizontal FOV 107Â°, vertical FOV 57Â°, diagonal FOV 129Â°
DS-2CD2546G2-IS2.8MM	R 2,601	Hikvision 4 MP AcuSense Built-In Mic fixed Mini Dome Network camera with 2.8mm Lens, 1/3" Progressive Scan CMOS image sensor, 2688 x 1520 Maximum Resolution, M12 Lens Mount, Up to 30m IR light range, H.265 / H.264 / H.265 / H.264 Video Compression, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M self-adaptive Ethernet Port, Built-In Memory card slot support MicroSD card, Built-In Microphone, 1x Input (Line in) audio, 1x Output (Line out) audio, 1x Input & 1x Output alarm,
DS-2CD2641G0-LIZSU(2.8-12mm)	R 3,979	Hikvision 4MP Varifocal Bullet Network Camera, 2.8-12mm, Built-in Mirophone, IR / WL up to 50m, Strobe and Audible Warming
DS-2CD2641G0-LIZSU-2.8MM-12MM	R 2,665	Hikvision 4MP Dual Light MD Varifocal Bullet Network camera with 2.8mm to 12mm Lens, 2560x1440 maximum Resolution, 2.8 to 12 mm Varifocal Lens with motorized Lens, IR & White Light supplement Light Type, Up to 50 m Light range, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Built-In Microphone, Audio Input and Output, Alarm Input and Output, Motion Detection human and vehicle
DS-2CD2646G2H-IZS2U/SL(2.8-12m	R 4,520	Hikvision 4MP DarkFighter motorized Varifocal Bullet netwrok camera with 2.8-12mm lens, Stobe Light and audible warning, White Light flashing Light, Two-Way Audio, IP67, IK10, IR up to 60m, 2688x1520 maximum Resolution, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 120 dB wide Dynamic range (WDR), 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Arrayed dual-microphone, 1x audio Input (Line in), 1x audio Output (Line out), 1 Input & 1 Output Alarm, Motion Detection, Face Capture
DS-2CD2646G2HT-IZS	R 4,238	Hikvision DS-2CD2646G2HT-IZS 4MP Powered by Darkfighter Motorized Varifocal Bullet Network Camera with 2.8-12mm Lens
DS-2CD2647G3-LIZSY(2.8-12mm)	R 5,520	Hikvision 4MP Smart Hybrid Light with ColorVU motorized Varifocal Bullet Network camera with 2.8-12mm Lens, 2688x1520 maximum Resolution, 2.8 to 12 mm Varifocal Lens motorized Lens, Up to 60 m IR & White Light, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, H.264 and H.265 Encoding, 1 fixed region for Main

		Stream region of interest (ROI), Mono Sound Audio, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512GB, 1 Input Audio, 1 Output Audio, 1 Input & 1 Output Alarm, Motion Detection, Smart event, Face Capture, IP67 protection
DS-2CD2647G3-LIZSY-2.8-12MM	R 4,695	Hikvision 4MP Smart Hybrid Light with ColorVU motorized Varifocal Bullet Network camera with 2.8-12mm Lens, 2688x1520 maximum Resolution, 2.8 to 12 mm Varifocal Lens motorized Lens, Up to 60 m IR & White Light, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, H.264 and H.265 Encoding, 1 fixed region for Main Stream region of interest (ROI), Mono Sound Audio, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512GB, 1 Input Audio, 1 Output Audio, 1 Input & 1 Output Alarm, Motion Detection, Smart event, Face Capture, IP67 protection
DS-2CD2686G2H-IZS2U/SL(2.8-12m	R 4,830	Hikvision 8MP DarkFighter Motorized Varifocal Bullet Network camera with 2.8-12mm Lens & Active strobe, IR up to 60m, IP67, IK10, 3840x2160 maximum Resolution, Varifocal Lens Motorized Lens 2.8 to 12 mm Lens Type, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), BLC, HLC, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Microphone, 1 Output (Line out), 1 Input & 1 Output Alarm, Motion Detection, Face Capture, Perimeter protection
DS-2CD2686G2HT-IZS2U/SL(2.8-12mm)	R 5,319	Hikvision 8MP AcuSense Strobe Light & Audible Warning Motorized Vari-focal Bullet Network Camera, 2.8-12mm, IR up to 60m, Two-way audio, IP67, IK10, horizontal FOV 112.3Â° to 41.2Â°, vertical FOV 58.1Â° to 23.1Â°, diagonal FOV 137.4Â° to 47.3Â°
DS-2CD2687G3T-LIZSY(2.8-12mm)	R 6,618	Hikvision 8MP Smart Hybrid Light with ColorVU Motorized Varifocal Bullet Network camera and 2.8-12mm Lens, IR / whitel Light up to 60m, IP67, IK10, 3840x2160 maximum Resolution, Varifocal Lens Motorized Lens 2.8 to 12 mm Lens Type, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, Motion Detection, Face Capture, Perimeter protection
DS-2CD2746G2-IZS(2.8-12mm)	R 4,255	Hikvision 4MP AcuSense motorized Varifocal Dome Network camera with 2.8-12mm Lens, 2688x1520 Maximum Resolution, 2.8 to 12 mm Varifocal motor-driven Lens, Up to 40 m IR light range, H.265 / H.264 / H.265 / H.264 Video Compression, Region of interest, Mono sound, Up to 6 channels simultaneous live view, 120 dB WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Micro SD, 1 Input audio, 1 Output audio, Alarm in / out, Motion detection, Line crossing detection, Intrusion detection, Face capture
DS-2CD2746G2H-IPTRZS(2.8-12mm	R 4,830	Hikvision 4MP AcuSense PTRZ Vari-focal Dome Network Camera, 2.8-12mm, Motorized Pan, Tilt, Rotate, Zoom, IR up to 40m, IP66, IK10
DS-2CD2746G2H-IPTRZS-2.8-12MM	R 3,974	Hikvision 4MP AcuSense PTRZ Varifocal Dome Network camera with 2.8mm to 12mm Lens, White camera, 2688x1520 maximum Resolution, 2.8 to 12 mm Varifocal with motorized Lens, Up to 40 m IR Light range, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Audio Input and Output, Alarm Input and Output, Motion Detection human and vehicle
DS-2CD2746G2HT-IZS(2.8-12mm)	R 4,140	Hikvision 4MP Smart Hybrid Light with ColorVU motorized Varifocal Dome Network camera with 2.8-12mm Lens, IR and White Light up to 40m, IP67, IK10, 2688x1520 maximum Resolution, Varifocal Lens motorized Lens 2.8 to 12 mm, 3 streams, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, 1 Input Audio, 1 Output Audio, 1 Input & 1 Output Alarm, Motion Detection, Face Capture. The Hikvision DS-2CD2746G2HT-IZS is a robust 4 MP motorized dome network camera suitable for both indoor and outdoor surveillance. It combines DarkFighter low-light performance, 120 dB WDR and smart AcuSense analytics to deliver sharp images and intelligent monitoring. Built to withstand harsh environments with IP67 weatherproofing and IK10 vandal resistance, it supports flexible installation and reliable performance across South African climates.

DS-2CD2747G2HT-LIZS(2.8-12mm)	R 4,462	Hikvision 4 MP Smart Hybrid Light with ColorVu Motorized Varifocal Dome Network Camera, 2.8-12mm, 1/1.8" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Color: 0.0008 lux @(F1.2, AGC ON), 0 lux with LED on; 25fps/30fps (2688Ã—1520, 1920Ã—1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; IR LED and 3000K Warm LED; DC12V& PoE; Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service; 2.8-12mm, Audio/Alarm I/O, pigtail
DS-2CD2747G2T-LZS	R 4,771	Hikvision DS-2CD2747G2T-LZS 4MP ColorVu Motorized Varifocal Dome Network Camera. 4MP ColorVu security camera, motorized varifocal lens; 24/7 full-color imaging, AI human and vehicle detection; IP67 weatherproof, IK10 vandal resistant; supports PoE and microSD up to 512GB; WDR 130 dB, white light up to 40m; face capture and smart alerts; suitable for home, business, perimeter and outdoor surveillance in South Africa
DS-2CD2747G3T-LIZSY(2.8-12mm)	R 5,739	Hikvision 4MP Smart Hybrid Light with ColorVU motorized PTRZ Varifocal Dome Network camera with 2.8-12mm Lens, 2688x1520 maximum Resolution, White Light & IR up to 40 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in), 1 Output (Line out), 1 Input & 1 Output Alarm, Motion Detection, Face Capture, IP67 protection
DS-2CD2955FWD-IS	R 3,644	Hikvision 5-MP Infra-red Fisheye Network Camera. 360Â° view angle; 2560 x 1920 @30fps; H.265, H.265 , H.264 , H.264; Support 14 display modes; Dual video streams; Digital Noise Reduction; Support on-board storage; Up to 8m IR range; Audio/Alarm IO; DC12V
DS-2CD2955G0-ISU-1.05MM	R 3,099	Hikvision DS-2CD2955G0-ISU 5MP Fixed Fisheye Network Camera with 1.05mm lens
DS-2CD2T26G2-2I-4MM	R 2,172	Hikvision DS-2CD2T26G2-2I 2 MP AcuSense Fixed Bullet Network Camera with 4mm Lens. The HIKVISION DS-2CD2T26G2-2I-4MM is a premium 2-megapixel bullet camera designed for professional surveillance in South Africa climates. With clear IR-enhanced night vision, WDR, and intelligent human/vehicle detection, it offers reliable and efficient performance for perimeter and entrance monitoring.
DS-2CD2T26G2-ISU/SL4MM	R 2,444	Hikvision DS-2CD2T26G2-ISU/SL(D) 2 MP AcuSense Strobe Light and Audible Warning Fixed Bullet Network Camera with 4mm lens. A reliable 2 MP AcuSense bullet camera delivering sharp Full HD imaging with intelligent human/vehicle detection. Built-in strobe and alarm improve deterrence. Rugged weatherproof build, efficient compression, versatile power optionsâ€"perfect for South African outdoor surveillance needs.
DS-2CD2T46G2-2I-6MM	R 1,864	Hikvision DS-2CD2T46G2-2I, High quality imaging with 4 MP resolution, Excellent low-light performance with powered-by-DarkFighter technology, Efficient H.265 compression technology, Clear imaging against strong back light due to 120 dB true WDR technology, False alarm reduction. Focal Length & FOV: 6 mm, horizontal FOV 53Â°, vertical FOV 28Â°, diagonal FOV 62Â°; Lens Type: Fixed focal lens - 6 mm
DS-2CD2T46G2-4I 6MM	R 2,588	Hikvision DS-2CD2T46G2-4I 4 MP AcuSense Fixed Bullet Network Camera with 6mm lens
DS-2CD2T46G2-4I-6MM	R 2,030	Hikvision DS-2CD2T46G2-4I 1/2.7" Progressive Scan CMOS; H.265 / H.265/ H.264 / H.264/ MJPEG; Powered by Darkfighter technology, Color: 0.007 lux @(F1.2, 0.012 lux @(F1.6, AGC ON), 0 lux with IR; 5fps/30fps (2688x1520, 2304x1296, 1920x1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EX
DS-2CD2T46G2-ISU/SL(4mm)	R 2,530	Hikvision DS-2CD2T46G2-ISU/SL(4mm) DarkFighter 4MP AcuSense Strobe Light and Audible Warning, Fixed 4mm Bullet Network Camera, IR up to 60m, IP67, horizontal FOV: 83Â°, vertical FOV: 45Â°, diagonal FOV: 98Â°
DS-2CD2T46G2-ISU/SL(6mm)	R 2,312	Hikvision DS-2CD2T46G2-ISU/SL(6mm) DarkFighter 4MP AcuSense Strobe Light and Audible Warning Fixed 6mm Bullet Network Camera, IR up to 60m, IP67, horizontal FOV: 83Â°, vertical FOV: 45Â°, diagonal FOV: 98Â°
DS-2CD2T46G2-ISU/SL6MM	R 2,383	Hikvision DS-2CD2T46G2-ISU/SL 6MM, 1/2.7" Progressive Scan CMOS; H.265 /H.265/H.264 /H.264/MJPEG; Powered by Darkfighter technology,Color: 0.007 lux @(F1.2, 0.012 lux @(F1.6, AGC ON), 0 lux with IR; 25fps/30fps(2688 x 1520,2304 x 1296,1920 x 1080); VCA functions; 3 streams; 3D DNR; BLC; ICR; EX
DS-2CD2T46G2H-2I-2.8MM	R 2,501	Hikvision DS-2CD2T46G2H-2I 4 MP Powered by Darkfighter Fixed Bullet Network Camera with 2.8mm lens
DS-2CD2T46G2H-2I-4MM	R 2,478	Hikvision DS-2CD2T46G2H-2I 4 MP Fixed Bullet Network Camera with 4mm lens
DS-2CD2T46G2H-4I-2.8MM	R 2,365	Hikvision DS-2CD2T46G2H-4I 4 MP Fixed Bullet Network Camera with 2.8mm lens
DS-2CD2T46G2H-4I-4MM	R 2,355	Hikvision DS-2CD2T46G2H-4I 4 MP Fixed Bullet Network Camera with 4mm lens
DS-2CD2T46G2H-IS2U-SL-4MM	R 2,456	Hikvision 4MP AcuSense Strobe Light and audible warning Fixed Bullet Network camera with 4mm Lens, 2688x1520 maximum Resolution, IR up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D

		DNR, Defog, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot support MicroSD card up to 512 GB, 2 Built-In microphones, Mono sound, Built-In Speaker, 1x audio Input (Line in), 1 Input alarm, 1 Output alarm, Motion Detection - human and vehicle, Scene change detection, Face capture, Perimeter protection
DS-2CD2T46G2H-IS2U/SL(2.8mm)	R 2,634	Hikvision 4MP AcuSense Strobe Light and audible warning Fixed Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Defog, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot support MicroSD card up to 512 GB, 2 Built-In microphones, Mono sound, Built-In Speaker, 1x audio Input (Line in), 1 Input alarm, 1 Output alarm, Motion Detection - human and vehicle, Scene change detection, Face capture, Perimeter protection
DS-2CD2T46G2H-IS2U/SL(4mm)	R 2,634	Hikvision 4MP AcuSense Strobe Light and audible warning Fixed Bullet Network camera with 4mm Lens, 2688x1520 maximum Resolution, IR up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Defog, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot support MicroSD card up to 512 GB, 2 Built-In microphones, Mono sound, Built-In Speaker, 1x audio Input (Line in), 1 Input alarm, 1 Output alarm, Motion Detection - human and vehicle, Scene change detection, Face capture, Perimeter protection
DS-2CD2T47G2H-LI(2.8mm)	R 2,927	Hikvision DS-2CD2T47G2H-LI(2.8mm) 4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera 2.8mm, 2.8 mm,IR & White Light up to 60m, horizontal FOV 104.0Â°, vertical FOV 54.4Â°, diagonal FOV 126.7Â°
DS-2CD2T47G2H-LI-2.8MM	R 2,638	Hikvision DS-2CD2T47G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera with 2.8mm lens
DS-2CD2T47G2H-LI-4MM	R 2,488	Hikvision DS-2CD2T47G2H-LI 4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera with 4mm lens
DS-2CD2T47G2H-LISU-SL-4MM	R 2,896	Hikvision DS-2CD2T47G2H-LISU-SL 4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera with 4mm lens
DS-2CD2T47G3-LIS2UY/SL(4mm)	R 3,594	Hikvision 4MP Smart Hybrid Light with ColorVU Fixed Bullet Network camera with 4mm Lens, Two-Way Audio strobe & audible Alarm, White Light flashing Light, 2688x1520 maximum Resolution, White Light & IR up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Arrayed dual-microphone, 1x audio Input (Line in), 1x audio Output (Line out), 2 Input & 2 Output Alarm, Motion Detection, Face Capture
DS-2CD2T47G3-LIY(4mm)	R 3,232	Hikvision 4MP Smart Hybrid Light with ColorVU Fixed Bullet Network camera with 4mm Lens, 2688x1520 maximum Resolution, White Light & IR up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 130 dB wide Dynamic range (WDR), EIS Image stabilization, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, IP67 protection
DS-2CD2T47G3-LIY-2.8MM	R 2,990	Hikvision DS-2CD2T47G3-LIY 4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera with 2.8mm Lens. The Hikvision DS-2CD2T47G3-LIY 2.8MM camera provides reliable, high-resolution surveillance for both indoor and outdoor areas. Its ColourVu technology ensures vibrant images even in near-dark conditions. This camera is ideal for homes, offices, and commercial properties looking for professional security coverage.
DS-2CD2T87G2P-LSU-SL-4MM	R 5,313	Hikvision DS-2CD2T87G2P-LSU-SL 8 MP Panoramic ColorVu Fixed Bullet Network Camera with 4mm lens
DS-2CD2T87G2P-LSU/SL(4mm)	R 4,784	Hikvision 8MP Panoramic ColorVu AcuSense LiveGuard Fixed Bullet Network Camera, White Light up to 40m, IP67, Dual 4mm lens, Pan: 0Â° to 355Â°,tilt: 0Â° to 90Â°,rotate: 0Â° to 360Â°Built-in microphone and speaker
DS-2CD3387G2P-LSU-SL-4MM	R 5,040	Hikvision 8MP Panoramic ColorVU fixed Turret Network camera with 4mm Lens, 5120x1440 maximum Resolution, 4 mm fixed-focal Lens Dual Lens, Up to 40 m White Light range, H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono sound audio Type, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Built-In Microphone, Built-In Speaker, 1 Input & 1 Output alarm, Motion Detection,

		Human and Vehicle Detection
DS-2CD3666G2T-IZSY-7-35MM	R 5,921	Hikvision DS-2CD3666G2T-IZS(Y) 6 MP AcuSense Varifocal Bullet Network Camera with 7 - 35mm Lens
DS-2CD3956G2-ISU(1.05mm)	R 3,680	Hikvision 5MP AcuSense Fisheye Network camera with 1.05mm Lens, IR up to 8m, Built-In Mic, 2560 x 1920 maximum Resolution, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 5 fixed regions of interest (ROI), Ceiling mounting, Up to 20 channels simultaneous live View, BLC, HLC, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Microphone, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, 1x RS-485, Motion Detection
DS-2CD63C5G1-IVS(1.29mm)(O-STD)	R 10,454	Hikvision 12MP DeepinView Fisheye Network Camera, Built-in Mic & Speaker, IR up to 15m, IP67, IK10
DS-2CD63C5G1-IVS-1.29MM	R 12,008	Hikvision 12MP DeepinView Lens Fisheye Network camera with 1.29mm Lens, 3504 x 3504 maximum Resolution, IT Light up to 15 m, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, H.264 and H.265 Encoding, 4 fixed regions for each Stream region of interest (ROI), 20 Display modes in total, Up to 20 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR, Distortion correction, Defog, 8 programmable polygon Privacy masks, 1x RJ45 10/100/1000 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 256 GB, 4 Built-In microphones, 1 Built-In Speaker, 1 Input Audio, 1 Output Audio, 2 inputs & 2 Outputs Alarm, 1x RS-485, Motion Detection, Smart event, People Counting, IP67 protection
DS-2CD6425G1-20/E	R 6,365	Hikvision DS-2CD6425G1-20/E (3.7mm) Separated Network Camera. The HIKVISION DS-2CD6425G1-20/E is a compact, covert network camera offering full HD 2 MP capture, advanced 120 dB WDR, and efficient H.265 compression for quality surveillance in low-light and high-contrast environments. Easy to deploy with PoE or DC power, microSD and NAS support, and smart analytics, it is ideal for discreet, professional-grade indoor security applications.
DS-2CE12DF0TLFS-2.8MM	R 592	Hikvision 2MP Smart Hybrid Light with ColorVU Fixed Bullet Analogue Camera with 2.8mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, M12 Lens Mount, Microphone, Smart IR & White Light up to 40 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, Metal material
DS-2CFS04/4G(2.8mm)	R 1,599	Hikvision 4MP 24/7 Solar 4G camera with 2.8mm Lens, Two-Way Audio, 8 W Solar Panel and 9000 mAh Battery, Support 4G LTE Data transmission, 30 m White Light and IR, Motion Detection 2.0, Built-In Microphone and Speaker, 2560x1440 maximum Resolution, Up to 6 channels simultaneous live View, Nano SIM Card Type, BLC, HLC, 3D DNR, Digital WDR, Built-In Memory card slot
DS-2CFSP4/4G(2.8mm)	R 2,070	Hikvision 4MP 24/7 Solar 4G PT camera for Off-Grid Security Monitoring with 2.8mm Lens, Supports Two-Way Audio, 2560x1440 maximum Resolution, IR & White Light up to 30 m, Up to 6 channels simultaneous live View, LTE Mobile communication, Nano SIM Card Type, BLC, HLC, 3D DNR, Digital WDR, Built-In Memory card slot, 1 Built-In Microphone, 1 Built-In Speaker, Motion Detection, 9000 mAh Lithium Battery Type, More than 800 cycles Battery Life
DS-2CFSP4/4G-4MM	R 2,299	Hikvision 4MP 24/7 Solar 4G PT camera for Off-Grid Security Monitoring with 4mm Lens, Supports Two-Way Audio, 2560x1440 maximum Resolution, IR & White Light up to 30 m, Up to 6 channels simultaneous live View, LTE Mobile communication, Nano SIM Card Type, BLC, HLC, 3D DNR, Digital WDR, Built-In Memory card slot, 1 Built-In Microphone, 1 Built-In Speaker, Motion Detection, 9000 mAh Lithium Battery Type, More than 800 cycles Battery Life
DS-2CV2021G2-IDW-2.8	R 1,003	Hikvision 2MP Bullet Wireless Outdoor Security IP Camera with 2.8mm Lens, 1920x1080 (2MP) maximum Resolution, IR up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, Up to 4 channels simultaneous live View, Wi-Fi 2.4GHz, Up to 120 m Wireless range, 2 antennas, 80 dB wide Dynamic range (WDR), BLC, 3D DNR, Built-In Microphone, Built-In Speaker, MicroSD card slot supports up to 512 GB, 1x RJ45 10M/100M Self-Adaptive Ethernet Port
DS-2CV2021G2-IDW-4	R 868	Hikvision 2MP Bullet Wireless Outdoor Security IP Camera with 4mm Lens, 1920x1080 (2MP) maximum Resolution, IR up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, Up to 4 channels simultaneous live View, Wi-Fi 2.4GHz, Up to 120 m Wireless range, 2 antennas, 80 dB wide Dynamic range (WDR), BLC, 3D DNR, Built-In Microphone, Built-In Speaker, MicroSD card slot supports up to 512 GB, 1x RJ45 10M/100M Self-Adaptive Ethernet Port
DS-2CV2041G2-IDW(2.8mm)	R 909	Hikvision 4MP Wireless Outdoor Audio Fixed Bullet Network Camera, Built-in Two Way Audio, IP66, IR up to 30m

DS-2CV2041G2-IDW-2.8	R 1,042	Hikvision 4MP Bullet Wireless Outdoor Security IP Camera with 2.8mm Lens, 2560x1440 (4MP) maximum Resolution, IR up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, Up to 4 channels simultaneous live View, Wi-Fi 2.4GHz, Up to 120 m Wireless range, 2 antennas, 80 dB wide Dynamic range (WDR), BLC, 3D DNR, Built-In Microphone, Built-In Speaker, MicroSD card slot supports up to 512 GB, 1x RJ45 10M/100M Self-Adaptive Ethernet Port
DS-2CV2121G2-IDW-2.8	R 1,301	Hikvision 2MP Fixed Dome Outdoor Security IP Camera with 2.8mm Lens, 1920x1080 (2MP) maximum Resolution, IR up to 30m, H.264 Video Compression Main Stream, Up to 6 channels simultaneous live View, Wi-Fi 2.4GHz, 2 antennas, Digital WDR, Built-In Microphone, Built-In Speaker, Supports MicroSD cards up to 512GB, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection human and vehicle
DS-2CV2121G2-IDW-4	R 1,301	Hikvision 2MP Fixed Dome Outdoor Security IP Camera with 4mm Lens, 1920x1080 (2MP) maximum Resolution, IR up to 30m, H.264 Video Compression Main Stream, Up to 6 channels simultaneous live View, Wi-Fi 2.4GHz, 2 antennas, Digital WDR, Built-In Microphone, Built-In Speaker, Supports MicroSD cards up to 512GB, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection human and vehicle
DS-2CV2141G2-IDW(2.8mm)	R 1,300	Hikvision 4MP Wireless Outdoor Dome Network Camera, 2.8mm, Two Way Built-in Audio. IP66, IR up to 30m
DS-2CV2Q21G1-IDW-4	R 695	Hikvision 2MP PT Security IP Camera with 4mm Lens, 1920x1080 (2MP) maximum Resolution, IR up to 10 m, Main Stream H.265/H.264 Video Compression, Max 15 fps Frame rate, Up to 4 channels simultaneous live View, Wi-Fi 2.4GHz, Up to 50 m Wireless range, Digital WDR, Built-In Microphone, Built-In Speaker, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection
DS-2DE2C200IWG-W-4	R 1,216	Hikvision DS-2DE2C200IWG-W 2MP Fixed Outdoor IR Wi-Fi Network Security Camera with 4mm Lens
DS-2DE2C200MWG-E	R 819	Hikvision 2MP fixed Outdoor Smart hybrid-light PTZ Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, IR & White Light up to 30 m, H.265 / H.264 / MJPEG Video Compression, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, 1 Built-In Microphone, 1 Built-In Speaker, Built-In Memory card slot support MicroSD card up to 512 GB, Motion Detection - human
DS-2DE2C400IWG-K/4G/C05S10(4π	R 2,990	Hikvision 4MP Pro Solar-powered Security PT camera setup with 4mm Lens, 2560x1440 maximum Resolution, Up to 30m IR Light, H.265 / H.264 Video Compression, 1 fixed region for Main Stream region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, LTE, Nano SIM, Digital WDR, BLC, HLC, 3D DNR, PIR radar transducer Type, Up to 12 m detection range, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Built-In Microphone, 1 Built-In Speaker, Ternary Lithium Battery Type, 27 hours cycle lifetime, More than 800 cycles Battery Life
DS-2DE4225IW-DE	R 6,547	Hikvision Outdoor 25X 2-MP Infra-red Network PTZ Dome Camera. Up to 1920x1080; Min. illumination: Colour: 0.005; WDR, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus; Up to 100 m IR distance; 12 VDC & PoE ; Support H.265 /H.265 video compression
DS-2DE4225IW-DE	R 7,648	Hikvision 4" 2MP 25x powered by DarkFighter IR IP Network Speed Dome camera, 4.8mm to 120mm with 25x Optical Zoom Lens, HLC / BLC / 3D DNR / Defog / EIS / regional exposure / regional focus, 1920x1080 Maximum Resolution, Built-In Memory card slot, Up to 20 channels simultaneous live view, 1-ch audio Input, 1-ch audio Output, 1x RJ45 10/100 Ethernet PoE , H.265 / H.265 / H.264 / H.264 Video Compression, 120 dB WDR, 100 m IR distance, 360 degrees endless movement range, Motion detection, Intrusion detection, ANR Smart Record
DS-2DF8225IX-AEL	R 22,885	Hikvision 8-inch 2 MP 25x DarkFighter IR Network Speed Dome camera with 25x Optical Zoom Lens, ONVIF, 1920x1080 Maximum Resolution, 200 m IR distance, 3D DNR, 1/1.8" Progressive Scan CMOS image sensor, 16x Digital Zoom, 120 dB WDR, 360 degress endless movement range (Pan), Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 7-ch alarm Input / 2-ch alarm Output, 1-ch audio Input, 1x RJ45 10M/100M Ethernet Interface
DS-2DF8425IX-AEL(T5)	R 19,171	Hikvision 8-inch 4MP 25x DarkFighter IR Network Speed Dome, 400m IR, 25x Optical Zoom, 16x Digital Zoom, 2560x1440 maximum Resolution, 5.9 mm to 147.5 mm focal length, Pan, 3 streams, 8 fixed regions for each Stream, H.265 / H.265 / H.264 / H.264 Video Compression, Up to 20 channels simultaneous live View, BLC, HLC, 3D DNR, 140 dB WDR wide Dynamic range (WDR), Image stabilization, 1x RJ45 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 256 GB, 7 inputs & 2 Outputs Alarm, 1 Input Audio, 1 Output Audio, BNC connector Video Output, RS-485, Face Capture, Perimeter protection, Vehicle Detection
DS-2DF8A842IXS-AEL(O-STD)(T5)	R 45,822	Hikvision 8A Series 4K 42x Powered by DarkFighter IR Network Speed Dome, 42x Optical Zoom, 16x digita lzoom,

		3840x2160 maximum Resolution, 6.0 mm to 252 mm focal length, IR up to 500 m, Pan, Tilt, H.265 / H.265 / H.264 / H.264 Video Compression, 3 streams, Up to 20 channels simultaneous live View, BLC, HLC, 3D DNR, 140 dB WDR wide Dynamic range (WDR), Optical Defog, Image stabilization, 1x RJ45 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 256 GB, 7 inputs & 2 Outputs Alarm, 1 Input Audio, 1 Output Audio, BNC connector Video Output, RS-485, Face Capture, Motion Detection
DS-2SE2C400MWG-E/14(2.8/8mm)	R 2,266	Hikvision TandemVu 4MP 4MP fixed Lens PoE PT Network camera with 2.8mm & 8mm Lens, 2.8mm Panoramic channel, 8 mm PTZ channel, 1 fixed region of interest (ROI), Main Stream H.265 / H.264 / Smart264 / Smart265 Video Compression, 2560x1440 Max Resolution, Up to 6 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR, 1 Built-In Microphone, 1 Built-In Speaker, 1x RJ45 10 M/100m Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection
DS-2SE4C225MWG-E	R 10,879	Hikvision TandemVu 4-inch 2MP 25x colorful & IR Network Speed PTZ Dome IP Camera, Captures a Large area and great details at the same time, 25x Optical Zoom and 16x Digital Zoom, WDR, HLC, BLC, 3D DNR, Defog, Regional exposure, Regional focu, Up to 100 m IR distance & 30 m White Light, H.265 / H.264 / MJPEG Video Compression, 20 simultaneous live View, RJ45 Self-Adaptive Ethernet Port, Built-In SD Memory card slot, 1 Alarm Input, 1 Alarm Output, 1x audio Input, 1x audio Output, Motion Detection 166 mm 166 mmx 375 mm
DS-2SE4C225MWG-E_12F0	R 6,530	Hikvision TandemVu 4-inch 2MP 25x colorful & IR Network speed PTZ Dome IP Camera, Captures a large area and great details at the same time, 25x Optical Zoom and 16x Digital Zoom, WDR, HLC, BLC, 3D DNR, Defog, Regional exposure, Regional focu, Up to 100 m IR distance & 30 m White light, H.265 / H.264 / MJPEG Video Compression, 20 simultaneous live view, RJ45 Self-Adaptive 10M/100M Ethernet Port, Built-In SD Memory card slot, 1 alarm Input, 1 alarm Output, 1x audio Input, 1x audio Output, Motion detection
DS-2SE4C425MWG-E_14F0	R 7,040	Hikvision TandemVu 4 inch 4MP 25x ColorVU & IR Network Speed Dome IP Camera, Captures a large area and great details at the same time, 25x Optical Zoom and 16x Digital Zoom, WDR, HLC, BLC, 3D DNR, Defog, Regional exposure, Regional focus, Up to 100 m IR distance & 30 m White light, H.265 / H.264 / MJPEG Video Compression, 20 simultaneous live view, RJ45 Self-Adaptive 10M/100M Ethernet Port, Built-In Memory card slot, 1 alarm Input, 1 alarm Output, 1x audio Input, 1x audio Output
DS-2SE7C425MWG-EB/26	R 19,838	Hikvision 6 4 MP (PTZ Panoramic) 25x TandemVu colorful & IR Network Speed Dome camera, 3632 x 1632 Max Resolution [Panoramic channel], 2560x1440 Max Resolution [PTZ channel], 25 x Optical Zoom, HLC, 3D DNR, 2.8mm Lens [Panoramic channel], 4800 to 120 mm Lens [PTZ channel], Up to 200 m IR distance, 30 m Panoramic channel White Light distance, Fixed region of interest (ROI), 20 simultaneous live View, BLC, HLC, 3D DNR, Privacy mask, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 2 inputs & 1 Output Alarm, Motion Detection
DS-2SE7C432MW-AEB(14F1)(P3)	R 15,849	Hikvision DS-2SE7C432MW-AEB(14F1)(P3) TandemVu 7" 4 MP 32X Colorful & IR Network Speed Dome
DS-2SF8C425MXG-EL/26	R 29,889	Hikvision DS-2SF8C425MXG-EL/26 TandemVu 8-inch Panoramic 4 MP 25X DarkFighter Network Speed Dome 6mm to 150mm, 300m IR, 6MP Bullet Channel, Panoramic, 30m WL
DS-2TD2628-10/QA	R 7,556	Hikvision Thermal & Optical bi-spectrum Network Bullet IP Camera, Thermal module, Vanadium Oxide uncooled focal plane arrays image sensor, 256x192 Resolution, Optical module, 1/2.7" Progressive Scan CMOS image sensor, 2688x1520 Resolution, 120 dB WDR, Target coloration, Up to 30 m IR distance, Up to 30 m White light range, Visual alarm, Audio alarm, Up to 20 channels simultaneous live view, 2, Alarm Input, 2 alarm Output, Audio Input, Audio Output, 1x RJ45 10M/100M Self-Adaptive Ethernet interface., PAL/NTSC/BNC Analog Output
DS-2TD2628-7/QA	R 7,738	Hikvision DS-2TD2628-7/QA Thermal & Optical Bi-spectrum Network Bullet Camera
DS-2TD2628-7/QA	R 7,935	Hikvision Bi-Spectrun Thermal & Optical Network Bullet IP Camera, Vanadium Oxide uncooled focal plane arrays Image Sensor, 256x192 Resolution Thermal module, 2688x1520 Resolution Optical module, Up to 30 m IR distance, Up to 30 m White Light range, 25 fps 1280x720 Thermal Main Stream, 25 fps 2688x1520 Optical Main Stream, Main Stream H.265 / H.264 Video Compression, Up to 20 channels simultaneous live View, 2 Alarm Input, 2 Alarm Output, Audio Input, Audio Output, 1x RJ45 10M/100M Self-Adaptive Ethernet interface., 1x RS-485 Interface, PAL / NTSC / BNC Analog Output
DS-2XC6047G0-LS(2.8mm)	R 3,381	Hikvision 4MP ColorVu Fixed Bullet Polymer Anti-Corrosion Network Camera, 2.8mm, White Light up to 40m, IP68, NEMA 4X,C5, horizontal FOV 101.73Â°, vertical FOV 55.12Â°, diagonal FOV 120.84Â°

DS-2XC6047G0-LS(4mm)	R 2,731	Hikvision 4MP ColorVu Fixed Bullet Polymer Anti-Corrosion Network Camera, 4mm, White Light up to 40m, IP68, NEMA 4X,C5, horizontal FOV 75.79Â°, vertical FOV 40.84Â°, diagonal FOV 89.13Â°
DS-2XC6047G0-LS(6mm)	R 2,841	Hikvision 4MP ColorVu Fixed Bullet Polymer Anti-Corrosion Network Camera, 6mm, White Light up to 40m, IP68, NEMA 4X,C5, horizontal FOV 49.91Â°, vertical FOV 27.43Â°, diagonal FOV 57.82
DS-2XC6047G0-LS-2.8MM	R 2,934	Hikvision 4MP ColorVU Fixed Bullet Polymer Anti-Corrosion Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, White Light supplement Light Type, Up to 40 m Light range, Video Compression Main Stream - H.265 / H.264 / H.265 / H.264, 1 fixed region of interest (ROI), Mono Sound, Up to 20 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 1x RJ45 100 m Ethernet Port, Built-In Memory card slot up to 1 TB, Audio Input and Output, Alarm Input and Output, RS-485, Motion Detection human and vehicle
DS-2XM6726FWD-I	R 3,007	Hikvision DS-2XM6726FWD-I Mobile Network IP camera 2MP, 1/2.8" Progressive Scan CMOS image sensor, 3D DNR, 120 dB WDR, M12 Lens Mount, 1920x1080 Maximum Resolution, H.265/H.264 main stream Video, 1x RJ45 10M/100M Ethernet Port
DS-2XS2T47G0-LDH/4G/C18S40(4mm)	R 19,148	Hikvision 4MP ColorVU Solar-powered Security Camera setup with 4mm Lens, IP67, PIR, Built-In Mic & Speaker, 2688x1520 maximum Resolution, White Light up to 30 m, H.265 / H.264 Video Compression, 1 fixed region for Main Stream, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Up to 15 m PIR range, 1x RJ45 Self-Adaptive Ethernet Port, Built-In 64 GB eMMC storage, Built-In Memory card slot up to 256 GB, Built-In Microphone, Built-In Speaker, Motion Detection, Ternary Lithium Battery Type, 23.2 Ah capacity, More than 500 cycles Battery Life. The Hikvision DS-2XS2T47G0-LDH/4G/C18S40 is a robust and reliable solar-powered security camera designed for continuous outdoor surveillance. Its 4MP ColorVu technology ensures vibrant color imaging day and night, even in low-light conditions. The camera operates independently with its integrated solar panel and rechargeable battery, making it ideal for remote locations without access to traditional power sources. With features like two-way audio, efficient H.265 compression, and weather resistance, it provides comprehensive security solutions for various applications.
DS-7108NI-Q1/8P	R 2,070	Hikvision DS-7108NI-Q1/8P 8-ch Mini 1U 8 PoE NVR, 60Mbps Bit Rate Input Max (up to 8-ch IP video) 1 SATA interface,8 independent PoE network interfaces, mini 1U case(Plastic)
DS-7116HGHI-M1	R 1,499	Hikvision 7100 Series 16CH Turbo High Definition Stand Alone DVR - Support H.265 Pro /H.265 Pro/H.265/H.264 /H.264 video compression, 16 Channel Analog and HD-TVI video input, BNC interface (1.0Vp-p, 75 Î©),supporting coaxitron connection, Audio Input: 1-ch RCA, SATA Interface Support up to 4TB Hard disk drive, 10/100 self-adaptive Ethernet interface 2x USB 2.0 Ports on Rear panel, Supports real-time 1080p lite when enabled the image effect is similar to 1080p, HDMI/VGA output at up to 1920 x 1080 resolution, IP 2ch Up to 18-ch IP camera input (up to 4 MP), Signal Input HDTVI/AHD/CVI/CVBS/IP, Motion 2.0, 1U Mini White Unit, Smart search for efficient playback, Remote viewing from anywhere on pc and cellphone, Motion Detection Version 2.0
DUXP200	R 1,632	DuxNet DUXP200 4MP 2560x1440 Wire-Free Battery camera with 2.8mm Lens, Wireless WiFi & Cordless installation, Standard H.265 Video Compression, Two-Way voice Intercom, Echo elimination & noise suppression, Local storage (Up to 128GB), IP65 Weatherproof, Built-In Rechargeable Lithium battery., 15fps Frame rate, Dual-Source White Light with Infrared LED, 2560x1440 Resolution
DUXP200PTZ	R 1,747	DuxNet DUXP200PTZ 4MP 2560x1440 Wire-Free Battery PTZ camera with 3.2mm Lens, WiFi Wireless & Cordless installation, Standard H.265 Video Compression, Two-Way voice Intercom, Echo elimination & noise suppression, Local storage (Up to 128GB), IP65 Weatherproof, Built-In Rechargeable Lithium Battery Solar Panel included, 15fps Frame rate, 2560x1440 Resolution, 25m IR range, White Light or Infrared (Switchable)
DUXP300	R 1,287	DuxNet DUXP300 3MP 2304x1296 Wire-Free Tuya Smart Battery camera with 2.8mm Lens, WiFi Wireless & Cordless installation, Standard H.265 Video Compression Algorithm, Two-Way voice Intercom, Echo elimination & noise suppression, Local storage (Up to 128GB), IP65 Weatherproof, Built-In Rechargeable Lithium Battery, 25fps Frame rate, 2304x1296 Resolution, 10 meters Night Vision, 2x Standard 18650 Battery
DUXP300PTZ	R 1,747	DuxNet DUXP300PTZ 3MP 2048x1536 Wire-Free TuyaSmart Battery PTZ camera with 3.6mm Lens, WiFi Wireless & Cordless installation, Standard H.265 Video Compression Algorithm, Two-Way voice Intercom, Echo elimination & noise suppression, Local storage (Up to 128GB), IP65 Weatherproof, Built-In Rechargeable Lithium Battery, Solar Panel included, 15fps Frame rate, 2048x1536 Resolution, 25m IR range, 2 x Standard 18650 Battery

E-C8PF	R 1,666	Ezviz C8PF Dual-Lens Pan & Tilt Wi-Fi camera with 2.8mm & 12 mm Lens, M12 Lens Mount, 3D DNR, Digital WDR, Supports BLC, 30 m Black & White night, 1920x1080 Max Resolution, Maximum 15fps Frame rate, H.265 / H.264 Video Compression, 2.4GHz WiFi, 1x 10M/100M adaptive RJ45 Ethernet Port, Ai-powered human shape detection, Supports Mic, MicroSD card slot (Maximum 512GB), Weatherproof Design
E-CB5	R 2,299	Ezviz CB5 4K Smart Home Solar Battery camera, Integrated Solar Panel, 4K Video, Ai-powered detection functions, Only two hours of direct sunlight every day keep the camera running nonstop, OnBoard 10400mAh Large Battery, 2 spotlights, Full-colour Night Vision, 2 IR lights, Black & White Night Vision
E-CESP	R 546	Ezviz CS-CMT-Solar Panel-E Battery Solar charging panel, 6V Power Voltage, 1030 mA Maximum Power current, IP65, MonoCrystalline Solar cells, Pet laminated Wood
E-EB8	R 2,529	Ezviz EB82K battery-power Pan and Tilt 4G camera, 3D DNR, IR 15 m Night Vision distance, 15 m Colour Night Vision, 2304x1296 Max Resolution, Maximum 15fps Frame rate, H.265 / H.264 Video Compression, LTE FDD, Smart human Motion Detection, Supports Two-Way talk, Supports MicroSD card (Up to 512GB), IP65, 10400 mAh Battery capacity
E-H1C	R 403	Ezviz H1C 1080p Home Smart Home Wi-Fi camera wiyj 2.8mm Lens, 3D DNR, Up to 10 m IR Night Vision distance, 1920x1080 maximum Resolution, Max : 25 fps Frame rate, H.264 Video Compression, Motion Detection, Supports Two-Way talk, 2.4GHz WiFi, Supports MicroSD card (Up to 512GB)
E-H7C	R 919	Ezviz H7C 2K Dual Lens camera - AI - fixed Lens 2.8mm & 6mm Pan & Tilt Lens, M12 Lens Mount, Digital WDR, 3D DNR, H.264 / H.265 Video Compression, Motion Detection, Human shape detection, 2560x1440 maximum Resolution, 30fps Max Frame rate, Micro SD card slot (Maximum 512GB), Type-C Power, 1x 10M/100M Self-Adaptive RJ45 Ethernet Port, 2.4GHz & 5GHz WiFi, Maximum 10 meters IR range
E-H8CP3K	R 1,149	Ezviz H8c Pro 3K 5MP Pan & Tilt Wi-Fi camera, 3K 5MP Resolution, Panoramic coverage, Colour Night Vision, Ai-powered human shape detection, Auto-Tracking, One-Click return to Pre-Set directions, Two-Way talk, Active defense with Siren and Strobe Light, Weatherproof Design, H.265 Video Technology, Supports MicroSD card up to 512GB
E-HB8SP	R 2,989	Ezviz HB8 Pan & Tilt WiFi camera with 4mm Lens Solar Panel, 4mm @ F1.6 viewing angle Lens, 3D DNR, 15 m Night Vision, 2560x1440 maximum Resolution, 15fps Frame rate, Self-Adaptive during Network transmission, H.265 / H.264 Video Compression, 2.4GHz WiFi, Smart human Motion Detection, Supports Two-Way talk, Built-In 32GB eMMC storage, Weatherproof Design, 10400 mAh Battery capacity
H6C-P	R 546	Ezviz H6c Pro Pan & Tilt Smart Home Camera
H80X	R 1,494	Ezviz H80X WiFi 4K Wi-Fi Pan & Tilt camera with 4mm Lens, Intelligent Dual lenses, Colour full Night Vision under Ultra-Low Light, 360 degrees Panoramic coverage, Ai-powered human shape detection, Two-Way talk, Supports MicroSD card (Up to 512GB), Digital WDR, 3D DNR, 3840x2160 Max Resolution, H.265 / H.264 Video Compression, 2.4GHz WiFi
HDEB026GEA51F	R 9,699	Toshiba MG10-d Enterprise 10TB 3.5" 7200rpm 512MiB Cache SATA3 6Gb/s Hard Disk Drive, 268 MiB/s Data transfer Speed, 4Kn/512e, HDEB026GEA51F
HDEB026GEA51F	R 9,867	Toshiba MG10-d Enterprise 10TB 3.5" 7200rpm 512MiB Cache SATA3 6Gb/s Hard Disk Drive, 268 MiB/s Data transfer Speed, 4Kn/512e, HDEB026GEA51F
HK-311315934	R 1,090	Hikvision 2MP Fixed Dome Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, Up to 30 m IR Light range, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream region of interest (ROI), Up to 6 channels simultaneous live View, Digital WDR, BLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Motion Detection, IP67 protection, IK10 protection, DS-2CD1123G0E-I(2.8mm)(C)(O-STD)
HK-311316904	R 2,478	Hikvision 4 MP AcuSense Built-In Mic fixed Mini Dome Network camera with 2.8mm Lens, 1/3" Progressive Scan CMOS image sensor, 2688 x 1520 Maximum Resolution, M12 Lens Mount, Up to 30m IR light range, H.265 / H.264 / H.265 / H.264 Video Compression, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M self-adaptive Ethernet Port, Built-In Memory card slot support MicroSD card, Built-In Microphone, 1x Input (Line in) audio, 1x Output (Line out) audio, 1x Input & 1x Output alarm, DS-2CD2546G2-IS(2.8mm)(C)(O-STD)
HK-311318330	R 1,616	Hikvision Full HD 1920x1080 Covert Network camera with 2.8mm Lens, Video Compression H.265 / H.264,

		Support 1 fixed region (ROI), Mono audio Type, Up to 15 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, Defog, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, 1 Input (Line in) audio, DS-2CD2D25G1/M-D/NF(2.8mm)(O-STD)
HK-311318349	R 5,173	Hikvision 2MP separated Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, Main Stream H.265 / H.264 Video Compression, Support 1 fixed region of interest (ROI), Mono Audio, Up to 15 channels simultaneous live View, BLC, HLC, Defog, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, 1x RS-485, Motion Detection, 2 m length of Lens cable, DS-2CD6425G1-20(2.8mm)2m(O-STD)
HK-311319443	R 4,055	Hikvision 4MP Panoramic ColorVU fixed Turret Network IP Camera with 4mm Dual Lens, 2x 1/2.5" Progressive Scan CMOS image sensor, 3040x1368 Maximum Resolution, M12 Lens Mount, Up to 30 m IR light range, H.265 / H.265 / H.264 / H.264 Video Compression, Mono sound, Up to 6 channels simultaneous live view, WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Microphone, Built-In Speaker, Alarm in and out, Acudi in and out, Motion detection, DS-2CD2387G2P-LSU/SL(4mm)(C)(O-STD)
HK-311320486	R 3,172	Hikvision 4MP Panoramic ColorVU fixed Turret Network camera with Dual 2.8mm Lens, 3040x1368 maximum Resolution, White Light up to 30 m, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, Motion Detection, Perimeter protection, DS-2CD2347G2P-LSU/SL(2.8mm)(C)(O-STD)
HK-311320494	R 3,487	Hikvision 4MP Panoramic ColorVU Fixed Bullet Network camera with Dual 2.8mm Lens, DS-2cd2t47g2p-lsu/sl(2.8mm)(c)(o-std), 3040 x 1368 maximum Resolution, White Light up to 40 m, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Speaker, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, Motion Detection, Perimeter protection
HK-311323589	R 2,993	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Turret Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR & White Light up to 30 m, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 130 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, Perimeter protection, Audio Built-in Microphone, DS-2CD2347G2H-LIU(2.8mm)(eF)(O-STD)
HK-311323593	R 2,662	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Turret Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR & White Light up to 30 m, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 130 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, Perimeter protection, No Audio, DS-2CD2347G2H-LI(2.8mm)(eF)(O-STD)
HK-311323629	R 2,607	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR & White Light up to 40 m, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 130 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, Perimeter protection, No Audio, DS-2CD2047G2H-LI(2.8mm)(eF)(O-STD)
HK-311323637	R 4,007	Hikvision 8MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 2.8mm Lens, 3840x2160 maximum Resolution, IR & White Light up to 40 m, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 130 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, Perimeter protection, No Audio, DS-2CD2087G2H-LI(2.8mm)(eF)(O-STD)
HK-311323976	R 4,799	Hikvision 4MP Dual illumination Varifocal Bullet Network camera with 2.7-13.5mm Lens, 2688x1520 maximum Resolution, Varifocal Lens Motorized Lens 2.7 to 13.5 mm, IR & White Light up to 60 m, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 5 fixed regions of interest (ROI), Up to 6 channels simultaneous live

		View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 2 inputs & 2 Outputs Alarm, Motion Detection, Face Capture, People Counting, Perimeter protection, DS-2CD3646G2HT-LIZS(2.7-13.5mm)(O-STD)
HK-311323994	R 4,461	Hikvision 4MP Smart Hybrid Light with ColorVU motorized Varifocal Bullet Network camera with 2.8 to 12 mm Lens, 2688x1520 maximum Resolution, Up to 60 m supplement Light range, IR & White Light, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 130 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, 1 Input line in audio, 1 Output line out audio, 1 Input & 1 Output alarm, Motion Detection, Human and vehicle, Face capture, DS-2CD2647G2HT-LIZS(2.8-12mm)(eF)(O-STD)
HK-311324119	R 2,227	Hikvision 4MP Powered by DarkFighter fixed Mini Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR up to 40 m, Main Stream H.265 / H.264 / H.265 / H.264 Video Compression, 25 fps 2688x1520 Main Stream Max Resolution, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Microphone, Motion Detection, Face Capture, Perimeter protection, DS-2CD2046G2H-IU(2.8mm)(O-STD)
HK-311324121	R 2,062	Hikvision 4MP Powered by DarkFighter fixed Mini Bullet Network camera with 4mm Lens, 2688x1520 maximum Resolution, IR up to 40 m, Main Stream H.265 / H.264 / H.265 / H.264 Video Compression, 25 fps 2688x1520 Main Stream Max Resolution, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Built-In Microphone, Motion Detection, Face Capture, Perimeter protection, DS-2CD2046G2H-IU(4mm)(O-STD)
HK-311324131	R 1,993	Hikvision 4MP powered by DarkFighter Fixed Dome Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, Up to 30 m IR Light range, Main Stream H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Motion Detection, Face capture, Perimeter protection, DS-2CD2146G2H-I(2.8mm)(O-STD)
HK-311324135	R 2,263	Hikvision 4MP Powered by DarkFighter fixed Turret Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR up to 30 m, Main Stream H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, Perimeter protection, Mono Sound, Built-In Microphone, DS-2CD2346G2H-IU(2.8mm)(eF)(O-STD)
HK-311324143	R 2,365	Hikvision 4MP Powered by DarkFighter Fixed Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR up to 60 m, Main Stream H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Motion Detection, Face Capture, Perimeter protection, DS-2CD2T46G2H-2I(2.8mm)(O-STD)
HK-311324227	R 3,344	Hikvision 4MP Smart Hybrid Light with ColorVU Fixed Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR & White Light supplement Light Type up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region interest (ROI), Mono sound audio Type, Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Defog, 130 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Built-In Microphone, Built-In Speaker, 1 Input line in audio, 1 Input line out audio, 1 Input & 1 Output alarm, Motion Detection, Human and vehicle, Face capture, DS-2CD2T47G2H-LISU/SL(2.8mm)(eF)(O-STD)
HK-311326392	R 1,355	Hikvision 2MP WDR Fixed Bullet Audio Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, M12 Lens Mount, IR & White Light up to 30 m, H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region region of interest (ROI), Mono sound, Up to 6 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Microphone, Motion Detection, DS-2CD2021G0-LIU(2.8mm)

HK-311326585	R 13,283	Hikvision 4MP DeepinViewX Moto Varifocal Bullet Camera with 8-32mm Lens, 2688x1520 maximum Resolution, IR monitoring 100m, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 4 fixed regions of interest (ROI), Mono Sound, Up to 20 channels simultaneous live View, 150 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, 1x RJ45 10/100/1000 Self-Adaptive Ethernet Port, Built-In Memory card slot, 2 inputs & 2 Outputs Alarm, 2 Built-In microphones, 1 Input (Line in) Audio, 1 Output (Line out) Audio, Built-In Speaker, 1x RS-485, Motion Detection, Smart event, Perimeter protection, Road traffic and Vehicle Detection, Aluminum Alloy Body, Heater, Demist, iDS-2CD7A46G2-IZHSY(8-32mm)
HK-311327133	R 2,564	Hikvision 4MP AcuSense Strobe Light and audible warning Fixed Bullet Network camera with 2.8mm Lens, 2688x1520 maximum Resolution, IR up to 60 m, H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region for Main Stream and Sub-Stream region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, Defog, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot support MicroSD card up to 512 GB, 2 Built-In microphones, Mono sound, Built-In Speaker, 1x audio Input (Line in), 1 Input alarm, 1 Output alarm, Motion Detection - human and vehicle, Scene change detection, Face capture, Perimeter protection, DS-2CD2T46G2H-IS2U/SL(2.8mm)(eF)(O-STD)
HK-311327168	R 2,371	Hikvision 4MP AcuSense Strobe Light & audible warning fixed bulet Network camera with 2.8mm Lens, White Light flashing Light, IR up to 40m, IP67, 2688x1520 maximum Resolution, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, 2 Built-In microphones, Built-In Memory card slot, Motion Detection, Face Capture, DS-2CD2046G2H-I2U/SL(2.8mm)
HK-311328154	R 2,493	Hikvision 4MP Smart Hybrid Light with ColorVU fixed Mini Bullet Network camera with 2.8mm Lens, Two-Way Audio strobe & audible Alarm, White flashing Light, 2688x1520 maximum Resolution, White Light & IR up to 40 m, H.265 / H.264 / H.265 / H.264 Video Compression, 1 fixed region of interest (ROI), Mono Sound, Up to 6 channels simultaneous live View, 130 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, EIS Image stabilization, 4 programmable polygon Privacy masks, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, Arrayed dual-microphone, Motion Detection, Face Capture, IP67 protection, DS-2CD2047G3-LI2UY(2.8mm)(O-STD)
HK-311328887	R 2,583	Hikvision 2MP WDR Varifocal Bullet Network camera with 2.8-12mm Lens, 1920x1080 maximum Resolution, Varifocal Lens Motorized Lens 2.8 to 12 mm, IR up to 60 m, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, Motion Detection, DS-2CD2621G0-LIZSU(2.8-12mm)South Africa
HK-311328890	R 2,701	Hikvision 4MP Dual Light MD Varifocal Dome Network camera with 2.8mm to 12mm Lens, 2560x1440 maximum Resolution, 2.8 to 12 mm Varifocal Lens with motorized Lens, IR & White Light supplement Light, Up to 30 m range, 1 fixed region of interest (ROI), Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, Mono Sound, Up to 6 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot up to 512 GB, Built-In Microphone, Audio Input and Output, Alarm Input and Output, Motion Detection human and vehicle, DS-2CD2741G0-LIZSU 2.8-12mm
HK-311331184	R 4,063	Hikvision 4MP Powered by DarkFighter Motorized Varifocal Bullet Network camera with 2.8-12mm Lens, 2688x1520 maximum Resolution, Varifocal Lens Motorized Lens 2.8 to 12 mm, IR up to 60 m, Main Stream H.265 / H.264 / H.264 / H.265 Video Compression, 1 fixed region of interest (ROI), Up to 6 channels simultaneous live View, BLC, HLC, 3D DNR, 120 dB wide Dynamic range (WDR), 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 1 Input & 1 Output Alarm, Motion Detection, Face Capture, Perimeter protection, DS-2CD2646G2H-IZS(2.8-12mm)(eF)(O-STD)
HK-327001363	R 998	Hikvision 2MP fixed Outdoor Smart hybrid-light PTZ Network camera with 2.8mm Lens, 1920x1080 maximum Resolution, IR & White Light up to 30 m, H.265 / H.264 / MJPEG Video Compression, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, 1 Built-In Microphone, 1 Built-In Speaker, Built-In Memory card slot support MicroSD card up to 512 GB, Motion Detection - human, DS-2DE2C200MWG-E 2.8MM

HK-327002022	R 6,441	Hikvision TandemVu 4-inch 2MP 25x colorful & IR Network Speed PTZ Dome IP Camera, Captures a Large area and great details at the same time, 25x Optical Zoom and 16x Digital Zoom, WDR, HLC, BLC, 3D DNR, Defog, Regional exposure, Regional focu, Up to 100 m IR distance & 30 m White Light, H.265 / H.264 / MJPEG Video Compression, 20 simultaneous live View, RJ45 Self-Adaptive Ethernet Port, Built-In SD Memory card slot, 1 Alarm Input, 1 Alarm Output, 1x audio Input, 1x audio Output, Motion Detection, DS-2SE4C225MWG-E/12(F0)
HK-327002521	R 8,301	Hikvision 4MP 25x Powered by DarkFighter AcuSense Network Speed Dome with 4.9 mm to 120 mm Lens, 2560x1440 maximum Resolution, 25x optional & 16x Digital Zoom, IR distance up to 150 m, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 8 fixed regions of interest (ROI), Up to 20 channels simultaneous live View, 120 dB wide Dynamic range (WDR), Digital Defog, EIS Image stabilization, BLC, HLC, 3D DNR, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 1 Input (Line in) Audio, 1 Output (Line out) Audio, 2 inputs & 1 Output Alarm, Motion Detection, Smart event, Face Capture, Smart Tracking, DS-2DE5425IWG1-E
IC7-PRS-4	R 573	Tenda IC7-PRS 4MP PoE Conch Security Camera (POE only, no DC)
iDS-2CD5T47G2/V-XHSY(4mm)	R 6,624	Hikvision 4MP DeepinViewX fixed Lens Bullet Camera for Perimeter protection with 4mm lens, IR / White Light up to 80m, IP67, IK10, 2688x1520 maximum Resolution, 3 streams, 8 fixed regions for each Stream, Mono Sound, Up to 20 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, 1x RJ45 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 1 TB, 1 Input & 1 Output Alarm, 1 Built-In Microphone, 1 Input Audio, 1 Output Audio, 1 Built-In Speaker, 1x RS-485, Motion Detection, Human and vehicle
IDS-2CD7A46G2-P-IZHS2.8-12MM	R 8,114	Hikvision 4MP DeepinView ANPR Moto Varifocal Bullet Camera with 2.8-12mm Lens, 2688x1520 maximum Resolution, Up to 60 m IR Light Type, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, H.264 and H.265 Encoding, 4 fixed regions for each Stream region of interest (ROI), Mono Sound, Up to 20 channels simultaneous live View, 150 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, 8 programmable polygon Privacy masks, EIS Image stabilization, 1 vp-p composite Video Output, 1x RJ45 10/100/1000 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 1 TB, 2 inputs & 2 Outputs Alarm, 1 Input Audio, 1 Output Audio, 1x RS-485, 1 Wiegand, Motion Detection - human and vehicle, Road traffic and Vehicle Detection, Aluminum Alloy Body, Heater, Demist
iDS-2CD7A46G2/P-IZHS(2.8-12mm)	R 8,999	Hikvision 4MP DeepinView ANPR Moto Varifocal Bullet Camera with 2.8-12mm Lens, 2688x1520 maximum Resolution, Up to 60 m IR Light Type, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, H.264 and H.265 Encoding, 4 fixed regions for each Stream region of interest (ROI), Mono Sound, Up to 20 channels simultaneous live View, 150 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, 8 programmable polygon Privacy masks, EIS Image stabilization, 1 vp-p composite Video Output, 1x RJ45 10/100/1000 Self-Adaptive Ethernet Port, Built-In Memory card slot up to 1 TB, 2 inputs & 2 Outputs Alarm, 1 Input Audio, 1 Output Audio, 1x RS-485, 1 Wiegand, Motion Detection - human and vehicle, Road traffic and Vehicle Detection, Aluminum Alloy Body, Heater, Demist
iDS-2CD7A46G2/P-IZHS(8-32mm)	R 9,775	Hikvision 4MP DeepinView ANPR Varifocal Bullet Camera with 8-32mm Lens, IR up to 100m, IP67, IK10, 2688x1520 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 4 fixed regions of interest (ROI), Mono Sound, Up to 20 channels simultaneous live View, BLC, HLC, 3D DNR, Distortion correction, Defog, 150 dB wide Dynamic range (WDR), EIS Image stabilization, 1 vp-p composite Output, 1x RJ45 10/100/1000 Self-Adaptive Ethernet Port, Built-In Memory card slot, 2 inputs & 2 Outputs Alarm, Audio in & out, Motion Detection, AcuSeek, Vehicle event detection
iDS-2CD7A46G2/V-XZHSY(2.8-12mm)	R 10,017	Hikvision 4MP DeepinViewX Moto Varifocal Bullet Camera for Perimeter protection with 2.8-12mm, IR / White Light up to 100m, IP67, IK10, 2688x1520 maximum Resolution, 5 streams, H.265 / H.265 / H.264 / H.264 Video Compression, 4 fixed regions for each Stream, Target cropping, Mono Sound, 140 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Distortion correction, Defog, EIS Image stabilization, 1 vp-p composite Output, 1x RJ45 Gigabit Self-Adaptive Ethernet Port, Built-In Memory card slot up to 1 TB, 2 inputs & 2 Outputs Alarm, 2 Built-In microphones, 1 Input Audio, 1 Output Audio, Built-In Speaker, 1x RS-485, Motion Detection, Human and vehicle
iDS-2CD7A86G0-IZHS(2.8-12mm)	R 13,822	Hikvision 8MP Bullet Camera 4K DeepinView Moto Varifocal Bullet Camera with 2.8 to 12 mm Lens, 3840x2160 maximum Resolution, P-iris, 50 m supplement Light range, H.265 / H.265 / H.264 / H.264 Video Compression, 5

		streams, 4 fixed regions for each Stream, Mono Sound, Up to 20 channels simultaneous live View, 120 dB wide Dynamic range (WDR), BLC, HLC, 3D DNR, Defog, 1 vp-p composite Video Output, 1x RJ45 Gigabit Self-Adaptive Ethernet Port, Built-In Memory card slot up to 1 TB, 2 inputs & 2 Outputs Alarm, Motion Detection, Human and vehicle
iDS-2CD7T46G2/VX3-IHSY(4/12/25mm)	R 15,065	Hikvision 4MP DeepinViewX Triple fixed Lens Bullet Camera for Perimeter protection - 4mm / 12mm / 25mm, IR up to 120m, Audible Alarm, Channel 1 - 2688x1520 maximum Resolution, Channel 2 - 1920x1080 maximum Resolution, Channel 3 - 1920x1080 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, 8 fixed regions for each Stream, Mono Sound, Up to 20 channels simultaneous live View, Digital WDR, BLC, HLC, 3D DNR, Distortion correction, Defog, EIS Image stabilization, 1x RJ45 10M/100M Self-Adaptive Ethernet Port, Built-In Memory card slot, 2 Input (Line in), Audio, Built-In Microphone, 2 inputs & 2 Outputs Alarm, Built-In Speaker, RS-485, Power Output, Motion Detection, Heater
IDS-2CD8A46G2-XZHS(0832/4)	R 13,817	Hikvision 4MP DeepinView Multi-Sensor Bullet Camera with 8-32mm & 4mm Lens, IP67, IK10, High quality Imaging with 4MP Resolution in channel 1 and 4MP Resolution in channel 2, Low-light Performance via DarkFighter 2.0 Technology, 140 dB WDR Technology, 5 streams, Capture vehicles and humans, License Plate Recognition and vehicle attribution recognition, Hybrid (IR and White Light) supplement Light Type, H.265 / H.265 / H.264 / H.264 Video Compression, 4 fixed regions for each Stream, Mono Sound, Up to 20 channels simultaneous live View, 1 vp-p composite Output Video Output, 1x RJ45 Gigabit Self-Adaptive Ethernet Port, Built-In Memory card slot up to 256 GB, 2 inputs & 2 Outputs Alarm, 2 Built-In microphones, 1 Input Audio, 1 Output Audio, 1 Built-In Speaker, 1x RS-485, 1 Wiegand
IDS-2CD8A46G2-XZHS(0832/4)	R 13,817	Hikvision 4MP DeepinView Multi-Sensor Bullet Camera with 8-32mm & 4mm Lens, IP67, IK10, High quality Imaging with 4MP Resolution in channel 1 and 4MP Resolution in channel 2, Low-light Performance via DarkFighter 2.0 Technology, 140 dB WDR Technology, 5 streams, Capture vehicles and humans, License Plate Recognition and vehicle attribution recognition, Hybrid (IR and White Light) supplement Light Type, H.265 / H.265 / H.264 / H.264 Video Compression, 4 fixed regions for each Stream, Mono Sound, Up to 20 channels simultaneous live View, 1 vp-p composite Output Video Output, 1x RJ45 Gigabit Self-Adaptive Ethernet Port, Built-In Memory card slot up to 256 GB, 2 inputs & 2 Outputs Alarm, 2 Built-In microphones, 1 Input Audio, 1 Output Audio, 1 Built-In Speaker, 1x RS-485, 1 Wiegand
iDS-TCM403-BI(G)/POE/1050	R 9,304	Hikvision 4MP IR ANPR Smart traffic monitoring camera with 10-50mm Lens, 2688x1520 maximum Resolution, Auto Focus, DC-IRIS Iris Type, IR Light up to 50 m, H.265 / H.264 / MJPEG Video Compression, Up to 6 channels simultaneous live View, LTE Mobile communication, Micro SIM Card Type, 140 dB wide Dynamic range (WDR), BLC, 3D DNR, GPS Satellite positioning, 1x RJ45 10M/100M/1000M Ethernet Interface, Built-In Memory card slot, 1 Input Interface & 1 Output Interface & 2 relays Alarm, 1x RS-485 Interface, 1 Wiegand, Up to 3 lane(s) coverage, License plate detection
INSIGHT S345(2.8MM)	R 1,436	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 2.8mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
INSIGHT S345-4G(4MM)	R 2,658	TP-Link InSight S345-4G Vigi 4MP Outdoor Full-colour 4G Bullet Network camera with 4mm Lens, 2 IR LED up to 50m range, 2 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Built-In Microphone, Built-In Speaker, 3 Main streams & 3 Sub-Streams simultaneous live View, 4G LTE standard, Nano SIM, Category 4, 50 Mbps Uplink, 150 Mbps downlink, 2 antenna, Motion Detection, Enhanced with human & vehicle classification, 3x RJ45 10/100 Mbit LAN Ports Network Interface, Built-In Memory card slot support MicroSD card up to 512GB
INSIGHT S345ZI	R 2,585	TP-Link INSIGHT S345ZI Vigi 4MP Outdoor IR motorized Varifocal Bullet Network camera with 5x Optical Zoom, 2.7-13.5 mm motorized Varifocal Lens, IR Night Vision up to 60m, Smart detection (Human & vehicle classification), 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI,

		Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, IP67 Weatherproof, IK10 vandal proof
INSIGHT S355(2.8MM)	R 1,509	TP-Link VIGI 5MP Full-Color Bullet Network Camera, 2,8mm Fixed Lens, 1/2.7" Progressive Scan CMOS, H.265 /H.265/H.264 /H.264, IR/White LED, 25fps/30fps (2880x1620), IP67,Web, PoE/DC 12V,120dB WDR, Built-in MIC/Speake, micro-SD Slot
INSIGHT S355(4MM)	R 1,509	TP-Link InSight S355 5MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
INSIGHT S655I	R 2,585	TP-Link Vigi S655i 5MP Fisheye Network camera, 1.44 mm focal length, Ceiling Mount, Wall Mount, Pendant Mount, IR LED up to 30m, 2560x1920 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S245-2.8mm	R 1,502	TP-Link Vigi InSight S245 4MP Full-colour Dome Camera with 2.8mm Lens, IR LED & White LED up to 30m, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S245ZI	R 2,658	TP-Link Vigi InSight S245zi 4MP 5x Zoom Varifocal Dome Camera, Motorized Varifocal Lens 2.7 - 13.5 mm, 2688x1520 maximum Resolution, IR Light 60m range, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 1 Alarm in, 1 Alarm out, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, 1x audio in, 1x audio out
INSIGHT-S245ZI	R 2,600	TP-Link Vigi InSight S245zi 4MP 5x Zoom Varifocal Dome Camera, Motorized Varifocal Lens 2.7 - 13.5 mm, 2688x1520 maximum Resolution, IR Light 60m range, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 1 Alarm in, 1 Alarm out, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, 1x audio in, 1x audio out
InSight-S285-2.8mm	R 1,863	TP-Link InSight S285 Vigi 8MP Full-colour Dome Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S285-4mm	R 1,863	TP-Link InSight S285 Vigi 8MP Full-colour Dome Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S345-2.8mm	R 1,502	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 2.8mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People

		detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S345-4G-4mm	R 2,730	TP-Link InSight S345-4G Vigi 4MP Outdoor Full-colour 4G Bullet Network camera with 4mm Lens, 2 IR LED up to 50m range, 2 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Built-In Microphone, Built-In Speaker, 3 Main streams & 3 Sub-Streams simultaneous live View, 4G LTE standard, Nano SIM, Category 4, 50 Mbps Uplink, 150 Mbps downlink, 2 antenna, Motion Detection, Enhanced with human & vehicle classification, 3x RJ45 10/100 Mbit LAN Ports Network Interface, Built-In Memory card slot support MicroSD card up to 512GB
InSight-S345-4mm	R 1,429	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 4mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S345ZI	R 2,658	TP-Link INSIGHT S345ZI Vigi 4MP Outdoor IR motorized Varifocal Bullet Network camera with 5x Optical Zoom, 2.7-13.5 mm motorized Varifocal Lens, IR Night Vision up to 60m, Smart detection (Human & vehicle classification), 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, IP67 Weatherproof, IK10 vandal proof
InSight-S355-2.8mm	R 1,574	TP-Link InSight S355 5MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSight-S385-2.8mm	R 1,863	TP-Link Vigi InSight S385 8MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Speaker
InSight-S385-4mm	R 1,863	TP-Link Vigi InSight S385 8MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Speaker
InSight-S385PI	R 3,236	TP-Link InSight S385PI Vigi 8MP Outdoor IR Panoramic Bullet Network camera with 1.65mm Lens, 4 IR LED up to 20m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 4 regions ROI, Two-Way Audio, Built-In Microphone, Built-In Speaker, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, Red-Blue warning lights, Built-In Memory card slot support MicroSD card up to 512 GB, 1x audio in, 1x audio out, IP67 Weatherproof, IK10 vandal proof
InSight-S445-2.8mm	R 1,430	TP-Link InSight S445 Vigi 4MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED up to 30m range, 4 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression,

		Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Audio Input, Audio Output, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB
INSIGHT-S445-2.8MM	R 1,372	TP-Link InSight S445 Vigi 4MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED up to 30m range, 4 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Audio Input, Audio Output, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB
InSight-S445-4mm	R 1,429	TP-Link InSight S445 Vigi 4MP Full-colour Turret Network camera with 4mm Lens, 4 IR LED up to 30m range, 4 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Audio Input, Audio Output, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB
InSight-S445ZI	R 2,441	TP-Link InSight S445ZI Vigi 4MP IR motorized Varifocal Turret Network camera with 2.7-13.5 mm Lens, 5x Optical Zoom, 4 IR LED up to 60m, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, One-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, 1x audio in, 1x audio out, IP67 Weatherproof, IK10 vandal proof
InSight-S455-2.8mm	R 1,502	TP-Link InSight S455 Vigi 5MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED up to 30m range, 4 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Audio Input, Audio Output, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, Built-In Speaker
InSight-S485-2.8mm	R 1,791	TP-Link InSight S485 Vigi 8MP Full-colour Turret Network camera with 2.8mm Lens, 4 IR LED up to 30m, 4 White LED up to 30m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, Built-In Speaker
InSight-S485-4mm	R 1,791	TP-Link InSight S485 Vigi 8MP Full-colour Turret Network camera with 4mm Lens, 4 IR LED up to 30m, 4 White LED up to 30m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512GB, Built-In Microphone, Built-In Speaker
InSight-S485PI	R 3,164	TP-Link InSight S485PI Vigi 8MP IR Panoramic Turret Network camera with 1.65mm Lens, 4 IR LED up to 20m, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 4 region ROI, Two-Way Audio, Built-In Microphone, Audio in Interface, Built-In Speaker, Audio out Interface, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, 1 Alarm in, 1 Alarm out, Red-Blue warning lights, Built-In Memory card slot support MicroSD card up to 512GB

InSight-S655I	R 2,658	TP-Link Vigi S655i 5MP Fisheye Network camera, 1.44 mm focal length, Ceiling Mount, Wall Mount, Pendant Mount, IR LED up to 30m, 2560x1920 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
InSightS225-2.8mm	R 924	TP-Link Vigi InSight S225 2MP Full-colour Dome Camera with 2.8mm Lens, IR LED & White LED 30m range, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, DWDR wide Dynamic range, 1 region ROI, Audio Input, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, IP67 Waterproof, IK10 vandal proof
InSightS245-4mm	R 1,502	TP-Link Vigi InSight S245 4MP Full-colour Dome Camera with 4mm Lens, IR LED & White LED up to 30m, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
IPB-400	R 1,529	Kguard IPB-400 4 megapixel PoE IP Camera. Image Sensor: 1/3" Megapixels CMOS Sensor with IR Cut Filter . Max. Resolution: 4MegaPixel (2592x1520) @ 30fps. Lens: 3.6mm fixed . Video Compression: H.265/H.264/MJPEG . Night Vision: 30 meters . ONVIF 2.3 . Waterproof: IP66
IPC-D129HA-2.8MM	R 1,039	Hikvision HiLook 2 MP ColorVu MD 2.0 Fixed Dome Network Camera - High quality imaging with 2 MP resolution, 24/7 colorful imaging, Support Human and Vehicle Detection, Water and dust resistant (IP67) and vandal resistant (IK08), Efficient H.265 compression technology, Retail Box, 6 Months Warranty
IT7-PCS-4	R 781	Tenda IT7-PCS 4MP PoE Full-Color Bullet Security Camera
IT7-PRS-4	R 689	Tenda IT7-PRS 4MP PoE Infrared Bullet Security Camera
M1	R 349	Arenti M1 Indoor 1080p Wi-Fi Mini Camera Baby Monitor, AI Motion & Sound Detection / Works with Alexa & the Google Assistant / Night Vision / Two-Way Audio, 1080p Full HD: Enhanced Night Vision, High-Quality Two-way Audio: Enhanced Voice System, AI Powered
MC200	R 393	Mercusys Full HD 1920x1080 Pan Tilt Home Security Wi-Fi camera with 4mm Lens, 12 m IR LED Night Vision, 1 x MicroSD card slot (Up to 512GB), 1920x1080 PX maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, Built-In Microphone and Speaker, 2-way Audio, 88dB Siren Volume, Connect via Wi-Fi, Motion Detection, Person Detection, Baby crying detection
MC210	R 408	Mercusys MC210 Indoor Pan / Tilt 2K 360 degree camera with 4mm Lens, 12 m IR LED Night Vision, 1 x MicroSD card slot (Up to 512GB), 2304x1296 maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, Built-In Microphone and Speaker, 2-way Audio, 88dB Siren Volume, Connect via Wi-Fi, Motion Detection, Person Detection, Baby crying detection
MC500	R 543	Mercusys MC500 Outdoor Pan / Tilt 1080p camera with 4mm Lens, 29.9 m IR LED Night Vision, 1x MicroSD card slot, 1920x1080 maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Connect via WiFi, IP65 weather resistance, Motion Detection, Person Detection
MC500	R 499	Mercusys MC500 Outdoor Pan/Tilt Security Wi-Fi Camera, 1080p Full HD with 360° View, Smart Motion & Person Tracking, Color Night Vision, Focus on What Matters, Local & Cloud Storage, Weatherproof for Outdoor Use, Privacy Protection with Lens Shield
MC510	R 580	Mercusys MC510 Outdoor Pan Tilt Security Wi-Fi camera with 4mm Lens, 29.9 m IR LED Night Vision, Colour Night Vision, 1x MicroSD card slot, 2304x1296 maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Connect via WiFi, IP65 weather resistance, Motion Detection, Person Detection
MLS-C2941-X23RPC	R 9,199	Milesight 2MP AI 23x Speed Dome Network camera with 5 - 117mm 23x Optical Zoom Lens, Intelligent analytics, PTZ auto Tracking, MS-C2941-X23RPC, 140dB Super WDR, Up to 200m IR distance, 1920x1080 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, 1/1 audio I/O, 4/2 alarm I/O, RS485, Face detection, People Counting, Advanced motion

		detection, Support SD card, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, EIS, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur, Watermark
MLS-C2941-X30RPC	R 14,162	Milesight 2MP AI 30x Speed Dome Network camera with 4.7 - 141mm, 30x Optical Zoom Lens, Intelligent analytics, PTZ auto Tracking, MS-C2941-x30rpe, 140dB Super WDR, Up to 200m IR distance, 1920x1080 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, 1/1 audio I/O, 4/2 alarm I/O, RS485, Face detection, People Counting, Advanced motion detection, Support SD card, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, EIS, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur, Watermark
MLS-C2964-FPD	R 3,058	Milesight 2MP AI motorized Bullet Network Smart & Ruggedized camera with motorized 2.7 - 13.5mm Lens, Vandal-proof IK10-rated, 140dB Super WDR, Up to 50m IR distance, 1920x1080 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, Face detection, People Counting, Advanced motion detection, Support SD, Heat map, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, EIS, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur, Watermark
MLS-C2964-PD	R 1,710	Milesight 2MP AI Vandal-proof Mini Bullet Network camera with 2.8mm Lens, IK10-rated, Intelligent analytics, 120dB Super WDR, Up to 30m IR distance, 1920x1080 Maximum image Resolution, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, Support SD card local storage up to 1TB, BLC, HLC, 2D DNR, 3D DNR, Defog, Advanced Motion Detection
MLS-C2966-RFPA	R 5,020	Milesight 2MP Entrance & Exit supplement light AI LPR Pro Bullet Plus camera with motorized 2.7~13.5mm Lens, MS-C2966-rfpe, 140dB Super WDR, 200km/h Maximum vehicle speed, Support simultaneous detection of 4 regions, Up to 1000 records inside the camera, 1x RJ45 10M/100M Ethernet Port, 1/1 audio I/O, 1/1 alarm I/O, Standard Wiegand 26-bit, RS485, 1920x1080 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Support SD, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur, Watermark
MLS-C2973-PD	R 1,884	Milesight 2MP AI Vandal-proof Mini Dome Network camera with 2.8mm Lens, IK10-rated Metal housing, Intelligent analytics, MS-C2973-PD, 120dB Super WDR, 1920x1080 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, Built-In Microphone, Support SD, Advanced motion detection, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur
MLS-C2975-FPD	R 3,268	Milesight 2MP ndaa AI motorized Dome Network camera with motorized 2.7 - 13.5mm Lens, Intelligent analytic, MS-C2975-fpd, 120dB Super WDR, Up to 50m IR distance, 1920x1080 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, Built-In Microphone, Advanced motion detection, Support SD, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur
MLS-C5372-FIPE	R 5,107	Milesight milesght 5MP AI motorized Pro Dome Network with motorized 2.7-13.5mm Lens, 120dB Super WDR, 2592x1944 Maximum image Resolution, H.265 / H.265 (HEVC) / H.264 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, Built-In Microphone and 1x audio Output Interface, 1/1 alarm I/O, Advanced Motion Detection, Face detection, Object counting, Support SD card local storage up to 1TB, Heat map, BLC, HLC, 2D DNR, 3D DNR, Defog, Vandal-proof IK10-rated Metal housing
MLS-C5373-PD	R 2,429	Milesight 5MP AI Vandal-proof Mini Dome Network camera with 2.8mm Lens, IK10-rated, Intelligent analytics, 120dB Super WDR, Up to 30m distance, 2592x1944 Maximum image Resolution, Up to 8 areas ROI, 1x RJ45 10M/100M Ethernet Port, Built-In Microphone, Advanced motion detection, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, IP Address filtering, AGC, Anti-flicker, Corridor mode, Deblur, Support SD
MM80127	R 782	Microworld Micromark MM80127 PIR Movement Activated Colour Camera
MM80128	R 679	Microworld Micromark Twin Promo B& W CCTV System
MM80129	R 955	Microworld Micromark Black & White Cctv Twin Cam
MM80130	R 1,967	Microworld Micromark MM80130 Twin Vid/dvd Starting B& W CCTV
MM80132	R 805	Microworld Micromark MM80132 W/less Black& white Cam & Receiver
NET-MER-MC200	R 336	Mercusys Full HD 1920x1080 Pan Tilt Home Security Wi-Fi camera with 4mm Lens, 12 m IR LED Night Vision, 1 x MicroSD card slot (Up to 512GB), 1920x1080 PX maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264

		Video Compression, Live View, Built-In Microphone and Speaker, 2-way Audio, 88dB Siren Volume, Connect via Wi-Fi, Motion Detection, Person Detection, Baby crying detection
NET-MER-MC210	R 351	Mercusys MC210 Indoor Pan / Tilt 2K 360 degree camera with 4mm Lens, 12 m IR LED Night Vision, 1 x MicroSD card slot (Up to 512GB), 2304x1296 maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, Built-In Microphone and Speaker, 2-way Audio, 88dB Siren Volume, Connect via Wi-Fi, Motion Detection, Person Detection, Baby crying detection
NET-MER-MC500	R 485	Mercusys MC500 Outdoor Pan / Tilt 1080p camera with 4mm Lens, 29.9 m IR LED Night Vision, 1x MicroSD card slot, 1920x1080 maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Connect via WiFi, IP65 weather resistance, Motion Detection, Person Detection
NET-MER-MC510	R 523	Mercusys MC510 Outdoor Pan Tilt Security Wi-Fi camera with 4mm Lens, 29.9 m IR LED Night Vision, Colour Night Vision, 1x MicroSD card slot, 2304x1296 maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Connect via WiFi, IP65 weather resistance, Motion Detection, Person Detection
NET-TL-TAPO-C100	R 411	TP-Link Tapo C100 Home Security Wi-Fi Camera. Lens: F/NO: 2.0, Focal Length: 3.3 mm.
NET-TL-TAPO-C110	R 433	TP-Link Tapo C110 Home Security Wi-Fi Camera
NET-TL-TAPO-C113	R 523	TP-Link Tapo C113 Indoor / Outdoor Home Security Wi-Fi camera with 3.16mm Lens, IR LED up to 12m HT Vision, 2x White lights, 2x IR lights, 1x MicroSD card slot (Up to 512 GB), 1x USB Type-C Power Port, 2K 3MP (2304x1296) maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Motion Detection, Person Detection, Baby crying detection, Connect via 2.4GHz Wi-Fi
NET-TL-TAPO-C120	R 747	TP-Link Tapo Indoor / Outdoor Security WiFi Cam with 3.17mm Lens, 2K QHD 4MP 2560x1440 Resolution, 20 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 96dB Siren Volume, Motion Detection, Person Detection, Vehicle Detection, Glass-breaking detection, Connect via Wi-Fi
NET-TL-TAPO-C125	R 1,049	TP-Link Tapo C125 AI Home Security WiFi 6 camera with 2.45mm lens, IR LED Night Vision, 1x Reset Button, 1x MicroSD card slot (Up to 512 GB), 2K QHD 4MP 2560x1440 maximum Resolution, H.264 Video Compression, Live View, 3D DNR, WDR, HDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, Pet Detection, Wi-Fi 6 connection
NET-TL-TAPO-C200	R 448	TP-Link Tapo C200 Pan/Tilt Home Security Wi-Fi Camera
NET-TL-TAPO-C200P2	R 882	TP-Link Tapo C200P2 Pan Tilt Home Security WiFi camera, 1x MicroSD card slot (Up to 512 GB), 1920x1080 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3D DNR image enhancement, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Motion Detection, Person Detection, BabyCry detection, Wi-Fi 2.4GHz, 12 m IR LED Light range
NET-TL-TAPO-C201	R 448	TP-Link Tapo C201 Pan / Tilt Home Security WiFi camera with 4mm Lens, IR LED up to 12m range, 1x MicroSD card slot (Up to 512 GB), 1080p HD (1920x1080) maximum Resolution, Supports 15 fps by Default Frame rate, 30 fps Maximum Frame rate, H.264 Video Compression, Live View, 3D DNR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 93dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Connect via 2.4GHz Wi-Fi
NET-TL-TAPO-C206	R 575	TP-Link Tapo C206 1080p Pan Tilt Indoor / Outdoor Home Security Wi-Fi camera with 4mm Lens, 1920x1080 maximum Resolution, 1x MicroSD card slot (Up to 512GB), Live View, 30 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi
NET-TL-TAPO-C210	R 485	TP-Link Tapo C210 Pan/Tilt Home Security Wi-Fi Camera
NET-TL-TAPO-C210-2PK	R 934	TP-Link Tapo C210 Pan / Tilt home security Wi-Fi camera - 2 Pack, 2.4 GHz Frequency, Motion detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.8" image sensor, 3MP (2304 x 1296) Resolution camera, IR LED up to 30 ft, 2-way audio, Built-In Microphone and Speaker
NET-TL-TAPO-C211	R 485	TP-Link Tapo C211 Pan / Tilt Home Security WiFi camera with 4mm Lens, IR LED up to 9 m range, 1 x MicroSD

		card slot (Up to 512 GB), 2K 3MP (2304 x 1296) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3D DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Connect via 2.4GHz Wi-Fi
NET-TL-TAPO-C216	R 672	TP-Link Tapo C216 Indoor / Outdoor Pan / Tilt Security Wi-Fi camera with 4mm Lens, IR LED up to 12m range, Colour Night Vision, 2304x1296 maximum Resolution, 1 x MicroSD card slot (Up to 512 GB), Live View, 30 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Baby crying detection, Camera tampering, Connect via 2.4GHz Wi-Fi, IP65 weather resistance
NET-TL-TAPO-C220	R 560	TP-Link Tapo C220 2K QHD Pan / Tilt AI Home Security Wi-Fi camera with 4mm Lens, IR LED Night Vision up to 10m, 1x MicroSD card slot (Up to 512GB), 2K 4MP QHD (2560x1440) Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3D DNR / BLC Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
NET-TL-TAPO-C225	R 972	TP-Link Tapo C225 Pan Tilt AI Home Security Wi-Fi IP Camera, 4mm focal length, 850nm IR LED Night Vision, 940nm IR LED Night Vision, 360 degrees horizontal & 149 degrees Vertical view range, 2K QHD 4MP 2688x1520 Resolution, 2.4GHz WiFi, H.264 Video Compression, Two-Way audio, Built-In Microphone and Speaker
NET-TL-TAPO-C230	R 672	TP-Link Tapo C230 3K 5MP Pan / Tilt AI Home Security Wi-Fi camera with 4mm Lens, 1x MicroSD card slot (Up to 512GB), 3K 5MP (2880x1620) maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3D DNR, BLC, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99dB Siren Volume, Motion Detection, Person Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
NET-TL-TAPO-C236	R 822	TP-Link TAPO C236 Pan Tilt Indoor / Outdoor Home Security Wi-Fi camera with 4mm Lens, IR LEDs 20m Night Vision, 2880x1620 maximum Resolution, 1 x MicroSD card slot (Up to 512GB), Live View, 30 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, Baby cry detection, Connect via Wi-Fi 2.4GHz, IP65 weather resistance
NET-TL-TAPO-C246D	R 1,271	TP-Link Tapo C246D Indoor / Outdoor Dual Lens Pan / Tilt (Manual on wide-angle pan/tilt on telephoto camera) Security Camera with 2.8mm Lens and 6mm Lens, IR LED up to 12m, Colour Night Vision, 3MP (3 Megapixels) per camera, 2304 x 1296 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Person Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi. Wide-angle view and telephoto coverage. Both videos streams and records simultaneously. Recording to the cloud (via subscription) and/or onto an SD card in the camera.
NET-TL-TAPO-C260	R 1,121	TP-Link Tapo 4K 8MP Pan / Tilt WiFi Indoor IP Camera with audio and 4.3mm Lens, 12m IR LEDs range, 1 x MicroSD card slot (Up to 512GB), 4K 8MP (3840x2160) maximum Resolution, 15 / 20 / 25 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 90 dB Siren Volume, Facial Recognition, Motion Detection, Person Detection, Vehicle Detection, Connect via Wi-Fi
NET-TL-TAPO-C310-1PK	R 672	TP-Link Tapo C310 Outdoor Home Security Wi-Fi camera with 3.9mm lens - 1 pack, 2.4GHz Frequency, Motion Detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.7" image Sensor, 3 MP (2304x1296) Resolution, IR LED up to 30m, 2-way audio, Built-In Microphone and Speaker
NET-TL-TAPO-C310-2PK	R 1,271	TP-Link Tapo C310 Outdoor Home Security Wi-Fi camera with 3.9mm lens - 2 pack, 2.4GHz Frequency, Motion Detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.7" image Sensor, 3 MP (2304x1296) Resolution, IR LED up to 30m, 2-way audio, Built-In Microphone and Speaker
NET-TL-TAPO-C320WS	R 822	Tp-link Tapo C320WS Outdoor Security Wi-fi Camera
NET-TL-TAPO-C325WB	R 1,420	TP-Link Tapo C325wb Outdoor Security WiFi camera, ColorPro Night Vision, 2x Built-In spotlights, 1x Ethernet Port, 2.4GHz Wi-Fi, 1x MicroSD card slot (Up to 512 GB), 2K QHD 2688x1520 4MP Resolution, 20 fps Frame rate,

		H.264 Video Compression, Live View, 3DNR, WDR, HDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, 2.4GHz Wi-Fi. Wide-angle view of 127 degrees.
NET-TL-TAPO-C400	R 921	TP-Link Tapo C400 Smart Wire-Free Outdoor Security Camera with 3.16mm Lens, IR LED up to 10m, 2 White lights, Colour Night Vision, Compatible with H200 & H500 Hub, 1080p 2MP (1920x1080) maximum Resolution, 15fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio, 70 dBA Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor, Motion Detection, Person Detection, Connect via 2.4 Wi-Fi, Built-In Rechargeable Lithium-ion Battery
NET-TL-TAPO-C400-KIT	R 1,046	TP-Link Tapo C400 Solar-powered Security Camera kit with 3.16mm Lens, IR LED up to 10m, 2 White lights, Colour Night Vision, Compatible with H200 & H500 Hub, 1080p 2MP (1920x1080) maximum Resolution, 15fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio, 70 dBA Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor, Motion Detection, Person Detection, Connect via 2.4 Wi-Fi, Solar Panel, Built-In Rechargeable Lithium-ion Battery
NET-TL-TAPO-C401	R 888	Tapo C401 Smart Wire-Free Outdoor Security Camera; 1080p 2MP; 1920 x 1080; 15fps; 5200mAh rechargeable battery; up to 180-day battery life; color night vision; person detection; two-way audio; microSD up to 512GB; 2.4GHz Wi-Fi; IP65; 81 x 48 x 58.32mm; 205g
NET-TL-TAPO-C401-KIT	R 1,046	TP-Link Tapo C401 WiFi 1080p Solar-powered Security Camera kit with 3.16mm Lens, IR LEDs up to 10m, Colour Night Vision, 2 White lights, Compatible with H200 & H500 hubs, 1x MicroSD card slot (Up to 512GB), 1080p 2MP (1920x1080) maximum Resolution, 15fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio, 70 dBA Siren Volume, Single Motion Sensor, Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi, Built-In Rechargeable Lithium-ion Battery, Solar Panel Power source, IP65 weather resistance
NET-TL-TAPO-C410	R 1,089	TP-Link Tapo C410 3MP Smart Wire-Free Indoor / Outdoor Security Camera with 3.17 mm - 2 pack, IR LED up to 9m, Full-colour Night Vision, 2x spotlights, 2K 3MP (2304 x 1296 PX) maximum Resolution, 15fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 94 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor (FOV 110 degrees horizontal), Single ambient Light sensors, Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi, Built-In Rechargeable Lithium-ion Battery, IP65 weather resistance
NET-TL-TAPO-C410-2PK	R 2,019	TP-Link Tapo C410 3MP Smart Wire-Free Indoor / Outdoor Security Camera with 3.17 mm - 2 pack, IR LED up to 9m, Full-colour Night Vision, 2x spotlights, 2K 3MP (2304 x 1296 PX) maximum Resolution, 15fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 94 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor (FOV 110 degrees horizontal), Single ambient Light sensors, Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi, Built-In Rechargeable Lithium-ion Battery, IP65 weather resistance
NET-TL-TAPO-C410KIT	R 1,121	TP-Link C410 kit Tapo 2K 3MP Solar-powered Security Camera kit with 3mm Lens, 9.1 m IR LED Night Vision, Full-colour Night Vision, 2x spotlights, Type-C Output Port for Solar Panel, 2K 3MP 2304x1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz, 6400 mAh Built-In Rechargeable Lithium-ion Battery
NET-TL-TAPO-C420S1	R 1,696	TP-Link Tapo C420S1 2K QHD Smart Wire-Free Security Camera system, 2K QHD (2560x1440) Resolution, 113 degrees viewing angle, 850 nm IR LED up to 15m night Vision, IEEE 802.11b/g/n 2.4GHz Wi-Fi Protocol, Motion detection, Person detection, Vehicle detection, Tapo H200 Hub, Tapo C420 camera (Battery included), H.264 Video Compression, 15 / 20 fps Frame rate, 2-way audio, Built-In Microphone and Speaker
NET-TL-TAPO-C425	R 1,696	TP-Link Tapo C425 4MP Smart Wire-Free Security Camera, 2.1mm Lens, 150 degree FOV, 2x Built-In spotlights, 2K QHD 4MP 2560x1440 Resolution, Supports live View, 2560x1440 30fps Frame rate Video Streaming, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3DNR, WDR, Supports MicroSD card (Up to 512GB), Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery

NET-TL-TAPO-C425-2PK	R 3,231	TP-Link Tapo C425 4MP Smart Wire-Free Security Camera - 2 pack, 2.1mm Lens, 150 degree FOV, 2x Built-In spotlights, 2K QHD 4MP 2560x1440 Resolution, Supports live View, 2560x1440 30fps Frame rate Video Streaming, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3DNR, WDR, Supports MicroSD card (Up to 512GB), Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery
NET-TL-TAPO-C425KIT	R 1,645	TP-Link Tapo C425 4MP Smart Wire-Free Security Camera kit with Solar Panel, 2.1mm Lens, 150 degree FOV, 2x Built-In spotlights, 2K QHD 4MP 2560x1440 Resolution, Supports live View, 2560x1440 30fps Frame rate Video Streaming, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3DNR, WDR, Supports MicroSD card (Up to 512GB), Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
NET-TL-TAPO-C460KIT	R 2,094	TP-Link Tapo C460 4K 8MP Solar-powered Security Camera kit with 3.17mm Lens, IR LEDs up to 14.9 m, 2x Built-In spotlights, Colour Night Vision, 1x MicroSD card slot, 4K 8MP (3840x2160 PX) maximum Resolution, 15 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
NET-TL-TAPO-C465	R 1,944	TP-Link TAPO-C465 4K QHD (3840x2160) Battery-Powered Security Camera with 3.17mm Lens and Built-In Solar Panel, 7800mAh Rechargeable Lithium-ion Battery, Ir-mode / Full-colour mode Night Vision, 2 x Built-In spotlights, 15fps Frame rate, H.265 / H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 80 dBA Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor, Single ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz & 5GHz, IP65 weather resistance
NET-TL-TAPO-C500	R 747	TP-Link Tapo C500 Full HD 1920x1080 Outdoor Pan / Tilt Security Wi-Fi camera, 850 nm IR LED up to 30m night Vision, 2.4GHz Frequency, Motion detection, Person detection, H.264 Video Compression, 15 fps Frame rate, 1080p Video Streaming, 2-way audio, Built-In Microphone and Speaker
NET-TL-TAPO-C501GW	R 1,346	TP-Link Tapo Outdoor Pan / Tilt 4G LTE camera with 3.7mm Lens, TP-TAPO-C501GW, 30m Infrared Light, 1x DC Port, 1x Ethernet Port PoE, 1x MicroSD card slot (Up to 512GB), 1x Nano-SIM card slot, 1920x1080 PX maximum Resolution, 30 fps Max Frame rate, H.264 Video Compression, Live View, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection
NET-TL-TAPO-C510W	R 822	TP-Link Tapo C510W Outdoor Pan / Tilt Security WiFi camera, 3.9mm focal length, IR LED up to 30m, 2 x Built-In spotlights, Full-colour Night Vision, 1 x MicroSD card slot, 355 degrees Pan & 90 degrees Tilt, 2K 3MP 2304x1296 Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR, WDR, Two-Way audio with noise cancellation, Motion Detection, Person Detection, Tamper detection, Activity zones, 2.4GHz WiFi
NET-TL-TAPO-C510W-2P	R 1,533	TP-Link Tapo C510W Outdoor Pan / Tilt Security WiFi camera - 2 pack, 3.9mm focal length, IR LED up to 30m, 2 x Built-In spotlights, Full-colour Night Vision, 1 x MicroSD card slot, 355 degrees Pan & 90 degrees Tilt, 2K 3MP 2304x1296 Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR, WDR, Two-Way audio with noise cancellation, Motion Detection, Person Detection, Tamper detection, Activity zones, 2.4GHz WiFi
NET-TL-TAPO-C520WS	R 972	TP-Link Tapo C520WS Outdoor Pan / Tilt Security WiFi camera, 3.18mm focal length, 850 nm IR LED up to 30m, 2x Built-In spotlights, Starlight Colour Night Vision, 1x Ethernet Port, 1x MicroSD card slot (Up to 512GB), IP66 weatherproof rating, 360 degrees horizontal and 130 degrees Vertical view range, 2K QHD 4MP (2560x1440 PX) Resolution, 2.4GHz WiFi, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Built-In Microphone and Speaker, Up to 25/30fps Frame rate, H.264 Video Compression
NET-TL-TAPO-C530WS	R 1,046	TP-Link Tapo C530ws 5MP Outdoor Pan / Tilt Security Wi-Fi camera with 3.2 mm Lens, IR LED up to 30m, Starlight Colour Night Vision, 2 x Built-In spotlights, 3K 5MP (2880x1620) maximum Resolution, 30 fps Max Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 93 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Vehicle Detection, Person Detection, Connect via 2.4GHz Wi-Fi or Ethernet, 1x 10/100 Mbps RJ45 Port on camera
NET-TL-TAPO-C545D	R 1,570	TP-Link C545D Tapo 2K Outdoor Pan / Tilt Dual Lens 360 degress IP Camera with 2.53mm & 6mm Lens, Colour Night Vision, 29.9 m IR LED, 1x RJ45 (10M/100M) Ethernet Port, 1x MicroSD card slot (Up to 512GB), 2K 3MP (2304x1296 PX) 2K 3MP (2304x1296 PX), 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR,

		WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, Connect via Wi-Fi or Ethernet. Wide-angle 165-degree lens and a 6mm telephoto lens-to monitor two areas simultaneously.
NET-TL-TAPO-C560WS	R 1,645	TP-Link Tapo C560WS Outdoor Pan / Tilt Security Wi-Fi camera with 4mm Lens, IR LED fro nightvision, Starlight Colour Night Vision, 2x Built-In spotlights, 4K 8MP (3840x2160) maximum Resolution, 25 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Vehicle Detection, Connect via Wi-Fi or Ethernet, 2.4GHz / 5GHz Wi-Fi
NET-TL-TAPO-C610KIT	R 1,495	TP-Link Tapo C610 Solar-powered Pan / Tilt Security Camera kit with 4mm Lens, IR LED up to 10m, Full-colour Night Vision, 2 x Built-In spotlights, Type-C Output Port on Solar Panel, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 97.2 dBA Siren Volume, MicroSD card slot on camera up to 512GB, Single Motion Sensor, Person Detection, Connect via 2.4GHz Wi-Fi, Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
NET-TL-TAPO-C630-KIT	R 1,720	TP-Link Tapo C630 Solar-powered Pan / Tilt Security Camera kit with 4mm Lens, 16 m Infrared Night Vision, 16 m Colour Night Vision, 2 x Built-In spotlights, Type-C Output Port on solat panel, 3K 5MP (2880x1620) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 78.9 dBA Siren Volume, MicroSD card slot on camera up to 512GB, Motion Sensor, Vehicle Detection, Ambient Light sensors, Connect via 2.4GHz Wi-Fi, Tapo A201 Solar Panel, 6700 mAh Built-In Rechargeable Lithium-ion Battery
NET-TL-TAPO-C660KIT	R 2,243	TP-Link Tapo C660 Solar-powered Security Camera kit with 4mm lens, IR LED up to 12m, Full-colour Night Vision, 2 x Built-In spotlights, 1x MicroSD card slot, 4K 8MP (3840x2160 PX) maximum Resolution, 15 / 20 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single ambient Light sensors, Single Motion Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 AR panel
NET-TL-TAPO-C720	R 2,019	TP-Link Tapo C720 Smart Floodlight camera with 2.1mm lens, 29.9m IR LED Night Vision, Full-colour Night Vision, 2x floodlights 2800 Lumens, 1 x MicroSD card slot (Up to 512 GB), 2560x1440 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3 x PIR motion sensors, 1 x ambient Light Sensor, Motion Detection, Person Detection, Pet detecion, Vehicle Detection, 2.4GHz Wi-Fi, Hardwired only Power source
NET-TL-TAPO-C840	R 2,692	TP-Link TAPO-C840 2K 4MP Tapo Pan / Tilt Dual lense Baby camera, with 2.53mm & 6.2mm Lens, 2560x1440 px 1920x1080 px maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 94 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Baby cry detection, Sleep detection, Motion Detection, Wi-Fi Connection
NET-TL-TAPO-TC40GW	R 1,346	TP-Link Tapo TC40gw Pan Tilt 1080p 4G LTE camera with 3.16mm Lens, 1x Ethernet Port PoE, 1x MicroSD card slot (Up to 512GB), 1x Nano-SIM card slot, 1920x1080 PX maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, Motion Detection, Person Detection, Vehicle Detection, 4G LTE/LAN cable Network connectivity, IP66 weather resistance
NET-TL-TAPO-TC43	R 1,046	TP-Link Tapo 1080p Outdoor Pan / Tilt Wi-Fi camera with 4.0 mm Lens, TC43, Up to 30m IR Light, 2x Built-In spotlights, 1x MicroSD card slot (Up to 512GB), 3K 5MP (2880x1620 PX) maximum Resolution, 30 fps Frame rate Max, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, 1x 10/100 Mbps RJ45 Port on camera Ethernet Port, Wi-Fi, IP66 weather resistance
NET-TL-TAPO-TC82KIT	R 1,121	TP-Link TC82kit 3MP Tapo Smart Wire-Free Security Camera with 3.17 mm Lens and Solar Panel, 850 nm IR LED Night Vision, Full-colour Night Vision, 2 x spotlights Lighting, 1 x MicroSD card slot (Up to 512GB), 2K 3MP 2304x1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 94 dB Siren Volume, single Motion Sensor, single ambient Light sensors, Motion Detection, Person Detection, Connect via Wi-Fi, Built-In Rechargeable Lithium-ion Battery,

		Tapo A201 Solar Panel
NET-TL-TAPO-TC85KIT	R 1,645	TP-Link Tapo TC85 Kit 4MP Smart Wire-Free Security Camera with 2.1mm Lens & Solar Panel - 1 pack, IR LED 15m Night Vision, Full-colour Night Vision, 4x Built-In spotlights, 2K QHD 4MP (2560x1440) maximum Resolution, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 94 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor (FOV 130 degrees horizontal), Single ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Solar Panel included
NET-TL-TC40	R 747	TP-Link TC40 1080p Outdoor Pan / Tilt Security WiFi camera with 3.89mm Lens, IR LED up to 30m, Colour Night Vision, 1920x1080 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 90 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi
NET-TL-TC41	R 822	TP-Link TC41 2K Tapo Outdoor Pan / Tilt Security WiFi camera with 3.9 mm Lens, IR up to 30m, Full-colour Night Vision, 2 x Built-In spotlights, 2304 x 1296 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 90 dB Siren Volume, MicroSD card slot on camera (Up to 512 GB), Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi
NET-TL-TC60	R 411	TP-Link TC60 Home Security Wi-Fi Camera
NET-TL-TC65	R 672	TP-Link Tapo TC65 3MP Outdoor Security Wi-Fi camera, 3MP 2304x1296 Resolution, IR LED up to 30m, 15fps Frame rate, H.264 Video Compression, 2-way audio, Built-In Microphone and Speaker, 2.4GHz Frequency, Motion detection
NET-TL-TC70	R 448	TP-Link TC70 Pan/Tilt Home Security Wi-Fi Camera
NET-TL-TC71	R 485	TP-Link TC71 Pan / Tilt Security Wi-Fi camera with 4mm Lens, 1 x MicroSD card slot (Up to 512GB), 850 nm IR LED up to 10m, 2K 3MP 2304x1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 88dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Connect via Wi-Fi
NET-TL-TC72	R 560	TP-Link TC72 4MP Pan / Tilt AI Home Security Wi-Fi camera with 4mm Lens, IR LED up to 9m, 1x MicroSD card slot (Up to 512GB), 2K QHD 4MP (2560x1440) maximum Resolution, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99dB Siren Volume, Motion Detection, Person Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
OUTDOOR1-EU-GL	R 1,259	Laxihub 4MP/2K Wireless Camera, Outdoor Bullet, Red Dot Design 2021 and iF Design 2021 Winner, 2.4GHz & 5GHz Wi-Fi dual band Wi-Fi connection, 4MP 2K resolution with 110degrees wide angle lens, 3000K Spotlight, H.265 Video Compression, Full Color, Black & White and Smart Night Vision Modes, AI powered human motion detection with customized detection zones, Clear full-dulex two-way audio, Two-way audio through Alexa, Web-RTC supported, With audio & spotlight siren to deter intruders, IP65 weatherproof, good for all seasons, Compatible with Amazon Alexa & the Google Assistant, Support microSD card up to 256 GB and Arenti Cloud Storage Service, Extra-long 180 seconds video captured when motion is detected, 3-Month free trail of cloud storage for rolling 3-day video history based on, AWS Amazon cloud and bank-level encryption technology, Retail Box
P2T	R 639	Laxihub P2T 2K PTZ Camera, Indoor, Cutting-edge design from Italian Red Dot Awarded Designer, Full HD 1080P with 355degrees horizontally and -15degrees~78degrees vertically wide angle view, Enhanced night vision up to 10 meters, AI powered motion, sound detection, Customizable Detection Zone, Clear Two-Way Audio with mic, Auto-tracking, Len on&off, Compatible with Amazon Alexa & the Google Assistant, Support SD card up to 128 GB and Arenti Cloud Storage Service, Extra-long 180 seconds video captured when motion is detected, 3-Month free trial of cloud storage for rolling 3-day video history based, on AWS Amazon cloud and bank-level encryption technology, Retail Box
RE-100	R 1,209	Kguard RE-100 Wireless Reciever, Works with WPB-100 security cameras - Support up to 4 Wireless IP Cameras. Connect to KGuard HD Series NVR using RJ45 network cable.
RL-D340P	R 1,668	Reolink Smart 2k Wired PoE Video Doorbell with Chime, RL-D340P, H.264 Video Format, Built-In 2 microphones & a Speaker, Two-Way audio, Noise Reduction, Echo suppression, 1x RJ45 Ethernet Port, IEEE 802.3af PoE,

		Micro SD card slot (Max 256GB), 2.26mm Lens, IEEE 802.3af PoE, 2560x1920 5 megapixels @ 20fps Video Resolution
RL-DUO-2V-POE	R 2,747	Reolink Duo 2V PoE 4K Dual-Lens 180 degrees Panorama Security Camera with 2.8mm Lens, 5120 x 1552 (8MP) @ 20fps Resolution, H.265 Main Stream Video Compression, 180 horizontal Field of View, 30 meters Infrared Night Vision, Colour Night Vision, Two-Way Audio, 1x 10/100 Mbps RJ45 Ethernet Port, Supports Max 512GB MicroSD card, Built-In Microphone and Speaker, Motion Detection, Person Detection, Vehicle Detection, IP67 Weatherproof
RL-FE-P-W	R 2,064	Reolink FE-P 6MP 360 degrees Fisheye Panoramic Indoor Security IP Camera - White, 1.98mm Lens, 2560x2560 (6.5 megapixels) @ 25fps Video Resolution, H.265 / H.264 Video Compression, 8 meters Infrared Night Vision, Two-Way Audio, 1x 10/100 Mbps RJ45 Ethernet, Built-In Microphone and Speaker, MicroSD card slot - Max 256GB, Motion Detection, AL detection
RL-SOLARPANEL2	R 1,696	Reolink Solar Panel - Connect your Reolink solar powered camera to this solar panel with 4m connection cable to get non-stop power. The 360degree wall mount allows you to easily position the weather resistant solar panel and ensure that it's perfectly positioned to maximize sun light exposure.
RL-TRACKMIX-POE	R 2,869	Reolink TrackMix PoE 4K Dual-Lens PTZ Camera with Motion Tracking. 4K 8MP dual-lens PTZ; PoE-powered; 6x hybrid zoom; auto person/vehicle/animal tracking; IR and spotlight night vision; two-way audio; IP65 weatherproof; ideal for home or business surveillance; supports up to 20 users.
RLC-1212A	R 1,724	Reolink Intelligent 12MP PoE camera with powerful Spotlight & 4mm Lens, 4512 x 2512 12 Megapixel at 20 fps, H.265 Video Format, 30 meters Infrared Night Vision, Colour Night Vision, Two-Way audio, 1x 10/100 Mbps, RJ45 Ethernet, MicroSD card slot, Built-In Microphone and Speaker, Motion Detection / Person Detection / Vehicle Detection / Pet Detection
RLC-1224A	R 1,954	Reolink 12MP UHD PoE camera with Colour Night Vision with 4mm Lens, RLC-1224A, 4512x2512 12 Megapixel at 20 fps, H.265 Video Format, 30 meters Infrared Night Vision, Colour Night Vision, Two-Way audio, 1x 10/100 Mbps RJ45 Ethernet, MicroSD card slot, Built-In Microphone and Speaker, Motion Detection / Person Detection / Vehicle Detection / Pet Detection
RLC-510A	R 907	Reolink 5MP PoE IP Camera with Person / Vehicle Detection with 2.8mm Lens, RLC-510A, 2560 x 1920 5.0 Megapixel at 30 fps, H.264 Video Format, Up to 30 meters Night Vision, Audio recording, 1x 10/100 Mbps RJ45 Ethernet, MicroSD card slot, Built-In Microphone, Person Detection, Vehicle Detection, Motion Detection
RLC-520A	R 942	Reolink 5MP PoE Dome IP Camera with Person / Vehicle Detection with 2.8mm Lens, RLC-520A, 2560x1920 5.0 megapixels at 30 frames/sec, H.264 Video Format, 30 meters Night Vision, Audio recording, One 10/100 Mbps, RJ45 Ethernet, MicroSD card slot, Built-In Microphone, Motion Detection / Person Detection / Vehicle Detection
RLC-810A	R 1,236	Reolink 4K PoE IP Camera with Person / Vehicle Detection with 4mm Lens, RLC-810A, 3840x2160 8.0 megapixels at 25 frames/sec, H.265 Video Format, 30 meters Night Vision, Audio recording, 1x 10/100 Mbps RJ45 Ethernet, MicroSD card slot, Built-In Microphone, Motion Detection, Person Detection, Vehicle Detection, Pet Detection
RLC-811A	R 1,949	Reolink 4K Smart PoE camera with Spotlight & Colour Night Vision with 2.7-13.5mm Zoom Lens, RLC-811A, 5x Optical Zoom, H.265 Video Format, Up to 30 meters Infrared Night Vision, Colour Night Vision, Two-Way audio, 1x 10/100 Mbps RJ45 Ethernet, Micro SD card slot, Built-In Microphone and Speaker, Motion Detection, Person Detection, Vehicle Detection, Pet Detection
RLC-820A	R 1,494	Reolink 4K PoE Outdoor Dome IP Camera with Person / Vehicle Detection with 4mm Lens, RLC-820A, 3840x2160 8.0 megapixels at 25 fps, H.265 Video Format, 30 meters Night Vision, Audio recording, 1x 10/100 Mbps, RJ45 Ethernet, MicroSD card slot, Built-In Microphone, Motion Detection, Person Detection, Vehicle Detection, Pet Detection
RLC-ARGUS-3-PRO	R 1,949	Reolink Argus 3 Pro Smart 2K 4MP Wire-Free camera with motion Spotlight, RLC-ARGUS-3-PRO, Person / Vehicle Detection, 5GHz / 2.4GHz WiFi, 2560x1440 (4.0 megapixels) at 15 frames/sec Video Resolution, H.265 Video Format, Up to 10 meters Infrared Night Vision, 2 pieces Spotlight, Two-Way Audio, PIR detection, Siren, Motion triggered recording, 6000mAh Rechargeable Battery, Supports up to 128GB MicroSD card
RLC-ARGUS-3-ULTRA	R 2,299	Reolink Argus 3 Ultra - Smart 4K Battery / Solar camera, RLC-ARGUS-3-ULTRA, 3840x2160 (8 megapixels) @ 15 fps Resolution, H.265 Video Compression, Colour Night Vision with spotlights, Two-Way audio, 21.6Wh Rechargeable Battery, USB Type-C Port, SD card slot, Built-In Microphone and Speaker, 2.4GHz / 5GHz WiFi, PIR

		detection, Person Detection, Vehicle Detection, Animal detection, Adjustable up to 10m PIR detecting distance, No Solar Panel included
RLC-ARGUS-ECO	R 1,294	Reolink Argus Eco 1080p HD Battery / Solar powered Security Camera, 2304 x 1296 3.0 MP at 15 frames/sec Video Resolution, H.264 Video Compression, Up to 10 meters Night Vision, 6x Digital Zoom, Two-Way audio, PIR detection / Person detection / vehicle detection, 100 degrees horizontal PIR detecting angle, Siren audio alert, Instant Email alerts and Push notifications, 2.4GHz WiFi, 5200mAh Rechargeable Battery, Supports up to 128GB Micro SD card, IP65 weatherproof, Solar Panel purchased separately (Product code: RL-SOLARPANEL2)
RLC-CX810	R 1,834	Reolink CX810 ColorX 4K 8MP PoE IP Camera with True Full-colour Night Vision, RLC-CX810, Ultra HD, 4mm Lens, Security Surveillance, 3840x2160 8MP @ 25fps Resolution, 15m spotlights Colour Night Vision, Two-Way Audio, Supports Maximum 256GB MicroSD card, Built-In Microphone and Speaker, 1x 10/100 Mbps RJ45 Ethernet Ports, IP67 Weatherproof
RLC-E1-ODU	R 2,099	Reolink E1 Outdoor PoE - 4K PTZ camera with auto Tracking and Smart detection, 2.8mm - 8mm zoom Lens, 3840x2160 8.0 megapixels at 25 fps, Up to 12 meters Infrared night Vision, Colour night Vision, Two-Way audio, 1x 10/100 Mbps RJ45 Ethernet Port, MicroSD card slot, Built-In Microphone and Speaker, Pan & tilt, 3x Optical Zoom
TAPO C113	R 449	TP-Link Tapo C113 Indoor / Outdoor Home Security Wi-Fi camera with 3.16mm Lens, IR LED up to 12m HT Vision, 2x White lights, 2x IR lights, 1x MicroSD card slot (Up to 512 GB), 1x USB Type-C Power Port, 2K 3MP (2304x1296) maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Motion Detection, Person Detection, Baby crying detection, Connect via 2.4GHz Wi-Fi
TAPO C216	R 699	TP-Link Tapo C216 Indoor / Outdoor Pan / Tilt Security Wi-Fi camera with 4mm Lens, IR LED up to 12m range, Colour Night Vision, 2304x1296 maximum Resolution, 1 x MicroSD card slot (Up to 512 GB), Live View, 30 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Baby crying detection, Camera tampering, Connect via 2.4GHz Wi-Fi, IP65 weather resistance
TAPO C236	R 849	TP-Link TAPO C236 Pan Tilt Indoor / Outdoor Home Security Wi-Fi camera with 4mm Lens, IR LEDs 20m Night Vision, 2880x1620 maximum Resolution, 1 x MicroSD card slot (Up to 512GB), Live View, 30 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, Baby cry detection, Connect via Wi-Fi 2.4GHz, IP65 weather resistance
TAPO C246D	R 1,299	TP-Link Tapo C246D Indoor / Outdoor Dual Lens Pan / Tilt Security Camera with 2.8mm Lens and 6mm Lens, IR LED up to 12m, Colour Night Vision, 2304 x 1296 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Person Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
TAPO C460 KIT	R 2,149	TP-Link Tapo C460 4K 8MP Solar-powered Security Camera kit with 3.17mm Lens, IR LEDs up to 14.9 m, 2x Built-In spotlights, Colour Night Vision, 1x MicroSD card slot, 4K 8MP (3840x2160 PX) maximum Resolution, 15 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
TAPO C530WS	R 1,049	TP-Link Tapo C530ws 5MP Outdoor Pan / Tilt Security Wi-Fi camera with 3.2 mm Lens, IR LED up to 30m, Starlight Colour Night Vision, 2 x Built-In spotlights, 3K 5MP (2880x1620) maximum Resolution, 30 fps Max Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 93 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Vehicle Detection, Person Detection, Connect via 2.4GHz Wi-Fi or Ethernet, 1x 10/100 Mbps RJ45 Port on camera
TAPO C545D	R 1,649	TP-Link C545D Tapo 2K Outdoor Pan / Tilt Dual Lens 360 degress IP Camera with 2.53mm & 6mm Lens, Colour Night Vision, 29.9 m IR LED, 1x RJ45 (10M/100M) Ethernet Port, 1x MicroSD card slot (Up to 512GB), 2K 3MP (2304x1296 PX) 2K 3MP (2304x1296 PX), 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, Connect via Wi-Fi or Ethernet

TAPO C610 KIT	R 1,549	TP-Link Tapo C610 Solar-powered Pan / Tilt Security Camera kit with 4mm Lens, IR LED up to 10m, Full-colour Night Vision, 2 x Built-In spotlights, Type-C Output Port on Solar Panel, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 97.2 dBA Siren Volume, MicroSD card slot on camera up to 512GB, Single Motion Sensor, Person Detection, Connect via 2.4GHz Wi-Fi, Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
TAPO-C100	R 382	TP-Link Tapo C100 Home Security Wi-Fi Camera, SPEC: 1080p, 2.4 GHz, FEATURE: Motion Detection and Notifications, Sound and Light Alarm, Remote Control, Two-Way Audio, Sharing to Social Medias, Voice Control (Works with Google Assistant and Alexa)
TAPO-C100	R 431	TP-link Tapo C100 home security 1080p WiFi camera, 2.4 GHz Frequency, Motion detection, H.264 Video Compression, 1/3.2" image sensor, Night Vision, Two-way audio audio communication
TAPO-C110	R 373	TP-Link Tapo C110 Home Security Wi-Fi Camera, SPEC: 3MP (2304x1296), 2.4 GHz, FEATURE: Motion Detection and Notifications, Sound and Light Alarm, Remote Control, Two-Way Audio, Voice Control (Works with Google Assistant and Alexa), Local Storage through microSD Card
TAPO-C110	R 468	TP-Link Tapo C110 Home Security Wi-Fi camera, Motion detection Input trigger, Push notification Output notification, H.264 Video Compression, 3MP Video Streaming, 1/2.8 ' ' image sensor, 3MP (2304x1296) Resolution, IR LED (Up to 30 ft), Two-Way audio, Microphone and Speaker
Tapo-C120	R 805	TP-Link Tapo Indoor / Outdoor Security WiFi Cam with 3.17mm Lens, 2K QHD 4MP 2560x1440 Resolution, 20 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 96dB Siren Volume, Motion Detection, Person Detection, Vehicle Detection, Glass-breaking detection, Connect via Wi-Fi
TAPO-C125	R 1,031	TP-Link Tapo C125 AI Home Security Wi-Fi Camera, SPEC: 2K QHD (2560x1440), 2.4 GHz, FEATURE: Smart AI Detection and Notifications (motion, people, pets, cars, abnormal sound), Physical Privacy Mode, Customizable Night Vision (940nm & 850nm), Sound and Light Alarm
TAPO-C125	R 1,029	TP-Link Tapo C125 AI Home Security Wi-Fi Camera, SPEC: 2K QHD (2560x1440), 2.4 GHz, FEATURE: Smart AI Detection and Notifications (motion, people, pets, cars, abnormal sound), Physical Privacy Mode, Customizable Night Vision (940nm & 850nm), Sound and Light Alarm
TAPO-C200	R 468	TP-Link Tapo C200 Pan/Tilt Home Security Wi-Fi Camera
TAPO-C200	R 449	TP-Link Tapo C200 1080P Indoor Pan/Tilt Home Security Wi-Fi Camera - High-Definition Video: Records every image in crystal-clear, C10Pan and Tilt: 360 Degrees horizontal and 114 Degrees vertical range, Advanced Night Vision: Provides a visual distance of up to 30 ft, Motion Detection and Notifications: Notifies you when the camera detects movement Sound and Light Alarm: Trigger light and sound effects to frighten away unwanted visitors, Two-Way Audio: Enables communication through a built-in microphone and speaker, Safe Storage: Locally stores up to 128 GB on a microSD card, equal to 384 hours (16 days) of footage. (Based on laboratory conditions), Voice Control: Free Up Your Hands with Voice Control: Works with the Google Assistant and Amazon Alexa.
TAPO-C201	R 433	TP-Link TAPO-C201 Pan/Tilt Home Security Wi-Fi Camera, SPEC: 1080p, 2.4 GHz, Horizontal 360degees, FEATURE: Pan/Tilt, Motion Detection and Notifications, Sound and Light Alarm, Remote Control, Two-Way Audio, Voice Control (Works with Google Assistant and Alexa), Local Storage
TAPO-C201	R 468	Tapo C201 Pan/Tilt Home Security Wi-Fi Camera; 1080p Full HD; 1920 x 1080 pixels; 360 degree pan coverage; 110.8 degree tilt coverage; night vision up to 12 m; motion tracking; person detection; baby crying detection; two-way audio; microSD up to 512 GB; 2.4 GHz Wi-Fi; RTSP; ONVIF; tabletop or ceiling mount
TAPO-C210	R 468	TP-Link Tapo C210 Pan / Tilt home security Wi-Fi camera, 2.4 GHz Frequency, Motion detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.8" image sensor, 3MP (2304 x 1296) Resolution camera, IR LED up to 30 ft, 2-way audio, Built-In Microphone and Speaker
Tapo-C212	R 574	TP-Link Tapo C212 Pan/Tilt Home Security Wi-Fi Camera, SPEC:2K (2304x1296), 2.4 GHz, Horizontal 360degrees, 1 x Ethernet Port, FEATURE: Pan/Tilt, Smart AI Detection and Notifications (motion, people), Motion Tracking, Sound and Light Alarm, Remote Control, Two-Way Audio, Voice Control
Tapo-C220	R 535	TP-Link Tapo C220 Pan/Tilt AI Home Security Wi-Fi Camera, SPEC:2K QHD (2560x1440), 2.4 GHz, Horizontal 360degrees, FEATURE: Pan/Tilt, Smart AI Detection and Notifications (motion, people, pets, cars, abnormal

		sound), Motion Tracking, Sound and Light Alarm, Remote Control, Two-Way Audio
TAPO-C220	R 549	TP-LINK Tapo C220 Pan Tilt AI Home Security Wi-Fi Camera. Resolution: 2K QHD 2560x1440; Sensor: 1/3 inch CMOS Starlight; Lens: 4 mm F2.0; Field of View: 88d / 75h / 41v; Pan: 340 degree; Tilt: 69 degree; Night Vision: 9 m IR; Frame Rate: 30 fps; Storage: microSD up to 512 GB; Wi-Fi: IEEE 802.11b/g/n/ax 2.4 GHz; Weight: 0.2 kg; Size: 8.6 x 8.5 x 11.7 cm
Tapo-C220	R 618	TP-Link Tapo C220 2K QHD Pan / Tilt AI Home Security Wi-Fi camera with 4mm Lens, IR LED Night Vision up to 10m, 1x MicroSD card slot (Up to 512GB), 2K 4MP QHD (2560x1440) Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3D DNR / BLC Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
TAPO-C225	R 1,029	TP-Link Tapo C225 Pan/Tilt AI Home Security Wi-Fi Camera
TAPO-C225	R 1,069	TP-Link Tapo C225 2K Indoor Pan/Tilt AI Home Security Wi-Fi Camera - Physical Privacy Mode-Maintain privacy with the lens blocked by the housing when physical privacy mode is enabled, Smart AI Detection and Notification-Smart AI indentifies people, pets and vehicles while also recognizing abnormal sounds, notifying users as needed, Pan and Tilt-Provides 360Â° horizontal field of view, Smart Motion Tracking-Tracks and follows a subject, keeping it within the camera ' s field of view, Starlight Sensor-The high-sensitive starlight sensor captures higher-quality images even in low-light conditions, Sound and Light Alarm-Trigger light and sound effects to frighten away unwanted visitors, Two-Way Audio-Enables communication through a built-in microphone and speaker, Easy-Setup-Follow the in-app instructions to easily set up within minutes.
TAPO-C225	R 971	TP-Link Tapo C225 Pan/Tilt AI Home Security Wi-Fi Camera, SPEC: 2K (2560x1440) 4MP, Starlight Sensor, 2.4 GHz Wi-Fi, 802.11b/g/n, 12V/1A Power Adapter, FEATURE: Physical Privacy Mode, Smart AI Detection and Notifications (motion, people, pets, cars
TAPO-C230	R 730	TP-Link Tapo C230 Pan/Tilt Home Security Wi-Fi Camera; pan tilt 360x114; AI detection motion person pet; night vision 12m; two-way audio; microSD up to 512GB
TAPO-C246D	R 1,328	TP-Link Tapo C246D Indoor / Outdoor Dual Lens Pan / Tilt Security Camera with 2.8mm Lens and 6mm Lens, IR LED up to 12m, Colour Night Vision, 2304 x 1296 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Person Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
TAPO-C310	R 699	TP-Link Tapo C310 Outdoor Home Security Wi-Fi camera, 2.4GHz Frequency, Motion Detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.7" image Sensor, 3 MP (2304x1296) Resolution, IR LED up to 30m, 2-way audio, Built-In Microphone and Speaker
TAPO-C310	R 730	TP-Link Tapo C310 Outdoor Home Security Wi-Fi camera with 3.9mm lens - 1 pack, 2.4GHz Frequency, Motion Detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.7" image Sensor, 3 MP (2304x1296) Resolution, IR LED up to 30m, 2-way audio, Built-In Microphone and Speaker
TAPO-C310P2	R 1,301	TP-Link Tapo C310P2 Outdoor Security Wi-Fi Camera, Retail Box
TAPO-C310P2	R 1,328	TP-Link Tapo C310P2 Outdoor Security Wi-Fi Camera, Retail Box
TAPO-C320WS	R 880	TP-Link TAPO C320WS 2K 4MP Resolution Outdoor Security Wi-Fi Camera
TAPO-C320WS	R 849	TP-Link TAPO C320WS 2K Outdoor Security Wi-Fi Camera - 2K QHD-Records every image in crystal-clear 2560x1440 definition, Wired or Wireless Networking-Connect your camera to the network through Ethernet or WiFi for more flexible installation, Full-Color Night Vision-Bring you a colorful video even at night, Starlight Night Vision-The high-sensitive starlight sensor captures higher-quality images even in low-light conditions, Motion Detection and Notifications-Notifies you when the camera detects movement, Sound and Light Alarm-Trigger light and sound effects to frighten away unwanted visitors, Two-Way Audio-Enables communication through a built-in microphone and speaker, Safe Storage-Locally stores up to 256 GB 2K QHD video on a microSD card, offering convenient access to your video footage, Voice Control-Free Up Your Hands with Voice Control: Works with the Google Assistant and Amazon Alexa
TAPO-C320WS	R 842	TP-Link TAPO C320WS Outdoor Security Wi-Fi Camera, SPEC: 2K QHD (2560x1440), 2.4 GHz, 2T2R, 2 x

		External Antennas, 1 x Ethernet Port, FEATURE: Smart AI Detection and Notifications (motion, people, cars), Color Night Vision, Sound and Light Alarm, Remote Control, Two-Way Audio
TAPO-C325WB	R 1,599	TP-Link Tapo C325WB Outdoor Security Wi-Fi Camera, Retail Box. Wide-angle view of 127 degrees.
TAPO-C325WB	R 1,478	TP-Link Tapo C325WB Outdoor Security Wi-Fi Camera, Retail Box. Wide-angle view of 127 degrees.
TAPO-C401-KIT	R 1,104	Tapo C401 KIT Solar-Powered Security Camera Kit; 1080p Full HD; 5200mAh rechargeable battery; up to 180-day backup battery life; color night vision; person detection; two-way audio; IP65; 2.4GHz Wi-Fi; microSD up to 512GB; solar panel included
Tapo-C410-KIT	R 1,179	TP-Link C410 kit Tapo 2K 3MP Solar-powered Security Camera kit with 3mm Lens, 9.1 m IR LED Night Vision, Full-colour Night Vision, 2x spotlights, Type-C Output Port for Solar Panel, 2K 3MP 2304x1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz, 6400 mAh Built-In Rechargeable Lithium-ion Battery
TAPO-C410-KIT-3-PACK	R 3,445	TP-Link C410 kit Tapo 2K 3MP Solar-powered Security Camera kit with 3mm Lens - 3 Pack, 9.1 m IR LED Night Vision, Full-colour Night Vision, 2x spotlights, Type-C Output Port for Solar Panel, 2K 3MP 2304 x 1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz, 6400 mAh Built-In Rechargeable Lithium-ion Battery
TAPO-C420S2	R 2,774	TP-Link Tapo C420S2 Smart Wire-Free Security Camera, 2 Camera System, SPEC: 2 Ã— Tapo C420, 1 Ã— Tapo H200, 2K (2560x1440), 2.4 GHz, 5200mAh rechargable lithium-ion battery, Sub-1GHz, FEATURE: 180days battery life, Full-color vision, Smart Detection and Notifications
TAPO-C420S2	R 3,686	TP-Link Tapo C420S2 Smart Wire-Free Security Camera, 2 Camera System, SPEC: 2 x Tapo C420, 1 x Tapo H200, 2K (2560x1440), 2.4 GHz, 5200mAh rechargable lithium-ion battery, Sub-1GHz, FEATURE: 180days battery life, Full-color vision, Smart Detection and Notifications
TAPO-C425	R 1,913	TP-Link Tapo C425 Smart Wire-Free Security Camera, SPEC:2K QHD (2560x1440), 2.4 GHz, 10000mAh rechargeable lithium-ion battery, FEATURE: 365 days battery life, Smart Detection and Notifications (motion, people, pets, cars), Color Night Vision, Sound and Light Alarm, Remote C"
TAPO-C425	R 1,628	TP-Link Tapo C425 Smart Wire-Free Security Camera, SPEC:2K QHD (2560x1440), 2.4 GHz, 10000mAh rechargeable lithium-ion battery, FEATURE: 365 days battery life, Smart Detection and Notifications (motion, people, pets, cars), Color Night Vision, Sound and Light Alarm, Remote C"
TAPO-C425	R 1,799	TP-Link Tapo C425 4MP Smart Wire-Free Security Camera, 2.1mm Lens, 150 degree FOV, 2x Built-In spotlights, 2K QHD 4MP 2560x1440 Resolution, Supports live View, 2560x1440 30fps Frame rate Video Streaming, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3DNR, WDR, Supports MicroSD card (Up to 512GB), Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery
TAPO-C425(2-PACK)	R 3,049	TP-Link Tapo C425 4MP Smart Wire-Free Security Camera - 2 pack, 2.1mm Lens, 150 degree FOV, 2x Built-In spotlights, 2K QHD 4MP 2560x1440 Resolution, Supports live View, 2560x1440 30fps Frame rate Video Streaming, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3DNR, WDR, Supports MicroSD card (Up to 512GB), Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery
Tapo-C425-KIT	R 1,702	TP-Link Tapo C425 Solar-Powered Security Camera Kit, 1 x Tapo C425, 1 x Tapo A201, SPEC: 2K QHD (2560x1440), 2.4 GHz, 10000mAh rechargeable lithium-ion battery, Solar panel (5.2V, 2.5W), FEATURE: Non-Stop Power, Flexible Solar Installation, Smart Detection and Notifications
TAPO-C500	R 767	TP-Link Tapo C500 Outdoor Pan/Tilt Security Wi-Fi Camera
TAPO-C500	R 763	TP-Link Tapo C500 Outdoor Pan/Tilt Security Wi-Fi Camera, SPEC: 1080p (1920*1080), 2.4 GHz, Horizontal 360degree FEATURE: Pan/Tilt, Smart Detection and Notifications (motion, people), Sound Alarm, Remote Control, Two-Way Audio, Voice Control (Works with Google Assistant and Alexa)
TAPO-C500	R 749	TP-Link Tapo C500 Full HD 1920x1080 Outdoor Pan / Tilt Security Wi-Fi camera, 850 nm IR LED up to 30m night

		Vision, 2.4GHz Frequency, Motion detection, Person detection, H.264 Video Compression, 15 fps Frame rate, 1080p Video Streaming, 2-way audio, Built-In Microphone and Speaker
Tapo-C501GW	R 1,403	TP-Link Tapo Outdoor Pan / Tilt 4G LTE camera with 3.7mm Lens, TP-TAPO-C501GW, 30m Infrared Light, 1x DC Port, 1x Ethernet Port PoE, 1x MicroSD card slot (Up to 512GB), 1x Nano-SIM card slot, 1920x1080 PX maximum Resolution, 30 fps Max Frame rate, H.264 Video Compression, Live View, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection
TAPO-C510W	R 805	TP-Link Tapo C510W Outdoor Pan / Tilt Security WiFi camera, 3.9mm focal length, IR LED up to 30m, 2 x Built-In spotlights, Full-colour Night Vision, 1 x MicroSD card slot, 355 degrees Pan & 90 degrees Tilt, 2K 3MP 2304x1296 Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR, WDR, Two-Way audio with noise cancellation, Motion Detection, Person Detection, Tamper detection, Activity zones, 2.4GHz WiFi
TAPO-C520WS	R 1,029	TP-Link Tapo C520WS Outdoor Pan/Tilt Security Wi-Fi Camera, Retail Box
TAPO-C520WS	R 971	TP-Link TAPO C520WS Outdoor Pan/Tilt Security Wi-Fi Camera, SPEC: 2K QHD (2560x1440), 2.4 GHz, 2T2R, 2 x External, Antennas, 1 x Ethernet Port, Horizontal 360degrees, FEATURE: Pan/Tilt, Starlight Color Night Vision, Smart AI Detection and Notifications (motion, people, pets, cars)
TAPO-C660-KIT	R 2,301	TP-Link Tapo C660 Solar-powered Security Camera kit with 4mm lens, IR LED up to 12m, Full-colour Night Vision, 2 x Built-In spotlights, 1 x MicroSD card slot, 4K 8MP (3840x2160 PX) maximum Resolution, 15 / 20 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single ambient Light sensors, Single Motion Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 AR panel
TAPO-C720	R 2,076	TP-Link Tapo C720 Smart Floodlight Camera, SPEC: 2K QHD (2560x1440), 2.4 GHz, 2800 Lumens (5000K Color Temperature), 270degrees Passive Infrared Sensor, FEATURE: Ultra-Bright Dimmable Floodlight, Motion-Activated, Motion Tagging, Smart AI Detection and Notifications (motion, people)
TAPO-TC70	R 735	TP-Link Tapo TC70 Pan/Tilt Home Security Wi-Fi 1080p camera, Storage up to 128GB Micro SD card, 2.4 GHz Frequency, Motion detection, Push notification, H.264 Video Compression, 15fps Frame rate, 1080p Video Streaming, 1/2.9" image sensor, 1080p Full HD Resolution, 850 nm IR LED up to 30 ft night Vision, 360 degrees horizontal, 114 degrees vertical view range, 2-way audio, Built-In Microphone and Speaker
TAPOC420	R 1,332	TP-Link TAPO-C420 2K QHD Smart Wire-Free Security Camera, 2K QHD 2560x1440 Resolution, 2.4GHz Wi-Fi, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, H.264 Video Compression, 15 / 20 fps Frame rate, 2-way audio, Built-In Microphone and Speaker, 180-day Battery Life, Full-colour Night Vision, Light and sound alarm, IP65 water & dust resistant
TAPOC420S2	R 2,525	TP-Link Tapo C420S2 Smart Wire-Free Security Camera, 2 Camera System
TC60	R 431	TP-Link Tapo TC60 Home Security Wi-Fi 1080p camera, Storage up to 128GB Micro SD card, 2.4 GHz Frequency, Motion detection, Push notification, H.264 Video Compression, 1080p Video Streaming, 1/3.2" image sensor, 1080p Full HD Resolution, 850 nm IR LED (Up to 30 ft) night Vision, Two-Way audio, Microphone and Speaker
TC65	R 730	TP-Link Tapo TC65 3MP Outdoor Security Wi-Fi camera, 3MP 2304x1296 Resolution, IR LED up to 30m, 15fps Frame rate, H.264 Video Compression, 2-way audio, Built-In Microphone and Speaker, 2.4GHz Frequency, Motion detection
TC70	R 468	TP-Link Tapo TC70 Pan/Tilt Home Security Wi-Fi 1080p camera, Storage up to 128GB Micro SD card, 2.4 GHz Frequency, Motion detection, Push notification, H.264 Video Compression, 15fps Frame rate, 1080p Video Streaming, 1/2.9" image sensor, 1080p Full HD Resolution, 850 nm IR LED up to 30 ft night Vision, 360 degrees horizontal, 114 degrees vertical view range, 2-way audio, Built-In Microphone and Speaker
TL-VIGI-C400HP-2.8	R 689	TP-Link C400HP Vigi 3MP Turret IP Network camera, 2.8 mm fixed Lens, H.265 , POE/12v DC, Smart detection, Smartvid, IP67, ONVIF, Remote monitoring, 1/2.7" Progressive Scan CMOS image sensor, Area intrusion detection, Line-crossing detection, 1x RJ45 10/100 Mbit self-adaptive Ethernet Port
TL-VIGI-C400HP-4	R 689	TP-Link C400HP Vigi 3MP Turret IP Network camera, 4.0 mm fixed Lens, H.265 , POE/12v DC, Smart detection, Smartvid, IP67, ONVIF, Remote monitoring, 1/2.7" Progressive Scan CMOS image sensor, Area intrusion detection, Line-crossing detection, 1x RJ45 10/100 Mbit self-adaptive Ethernet Port
TL-VIGI-C420I-2.8MM	R 505	TP-Link C420I 2MP IR Turret Network camera with 2.8mm Lens, 3D DNR, DWDR, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range IR LED, BLC / 3D DNR / HLC /

		SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Motion detection, Human & vehicle classification,
TP-DECOX55-3P	R 4,037	TP-Link Deco X55 AX3000 Whole Home Mesh Wi-Fi 6 System (3 Pack). The TP-Link Deco X55 AX3000 Whole Home Mesh Wi-Fi 6 System (3 Pack) offers high-speed Wi-Fi coverage up to 6,500 sq. ft., making it ideal for large homes. With Wi-Fi 6 technology, it supports faster speeds and increased capacity, ensuring smooth performance for all your devices. The system ' s AI-driven mesh technology intelligently adapts to your network environment, optimizing performance. Each unit includes 3 Gigabit Ethernet ports, providing wired connections for devices that require stable, high-speed links. TP-Link ' s HomeShield security offers advanced protection for your network, and the Deco app simplifies setup and management.
TP-TAPO-C100	R 411	TP-link Tapo C100 home security 1080p WiFi camera, 2.4 GHz Frequency, Motion detection, H.264 Video Compression, 1/3.2" image sensor, Night Vision, Two-way audio audio communication
TP-TAPO-C110	R 433	TP-Link Tapo C110 Home Security Wi-Fi camera, Motion detection Input trigger, Push notification Output notification, H.264 Video Compression, 3MP Video Streaming, 1/2.8" image sensor, 3MP (2304 x 1296) Resolution, IR LED (Up to 30 ft), Two-Way audio, Microphone and Speaker
TP-TAPO-C113	R 523	TP-Link Tapo C113 Indoor / Outdoor Home Security Wi-Fi camera with 3.16mm Lens, IR LED up to 12m HT Vision, 2x White lights, 2x IR lights, 1x MicroSD card slot (Up to 512 GB), 1x USB Type-C Power Port, 2K 3MP (2304x1296) maximum Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88 dB Siren Volume, Motion Detection, Person Detection, Baby crying detection, Connect via 2.4GHz Wi-Fi
TP-TAPO-C201	R 448	TP-Link Tapo C201 Pan / Tilt Home Security WiFi camera with 4mm Lens, IR LED up to 12m range, 1x MicroSD card slot (Up to 512 GB), 1080p HD (1920x1080) maximum Resolution, Supports 15 fps by Default Frame rate, 30 fps Maximum Frame rate, H.264 Video Compression, Live View, 3D DNR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 93dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Connect via 2.4GHz Wi-Fi
TP-TAPO-C210	R 485	TP-Link Tapo C210 Pan / Tilt home security Wi-Fi camera, 2.4 GHz Frequency, Motion detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.8" image sensor, 3MP (2304 x 1296) Resolution camera, IR LED up to 30 ft, 2-way audio, Built-In Microphone and Speaker
TP-TAPO-C211	R 485	TP-Link Tapo C211 Pan / Tilt Home Security WiFi camera with 4mm Lens, IR LED up to 9 m range, 1 x MicroSD card slot (Up to 512 GB), 2K 3MP (2304 x 1296) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3D DNR / WDR Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 88dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Connect via 2.4GHz Wi-Fi
TP-TAPO-C216	R 672	TP-Link Tapo C216 Indoor / Outdoor Pan / Tilt Security Wi-Fi camera with 4mm Lens, IR LED up to 12m range, Colour Night Vision, 2304x1296 maximum Resolution, 1 x MicroSD card slot (Up to 512 GB), Live View, 30 fps Frame rate, H.264 Video Compression, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Baby crying detection, Camera tampering, Connect via 2.4GHz Wi-Fi, IP65 weather resistance
TP-TAPO-C220	R 560	TP-Link Tapo C220 2K QHD Pan / Tilt AI Home Security Wi-Fi camera with 4mm Lens, IR LED Night Vision up to 10m, 1x MicroSD card slot (Up to 512GB), 2K 4MP QHD (2560x1440) Resolution, 15 / 20 / 25 / 30 fps Frame rate, H.264 Video Compression, Live View, 3D DNR / BLC Image enhancement, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99dB Siren Volume, Motion Detection, Person Detection, BabyCry detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi
TP-TAPO-C225	R 972	TP-Link Tapo C225 Pan Tilt AI Home Security Wi-Fi IP Camera, 4mm focal length, 850nm IR LED Night Vision, 940nm IR LED Night Vision, 360 degrees horizontal & 149 degrees Vertical view range, 2K QHD 4MP 2688x1520 Resolution, 2.4GHz WiFi, H.264 Video Compression, Two-Way audio, Built-In Microphone and Speaker
TP-TAPO-C246D	R 1,271	TP-Link Tapo C246D Indoor / Outdoor Dual Lens Pan / Tilt (Manual on wide-angle pan/tilt on telephoto camera) Security Camera with 2.8mm Lens and 6mm Lens, IR LED up to 12m, Colour Night Vision, 3MP (3 Megapixels) per camera, 2304 x 1296 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR,

		WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Person Detection, Vehicle Detection, Connect via 2.4GHz Wi-Fi. Wide-angle view and telephoto coverage. Both videos streams and record simultaneously.
TP-TAPO-C310	R 672	TP-Link Tapo C310 outdoor home security Wi-Fi camera, 2.4 GHz Frequency, Motion detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.7" image sensor, 3 MP (2304x1296) Resolution, IR LED up to 30m, 2-way audio, Built-In Microphone and Speaker
TP-TAPO-C320WS	R 822	TP-Link Tapo C320WS Outdoor Security 4MP Wi-Fi camera, 3.18 mm focal length, 850 nm IR LED up to 98 ft (30m), 2x Built-In spotlights, 1x Ethernet Port, 1x MicroSD card slot (Up to 512 GB), 4MP 2560x1440 Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, 2.4GHz WiFi, 1x 10/100 Mbps RJ45 Port on camera
TP-TAPO-C400-KIT	R 1,046	TP-Link Tapo C400 Solar-powered Security Camera kit with 3.16mm Lens, IR LED up to 10m, 2 White lights, Colour Night Vision, Compatible with H200 & H500 Hub, 1080p 2MP (1920x1080) maximum Resolution, 15fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio, 70 dBA Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor, Motion Detection, Person Detection, Connect via 2.4 Wi-Fi, Solar Panel, Built-In Rechargeable Lithium-ion Battery
TP-TAPO-C410-KIT	R 1,121	TP-Link C410 kit Tapo 2K 3MP Solar-powered Security Camera kit with 3mm Lens, 9.1 m IR LED Night Vision, Full-colour Night Vision, 2x spotlights, Type-C Output Port for Solar Panel, 2K 3MP 2304x1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz, 6400 mAh Built-In Rechargeable Lithium-ion Battery
TP-TAPO-C425-KIT	R 1,645	TP-Link Tapo C425 Solar-Powered Security Camera Kit, 1 x Tapo C425, 1 x Tapo A201, SPEC: 2K QHD (2560x1440), 2.4 GHz, 10000mAh rechargeable lithium-ion battery, Solar panel (5.2V, 2.5W), FEATURE: Non-Stop Power, Flexible Solar Installation, Smart Detection and Notifications
TP-TAPO-C460-KIT	R 2,094	TP-Link Tapo C460 4K 8MP Solar-powered Security Camera kit with 3.17mm Lens, IR LEDs up to 14.9 m, 2x Built-In spotlights, Colour Night Vision, 1x MicroSD card slot, 4K 8MP (3840x2160 PX) maximum Resolution, 15 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single Motion Sensor, Single ambient Light sensors, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
TP-TAPO-C465	R 1,944	TP-Link TAPO-C465 4K QHD (3840x2160) Battery-Powered Security Camera with 3.17mm Lens and Built-In Solar Panel, 7800mAh Rechargeable Lithium-ion Battery, Ir-mode / Full-colour mode Night Vision, 2 x Built-In spotlights, 15fps Frame rate, H.265 / H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 80 dBA Siren Volume, MicroSD card slot on camera (Up to 512GB), Single Motion Sensor, Single ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz & 5GHz, IP65 weather resistance
TP-TAPO-C500	R 747	TP-Link Tapo C500 Full HD 1920x1080 Outdoor Pan / Tilt Security Wi-Fi camera, 850 nm IR LED up to 30m night Vision, 2.4GHz Frequency, Motion detection, Person detection, H.264 Video Compression, 15 fps Frame rate, 1080p Video Streaming, 2-way audio, Built-In Microphone and Speaker
TP-TAPO-C520WS	R 972	TP-Link Tapo C520WS Outdoor Pan / Tilt Security WiFi camera, 3.18mm focal length, 850 nm IR LED up to 30m, 2x Built-In spotlights, Starlight Colour Night Vision, 1x Ethernet Port, 1x MicroSD card slot (Up to 512GB), IP66 weatherproof rating, 360 degrees horizontal and 130 degrees Vertical view range, 2K QHD 4MP (2560x1440 PX) Resolution, 2.4GHz WiFi, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Built-In Microphone and Speaker, Up to 25/30fps Frame rate, H.264 Video Compression
TP-TAPO-C545D	R 1,570	TP-Link C545D Tapo 2K Outdoor Pan / Tilt Dual Lens 360 degress IP Camera with 2.53mm & 6mm Lens, Colour Night Vision, 29.9 m IR LED, 1x RJ45 (10M/100M) Ethernet Port, 1x MicroSD card slot (Up to 512GB), 2K 3MP (2304x1296 PX) 2K 3MP (2304x1296 PX), 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, Connect via Wi-Fi or Ethernet

TP-TAPO-C560WS	R 1,645	TP-Link Tapo C560WS Outdoor Pan / Tilt Security Wi-Fi camera with 4mm Lens, IR LED fro nightvision, Starlight Colour Night Vision, 2x Built-In spotlights, 4K 8MP (3840x2160) maximum Resolution, 25 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 99 dB Siren Volume, MicroSD card slot on camera (Up to 512GB), Motion Detection, Vehicle Detection, Connect via Wi-Fi or Ethernet, 2.4GHz / 5GHz Wi-Fi
TP-TAPO-C610-KIT	R 1,495	TP-Link Tapo C610 Solar-powered Pan / Tilt Security Camera kit with 4mm Lens, IR LED up to 10m, Full-colour Night Vision, 2 x Built-In spotlights, Type-C Output Port on Solar Panel, 2K 3MP (2304x1296) maximum Resolution, 15 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 97.2 dBA Siren Volume, MicroSD card slot on camera up to 512GB, Single Motion Sensor, Person Detection, Connect via 2.4GHz Wi-Fi, Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
TP-TAPO-C615F-KIT	R 1,794	TP-Link Tapo C615F kit 2K 3MP (2304x1296) Solar-powered Floodlight Pan / Tilt Security Camera kit with 4mm Lens, 10400mAh Rechargeable Lithium-ion Battery, Solar Panel (5.2V, 2.5W), 800 Lumen Floodlight (4000K Colour temperature), 10 m IR LEDs Night Vision, Full-colour Night Vision, 2x Built-In spotlights, 1x MicroSD card slot (Up to 512GB), 2K 3MP (2304 x 1296 PX) maximum Resolution, Up to 20 fps Frame rate, Live View, 3D DNR, BLC, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 97 dB Siren Volume, Single Motion Sensor, Single ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Connect via Wi-Fi 2.4GHz, Tapo A201 Solar Panel, IP65 weather resistance
TP-TAPO-C615G-KIT	R 2,019	TP-Link Tapo C615G Solar-powered Pan / Tilt 4G LTE Security Camera kit with 4mm Lens, IR LED nightvisiion, Colour Night Vision, 2 x Built-In spotlights, Type-C Output Port on Solar Panel, 2K 3MP (2304x1296) maximum Resolution, 15 / 20 fps Frame rate, Live View, 3D DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 98.6 dBA Siren Volume, MicroSD card slot on camera up to 512GB, Single Motion Sensor, Motion Detection, Vehicle Detection, Connect via 4G Network connectivity, 6700mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
TP-TAPO-C630-KIT	R 1,720	TP-Link Tapo C630 Solar-powered Pan / Tilt Security Camera kit with 4mm Lens, 16 m Infrared Night Vision, 16 m Colour Night Vision, 2 x Built-In spotlights, Type-C Output Port on solat panel, 3K 5MP (2880x1620) maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 78.9 dBA Siren Volume, MicroSD card slot on camera up to 512GB, Motion Sensor, Vehicle Detection, Ambient Light sensors, Connect via 2.4GHz Wi-Fi, Tapo A201 Solar Panel, 6700 mAh Built-In Rechargeable Lithium-ion Battery
TP-TAPO-C645D-KIT	R 2,842	TP-Link Tapo C645D kit 2x 2K 3MP (2304x1296) Solar-powered Dual-Lens Pan / Tilt Security Camera kit, 2.53 mm Lens and 6mm Lens, fixed 2K Ultra-Wide 165 degrees Lens and a 2K Pan / Tilt telephoto Lens, 7800mAh Rechargeable Lithium-ion Battery, All-in-One Solar Panel, Colour Night Vision, 6 x Built-In spotlights, 10m IR LED Night Vision, 2 x Alarm lights, 1 x indicator LED, 1 x MicroSD card slot (Up to 512GB), 2K 3MP (2304x1296 PX) fixed Lens, 2K 3MP (2304x1296 PX) Pan / Tilt Lens, 15fps Frame rate, live View, 3D DNR, BLC, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 64.4 dB Siren Volume, three motion sensors, Ambient Light Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel, Type-C Output Port Solar Panel, IP65 weather resistance
TP-TAPO-C660-KIT	R 2,243	TP-Link Tapo C660 Solar-powered Security Camera kit with 4mm lens, IR LED up to 12m, Full-colour Night Vision, 2 x Built-In spotlights, 1 x MicroSD card slot (for MicroSD up to 512GB, not included), 4K 8MP (3840x2160 PX) maximum Resolution, 15 / 20 fps Frame rate, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Single ambient Light sensors, Single Motion Sensor, Motion Detection, Person Detection, Pet Detection, Vehicle Detection, Wi-Fi, 10000 mAh Built-In Rechargeable Lithium-ion Battery, Tapo A201 AR panel
TP-TAPO-C720	R 2,019	TP-Link Tapo C720 Smart Floodlight camera with 2.1mm lens, 29.9m IR LED Night Vision, Full-colour Night Vision, 2x floodlights 2800 Lumens, 1 x MicroSD card slot (Up to 512 GB), 2560x1440 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 3 x PIR motion sensors, 1 x ambient Light Sensor, Motion Detection, Person Detection, Pet detecion, Vehicle Detection, 2.4GHz Wi-Fi, Hardwired only Power source

TP-TAPO-TC41	R 822	TP-Link TC41 2K Tapo Outdoor Pan / Tilt Security WiFi camera with 3.9 mm Lens, IR up to 30m, Full-colour Night Vision, 2 x Built-In spotlights, 2304 x 1296 PX maximum Resolution, 15 fps Frame rate, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, 90 dB Siren Volume, MicroSD card slot on camera (Up to 512 GB), Motion Detection, Person Detection, Connect via 2.4GHz Wi-Fi
TP-TAPO-TC43	R 1,046	TP-Link Tapo 1080p Outdoor Pan / Tilt Wi-Fi camera with 4.0 mm Lens, TC43, Up to 30m IR Light, 2x Built-In spotlights, 1x MicroSD card slot (Up to 512GB), 3K 5MP (2880x1620 PX) maximum Resolution, 30 fps Frame rate Max, H.264 Video Compression, Live View, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way Audio with noise cancellation, Motion Detection, Person Detection, Vehicle Detection, 1x 10/100 Mbps RJ45 Port on camera Ethernet Port, Wi-Fi, IP66 weather resistance
TP-TAPO-TC82-KIT	R 1,121	TP-Link TC82kit 3MP Tapo Smart Wire-Free Security Camera with 3.17 mm Lens and Solar Panel, 850 nm IR LED Night Vision, Full-colour Night Vision, 2 x spotlights Lighting, 1 x MicroSD card slot (Up to 512GB), 2K 3MP 2304x1296 maximum Resolution, 15 fps Frame rate, H.264 Video Compression, 3DNR, WDR, Built-In Microphone and Speaker, Two-Way audio with noise cancellation, 94 dB Siren Volume, single Motion Sensor, single ambient Light sensors, Motion Detection, Person Detection, Connect via Wi-Fi, Built-In Rechargeable Lithium-ion Battery, Tapo A201 Solar Panel
TP-VIGI-C220I-28	R 577	TP-Link Vigi C220I 2MP Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 30m IR working distance, ONVIF, Two streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, People detection, Vehicle Detection, Motion Detection, 2MP (1920x1080) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
TP-VIGI-C230I-MINI-28	R 794	TP-Link C230I Mini Vigi 3MP IR Mini Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-C240-28	R 866	TP-Link C240 Vigi 4MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range 1 IR LED, 30m range 1 White LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Audio Input, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Built-In Microphone, Motion detection, Human & vehicle classification
TP-VIGI-C240I-28	R 758	TP-Link Vigi C240I IR Dome Network camera with 2.8mm Lens, 3D DNR Digital Noise Reduction, DWDR, IP67 weatherproof rating, 30m IR working distance, No White LEDs, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, DC Power Port, Motion Detection, Video tampering detection, Exception (Illegal Login), 4MP 2560x1440 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 1 region of interest, H.265 / H.265 / H.264 / H.264 Video Compression
TP-VIGI-C320I-28	R 541	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
TP-VIGI-C320I-4	R 541	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
TP-VIGI-C330L-4	R 613	TP-Link C330L Vigi 3MP Outdoor Bullet Network camera with 4mm Lens, 30m IR working distance, 3D DNR, DWDR wide Dynamic range, IP67 weatherproof rating, 2304 x 1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
TP-VIGI-C340-28	R 866	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection

TP-VIGI-C340-4	R 866	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
TP-VIGI-C340-W-4	R 1,155	TP-Link Vigi C340-W 4MP Outdoor Full-colour Wi-Fi Bullet Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 2.4GHz WiFi, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
TP-VIGI-C340I-28	R 686	TP-Link Vigi C340I 4MP Outdoor Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 30m IR working distance, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, People detection, Motion Detection, 4MP (2560x1440) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
TP-VIGI-C340I-4	R 686	TP-Link Vigi C340I 4MP Outdoor Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 30m IR working distance, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, People detection, Motion Detection, 4MP (2560x1440) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
TP-VIGI-C340S-4	R 1,950	TP-Link VIGI-C340 4MP Outdoor ColorPro Night Vision Bullet Network camera with 4mm Lens, 4 White LED with 30m illumination distance, No IR LED, 3D DNR Digital Noise Reduction, IP67 Weatherproof rating, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, Motion Detection, Video tampering detection, Exception (Illegal Login), Supports simultaneous detection and Capture of human Body and vehicle, People & vehicle analytics, Face Capture, Face comparison, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Built-In Microphone, Built-In Speaker, Built-In Memory card slot, Support MicroSD card up to 256 GB
TP-VIGI-C350-4	R 1,083	TP-Link C350 Vigi 5MP Outdoor Full-colour Bullet PoE Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Two-Way audio, Human & vehicle classification, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI
TP-VIGI-C540-4	R 1,228	TP-Link Vigi C540 4MP Outdoor Full-colour Pan / Tilt Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
TP-VIGI-C540-4G-4	R 1,950	TP-Link Vigi C540-4g 4MP Outdoor full Colour 4G Pan Tilt Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2560x1440 maximum Resolution, Video Compression - H.265 / H.265 / H.264 / H.264, BLC / 3D DNR / HLC / SmartIR, DWDR, 1 region ROI, Two-Way audio, ONVIF, 2 Main streams & 2 Sub-Streams simultaneous live View, 4G Nano SIM slot, Motion Detection, Human & Vehicle Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-C540-W-4	R 1,372	TP-Link Vigi C540-W 4MP Outdoor Full-colour Pan / Tilt Wi-Fi Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 2.4GHz WiFi, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
TP-VIGI-C540S-4	R 2,384	TP-Link Vigi C540S Vigi 4MP Outdoor ColorPro Night Vision Pan Tilt Network camera with 4mm Lens, Pan / Tilt, 2 White LED with 30m range, No IR LED, 2688x1520 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC, 120dB wide Dynamic range, 1 region ROI, Two-Way audio, ONVIF, 3 main streams & 3 Sub-Streams,

		Motion Detection, Video tampering detection, Exception (Illegal Login), 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, IP66 protection
TP-VIGI-C540V	R 1,589	TP-Link Vigi C540V 4MP Outdoor Full-colour Dual-Lens Varifocal Pan Tilt Network camera, 3x mixed Zoom, ONVIF, 3 main streams & 3 Sub-Streams, IP66 protection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Motion Detection, Video tampering detection, Exception (Illegal Login), 4-12 mm (Mixed Zoom) focal length, Pan / Tilt, Two-Way audio, 1 IR LED with 30m range, 3 White LED with 30m range, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI
TP-VIGI-S225-28	R 866	TP-Link Vigi InSight S225 2MP Full-colour Dome Camera with 2.8mm Lens, IR LED & White LED 30m range, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, DWDR wide Dynamic range, 1 region ROI, Audio Input, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, IP67 Waterproof, IK10 vandal proof
TP-VIGI-S245-4	R 1,444	TP-Link Vigi InSight S245 4MP Full-colour Dome Camera with 4mm Lens, IR LED & White LED up to 30m, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-S245ZI	R 2,600	TP-Link Vigi InSight S245zi 4MP 5x Zoom Varifocal Dome Camera, Motorized Varifocal Lens 2.7 - 13.5 mm, 2688x1520 maximum Resolution, IR Light 60m range, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 1 Alarm in, 1 Alarm out, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, 1x audio in, 1x audio out
TP-VIGI-S285-28	R 1,806	TP-Link InSight S285 Vigi 8MP Full-colour Dome Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-S285-4	R 1,806	TP-Link InSight S285 Vigi 8MP Full-colour Dome Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / Smart IR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Enhanced with human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-S345-28	R 1,444	TP-Link Vigi InSight S345 4MP Full-colour Bullet Camera with 2.8mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-S345-4	R 1,372	TP-Link Vigi S345 4MP Full-colour Bullet Camera with 4mm Lens, IR LED & White LED 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, People detection, Vehicle Detection, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-S345-4G-4	R 2,673	TP-Link InSight S345-4G Vigi 4MP Outdoor Full-colour 4G Bullet Network camera with 4mm Lens, 2 IR LED up to

		50m range, 2 White LED up to 30m range, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, Built-In Microphone, Built-In Speaker, 3 Main streams & 3 Sub-Streams simultaneous live View, 4G LTE standard, Nano SIM, Category 4, 50 Mbps Uplink, 150 Mbps downlink, 2 antenna, Motion Detection, Enhanced with human & vehicle classification, 3x RJ45 10/100 Mbit LAN Ports Network Interface, Built-In Memory card slot support MicroSD card up to 512GB
TP-VIGI-S355-6	R 1,517	TP-Link InSight S355 5MP Outdoor Full-colour Bullet Network camera with 6mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, Human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
TP-VIGI-S385-28	R 1,806	TP-Link Vigi InSight S385 8MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Speaker
TP-VIGI-S385-4	R 1,806	TP-Link Vigi InSight S385 8MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 3840x2160 maximum Resolution, H.265 / H.265 / H.264 / H.264 Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, Up to 4 Privacy mask, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, with human & vehicle classification, People & vehicle analytics, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot support MicroSD card up to 512 GB, Built-In Speaker
TP-VIGI-S655I	R 2,600	TP-Link Vigi S655i 5MP Fisheye Network camera, 1.44 mm focal length, Ceiling Mount, Wall Mount, Pendant Mount, IR LED up to 30m, 2560x1920 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
UB-UVC G6 PRO 360 B	R 11,517	Ubiquiti UniFi Protect G6 Pro 360 12MP Black IP Camera, UVC-G6-Pro-360-B, 15m IR Night Vision, Smart IR (4x controllable zones), Two-Way Audio, IP66 weatherproofing, IK10 tamper resistance, 1x 10/100 MbE RJ45 Port, 24 fps Maximum Frame rate, 12MP 3504x3504 Resolution, Fisheye Lens, PoE Power Method, MicroSD card Expansion slot
UB-UVC G6 PRO TURRET B	R 10,827	Ubiquiti UniFi Protect 8MP G6 Turret IP Camera - Black, UVC-G6-Turret-B, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 1x Ethernet RJ45 Port Networking Interface, 8MP 3864x2160 Resolution, 30 fps Maximum Frame rate, Microphone, IP66 weatherproofing, IK04 tamper resistance
UB-UVC G6 PTZ B	R 8,757	Ubiquiti UniFi Protect G6 PTZ 8MP Black IP Camera, UVC-G6-PTZ-B, 4.46 mm to 16.3 mm Lens, 10x Hybrid Zoom mode, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 4K Resolution, Pan & Tilt, Two-Way Audio, IP66 weatherproofing, IK04 tamper resistance, 10/100 MbE RJ45 Port Networking Interface, 30 fps Maximum Frame rate, 8MP 3840x2160 Resolution, PoE Power Method, MicroSD card Expansion slot
UB-UVC-AI-360	R 9,382	Ubiquiti UniFi Protect AI 360 PTZ IR IP camera, UVC-AI-360, Captures 1920x1920 30 FPS Video, Ultra-Wide 360 degree Fisheye Lens, Built-In IR LEDs, H.264 / MJPG Video Compression, GbE RJ45 Port, PoE power Method
UB-UVC-AI-DOME-W	R 9,849	Ubiquiti UniFi Protect 8MP AI Dome IP Camera, UVC-AI-Dome-W, 40m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Microphone, IP66 weatherproofing, IK10 tamper resistance, 1x GbE RJ45 Port, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, MicroSD card Expansion slot
UB-UVC-AI-LPR	R 11,158	Ubiquiti UniFi Protect 8MP LPR camera with 4.1mm - 12.3mm Lens, UVC-AI-LPR-B, Capture reflective or non-reflective License plates at night, 15m IR Night Vision, 3x Optical Zoom mode, Smart detections, Microphone,

		IP66 weatherproofing, IK04 tamper resistance, 1x GbE RJ45 Port, 8MP 3840x2160 Resolution, 30 fps Maximum Frame rate, LPR optimization Filter, Micro SD Memory card slot
UB-UVC-AI-PRO	R 10,900	Ubiquiti UniFi Protect Indoor/Outdoor 4K PoE camera with 3x Optical Zoom, UVC-AI-PRO, Built-In IR LED illumination, H.264 Video Compression, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, 2DNR, 3DNR, GbE RJ45 Port, PoE Power Method, Microphone, Speaker
UB-UVC-AI-PTZ-B	R 29,985	Ubiquiti UniFi Protect 8MP AI PTZ IP Camera model UVC-AI-PTZ-B with 22x Optical Zoom Lens, 8MP Resolution with 3840x2160 Video at up to 30 fps, 22x Optical Zoom Lens capability, Adaptive 100m Long-Range IR Night Vision, 360 degree endless Pan and 120 degree Tilt range, IP66 rated Weatherproof enclosure, 1x GbE RJ45 Networking Interface with PoE Power support, Face Recognition and License plate detection features enabled, Smart detection capabilities, MicroSD card Expansion slot for local storage, Quad-Core Arm Cortex-A53 based Processor Chip
UB-UVC-AI-THETA	R 6,939	Ubiquiti UniFi Protect AI Theta 8MP or 12MP IP Camera, UVC-AI-THETA, 4K (8mp/6mp) Video Resolution, Remote Processing unit with status Display, H.264 Video Compression, GbE RJ45 Port, PoE Power Method
UB-UVC-AI-TURRET-W	R 8,904	Ubiquiti UniFi Protect 8MP AI Turret IP Camera, UVC-AI-Turret-W, 40 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Two-Way Audio, IP66 weatherproofing, IK08 tamper resistance, 1x GbE RJ45 Port, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, MicroSD card Expansion slot
UB-UVC-G5-BULLET	R 2,646	Ubiquiti UniFi Protect G5 Bullet 5MP IP camera, UVC-G5-bullet, 5MP CMOS sensor, Built-In IR LED illumination, H.264 / MJPEG Video Compression, 2688 x 1512 (16:9) Resolution, 30 fps Maximum Frame rate, 1x 10/100 Ethernet RJ45 Port, PoE Power, Microphone
UB-UVC-G5-DOME	R 4,141	Ubiquiti UniFi Protect G5 Dome 5MP IP Camera, UVC-G5-dome, 5MP CMOS sensor, H.264 / MJPEG Video Compression, 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, 1x 10/100 Ethernet RJ45 Port, PoE Power, Microphone, Speaker
UB-UVC-G5-DOME-ULTRA	R 1,734	Ubiquiti UniFi Protect - G5 Dome Ultra 4MP IP Camera, UVC-G5-dome-ultra, 2K (4MP) Video Resolution, 20 m IR Night Vision, IK06 resistance, 4MP 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, 2DNR, 3DNR, 10/100 Ethernet RJ45 Port, PoE Power Method
UB-UVC-G5-FLEX	R 2,719	Ubiquiti UniFi Protect G5 Flex 5MP IP 2K HD PoE camera, UVC-G5-FLEX, 6 m IR night Vision, AI event detections, Record audio with an Integrated Microphone, H.264 Video Compression, 2688 x 1512 (16:9) Resolution, 30 fps Maximum Frame rate, 10/100 mbe RJ45 Port, Microphone
UB-UVC-G5-PRO	R 9,111	Ubiquiti UniFi Protect G5 Pro Indoor/Outdoor 4K PoE camera with 3x Optical Zoom Lens, H.264 Video Compression, Built-In IR LED illumination, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, 2DNR, 3DNR, 10/100 mbe RJ45 Port, PoE Power Method, Microphone, UVC-G5-PRO
UB-UVC-G5-PTZ	R 5,809	Ubiquiti UVC-G4-PTZ UniFi G4 PTZ 4K camera, 4K 24 FPS Video stream, 22x optical Zoom with F1.5 Lens, Tamper-resistant pan and Tilt with servo feedback, Multi-exposure HDR, Night Vision distance up to 100 m, IP66 weatherproof rating, H.264 Video Compression, 4k2k (3840x2160) Resolution, UVC-G4-PTZ
UB-UVC-G5-TUR-ULTRA	R 1,899	Ubiquiti UniFi Protect - G5 Turret Ultra 4MP IP Camera, IP66, IK04 resistance, Built-In IR LED illumination, 4MP 2688 x 1512 (16:9) Resolution, 30 fps Maximum Frame rate, 2DNR, 3DNR, 1x 10/100 thernet RJ45 Port, PoE Power Method, Microphone
UB-UVC-G5TU-B	R 1,972	Ubiquiti UniFi Protect G5 Turret Ultra Black 4MP IP Camera, UVC-G5-Turret-Ultra, 30 m IR Night Vision, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x 10/100 mbe RJ45 Port Networking Interface, 4MP 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, PoE Power Method
UB-UVC-G6-180	R 6,657	Ubiquiti UniFi G6 180 degree Panoramic Indoor / Outdoor Dual Sensor, UVC-G6-180-b, 20 m IR Night Vision, Face Recognition, License Plate Recognition, Dual 4K Resolution, Two-Way Audio, IP66 weatherproofing, IP66 weatherproofing, IK04 tamper resistance, 10/100 MbE RJ45 Port Networking Interface, 20 fps Maximum Frame rate, 16MP 7680x2160 Resolution, MicroSD card Expansion slot
UB-UVC-G6-BULLET-W	R 3,996	Ubiquiti UniFi Protect 8MP G6 Bullet IP Camera, UVC-G6-Bullet-W, 30m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x Ethernet RJ45 Port Networking Interface, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate
UB-UVC-G6-PRO-360-B	R 10,981	Ubiquiti UniFi Protect G6 Pro 360 12MP Black IP Camera, UVC-G6-Pro-360-B, 15m IR Night Vision, Smart IR (4x controllable zones), Two-Way Audio, IP66 weatherproofing, IK10 tamper resistance, 1x 10/100 MbE RJ45 Port, 24

		fps Maximum Frame rate, 12MP 3504x3504 Resolution, Fisheye Lens, PoE Power Method, MicroSD card Expansion slot
UB-UVC-G6-PTZ-W	R 7,956	Ubiquiti UniFi Protect G6 PTZ 8MP White IP Camera, UVC-G6-PTZ-W, 4.46 mm to 16.3 mm Lens, 10x Hybrid Zoom mode, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 4K Resolution, Pan & Tilt, Two-Way Audio, IP66 weatherproofing, IK04 tamper resistance, 10/100 MbE RJ45 Port Networking Interface, 30 fps Maximum Frame rate, 8MP 3840x2160 Resolution, PoE Power Method, MicroSD card Expansion slot
UB-UVC-G6-TURRET-W	R 4,405	Ubiquiti UniFi Protect 8MP G6 Turret IP Camera, UVC-G6-Turret-W, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 1x Ethernet RJ45 Port Networking Interface, 8MP 3864x2160 Resolution, 30 fps Maximum Frame rate, Microphone, IP66 weatherproofing, IK04 tamper resistance
UB-UVC-G6B-B	R 4,284	Ubiquiti UniFi Protect 8MP G6 Bullet IP Camera - Black, UVC-G6-Bullet-B, 30m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x Ethernet RJ45 Port Networking Interface, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate
UN-IPC2-THERMAL	R 11,155	Uniview H.265 4MP LightHunter dual-spectrum Thermal Network Bullet Camera, Smoke / fire / temp, Vanadium Oxide uncooled focal plane arrays sensor Type, 256x 192 original Resolution, 1/1.8" 4.0 Megapixel Progressive Scan CMOS sensor, 4mm @ F1.6 Lens, ULTRA265 / H.265 / H.264 / MJPEG Compression, Triple streams, Two-Way audio, Micro SD up to 256 GB, 1x RJ45 10M/100M Base-TX Ethernet, Audio I/O
UN-IPC2105SB-ADF16KM-I0	R 2,897	Uniview UNV Ultra H.265 P1 5 MP LightHunter 180 degree wide view IP Bullet Camera with 2.8mm Lens, 1/2.7" 5.0 Megapixel Progressive Scan CMOS Sensor, 120dB WDR, Up to 20m IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Triple streams, 2D/3D DNR, HLC, BLC, Digital Defog, Motion detection, Micro SD up to 256GB, Built-In Mic, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC2108SB-ADF16KM-I0	R 3,043	Uniview 8MP OmniView fixed IR Bullet Network camera with 1.68mm fixed Lens, 1 Smart IR up to 20m, 120 dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 8MP 3840x2160 Max 30 fps, Up to 8 OSDs, Up to 4 areas Privacy mask, Support ROI, Triple streams, 2D/3D DNR, HLC, Dewarping, BLC, Smart intrusion prevention, Basic detection, MicroSD up to 512GB, Built-In Mic, 1 x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2122LB-ADF28KM-H	R 881	Uniview UNV Ultra H.265 2MP Mini fixed IP Bullet Camera with 2.8mm Lens, Upgraded Basic motion detection, 1/2.7" 2.0 Megapixel Progressive Scan CMOS Sensor, 120dB WDR, Up to 30m IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Dual Video Stream, 2D/3D DNR, White Balance, Smart IR, HLC, BLC, Ultra motion detection, Micro SD up to 128GB, 1x RJ45 10M/100M Base-TX Ethernet Network, Built-In Mic
UN-IPC2122LB-AF28-A2	R 672	Uniview UNV OwlView 2MP fixed IR Bullet IP Camera with 2.8mm Lens, IPC2122LB-AF28-A2, DWDR, Up to 30m IR Light, Ultra 265 / H.265 / H.264 Video Compression, 1080p (1920x1080) 30 fps Main Stream Maximum, Up to 4 OSDs, Up to 4 areas, Support ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Human Body detection 2.0, Motion Detection, Audio detection, Built-In Mic, 1 x RJ45 10M/100M Base-TX Ethernet, IP67 protection
UN-IPC2122LB-AF40-A2	R 546	Uniview UNV 2MP Mini Fixed Bullet Network camera with 4mm Lens, UN-IPC2122LB-SF40-A2, 2MP 1920x1080 Max Resolution, IR distance up to 30m, Video Compression - Ultra 265 / H.265 / H.264, 2MP (1920x1080) Max 30fps Main Stream Frame rate, Up to 4 OSDs, Support ROI, Dual Video Stream, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, 1x RJ45 Ethernet Network
UN-IPC2122S-ADF28-IO	R 1,579	Uniview UNV Ultra H.265 2MP deep learning WDR & LightHunter mini Bullet Camera, 1/2.8" 2.0 Megapixel Progressive Scan CMOS sensor, 2.8mm @ F1.6 Lens, 2MP (1920x1080) @ 30 / 25fps, 120dB true WDR, Built-in Mic, Smart IR up to 40m, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet, Ultra 265 / H.265 / H.264 / MJPEG Video Compression. Lens: 2.8mm@F1.6; Angle of View (H): 106.7Â°; Angle of View (V): 57.1Â°; Angle of View (O): 115.7Â°
UN-IPC2122S-ADF40-I0	R 1,579	Uniview UNV Ultra H.265 2MP deep learning WDR & LightHunter mini Bullet Camera, 1/2.8" 2.0 Megapixel Progressive Scan CMOS sensor, 4.0mm @ F1.6 Lens, 2MP (1920x1080) @ 30 / 25fps, 120dB true WDR, Built-in Mic, Smart IR up to 40m, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet, Ultra 265 / H.265 / H.264 / MJPEG Video Compression. Lens 4.0mm@F1.6; Angle of View (H): 87.5Â°; Angle of View (V): 46.3Â°; Angle of View (O): 92.4Â°

UN-IPC2124LB-AF28-A2	R 765	Uniview UNV 4MP Mini Fixed Bullet IP Camera with 2.8mm Lens, IPC2124LB-AF28-A2, DWDR, Up to 30m IR Light, Ultra 265 / H.265 / H.264 Video Compression, 4MP (2560x1440) 25 fps Main Stream Maximum, Up to 4 OSDs, Up to 4 areas, Support ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Human Body detection 2.0, Motion Detection, Audio detection, Built-In Mic, 1x RJ45 10M/100M Base-TX Ethernet, IP67 protection
UN-IPC2124LB-AF40-A2	R 804	Uniview UNV 4MP Mini Fixed Bullet IP Camera with 4mm Lens, IPC2124LB-AF40-A2, DWDR, Up to 30m IR Light, Ultra 265 / H.265 / H.264 Video Compression, 4MP (2560x1440) 25 fps Main Stream Maximum, Up to 4 OSDs, Up to 4 areas, Support ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Human Body detection 2.0, Motion Detection, Audio detection, Built-In Mic, 1x RJ45 10M/100M Base-TX Ethernet, IP67 protection
UN-IPC2124LE-ADF28KMC-DL	R 1,293	Uniview 4MP ColorHunter fixed Dual-Light Bullet Network camera with 2.8mm fixed Lens, 4MP 2688x1520 Max 25 fps, Dual Light (IR & Warm Light), 120dB WDR, IR up to 30m, Warm Light up to 30m, MicroSD support, Built-In Microphone, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2124LE-ADF40KMC-DL	R 1,293	Uniview 4MP ColorHunter fixed Dual-Light Bullet Network camera with 4mm fixed Lens, 4MP 2688x1520 Max 25 fps, Dual Light (IR & Warm Light), 120dB WDR, IR up to 30m, Warm Light up to 30m, MicroSD support, Built-In Microphone, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2124S-ADF40-I0	R 1,991	Uniview UNV Ultra H.265 4MP Deep Learning WDR & LightHunter mini Bullet Camera with 4.0mm Lens, 1/3" 4.0 Megapixel Progressive Scan CMOS sensor, 4.0mm @ F1.6 Lens, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 4MP (2688x1520) @ 25fps, 120dB True WDR, Built-in Mic, Smart IR up to 40m, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet. Lens: 4.0mm@F1.6; Angle of View (H): 83.7Â°; Angle of View (V): 4.9Â°; Angle of View (O): 89.2Â°
UN-IPC2125LE-ADF40KM-H	R 1,327	Uniview UNV 5MP EasyStar Fixed Bullet IP Camera with 4mm Lens, IPC2125le-adf40km-h, 5MP 2880x1620 Max Resolution, IR up to 50 m illumination distance, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, 5MP Max 25fps Frame rate Main Stream, Up to 4 OSDs, Support ROI, Dual Video Stream, 2D/3D DNR, Digital Defog, Motion Detection, Micro SD up to 512 GB, 1 x RJ45 Ethernet Port, Built-In Mic
UN-IPC2125S-ADF40-I0	R 2,093	Uniview UNV Ultra H.265 5MP Deep Learning WDR & LightHunter mini Bullet Camera with 4.0mm Lens, 1/2.7" 5.0 Megapixel Progressive Scan CMOS sensor, 4.0MM@F1.6 Lens, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 5MP (2880x1620) @ 25fps, 120dB True WDR, Built-in Mic, Smart IR up to 40m, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet.Lens: 4.0mm@F1.6; Angle of View (H): 86.5Â°; Angle of View (V): 44.1Â°; Angle of View (O): 112.5Â°
UN-IPC2128LE-ADF28KMC-DL	R 2,205	Uniview 8MP ColorHunter fixed Dual-Light Bullet Network camera with 2.8mm fixed Lens, 8MP 3840x2160 max 20 fps, 30m Dual Light (IR Warm White), ColorHunter, 120 dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2128LE-ADF40KMC-DL	R 1,924	Uniview 8MP ColorHunter fixed Dual-Light Bullet Network camera with 4mm fixed Lens, 8MP 3840x2160 Max 20 fps, 30m Dual Light (IR Warm White), ColorHunter, 120 dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2225-DF40-I0	R 2,272	Uniview UNV - Ultra H.265 5MP WDR bullet IP camera, Colorhunter Deep Learning Bullet Camera (24/7 Colour image), 1/2.7" 5.0 Megapixel Progressive Scan CMOS sensor, 4.0mm @ F1.0 Lens, 1x RJ45 10M/100M Base-TX Ethernet, 1/1 alarm I/O, 5MP (2880x1620) @ 30/25fps, 120dB True WDR, Support 9:16 corridor mode, IK10 vandal resistant, IP67 protection, Support PoE Power Supply
UN-IPC2225SB-ADF40KM-I1	R 1,911	Uniview UNV 5MP LightHunter Fixed Bullet IP Camera with 4mm Lens, IPC2225SB-ADF40KM-I1, 120 dB WDR, 80m IR illumination distance, Up to 4 areas per scene Privacy mask, 5MP (2880x1620) Max 30 fps Frame rate - Main Stream, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Support ROI, Dual streams, Up to 4 OSDs,

		Digital Defog, 2D/3D DNR, Support HLC, Support BLC, Motion Detection, MicroSD up to 512GB, 1 / 1x audio I/O, 1 / 1 Alarm I/O, Built-In Mic, 1x RJ45 10M/100M Base-TX Ethernet Network, IP67, IP67
UN-IPC2312LE-ADF28KM-WP	R 1,277	Uniview UNV 2MP OwlView Wise-ISP Bullet Camera with 2.8mm Lens, IPC2312LE-ADF28KM-WP, Up to 30m warm Light range, Video Compression - ULTRA265 / H.265 / H.264 / MJPEG, Up to 4 OSDs, Up to 8 areas ROI, Dual Video Stream, 2D/3D DNR, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 512GB, 1x RJ45 Ethernet Network
UN-IPC2312LE-ADF40KM-WP	R 1,047	Uniview UNV Ultra H.265 2MP ColorHunter with Wise-ISP Fixed Bullet with 4mm Lens, 120dB WDR, Up to 30m warm Light range, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Up to 4 OSDs, Up to 8 areas ROI, Dual Video Stream, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2312SB-ADF40KM-I0	R 1,746	Uniview UNV Ultra H.265 P1 2MP LightHunter Fixed Bullet IP camera with 4mm Lens, 1/2.8" 2.0 Megapixel Progressive Scan CMOS sensor, 120dB WDR, 4.0MM@F1.6 Lens, Up to 80m IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Triple streams, Up to 8 areas RoI, 2D/3D DNR Digital noise reduction, HLC, BLC, Digital Defog, Support false alarm filtering : cross line detection, Intrusion detection, Enter area detection, Leave area detection, People Counting, Motion detection, Tampering alarm, Audio detection, Micro SD up to 256GB, 1 / 1 alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2312SB-ADF60KM-I0	R 1,765	Uniview UNV Ultra H.265 P1 2MP LightHunter Fixed Bullet IP Camera with 6mm Lens, 1/2.8" 2.0 Megapixel Progressive Scan CMOS Sensor, 120dB WDR, Up to 80m IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Triple streams, 2D/3D DNR, Smart IR, HLC, BLC, Digital Defog, People Counting, Motion detection, Micro SD up to 256GB, Built-In Mic, 1/1 alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC2314LE-ADF28K-WP-L	R 1,295	Uniview 4MP OwlView Wise-ISP fixed Warm Light Bullet Network camera with 2.8mm fixed Lens, ColorHunter, Wise-ISP, 30m Warm White Light, 120dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 4MP 2560x1440 Max 25 fps, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2314LE-ADF28KM-WP	R 1,530	Uniview UNV Ultra H.265 4MP ColorHunter with Wise-ISP Fixed Bullet IP Camera with 2.8mm Lens, 4MP 2688x1520 @ 25/20fps, 120dB WDR, Up to 30m warm Light range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 256GB, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC2314LE-ADF40K-WP-L	R 1,239	Uniview 4MP OwlView Wise-ISP fixed Warm Light Bullet Network camera with 4mm fixed Lens, ColorHunter, Wise-ISP, 30m Warm White Light, 120dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 4MP 2560x1440 Max 25 fps, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2314LE-ADF40KM-WP	R 1,532	Uniview UNV Ultra H.265 4MP ColorHunter with Wise-ISP Fixed Bullet IP Camera with 4mm Lens, 4MP 2688x1520 @ 25/20fps, 120dB WDR, Up to 30m warm Light range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 256GB, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC2325SB-DZK-I0	R 2,758	Uniview UNV - Ultra H.265 - 5MP HD Intelligent LightHunter IR VF Bullet Network camera, 2.7 - 13.5mm AF automatic focusing and motorized Zoom Lens, 5MP 2880x1620 @ 30fps, 120dB WDR, Up to 50m IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Triple streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, People Counting, Motion Detection, Micro SD up to 256GB, 1 / 1 alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC262ER9-DUZ	R 5,215	Uniview UNV H.265 2MP IP Camera, 2.8 - 12mm, 4 x Optical Zoom, IP67, 100m IR, Max Resolution 1920 x 1080, Support PoE power supply, Up to 120 dB WDR (Wide Dynamic Range), 4X Optical Zoom & Auto Focus
UN-IPC2A-THERMAL	R 8,614	Uniview UNV H.265 4MP LightHunter Thermal & Optical Dual-Spectrum Thermal Network Bullet Camera, Smoke detection, Fire detection, Temperature detection, 4mm Lens on Optical camera, 4MP 2688x1520 Resolution, 1x RJ45 Ethernet Network, 1 channel RS485 Interface, Audio I/O, 2/2 alarm I/O, Micro SD up to 512 GB, Triple streams, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Motion Detection, 256x192 Resolution Thermal camera, Vanadium Oxide uncooled focal plane arrays Sensor, 3.2 mm Lens, 1280x960 Max 30fps Frame rate,

		Micro SD up to 512 GB, Audio I/O, 2/2 alarm I/O, 1 channel RS485 Interface, 1x RJ45 Ethernet Network, 1 BNC Video Output
UN-IPC2B18SE-ADF40KMC-WP-I1	R 3,819	Uniview 8MP Dual-Light Bullet warning Network camera with 4mm Lens, OwlView, Tri-Guard, 40m Dual Light (IR Warm White), ColorHunter, Wise-ISP, 130 dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 8 MP (3840x2160) Max 30fps Resolution, Up to 8 OSDs, Up to 4 areas Privacy mask, Support ROI, Triple streams, 2D/3D DNR, HLC, BLC, Smart intrusion prevention, People Counting, Basic detection, MicroSD up to 512GB, Audio I/O, 1 / 1 Alarm I/O, Built-In dual-mic, Built-In Speaker, 1 x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC2K24SE-ADF40KMC-WLI0	R 2,643	Uniview UNV Ultra H.265 P3 4MP Dual-Lens ColorHunter 160 degree wide angle Fixed Bullet camera with 2x 4mm Lens, 1/2.9" 4.0 Megapixel Progressive Scan CMOS Sensor, DWDR, 2x 4.0mm Lens, Up to 30m LED distance, 2 LEDs, ULTRA265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Double streams, 2D/3D DNR, Smart illumination, HLC, BLC, Digital Defog, Human body detection, Motion detection, Micro SD up to 256GB, 1/1 alarm I/O, Built-In two mics, Built-In Speaker, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC3-LPR-V3	R 7,105	Uniview UNV 3MP Starlight ANPR Overseas recognition of vehicle License plate Bullet IP Camera with 2.8mm to 12mm Lens, UN-IPC3-LPR-V3, 2304x1296 @ 30Hz image Collection Format, Video Compression - H.264 (Default) / H.265, Supports up to 8 regions ROI, Supports 8 overlay, License plate number recognition, Vehicle Detection mode, Supports ANR with a Micro SD card up to 256GB, 50m IR illumination distance, 1 x Ethernet RJ45 Network Interface, 1x RS485 Serial Port, 1 Relay Output, 2x Input, 1x audio Input, 1x audio Output
UN-IPC314SB-ADF28KMC-DL-I1	R 2,125	Uniview 4MP Dual-Light WDR Mini Dome Network camera with 2.8mm fixed Lens, Dual Light (IR Warm White), ColorHunter, Wise-ISP, 130dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 OSDs, Up to 4 areas Privacy mask, Support ROI, Triple streams, 4MP 2688x1520 Max 30 fps, 2D/3D DNR, HLC, BLC, Smart intrusion prevention, People Counting, Basic detection, MicroSD up to 512GB, 1 / 1x audio I/O, 1 / 1 Alarm I/O, Built-In dual-mic, Built-In Speaker, 1 x RJ45 10M/100M Base-TX Ethernet Network, IP67, IK10
UN-IPC318SB-ADF28KMC-DL-I1	R 2,527	Uniview 8MP Dual-Light WDR Mini Dome Network camera with 2.8mm fixed Lens, 30m Dual Light (IR Warm White), ColorHunter, Wise-ISP, 130dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 OSDs, Up to 4 areas Privacy mask, Support ROI, Triple streams, 8MP 3840x2160 Max 30 fps, 2D/3D DNR, HLC, BLC, Smart intrusion prevention, People Counting, Basic detection, MicroSD up to 512GB, 1 / 1x audio I/O, 1 / 1 Alarm I/O, Built-In dual-mic, Built-In Speaker, 1 x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC3222SS-ADF28K-I1	R 3,329	Uniview UNV Ultra H.265 2x 2MP Dual-Channel Non-Splicing multiview fixed IP Dome Camera with 2.8mm Lens, 2MP 1920x1080 @ 30 / 25 fps, 130dB WDR, 2.8mm @ F1.6 Lens Type, Up to 30m IR range, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Up to 8 areas ROI, Triple streams, 2D/3D DNR, HLC, BLC, Digital Defog, People Counting, Motion Detection, Micro SD up to 256GB, 1 / 1 alarm I/O, Built-In two mics, 1x RJ45 10M/100M Base-TX Ethernet Network, IP67, IK10
UN-IPC3222SS-ADF40K-I1	R 2,761	Uniview UNV Ultra H.265 2x 2MP Dual-Channel Non-Splicing multiview fixed IP Dome Camera with 4mm Lens, 2MP 1920x1080 @ 30 / 25 fps, 130dB WDR, 4mm @ F1.6 Lens Type, Up to 30m IR range, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Up to 8 areas ROI, Triple streams, 2D/3D DNR, HLC, BLC, Digital Defog, People Counting, Motion Detection, Micro SD up to 256GB, 1 / 1 alarm I/O, Built-In two mics, 1x RJ45 10M/100M Base-TX Ethernet Network, IP67, IK10
UN-IPC3224SS-ADF28K-I1	R 3,299	Uniview UNV Ultra H.265 2x 4MP Dual-Channel Non-Splicing multiview fixed IP Dome Camera, 130dB WDR, 2.8mm @ F1.6 Lens Type, 4MP 2688x1520 @ 25/20fps, Up to 30m IR range, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Triple streams, 2D/3D DNR, Digital Defog, HLC, BLC, Motion Detection, Tampering alarm, Micro SD up to 256GB, ONVIF compatible integration, 1 / 1 alarm I/O, Built-In two mics, 1x RJ45 10M/100M Base-TX Ethernet Network, IP67, IK10
UN-IPC322LB-AF28-A2	R 616	Uniview UNV 2MP Fixed Dome IP Camera with 2.8mm Lens, IPC322LB-AF28-A2, DWDR, IR supplemental Light up to 30m illumination distance, Ultra 265 / H.265 / H.264 Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual Video Stream, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Human Body detection 2.0, Motion Detection, 1x RJ45 10M/100M Base-TX Ethernet Network, IP67 & IK10 protection
UN-IPC322LB-AF40-A2	R 555	Uniview UNV 2MP Vandal-resistant Mini Dome IP Camera with 4.0mm Lens, IPC322LB-AF40-A2, DWDR, Up to 30m IR Light, Ultra 265 / H.265 / H.264 Video Compression, 1080p (1920x1080) 30 fps Main Stream Maximum, Up

		to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Human Body detection 2.0, Motion Detection, Audio detection, Built-In Mic, 1x RJ45 10M/100M Base-TX Ethernet, IP67 protection, IK10 vandal resistant
UN-IPC322SR3-VSPF28C	R 1,298	Uniview UNV - H.265 - 2MP Vandal-resistant Fixed Dome IP Network Camera, 2.8 mm@F2.0 lens, 1/2.9" progressive scan 2.0 megapixel CMOS sensor, Day/night functionality, SmartIR up to 30 m IR distance, Car-grade LEDs, 2D/3D DNR, Ultra 265 / H.265 / H.264 / MJPEG, Embedded smart algorithm, Triple streams, 9:16 corridor mode, Network, ONVIF Conformance, 2-Axis, IP67, IK10, 1x RJ45 10/100 Base-TX Ethernet. Lens: 2.8 mm@F2.0; Angle of View (H): 107.8Â°
UN-IPC3231ER-VS	R 1,438	Uniview IP 1.3MP Vandal IR Dome, (Vari-Focal 2.8-12mm),30m Smart IR, SD Card, Corridor mode, DWDR, IP66, Lens 2.8~12 mm@F1.4; Angle of View (H): 90.0Â° (wide) ~28Â° (tele). Features ✓ : IK10 Vandal resistant, Vari-focal, Audio I/O, Alarm (1 in/1 out), ONVIF, API, 75 Ohm BNC video output, MicroSD Edge recording, Smart IR, Corridor mode, Digital WDR, IP66, PoE 12V, Free PC and mobile app
UN-IPC3232ER-VS	R 1,494	Uniview 2MP Vandal IR Dome (Vari-Focal 2.8-12mm),30m Smart IR, SD Card, Corridor mode, DWDR, IP66. Lens: 2.8~12 mm@F1.4; Angle of View (H): 100.0Â° (wide) ~30Â° (tele)
UN-IPC3232ER3-DVZ28C	R 2,410	Uniview UNV H.265 2MP Vandal IK10 IR Dome IP camera, 2.8-12mm Motorized lens, 1/2.9" progressive scan 2.0 megapixel CMOS Sensor, 2.8~12mm AF automatic focusing and motorized zoom lens, Up to 30m IR range, WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 1x RJ45 10/100 Base-TX Ethernet, 1x BNC Video Output, IP67, IK10
UN-IPC3232SB-ADZK-I0	R 2,300	Uniview UNV Ultra H.265 2MP WDR & LightHunter 2.7~13.5mm Vari-Focal motorised Deep Learning dome camera, 1/2.8" 2.0 Megapixel Progressive Scan CMOS sensot, 2.7 ~ 13.5mm AF automatic focusing and motorized Zoom Lens, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, High quality image with 2MP, 2MP (1920x1080) @ 30/25fps, 120dB True WDR, Built-in Mic, Alarm 1 in / 1 out, Audio 1 in / 1 out, Smart IR, Up to 40m, IK10 vandal resistant, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet. Lens 2.7 ~ 13.5mm, AF automatic focusing and motorized zoom lens; Angle of View (H): 107.4Â°~ 29.2Â°; Angle of View (V): 54.2Â°~ 16.3Â°; Angle of View (O): 111.0Â°~33.1Â°
UN-IPC3234SB-ADZK-I0	R 3,620	Uniview UNV Ultra H265 4MP HD LightHunter IR VF dome Network camera, 1/3" 4.0megapixel Progressive Scan CMOS sensor, 2.7 ~ 13.5mm AF automatic focusing and motorized Zoom Lens, Built-In Mic, 4MP 2688 x 1520 @ 30/25fps, Up to 40m range, Digital defog, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 2D/3D DNR, Micro SD up to 256GB, 1 / 1 alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet, IP67 ingress protection, IK10 vandal resistant
UN-IPC3235SB-ADZK-I0	R 2,778	Uniview UNV Ultra H.265 5 MP True WDR 2.7~13.5mm Vari-Focal and LightHunter AI dome camera, 1/2.7" 5.0 Megapixel Progressive Scan CMOS sensor, 2.7 ~ 13.5mm AF automatic focusing and motorized Zoom Lens, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, High quality image with 5MP, 5MP (2880x1620) @ 25fps, 120dB True WDR, Built-in Mic, Alarm 1 in / 1 out, Audio 1 in / 1 out, Smart IR up to 40m, IK10 vandal resistant, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet. LensL: 2.7 ~ 13.5mm, AF automatic focusing and motorized zoom lens; Angle of View (H): 106.25Â°~ 30.42Â°; Angle of View (V): 56.36Â°~ 17.22Â°; Angle of View (O): 110.34Â°~34.18Â°; Adjustment angle: Pan: 0Â° ~ 355Â°
UN-IPC3238SB-ADZK-I0	R 3,479	Uniview UNV Ultra H265 8MP intelligent LighterHunter IR VF dome Network camera, 1/2.8" 8.0 Megapixel Progressive Scan CMOS sensor, 2.8 ~ 12mm AF automatic focusing and motorized Zoom Lens, 2D/3D DNR, Up to 40m range, Digital defog, 120dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Micro SD up to 256GB, 1 / 1 alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet, Built-In Mic, IK10 vandal resistant, IP67 ingress protection
UN-IPC324LB-AF28-A2	R 760	Uniview UNV OwlView 4MP fixed IR Dome Camera with 2.8mm Lens, IPC324LB-AF28-A2, DWDR, IR Light up to 30m, Ultra 265 / H.265 / H.264 Video Compression, Up to 4 OSDs, Dual streams, Support ROI, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Human Body detection 2.0, Motion Detection, Audio detection, Built-In Mic, 1x RJ45 10M/100M Base-TX Ethernet, IP67 protection, IK10 vandal resistant
UN-IPC324SB-DF28K-I0	R 1,722	Uniview UNV Ultra H.265 4MP WDR & LightHunter vandal resistant Deep Learning Fixed Dome camera, 1/3" 4.0 Megapixel Progressive Scan CMOS sensor, 2.8mm @ F1.6 Lens, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, High quality image with 4MP, 4MP (2688 x 1520) @ 25fps, 120dB True WDR, Alarm 1 in / 1 out,

		Audio 1 in / 1 out, Smart IR up to 30m, IK10 vandal resistant, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet. Lens: 2.8mm@F1.6; Angle of View (H): 101.1Â°; Angle of View (V): 55.3Â°; Angle of View (O): 111.1Â°
UN-IPC3512LE-ADF28K-WP	R 988	Uniview UNV Ultra H.265 2MP ColorHunter with Wise-ISP Owlview Fixed Dome with 2.8mm Lens, 2MP Max Resolution, 120 dB WDR, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Up to 4 osds, ROI support, Dual Video Stream, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 512 GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC3512LE-ADF40K-WP	R 1,037	Uniview UNV Ultra H.265 2MP ColorHunter Dome Network camera with 4mm Lens, UN-IPC3512LE-ADF40K-WP, 2MP 1920x1080 Max 30fps Frame rate, 120dB WDR, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Up to 4 OSDs, Up to 8 areas ROI, Dual Video Stream, 2D/3D DNR, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 512GB, 1x RJ45 Ethernet Network
UN-IPC3514LE-ADF28K-WP	R 1,411	Uniview UNV Ultra H.265 4MP ColorHunter with Wise-ISP Fixed Dome Network camera with 2.8mm Lens, 120dB WDR, ULTRA265 / H.265 / H.264 / MJPEG Video Compression, 4MP 2688x1520 Max 25fps, Up to 8 areas ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 256GB, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC3514LE-ADF40K-WP	R 1,241	Uniview UNV Ultra H.265 4MP ColorHunter with Wise-ISP Fixed Dome Network camera with 4mm Lens, 120dB WDR, ULTRA265 / H.265 / H.264 / MJPEG Video Compression, 4MP 2688x1520 Max 25fps, Up to 8 areas ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Motion Detection, Micro SD up to 256GB, 1x RJ45 10M/100M Base-TX Ethernet
UN-IPC3608SB-ADF16KM-I0	R 2,958	Uniview 8MP OmniView fixed IR Turret Network camera with 1.68mm fixed Lens, 180 degrees Panoramic (OmniView), Dewarping, Smart IR (20m), 120dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 OSDs, Up to 4 areas Privacy mask, Support ROI, Triple streams, 8MP 3840x2160 Max 30 fps, 2D/3D DNR, HLC, BLC, Smart intrusion prevention, Basic detection, MicroSD up to 512GB, Built-In Mic, 1 x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC3614LE-ADF28KC-DL	R 1,293	Uniview 4MP ColorHunter fixed Dual-Light Turret Network camera with 2.8mm Lens, 4MP (2688x1520) Resolution, 120 dB WDR, 30m illumination distance (IR & Warm Light), Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual Video Stream, 2D/3D DNR, Basic detection, Two-Way Audio, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network, IP67 protection
UN-IPC3618LE-ADF28KC-DL	R 1,975	Uniview 8MP ColorHunter fixed Dual-Light Turret Network camera with 2.8mm fixed Lens, 30m Dual Light (IR Warm Light), 120 dB WDR, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 8MP 3840x2160 Max 20 fps, Up to 4 OSDs, Up to 4 areas Privacy mask, Support ROI, Dual streams, 2D/3D DNR, Basic detection, MicroSD up to 512GB, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC3624LE-ADF28K-WP-L	R 1,235	Uniview 4MP OwlView Wise-ISP fixed Warm Light Turret Network camera with 2.8mm Lens, 4MP (2560x1440) Resolution, 120 dB WDR, Warm Light supplemental Light, 30 m illumination distance (Warm Light), Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 4 OSDs, Up to 4 areas Privacy mask, ROI support, Dual Video Stream, 2D/3D DNR, Basic detection, MicroSD up to 512GB, 1 x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC3634SB-ADZK-I0	R 2,921	Uniview UNV Ultra H.265 4MP WDR & LightHunter Vari-Focal motorised Deep Learning eyeball camera, 1/3" 4.0 Megapixel Progressive Scan CMOS sensor, 2.7 ~ 13.5mm AF automatic focusing and motorized Zoom Lens, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, High quality imaging with 4MP, 4MP (2688 x 1520) @ 25fps, 120dB True WDR, Built-in Mic, Smart IR up to 40m, IK10 vandal resistant, IP67 protection, 1x RJ45 10M/100M Base-TX Ethernet. Features ✓ : IK10 Vandal resistant, Vari-focal, Audio I/O, ONVIF, MicroSD Edge recording, LightHunter, 40m IR, Digital WDR, IP67, PoE 12V, Free PC, Mac and mobile app
UN-IPC3A-THERMAL	R 8,409	Uniview UNV H.265 4MP LightHunter Thermal & Optical Dual-Spectrum Thermal Network Bullet Camera, Smoke detection, Fire detection, Temperature detection, 4mm Lens on Optical camera, 4MP 2688x1520 Max 30fps Frame rate, Video Compression - Ultra 265 / H.265 / H.264 / MJPEG, Triple streams, Motion Detection, Micro SD up to 512 GB, Audio I/O, 2/2 alarm I/O, 1 channel RS485 Interface, 1x RJ45 Ethernet Network, 256x192 Resolution thernal camera with 3mm Lens, Vanadium Oxide uncooled focal plane arrays Sensor, 1280x960 Max 30fps Frame rate, Micro SD up to 512 GB, Audio I/O, 2/2 alarm I/O, 1 channel RS485 Interface, 1x RJ45 Ethernet Network, 1 BNC Video Output
UN-IPC4-LPR	R 11,771	Uniview UNV 8MP LPR/ANPR Motorized Bullet IP Camera with 8-32mm Lens, 8-32mm Motorized Varifocal (4x

		Optical Zoom) Lens, ANPR/LPR, Super LightHunter, Wise-ISP, 140 dB WDR, P-iris, 40 m illumination distance (Warm Light & IR), Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Triple streams, Up to 8 areas Privacy mask, Up to 10 OSDs, 8MP (3840x2160) Max 60fps, 2D/3D DNR, HLC, BLC, ANPR, Up to 4 Car lanes can be Set, Basic detection, MicroSD up to 512GB, 3 / 2 Alarm I/O, 1x RS485 Serial Port, 2x Built-In Mic, Built-In Speaker, 1x RJ45 Gigabit Ethernet Network
UN-IPC6242SFW-X22U	R 19,016	Uniview Full Spectrum 2MP IR PTZ Dome 22x zoom, SD Slot, Alarm I/O, Two-way Audio, DWDR,IP66
UN-IPC6312LFW-AX5C-VG1	R 2,142	Uniview UNV 2MP ColorHunter motorized PTZ IP Camera with 2.7 - 13.5mm Lens (5x Optical Zoom), IPC6312LFW-AX5C-VG1, 120 dB WDR, Up to 4 areas Privacy mask, Video Compression Ultra 265, H.265, H.264, MJPEG, 1080p (1920x1080) Max 30 fps, Support ROI, Dual Video Stream, Up to 4 OSDs, 2D/3D DNR, HLC, BLC, Smart IR, Digital Defog, 50m IR illumination distance, 15m Warm Light illumination distance, Motion Detection, MicroSD up to 512GB, Audio I/O, 1/1 Alarm I/O, Built-In Mic, Built-In Speaker, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-IPC6324LWH-AX5C-VG2	R 3,827	Uniview 4MP 5x Wise-ISP Tri-Guard Warm Light Network PTZ camera with 2.7-13.5mm Motorized (5x Zoom), PTZ, OwlView, Tri-Guard, ColorHunter, Wise-ISP, Warm Light (40m), 120dB WDR, Up to 4 areas Privacy mask, 4MP 2688x1520 Max 30 fps, Ultra 265, H.265, H.264, MJPEG Video Compression, Triple streams, Up to 8 OSDs, Auto Tracking, Smart intrusion prevention, 2D, 3D DNR, HLC, BLC, Basic detection, MicroSD up to 512GB, 1/1 Audio I/O, 1/1 Alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet Network, IP66 protection
UN-IPC6424SR-X25-VF	R 6,402	Uniview UNV Ultra H.265 4MP IP camera LightHunter PTZ with 25x optical Zoom, 1/2.8" 4.0 Megapixel Progressive Scan CMOS sensor, 120dB WDR, 4.8 ~ 120mm AF automatic focusing and motorized Zoom Lens Lens Type, Up to 100m IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Triple streams, 2D/3D DNR Digital noise reduction, Motion detection, Audio detection, Tampering alarm, Micro SD up to 256 GB, Pan & Tilt, Audio I/O, Alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet, 1x BNC Video Output
UN-IPC6624SR-X33-VH2	R 11,484	Uniview 4MP 33x LightHunter IR Network PTZ camera with 4.5-148.5mm Motorized Lens (33x Zoom), PTZ, LightHunter, ColorHunter, Wise-ISP, Smart IR (250m), 120dB WDR, Auto-Tracking, Perimeter protection, People Counting, 120 dB WDR, H.265 / H.264 / MJPEG / Ultra 265 Video Compression, 24 areas up to 8 areas per scene Privacy mask, Up to 8 areas ROI, Five Video streams, 4MP 2688x1520 Max 60fps, Up to 10 OSDs, MicroSD up to 512GB, 2D/3D DNR, HLC, EIS (Gyroscope) Image stabilization, 1/1 audio I/O, 2/1 Alarm I/O, 1x RJ45 10M/100M Base-TX Ethernet Network, 1x RS485 Serial Port, Exception detection, 250m illumination distance (IR)
UN-IPC6824EL-X42-W-VH1	R 25,068	Uniview UNV 4MP LighHunter Lazer PTZ IP Camera with 6.0-252mm Lens (42x Optical Zoom), IPC6824EL-X42-W-VH1, 120 dB WDR, Video Compression - Ultra 265, H.265, H.264, MJPEG, 4MP (2688x1520) Max 60 fps Main Stream, Support ROI, Triple streams, Up to 10 OSDs, People Counting, Exception detection, 2D/3D DNR Digital Noise Reduction, HLC, BLC, Digital Defog, Optical Defog, EIS (Gyroscope) Image stabilization, Motion Detection, MicroSD up to 512GB, Laser Light illuminator - Laser distance 500m, 1 Input, 7 / 2 Alarm I/O, 1x RS485 Serial Port, 1x RJ45 10M/100M Base-TX Ethernet Network, 1 BNC Video Output
UN-IPC86CEB-AF18KC-I0	R 9,851	Uniview UNV Ultra H.265 12MP Vandal-resistant 360 degrees Fisheye Fixed Dome with 1.8mm lens, Ultra 265 / H.264 / m-jpeg / H.265 Compression Method, 2D/3D DNR, 15m IR distance, Audio, Auto gain control, Digital Noise Reduction, Automatic White Balance, Motion detection Tracking, Wide Dynamic range, Max 4000 x 3000 Resolution, Built-In Microphone & Speaker, Two-Way talk supported, IK10 vandal resistant, IP67 protection, Supports 256GB Micro SD card
UN-IPC9312LFW-AF28	R 3,762	Uniview UNV Ultra H.265 2 MP Outdoor LightHunter 4x Optical Zoom Dual-Lens PTZ & bullet combo camera, 2.8mm @ F1.6 Lens on Panorama camera, 2.8~12mm @ F1.6 AF automatic focusing and motorized Zoom Lens on Detail camera
UN-IPC94144SFW-X25-F40C	R 7,807	Uniview UNV Ultra H.265 4mp 4mp Outdoor LightHunter 25x Optical Zoom Dual-Lens PTZ & Bullet combo camera, Panorama camera, 120dB WDR, Up to 30m warm light range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Triple streams, 2D/3D DNR, Smart IR, HLC, BLC, Digital Defog, People Counting, Motion detection, Micro SD up to 256 GB, 1 / 1x audio I/O, 2 / 1 alarm I/O, 1x RS485 Serial Port, Built-In Speaker, 1x RJ45 10M/100M Base-TX Ethernet, Detail camera, 4.8 - 120mm AF automatic focusing and motorized Zoom Lens with 25x Optical Zoom, Up to 100m IR range
UN-UA-UHO-B2D-M3F3D	R 687	Uniview Uniarch 3MP fixed Network IP Camera with 2.8mm Lens, DWDR, Up to 10m warm Light range, Up to 20m

		IR range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, Up to 8 areas ROI, Dual Video streams, 2D/3D DNR, Digital Defog, Motion Detection, 2.4G Wi-Fi, Built-In antenna, 1x RJ45 10M/100M Base-TX Ethernet
UN-UA-UHO-B2D-M3F4D	R 799	Uniview UNV Uniarch 3MP WiFi Bullet Camera with 4.0mm Lens & Dual Light, Uho-B2D-M3F4D, DWDR, Up to 20m IR range, Up to 10m Warm Light range, Ultra 265 / H.265 / H.264 / MJPEG Video Compression, 3MP (2304 x 1296) 25fps Main Stream Maximum, Up to 4 OSDs, Up to 8 areas ROI, Up to 4 areas Privacy mask, Dual streams, 2D/3D DNR Digital Noise Reduction, Digital Defog, Motion Detection, Ultra Motion Detection, Audio detection, Tampering Alarm, Micro SD up to 128GB, 2.4ggz Wi-Fi, Built-In Mic, Built-In Speaker, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-UA-UHO-P3C-M5F4	R 1,543	Uniview UNV Uniarch 5MP Outdoor PTZ camera with 4mm Lens & Warm Light, Uho-P3C-M5F4, DWDR, Up to 30m Warm Light range, Ultra 265 / H.265 / H.264 Video Compression, 5MP (2880x1620) 25fps Main Stream Maximum, Up to 8 areas ROI, Dual streams, Up to 4 OSDs, 2D/3D DNR Digital Noise Reduction, Digital Defog, Human Body detection, Motion Detection, Audio detection, Micro SD up to 512 GB, 2.4GHz Wi-Fi, Pan & Tilt, Built-In Mic, Built-In Speaker, 1x RJ45 10M/100M Base-TX Ethernet Network
UN-UA-UHO-S3E-M3F3	R 446	Uniview UNV Uniarch 3MP WiFi Pan-Tilt Indoor Camera with 2.8mm Lens, Uho-S3E-M3F3, 10m IR Light range, Ultra 265 / H.265 / H.264 Video Compression, 3MP (2304 x 1296) Max 25fps Main Stream Maximum, Up to 2 OSDs, Up to 8 areas ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, Digital Defog, Human Body detection, Motion Detection, Audio detection, Micro SD up to 512 GB, 2.4GHz Wi-Fi with Built-In antenna, 1x RJ45 10M/100M Base-TX Ethernet
UN-UA-UHO-S3E-M3TD	R 569	Uniview UNV Uniarch 3MP Indoor PTZ camera with 4.0mm Lens, Uho-S3E-M3TD, DWDR, Up to 10m IR range, Ultra 265 / H.265 / H.264 Video Compression, 3MP (2304 x 1296) 25fps Main Stream Frame rate, Up to 8 areas ROI, Dual streams, 2D/3D DNR Digital Noise Reduction, Digital Defog, Human Body detection, Motion Detection, Audio detection, Micro SD up to 256GB, 2.4GHz Wi-Fi with Built-In antenna, Pan & Tilt, Built-In Mic, Built-In Speaker, 1x RJ45 10M/100M Base-TX Ethernet Network
UVC-AI-PRO	R 9,256	Ubiquiti UniFi Protect AI Pro 8MP Black IP Camera with 4.1 - 12.3 mm Lens, UVC-AI-PRO, 25 m IR Night Vision, 3x Optical Zoom, Face Recognition, License Plate Recognition, Smart detections, 4K Resolution, Two-Way Audio, IP65 weatherproofing, IK04 tamper resistance, 1x GbE RJ45 Port, 30 fps Maximum Frame rate, 8MP 3840x2160 (16:9) Resolution
UVC-AI-PRO-WHITE	R 9,256	Ubiquiti UniFi Protect AI Pro 8MP White IP Camera with 4.1 - 12.3 mm Lens, UVC-AI-PRO, 25 m IR Night Vision, 3x Optical Zoom, Face Recognition, License Plate Recognition, Smart detections, 4K Resolution, Two-Way Audio, IP65 weatherproofing, IK04 tamper resistance, 1x GbE RJ45 Port, 30 fps Maximum Frame rate, 8MP 3840x2160 (16:9) Resolution
UVC-AI-THETA	R 5,806	Ubiquiti UniFi Protect AI Theta 8MP / 6MP IP Camera system, UVC-AI-THETA, Remote Processing unit with status Display 4K (8MP / 6MP) Video Resolution, Remote Processing unit with status Display, H.264 Video Compression, GbE RJ45 Port, PoE Power Method, Includes - UVC-AI-Theta-Hub / UVC-AI-Theta-Lens/360 / UVC-AI-Theta-Lens/360 Flush Mount
UVC-AI-THETA-PROLENS110	R 3,046	Ubiquiti AI Theta Pro Wide-Angle Lens Wide-Angle Lens camera, UVC-AI-Theta-ProLens110, Wall or Ceiling Mount, 4K Resolution, 8MP 3840x2160 (16:9) Resolution, 24 fps Maximum Frame rate
UVC-AI-THETA-PROLENS360	R 3,046	Ubiquiti AI Theta Pro 360 Lens Ultra-Wide camera, UVC-AI-Theta-ProLens360 , 4MP 2160x2160 Resolution, 24 fps Maximum Frame rate, 8MP Sensor, 360 degrees Ceiling Wide-Angle
UVC-AI-TURRET-W	R 7,531	Ubiquiti UniFi Protect 8MP AI Turret IP Camera, UVC-AI-Turret-W, 40 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Two-Way Audio, IP66 weatherproofing, IK08 tamper resistance, 1x GbE RJ45 Port, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, MicroSD card Expansion slot
UVC-G4INS	R 2,409	Ubiquiti UniFi G4 instant camera, 5 MP CMOS sensor, 2.8mm fixed-focal Lens, Built-In IR LED illumination, H.264/mjpeg Compression, 2688x1512 Resolution, 30 fps Maximum Frame rate, 802.11 a/b/g/n/ac WiFi, Bluetooth, Microphone, Speaker, UVC-G4-INS
UVC-G5B	R 2,846	Ubiquiti UniFi Protect G5 Bullet 5MP IP camera, UVC-G5-bullet, 5MP CMOS sensor, Built-In IR LED illumination, H.264 / MJPEG Video Compression, 2688 x 1512 (16:9) Resolution, 30 fps Maximum Frame rate, 1x 10/100 Ethernet RJ45 Port, PoE Power, Microphone
UVC-G5B-3	R 8,453	Ubiquiti UniFi Protect G5 Bullet 5MP IP camera - 3 pack, UVC-G5-bullet-3, 5MP CMOS sensor, Built-In IR LED

		illumination, H.264 / MJPEG Video Compression, 2688 x 1512 (16:9) Resolution, 30 fps Maximum Frame rate, 1x 10/100 Ethernet RJ45 Port, PoE Power, Microphone
UVC-G5PTZ-B	R 5,054	Ubiquiti UniFi Protect G5 PTZ 4MP IP Camera with 3.42-6.85 mm Lens - Black, UVC-G5-PTZ-B, 20 m IR Night Vision, 2x Optical Zoom, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x 10/100 MbE RJ45 Port, 4MP 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, Built-In IR & White LED illumination, PoE Power Method, Pan-tilt-zoom control
UVC-G5PTZ-W	R 5,054	Ubiquiti UniFi Protect G5 PTZ 4MP IP Camera with 3.42-6.85 mm Lens - White, UVC-G5-PTZ-W, 20 m IR Night Vision, 2x Optical Zoom, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x 10/100 MbE RJ45 Port, 4MP 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, Built-In IR & White LED illumination, PoE Power Method, Pan-tilt-zoom control
UVC-G5TU-B	R 2,013	Ubiquiti UniFi Protect G5 Turret Ultra Black 4MP IP Camera, UVC-G5-Turret-Ultra, 30 m IR Night Vision, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x 10/100 mbe RJ45 Port Networking Interface, 4MP 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, PoE Power Method
UVC-G5TU-W	R 2,013	Ubiquiti UniFi Protect G5 Turret Ultra White 4MP IP Camera, UVC-G5-Turret-Ultra, 30 m IR Night Vision, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x 10/100 mbe RJ45 Port Networking Interface, 4MP 2688x1512 (16:9) Resolution, 30 fps Maximum Frame rate, PoE Power Method
UVC-G6180-B	R 7,009	Ubiquiti UniFi G6 180 degree Panoramic Indoor / Outdoor Dual Sensor, UVC-G6-180-b, 20 m IR Night Vision, Face Recognition, License Plate Recognition, Dual 4K Resolution, Two-Way Audio, IP66 weatherproofing, IP66 weatherproofing, IK04 tamper resistance, 10/100 MbE RJ45 Port Networking Interface, 20 fps Maximum Frame rate, 16MP 7680x2160 Resolution, MicroSD card Expansion slot
UVC-G6B-B	R 4,284	Ubiquiti UniFi Protect 8MP G6 Bullet IP Camera - Black, UVC-G6-Bullet-B, 30m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x Ethernet RJ45 Port Networking Interface, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate
UVC-G6B-W	R 4,284	Ubiquiti UniFi Protect 8MP G6 Bullet IP Camera, UVC-G6-Bullet-W, 30m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Microphone, IP66 weatherproofing, IK04 tamper resistance, 1x Ethernet RJ45 Port Networking Interface, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate
UVC-G6INS-W	R 4,134	Ubiquiti UniFi Protect G6 instant 8MP White WiFi 5 IP Camera, UVC-G6-INS-W, 6m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, Two-Way Audio, IPX5 weatherproofing, WiFi, Bluetooth, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, MicroSD card Expansion slot, 2m USB Type-C to USB Type-C cable connector Type
UVC-G6PRO360-B	R 11,379	Ubiquiti UniFi Protect G6 Pro 360 12MP Black IP Camera, UVC-G6-Pro-360-B, 15m IR Night Vision, Smart IR (4x controllable zones), Two-Way Audio, IP66 weatherproofing, IK10 tamper resistance, 1x 10/100 MbE RJ45 Port, 24 fps Maximum Frame rate, 12MP 3504x3504 Resolution, Fisheye Lens, PoE Power Method, MicroSD card Expansion slot
UVC-G6PTZ-B	R 8,619	Ubiquiti UniFi Protect G6 PTZ 8MP Black IP Camera, UVC-G6-PTZ-B, 4.46 mm to 16.3 mm Lens, 10x Hybrid Zoom mode, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 4K Resolution, Pan & Tilt, Two-Way Audio, IP66 weatherproofing, IK04 tamper resistance, 10/100 MbE RJ45 Port Networking Interface, 30 fps Maximum Frame rate, 8MP 3840x2160 Resolution, PoE Power Method, MicroSD card Expansion slot
UVC-G6PTZ-W	R 8,619	Ubiquiti UniFi Protect G6 PTZ 8MP White IP Camera, UVC-G6-PTZ-W, 4.46 mm to 16.3 mm Lens, 10x Hybrid Zoom mode, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 4K Resolution, Pan & Tilt, Two-Way Audio, IP66 weatherproofing, IK04 tamper resistance, 10/100 MbE RJ45 Port Networking Interface, 30 fps Maximum Frame rate, 8MP 3840x2160 Resolution, PoE Power Method, MicroSD card Expansion slot
UVC-G6T-B	R 4,594	Ubiquiti UniFi Protect 8MP G6 Turret IP Camera - Black, UVC-G6-Turret-B, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 1x Ethernet RJ45 Port Networking Interface, 8MP 3864x2160 Resolution, 30 fps Maximum Frame rate, Microphone, IP66 weatherproofing, IK04 tamper resistance
UVC-G6T-W	R 4,594	Ubiquiti UniFi Protect 8MP G6 Turret IP Camera, UVC-G6-Turret-W, 30 m IR Night Vision, Face Recognition, License Plate Recognition, Smart detections, 1x Ethernet RJ45 Port Networking Interface, 8MP 3864x2160

		Resolution, 30 fps Maximum Frame rate, Microphone, IP66 weatherproofing, IK04 tamper resistance
VIGI C220I(2.8MM)	R 575	TP-Link Vigi C220I 2MP Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 30m IR working distance, ONVIF, Two streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, People detection, Vehicle Detection, Motion Detection, 2MP (1920x1080) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
VIGI C230I MINI(2.8MM)	R 790	TP-Link C230I Mini Vigi 3MP IR Mini Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker
VIGI C240(2.8MM)	R 861	TP-Link C240 Vigi 4MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range 1 IR LED, 30m range 1 White LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Audio Input, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Built-In Microphone, Motion detection, Human & vehicle classification
VIGI C250(4MM)	R 1,005	TP-Link Vigi 5MP Full-colour Dome PoE IP Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams simultaneous live view, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Motion Detection, Video tampering detection, Human & vehicle classification, 1x IR LED up to 30m, 1x White LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement BLC / 3D DNR / HLC / SmartIR, ROI
VIGI C320I(2.8MM)	R 538	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI C320I4MM)	R 504	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI C330(2.8MM)	R 718	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI C330I(2.8MM)	R 611	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI C330I(6MM)	R 575	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI C340(2.8MM)	R 861	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI C340(4MM)	R 861	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI C340(6MM)	R 861	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 6mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit

		Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI C340-W(4MM)	R 1,149	TP-Link Vigi C340-W 4MP Outdoor Full-colour Wi-Fi Bullet Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 2.4GHz WiFi, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI C340I(4MM)	R 682	TP-Link Vigi C340I 4MP Outdoor Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 30m IR working distance, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, People detection, Motion Detection, 4MP (2560x1440) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
VIGI C340S(4MM)	R 1,939	TP-Link VIGI-C340 4MP Outdoor ColorPro Night Vision Bullet Network camera with 4mm Lens, 4 White LED with 30m illumination distance, No IR LED, 3D DNR Digital Noise Reduction, IP67 Weatherproof rating, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, Motion Detection, Video tampering detection, Exception (Illegal Login), Supports simultaneous detection and Capture of human Body and vehicle, People & vehicle analytics, Face Capture, Face comparison, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Built-In Microphone, Built-In Speaker, Built-In Memory card slot, Support MicroSD card up to 256 GB
VIGI C345(2.8MM)	R 1,036	TP-Link Vigi C345 4MP Outdoor full Colour Bullet Camera with 2.8mm Lens, 2 IR LED 30m range, 2 White LED 30m range, 2688x1520 maximum Resolution, Video Compression Main Stream - H.265 / H.265 / H.264 / H.264, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI, Two-Way audio, 3 Main streams & 3 Sub-Streams simultaneous live View, Human & vehicle classification, Motion Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB
VIGI C385(4MM)	R 1,590	TP-Link C385 Vigi 8MP Full-colour Outdoor Bullet Network camera with 4mm Lens, 2 IR LED with 30m range, 2 White LED with 30m range, 3840x2160 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI, 3 Main streams & 3 Sub-Streams, Human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, Two-Way audio
VIGI C420I(2.8MM)	R 503	TP-Link VIGI 2MP IR Turret Network Camera SPEC: 2MP, 2.8mm Fixed Lens, 1/3" Progressive Scan CMOS, H.265 /H.265/H.264 /H.264, IR LED, 25fps/30fps (1920x1080), PoE, DWDR, Built-in Mic FEATURE: IR Night Vision (Up to 30 m), Smart Detection
VIGI C430I(2.8MM)	R 553	TP-Link C430I Vigi 3MP IR Turret Network camera with 2.8mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI C440(2.8MM)	R 790	TP-Link C440 Vigi 4MP Full-colour Turret Network camera with 2.8mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
VIGI C440I 2.8MM	R 599	TP-Link C440I Vigi 4MP IR Turret Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI C540(4MM)	R 1,221	TP-Link Vigi C540 4MP Outdoor Full-colour Pan / Tilt Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI C540-4G(4MM)	R 1,939	TP-Link Vigi C540-4g 4MP Outdoor full Colour 4G Pan Tilt Network camera with 4mm Lens, 2 IR LED up to 30m

		range, 2 White LED up to 30m range, 2560x1440 maximum Resolution, Video Compression - H.265 / H.265 / H.264 / H.264, BLC / 3D DNR / HLC / SmartIR, DWDR, 1 region ROI, Two-Way audio, ONVIF, 2 Main streams & 2 Sub-Streams simultaneous live View, 4G Nano SIM slot, Motion Detection, Human & Vehicle Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
VIGI C540-W(4MM)	R 1,365	TP-Link Vigi C540-W 4MP Outdoor Full-colour Pan / Tilt Wi-Fi Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 2.4GHz WiFi, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI C540V	R 1,580	TP-Link Vigi C540V 4MP Outdoor Full-colour Dual-Lens Varifocal Pan Tilt Network camera, 3x mixed Zoom, ONVIF, 3 main streams & 3 Sub-Streams, IP66 protection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Motion Detection, Video tampering detection, Exception (Illegal Login), 4-12 mm (Mixed Zoom) focal length, Pan / Tilt, Two-Way audio, 1 IR LED with 30m range, 3 White LED with 30m range, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI
VIGI-C220I(2.8MM)	R 549	TP-Link VIGI C220I VIGI 2MP IR Dome Network Camera with 2.8mm lens
VIGI-C220I-2.8	R 635	TP-Link Vigi C220I 2MP Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 30m IR working distance, ONVIF, Two streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, People detection, Vehicle Detection, Motion Detection, 2MP (1920x1080) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
VIGI-C230-2.8	R 852	TP-Link Vigi C230 3MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, 1 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection
VIGI-C230I-MINI-2.8	R 852	TP-Link C230I Mini Vigi 3MP IR Mini Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker
VIGI-C230I-MINI-2.8MM	R 794	TP-Link C230I Mini Vigi 3MP IR Mini Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker
VIGI-C240(2.8MM)	R 849	TP-Link C240 Vigi 4MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range 1 IR LED, 30m range 1 White LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Audio Input, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Built-In Microphone, Motion detection, Human & vehicle classification
VIGI-C240-2.8	R 924	TP-Link C240 Vigi 4MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range 1 IR LED, 30m range 1 White LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Audio Input, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Built-In Microphone, Motion detection, Human & vehicle classification
VIGI-C240-2.8MM	R 854	TP-Link C240 Vigi 4MP Full-colour Dome Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range 1 IR LED, 30m range 1 White LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Audio Input, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Built-In Microphone, Motion detection, Human & vehicle classification
VIGI-C240I(2.8MM)	R 749	TP-Link Vigi C240I IR Dome Network camera with 2.8mm Lens, 3D DNR Digital Noise Reduction, DWDR, IP67 weatherproof rating, 30m IR working distance, No White LEDs, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, DC Power Port, Motion Detection, Video tampering

		detection, Exception (Illegal Login), 4MP 2560x1440 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 1 region of interest, H.265 / H.265 / H.264 / H.264 Video Compression
VIGI-C240I-2.8	R 815	TP-Link Vigi C240I IR Dome Network camera with 2.8mm Lens, 3D DNR Digital Noise Reduction, DWDR, IP67 weatherproof rating, 30m IR working distance, No White LEDs, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, DC Power Port, Motion Detection, Video tampering detection, Exception (Illegal Login), 4MP 2560x1440 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC / SmartIR, 1 region of interest, H.265 / H.265 / H.264 / H.264 Video Compression
VIGI-C250-4	R 1,068	TP-Link Vigi 5MP Full-colour Dome PoE IP Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams simultaneous live view, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Motion Detection, Video tampering detection, Human & vehicle classification, 1x IR LED up to 30m, 1x White LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement BLC / 3D DNR / HLC / SmartIR, ROI
VIGI-C250-4MM	R 1,010	TP-Link Vigi 5MP Full-colour Dome PoE IP Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams simultaneous live view, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Motion Detection, Video tampering detection, Human & vehicle classification, 1x IR LED up to 30m, 1x White LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement BLC / 3D DNR / HLC / SmartIR, ROI
VIGI-C320I(2.8MM)	R 549	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C320I(4MM)	R 549	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C320I-2.8	R 599	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C320I-2.8MM	R 541	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C320I-4	R 599	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C320I-6	R 563	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C320I-6MM	R 515	TP-Link C320 Vigi 2MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Human & vehicle classification, Motion detection
VIGI-C330-2.8	R 779	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection

VIGI-C330-4	R 779	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330-6	R 779	TP-Link C330 Vigi 3MP Outdoor Full-colour Bullet Network camera with 6mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330I(2.8MM)	R 649	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330I(4MM)	R 649	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330I(6MM)	R 649	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330I-2.8	R 671	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 2.8mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330I-4	R 671	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 4mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C330I-6	R 635	TP-Link C330I Vigi 3MP Outdoor IR Bullet Network camera with 6mm Lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C340(2.8MM)	R 849	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340-2.8	R 924	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340-2.8MM	R 759	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 2.8mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340-4	R 924	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340-4MM	R 750	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 4mm Lens, 3D DNR Digital noise

		reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340-6	R 924	TP-Link Vigi C340 4MP Outdoor Full-colour Bullet Network camera with 6mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340-W-4	R 1,213	TP-Link Vigi C340-W 4MP Outdoor Full-colour Wi-Fi Bullet Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 2.4GHz WiFi, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C340I(4MM)	R 699	TP-Link VIGI C340I VIGI 4MP 4mm Outdoor IR Bullet Network Camera, Retail Box
VIGI-C340I-4	R 743	TP-Link Vigi C340I 4MP Outdoor Bullet Network camera with 4mm Lens, 3D DNR, DWDR, IP67 weatherproof rating, 30m IR working distance, ONVIF, 3 main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, People detection, Motion Detection, 4MP (2560x1440) maximum Resolution, BLC / 3D DNR / HLC / SmartIR image enhancement, 1 region of interest
VIGI-C340S-4	R 2,008	TP-Link VIGI-C340 4MP Outdoor ColorPro Night Vision Bullet Network camera with 4mm Lens, 4 White LED with 30m illumination distance, No IR LED, 3D DNR Digital Noise Reduction, IP67 Weatherproof rating, 2688x1520 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC, 120 dB wide Dynamic range, 1 region ROI, Two-Way Audio, 3 Main streams & 3 Sub-Streams, Motion Detection, Video tampering detection, Exception (Illegal Login), Supports simultaneous detection and Capture of human Body and vehicle, People & vehicle analytics, Face Capture, Face comparison, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Built-In Microphone, Built-In Speaker, Built-In Memory card slot, Support MicroSD card up to 256 GB
VIGI-C350-4	R 1,141	TP-Link C350 Vigi 5MP Outdoor Full-colour Bullet PoE Network camera with 4mm Lens, 3 Main streams & 3 Sub-Streams, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Two-Way audio, Human & vehicle classification, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2880x1620 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI
VIGI-C420I(4MM)	R 499	TP-Link C420I 2MP IR Turret Network camera with 4mm Lens, 3D DNR, DWDR, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range IR LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Motion detection, Human & vehicle classification,
VIGI-C420I-2.8	R 563	TP-Link C420I 2MP IR Turret Network camera with 2.8mm Lens, 3D DNR, DWDR, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range IR LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Motion detection, Human & vehicle classification,
VIGI-C420I-4	R 563	TP-Link C420I Vigi 2MP IR Turret Network camera with 4mm Lens, 3D DNR, DWDR, 1920x1080 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 30m range IR LED, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Motion detection, Human & vehicle classification
VIGI-C430-2.8	R 743	TP-Link C430 Vigi 3MP Full-colour Turret Network camera with 2.8mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection
VIGI-C430-4	R 743	TP-Link C430 Vigi 3MP Full-colour Turret Network camera with 4mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection

VIGI-C430-4MM	R 685	TP-Link C430 Vigi 3MP Full-colour Turret Network camera with 4mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Built-In Microphone, Human & vehicle classification, Motion detection
VIGI-C430I-2.8	R 613	TP-Link C430I Vigi 3MP IR Turret Network camera with 2.8mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C430I-4	R 613	TP-Link C430I Vigi 3MP IR Turret Network camera with 4mm lens, 3D DNR, DWDR, 2304x1296 maximum Resolution, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C440-2.8	R 852	TP-Link C440 Vigi 4MP Full-colour Turret Network camera with 2.8mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
VIGI-C440-4	R 852	TP-Link C440 Vigi 4MP Full-colour Turret Network camera with 4mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
VIGI-C440-W(4MM)	R 949	TP-Link C440-W Vigi 4MP Full-colour Wi-Fi Turret Network camera with 4mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, 2.4GHz Frequency, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
VIGI-C440-W-4	R 996	TP-Link C440-W Vigi 4MP Full-colour Wi-Fi Turret Network camera with 4mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, 2.4GHz Frequency, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
VIGI-C440-W-4MM	R 938	TP-Link C440-W Vigi 4MP Full-colour Wi-Fi Turret Network camera with 4mm Lens, 1/3" Progressive Scan CMOS image Sensor, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 2 IR LED 30m range, 2 White LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, Two-Way audio, 2.4GHz Frequency, Built-In Microphone, Built-In Speaker, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Support MicroSD card up to 256 GB, Motion detection, People detection
VIGI-C440I-2.8	R 671	TP-Link C440I Vigi 4MP IR Turret Network camera with 2.8mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C440I-4	R 671	TP-Link C440I Vigi 4MP IR Turret Network camera with 4mm Lens, 3D DNR, DWDR, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, 1 IR LED 30m range, BLC / 3D DNR / HLC / SmartIR, 1 region ROI, ONVIF, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, DC Power Port, Human & vehicle classification, Motion detection
VIGI-C445(2.8MM)	R 999	TP-Link C445 Vigi 4MP full Colour Outdoor Turret camera with 2.8mm Lens, 4 White LED with 30m range, 4 IR LED with 30m range, 2688x1520 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI, 3 Main streams & 3 Sub-Streams, Human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, Two-Way audio
VIGI-C445-2.8	R 1,002	TP-Link C445 Vigi 4MP full Colour Outdoor Turret camera with 2.8mm Lens, 4 White LED with 30m range, 4 IR

		LED with 30m range, 2688x1520 maximum Resolution, Main Stream H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR image enhancement, 120 dB wide Dynamic range, 1 region ROI, 3 Main streams & 3 Sub-Streams, Human & vehicle classification, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, Two-Way audio
VIGI-C445-2.8MM	R 931	TP-Link Vigi C445 4MP Full-Color Turret Network Camera, SPEC: 4MP, 2.8mm Fixed Lens, 1/2.7â€• Progressive Scan CMOS, H.265 /H.265/H.264 /H.264, IR/White LED, 25fps/30fps (2688x1520), IP67,Web, PoE/DC 12V,120dB WDR, Built-in MIC/Speake, micro-SD Slot, FEATURE: Full-Color and IR
VIGI-C450-4	R 1,032	TP-Link Vigi C450 4MP Full-colour Turret PoE Network with 4mm Lens, ONVIF, 3 Main streams & 3 Sub-Streams simultaneous live View, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Human & vehicle classification, Motion Detection, 2 IR LED up to 30m, 2 White LED LED up to 30m, 2880x1620 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, BLC / 3D DNR / HLC / SmartIR, 120 dB wide Dynamic range, 1 region ROI
VIGI-C540-4	R 1,285	TP-Link Vigi C540 4MP Outdoor Full-colour Pan / Tilt Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C540-4G	R 1,949	TP-Link Vigi C540-4g 4MP Outdoor full Colour 4G Pan Tilt Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2560x1440 maximum Resolution, Video Compression - H.265 / H.265 / H.264 / H.264, BLC / 3D DNR / HLC / SmartIR, DWDR, 1 region ROI, Two-Way audio, ONVIF, 2 Main streams & 2 Sub-Streams simultaneous live View, 4G Nano SIM slot, Motion Detection, Human & Vehicle Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
VIGI-C540-4G-4	R 2,008	TP-Link Vigi C540-4g 4MP Outdoor full Colour 4G Pan Tilt Network camera with 4mm Lens, 2 IR LED up to 30m range, 2 White LED up to 30m range, 2560x1440 maximum Resolution, Video Compression - H.265 / H.265 / H.264 / H.264, BLC / 3D DNR / HLC / SmartIR, DWDR, 1 region ROI, Two-Way audio, ONVIF, 2 Main streams & 2 Sub-Streams simultaneous live View, 4G Nano SIM slot, Motion Detection, Human & Vehicle Detection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port Network Interface, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker
VIGI-C540-W-4	R 1,430	TP-Link Vigi C540-W 4MP Outdoor Full-colour Pan / Tilt Wi-Fi Network camera with 4mm Lens, 3D DNR Digital noise reduction, IP66 weatherproof rating, 2560x1440 maximum Resolution, 30m IR LED range, 30m White LED range, BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI, Two-Way audio, 2.4GHz Frequency, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port, 2.4GHz WiFi, Built-In Microphone, Built-In Speaker, Micro SD card, Motion detection
VIGI-C540S(4MM)	R 2,349	TP-Link Vigi C540S Vigi 4MP Outdoor ColorPro Night Vision Pan Tilt Network camera with 4mm Lens, Pan / Tilt, 2 White LED with 30m range, No IR LED, 2688x1520 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC, 120dB wide Dynamic range, 1 region ROI, Two-Way audio, ONVIF, 3 main streams & 3 Sub-Streams, Motion Detection, Video tampering detection, Exception (Illegal Login), 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, IP66 protection
VIGI-C540S-4	R 2,441	TP-Link Vigi C540S Vigi 4MP Outdoor ColorPro Night Vision Pan Tilt Network camera with 4mm Lens, Pan / Tilt, 2 White LED with 30m range, No IR LED, 2688x1520 maximum Resolution, Image enhancement - BLC / 3D DNR / HLC, 120dB wide Dynamic range, 1 region ROI, Two-Way audio, ONVIF, 3 main streams & 3 Sub-Streams, Motion Detection, Video tampering detection, Exception (Illegal Login), 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 512 GB, Built-In Microphone, Built-In Speaker, IP66 protection
VIGI-C540S-4MM	R 2,383	TP-Link Vigi C540S 4MP ColorPro Pan/Tilt Network Camera, SPEC: H.265 /H.265/H.264 /H.264, 1/1.8" Progressive Scan CMOS, Color/0.0005 Lux@F1.0, 0 Lux with White Light, 25fps/30fps (2688x1520,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 4 mm Fixed Lens, Built-In Microphone

VIGI-C540V	R 1,549	TP-Link Vigi C540V 4MP Outdoor Full-colour Dual-Lens Varifocal Pan Tilt Network camera, 3x mixed Zoom, ONVIF, 3 main streams & 3 Sub-Streams, IP66 protection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Motion Detection, Video tampering detection, Exception (Illegal Login), 4-12 mm (Mixed Zoom) focal length, Pan / Tilt, Two-Way audio, 1 IR LED with 30m range, 3 White LED with 30m range, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI
VIGI-C540V	R 1,646	TP-Link Vigi C540V 4MP Outdoor Full-colour Dual-Lens Varifocal Pan Tilt Network camera, 3x mixed Zoom, ONVIF, 3 main streams & 3 Sub-Streams, IP66 protection, 1x RJ45 10/100 Mbit Self-Adaptive Ethernet Port PoE Network Interface, Built-In Memory card slot, Support MicroSD card up to 256 GB, Built-In Microphone, Built-In Speaker, Motion Detection, Video tampering detection, Exception (Illegal Login), 4-12 mm (Mixed Zoom) focal length, Pan / Tilt, Two-Way audio, 1 IR LED with 30m range, 3 White LED with 30m range, 2560x1440 maximum Resolution, H.265 / H.265 / H.264 / H.264 Video Compression, Image enhancement - BLC / 3D DNR / HLC / SmartIR, DWDR wide Dynamic range, 1 region ROI
VIVOTEK CC9160-H	R 3,449	VIVOTEK CC9160-H Indoor 180 degree 2MP IP Network camera, 256MB Flash, 512MB RAM, 1/2.8" progressive CMOS image sensor, 1920x1080 Maximum Resolution, Fixed-focal Lens Type, WDR Pro, H.265, H.264, MJPEG Video Compression, 3 simultaneous streams, 120 dB Dynamic range, One-Way audio, Built-In Microphone, Five-window Video motion detection, RJ-45 cable connector for 10/100 Mbps Network/PoE connection, IEEE 802.3af PoE Class 2 power Input
VIVOTEK CC9380-HV	R 8,854	Vivotek CC9380-HV 180 degree 5MP H.265 IP Network camera, 1/2.7" progressive CMOS image sensor, 2560 x 1920 Maximum Resolution, Fixed-focal Lens Type, Fixed iris, WDR Pro, 20 FPS @ 2560x1920 (WDR on), 30 FPS @ 2560x1920 (WDR off), Supreme night visibility), IP66-rated, Vandal-proof IK10-rated, Built-in Microphone
VIVOTEK CC9381-HV	R 7,244	Vivotek 5MP H.265 outdoor IP Network camera, H.265 Compression technology, 5-megapixel CMOS sensor, 20 FPS @ 2560 x 1920 (WDR on), 30 FPS @ 2560 x 1920 (WDR off), 180 degree horizontal panoramic view, IR up to 15 meters, WDR Pro (120 dB), Snv, Smart stream III, Weather-proof IP66-RATED, Vandal-proof IK10-RATED housing, Tilt lens, Built-in Microphone, Anti-ligature DESIGN, 1/2.7" progressive CMOS sensor, fixed-focal lens TYPE, 1X 10/100mpbs Network
VIVOTEK CC9381-HV-V2	R 8,509	VIVOTEK CC9381-HV-V2 5MP IR Compact Panoramic AI camera with 1.47 mm Lens, 2560x1920 (5MP) maximum Resolution, WDR Pro, Built-In IR illuminators up to 20 meters, Compression - H.265 / H.264 / MJPEG, 30 fps @ 2560x1920 Maximum Frame rate, 3 Video streams, One-Way Audio, Built-In Microphone, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port
VIVOTEK CD9381-HNVF2	R 9,199	VIVOTEK CD9381-HNVF2 5MP Corner Dome AI camera with 2.4mm Lens, 2560x1920 (5MP) maximum Resolution, WDR Pro, Built-In 940nm IR illuminators effective up to 10 meters, Compression - H.265 / H.264 / MJPEG, 3 Video streams, Two-Way Audio (Full Duplex), Built-In Microphone, External Audio Input, External Audio Output, Live viewing for up to 10 clients, 1x Ethernet (RJ-45) Port, Smart IR III, Video Motion Detection
VIVOTEK FD9167-HT-V2	R 6,784	Vivotek Indoor Dome 2MP camera with 2.8-12mm Remote focus Lens, 1920x1080 (2MP) Maximum Resolution, Motorized Vari-Focal Remote focus Lens Type, WDR Pro, Built-In IR illuminators effective up to 50 meters with Smart IR II, Pan/Tilt/Zoom functionalities, H.265 / H.264 / MJPEG Video Compression, 60 fps @ 1920x1080, 3 Video streams, 120 dB Dynamic range, Two-Way audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 10 BASE-T/100 Base-TX Ethernet (RJ-45), Five-window Video motion detection, People detection, Vehicle detection, time Filter
VIVOTEK FD9187-HT-V3	R 8,624	VIVOTEK FD9187-HT-V3 5MP Indoor Fixed Dome AI camera with 2.7-13.5 mm Lens, 2560x1920 (5MP) maximum Resolution, 2.713.5 mm motorized Vari-Focal Remote Focus Lens Type, WDR Pro, Built-In IR illuminators effective up to 50 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265 / H.264 / MJPEG, Two-Way Audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port, Smart IR III, Video Motion Detection, 1x Digital Input, 1x Digital Output
VIVOTEK FD9369	R 2,294	VIVOTEK FD9369 2MP Outdoor Dome Network IP camera with 2.8 mm Lens, 1920x1080 (2MP) Maximum Resolution, Fixed-focal Lens Type, H.265 Compression technology, 30 FPS @ 1920x1080, Smart stream III, Built-in IR illuminators up to 30 meters, Smart motion detection, WDR enhanced, One-way audio, Built-in

		Microphone, 10/100 Mbps Network/PoE conne
VIVOTEK FD9383-HV 2.8mm	R 3,219	Vivotek FD9383-HV 5MP@30FSP Network Security Camera with 2.8mm Lens
VIVOTEK FD9387-EHTV-V3	R 13,569	Vivotek 5MP Outdoor Fixed Dome AI camera with 2.7 to 13.5 mm Lens, 2560 x 1920 (5MP) maximum Resolution, 2.7-13.5m motorized Vari-Focal Remote Focus Lens, P-iris, WDR Pro, Built-In IR illuminators effective up to 50 meters, EPTZ - Pan / Tilt / Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 3 Video streams Maximum, Two-Way Audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 10 BASE-T/100 Base-TX Ethernet Interface, People & Vehicle Detection, 1x Digital Input, 1x Digital Output
VIVOTEK FD9387-EHTV-V3 22mm	R 10,694	Vivotek 5MP Outdoor Fixed Dome AI camera with 7 to 22 mm Lens, 2560 x 1920 (5MP) maximum Resolution, 7-22mm motorized Vari-Focal Remote Focus Lens, P-iris, WDR Pro, Built-In IR illuminators effective up to 50 meters, EPTZ - Pan / Tilt / Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 3 Video streams Maximum, Two-Way Audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 10 BASE-T/100 Base-TX Ethernet Interface, People & Vehicle Detection, 1x Digital Input, 1x Digital Output
VIVOTEK FD9388-HTV	R 3,966	Vivotek outdoor IK10 dome H.265 5MP IP camera, 2.8-12 mm remote focus, H.265 Compression technology, 20 FPS @ 2560x1920 (WDR Pro on), Snv, WDR Pro, Smart stream III, Built-in IR illuminators up to 30 meters, Weather-proof IP66-RATED, Vandal-proof IK10-RATED housing, 1/2.7" progressive CMOS image sensor, Fixed-iris, 3 simultaneous streams, One-way audio, Built-in Microphone, 10 BASE-T/100 Base-TX Ethernet (RJ-45) LAN
VIVOTEK FD9391-EHTV-V2	R 24,724	VIVOTEK FD9391-EHTV-V2 8MP Outdoor Fixed Dome AI camera with 4.4-10.2mm Lens, 3840x2160 (8MP) maximum Resolution, 4.4-10.2mm motorized Vari-Focal Remote Focus Lens Type, WDR Pro, Built-In IR illuminators effective up to 50 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 30 fps @ 3840x2160 Maximum Frame rate, 3 Video streams, Two-Way Audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port, Video Motion Detection, 2x Digital Input, 2x Digital Output
VIVOTEK FD9399-EHTV	R 9,889	VIVOTEK FD9399-EHTV 8MP Outdoor Fixed Dome camera with 4.3-9.8mm Lens, 3840x2160 (8MP) maximum Resolution, 4.3-9.8mm motorized Vari-Focal Remote Focus len s, WDR Pro, Built-In IR illuminators effective up to 40 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 3 Video streams, 30 fps @ 3840x2160 (8MP) Maximum Frame rate, Two-Way Audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet LAN Port (RJ-45), Smart IR III, Video Motion Detection, 1x Digital Input, 1x Digital Output
VIVOTEK FE9382-EHV-V2	R 8,279	Vivotek FE9382-EHV-V2 6MP H.265 fisheye IP camera with F1.6 Lens, 8GB Flash, 2 GB RAM, Multimedia SoC, 1/1.8" progressive CMOS image sensor, 2048 x 2048 Maximum Resolution, Fixed-focal Lens Type, Fixed iris, WDR Pro, Built-in IR illuminators effective up to 20 meters, 12x Digital Zoom, Two-way audio, Built-in Microphone, RJ-45 cable connector for 10/100 Mbps Network/PoE connection, IEEE 802.3af PoE Class 0 power Input. Lens Type: Fixed-focal; Focal Length: f = 1.245 mm; Aperture: F1.6; Auto-iris: Fixed iris; Field of View: 180 degrees (Horizontal); 180 degrees (Vertical); 180 degrees (Diagonal)
VIVOTEK FE9382-EHV-V2-VVZA	R 6,669	Vivotek 6MP Fisheye IP camera, 2048x2048 Maximum Resolution, WDR Pro, 1/1.8" progressive CMOS in 3840x2160 image sensor, Built-In IR illuminators effective up to 20 meters, H.265 / H.264 / MJPEG Video Compression, 30fps @ 2048x2048 (WDR on), 3 Video streams, 120 dB Dynamic range, Two-Way audio, Built-In Microphone, Live viewing for up to 10 clients, 10 BASE-T/100 Base-TX Ethernet (RJ-45), Five-window Video motion detection & people detection & time Filter
VIVOTEK FE9391-EHV-V2	R 15,639	Vivotek 12MP Fisheye IP camera, 2944x2944 Maximum Resolution, 1/2.3" progressive CMOS in 4056x3040 image sensor, WDR Pro, Built-In IR illuminators effective up to 20 meters with Smart IR II, H.265 / H.264 / MJPEG Video Compression, 3 Video streams, 30 fps @ 2944x2944, 120 dB Dynamic range, Two-Way audio (Full Duplex), Built-In Microphone, Live viewing for up to 10 clients, 10 BASE-T/100 BASE-TX/1000 BASE-T Ethernet (RJ-45), Five-window Video motion detection & people detection & time Filter
VIVOTEK IB9367-EHT-V2 50mm	R 13,109	Vivotek IB9367-EHT-V2 2MP 60fps H.265 bullet IP Network camera with 5 - 50 mm Lens, 1/2.8" progressive CMOS image sensor, 1920x1080 (2MP) Maximum Resolution, Motorized Vari-Focal remote focus Lens Type,

		WDR Pro, Built-In IR illuminators effective up to 100 meters, H.265 / H.264 / MJPEG Video Compression, 60 FPS @ 1920x1080 Maximum Frame rate, 3 Video streams, 120 dB Dynamic range, Two-Way audio (Full duplex), External Microphone Input, External line Output, 10 BASE-T/100 Base-TX Ethernet (RJ-45)
VIVOTEK IB9368-HT	R 3,104	Vivotek IB9368-HT outdoor IK10 H.265 2MP IP bullet camera, 2.8-12 mm lens with remote focus, Image sensor 1/2.9" progressive CMOS, 30 FPS @ 1920x1080 (WDR Pro on), Supreme night visibility), WDR pr, Smart stream III, Built-in IR illuminators effective up to 30 meters, IP66-RATED, Built-in MicroSD / SDHC / SDXC card slot, 1920x1080 Maximum Resolution, RJ-45 cable connector for 10/100mpbs Network/PoE connection
VIVOTEK IB9369	R 2,241	Vivotek IB9369 Outdoor IK10 Bullet; H.265; 2MP; 2.8mm; 30M IR; WDR Enhanced, Smart Motion, POE/12V DC Input
VIVOTEK IB9383-HV	R 6,209	VIVOTEK IB9383-HV 5MP Outdoor Bullet AI camera with 3.6mm Lens, 2560x1920 (5MP) maximum Resolution, WDR Pro, Built-In IR illuminator up to 30 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 30 fps @ 2560 x 1920 Maximum Frame rate, 3 Video streams, One-Way Audio, Built-In Microphone, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port, Video Motion Detection
VIVOTEK IB9387-EHTV-V3	R 13,339	VIVOTEK IB9387-EHTV-V3 5MP Outdoor Bullet AI camera with 2.7-13.5 mm Lens, 2560 x 1920 (5MP) maximum Resolution, 2.7-13.5mm motorized Vari-Focal Remote Focus Lens Type, WDR Pro, Built-In IR illuminators effective up to 50 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 3 Video streams, Two-Way Audio (Full Duplex), External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port, Smart IR III, Video Motion Detection, 1x Digital Input, 1x Digital Output
VIVOTEK IB9387-LPR-V2	R 15,754	VIVOTEK IB9387-LPR-V2 5MP License Plate Recognition camera, 2560 x 1920 (5MP) maximum Resolution, 3.2-10.5 mm motorized Vari-Focal Remote Focus Lens, WDR Pro, 6x IR LED illuminators, ePTZ Pan/Tilt/Zoom functionalities, Built-In 32GB MicroSD card for LPR images, MicroSD / SDHC / SDXC card slot, Compression - H.265 / H.264 / MJPEG, 3 simultaneous streams, Two-Way Audio, External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet RJ45 Port, 2x Digital Input, 2x Digital Output
VIVOTEK IB9391-EHTV-V2	R 19,319	VIVOTEK IB9391-EHTV-V2 8MP Outdoor Bullet AI camera with 4.4-10.2mm Lens, 3840x2160 (8MP) maximum Resolution, 4.4-10.2mm motorized Vari-Focal Remote Focus Lens Type, WDR Pro, Built-In IR illuminators effective up to 50 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265 / H.264 / MJPEG, 30 fps @ 3840x2160 Maximum Frame rate, 3 Video streams, Two-Way Audio (Full Duplex), External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port, Video Motion Detection, 3x Digital Input, 3x Digital Output
VIVOTEK IB9399-EHTV	R 9,544	VIVOTEK IB9399-EHTV 8MP Bullet Camera with 4.3-9.8mm Lens, 3840x2160 (8MP) maximum Resolution, 4.3-9.8mm motorized Vari-Focal Remote Focus Lens Type, WDR Pro, Built-In IR illuminators effective up to 40 meters, ePTZ Pan/Tilt/Zoom functionalities, Compression - H.265, H.264, MJPEG, 30 fps @ 3840x2160 (8MP) Maximum Frame rate, 3 Video streams, Two-Way Audio (Full Duplex), Built-In Microphone, External Microphone Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port, Video Motion Detection, 1 Digital Input, 1 Digital Output
VIVOTEK IP9165-LPR i-CS	R 25,299	Vivotek IP9165-LPC (i-CS) License Plate Capture Solution (110MPH/180km/hr), i-CS, 2 Lanes, Anti-Glare, 110MPH, Recognition 35M, RBF
VIVOTEK IP9165-LPR-V2	R 28,750	Vivotek Smart city license plate recognition box camera kit, License plate reading with vehicle Type & Colour & direction recognition, IP9165-LPR-V2 (9-50mm i-CS) camera & IP9165-LPR-V2 (12-40mm) camera, 1920x1080 (2MP) Maximum Resolution, WDR Pro II, Headlight Filter design for Anti-Glare, Built-In 32GB MicroSD card for LPR images, H.265 / H.264 / MJPEG Video Compression, 60 fps @ 1920x1080 Maximum Frame rate, 3 simultaneous streams, 140 dB Dynamic range, Two-Way audio, External Microphone Input, External line Output, Live viewing for up to 10 clients, 10 BASE-T/100 Base-TX Ethernet
VIVOTEK IP9171-HP	R 9,879	Vivotek IP9171-HP Fixed Network Camera, H265 Compression, Smart Stream II, Bandwidth SaVING, WDR Pro, SVN, GbE Port, DIS
VIVOTEK IT9380-H	R 2,645	VIVOTEK IT9380-H 5MP Turret Dome IP Camera with 2.8mm Lens, 1/2.7" progressive CMOS image Sensor, 2560x1920 (5MP) maximum Resolution, WDR Pro, Built-In IR illuminators effective up to 30 meters, H.265 / H.264 / MJPEG Video Compression, 20 fps @ 2560x1920 Maximum Frame rate, 3 Video streams, 120 dB Dynamic range, One-Way audio, Built-In Microphone, Live viewing for up to 10 clients, 10 BASE-T/100 Base-TX Ethernet

		(RJ-45), Motion detection, IEEE 802.3af PoE Class 2 Power Input
VIVOTEK IT9388-HT	R 3,909	Vivotek IT9388-ht Turret 5MP 20fps H.265 IP camera, 1/2.7" progressive CMOS image sensor, 2560 x 1920 (5MP) Maximum Resolution, Motorized / Vari-Focal /remote focus 2.8 ~ 12 mm Lens Type, Fixed iris, WDR Pro, H.265 Compression technology, Supreme night visibility, Smart stream III, Built-in IR illuminators effective up to 30 meters, Weather-proof IP66-rated, Vandal-proof IK10-rated housing, One-way audio, Built-in Microphone, RJ-45 cable connector for 10/100 Mbps Network/PoE connection, IEEE 802.3af PoE Class 0 power Input. Focal Length: f = 2.8 ~ 12 mm; Aperture: F1.4 ~ F2.8; Auto-iris: Fixed iris; Field of View: 88 degrees ~ 30 degrees (Horizontal); 65 degrees ~ 23 degrees (Vertical); 115 degrees ~ 38 degrees (Diagonal)
VIVOTEK MS9390-EHV-V2	R 12,419	VIVOTEK MS9390-EHV-V2 8MP multi-sensor Panoramic AI camera with 2.8mm Lens, 4864x1632 (8MP) maximum Resolution, WDR Pro, Built-In IR illuminators up to 20 meters, Compression - H.265 / H.264 / MJPEG, 3 Video streams, One-Way Audio, Built-In Microphone, Live viewing for up to 10 clients, 1x Ethernet RJ45 LAN Port
VIVOTEK SD9161-H-V2	R 15,639	VIVOTEK SD9161-H-V2 Speed Dome 2MP AI PTZ IP Camera with 10x Optical Zoom, 1920x1080 (2MP) maximum Resolution, 10x Optical Zoom auto Focus Lens, 5.1-51mm focal length, WDR Pro, H265 / H264 / MJPEG Compression, 3 Video streams Maximum, 100 dB Dynamic range, Two-Way Audio (Full Duplex), External line Input, External line Output, Live viewing for up to 10 clients, 1x Ethernet Interface, People & Vehicle Detection, 2x Digital Input, 1x Digital Output
VIVOTEK SD9368-EHL	R 25,069	Vivotek SD9368-EHL Speed Dome, 2MP 60fps, H.265, 40x Optical Zoom, 250M Smart IR, -40Â°C ~ 60Â°C
VIVOTEK SD9384-EHL	R 29,554	VIVOTEK SD9384-EHL 5MP outdoor Speed Dome Network camera with 30x Optical Zoom Lens, 30 FPS @ 2560 x 1920, Auto focus, 360 degrees continuous Pan, Weather-proof IP66-rated, Vandal-proof IK10, 1/2.8" progressive CMOS image sensor, Dc-iris, WDR Pro, Built-In IR illuminators up to 200 meters, H.265 / H.264 / MJPEG Video Compression, 3 Video streams, Two-Way audio (Full duplex), External line Input, External line Output, 1x 10 BASE-T/100 Base-TX Ethernet (RJ-45)
WC-DCS2132	R 1,869	D-Link DCS-2132 Full HD iP Camera - 10/100 or 802.11G/N wireless-N 300 with H.264 codec, day and night under all light condition via built-in iR LED, micro SDHC card slot to store recording locally when internet is down, built-in speaker mic for 2-way audio, 1/4" Cmos 2MP sensor, 10x digital zoom, motion detection triggers recording and sends e-mail alerts, 1280x800@30fps, 3.45mm focal length, aperture ratio F2.0 - powered by POE or AC-adapter
WC-LiVSMS	R 2,299	Logitech 961-000005 Indoor Video Security Master System, home plug network technology (transmit video over existing electrical wires), USB receiver to pc, IP camera, motion detection triggers recording and sends e-mail alerts, support up to 6 cameras, with wall-mount/ window-mount
WC-LoAoSC	R 2,184	Logitech 961-000280 Outdoor Add-On Security Camera, home plug network technology (transmit video over existing electrical wires), USB receiver to pc

< Return to the menu

Security cameras : Security cameras - analogue

Product code	Price	Description
AC-515T	R 839	AC UNICO 1/3" Sony Super HAD CCD Security Camera - DOES NOT INCLUDE LENS, Compatible with Various Lens, Delicate appearance image sensor: 1/3" Sony super had ccd, Effective pixels PAL-792(H) x 698 (V), signal system: PAL/NTSC, Horizontal Resolution: 540TV line, Minimum illumination: F1.2 0.5lux, S/N RATIO More Than: 50db, Video output: VIDEO OUT (BNC), Power Requirement: DC12V/500mA, Power Consumption: 2.8w.
AC-580HCA	R 2,549	AC Unico Dome 1/3" DSP CCD Colour High RES 540TVL, NO LENS (CS Mount) - Effective pixels PAL-540(H) X 460(V) signal system: PAL/NTSC Horizontal Resolution:560TV line Minimum illumination color: 0.6lux/F1.2 Dynamic range: 101dB max 120dB/ 17Bit Video output: VIDEO OUT (BNC) Power Requirement:DC12V/500mA Slow shutter: 0.08lux(F1.2), Retail Box. NOTE: A LENS NEEDS TO BE PURCHASED SEPERATELY.
AC-611CS/3	R 539	AC UNICO 1/3" Sharp CCD Colour Dome Camera With 3.6mm Lens, Compatible with Various Lens, Delicate appearance Effective pixels pal-500(H)/582(V); Ntsc:510(H)/492(V), signal system: PAL/NTSC, Horizontal Resolution:420TV line, Minimum illumination: 1.0lux/F1.2, S/N RATIO More Than :48db (AGC OFF), Video output: VIDEO OUT (BNC), Power Requirement:DC12V/500mA, Power Consumption: LESS THAN 2.8w.
AE-VC136T-1.0MM	R 730	Hikvision AE-VC136T 720P 1/2.9â€• CMOS Low light color camera
AE-VC143T-ITS(2.1mm)(0.3m) BMWhead	R 811	Hikvision 720p Infrared Array cylindrical Analog camera 2.1mm - 0.3m, 720p @25 fps Frame rate, 42 dB SNR, TVI

		Video Output, Built-In Microphone, Supports HD coaxial Output with the Resolution 720p
AE-VC143T-ITS(2.1mm)(2m)(BMWhe	R 811	Hikvision 720p Infrared Array cylindrical Analog camera 2.1mm - 2m, 720p @25 fps Frame rate, 42 dB SNR, TVI Video Output, Built-In Microphone, Supports HD coaxial Output with the Resolution 720p
AE-VC153T-IT_2.8MM_MIRROR	R 867	Hikvision AE-VC153T-IT 720P 1/2.9â€•CMOS infrared array square analog camera
CAM-B1302ZS-CB03	R 428	Sunell SN-B1302ZS-CB3 2MP 1080P Hybrid Analogue Bullet Camera
CAM-IRC13-66FVDIII	R 511	SUNELL AHD/TVI/CVI/CVBS HQ ANALOGUE EYBALL 2MP
CB010	R 129	Casey 1/3" B/W CCD Camera 460TV line - Compatible with Various Lens, Delicate appearance image sensor: 1/3* CCD image sensor Effective pixels PAL-512(H) x 492 (V) signal system: PAL/NTSC Horizontal Resolution: 420TV line Minimum illumination:F1.2 0.5lux S/N RATIO More Than :50db Video output: VIDEO OUT (BNC) Power Requirement:DC12V/500mA Power Consumption:2.8w, Retail Box
CB011	R 129	Casey 1/3" B/W CCD Camera 420TV line - Commpatible with Various Lens, Delicate appearance image sensor: 1/3* CCD image sensor Effective pixels PAL-512(H) x 492 (V) signal system: PAL/NTSC Horizontal Resolution: 420TV line Minimum illumination:F1.2 0.5lux S/N RATIO More Than :50db Video output: VIDEO OUT (BNC) Power Requirement:DC12V/500mA Power Consumption:2.8w, Retail Box
CB01A	R 129	Casey 1/3" B/W CCD CAMERA Compatible with Various Lens, Delicate appearance image sensor: 1/3* CCD image sensor Effective pixels PAL-512(H) x 492 (V) signal system: PAL/NTSC Horizontal Resolution: 430TV line Minimum illumination:F1.2 0.5lux S/N RATIO More Than :50db Video output: VIDEO OUT (BNC) Power Requirement:DC12V/500mA Power Consumption:2.8w
CB020	R 159	Casey CAM B/W 1/3" SONY CDD 0.1LUX NO LENS, Retail Box (Lens not included)
CD30R2SW5-VF-P	R 115	KGuard 1/3 CCD IR 25M Weatherproof Camera 560 TVL WDR, This camera has Wide Dynamic Range which provides very good contrast and detail in both, light and dark areas. This camera is a great solution for situations where light enters a premise from various angles for example restaurants and stores.
CM-240	R 399	Casey Mongoose Wireless 1/3" CMOS Color Camera FOR GK-430240 - 5V/800mA adapter, Working distance up to 30M (open field),Built-in microphone.
CM-802	R 539	Casey Mongoose IR Wireless Camera for GK-410802 and GK-310802 - wireless Camera with night vision, weather proof 12volt/1amp adapter 1/3* cmos microphone built in, Retail Box, 1 Year warranty
CSP-3642-49V	R 115	KGuard 1/3 CCD IR 40M Weatherproof Camera 520 TVL, Bullet Day & Night 1/3" Sony Colour CCD, 520 TVL, IR LED Distance: 40M, 6mm Lens, Vandal Resistant, Weatherproof.
DA713FPK	R 806	KGuard DA713FPK 720P IR-LED Dome Camera - 1 Mega Pixel High Quality CMOS Image Sensor, Infra-Red Wavelength: 850nm, Infra-Red LED Life 10,000hrs, Lens: 3.6mm, View Angle: 60Â°, Night Vision: Black and White at night @ 30M, Retail Box
DH-HAC-B4A21P-VF-2712	R 229	Dahua HAC-B4A21P 2MP HDCVI IR bullet Analogue Camera with 2.7-12mm Vari-Focal Lens, 1/2.7" CMOS image sensor, 1920x1080 2MP effective pixels, Progressive scanning system, Up to 40m IR distance, 2.7-12mm focal length, 1080p (1920x1080 Resolution, 25/30fps @ 1080p, 1-channel BNC high definition Video Output / CVBS Video Output (CAN Switch), BLC / HLC / DWDR, DWDR, AGC, 2D noise reduction, IP67
DH-HAC-HDW1509TLQP-A-LED-036	R 748	Dahua 5MP Full-colour HDCVI quick-to-install Eyeball Analogue Camera with 3.6mm Lens, 2880 (H) x 1620 (V) Maximum Resolution, M12 Mount Type, BLC / HLC / WDR / HLC-PRO, 120 dB WDR, 3D NR noise reduction, CVI / TVI / AHD / CVBS by one BNC Port, One channel Built-In Mic
DS-2AE4225TI-D	R 4,419	Hikvision DS-2AE4225TI-D 1/2.8" CMOS, 1920x1080:30fps, TVI & CVBS output, 3D DNR, True WDR, Ultra-low light Powerde By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom:25x, Digital Zoom:16X, Pan Speed: 0.1Â° ~ 80Â°/s, Tilt Speed: 0.1Â° ~ 80Â°/s, Up the Coax,100mIR,
DS-2AE4225TI-D	R 4,967	Hikvision DS-2AE4225TI-D 4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome. The Hikvision DS-2AE4225TI-D is a rugged professional PTZ dome camera offering 2 MP full HD imaging with 25x optical zoom, 100 m infrared night vision, and advanced imaging features like 120 dB WDR and 3D DNR. With 360Â° continuous pan, IP66-rated protection, and surge resistance, it is built for reliable outdoor security in South African environments.
DS-2AE4225TI-D(O-STD)(E)	R 3,853	Hikvision DS-2AE4225TI-D(E) 4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome, 1/2.8" CMOS, 1920x1080:30fps, TVI & CVBS output, 3D DNR, True WDR, Ultra-low light Powerde By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom:25x, Digital Zoom:16X, Pan Speed: 0.1Â° ~ 80Â°/s, Tilt Speed:

		0.1Â° ~ 80Â°/s, Up the Coax, 100mIR
DS-2CE10DF0T-F2.8MM	R 505	Hikvision DS-2CE10DF0T-F 2.8MM, 2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 3D DNR, 12 VDC, OSD Menu(Up the Coax), IP67, 2.8mm Lens, 24H Color Support TVI/AHD/CVI/CVBS video signal output. Compact, durable and budget-friendly, the Hikvision DS-2CE10DF0T-F delivers vibrant full-colour surveillance around the clock. Ideal for South African home, retail or small business setups, it offers clear imaging, reliable weather resistance and flexible output options, all in a simple bullet form factor.
DS-2CE10DF0T-LPFS 2.8mm	R 368	Hikvision DS-2CE10DF0T-LPFS 2 MP Analogue, Smart Hybrid Light with ColorVu Fixed Mini Bullet Camera, 2.8mm, 20m IR, 20m WL, Built-in Mic
DS-2CE10DF0T-LPFS2.8	R 403	Hikvision 2MP Smart Hybrid Light with ColorVU fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, ICR day & Night, Microphone, IR up to 20 m, White Light up to 20 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE10DF0T-LPFS(2.8mm)(O-STD)
DS-2CE10DF0T-PFS2.8MM	R 661	Hikvision 2MP ColorVU audio fixed Mini Bullet camera with 2.8mm Lens, 1920 (H) x 1080 (V) Maximum Resolution, PAL / NTSC signal system, M12 Lens Mount, Up to 20 m supplement light range, Digital WDR, DWDR, BLC, HLC, Global, 3D DNR / 2D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, Solid light alarm
DS-2CE10DF3T-LPXTS(3.6mm)	R 661	Hikvision 2MP two way Audio fixed Mini Bullet Analogue Camera with 3.6mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, 2 W Speaker, Microphone, Echo cancellation, AI Noise Reduction, Automatic gain control, Up to 25 m IR Light, Up to 20 m White Light, 120 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, HLS, 3D DNR, 1 HD Analog Output, Flashing Light Alarm (Red and Blue), Audible Alarm, IP67 protection
DS-2CE10DF3T-LPXTS-2.8MM	R 702	Hikvision 2MP two way Audio fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, 2 W Speaker, Microphone, Echo cancellation, AI Noise Reduction, Automatic gain control, Up to 25 m IR Light, Up to 20 m White Light, 120 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, HLS, 3D DNR, 1 HD Analog Output, Flashing Light Alarm (Red and Blue), Audible Alarm, IP67 protection
DS-2CE12DF0T-LFS2.8M	R 575	Hikvision 2MP Smart Hybrid Light with ColorVU Fixed Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 40 m, White Light up to 40 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE12DF0T-LFS(2.8mm)(O-STD)
DS-2CE12DF0TLFS 2.8MM	R 679	Hikvision 2 MP Smart Hybrid Light with ColorVu Fixed Bullet Camera
DS-2CE12KF3TP-DLS	R 1,472	Hikvision 3K ColorVU Dual-Lens Fixed Bullet camera 180 degrees with 2.8mm Lens, 3328 x 1504 maximum Resolution, Up to 40 m IR Light, Up to 40 m White Light, 3K @20 Dual Frame rate, 4 programmable Privacy masks, 130 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, 3D DNR, 1 HD Analog Output, Built-In Microphone, 4 programmable motion areas, IP67 protection
DS-2CE16D0T-EXIF(2.8mm)	R 224	Hikvision DS-2CE16D0T-EXIF 2 MP Fixed Mini Bullet Camera, 2.8mm, 20m IR
DS-2CE16D0T-EXIPF(2.8mm)	R 184	Hikvision DS-2CE16D0T-EXIPF 2 MP Fixed Mini Bullet Camera, 2.8mm, 20m IR
DS-2CE16D0T-EXIPF2.8MM	R 194	Hikvision 2MP fixed Mini Bullet Analogue Camera with 2.8mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, AGC, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI / AHD / CVI / CVBS Video Output, Up to 20m IR range
DS-2CE16D0T-EXIPF2.8MM	R 195	Hikvision 2MP fixed Mini Bullet Analogue Camera with 2.8mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, AGC, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI / AHD / CVI / CVBS Video Output, Up to 20m IR range
DS-2CE16D0T-EXLF 2.8MM	R 224	Hikvision DS-2CE16D0T-EXLF 2MP Analogue, Smart Hybrid Light Fixed Mini Bullet Camera 2.8mm, 20m IR, 20m WL
DS-2CE16D0T-IRF 3.6	R 344	Hikvision DS-2CE16D0T-IRF Outdoor HD 1080P Infra-red Hybrid Turbo Bullet Camera. 2-MP high performance CMOS; Analogue HD output; 4:1 Feature: TVI/AHD/CVI/CVBS; Smart IR, 20m distance; True Day/Night; 0.01 Lux @ (F1.2,AGC ON), 0 Lux with IR; 12 VDC 3.6MM
DS-2CE16D0T-IRPF3.6MM	R 321	Hikvision 2 MP fixed Mini Bullet Analogue Camera with 3.6mm Lens, 2 MP CMOS image sensor, 1920 (H) x 1080 (V) Maximum Resolution, Up to 20 m IR distance, IP67, PAL/NTSC signal system, M12 Lens Mount, 1080p @

		30fps, Digital WDR, BLC, HLC, AGC, Switchable TVI / AHD / CVI / CVBS Video Output, IP67
DS-2CE16D0T-LFS-2.8MM	R 385	Hikvision 2MP Smart Hybrid Light audio fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, Up to 30 m IR, Up to 20 m White Light, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, 5m Microphone pickup distance
DS-2CE16D0T-LFS2.8MM	R 342	Hikvision DS-2CE16D0T-LFS 2MP Smart Hybrid Light Audio Fixed Mini Bullet Camera with 2.8mm Lens
DS-2CE16D0T-LPFS 2.8MM	R 311	Hikvision DS-2CE16D0T-LPFS 2MP Analogue, Smart Hybrid Light Audio Fixed Mini Bullet Camera, 2.8mm, 30m IR, 20m WL, Built-in Mic
DS-2CE16D0T-LPFS_2.8MM	R 303	Hikvision DS-2CE16D0T-LPFS 2MP Smart Hybrid Light Audio Fixed Mini Bullet Camera Analogue with 2.8mm lens
DS-2CE16D0T-LPTS(2.8mm)	R 397	Hikvision 2MP Smart Hybrid Light Audio fixed Mini Bullet camera with 2.8mm Lens, IR up to 25m, White Light up to 20m, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output Video Output
DS-2CE16D0T-LPXTS(2.8mm)	R 449	Hikvision 2MP two way Audio & Siren fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, IR up to 25 m, White Light up to 20 m, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output, Flashing Light Alarm (Red & Blue)
DS-2CE16D0T-LPXTS(3.6mm)	R 426	Hikvision 2MP two way Audio & Siren fixed Mini Bullet Analogue Camera with 3.6mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, IR up to 25 m, White Light up to 20 m, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output, Flashing Light Alarm (Red & Blue)
DS-2CE16D0T-LPXTS-2.8MM	R 531	Hikvision DS-2CE16D0T-LPXTS 2MP Two Way Audio & Siren Fixed Mini Bullet Camera. A rugged, feature-rich 2 MP bullet camera ideal for South African homes and small businesses. It combines Smart-Hybrid lighting, two-way audio with siren, and IP67 weatherproofing for reliable day-and-night perimeter security. Clear HD output and simple installation make it a smart addition to analog surveillance systems.
DS-2CE16DOT-EXIPF28	R 196	Hikvision 2MP fixed Mini Mini Bullet camera with 2.8mm Lens, 1920x1080 Resolution with 2MP CMOS Sensor, Switchable Video Output supporting TVI / AHD / CVI / CVBS signals, Up to 20 m IR illuminator range for Night Imaging, IP67 Water and dust resistant rating, Digital WDR and day & Night IR Cut Filter functionality, Smart IR, White Light, BLC Image enhancement features, PAL / NTSC signal system, 2D DNR Noise Reduction
DS-2CE16K0T-LFS 2.8MM	R 420	Hikvision DS-2CE16K0T-LFS 3K (5mp) Analogue, Smart Hybrid Light Audio Fixed Mini Bullet Camera, 2.8mm, 30m IR, 20m WL, Built-in Mic
DS-2CE16K0T-LFS-2.8MM	R 444	Hikvision DS-2CE16K0T-LFS 3K Smart Hybrid Light Audio Fixed Mini Bullet Camera with 2.8mm lens
DS-2CE16K0T-LFS-3.6MM	R 434	Hikvision DS-2CE16K0T-LFS 3K Smart Hybrid Light Audio Fixed Mini Bullet Camera with 3.6mm lens
DS-2CE16K0T-LPFS-2.8MM	R 410	Hikvision DS-2CE16K0T-LPFS 3K Smart Hybrid Light Audio Fixed Mini Bullet Camera with 2.8mm Lens
DS-2CE17K0T-LFS2.8MM	R 530	Hikvision 3K Smart Hybrid Light audio Fixed Bullet Analogue Camera with 2.8mm Lens, 3K CMOS image Sensor, 2960 x 1665 maximum Resolution, PAL / NTSC signal system, IR up to 40 m, White Light up to 40 m, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, Built-In Microphone
DS-2CE17K0T-LFS3.6MM	R 474	Hikvision DS-2CE17K0T-LFS 3K Smart Hybrid Light Audio Fixed Bullet Camera with 3.6mm Lens
DS-2CE18D0T-LFS-2.8MM	R 437	Hikvision DS-2CE18D0T-LFS 2MP Smart Hybrid Light Audio Fixed Bullet Camera with 2.8mm Lens
DS-2CE18D0T-LFS2.8MM	R 437	Hikvision 2MP Smart Hybrid Light Audio Fixed Bullet camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 60 m, White Light up to 60 m, Anti-Banding, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE18D0T-LFS(2.8mm)(O-STD)
DS-2CE19D0T-VFIT3F	R 677	Hikvision 1080P Bullet, Vari-Focal 2.7-13mm, 40m IR Distance, 4in1, 102.25-32 Degree Horizontal View, Retail Box
DS-2CE19D0T-VFIT3F(2.7-13.5mm)	R 863	Hikvision 2MP Analogue Manual Vari-focal Bullet Camera, 2.7-13.5mm, IR up to 40m, IP67
DS-2CE19DF8T-AZE	R 3,334	Hikvision 2MP ColorVU PoC motorized Varifocal bullet Analogue Camera, 2.8mm to 12 mm motorized auto focus Lens Type, 1/1.8" 2 MP CMOS image sensor, 1920 (H) x 1080 (V) Maximum Resolution, 24/7 Colour imaging, PAL / NTSC signal system, Up to 40 m supplement light range, Brightness, Mirror, Sharpness, Anti-Banding, AGC, TVI 1080p @ 25 fps / 30 fps Frame rate, WDR, BLC, HLC, Global, HLS, 4 programmable Privacy masks, 3D DNR /

		2D DNR noise reduction, 1 HD Analog Output Video Output, 4 programmable motion areas
DS-2CE56D0T-VFIR3F	R 638	Hikvision HD1080P Vari-focal IR Turbo Turret Camera. Day/Night switch; Smart IR; Up to 40m IR distance; Vari-focal lens: 2.8 - 12 mm @ F1.4; Switchable TVI/AHD/CVI/CVBS; S/N ratio: > 62dB; 12 VDC; IP66
DS-2CE70DF0T-LMFS-2.8MM	R 440	Hikvision DS-2CE70DF0T-LMFS 2 MP Smart Hybrid Light with ColorVu Fixed Turret Camera with 2.8mm Lens
DS-2CE70DF0T-LPFS 2.8mm	R 368	Hikvision DS-2CE70DF0T-LPFS 2 MP Analogue, Smart Hybrid Light with ColorVu Indoor Fixed Turret Camera, 2.8mm, 20m IR, 20m WL, Built-in Mic
DS-2CE70DF0T-LPFS-2.8MM	R 426	Hikvision DS-2CE70DF0T-LPFS 2 MP Smart Hybrid Light with ColorVu Indoor Fixed Turret Camera with 2.8mm Lens
DS-2CE70DF0T-LPFS2.8	R 380	Hikvision 2MP Smart Hybrid Light with ColorVU Indoor fixed Turret Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 20 m, White Light up to 20 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE70DF0T-LPFS(2.8mm)(O-STD)
DS-2CE70DF0TLMFS 2.8MM	R 439	Hikvision 2MP ColorVu Audio Fixed Turrent Camera - 2MP at 1920 x 1080 Resolution, 24/7 Color Imaging, 3D DNR Technology, 2.8 mm Fixed Lens, Up to 20m White Light Distance, Built-in Mic, High Quality Audio, IP67 Water and Dust Resistant, Retail Box
DS-2CE70DF0TLPFS-2.8MM	R 431	Hikvision 2MP Smart Hybrid Light with ColorVU Indoor fixed Turret Analogue Camera with 2.8mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, 5m Microphone pickup distance, Up to 20 m White Light, Up to 20 m IR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output
DS-2CE70KF0T-LPFS-2.8MM	R 547	Hikvision DS-2CE70KF0T-LPFS 3K ColorVu Smart hybrid light Indoor Fixed Turret Camera with 2.8mm Lens
DS-2CE72DF0T-F2.8MM	R 631	Hikvision DS-2CE72DF0T-F 2M CMOS Sensor, Outdoor Turret, 0.001Lux/F1.0,0 Lux with white Light, 40m, 3D DNR, 12 VDC, OSD Menu(Up the Coax), IP67, 2.8 Lens, 24H Color? Support TVI/AHD/CVI/CVBS video signal output. The DS-2CE72DF0T-F is a robust 2 MP ColorVu turret camera offering vivid full-time colour imaging even in low light, wide-angle coverage, and smart white light up to 40 m. It is weather-proof, easy to install, and ideal for enhancing security around South African homes and small businesses.
DS-2CE72DF0T-LFS 2.8mm	R 518	Hikvision DS-2CE72DF0T-LFS 2MP Analogue ColorVu Fixed Turret Camera, 2.8mm, 40m IR, 40m WL, Built-in Mic
DS-2CE72KF0T-LFS-2.8MM	R 694	Hikvision 3K Colour Audio fixed Turret Analogue Camera with 2.8mm Lens, PAL / NTSC signal system, 2960 (H) x 1665 (V) Resolution, Solid Light Alarm, Digital WDR, Smart White Light & IR Light up to 40m, HLS, DWDR, BLC, HLC, Global, 2D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, Built-In Mic, IP67 protection level
DS-2CE76D0T-EXIMF(2.8mm)	R 213	Hikvision 2MP analogue fixed Turret camera with 2.8mm Lens, 20m IR supplement Light range, IP67, PAL / NTSC signal system, 1920 (H) x 1080 (V) maximum Resolution, Digital WDR, DWDR, BLC, Global, 2D DNR Noise Reduction, Switchable TVI / AHD / CVI / CVBS Video Output
DS-2CE76D0T-EXIPF2.8MM	R 186	Hikvision 2MP Indoor EXIR fixed Turret Analogue Camera with 2.8mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, Digital WDR, AGC, Auto White Balance, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI /AHD / CVI / CVBS Video Output, Up to 20 m IR range
DS-2CE76D0T-EXIPF3.6MM	R 186	Hikvision 2MP Indoor EXIR fixed Turret Analogue Camera with 3.6mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, Digital WDR, AGC, Auto White Balance, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI /AHD / CVI / CVBS Video Output, Up to 20 m IR range
DS-2CE76D0T-EXLMF (2.8MM)	R 224	Hikvision DS-2CE76D0T-EXLMF 2MP Analogue, Smart Hybrid Light Fixed Turret Camera, 2.8mm, 20m IR, 20m WL
DS-2CE76D0T-EXLMF2.8MM	R 238	Hikvision 2MP Smart Hybrid Light fixed Turret Analogue Camera with 2.8mm lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, White Light & IR supplement Light Type up to 20 m, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output
DS-2CE76D0T-EXLMF3.6MM	R 241	Hikvision DS-2CE76D0T-EXLMF 2MP Smart Hybrid Light Fixed Turret Camera with 3.6mm Lens
DS-2CE76D0T-EXLPF_2.8MM	R 186	Hikvision DS-2CE76D0T-EXLPF 2MP Smart Hybrid Light Indoor Fixed Turret Camera with 2.8mm Lens
DS-2CE76D0T-LMFS	R 357	Hikvision DS-2CE76D0T-LMFS 2MP Analogue, Smart Hybrid Light Audio Indoor Fixed Turret Camera 2.8mm, 30m

		IR, 20m IR, Built-in Mic
DS-2CE76D0T-LPFS-3.6MM	R 286	Hikvision DS-2CE76D0T-LPFS 2MP Smart Hybrid Light Audio Fixed Turret Camera with 3.6mm Lens
DS-2CE76D0T-LPFS_2.8MM	R 290	Hikvision DS-2CE76D0T-LPFS 2MP Smart Hybrid Light Audio Fixed Turret Camera with 2.8mm lens
DS-2CE76K0T-LMFS 2.8MM	R 414	Hikvision DS-2CE76K0T-LMFS 3K (5mp) Analogue, Smart Hybrid Light Audio Fixed Turret Camera, 2.8mm, 30m IR, 20m WL, Built-in Mic
DS-2CE76K0T-LPFS-2.8MM	R 385	Hikvision 3K Smart Hybrid Light audio Indoor fixed Turret Analogue Camera with 2.8mm Lens, 2960x1665 maximum Resolution, PAL / NTSC signal system, White Light & IR supplement Light Type up to 20 m, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, Built-In Microphone
DS-2CE78D0T-LPXTS(2.8mm)	R 437	Hikvision 2MP Smart Hybrid Light with ColorVU Indoor fixed Turret Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, IR up to 30 m, White Light up to 20 m, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output, Flashing Light Alarm (Red & Blue)
DS-2CE78D0T-LTS(2.8mm)	R 529	Hikvision 2MP two way Audio fixed Turret Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, IR & White Light up to 40 m, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output
DS-2CE79D0T-VFIT3F	R 853	Hikvision 1080p manual Varifocal Turret Analogue Camera with 2.7-13.5mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, 2.7 mm to 13.5 mm Varifocal Lens, Digital WDR, AGC, BLC, HLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI / AHD / CVI / CVBS Video Output, Up to 40 m IR range
DS-2CE79D0T-VFIT3F(2.7-13.5mm)	R 868	Hikvision DS-2CE79D0T-VFIT3F 2MP Analogue Vari-Focal Turret Camera, 2.8-13.5mm, 40m IR, IP67
HK-300512639	R 343	Hikvision 2MP fixed Mini Bullet Analogue Camera with 2.8mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, AGC, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI / AHD / CVI / CVBS Video Output, Up to 20m IR range, DS-2CE16D0T-EXIPF(2.8mm)
HK-300512640	R 349	Hikvision 2MP fixed Mini Bullet Analogue Camera with 3.6mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, AGC, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI / AHD / CVI / CVBS Video Output, Up to 20m IR range, DS-2CE16D0T-EXIPF(3.6mm)(O-STD)
HK-300513634	R 934	Hikvision 2MP manual Varifocal Bullet Analogue Camera with 2.7mm to 13.5mm Varifocal Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, ICR day & Night, IR up to 40 m, DWDR, BLC, HLC, Global, 2D DNR, Brightness, Smart IR, Sharpness, AGC, Digital WDR, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE19D0T-VFIT3F(2.7-13.5mm)(O-STD)(C)
HK-300513673	R 470	Hikvision 2MP Smart Hybrid Light audio fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, Up to 30 m IR, Up to 20 m White Light, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, 5m Microphone pickup distance, DS-2CE16D0T-LFS(2.8mm)(O-STD)
HK-300513692	R 574	Hikvision 3K Smart Hybrid Light Audio fixed Mini Bullet Analogue Camera with 2.8mm Lens, 2960 (H) x 1665 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 30 m, White Light up to 20 m, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE16K0T-LFS(2.8mm)(O-STD)
HK-300513695	R 657	Hikvision 3K Smart Hybrid Light Audio fixed Mini Bullet camera with 3.6mm Lens, 2960 (H) x 1665 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 25 m, White Light up to 20 m, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE16K0T-LPFS(3.6mm)(O-STD)
HK-300614205	R 334	Hikvision 2MP Indoor EXIR fixed Turret Analogue Camera with 2.8mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, M12 Lens Mount, Digital WDR, AGC, Auto White Balance, BLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI /AHD / CVI / CVBS Video Output, Up to 20 m IR range, DS-2CE76D0T-EXIPF(2.8mm)(O-STD)
HK-300615361	R 896	Hikvision 1080p manual Varifocal Turret Analogue Camera with 2.7-13.5mm Lens, 2 MP CMOS image sensor, PAL / NTSC signal system, 1920 (H) x 1080 (V) Resolution, 2.7 mm to 13.5 mm Varifocal Lens, Digital WDR, AGC,

		BLC, HLC, Global, DWDR, 2D DNR noise reduction, Switchable TVI / AHD / CVI / CVBS Video Output, Up to 40 m IR range, DS-2CE79D0T-VFIT3F(2.7-13.5mm)(O-STD)(C)
HK-300615438	R 468	Hikvision 2MP Smart Hybrid Light Audio fixed Turret analogue camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 20 m, White Light up to 20 m, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE76D0T-LPFS(2.8mm)(O-STD)
HK-300615439	R 449	Hikvision 2MP Smart Hybrid Light Audio fixed Turret analogue camera with 3.6mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 20 m, White Light up to 20 m, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE76D0T-LPFS(3.6mm)(O-STD)
HK-300615440	R 535	Hikvision 2MP Smart Hybrid Light Audio Indoor fixed Turret Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 30 m, White Light up to 20 m, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE76D0T-LMFS(2.8mm)(O-STD)
HK-300615451	R 521	Hikvision 3K Smart Hybrid Light audio Indoor fixed Turret Analogue Camera with 2.8mm Lens, 2960x1665 maximum Resolution, PAL / NTSC signal system, White Light & IR supplement Light Type up to 20 m, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, Built-In Microphone, DS-2CE76K0T-LPFS(2.8mm)(O-STD)
HK-300615454	R 566	Hikvision 3K Smart Hybrid Light Audio fixed Turret camera with 3.6mm Lens, DS-2CE76K0T-LMFS(2.8mm)(O-STD), 2960 (H) x 1665 (V) maximum Resolution, Day & Night - ICR, Signal system - PAL / NTSC, Microphone, IR up to 30 m, White Light up to 20 m, Brightness, Sharpness, Smart IR, Digital WDR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE76K0T-LMFS(3.6mm)(O-STD)
HK-301205267	R 4,685	Hikvision 4-inch 2MP 25x Powered by DarkFighter IR Analog Speed Dome camera with 4.8mm to 120 mm Lens, 1920x1080 maximum Resolution, 25x Optical Zoom, IR up to 100 m, AGC, White Balance, 120 dB wide Dynamic range (WDR), EIS Image stabilization, BLC, HLC, 3D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, RS-485, DS-2AE4225TI-D(O-STD)(E)
HK-327800628	R 577	Hikvision 2MP Smart Hybrid Light with ColorVU fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, ICR day & Night, Microphone, IR up to 20 m, White Light up to 20 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE10DF0T-LPFS(2.8mm)(O-STD)
HK-327800631	R 601	Hikvision 2MP Smart Hybrid Light with ColorVU fixed Mini Bullet camera with 3.6mm Lens, 1920x1080 maximum Resolution, PAL / NTSC signal system, M12 Lens Mount, Microphone, IR up to 20m, White Light up to 20m, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE10DF0T-LFS(3.6mm)(O-STD)
HK-327800632	R 742	Hikvision 2MP Smart Hybrid Light with ColorVU Fixed Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 40 m, White Light up to 40 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE12DF0T-LFS(2.8mm)(O-STD)
HK-327800634	R 566	Hikvision 2MP Smart Hybrid Light with ColorVU Indoor fixed Turret Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 20 m, White Light up to 20 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE70DF0T-LPFS(2.8mm)(O-STD)
HK-327800638	R 689	Hikvision 2MP Smart Hybrid Light with ColorVU fixed Turret Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 40 m, White Light up to 40 m, Brightness, Sharpness, Anti-Banding, AGC, Digital WDR, 3D DNR / 2D DNR, DWDR, BLC, HLC, Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE72DF0T-LFS(2.8mm)(O-STD)
HK-327800736	R 610	Hikvision 2MP Smart Hybrid Light Audio Fixed Bullet camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 60 m, White Light up to 60 m,

		Anti-Banding, Brightness, Sharpness, Smart IR, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE18D0T-LFS(2.8mm)(O-STD)
HK-327800903	R 837	Hikvision 3K ColorVU Smart Hybrid Light fixed Turret Analogue Camera with 2.8mm Lens, PAL / NTSC signal system, 2960 (H) x 1665 (V) Resolution, ICR day & Night, Solid Light Alarm (White Light), Digital WDR, Microphone, IR up to 20 m, White Light up to 20 m, HLS, DWDR, BLC, HLC, Global, 2D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, DS-2CE70KF0T-LMFS(2.8mm)(O-STD)
HK-327800913	R 738	Hikvision 2MP ColorVU Dual-Light fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, IR up to 20 m, White Light up to 20 m, 130 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, HLS, 3D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, Solid Light Alarm, Motion Detection, DS-2CE10DF3T-LPFS(2.8mm)(O-STD)
HK-327800917	R 976	Hikvision 2MP ColorVU Dual-Light Fixed Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, ICR day & Night, Microphone, IR up to 40 m, White Light up to 40 m, Brightness, Contrast, Sharpness, Anti-Banding, AGC, 130 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, HLS, 3D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, Solid Light Alarm, 4 programmable motion areas, DS-2CE12DF3T-LFS(2.8mm)(O-STD)
HK-327800918	R 928	Hikvision 2MP ColorVU Dual-Light Fixed Bullet Analogue Camera with 3.6mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, ICR day & Night, Microphone, IR up to 40 m, White Light up to 40 m, Brightness, Contrast, Sharpness, Anti-Banding, AGC, 130 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, HLS, 3D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, Solid Light Alarm, 4 programmable motion areas, DS-2CE12DF3T-LFS(3.6mm)(O-STD)
HK-327800924	R 866	Hikvision 2MP ColorVU Dual-Light fixed Turret camera with 3.6mm Lens, 1920 (H) x 1080 (V) maximum Resolution, ICR day & Night, PAL / NTSC signal system, Microphone, IR up to 40 m, White Light up to 40 m, Brightness, Contrast, Sharpness, Anti-Banding, AGC, WDR, BLC, HLC, Global, HLS, 4 programmable Privacy masks, 3D DNR, Switchable TVI / AHD / CVI / CVBS Video Output, Solid Light Alarm (White Light), 4 programmable motion areas, DS-2CE72DF3T-LFS(3.6mm)(O-STD)
HK-327801250	R 736	Hikvision 2MP two way Audio & Siren fixed Mini Bullet Analogue Camera with 2.8mm Lens, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, IR up to 25 m, White Light up to 20 m, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output, Flashing Light Alarm (Red & Blue), DS-2CE16D0T-LPXTS(2.8mm)(O-STD)
HK-327801311	R 626	Hikvision 2MP Smart Hybrid Light Audio fixed Mini Bullet camera with 2.8mm Lens, IR up to 25m, White Light up to 20m, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone radius of up to 5 m pickup distance, 2 W Speaker, Digital WDR, DWDR, BLC, HLC, Global, HLS, 3D DNR Noise Reduction, 1 HD Analog Output Video Output, DS-2CE16D0T-LPTS(2.8mm)(O-STD)
HK-327801488	R 1,465	Hikvision 3K ColorVU Dual-Lens fixed Turret camera 180 degrees with 2.8mm Lens, 3328 x 1504 maximum Resolution, 2.8mm fixed-focal Lens, Up to 40 m IR Light, Up to 40 m White Light, 3K @20 Dual Frame rate, 130 dB wide Dynamic range (WDR), WDR, BLC, HLC, Global, 3D DNR, 1x HD Analog Output, Built-In Microphone, 4 programmable motion areas, IP67 protection, DS-2CE72KF3TP-DLS(180)(O-STD)
HK-347000132	R 4,006	Hikvision 7W Network Horn Speaker with PoE, DS-QAZ1307g1t-e(o-std)(c), 121 dbspl Maximum Acoustic Pressure, 110 dB sensitivity, Dual electret microphones, 10/100 Mbit RJ45 Ethernet, Two-Way Audio, TTS, IP67 and IK10 protection, Built-In 4GB eMMC local storage, 1x Alarm Input, 1x line in
HK-347000138	R 4,114	Hikvision 25W Network Horn Speaker with 2 electret microphones, DS-QAZ1325g1t, 110 dB sensitivity, 124 dbspl Maximum Acoustic Pressure, 10/100 Mbit RJ45 Ethernet, SIP Two-Way Audio, 4GB eMMC storage IP67 protection, 1x Alarm Input, Metal material
HW912A	R 1,029	KGuard HW912CPK High Resolution Outdoor Security Camera - 1/3" CMOS with IR Cut Filter, Fulcolor sensor , 800TVL, 75 degrees viewing angle ,Long Range Night Vision Up To 20M For Day & Night Surveillance, Bullet type, Weather-proof Metal Casing - Black Retail Box
SD501-P4	R 429	Sinotec 1/4" SHARP CCD Dome Camera, Retail Box
TA814A	R 2,989	Kguard TA814APK 2.0 Megapixel Pan-Tilt-Zoom Outdoor Security Camera 4X Optical Zoom with Auto-Focus
THC-B127-LPS 2.8MM	R 399	Hilook 2MP Dual Light Audio Fixed Mini Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution,

		2.8 mm fixed focal lens, Up to 20 m IR distance for bright night imaging, Up to 20 m white light distance for bright night imaging, One port for four switchable signals (TVI/AHD/CVI/CVBS), Water and dust resistant (IP66), High quality audio with audio over coaxial cable, built-in microphone.
THC-B229-M2.8MM	R 599	Hikvision HiLook 2 MP ColorVu Bullet Camera - High quality imaging with 2 MP, 1920 x 1080 resolution, 24/7 color imaging with F1.0 aperture, 3D DNR technology delivers clean and sharp images, 2.8 mm, 3.6 mm fixed focal lens, Up to 40 m white light distance for bright night imaging, One port for four switchable signals, Water and dust resistant, Retail Box, 6 Months Warranty
UHL-372B	R 239	Casey 1/3" Sony CCD - No Lens - Tv System: PAL, Image Sensor: 1/3" Sony CCD Image size: 4.9mmx3.7mm, ccd effective pixels: Pal:512(H)x582(V)/NTFS:512(H)x512(V) 520TV Lines, 0.5Lux, Electronic shutter: 1/50 ' 1/100000(S), Retail Box
UN-AC-T112-F28	R 158	Uniview UNV 2MP HD fixed IR Mini turrent Analog camera with 2.8mm Lens, One IR illuminator, 20m illumination distance, 1080p Resolution, PAL, NTSC, 2D Digital Noise Reduction, DWDR, 5.5mm Power Interface, BNC supports TVI / AHD / CVI / CVBS, IP67 ingress protection
UN-AC-T112-F28-W	R 176	Uniview UNV 2MP ColourHunter HD fixed Turret Analog camera with 2.8mm Lens, One white-light illuminator, 20m illumination distance, 1080p Resolution, PAL, NTSC, 24/7 Colour images, 2D/3D Digital Noise Reduction, DWDR, 5.5mm Power Interface, BNC supports TVI / AHD / CVI / CVBS, IP67 ingress protection
UN-UAC-T112-F28-W-X	R 207	Uniview UNV 2MP ColorHunter fixed Turret Analog camera with 4mm Lens, UAC-T112-f28(40)-w-x, One white-light illuminator, 20m illumination distance, 1920x1080 Resolution, 24/7 Colour images, 2D/3D Digital Noise Reduction, DWDR, 5.5 mm Power Interface, BNC Video Output supports TVI / AHD / CVI / CVBS
VA824EPK	R 1,019	KGuard VA824EPK 1080P IR-LED Dome Camera - 2 Mega Pixel High Quality CMOS Image Sensor, Infra-Red Wavelength: 850nm, Infra-Red LED Life 10,000hrs, Lens: 2.5-12mmmm, View Angle: 25-85Â°, Night Vision: Black and White at night @ 35M, Retail Box
VW325DPK	R 288	KGUARD 40 Meter IR Full colour Camera, Sensor TVL: 600 Lens: 4~9mm VF View Angle: 27°~60°IR Type: IR LED*36pcs Night Vision: 40M1x 18M/60ft BNC/Power extension cable1x 12V DC power adapter
WA813FPK	R 719	KGuard WA813FPK Outdoor Bullet Type Camera Kit - 1x High Quality CMOS Image Sensor 1080p AHD 2MP IR Weather-proof Camera, 3.6mm Lens, 30m IR Distance, 80 Degree View Angle, Retail Box

< Return to the menu

Security control devices

Product code	Price	Description
AA-CARD	R 26	Access Control Credit Card ISO - Industrial
AA-DOOR-BRACKET-300	R 300	Access Control Z-Bracket for Magnetic lock 300
AA-DOOR-BRACKET-600	R 268	Access Control Z-Bracket for Magnetic lock 600
AA-TAG-MIFARE	R 77	Access Control Rectangular Key Ring Tag
DS-1005KI	R 3,249	Hikvision USB Keyboard. Power supply and communication by USB port directly, 3D PTZ control and 2 joystick control buttons, Up to 15 programmable buttons, Support USB HID protocol

< Return to the menu

Security licenses

Product code	Price	Description
VAST	R 1,709	Vivotek VAST Video Central Management Software License (32 free licenses for Vivotek cameras only. Any time you are adding a non-Vivotek (ONVIF) camera to VAST or VAST 2, no matter how many cameras you have in total. You need 1 single-channel license for each non-Vivotek camera)
ZK-BS-AC-P25	R 11,653	ZK Teco ZK-Biosecurity Software for Access Control (25 doors), Only works on Pro controller, Maximum personnel 5000, Maximum department 5000, Maximum area 500
ZK-BS-TA-P10	R 12,134	ZK Teco ZK-Biosecurity Software for time and attendance (10 doors), Only works on Pro controller, Maximum personnel 2000, Maximum department 200, Maximum area 200
ZK-BT-DEV-5	R 2,926	ZK Teco ZKBioTime Cloud based time & attendance Software for 5 devices, Employee / calander / shift management, Integrates with the biotime Mobile App

ZK-BT-MA-20U	R 5,850	ZK Teco ZKBioTime Time & Attendance Mobile App License for 20 users, Clock-in with location / time / photo evidence, Pair with BioTime 8 Software

< Return to the menu

Two way radios

Product code	Price	Description
GPWT	R 481	Gizzu Patrol Walkie Talkie Set, Up to 3km in open areas communication range, 16 channels, 2W transmission Power (TX) Output, 3.7V 1500mAh Lithium-ion Battery, Up to 4 hours charging time, Up to 24 hours operation time, Up to 48 hours Standby time, 15 cm antenna length
Smart Dispatch basic package	R 24,219	Hytera Dispatcher server software, License includes 1 clients / 1 gateway / 1 repeater / 2 dispatch stations / 25 terminals / 1 year remote
SW00008	R 1,531	Hytera IP connect license for repeater
SW00012	R 388	Hytera SW00012 Roaming license for PD portable handsets and MD Mobile radios

< Return to the menu

Video recorders - security - NVR

Product code	Price	Description
0804GBE-S	R 9,389	Casey GBE 8 Channel 4 Active users 200/240FPS 8XSATA Security digital video recorder for CCTV security
0804LB-S	R 10,669	Casey LB SATA Series 8 Channel 4 Channel Audio - CIF 200/240FPS 8XSATA HDD Security DVR
0804LK-S	R 5,759	Securnix LK SATA Series 8 Channel 0 Audio - CIF 200/240FPS 8XSATA Security DVR
550000	R 2,599	Intellinet Network Video Server, 1 X Analogue video BNC input, 1 x analogue video BNC loop-through port Supports JPEG image compression Video stream up to 30 FPS Integrated motion detection with pre and post alarm image/video buffering Event triggered FTP and e-mail upload of still images and video's
550376	R 4,979	Intellinet PRO series Network Video Server, 1 X Analogue video BNC input, 1 x analogue video BNC loop-through port Supports MPEG4 and Motion JPEG image compression Video stream up to 30 FPS (NTSC) 25 FPS (PAL) Integrated motion detection with pre and post alarm image/video buffering Event triggered FTP and e-mail upload of still images and video`s Supports Pan/Tilt/Zoom CCTV Cameras Integrated HTTP web server Integrated e-mail, FTP, DDNS, and DHCP client Extensive CGI API for software integration and remote programming operations
550994	R 1,899	Intellinet NVS30 NETWORK VIDEO SERVER, Analogue video BNC input and analogue video BNC loop-through port Excellent image quality with 30 fps full-motion video in all resolutions Supports image resolutions up to 640 x 480 (VGA) Audio support, full duplex Video access through any standard Web browser Integrated motion detection with pre- and post-alarm image/video buffering
895-12-LL16	R 9,149	Casey 16CH 400 FPS DVR CARD 16 Channels camera input Display Speed 480FPS (NTSC) / 400FPS (PAL)Recording Speed 480FPS (NTSC) / 400FPS (PAL)
AJAX-NVR-16-B	R 5,190	Ajax - Black 16-channel 4K NVR, Up to 4K Resolution (25 / 30 fps), ONVIF, RTSP, Hard Drive up to 16 TB, H.265 / H.264 decoding formats, 100 Mbps Ethernet, Bluetooth, Motion Detection, Tamper alarm
AJAX-NVR-8-B	R 3,519	Ajax - Black 8-channel 4K NVR, Up to 4K Resolution (25 / 30 fps), ONVIF, RTSP, Hard Drive up to 16 TB, H.265 / H.264 decoding formats, 100 Mbps Ethernet, Bluetooth, Motion Detection, Tamper alarm
AJAX-NVR-8-W	R 3,521	Ajax - White 8-channel 4K NVR, Up to 4K Resolution (25 / 30 fps), ONVIF, RTSP, Hard Drive up to 16 TB, H.265 / H.264 decoding formats, 100 Mbps Ethernet, Bluetooth, Motion Detection, Tamper alarm
AY-NN-4C5MF27	R 1,082	Ayrus AY-NN-4C5MF27 4 CHANNEL 5MP DVR
CAM-ADR2204E1	R 1,244	Sunell ADR2204E1 1080P 4CH 1HDD Hybrid DVR, Supports AHD/TVI/CVI/CVBS/IP video inputs, Supports VGA, HD-OUT, CVBS output, Easy to use Same Interface of GUI/WEB/Client, Support various mobile monitoring:ï¼ˆIOS, Androidï¼‰, Support more than languages, Perfect protection circuit, unique triple watchdog function, Supporting web, IMS, provide SDK development
CAM-ADR2208E2	R 1,935	Sunell ADR2208E2 1080P 8CH 2HDD Hybrid DVR, Supports AHD/TVI/CVI/CVBS/IP video inputs, Supports VGA, HD-OUT, CVBS output, Easy to use Same Interface of GUI/WEB/Client, Support various mobile monitoring:ï¼ˆIOS, Androidï¼‰, Support more than languages, Perfect protection circuit, unique triple watchdog function, Supporting web, IMS, provide SDK development

CAM-ADR3304E1	R 999	SUNELL HYBRID DVR 4CH, 1 BAY, 1X LAN, H265
CAM-NVR-NVR1004H	R 939	TP-Link NVR1004H 4ch NVR 4-channel live view and 4K HDMI Video Output, 2-ch @ 8MP / 4-ch @ 4MP decoding capability, 4-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8 MP Max Record Resolution, 4-channel synchronous playback, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x audio in, 1x audio out, 1x HDMI, 1x VGA, 1 SATA Interface, Up to 10 TB capacity for Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
CAM-NVR-NVR1004H-4P	R 1,517	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
CAM-NVR-NVR1008H	R 1,155	TP-Link VIGI NVR1008H VIGI 8 Channel Network Video Recorder, 1 BAY, 1X LAN, ONVIF, H.265
CAM-NVR-NVR1008H-8MP	R 2,239	TP-Link Vigi NVR 8ch PoE Network Video Recorder, 113 W PoE budget, Ports 1-8 PoE Ports, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10TB, 8-channel IP Video Input up to 8 MP Resolution, H.265 / H.265 / H.264 / H.264 decoding Format, 8 channel synchronous playback, NVR1008H-8MP
CAM-NVR-NVR1008H-8P	R 1,806	TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 8 channel synchronous playback, H.265 / H.265 / H.264 / H.264 decoding Format, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, Ports 1-8 PoE Ports, 53 W PoE budget
CAM-NVR-NVR1016H	R 1,264	TP-Link NVR1016h Vigi 16ch 1 bay 1x LAN ONVIF H.265 NVR, 16-channel IP Video Input, Up to 8 MP Resolution, H.265 / H.265 / H.264 / H.264 decoding Format, Up to 10 TB capacity, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
CAM-NVR-NVR1104H-4P	R 1,444	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
CAM-NVR-NVR2016H	R 2,962	TP-Link Vigi NVR2016H Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface Network Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm, 16-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8MP Max Record Resolution, 16-channel synchronous playback
CAM-NVR-NVR2016H-16P	R 3,829	TP-Link Vigi NVR2016H-16P Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 16-channel IP Video Input, HDMI / VGA simultaneous Output, Max 8MP Record Resolution, 16-channel synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 90 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
CAM-NVR-NVR4016H	R 4,525	TP-Link Vigi NVR4016H 16-channel Network Video Recorder (NVR), 16-channel IP Video Input, 2x HDMI Output - 3840x2160 30Hz & 1920x1080 60Hz, 1x VGA Output, HDMI1/HDMI2 Independent Output, HDMI1/vga Independent Output, Up to 16 Multi-View Display, H.265 /H.265 / H.264 /H.264 Video Compression, 8MP Max Record Resolution, 16-channel synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2 front USB 2.0 Ports, 1x rear USB 3.0 Port, 1-ch RCA Input, 1-ch RCA Output, 16 / 4 Alarm In/Out, 1x RS232 Serial Interface, 1x eSATA, 4x SATA interfaces up to 16 TB capacity for each HDD, Motion Detection
CAM-NVR-NVR4032H	R 5,057	TP-Link NVR-NVR4032H Vigi 32ch Network Video Recorder, H.265 / H.265 / H.264 / H.264 decoding Format, 16-channel synchronous playback, 16-ch @ 1080p (30 fps), 8-ch @ 4MP (30 fps), 4-ch @ 8MP, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet, 1x audio in, 1x audio out, 16 / 4 alarm In/Out, 4x SATA interfaces up to 10 TB capacity for each Hard Disk Drive, Motion detection, HDMI / VGA Independent Output, 32-channel IP Video Input
CAM-NVR-NVR4064H	R 7,947	TP-Link Vigi NVR4064H 64-channel Network Video Recorder, 64-channel IP Video Input, 3840x2160 30Hz HDMI1 Resolution, 1920x1080 60Hz HDMI2 Resolution, HDMI1 / HDMI2 Independent Output, HDMI1 / VGA Independent

		Output, Multi-View Display, H.265 /H.265 / H.264 /H.264 Video Compression, 16-channel synchronous playback, 8MP Max Record Resolution, 2x RJ-45 Gigabit Self-Adaptive Ethernet Interface, 2x front USB 2.0 Ports, 1x rear USB 3.0 Port, 1-ch RCA Input, 1-ch RCA Output, 16 / 4 Alarm In/Out, 1x RS232 Serial Interface, 1x eSATA, 2x HDMI, 1x VGA, 4x SATA interfaces up to 16 TB capacity for each HDD, Motion Detection, Vehicle Detection, Human Detection
CAM-NVR2008H-8MP	R 3,395	TP-Link Vigi NVR2008H-8MP 8 channel PoE NVR, 8-channel IP Video Input, HDMI / VGA simultaneous Output, 1 / 4 / 6 / 8 Multi-View Display, H.265 /H.265 / H.264 /H.264 Video Compression, 8-channel synchronous playback, Motion Detection recording, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1-ch RCA Input, 1-ch RCA Output, 1x eSATA, 1x HDMI, 1x VGA, 2x SATA interfaces up to 16 TB capacity for each HDD, 8x RJ-45 10/100 Mbps Self-Adaptive PoE Ethernet Interface, 93 W PoE budget, 1x 2TB HDD preinstalled
CAM-NVR2016H-16MP	R 4,623	TP-Link Vigi NVR2016H-16MP Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 16-channel synchronous playback, ONVIF, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 140 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
CAM-NVR2504E1-E	R 2,056	Sunell SN-NVR2504E1-E 4-channel 1-bay H.265 NVR. The Seagate One Touch Hub 16TB is a desktop external drive that combines large-capacity storage with front-facing USB charging ports and easy-to-use backup tools. It is suited for content creators, small offices and households needing dependable centralized backup and simple device charging. Out of the box it works with Windows and Mac, includes Seagate Toolkit software for scheduled backups, offers password-protected access.
CAM-NVR2504E1-P4	R 2,111	Sunell NVR2504E1-P4 1 Bay 4 Channel Network Video Recorder, 1x LAN, 4x POE, H.265
CAM-NVR2508E2-P8E	R 2,980	SUNELL Network video recorder NVR 8 channel 2 bay 1X Lan 8X POE, H.265.(No drives included). 8CH 2HDD NVR with 8CH PoE; Up to 8ch IP cameras access; Up to 8MP resolution recording; 2 SATA hard disk up to 8TB; 1 RJ45 10M/100M network interface; 8ch POE ports; Simultaneous HDMI&VGA up to 4K output; Smart search & playback; 8ch alarm In/1ch alarm Out; 1ch audio I/O
DH-XVR1B16H-I	R 989	Dahua 16 channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense Digital Video Recorder, Full-channel SMD Plus SMD Plus by recorder, 16 channels Analog camera Input, 16 8 channels IP Camera Input, 1x HDMI, 1x VGA, Motion detection, 1x RCA audio Input, 16 BNC audio Input, 1x RCA audio Output, Two-Way talk, 1 SATA Port up to 16TB, 2x USB Ports, 1x Gigabit Ethernet Port
DHI-NVR5232-EI	R 5,716	Dahua 32 channels 1U 2HDD WizSense Network Video Recorder with face detection and recognition, 1x VGA, 1x HDMI, Multi-screen Display, Smart H.265 / H.265 / Smart H.264 / H.264 / MJPEG Video Compression, Up to 16 channels Multi-Channel playback, 1-channel RCA audio Output, 4 channels alarm Input, 2 channels alarm Output, 2 SATA Ports each disk can contain up to 16 TB, 1x RS-232, 1x RS-485, 2x USB, 1x Gigabit Ethernet Port RJ-45, DHI-NVR5232-EI
DS-6916UDI	R 37,890	Hikvision DS-6916UDI 4K Decoder - 16-CH 12MP OR 128-CH 1080P
DS-7104HGHI-M1	R 602	Hikvision 4-ch 720p Mini 1U H.265 DVR - supports AcuSense, H.265 Pro / H.265 Pro / H.265 Video Compression, HDTVI / AHD / CVI / CVBS / IP Video inputs, Audio via Coaxial Cable, Human/vehicle analysis, 1-ch (Up to 5-ch) IP Video Input, Up to 1080p Resolution, 4-ch Analog Video Input, BNC Interface, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 1-ch audio Output, 4-ch synchronous playback, 1x RJ45 10/100 Mbps Self-Adaptive Ethernet Interface, Up to 4 TB capacity SATA Drive, 2x USB 2.0
DS-7104HGHI-M1	R 581	Hikvision 4-ch 720p Mini 1U H.265 DVR - supports AcuSense, H.265 Pro / H.265 Pro / H.265 Video Compression, HDTVI / AHD / CVI / CVBS / IP Video inputs, Audio via Coaxial Cable, Human/vehicle analysis, 1-ch (Up to 5-ch) IP Video Input, Up to 1080p Resolution, 4-ch Analog Video Input, BNC Interface, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 1-ch audio Output, 4-ch synchronous playback, 1x RJ45 10/100 Mbps Self-Adaptive Ethernet Interface, Up to 4 TB capacity SATA Drive, 2x USB 2.0
DS-7104HGHI-M1	R 689	Hikvision 4-ch 720p Mini 1U H.265 DVR - supports AcuSense, H.265 Pro / H.265 Pro / H.265 Video Compression, HDTVI / AHD / CVI / CVBS / IP Video inputs, Audio via Coaxial Cable, Human/vehicle analysis, 1-ch (Up to 5-ch)

		IP Video Input, Up to 1080p Resolution, 4-ch Analog Video Input, BNC Interface, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 1-ch audio Output, 4-ch synchronous playback, 1x RJ45 10/100 Mbps Self-Adaptive Ethernet Interface, Up to 4 TB capacity SATA Drive, 2x USB 2.0
DS-7104HQHI-K1	R 978	Hikvision 4-ch 1080p Mini 1U H.265 DVR with sound, H.265 Pro / H.265 Pro / H.265 / H.264 / H.264 Video Compression, 1-ch IP Video Input, Up to 6 MP Resolution, 4-ch Analog Video Input, BNC Interface, HDTVI Input, AHD Input, HDCVI Input, CVBS Input, HDMI Output, VGA Output, 1-ch RCA audio Input, 4-ch via Coaxial Cable audio Input, 1-ch, RCA audio Output, 1-ch RCA Two-Way audio, 4-ch synchronous playback, 1, RJ45 10M/100M Self-Adaptive Ethernet Interface, 1 SATA Interface up to 6 TB capacity
DS-7104NI-Q1	R 966	Hikvision DS-7104NI-Q1 4CH Hivision NVR, 40Mbps Bit Rate Input Max (4-ch 1080p@25fps or 2-ch 4MP@25fps decoding), 1 SATA interface, mini 1U case(Plastic)
DS-7104NI-Q1/4P	R 1,533	Hikvision DS-7104NI-Q1/4P 40Mbps Bit Rate Input Max (up to 4-ch IP video) 1 SATA interface, 4 independent PoE network interfaces, mini 1U case(Plastic)
DS-7104NI-Q1/4P	R 1,610	Hikvision 4-ch Mini 4 PoE 1U NVR, Up to 6 MP Resolution, 4-ch IP Video Input, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 4-ch synchronous playback, 4-ch @ 1080p 30 fps decoding capability, 1x RJ-45 10/100 Mbps, 4x RJ-45 10/100 Mbps PoE, 1 SATA Interface up to 6TB capacity, 2x USB 2.0
DS-7104NI-Q1/4P	R 1,627	Hikvision 4-ch Mini 4 PoE 1U NVR, Up to 6 MP Resolution, 4-ch IP Video Input, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 4-ch synchronous playback, 4-ch @ 1080p 30 fps decoding capability, 1x RJ-45 10/100 Mbps, 4x RJ-45 10/100 Mbps PoE, 1 SATA Interface up to 6TB capacity, 2x USB 2.0
DS-7108HGHI-M1	R 748	Hikvision DS-7108HGHI-M1 8-ch 720p Mini 1U H.265 DVR
DS-7108HGHI-M1	R 839	Hikvision 7100 Series 8ch 720p Turbo High Definition stand alone H.265 DVR, H.265 Pro / H.265 Pro / H.265 / H.264 / H.264 Video Compression, 2-ch IP Video Input, Up to 5 MP Resolution, 8-ch Analog Video Input, BNC Interface, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 8-ch via Coaxial Cable audio Input, 1-ch RCA audio Output, 8-ch synchronous playback, 1x RJ45 10/100 Mbps Self-Adaptive Ethernet Interface, 1 SATA Interface up to 4 TB, 2x USB 2.0
DS-7108HGHI-M1	R 838	Hikvision 7100 Series 8ch 720p Turbo High Definition stand alone H.265 DVR, H.265 Pro / H.265 Pro / H.265 / H.264 / H.264 Video Compression, 2-ch IP Video Input, Up to 5 MP Resolution, 8-ch Analog Video Input, BNC Interface, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 8-ch via Coaxial Cable audio Input, 1-ch RCA audio Output, 8-ch synchronous playback, 1x RJ45 10/100 Mbps Self-Adaptive Ethernet Interface, 1 SATA Interface up to 4 TB, 2x USB 2.0. Capture security footage from 10 cameras, which consists of 2 IP security cameras (resolutions up to 5 MegaPixels per camera), and 8 Analogue cameras.
DS-7108HGHI-M1-T	R 844	Hikvision DS-7108HGHI-M1/T 8-ch 1080p Lite Mini 1U H.265 DVR. The Hikvision DS-7108HGHI-M1-T is an 8-channel 720p Mini 1U H.265 DVR that offers efficient surveillance solutions for various environments. Its compact design, advanced motion detection, and multi-format video input make it a versatile choice for users seeking reliable and scalable security systems.
DS-7108NI-Q1	R 1,277	Hikvision 8-ch Mini 1U NVR, 8-ch IP Video Input, Up to 4 MP Resolution, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 8-ch synchronous playback, 1x RJ-45 10/100 Mbps self-adaptive Ethernet Interface, 1 SATA Interface, Up to 6TB capacity for each disk, 2x USB 2.0
DS-7108NI-Q1/8P	R 2,185	Hikvision 8-ch Mini 1U 8 PoE NVR, 8-ch IP Video Input, Up to 6 MP Resolution, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 4-ch synchronous playback, 4-ch @ 1080p 30 fps decoding capability, 16 Remote connection, 1x RJ-45 10/100 Mbps Network Interface, 8x RJ-45 10/100 Mbps PoE Ports, 1 SATA Interface up to 6TB capacity, 2x USB 2.0
DS-7116HGHI-M1	R 1,387	Hikvision 16-ch 720p Mini 1U H.265 DVR - supports AcuSense, H.265 Pro / H.265 Pro / H.265 Video Compression, HDTVI / AHD / CVI / CVBS / IP Video Input, Audio via Coaxial Cable, Up to 18-ch IP Camera Input (Up to 5 MP), Encoding ability up to 1080p Lite @ 15 fps, 16-ch Analog Video Input, BNC Interface, HDMI Output, VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 1-ch audio Output, 1-ch RCA Two-Way

		audio, 16-ch synchronous playback, 1x SATA Interface up to 10 TB, 2x USB 2.0
DS-7116HGHI-M1	R 1,436	Hikvision 16-ch 720p Mini 1U H.265 DVR - supports AcuSense, H.265 Pro / H.265 Pro / H.265 Video Compression, HDTVI / AHD / CVI / CVBS / IP Video Input, Audio via Coaxial Cable, Up to 18-ch IP Camera Input (Up to 5 MP), Encoding ability up to 1080p Lite @ 15 fps, 16-ch Analog Video Input, BNC Interface, HDMI Output, VGA Output, HDMI / VGA simultaneous Output, 1-ch RCA audio Input, 1-ch audio Output, 1-ch RCA Two-Way audio, 16-ch synchronous playback, 1x SATA Interface up to 10 TB, 2x USB 2.0
DS-7604NXI-K1	R 1,636	Hikvision DS-7604NXI-K1 4-ch 1U K Series AcuSense 4K NVR
DS-7608NXI-I2/VPro	R 10,810	Hikvision 8ch Large-Scale AI AcuSense Network Video Recorder, Facial Recognition AI by NVR, Face picture library, 8-ch face picture comparison, 8-ch IP Video Input, HDMI Output 4K 3840x2160 @ 30Hz, VGA Output, HDMI / VGA Independent Output, 1-ch Audio Output, 1-ch o-way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 8-ch synchronous playback, 2x RJ-45 Gigabit Self-Adaptive Ethernet Interface, 128 Remote connection, 2x SATA interfaces up to 20 TB capacity for each disk, 4 / 1 Alarm In/Out, 1x USB 2.0, 1x USB 3.0, 1U Chassis
DS-7608NXI-K2	R 2,361	Hikvision DS-7608NXI-K2 8-ch 1U K Series AcuSense 4K NVR
DS-7608NXI-K2	R 2,875	Hikvision 8-ch 1U K Series AcuSense 4K NVR, All-ch Motion Detection 2.0, Up to 2-ch false alarm reduction through human and vehicle target classification based on deep learning, Up to 1-ch video stream face recognition based on deep learning algorithm, Up to 16 face databases with 20,000 face images in total Up to 2-ch @ 12MP or 3-ch @ 8MP or 6-ch @ 4MP or 12-ch @ 1080P decoding capacity , 2 SATA interfaces, 380 1U case, alarm I/O: 4/1
DS-7608NXI-K2/8P	R 4,083	Hikvision 8-ch PoE 1U K Series AcuSense 4K, All-ch Motion Detection 2.0, Up to 2-ch false alarm reduction through human and vehicle target classification based on deep learning, Up to 1-ch video stream face recognition based on deep learning algorithm, Up to 16 face databases with 20,000 face images in total, Up to 2-ch @ 12MP or 3-ch @ 8MP or 6-ch @ 4MP or 12-ch @ 1080P decoding capacity, 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1
DS-7616NXI-I2/VPro	R 11,420	Hikvision 16ch Large-Scale AI AcuSense Network Video Recorder, Facial Recognition AI by NVR, Face picture library, 8-ch face picture comparison, 16-ch IP Video Input, HDMI Output 4K 3840x2160 @ 30Hz, VGA Output, HDMI / VGA Independent Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 2x RJ-45 Gigabit Mbps Self-Adaptive Ethernet Interface, 128 Remote connection, 2x SATA interfaces up to 20 TB capacity for each disk, 4 / 1 Alarm In/Out, 1x USB 2.0, 1x USB 3.0, 1U Chassis. The Hikvision DS-7616NXI-I2/VPro is a 16-channel NVR designed for professional surveillance systems. It offers high-resolution recording, advanced AI analytics, and extensive storage options, making it suitable for large-scale security installations.
DS-7616NXI-K2	R 2,748	Hikvision DS-7616NXI-K2 16-ch 1U K Series AcuSense 4K NVR
DS-7616NXI-K2	R 2,529	Hikvision 16-ch 1U K Series AcuSense 4K NVR, Facial Recognition, Perimeter protection, Motion Detection 2.0, Up to 16 face picture libraries with up to 20000 face pictures in total, 1-ch 8 MP Facial detection and analytics, 4-ch face picture comparison, 16-ch IP Video Input, 1-ch 4K HDMI Output, 1-ch VGA Output, HDMI / VGA Independent Output, 1-ch audio Output, 1-ch Two-Way audio, Decoding Format H.265 / H.265 / H.264 / H.264, Max 12 MP recording Resolution, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2 SATA interfaces, Up to 10 TB capacity for each HDD, 2x USB 2.0, 4 / 1 alarm In/Out
DS-7616NXI-K2(STD)	R 2,875	Hikvision DS-7616NXI-K2 16-ch 1U K Series AcuSense 4K NVR All-ch Motion Detection 2.0, Up to 2-ch false alarm reduction through human and vehicle target classification based on deep learning, Up to 1-ch video stream face recognition based on deep learning algorithm, Up to 16 face databases with 20,000 face images in total, Up to 2-ch @ 12MP or 3-ch @ 8MP or 6-ch @ 4MP or 12-ch @ 1080P decoding capacity, 2 SATA interfaces, 380 1U case, alarm I/O: 4/1
DS-7616NXI-K2/16P	R 5,290	Hikvision DS-7616NXI-K2/16P 16-ch PoE 1U K Series AcuSense 4K NVR
DS-7616NXI-K2/16P	R 5,059	Hikvision 16-ch PoE 1U K Series AcuSense 4K NVR, Facial Recognition, Perimeter protection, Motion Detection 2.0, Up to 16 face picture libraries with up to 20000 face pictures in total, 1-ch 8 MP Facial detection and analytics, 4-ch face picture comparison, 16-ch IP Video Input, 1-ch 4K HDMI Output, 1-ch VGA Output, HDMI / VGA Independent Output, 1-ch audio Output, 1-ch Two-Way audio, Decoding Format H.265 / H.265 / H.264 / H.264, Max 12 MP recording Resolution, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 16x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface with PoE, 200W PoE budget, 2 SATA interfaces, Up to 10 TB capacity for

		each HDD, 2x USB 2.0, 4/1 alarm In/Out
DS-7616NXI-K2/16P(E)	R 6,394	Hikvision 16-ch PoE 1U K Series AcuSense 4K NVR, Facial Recognition, Perimeter protection, Motion Detection, AcuSearch, 16-ch IP Video Input, 4-ch IP Speaker Input, HDMI / VGA Independent Output, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, 1-ch RCA Audio Output, 1-ch RCA Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 16x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface PoE, 2x SATA interfaces, Up to 16 TB capacity for each HDD, 4 / 1 Alarm In/Out, 1x USB 2.0, 1x USB 2.0
DS-7632NXI-K2	R 7,096	Hikvision 32ch 1U AcuSense 4K Network Video Recorder 2x SATA, Facial Recognition, Perimeter protection, Motion Detection, 32-ch IP Video Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, HDMI / VGA Independent Output, 1-ch RCA Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2x SATA interfaces, Up to 16 TB capacity for each HDD, 1x USB 2.0, 1x USB 2.0, 4/1 Alarm In/Out
DS-7632NXI-K2	R 7,398	Hikvision 32ch 1U AcuSense 4K Network Video Recorder 2x SATA, Facial Recognition, Perimeter protection, Motion Detection, 32-ch IP Video Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, HDMI / VGA Independent Output, 1-ch RCA Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2x SATA interfaces, Up to 16 TB capacity for each HDD, 1x USB 2.0, 1x USB 2.0, 4/1 Alarm In/Out
DS-7632NXI-K2	R 7,096	Hikvision 32ch 1U AcuSense 4K Network Video Recorder 2x SATA, Facial Recognition, Perimeter protection, Motion Detection, 32-ch IP Video Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, HDMI / VGA Independent Output, 1-ch RCA Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2x SATA interfaces, Up to 16 TB capacity for each HDD, 1x USB 2.0, 1x USB 2.0, 4/1 Alarm In/Out
DS-7716NXI-I4/16P/S	R 9,979	Hikvision DS-7716NXI-I4/16P/S, 256Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 2 HDMI ouputs, 1 VGA port, 1 CVBS output, 1 eSATA, alarm I/O: 16/4, 1.5U case, 19"
DS-7716NXI-I4/16P/S	R 10,580	Hikvision 16-ch 1.5U 16 PoE AcuSense 4K NVR, Facial detection, Face picture library, Motion detection 2.0, Perimeter protection, 16-ch IP Video Input, Up to 12 MP Resolution, 160 Mbps incoming Bandwidth, 4K HDMI 1 Output, 1920x1080 60Hz HDMI 2 Output, 1-ch VGA Output, HDMI1 / VGA simultaneous Output, CVBS Output, 1-ch audio Output, Two-Way audio, H.265 / H.265 / H.264 / H.264 / MPEG4 decoding Format, 16-ch synchronous playback, 16-ch @ 1080p 30 fps decoding capability, 1x RJ-45 Gigabit Network Interface, 16x RJ-45 10/100 Mbps PoE Ports, 200W PoE Power, 4 SATA interfaces, 1x eSATA Interface, Up to 10 TB capacity for each disk, 16 / 4 alarm In/Out, USB Interface
DS-7716NXI-I4/16P/S(STD)	R 9,189	Hikvision 16-ch 1.5U 16x PoE AcuSense 4K NVR, Facial Recognition AI by NVR, Face picture library, 8-ch face picture comparison (Captured from camera), Motion Detection 2.0, Perimeter protection, 16-ch IP Video Input, HDMI 1 Output 4K 3840x2160 @ 30Hz, HDMI 2 Output 4K 3840x2160 @ 30Hz, VGA Output, HDMI1/vga simultaneous Output, HDMI2/vga Independent Output, 1-ch CVBS Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 1x RJ-45 Gigabit Mbps Self-Adaptive Ethernet Interface, 128 Remote connection, 16x PoE RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, IEEE 802.3 af/at standard, 2 RS-485 (Half-Duplex), 1x RS-232, 4x SATA interfaces up to 16 TB capacity for each disk, 1x eSATA Interface, 16 / 9 Alarm In/Out, 2x USB 2.0, 1x USB 3.0, 19-inch rack-mounted 1.5U Chassis
DS-7716NXI-I4/S(STD)	R 7,314	Hikvision 7716NXI-I4 16-Channel AcuSense 4K NVR with Facial Recognition, Facial Recognition AI by NVR, Face picture library, 8-ch face picture comparison, 16-ch IP Video Input, HDMI 1 Output 4K 3840x2160 @ 30Hz, HDMI 2 Output 4K 3840x2160 @ 30Hz, VGA Output, HDMI1 / VGA simultaneous Output, HDMI2 / VGA Independent Output, 1-ch CVBS Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, Dual-stream recording, 2x RJ-45 Gigabit Mbps Self-Adaptive Ethernet Interface, 128 Remote connection, 2 RS-485 (Half-Duplex), 1x RS-232, 4x SATA interfaces up to 14 TB capacity for each disk, 1x eSATA Interface, 16 / 9 Alarm In/Out, 2x USB 2.0, 1x USB 3.0, 19-inch rack-mounted 1.5U Chassis
DS-7716NXI-I4/VPro	R 13,789	Hikvision 16ch Large-Scale AI AcuSense Network Video Recorder, Facial Recognition AI by NVR, Face picture

		library, 8-ch face picture comparison, 16-ch IP Video Input, HDMI1 4K 3840x2160 @ 30Hz, HDMI2 1920x1080 @ 60Hz, VGA Output, HDMI / VGA Independent Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 2x RJ-45 Gigabit Mbps Self-Adaptive Ethernet Interface, 128 Remote connection, 4x SATA interfaces up to 20 TB capacity for each disk, 16 / 9 Alarm In/Out, 2x USB 2.0, 1x USB 3.0, 1.5U Chassis
DS-7732NXI-I4/16P/S	R 11,904	Hikvision DS-7732NXI-I4/16P/S, 256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, 2 HDMI ouputs, 1 VGA port, 1 CVBS output, 1 eSATA,alarm I/O: 16/4, 1.5U case, 19"
DS-7732NXI-I4/16P/S	R 11,489	Hikvision 32-ch 1.5U 16 PoE AcuSense 4K NVR, Facial detection, Face picture library, Motion detection 2.0, Perimeter protection, 32-ch IP Video Input, Up to 12 MP Resolution, 256 Mbps incoming Bandwidth, 4K HDMI 1 Output, 1920x1080 60Hz HDMI 2 Output, 1-ch VGA Output, HDMI1 / VGA simultaneous Output, CVBS Output, 1-ch audio Output, Two-Way audio, H.265 / H.265 / H.264 / H.264 / MPEG4 decoding Format, 16-ch synchronous playback, 16-ch @ 1080p 30 fps decoding capability, 1x RJ-45 Gigabit Network Interface, 16x RJ-45 10/100 Mbps PoE Ports, 200W PoE Power, 4 SATA interfaces, 1x eSATA Interface, Up to 10 TB capacity for each disk, 16 / 4 alarm In / Out, USB Interface
DS-7732NXI-I4/S	R 8,998	Hikvision DS-7732NXI-I4/S, 256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, 2 HDMI ouputs, 1 VGA port, 1 CVBS output, 1 eSATA, alarm I/O: 16/4, 1.5U case, 19"
DS-7732NXI-I4/S(STD)	R 12,593	Hikvision 32-ch 1U AcuSense 4K NVR, 4ch Perimeter protection, 1ch Facial Recognition for Video Stream, H.265 / H.265 / H.264 / H.264 Video formats, Up to 32-ch IP camera inputs, Up to 16-ch 1080p decoding capability, Up to 256 Mbps incoming Bandwidth, 2-ch HDMI Video Output, 1-ch VGA Video Output, 1-ch BNC CVBS Output, 16-ch @ 1080p (30 fps) decoding capability, 16-ch synchronous playback, 1-ch RCA audio Output, 1-ch, RCA Two-Way audio, 4 SATA interfaces, 1x eSATA Interface, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface
DS-7732NXI-I4/Vpro	R 25,973	Hikvision Large-Scale AI Network Video Recorder 32ch, Facial Recognition, Face picture library, 8-ch face picture comparison, 32-ch IP Video Input, HDMI1 4K 3840x2160 @ 30Hz, HDMI2 1920x1080 @ 60Hz, VGA Output, HDMI / VGA Independent Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, Dual-stream recording, 2x RJ-45 Gigabit Self-Adaptive Ethernet Interface, 128 Remote connection, 4x SATA interfaces up to 20 TB capacity for each disk, 16 / 9 Alarm In/Out, 2x USB 2.0, 1x USB 3.0, 1.5U Chassis
DS-9632NXI-I8/S	R 19,874	Hikvision AcuSense 32 channel 2U 4K AcuSense NVR, H.265 / H.265 / H.264 / H.264 Video formats, Up to 32-ch IP camera inputs, Up to 16-ch 1080p decoding capability, Up to 1-ch facial recognition for Video Stream, 1-ch Two-Way audio, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8x SATA interfaces, Up to 10 TB capacity for each disk, RS-485 (Full-Duplex), RS-232, Keyboard, 2x USB 2.0, 1x USB 3.0, 16 / 8 alarm In/Out
DS-9632NXI-I8/S	R 19,263	Hikvision AcuSense 32 channel 2U 4K AcuSense NVR, H.265 / H.265 / H.264 / H.264 Video formats, Up to 32-ch IP camera inputs, Up to 16-ch 1080p decoding capability, Up to 1-ch facial recognition for Video Stream, 1-ch Two-Way audio, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8x SATA interfaces, Up to 10 TB capacity for each disk, RS-485 (Full-Duplex), RS-232, Keyboard, 2x USB 2.0, 1x USB 3.0, 16 / 8 alarm In/Out
DS-9632NXI-I8/S	R 21,274	Hikvision AcuSense 32 channel 2U 4K AcuSense NVR, H.265 / H.265 / H.264 / H.264 Video formats, Up to 32-ch IP camera inputs, Up to 16-ch 1080p decoding capability, Up to 1-ch facial recognition for Video Stream, 1-ch Two-Way audio, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8x SATA interfaces, Up to 10 TB capacity for each disk, RS-485 (Full-Duplex), RS-232, Keyboard, 2x USB 2.0, 1x USB 3.0, 16 / 8 alarm In/Out
DS-9632NXI-I8/VPro	R 43,453	Hikvision 32ch I/VPro Series NVR with AcuSeek 8x SATA supports RAID, Facial Recognition, Perimeter protection, Motion Detection, 32-ch IP Video Input, HDMI1/VGA1 simultaneous Output, HDMI2/VGA2 simultaneous Output, 2-ch RCA Audio Output, 1-ch, RCA Two-Way Audio, 4K (3840x2160) 30Hz HDMI 1 Output, 1080p (1920x1080) 60Hz HDMI 2 Output, 1080p (1920x1080) 60Hz VGA 1 & 2 Output, H.265 / H.265 / H.264 / H.264 decoding Format, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8x SATA interfaces, Up to 20 TB capacity for each disk, 1x RS-232, 1x RS-485 (Full-Duplex), 16 / 9 Alarm In/Out, 1x eSATA Interface, 2x USB 2.0, 2x USB 3.0
DS-9664NXI-I8/S	R 28,290	Hikvision 64-ch 2U 4K AcuSense NVR, Facial detection and analytics, Face picture library, Motion detection 2.0, 64-ch IP Video Input, Up to 12 MP Resolution, 320 Mbps incoming Bandwidth, 4K HDMI 1 Output, 1920x1080 60Hz HDMI 2 Output, VGA 1 Output, HDMI1 /VGA simultaneous Output, HDMI2 /VGA Independent Output,

		Two-Way audio, H.265 / H.265 / H.264 / H.264 / MPEG4 decoding Format, 16-ch @ 1080p 30 fps decoding capability, 64-ch synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8 SATA interfaces up to 10 TB capacity for each disk, 1x eSATA Interface, 16 / 8 alarm In / Out, 2U chassis
DS-9664NXI-I8/S	R 27,278	Hikvision 64-ch 2U 4K AcuSense NVR, Facial detection and analytics, Face picture library, Motion detection 2.0, 64-ch IP Video Input, Up to 12 MP Resolution, 320 Mbps incoming Bandwidth, 4K HDMI 1 Output, 1920x1080 60Hz HDMI 2 Output, VGA 1 Output, HDMI1 /VGA simultaneous Output, HDMI2 /VGA Independent Output, Two-Way audio, H.265 / H.265 / H.264 / H.264 / MPEG4 decoding Format, 16-ch @ 1080p 30 fps decoding capability, 64-ch synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8 SATA interfaces up to 10 TB capacity for each disk, 1x eSATA Interface, 16 / 8 alarm In / Out, 2U chassis
DS-9664NXI-I8/VPro	R 53,441	Hikvision 64ch I/VPro Series NVR with AcuSeek, Facial Recognition, Perimeter protection, Motion Detection, Plate number, License plate Colour, License plate Type, 64-ch IP Video Input, HDMI1/VGA1 simultaneous Output, HDMI2/VGA2 simultaneous Output, 2-ch RCA Audio Output, 1-ch, RCA Two-Way Audio, 4K (3840x2160) 30Hz HDMI 1 Output, 1080p (1920x1080) 60Hz HDMI 2 Output, 1080p (1920x1080) 60Hz VGA 1 & 2 Output, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8x SATA interfaces, 1x RS-232, 1x RS-485 (Full-Duplex), Up to 20 TB capacity for each disk, 16 / 9 Alarm In/Out, 1x eSATA Interface, 2x USB 2.0, 2x USB 3.0
DS-E04HGHI-B	R 1,150	Hikvision DS-E04HGHI-B 4-ch 1080p Lite 1U H.265 330Gb eSSD DVR
DS-E04NI-Q1-4P-SSD-1TB	R 2,460	Hikvision DS-E04NI-Q1-4P 1tb SSD Compact 4ch Nvr With 4 Port Poe
DVR-108G-M1	R 749	Hikvision HiLook 8CH Hybrid DVR High Definition Stand Alone DVR - Support H.265 Pro /H.265 Pro/H.265/H.264 /H.264 video compression, 8 Channel Analog and HD-TVI video input, BNC interface (1.0Vp-p, 75 Î©),supporting coaxitron connection, Audio Input: 1-ch RCA and 8-ch via coaxial cable Audio via coaxial cable, SATA Interface Support up to 4TB Hard disk drive, 10/100 self-adaptive Ethernet interface 2x USB 2.0 Ports on Rear panel, Supports real-time 1080p lite when enabled the image effect is similar to 1080p, HDMI/VGA output at up to 1920 x 1080 resolution, IP 2ch Up to 10-ch IP camera input (up to 5 MP), Signal Input HDTVI/AHD/CVI/CVBS/IP, Deep learning based human and vehicle targets classification of Motion Detection 2.0, 1U Mini White Unit, Smart search for efficient playback, Remote viewing from anywhere on pc and cellphone, Retail Box
DVR-116G-M1	R 1,399	Hikvision HiLook 16CH Hybrid DVR High Definition Stand Alone DVR - Support H.265 Pro /H.265 Pro/H.265 video compression, Advanced Motion Detection Ver2 Deep learning based human and vehicle targets classification, 16 Channel Analog and HD-TVI video input, BNC interface (1.0Vp-p, 75 Î©),supporting coaxitron connection, Audio Input: 1-ch RCA and 16-ch via coaxial cable, SATA Interface Support up to 10TB Hard disk drive, 10/100 self-adaptive Ethernet interface 2x USB 2.0 Ports on Rear panel, Supports real-time 1080p lite when enabled the image effect is similar to 1080p, HDMI/VGA output at up to 1920 x 1080 resolution, IP 2ch Up to 18-ch IP camera input (up to 5 MP), Signal Input HDTVI/AHD/CVI/CVBS/IP, 1U Mini White Unit, Smart search for efficient playback, Remote viewing from anywhere on pc and cellphone, Retail Box
E-H3KIT	R 4,024	Ezviz CS-BW3844 Smart Home 8ch NVR - 4x 4MP camera 2k kit, X5s NVR, HDMI / VGA Output, Supports High-Resolution cameras of up to 3K Video quality, Supports ONVIF conformant camera, H.265 Video Technology, Up to 8TB storage, 4 x H3C 2k camera, 2k Ultra HD with Colour Night Vision, Ai-powered human shape detection, Active defense with Siren and Strobe Light, Two way talk, IP67 Weatherproof, H.265 Video Compression
E-XS5	R 1,034	Ezviz X5s 8 channel Wireless NVR, 100m Max Wireless range, 2.4GHz WiFi, 1x 10/100 Mbit adaptable Ethernet Interface, 1x HDMI up to 2592x1944 @ 30Hz, 1x VGA up to 1920x1080 @ 60Hz, 3K Max recording Resolution, H.265 / H.264 Video Encoding, Supports 8x 3K decode playback, One Built-In SATA Port up to 8TB, 2x USB 2.0 Ports
EL422-CKT005	R 920	Kguard Combo kit 4ch 960H Full HD 1080p Standalone DVR
ENVR-EU	R 40,306	Ubiquiti UniFi Protect 3U 16 bay 2x SFP Enterprise Network Video Recorder, ENVR, 16x 3.5" Drive bays, 2x 10G SFP Networking Interface, 1x 10 GbE Networking Interface, Power Redundancy, Rack Mount (3U), 2x AC Input, Hot-Swappable 550W CRPS Power Supply, Supports (70) 4K Managed cameras Max
HIL-21602-1TBSSD	R 6,899	Hikvision Hilook 16Ch 16x 2MP Bullet Cameras with 1TB SSD CCTV DIY Kit
HK-300227840	R 7,131	Hikvision 16-ch 5 MP 1U H.265 AcuSense DVR, Up to 4-ch human/vehicle analysis, Facial detection and Capture, Motion Detection 2.0, 8-ch IP Video Input, Up to 8 MP Resolution, Support H.265 / H.265 / H.264 / H.264 IP

		cameras, 16-ch Analog Video Input with BNC Interface, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, HDMI / VGA simultaneous Output, PAL / NTSC CVBS Input, 1-ch BNC CVBS Output, 16-ch synchronous playback, 1-ch, RCA Audio Output, 1-ch Audio Input, 1-ch RCA Two-Way Audio, 1x RJ45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2x SATA interfaces up to 10TB capacity for each disk, RS-485 Serial Interface, 1x USB 2.0, 1x USB 3.0
HK-300228295	R 10,936	Hikvision 32-ch 1080p 1.5U H.265 AcuSense DVR, Motion Detection 2.0, Up to 8-ch human / vehicle analysis, 16-ch IP Video Input, Up to 6 MP Resolution, Support H.265 / H.265 / H.264 / H.264 IP cameras, 32-ch Analog Video Input, BNC Interface, PAL / NTSC CVBS Input, 1-ch CVBS Output, 1-ch HDMI1 Output, 1-ch HDMI2 Output, 1-ch VGA Output, HDMI1 / VGA simultaneous Output, HDMI2 / VGA Independent Output, 4-ch audio Input, 1-ch audio Output, 1-ch Two-Way audio, 16-ch synchronous playback, 2x RJ45 10M/100M/1000M Self-Adaptive Ethernet Interface, 4x SATA interfaces, Support eSATA, Up to 12 TB capacity for each disk, 16 / 4 alarm In/Out, 2x USB 2.0, 1x USB 3.0, iDS-7332HQHI-M4/S(STD)
HK-300229559	R 1,004	Hikvision 8-ch 1080p Lite Mini 1U H.265 DVR, DS-7108HGHI-M1/T, Human/vehicle analysis, 2-ch IP Video Input, Up to 5MP Resolution, Support H.265 / H.265 / H.264 / H.264 IP cameras, 8-ch Analog Video Input, BNC Interface, HDMI / VGA simultaneous Output, 1-ch RCA Audio Input, 8-ch via Coaxial Cable Audio Input, 1-ch RCA Audio Output, 8-ch synchronous playback, 1, RJ45 10/100 Mbps Self-Adaptive Ethernet Interface, 1x SATA Interface up to 4 TB capacity, 2x USB 2.0
HK-303616978	R 20,635	Hikvision 16-ch 1.5U 8K DeepinMind NVR, Facial Recognition, Perimeter protection, Video structuralization, AcuSearch, 16-ch IP Video Input, Up to 32 MP Resolution, 8K (7680x4320) 30Hz HDMI 1 Output, 4K (3840x2160) 60Hz HDMI 2 Output, 1920x1080 60Hz VGA Output, HDMI1/VGA1 simultaneous Output, HDMI1/HDMI2 Independent Output, 1-ch BNC CVBS Output, 1-ch RCA Audio Output, 1-ch RCA Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 4x SATA interfaces up to 16 TB capacity for each HDD, 1x eSATA Interface, 1x RS-232, 1x RS-485, 2x USB 2.0, 1x USB 3.0, 16/4 Alarm In/Out, IDS-7716NXI-M4/X(STD)
HK-303617036	R 48,644	Hikvision 64-ch 2U 8K DeepinMind NVR, Facial Recognition, Perimeter protection, Video structuralization, AcuSearch, ANPR, 64-ch IP Video Input, Up to 32 MP Resolution, 8K (7680x4320) 30Hz HDMI 1 Output, 4K (3840x2160) 60Hz HDMI 2 Output, 1920x1080 60Hz VGA 1 & 2 Output, HDMI1/VGA1 simultaneous Output, HDMI2/VGA2 simultaneous Output, 1-ch BNC CVBS Output, 2-ch RCA Audio Output, 1-ch RCA Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8x SATA interfaces up to 16 TB capacity for each HDD, 1x eSATA Interface, 1x RS-232, 1x RS-485, 2x USB 2.0, 1x USB 3.0, 16/9 Alarm In/Out, IDS-9664NXI-M8/X(STD)
HK-303617099	R 38,500	Hikvision 32-ch 2U 8K DeepinMind NVR, Facial Recognition, Perimeter protection, Video structuralization, AcuSearch, ANPR, 32-ch IP Video Input, Up to 32 MP Resolution, 8K (7680x4320) 30Hz HDMI 1 Output, 4K (3840x2160) 60Hz HDMI 2 Output, 1920x1080 60Hz VGA 1 & 2 Output, HDMI1/VGA1 simultaneous Output, HDMI2/VGA2 simultaneous Output, 1-ch BNC CVBS Output, 2-ch RCA Audio Output, 1-ch RCA Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 8x SATA interfaces up to 16 TB capacity for each disk, 1x eSATA Interface, 1x RS-232, 1x RS-485, 2x USB 2.0, 1x USB 3.0, 16 / 9 Alarm In/Out, IDS-9632NXI-M8/X(STD)
HK-303618107	R 2,260	Hikvision 8-ch Mini 1U 8 PoE NVR, 8-ch IP Video Input, Up to 6 MP Resolution, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 4-ch synchronous playback, 4-ch @ 1080p 30 fps decoding capability, 16 Remote connection, 1x RJ-45 10/100 Mbps Network Interface, 8x RJ-45 10/100 Mbps PoE Ports, 1 SATA Interface up to 6TB capacity, 2x USB 2.0, DS-7108NI-Q1/8P(STD)(D)
HK-303618111	R 1,244	Hikvision 8-ch Mini 1U NVR, 8-ch IP Video Input, Up to 4 MP Resolution, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 8-ch synchronous playback, 1x RJ-45 10/100 Mbps self-adaptive Ethernet Interface, 1 SATA Interface, Up to 6TB capacity for each disk, 2x USB 2.0
HK-303618112	R 1,712	Hikvision 4-ch Mini 4 PoE 1U NVR, Up to 6 MP Resolution, 4-ch IP Video Input, 1-ch HDMI Output, 1-ch VGA Output, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 decoding Format, 4-ch synchronous

		playback, 4-ch @ 1080p 30 fps decoding capability, 1x RJ-45 10/100 Mbps, 4x RJ-45 10/100 Mbps PoE, 1 SATA Interface up to 6TB capacity, 2x USB 2.0, DS-7104NI-Q1/4P(STD)(D)
HK-303618603	R 8,667	Hikvision 7716NXI-I4 16-Channel AcuSense 4K NVR with Facial Recognition, Facial Recognition AI by NVR, Face picture library, 8-ch face picture comparison, 16-ch IP Video Input, HDMI 1 Output 4K 3840x2160 @ 30Hz, HDMI 2 Output 4K 3840x2160 @ 30Hz, VGA Output, HDMI1 / VGA simultaneous Output, HDMI2 / VGA Independent Output, 1-ch CVBS Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, Dual-stream recording, 2x RJ-45 Gigabit Mbps Self-Adaptive Ethernet Interface, 128 Remote connection, 2 RS-485 (Half-Duplex), 1x RS-232, 4x SATA interfaces up to 14 TB capacity for each disk, 1x eSATA Interface, 16 / 9 Alarm In/Out, 2x USB 2.0, 1x USB 3.0, 19-inch rack-mounted 1.5U Chassis, DS-7716NXI-I4/S(STD)(E)
HK-303618604	R 10,826	Hikvision 16-ch 1.5U 16x PoE AcuSense 4K NVR, Facial Recognition AI by NVR, Face picture library, 8-ch face picture comparison (Captured from camera), Motion Detection 2.0, Perimeter protection, 16-ch IP Video Input, HDMI 1 Output 4K 3840x2160 @ 30Hz, HDMI 2 Output 4K 3840x2160 @ 30Hz, VGA Output, HDMI1/vga simultaneous Output, HDMI2/vga Independent Output, 1-ch CVBS Output, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 1x RJ-45 Gigabit Mbps Self-Adaptive Ethernet Interface, 128 Remote connection, 16x PoE RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, IEEE 802.3 af/at standard, 2 RS-485 (Half-Duplex), 1x RS-232, 4x SATA interfaces up to 16 TB capacity for each disk, 1x eSATA Interface, 16 / 9 Alarm In/Out, 2x USB 2.0, 1x USB 3.0, 19-inch rack-mounted 1.5U Chassis, DS-7716NXI-I4/16P/S(STD)(E)
HK-303618606	R 12,897	Hikvision 32-ch 1.5U 16 PoE AcuSense 4K NVR, Facial detection, Face picture library, Motion detection 2.0, Perimeter protection, 32-ch IP Video Input, Up to 12 MP Resolution, 256 Mbps incoming Bandwidth, 4K HDMI 1 Output, 1920x1080 60Hz HDMI 2 Output, 1-ch VGA Output, HDMI1 / VGA simultaneous Output, CVBS Output, 1-ch audio Output, Two-Way audio, H.265 / H.265 / H.264 / H.264 / MPEG4 decoding Format, 16-ch synchronous playback, 16-ch @ 1080p 30 fps decoding capability, 1x RJ-45 Gigabit Network Interface, 16x RJ-45 10/100 Mbps PoE Ports, 200W PoE Power, 4 SATA interfaces, 1x eSATA Interface, Up to 10 TB capacity for each disk, 16 / 4 alarm In / Out, USB Interface, DS-7732NXI-I4/16P/S(STD)(E)
HK-303619116	R 26,012	Hikvision 64-ch 2U 4K AcuSense NVR, Facial detection and analytics, Face picture library, Motion detection 2.0, 64-ch IP Video Input, Up to 12 MP Resolution, 320 Mbps incoming Bandwidth, 4K HDMI 1 Output, 1920x1080 60Hz HDMI 2 Output, VGA 1 Output, HDMI1 /VGA simultaneous Output, HDMI2 /VGA Independent Output, Two-Way audio, H.265 / H.265 / H.264 / H.264 / MPEG4 decoding Format, 16-ch @ 1080p 30 fps decoding capability, 64-ch synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 8 SATA interfaces up to 10 TB capacity for each disk, 1x eSATA Interface, 16 / 8 alarm In / Out, 2U chassis, DS-9664NXI-I8/S(STD)(E)
HK-303621202	R 2,167	Hikvision 8-ch 1U K Series AcuSense 4K NVR, DS-7608NXI-K2(D)(STD), Intelligent Analytics, Perimeter protection, Target recognition, Motion Detection 2.0, 8-ch IP Video Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, HDMI / VGA Independent Output, 1-ch RCA Audio Output, 1-ch RCA Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, Max 12MP recording Resolution, 8-ch synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2x SATA interfaces up to 16TB capacity for each HDD, 1x USB 2.0, 1x USB 2.0, 4 / 1 Alarm In/Out
HK-303621206	R 2,501	Hikvision 16-ch 1U K Series AcuSense 4K NVR, Facial Recognition, Perimeter protection, Motion Detection 2.0, Up to 16 face picture libraries with up to 20000 face pictures in total, 1-ch 8 MP Facial detection and analytics, 4-ch face picture comparison, 16-ch IP Video Input, 1-ch 4K HDMI Output, 1-ch VGA Output, HDMI / VGA Independent Output, 1-ch audio Output, 1-ch Two-Way audio, Decoding Format H.265 / H.265 / H.264 / H.264, Max 12 MP recording Resolution, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2 SATA interfaces, Up to 10 TB capacity for each HDD, 2x USB 2.0, 4 / 1 alarm In/Out, DS-7616NXI-K2(STD)
HK-303621210	R 5,923	Hikvision 32-ch 1U K Series AcuSense 4K NVR, DS-7632NXI-K2(D)(STD), Intelligent Analytics, Perimeter protection, Target recognition, Motion Detection 2.0, 32-ch IP Video Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, HDMI / VGA Independent Output, 1-ch RCA Audio Output, 1-ch RCA Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 12MP Max recording

		Resolution, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2x SATA interfaces up to 16TB capacity for each HDD, 1x USB 2.0, 1x USB 2.0, 4 / 1 Alarm In/Out
iDS-6704NXI-S/T(STD)	R 21,959	Hikvision Large-Scale AI model 4ch DeepinMind NVS NVR, 4-ch IP Video Input, 1-ch Audio Output, 1-ch Two-Way Audio, H.265 / H.265 / H.264 / H.264 decoding Format, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x RS-232 (Type-C), 4 / 4 Alarm In/Out, 2x USB 3.0, Video analysis for human and vehicle recognition
iDS-6716NXI-M1/AI(B)	R 15,824	Hikvision 16ch NVS DeepinMind NVR, Live Video analysis, Auto-Switch Video analysis, Scheduled Capture analysis, 16-ch IP Video Input, HDMI1 / VGA1 simultaneous Output, HDMI2 / VGA2 simultaneous Output, 1-ch Audio Output, Two-Way Audio, HDMI1 @ 8K, HDMI2 @ 4K, H.265 / H.265 / H.264 / H.264 decoding Format, 16-ch synchronous playback, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x SATA Interface up to 16 TB capacity, Built-In 3.5" 1 TB SATA Hard Disk, 1x RS-232 Interface, 2x RS-485 Interface, 2x USB 2.0, 1x USB 3.0, 16 / 4 Alarm In/Out
iDS-7204HQHI-M1/S	R 1,173	Hikvision 4-ch 1080p 1U H.265 AcuSense DVR, 1ch IP (up to 5ch IP), 1 SATA
iDS-7208HQHI-M1/S	R 1,921	Hikvision 8-ch 1080p 1U H.265 AcuSense DVR, 2ch IP (up to 10ch IP), 1 SATA
IDS-7232HQHI-M2-XT	R 6,447	Hikvision 32-ch 1080p 1U H.265 AcuSense DVR, Up to 16 face picture libraries, Deep learning-based Motion Detection 2.0, Up to 8-ch (Advanced model) human/vehicle analysis, 4-ch face picture capture, 8-ch each up to 6 MP Resolution IP Video Input, 32-ch Analog Video Input with BNC Interface, 1-ch 4K 3840x2160 @30Hz HDMI Output, 1-ch 1920x1080 @60 Hz VGA Output, HDMI / VGA simultaneous Output, PAL / NTSC CVBS Input, 1-ch BNC CVBS Output, 16-ch synchronous playback, 1-ch audio Output, 1-ch audio Input, Two-Way audio, H.265 Pro / H.265 Pro / H.265 / H.264 / H.264 Video Compression, Up to 24-ch 1080p@30fps decoding capability, 1x RJ45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 2 SATA interfaces, Up to 12 TB capacity for each disk, RS-485 Serial Interface, 3 x USB 2.0
IDS-7716NXI-M4-X	R 21,406	Hikvision iDS-7716NXI-M4/X 16-ch 1.5U 8K DeepinMind NVR
K4P-4CR	R 3,321	Tenda K4P-4CR 4 Channel PoE HD Video Security Kit
K4P-4TR	R 3,448	Tenda K4P-4TR 4 Channel PoE HD Video Security Kit
K8P-4CR	R 5,748	Tenda K8P-4CR 8 Channel PoE HD Video Security Kit
K8P-4TR	R 6,208	Tenda K8P-4TR 8 Channel PoE HD Video Security Kit
N6P-16H	R 1,665	Tenda N6P-16H 16 Channel PoE HD Network Video Recorder
N6P-4H	R 1,090	Tenda N6P-4H 4 Channel PoE HD Network Video Recorder
N6P-8H	R 1,493	Tenda N6P-8H 8 Channel PoE HD Network Video Recorder
NET-NVR1108H-W	R 1,444	TP-Link NVR1108H-W Vigi Wireless 8ch IP NVR 4K, 8-channel IP Video Input, 3840x2160 30Hz HDMI Output Resolution, 1920x1080 60Hz VGA Output Resolution, HDMI / VGA simultaneous Output, 1 / 4 / 6 / 8 Multi-View Display, H.265 Video Compression, Max 8MP Record Resolution, 8-channel synchronous playback, 2.4GHz WiFi, 1x RJ-45 10/100 Mbps Self-Adaptive WAN/LAN Ethernet Interface, 1x RJ-45 10/100 Mbps Self-Adaptive LAN Ethernet Interface, 2x USB 2.0, 1x audio in, 1x audio out, 1 Speaker, 1x HDMI, 1x VGA, 1x SATA Interface up to 16 TB capacity for each HDD, Motion Detection, Vehicle Detection, Human Detection
NS421-4HW227D	R 920	KGUARD SecurityInc NS Series 4-Channel 960H DVR with 4x 600TVL Cameras, 1TB HDD Home Security Surveillance Kit (Black/White)
RLH-HH0164	R 1,834	Reolink Home Hub Wireless Security center with encrypted local storage and Multi-Device Management, Up to 8 cameras, Device compatibility - All Reolink Wi-Fi/PoE cameras (Battery cameras require a Firmware upgrade), Speaker, 1x 10M/100M Bit RJ45 Port for WAN, Up to 2x 512GB MicroSD card slot, 2.4GHz / 5GHz Wi-Fi
RLN16-410	R 7,244	Reolink RLN16-410 PoE 16-channel NVR Network Video Recorder, VGA / HDMI Video Output, 1-channel RCA audio Output, H.265 / H.264 Video Format, Up to 4 channels synchronous playback, 2 x SATA Interface, 2x USB 2.0, 1x RJ-45 Gigabit Ethernet Interface for LAN/WAN, 16x RJ-45 10/100 Mbps Self-Adaptive PoE Ethernet Interface for IP cameras, 25W Max Power per Port
RLN36	R 4,198	Reolink 36-channel 12MP Smart Network Video Recorder NVR, RLN36, 1x HDMI / 1x VGA Video out, 1 audio-in channel RCA, 1 Audio-Out channel RCA, 1x USB 2.0, 1x USB 3.0, 4x RJ-45 Gigabit (For IP cameras), 1x RJ-45 Gigabit (For LAN/WAN), No PoE Port, 8 channels in alarm, Out : 4 channels out alarm, Two-Way audio, H.265 / H.264 Video Compression, 1-4 channels synchronous playback, 3 SATA Ports, 48TB Max capacity, Supports up to 36 channels of IPC Access each channel up to 12MP Input

RLN8-410	R 5,059	Reolink 4K 8-channel Network Video Recorder with 2TB HDD included, RLN8-410, VGA / HDMI Video Output, 1-channel RCA audio Output, H.264 / H.265 Video Format, Up to 4 channels synchronous playback, 1x SATA Interface, 2x USB 2.0, 1x RJ-45 10/100 Mbps Ethernet for LAN/WAN, 8x RJ-45 10/100 Mbps PoE Ethernet for IP Camera, 25W Maximum Power per Port
TA-460L	R 2,479	Casey Delta Eco M-JPEQ Stand Alone DVR System With LAN - This recorder is a digital surveillance product designed for the security area. It can be used in safety and protection of bank, telecommunication, electric power, justice, traffic, district, factory, storehouse, resource, water conservancy facilities and other fields or parts. Video Output: BNC(Can Be converted to RCA) Triplex Recording :REC, PLAY, Network Simultaneously USB Flash Backup Video Compression: Modified MJPEG Recording Feature: Manual, Motion & Programmed 1X SATA HDD Support Recording Frame rate :50FPS MAX = 12.5FPS per channel Web Transmission Format : MPEG4 Retail Box
TD-4408-S	R 2,149	Esquire PCI 8 Channel DVR TD-4408-S series are professional 4/8CH real time HD1/near real time D1 hardware compression cards. They adopt standard H.264 baseline compression format and industry's advanced SOC technics, to guarantee excellent video quality and outstanding robustness of system. TD-4400 supports 4/8/16CH video input, and 4/8/16CH audio input. User can get powerful network function, smart phone surveillance, and centralized control by CMS. Complete network SDK avaible to easily integrate with other applications. Features: 8 CH real time recording. Standard H.264 main profile compression High image quality low bite rate Hardware compression to free CPU resource. Powerful H.264 SOC technics and low power consumption chip, a guarantee of robustness of system Display mode: 1/4/8/16/24/32/64 divisions Powerful smart phone surveillance supporting Windows Mobile, Symbian, and Iphone. Google phone, Blackberry Compatible with 3G. Recording Mode: manual, timer, motion, sensor Search video by time or recording mode. Multi channel zoomlocal zoom, picture capturearchiveprintbackup Remote access and control via IE or CMS: preview, playback, PTZ, backup Email supported ,POS supported Up to 64 CH video in DDNS, DHCP, PPPoE Dual stream technology to encode recording stream and network stream separately. User can adjust network stream to fit bandwidth, without changing recording quality Auto reboot to avoid PC failure Auto email triggered by alarm E-map and smart phone(symbianWinCEIphone) Complete SDK function, easy to integerate with other applications.
TP-VIGI-NVR1004H	R 939	TP-Link NVR1004H 4ch NVR 4-channel live view and 4K HDMI Video Output, 2-ch @ 8MP / 4-ch @ 4MP decoding capability, 4-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8 MP Max Record Resolution, 4-channel synchronous playback, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x audio in, 1x audio out, 1x HDMI, 1x VGA, 1 SATA Interface, Up to 10 TB capacity for Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
TP-VIGI-NVR1004H-4P	R 1,517	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
TP-VIGI-NVR1008H	R 1,155	TP-Link NVR1008H Vigi 8 channel IP Network Video recorder, 1U chassis, 8-channel IP Video Input up to 5 MP Resolution, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps self-adaptive Ethernet Interface, 2x USB 2.0
TP-VIGI-NVR1008H-8MP	R 2,239	TP-Link NVR1008h-8mp Vigi 8ch NVR - up to 8MP Resolution supported, Ports 1-8 PoE Ports, 113 W PoE budget, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, H.265 / H.265 / H.264 / H.264 decoding Format, 8 channel synchronous playback
TP-VIGI-NVR1008H-8P	R 1,806	TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 8 channel synchronous playback, H.265 / H.265 / H.264 / H.264 decoding Format, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, Ports 1-8 PoE Ports, 53 W PoE budget
TP-VIGI-NVR1104H-4P	R 1,444	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
TP-VIGI-NVR2008H-8MP	R 3,395	TP-Link Vigi NVR2008H-8MP 8 channel PoE NVR, 8-channel IP Video Input, HDMI / VGA simultaneous Output, 1

		/ 4 / 6 / 8 Multi-View Display, H.265 /H.265 / H.264 /H.264 Video Compression, 8-channel synchronous playback, Motion Detection recording, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1-ch RCA Input, 1-ch RCA Output, 1x eSATA, 1x HDMI, 1x VGA, 2x SATA interfaces up to 16 TB capacity for each HDD, 8x RJ-45 10/100 Mbps Self-Adaptive PoE Ethernet Interface, 93 W PoE budget, 1x 2TB HDD preinstalled
TP-VIGI-NVR2016H	R 2,962	TP-Link Vigi NVR2016H Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface Network Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm, 16-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8MP Max Record Resolution, 16-channel synchronous playback
TP-VIGI-NVR2016H-16MP	R 4,623	TP-Link Vigi NVR2016H-16MP Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 16-channel synchronous playback, ONVIF, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 140 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
TP-VIGI-NVR4032H	R 5,057	TP-Link NVR-NVR4032H Vigi 32ch Network Video Recorder, H.265 / H.265 / H.264 / H.264 decoding Format, 16-channel synchronous playback, 16-ch @ 1080p (30 fps), 8-ch @ 4MP (30 fps), 4-ch @ 8MP, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet, 1x audio in, 1x audio out, 16 / 4 alarm In/Out, 4x SATA interfaces up to 10 TB capacity for each Hard Disk Drive, Motion detection, HDMI / VGA Independent Output, 32-channel IP Video Input
TP-VIGI-NVR4064H	R 7,947	TP-Link Vigi NVR4064H 64-channel Network Video Recorder, 64-channel IP Video Input, 3840x2160 30Hz HDMI1 Resolution, 1920x1080 60Hz HDMI2 Resolution, HDMI1 / HDMI2 Independent Output, HDMI1 / VGA Independent Output, Multi-View Display, H.265 /H.265 / H.264 /H.264 Video Compression, 16-channel synchronous playback, 8MP Max Record Resolution, 2x RJ-45 Gigabit Self-Adaptive Ethernet Interface, 2x front USB 2.0 Ports, 1x rear USB 3.0 Port, 1-ch RCA Input, 1-ch RCA Output, 16 / 4 Alarm In/Out, 1x RS232 Serial Interface, 1x eSATA, 2x HDMI, 1x VGA, 4x SATA interfaces up to 16 TB capacity for each HDD, Motion Detection, Vehicle Detection, Human Detection
UB-UE-ENVR	R 48,614	Ubiquiti UniFi Protect 3U 16 bay 2x SFP Enterprise Network Video Recorder, ENVR, 16x 3.5" Drive bays, 2x 10G SFP Networking Interface, 1x 10 GbE Networking Interface, Power Redundancy, Rack Mount (3U), 2x AC Input, Hot-Swappable 550W CRPS Power Supply, Supports (70) 4K Managed cameras Max
UB-UNVR	R 7,147	Ubiquiti UVC-UNVR - UniFi protect - 4 Bay Network Video recorder, Does not include a hdd., 4x 2.5" /3.5" Hard Disk Drive bays, 1x 10G SFP Port, 1x GbE RJ45 Port, 1U rack-mountable, Pre-installed UniFi protect Application
UB-UVC-UNVR	R 6,977	Ubiquiti UVC-UNVR - UniFi protect - 4 Bay Network Video recorder, Does not include a hdd., 4x 2.5" /3.5" Hard Disk Drive bays, 1x 10G SFP Port, 1x GbE RJ45 Port, 1U rack-mountable, Pre-installed UniFi protect Application
UB-UVC-UNVR-INSTANT	R 4,433	Ubiquiti UniFi Protect 6 Port PoE 1 HDD bay, UNVR-Instant, 15x HD Managed cameras, 50 Managed Access hubs, 1x 3.5" Drive bay Storage Capacity, 1x GbE RJ45 Uplink Port, 6x GbE PoE RJ45 downlink Ports, 1x HDMI Port (Viewport), 40W PoE budget, 1.14" screen Display
UB-UVC-UNVR-PRO	R 11,788	Ubiquiti UNVR-PRO UniFi Network Video Recorder Pro, 1x 10/100/1000 Mbps RJ45 Ethernet, 1x 1 / 10 Gbps SFP Ethernet, 4x 2.5" /3.5" Hard Disk Drive bays, Pre-installed UniFi Protect Application
UN-NVR301-04S3	R 1,104	Uniview UNV - Ultra H.265 4 channel NVR with 1 Hard Drive slot up to 6TB per slot, 1-ch 3.5mm audio Output, 4-ch synchronous playback, Ultra 265 / H.265 / H.264 decoding Format, 1 RJ45 10M/100M self-adaptive Ethernet Interface, 2 x USB 2.0
UN-NVR301-08B-LP8-IQ	R 2,946	Uniview UNV Easy Series NVR with 1 HDD slot and 8 PoE Ports, NVR301-08B-LP8-IQ, Decoding Format - Ultra 265 / H.265 / H.264, 8-ch IP Video Input, 1-ch RCA Audio Input, 4K 3840x2160 30Hz HDMI Output, 1-ch RCA Audio Output, Two-Way Audio, Motion Detection, 1x SATA interfaces up to 10TB HDD, 1x RJ45 Ethernet Interface, 1x USB 2.0, 1x USB 3.0
UN-NVR301-08S3	R 1,247	Uniview UNV - Ultra H.265 8 channel NVR with 1 Hard Drive slot up to 6TB per slot, 1-ch 3.5mm audio Output,

		8-ch synchronous playback, Ultra 265 / H.265 / H.264 decoding Format, 1 RJ45 10M/100M self-adaptive Ethernet Interface, 2 x USB 2.0
UN-NVR301-08S3-P8	R 2,673	Uniview UNV Ultra H.265 8 channel NVR with 1 Hard Drive slot and 8 PoE Ports, 4-ch IP Video Input, HDMI, VGA, Up to 4K recording Resolution, 1-ch RCA audio Output, 8-ch synchronous playback, 3 / 4 corridor mode screen, Ultra H.265 / H.265 / H.264 decoding Format, 1 x 4K@30 capability, 1 SATA interfaces, Up to 6TB for each disk, 1x RJ-45 10M/100M self-adaptive Ethernet Interface, 2x USB 2.0, 8 RJ-45 10M/100M self-adaptive Ethernet Interface, Maximum 30W for single Port, Maximum 54W in total
UN-NVR301-16B-IQ	R 2,313	Uniview UNV Easy Series Ultra H.265 16 channel NVR with 1 Hard Drive slot, Decoding Format - Ultra 265 / H.265 / H.264, 16-ch IP Video Input, 1-ch RCA Audio Input, 1-ch RCA Audio Output, 4K 3840x2160 30Hz HDMI Output Max, RCA Audio Output, 16 LiveView Display Max, Two-Way Audio, 12MP Max recording Resolution, 16-ch concurrent playback, 1 SATA interfaces up to 10TB for HDD, 1x RJ45 Ethernet Interface, 1x USB 2.0, 1x USB 3.0
UN-NVR302-08B-P8-IQ	R 3,468	Uniview UNV Easy Series 8-channel NVR with 2 HDD and 8 PoE Ports, NVR302-08B-P8-IQ, Decoding Format - Ultra 265 / H.265 / H.264, 8-ch IP Video Input, 1-ch RCA Audio Input, 4K 3840x2160 30Hz HDMI Output, 1-ch RCA Audio Output, Two-Way Audio, 12 MP Max recording Resolution, 8-ch synchronous playback in local, Motion Detection, 2x SATA interfaces up to 10 TB for each HDD, 1x RJ45 Gigabit Ethernet Interface, 1x USB 2.0, 1x USB 3.0, 1x RS485, 8-ch Alarm in, 2-ch Alarm out, 8x RJ45 Ethernet PoE Interface, Max 30 W for Single Port, Max 130 W total PoE budget
UN-NVR302-16B-IQ	R 2,743	Uniview Easy Series UNV Ultra H.265 16 channel NVR with 2 Hard Drive slots, Decoding Format - Ultra 265 / H.265 / H.264, 16-ch IP Video Input, 1-ch RCA Audio Input, 1-ch RCA Audio Output, 16 LiveView Display Max, Two-Way Audio, 12MP Max recording Resolution, 16-ch synchronous playback in local, 2x SATA interfaces up to 10TB for each HDD, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface
UN-NVR302-16B-P16-IQ	R 4,674	Uniview UNV Easy Series Ultra H.265 16 channel NVR with 2 Hard Drive slots and 16x PoE Ports, Decoding Format - Ultra 265 / H.265 / H.264, 16-ch IP Video Input, 1-ch RCA Audio Input, 1-ch RCA Audio Output, Up to 16 LiveView Display, Two-Way Audio, 12 MP Max recording Resolution, 16-ch synchronous playback in local, 2 SATA interfaces up to 10 TB, 1x RJ45 Gigabit Self-Adaptive Ethernet Interface, 1x RS485, 1x USB 2.0, 1x USB 3.0, 8-ch alarm in, 2-ch alarm out, 16 x RJ45 Ethernet Interface PoE, Max 30 W for Single Port, Max 240 W in total
UN-NVR304-16B-IQ	R 3,535	Uniview UNV Easy Series 64-channel NVR with 4 HDD slots, NVR304-16B-IQ, Decoding Format - Ultra 265 / H.265 / H.264, 16-ch IP Video Input, 1-ch RCA Audio Input, 4K 3840x2160 30Hz HDMI Output, 1-ch RCA Audio Output, Two-Way Audio, 12MP Max recording Resolution, 16-ch synchronous playback in local, Motion Detection, 4x SATA interfaces up to 10 TB for each HDD, 2x RJ45 Gigabit Ethernet Interface, 2x USB 2.0, 1x USB 3.0
UN-NVR304-16X	R 11,179	Uniview UNV - Ultra H.265 16 channel X-series NVR with 4 Hard Drive slots, 1-ch RCA two-way audio Input, 1-ch RCA audio Output, 16-ch synchronous playback, Ultra 265 / H.265 / H.264 decoding Format, 2 RJ45 10M/100M/1000M self-adaptive Ethernet interfaces, 1 x RS485, 1 x RS232, 2 x USB 2.0, 1 x USB 3.0, 16-ch alarm in, 4-ch alarm out
UN-NVR304-32B-IQ	R 4,223	Uniview UNV Easy Series 32-channel NVR with 4 HDD slots, NVR304-32b-iq, Decoding Format - Ultra 265 / H.265 / H.264, 32-ch IP Video Input, 1-ch RCA Audio Input, 4K (3840x2160) 30Hz HDMI Output, 1-ch RCA Audio Output, Two-Way Audio, 12MP Max recording Resolution, 16-ch synchronous playback in local, Smart Motion Detection, 4x SATA interfaces up to 10TB for each HDD, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x USB 3.0
UN-NVR304-32B-P16-IQ	R 6,848	Uniview UNV Ultra H.265 32 channel NVR with 4 Hard Drive slot, NVR304-32B-P16-IQ, Decoding Format - Ultra 265 / H.265 / H.264, 1-ch RCA Audio Input, 4K 3840x2160 @ 30Hz Max, Two-Way Audio, Up to 12MP recording Resolution, 16-ch synchronous playback in local, 4x SATA interfaces up to 10TB for each HDD, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x USB 3.0
UN-NVR304-32X	R 12,044	Uniview UNV Ultra H.265 32 channel NVR with 4 Hard Drive slots - PRIME Series, 32-ch IP Video Input, 1-ch RCA two-way audio Input, VGA, 2x HDMI, 12MP recording Resolution, 1-ch RCA audio Output, 16-ch synchronous playback, Ultra 265 / H.265 / H.264 decoding Format, 4 SATA interfaces, Up to 10TB for each Hard Disk Drive, 2x RJ45 10M/100M/1000M self-adaptive Ethernet interfaces, 1x RS485, 1x RS232, 2x USB 2.0, 1x USB 3.0, 16-ch alarm in, 4-ch alarm out
UN-NVR308-64R	R 20,970	Uniview UNV H.265 NVR 64 channel 8 Bay, 64-channel input, Third-party IP cameras supported with ONVIF

		conformance, Support 2-ch HDMI, Support 1-ch VGA, Support 1-ch CVBS, Support HDMI2 at up to 4K(3840x2160) resolution, Up to 12 Megapixels resolution recording, Support H.265/H.264 video formats, Support HDD hot swap with RAID 0 / 1 / 5 / 6 / 10 storage scheme configurable, 8 SATA HDDs Up to 8TB for each HDD, Support various VCA detection alarm and VCA search, Support N 1 Hot spare, Support for 12V Power output, Support for P2P / UPnP / NTP / DHCP / PPPoE, Support for mobile client access
UN-NVR501-08B-IQ	R 1,796	Uniview UN-NVR501-08B-IQ 8 channel Network Video Recorder, Ultra 265 / H.265 / H.264 decoding Format, 128 Remote users, 8-ch IP Video Input, 1-ch RCA Audio Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, 1-ch RCA Audio Output, Two-Way Audio, 16MP Max recording Resolution, 8-ch synchronous playback in local, 1x SATA Interface up to 24TB, 1x RJ45 10M/100M Self-Adaptive Ethernet Interface, 1x USB 2.0, 1x USB 3.0
UN-NVR501-08B-P8-IQ	R 3,097	Uniview NVR501 1 HDD 4-ch 4 PoE 1U Network Video Recorder, NVR501-b-p-iq Series, Decoding Format - Ultra 265 / H.265 / H.264, 8-ch IP Video Input, 1-ch RCA Audio Input, 16-ch IP Speaker Input, 4K (3840x2160) /30 Hz HDMI Output, 1920x1080 / 60Hz VGA Output, HDMI and VGA simultaneous Output, 1-ch RCA Audio Output, Two-Way Audio, 16 MP Max recording Resolution, 16-ch concurrent playback, 1x SATA Interface up to 24 TB, 1x RJ45 10M/100M Self-Adaptive Ethernet Interface, 2x USB 2.0, 8x RJ45 10M/100M Self-Adaptive Ethernet Interface, Max 30 W for Single Port, Max 75 W in total, 1U height
UN-NVR501-16B-IQ	R 2,168	Uniview UN-NVR501-16B-IQ 16 channel Network Video Recorder, Ultra 265 / H.265 / H.264 decoding Format, 128 Remote users, 16-ch IP Video Input, 1-ch RCA Audio Input, 4K (3840x2160) 30Hz HDMI Output, 1920x1080 60Hz VGA Output, 1-ch RCA Audio Output, Two-Way Audio, 16MP Max recording Resolution, 16-ch synchronous playback in local, 1x SATA Interface up to 24TB, 1x RJ45 10M/100M Self-Adaptive Ethernet Interface, 1x USB 2.0, 1x USB 3.0
UN-NVR502-16B-IQ	R 2,988	Uniview UN-NVR502-16B-IQ 16 channel Network Video Recorder, 16-ch IP Video Input, 1-ch RCA Audio Input, 128 Remote users, 4K 3840x2160 @ 30Hz HDMI, 1920x1080p @ 60Hz VGA Output, 1-ch RCA Audio Output, Two-Way Audio, 16-ch synchronous playback, Ultra 265 / H.265 / H.264 decoding Format, 2x SATA interfaces, Up to 8TB for each disk, Vehicle Detection, People Counting, 2x RJ-45 Gigabit Self-Adaptive Ethernet Interface, 1x USB 3.0, 2x USB 2.0, 1x RS485, 8-ch Alarm in, 2-ch Alarm out
UN-NVR502-32B	R 3,963	Uniview UNV Ultra H.265 32 channel NVR with 2 Hard Drive slots - Easy Series, Ultra 265 / H.265 / H.264 decoding Format, 32-ch IP Video Input, Up to 16 megapixels Resolution recording, 16MP 4800 x 2688 @ 30fps, Face detection, Vehicle Detection, 2x SATA interfaces, Up to 16TB for each Hard Disk Drive, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface, 1x RS485, 8-ch alarm in, 2-ch alarm out
UN-NVR504-32B-IQ	R 5,693	Uniview UN-NVR504-32B-IQ 32 channel Network Video Recorder, 32-ch IP Video Input, 1-ch RCA Audio Input, 128 Remote users, 4K 3840x2160 @ 30Hz HDMI Output, 1920x1080p @ 60Hz VGA Output, 16MP Max recording Resolution, 1-ch RCA Audio Output, Two-Way Audio, 16-ch synchronous playback, Ultra 265 / H.265 / H.264 decoding Format, 4x SATA interfaces, Up to 8TB for each disk, Vehicle Detection, People Counting, 2x RJ-45 10M/100M/1000M Self-Adaptive Ethernet Interface, 1x USB 3.0, 2x USB 2.0, 1x RS485, 16-ch Alarm in, 4-ch Alarm out
UN-NVR504-64E-IQ	R 8,847	Uniview UN-NVR504-64E-IQ 64 channel Network Video Recorder, Ultra 265 / H.265 / H.264 decoding Format, 128 Remote users, 64-ch IP Video Input, 1-ch RCA Audio Input, 4K 3840x2160 60Hz HDMI Output, 1920x1080p 60Hz VGA Output, 2-ch RCA Audio Output, Two-Way Audio, 32MP Max recording Resolution, 32-ch Num of concurrent playback, 16-ch synchronous playback in local, Face detection, Vehicle Detection, 4x SATA interfaces, Up to 16TB for each HDD, 2x RJ45 10M/100M/1000M Self-Adaptive Ethernet Interface, 2x USB 2.0, 2x USB 3.0, 1x RS485, 1 RS232, 16-ch Alarm in, 10-ch Alarm out, 1x eSATA, 2U height
UN-NVR508-64B	R 10,067	Uniview UNV PRIME Series 64-channel NVR with 8 HDD slots, NVR508-64B, Decoding Format - Ultra 265 / H.265 / H.264, 64-ch IP Video Input, 1-ch RCA Audio Input, 4K 3840x2160 30Hz HDMI Output, 1-ch RCA Audio Output, Two-Way Audio, 16MP Max recording Resolution, 16-ch synchronous playback in local, 8x SATA interfaces up to 16TB for each HDD, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x USB 3.0, 1x RS485, 16-ch Alarm in, 4-ch Alarm out
UN-NVR508-64E-IQ	R 17,897	Uniview UNV NVR508 - Ultra H.265 - 64 channel NVR with 8x SATA interfaces - Prime AI Series, Support Ultra 265 / H.265 / H.264 Video formats, 64-channel Input, 2x HDMI and 2 VGA, VGA1 and HDMI1 simultaneous

		Output, VGA2 and HDMI2 simultaneous Output, Up to 32 megapixels Resolution recording, Support N 1 Hot spare, Two-Way audio, Face detection, Vehicle Detection, 8x SATA interfaces, 2x RJ45 Gigabit Ethernet Interface, 1x RS485, 1x RS232, 16-ch alarm in, 10-ch alarm out, 1x eSATA, 2U height
UN-NVR516-128E-R	R 37,373	Uniview Pro Series UNV Ultra H.265 128 channel NVR with 16 Hard Drive slots, Ultra 265 / H.265 / H.264 decoding Format, 128-ch IP Video Input, 1-ch RCA Audio Input, HDMI1 8K 7680x4320 60Hz HDMI Output, HDMI2 4K 3840x2160 30Hz HDMI Output, VGA1/VGA2 Output, 2-ch RCA Audio Output, 1-ch RCA Two-Way Audio, 32MP recording Resolution, 16-ch synchronous playback in local, 16x SATA interfaces up to 16TB for each HDD, 2x RJ45 10M/100M/1000M Self-Adaptive Ethernet Interface, 2x USB 2.0 front panel, 2x USB 3.0 rear panel, 1x RS485, 1 RS232, 16-ch Alarm in, 10-ch Alarm out, 1x eSATA
UN-NVR516-64E-R	R 27,407	Uniview UNV Pro Series 64-channel NVR with 16 HDD slots, Ultra 265 / H.265 / H.264 decoding Format, 64-ch IP Video Input, 1-ch RCA Audio Input, 8K (7680x4320) 30Hz HDMI Output Max, 1920x1080 60Hz VGA Output Max, 2-ch RCA Audio Output, 1-ch RCA Two-Way Audio, 16-ch synchronous playback in local, Human Detection, Vehicle Detection, 16x SATA interfaces up to 16 TB for each HDD, 2x RJ45 10/100/1000 Self-Adaptive Ethernet Interface, 2x USB 2.0 front panel, 2x USB 3.0 rear panel, 1x RS485, 1 RS232, 16-ch Alarm in, 10-ch Alarm out
UN-NVR804-32-IX-G	R 25,581	Uniview UNV IX Series 32 channel NVR with 4 Hard Drive slots, NVR804-64-IX-G, Ultra 265 / H.265 / H.264 decoding Format, 32-ch IP Video Input, 1-ch RCA Audio Input, HDMI Output, VGA Output, 3-ch RCA Audio Output, Two-Way Audio, Up to 32MP recording Resolution, 32-ch concurrent playback, 16-ch synchronous playback in local, 4x SATA interfaces up to 24 TB for each HDD, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface, 2x USB 2.0, 2x USB 3.0, 1x RS485, 1x RS232, 16-ch Alarm in, 10-ch Alarm out, 1x eSATA
UN-NVR804-64-IX-G	R 26,153	Uniview UNV IX Series 64 channel NVR with 4 Hard Drive slots, NVR804-64-IX-G, Ultra 265 / H.265 / H.264 decoding Format, 64-ch IP Video Input, 1-ch RCA Audio Input, HDMI Output, VGA Output, 3-ch RCA Audio Output, Two-Way Audio, Up to 32MP recording Resolution, 32-ch concurrent playback, 16-ch synchronous playback in local, 4x SATA interfaces up to 24 TB for each HDD, 2x RJ45 Gigabit Self-Adaptive Ethernet Interface, 2x USB 2.0, 2x USB 3.0, 1x RS485, 1x RS232, 16-ch Alarm in, 10-ch Alarm out, 1x eSATA
UN-UA-NVR-116E	R 1,206	Uniview NVR-116E Uniarch 16-ch 1x SATA H.265 / H.264 NVR, 16-ch IP Video Input, HDMI / VGA Output, VGA 1920x1080 @ 60Hz Max, HDMI 3840x2160 @ 30Hz Max, 8MP recording Resolution Max, 1-ch 3.5mm Audio Output, 4-ch synchronous playback, H.265 / H.264decoding Format, 1x SATA Interface up to 6TB, 1x RJ45 10M/100M Self-Adaptive Ethernet Interface, 2x USB 2.0 rear panel
UN-XVR302-16Q4	R 3,527	Uniview XVR302 2 HDDs 16-ch 1U Digital Video Recorder, 8-ch IP Video Input, 16-ch BNC Analog Video Input, 24-ch Max IP Video Input, 16-ch channel Audio BNC Audio Input, 1-ch RCA Audio Input, 4K 3840x2160 30Hz HDMI, 1920x1080 60Hz VGA, VGA and HDMI simultaneous Output, 1-ch BNC Video Output, 16-ch channel Audio BNC Audio Output, 1-ch RCA Audio Output, 32-ch concurrent playback, Two-Way Audio, 2x SATA interfaces up to 16 TB for each HDD, 1x RJ45 10/100/1000 Self-Adaptive Ethernet Interface, 1x USB 2.0, 1x USB 3.0, 1x RS485, 4-ch Alarm in, 1-ch Alarm out, 1U height
UNVR	R 7,009	Ubiquiti UVC-UNVR - UniFi protect - 4 Bay Network Video recorder, Does not include a hdd., 4x 2.5" /3.5" Hard Disk Drive bays, 1x 10G SFP Port, 1x GbE RJ45 Port, 1U rack-mountable, Pre-installed UniFi protect Application
UNVR-G2	R 15,749	Ubiquiti UniFi Protect 4 Bay 1 SFP 2.5Gbps Ethernet NVR, UNVR-G2, 1U Rack Mount Form Factor with SGCC Steel enclosure, Built-In AI Analytics and HDMI Viewport support, 4x Drive bays for 2.5" or 3.5" HDD/SSD installation, 1x 10G SFP Port and 1x 2.5 GbE RJ45 Ethernet Port, Supports up to 60 HD cameras without Viewport Active, Max 16 simultaneous 4K Viewport streams available, Qualcomm kryo CPU with Arm Cortex Technology, 8GB Memory capacity for system operations, Door Access support included in system Management, Manages up to 150 UniFi Access hubs
UNVR-INSTANT	R 4,709	Ubiquiti UniFi Protect 6 Port PoE 1 HDD bay, UNVR-Instant, 15x HD Managed cameras, 50 Managed Access hubs, 1x 3.5" Drive bay Storage Capacity, 1x GbE RJ45 Uplink Port, 6x GbE PoE RJ45 downlink Ports, 1x HDMI Port (Viewport), 40W PoE budget, 1.14" screen Display
UNVR-PRO	R 11,264	Ubiquiti UNVR-PRO UniFi Network Video Recorder Pro, 1x 10/100/1000 Mbps RJ45 Ethernet, 1x 1 / 10 Gbps SFP Ethernet, 4x 2.5" /3.5" Hard Disk Drive bays, Pre-installed UniFi Protect Application
VEC-0404F	R 2,059	Casey PCI DVR Card 4 channels H.264 compression card, Support D1 recording with 12/15fps for all channels* H.264 compression algorithm with high compression ratio & good image quality* Real-time live display with D1

		resolution* Real-time video/audio recording. For use with CCTV systems.
VEC-0804F	R 3,829	Casey PCI DVR Card 8 channels H.264 compression card, Support D1 recording with 12/15fps for all channels* H.264 compression algorithm with high compression ratio & good image quality* Real-time live display up to 32 cameras with D1 resolution. For use with CCTV systems.
VIGI NVR1008H	R 1,149	TP-Link NVR1008H Vigi 8 channel IP Network Video recorder, 1U chassis, 8-channel IP Video Input up to 5 MP Resolution, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps self-adaptive Ethernet Interface, 2x USB 2.0
VIGI NVR1008H-8P	R 1,795	TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 8 channel synchronous playback, H.265 / H.265 / H.264 / H.264 decoding Format, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, Ports 1-8 PoE Ports, 53 W PoE budget
VIGI NVR1016H	R 1,257	TP-Link NVR1016h Vigi 16ch 1 bay 1x LAN ONVIF H.265 NVR, 16-channel IP Video Input, Up to 8 MP Resolution, H.265 / H.265 / H.264 / H.264 decoding Format, Up to 10 TB capacity, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
VIGI NVR2016H	R 2,945	TP-Link Vigi NVR2016H Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface Network Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm, 16-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8MP Max Record Resolution, 16-channel synchronous playback
VIGI NVR2016H-16MP	R 4,597	TP-Link Vigi NVR2016H-16MP Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 16-channel synchronous playback, ONVIF, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 140 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI NVR2016H-16P	R 3,807	TP-Link Vigi NVR2016H-16P Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 16-channel IP Video Input, HDMI / VGA simultaneous Output, Max 8MP Record Resolution, 16-channel synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 90 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI NVR4032H	R 5,028	TP-Link NVR-NVR4032H Vigi 32ch Network Video Recorder, H.265 / H.265 / H.264 / H.264 decoding Format, 16-channel synchronous playback, 16-ch @ 1080p (30 fps), 8-ch @ 4MP (30 fps), 4-ch @ 8MP, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet, 1x audio in, 1x audio out, 16 / 4 alarm In/Out, 4x SATA interfaces up to 10 TB capacity for each Hard Disk Drive, Motion detection, HDMI / VGA Independent Output, 32-channel IP Video Input
VIGI-NVR1004H	R 949	TP-Link NVR1004H 4ch NVR 4-channel live view and 4K HDMI Video Output, 2-ch @ 8MP / 4-ch @ 4MP decoding capability, 4-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8 MP Max Record Resolution, 4-channel synchronous playback, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x audio in, 1x audio out, 1x HDMI, 1x VGA, 1 SATA Interface, Up to 10 TB capacity for Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI-NVR1004H	R 996	TP-Link NVR1004H 4ch NVR 4-channel live view and 4K HDMI Video Output, 2-ch @ 8MP / 4-ch @ 4MP decoding capability, 4-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8 MP Max Record Resolution, 4-channel synchronous playback, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1x audio in, 1x audio out, 1x HDMI, 1x VGA, 1 SATA Interface, Up to 10 TB capacity for Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI-NVR1004H-4P	R 1,499	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous

		playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
VIGI-NVR1004H-4P	R 1,516	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
VIGI-NVR1004H-4P	R 1,574	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
VIGI-NVR1008H	R 1,213	TP-Link NVR1008H Vigi 8 channel IP Network Video recorder, 1U chassis, 8-channel IP Video Input up to 5 MP Resolution, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps self-adaptive Ethernet Interface, 2x USB 2.0
VIGI-NVR1008H-8MP	R 2,238	TP-Link VIGI NVR1008H-8MP 8 Channel PoE Network Video Recorder, SPEC: H.265 /H.265/H.264 /H.264, Up to 8MP resolution, Decoding capability/8-ch@2MP/4-ch @4MP,80 Mbps Incoming Bandwidth(up to 8 channels),8x 10/100 Mbps PoE Ports, PoE Powe 113W, 802.3 af/at,1x SATA Interface
VIGI-NVR1008H-8MP	R 2,297	TP-Link NVR1008h-8mp Vigi 8ch NVR - up to 8MP Resolution supported, Ports 1-8 PoE Ports, 113 W PoE budget, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, H.265 / H.265 / H.264 / H.264 decoding Format, 8 channel synchronous playback
VIGI-NVR1008H-8P	R 1,799	TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 8 channel synchronous playback, H.265 / H.265 / H.264 / H.264 decoding Format, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, Ports 1-8 PoE Ports, 53 W PoE budget
VIGI-NVR1008H-8P	R 1,863	TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 8 channel synchronous playback, H.265 / H.265 / H.264 / H.264 decoding Format, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, Ports 1-8 PoE Ports, 53 W PoE budget
VIGI-NVR1016H	R 1,321	TP-Link NVR1016h Vigi 16ch 1 bay 1x LAN ONVIF H.265 NVR, 16-channel IP Video Input, Up to 8 MP Resolution, H.265 / H.265 / H.264 / H.264 decoding Format, Up to 10 TB capacity, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
VIGI-NVR1104H-4P	R 1,443	TP-Link VIGI NVR1104H-4P 4 Channel PoE Network Video Recorder, SPEC: H.265 / H.265/ H.264 / H.264, Up to 8MP resolution, Decoding capability/4-ch @4MP, 80 Mbps Incoming Bandwidth(up to 4 channels), 4Ã— 10/100 Mbps PoE Ports, PoE Power 53W, 802.3 af/at, 1Ã— SATA Interface
VIGI-NVR1104H-4P	R 1,502	TP-Link Vigi NVR 4ch PoE Network Video Recorder, 80 Mbps incoming bandwith, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265 / H.265 / H.264 / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0
VIGI-NVR2016H	R 2,949	TP-Link Vigi NVR2016H Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface Network Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm, 16-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8MP Max Record Resolution, 16-channel synchronous playback
VIGI-NVR2016H	R 3,019	TP-Link Vigi NVR2016H Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, ONVIF, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface Network Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm, 16-channel IP Video Input, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 8MP Max Record Resolution, 16-channel synchronous playback
VIGI-NVR2016H-16MP	R 4,681	TP-Link Vigi NVR2016H-16MP Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, HDMI / VGA simultaneous Output, H.265 / H.265 / H.264 / H.264 Video Compression, 16-channel synchronous playback, ONVIF, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front

		USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 140 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI-NVR2016H-16P	R 3,749	TP-Link Vigi NVR2016H-16P Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 16-channel IP Video Input, HDMI / VGA simultaneous Output, Max 8MP Record Resolution, 16-channel synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 90 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI-NVR2016H-16P	R 3,886	TP-Link Vigi NVR2016H-16P Vigi 16 channel Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 16-channel IP Video Input, HDMI / VGA simultaneous Output, Max 8MP Record Resolution, 16-channel synchronous playback, 1x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface, 1x front USB 2.0 Port, 1x rear USB 2.0 Port, 1x audio in, 1x audio out, 1x eSATA, 1x HDMI, 1x VGA, 2 SATA interfaces, Up to 10 TB capacity for each Hard Disk Drive, 90 W available for All PoE Ports, 30 W Max per Port, Motion Detection, Vehicle Detection, Human Detection, Anomaly alarm
VIGI-NVR4032H	R 4,844	TP-Link VIGI 32 Channel Network Video Recorder, SPEC: H.265 /H.265/H.264 /H.264, Up to 8MP resolution, Decoding capability/16-ch @2MP, 320 Mbps Incoming Bandwidth(up to 32 channels), 4Ã— SATA Interface(up to 40 TB), 2Ã— 1000Mbps Ports, 2Ã— USB 2.0, 1Ã— USB 3.0
VIGI-NVR4032H	R 5,114	TP-Link NVR-NVR4032H Vigi 32ch Network Video Recorder, H.265 / H.265 / H.264 / H.264 decoding Format, 16-channel synchronous playback, 16-ch @ 1080p (30 fps), 8-ch @ 4MP (30 fps), 4-ch @ 8MP, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet, 1x audio in, 1x audio out, 16 / 4 alarm In/Out, 4x SATA interfaces up to 10 TB capacity for each Hard Disk Drive, Motion detection, HDMI / VGA Independent Output, 32-channel IP Video Input
VIGI-NVR4064H	R 8,004	TP-Link Vigi NVR4064H 64-channel Network Video Recorder, 64-channel IP Video Input, 3840x2160 30Hz HDMI1 Resolution, 1920x1080 60Hz HDMI2 Resolution, HDMI1 / HDMI2 Independent Output, HDMI1 / VGA Independent Output, Multi-View Display, H.265 /H.265 / H.264 /H.264 Video Compression, 16-channel synchronous playback, 8MP Max Record Resolution, 2x RJ-45 Gigabit Self-Adaptive Ethernet Interface, 2x front USB 2.0 Ports, 1x rear USB 3.0 Port, 1-ch RCA Input, 1-ch RCA Output, 16 / 4 Alarm In/Out, 1x RS232 Serial Interface, 1x eSATA, 2x HDMI, 1x VGA, 4x SATA interfaces up to 16 TB capacity for each HDD, Motion Detection, Vehicle Detection, Human Detection
VIVOTEK ND9326P	R 7,819	VIVOTEK ND9326P Core AI H.265 8-ch Embedded PoE NVR, Embedded Linux OS, 8 channels LiveView Display, 1x HDMI, 1x VGA, 3840x2160 Max Display Resolution, Dual Monitor supported, Video Format - MJPEG / H.264 / H.265, Up to 7680 x 2560 decoding Resolution, 3840x2160 @ 120 fps decoding capability, 2x internal 3.5" Drive bays, 2x Gigabit Ethernet (RJ-45), 8x 802.3at/af compliant PoE Ports, 120W total Max PoE Power, USB 3.0, USB 2.0, 4 alarm in, 1 alarm out, Audio in, Audio out, ONVIF Profile S camera integration
VIVOTEK ND9426P	R 7,359	VIVOTEK ND9426P Core AI H.265 16-ch Embedded PoE NVR, 16 channels LiveView Display, 1x HDMI, 1x VGA, 3840x2160 Max Display Resolution, Dual Monitor supported, Video Format - MJPEG / H.264 / H.265, Up to 7680x2560 decoding Resolution, 3840x2160 @ 120 fps decoding capability, 2x internal 3.5" Drive bays, 2x Gigabit Ethernet (RJ-45), 16x 802.3at/af compliant PoE Ports, 200W total Max PoE Power, USB 3.0, USB 2.0, 4 alarm in, 1 alarm out, Audio in, Audio out, ONVIF Profile S camera integration
VIVOTEK ND9442P	R 12,649	Vivotek ND9442P 16 channel Core AI NVR, Embedded Linux OS, 1080p 360 fps with H.265 Compression technology, Up to 20MP cameras supported, 16 channels LiveView Display, 1x HDMI, 1x VGA, Max 3840x2160 Display Resolution, H.265 / H.264 / MJPEG Video Format, Up to 7680 x 2560 decoding Resolution, 1x 3.5 phone jack audio Output, 4x 3.5" Hard Disk Drive devices, 4 channels playback Display, 2x Gigabit Ethernet (RJ-45), 16x 802.3at/af compliant PoE Ports, 16 alarm in, 8 alarm out, Motion detection, Event action, Deep search
VIVOTEK ND9542P	R 16,674	VIVOTEK ND9542P Core AI H.265 32-ch Embedded PoE NVR, Embedded Linux OS, 32 channels LiveView Display, HDMI x1, VGA x1, 3840x2160 Max Display Resolution, Dual Monitor supported, Video Format - MJPEG / H.264 / H.265, Up to 7680 x 2560 decoding Resolution, 3840x2160 @ 90 fps decoding capability, 4x internal 3.5" Drive bays, 2x Gigabit Ethernet (RJ-45), 16x 802.3at/af compliant PoE Ports, 200W total Max PoE Power, USB 3.0,

	USB 2.0, 16 alarm in, 8 alarm out, Audio in, Audio out, RS485, ONVIF Profile S camera integration

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Servers

Server - NAS rackmount

Product code	Price	Description
CAS-NASBOX-RS1221+	R 30,230	Synology RS1221 RackStation 8-bay 2U NAS, AMD Ryzen V1500B 2.4GHz CPU, 4GB DDR4 ECC SO-DIMM system Memory, 2 Memory slots, 8 Drive bays, 3.5" SATA Hard Disk Drive & 2.5" SATA Hard Disk Drive, 108 TB Maximum single Volume size, 4x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x eSATA Port, 1x x GEN3 x8 slot (x4 Link) PCI-e expansion
CAS-NASBOX-RS1221RP+	R 39,388	Synology RackStation RS1221rp 8-bay 2U NAS with Redundant Power, AMD Ryzen V1500B 4-core 2.2 GHz CPU, 4GB DDR4 ECC SO-DIMM system Memory, 8 3.5" /2.5" Drive bays, Hot Swappable Drive, 4 RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x eSATA Port, 1 x Gen3 x8 slot (x4 Link) PCI-e Expansion
CAS-NASBOX-RS2821RP+	R 67,014	Synology RS2821RP 3U 16-bay Storage Server, AMD Ryzen V1500B CPU, 4GB DDR4 ECC UDIMM system Memory, 16 Drive bays, 3.5" / 2.5" SATA Hard Disk Drive, Hot Swappable Drive, 4x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x Expansion Port, 1x Gen3 x8 slot (x4 Link) PCI-e Expansion
CAS-NASBOX-RS3621RPX	R 73,888	Synology RS3621RPxs RackStation 12-bay NAS 2U rackmount, 6-core CPU, 8GB DDR4 ECC UDIMM system Memory, 4 Memory slots, 12 Drive bays, 3.5" SATA Hard Disk Drive & 2.5" SATA SSD, 4x RJ-45 1GbE LAN Port, 2x USB 3.2 Gen 1 Port, 2x expansion Port, 2x GEN3 x8 slots (x8 Link) PCI-e expansion
Synology FS2500	R 71,299	Synology FlashStation FS2500, AMD Ryzen V1780B CPU model, 8GB DDR4 ECC UDIMM Memory, 12 Drive bays - 2.5" SATA SSD, 2x RJ-45 1GbE LAN Port, 2x RJ-45 10GbE LAN Port, 2x USB 3.2 Gen 1 Port, 1x Gen3 x8 slot (x4 Link) PCI-e Expansion, 1U Form Factor (Ru)
Synology FS6400	R 224,249	Synology FlashStation FS6400 24 bay 2U Rack Mount Storage Server, 2.5" SAS/SATA All-flash storage; 2x Intel Xeon Silver 4110; 32 GB DDR4 ECC RDIMM (Up to 512GB), 2x GbE LAN; 2x 10GbE, 2x USB3.0 (Order on request)
Synology RX1217	R 32,731	Synology RX1217 12-bay SATA expansion unit for RS4017xs ; RS3617xs ; RS3617(RP)xs; RS3614xs ; RS3614(RP)xs; RS2416(RP) ; RS2414(RP)
Synology RX1217RP	R 44,274	Synology Expander RX1217RP -12-Bay Expander, 72.0TB Max, Rackmount Unit, Redundant PSU, Compatible With: RS361x/ RS361x(RP)/ RS341x/ RS341x(RP)/ RS241x(RP)
TS-832PXU-RP-4G	R 32,788	QNap TS-832PXU 8-Bay quad-core 1.7 GHz rackmount NAS with 250W redundant PSU, 4GB DDR4 UDIMM RAM (max 16GB), SATA 6Gb/s, 2x 10GbE SFP LAN, 2x GbE LAN, 1x PCIe Gen2 x2 slot

< Return to the menu

Server - rack mount servers

Product code	Price	Description
7D2VA06LEA	R 66,700	Lenovo ThinkSystem AMD SR665 2U Rack Mount Server, 1x AMD Epyc 7303 2.4GHz up to 3.4 GHz Burst Frequency 64MB L3 Cache Sixteen (16) Core Processor with no intergrated Graphics, 1x 32GB DDR4-3200 Memory, 930-8i RAID storage controller, 1x 1100W Hot Swap PSU, 8x 2.5" Hot-Swap bays, 5 Performance Fans, XCC Enterprise, Toolless V2 Rails
7D731009EA	R 83,898	Lenovo SR630 V3 2-socket 1U Rack Server, Intel Xeon Silver 4510 2.4Ghz up to 4.1Ghz 30MB Cache Twelve (12) Core Processor with no intergrated graphics, 32GB (1x32GB) DDR5-4800 2Rx8 RDIMM Memory, 8x 2.5" SAS/SATA bays, Software RAID controller, No Backplane, 1x 1100W Titanium PSU, No Network NIC card, 7D731009EA
7D73A03VEA	R 67,113	Lenovo SR630 V3 2-socket 1U Rack Server, Intel Xeon Silver 4510 2.4Ghz up to 4.1Ghz 30MB Cache Twelve (12) Core Processor with no intergrated graphics, 32GB (1x32GB) DDR5-4800 1Rx4 RDIMM Memory, 8x 2.5" SAS/SATA bays, 9350-8i 2GB RAID controller, 1x 1100W Titanium PSU, 6 Performance fans, XCC2 Platinum, Toolless v2 rails

7D73A046EA	R 79,668	Lenovo SR630 V3 2-socket 1U Rack Server, Intel Xeon Gold 6526Y 2.8GHz up to 3.9GHz 37.5MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR5-5600 1Rx4 RDIMM Memory, 8x 2.5" SAS/SATA bays, 9350-8i 2GB RAID controller, 1x 1100W Titanium PSU, 6 Performance fans, XCC2 Platinum, Toolless v2 rails
7D73A06DEA	R 72,883	Lenovo SR630 V3 2-socket 1U Rack Server, Intel Xeon Silver 4510 2.4Ghz up to 4.1Ghz 30MB Cache Twelve (12) Core Processor with no intergrated graphics, 32GB (1x32GB) DDR5-4800 1Rx4 RDIMM Memory, 4x 3.5" SAS/SATA bays, 9350-8i 2GB RAID controller, 1x 1100W Titanium PSU, 6 Performance fans, XCC2 Platinum, Toolless v2 rails
7D73A06LEA	R 69,920	Lenovo SR630 V3 2-socket 1U Rack Server, Intel Xeon Silver 4514Y 2.0GHz up to 3.4GHz 30MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR5-5600 1Rx4 RDIMM Memory, 8x 2.5" SAS/SATA bays, 9350-8i 2GB RAID controller, 1x 1100W Titanium PSU, 6 Performance fans, XCC2 Platinum, Toolless v2 rails
7D76A02KEA	R 70,681	Lenovo SR650 V3 2U Rack Server, Intel Xeon Silver 4410Y 2.0GHz up to 3.9GHz 30MB Cache Twelve (12) Core Processor with no intergrated Graphics, 64GB DDR5-5600 2Rx4 RDIMM Memory, 8x 3.5" SAS/SATA bays, No RAID controller, 1x 1100W Titanium PSU, 5 standard fans, Platinum XCC2
7D76A033EA	R 103,602	Lenovo SR650 V3 2U Rack Server, Intel Xeon Gold 6430 2.1GHz up to 3.4GHz 60MB Cache thirty two (32) Core Processor with no intergrated Graphics, 64GB DDR5-5600 2Rx4 RDIMM Memory, No Backplane, No RAID, 1x 1800W Titanium PSU, 5 Performance fans, Platinum XCC2
7D76A04DEA	R 69,347	Lenovo SR650 V3 2U Rack Server, Intel Xeon Gold 6426Y 2.5GHz up to 4.1GHz 37.5MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB DDR5-5600 1Rx4 RDIMM Memory, No Backplane, No RAID, 1x 1100w Titanium PSU, 5 Standard Fans, Platinum XCC2
7D76A05TEA	R 69,176	Lenovo SR650 V3 2U Rack Server, Intel Xeon Silver 4509Y 2.6Ghz up to 4.1Ghz 22.5MB Cache Eight (8) Core Processor with no intergrated graphics, 32GB DDR5-4800 1Rx4 RDIMM Memory, 8x 2.5" SAS/SATA bays, 940-8i controller, 1x 1100w Titanium PSU, 3x& #8239; (x16 / x8 / x8) & #8239; Gen4 slots, Platinum XCC2
7D7QA00YEA	R 26,194	Lenovo SR250 V2 Xeon 1U Rack Server, Intel Xeon E-2334 3.4Ghz up to 4.8Ghz 8MB Cache Quad (4) Core Processor with no intergrated graphics, 1x 16GB DDR4-2666 UDIMM Memory, 8x 2.5" Hot Swap bays, Software RAID, Hot Swap 450W Power Supply, XCC Enterprise, Onboard Intel RSTe storage controller, 2x GbE RJ-45, TPM 2.0, Matrox G200 Graphics controller
7D7QA030EA	R 30,284	Lenovo SR250 V2 Xeon 1U Rack Server, Intel Xeon E-2334 3.4Ghz up to 4.8Ghz 8MB Cache Quad (4) Core Processor with no intergrated graphics, 1x 16GB DDR4-2666 UDIMM Memory, 4x 3.5" Hot Swap bays, Software RAID, Hot Swap 450W Power Supply, XCC Enterprise, Onboard Intel RSTe storage controller, 2x GbE RJ-45, TPM 2.0, Matrox G200 Graphics controller, Rails
7D9AA01QEA	R 80,499	Lenovo ThinkSystem SR665 V3 2U Rack Mount Server, AMD EPYC 9174F 4.1GHz up to 4.4 GHz Burst Frequency 256MB L3 Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR5-4800 1Rx4 RDIMM Memory, No Backplane, No RAID, 1x 1800W Titanium Power Supply
7DCLA00NEA	R 36,166	Lenovo SR250 V3 1U Rack Mount Server, Intel Xeon E-2436 2.9GHz up to 5.0GHz 18MB Cache Hex 6 Core Processor with no intergrated Graphics, 32GB DDR5 Memory, 5350-8i internal RAID controller, 8x 2.5" HS open bays, 800W HS Titanium PSU, XCC2 Platinum, Rails
7DCLA00TEA	R 39,212	Lenovo SR250 V3 1U Rack Mount Server, Intel Xeon E-2468 2.6GHz up to 5.2GHz 24MB Cache Octa 8x Core Processor with no intergrated Graphics, 32GB DDR5 Memory, 5350-8i internal RAID controller, 8x 2.5" HS open bays, 800W HS Titanium PSU, XCC2 Platinum, Rails
7DCLA00UEA	R 37,210	Lenovo SR250 V3 1U Rack Mount Server, Intel Xeon E-2456 3.3GHz up to 5.1GHz 16MB Cache Hex 6x Core Processor with no intergrated Graphics, 1x16GB DDR5 Memory, OnBoard SATA / Software RAID, 4x 3.5" HS open bays, 800W HS Titanium PSU, XCC2 Platinum, Rails
7DG9A027EA	R 100,205	Lenovo ThinkSystem SR630 V4 1U Rack Mount Server, 1x Intel Xeon 6515p Granite Rapids 2.3GHz up to 3.8GHz 72MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 1x 32GB DDR5 RAM 2Rx8, No SSD, RAID 940-8i 4GB RAID Controller Card, Dual Hot-Swap 1300W Titanium PSU, 8x 2.5" Hard Drive bays, No Network Interface card, 7DG9A027EA
7DG9A028EA	R 80,951	Lenovo ThinkSystem SR630 V4 1U Rack Mount Server, 1x Intel Xeon 6505P Granite Rapids 2.2GHz up to 4.1GHz

		48MB Cache Twelve (12) Core Processor with no intergrated Graphics, 1x 32GB DDR5 RAM, No SSD, OnBoard Software RAID, Dual Hot-Swap 1300W Titanium PSU, 8x 2.5" Hard Drive bays, No Network Interface card, 7DG9A028EA
7DGDA026EA	R 98,966	Lenovo SR650 V4 2U Rack Server, Intel Xeon 6515P Granite Rapids 2.3GHz up to 3.8GHz 72MB Cache Sixteen (16) Core Processor with no intergrated Graphics 6515P, 1x32GB 2Rx8 Memory, No SSD drives, 8x 2.5 bays, 940-8i 4GB RAID Controller Card, 2x 1300W, No Network Interface card
7X02A0HFEA	R 44,944	Lenovo SR630 1U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4208 2.1GHz up to 3.2GHz 11MB Cache eight 8x Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR4-2933 2Rx8 RDIMM Memory, 8x 2.5" Hot Swap SAS/SATA, 1x 750W Power Supply, XCC Enterprise, No DVD Drive, 1x 9350-8i Storage Controller
7X06A0P1EA	R 48,689	Lenovo SR650 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4208 2.1GHz up to 3.2GHz 11MB Cache eight 8x Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR4-2666 2Rx8 RDIMM Memory, 8x 2.5" Hot-Swap bays, ThinkSystem RAID 9350-8i storage controller, 1x 750W Power Supply, XCC Enterprise, Tooless rails, Matrox G200 Graphics controller
7Z73A06AEA	R 62,671	Lenovo SR650 V2 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4310 2.1Ghz up to 3.3Ghz 18MB Cache Twelve (12) Core Processor with no intergrated graphics, 32GB (1x32GB) DDR4-3200 2Rx8 RDIMM Memory, 8x 2.5" SAS / SATA Hot-Swap bays, ThinkSystem 9350-8i storage controller, 1x 750W Power Supply, XCC Enterprise, Â© 2022 Laptop Direct
7Z73A06WEA	R 53,667	Lenovo SR650 V2 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4309Y 2.8GHz up to 3.6GHz 12MB Cache Eight 8x Core Processor with no intergrated graphic, 32GB (1x32GB) DDR4-3200 2Rx8 RDIMM Memory, 8x 2.5" SAS / SATA Hot-Swap bays, ThinkSystem 9350-8i storage controller, 1x 750W Power Supply, XCC Enterprise
7Z73A08VEA	R 50,046	Lenovo SR650 v2 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4314 2.4GHz up to 3.4GHz 24MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 64GB (1x64GB) DDR4-3200 2Rx4 RDIMM Memory, No Backplane, No RAID controller, 1x 1100W Power Supply, XCC Enterprise, 5 standard fans, Toolless v2 rails
7Z73A0A3EA	R 45,113	Lenovo SR650 V2 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4309Y 2.8GHz up to 3.6GHz 12MB Cache Eight 8x Core Processor with no intergrated graphic, 32GB (1x32GB) DDR4-3200 2Rx4 RDIMM Memory, No drive bays, No raid controller, 1x 1100W Power Supply, XCC Enterprise
7Z73A0AFEA	R 65,590	Lenovo SR650 v2 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4314 2.4GHz up to 3.4GHz 24MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR4-3200 2Rx4 RDIMM Memory, 12x 3.5" SAS/SATA open bay, No RAID controller, 1x 1100W Power Supply, XCC Enterprise, 5 standard fans, Toolless v2 rails
7Z73A0AXEA	R 53,589	Lenovo SR650 v2 2U Rack Server, Supports Dual Processor, 1x Intel Xeon Silver 4314 2.4GHz up to 3.4GHz 24MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB (1x32GB) DDR4-3200 2Rx4 RDIMM Memory, 8x 2.5" SAS open bay, 3 (x16 /& #8239; X8 / x8) & #8239; Gen4 slots, 9350-8i 2GB RAID controller, 1x 1100W Power Supply, XCC Enterprise
EMEA_PROMO_PER570_SPL2	R 226,029	Dell PowerEdge R570 2U Rack Mount Server, Intel Xeon 6511P Granite Rapids 2.3GHz up to 4.2GHz 72MB Cache sizteen (16) Core Processor with no intergrated Graphics, 32GB DDR5 ECC Memory, 2x 960GB SSD, 12x 3.5" Chassis, Dual hotplug 1100W PSU, No opertaing system
EMEA_PROMO_R360_SPL3	R 69,037	Dell PowerEdge R360 1U Rack Mount Server, Intel Xeon 6325P 3.5GHz up to 5.2GHz 12MB Cache Quad (4) Core Processor with no intergrated Graphics, 1x 16GB UDIMM 5600MT/s ECC Memory, 1x 1.2TB SAS Drive. Hot-Plug AG Drive with 3.5" Hybrid carrier, Chassis 4x 3.5" Hot Swap, 1 DWPD, ReadyRails sliding rails without Cable Management Arm, No Riser, Bezel, On-Board Broadcom 5720 Dual Port 1GB LOM, No RAID, IDRAC9 Basic 16G, Hot-Plug Power Supply 700W MM HLAC Titanium (1 0), No OS
EMEA_PROMO_R360_SPL4	R 90,333	Dell PowerEdge R360 1U Rack Mount Server, Intel Xeon 6315P 2.8GHz up to 5.2GHz 12MB Cache Quad 4 Core Processor with no intergrated Graphics, 32GB UDIMM 5600MT/s ECC Memory, 1x 480GB SSD 2.5" Hot-Plug Hard Drive, Chassis 8x 2.5" Hot Swap, Dual 700W PSU, ReadyRails, Trusted Platform Module 2.0 V3, 2.5" Chassis with up to 8 Hot plug hard drives, Front PERC 11, Heatsink, Performance optimized, Front PERC H355,

		No Operating System
EMEA_PROMO_R570_SPL3	R 140,203	Dell PowerEdge R570 2U Rack Mount Server, Intel Xeon 6507P Granite Rapids 3.5GHz up to 4.3GHz 48MB Cache Eight 8x Core Processor with no intergrated Graphics, 32GB DDR5 ECC Memory, 960GB SATA Read Intensive 6Gbps 512e 2.5" Hot-Plug AG Drive, 12x 3.5" Chassis, PERC H965i Controller, Dual hotplug 1100W PSU, No opertaing system
EMEA_PROMO_R760XS_SPL1	R 135,768	Dell PowerEdge R760XS 2U Rack Mount Server, Intel Xeon Silver 4510 2.4GHz up to 4.1GHz 30MB Cache Twelve (12) Core Processor with no intergrated Graphics, 32GB RDIMM 5600MT/s Dual Rank Memory, 1 x 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5" with 3.5" Hybrid carrier Hot-Plug, Broadcom 5720 Dual Port 1GB On-Board LOM, Broadcom 5719 Quad Port 1GbE Base-T Adapter, PCI-e Low Profile, Riser config 0, No Riser, 1x 16 1x8 (1x CPU) without OCP, No OCP 3.0 mezzanine Network Interface card, Blank filler only, No internal Optical Drive, IDRAC9 Enterprise 16G, Dual (1 1) fully Redundant H-P PSU 700W MM HLAC Titanium, 2x Rack Power cord 2m (C13/C14 10A), 3.5" Chassis with up to 12 hard drives (SAS/SATA), PERC11, PERC H755 Adapter Low Profile, No Rail kit/cable Management Arm, No Operating System
SR2500ALBRP	R 13,659	Intel Integrated Server Platform S5000PAL (Alcolu) And SR2500 (2U) Chassis - DDR2-533/667 FB DIMM SATA/SAS. Ducting, Cables, Slimline Tray, Low Profile Riser, Full Height PCI-X Riser, SATA/SAS Backplane, Drive Carriers & Standard Front Control Panel.
SVDEPER360SPL5P	R 121,665	Dell PowerEdge R360 1U Rack Mount Server, Intel Xeon 6353P 2.7GHz up to 5.4GHz 24MB Cache Eight 9x Core Processor with no intergrated Graphics, 1x 32GB UDIMM 5600MT/s ECC Memory, 1x 480GB SSD SATA Read Intensive 6Gbps 512e 2.5" Hot-Plug AG Drive, 3.5" Hybrid carrier, Chassis 4x 3.5" Hot Swap, Broadcom 5720 Dual Port 1GB On-Board LOM, 1 DWPD, Riser config 0, No Riser, Standard Bezel, No internal Optical Drive, Dual (1 1) fully Redundant H-P PSU 700W MM HLAC Titanium, 2x Rack Power cord 2m (C13/C14 10A), 3.5" Chassis with up to 4 Hot plug hard drives, Front PERC 11, Front PERC H755 front load, IDRAC9 Enterprise 16G, No Rack rails or Cable Management Arm, No Operating System
SVDEPER760XS1SPLP	R 139,247	Dell PowerEdge R760XS 2U Rack Mount Server, Intel Xeon Silver 4510 2.4GHz up to 4.1GHz 30MB Cache Twelve (12) Core Processor with no intergrated Graphics, 32GB RDIMM 5600MT/s Dual Rank Memory, 1 x 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5" with 3.5" Hybrid carrier Hot-Plug, Broadcom 5720 Dual Port 1GB On-Board LOM, Broadcom 5719 Quad Port 1GbE Base-T Adapter, PCI-e Low Profile, Riser config 0, No Riser, 1 x 16 1x8 (1x CPU) without OCP, No OCP 3.0 mezzanine Network Interface card, Blank filler only, No internal Optical Drive, IDRAC9 Enterprise 16G, Dual (1 1) fully Redundant H-P PSU 700W MM HLAC Titanium, 2x Rack Power cord 2m (C13/C14 10A), 3.5" Chassis with up to 12 hard drives (SAS/SATA), PERC11, PERC H755 Adapter Low Profile, No Rail kit/cable Management Arm, No Operating System

< Return to the menu

Server cabinet / enclosure - Rack

Product code	Price	Description
2U-550	R 1,954	Unbranded 2U 550mm deep rackmount chassis
2U-550	R 1,990	Unbranded 2U 550mm deep rackmount chassis
713887	R 3,999	Intellinet 19" Double Section Wallmount Cabinet - 15U, Flatpack, Black, 600 mm (23.62") depth, Retail Box
AC-CAB-12U450-O	R 3,992	AccoNet 12U fixed Outdoor Wall Mount Box 450mm depth, Includes 2 fans, Assembled
AC-CAB-12U450-WM-S	R 2,497	AccoNet 12U Unassembled fixed Wall Mount swing box - 450mm, 600mm width, 450mm depth
AC-CAB-15U450-O	R 4,470	AccoNet 15U fixed Outdoor Wall Mount Box 450mm depth, Includes 2 fans, Assembled
AC-CAB-18U600-FL	R 4,127	AccoNet 18U unassembled floor standing 600mm cabinet - Perforated
AC-CAB-18U800-FL	R 5,113	AccoNet 18U unassembled Floor Standing 800mm cabinet - Perforated
AC-CAB-22U800-FL	R 5,595	AccoNet 22U Unassembled Floor Standing 800mm cabinet - Perforated
AC-CAB-22U800-O	R 9,474	AccoNet 22U 800mm depth Outdoor standing cabinet, Includes 4 fans, Assembled
AC-CAB-27U1000-FL	R 7,462	Acconet 27U Unassembled Floor Standing 1000mm Cabinet Perforated
AC-CAB-27U800-FL	R 5,971	Acconet 27U Unassembled Floor Standing 800mm Cabinet - Perforated
AC-CAB-42U1000-FL	R 7,765	AccoNet 42U Floor Standing Perforated Server Cabinet, AC-CAB-42U1000-FL, Standard 42U height and a 1000mm depth, Perforated front and rear doors, Supplied in a flat-pack Format

AC-CAB-42U800-FL	R 7,461	Acconet 42U Unassembled Floor Standing 800mm Cabinet - Perforated
AC-CAB-42U800-O	R 15,554	AccoNet 42U 800mm depth Outdoor standing cabinet, Includes 4 fans, Assembled
AC-CAB-4U450-WM	R 1,135	AccoNet 4U Unassembled fixed Wall Mount box - 450mm, Flat pack, Glass door, 600mm width, 450mm depth
AC-CAB-6U450-O	R 3,029	AccoNet 6U fixed Outdoor Wall Mount Box 450mm depth, Includes 2 fans, Assembled
AC-CAB-6U450-WM	R 1,313	Acconet 6U Unassembled Fixed Wall Mount Box - 450mm
AC-CAB-6U450-WM-S	R 1,719	AccoNet 6U Unassembled fixed Wall Mount swing box - 450mm, Flat pack, Glass door, 600mm width, 450mm depth
AC-CAB-9U450-O	R 3,449	Acconet 9U Fixed Outdoor Wall Mount Box 450mm depth, Includes 2 fans, Assembled
AC-CAB-9U450-WM	R 1,485	AccoNet 9U Unassembled fixed Wall Mount box - 450mm, Flat pack, Glass door, 600mm width, 450mm depth
AC-CAB-9U450-WM-S	R 2,025	AccoNet 9U Unassembled fixed Wall Mount swing box - 450mm, Flat pack, Glass door, 600mm width, 450mm depth
AP6620.PER.B	R 5,641	CPS Technologies Apollo 20U CP server / networking cabinet 4x uprights 4x feet, Includes Glands Screws
AP6634.GLA.B	R 7,843	CPS Technologies Apollo 34U CP 600x600 cabinet 4x uprights 4x feet, Includes Glands Screws
AP6638.PER.B	R 8,263	CPS Technologies Apollo 38U CP server / networking cabinet 4x uprights 4x feet, Includes Glands Screws
AP6812.GLA.B	R 5,118	CPS Technologies Apollo 12U CP 600x800 cabinet 4x uprights 4x feet including glands Screws
AP6812.PER.B	R 4,968	CPS Technologies Apollo 12U CP server / networking cabinet 4x uprights 4x feet including glands Screws
AP6842.GLA.B	R 10,546	CPS Technologies Apollo 42U CP 600x800 cabinet 4x uprights 4x feet, Includes Gland Screws
AP6847.GLA.B	R 11,075	CPS Technologies Apollo 47U CP server / networking cabinet 4x uprights 4x feet, Including Gland and Screws
AP6847.PER.B	R 11,414	CPS Technologies Apollo 47U CP server / networking cabinet 4x uprights 4x feet Including Gland Screws (Barebone)
AR100	R 15,317	Apc NetShelter WX 13U w/Threaded Hole Vertical Mounting Rail Glass Front Door Black, 115.00(lbs) 52.27(kilos), 33.00x 27.00x 30.50(in) 83.80x 68.60x 77.50(cent)
AR100HD	R 16,053	Apc NetShelter WX 13U w/Threaded Hole Vertical Mounting Rail Vented Front Door Black, 115.00(lbs) 52.28(kilos), 33.00x 27.00x 30.50(in) 83.80x 68.60x 77.50(cent)
AR203A	R 12,361	Apc NetShelter 4 Post Open Frame Rack 44U Square Holes. 102.00(lbs) 46.36(kilos), 82.00x 10.00x 7.40(in) 208.30x 25.40x 18.80(cent)
AR204A	R 12,361	Apc NetShelter 4 Post Open Frame Rack 44U #12-24 Threaded Holes
AR3100	R 33,372	APC NetShelter SX 42U 600mm wide x 1070mm deep enclosure with sides, black
AR3107	R 39,917	APC NetShelter SX 48U 600mm Wide x 1070mm Deep Enclosure with Sides - Black - 346.90(lbs) 157.68(kilos), 93.90x 29.62x 48.00(in) 238.50x 75.20x 121.90(cent)
AR3150	R 41,205	APC NetShelter SX 42U 750mm Wide x 1070mm Deep Enclosure with Sides - Black
AR3157	R 52,680	APC NetShelter SX 48U 750mm Wide x 1070mm Deep Enclosure with Sides - Black
AR3300	R 43,672	APC NetShelter SX 42U/600mm/1200mm Enclosure with Roof and Sides - Black
AR3305	R 49,805	Apc NetShelter SX 45U 600mm Wide x 1200mm Deep Enclosure with Sides Black, 348.48(lbs) 158.40(kilos), 88.19x 29.37x 48.03(in) 224.00x 74.60x 122.00(cent)
AR3307	R 55,797	NetShelter SX 48U / 600mm / 1200mm Enclosure with Roof and Sides - Black
AR3340	R 64,560	APC NetShelter SX 42U 750mm Wide x 1200mm Deep Networking Enclosure with Sides. 403.00(lbs) 183.18(kilos), 83.39x 33.50x 52.00(in) 211.80x 85.09x 132.08(cent)
AR3347	R 75,623	Apc NetShelter SX 48U 750mm Wide x 1200mm Deep Networking Enclosure with Sides
AR3350	R 55,488	APC NetShelter SX 42U 750mm Wide x 1200mm Deep Enclosure with Sides - Black
AR3350W	R 57,878	Apc NetShelter SX 42U 750mm Wide x 1200mm Deep Enclosure with Sides White, 403.00(lbs) 183.18(kilos), 83.39x 33.50x 52.50(in) 211.80x 85.10x 133.40(cent)
AR3357	R 68,481	APC NetShelter SX 48U 750mm Wide x 1200mm Deep Enclosure
AR8775	R 13,028	Apc Valueline, Vertical Cable Manager for 2 & 4 Post Racks, 84" H X 12" W, Double-Sided with Doors
BHR083LGL	R 199	Xiaomi Robot Vacuum H40/S40 Anti-Tangle Replacement Brush
CAB-12U	R 1,719	Linkbasic 12U Fixed Wall Box
CAB-12UO	R 4,019	Scoop CAB-12UO 12U 450mm Deep IP65 Outdoor Cabinet with 2 fans
CAB-12UR	R 362	Linkbasic 12U 19-inch Desktop open Rack, Load capacity of 50kg, Wall Mount, CAB-12UR
CAB-12US	R 2,099	Linkbasic 12U Swing Frame Wall Box

CAB-15U	R 1,898	Linkbasic 15U Fixed Wall Box
CAB-15U6	R 3,674	Linkbasic 15U 600 deep cabinet 2 fans & 2 shelves, 988 x 600 x 600mm dimensions
CAB-15UO	R 4,479	Scoop 15U 450mm Deep Outdoor Cabinet with 2 fans
CAB-15US	R 2,386	Linkbasic 15U Swing Frame Wall Box
CAB-18U6	R 4,111	Linkbasic 18U 600mm deep cabinet - 2 fans & 2 shelves, 988 x 600 x 600mm (L x W x D) dimensions
CAB-18UO	R 7,814	Scoop 18U 600mm Deep Outdoor Cabinet with 2 fans
CAB-22U6	R 4,571	Linkbasic 22U 600 Deep Cabinet 2 Fans & 2 Shelves
CAB-22UR	R 2,473	Linkbasic 22U 600 Deep Cabinet Open Rack & 2 Shelves
CAB-25UO	R 11,149	Scoop CAB-25UO 25U 800mm Deep IP65 Outdoor Cabinet with 4 fans
CAB-27U	R 5,974	Linkbasic 27U 800 Deep Cabinet 4 Fans & 2 Shelves
CAB-27U1M	R 6,756	Linkbasic 27U 1M Deep Cabinet 4 Fans & 2 Shelves
CAB-2URW	R 259	Linkbasic 2U Wall Mount open Rack, CAB-2URW, Maximum weight capacity of 20kg, Maximum mounting depth of 350mm
CAB-42U	R 7,676	Linkbasic 42U 800 Deep Cabinet 4 Fans & 3 Shelves
CAB-42U1M	R 8,504	Linkbasic 42U 1M Deep Cabinet 4 Fans & 3 Shelves
CAB-42U1P	R 10,666	Linkbasic 42U 1M Deep Cabinet 4 Fans 3 Shelves & Perforated Steel Doors
CAB-42UO	R 14,944	Scoop 42U 800mm deep IP65 outdoor cabinet with 4 FANS, IP65 rated, good ventilation for heat dispersion
CAB-4U	R 1,093	Linkbasic 4U Fixed Wall Box
CAB-4UMR	R 684	Linkbasic 4U Desktop 10-inch Mini Rack, Flat packed assembly, Cold rolled Steel, Powder Coated, 280 x 200 x 280.2 mm size
CAB-4UR	R 259	Scoop 4U Desktop open rack, Cold rolled steel, Powder coated, CAB-T300 tray compatibility, 280 x 600 x 300 mm (L x W x D) dimensions
CAB-4URW	R 362	Linkbasic 4U Wall Mount Open Rack, CAB-4URW, Maximum weight capacity of 20kg, Maximum mounting depth of 350mm
CAB-6U	R 1,323	Linkbasic 6U Fixed Wall Box
CAB-6UB	R 1,374	Scoop CAB-6UB 6U Fixed Wall Box
CAB-6UMR	R 863	Linkbasic 6U Desktop 10-inch Mini Rack, Flat packed assembly, Cold rolled Steel, Powder Coated, 280 x 200 x 369.1 mm size
CAB-6UO	R 3,076	Scoop CAB-6UO 6U 450mm Deep IP65 Outdoor Cabinet with 2 fans
CAB-6UR	R 288	Scoop 6U Desktop open rack, Cold rolled steel, Powder coated, CAB-T300 tray compatibility, 367 x 600 x 300 mm (L x W x D) Dimensions
CAB-6URW	R 489	Linkbasic 6U Wall Mount Open Rack, CAB-6URW, Maximum weight capacity of 20kg, Maximum mounting depth of 350mm
CAB-6US	R 1,811	Linkbasic 6U Swing Frame Wall Box
CAB-9U	R 1,438	Linkbasic 9U Fixed Wall Box
CAB-9UB	R 1,524	Scoop 9U Fixed Wall Box
CAB-9UMR	R 1,093	Linkbasic 9U Desktop 10-inch Mini Rack, Flat packed assembly, Cold rolled Steel, Powder Coated, 280 x 200 x 502.45 mm size
CAB-9UO	R 3,444	Scoop CAB-9UO 9U 450mm Deep IP65 Outdoor Cabinet with 2 fans
CAB-9US	R 1,926	Linkbasic 9U Swing Frame Wall Box
CAB-C-33204WMFA	R 684	UltraLAN Mini 4U fixed Wall Mount cabinet, Compact single-section Design with 254 mm equipment depth, SPCC Cold rolled Steel construction with Powder Coated finish, 300 mm depth and 325 mm Inner width dimensions, 7 kg unit weight with 15 kg static loading capacity, 5 mm Tempered Glass front Door with over 180 degrees opening capability, cable entry points at both top and bottom for Flexible routing
CAB-C-61027FSUA	R 6,664	UltraLAN 27U free-standing Server Cabinet - 1 meter, 1200 x 600 x 1000 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 800 kg Maximum static load
CAB-C-61042FSUA	R 8,504	UltraLAN 42U free-standing Server Cabinet (1 meter) - with lockable side panels, 1970 x 600 x 800 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 800 kg Maximum static load
CAB-C-64504WMFA	R 1,064	UltraLAN 4U fixed Wall Mount cabinet, 295 x 615 x 465 mm cabinet dimensions, 19 inch horizontal Rack mounting

		space, 60 kg Maximum static load
CAB-C-64506OD	R 3,053	UltraLAN 6U Outdoor Wall Mount Network cabinet, 6U 600x450mm cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-64506WMFA	R 1,374	UltraLAN 6U fixed Wall Mount cabinet, 385 x 615 x 465 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-64509OD	R 3,437	UltraLAN 9U Outdoor Wall Mount Network cabinet, 9U 600x450mm cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-64509WMFA	R 1,489	UltraLAN 9U fixed Wall Mount cabinet, 515 x 615 x 465 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-64512OD	R 4,019	UltraLAN 12U Outdoor Wall Mount Network cabinet, 12U 600x450mm (Assembled) cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-64512WMFA	R 1,696	UltraLAN 12U fixed Wall Mount cabinet, 645 x 615 x 465 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-64515OD	R 4,472	UltraLAN 15U Outdoor Wall Mount Network cabinet, 15U 600x450mm (Assembled) cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-64515WMFA	R 1,834	UltraLAN 15U fixed Wall Mount cabinet, 790 x 615 x 465 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-64518OD	R 7,807	UltraLAN 18U Outdoor Wall Mount Network cabinet, 18U 600x450mm (Assembled) cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-6604WMSA	R 1,754	UltraLAN 4U Swing Frame Wall Mount cabinet, 315 x 615 x 615mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-6604WMSA-W	R 1,754	UltraLAN 4U Swing Frame Wall Mount cabinet, CAB-C-6604wmsa, 4U Vertical Rack Space, 19 inch horizontal Rack mounting Space, 60 kg Maximum static load, 2 slots fan mountings
CAB-C-6606WMSA	R 1,804	UltraLAN 6U Swing Frame Wall Mount cabinet, 385 x 615 x 615mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-6606WMSA-W	R 1,783	UltraLAN 6U Swing Frame Wall Mount cabinet, CAB-C-6606WMSA, 6U Vertical Rack Space, 19 inch horizontal Rack mounting Space, 60 kg Maximum static load, 2 slots fan mountings
CAB-C-6609WMSA	R 1,896	UltraLAN 9U Swing Frame Wall Mount cabinet, 515 x 615 x 615mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-6609WMSA-W	R 1,869	UltraLAN 9U Swing Frame Wall Mount cabinet, CAB-C-6609WMSA, 9U Vertical Rack Space, 19 inch horizontal Rack mounting Space, 60 kg Maximum static load, 2 slots fan mountings
CAB-C-6612WMSA	R 2,069	UltraLAN 12U Swing Frame Wall Mount cabinet, 645 x 615 x 615mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-6615WMSA	R 2,379	UltraLAN 15U Swing Frame Wall Mount cabinet, 790 x 615 x 615mm cabinet dimensions, 19 inch horizontal Rack mounting space, 60 kg Maximum static load
CAB-C-6622FSUA	R 4,472	UltraLAN 22U free-standing Server Cabinet - 600mm, 1100 x 600 x 600 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 200kg Maximum static load
CAB-C-6827FSUA	R 5,974	UltraLAN 27U free-standing Server Cabinet - 800mm, 1300 x 600 x 800 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 300 kg Maximum static load
CAB-C-6827OD	R 11,149	UltraLAN 27U Outdoor free-standing Network cabinet, 27U 600x800mm cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-6842FSUA	R 7,676	UltraLAN 42U free-standing Server Cabinet - 800mm, 1970 x 600 x 800 mm cabinet dimensions, 19 inch horizontal Rack mounting space, 800 kg Maximum static load
CAB-C-6842OD	R 14,944	UltraLAN 42U Outdoor free-standing Network cabinet, 42U 600x800mm cabinet dimensions, 19 inch horizontal Rack mounting space
CAB-C-WMO02U	R 259	UltraLAN 2U Wall Mount Network Open Rack, Crafted from High-Quality cold-rolled Steel, 19-inch wide Rack
CAB-C-WMO04U	R 332	UltraLAN 4U Wall Mount Network Open Rack, Crafted from High-Quality cold-rolled Steel, 19-inch wide Rack
CAB-C-WMO06U	R 459	UltraLAN 6U Wall Mount Network Open Rack, Crafted from High-Quality cold-rolled Steel, 19-inch wide Rack
CP44U.PERF.B	R 1,254	Unbranded 4U CP black wall mount cabinet 2x uprights 2x glands Screws Perforated Door (450mm)

CP49U.GLA.B.N	R 1,990	RCT Cabinet Wallmount 9U 600W x 450D with Glass Door, 50kg load
CP49U.PERF.B.N	R 1,990	Unbranded 9U wallbox 450mm perforated - 9U Black, Wall Mount cabinet, 2x uprights, 2x glands screws
E-IP65-800	R 4,019	Unbranded Grey Steel enclosure 800mm x 600mm x 350mm - IP55
EX-CAB-12	R 1,719	Extralink 12U 600x450 wallmount cabinet, Width 600mm, Depth 450mm
EX-CAB-22U-1	R 5,399	Extralink 22U 600x600 standing Rackmount, 600mm depth, 600mm width, Glazed Door
EX-CAB-27-800	R 6,319	Extralink 27U 800x800 cabinet Black, 800mm depth, 600mm width, Glazed Door
KS-LD-BP1U	R 63	Kstar 19" Blanking Panel 1U Black For Server Racks
MT-SR-10U	R 896	MikroTik SR-10U 19-inch 10U Desktop Rack holder with adjustable angles
NC-WB-9U450-OUT	R 4,516	Unbranded 9U IP55 Wallbox 450mm Deep - Gray
NC-WM-12U550-OUT	R 6,416	Miro 12U IP55 550mm Wall Mount cabinet
P006-Z	R 462	RCT 6 WAY 16AMP RACKMOUNT POWER RAIL. 6 output sockets, 16 Amp current, 1.5U rackmount, South African 3-pin plug, 220-250V input, 50-60Hz frequency, 4000W max power output, aluminium housing, CE certified, RoHS compliant, UL certified, VDE certified, TUV certified.
P006-Z	R 489	RCT 6 WAY 16AMP RACKMOUNT POWER RAIL. 6 output sockets, 16 Amp current, 1.5U rackmount, South African 3-pin plug, 220-250V input, 50-60Hz frequency, 4000W max power output, aluminium housing, CE certified, RoHS compliant, UL certified, VDE certified, TUV certified.
PCB-RM-4U	R 1,947	PCBuilder 4U Rackmount 450mm Deep Max ATX Chassis; 450mm depth; 19-inch rack compatible; server workstation enclosure; structured internal layout; IT rack build case
RCK-10U-DESKTOP-RACK	R 468	Unbranded 10U Desktop Open Rack, Rubber feet, 30kg load capacity, Supplied flat packed, 507 x 511 x 318mm dimensions
RCK-22U-OPEN-RA6622	R 2,048	LinkQnet 22U 600x600 Open Rack - no shelf, with 4x castors, 1.5mm plinth thickness
RCK-27U-300X1000-SR	R 2,933	LinkQNet 27U 300 x 1000 mm extension closet for 27U rack, Slack rack
RCK-42U-300X1000-SR	R 3,710	Linkqnet 42u 300x1000mm Extension Closet For 42u Rack
RCK-42U-OPEN-RA6042	R 2,933	LinkQnet 42U 600x1000 Open Rack 3x fixed shelf, with 4x castors, 1.5mm plinth thickness
RCK-47U-300X1000-SR	R 7,488	Unbranded 47U - 300 x 1000 mm extension closet, Slack rack
RCK-4U-DESKTOP-RACK	R 443	Unbranded 4U Desktop Open Rack, Rubber feet, 30kg load capacity, Supplied flat packed
RCK-4U-MINI	R 836	LinkQnet 4U 325 x 300 x 225 mini wall cabinet 10 inch, 10INCH MINI WALL
RCK-AV-RACK-16U	R 2,646	Unbranded 16U AV rack with 4 castors, AV rack
RCK-AV-RACK-22U	R 2,749	Unbranded 22U AV rack with 4 castors, AV rack
RCK-BAT-LFP-5120-P	R 10,349	LinkQnet 22u Rack For 6x Linkqnet Lifepo4 Batteries
RCK-DA45-6612-IP45	R 8,320	LinkQnet 12U IP45 Outdoor Wall Mount cabinet - 611 (W) x 675 (D) mm, 611mm width, 675mm depth, 2 fans
RCK-DA45-6622-IP45	R 10,587	LinkQnet 22U IP45 Outdoor vented Wall Mount cabinet - 611 (W) x 675 (D) mm, 611mm width, 675mm depth, 2 fans, IP45 rating
RCK-DA45-8618-IP45	R 10,351	LinkQnet 18U IP45 Outdoor Wall Mount cabinet - 800 (W) x 600 (D) mm, 800mm width, 600mm depth, 4 fans, IP45 rating
RCK-DA65-6412-IP65	R 5,328	LinkQnet 12U IP65 Outdoor Wall Mount cabinet - 603 (W) x 430 (D) mm, 603mm width, 430mm depth, IP65 rating, No Fans
RCK-DA65-6422-IP65	R 7,380	LinkQnet 22U IP65 Outdoor Wall Mount cabinet - 603 (W) x 430 (D) mm, 603mm width, 430mm depth, IP65 rating
RCK-SH-05A-37U-1000	R 8,683	Unbranded 37U 600 x 1000 mm standing cabinet, 4x fans, 3x shelves, Glass door, SH05J-6837
RCK-SH-05A-42U-600-M	R 7,745	Unbranded 42U 600 x 600 mm floor standing cabinet, 4x fans, 3x shelves, Mesh door, SH05J-6642
RCK-SH-05J-42U-600DD	R 9,056	Unbranded 42U 600 x 1000 mm floor standing cabinet, 4x fans, 3x shelves, Front double mesh door, SH05J-6042
RCK-SH-08A-42U-1.2MM	R 14,168	Unbranded 42U 800 x 1.2 m floor standing cabinet, 4x fans, 3x shelves, 4x castors, Mesh door, SH06A-8142-42U
RCK-SH-WS3-12UWB	R 2,151	LinkQnet 12U Wall Box - single section - flat packed - 600x450mm, 1 fan, 1 shelf, 600mm width, 450mm depth
RCK-SH-WS3-15UWB	R 2,340	LinkQnet 15U Wall Box - single section - flat packed - 600 x 450mm, 1 fan, 1 shelf
RCK-SH-WS3-18UWB	R 2,586	LinkQnet 18U Wall Box - single section - flat packed - 600 x 450mm, 1 fan, 1 shelf
RCK-SH-WS3-4UWB	R 1,532	LinkQnet 4U Wall Box - single section - flat packed - 600 x 450mm, 1 shelf, 600mm width, 450mm depth
RCK-SH-WS3-4UWB-M	R 1,509	LinkQnet 4U single section 600 x 450mm wallbox with Mesh front door - flat packed
RCK-SH-WS3-6UWB	R 1,833	LinkQnet 6U Wall Box - single section - flat packed - 600 x 450mm, 1 fan, 1 shelf, 600mm width, 450mm depth
RCK-SH-WS3-9UWB	R 1,907	LinkQnet 9U Wall Box - single section - flat packed - 600 x 450mm, 1 fan, 1 shelf, 600mm width, 450mm depth

RCK-SH-WS3-9UWB-M	R 1,952	LinkQnet 9U single section 600 x 450mm wallbox with Mesh front door - flat packed, 1x fan, 1xshelff
RCK-SH05J-15U-600D	R 3,858	Unbranded 15u 600 x 600 mm network cabinet, 2x fans, 1x shelf, Glass door, SH05J-6615
RCK-SH05J-18U-800M	R 4,939	Unbranded 18u 600 x 800 floor standing cabinet, 4x fans, 1x shelf, Castors, SH05J-6818. Industry standard 19" rack shelves.
RCK-SH05J-22U-1000D	R 6,728	Unbranded 22U 600 x 1000 mm standing cabinet, 1x shelf, 4x fans, Glass door
RCK-SH05J-22U-1000DD	R 6,728	Unbranded 22U 600 x 1000 mm standing cabinet, 1x shelf, 4x fans, Double mesh doors, SH05J-6022M22U
RCK-SH05J-22U-600D	R 4,658	Unbranded 22U 600 x 600 mm standing cabinet, 1x fixed shelf, 2x fans, Glass Door, SH05J-6822 / 6622
RCK-SH05J-22U-600DD	R 4,658	Linkqnet 22u 600x600 Cabinet With Double Mesh Door
RCK-SH05J-27U-1000GL	R 7,101	Unbranded 27U 600 x 1000 mm standing cabinet, 2x shelves, 4x fans, Glass door, SH05J-27U
RCK-SH05J-27U-600D	R 5,923	Unbranded 27U 600x600mm - 2 fans / 2 shelves / Glass door / castors
RCK-SH05J-27U600-DD	R 5,923	Unbranded 27U 600 x 600 mm standing cabinet, 2x fans, 2x shelves, Double mesh front solid back, SH05J-6627
RCK-SH05J-27U800-DD	R 6,268	Unbranded 27U 600 x 800 mm standing cabinet, 4x fans, 2x shelves, Double mesh front solid back, SH05J-6827
RCK-SH05J-42U1.2M-DD	R 12,413	Unbranded 42U 600 x 1.2 m standing cabinet, 4x fans, 3x shelves, 4x castors, Double doors, SH05J-6242
RCK-SH05J-47U-1000DD	R 12,939	Unbranded 47U 600 x 1000 floor standing cabinet, 3x shelves, 4x fans, Double Front Mesh door, SH05J-6047
RCT-12U-AP412U.GLA.B.PC	R 2,055	RCT cabinet wallmount PC 12U 600W x 450D, Glass door, 50kg load
RCT-12U-AP412U.PERF.B.PC	R 2,055	RCT Cabinet Wallmount PC 12U 600W x 450D with Perforated Door, 50kg load
RCT-12U-AP6612.PER.B	R 3,966	RCT 12U Server Cabinet 600 x 600, Glands screws, Perforated AP6612.GLA.B
RCT-12U-AP6812.PER.B	R 5,322	RCT AP6812.PER.B 12U Server Cabinet 600x800 glands Screws Perforated
RCT-15U-AP15U.GLA.B.PC	R 2,299	RCT cabinet wallmount PC 15U 600W x 450D with glass door, 50kg load
RCT-15U-AP415U.PERF.B.PC	R 2,360	RCT Cabinet Wallmount PC 15U 600W x 450D with Perforated Door, 50kg load
RCT-20U-AP420U.GLA.B.PC	R 2,668	RCT Cabinet Wallmount PC 20U 600mm width x 450mm depth with glass door
RCT-20U-AP420U.PERF.B.PC	R 2,668	RCT cabinet wallmount 20U 600W x 450D, Perforated door, 50kg load
RCT-20U-AP6620.GLA.B	R 5,634	RCT AP6620.GLA.B 20U Server Cabinet 600x600 Glands Screws Glass
RCT-25U-AP6025.PER.B	R 8,394	RCT 25U Server Cabinet 600x1000 Glands Screws Perforated - AP6025.PER.B
RCT-25U-AP6625.GLA.B	R 6,209	RCT 25U Server Cabinet 600x600 Glands Screws Glass - AP6625.GLA.B
RCT-25U-AP6625.PER.B	R 5,749	RCT 25U Server Cabinet 600x600 Glands Screws Perforated - AP6625.PER.B
RCT-25U-AP6825.PER.B	R 6,899	RCT 25U Server Cabinet 600x800 Glands Screws Perforated - AP6825.PER.B
RCT-42U-AP6842.PER.B	R 10,089	RCT 42U Server Cabinet 600mm width x 800mm depth with Perforated door, AP6842.PER.B, Gland Screws
RCT-47U-AP6047.PER.B	R 12,305	RCT 47U Server Cabinet 600x1000 Gland Screws Perforated AP6047.PER.B
RCT-4U-AP44U.GLA.B.PC	R 1,328	RCT cabinet wallmount PC 4U 600W x 450D with glass door, 50kg load
RCT-4U-AP44U.PERF.B.PC	R 1,462	RCT cabinet wallmount 4U 600W x 450D, Perforated door, 50kg load
RCT-6U-AP46U.GLA.B.PC	R 1,519	RCT cabinet wallmount PC 6U 600W x 450D with glass door, 50kg load
RCT-6U-AP46U.PERF.B.PC	R 1,519	RCT Cabinet Wallmount 6U (600mm Width x 450mm Depth) with Perforated Door, 50kg load
RCT-9U-AP49U.GLA.B.PC	R 1,809	RCT cabinet wallmount PC 9U 600W x 450D with glass door, 50kg load
RCT-9U-AP49U.PERF.B.PC	R 1,990	RCT cabinet wallmount 9U 600W x 450D, Perforated door, 50kg load
RM-CAB-20U-IP55-OUT	R 14,309	AccoNet outdoor 20u IP55 ventilated cabinet with floor base, 1000h x 600W x 800d, Unit excludes fans, 2mm - 304 mild steel, Door 1.6mm mild steel
RM-CAB-20U800-OUT	R 21,404	Unbranded Outdoor 20U 19" IP55 Ventilated Cabinet, 600mm x 800mm, Metal door with lock and 4x 220v fans, Height 1071mm
RM-CAB-42U1000	R 10,727	Acconet 42U 19" Assembled Rack, 1000mm Deep, Black, Clear Glass Door with Lock, 4 220V Fans, 2Shelve
RM-CAB-42U800-D	R 10,947	Acconet 42U 19" Disassembled Rack, 800mm Deep, Black, Clear Glass Door with Lock, 4 220V Fans
RM-CAB-42U800-OUT	R 27,347	Unbranded Outdoor 42U 19" IP55 Ventilated Cabinet, 600mm x 800mm, Metal door with lock and 4x 220v fans, Height 2050mm
RM-FS-1000	R 304	Acconet Fixed Shelf For 1000mm Deep 18 / 27 / 42U Racks, 700mm Deep, 1U, Black
RM-SB-2U315	R 223	AccoNet Support Board, 2U, 315mm Deep
SR24UB	R 20,907	Eaton SR24UB SmartRack 24U Mid-Depth Half-Height Rack Enclosure
SVDE770-BBIT	R 64,144	Dell 770-BBIT Netshelter SX 24U Rack - 600mm Wide x 1070mm Deep
SVDE770-BBIW	R 73,779	Dell APC 770-BBIW NetShelter SX Deep Enclosure Rack cabinet black 42U 19-inch
UPAPAR100	R 14,665	APC NetShelter 13U Black Wallmount Rack Cabinet with Glass Door Double Hinged Server Depth

UPAPAR100HD	R 15,372	APC NetShelter 13U Wallmount Rack Cabinet Vented Door Double Hinged Server Depth
UPAPAR106	R 4,086	APC NetShelter 6U Wallmount Rack Enclosure Cabinet, Single Hinged, Switch Depth, Unassembled
UPAPAR106SH4	R 5,014	APC NetShelter 6U Wallmount Rack Enclosure Cabinet Single Hinged Switch Depth
UPAPAR106SH6	R 6,384	APC NetShelter WX 6U Single Hinged Wall-mount Enclosure 600mm Deep
UPAPAR106VI	R 17,558	APC NetShelter 6U Low-Profile Wallmount Rack Enclosure Cabinet 230V Server Depth
UPAPAR109	R 5,345	APC NetShelter 9U Wallmount Rack Cabinet Single Hinged Switch Depth Unassembled
UPAPAR109SH4	R 6,670	APC NetShelter 9U Wallmount Rack Enclosure Cabinet Single Hinged Switch Depth
UPAPAR109SH6	R 8,349	APC NetShelter 9U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth
UPAPAR112	R 7,443	APC NetShelter 12U Wallmount Rack Cabinet Single Hinged Server Depth Unassembled
UPAPAR112SH4	R 8,570	APC NetShelter 12U Wallmount Rack Enclosure Cabinet Single Hinged Switch Depth
UPAPAR112SH6	R 9,100	APC NetShelter 12U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth
UPAPAR3100	R 33,937	APC AR3100 NetShelter SX Black 42U 600mm wide x 1070mm deep Enclosure with sides, steel server cabinet, perforated doors, adjustable rails, 19 inch compatible, enterprise IT rack, 125kg, data center rack, removable panels
UPAPAR3105	R 36,883	APC NetShelter SX Black 45U 600mm Wide x 1070mm Deep Enclosure with Sides
UPAPAR3107	R 41,079	APC AR3107 NetShelter SX Black 48U 600mm Wide x 1070mm Deep Enclosure with Sides, steel server cabinet, perforated doors, adjustable rails, 19 inch compatible, enterprise IT rack, 125kg, data center rack, removable panels
UPAPAR3150	R 42,404	APC AR3150 NetShelter 42U Black 750mm wide x 1070mm deep Server Enclosure with sides; 750mm width; 1070mm depth; 1991mm height; steel construction; perforated doors; removable side panels; 1363kg static load capacity; 19 inch EIA-310 compatible; data center use
UPAPAR3155	R 52,232	APC NetShelter SX Black 45U 750mm Wide x 1070mm Deep Enclosure with Sides
UPAPAR3157	R 50,465	APC AR3157 NetShelter SX Black 48U 750mm Wide x 1070mm Deep x 2258mm height Enclosure with Sides; steel frame; enterprise data center cabinet; 1363kg load capacity; black finish; 19 inch compatible
UPAPAR3300	R 44,944	APC AR3300 NetShelter SX Black 42u 600mmx1200mm Server Enclosure with roof and sides; 19-inch mounting; 600mm width; 1200mm depth; 1991mm height; 134.09kg; black; lockable side panels; perforated doors; adjustable rails; cable management; static load 1363.64kg; dynamic load 1022.73kg; data center deployment
UPAPAR3305	R 47,704	Apc NetShelter SX 45U 600mm Wide x 1200mm Deep Enclosure with Sides Black, 348.48(lbs) 158.40(kilos), 88.19x 29.37x 48.03(in) 224.00x 74.60x 122.00(cent)
UPAPAR3307	R 53,446	APC AR3307 NetShelter SX Black 48U/600mm/1200mm Enclosure with Roof and Sides; steel server cabinet; perforated doors; floor standing; 19 inch EIA mount; data center rack; cable management; high load capacity; enterprise IT enclosure
UPAPAR3340	R 61,839	APC NetShelter SX 42U 750mm Wide x 1200mm Deep Networking Enclosure with Sides
UPAPAR3347	R 72,440	Apc NetShelter SX 48U 750mm Wide x 1200mm Deep Networking Enclosure with Sides
UPAPAR3350	R 57,091	APC AR3350 NetShelter SX Black 42U 750mm Wide x 1200mm Deep x 1991mm height Enclosure with Sides; steel construction; black finish; 19 inch mounting; removable side panels; ventilated doors; enterprise data center rack
UPAPAR3357	R 65,594	APC AR3357 NetShelter SX 48U 750mm wide x 1200mm deep enclosure; steel construction; 19 inch EIA mounting; enterprise data centre cabinet; black finish; high load capacity; freestanding IT rack
UPAPER6202	R 23,243	APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 600W x 1000D mm
UPAPER6222	R 30,037	APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 600W x 1200D mm
UPAPER6282	R 22,196	APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 600W x 800D mm
UPAPER6482	R 21,070	APC Easy Rack, 24U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1198H x 600W x 800D mm
UPAPER6802	R 25,841	APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 600W x 1000D mm

UPAPER6822	R 33,018	APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 600W x 1200D mm
UPAPER8202	R 27,607	APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 800W x 1000D mm
UPAPER8222	R 35,227	APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 800W x 1200D mm
UPAPER8802	R 30,368	APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 800W x 1000D mm
UPAPER8822	R 38,760	APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 800W x 1200D mm
ZA-CAB15U	R 2,499	NetiX 19" 15U 600X600 Fixed Wall Mount Server Cabinet, Retail Box
ZA-CAB15U-600S	R 2,499	Netix 15U Wall Mount Server Cabinet - 15U Wall Mount Design, Durable Steel Construction, 600mm x 600mm, Tempered Glass Front Door With Key, Ventilated Panels For Optimal Airflow And Cooling, Cable Entry Ports, Removable Side Panels, Compatible With Standard 19" Equipment, Retail Box, 3 Months Warranty
ZA-CAB18U-600S	R 2,874	Microworld Zatech 18U 500 100 Server Cabinet, 18U Rack height, 600mm (Width) x 600mm (Depth), Lockable Tempered Glass Door with ventilation
ZA-CAB22U	R 3,219	Microworld Zatech 22U 600 x 600 Server Cabinet, Glass front Door & Swing Frame back (Open), No shelves included, 650mm in dimensional depth, 600mm in width, Both the front and the back are closed with a lock
ZA-CAB42U	R 8,499	Netix 19" 42u 600x800 Server Cabinet
ZA-CAB4U	R 1,199	Netix 19" 4U 600x450 Server Cabinet
ZA-CAB6U-600S	R 1,724	Microworld Zatech 6U swing 500 100 Server Cabinet, 500mm depth Plus, 100mm swing back section, Robust Frame supports heavy equipment, Tempered Glass front Door, Ventilated panels
ZA-CAB6U-600S	R 1,599	Microworld Zatech 6U swing 500 100 Server Cabinet, 500mm depth Plus, 100mm swing back section, Robust Frame supports heavy equipment, Tempered Glass front Door, Ventilated panels
ZA-CAB9U	R 1,599	NetiX 19" 9U 600X450 Fixed Wall Mount Server Cabinet, Retail Box
ZA-CAB9U	R 1,379	Microworld Zatech 9U 600 x 450 Server Cabinet, 15 kg Max loading, Glass front Door & Swing Frame back (Open), No shelves included
ZA-CAB9U-600S	R 1,999	Netix 19" 9U Swing 600 Server Cabinet
ZELI-12U/400/200/1F/NE	R 2,599	Unbranded Zone Lite 12U wallbox 400 deep 200 swing Frame single fan Black
ZELI-15U/400/200/1F/NE	R 3,003	Unbranded Zone Lite 15U wallbox 400 deep 200 swing Frame single fan Black
ZELI-4U/400/100/NE	R 1,473	Unbranded Zone Lite 4U wallbox 400 deep 100 swing Frame single fan Black
ZELI-6U/400/200/1F/NE	R 1,833	Unbranded Zone Lite 6U wallbox 400 deep 200 swing Frame single fan Black
ZELI-9U/400/200/1F/NE	R 2,197	Unbranded Zone Lite 9U wallbox 400 deep 200 swing Frame single fan Black

< Return to the menu

Server cabinet / enclosure accessories

Product code	Price	Description
322001206	R 725	RCT 10-way IEC Plug Power Distribution Unit
322001206	R 759	RCT 10-way IEC Plug Power Distribution Unit, Â© 2018 Laptop Direct
322002003	R 541	RCT 6-way IEC Plug Power Distribution Unit
322002003	R 512	RCT 6-way IEC Plug Power Distribution Unit, Â© 2018 Laptop Direct
327411	R 194	Equip 327411 19" Brush Panel 1U Black, Including Support Bar
402446	R 249	Intellinet 19" Hinged Wall Bracket, 2U - Black, Retail Box, 1 year warranty on case
712552	R 499	Intellinet 19" Fixed Shelf - 1U, 900 mm Depth, Black, Retail Box
714679	R 229	Intellinet 19" Cable Management Panel - 19" Rackmount Cable Manager, 1U, with Cover, Black, Retail Box, No Warranty
84H314610-003	R 746	Chenbro Rail Toolless 599mm with Screws for RM14604 / RM14300 server chassis
AC-CAB-BP-1U	R 43	AccoNet Blanking Plate 1U 19" - Black
AC-CAB-BP-2U	R 66	AccoNet Blanking Plate 2U 19" - Black

AC-CAB-BRUSH-1U	R 86	AccoNet Brush Panel 1U 19" - Black
AC-CAB-CM-1U	R 82	Acconet Cable Management Bracket 1U - Black
AC-CAB-CN	R 112	Acconet Cage Nuts - 50 per pack
AC-CAB-FAN	R 141	AccoNet fan panel 220V 100mm
AC-CAB-FAN-4	R 705	AccoNet fan unit 4 fans 1U Black with Power Switch, C14 Power Connector, Power cable not including
AC-CAB-FS-280	R 160	AccoNet 1U 280mm fixed shelf for 450mm deep Wall Rack cabinets
AC-CAB-FS-500	R 260	AccoNet 1U 500mm fixed shelf for 800mm deep cabinets
AC-CAB-FS-700	R 335	AccoNet 1U 280mm fixed shelf for 1000mm deep cabinets
AC-CAB-PP-1U24P	R 541	AccoNet 48 Port RJ45 Patch Panel 1U - Black
AC-CAB-PP-2U48P	R 1,024	AccoNet 48 Port RJ45 Patch Panel 2U - Black
AC-CAB-SB-1U315	R 222	AccoNet support board 1U 315mm deep
ACAC10005	R 5,864	Apc InRow Bridge Partition, Data Cable 300 MM, 10.00(lbs) 4.56(kilos), 10.16x 18.30x 3.50(in) 25.80x 46.50x 8.90(cent)
ACAC11008	R 9,176	Apc InRow OA End Aisle Containment Kit - 42U, 26.84(lbs) 12.20(kilos), 9.02x 14.33x 14.33(in) 22.90x 36.40x 36.40(cent)
ACAC22001	R 1,965	Apc Mounting Kit, 1U / Duct - Active Flow Controller, 4.66(lbs) 2.12(kilos), 3.20x 22.30x 13.40(in) 8.10x 56.60x 34.00(cent)
ACAC75009	R 104,442	Apc Flooded Receiver 17lb, R410A, 6" Diameter, 18" Length, 51.00(lbs) 23.18(kilos), 26.75x 35.50x 17.75(in) 67.90x 90.20x 45.10(cent)
ACCD75216	R 131,306	Apc Condenser 1 Fan, Single Circuit, 1.2MBH /1C TD, 400/3/50 FSC, 400 3PH, 264.00(lbs) 120.00(kilos), 48.00x 45.00x 54.00(in) 121.90x 114.30x 137.20(cent)
ACCD75217	R 167,151	Apc Condenser, 2 Fan, Single Circuit, 2.3MBH /1C TD, 400/3/50 FSC, 400 3PH, 255.00(lbs) 115.92(kilos), 48.00x 45.00x 85.00(in) 121.90x 114.30x 215.90(cent)
ACCD75218	R 117,241	Apc Condenser, 1 Fan, Single Circuit, 1.2MBH /1C TD, 220/1/50 FSC, 330.00(lbs) 150.00(kilos), 38.19x 31.10x 64.17(in) 97.00x 79.00x 163.00(cent)
ACCD75219	R 186,977	Apc Condenser, 2 Fan, Single Circuit, 2.3MBH /1C TD, 220/1/50 FSC, 396.00(lbs) 180.00(kilos), 106.30x 41.34x 51.18(in) 270.00x 105.00x 130.00(cent)
ACCS1000	R 20,940	APC Rack Air Containment Rear Assembly for InRow 300 mm, 45.80(lbs) 20.82(kilos), 6.00x 20.00x 80.00(in) 15.20x 50.80x 203.20(cent)
ACCS1001	R 38,745	APC Rack Air Containment Rear Assembly for NetShelter SX 42U and InRow 600mm, 65.10(lbs) 29.59(kilos), 6.00x 20.00x 80.00(in) 15.20x 50.80x 203.20(cent)
ACCS1002	R 9,831	APC Rack Air Containment End Caps, 19.80(lbs) 9.00(kilos), 2.00x 8.50x 76.00(in) 5.10x 21.60x 193.00(cent)
ACCS1003	R 24,333	APC Rack Air Containment Front Assembly for InRow 300mm, 49.60(lbs) 22.55(kilos), 6.00x 20.00x 80.00(in) 15.20x 50.80x 203.20(cent)
ACCS1004	R 40,582	APC Rack Air Containment Front Assembly for InRow 600mm, 67.80(lbs) 30.82(kilos), 6.00x 20.00x 80.00(in) 15.20x 50.80x 203.20(cent)
ACCS1005	R 37,811	APC Rack Air Containment Front Assembly for NetShelter SX 42U 600mm Wide, 65.60(lbs) 29.82(kilos), 6.00x 20.00x 80.00(in) 15.20x 50.80x 203.20(cent)
ACCS1007	R 44,619	APC Rack Air Containment Front Assembly for NetShelter SX 42U 750mm Wide, 79.50(lbs) 36.14(kilos), 6.00x 26.00x 80.00(in) 15.20x 66.00x 203.20(cent)
ACDC2000	R 22,067	Apc CEILING PANEL MOUNTING RAIL - 1800MM (70.9IN), 58.52(lbs) 26.60(kilos), 8.98x 15.75x 73.66(in) 22.80x 40.00x 187.10(cent)
ACDC2001	R 10,475	Apc CEILING PANEL MOUNTING RAIL - 600MM (23.6IN), 22.44(lbs) 10.20(kilos), 8.98x 15.75x 26.42(in) 22.80x 40.00x 67.10(cent)
ACDC2002	R 6,830	Apc Ceiling Panel Mounting Rail - 300mm (11.8in), 14.30(lbs) 6.50(kilos), 8.98x 15.75x 19.37(in) 22.80x 40.00x 49.20(cent)
ACDC2003	R 3,989	Apc Ceiling Panel Mounting Rail - 100mm (3.9in), 36.30(lbs) 16.50(kilos), 7.99x 10.43x 17.68(in) 20.30x 26.50x 44.90(cent)
ACDC2004	R 2,310	Apc Ceiling Panel Wall Mount - Single Row - 1800mm (70.9in), 17.82(lbs) 8.10(kilos), 2.52x 9.25x 39.06(in) 6.40x

		23.50x 99.20(cent)
ACDC2005	R 1,528	Apc Mounting Brackets - Ceiling Panel Rail (Cooling / Racks), 3.08(lbs) 1.40(kilos), 4.25x 8.62x 12.36(in) 10.80x 21.90x 31.40(cent)
ACDC2006	R 1,827	Mounting Brackets - Ceiling Panel Rail (Power), 3.30(lbs) 1.50(kilos), 6.46x 10.79x 13.78(in) 16.40x 27.40x 35.00(cent)
ACDC2015	R 11,786	Apc Ceiling Panel Lock System (w/o power supply), 12.96(lbs) 5.89(kilos), 8.15x 16.46x 16.85(in) 20.70x 41.80x 42.80(cent)
ACDC2017	R 27,553	Apc Ceiling Panel Lock System, 200-240V (w/ power supply), 28.00(lbs) 12.73(kilos), 5.59x 21.00x 23.12(in) 14.20x 53.30x 58.70(cent)
ACDC2018	R 27,553	Apc Aisle Containment Lighting kit (w/ power supply), 17.24(lbs) 7.84(kilos), 6.10x 12.40x 16.22(in) 15.50x 31.50x 41.20(cent)
ACDC2019	R 9,222	Apc Aisle Containment Lighting kit (w/o power supply), 3.62(lbs) 1.65(kilos), 2.83x 4.21x 13.70(in) 7.20x 10.70x 34.80(cent)
ACDC2100	R 2,149	Apc Ceiling Panel - 900mm (36in), 2.23(lbs) 1.01(kilos), 0.91x 26.06x 28.11(in) 2.30x 66.20x 71.40(cent)
ACDC2101	R 3,828	Apc Ceiling Panel - 900mm (36in) - V0, 3.55(lbs) 1.61(kilos), 0.91x 26.06x 28.11(in) 2.30x 66.20x 71.40(cent)
ACDC2102	R 2,655	Apc Ceiling Panel - 1200mm (48in), 3.28(lbs) 1.49(kilos), 0.98x 24.61x 40.20(in) 2.50x 62.50x 102.10(cent)
ACDC2103	R 5,082	Apc Ceiling Panel - 1200mm (48in) - V0, 5.22(lbs) 2.37(kilos), 0.98x 24.61x 40.20(in) 2.50x 62.50x 102.10(cent)
ACDC2104	R 3,069	Apc Ceiling Panel - 1500mm (60in), 5.08(lbs) 2.31(kilos), 0.98x 24.61x 52.17(in) 2.50x 62.50x 132.50(cent)
ACDC2105	R 6,232	Apc Ceiling Panel - 1500mm (60in) - V0, 6.59(lbs) 3.00(kilos), 0.98x 24.61x 52.17(in) 2.50x 62.50x 132.50(cent)
ACDC2106	R 3,506	Apc Ceiling Panel - 1800mm (72in), 4.89(lbs) 2.22(kilos), 0.98x 24.69x 64.25(in) 2.50x 62.70x 163.20(cent)
ACDC2107	R 7,451	Apc Ceiling Panel - 1800mm (72in) - V0, 8.01(lbs) 3.64(kilos), 0.98x 24.69x 64.25(in) 2.50x 62.70x 163.20(cent)
ACDC2202	R 13,465	Apc Adjustable Mounting Support, 241 - 419mm (9.5 - 16.5in), 21.65(lbs) 9.84(kilos), 3.31x 19.84x 59.61(in) 8.40x 50.40x 151.40(cent)
ACDC2205	R 2,195	Apc Mounting Brackets - Adjustable Mounting Support (Power), 4.30(lbs) 1.95(kilos), 4.33x 12.40x 15.75(in) 11.00x 31.50x 40.00(cent)
ACDC2303	R 5,473	Apc Duct Panel - 1012mm (40in) W x up to 787mm (31in) H, 9.22(lbs) 4.19(kilos), 1.97x 20.47x 42.91(in) 5.00x 52.00x 109.00(cent)
ACDC2304	R 7,451	Apcc Duct Panel - 1012mm (40in) W x up to 787mm (31in) H - V0, 10.81(lbs) 4.91(kilos), 1.97x 20.47x 42.91(in) 5.00x 52.00x 109.00(cent)
ACDC2400	R 87,272	Apc AISLE CONTAINMENT DOOR - SLIDING, 281.38(lbs) 127.90(kilos), 13.90x 43.46x 86.69(in) 35.30x 110.40x 220.20(cent)
ACDC2550	R 5,703	Apc DEPTH ADAPTER, 1070 TO 1200MM, SX42U, 300MM WIDTH, 33.77(lbs) 15.35(kilos), 3.70x 12.89x 80.10(in) 9.40x 32.70x 203.50(cent)
ACDC2551	R 8,233	Apc Depth Adapter, 1070 to 1200mm, SX42U to SX48U, 600-750mm Width, 47.44(lbs) 21.56(kilos), 3.70x 12.89x 80.10(in) 9.40x 32.70x 203.50(cent)
ACRD101	R 254,183	Apc InRow RD, 300mm, Air Cooled, 220-240V, 50Hz, 200, 208, 230, 488.00(lbs) 221.82(kilos), 83.39x 29.38x 44.75(in) 211.80x 74.60x 113.70(cent)
ACRD200	R 285,314	Apc InRow RD, 300mm, Fluid Cooled, 208-230V, 60Hz, 208, 230, 522.00(lbs) 237.27(kilos), 83.39x 29.38x 44.75(in) 211.80x 74.60x 113.70(cent)
ACRD201	R 285,084	Apc InRow RD, 300mm, Fluid Cooled, 220-240V, 50Hz, 230, 532.00(lbs) 241.82(kilos), 83.39x 29.38x 44.75(in) 211.80x 74.60x 113.70(cent)
AP5808	R 42,716	Apc 17" Rack LCD Console with Integrated 8 Port Analog KVM Switch
AP5816	R 50,009	Apc 17" Rack LCD Console with Integrated 16 Port Analog KVM Switch
AP8453	R 33,084	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 32A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 23.10(lbs) 10.48(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
AP8459EU3	R 26,748	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 16A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 19.90(lbs) 9.03(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
AP8459WW	R 26,173	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 16A, 100-240V, (21) C13 & (3) C19, 200, 208, 230, 200, 208, 230, 18.40(lbs) 8.35(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)

AP8481	R 40,927	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 11.0kW, 230V, (21) C13 & (3) C19, 400 3PH, 230, 23.10(lbs) 10.48(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
AP8653	R 41,042	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 32A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 23.10(lbs) 10.50(kilos), 80.25x 6.38x 4.63(in) 203.80x 16.20x 11.80(cent)
AP8659	R 33,671	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 16A, 100-240V, (21) C13 & (3) C19, 200, 208, 230, 100, 200, 208, 230, 18.40(lbs) 8.36(kilos), 80.25x 6.38x 4.62(in) 203.80x 16.20x 11.70(cent)
AP8659EU3	R 34,936	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 16A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 19.90(lbs) 9.05(kilos), 80.25x 6.38x 4.62(in) 203.80x 16.20x 11.70(cent)
AP8886	R 41,750	Apc Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 400 3PH, 230, 25.40(lbs) 11.55(kilos), 80.70x 6.70x 4.40(in) 205.00x 17.00x 11.20(cent)
AP8887	R 32,416	Apc Rack PDU 2G, Metered, ZeroU, 17.3kW, 240V, (30) C13 & (12) C19, 400 3PH, 240, 29.92(lbs) 13.60(kilos), 84.60x 8.70x 4.40(in) 214.90x 22.10x 11.20(cent)
AP9325	R 7,023	Apc Leak Sensor - 6.1 m (20 ft) w/ interface cable, 1.15(lbs) 0.52(kilos), 2.80x 9.20x 6.40(in) 7.10x 23.40x 16.30(cent)
AP9326	R 5,772	Apc Leak Sensor - 6.1 m (20 ft), 0.85(lbs) 0.39(kilos), 2.00x 9.20x 6.40(in) 5.10x 23.40x 16.30(cent)
AR4703	R 14,132	Apc NetShelter CX Fan Booster Kit, 6.38(lbs) 2.90(kilos), 9.84x 22.05x 11.02(in) 25.00x 56.00x 28.00(cent)
AR7000A	R 7,267	Apc NetShelter SX 42U 600mm Wide Perforated Curved Door Black, 34.32(lbs) 15.60(kilos), 4.76x 26.76x 78.50(in) 12.10x 68.00x 199.40(cent)
AR7003	R 7,612	Apc NetShelter SX Colocation 20U 600mm Wide Perforated Curved Door Black, 19.40(lbs) 8.82(kilos), 5.39x 43.07x 27.87(in) 13.70x 109.40x 70.80(cent)
AR702480	R 8,670	Apc NetShelter SV 42U 800mm Wide Perforated Flat Door Black, 57.64(lbs) 26.20(kilos), 78.31x 35.98x 4.69(in) 198.90x 91.40x 11.90(cent)
AR7050A	R 8,555	Apc NetShelter SX 42U 750mm Wide Perforated Curved Door Black, 39.60(lbs) 18.00(kilos), 4.50x 33.00x 78.50(in) 11.40x 83.80x 199.40(cent)
AR7057A	R 9,360	Apc NetShelter SX 48U 750mm Wide Perforated Curved Door Black, 44.00(lbs) 20.00(kilos), 4.50x 33.00x 89.00(in) 11.40x 83.80x 226.10(cent)
AR7100	R 7,060	Apc NetShelter SX 42U 600mm Wide Perforated Split Doors Black, 35.20(lbs) 16.00(kilos), 8.00x 15.00x 78.50(in) 20.30x 38.10x 199.40(cent)
AR7212	R 6,301	Apc NetShelter SX 750mm Wide x 1200mm Deep Roof, 19.80(lbs) 9.00(kilos), 4.00x 32.68x 44.37(in) 10.20x 83.00x 112.70(cent)
AR7304	R 13,603	Apc NetShelter SX 48U 1200mm Deep Split Side Panels Qty. (2), 62.50(lbs) 28.41(kilos), 42.99x 47.01x 7.24(in) 109.20x 119.40x 18.40(cent)
AR7305A	R 9,544	Apc NetShelter SX 42U 1070 Split Feed Through Side Panels Black Qty 2, 46.20(lbs) 21.00(kilos), 35.98x 41.26x 6.77(in) 91.40x 104.80x 17.20(cent)
AR7313	R 13,695	Apc NetShelter SX 42U 1200 Split Feed Through Side Panels Black Qty 2, 55.00(lbs) 25.00(kilos), 35.98x 46.38x 6.77(in) 91.40x 117.80x 17.20(cent)
AR7314	R 14,385	Apc NetShelter SX 48U 1200 Split Feed Through Side Panels Black Qty 2, 63.80(lbs) 29.00(kilos), 41.26x 46.38x 6.77(in) 104.80x 117.80x 17.20(cent)
AR7371	R 7,267	Apc NetShelter SX 48U 1070mm Deep Split Side Panels Black Qty 2, 51.92(lbs) 23.60(kilos), 41.50x 7.00x 42.13(in) 105.40x 17.80x 107.00(cent)
AR7375	R 13,281	Apc NetShelter SX 48U 1070 Split Feed Through Side Panels Black Qty 2, 55.00(lbs) 25.00(kilos), 41.26x 41.26x 6.77(in) 104.80x 104.80x 17.20(cent)
AR7714	R 1,988	Apc NetShelter SX Roof Brush Strip Includes five pieces. Replacement brush strips that install in NetShelter roof and side panels to help ensure proper airflow.
AR7716	R 7,911	Apc NetShelter SX 750mm Wide x 1200mm Deep Networking Roof, 28.00(lbs) 12.73(kilos), 4.00x 32.68x 44.37(in) 10.20x 83.00x 112.70(cent)
AR7722	R 5,197	Apc Vertical Cable Manager for NetShelter SX 600mm Wide 45U (Qty 2)
AR7725	R 10,406	Apc Side Airflow Duct Kit For Nexus 7009, 750mm Wide Enclosures, 41.14(lbs) 18.70(kilos), 12.20x 27.17x 25.00(in) 31.00x 69.00x 63.50(cent)

AR8359	R 3,161	Apc NetShelter WX Caster Kit, 11.00(lbs) 5.00(kilos), 3.50x 22.76x 21.50(in) 8.90x 57.80x 54.60(cent)
AR8451	R 734	APC Data Distribution 1U Panel, Holds 4 each Data Distribution Cables for a Total of 24 Ports, 1.40(lbs) 0.64(kilos), 21.00x 4.30x 3.30(in) 53.30x 10.90x 8.40(cent)
AR8621	R 1,053	Apc Toolless Hook and Loop Cable Managers (Qty 10), 0.35(lbs) 0.16(kilos), 3.22x 7.07x 4.66(in) 8.18x 17.95x 11.84(cent)
AR8654	R 2,586	Apc Cable Fall for NetShelter Racks and Enclosures (Qty 2), 0.80(lbs) 0.36(kilos), 3.50x 4.40x 7.30(in) 8.90x 11.20x 18.50(cent)
AR8678	R 8,302	Apc CDX Side Cover, for Single Sided 84" Manager, 14.00(lbs) 6.36(kilos), 1.87x 16.25x 48.50(in) 4.70x 41.30x 123.20(cent)
AXX4DRV3GEXP	R 2,789	Intel 4-drive SAS/SATA backplane with expander (requires 2 SAS ports) for SC5400BRP and SC5400LX
BP050NR	R 118	Unbranded 1U Brush Panel 50mm base
BP050NR	R 92	Unbranded 1U Brush Panel 50mm base
BP050NR	R 127	Unbranded 1U Brush Panel 50mm base, BP050NR
BRUSH	R 109	Linkbasic 19-inch Rack Mount Brush Panel
CAB-27UPD	R 1,029	Linkbasic 27U Perforated Door for 800mm or 1m deep cabinet, Compatible with --> CAB-27U / CAB-27U1M
CAB-B1	R 81	Linkbasic 19-inch Rack Mount 1U Blank Panel
CAB-B1MR	R 58	Linkbasic 10-inch 1U blank panel for Mini Rack
CAB-B1PMR	R 58	Linkbasic 10-inch 1U Perforated blank panel for Mini Rack
CAB-B2	R 109	Linkbasic 19-inch Rack Mount 2U Blank Panel
CAB-B4	R 155	Linkbasic 19-inch Rack Mount 4U Blank Panel
CAB-BP-1U	R 102	UltraLAN 1U cabling Brush Panel
CAB-BP-1U-W	R 102	UltraLAN 1U 19inch cabling Brush Panel, CAB-BP-1U
CAB-BP-S	R 213	Switchcom 19-inch Rack Mount Brush Panel
CAB-C-CM1UA	R 86	UltraLAN 1U cabinet Cable Manager (Type-A)
CAB-C-FAN	R 144	UltraLAN 120mm cabinet cooling fan - 220V AC
CAB-C-KTRAY	R 489	UltraLAN Rackmount sliding Keyboard tray, Designed to be Rack mounted in cabinets with a body depth of 600mm, Installs in 1U of Rack space
CAB-C-LOCK	R 45	UltraLAN CAB-C-LOCK Network cabinet side panel lock, Compatible with compatible Network cabinets and Wall-Mounted racks, Cylinder-style Design includes Keys and rear locking Cam, Fits into existing side panel lock cut-outs
CAB-C-PPC524	R 339	UltraLAN 24 port CAT5e Patch Panel
CAB-C-PPC608	R 155	UltraLAN 8 Port CAT6 Patch Panel for Mini cabinet, 8 Port High-Density Networking solution for Mini cabinets, Supports Gigabit Ethernet Throughput up to 1gbps/10gbps short distance, Compatible with 23 AWG cabling and backward compatible with Cat5E, Populated with CAT6 keystone jacks in unshielded RJ45 (8P8C) Format, Compact 1U dimensions measuring 25 x 10 x 6 cm for space-constrained installations
CAB-C-PPC624	R 483	UltraLAN 24 Port CAT6 Patch Panel
CAB-C-PPC624-W	R 483	UltraLAN 24 Port CAT6 Patch Panel - White, CAB-C-PPC624, includes 4x cage nuts and bolts
CAB-CBP1U	R 75	UltraLAN 19 inch 1U cabinet blanking plate
CAB-CBP1U-W	R 75	UltraLAN 1U 19inch cabinet Blanking Plate, CAB-CBP1U
CAB-CBP2U	R 98	UltraLAN 19 inch 2U cabinet blanking plate
CAB-CBP4U	R 144	UltraLAN 19 inch 4U cabinet blanking plate
CAB-CPDU-03SAIEC14	R 229	UltraLAN 3-way SA Socket Mini PDU with IEC Power cord, Compact 10-inch 1U Rackmount Power Distribution Unit, Constructed with Heavy-Duty extruded Aluminum housing, Features three Standard 3 pin South African Type m outlets, Each Socket rated for 16A capacity, Includes factory-fitted 2-meter IEC Power cord Input, Equipped with illuminated Master rocker On/Off Switch, Switch protected by Clear snap-cover to prevent accidental disruption, Fixed 1U mounting ears for Secure front or rear Rack installation
CAB-CS-CL-3501U	R 259	UltraLAN 1U cantilever cabinet shelf - 350mm depth
CAB-CS-CL-3501U-W	R 259	UltraLAN 1U cantilever cabinet shelf 350mm depth - White, CAB-CS-CL-3501U, Weight capacity of up to 10kg
CAB-CS-CL-4001U	R 298	UltraLAN 1U cantilever cabinet shelf - 400mm depth

CAB-CS-F0600	R 217	UltraLAN 19" 300mm flat cabinet shelf for 600mm depth cabinets
CAB-CS-F0800	R 259	UltraLAN 19" 500mm flat cabinet shelf for 800mm depth cabinets
CAB-CS-F1000	R 309	UltraLAN 19" 700mm flat cabinet shelf for 1000mm depth cabinets
CAB-CS-S0800	R 539	UltraLAN 19" sliding shelf for 800mm depth cabinets
CAB-CS-S1000	R 551	UltraLAN 19" sliding shelf for 1000mm depth cabinets
CAB-MAN	R 86	Linkbasic Front Cable Management Panel
CAB-MAN2	R 40	Linkbasic Rear Cable Management Panel
CAB-MR27	R 247	Linkbasic Network Cabinet 27U Mounting Rail
CAB-MR42	R 288	Linkbasic Network Cabinet 42U Mounting Rail
CAB-PP-C5-24	R 385	Unbranded CAT5 Patch Panel - 24 way
CAB-PP-C6-24	R 546	Unbranded CAT6 24 Port Patch Panel
CAB-PPC624-EZ	R 431	UltraLAN 24 Port inline CAT6 Patch Panel, Detachable load Bar
CAB-SLOCK	R 29	Linkbasic side door lock for Linkbasic cabinets, 20 x 50 x 32 mm dimensions
CAB-T100MR	R 109	Linkbasic 100mm 10-inch front Mount Tray for Mini Rack
CAB-T200MR	R 109	Linkbasic 200mm 10-inch Rear Supported Tray for Mini Rack
CAB-T275	R 201	Linkbasic CAB-T275 275mm 19-inch rear supported tray, Compatible with All Linkbasic wall-mount cabinets
CAB-T300	R 316	Linkbasic 300mm 19-inch Front Mount Tray, Material - SPCC cold rolled steel, 1.2 mm thickness, E91- Loading capability - 50KG
CAB-T350	R 224	Linkbasic 350mm 19-inch Rear Supported Tray
CAB-T350S	R 569	Linkbasic 350mm 1U 19-inch rear supported sliding tray, Cold rolled Steel, 20kg weight capacity
CAB-T550	R 316	Linkbasic 550mm 19-inch Rear Supported Tray
CAB-T700	R 403	Linkbasic 700mm 19-inch Rear Supported Tray
CAT624PATCH	R 562	Brand-Rex Cat6 24 Port Patch Panel 1U - Tool Free
CATPATCH5E24	R 422	RCT 24 Port Patch Panel. 24 port Cat5e UTP; Gigabit Ethernet support; 1U rack mount; punch down IDC termination; 100 MHz; RJ45 ports
CATPATCH624	R 596	RCT 24-port CAT6 Patch Panel
CL-GPOE-RMSA-24	R 13,542	Clearline 24 Port Gigabit Rackmount PoE Surge arrestor CAT6 Patch Panel
EX-TRAY-750	R 328	Extralink cabinet Tray 1U 750mm fixed shelf 19" , For 1000mm depth cabinets
EX-TRAY-800	R 362	Extralink fixed shelf 800mm 19"
FANTRY02.IP55-W	R 1,075	2 way fan for ip55 wall mount units
FIB-PP24PSL	R 604	UltraLAN 24 Port sliding Fiber Patch Panel
FMT250	R 182	FMT250 RCT 250 mm Frontâ€'Mount Tray - a 2â€'U, 19â€'in black steel rack tray, offering 250 mm depth and easy front installation for organizing networking or server.
FMT250	R 178	FMT250 RCT 250 mm Frontâ€'Mount Tray - a 2â€'U, 19â€'in black steel rack tray, offering 250 mm depth and easy front installation for organizing networking or server.
FMT330	R 246	RCT FMT330 - 330 mm Deep 2U Frontâ€'Mount Rack Tray, A robust 2U frontâ€'mounted tray, extending 330 mm into a server or network cabinet - ideal for securely holding tools, patch leads, small devices, or accessories right at the front of your rack.
FMT330	R 253	RCT FMT330 - 330 mm Deep 2U Frontâ€'Mount Rack Tray, A robust 2U frontâ€'mounted tray, extending 330 mm into a server or network cabinet - ideal for securely holding tools, patch leads, small devices, or accessories right at the front of your rack.
HD6-24	R 1,454	Siemon CAT6 UTP 24 Port Patch Panel, 1U (Populated), 24-port angled panel
IPC1001	R 489	Netix AT Cabinet Tray 330mm White
IPC1002	R 199	NetiX Universal Rack Mounting Adjustable Sliding Rail Single - Will Fit 2U,4U 3U and 5U Rack Mounts, Stop-Latch, Lock Chassis In Extended Position For Easy Access. Includes 1 X 26 Inch Ball Bearing Sliding Rails, 2 X L-Brackets, Nuts And Screws For Mounting For Rail And Bracket. Colour Black, Brown Box, 6 Months Limited Warranty
LB-PP126MR	R 403	Linkbasic 12 Port CAT6 10-inch Patch Panel for Mini Rack, Not populated Design, 1U size, 251 x 31x 22 mm size
LB-PP24	R 339	Linkbasic 24 Port Cat5e Rack Mount Patch Panel

LB-PP246	R 489	Linkbasic 24 Port Cat6 Rack Mount Patch Panel
LB-PP24S	R 546	Linkbasic 24 Port Shielded Rack Mount Patch Panel
LB-PP486	R 599	Netix UTP CAT6 Rackmount Patch Panel - 48 RJ45 Ports, 110 Punch Down Connector, CAT 6 Category, 2U Form Factor, UL Listed, TAA Compliant, RoHS Compliant, Color Black, Retail Box, 3 Months Warranty.
MT350	R 213	RCT flat tray 350mm for 600mm deep cabinet
MT550	R 427	RCT flat tray 550mm for 800mm deep cabinet
MT750	R 702	RCT flat tray 750mm for 1000mm deep cabinet
NBWC100U	R 2,107	Apc NetBotz Wireless USB Coordinator & Router, 0.55(lbs) 0.25(kilos), 2.00x 9.25x 6.50(in) 5.10x 23.50x 16.50(cent)
NBWS100H	R 3,230	Apc NetBotz Wireless Temperature & Humidity Sensor, 0.55(lbs) 0.25(kilos), 2.00x 9.25x 6.50(in) 5.10x 23.50x 16.50(cent)
NBWS100T	R 2,264	Apc NetBotz Wireless Temperature Sensor, 0.55(lbs) 0.25(kilos), 2.00x 9.25x 6.50(in) 5.10x 23.50x 16.50(cent)
NET-BRUSH-LQ	R 92	LinkQnet 1U Brush Panel with base plate
NET-CAB-MAN-1U-LQ	R 139	Unbranded Single recessed Cable Management 1U
NET-P-PATCH6-48-LQ	R 1,082	LinkQnet 48 Port populated Patch Panel CAT6
NET-PATCH-SH-CAT6A-L	R 1,202	Unbranded CAT6A 24 Port shileded Patch Panel
NET-PATCH-UNPOP-24P	R 360	Unbranded 24 port unpopulated Patch Panel, LPB724
NET-PATCH5-24P-LQ	R 316	LinkQnet CAT5 24 Port unshielded Patch Panel
NET-PATCH6-24P-LQ	R 459	LinkQnet CAT6 24 Port unshielded Patch Panel
NET-PG-80-BL	R 391	Unbranded Black Power Grommet, 1x16A 1x2 USB, 1.5m Supply. The NET-PG-80-BL is a compact power grommet that brings both SA-standard power and USB charging to your desk. It installs easily with its 1.5 m cable and blends into modern workspaces while reducing clutter. Ideal for efficient device charging in home offices and boardrooms.
NET-SUPPORT-BAR-LQ	R 122	LinkQnet 1u 19-inch Cable Support Bar For Rack Cable Management. To manage and organise network cables within a server rack cabinet.
NOTE-TOLLEY-36-E	R 18,636	36 Way Vertical Notebook Trolley Re-frnt Doors/ PDU / Fans Castor
P010-Z	R 667	RCT P010-Z 10â€‘Way 16 A Rack-Mount Power Rail (ZA Plug), A slim, 1U rack-mounted power distribution unit (PDU) featuring ten South African 3-pin outlets and a built-in 16 A thermal overload switch" ideal for secure and organized power distribution in server racks or network cabinets.
P010-Z	R 696	RCT P010-Z 10â€‘Way 16 A Rack-Mount Power Rail (ZA Plug), A slim, 1U rack-mounted power distribution unit (PDU) featuring ten South African 3-pin outlets and a built-in 16 A thermal overload switch" ideal for secure and organized power distribution in server racks or network cabinets.
PAN100.1U	R 35	RCT 1U blank panel
PAN100.1U	R 37	RCT 1U blank panel, Â© 2021 Laptop Direct
PAN100.2U	R 61	RCT 2U blank panel
PAN100.2U	R 69	RCT 2U blank panel
PAN100.3U	R 86	RCT 3U blank panel
PAN100.3U	R 92	RCT 3U blank panel, Â© 2021 Laptop Direct
PAN100.4U	R 106	RCT 4U blank panel
PAN100.4U	R 109	RCT 4U blank panel, Â© 2021 Laptop Direct
PCB-RM-4U-80M	R 788	PCBuilder 800mm Rail kit for PCBuilder 4U Rackmount Chassis, 800mm Rail length, Silver Colour
PDUH32HV	R 5,801	Eaton Tripp Lite series 7.7kW Single-Phase 200-240V Basic PDU, 10 C13 Outlets, IEC 309 32A Blue Input, 3.6 m Cord, 1U Rack-Mount, Order on Request
PG96330G	R 21,975	Aten 32A 30-outlet 3-phase switched Eco PDU, 400/230V 3ph nominal Input Voltage, 6x IEC 320 C19, 24x IEC 320 C13, 6x UL489(1p) - 16A breakers
PLI150.800	R 926	Plinths for CPS cabinet H x 150mm for 600x800
PLI150.800	R 858	RCT Plinths for CPS cabinet H x 150mm for 600x800
POE-12G	R 1,144	Unbranded 12-port passive gigabit rack-mount POE injector, The input voltage is capable of 18-57V
POE-RACK	R 201	Unbranded 19 Inch Rackmount 6x PoE Panel, Cold steel sheet with electrostatic power coating

PWR-MP-6P-C13C14-MET	R 338	LinkQnet 6 Port Multiplug Metal Rack Mount, 2m cable length, Lighted Master Switch, Aluminium Alloy Shell material [Server rack mountable]
RAC-ACCFAN002	R 249	UniQue Cabinet Fan Plug Finger For 9U - Includes Steel Finger Guard, Accessories For 9U (K000197) Cabinet
RCK-12U-COLLAR-100MM	R 604	LinkQnet 12U Collar 100mm depth, Increases Wall Box depth, Improved Cable Management, Swing Frame compatible
RCK-12U-COLLAR-200MM	R 793	LinkQnet 12U Collar 200mm depth, Increases Wall Box depth, Improved Cable Management, Swing Frame compatible
RCK-15U-COLLAR-100MM	R 674	LinkQnet 15U Collar 100mm depth, Increases Wall Box depth, Improved Cable Management, Swing Frame compatible
RCK-24-CAT5	R 229	Unbranded Patch Cat5 24 Port Populated
RCK-24-CAT6	R 316	Unbranded Patch Cat6 24 Port Populated
RCK-24-CAT6-FTP	R 401	Microworld CAT6 24 Port populated FTP patch panel
RCK-24-CAT7-FTP	R 689	Microworld CAT7 24 Port populated Patch Panel FTP, CAT7 SFTP keystone, 1515u Gold pin, Shielded FTP (Foiled twisted pair) for reduced interference
RCK-300X1000-PLINTH	R 1,037	Linkqnet Plinths For Extension Cabinets 42u 300x1000mm
RCK-300X800-PLINTH	R 1,037	Linkqnet Plinths For Extension Cabinets 42u 300x800mm
RCK-42U-300X800-SR	R 3,612	Linkqnet 42u 300x800mm Extension Closet For 42u Rack
RCK-600X800-PLINTH	R 880	Linkqnet Plinths For Extension Cabinets 42u 600x800mm
RCK-6U-COLLAR-100MM	R 454	LinkQnet 6U Collar 100mm depth, Increases Wall Box depth, Improved Cable Management, Swing Frame compatible
RCK-6U-COLLAR-200MM	R 617	LinkQnet 6U Collar 200mm depth, Increases Wall Box depth, Improved Cable Management, Swing Frame compatible
RCK-9U-COLLAR-100MM	R 514	LinkQnet 9U Collar 100mm depth, Increases Wall Box depth, Improved Cable Management, Swing Frame compatible
RCK-9U-COLLAR-200MM	R 725	Unbranded 9U Collar 200mm depth, Upgrade your 9U cabinet to a Swing Frame, 200mm deep
RCK-CABLE-TRAY-27U	R 614	Unbranded 27U cable tray - Width 150mm
RCK-CABLE-TRAY-37U	R 720	Unbranded 37U cable tray - width 150mm
RCK-CABLETRAY-27-300	R 695	LinkQnet 27U cable Tray with 300mm Width
RCK-CABLETRAY-42-300	R 951	Unbranded 42U cable tray - width 300mm
RCK-SH-J015-600	R 301	Linkqnet Sliding Shelf For 600mm Cabinet. Width: 425mm / 465mm; Depth: 300m
RCK-SH-J017	R 232	Unbranded 1U cantilever shelf - dimmensions 450mm (W) x 300mm (D), SH-J017 / JE06
RCK-SH-J018-1000	R 301	Latitude fixed shelf for 1000mm depth cabinet 695mm x 465mm, JE03
RCK-SH-J018-450	R 212	Latitude Fixed shelf for 450mm depth cabinet 280mm, JE03
RCK-SH-J018-600	R 265	Latitude Fixed shelf for 600mm depth cabinet 48mm - 30mm, JE03
RCK-SH-J018-800	R 374	Latitude Fixed shelf for 800mm depth cabinet 490 mm (W) x 500mm (D), JE03
RCK-SH-J019-1U	R 55	Unbranded 1U blanking panel, JH02
RCK-SH-J019-1U-PLA	R 59	LinkQnet 1U Plastic Blanking Plate
RCK-SH-J019-2U	R 72	Unbranded 2U blanking panel, JH02
RCK-SH-J019-2U-PLA	R 76	LinkQnet 2U Plastic Blanking Panel
RCK-SH-J020-FAN	R 150	Unbranded cooling fan 119 x 119 x 38mm 220 Volts, JG05 (Chassis fan, server fan, 230V/220V)
RCK-SH-J020-FAN	R 146	Unbranded cooling fan 119 x 119 x 38mm 220 Volts, JG05
RCK-SH-J021	R 189	Unbranded heavy duty castors (Each), JF01 / JF03
RCK-SH-J025-500	R 344	Linkqnet L-profile Sliding Shelf For 800mm Deep Cabinet
RM-BP-1U	R 253	Acconet Brush Panel 1U 19" - Black
RM-PP-1U24P	R 1,587	Acconet 24 Port RJ45 Patch Panel - 1U, Black
SA1302.0001	R 631	RCT 2U Front Mount Drawer - 350mm long
SA1302.0001	R 771	RCT 2U Front Mount Drawer - 350mm long
SA1304.0001	R 822	RCT 4U Front Mount Drawer - 350mm long
SA1304.0001	R 1,006	RCT 4U Front Mount Drawer - 350mm long, Â© 2018 Laptop Direct

SRDRAWER4U	R 2,248	Eaton Tripp Lite series SmartRack 4U Locking Rack-Mount Storage Drawer, Order on Request
SS750.001	R 794	RCT SS750.001 750 mm Sliding Shelf for 1 m Deep Cabinet, Heavy-duty 750 mm sliding shelf designed to fit perfectly in standard 1 m deep cabinets. Crafted by RCT, this vented steel shelf allows smooth extension for easy access to equipment and supplies.
SS750.001	R 1,058	RCT SS750.001 750 mm Sliding Shelf for 1 m Deep Cabinet, Heavy-duty 750 mm sliding shelf designed to fit perfectly in standard 1 m deep cabinets. Crafted by RCT, this vented steel shelf allows smooth extension for easy access to equipment and supplies.
ST-CAGE	R 3	Linkbasic Cabinet Cage Nut 1x, M6 square nut, M6 x 12mm general type cage, Orchid Zinc Surface finish
SVDE450-ADZZ	R 22,154	Dell 450-ADZZ DAV2216-G01 16-port analog - upgradeable to digital KVM switch, 2 local users, 1 power supply
SVDE470-ABDL	R 2,519	Dell 470-ABDL DMPUIQ-VMCHS-G01 for Dell SIM for VGA / USB keyboard / mouse supports virtual media / CAC & USB2.0 (only used with 450-ADZQ), Dell USB2.0 and VGA for analog and digital switches
SVDE481-BBBD	R 2,042	DELL 481-BBBD DRMK-77 for Dell only oneU KVM mounting bracket for Dell 185FPM and DKMMLED185 LED KMM Console
Synology RKM114	R 741	Synology RKM114 Rail Kit for: RS1219 , RS819, RX418, RS816, RS815, RX415, RS812RP , RS812, RS820RP , RS1619xs , RS818RP
TW12UCOLLAR100	R 627	Unbranded 12U Collar 100mm
TW12UCOLLAR100	R 628	Unbranded 12U Collar 100mm, Â© 2019 Laptop Direct
TW12UCOLLAR200	R 788	RCT 12U Network Cabinet Swing-Frame Conversion Collar - 200mm
TW12UCOLLAR200	R 822	RCT 12U Network Cabinet Swing-Frame Conversion Collar - 200mm, Â© 2018 Laptop Direct
TW15UCOLLAR100	R 690	Unbranded 15U Collar 100mm
TW15UCOLLAR100	R 621	Unbranded 15U Collar 100mm, Â© 2019 Laptop Direct
TW15UCOLLAR200	R 1,080	RCT 15U Network Cabinet Swing-Frame Conversion Collar - 200mm
TW15UCOLLAR200	R 1,075	RCT 15U Network Cabinet Swing-Frame Conversion Collar - 200mm, Â© 2018 Laptop Direct
TW20UCOLLAR200	R 1,179	RCT 20U Network Cabinet Swing-Frame Conversion Collar - 200mm
TW20UCOLLAR200	R 1,305	RCT 20U Network Cabinet Swing-Frame Conversion Collar - 200mm, Â© 2018 Laptop Direct
TW6UCOLLAR100	R 483	Unbranded 6U Collar 100mm
TW6UCOLLAR100	R 521	Unbranded 6U Collar 100mm, Â© 2019 Laptop Direct
TW9UCOLLAR200	R 788	RCT 9U Network Cabinet Swing-Frame Conversion Collar - 200mm
TW9UCOLLAR200	R 730	RCT 9U Network Cabinet Swing-Frame Conversion Collar - 200mm, Â© 2018 Laptop Direct
UACC-RACK-PANEL-VENTED-1U	R 661	Ubiquiti Rack Mount vented panel insert - 1U, UACC-Rack-Panel-Vented-1U, Standalone insert that can be easily installed into an existing Network equipment Rack
UACC-RACK-PM-KIT	R 1,206	Ubiquiti Precision Rack Mount kit - 20 pack, UACC-RACK-PM-KIT, 1U snap-in inserts with two vertically aligned cage nuts designed to ensure uniform Rack installations, Thermoplastic material, Up to 2.2 mm Rack Rail thickness
UPAPAP8453	R 31,693	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 32A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 23.10(lbs) 10.48(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
UPAPAP8459EU3	R 25,620	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 16A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 19.90(lbs) 9.03(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
UPAPAP8459WW	R 25,068	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 16A, 100-240V, (21) C13 & (3) C19, 200, 208, 230, 200, 208, 230, 18.40(lbs) 8.35(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
UPAPAP8481	R 39,202	Apc Rack PDU 2G, Metered-by-Outlet, ZeroU, 11.0kW, 230V, (21) C13 & (3) C19, 400 3PH, 230, 23.10(lbs) 10.48(kilos), 80.20x 6.40x 4.60(in) 203.70x 16.30x 11.70(cent)
UPAPAP8641	R 40,196	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 30A, 200/208V, (21) C13 & (3) C19, 200, 208, 230, 200, 208, 23.10(lbs) 10.50(kilos), 80.25x 6.38x 4.63(in) 203.80x 16.20x 11.80(cent)
UPAPAP8653	R 39,313	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 32A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 23.10(lbs) 10.50(kilos), 80.25x 6.38x 4.63(in) 203.80x 16.20x 11.80(cent)
UPAPAP8659	R 32,245	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 16A, 100-240V, (21) C13 & (3) C19, 200, 208, 230, 100, 200, 208, 230, 18.40(lbs) 8.36(kilos), 80.25x 6.38x 4.62(in) 203.80x 16.20x 11.70(cent)
UPAPAP8659EU3	R 33,459	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 16A, 230V, (21) C13 & (3) C19, 200, 208, 230, 230, 19.90(lbs) 9.05(kilos), 80.25x 6.38x 4.62(in) 203.80x 16.20x 11.70(cent)

UPAPAP8681	R 49,030	Apc Rack PDU 2G, Metered by Outlet with Switching, ZeroU, 5.7kW, 208V, (21) C13 & (3) C19, 208 3PH, 208, 20.70(lbs) 9.41(kilos), 80.25x 6.38x 4.63(in) 203.80x 16.20x 11.80(cent)
UPAPAP8702R-WW	R 1,458	Apc Power Cord Kit (6 ea), Locking, C13 TO C14 (90 Degree), 0.6m, 1.53(lbs) 0.70(kilos), 9.45x 2.76x 1.57(in) 24.00x 7.00x 4.00(cent)
UPAPAP8881	R 25,730	Apc Rack PDU 2G, Metered, ZeroU, 11kW, 230V, (36) C13 & (6) C19, 400 3PH, 230, 17.64(lbs) 8.02(kilos), 78.75x 6.38x 4.20(in) 200.00x 16.20x 10.70(cent)
UPAPAP8886	R 42,956	Apc Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 400 3PH, 230, 25.40(lbs) 11.55(kilos), 80.70x 6.70x 4.40(in) 205.00x 17.00x 11.20(cent)
UPAPAP8887	R 33,349	Apc Rack PDU 2G, Metered, ZeroU, 17.3kW, 240V, (30) C13 & (12) C19, 400 3PH, 240, 29.92(lbs) 13.60(kilos), 84.60x 8.70x 4.40(in) 214.90x 22.10x 11.20(cent)
UPAPAP8888	R 44,613	Apc Rack PDU 2G, Metered, ZeroU, 23.0kW, 240V, (30) C13 & (12) C19, 400 3PH, 240, 30.90(lbs) 14.05(kilos), 84.60x 8.70x 4.40(in) 214.90x 22.10x 11.20(cent)
UPAPAR7203	R 5,875	APC Roof Match Kit for SX to VX - 600mm Wide x 1070mm Deep
UPAPAR7252	R 7,311	APC NetShelter SX 750mm Wide x 1070mm Deep Networking Roof Black
UPAPAR7301	R 6,581	APC NetShelter SX 42U 1070mm Deep Split Side Panels Black Qty 2
UPAPAR7303	R 11,970	APC NetShelter SX 42U 1200mm Deep Split Side Panels Black Qty 2
UPAPAR7304	R 13,031	APC NetShelter SX 48U 1200mm Deep Split Side Panels Black Qty 2
UPAPAR7371	R 6,958	APC NetShelter SX 48U 1070mm Deep Split Side Panels Black Qty 2
UPAPAR7375	R 12,721	APC NetShelter SX 48U 1070mm Split Feed Through Side Panels Black Qty 2
UPAPAR7503	R 3,071	APC NetShelter SX 42U 600mm Wide Recessed Rail Kit
UPAPAR7504	R 3,203	APC NetShelter SX 48U 600mm Wide Recessed Rail Kit
UPAPAR7508	R 3,976	APC NetShelter SX 42U 750mm Wide Recessed Rail Kit
UPAPAR7540100	R 6,759	Apc Toolless Cable Management Rings (Qty 100), 7.50(lbs) 3.41(kilos), 9.80x 22.80x 11.00(in) 24.90x 57.90x 27.90(cent)
UPAPAR7578	R 3,954	APC NetShelter SX 48U 750mm Wide Recessed Rail Kit
UPAPAR7600	R 707	APC NetShelter SX Black 42U/48U Baying Trim Kit
UPAPAR7700	R 1,856	APC NetShelter SX 600mm/750mm Stabilizer Plate
UPAPAR7701	R 1,502	APC NetShelter SX Bolt-Down Kit
UPAPAR7711	R 2,142	APC NetShelter Zero U Accessory Mounting Bracket
UPAPAR7714	R 1,900	APC NetShelter SX / SV Roof Brush Strip
UPAPAR7716	R 7,576	APC NetShelter SX 750mm Wide x 1200mm Deep Networking Roof Black
UPAPAR7721	R 4,616	Apc Vertical Cable Manager for NetShelter SX 600mm Wide 42U (Qty 2), 5.70(lbs) 2.59(kilos), 6.40x 2.50x 33.40(in) 16.30x 6.40x 84.80(cent)
UPAPAR7723	R 5,345	Apc Vertical Cable Manager for NetShelter SX 600mm Wide 48U (Qty 2), 6.50(lbs) 2.95(kilos), 6.40x 2.50x 43.80(in) 16.30x 6.40x 111.30(cent)
UPAPAR7731	R 12,987	APC NetShelter SX External Air Sealing Kit (qty 10)
UPAPAR7737	R 6,560	Apc Vertical Cable Manager for NetShelter SX 48U Networking Enclosure (Qty 4), 16.00(lbs) 7.27(kilos), 7.00x 6.00x 42.90(in) 17.80x 15.20x 109.00(cent)
UPAPAR8006A	R 1,612	APC Equipment Support Rails for NetShelter SX 600mm / SV 600 & 800mm Wide Enclosures
UPAPAR8100	R 884	APC M6 Hardware Kit
UPAPAR8105BLK	R 1,988	APC Black Fixed Shelf - 50lbs/22.7kg
UPAPAR8122BLK	R 3,445	APC Black Fixed Shelf - 250lbs/114kg
UPAPAR8123BLK	R 7,001	APC Black Sliding Shelf - 100lbs/45.5kg
UPAPAR8125	R 2,739	APC 16" -24" Deep Black Adjustable Shelf - 250lbs
UPAPAR8128BLK	R 14,554	APC Black Sliding Shelf - 200lbs/91kg
UPAPAR8132A	R 4,815	APC Combination Lock Handles (Qty 2) for NetShelter SX / SV / VX Enclosures
UPAPAR8136BLK	R 1,281	APC 1U 19" Black Modular Toolless Airflow Management Blanking Panel - Qty 10
UPAPAR8136BLK200	R 13,494	APC 1U 19" Black Modular Toolless Blanking Panel - Qty 200
UPAPAR8136WHT	R 1,237	APC 1U 19" White Modular Toolless Blanking Panel - Qty 10

UPAPAR8150BLK	R 1,017	APC Adapter Kit - 23" to 19" Mounting
UPAPAR8395	R 3,490	APC 20U Copper Busbar Kit for NetShelter AV Enclosures
UPAPAR8400	R 575	APC 12-24 Hardware Kit
UPAPAR8422	R 2,805	APC Black Double Sided Fixed Shelf for 2-Post Rack - 250 lbs
UPAPAR8451	R 751	APC Data Distribution 1U Panel, Holds 4 each Data Distribution Cables for a Total of 24 Ports
UPAPAR8654	R 2,474	APC NetShelter Cable Management, Vertical Cable Manager, Cable Fall (radius drop), for for NetShelter Racks, and Cable Ladders, Set of 2
UPAPEPDU1016B	R 1,769	APC EPDU1016B Easy PDU Basic 1U 16A 230V with 8x C13 sockets
UPAPEPDU1116M	R 10,845	Apc EPDU1116M Easy PDU Metered ZeroU 16A 230V with 18x C13 & 3x C19, IEC309
UPAPEPDU1216B	R 10,888	APC EPDU1216B Easy PDU Basic Zero U 11 kW 230V with 36x C13 & 6x C19, IEC309
UPAPEPDU1232B	R 15,305	APC EPDU1232B Easy PDU Basic Zero U 22 kW 230V with 30x C13 & 12x C19, IEC309
UPAPER7BP1U	R 1,281	APC Easy Rack 1U standard metal blanking panel - 10 pk
UPAPER7BP2U	R 1,525	APC Easy Rack 2U standard metal blanking panel - 10 pk
UPAPER7DCM	R 520	APC Easy Rack Cable Manager in Depth - 1U
UPAPER7FANTRAY	R 2,209	APC Easy Rack Fantray with single fan
UPAPER7HCM	R 641	APC Easy Rack Horizontal Cable Manager - 1U
UPAPER7RCC24	R 1,436	Easy Rack Vertical 0U accessory channel - 24U, qty. 2
UPAPER7RCC42	R 2,165	APC Easy Rack Vertical 0U accessory channel - 42U, qty. 2
UPAPER7RCC48	R 2,562	APC Easy Rack Vertical 0U accessory channel - 48U, qty. 2
UPAPER7SHELF	R 2,055	APC Easy Rack Adjustable shelf - 50KG
UPAPER7SHELFS	R 1,768	APC Easy Rack component shelf short - 50KG
UPAPER7VCM42	R 2,430	APC Easy Rack 42U Vertical Cable Manager for 800mm W racks
UPAPER7VCM48	R 2,938	APC Easy Rack 48U Vertical Cable Manager for 800mm W racks
Z-PNL-24E	R 181	Siemon ZMAX CAT6 UTP 24 Port - 1U unpopulated
ZK-SPEEDFACE-V4L-PRO-INDR	R 193	ZKTeco standoff Box for SpeedFace V4l Pro, ZK-SPEEDFACE-V4L-PRO-INDR, Cable Tray only
ZS-PNL-24E	R 299	Siemon CAT6A Shielded 24 Port Patch Panel - 1U Unpopulated

< Return to the menu

Server cable management

Product code	Price	Description
CBL150.12U	R 99	RCT 12U 150MM WIDE CABLE MANAGEMENT TRAY
CBL150.16U	R 118	RCT 16U 150MM WIDE CABLE MANAGEMENT TRAY
CBL150.20U	R 146	RCT 20U 150MM WIDE CABLE MANAGEMENT TRAY, Â© 2019 Laptop Direct
CBL150.25U	R 205	RCT 25U 150MM WIDE CABLE MANAGEMENT TRAY
CBL150.34U	R 276	RCT 34U 150MM WIDE CABLE MANAGEMENT TRAY, Â© 2019 Laptop Direct
CBL150.38U	R 311	RCT 38U 150MM WIDE CABLE MANAGEMENT TRAY, Â© 2019 Laptop Direct
CBL150.42U	R 414	RCT 42U 150MM WIDE CABLE MANAGEMENT TRAY
CBL150.42U	R 348	RCT 42U 150MM WIDE CABLE MANAGEMENT TRAY, Â© 2019 Laptop Direct
CBL150.47U	R 518	RCT 47U 150MM WIDE CABLE MANAGEMENT TRAY
CBL150.47U	R 382	RCT 47U 150MM WIDE CABLE MANAGEMENT TRAY, Â© 2019 Laptop Direct
CBL300.12U	R 224	RCT 12U 300MM WIDE CABLE MANAGEMENT TRAY
CBL300.12U	R 177	RCT 12U 300MM WIDE CABLE MANAGEMENT TRAY, Â© 2019 Laptop Direct
CBL300.38U	R 656	38U cable tray 300mm wide (image may differ from product)
CBL300.38U	R 507	38U cable tray 300mm wide (image may differ from product)
CBL300.42U	R 620	RCT 42U 300MM WIDE CABLE MANAGEMENT TRAY (image may differ from actual product)
CBL300.42U	R 748	RCT 42U 300MM WIDE CABLE MANAGEMENT TRAY (image may differ from actual product)
SA0020.031	R 173	RCT 1U Plastic Ring Cable Management
SA0020.031	R 136	RCT 1U Plastic Ring Cable Management

< Return to the menu

Server chassis - Rackmount barebone

Product code	Price	Description
4U-450RX	R 2,471	Unbranded 4U Rack Mount E-ATX chassis with no PSU - 450mm deep
AP6616.GLA.B	R 5,296	Mecer 16U CP 600x600 server / networking cabinet 4x uprights 4x feet, includes Glands Screw
AP6820.GLA.B	R 6,423	Mecer 20U CP 600x800 server / networking cabinet 4x uprights 4x feet, Includes Glands Screws
MC1400	R 2,899	TP-Link MC1400 Omada 14-Slot Media Converter Chassis, SPEC: 14-Slot, Rackmount, FEATURE: Redundant Power Supply, Mounted Two Fans, Compatible with TP-Link ' s Media Converter (9VDC Input)
NET-TL-MC1400	R 2,842	TP-Link TL-MC1400 14-Slot Rackmount Chassis - Unmanaged Media Converter, 19" , Redundant PSU Support, 1x AC PSU Pre-installed
NET-TL-SM311LM	R 224	TP-Link NET-TL-SM311LM MiniGBIC Module
NET-TL-SM311LS	R 201	TP-Link TL-SM311LS MiniGBIC Module
SM-813MFTQC-350CB2	R 5,802	SuperMicro 813MFTQC-350CB2 Server Rackmount Chassis, 1U Chassis for motherboard support size - 12" x 10" / 9.6" x 9.6" , 4 x 3.5" hot-swap SAS/SATA, 1 full height expansion slot, 1U 350W Multi-output power supply Platinum level

< Return to the menu

Server chassis accessories

Product code	Price	Description
00FTMF	R 286	Dell 00FTMF Precision 2.5" Drive tray (Caddy)
01CV760	R 17,080	Lenovo 01CV760 Qlogic 16Gb Fibre channel Dual-port HBA Host Bus Adapter, PCI-e 3.0 x8 Host Interface
02J1CF	R 967	Dell 02J1CF 770-BBIE 1U Cable Management Arm Kit, Compatible with --> PowerEdge R320 / R340 / R350 / R420 / R430 / R440 / R450 / R620 / R630 / R640 / R6415 / R650xs / R6515 / R660xs / PowerVault NX3340 / NX440 / Precision Workstation R3930 / Precision Workstation R3930 XL
038-003-787	R 772	Dell 038-003-787 Molex Mini-SAS SFF-8088 to SFF-8088 - 2m, Data centre (Enterprise grade), Black
052P2C	R 21	Dell 052P2C PowerEdge Server RAM Memory Module Filler Blanks
08FKXC	R 515	Dell 08FKXC 2.5" SAS Hard Drive Caddy Tray for Dell PowerVault ME4012 / ME412 / ME4024 / ME424
08KX9H	R 1,124	Dell 08KX9H PowerEdge R730xd SFF rear bay SAS cable 50cm
09MHYN	R 1,374	Dell 09MHYN EMC PowerEdge H740P & H730P bay RAID connector
09W8C4	R 221	Dell 09W8C4 3.5" to 2.5" Hybrid Adapter bracket (drive and server not included)
0CWJ0X	R 1,991	Dell 0CWJ0X Ready Rails 1U sliding rails kit for R640 / R430 / R330 Servers
0F8NV	R 638	Dell 0F8NV PowerEdge R640 / R740 Heatsink
0FD2FJ	R 266	Dell FD2fj EMC PowerEdge DSS Backplane signal cable, Compatible with --> R720XD / R730xd / R740xd Servers
0G176J	R 342	Dell 0G176J Server caddy SFF 2.5" SAS/SATA, Compatible with --> Dell PowerEdge R410 / T410 / R610 / T610 / R710 / T710 / M600 / M605 / M610 / M710 / M805 / M905 / M1000E / MD1120 storage arrays
0GWJY0	R 2,612	Dell 0GWJY0 PowerEdge Server R910 / R920 / R930 Ready Sliding Rail Kit
0GYK61	R 894	Dell 0GYK61 SAS SFF-8644 to 8644 external 12Gb/s SAS cable Black - 2m
0HH932	R 204	Dell 0HH932 LED status indicator light cable 2ft
0JWGFN	R 328	Dell 0JWGFN PowerEdge R720 / R730 Motherboard To Backplane Power Cable
0NRX7Y	R 343	Dell 0NRX7Y 2.5" Tray Caddy for Power Edge M420 / M620 / M630 / M830 / VRTX Blade Servers, Screws included
0RG2X2	R 557	Dell 0RG2X2 Poweredge R640 Dual Rotors Fan Assembly
0RJ8J9	R 137	Dell 0RJ8J9 2.5" Hard Disk Drive filler blank for PowerEdge Server R640 / R740 / R740xd / R940 servers
0TW13J	R 78	Dell 0TW13J 2.5" Hard Disk Drive blank filler (Dummy bracket) for PowerEdge R620 / R720 / R630 / R730 Servers
120672-B21	R 9,088	HPE Rack Ballast kit - Rack 9000 Option
235324	R 243	Equip Panel, CAT5E UTP 24-Port, 1U Black, CAT5e Patch Panel, Unshielded, 45? dual IDC (LSA and 110) compatible, Numbered RJ45 ports, Label Fields, Colour coded LSA terminals clamps according to EIA/ TIA 568A/ B, 19" 1U
330-BBJK	R 2,243	Dell 330-BBJK Riser config 1 2x 16 low profile Customer Kit, Compatible with --> PowerEdge R7415 / R540 /

		r6415
330-BBJO	R 1,703	Dell 330-BBJO EMC Butterfly Riser for Dell EMC PowerEdge R540 server, Customer Kit
338-BSDQ	R 4,731	Dell 338-BSDQ Intel Xeon Bronze 3204 1.9GHz 6C/6T 9.6GT/s 8.25M Cache No Turbo No HT (85W) DDR4-2133
		processor
338-BTUT	R 60,398	Dell AMD Epyc 7502P 2.5GHz 32 Core / 64 threading 128m Cache (180W) DDR4-3200 Processor Customer Kit
338-CBXK	R 17,597	Dell 338-CBXK Intel Xeon Silver 4310 2.1GHz Twelve Core Processor, 12 Core / 24 thread, 10.4GT/s, 18M Cache,
		Turbo, HT (120W) DDR4-2666
338-CBXK	R 11,376	Dell 338-CBXK Intel Xeon Silver 4310 2.1GHz Twelve Core Processor, 12 Core / 24 thread, 10.4GT/s, 18M Cache,
		Turbo, HT (120W) DDR4-2666
338-CBXX	R 24,124	Dell 338-CBXX Intel Xeon Silver 4314 2.4GHz Sixteen Core Processor, 16 Core / 32 thread, 10.4GT/s, 24m
		Cache, Turbo, HT (135W) DDR4-2666
338-CBXX	R 26,830	Dell 338-CBXX Intel Xeon Silver 4314 2.4GHz Sixteen Core Processor, 16 Core / 32 thread, 10.4GT/s, 24m
		Cache, Turbo, HT (135W) DDR4-2666
338-CBXY	R 18,724	Dell 338-CBXY Intel Xeon Silver 4309Y 2.8GHz Eight Core Processor, 8 core / 16 thread, 10.4GT/s, 12MB Cache,
		Turbo, HT (105W) DDR4-2666
338-CBXY	R 8,564	Dell 338-CBXY Intel Xeon Silver 4309Y 2.8GHz Eight Core Processor, 8 core / 16 thread, 10.4GT/s, 12MB Cache,
		Turbo, HT (105W) DDR4-2666
384-BBQE	R 835	Dell 384-BBQE Performance Fan for R640CK
385-BBKK	R 1,521	Dell 385-BBKK 32GB microSDHC/SDXC Card CusKit
403-BBLR	R 32,560	Dell 403-BBLR Emulex LPe31002-M6-D Dual Port 16GB Fibre channel HBA low profile
403-BBYO	R 1,545	Dell 403-BBYO Boss Controller Card Blade Customer Kit
403-BCHD	R 1,919	Dell 403-BCHD EMC Boss Controller Card full height Customer Kit
403-BCHE	R 1,541	Dell 403-BCHE BOSS controller card Low Profile Customer Kit
403-BCMD	R 2,407	Dell 403-BCMD BOSS-S2 Controller Card without cable Customer Kit
403721-002	R 1,326	HP 403721-002 StorageWorks SAS 6Gb/s expander board - with bracket
403721-003	R 2,619	HP 403721-003 Storage Works 6Gb/s SAS Signal Conditional Control Board
405-AAMV	R 3,391	Dell 405-AAMV PERC H330 RAID Controller Adapter Customer Kit
405-AAWS	R 16,742	Dell 405-AAWS EMC PERC H745 Controller Adapter
405-AAWS	R 19,410	Dell 405-AAWS EMC PERC H745 Controller Adapter
405-AAXO	R 17,721	Dell 405-AAXO PERC H755 SAS front Controller Card
405-AAZY	R 9,344	Dell 405-AAZY HBA355e Adapter low profile / full height CK
405-ABCT	R 12,034	Dell 405-ABCT PERC H355 Adapter Customer Kit
412-AAVE	R 343	Dell 412-AAVE Heatsink for 1 CPU Configuration (CPU less than 165-Watt), Compatible with --> PowerEdge
		R450 / PowerEdge R650 / PowerEdge R650XS / PowerEdge R750
412-AAVE	R 377	Dell 412-AAVE Heatsink for 1 CPU Configuration (CPU less than 165-Watt), Compatible with --> PowerEdge
		R450 / PowerEdge R650 / PowerEdge R650XS / PowerEdge R750
412-AAVU#M1C	R 121	Dell 412-AAVU T550 standard Heatsink (For first CPU)
412-AAYT	R 453	Dell 412-AAYT heatsink for PowerEdge R550 / PowerEdge R750xs
412-AAYT	R 416	Dell 412-AAYT heatsink for PowerEdge R550 / PowerEdge R750xs
412-AAYT	R 676	Dell 412-AAYT heatsink for PowerEdge R550 / PowerEdge R750xs
412-AAZU	R 385	DELL 412-AAZ Standard Heatsink Customer Install for PowerEdge T550
412-AAZU	R 572	DELL 412-AAZ Standard Heatsink Customer Install for PowerEdge T550
450-AIYU	R 7,195	Dell 450-AIYU Single Hot-Plug Power Supply (1 0) 1400W Customer Kit
450-AKMJ	R 7,242	Dell 450-AKMJ single Hot-Plug Power Supply non Redundant (1 0) 1400W LCK, Compatible with -->
		PowerEdge R6525 / R7525 / R650 / R750
450-AKPR	R 3,723	Dell 450-AKPR single Hot-Plug Power Supply (1 0) 600W Customer Kit
470-AAYQ	R 667	Dell 470-AAYQ 3m LC-LC optical cable Multi-mode (Kit), Â© 2019 Laptop Direct
470-AFFK	R 1,314	Dell 470-AFFK Boss S2 cables for R750xs and R550
470-AFHL	R 2,069	Dell 470-AFHL BOSS S2 Cables for R350 Customer Kit

490-BHVX	R 2,399	Dell 490-BHVX EMC cables & Mechanical part for Boss S2 Customer Kit (T550)
4C57A14367	R 9,245	Lenovo 4C57A14367 Thinksystem DE4000 HIC 12Gb SAS 4-ports
4C57A14369	R 15,939	Lenovo 4C57A14369 Thinksystem DE4000 HIC 10/25GbE iSCSI 4-ports
4F17A12350	R 1,239	Lenovo 4F17A12350 ThinkSystem SR630 FAN Option Kit
4F17A12354	R 917	Lenovo 4F17A12354 ThinkSystem SR530 FAN Option Kit
4F17A14497	R 1,034	Lenovo 4F17A14497 standard fan option kit for SR650 V2 Server
4F17A14497	R 618	Lenovo 4F17A14497 standard fan option kit for SR650 V2 Server
4L47A09132	R 483	Lenovo ThinkSystem XClarity Controller Standard to Advanced Upgrade - Feature-on-Demand (FoD) - for ThinkSystem SR530 / SR550 / SR630 / SR650 / ST550
4L47A09133	R 338	Lenovo ThinkSystem XClarity Controller Advanced to Enterprise Upgrade - Feature-on-Demand (FoD) - for ThinkSystem SR530 / SR550 / SR630 / SR650 / ST550
4P57A12649	R 2,759	Lenovo 4P57A12649 ThinkSystem SR250 RDN 450W PSU
4P57A75973	R 4,024	Lenovo 4P57A75973 750W Power Supply Hot-Swappable (230V) V2 TI
4X20F28575	R 4,332	Lenovo ThinkServer Gen 5 750W Platinum Hot Swap Power Supply
4XG7A14812	R 14,490	Lenovo 4XG7A14812 ThinkSystem ST550 Intel Xeon Silver 4208 8C 85W 2.1GHz Processor Option Kit
4XG7A37935	R 17,761	Lenovo 4XG7A37935 ThinkSystem SR550 / SR590 / SR650 Intel Xeon Silver 4208 8C 85W 2.1GHz Processor Option Kit with out FAN
4XG7A37936	R 14,105	Lenovo 4XG7A37936 ThinkSystem SR530 / SR570 / SR630 Intel Xeon Silver 4208 8C 85W 2.1GHz Processor option kit with out fan
4XG7A37988	R 14,949	Lenovo 4XG7A37988 ThinkSystem SR530 / SR570 / SR630 Intel Xeon Silver 4210R 10C 100W 2.4GHz Processor Option Kit w/o FAN
4XG7A37988	R 16,336	Lenovo 4XG7A37988 ThinkSystem SR530 / SR570 / SR630 Intel Xeon Silver 4210R 10C 100W 2.4GHz Processor Option Kit w/o FAN
4XG7A63398	R 16,099	Lenovo 4XG7A63398 Intel Xeon Silver 4309Y 2.8GHz Eight Core Processor, 8 core / 16 thread, 10.4GT/s, 12MB Cache, Turbo, HT (105W) DDR4-2666, Compatible with --> Lenovo SR630 V2
4XH7A08763	R 4,927	Lenovo 4XH7A08763 ThinkSystem SR590 2.5" SATA/SAS 8-bay Backplane kit
4Y37A09738	R 1,379	Lenovo 4Y37A09738 ThinkSystem M.2 SATA / NVMe 2-bay enablement kit, Supports 2x SATA or 2x NVMe drives, x1 connection, No Integrated RAID
512485-B21	R 5,047	HPE 512485-B21 iLO Advanced Lights-Out Advanced 1 year support
540-11144	R 6,883	Dell Intel Ethernet i350 DP 1Gb Server Adapter - Kit
540-BBEV	R 7,021	Dell 540-BBEV Broadcom 57840s Quad Port 10GB SFP Direct Attach Rack Network daughter card Customer Kit
540-BBVM	R 4,629	Dell 540-BBVM EMC Broadcom 57416 Dual Port 10Gb Base-T PCIe Adapter, Low Profile (R440 / R640 / R740 / R740XD), Â© 2018 Laptop Direct
540-BCOP	R 5,180	Dell 540-BCOP Broadcom 57416 Dual Port 10GbE BASE-T OCP Network Interface card 3.0 customer Install
540-BCOS	R 2,199	Dell 540-BCOS Broadcom 5720 Quad Port 1GbE BASE-T OCP Network Interface card 3.0 customer Install
540-BDCH	R 610	Dell 540-BDCH EMC Boss Riser for R450 / R650XS - customer Install
540-BDRJ	R 2,100	Dell 540-BDRJ Broadcom 5719 QP 1GB Network Interface card 13g full height - kit
5M8WD	R 22	Dell 5M8WD PowerEdge Server DDR4 Memory RAM blank filler, Compatible with --> Dell PowerEdge FC630 / M630 / R430 / R530 / R630 / R730 / R730XD
614988-B21	R 3,862	HP 614988-B21 Modular Smart Array SC08e 2-ports external PCI-e x8 SAS Host Bus Adapter, 2x SAS 600 external Ports
666987-B21	R 168	HP Small Form Factor Hard Drive Blank Kit
711074	R 139	Intellinet 19" Cable Management Panel - 1U, 4 long plastic rings, Black, Retail Box
734811-B21	R 817	HPE 734811-B21 1U Cable Management Arm for Rail Kit
77-330BBXH	R 5,760	Dell 330-BBXH Riser Card Config 0, 1x OCP 3.0(x16) 3x16 Low Profile 1x4 Low Profile (Gen3) Risers- 2x16 Low Profile
77-450AKKY	R 7,738	Dell 450-AKKY Single Hot-Plug Power Supply 1100W mm (100-240VAC) Titanium, Customer Kit, By Liteon
77-540BCOP	R 4,702	Dell 540-BCOP Broadcom 57416 Dual Port 10GbE BASE-T OCP Network Interface card 3.0 customer Install
77-540BCOS	R 2,391	Dell 540-BCOS Broadcom 5720 Quad Port 1GbE BASE-T OCP Network Interface card 3.0 customer Install

77-770BCYU	R 1,333	Dell 770-BCYU ReadyRails sliding rails without Cable Management Arm Customer Kit
770-BBHG	R 711	Dell 770-BBHG Cable Management Arm for PowerEdge systems - kit
770-BBIE	R 908	Dell 770-BBIE 1U Cable Management Arm - Kit, R630 / R430 / R330
770-BBIP	R 832	Dell 770-BBIP 2U Cable Management Arm - Kit, for R530 / R540 / R730 / R740 / R730xd / R740xd servers
7M27A05698	R 1,208	Lenovo 7M27A05698 ThinkSystem 2U CMA Upgrade Kit for Toolless Slide Rail
7M27A05699	R 2,760	Lenovo 7M27A05699 ThinkSystem 1U CMA Upgrade Kit for Toolless Slide Rail
7N67A00882	R 2,128	Lenovo 7N67A00882 ThinkSystem 550W (230V/115V) Platinum Hot-Swap Power Supply
7N67A00883	R 2,197	Lenovo 7N67A00883 ThinkSystem 750W (230/115V) Platinum Hot-Swap Power Supply
7N67A00884	R 4,944	Lenovo 7N67A00884 750W (230V) Titanium HS PSU
7N67A00885	R 3,838	Lenovo 7N67A00885 ThinkSystem 1100W (230V/115V) Platinum Hot-Swap Power Supply
7XB7A00036	R 6,573	Lenovo 7XB7A00036 ThinkSystem 2.5" 1TB 7200rpm SATA 6Gbs Hot Swap 512n Hard Drive
7XB7A00050	R 4,643	Lenovo 7XB7A00050 ThinkSystem 3.5" 2TB 7200rpm SATA 6Gbs Hot Swap 512n Hard Drive
7XH7A02677	R 992	Lenovo 7XH7A02677 ThinkSystem SR550 / SR590 / SR650 x8/x8/x8 PCIe FH Riser 1 Kit
7XH7A02678	R 942	Lenovo 7XH7A02678 ThinkSystem SR550 / SR590 / SR650 x16/x8 PCIe FH Riser 1 Kit
7XH7A02679	R 1,041	Lenovo 7XH7A02679 ThinkSystem SR550 / SR590 / SR650 x16/x8 (or x16) PCIe FH Riser 2 Kit
7XH7A02685	R 595	Lenovo 7XH7A02685 ThinkSystem SR530 / SR570 / SR630 x16 PCI-e low profile Riser 2 kit
7XH7A05906	R 1,932	Lenovo 7XH7A05906 ThinkSystem ST550 2.5" 8-bay Backplane kit
7XH7A05908	R 3,188	Lenovo 7XH7A05908 ThinkSystem ST550 2.5" SATA/SAS 4-Bay Backplane Kit
7XH7A06251	R 5,005	Lenovo 7XH7A06251 ThinkSystem SR650 2.5" AnyBay 8-bay Backplane kit
7XH7A06254	R 5,058	Lenovo 7XH7A06254 ThinkSystem SR550/SR650 2.5" SATA/SAS 8-bay Backplane kit
7Y37A01084	R 11,288	Lenovo ThinkSystem RAID 930-8i 2GB Flash PCIe 3.0 x8 12Gb SAS Adapter, 2x Mini-SAS HD x4 (SFF-8643) Port connectors
7Y37A01090	R 9,202	Lenovo 7Y37A01090 ThinkSystem 430-8e SAS/SATA HBA Host Bus adaptor, PCI-e 3.0 x 8 Host Interface, 8 ports, 2x Mini-SAS HD SFF8644 connectors
7Y37A01093	R 1,932	Lenovo 7Y37A01093 ThinkSystem M.2 with Mirroring Enablement Kit, Contains the Dual M.2 Adapter, Supports 1 or 2 drives with RAID
7ZT7A00482	R 1,970	Lenovo 7ZT7A00482 ThinkSystem Broadcom 5720 1GbE RJ45 2-port PCI-e Ethernet Adapter, PCI-e 2.0 Host Interface, x1 PCI-e lanes
7ZT7A00482	R 1,954	Lenovo 7ZT7A00482 ThinkSystem Broadcom 5720 1GbE RJ45 2-port PCI-e Ethernet Adapter, PCI-e 2.0 Host Interface, x1 PCI-e lanes
7ZT7A00484	R 2,490	Lenovo 7ZT7A00484 ThinkSystem Broadcom 5719 1GbE RJ45 4-port PCI-e Ethernet Adapter, PCI-e 2.0 Host Interface, x4 PCI-e lanes
7ZT7A00484	R 2,874	Lenovo 7ZT7A00484 ThinkSystem Broadcom 5719 1GbE RJ45 4-port PCI-e Ethernet Adapter, PCI-e 2.0 Host Interface, x4 PCI-e lanes
7ZT7A00496	R 6,922	Lenovo 7ZT7A00496 ThinkSystem Broadcom 57416 10GBASE-T 2-port PCI-e Ethernet Adapter, PCI Express 3.0 x8 Host Interface
7ZT7A00496	R 7,129	Lenovo 7ZT7A00496 ThinkSystem Broadcom 57416 10GBASE-T 2-port PCI-e Ethernet Adapter, PCI Express 3.0 x8 Host Interface
7ZT7A00544	R 868	Lenovo 7ZT7A00544 ThinkSystem 1 Gigabit Ethernet 2-port RJ45 LOM
7ZT7A00545	R 1,438	Lenovo 7ZT7A00545 ThinkSystem X722 1Gb 4-port RJ45 LOM
7ZT7A00546	R 2,181	Lenovo 7ZT7A00546 ThinkSystem X722 10Gb 2-port SFP LOM
7ZT7A00547	R 2,405	Lenovo 7ZT7A00547 X722 ThinkSystem 10Gb 4-port SFP LOM
7ZT7A00548	R 3,148	Lenovo 7ZT7A00548 ThinkSystem 10 Gigabit Ethernet 2-port Base-T LOM
7ZT7A00549	R 4,883	Lenovo 7ZT7A00549 ThinkSystem 10Gb 4-port Base-T LOM
804326-B21	R 26,235	HPE 804326-B21 Smart Array E208i-a SR Gen10 (8 Internal Lanes / No Cache) 12G SAS Modular Controller
865438-B21	R 3,577	HPE 865438-B21 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit
870213-B21	R 145	HPE 870213-B21 MicroServer Gen10 SFF NHP SATA Converter Kit
875519-B21	R 756	HPE 875519-B21 Bezel Lock Kit
90SKU000-M2LAN0	R 4,472	Asus Intel Xeon E3-1230 V6 - 3.50GHz/3.90GHz Quad Core (8 Thread), Kaby Lake, Socket 1151, 8MB

		SmartCache, 14nm, Intel HT, Intel vPro, Intel VT-x/VT-d, Intel AES, Intel TSX-NI
A2400SATAKIT2	R 1,899	Intel SR2400 (2U) Hotswap SATA Backplane. SATA Backplane, Flex Cable, Cable, Drive Carriers. Compatible with: Intel Server Chassis SR2400.
AC-CAB-PDU-1U10	R 780	AccoNet 1U Power Distribution Unit 10 way, 3 pin SA plug, 240V / 50 Hz, 16 Amp Thermal overload Switch, Side mounted
ACAC10010	R 8,969	Apc InRow Bridge Partition, Data Cable 600 MM, 17.00(lbs) 7.73(kilos), 4.53x 28.43x 10.67(in) 11.50x 72.20x 27.10(cent)
ACAC10022	R 4,288	Apc Isolation Valve Assemblies, 1/2" ODF, 1.89(lbs) 0.86(kilos), 2.38x 11.44x 4.75(in) 6.00x 29.10x 12.10(cent)
ACCS1009	R 23,746	APC Rack Air Containment, Front Assembly, ACRC301S / ACRC301H, 300mm, 49.60(lbs) 22.55(kilos), 6.00x 20.00x 80.00(in) 15.20x 50.80x 203.20(cent)
ACDC1005	R 5,082	Apc BAYING KIT - 900mm to 900mm, 10.00(lbs) 4.56(kilos), 84.00x 2.50x 2.76(in) 213.40x 6.40x 7.00(cent)
ACDC2200	R 13,051	Apc Adjustable Mounting Support, 152 - 241mm (6 - 9.5in), 15.48(lbs) 7.04(kilos), 3.31x 12.60x 59.80(in) 8.40x 32.00x 151.90(cent)
ACDC2201	R 15,708	Apc Adjustable Mounting Support, 152 - 241mm (6 - 9.5in) - V0, 16.94(lbs) 7.70(kilos), 3.31x 12.60x 59.80(in) 8.40x 32.00x 151.90(cent)
ACDC2203	R 17,778	Apc Adjustable Mounting Support, 241 - 419mm (9.5 - 16.5in) - V0, 24.69(lbs) 11.22(kilos), 3.31x 19.84x 59.61(in) 8.40x 50.40x 151.40(cent)
ACDC2300	R 28,473	Apc Duct Mounting Rail, 74.99(lbs) 34.09(kilos), 10.37x 18.66x 49.76(in) 26.30x 47.40x 126.40(cent)
ACDC2302	R 2,655	Apc Mounting Support - Duct Lighting (w/o lights), 8.20(lbs) 3.73(kilos), 4.07x 6.46x 43.59(in) 10.30x 16.40x 110.70(cent)
ACDC2306	R 9,268	Apc Duct Panel - 1012mm (40in) W x up to 1041mm (41in) H - V0, 13.77(lbs) 6.26(kilos), 1.97x 31.42x 42.99(in) 5.00x 79.80x 109.20(cent)
ACDC2307	R 6,600	Apc Duct Panel - 1012mm (40in) W x up to 1270mm (50in) H, 12.85(lbs) 5.84(kilos), 1.97x 40.75x 42.99(in) 5.00x 103.50x 109.20(cent)
ACDC2308	R 10,774	Apc Duct Panel - 1012mm (40in) W x up to 1270mm (50in) H - V0, 16.20(lbs) 7.36(kilos), 1.97x 40.75x 42.99(in) 5.00x 103.50x 109.20(cent)
ACDC2309	R 7,198	Apc Duct Panel - 1012mm (40in) W x up to 1524mm (60in) H, 14.55(lbs) 6.61(kilos), 1.97x 49.53x 43.03(in) 5.00x 125.80x 109.30(cent)
ACDC2310	R 12,545	Apc Duct Panel - 1012mm (40in) W x up to 1524mm (60in) H - V0, 18.76(lbs) 8.53(kilos), 1.97x 49.53x 43.07(in) 5.00x 125.80x 109.40(cent)
ACDC2311	R 7,060	Apc Duct Frame Extension - End of Aisle, 1200 - 1800mm (48 - 72in), 17.11(lbs) 7.78(kilos), 4.45x 18.66x 31.65(in) 11.30x 47.40x 80.40(cent)
ACDC2401	R 23,401	Apc DOOR HEADER - 42U SX, 50.63(lbs) 23.01(kilos), 11.41x 9.65x 59.21(in) 29.00x 24.50x 150.40(cent)
ACDC2402	R 23,401	Apc DOOR HEADER - 42U VX / 45U SX, 67.90(lbs) 30.86(kilos), 16.72x 9.65x 60.63(in) 42.50x 24.50x 154.00(cent)
ACDC2403	R 25,943	Apc DOOR HEADER - 48U SX, 22.04x 9.65x 60.63(in) 56.00x 24.50x 154.00(cent)
ACDC2404	R 7,313	Apc DOOR POST, 900 - 1200MM (36 - 48IN) AISLE WIDTH, 45.32(lbs) 20.60(kilos), 7.56x 10.55x 90.80(in) 19.20x 26.80x 230.60(cent)
ACDC2405	R 12,108	Apc DOOR POST, 1200 - 1500MM (48 - 60IN) AISLE WIDTH, 58.46(lbs) 26.57(kilos), 10.82x 12.01x 89.96(in) 27.50x 30.50x 228.50(cent)
ACDC2406	R 13,925	Apc DOOR POST, 1500 - 1800MM (60 - 72IN) AISLE WIDTH, 10.82x 18.11x 89.96(in) 27.50x 46.00x 228.50(cent)
ACDC2408	R 1,804	APC Door Lock, 4.40(lbs) 2.00(kilos), 5.12x 8.03x 11.81(in) 13.00x 20.40x 30.00(cent)
ACDC2410	R 4,748	Apc Curtain Door Mounting Rail, 900 - 1200mm (36 - 48in) aisle width, 14.72(lbs) 6.69(kilos), 4.07x 12.56x 64.92(in) 10.30x 31.90x 164.90(cent)
ACDC2500	R 4,967	Apc Roof Height Adapter, SX42U to VX42U, 300mm, 20.64(lbs) 9.38(kilos), 4.52x 14.83x 45.15(in) 11.50x 37.70x 114.70(cent)
ACDC2505	R 7,474	Apc Roof Height Adapter, SX42U to SX45U, 300mm, 26.97(lbs) 12.26(kilos), 7.19x 16.72x 45.23(in) 18.30x 42.50x 114.90(cent)
ACDC2506	R 6,623	Apc Roof Height Adapter, SX42U to SX45U, 600mm, 31.73(lbs) 14.42(kilos), 7.19x 22.23x 47.20(in) 18.30x 56.50x

		119.90(cent)
ACDC2507	R 6,991	Apc Roof Height Adapter, SX42U to SX45U, 700mm, 34.30(lbs) 15.59(kilos), 7.19x 22.23x 47.20(in) 18.30x 56.50x 119.90(cent)
ACDC2508	R 7,382	Apc Roof Height Adapter, SX42U to SX45U, 750mm, 35.01(lbs) 15.91(kilos), 7.19x 22.23x 47.20(in) 18.30x 56.50x 119.90(cent)
ACDC2509	R 15,478	Apc Roof Height Adapter, SX42U to SX45U, 1016mm, 55.01(lbs) 25.00(kilos), 7.24x 26.87x 52.15(in) 18.40x 68.20x 132.50(cent)
ACDC2512	R 7,658	Apc Roof Height Adapter, SX42U to SX48U, 300mm, 42.38(lbs) 19.26(kilos), 7.67x 24.47x 45.38(in) 19.50x 62.20x 115.30(cent)
ACDC2513	R 7,773	Apc Roof Height Adapter, SX42U to SX48U, 600mm, 47.11(lbs) 21.41(kilos), 7.67x 21.37x 57.19(in) 19.50x 54.30x 145.30(cent)
ACDC2514	R 8,049	Apc Roof Height Adapter, SX42U to SX48U, 700mm, 54.06(lbs) 24.57(kilos), 12.38x 14.62x 41.52(in) 31.40x 37.10x 105.50(cent)
ACDC2515	R 8,348	Apc Roof Height Adapter, SX42U to SX48U, 750mm, 53.40(lbs) 24.27(kilos), 12.38x 14.62x 41.25(in) 31.40x 37.10x 104.80(cent)
ACDC2516	R 13,764	Apc Roof Height Adapter, SX42U to SX48U, 1016mm, 89.86(lbs) 40.85(kilos), 14.43x 29.21x 50.47(in) 36.70x 74.20x 128.20(cent)
ACDC2517	R 14,627	Apc Roof Height Adapter, VX42U to SX48U, 600mm, 72.98(lbs) 33.17(kilos), 12.09x 27.93x 66.30(in) 30.70x 70.90x 168.40(cent)
ACDC2552	R 4,380	Apc Depth Adapter, 900 to 1200mm, VX42U, 600mm Width, 14.30(lbs) 6.50(kilos), 3.31x 17.85x 28.05(in) 8.40x 45.30x 71.20(cent)
ACDC2575	R 7,359	Apc Blanking Panel, 42-48U SX / 42U VX, 300mm, 33.42(lbs) 15.19(kilos), 5.87x 15.73x 82.64(in) 14.90x 40.00x 209.90(cent)
ACDC2576	R 10,199	Apc Blanking Panel, 42-48U SX / 42U VX, 600mm, 50.89(lbs) 23.13(kilos), 5.87x 27.54x 82.64(in) 14.90x 70.00x 209.90(cent)
ACDC2578	R 12,545	Apc Blanking Panel, 42-48U SX / 42U VX, 750mm, 65.76(lbs) 29.89(kilos), 5.87x 33.44x 82.64(in) 14.90x 84.90x 209.90(cent)
ADWPCIEXPR	R 389	Intel ADWPCIEXPR SR1400 1U full height PCI-e Riser
AH166A	R 2,369	HP AH166A 1/8 G2 Tape Autoloader Rack Kit - Rack Mount Rails
AJ764-63002	R 1,757	HP StorageWorks 82Q 8GB Dual Ports PCI-e Fibre channel Host Bus Adapter, PCI Express x8 Interface, 2x 8Gbit Fibre channel Ports, 8.5 Gbps Data Transfer Rate
AP5263	R 2,080	APC KVM Daisy-Chain Cable - 6 ft (1.8 m), 1.00(lbs) 0.45(kilos), 2.00x 5.00x 6.50(in) 5.10x 12.70x 16.50(cent)
AP5719	R 34,989	APC 19" Rack LCD Console 1U rack-mountable keyboard, mouse, and LCD console with US English keyboard layout. 46.17(lbs) 20.99(kilos), 6.00x 26.50x 32.50(in) 15.20x 67.30x 82.60(cent)
AP7400	R 1,689	Apc BRACKET KIT, 0U RACK PDU, HP/DELL Cord retention brackets and vertical-mount bracket kits to complete rack power distribution solutions. 0.45(lbs) 0.20(kilos), 1.75x 9.00x 6.50(in) 4.45x 22.86x 16.51(cent)
AP7406	R 1,206	Apc Bracket Kit, 0U, Rack PDU, HP Cord retention brackets and vertical-mount bracket kits to complete rack power distribution solutions
AP7516	R 15,174	Apc Rack PDU, Basic, 1U, 14.4kW, 208V, (6) C19, 208V 3PH, 200V, 208V. 2.20(lbs) 10.10(kilos), 9.50x 22.00x 19.76(in) 24.10x 55.90x 50.20(cent)
AP7526	R 9,452	Apc Rack PDU, Basic, 1U, 22KW, 400V, (6) C19, 400V 3PH, 230V. 15.35(lbs) 6.98(kilos), 9.50x 22.00x 19.75(in) 24.10x 55.90x 50.20(cent)
AP7540	R 6,119	APC Rack PDU, Basic, Zero U, 20A, 208V, (20)C13 & (4)C19, 200V, 208V, 230V, 208V.5.77(kilos), 84.00x 6.00x 5.00(in) 213.40x 15.20x 12.70(cent)
AP7551	R 5,417	APC Rack PDU, Basic, ZeroU, 16A, 230V, (20)C13 & (4)C19; IEC309
AP7585	R 11,855	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: Hard Wire 3-wire, Cord Length:28 feet (8.53 meters), Output: 230V, Output Connections: IEC 320 C19. 200, 208, 230, 230, 11.00(lbs) 5.00(kilos), 6.00x 20.50x 20.50(in) 15.20x 52.10x 52.10(cent)
AP7768	R 1,426	Apc BRACKET KIT, REAR RAILS, RACK ATS Provides redundant rack mount power to single-corded equipment.

		2.50(lbs) 1.14(kilos), 2.13x 22.13x 3.88(in) 5.40x 56.20x 9.90(cent)
AP7769	R 1,426	Apc Cord Retention Bracket for Rack ATS Provides redundant rack mount power to single-corded equipment. 0.55(lbs) 0.25(kilos), 2.15x 22.13x 3.90(in) 5.50x 56.20x 9.90(cent)
AP8858EU3	R 16,101	Apc Rack PDU 2G, Metered, ZeroU, 16A, 230V, (18) C13 (2) C19, IEC309 Cord, INPUT: 200V, 208V, 230V OUT: 230V. 10.83(lbs) 4.92(kilos), 44.25x 6.38x 4.20(in) 112.40x 16.20x 10.70(cent)
AP8958	R 25,713	Apc Rack PDU 2G, Switched, ZeroU, 20A/208V, 16A/230V, (7) C13 & (1) C19, 200V, 208V, 230V, 200V, 208V, 230V. 10.50(lbs) 4.77(kilos), 44.30x 6.50x 4.50(in) 112.50x 16.50x 11.40(cent)
AP8958EU3	R 25,943	APC Rack PDU 2G, Switched, ZeroU, 20A/208V, 16A/230V, (7) C13 & (1) C19, IN: 200V, 208V, 230V OUT: 200V, 208V, 230V. 12.10(lbs) 5.50(kilos), 44.30x 6.50x 4.50(in) 112.50x 16.50x 11.40(cent)
AP9569	R 2,287	Apc Cord Retention Bracket for Basic Rack PDUs. 1.50(lbs) 0.68(kilos), 2.50x 18.63x 3.75(in) 6.40x 47.30x 9.50(cent)
AR201	R 4,618	Apc NetShelter 2 Post Rack 45U #12-24 Threaded Holes Black. 0.22(lbs) 0.10(kilos), 6.50x 1.76x 6.50(in) 16.50x 4.40x 16.50(cent)
AR3104	R 28,659	Apc NetShelter SX 24U 600mm x 1070mm Deep Enclosure, 235.00(lbs) 106.82(kilos), 53.15x 35.39x 47.99(in) 135.00x 89.90x 121.90(cent)
AR3140	R 60,983	Apc NetShelter SX 42U 750mm Wide x 1070mm Deep Networking Enclosure with Sides. 370.00(lbs) 168.18(kilos), 83.39x 33.50x 47.99(in) 211.80x 85.09x 121.90(cent)
AR3200	R 52,922	Apc NetShelter SX Colocation 2 x 20U 600mm Wide x 1070mm Deep Enclosure with Sides Black, 370.38(lbs) 168.35(kilos), 88.39x 35.39x 47.99(in) 224.50x 89.90x 121.90(cent)
AR3355	R 60,638	Apc NetShelter SX 45U 750mm Wide x 1200mm Deep Enclosure with Sides Black, 414.48(lbs) 188.40(kilos), 88.19x 33.46x 51.97(in) 224.00x 85.00x 132.00(cent)
AR3810	R 49,000	Apc NetShelter AV 42U 600mm Wide x 825 Deep Enclosure with Sides and 10-32 Threaded Rails Black, 294.00(lbs) 133.64(kilos), 83.50x 29.50x 40.50(in) 212.10x 74.90x 102.90(cent)
AR3812	R 28,128	Apc NetShelter AV 42U 600mm Wide x 825mm Deep Enclosure 10-32 Threaded Rails No Sides/Roof/Doors Black. 182.00(lbs) 82.73(kilos), 83.50x 29.50x 40.50(in) 212.10x 74.90x 102.90(cent)
AR7103	R 7,957	Apc NetShelter SX Colocation 20U 600mm Wide Perforated Split Doors Black, 18.52(lbs) 8.42(kilos), 8.07x 40.83x 14.29(in) 20.50x 103.70x 36.30(cent)
AR7107	R 9,107	Apc NetShelter SX 48U 600mm Wide Perforated Split Doors Black, 39.60(lbs) 18.00(kilos), 8.00x 15.00x 89.00(in) 20.30x 38.10x 226.10(cent)
AR712107	R 8,739	Apc NetShelter SV 48U 600mm Wide Perforated Split Rear Doors Black, 53.39(lbs) 24.27(kilos), 88.82x 17.09x 5.87(in) 225.60x 43.40x 14.90(cent)
AR712400	R 7,911	Apc NetShelter SV 42U 600mm Wide Perforated Split Rear Doors, 47.89(lbs) 21.77(kilos), 78.31x 17.09x 5.87(in) 198.90x 43.40x 14.90(cent)
AR712480	R 9,199	Apc NetShelter SV 42U 800mm Wide Perforated Split Rear Doors, 58.45(lbs) 26.57(kilos), 78.31x 21.02x 5.87(in) 198.90x 53.40x 14.90(cent)
AR7150	R 9,475	Apc NetShelter SX 42U 750mm Wide Perforated Split Doors Black, 37.40(lbs) 17.00(kilos), 8.00x 18.00x 78.50(in) 20.30x 45.70x 199.40(cent)
AR7157	R 11,142	Apc NetShelter SX 48U 750mm Wide Perforated Split Doors Black, 39.60(lbs) 18.00(kilos), 8.00x 18.00x 89.00(in) 20.30x 45.70x 226.10(cent)
AR7201	R 3,000	Apc NetShelter SX 600mm Wide x 1070mm Deep Standard Roof Black, 14.00(lbs) 6.36(kilos), 4.00x 26.00x 40.00(in) 10.20x 66.00x 101.60(cent)
AR7203	R 6,140	Apc Roof Match Kit for SX to VX, 600mm
AR7209	R 2,149	Apc NetShelter SX Trough and Partition Roof Bridge. 4.50(lbs) 2.05(kilos), 4.00x 6.50x 40.00(in) 10.20x 16.50x 101.60(cent)
AR7211	R 5,979	Apc NetShelter SX 600mm Wide x 1200mm Deep Roof, 14.00(lbs) 6.36(kilos), 4.00x 26.00x 40.00(in) 10.20x 66.00x 101.60(cent)
AR7251	R 4,518	Apc NetShelter SX 750mm Wide x 1070mm Deep Standard Roof Black, 19.80(lbs) 9.00(kilos), 39.50x 4.00x 32.00(in) 100.30x 10.20x 81.30(cent)
AR7252	R 7,635	Apc NetShelter SX 750mm Wide x 1070mm Deep Networking Roof, 21.00(lbs) 9.55(kilos), 39.49x 32.00x 4.25(in)

		100.30x 81.30x 10.80(cent)
AR7301	R 6,876	Apc NetShelter SX 42U 1070mm Deep Split Side Panels Black Qty 2, 46.00(lbs) 20.91(kilos), 37.25x 41.63x 7.12(in) 94.60x 105.70x 18.10(cent)
AR7303	R 12,499	Apc NetShelter SX 42U 1200mm Deep Split Side Panels Qty. (2), 56.00(lbs) 25.45(kilos), 37.25x 46.88x 7.25(in) 94.60x 119.10x 18.40(cent)
AR7502	R 2,632	Apc Vertical Cable Organizer, NetShelter SX, 42U (Qty. 2), 16.65(lbs) 7.57(kilos), 88.00x 8.50x 5.50(in) 223.50x 21.60x 14.00(cent)
AR7503	R 2,990	Apc NetShelter SX 42U 600mm Wide Recessed Rail Kit. 12.50(lbs) 5.68(kilos), 45.50x 5.00x 4.00(in) 115.60x 12.70x 10.20(cent)
AR7504	R 3,345	Apc NetShelter SX 48U 600mm Wide Recessed Rail Kit. 12.50(lbs) 5.68(kilos), 45.50x 5.00x 4.00(in) 115.60x 12.70x 10.20(cent)
AR7505	R 4,265	Apc Vertical Cable Organizer, Center Rear Mount, NetShelter SX. 8.58(lbs) 3.90(kilos), 43.50x 8.00x 12.00(in) 110.50x 20.30x 30.50(cent)
AR7508	R 4,150	Apc NetShelter SX 42U 750mm Wide Recessed Rail Kit Enables users to mount equipment with different depths in a 42U, 750 mm enclosure. 28.60(lbs) 13.00(kilos), 46.00x 5.25x 8.00(in) 116.80x 13.30x 20.30(cent)
AR7510	R 19,790	APC NetShelter SX 42U, 23" EIA Mounting Rails for 750-mm Wide Enclosures, Square Holes Qty 4. 48.00(lbs) 21.82(kilos), 81.00x 12.50x 6.50(in) 205.70x 31.80x 16.50(cent)
AR7511	R 2,632	Apc Narrow Vertical Cable Organizer, NetShelter SX, 42U Comprehensive selection of accessories designed to organize power or data cables within a rack or enclosure. 8.00(lbs) 3.64(kilos), 81.00x 6.25x 5.00(in) 205.70x 15.90x 12.70(cent)
AR7540	R 723	Apc Toolless Cable Management Rings (Qty 10), 0.90(lbs) 0.41(kilos), 2.50x 10.30x 7.30(in) 6.40x 26.20x 18.50(cent)
AR7540100	R 7,060	Apc Toolless Cable Management Rings (Qty 100), 7.50(lbs) 3.41(kilos), 9.80x 22.80x 11.00(in) 24.90x 57.90x 27.90(cent)
AR7572	R 3,000	Apc Vertical Cable Organizer, NetShelter SX, 48U. 17.35(lbs) 7.89(kilos), 88.00x 8.50x 5.50(in) 223.50x 21.60x 14.00(cent)
AR7578	R 4,127	Apc NetShelter SX 48U 750mm Wide Recessed Rail Kit Enables users to mount equipment with different depths in a 48U, 750 mm enclosure. 26.80(lbs) 12.18(kilos), 46.00x 5.25x 8.00(in) 116.80x 13.30x 20.30(cent)
AR7580A	R 7,428	Apc Vertical Cable Manager for NetShelter SX 750mm Wide 42U (Qty 2) 10.80(lbs) 4.91(kilos), 8.00x 6.50x 43.00(in) 20.30x 16.50x 109.20(cent)
AR7581A	R 2,816	Apc Hinged Covers for NetShelter SX 750mm Wide 42U Vertical Cable Manager (Qty 2) Snap-on hinge covers conceal cables for a clean, professional look and easy access.
AR7582A	R 1,068	Apc Cable Retainer for NetShelter SX 750mm Wide Vertical Cable Managers (Qty 6). 0.62(lbs) 0.28(kilos), 4.00x 7.50x 3.00(in) 10.20x 19.00x 7.60(cent)
AR7585	R 8,187	Apc Vertical Cable Manager for NetShelter SX 750mm Wide 45U (Qty 2). 12.30(lbs) 5.59(kilos), 8.00x 6.50x 43.00(in) 20.30x 16.50x 109.20(cent)
AR7586	R 3,184	APC Hinged Covers for NetShelter SX 750mm Wide 45U Vertical Cable Manager (Qty 2)Snap-on hinge covers conceal cables for a clean, professional look and easy access. 4.13(lbs) 1.88(kilos), 2.50x 6.35x 43.75(in) 6.40x 16.10x 111.10(cent)
AR7588	R 8,555	Apc Vertical Cable Manager for NetShelter SX 750mm Wide 48U (Qty 2), 12.60(lbs) 5.73(kilos), 8.00x 6.50x 43.00(in) 20.30x 16.50x 109.20(cent)
AR7589	R 3,552	Apc Hinged Covers for NetShelter SX 750mm Wide 48U Vertical Cable Manager (Qty 2) Snap-on hinge covers conceal cables for a clean, professional look and easy access. 4.33(lbs) 1.97(kilos), 2.50x 6.37x 43.75(in) 6.40x 16.20x 111.10(cent)
AR7600	R 746	Apc NetShelter SX 42U/48U Baying Trim Kit Black. 1.00(lbs) 0.45(kilos), 3.50x 3.50x 20.25(in) 8.90x 8.90x 51.40(cent)
AR7700	R 1,942	Apc NetShelter SX 600mm/750mm Stabilizer Plate, 10.78(lbs) 4.90(kilos), 3.50x 15.25x 8.50(in) 8.90x 38.70x 21.60(cent)
AR7701	R 1,574	Apc NetShelter SX Bolt-Down Kit. 2.00(lbs) 0.92(kilos), 2.00x 9.00x 6.50(in) 5.10x 22.90x 16.50(cent)

AR7707	R 1,965	APC Cable Management Rings, 8 Inch Deep, NetShelter SX, 750mm Wide (Qty. 8) 750mm Wide (Qty. 8), 2.82(lbs) 1.28(kilos), 17.50x 5.50x 1.76(in) 44.50x 14.00x 4.40(cent)
AR7708	R 2,379	Apc NetShelter SX Air Recirculation Prevention Kit This kit prevents the recirculation of warm air exhaust inside the enclosure by closing gaps between the vertical mounting flanges and the side panels of the enclosure. The kit includes components for 42U and 48U enclosure heights. 1.27(lbs) 0.58(kilos), 4.25x 9.63x 20.75(in) 10.80x 24.50x 52.70(cent)
AR7710	R 3,000	Apc Cable Containment Brackets with PDU Mounting Capability for NetShelter SX, 5.00(lbs) 2.27(kilos), 15.50x 4.50x 7.00(in) 39.40x 11.40x 17.80(cent)
AR7711	R 2,241	NetShelter Zero U Accessory Mounting Bracket, 1.00(lbs) 0.45(kilos), 4.50x 7.50x 6.50(in) 11.40x 19.10x 16.50(cent)
AR7717A	R 7,060	Apc Vertical Cable Manager for NetShelter SX 42U Networking Enclosure (Qty 4), 11.30(lbs) 5.14(kilos), 5.13x 7.40x 36.00(in) 13.00x 18.80x 91.40(cent)
AR7719	R 1,551	Apc NetShelter ValueLine Swivel Caster Kit (Qty = 4) 5.50(lbs) 2.50(kilos), 3.54x 6.10x 8.66(in) 9.00x 15.50x 22.00(cent)
AR7720	R 25,828	APC KoldLok Integral Raised Floor Grommet Accessories to improve rack cooling efficiency by preventing air recirculation and reducing bypass airflow. 17.00(lbs) 7.73(kilos), 13.25x 8.50x 17.00(in) 33.70x 21.60x 43.20(cent)
AR7721	R 4,491	Apc Vertical Cable Manager for NetShelter SX 600mm Wide 42U (Qty 2), 5.70(lbs) 2.59(kilos), 6.40x 2.50x 33.40(in) 16.30x 6.40x 84.80(cent)
AR7723	R 5,588	Apc Vertical Cable Manager for NetShelter SX 600mm Wide 48U (Qty 2), 6.50(lbs) 2.95(kilos), 6.40x 2.50x 43.80(in) 16.30x 6.40x 111.30(cent)
AR7727	R 6,853	Apc Vertical Cable Manager for NetShelter SX 45U Networking Enclosure (Qty 4), 15.00(lbs) 6.82(kilos), 7.00x 6.00x 42.90(in) 17.80x 15.20x 109.00(cent)
AR7731	R 13,557	APC NetShelter SX External Air Sealing Kit, 22.43(lbs) 10.17(kilos), 4.75x 5.75x 26.25(in) 12.10x 14.60x 66.70(cent)
AR7737	R 6,853	Apc Vertical Cable Manager for NetShelter SX 48U Networking Enclosure (Qty 4), 16.00(lbs) 7.27(kilos), 7.00x 6.00x 42.90(in) 17.80x 15.20x 109.00(cent)
AR8006A	R 1,689	Apc Equipment Support Rails for 600mm Wide Enclosure, 6.50(lbs) 2.96(kilos), 26.00x 3.26x 3.38(in) 66.00x 8.30x 8.60(cent)
AR8008BLK	R 1,724	Apc Horizontal Cable Organizer Side Channel 18 to 30 inch adjustment. 3.10(lbs) 1.41(kilos), 3.50x 3.50x 20.75(in) 8.90x 8.90x 52.70(cent)
AR8100	R 861	Apc M6 Hardware for 600mm Wide Enclosures, 1.00(lbs) 0.45(kilos), 2.50x 9.50x 6.50(in) 6.40x 24.10x 16.50(cent)
AR8101BLK	R 2,777	Apc Blanking Panel Kit 19" Black (1U, 2U, 4U, 8U). 7.50(lbs) 3.42(kilos), 1.50x 23.50x 14.50(in) 3.80x 59.70x 36.80(cent)
AR8105BLK	R 1,937	Apc Mounting Hardware Fixed Shelf 50lbs/22.7kg Black, 9.40(lbs) 4.27(kilos), 4.00x 22.50x 17.50(in) 10.20x 57.20x 44.50(cent)
AR8108BLK	R 649	Apc 1U Blanking Panel Kit 19" Black. 1.60(lbs) 0.74(kilos), 3.90x 23.40x 1.50(in) 9.90x 59.40x 3.80(cent)
AR8113A	R 1,894	Apc Cable Management Rings (Qty. 5 Large and 5 Small Rings) 2.00(lbs) 0.91(kilos), 2.00x 9.50x 6.50(in) 5.10x 24.10x 16.50(cent)
AR8123BLK	R 6,810	Mounting Hardware Sliding Shelf 100lbs/45.5kg Black Sliding shelf to enable the mounting of tower units, monitors, and other equipment into the rack environment. 39.00(lbs) 17.73(kilos), 32.00x 33.00x 3.50(in) 81.30x 83.80x 8.90(cent)
AR8125	R 2,862	Apc Mounting Hardware Adjustable Shelf 250lbs 16" -24" Deep Black. 16.00(lbs) 7.27(kilos), 25.25x 25.25x 3.00(in) 64.10x 64.10x 7.60(cent)
AR8126ABLK	R 8,072	Apc 17" Keyboard Drawer Black, 12.20(lbs) 5.56(kilos), 3.50x 22.50x 21.50(in) 8.90x 57.20x 54.60(cent)
AR8127BLK	R 12,959	Apc 19" Rotating Keyboard Drawer Black, 36.50(lbs) 16.59(kilos), 8.50x 25.50x 36.50(in) 21.60x 64.80x 92.70(cent)
AR8128BLK	R 15,202	Apc Sliding Shelf - 200lbs/91kg Black, 47.00(lbs) 21.36(kilos), 8.50x 36.50x 25.50(in) 21.60x 92.70x 64.80(cent)
AR8129	R 3,522	Apc Cable Management Arm. 1.20(lbs) 0.55(kilos), 2.00x 2.50x 19.00(in) 5.10x 6.40x 48.30(cent)
AR8132A	R 5,036	Apc Combination Lock Handles (Qty 2), Â© 2015 Laptop Direct

AR8136BLK200	R 13,122	APC 1U 19" Black Modular Toolless Blanking Panel - Qty 200. 57.00(lbs) 25.91(kilos), 20.00x 20.50x 17.50(in) 50.80x 52.10x 44.50(cent)
AR8150BLK	R 1,068	Apc Adapter Kit 23" to 19" , Black, 0.88(lbs) 0.40(kilos), 1.75x 9.25x 6.50(in) 4.40x 23.50x 16.50(cent)
AR8162ABLK	R 1,469	Apc Data Cable Partition, NetShelter, 600mm Wide, 6.00(lbs) 2.73(kilos), 8.00x 24.00x 7.00(in) 20.30x 61.00x 17.80(cent)
AR8163ABLK	R 1,554	APC Data Cable Partition, NetShelter, 600mm Wide, pass-through, 6.00(lbs) 2.73(kilos), 8.00x 24.00x 7.00(in) 20.30x 61.00x 17.80(cent)
AR8164ABLK	R 6,945	Apc Cable Ladder 6" (15cm) Wide w/Ladder Attachment Kit (AR8166ABLK), 23.00(lbs) 10.46(kilos), 119.50x 13.00x 3.00(in) 303.50x 33.00x 7.60(cent)
AR8164AKIT	R 4,656	Apc Cable Ladder 6" (15cm) Wide (Qty 1). 23.00(lbs) 10.45(kilos), 119.50x 13.00x 3.00(in) 303.50x 33.00x 7.60(cent)
AR8165ABLK	R 7,406	Apc Cable Ladder 12" (30cm) Wide w/Ladder Attachment Kit (AR8166ABLK). 25.50(lbs) 11.59(kilos), 119.50x 13.00x 3.00(in) 303.50x 33.00x 7.60(cent)
AR8165AKIT	R 5,887	Apc Cable Ladder 12" (30cm) Wide (Qty 1) 25.50(lbs) 11.60(kilos), 119.50x 13.00x 3.00(in) 303.50x 33.00x 7.60(cent)
AR8166ABLK	R 2,448	Apc Cable Ladder Attachment Kit, Power Cable Troughs. 4.00(lbs) 1.82(kilos), 3.50x 20.75x 3.50(in) 8.90x 52.70x 8.90(cent)
AR8172BLK	R 2,512	Apc Data Cable Partition, NetShelter, 750mm Wide. 8.00(lbs) 3.64(kilos), 8.30x 29.30x 6.50(in) 21.10x 74.40x 16.50(cent)
AR8173BLK	R 2,512	Apc Data Cable Partition, NetShelter, 750mm Wide, pass-through. 8.00(lbs) 3.64(kilos), 8.30x 29.30x 6.50(in) 21.10x 74.40x 16.50(cent)
AR8177BLK	R 2,356	Apc Cable Ladder Attachment Kit, 750mm Wide, Data Cable Partitions, 0.88(lbs) 0.40(kilos), 1.75x 9.25x 6.50(in) 4.40x 23.50x 16.50(cent)
AR8184	R 1,413	Apc Cable Partition, 300mm, 3.96(lbs) 1.80(kilos), 8.19x 13.15x 6.50(in) 20.80x 33.40x 16.50(cent)
AR8186	R 1,574	Apc Bracket Kit, Cable Ladder Elevation. 1.65(lbs) 0.75(kilos), 3.74x 7.32x 4.88(in) 9.50x 18.60x 12.40(cent)
AR8190BLK	R 8,486	Apc Third Party Rack Trough and Partition Adapter. 14.00(lbs) 6.36(kilos), 4.00x 16.50x 32.50(in) 10.20x 41.90x 82.60(cent)
AR8207BLK	R 3,552	Apc Roof Fan Tray 208/230V 50/60HZ for NetShelter WX Enclosures, 208V, 230V. 6.00(lbs) 2.73(kilos), 2.30x 12.60x 9.20(in) 5.80x 32.00x 23.40(cent)
AR824002	R 1,482	Apc Accessory Bracket (Qty 2), NetShelter SV. 3.10(lbs) 1.41(kilos), 8.54x 5.20x 6.38(in) 21.70x 13.20x 16.20(cent)
AR8356	R 4,495	Apc NETSHELTER 13U GLASS DOOR. 13.50(lbs) 6.14(kilos), 28.00x 26.00x 8.00(in) 71.10x 66.00x 20.30(cent)
AR8358	R 2,770	Apc NESHELTER 13U REAR DOOR. 31.50(lbs) 14.32(kilos), 28.00x 26.00x 8.00(in) 71.10x 66.00x 20.30(cent)
AR8395	R 3,644	Apc 20U Copper Busbar Kit for NetShelter AV Enclosures, 3.00(lbs) 1.36(kilos), 38.25x 3.25x 2.50(in) 97.20x 8.30x 6.40(cent)
AR8400	R 608	Apc Mounting Hardware 12-24 Hardware Kit. 1.00(lbs) 0.45(kilos), 6.63x 6.63x 1.75(in) 16.80x 16.80x 4.40(cent)
AR8422	R 2,931	Apc Fixed Shelf - 250lbs 113Kg Accessories to aid in the installation of rack mount IT equipment and to secure racks into position within an enclosure, 12.00(lbs) 5.45(kilos), 11.00x 11.50x 21.50(in) 27.90x 29.20x 54.60(cent)
AR8425A	R 1,447	Apc Horizontal Cable Organizer 1U
AR8426A	R 1,659	Apc Horizontal Cable Organizer 2U
AR8428	R 1,367	Apc Horizontal Cable Organizer 2U w/pass through holes
AR8429	R 1,011	Apc Horizontal Cable Organizer 1U w/brush strip, 0.84(lbs) 0.38(kilos), 3.90x 23.40x 1.50(in) 9.90x 59.40x 3.80(cent)
AR8442	R 3,416	APC Verticle Cable Organiser. 8 Cable Rings, Zero U, 4.60(lbs) 2.09(kilos), 30.50x 2.50x 5.50(in) 77.50x 6.40x 14.00(cent)
AR8443A	R 4,265	Apc Vertical Fiber Organizer, 4.60(lbs) 2.09(kilos), 31.25x 5.00x 5.50(in) 79.40x 12.70x 14.00(cent)
AR8444	R 1,988	Spools for Vertical Fiber Organizer Qty. (4), 1.32(lbs) 0.60(kilos), 10.25x 6.00x 7.25(in) 26.00x 15.20x 18.40(cent)
AR8465	R 1,367	Apc Cable Ladder Wall Termination Kit, 3.60(lbs) 1.64(kilos), 5.00x 15.00x 3.25(in) 12.70x 38.10x 8.30(cent)
AR8560	R 3,115	Apc Cable Trough, Open Bottom, 600mm, 16.17(lbs) 7.35(kilos), 12.40x 27.95x 17.32(in) 31.50x 71.00x

		44.00(cent)
AR8561	R 2,905	Apc Cable Trough, 600mm system to route power distribution cabling across the top of a NetShelter SX Enclosure. 18.02(lbs) 8.19(kilos), 12.40x 27.95x 17.32(in) 31.50x 71.00x 44.00(cent)
AR8567	R 1,183	Apc Trough End Cap, 3.34(lbs) 1.52(kilos), 1.46x 16.93x 12.05(in) 3.70x 43.00x 30.60(cent)
AR8571	R 3,483	Apc Cable Trough, 750mm Trough system to route power distribution cabling across the top of a NetShelter SX Enclosure. 21.74(lbs) 9.88(kilos), 12.40x 33.86x 17.32(in) 31.50x 86.00x 44.00(cent)
AR8574	R 1,896	Aoc Perforated Cover, Cable Trough, 600mm Trough Covers are ventilated covers that can be attached to any of the Troughs for secure, enclosed troughs with a clean look. Two covers are provided. 5.92(lbs) 2.69(kilos), 1.46x 29.09x 16.85(in) 3.70x 73.90x 42.80(cent)
AR8575	R 1,896	Apc Perforated Cover, Cable Trough, 750mm Trough Covers are ventilated covers that can be attached to any of the Troughs for secure, enclosed troughs with a clean look. Two covers are provided. 7.46(lbs) 3.39(kilos), 1.46x 32.99x 16.85(in) 3.70x 83.80x 42.80(cent)
AR8576	R 1,574	Apc Ladder Hanger Kit, Cable Trough Comprehensive selection of accessories designed to organize power or data cables within a rack or enclosure. 0.66(lbs) 0.30(kilos), 1.97x 9.13x 6.50(in) 5.00x 23.20x 16.50(cent)
AR8580	R 2,553	Apc Cable Trough, Open Bottom, 300mm
AR8600A	R 2,632	Apc Horizontal , 2U x 4" Deep, Single-Sided with Cover Horizontal cable management accessory to organize data cable layout within an enclosure or a rack.
AR8602A	R 1,850	Apc Horizontal Cable Manager, 1U x 4" Deep, Single-Sided with Cover. 2.10(lbs) 0.95(kilos), 4.00x 21.50x 6.50(in) 10.20x 54.60x 16.50(cent)
AR8603A	R 3,437	Apc 2U Horizontal Cable Manager, 6" Fingers Top, Bottom Tie Down. 3.30(lbs) 1.50(kilos), 6.00x 20.50x 7.87(in) 15.24x 52.07x 20.00(cent)
AR8605	R 3,667	Apc 3U Horizontal Cable Manager, 6" Fingers top and bottom. 3.63(lbs) 1.65(kilos), 9.00x 20.50x 7.87(in) 22.86x 52.07x 20.00(cent)
AR8606	R 2,277	Apc 2U Horizontal Cable Manager, 6" Fingers top and bottom , 2.75(lbs) 1.25(kilos), 6.00x 20.50x 7.87(in) 15.24x 52.07x 20.00(cent)
AR8612	R 2,218	Apc 1U Horizontal, Single-Sided High density 1U, 6-in (150-mm) deep, horizontal cable manager with cover. 2.31(lbs) 1.05(kilos), 3.00x 20.50x 7.87(in) 7.62x 52.07x 20.00(cent)
AR8679	R 9,291	Apc CDX,Side Cover, for Double Sided 84" Manager, 26.20(lbs) 11.91(kilos), 2.63x 25.00x 50.50(in) 6.70x 63.50x 128.30(cent)
AR8715	R 7,428	Apc Valueline, Vertical Cable Manager for 2 & 4 Post Racks, 84" H X 6" W, Single-Sided with Door. 22.00(lbs) 10.00(kilos), 9.30x 13.00x 46.00(in) 23.60x 33.00x 116.80(cent)
AR8725	R 9,291	Apc Valueline, Vertical Cable Manager for 2 & 4 Post Racks, 84" H X 6" W, Double-Sided with Doors
AR8765	R 11,165	Apc Valueline, Vertical Cable Manager for 2 & 4 Post Racks, 84" H X 12" W, Single-Sided with Door
AXXCBL450HD7S	R 552	Intel AXXCBL450HD7S Cable kit 2x 450mm cables for straight SFF8643 to straight 7-pin connectors for the Intel Server Board S2600CW family
BC029A	R 6,185	HPE BC029A 1U generic Rack Mount kit, Space-efficient Way to Rack-mount Tape Drives and RDX Backup Systems
BW932A	R 4,188	HPE BW932A 600mm Rack Stabilizer Kit
CA-iAXXCBL450HD	R 821	Intel AXXCBL450HD7S Cable kit 2x 450mm cables for straight SFF8643 to straight 7-pin connectors for the Intel Server Board S2600CW family
CAB-6G8088-P1M	R 657	Unbranded 10Gtek SFF-8088 to SFF-8088 external Mini SAS Enterprise cable - 1m
CH-iAAPP3HSDBK	R 504	intel APP3HSDBKIT - hot-swap drive mounting kit with fan - for use of AXX6DRV3G / AXX6DRV3GEXP with all SC5299-E , SC5295 , sc5650 chassis
CH-iAAPPTHSDBK	R 583	intel APPTHSDBKIT - hot-swap drive mounting kit with fan - for use of AXX6DRV3GR with all SC5650 chassis
CH-IAAXXELVRAIL	R 1,155	Intel Value Rail AXXELVRAIL
CH-iAXXCMA3U7U	R 622	intel AXXCMA3U7U - add-on Cable Management Arm for 3U-7U chassis rail kit
CH-iAXXRAiL3U7U	R 1,562	intel AXXRAiL3U7U - tool-less sliding rail kit for 3U-7U chassis - J-hook design
CONFIG-HW	R 76	HARDWARE CONFIGURATIONS FOR DESKTOPS NOTEBOOKS AND SERVERS. Services provided by Supplier S-7.

CS004	R 332	RCT CS004 Set of 4 Castor Wheels (2 x Lockable), Heavy-duty nylon/metal swivel castor wheel set, featuring 2 lockable units for added stability. Easy to install with standard plate mounting, ideal for furniture, cabinets, equipment - made by RCT, model CS004.(Image may differ from actual product)
CS004	R 414	RCT CS004 Set of 4 Castor Wheels (2 x Lockable), Heavy-duty nylon/metal swivel castor wheel set, featuring 2 lockable units for added stability. Easy to install with standard plate mounting, ideal for furniture, cabinets, equipment - made by RCT, model CS004.(Image may differ from actual product)
E03M005 70-0300	R 7,338	Dell 70-0300 EqualLogic Type 10 10GbE iSCSI controller module, Compatible with --> PS6010 / PS6510 storage arrays
E6U64ABE	R 7,872	HPE E6U64ABE iLO Advanced Lights-Out Advanced 3 year support
H3C-PS-2551-9L3	R 1,869	H3C - 550W AC & 240V HVDC Power Supply (LT-R1-platinum)
HP 505908-001	R 1,035	HP 505908-001 Smart Array P4XX 1GB FBWC Flash backed write Cache for DL3XX G7 Servers
LenDCC-4F17A12350	R 1,689	Lenovo 4F17A12350 ThinkSystem SR630 FAN Option Kit
LenDCC-4XH7A08791	R 1,724	Lenovo 4XH7A08791 Thinksys cooling Solid-state drive Mounting, For SR 650 / 550 / 590 Micron5100 480G M.2 airduct kit
LenDCC-7ZT7A00546	R 2,529	Lenovo 7ZT7A00546 ThinkSystem X722 10Gb 2-port SFP LOM
LenDCG-4P57A26291	R 8,318	Lenovo 4P57A26291 ThinkSystem 750W (230/115V) V2 Platinum Hot-Swap Power Supply
LENOVO DCG 4P57A82020	R 5,174	Lenovo 4P57A82020 ThinkSystem 750W 230V Titanium Hot-Swap Power Supply V2
LPBB-5719	R 213	Dell Broadcom 5719 low profile Quad Port Network Interface card bracket, IBM 5899 74Y40
MB-iAXXRMM4	R 883	intel AXXRMM4 Remote Management Module
MCRP100	R 1,254	TP-Link TL-MCRP100 Omada Redundant Power Supply Module, SPEC: 100-240VAC Input, 12VDC Output, FEATURE: Redundant Power Supply Module for TL-MC1400
MR-LEXH32	R 321	Lian-li Black SATA HDD cage, - for 2x 2.5" SATA HDD/SDD in 1x3.5" bay ,hot swappable (2x hdd together), lockable meshed front door, anti-vibration kit
NA-I710T2L	R 6,411	Intel X710-T2L 2x 10Gbps Ethernet PCI-e 3.0 Network Adapter OCP 3.0, Dual Port 10GbE Base-T, PCI-e 3.0 (8.0 GT/s) system Interface Type
NBAC0302	R 2,540	Apc Rack Mounting Bracket for NetBotz Camera Pod 160, Â© 2015 Laptop Direct
NBES0303	R 2,213	Apc NetBotz Door Switch Sensors (2) for an APC Rack - 12 ft. 1.08(lbs) 0.49(kilos), 1.88x 9.13x 6.44(in) 4.80x 23.20x 16.40(cent)
NTX-RM-FAN	R 179	Netix Server Rack Fan, Rack-mounted cooling fan; 19-inch compatible; 150 CFM airflow; 12V DC; low-noise 35 dB; energy-efficient; durable design; compact installation; weight 0.8 kg
P01366-B21	R 710	HPE P01366-B21 96W Smart Storage Battery (up to 20 Devices) with 145mm Cable, Â© 2019 Laptop Direct
P01367-B21	R 739	HPE P01367-B21 96W Smart storage battery 260mm cable
P03178-B21	R 3,734	HP P03178-B21 1000W Flex slot Titanium Hot plug Power Supply kit
P06307-B21	R 452	HPE P06307-B21 ML30 Gen10 Mini SAS Cable Kit
PPANEL16BL	R 159	UniQue 16 PPort Blank Patch Panel-CAT5E
PPANEL32BL	R 219	UniQue 32 Port Blank Patch Panel-CAT5E
PWR-MP-6P-C13C14-M-D	R 391	LinkQnet 6 Port Multiplug Metal Rack dedicated C13 C14, Rated 3000W, 6x dedicated SA 3 pin Outputs, 1x C14 Input, 1x C13 Output [1x IEC C14 -> 6 SA 3-pin dedicated 1x IEC C13, server cabinet mountable]
QLE8242-BR	R 117	Qlogic Long Bracket for QLE8242 / QLE8262 / QLE3242 / NC523SFP cards
RAIL-B02	R 1,584	QNAP Rack Slide Rail Kit for 1U & 2U series models, Compatible with --> TS-1270U / TS-1269U / TS-870U / TVS-871U / TVS-1271U / TS-869U / TS-1253U / TS-853U / TVS-471U / TS-463U / TS-463U-RP / TS-863U / TS-863U-RP / TS-1263U / TS-1263U-RP
RAIL-B02	R 2,029	QNap Rack slide Rail kit for 1U & 2U Series models, Compatible with > TS-1270u / TS-1269u / TS-870u / TVS-871u / TVS-1271u / TS-869u / TS-1253u / TS-853u / TVS-471u / TS-463u / TS-463u-rp / TS-863u / TS-863u-rp / TS-1263u / TS-1263u-rp
RCK-2U-WALLMOUNT-BRK	R 420	Linkqnet 19" 2u Wall Mount Bracket Up To 12kg
RCK-4U-LOCKABLE-DRAW	R 860	Linkqnet 4u Rackmount Lockable Drawer - 350mm Deep
RCK-4U-WALLMOUNT-BRK	R 649	Linkqnet 19" 4u Wall Mount Bracket Up To 12kg
RCK-600X1000-PLINTH	R 978	Linkqnet Plinth For Floor Standing Cabinets 600x1000mm

RCK-SH-J015-1000	R 544	Unbranded Sliding shelf for 1000mm cabinet 750mm (D) x 465mm (W), SH-J015-1000
RCK-SH-J015-800	R 344	Linkqnet 500x465 Sliding Shelf For 800mm Cabinet
RCK-SH-J020-42U	R 1,110	Linkqnet 42u Glass Door
RSC-RR1U-E16	R 316	Supermicro RSC-RR1U-E16 standard 1U LHS passive, 1x PCI-e x 16 Gen2 / GEN3, PCI-e to PCI-e Riser card (x16)
SM-MCP-220-00044-0N	R 75	Supermicro 5015A-EHF bracket 2x 2.5" Hard Disk Drive
SM-MCP-260-00111-0N	R 86	SuperMicro ACC - 1U chassis I/O shield for X11DPL-I
SM-RSC-RR1U-E8	R 282	Super Micro PCI-E x8 Riser Card 1U (Required) for SM-813MTQ-350CB
SM-SNKP0046A4	R 500	Super Micro 4U Active CPU Heat Sink for E3-1200 Socket 1155 For X10SLL -F (Required)
SM-SNKP0046P	R 477	Super Micro 1U Passive CPU Heat Sink For E3-1200 Socket 1155 For X10SLL -F (Required)
SNK-P0067PD	R 569	SuperMicro 1U Passive CPU Heat Sink for Scalable Socket 3647
SVDE330-BBXH	R 4,770	Dell 330-BBXH Riser Card Config 0, 1x OCP 3.0(x16) 3x16 Low Profile 1x4 Low Profile (Gen3) Risers- 2x16 Low Profile
SVDE338-BFMX	R 2,300	Dell 338-BFMX Intel Xeon Quad Core E5-2623 v3 3.0GHz up to 3.50 GHz Turbo Frequency 10M Cache Processor, 8.00GT/s QPI, Turbo, HT, 4C/8T (105W), Customer Kit
SVDE338-BSVU	R 6,472	Dell 338-BSVU Intel Xeon Silver 4208 2.1G 8C/16T 9.6GT/s 11M Cache Turbo HT (85W) DDR4-2400 Processor
SVDE384-BCZS	R 501	Dell 384-BCZS Standard Fan
SVDE384-BDCG	R 457	Dell 384-BDCG EMC standard fan customer Install
SVDE403-BBYO	R 1,593	Dell 403-BBYO Boss Controller Card Blade Customer Kit
SVDE405-AAXT	R 16,428	Dell 405-AAXT PERC H755 Adapter Controller Card
SVDE405-AAZY	R 9,087	Dell 405-AAZY HBA355e Adapter low profile / full height CK
SVDE409-BBDT	R 18,026	Dell 409-BBDT Remote Access key for Dell Analog KVM server consoles
SVDE412-AAVE	R 411	Dell 412-AAVE Heatsink for 1 CPU Configuration (CPU less than 165-Watt), Compatible with --> PowerEdge R450 / PowerEdge R650 / PowerEdge R650XS / PowerEdge R750
SVDE412-AAZU	R 596	DELL 412-AAZ Standard Heatsink Customer Install for PowerEdge T550
SVDE470-ABDF	R 2,519	Dell 470-ABDF Serial SIP for Digital switches
SVDE470-AFFK	R 1,268	Dell 470-AFFK Boss S2 cables for R750xs and R550
SVDE470-BBVG	R 1,487	Dell 470-BBVG BOSS S2 Cables for R550 and R750xs V3 chassis
SVDE481-BBBC	R 25,386	Dell 18.5in LED Rack Mounted KMM (Keyboard, Monitor & Mouse) DKMMLED185-001 - International English Keyboard
SVDE540-BBUO	R 4,492	Dell 540-BBUO EMC Broadcom 57416 Dual Port 10Gb Base-T PCIe Adapter, Full Height, for R440 / T440 / R540 / R640 / T640 / R740 / R740XD servers
SVDE540-BBVM	R 6,119	Dell 540-BBVM EMC Broadcom 57416 Dual Port 10Gb Base-T PCIe Adapter, Low Profile (R440 / R640 / R740 / R740XD)
SVDE540-BDCH	R 605	Dell 540-BDCH EMC Boss Riser for R450 / R650XS - customer Install
SVDE540-BDRJ	R 2,107	Dell 540-BDRJ Broadcom 5719 QP 1GB Network Interface card 13g full height - kit
SVDE540-BDRL	R 2,911	Dell 540-bdrl Broadcom 5719 Quad Port 1 Gigabit Network Interface card low profile, PCI-e x1 Interface
SVDE770-BBIE	R 1,142	Dell 770-BBIE 1U Cable Management Arm - Kit, R630 / R430 / R330
SVDE770-BBIF	R 780	Dell 770-BBIF 2-Post/4-Post Static Rack Rail - Kit
SVDE770-BBIP	R 1,279	Dell 770-BBIP 2U Cable Management Arm - Kit, for R530 / R540 / R730 / R740 / R730xd / R740xd servers
SVDE770-BBIS	R 3,238	Dell 770-BBIS 1U 19" Black Modular Toolless Airflow Management Blanking Panel - Qty 10
SVDE770-BCJI	R 1,260	Dell 770-BCJI A11 drop-in / stab-in combo rails without Cable Management Arm, Compatible with --> Dell EMC PowerEdge R440 / R450 / R6415 / R650XS / R6515 Servers
SVDE770-BDSK	R 716	Dell 770-BDSK 2U Cable Management Arm
SVDE770-BEBR	R 2,408	Dell 770-BEBR EMC 2U combo drop-in / stab-in rails
SVDE770-BEBS	R 1,129	Dell 770-BEBS 2U ReadyRails sliding rails without Cable Management Arm
TW4UCOLLAR100	R 403	Mecer 4U Collar 100mm
TW4UCOLLAR100	R 426	RCT 4U Collar 100mm
U4555E	R 14,691	HPE U4555E startup DL38x(P) SVC for Proliant Server DL38x, Installation and startup for Proliant servers, Per

		product technical Data sheet, 8am-5pm, Standard business days, Excl HP hol
UPAPAP5717	R 29,153	APC AP5717 17" Rack LCD Console
UPAPAP5719	R 36,000	APC AP5719 19" Rack LCD Console
UPAPAP5808	R 43,951	APC AP5808 17" Rack LCD Console with Integrated 8 Port Analog KVM Switch
UPAPAP5816	R 51,459	APC AP5816 17" Rack LCD Console with Integrated 16 Port Analog KVM Switch
UPAPAP7526	R 9,055	Apc Rack PDU, Basic, 1U, 22KW, 400V, (6) C19, 400V 3PH, 230V
UPAPAP7551	R 5,566	APC Rack PDU, Basic, ZeroU, 16A, 230V, (20)C13 & (4)C19; IEC309
UPAPAP7585	R 11,353	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: Hard Wire 3-wire, Cord Length:28 feet (8.53 meters), Output: 230V, Output Connections: IEC 320 C19
UPAPAP7768	R 1,458	Apc BRACKET KIT, REAR RAILS, RACK ATS Provides redundant rack mount power to single-corded equipment.
UPAPAP7769	R 1,458	Apc Cord Retention Bracket for Rack ATS Provides redundant rack mount power to single-corded equipment.
UPAPAP8858	R 16,299	APC Rack PDU 2G, Metered, ZeroU, 20A/208V, 16A/230V, (18) C13 & (2) C19
UPAPAP8858EU3	R 16,565	Apc Rack PDU 2G, Metered, ZeroU, 16A, 230V, (18) C13 (2) C19, IEC309 Cord, INPUT: 200V, 208V, 230V OUT: 230V
UPAPAP8958	R 24,626	Apc Rack PDU 2G, Switched, ZeroU, 20A/208V, 16A/230V, (7) C13 & (1) C19, 200V, 208V, 230V, 200V, 208V, 230V
UPAPAP8958EU3	R 24,847	APC Rack PDU 2G, Switched, ZeroU, 20A/208V, 16A/230V, (7) C13 & (1) C19, IN: 200V, 208V, 230V OUT: 200V, 208V, 230V
UPAPAP9568	R 2,320	APC Rack PDU, Basic, Zero U, 10A, 230V
UPAPAP9569	R 2,187	Apc Cord Retention Bracket for Basic Rack PDUs
UPAPAR3104	R 29,485	Apc NetShelter SX 24U 600mm x 1070mm Deep Enclosure
UPAPAR3140	R 58,417	Apc NetShelter SX 42U 750mm Wide x 1070mm Deep Networking Enclosure with Sides
UPAPAR3200	R 50,686	Apc NetShelter SX Colocation 2 x 20U 600mm Wide x 1070mm Deep Enclosure with Sides Black
UPAPAR3355	R 58,084	Apc NetShelter SX 45U 750mm Wide x 1200mm Deep Enclosure with Sides Black, 414.48(lbs) 188.40(kilos), 88.19x 33.46x 51.97(in) 224.00x 85.00x 132.00(cent)
UPAPAR7502	R 2,519	APC AR7502 NetShelter SX 42U vertical Cable Organizer; 0U mounting; set of 2; black finish; 1930mm height; 2.27kg weight; data center cable management; airflow optimization; enterprise rack accessory
UPAPAR7505	R 4,086	Apc Vertical Cable Organizer, Center Rear Mount, NetShelter SX
UPAPAR7511	R 2,519	Apc Narrow Vertical Cable Organizer, NetShelter SX, 42U Comprehensive selection of accessories designed to organize power or data cables within a rack or enclosure.
UPAPAR7540	R 685	Apc Toolless Cable Management Rings (Qty 10), 0.90(lbs) 0.41(kilos), 2.50x 10.30x 7.30(in) 6.40x 26.20x 18.50(cent)
UPAPAR7572	R 2,872	Apc Vertical Cable Organizer, NetShelter SX, 48U
UPAPAR7580A	R 7,112	Apc Vertical Cable Manager for NetShelter SX 750mm Wide 42U (Qty 2)
UPAPAR7581A	R 2,694	Apc Hinged Covers for NetShelter SX 750mm Wide 42U Vertical Cable Manager (Qty 2) Snap-on hinge covers conceal cables for a clean, professional look and easy access.
UPAPAR7582A	R 1,017	Apc Cable Retainer for NetShelter SX 750mm Wide Vertical Cable Managers (Qty 6)
UPAPAR7585	R 7,841	Apc Vertical Cable Manager for NetShelter SX 750mm Wide 45U (Qty 2)
UPAPAR7586	R 3,049	APC Hinged Covers for NetShelter SX 750mm Wide 45U Vertical Cable Manager (Qty 2)Snap-on hinge covers conceal cables for a clean, professional look and easy access.
UPAPAR7588	R 8,194	Apc Vertical Cable Manager for NetShelter SX 750mm Wide 48U (Qty 2), 12.60(lbs) 5.73(kilos), 8.00x 6.50x 43.00(in) 20.30x 16.50x 109.20(cent)
UPAPAR7589	R 3,402	Apc Hinged Covers for NetShelter SX 750mm Wide 48U Vertical Cable Manager (Qty 2) Snap-on hinge covers conceal cables for a clean, professional look and easy access.
UPAPAR7707	R 1,878	APC Cable Management Rings, 8 Inch Deep, NetShelter SX, 750mm Wide (Qty. 8)
UPAPAR7710	R 2,872	Apc Cable Containment Brackets with PDU Mounting Capability for NetShelter SX
UPAPAR7717A	R 6,759	Apc Vertical Cable Manager for NetShelter SX 42U Networking Enclosure (Qty 4)
UPAPAR7722	R 4,970	Apc Vertical Cable Manager for NetShelter SX 600mm Wide 45U (Qty 2)
UPAPAR7727	R 6,560	Apc Vertical Cable Manager for NetShelter SX 45U Networking Enclosure (Qty 4), 15.00(lbs) 6.82(kilos), 7.00x

		6.00x 42.90(in) 17.80x 15.20x 109.00(cent)
UPAPAR8101BLK	R 2,850	Apc Blanking Panel Kit 19" Black (1U, 2U, 4U, 8U)
UPAPAR8108BLK	R 664	Apc 1U Blanking Panel Kit 19" Black
UPAPAR8113A	R 1,944	Apc Cable Management Rings (Qty. 5 Large and 5 Small Rings)
UPAPAR8126ABLK	R 7,730	APC Black 17" Keyboard Drawer
UPAPAR8127BLK	R 12,412	APC Black 19" Rotating Keyboard Drawer
UPAPAR8129	R 3,623	Apc Cable Management Arm
UPAPAR8162ABLK	R 1,502	Apc Data Cable Partition, NetShelter, 600mm Wide
UPAPAR8163ABLK	R 1,590	APC Data Cable Partition, NetShelter, 600mm Wide, pass-through
UPAPAR8164ABLK	R 6,648	Apc Cable Ladder 6" (15cm) Wide w/Ladder Attachment Kit (AR8166ABLK)
UPAPAR8164AKIT	R 4,462	Apc Cable Ladder 6" (15cm) Wide (Qty 1)
UPAPAR8165ABLK	R 7,620	Apc Cable Ladder 12" (30cm) Wide w/Ladder Attachment Kit (AR8166ABLK)
UPAPAR8165AKIT	R 5,633	Apc Cable Ladder 12" (30cm) Wide (Qty 1)
UPAPAR8166ABLK	R 2,341	Apc Cable Ladder Attachment Kit, Power Cable Troughs
UPAPAR8172BLK	R 2,584	Apc Data Cable Partition, NetShelter, 750mm Wide
UPAPAR8173BLK	R 2,584	Apc Data Cable Partition, NetShelter, 750mm Wide, pass-through
UPAPAR8177BLK	R 2,253	Apc Cable Ladder Attachment Kit, 750mm Wide, Data Cable Partitions
UPAPAR8184	R 1,348	Apc Cable Partition, 300mm
UPAPAR8186	R 1,502	Apc Bracket Kit, Cable Ladder Elevation
UPAPAR8190BLK	R 8,128	Apc Third Party Rack Trough and Partition Adapter
UPAPAR824002	R 1,415	Apc Accessory Bracket (Qty 2), NetShelter SV
UPAPAR8425A	R 1,480	Apc Horizontal Cable Organizer 1U
UPAPAR8426A	R 1,701	Apc Horizontal Cable Organizer 2U
UPAPAR8428	R 1,304	Apc Horizontal Cable Organizer 2U w/pass through holes
UPAPAR8429	R 1,038	Apc Horizontal Cable Organizer 1U w/brush strip, 0.84(lbs) 0.38(kilos), 3.90x 23.40x 1.50(in) 9.90x 59.40x 3.80(cent)
UPAPAR8442	R 3,512	APC Verticle Cable Organiser
UPAPAR8443A	R 4,086	Apc Cable Management Vertical Fiber Organizer
UPAPAR8444	R 1,900	Apc Cable Management Spools for Vertical Fiber Organizer Qty. (4)
UPAPAR8465	R 1,304	Apc Cable Ladder Wall Termination Kit
UPAPAR8560	R 2,982	Apc Cable Trough, Open Bottom, 600mm
UPAPAR8561	R 2,982	Apc Cable Trough, 600mm system to route power distribution cabling across the top of a NetShelter SX Enclosure.
UPAPAR8567	R 1,127	Apc Cable Management Trough End Cap
UPAPAR8571	R 3,335	Apc Cable Trough, 750mm Trough system to route power distribution cabling across the top of a NetShelter SX Enclosure.
UPAPAR8574	R 1,811	Aoc Perforated Cover, Cable Trough, 600mm Trough Covers are ventilated covers that can be attached to any of the Troughs for secure, enclosed troughs with a clean look. Two covers are provided.
UPAPAR8575	R 1,811	Apc Perforated Cover, Cable Trough, 750mm Trough Covers are ventilated covers that can be attached to any of the Troughs for secure, enclosed troughs with a clean look. Two covers are provided.
UPAPAR8576	R 1,502	Apc Ladder Hanger Kit, Cable Trough Comprehensive selection of accessories designed to organize power or data cables within a rack or enclosure.
UPAPAR8580	R 2,629	Apc Cable Trough, Open Bottom, 300mm
UPAPAR8600A	R 2,519	Apc Horizontal , 2U x 4" Deep, Single-Sided with Cover Horizontal cable management accessory to organize data cable layout within an enclosure or a rack.
UPAPAR8602A	R 1,768	Apc Horizontal Cable Manager, 1U x 4" Deep, Single-Sided with Cover
UPAPAR8603A	R 3,291	Apc 2U Horizontal Cable Manager, 6" Fingers Top, Bottom Tie Down
UPAPAR8605	R 3,512	Apc 3U Horizontal Cable Manager, 6" Fingers top and bottom
UPAPAR8606	R 2,341	Apc 2U Horizontal Cable Manager, 6" Fingers top and bottom
UPAPAR8612	R 2,121	Apc 1U Horizontal, Single-Sided High density 1U, 6-in (150-mm) deep, horizontal cable manager with cover.

UPAPAR8621	R 1,083	Apc Toolless Hook and Loop Cable Managers (Qty 10)
UPAPKVM-LCDMOUNT	R 1,569	APC KVM 2G, LCD Rear Mounting Kit
UPAPSURT013	R 6,384	APC SURT Equipment Cart. This is a cart that is used to carry IT equipment, such as server racks or UPS, either to move it or to make it easier to move, and to set it in one location. Total weight max = 1179Kg. 4 Castors with Leveling feet.

< Return to the menu

Server chassis [Tower barebone]

Product code	Price	Description
SM-CSE-721TQ-250B	R 3,375	SuperMicro 721TQ-250B Mini-ITX pedestal chassis, 4x 3.5" Hot-Swap Hard Disk Drive, 250W PSU

< Return to the menu

Server Memory

Product code	Price	Description
801882-B21	R 4,708	HP 1TB 6G SATA 7.2K rpm LFF (3.5in) Non-hot Plug Standard Server Hard Drive
AC958788	R 14,171	Dell AC958788 Memory 16GB 1Rx8 DDR5-5600 UDIMM ECC Server Memory, Not compatible with 4800MT/s DIMMs
HMA84GL7AMR4N-TF	R 2,849	Hynix 32GB DDR4-2133 CL15 288pin 1.2V ECC LRDIMM Server Memory, 4Rx4 rank
HMA84GL7MMR4N-TF	R 3,130	Hynix 32GB DDR4-2133 288pin 1.2V CL15 ECC LRDIMM Server Memory, 4Rx4 rank
HMA84GR7MFR4N-TF	R 2,811	Hynix 32GB DDR4-2133 CL15 1.2V 288pin ECC RDIMM Server Memory, 2Rx4 rank
HMAA8GL7AMR4N-VK	R 4,983	Hynix 64GB DDR4-2666 CL15 288pin 1.2V ECC Registered LRDIMM Server Memory, 4Rx4 rank
HMT151R7BFR4C-H	R 1,150	HYNIX MODULE 4096MB DDR3 1333MHZ CL9 Server Memory Module
HMT41GR7AFR4A-PBT8	R 1,205	Hynix 8GB DDR3L-1600 1.35V PC3L-12800R Registered RDIMM Single Rank x4 Memory Module
HMT42GR7BFR4C-RD	R 2,842	Hynix 16GB DDR3-1866 240 pin CL13 1.5V ECC Registered Dual Rank DIMM Server Memory
HP-JM1600KLN-4G	R 919	Transcend / HP 4GB DDR3-1600 240pin 1.5V CL11 unbuffered ECC Server Memory, 2Rx8 Dual Rank
HP26D4R9D4HAI-32	R 5,707	Kingston 32GB DDR4-2666 CL19 288pin 1.2V Registered ECC Server Memory, Dual Rank, HP26D4R9D4HAI-32
HSRN4C324G04AH2-32G	R 9,067	Hiksemi 32GB DDR4-3200 288pin CL22 1.2 Registered RDIMM Memory, CL22-22-22 timing
HSRN4D324G04AH2-64G	R 18,604	Hiksemi 64GB DDR4-3200 288pin CL22 1.2V Registered RDIMM Memory
HYMP112F72CP8D	R 311	Hynix Module 1024MB DDR2-800 CL5 Server memory
HYMP112F72CP8D3	R 276	Hynix Module 1024MB DDR2-667 CL5 Server memory
KSM56E46BD8KM-32HA	R 25,582	Kingston KSM56E46BD8KM-32HA 32GB 5600MT/s DDR5 ECC CL46 DIMM 2Rx8 Hynix A, Server Premier Full Lock Memory Module
KSM56R46BD4-64HA	R 53,033	Kingston KSM56R46BD4-64HA 64GB 5600MT/s DDR5 ECC Reg CL46 DIMM 2Rx4 Hynix A, Server Premier DRAM Lock Memory Module
KSM56R46BD4PMI-64HAI	R 53,033	Kingston KSM56R46BD4PMI-64HAI 64GB 5600MT/s DDR5 ECC Reg CL46 DIMM 2Rx4 Hynix A Renesas, Server Premier Full Lock Memory Module
KTD-PE432E/32G	R 11,321	Kingston 32GB DDR4-3200 CL22 288 pin 1.2V ECC unbuffered DIMM Memory Module, 2R (Dual Rank)
KVR1066D3S8R7/3	R 495	Kingston 3GB DDR3-1066 ECC Registered CL7 DIMM Server Memory
LD5S16G56C46ST-BGS	R 4,484	Lexar 16GB DDR5-5600 SO-DIMM 262pin 1.1V CL46 ECC Memory Module, CL46-45-45-90 CAS Latency, LD5S16G56C46ST-BGS
M386A4G40DM0-CPB	R 3,076	Samsung 32GB DDR4-2133 288Pin 1.2V LRDIMM ECC PC4-17000 Memory Module, M386A4G40DM0-CPB, 4RX4 rank, PC4-17000P-L module name, x4 organization
M393A2K43BB1-CRC	R 2,842	Samsung 16GB DDR4-2400 288pin 1.2V ECC Registered Server Memory, 2Rx8 rank
M393A4K40BB1-CRC	R 3,245	Samsung 32GB DDR-2400 288Pin CL17 ECC Registered Dual Rank Server Memory, Dual Rank x4
M393A5143DB0-CPB0Q	R 437	Samsung 4GB DDR4-2133 288Pin CL15 1.2V ECC Registered Server Memory, 1Rx8 rand
M393B2G70QH0-YK0	R 1,814	Samsung 16GB DDR3-1600 240 pin 1.35V RDIMM Server Memory, Dual Rank x4
M393B5273CH0-YH9	R 574	Samsung 4GB DDR3-1333 240pin CL9 1.35V ECC Registered Dual Rank Memory Module, 2Rx8 rank
ME-A4E16C11L	R 1,027	Adata ADDE1600W4G11 4Gb ECC un-buffered , ddr3L-1600 , CL11 , 1.35v/1.5v dual voltage - 240pin, with thermal sensor

ME-A4R16C11L	R 1,133	Adata ADDR1600W4G11 4Gb ecc-Register with parity , ddr3L-1600 CL11 , single rank (512x8) , 1.35v/1.5v dual voltage - 240pin
ME-A8R16C11DL	R 1,586	Adata ADDR1600W8G11 8Gb ECC-Register with parity , ddr3L-1600 CL11 , Dual rank (512x8) , 1.35v/1.5v dual voltage - 240pin
ME-A8R16C11SL	R 1,586	Adata ADDR1600Y8G11 8Gb ecc-Register with parity , ddr3L-1600 CL11 , Single rank (1024x4) , 1.35v/1.5v dual voltage - 240pin
ME-AD4R16V21	R 6,180	Adata AD4R2133Y16G15 Ddr4 ECC-Registered Valueram, 2133 (pc4-17000), 16Gb, Single rank x4, CL15 - 288pin, 17Gb/sec Memory Bandwidth, 1.2V - Retail pack
ME-AD4R16V24	R 6,190	Adata Valueram 16GB DDR4-2400 ECC-Registered 1.2V 288 pin R-DIMM Memory, PC4-19200, Dual rank, CL17, 17GB/sec Memory Bandwidth, AD4R2400316G17
ME-AD4R4V21	R 2,707	Adata AD4R2133W4G15 DDR4 ecc-Registered Valueram, 2133 (pc4-17000), 4GB, Single rank x4, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-C2GD2V6ERP	R 492	Corsair CM72DD2048R-667 , ECC Registered with Parity check dual rank x8 , 2Gb/2048mb ddr2-667 - 240pin
ME-K2RD28D	R 758	Kingston ValueRam KVR800D2D8P6/2G ECC Registered with Parity check , 2Gb/2048mb ddr2-800 , dual rank x8 - 240pin
ME-K4R16C11Di	R 1,371	Kingston ValueRam KVR16R11D8/4i , ecc-Register with parity , ddr3-1600 , CL11 , Dual rank x8 , 4Gb , Intel validated , 1.5v - 240pin, with thermal sensor
ME-K4R16C11L	R 1,247	Kingston ValueRam KVR16LR11S8/4i, ecc-Register with parity, ddr3L-1600 CL11, Single rank x8, 4Gb, Intel validated, 1.35v/1.5v dual voltage - 240pin, with thermal sensor
ME-K4R16C11S	R 1,247	Kingston ValueRam KVR16R11S4/4 / KVR16R11S8/4 , ecc-Register with parity , ddr3-1600 CL11 , Single rank x4 , 4Gb , 1.5v - 240pin, with thermal sensor
ME-K4R16C11Si	R 1,309	Kingston ValueRam KVR16R11S4/4i / KVR16R11S8/4i , ecc-Register with parity , ddr3-1600 CL11 , Single rank x4 , 4Gb , Intel validated , 1.5v - 240pin, with thermal sensor
ME-K4R16C11Sx3i	R 3,740	Kingston ValueRam KVR16R11S4K3/12i / KVR16R11S8K3/12i, ecc-Register with parity, ddr3-1600, CL11, Single rank, 12GB (4Gb x3 kit), Intel validated, 1.5v - 240pin, with thermal sensor
ME-K4RD26D	R 1,988	Kingston ValueRam KVR667D2D4P5/4G Ecc Registered, Dual rank, with parity check, 4Gb, DDR2-667 - 240pin - Server memory
ME-K4RD26Dx2	R 3,979	Kingston ValueRam KVR667D2D4P5K2/8G Ecc Registered , Dual rank ,with parity check, 8GB (4Gb x2 kit) , DDR2-667 - 240pin Server Memory
ME-K4RD28D	R 2,099	Kingston ValueRam KVR800D2D4P6/4G Ecc Registered , Dual rank , with parity check , 4Gb , ddr2-800 - 240pin - lifetime warranty
ME-K4RD28Dx2	R 4,200	Kingston ValueRam KVR800D2D4P6K2/8G ECC Registered with Parity check , 2x 4Gb/4096mb kit , ddr2-800 , dual rank x4 - 240pin
ME-K8FDi	R 4,422	Kingston ValueRam KVR667D2D4F5/8Gi ecc-Fb dimm with AMB , Dual rank x4 , Intel validated , 8Gb ddr2-667 (pc2-5300) , dual rank x4 , CL5 , 1.8v , 240pin - lifetime warranty
ME-K8R16C11Di	R 1,919	Kingston ValueRam KVR16R11D4/8i, ecc-Register with parity , ddr3-1600, CL11, Dual rank x4, 8Gb, Intel validated, 1.5v - 240pin, with thermal sensor
ME-K8R16C11Sx3i	R 4,759	Kingston ValueRam KVR16R11S4K3/24i , ecc-Register with parity , ddr3-1600 CL11 , Single rank x4 , 8Gb x3 kit , Intel validated , 1.5v - 240pin, with thermal sensor - lifetime warranty
ME-K8R18C13S	R 2,110	Kingston ValueRam KVR18R13S4/8 , ecc-Register with parity , ddr3-1866 , CL13 , Single rank x4 , 8Gb , 1.5v - 240pin, with thermal sensor - Server memory
ME-K8R18C13Sx4	R 8,444	Kingston ValueRam KVR18R13S4K4/32 , ecc-Register with parity , ddr3-1866 , CL13 , Single rank x4 , 8Gb x4 kit , 1.5v - 240pin, with thermal sensor - lifetime warranty
ME-KD4836RF17	R 2,376	Kingston HX436C17FB3A/8 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL17, 8Gb - support Intel XMP (eXtreme Memory Profiles), 1.35 - 288pin
ME-KD4836RF17X2	R 4,808	Kingston HX436C17FB3AK2/16 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL17, 16Gb(8Gb x 2) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin
ME-KD4836RF17X4	R 9,674	Kingston HX436C17FB3AK4/32 DDR4-3600 (pc4-28800), Hyper-x RGB Fury with heatsink, CL17, 32Gb(8Gb x 4) kit - support Intel XMP (eXtreme Memory Profiles), 1.35v - 288pin

ME-KD4E16V26	R 5,196	Kingston KSM26ED8/16ME Ecc Valueram, DDR4-2666 (pc4-21300), 16Gb, Dual rank x8, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E16V29	R 5,196	Kingston KSM29ES8/16ME DDR4 Ecc Valueram, 2999 (pc4-23400), 16Gb, Single rank x8 , CL21 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E16V32	R 5,196	Kingston KSM32ED8/16me DDR4 Ecc Valueram, 3200 (pc4-25600), 16Gb, Dual rank x8, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E32V26	R 8,845	Kingston KSM26ED8/32ME DDR4 Ecc Valueram, 2666 (pc4-21300), 32Gb, Dual rank x8, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E32V32	R 9,199	Kingston KSM32ED8/32me DDR4 Ecc Valueram, 3200 (pc4-25600), 32Gb, Dual rank x8, CL22 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E4V21x2i	R 2,737	Kingston KVR21E15S8K2/8i Valueram, Ecc DDR4-2133 (pc4-17000), 8Gb(4Gb x2) kit, Intel validated, Single rank x8, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E8V32	R 2,597	Kingston KSM26ES8/8me DDR4 Ecc Valueram, 3200 (pc4-25600), 8Gb, Single rank x8, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R16V26H	R 6,246	Kingston KSM26RS4/16Hci ecc-Registered Valueram, DDR4-2666 (pc4-21300), Hynix c-die, single rank x4, 16Gb, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R16V26M	R 6,246	Kingston KSM26RS4/16Mei ecc-Registered Valueram, DDR4-2666 (pc4-21300), Micron e-die, single rank x4, 16Gb, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R16V29M	R 6,356	Kingston KSM29RS4/16Mei ecc-Registered Valueram, DDR4-2933 (pc4-23400), Micron e-die, single rank x4, 16Gb, CL21 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R16V32M	R 6,468	Kingston KSM24RD4/16MEI 16GB DDR4-3200 ECC-Registered 1.2V 288 pin Valueram, 3200 (PC4-25600), Micron e-die, Single rank x4, 16GB, CL21, 288 pin, 17GB/sec Memory Bandwidth, 1.2V
ME-KD4R32V26H	R 12,880	Kingston 32GB DDR4-2666 288 pin CL19 ECC Registered Valueram, KSM26RD4/32HDI, 2R (Dual Rank)
ME-KD4R32V29M	R 10,227	Kingston KSM29RD4/32MEI 32GB DDR4-2933 ECC-Registered 1.2V 288 pin Valueram, 2933 (PC4-23400), Micron e-die, Dual rank x4, 32GB, CL21, 288 pin, 17GB/sec Memory Bandwidth, 1.2V
ME-KD4R32V32M	R 12,880	Kingston KSM32RD4/32MEI 32GB DDR4-3200 ECC-Registered 1.2V 288 pin Valueram, 3200 (PC4-25600), Micron e-die, Dual rank x4, 32GB, CL22, 288 pin, 17GB/sec Memory Bandwidth, 1.2V
ME-KD4R4V21	R 2,762	Kingston KVR21R15S8/4 DDR4 Ecc-Registered Valueram, 2133 (pc4-17000), 4Gb, Single rank x8, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack, total size - Gb : 4, size per module - Gb : 4, qty per kit : 1, speed : 2133, voltage - v : 1.2, latency : 15, heatsink : N
ME-KD4R4V21x4	R 11,053	Kingston KVR21R15S8K4/16 DDR4 ecc-Registered Valueram, 2133 (pc4-17000), 16GB(4Gb x 4) kit, Single rank x8, CL15, 1.2v - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R4V24	R 2,762	Kingston KVR24R17S8/4 Ddr4 ecc-Registered Valueram, 2400 (pc4-19200), 4Gb, Single rank x8, CL17 - 288pin, 17Gb/sec memory bandwidth, 1.2V Retail pack
ME-KD4R4V24i	R 2,901	Kingston KVR24R17S8/4i 4Gb DDR4-2400 (pc4-19200) ECC Registered Server Valueram, pc4-19200, 4Gb, Intel validated, Single rank x8, CL17 - 288pin, 17Gb/sec memory bandwidth, 1.2V
ME-KD4R8V26H	R 3,095	Kingston KSM26RS8/8Hci DDR4 ecc-Registered Valueram, 2666 (pc4-21300), Hynix c-die, single rank x8, 8Gb, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R8V26M	R 3,039	Kingston KSM26RS8/8Mei DDR4 ecc-Registered Valueram, 2666 (pc4-21300), Micron e-die, single rank x8, 8Gb, CL19 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD51656V46	R 6,086	Kingston KVR56U46BS8-16 - DDR5-5600 (PC5-44800) Value, 16Gb, CL46 - 288pin single rank, 38.4Gb/sec memory bandwidth, built-in ECC, 1.1V with built-in Power Management iC - Retail pack
ME-KD5R12864V52	R 110,354	Kingston Server Premier 128GB DDR5-6400 288pin CL52 1.1V ECC-Registered Memory, 2Rx4 rank, Micron-B, CL52-52-52 timing, KSM64R52BD4-128MB
ME-KD5R6456V46	R 51,527	Kingston Server Premier 64GB DDR5-5600 288pin CL46 1.1V ECC-Registered Memory, 2Rx4 rank, Micron-D, CL46-45-45 timing, KSM56R46BD4-64MD
ME-KD5R6464V52	R 52,190	Kingston Server Premier 64GB DDR5-6400 288pin CL52 1.1V ECC-Registered Memory, 2Rx4 rank, Micron-D, CL52-52-52 timing, KSM64R52BD4-64MD
MEM-DR432L-HL01-ER29	R 4,479	Hynix 32GB DDR4-2933 2Rx4 1.2V CL21 ECC Registered DIMM Memory

MTA18ASF2G72PDZ-2G3B1RG	R 2,842	Micron 16GB DDR4-2400 288Pin CL17 1.2V RDIMM ECC Server Memory RAM, 2Rx8 rank
MTA18ASF2G72PDZ-2G3D1S1	R 2,842	Micron 16GB DDR4-2400 288Pin CL17 1.2V RDIMM ECC Server Memory RAM, 2Rx8 rank
MTA18ASF2G72PDZ-3G2R1R	R 21,216	Micron 16GB DDR4-3200 1.2V CL22 288pin ECC Registered RDIMM Server Memory Module, 2R module rank
MTA18ASF4G72AZ-3G2R	R 57,211	Micron 32GB DDR4-3200 288pin 1.2V CL22 ECC UDIMM Server Memory, 2Rx8 rank
MTA36ASF4G72PZ-2G3B1II	R 5,707	Micron 32GB DDR4-2400T-R CL17 288Pin 1.2V ECC Registered Server Memory Module, 2Rx4 rank
MTA36ASF4G72PZ-3G2R	R 28,691	Micron 32GB DDR4-3200 288pin 1.2V CL22 ECC RDIMM Memory
MTA36ASF8G72PZ-3G2R	R 47,666	Micron 64GB DDR4-3200 288pin 1.2V CL22 ECC RDIMM Memory, 2Rx4 rank
MTA72ASS8G72LZ-2G6D2QI	R 11,285	Micron 64GB DDR4-2666 288pin CL19 1.2V Registered ECC RDIMM Server Memory, 4DRx4 Quad rank
MTA9ASF2G72AZ-3G2R	R 35,821	Micron 16GB DDR4-3200 288pin CL22 1.2V ECC Registered UDIMM Server Memory, 1Rx8 Single Rank
MTC10C1084S1EC56BR	R 42,951	Micron 16GB DDR5-5600 288pin 1.1V CL46 ECC RDIMM Memory, 1Rx8 rank
MTC10F1084S1RC56BR	R 21,561	Micron 16GB DDR5-4800 288pin 1.1V CL46 ECC RDIMM Memory, 1Rx8 rank
MTC20C2085S1EC56BR	R 68,711	Micron 32GB DDR5-5600 288pin CL46 1.1V ECC UDIMM Server Memory, 2Rx8 rank
MTC20F2085S1RC56BR	R 34,441	Micron 32GB DDR5-5600 288pin 1.1V CL46 ECC RDIMM Memory, 2Rx8 rank
MTC40F2046S1RC56BR	R 57,211	Micron 64GB DDR5-5600 288pin 1.1V CL46 Registered RDIMM Server Memory, 2Rx4 rank
RS520-E9-RS12-E/4NVME	R 32,231	Asus RS520-E9-RS12-E 2U rackmount high performance Server 2x Socket P (LGA 3647), Supports Intel Xeon Scalable processors family (150W), WOD / 2CEE / EN / WOC / WOM / WOS / WOR / IK9, with out Optical Disk Drive, with out RAID card, 4 NVMe supported, 2x 800W platinum power supplies, 16 DDR4 Memory slots (6-channel per CPU / 8 DIMM per CPU), 2x PCI-e x16 (GEN3 x16 Link), 4x PCI-e x8 (GEN3 x8 Link), 1x OCP 2.0 mezzanine (GEN3 x16 Link), 11x SATA3 6GB/s ports (8 by 2 mini-sas connector), 2x M.2 connector (2280 / 2260 / 2242) (SATA 6GB/s & PCI-e GEN3 x4 Link), 12x 2.5" or 3.5" hot-swap Storage Device bays (4x NVMe supported), 1x Dual Port Intel I350-AM2 Gigabit LAN controller 1x management LAN, 2x USB 2.0 ports front, 2x USB 3.0 ports, 1x VGA Port, 2x RJ-45 GbE LAN ports, 1x RJ-45 management LAN Port
TS1GHR72V6B	R 3,450	Transcend 8GB DDR4-2666 1.2V CL19 288 pin registered DIMM Memory, 1Rx8 rank, 1GX8 DRAM
TS1GLK72V3H	R 13,223	Transcend 8GB Unregistered ECC DDR3-1333 240-Pin DIMM Memory - 6 Layer
TS1GLK72W6H	R 13,223	Transcend 8GB DDR3L-1600 1.35V CL11 240 pin unregistered ECC DIMM Memory, 2Rx8, 1GX8
TS256MFB72V6U-T	R 690	Transcend 2GB Registered ECC DDR2-667 240-Pin Fully Buffered DIMM (FB-DIMM) Memory @ CL 5-5-5-15 - 6 Layer - Dual Rank
TS2GAR80V6E	R 8,961	Transcend 16GB DDR5-5600 CL46 288pin 1.1V Registered Long-DIMM Server Memory, 1Rx8 rank
TS2GLA72V6E	R 4,480	Transcend 16GB DDR5-5600 288pin CL46 1.1V ECC DIMM Server Memory Module, 1Rx8 rank
TS4GAR80V6E	R 42,570	Transcend 32GB DDR5-5600 CL46 288pin 1.1V Registered Long-DIMM Server Memory, 2Rx8 rank
TS4GLA72V6E	R 41,785	Transcend 32GB DDR5-5600 288pin CL46 1.1V ECC DIMM Server Memory Module, 2Rx8 rank
TS4GLH72V2E4	R 3,207	Transcend 32GB DDR4-3200 288pin CL22 1.2V ECC DIMM Server RAM, 2Rx8 dual rank
TS4GLH72V6E	R 4,092	Transcend 32GB DDR4-2666 ECC DIMM 2Rx8 2GX8 CL19 1.2V 288 pin Server Memory, ECC long-dimm
TS512MHR72V6H	R 758	Transcend 4GB DDR4-2666 288pin CL19 1.2V Registered RDIMM Memory, 1Rx8 rank organisation, Registered Long-DIMM (Type, ECC error correction
TS512MKR72V3N	R 736	Transcend 4GB Registered ECC DDR3-1333 240-Pin DIMM Memory - 6 Layer
TS512MKR72W6H	R 914	Transcend 4GB DDR3L-1600 1.35V CL11 240 pin Registered ECC RDIMM Memory, 1Rx8, 512Mx8

< Return to the menu

Server Memory [System specific]

Product code	Price	Description
4X70G88334	R 7,099	Lenovo 4X70G88334 16GB 2RX8 DDR4-2400 ECC UDIMM 288-PIN Server memory, Unbuffered, PC4-19200, Dual Rank, 1.2V
4X77A77030	R 47,873	Lenovo 4X77A77030 ThinkSystem 32GB TRUDDR5 4800MHz (1Rx4) 288pin RDIMM Memory, Single Tank
4X77A77495	R 3,161	Lenovo 4X77A77495 ThinkSystem 16GB TruDDR4 3200MHz 2Rx8 1.2V ECC UDIMM Memory
4X77A77495	R 2,559	Lenovo 4X77A77495 ThinkSystem 16GB TruDDR4 3200MHz 2Rx8 1.2V ECC UDIMM Memory
4X77A81438	R 6,802	Lenovo 4X77A81438 ThinkSystem 32GB TruDDR5 4800MHz (1Rx4) RDIMM-A Server Memory, Single rank
4X77A93557	R 16,267	Lenovo 4X77A93557 ThinkSystem 32GB TruDDR5 5600MHz 288pin (2Rx8) ECC UDIMM-A Server Memory, Dual Rank

4X77A99752	R 32,094	Lenovo 4X77A99752 ThinkSystem 32GB TruDDR5 5600MHz (2Rx8) 288pin ECC UDIMM Server Memory, Dual Rank
4ZC7A08696	R 2,227	Lenovo 4ZC7A08696 ThinkSystem 8GB TruDDR4 2666MHz 1Rx8 1.2V 288 pin UDIMM Memory
4ZC7A08699	R 5,354	Lenovo 4ZC7A08699 ThinkSystem 16GB TruDDR4 2666MHz 1Rx8 1.2V 288 pin UDIMM Memory
4ZC7A08708	R 3,140	Lenovo 4ZC7A08708 ThinkSystem 16GB TruDDR4 2933 MHz 2Rx8 1.2V RDIMM Memory
4ZC7A08709	R 6,791	Lenovo 4ZC7A08709 ThinkSystem 32GB TruDDR4 2933 MHz 2Rx4 1.2V RDIMM Memory
4ZC7A08710	R 5,796	Lenovo 4ZC7A08710 ThinkSystem 64GB TruDDR4 2933MHz (2Rx4 1.2V) RDIMM
7X77A01304	R 7,938	Lenovo ThinkSystem 32GB TruDDR4 2666 MHz (2Rx4 1.2V) 288pin RDIMM Memory
835804-B21	R 9,774	HPE 835804-B21 128GB 2666 Persistent Memory Kit featuring Intel Optane DC
AA799064	R 6,356	Dell AA799064 Memory upgrade 16GB 2Rx8 DDR4 RDIMM 3200MHz
AB257576	R 3,353	Dell AB257576 Memory upgrade 16GB 2Rx8 DDR4 RDIMM 3200MHz
AB257598	R 2,270	Dell AB257598 Memory upgrade 8GB 1Rx8 DDR4 RDIMM 3200MHz
AB663419	R 3,018	Dell AB663419 Memory upgrade 8GB 1Rx8 DDR4 UDIMM 3200MHz ECC
AC140379	R 2,477	Dell AC140379 Memory upgrade 8GB 1Rx8 DDR4 UDIMM 3200MHz ECC
AC140401	R 2,908	Dell AC140401 Memory upgrade 16GB 1Rx8 DDR4 UDIMM 3200MHz ECC
H3C-UN-DDR4-2933P-32G-2RX4-R	R 4,755	H3C 32GB 2Rx4 DDR4-2933P-R Memory Module
KTD-PE432/64G	R 22,663	Kingston Dell 64GB DDR4 3200Mhz ECC Registered Memory RAM DIMM
KTD-PE432D8/32G	R 11,429	Kingston Dell KTD-PE432D8/32G 32GB DDR4 3200Mhz ECC Registered RAM Memory DIMM
KTD-PE432S4/32G	R 11,429	Kingston Dell KTD-PE432S4/32G 32GB DDR4-3200 (PC4-25600) ECC Registered RAM Memory DIMM
KTD-PE432S8/16G	R 5,797	Kingston Dell KTD-PE432S8/16G 16GB DDR4 3200Mhz ECC Registered Memory RAM DIMM
LenDCC-7X08A0ADEA	R 59,625	Lenovo ThinkSystem SR530 1U Rack Server, Intel Xeon Silver 4208 2.1Ghz up to 3.2Ghz 11MB Cache Eight (8) Core Processor with no intergrated graphics, 1x 16GB RDIMM DDR4-2933 (1Rx4), 530-8i Storage Controller, 8x 2.5" SATA/SAS HS Disk Bays, Matrox G200 graphic card, No optical drive, TPM 1.2, 1x 750W Platinum Power Supply, No hard drives, No operating system
ME-KD4E4V21i	R 1,369	Kingston KVR21E15S8/4i Ecc Valueram, 4Gb DDR4-2133 (pc4-17000), Intel validated, Single rank x8, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E4V21x2	R 2,607	Kingston KVR21E15S8K2/8 Valueram, 8Gb (4Gb x2) kit, Ecc DDR4-2133 (pc4-17000), Single rank x8, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4E4V24	R 1,303	Kingston KVR24E17S8/4 Valueram Ecc, 4Gb, DDR4-2400 (pc4-19200), Single rank x8, CL17 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R4V21i	R 2,901	Kingston KVR21R15S8/4i Valueram ecc-Registered, DDR4-2133 (pc4-17000), 4Gb, Intel validated, Single rank x8, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R4V21x4i	R 11,606	Kingston KVR21R15S8K4/16i Valueram ecc-Registered, DDR4-2133 (pc4-17000), 16Gb (4Gb x4) kit, Intel validated, Single rank x8, CL15 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R4V24x4	R 11,053	Kingston KVR24R17S8K4/16 Ddr4 ecc-Registered Valueram, 2400 (pc4-19200), 16GB(4Gb x 4) kit, Single rank x8, CL17 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
ME-KD4R4V24x4i	R 11,606	Kingston KVR24R17S8K4/16i Valueram, ecc-Registered DDR4-2400 (pc4-19200), 16Gb (4Gb x 4 kit), Intel validated, Single rank x8, CL17 - 288pin, 17Gb/sec memory bandwidth, 1.2V - Retail pack
P00920-B21	R 7,064	HPE P00920-B21 16GB (1x16GB) Single Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit
P43328-B21	R 31,209	HP P43328-B21 32GB (1x32GB) Dual Rank x8 DDR5-4800 CAS-40-39-39 EC8 Registered Smart Memory kit
P43331-B21	R 62,995	HP P43331-B21 64GB (1x64gb) Dual Rank x4 DDR5-4800 CAS-40-39-39 EC8 Registered Smart Memory kit
P64339-B21	R 51,006	HP 32GB DDR5-4800 288pin 1.2V CL40 unbuffered Desktop Memory, Dual Rank x8, CAS-40-39-39, Supported on HPE Gen11 Servers
SNP8WKDYC/32G	R 5,596	Dell Enterprise 32GB DDR4-2933 288pin 1.2V Registered RDIMM ECC RAM Memory, 2RX4 Dual Rank, SNP8WKDYC/32G

< Return to the menu

Server motherboards		
Product code	**Price**	**Description**

MB-iS1200SPLR	R 4,216	Intel S1200SPLR Silver Pass LGA 1151 Motherboard; support LGA 1151 Xeon E3-1200V5/V6 series; Intel C236 Express chipset, 4x dual channel DDR4-2133 (must be ECC memory), 8x SATA6G with raid 0/1//0 1/5/10 with RST support 32Gb/sec M.2x4/NGFF type2242, on-board VGA with DisplayPort d-sub out (require CPU with built-in graphics) dual Intel Gigabit LAN 1x Dedicated 1GbE server management port; 1x pci-e(16x), 2x pci-e(8x) 1xpci-e(4x) for an Intel Integrated RAID Module, 2x USB3.0 2x USB2.0, support optional serial port add-on cable, support TPM module RMM4 module - mATX
MB-iS1200SPSR	R 3,713	Intel S1200SPSR Silver Pass LGA 1151 Motherboard; support LGA1151 Xeon E3-1200V5/V6 series; Intel C232 Express chipset, 4x dual channel DDR4-2133 (must be ECC memory), 6x SATA6G with raid 0/1//0 1/5/10 with RST support, on-board VGA with d-sub out (require CPU with built-in graphics) dual Intel Gigabit LAN; 1x pci-e(16x), 2x pci-e(8x), 2x USB3.0 2x USB2.0, support optional serial port add-on cable - mATX
MBD-X10SDV-2C-TP4F	R 7,722	SuperMicro X10SDV-2C-TP4F Motherboard, SoC Pentium D1508 2.2GHz Dual Core, 4x DIMM ECC-REG, Dual LAN with 10G SFP from D-1500 SoC, Aspeed AST2400 bmc Graphics, 4x SATA3 (6Gbps) Port SATA, 2x 1GbE LAN ports, 1x RJ45 dedicated IPMI LAN Port, 5x USB 2.0 ports (4 headers / 1 Type-A), 2x USB 3.0 ports (2 rear), 1x VGA Port, 1x Com Port, 2x PCI-e 3.0 x8, M.2 PCI-e 3.0 x 4

< Return to the menu

Server room monitoring / surveillance

Product code	Price	Description
AP9324	R 3,798	APC Alarm Beacon
AP9335T	R 1,639	APC Temperature Sensor
AP9520TH	R 5,544	APC Temperature and Humidity Sensor with Display
NBAC0301	R 2,195	Surface Mounting Brackets for NetBotz Room Monitor Appliance or Camera Pod
NBES0304	R 798	NetBotz Dry Contact Cable - 15 ft.
NBES0305	R 1,436	NetBotz 0-5V Cable - 15 ft.
NBES0306	R 2,379	NetBotz Vibration Sensor - 12 ft.
NBES0307	R 5,151	NetBotz Smoke Sensor - 10 ft.
NBES0308	R 7,060	NetBotz Leak Rope Sensor - 20 ft.
NBES0309	R 5,404	NetBotz Leak Rope Extension - 20 ft., Â© 2015 Laptop Direct
NBPD0150	R 4,748	NetBotz Rack Sensor Pod 150 for rack mounting that supports 6 Universal Sensors.

< Return to the menu

Server storage

Product code	Price	Description
0F238F	R 325	Dell 0F238F 3.5" GEN.13 SATA / SAS Tray Caddy, Compatible with --> : R620 / R610 / R410 / T710 / R720 / R730 / R630 R430 / T430 / MD1400 / MD3400 Servers, Screw included
161-BBPH	R 11,648	Dell 161-BBPH 4TB Hard Drive NLSAS 12Gbps 7.2K 512n 3.5" Hot-Plug Customer Kit
161-BBRL	R 11,278	Dell 161-BBRL 4TB Hard Disk Drive SATA 6Gbps 7.2K 512n 3.5" Hot-Plug Customer Kit
161-BBRX	R 16,089	Dell 161-BBRX 8TB Hard Drive SAS 12Gbps 7.2K 512e 3.5" Hot-Plug Customer Kit
161-BBZZ	R 6,062	Dell 161-BBZZ 4TB Hard Drive SATA 6Gbps 7.2K 512n 3.5" cabled Customer Kit
161-BCBC	R 3,472	Dell 161-BCBC 2TB Hard Drive SATA 6Gbps 7.2K 512n 3.5" cabled Customer Kit
161-BCFV	R 10,524	Dell 161-BCFV 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5" with 3.5" Hybrid carrier Customer Kit
161-BCFV	R 12,703	Dell 161-BCFV EMC 2.4TB 10K rpm SAS 12Gbps 512e 2.5" Hot-Plug Drive 3.5" Hybrid carrier
161-BCHF	R 15,138	Dell 161-BCHF EMC 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5" Hot-Plug Customer Kit
161-BCHF	R 6,568	Dell 161-BCHF EMC 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5" Hot-Plug Customer Kit
161-BCJX	R 19,960	Dell 161-BCJX 12TB 7.2K rpm NLSAS ISE 12Gbps 512e 3.5" Hot-Plug Hard Drive CK
161-BCJX	R 27,791	Dell 161-BCJX 12TB 7.2K rpm NLSAS ISE 12Gbps 512e 3.5" Hot-Plug Hard Drive CK
345-BBXH	R 27,615	Dell 345-BBXH 1.92TB SSD SAS Read Intensive 12Gbps 512e 2.5" Hot-Plug AG 1 DWPD Customer Kit
345-BDOL	R 37,917	Dell 345-BDOL 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier S4620 Customer Kit
345-BDOL	R 5,977	Dell 345-BDOL 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier S4620 Customer Kit

345-BDZZ	R 5,960	Dell 345-BDZZ 480GB SSD SATA Read Intensive 6Gbps 512e 2.5" Hot-Plug Customer Kit
345-BDZZ	R 5,743	Dell 345-BDZZ 480GB SSD SATA Read Intensive 6Gbps 512e 2.5" Hot-Plug Customer Kit
345-BEBH	R 36,942	Dell 345-BEBH 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier
345-BEBH	R 5,665	Dell 345-BEBH 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier
345-BEBH	R 6,200	Dell 345-BEBH 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier
345-BECI	R 63,082	Dell 345-BECI 960GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier Hot-Plug
345-BECQ	R 63,468	Dell 345-BECQ 960GB SSD SATA Mix Use 6Gbps 512e 2.5" Hot-Plug
345-BEDS	R 6,128	Dell 345-BEDS 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier
345-BEFB	R 6,412	Dell 345-BEFB 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" Hot-Plug Customer Kit
345-BEFN	R 5,901	Dell 345-BEFN 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" Hot-Plug Customer Kit
345-BEFN	R 6,459	Dell 345-BEFN 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" Hot-Plug Customer Kit
345-BFYY	R 119,201	Dell 345-BFYY 1.92TB SSD up to SAS 24Gbps ISE Read Intensive 512e 2.5" Hot-Plug 1WPD Customer Kit
400-ADJW	R 9,530	Dell 400-ADJW Hard Drive 4TB 7.2K Near-Line SAS 6Gbps 3.5 non Hot plug (Cabled)
400-AJPE	R 3,651	Dell 400-AJPE 600GB 10K RPM SAS 2.5" hot-plug Hard Drive, 3.5" hybrid carrier, Customer Kit
400-ALQT	R 3,713	Dell 400-ALQT 2TB 7.2K rpm NLSAS 12Gbps 512n 3.5" cabled Hard Drive Customer Kit
400-AOXC	R 3,556	Dell 400-AOXC 600GB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive in 3.5in Hybrid Carrier, CK, Â© 2018 Laptop Direct
400-ATIL	R 3,153	Dell 400-ATIL 600GB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARRIER
400-ATJG	R 3,806	Dell 400-ATJG 1TB 7.2K RPM SATA 6Gbps 512n 2.5in Hot-plug Hard Drive, CK
400-ATJJ	R 2,702	Dell 400-ATJJ 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive
400-ATJK	R 2,267	Dell 400-ATJK 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Internal Hard Drive, CK
400-ATJL	R 6,565	Dell 400-ATJL 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, CK, Â©2018 Laptop Direct
400-ATJL	R 6,841	Dell 400-ATJL 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, CK, Â© 2018 Laptop Direct
400-ATJM	R 6,989	Dell 400-ATJM 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARRIER, Â© 2018 Laptop Direct
400-ATJM	R 6,664	Dell 400-ATJM 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARRIER, Â© 2018 Laptop Direct
400-ATKJ	R 10,432	Dell 400-ATKJ 2TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive, Â© 2018 Laptop Direct
400-ATKV	R 7,246	Dell 400-ATKV 8TB 7.2K RPM SATA 6Gbps 512e 3.5in Hot-plug Hard Drive
400-AURS	R 2,649	Dell 400-AURS 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive, CK
400-AUST	R 3,654	Dell 400-AUST 2TB 7.2K RPM SATA 6Gbps 512n 3.5in Cabled Hard Drive, CK
400-BDVG	R 37,934	Dell 400-BDVG 1.92TB SSD SATA Mixed Use 6Gbps 512e 2.5" Hot plug 3.5" Hybrid carrier Drive S4610 CK
400-BIFT	R 4,618	Dell 400-BIFT 600GB Hard Drive SAS ISE 12Gbps 10K 512n 2.5" with 3.5" Hybrid carrier Hot-Plug Customer Kit
400-BIFW	R 4,499	Dell 400-BIFW 600GB Hard Drive SAS 12Gbps 10K 512n 2.5" Hot-Plug Customer Kit
400-BLCK	R 7,366	Dell 400-BLCK 480GB SSD M.2 SATA 6Gbps 512e Hard Drive - Single stick
400-BLCL	R 6,838	Dell 400-BLCL 240GB SSD M.2 SATA 6Gbps 512e Hard Drive - Single stick
400-BLLF	R 4,991	Dell 400-BLLF 4TB Hard Drive SATA 6Gbps 7.2K 512n 3.5" Hot-Plug Customer Kit
400-BOHF	R 24,205	Dell 400-BOHF 480GB 2E IT06 M.2 single stick S2 CK
400-BOHG	R 19,907	Dell 400-BOHG 400GB Enterprise NVMe write intensive U2 G4 P5800 with carrier, Compatible with --> PowerEdge T640
401-ABHY	R 10,676	Dell 401-ABHY 12TB 7.2K RPM SATA 6Gbps 512e 3.5in Hot-plug Hard Drive, Customer Kit
4XB7A10195	R 3,232	Lenovo 4XB7A10195 ThinkSystem 2.5" PM883 240GB entry SATA 6GB Hot Swap SSD
4XB7A10196	R 5,425	Lenovo 4XB7A10196 ThinkSystem 2.5" PM883 480GB entry SATA 6GB Hot Swap SSD
4XB7A10249	R 4,661	Lenovo 4XB7A10249 ThinkSystem 2.5" Intel S4510 960GB entry SATA 6GB Hot Swap SSD
4XB7A13625	R 2,638	Lenovo 4XB7A13625 ThinkSystem 3.5" Intel S4510 240GB entry SATA 6GB Hot Swap SSD
4XB7A13626	R 5,880	Lenovo 4XB7A13626 ThinkSystem 3.5" Intel S4510 480GB entry SATA 6GB Hot Swap SSD
4XB7A14101	R 7,868	Lenovo 4XB7A14101 ThinkSystem DE series 8TB 7.2K 3.5" Hard Disk Drive 2U12
4XB7A14105	R 17,624	Lenovo 4XB7A14105 ThinkSystem DE series 800GB 3DWD 2.5" SSD 2U24
4XB7A14110	R 74,756	Lenovo 4XB7A14110 ThinkSystem DE series 15.36TB 1DWD 2.5" SSD 2U24

4XB7A14113	R 6,420	Lenovo 4XB7A14113 ThinkSystem DE series 1.8TB 10K 2.5" Hard Disk Drive 2U24
4XB7A14176	R 214,052	Lenovo 4XB7A14176 ThinkSystem DE series 7.68TB 1DWD 2.5" SSD 2U24
4XB7A14915	R 5,467	Lenovo 4XB7A14915 ThinkSystem ST50 3.5" Intel S4510 480GB entry SATA 6GB non hot swap SSD
4XB7A17073	R 5,822	Lenovo ThinkSystem M.2 5300 480GB SATA 6Gbps Non-Hot Swap SSD
4XB7A82287	R 4,599	Lenovo 4XB7A82287 ThinkSystem 5400 Pro 480GB M.2 Read Intensive SATA 6GB NHS Solid State Drive, 540 Mbps Sequential write speed speed, 520 Mbps Sequential write
4XB7A82287	R 6,665	Lenovo 4XB7A82287 ThinkSystem 5400 Pro 480GB M.2 Read Intensive SATA 6GB NHS Solid State Drive, 540 Mbps Sequential write speed speed, 520 Mbps Sequential write
628061-B21	R 2,762	HP 628061-B21 3TB 6G SATA 7.2K rpm LFF (3.5") SC Midline Hard Drive, LFF Form Factor, Single-Port connectivity
716195-B21	R 712	HP 716195-B21 external 1.0m MiniSAS HD to MiniSAS HD cable
716197-B21	R 922	HP 716197-B21 external 2.0m MiniSAS HD to MiniSAS HD cable
77-161BBRX	R 16,915	Dell 161-BBRX 8TB Hard Drive SAS 12Gbps 7.2K 512e 3.5" Hot-Plug Customer Kit
77-161BCFV	R 11,359	Dell 161-BCFV EMC 2.4TB 10K rpm SAS 12Gbps 512e 2.5" Hot-Plug Drive 3.5" Hybrid carrier
77-345BDOM	R 5,312	Dell 345-BDOM 1.92TB SSD SATA Mixed Use 6Gbps 512e 2.5" Hot-Plug, Customer Kit
77-345BDSG	R 74,875	Dell 345-BDSG 1.92TB SSD SATA Read Intensive 6Gbps 512e 2.5" with 3.5" Hybrid carrier Hot-Plug, Customer Kit
77-345BECQ	R 11,648	Dell 345-BECQ 960GB SSD SATA Mix Use 6Gbps 512e 2.5" Hot-Plug
77-400ATJL	R 7,290	Dell 400-ATJL 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, CK
77-400ATJM	R 9,670	Dell 400-ATJM 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARRIER
77-400ATKJ	R 8,106	Dell 400-ATKJ 2TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive
77-400AUST	R 3,656	Dell 400-AUST 2TB 7.2K RPM SATA 6Gbps 512n 3.5in Cabled Hard Drive, CK
77-400BIFT	R 3,000	Dell 400-BIFT 600GB Hard Drive SAS ISE 12Gbps 10K 512n 2.5" with 3.5" Hybrid carrier Hot-Plug Customer Kit
77-400BLLF	R 7,830	Dell 400-BLLF 4TB Hard Drive SATA 6Gbps 7.2K 512n 3.5" Hot-Plug Customer Kit
7N47A00130	R 2,057	Lenovo 7N47A00130 ThinkSystem M.2 CV3 128GB SATA 6Gb Non-Hot-Swap SSD
7XB7A00022	R 5,574	Lenovo 7XB7A00022 ThinkSystem 2.5" 600GB 15K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00023	R 4,127	Lenovo 7XB7A00023 ThinkSystem 2.5" 900GB 15K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00025	R 8,312	Lenovo 7XB7A00025 ThinkSystem 2.5" 600GB 10K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00027	R 4,715	Lenovo 7XB7A00027 ThinkSystem 2.5" 1.2TB 10K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00027	R 6,209	Lenovo 7XB7A00027 ThinkSystem 2.5" 1.2TB 10K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00028	R 6,899	Lenovo 7XB7A00028 ThinkSystem 2.5" 1.8TB 10K SAS 12GB Hot Swap 512e Hard Disk Drive
7XB7A00042	R 10,744	Lenovo 7XB7A00042 ThinkSystem 3.5" 2TB 7.2K SAS 12Gb Hot Swap 512n HDD
7XB7A00043	R 7,107	Lenovo 7XB7A00043 ThinkSystem 3.5" 4TB 7.2K SAS 12Gb Hot Swap 512n HDD
7XB7A00044	R 6,716	Lenovo 7XB7A00044 ThinkSystem 3.5" 6TB 7.2K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00045	R 9,155	Lenovo 7XB7A00045 ThinkSystem 3.5" 8TB 7.2K SAS 12Gb Hot Swap 512n HDD
7XB7A00046	R 12,773	Lenovo 7XB7A00046 ThinkSystem 3.5" 10TB 7.2K SAS 12GB Hot Swap 512n Hard Disk Drive
7XB7A00051	R 4,754	Lenovo 7XB7A00051 ThinkSystem 3.5" 4TB 7.2K SATA 6GB Hot Swap 512n Hard Disk Drive
7XB7A00052	R 6,739	Lenovo 7XB7A00052 ThinkSystem 3.5" 6TB 7.2K SATA 6GB Hot Swap 512n Hard Disk Drive
7XB7A00053	R 9,344	Lenovo 7XB7A00053 ThinkSystem 3.5" 8TB 7.2K SATA 6GB Hot Swap 512n Hard Disk Drive
7XB7A00067	R 19,282	Lenovo 7XB7A00067 ThinkSystem 3.5" 12TB 7.2K SATA 6Gb Hot Swap 512e HDD
7XB7A00069	R 7,004	Lenovo 7XB7A00069 ThinkSystem 2.5" 2.4TB 10K SAS 12GB Hot Swap 512e Hard Disk Drive
7XB7A00069	R 6,899	Lenovo 7XB7A00069 ThinkSystem 2.5" 2.4TB 10K SAS 12GB Hot Swap 512e Hard Disk Drive
801888-B21	R 7,053	HP 4TB 6G SATA 7.2K rpm LFF (3.5in) Non-hot Plug Standard Hard Drive
834031-B21	R 16,867	HPE 834031-B21 8TB SAS 7.2K LFF LP 512e DS Hard Disk Drive, Â© 2019 Laptop Direct
861683-B21	R 5,767	HPE 861686-B21 4TB SATA 7.2K LFF LP DS Hard Disk Drive, Â© 2019 Laptop Direct
870757-B21	R 2,619	HPE 870757-B21 SFF Enterprise HotP SAS 12G 600GB 15K SC 512n DS Hard Disk Drive
872479-B21	R 6,132	HPE 872479-B21 SFF Enterprise HotP SAS 12G 1.2TB 10K SC 512n DS Hard Disk Drive, Â© 2019 Laptop Direct
881781-B21	R 11,656	HPE 881781-B21 12TB SAS 12G Midline 7.2K LFF (3.5in) LP Helium 512e Digitally Signed Firmware HDD
881787-B21	R 11,612	HPE 881787-B21 12TB SATA 7.2K LFF LP He 512e DS Hard Disk Drive

H3C-UN-HDD-4T-SATA-6G-7.2K-LFF	R 3,628	H3C - 4TB 6G SATA 7.2K 3.5" EV 512e Hard Disk Drive general intelligent disk equipment module
H3C-UN-SSD-960G-SATA-PM883-SFF	R 4,783	H3C - 960GB 6G SATA 2.5" RI PM883 SSD generic module
LenDCG-4XB7A38144	R 10,579	Lenovo 4XB7A38144 DCG ThinkSystem 2.5" 5210 1.92TB EN SATA QLC SSD
MB1000JVYZL	R 2,967	HP 1TB 3.5" LFF 7200rpm SAS 12Gb/s Hard Disk Drive, 512n, MB1000JVYZL, Low profile carrier tray Type, 8.5ms average seek time
MBF2600RC	R 5,241	Toshiba 600GB 3.5" 10K rpm 16MB Cache SAS 6Gb/s Hard Disk Drive, With Tray Caddy for HP compaq DLxxx, MBF2600RC
P18424-B21	R 62,739	HP P18424-B21 960GB SATA 6G Read Intensive SFF SC Multi vendor SSD
P28352-B21	R 8,411	HP P28352-B21 2.4TB SAS 12G Mission Critical 10K SFF BC 512e Multi vendor Hard Disk Drive
P28586-B21	R 5,693	HP P28586-B21 1.2TB SAS 12G Mission Critical 10K SFF BC Multi vendor Hard Disk Drive
P40497-B21	R 18,386	HPE P40497-B21 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD
P47808-B21	R 30,322	HP P47808-B21 960GB SATA 6G Read Intensive LFF LPC Multi vendor SSD
Q6Q68A	R 184,321	HPE Q6Q68A StoreEver MSL LTO-8 Ultrium 30750 SAS Drive Upgrade Kit
SEDC600M/480G	R 9,414	Kingston DC600M 480GB Mixed Use 2.5" SATA3 6Gb/s Mixed Use Enterprise Solid State Drive, 3D TLC NAND, 560MB/s Sequential read speed, 470MB/s Sequential write speed, SEDC600M/480G
ST900MP0026	R 3,803	Dell 0XTH17 900GB 15K rpm 2.5" SFF SAS 12Gb/s Drive, ST900MP0026
SVDE161-BBPH	R 30,697	Dell 161-BBPH 4TB Hard Drive NLSAS 12Gbps 7.2K 512n 3.5" Hot-Plug Customer Kit
SVDE161-BCFV	R 31,316	Dell 161-BCFV EMC 2.4TB 10K rpm SAS 12Gbps 512e 2.5" Hot-Plug Drive 3.5" Hybrid carrier
SVDE161-BCHF	R 31,085	Dell 161-BCHF EMC 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5" Hot-Plug Customer Kit
SVDE161-BCJX	R 54,478	Dell 161-BCJX 12TB 7.2K rpm NLSAS ISE 12Gbps 512e 3.5" Hot-Plug Hard Drive CK
SVDE345-BDOL	R 90,844	Dell 345-BDOL 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier S4620 Customer Kit
SVDE345-BEBH	R 37,550	Dell 345-BEBH 480GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier
SVDE345-BECI	R 141,034	Dell 345-BECI 960GB SSD SATA Mixed Use 6Gbps 512e 2.5" with 3.5" Hybrid carrier Hot-Plug
SVDE345-BECQ	R 141,781	Dell 345-BECQ 960GB SSD SATA Mix Use 6Gbps 512e 2.5" Hot-Plug
SVDE345-BFYY	R 306,369	Dell 345-BFYY 1.92TB SSD up to SAS 24Gbps ISE Read Intensive 512e 2.5" Hot-Plug 1WPD Customer Kit
SVDE345-BGPN	R 302,819	Dell 345-BGPN 1.6TB SSD up to SAS 24Gbps FIPS SED Mixed Use 512e 2.5" with 3.5" Hybrid carrier, 3WPD
SVDE400-ATJJ	R 4,577	Dell 400-ATJJ EMC 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive
SVDE400-ATJL	R 6,862	Dell 400-ATJL EMC 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, CK
SVDE400-ATJM	R 6,974	Dell 400-ATJM EMC 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARRIER
SVDE400-ATJU	R 5,939	Dell 400-ATJU EMC 2TB 7.2K RPM Nearl Line SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, CK
SVDE400-ATKJ	R 27,494	Dell 400-ATKJ EMC 2TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive
SVDE400-BLLE	R 38,172	Dell 400-BLLE 8TB Hard Drive SATA 6Gbps 7.2K 512e 3.5" Hot-Plug, Customer Kit
SVDE400-BLLF	R 4,741	Dell 400-BLLF 4TB Hard Drive SATA 6Gbps 7.2K 512n 3.5" Hot-Plug Customer Kit
SVDE401-ABHY	R 52,447	Dell 401-ABHY 12TB 7.2K RPM SATA 6Gbps 512e 3.5in Hot-plug Hard Drive, Customer Kit

< Return to the menu

Server [Towers]

Product code	Price	Description
7D7AA02DEA	R 76,835	Lenovo ST650 V3 2-socket 4U Tower Server, 1x Intel Xeon Silver 4509Y 2.6Ghz up to 4.1Ghz 22.5MB Cache Eight (8) Core Processor with no intergrated graphics, 32GB DDR5-4800 RDIMM Memory, 8x 2.5" SAS/SATA bays, 9350-8i RAID controller, 1x1100w Titanium PSU, 3 standard fans, XCC Platinum
7D7AA02WEA	R 78,370	Lenovo ST650 V3 2-socket 4U Tower Server, 1x Intel Xeon Silver 4510 2.4GHz up to 4.1GHz 30MB Cache Twelve (12) Core Processor with no intergrated Graphics, 32GB DDR5-4800 RDIMM Memory, 8x 2.5" SAS/SATA bays, 9350-8i RAID controller, 1x1100w Titanium PSU, 3 standard fans, XCC Platinum
7DCEA00LEA	R 48,354	Lenovo ST250 V3 Tower Server, Intel Xeon E-2456 3.3GHz up to 5.1GHz 16MB Cache Hex (6) Core Processor with no intergrated Graphics, 1x32GB DDR5 RAM, 4x 3.5" HS / open bay, 5350-8i Drive contoller, HS 800W Titanium PSU, XCC2 Platinum, No DVD
7DCEA02VEA	R 40,330	Lenovo ST250 V3 Tower Server, Intel Xeon E-2468 2.6GHz up to 5.2GHz 24MB Cache Octa 8x Core Processor with no intergrated Graphics, 1x32GB DDR5 RAM, 8x 2.5" HS / open bay, 5350-8i Drive contoller, HS 800W

		Titanium PSU, XCC2 Platinum, No DVD
7DCEA02WEA	R 71,551	Lenovo ST250 V3 Tower Server, Intel Xeon E-2436 2.9GHz up to 5.0GHz 18MB Cache Hex 6 Core Processor with no intergrated Graphics, 1x32GB DDR5 RAM, 8x 2.5" HS / open bay, 5350-8i Drive contoller, HS 800W Titanium PSU, XCC2 Platinum, No DVD
7DCEA04WEA	R 66,848	Lenovo ST250 V3 Tower Server, Intel Xeon 6353P 2.7GHz up to 5.4GHz 24MB Cache Eight 8 Core Processor with no intergrated Graphics, 1x16GB DDR5 RAM 1Rx8, No SSD, 4x 3.5-in HS / open bay, OnBoard SATA/SW RAID, 2x 1GB Ethernet, HS 800W Titanium PSU, XCC2 Platinum, No DVD, 7DCEA04WEA
7DCEA04XEA	R 77,320	Lenovo ST250 V3 Tower Server, Intel Xeon 6353P 2.7GHz up to 5.4GHz 24MB Cache Eight 8 Core Processor with no intergrated Graphics, 1x32GB DDR5 RAM 2Rx8, No SSD, 8x 2.5-in HS / open bay, ThinkSystem RAID 545-8i PCIe Gen4 12Gb Adapter, 2x 1GB Ethernet, HS 800W Titanium PSU, XCC2 Platinum, No DVD, 7DCEA04XEA
7DCLSNYB00	R 84,259	Lenovo ST250 V3 Tower Server, Intel Xeon 6353P 2.7GHz up to 5.4GHz 24MB Cache Eight 8 Core Processor with no intergrated Graphics, 1x32GB DDR5 RAM 2Rx8, No SSD, 8x HS SAS/SATA open bay, 940-8i 4GB RAID controller, 2x 1GB Ethernet, HS 800W Titanium PSU, XCC2 Platinum, No DVD, 7DCLSNYB00
7DCLSP1E00	R 84,762	Lenovo ST250 V3 Tower Server, Intel Xeon 6353P 2.7GHz up to 5.4GHz 24MB Cache Eight 8 Core Processor with no intergrated Graphics, 1x32GB DDR5 RAM 2Rx8, No SSD, 4x 3.5" HS SAS/SATA open bay, 940-8i 4GB RAID controller, 2x 1GB Ethernet, HS 800W Titanium PSU, XCC2 Platinum, No DVD, 7DCLSP1E00
7Y45A044EA	R 24,931	Lenovo 7Y45A044EA ST250 Xeon Tower Server, Intel Xeon E-2224 3.6Ghz up to 4.6Ghz 8MB Cache Quad (4) Core Processor with no intergrated graphics , 1x 16GB DDR4-2666 UDIMM Memory, 4x 3.5" Hot Swap bays, Onboard RSTe, 1x 550W Power Supply, XCC Standard, 2x GbE LAN, DVD writer Optical Drive
7Y48A03CEA	R 18,579	Lenovo ST50 Xeon Tower Server, Intel Xeon E-2224G 3.5GHz up to 4.7GHz 8MB Cache Quad 4x Core Processor with Intel UHD Graphics P630, 1x 8GB DDR4-2666 UDIMM Memory, 2x 2TB SATA 3.5" 7200rpm Hard Disk Drive, SATA RAID, Fixed 1x 250W PSU, DVD writer Optical Drive, onboard ahci storage controller, 4x 3.5" SATA cabled disk bays, 1x GbE OnBoard networking Ports, TPM 2.0, Intel AMT 12 system management
7Z74A047EA	R 71,551	Lenovo ThinkSystem ST650 V2 4U Server, Intel Xeon Silver 4310 2.1GHz up to 3.3GHz 18MB Cache twelve (12) Core Processor with no intergrated Graphics, 1x 32GB DDR4-3200 2Rx4 UDIMM Memory, No Hard Disk Drive included, 8x 3.5" SAS open bay, 2x Media open bay top, No Optical Drive, No RAID controller, 1x 1100W Titanium Power Supply unit, XCC Enterprise, 3 Standard Fans
EMEA_PROMO_PER470_SPL1	R 118,768	Dell PowerEdge R470 1U Server, Intel Xeon 6507P Granite rapids 3.5GHz up to 4.3GHz 48MB Cache Eight 8x Core Processor with no intergrated Graphics, 32GB DDR5 ECC Memory, 480GB SSD, 2.5" Chassis with up to 8 hard drives (SAS/SATA), Dual hotplug 1100W Power supplies, ReadyRails, PERC H965i, No Operating System
EMEA_PROMO_PER470_SPL2	R 183,692	Dell PowerEdge R470 1U Server, Intel Xeon 6517P Granite rapids 3.2GHz up to 4.2GHz 72MB Cache Sixteen (16) Core Processor with no intergrated Graphics, 32GB DDR5 ECC Memory, 2x 480GB SSD, 2.5" Chassis with up to 8 hard drives (SAS/SATA), Dual hotplug 1100W Power supplies, ReadyRails, PERC H965i, No Operating System
EMEA_PROMO_T160_SPL1	R 54,678	Dell PowerEdge T160 Tower Server, Intel Xeon 6315P 2.8GHz up to 5.2GHz 12MB Cache Quad 4 Core Processor with no intergrated Graphics, 1x 16GB UDIMM 5600MT/s ECC Memory, 1x 2TB Hard Drive SATA 6Gbps 7.2K rpm 512n 3.5" , 1DWPD, Broadcom 5720 Dual Port 1GB On-Board LOM, AG Drive, No internal Optical Drive, No PERC Controller with Embedded SATA (Software RAID), 3.5" Chassis with up to 3 cabled hard drives (SATA), IDRAC9 Enterprise 16G, 300W cabled Power Supply, South African spare Power cord 220V, 2x 2.5 cabled HDDs (SATA), No Operating System
EMEA_PROMO_T160_SPL1	R 58,590	Dell PowerEdge T160 Tower Server, Intel Xeon 6315P 2.8GHz up to 5.2GHz 12MB Cache Quad 4 Core Processor with no intergrated Graphics, 1x 16GB UDIMM 5600MT/s ECC Memory, 1x 2TB Hard Drive SATA 6Gbps 7.2K rpm 512n 3.5" , 1DWPD, Broadcom 5720 Dual Port 1GB On-Board LOM, AG Drive, No internal Optical Drive, No PERC Controller with Embedded SATA (Software RAID), 3.5" Chassis with up to 3 cabled hard drives (SATA), IDRAC9 Enterprise 16G, 300W cabled Power Supply, South African spare Power cord 220V, 2x 2.5 cabled HDDs (SATA), No Operating System
EMEA_PROMO_T160_SPL3	R 90,850	Dell PowerEdge T160 Tower Server, Intel Xeon 6325P 3.5GHz up to 5.2GHz 12MB Cache Quad (4) Core Processor with no intergrated Graphics, 32GB UDIMM 5600MT/s ECC Memory, 2x 480GB SSD SATA 6Gbps Read Intensive 512e 2.5" with 3.5" Hybrid carrier, 1DWPD, Broadcom 5720 Dual Port 1GB On-Board LOM, AG

		Drive, No internal Optical Drive, PERC H355 Adapter Low Profile (RAID 0 / 1 / 10), 3.5" Chassis with up to 3 cabled hard drives (SATA), IDRAC9 Enterprise 16G, 300W cabled Power Supply, No Operating System
EMEA_PROMO_T360_SPL6	R 116,782	Dell PowerEdge T360 Tower Server, Intel Xeon 6369P 3.3GHz up to 5.7GHz 24MB Cache Eight (8) Core Processor with no intergrated Graphics, 64GB (2x32GB) DDR5-5600 UDIMM ECC Memory, 480GB SSD SATA Read Intensive 6Gbps 512e 2.5" Hot-Plug AG Drive, 3.5" Hybrid carrier, Chassis 8x 3.5" Hot and AIC PERC 11, On-Board Broadcom 5720 Dual Port 1GB LOM, Security Bezel, IDRAC9 Enterprise 16G, Hot-Plug PSU 700W MM HLAC Titanium, No Operating System
P53567-421	R 224,333	HP Proliant ML350 Gen11 Tower Server, Intel Xeon Silver 4410Y 2.0GHz up to 3.9GHz 30MB Cache Twelve (12) Core Processor with no intergrated Graphics, 32GB DDR5 RDIMM Memory, Default with 4 x8 PCI-e 5.0 slots., 4U Tower Form Factor, Broadcom BCM5719 Ethernet 1GB 4 port Base-T OCP3 Adapter for HPE, HPE MR408i-o Gen11 x8 lanes 4GB Cache OCP SPDM storage controller, 8 SFF supported, 1x HPE 1000W Flex slot Titanium Hot plug Power Supply kit
SVDEPET160SPL1P	R 52,754	Dell PowerEdge T160 Tower Server, Intel Xeon 6315P 2.8GHz up to 5.2GHz 12MB Cache Quad 4 Core Processor with no intergrated Graphics, 1x 16GB UDIMM 5600MT/s ECC Memory, 1x 2TB Hard Drive SATA 6Gbps 7.2K RPM 512n 3.5in, 1DWPD, Broadcom 5720 Dual Port 1GB On-Board LOM, AG Drive, No internal Optical Drive, No PERC controller with Embedded SATA (Software RAID), 3.5" Chassis with up to 3 cabled hard drives (SATA), IDRAC9 Enterprise 16G, 300W cabled Power Supply, South African spare Power cord 220V, No Operating System

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Software

Anti virus and Internet security

Product code	Price	Description
21365644	R 349	Norton Security Standard For PC/Mac - 1 Device User, Retail Packaging
KL104195AFS-PAPDVDNOCD	R 242	Kaspersky Standard Anti Virus 1 Year License - 1 Device. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195AFS-PAPDVDNOCD	R 259	Kaspersky Standard Anti Virus 1 Year License - 1 Device. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195AFSPAP	R 247	Kaspersky Standard Anti Virus 1 Year License - 1 Device. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195AFSPAP	R 256	Kaspersky Standard Anti Virus 1 Year License - 1 Device. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195CFS-PAPDVDNOCD	R 275	Kaspersky Standard Anti Virus 1 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195CFS-PAPDVDNOCD	R 319	Kaspersky Standard Anti Virus 1 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195CFSPAP	R 270	Kaspersky Standard Anti Virus 1 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195CFSPAP	R 291	Kaspersky Standard Anti Virus 1 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195CFSPAPDVDNCD	R 302	Kaspersky Standard Anti Virus 1 year License - 3 Devices
KL104195EFS-PAPDVDNOCD	R 314	Kaspersky Standard Anti Virus 1 year License - 5 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195EFS-PAPDVDNOCD	R 329	Kaspersky Standard Anti Virus 1 year License - 5 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195EFSPAP	R 305	Kaspersky Standard Anti Virus 1 year License - 5 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195EFSPAP	R 331	Kaspersky Standard Anti Virus 1 year License - 5 Devices. Real-time Antivirus; Online Payment Protection;

		Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104195EFSPAPDVDNCD	R 339	Kaspersky Standard Anti Virus 1 year License - 5 Devices
KL10419DADS	R 495	Kaspersky Standard Anti Virus 2 year License - 1 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL10419DAFS	R 219	Kaspersky Standard Anti Virus 1 Year License - 1 Device. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL10419DCDS	R 445	Kaspersky Standard Anti Virus 2 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL10419DCFS	R 250	Kaspersky Standard Anti Virus 1 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL10419DEDS	R 500	Kaspersky Standard Anti Virus 2 year License - 5 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL10419DEFS	R 281	Kaspersky Standard Anti Virus 1 year License - 5 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL10419DKFS	R 358	Kaspersky Standard Anti Virus 1 year License - 10 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
KL104295AFS-PAPDVDNOCD	R 344	Kaspersky Plus Internet Security 1 year License - 1 Device. Windows macOS Android iOS; antivirus; firewall; unlimited VPN; online payment protection; performance optimisation; privacy protection; data leak checker.
KL104295AFS-PAPDVDNOCD	R 349	Kaspersky Plus Internet Security 1 year License - 1 Device. Windows macOS Android iOS; antivirus; firewall; unlimited VPN; online payment protection; performance optimisation; privacy protection; data leak checker
KL104295AFSPAP	R 344	Kaspersky Plus Internet Security 1 year License - 1 Device. Windows macOS Android iOS; antivirus; firewall; unlimited VPN; online payment protection; performance optimisation; privacy protection; data leak checker.
KL104295AFSPAP	R 364	Kaspersky Plus Internet Security 1 year License - 1 Device. Windows macOS Android iOS; antivirus; firewall; unlimited VPN; online payment protection; performance optimisation; privacy protection; data leak checker.
KL104295CFS-PAPDVDNOCD	R 382	Kaspersky Plus Internet Security 1 year License - 3 Devices. OS: Windows macOS Android iOS; Features: Real-time antivirus, Firewall, Unlimited VPN, Password Manager, HDD Health Monitoring.
KL104295CFSPAP	R 374	Kaspersky Plus Internet Security 1 year License - 3 Devices. Antivirus; anti-malware; firewall; anti-phishing; unlimited VPN; password manager; performance tools.
KL104295CFSPAP	R 403	Kaspersky Plus Internet Security 1 year License - 3 Devices. Antivirus; anti-malware; firewall; anti-phishing; unlimited VPN; password manager; performance tools.
KL104295CFSPAPDVDNCD	R 377	Kaspersky Plus Internet Security 1 year License - 3 Devices
KL104295EFS-PAPDVDNOCD	R 416	Kaspersky Plus Internet Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Performance Tools.
KL104295EFS-PAPDVDNOCD	R 449	Kaspersky Plus Internet Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Anti-Malware, Firewall, VPN, Password Manager, HDD Health Monitoring.
KL104295EFSPAP	R 413	Kaspersky Plus Internet Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Performance Tools.
KL104295EFSPAP	R 440	Kaspersky Plus Internet Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Performance Tools.
KL104295EFSPAPDVDNCD	R 453	Kaspersky Plus Internet Security 1 year License - 5 Devices
KL10429DADS	R 557	Kaspersky Plus Internet Security 2 year License - 1 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Disk Health Monitor.
KL10429DAFS	R 312	Kaspersky Plus Internet Security 1 year License - 1 Device. Windows macOS Android iOS; antivirus; firewall; unlimited VPN; online payment protection; performance optimisation; privacy protection; data leak checker.
KL10429DCDS	R 612	Kaspersky Plus Internet Security 2 year License - 3 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Disk Health Monitor.
KL10429DCFS	R 343	Kaspersky Plus Internet Security 1 year License - 3 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Anti-Malware, Firewall, VPN, Password Manager, HDD Health Monitoring.
KL10429DEDS	R 667	Kaspersky Plus Internet Security 2 year License - 5 Devices. OS: Windows macOS Android iOS; Features:

		Antivirus, Firewall, Unlimited VPN, Password Manager, Performance Optimisation.
KL10429DEFS	R 374	Kaspersky Plus Internet Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Disk Health.
KL10429DKFS	R 451	Kaspersky Plus Internet Security 1 year License - 10. Realâ€'time Antivirus; Unlimited VPN; Antiâ€'Phishing & Firewall; Privacy & Performance Tools.
KL104795EFS-PAPDVDNOCD	R 446	Kaspersky Premium Total Security 1 year License - 5 Devices. Antivirus Unlimited VPN Identity & Data Leak Protection Antiâ€'Ransomware Multiâ€'OS support.
KL104795EFS-PAPDVDNOCD	R 449	Kaspersky Premium Total Security 1 year License - 5 Devices. Antivirus Unlimited VPN Identity & Data Leak Protection Antiâ€'Ransomware Multiâ€'OS support.
KL104795EFSPAP	R 443	Kaspersky Premium Total Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Unlimited VPN, Identity Protection, Data Leak Checker, Expert Removal.
KL104795EFSPAP	R 472	Kaspersky Premium Total Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Unlimited VPN, Identity Protection, Data Leak Checker, Expert Removal.
KL104795EFSPAPDVDNCD	R 488	Kaspersky Premium Total Security 1 year License - 5 Devices
KL10479DAFS	R 343	Kaspersky Premium Total Security 1 year License - 1 Devices. OS: Windows macOS Android iOS; Features: Real-time antivirus, Anti-Hacking, Anti-Ransomware, Online Payment Protection, Unlimited VPN, Data Leak Checker.
KL10479DCFS	R 373	Kaspersky Premium Total Security 1 year License - 3 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Identity Protection, Data Leak Checker.
KL10479DEFS	R 403	Kaspersky Premium Total Security 1 year License - 5 Devices. Antivirus Unlimited VPN Privacy and Identity Protection Performance Tools.
KL10479DKFS	R 477	Kaspersky Premium - 10 device 1 Year. OS: Windows macOS Android iOS; Features: Antivirus, Unlimited VPN, Identity Protection, Data Leak Checker, Expert Removal.
KL10479DNFS	R 626	kaspersky Premium - 20 device 1 Year. OS: Windows macOS Android iOS; Features: Antivirus, Unlimited VPN, Identity Protection, Data Leak Checker, Expert Removal.
KL19629DAFS	R 124	kaspersky Safe Kids parental control - 1 device - 1 Year
KL45419DEFS	R 2,056	kaspersky KSOS Small Office Security - Business Antivirus solution - 5 User - 1 Year base
MIS13UCD1RAO	R 17	Mcafee Internet Security 2013 - 1 User - Oem
SF-KP1	R 367	Kaspersky Plus Internet Security 1 year License - 1 Device. Windows macOS Android iOS; antivirus; firewall; unlimited VPN; online payment protection; performance optimisation; privacy protection; data leak checker.
SF-KP5	R 457	Kaspersky Plus Internet Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Firewall, Unlimited VPN, Password Manager, Performance Tools.
SF-KPR5	R 475	Kaspersky Premium Total Security 1 year License - 5 Devices. OS: Windows macOS Android iOS; Features: Antivirus, Unlimited VPN, Identity Protection, Data Leak Checker, Expert Removal.
SF-KS1	R 263	Kaspersky Standard Anti Virus 1 Year License - 1 Device. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
SF-KS3	R 300	Kaspersky Standard Anti Virus 1 year License - 3 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
SF-KS5	R 344	Kaspersky Standard Anti Virus 1 year License - 5 Devices. Real-time Antivirus; Online Payment Protection; Performance Optimisation. Windows, macOS, Android, iOS, Linux.
SF-STS13	R 114	Symantec Tablet security 2013 - antiphishing web protection , download threat protection , web-based remote locate / lock , web-based lost notice , web-based sneak peek - retail pack

< Return to the menu

Architect software

Product code	Price	Description

< Return to the menu

Audio software

Product code	Price	Description

< Return to the menu

Desktop publishing

Product code	Price	Description

< Return to the menu

Education Software

Product code	Price	Description

< Return to the menu

General productivity software

Product code	Price	Description
DF001	R 10,413	Wondershare Dr.Fone - Full Toolkit for Windows (Digital annual License / unlimited devices / 1x PC)
DF002	R 10,413	Wondershare Dr.Fone - Full Toolkit for Mac (Digital annual License / unlimited devices / 1 PC)
DF003	R 1,303	Wondershare Dr.Fone - Full Toolkit for Windows (Digital annual License / 1-5 devices / 1 PC)
DF004	R 1,303	Wondershare Dr.Fone - Full Toolkit for Mac (Digital Annual License / 1-5 devices / 1 PC)
DF005	R 912	Wondershare Dr.Fone - Full Toolkit for Windows (Digital Perpetual License / 1-5 devices / 1 PC)
DF006	R 1,511	Wondershare Dr.Fone - Full Toolkit for Mac (Digital Perpetual License / 1-5 devices / 1 PC)
ESD-2024-PROJ STD	R 13,224	Microsoft Project Standard 2024 - 1 PC - Download, EP2-07057
ESD-2024-VISIO STD	R 6,554	Microsoft Visio Standard 2024 - 1 PC - Download, EP2-07167
iD-AMSN	R 114	Acecad MyScript Note - DigiMemo Handwriting Recognition software - converts your handwritten notes from ACECAD DigiMemo into digital text - support 13 major language (Danish, Dutch, English (UK), English (US), Finnish, French, German, Italian, Japanese, Portuguese, Simplified Chinese, Spanish, Swedish)
PE001	R 1,420	Wondershare PDFelement Professional for Windows Team (Digital annual License)
PE002	R 1,420	Wondershare PDFelement Professional for Mac Team (Digital annual License)
PE003	R 1,811	Wondershare PDFelement Professional for Windows Team (Digital Perpetual License)
PE004	R 1,811	Wondershare PDFelement Professional for Mac Team (Digital Perpetual License)
PE005	R 482	Wondershare PDFelement for iOS Team (Digital annual License)
PE006	R 652	Wondershare PDFelement for Android Team (Digital annual License)
PE007	R 1,043	Wondershare PDFelement Professional for Windows individual (Digital annual License)
PE008	R 1,147	Wondershare PDFelement Professional for Windows individual (Digital 2 Year License)
PE009	R 1,694	Wondershare PDFelement Professional for Windows individual (Digital Perpetual License)
PE010	R 1,043	Wondershare PDFelement Professional for Mac individual (Digital annual License)
PE011	R 1,434	Wondershare PDFelement Professional for Mac individual (Digital 2 Year License)
PE012	R 1,694	Wondershare PDFelement Professional for Mac individual (Digital Perpetual License)
PE013	R 1,173	Wondershare PDFelement Professional for Windows / Mac / iOS / Android individual (Digital annual License)
PE014	R 1,564	Wondershare PDFelement Professional for Windows / Mac / iOS / Android Individual (Digital 2-Year License)
PE015	R 1,825	Wondershare PDFelement Professional for Windows / Mac / iOS / Android Individual (Digital Perpetual License)
PE016	R 52	Wondershare PDFelement Professional AI credits - 1000 uses (Monthly License)
PE017	R 130	Wondershare PDFelement Professional AI credits - 3000 uses (Quarterly License)
PE018	R 261	Wondershare PDFelement Professional AI credits - 6000 uses (Semi-annual License)
PE019	R 521	Wondershare PDFelement Professional AI credits - 12000 uses (Annual License)
PE020	R 1,681	Wondershare PDFelement Cloud Cross-Platform Bundle - Windows / Mac / Cloud / Mobile (Digital yearly License), 100GB Cloud storage, Optical Character recognition (OCR), File sharing
SF-MP16P	R 16,719	Microsoft Project 2016 Professional; with at-a-glance resource management, easier collaboration - retail pack - DVD
SF-MP19P	R 20,068	Microsoft Project 2019 Professional 1 User License, With at-a-glance resource management, Sync with project online project server - retail pack - DVD

SF-MP19S	R 12,180	Microsoft Project 2019 Standard 1 User License - Retail pack - DVD
SF-MV19P	R 9,774	Microsoft Visio 2019 Professional 1 User License - Retail pack - DVD
SF-MV19S	R 6,239	Microsoft Visio 2019 Standard 1 User License - Retail pack - DVD
UPU-000028	R 13,747	Extensis Universal Type Server - Professional 1 Year ASA Renewal

< Return to the menu

Graphics / Art software packages

Product code	Price	Description
EMA001	R 1,042	Wondershare EdrawMax Creative assets (Digital annual License)
EMD001	R 1,029	Wondershare EdrawMind Diagram Software Business (Digital annual License)
EMD002	R 1,681	Wondershare EdrawMind Diagram Software Business (Digital 3-year License)
EMD003	R 1,029	Wondershare EdrawMind Diagram Software Individual (Digital annual License)
EMD004	R 1,538	Wondershare EdrawMind Diagram Software Individual (Digital Perpetual License)
EMP001	R 1,029	Wondershare EdrawProj Business (Digital annual License)
EMP002	R 1,681	Wondershare EdrawProj Business (Digital 3-year License)
EMP003	R 769	Wondershare EdrawProj Individual (Digital annual License)
EMP004	R 1,538	Wondershare EdrawProj Individual (Digital Perpetual License)
EMX001	R 1,551	Wondershare EdrawMax Diagram Software Business (Digital annual License)
EMX002	R 2,593	Wondershare EdrawMax diagram Software Business (Digital 3-year License)
EMX003	R 1,290	Wondershare EdrawMax Individual Diagram Software (Digital annual License)
EMX004	R 2,581	Wondershare EdrawMax Individual Diagram Software (Digital Perpetual License)
FX001	R 2,032	Wondershare Filmora Business for Windows (Digital annual License)
FX002	R 2,032	Wondershare Filmora Business for Mac (Digital annual License)
FX003	R 3,910	Wondershare Filmora Business for Windows (Digital Perpetual License)
FX004	R 3,910	Wondershare Filmora Business for Mac (Digital Perpetual License)
FX005	R 782	Wondershare Filmora Individual Advanced for cross Platform (Digital annual License)
FX006	R 1,042	Wondershare Filmora Individual for Windows (Digital Perpetual License)
FX007	R 130	Wondershare Filmora AI credits - 1500 credits (Digital annual License)
FX008	R 339	Wondershare Filmora AI credits - 5000 credits (Digital annual License)
FX009	R 1,303	Wondershare Filmora AI credits - 20 000 credits (Digital annual License)
FX010	R 2,854	Wondershare Filmora AI credits - 50 000 credits (Digital annual License)
FX011	R 5,200	Wondershare Filmora AI credits - 100 000 credits (Digital annual License)
FX012	R 1,303	Wondershare Filmora Creative assets annual Individual licence, 12 months licence duration, Digital (ESD) delivery Method
FX013	R 2,085	Wondershare Filmora Business for Windows Creative asset library (Digital annual License), 20000 AI credits pack, Wondershare Filmora Business for Mac (Digital annual License), Creative asset library (Digital annual License), FX013
FX014	R 2,085	Wondershare Filmora Business for Mac Creative asset library (Digital annual License), 20000 AI credits pack, Wondershare Filmora Business for Mac (Digital annual License), Creative asset library (Digital annual License), FX014
KE-ZK3S	R 79	Zboard keyset for 3DS MAX, 134 labeled 3ds max commands , color coded, pre-programmed shortcuts , 12 Bar Lock keys for Creating commands , 19 Pad Lock keys for Modifiers *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKMD	R 79	Zboard keyset for Macromedia Dreamweaver MX , 143 labeled Macromedia Dreamweaver MX default commands , color coded (Blue - Ctrl Shift; Red - Ctrl; Green - Ctrl Alt; Yellow - Shift) , pre-programmed shortcuts , 16 Pad Lock commands for quick and easy Layers control *Note: This is NOT a keyboard, this is a TEMPLATE only
KE-ZKMF	R 79	Zboard keyset for Macromedia Flash MX , 115 labeled Macromedia Flash MX default commands , color coded (Black - Direct; Blue - Ctrl Shift; Red - Ctrl; Green - Ctrl Alt) , pre-programmed shortcuts , 12 Bar Lock keys for Creating commands , 18 Pad Lock commands for quick and easy Layers control *Note: This is NOT a keyboard,

		this is a TEMPLATE only
KE-ZKPS	R 131	Zboard keyset for photoshop , 109 default labeled Adobe Photoshop default commands , color coded, pre-programmed shortcuts , 12 Bar Lock commands for main actions , 16 Pad Lock commands for quick and easy Layers control *Note: This is NOT a keyboard, this is a TEMPLATE only
LCCDGSSUB11	R 5,983	CorelDRAW Graphics Suite SU 365-Day Subs.
LCCDGSSUBREN11	R 6,098	CorelDRAW Graphics Suite Single User 365-Day (1 Year) Subscription Renewal, For exisiting license that needs to be renewed, for Windows
LCPSPML1MNT0	R 943	Corel PaintShop Pro Corporate Edition Maintenance (1 Yr) Single User
LCPSPML1MNTA1	R 482	Corel PaintShop Pro Education Edition Maintenance (1Yr) (5-50)
STU-430-CH2	R 4,800	Wacom STU-430 Signature Set & Sign Pro PDF
STU-540-CH2	R 6,215	Wacom STU540 Signature Set & sign pro PDF

< Return to the menu

Office software

Product code	Price	Description
6GQ-00087	R 1,137	Microsoft 365 Family Edition - medialess - 1 Year subscription, Use the subscription on up to 5 devices at the same time
ESD-2024-HB	R 3,851	Microsoft Office Home & Business 2024 - PC - Download, Word, Excel, PowerPoint, Outlook, OneDrive
ESD-2024-HOME	R 1,977	Microsoft Office Home 2024 - 1 PC - Download, Word, Excel, PowerPoint, OneNote
ESD-M365-BUS STD	R 2,313	Microsoft 365 Business standard Edition ESD - 1 Year, Outlook, Word, Excel, PowerPoint, OneNote, Access, Publisher
FPP-2024-HB	R 4,817	Microsoft Office Home 2024 - 1 PC - Download - FPP, Word, Excel, PowerPoint, OneNote
FPP-2024-HB	R 4,484	Microsoft Office Home 2024 - 1 PC - Download - FPP, Word, Excel, PowerPoint, OneNote
FPP-2024-HOME	R 2,069	Microsoft Office Home 2024 - 1 PC - Download - ESD, Word, Excel, PowerPoint, OneNote
FPP-2024-HOME	R 2,069	Microsoft Office Home 2024 - 1 PC - Download - ESD, Word, Excel, PowerPoint, OneNote
KLQ-00216	R 2,449	Microsoft 365 Business Standard ESD - Medialess - DSP
KLQ-00216	R 2,428	Microsoft 365 Business Standard ESD - Medialess - DSP
KLQ-00216	R 2,553	Microsoft 365 Business Standard ESD - Medialess - DSP
LCWPPRMLMNT21	R 4,638	WordPerfect Office Professional CorelSure Maintenance 2 Year Single User ML
QQ2-00007	R 976	Microsoft Office 365 Personal - 1 Year License - Download, For household PC / non-commerical use, Includes Word / Excel / PowerPoint / onenote / outlook
SF-Mo365HP	R 1,225	Microsoft Office 365 Home Premium - Medialess: 1 Year Subscription - Powerful new versions of Word, Excel, PowerPoint, Outlook, OneNote, Publisher, and Access. Streaming full versions of Office applications with Office on Demand (PC running Windows 7 or 8 and Internet connection required). A personalized Office experience on up to 5 PCs or tablets.
SF-Mo365P	R 1,071	Microsoft Office 365 Personal (for household PC/ non-commerical use)- 1 year subscription key (medaless)- include word, excel, powerpoint, onenote, outlook, publisher, access, support docs setting roaming, with Lync InfoPath, free version upgrade, office on demand, 20Gb premium skydrive, 60 min/month skype world- household PC/ 1x installs
SF-MOHB24R	R 4,616	Microsoft Office Home & Business 2024 - 1 PC / Mac License, Word, Excel, PowerPoint, Outlook, OneNote
T5D-02717	R 3,309	Microsoft Office Home & Business 2016 - Retail FPP - Word, Excel, PowerPoint, Outlook, OneNote - Includes DVD, 1 User - No Warranty
T5D-03244	R 1,724	Microsoft Office Home and Business 2019 - Includes Word, Excel, Powerpoint, Onenote, Outlook - Medialess, DSP, No Warranty on Software
T5D-03481	R 2,299	Microsoft Office Home and Business 2021 ESD - Medialess - DSP

< Return to the menu

Operating Systems

Operating Systems : Desktop Operating Systems

Product code	Price	Description

< Return to the menu

Operating Systems : Desktop Operating Systems - OEM / DSP

Product code	Price	Description
DSP-WIN11-64	R 2,172	Microsoft Windows 11 Home 64-bit - DVD - DSP
DSP-WIN11-PRO64	R 2,839	Microsoft Windows 11 Professional 64-bit - DVD - DSP
FQC-10528	R 3,104	Microsoft Windows 11 Professional 64-bit - DVD - DSP
FQC-10528	R 3,286	Microsoft Windows 11 Professional 64-bit - DVD - DSP
FQC-10528	R 2,904	Microsoft Windows 11 Professional 64-bit - DVD - DSP
FQC-10528	R 2,699	Microsoft Windows 11 Professional 64-bit - DVD - DSP
FQC-10528	R 2,529	Microsoft Windows 11 Professional 64-bit - DVD - DSP
FQC-10528	R 2,900	Microsoft Windows 11 Professional 64-bit - DVD - DSP
KW9-00632	R 2,225	Microsoft Windows 11 Home 64-bit - DVD - DSP
KW9-00632	R 2,328	Microsoft Windows 11 Home 64-bit - DVD - DSP
KW9-00632	R 1,724	Microsoft Windows 11 Home 64-bit - DVD - DSP
KW9-00632	R 2,184	Microsoft Windows 11 Home 64-bit - DVD - DSP
KW9-00632	R 2,182	Microsoft Windows 11 Home 64-bit - DVD - DSP
SF-MW11HD64	R 2,197	Microsoft Windows 11 Home 64-bit - DSP, Requires Microsoft account Internet connection Trusted Platform Module (TPM 2.0)
SF-MW11HR	R 2,869	Microsoft Windows 11 Home Retail pack 32 64-bit Multi language
SF-MW11PD64	R 2,964	Microsoft Windows 11 Professional 64-bit - DSP, Requires Trusted Platform Module (TPM 2.0). ESD.
SF-MW11PR	R 4,733	Microsoft Windows 11 Professional Retail pack 32 64-bit Multi language

< Return to the menu

Operating Systems : Desktop Operating Systems - Upgrades

Product code	Price	Description

< Return to the menu

Operating Systems : Linux Operating System

Product code	Price	Description

< Return to the menu

Operating Systems : Server Operating systems

Product code	Price	Description
634-BYKP	R 9,120	Dell 634-BYKP / Microsoft Windows Server 2022 10CALs - User
634-BYKS	R 4,377	Dell 634-BYKS Microsoft Windows Server 2022 5 CALs - User. For use with Dell servers installed with Microsoft Windows Server 2022.
634-BYKS	R 3,801	Dell 634-BYKS Microsoft Windows Server 2022 5 CALs - User. For use with Dell servers installed with Microsoft Windows Server 2022.
634-BYKY	R 12,925	Dell 634-BYKY ROK / Microsoft Windows Server Standard 2022 - Additional 16 Core License. For Dell servers installed with Microsoft Windows Server Standard 2022.
634-BYKY	R 19,751	Dell ROK / Microsoft Windows Server Standard 2022 - Additional 16 Core License. For use with Dell servers that have Microsoft Windows Server Standard 2022 installed.
634-BYLI	R 7,130	Dell 634-BYLI ROK Microsoft Windows Server Essential 2022 - 10 core & 25 User Limit, No Additional CALs required. You can purchase Windows Server Essentials 2022 only for Dell servers that have a single CPU with 10 cores or less.
634-CVDV	R 2,939	Dell 634-CVDV / Microsoft Windows Server 2025 standard Edition additional License 2 Core, No Media/key, Customer Kit. For Dell servers with Microsoft Windows Server 2025 standard Edition installed.

634-CVDV	R 2,657	Dell 634-CVDV / Microsoft Windows Server 2025 standard Edition additional License 2 Core, No Media/key, Customer Kit. For Dell servers with Microsoft Windows Server 2025 standard Edition installed.
634-CVFB	R 349	Microsoft Windows Server 2025 Standard - for Dell severs - No Media with WS 2022 Standard Downgrade with DVD Media, Multi Language , Customer Kit.
634-CVFM	R 16,648	Dell 634-CVFM / Microsoft Windows Server 2025 standard ROK 16core, Core-based licensing model, Requires Windows Server CAL. For use with new Dell servers.
634-CVFM	R 16,257	Dell / Microsoft 634-CVFM Windows Server 2025 standard ROK 16core, Core-based licensing model, Requires Windows Server CAL. This is an OEM operating system for Dell servers.
7S05001AWW	R 85,554	Lenovo 7S05001AWW Windows Server 2019 Datacenter ROK - 16 core - MultiLang
7S05001ZWW	R 522	Lenovo 7S05001ZWW Windows Server Standard 2019 to 2016 Downgrade Kit - Multilanguage ROK
7S050029WW	R 6,164	7S050029WW Microsoft Windows Server 2019 Client Access License - 10 User (Genuine Microsoft license for use with Lenovo systems)
7S05002MWW	R 2,252	Lenovo Windows Server 2019 Standard Additional License - 2 core, No Media/Key, Reseller POS Only
7S05002NWW	R 10,862	Lenovo 7S05002NWW Windows Server 2019 Datacenter Additional License - 2 core, No Media/Key. Reseller POS Only
7S05007UWW	R 1,264	Microsoft Windows Server 2022 CAL - 1 User. For Lenovo servers installed with Microsoft Windows Server 2022.
7S05007XWW	R 3,934	Lenovo Windows Server 2022 CAL - 5 User
7S05007ZWW	R 7,704	Microsoft Windows Server 2022 CAL - 10 devices. For Lenovo servers installed with Microsoft Windows Server 2022.
7S1S0009WW	R 19,089	Lenovo Windows Server 2025 standard ROK (16 Core) - Multi Language
7S1S0009WW	R 19,261	Lenovo Windows Server 2025 standard ROK (16 Core) - Multi Language
7S1S000XWW	R 8,049	Lenovo / Microsoft Windows Server 2025 Essentials ROK (10 Core) - Multi Language for Lenovo
7S1S000XWW	R 7,681	Microsoft Windows Server 2025 Essentials ROK (10 Core) - Multi Language. For Lenovo systems.
7S1S003PWW	R 5,059	Microsoft Windows Server 2025 CAL - 5 User. For Lenovo servers with Microsoft Windows Server 2025 installed.
7S1S003PWW	R 4,855	Lenovo Windows Server 2025 CAL - 5 User
DSP-5CALU22	R 4,541	Microsoft Windows Server 2022 5 User CAL DSP - 5 User. For use with servers installed with Microsoft Windows Server 2022.
DSP-W2022S64-16CORE	R 17,157	Microsoft Windows Server 2022 Standard DSP License - 16 Core
DSP-W2025S64-16CORE	R 17,893	Microsoft Windows Server 2025 Standard - 16 Core, EP2-25187
DSP-W2025S64-16CORE	R 18,859	Microsoft Windows Server 2025 Standard - 16 Core, EP2-25187
LenDCG-01GU569	R 3,485	Microsoft 01GU569 Windows Server 2016 Standard ROK (16 core) - MultiLang, Reseller Option Kit
LenDCG-7S050015WW	R 18,050	7S050015WW Microsoft Windows Server 2019 Standard ROK (16 core) - MultiLang (Lenovo System Specific)
P73-04001	R 2,910	Microsoft DSP WIN 2008 Server STD with 5 Cals (DSP software can only be purchased for new systems with no O.S. installed)
SVDE634-BYLB	R 15,916	Dell / Microsoft Windows Server 2022 5 RDS - User. For use with Microsoft Server 2022 installed on a Dell server.

< Return to the menu

PC maintenance / management

Product code	Price	Description
RT001	R 912	Wondershare Recoverit Data Recovery Expert for Windows Individual (Digital Annual License)
RT002	R 1,173	Wondershare Recoverit Data recovery Expert for MacOS individual (Digital annual License), Recovers Data from any storage device., Repairs corrupted Video files
RT003	R 1,694	Wondershare Recoverit Data recovery Expert for Windows individual (Digital Perpetual License), Recovers Data from any storage device., Repairs corrupted Video files

< Return to the menu

Security

Product code	Price	Description
505451	R 5,399	Intellinet Video surveillance and recording solution for network cameras, For use with all INTELLINET NETWORK

		SOLUTIONS Pro Series Network Cameras, PTZ control for Speed-Dome Cameras, PTZ control for Digital PTZ Cameras 550468 and 550482 Can process digital network cameras and analogue video sources that are connected via video servers or capture cards, Live Monitoring Image Center allows viewing of multiple cameras simultaneously and defining of customized views Calendar function Remote access via network and Internet Recording (scheduled, motion-triggered, constant) Integrated motion detection with hot- and cold-spot masking, threshold adjustment and adaptive motion sensing Acoustic alarm, via e-mail or voice-call over ISDN Windows Desktop Client for live view and recording Access via Web browser, iPhone, Windows Mobile phone and Desktop Client Adjustable user management; e.g., live view, recording, PTZ control Remote access via Web browser, iPhone, Windows Mobile phone or Desktop Client for two simultaneous connections
ZK-BS-AC-ADD-ON	R 7,022	ZKTeco ZKBiosecurity Software for Access Control 15 door Add-on license, Only works on Pro controller, Maximum personnel : 2000, Maximum department : 200, Maximum area : 200, ZKSOF0150
ZK-BT-DEV-20	R 11,699	ZKTeco ZKBioTime Cloud based Time & Attendance Software for 20 devices, Employee / calander / shift management, Integrates with the biotime Mobile App, BT-DEV-20

< Return to the menu

Server software

Product code	Price	Description
SF-MD5CSBS8SD	R 3,364	Microsoft Dsp 5 CAL (Clent Access License) for Windows Small Business Server 2008 Standard - Devices - for same license on mutiple devices (DSP software can only be purchased for new systems with no O.S. installed)
SF-MDWS16C-1U	R 619	Microsoft DSP Windows Server 2016 - 1 User CAL (For use with servers installed with Microsoft Windows Server 2016)
SF-MDWS16C-5U	R 4,193	Microsoft DSP Windows Server 2012 / 2016 - 5 User CAL (DSP software can only be purchased for new systems with no O.S. installed)
SF-MDWS19C-5U	R 4,089	Microsoft DSP Windows Server 2019 CAL - 5 users (DSP software can only be purchased for new systems with no O.S. installed)
SF-MDWS22-16	R 17,334	Microsoft DSP Windows Server 2022 - no CAL - 64bit - support upto 16 cores (in total) per Server
SF-MDWS22-24	R 27,537	Microsoft DSP Windows Server 2022 - no CAL - 64bit - support upto 24 cores (in total) per Server
SF-MDWS22C-1D	R 633	Microsoft Dsp Windows Server 2022 Cal - 1 Device
SF-MDWS22C-1U	R 968	Microsoft Dsp Windows Server 2022 Cal - 1 Users
SF-MDWS22C-5D	R 3,624	Microsoft Dsp Windows Server 2022 Cal - 5 Devices
SF-MDWS22C-5U	R 4,415	Microsoft Dsp Windows Server 2022 Cal - 5 Users
SF-MDWS22DC-16	R 85,788	Microsoft DSP Windows Server 2022 Datacenter Edition - no CAL - 64bit - support upto 16 cores (in total) per Server
SF-MDWS22DC-24	R 128,471	Microsoft DSP Windows Server 2022 Datacenter Edition - no CAL - 64bit - support upto 24 cores (in total) per Server.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Solar Power

Battery cabinets / solar & UPS

Product code	Price	Description
CAB-A02	R 1,306	PSS Battery Cabinet A02 - holds 2x 12V 100Ah batteries, Powder Coated, Robust and durable, Easy to install, Safely installed batteries
CAB-A04	R 2,026	PSS Battery Cabinet A04 - holds 4x 12V 100Ah batteries, Powder Coated, Robust and durable, Easy to install, Safely installed batteries
CAB-A08	R 2,199	PSS Battery Cabinet A08 - holds 8x 12V 100Ah batteries, Powder Coated, Robust and durable, Easy to install, Safely installed batteries
CAB-A12	R 3,102	PSS Battery Cabinet A12 - holds 12x 12V 100Ah batteries, Powder Coated, Robust and durable, Easy to install,

		Safely installed batteries
CAB-A16	R 4,096	PSS Battery Cabinet A16 - holds 16x 12V 100Ah batteries, Powder Coated, Robust and durable, Easy to install, Safely installed batteries
CAB-A32	R 8,034	PSS Battery Cabinet A32 - holds 32x 12V 100Ah batteries, Powder Coated, Robust and durable, Easy to install, Safely installed batteries
CAB-B02	R 1,452	PSS battery cabinet with wheels, Powder Coated, Cabinet can hold up to 2x 12V100Ah Batteries, Mild Steel
RCK-BATTERY-BOX-9U	R 1,657	Linkqnet 9u Battery Box For 2x 48v 100ah Batteries
RCT BAT BOX 2X100AH	R 1,129	RCT battery cabinet for 2 x 100Ah Lead acid batteries
RCT BAT BOX 2X200AH	R 1,469	RCT battery cabinet for 2 x 200Ah Lead acid batteries
RCT BAT BOX 4X100AH	R 1,469	RCT battery cabinet for 4 x 100Ah Lead acid batteries
RCT BAT BOX 4X200AH	R 2,486	RCT battery cabinet for 4 x 200Ah Lead acid batteries
SOL-B-BATBOX-2-100-GRY	R 840	Mecer Battery Box for 2 x 100Ah Batttery (Base unit on adjustable feet - *Not wheels) - Grey
SOL-B-L-WM	R 1,817	Mecer Wall Mount battery box for 2x 3U Lithium batteries
SOL-B-L-WM-5k	R 2,202	Mecer Wall Mount battery box for 2x Lithium batteries - M5 / V5 / D5 / P5000
SOL-BB-CS004	R 334	Battery Box Casters. includes 2x brakes and 2x standard casters for SOL-BBB-2-200A-BLK (Box not included, this is a required add-on for the battery box). [Search:SOL-BBB-2-200A-BLK]
SOL-BBB-1-100A-BLK	R 868	Mecer Battery box Black - fits 1x 100A - adjustable feet
SOL-BBB-1-200A-BLK	R 1,409	Mecer Battery box Black - fits 1x 200A - adjustable feet
SOL-BBB-2-200A-BLK	R 1,587	Mecer Battery Box for 2x 200Ah Batteries - On Adjustable Feet. Length: 650mm, Height: 340mm, Depth: 607mm - NB: Requires SOL-BB-CS004 Bat Box Casters / 2x break 2x std. !Please Note: Must be added to order with the additional cost! [Search: SOL-BB-CS004]
SOL-BBB-4-100A-BLK	R 1,254	Mecer Battery Box for 4x 100Ah Batteries - On Adjustable Feet. Length: 805mm, Height: 310mm, Depth: 424mm
SOL-BBB-4-200A-BLK	R 2,053	Mecer Battery Box for 4x 200Ah Batteries - On Adjustable Feet. Length: 1207mm, Height:340mm, Depth: 607mm
SOLC2100BBOX	R 999	Solarix Steel Battery Box For 2 Batteries - Indoor Use Battery Box Design, Easy To Assemble, Powder Coated Mild Steel Casing, Houses Up To 2 X 120ah Inverter Batteries, Floor Standing Unit, Colour Black, Retail Box, No warranty
SOLC4100BBOX	R 1,199	Solarix Steel Battery Box For 4 Batteries - Indoor Use Battery Box Design, Easy To Assemble, Powder Coated Mild Steel Casing, Houses Up To 4 X 120ah Inverter Batteries, Floor Standing Unit, Colour Black, Retail Box, No warranty
SOLC6100BBOX	R 1,599	Solarix Steel Battery Box For 6 Batteries - Indoor Use Battery Box Design, Easy To Assemble, Powder Coated Mild Steel Casing, Houses Up To 6 X 120ah Inverter Batteries, 2 x Shelves Top and Bottom Floor Standing Unit, Colour Black, Retail Box, No warranty
SOLC8100BBOX	R 1,799	Solarix Steel Battery Box For 8 Batteries - Indoor Use Battery Box Design, Easy To Assemble, Powder Coated Mild Steel Casing, Houses Up To 8 X 120ah Inverter Batteries, 2 x Shelves Top and Bottom Floor Standing Unit, Colour Black, Retail Box , No warranty

< Return to the menu

Inverter Accessories / solar

Product code	Price	Description
160NHG00B	R 89	Solarix Eaton Bussman 500V 160A NH00 Ceramic Din Fuse - Basic function Fuse link, AC Voltage 500 VAC, DC Voltage 250 VDC, Body Material Ceramic, Contact Materials Copper, Silver-Plated, Construction size NH00, Breaking Capacity 120 kA, Colour Beige,Retail Box, No warranty
CHINT-EX9IP-4P-63A	R 633	Unbranded Solar PV DC Circuit breaker (Isolator) 4 pole 1000V 63A, Installation Isolator Ex9IP 4P 63A
CHINT-Ex9UEP 20 2P 1000	R 869	Unbranded Solar PV DC Surge Arrestor 20kA 2 pole 1000V
CHINT-RT18-32 1000V DC 16A	R 51	Unbranded Solar PV fuse 16A 1000 VDC / YRPV-30/16A
CHINT-RT18-32 1000V DC 32A	R 68	Unbranded Solar PV fuse 32A 1000 VDC / YRPV 30/32A
ECL-LIT-BRK	R 293	Mecer wall mounting bracket for 1x 19" Rack mount lithium battery; Supports 1 x lithium battery; wall mounting; battery mounting accessory. For mounting 19" rack-mountable Lithium batteries onto walls. Ideal for inverter installations. Robust metal construction with back plate and side supports for easy installation and extra stability.

		Color: Metallic silver (polished metal). There are 4 bolt positions. Dimensions (/- 3mm): Side arms: 330mm height (top to bottom). 225mm from front to back to rest the battery on. Back mounting plate: 520mm width x 330mm height. There is a 8amm metal spacer fold to prevent the battery from rubbing against the bolts. *Note: Color and screw position may differ to the image.
NV-WDMH	R 1,834	Navasolar WiFi Dongle for MH10048
NV-WDMV	R 684	Navasolar WiFi Dongle for MV3024 & MV5248
PYLON US2000 BRACKET	R 592	Pylontech US2000 bracket - Stackable bracket Set for Pylon tech US2000 Lithium Battery [Search: US2000]
RCT BAT DYNESS B3 BRACKET	R 712	RCT stackable bracket for Dyness B3 3.5kWh battery
RCT BAT DYNESS B4850 BRACKET	R 451	RCT Dyness B4850 bracket - Stackable bracket for Dyness B4850 battery [Search: B4850]
RCT BAT DYNESS POWER CABLE	R 677	RCT Dyness power cable sets for Dyness B4850 and power box battery [Search: B4850]
RCT-AXPERT CONTROL PANEL	R 566	RCT Remote Display For The RCT Hybrid Inverter - RCT Remote Control Panel 4K / 5K
SOL-B-L-P-Cable	R 667	Pylontech comms cable from battery to Axpert Inverter with BMS Port, Includes PylonTech power cables Orange and Black
SOL-I-AX-BMS BOX	R 1,208	RCT BMS communication box for Lithium batteries, Support PylonTech and Dyness batteries and Battery with voltronic BMS Protocol
SOL-I-AX-Remote	R 863	Mecer Remote Display For The Mecer Hybrid inverter. For use with KS/MKS Axpert models. 6m RJ45/RJ11 cable included.
SOL-I-IS-METER	R 2,093	Mecer Energy Meter for InfiniSolar inverter - Grid Limiting, Supports RS-485 Modbus, Needs MODBUS Card in Inverter
SOL-I-SI-SYSCAN	R 1,840	SMA SYSCAN Sunny Island CAN Interface Card for Sunny Island 6.0H / 8.0H inverters
SOL-I-V-MODBUS	R 868	Mecer MODBUS Card for InfiniSolar Inverter Range, Real-time control and monitoring of multiple UPSs or inverters via RS-232/RS-485 communication port
SOL-JTBS200WTYTZ	R 599	Solarix Jortam 200W Solar flood Lamp with Solar Panel, High quality die Cast Aluminium housing and ABS plastic, Includes Remote control, Rechargeable flood Lamp with Built-In Lithium Battery, Peak Power 15W polysilicon Solar Panel, Open Circuit Voltage 7.2V, IP66 Waterproof, Lighting time up to 10 hours, Colour temperature 6500K, 100 degrees angle beam, Ideal for Indoor and Outdoor Lighting
SOLDBL12WAY	R 189	Solarix 12 Way Power Distribution Box Unpopulated with Transparent Cover - No Copper Terminal, High Quality ABS Housing, IP65 Rating Protection Colour White, Retail Box, No Warranty
SOLDBL8WAY	R 169	Solarix 8 Way Power Distribution Box Unpopulated with Transparent Cover - No Copper Terminal, High Quality ABS Housing, IP65 Rating Protection Colour White, Retail Box, No Warranty
SOLELL40MMENDCLAMP	R 99	Solarix End Clamp 40mm ELL Solar Panel Mounting - Aluminium 6005 T5 And Stainless Steel 40-50mm, Used To Secure The Solar Panels To The Mounting Rails, And Are Used At The Ends Of The Row Of Panels, Suitable For Pitched And Flat Roofs, Cladding Type: Tiled, Slate And Sheet Metal, Retail Box, No warranty
SOLFC10MM5MBLK	R 79	Solarix Flexible Conduit 10mm Diameter PVC Black 5 Metre-Flexible Split Cable Sleeving Conduit, Used Electrical Wire Insulation, Inner Diameter Is 10mm, Length 5 Metres, Colour Black, Retail Box, No warranty
SOLFC20MM5MBLK	R 99	Solarix Flexible Conduit 20mm Diameter PVC Black 5 Metre-Flexible Split Cable Sleeving Conduit, Used Electrical Wire Insulation, Inner Diameter Is 20mm, Length 5 Metres, Colour Black, Retail Box, No warranty
SOLLUG258CPNI	R 99	Solarix Non Insulated Copper Battery Cable Lug 25 x 8mm Pack of 10 - For Use With Cable Size 25mm, Eyelet Size 8mm, Used To Terminate Cable, Butted Seam To Ensure Smooth Installation Onto Cable, Works With Any Standard Cable Crimping Tools, Retail Box, No warranty
SOLLUG3510CPNI	R 99	Solarix Non Insulated Copper Battery Cable Lug 35 x 10mm Pack of 10 - For Use With Cable Size 35mm, Eyelet Size 10mm, Used To Terminate Cable, Butted Seam To Ensure Smooth Installation Onto Cable, Works With Any Standard Cable Crimping Tools, Retail Box, No warranty
SOLMPPT122430	R 1,699	Solarix Solar Charge Controller MPPT 12V / 24V 30A - Solar controller charger for Home use, 30A 12V / 24V, LCD Display, Solar Panel Power: 390W (12V), 780W (24V), Intelligent MPPT Charge Mode, Retail Box
SOLNT00160A1PC	R 179	Solarix NT00 Rail Mount 1 Pole 160A DC Fuse Holder Sold as A Single Unit - DC Fuse Holder For NH00 60A-160A Fuses, Voltage Rating AC 500V, DC 250V. AC-23B and IEC/EN 60 947-3 Compliant, Ideal For Battery Disconnect With 3KVA Up To 5.5KVA Inverters, Fuse Is Not Included Must Be Purchased Separately, Poly Bag, No Warranty

SOLNT00160A3POLE	R 549	Solarix NT00 Horizontal Mount 3 Pole 160A DC Fuse Holder Box Sold as A Single Unit- Battery Fuse Disconnect 3 Pole NH00 (rated 160A) Voltage Rating AC 690V, DC 250V. AC-22B and IEC/EN 60 947-3 Compliant, Ideal For Battery Disconnect With 3KVA Up To 5.5KVA Inverters, Fuse Is Not Included Must Be Purchased Separately, Poly Bag, 6 Months Warranty
SOLPNSFST00001	R 99	Solarix Adjustable Front Leg Solar Panel Mounting - Aluminium 6005 T5, Including 1x T Module, 2x Bolts, 2x Screws And 1x Rubber Pad- Fixed With The Clamps Does Not Require The EPDM Washer And Tapping Screw, Retail Box, No warranty
SOLPNSFST00004	R 499	Solarix D Rail For Solar Panel Mounting - Length 4.3 Metres, Aluminium 6005 T5, Including 1x T Module, Suitable For Rooftop Installations, Retail Box, No warranty
SOLPNSFST00006	R 99	Solarix Rail connector Solar Panel Mounting - Aluminium 6005 T5, Including 2x Fixing Bolt 200mm- Extend Fastens Rails To Any Length As Required By The Quantity Or Width Of The Solar Panels, Retail Box, No warranty
SOLPNSFST000091	R 99	Solarix End Clamp 35mm Solar Panel Mounting - Aluminium 6005 T5 And Stainless Steel 35mm, Used To Secure The Solar Panels To The Mounting Rails, And Are Used At The Ends Of The Row Of Panels, Suitable For Pitched And Flat Roofs, Cladding Type: Tiled, Slate And Sheet Metal, Retail Box, No warranty
SOLPNSFST000101	R 129	Solarix Mid Clamp 35mm Solar Panel Mounting - Aluminium 6005 T5 And Stainless Steel 35mm, Mid Clamp Is Installed Between The Solar Panel And The Board To Fix Two Solar Panels, Suitable For Pitched And Flat Roofs, Cladding Type: Tiled, Slate And Sheet Metal, Retail Box, No warranty
SOLS24VBATTCAB	R 599	Solarix 24V Battery Connector Cable Kit - Suitable To Use With All 24V Inverters Up To 4000W Rating, Kit Includes 1x 160A Fuse, 1x Battery Fuse Holder, 1x 1 Metre 50mm Cable (Red), 1x 0.3 Metre 50mm Cable (Red), 1x 0.2 Metre 50mm Cable (Black), 1x 1.2 Metre 50mm Cable (Black),Convenient White Installer Box, Retail Box, 6 Months Warranty
SOLS48VBATTCAB	R 699	Solarix 48V Battery Connector Cable Kit - Suitable To Use With All 48V Inverters Up To 8000W Rating, Kit Includes 1x 160A Fuse, 1x Battery Fuse Holder, 1x 1 Metre 50mm Cable (Red), 1x 0.3 Metre 50mm Cable (Red), 3 x 0.2 Metre 50mm Cable (Black), 1x 1.2 Metre 50mm Cable (Black), Convenient Carry Bag, White Installer Box, 6 Months Warranty
SOLSIBRHBS01	R 79	Solarix IBR Hanger Bolt screw for D-RAIL 6mm - Ideal For IBR on Steel Structures, Includes 1 x Stainless Steel Bolt , 1 x Rubber Washer, 3 x Nuts, 6mm Hexagon Bolt Screw Head, Retail Box, No warranty
SOLSIBRHBW01	R 79	Solarix IBR Hanger Bolt Screw For D-RAIL 8mm- Ideal For IBR On Wood Trusses, Includes 1 x Stainless Steel Bolt, 1 x Rubber Washer, 3 x Nuts, 8mm Hexagon Bolt Screw Head, Retail Box, No warranty
SOLSSACS001	R 499	Solarix AC Surge Protector Device - Single Phase, Suitable For 50Hz And 60Hz AC Power Supply System, Protects Your Appliances, Electronics, AC Circuits As Well As Solar Inverters From High Voltages And Surges, Compatible with AC circuits Only. Please Do Not Use Install It With DC Circuits, Ensure Proper Earthing When Installing, Rail Mount Installation, Retail Box
SOLSSAVS050	R 499	Solarix Auto Voltage Protection Switch - Din Rail Mount, Passing Current Maximum 50A , Rated AC Voltage 230VAC, Frequency 50Hz, Over-voltage Cut-off Value 275VAC, Under-Voltage Cut-Off Value175VAC, Recovery Time
SOLSSDCS001	R 399	Solarix DC Surge Protector Device - Designed To Protect And Minimize The Potential Impact Of Direct And Indirect Lightning Events on Solar Panels PV Installations, Should Be Installed On The DC Side Of The PV System, Before The Inverter, Widely Used In PV DC Combiner Box, Inverter, Controller And PV DC Cabinet, Please Do Not Use Install It With AC Circuits, Ensure Proper Earthing When Installing, Din Rail Mount Installation, Retail Box, No warranty
SOLSSF030AS	R 39	Solarix 30A Solar Photovoltaic fuse 38mm x 10mm, 1000VDC Maximum Voltage, Sold as a single unit, Requires a fuse holder
SOLSSFH030L	R 79	Solarix Rail Mount 1 Pole Solar PV (Photovoltaic) DC Fuse Holder With LED Indicator Light - Can hold up to 30A fuse, Rated 1000VDC, Wire Range 1mm2 To 10mm2, Withstand Rating 20kA, Colour White, 10x38mm Fuse Links to Be Purchased Separately, Colour Beige, Retail Box, No Warranty due to the nature of this product*
SOLSSMC4	R 159	Solarix MC4 Solar Connectors Male And Female Pack Of 5 Sets - Compatible with 4mm, 6mm Single Core Solar Photovoltaic PV Cable , Rated Current. 30A. Rated Voltage 1000VDC, 10 Pairs MC4 Solar Connectors Including Insulating Part And Ferrule, Colour Black, Retail Box, No warranty

SOLSSNT00160A1PC	R 159	Solarix NT00 Rail Mount 1 pole 160A DC fuse holder, Sold as single unit DC fuse holder for NH00 60A - 160A fuses, AC 500V Voltage rating DC 250v. Ideal for Battery disconnect with 3kVA up to 5.5kVA inverters, Fuse is not included
SOLTAICOBEL48V	R 1,299	Solarix 48V Battery Equaliser And Balance Charger - Can Be Connected To 48V Battery Banks (4x 12V In Series), Monitors Each Battery Voltage, No External Power Supply Is Required, Retail Box
SOLWIFIDG01	R 599	Solarix Wifi Module For Solarix Sun Inverters - Includes RJ45 to R232 Cable, Wifi Protocol 802.11 b/g/n, WEP, WPA/WPA2 Encryption, Wifi Frequency: 2.4GHz, Wireless Gain: 2.5dBi, Wifi Distance: Up 30 meters (open space), RS232 Communication Interface, Downloadable APP Available For Both IOS And Android Based Devices, Unit Is Designed To Work With The Solarix Sun 6.5KVA Inverters, Colour Black, Retail Box
UPS-DSPL-RM-INV	R 908	Linkqnet Remote LCD Display For 5kva Mks Inverter
UPS-SOLCONT-3000W-LQ	R 3,934	Linkqnet 3000w, 60a 12, 24, 48vdc Mppt Solar Charge Controller
VIC-DIRECTCABLE	R 267	Victron VE.Direct Cable 1.8m
VIC-VENUS-GX	R 4,877	Victron Venus GX is the communication centre for panels and system monitoring, Requires DC power between 7V and 80V

< Return to the menu

Solar & Battery Cables

Product code	Price	Description
AC-CRIMP-MC4	R 2,418	Acconet MC4 Basic Crimping pliers 2.5 / 4 / 6mm
AC-LUG-16-8	R 4	Acconet 16mm2 Cable Terminal Lug M8
AC-SOL-CABL-6B	R 31	AccoNet 6mm outdoor Solar cable Black - price per m
AC-SOL-CABL-6R	R 30	AccoNet 6mm outdoor Solar cable Red - price per m
CAB-BAT-PK1.8M-TG	R 506	LinkQnet cable Red & Black pack 1.8m plugable for LQ Li-Ion Battery
CNT-MC4-M-F-KIT	R 25	Unbranded MC4 Solar cable connector 1 Set Male and Female
ECOFLOW CAR CHARGER	R 328	Ecoflow Car Charger With 1.5m Lead For All Portable Power Station. The ECOFLOW Car Charger provides reliable and efficient charging for all ECOFLOW Portable Power Stations with a 1.5 meter lead for flexible vehicle use. Built for safety and convenience, it is ideal for travel, outdoor activities, and emergencies. Durable and compact, it ensures your devices stay powered wherever you go.
ECOFLOW SOLAR PARALLEL CABI	R 305	ECOFLOW Solar Parallel Connection Cable - 0.3m. The EcoFlow Solar Parallel Connection Cable (0.3 m, set of 2) lets you connect multiple solar panels in parallel to EcoFlow DELTA or RIVER power stations for faster charging. With durable MC4-to-XT60 connectors, compact length, itâ€™s a reliable accessory to enhance your solar recharging setup.
MC4	R 58	Microworld MC4 connector for Solar Panel
RCT SOL-CABLE-6MM-100M-R	R 1,609	RCT 6mm outdoor Solar cable Red - 100m
RCT SOL-LUG-25X8	R 22	RCT Electrical Lug 25mm x 8mm
RCT SOL-MC4-F	R 22	Mecer MC4 connector Female
RCT SOL-MC4-FCON	R 45	RCT MC4 connector female
RCT SOL-MC4-M	R 26	Mecer MC4 connector male. Durable, weatherproof connector for secure solar panel cable connections.
SOL-B-DC-BATT-PROTECT	R 4,324	Mecer Battery protection box, 1x 125A DC cb and 1x 125A striker pin fuse, Fuse connected to positive Terminal
SOL-B-LINK-300	R 52	Mecer Battery Cable Link 300mm with 35mm connector for VISION 100/200 batteries
SOL-Cable 100M-4	R 1,829	Mecer Solar Cable 4mm x 100M Black
SOL-Cable 100M-4-R	R 1,829	Mecer Solar Cable 4mm x 100M Red
SOL-Cable 100M-6	R 2,415	Mecer Solar Cable 6mm x 100M Black
SOL-Cable 100M-6RED	R 2,415	Mecer Solar Cable 6mm x 100M Red
SOL-Cable 500M-4-B	R 7,130	Mecer Solar cable 4mm x 500m Drum - Black
SOL-Cable 500M-4-R	R 7,130	Mecer Solar cable 4mm x 500m Drum - Red
SOL-Cable 500M-6	R 9,718	Mecer Solar Cable 6mm x 500m Drum Black
SOL-Cable 500M-6-R	R 9,718	Mecer Solar Cable 6mm x 500m Drum Red
SOL-MC4-F	R 31	Mecer MC4 Connector Female

SOL-MC4-M	R 35	Mecer MC4 Connector Male
SOL-MC4-PAIR-2	R 69	MC4 Pair x 2 (2 x Male 2 x Female)
SOL16MM2BC30MRD	R 1,199	Solarix 16mm2 Battery Power Cable - 30 Metre Roll Red - High Performance Battery Cable, 6AWG, Red Translucent Flexible PVC Insulation, Used For Connection between Lithium Or Gel Batteries to 12V, 24V and 48V Inverter Systems, Sold In 30m Rolls, Please Note 16mm2 area is equal to 9.1mm diameter, Retail Box, No Warranty
SOL16MM2BC50MBK	R 1,599	Solarix 16mm2 Battery Power Cable - 50 Metre Roll Black - 6AWG High Quality And Performance Battery Cable, Black Flexible PVC Insulation , Used For Connection between Lithium Or Gel Batteries to 12V, 24V and 48V Inverter Systems, Sold In 50m Rolls, Please Note 16mm2 area is equal to 9.1mm diameter, Retail Box, No warranty
SOL16MM2BC50MBKPM	R 59	Solarix 16MM2 Battery Power cable Black 6AWG - price per metre, 6AWG high quality and performance Battery cable, Black Flexible PVC insulation, Please Note 16mm2 area is equal to 9.1mm diameter
SOL16MM2BC50MRD	R 1,599	Solarix 16mm2 Battery Power Cable - 50 Metre Roll Red - 6AWG High Quality And Performance Battery Cable, Red Flexible PVC Insulation, Used For Connection between Lithium Or Gel Batteries to 12V, 24V and 48V Inverter Systems, Sold In 50m Rolls, Please Note 16mm2 area is equal to 9.1mm diameter, Retail Box, No warranty
SOL35MMBC50MRDPM	R 79	Solarix 35mm2 Battery Power cable Red - price per metre, High performance Battery cable, 2AWG, Red translucent Flexible PVC insulation, Used for connection between Lithium or GEL batteries, Please note 35mm2 area is equal to 10.8-11.9mm Diameter
SOL48VBATTCAB	R 699	Solarwise 48V Battery Connector Cable Kit - Suitable To Use With All 48V Inverters Up To 8000W Rating, Kit Includes 1x 160A Fuse, 1x Battery Fuse Holder, 1x 1 Metre 50mm Cable (Red), 1x 0.3 Metre 50mm Cable (Red), 3 x 0.2 Metre 50mm Cable (Black), 1x 1.2 Metre 50mm Cable (Black), Convenient Carry Bag, Retail Box, Retail Box, 6 Months Warranty
SOLBLCB30CM16MMLUG	R 269	Solarix Battery Link Cable 30cm Length Black -16mm Cable With 8mm Battery Terminal Lugs Connectors Sold as 10 Pack, Retail Box, No warranty
SOLDCCLAMP	R 39	Solarix DC Male To Battery Clamps- 12Volt DC 5.5mm X 2.1mm Male Barrel Plug, Battery Clamp Connectors, 1 Metre Cable Length
SOLEW6MM100M	R 1,499	Solarix Insulated 6mm2 Yellow And Green Earth Wire 100 Metre Roll- Cable Cross Section 6mm2, Cable Sheath Colour Yellow and Green, Multi Strand Copper Conductor Material, PVC Insulation Material, Sold as 100 Metre Per Roll, Retail Box, No warranty
SOLPAMY041	R 139	Solarwise MC4 Y Connector 4 Way To 1 Way Solar Panel Combiner Cable Set - 4 mm Diameter Contact Pin, Used For Connecting Solar Panels In Series Or Parallel, Quick And Reliable Connection Of The Solar Cables To The Photovoltaic System, Colour Black, No Warranty
SOLPV6MMBLACK	R 1,499	Solarix 6mm2 Single Core Solar Photovoltaic PV Cable Black 100 Metre Roll - Designed For Use To Provide Optimal Cable Connection Between Solar Panel Cells And AC/DC Inverter Or The Mains DC Cable, Flexible Tinned Copper Conductor With Halogen Free Cross-Linked Compound Insulation And Sheath, AC Voltage Rating 600/1000VAC, DC Voltage Rating 800/1500VDC, TUV 2-fG-1169 Compliant, Sold As 100mtres Per RollColour Black, Retail Box, No warranty
SOLSIRPV6MMRED	R 1,499	Solarix 6mm2 single Core Solar Photovoltaic PV cable Red - 100 metre roll, Designed for use to provide optimal cable connection between Solar Panel cells and AC/DC Inverter or the mains DC cable, Flexible Aluminium conductor, UV protection insulation

< Return to the menu

Solar & Battery Mounting

Product code	Price	Description
RCT SOL-HAMMER	R 22	RCT Solar Hammer - M8 x 20 mm Hammer T head screw Bolt and nut, Stainless steel A2 Solar photovoltaic Type corrosion resistant, 4.3 mm x 10.9 mm x 23.4 mm
SOL-BBB-2-100A-BLK	R 897	Mecer Battery Box for 2x 100Ah Batteries - On Adjustable Feet. Length: 255mm, Height: 310mm, Depth: 424mm
SOL-M-KIT 4 IBR	R 1,610	Mecer Mount x 4 60Cell / 72Cell Portrait Orientation onto Angled IBR Roof
SOL-M-Kit 4 Tiled-I	R 2,691	Mecer Mount x 4 60Cell / 72Cell Portrait Orientation onto Angled Tile Roof (inland)

SOL35MMBC50MRD	R 1,499	Solarix 35mm Battery Power Cable 50 Metre Roll Red - High Performance Battery Cable, 2AWG, , Red Translucent Flexible PVC Insulation , Used For Connection between Lithium Or Gel Batteries to 12V, 24V and 48V Inverter Systems, Sold In 50m Rolls, Retail Box, No Warranty
SOLIBRBRKLS	R 99	Solarix IBR Zinc landscape roof Mount bracket for Solar Panel mounting, Designed specifically for standard IBR profile roof sheeting, Rubber lining allows the mounting to Fit tightly onto the roof hip to Secure and Waterproof seal, Sold as a single unit
SOLIBRBRKPT	R 99	Solarix IBR Zinc Portrait Roof Mount Bracket For Solar Panel Mounting, Designed Specifically For Standard IBR Profile Roof Sheeting, Rubber Lining Allows The Mounting To Fit Tightly Onto The Roof Hip To Secure And Waterproof Seal, Sold As A Single Unit
SOLLR40064PCK	R 49	Solarix M6 Insulated Ring Solar PV Terminal Connector Pack of 4, M6 Stud Size, 4mm2 to 6mm2 Solar PV Cable, Also Known As A Ring Connector Or Cable Lug, Yellow Sleeve, Sold As Pack Of 4
SOLRN2BRK	R 79	Solarix Rail nut to bracket Mount kit pack of 4, 4x 2.1mm Rail nuts, 4x M8*25 bolts, 4x Spring washers, 4x lock washers, Used to Secure the Solar panels to the mounting rails, Suitable for pitched and flat roofs

< Return to the menu

Solar distribution / PV combiner

Product code	Price	Description
AC-SOL-CBOX-2IN	R 4,132	AccoNet 250V protection box 2 inputs 1 Outputs 50A isolator 10A fuses
SOL-I-AX-CB2-5NB	R 3,680	Mecer 2 PV String Combiner Box for 5NB (Axpert MKII)
SOL-I-AX-CB5	R 4,359	Mecer 5 PV String Combiner Box MC4 with Surge Protection
SOL-I-AX-CB6	R 5,049	Mecer 6 PV String Combiner Box with Surge Protection. String Combiner Box 6 strings MC4 Surge Protection.
SOL-I-IS-CB22	R 5,980	Mecer String Combiner Box 2 strings in 2 Strings out MC4 Surge Protection INFINISOLAR

< Return to the menu

Solar Panels

Product code	Price	Description
ECOFLOW SOLAR 60W	R 1,188	Ecoflow 60w Portable Solar Panel. The EcoFlow 60W Portable Solar Panel offers a compact and efficient solution for outdoor power needs. With its high conversion efficiency, durable construction, and compatibility with various devices, it ensures reliable performance in diverse environments. Ideal for camping, hiking, and emergency backup, this solar panel is a versatile addition to your outdoor gear.
JINKO TIGER NEO 610W	R 1,886	JINKO TIGER NEO 610W Solar Panel JKM610N-78HL4, 45.60V Maximum Power voltage, 55.31V open-circuit voltage
PV120	R 3,364	Bluetti PV120 MonoCrystalline Silicon Solar Panel 120W, ETFE Lamination, Up to 23.4% Cell efficiency, 19.6V voltage at Max Power, Standard MC4 connector, 3m cable length, 53.3 x 165.2cm dimensions (Unfolded)
SERAPHIM BLADE 400W	R 748	Seraphim Blade 400W Tier 1 MonoCrystalline silion Solar Panel, 49.1 VOC. Maximum Power (Mp) = 400W; Power Tolerance = 0- 4.99W; Efficiency = 19.81%; Open Circuit Voltage (Voc) = 49.1V; Maximum Power Voltage (Vmp) = 41.6V; Short Circuit Current (Isc) = 10.1A; Maximum Power Current (Imp) = 9.62A; Temperature Coefficient of Isc = 0.05%; Temperature Coefficient of Voc = -0.28%; 2015 x 1002 x 40 mm, 23.0Kg
SOL-P-C-275	R 1,955	Unbranded 275W Polycrystalline Solar Panel module. Rated Maximum Power (Mp) = 275W; Power Tolerance = 0-5W; Efficiency = 16.9%; Open Circuit Voltage (Voc) = 38.5V; Maximum Power Voltage (Vmp) = 31.2V; Short Circuit Current (Isc) = 9.34A; Maximum Power Current (Imp) = 8.81A; Temperature Coefficient of Isc = 0.06%; Temperature Coefficient of Voc = -0.32%; Temperature Coefficient of Pmp = -0.45%
SOL-P-C-330	R 1,783	Unbranded 330W Polycrystalline Solar Panel module. Rated Maximum Power (Mp) = 330W; Power Tolerance = 0-5W; Efficiency = 18.7%; Open Circuit Voltage (Voc) = 47.0V; Maximum Power Voltage (Vmp) = 37.5V; Short Circuit Current (Isc) = 9.38A; Maximum Power Current (Imp) = 8.89A; Temperature Coefficient of Isc = 0.06%; Temperature Coefficient of Voc = -0.33%; Temperature Coefficient of Pmp = -0.45%
SOL-P-C-340	R 1,838	CNBM 340W Polycrystalline Solar Panel module. Maximum System Voltage: 1000V; Rated maximum Power(Mp): 340W; Power tolerance: 0 -5W; Cell efficiency: 17.52%; Open Voltage (Voc): 47.8V; Maximum Power Voltage(Vmp): 38.8V; Short Circuit Current(Isc): 9.29A; Maximum Power Current(Imp): 8.76A; Temp Coefficient

		of Isc: 0.06%; Temp Coefficient of Voc: -0.32%; Temp Coefficient of Pmp: -0.45%
SOL-P-J-415	R 1,150	Jinko 415W Solar PV module - mono, 37.3V VOC Voltage open Circuit
SOL-P-M-445	R 2,915	Mecer 445W Monocrystalline Solar Panel module
SOL-P-M-450	R 1,190	Mecer 450W Solar PV module - mono, 49.3V open Circuit Voltage (VOC)
SOL-P-R-380	R 2,174	RenewSys 380W Solar Panel module
SOL-P-R-545	R 1,507	RenewSys 540W Solar PV module - mono
SOLCHSM72M455W	R 2,899	Solarix Astro 4 Semi 455W Mono Crystalline PERC Solar Panel - Number of Cells 166, Anodized Aluminium Alloy Frame, 3.2mm Coated Tempered Glass, Maximum Rated Power(Pmax): 455W, Maximum Power Voltage(Vmp): 41.51VDC, Short Circuit Current (Isc): 11.44A , Junction Box: IP68, 3 Bypass Diodes, Max. Series Fuse Rating 20A, Connector: MC4, Module Efficiency: 20.9%, Lifespan Up To 25 Years, Brown Box
SOLELLATMC	R 29	Solarix Anti Theft Solar Panel Mounting Clip - Slide Onto Solar Panel On The Sides, Clips Into The Rail, Securely Mounts Solar Panels To Prevent Theft, Adjustable Design Fits Different Panel Sizes, Galvanised Steel, Sold as a Single unit, Retail Box, No warranty
SOLJAM550WMR	R 1,999	Solarix JA 550W Mono Crystalline Half Cell Solar Panel - Deep Blue Ver 3.0 Technology, 11-Busbar Half-Cut Cell, Number of Cells 144 (6x24), Maximum Rated Power(Pmax): 550W, Maximum Power Voltage(Vmp): 41.96VDC, Maximum Power Current(Imp): 13.11A, Junction Box: IP68, 3 Bypass Diodes, Connector: MC4, Module Efficiency: 21.3%, Open Circuit Voltage(Voc) [V]: 49.90V, Anodized Aluminium Alloy Frame, Lifespan Up To 25 Years, Retail Box

< Return to the menu

Solar regulators & chargers

Product code	Price	Description
SOL-M-SCC3K	R 3,393	Mecer Solar Charge Controller MPPT 3000W 48V/24V/12V auto sensing
VIC-BPC1205-IP65	R 1,599	Victron Blue Smart IP65s Charger 12/5 DC Connector, Input 230VAC, Output 12V (5A) Bluetooth Smart App
VIC-BPC1215-IP22	R 2,153	Victron Blue Smart IP22 Charger 12/15 DC Connector, Input 230VAC, Output 12V (15A), Bluetooth Smart App, Fan Assisted Cooling, 1 Output
VIC-BPC1215-IP65	R 2,055	Victron Blue Smart IP65 Charger 12/15 DC Connector, Input 230VAC, Output 12V (15A) Bluetooth Smart App
VIC-BPC1220-IP22	R 3,057	Victron Blue Smart IP22 Charger 12/20 DC Connector, Input 230VAC, Output 12V (20A), Bluetooth Smart App, Fan Assisted Cooling, 1 Output
VIC-BPC1230-IP22	R 3,616	Victron Blue Smart IP22 Charger 12/30 DC Connector, Input 230VAC, Output 12V (30A), Bluetooth Smart App, Fan Assisted Cooling, 1 Output
VIC-BPC2408-IP65	R 2,890	Victron Blue Smart IP65s Charger 24/8 (1) 230V CEE 7/17, Input 230VAC, Output 12V (8A), Bluetooth Smart APP, The charger comes with both crocodile clips and M8 eyelets, Also charges Li-Ion batteries
VIC-BPC2412-IP22	R 2,400	Victron Blue Smart IP22 Charger 24/12 DC Connector, Input 230VAC, Output 24V (12A), Bluetooth Smart App, Fan assisted cooling, 1 Output
VIC-BPC241644-IP22	R 3,084	Victron Blue Smart IP22 charger 24/16 (3), input 265VAC, Output (16A), Bluetooth snart App, 3x Outputs, BPC241644002
VIC-BSC10015-MPPT	R 1,497	Victron Blue Solar MPPT 100/15 Charge Controller, Battery Voltage 12/24V Auto Select, 15A Charge Current
VIC-BSC10030-MPPT	R 1,899	Victron Blue Solar MPPT 100/30 Charge Controller, Battery Voltage 12/24V Auto Select, 30A Charge Current
VIC-BSC15060-MPPT-TR	R 5,955	Victron Blue Solar MPPT 150/60 Charge Controller, Battery Voltage 12/24/48V Auto Select, 60A Charge Current, 98% Max Efficiency, IP43
VIC-BSC7510-MPPT	R 966	Victron Blue Solar MPPT 75 / 10 charge controller, battery voltage 12/24V auto select, 10A charge current, 15A automatic load disconnect
VIC-SSC10015-MPPT	R 1,329	Victron Smart Solar MPPT 100/15 Charge Controller, Battery Voltage 12/24V Auto Select, 15A Charge Current, VictronConnect Bluetooth App
VIC-SSC10050-MPPT	R 3,134	Victron Smart Solar MPPT 100/50 Charge Controller, Battery Voltage 12/24V Auto Select, 50A Charge Current, VictronConnect Bluetooth App
VIC-SSC7510-MPPT	R 1,948	Victron Smart Solar MPPT 75/10 Charge Controller, Battery Voltage 12/24V Auto Select, 10A Charge Current, VictronConnect Bluetooth App

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Tablet PCs & e-book Readers

Android tablets

Product code	Price	Description
BLACKVIEW-TAB60	R 2,908	Blackview TAB 60 Pro Android Tablet - 10.1 Inches, 800 x 1280 Pixels, 16:10 Ratio, IPS LCD Display, Mohs level 4 Protection, Android 14 DokeOS_P 4.0 Operating System, Unisoc T606 Chipset, Octa-core CPU, MicroSDXC Uses Shard Sim Slot, 128GB Storage, 8GB Memory, 8 MP Main Camera With LED Flash, 1080p@30fps, 5 MP Selfie Camera, 720p@30fps, Wi-Fi Dual-band, Bluetooth 5.0 Connectivity, Li-Ion 7700mAh, Color Grey, Retail Box
DOO-U11-A-BLACK	R 2,586	Microworld Doogee U11 11" 1280x800 4GB RAM 128GB storage Tablet PC Bundle - Mist Grey, UniSOC T606 Processor running at 1.6 GHz, Android 15 Operating System, 4GB LPDDR4x RAM and 128GB storage, 11" Display featuring a 1280x800 Resolution, Dual-Band Wi-Fi (2.4GHz / 5GHz), Bluetooth 5.0 connectivity for Wireless peripherals, 8580mAh Battery capacity with USB Type-C charging Interface, 13MP Main camera and 5MP front-facing camera, High quality Dual Speakers with a 3.5mm Headphone jack, Face unlock support and widevine L1 certification, Includes - Keyboard / Silicone cover / Stylus / Mouse / charger
DX10-66-LTE	R 3,220	Mecer XpressExec 10.1" IPS 1280x800 2-in-1 4GB RAM 64GB storage LTE Android 11 Tablet, MediaTek MTK 8766 Quad Core CPU, 4GB DDR3 Memory, 64GB NAND Flash Memory (eMMC), WiFi, Bluetooth, 2.0m Pixel front camera, 5.0m Pixel rear camera, Built-In Micro SD Card Reader, Hard Keyboard docking with Touchpad
EB-FH54	R 16,366	Epson EB-FH54 4100 Lumen 3LCD Full HD 1920x1080 Collaborative Wireless Projector, WiFi Miracast Mobile, Install bag, Lamp Light source, 16:9 native Aspect Ratio, 16000:1 contrast ratio, Up to 16.77 million colours, 1 - 1.62 Optical Zoom, Manual Focus Method, 2x HDMI, 1x USB Type-A, 1x Stereo Mini (Audio out), 16 W Built-In Speaker
H10-BLUE	R 1,321	VGKE 10.1" Blue HF IPS Kids Tablet - Mediatek MT6737 CPU. The VGKE H10-BLUE is a 10.1-inch Android tablet designed specifically for children. It features a durable build, vibrant display, and a range of educational apps to support learning and entertainment. With parental controls and a child-friendly interface, it provides a safe digital environment for kids to explore and learn.
H10-PURPLE	R 1,321	VGKE 10.1" Purple HF IPS Kids Tablet - Mediatek MT6737 CPU
H30	R 1,781	VGKE H30 10" IPS Full HD with 4GB RAM 64GB storage 4G Android Tablet, 2.5D Curved Glass, GPS, Beidou, Spreadtrum SC9863 1.60 GHz 8 Core CPU, PowerVR GE8322 GPU, Capacitive Multi-Touch screen, 64 GB internal Memory, 4GB installed storage, 5 MP camera Resolution, 2 MP front camera, Nano-SIM, Wi-Fi 5, Bluetooth 5.0, USB Type-C Interface, 6000 mAh Battery current capacity, Android 10.0
H7-K-BLUE	R 861	VGKE H7-K 7" IPS 1GB RAM 16GB storage 3G Kids Android Tablet - Blue, MediaTek MT6735 CPU, 1GB RAM, 16GB storage, 3G WiFi, Bluetooth 4.0, Micro SIM, 3.5mm audio jack, Touch Screen, Android 10 Operating System, 2500 mAh Battery capacity, 8 H estimated Battery Life, 0.3MP front camera, 2MP rear camera, Micro USB connection Interface
H7-K-PINK	R 861	VGKE H7-K 7" IPS 1GB RAM 16GB storage 3G Kids Android Tablet - Pink, MediaTek MT6735 CPU, 1GB RAM, 16GB storage, 3G WiFi, Bluetooth 4.0, Micro SIM, 3.5mm audio jack, Touch Screen, Android 10 Operating System, 2500 mAh Battery capacity, 8 H estimated Battery Life, 0.3MP front camera, 2MP rear camera, Micro USB connection Interface
H8	R 1,206	VGKE H8 8" Tablet - Spreadtrum Quad Core CPU - 2GB RAM - 32GB Storage - Android 10 - 2Mpx Front Camera and 5Mpx Rear Camera - Wifi and Bluetooth - Folder Included.
HRIAT-10NL-BLK	R 7,148	Unbranded Android 6.0 10.1" AIO RK3288 A17 2GB RAM 8GB storage POE with LED colour Bar for meeting room signage and access control - Black
HY215	R 5,749	Microworld HY215 21.5" Full HD 1920x1080 Android Touchscreen Media centre with LTE & WiFi, 2GB RAM, 32GB ROM, Android 11 Operating System, LTE, WiFi, Bluetooth, Built-In Stereo Speakers, 1x HDMI out, 1x Ethernet LAN, 1x USB 3.0, 1x USB 2.0, 1x Microphone & Headphone Combo, 1x u-boot key, 1x TF card
M17QF6-3G+	R 1,438	Mecer Xpress Smartlife 10.1" IPS 800x1280 2GB RAM 32GB storage 3G Android 11 Tablet, SC7731 Quad Core

		CPU, 2GB DDR3, Capacitive 5 point Touch IPS TFT panel, 32GB NAND Flash Memory (eMMC), WiFi, Bluetooth, Integrated 3G / HSPA , Folio-Type case included
M17QF7	R 1,484	Mecer M17QF7 Xpress Smartlife 10.1" 800x1280 IPS 4GB RAM 64GB storage Android 11 Tablet, Grey Folio Folder-Type case included, SC9863 Octa Core CPU, 64GB NAND Flash Memory (eMMC), 4GB DDR3 Memory, WiFi, Bluetooth, 2.0m Pixel front camera, 5.0m Pixel rear camera, Built-In Micro SD Card Reader, 1x Micro USB 2.0
M17QF8-4G	R 1,932	Mecer Xpress Smartlife 10.1" IPS 800x1280 5G Android 15 Tablet - Silver, Spreadtrum T310 Quad-Core CPU, 4GB DDR3 RAM, 64GB eMMC storage, 6000mAh Lithium-ion Polymer Battery, Folio, G p Touch module, 2.0MP front facing camera, 5.0MP rear facing camera, WiFi 5, Bluetooth, Type-C USB 2.0 Port, G-Sensor
NT.LJQEA.001	R 3,230	Acer Tablet Iconia V11-22M 11" WUXGA 1920x1200 IPS 4GB RAM 128GB storage Android Tablet, MTK MT8781 Processor, 4GB DDR4 Standard Memory, 128GB eMMC, Storage MicroSD card up to 1TB, Dual Band WiFi, Bluetooth, LTE, Single Built-In Microphone, Webcam, Two Built-In Stereo Speakers, USB 2.0 Type-C Port, Up to 10 hours Maximum Battery run time, Android 15 OS, NT.LJQEA.001
NT.LJREA.001	R 4,024	Acer Tablet Iconia V11-22M 11" WUXGA 1920x1200 IPS 8GB RAM 256GB storage Android Tablet, MTK MT8781 Processor, 4GB DDR4 Standard Memory, 256GB eMMC, Storage MicroSD card up to 1TB, Dual Band WiFi, Bluetooth, LTE, Single Built-In Microphone, Webcam, Two Built-In Stereo Speakers, USB 2.0 Type-C Port, Up to 10 hours Maximum Battery run time, Android 15 OS, NT.LJREA.001
PM108TW	R 1,954	RCT Pulse 10 PM108TW 10.1" IPS Tablet 4GB RAM 64GB storage with Android 16 OS, UniSOC T310 Processor for Performance, 10.1 inch IPS Display Resolution of 1280x800 pixels, 4GB DRAM and 64GB internal Storage Capacity, Lithium Polymer 5000mAh Battery with 5V 2A charger support, Capacitive Touch panel for screen interaction, 2MP front camera module and 5MP back camera module, G-Sensor included for device orientation detection, Wifi, Bluetooth, Flip Case and Stylus accessories provided with product
PM876T	R 1,551	RCT Pulse 8 PM876T 8.7" 800 x 1340 IPS 4GB RAM 64GB storage lta Android Tablet, 2MP front camera, 5MP back camera, 5000mAh Lithium Polymer Battery, G-Sensor, WiFi, BT, LTE, Flip Case, Android 16 OS
Retail ZAFM0259ZA	R 6,209	Lenovo TB336ZU IdeaTab 11 2.5K 2560 x 1600 8GB RAM 256GB storage Android Tablet Matt Edition - Grey, MediaTek Dimensity 6300 CPU, 8GB LPDDR4x RAM, 256GB UFS 2.2 storage, 5G, Voice call, Lenovo Folio Keyboard Lenovo Tab Pen, Android OS, Nano-SIM & MicroSD card slot, 4 Speakers optimized with Dolby Atmos, Mono Microphone, Front 5.0MP / rear 8.0MP camera, Accelerometer Sensor, Ambient Light Sensor (ALS), Hall Sensor, 11" 2.5K (2560 x 1600) IPS 500nits 90Hz 10-point Multi-Touch Display, Paper-like Anti-Glare screen
SM-T225	R 3,104	Samsung SM-T225 Galaxy Tab A7 Lite 8.7" WXGA 1340x800 Android Tablet with LTE, MediaTek MT8768t CPU, 3GB RAM, 32GB strorage, Up to 1TB Micro SD, 8MP main camera, 2MP front camera, LTE, 5100mAh, Full HD Video recording Resolution, GPS, Glonass, Beidou, Galileo, 3.5mm stereo earjack, 802.11 a/b/g/n/ac 2.4g 5ghz Wi-Fi, Bluetooth V5.0, Accelerometer, Geomagnetic sensor, Light sensor, Android
SM-T225NZALAFA	R 3,405	Samsung SM-T225 Galaxy Tab A7 Lite 8.7" WXGA 1340x800 Android Tablet with LTE, MediaTek MT8768t CPU, 3GB RAM, 32GB strorage, Up to 1TB Micro SD, 8MP main camera, 2MP front camera, LTE, 5100mAh, Full HD Video recording Resolution, GPS, Glonass, Beidou, Galileo, 3.5mm stereo earjack, 802.11 a/b/g/n/ac 2.4g 5ghz Wi-Fi, Bluetooth V5.0, Accelerometer, Geomagnetic sensor, Light sensor, Android
SM-X110	R 2,355	Samsung SM-X110 Galaxy Tab A9 8.7" 1340x800 Wi-Fi 4GB RAM 64GB storage Android Tablet, TFT 1340x800 WXGA Resolution Display, 8.0 MP rear camera, 2.0 MP front camera, Full HD 1920x1080 @30fps Video recording Resolution, 4GB Memory, 64GB storage, MicroSD (Up to 1TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, 2.4g 5ghz WiFi, Bluetooth V5.3, Accelerometer, Geomagnetic Sensor, Light Sensor, Proximity Sensor, Android OS, 5100mAh Battery capacity
SM-X133	R 3,046	Samsung SM-X133 Galaxy Tab A11 8.7" WXGA 1340x800 WiFi 4GB RAM 64GB storage Android Tablet, 8.7" TFT WXGA 1340x800 Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Geomagnetic Sensor, Light Sensor
SM-X133	R 3,054	Samsung SM-X133 Galaxy Tab A11 8.7" WXGA 1340x800 WiFi 4GB RAM 64GB storage Android Tablet, 8.7" TFT WXGA 1340x800 Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer,

		Geomagnetic Sensor, Light Sensor
SM-X133NZAAAFA	R 2,966	Samsung SM-X133 Galaxy Tab A11 8.7" WXGA 1340x800 WiFi 4GB RAM 64GB storage Android Tablet, 8.7" TFT WXGA 1340x800 Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Geomagnetic Sensor, Light Sensor
SM-X135	R 3,909	Samsung SM-X135 Galaxy Tab A11 8.7" WXGA 1340x800 4G LTE 4GB RAM 64GB storage Android Tablet, 8.7" TFT WXGA 1340x800 Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Geomagnetic Sensor, Light Sensor, Single-SIM
SM-X135	R 4,025	Samsung SM-X135 Galaxy Tab A11 8.7" WXGA 1340x800 4G LTE 4GB RAM 64GB storage Android Tablet, 8.7" TFT WXGA 1340x800 Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Geomagnetic Sensor, Light Sensor, Single-SIM
SM-X135GZAAAFA	R 3,449	Samsung SM-X135 Galaxy Tab A11 8.7" WXGA 1340x800 4G LTE 4GB RAM 64GB storage Android Tablet, 8.7" TFT WXGA 1340x800 Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Geomagnetic Sensor, Light Sensor, Single-SIM
SM-X210NZAEINS	R 5,293	Samsung SM-X216 Galaxy Tab A9 11" WUXGA 1920x1200 8GB RAM 128GB storage Android Tablet, TFT Display, 8.0 MP rear camera, 5.0 MP front camera, 1920x1080 @30fps Video recording Resolution, MicroSD up to 1TB, USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi 5, Bluetooth V5.1, Android OS, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X230	R 5,672	Samsung SM-X230 Galaxy Tab A11 11.0" WUXGA 1920x1200 WiFi 6GB RAM 128GB storage Android Tablet, Octa-core CPU Type, TFT Technology (Main Display), 5.0 MP front camera - Resolution, 8.0 MP rear camera - Resolution, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X230	R 5,576	Samsung SM-X230 Galaxy Tab A11 11.0" WUXGA 1920x1200 WiFi 6GB RAM 128GB storage Android Tablet, Octa-core CPU Type, TFT Technology (Main Display), 5.0 MP front camera - Resolution, 8.0 MP rear camera - Resolution, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X230NZAAAFA	R 5,542	Samsung SM-X230 Galaxy Tab A11 11.0" WUXGA 1920x1200 WiFi 6GB RAM 128GB storage Android Tablet, Octa-core CPU Type, TFT Technology (Main Display), 5.0 MP front camera - Resolution, 8.0 MP rear camera - Resolution, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X236	R 6,496	Samsung SM-X236 Galaxy Tab A11 11.0" WUXGA 5G 6GB RAM 128GB storage Android Tablet, 11" TFT WUXGA 1920x1200 Resolution Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), Single-SIM, USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 7040 mAh Battery
SM-X236	R 6,545	Samsung SM-X236 Galaxy Tab A11 11.0" WUXGA 5G 6GB RAM 128GB storage Android Tablet, 11" TFT WUXGA 1920x1200 Resolution Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), Single-SIM, USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 7040 mAh Battery
SM-X236BZAAAFA	R 6,324	Samsung SM-X236 Galaxy Tab A11 11.0" WUXGA 5G 6GB RAM 128GB storage Android Tablet, 11" TFT WUXGA 1920x1200 Resolution Display, 8.0 MP rear camera, 5.0 MP front camera, MicroSD (Up to 2TB), Single-SIM, USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, 3.5mm Stereo earjack, Wi-Fi, Bluetooth V5.3, Android OS, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 7040 mAh Battery
SM-X306B	R 13,119	Samsung Galaxy Tab Active5 SM-X306B 8" 1920x1200 6GB RAM 128GB storage 5G Android Tablet, TFT LCD 120Hz Display, Octa-core Processor, 13 MP rear camera, 5 MP front camera, Wi-Fi 6, 5G / 4G / HSPA, Assisted GPS (A-GPS) positioning, MicroSDXC Card Reader, Android 14 Operating System, USB Type-C 2.0, 3.5mm jack
SM-X306B	R 13,166	Samsung Galaxy Tab Active5 SM-X306B 8" 1920x1200 6GB RAM 128GB storage 5G Android Tablet, TFT LCD

		120Hz Display, Octa-core Processor, 13 MP rear camera, 5 MP front camera, Wi-Fi 6, 5G / 4G / HSPA, Assisted GPS (A-GPS) positioning, MicroSDXC Card Reader, Android 14 Operating System, USB Type-C 2.0, 3.5mm jack
SM-X400	R 6,956	Samsung SM-X400 Galaxy Tab S10 Lite 10.9 WUXGA 2112x1320 WiFi 6GB RAM 128GB storage Android Tablet, Nano SIM, sPen, Octa-core CPU Type, TFT Technology (Main Display), 8.0 MP rear camera Resolution, 5.0 MP front camera Resolution, MicroSD (Up to 2TB), GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X400	R 7,855	Samsung SM-X400 Galaxy Tab S10 Lite 10.9 WUXGA 2112x1320 WiFi 6GB RAM 128GB storage Android Tablet, Nano SIM, sPen, Octa-core CPU Type, TFT Technology (Main Display), 8.0 MP rear camera Resolution, 5.0 MP front camera Resolution, MicroSD (Up to 2TB), GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X400NZAAAFA	R 7,612	Samsung SM-X400 Galaxy Tab S10 Lite 10.9 WUXGA 2112x1320 WiFi 6GB RAM 128GB storage Android Tablet, Nano SIM, sPen, Octa-core CPU Type, TFT Technology (Main Display), 8.0 MP rear camera Resolution, 5.0 MP front camera Resolution, MicroSD (Up to 2TB), GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X406	R 8,681	Samsung Galaxy Tab S10 Lite 10.9 WUXGA 2112x1320 5G 6GB RAM 128GB storage Android Tablet, Nano SIM, sPen, Octa-core CPU Type, TFT Technology (Main Display), 8.0 MP rear camera - Resolution, 5.0 MP front camera - Resolution, MicroSD (Up to 2TB), GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X406	R 8,946	Samsung Galaxy Tab S10 Lite 10.9 WUXGA 2112x1320 5G 6GB RAM 128GB storage Android Tablet, Nano SIM, sPen, Octa-core CPU Type, TFT Technology (Main Display), 8.0 MP rear camera - Resolution, 5.0 MP front camera - Resolution, MicroSD (Up to 2TB), GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X406BZAAAFA	R 8,739	Samsung Galaxy Tab S10 Lite 10.9 WUXGA 2112x1320 5G 6GB RAM 128GB storage Android Tablet, Nano SIM, sPen, Octa-core CPU Type, TFT Technology (Main Display), 8.0 MP rear camera - Resolution, 5.0 MP front camera - Resolution, MicroSD (Up to 2TB), GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.3, Accelerometer, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X520	R 10,291	Samsung Galaxy Tab S10 FE 10.9" WUXGA WiFi 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 6GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X520	R 10,472	Samsung Galaxy Tab S10 FE 10.9" WUXGA WiFi 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 6GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X520 Blue	R 10,291	Samsung Galaxy Tab S10 FE 10.9" WUXGA WiFi 8GB RAM 128GB storage Android Tablet - Blue, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X520NZAAAFA	R 9,866	Samsung Galaxy Tab S10 FE 10.9" WUXGA WiFi 8GB RAM 128GB storage Android Tablet, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X526	R 11,614	Samsung Galaxy Tab S10 FE 10.9" WUXGA (5G WiFi) 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT Display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass,

		Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 5G, Dual-SIM, SIM 1 Embedded SIM MicroSD
SM-X526	R 11,629	Samsung Galaxy Tab S10 FE 10.9" WUXGA (5G WiFi) 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT Display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 5G, Dual-SIM, SIM 1 Embedded SIM MicroSD
SM-X526BZAAAFA	R 11,349	Samsung Galaxy Tab S10 FE 10.9" WUXGA (5G WiFi) 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 10.9" WUXGA 2304x1440 TFT Display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 5G, Dual-SIM, SIM 1 Embedded SIM MicroSD
SM-X620	R 13,090	Samsung Galaxy Tab S10 FE WiFi 13.1" WQXGA 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 13.1" WQXGA TFT Display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 6GB Memory, 128 GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X620	R 13,051	Samsung Galaxy Tab S10 FE WiFi 13.1" WQXGA 6GB RAM 128GB storage Android Tablet, Octa-core CPU, 13.1" WQXGA TFT Display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, UHD 4K Video recording Resolution, 6GB Memory, 128 GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X626	R 14,313	Samsung Galaxy Tab S10FE 13.1" WQXGA 2880x1800 8GB RAM 128GB storage 5G Android Tablet, Octa-core CPU, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth V5.3, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 13.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, 5G / 4G LTE
SM-X626	R 13,914	Samsung Galaxy Tab S10FE 13.1" WQXGA 2880x1800 8GB RAM 128GB storage 5G Android Tablet, Octa-core CPU, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth V5.3, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 13.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, 5G / 4G LTE
SM-X626BZAAAFA	R 13,879	Samsung Galaxy Tab S10FE 13.1" WQXGA 2880x1800 8GB RAM 128GB storage 5G Android Tablet, Octa-core CPU, 8GB Memory, 128GB storage, MicroSD (Up to 2TB), USB 2.0, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi 6, Bluetooth V5.3, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, 13.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, 5G / 4G LTE
SM-X710	R 15,585	Samsung SM-X710 Galaxy Tab S9 11" WQXGA 2560 x 1600 8GB RAM 128GB storage Wi-Fi Android Tablet, Dynamic AMOLED 2X Display, S Pen support, 13.0 MP rear camera, 12.0 MP front camera, MicroSD (Up to 1TB), USB 3.2 Gen 1 Port, Wi-Fi 6, Uetooth V5.3, Android OS, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, RGB Light Sensor
SM-X716	R 17,428	Samsung Galaxy Tab S9, 11" Dynamic AMOLED 2X, 12 256GB, Expandable Storage (up to 1TB Micro SD), Nano Dual Sim (1Physical 1eSim), 5G, Bluetooth, WIFI, 13MP, USB C Interface, Android 13, Fingerprint Scanner/Pin/Password Security, S-Pen, Data Cable, Graphite Gray
SM-X736	R 21,758	Samsung SM-X736 Galaxy Tab S11 11" WQXGA 2560x1600 Dynamic AMOLED 5G 12GB RAM 256GB storage Android Tablet, MicroSD up to 2TB, sPen, Dual SIM, Octa-core CPU Type, 13.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, USB 3.2 Gen 1, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.4, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X736	R 21,159	Samsung SM-X736 Galaxy Tab S11 11" WQXGA 2560x1600 Dynamic AMOLED 5G 12GB RAM 256GB storage Android Tablet, MicroSD up to 2TB, sPen, Dual SIM, Octa-core CPU Type, 13.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, USB 3.2 Gen 1, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.4, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor

SM-X826	R 21,404	Samsung Galaxy Tab S10 12.4" 2800x1752 Dynamic Super AMOLED 5G Android Tablet, 5G, 12GB RAM, 256GB storage, Dual SIM, ANDROID14, Octa-core CPU, 12.4" Dynamic AMOLED 2X WQXGA 2800x1752 Resolution Main Display, S Pen support, 13.0 MP 8.0 MP rear camera, 12.0 MP front camera, UHD 4K (3840x2160) @30fps Video recording, MicroSD (Up to 1.5TB), USB 3.2 Gen 1 Type-C, GPS, Glonass, Beidou, Galileo, QZSS, Wi-Fi 6, Bluetooth V5.3, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, RGB Light Sensor
SM-X936	R 26,161	Samsung SM-X936 Galaxy Tab S11 Ultra 14.6" WQXGA Dynamic AMOLED 5G 12GB RAM 256GB storage Android Tablet, Micro SD up to 2TB, sPen, Dual SIM, Octa-core CPU Type, 13.0 MP 8.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, USB 3.2 Gen 1, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.4, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
SM-X936_Bundle	R 27,771	Samsung SM-X936 Galaxy Tab S11 Ultra 14.6" WQXGA Dynamic AMOLED 5G 12GB RAM 256GB storage Android Tablet, Micro SD up to 2TB, sPen, Dual SIM, Octa-core CPU Type, 13.0 MP 8.0 MP rear camera - Resolution, 12.0 MP front camera - Resolution, USB 3.2 Gen 1, GPS, Glonass, Beidou, Galileo, QZSS, USB Type-C earjack, Wi-Fi, Bluetooth V5.4, Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor, Includes Keyboard cover
SP-SN7100-32G	R 5,404	Samsung Galaxy Note ii N7100 32Gb Grey - with Multi-Screen switch (support 2x APPs running at the same time) built-in HSPA(21Mbps) 3G, Smart Stay power saving, 151x80.5x9.4mm thin, 181g, built-in 1.9MP 8MP dual camera, 1.6Ghz Quad-core CPU with 2Gb ram, 5.55" Super AMOLED display (1280x720 WXGA, 267PPi), with innovative S-Pen, built-in 32Gb miCro SDXC slot, micro-USB, Bluetooth dualband WiFi - Android 4.1 Adobe Photoshop Touch, 3100mAH battery
TAB10	R 1,553	Microworld 8" Capacitive, 1Ghz, 512Mb ram, 4Gb Storage, W/o 3G E1750, HDMI, 2x Cameras, 1x Sd Slot, Android 4.0, WiFi
TAB3-KIDS-BLUE	R 859	Blackview 7" Children Edition Tablet PC (Wifi Only) - Tab 3 Kids, 7 Inch, Unisoc SC7731E CPU, 2GB Memory, 32GB LP DDR3 EMMC Storage, Up To 2GB Memory Expansion, DokeOS_P 3.0 Based On Android 13 Operating System, 0.3MP Fron Plus 2MP Rear Camera, 2.4GHz Wi-Fi, 3280mAh Battery Capacity, 5W Charge, Retail Box
TAB3-KIDS-PINK	R 859	Blackview Tab 3 Kids 7.0" Children Edition Tablet PC - Spreadtrum Quad-Core 1.3GHz unisoc 7731E, 2GB Memory, 32GB Storage, Wi-Fi Only No Sim Card, 3280mAh Battery, DokeOS_P 3.0 Go Based on Android 13, Color Pink
TALEZAF10020ZA	R 3,249	Lenovo TB305XU TAB1 8.7 ' ' WUXGA 1340x800 4GB RAM 64GB storage LTE Android Tablet - Grey, MediaTek G85 OC 2.0GHz Processor, 4GB LPDDR4x RAM, 64GB eMMC 5.1 storage, LTE call, 4G-LTE, Nano-SIM, Clear Case, Android 14 and above, MicroSD card slot, 2 side Speakers, Mono Microphone, Front 2.0MP / rear 8.0MP camera, Accelerometer Sensor, Hall Sensor, Virtual Light Sensor, Virtual proximity Sensor, Wi-Fi 5, Bluetooth 5.3, 1x USB-C, 1x Headphone / Microphone Combo jack (3.5mm)
TALEZAFM0643ZA	R 6,649	Lenovo Idea Tab 11" IPS 2.5K (2560 x 1600) 500nits 8GB RAM 128GB storage 5G Android Tablet, Anti-fingerprint 72% NTSC 90Hz Touch Display, MediaTek dimensity 6300 prcessr, 8GB soldered LPDDR4x RAM, 128GB UFS 2.2 storage, Integrated Arm Mali-G57 MC2 GPU, Android 15 or later, Wi-Fi 5, 802.11ac 1x1, BT5.2, 5G sub-6 GHz, Luna Grey, Intergrated 7040mAh Battery, Voice call, Front 5.0MP / rear 8.0MP camera, Bundle including Lenovo Tab Pen Folio Case, GPS Glonass Galileo A-GPS, 1x USB-C (Hi-Speed USB / USB 2.0), 1x Headphone / Microphone Combo jack (3.5mm)
TB-X306X ZA6V0095ZA	R 1,494	Lenovo TB-X306 10.1" HD 1280x800 2GB RAM & 16GB ROM 4G Android Tablet, MediaTek Helio P22t 8C 4x A53 @2.3GHz 4x A53 @1.8GHz Processor, Integrated IMG PowerVR GE8320 GPU, 2GB soldered LPDDR4x Memory, 32GB eMMC storage, Single Nano-SIM & MicroSD card slot, Front 5.0MP / rear 8.0MP camera, 2 side Speakers, Accelerometer (G) sensor, Ambient light sensor (ALS), Hall sensor, Proximity (P) sensor, 10.1" HD (1280x800) TDDI 400nits Touch Display, 10-point Multi-Touch, Android Operating System, 11a/b/g/n/ac WLAN Bluetooth, 4G LTE, ZA6V0095ZA
TB305XU TAB1 ZAF10020ZA	R 2,989	Lenovo TB305XU TAB1 8.7" WUXGA 1340x800 4GB RAM 64GB storage LTE Android Tablet - Grey, MediaTek G85 OC 2.0GHz Processor, 4GB LPDDR4x RAM, 64GB eMMC 5.1 storage, LTE call, 4G-LTE, Nano-SIM, Clear Case, Android 14 and above, MicroSD card slot, 2 side Speakers, Mono Microphone, Front 2.0MP / rear 8.0MP

		camera, Accelerometer Sensor, Hall Sensor, Virtual Light Sensor, Virtual proximity Sensor, Wi-Fi 5, Bluetooth 5.3, 1x USB-C, 1x Headphone / Microphone Combo jack (3.5mm)
TB311 TAB ZAEJ0071ZA	R 3,564	Lenovo TB311XU Tab 3rd Gen 10.1 ' ' WUXGA 1920x1200 4GB RAM 64GB strorage LTE Android Tablet - Grey, MediaTek G85 OC 2.0GHz CPU, 4GB LPDDR4x RAM, 64GB eMMC 5.1 storage, 4G-LTE, Voice call, Android 14 or later, Clear Case, Nano-SIM & MicroSD card slot, 2 side Speakers, Mono Microphone, Front 5.0MP / rear 8.0MP camera, Accelerometer Sensor, Hall Sensor, Virtual Light Sensor, Wi-Fi 5, Bluetooth 5.3, GPS Glonass Galileo Beidou A-GPS, 1x USB-C, 1x USB-C, 1x Headphone / Microphone Combo jack (3.5mm)
TB328XU K10 ZAAF0028ZA	R 3,219	Lenovo ZAAF0028za Tab M10 3rd Gen 10.1" IPS WUXGA 1920x1200 Multi-Touch 4G LTE 4GB RAM & 64GB storage Android Tablet, Storm Grey, UniSOC T610 Processor, Integrated arm mali G52 3ee 2-core Graphics, 4GB soldered LPDDR4x, 64GB storage, 64GB storage, MicroSD card up to 128GB, Front 5.0MP camera, Rear 8.0MP camera, Mono Microphone, Dual Speaker optimized with Dolby Atmos, Accelerometer (G) sensor, Ambient light sensor (ALS), Hall sensor, Proximity (P) sensor, 10.1" WUXGA (1920x1200) IPS 320nits Touch 100% sRGB Display, 10-point Multi-Touch, Android 11 Operating System, WLAN Bluetooth, 4G LTE WWAN, Voice call, 1x USB-C 2.0 standard Port
TB336ZU IdeaTab ZAFM0244ZA	R 6,899	Lenovo TB336ZU IdeaTab 11 2.5K 2560x1600 8GB RAM 128GB storage Android Tablet - Grey, MediaTek Dimensity 6300 CPU, 8GB LPDDR4x RAM, 128GB UFS 2.2 storage, 5G, Voice call, Lenovo Folio Keyboard Lenovo Tab Pen, Android OS, Nano-SIM & MicroSD card slot, 4 Speakers optimized with Dolby Atmos, Mono Microphone, Front 5.0MP / rear 8.0MP camera, Accelerometer Sensor, Ambient Light Sensor (ALS), Hall Sensor, 11" 2.5K (2560x1600) IPS 500nits 90Hz 10-point Multi-Touch Display
TB336ZU IdeaTab ZAFM0641ZA	R 6,325	Lenovo TB336ZU IdeaTab 11 2.5K 2560x1600 8GB RAM 256GB storage Android Tablet - Grey, MediaTek Dimensity 6300 CPU, 8GB LPDDR4x RAM, 256GB UFS 2.2 storage, 5G, Voice call, Lenovo Folio Keyboard Lenovo Tab Pen, Android OS, Nano-SIM & MicroSD card slot, 4 Speakers optimized with Dolby Atmos, Mono Microphone, Front 5.0MP / rear 8.0MP camera, Accelerometer Sensor, Ambient Light Sensor (ALS), Hall Sensor, 11" 2.5K (2560x1600) IPS 500nits 90Hz 10-point Multi-Touch Display
TB336ZU IdeaTab ZAFM0643ZA	R 6,324	Lenovo Idea Tab 11" IPS 2.5K (2560 x 1600) 500nits 8GB RAM 128GB storage 5G Android Tablet, Anti-fingerprint 72% NTSC 90Hz Touch Display, MediaTek dimensity 6300 prcessr, 8GB soldered LPDDR4x RAM, 128GB UFS 2.2 storage, Integrated Arm Mali-G57 MC2 GPU, Android 15 or later, Wi-Fi 5, 802.11ac 1x1, BT5.2, 5G sub-6 GHz, Luna Grey, Intergrated 7040mAh Battery, Voice call, Front 5.0MP / rear 8.0MP camera, Bundle including Lenovo Tab Pen Folio Case, GPS Glonass Galileo A-GPS, 1x USB-C (Hi-Speed USB / USB 2.0), 1x Headphone / Microphone Combo jack (3.5mm)
ZABV0076ZA	R 1,599	Lenovo Tab M8 Gen 4 8" IPS HD 1280x800 Arctic Grey 4G Android Tablet, MediaTek Helio A22 Processor, Integrated IMG PowerVR GE-class GPU, 3GB soldered LPDDR4x Memory, 32GB eMMC 5.1 storage, Nano-SIM & MicroSD card slot, Front 2.0MP / rear 5.0MP camera, Dual Speaker, Proximity (P) sensor (WWAN models), Accelerometer (G) sensor, Ambient light sensor (ALS), Eccentric rotating mass Vibration Motor, 8" HD (1280x800) ads 350nits anti-fingerprint Touch Display, 10-point Multi-Touch, Android Operating System, WLAN Bluetooth, 4G LTE, Voice call, 1x USB-C 2.0, 1x Headphone / Microphone combo jack (3.5mm)

< Return to the menu

Digital notepads

Product code	Price	Description

< Return to the menu

iPad Apple

Product code	Price	Description
MC9W4QA/A	R 10,178	Apple 11" iPad 2025 with M3 Chip Wi-Fi 128GB - Space Grey, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro,

		Accelerometer, Barometer, Ambient Light Sensor
MC9X4QA/A	R 9,718	Apple 11" iPad 2025 with M3 Chip Wi-Fi 128GB - Blue, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCA44QA/A	R 12,294	Apple 11" iPad 2025 with M3 Chip Wi-Fi 256GB - Starlight, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCA64QA/A	R 12,294	Apple 11" iPad 2025 with M3 Chip Wi-Fi 256GB - Purple, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCA94QA/A	R 16,606	Apple 11" iPad 2025 with M3 Chip Wi-Fi 512GB - Blue, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCAA4QA/A	R 16,606	Apple 11" iPad 2025 with M3 Chip Wi-Fi 512GB - Starlight, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCAE4QA/A	R 16,146	Apple 11" iPad 2025 with M3 Chip Wi-Fi 512GB - Purple, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCAQ4QA/A	R 20,275	Apple 11" iPad 2025 with M3 Chip Wi-Fi 1TB - Starlight, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCAU4QA/A	R 19,585	Apple 11" iPad 2025 with M3 Chip Wi-Fi 1TB - Purple, Model A3266, 8GB RAM, Apple M3 chip with 8-core CPU with 4 performance cores and 4 efficiency cores 9-core GPU Hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor

MCFY4QA/A	R 13,076	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 128GB - Purple, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCG04QA/A	R 14,939	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 256GB - Space Grey, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCG34QA/A	R 14,939	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 256GB - Purple, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCG44QA/A	R 19,125	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 512GB - Space Grey, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCG54QA/A	R 15,790	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 512GB - Blue, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCG84QA/A	R 23,575	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 1TB - Space Grey, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCG94QA/A	R 23,575	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 1TB - Blue, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO

MCGA4QA/A	R 23,575	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 1TB - Starlight, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCGC4QA/A	R 22,379	Apple 11" iPad 2025 with M3 Chip Wi-Fi Cellular 1TB - Purple, Model A3267, 8GB RAM, Apple M3 Chip with 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJ14QA/A	R 13,950	Apple 13" iPad Air 2025 M3 CPU Wi-Fi Cellular 128GB - Space Grey, Model A3269, 8GB RAM, Touch ID, USB-C connector, Apple M3 Chip with 8-core CPU with 4 performance Cores & 4 efficiency Cores & 9-core GPU hardware-accelerated ray tracing & 16-core Neural Engine, 2732-by-2048-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 600 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth 5.3, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCJ44QA/A	R 13,950	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 128GB - Purple, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJ54QA/A	R 15,790	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 256GB - Space Grey, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJ64QA/A	R 15,790	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 256GB - Blue, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJ74QA/A	R 15,790	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 256GB - Starlight, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJ84QA/A	R 19,815	Apple 13" iPad Air 2025 M3 CPU Wi-Fi Cellular 256GB - Purple, Model A3269, 8GB RAM, Touch ID, USB-C

		connector, Apple M3 Chip with 8-core CPU with 4 performance Cores & 4 efficiency Cores & 9-core GPU hardware-accelerated ray tracing & 16-core Neural Engine, 2732-by-2048-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 600 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth 5.3, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCJ94QA/A	R 23,575	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 512GB - Space Grey, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJA4QA/A	R 22,379	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 512GB - Blue, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJC4QA/A	R 23,575	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 512GB - Starlight, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJE4QA/A	R 27,347	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 1TB - Space Grey, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJF4QA/A	R 23,886	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 1TB - Blue, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJG4QA/A	R 27,347	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 1TB - Starlight, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCJH4QA/A	R 27,347	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi Cellular 1TB - Purple, Model A3269, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing

		16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MCNN4QA/A	R 13,950	Apple 13" iPad Air 2025 M3 CPU Wi-Fi 256GB - Space Grey, Model A3268, 8GB RAM, Touch ID, USB-C connector, Apple M3 Chip with 8-core CPU with 4 performance Cores & 4 efficiency Cores & 9-core GPU hardware-accelerated ray tracing & 16-core Neural Engine, 2732-by-2048-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 600 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCNR4QA/A	R 13,950	Apple 13" iPad Air 2025 M3 CPU Wi-Fi 256GB - Purple, Model A3268, 8GB RAM, Touch ID, USB-C connector, Apple M3 Chip with 8-core CPU with 4 performance Cores & 4 efficiency Cores & 9-core GPU hardware-accelerated ray tracing & 16-core Neural Engine, 2732-by-2048-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 600 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCNT4QA/A	R 16,710	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 512GB - Space Grey, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCNW4QA/A	R 20,758	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 512GB - Blue, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCNX4QA/A	R 16,710	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 512GB - Starlight, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCNY4QA/A	R 20,758	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 512GB - Purple, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCQ04QA/A	R 24,047	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 1TB - Space Grey, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCQ14QA/A	R 24,530	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 1TB - Blue, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine,

		USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCQ24QA/A	R 22,414	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 1TB - Starlight, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MCQ34QA/A	R 24,530	Apple 13" iPad Air 2025 with M3 Chip Wi-Fi 1TB - Purple, Model A3268, 8GB RAM, Apple M3 Chip 8-core CPU with 4 Performance Cores and 4 efficiency Cores 9-core GPU hardware-accelerated ray tracing 16-core Neural Engine, USB-C connector, 12.9" 2732-by-2048-pixel Resolution Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP center Stage camera front camera, Two Speakers, Two microphones, Magnetic connector, Wi-Fi 6E, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD3Y4QA/A	R 8,154	Apple 11" iPad 2025 A16 CPU Wi-Fi 128GB - Silver, Model A3354, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4A4QA/A	R 8,154	Apple 11" iPad 2025 A16 CPU Wi-Fi 128GB - Blue, Model A3354, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4D4QA/A	R 8,154	Apple 11" iPad 2025 with A16 Chip Wi-Fi 128GB - Yellow, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4E4QA/A	R 8,154	Apple 11" iPad 202 5 with A16 Chip Wi-Fi 128GB - Pink, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4G4QA/A	R 10,362	Apple 11" iPad 2025 with A16 Chip Wi-Fi 256GB - Silver, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4H4QA/A	R 10,362	Apple 11" iPad 2025 with A16 Chip Wi-Fi 256GB - Blue, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4J4QA/A	R 10,362	Apple 11" iPad 2025 with A16 Chip Wi-Fi 256GB - Yellow, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top

		Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4P4QA/A	R 10,362	Apple 11" iPad 2025 with A16 Chip Wi-Fi 256GB - Pink, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4Q4QA/A	R 14,134	Apple 11" iPad 2025 A16 CPU Wi-Fi 512GB - Silver, Model A3354, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD4Y4QA/A	R 14,134	Apple 11" iPad 2025 with A16 Chip Wi-Fi 512GB - Blue, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD5A4QA/A	R 14,134	Apple 11" iPad 2025 with A16 Chip Wi-Fi 512GB - Yellow, Model A3354, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD5C4QA/A	R 14,134	Apple 11" iPad 2025 A16 CPU Wi-Fi 512GB - Pink, Model A3354, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD7F4QA/A	R 11,374	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 128GB - Silver, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7G4QA/A	R 11,374	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 128GB - Blue, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7H4QA/A	R 11,374	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 128GB - Yellow, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7J4QA/A	R 11,374	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 128GB - Pink, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch

		ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7K4QA/A	R 13,214	Apple 11" iPad 2025 A16 CPU Wi-Fi Cellular 256GB - Silver, Model A3355, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, 5G (sub-6 GHz) 4x4 MIMO, Gigabit LTE with 4x4 MIMO, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD7L4QA/A	R 13,214	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 256GB - Blue, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7M4QA/A	R 13,214	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 256GB - Yellow, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7N4QA/A	R 13,214	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 256GB - Pink, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7P4QA/A	R 16,986	Apple 11" iPad 2025 A16 CPU Wi-Fi Cellular 512GB - Silver, Model A3355, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, 5G (sub-6 GHz) 4x4 MIMO, Gigabit LTE with 4x4 MIMO, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD7Q4QA/A	R 16,986	Apple 11" iPad 2025 A16 CPU Wi-Fi Cellular 512GB - Blue, Model A3355, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, 5G (sub-6 GHz) 4x4 MIMO, Gigabit LTE with 4x4 MIMO, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MD7R4QA/A	R 16,986	Apple 11" iPad 2025 with A16 Chip Wi-Fi Cellular 512GB - Yellow, Model A3355, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 11" 2360-by-1640-pixel Resolution Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Top Button / Touch ID Sensor, Speaker, Microphone, Wi-Fi 6, Simultaneous Dual Band, Bluetooth, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MD7T4QA/A	R 16,986	Apple 11" iPad 2025 A16 CPU Wi-Fi Cellular 512GB - Pink, Model A3355, Touch ID, USB-C connector, A16 Chip with 5-core CPU 4-core GPU 16-core Neural Engine, 2360-by-1640-pixel Liquid Retina Display, LED backlit Multi-Touch Display with IPS Technology, 500 nits brightness, 12MP wide camera, Landscape 12MP center Stage front camera, Wi-Fi 6, Simultaneous Dual Band, Bluetooth 5.3, 5G (sub-6 GHz) 4x4 MIMO, Gigabit LTE with 4x4 MIMO, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MDWK4QA/A	R 22,690	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi 256GB storage 12GB RAM with Standard Glass - Space Black, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem

		OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWL4QA/A	R 22,690	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi 256GB storage 12GB RAM with Standard Glass - Silver, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWM4QA/A	R 26,462	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi 512GB storage 12GB RAM with Standard Glass - Space Black, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWN4QA/A	R 26,462	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi 512GB storage 12GB RAM with Standard Glass - Silver, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWP4QA/A	R 34,098	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWQ4QA/A	R 34,098	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWR4QA/A	R 35,938	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with nano-texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWT4QA/A	R 35,938	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with nano-texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem

		OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWU4QA/A	R 43,482	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWV4QA/A	R 43,482	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWW4QA/A	R 45,322	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with nano-texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDWX4QA/A	R 45,322	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with nano-texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYJ4QA/A	R 28,394	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi 256GB storage 16GB RAM with standard Glass - Space Black, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYK4QA/A	R 28,394	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi 256GB storage 16GB RAM with standard Glass - Silver, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYL4QA/A	R 32,074	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi 512GB storage 16GB RAM with standard Glass - Space Black, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem

		OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYM4QA/A	R 32,074	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi 512GB storage 16GB RAM with standard Glass - Silver, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYN4QA/A	R 39,618	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYP4QA/A	R 39,618	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYQ4QA/A	R 41,458	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with Nano-Texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYR4QA/A	R 41,458	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 1TB storage 16GB RAM with Nano-Texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYT4QA/A	R 49,094	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYU4QA/A	R 49,094	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem

		OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYV4QA/A	R 50,934	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with Nano-Texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
MDYW4QA/A	R 50,934	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi 2TB storage 16GB RAM with Nano-Texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors
ME2N4QA/A	R 26,462	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi Cellular 256GB storage 12GB RAM with Standard Glass - Space Black, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2P4QA/A	R 26,462	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi Cellular 256GB storage 12GB RAM with Standard Glass - Silver, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2Q4QA/A	R 30,234	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi Cellular 512GB storage 12GB RAM with Standard Glass - Space Black, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2T4QA/A	R 30,234	Apple 11" iPad Pro 2025 M5 9-core CPU WiFi Cellular 512GB storage 12GB RAM with Standard Glass - Silver, Apple M5 Chip 9-core CPU with 3 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2U4QA/A	R 37,778	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector,

		2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2V4QA/A	R 37,778	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2W4QA/A	R 39,618	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Nano-Texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2X4QA/A	R 39,618	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Nano-Texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME2Y4QA/A	R 47,162	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Standard Glass - Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME6A4QA/A	R 47,162	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME6C4QA/A	R 49,094	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Nano-Texture Glass - Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME6D4QA/A	R 49,094	Apple 11" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Nano-Texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector,

		2420-by-1668-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1X cellular modem, 5G with 4x4 MIMO
ME7W4QA/A	R 32,074	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi Cellular 256GB storage 16GB RAM with Standard Glass - Space Black, Apple M5 Chip 9-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME7X4QA/A	R 32,074	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi Cellular 256GB storage 16GB RAM with Standard Glass - Silver, Apple M5 Chip 9-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME7Y4QA/A	R 35,938	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi Cellular 512GB storage 16GB RAM with Standard Glass - Space Black, Apple M5 Chip 9-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8C4QA/A	R 35,938	Apple 13" iPad Pro 2025 M5 9-core CPU WiFi Cellular 512GB storage 16GB RAM with Standard Glass - Silver, Apple M5 Chip 9-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8D4QA/A	R 43,482	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8F4QA/A	R 43,482	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO

ME8G4QA/A	R 45,322	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Nano-Texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel Tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8H4QA/A	R 45,322	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 1TB storage 16GB RAM with Nano-Texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel Tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8J4QA/A	R 52,866	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Standard Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel Tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8K4QA/A	R 52,866	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Standard Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel Tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8M4QA/A	R 54,798	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Nano-Texture Glass - Space Black, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel Tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
ME8N4QA/A	R 54,798	Apple 13" iPad Pro 2025 M5 10-core CPU WiFi Cellular 2TB storage 16GB RAM with Nano-Texture Glass - Silver, Apple M5 Chip 10-core CPU with 4 Performance Cores and 6 efficiency Cores, 10-core GPU Neural accelerators hardware-accelerated ray tracing 16-core Neural Engine, Face ID, USB-C connector, 2752-by-2064-pixel Tandem OLED at 264 PPI Ultra Retina XDR Display, 1000 nits Max SDR brightness, 12MP wide camera, Landscape 12MP center Stage camera, Four Speakers, Four microphones, Magnetic connector, Thunderbolt / USB 4, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient Light sensors, Apple C1x Cellular Modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH304QA/A	R 14,134	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine,

		12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH314QA/A	R 14,134	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Blue, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH334QA/A	R 14,134	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Starlight, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH344QA/A	R 14,134	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Purple, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH354QA/A	R 16,066	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH364QA/A	R 16,066	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Blue, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH374QA/A	R 16,066	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Starlight, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH394QA/A	R 16,066	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Purple, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3A4QA/A	R 19,838	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3C4QA/A	R 19,838	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Blue, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3D4QA/A	R 19,838	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Starlight, Model A3459, Apple M4

		Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3E4QA/A	R 19,838	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Purple, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3G4QA/A	R 25,542	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3H4QA/A	R 25,542	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Blue, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3J4QA/A	R 25,542	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Starlight, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH3K4QA/A	R 25,542	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Purple, Model A3459, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5N4QA/A	R 17,906	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5P4QA/A	R 17,906	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Blue, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5Q4QA/A	R 17,906	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Starlight, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5T4QA/A	R 17,906	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi - Purple, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor

MH5U4QA/A	R 19,838	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5V4QA/A	R 19,838	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Blue, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5W4QA/A	R 19,838	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Starlight, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5X4QA/A	R 19,838	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi - Purple, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH5Y4QA/A	R 23,610	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH604QA/A	R 23,610	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Blue, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH614QA/A	R 23,610	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Star Light, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH624QA/A	R 23,610	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi - Purple, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH634QA/A	R 29,314	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Space Grey, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH644QA/A	R 29,314	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Blue, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi

		7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH654QA/A	R 29,314	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Starlight, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MH784QA/A	R 16,986	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH794QA/A	R 16,986	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7A4QA/A	R 16,986	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7C4QA/A	R 16,986	Apple 11" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7D4QA/A	R 18,918	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7E4QA/A	R 18,918	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7F4QA/A	R 18,918	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7G4QA/A	R 18,918	Apple 11" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3460,

		Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7H4QA/A	R 22,690	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7J4QA/A	R 22,690	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7K4QA/A	R 22,690	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7L4QA/A	R 22,690	Apple 11" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7M4QA/A	R 28,302	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7N4QA/A	R 28,302	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7P4QA/A	R 28,302	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH7Q4QA/A	R 28,302	Apple 11" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3460, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine,

		12GB unified Memory, USB-C Connector, 2360-by-1640 Liquid Retina Display, 500 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9D4QA/A	R 20,758	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9E4QA/A	R 20,758	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9F4QA/A	R 20,758	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9G4QA/A	R 20,758	Apple 13" iPad Air 2026 with Apple M4 Chip 128GB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9H4QA/A	R 22,690	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9J4QA/A	R 22,690	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9K4QA/A	R 22,690	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9L4QA/A	R 22,690	Apple 13" iPad Air 2026 with Apple M4 Chip 256GB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP

		wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9M4QA/A	R 26,462	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9N4QA/A	R 26,462	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9P4QA/A	R 26,462	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9Q4QA/A	R 26,462	Apple 13" iPad Air 2026 with Apple M4 Chip 512GB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9R4QA/A	R 32,074	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Space Grey, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9T4QA/A	R 32,074	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Blue, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9U4QA/A	R 32,074	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Starlight, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MH9V4QA/A	R 32,074	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi Cellular - Purple, Model A3462, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking

		Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, Apple C1X cellular modem, 5G with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MHDK4QA/A	R 29,314	Apple 13" iPad Air 2026 with Apple M4 Chip 1TB SSD & 12GB RAM Wi-Fi - Purple, Model A3461, Apple M4 Chip 8-core CPU with 3 Performance Cores & 5 efficiency Cores & 9-core GPU & 16-core Neural Engine, 12GB unified Memory, USB-C Connector, 2732-BY-2048 Liquid Retina Display, 600 nits brightness, 12MP wide camera rear, Landscape 12MP center Stage camera front, Face ID / Touch ID, Apple N1 Wireless Networking Chip, Wi-Fi 7, Bluetooth 6, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MUWE3QA/A	R 9,902	Apple iPad Air 11" M2 Chip 8-core CPU Wi-Fi 128GB Starlight, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2360x1640 IPS Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speakers, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelermeter, Barometer, Ambient light Sensor
MUWM3QA/A	R 11,742	Apple iPad Air 11" M2 Chip 8-core CPU Wi-Fi 512GB Blue, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2360x1640 IPS Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speakers, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelermeter, Barometer, Ambient light Sensor
MUWN3QA/A	R 13,547	Apple iPad Air 11" M2 Chip 8-core CPU Wi-Fi 512GB Starlight, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2360x1640 IPS Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speakers, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelermeter, Barometer, Ambient light Sensor
MUXF3QA/A	R 12,984	Apple iPad Air 11" M2 Chip 8-core CPU Wi-Fi Cellular 128GB Starlight, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2360x1640 IPS Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speakers, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelermeter, Barometer, Ambient light Sensor
MUXJ3QA/A	R 12,110	Apple iPad Air 11" M2 Chip 8-core CPU Wi-Fi Cellular 256GB Blue, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2360x1640 IPS Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speakers, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelermeter, Barometer, Ambient light Sensor
MV2F3QA/A	R 15,606	Apple iPad Air 13" M2 Chip 8-core CPU Wi-Fi 256GB Blue, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2732 x 2048 IPS Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speaker, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient light Sensor
MV2G3QA/A	R 16,342	Apple iPad Air 13" M2 Chip 8-core CPU Wi-Fi 256GB Starlight, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2732 x 2048 IPS Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speaker, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient light Sensor
MV2J3QA/A	R 20,298	Apple iPad Air 13" M2 Chip 8-core CPU Wi-Fi 512GB Space Grey, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine, 2732 x 2048 IPS Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speaker, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient light Sensor
MV733QA/A	R 16,618	Apple iPad Air 13" M2 Chip 8-core CPU Wi-Fi Cellular 512GB Purple, 8GB RAM, USB-C connector, Apple M2 Chip 8-core CPU with 4 performance Cores and 4 efficiency Cores & 10-core GPU & 16-core Neural Engine,

		2732 x 2048 IPS Liquid Retina Display, 600 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide front camera, Two Speaker, Two microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient light Sensor
MVV83QA/A	R 15,928	Apple iPad Pro 11" M4 Chip 9-core CPU Wi-Fi 256GB Space Black - Standard Glass, 8GB RAM, Face ID, USB-C connector, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2420x1668 Ultra Retina XDR Display, Tandem OLED, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVV93QA/A	R 16,330	Apple iPad Pro 11" M4 Chip 9-core CPU Wi-Fi 256GB Silver - Standard Glass, 8GB RAM, Face ID, USB-C connector, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2420x1668 Ultra Retina XDR Display, Tandem OLED, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVVD3QA/A	R 14,778	Apple iPad Pro 11" M4 Chip 9-core CPU Wi-Fi 512GB Silver - Standard Glass, 8GB RAM, Face ID, USB-C connector, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2420x1668 Ultra Retina XDR Display, Tandem OLED, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVW53QA/A	R 26,922	Apple iPad Pro 11" M4 Chip 9-core CPU Wi-Fi Cellular 1TB Space Black - Standard Glass, 8GB RAM, Face ID, USB-C connector, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2420x1668 Ultra Retina XDR Display, Tandem OLED, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVW73QA/A	R 27,566	Apple iPad Pro 11" M4 Chip 9-core CPU Wi-Fi Cellular 2TB Space Black - Standard Glass, 8GB RAM, Face ID, USB-C connector, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2420x1668 Ultra Retina XDR Display, Tandem OLED, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVX23QA/A	R 22,092	Apple iPad Pro 13" M4 Chip 9-core CPU Wi-Fi 256GB Space Black - Standard Glass, 8GB RAM, Face ID, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2752x2064 Ultra Retina XDR Display, Tandem OLED3, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Three microphones, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, Face ID, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVX53QA/A	R 24,484	Apple iPad Pro 13" M4 Chip 9-core CPU Wi-Fi 512GB Silver - Standard Glass, 8GB RAM, Face ID, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2752x2064 Ultra Retina XDR Display, Tandem OLED3, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Three microphones, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, Face ID, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVX63QA/A	R 30,694	Apple iPad Pro 13" M4 Chip 9-core CPU Wi-Fi 1TB Space Black - Standard Glass, 8GB RAM, Face ID, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2752x2064 Ultra Retina XDR Display, Tandem OLED3, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Three

		microphones, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, Face ID, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVXV3QA/A	R 32,453	Apple iPad Pro 13" M4 Chip 9-core CPU Wi-Fi Cellular 512GB Silver - Standard Glass, 8GB RAM, Face ID, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2752x2064 Ultra Retina XDR Display, Tandem OLED3, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Three microphones, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, Face ID, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MVXY3QA/A	R 33,270	Apple iPad Pro 13" M4 Chip 9-core CPU Wi-Fi Cellular 2TB Space Black - Standard Glass, 8GB RAM, Face ID, Apple M4 Chip 9-core CPU with 3 performance Cores and 6 efficiency Cores 10-core GPU hardware-accelerated ray tracing 16-core Neural Engine, 2752x2064 Ultra Retina XDR Display, Tandem OLED3, 1000 nits Max SDR brightness, Supports Apple Pencil Pro, 12MP wide camera, Landscape 12MP Ultra wide camera, Four Speakers, Three microphones, Thunderbolt / USB 4, Wi-Fi 6E, Bluetooth 5.3, Face ID, LiDAR Scanner, Three-axis gyro, Accelerometer, Barometer, Ambient light sensors
MXN63QA/A	R 11,374	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 128GB - Space Grey, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXN73QA/A	R 11,374	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 128GB - Blue, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXN83QA/A	R 11,374	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 128GB - Starlight, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXN93QA/A	R 11,374	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 128GB - Purple, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXNA3QA/A	R 13,214	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 256GB - Space Grey, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXNC3QA/A	R 12,938	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 256GB - Blue, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXND3QA/A	R 13,214	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 256GB - Starlight, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXNE3QA/A	R 13,214	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 256GB - Purple, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MXPN3QA/A	R 14,134	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 128GB - Space Grey, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo

		Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPP3QA/A	R 14,134	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 128GB - Blue, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPQ3QA/A	R 14,134	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 128GB - Starlight, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPR3QA/A	R 14,134	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 128GB - Purple, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPT3QA/A	R 16,066	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 256GB - Space Grey, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPW3QA/A	R 16,066	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 256GB - Blue, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPX3QA/A	R 10,086	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 256GB - Starlight, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MXPY3QA/A	R 10,086	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 256GB - Purple, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MYGY3QA/A	R 16,986	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 512GB - Space Grey, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MYH13QA/A	R 9,074	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 512GB - Blue, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MYH23QA/A	R 9,074	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 512GB - Starlight, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor

MYH33QA/A	R 16,986	Apple iPad Mini 2024 A17 Pro CPU Wi-Fi 512GB - Purple, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor
MYHC3QA/A	R 11,466	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 512GB - Space Grey, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MYHD3QA/A	R 11,466	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 512GB - Blue, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MYHE3QA/A	R 11,466	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 512GB - Starlight, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO
MYHF3QA/A	R 11,466	Apple iPad Mini 2024 8.3" A17 Pro CPU Wi-Fi Cellular 512GB - Purple, USB-C Port with support for charging / DisplayPort / USB 3 (Up to 10Gb/s), A17 Pro Chip Chip, A17 Pro Chip, 2266x1488 Liquid Retina Display, 500 nits brightness, Supports Apple Pencil Pro, 12MP wide camera, 12MP Ultra wide front camera, Stereo Speakers, Dual microphones, Wi-Fi 6E, Bluetooth 5.3, Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient Light Sensor, 5G (sub-6 GHz) with 4x4 MIMO, Gigabit LTE with 4x4 MIMO

< Return to the menu

Microsoft Windows Tablets

Product code	Price	Description

< Return to the menu

Tablet bags & accessories

Product code	Price	Description
103407976	R 840	Zagg Keyboard Pro Keys for Apple iPad 11" Pro - Charcoal - UK, QWERTY English Keyboard layout, Bluetooth connectivity, Long-lasting Battery Life, Backlit laptop-style Keys (iPad not included)
109912136	R 368	Zagg Pro Stylus 2 Universal Stylus Pen Pink - Wirelessly Charged, Wireless charging, Dual tip Stylus, Attaches magnetically, Pen-click Power on, Tilt recognition, Replaceable tip, Long-lasting Battery, USB-C charging cable
109913292	R 35	Zagg Pro Stylus 2 Replacement tips - pack of 4 - Grey, Zagg Pro Stylus 2 compatibility, 4 Replacement tips per pack, Screw-on
140212	R 74	Port 140212 Connect Tablet Stylus - Silver, Compatible with iOS or Android devices
140214	R 89	Port 140214 Connect Tablet Stylus - Blue, Compatible with iOS or Android devices
140222	R 89	Port 140222 Connect Tablet Stylus - Pink, Compatible with iOS or Android devices
140223	R 89	Port 140223 Connect Tablet Stylus - Purple, Compatible with iOS or Android devices
140228	R 74	Port 140228 Connect 40cm Universal Stylus Cable - Black
140228	R 65	Port 140228 Connect 40cm Universal Stylus Cable - Black
161815191816	R 289	Promate smartShell.P Ultra-thin Back Shell Case with Multifunction Stylus Pen for iPad2
180627	R 74	Port Stylus Tablet Black Stylus for Tablets For Touchscreen Compatible with Ipod, iPhone, iPad, Galaxy Tab & any Touchscreen mobile phone, Â© 2019 Laptop Direct
180641	R 136	Port 180641 connect Universal screen protector 9 / 10 for Tablets and screens, Pet material, Anti-glare treatment
201319	R 263	Port 201319 Noumea II Universal 9-11 Black Tablet cover, Screen protective flap, Adjustable Video positions,

		Universal elastic system, 25.4 cm (10") Maximum screen size
201326	R 263	Port Designs Noumea II Grey Universal 9-10" Universal Tablet Case
201328	R 263	Port Designs Noumea II Blue Universal 9-10" Universal Tablet Case
201328	R 233	Port Designs Noumea II Blue Universal 9-10" Universal Tablet Case
201329	R 263	Port Designs Noumea II Green Universal 9-10" Universal Tablet Case
201535	R 677	Port 201535 Designs Pro Shock 360 Rugged Protective and rotative Folio for Samsung Galaxy Tab A9 , Black Colour, Three-layer Rugged protection, Reinforced corners, 360 degrees Rotating and adjustable Handle, Detachable and adjustable shoulder strap (Tablet not included)
2161815111454	R 99	Promate Aknol Elegant Book-Style Leather Flip Cover with Card Insert for Galaxy Note II, White, (Tablet not included)
2161815245272	R 299	Promate Youga Protective leather case with multi-level fold-out stand for iPad mini
2161815965910	R 259	Promate iPose.10-Stylized Leather Design Cover for the iPad 2 and new iPad - Black
2161815981323	R 149	Promate " iSleeve.1" ipad premium protective vertical cover-up shamwa leather case with extra pocket, flip cover magnetic lock for device loading security, Colour: Retail Box (Tablet Not included)
3161815111453	R 99	Promate Aknol Elegant Book-Style Leather Flip Cover with Card Insert for Galaxy Note II, Brown (Tablet not included)
3161815152128	R 129	Promate Kolabro White & Black Slim-line protective genuine leather pouch case for Galaxy Note II
400713	R 344	Port Designs Yosemite Eco Folio II Universal 9-10" Universal Tablet Case
400713	R 341	Port Designs Yosemite Eco Folio II Universal 9-10" Universal Tablet Case
404662	R 149	Manhattan iPAD 3 Snap-fit Shell cover Colour: Clear Black (Tablet Not Included)
404679	R 99	Manhattan Gray iPAD 3 Slip-fit Smart Shell Retail Box (iPad not included)
404686	R 99	Manhattan Crystal iPAD 3 Slip-fit Smart cover Retail Box (iPad not included)
404693	R 99	Manhattan Clear Blue iPAD 3 Slip-fit Smart cover Retail Box (iPad not included)
404815	R 199	Manhattan Kickstand Case for the iPad mini (Tablet not included)
4161815149127	R 109	Promate Nitro.Black Multi-Colored Flexi-Grip Designed Case For Samsung Galaxy Note 2.
4161815191355	R 169	Promate SmartShell.1 Ultra-thin back contoured shell case for iPad2 - Pink (Tablet not included)
4161815525914	R 159	Promate Overt.iPm Stylus Pen & Screen Kit for iPad Mini
4161815956114	R 299	Promate Totan Protective Leather Cover with Multifunctional Detachable Inner Sleeve for iPad mini
450034	R 99	Manhattan Blue iPAD 2 & 3 Silicon Slip-fit Sleeve Retail Box (iPad not included)
450218	R 99	Manhattan iPAD 2 & 3 Silicon Sleeve with wave design Retail Box (iPad not included)
450256	R 99	Manhattan Black iPAD 2 Silicon Slip-fit Shell Retail Box (iPad not included)
450263	R 449	Manhattan iPAD 2 & 3 Bluetooth Keyboard Case Colour: Black - 24.1 x 20.3 x 3.4 cm
450287	R 99	Manhattan Smoke Gray iPAD 2 Silicon Slip-fit Shell Retail Box (iPad not included)
5161815191293	R 149	Promate " iSlim.3" Premium EZ-Pull soft protective leather case for iPad. - Retail Box (Tablet not included - single case)
5161815191293-P	R 149	Promate iSlim.3 Easy Pull shamwa Leather Case for iPad 2/ iPad 3-Purple, (Tablet not included)
5161815201121	R 399	Promate iControl.1 7-in-1 Remote Control Adapter for iPad, iPhone and iPod - Retail Box
6161815415442	R 299	Promate Donna Superior slim-line leather case with carrying handle for iPad mini
6161815915744	R 199	Promate Sansa-N2 White Genuine Leather Flip cover for Samsung Galaxy Note II (Tablet not included)
6161815961383	R 99	Promate Proshield.Ipm-C Premium Clear Screen Protector for iPad Mini(Tablet not included)
6161815965916	R 259	Promate iPose10 Red iPad Stylized Leather cover case ,hard plastic shell back casing, extendable tab for horizontal angle stand and leather tab for holding cover close, genuine leather cover/micro suede interior. (Tablet not included)
6161815981336	R 149	Promate " iSleeve.2" iPad premium protective horizontal shamwa leather case with extra pocket, Flip cover magnetic lock for device loading security, Slim and classic horizontal cover-up, Colour: Retail Box
6161815981336-B	R 149	Promate iSleeve.2 iPad premium protective horizontal shamwa leather case with extra pocket, Flip cover magnetic lock for device loading security, Slim and classic horizontal cover-up, Colour: Brown (Tablet not included)
6161815981336-P	R 149	Promate iSleeve.2 iPad premium protective horizontal shamwa leather case with extra pocket, Flip cover magnetic lock for device loading security, Slim and classic horizontal cover-up, Colour: Purple, (Tablet not included)

6161815981336-R	R 149	Promate iSleeve.2 iPad premium protective horizontal shamwa leather case with extra pocket, Flip cover magnetic lock for device loading security, Slim and classic horizontal cover-up, Colour: Red, (Tablet not included)
6959144000015	R 249	Promate chargMateLT-EU Multifunction Lightning Home charger for iPad, iPhone and iPod, EU Standard. Retail Box
6959144000022	R 399	Promate ChargMateLT-UK Multifunction Lightning Home charger for iPad, iPhone and iPod, UK Standard. Retail Box
6959144000152	R 109	Promate Trigger multifunction stylus pen for tablet and touch screen devices, with cleaning Fluid and dry pad, ultra-sensitive stylus pen Ideal for writing, sketching and drawing on your device, Precision touch with smooth surface glide,Anti-bacterial and anti-static cleaning liquid solution, highly absorbent dry pad.
6959144000169	R 89	Promate Klipo Compact Pen-Style Tablet cleaning kit with clip-on design for tablet devices, Antistatic and anti-bacterial cleaning liquid solution, Highly absorbent dry pad, Compact and portable
6959144000176	R 109	Promate Penza.M Compact Smartphone Cleaning Kit with In-Built Stylus and SIM Eject Pin.
6959144000275	R 249	Promate linkMate.Duo Dual-ended Charge and Sync cable for Apple Lightning and Micro-USB Devices - Retail Box
6959144002804	R 179	Promate Akton N3 Protective flexi-grip case for Samsung Galaxy Note 3 - Black, (Tablet not included)
6959144002811	R 179	Promate Akton N3 Protective flexi-grip case for Samsung Galaxy Note 3 - Grey, (Tablet not included)
6959144003276	R 359	Promate Klyde-Ultra-Slim Multi-colored Premium Case for iPad Air - Pink, (Tablet not included)
6959144003283	R 359	Promate Klyde-Ultra-Slim Multi-colored Premium Case for iPad Air-Maroon, (Tablet not included)
6959144003290	R 359	Promate Klyde-Ultra-Slim Multi-colored Premium Case for iPad Air-Blue, (Tablet not included)
6959144003306	R 359	Promate Klyde-Ultra-Slim Multi-colored Premium Case for iPad Air-Purple, (Tablet not included)
6959144003375	R 399	Promate Agenda Premium Protective Leather Case with Stylus Holder and Card Slot for iPad Air-Purple, (Tablet not included)
6959144003412	R 359	Promate Dotti Premium ultra Slim and Sporty Case for iPad Air -Blue
6959144003429	R 359	Promate Dotti Premium ultra Slim and Sporty Case for iPad Air-Grey
6959144003443	R 359	Promate Dotti Premium ultra Slim and Sporty Case for iPad Air -Black
6959144003450	R 359	Promate Dotti Premium ultra Slim and Sporty Case for iPad Air-Red
6959144003467	R 129	Promate Proshield.Air-C Premium Clear Screen Protector For iPad Air, (Tablet not included)
6959144003672	R 399	Promate IFoldAir Multi-Foldable Case Stand, Stylus and Screen Protector for iPad Air, Black (Tablet not included)
6959144003719	R 299	Promate Bamby.Air-Shockproof Impact resistant case with convertible stand for iPad Air-Blue, (Tablet not included)
6959144003726	R 299	Promate Bamby.Air Shockproof Impact resistant case with convertible stand Colour: Black (Tablet not included)
6959144003733	R 299	Promate Bamby.Air-Shockproof Impact resistant case with convertible stand for iPad Air-Pink, (Tablet not included)
6959144003740	R 299	Promate Bamby.Air-Shockproof Impact resistant case with convertible stand for iPad Air-Orange, (Tablet not included)
6959144003764	R 259	Promate Fellymini Multi-grip shockproof Impact resistant case for iPad Mini - Blue
6959144003771	R 259	Promate Fellymini Multi-grip shockproof Impact resistant case for iPad Mini - Black (Tablet not included)
6959144003788	R 259	Promate FellyMini Multi-grip shockproof Impact resistant case, colour: Pink, (Tablet not included)
6959144003795	R 259	Promate Fellymini Multi-grip shockproof Impact resistant case for iPad Mini - Orange
6959144003979	R 259	Promate Memo Photo Frame Protective Leather Case for iPad Mini - Cream (Tablet not included)
6959144004730	R 129	Promate Grosso-N3 Snap-On Scratch-Resistant Flexible Case for Samsung Galaxy Note 3 (Tablet not included)
6959144004747	R 179	Promate Grosso.N3 - Snap-On Scratch-Resistant Flexible Case - Red, (Tablet not included)
6959144004891	R 179	Promate Karizmo-N3. White Elegant Flexi-Grip Case For Galaxy Note 3
6959144004907	R 179	Promate Karizmo-N3 Pink Elegant Multi-Color Flexi-Grip Case For Galaxy Note 3, (Tablet not included)
6959144005089	R 699	Promate Dash-Air Blue Protective Leather Case with In-Built 8000 mAh Back-up battery for iPad-Air
6959144005096	R 699	Promate Dash-Air Dark Blue Protective Leather Case with In-Built 8000 mAh Back-up battery for iPad-Air
6959144005287	R 249	Promate Trim-Mini.Red Slender Protective Flex-Grip Snap On Case For Ipad Mini With Retina
6959144005348	R 379	Promate Reel.Air -360 Degrees Rotatable Case with Hand Strap and Detachable Smart Cover for iPad Air-Grey (Tablet not included)
6959144006277	R 259	Promate Veil-Air Ultra Slim Protective case with Stand Function for iPad Air, White (Tablet not included)
6959144006284	R 259	Promate Veil-Air Ultra Slim Protective case with Stand Function for iPad Air, Red, (Tablet not included)
6959144006291	R 259	Promate Veil-Air Ultra Slim Protective case with Stand Function for iPad Air, Blue, (Tablet not included)

6959144006307	R 259	Promate Veil-Air Ultra Slim Protective case with Stand Function for iPad Air, Black, (Tablet not included)
6959144006376	R 259	Promate Spino-Air Multi-task Cover with Rotatable Shell Stand for iPad Air - Orange
6959144007076	R 559	Promate Primeshield.IPM Premium Ultra-Thin Tempered Optical Glass Screen Protector for iPad Mini and iPad Mini with Retina, (Tablet not included)
6959144007083	R 589	Promate Primeshield.AIR Premium Ultra-Thin Tempered Optical Glass Screen Protector for iPad Air, (Tablet not included)
6959144010533	R 299	Promate Weave Ultra-Slim Leather Cover Set for iPad Air & iPhone 5/5s
6985254856977	R 139	Belk iPad MINI Smart Cover - Pink
6SG43AA	R 1,494	HP Rechargeable Active Pen G3
7014009090	R 599	Promate primeShield.iPm-Ultra-Thin Tempered Optical Glass Screen Protector for iPad mini, (Tablet not included)
7014009090-AIR	R 669	Promate primeShield.Air-Ultra-Thin Tempered Optical Glass Screen Protector for iPad Air, (Tablet not included)
702315481	R 236	Zagg hardshell Apple MacBook Air 13 ' ' M3/M2 Clear, Two-Piece Snap-On Design, Anti-Slip grip, Scratch-resistant, Full venting, Easy Access to All Ports and functions (MacBook not included)
702315484	R 236	Zagg hardshell Apple MacBook Pro 13 ' ' M2/M1/2020 Clear, Two-Piece Snap-On Design, Anti-Slip grip, Scratch-resistant, Full venting, Easy Access to All Ports and functions (MacBook not included)
702315485	R 236	Zagg hardshell Apple MacBook Pro 13" M2/M1/2020 Smoke, Two-Piece Snap-On Design, Anti-Slip grip, Scratch-resistant, Full venting, Easy Access to All Ports and functions (MacBook not included)
702315490	R 236	Zagg hardshell Apple MacBook Pro 16" M3/M2/M1 - Clear, Two-Piece Snap-On Design, Anti-Slip grip, Scratch-resistant, Full venting, Easy Access to All Ports and functions
7161815139187	R 999	Promate Mirage iPad Ergonomic Bluetooth Keyboard Stand with Phone Handset, An ultra-slim phone handset adds up to its rich features which also has its own holder to set the handset in place, allows you a complete access to the tablet for ergonomic typing experience, Transmit range: 10m
7161815312535	R 39	Promate Clermo iPad Mini flexi-grip case, offering full, protection from knocks and scrapes, finest quality, flexible and coated, material: plastic Colour: Red
7161815415441	R 299	Promate Donna-Slim-line leather case with carrying handle for iPad mini-White
7161815961313	R 109	Promate Proshield.Ipm-M Premium Matte Screen Protector for iPad Mini.(Tablet not included)
7161815965236	R 299	Promate Ifold Mini Maroon Unique Multi-Foldable Cover Case and Stand for iPad mini, Â© 2013 Laptop Direct
7161815991914	R 149	Promate iSkin Carbon Fiber Body and Screen Protector for iPad 2 and the iPad 3
8808992069539	R 29	Google Nexus 4 Black Bumper Cover
8808992069560	R 29	Asus Nexus 4 White Bumper Cover
888015753	R 127	Lenovo A3000 Folio Case and Film - White
888015768	R 127	Lenovo A3000 Folio Case and Film - Black
888016765	R 127	Lenovo A7-30 Blue Folio Case and Film; compatible with Lenovo A7-30; 2 folding viewing positions; anti-scratch screen film; soft lining; ultrasonic bonded rear cover; dimensions: 19.9 x 12.4 x 1.6 cm; RoHS
888017336	R 196	Lenovo Black Yoga tablet 2 10 Sleeve and Film; soft lining; anti-scratch screen film; ultrasonic bonding technology; 27 x 19.8 x 1.8 cm; 0.19 kg; RoHS
888017338	R 114	Lenovo Yoga tablet 2 10 Sleeve and Film Orange
888017364	R 3,439	Lenovo Yoga Tablet2 Pro13 Sleeve And Film - 345 x 20 x 232mm
901882	R 113	Port Connect Triple strong Tempered Glass for Samsung Galaxy Tab A8, Shatterproof and anti scratch, 90% transparency, 9h Triple strong Technology, High Touchscreen sensitivity, Oleo-phobic coating against fingerprints
9161815195365	R 299	Promate Tempo Protective leather case with multi-level stand support for iPad mini
9161815969416	R 299	Promate Spino Red Protective Fabric Cover with Rotatable Inner Shell and Stylus Holder for iPad mini
9311302	R 91	Fellowes I-SpireGraphite Tablet Lift, Display in portrait & landscape
9930501	R 132	Fellowes Tablet and E-Reader Cleaning Kit, 120ml screen & microfibre cloth
A52013-B	R 299	Astrum TB130 Universal case 9-10" with Bluetooth 3.0 keyboard
A52016-B	R 374	Astrum TB160 Universal case 8-10" Bluetooth 3.0 with Touch Keyboard, Magnetic adsorption foldable design, Micro USB charging
ACK22213	R 432	Wacom Pen nibs Felt 10-pack
AMM16501AMGL	R 84	Targus AMM16501AMGL Antimicrobial Stylus Embedded clip - Red, Fully compatible with All capacitive Touch

		Screen devices, Innovative Micro Air Pocket tip Design gives a 75% smoother Glide, Stylish one piece Premium Design
AMM174AMGL	R 688	Targus AMM174AMGL Antimicrobial Active Stylus for iPad - White, Works with iOS 12.2 or above
BAG-4	R 25	Unbranded 9.7" Tablet Sleeve
BAG023	R 261	GENIUS MINI FOLIO CASE, Protective folio for iPad Mini, Horizontal viewing stand, Openings for connectors and buttons, Soft inner lining.(Ipad mini not Incl)
BAG024	R 216	GENIUS FOLIO CASE, Fits up to 9.7 inch iPad2/New iPad/iPad4, Automatically turns the iPad on/off, Two viewing angles: upright or on its side, Holes for all port buttons, camera, etc, Magnetic closure. (Ipad not Incl)
BGKB-TIPD109-BK	R 1,127	Body Glove Bluetooth Keyboard With Touch Pad - Apple iPad (2022) Bluetooth Keyboard with Touchpad for Apple iPad (2022) provides full protection to your tablet. It features a detachable backlit keyboard with touchpad enhanced by touchpad shortcuts. (Tablet not included)
BGKB-TTABA9	R 458	Body Glove Bluetooth Keyboard With Touch Pad - Samsung Galaxy Tab A9 - Black provides full protection to your tablet. It features a detachable, backlit keyboard with Samsung Galaxy Pencil Groove. (Tablet not included)
BRK-PAD21-02	R 546	Lumi PAD21-02 Universal Anti-theft Tablet Countertop Kiosk For iPad mini 1/2/3/4/air,Galaxy and most 7.9" -10.1" tablets.
BRK-PAD21-03	R 759	Lumi PAD21-03 Universal Anti-theft Tablet Countertop Kiosk For iPad, Galaxy and most 7.9" -10.1" tablets
BRK-PAD21-04	R 1,492	Lumi PAD21-04 Universal Anti-theft Tablet Freestanding Kiosk For iPad, Galaxy and most 7.9" -10.1" tablets
C11	R 229	Microworld C11 Stylus Pen for Tablet and screen product, 10 hours usage time, Attaches magnetically on iPad, Pixel-perfect Precision, Extremely low Lag, Long stand time, LED numerical Display for Battery level., Double Click top of Pencil, Painted Aluminum Pen Body, Type-C charging Port, Built-In Lithium Battery, 30min for full Pen charging time
CA-CUSCW	R 36	Coolermaster C-3X00-W1S0 Universal Sync Charge cable - White - with micro usb apple 2in1 connector - 30cm
CAL09	R 288	Unbranded Calypso Carry Folder
CAS-BLU	R 35	Unbranded Tablet Case 7" Blue
CAS-BR	R 35	Unbranded Tablet Case 7" Brown
CAS-DBL	R 35	Unbranded Tablet Case 7" Royal Blue
CAS-GRN	R 35	Unbranded Tablet Case 7" Green
CAS-O	R 35	Unbranded Tablet Case 7" Orange
CAS-PIN	R 35	Unbranded Tablet Case 7" Pink
CAS-RED	R 35	Unbranded Tablet Case 7" Red
CAS-WTE	R 35	Unbranded Tablet Case 7" White
CB-AZC7	R 114	Asus 90XB015P-BSL3K0 Zenpad Cover for z170c/z170cg - protection sleeve with stand function
CB-CCTN8K	R 76	Coolermaster C-STBF-CTN8-KK - Carbon Texture folio for Note8 - Black, with stand function, top cover with wake up and sleep function, for Samsung Galaxy Note 8, 218x45x13mm with built-in pocket
CB-CCTN8L	R 76	Coolermaster C-STBF-CTN8-BB - Carbon Texture folio for Note8 - Blue, with stand function, top cover with wake up and sleep function, for Samsung Galaxy Note 8, 218x45x13mm with built-in pocket
CB-CiFAF	R 68	Coolermaster C-iP2F-WFAF-iU iPAD/tablet Afrino Folio, with carry handle, also work as height adjustable stand, grey, synthetic wool, water repellent polyurethane extra protection for the back of iPAD2, 290x270x18mm, 295g, tablet NOT included.
CB-CiFBi	R 68	Coolermaster C-iP2F-WFBi-iU iPAD/tablet Bizet Folio - also work as height adjustable stand, grey, synthetic wool, water repellent polyurethane extra protection for the back of iPAD2, 270x210x23mm, 255g, Tablet NOT included.
CB-CiFWCB	R 229	Coolermaster C-IP3F-CTWU-ZZ, iPAD/iPAD2/New iPAD Folio Wake Up - Carbon texture Brown microfibre inner lining, with stand function wakeup function extra protection for the back of iPAD2
CB-CiFWo	R 146	CHoiiX C-IP2F-SCWU-TW Orange Wake Up Folio for iPad2 - polyurethane microfibre inner lining, with stand function wakeup function extra protection for the back of iPAD2
CB-CiFWS	R 159	CHoiiX C-IP2F-SCWU-AW Silver/grey Wake Up Folio for iPad2 - polyurethane microfibre inner lining , with stand function wakeup function extra protection for the back of iPAD2
CB-CiMBCB	R 112	Coolermaster C-iPMC-CTCL-ZZ , iPAD Mini Back protection case - Carbon texture Bronze - microfiber inner lining
CB-CiMBCS	R 113	Coolermaster C-iPMC-CTCL-SS, iPAD Mini Back protection case - Carbon texture Silver - microfiber inner lining

CB-CiS2E	R 33	CHoiiX C-iP0V-PL2E-KK, Sleeve 2E for iPAD / tablet - 270x212x3mm, 145g - polyurethane Eco-leather 45mm
CB-CiS6E	R 33	CHoiiX C-iP0V-PL6E-KK, Sleeve 6E for iPAD / tablet - 270x212x6mm, 182g - with extra space for accessories - polyurethane Eco-leather 45mm
CB-CiSCo	R 112	Coolermaster C-iP0V-WFCo-iU iPAD/tablet Sleeve Cormo - 280x210x13mm, 91g - grey, synthetic wool, water repellent.
CB-CTFCW	R 289	Coolermaster C-AT3F-CTTF-SS Transformer Folio (asus TF300t series) - Carbon texture White (silver white), microfiber inner lining, with stand function, wakeup function, extra protection for the back of asus transformer, Tablet NOT Included.
CB-CTN2U100CB	R 56	Coolermaster C-SS2F-CTN2-CC Traveler N2U-100 Carbon fibre Bronze, with stand function, for Samsung Galaxy Note II, 156x83x16mm with built-in pockets
CB-VBoi-o	R 275	VAX Bo1802iP Bonanova sleeve for iPAD - Olive - bubble design, extra EVA foam cushioning for extra protection, water resistant.
CB-VBoi-P	R 242	VAX Bo1801iP Bonanova sleeve for iPAD - Purple - bubble design, extra EVA foam cushioning for extra protection, water resistant.
CB-VBoi-R	R 242	VAX Bo1803iP Bonanova sleeve for iPAD - Red - bubble design, extra EVA foam cushioning for extra protection, water resistant.
CB-VCHi	R 183	VAX Bo-340035 Cienfuegos Helmet iPAD sleeve black - art designed by Jon Mikel Azcarate
CB-VCSi	R 230	VAX Bo-340027 Cienfuegos Skull iPAD sleeve black - art designed by Jon Mikel Azcarate
CB-VMAi	R 286	VAX Bo2801iP Marina iPAD black laser stitch sleeve, waterproof, nylon - 241x185x8.8mm
CBB31UF	R 426	Unbranded Apple Mini Display / Audio / HDMI cable
CBL22UF	R 426	Unbranded Ipad / Iphone / Ipod Cable for Video / Audio
CGX37PA1GRY	R 118	Cirago Slim-Fit PU case for Samsung Galaxy Tab 3 7.0 - Gray, Front screen and back protection, Kick stand (Tablet not included)
CGX38PA1BLK	R 118	Cirago Slim-Fit PU case for Samsung Galaxy Tab 3 8.0 - Black, Front screen and back protection, Kick stand (Tablet not included)
CGXN10POA1BLK	R 118	Cirago Slim-Fit Origami case with stand for Galaxy Note 10.1 (2014 Edition) - Black, Front screen and back protection, Origami case with stand
CGXN8PA1BLK	R 118	Cirago Slim-Fit PU case for Samsung Galaxy Note 8.0 - Black, Front screen and back protection, Kick stand (tablet not included)
CGXTP10PA1BLK	R 91	Cirago Slim-Fit PU case for Samsung Galaxy Tab Pro 10.1, Front screen and back protection, PU 4-fold case with stand (tablet not included)
CGXTP10POA1BLK	R 184	Cirago Slim-Fit Origami case with stand for Galaxy Note 10.1 - Black, CGXTP10POA1BLK, Front screen and back protection, Tablet automatically wakes on open and sleeps on close, Multiple folding segments provide different folding options and viewing angles (tablet not included)
CGXTP12POA1BLK	R 118	Cirago Slim-Fit Origami case with stand for Samsung Galaxy Tab / Note Pro 12.2, Origami case with stand, Front screen and back protection (tablet not included)
CGXTP8POA1BLK	R 127	Cirago Slim-Fit Origami case with stand for Galaxy Tab Pro 8.4 - Black, CGXTP8POA1BLK, Front screen and back protection, Tablet automatically wakes on open and sleeps on close (tablet not included)
CKDL8PA1BLK	R 118	Cirago Slim-Fit PU case for Amazon fire HDX 8.9 - Black Front screen and Back Protection, Kick Stand (tablet not included)
CS-120B	R 400	Bamboo Stylus mini Blue
DS-JCD612	R 804	J5create JCD612 Powered Travel Dock - USB3.0 Type-C (Gen1/5GBPs) universal docking station - with 4K HDMi USB3.0 type-C (PD 3.0 upto 100w) USB3.0 type-A dual card reader (miCroSDXC SDXC) 3.5mm audio in/out; for windows or MAC/ iPad Pro
E870WCOVER	R 99	Geeko Velocity Plus Leather Protective Case (NO TABLET)
FUZA-A169-01	R 435	Wacom Pen tether for use with Intuos4/5 Grip pen. (Note: Tether only, no pen included)
GAL001	R 46	Unbranded USB OTG Card Reader For Samsung Galaxy
GV0001	R 149	Geeko Velocity Tablet Rubber Cover - Designed for the Geeko Velocity and Geeko Junior Tablets PC ' s - Black, no Warranty

GV0002	R 149	Geeko Velocity Leather Like Cover-Designed for the Geeko Velocity and Geeko Junior Tablets PC ' s - Black, no Warranty
GV0003	R 149	Geeko Velocity Tablet Rubber Cover - Desgined for the Geeko Velocity and Geeko Junior Tablets PC ' s - Black, no Warranty
GX40H71969	R 265	Lenovo Yoga 300-11 Tablet Slot-in Sleeve Black, Designed for Yoga 300 and Yoga 310, Access to charge and access ports while it is still inside the sleeve, Protect your keyboard while in Stand or Tablet mode, High-quality material provides durability and a premium design
HUB-IPAD-PRO-D1070A	R 735	Unitek D1070A Lite 4in1 USB-C Hub - iPad Pro & Air, Aluminimum-Alloy and ABS environmentally friendly plastic, USB-C upstream, 1x HDMI, 1x USB-C PD, 1x USB Type-A, 1x 3.5mm audio, USB-C PD Maximum 100with 20V 5A Input, USB-C PD Maximum 100with 20V 5A Output
ICR02UF	R 173	Unbranded IPad 1 and 2 Card Reader and USB
ICR03UF	R 173	Unbranded Connector IPad to HDMI and USB
ICR05UF	R 173	Urban Factory Urban 5 in 1 Connection Kit for IPad, HDMI, USB, SD, Micro SD, Sync
iD-APF100	R 141	Acecad PF-100 deluxe zip portfolio for digimemo A501/A502, 326x245x40mm - PVC leather and polyester, 3x pen loops, 5x card pockets, 3x multi-function pockets, 1x exterior document compartment, Pad not included
IPC2000GRY	R 118	Cirago PU back Shell for iPad 4th / 3rd / 2nd Gen - Gray, Anti-Slip finish case
IPC3001GRY	R 290	Cirago NuCover Pro - PU Cover Case for iPad (4th / 3rd / 2nd gen) - Grey
IPC3003PNK	R 290	Cirago NuCover Pro - PU Cover Case for iPad (4th / 3rd / 2nd gen) - Pink
IPC3004PUR	R 290	Cirago NuCover Pro - PU Cover Case for iPad (4th / 3rd / 2nd gen) - Purple
IPC3150BLK	R 222	Cirago iPad Mini Gen 1 NuCover leather Mini - Black
IPCM2PA1BLK	R 173	Cirago iPad Mini case with Retina Display PU Slim-Fit 3-fold PC Shell - Black (tablet not included)
IPCM2PA1GRY	R 173	Cirago iPad Mini case with Retina Display PU Slim-Fit 3-fold PC Shell - Grey (tablet not included)
IPCM2PA1PNK	R 173	Cirago iPad Mini case with Retina Display PU Slim-Fit 3-fold PC Shell - Pink (tablet not included)
IPCM2POA2BLK	R 118	Cirago Slim-Fit Origami case with stand for iPad Mini 3 / Mini 2 / Mini - Black, Front screen and back protection, Origami case with stand (tablet not included)
IPCM2POA2NVY	R 118	Cirago Slim-Fit Origami case with stand for iPad Mini 3 / Mini 2 / Mini - Navy, Front screen and back protection, Origami case with stand (tablet not included)
IPCM2POA2PNK	R 118	Cirago Slim-Fit Origami case with stand for iPad Mini 3 / Mini 2 / Mini - Pink, Front screen and back protection, Origami case with stand (tablet not included)
IPCP5LA1BLK	R 296	Cirago iPad Air Leather Slim-Fit 3-Fold Grame Suede Lining - Black (tablet not included)
IPCP5LA1BRN	R 296	Cirago iPad Air Leather Slim-Fit 3-Fold Grame Suede Lining - Brown (tablet not included)
IPCP5LA1RED	R 296	Cirago iPad Air Leather Slim-Fit 3-Fold Grame Suede Lining - Red (tablet not included)
IPCP5PA1BLK	R 187	Cirago iPad Air PU Slim-Fit 3-fold PC Shell - Black (tablet not included)
IPCP5PA1RED	R 187	Cirago iPad Air PU Slim-Fit 3-fold PC Shell - Red (tablet not included)
IPCP5POA2BLK	R 118	Cirago Slim-Fit Origami case with stand for iPad Air (1st Gen) - Black, Origami case with stand, Front screen and back protection (tablet not included)
IPCP5POA2NVY	R 118	Cirago Slim-Fit Origami case with stand for iPad Air (1st Gen) - Navy, Origami case with stand, Front screen and back protection (tablet not included)
IPCP5POA2PNK	R 118	Cirago Slim-Fit Origami case with stand for iPad Air (1st Gen) - Pink, Origami case with stand, Front screen and back protection (tablet not included)
IPCP6PA1BLK	R 457	Cirago iPad Air 2 PU Anti-Slip cover - Black (tablet not included)
IPCP6PA1GRY	R 270	Cirago iPad Air 2 PU Anti-Slip cover - Grey (tablet not included)
IPCP6PA1PNK	R 215	Cirago iPad Air 2 PU Anti-Slip cover - Pink (tablet not included)
JT-TKB008	R 173	Mecer Universal 8" Folio-Type Protective Cover with Bluetooth Keyboard - White
KEYTAB	R 259	Microworld Tablet cover with Keyboard - Type-C, Leather carrying Case, Full working Keyboard, For 9.7" to 11.5" Android Tablet, Connects to your Tablet via Mini USB Interface with Type-C connector, Secure Magnetic closure
KEYTAB5	R 401	Microworld Tablet Bluetooth Keyboard cover, Fits 9 - 11.5 inch Tablet, 60 hours Uninterrupted working time, 200 mAh Battery capacity
KS8412WP	R 196	Kingsons 10.1" Pink Ladies Tablet Bag

LF11041-BK	R 99	Bone Collection Horn Stand with Sound Amplifier for iPad 2 -Provides Audio amplification up to 15dB without the use of batteries and a stable easy to use stand-Black, Retail Box (Tablet not included)
LF11041-GR	R 99	Bone Collection Horn Stand with Sound Amplifier for iPad 2 - Provides Audio amplification up to 15dB without the use of batteries and a stable easy to use stand - Grey, Retail Box (Tablet not included)
LMB-015S	R 299	Lavod LMB-015s Waterproof Bag for iPad Mini & Galaxy Tab
LS-AAA07	R 490	Aavara AA07 stand for 7" Tablet / eBook iPAD series - 360° rotation 180° tilt, with safety lock, 100x100mm VESA mountable for LCD stand / LCD ARM - retail pack
LS-AAA07S	R 968	Aavara AA07S stand for 7" -9" Tablet/ eBook iPAD series - 360deg rotation 174deg tilt, with triple security (arm lock anti-thief lock kensington Lock) - retail pack
LS-AAA10S	R 1,041	Aavara AA10S stand for 9" -11" Tablet / eBook iPAD series - 360deg rotation 174deg tilt, with tripple security (arm lock anti-thief lock kensington Lock) - retail pack
LS-AAPC210	R 1,878	Aavara APC210 display arms clamp base - for up to 11" Tablet / eBook iPAD series - 2 arms/ 3 joints with Tri-Security Mechanism (arm anti-thief Kensington lock) - 360 Degree rotation 180 Degree tilt 230 Degree swivel angle adjustable - retail pack
MC2Q4ZM/A	R 851	Apple Smart Folio for iPad Mini (A17 Pro) - Charcoal Gray
MC2T4ZM/A	R 851	Apple Smart Folio for iPad Mini (A17 Pro) - Light Violet
MC2U4ZM/A	R 1,403	Apple Smart Folio for iPad Mini (A17 Pro) - Denim
MC2V4ZM/A	R 1,403	Apple Smart Folio for iPad Mini (A17 Pro) - Sage
MDEJ4ZM/A	R 1,875	Apple Smart Folio for iPad (A16) - White
MDEN4ZM/A	R 1,875	Apple Smart Folio for iPad (A16) - Lemonade
MDEQ4ZM/A	R 1,955	Apple Smart Folio for iPad (A16) - Sky
MGN03ZM/A	R 380	Apple USB Power Adapter 12W, MGN03ZM/A
MH0A3ZM/A	R 1,714	Apple Smart Folio for iPad Air (5th Generation) - White, MH0A3ZM/A, Magnetic closure, Sleep/wake Function, Stand cover, Polyurethane case material
MH0D3ZM/A	R 1,875	Apple Smart Folio for iPad Air (5th Generation) - Black, MH0D3ZM/A, Polyurethane case material, Magnetic closure, Sleep/wake Function, Stand cover
MINI-ROTATION-R	R 109	Belk iPad MINI Rotation Smart Cover - Red
MM6G3ZM/A	R 1,400	Apple Smart Folio for iPad Mini (6th Generation) - Black, MM6G3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MM6H3ZM/A	R 1,400	Apple Smart Folio for iPad Mini (6th Generation) - White, MM6H3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MM6K3ZM/A	R 1,400	Apple Smart Folio for iPad Mini (6th Generation) - Dark Cherry, MM6K3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MM6L3ZM/A	R 1,400	Apple Smart Folio for iPad Mini (6th Generation) - English Lavender, MM6L3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MM6M3ZM/A	R 1,081	Apple Smart cover for iPad (9th Generation) - English Lavender, MM6M3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MNA43ZM/A	R 1,914	Apple Smart Folio for iPad Air (5th Gen) - Dark Cherry
MNA63ZM/A	R 1,714	Apple Smart Folio for iPad Air (5th Generation) - English Lavender, MNA63ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MNA73ZM/A	R 1,914	Apple Smart Folio for iPad Air (5th Gen) - Marine Blue
MOB001	R 58	Microworld Aluminium Smartphone / Tab stand
MQDP3Z/A	R 4,982	Apple Magic Keyboard Folio for iPad (10th Gen) - International English, MQDP3Z/A (iPad not included)
MQDP3Z/A	R 5,049	Apple Magic Keyboard Folio for iPad (10th Gen) - International English, MQDP3Z/A
MQDQ3ZM/A	R 1,875	Apple Smart Folio for iPad (10th generation) - White, MQDQ3ZM/A
MQDR3ZM/A	R 1,242	Apple Smart Folio for iPad (10th Generation) - Lemonade, MQDR3ZM/A, Magnetic closure, Sleep/wake Function, Stand cover
MQDT3ZM/A	R 1,875	Apple Smart Folio for iPad (10th Generation) - Watermelon, MQDT3ZM/A, Magnetic closure, Sleep/wake Function, Stand cover

MQDU3ZM/A	R 1,875	Apple Smart Folio for iPad (10th generation) - Sky Blue, MQDU3ZM/A
MSE481	R 159	Genius Touch Pen 100L Pearl Violet, Super soft and flexible 7 mm stylus tip design is replaceable ,Highly sensitive and durable pen tip provides precision control
MUL539	R 238	Genius SP-I600 iPad Docking Speaker System
MUWA3ZM/A	R 1,581	Apple Pencil (USB-C), MUWA3ZM/A, Bluetooth, USB-C connector, Magnetically attaches
MUWA3ZM/A	R 1,633	Apple Pencil (USB-C), MUWA3ZM/A, Bluetooth, USB-C connector, Magnetically attaches
MW973ZM/A	R 1,323	Apple Smart Folio for iPad Pro 11" (M4) - White, MW973ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MW983ZM/A	R 1,955	Apple Smart Folio for iPad Pro 11" (M4) - Black, MW983ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MW993ZM/A	R 1,955	Apple Smart Folio for iPad Pro 11" (M4) - Denim, MW993ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK23ZM/A	R 2,346	Apple Smart Folio for iPad Pro 13" (M4) - White, MWK23ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK33ZM/A	R 2,346	Apple Smart Folio for iPad Pro 13" (M4) - Black, MWK33ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK43ZM/A	R 2,346	Apple Smart Folio for iPad Pro 13" (M4) - Denim, MWK43ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK53ZM/A	R 1,875	Apple Smart Folio for iPad Air 11" (M2) - Charcoal Gray, MWK53ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK63ZM/A	R 1,242	Apple Smart Folio for iPad Air 11" (M2) - Denim, MWK63ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK73ZM/A	R 1,242	Apple Smart Folio for iPad Air 11" (M2) - Sage, MWK73ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK83ZM/A	R 1,875	Apple Smart Folio for iPad Air 11" (M2) - Light Violet, MWK83ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles (iPhone not included)
MWK93ZM/A	R 1,714	Apple Smart Folio for iPad Air 13" (M2) - Charcoal Gray, MWK93ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MWKA3ZM/A	R 2,346	Apple Smart Folio for iPad Air 13" (M2) - Denim, MWKA3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MWKC3ZM/A	R 1,714	Apple Smart Folio for iPad Air 13" (M2) - Sage, MWKC3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MWKD3ZM/A	R 2,346	Apple Smart Folio for iPad Air 13" (M2) - Light Violet, MWKD3ZM/A, Magnetic closure, Sleep/wake Function, Stand with adjustable angles
MWR03Z/A	R 5,990	Apple Magic Keyboard for iPad Pro 11" (M4) - International English White, MWR03Z/A
MWR03Z/A	R 6,107	Apple Magic Keyboard for iPad Pro 11" (M4) - International English White, MWR03Z/A (iPad not included)
MWR23Z/A	R 5,990	Apple Magic Keyboard for iPad Pro 11" (M4) - International English Black, MWR23Z/A
MWR23Z/A	R 6,107	Apple Magic Keyboard for iPad Pro 13" (M4) - International English White, MWR43Z/A (iPad not included)
MWR43Z/A	R 6,979	Apple Magic Keyboard for iPad Pro 13" (M4) - International English White, MWR43Z/A
MWR43Z/A	R 7,061	Apple Magic Keyboard for iPad Pro 13" (M4) - International English White, MWR43Z/A (iPad not included)
MWR53Z/A	R 6,979	Apple Magic Keyboard for iPad Pro 13" (M4) - International English Black, MWR53Z/A
MWR53Z/A	R 7,061	Apple Magic Keyboard for iPad Pro 13" (M4) - International English Black, MWR53Z/A (iPad not included)
MX2D3ZM/A	R 2,570	Apple Pencil Pro, MX2D3ZM/A, Compatible with --> iPad Air 11" (M2) / iPad Air 13" (M2) / iPad Pro 13" (M4) / iPad Pro 11" (M4)
MX2D3ZM/A	R 2,622	Apple Pencil Pro, MX2D3ZM/A, Compatible with --> iPad Air 11" (M2) / iPad Air 13" (M2) / iPad Pro 13" (M4) / iPad Pro 11" (M4)
MX3L2Z/A	R 2,668	Apple Smart Keyboard for iPad 8th/9th Gen - International English, MX3L2Z/A (iPad not included)
MX4U2ZM/A	R 1,162	Apple Smart cover for iPad (9th Generation) - Black, MX4U2ZM/A, Polyurethane case material, Magnetic closure, Sleep/wake Function, Stand cover

MX763ZM/A	R 437	Apple Pencil tips - 4 pack, four extra tips for Apple Pencil
MXN43ZM/A	R 2,634	Apple Pencil (2nd Generation), Model A2051, Bluetooth connectivity
MXNK2Z/A	R 3,738	Apple Smart Keyboard Folio for iPad Pro 11" (1st-4th gen) and iPad Air (4th / 5th gen), MXNK2Z/A (iPad not included)
MXNL2Z/A	R 4,094	Apple Smart Keyboard Folio for 12.9" iPad Pro (3rd / 4th / 5th / 6th Gen) - International English, MXNL2Z/A (iPad not included)
MYQW3ZM/A	R 2,128	Apple Pencil (1st Generation), Model A1603, Bluetooth, Lightning connector, Extra tip, Lightning Adapter, USB-C to Apple Pencil Adapter
NA-JUC501	R 447	j5 create JUC610 Android Mirror Switch with Display on PC, Detachable cable design for need of Long cables, To use Android Mobile device on a PC with full-size Keyboard and Mouse, Copy and Paste Data transfer from your PC to your phone or vice versa, with 14 on screen functions, Auto screen rotate, USB 2.0 (Type-A - Micro Type-B), 1.2m, 480 Mbps - for Windows only
NA-JUC600	R 344	J5 create JUC600 USB2.0 to miCro-B android mirror switch with display on PC - to use android mobile device on a PC with full-size keyboard and mouse, copy and paste data transfer from your PC to your phone or vice versa - with 14 on screen functions, auto screen rotate, USB2.0 (type A - micro type B), 1.2m, 480Mbps - for Windows only
NA-JUC610	R 452	J5 create JUC610 USB2.0 to type-A female converter - android mirror switch with display on PC - to use android mobile device on a PC with full-size keyboard and mouse, copy and paste data transfer from your PC to your phone or vice versa - with 14 on screen functions, auto screen rotate, USB 2.0 (type A - micro type B), 1.2m, 480Mbps - for Windows only
NBHP6SG43AA	R 1,521	HP Rechargeable Active Pen G3
NC-CARB	R 124	Coolermaster R9-NBS-ARCKG-GP - ARc Stand Black for Mac book Pro / iPAD - 200x119x83mm - retail pack
NC-JTS224	R 1,768	J5create JTS224 multi-angle mobile stand with mini dock , upto 1.5Kg mobile device - aluminum construction , adjustable angle and height , foldable design , with magnetic attached type-C mini dock (2x type-A 1x type-C with 100W PD 4K HDMi 3.5mm audio
NC-VUST100	R 36	Vantec UST-100-Bk - Universal Stand for Tablet - for iPAD / Tablet / eBook - work as stand or carry handle , adjustable viewing angles 360 degree rotation Suction Grip and Lock Mechanism , foldable for easy storage , no fan , 110x107x30mm - retail pac
P67	R 489	Microworld P67 Tablet Mobile stand, 360 degree Rotating, Suitable for 10.9 - 12.9 inches Tablets, Metal screw Type fixed, Anodizing high hardness Aluminum Alloy, Cantilever Design multi-node free adjustment
PAD001	R 345	Unbranded IPad to VGA Screen Cord
PSU-N46-3PIN	R 92	Unbranded N46 15V 3 pin 2.58A for Microsoft Surface PRO5
RECCE13PINK	R 344	Armaggeddon Recce 13 GAIA Tablet Backpack - Pink, Made from approximately six bottles, Multi storage design, Additional luggage strap, Anti-Theft pocket, Supports up to 13" Tablet, Padded back and shoulder straps
ROC-12-231	R 1,815	Roccat Skeltr Communication RG Keyboard
SP-LSS	R 538	Logitech 984-000596 Speaker Stand for iPad, angle adjustable stand, charger for iPAD with built-in speaker, for tablet/iPad or other 3.5mm jack audio player, with on/off switch volume control, 6RMS, iPad NOT included.
TABHOLD	R 69	Microworld adjustable phone/Tab holder for cars
TC-07-R	R 184	Unbranded Tablet Cover for 7" tablet
THD00154SMC-GRY	R 159	Belk iPad MINI Hard Smart Case-GREY
THD918GL	R 552	Targus THD918GLZ Protect Case for Microsoft Surface Pro 11th Edition / 10th / 9th - Black, Rugged style
TL-MF3299	R 344	Tuff-Luv Case stand Slim Folio - M10 P, Front of our Foldable cover can be rolled back behind, Sleep Function engaged when Case is closed, 2 stand positions
TL_MF2075	R 194	Tuff-Luv temperered Glass for Lenovo M10 10"
TL_MF3304	R 459	Tuff-Luv Galaxy Tab A7 armour jack Case, Protective Case is made of High-Quality hard Plastic & Soft shock-absorbing Silicon, Built-In 360 degree Rotating kickstand, Flexible Nylon shoulder strap, Hand strap
VB-312-GR	R 92	Volkano Tablet 7" cover Core Series Green, Adjustable flip function, Soft interior for maximum protection, Multiple viewing angles, Compatible with 7" tablets, Light weight and durable
VB-VK307-B	R 230	Volkano tablet cover 7" with USB Keyboard Black, Built-in stand, Soft interior for maximum protection, Universal keyboard, Compatible with 7" - 8" tablets with OTG capabilities, Plug and Play using a micro USB

VB-VR308/GRBK	R 103	Volkano Tablet 7" - 8" cover Zenith Series Grey & Black, Built-in stand, Soft interior for maximum protection, Universal keyboard, Compatible with 7" - 8" tablets with OTG capabilities, Plug and Play using a micro USB
VB-VR312/GRBL	R 103	Volkano Tablet 7" - 8" cover Shield Series Grey & Blue, Adjustable flip function, Soft interior for maximum protection, Multiple viewing angles, Compatible with 7" or 8" tablets, Lightweight and durable
WX-SP101	R 409	WINX Doodle Pro iPad Stylus, Works with Apple iPad, 1.5mm tip, Includes 2 spares, Replaceable with Original Apple Pencil 2nd Gen tips, Type-C Wired charging Port, 60-80 minutes Wired charging time, Wireless Magnetic charging, 1 to 2 hours Wireless charging time, Bluetooth connectivity, Up to 10 hours operating time, Magnetic Attachment, Palm rejection, Tilt sensitivity, Plastic material
WX-SP102	R 250	WINX Doodle simple Universal Stylus, Works with capacitive touch-screen devices, 1.5 mm replaceable tip (Includes 2 spares), Type-C Wired charging Port, Up to 30 minutes Wired charging time, Up to 8 hours operating time, Magnetic Attachment, Aluminium Alloy material
WX-SP103	R 488	WINX Doodle Max USI 2.0 Stylus, Works with USI 2.0 enabled devices, 1.5 mm replaceable tip, Includes 2 spares, Type-C Wired charging Port, Up to 60 minutes Wired charging time, Up to 110 hours operating time, Magnetic Attachment, Palm rejection, Tilt sensitivity, 4096 Pressure sensitivity, Aluminium Alloy material
ZG38C00139	R 334	Lenovo TAB2 A10-70 Folio Case and Film (Gray-WW)
ZG38C01335	R 229	Lenovo Yoga Book Real Pen Ink Refills, Pen not included, ZG38C01335
ZG38C02325	R 52	Lenovo ZG38C02325 Folio Case and Screen Film for TAB 4 7 E

< Return to the menu

Tablet spare parts

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Telephones

Product code	Price	Description
MC1002B	R 1,256	Motorola C1002 Black Duo Dect Cordless Phone Eco Plus Mode Caller I.d. 50 Name And Number Phonebook Speaker Phone Gap Enabled Blue Backlight Display Alarm Clock Mute Function 6.5 Hrs Talk Time/135 Hrs Standby Time
MT111PLUS	R 908	Motorola T111 Black Dect Cordless Phone With Tam Eco Plus Mode Caller I.d. 50 Name And Number Phonebook Speaker Phone 15 Minute Record Time Gap Enabled Blue Backlight Display Alarm Clock Mute Function Up To 5 Handsets 6.5 Hrs Talk Time/135 Hrs Standby Time
SM-GS-REPEATER	R 3,467	Siemens Gigaset repeater 2.0. Doubles the DECT range of the base station.

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Thunderbolt expansion

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Tools - heavy duty & DIY

Tools - Battery jumper cables

Product code	Price	Description

< Return to the menu

Tools - Allen keys

Product code	Price	Description
NET-HW-122M	R 98	ProsKit HW-122m Folding Type metric 8-piece Hex key Set, Cr-V fixed Steel material, ABS TPE Non-Slip Shell housing, Swiss-knife style Folding storage Design

< Return to the menu

Tools - Chisels & files

Product code	Price	Description
NET-PT-5205U	R 391	ProsKit PT-5205U Mini grinder Set, Battery powered

< Return to the menu

Tools - Drill bits for metal

Product code	Price	Description

< Return to the menu

Tools - Extractor

Product code	Price	Description

< Return to the menu

Tools - Glues & sealants

Product code	Price	Description
AC-TOOL-GL-GN	R 246	Acconet 80W Glue Gun
AC-TOOL-GL-STK-1KG	R 196	AccoNet 34 pieces Diameter 11mm x 300mm - 1kg glue sticks, AC-TOOL-GL-STK-1KG
INS-GS	R 6	Golf Glue Stick - standard 300mm - single unit
INS-W	R 12	Scoop INS-W 20 meter roll of flame retardant white insulation tape
NET-GK-390B	R 171	Proskit 80 Watt 11m glue gun, GK-390B
NET-GK-392B	R 442	ProsKit GK-392B 100 Watt 11mm Glue Gun, 11mm Glue Stick, 6-7 min pre-heat time
NET-GLUEGUN-25W	R 246	Unbranded GG-5D Glue Gun 25W 230V, Anti drip nozzle
NET-GLUEGUN-7W-BAT	R 193	Unbranded battery operated glue gun 7.5mm, GG-7063/5101085-00
NET-GLUEGUN-7W-BATT	R 259	Unbranded battery operated Glue Gun 7W / 6V - 7.5 mm, CH-1000
NET-GLUESTICK-10PK	R 74	Unbranded Glue Stick pack of 10, STG-111810
SG790301	R 49	Noble Silicone Gun, Retail Packaging, 3 Months Warranty
T-GG	R 229	Switchcom 40W Glue Gun

< Return to the menu

Tools - Hammers

Product code	Price	Description

< Return to the menu

Tools - Measuring

Product code	Price	Description
ADA-MULTIM-OLED	R 360	Ecore OLED Type-C multimeter with 0.96 inch screen, Real-Time detection of the State of charge of your device
MT67-7525	R 69	Aiyi 7.5 Metre Measuring Tape-Yellow, Retail Packaging, 3 Months Warranty
MTNO67-5019	R 49	Aiyi 5 Metre Measuring Tape-Yellow, Retail Packaging, 3 Months Warranty
NET-MT-7029N	R 1,723	Proskit MT-7029N Poe (Up To Dc 48v) Noise-filtering Tone And Probe Kit
NF-272L	R 574	UltraLAN NF-272L 100m Multi-Function Laser distance meter, Rechargeable Battery

< Return to the menu

Tools - Other DIY

Product code	Price	Description
6951385-400067	R 19	Noble Round Cable Clips 6mm - White 100 Pieces per pack, Retail Packaging, 3 Months Warranty
6951385-400074	R 19	Noble Round Cable Clips 7mm - White100 Pieces per pack, Retail Packaging, 3 Months Warranty
6951385-400081	R 29	Noble Round Cable Clips 8mm White 100 Pieces per pack, Retail Packaging, 3 Months Warranty
6951385-400098	R 39	Noble Round Cable Clips 9mm White 100 Pieces per pack, Retail Packaging, 3 Months Warranty
6951385-400104	R 49	Noble Round Cable Clips 10mm White 100 Pieces per pack, Retail Packaging, 3 Months Warranty
6951385-400128	R 59	Noble Round Cable Clips 12mm White 100 Pieces per pack, Retail Packaging, 3 Months Warranty
960311	R 99	Manhattan LED Aluminium Flashlight - Multipack With Three Torches, Bright 45-Lumen Output, Nine LEDs, Compact Format, High-Quality Aluminium Housing With Convenient Carry Loop, Black Retail Box
BHR5510GL	R 2,468	Xiaomi 12V Max Brushless Cordless Drill - EU
BHR5596GL	R 976	Xiaomi Smart Laser Measure
BHR7004GL	R 1,109	Xiaomi Multifunctional Flash Light
BRKRS01	R 49	Noble Bike Repair Kit, Retail Packaging, 3 Months Warranty
CAM-FERRET-CFWF-CFST	R 2,279	Ferret CFWF50A Wireless Camera CFST-55 Extendable Stick 31-140cm, 720p Hd Streaming, Rechargeable
COVEZ1	R 39	Noble Pays 4x2 Blank Cover Plate, Sold as a Single unit, 3 Months Warranty
DKL-15G	R 288	Vsgo DKL-15G Optical cleaning kit Travel, Wet wipes, Lens cleaner 30ml, Suede cloth, Lens cleaning cloth, Mini Air Blower Black x 1pc, Professional Lens Pen x 1pc
DKL-5S	R 148	Vsgo DKL-5S camera Lens cleaning kit, Lens cleaner, Lens cleaning cloth, 1x cleaning brush, 1x Mini Air Blower
Elgato Heavy Clamp 10AAQ9901	R 552	Elgato Heavy Clamp - Heavy-duty G-Clamp, Ball head and four 1/4 inch threads, Rubber pad with tube groove
ID810RE	R 499	Casals 13mm 810W Variable Speed Red Impact Drill - 810W Power, 13mm Keyed Chuck, Variable Speed Control, Hammer & Drill Function, Reverse Function, Tigger Lock Switch, 360° Adjustable Auxiliary Handle, 2m Power Cable, Retail Box, 6 Months Warranty
INS-B	R 12	Scoop Black Insulation Tape - 20m roll
KD500	R 49	Geeko Black/Red Multimeter point Cables, Retail Box
NBL-147-1BK	R 19	Noble Nylon Cable Ties 2.5 x 100mm Pack of 100 Black - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour Black, Retail Packaging, No Warranty
NBL-147-1WH	R 19	Noble Nylon Cable Ties 2.5 x 100mm Pack of 100 White - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour White, Retail Packaging, No Warranty
NBL-147-2WH	R 29	Noble Nylon Cable Ties 2.5 x 200mm Pack of 100 White - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour White, Retail Packaging, No Warranty
NBL-147-4BK	R 39	Noble Nylon Cable Ties 3.6 x 200mm Pack of 100 Black - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour Black, Retail Packaging, No Warranty
NBL-147-4WH	R 39	Noble Nylon Cable Ties 3.6 x 200mm Pack of 100 White - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour White, Retail Packaging, No Warranty
NBL-147-6BK	R 59	Noble Nylon Cable Ties 4.8 x 200mm Pack of 100 Black - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour Black, Retail Packaging, No Warranty
NBL-147-6WH	R 59	Noble Nylon Cable Ties 4.8 x 200mm Pack of 100 White - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour White, Retail Packaging, No Warranty
NBL-147-7WH	R 69	Noble Nylon Cable Ties 4.8 x 300mm Pack of 100 White - Self-Locking Design, Widely Used For Tying Cables, Plants, Packages, Designed For Indoor And Outdoor Use, Colour White, Retail Packaging, No Warranty
NBLLF-E20W-BLK	R 89	Noble Hot Melt Glue Gun 20w Black With Indicator Light And On/Off Switch On The Handle, Quickly Melt (Approx. 8 Minutes) Compatible With 7mm Diameter Glue Sticks, Automatic Constant Temperature Design, Retail Packaging, 3 Months Warranty
NBLLF-E20W-RD	R 89	Noble Hot Melt Glue Gun 20w Red- With Indicator Light And On/Off Switch On The Handle, Quickly Melt (Approx. 8 Minutes) Compatible With 7mm Diameter Glue Sticks, Automatic Constant Temperature Design, Retail Packaging, 3 Months Warranty
NBLLF-E20W-WHT	R 89	Noble Hot Melt Glue Gun 20w White- With Indicator Light And On/Off Switch On The Handle, Quickly Melt (Approx. 8 Minutes) Compatible With 7mm Diameter Glue Sticks, Automatic Constant Temperature Design, Retail Packaging, 3 Months Warranty

NET-8PK-C002	R 79	Proskit foam swabs cleaning kit, 8PK-C002
NET-CP-318	R 360	Proskit VVF 1.6/2.0 wire stripper
NET-DK-2039	R 79	Proskit DK-2039 utility knife (3 blades self loading)
NET-DK-2112	R 150	Proskit auto loading Utility knife, DK-2112
NET-MS-C005I	R 782	Proskit MS-C005i dust blowing and Vacuum Cleaner, 450 W power
NET-SB-2419	R 74	ProsKit SB-2419 compartment storage box, 238 x 192 x 42mm size
NET-SB-2918	R 152	ProsKit Multi-Function tool box wth storage Tray, 290 x 175 x 175mm size
SFL1000P/10	R 79	Philips SFL1000p flashlight 70 Lumens, AA/LR6 Alkaline Battery Type, 70 Lumens light Output, Durable Aluminium alloy, 65 metre beam distance, Up to 5 hours Runtime
SOLHX5MMSTSW	R 9	Solarix Hexagon Head Self Tapping Screw Pack of 4-Self Drilling Screws, M4.8 x 16mm Long- Capable Of Drilling Pilot Holes Into Sheet Metal Up To 5mm In Thickness., Hex Washer Head, Requires A Socket Or Spanner To Tighten And Loosen, OEM Packaging Retail Box, No Warranty
UB-ULED-DIM-AT	R 741	Ubiquiti UniFi LED Light Dimmer Switch
UF-6345	R 148	Unbranded UF-6345 Silicone electronics repair Mat, Silicone material construction, Designed for Mobile device repair, Suitable for PCB soldering, Supports micro-component assembly, Features dedicated containment zones, Includes Integrated tool holders, Keeps screws securely in place, Holds drivers and components during teardown, Maintains organized workspace
YETA300	R 49	UniQue Cable Clip - Hook on, Retail Box

< Return to the menu

Tools - Padlocks

Product code	Price	Description
NBL-2560C-60MM	R 59	Noble Stainless Steel Disc Padlock - 60mm Padlock Size, Stainless Steel Armor Outer Shell, Weatherproof, Rustproof, Waterproof, Fits Most Storefront Gate Receptacles, 2 Keys Included
NBL-2570C-70MM	R 69	Noble Stainless Steel Disc Padlock - 70mm Padlock Size, Stainless Steel Armor Outer Shell, Weatherproof, Rustproof, Waterproof, Fits Most Storefront Gate Receptacles, 2 Keys Included, 1 Month Warranty
NBL-2590C-90MM	R 89	Noble Stainless Steel Disc Padlock - 90mm Padlock Size, Stainless Steel Armor Outer Shell, Weatherproof, Rustproof, Waterproof, Fits Most Storefront Gate Receptacles, 2 Keys Included, 1 Month Warranty
NBL-S100	R 39	Noble Lockable Pad Bolt lock 100mm Zinc Plated, Retail Packaging, 3 Months Warranty
NBL-S125	R 49	Noble Lockable Pad Bolt lock 125mm Zinc Plated, Retail Packaging, 3 Months Warranty
NBL-S150	R 59	Noble Lockable Pad Bolt lock 150mm Zinc Plated, Retail Packaging, 3 Months Warranty
NBL-S200	R 69	Noble Lockable Pad Bolt latch 200mm Zinc Plated - Can be installed horizontally or vertically, Rust and Corrosion resistant for durability, Retail Packaging, 3 Months Warranty

< Return to the menu

Tools - Paint

Product code	Price	Description
6076200-298596	R 39	Noble 4.0 Inch Paint Brush-Blue Handle, Retail Packaging, 3 Months Warranty
PRLX5088	R 39	Noble 9 Inch Paint Roller - Blue Handle, Retail Packaging, 3 Months Warranty

< Return to the menu

Tools - Pliers & cutters

Product code	Price	Description
6598721-432155	R 49	Noble Rowton Long Nose 8 inch Pliers and Side Cutter Combination with Anti-slip handles - Made from drop-forged steel, Long Nose design and smooth tapering jaws are capable of gripping and manoeuvring wire in confined area. Fixed joint design to bend, loop and cut wire, Slip-resistant ABS material handle, Retail Box, 3 Months Warranty
6789777-700071	R 69	Aiyi 10" Tin Snips With Spring, Retail Packaging, 3 Months Warranty
CAB-T-DCP	R 68	Noyafa diagonal cutting pliers
CAB-T-LNP	R 56	Noyafa Long nose pliers

CAB-T-LP	R 79	Noyafa Linemans pliers, Two-tone molded comfort grip Handle
NET-1PK-051DS	R 123	Proskit Dual Colour Lineman plier 210mm, 1PK-051DS
NET-1PK-066N	R 171	Proskit 2-in-1 wire stripper/cutter, 1PK-066N
NET-1PK-067DS	R 105	Proskit 165mm side cutter, 1PK-067DS
NET-8PK-25PD	R 207	Proskit 130mm Micro side cutter, 8PK-25PD
NET-DK-2043	R 240	Proskit Fibre optic Kevlar cutter, DK-2043
NET-PM-396F	R 182	Proskit 115mm stainless steel side cutter, PM-396F
NET-PM-905F	R 184	Proskit diagonal cutting plier (128mm), PM-905F
NET-PM-908	R 220	ProsKit PM-908 Side Cutting Plier 160mm - Black oxide
NET-SR-330	R 87	Proskit 165mm All purpose stainless steel cutter, SR-330
NET-SR-336	R 250	Proskit SR-336 multi-purpose scissor, Stainless steel with curve Blade design, Serrated Blade
NET-SR-338	R 250	Proskit SR-338 multi-purpose shears, Stainless steel with serrated Blade, Notch design, Storage lock
NET-TTK-172	R 132	Goldtool 5 inch wire cutter and stripper for 10-24 AWG, TTK-172

< Return to the menu

Tools - Rachet & socket sets

Product code	Price	Description
1315312-156406	R 49	Noble Ratchet 1/4 Inch Drive, Retail Packaging, 3 Months Warranty
1315312-156437	R 59	Noble Ratchet 3/8 Inch Drive, Retail Packaging, 3 Months Warranty

< Return to the menu

Tools - Saws

Product code	Price	Description

< Return to the menu

Tools - Screwdrivers

Product code	Price	Description
71880	R 459	Goobay 71880 Mini Cordless Screwdriver 3.6V with LED light, 1.3 Ah Maximum capacity, Lithium-ion Battery, Lithium-ion Battery, 3x 25 mm crv Bit Set, 1x Bit extension, 2x drill bits
74003	R 298	Goobay 74003 37-piece Precision screwdriver Set, 6x flat heads, 4x phillips tips, 2x pozidriv, 7x hexagonal heads, 1x 100 mm Precision screw Bit includes 7x hexagonal nuts
77050	R 171	Goobay Fixpoint 77050 6 pieces small screwdriver Set, 2 phillips screwdrivers, 4 slotted screwdrivers
77093	R 298	Goobay 77093 fixPOINT 25 pieces Universal Tool Set, 6x Micro screwdrivers, 1x Bit screwdriver with extension Plus 10x bits, Pliers, 1x Micro side cutter, 1x tweezers, Socket spanners
77095	R 171	Goobay 77095 fixPOINT screwdriver with Magnetic Bit-Holder, Set of six Magnetic, Exchangeable bits for screwdriver, 2x flat-head, 4x phillips
BHR4680GL	R 442	XIAOMI Mi Precision Screwdriver Kit
BHR4779GL	R 429	XIAOMI Mi 16-in-1 Ratchet Screwdriver
BHR5474GL	R 803	Xiaomi Electric Precision Screwdriver
CM372-80459	R 178	UGREEN 38-in-1 Aluminum Alloy Screwdriver Set
DZN4019TW	R 800	Xiaomi Mi Cordless Screwdriver
GSD-1209	R 429	Goldtool Smart Phone Repair Kit Aluminium Precision Screwdrivers, Ideal for working on cell phones, electronics and other smart devices, Drivers With Metal-Grip Handles And Hardened Tips(-) 1.2x50mm, 2.0x50mm ( ) PH00x50mm, PH000x50mm (*) P0.8, P1.2
GSD-810BLK	R 129	Goldtool 7 In 1 Stubby Torx Driver Set - The drive set includes 7 of the most commonly used Torx Drive sizes including T6, T7, T9, T8, T10, T15, T4, Perfect for use on electronics, toys, set screws, Black Handle doubles as drive storage, Retail Packaging, 3 Months Warranty.
GSD-810BLU	R 129	Goldtool 7 In 1 Stubby Flat Head Driver Set - The drive set includes 7 sizes including 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm, Perfect for use on electronics, toys, set screws, Blue Handle doubles as drive storage

GSD-810YEL	R 129	Goldtool 7 In 1 Stubby Phillips Driver Set - The drive set includes 7 Phillips Screwdriver heads in sizes 4, 3, 2, 1, 0, 00, 000, Perfect for use on electronics, toys, set screws, Yellow Handle doubles as drive storage
GSD-852-40	R 1,499	Goldtool 40 Piece 7in1 micro-bits screwdriver with fishbowl, Retail box
NET-HW-122T	R 98	ProsKit HW-122t Folding Type 8-piece Star key Set, Tamper-Proof Star / Torx key types, Hardened Steel Bit material, Swiss-knife style Folding storage
NET-SCREW-SD-9828	R 416	Proskit 58-piece screwdriver Set, SD-9828
NET-SD-9857M	R 344	Proskit 57 in 1 multifunction screw Driver kit, SD-9857M
NET-SD-V861	R 880	Proskit 13 piece VDE screwdriver kit
NET-TOOL-11P-9632	R 978	Sprotek 11-piece 1000v Screwdriver & Pliers Set
NET-TOOL-STD-6735	R 782	Sprotek USB Rechargeable Screwdriver. 3.7V 10Nm 280RPM Electric or Manual, USB Rechargeable Lithium Battery, built-in light, two directional, comes with an assortment of screwdriver bits for various screw head types (PH Phillips, PZ Pozidriv, SL slotted flat blade)
SDIE-002	R 29	Noble Double Sided Screw Driver, Retail Packaging, 3 Months Warranty
SDZY-07	R 29	Noble Double Sided Screwdriver-Red, Retail Packaging, 3 Months Warranty

< Return to the menu

Tools - Soldering irons

Product code	Price	Description
NET-SI-211B	R 230	ProsKit SI-211B 40W 2-in-1 soldering and desoldering pump, 40W Power consumption, 400 Degrees C temperature, 35 cmHg Super Hi-Vacuum Force, Anti-Scalding needle, 2mm Oxidation-Resistant Alloy tip
NET-SN-396N	R 489	ProsKit soldering helping hand with LED magnifier, Glass magnification material, 40 pieces SMD LEDs Light source, 270mm neck length (For magnifier), 270mm neck length (For alligator clips), 190 x 170mm base size
NET-SOLD-5W-USB	R 206	Unbranded USB soldering iron 5W 5V, KSI-505/5412010-00
NET-SOLD-6W-RECH-BAT	R 363	Unbranded rechargeable soldering iron 6W / 3.7V, KBI-637P
NET-SS-956B	R 2,259	Proskit Smart rework station 600W with vacuum pickup, SS-956B, Diaphragm pump, 24 l/min (Maximum) air capacity
NET-SS-979B	R 3,153	ProsKit SS-979b 2 in 1 SMD hot Air rework station, Dual Display allows you to control soldering iron & hot Air gun individually, Soldering iron comes with ceramic heating element
NET-SS-988B	R 3,853	ProsKit SS-988B 6 in 1 Multifunction soldering iron station

< Return to the menu

Tools - Spanners & wrenchers

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Tools Kits & tools

Product code	Price	Description
129102	R 68	EQUIP TOOLS, Universal Stripping Tool, dismantling of UTP, STP, ISDN, telephone & data cables up to 9mm max
129404	R 574	EQUIP TOOLS, Professional Crimping Tool, crimps 4P/ 2C, 4P/ 4C, 6P/ 4C, 6P/ 6C & 8P/ 8C, With wire stripping, cutting function & round cable stripper
129504	R 1,263	EQUIP TOOLS, Professional Network Box, utp, stp & telephone cableing, professional crimping tool, keystone jacks, lsa punch down tool, screw driver, 20 unshilded cat 6 rj45, 20 black boots
30210040	R 81	Unbranded Air Duster 400ml spray bottle for Cleaning. Also known as air duster / air blower / dust cleaner / compressed air dust cleaner. Used to blow dust and particles away from electronic components, computer and laptop motherboards, graphics cards, power supplies, cooling fans, cooling fins and heat sinks. Can also be used on keyboards, cameras, printers, point of sales, and any equipment that accumulates dust.
30210040	R 199	Unbranded Air Duster Spray Removes Dirt And Particles Away 375ml. Also known as air duster / air blower / dust

		cleaner / compressed air dust cleaner. Used to blow dust and particles away from electronic components, computer and laptop motherboards, graphics cards, power supplies, cooling fans, cooling fins and heat sinks.
6008516-401016	R 49	Aiyi 6" Long Nose Plier, Retail Packaging, 3 Months Warranty
74005	R 631	Goobay 74005 58-piece Precision screwdriver case, Magnetic tips, Ergonomic Handle and the Non-Slip rubberised shaft, Precision screwdrivers made of Chrome vanadium Steel
800-28500	R 99	Noble Multipurpose 12 Piece DIY Repair Tool Kit - Ideal For Home also great for Cars, Motorcycles, Motor-Homes And Boats, 1X Cutting Pliers , 1X Electrical Test Pen, 1x Phillips and 1x Slotted Tip Screwdrivers, 1X Utility Knife , 1X Tape Measure 1metre, 5X SAE Hex Keys and Sturdy Blow Moulded Carry Case, Retail Packaging
BHR08S8GL	R 1,531	Xiaomi Mijia Brushless Cordless Drill 2, 50 n m Max Torque, Self-locking chuck, 10 mm Max chuck Diameter, 1900mAh Lithium-ion Battery, USB Type-C charging Port, Approx. 2 hours charging time, Integrated Display screen, Built-In LED Light, Forward / Reverse / lock Switch, 5 included drill bits, 10 included screwdriver bits
BHR08S9GL	R 1,356	Xiaomi Mijia Tool Kit, Electric screwdriver, Adjustable wrench, Claw Hammer, Pliers, Utility Knife, Tape measure, Allen Keys
BHR08SAGL	R 852	Xiaomi Mijia Rotary Tool Kit, Electric Rotary Tool Kit (Engraving / grinding / polishing / drilling), Brushless coreless motor, Adjustable Rotary Knob Speed control, 15000 - 22000 rpm no-load Speed, Up to approx. 60 minutes per full charge Runtime, 800mAh Lithium-ion Battery, USB Type-C charging Interface, 16-piece grinding & polishing & and drilling bits
CC-9310003-WW	R 679	Corsair PC DIY Precision Toolkit - PC, Electronics repair kit, Magnetized tray, 65 nickel-plated screw bits, Flexible extension rod, CC-9310003-WW
CRIMPING TOOL	R 46	Unbranded Crimping Tool RJ11 only
DDG-1	R 150	Vsgo anti-static cleaning gloves. Camera cleaning; polyurethane fingertips; stretch nylon; elastic fit; comfortable long-term wear; photography handling; optical maintenance; white color.
GLU-GUN	R 173	Planet 80W Glue Gun, Has a GS safety mark, Double insulated, For light industrial use, crafts, DIY, home repairs, model building; wood, fabric, plastic, ceramics; compact ergonomic; black.
GLU-STI	R 6	Linkbasic GLU-STI 300mm Glue Stick - single unit
GPL-202	R 129	Goldtool 5" (12.7cm) Long Nose Stainless Pliers
GPL-203	R 129	Goldtool 5" (12.7cm)Bent Nose Stainless Pliers
GPL-204	R 129	Goldtool 5" (12.7cm)Flat Nose Stainless Pliers
GSR-101B	R 89	Goldtool 60/40 Alloy Solder pen-15 gram Dia=1.0mm Wire
KDNT8043	R 599	UniQue Network Tool KitTelephone plier, 8P8C Modular plug, Impact tool, Blade, Stripper for coaxial cable.
MAT-STM01-2	R 731	Lumi Anti fatigue standing mat Black 510 x 990 x 20 mm, STM01-2
NET-1PK-810B	R 1,291	Proskit Computer service tool kit (220V), 1PK-810B, Long nose plier 135 mm, Diagonal cutting plier 110 mm, Fine tip straight tweezer, 3 pieces soldering aid tools, Adjustable wrench 6" , Quick-heating ceramic soldering iron (220 V), Screwdriver Handle, Flat - soft-handle screwdriver 5.0 x 75 mm, Star - soft-handle screwdriver #1x 75 mm, Desoldering wick, Crimping Tool (Metric), Desoldering pump, IC extractor, 3 prong holder, IC insert tool, Solder Core 63%, Parts tube, Heat Sink, 8 pieces bits pack
NET-CP-328	R 308	Proskit 5 in 1 fiber optic stripper. 5-in-1 fiber optic stripper; strips 2.0-3.0mm fibers and jackets; FTTH, FTTX, FTTB, FTTP; precision steel; compact and portable
NET-PK-1938M1	R 5,917	ProsKit PK-1938M1 Professional telecom and Networking Tool Kit with MT-7063 PoE cable tester, PoE cable tester, Crimper, Stripper/cutter, Krone tool, Shears, Pliers, Screwdrivers, And various other tools, Deluxe Aluminium framed tool Case with Metal hinges and locks
NET-PK-1990B	R 3,910	ProsKit PK-1990b electricial / electronic Tool Kit 220V, Li-Ion USB grinder Set, Electrical and electronic pliers, Stripper, Pro-Soft screwdrivers, Precisions screwdrivers, Socket Set, Mirror finished combination of wrenches, Foldable Hex key combination, Curved claw Hammer, File Set, Inspection Mirror
NET-PK-2028T	R 489	Proskit 13-piece household tool kit, PK-2028T
NET-PK-2051T	R 782	ProsKit PK-2051T general household Tool Kit, Side cutting plier (160mm), Long nose plier (160mm), Auto stop measuring tape (3m), PVC insulated tape, Screwdriver probe voltage tester, 9pcs LED flashlight, Adjustable wrench 8" , 8pcs aluminum case folding hEX key, Utility knife, Line Colour screwdriver (-3.0x 75mm), Line Colour screwdriver (#0 x 75mm), Line Colour screwdriver (-6.0 x 100mm), Line Colour screwdriver (#2 x 100mm), 30pcs

		aluminum Handle Precision screwdriver Set, All purpose snip (165mm), Plastic tool box
NET-PK-2056	R 827	Proskit general household repair tool kit, PK-2056, Adjustable wrench (8"), PVC insulated tape, Utility knife, 8 oz curved claw hammer, Dual color lineman's pliers (165 mm), Dual color Long nose pliers (165 mm), Non-contact voltage detector, Auto stop measuring tape (3 m), LED flashlight, Long arm hEX key Set (9 pieces), Bit Set, Socket Set, Extension bar (100 mm), Mini t-handle ratchet Driver, 1/4" to 4 mm adaptor
NET-PK-2057	R 484	Proskit general household repair tool kit - 16 tools. 16-in-1 household repair kit; screwdrivers, pliers, hammer, measuring tape, voltage tester, utility knife, PVC tape, hex keys, water level ruler; compact plastic toolbox.
NET-PK-2061	R 1,559	Proskit solar MC3 & MC4 Crimping Tool kit. Parallel crimper; cable stripper 2.5-6 mm2; cable cutter; MC4 spanners; unlocking tools; Prosoft screwdrivers; professional solar PV installation
NET-PK-4302BM	R 2,688	Proskit PK-4302BM PC networking tool kit 240VAC - Metric. PC networking tool kit; RJ45/8P8C crimper; soldering & desoldering tools; multimeter; pliers; screwdrivers; aluminum case; professional networking kit
NET-PK-9456	R 4,883	Proskit 12-piece FTTH fibre optical tool kit, PK-9456. FTTH fibre optical tool kit; fiber cleaver; fiber stripper; power meter; FTTH installation tools
NET-SCREW-32P-6010	R 373	Sprotek 32-p Precision Screw Driver Set; 30 assorted bits; Slotted, Phillips, Pozidriv, Torx and H-Type; easy-grip handle; extension bit holder; 15 x 10.41 x 3.3 cm; 0.2 kg
NET-SK-612401M	R 9,775	Proskit 124-piece Driver Socket tool kit, SK-612401M
NET-SS-611B	R 386	Proskit 1500W heat gun, SS-611B. 1500W heat gun; dual temperature 380ÂdegreesC/500ÂdegreesC; smart protection; soldering, pipe bending, tubing shrink, PVC welding; ergonomic design; lightweight and portable.
NET-TCT-320	R 436	Goldtool HDMI Cable Tester. Tests all HDMI signal pins; LED indicators on main and remote units; Automatic ON; Compact and portable design; Ideal for AV installers and technicians.
NET-TOOL-100P-8920	R 1,300	Sprotek STK-8920 100-piece Multi Purpose Tool Kit. Tools: precision screwdrivers, pliers, crimping and wire stripping tools; bits, hex keys, spanners; voltage tester; flashlight; zippered storage case
NET-TOOL-10P-988	R 1,475	Sprotek 10-piece Network Installation Toolkit. Tools: crimp, strip, cut tools; punch down tool; LAN cable tester; screwdriver; compact blow mold case
NET-TOOL-12P	R 384	Sprotek 12-piece Pc Tool Kit. Slotted and Philips screwdrivers; torque and nut drivers; IC extractor; tweezers; claw parts retriever; durable zippered storage case; electronics repair
NET-TOOL-145P-28145	R 1,924	Sprotek 145-piece Computer Main Toolkit. 145-piece computer toolkit; soldering and crimping tools; security bits; sockets; precision screwdrivers; IC extractor; mini hammer; vacuum attachments; professional computer repair kit
NET-TOOL-24P-8634	R 457	Sprotek STK-8634 23 Piece Computer Toolkit
NET-TOOL-33P-3910	R 2,086	Sprotek STK-3910 45-p Electronic Network Tool Kit.45-piece network tool kit; LAN cable tester; crimp, strip & cut tools; precision screwdrivers; electronics repair tools; professional networking kit
NET-TOOL-33P-8905	R 431	Sprotek 33-piece Pc Repair Tool Kit. 33-piece electronics repair kit; T8-T25 torque bits; PH1 PH2; slotted 4mm 6mm; 1/4" 3/16" sockets; reversible ratchet; long nose pliers; side cutter; IC extractor/inserter; zippered case.
NET-TOOL-46-IN-1	R 590	Sprotek STE-3646 46 In 1 Elec Repair Tool Kit. 46-piece electronics repair kit; 30 assorted bits; 3 metal spudgers; 2 plastic prying tools; tweezers; suction opener; precision knife; anti-static spudger; zippered storage case; DIY electronics repair
NET-TOOL-54P-SCREW	R 559	Sprotek STE-3035 54piece Screwdriver Kit. 54-piece precision screwdriver kit; Pentalobe, Phillips, Torx, Hex, JIS, Square, Triangle, Tri-wing bits; nut drivers, magnetic pickup, SIM eject pin; aluminum handle; compact plastic case.
NET-TOOL-58P-8918	R 963	Sprotek 58-piece Pc Tech Toolkit. Tools: precision screwdrivers, pliers, sockets, wire strippers; anti-static wristband; durable zippered case
NET-TOOL-62P-26092	R 427	Sprotek 62-piece Security Bit Set. 62-piece security bit set; precision bits; ratchet screwdriver; magnetic bit holder; electronics repair; PC maintenance; professional security toolkit
NET-TOOL-65P-8930	R 777	Sprotek 65-piece professional computer tool kit for computer technicians. Includes a range of tools including: A Reversible Ratchet Handle, Screw Bits, Adapter Bit & Sockets, Anti-Static Gear, Networking Tools, A Utility component storage case with assorted jumpers, washers, and screws, Specialty Tools, Allen Wrenches - all in a handy carrying Case
NF-1201	R 263	Noyafa NF-1201 cable Tool Kit - Basic, Network cable tester, cable stripper, Punch down tool, Crimping Tool

NF-1304	R 321	Noyafa cable Tool Kit, cable strippers, Network cable tester, Crimping Tool 3-in-1, RJ45 and boots, Punch down tool, Phillips & flat head screwdrivers.
RJ45-LANT	R 208	Miro RJ45 Lan Tester. The RJ45 LAN Tester is an essential tool for verifying the integrity of Ethernet cables. It tests RJ45, RJ11, and CAT5/CAT6 cables for continuity, open circuits, shorts, and miswiring. Compact and user-friendly, it ensures accurate diagnostics, making it ideal for network setup and troubleshooting. 1 Year warranty [image for model type is a reference, and may be upgraded over time]
TAPE-SA-3M19	R 362	3M Scotch 23, Self-Amalgamating Tape - 10m Roll, 19mm Wide. Self-amalgamating EPR tape; Stretches and self-infusing tape; 10m roll, 19mm wide; High voltage insulation up to 69kV; Moisture and UV resistant; Cable splicing and jointing; Long-lasting electrical protection.
TCT-124	R 399	Goldtool Coax Cable Mapper 4 ID Finder with Toner - Handheld testing device designed for CATV and Security Installers, Retail Box.
TCT-128	R 539	Goldtool Coax Cable Mapper 8 ID Finder with Toner - Handheld testing device designed for CATV and Security Installers, Retail Box. Handheld; 8 ID finder; tone generator; visual and audio alerts; CATV and security installer tool; battery operated
TCT-1900-RD	R 899	Goldtool Lineman ' s Test Set - to provide both DTMF (touch tone) and dial pulse output - Talk/ Ring/ Monitor tests function, Retail Box
TOOL13	R 403	Microworld 10 piece Network Toolkit, 1x 318 Yellow-Black Handle tool, 1x Small Yellow knife, 1x Black stripping tool, 1x slotted Yellow - Black rubber screwdriver, 1x phillips Yellow - Black rubber screwdriver, 1x Voltage tester Pen, 1x High-Quality tester (PoE), 1x diagonal pliers (Yellow-Black Handle), 1x needle-nose pliers (Yellow-Black Handle), 1x Utility Knife, 1x tool bag
TOOL14	R 518	Microworld 16 piece All in one Network Toolkit, 1 Power unit, 1x RJ45 & RJ11 upgraded Crimping Tool, 1x Utility Knife, 1x solder pusher, 1x 9V Battery, 1x solder bar, 1x Network cable stripping tool, 1x Fiber Optic stripping tool, 1x diagonal pliers, 1 Needle-Nose pliers, 10x Network cable Crystal heads, 1x Crystal head storage Box, 1x Network cable tester (RJ45 & RJ11), 1x lotted screwdriver, 1x Philips screwdriver, 1x oldering tool, 1x ool storage bag
TOOL3	R 229	Microworld Tool Kit (12 Piece Set)
TOOL4	R 219	Microworld Tool Kit 38 in 1 Multi Purpose. ; CR-V steel precision screwdrivers; ESD-safe tweezers and spudgers; smartphone, tablet, laptop repair; 150x108x39mm carrying case; magnetic tips; 38 multifunctional tools.
TOOL6	R 161	Microworld 362 pieces DIY Computer toolkit, Black cable tie 2 x 100 x 30pcs, Black cleaning brush x 1pc, Screwdriver x 1pc, Black zink plated KB5 x 10 x 30pcs, Nickel plated PWM3 x 4 x 50pcs, Iron Nickel plated flange screws M3.5 x 6 x 30pcs, Nickel plated thumb screws M3.5 x 8pcs, Male-Female standoffs m3.6 6 x 24pcs, Nickel plated KB5 x 10 x 30pcs, Nickel plated PWM3 x 5 x 50pcs, Cross head Bolt M3.5 x 5 x 50pcs, Black thumb SCREW M3.5 x 5 x 8pcs
TTK-1450	R 1,399	Goldtool 37 piece Universal LAN / CCTV Kit-Complete universal kit designed for LAN/CCTV installation and repair technicians.
TTK-350	R 1,199	Goldtool 90 piece LAN Maintenance Tool Kit -Complete kit for cabling solution-Perfect for the network technicians or professional installers. Tools: crimping tool, punch down, cable tester; RJ45/RJ11 modular plugs; portable zippered case; professional network installation
TTK-511	R 519	Goldtool Heavy Duty Waterproof F Type Connector Crimping Tool - FOR F type male RG58, RG59 and 6U connectors
TTK-518	R 609	Goldtool Heavy Duty Waterproof Compression Tool for RCA / BNC / RG59 / RG6-must-have tool for installers of CATV, electronics, and fiber optics.
UF-206008	R 454	UF-Tools 2-in-1 40m Laser distance measurer & tape measure, 40m Laser measurement range with & #177; 2 mm accuracy, Integrated cross-line Laser positioning pointer for alignment, Retractable 5m nylon-coated Steel tape Blade with Automatic lock, High-Definition backlit LCD screen for Clear readouts, 800 mAh internal Rechargeable Battery providing up to 8000 measurements per charge, Multiple measuring modes, 180-second Automatic Power shutdown for Battery conservation, Heavy-Duty housing designed for Rugged job site use, Integrated belt Attachment clip for Secure carrying
UF-800118	R 362	UF-Tools 118-in-1 Professional Tool Kit & complete repair Set in Roll-Up Carry Pouch, Chrome vanadium Steel

		bits organized in colour-coded Blue Bit strips, Durable Roll-Up Canvas Carry Pouch with Carry Handle and Secure fastening strap
UF-840089	R 459	Uf-tools 74-in-1 T-Handle ratchet screwdriver Set & Premium Bit kit with Foam-Fitted Hard Case, Premium S2 Alloy Steel Magnetic bits split between 1 / 4 Heavy-Duty and 4 mm Micro Precision drives, Detachable Aluminum T-Handle ratchet Handle for Maximum Torque leverage, Magnetic extension Bar for deep-set fasteners, Includes 1 / 4 to 4 mm Bit Adapter and Aluminum Configuration cap, Custom Foam-Fitted hard storage Case with reinforced corner mounts
UF-840117	R 194	Uf-Tools 51-in-1 Precision screwdriver Set, Pen-style screwdriver Handle with knurled grip and lanyard Loop, Aluminum Alloy Non-Slip Handle included in Set, Integrated magnetizer and demagnetizer Zone on Handle, Magnetic tips for Secure Bit retention, High-Quality S2 Alloy Steel Magnetic Precision bits, Dual-panel Aluminium Carry Case with 48-bit storage
UF-840138	R 344	Uf-Tools 42-in-1 Compact ratchet Socket Set, Includes a 72-tooth forward and Reverse Mini ratchet wrench Handle, Kit contains 42 pieces including metric and Standard sockets, Premium S2 Steel Magnetic bits ensure durability and Secure grip during use, Core Hardware includes a Flexible extension Rod shaft and Integrated Emergency Window Glass breaker tool, Diamond-cut dual-colour storage Case measures
UF-840142	R 155	UF-Tools 31-in-1 tower-style Precision screwdriver Set, Aluminum-finish Magnetic Handle included, Clear ribbed Rotating Display Case and cap, Tower Design keeps All bits visible and organized
UF-840143	R 305	UF-Tools 34-in-1 Compact T-Handle ratchet & Bit Set, Low-Profile Ergonomic T-Handle ratcheting Driver with dual-direction mechanism, Integrated inline extension Bar for high Torque applications, 32 Premium industrial-grade S2 Alloy Steel Magnetic bits, Color-banded Bit system, Heavy-Duty durable locking hardshell storage Case with molded slots
UF-840150	R 305	UF-Tools 150-in-1 Precision screwdriver Set, 150-piece Toolkit with 120 Precision bits and Handle, 117 crv micro-precision bits and 3 S2 extended length bits, Aluminum Alloy Non-Slip Handle with 360 Rotating cap, Flexible shaft extension Rod included for hard-to-reach screws, Magnetic Bit holder provides Secure slip-free driving
UF-882087	R 597	Uf-Tools 52-in-1 Electric Precision screwdriver Set & low Torque Cordless Driver with LED Display, Low Torque Cordless Driver with N20 planetary gear motor, Built-In LCD Digital Display showing Torque Level and Battery status, Torque setting range of 0 to 2 for delicate repair work, 48 Precision bits including, USB Type-C Rechargeable Built-In Battery for Cordless Operation, Forward and Reverse directional Control buttons on the Handle, Slim pen-style Form Factor designed for single-handed use, Includes magnetizer / demagnetizer Zone on the Case, Compact Aluminium Alloy Magnetic storage Case with custom ABS insert
V-B013E	R 155	Vsgo V-B013E Imp Air Blower - Black, Built-In Filter, Tumbler design prevent nozzle touching the ground, Made of silica GEL.
YT0401A	R 69	NetiX Multifunctional Digital voltage tester - measure 12-220V AC/DC, LCD Digital Display, High quality ABS engineering plastic portable electrical voltage detector pen, Voltage Diagnostic-Tool, Night Luminous Digital Display, Colour Yellow

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

TV / Televisions

LED TVs

LED TVs : LED TV 17" - 19.8" / 43cm - 50cm

Product code	Price	Description

< Return to the menu

LED TVs : LED TV 20" - 31" / 51cm - 78cm

Product code	Price	Description

< Return to the menu

LED TVs : LED TV 32" - 36" / 81cm - 91.5cm		
Product code	**Price**	**Description**
32A3Q	R 1,699	Hisense A3Q 32" HD Ready LED TV - HD-Ready (1366x768) LED TV, DTS Virtual:X Dolby Audio, Game Mode, Natural Colour Enhancer, 2x HDMI (ARC), 1x USB, triple tuner (DVB-T2/T/C) *TV license required*
32A4Q	R 2,399	Hisense A4Q 32" HD VIDAA Smart TV, Game Mode, Natural Colour Enhancer, Dolby Audio, Share to TV, Noise Reduction, HD
32A4Q	R 2,536	Hisense A4Q 32" HD VIDAA Smart TV, Game Mode, Natural Colour Enhancer, Dolby Audio, Share to TV, Noise Reduction, HD
32Q5600K	R 2,599	Skyworth Q5600K 32" HD Ready QLED Google TV - 1366 x 768 (HD-Ready), 60Hz refresh rate, 9.5ms response time, 90% DCI-P3 color gamut (Quantum Dot), HDR10 support, Google TV OS (Android 14), Google Play Store, Google Assistant, Chromecast Built-In, 1GB RAM 8GB storage, 2x HDMI, 2x USB, Wi-Fi 2.4G 5G (2T2R), Bluetooth 5.1, LAN, Optical SPDIF, RF/Composite input, 3.5mm earphone jack, 20W 2x10W speakers with Dolby Digital Plus, Eye Care technology, Wonder Audio, Parental Control, EPG, Subtitle support, 715x475x214mm (with stand), 3.37kg weight *TV license required*
32Q5S	R 2,699	Hisense Q5S 32" QLED HD-Ready Mini-LED Smart TV - 1366 x 768 (HD-Ready) (768p) QLED Mini-LED Smart TV with Hi-QLED Colour, Quantum Dot wide colour gamut, DTS Virtual:X audio, 6W noise-reduction speakers, AI Sports Mode, High Contrast 3000:1 panel, 250 nits brightness, 178 Degree viewing angle, 9.5ms response time, 60Hz refresh, 2x HDMI (eARC, CEC), 1x USB 2.0, dual-band Wi-Fi 5, Bluetooth 5.3, optical audio, earphone jack, VIDAA Smart OS, Netflix, YouTube, Prime Video, Freeview Plus, Anyview screen mirroring, voice command, Odin browser, wall-mount compatible (100x100mm VESA), compact 722x426x78mm design, 3.4kg weight *TV license required*
32V35RP	R 1,899	Toshiba V35RP 32" HD LED VIDAA Smart TV. 32 inch HD LED; 1366 x 768 resolution; VIDAA U OS; 1 GB RAM; 4 GB storage; 20W Dolby Digital audio; 2 x HDMI; 2 x USB; Wi-Fi; Ethernet; Dimensions 72.2 x 42.6 x 7.7 cm; Weight 3.4 kg
HISENSE LEDN32A4Q	R 2,506	Hisense LEDN32A4Q FHD 60hz SMART TV; Game Mode; Natural Colour Enhancer; Dolby Audio; Share to TV; Noise Reduction *TV license required*
STL-32S2	R 2,184	Sinotec 32" HD Ready Smart LED TV - Resolution 1366 x 768 HD Ready, Brightness 200 nits, Contrast Ratio 3000:1, Refresh Rate 60Hz, Response Time 9.5ms, Color Gamut 68% NTSC. HDR Support HDR10/HLG, Smart OS Coolita (512MB DDR, 4GB Flash), Audio 2 x 10W Dolby Digital/Plus. Connectivity 2 x HDMI, 2 x USB multimedia, RF (1), Composite 3.5mm (1), Earphone (1), SPDIF optical (1), LAN (1), Wi-Fi 2.4G, Power AC 100-240V 50/60Hz 60W (*TV license required*

< Return to the menu

LED TVs : LED TV 37"- 39" / 94cm - 99cm		
Product code	**Price**	**Description**

< Return to the menu

LED TVs : LED TV 40" / 102cm		
Product code	**Price**	**Description**
40A4Q	R 3,199	Hisense LEDN40A4Q FHD 60hz SMART TV; Game Mode; Natural Colour Enhancer; Dolby Audio; Share to TV; Noise Reduction. The Hisense 40A4Q offers clear Full HD visuals, smart VIDAA functionality, and Dolby-enhanced audio in a compact and affordable 40-inch design. Ideal for TV viewing, streaming and light gaming, it combines modern usability with efficient performanceâ€"delivering great value for everyday South African homes. *TV license required*
40E6620H	R 3,299	Skyworth E6620H 40" FHD Google TV - Full HD (1920ï¿½1080) Smart LED TV with Google TV OS, HDR10 & HLG support, 60Hz refresh rate, ~200 nits brightness, ~5000:1 contrast ratio, 9.5ms response time, 1.5-2GB RAM 8-16GB storage (region-dependent), 2ï¿½ HDMI, 2ï¿½ USB, dual-band Wi-Fi (2.4G 5G, 2T2R), Bluetooth 5.1, LAN, optical SPDIF, 2ï¿½8-10W speakers with Dolby Audio, Google Assistant, Chromecast built-in, Netflix/YouTube/Prime Video certified, DVB-T2/T/C tuners, ~893ï¿½558ï¿½212 mm (with stand), ~5.2 kg *TV

		license required*
HISENSE LEDN40A4Q	R 3,368	Hisense LEDN40A4Q FHD 60hz SMART TV; Game Mode; Natural Colour Enhancer; Dolby Audio; Share to TV; Noise Reduction *TV license required*
STL-40S2	R 2,899	Sinotec STL-40S2 40" FHD Smart LED TV - 1920 x 1080 (Full HD), 5000:1 contrast ratio, 60Hz refresh rate, 9.5ms response time, HDR10 & HLG support, 68% NTSC color gamut, Coolita Smart OS, 512MB RAM 4GB storage, 2x HDMI, 2x USB, Wi-Fi 2.4G, LAN, Optical SPDIF, RF/Composite input, 3.5mm earphone jack, 20W 2x10W speakers with Dolby Digital Plus, Eye Care technology, Parental Control, EPG, Subtitle support, DVB-T2/T/C tuners, 892x564.6x214.4mm (with stand), 4.76kg weight, NB: Coolita Smart OS is not compatible with Netflix App. *TV license required*

< Return to the menu

LED TVs : LED TV 42" - 43" / 107cm - 109cm

Product code	Price	Description
43A4Q	R 4,099	Hisense LEDN43A4Q 43" HD SMART LED; Game Mode; Natural Colour Enhancer; Dolby Audio; Share to TV; Noise Reduction. 43 inch; FHD 1920x1080; LED Direct backlight; 60Hz refresh rate; 250 cd/m2 brightness; 3000:1 contrast ratio; 178degrees viewing angle; 8ms response; 8-bit colour; VIDAA Smart OS; Dolby Audio, DTS Virtual:X; 2x HDMI, 2x USB 2.0; Ethernet, Wi-Fi, Bluetooth 5.0 *TV license required*
HISENSE LEDN43A6Q	R 4,334	Hisense A6Q 43" 4K Ultra HD 3840x2160 60Hz Smart TV. 43" ; resolution:3840x2160; refresh:60Hz; smartTV; 3xHDMI; WiFi dual-band; VESA:200x300mm; weight:approx 9-10kg *TV license required*
SAMSUNG HG43AU800	R 6,554	Samsung HG43AU800 Hospitality Display, Uhd Upscaling; Uhd Dimming; 3-side Bezel-less Design; Mobile Mirroring; Swivel Stand *TV license required*

< Return to the menu

LED TVs : LED TV 44" - 45" / 111.7cm - 114cm

Product code	Price	Description

< Return to the menu

LED TVs : LED TV 46" - 49" / 117cm - 125cm

Product code	Price	Description

< Return to the menu

LED TVs : LED TV 50" - 59" / 127cm - 150cm

Product code	Price	Description
50C350RP	R 4,299	Toshiba C350RP 50" 4K UHD Smart LED TV - 4K UHD (3840x2160) Smart LED TV with Direct LED backlight, HDR10 / HDR10 / Dolby Vision / HLG, VIDAA U9 platform, Dolby Atmos audio, 3x HDMI 2.0 (with eARC, VRR, ALLM), 2x USB 2.0, dual-band Wi-Fi, Bluetooth 5.0, and AI picture enhancements (AI 4K Clarity, AI HDR Enhancer, AI Motion Enhancer) *TV license required*
55A6Q	R 5,999	HISENSE LEDN55A6Q 55" UHD 60hz 4k Smart TV. 55" LED flat screen; 3840x2160 4K UHD; Direct-LED; 300 cd/m2 brightness; 4000:1 contrast ratio; 9.5 ms response time; DVB-C/S/S2/T/T2; Wi-Fi, Ethernet LAN *TV license required*
55C655	R 6,599	TCL C655 55" QLED Google LED TV - QLED, Google TV, Audio Power (Watts) Speakers 2x10W 15W, Sound Channel: 2.1 Channel, 4K UHD, 3840x2160, Aspect Ratio: 16:9, 60Hz ï¼ˆVRR120Hz DLG 120Hz, System Brightness (cd/m2): 450 nits, WiFi 5, Slim & Uni-body, Dolby Vision Atmos
55M650MN	R 5,999	Toshiba 55" Mini-LED UHD Smart TV - 60Hz refresh rate, VIDAA O/S, Quantum Dot Color for vibrant accurate colors, 1000 nits peak brightness (estimated), 10000:1 contrast ratio (Mini-LED), 90% DCI-P3 color gamut (Quantum Dot), HDR10, HDR10 , HLG support, MEMC (Motion Estimation & Compensation), Game Mode, FILMMAKER Mode, 30W 2x15W speakers with Dolby Atmos, 3x HDMI 2.1, 2x USB 3.0, Wi-Fi (802.11ac), Ethernet LAN, Optical SPDIF, RF input, 3.5mm earphone jack, Voice Control (Google Assistant, Alexa compatible), Chromecast Built-In, 1230x715x250mm (with stand), 13.2kg weight *TV license required*

55NU850B6LA	R 7,299	LG NU850B6LA 55" NANO 4K UHD Smart TV - 55" 4K UHD NanoCell Smart TV with Nano Detail Enhancer, " 7 AI Processor 4K Gen9, Linear Flow Design, webOS 26 with AI Hub (Google Gemini Microsoft Copilot), LG Shield security, HDR10 Pro, 20W Dolby Digital Plus audio, AI Sound Pro (9.1.2 up-mix), Clear Voice Pro, WOW Orchestra, 3x HDMI 2.1 (eARC, ALLM, CEC), 1x USB 2.0, Wi-Fi 5, Bluetooth 5.3, Ethernet, Miracast, Apple AirPlay, Google Cast, voice assistants (Copilot, ThinQ, Google Assistant), AI Magic Remote, anti-reflection panel (94% glare reduction), 4K 60Hz gaming, VESA 300x200mm wall mount, 1228x715x70.8mm (no stand), 9.5kg weight *TV license required*
55P6K	R 6,399	TCL 55" UHD Google LED TV - Brightness (cd/m2) 270nit(typ), Refresh Rate (Hz) 60Hz, Color Gamut 72% NTSC(typ), Dolby Audio, Channel Configuration 2.0CH, Video Format up to Up to 4K@60Hz, Audio Certification Dolby Audio Voice input via remote control, Wireless WIFI5, Bluetooth BT5.2 *TV license required*
55P8L	R 8,299	TCL P8L UHD Mini LED Google TV - 55" Screen Size, 4K UHD Technology Type, 3840 x 2160 Panel Resolution, 16:9 Aspect Ratio, HVA Panel, 4K 144Hz Refresh Rate, HGL, HDR 10 , 2 x 10W Audio Power, Dolby Atmos, DTS Premium Sound, 2.0 Channel, Bluetooth 5.4 and Wi-Fi 5 Connectivity, Google TV OS, Slim and Unibody, Retail Box *TV license required*
55P8L	R 8,299	TCL P8L UHD Mini LED Google TV - 55" Screen Size, 4K UHD Technology Type, 3840 x 2160 Panel Resolution, 16:9 Aspect Ratio, HVA Panel, 4K 144Hz Refresh Rate, HGL, HDR 10 , 2 x 10W Audio Power, Dolby Atmos, DTS Premium Sound, 2.0 Channel, Bluetooth 5.4 and Wi-Fi 5 Connectivity, Google TV OS, Slim and Unibody, Retail Box *TV license required*
55Q6600K	R 5,999	Skyworth Q6600K 55" UHD QLED Google TV - 4K resolution (3840x2160), 60Hz refresh rate, 8ms response time, 1200:1 contrast ratio, 250 nit brightness, NTSC 68% color gamut, HDR10 & HLG, Game Mode, Google TV OS (Android), Google Play Store, Google Assistant, Hands-Free/Far Field Voice Control, Chromecast Built-In, 2x 10W speakers (20W total), DTS Studio Sound, Dolby Digital Plus, 3x HDMI 2.0 (CEC, ARC), 2x USB 2.0, dual-band Wi-Fi (2.4G 5G), Bluetooth 5.0, LAN, Optical SPDIF, Parental Control, 1225.2x248.9x784.6mm (with stand), 10.9kg weight *TV license required*
55Q6Q	R 5,599	Hisense Q6Q 55" 4K UHD QLED VIDAA Smart TV. 55Q6Q; 55-inch; 4K UHD; QLED; 60Hz; HDR10 ; VIDAA Smart OS; 3 HDMI; 2 USB; 20W audio; 10.9kg *TV license required*
55QNED70B	R 8,199	LG QNED70B 55" QNED Mini LED Smart TV - (3840 x 2160) 4K QNED Mini-LED Smart TV with Dynamic QNED Color (100% Color Volume certified), ?7 AI Processor 4K Gen9, webOS 26, 60Hz native panel, HDR10/HLG, FILMMAKER Mode, AI 4K Super Upscaling, 20W 2.0-channel audio with Dolby Atmos and AI Sound Pro, 3x HDMI with eARC/ALLM, Wi-Fi 5, Bluetooth 5.3, Google Cast, Apple AirPlay, VESA 300x200mm *TV license required*
55S7S	R 13,599	Hisense S7S 55" Canvas UHD QLED Smart TV - 3840 x 2160 (4K UHD) QLED " Canvas" lifestyle TV with Hi-Matte anti-glare display, Art Mode (built-in gallery custom photos), 144Hz gaming panel (VRR/ALLM), DoArt Mode, 144Hz panel (Motion Rate 240), Dolby Vision family HDR10 family HLG, 4x HDMI (2x 2.1, 2x 2.0, eARC on HDMI), Wi-Fi 5, Bluetooth 5.3, 2x USB (1x 3.0, 1x 2.0) *TV license required*
55U6N-PRO	R 5,999	Hisense U6N-PRO 55" UHD Mini LED Smart TV - 3840 x 2160 resolution (4K UHD), 120Hz native refresh rate, VRR (Variable Refresh Rate), ALLM (Auto Low Latency Mode), HDR10 Pro, HDR10 , HLG, 1000 nits peak brightness, 2000:1 local contrast ratio, 95% DCI-P3 color gamut, MEMC (Motion Estimation & Compensation), FILMMAKER Mode, 30W 2x15W speakers with Dolby Atmos, VIDAA U6 OS, built-in Chromecast, Google Assistant, Alexa, 3x HDMI 2.1, 2x USB 3.0, Wi-Fi 6 (802.11ax), Bluetooth 5.2, LAN, Optical SPDIF, RF input, 1238x722x257mm (with stand), 13.5kg weight
55X6600K	R 6,499	Skyworth X6600K 55" UHD QLED Google TV - 4K resolution (3840x2160), 60Hz refresh rate, 8ms response time, 1200:1 contrast ratio, 250 nit brightness, NTSC 68% color gamut, HDR10 & HLG, Chromecast Built-In, 2x 10W speakers (20W total), DTS Studio Sound, Dolby Digital Plus, Dolby Audio, 3x HDMI 2.0 (CEC, ARC), 2x USB 2.0, dual-band Wi-Fi (2.4G 5G, 2T2R), Bluetooth 5.0 (input/output), LAN, Optical SPDIF output, Composite input, RF input, EPG, Parental Control (Child Lock), subtitle support, 1225.2x248.9x784.6mm (with stand), 10.9kg weight *TV license required*
58A6N	R 5,899	Hisense A6N Series 58" UHD Smart TV - Resolution 3840 x 2160, Static contrast ratio 5000:1, Viewing Angle (Horiz / Vert) [Degrees] 178/178, Built-in Wi-Fi 802.11a,b,g,n,ac, 1x Ethernet Lan port (RJ45 connector), 3x HDMI inputs, 2x USB 2.0 ports, 1x Bluetooth v5, Digital broadcating (DVB-T / DVB-T2), Retail Box *TV license required*

58Q6Q	R 6,499	Hisense 58" 4K QLED Smart LED UHD TV - Resolution 3840 x 2160 4K UHD Direct LED with Quantum Dot Wide Color Gamut, Refresh Rate 60Hz image / 120 Smooth Motion Rate, Brightness 350 cd/m² typical, Contrast Ratio 4000:1 native, Viewing Angle 178°/178°, Color Depth 8-bit FRC, Response Time 8ms. HDR Support Dolby Vision / HDR10 / HDR10 , VRR/ALLM. Audio 2 x 10W with Dolby Atmos / Dolby Digital. Connectivity 3 x HDMI (4K@60Hz HDCP 2.2, HDMI 3 eARC/CEC), 2 x USB 2.0, Ethernet RJ45, Wi-Fi 802.11 a/b/g/n/ac 2.4/5GHz, Bluetooth 5.0, RF/AV/Optical SPDIF/Earphone jac, Backlight Dynamic control, Zoom Modes *TV license required*
HISENSE LEDN50A6Q	R 5,289	Hisense A6Q 50" 4K UHD Smart TV. 50" 4K UHD Smart TV; HDR10; Dolby Vision; VIDAA Smart OS; Google Assistant; 3 x HDMI; 2 x USB; Bluetooth; AirPlay 2; 300 nits brightness; 5000:1 contrast ratio; 7 ms response time; 20 W audio; 10 kg weight; 111.9 x 8 x 64.9 cm dimensions; 200 x 400 mm VESA mount *TV license required*
HISENSE LEDN50Q6Q	R 5,289	Hisense Q6Q 50" QLED VIDAA Smart LED TV, 50 inch QLED; 4K UHD 3840 x 2160; VIDAA OS; 60Hz refresh rate; Smooth Motion Rate 120; 350 cd/m2 brightness; 4000:1 contrast ratio; 3 x HDMI; 2 x USB 2.0; Wi-Fi dual band; Bluetooth 5.0; Optical SPDIF; Ethernet RJ45; Anyview screen mirroring *TV license required*
HISENSE LEDN55Q6Q	R 5,997	Hisense Q6Q Series 55" QLED 60hz 4k Smart TV. 55 inch QLED 4K UHD Smart TV; 3840 x 2160 resolution; 60Hz refresh rate; Dolby Vision HDR; Dolby Atmos; VIDAA OS; AI 4K Upscaler; Game Mode Plus; Voice Control; HDMI; USB; Bluetooth; Wi-Fi; VESA 200 x 400 mm. *TV license required*
HISENSE LEDN55U7Q	R 8,566	Hisense 55U7Q 55" Mini-LED 144Hz VRR ULED Gaming TV. 144Hz refresh rate; VRR support; Hi-View AI Engine; Dolby Vision; Dolby Atmos; VIDAA U9 Smart TV platform; 3 x HDMI 2.1 ports; Bluetooth 5.3; VESA 400 x 200 mm compatibility; Energy consumption 180 W *TV license required*
HISENSE LEDN58A6N	R 6,266	Hisense LEDN58A6N; 58" UHD 4K Smart TV; Game Mode Plus; Dolby Vision; Airplay2 & Smart Home Ready. 58 inch LED Smart TV; 3840 x 2160 UHD; 60Hz; VIDAA Smart OS; Dolby Vision; Game Mode Plus; AI Picture; AI Sports Mode; AirPlay 2; WiFi; Bluetooth; Ethernet; 3 x HDMI; 2 x USB; Optical Audio; 13.5kg *TV license required*
LC-S55S9500C	R 25,930	Samsung ua55kS9500 55" SUHD Curved LED TV - with screen sound capture (onto USB storage attached) Quantum dot display bi-directional TV-Mobile Mirroring Anti-reflective coating auto depth enhancer ultra clean view, with Supreme UHD Dimming Local Dimming for precision black Ultra slim bezel, smart hub smart TV smart view network ready (wired wireless) EPG time shift Bluetooth and USB HID (human interface device) - 4.1 channel 60w speaker with wallmount sound mode, 3840x2160 Ultra HD with 2400PQi; Vesa-wall mountable - 4x HDMI component RCA 3x USB optical digital audio *TV license required*
LC-S55U9000C3	R 26,348	Samsung HU9000 55" Curved Ultra HD 4K Smart Interaction 3D Slim LED TV with voice/ motion control Multi-Link Screen (QUAD) Built-in Camera Face recognition with Micro Dimming ultimate Local Dimming for precision black 7mm slim bezel smart hub smart TV network ready (wired wireless) ultra clear pane BD wise plus EPG time shift - clear motion plus 1200Hz, 60w 3D (4x10w 2x 10w woofer) SRS full range speaker 3840x2160 Ultra HD; vesa-wall mountable, 4x HDMI component RCA 3x USB optical audio RF-in for satellitte *TV license required*
OLED55B5	R 12,999	LG OLED B5 55" UHD Smart TV - 3840 x 2160 (4K Ultra HD) ?8 AI Processor 4K Gen2, AI Picture Pro, Dolby Vision/HDR10/HLG, FILMMAKER MODE, 120Hz native refresh rate, 144Hz VRR, ALLM, G-Sync/FreeSync, 4× HDMI 2.1 (eARC, 4K 120Hz, QMS), 2x USB 2.0, Bluetooth 5.3, webOS 25, AI Magic Remote (built-in, voice controls, drag-and-drop), Works with Apple Home/AirPlay, Google Cast, 20W Dolby Atmos audio, AI Sound Pro (Virtual 9.1.2), 100% Color Fidelity & Volume, Perfect Black (UL-verified), AI Brightness Control, Energy Saving Mode, Standby
OLED55C4	R 24,999	LG Evo C4 Series 55" OLED webOS Smart TV - 3840 x 2160 Resolution, Native Refresh Rate 120Hz, Digital TV Reception (Terrestrial, Cable, Satellite) DVB-T2/C/S2, 4x HDMI Ports, 3x USB, 1x LAN Port, Built in Wi-Fi 802.11.b/g/n/ac, Stereo 2-way, 2.0 Channel 40W Total, webOS Smart TV, Remote Control *TV license required*
SAMSUNG LS57CG952N	R 45,999	Samsung Ls57cg952n 57" Gaming 32:9 7680x2160 (Duhd) 1000r Borderless Va Mini Led 240hz Gtg 1ms Freesync Premium Pro Has Vesa Displayhdr1000(tbd) Matte Display
SAMSUNG UA50M70H	R 6,726	SAMSUNG UA50M70H M70H 50" Mini LED 4K 3840x2160 Vision AI Smart TV, Mini LED Processor 4K, 50 Hz Refresh Rate, 120Hz DLG, Mini LED HDR, HDR 10 , 20 W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet

		(LAN), 200 x 200 mm VESA spec
SAMSUNG UA55M70H	R 5,657	SAMSUNG UA55M70H M70H 55" Mini LED 4K 3840x2160 Vision AI Smart TV, Mini LED Processor 4K, 50 Hz Refresh Rate, 120Hz DLG, Mini LED HDR, HDR 10 , 20 W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 200 x 200 mm VESA spec
SAMSUNG UA55M80H	R 8,796	SAMSUNG UA55M80H M80H 55" Mini LED 4K 3840x2160 Vision AI Smart TV, NQ4 AI Gen2 Processor, 144 Hz Refresh Rate, 240 Hz DLG, Mini LED HDR, HDR 10 , Motion Xcelerator 144 Hz, 4K AI upscaling, Colour booster Pro, 20 W Sound Output (RMS), 2ch Speaker Type, Dolby 5.1 decoder, Tizen Smart TV Operating System, Up to 2 videos Multi-View, FreeSync Premium, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 200x200 mm VESA spec

< Return to the menu

LED TVs : LED TV 60" - 74" / 152cm - 188cm

Product code	Price	Description
60G6500G	R 7,499	Skyworth G6500G Series 60" UHD Google TV - 3840 x 2160 Resolution, 60Hz Refresh Rate, 8ms Response Time, Brightness: 250nit, Google Smart OS, Voice Search, 2x USB 2.0 ports, 3x HDMI ports, 1x Ethernet LAN (RJ-45), Digital DVB-T2 Child lock, Automatic Software Updates, Retail Box *TV license required*
60Q6620H	R 6,499	Skyworth Q6620H 60" UHD QLED Google TV - 3840 x 2160 (4K UHD), 90% DCI-P3 color gamut, 300 nits brightness, 1200:1 contrast ratio, 9.5ms response time, MEMC (Motion Compensation), HDR10 & HLG, SA1 Engine, Google TV OS (Android 14), Google Play Store, Google Assistant, Chromecast Built-In, 2.4G 5G dual-band Wi-Fi (2T2R), Bluetooth 5.1, 2x HDMI 2.1, 2x USB 2.0, LAN, Optical SPDIF, RF/Composite input, 30W audio (2x15W), Dolby Digital Plus, Parental Control, EPG, Subtitle Support, 1345x858x299mm (with stand), 12.1kg weight *TV license required*
60Q6700H	R 6,599	Skyworth Q6700H 60" QLED Google TV - Resolution 3840 x 2160 4K UHD QLED with VA technology, Refresh Rate 120Hz HSR, Brightness 300 nits typical, Contrast Ratio 5000:1 (DBX-TV), Color Gamut 90% DCI-P3. HDR Support HDR10 / HDR10 / HLG / Dolby Vision, Audio 2 x 10W speakers Dolby Atmos. Connectivity 3 x HDMI 2.1, 2 x USB, Ethernet, Wi-Fi dual-band (2.4G 5G), Bluetooth 5.1, OS Google TV (2GB RAM 32GB storage). Dimensions with stand 1345 x 858 x 299 mm, Weight ~10.5 kg net *TV license required*
60X6600K	R 7,499	Skyworth 60" 4K UHD Mini LED Google TV - 3840 x 2160 (4K UHD) Mini-LED Smart TV with 56 local dimming zones, 450 nits peak brightness, 93% DCI-P3 color, 120Hz HSR panel (8 ms), Dolby Vision HDR10/10 /HLG, Google TV (Google Play,- Assistant, Chromecast), 2GB RAM 32GB storage, 3x HDMI, 2x USB, dual-band Wi-Fi (2T2R), Bluetooth 5.1, LAN, optical SPDIF, 2x10W speakers with Dolby Atmos, Game Mode, Filmmaker Mode, DVB-T2/T/C tuners, 1345x861x283 mm (with stand), 12.1 kg *TV license required*
65C655	R 8,499	TCL 65 inch C655 Series QLED UHD Google Smart TV - Direct LED Backlit Panel, Resolution 3840 x 2160, Contrast ratio: Typical Contrast Ratio 6000:1, Brightness 450 nits (typ), Refresh Rate 120Hz(VRR144Hz DLG 240Hz, Aspect Ratio 16:9, 3x HDMI input, 1x USB 3.0 port, Bluetooth 5.0, WiFi 2.4GHz/5GHz dual-band Wi-Fi 802.11 a/b/g/n/ac 2T2R, Total 20w Stereo Speaker Output 2x 10w, Google OS, Remote Included *TV license required*
65C6K	R 12,299	TCL C6K 65" UHD Smart Mini-QLED Television - HDR 10plus, Works with Google Assistance, Dolby Vision and Dolby Atmos, Google TV, Hands Free Voice Control, 4 x HDMI, USBx2 Input *TV license required*
65M450RP	R 6,999	Toshiba M450RP Ultra HD QLED 4K Smart TV - 65 Inch TV Size, 4K UHD (3840 x 2160) Resolution, QLED Color Display, Direct LED Backlight, 60Hz Native Refresh Rate, REGZA Engine ZR Processor, AI Picture Optimizer, AI HDR Enhancer, AI 4K Upscaling, Game Mode, REGZA Power Audio, Dolby Atmos, HDMI, Wi-Fi, Bluetooth Connectivity, VIDAA Operating System, Retail Box *TV license required*
65NANO80T6A	R 14,999	LG NANO80 Series 65" UHD ThinQ AI webOS Smart TV - 3840 x 2160 Resolution, Refresh Rate Refresh Rate 60Hz, Digital TV Reception (Terrestrial, Cable, Satellite) DVB-T2/C/S2, 3x HDMI Ports, 2x USB, 1x LAN Port, Built in Wi-Fi 802.11.b/g/n/ac, Stereo 2-way, 2.0 Channel 20W Total, webOS Smart TV, Remote Control, Retail Box
65NU850B6LA	R 8,599	LG NU850B6LA 65" NANO 4K UHD Smart TV - 3840 x 2160 4K UHD NanoCell Smart TV with Nano Detail Enhancer, Alpha 7 AI Processor 4K Gen9, Linear Flow Design, webOS 26 with AI Hub (Google Gemini Microsoft

		Copilot), LG Shield security (7 technologies), HDR10 Pro, Filmmaker Mode, 4K Super Upscaling, Dynamic Tone Mapping (2,040 zones), 3x HDMI 2.1 (eARC, ALLM, CEC), 1x USB 2.0, Wi-Fi 5, Bluetooth 5.3, Ethernet, Miracast, Apple AirPlay 2, Google Cast, voice assistants , AI Magic Remote, Home Hub (IoT control), LG Gallery (100 artworks), energy class F (SDR)/G (HDR), 100W power consumption (SDR), 152W (HDR), VESA 300x200mm wall mount, 1447x838x70.8mm (no stand), 13.9kg weight *TV license required*
65Q6Q	R 7,399	Hisense Q6Q Series 65" QLED VIDAA Smart TV - Resolution 3840 x 2160 4K UHD Direct LED QLED panel, Refresh Rate 60Hz native / Smooth Motion Rate 120Hz, Brightness 350 cd/m2 typical, Contrast Ratio 1400:1, Viewing Angle 178deg/178deg, Color Depth 8-bit FRC Wide Color Gamut, Response Time 8ms. HDR Support HDR10 / HDR10 / Dolby Vision / HLG, Audio 2 x 10W speakers Dolby Atmos / Dolby Digital. Connectivity 3 x HDMI (4K@60Hz, HDCP 2.2, eARC HDMI 3), 2 x USB 2.0, Ethernet RJ45, Wi-Fi 2.4/5 GHz, Bluetooth 5.0, OS VIDAA Smart TV , VESA 300 x 400 mm, DVB-T2/C/S2 tuners, HEVC decoder *TV license required*
65QNED70B6T	R 9,999	LG QNED70B6T 65" QNED AI Mini-LED 4K Smart TV - 4K UHD QNED AI Mini-LED Smart TV with Dynamic QNED Color (100% DCI-P3 Color Volume), Mini LED backlighting for enhanced clarity and exceptional contrast, " 7 AI Processor 4K Gen9, 4K Super Upscaling, 20W 2.0 Dolby Atmos audio, AI Sound Pro (9.1.2 up-mix), AI Magic Remote, Linear Flow Design, Nano-based wide color gamut replacing Quantum Dot, VESA 300x200mm wall mount, 1447x838x70.8mm (no stand), 13.9kg weight
65S79U	R 10,063	Mecer 65S79U 65" UHD 3840x2160 4K LED panel Smart Display, 3x HDMI, 2x USB, Built-In Media player, Built-In Android 6.0 module with arm Cortex-A9 Dual Core CPU, 1.5GB DDR3 and 8GB eMMC, Embedded 802.11 b/g/n Wireless LAN, Support HDR, Built-In Speakers (8W x 2), Includes pedestal
65U6S	R 8,999	Hisense 65 Inch U6S UHD Mini-LED Smart TV - Resolution 3840 x 2160 4K UHD Hi-QLED Mini-LED with Quantum Dot panel, 8-bit FRC Color Depth, Refresh Rate 60Hz native (120Hz Smooth Motion), Brightness 400 nits typical / 600 nits peak, Contrast Ratio 6000:1 native, Viewing Angle 178 Degree H/178 Degree V, Response Time 8m. Connectivity 3 x HDMI (4K@60Hz, HDCP 2.2, eARC HDMI 3, CEC), 2 x USB 2.0, Ethernet RJ45, Wi-Fi 802.11 a/b/g/n/ac (2.4/5.0GHz dual-band), Bluetooth 5.4, SPDIF Optical, RF Input (Terrestrial/Cable), Power AC 100-240V 50/60Hz, Standby
65X6600K	R 9,299	Skyworth X6600K 65" UHD Mini LED Google TV - 4K UHD QD-Mini LED Smart TV with 88-zone local dimming, 120Hz HSR Turbo Motion, 450 nits peak brightness, 93% DCI-P3 color gamut, 1400:1 contrast ratio, 11ms response time, HDR10 /HLG/Dolby Vision, Dolby Atmos, MEMC, Filmmaker Mode, Game Mode, Google TV OS (Android 14), Google Assistant, Chromecast, Far Field Voice Control, 2GB RAM 32GB storage, 30W audio (2x15W), 3x HDMI (HDMI 2.1, CEC, ARC), 2x USB, dual-band Wi-Fi (2.4G 5G), Bluetooth 5.1, LAN, Optical SPDIF, RF/Composite input, VESA wall-mountable *TV license required*
HISENSE LEDN65Q6Q	R 8,647	Hisense 65Q6Q 65" QLED 4K 60Hz VIDAA Smart TV. 65-inch QLED 4K Smart TV; QLED Colour; Dolby Vision & Atmos; AI 4K Upscaler; AI Smooth Motion; Game Mode Plus 60Hz ALLM; Voice Control; VIDAA Smart TV; HDMI 2.1 x3; USB 2.0 x2; 350 nits brightness; 1400:1 contrast ratio; 8 ms response time; 10W audio output; VESA 200 x 200 mm; Black finish; 145.2 x 84.5 x 28.5 cm; 16.5 kg; Mid-range performance tier; Ideal for gaming, streaming, home entertainment, smart home integration; 2025 model; South Africa *TV license required*
HISENSE LEDN65Q7Q	R 9,613	Hisense LEDN65Q7Q 65" QLED 144hz 4k Smart TV, 144Hz, VRR Game Mode PRO; QLED Colour; Dolby Vision. Atmos; AI Picture; AI Smooth Motion *TV license required*
HISENSE LEDN70A6Q	R 9,624	Hisense 70A6Q 70" UHD 4K VIDAA Smart TV. 70" UHD 4K Smart TV; 3840 x 2160 resolution; 60Hz refresh rate; Dolby Vision HDR; Game Mode PLUS; Voice control; VIDAA U7.6 smart platform; 3 x HDMI 2.0 ports; 2 x USB 2.0 ports; Wi-Fi and Bluetooth connectivity; 20 kg weight; 1570 x 910 x 85 mm dimensions; 150W power consumption; 4000:1 contrast ratio; 8ms response time; 178 Degree viewing angle; 200 x 200 mm VESA mount; DTS Virtual:X audio *TV license required*
SAMSUNG UA65M70H	R 10,061	SAMSUNG UA65M70H M70H 65" Mini LED 4K 3840x2160 Vision AI Smart TV, Mini LED Processor 4K, 50 Hz Refresh Rate, 120Hz DLG, Mini LED HDR, HDR 10 , 20 W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 200 x 200 mm VESA spec
SAMSUNG UA65M80	R 12,074	Samsung 65" M80H Smart TV 4k Uhd 3840x2160 Mini Led Technology Nq4 Ai Gen2 Processor Samsung Vision Ai Ai Football Mode Ai Sound Controller Generative Wallpaper 144hz Motion Xcelerator Vrr Support Hdr Tizen Os

		Hdmi X 4 Usb X 2 Wifi Bluetooth *TV license required*
SAMSUNG UA65M80H	R 9,279	SAMSUNG UA65M80H M80H 65" Mini LED 4K 3840x2160 Vision AI Smart TV, NQ4 AI Gen2 Processor, 144 Hz Refresh Rate, 240 Hz DLG, Mini LED HDR, HDR 10 , Motion Xcelerator 144 Hz, 4K AI upscaling, Colour booster Pro, 20 W Sound Output (RMS), 2ch Speaker Type, Dolby 5.1 decoder, Tizen Smart TV Operating System, Up to 2 videos Multi-View, FreeSync Premium, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 200x200 mm VESA spec

< Return to the menu

LED TVs : LED TV 75" - 77" / 191cm - 195.6cm

Product code	Price	Description
75C655	R 11,399	TCL C655 75" QLED Google TV - resolution 3840 x 2160 4K UHD QLED VA panel with DLED backlight, Refresh Rate 60Hz Native (VRR up to 120Hz, DLG 120Hz), Color Gamut 95% DCI-P3, HDR Support Dolby Vision / HDR10 / HLG. AiPQ Pro processor, Audio 2.1 Channel 2x10W 15W (35W total) Dolby Atmos / DTS Virtual:X. Connectivity HDMI 2.1 (eARC/ARC, CEC), Bluetooth 5.0, Wi-Fi 5 dual-band, Ethernet, OS Google TV. Dimensions with stand 1672 x 965 x 320 mm (approx.), Weight 27.2 kg without stand, VESA 400 x 400 mm *TV license required*
75C6K	R 16,999	TCL C6K 75" QD Mini LED 4K Google TV - Resolution 3840 x 2160 (4K UHD), Native Refresh Rate 144Hz , Color Gamut 93% DCI-P3, HDR Support Dolby Vision IQ, HDR10 , HLG, Contrast Ratio 5500:1, Peak Brightness up to 1000 nits. Audio: ONKYO 2.1 Hi-Fi system with 2x10W midrange speakers and 20W subwoofer, Processor AiPQ Pro for advanced image processing, Operating System Google TV with Google Assistant. Connectivity includes 4x HDMI 2.1 (eARC/ARC), USB 2.0/3.x, Ethernet LAN, dual-band Wi-Fi, Bluetooth 5.4. Dimensions without stand: approx. 1890 x 1086 x 57.9 mm; with stand: 1890 x 1161 x 372 mm, Weight approx. 23 kg, VESA mount 600 x 400 mm *TV license required*
75C7L	R 20,999	TCL C7L Series 75" SQD-Mini LED 4K UHD 3840x2160 144Hz Google TV, HVA panel, B& o Audio system, 16:9 Aspect Ratio, 144Hz Refresh Rate, Dolby Vision IQ, HDR 10 , HLG, Bluetooth, Wi-Fi, HDMI 2. 1, AMD FreeSync, 300x300 mm VESA wall-mounting
75M450RP	R 8,999	Toshiba M450RP Ultra HD QLED 4K Smart TV - 75 Inch TV Size, 4K UHD (3840 x 2160) Resolution, QLED Color Display, Direct LED Backlight, 60Hz Native Refresh Rate, REGZA Engine ZR Processor, AI Picture Optimizer, AI HDR Enhancer, AI 4K Upscaling, Game Mode, REGZA Power Audio, Dolby Atmos, HDMI, Wi-Fi, Bluetooth Connectivity, VIDAA Operating System, Retail Box *TV license required*
75NU850B	R 11,999	LG NU850B 75" UHD AI Nano Smart TV - 3840 x 2160 (4K UHD) with ?7 AI Processor 4K Gen9, Nano Detail Enhancer, AI Super Upscaling, HDR10 Pro & HLG, FILMMAKER Mode, webOS 2026 with AI Hub & AI Concierge, LG Channels (400 free channels), 60Hz refresh rate, Game Optimizer with VRR/ALLM/HGiG, 20W 2.0CH speakers with AI Sound Pro & Clear Voice Pro, 3x HDMI 2.0 (eARC on HDMI 2), 1x USB 2.0, Wi-Fi 5 (802.11ac), Bluetooth 5.3, LAN, CI slot, RF input, DVB-T2/T/C/S2/S tuners, , 1669x1026x361mm (with stand), 22.5kg weight, VESA 300x300mm *TV license required*
75Q7Q	R 11,999	Hisense Q7Q 75" QLED 144Hz Smart LED TV - Resolution 3840 x 2160 4K UHD, Refresh Rate 144Hz native / Smooth Motion Rate 240Hz, Brightness 350 nits typical, Contrast Ratio 1400:1 native, Viewing Angle 178/178 Degree, Color Depth 8-bit FRC Quantum Dot Wide Color Gamut, Response Time 8ms. HDR Support HDR10 / HDR10 / Dolby Vision / HLG, Audio 2 x 15W (30W total) Dolby Atmos / Dolby Digital. Connectivity 4 x HDMI (4K@60Hz, HDCP 2.2, eARC HDMI 3), 1 x USB 2.0, Ethernet RJ45, Wi-Fi 2.4/5GHz, Bluetooth 5.0, RF/AV/Optical SPDIF/Earphone jack, OS *TV license required*
75QNED70B6T	R 12,999	LG QNED70B6T 75" QNED AI Mini-LED 4K Smart TV - 4K QNED (3840 x 2160) AI Mini-LED Smart TV with Dynamic QNED Colour, Alpha 7 AI Processor 4K Gen9, 4K Super Upscaling, 20W 2.0 Dolby Atmos audio, AI Sound Pro (9.1.2 up-mix), webOS 26 with AI Hub, Google Gemini Microsoft Copilot, AI Voice ID, AI Chatbot, LG Channels, LG ThinQ, Home Hub, Apple AirPlay 2, Google Cast, Wi-Fi 5, Bluetooth 5.3, 3x HDMI with eARC, 1x USB, Ethernet, AI Magic Remote, Hands-Free Voice Control, 100% DCI-P3 colour volume *TV license required*
77SXF9850	R 23,999	Skyworth SXF9850 77" OLED Google TV. 77-inch OLED; 3840x2160 UHD; HDR10/HDR10 /HLG/Dolby Vision IQ; 120Hz; 0.1ms response; 2.1.2 Dolby Atmos 65W; 2x HDMI 2.1, 2x HDMI 2.0; 2x USB 2.0; Wi-Fi, Bluetooth

		5.1; Swivel base; Wall mount 400x400mm; 500W power *TV license required*
HISENSE LEDN75A6Q	R 10,579	Hisense LEDN75A6Q 75" 60HZ UHD 4K Smart TV; Dolby Vision; Quantum Dot Colour; Smooth moton rate; Screen curvature radius; Voice control *TV license required*
HISENSE LEDN75Q6Q	R 11,545	Hisense 75Q6Q 75" QLED 4K 60Hz VIDAA Smart TV. 75-inch QLED 4K Smart TV; Quantum Dot; Dolby Vision & Atmos; AI 4K Upscaler; Game Mode Plus 60Hz ALLM; VIDAA OS; Voice Control; HDMI x3; USB x2; VESA 600x400mm; 18.8kg; 167.6x100.4x36cm *TV license required*
HISENSE LEDN75Q7Q	R 12,798	Hisense LEDN75Q7Q 75" QLED 144hz 4k Smart TV 144Hz VRR Game Mode PRO; QLED Colour; Dolby Vision.Atmos; AI Picture; AI Smooth Motion
SAMSUNG UA75M70H	R 14,144	SAMSUNG UA75M70H M70H 75" Mini LED 4K 3840x2160 Vision AI Smart TV, Mini LED Processor 4K, 50 Hz Refresh Rate, 120Hz DLG, Mini LED HDR, HDR 10 , 20 W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 400 x 300 mm VESA spec
SAMSUNG UA75M80H	R 14,109	SAMSUNG UA75M80H M80H 75" Mini LED 4K 3840x2160 Vision AI Smart TV, NQ4 AI Gen2 Processor, 144 Hz Refresh Rate, 240 Hz DLG, Mini LED HDR, HDR 10 , Motion Xcelerator 144 Hz, 4K AI upscaling, Colour booster Pro, 20 W Sound Output (RMS), 2ch Speaker Type, Dolby 5.1 decoder, Tizen Smart TV Operating System, Up to 2 videos Multi-View, FreeSync Premium, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 400x300 mm VESA spec

< Return to the menu

LED TVs : LED TV 78" - 115" / 198cm - 292cm

Product code	Price	Description
100Q7Q	R 26,999	Hisense Q7Q 100" QLED 144hz 4k Smart TV. 3840x2160 4K UHD; 144Hz refresh rate; VRR; Quantum Dot technology; Dolby Vision Atmos; AI Picture; AI Smooth Motion; AMD FreeSync Premium; Game Mode PRO; Filmmaker Mode; Voice Control; Smart TV; HDMI 2.1; USB 2.0; Optical Audio Out; Ethernet; Wi-Fi; VESA Mount Compatible; Weight: 35 kg; Dimensions: 223.5 x 129.9 x 10.5 cm *TV license required*
100U7K	R 70,886	Hisense 100" Mini Tec ULED Smart TV, Mini-LED Pro, 144Hz Game Mode Pro, Quantum Dot Colour, Dolby Vision IQ, Built-in Subwoofer, AMD FreeSync Premium *TV license required*
100U7Q	R 31,999	Hisense U7Q 100" 4K UHD Mini-LED 165Hz VRR Gaming TV - 3840 x 2160 4K UHD Mini-LED Pro ULED, Refresh Rate 165Hz native , HDR Support Dolby Vision / HDR10 / HDR10 / HLG, Brightness 450 nits typical , Contrast Ratio ~5000:1, Colour 10-bit FRC with Quantum Dot wide gamut. Audio Dolby Atmos / Dolby Digital, 2.1 (or 2-channel) Dolby Atmos-ready sound with multiple sound modes and headphone jack. Connectivity 4 x HDMI 2.1-compatible (eARC on HDMI 3), USB (1-2 x USB-A 2.0), Optical SPDIF, RF/AV inputs, Ethernet RJ45, Wi-Fi dual-band, Bluetooth 5.0; Screen mirroring Anyview *TV license required*
100Z670NN	R 22,999	Toshiba Z670N Series 100" QLED Smart LED TV - Quantum Dot Technology, Resolution 3840 x 2160, Aspect Ratio: 16:9, Brightness 250 CD/M2, Contrast Booster, Game Mode 144Hz, HDMI input Ports x3, USB 2.0 x2, Composite Input, Stereo 2 x 15w RMS Output Speakers, Retail Box *TV license required*
85C350RP	R 11,599	Toshiba C350RP 85" UHD Smart LED TV - 3840 x 2160 4K UHD Smart LED TV with Direct LED backlight, Dolby Vision / HDR10 / HLG, REGZA Engine ZR AI processor, AI 4K Clarity, Game Mode with VRR/ALLM, Dolby Atmos audio (2x15W), VIDAA smart platform *TV license required*
85C450NP	R 11,490	(On Promotion) Toshiba C450NP 4K Ultra HD Smart LED TV - 85 Inch Screen Size, LED Display, Direct LED, 4K 3840x2160 Resolution, 60Hz Refresh Rate, Wide Color Gamut, 8ms Response Time, 18W Speaker Power, Dolby Digital, Bluetooth 5.3 and Wi-Fi Connectivity, 3 x HDMI, 2 x USB 2.0, Earphone Jack, SPDIF, AV input Interface, VIDAA OS , VESA Compliance, Retail Box
85C7L	R 26,999	TCL C7L Series 85" SQD-Mini LED 4K UHD 3840x2160 144Hz Google TV, HVA panel, B& o Audio system, 16:9 Aspect Ratio, 144Hz Refresh Rate, Dolby Vision IQ, HDR 10 , HLG, Bluetooth, Wi-Fi, HDMI 2. 1, AMD FreeSync, 600x400 mm VESA wall-mounting
85NU850B6LA	R 17,999	LG NU850B6LA 85" NANO 4K UHD Smart TV - 3840 x 2160 (4K Ultra HD) NanoCell Smart TV with Nano Detail Enhancer, ?7 AI Processor 4K Gen9, Linear Flow Design, webOS 26 with AI Hub (Google Gemini Microsoft Copilot), 3x HDMI 2.1 (eARC, ALLM, CEC), 1x USB 2.0, Wi-Fi 5, Bluetooth 5.3, Ethernet, Miracast, Apple AirPlay

		2, Google Cast, voice assistants (Copilot, ThinQ, Google Assistant), AI Magic Remote, Home Hub (IoT control), LG Gallery (100 artworks), energy class F (SDR), 163W power consumption (SDR), 215 cm (85") ultra-large screen, VESA compatible wall mount *TV license required*
85Q6600H	R 14,999	Skyworth Q6600H 85" QLED Google TV - Resolution 3840 x 2160 4K UHD QLED panel with VA technology, Refresh Rate 60Hz native (software turbo to 120Hz), Brightness 400 nits typical, Contrast Ratio 6000:1, Response Time 8ms. HDR Support HDR10, HDR10 , HLG (no Dolby Vision), Color Gamut 90% DCI-P3, no Local Dimming. Audio 2 x 15W speakers with Dolby Digital Plus (no Dolby Atmos). Connectivity 3 HDMI, 2 USB, Optical SPDIF, RF input, Ethernet, Bluetooth 5.1, Wi-Fi dual band (2.4G 5G). Runs Google TV with Google Play Store and Assistant built-in. Memory 2GB DDR RAM, 16GB storage. Digital Tuners DVB-T2/T/C with EPG and parental controls. Dimensions with stand 1890 x 1175 x 399 mm, Weight 27.7 kg net *TV license required*
85Q6Q	R 14,499	Hisense Q6Q Series 85" QLED VIDAA Smart LED TV. 85-inch QLED 4K UHD display; Quantum Dot Colour; Dolby Vision & Dolby Atmos; AI 4K Upscaler; AI Smooth Motion; Game Mode Plus 60Hz ALLM; VIDAA Smart TV OS; 4 x HDMI, 2 x USB; 2 x 15W speakers; VESA 600 x 400 mm; 37 kg weight *TV license required*
85Q6Q	R 17,250	Hisense Q6Q Series 85" QLED VIDAA Smart LED TV. 85-inch QLED 4K UHD display; Quantum Dot Colour; Dolby Vision & Dolby Atmos; AI 4K Upscaler; AI Smooth Motion; Game Mode Plus 60Hz ALLM; VIDAA Smart TV OS; 4 x HDMI, 2 x USB; 2 x 15W speakers; VESA 600 x 400 mm; 37 kg weight *TV license required*
85Q7Q	R 16,299	Hisense Q7Q Series 85" QLED 144Hz Gaming Smart TV - Resolution 3840 x 2160 4K UHD, Refresh Rate 144Hz native / Smooth Motion Rate 240Hz, Brightness 400 nits typical, Contrast Ratio 6000:1 native, Viewing Angle 178/178 Degrees, Color Depth 8-bit FRC Quantum Dot Wide Color Gamut, Response Time 6ms. HDR Support HDR10 / HDR10 / Dolby Vision / HLG, Audio 2 x 15W (30W total) Dolby Atmos / Dolby Digital. Connectivity 4 x HDMI (4K@60Hz, HDCP 2.2, eARC HDMI 3), 1 x USB 2.0, Ethernet, Wi-Fi 2.4/5GHz, Bluetooth 5.0, RF/AV/Optical SPDIF/Earphone jack, OS
85U7Q-PRO	R 22,499	Hisense U7Q-PRO 85" UHD Mini-LED 165Hz Smart TV - 3840 x 2160 (4K UHD) Mini-LED Smart TV with ULED technology, Quantum Dot Color (90% DCI-P3), Hi-View AI Engine PRO, Full Array Local Dimming (up to 1024 zones on 85"), 165Hz native refresh rate, Game Mode Ultra with VRR 48-165Hz AMD FreeSync Premium Pro, HDMI 2.1 (4 ports), Dolby Vision IQ & HDR10 Adaptive, HLG, 2000 nits peak brightness, 2.1.2-channel speakers with Dolby Atmos, VIDAA U9.0 OS, Google TV/VIDAA apps, Wi-Fi 2.4/5 GHz, Bluetooth 5.0, 4K@165Hz gaming, low input lag (~6 ms), DVB-T2/T/C/S2 tuners, VESA 600x400 mm *TV license required*
98C7L	R 45,999	TCL C7L Series 98" SQD-Mini LED 4K UHD 3840x2160 144Hz Google TV, HVA panel, B& o Audio system, 16:9 Aspect Ratio, 144Hz Refresh Rate, Dolby Vision IQ, HDR 10 , HLG, Bluetooth, Wi-Fi, HDMI 2. 1, AMD FreeSync, 600x400 mm VESA wall-mounting
98Q6Q	R 24,999	Hisense Q6Q 98" QLED 4K 144Hz VIDAA Smart TV. Quantum Dot; 144Hz refresh rate; AI 4K Upscaler; Dolby Vision; Dolby Atmos; VIDAA U9 Smart TV; Voice control; HDMI 2.1; VESA 600 x 400 mm mounting; 400 cd/m brightness; 6000:1 contrast ratio; 178 Degree viewing angle; 8 ms response time; 45 kg weight; 218.5 x 123.1 x 19.8 cm dimensions; Premium performance tier *TV license required*
HISENSE 85Q6Q	R 17,030	Hisense 85Q6Q 85" QLED 4K 60Hz VIDAA Smart TV. Screen 85" QLED 4K (3840x2160); 60Hz native/120 motion rate; QLED colour; Dolby Vision Atmos; AI 4K Upscaler; Game Mode Plus with ALLM; VESA 600x400; weight 36kg; WIDTH 189.2cm; HEIGHT 109.2cm; Smart VIDAA OS; 3 HDMI *TV license required*
HISENSE LEDN100Q7Q	R 28,089	Hisense Q7Q 100" QLED 144hz 4k Smart TV. 3840x2160 4K UHD; 144Hz refresh rate; VRR; Quantum Dot technology; Dolby Vision Atmos; AI Picture; AI Smooth Motion; AMD FreeSync Premium; Game Mode PRO; Filmmaker Mode; Voice Control; Smart TV; HDMI 2.1; USB 2.0; Optical Audio Out; Ethernet; Wi-Fi; VESA Mount Compatible; Weight: 35 kg; Dimensions: 223.5 x 129.9 x 10.5 cm *TV license required*
HISENSE LEDN85Q7Q	R 17,923	Hisense LEDN85Q7Q 85" QLED 144hz 4k Smart TV 144Hz VRR Game Mode PRO; QLED Colour; Dolby Vision.Atmos; AI Picture; AI Smooth Motion *TV license required*
HISENSE LEDN98Q6Q	R 28,829	Hisense Q6Q 98" QLED 4K 144Hz VIDAA Smart TV. Quantum Dot; 144Hz refresh rate; AI 4K Upscaler; Dolby Vision; Dolby Atmos; VIDAA U9 Smart TV; Voice control; HDMI 2.1; VESA 600 x 400 mm mounting; 400 cd/m² brightness; 6000:1 contrast ratio; 178° viewing angle; 8 ms response time; 45 kg weight; 218.5 x 123.1 x 19.8 cm dimensions; Premium performance tier *TV license required*
SAMSUNG QA98Q7F	R 48,299	SAMSUNG QA98Q7F 98" QLED 4K 3840x2160 Vision AI Smart TV, Q4 AI Processor, Motion Xcelerator 120Hz,

		Quantum HDR, 4K upscaling, 20W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Upto 2 videos Multi-View, VRR, FreeSync Premium, 3x HDMI, 2x USB Type-A, 4K 120Hz Max Resolution, 1x Ethernet (LAN), 1x Digital Audio out (Optical), Wi-Fi, Bluetooth, TM2360e Remote Controller
SAMSUNG QA98Q7F	R 46,988	SAMSUNG QA98Q7F 98" QLED 4K 3840x2160 Vision AI Smart TV, Q4 AI Processor, Motion Xcelerator 120Hz, Quantum HDR, 4K upscaling, 20W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Upto 2 videos Multi-View, VRR, FreeSync Premium, 3x HDMI, 2x USB Type-A, 4K 120Hz Max Resolution, 1x Ethernet (LAN), 1x Digital Audio out (Optical), Wi-Fi, Bluetooth, TM2360e Remote Controller
SAMSUNG UA85M70H	R 19,261	SAMSUNG UA85M70H M70H 85" Mini LED 4K 3840x2160 Vision AI Smart TV, Mini LED Processor 4K, 50 Hz Refresh Rate, 120Hz DLG, Mini LED HDR, HDR 10 , 20 W Sound Output (RMS), 2ch Speaker Type, Tizen Smart TV Operating System, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN)
SAMSUNG UA85M80H	R 22,194	SAMSUNG UA85M80H M80H 85" Mini LED 4K 3840x2160 Vision AI Smart TV, NQ4 AI Gen2 Processor, 144 Hz Refresh Rate, 240 Hz dlg, Mini LED HDR, HDR 10 , Motion Xcelerator 144 Hz, 4K AI upscaling, Colour booster Pro, 20 W Sound Output (RMS), 2ch Speaker Type, Dolby 5.1 decoder, Tizen Smart TV Operating System, Up to 2 videos Multi-View, FreeSync Premium, Wi-Fi, Bluetooth, 3x HDMI, eARC HDMI Audio return channel, 1x USB Type-A, Ethernet (LAN), 400 x 300 mm VESA spec

< Return to the menu

TV accessories

Product code	Price	Description
BRK-FS17-46F-01	R 2,830	Linkqnet Fs17-46f-01 49-70" Chrome Plated Slender V-base Studio Tv Floor Stand
HT005E	R 1,999	Hisense HT005E Wireless Screen Transmission, Retail Box
JL-1720	R 199	Digitech Jl-1720 Hisense TV Remote Control, OEM, 6 Month Limited Warranty
LS-ACT440	R 13,661	Aavara CT440 TV cart - 4 wheels with lock, support up to 52" /35Kg TV with 15° tilt 360º rotation, 500mm height adjustable, with modularized PC holder/ storage space and device supporter, ExperTorque technology smart cable management, VESA mounting: 100x100mm up to 400x400mm
LS-ATCB41	R 1,464	Aavara TCB41 - extended pole lcd arm for TC210 - 2 arms / 3 joints - 20º tilt & swivel angle adjustable , 90º rotation pivot for landscape or portrait , height adjustable , with ExperTorque technology , smart cable management , aluminum alloy/Steel , VESA mounting : 100x100 / 75x75mm , support up to 24" /12Kg - NO CLAMP

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

UPS / Voltage regulators / Generators

Automatic Voltage Regulators

Product code	Price	Description
AVS-S01	R 1,379	PSS 1KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S02	R 1,962	PSS 2KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S03	R 2,460	PSS 3KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S05	R 4,218	PSS 5KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S10	R 6,523	PSS 10KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase,

		Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S15	R 10,081	PSS 15KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S20	R 10,516	PSS 20KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
AVS-S30	R 11,857	PSS 30KVA-TND AVR Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Single phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
IPT-1000M	R 1,390	PSS 1KVA AVR - Automatic Voltage Regulator, 230V In & Out, High precision, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
IPT-2000M	R 1,519	PSS 2KVA AVR - Automatic Voltage Regulator, 230V In & Out, High precision, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
IPT-3000M	R 1,771	PSS 3KVA AVR - Automatic Voltage Regulator, 230V In & Out, High precision, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
IPT-5000M	R 2,789	PSS IPT-5000M AVR - Automatic Voltage Regulator - 5kVA, 230V Input/Output voltage, Single Phase, LCD Display, Fully automatic
SBW100A	R 95,556	PSS AVS SBW 100KVA 3 Phase Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Three phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
SBW10A	R 34,781	PSS AVS SBW 10KVA 3 Phase Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Three phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
SBW20A	R 37,028	PSS AVS SBW 20KVA 3 Phase Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Three phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
SBW30A	R 42,916	PSS AVS SBW 30KVA 3 Phase Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Three phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations
SBW50A	R 47,635	PSS AVS SBW 50KVA 3 Phase Automatic Voltage Stabiliser, Servo-Motor Technology, High precision, Three phase, Analogue display, Variac design, Fully automatic, Minimal output wave distortion, Hi-efficiency, Overload protection, Accepts 20% voltage variations

< Return to the menu

Energy monitors

Product code	Price	Description

< Return to the menu

Generators

Product code	Price	Description

< Return to the menu

Inverters

Product code	Price	Description
25382-GS2200	R 20,403	Ugreen PowerRoam Portable Power Station 2048Wh / 2200W SA, 3000 cycle Life (80%), 4x AC outlet 2200W, 1x USB Type-C (140W), 1x USB Type-C (100W), 2x USB Type-C (45W), 2x USB Type-A (22.5W), 1x Car Charger, 1x anderson Output (300W), 2x DC5521, 4.7" LCD Display, UPS functionality with 20ms switchover, Recharge the

		Battery from 0% to 100% within 1.5 hours
BSI103	R 2,346	PSS Blu Sky Inverter 1kVA 900W with modified sine wave, 3-stage charger, Selectable 10A / 20A charger, Requires 12V Deep cycle battery - Not included, 20ms transfer time, Low noise fan, LCD display. (Power Outlet are UK sockets, Inlet is a South African 3pin plug type-M on a cable, a SA-UK plug adapter / travel plug is required)
BSI203	R 2,749	PSS Blu Sky Inverter 2kVA 1600W with modified sine wave, 3-stage charger, Selectable 10A / 20A charger, Requires 24V Deep cycle batteries - Not included, 20ms transfer time, Low noise fan, LCD display. For electronics without motors only such as TVs, monitors and Computers. Note: Not for use with Laser Printers, Photo copiers, Fluorescent lights or motors. (Power Outlet are UK sockets, Inlet is a South African 3pin plug type-M on a cable, a SA-UK plug adapter / travel plug is required)
BSS203	R 3,038	PSS Blu Sky Solar Inverter 2kVA 1600W with modified sine wave, 3-stage charger, Selectable 10A / 20A charger, Requires 24V Deep cycle batteries - Not included, 20ms transfer time, Low noise fan, LCD display, 1200W Maximum Solar power. (Power Outlet are UK sockets, Inlet is a South African 3pin plug type-M on a cable, a SA-UK plug adapter / travel plug is required)
DE-NEO1500	R 8,499	DaranEner Neo 1500W 1075Wh Portable Solar generator - SA plugs, LiFePO4 Battery Type, 3500 cycles up to 80% of original capacity, MPPT controller, BMS, 4x USB Type-A, 2x USB-C, Car Socket Output, 1800W AC Output, 3W LED Lighting, Maximum 600W Solar charge
DE-NEO2000	R 11,039	Daranener Neo 2000w 2074wh Portable Solar Generator - SA Plugs
DEYE SUN-5K	R 14,691	DEYE SUN-5K 5kVA / 5kW Grid Tied Inverter, 2x MPPT, 6500W Maximum DC Input power 48VDC batery required, Lead-acid or Li-Ion battery Type, RS485 / CAN communication with BMS
DEYE SUN-8K	R 20,907	Deye SUN-8K 8kVA / 8kW grid tied Inverter - Pure Sine Wave, Pf 1.0 48V DC, Build-in 10400W total Dual MPPT Solar, 425V open PV voltage, BMS, IP65, NRS097 Certified, Lead-acid or Li-ion battery Type, 40-60 V battery voltage range, 8800W Maximum AC Output power
EB3A	R 4,139	Bluetti EB3A Pure Sine Wave Portable Power Station 600W 268Wh, LiFePO4 Battery, 2500 cycles to 80% original capacity Life cycles, MPPT controller, BMS, 2x 120V/5A outlets AC outlets, 1x 100W Maximum USB-C Port, 2x 5V/3A USB Type-A Port, 1x 12V/10A (Car outlet), 2x 12V/10A DC 5521 (5.5mm outlets), 1x 15W Maximum Wireless charging pad, 268W Maximum AC charging cable, 200W Max Solar Input, 12/24V from cigarette lighter Port Car Input
EB70	R 7,242	Bluetti EB70 Pure Sine Wave Portable Power Station 1000W 716Wh, LiFePO4 Battery, 2500 cycles to 80% original capacity Life cycles, MPPT controller, BMS, 4x 120V/20A AC outlets, 2x 100W Maximum USB-C Port, 2x 5V/3A USB Type-A Port, 1x 12V/10A (Car outlet), 2x 12V/10A (DC5521), 1x 15W Maximum Wireless charging pad, 200W Max Solar Input, 12/24V from cigarette lighter Port Car Input, 200W Maximum AC Adapter Input
ECOFLOW POWERSTREAM	R 3,887	Ecoflow Powerstream 800w Micro Inverter. The EcoFlow PowerSteam Balcony Solar System is a smart, eco-friendly energy setup for your home. It is used with EcoFlow Portable Power Stations and solar panels that are sold separately. You can install it on a balcony or small spaces, and it helps power your home or flat - reducing your electricity bill and relying less on the power grid (no more load-shedding headaches). It is designed to be affordable.
GPS2000UV2	R 14,400	Gizzu Hero Pro 2048Wh / 2400W UPS Power Station with App, 2048Wh LiFePO4 Battery capacity, 2400W continuous AC Output with 4800W Peak Power, 10ms UPS switchover time for Seamless grid transition, Full charge in 2 hours via AC Input, Supports up to 500W Solar Input at 11.5 - 50V, Compatible with bright ems App via Bluetooth and Wi-Fi, Pure Sine Wave Output safe for sensitive electronics, Rated for 3500 cycles to 80% capacity, Includes 2x AC outlets, USB Type-A and Type-C Ports, Features OnBoard LCD Display and 1W LED Torch
H310BIT	R 4,199	Hisense 223L Combi Freezer Fridge, Retail Box
HUAWEI PV SUN2000-100KTL-M2	R 33,694	Huawei SUN2000 100kVA 3 phase Solar Inverter, SUN2000-100KTL-M2, 3-phase Inverter with 100000VA Power, 10 MPP tracker, Efficiency up to 98.8%, RS485 for Smart Power sensor and SmartLogger
HUAWEI PV SUN2000-20KTL-M5	R 34,499	Huawei SUN2000 20kVA 3 phase Solar Inverter, SUN2000-20KTL-M5, 2 Independent MPP trackers, 4 DC connections, Efficiency up to 98.4%, Smart Air cooling, RS485 for Smart Power sensor and smartlogger
HUAWEI PV SUN2000-30KTL-M3	R 40,824	Huawei SUN2000 30kVA 3 phase Solar Inverter, SUN2000-30KTL-M3, 3-phase Inverter with 33000VA Power, 4 Independent MPP trackers, 8 DC connections, Efficiency up to 98.7%, RS485 for Smart Power sensor and SmartLogger, Convection cooling

IVR-1200LBKS	R 574	Mecer 1200VA, 720W, 12V DC-AC Inverter with LCD Display. *Cables are included to connect to the battery, 1x cable to connect to a South African 3pin wall socket is included. Requires 1x 12V deep cycle battery (not included) *Please take note of battery connection polarity, or the blade fuses will blow inside the unit (Red, - Black). Output: 3-pin South African sockets at back of unit (SANS 164-1). SOLAR NOT AVAILABLE. Lead-acid battery only.
IVR-1200MPPT	R 2,450	Mecer IVR-1200MPPT 1200VA 1000W 12V DC-AC Inverter with LCD Display & MPPT built in, Cables are included to connect to the battery, 1x cable to connect to a South African 3pin wall socket is included, Requires 1x 12V deep cycle battery, Please note of connection: Connect RED cable to ( ) on battery and BLACK cable to (-) on battery
IVR-2400LBKS	R 1,149	Mecer 2400VA, 1440W, 24V DC-AC Inverter with LCD Display. No solar built-in (option not available).. Batteries not included. Includes: Battery cables, 1x cable with SA 3pin plug. Requires 2x 12V deep cycle batteries. Please take note of connection polarity (Red, - Black). Output: 3-pin South African sockets at back of unit (SANS 164-1).
IVR-2400LBKS	R 2,999	Mecer 2400VA, 1440W, 24V DC-AC Inverter with LCD Display. No solar built-in (option not available). Batteries not included. Includes: Battery cables, 1x cable with SA 3pin plug. Requires 2x 12V deep cycle batteries. Please take note of connection polarity (Red, - Black). Output: 3-pin South African sockets at back of unit (SANS 164-1).
IVR-2400MPPT	R 2,645	Mecer IVR-2400MPPT 2400VA 1800W 24V DC-AC Inverter with LCD Display & MPPT built in, Cables are included to connect to the battery, 1x cable to connect to a South African 3pin wall socket is included, Requires 2x 12V deep cycle battery *compatible with Lead acid and Lithium batteries* Please note of connection: Connect RED cable to ( ) on battery and BLACK cable to (-) on battery
KE1000 TROLLEY	R 6,025	Kool Energy KE1000 1kVA with 1x 100Ah Battery Inverter Trolley (Pure sine wave)
KSW1500VA1200W	R 3,299	Solarix Kingstar 1500VA Hybrid Pure Sine Wave 12V Inverter - Built-in PWM 30A Solar Charger Controller, 1200W Rated Power, Input 230VAC 50/60HZ, Output 230VAC 50/60HZ, DC Input 12VDC 120A, DC Output 13.75VDC 30A, Max Solar Voltage [VOC] 30V, Solar Rated Power 400W, Configurable AC And Solar Input Priority Via LCD Display, Compatible To Mains Voltage Or Generator Power, Smart Battery Charger Design, Cold Start Function, Colour Blue Retail Box, 6 Months Warranty
KSW4000VA4000W	R 4,399	Solarix KingStar 4KVA 24VDC 60A Pure Sine Wave OffGrid Inverter- 60A PWM Solar Charge Controller , 4000w Rated Power, Max Watt Output 4KW Peak Efficiency 93%, Retail Box , 6 Months Warranty.
LUM-IiCR48V-4000	R 6,853	Luminous - Icruze Inverter 4000VA 48V, IiCR48V-4000, Pure Sinewave, Non-Solar, Requires 4x 12V Battery, Batteries not included, Max load of 2850W and a charging current of 21A
LUM-ILV-1250	R 15,211	Luminous ILV-1250 Lithium Ion 1100VA / 12V LiFePO4 Battery Inverter, Pure Sinewave, Non-Solar, Built-In Li-Ion Battery, 1280Wh Battery capacity, 3-4hrs charging time, CD Display provides performance statistics
ME-10K-GA33	R 30,993	Mecer Galleon II 3P/3P 10K / Online Tower 3 phase UPS PF1.0, 3-phase in / 3-phase out, Up to 6 units in parallel, Zero transfer time Inverter to bypass, Pure Sine Wave, 9 hours recover to 90% capacity typical recharge time, 12v/9ah battery Type *6 month warranty on battery
MI-0348LF	R 2,409	PSS MI-0348LF Pro Series 3kW 48VDC Pure Sine Wave Inverter (Full specifications in image)
MI-0548LF	R 4,134	PSS MI-0548LF Pro Series 5kW 48VDC Pure Sine Wave Inverter (Specifications in image and pdf)
MR-2400;BKS	R 1,783	Mecer 2400VA, 1440W, 24V DC-AC Inverter with LCD Display. No solar (option not available). No batteries included. Cables are included to connect to the battery, 1x cable to connect to a South African 3pin wall socket is included. Requires 2x 12V deep cycle batteries *Please take note of connection Red / -Black. Output: 3-pin South African sockets at back of unit (SANS 164-1).
NV-MH10048	R 11,184	Navasolar Ph1800 10kw 48v Hybrid Solar Inverter 80a Mppt
NV-MV5248PRO	R 3,853	Navasolar Pv1800 Pro 5.2kw 48v Offgrid Solar Inverter 80a Mppt
NV-TI-1512	R 4,675	Navasolar TI-1512 Trolley Inverter 1.5K with 1.28kWh Lithium Battery, Pure Sine Wave, 20 ms (typical) transfer time, 4x AC outlets, 2x USB Power Delivery Ports (QC3.0), 960W PWM Solar, 25.6VDC nominal Voltage
NV-X5048	R 3,853	Navasolar X5048 5kw 48v Offgrid Solar Inverter 80a Mppt
RCT MP-T1000S	R 5,658	RCT MegaPower 1kVA / 1000W pure sinewave Inverter trolley with 1x 100Ah batteries, Built-In MPPT Solar charger
RCT-AXPERT 3.6K MK4	R 3,365	RCT Axpert 3.6K MK4 3600VA / 3600W Pure Sine Wave Inverter charger 48V, WiFi, BMS, Up to 9 units parallel capability, 10 MS transfer Time, 48 VDC Battery voltage, 500 VDC Maximum PV Array open Circuit voltage, 5000 W Maximum PV Array Power
RCT-AXPERT 5.6K MK4	R 5,383	RCT Axpert 5.6K MKS IV 5600VA / 5600W 48V Pure Sine Wave MPPT Inverter charger, Up to 9 units parallel

		capability, 10 ms transfer time, Pure Sine Wave Waveform, 93% efficiency (Peak), 48 VDC battery voltage, 450 VDC Maximum PV Array open Circuit voltage, 6000 W Maximum PV Array power
RCT-AXPERT 5K MK2	R 4,789	RCT Axpert 5K MK2 48V 5000VA / 5000W Inverter, Pure Sine Wave Inverter, PF1, 48V DC, Build-in 5000W MPPT Solar charger with 450V DC Maximum open PV voltage, Include parallel kit for parallel operations up to 9 units, Batteries not included, Requires 4x 12V battery or 48V lithium-ion battery
RCT-AXPERT 6K MK4 TWIN	R 5,833	RCT Axpert 5.6K MK4 Twin 6kVA / 6kW Pure sunce Inverter 48V with Dual AC Output, WiFi, Up to 9 units parallel capability, 10ms transfer time, 6000W Maximum PV Array Power, 500 VDC Maximum PV Array open Circuit voltage, USB / RS232 / RS485 / WiFi / dry-contact, Touchable Button with large 4.3 colored LCD, Battery Independent Function
RCT-AXPERT BMS BOX	R 1,015	BMS communication box for using lithium batteries on RCT Axpert inverters
RCT-AXPERT ESS 8K COVER PLATE	R 672	RCT-Axpert ESS 8k wiring installation base plate. ESS 8K cover plate; wiring installation base; inverter accessory; cable management; protective mounting plate; compact design.
RCT-AXPERT KING 5KVA	R 15,428	RCT Axpert King 5K 5000VA / 5000W hybrid pure sine Wave inverter, MPPT solar charge controller 4000W 80amp (Solar panels not included), 220V AC Input, 48V DC battery Input - requires deep cycle batteries (Batteries not included), 60amp AC battery charger, Overload and short Circuit protection, Configurable AC/solar Input priority, 12.2kg, Up to 9 of these unit can be connected in parallel, 0 ms transfer time, Power Factor 1, Detachable LCD control module with multiple communications. *Please take note of connection: Connect RED cable to ( ) on battery and the ( ) on the unit, and BLACK cable to (-) on battery and the (-) on the unit. Place cable lug directly onto the battery terminal first, follow up with the washer and then the lock washer, and then the nut. Do not put a washer between the battery terminal and cable. Connect the positive cable first. Follow instructions in manual.
RCT-AXPERT KING MK2 5K48V	R 5,609	RCT Axpert King II 5K 5000VA / 5000W 48V Pure Sine Wave Inverter, Up to 9 units parallel capability, 0ms transfer time, Pure Sine Wave, 6000W MPPT Solar charger, 500VDC Maximum PV Array open Circuit voltage, Comms Ports - USB / RS232 / RS485 / Wi-Fi, 48V battery required
RCT-AXPERT MX2 11K48V	R 10,656	RCT Axpert MAX 2 11kVA / 11kW 48V Pure Sine Wave Inverter, 2x 5500W MPPT bulit in, BMS & WiFi
RCT-AXPERT MX2 8K48V	R 8,637	RCT RCT-AXPERT MX2 8K48V Axpert Maximum II 8kVA / 8kW Pure Sine Wave Inverter, 8000 VA / 8000 W rated power, 16000 VA surge power, 0.93 efficiency (Peak), 15 ms transfer time, 48 VDC battery voltage, Batteries not included, Battery not required to operate, 8000W Maximum PV Array power with Dual MPPT, 500 VDC Maximum PV Array open Circuit voltage, 6 units parallel capability
RCT-AXPERT MX2 TWIN 11K48V	R 11,217	RCT Axpert MX2 Twin 11kVA / 11kW Pure Sine Wave Inverter 48V with Dual AC Output, 2x 5500W MPPT bulit in, BMS & WiFi, 10ms transfer time, 48 VDC Battery voltage, Dual Outputs for Smart load management, Status indication with RGB lights, Battery Independent design, Parallel operation with 6 units
RCT-AXPERT MX2 TWIN 8K48V	R 8,973	RCT Axpert MX2 Twin 8kVA, 8kW Pure Sine Wave Inverter 48V with Dual AC Output, 2x 4000W MPPT bulit in, BMS & WiFi, 10ms transfer time, 48 VDC Battery voltage, Dual Outputs for Smart load management, Status indication with RGB lights, Battery Independent design, Parallel operation with 6 units
RCT-AXPERT VM 2K-24V	R 2,579	RCT Axpert VM 2k-24v 2000VA / 2000W Pure Sine Wave Inverter charger - 24V 1000W PV, 10 MS transfer time, MPPT Solar charger Type, 102 VDC Maximum PV Array open Circuit voltage, USB / RS232 communication
RCT-AXPERT VM3 5KVA	R 10,349	RCT Axpert VM3 5kVA pure sine Wave inverter 48V battery independent (Supply load from Grid or PV, even if battery is not available), BMS Com Port, Built-in Bluetooth for Mobile monitoring, Reserved communication Port for BMS, Supply load from grid or PV even if battery is not available, 10 ms transfer time, 48 VDC battery voltage, 5000W Maximum PV Array power, 80A Maximum Solar charge current, 60A Maximum AC charge current, 80A Maximum charging current. Cheapest Solar power / inverter solution as batteries are not required.
RCT-INFINISOLAR V2 5K-48V	R 11,868	RCT Infinisolar V2 5K-48 V II 5kVA / 5000W hybrid grid tied Inverter, Pf 1.0, 48V DC, Build-in 5000W MPPT Solar charger with 450V DC Maximum open PV voltage, Include parallel kit for parallel operations up to 9 units, Batteries not included, Requires 4x 12V batteries or 48V lithium-ion battery (single inverter unit included, no batteries or solar panels included)
RCT-INFINISOLAR V4 5.6K-48V	R 9,719	RCT Infinisolar V4 5.6K 5600VA / 5600W Pure Sine Wave Grid Tied MPPT Inverter charger 48V, Built-in Wi-Fi, Parallel operation with up to 9 units, 5600 W Maximum PV Input power, 280 VDC ~ 500 VDC MPPT voltage range, 1x MPPT trackers, Requires 48V DC battery
RCT-INFINISOLAR WP 30K-3P	R 42,944	RCT Axpert 30kVA/kW 3 phase Grid Tied weather proof IP65 Pure Sine Wave Inverter, 40kW PV, BMS & WiFi,

		3-phase in / 3-phase out, 40000W Maximum PV Input Power, 350 VDC ~ 900 VDC MPP voltage range, 150% unbalaned load support, User-adjustable charging current up to 80A, Built-In communication Port for BMS (RS485), Parallel operation up to 4 units
SH-1000	R 3,099	PSS 1000VA 800W 24V Pure Sine wave UPS/Inverter, Input Voltage 24VDC, Output Voltage 230VAC, Built in battery charger 10/20 Amp, 10ms transfer time, No batteries included (requires BP-02102 battery kit)
SH-1500	R 3,755	PSS 1500VA 1200W 24V Pure Sine wave UPS/Inverter, Input Voltage 24VDC, Output Voltage 230VAC, Built in battery charger 10/20 Amp, 10ms transfer time, No batteries included (requires BP-02102 battery kit)
SH-2000	R 5,629	PSS 2000VA 1600W 24V Pure Sine wave UPS/Inverter, Input Voltage 24VDC, Output Voltage 230VAC, Built in battery charger 20/40 Amp, 10ms transfer time, No batteries included. Weight: 26Kg (28Kg with packaging) (requires BP-02102 battery kit)
SH-3000	R 6,089	PSS 3000VA 2400W 24V Pure Sine wave UPS/Inverter, Input Voltage 24VDC, Output Voltage 230VAC, Built in battery charger 20/40 Amp, 10ms transfer time, No batteries included (requires BP-02102 battery kit)
SH-600	R 2,409	PSS 600VA 480W 12V Pure Sine wave UPS/Inverter, Input Voltage 12VDC, Output Voltage 230VAC, Built in battey charger 10/20 Amp, 10ms transfer time, No batteries included (requires BP-01102 100Ah battery kit [Search: BP-01102])
SH-800	R 2,869	PSS 800VA 640W 12V Pure Sine wave UPS/Inverter, Input Voltage 12VDC, Output Voltage 230VAC, Built in battey charger 10/20 Amp, 10ms transfer time, No batteries included (requires 1x 12V 100Ah or 105Ah Deep cycle battery, battery cables and battery cable lugs) (requires BP-01102 100Ah battery kit [Search: BP-01102])
SOL-5M4 Combo	R 13,799	Mecer Axpert 5.6K MKS IV 5600VA / 5600W 48V Pure Sine Wave MPPT Inverter charger with 2x 3.5kW Batteries, Up to 9 Units Parallel capability, 10 ms transfer time, Pure Sine Wave Waveform, 93% efficiency (Peak), 48 VDC Battery Voltage, 450 VDC Maximum PV Array open Circuit Voltage, 6000 W Maximum PV Array Power, 2x Mecer Dyness B3 3.5 kWh Lithium Battery 48V DC, 1x Battery cable, 1x Wall Mount Rack Mount Box for Batteries
SOL-I-AS-2	R 4,566	MECER Aspire Water Pump Solar Inverter 3 Phase 2.2kW, Built-in MPPT solar charger, 800 VDC Maximum DC Voltage, Built-in full protection and self-diagnosis, Soft start function prevents water hammer effect and extends system lifecycle, Comprehensive LEDs and display screen for real-time system status, Remote monitoring through RS-485
SOL-I-AS-7	R 6,820	MECER Aspire Water Pump Solar Inverter 3 Phase 7.5kW, Built-in MPPT solar charger, 800 VDC Maximum DC Voltage, Built-in full protection and self-diagnosis, Soft start function prevents water hammer effect and extends system lifecycle, Comprehensive LEDs and display screen for real-time system status, Remote monitoring through RS-485. Aspire solar Inverter is specially designed for water pump applications.
SOL-I-AX-11M	R 18,974	Mecer Off Grid 11kVA 11kW MPPT 48V Pure Sine Wave Inverter, 10ms transfer time, 48V DC Battery required, 2x 5500W Solar MPPT, 500V DC PV Array voltage, Up to 6 parallel unit, USB, WiFi, RS232, RS485
SOL-I-AX-3VP	R 3,679	Mecer Axpert V 3kW Pure Sine Wave Inverter with 1200W PWM controller, Configurable AC/Solar Input priority via LCD setting, PWM Solar charger Type, 1200W Maximum PV Array power, 80 VDC Maximum PV Array open Circuit voltage, USB & RS-232 communication Port, 24 VDC battery voltage, 10ms transfer time
SOL-I-AX-5.RM	R 13,800	Mecer Axpert King 5K 5000VA / 5000W hybrid pure sine Wave inverter Rack Mount, MPPT solar charge controller 4000W 80amp (Solar panels not included), 220V AC Input, 48V DC battery Input - requires deep cycle batteries (Batteries not included), 60amp AC battery charger, Overload and short Circuit protection, Configurable AC/solar Input priority, 12.2kg, Up to 9 of these unit can be connected in parallel, 0 ms transfer time, Power Factor 1, Detachable LCD control module with multiple communications. *Please take note of connection: Connect RED cable to ( ) on battery and the ( ) on the unit, and BLACK cable to (-) on battery and the (-) on the unit. Place cable lug directly onto the battery terminal first, follow up with the washer and then the lock washer, and then the nut. Do not put a washer between the battery terminal and cable. Connect the positive cable first. Follow instructions in manual.
SOL-I-AX-5M4	R 6,899	Mecer Axpert 5.6K MKS IV 5600VA / 5600W 48V Pure Sine Wave MPPT Inverter charger, Up to 9 units parallel capability, 10 ms transfer time, Pure Sine Wave Waveform, 93% efficiency (Peak), 48 VDC battery voltage, 450 VDC Maximum PV Array open Circuit voltage, 6000 W Maximum PV Array power
SOL-I-AX-5VP	R 4,254	Mecer Axpert V 5kW Pure Sine Wave Inverter with 2400W PWM controller, Configurable AC/Solar Input priority via LCD setting, PWM Solar charger Type, 2400W Maximum PV Array power, 105 VDC Maximum PV Array open

		Circuit voltage, USB & RS-232 communication Port, 48 VDC battery voltage, 10 MS transfer time
SOL-I-AX-8M	R 10,349	Mecer Axpert 8K 8kVA / 8kW hybrid Pure Sine Wave Inverter (8000VA / 8000W) , MPPT Solar charge controller 8000W (Solar panels not included), 220V AC Input, 48V DC battery Input - requires deep cycle batteries (Batteries not included), 60Amp AC battery charger, Overload and short Circuit protection, Configurable AC/Solar Input priority, Up to 9 of these unit can be connected in parallel, Detachable LCD control module with multiple communications, built-in Wi-Fi for Mobile monitoring
SOL-I-AX-8M2	R 14,949	Mecer MX2 8K48V Axpert Maximum II 8kVA / 8kW Pure Sine Wave Inverter, 8000 VA / 8000 W rated power, 16000 VA surge power, 0.93 efficiency (Peak), 15 ms transfer time, 48 VDC battery voltage, Batteries not included, Battery not required to operate, 8000W Maximum PV Array power with Dual MPPT, 500 VDC Maximum PV Array open Circuit voltage, 6 units parallel capability
SOL-I-IS-15M	R 59,743	Mecer Infinisolar 15kW 3 phase Pure Sine Wave Hybrid Inverter, 3-phase in / 3-phase out, 22500W Maximum PV Input power, 15000W rated Output power, 15000 W Maximum charging power, 48 VDC nominal DC voltage
SOL-I-IS-5E	R 18,343	Mecer InfiniSolar E 5.5KW Single Phase 6500W MPPT - bi directional with grid, NO parallel ability, 48V DC, Pure sinewave, 40A Maximum AC Input Current, 60 A Maximum Solar Charge Current, 2x MPP Trackers, 6500W Maximum PV Input Power, 5500W Rated Output Power
Sol-i-ss-12	R 52,900	Mecer Sunsynk 12kW 3 phase Hybrid Inverter 48V with 15.6kW Solar input, Three-Phase grid Type, LCD Touch Screen and butto, Compatible with Lithium-ion Battery and Lead Acid Battery, Maximum 16 units can be paralleled
Sol-i-ss-16	R 44,919	Mecer Sunsynk 16kW Single Phase Hybrid Inverter 48V with 16kW Solar input, Lead-Acid or Lithium-ion Battery Type, 3 stages / equalisation charging curve, Single-Phase grid Type, Colourful Touch LCD, Maximum 16 inverters in parallel
SOL-I-SS-5	R 23,575	Mecer SOL-I-SS-5 Sunsky 5kW Hybrid Pure Sine Wave 48V Inverter, 48VDC Battery Voltage, 6500W Maximum PV Input Power, Dual MPPT design, Automatic switching from Grid-Tied to Off-Grid mode, Zero Export Function, Up to 16 units with the same Firmware can be paralleled
SOL-I-SS-8	R 32,200	Mecer Sunsynk 8kW 8800VA Single Phase Hybrid Inverter 48V with 10.4kW Solar Input, 2x MPPT charge controller, Lead-Acid or li-Ion Battery Type, Operating modes - Battery only / grid-tie only / Hybrid / Off-Grid, 3 stages/equalization charging curve
SOLPBMES3KVA	R 12,999	Solarix Esener 3KVA 24VDC Inverter And Semi Plug And Play Power Board Mini Solution - 60A MPPT Solar Charge Controller, 3000w Rated Power, Maximum Charge Current 80A, OffGrid 145VDC, AC/DC Ready DB Board with 40A AC UPS Changeover and is DC Solar Ready, A/C Input Circuit Breaker for AC Protection, DB Board is Pre Wired to Inverter (AC and DC Sides), 40A AC Change Over Switch, Plug Socket with 2 Pin and USB Ports, Wall Bracket Included, Brown Installer Box. , Retail Box
SOLPBMES55KVA	R 25,999	Solarix Esener 5.5KVA 48VDC 100A High Voltage Parallel Inverter And Semi Plug And Play Power Board Solution - 100A MPPT Solar Charge Controller, 5500w Rated Power, Maximum Charge Current 100A, OffGrid 145VDC, AC/DC Ready DB Board with 40A AC UPS Changeover and is DC Solar Ready, A/C Input Circuit Breaker for AC Protection, DB Board is Pre Wired to Inverter (AC and DC Sides), Plug Socket with 2 Pin and USB Ports, Wall Bracket Included, Brown Installer Box, Retail Box
SOLPBSUN65KVA	R 13,999	Solarix Sun 6.5KVA 48VDC 120A High Voltage Inverter And Semi Plug And Play Power Board Solution - High Voltage 120A MPPT Solar Charge Controller, 6200w Rated Output Power, Nominal PV DC Voltage 360VDC, Maximum PV DC Voltage 500VDC, Input Voltage 230VAC, Maximum Input Current 40A, Maximum Charge Current 100A, Maximum Battery Current 125A, AC/DC Ready DB Board with 40A AC UPS Changeover and is DC Solar Ready, A/C Input Circuit Breaker for AC Protection, DB Board is Pre Wired to Inverter (AC and DC Sides), Wall Bracket Included, Retail Box
SOLSSATS2P63A	R 699	Solarix Dual Power ATS 63A 2 Pole Automatic Change Over Switch Kit - Rail Mount Unit, Use With Inverter Installations Solutions, Rated Current Maximum 63A, Manual or Automatic Operation, Working Frequency 50HZ/60HZ, Retail Box, No warranty due to the nature of this product*
SWD-50005-BK[V1]	R 586	Switched Power Station, Rechargeable, USB Phone charging with Solar Panel - Black, 1W LED flashlight (on the side of the power station), 3x 3W individually switched LED bulbs, 9V 3W Solar Panel, Built-In 6V 4Ah Battery. AC or Solar chargeable.
SWD-8900-BK	R 889	Switched SWD-8900 200W Portable Power Station - 166.5Wh, 200W 220-240V 50 Hz AC Output, 2x 12V 10A DC

		Outputs, 5V 3A USB1 USB2, QC3.0 18W USB 3.0, PD 24W Type-C, LED COB light, 166.5Wh Lithium Ion Battery
SWD-8901-BK	R 1,357	Switched SWD-8901 300W Portable Power Station - 222Wh, 300W 220-240V 50 Hz AC Output, 2x 12V 10A DC Outputs, 5V 3A USB1 USB2, QC3.0 18W USB 3.0, PD 24W Type-C, LED COB light, 222Wh Lithium Ion Battery
SWD-8902-BKOR	R 1,677	Switched SWD-8902 300W Professional Portable Power Station - 307Wh, 300W 220V 50Hz AC Output, QC3.0 18W USB Output, PD 60W / PD 20W Type-C Output, 14V / 8A DC 5525 Output, 15W Wireless charging, 12-24V Car Socket, LED Torch and COB lights, 307Wh Lithium Ion Battery
SWD-8920	R 20,056	Switched SWD-8920 1000W LiFePO4 ESS Solar Pure Sine Wave Power system, 12.8V nominal voltage, 1280Wh Battery capacity, 900W Max Solar Power Input, 105 VDC PV Array open Circuit voltage, 10ms typical transfer time, 2x USB 5V 2.4A DC Output, 1x USB 12V 1A DC Output, 230 VAC AC Output
SWD-8922	R 23,058	Switched SWD-8922 3000W LiFePO4 ESS Solar Pure Sine Wave Power system, 25.6V nominal voltage, 3072Wh Battery capacity, 1800W Max Solar Power Input, 145 VDC PV Array open Circuit voltage, 10ms typical transfer time, 2x USB 5V 2.4A DC Output, 1x USB 12V 1A DC Output, 230 VAC AC Output
SY1500W	R 2,875	Tbyte 1500W Inverter with 12V 120Ah battery
UPS-INV-10KW-10048TG	R 19,406	LINKQNET 10KVA dual output Pure sinewave Inverter for use with 48V batteries (not included). 2X 6KW MMPT inputs: 500V (12,000W PV total) for solar charging. Inverter Efficency (Peak) 0.94; Transfer Time 10ms (typical). Ideal for load-shedding, load-reduction, power outages, and to save on your electricity bill.
UPS-INV-11KVA-MAX-LQ	R 24,058	Linkqnet 11kva Pf1 48vdc Inverter 11000w Dual Mppt 150a Solar And 150a Mains Charger With Wifi
UPS-INV-2.4KVA-V-TG	R 3,449	Linkqnet 3024 Value 3kva 24v Pure Sinewave Off-grid / Grid Backup Solar Inverter
UPS-INV-2000VA-LQ-KS	R 2,680	Linkqnet G3 230v, 2kva, 1600w, 24v Dc, 50a Scc Inverter With Solar Charge Controller - Requires 2x 12v Batteries
UPS-INV-3KVA-3024TG	R 6,601	Linkqnet 3024tg 3kva 24v Pure Sinewave Off-grid Hybrid Inverter
UPS-INV-3KVA-MEX	R 6,958	Linkqnet 3000VA/2400W 24Vdc Inverter 1000W MPPT, With 1000W MPPT Solar and 60A Mains Charger
UPS-INV-3KVA-PRO-TG	R 7,009	Linkqnet 3024tg2 Pro 3kva 24v Pure Sinewave Off-grid Hybrid Inverter. 3000VA peak power, 3000W RMS power, 230V AC voltage, 24V DC voltage, 10ms transfer time, 120A AC charge, MPPT SCC type, ideal SCC voltage 120V-430V DC, max PV OC voltage 500V DC, max SCC power 4000W, SCC charge 120A, max combined charge 120A, not parallel capable, communication USB, RS485, CAN, dry contact, no direct Bluetooth, Wi-Fi option available, no 3G or SNMP, supports Flooded, AGM, GEL, Li-Ion, Super Capacitor and Custom batteries, BMS support, dimensions 310x467x116mm, package 570x375x200mm, net weight 9.25kg, gross weight 10.85kg.
UPS-INV-3KVA-VP-LQ	R 5,118	Linkqnet 3000va/3000w 24vdc Solar Inverter, With 50A Pwm Solar And 25A Mains Charger. Solar Charger type: PWM; Maximum PV Array Open Circuit Voltage: 80 VDC; Maximum PV Array Power: 1200 W
UPS-INV-5.6KW-MKS4	R 13,334	Linkqnet 5.6kw Pf1 48vdc Inverter 6000w Hv Mppt With 120a Mppt And 120a Mains Charger
UPS-INV-5KVA-5048TG2	R 5,749	Linkqnet 5048tg2 Premium 5kw Off-grid / Grid Backup Mppt Solar Inverter
UPS-INV-5KVA-X-RM	R 9,861	Linkqnet 5kva Rackmount 48vdc Xrt Online Ups Inverter - High Capacity 60a Charger
UPS-INV-5KW-KING2-LQ	R 13,053	Linkqnet 5kw Pf1 48vdc 6000w Hv Mppt Solar True Online Inverter with Parallel Kit - No Transfer
VIC-BMV-700	R 2,589	Victron BMV-700 battery Monitor 9-90 VDC, Measures - battery voltage / current / power / ampere-hours consumed / State of charge, Remaining time at the current rate of discharge, Programmable visual and audible alarm, 500 Amp quick connect shunt and connection kit
VIC-MP-481600-20	R 8,170	Victron MultiPlus 1600VA 230V Pure Sine Wave Inverter, 48V DC Battery required, 48/1600/20-16, VIC-MP-481600-20
VIC-MP2-483K-35	R 9,668	Victron MultiPlus-II 3000VA 230V Pure Sine Wave Inverter / charger, 48V DC Battery required, 48/3000/35-32, VIC-MI48007
VIC-MP2-485K-70	R 11,763	Victron MultiPlus-II 5000VA 230V Pure Sine Wave Inverter / charger, 48V DC Battery required, 48/5000/70-50, PMP482505010
VIC-PIN48-500-VE	R 3,219	Victron Phoenix Inverter 48V 500W, Sinewave DC-AC Inverter 48VDC Input, 230VAC Output, PIN485010200

< Return to the menu

Power converters DC-AC		
Product code	**Price**	**Description**

< Return to the menu

Power Stations

Product code	Price	Description
BBONE-012S+	R 2,944	Mecer 12V Battery Centre with LCD Display, 1 Year Warranty, *Transportable *1200VA, 720W, DC-AC Inverter, Excludes [12 V 100Ah] Deep Cycle Battery (1x 100Ah required) 6 Month Warranty,
BBONE-024S+	R 3,358	Mecer 24V Battery Centre with LCD Display, 1 Year Warranty, *Transportable *2400VA, 1440W, DC-AC Inverter, *Excludes 2x 12V Deep Cycle Batteries (batteries are an additional cost, Please purchase 2x 100Ah batteries) 6 Month Warranty,
CI-300A	R 1,849	Solarix Conti 300W Portable Carry case Power Station - 300W rated Power, Lithium 310Wh / 84000mAh Battery, 3.7hrs charging, AC/DC/Solar charging source, Output - 1x AC / 1x DC / USB, Built in LED light
ECOFLOW DELTA 2	R 11,329	ECOFLOW DELTA 2 Lithium Portable Power Station - 1800W Output - 1024Wh LFP Battery, SA Socket, 1024 Wh capacity, 4 outlets 1800W total AC Output, USB Type-A Output, USB-C Output, Car Power Output, DC5521 Output, 1200W AC charging, 11-60v 15A 500W Max Solar charging, 3000 cycles to 80% capacity cycle Life, 3000 cycles to 80 % capacity cycle Life, Wi-Fi & Bluetooth
ECOFLOW DELTA 3 MAX	R 16,540	ECOFLOW DELTA 3 MAX Portable Power Station - 2400W Output - 2048Wh Battery, 500W Solar charger, 10ms switchover, SA Socket, LiFePO4 Cell chemistry, 230V 50 Hz 2400W total AC Output, 1 x 18W Max USB Type-A Output, 1x 100W Max USB-C Output, 2x 30W Max USB-C Output
ECOFLOW RIVER 2 MAX	R 4,270	Ecoflow River 2 Max Portable Power Station - 512Wh Battery; 500W Output 220W Solar Input - LiFePo Batteries - South African Socket
ECOFLOW RIVER 2 PRO	R 8,496	Ecoflow River 2 Pro Portable Power Station with 768Wh Battery, 800W Output, 220W Solar charger, SA Socket, 10 Output Ports, LFP Battery chemistry, 3000 cycles, LiFePO4 Battery 10 years of use, Pure Sine Wave 800W total AC Output
ECOFLOW RIVER 3 UPS	R 4,010	ECOFLOW RIVER 3 UPS Portable Power Station - 245Wh Battery - 300W Output, 110W MPPT, 10ms UPS, SA Socket, 3000 cycles to 80% capacity LiFePO4 Battery, 1 outlets 300W total AC Output, 2 Ports USB Type-A Output, 1 Port, USB-C Output, 1 outlet, Car Output, 11~30V Solar Input, 11~30V Car Input, 200~240V generator Input
ECOFLOW RIVER PRO	R 4,417	Ecoflow River Pro 720Wh Power Station, Lithium-ion Battery, 800 cycles to 80% capacity cycle life, 2x 600W AC Output, 2x USB Type-A Output, 1x USB Type-A Fast Charge, 1x Type-C Output, 1x car power Output, EFRIVER600PRO
GPS1000UV2	R 8,804	Gizzu Hero Max 1024Wh / 1000W UPS Power Station with App, 1024Wh Battery capacity, 1000W continuous AC Output, 1200W Peak AC Output, Built-In UPS Function for Backup Power, App Control for Remote Management, 2x USB Type-A Ports, 2x USB Type-C Ports on front panel, DC Outputs include a 100W PD Port and a 12V Car Socket
MP-T2000S	R 6,784	RCT MegaPower 2kVA / 2000W pure sinewave Inverter trolley with 2x 100Ah batteries, Built-In MPPT Solar charger
NV-BP18-1012	R 3,510	(On Promotion) Navasolar BP18-1012 1kw/12vdc 960Wh Lifepo4 Trolley Inverter - SA Outlets. Lithium battery self-contained inverter on wheels, lightweight with handle, solar input (900Watt maximum), Lithium Battery / up to 4000 cycle life, 1000Watts total output, Pure sine wave AC output, USB-C charge output, 12V DC output, Built-in Multi safety protection that include short circuit, overload and over-temperature and error code reporting. NB: Please set Setting 14 - Battery Type to Li on first startup.
RCT MP-T1000LFP	R 6,383	RCT MegaPower 1kVA / 1000W Pure Sinewave Inverter Trolley with 1x 100Ah LiFePO Battery, Built-In MPPT Solar charger. Lithium battery
SOL-I-BB-M1	R 3,163	Mecer 1kW 12V pure sinewave Inverter with 1x 12V 100Ah deep-cycle battery (included) *6 month warramty or rated cycles, whichever comes first, on battery
SOL-I-BB-M1L	R 4,829	Mecer 1kW 25.6V 50Ah Lithium Battery 820W MPPT Pure Sine Wave Inverter, 12V DC Output Ports, 5V DC USB 2.0 Ports, MPPT Solar charge controller, 2 000 cycles @ DOD 80% Battery cycle Life, 840W Maximum PV Array Power
SOL-I-BB-M2	R 5,749	Mecer 2kW 12V pure sinewave Inverter with 2x 100Ah battery. Diverse loads, digital design, pure sine wave, excellent over-current protection, can withstand loads with large starting currents, independent 3-stage solar charge managements, universal 5V USB and 12VDC output *6 month warramty or rated cycles, whichever comes

		first, on battery
SOL-I-BB-M2L	R 11,499	Mecer SOL-I-BB-M2L 2kW 25.6V 100Ah Lithium Battery PureSine Wave Inverter, 820W MPPT, 2000 cycles LiFePO4 Battery, 5V DC USB 2.0 Ports, 12V DC Output Ports, MPPT Solar charge controller
SOL-I-CN-1	R 3,450	Mecer Solar Home System 1kW Pure Sine Wave 100A Battery Charge Controller, Built in 100Ah Gel battery, 5V DC USB output, 12V DC Output port, LCD Display, Supports solar and additional batteries
SOL-I-CN-15L	R 17,710	Mecer 1.5kW Portable Lithium unit 26V 100Ah with 840W MPPT, 10A mains charging current, Pure Sine Wave, 2000 cycles @ 80% DOD, 820W Maximum PV Power
SOL-I-CN-1L	R 6,899	Kool Energy SOL-I-CN-1L 1kW Portable Lithium Pure Sine Wave Inverter - 25.6V 50Ah with 840W MPPT, 2000 times d.o.d to 80% battey Life, 820W Maximum PV Power, 2x 12VDC Output Ports, 2x 5VDC USB Output (Kool KL-1000W)
SOL-I-KP-2400	R 10,349	Mecer Kapa Energy Q2400 Portable Power Station Pure Sine Wave - 2400W with 1700Wh Battery, 1734 Wh Samsung Lithium Battery, 1300W MPPT Solar charger, 3x USB Type-A 5V 2.4A, 1x Type-C PD 60 W, LCD Display
VOL-300W	R 3,794	Microworld Volcon 300Wh Portable Power Station, 3000 watts rated Power, 220V / 50Hz AC Output, LiFePO4 Battery, 299Wh Battery capacity, 10.8-23.5V DC Input (60W Max)

< Return to the menu

Surge & Lightning protection

Product code	Price	Description
AC-SRSP1000	R 275	Sunix RSP1000 serial/RS232 surge protector - prevent RS-232 electrical equipment from power surges and spikes
B110-SP-10G	R 1,167	Eaton In-Line Network Surge Protector - 10 Gbps, Cat6a/8, Metal Case, IEC Compliant, TAA, Order on Request
CL-PLUG-APP	R 768	Clearline Appliance Surge and Lightning Protector, Economical protection, time delay surge arrester. Compact design, Status monitoring, Automatic operation (10 seconds off after power restored) . Multiple protection: 1) The voltage is monitored and automatically switches off when voltage falls outside the safe range. 2) Surge and lightning protection will protect sensitive equipment during severe power over-voltages 3) There is a 10 second time delay before power is switched back back, this allows power to stabilize. Ideal for load shedding.
CL-PLUG-APP-5MIN	R 725	ClearLine Appliance Surge and Lightning protector, 12-00602, 16A Max load current, Suitable for refrigeration, Reduces in Rush current, Built-In delay
FEATVG16	R 149	Ellies TV Safe Over Voltage Protection Adapter - Automated Voltage Protection, Protects Against Spikes In Mains Power, Suitable For All TV/ Audio Equipment up to 600w, Voltage: 230v Frequency 50hz, Over Voltage Trip Point: 265Vac, OEM Box, No Warranty
FEATVG16	R 267	Ellies TV Safe Over Voltage Protection Adapter - Automated Voltage Protection, Protects Against Spikes In Mains Power, Suitable For All TV/ Audio Equipment up to 600w, Voltage: 230v Frequency 50hz, Over Voltage Trip Point: 265Vac, OEM Box, No Warranty
MI-AC-ATS	R 5,803	Micro Instruments AC automatic transfer Switch, ATS with Ethernet / SNMP and SNMPV2c trap
MT-RBGESP	R 478	MikroTik Gigabit Ethernet surge protector, Gigabit Ethernet with PoE support, ESD/emp protection, 90V@100V/s, 700V@1kV / US, 5ka, 1G OHM@50V. surge arrester. For best protection, it is recommended to have one protector on each device (on each end of the line - 2 protectors per network cable)
RB-GESP	R 518	MikroTik Gigabit Ethernet surge protector, Gigabit Ethernet with PoE support, ESD/emp protection, 90V@100V/s, 700V@1kV / US, 5ka, 1G OHM@50V. surge arrester. For best protection, it is recommended to have one protector on each device (on each end of the line - 2 protectors per network cable)
SUPRO-PLUG	R 179	Clear Line Surge Protected 16A Keyed 3 Pin Plug
SURGEP	R 190	Telephone and power surge protector
TXI174	R 229	Microworld TXI174 Network Lightning surge protector
UB-ETH SP G2	R 357	Ubiquiti ETH-SP-G2 Ethernet Surge Protector - Gen 2, Surge Voltage from 100V/s to 1kV/& #181; s
UB-ETH-SP-GEN2	R 231	Ubiquiti ETH-SP-G2 Ethernet Surge Protector - Gen 2, Surge Voltage from 100V/s to 1kV/& #181; s
UB-ETH-SP-GEN2	R 230	Ubiquiti ETH-SP-G2 Ethernet Surge Protector - Gen 2, Surge Voltage from 100 V/s to 1 kV/& #181; s, 2x RJ45 Female connectors
UB-ETHSP	R 224	Ubiquiti Grounded Ethernet Surge Protector, 2x RJ45 Female Connectors, Absorbing Transient Current with

	Response to Surge Voltage from 100V/s to 1kV/s

< Return to the menu

UPS / Inverter / Solar Batteries [Deep cycle]

Product code	Price	Description
5PXEBM48RT2UG2	R 10,396	Eaton 5PX Gen2 EBM Extended Battery Module 48V RT2U (1-1.5kva), 12x batteries, 2U Rack size, Sealed lead-acid Battery Type *6 month warranty or rated cycles, whichever comes first
5PXEBM48RT2UG2	R 10,646	Eaton 5PX Gen2 EBM Extended Battery Module 48V RT2U (1-1.5kva), 12x batteries, 2U Rack size, Sealed lead-acid Battery Type *6 month warranty or rated cycles, whichever comes first
5PXEBM72RT2UG2	R 17,037	Eaton 5PX Gen2 EBM Extended Battery Module 72V RT2U (2.2-3kVA), 12 batteries, Sealed lead-acid Battery Type, 12 V / 9 Ah Battery rating *6 month warranty or rated cycles, whichever comes first
5PXEBM72RT3UG2	R 16,784	Eaton 5PX Gen2 EBM Extended Battery Module 72V RT3U (2.2-2kVA), 12x batteries, 12 V / 9 Ah Battery rating, 3U Rack size, Sealed lead-acid Battery Type *6 month warranty or rated cycles, whichever comes first
6FM200Z-X	R 4,254	Vision 6FM200Z-X Deep Cycle 200Ah 12V Fully Sealed Battery (For use with Inverters) - eXtra Heavy Duty 6FM200Z-X
9EEBM72	R 9,016	Eaton 9e EBM extended Battery module 72V (2-3kva), Sealed lead-acid Battery Type, 12 Battery *6 month warranty or rated cycles, whichever comes first
9PXEBM72RT1U-L	R 38,738	Eaton 9PX EBM Extended Battery Module 72V RT1U Li-Ion (2.2-3kVA), Rack / Tower 1U, Lithium-ion Battery Type *6 month warranty or rated cycles, whichever comes first
AC-BAT-VRLA-12V100AH	R 2,730	AccoNet 12V AGM 100Ah Battery, 400 cycles at 50% Depth-of-Discharge
AC-BAT-VRLA-12V200AH	R 5,026	AccoNet 12V AGM 200Ah Battery, 400 cycles at 50% Depth-of-Discharge
AC-BAT-VRLA-12V7AH	R 168	AccoNet 12V AGM 7Ah Battery, 400 cycles at 50% Depth-of-Discharge
AC-BAT-VRLA-12V9AH	R 238	AccoNet 12V AGM 9Ah Battery, 400 cycles at 50% Depth-of-Discharge
APCRBC176	R 1,139	APC APCRBC176 Battery module 176, 24 V Input Voltage, 2x Lead-Acid Batteries, 7 Ah Battery capacities
BAT-12V7AH	R 201	Unbranded 12V 7Ah Sealed Lead Acid Battery No Warranty
BAT-LI-1208E-TG	R 730	Linkqnet Lifepo4 12v 8ah Battery With High Voltage Bms
BAT-LI-12100E-TG	R 4,364	Linkqnet Lifepo4 12v 100ah Battery With Lcd Bms
BAT-LI-12200E-TG	R 11,788	Linkqnet Lifepo4 12v 200ah Battery With Lcd Bms
BAT-LI-25100E-TG	R 11,460	Linkqnet 24v 100ah Lcd Bms Lifepo4 Lithium Battery
BAT-LI-25100WM-TG	R 17,313	Linkqnet Lifepo4 25.6v 100ah Wallmount Battery Pack With Can Bms
BAT-LI-25200WM-TG	R 29,756	Linkqnet Lifepo4 25.6v 200ah Wallmount Battery Pack With Can Bms
BAT-LI-5120-TG	R 28,842	Linkqnet Lifepo4 51.2v 100ah Rackmount Battery Pack With Can Bms
BAT-LI-5120WM-TG	R 29,457	Linkqnet Lifepo4 51.2v 100ah Wallmount Battery Pack With Can Bms
BAT-LI-RESI-1000	R 8,596	Linkqnet 1280wh Lithium Home Ess Additional Battery Pack For Resi 1000
BAT-LI-RESI-300	R 4,962	Linkqnet 640wh Lithium Home Ess Additional Battery Pack For Resi 300
BATSLA	R 249	Unbranded 12V 4.5A Batteries For Ups, Retail Box, No Warranty
BP-M1RT	R 3,558	PSS BP-M1RT Battery Rack - 24VDC - M1RT - 30 min *Note warranty is capped at maximum rated cycles or time, whichever comes first. PLEASE ENSURE THAT NO LASER PRINTERS, PHOTO COPIERS FLORESCENT LIGHTS OR MOTORS ARE CONNECTED TO THIS UPS
BP-M2RT	R 4,745	PSS BP-M2RT Battery Rack - 48VDC - M2RT - 30 min *Note warranty is capped at maximum rated cycles or time, whichever comes first
BP-M3RT	R 6,426	PSS BP-M3RT Battery Rack - 72VDC - M3RT - 30 min *Note warranty is capped at maximum rated cycles or time, whichever comes first
BP-MPRT	R 10,191	PSS 3U Battery module for M Series 10kVA UPS - 10 / 15 min, 16x 12V 9Ah sealed Lead Acid batteries, can house up to 20x 12V 9Ah batteries, Internal charger
BP-MRT	R 10,616	PSS 3U Battery module for M Series 6kVA UPS - 10 / 15 min, 16x 12V 7.5Ah sealed Lead Acid batteries, can house up to 20x 12V 9Ah batteries, Internal charger
CAB-A01	R 752	PSS Battery Cabinet A01 - holds 1x 12V 100Ah battery, Powder Coated, Robust and durable, Easy to install, Safely installed batteries. **6 month warranty or rated cycles, whichever comes first

DT-12-100AGM	R 3,099	Deltec 12V 100Ah AGM Battery, BR-12V100 AGM **6 month warranty or rated cycles, whichever comes first
DT-12-105LA	R 2,957	Deltec 12V 105Ah Sealed Single Post Lead Acid Battery (single stud), Approx. 250 Cycles, 50% Depth of Discharge, 8mm Stud Posts, High Cycle **6 month warranty or rated cycles, whichever comes first
DT-12-200AGM	R 5,750	Deltec 12V 200Ah AGM Battery, Capacity 200Ah@20hr-rate to 1.75V per cell @25 Degree C, 60Kg **6 month warranty or rated cycles, whichever comes first
EBM-20-9	R 8,683	Mecer EBM-20-9 Battery bank for WPRV 6K / 10kVA 3U rackmountable, with 20pcs 12V 9Ah Battery, Rail kit, Can ' t be sold alone without a controller unit - ME-10000-WPRV
ECOFLOW DELTA 2 EXT BAT	R 8,940	Ecoflow Delta 2 extended Battery - 1024Wh LFP
ECOFLOW DELTA PRO EXT BAT	R 11,896	Ecoflow DeltaPro extended Lithium-ion Battery - 3.6kWh, 3500 cycles to 80% capacity lifetime, LFP Cell chemistry *6 month warranty or rated cycles, whichever comes first
ECOFLOW RIVER PRO EXT BAT	R 3,172	Ecoflow River Pro extended Lithium-ion Battery - 720Wh, 800 cycles to 80% capacity life span, 33.6V 660W Maximum Expansion Power Port Input, 24.4V - 33.6V 720W Maximum Expansion Power Port Output *6 month warranty or rated cycles, whichever comes first
FB-12-18LA	R 705	Forbatt 12V 18AH Sealed Lead Acid Battery, FB-12-18 LeadAcid *6 month warranty or rated cycles, whichever comes first
FB-12-70AGM	R 2,747	Forbatt 12V 70Ah AGM battery, FB12-70AGM *6 month warranty or rated cycles, whichever comes first
FB-12-8G	R 337	Forbatt 12V 8AH Sealed Lead Acid Gel Battery *6 month warranty or rated cycles, whichever comes first
FB12-100G	R 4,062	Forbatt FB12-100G 12V 100Ah GEL VRLA deep cycle battery
FM100A-X	R 2,414	RCT SENRY 6FM100A-X FULLY-SEAL LEAD ACID Battery *6 month warranty or rated cycles, whichever comes first
LUM-BIT12V-200Ah	R 2,141	Luminous - Inverlast 12V 200Ah Flooded Tubular Battery, BIT12v-200ah, ILTTEX200
ME-10KWPBB	R 7,763	Mecer 10000VA Extended Battery Tower for Mecer 6000VA and 10000VA WPTU ON-LINE UPS - Black
ME-10KWPRV	R 8,683	Mecer ME-10KWPRV 2nd extended Battery rackmount for Mecer 6000VA & 10000VA WPRV / WPTV On-line UPS
NV-LFP-48200RM	R 19,263	Navasolar 48v 200ah Lifepo4 Rm Battery With Bms
P-BAT-12V7AH	R 201	Powercom 12V 7.2A sealed Lead Acid Battery
POE-30W	R 459	Microworld 30W PoE Mini UPS - 8800mAh, PoE Port 15v/24v selectable, Output 5V USB and DC Port, Built-In Lithium Battery
PSS100	R 2,190	PSS BATTERY - 12 VOLT 100 Ah, Sealed Lead-Acid Battery, Size 330mm x 171mm x 220mm *6 month warranty or rated cycles, whichever comes first
PSS100G	R 2,884	PSS PSS100G 12V 100 Ah GEL Battery, Sealed GEL technology *6 month warranty or rated cycles, whichever comes first
PSS12	R 498	PSS BATTERY - 12 VOLT 12 Ah, Sealed Lead-Acid Battery, Size 151 x 98 x 95mm *6 month warranty or rated cycles, whichever comes first
PSS18	R 590	PSS BATTERY - 12 VOLT 18 Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
PSS24	R 906	PSS BATTERY - 12 VOLT 24 Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
PSS33	R 1,067	PSS BATTERY - 12 VOLT 33 Ah, Sealed Lead-Acid Battery, Size 195mmx 130 x 155mm *6 month warranty or rated cycles, whichever comes first
PSS42	R 1,366	PSS BATTERY - 12 VOLT 42 Ah, Sealed Lead Acid battery **6 month warranty or rated cycles, whichever comes first
PSS5	R 291	PSS BATTERY - 12 VOLT 5 Ah, Sealed Lead-Acid battery, Size 90 x 70 x 101 mm *6 month warranty or rated cycles, whichever comes first
PSS65	R 2,010	PSS BATTERY - 12 VOLT 65 Ah, Sealed Lead-Acid Battery, Size 355 x 167 x 179mm *6 month warranty or rated cycles, whichever comes first
PSS7.5	R 367	PSS PSS7.5 - 12V 7.5 Ah Battery, Sealed Lead-Acid Battery *Note warranty is capped at maximum rated cycles or time, whichever comes first
PSS8G	R 332	PSS BATTERY GEL - 12 VOLT 8 Ah, Size 151 x 65 x 95mm *6 month warranty or rated cycles, whichever comes

		first
PSS9	R 348	PSS BATTERY - 12 VOLT 9 Ah, Sealed Lead-Acid Battery, Size 151 x 65 x 95mm *6 month warranty or rated cycles, whichever comes first
RCT BAT DYNESS B3	R 18,974	RCT Dyness B3 48V DC 3.5 kWh Lithium Battery, 6000 cycles calendar life @ 80% DOD, 74Ah nominal capacity, 50A Maximum continuous discharge current, 50A Maximum continuous charge current *Note that warranty is capped at rated cycles or time, whichever comes first
RCT BAT DYNESS B51100	R 16,354	Dyness B51100 5.12kWh Lithium-ion battery, LiFePO4 rechargeable battery *6 month warranty or rated cycles, whichever comes first
RCT BAT DYNESS POWER BOX PRO	R 29,171	RCT Dyness Power Box Pro 51.2V 10.24kWh IP65 wall mountable Lithium Power pack **Note warranty is capped at maximum rated cycles or time, whichever comes first
RCT BAT HL7-12	R 191	RCT Helio HL7-12 12V DC 7Ah Rechargeable sealed AGM Battery - 6 month warranty
RCT BAT HL9-12	R 229	RCT Helio HL9-12 12V DC 9Ah Rechargeable sealed AGM Battery - 6 month warranty only
RCT BAT LCPC 100-12	R 3,394	RCT LCPC 12V 100Ah GEL VRLA deep cycle battery **6 month warranty or rated cycles, whichever comes first
RCT BAT LIO-II 4810	R 10,175	RCT LIO2 5.12kWh LiFePO Battery with 150A Output, 48V, 95% DOD high performance * *Note warranty is capped at maximum rated cycles or time, whichever comes first
RCT BAT SENRY LFP12-10	R 440	RCT Senry V-LFP12-10 12V DC 10Ah Lithium Iron Phosphate Battery
RCT BATTERY BANK 192VDC 3U	R 9,416	RCT 192 VDC 3U External Battery Bank with Sixteen 12 V 9 Ah SLA Batteries for RCT-10000-WPRU UPS, High-capacity 192 V battery module designed exclusively for the RCT-10000-WPRU UPS. Houses 16 pre-assembled 12 V 9 Ah sealed lead-acid batteries in a compact 3U rack enclosure (tower/rack), offering seamless backup power integration.
SHO-SDA10-48100-CAN	R 28,751	Shoto SDA10-48100 Lithium Battery - Cyclic - (16s) 51.2V 100Ah 5.12kW, RS485 & canbus communication Port, > 5000 @ 25 degrees cycle life *6 month warranty or rated cycles, whichever comes first
SHO-SDA10-48100-L5	R 26,384	Shoto Lithium Battery - Cyclic - 48V 100Ah, 10A charging current, SDA10-48100-L5 *6 month warranty or rated cycles, whichever comes first
SMT3000RMI2UNC	R 45,309	APC Smart-UPS 3000VA LCD RM 2U 230V with Network Card, Input Voltage: 230, Output Voltage: 230 Note that warranty is capped at rated cycles or time, whichever comes first
SOL-B-100-12V-CT	R 3,214	Vision CT12-100X 12V 100Ah AGM battery, absorbent glass mat (AGM), maintenance-free OPERATION, 6 CELL, 10 years design life
SOL-B-200-12VZ	R 2,875	Vision Deep Cycle 200Ah 12V Z-Series Fully Sealed Battery (For use with inverters) *6 month warranty or rated cycles, whichever comes first
SOL-B-7-12V	R 173	Vision CP1270M Deep Cycle 7Ah 12V Fully Sealed AGM Technology Battery. Fully sealed, leak-proof, Can be mounted in any orientation. *Special Note: Can be used to replace CS/12V34HR or HR1234W F2 Batteries in Mecer UPS. *6 month warranty or rated cycles, whichever comes first
SOL-B-9-12V	R 334	Vision CP1290AC Deep Cycle 9Ah 12V Fully Sealed AGM Technology Battery *6 month warranty or rated cycles, whichever comes first
SOL-B-G100-12V	R 2,289	Unbranded LCPC 12V 100Ah Battery - GEL **6 month warranty or rated cycles, whichever comes first
SOL-B-G200-12V	R 2,875	Unbranded LCPC 12V 200Ah Battery - GEL **6 month warranty or rated cycles, whichever comes first
SOL-B-L-G5000-48V	R 20,470	Greenrich UP5000 4.95kWh 48V Rackmount Battery, 1.5C 7.5kW, 90% DOD, 6000 cycles, BMS system, 80A charge current, 150A Max discharge current
SOL-B-L-G5000WM-48V	R 21,850	Greenrich Wall Mount 5kWh 48V Lithium-ion Battery, 90% DOD, 6000 cycles, BMS system, 80A charge current, 150A Max discharge current
SOL-B-L-G6100-48V	R 27,025	Greenrich 6.1kWh 48V Lithium Rackmount Battery, 6000 cycles, 200A discharge current, 80Amp charge current, RS485, can, RS232
SOL-B-L-M3	R 6,728	Mecer Dyness OEM 3.5 kWh Lithium Battery 48V DC, 6000 cycles calendar life @ 80% DOD, 74Ah nominal capacity, 37.5A Maximum continuous discharge current, 37.5A Maximum continuous charge current
SOL-B-L-M5	R 20,677	Mecer Dyness A48100 48V DC 4.8kWh Lithium Battery, 6000 cycles at 90% DOD, 100A Maximum continuous discharge current, 100A Maximum continuous charging current *6 month warranty or rated cycles, whichever comes first
SOL-B-L-P3C	R 14,949	PylonTech US3000C 3.5kWh LFP (Lithium iron phosphate) battery 48V, 95 % depth of discharge *6 month

		warranty or rated cycles, whichever comes first
SOL-B-L-V200-12V	R 8,625	Vision 12V Lithium 200Ah battery, 1500 life cycle @ 25 degrees *6 month warranty or rated cycles, whichever comes first
SOLMLP1648100	R 14,999	Solarix Must 51.2V 100Ah LiFePo4 Single Battery Module - LCD Control Panel, Advanced BMS With Current Limiting Factor, Normal Voltage: 51.2V, Rated Capacity (5HR):110Ah, Total Usable 4.8 kWh, Maximum Continuous Charging 100A, Maximum Continuous Discharging 100A, Equalised Charge Voltage: 57.6V, Discharge Cut-off Voltage: 44.0V, Easy Wall Mount Installation, Design To Work Perfectly Hybrid Invertors Up To 7KVA, Retail Box
SOLNE12V100AH	R 4,799	Solarix Nenergy 12V 100Ah LiFePo4 Single Battery Module - Wall Mount Unit , Nominal Voltage 12.8V, Rated Capacity 100AH, Total Usable Energy 1.280KWh, Continuous Charging 20A, Continuous Discharging 50A, Working Voltage Range 11.6V-14.6V, Wall Mount Unit Design To Work Perfectly With 12V Hybrid Invertors Up To 2KVA, Retail Box *Note warranty is capped at maximum rated cycles or time, whichever comes first
SOLNE25100AH	R 6,599	Solarix Nenergy 25.6V 100Ah LiFePO4 single Battery module, Total usable energy 2.56kWh, LCD Control Panel, 25.6V nominal Voltage, 100Ah nominal rated capacity 100Ah, 20A continuous charging, 50A continuous discharging
SOLNE25120AH	R 6,899	Solarix Nenergy 25.6V 120Ah LiFePo4 Single Battery Module - Total Usable Energy 3.07kWh, Nominal Voltage 25.6V, Nominal Rated Capacity 120AH, Continuous Charging 30A, Continuous Discharging 50A, Working Voltage Range - 21.6V - 9.2V, Wall Mount or Floor Standing Design With Brackets Included , Design To Work Perfectly With 24V Invertors Up To 3.5KVA, Retail Box
SOLUPLIBC	R 3,099	Solarix Ultra Power 48V 20A Lithium Ion Phosphate Battery Charger - 4 Steps Charging, Maximum Charging Output Voltage(CV) 54.8V, Maximum Output Current (CC): 20 Amps, AC Input Voltage 220VAC, AC Input Frequency 50 Hz, Input Power1000W (1380W Maximum), Lightweight Aluminium Casing With Ventilation Fan, 2x Round 8.2mm Output Connector Lugs, Colour Black, Retail Box *Note warranty is capped at maximum rated cycles or time, whichever comes first
SOLUPLIBC24V	R 2,499	Solarix Ultra Power 24V 20A Lithium Ion Phosphate Battery Charger - 4 Steps Charging, Maximum Charging Output Voltage (CV) 29.2V, Maximum Output Current (CC): 20 Amps, AC Input Voltage 220VAC, AC Input Frequency 50 Hz, Input Power 600W Maximum, Lightweight Aluminium Casing With Ventilation Fan, 2x Round 8.2mm Output Connector Lugs, Colour Black, Retail Box *Note warranty is capped at maximum cycles and time, whichever comes first
SRT48BP	R 14,270	APC Smart-UPS SRT 48V 1.0 / 1.5kVA Battery Pack. Shipping Weight : 81.57(lbs) 37.00(kilos), Shipping Dimensions : 9.60x 23.40x 29.50(in) *6 month warranty or rated cycles, whichever comes first
SRT96RMBP	R 20,560	APC SRT96RMBP Smart-UPS SRT 96V 3kVA RM Battery pack, Lead-Acid Battery, 96V Battery Voltage, 2U Rack Mount
SRTG192XLBP4	R 21,699	APC Smart-UPS RT 192V 32*5Ah BP without railkit, Shipping Weight : 231.49(lbs) 105.00(kilos), APC Smart-UPS RT 192V 32*5Ah Battery Pack for SRTG 5,6,8,10kVA. Rack Height: 3U. APC Smart-UPS RT Battery Pack 192V, rackmount, 3U. Extended-run battery systems provide flexible runtime to critical Smart-UPS applications. Includes: Installation guide, Warranty card. *6 month warranty or rated cycles, whichever comes first
SRV36BP-9A	R 7,290	APC Easy UPS SRV 36V Battery Pack for 1kVA Tower *6 month warranty or rated cycles, whichever comes first
SRV72BP-9A	R 13,212	APC Easy UPS SRV 72V Battery Pack for 2& 3kVA Tower *6 month warranty or rated cycles, whichever comes first
SUNNEW BAT SNC5.12KWH	R 9,146	Sunnew 5.12kWh LiFePO 51.2V DC Rack Mount Inverter Battery, 100Ah typical capacity, 50A Maximum charge current, 50A standard continued discharge current, 3000 times cycle Life at 80% DOD
SUNNEW BAT SNG10.24KWH	R 19,221	Sunnew SNG10.24KWH ground based 10.24kWh LiFePO 51.2V DC Inverter Battery, 200Ah Battery pack capacity, 3000 times cycle Life
SUNNEW BAT SNP5.12KWH	R 10,741	Sunnew 5.12kWh LiFePO 51.2V DC Wall Mount Inverter Battery, 100Ah typical capacity, 50A Maximum charge current, 50A standard continued discharge current, 3000 times cycle Life at 80% DOD
SWD-8712	R 657	Switched LiFePO4 12V 7.2A for gate motor / Alarm Battery
UP-ABR1300Mi	R 6,742	APC BR1300MI Back UPS Pro BR 1300VA, 8 Outlets, AVR, LCD Interface *6 month warranty or rated cycles, whichever comes first
UP-ABR1600Mi	R 7,424	APC BR1600MI Back UPS Pro BR 1600VA, 8 Outlets, AVR, LCD Interface *6 month warranty or rated cycles,

		whichever comes first
UP-ABR650Mi	R 3,555	APC BR650MI Back UPS Pro BR 650VA, 6 Outlets, AVR, LCD Interface *6 month warranty or rated cycles, whichever comes first
UP-ABR900Mi	R 5,258	APC BR900MI Back UPS Pro BR 900VA, 6 Outlets, AVR, LCD Interface *6 month warranty or rated cycles, whichever comes first
UP-ARBC18	R 2,682	APC RBC18 Replacement Battery Cartridge for Smart-UPS SC SC450RMi1U (Order On Request) *6 month warranty or rated cycles, whichever comes first
UP-ARBC22	R 4,666	APC RBC22 Replacement Battery Cartridge for Smart-UPS SUA750RMi2U (Order On Request) *6 month warranty or rated cycles, whichever comes first
UP-ARBC23	R 7,022	APC RBC23 Replacement Battery Cartridge for Smart-UPS SUA1000RMi2U (Order On Request) Note that warranty is capped at rated cycles or time, whichever comes first
UP-ARBC34	R 5,196	APC RBC34 Replacement Battery Cartridge for Smart-UPS SUA750RMi1U / SUA1000RMi1U ; sealed lead acid VRLA; hot swappable UPS battery; 3-5 year lifespan; 6.4kg; 43.9 x 17.3 x 4.3cm; APC Smart-UPS compatible (Order On Request) *6 month warranty or rated cycles, whichever comes first
UP-AST3000iCRM	R 35,175	APC Smart-UPS smT3000RMi2UC with SmartConnect, 2U RackMount, with LCD graphics display, line interactive with AVR power conditioning, 3000va / 2700w; 8x power output, with monitoring software, UTP usb serial interface, with smart slot *Note that warranty is capped at rated cycles or time, whichever comes first
UPAPAPCRBC105	R 8,879	APC Replacement Battery Cartridge #105
UPAPSRT48BP	R 13,509	APC Smart-UPS SRT 48V 1.0 / 1.5kVA Battery Pack *6 month warranty or rated cycles, whichever comes first
UPAPSRT48RMBP	R 15,284	APC Smart-UPS SRT 48V 1.0 / 1.5kVA 2U Rack Mount Battery Pack *6 month warranty or rated cycles, whichever comes first
UPAPSRTG192XLBP2	R 48,122	APC Smart-UPS RT 192V 9Ah Battery Pack 2 Rows without Rail Kit for 15/20kVA *6 month warranty or rated cycles, whichever comes first
UPAPSRTG192XLBP4	R 20,537	APC Smart-UPS RT 192V 32*5Ah BP without railkit, Shipping Weight : 231.49(lbs) 105.00(kilos), APC Smart-UPS RT 192V 32*5Ah Battery Pack for SRTG 5,6,8,10kVA. Rack Height: 3U. APC Smart-UPS RT Battery Pack 192V, rackmount, 3U. Extended-run battery systems provide flexible runtime to critical Smart-UPS applications. Includes: Installation guide, Warranty card. *6 month warranty or rated cycles, whichever comes first
UPAPSRTGRK2	R 3,187	APC SMART-UPS RT 19" Rail Kit For External Battery Pack 15/20kVA
UPAPSRTL50RMBP1U-LI	R 40,048	APC Smart-UPS Ultra 1U RM Lithium-Ion Battery Pack for 3kVA SRTL Ultra
UPAPSRVL48RMBP2U	R 34,264	APC Easy SRVL Li-Ion 48V, 2400Wh, 50AH External Battery Pack 2U *6 month warranty or rated cycles, whichever comes first
UPAPXBP48RM1U-LI	R 19,590	APC Smart-UPS 48 V 585 Wh LI Battery Pack, 1000VA - 2200VA *6 month warranty or rated cycles, whichever comes first
UPS-ONL-2KVA-XRT-K	R 4,692	Linkqnet 2kVA 48V MP XRT 2U Rackmount Online UPS (Batteries required). Rack/tower convertible, double conversion online tech, full digital control, input voltage 110300Vac, input power factor > =0.99, selectable output 208/220/230/240Vac, output power factor 0.9, smart charger, max charging current 12A, EPO, ECO mode, generator compatible, hot-swappable battery, cold start, fan speed regulation, optional load segment, LCD interface, communication RS232/USB/EPO/Relay/SNMP, protections: short circuit, overload, overheat, battery overcharge/discharge, output low voltage, fan fault, capacity 2000VA/1800W, input freq 4070Hz auto, voltage regulation -1%, output freq line mode 4654Hz or 5664Hz, battery mode 50/60Â±0.1Hz, crest factor 3:01, THD < =3% linear load < =5% non-linear, transfer time 0ms AC to battery, 4ms inverter bypass, pure sinewave, efficiency AC 0.91 battery 0.87, 4x12V batteries (48V), battery capacity 9-200Ah, recharge 4hrs to 90%, charging voltage 54.8V -1%, LED/LCD status, alarms for battery, overload, fault.
UR-BAT-LiFePO4-12-100	R 7,725	UNIROSS 12.8V 100Ah 1.28 kWh Li-FEPO4 Battery, 10LFP12-100, Charge @ 20A, Discharge @ 100A, IP56 rated, 2000 cycles at 90% DOD cycle Life *6 month warranty or rated cycles, whichever comes first
UR-BAT-LiFePO4-12-20	R 2,188	UNIROSS 12v 20Ah Li-FEPO4 lithium iron phosphate battery, 10LFP12-20 *6 month warranty or rated cycles, whichever comes first
UR-BAT-LiFePO4-12-7	R 607	UNIROSS 12V 7Ah Li-FEPO4 lithium iron phosphate Battery, 10LFP12-7 *6 month warranty or rated cycles, whichever comes first

UR-BAT-LiFePO4-12-7HD	R 983	UNIROSS 12V 7Ah Li-FEPO4 Lithium Iron phosphate Battery, 10LFP12-7HD *6 month warranty or rated cycles, whichever comes first
VS1.3	R 219	Vautex VS1.3 - 12V 1.3 Ah Lead-Acid Battery *Note warranty is capped at maximum rated cycles or time, whichever comes first
VS100	R 2,024	Vautex VS100 12V 100Ah Semi-sealed Lead Acid Battery (Specifications in image and pdf) *6 month warranty or rated cycles, whichever comes first
VS12	R 432	Vautex BATTERY - 12V 12Ah, Sealed Lead Acid battery - 12V 12Ah *6 month warranty or rated cycles, whichever comes first
VS18	R 684	Vautex BATTERY - 12V 18AH, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
VS2.3	R 236	Vautex BATTERY - 12V 2.3Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
VS24	R 802	Vautex BATTERY - 12 VOLT 24Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
VS35	R 904	Vautex VS35 12V 35Ah Semi-sealed Lead Acid Battery (Full specification in image and pdf) *6 month warranty or rated cycles, whichever comes first
VS4.5-6	R 190	Vautex BATTERY - 6 VOLT 4.5Ah, Sealed Lead Acid battery. 6Volts 4.5Ah; High rate discharge; 1200 cycles @ 30% DOD *6 month warranty or rated cycles, whichever comes first
VS45	R 1,048	Vautex VS45 12V 45Ah Semi-sealed Lead Acid Battery (Full specifications in image) *6 month warranty or rated cycles, whichever comes first
VS5	R 263	Vautex BATTERY - 12V 5Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
VS65	R 1,257	Vautex VS65 12V 65Ah Semi-sealed Lead Acid Battery (Full specifications in image) *6 month warranty or rated cycles, whichever comes first
VS7.5	R 305	Vautex BATTERY - 12V 7.5Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
VS7A	R 276	Vautex Security Battery - 12V 7Ah, Sealed Lead Acid battery *6 month warranty or rated cycles, whichever comes first
VW-BAT-LITH-VT48100E	R 15,524	Vestwoods VT48100E-A2 51.2V 100Ah 5.12kW LFP Lithium Battery, 100A Maximum continuous discharge current, 56.4 V rated charge voltage, 43.2 V discharge cut-off voltage
XBP48RM1U-LI	R 20,457	APC Smart-UPS 48 V 585 Wh LI Battery Pack, 1000VA - 2200VA *6 month warranty or rated cycles, whichever comes first

< Return to the menu

UPS 120V / 130V uninterrupted power supplies

Product code	Price	Description
MUPS3	R 919	Microworld MUPS3 POE 60W MINI UPS 16000MAH
MUPS4	R 1,264	Microworld MUPS4 POE 120W MINI UPS 17600MAH
SOLMU1018P	R 299	Solarix 10400mAH Micro UPS - Runs Router And Fibre OTN For Up 3-4 Hours During Load Shedding- Built-in 10400mAH LiFePO4 Battery Capacity, Max Power 18W, 1 x 5V 2A USB Port, 1 x 5V 2A DC Output Port , 1 x 9V 1A Output Port, 1 x 12V 1A Output Port, POE 15/24V 0.6A and LAN Port, Built-In AC Charger Adaptor, Over 1000 Cycles Of Battery Life, Retail Box, 6 Month Warranty

< Return to the menu

UPS 220V / 230V uninterrupted power supplies

Product code	Price	Description
304901295	R 1,122	Hikvision WDS-UPS1000 1000VA / 600W oversea UPS, 140 VAC to 290 VAC Input Voltage range, 210 VAC to 235 VAC Output Voltage range, 10 ms transfer time, PWM Waveform, 12V / 9Ah Lead-Acid Battery, 4-6 hours recover to 90% capacity recharge time, 60 min run time at 60W
314001229	R 4,227	Hikvision DS-UPS3000 1800W oversea UPS, 140 VAC to 290 VAC Input Voltage range, 210 VAC to 235 VAC Output Voltage range, 10 ms transfer time, PWM Waveform, 12V / 9Ah x4 pieces Lead-Acid Battery, 6-8 hours recover to 90% capacity recharge time, 150 min run time at 100W, LCD screen
3SM36	R 713	Eaton 3S Mini UPS White, 9 V (12 / 15 / 19 V) Output nominal voltage, 36W wattage

3SM36	R 799	Eaton 3S Mini UPS White, 9 V (12 / 15 / 19 V) Output nominal voltage, 36W wattage
3SM36	R 1,064	Eaton 3S Mini UPS White, 9 V (12 / 15 / 19 V) Output nominal voltage, 36W wattage. UPS power for routers, WiFi, Fibre Box (ONT) , wireless internet devices, repeaters.
5E1200UI	R 2,177	Eaton 5e Gen2 UPS 1200VA 660W USB IEC, C14 Input, 6x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E1200UI	R 2,129	Eaton 5e Gen2 UPS 1200VA 660W USB IEC, C14 Input, 6x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E1200UI	R 2,259	Eaton 5e Gen2 UPS 1200VA 660W USB IEC, C14 Input, 6x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E1200UI	R 2,133	Eaton 5e Gen2 UPS 1200VA 660W USB IEC, C14 Input, 6x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E1600UI	R 2,553	Eaton 5E1600UI 5E Gen2 1600VA 900W modified Sinewave Tower UPS, C14 Input, 6x C13 Outputs, Automatic Voltage regulation, Line-interactive, 12 V / 7 Ah sealed Lead-Acid Battery
5E1600UI	R 2,634	Eaton 5E1600UI 5E Gen2 1600VA 900W modified Sinewave Tower UPS, C14 Input, 6x C13 Outputs, Automatic Voltage regulation, Line-interactive, 12 V / 7 Ah sealed Lead-Acid Battery
5E1600UI	R 2,482	Eaton 5E1600UI 5E Gen2 1600VA 900W modified Sinewave Tower UPS, C14 Input, 6x C13 Outputs, Automatic Voltage regulation, Line-interactive, 12 V / 7 Ah sealed Lead-Acid Battery
5E1600UI	R 2,793	Eaton 5E1600UI 5E Gen2 1600VA 900W modified Sinewave Tower UPS, C14 Input, 6x C13 Outputs, Automatic Voltage regulation, Line-interactive, 12 V / 7 Ah sealed Lead-Acid Battery
5E2200UI	R 3,289	Eaton 5E Gen2 2200VA 1200W 230V Tower UPS, 5E2200UI, C14 Input, 6x C13 Outputs
5E2200UI	R 4,057	Eaton 5E Gen2 2200VA 1200W 230V Tower UPS, 5E2200UI, C14 Input, 6x C13 Outputs
5E2200UI	R 3,487	Eaton 5E Gen2 2200VA 1200W 230V Tower UPS, 5E2200UI, C14 Input, 6x C13 Outputs
5E2200UI	R 3,099	Eaton 5E Gen2 2200VA 1200W 230V Tower UPS, 5E2200UI, C14 Input, 6x C13 Outputs
5E700UI	R 1,180	Eaton 5e Gen2 UPS 700VA 360W USB IEC, C14 Input, 4x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E700UI	R 1,156	Eaton 5e Gen2 UPS 700VA 360W USB IEC, C14 Input, 4x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E700UI	R 1,178	Eaton 5e Gen2 UPS 700VA 360W USB IEC, C14 Input, 4x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E700UI	R 1,224	Eaton 5e Gen2 UPS 700VA 360W USB IEC, C14 Input, 4x C13 Outputs, Tower, Sealed Lead-Acid Battery Type, Line-interactive
5E900UI	R 1,484	Eaton 5E900UI 5E Gen2 900VA 480W Modified Sine Wave Line Interactive UPS, C14 Input, 4x C13 Outputs
5E900UI	R 1,461	Eaton 5E900UI 5E Gen2 900VA 480W Modified Sine Wave Line Interactive UPS, C14 Input, 4x C13 Outputs
5E900UI	R 1,544	Eaton 5E900UI 5E Gen2 900VA 480W Modified Sine Wave Line Interactive UPS, C14 Input, 4x C13 Outputs
5E900UI	R 1,490	Eaton 5E900UI 5E Gen2 900VA 480W Modified Sine Wave Line Interactive UPS, C14 Input, 4x C13 Outputs
5PX1000IRT2UG2	R 15,203	Eaton 5PX Gen2 1000VA / 1000W 2U Rack / Tower line-interactive UPS, 5PX1000IRT2UG2, C20 Input, 8x C13 Output, Sine Wave Output Waveform, Lead-acid maintenance-free battery Type
5PX1500iRT2UG2	R 13,636	Eaton 5PX 1500i RT2U G2 1500VA 1500W line-interactive UPS, C14 Input, 8x C13 Output, Rack / Tower 2U, 4 batteries, 12 V / 9 Ah Battery rating, Sine Wave Output Waveform, Â© 2022 Laptop Direct
5PX1500iRT2UG2	R 17,509	Eaton 5PX 1500i RT2U G2 1500VA 1500W line-interactive UPS, C14 Input, 8x C13 Output, Rack / Tower 2U, 4 batteries, 12 V / 9 Ah Battery rating, Sine Wave Output Waveform
5PX2200IRT2UG2	R 20,867	Eaton 5PX Gen2 2200VA / 2200W 2U Rack / Tower line-interactive UPS, 5PX2200IRT2UG2, C20 Input, 8x C13 Output, 2x C19, Sine Wave Output Waveform, Lead-acid maintenance-free battery Type
5PX2200iRT3UG2	R 19,464	Eaton 5PX 2200i RT3u G2 2200VA 2200W line-interactive UPS, C20 Input, 8x C13 Output, 2x C19 Output, Rack / Tower 3U, 6 batteries, Sine Wave Output Waveform
5PX3000IRT2UG2	R 30,073	Eaton 5PX Gen2 3000VA / 3000W 2U Rack / Tower line-interactive UPS, 5PX3000IRT2UG2, C20 Input, 8x C13 Output, 2x C19, Sine Wave Output Waveform, Lead-acid maintenance-free battery Type
5PX3000IRT2UG2	R 31,918	Eaton 5PX Gen2 3000VA / 3000W 2U Rack / Tower line-interactive UPS, 5PX3000IRT2UG2, C20 Input, 8x C13 Output, 2x C19, Sine Wave Output Waveform, Lead-acid maintenance-free battery Type

5PX3000iRT3UG2	R 29,923	Eaton 5PX 3000i RT3u G2 3000VA 3000W line-interactive UPS, C20 Input, 8x C13 Output, 2x C19 Output, Rack / Tower 3U, 6 batteries, Sine Wave Output Waveform
5PX3000iRT3UG2	R 29,167	Eaton 5PX 3000i RT3u G2 3000VA 3000W line-interactive UPS, C20 Input, 8x C13 Output, 2x C19 Output, Rack / Tower 3U, 6 batteries, Sine Wave Output Waveform
9E1000I	R 6,739	Eaton 9e 1000i Online UPS 1000VA 800W 208 - 240V Tower, Online Double conversion, 1x IEC-320-C14 connection, 4x IEC-320-C13 outlets, Pure Sine Wave
9E1000I	R 6,739	Eaton 9e 1000i Online UPS 1000VA 800W 208 - 240V Tower, Online Double conversion, 1x IEC-320-C14 connection, 4x IEC-320-C13 outlets, Pure Sine Wave
9E1000IR	R 11,857	Eaton 9e 1000i 1000VA 800W Online Rack 2U UPS, LCD Display, Online/Double-conversion, C14 Input connection, 4x C13 Output Ports, Pure Sine Wave, 230V AC Voltage, 3x 12V 7Ah sealed Lead-Acid batteries
9E15Ki	R 74,031	Eaton 9E 15000i 15kVa (12000W) Online UPS - Outputs: Hardwired; (uses 9EEBM480 external batteries- max. 4)
9E2000I	R 11,742	EATON 9E2000I 2000VA/1600W Tower Online double conversion USB UPS, Retail Box
9E2000i	R 12,460	Eaton 9e 2000i On-line UPS 2000VA (1600W) 208-240v Tower, Pure Sine Wave Output, 4 battery packs, C14 Input connection, Sealed lead-acid battery Type, Double conversion topology, 97.5 efficiency (Eco-mode), 7 min Back-Up time, 6 Outputs C13
9E2000i	R 12,487	Eaton 9e 2000i On-line UPS 2000VA (1600W) 208-240v Tower, Pure Sine Wave Output, 4 battery packs, C14 Input connection, Sealed lead-acid battery Type, Double conversion topology, 97.5 efficiency (Eco-mode), 7 min Back-Up time, 6 Outputs C13
9E2000IR	R 14,605	Eaton 9e 2000i 2000VA 1600W Online Rack 2U UPS, LCD Display, Online/Double-conversion, C14 Input connection, 6x C13 Output Ports, Pure Sine Wave, 230V AC Voltage, 6x 12V 7Ah sealed Lead-Acid batteries
9E20Ki	R 94,122	Eaton 9E 20000i 20kVa (16000W) Online UPS - Outputs: Hardwired; (uses 9EEBM480 external batteries- max. 4)
9E3000i	R 16,753	Eaton 9E 3000i Tower UPS 3000/2400Watts, Â© 2019 Laptop Direct
9E3000i	R 16,848	Eaton 9e 3000i On-line UPS 3000VA 2400W 208 - 240V Tower, 1x IEC-320-C20 connection, 6x IEC-320-C13 & 1x IEC-320-C19 outlets, Online Double conversion topology, Pure Sine Wave
9E3000IR	R 18,941	Eaton 9e 3000i 3000VA 2400W Online Rack 2U UPS, LCD Display, Online/Double-conversion, C14 Input connection, 6x C13 & 1x C19 Output Ports, Pure Sine Wave, 230V AC Voltage, 6x 12V 9Ah sealed Lead-Acid batteries
9E3000IR	R 19,167	Eaton 9e 3000i 3000VA 2400W Online Rack 2U UPS, LCD Display, Online/Double-conversion, C14 Input connection, 6x C13 & 1x C19 Output Ports, Pure Sine Wave, 230V AC Voltage, 6x 12V 9Ah sealed Lead-Acid batteries
9E6Ki	R 35,535	Eaton 9E6Ki 9e 6000i On-line UPS 6000VA 220-240V Tower, Pure Sine Wave Output Waveform, Online/Double-conversion, 15 batteries, Sealed lead-acid Battery Type
9EEBM180	R 18,831	Eaton 9E EBM 180V
9EEBM240	R 24,777	Eaton 9E EBM 240V battery bank for 9E10Ki
9EEBM240	R 25,680	Eaton 9E EBM 240V battery bank for 9E10Ki - Eaton 9E 10000i
9EEBM480	R 33,465	Eaton 9E EBM 480V (9E 15 & 20kVA)
9PX1000iRT2U	R 19,849	Eaton 9PX 1000i RT2U 1000VA 200-240V Rack/Tower (Rail Kit Incl.) Outputs:8 IEC C13 (uses 9PXEBM48RT2U external batteries- max. 4 - optional)
9PX1500iRT2U	R 26,180	Eaton 9PX 1500i RT2U 1500VA 200-240V Rack/Tower (Rail Kit Incl.) Outputs:8 IEC C13 (uses 9PXEBM48RT2U external batteries- max. 4 - optional)
9PX1500IRT2U-L	R 47,075	Eaton 9PX 1500i RT2U Li-Ion 1500VA 1500W Online / Double-conversion UPS, C14 Input, 8x C13 Outputs, Rack / Tower 2U, Sine Wave Output Waveform, Multilingual graphical LCD Display, Lithium-ion batteries with Battery management system
9PX1500IRT2U-L	R 46,624	Eaton 9PX 1500i RT2U Li-Ion 1500VA 1500W Online / Double-conversion UPS, C14 Input, 8x C13 Outputs, Rack / Tower 2U, Sine Wave Output Waveform, Multilingual graphical LCD Display, Lithium-ion batteries with Battery management system
9PX2200IRT2U	R 31,775	Eaton 9PX 2200i RT2U 2200VA 200-240V Rack/Tower (Rail Kit Incl.) Outputs:8 IEC C13; 2 IEC C19 (uses 9PXEBM72RT2U external batteries- max. 4 - optional)
9PX2200IRT2U-L	R 60,893	Eaton 9PX 2200i RT2U Li-Ion 2200VA 2200W Online / Double-conversion UPS, C20 Input, 8x C13 Outputs, 2x

		C19 Outputs, Rack / Tower 2U, Sine Wave Output Waveform, Multilingual graphical LCD Display, Lithium-ion batteries with Battery management system
9PX3000IRT2U	R 45,749	Eaton 9PX 3000i RT2U online UPS (3 - 5 mins at 90% Load)
9PX3000IRT2U	R 45,224	Eaton 9PX 3000i RT2U 3000VA 200-240V Rack/Tower (Rail Kit Incl.) Outputs:8 IEC C13; 2 IEC C19 (uses 9PXEBM72RT2U external batteries- max. 4 - optional)
9PX3000IRT2U-L	R 89,562	Eaton 9PX 3000i RT2U Li-Ion 3000VA 3000W Online / Double-conversion UPS, C20 Input, 8x C13 Outputs, 2x C19 Outputs, Rack / Tower 2U, Sine Wave Output Waveform, Multilingual graphical LCD Display, Lithium-ion batteries with Battery management system
9PX5Ki	R 47,938	Eaton 9PX 5000i On-Line UPS 5000VA 200-240V Rack/Tower ; Outputs: Hardwired, :3 IEC C13; 2 IEC C19 (uses 9PXEBM180 external batteries- max. 4 and 9RK rail kit (3U) - optional), Â© 2018 Laptop Direct
9PXEBM180	R 19,981	Eaton 9PX EBM 180V (5-6kVA), Â© 2018 Laptop Direct
9PXEBM72RT2U	R 20,395	Eaton 9PX External Battery 72V RT2U (9PX 2.2 - 3kVA)
9SX1000I	R 12,154	Eaton 9SX 1000i Tower
9SX1000i	R 15,180	Eaton 9SX 1000i On-line UPS 1000VA 200-240V Tower Only (uses 9SXEBM36Texternal batteries -optional)
9SX1000I	R 13,690	Eaton 9SX 1000i Tower
9SX1000iR	R 17,791	Eaton 9SX 1000i On-line UPS 1000VA 200-240V Rack2U - includes the rail kit (uses 9SXEBM36R external batteries -optional)
9SX1500i	R 17,424	Eaton 9SX 1500i Tower
9SX1500i	R 20,798	Eaton 9SX 1500i On-line UPS 1500VA 200-240V Tower Only (uses 9SXEBM48Texternal batteries -optional)
9SX1500iR	R 16,373	Eaton 9SX 1500i Rack2U
9SX1500iR	R 24,679	Eaton 9SX 1500i On-line UPS 1500VA 200-240V Rack2U - includes the rail kit - (uses 9SXEBM48R external batteries -optional)
9SX2000i	R 26,720	Eaton 9SX 2000i On-line UPS 2000VA 200-240V Tower Only (uses 9SXEBM96T external batteries -optional)
9SX2000iR	R 30,866	Eaton 9SX 2000i On-line UPS 2000VA 200-240V Rack2U - includes the rail kit (uses 9SXEBM96R external batteries -optional)
9SX3000I	R 37,299	Eaton 9SX 3000i Tower
9SX3000i	R 36,713	Eaton 9SX 3000i Tower
9SX3000i	R 36,001	Eaton 9SX 3000i On-line UPS 3000VA 200-240V Tower Only (uses 9SXEBM96T external batteries -optional)
9SX3000IR	R 37,566	Eaton 9SX 3000i Rack2U
9SX3000iR	R 40,273	Eaton 9SX 3000i On-line UPS 3000VA 200-240V Rack2U - includes the rail kit (uses 9SXEBM96R external batteries -optional)
9SXEBM240T	R 34,960	Eaton 9SX EBM 240V Tower UPS
9SXEBM36R	R 11,155	Eaton 9SX EBM 36V Rack2U - includes the rail kit (9SX1000iR)
9SXEBM36T	R 8,148	Eaton 9SX EBM 36V Tower (1kVA), Â© 2019 Laptop Direct
9SXEBM48R	R 11,724	Eaton 9SX EBM 48V Rack2U - includes the rail kit (9SX1500iR) - - extended battery module for uninterrupted power supply
9SXEBM48T	R 9,603	Eaton 9SX EBM 48V Tower Only (9SX1500i)
9SXEBM72R	R 15,450	Eaton 9SX EBM 72V Rack2U - includes the rail kit (9SX2000iR/ 9SX3000iR)
9SXEBM96T	R 15,945	Eaton 9SX EBM 96V Tower Only (9SX2000i/9SX3000i)
AC-UPS-1000	R 1,424	AccoNet 1200VA / 600W Offline UPS, AVR Function with inbuilt 2x 7Ah batteries
AC-UPS-2000	R 1,949	AccoNet 2000VA / 1200W Offline UPS, AVR Function with inbuilt 2x 9Ah battery
AC-UPS-700	R 896	AccoNet 700VA / 360W Offline UPS with AVR Function, 1x 12V 7Ah build in battery, DG 600VA, Modified Sine Wave
AC-UPS-O2000-R	R 5,810	AccoNet MP RT 2K 2000VA 1800W Online Rack mounted UPS, Online Double conversion with full Digital control
AC-UPS-O3000-R	R 6,123	AccoNet MP RT 3K 3000VA 2700W Online Rack mounted UPS, Online Double conversion with full Digital control
AP1200	R 1,268	PSS AP1200 AP Series 1200VA UPS - Modified Sine Wave, LED Display, Built-In buck & boost AVR, 0.6 Output Power factor
AP1800	R 1,620	PSS AP1800 AP Series 1800VA UPS - Modified Sine Wave, LED Display, Built-In buck & boost AVR, 0.6 Output Power factor

AP2400	R 1,783	PSS AP2400 AP Series 2400VA UPS - Modified Sine Wave, LED Display, Built-In buck & boost AVR, 0.6 Output Power factor
AP3600	R 3,414	PSS AP3600 AP Series 3600VA UPS - Modified Sine Wave, LED Display, Built-In buck & boost AVR, 0.6 Output Power factor
AP720	R 705	PSS AP720 AP Series 720VA UPS - Modified Sine Wave, LED Display, Built-In buck & boost AVR, 0.6 Output Power factor
AP960	R 780	PSS AP960 AP Series 960VA UPS - Modified Sine Wave, LED Display, Built-In buck & boost AVR, 0.6 Output Power factor
APCRBC116	R 4,334	APC Replacement Battery Cartridge #116, Shipping Weight: 25.00(lbs) 11.36(kilos), Shipping Dimensions: 7.50x 11.50x 21.50(in) 19.00x 29.20x 54.60(cent)
BK325I	R 1,758	APC BK325I 325VA UPS; standby UPS; 195W capacity; 230V input output; IEC C13 outlets; sealed lead acid battery; 16.5 x 9.1 x 28.4 cm; 5.73 kg; load shedding backup; home office protection
BK350EI	R 2,340	APC Back-UPS CS 350VA, USB Interface, 230V Input/Output Voltage, 210Watt, Lightning and Surge Protection, Audible Alarms, 6 Hour(s) Typical Recharge Time, 300 Joules Surge Energy Rating, RoHS Compliance.
BK500EI	R 2,650	Bk500ei - 500va Unit Complete System Protection, Usb Or Serial Connectivity And Software.
BK650EI	R 2,990	APC Back-Ups CS 650VA UPS
BR1300MI	R 6,576	APC BR1300MI Back UPS Pro BR 1300VA, 8 Outlets, AVR, LCD Interface
BR1500GI	R 9,536	APC Back-UPS pro1500va, 230v with AVR and LCD, Cold-Start, Easy Overload Recovery, Ethernet Protection, Audible Alarms, Serial Connectivity, Building Wiring Fault Indicator, Power-Saving Outlets, Adjustable Voltage-Transfer Points, Dataline Surge Protection.
BR1600MI	R 7,214	APC BR1600MI Back UPS Pro BR 1600VA, 8 Outlets, AVR, LCD Interface
BR650MI	R 3,437	APC BR650MI Back UPS Pro BR 650VA, 6 Outlets, AVR, LCD Interface
BR900MI	R 5,129	APC BR900MI Back UPS Pro BR 900VA, 6 Outlets, AVR, LCD Interface
BV1000I	R 2,085	APC EASY UPS BV 1000VA, AVR, IEC Outlet, 230V
BV650I	R 1,447	APC easy-ups BV650i - black with AVR power conditioning, line interactive, 650VA / 375w, 6 power outputs, with wall mounting sockets - No software interface
BV800I	R 1,766	APC EASY UPS BV 800VA, AVR, Schuko Outlet, 230V
BX1200MI	R 2,543	APC Back-ups BX1200Mi - black with AVR power conditioning, line interactive, 1200VA / 650w, 6x iEC power outputs - RJ-45 UTP protection; with monitoring software, USB interface
BX1600MI	R 3,352	APC BX1600mi Back-UPS 1600VA 230V AVR UPS with IEC sockets, 900 watts / 1.6kVA, Line Interactive, Stepped approximation to a sinewave, 6 ms typical transfer time, Lead-acid battery, RJ45 10/100/1000 BASE-T Ethernet protection
BX2200MI	R 4,181	APC Back-ups BX2200Mi - black with AVR power conditioning, line interactive, 2200VA / 1200w, 6x iEC power outputs - RJ-45 UTP protection; with monitoring software, USB interface
BX750MI	R 1,390	APC BX750MI Back-UPS 750VA 230V AVR UPS with IEC sockets, Line Interactive, 6 ms typical transfer time, Lead-acid battery, 8 hours typical recharge time, RJ45 10/100/1000 BASE-T Ethernet protection
BX950MI	R 2,085	APC BX950mi Back-UPS 950VA 230V AVR UPS with IEC sockets, Line Interactive, 6 ms typical transfer time, Lead-acid battery, 8 hours typical recharge time, RJ45 10/100/1000 BASE-T Ethernet protection
DC UPS-5200	R 656	Mecer UPS-5200 7.4V 5200mAh Lithium Battery On-line UPS, For WiFi Router and ONT, With 2 way DC connector spliter, Auto start when plugged in, Multi-color indicator, Built-In Li-ion battery *6 month warranty
DC-POE45WS	R 684	PSS POE45ws Mini DC UPS, Portable unit with PoE 15V / 24V selectable and DC Output 9/12V
DC-POE60	R 684	PSS Mini DC UPS, 12V 7Ah sealed Lead-Acid Battery, 45W DC Maximum Output Power, PoE 15V / 24V selectable
DS-UPS1000-SA	R 852	Hikvision 1000VA 1KVA Oversea UPS
E3SUPS30K3IB	R 135,430	APC Easy UPS 3S 30 kVA 400 V 3:1 UPS for internal batteries
ELP1200IEC	R 5,641	Eaton Ellipse PRO 1200 IEC 1200VA AVR 230V Line-Interactive Rack/Tower UPS (Outputs: (4) C13, (4) C13 surge only, USB Comm. Port)
ELP1600IEC	R 7,159	Eaton Ellipse PRO 1600 IEC 1600VA AVR 230V Rack/Tower (Outputs: (4x) C13 surge and battery backup, (4x) C13 surge only, USB Comm. Port)

ELP650IEC	R 3,220	Eaton Ellipse PRO 650 IEC 640VA AVR 230V Rack/Tower (Outputs: (3) C13, (1) C13 surge only, USB Comm. Port)
ELP850IEC	R 4,732	Eaton Ellipse PRO 850 IEC 850VA AVR 230V Rack/Tower (Outputs: (3) C13, (1) C13 surge only, USB Comm. Port)
EP10	R 69,145	PSS E-POWER 10KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient
EP10S	R 71,432	PSS E-POWER 10KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient, Includes 64x 12V 7.5ah Internal Batteries
EP20	R 65,081	PSS E-POWER 20KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient
EP20S	R 78,287	PSS E-POWER 20KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient, Includes 64x 12V 9Ah Internal Batteries
EP30	R 91,088	PSS E-POWER 30KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient
EP30S	R 91,116	PSS E-POWER 30KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient, Includes 64x 12V 9Ah Internal Batteries
EP40	R 93,002	PSS E-POWER 40KVA Online (3phase in / 3phase out) True Online Double Conversion UPS, Transformer-based, No Batteries, Pure Sine wave output, 0.9 Power Factor (lagging), Modular capabilities, Double CPU control, Static bypass, Manual maintenance bypass, Wide input voltage range, LCD with control panel, Advanced battery management, Parallel redundant - up to 4 modules, Self diagnosis, Full protection against surges / dips / overcharge / overload, 384VDC Battery DC Voltage, 88% efficient
EPI10	R 37,185	PSS E-POWER 10KVA 3 Phase True Online Double Conversion UPS, Transformer-based, Pure sine wave output less than 3% THD, No batteries included, Three phase in with one phase out, 0.8 Power Factor, 192VDC DC Voltage, > 90% Efficient, IGBT inverter design, Generator compatible, Load/Battery power meter display, Overload / on-line / battery status, LED/LCD display, Advanced Battery Management, Automatic charging in UPS off mode, Smart RS-232 communication port, Parallel capability
EPI15	R 55,571	PSS E-POWER 15KVA 3 Phase True Online Double Conversion UPS, Transformer-based, Pure sine wave output less than 3% THD, No batteries included, Three phase in with one phase out, 0.8 Power Factor, 192VDC DC Voltage, > 90% Efficient, IGBT inverter design, Generator compatible, Load/Battery power meter display, Overload / on-line / battery status, LED/LCD display, Advanced Battery Management, Automatic charging in UPS off mode, Smart RS-232 communication port, Parallel capability

EPI20	R 67,733	PSS E-POWER 20KVA 3 Phase True Online Double Conversion UPS, Transformer-based, Pure sine wave output less than 3% THD, No batteries included, Three phase in with one phase out, 0.8 Power Factor, 192VDC DC Voltage, > 90% Efficient, IGBT inverter design, Generator compatible, Load/Battery power meter display, Overload / on-line / battery status, LED/LCD display, Advanced Battery Management, Automatic charging in UPS off mode, Smart RS-232 communication port, Parallel capability
EPI30	R 86,151	PSS E-POWER 30KVA 3 Phase True Online Double Conversion UPS, Transformer-based, Pure sine wave output less than 3% THD, No batteries included, Three phase in with one phase out, 0.8 Power Factor, 240VDC DC Voltage, > 90% Efficient, IGBT inverter design, Generator compatible, Load/Battery power meter display, Overload / on-line / battery status, LED/LCD display, Advanced Battery Management, Automatic charging in UPS off mode, Smart RS-232 communication port, Parallel capability
GP-803	R 18,486	PSS GP-803 Power line 3kVA True On-line UPS - Pure Sine Wave, True On-line Double conversion, Zero transfer time, IGBT Inverter design, Generator compatible, LED/LCD Display
GP-804	R 19,801	PSS GP-804 Power line 4kVA True On-line UPS - Pure Sine Wave, True On-line Double conversion, Zero transfer time, IGBT Inverter design, Generator compatible, LED/LCD Display
GP-806	R 19,364	PSS GP-806 Power line 6kVA True On-line UPS - Pure Sine Wave, True On-line Double conversion, Zero transfer time, IGBT Inverter design, Generator compatible, LED/LCD Display
GP-806H	R 17,600	PSS GP-806H Power Line 6 kVA On-line UPS - Pure Sine Wave - no batteries, True Online Double conversion UPS, External 192VDC Battery required
GP-808	R 23,998	PSS GP-808 Power Line 8 kVA On-line UPS - Pure Sine Wave - no batteries, True Online Double conversion UPS, External 192VDC Battery required
GP-810	R 22,093	PSS GP-810 Power Line 10 kVA On-line UPS - Pure Sine Wave - no batteries, True Online Double conversion UPS, External 192VDC Battery required
GP-810H	R 27,505	PSS GP800 Series Power Line 10kVA On-line UPS - 12A NB, True On-line Double conversion, Pure Sine Wave Output, Generator compatible, Advanced Battery management, Smart RS-232 communication Port, No batteries included
GP-810S	R 26,404	PSS GP800 Series Power Line 10kVA On-line UPS - No Battery, True On-line Double conversion, Pure Sine Wave Output, Generator compatible, Advanced Battery management, Smart RS-232 communication Port
GP-812	R 28,919	PSS GP-812 Power Line 12 kVA On-line UPS - Pure Sine Wave - no batteries, True Online Double conversion UPS, External 192VDC Battery required
GP-815	R 49,205	PSS GP-815 Power Line 15 kVA On-line UPS - Pure Sine Wave - no batteries, True Online Double conversion UPS, External 192VDC Battery required
GP-820	R 54,701	PSS GP-820 Power Line 20 kVA On-line UPS - Pure Sine Wave - no batteries, True Online Double conversion UPS, External 192VDC Battery required
HPC10S	R 28,942	PSS HPC10S HPCS Series 3/3 10kVA Online UPS - Pure Sine Wave - no Battery, Online Double conversion technology, 400V Input/Output voltage, Programmable Battery voltage
HPC20S	R 43,386	PSS HPC20S HPCS Series 3/3 20kVA Online UPS - Pure Sine Wave - no Battery, Online Double conversion technology, 400V Input/Output voltage, Programmable Battery voltage
HPC30S	R 54,619	PSS HPC30S HPCS Series 3/3 30kVA Online UPS - Pure Sine Wave - no Battery, Online Double conversion technology, 400V Input/Output voltage, Programmable Battery voltage
HPC40	R 47,287	PSS HPC40 HPCS Series 3/3 40kVA Online UPS - Pure Sine Wave - no Battery, Online Double conversion technology, 400V Input/Output voltage, Programmable Battery voltage
LAL-R1818	R 404	Lalela LAL-R1818 48840mWh Wi-Fi Router / UPS 9V and 12V PoE out Backup Power Supply, Splitter cable to power 2 devices, DC adapters for All Router Type
LI100-SL	R 2,064	PSS LI100-SL Li Series Pure Sinewave Line Interactive external UPS - 1000VA - no Battery (Specifications in image and pdf)
LI200-SL	R 2,754	PSS LI200-SL Li Series Pure Sinewave Line Interactive external UPS - 2000VA - no Battery (Full Specifications in image and pdf)
M10C	R 15,842	PSS M10C M-Series 10kVA On-line Pure Sine Wave UPS, True Online Double conversion UPS, 0.9 Output Power factor, 16x 12V 9Ah batteries

M10RT	R 14,927	PSS M10RT M-Series 10kVA On-line Rack / Tower UPS - Pure Sine Wave, True Online Double conversion UPS, External Battery pack required, 0.9 Output Power factor
M1C	R 2,880	PSS 1KVA True Online MP series UPS, 220v Single Phase, On-line double conversion, Full digital control (DSP), Output power factor 0.9, Wide input-voltage range, Self-testing when UPS start-up, Cold Start (DC), Multifunctional protection, Output bypass settable, Charger current settable, USB port - intelligent monitoring software
M1H	R 2,801	PSS M1H M-Series 1kVA On-line Pure Sine Wave UPS (36 VDC) - external Battery pack required
M1RT	R 2,979	PSS 1KVA True Online Double Conversion Rack / Tower UPS, Two directions LCD display, On-line double conversion, Output power factor 0.9, Extended runtime with up to four extended battery modules, Emergency shutdown through remote emergency power-off (EPO) port, Three segment charging mode to increase battery service life and optimize recharge time, Input neutral and live wires reverse detection, Economic operation mode (ECO), Wide input voltage range, Self-testing on UPS start-up, Cold Start (DC), Hot swappable battery pack, Output voltage can be set, Full digital control (DSP). PLEASE ENSURE THAT NO LASER PRINTERS, PHOTO COPIERS FLORESCENT LIGHTS OR MOTORS ARE CONNECTED TO THIS UPS
M2C	R 4,333	PSS 2KVA True Online MP series UPS, 220v Single Phase, On-line double conversion, Full digital control (DSP), Output power factor 0.9, Wide input-voltage range, Self-testing when UPS start-up, Cold Start (DC), Multifunctional protection, Output bypass settable, Charger current settable, USB port - intelligent monitoring software
M2H	R 4,050	PSS M2H M-Series 2kVA On-line Pure Sine Wave UPS (72 VDC) - external Battery pack required
M2RT	R 5,061	PSS 2KVA True Online Double Conversion Rack / Tower UPS, Two directions LCD display, On-line double conversion, Output power factor 0.9, Extended runtime with up to four extended battery modules, Emergency shutdown through remote emergency power-off (EPO) port, Three segment charging mode to increase battery service life and optimize recharge time, Input neutral and live wires reverse detection, Economic operation mode (ECO), Wide input voltage range, Self-testing on UPS start-up, Cold Start (DC), Hot swappable battery pack, Output voltage can be set, Full digital control (DSP)
M2RT	R 5,899	PSS M Series 2KVA True Online UPS - Rack Mount Or Tower Conversion Design, Single Phase With Ground, Input and Output Voltage 230V, Power Factor: 0.9, Capacity: 2KVA, 1800W, Voltage Range: 200-290VAC At Full Load, Frequency Range: 40-70Hz, Economic Operation Mode, Hot-Swappable Battery Pack, Full LCD Digital Display Control (DSP), 4 x 12V 9Ah Lead Acid Batteries, Rated Battery Voltage 48VDC, Colour Black, Retail Box
M3C	R 5,418	PSS 3KVA True Online MP series UPS, 220v Single Phase, On-line double conversion, Full digital control (DSP), Output power factor 0.9, Wide input-voltage range, Self-testing when UPS start-up, Cold Start (DC), Multifunctional protection, Output bypass settable, Charger current settable, USB port - intelligent monitoring software
M3H72	R 5,290	PSS M3H72 M-Series 3kVA On-line Pure Sine Wave UPS (72 VDC) - external Battery pack required
M3RT	R 5,691	PSS 3KVA True Online Double Conversion Rack / Tower UPS, Two directions LCD display, On-line double conversion, Output power factor 0.9, Extended runtime with up to four extended battery modules, Emergency shutdown through remote emergency power-off (EPO) port, Three segment charging mode to increase battery service life and optimize recharge time, Input neutral and live wires reverse detection, Economic operation mode (ECO), Wide input voltage range, Self-testing on UPS start-up, Cold Start (DC), Hot swappable battery pack, Output voltage can be set, Full digital control (DSP)
M6C	R 14,404	PSS M6C M-Series 6kVA On-line Pure Sine Wave UPS, True Online Double conversion UPS, 0.9 Output Power factor, 16x 12V 7.5Ah batteries
M6RT	R 11,852	PSS M6RT M-Series 6kVA On-line Rack / Tower UPS - Pure Sine Wave, True Online Double conversion UPS, External Battery pack required, 0.9 Output Power factor
ME-1000-VU	R 1,173	Mecer 1000VA Line Interactive UPS (with AVR, Monitoring Software Cable & Built-in Surge Protection) - Black *6 month warranty on battery
ME-1000-VU	R 1,323	Mecer 1000VA OFF-LINE UPS (with AVR,Monitoring Software Cable & Built-in Surge Protection) - Black
ME-1000-WPRU	R 3,738	Mecer 1000VA / 800W 2U ON-LINE SINE WAVE Rackmountable UPS (with Monitoring Software) -Black. 12 V / 9 Ah batteries x2. Voltronic Power Winner Pro Online pure sine wave UPS. *6 month warranty on battery
ME-1000-WPTU+	R 2,944	Mecer Winner Pro 1000VA On-line Tower UPS, PF 0.8 (power Factor) *6 month warranty on battery
ME-10000-WPRV	R 11,489	Mecer RT 10kVA On-line Rackmount Single Phase On-line 2U UPS, PF 1.0 with SNMP card, 1 Set Rail kit included, Excludes EBM-20-9 Battery bank, True Double-conversion

ME-10000-WPTV	R 14,088	Mecer ME-10000-WPTV 10000VA / 10000W On-line Pure Sine Wave UPS - Tower, AVR, Monitoring Software cable, Built-In Surge protection
ME-2000-VU	R 1,725	Mecer 2000VA OFF-LINE UPS (with AVR,Monitoring Software Cable & Built-in Surge Protection) - Black, No Power cable included *6 month warranty on battery
ME-2000-WPRU	R 6,843	Mecer 2000VA / 1600W 2U ON-LINE SINE WAVE Rackmountable UPS (with Monitoring Software) -Black. 2000 VA / 1600 W, Pure Sine Wave, 12 V / 9 Ah batteries x4, Voltronic Power Winner Pro Online pure sine wave UPS. *6 month warranty on battery
ME-2000-WPTU+	R 4,830	Mecer ME-2000-WPTU Winner Pro 2000VA On-line Tower UPS PF 0.8 *6 month warranty on battery
ME-3000-PEB	R 22,989	Mecer ME-3000-PEB PEB 3kVA Mobile energy bank with 2.5kWh LiPo Lithium Battery. Powerful, compact and light. Pure Sine Wave 3x South Africa outlets, USB Ports: 2x Type A (QC 3.0, 18W x 2) , 2x Type C (PD 3.0, 65W x2), Dimension (D x W x H): 450 x 222 x 622 mm, Net Weight: 40kg.
ME-3000-VU	R 4,139	Mecer 3000VA OFF-LINE UPS, with AVR, Monitoring Software Cable, Built-in Surge Protection, Black
ME-3000-VU+	R 3,738	Mecer ME-3000-VU 3000VA / 1800W off-line modified Sine Wave UPS, with AVR & monitoring Software cable, Built-In surge protection, Black *6 month warranty on battery
ME-3000-WPRU	R 7,533	Mecer 3000VA / 2400W 2U ON-LINE SINE WAVE Rackmountable UPS (with Monitoring Software) - Black. 12 V / 9 Ah batteries x6. Voltronic Power Winner Pro online pure sine wave UPS. *6 month warranty on battery
ME-3000-WPTV+	R 6,728	Mecer ME-3000-WPTV 3000VA / 2400W On-line Pure Sine Wave UPS with AVR, Monitoring Software cable, Built-In Surge protection, 4x IEC C13 Socket, 1x SA plug, 6 x 12V 9Ah batteries, USB 2.0, RS232 *6 month warranty on battery. NOTE: Charge for 9 hours before connecting output devices on first use.
ME-6000-WPRV	R 10,120	Mecer ME-6000-WPRV 6000VA / 6000 2U On-line Sine Wave rackmountable UPS, Monitoring softwarek, with SNMP card, 1x Rail kit, EXCLUDES EBM-20-9 Battery Bank
ME-6000-WPTV	R 12,248	Mecer ME-6000-WPTV 6000VA / 6000W On-line Pure Sine Wave UPS - Tower, AVR, Monitoring Software cable, Built-In Surge protectior
ME-650-VU	R 656	Mecer 650VA OFF-LINE UPS (with AVR,Monitoring Software Cable & Built-in Surge Protection) - Black - No power cable included *6 month warranty on battery
ME-650-VU	R 719	Mecer 650VA OFF-LINE UPS (with AVR,Monitoring Software Cable & Built-in Surge Protection) - Black
ME-850-VU	R 748	Mecer 850VA OFF-LINE UPS (with AVR,Monitoring Software Cable & Built-in Surge Protection) - Black *6 month warranty on battery
MUPS	R 344	Microworld 8800mah Mini Ups
OL2H72	R 3,559	PSS OL-Series Tower 1 Phase Online external run UPS - 2000W, On-line Double conversion, Pure Sine Wave, Full Digital control (DSP), Cold start (DC), 1x IEC 16Amp Output connector
OL3H96	R 4,364	PSS OL-Series Tower 1 Phase Online external run UPS - 3000W, On-line Double conversion, Pure Sine Wave, Full Digital control (DSP), Cold start (DC), 1x IEC 16Amp Output connector
PWR-DC-UPS-POE-45P	R 889	Unbranded 8800mAh Mini DC PoE UPS Black, Lithium-ion battery, 14 / 19 / 24VDC Output voltage
RCT MP-UPS54AC	R 4,829	RCT MegaPower Lithium 54000 mAh UPS, 2x 230V AC outlet, 2x 2.4A USB Type-A, 1x 3A USB Type-C, 3.6V Li-Ion battery Type, Continuous 200W AC Output
RCT-1000-WPRU	R 3,562	RCT 1000VA / 800W Online Rackmount UPS. 12 V / 9 Ah batteries x2, Voltronic Power Winner Pro Online pure sine wave UPS.
RCT-1000-WPTU	R 2,602	RCT 1000VA / 800W Online Tower UPS / 800 W, Pure Sine-wave, 2 x 12 V / 9 AH batteries, Voltronic Power Winner Pro UPS
RCT-1000-WPTULR	R 2,722	RCT 1000/800W Long run Online Tower Inverter UPS with 10A charger - External 12V Battery Required, Simulated sinewave inverter. RCT-Winner Pro 1KL-12VDC-A4. Beeps every 4 seconds when power is off.
RCT-10000-WPRU	R 15,883	RCT 10000VA / 8000W Online Rack-mount UPS. 12 V / 9 Ah batteries x16. Voltronic Power Winner Pro online pure sine wave UPS.
RCT-10000-WPTU	R 13,580	RCT 10000VA / 8000W Online Tower UPS, 12 V / 9 Ah batteries x16, Online pure sine-wave UPS, Voltronic Power Winner Pro UPS.
RCT-1000VAS	R 1,051	RCT 1000VA Line Interactive UPS - 600W, LED display, 1 x USB Port with SA Wall Socket
RCT-10KWPBB	R 7,129	RCT 10000VA / 8000W Online Tower UPS

RCT-2000-WPRU	R 5,786	RCT 2000VA / 1600W Online Rackmount UPS. 12 V / 9 Ah batteries x 4, Voltronic Power Winner Pro online pure sine wave UPS.
RCT-2000-WPTU	R 4,526	RCT 2000VA / 1600W Online Tower UPS. 12V / 9AH batteries x4, 1600W, Voltronic Power Winner Pro UPS, Online pure sine wave UPS.
RCT-2000VAS	R 1,584	RCT 2000VA Line Interactive UPS - 1200W, LED display, 1 x USB Port with SA Wall Socket
RCT-2400VAS	R 2,602	RCT 2400VAS line-interactive UPS 1440W 220V, LED indicators, 1x USB comm Port, 2x SA wall, 3x new SA Socket, 2x 12V 9Ah battery installed
RCT-3000-WPRU	R 6,579	RCT 3000VA/2400W Online Rackmount UPS. 12 V / 9 Ah batteries x6, Voltronic Power Winner Pro online pure sine wave UPS.
RCT-3000VAS	R 3,847	RCT RCT-3000VAS 3000VAS line-interactive UPS 3000VA / 1800W with 2x SA plugs, Typical 2-6 ms transfer time, Simulated sinewave, 1 x RJ-45 surge protection, 1 x USB Port, 12 V / 9Ah x 4 batteries
RCT-6000-WPTU	R 12,449	RCT 6000VA / 4800W Online Tower UPS, 4800W Online pure sine-wave UPS, 12V / 9Ah batteries x 16, Voltronic Power Winner Pro UPS
RCT-650VAS	R 565	RCT 650VA Line Interactive UPS - 360 W, LED display, 1 x USB Port with SA Wall Socket
RCT-850VAS	R 723	RCT 850VA Line Interactive UPS - 480W, LED display, 1 x USB Port with SA Wall Socket
SC450RMI1U	R 5,566	APC Smart-UPS SC 450VA 230V - 1U Rackmount/Tower, DB-9 RS-232 Interface Port, 280 Watts Output Power Capacity, 5 Hour(s) Typical Recharge Time, 320 Joules Surge Energy Rating, Adjustable Voltage Sensitivity, Resettable Circuit Breakers, LED Status Indicators, Network Manageable.
SMC1000I-2UC	R 9,536	APC Smart-UPS C 1000VA LCD RM 2U 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
SMC1000IC	R 7,315	APC Smart-UPS C 1000VA LCD 230V with SmartConnect (Cloud Enabled UPS), Â© 2019 Laptop Direct
SMC1500I-2UC	R 12,344	APC SMC1500I-2UC Smart-UPS C 1500VA, 900W LCD RM 2U 230V with SmartConnect, Â© 2019 Laptop Direct
SMC1500IC	R 9,922	APC Smart-UPS C 1500VA LCD 230V with SmartConnect (Cloud Enabled UPS)
SMC2000I	R 16,527	APC Smart-UPS C 2000VA LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 59.90(lbs) 27.23(kilos), Shipping Dimensions: 12.99x 14.96x 23.23(in) 33.00x 38.00x 59.00(cent), Units Per Pallet: 24, UPC Code: 731304310075
SMC2000I-2U	R 19,296	APC Smart-UPS C 2000VA 2U Rack mountable 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 109.41(lbs) 49.73(kilos), Shipping Dimensions: 10.00x 23.62x 24.00(in) 25.40x 60.00x 61.00(cent), UPC Code: 731304310082
SMC3000I	R 25,460	APC Smart-UPS C 3000VA LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 112.00(lbs) 50.80(kilos), Shipping Dimensions: 30.00x 15.00x 27.52(in) 76.20x 38.10x 69.90(cent), UPC Code: 731304310105
SMC3000RMI2U	R 26,337	APC Smart-UPS C 3000VA Rack mount LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 109.41(lbs) 49.73(kilos), Shipping Dimensions: 10.00x 23.62x 38.60(in) 25.40x 60.00x 98.00(cent), UPC Code: 731304310112
SMT1000IC	R 9,144	APC Smart-UPS 1000VA LCD 230V with SmartConnect (Cloud Enabled UPS)
SMT1000RMI2UC	R 13,908	APC Smart-UPS 1000VA LCD RM 2U 230V with SmartConnect (Cloud Enabled UPS) - Rack mountable - incl. rackmount kit, Â© 2019 Laptop Direct
SMT1500IC	R 11,972	APC Smart-UPS 1500VA LCD 230V with SmartConnect (Cloud Enabled UPS), Â© 2019 Laptop Direct
smT1500RMi2UC	R 17,495	APC Smart-UPS smT1500RMi2UC with SmartConnect, 2U RackMount, with LCD graphics display, line interactive with AVR power conditioning, 1500va / 1000w; 4x power output, with monitoring software, UTP usb serial interface, with smart slot, Â© 2019 Laptop Direct
SMT2200IC	R 19,997	APC Smart-UPS 2200VA LCD 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
SMT2200RMI2UC	R 29,086	APC Smart-UPS 2200VA LCD RM 2U 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
SMT3000IC	R 28,318	APC Smart-UPS 3000VA LCD 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
SMT3000RMI2UC	R 30,236	APC Smart-UPS 3000VA LCD RM 2U 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
SMT750IC	R 7,129	APC SMT750IC Smart-UPS 750VA 500W LCD 230V UPS with smartconnect, Line Interactive, Sine Wave, 6ms typical transfer time, Maintenance-free sealed lead-acid battery, 3 - 5 years expected battery life, Multi-function LCD status and control Console
SMTL1000RMI2UC	R 21,273	APC Smart-UPS Lithium Ion, Short Depth 1000VA, 800W 230V with SmartConnect
SMTL1500RMI3UC	R 26,721	APC Smart-UPS Lithium Ion, Short Depth 1500VA, 1350W 230V with SmartConnect

SMTL750RMI2UC	R 16,904	APC Smart-UPS Lithium Ion, Short Depth 750VA, 600W 230V with SmartConnect
SMV1000I	R 6,140	APC Easy UPS SMV 100VA, 700W LCD 230V UPS Uninterrupted power supply
SMV1500AI	R 7,385	APC Easy UPS SMV 1500VA 1050W LCD 230V UPS Uninterrupted power supply
SMV2000AI	R 11,579	APC Easy UPS SMV 2000VA 1400W LCD 230V UPS Uninterrupted power supply
SMV3000AI	R 12,951	APC Easy UPS SMV 3000VA 2100W LCD 230V UPS
SMX039-2	R 2,080	APC Smart-UPS X 48V Battery Extension Cable, Shipping Weight: 2.00(lbs) 0.91(kilos), Shipping Dimensions: 8.80x 6.80x 2.50(in) 22.40x 17.30x 6.40(cent), UPC Code: 731304269045, Â© 2014 Laptop Direct
SMX1000I	R 14,238	APC SMX1000I X 1000VA Smart-UPS Rack/Tower LCD 230V - Rack mountable - incl. rackmount kit
SMX1500RMI2U	R 21,038	APC Smart-UPS X 1500VA Rack/Tower LCD 230V
SMX1500RMI2UNC	R 29,189	APC X 1500VA Smart-UPS Rack/Tower LCD 230V with Network Card
SMX2200HV	R 24,795	APC SMX2200HV Smart-UPS X 2200VA Short Depth Tower/Rack Convertible LCD 200-240V- Rack mountable - incl. rackmount kit
SMX2200RMHV2U	R 34,448	APC SMX2200RMHV2U Smart-UPS X 2200VA Rack/Tower LCD 200-240V -Rack mountable - incl. rackmount kit
SMX3000HV	R 34,023	APC SMX3000HV X 3000VA Smart-UPS Short Depth Tower/Rack Convertible LCD 200-240V -Rack mountable - incl. rackmount kit
SMX3000HVNC	R 43,462	APC Smart-UPS X 3000VA Rack/Tower LCD 200-240V with Network Card
SMX3000RMHV2U	R 39,067	APC SMX3000RMHV2U X 3000VA Smart-UPS Rack/Tower LCD 200-240V - Rack mountable - incl. rackmount kit
SMX3000RMHV2UNC	R 44,536	APC Smart-UPS X 3000VA Rack/Tower LCD 200-240V with Network Card
SMX700HG	R 14,985	Eaton SMX700HG SmartPro 230V 700VA 450W Medical-Grade Line-Interactive Tower UPS with 6 Outlets, Full Isolation, USB, DB9
SMX750I	R 11,812	APC SMX750I X 750VA Rack/Tower Smart-UPS LCD 230V - Rack mountable - incl. rackmount kit
SRT1000XLI	R 22,859	APC Smart-UPS SRT 1000VA, 1000W 230V. 230V, Input Voltage : 230, Output Voltage : 230, Shipping Weight : 65.26(lbs) 29.60(kilos).
SRT10KRMXLI	R 121,157	APC Smart-UPS SRT 10000VA RM 230V, Includes SNMP card
SRT10KXLI	R 98,300	APC Smart-UPS SRT 10000VA 230V, Includes SNMP card
SRT1500XLI	R 23,400	APC Smart-UPS SRT 1500VA 230V Rackmount Online UPS, 6x IEC C13 Output, C14 Input, Double-conversion On-line Power, Lead-Acid Battery, 48 V Battery Voltage
SRT2200XLI	R 29,947	APC Smart-UPS SRT 2200VA 230V (1980 Watts) (uses the SRT72BP ext. batteries)
SRT3000XLI	R 38,127	APC Smart-UPS SRT 3000VA 230V
SRT5KXLI	R 63,444	APC Smart-UPS SRT 5000VA 230V, Includes SNMP card
SRT6KXLI	R 83,490	APC Smart-UPS SRT 6000VA 230V, Includes SNMP card
SRT8KXLI	R 97,227	APC Smart-UPS SRT 8000VA 230V, Includes SNMP card
SRTG10KXLI	R 79,431	APC Smart-UPS RT 10kVA 230V UPS. Input Voltage : 230, Output Voltage : 230
SRTG20KXLI	R 177,941	APC SRTG20KXLI Smart-UPS On-line 20kVA / 20kW Rack Tower 3 phase Pure Sine Wave UPS, Network card Rail kit excluded, 400V 3 phases Main Input Voltage, 230V 1 phase Main Input Voltage, Hard wire 5 wire (3p N E) Output connector Type, Hard wire 3-wire (1P N E) Output connector Type
SRTG5KXLI	R 47,985	APC Smart-UPS RT 5kVA 230V UPS. Input Voltage : 230, Output Voltage : 230
SRTG6KXLI	R 67,500	APC Smart-UPS RT 6kVA 230V UPS
SRTG8KXLI	R 78,661	APC Smart-UPS RT 8kVA 230V UPS
SRTL1000RMXLI	R 41,732	APC SRTL1000RMXLI Smart-UPS SRT Li-ion 1000VA 900W Rack Mount 230V UPS, Double conversion Online, Sine Wave, Li-ion battery Type, 48V nominal battery voltage, Multi-function LCD status and control Console
SRTL1000RMXLI-NC	R 50,955	APC SRTL1000RMXLI-NC Smart-UPS SRT Li-ion 1000VA 900W Rack Mount 230V UPS with Network card, Double conversion Online, Sine Wave, Li-ion battery Type, 48V nominal battery voltage, Multi-function LCD status and control Console
SRTL10KRM4UI	R 203,681	APC SRTL10KRM4UI Smart Online SRT On-line 10000VA / 10kVA 10000W Lithium-ion UPS Tower / Rack, 220-240 V Input Voltage, 6 IEC 60320 C13 Output connection Type, 6 IEC 60320 C19 Output connection Type, Pure Sine Wave, Serial Port, USB Port, Embedded Network Management card 3, 180 V Battery Voltage, Li-Ion (Lithium-ion) Battery Type, 1 extended Runtime, 1.5 H Battery recharge time
SRTL1500RMXLI	R 49,345	APC SRTL1500RMXLI Smart-UPS SRT Li-ion 1500VA 1350W Rack Mount 230V UPS, Double conversion Online,

		Sine Wave, Li-ion battery Type, 48V nominal battery voltage, Multi-function LCD status and control Console
SRTL1500RMXLI-NC	R 58,683	APC SMART-UPS SRT Li-Ion 1500VA, 1350W Rack Mount 230V Network Card
SRTL3KRM1UIC	R 63,132	APC SRTL3KRM1UIC Smart UPS 3kVA 3000W Lithium-ion Tower or 1U Rack UPS with Smart Connect, 230V Input / Output Voltage, 3x IEC C13 Output connection Type, 2x IEC C19 Output connection Type, On-line Pure Sine Wave
SRTL5KRM2UI	R 122,445	APC SRTL5KRM2UI Smart UPS 5kVA 5000W Tower or Rack with Network card, 1.5 H Battery recharge time, Double conversion Online UPS Type, Sine Wave, 1 Battery
SRV10KI	R 56,372	APC EASY UPS SRV 10000VA, 10000W online 230V
SRV10KIL	R 59,833	APC Easy UPS SRV 10000VA 230V UPS with External Battery Pack
SRV10KRILRK	R 56,027	APC Easy UPS online SRV 5U RM 10000VA, 10kW 230V with External Battery Pack, with RailKit. Uninterrupted power supply.
SRV10KRIRK	R 56,602	APC Easy UPS SRV RM 10000VA 230V UPS with RailKit, External Battery Pack
SRV240BP-9A	R 18,192	APC Easy UPS SRV 240V Battery Pack for 6& 10kVA Tower
SRV2KRIRK	R 13,441	APC Easy UPS SRV RM 2000VA 230V UPS with RailKit
SRV3KRIRK	R 16,697	APC Easy UPS SRV RM 3000VA 230V UPS with RailKit
SRV6KI	R 34,591	APC EASY UPS SRV 6000VA, 6000W ONLINE 230V Uninterrupted power supply
SRV6KIL	R 43,227	APC Easy UPS SRV 6000VA 230V UPS with External Battery Pack
SRV6KRILRK	R 42,997	APC Easy UPS ONLINE SRV 5U RM 6000VA, 6kW 230V with External Battery Pack, with RailKit
SRV6KRIRK	R 42,422	APC Easy UPS SRV RM 6000VA 230V UPS with RailKit, External Battery Pack
SRVL3KRILRK	R 47,049	APC SRVL3KRILRK Easy UPS On-line 3kVA / 2400W Li-Ion Rackmount 4U 230V, 6x IEC C13 1x IEC C19 outlets, Intelligent card slot, Extended Runtime, Rail kit, Pure Sine Wave, 88 % (Full load) efficiency, Lead-Acid external Battery included, 72 V Battery Voltage, Multifunction LCD status and control Console, Serial Port, USB Port
SUA5000RMI5U	R 63,094	APC Smart-UPS 5000VA 230V, 5U Rackmount/Tower, USB/Serial Connectivity, Input/Output Voltage: 230V, 4000 Watts Output Power Capacity, 3 Hour(s) Typical Recharge Time, 480 Joules Surge Energy Rating, Resettable Circuit Breakers, LED Status Indicators, Network Manageable.
SURT15KRMXLI	R 226,513	APC Smart-UPS RT 15kVA RM 230V - 12U - Rackmount included; 12kW output; 230V input-output; double conversion online; 12U rackmount; 247.73kg; enterprise data centre backup; VRLA batteries; 2.5hr recharge; sine wave output - On request only - 230V, 691.00(lbs) 314.09(kilos), 38.98x 24.02x 39.49(in) 99.00x 61.00x 100.30(cent)
SURT20KRMXLI	R 253,367	APC Smart-UPS RT 20kVA RM 230V, Single or three phase; 20000VA 16000W; 230V 400V input; 8x IEC C19; rackmount 12U; 66kg; enterprise server UPS; scalable runtime; VRLA batteries
SYA12K16I	R 299,953	APC Symmetra LX 12kVA scalable to 16kVA N 1 Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 632.00(lbs) 287.27(kilos), Shipping Dimensions: 46.50x 23.60x 39.25(in) 118.10x 59.90x 99.70(cent)
SYA12K16IXR	R 472,637	APC Symmetra LX 12kVA scalable to 16kVA N 1 Ext. Run Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 1145.00(lbs) 520.46(kilos), Shipping Dimensions: 74.00x 23.60x 39.26(in) 188.00x 59.90x 99.70(cent)
SYA12K16RMI	R 317,594	APC Symmetra LX 12kVA Scalable to 16kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 638.00(lbs) 290.00(kilos), Shipping Dimensions: 41.50x 23.60x 39.26(in) 105.40x 59.90x 99.70(cent)
SYA16K16I	R 337,715	APC Symmetra LX 16kVA Scalable to 16kVA N 1 Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 743.00(lbs) 337.73(kilos), Shipping Dimensions: 46.50x 23.60x 39.25(in) 118.10x 59.90x 99.70(cent)
SYA16K16IXR	R 483,446	APC Symmetra LX 16kVA Scalable to 16kVA N 1 Ext. Run Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 1178.00(lbs) 535.45(kilos), Shipping Dimensions: 74.00x 23.60x 39.25(in) 188.00x 59.90x 99.70(cent)
SYA16K16RMI	R 354,095	APC Symmetra LX 16kVA Scalable to 16kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 749.00(lbs) 340.45(kilos), Shipping Dimensions: 41.50x 23.60x

		39.25(in) 105.40x 59.90x 99.70(cent)
SYA4K8I	R 174,879	APC Symmetra LX 4kVA Scalable to 8kVA N 1, 220/230/240V or 380/400/415V, Input Voltage : 230, 400 3PH, Output Voltage : 230, Shipping Weight : 394.00(lbs) 179.09(kilos), Shipping Dimensions : 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
SYA4K8RMI	R 179,536	APC Symmetra LX 4kVA Scalable to 8kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage : 230, 400 3PH, Output Voltage : 230, Shipping Weight : 366.00(lbs) 166.36(kilos), Shipping Dimensions : 31.00x 23.60x 39.25(in) 78.70x 59.90x 99.70(cent)
SYA8K16I	R 237,359	APC Symmetra LX 8kVA Scalable to 16kVA N 1 Tower, 220/ 230/ 240V or 480/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 521.00(lbs) 236.82(kilos), Shipping Dimensions: 46.50x 23.60x 39.25(in) 118.10x 59.90x 99.70(cent)
SYA8K16IXR	R 425,717	APC Symmetra LX 8kVA Scalable to 16kVA N 1 Ext. Run Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 1105.00(lbs) 502.27(kilos), Shipping Dimensions: 74.00x 23.60x 39.25(in) 188.00x 59.90x 99.70(cent)
SYA8K16RMI	R 255,345	APC Symmetra LX 8kVA Scalable to 16kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 527.00(lbs) 239.55(kilos), Shipping Dimensions: 41.50x 23.60x 39.25(in) 105.40x 59.90x 99.70(cent)
SYA8K8I	R 237,359	APC Symmetra LX 8kVA Scalable to 8kVA N 1 Tower, 220/230/240 or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 505.00(lbs) 229.56(kilos), Shipping Dimensions: 36.00x 23.60x 39.26(in) 91.40x 59.90x 99.70(cent)
SYA8K8RMI	R 255,345	APC Symmetra LX 8kVA Scalable to 8kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 477.00(lbs) 216.82(kilos), Shipping Dimensions: 31.00x 23.60x 39.26(in) 78.70x 59.90x 99.70(cent)
SYARMXR3B3	R 72,978	APC Symmetra LX Extended Run Rack-mount w/ 3 SYBT5, 208V, Shipping Weight: 281.00(lbs) 127.73(kilos), Shipping Dimensions: 13.50x 23.60x 38.60(in) 34.30x 59.90x 98.00(cent)
SYARMXR9B9	R 189,404	APC Symmetra LX Extended Run Rack-mount w/ 9 SYBT5, 208V, Shipping Weight: 799.00(lbs) 363.18(kilos), Shipping Dimensions: 31.00x 23.60x 39.25(in) 78.70x 59.90x 99.70(cent)
SYAXR9B9I	R 184,102	APC SYMMETRA LX EXTENDED RUN TOWER W/9 SYBT5, 230V, Shipping Weight: 815.00(lbs) 370.45(kilos), Shipping Dimensions: 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
SYBFXR3RMI	R 21,630	APC SYMMETRA LX 3 BATTERY RACK-MOUNT XR FRAME, 230V, Shipping Weight: 68.00(lbs) 30.92(kilos), Shipping Dimensions: 13.50x 23.60x 38.60(in) 34.30x 59.90x 98.00(cent)
SYH2K6RMI	R 93,149	APC Symmetra RM 2kVA Scalable to 6kVA N 1 220-240V, Input Voltage : 230, Output Voltage : 230, Shipping Weight : 185.00(lbs) 84.09(kilos), Shipping Dimensions : 20.00x 23.00x 31.00(in) 50.80x 58.42x 78.74(cent)
SYH4K6RMI	R 151,937	APC Symmetra RM 4kVA Scalable to 6kVA N 1 220-240V, Input Voltage : 230, Output Voltage : 230, Shipping Weight : 256.00(lbs) 116.36(kilos), Shipping Dimensions : 20.00x 23.00x 31.00(in) 50.80x 58.42x 78.74(cent)
SYH6K6RMI	R 212,461	APC Symmetra RM 6kVA Scalable to 6kVA N 1 220-240V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 327.00(lbs) 148.64(kilos), Shipping Dimensions: 20.00x 23.00x 31.00(in) 50.80x 58.42x 78.74(cent)
TIT-ECO32700	R 799	Unbranded Titan Elecstor 18W Mini DC UPS 12000mAh - 38Wh, 2-3 hours charging period, 1x 5V, 1x 9V, 1x 12V, 100-240V AC Input Voltage
UP-ABV1000i	R 2,188	APC easy-ups BV1000i - black with AVR power conditioning, line interactive, 1000VA / 600w, 6 power outputs, with wall mounting sockets - No software interface
UP-ABV500i	R 1,275	APC easy-ups BV500i - black with AVR power conditioning, line interactive, 500VA / 300w, 6 power outputs, with wall mounting sockets - No software interface
UP-ABV650i	R 1,512	APC easy-ups BV650i - black with AVR power conditioning, line interactive, 650VA / 375w, 6 power outputs, with wall mounting sockets - No software interface
UP-ABV800i	R 1,815	APC easy-ups BV800i - black with AVR power conditioning, line interactive, 800VA / 450w, 6 power outputs, with wall mounting sockets - No software interface
UP-ABX1200Mi	R 2,583	APC Back-ups BX1200Mi - black with AVR power conditioning, line interactive, 1200VA / 650w, 6x iEC power outputs - RJ-45 UTP protection; with monitoring software, USB interface
UP-ABX1600Mi	R 3,456	APC Back-ups BX1600Mi - black with AVR power conditioning, line interactive, 1600VA / 900w, 6x iEC power

		outputs - RJ-45 UTP protection; with monitoring software, USB interface
UP-ABX2200Mi	R 4,247	APC Back-ups BX2200Mi - black with AVR power conditioning, line interactive, 2200VA / 1200w, 6x iEC power outputs - RJ-45 UTP protection; with monitoring software, USB interface
UP-ABX750Mi	R 1,623	APC Back-ups BX750Mi - black with AVR power conditioning, line interactive, 750VA / 410w, 4x iEC power outputs - RJ-45 UTP protection; with monitoring software, USB interface
UP-ABX950Mi	R 2,070	APC Back-ups BX950Mi - black with AVR power conditioning, line interactive, 950VA / 480w, 6x iEC power outputs - RJ-45 UTP protection; with monitoring software, USB interface
UP-ARBC116	R 3,820	APC RBC116 - Replacement Battery Cartridge - for smart-ups X SMX750i / SMX1000i (Order on request)
UP-AS1000X+R	R 14,894	APC SMX1000i Smart-UPS X, tower extra 2u Rackmount bracket, with LCD graphics display, line interactive with AVR power conditioning, 1000va/ 800w; 8x power output, with monitoring software, USB serial interface, with smart slot
UP-AS1500X+R	R 24,546	APC Smart-UPS X - SMX1500RMi2U, tower extra 2u Rackmount bracket, with LCD graphics display, line interactive with AVR power conditioning, 1500va / 1200w; 8x power output, with monitoring software, usb serial interface, with smart slot (Order On Request)
UP-AS2200X+R	R 29,454	APC SMX2200HV Smart-UPS X, tower extra 4u Rackmount bracket, with LCD graphics display, line interactive with AVR power conditioning, 2200va/ 1980w; 8x power output, with monitoring software, USB serial interface, with smart slot
UP-AS3000X+R	R 39,070	APC Smart-UPS X - SMX3000HV, tower extra 4u Rackmount bracket, with LCD graphics display, line interactive with AVR power conditioning, 3000va/ 2700w; 8x power output, with monitoring software, USB serial interface, with smart slot
UP-AS750X+R	R 10,319	APC Smart-UPS X - SMX750i, tower extra 2u Rackmount bracket, with LCD graphics display, line interactive with AVR power conditioning, 750va / 600w; 8x power output, with monitoring software, USB serial interface, with smart slot
UP-ASC1000iC	R 9,080	APC Smart-ups C - smC1000iC with SmartConnect, line interactive with AVR power conditioning, with LCD graphics display, 1000VA / 600w; 8x power output; with monitoring software, UTP usb serial interface
UP-ASC1000iCRM	R 9,985	APC Smart-ups C - smC1000i2UC with SmartConnect, 2U rackmount, line interactive with AVR power conditioning, with LCD graphics display, 1000VA / 600w; with monitoring software, UTP USB serial interface
UP-ASC1500iC	R 12,050	APC Smart-ups C - smC1500iC with SmartConnect, line interactive with AVR power conditioning, with LCD graphics display, 1500VA / 900w; 8x power output; with monitoring software, UTP usb serial interface
UP-ASC1500iCRM	R 13,194	APC Smart-ups C - smC1500i2UC with SmartConnect, 2U rackmount, line interactive with AVR power conditioning, with LCD graphics display, 1500VA / 900w; with monitoring software, UTP usb serial interface (Order On Request)
UP-ASC2000i	R 17,672	APC Smart-ups C - smc2000i, line interactive with AVR power conditioning, with LCD graphics display, 2000VA/ 1300w; with monitoring software, USB serial interface, capacity : 2000va / 1300w, topology : line interactive, AVR power conditioning : Y, cold start capable : Y, RJ-11 modem protection : N, RJ-45 UTP protection : N, battery back-up output : 6, surge protection output : x, monitoring software interface : usb serial, smart slot : N, size HxWxD - mm : 216x170x440, weight kg : 27.5, color : black, extended run battery : N, hot-swappable battery : RBC148
UP-ASC2000i2U	R 24,586	APC Smart-ups C - smc2000i2U, 2U rackmount, line interactive with AVR power conditioning, with LCD graphics display, 2000VA / 1300w; with monitoring software, USB serial interface | capacity : 2000va / 1300w, topology : line interactive, AVR power conditioning : Y, cold start capable : Y, RJ-11 modem protection : N, RJ-45 UTP protection : N, battery back-up output : 6, surge protection output : x, monitoring software interface : usb serial, smart slot : N, size HxWxD - mm : 89x480x470 or 2U, weight kg : 26.2, color : black, extended run battery : N, hot-swappable battery : RBC133
UP-ASC3000i	R 30,428	APC Smart-ups C - smc3000i, line interactive with AVR power conditioning, with LCD graphics display, 3000VA / 2100w; with monitoring software, USB serial interface | , capacity : 3000va / 2100w, topology : line interactive, AVR power conditioning : Y, cold start capable : Y, RJ-11 modem protection : N, RJ-45 UTP protection : N, battery back-up output : 8, surge protection output : x, monitoring software interface : usb serial, smart slot : N, size HxWxD - mm : 435X197X544, weight kg : 43, color : black, extended run battery : N, hot-swappable battery :

		RBC150
UP-ASC3000i2U	R 31,646	APC Smart-ups C - smc3000i2U, 2U rackmount, line interactive with AVR power conditioning, with LCD graphics display, 2000VA / 1300w; with monitoring software, USB serial interface, capacity : 3000va / 2100w, topology : line interactive, AVR power conditioning : Y, cold start capable : Y, RJ-11 modem protection : N, RJ-45 UTP protection : N, battery back-up output : 8, surge protection output : x, monitoring software interface : usb serial, smart slot : N, size HxWxD - mm : 89x480x670 or 2U, weight kg : 41, color : black, extended run battery : N, hot-swappable battery : RBC151
UP-ASMV1000i	R 5,940	APC easy ups SMV1000i, line interactive with AVR power conditioning, with LCD graphics display, 1000VA / 700w, 6x power outputs; with monitoring software, usb serial interface (Order on request)
UP-ASMV1500Ai	R 7,699	APC easy ups SMV1500Ai, line interactive with AVR power conditioning, with LCD graphics display, 1500VA / 1050w, 6x power outputs; with monitoring software, usb serial interface (Order on request)
UP-ASMV2000Ai	R 11,194	APC easy ups SMV2000Ai, line interactive with AVR power conditioning, with LCD graphics display, 2000VA / 1400w, 6x power outputs; with monitoring software, usb serial interface (Order on request)
UP-ASMV3000Ai	R 13,449	APC easy ups SMV3000Ai, line interactive with AVR power conditioning, with LCD graphics display, 3000VA / 2100w, 6x power outputs; with monitoring software, usb serial interface (Order on request)
UP-ASRT1000	R 23,259	APC RT SURT1000XLi Smart-UPS, Double Conversion Online, 1000VA; with monitoring software, serial interface, with smart slot, support multiple extended-run optional battery pack (SURT48XLBP), with cooling fan, 2U rackmount convertible via SURTRK
UP-ASRT15KRM	R 224,838	APC Smart-UPS RT SURT15KRMXLi, 12U rackmount, with AP9619 (Network Management Card Environmental Monitoring) installed in smart slot, Double Conversion Online, 15K VA; support multiple extended-run optional battery pack (SURT192RMXLBP2), with cooling fan (Order On Request)
UP-ASRT20KRM	R 251,408	APC Smart-UPS RT SURT20KRMXLi, 12U rackmount, with AP9619 (Network Management Card Environmental Monitoring) installed in smart slot, Double Conversion Online, 20K VA; support multiple extended-run optional battery pack (SURT192RMXLBP2), with cooling fan (Order On Request)
UP-ASRT2200	R 30,699	APC Smart-UPS RT SRT2200XLi Double Conversion Online 2200va / 1980W UPS, with monitoring software, serial interface, with smart slot, support multiple extended-run optional battery pack (SRT72BP), with cooling fan, 2U rackmount convertiable via SRTRK4. capacity : 2200va / 1980w, topology : online, AVR : N, cold start capable : Y, RJ-11 modem protection : N, RJ-45 UTP protection : N, battery back-up output : 8, surge protection output : x, monitoring software interface : serial, smart slot : Y, size HxWxD - mm : 432x85x584, weight kg : 30, color : black, extended run battery : SRT72BP, hot-swappable battery : N
UP-ASRT3000	R 49,302	APC Smart-UPS RT SURTD3000XLi Double Conversion Online, 3000VA, with monitoring software, serial interface, with smart slot, support multiple extended-run optional battery pack (SURT192XLBP), 3U rackmount convertible via SURTRK2.
UP-ASRT5000	R 72,968	APC Smart-UPS SRT SRT5KXLi with LCD graphics display AP9619 (Network Management Card Environmental Monitoring) installed in smart slot, Double Conversion Online, 5000VA; with monitoring software, serial UTP interface, support multiple extended-run optional battery pack (SRT192BP), 3U rackmount convertible via SRTRK2, with cooling fan
UP-ASRT6000	R 86,981	APC Smart-UPS RT SRT6KXLi with LCD graphics display AP9619 (Network Management Card Environmental Monitoring) installed in smart slot, Double Conversion Online, 6000VA; with monitoring software, serial UTP interface, support multiple extended-run optional battery pack (SRT192BP), 3U rackmount convertible via SRTRK2, with cooling fan (Order on Request)
UP-ASRT8000	R 101,368	APC Smart-UPS RT SRT8KXLi with LCD graphics display AP9619 (Network Management Card Environmental Monitoring) installed in smart slot, Double Conversion Online, 8000VA; with monitoring software, serial interface, support multiple extended-run optional battery pack (SRT192BP2), 6U rackmount convertible via 2x SRTRK2, with cooling fan
UP-AST1000iC	R 10,565	APC Smart-ups smT1000iC with SmartConnect, with LCD graphics display, line interactive with AVR power conditioning, 1000va/ 700w; 8x power output, with monitoring software, UTP usb serial interface, with smart slot
UP-AST1000iCRM	R 14,560	APC Smart-UPS smT1000RMi2UC with SmartConnect, 2U RackMount, with LCD graphics display, line interactive with AVR power conditioning, 1000va / 700w; 4x power output, with monitoring software, UTP usb serial interface,

		with smart slot
UP-AST1500iC	R 13,246	APC Smart-ups smT1500iC with SmartConnect, with LCD graphics display, line interactive with AVR power conditioning, 1500va / 1000w; 8x power output, with monitoring software, UTP usb serial interface, with smart slot
UP-AST1500iCRM	R 18,301	APC Smart-UPS smT1500RMi2UC with SmartConnect, 2U RackMount, with LCD graphics display, line interactive with AVR power conditioning, 1500va / 1000w; 4x power output, with monitoring software, UTP usb serial interface, with smart slot
UP-AST2200iC	R 22,103	APC Smart-ups smT2200iC with SmartConnect, with LCD graphics display, line interactive with AVR power conditioning, 2200va / 1980w; 8x power output, with monitoring software, UTP USB serial interface, with smart slot
UP-AST2200iCRM	R 29,661	APC Smart-UPS smT2200RMi2UC with SmartConnect, 2U RackMount, with LCD graphics display, line interactive with AVR power conditioning, 2200va / 1980w; 8x power output, with monitoring software, UTP usb serial interface, with smart slot
UP-AST3000iC	R 33,836	APC Smart-ups smT3000iC with SmartConnect, with LCD graphics display, line interactive with AVR power conditioning, 3000va / 2700w; 8x power output, with monitoring software, UTP usb serial interface, with smart slot
UP-AST750iC	R 7,619	APC Smart-ups smT750iC with SmartConnect, with LCD graphics display, line interactive with AVR power conditioning, 750va/ 500w; 6x power output, with monitoring software, UTP usb serial interface, with smart slot
UP-AST750iCRM	R 10,985	APC SMT750RMI2UC Smart-UPS 750VA 500W LCD Rack Mount 2U 230V UPS with smartconnect, Line Interactive, Sine Wave, 6ms typical transfer time, Maintenance-free sealed lead-acid battery, 4 - 6 years expected battery life
UPAPBK350EI	R 2,408	APC BK350EI Back-UPS CS 350VA, USB Interface, 230V Input/Output Voltage, 210Watt, Lightning and Surge Protection, Audible Alarms, 6 Hour(s) Typical Recharge Time, 300 Joules Surge Energy Rating, RoHS Compliance.
UPAPBK650EI	R 3,034	APC Back-UPS 650VA, 400W, 230V
UPAPBR1300MI	R 6,679	APC Back UPS Pro BR 1300VA, 780W, 8 Outlets, AVR, LCD Interface
UPAPBR1500GI	R 9,690	APC Back-UPS pro1500va, 230v with AVR and LCD, Cold-Start, Easy Overload Recovery, Ethernet Protection, Audible Alarms, Serial Connectivity, Building Wiring Fault Indicator, Power-Saving Outlets, Adjustable Voltage-Transfer Points, Dataline Surge Protection.
UPAPBR1600MI	R 7,334	APC Back UPS Pro BR 1600VA, 960W, 8 Outlets, AVR, LCD Interface
UPAPBR650MI	R 3,493	APC Back UPS Pro BR 650VA, 390W, 6 Outlets, AVR, LCD Interface
UPAPBR900MI	R 5,216	APC Back UPS Pro BR 900VA, 540W, 6 Outlets, AVR, LCD Interface
UPAPBV1000I	R 2,142	APC EASY UPS BV 1000VA, 600W AVR, IEC C13 Outlet, 230V
UPAPBV500I	R 1,259	APC EASY UPS BV 500VA, 300W AVR, IEC C13 Outlet, 230V
UPAPBV650I	R 1,480	APC EASY UPS BV 650VA, 375W AVR, IEC C13 Outlet, 230V
UPAPBV800I	R 1,811	APC EASY UPS BV 800VA, 450W AVR, IEC C13 Outlet, 230V
UPAPBX1200MI	R 2,642	APC Back-UPS 1200VA, 650W, 230V, AVR, IEC Sockets
UPAPBX1600MI	R 3,405	APC Back-UPS 1600VA, 900W, 230V, AVR, IEC Sockets
UPAPBX2200MI	R 4,344	APC Back-UPS 2200VA, 1200W, 230V, AVR, IEC Sockets
UPAPBX750MI	R 1,659	APC Back-UPS 750VA, 410W, 230V, AVR, IEC Sockets
UPAPBX950MI	R 2,117	APC Back-UPS 950VA, 480W, 230V, AVR, IEC Sockets
UPAPE3SUPS10K3I	R 98,391	Schneider Easy UPS 3S 10kVA, 10kW 400V 3:1 UPS Low Tower
UPAPE3SUPS10K3IB	R 98,391	APC Easy UPS 3S 10 kVA 400 V 3:1 UPS for internal batteries
UPAPE3SUPS10K3IB1	R 117,274	APC Easy UPS 3S 10 kVA 400 V 3:1 UPS with internal batteries - 15 minutes runtime
UPAPE3SUPS10K3IB2	R 136,045	APC Easy UPS 3S 10 kVA 400 V 3:1 UPS with internal batteries - 40 minutes runtime
UPAPE3SUPS15K3I	R 108,660	Schneider Easy UPS 3S 15kVA, 15kW 400V 3:1 UPS Low Tower
UPAPE3SUPS15K3IB	R 108,660	APC Easy UPS 3S 15 kVA 400 V 3:1 UPS for internal batteries
UPAPE3SUPS15K3IB1	R 127,543	Schneider Easy UPS 3S 15kVA 400V 3:1 UPS 9 min runtime at maximum load
UPAPE3SUPS15K3IB2	R 146,316	Schneider Easy UPS 3S 15kVA 400V 3:1 UPS 30 min
UPAPE3SUPS20K3I	R 118,930	Schneider Easy UPS 3S 20kVA, 20kW 400V 3:1 UPS Low Tower
UPAPE3SUPS20K3IB	R 118,930	APC Easy UPS 3S 20 kVA 400 V 3:1 UPS for internal batteries

UPAPE3SUPS20K3IB1	R 156,585	Schneider Easy UPS 3S 20kVA 400V 3:1 UPS 10 minute runtime (20000VA)
UPAPE3SUPS20K3IB2	R 175,468	Schneider Easy UPS 3S 20kVA 400V 3:1 UPS 25 minute runtime (20000VA)
UPAPE3SUPS30K3I	R 139,358	Schneider Easy UPS 3S 30kVA 400V 3:1 UPS Low Tower for external batteries (Requires a UPS)
UPAPE3SUPS30K3IB	R 139,358	APC Easy UPS 3S 30 kVA 400 V 3:1 UPS for internal batteries
UPAPE3SUPS30K3IB1	R 177,124	Schneider Easy UPS 3S 30kVA 400V 3:1 UPS 10 minute runtime
UPAPE3SUPS30K3IB2	R 214,780	Schneider Easy UPS 3S 30kVA 400V 3:1 UPS 20 minute runtime
UPAPSC450RMI1U	R 5,720	APC Smart-UPS SC 450VA 230V - 1U Rackmount/Tower, DB-9 RS-232 Interface Port, 280 Watts Output Power Capacity, 5 Hour(s) Typical Recharge Time, 320 Joules Surge Energy Rating, Adjustable Voltage Sensitivity, Resettable Circuit Breakers, LED Status Indicators, Network Manageable.
UPAPSCL500RMI1UC	R 11,661	APC Smart-UPS C Lithium Ion, Short Depth 500VA, 400W 230V with SmartConnect
UPAPSCL500RMI1UNC	R 14,665	APC Smart-UPS C Lithium Ion, Short Depth 500VA, 400W 230V with Network Card
UPAPSMC1000I-2UC	R 9,806	APC Smart-UPS C 1000VA LCD RM 2U 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
UPAPSMC1000IC	R 8,622	APC Smart-UPS C 1000VA LCD 230V with SmartConnect (Cloud Enabled UPS)
UPAPSMC1500I-2UC	R 12,549	APC SMC1500I-2UC Smart-UPS C 1500VA, 900W LCD RM 2U 230V with SmartConnect
UPAPSMC1500IC	R 11,437	APC Smart-UPS C 1500VA LCD 230V with SmartConnect (Cloud Enabled UPS), Â© 2019 Laptop Direct
UPAPSMC2000I	R 16,805	APC Smart-UPS C 2000VA LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 59.90(lbs) 27.23(kilos), Shipping Dimensions: 12.99x 14.96x 23.23(in) 33.00x 38.00x 59.00(cent), Units Per Pallet: 24, UPC Code: 731304310075
UPAPSMC2000I-2U	R 23,352	APC Smart-UPS C 2000VA 2U Rack mountable 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 109.41(lbs) 49.73(kilos), Shipping Dimensions: 10.00x 23.62x 24.00(in) 25.40x 60.00x 61.00(cent), UPC Code: 731304310082
UPAPSMC3000I	R 28,917	APC Smart-UPS C 3000VA LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 112.00(lbs) 50.80(kilos), Shipping Dimensions: 30.00x 15.00x 27.52(in) 76.20x 38.10x 69.90(cent), UPC Code: 731304310105
UPAPSMC3000RMI2U	R 30,117	APC Smart-UPS C 3000VA Rack mount LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 109.41(lbs) 49.73(kilos), Shipping Dimensions: 10.00x 23.62x 38.60(in) 25.40x 60.00x 98.00(cent), UPC Code: 731304310112
UPAPSMT1000IC	R 10,061	APC Smart-UPS 1000VA LCD 230V with SmartConnect (Cloud Enabled UPS), Â© 2019 Laptop Direct
UPAPSMT1000RMI2UC	R 14,312	APC Smart-UPS 1000VA LCD RM 2U 230V with SmartConnect (Cloud Enabled UPS) - Rack mountable - incl. rackmount kit, Â© 2019 Laptop Direct
UPAPSMT1500IC	R 13,509	APC Smart-UPS 1500VA LCD 230V with SmartConnect (Cloud Enabled UPS), Â© 2019 Laptop Direct
UPAPSMT1500RMI2UC	R 18,000	APC Smart-UPS smT1500RMi2UC with SmartConnect, 2U RackMount, with LCD graphics display, line interactive with AVR power conditioning, 1500va / 1000w; 4x power output, with monitoring software, UTP usb serial interface, with smart slot, Â© 2019 Laptop Direct
UPAPSMT2200IC	R 21,017	APC Smart-UPS 2200VA LCD 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
UPAPSMT2200RMI2UC	R 29,572	APC Smart-UPS 2200VA LCD RM 2U 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
UPAPSMT3000IC	R 32,082	APC Smart-UPS 3000VA LCD 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
UPAPSMT3000RMI2UC	R 33,501	APC Smart-UPS 3000VA LCD RM 2U 230V with SmartConnect, Input Voltage: 230, Output Voltage: 230
UPAPSMT750IC	R 7,246	APC SMT750IC Smart-UPS 750VA 500W LCD 230V UPS with smartconnect, Line Interactive, Sine Wave, 6ms typical transfer time, Maintenance-free sealed lead-acid battery, 3 - 5 years expected battery life, Multi-function LCD status and control Console
UPAPSMT750RMI2UC	R 10,801	APC SMT750RMI2UC Smart-UPS 750VA 500W LCD Rack Mount 2U 230V UPS with smartconnect, Line Interactive, Sine Wave, 6ms typical transfer time, Maintenance-free sealed lead-acid battery, 4 - 6 years expected battery life
UPAPSMTL1000RMI2UC	R 21,887	APC Smart-UPS Lithium Ion, Short Depth 1000VA, 800W 230V with SmartConnect
UPAPSMTL1500RMI3UC	R 27,497	APC Smart-UPS Lithium Ion, Short Depth 1500VA, 1350W 230V with SmartConnect
UPAPSMTL750RMI2UC	R 16,189	APC Smart-UPS Lithium Ion, Short Depth 750VA, 600W 230V with SmartConnect
UPAPSMX039-2	R 1,988	APC Smart-UPS X 48V Battery Extension Cable, Shipping Weight: 2.00(lbs) 0.91(kilos), Shipping Dimensions: 8.80x 6.80x 2.50(in) 22.40x 17.30x 6.40(cent), UPC Code: 731304269045
UPAPSMX1000I	R 14,643	APC SMX1000I X 1000VA Smart-UPS Rack/Tower LCD 230V - Rack mountable - incl. rackmount kit

UPAPSMX1500RMI2U	R 21,644	APC Smart-UPS X 1500VA Rack/Tower LCD 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 66.00(lbs) 30.00(kilos), Shipping Dimensions: 9.70x 23.20x 24.40(in) 24.60x 58.90x 62.00(cent), UPC Code: 731304268598
UPAPSMX1500RMI2UNC	R 30,037	APC Smart-UPS X 1500VA Rack/Tower LCD 230V with Network Card, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 66.00(lbs) 30.00(kilos), Shipping Dimensions: 9.70x 23.20x 24.40(in) 24.60x 58.90x 62.00(cent), UPC Code: 731304268642
UPAPSMX2200HV	R 25,207	APC SMX2200HV Smart-UPS X 2200VA Short Depth Tower/Rack Convertible LCD 200-240V- Rack mountable - incl. rackmount kit
UPAPSMX2200RMHV2U	R 35,448	APC Smart-UPS X 2200VA Rack/Tower LCD 200-240V, Input Voltage: 208, 230, Output Voltage: 230, Shipping Weight: 99.79(lbs) 45.36(kilos), Shipping Dimensions: 9.58x 23.48x 34.23(in) 24.30x 59.60x 86.90(cent), UPC Code: 731304272687
UPAPSMX3000HV	R 34,591	APC SMX3000HV X 3000VA Smart-UPS Short Depth Tower/Rack Convertible LCD 200-240V -Rack mountable - incl. rackmount kit
UPAPSMX3000HVNC	R 44,724	APC Smart-UPS X 3000VA Rack/Tower LCD 200-240V with Network Card, Â© 2014 Laptop Direct
UPAPSMX3000RMHV2U	R 40,196	APC SMX3000RMHV2U X 3000VA Smart-UPS Rack/Tower LCD 200-240V - Rack mountable - incl. rackmount kit, Â© 2014 Laptop Direct
UPAPSMX3000RMHV2UNC	R 45,828	APC Smart-UPS X 3000VA Rack/Tower LCD 200-240V with Network Card
UPAPSMX750I	R 12,147	APC SMX750I X 750VA Rack/Tower Smart-UPS LCD 230V - Rack mountable - incl. rackmount kit, ©2014 Laptop Direct
UPAPSRT1000RMXLI	R 24,073	APC Smart-UPS SRT 1000VA, 1000W Rack Mount 230V
UPAPSRT1000XLI	R 23,521	APC Smart-UPS SRT 1000VA, 1000W 230V
UPAPSRT10KRMXLI	R 124,672	APC Smart-UPS SRT 10000VA RM 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 286.00(lbs) 130.00(kilos), Shipping Dimensions: 18.15x 23.62x 39.37(in) 46.10x 60.00x 100.00(cent), UPC Code: 731304304265
UPAPSRT10KXLI	R 119,377	APC Smart-UPS SRT 10000VA 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 279.00(lbs) 126.82(kilos), Shipping Dimensions: 18.15x 23.62x 39.37(in) 46.10x 60.00x 100.00(cent), UPC Code: 731304304272
UPAPSRT1500RMXLI	R 25,399	APC Smart-UPS SRT 1500VA, 1500W Rack Mount 230V
UPAPSRT1500XLI	R 23,789	APC Smart-UPS SRT 1500VA, 1500W 230V Uninterrupted power supply
UPAPSRT2200RMXLI	R 33,680	APC Smart-UPS SRT 2200VA RM 230V Uninterrupted power supply
UPAPSRT2200XLI	R 30,117	APC Smart-UPS SRT 2200VA 230V (1980 Watts) (uses the SRT72BP ext. batteries)
UPAPSRT3000RMXLI	R 52,232	APC Smart-UPS SRT 3000VA RM 230V
UPAPSRT3000XLI	R 48,450	APC Smart-UPS SRT 3000VA 230V
UPAPSRT5KRMXLI	R 76,194	APC Smart-UPS SRT 5000VA RM 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 139.92(lbs) 63.60(kilos), Shipping Dimensions: 12.99x 24.02x 37.80(in) 33.00x 61.00x 96.00(cent), Units Per Pallet: 6, UPC Code: 731304301196
UPAPSRT5KXLI	R 71,692	APC Smart-UPS SRT 5000VA 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 139.92(lbs) 63.60(kilos), Shipping Dimensions: 12.99x 24.02x 37.80(in) 33.00x 61.00x 96.00(cent), Units Per Pallet: 6, UPC Code: 731304301615
UPAPSRT6KRMXLI	R 89,667	APC Smart-UPS SRT 6000VA RM 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 147.40(lbs) 67.00(kilos), Shipping Dimensions: 14.57x 24.02x 37.80(in) 37.00x 61.00x 96.00(cent), UPC Code: 731304308515
UPAPSRT6KXLI	R 84,895	APC Smart-UPS SRT 6000VA 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 147.40(lbs) 67.00(kilos), Shipping Dimensions: 14.57x 24.02x 37.80(in) 37.00x 61.00x 96.00(cent), UPC Code: 731304301660
UPAPSRT8KRMXLI	R 104,905	APC Smart-UPS SRT 8000VA RM 230V, Input Voltage: 230, Output Voltage: 230, Shipping Weight: 286.00(lbs) 130.00(kilos), Shipping Dimensions: 18.15x 23.62x 39.37(in) 46.10x 60.00x 100.00(cent), UPC Code: 731304304296
UPAPSRT8KXLI	R 98,863	APC Smart-UPS SRT 8000VA 230V, Includes SNMP card. Output Voltage : 230, Shipping Weight : 279.00(lbs) 126.82(kilos), Shipping Dimensions : 18.15x 23.62x 39.37(in) 46.10x 60.00x 100.00(cent), Units Per Pallet : 1, UPC Code : 731304304319

UPAPSRTG10KXLI	R 96,462	APC Smart-UPS RT 10kVA, 10kW Online 230V Hard wire Input, (2x C13, 1x C19, Hard wire Output) with NMC
UPAPSRTG15KXLI	R 175,465	APC Smart-UPS RT 15kVA, 15kW 230V Online, Parallel capable with NMC
UPAPSRTG5KXLI	R 57,943	APC Smart-UPS RT 5kVA 230V UPS. Input Voltage : 230, Output Voltage : 230
UPAPSRTG6KXLI	R 68,637	APC Smart-UPS RT 6kVA 230V UPS
UPAPSRTG8KXLI	R 79,985	APC Smart-UPS RT 8kVA, 8kW Online 230V Hard wire Input, (2x C13, 1x C19, Hard wire Output) with NMC
UPAPSRTL1000RMXLI	R 39,975	APC SRTL1000RMXLI Smart-UPS SRT Li-ion 1000VA 900W Rack Mount 230V UPS, Double conversion Online, Sine Wave, Li-ion battery Type, 48V nominal battery voltage, Multi-function LCD status and control Console
UPAPSRTL1000RMXLI-NC	R 48,809	APC SRTL1000RMXLI-NC Smart-UPS SRT Li-ion 1000VA 900W Rack Mount 230V UPS with Network card, Double conversion Online, Sine Wave, Li-ion battery Type, 48V nominal battery voltage, Multi-function LCD status and control Console
UPAPSRTL10KRM4UI	R 207,109	APC SRTL10KRM4UI Smart Online SRT On-line 10000VA / 10kVA 10000W Lithium-ion UPS Tower / Rack, 220-240 V Input Voltage, 6 IEC 60320 C13 Output connection Type, 6 IEC 60320 C19 Output connection Type, Pure Sine Wave, Serial Port, USB Port, Embedded Network Management card 3, 180 V Battery Voltage, Li-Ion (Lithium-ion) Battery Type, 1 extended Runtime, 1.5 H Battery recharge time
UPAPSRTL1500RMXLI	R 47,263	APC SRTL1500RMXLI Smart-UPS SRT Li-ion 1500VA 1350W Rack Mount 230V UPS, Double conversion Online, Sine Wave, Li-ion battery Type, 48V nominal battery voltage, Multi-function LCD status and control Console
UPAPSRTL1500RMXLI-NC	R 56,207	APC SMART-UPS SRT Li-Ion 1500VA, 1350W Rack Mount 230V Network Card
UPAPSRTL3KRM1UIC	R 74,748	APC Smart-UPS Ultra, 3000VA 230V 1U, with Lithium-Ion Battery, with SmartConnect
UPAPSRTL3KRM1UINC	R 82,713	APC Smart-UPS Ultra, 3000VA 230V 1U, with Lithium-Ion Battery, with Network Management Card Embedded
UPAPSRTL5KRM2UI	R 124,506	APC Smart-UPS Ultra On-Line Lithium ion, 5KVA/5KW, 2U Rack/Tower, 230V
UPAPSRVL1KRILRK	R 36,992	APC Easy UPS On-Line Li-Ion SRVL RT Ext. Runtime 1000VA, 900W, 230V, with Rail Kit 4U
UPAPSRVL2KRILRK	R 44,849	APC Easy UPS On-Line Li-Ion SRVL RT Ext. Runtime 2000VA, 1800W, 230V, with Rail Kit 4U
UPAPSRVL3KRILRK	R 52,706	APC Easy UPS On-Line Li-Ion SRVL RT Ext. Runtime 3000VA, 2700W, 230V, with Rail Kit 4U
UPAPSUA5000RMI5U	R 64,931	APC SUA5000RMI5U Smart-UPS 5000VA 230V, 5U Rackmount/Tower, USB/Serial Connectivity, Input/Output Voltage: 230V, 4000 Watts Output Power Capacity, 3 Hour(s) Typical Recharge Time, 480 Joules Surge Energy Rating, Resettable Circuit Breakers, LED Status Indicators, Network Manageable.
UPAPSURT15KRMXLI	R 233,110	APC Smart-UPS RT 15kVA RM 230V - 12U - Rackmount included; 12kW output; 230V input-output; double conversion online; 12U rackmount; 247.73kg; enterprise data centre backup; VRLA batteries; 2.5hr recharge; sine wave output - On request only
UPAPSURT20KRMXLI	R 260,717	APC Smart-UPS RT 20kVA RM 230V, Single or three phase; 20000VA 16000W; 230V 400V input; 8x IEC C19; rackmount 12U; 66kg; enterprise server UPS; scalable runtime; VRLA batteries
UPAPSYA12K16I	R 287,330	APC Symmetra LX 12kVA scalable to 16kVA N 1 Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 632.00(lbs) 287.27(kilos), Shipping Dimensions: 46.50x 23.60x 39.25(in) 118.10x 59.90x 99.70(cent)
UPAPSYA12K16IXR	R 452,748	APC Symmetra LX 12kVA scalable to 16kVA N 1 Ext. Run Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 1145.00(lbs) 520.46(kilos), Shipping Dimensions: 74.00x 23.60x 39.26(in) 188.00x 59.90x 99.70(cent)
UPAPSYA12K16RMI	R 304,224	APC Symmetra LX 12kVA Scalable to 16kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 638.00(lbs) 290.00(kilos), Shipping Dimensions: 41.50x 23.60x 39.26(in) 105.40x 59.90x 99.70(cent)
UPAPSYA16K16I	R 347,512	APC Symmetra LX 16kVA Scalable to 16kVA N 1 Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 743.00(lbs) 337.73(kilos), Shipping Dimensions: 46.50x 23.60x 39.25(in) 118.10x 59.90x 99.70(cent)
UPAPSYA16K16IXR	R 497,470	APC Symmetra LX 16kVA Scalable to 16kVA N 1 Ext. Run Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 1178.00(lbs) 535.45(kilos), Shipping Dimensions: 74.00x 23.60x 39.25(in) 188.00x 59.90x 99.70(cent)
UPAPSYA16K16RMI	R 364,406	APC Symmetra LX 16kVA Scalable to 16kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 749.00(lbs) 340.45(kilos), Shipping Dimensions: 41.50x 23.60x 39.25(in) 105.40x 59.90x 99.70(cent)

UPAPSYA4K8I	R 167,517	APC Symmetra LX 4kVA Scalable to 8kVA N 1, 220/230/240V or 380/400/415V, Input Voltage : 230, 400 3PH, Output Voltage : 230, Shipping Weight : 394.00(lbs) 179.09(kilos), Shipping Dimensions : 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
UPAPSYA4K8RMI	R 184,744	APC Symmetra LX 4kVA Scalable to 8kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage : 230, 400 3PH, Output Voltage : 230, Shipping Weight : 366.00(lbs) 166.36(kilos), Shipping Dimensions : 31.00x 23.60x 39.25(in) 78.70x 59.90x 99.70(cent)
UPAPSYA8K16I	R 227,368	APC Symmetra LX 8kVA Scalable to 16kVA N 1 Tower, 220/ 230/ 240V or 480/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 521.00(lbs) 236.82(kilos), Shipping Dimensions: 46.50x 23.60x 39.25(in) 118.10x 59.90x 99.70(cent)
UPAPSYA8K16IXR	R 407,804	APC Symmetra LX 8kVA Scalable to 16kVA N 1 Ext. Run Tower, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 1105.00(lbs) 502.27(kilos), Shipping Dimensions: 74.00x 23.60x 39.25(in) 188.00x 59.90x 99.70(cent)
UPAPSYA8K16RMI	R 244,595	APC Symmetra LX 8kVA Scalable to 16kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 527.00(lbs) 239.55(kilos), Shipping Dimensions: 41.50x 23.60x 39.25(in) 105.40x 59.90x 99.70(cent)
UPAPSYA8K8I	R 227,368	APC Symmetra LX 8kVA Scalable to 8kVA N 1 Tower, 220/230/240 or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 505.00(lbs) 229.56(kilos), Shipping Dimensions: 36.00x 23.60x 39.26(in) 91.40x 59.90x 99.70(cent)
UPAPSYA8K8RMI	R 244,595	APC Symmetra LX 8kVA Scalable to 8kVA N 1 Rack-mount, 220/230/240V or 380/400/415V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 477.00(lbs) 216.82(kilos), Shipping Dimensions: 31.00x 23.60x 39.26(in) 78.70x 59.90x 99.70(cent)
UPAPSYARMXR3B3I	R 66,367	APC Symmetra LX Extended Run Rack-mount w/ 3 SYBT5, 230V, Shipping Weight : 281.00(lbs) 127.74(kilos), Shipping Dimensions : 13.50x 23.60x 38.60(in) 34.30x 59.90x 98.00(cent)
UPAPSYARMXR9B9I	R 176,351	APC Symmetra LX Extended Run Rack-mount w/ 9 SYBT5, 230V, Shipping Weight: 799.00(lbs) 363.18(kilos), Shipping Dimensions: 31.00x 23.60x 39.26(in) 78.70x 59.90x 99.70(cent)
UPAPSYAXR9B9I	R 176,351	APC SYMMETRA LX extended run tower W/9 SYBT5, 230V, Shipping Weight: 815.00(lbs) 370.45(kilos), Shipping Dimensions: 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
UPAPSYBATT	R 13,031	APC Symmetra 4-16kVA Battery Module, Shipping Weight: 69.00(lbs) 31.36(kilos), Shipping Dimensions: 17.30x 13.00x 31.10(in) 43.90x 33.00x 79.00(cent)
UPAPSYBFXR3RMI	R 20,716	APC SYMMETRA LX 3 BATTERY RACK-MOUNT XR FRAME, 230V, Shipping Weight: 68.00(lbs) 30.92(kilos), Shipping Dimensions: 13.50x 23.60x 38.60(in) 34.30x 59.90x 98.00(cent)
UPAPSYBFXR9I	R 41,410	APC Symmetra LX 9 battery tower XR frame, 230V, Shipping Weight: 262.00(lbs) 119.09(kilos), Shipping Dimensions: 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
UPAPSYBFXR9RMI	R 40,196	APC SYMMETRA LX 9 BATTERY Rack-Mount XR FRAME, 230V, Shipping Weight: 160.00(lbs) 72.73(kilos), Shipping Dimensions: 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
UPAPSYBT2	R 14,113	APC Symmetra RM 2-6kVA Battery Module, Shipping Weight: 52.50(lbs) 23.86(kilos), Shipping Dimensions: 9.75x 14.00x 26.00(in) 24.80x 35.60x 66.00(cent)
UPS-ONL-3KVA-GX-LQ	R 5,061	Linkqnet 3kva XRT 2U Rm Online UPS - 72v No Battery, Gii, Extra Long Runtime Without Batteries (3000VA)
UPS-ONL-3KVA-XRT-K	R 5,238	Linkqnet 3kva 72v Mp Xrt 2u Rackmount Online Ups - Requires Batteries
UPS-ONL-6KVA-XRT-K	R 12,938	Linkqnet 6kva Mp Xrt 2u Rackmount Online UPS - Requires Batteries
UPS-ST10000	R 23,100	NOVA Saturn 10kVA 1 / 1 On-line UPS including batteries, Backup time 10-15 min (Load dependent), SAT1011 (B), Power factor 0.9
UPS-ST6000	R 17,564	Tescom UPS-ST6000 Saturn 6000VA Tower UPS, Backup time 10-15 min, 16x 12V 7Ah internal batteries
UPS-VE2400	R 4,112	NOVA Venus 2400VA 1600W Online UPS, Pure Sine Wave Output, Backup time 10-15 min, UPS-VE2400-ONLINE, 24VDC voltage
UPS-VE3400	R 7,319	NOVA Venus 3400VA 2400Watts Online UPS, Pure Sine Wave Output, Backup time 10-15 min, VEN3400, 3400VA 48VDC with internal batteries (4 x 12Ah)
UPS-VE6000	R 16,344	NOVA Venus 6000VA 4000watts Online UPS, Pure Sine Wave Output, UPS-VE6000-ONLINE, Backup time 10-15 min, 16x 12V 7Ah internal batteries

UPS30	R 514	Netogy UPS30 Mini 13200mAh In-Line UPS for your Wi-Fi Router & Fibre ONT, 30W high-output Power, 12 hours charging period, 2.5A Maximum Output current, 12V DC Output voltage
ZA-UPS1000	R 919	Microworld ZA-Tech 1000VA / 500WLine-Interactive UPS, Capacity of 1000VA / 500W Backup Power, Input Voltage range of 145-290v (5%), Output Voltage of 200-255v, Equipped with one 12V 9Ah sealed Lead Acid Battery, Simulated Sine Wave Output Waveform, Built-In Automatic Voltage regulation (AVR) Function
ZA-UPS2000	R 1,783	Microworld ZA-Tech 2000VA / 1200W Line-Interactive UPS, Capacity of 2000VA / 1200W, Input Voltage range of 175-275v (5%), Output Voltage of 198-242v, Contains 2 x 12V 9Ah sealed Lead Acid Batteries, Simulated Sine Wave Output Waveform, LCD Display for status monitoring, Built-In Automatic Voltage regulation (AVR), Audible Alarm feature present
ZA-UPS3000	R 3,276	Microworld ZA-Tech 3000VA / 1800W Line-Interactive UPS, 3000VA / 1800W capacity, Built-In Automatic Voltage regulation (AVR), Simulated Sine Wave Output, LCD Display, Input Voltage range 175-275v, Output Voltage range 198-242v, Includes 4x 12V 9Ah sealed Lead Acid Batteries, Fast charging Technology, Audible Alarm notifications
ZA-UPS600	R 633	Microworld ZA-Tech 600VA / 360W Line-Interactive UPS, Capacity is 600VA / 360W, Input Voltage range is 145-290v (5%), Output Voltage range is 200-255v, Includes 1 x 12V 7Ah sealed Lead Acid Battery, Simulated Sine Wave Output, Built-In AVR protection, Equipped with LED Display and audible Alarm

< Return to the menu

UPS accessories

Product code	Price	Description
9PX11KiPM31	R 62,687	Eaton 9PX 11000i 3:1 Power Module, 6 - 10 mins (must have 1 x EBM)
9PXEBM240	R 30,188	Eaton 9PX 240V Extended Battery Module
9RK	R 4,157	Eaton Rack kit for 9PX UPS / Extended Battery Module
9SXEBM180RT	R 19,802	Eaton 9SX External Battery Module 180V
9SXEBM240	R 21,435	Eaton 9SX External Battery Module 240V
AC-UPS-RMKIT	R 553	AccoNet Rack Mount UPS Rail kit, Mount in 19" racks, Standard EIA or JIS rackmount Configuration
AC-UPS-SNMP-R	R 976	AccoNet Rack Mount UPS SNMP module, UPS Remote control and status updates
AP5717	R 28,328	APC 17" Rack LCD Console, 1U rack-mountable keyboard, mouse, and 17" LCD console
AP6003A	R 3,989	APC AP6003A RACK PDU, BASIC, HALF HEIGHT, 100-240V/20A, 220-240V/16A, (14) C13, Â©2019 Laptop Direct
AP6009A	R 12,591	APC AP6009A RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19
AP6015A	R 1,919	APC AP6015A Rack PDU, Basic, 0U/1U, 120-240V/15A, 220-240V/10A, (8) C13, Â© 2019 Laptop Direct
AP6020A	R 2,022	APC AP6020A Rack PDU, Basic, 0U/1U, 100-240V/20A, 220-240V/16A, (13) C13, Â© 2019 Laptop Direct
AP6038A	R 12,361	APC AP6038A Rack PDU, Basic, 0U/1U, 220-240V, 63A, (3) C19, Â© 2019 Laptop Direct
AP6120A	R 2,402	APC AP6120A Rack PDU, Basic, 0U/1U, 100-240V/20A, 220-240V/16A, (7) C13, (2) C19, Â© 2019 Laptop Direct
AP7541	R 9,301	APC Rack PDU, Basic, Zero U, 30A, 200/208V, (20)C13 & (4)C19, 200V, 208V, 230V, 200V, 208V. 14.25(lbs) 6.48(kilos), 84.00x 6.00x 5.00(in) 213.40x 15.20x 12.70(cent)
AP7552	R 5,650	Apc Rack PDU, Basic, ZeroU, 16A, 230V, (20)C13 & (4)C19, IEC C20, 200V, 208V, 230V, 230V. 12.70(lbs) 5.77(kilos), 84.00 x 6.00 x 5.00(in) 213.40x 15.20 x 12.70(cent)
AP7553	R 7,598	Apc Rack PDU, Basic, Zero U, 32A, 230V, (20)C13 & (4)C19, 200V, 208V, 230V, 230V. , 14.25(lbs) 6.48(kilos), 84.00x 6.00x 5.00(in) 213.40x 15.20x 12.70(cent)
AP7554	R 4,746	Apc Rack PDU,Basic,ZeroU,16A,230V,(20)C13 & (4)C19; IEC309, 10 ft Cord, 200V, 208V, 230V, 230V. 14.25(lbs) 6.48(kilos), 84.00x 6.00x 5.00(in) 213.40x 15.20x 12.70(cent)
AP7555A	R 16,237	APC Basic Rack PDU, Input: 400V 3PH, Input Connections: IEC 309 32A 3P N PE, Cord Length:6 feet (1.83 meters), Output: 230V, Output Connections: IEC 320 C13,IEC 320 C19 13.76(lbs) 6.26(kilos), 42.00x 11.76x 3.26(in) 106.70x 29.80x 8.30(cent)
AP7557	R 17,352	APC Basic Rack PDU, Input: 400V 3PH, Input Connections: IEC 309 16A 3P N PE, Cord Length:3 feet (0.91 meters), Output: 230V, Output Connections: IEC 320 C13,IEC 320 C19. 400 3PH, 230, 19.50(lbs) 8.86(kilos), 84.00x 6.00x 5.00(in) 213.40x 15.20x 12.70(cent)
AP7586	R 13,442	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: Hard Wire 3-wire, Cord Length:28 feet (8.53

		meters), Output: 230V, Output Connections: IEC 309, Â© 2015 Laptop Direct
AP7820B	R 9,130	APC Rack PDU, Metered, 1U, 12A/208V, 10A/230V, (8) C13, 200, 208, 230, 208, 230, 6.40(lbs) 2.91(kilos), 2.50x 18.50x 13.25(in) 6.40x 47.00x 33.70(cent)
AP7821B	R 11,027	APC Rack PDU, Metered, 1U, 16A, 208/230V, (8) C13, 200, 208, 230, 208, 230, 6.40(lbs) 2.92(kilos), 2.50x 18.50x 13.26(in) 6.40x 47.00x 33.70(cent)
AP7822B	R 18,054	APC RACK PDU, METERED, 2U, 32A, 230V, (12) C13 & (4) C19, 200, 208, 230, 230, 11.90(lbs) 5.42(kilos), 5.50x 20.00x 14.50(in) 14.00x 50.80x 36.80(cent)
AP7850B	R 13,074	Apc AP7850B Rack PDU, Metered, Zero U, 10A, 230V, (16) C13, Â© 2019 Laptop Direct
AP7920B	R 13,205	APC RACK PDU, SWITCHED, 1U, 12A/208V, 10A/230V, (8)C13, 200, 208, 230, 208, 230, 7.60(lbs) 3.45(kilos), 2.75x 18.50x 13.50(in) 7.00x 47.00x 34.30(cent)
AP7921B	R 14,878	APC Rack PDU, Switched, 1U, 16A, 208/230V, (8)C13, 200, 208, 230, 208, 230, 7.60(lbs) 3.45(kilos), 2.75x 18.50x 13.50(in) 7.00x 47.00x 34.30(cent)
AP7922B	R 26,863	APC RACK PDU, SWITCHED, 2U, 32A, 230V, (16)C13, 200, 208, 230, 230, 14.40(lbs) 6.55(kilos), 5.50x 20.00x 14.50(in) 14.00x 50.80x 36.80(cent)
AP8853	R 17,516	Apc Rack PDU 2G, Metered, ZeroU, 32A, 230V, (36) C13 & (6) C19, INPUT = 200V, 208V, 230V / OUTPUT = 230V
AP9335TH	R 2,628	APC Temperature & Humidity Sensor
AP940-0625A	R 608	APC RJ45 serial cable for Smart-UPS LCD Models 2M, 0.30(lbs) 0.14(kilos), 2.25x 8.75x 4.25(in) 5.70x 22.20x 10.80(cent)
AP940-1525A	R 608	APC RJ45 serial cable for Smart-UPS LCD Models 15, 0.44(lbs) 0.20(kilos), 2.25x 8.75x 4.25(in) 5.70x 22.20x 10.80(cent)
AP9505I	R 2,213	APC POWER SUPPLY UNIV 24VDC OUTPUT, Shipping Weight: 1.10(lbs) 0.50(kilos), Shipping Dimensions: 3.00x 9.25x 5.50(in) 7.60x 23.50x 14.00(cent), UPC Code: 731304021810
AP9547	R 5,417	APC AP9547 Network Management Card for Easy UPS 3 Series, Compatible with --> Easy UPS 3S / Easy UPS 3M / Easy UPS 3L
AP9559	R 4,299	APC Basic Rack PDU, Input: 120V, 208V, 230V, Input Connections: IEC-320 C20, Cord Length:8.2 feet (2.5 meters), Output: 120V, 208V, 230V, Output Connections: IEC 320 C13,IEC 320 C19. 5.20(lbs) 2.36(kilos), 6.50x 19.00x 6.00(in) 16.50x 48.30x 15.20(cent)
AP9565	R 3,395	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: IEC-320 C20, Cord Length:8.2 feet (2.5 meters), Output: 208V, 230V, Output Connections: IEC 320 C13
AP9572	R 2,947	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: IEC-320 C20, Cord Length:8.2 feet (2.5 meters), Output: 200V, 208V, 230V, Output Connections: IEC 320 C13. 6.00(lbs) 2.73(kilos), 25.13x 6.63x 5.75(in) 63.80x 16.80x 14.60(cent)
AP9827	R 649	Simple Signaling UPS Cable USB to RJ45, Shipping Weight: 1.00(lbs) 0.46(kilos), Shipping Dimensions: 9.00x 4.00x 2.00(in) 22.90x 10.20x 5.10(cent), UPC Code: 731304202998
AP98275	R 2,195	APC UPS Signaling Offer for IBM AS/400 and IBMi (IBM Power Systems), Shipping Weight: 1.00(lbs) 0.45(kilos), Shipping Dimensions: 2.00x 9.25x 6.50(in) 5.10x 23.50x 16.50(cent), UPC Code: 731304293422
APCRBC105	R 9,268	APC Replacement Battery Cartridge #105, Shipping Weight: 58.00(lbs) 26.36(kilos), Shipping Dimensions: 11.00x 12.25x 29.00(in) 27.90x 31.10x 73.70(cent), UPC Code: 731304248729
APCRBC106	R 976	APC Replacement Battery Cartridge #106, Shipping Weight: 6.10(lbs) 2.77(kilos), Shipping Dimensions: 3.50x 6.90x 8.40(in) 8.90x 17.50x 21.30(cent)
APCRBC109	R 1,873	APC Replacement Battery Cartridge #109, sealed lead acid 24V, 9000mAh, hot swappable, 5.6kg, 151x132x104mm, 3-5 year lifespan
APCRBC110	R 1,117	APC RBC110 Replacement Battery Cartridge #110; sealed lead acid; 84VAh; hot swappable; maintenance free; RoHS compliant; 151 x 105 x 65mm; 2.5kg; UPS replacement battery; 3-5 year battery life; compatible with selected APC Back-UPS models
APCRBC113	R 1,489	APC RBC113 Replacement Battery Cartridge #113; sealed lead acid; 24V; 7Ah; 6.8kg net; 7.0kg shipping; 15.2 x 13.3 x 10.2 cm; UPS backup power cartridge; hot swap compatible; enterprise UPS maintenance
APCRBC114	R 1,022	APC Replacement Battery Cartridge #114, Shipping Weight: 3.74(lbs) 1.70(kilos), Shipping Dimensions: 7.01x

		3.35x 8.27(in) 17.80x 8.50x 21.00(cent)
APCRBC115	R 5,933	APC Replacement Battery Cartridge #115, Shipping Weight: 25.80(lbs) 11.73(kilos), Shipping Dimensions: 7.50x 11.50x 21.50(in) 19.00x 29.20x 54.60(cent)
APCRBC117	R 8,056	APC Replacement Battery Cartridge #117, Shipping Weight: 55.40(lbs) 25.18(kilos), Shipping Dimensions: 8.96x 15.48x 29.98(in) 22.80x 39.30x 76.10(cent)
APCRBC118	R 7,497	APC Replacement Battery Cartridge #118, Shipping Weight: 55.40(lbs) 25.18(kilos), Shipping Dimensions: 8.96x 15.48x 29.98(in) 22.80x 39.30x 76.10(cent)
APCRBC119	R 19,744	APC Replacement Battery Cartridge #119. Shipping Weight : 248.00(lbs) 112.73(kilos), Shipping Dimensions : 20.00x 15.50x 27.30(in) 50.80x 39.40x 69.30(cent) *Note: image may differ from actual product*
APCRBC123	R 1,287	APC Replacement Battery Cartridge # 123, Shipping Weight: 12.17(lbs) 5.53(kilos), Shipping Dimensions: 5.75x 9.21x 10.83(in) 14.60x 23.40x 27.50(cent)
APCRBC124	R 1,447	APC Replacement Battery Cartridge # 124, Shipping Weight: 12.85(lbs) 5.84(kilos), Shipping Dimensions: 5.75x 9.21x 10.83(in) 14.60x 23.40x 27.50(cent)
APCRBC132	R 6,025	APC Replacement Battery Cartridge #132, Shipping Weight: 24.00(lbs) 10.91(kilos), Shipping Dimensions: 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent)
APCRBC133	R 6,119	APC Replacement Battery Cartridge #133, Shipping Weight: 27.72(lbs) 12.60(kilos), Shipping Dimensions: 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent)
APCRBC135	R 2,977	APC Replacement Battery Cartridge #135, Shipping Weight: 11.30(lbs) 5.14(kilos), Shipping Dimensions: 9.00x 9.00x 9.00(in) 22.90x 22.90x 22.90(cent)
APCRBC136	R 10,935	APC Replacement Battery Cartridge # 136, Shipping Weight: 8.26(lbs) 3.75(kilos), Shipping Dimensions: 9.00x 9.00x 9.00(in) 22.90x 22.90x 22.90(cent)
APCRBC140	R 12,366	APC Replacement battery cartridge #140, Shipping Weight: 82.00(lbs) 37.27(kilos), Shipping Dimensions: 8.90x 16.10x 30.74(in) 22.60x 40.90x 78.10(cent)
APCRBC141	R 5,352	APC Replacement Battery Cartridge #141, 28.99(lbs) 13.15(kilos), 7.99x 13.50x 20.51(in) 20.30x 34.30x 52.10(cent)
APCRBC142	R 2,340	APC Replacement Battery Cartridge #142, Shipping Weight : 15.43(lbs) 7.01(kilos), Shipping Dimensions : 7.99x 6.60x 8.80(in) 20.30x 16.80x 22.40(cent)
APCRBC143	R 8,150	APC Replacement Battery Cartridge #143, Shipping Weight: 55.40(lbs) 25.18(kilos), Shipping Dimensions: 9.96x 11.54x 19.49(in) 25.30x 29.30x 49.50(cent)
APCRBC148	R 6,768	APC Replacement battery cartridge #148, 12 DC, 24.00(lbs) 10.91(kilos), 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent)
APCRBC150	R 7,267	APC Replacement battery cartridge #150, 12 DC, 24.00(lbs) 10.91(kilos), 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent)
APCRBC151	R 7,635	APC Replacement battery cartridge #151, 12 DC, 24.00(lbs) 10.91(kilos), 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent)
APCRBC88	R 6,968	APC Replacement Battery Cartridge #88, 26.00(lbs) 11.82(kilos), 7.13x 12.88x 23.75(in) 18.10x 32.70x 60.30(cent)
AR7706	R 4,384	APC Mounting Rail Brush Strips , Netshelter SX 750MM Wide, 2.34(lbs) 1.06(kilos), 2.00x 6.50x 9.50(in) 5.10x 16.50x 24.10(cent)
AR8122BLK	R 3,352	APC fixed shelf - black - 250LBS / 114KG, black
AR8136BLK	R 1,244	1U PLASTIC BLANKING PANEL KIT 19" BLACK QTY 10
BR24BPG	R 4,491	APC Back-UPS Pro External Battery Pack (for 1500VA Back-UPS Pro models)
E3SBT4	R 19,698	APC Easy UPS 3S Standard Battery Module
E3SOPT002	R 3,759	APC E3SOPT002 Easy UPS 3S Parallel Kit
E3SOPT004	R 3,253	APC Easy UPS 3S Cold Start Kit, Â© 2019 Laptop Direct
E3SOPT007	R 20,296	APC Easy UPS 3S Battery Breaker Box, Â© 2019 Laptop Direct
E3SOPT008	R 10,889	APC Easy UPS 3S Battery Breaker Kit, Â© 2019 Laptop Direct
EATS16N	R 17,917	Eaton ATS rack PDU, Netpack, 1U, Inputs (2) C20, 3.84 kW max, 16A, 200-240V, Outlets 8XC13:1XC19
EATS30N	R 22,408	Eaton ATS rack PDU, 1U, Inputs Hardwired, 7.4 kW max, 30A, 200-240V, Output Hardwired
EATS30N	R 18,361	Eaton ATS rack PDU, 1U, Inputs Hardwired, 7.4 kW max, 30A, 200-240V, Output Hardwired

ELRACK	R 1,116	Eaton Ellipse Rack Kit 19â€• rack mounting kit (2U)
ELWALL	R 322	Eaton Ellipse ECO wall-mount kit
EMPDT1H1C2	R 2,691	Eaton UPS Environmental Monitoring Probe
KVM-LCDMOUNT	R 1,643	APC KVM 2G, LCD Rear Mounting Kit
MBP11Ki	R 11,402	Eaton HotSwap Battery 11000i (9PX/SX 8-11kVA)
MBP11Ki31	R 11,285	Eaton HotSwap MBP 11000i 3:1 - bypass switch - 11000 VA
MBP6Ki	R 6,475	Eaton HotSwap Battery 6000i (9PX/SX 5-6kVA)
ME-SNMP-V	R 1,783	SNMP Network Card for Mecer WTU / GTU / GRU ON-LINE UPS
ME-SNMP-W	R 863	Mecer ME-SNMP-W 802.11 b/g/n Wireless SNMP Network Card for Mecer WPTU / WPRU / KL On-Line UPS
MUPS-DCM-DCF100	R 33	Unbranded DC Male to DC Female 100cm extension cable for MUPS, DC barrel has a 5.5mm Outer Diameter and a 2.5mm Inner Diameter
MW-12DC24DC-15	R 470	Mean Well - 15W Singe Output DC - DC Converter - 24VDC
MW-12DC24DC-25	R 798	Mean Well - 25W Singe Output DC - DC Converter - 24VDC
MW-12DC24DC-50	R 996	Mean Well - 50W Single Ouput DC - DC Converter - 12VDC
MW-24DC12DC-15	R 466	Miro 15W Single Output DC-DC Converter, INPUT: 18-36VDC (1.3Amp), OUTPUT: 12VDC (1.25Amp)
MW-24DC12DC-50	R 996	Mean Well - 15W Single Output DC - DC Converter - 12VDC
MW-24DC48DC-200	R 2,885	Mean Well - 200W Single Output DC-DC Converter, INPUT: 19-36VDC (10.4Amp), OUTPUT: 48VDC (4.2Amp)
NBES0302	R 1,639	APC NetBotz Door Switch Sensor for Rooms or 3rd Party Racks - 50 ft.
NBPD0155	R 7,727	NetBotz Room Sensor Pod 155 for wall mounting that supports 4 Universal Sensors.
Network-M3	R 6,227	Eaton Gigabit Network card M3, Mini-Slot card slot Type, Used with Single-Phase UPS
Network-M3	R 6,524	Eaton Gigabit Network card M3, Mini-Slot card slot Type, Used with Single-Phase UPS
Network-M3	R 6,736	Eaton Gigabit Network card M3, Mini-Slot card slot Type, Used with Single-Phase UPS
PDUMH20HVATNET	R 24,409	Eaton PDUMH20HVATNET 3.8kW Single-Phase Switched Automatic Transfer Switch PDU, Two 200-240V C20 Inlets, 8 C13 & 2 C19 Outputs, 1U, TAA
RBC11	R 8,076	APC Replacement Battery Cartridge #11; sealed lead acid; 2 cell; 816 VAh; 3-5 year life; Smart UPS compatible; hot swap battery
RBC12	R 9,407	APC Replacement Battery Cartridge #12, Shipping Weight: 50.30(lbs) 22.86(kilos), Shipping Dimensions: 9.00x 15.50x 22.50(in) 22.90x 39.40x 57.20(cent), UPC Code: 731304003342
RBC17	R 1,096	APC RBC17 - Replacement Battery Cartridge - for Back-ups BX800Ci; 12V 9Ah sealed lead acid; hot swap UPS battery; compatible APC Back-UPS systems; 3-5 year lifespan
RBC18	R 2,841	APC Replacement Battery Cartridge #18, Shipping Weight: 6.60(lbs) 3.00(kilos), Shipping Dimensions: 2.00x 15.50x 8.30(in) 5.10x 39.40x 21.10(cent), UPC Code: 731304014003
RBC2	R 1,117	APC Replacement Battery Cartridge #2; 12V DC; 7Ah; 7000mAh; VRLA sealed lead acid; hot-swappable; expected life 3-5 years; dimensions 15.1 x 6.4 x 9.4 cm; weight 2.5kg; black.
RBC22	R 5,289	APC Replacement Battery Cartridge #22, Shipping Weight: 12.50(lbs) 5.68(kilos), Shipping Dimensions: 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent), UPC Code: 731304015796
RBC23	R 7,934	APC Replacement Battery Cartridge #23, Shipping Weight: 24.00(lbs) 10.91(kilos), Shipping Dimensions: 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent), UPC Code: 731304015789
RBC24	R 8,609	APC Replacement Battery Cartridge #24, Shipping Weight: 27.72(lbs) 12.60(kilos), Shipping Dimensions: 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent), UPC Code: 731304015772
RBC25	R 9,877	APC Replacement Battery Cartridge #25; sealed lead acid; 10.4kg; 26.4 x 15.2 x 10.2 cm; hot swappable UPS battery; enterprise UPS backup cartridge
RBC26	R 4,967	APC Replacement Battery Cartridge #26, 20.73kg, 406 x 323 x 94mm, hot swappable, 3-5 year lifespan, black
RBC27	R 10,682	APC Replacement Battery Cartridge #27, Shipping Weight: 58.00(lbs) 26.36(kilos), Shipping Dimensions: 11.00x 12.25x 29.00(in) 27.90x 31.10x 73.70(cent), UPC Code: 731304099840
RBC30	R 861	APC Replacement Battery Cartridge #30; 12V 5.1Ah; Sealed Lead Acid VRLA; Hot-swappable; Maintenance-free; 99.1 x 74.4 x 111.8mm; 2kg; Genuine APC replacement battery; Compatible APC Back-UPS systems
RBC31	R 5,289	APC Replacement Battery Cartridge #31; sealed lead acid VRLA; 48V system; 432Wh capacity; hot swappable;

		3-5 year lifespan; 419 x 165 x 70 mm; 11.23 kg; maintenance free UPS replacement battery
RBC32	R 1,872	APC RB32 Replacement Battery Cartridge #32, 13.00(lbs) 5.91(kilos), 12.00x 9.00x 4.00(in) 30.50x 22.90x 10.20(cent) - for Back-ups RS BR800i/ BR1000
RBC33	R 2,255	APC Replacement Battery Cartridge #33; sealed lead acid VRLA; 5.33kg; 197 x 149 x 64mm; hot swappable; plug and play; 3-5 year lifespan; UPS backup power
RBC34	R 5,438	APC Replacement Battery Cartridge #34; sealed lead acid VRLA; hot swappable UPS battery; 3-5 year lifespan; 6.4kg; 43.9 x 17.3 x 4.3cm; APC Smart-UPS compatible
RBC35	R 792	APC Replacement Battery Cartridge #35, 12V 3Ah, sealed lead acid, replacement battery for APC UPS systems, compact maintenance free backup power cartridge. for APC Back-UPS models BE350G, BE350C
RBC4	R 1,745	APC Replacement Battery Cartridge #4; sealed lead acid VRLA; 3 to 5 year lifespan; 4kg; 15 x 9.9 x 9.4 cm; plug and play UPS battery replacement for APC Smart-UPS SC SC620i
RBC40	R 1,011	APC Replacement Battery 12V-7AH, Shipping Weight: 6.10(lbs) 2.77(kilos), Shipping Dimensions: 3.50x 6.90x 8.40(in) 8.90x 17.50x 21.30(cent)
RBC43	R 8,864	APC Replacement Battery Cartridge #43; 48V DC; 480 VAh; sealed lead acid VRLA; hot swappable; rack UPS compatible; 533 x 216 x 76 mm; 19.09 kg; enterprise UPS backup power
RBC46	R 769	APC Replacement Battery Cartridge #46, 12V 5.1Ah sealed lead acid, hot swappable UPS replacement battery, 3-5 year lifespan, 112x99x74mm, 1.7kg
RBC47	R 654	APC Replacement Battery Cartridge #47, 12V sealed lead acid VRLA, 7Ah class, hot swappable UPS battery, 15.9 x 12.9 x 9.4 cm, 4.95 kg, enterprise backup power solution
RBC48	R 2,298	APC Replacement Battery Cartridge #48; 24V DC; sealed lead acid VRLA; 7Ah capacity; hot swappable; 3-5 year life; 5kg; 13.2 x 13.2 x 15 cm; Smart-UPS compatible; maintenance free
RBC5	R 2,586	APC Replacement Battery Cartridge #5; sealed lead acid; 24V system; 7Ah capacity; hot swappable; APC compatible UPS replacement; 3-5 year lifespan; indoor use
RBC55	R 8,439	APC Replacement Battery Cartridge #55; VRLA sealed lead-acid; 17Ah; 12V DC; 816Wh; Hot-swappable; 2 battery cells; 3-5 year battery life; 183 x 173 x 140mm; 24.3kg
RBC57	R 6,163	APC Replacement Battery Cartridge #57 Genuine APC RBC(TM) are tested and certified for compatibility to restore UPS performance to the original specifications. 28.00(lbs) 12.73(kilos), 7.50x 11.50x 21.50(in) 19.10x 29.20x 54.60(cent)
RBC59	R 3,223	APC Replacement Battery Cartridge #59, 12V 7Ah SLA, hot swap design, 3-5 year life, 5.34kg, 19.7x14.9x6.4cm, APC Smart-UPS compatible
RBC6	R 4,278	APC Replacement Battery Cartridge #6, sealed lead acid, 196 x 152 x 94 mm, 7.68 kg, hot swap compatible, APC Smart UPS compatible, 3-5 year lifespan
RBC7	R 4,874	APC RBC7 Replacement Battery Cartridge; sealed lead acid VRLA; 24V battery system; hot swappable; fully assembled; compatible with SUA1500i SMT1500i SUA750XLi SUA1000XLi; weight:11.68kg; dimensions:18.3 x 17.3 x 15.2cm; enterprise UPS maintenance; backup power protection
RCT-SNMP	R 1,701	RCT SNMP Card - LAN Connectivity, Supports up to 15 x RCT 5021 Rack Controllers for Expansion, Monitor and Control all modules installed in a Series 5000 Chassis
RCT-UPS-RAIL	R 544	RCT Rackmount Kits for RCT UPS
SBP10KRMI4U	R 37,006	APC Service Bypass Panel- 230V; 100A; MBB; Hardwire input; IEC-320 output- (8) C13 (2) C19
SBP1500RMI	R 5,821	APC SERVICE BYPASS PANEL 230V 10A BBM IEC C14 input; (6) IEC C13 output, 230, 230
SBP16KP	R 33,916	APC Service Bypass Panel- 200/208/240V; 100A; MBB; Hardwire input/output, 200, 208, 230, 480 3PH, 120, 200, 208, 230
SBP16KRMI4U	R 35,418	APC Service Bypass Panel- 230V; 100A; MBB; Hardwire input; (3) 30A Hardwire Output, 230, 230
SBP20KP	R 35,626	APC Service Bypass Panel 200/208/230/240V 125A Hardwired Input/Output = 200V, 208V, 220V, 230V, 240V / 200V, 208V, 220V, 230V, 240V, 380V 3PH, 400V 3PH, 415V 3PH
SBP3000	R 16,536	APC Service Bypass Panel- 100-240V; 30A; BBM; Hardwire Input/Output = 100, 120, 230 / 100, 120, 230
SBP3000RMHW	R 6,598	APC SERVICE BYPASS PANEL 230V 16A BBM Hardwire, Input / Output = 230 / 230
SBP3000RMI	R 7,083	APC SERVICE BYPASS PANEL 230V 16A BBM IEC C20 input; (6) IEC C13 (1) C19 input / output = 230V / 230V
SBP5000RMI2U	R 19,346	APC Service Bypass Panel - 230V; 32A; BBM; IEC320 C20 / HW Input; IEC-320 Output - (2) C19 (8) C13, Input

		/ Output = 230V / 230V
SBP6KRMI2U	R 22,434	APC Service Bypass Panel- 230V; 50A; MBB; Hardwire input; (4) IEC-320 C19 Output, Input / Output = 230V / 230V
SMX040	R 2,149	APC Smart-UPS X 120V Battery Pack Extension Cable
SMX120BP	R 16,549	APC Smart-UPS X 120V External Battery Pack Rack/Tower
SMX120RMBP2U	R 19,452	APC Smart-UPS X 120V External Battery Pack Rack/Tower
SMX48RMBP2U	R 11,834	APC Smart-UPS X-Series 48V External Battery Pack Rack/Tower
SRT001	R 3,820	APC Smart-UPS SRT 5kVA Output HW Kit, 1.80(lbs) 0.82(kilos), 5.40x 10.20x 7.40(in) 13.70x 25.90x 18.80(cent)
SRT002	R 7,635	APC Smart-UPS SRT 15ft Extension Cable for 192VDC External Battery Packs 5/6kVA UPS, 9.00(lbs) 4.09(kilos), 4.60x 23.26x 23.26(in) 11.70x 59.10x 59.10(cent)
SRT003	R 7,635	APC Smart-UPS SRT 15ft Extension Cable for 192VDC External Battery Packs 8/10kVA UPS, 9.90(lbs) 4.49(kilos), 4.00x 18.00x 22.00(in) 10.20x 45.70x 55.90(cent)
SRT192BP	R 18,947	APC Smart-UPS SRT 192V 5kVA and 6kVA Battery Pack
SRT192BP2	R 23,827	APC Smart-UPS SRT 192V 8kVA and 10kVA Battery Pack
SRT192RMBP2	R 28,116	APC Smart-UPS SRT 192V 8 and 10kVA Rack Mount Battery Pack
SRT72BP	R 11,770	APC Smart-UPS SRT 72V 2.2kVA Battery Pack, Â© 2016 Laptop Direct
SRT96BP	R 17,282	APC Smart-UPS SRT 96V 3kVA Battery Pack, Â© 2016 Laptop Direct
SRTGRK1	R 2,210	APC Smart-UPS RT 19 Rail kit for 5K / 6K / 8K / 10K / 15K / 20kVA
SRTRK2	R 3,654	APC Smart-UPS SRT 19" Rail Kit for Smart-UPS SRT 5/6/8/10kVA (UPS not included)
SRTRK4	R 2,916	APC Smart-UPS SRT 19" Rail Kit for SRT 2.2/3kVA
SRV240RLBP-9A	R 19,066	APC Easy UPS SRV 240V RM Battery Pack for 6& 10kVA Rack, Extended Runtime model
SRV36RLBP-9A	R 7,658	APC Easy UPS ONLINE SRV 2U RM 36V Battery Pack for 1 kVA Ext. Runtime Model
SRV72RLBP-9A	R 13,856	APC Easy UPS ONLINE SRV 2U RM 72V Battery Pack for 2/3 kVA Ext. Runtime Model
SUA24XLBP	R 7,556	APC Smart-UPS XL 24V Battery Pack; 24V DC; sealed lead acid; maintenance-free; hot swappable; RBC11; black; 17.02 x 43.94 x 21.59 cm; 31.36 kg; enterprise UPS runtime extension
SUA48RMXLBP3U	R 17,708	APC Smart-UPS XL 48V RM 3U Battery Pack, Enclosed Battery Cartridge, 3-5Years Expected Battery Life, Hot Pluggable Operation, Intelligent Battery Management, Cascading Capabilities.
SURT001	R 28,944	APC Smart-UPS RT 3000VA 230V Isolation Transformer, Input Voltage: 230, Output Voltage: 230
SURT002	R 28,588	APC Smart-UPS RT 5000VA 230V Isolation Transformer, Input Voltage: 230, Output Voltage: 230
SURT007	R 4,104	APC Smart-UPS RT 3000/5000VA Input/Output Hardwire Kit
SURT008	R 7,635	APC Smart-UPS RT 15ft Extension Cable for 192VDC External Battery Packs, Shipping Weight: 9.00(lbs) 4.10(kilos), Shipping Dimensions: 4.26x 23.26x 18.50(in) 10.80x 59.10x 47.00(cent)
SURT013	R 6,204	SURT Equipment Cart
SURT192RMXLBP2	R 62,457	APC Smart-UPS RT192V RM Battery Pack 2 Rows, 19" Battery Tray, 3-5Years Expected Battery Life, Plug-and-Play External Batteries, User-Replaceable and Hot-Swappable Batteries.
SURT192XLBP	R 20,218	APC Smart UPS RT 192V Tower Extended Battery Pack For 3kVA To 8kVA UPS
SURT48RMXLBP	R 15,388	APC Smart-UPS RT 48V RM Battery Pack, 3-5Years Expected Battery Life, Stand Alone Battery Stack, 2 Battery Modules, Rackmountable, Cascading Capabilities, User-Replaceable Batteries.
SURT48XLBP	R 11,770	APC Smart-UPS RT 48V external battery pack; sealed lead-acid battery; 2 battery modules; 2U rack mount; 45.2 x 8.6 x 55.9 cm; 32.91kg; black; 3-5 year battery life; expandable runtime; enterprise UPS battery expansion
SURTRK	R 3,480	APC Smart-UPS RT 19" Rail Kit for SURT1000XLI & SURT2000XLI
SURTRK2	R 3,480	APC Smart-UPS RT 19" Rail Kit for SURT 3/5/6/8/10kVA
SYARMXR3B3I	R 69,286	APC Symmetra LX Extended Run Rack-mount w/ 3 SYBT5, 230V, Shipping Weight : 281.00(lbs) 127.74(kilos), Shipping Dimensions : 13.50x 23.60x 38.60(in) 34.30x 59.90x 98.00(cent)
SYARMXR9B9I	R 184,102	APC Symmetra LX Extended Run Rack-mount w/ 9 SYBT5, 230V, Shipping Weight: 799.00(lbs) 363.18(kilos), Shipping Dimensions: 31.00x 23.60x 39.26(in) 78.70x 59.90x 99.70(cent)
SYBATT	R 13,603	APC Symmetra 4-16kVA Battery Module, Shipping Weight: 69.00(lbs) 31.36(kilos), Shipping Dimensions: 17.30x 13.00x 31.10(in) 43.90x 33.00x 79.00(cent)
SYBFXR9I	R 43,227	APC Symmetra LX 9 battery tower XR frame, 230V, Shipping Weight: 262.00(lbs) 119.09(kilos), Shipping

		Dimensions: 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
SYBFXR9RMI	R 41,962	APC Symmetra LX 9 battery Rack-Mount XR frame, 230V, Shipping Weight: 160.00(lbs) 72.73(kilos), Shipping Dimensions: 36.00x 23.60x 39.25(in) 91.40x 59.90x 99.70(cent)
SYBT2	R 14,742	APC Symmetra RM 2-6kVA Battery Module, Shipping Weight: 52.50(lbs) 23.86(kilos), Shipping Dimensions: 9.75x 14.00x 26.00(in) 24.80x 35.60x 66.00(cent)
SYBT3	R 13,580	APC Symmetra RM 8-12kVA Battery Module, 69.00(lbs) 31.36(kilos), 17.30x 13.00x 31.10(in) 43.90x 33.00x 79.00(cent)
SYBT4	R 35,311	APC Battery Module for Symmetra PX or Smart-UPS VT; 384V DC; sealed lead acid; 4 battery blocks; Symmetra PX Smart-UPS VT Galaxy 3500 compatible; enterprise UPS backup. 224.00(lbs) 101.82(kilos), 18.00x 24.00x 33.00(in) 45.72x 60.96x 83.82(cent).
SYBT5	R 14,600	APC Symmetra LX Battery Module, Shipping Weight: 71.00(lbs) 32.28(kilos), Shipping Dimensions: 15.18x 11.28x 29.52(in) 38.50x 28.60x 75.00(cent)
SYBT5FR	R 17,617	APC SYMMETRA LX FLAME RETARDANT BATTERY MODULE, Shipping Weight : 71.00(lbs) 32.28(kilos), Shipping Dimensions : 15.18x 11.28x 29.52(in) 38.50x 28.60x 75.00(cent)
SYBTU1-PLP	R 9,498	Apc Symmetra PX Battery Unit, 52.80(lbs) 24.00(kilos), 7.09x 5.91x 31.89(in) 18.00x 15.00x 81.00(cent), 32
SYBTU2-PLP	R 11,119	APC Symmetra PX 9Ah Battery Unit, High Performance , 59.40(lbs) 27.00(kilos), 7.09x 5.91x 31.89(in) 18.00x 15.00x 81.00(cent)
SYMIM2	R 23,861	APC Symmetra Main Intelligence Module 2, Shipping Weight: 9.00(lbs) 4.10(kilos), Shipping Dimensions: 7.26x 12.50x 22.76(in) 18.42x 31.76x 57.80(cent)
SYMIM3	R 21,262	APC Symmetra RM Main Intelligence Module, Shipping Weight: 7.00(lbs) 3.18(kilos), Shipping Dimensions: 7.25x 12.50x 22.75(in) 18.40x 31.80x 57.80(cent)
SYMIM5	R 25,943	APC Symmetra LX Intelligence Module. Shipping Weight = 3.18, Shipping Dimensions = 7.26x 12.50x 22.76(in) 18.42x 31.76x 57.80(cent)
SYPM	R 49,575	APC Symmetra 4-16kVA Power Module (4kVA), Input Voltage = 200, 208, 400 3PH}, {Output Voltage = 200, 208, 230}, {Shipping Weight = 18.18}, {Shipping Dimensions = 17.30x 13.00x 31.10(in) 43.94x 33.02x 78.99(cent)}
SYPM4KI	R 43,779	APC Symmetra LX 4kVA Power Module, 220/230/240V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 40.00(lbs) 18.18(kilos), Shipping Dimensions: 17.30x 13.00x 22.23(in) 43.90x 33.00x 56.50(cent)
SYPM4KU	R 51,875	APC Symmetra RM 8-12kVA Power Module (4kVA), Input Voltage : 200, 208, 230, Output Voltage : 200, 208, 230, Shipping Weight : 40.00(lbs) 18.18(kilos), Shipping Dimensions : 17.30x 13.00x 31.10(in) 43.90x 33.00x 79.00(cent)
SYRMXR2B4I	R 67,446	APC Symmetra RM XR Frame w/2 SYBT2 Scalable to 4 220-240V, Shipping Weight: 165.00(lbs) 75.00(kilos), Shipping Dimensions: 13.50x 23.00x 32.00(in) 34.30x 58.40x 81.30(cent)
SYRMXR4B4I	R 96,840	APC Symmetra RM XR Frame w/4 SYBT2, 220-240V, Shipping Weight: 270.00(lbs) 122.73(kilos), Shipping Dimensions: 13.50x 23.00x 32.00(in) 34.30x 58.40x 81.30(cent)
UP-ABR24BPG	R 4,503	APC BR24BPG external extended run battery, Volt-Amp-Hour Capacity: 372 - for BR1500, BR1500G, BR1500GI, BR1500I, BX1500, Volt-Amp-Hour: 372
UP-ARBC110	R 1,137	APC RBC110 - Replacement Battery Cartridge - for Back-ups BX650Ci / RS BR550Gi
UP-ARBC113	R 1,488	APC RBC113 - Replacement Battery Cartridge - for Back-ups BR1100Ci, BX1100Ci, BX1400Ui
UP-ARBC114	R 900	APC RBC114 - Replacement Battery Cartridge - for Back-ups BX500Ci (Order on request)
UP-ARBC115	R 5,241	APC RBC115 - Replacement Battery Cartridge - for smart-ups X SMX1500RMi2U (Order on request)
UP-ARBC123	R 1,216	APC RBC123 - Replacement Battery Cartridge - for Back-ups RS BR900Gi/ Smart-ups smt750RMi2u
UP-ARBC124	R 1,374	APC RBC124 - Replacement Battery Cartridge - for Back-ups RS BR1200Gi/ BR1500Gi; Smart-ups smc1000i2U
UP-ARBC132	R 5,343	APC RBC132 - Replacement Battery Cartridge - for Smart-ups smc1500i2U, smc1500i2UC, smt1000RMi2u, smt1000RMi2uC (Order on request)
UP-ARBC133	R 5,839	APC RBC133 - Replacement Battery Cartridge - for Smart-ups smt1500RMi2u/ smt1500RMi2uC/ SMC2000RMi-2U (Order on request)
UP-ARBC140	R 11,690	APC RBC140 - Replacement Battery Cartridge - for Smart-ups SRT5KXLi (Order on request)
UP-ARBC141	R 5,095	APC RBC141 - Replacement Battery Cartridge - for Smart-ups SRT2200XLi (Order on request)
UP-ARBC142	R 2,240	APC RBC142 - Replacement Battery Cartridge - for Smart-ups smc1000i / smc1000iC (Order on request)

UP-ARBC143	R 7,845	APC RBC143 - Replacement Battery Cartridge - for smart-ups X SMX2200HV / SMX3000HV (Order on request)
UP-ARBC150	R 6,437	APC RBC150 - Replacement Battery Cartridge - for Smart-ups smc3000i (Order on request)
UP-ARBC151	R 6,775	APC RBC151 - Replacement Battery Cartridge - for Smart-ups smc3000RMi
UP-ARBC152	R 11,878	APC RBC152 - Replacement Battery Cartridge - for Smart-ups SRT3000XLi (Order on request)
UP-ARBC17	R 1,047	APC RBC17 - Replacement Battery Cartridge - for Back-ups BX800Ci; 12V 9Ah sealed lead acid; hot swap UPS battery; compatible APC Back-UPS systems; 3-5 year lifespan
UP-ARBC2	R 1,070	APC RBC2 - Replacement Battery Cartridge #2 - 12V 7Ah sealed lead-acid battery; compatible with Back-UPS CS and Smart-UPS SC420i; hot-swappable; maintenance-free; black; 15.1 x 6.4 x 9.4cm; weight: 2.5kg. 7000mAh.
UP-ARBC24	R 8,195	APC RBC24 Replacement Battery Cartridge for Smart-UPS SUA1500RMi2U (Order On Request)
UP-ARBC25	R 8,737	APC RBC25 Replacement Battery Cartridge for Smart-UPS XL SU1400RMXLiB3U (Order On Request)
UP-ARBC32	R 1,787	APC RBC32 - Replacement Battery Cartridge - for Back-ups RS BR800i/ BR1000
UP-ARBC33	R 2,163	APC RBC33 - Replacement Battery Cartridge; sealed lead acid VRLA; 5.33kg; 197 x 149 x 64mm; hot swappable; plug and play; 3-5 year lifespan; UPS backup power for Back-ups RS BR500Ci, 650Ci / Smart-UPS SC SC1000i
UP-ARBC4	R 1,668	APC Replacement Battery Cartridge #4; sealed lead acid VRLA; 3 to 5 year lifespan; 4kg; 15 x 9.9 x 9.4 cm; plug and play UPS battery replacement - for APC Smart-UPS SC SC620i (Order On Request)
UP-ARBC43	R 8,443	APC Replacement Battery Cartridge #43; 48V DC; 480 VAh; sealed lead acid VRLA; hot swappable; rack UPS compatible; 533 x 216 x 76 mm; 19.09 kg; enterprise UPS backup power
UP-ARBC48	R 2,185	APC Replacement Battery Cartridge #48; 24V DC; sealed lead acid VRLA; 7Ah capacity; hot swappable; 3-5 year life; 5kg; 13.2 x 13.2 x 15 cm; Smart-UPS compatible; maintenance free
UP-ARBC55	R 8,014	APC Replacement Battery Cartridge #55; VRLA sealed lead-acid; 17Ah; 12V DC; 816Wh; Hot-swappable; 2 battery cells; 3-5 year battery life; 183 x 173 x 140mm; 24.3kg
UP-ARBC59	R 3,053	APC Replacement Battery Cartridge #59, 12V 7Ah SLA, hot swap design, 3-5 year life, 5.34kg, 19.7x14.9x6.4cm, APC Smart-UPS compatible
UP-ARBC6	R 4,069	APC Replacement Battery Cartridge #6, sealed lead acid, 196 x 152 x 94 mm, 7.68 kg, hot swap compatible, APC Smart UPS compatible, 3-5 year lifespan
UP-ARBC7	R 4,644	APC RBC7 Replacement Battery Cartridge; sealed lead acid VRLA; 24V battery system; hot swappable; fully assembled; compatible with SUA1500i SMT1500i SUA750XLi SUA1000XLi; weight:11.68kg; dimensions:18.3 x 17.3 x 15.2cm; enterprise UPS maintenance; backup power protection
UP-AS5000RM5U	R 62,911	APC Smart-ups sua5000RMi5U , 5U rackmount , with AP9617 (Network Management Card) installed in smart slot , line interactive with AVR power conditioning , 5000va / 4000w ; RJ-45 UTP protection ; 8x power output , with monitoring software , serial interface , with smart slot , with cooling fan
UP-ASRT10000	R 122,338	APC Smart-UPS RT SRT10KXLi with LCD graphics display AP9619 (Network Management Card Environmental Monitoring) installed in smart slot, Double Conversion Online, 10KVA; with monitoring software, serial interface, support multiple extended-run optional battery pack (SRT192BP2), 6U rackmount convertible via 2x SRTRK2, with cooling fan
UP-ASRT192BP	R 22,119	APC SRT192BP extended run battery, support SURTRK2 rackmount kit, Volt-Amp-Hour Capacity: 1920 - for Smart-UPS SRT5KRMXLI, SRT5KXLI, SRT6KRMXLI, SRT6KXLI
UP-ASRT192BP2	R 22,931	APC SRT192BP2 extended run battery, support SURTRK2 rackmount kit, Volt-Amp-Hour Capacity: 1920 - for Smart-UPS SRT10KRMXLI, SRT10KXLI, SRT8KRMXLI, SRT8KXLI (Order on request)
UP-ASRT72	R 12,018	APC SRT72BP extended run battery, support SRTRK4 rackmount kit - for Smart-UPS RT SRT2200XLi (Order on request - Note that the order cannot be cancelled or refunded once placed, as this is a SPECIAL ORDER ON REQUEST)
UP-ASRT96	R 17,643	APC SRT96BP extended run battery, support SRTRK4 rackmount kit - for Smart-UPS RT SRT3000XLi (Order on request)
UP-ASRTRK2	R 3,943	APC SRTRK2 - 19" 3U rail / rackmount kit for Smart-UPS RT SRT5KXLi, SRT6KXLi, SRT8KXLi, SRT10KXLi
UP-ASRTRK4	R 3,358	APC SRTRK4 - 19" 2U rail/ rackmount kit for Smart-UPS RT SRT2200XLi/ SRT3000XLi (Order On Request)
UP-ASURT192	R 20,255	APC SURT192XLBP extended run battery, support SURTRK2 rack mount kit, Volt-Amp-Hour Capacity: 1920 - for Smart-UPS RT SURT3000XLi, SURTD3000XLi, SURTD5000XLI, SURT5000XLi, SURT6000XLi, SURT7500XLi,

		SURT8000XLi, SURT10000XLi; 1920VAh battery capacity; 192V sealed lead-acid battery; 3U rack mount; hot-swappable batteries; user replaceable modules; supports SURTRK2; compatible with Smart-UPS RT models; 432 x 660 x 130mm; 90.91kg
UP-ASURT192RM2	R 62,554	APC SURT192RMXLBP2 rackmount extended run battery - 6U, Volt-Amp-Hour Capacity: 3840 - for Smart-UPS RT SURT15KRMXLI, SURT15KRMXLI-CC, SURT15KRMXLICH, SURT15KUXI, SURT20KRMXLI, SURT20KRMXLI-CC, SURT20KRMXLICH, SURT20KUXI (Order on request)
UP-ASURTRK	R 3,432	APC SURTRK - 19" 2U rail / rackmount kit for Smart-UPS RT SURT1000XLi , SURT2000XLi
UPAPAP6003A	R 3,821	APC AP6003A RACK PDU, BASIC, HALF HEIGHT, 100-240V/20A, 220-240V/16A, (14) C13
UPAPAP6009A	R 12,059	APC AP6009A RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19
UPAPAP6015A	R 1,833	APC AP6015A Rack PDU, Basic, 0U/1U, 120-240V/15A, 220-240V/10A, (8) C13, Â© 2019 Laptop Direct
UPAPAP6020A	R 2,077	APC AP6020A Rack PDU, Basic, 0U/1U, 100-240V/20A, 220-240V/16A, (13) C13, Â© 2019 Laptop Direct
UPAPAP6032A	R 3,932	APC Rack PDU, Basic, 0U/1U, 220-240V, 32A, (4) C19, EMEA/ASIA
UPAPAP6038A	R 11,838	APC AP6038A Rack PDU, Basic, 0U/1U, 220-240V, 63A, (3) C19, Â© 2019 Laptop Direct
UPAPAP6120A	R 2,298	APC AP6120A Rack PDU, Basic, 0U/1U, 100-240V/20A, 220-240V/16A, (7) C13, (2) C19, Â© 2019 Laptop Direct
UPAPAP7552	R 5,741	Apc Rack PDU, Basic, ZeroU, 16A, 230V, (20)C13 & (4)C19, IEC C20, 200V, 208V, 230V, 230V
UPAPAP7553	R 7,819	Apc Rack PDU, Basic, Zero U, 32A, 230V, (20)C13 & (4)C19, 200V, 208V, 230V, 230V
UPAPAP7554	R 4,882	Apc Rack PDU,Basic,ZeroU,16A,230V,(20)C13 & (4)C19; IEC309, 10 ft Cord, 200V, 208V, 230V, 230V
UPAPAP7555A	R 15,548	APC Basic Rack PDU, Input: 400V 3PH, Input Connections: IEC 309 32A 3P N PE, Cord Length:6 feet (1.83 meters), Output: 230V, Output Connections: IEC 320 C13,IEC 320 C19
UPAPAP7557	R 8,128	APC Basic Rack PDU, Input: 400V 3PH, Input Connections: IEC 309 16A 3P N PE, Cord Length:3 feet (0.91 meters), Output: 230V, Output Connections: IEC 320 C13,IEC 320 C19
UPAPAP7586	R 12,877	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: Hard Wire 3-wire, Cord Length:28 feet (8.53 meters), Output: 230V, Output Connections: IEC 309
UPAPAP7820B	R 9,386	APC Rack PDU, Metered, 1U, 12A/208V, 10A/230V, (8) C13, 200, 208, 230, 208, 230, 6.40(lbs) 2.91(kilos), 2.50x 18.50x 13.25(in) 6.40x 47.00x 33.70(cent)
UPAPAP7821B	R 10,557	APC Rack PDU, Metered, 1U, 16A, 208/230V, (8) C13, 200, 208, 230, 208, 230, 6.40(lbs) 2.92(kilos), 2.50x 18.50x 13.26(in) 6.40x 47.00x 33.70(cent)
UPAPAP7822B	R 17,294	APC RACK PDU, METERED, 2U, 32A, 230V, (12) C13 & (4) C19, 200, 208, 230, 230, 11.90(lbs) 5.42(kilos), 5.50x 20.00x 14.50(in) 14.00x 50.80x 36.80(cent)
UPAPAP7850B	R 12,522	Apc AP7850B Rack PDU, Metered, Zero U, 10A, 230V, (16) C13, Â© 2019 Laptop Direct
UPAPAP7920B	R 13,583	APC RACK PDU, SWITCHED, 1U, 12A/208V, 10A/230V, (8)C13, 200, 208, 230, 208, 230, 7.60(lbs) 3.45(kilos), 2.75x 18.50x 13.50(in) 7.00x 47.00x 34.30(cent)
UPAPAP7921B	R 15,305	APC Rack PDU, Switched, 1U, 16A, 208/230V, (8)C13, 200, 208, 230, 208, 230, 7.60(lbs) 3.45(kilos), 2.75x 18.50x 13.50(in) 7.00x 47.00x 34.30(cent)
UPAPAP7922B	R 25,730	APC RACK PDU, SWITCHED, 2U, 32A, 230V, (16)C13, 200, 208, 230, 230, 14.40(lbs) 6.55(kilos), 5.50x 20.00x 14.50(in) 14.00x 50.80x 36.80(cent)
UPAPAP7950B	R 26,945	APC RACK PDU, SWITCHED, ZERO U, 10A, 230V, (16) C13
UPAPAP8853	R 18,022	Apc Rack PDU 2G, Metered, ZeroU, 32A, 230V, (36) C13 & (6) C19, INPUT = 200V, 208V, 230V / OUTPUT = 230V
UPAPAP940-0625A	R 575	APC RJ45 serial cable for Smart-UPS LCD Models 2M, 0.30(lbs) 0.14(kilos), 2.25x 8.75x 4.25(in) 5.70x 22.20x 10.80(cent)
UPAPAP940-1525A	R 575	APC RJ45 serial cable for Smart-UPS LCD Models 15, 0.44(lbs) 0.20(kilos), 2.25x 8.75x 4.25(in) 5.70x 22.20x 10.80(cent)
UPAPAP9505I	R 2,276	APC POWER SUPPLY UNIV 24VDC OUTPUT, Shipping Weight: 1.10(lbs) 0.50(kilos), Shipping Dimensions: 3.00x 9.25x 5.50(in) 7.60x 23.50x 14.00(cent), UPC Code: 731304021810
UPAPAP9544	R 3,318	APC Network Management Card for Easy UPS, 1-Phase
UPAPAP9559	R 4,417	APC Basic Rack PDU, Input: 120V, 208V, 230V, Input Connections: IEC-320 C20, Cord Length:8.2 feet (2.5 meters), Output: 120V, 208V, 230V, Output Connections: IEC 320 C13,IEC 320 C19
UPAPAP9565	R 3,449	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: IEC-320 C20, Cord Length:8.2 feet (2.5

		meters), Output: 208V, 230V, Output Connections: IEC 320 C13
UPAPAP9572	R 6,541	APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: IEC-320 C20, Cord Length:8.2 feet (2.5 meters), Output: 200V, 208V, 230V, Output Connections: IEC 320 C13
UPAPAP9640	R 5,719	APC UPS Network Management Card 3 with PowerChute Network Shutdown
UPAPAP9641	R 9,341	APC UPS Network Management Card 3 with Environmental Monitoring and PowerChute Network Shutdown
UPAPAP9810	R 2,828	APC Dry Contact I/O Accessory, Shipping Weight: 0.30(lbs) 0.14(kilos), Shipping Dimensions: 1.30x 10.00x 5.00(in) 3.30x 25.40x 12.70(cent), UPC Code: 731304274032
UPAPAP9827	R 664	APC Simple Signaling UPS Cable USB to RJ45, Shipping Weight: 1.00(lbs) 0.46(kilos), Shipping Dimensions: 9.00x 4.00x 2.00(in) 22.90x 10.20x 5.10(cent), UPC Code: 731304202998
UPAPAPDU9953	R 28,269	APC Rack PDU 9000 Switched, ZeroU, 32A, 230V, (21) C13 & (3) C19
UPAPAPDU9959EU3	R 26,613	APC Rack PDU 9000 Switched, ZeroU, 16A, 230V, (21) C13 & (3) C19, IEC309 Cord
UPAPAPDU9981EU3	R 34,896	APC Rack PDU 9000 Switched, ZeroU, 11.0kW, 230V, (21) C13 & (3) C19
UPAPAR7706	R 4,506	APC Mounting Rail Brush Strips , Netshelter SX 750MM Wide
UPAPBR24BPG	R 4,616	APC Back-UPS Pro External Battery Pack (for BR1500GI)
UPAPE3SBT4	R 18,861	APC Easy UPS 3S Standard Battery Module
UPAPE3SOPT002	R 3,601	APC E3SOPT002 Easy UPS 3S Parallel Kit, Â© 2019 Laptop Direct
UPAPE3SOPT003	R 1,259	APC 3S Temperature sensor kit for external battery system
UPAPE3SOPT004	R 3,114	APC Easy UPS 3S Cold Start Kit
UPAPE3SOPT006	R 36,662	APC Easy UPS 3S Parallel Maintenance Bypass Panel for up to 2 Units 10-40 kVA
UPAPE3SOPT007	R 19,435	APC Easy UPS 3S Battery Breaker Box
UPAPE3SOPT008	R 10,425	APC Easy UPS 3S Battery Breaker Kit
UPAPE3SXR6	R 57,753	APC Easy UPS 3S Modular 6 Battery Cabinet
UPAPEPDU1116S	R 17,138	APC Easy Rack PDU, Switched, 0U, 1 Phase, 3.7kW, 230V, 16A, 20 x C13 and 4 x C19 outlets, IEC60309 2P E inlet
UPAPEPDU1216M	R 16,013	APC Easy Rack PDU, Metered, 0U, 3 Phase, 11kW, 230V, 16A, 21 x C13 and 3 x C19 outlets, IEC60309 3P N PE inlet
UPAPEPDU1232M	R 27,276	APC Easy Rack PDU, Metered, 0U, 3 Phase, 22kW, 230V, 32A, 18 x C13 and 6 x C19 outlets, IEC60309 3P N PE inlet
UPAPSBP10KRMI4U	R 35,448	APC Service Bypass Panel- 230V; 100A; MBB; Hardwire input; IEC-320 output- (8) C13 (2) C19
UPAPSBP1500RMI	R 5,986	APC SERVICE BYPASS PANEL 230V 10A BBM IEC C14 input; (6) IEC C13 output, 230, 230
UPAPSBP16KP	R 34,896	APC Service Bypass Panel- 200/208/240V; 100A; MBB; Hardwire input/output, 200, 208, 230, 480 3PH, 120, 200, 208, 230
UPAPSBP16KRMI4U	R 36,441	APC Service Bypass Panel- 230V; 100A; MBB; Hardwire input; (3) 30A Hardwire Output, 230, 230
UPAPSBP20KP	R 34,123	APC Service Bypass Panel 200/208/230/240V 125A Hardwired Input/Output = 200V, 208V, 220V, 230V, 240V / 200V, 208V, 220V, 230V, 240V, 380V 3PH, 400V 3PH, 415V 3PH
UPAPSBP20KRMI4U	R 36,110	APC Service Bypass Panel 230V 125A HW input IEC-320 output (8) C19, Input / Output = 220V, 230V, 240V, 380V 3PH, 400V 3PH, 415V 3PH / 230V
UPAPSBP3000	R 15,836	APC Service Bypass Panel- 100-240V; 30A; BBM; Hardwire Input/Output, 100, 120, 230, 100, 120, 230
UPAPSBP3000RMHW	R 6,780	APC SERVICE BYPASS PANEL 230V 16A BBM Hardwire, Input / Output = 230 / 230
UPAPSBP3000RMI	R 6,780	APC SERVICE BYPASS PANEL 230V 16A BBM IEC C20 input; (6) IEC C13 (1) C19 input / output = 230V / 230V
UPAPSBP5000RMI2U	R 19,900	APC Service Bypass Panel - 230V; 32A; BBM; IEC320 C20 / HW Input; IEC-320 Output - (2) C19 (8) C13, Input / Output = 230V / 230V
UPAPSBP6KRMI2U	R 23,079	APC Service Bypass Panel- 230V; 50A; MBB; Hardwire input; (4) IEC-320 C19 Output, Input / Output = 230V / 230V
UPAPSMX040	R 2,055	APC Smart-UPS X 120V Battery Pack Extension Cable, Shipping Weight: 2.00(lbs) 0.91(kilos), UPC Code: 731304268604
UPAPSMX120BP	R 16,827	APC Smart-UPS X 120V External Battery Pack Rack/Tower
UPAPSMX120RMBP2U	R 20,010	APC Smart-UPS X 120V External Battery Pack Rack/Tower, Shipping Weight: 140.00(lbs) 63.64(kilos), Shipping Dimensions: 9.58x 23.48x 34.23(in) 24.30x 59.60x 86.90(cent), UPC Code: 731304295839

UPAPSMX48RMBP2U	R 12,169	APC Smart-UPS X-Series 48V External Battery Pack Rack/Tower, Input Voltage: 48 DC, Shipping Weight: 78.10(lbs) 35.50(kilos), Shipping Dimensions: 9.70x 23.20x 24.40(in) 24.60x 58.90x 62.00(cent), Units Per Pallet: 8, UPC Code: 731304268611
UPAPSRT001	R 3,932	APC Smart-UPS SRT 5kVA Output HW Kit, 1.80(lbs) 0.82(kilos), 5.40x 10.20x 7.40(in) 13.70x 25.90x 18.80(cent)
UPAPSRT002	R 7,311	APC Smart-UPS SRT 15ft Extension Cable for 192VDC External Battery Packs 5/6kVA UPS, 9.00(lbs) 4.09(kilos), 4.60x 23.26x 23.26(in) 11.70x 59.10x 59.10(cent)
UPAPSRT003	R 7,311	APC Smart-UPS SRT 15ft Extension Cable for 192VDC External Battery Packs 8/10kVA UPS, 9.90(lbs) 4.49(kilos), 4.00x 18.00x 22.00(in) 10.20x 45.70x 55.90(cent)
UPAPSRT009	R 3,976	APC Smart-UPS SRT 15ft Extension Cable for 72VDC External Battery Packs 2200VA UPS
UPAPSRT010	R 3,976	APC Smart-UPS SRT 15ft Extension Cable for 96VDC External Battery Packs 3000VA UPS
UPAPSRT192BP	R 22,043	APC Smart-UPS SRT 192V 5kVA and 6kVA Battery Pack, Shipping Weight: 223.30(lbs) 101.50(kilos), Shipping Dimensions: 16.54x 23.63x 39.38(in) 42.00x 60.00x 100.00(cent), Units Per Pallet: 1, UPC Code: 731304301769
UPAPSRT192BP2	R 24,225	APC Smart-UPS SRT 192V 8kVA and 10kVA Battery Pack, Shipping Weight: 223.30(lbs) 101.50(kilos), Shipping Dimensions: 16.54x 23.63x 39.38(in) 42.00x 60.00x 100.00(cent), UPC Code: 731304292746
UPAPSRT192RMBP	R 28,049	APC Smart-UPS SRT 192V 5kVA and 6kVA RM Battery Pack, Shipping Weight: 232.10(lbs) 105.50(kilos), Shipping Dimensions: 16.54x 23.63x 39.38(in) 42.00x 60.00x 100.00(cent), Units Per Pallet: 1, UPC Code: 731304301776
UPAPSRT192RMBP2	R 28,932	APC Smart-UPS SRT 192V 8 and 10kVA RM Battery Pack, Shipping Weight: 232.10(lbs) 105.50(kilos), Shipping Dimensions: 16.54x 23.63x 39.38(in) 42.00x 60.00x 100.00(cent), UPC Code: 731304292753
UPAPSRT72BP	R 11,960	APC Smart-UPS SRT 72V 2.2kVA Battery Pack, Â© 2016 Laptop Direct
UPAPSRT72RMBP	R 15,461	APC Smart-UPS SRT 72V 2.2kVA RM Battery Pack, 90.00(lbs) 40.82(kilos), 9.40x 23.60x 32.70(in) 23.90x 59.90x 83.10(cent)
UPAPSRT96BP	R 17,569	APC Smart-UPS SRT 96V 3kVA Battery Pack, Â© 2016 Laptop Direct
UPAPSRT96RMBP	R 21,158	APC Smart-UPS SRT 96V 3kVA RM Battery Pack, 98.11(lbs) 44.50(kilos), 9.40x 23.60x 32.70(in) 23.90x 59.90x 83.10(cent)
UPAPSRTG03	R 6,220	APC Smart-UPS RT 5M Extension Cable for 9Ah External Battery Pack 15K/20K UPS
UPAPSRTG20KXLI	R 196,961	APC Smart-UPS RT 20kVA, 20kW 230V Online, Parallel capable with NMC
UPAPSRTGPK01	R 40,593	APC Smart-UPS RT Parallel Kit for 15k/20kVA
UPAPSRTGRK1	R 2,598	APC SMART-UPS RT 19" Rail Kit For SRTG 5k/6k/8k/10k/15k/20k and SRTG192XLBP4
UPAPSRTL006	R 3,077	APC Smart-UPS Ultra On-Line 15ft Extension Cable for SRTL 5K 180V XBP
UPAPSRTRK2	R 3,950	APC Smart-UPS SRT 19" Rail Kit for Smart-UPS SRT 5/6/8/10kVA (UPS not included)
UPAPSRTRK4	R 3,383	APC Smart-UPS SRT 19" Rail Kit for SRT 2.2/3kVA
UPAPSU032A	R 1,833	APC SU032A - 19" 4-post rack mount kit for Smart-UPS XL SUA2200XLi, SUA3000XLi / SUA48XLBP
UPAPSURT007	R 3,932	APC Smart-UPS RT 3/5/6KVA Input/Output Hardwire Kit
UPAPSURT008	R 7,311	APC Smart-UPS RT 15ft Extension Cable for 192VDC External Battery Packs, Shipping Weight: 9.00(lbs) 4.10(kilos), Shipping Dimensions: 4.26x 23.26x 18.50(in) 10.80x 59.10x 47.00(cent)
UPAPSURT019	R 6,317	APC Smart-UPS RT 3.5M Extension Cable for XLBP2 External Battery Packs, Shipping Weight: 10.89(lbs) 4.95(kilos), Shipping Dimensions: 7.95x 16.00x 14.00(in) 20.20x 40.60x 35.60(cent)
UPAPSURT192RMXLBP2	R 64,269	APC Smart-UPS RT192V RM Battery Pack 2 Rows, 19" Battery Tray, 3-5Years Expected Battery Life, Plug-and-Play External Batteries, User-Replaceable and Hot-Swappable Batteries.
UPAPSURT192XLBP	R 20,805	APC SURT192XLBP Smart-UPS RT 192V Battery Pack; 192V DC; sealed lead-acid; 3U rack mount; 90.91kg; enterprise UPS runtime extension; server room backup power; modular battery system
UPAPSURTRK	R 3,579	APC Smart-UPS RT 19" Rail Kit for SURT1000XLI & SURT2000XLI
UPAPSYBT3	R 13,009	APC Symmetra RM 8-12kVA Battery Module, 69.00(lbs) 31.36(kilos), 17.30x 13.00x 31.10(in) 43.90x 33.00x 79.00(cent)
UPAPSYBT4	R 36,331	APC Battery Module for Symmetra PX or Smart-UPS VT; 384V DC; sealed lead acid; 4 battery blocks; Symmetra PX Smart-UPS VT Galaxy 3500 compatible; enterprise UPS backup. 224.00(lbs) 101.82(kilos), 18.00x 24.00x 33.00(in) 45.72x 60.96x 83.82(cent).
UPAPSYBT5	R 15,019	APC Symmetra LX Battery Module, Shipping Weight: 71.00(lbs) 32.28(kilos), Shipping Dimensions: 15.18x 11.28x

		29.52(in) 38.50x 28.60x 75.00(cent)
UPAPSYBTU1-PLP	R 9,100	Apc Symmetra PX Battery Unit, 52.80(lbs) 24.00(kilos), 7.09x 5.91x 31.89(in) 18.00x 15.00x 81.00(cent)
UPAPSYBTU2-PLP	R 10,646	APC Symmetra PX 9Ah Battery Unit, High Performance Shipping Weight : 59.40(lbs) 27.00(kilos), Shipping Dimensions : 7.09x 5.91x 31.89(in) 18.00x 15.00x 81.00(cent)
UPAPSYMIM2	R 22,859	APC Symmetra Main Intelligence Module 2, Shipping Weight: 9.00(lbs) 4.10(kilos), Shipping Dimensions: 7.26x 12.50x 22.76(in) 18.42x 31.76x 57.80(cent)
UPAPSYMIM3	R 20,363	APC Symmetra RM Main Intelligence Module, Shipping Weight: 7.00(lbs) 3.18(kilos), Shipping Dimensions: 7.25x 12.50x 22.75(in) 18.40x 31.80x 57.80(cent)
UPAPSYMIM5	R 24,847	APC Symmetra LX Intelligence Module. Shipping Weight = 3.18, Shipping Dimensions = 7.26x 12.50x 22.76(in) 18.42x 31.76x 57.80(cent)
UPAPSYPM	R 47,484	APC Symmetra 4-16kVA Power Module (4kVA), Input Voltage = 200, 208, 400 3PH}, {Output Voltage = 200, 208, 230}, {Shipping Weight = 18.18}, {Shipping Dimensions = 17.30x 13.00x 31.10(in) 43.94x 33.02x 78.99(cent)}
UPAPSYPM4KI	R 45,055	APC Symmetra LX 4kVA Power Module, 220/230/240V, Input Voltage: 230, 400 3PH, Output Voltage: 230, Shipping Weight: 40.00(lbs) 18.18(kilos), Shipping Dimensions: 17.30x 13.00x 22.23(in) 43.90x 33.00x 56.50(cent)
UPAPSYPM4KU	R 49,693	APC Symmetra RM 8-12kVA Power Module (4kVA), Input Voltage : 200, 208, 230, Output Voltage : 200, 208, 230, Shipping Weight : 40.00(lbs) 18.18(kilos), Shipping Dimensions : 17.30x 13.00x 31.10(in) 43.90x 33.00x 79.00(cent)
UPS-BAT-CASE-100X2KS	R 1,217	LinkQnet Battery Case Trolley Solution For Up To 2x 100ah Batteries With A Linkqnet Inverter (Batteries and inverter not included)
UPS-PAR-KIT-5KL-48V	R 905	Voltacon Parallel Kit For 5KVA 48VDC Xt Online Ups/inverter. Optional External Parallel Accessories Kit for Conversol & Axpert KS/MKS 4K/5K, Axpert Plus Duo/Tri 5K, InfiniSolar V (P/N: 31-010245-00G)
UPS-SOLCONT-300W-LQ	R 1,463	Linkqnet 300w 12vdc Mppt Solar Charge Controller
UPS-SOLCONT-600W-LQ	R 1,638	Linkqnet 600w 12-24vdc Mppt Solar Charge Controller
UPS051	R 185	Ups Battery 12V 7Amp, Valve Regulated AGM, Spill Proof, Maintenance Free, Lower Self Discharge, Vibration Resistant, 6 Month warranty
UPS101	R 713	Universal UPS Battery 12V 17Amp, Valve Regulated AGM, Spill Proof, Maintenance Free, Lower Self Discharge, Vibration Resistant, 6 Month warranty
VGL9901I	R 1,574	APC VGL9901I Easy UPS Dry Contact Card/Relay I/O Card

< Return to the menu

UPS cables IEC C13 / C14 / C19 / C20

Product code	Price	Description
AC-CAB-PDU-1U6	R 524	AccoNet Power Distribution Unit 1U 6 way Female Kettle cord, Power Switch, 2 meter cable SA
AP8704S-WW	R 2,277	Apc Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m, 2.22(lbs) 1.01(kilos), 9.45x 2.76x 1.77(in) 24.00x 7.00x 4.50(cent)
AP8706R-WW	R 3,160	Apc Power Cord Kit (6 ea), Locking, C13 to C14 (90 Degree), 1.8m, 2.98(lbs) 1.35(kilos), 9.45x 2.95x 2.17(in) 24.00x 7.50x 5.50(cent)
AP8714S	R 3,820	Apc Power Cord Kit (6 ea), Locking, C19 to C20, 1.2m
AP8758	R 1,915	APC Power Cord, Locking C19 to IEC309-16A, 3.0m. 1.08(lbs) 0.49(kilos), 17.00x 6.00x 4.00(in) 43.20x 15.20x 10.20(cent)
AP8759	R 700	APC Power Cord, Locking C19 to Rewireable, 3.0m, 240V. 0.82(lbs) 0.37(kilos), 9.06x 9.06x 1.77(in) 23.00x 23.00x 4.50(cent) Search on Google
AP8760	R 1,827	APC Power Cord, Locking C19 to C20, 3.0m. 1.12(lbs) 0.51(kilos), 9.06x 9.06x 1.77(in) 23.00x 23.00x 4.50(cent)
AP9870	R 628	APC Power Cord, C13 to C14, 2.5m. , 0.65(lbs) 0.30(kilos), 2.00x 4.00x 8.00(in) 5.10x 10.20x 20.30(cent)
AP9871	R 1,390	APC Power Cord, C19 to L6-20P, 3.7m. 2.42(lbs) 1.10(kilos), 4.00x 4.00x 12.00(in) 10.20x 10.20x 30.50(cent)
AP9872	R 1,229	APC Power Cord, C19 to 5-15P, 2.5m. 0.66(lbs) 0.30(kilos), 4.00x 12.50x 4.26(in) 10.20x 31.80x 10.80(cent)
AP9875	R 1,275	APC Power Cord, C19 to CEE/7 Schuko, 2.5m 0.66(lbs) 0.30(kilos), 2.00x 4.00x 8.00(in) 5.10x 10.20x 20.30(cent)
AP9876	R 1,915	APC Power Cord, C19 to IEC309 16A, 2.5m. 0.66(lbs) 0.30(kilos), 2.00x 4.00x 8.00(in) 5.10x 10.20x 20.30(cent)
AP9877	R 1,074	APC Power Cord, C19 to C20, 2.0m 1.00(lbs) 0.46(kilos), 12.00x 4.00x 4.00(in) 30.50x 10.20x 10.20(cent)

AP9878	R 1,139	APC Power Cord, C19 to C14, 2.0m.0.80(lbs) 0.36(kilos), 12.00x 4.00x 4.00(in) 30.50x 10.20x 10.20(cent)
AP9879	R 1,139	Apc Power Cord, C13 to C20, 2.0m, 1.00(lbs) 0.46(kilos), 12.00x 4.00x 4.00(in) 30.50x 10.20x 10.20(cent)
AP9887	R 4,748	APC Power Cord, C19 to C20, 4.5m, 230V, 4.00(lbs) 1.82(kilos), 22.50x 18.50x 4.50(in) 57.20x 47.00x 11.40(cent)
AP9890	R 1,202	APC Power Cord Kit (5 ea), C13 to C14, 0.6m. 1.20(lbs) 0.55(kilos), 3.00x 8.00x 4.00(in) 7.60x 20.30x 10.20(cent)
AP9892	R 713	APC Power Cord, C19 to C20, 0.6m. 0.56(lbs) 0.26(kilos), 2.00x 8.00x 4.00(in) 5.10x 20.30x 10.20(cent)
AP9895	R 1,413	APC Power Cord, C19 to BS1363A (UK), 2.4m. 1.15(lbs) 0.52(kilos), 4.00x 11.75x 3.00(in) 10.20x 29.80x 7.60(cent)
AP9896	R 1,390	APC Power Cord, C19 to L6-30P, 2.4m 1.60(lbs) 0.74(kilos), 4.00x 11.76x 3.00(in) 10.20x 29.80x 7.60(cent)
AP9897	R 3,023	APC Power Cord, C19 to 15A Australia Plug, 3.7m, 1.60(lbs) 0.73(kilos), 4.00x 11.75x 4.00(in) 10.20x 29.80x 10.20(cent)
AP9899	R 3,713	Apc Power Cord, C20 to IEC309 (16A), 2.5m. 1.35(lbs) 0.61(kilos), 4.00x 12.00x 4.00(in) 10.20x 30.50x 10.20(cent)
CB-POWER	R 62	RCT 3 pin SA plug to IEC C13 Power cord
CB-POWER NEW ZA	R 66	RCT new South Africa plug (164-2) to IEC C13 - 16A Power cord
CB-POWER UK	R 61	RCT UK plug to IEC C13 Power cable
CNT-C19-F	R 138	LinkQnet C19 female IEC connector, JA-2261 (Note that this is just the connector, no cable or plug)
CNT-C20-M	R 102	LinkQnet C20 male IEC connector, JA-2263
CNT-C20M-1-FIG8-F-C5	R 338	LinkQnet C20 male connecter Figure 8 Female C5, 8761 (One converter connector - IEC C20 to clover figure 8)
IEC-MALE	R 29	Scoop Male IEC C14 10A Connector. 3x Ring Terminals are required but are not included. Connect L/N/E cables to ring terminals and screw into connector for a solid and safe electrical connection.
PWR-IECM	R 63	Linkqnet IEC C14 Male Connector (No cable, just connector)
SVDE450-ABLC	R 118	Dell 450-ABLC C13 to C14 PDU Style 10 AMP 6.5 Feet (2m) Power Cord - MUST BE ORDERED WITH ADDITIONAL PSU
UPAPAP8702S-WW	R 1,458	Apc Power Cord Kit (6 ea), Locking, C13 to C14, 0.6m, 1.53(lbs) 0.70(kilos), 9.45x 2.76x 1.57(in) 24.00x 7.00x 4.00(cent)
UPAPAP8704R-WW	R 2,341	Apc Power Cord Kit (6 ea), Locking, C13 to C14 (90 Degree), 1.2m, 2.22(lbs) 1.01(kilos), 9.45x 2.76x 1.77(in) 24.00x 7.00x 4.50(cent)
UPAPAP8704S-WW	R 2,341	Apc Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m, 2.22(lbs) 1.01(kilos), 9.45x 2.76x 1.77(in) 24.00x 7.00x 4.50(cent)
UPAPAP8706R-WW	R 3,248	Apc Power Cord Kit (6 ea), Locking, C13 to C14 (90 Degree), 1.8m, 2.98(lbs) 1.35(kilos), 9.45x 2.95x 2.17(in) 24.00x 7.50x 5.50(cent)
UPAPAP8706S-WW	R 3,248	Apc Power Cord Kit (6 ea), Locking, C13 to C14, 1.8m, 2.98(lbs) 1.35(kilos), 9.45x 2.95x 2.17(in) 24.00x 7.50x 5.50(cent)
UPAPAP8712R	R 2,960	Power Cord Kit (6 ea), Locking, C19 to C20 (90 Degree), 0.6m
UPAPAP8712S	R 2,960	Apc Power Cord Kit (6 ea), Locking, C19 to C20, 0.6m
UPAPAP8714R	R 3,932	Apc Power Cord Kit (6 ea), Locking, C19 to C20 (90 Degree), 1.2m
UPAPAP8714S	R 3,932	Apc Power Cord Kit (6 ea), Locking, C19 to C20, 1.2m
UPAPAP8716R	R 4,882	Apc Power Cord Kit (6 ea), Locking, C19 to C20 (90 Degree), 1.8m
UPAPAP8716S	R 4,882	Apc Power Cord Kit (6 ea), Locking, C19 to C20, 1.8m
UPAPAP8754	R 995	Apc Power Cord, Locking C19 to Australia Plug, 3.0m, 240
UPAPAP8755	R 1,038	Apc Power Cord, Locking C19 to CEE/7 Schuko, 3.0m, 240V
UPAPAP8756	R 1,038	APC Power Cord, Locking C19 to BS1363A (UK), 3.0m, 240V
UPAPAP8758	R 1,967	APC Power Cord, Locking C19 to IEC309-16A, 3.0m
UPAPAP8759	R 664	APC Power Cord, Locking C19 to Rewireable, 3.0m, 240V
UPAPAP8760	R 1,746	APC Power Cord, Locking C19 to C20, 3.0m
UPAPAP9870	R 641	APC Power Cord, C13 to C14, 2.5m
UPAPAP9871	R 1,326	APC Power Cord, C19 to L6-20P, 3.7m
UPAPAP9872	R 1,171	APC Power Cord, C19 to 5-15P, 2.5m
UPAPAP9875	R 1,216	APC Power Cord, C19 to CEE/7 Schuko, 2.5m

UPAPAP9876	R 1,967	APC Power Cord, C19 to IEC309 16A, 2.5m
UPAPAP9877	R 1,105	APC Power Cord, C19 to C20, 2.0m
UPAPAP9878	R 1,171	APC Power Cord, C19 to C14, 2.0m
UPAPAP9879	R 1,171	Apc Power Cord, C13 to C20, 2.0m, 1.00(lbs) 0.46(kilos), 12.00x 4.00x 4.00(in) 30.50x 10.20x 10.20(cent)
UPAPAP9880	R 1,171	Apc Power Cord, C14 to CEE 7/7 Schuko, 0.6m
UPAPAP9887	R 4,551	APC Power Cord, C19 to C20, 4.5m, 230
UPAPAP9890	R 1,237	APC Power Cord Kit (5 ea), C13 to C14, 0.6m
UPAPAP9892	R 729	APC Power Cord, C19 to C20, 0.6m
UPAPAP9895	R 1,348	APC Power Cord, C19 to BS1363A (UK), 2.4m
UPAPAP9896	R 1,326	APC Power Cord, C19 to L6-30P, 2.4m
UPAPAP9897	R 2,893	APC Power Cord, C19 to 15A Australia Plug, 3.7m
UPAPAP9899	R 3,556	Apc Power Cord, C20 to IEC309 (16A), 2.5m
ZPWRCORD-MF2	R 70	Miro Power Cord - IEC C14 / C13 Male-Female Extension Cable, 1.8 Meter

< Return to the menu

UPS IEC to SA multiplugs

Product code	Price	Description
10AA	R 86	Microworld 6 way Multi-plug IEC male connector, 3x 16A 3x 5A, 2 pin sockets complete with overload protection, IEC male connector
INS-MP-6W-50CM-IEC	R 90	Unbranded 6-way Multi plug with 50cm IEC Male Power cord - 3x 16A and 3x 5A
MP-01	R 162	MP-01 Multi plug (IEC) 1 1 WAY - 10 Amp. Output from UPS to South Africa Multiplug. Multiplug IEC 1 1 Way, Mains: 230VAC 10Amp, Socket: 1 x SA Round (Type D) & 1 x 2-pin
MP-02	R 161	PSS MP-02 Multi plug (IEC) 2 way - 10 Amp (Connects a UPS to a device with a standard SA power plug)
MP-02WIEC	R 52	Scoop multi plug white 1x 16A 1x 5A with 0.5m IEC cord (For use with a UPS, connects a UPS to a device with a standard 3 pin SA plug)
MP-02WIEC-B	R 52	Scoop Multi plug 1x 16A 3 pin Socket & 1x 5A 2- pin round Socket - 0.5m IEC cord Black, 2-way black multi-plug
MP-04	R 193	PSS MP-04 Multi plug (IEC) 2 2 way - 10 Amp (Connects a UPS to a device with a standard SA power plug)
MP-06WIEC	R 86	Scoop Multi Plug white 3x 16A 3x 5A with 0.5m IEC Cord (Connects a UPS to a device with a standard SA plug)
MP-06WIEC-B	R 86	Scoop Multi plug 3x 16A 3 pin sockets & 3x 5A 2- pin sockets - 0.5m IEC cord Black, 6-way Black Multi-plug
MP-10WIEC	R 115	Scoop Multi Plug 5x16A 5x5A 0.5m IEC Cord (Connect other equipment that uses South African 2 pin and 3 pin power plugs to a UPS)
MP-10WIEC	R 121	Scoop Multi Plug 5x16A 5x5A 0.5m IEC Cord
MP-10WIEC-B	R 115	Scoop Multi plug 5x 16A 3 pin sockets & 5x 5A sockets - 0.5m IEC cord Black, 4x 5A 2 pin sockets and 1x 5A 2 pin round Socket, 10-way Black Multi-plug, 0.5m cord with moulded IEC plug
MP-44	R 205	PSS MP-44 Multi plug (IEC) 4 4 way - 10 Amp
POW-MP5+5-IEC	R 109	Unbranded Multi plug with IEC cord (5x16A 5x5A) - White

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

USB

USB hubs

Product code	Price	Description
128954	R 193	Equip 128954 Hub USB-C to 4-port USB 3.0 Hub, USB Type-C male connector, 4x USB Type-A 3.0 Ports
128957	R 216	Equip 128957 7-port USB 2.0 to USB Type-A Hub, 480 Mbps Data rate, USB Powered, Extra DC Power cable
128958	R 229	Equip 128958 USB-C to 4 port USB 3.0 hubs - Aluminium
161510	R 89	Manhattan USB 4 Port Flower Pot Hub Retail Box USB2.0
163552	R 479	Manhattan 3-Port Type-C USB 3.0 Hub, Retail Box
50H55UT	R 1,321	HP Universal USB-C Multiport Hub

50H55UT	R 1,346	HP Universal USB-C Multiport Hub
61073	R 298	Goobay 61073 4 port USB-C Multiport Adapter, 4x USB 3.0 Female Outputs, USB-C connector Input, 625 MB/s Data reading speed, 625 MB/s Data writing speed
6G843AA	R 599	HP 4K USB-C Multiport Hub
6G843AA	R 649	HP USB-C Multiport HUB - USB Type-C Interface, 2X SuperSpeed USB Type-C 10Gbps Signal Rate, 1X USB Type-C To Connect To Your 4K Display, 1X USB Type-C Port (65W Power), 4K Ultra HD , 30 cm Cable Length, Black, Retail Box
74456	R 206	Goobay Slim 4-Port USB Hub, USB-A plug (USB 3.2) to 1x USB-A socket (USB 3.2), 3x USB-A socket (USB 2.0)
74458	R 206	Goobay Slim 4-Port USB Hub - USB-A to 1 x USB-C 1 x USB-A USB 3.2 2 x USB2.0
74459	R 206	Goobay Slim 4-Port USB Hub - USB-C to 1 x USB-C 2 x USB-A USB2 1 x USB-A 3.2
74460	R 298	Goobay Slim 5-Port Type C USB Hub, USB C to 1x USB-C, 1 x USB-C PD, 1x USB-A 3.2, 2x USB-A 2.0; 5 Gbps maximum data transfer; 100 W maximum PD pass-through; aluminium alloy and plastic housing; light grey; 116.9 x 15.6 x 8.1mm; approximately 23g
900121	R 243	Port 4 Ports USB 3.0 (B2b) Hub
900121	R 248	Port USB3.0 to 4 x USB3.0 5Gbps 4 Port Hub - Black
900122	R 544	Port Connect 900122 USB Type-C to 3x USB3.0 & 1x Type-C Adapter Black
900123	R 260	Port 4 Ports Type C (B2b) USB Hub
900123	R 250	Port USB Type-C to 4 x USB3.0 5Gbps 30cm 4 Port Hub - Black
900160	R 124	Port Connect USB Type-C to 4-port USB-A 3.0/2.0 Hub
900161	R 168	Port Connect USB Type-C to 4-port USB-A 3.0 Hub
900161	R 163	Port Connect USB Type-C to 4-port USB-A 3.0 Hub
900163	R 190	Port USB Type-C Hub 4 x USB 1 x Charging Port
A84512-B	R 108	Astrum UH020 4-in-1 USB 3.0 Hub and Card Reader, 3 Ports Hub with 1x USB 3.0 / 2x USB 2.0 / 1x TF / 1x SD Card Reader
A84513-B	R 108	Astrum UH030 4-in-1 USB Type-C 3.1 Hub and Card Reader, 3 Ports Hub with 1x USB 3.0 / 2x USB 2.0 / 1x TF / 1x SD Card Reader
A84515-B	R 138	Astrum UH050 USB 2.0 Hub 4 Ports full speed Black
A84535-B	R 163	Astrum UH350 USB HUB 4PORTS USB3.0 5GBPS METAL
ACH114EU	R 123	Targus 4 Port USB 2.0 Hub
ACH114EU	R 136	Targus ACH114EU 4 port USB 2.0 Hub, Hub draws Power from USB Port
ACH226EU	R 366	Targus ACH226EU USB-C 4 Port Hub with Aluminium case, Turn one USB-C Port into 4 USB Type-A 3.0 ports, Supports up to 5Gbps Data Transfer Rate per USB Type-A Port, Maximum 900mA Output per USB Type-A Port
ACH228EU	R 613	Targus ACH228eu USB-C multi-port Hub with 2x USB Type-A and 2x USB-C, 100W Maximum power delivery pass thru, 5 Gbps Maximum USB Data transmission rate, Thunderbolt 3 compatible
AP06041-P	R 99	Bone Collection Doggy Link Portable 2-port USB hub - USB 2.0 compliant and USB 1.1 compatible-No external power required-Flexible ' n ' bendable design - Pink, Retail Box
B203-104-IND	R 3,542	Eaton Tripp Lite series 4-Port Industrial USB over Cat6 Extender, ESD Protection, PoC - USB 2.0, Mountable, 150 ft. (45.72 m), TAA, Order on Request
CAB-EXT-4-P-HUB-U	R 639	Unitek Y-2516 USB2.0 Extender up to 60m Over RJ45 4-Port Hub; Cat.5, Cat.5e and Cat.6; 4 x USB2.0 Type-A female ports; 1 x USB2.0 Type-A male; up to 480Mbps; 5V2A power; 60 x 52 x 20mm; plug and play
CHB265U2	R 58	Okion High Speed Usb & Ethernet Docking Station, Quick and easy way to connect upto 3 USB peripherals and Lan.
CM219-25851	R 109	UGREEN 4-Port USB 3.0 Hub
CM219-70336	R 181	Ugreen 4-in-1 Type-C Hub, Type-C Male Input, 4x USB 3.0 Type-A Female Output, Up to 5Gbps Data transfer Speed
CM481-90307	R 649	UGreen 7 in 1 USB 3.0 Hub Grey, 1x Type-C Female Input, 7x USB 3.0 Type-A Female Output, Up to 5Gbps Data transfer Speed, 5V/3.5A Max total Output, 1.5 m Adapter cable length, 1 m Type-C cable length, Aluminium Alloy Shell
CM662-15705	R 461	UGREEN USB 3.0 Sharing Switch 2 In 4 Out (Only one Unit)

CNS-TDS02G	R 177	Canyon DS-02 Grey USB-A/C 4 Port Hub, Ultra Compact Size: 107x17x7 mm, Input: Type C, USB-A, Outputs: 4 ports, USB-A: 3xUSB 2.0, 480Mbps, 1xUSB 3.0, 5Gbps, OS: Windows, MacOS, Android, Aluminum Case
CNS-TDS02P	R 177	Canyon DS-02 Pink 4 Port USB-C Hub, Ultra Compact Size: 107x17x7 mm, Input: Type C, USB-A, Outputs: 4 ports, USB-A: 3xUSB 2.0, 480Mbps, 1xUSB 3.0, 5Gbps, OS: Windows, MacOS, Android, Aluminum Case
CNS-TDS18	R 329	Canyon DS-18 Grey 5 Ports USB-C Hub, Input: Type C, Output: 5 ports, High-speed data transferring; Charging - PD 100W, OS - Windows, MacOS, Android, Size: 11x31x96.7 mm; Weight: 37.1 g; Material: Aluminum. Ports: 2*USB 3.2, 10Gbps; 2*Type-C, 10Gbps; 1*Type-C 5V DC charging
CNS-TDS3	R 249	Canyon DS-3 Dark Grey 3 Port USB (C) Hub, Ultra Compact: 61.4x40x11.4 mm, Input: Type C, Outputs: 3 ports, High-Speed Data Transfer: USB-A: 2xUSB 3.2 10Gbps; USB (C): 1xType C 10Gbps, OS: Windows, MacOS, Android, Aluminium Case
CNS-TDS4	R 241	Canyon DS-4 Grey 3 Ports USB-C HUB, Input: Type C; Output: 3 ports - 1*4K Ultra HD, 30 Hz; 1*USB 3.2, 10Gbps; 1*PD 100W, High speed data transferring; Charging - PD 100W, OS: Windows, MacOS, Android, Size: 61.4*40*11.4 mm; Weight: 31.1g: Material: Aluminum
CNV-LKV300USB	R 4,912	Lenkeng LKV300USB 50m 4 port USB 3.0 extender, CAT6 < 50m, Cat 6A < 90m
CR106-20277	R 89	Ugreen 4-in-1 USB 2.0 Hub (20777) - Black, USB 2.0 a Male Input, 4 x USB 2.0 a Female Output, Up to 480 Mbps Data transfer Speed, Micro USB Power Port, Up to 10TB External Hard Drive supported Storage Capacity
CR113-20290	R 152	Ugreen 4 port USB 3.0 Hub with Micro USB - 0.5m cable, 4x USB 3.0 Type-A Female Output, USB 3.0 Type-A Male Input, GL3510 Chipset, Up to 5Gbps Data transfer Speed, Up to 12TB external hard drives supported Storage Capacity
CR113-20291	R 159	Ugreen 4 port USB 3.0 Hub with Micro USB - 1m cable, 4x USB 3.0 Type-A Female Output, USB 3.0 Type-A Male Input, GL3510 Chipset, Up to 5Gbps Data transfer Speed, Up to 12TB external hard drives supported Storage Capacity
CT-HBP1-AG6-0.15M	R 298	CableTime 6 IN 1 USB C Hub with HDMI and 100W Power Delivery for Macbook Pro Air
CT-HUBL1-AG	R 1,489	CableTime 12 IN 1 USB C Hub with 2 HDMI 1 DisplayPort for Laptop. The CT-HUBL1-AG Lens Series 12-in-1 USB-C Hub offers a comprehensive connectivity solution for modern professionals. With dual HDMI ports, a DisplayPort, multiple USB ports, and more, it ensures seamless integration with various devices. Its sleek aluminum design and compact form factor make it an ideal companion for laptops and tablets, enhancing productivity wherever you are.
CT-HUBL2-AG	R 1,149	CableTime 10 In 1 Multi USB-C Hub Adapter 4K with VGA and HDMI Ethernet. The CT-HUBL2-AG is a 10-in-1 USB-C hub from the Lens Series, designed to enhance your device ' s connectivity options. It offers dual display support with 4K HDMI and 1080p VGA outputs, fast data transfer with USB 3.0 ports, high-speed internet connectivity via Gigabit Ethernet, and up to 100W power delivery. The hub ' s aluminum shell ensures durability, making it a reliable choice for professionals seeking to expand their device ' s capabilities.
CT-HUBT1-PB-0.2M	R 183	CableTime 4 Port USB A 3.0 Hub Superspeed 5Gbps with Power Supply. The 5V power supply ensures that mass storage devices and printers operate normally, and that multiple devices work simultaneously without failure. For use with laptops.
DELOCK-87587	R 1,955	Delock Adapter USB 2.0 to 4 x serial RS-422/485, 87587
DS-USB-C-DOCK-D1022A	R 2,299	Unitek usb3.1 Type-C PD 11 in 1 dock (D1022A)
DSY-H20	R 99	Disney Hannah Montana USB 2.0 Mini HUB - Transfer speed: 480mbps, Retail Packaged
DSY-H51	R 99	Disney Cars Mini USB 2.0 HUB - Transfer speed: 480mbps, Retail Packaged
DTHPZ6A00AA	R 334	HP Z6A00AA USB-C to USB-A HUB, 3x USB-A Outputs
H3TS-U3-V1-BK	R 288	ORICO 3 PORT USB3.0 HUB / SD CARD READER,It supports most USB devices such as card reader, flash drive and hard drive. Compact palm-sized grip and lightweight, easy for carrying on when travelling or mobile working.
HR01-U3-V1-BK-BP	R 403	Orico HR01-U3-V1 3 Port USB 3.0 Hub with Gigabit Ethernet Adapter, 0.3m USB 3.0 cord
HU-3D	R 242	3Dconnexion Dual port USB hub - micro compact size, 1.5m detachable USB cable, Bus Powered
HU-JCH168+CR	R 861	J5 JCH168W - USB-C hub, 2x USB-C 1x USB-A card reader, UHS-II support, 5Gbps transfer, sleek design
HU-JCH343	R 286	J5 create JCH343 USB type-C (5Gbps) -> 4x type-A (USB 3.1/3.0/2.0) Hub, ideal for desktop or notebook/new macbook, 42x17x69mm 250mm cable, aluminium housing, USB-powered (no AC-adapter)
HU-JCH347+CR	R 363	J5 create JCH347 USB type-C (Gen1 5Gbps) -> 3x type-A (USB 3.1/3.0/2.0) hub dual card readers (SDXC

		miCroSDXC), ideal for desktop or notebook/new macbook, 33x95x16mm 230mm cable, aluminum housing, USB-powered (no AC-adapter)
HU-JCH377	R 541	j5 create JCH377 USB type-C (5Gbps) -> 7x type-A (USB 3.1/3.0/2.0) Hub, with 1 x 2.4Amps fast charge port, ideal for desktop or notebook/new macbook, 150x33x15mm 900mm cable, aluminium housing, USB-powered, with AC-adapter
HU-JCH411+V	R 430	J5 create JCH411 USB type-C (Gen1 5Gbps) -> 3x type-A (USB 3.1/3.0/2.0) hub D-sub (1920x1200), ideal for desktop or notebook/new macbook, 33x95x16mm 230mm cable, aluminum housing, USB-powered (no AC-adapter)
HU-JCH451+H	R 629	j5 create JCH451 USB type-C (Gen1 5Gbps) -> 3x type-A (USB 3.1/3.0/2.0) hub 4K HDMI, ideal for desktop or notebook/new macbook, 33x95x16mm 230mm cable, aluminum housing, USB-powered (no AC-adapter)
HU-JCH462+WS	R 1,060	j5 create JCH462 usb type-C with type-A converter (Gen1/5Gbps) -> 1x type-C 2x type-A (Gen1/5Gbps) hub Wormhole Switch with KVM , share screen, files, keyboard, mouse, and clipboard between 2x windows PCs , support extend or duplicate screen between two Windows devices effortlessly
HU-JCH471+L	R 391	j5 create JCH471 USB type-C -> 3x type-A (USB 3.1/3.0/2.0) hub LAN (gigabit), ideal for desktop or notebook/new macbook, 44x91x19mm 145mm cable, aluminium housing, USB-powered (no AC-adapter)
HU-JUH340+P	R 507	J5 Create JUH340 4x Usb3.0 hub 5Gbps (USB 2.0 backwards compatible), 88x33x15mm compact size 600mm cable, aluminum housing, USB-powered Power (ac-adapter included)
HU-JUH340-P	R 340	J5 Create JUH340 4x Usb3.0 hub 5Gbps (USB 2.0 backwards compatible), 88x33x15mm compact size 600mm cable, aluminum housing, USB-powered - no Power (ac-adapter)
HU-JUH345R	R 567	J5 Create JUH345Re Harmonica, White & Red, 4x USB 3.0 hub 5Gbps (USB 2.0 backwards compatible), support fast charge B.C v1.2 up to 2A per port, 111x36x21mm, aluminium housing, USB-powered with AC-adapter
HU-JUH377	R 718	J5 Create JUH377 7x USB 3.0 Hub 5Gbps (USB 2.0 backwards compatible), 150x33x15mm compact size 600mm cable, aluminium housing, USB-powered with AC-adapter
HU-JUH470+L	R 496	j5 create JUH470 3x USB 3.0 hub 5Gbps (USB 2.0 backwards compatible) LAN (gigabit), 91x44x19mm compact size, ideal for desktop or notebook, aluminium housing with black colour
HU-JUH660	R 374	J5 create JUH660 android AoA/ oTG - 2x port hub - for kb mouse USB storage to work on android mobile device, aluminum, 2x USB2.0 (type A - micro type B), 2m
HU-PC314	R 449	PQI RF08-0057R011J Connect 314 USB 3.1 type-C -> 3x type-A (USB 3.1/3.0/2.0) 1x usb3.1 type-C Hub, ideal for desktop or notebook/ new macbook, 91x40.5x16mm, aluminium housing, USB-powered (no AC-adapter)
HUB-CAB-H1319A-CL	R 240	Unitek H1319A USB Type-C to 4 port USB 3.0 Hub with Bi-Directional detachable cable - Cream, 4x USB Type-A 5Gbps (Downstream), 1x USB Type-A (Upstream), 1x USB-C (Upstream) USB-C, 15cm cable length, PVC material
HUB-CAB-H1319A-PK	R 240	Unitek H1319A USB Type-C to 4 port USB 3.0 Hub with Bi-Directional detachable cable - Pink, 4x USB Type-A 5Gbps (Downstream), 1x USB Type-A (Upstream), 1x USB-C (Upstream) USB-C, 15cm cable length, PVC material
HUB-CAB-H1319A-WH01	R 240	Unitek H1319A USB Type-C to 4 port USB 3.0 Hub with Bi-Directional detachable cable - White, 4x USB Type-A 5Gbps (Downstream), 1x USB Type-A (Upstream), 1x USB-C (Upstream) USB-C, 15cm cable length, PVC material
HUB-TYPE-C-4-IN-1-U	R 347	Unitek uHub Q4 4-in-1 powered USB-C Ethernet Hub, H1110a, 3x USB Type-A, Gigabit Ethernet RJ45
HUB-USB-13P-Y-2132	R 475	Unitek Y-2132 13-Port USB2.0 Hub; up to 480Mbps; USB 1.1 backward compatible; plug-and-play; hot swapping; LED port and power status; over-current detection; external power adapter; slim design; weight: 0.30 kg
HUB-USB-4IN1-H1112D	R 426	Unitek H1112D uHub Q4 USB Type-C 10Gbps Hub with 2x USB Type-A and 2x USB Type-C, USB-C Host Port compatibility, 2x USB Type-A 10Gbps (Downstream), 1x USB-C 10Gbps (Upstream), 2x USB-C 10Gbps (Downstream), 30cm cable length, Aluminum Alloy material
HUB-USB-4IN1-H1112E	R 391	Unitek H1112E uHub Q4 4 port USB Type-C 10Gbps Hub, 4x USB Type-A 10Gbps (Downstream), 1x USB-C 10Gbps (Upstream), USB-C Host Port compatibility, 30cm cable length, Aluminum Alloy material
HUB-USB-4P-Y-2140	R 102	Unitek USB2.0 4-Port Hub
HUB-USB-4P-Y3145C	R 240	Unitek Y-3145C 4 port USB 3.0 5Gbps Hub with BC1.2 charging, 4x USB Type-A 5Gbps (Downstream), 1x USB Type-A 5Gbps (Upstream), Micro USB Power source
HUB-USB-A-4P-Y3089V1	R 213	Unitek Y-3089V01 4 port USB 3.0 Type-A 5Gbps Hub with 1.2m cable, 4x USB Type-A 5Gbps (Downstream), 1x USB Type-A 5Gbps (Upstream), 1.2m cable length, ABS housing

HUB-USB-C-4P-H1107K	R 436	Unitek uHub Q4 Next 4 Ports USB-C Hub, H1107k, USB-C upstream, 4x USB-C (Up to 5Gbps) downstream
HUB-USB-C-4P-H1208B	R 113	Unitek USB 3.0 Type-C 4 port Hub, H1208B, 1x USB Type-A 5Gbps Port, 3x USB Type-A 480 Mbps Ports, USB Type-C connector Type, Aluminium Alloy
HUB-USB-C-5P-D1051A	R 534	Unitek 5-port type-c u hub trio D1051A
HUB-USB-H1208A	R 113	Unitek USB Type-A to 4 port Hub - Space Grey, H1208A, 1x USB Type-A 5Gbps, 3x USB Type-A 480 Mbps, Aluminium Alloy
HUB-USB-H1209A	R 230	Unitek uHub S7 H1209A 7-port USB Type-A/C 5Gbps Hub, 1x USB Type-A 5Gbps (Upstream), 1x USB Type-A 5Gbps (Downstream), 6x USB Type-A 480 Mbps (Downstream), 1x USB-C 5Gbps (Upstream), 15cm cable length, Aluminum Alloy material
HUB-USB-H1302A	R 493	Unitek uHub Q4 Advanced 4-in-1 USB-C Hub in 10Gbps, 2x USB Type-A & 2x USB-C x2 downstream
HUB-USB3-3P-Y-3088B	R 391	Unitek USB 3-port Hub with Gigabit LAN, Y-3088B, Gigabit Ethernet Network Adapter, Aluminium Alloy
HUB-USB3-4P-HB08003	R 714	Unitek Y-HB08003 Usb3.1 Gen2 4 Port Hub
HUB-USB3-4P-OTG-U	R 766	Unitek Y-3067 USB 3.0 4-port OTG Charge Hub Stand
HUB-USB3-4P-Y-3089	R 182	Unitek Y-3089 USB3.0 4-Port Hub
HUB-USB3-4P-Y-3145	R 291	Unitek Y-3145 Black USB 3.0 4-port Hub
HUB-USB3-4P-Y3089Z	R 196	Unitek Y-3089Z01 USB Type-C to 4 port USB Type-A 5Gbps Hub, 4x USB Type-A 5Gbps (Downstream), 1x USB-C 5Gbps (Upstream), 30cm cable length, USB-C Power source, ABS housing material
HUB-USB3-7P-ALUM-U	R 682	Unitek Y-3090 7-Port USB3.0 Aluminium Hub with BC1.2 Charging; up to 5Gbps; BC1.2 charging; 5V2A power supply; aluminium alloy housing; 157 x 30 x 21mm; 40cm cable; plug and play; USB 2.0/1.1 compatible
HUB-USB3-H1111A	R 489	Unitek H1111A 4-in-1 USB 3.2 Gen1 Type-A Dock, USB Type-A male upstream, 3x USB Type-A, Gigabit Ethernet RJ45
HUB-USB3-H1111D	R 258	Unitek H1111d uHub Q4 4 Ports powered USB 3.0 Hub, Optional external Power via Micro USB
HUB-USB3.0-4P-U	R 386	Unitek USB3.0 4-Port Hub with Charging Function
HUB-USB3.0C-4P-LQ	R 156	LinkQnet USB 3.0 Type-A/C 4 port Hub, Supports High-Speed USB 3.0 Data transfer, Up to 5Gbps Data transfer Speed
HUB-USB3.1-C-3P-HDMI	R 411	Unitek V300A USB3.1 Gen1 Type-C 3-Port Hub HDMI Converter
HUB-USB3.1C-3P-U	R 180	Unitek H1108a USB3.1 3-port USB Hub With Card Reader
HUB-USB3C-2P-LAN	R 426	Unitek Y-9106 Type-C 2-Port USB3.0 Hub with Power Delivery and Gigabit Ethernet Converter; Gigabit Ethernet 10/100/1000Mbps; USB Power Delivery up to 20V 3A; IPv4 and IPv6; Wake-On-LAN; 30cm cable; 98 x 39 x 16mm; aluminium housing
HUB-USB3C-3P-HDMI	R 856	Unitek USB3.1 Type-C Multi-Port Hub with Power Delivery
HUB-USB3C-3P-U	R 582	Unitek USB3.1 Type-C Multi-Port Hub with Power Delivery
HUB001	R 102	Microworld USB 3.0 Slim 4 port Hub - Silver
HUB005	R 69	Unbranded USB 10 Port Hub Version 2.0
HUB007	R 46	Unbranded USB 7 Port Hub Version 2.0
HUB009	R 102	Unbranded 4 Port Hub USB 3.0
HUB009	R 129	UniQue USB 3.0 4 Port Hub
HUB010	R 35	Unbranded 4 Port Hub USB 2.0
HUB013	R 69	Microworld HUB013 USB-C to USB 4 port Hub, 4x USB 2.0 Ports, 480 Mbps Data Speed transfer Speed, ABS housing material
HUB99	R 115	Microworld HUB99 USB 3.0 Hub splitter, USB 3.0 to 1x USB 3.0 and 2x USB 2.0
IP-003	R 150	Geeko iPad Card Reader and HUB Kit, Retail Box, No Warranty
M07475	R 345	Hyperkin M07475 Armor3 Universal 4 port USB 3.0 Gaming Hub, Provides 4 extra USB 3.0 Ports for Wired controllers or other USB devices
M3H4-V1-SV	R 334	Orico M3H4-V1-SV 4 Port USB 3.0 Hub Aluminium Silver, Via-Labs VL812 controller, 1m USB 3.0 cord
M49147	R 284	Verbatim 4-port USB 3.2 Gen 1 Type A - USB-c Multiport Hub
M49540	R 744	Verbatim Travel Adaptors And C Type Hubs
MH4U-U3-10-CR-B	R 253	Orico MH4U-U3 4x USB 3.0 Hub with 100cm cable, 4x USB 3.0 Output, 1x Micro USB 3.0 Input, transparent PC material

MT-217	R 173	MT-Viki 7 Port USB 2.0 Hub, Speed up to 480 Mbps
MT-450FT	R 1,323	MT-Viki MT-450FT 100m USB 2.0 extender, Single CAT5 / 5e / CAT6 cable.
NBHP6G843AA	R 1,044	HP 6G843AA 4K USB-C Multiport Hub, 30 cm cable length, 2x USB Type-C 10Gbps Ports
NBHPZ6A00AA	R 334	HP Z6A00AA USB-C to USB-A HUB, 3x USB-A Outputs
NBTAAACH114EU	R 133	Targus 4 Port USB 2.0 Hub
NET-TL-UE330	R 336	TP-Link UE330 USB 3.0 3-Port Hub & Gigabit Ethernet Adapter 2 in 1 USB Adapter
NET-TL-UH400	R 149	TP-Link UH400 USB 3.0 4-Port Portable Hub
NET-TL-UH700	R 523	TP-Link UH700 USB 3.0 7-port Hub with 2 charging Ports, 7x USB 3.0 standard Type-A Output Interface, 1x USB 3.0 Micro-B Input Interface, 12V 2.5A Power Adapter
NET-TL-UH720	R 598	TP-Link UH720 USB 3.0 7-Port Hub with 2 Charging Ports
PMD128GH013	R 1,041	Patriot MD330 128GB 3-in-1 Storage Hub. 128GB storage, 4K HDMI output, USB-C PD 3.0 up to 100W, Plug & play compatibility, Ultra-portable design
PMD256GH013	R 1,369	Patriot MD330 256GB 3-in-1 Storage Hub. Model: PMD256GH013; Storage Capacity: 256GB; Ports: HDMI x1 (4K@60Hz), USB-C / PD x1 (PD 3.0 100W Max); Compatibility: iOS®, iPadOS®, Android(TM), Windows®, macOS®, Chrome OS(TM); Operating Temperature: 0°C to 60°C; Storage Temperature: -10°C to 65°C
PW4U-U3-015-WH-EP	R 161	Orico PW4U-U3-015-WH-EP 4 Ports USB-A To USB 3.0 Hub
TC2U-U3-WH-PRO	R 506	Orico 4 Port 2x USB-C and 2x USB3.0 Hub White, 1x USB3.0 Type-C input, 0.5m data cable
TP UH700	R 523	TP-Link UH700 USB 3.0 7-port Hub with 2 charging Ports, 7x USB 3.0 standard Type-A Output Interface, 1x USB 3.0 Micro-B Input Interface, 12V 2.5A Power Adapter
TP-UH400	R 149	TP-Link UH400 USB 3.0 4 port Hub, USB 3.0 Type-A Input Interface, 4x USB 3.0 Ports Output Interface
TP-UH9120C	R 672	TP-Link UH9120C USB Type-C 9-in-1 Hub. The TP-Link UH9120C is a versatile 9-in-1 USB Type-C hub designed for laptops and tablets. It offers 4K HDMI output, multiple USB ports, SD/microSD card slots, Gigabit Ethernet, and fast charging support. Its compact design and plug-and-play functionality make it ideal for home, office, and travel use.
TS-HUB2C	R 223	Transcend 4-port USB 3.1 Gen 1 Type-C Hub - Black - USB Bus powered, No extra power Adapter needed, Ultra slim and portable design, USB cable attached
TS-HUB2K	R 223	Transcend 4-port USB3.0 Hub - Black - USB bus powered, no extra power adapter needed - Ultra slim and portable design - USB cable attached
TS-HUB3K	R 353	Transcend Black 4-port USB 3.0 Hub - Powered via USB port or power adapter (included) - Supports USB battery charging and fast charging for iPad
TS-HUB5C	R 503	Transcend 4-port 6 in 1 USB3.1 Gen 2 Type C Hub - Black - 2 X USB 3.1 Type A, 2 x USB 3.1 Type C port (1 with PD Power Pass Through), SD & MicroSD card reader - USB Powered., Â© 2020 Laptop Direct
TWU32-6AST-BK-EP	R 253	Orico TWU32-6AST Hub USB 3.0 to 1x USB 3.0 / 5x USB 2.0 / SD & TF Card Reader, 15cm cable, ABS material
U2-7HL	R 230	Mecer External 7 Port USB 2.0 Hub with 2.5amp AC adaptor
UE330	R 336	TP-Link UE330 USB 3.0 to Gigabit Ethernet Network Adapter with 3-Port USB 3.0 Hub, 1 USB 3.0 connector, 1 Gigabit Ethernet port, 3 USB 3.0 ports, - 2 in 1 USB adapter that adds 3 additional USB 3.0 ports and Gigabit Ethernet network connectivity to your devices
UE330	R 393	TP-Link UE330 USB 3.0 to Gigabit Ethernet Network Adapter with 3-Port USB 3.0 Hub, 1 USB 3.0 connector, 1 Gigabit Ethernet port, 3 USB 3.0 ports, - 2 in 1 USB adapter that adds 3 additional USB 3.0 ports and Gigabit Ethernet network connectivity to your devices
UH3020C	R 408	TP-Link UH3020C USB Type-C 3-in-1 Hub; 1 x HDMI 4K at 60Hz; 1 x USB-A 3.0 5Gbps; 1 x USB-C PD 100W; aluminum alloy case; 180mm braided cable; 52.7 x 60.5 x 12.2mm; Windows, macOS, iPadOS, iOS, ChromeOS, Linux, Android and Nintendo OS
UH400	R 206	TP-Link UH400 USB 3.0 4 port Hub, USB 3.0 Type-A Input Interface, 4x USB 3.0 Ports Output Interface
UH6120C	R 599	TP-Link UH6120C USB Type-C 6-Port Hub, Ultra High-Definition Media Display, Stable Gigabit Connection, Powerful 100W Fast Charging, 5 Gbps SuperSpeed Data Transfer, Easy to Use with Plug & Play
UH700	R 522	TP-Link UH700 USB 3.0 7-Port Hub
UH700	R 580	TP-Link UH700 USB 3.0 7-port Hub with 2 charging Ports, 7x USB 3.0 standard Type-A Output Interface, 1x USB 3.0 Micro-B Input Interface, 12V 2.5A Power Adapter

UH7020C	R 543	TP-Link UH7020C USB Type-C 7-in-1 Hub; HDMI 4K@60Hz; 100W PD 3.0; 1 x USB-C 5Gbps; 2 x USB-A 5Gbps; SD/microSD UHS-I up to 200MB/s; aluminium alloy; 127 x 40 x 12.2mm
UH720	R 597	TP-Link UH720 USB 3.0 7-Port Hub with 2 Charging Ports
UH720	R 655	TP-link UH720 USB 3.0 7-port Hub with 2 charging ports, 1x USB 3.0 Micro-B Input Interface, 12V 4A power Adapter, 7x USB 3.0 standard typea, 2x 2.4A charging ports
US216-30767	R 201	UGREEN 2 In 4 Out USB 2.0 Sharing Switch Box (Only 1 unit)
US216-30768	R 323	UGREEN 2 In 4 Out USB 3.0 Sharing Switch Box
USB-2P	R 173	Unbranded USB 2.0 Auto Sharing Switch For Printers
USB-C-HUB-10-IN-1-EU	R 903	Unitek 10in1 USB Type-C & USB Type-A Hub Switch, H1315B01-EU, 8x USB Type-A 5Gbps, 2x USB-C 5Gbps, Aluminium Alloy material
USB-HUB-3	R 1,696	Dtech USB Type-A to 4 port USB 3.0 Hub, USB-HUB-3, 5Gbps Speed, 5V 2.4A Multi-Port
USB-HUB-4	R 1,696	Dtech High Speed USB 3.0 Hub 4 port Hub - Black, 5Gbps DC 5V 2.4A Multi-Port charger USB extension Hub, USB-HUB-4
VK-20011-SL	R 155	Volkano Pivot series Silver 4 port USB Hub
VK-20208-SL	R 506	VolkanoX Media Series 4 port USB 3.0 Hub with Power cable
VK-20226-CH	R 287	Volkano Expand Series Type-C to 4 port USB Hub
W5P-U2-030-BK-B	R 98	Orico W5P-U2 4 Port USB 2.0 Hub - Black, 4x USB 2.0 Type-A, 48 Mbps transfer rate, 30cm cable length
W5P-U2-100-BK-B	R 230	Orico W5P-U2-100 4 Port USB 2.0 Hub Black, ABS material, USB Power Supply, Blue LED indicator
W5P-U2-100-BK-BP	R 109	Orico W5P-U2-100 4 Port USB 2.0 Hub Black, ABS material, USB Power Supply, Blue LED indicator
W5P-U3-100-BK-B	R 173	Orico 4 Port USB 3.0 Hub Black, ABS material, USB Power Supply, Blue LED indicator
W5PH4-U3-V1-BK	R 173	Orico W5PH4-U3-V1 Ultra mini USB 3.0 4 Port Hub, Expand 4 USB 3.0 ports for your Computer or Tablet and protect the original Port
WB-8PGY-BP	R 861	Orico Wb-8pgy-bp Type-c 8-in-1 Hub
WX-HB109	R 184	WINX Connect simple USB / Type-C Hub, Type-C USB Host Interface, 4x USB 3.0 (Up to 5Gbps) Ports, Aluminium Alloy & ABS material
Z6A00AA	R 401	HP USB-C to USB-A HUB, 3x USB-A Outputs

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Video / BluRay / DVD standalone

Blu-Ray players

Product code	Price	Description

< Return to the menu

DVD players

Product code	Price	Description

< Return to the menu

DVD recorders

Product code	Price	Description

< Return to the menu

Video - peripheral hardware

Product code	Price	Description
BRK-TDV02	R 775	Lumi TDV02 DVD/AV shelf; TT02 Series accessory; steel construction; matte black; powder coated finish; 10kg load capacity; equipment size up to 428 x 326mm; dimensions: 428 x 351 x 47.5mm; suitable for DVD and AV equipment
BRK-TDV03	R 2,126	Lumi TDV03 Lockable DVD/AV cabinet; TT02 Series accessory; Steel construction; Powder coated finish; 403 x

	356 x 83mm; 40.3 x 35.6 x 8.3cm; Maximum load: 10kg; Lockable design

< Return to the menu

Video recorders

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Video Cameras

Action Cam / Body Cam

Product code	Price	Description
DS-MCW407/32G/GLE(C)	R 9,189	Hikvision Android 4G Big Button Body Camera, 2688 x 1512 Maximum recording Resolution, 4x Digital Zoom, 1x White Light, 2.4 mm fixed Lens, H.264, H.265 Video Compression, 60Hz 30 fps Main Stream, 2.0" 320 x 240 screen Display Resolution, 2GB RAM, 32GB ROM, Up to 10 m IR range, Wi-Fi, Bluetooth, Cellular Network SIM Card, GPS positioning mode, 1x Built-In Mic, Type-C charging Interface, Android 9.0 ting system, Up to 12 hours in 720p Resolution Battery duration
DS-MDS001/2T/TYPEC	R 21,097	Hikvision 8 Ports Desktop Dock station for 8 Body cameras, 2GB RAM, Up to 4 disks HDD - Maximum 8 TB for each disk, 1x USB 3.0, Up to 8 Body cameras, 1 build-in Speaker, Linux Operating System
RK-10001-BK	R 575	Rocka Edge Series HD 720p 1.3MP Action Camera, Black, 2 inch LCD touch screen, HD 720p video recording, CMOS 1.3 mega pixel sensor, Wide angle lens, Video recording with sound, JPEG Photo format, Waterproof up to 30 meters, Built-in rechargeable lithium polymer 3.7V 440mAh battery, Mini USB port, Class 10 Micro SD card of up to 32 GB (not included)
RK-10001-SL	R 402	Rocka Edge Series HD 720p 1.3MP Action Camera, Silver, 2 inch LCD touch screen, HD 720p video recording, CMOS 1.3 mega pixel sensor, Wide angle lens, Video recording with sound, JPEG Photo format, Waterproof up to 30 meters, Built-in rechargeable lithium polymer 3.7V 440mAh battery, Mini USB port, Class 10 Micro SD card of up to 32 GB (not included)
TS-DBK2	R 436	Transcend Body Cam Accessory kit -Magnetic Mounting Kit, Molle Mount and Camera Holder
TS-DPD6C	R 6,945	Transcend Multifunction Docking Station for DrivePro Body 40 Body Camera, 1x USB Type-A (USB 3.1 Gen 1), 1x Gigabit Ethernet WAN, 1x 10/100 Mbps Ethernet LAN, 6x USB Type-C device Interface
TS-DPD6N	R 6,945	Transcend DPD6N 6 port docking station for the DrivePro Body 30 body cameras, Camera management / charging / data upload solution, Network-based, 1x Ethernet LAN port is used for administrative setup, 1x Gigabit WAN port is for data upload to a designated folder while charging, USB 3.0 port is also included for storing video recordings and snapshots to external storage devices
TS128GDPB30A	R 4,480	Transcend Bodycam 30 128Gb Body Camera
TS128GDPB40A	R 5,040	Transcend DrivePro Body 40 2K QHD Body Camera with 128GB Memory, IP68, 2K QHD at 60 fps, Sony Sensor and Infrared LED lights, 2.4GHz Wi-Fi, USB Type-C, 130 degrees viewing angle, 11 hours Battery Life, H.264 Video Format
TS64GDPB10D	R 2,799	Transcend TS64GDPB10D DrivePro Body 10 Body Camera with 64GB MicroSD card, USB Type-C Port, 130 degree viewing angle, 7 hours Battery Life (Max), Full HD 1080p Resolution, 30 / 60 fps Frame rate, MP4 (H.264) Video Format
TS64GDPB30A	R 3,738	Transcend TS64GDPB30A DrivePro Body 30 64GB Full HD Body Camera designed specifically for public safety professionals, F2.0 aperture, Wide 130 degree viewing angle, Sony exmor Imaging Sensor, 1080p (30fps) recordings, Four automatic Infrared LEDs, Image stabilization Technology, Bluetooth and Wi-Fi connectivity, Built-In Li-Polymer Battery allowing up to 12 hours of Video recording on a single charge, IP67 rated offers full protection against dust and Water with US Military drop-test standards for Shock resistance, 64GB internal storage for up to 12 hours of Full HD Video, Quick Snapshot Button
TS64GDPB70A	R 4,368	Transcend Drivepro Body Cam 70 Body Camera With 64Gb Memory
VK-10005-BK	R 1,035	Volkano Extreme series Black 4K Action Camera

VK-10006-BK	R 402	Volkano Lifecam Plus series Black Action Camera
VK-10014-BL	R 356	Volkano Kids Shutterbug Series HD action Cam - Blue, 720p HD Video recording, Up to 90 mins recording, 2.0 inch LCD screen, 3 MP image Resolution, 1280x720 Video Resolution, 400 mAh Battery

< Return to the menu

Analogue

Product code	Price	Description
DS-2CE17D0T-LFS(2.8mm)	R 414	Hikvision 2MP Smart Hybrid Light Audio Fixed Bullet Analogue Camera with 2.8mm Lens, IR & White Light up to 40m, IP67, 1920 (H) x 1080 (V) maximum Resolution, PAL / NTSC signal system, Microphone, Digital WDR, DWDR / BLC / HLC / Global, Switchable TVI / AHD / CVI / CVBS Video Output

< Return to the menu

Car / vehicle cameras

Product code	Price	Description
AE-DC2015-B1-32G	R 846	Hikvision B1 Dashcam with 32GB MicroSD, Built-In Microphone, Built-In Speaker, GPS, Wi-Fi, 1080p@25fps maximum Resolution, H.264 Video Compression, F23 Sensor, TF card Maximum 128 GB storage
AE-DC2018-K2	R 886	Hikvision K2 2MP Dashcam recorder for Car, 2MP Full HD 1920x1080 @ 30fps, 122 degrees Ultra wide angle Lens, F2.0 aperture, Parking monitoring, Support H.265, 5 layers HD Glass lenses, Built-In three-axis acceleration sensor
AE-DC2328-C200S-64GB	R 1,447	Hikvision C200S Dashcam with 64GB Micro-SD
AE-DC4328-K5	R 2,283	Hikvision 2K 2ch Dashcam, GC4653 front camera, GC2053/BG0836 rear camera, F1.55 aperture, Built-In Microphone, Built-In Speaker, 2.4G WiFi, 2160p @ 30fps front Resolution, 1080p @ 25fps rear Resolution, H.265 Video Compression, TF card storage, 3" 854x480 Display, JPEG image Format, Built-In G-Sensor sensor, Voice recognition, Parking monitoring
AE-DC8322-G2PRO	R 4,002	Hikvision G2 Pro 4K 2160p 2ch Dashcam with GPS, Sony IMX415 image sensor, F1.75 aperture front camera, F2.0 aperture rear camera, Built-In Microphone, Built-In Speaker, HDR, Image enhancement, GPS, 2.4G / 5G WiFi, 2160p @ 30fps 1080p @ 25fps Resolution, H.265 Video Compression, 3" 960x480 Display, Built-In G-Sensor module, Micro SD card up to 256GB
AE-DI2032-G40	R 4,410	Hikvision Industry Dashcam 1080p 2MP, Up to 1080p Resolution, Supports 3-ch Video & 1-ch Audio, Supports GPS and Speed overlay on picture, Wi-Fi, Supports 4G Network, Supports dual-tf card storage and recording Overwrite, Built-In Gyroscope, H.265 / H.264 Video Compression, Omnidirectional pickup Built-In Mic, Max 1.5 Built-In Speaker, Supports WDR, 2 Alarm Input, 1 SIM Card slot, 8 pin bm Male Terminal Power Interface
AE-DI5042-G4	R 5,463	Hikvision AE-DI5042-G4 5ch Dashcam 4G / GPS, 5-channel Video Input, H.264 / H.265 Video Compression, 1-channel Audio Input, Omnidirectional Built-In Mic, Built-In Speaker, 2.4GHz Wi-Fi, 1 SIM Card slot, Supports Digital WDR, 1x USB Interface, 2 Alarm Input, 1x RS-232, GPS / BDS Satellite positioning, Embedded Linux system, 8 pin bm Male Terminal Power Interface
AE-VC154T-IT(6mm)/O-STD/BMW/da	R 955	Hikvision 720p Infrared Array DSM Analogue Camera with 6mm Lens, Progressive Scan CMOS Image Sensor, 1280 x 720 Resolution, NTSC bmw head, 6mm FOV Lens, 2 m IR range, 720p @25 fps bmw head Frame rate, Built-In Mic, 42 dB SNR, 1-Way coaxial HD conforming to HDTVI, Audio
AX-DC-2CH21-01	R 597	Axxe 2K Dual-Channel Dashcam with rear camera, AX-DC-2CH21-01, Records front Video at 2560x1440 Resolution and rear Video at 1920x1080 Resolution, Includes Built-In Full HD 1080p rear camera for vehicle coverage, Features a 1.47" IPS Display with 170 x 320 Pixel Resolution, Equipped with 2.4GHz Wi-Fi connectivity for Smartphone Access, Uses f/1.8 aperture Lens with 140-degree viewing angle, Supports H.265 Video Compression Format, Includes G-Sensor for Impact detection and event recording, Supports Micro SD / TF cards from 4GB to 256GB capacity
AX-DC-3CH411G-01	R 1,149	Axxe 4K 3-channel Dashcam with GPS, AX-DC-3CH411G-01, Front camera records 4K UHD at 3840x2160 Resolution, In-car camera captures Full HD 1080p Video at 1920x1080, Rear camera records Full HD 1080p Video at 1920x1080, Integrated GPS module, HDR/WDR Technology improves Image quality in difficult Lighting conditions, ADAS alerts provide lane-departure and forward-collision warnings, Built-In G-Sensor detects impacts

		for event recording, Parking Monitor feature records when vehicle is stationary, 3.2-inch IPS Display with 800 x 268 Resolution for viewing footage, 2.4GHz Wi-Fi connectivity allows Smartphone Access to recordings, Supports Micro SD and TF cards ranging from 4GB up to 256GB
AX-DC-CD725	R 689	Axxe Wireless CarPlay & Android Auto 7" IPS Display, AX-DC-CD725, 7-inch IPS capacitive Touchscreen with 1024x600 Resolution, Supports Wireless Apple CarPlay and Wireless Android Auto connectivity, Features Built-In 5GHz Wi-Fi and Bluetooth 4.2 for Seamless pairing, Includes FM Transmitter and 3.5mm Aux Audio Output options, MicroSD card support ranging from 4GB to 512GB Storage Capacity, Powered via included Car Charger with USB-C Input Port, Enables live GPS navigation using connected Smartphone apps, Supports voice Control for Hands-Free Operation while driving, Includes suction cup Mount and on-dash stand holder accessories
HM-TJ12-3ARF-Mini2	R 5,578	Hikvision Mini2 Thermographic for Android, HM-TJ12-3ARF-Mini2, 256 x 192 IR Resolution, 25 Hz Image Frequency, Focus free, Thermal Image modes
TS-DP10A-64G	R 1,903	Transcend DrivePro 10 Dash Camera with 64GB MicroSD, Micro USB to Car lighter Adapter, 802.11n Wi-Fi Protocol, 140 degrees viewing angle, 2K QHD 1440p Resolution, Up to 60 fps (1080p) Frame rate, MP4 (H.264) Video Format, TS-DP10A-64G
TS-DP110M-64G	R 2,015	Transcend DrivePro 110 dash camera with 64GB MicroSD card Transcend, 1920x1080 Resolution at 30 fps, 130 Degree Diagonal Field of View, 2.4" Color LCD Screen, Built-In LiPo Battery, Built-In Microphone and Speaker, G-Sensor, Emergency Recording, 64GB microSDHC Card Included, Suction Mount Included
TS-DP20B-64G	R 2,520	Transcend Drive Pro 20B Motorcycle Dashcam / Compact POV Cam with 64GB MicroSD card, IP68, Starvis camera Sensor, 802.11n Wi-Fi Protocol, 140 degrees viewing angle, Full HD 1080p Resolution, 60 / 30 fps Frame rate, H.264 Video Format, 4 hour Battery Life
TS-DP250A-64G	R 2,799	Transcend DP250a DrivePro 250 Dash Camera with 64GB MicroSD card, Micro USB to Car lighter Adapter, 802.11n Wi-Fi, 2.4" Colour TFT LCD, 140 degrees viewing angle, 2K QHD 1440p Resolution, 60 / 30 fps Frame rate
TS-DP550B-128G	R 3,528	Transcend TS-DP550B DrivePro 550 (Model B) Dual Lens Dash Cam with 128GB MicroSD card, 2.4" Colour TFT LCD, 140 degrees viewing angle, Full HD 1080p front and back, Up to 60 fps, MP4 (H.264) Video Format
TS-DP620A-64G	R 4,648	Transcend DP620 Dual camera Dashcam including 2x 64GB high endurance MicroSD Cards, 802.11n Wi-Fi Protocol, USB 2.0 connection Interface, Two 64GB MicroSD card included, 2.4" Colour TFT LCD Display on front unit, Full HD 1080p Resolution, 60 / 30 FPS Frame rate
TS-DPA1	R 200	Transcend TS-DPA1 DrivePro Adhesive Mount for dash cams; compatible DrivePro 110, 230, 550, 250 and 620 front camera; adhesive windshield mount; 360 degree swivel; locking T tip; adhesive pad 51 x 29 mm; dimensions 51 x 29 x 55 mm; weight 15 g
TS-DPK2	R 268	Transcend Micro USB hardwire cable for DrivePro Dash Cam
TS-DPL2	R 200	Transcend TS-DPL2 Car Lighter Adapter; 12V to 24V input; 5V / 2.4A output; 4m micro-USB cable; 3A fuse; short circuit protection; 66.6 x 34.4 x 26mm; 157g; DrivePro 110, 230, 550, 10, 250 compatible
TS-DPL3	R 689	Transcend TS-DPL3 Dual USB car lighter adaptor & cable kit for Transcend dash cams, supported device --> DrivePro 110 / DrivePro 230 / DrivePro 550 / DrivePro 10 / DrivePro 250 / DrivePro 620
TS-DPM1	R 200	Transcend TS-DPM1 DrivePro Additional Suction Mount for dashcam; 45mm lockable suction cup; locking T tip; 360 degree swivel; compatible DrivePro 110, 230, 550, 250 and 620 front camera; 54.6 x 44.5mm; 26.6g
VK-10021-BK	R 287	Volkano Trek Series dash Full HD 1920x1080 camera, 2.2" Display, Built in Microphone. Full HD 1080p video, 130degree wide angle, 2.2 inch display, loop recording, Gâ€˜sensor, microâ€˜SD support, compact and easy mount.
VK-10022-BK	R 805	Volkano Vigilance Series Full HD 1920x1080 Dash Camera - Black, Auto collision recording. For recording of: Daily driving, road trips, accident documentation. Wide-angle lens, loop recording, motion detection, G-sensor technology.
WX-CD101	R 715	WINX WX-CD101 Track Essential 2K Dash Cam, 2.4GHz connectivity Wireless, GC2083 Image Sensor, G-Sensor, 2K 2560x1440 @ 25fps Resolution, H.265 Video Compression, 1x Type-C (5V/2A) Power Port, 1x MicroSD card slot (Up to 256GB), 1x AV-in, Built-In Microphone, Built-In Speaker
WX-CD102	R 1,011	WINX WX-CD102 Track Pro 2K Dash Cam, Wireless 2.4G connectivity, GC2083 Image Sensor, G-Sensor, 2K 2560x1440 @ 25fps Resolution, H.265 Video Compression, 1x Type-C (5V/2A) Power Port, 1x MicroSD card slot

(Up to 256GB), 1x AV-in, Built-In Microphone, Built-In Speaker

< Return to the menu

Digital 8

Product code	Price	Description

< Return to the menu

DVD recording

Product code	Price	Description

< Return to the menu

HDD Based

Product code	Price	Description

< Return to the menu

High definition video recorders

Product code	Price	Description
1959C028AA	R 5,682	Canon LEGRIA HF R86 Premium Kit - Includes HF-R86 / Gorillapod / 8Gb Card / Bag, Full HD 1080p, Advanced Zoom, Optical Intelligent IS, Slow and Fast Motion Recording, Framing Assist Seek, Baby Mode, Built-in WiFi for easy remote control, Simplify sharing, 32x Optical Zoom, 1140x Digital zoom, AVCHD / MP4 Recording Formats
1960C015AA	R 5,136	Canon LEGRIA HF R806 Black Essential kit - Includes HF-R806 Black / 8Gb Card / Bag, Full HD 1080p video, Advanced Zoom, Optical Intelligent IS, Slow and Fast Motion Recording, Framing Assist Seek, Baby Mode, MP4 / AVCHD Recording Formats, SDXC / SDHC Recording Medium, 32x Optical Zoom, 1140x Digital zoom, 7.5cm Touchscreen LCD with 100% view, DIGIC DV 4 Image Processor
2404C006AA	R 17,122	CANON LEGRIA HF-G26 - Full HD, 20x Optical zoom with wide 28.8mm lens, 400x Digital Zoom, HD CMOS, BP-820 battery
3667C003AA	R 17,319	Canon LEGRIA HF G50, Lens Hood with Lens Barrier, Compact Power Adaptor CA-570, Battery Pack BP-820
9593B003AA	R 34,684	Canon XF200 Professional Camcorder XF - 200 (CF Card)
AW-VM33	R 5,405	NearStream VM33 Innovative 2K 10X Optical Zoom Wireless Streaming Camera, Built-In 6400mah Battery, USB-C Output as Webcam, Free Multicam APP for both iOS/Android. The NearStream VM33 is a high-performance 2K streaming camera with hybrid zoom and 360-degree AI-enhanced audio. Its wireless design, long battery life, and app-based control make it perfect for live streaming, events, and remote video capture.

< Return to the menu

Mini DV

Product code	Price	Description

< Return to the menu

Video cameras - Standard definition

Product code	Price	Description

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Warranties & Licenses

Camera Licenses

Product code	Price	Description
iVMS-5200-MS-B	R 2,547	Hikvision GIS Base License (Car GPS location display in GIS map; track playback etc.)

< Return to the menu

Desktop PC Warranty

Product code	Price	Description
5WS0D80960	R 736	Lenovo 1 year Carry In Base Warranty to 3 year Onsite Service - Compatible with --> ThinkCentre S400z / S200z / V310z / S510z / V510z AIO Desktop PC ' s
WADE474-BBGZ	R 449	Dell All Precision DT - 3 Year Accidental Damage Protection to 3 Year Accidental Damage Protection
WADE474-BBHB	R 918	Dell All Precision DT - 5 Year Accidental Damage Protection to 5 Year Accidental Damage Protection
WADE785-BBPV	R 424	Dell All Precision DT - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BBPW	R 637	Dell All Precision DT - 5 Year Keep Your HD to 5 Year Keep Your HD
WADE785-BCMO	R 220	Dell All OptiPlex - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BCMP	R 342	Dell All OptiPlex - 5 Year Keep Your HD to 5 Year Keep Your HD
WADE785-BCNF	R 244	Dell All Vostro DT - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BCNG	R 317	Dell All Vostro DT - 4 Year Keep Your HD to 4 Year Keep Your HD
WADE890-BKLD	R 978	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKLE	R 1,550	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BKLH	R 1,225	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BKLI	R 2,415	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 1 Year Basic Onsite to 5 Year Pro Support
WADE890-BKLK	R 1,479	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 1 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BKLL	R 2,390	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 1 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BKYN	R 1,444	Dell Precision 5820 Tower / T5820 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BKYO	R 3,020	Dell Precision 5820 Tower / T5820 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BKYQ	R 6,039	Dell Precision 5820 Tower / T5820 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BKYR	R 3,478	Dell Precision 5820 Tower / T5820 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BKYT	R 6,608	Dell Precision 5820 Tower / T5820 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BKYZ	R 3,020	Dell Precision 5820 Tower / T5820 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BKZB	R 459	Dell Precision 5820 Tower / T5820 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BKZD	R 3,588	Dell Precision 5820 Tower / T5820 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLFU	R 692	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BLFV	R 354	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLFX	R 1,164	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Basic Onsite to 4 Year Pro Support
WADE890-BLFY	R 1,441	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLGB	R 2,615	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Basic Onsite to 4 Year Pro Support Plus
WADE890-BLMP	R 1,473	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BLMQ	R 2,358	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLMS	R 2,916	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BLMT	R 4,684	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Basic

		Onsite to 5 Year Pro Support
WADE890-BLMV	R 3,374	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLMW	R 5,358	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLMX	R 884	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLMY	R 1,444	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLNB	R 3,212	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLNC	R 1,902	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLNE	R 3,885	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLNF	R 1,444	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Pro Support to 3 Year Pro Support
WADE890-BLNG	R 3,211	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Pro Support to 5 Year Pro Support
WADE890-BLNI	R 1,902	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLNJ	R 3,885	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 1 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLNK	R 1,768	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLNL	R 459	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLNN	R 2,441	Dell Precision 3240 / 3431 / 3630 Tower / 3650 / 3630 / 3260 CFF / 3450 SFF / 3460 SFF / 3660 MT - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLNO	R 574	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLNP	R 247	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLNR	R 989	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLNT	R 1,413	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLNU	R 501	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLNV	R 420	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLNW	R 1,059	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLNY	R 2,117	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLNZ	R 365	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLOC	R 2,494	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Basic Onsite to 5 Year Pro Support Plus

WADE890-BLOD	R 1,059	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLOF	R 1,435	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLOG	R 1,285	Dell OptiPlex 7060 / 7070 / 7470 / 7770 / 7080 / 7480 / 7780 AIO / 7090 / 7490 AIO / 7090 MT / 7090 SFF / 7090 MFF / 7000 MFF / 7000 MT / 7400 AIO / 7000 SFF / 7000 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLOH	R 360	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLOI	R 879	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLOK	R 1,768	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLOL	R 375	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLON	R 2,145	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLOO	R 889	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLOQ	R 1,105	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLOR	R 1,266	Dell OptiPlex 5070 / 5270 AIO / 5080 / 5480 AIO / 5090 / 5490 AIO / 5090 MT / 5090 SFF / 5000 / 5400 AIO / 5000 MFF / 5000 MT / 5000 SFF - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BNFE	R 811	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Pro Support to 4 Year Pro Support
WADE890-BNFF	R 1,088	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BNFH	R 2,262	Dell Vostro 3888 / 3670 / 3671 / 3681 SFF / 3888 MT / 3681 / 3910 MT / 3710 SFF / 3910 / 3020 MT / 3020 SFF - 3 Year Pro Support to 4 Year Pro Support Plus
WADE890-BPEZ	R 365	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BPFB	R 1,166	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BPFD	R 742	Dell OptiPlex 3070 / 3080 / 3280 AIO / 3090 / 3090 MFF / 3090 MT / 3090 SFF / 3090 UFF / 3000 / 3000 Thin Client / 3000 MFF / 3000 MT / 3000 SFF - 3 Year Pro Support to 5 Year Pro Support
WADE890-BRJT	R 4,007	Dell Precision 7865 Tower / 7960 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BRJU	R 6,937	Dell Precision 7865 Tower / 7960 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BRJW	R 13,933	Dell Precision 7865 Tower / 7960 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BRJX	R 7,403	Dell Precision 7865 Tower / 7960 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BRJZ	R 15,186	Dell Precision 7865 Tower / 7960 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BRKB	R 6,997	Dell Precision 7865 Tower / 7960 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BRKC	R 466	Dell Precision 7865 Tower / 7960 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BRKE	R 8,250	Dell Precision 7865 Tower / 7960 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BRPE	R 1,444	Dell Precision 5860 Tower - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BRPF	R 3,020	Dell Precision 5860 Tower - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BRPH	R 6,039	Dell Precision 5860 Tower - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BRPI	R 3,478	Dell Precision 5860 Tower - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BRPK	R 6,713	Dell Precision 5860 Tower - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BRPL	R 3,020	Dell Precision 5860 Tower - 3 Year Pro Support to 5 Year Pro Support
WADE890-BRPM	R 459	Dell Precision 5860 Tower - 3 Year Pro Support to 3 Year Pro Support Plus

WADE890-BRPO	R 3,694	Dell Precision 5860 Tower - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BXXN	R 281	Dell Optiplex 24 AIO Plus - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BXXP	R 1,059	Dell Optiplex 24 AIO Plus - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BXXQ	R 2,117	Dell Optiplex 24 AIO Plus - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BXXS	R 1,285	Dell Optiplex 24 AIO Plus - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BXXT	R 2,494	Dell Optiplex 24 AIO Plus - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BXYQ	R 281	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BXYR	R 1,059	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BXYS	R 2,117	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BXYV	R 1,059	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Pro Support to 5 Year Pro Support
WADE890-BXYW	R 1,285	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BXYX	R 2,494	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BXYZ	R 289	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BXZC	R 1,435	Dell 7010 MT PLUS / Optiplex Micro Plus MFF / Optiplex Plus SFF - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BYDJ	R 660	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BYDL	R 375	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BYDR	R 1,036	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BYDX	R 509	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BYDY	R 220	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BYFB	R 660	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BYFC	R 446	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BYFD	R 1,256	Dell Optiplex 24 AIO / AIO 35 7410 / AIO 65 7410 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BYGB	R 220	Dell 7010 Optiplex MT / Optiplex Micro MFF / Optiplex SFF - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BYGC	R 446	Dell 7010 Optiplex MT / Optiplex Micro MFF / Optiplex SFF - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BYGD	R 660	Dell 7010 Optiplex MT / Optiplex Micro MFF / Optiplex SFF - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BYGG	R 1,256	Dell 7010 Optiplex MT / Optiplex Micro MFF / Optiplex SFF - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BYGJ	R 509	Dell 7010 Optiplex MT / Optiplex Micro MFF / Optiplex SFF - 3 Year Basic Onsite to 5 Year Basic Onsite

< Return to the menu

Monitor Warranty

Product code	Price	Description
WADE890-BKIL	R 650	Dell WD19TB / WD19 / WD19S / WD19TBS / WD19DC / WD19DCS - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BKIM	R 1,249	Dell C5519Q - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BKIN	R 978	Dell C5519Q - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BKIP	R 3,379	Dell C5519Q - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BKMY	R 2,274	Dell U3415W / U3419W / U3818DW / U4320Q / U4919DW / UP3017 / UP3216Q / U3821DW / U4021QW / U4323QE / AW3423DWF - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BKMZ	R 1,714	Dell U3415W / U3419W / U3818DW / U4320Q / U4919DW / UP3017 / UP3216Q / U3821DW / U4021QW / U4323QE / AW3423DWF - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BKNC	R 5,940	Dell U3415W / U3419W / U3818DW / U4320Q / U4919DW / UP3017 / UP3216Q / U3821DW / U4021QW / U4323QE / AW3423DWF - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BKZH	R 486	Dell Monitor E2421HN / E2020H / E2220H / E2218HN / E2221HN / E2318H / E2417H / E2418HN / E2420H / E1920H / SE2422HX / SE2422H / SE2722HX / E1916HV / E1916HE / E2016H / S2421HN / E2422H / E2016HV / E2216HV / E2222H / S2421HS / E2422HN / E2223HN / E2223HV / E2422HS / E2222HS / SE2222H - 3 Year

		Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BKZP	R 268	Dell Monitor E2421HN / E2020H / E2220H / E2218HN / E2221HN / E2318H / E2417H / E2418HN / E2420H / E1920H / SE2422HX / SE2422H / SE2722HX / E1916HV / E1916HE / E2016H / S2421HN / E2422H / E2016HV / E2216HV / E2222H / S2421HS / E2422HN / E2223HN / E2223HV / E2422HS / E2222HS / SE2222H - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BKZR	R 589	Dell Monitor E2421HN / E2020H / E2220H / E2218HN / E2221HN / E2318H / E2417H / E2418HN / E2420H / E1920H / SE2422HX / SE2422H / SE2722HX / E1916HV / E1916HE / E2016H / S2421HN / E2422H / E2016HV / E2216HV / E2222H / S2421HS / E2422HN / E2223HN / E2223HV / E2422HS / E2222HS / SE2222H - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLDP	R 416	Dell UP3218K - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLDQ	R 305	Dell UP3218K - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLDS	R 945	Dell UP3218K - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLDW	R 11,526	Dell C7520QT - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLDX	R 4,787	Dell C7520QT - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLDZ	R 19,516	Dell C7520QT - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLEL	R 16,650	Dell C8621QT - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLEM	R 6,868	Dell C8621QT - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLEO	R 28,000	Dell C8621QT - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLGP	R 5,443	Dell C5518QT - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLHC	R 2,225	Dell C5518QT - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLHE	R 9,269	Dell C5518QT - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLHI	R 7,692	Dell C8618QT - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLHJ	R 7,357	Dell C8618QT - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLHL	R 18,408	Dell C8618QT - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLHP	R 892	Dell Monitor E2720H / E2720HS / E2420HS / P2018H / P2217 / P2219H / P2317H / P2319H / P2419H / SE2722H / P2422H / SE2722H / S2721HS / S2721HGF / P2222H / E2723HN / S2723HC / S2721HN / E2423HN - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLHQ	R 1,032	Dell Monitor E2720H / E2720HS / E2420HS / P2018H / P2217 / P2219H / P2317H / P2319H / P2419H / SE2722H / P2422H / SE2722H / S2721HS / S2721HGF / P2222H / E2723HN / S2723HC / S2721HN / E2423HN - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLHS	R 1,697	Dell Monitor E2720H / E2720HS / E2420HS / P2018H / P2217 / P2219H / P2317H / P2319H / P2419H / SE2722H / P2422H / SE2722H / S2721HS / S2721HGF / P2222H / E2723HN / S2723HC / S2721HN / E2423HN - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLHW	R 1,650	Dell P2720D / U2421HE / U2421E / P2418D / P2418HT / P2418HZM / P2419HC / P2421DC / P2717H / P2719H / P2719HC / P2721Q / U2412M / G2422HS / G2722HS / C2423H / C2723H / P2223HC / P2423 / P2423D / P2423DE / P2723D / P2723DE / AW2523HF / P2422HE - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLHX	R 1,032	Dell P2720D / U2421HE / U2421E / P2418D / P2418HT / P2418HZM / P2419HC / P2421DC / P2717H / P2719H / P2719HC / P2721Q / U2412M / G2422HS / G2722HS / C2423H / C2723H / P2223HC / P2423 / P2423D / P2423DE / P2723D / P2723DE / AW2523HF / P2422HE - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLHZ	R 2,268	Dell P2720D / U2421HE / U2421E / P2418D / P2418HT / P2418HZM / P2419HC / P2421DC / P2717H / P2719H / P2719HC / P2721Q / U2412M / G2422HS / G2722HS / C2423H / C2723H / P2223HC / P2423 / P2423D / P2423DE / P2723D / P2723DE / AW2523HF / P2422HE - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLIE	R 1,650	Dell Monitor U2721DE / U2718Q / U2719D / U2719DC / U2720Q / UP2516D / UP2716D / C2722DE / U2722DE / U2717D / U2723QE / P2723QE - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLIF	R 1,032	Dell Monitor U2721DE / U2718Q / U2719D / U2719DC / U2720Q / UP2516D / UP2716D / C2722DE / U2722DE / U2717D / U2723QE / P2723QE - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange

WADE890-BLIH	R 2,268	Dell Monitor U2721DE / U2718Q / U2719D / U2719DC / U2720Q / UP2516D / UP2716D / C2722DE / U2722DE / U2717D / U2723QE / P2723QE - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLIL	R 1,650	Dell Monitor U3421WE / P3421W / U3219Q / C3422WE / U3223QE / U3023E / P3223DE / P3223QE / U3223QZ / U3423WE - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLIM	R 1,032	Dell Monitor U3421WE / P3421W / U3219Q / C3422WE / U3223QE / U3023E / P3223DE / P3223QE / U3223QZ / U3423WE - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLIO	R 2,268	Dell Monitor U3421WE / P3421W / U3219Q / C3422WE / U3223QE / U3023E / P3223DE / P3223QE / U3223QZ / U3423WE - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLIS	R 1,650	Dell UP2718Q / UP2720Q - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLIT	R 1,032	Dell UP2718Q / UP2720Q - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLIV	R 2,268	Dell UP2718Q / UP2720Q - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BLIZ	R 3,154	Dell P3221D / S3222HG / DS3422DW - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BLJB	R 1,972	Dell P3221D / S3222HG / DS3422DW - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BLJD	R 4,338	Dell P3221D / S3222HG / DS3422DW - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BMWF	R 8,965	Dell UP3221Q / - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BMWG	R 3,826	Dell UP3221Q / - 3 Year Base Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BMWI	R 15,353	Dell UP3221Q / - 3 Year Base Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BNFM	R 8,325	Dell C6522QT - 3 Year Advanced Exchange to 5 Year Advanced Exchange
WADE890-BNFN	R 3,506	Dell C6522QT - 3 Year Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BNFP	R 14,073	Dell C6522QT - 3 Year Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BNIW	R 6,724	Dell C5522QT - 3 Year Advanced Exchange to 5 Year Advanced Exchange
WADE890-BNIX	R 3,026	Dell C5522QT - 3 Year Advanced Exchange to 3 Year Pro Support Advanced Exchange
WADE890-BNIZ	R 11,671	Dell C5522QT - 3 Year Advanced Exchange to 5 Year Pro Support Advanced Exchange
WADE890-BRIS	R 473	Dell UD22 - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange
WADE890-BRIW	R 307	Dell HD22Q - 3 Year Base Advanced Exchange to 5 Year Base Advanced Exchange

< Return to the menu

NAS Licenses

Product code	Price	Description
EW201	R 1,896	Synology 2-years extended warranty pack for DS1517 ; DS1817 ; DS1517; DS1817; DX517
Virtual Device License (x 1)	R 1,034	Synology Virtual Device License (x1) - 1 Year Warranty, Virtual 1 DSM License - 1 Licenses for cameras and I/O modules - Virtual
Virtual Device License (x 4)	R 4,196	Synology Virtual Device License (x4) - 1 Year Warranty, Virtual 4 DSM License - 4 Licenses for cameras and I/O modules - Virtual
Virtual Device License (x 8)	R 7,359	Synology Virtual Device License (x8) - 1 Year Warranty, Virtual 8 DSM License - 8 Licenses for cameras and I/O modules - Virtual

< Return to the menu

Network: Licenses

Product code	Price	Description
BQNT-1GB-PM	R 5,613	Bequant 1Gbps license - Monthly - 1 Month of support included in the price
BQNT-2GB-PM	R 10,731	Bequant 2Gbps license - Monthly - 1 Month of support included in the price
BQNT-3GB-PM	R 12,382	Bequant 3Gbps license - Monthly - 1 Month of support included in the price
BQNT-4GB-PM	R 14,032	Bequant 4Gbps license - Monthly - 1 Month of support included in the price
BQNT-500M-PM	R 3,384	Bequant Basic license (500 Mbps) per month, 1 month support Next Business Day included in the price
BQNT-500M-SU	R 5,966	Bequant 1 Year support Next Business Day - Basic license (500 Mbps)
BQNT-5GB-PM	R 15,683	Bequant 5Gbps license - Monthly - 1 Month of support included in the price

BQNT-A1G	R 85,480	Bequant upgrade 1Gbps (From 1Gbps - 2Gbps), 1 Year support Next Business Day included in the price, BQNT-A1G-PU
BQNT-A1G-PM	R 5,118	Bequant upgrade 1Gbps (From 1Gbps - 2Gbps) 1 month, 1 month support Next Business Day included in the price, BQNT-A1G-PM
BQNT-A1G-SU	R 8,548	Bequant 1 Year support Next Business Day - upgrade 1Gbps (From 1Gbps - 2Gbps), BQNT-A1G-SU
BQNT-A500M	R 45,860	Bequant upgrade 500Mbps (From 500Mbps - 1Gbps), 1 Year support Next Business Day included in the price, BQNT-A500M-PU
BQNT-A500M-PM	R 2,229	Bequant upgrade 500 Mbps (From 500 Mbps - 1Gbps) 1 month, 1 month support Next Business Day included in the price, BQNT-A500M-PM
BQNT-A500M-SU	R 3,723	Bequant 1 Year support Next Business Day - upgrade 500 Mbps (From 500 Mbps - 1Gbps), BQNT-A500M-SU
BQNT-AA1G	R 27,575	Bequant upgrade 1Gbps (2Gbps onwards), 1 Year support Next Business Day included in the price, BQNT-AA1G-PU
BQNT-AA1G-PM	R 1,651	Bequant upgrade 1Gbps (2Gbps onwards) 1 month, 1 month support Next Business Day included in the price, BQNT-AA1G-PM
BQNT-AA1G-SU	R 2,758	Bequant 1 Year Support NBD - Upgrade 1Gbps (2Gbps onwards), BQNT-AA1G-SU
CB-CORE-HCMP-KEY	R 15,040	Cambium PTP670 HCMP Upgrade Key, Basic High Capacity Multipoint Upgrade per radio, C000067K001A
CB-CORE-PTP670-EW4	R 3,387	Cambium PTP670 4 Year Extended Warranty, PTP 650/670 Extended Warranty, 4 additional years (per END)
MT-KEY86-L4	R 559	MikroTik KEY86-L4 RouterOS Level 4 License Key - PC / X86 Systems Only
MT-KEY86-L5	R 1,158	MikroTik KEY86-L5 RouterOS Level 5 License Key - PC / X86 Systems Only
MT-KEY86-L6	R 3,186	MikroTik KEY86-L6 RouterOS Level 5 License Key - PC / X86 Systems Only
MT-KEYCHR-P1	R 559	MikroTik Cloud Hosted Router P1 Perpetual-1 License, 1Gbit Upload per interface
MT-KEYCHR-P10	R 1,094	MikroTik Cloud Hosted Router P1 Perpetual - 10 License, 1Gbit Upload per interface
MT-KEYCHR-PUNLIMITED	R 3,037	MikroTik Cloud Hosted Router P-Unlimited Perpetual - Unlimited License, No limitation
MT-KEYRB-L4	R 559	MikroTik RouterOS Level 4 License Key - RouterBOARD Systems Only
MT-KEYRB-L5	R 1,181	MikroTik RouterOS Level 5 License Key - RouterBOARD Systems Only
MT-KEYRB-L6	R 3,279	MikroTik RouterOS Level 6 License Key - RouterBOARD Systems Only
RB-L4	R 569	Mikrotik WISP Level 4 License
TTK-RMS-LIC-1	R 30	Single RMS License Key - Valid for One Teltonika Networking Device for One Month, RMS_100
ZSK-UPGRADE-2000	R 2,972	SIKLU Upgrade License from 1000Mbps to 2000Mbps - one per radio, EH-UPG-1000-2000

< Return to the menu

Notebook Warranty

Product code	Price	Description
5PS0A22966	R 2,466	Lenovo ThinkPad L13 / L13 / L13 Yoga / L13 Yoga / L14 Gen1 (Intel) / L14 Gen1 (Intel) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (Intel) / L15 Gen1 (Intel) / T14 Gen 1 (AMD) / T14 Gen 1 (AMD) / T14 Gen1 (Intel) / T14 Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (Intel) / T14s Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T15 Gen1 / T15 Gen1 / T15p Gen1 / T15p Gen1 / X13 Gen1 (Intel) / X13 Gen1 (Intel) / X13 Gen1 (AMD) / X13 Gen1 (AMD) - 1 Year Carry In / Depot to 4 Year Accidental Damage Protection
5PS0F17633	R 2,348	Lenovo ThinkPad X13 Yoga Gen1 / X13 Yoga Gen1 / X1 Carbon Gen8 / X1 Carbon Gen8 / X1 Carbon Gen8 - 1 Year Carry In / Depot to 4 Year Accidental Damage Protection
5PS0G79465	R 1,222	Lenovo ThinkPad L13 / L13 / L13 Yoga / L13 Yoga / L14 Gen1 (Intel) / L14 Gen1 (Intel) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (Intel) / L15 Gen1 (Intel) / T14 Gen 1 (AMD) / T14 Gen 1 (AMD) / T14 Gen1 (Intel) / T14 Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (Intel) / T14s Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T15 Gen1 / T15 Gen1 / T15p Gen1 / T15p Gen1 / X13 Gen1 (Intel) / X13 Gen1 (Intel) / X13 Gen1 (AMD) / X13 Gen1 (AMD) - 1 Year Carry In / Depot to 4 Year Keep Your Drive
5PS0K18187	R 3,095	Lenovo ThinkPad L13 / L13 / L13 Yoga / L13 Yoga / L14 Gen1 (Intel) / L14 Gen1 (Intel) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1

		(Intel) / L15 Gen1 (Intel) / T14 Gen 1 (AMD) / T14 Gen 1 (AMD) / T14 Gen1 (Intel) / T14 Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (Intel) / T14s Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T15 Gen1 / T15 Gen1 / T15p Gen1 / T15p Gen1 / X13 Gen1 (Intel) / X13 Gen1 (Intel) / X13 Gen1 (AMD) / X13 Gen1 (AMD) - 1 Year Carry In / Depot to 5 Year Accidental Damage Protection
5PS0K18198	R 1,488	Lenovo ThinkPad L13 / L13 / L13 Yoga / L13 Yoga / L14 Gen1 (Intel) / L14 Gen1 (Intel) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L14 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (AMD) / L15 Gen1 (Intel) / L15 Gen1 (Intel) / T14 Gen 1 (AMD) / T14 Gen 1 (AMD) / T14 Gen1 (Intel) / T14 Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T14s Gen1 (Intel) / T14s Gen1 (Intel) / T14s Gen1 (AMD) / T14s Gen1 (AMD) / T15 Gen1 / T15 Gen1 / T15p Gen1 / T15p Gen1 / X13 Gen1 (Intel) / X13 Gen1 (Intel) / X13 Gen1 (AMD) / X13 Gen1 (AMD) - 1 Year Carry In / Depot to 5 Year Keep Your Drive
5WS0A22893	R 4,129	Lenovo ThinkPad T14s Gen1 (AMD) - 3 Year Onsite Warranty to 5 Year Onsite Warranty
5WS0A23006	R 472	Lenovo 3 year Carry In Base Warranty to 3 year Onsite Service - Compatible with --> Lenovo ThinkPad L / T / X Series notebooks
5WS0A23136	R 2,078	Lenovo ThinkPad T14s Gen1 (AMD) - 3 Year Onsite Warranty to 4 Year Onsite Warranty
5WS0A23681	R 2,339	Lenovo ThinkBook 13s IML / 13s G2 ITL / 14 IIL / 14 G2 ITL / 14 G2 ARE / 14s Yoga ITL / 15 IIL / 15 G2 ITL / 15G2 ARE / 15p IMH / Plus IML / E14 / E14 G2 (AMD) / E14 G2 (Intel) / E15 / E15 Gen2 (AMD) / E15 Gen2 (Intel) - 1 Year Carry In / Depot to 3 Year Onsite Warranty
5WS0A23821	R 4,118	Lenovo ThinkBook 13s IML / 13s G2 ITL / 14 IIL / 14 G2 ITL / 14 G2 ARE / 14s Yoga ITL / 15 IIL / 15 G2 ITL / 15G2 ARE / 15p IMH / Plus IML / E14 / E14 G2 (AMD) / E14 G2 (Intel) / E15 / E15 Gen2 (AMD) / E15 Gen2 (Intel) - 1 Year Carry In / Depot to 4 Year Onsite Warranty
5WS0D80899	R 1,507	Lenovo 1 Year depot or carry-in to 5 Year onsite warranty, For ThinkCentre Chromebox 10 ; ThinkCentre M53 ; M600 ; M625Q ; M700 ; M710Q ; M73 ; M73E ; M83
5WS0E84924	R 6,189	Lenovo ThinkBook 13s IML / 13s G2 ITL / 14 IIL / 14 G2 ITL / 14 G2 ARE / 14s Yoga ITL / 15 IIL / 15 G2 ITL / 15G2 ARE / 15p IMH / Plus IML / E14 / E14 G2 (AMD) / E14 G2 (Intel) / E15 / E15 Gen2 (AMD) / E15 Gen2 (Intel) - 1 Year Carry In / Depot to 5 Year Onsite Warranty
5WS0E97215	R 2,703	Lenovo 5WS0E97215 upgrade from 3 Year Carry In to 4 Years Onsite warranty - Notebook, Compatible with --> X1 Carbon / X1 Yoga / P51 / P71 / ThinkPad X1 Extreme / ThinkPad X380 Yoga / ThinkPad P52s / P72, Â© 2019 Laptop Direct
5WS0F17636	R 1,152	Lenovo ThinkPad X13 Yoga Gen1 / X13 Yoga Gen1 / X1 Carbon Gen8 / X1 Carbon Gen8 / X1 Carbon Gen8 - 1 Year Carry In / Depot to 4 Year Keep Your Drive
5WS0T36125	R 5,300	Lenovo ThinkPad T14s Gen1 (AMD) - 3 Year Onsite Warranty to 5 Year Premier Support
5WS0T36167	R 3,468	Lenovo ThinkPad T14s Gen1 (AMD) - 3 Year Onsite Warranty to 4 Year Premier Support
5WS0T73723	R 1,087	Lenovo 5WS0T73723 3 year Premium Care with onsite upgrade from 1 year depot/CCI, Idea Notebook mainstream
5WS0U26641	R 1,786	Lenovo ThinkPad T14s Gen1 (AMD) - 3 Year Onsite Warranty to 3 Year Premier Support
5WS0U26641	R 1,738	Lenovo ThinkPad T14s Gen1 (AMD) - 3 Year Onsite Warranty to 3 Year Premier Support
5WS1K04212	R 708	Lenovo V15 IGL - 82C3 - 1 Year Carry In / Depot to Lenovo 3 Year Premium Care with Onsite
LENOVO 5WS0D80935	R 196	Lenovo 1 Year Base warranty to 3 Year Onsite Next Business Day warranty - for V520 notebooks. If your issue canâ€™t be resolved over the phone, Lenovo will dispatch a technician to your location.
LENOVO 5WS0E97146	R 5,749	Lenovo 5WS0E97146 upgrade from 3 Year Carry In to 4 Years Onsite warranty - Notebook, Compatible with --> X1 Carbon / X1 Yoga / P51 / P71 / ThinkPad X1 Extreme / ThinkPad X380 Yoga / ThinkPad P52s / P72
SV.WNGA0.Z02	R 1,972	Acer SV.WNGA0.Z02 Predator Gaming notebook 3 Year on-site Next Business Day warranty
WA-A13G	R 1,034	Asus 1 to 3 years Global Warranty for laptops - Eee product not included - warranty can be purchased up to 90 days from laptop purchase
WADE474-BBCF	R 929	Dell All Latitude - 3 Year Accidental Damage Protection to 3 Year Accidental Damage Protection
WADE474-BBCH	R 1,548	Dell All Latitude - 5 Year Accidental Damage Protection to 5 Year Accidental Damage Protection
WADE474-BBDI	R 600	Dell All Precision NB - 3 Year Accidental Damage Protection to 3 Year Accidental Damage Protection
WADE474-BBDJ	R 1,001	Dell All Precision NB - 5 Year Accidental Damage Protection to 5 Year Accidental Damage Protection
WADE474-BBIF	R 1,181	Dell All Inspiron - 3 Year Accidental Damage Protection to 3 Year Accidental Damage Protection

WADE474-BBIG	R 1,574	Dell All Inspiron - 4 Year Accidental Damage Protection to 4 Year Accidental Damage Protection
WADE474-BBIR	R 1,032	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Accidental Damage Protection to 3 Year Accidental Damage Protection
WADE474-BBIS	R 1,669	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 4 Year Accidental Damage Protection to 4 Year Accidental Damage Protection
WADE474-BBKV	R 929	Dell All Vostro NB - 3 Year Accidental Damage Protection to 3 Year Accidental Damage Protection
WADE474-BBKW	R 1,239	Dell All Vostro NB - 4 Year Accidental Damage Protection to 4 Year Accidental Damage Protection
WADE785-BBLL	R 442	Dell All Latitude - 5 Year Keep Your HD to 5 Year Keep Your HD
WADE785-BBLO	R 285	Dell All Latitude - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BBMG	R 353	Dell All Precision NB - 5 Year Keep Your HD to 5 Year Keep Your HD
WADE785-BBMH	R 229	Dell All Precision NB - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BCMU	R 335	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BCMV	R 432	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 4 Year Keep Your HD to 4 Year Keep Your HD
WADE785-BCPF	R 289	Dell All Vostro NB - 3 Year Keep Your HD to 3 Year Keep Your HD
WADE785-BCPG	R 375	Dell All Vostro NB - 4 Year Keep Your HD to 4 Year Keep Your HD
WADE890-BJGH	R 937	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BJGI	R 2,575	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BJGL	R 2,210	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BJGN	R 4,081	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 1 Year Basic Onsite to 5 Year Pro Support
WADE890-BJGP	R 3,326	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 1 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BJGR	R 5,894	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 1 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BJHB	R 1,686	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BJHC	R 1,274	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BJHE	R 3,145	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BJHF	R 2,390	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BJHH	R 4,958	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BJJX	R 3,243	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BJJY	R 3,350	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BJKB	R 7,970	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BJKC	R 4,529	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BJKE	R 9,898	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BJKF	R 7,983	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 1 Year Pro Support to 5 Year Pro Support
WADE890-BJKH	R 4,543	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 1 Year Pro Support to 3 Year Pro Support Plus
WADE890-BJKJ	R 10,019	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 1 Year Pro Support to 5 Year Pro Support Plus
WADE890-BJKK	R 4,621	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BJKL	R 1,179	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BJKN	R 6,548	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BJKZ	R 3,378	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Basic Onsite to

		5 Year Basic Onsite
WADE890-BJLB	R 3,512	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BJLD	R 10,266	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BJLE	R 4,124	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BJLG	R 11,466	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BJLH	R 6,754	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BJLI	R 854	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BJLK	R 8,196	Dell Mobile Precision 7550 / 7750 / 7540 / 7740 / 7560 / 7760 / 7670 / 7770 / 7680 / 7780 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BKJF	R 2,431	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKJG	R 4,846	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BKJI	R 4,846	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BKJJ	R 9,662	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Basic Onsite to 5 Year Pro Support
WADE890-BKJL	R 5,701	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BKJM	R 11,049	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BKJN	R 2,416	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BKJO	R 2,416	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BKJQ	R 7,232	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BKJR	R 3,271	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BKJT	R 8,619	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BKJU	R 2,416	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Pro Support to 3 Year Pro Support
WADE890-BKJW	R 3,271	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Pro Support to 3 Year Pro Support Plus
WADE890-BKJX	R 8,619	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Pro Support to 5 Year Pro Support Plus
WADE890-BKJY	R 4,816	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BKJZ	R 854	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BKKC	R 6,204	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 3 Year Pro Support to 5 Year Pro Support Plus

WADE890-BKKD	R 7,232	Dell Mobile Precision 3550 / 3540 / 3541 / 3551 / 3560 / 3561 / 3470 / 3570 / 3571 / 3480 / 3580 - 1 Year Pro Support to 5 Year Pro Support
WADE890-BKKO	R 1,498	Dell INSPIRON 3501 / 3580 / 3583 / 3593 / 3595 / 3511 / 3515 / 3521 / 3525 / 3501 / 3520 / 3530 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKKQ	R 2,621	Dell INSPIRON 3501 / 3580 / 3583 / 3593 / 3595 / 3511 / 3515 / 3521 / 3525 / 3501 / 3520 / 3530 - 1 Year Basic Onsite to 3 Year Premium Support
WADE890-BKKR	R 3,744	Dell INSPIRON 3501 / 3580 / 3583 / 3593 / 3595 / 3511 / 3515 / 3521 / 3525 / 3501 / 3520 / 3530 - 1 Year Basic Onsite to 4 Year Premium Support
WADE890-BKKS	R 750	Dell INSPIRON 3501 / 3580 / 3583 / 3593 / 3595 / 3511 / 3515 / 3521 / 3525 / 3501 / 3520 / 3530 - 2 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKKU	R 2,011	Dell INSPIRON 3501 / 3580 / 3583 / 3593 / 3595 / 3511 / 3515 / 3521 / 3525 / 3501 / 3520 / 3530 - 2 Year Basic Onsite to 3 Year Premium Support
WADE890-BKKV	R 2,996	Dell INSPIRON 3501 / 3580 / 3583 / 3593 / 3595 / 3511 / 3515 / 3521 / 3525 / 3501 / 3520 / 3530 - 2 Year Basic Onsite to 4 Year Premium Support
WADE890-BKLC	R 3,364	Dell Precision 5540 / 5550 / 5560 / 5760 / 5570 - 1 Year Pro Support to 3 Year Pro Support
WADE890-BKSH	R 688	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKSI	R 2,062	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BKSK	R 4,633	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 3 Year Pro Support
WADE890-BKSL	R 7,254	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 4 Year Pro Support
WADE890-BKSN	R 4,633	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 3 Year Premium Support
WADE890-BKSO	R 7,254	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 4 Year Premium Support
WADE890-BKSQ	R 6,626	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BKSR	R 9,262	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 2 Year Basic Onsite to 4 Year Pro Support Plus
WADE890-BKSS	R 1,374	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BKST	R 3,946	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BKSU	R 6,567	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 4 Year Pro Support
WADE890-BKSW	R 3,946	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 3 Year Premium Support
WADE890-BKSY	R 6,567	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 4 Year Premium Support
WADE890-BKSZ	R 5,940	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BKTC	R 8,576	Dell XPS 9500 / 7590 / 9700 / 9510 / 9710 / 9520 / 9720 / 9730 - 3 Year Basic Onsite to 4 Year Pro Support Plus
WADE890-BKVC	R 1,872	Dell G3 3500 / G5 5500 / G3 3590 / G5 5590 / G7 7700 / G15 5510 / G5 15 5515 / G15 5511 / G5 SE 5505 / G15 5525 / G15 5520 / G15 5521 / 5530 / 7630 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKVE	R 4,119	Dell G3 3500 / G5 5500 / G3 3590 / G5 5590 / G7 7700 / G15 5510 / G5 15 5515 / G15 5511 / G5 SE 5505 / G15 5525 / G15 5520 / G15 5521 / 5530 / 7630 - 1 Year Basic Onsite to 3 Year Premium Support
WADE890-BKVF	R 5,804	Dell G3 3500 / G5 5500 / G3 3590 / G5 5590 / G7 7700 / G15 5510 / G5 15 5515 / G15 5511 / G5 SE 5505 / G15 5525 / G15 5520 / G15 5521 / 5530 / 7630 - 1 Year Basic Onsite to 4 Year Premium Support
WADE890-BKVG	R 936	Dell G3 3500 / G5 5500 / G3 3590 / G5 5590 / G7 7700 / G15 5510 / G5 15 5515 / G15 5511 / G5 SE 5505 / G15 5525 / G15 5520 / G15 5521 / 5530 / 7630 - 2 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKVI	R 3,183	Dell G3 3500 / G5 5500 / G3 3590 / G5 5590 / G7 7700 / G15 5510 / G5 15 5515 / G15 5511 / G5 SE 5505 / G15 5525 / G15 5520 / G15 5521 / 5530 / 7630 - 2 Year Basic Onsite to 3 Year Premium Support
WADE890-BKVJ	R 4,868	Dell G3 3500 / G5 5500 / G3 3590 / G5 5590 / G7 7700 / G15 5510 / G5 15 5515 / G15 5511 / G5 SE 5505 / G15 5525 / G15 5520 / G15 5521 / 5530 / 7630 - 2 Year Basic Onsite to 4 Year Premium Support
WADE890-BKVZ	R 1,686	Dell Inspiron 14 5000 / Inspiron 5400 (2in1) / 5406 2N1 / 5490 / 5491 2N1 / 5501 / 5593 / 5310 / 5410 2-in-1 / 5410 / 5418 / 5415 / 5510 / 5518 / 5515.5402 / 5502 / 5405 / 5425 / 5620 / 5430 / 5630 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKWC	R 3,090	Dell Inspiron 14 5000 / Inspiron 5400 (2in1) / 5406 2N1 / 5490 / 5491 2N1 / 5501 / 5593 / 5310 / 5410 2-in-1 / 5410 / 5418 / 5415 / 5510 / 5518 / 5515.5402 / 5502 / 5405 / 5425 / 5620 / 5430 / 5630 - 1 Year Basic Onsite to 3 Year Premium Support
WADE890-BKWD	R 4,401	Dell Inspiron 14 5000 / Inspiron 5400 (2in1) / 5406 2N1 / 5490 / 5491 2N1 / 5501 / 5593 / 5310 / 5410 2-in-1 / 5410

		/ 5418 / 5415 / 5510 / 5518 / 5515.5402 / 5502 / 5405 / 5425 / 5620 / 5430 / 5630 - 1 Year Basic Onsite to 4 Year Premium Support
WADE890-BKWE	R 843	Dell Inspiron 14 5000 / Inspiron 5400 (2in1) / 5406 2N1 / 5490 / 5491 2N1 / 5501 / 5593 / 5310 / 5410 2-in-1 / 5410 / 5418 / 5415 / 5510 / 5518 / 5515.5402 / 5502 / 5405 / 5425 / 5620 / 5430 / 5630 - 2 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKWG	R 2,469	Dell Inspiron 14 5000 / Inspiron 5400 (2in1) / 5406 2N1 / 5490 / 5491 2N1 / 5501 / 5593 / 5310 / 5410 2-in-1 / 5410 / 5418 / 5415 / 5510 / 5518 / 5515.5402 / 5502 / 5405 / 5425 / 5620 / 5430 / 5630 - 2 Year Basic Onsite to 3 Year Premium Support
WADE890-BKWH	R 3,558	Dell Inspiron 14 5000 / Inspiron 5400 (2in1) / 5406 2N1 / 5490 / 5491 2N1 / 5501 / 5593 / 5310 / 5410 2-in-1 / 5410 / 5418 / 5415 / 5510 / 5518 / 5515.5402 / 5502 / 5405 / 5425 / 5620 / 5430 / 5630 - 2 Year Basic Onsite to 4 Year Premium Support
WADE890-BKWX	R 2,247	Dell Inspiron 14 7400 / 7306 2N1 / 7391 2N1 / 7490 / 7560 / 7415 2IN1 / 7610 / 7510 / 7420 / 7620 / 7420 2IN1 / 7430 2IN1 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKWZ	R 3,932	Dell Inspiron 14 7400 / 7306 2N1 / 7391 2N1 / 7490 / 7560 / 7415 2IN1 / 7610 / 7510 / 7420 / 7620 / 7420 2IN1 / 7430 2IN1 - 1 Year Basic Onsite to 3 Year Premium Support
WADE890-BKXB	R 5,617	Dell Inspiron 14 7400 / 7306 2N1 / 7391 2N1 / 7490 / 7560 / 7415 2IN1 / 7610 / 7510 / 7420 / 7620 / 7420 2IN1 / 7430 2IN1 - 1 Year Basic Onsite to 4 Year Premium Support
WADE890-BKXC	R 1,124	Dell Inspiron 14 7400 / 7306 2N1 / 7391 2N1 / 7490 / 7560 / 7415 2IN1 / 7610 / 7510 / 7420 / 7620 / 7420 2IN1 / 7430 2IN1 - 2 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BKXE	R 2,808	Dell Inspiron 14 7400 / 7306 2N1 / 7391 2N1 / 7490 / 7560 / 7415 2IN1 / 7610 / 7510 / 7420 / 7620 / 7420 2IN1 / 7430 2IN1 - 2 Year Basic Onsite to 3 Year Premium Support
WADE890-BKXF	R 4,493	Dell Inspiron 14 7400 / 7306 2N1 / 7391 2N1 / 7490 / 7560 / 7415 2IN1 / 7610 / 7510 / 7420 / 7620 / 7420 2IN1 / 7430 2IN1 - 2 Year Basic Onsite to 4 Year Premium Support
WADE890-BLJH	R 2,809	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLJI	R 1,117	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLJK	R 3,685	Dell Latitude 3301 / 3310 2-in-1 / 3310 / 3400 / 3410 / 3500 / 3510 / 3390 2-in-1 / 3120 2-in-1 / 3320 / 3420 / 3520 / 3435 / 3535 / 3330 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLLT	R 2,048	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLLU	R 2,460	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLLW	R 4,905	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLLX	R 3,290	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLLZ	R 6,256	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLMB	R 2,445	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLMC	R 830	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLME	R 3,796	Dell Latitude 7200 2-in-1 / 7210 2-in-1 / 7400 2-in-1 / 7320 2-in-1 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLRY	R 2,239	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLRZ	R 3,256	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLSC	R 6,510	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLSD	R 4,085	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLSF	R 7,861	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLSG	R 3,256	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLSH	R 830	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLSJ	R 4,606	Dell Latitude 9410 2-in-1 / 9330 / 9330 2-in-1 / 9440 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLSK	R 1,135	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BLSL	R 2,490	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 /

		5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLSN	R 3,005	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BLSP	R 5,479	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 1 Year Basic Onsite to 5 Year Pro Support
WADE890-BLSR	R 3,882	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 1 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLST	R 6,905	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 1 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLSU	R 1,356	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BLSV	R 1,871	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLSX	R 4,346	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BLSY	R 2,750	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLTB	R 5,771	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BLTC	R 2,475	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BLTD	R 1,083	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BLTF	R 3,900	Dell Latitude 5401 / 5310 2-in-1 / 5411 / 5511 / 5300 2-in-1 / 5300 / 5310 / 5400 / 5410 / 5500 / 5501 / 5510 / 5320 / 5420 / 5520 / 5320 / 5421 / 5521 / 5431 / 5531 / 5330 / 5430 / 5530 / 5340 / 5440 / 5540 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BLUH	R 620	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BLUI	R 575	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BLUK	R 1,386	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Basic Onsite to 4 Year Pro Support
WADE890-BLUL	R 1,931	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BLUN	R 3,188	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Basic Onsite to 4 Year Pro Support Plus
WADE890-BMCC	R 2,460	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year

		Basic Onsite to 3 Year Pro Support
WADE890-BMCD	R 3,290	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BMCE	R 2,048	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BMCF	R 4,905	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BMCH	R 6,256	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BMCJ	R 848	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BMCK	R 2,445	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BMCL	R 3,796	Dell Latitude 7300 / 7310 / 7400 / 7410 / 7320 / 7420 / 7520 / 7330 / 7430 / 7530 / 7440 / 7340 / 7640 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BMEK	R 692	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BMEL	R 796	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BMEN	R 1,753	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Basic Onsite to 4 Year Pro Support
WADE890-BMEO	R 1,931	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BMEQ	R 3,261	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Basic Onsite to 4 Year Pro Support Plus
WADE890-BMGM	R 767	Dell Vostro 7510 / 7620 - 3 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BMGO	R 1,239	Dell Vostro 7510 / 7620 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BMGQ	R 2,416	Dell Vostro 7510 / 7620 - 3 Year Basic Onsite to 4 Year Pro Support
WADE890-BMGR	R 2,372	Dell Vostro 7510 / 7620 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BMHT	R 2,239	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BMHU	R 3,256	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BMHW	R 6,510	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BMHX	R 4,087	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BMHZ	R 7,864	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Basic Onsite to 5 Year Pro Support Plus
WADE890-BMIB	R 3,256	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BMIC	R 833	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BMIE	R 4,608	Dell Latitude 9510 / 9520 / 9420 / 9430 / 9430 2-in-1 - 3 Year Pro Support to 5 Year Pro Support Plus
WADE890-BNEV	R 1,179	Dell Vostro 7510 / 7620 - 3 Year Pro Support to 4 Year Pro Support
WADE890-BNEW	R 1,135	Dell Vostro 7510 / 7620 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BNEY	R 2,686	Dell Vostro 7510 / 7620 - 3 Year Pro Support to 4 Year Pro Support Plus
WADE890-BNEZ	R 958	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Pro Support to 4 Year Pro Support
WADE890-BNFB	R 1,136	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BNFD	R 2,467	Dell Vostro 5401 / 5402 / 5501 / 5502 / 5391 / 5490 / 5581 / 5590 / 5410 / 5310 / 5510 / 5515 / 5415 / 5625 / 5620 / 5320 / 5635 / 5630 - 3 Year Pro Support to 4 Year Pro Support Plus
WADE890-BNFI	R 811	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Pro Support to 4 Year Pro Support
WADE890-BNFJ	R 1,357	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 /

		3435 / 3535 / 3430 / 3530 - 3 Year Pro Support to 3 Year Pro Support Plus
WADE890-BNFL	R 2,614	Dell Vostro 3000 / 3501 / 3590 / 3591 / 3581 / 3584 / 3580 / 3500 / 3510 / 3515 / 3400 / 3525 / 3425 / 3420 / 3520 / 3435 / 3535 / 3430 / 3530 - 3 Year Pro Support to 4 Year Pro Support Plus
WADE890-BNYO	R 912	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BNYP	R 2,440	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BNYR	R 4,237	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 3 Year Pro Support
WADE890-BNYT	R 6,483	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 4 Year Pro Support
WADE890-BNYU	R 1,530	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 4 Year Basic Onsite
WADE890-BNYV	R 3,326	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BNYW	R 5,573	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 4 Year Pro Support
WADE890-BNZY	R 4,237	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 3 Year Premium Support
WADE890-BOBB	R 6,483	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 4 Year Premium Support
WADE890-BOBD	R 6,138	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BOBF	R 8,398	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 2 Year Basic Onsite to 4 Year Pro Support Plus
WADE890-BOBG	R 3,356	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 3 Year Premium Support
WADE890-BOBI	R 5,573	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 4 Year Premium Support
WADE890-BOBJ	R 5,227	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 3 Year Pro Support Plus
WADE890-BOBL	R 7,488	Dell XPS 7390 / 9310 / 9310 2-in-1 / 9320 / 9315 / 9305 - 3 Year Basic Onsite to 4 Year Pro Support Plus

< Return to the menu

Printer Warranty

Product code	Price	Description
CP03OSSEC524	R 2,065	Epson FX-890 Dotmatrix Printer Warranty, 3 Year Extension On-Site service
CP03OSSEC526	R 3,442	Epson FX-2190 Dotmatrix Printer Warranty, 3 Year Extension On-Site service
CP03OSSECA13	R 2,065	Epson LQ-690 Dotmatrix Printer Warranty, 3 Year Extension On-Site service
CP03OSSECA92	R 3,442	Epson LQ-2190/N Dotmatrix Printer Warranty, 3 Year Extension On-Site service
CP03OSSECC24	R 1,148	Epson LX-350 Dotmatrix Printer Warranty, 3 Year Extension On-Site service
CP03OSSECC25	R 1,148	Epson LQ-350 Dotmatrix Printer Warranty, 3 Year Extension On-Site service
CP03OSSECE05	R 1,364	Epson WF-100W Inkjet Printer Warranty, 3 Year Extension On-Site service
CP03RTBSC524	R 1,020	Epson FX-890 Dotmatrix Printer Warranty, 3 Year Return to base service
CP03RTBSC526	R 1,835	Epson FX-2190 Dotmatrix Printer Warranty, 3 Year Return to base service
CP03RTBSCC24	R 612	Epson LX-350 Dotmatrix Printer Warranty, 3 Year Return to base service
CP03RTBSCC25	R 612	Epson LQ-350 Dotmatrix Printer Warranty, 3 Year Return to base service
CP04RTBSC524	R 1,607	Epson FX-890 Dotmatrix Printer Warranty, 4 Year Return to base service
CP05RTBSC526	R 3,052	Epson FX-2190 Dotmatrix Printer Warranty, 5 Year Return to base service
PRHPU6Z05E	R 4,691	HP U6Z05E 3 Year Next Business Day DMR LaserJet M712 Hardware support
PRHPU6Z06E	R 7,031	HP U6Z06E 4 Year Next Business Day DMR LaserJet M712 Hardware support
PRHPU6Z07E	R 9,371	HP U6Z07E 5 Year Next Business Day DMR LaserJet M712 Hardware support
PRHPU6Z24PE	R 3,703	HP U6Z24PE 1 Year Post Warranty Next Business Day DMR LaserJet M712 support
PRHPU7A14E	R 9,674	HP U7A14E 3 Year Next Business Day Defective Media Retention LaserJet M725 MFP support
PRHPU7A15E	R 14,510	HP U7A15E 4 Year Next Business Day Defective Media Retention LaserJet M725 MFP support
PRHPU7A16E	R 19,348	HP U7A16E 5 Year Next Business Day Defective Media Retention LaserJet M725 MFP support
PRHPU9JQ2E	R 733	HP U9JQ2E 3 Year standard exchange Hardware support for ScanJet Pro 2xxx
PRHPU9JR0E	R 953	HP U9JQ2E 3 Year standard exchange Hardware support for ScanJet Pro 3xxx
PRHPU9JT4E	R 2,092	HP U9JT4E 3 Year Next Business Day with defective Media retention Hardware support for LaserJet M436 multifunction Printer
PRHPU9JT5E	R 3,138	HP U9JT5E 4 Year Next Business Day with defective Media retention Hardware support for LaserJet M436 multifunction Printer
PRHPU9JT6E	R 4,184	HP U9JT6E 5 Year Next Business Day with Defective Media Retention Hardware support for LaserJet M436

		Multifunction Printer
PRHPUG235E	R 215	HP UG235E 3 Year Care Pack with return to depot support for DeskJet 3830 / 3835 / 5075 / 5275
PRHPUG245E	R 684	HP UG245E 3 Year care pack with return to depot support for OfficeJet 202 and 252
PRHPUG289E	R 396	HP UG289E 3 Year Care Pack with return to Depot support for LaserJet printers M203
PRHPUH579E	R 428	HP UH579E 4 Year Care Pack with return to Depot support for multifunction printers for DeskJet I2130 / 2135 / 2630 / 2630 / 3635 / 4535
PRHPUH582E	R 1,025	HP UH582E 4 Year Care Pack with Return to Depot support for OfficeJet 202 and 252
PRHPUH585E	R 634	HP UH585E 4 Year Care Pack with return to depot support for LaserJet printers (254 series)
PRHPUH764E	R 570	HP UH764E 3 Year Care Pack with return to depot support for LaserJet printers
PRHPUH765E	R 856	HP UH765E 4 Year return cons LaserJet MFP - E SVC (M281 series)
PRHPUQ491PE	R 2,406	HP UQ491PE 1 Year Post Warranty Next Business Day Defective Media Retention Colour LaserJet CP5225 Hardware support
PRHPUQ496E	R 3,137	HP UQ496E 3 Year Next Business Day Defective Media Retention Colour LaserJet CP5225 Hardware support
PRHPUT990E	R 4,710	HP UT990E 4 Year Next Business Day Defective Media Retention Colour LaserJet CP5225 Hardware support
PRHPUU868E	R 6,263	HP UU868E 5 Year Next Business Day Defective Media Retention Colour LaserJet CP5225 Hardware support

< Return to the menu

Projector Warranty Upgrades

Product code	Price	Description

< Return to the menu

Scanner Warranty

Product code	Price	Description
CP03OSSEB224	R 1,802	Epson PerfectionV850Pro Scanner Warranty, 3 Year Extension On-Site service
CP03RTBSB226	R 2,040	Epson DS-530/N Scanner Warranty, 3 Year Return to base service
PRHPU1Q61E	R 1,988	HP U1Q61E 3 Year standard exchange ScanJet 7000s3 Hardware service
PRHPU5X48PE	R 1,531	HP U5X48PE 1 Year Post warranty standard exchange ScanJet 7000s3 and 7000s3 flow service
PRHPU9TX1E	R 9,420	HP U9TX1E 3 Year Next Business Day with disk Media retention service for Digital sender N9120FN2
PRHPUK001E	R 2,494	HP UK001E 3 year Standard Exchange Scanjet 5000 Hardware Service
PRHPUK513PE	R 1,208	HP UK513PE 1 Year Post warranty standard exchange ScanJet 5000 Hardware service

< Return to the menu

Server Warranty

Product code	Price	Description
5PS7A01504	R 20,626	Lenovo 5PS7A01504 SR630 - Essential Service - 3 Year 24x7 4hr response YourDrive YourData
5PS7A01558	R 27,953	Lenovo 5PS7A01558 SR650 (ThinkSystem) - Essential Service - 3 Year 24x7 4hr response YourDrive YourData
5WS7A01486	R 10,094	Lenovo 5WS7A01486 SR630 - Foundation Service - 3 Year Next Business Day response
5WS7A01540	R 11,807	Lenovo 5WS7A01540 SR650 (ThinkSystem) - Foundation Service - 3 Year Next Business Day response
5WS7A01706	R 19,307	Lenovo 5WS7A01706 ST550 - Foundation Service - 5 Year Next Business Day response
5WS7A21840	R 45,597	Lenovo 5WS7A21840 DE controller DE4000H 2U24 SFF : Foundation Service - 5 Year Next Business Day response
5WS7A26082	R 1,309	Lenovo 5WS7A26082 ST50 - Foundation Service - 3 Year Next Business Day response
5WS7A26468	R 1,532	Lenovo 5WS7A26468 ST250 - Foundation Service - 3 Year Next Business Day response
LenDCW-5WS7A26082	R 574	Lenovo 5WS7A26082 ST50 - Foundation Service - 3 Year Next Business Day response
WADE785-BBSE	R 5,587	Dell PowerEdge R7525 / R7515 / T640 / R540 / R740 / R640 / R650XS / R750XS / T550 - 3 Year Keep Your HD ENT to 3 Year Keep Your HD ENT
WADE785-BBSF	R 10,054	Dell PowerEdge R7525 / R7515 / T640 / R540 / R740 / R640 / R650XS / R750XS / T550 - 5 Year Keep Your HD ENT to 5 Year Keep Your HD ENT
WADE785-BBTT	R 882	Dell PowerEdge R240 / R340 / T140 / T340 / T40 / R250 / R350 / T150 / T350 - 3 Year Keep Your HD ENT to 3

		Year Keep Your HD ENT
WADE785-BBTU	R 1,440	Dell PowerEdge R240 / R340 / T140 / T340 / T40 / R250 / R350 / T150 / T350 - 5 Year Keep Your HD ENT to 5 Year Keep Your HD ENT
WADE785-BBWM	R 1,130	Dell PowerEdge R6525 / R6515 / T440 / R440 - 3 Year Keep Your HD ENT to 3 Year Keep Your HD ENT
WADE785-BBWN	R 1,884	Dell PowerEdge R6525 / R6515 / T440 / R440 - 5 Year Keep Your HD ENT to 5 Year Keep Your HD ENT
WADE785-BCYC	R 4,547	Dell PowerEdge R240 / R340 / T140 / T340 / T40 / R250 / R350 / T150 / T350 - 5 Year Keep Your Component For Enterprise to 5 Year Keep Your Component For Enterprise
WADE785-BCYD	R 2,256	Dell PowerEdge R240 / R340 / T140 / T340 / T40 / R250 / R350 / T150 / T350 - 3 Year Keep Your Component For Enterprise to 3 Year Keep Your Component For Enterprise
WADE785-BCYF	R 7,688	Dell PowerEdge R440 / R6515 / R6525 / T440 - 5 Year Keep Your Component For Enterprise to 5 Year Keep Your Component For Enterprise
WADE785-BCYG	R 12,879	Dell PowerEdge R540 / R640 / R740 / R7515 / T640 / R650XS / R750XS / T550 - 3 Year Keep Your Component For Enterprise to 3 Year Keep Your Component For Enterprise
WADE785-BCYH	R 21,464	Dell PowerEdge R540 / R640 / R740 / R7515 / T640 / R650XS / R750XS / T550 - 5 Year Keep Your Component For Enterprise to 5 Year Keep Your Component For Enterprise
WADE890-BITC	R 64,371	Dell PowerEdge 7525 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BITE	R 37,620	Dell PowerEdge 7525 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BITF	R 94,048	Dell PowerEdge 7525 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4 Hours
WADE890-BITH	R 30,096	Dell PowerEdge 7525 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BITL	R 160,925	Dell PowerEdge 7525 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BITU	R 56,429	Dell Poweredge R7525 - 3 Year Pro Support to 3 Year Pro Support Plus 4H
WADE890-BITY	R 26,751	Dell Poweredge R7525 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BITZ	R 123,308	Dell Poweredge R7525 - 3 Year Pro Support to 5 Year Pro Support Plus 4H
WADE890-BOEV	R 18,023	Dell Poweredge R650 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BOEZ	R 22,529	Dell Poweredge R650 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BOFB	R 38,548	Dell Poweredge R650 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BOFP	R 56,320	Dell Poweredge R650 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4H
WADE890-BOFQ	R 96,369	Dell Poweredge R650 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4H
WADE890-BOFS	R 16,021	Dell Poweredge R650 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BOGO	R 33,793	Dell Poweredge R650 - 3 Year Pro Support to 3 Year Pro Support Plus 4H
WADE890-BOGP	R 73,842	Dell Poweredge R650 - 3 Year Pro Support to 5 Year Pro Support Plus 4H
WADE890-BOHE	R 26,941	Dell Poweredge R750 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BOHI	R 33,677	Dell Poweredge R750 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BOHJ	R 57,624	Dell Poweredge R750 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BOHX	R 84,192	Dell Poweredge R750 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4H
WADE890-BOHY	R 144,061	Dell Poweredge R750 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4H
WADE890-BOIB	R 23,949	Dell Poweredge R750 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BOIW	R 50,515	Dell Poweredge R750 - 3 Year Pro Support to 3 Year Pro Support Plus 4H
WADE890-BOIX	R 110,384	Dell Poweredge R750 - 3 Year Pro Support to 5 Year Pro Support Plus 4H
WADE890-BOPP	R 11,753	Dell Poweredge R550 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BOPQ	R 31,845	Dell Poweredge R550 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4H
WADE890-BOQI	R 15,543	Dell Poweredge R550 - 3 Year Pro Support to 3 Year Pro Support Plus 4H
WADE890-BOQS	R 10,578	Dell Poweredge R550 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BOQY	R 21,154	Dell Poweredge R550 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BOQZ	R 9,732	Dell Poweredge R550 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BORB	R 57,686	Dell Poweredge R550 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4H
WADE890-BORC	R 50,086	Dell Poweredge R550 - 3 Year Pro Support to 5 Year Pro Support Plus 4H
WADE890-BORT	R 10,363	Dell Poweredge R450 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BORU	R 31,845	Dell Poweredge R450 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4H

WADE890-BOSM	R 13,747	Dell Poweredge R450 - 3 Year Pro Support to 3 Year Pro Support Plus 4H
WADE890-BOSW	R 9,327	Dell Poweredge R450 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BOTD	R 18,653	Dell Poweredge R450 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BOTE	R 9,732	Dell Poweredge R450 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BOTF	R 57,686	Dell Poweredge R450 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4H
WADE890-BOTG	R 29,948	Dell Poweredge R450 - 3 Year Pro Support to 5 Year Pro Support Plus 4H
WADE890-BOTX	R 15,945	Dell PowerEdge R750XS - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BOTY	R 39,860	Dell PowerEdge R750XS - 3 Year Basic Onsite to 3 Year Pro Support PL 4H
WADE890-BOUQ	R 27,291	Dell PowerEdge R750XS - 3 Year Pro Support to 3 Year Pro Support PL 4H
WADE890-BOVB	R 14,350	Dell PowerEdge R750XS - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BOVH	R 28,699	Dell PowerEdge R750XS - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BOVI	R 12,756	Dell PowerEdge R750XS - 3 Year Pro Support to 5 Year Pro Support
WADE890-BOVJ	R 71,749	Dell PowerEdge R750XS - 3 Year Basic Onsite to 5 Year Pro Support PL 4H
WADE890-BOVK	R 57,786	Dell PowerEdge R750XS - 3 Year Pro Support to 5 Year Pro Support PL 4H
WADE890-BPDG	R 22,175	Dell PowerEdge T550 - 3 Year Basic Onsite to 3 Year Pro Support PL 4H
WADE890-BPDH	R 37,943	Dell PowerEdge T550 - 3 Year Basic Onsite to 5 Year Pro Support PL 4H
WADE890-BPDJ	R 7,041	Dell PowerEdge T550 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BPDO	R 9,054	Dell PowerEdge T550 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BPEH	R 15,459	Dell PowerEdge T550 - 3 Year Pro Support to 3 Year Pro Support PL 4H
WADE890-BPEI	R 32,731	Dell PowerEdge T550 - 3 Year Pro Support to 5 Year Pro Support PL 4H
WADE890-BPES	R 10,060	Dell PowerEdge T550 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BPET	R 20,797	Dell PowerEdge T550 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BPFE	R 1,484	Dell PowerEdge R250 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BPFG	R 2,011	Dell PowerEdge R250 - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BPFH	R 13,917	Dell PowerEdge R250 - 1 Year Basic Onsite to 3 Year Pro Support PL 4H
WADE890-BPFN	R 2,966	Dell PowerEdge R250 - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BPFQ	R 3,847	Dell PowerEdge R250 - 1 Year Basic Onsite to 5 Year Pro Support
WADE890-BPFS	R 23,690	Dell PowerEdge R250 - 1 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BPGM	R 1,135	Dell PowerEdge R250 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BPGN	R 12,435	Dell PowerEdge R250 - 3 Year Basic Onsite to 3 Year Pro Support PL 4H
WADE890-BPGP	R 1,484	Dell PowerEdge R250 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BPGS	R 2,363	Dell PowerEdge R250 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BPGU	R 22,207	Dell PowerEdge R250 - 3 Year Basic Onsite to 5 Year Pro Support PL 4H
WADE890-BPHE	R 11,907	Dell PowerEdge R250 - 3 Year Pro Support to 3 Year Pro Support PL 4H
WADE890-BPHI	R 1,835	Dell PowerEdge R250 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BPHJ	R 21,679	Dell PowerEdge R250 - 3 Year Pro Support to 5 Year Pro Support PL 4H
WADE890-BPOX	R 926	Dell PowerEdge T150 - 1 Year Basic Onsite to 3 Year Basic Onsite
WADE890-BPOZ	R 1,852	Dell PowerEdge T150 - 1 Year Basic Onsite to 3 Year Pro Support
WADE890-BPPB	R 4,629	Dell PowerEdge T150 - 1 Year Basic Onsite to 3 Year Pro Support PL 4H
WADE890-BPPH	R 1,544	Dell PowerEdge T150 - 1 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BPPK	R 3,042	Dell PowerEdge T150 - 1 Year Basic Onsite to 5 Year Pro Support
WADE890-BPPM	R 7,234	Dell PowerEdge T150 - 1 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BPQG	R 762	Dell PowerEdge T150 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BPQH	R 3,126	Dell PowerEdge T150 - 3 Year Basic Onsite to 3 Year Pro Support PL 4H
WADE890-BPQJ	R 618	Dell PowerEdge T150 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BPQM	R 1,799	Dell PowerEdge T150 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BPQO	R 5,591	Dell PowerEdge T150 - 3 Year Basic Onsite to 5 Year Pro Support PL 4H
WADE890-BPQX	R 2,364	Dell PowerEdge T150 - 3 Year Pro Support to 3 Year Pro Support PL 4H
WADE890-BPRC	R 1,835	Dell PowerEdge T150 - 3 Year Pro Support to 5 Year Pro Support

WADE890-BPRD	R 21,679	Dell PowerEdge T150 - 3 Year Pro Support to 5 Year Pro Support PL 4H
WADE890-BVNV	R 37,758	Dell PowerEdge 7615 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BVNW	R 94,393	Dell PowerEdge 7615 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4 Hours
WADE890-BVPC	R 57,894	Dell PowerEdge 7615 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BVPF	R 144,737	Dell PowerEdge 7615 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BVPJ	R 10,069	Dell PowerEdge 7615 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BVPW	R 56,636	Dell PowerEdge 7615 - 3 Year Pro Support to 3 Year Pro Support Plus 4 Hours
WADE890-BVQD	R 20,138	Dell PowerEdge 7615 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BVQG	R 106,979	Dell PowerEdge 7615 - 3 Year Pro Support to 5 Year Pro Support Plus 4 Hours
WADE890-BVQV	R 53,649	Dell PowerEdge 6625 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BVQW	R 134,121	Dell PowerEdge 6625 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4 Hours
WADE890-BVRC	R 82,261	Dell PowerEdge 6625 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BVRF	R 205,651	Dell PowerEdge 6625 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BVRJ	R 14,307	Dell PowerEdge 6625 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BVRW	R 80,472	Dell PowerEdge 6625 - 3 Year Pro Support to 3 Year Pro Support Plus 4 Hours
WADE890-BVSD	R 28,613	Dell PowerEdge 6625 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BVSG	R 152,004	Dell PowerEdge 6625 - 3 Year Pro Support to 5 Year Pro Support Plus 4 Hours
WADE890-BVSV	R 72,138	Dell PowerEdge 7625 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BVSW	R 180,345	Dell PowerEdge 7625 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4 Hours
WADE890-BVTC	R 110,612	Dell PowerEdge 7625 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BVTF	R 276,529	Dell PowerEdge 7625 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BVTJ	R 19,237	Dell PowerEdge 7625 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BVTW	R 108,207	Dell PowerEdge 7625 - 3 Year Pro Support to 3 Year Pro Support Plus 4 Hours
WADE890-BVVD	R 38,474	Dell PowerEdge 7625 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BVVG	R 204,391	Dell PowerEdge 7625 - 3 Year Pro Support to 5 Year Pro Support Plus 4 Hours
WADE890-BWKN	R 43,563	Dell PowerEdge 6615 - 3 Year Basic Onsite to 3 Year Pro Support
WADE890-BWKP	R 108,908	Dell PowerEdge 6615 - 3 Year Basic Onsite to 3 Year Pro Support Plus 4 Hours
WADE890-BWKV	R 66,798	Dell PowerEdge 6615 - 3 Year Basic Onsite to 5 Year Pro Support
WADE890-BWKX	R 166,993	Dell PowerEdge 6615 - 3 Year Basic Onsite to 5 Year Pro Support Plus 4 Hours
WADE890-BWLB	R 11,617	Dell PowerEdge 6615 - 3 Year Basic Onsite to 5 Year Basic Onsite
WADE890-BWLP	R 65,345	Dell PowerEdge 6615 - 3 Year Pro Support to 3 Year Pro Support Plus 4 Hours
WADE890-BWLW	R 23,235	Dell PowerEdge 6615 - 3 Year Pro Support to 5 Year Pro Support
WADE890-BWLY	R 123,430	Dell PowerEdge 6615 - 3 Year Pro Support to 5 Year Pro Support Plus 4 Hours

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Web cams

Product code	Price	Description
722-BBBI	R 2,301	Dell 722-BBBI WB7022 UltraSharp 4K USB Webcam, Large Sony Starvis CMOS sensor, Up to 5x HD Digital Zoom, Autofocus, No Microphone, Facial detection auto exposure, Privacy cap
722-BBBI	R 2,232	Dell 722-BBBI WB7022 UltraSharp 4K USB Webcam, Large Sony Starvis CMOS sensor, Up to 5x HD Digital Zoom, Autofocus, No Microphone, Facial detection auto exposure, Privacy cap
722-BBBU	R 1,351	Dell 722-BBBU WB5023 Pro 2K QHD USB Webcam, Sony starvis sensor, Autofocus, AI auto framing, Privacy cap, Noise reduction Mic, Up to 3 meter Mic range
722-BBBV	R 1,097	Dell 722-BBBV WB3023 2K QHD USB Webcam, Sony sensor, Autofocus, Privacy cap, Noise reduction Mic, Up to 3 meter Mic range, Tripod Mount hole
722-BBCT	R 2,029	Dell WB526 Pro 5 2K QHD Webcam; 2560 x 1440 at 30 fps; Sony image sensor; autofocus; HDR; AI auto-framing; 78-degree field of view; 2x digital zoom; built-in omnidirectional microphone; Windows Hello;

		USB-C with USB-A converter; 1.5 m cable; black; 5.8 x 4.2 x 3.55 cm; 210 g; Windows 11 and macOS 14 or later
722-BBCV	R 3,269	Dell WB726 Pro 7 4K Webcam; 3840 x 2160 UHD; up to 60 fps; Sony STARVIS CMOS sensor; 65/78/90 degree field of view; autofocus; 5x digital zoom; AI auto-framing; face tracking; gesture control; Document View; integrated AI microphone; Windows Hello; USB-C; Windows 11 and macOS 14 or later
74-722BBBU	R 1,310	Dell 722-BBBU WB5023 Pro 2K QHD USB Webcam, Sony starvis sensor, Autofocus, AI auto framing, Privacy cap, Noise reduction Mic, Up to 3 meter Mic range
74-722BBBV	R 1,064	Dell 722-BBBV WB3023 2K QHD USB Webcam, Sony sensor, Autofocus, Privacy cap, Noise reduction Mic, Up to 3 meter Mic range, Tripod Mount hole
902003	R 2,736	Port 902003 Connect Professional Webcam with Integrated Microphone - 4K @ 30Hz, Sony IMX415 image Sensor, 8.29 megapixels, 90 degrees horizontal viewing angle, 3840x2160 @30fps (4K) Max Resolution, x2 Built-In omnidirectional microphones, Automatic Noise Reduction, 5 meters pick-up range
902005	R 5,612	Port 902005 Connect All-in-One conference Cam 4K 30Hz, 8.29 megapixels, 120 degrees horizontal viewing angle, 3840x2160 @30fps (4K) Max Resolution, Omnidirectional Microphone, Automatic Noise Reduction, 5 meters pick-up range, Automatic gain control audio Speaker Output
960-000972	R 2,584	Logitech C930e HD Pro Business Webcam, Wide Angle Lens USB
960-000972	R 1,850	Logitech C930e 1080p Business Webcam
960-001055	R 1,499	Logitech C920 HD Pro Webcam - 1080p Still Images, 1080p HD Video, Carl Zeiss Optics, Fluid Crystal Technology, Dual Mics, Auto Focus, Stable Mounting Clip, RightLight & RightSound Technology, Natural Audio Sound
960-001055	R 1,442	Logitech C920 HD Pro Webcam - 1080p Still Images, 1080p HD Video, Carl Zeiss Optics, Fluid Crystal Technology, Dual Mics, Auto Focus, Stable Mounting Clip, RightLight & RightSound Technology, Natural Audio Sound
960-001055	R 1,494	Logitech C920 HD Pro Full HD 1080p Webcam, 1.5 m cable length, 1080p @ 30 fps Max Resolution, 3 Mega Pixel camera, Autofocus, Glass Lens Type, Stereo Built-In Mic, Up to 1m Mic range, 78 degrees diagonal Field of View (dFoV), Tripod-ready Universal mounting clip, 960-001055
960-001063	R 286	Logitech Webcam C270 HD Still 3MP HD Video Built in Mic Auto focus Grey
960-001063	R 282	Logitech C270 Grey HD Still 3MP HD Video Webcam, Built in Mic, Auto focus
960-001063	R 288	Logitech HD Webcam C270 720p USB, HD 720p / 30fps, Up to 1 m Mic range, 55 degree diagonal Field of view, Universal mounting clip, Mono built-in Mic, Plastic Lens Type, Fixed focus, 0.9 Mega Pixel, 1.5 m cable length, 960-001063
960-001076	R 2,644	Logitech C925E Full HD 1920x1080 Webcam with autofocus, Omni directional Dual stereo microphones, Privacy shutter, USB Plug and Play, Supports H.264, 78 degree Field of view, Rightlight 2 technology, 2 omni-directional mics, Hi-Speed USB 2.0, Tripod-ready Universal clip
960-001076	R 1,747	Logitech C925e Full HD Webcam with autofocus, omni directional dual stereo microphones, privacy shutter, USB plug and play
960-001088	R 1,699	Logitech Webcam C922 HD Pro Webcam, USB, Full HD, 10MP, Carl Zeis Lens, 20 step autofocus, Microphone with noise reduction
960-001088	R 1,953	Logitech 960-001088 Webcam C922, Streaming and recording optimized, Integrated background replacement, Dual built-in omni directional microphones with no drop audio, Fully adjustable tripod with swivel Mount up to 18.5cm height adjustment, Support Full HD 1080p@30fps / HD 720p@60fps H.264 Video decoding, Tripod / clip mountable, Full HD glass Lens, Automatic low-light correction, 20-step autofocus, 78 degree Field of view - USB
960-001088	R 2,162	Logitech 960-001088 Webcam C922, Streaming and recording optimized, Integrated background replacement, Dual built-in omni directional microphones with no drop audio, Fully adjustable tripod with swivel Mount up to 18.5cm height adjustment, Support Full HD 1080p@30fps / HD 720p@60fps H.264 Video decoding, Tripod / clip mountable, Full HD glass Lens, Automatic low-light correction, 20-step autofocus, 78 degree Field of view - USB
960-001088	R 2,318	Logitech 960-001088 Webcam C922, Streaming and recording optimized, Integrated background replacement, Dual built-in omni directional microphones with no drop audio, Fully adjustable tripod with swivel Mount up to 18.5cm height adjustment, Support Full HD 1080p@30fps / HD 720p@60fps H.264 Video decoding, Tripod / clip

		mountable, Full HD glass Lens, Automatic low-light correction, 20-step autofocus, 78 degree Field of view - USB (Order on request)
960-001089	R 1,617	Logitech Webcam C922 HD Pro Webcam USB, Streaming and recording optimized, Integrated background replacement, Dual built-in omni directional microphones with no drop audio, Fully adjustable tripod with swivel Mount up to 18.5cm height adjustment, Support Full HD 1080p@30fps / HD 720p@60fps H.264 Video decoding, Tripod / clip mountable, Full HD glass Lens, Automatic low-light correction, 20-step autofocus, 78 degree Field of view, 960-001089
960-001106	R 3,633	Logitech 960-001106 Brio Web Cam, Step up to the world ' s most technologically advanced webcam and get professional-quality video.
960-001252	R 1,577	Logitech C920S 3MP HD Pro Webcam USB, 3 Mega Pixel, Autofocus, Glass Lens Type, Built-in Mic, Up to 1 m Mic range, 78 degrees diagonal Field of view (DFOV), Tripod-ready Universal mounting clip
960-001252	R 1,486	Logitech C920S 3MP HD Pro Webcam USB, 3 Mega Pixel, Autofocus, Glass Lens Type, Built-in Mic, Up to 1 m Mic range, 78 degrees diagonal Field of view (DFOV), Tripod-ready Universal mounting clip, 960-001252
960-001252	R 1,562	Logitech C920S 3MP HD Pro Webcam USB, 3 Mega Pixel, Autofocus, Glass Lens Type, Built-in Mic, Up to 1 m Mic range, 78 degrees diagonal Field of view (DFOV), Tripod-ready Universal mounting clip, 960-001252
960-001360	R 2,047	Logitech C920e HD 1080p Webcam - Black, 1080p/30fps, 720p/30fps (Up to 1280 x 720 pixels) with supported clients H.264 Video Compression, Autofocus focus Type, Glass Lens Type, Up to 1 M Mic range, Rightlight 2 technology, Tripod-ready Universal mounting clip, 960-001360
960-001360	R 1,689	Logitech C920e HD 1080p Webcam - Black, 1080p/30fps, 720p/30fps (Up to 1280 x 720 pixels) with supported clients H.264 Video Compression, Autofocus focus Type, Glass Lens Type, Up to 1 M Mic range, Rightlight 2 technology, Tripod-ready Universal mounting clip, 960-001360
960-001372	R 712	Logitech VC Webcam C505e - HD webcam with 720p and long-range mic
960-001421	R 2,099	Logitech 960-001421 Brio 500 Full HD 1080p Webcam - USB - Rose, 1080p/30fps, 720p/60fps, 4MP camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, Rightlight 4 with HDR
960-001422	R 1,942	Logitech 960-001422 Brio 500 Full HD 1080p Webcam - USB - Graphite, 1080p/30fps, 720p/60fps, 4MP camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, Rightlight 4 with HDR
960-001422	R 2,115	Logitech 960-001422 Brio 500 Full HD 1080p Webcam - USB - Graphite, 1080p/30fps, 720p/60fps, 4MP camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, Rightlight 4 with HDR
960-001422	R 2,099	Logitech 960-001422 Brio 500 Full HD 1080p Webcam - USB - Graphite, 1080p/30fps, 720p/60fps, 4MP camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, Rightlight 4 with HDR (Order on request)
960-001428	R 2,128	Logitech 960-001428 Brio 500 Full HD 1080p Webcam - USB - Off-White, 1080p/30fps, 720p/60fps, 4MP camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Stereo Microphone, Up to 1.22 m Mic range, Rightlight 4 with HDR
960-001436	R 1,331	Logitech Brio 300 Graphite FHD 1080p webcam - USB/ Auto Light correction/ Built in Mic/ MS Teams & Zoom Compatible/ PC & MAC
960-001442	R 1,373	Logitech Brio 300 Full HD 1920x1080 Webcam - Off White - USB, 1080p/30fps, 2MP camera Megapixel, Fixed focus, Custom Logi 4 element Lens with anti-reflective coating, USB-C plug-and-play connectivity, Mono Microphone, Up to 1.22 m Mic range, 960-001442
960-001448	R 1,231	Logitech Brio 300 Full HD 1920x1080 Webcam - Rose - USB, 1080p/30fps, 2MP camera Megapixel, Fixed focus, Custom Logi 4 element Lens with anti-reflective coating, USB-C plug-and-play connectivity, Mono Microphone, Up to 1.22 m Mic range, 960-001448
960-001448 Special	R 1,230	(On Promotion) Logitech Brio 300 Full HD 1920x1080 Webcam - Rose - USB, 1080p/30fps, 2MP camera Megapixel, Fixed focus, Custom Logi 4 element Lens with anti-reflective coating, USB-C plug-and-play connectivity, Mono Microphone, Up to 1.22 m Mic range, 960-001448
960-001459	R 1,953	Logitech Brio 505 Full HD 1920x1080 USB-C Webcam - Graphite, Dual noise-reducing mics, 1080p @ 30fps, 4MP

		camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Integrated Privacy shutter, RightLight 4 with HDR, The detachable Universal mounting clip
960-001459	R 2,287	Logitech Brio 505 Full HD 1920x1080 USB-C Webcam - Graphite, Dual noise-reducing mics, 1080p @ 30fps, 4MP camera Megapixel, 4x Digital Zoom, Autofocus, Glass Lens Type, Integrated Privacy shutter, RightLight 4 with HDR, The detachable Universal mounting clip
960-001469	R 965	Logitech Brio 305 Full HD 1920x1080 USB-C Webcam - Graphite, Auto light correction, 1080p @ 30fps, 2MP camera Megapixel, 70 degrees diagonal Field of view, Fixed focus, Integrated Privacy shutter, Mono Microphone, 960-001469
960-001530	R 3,138	Logitech MX Brio 705 - Webcam - 4K Ultra HD - Slate - USB-C
960-001559	R 3,471	Logitech MX Brio 4K Ultra HD Collaboration and Streaming Webcam, 960-001559
960-001559	R 3,246	Logitech MX Brio 4K Ultra HD Collaboration and Streaming Webcam, 960-001559
960-001585	R 599	Logitech Brio 100 USB Full HD Webcam, Retail Box
960-001585	R 521	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001585
960-001585	R 535	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001585
960-001587	R 571	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001587
960-001592	R 493	Logitech Brio 105 Full HD 1920x1080 USB Webcam - Graphite, Privacy shutter, 1080p @ 30fps, 2 Megapixel CMOS image Sensor, 58 degrees diagonal Field of view, Fixed focus, RightLight 2, 1 Built-In omnidirectional Microphone, Integrated Privacy shutter, 960-001592
960-001617	R 768	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Off White, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001617
960-001617	R 518	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Off White, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001617
960-001623	R 518	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Rose, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001623
960-001724	R 2,563	Logitech Brio 4K Graphite Webcam - USB, Up to 4K / 30fps Resolution, 13 Megapixel Image Sensor, Autofocus, RightLight 3 auto Light correction, Noise-Canceling Dual Omni-Directional mics, USB Type-A or USB-C, 1.5 m cable length, Attachable Privacy shutter, Detachable Universal mounting clip
960-001724	R 3,449	Logitech Brio 4K Graphite Webcam - USB, Up to 4K / 30fps Resolution, 13 Megapixel Image Sensor, Autofocus, RightLight 3 auto Light correction, Noise-Canceling Dual Omni-Directional mics, USB Type-A or USB-C, 1.5 m cable length, Attachable Privacy shutter, Detachable Universal mounting clip
960001055	R 1,874	Logitech C920 HD Pro Black USB Webcam; Full HD 1920 x 1080 at 30fps; 720p at 30fps; Five-element glass lens; Autofocus; 78-degree diagonal field of view; Automatic light correction; Dual stereo microphones; 1.5m cable; Universal mounting clip; Tripod mounting support; 94 x 24 x 29mm; 162g
960001063	R 306	Logitech C270 HD Webcam; 720p video at 30 fps; 55-degree diagonal field of view; RightLight 2 automatic light correction; built-in noise-reducing mono microphone; fixed focus; USB-A connection; 1.5 m cable; universal mounting clip; 72.91 x 31.91 x 66.64 mm; 75 g; Windows 8 or later, macOS 10.10 or later, ChromeOS.
960001088	R 2,114	Logitech C922 Pro Stream Webcam; 1080p at 30fps; 720p at 60fps; 3 MP camera; glass lens; autofocus; automatic low-light correction; dual stereo microphones; 78-degree diagonal field of view; USB 2.0; 1.5 m cable; adjustable mounting clip; tripod compatible; 162 g; 95 x 44 x 71 mm including fixed mounting clip.
960001252	R 1,814	Logitech C920s Pro HD Webcam; Full HD 1920 x 1080 at 30fps; 720p at 30fps; 3MP camera; five-element glass lens; autofocus; 78-degree diagonal field of view; RightLight 2; dual stereo microphones; privacy shutter; USB-A; 1.5 m cable; universal mounting clip; tripod support; 94 x 71 x 43.3mm; 162g
960001585	R 714	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001585
981-001216	R 1,594	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 981-001216

A63121-B	R 251	Astrum WM210 2K QHD, Mic, 360 Rotation, Autofocus HD USB Webcam. 2K Quad HD resolution; CMOS sensor; 30fps frame rate; USB 2.0 interface; 1.5m cable; 82 x 80 x 32 mm dimensions; 80g weight; built-in microphone; 360 Degrees rotation; autofocus lens; adjustable tripod stand; privacy lens cover; plug-and-play setup; supports Windows, Chrome OS, Linux, Android; compatible with Skype, Zoom, MSN, Yahoo, Trademanager.
AW-V02AF	R 581	NearStream V02AF 1080P 60FPS Webcam with Noise-Canceling Mic, Software Control, Adjustable FOV, Plug and Play. 1080P resolution, 60FPS frame rate, 2MP CMOS sensor, autofocus, adjustable FOV 60-95 degrees, NearSync software control, USB connectivity, AI noise-canceling microphone, plug and play, universal mounting clip, 1/4 inch tripod thread, compatible with Windows, Mac, Linux, Chrome OS, supports Zoom, Teams, Google Meet, Skype, OBS, YouTube, Twitch
AW-V08AF	R 813	NearStream V08AF 4K Webcam for PC, HDR 1080P 60FPS Streaming Webcam with Noise Canceling Mic, Software Control, Adjustable FOV, Auto Focus, AI Framing. The NearStream V08AF is a compact 4K webcam with true autofocus, AI framing, and software-controlled field of view. Perfect for video meetings, livestreams, and presentations, it offers crystal-clear video and audio with easy USB setup.
AWCM720B	R 115	Astrum CAMGO 720P HD 5P 30FPS Mic USB Webcam, HD webcam featuring 720p resolution, built-in mic, 30fps video, auto white balance, and plug & play USB
AX-4K-VB	R 8,304	AXTEL AX-4K-VBM 4K Video Bar Mini Webcam; 120 degree wide angle; conferencing camera; plug and play; business meetings; remote learning; streaming device
AX-FHD-HELLO	R 1,266	Axtel AX-FHD Full HD 1920x1080 Webcam Hello, 1080p@30fps Resolution, 90 degrees Field of View, 1 element with Noise Reduction Microphone, 5 m voice pick-up, 2MP HD Colour CMOS with IR Sensor, 2.9" focal length, USB-C connection, Built-In Privacy shutter, Windows Hello AEC, Ans, AGC algorithms for Noise Reduction
CAM-WEBCAM-1000X	R 273	Genius Facecam 1000x 720hd Webcam With Manual Focus
CM678-15728	R 470	UGreen USB 1080p Webcam 30fps, 1080p Full HD Resolution, 30fps Frame rate, Built-In Stereo microphones with Noise-Cancelling, 85 degrees Wide-Angle Field of View, Automatic Light correction
CM778-35626	R 705	UGreen CM778 Black 2K 30FPS Web Camera. Resolution: 2560x1440@30fps; Dual noise-cancel mics; 85 Degree wide angle; USB-A 2m cable; Plug & Play
CNE-HWC2	R 297	Canyon C2 720p HD 1.0MP fixed focus Webcam with USB 2.0 connector, Built-In Microphone, 1280x720 Maximum Video Resolution, 30 fps Maximum Frame capture rate, 46 degrees viewing angle, Mechanical shutter, 1.5 m cable length
DS-UC8	R 2,645	Hikvision DS-UC8 4K Pro Series Webcam with Built-In Mic, 8 MP CMOS Image Sensor, PAL / NTSC signal system, 3840 (H) x 2160 (V) maximum Resolution, 3.6mm fixed-focal Lens, Digital WDR, Distortion correction, USB 3.0 Video Output, 2 Built-In microphones, 2 m cable length
DSY-WC301	R 129	Disney Mickey Mouse USB 2.0 1.3MegaPixel Web Camera - Retail Packaged
DSY-WC310	R 129	Disney Princess Web Camera Retail Packaged
DSY-WC312	R 129	Disney Princess 1.3MegaPixel Web Camera - USB 2.0, W/Microphone, Retail Packaged
DSY-WC331	R 129	Disney Cars USB 1.3MegaPixel Web Camera - Retail Packaged
ELGATO FACECAM 4K 10WAF9901	R 3,324	Elgato Facecam 4K Premium webcam with Pro grade optics.
LOG-960-001055	R 1,451	Logitech C920 HD Pro Full HD 1080p Webcam, 1.5 m cable length, 1080p @ 30 fps Max Resolution, 3 Mega Pixel camera, Autofocus, Glass Lens Type, Stereo Built-In Mic, Up to 1m Mic range, 78 degrees diagonal Field of View (dFoV), Tripod-ready Universal mounting clip, 960-001055
LOG-960-001063	R 284	Logitech HD Webcam C270 720p USB, HD 720p / 30fps, Up to 1 m Mic range, 55 degree diagonal Field of view, Universal mounting clip, Mono built-in Mic, Plastic Lens Type, Fixed focus, 0.9 Mega Pixel, 1.5 m cable length, 960-001063
LOG-960-001559	R 3,276	Logitech Brio 4K Graphite Webcam - USB, Up to 4K / 30fps Resolution, 13 Megapixel Image Sensor, Autofocus, RightLight 3 auto Light correction, Noise-Canceling Dual Omni-Directional mics, USB Type-A or USB-C, 1.5 m cable length, Attachable Privacy shutter, Detachable Universal mounting clip, 960-001559
LOG-960-001585	R 517	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001585
LOGI Brio 100 960-001585	R 536	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001585

LOGI Brio 100 Full HD 960-001623	R 530	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Rose, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001623
LOGI C270 960-001063	R 293	Logitech Webcam C270 HD Still 3MP HD Video Built in Mic Auto focus Grey
LOGI C920 HD Pro 960-001055	R 1,465	Logitech C920 HD Pro Webcam - 1080p Still Images, 1080p HD Video, Carl Zeiss Optics, Fluid Crystal Technology, Dual Mics, Auto Focus, Stable Mounting Clip, RightLight & RightSound Technology, Natural Audio Sound
LOGI C920e 960-001360	R 2,177	Logitech C920e HD 1080p Webcam - Black, 1080p/30fps, 720p/30fps (Up to 1280 x 720 pixels) with supported clients H.264 Video Compression, Autofocus focus Type, Glass Lens Type, Up to 1 M Mic range, Rightlight 2 technology, Tripod-ready Universal mounting clip, 960-001360
LOGI C920s 960-001252	R 1,504	Logitech C920S 3MP HD Pro Webcam USB, 3 Mega Pixel, Autofocus, Glass Lens Type, Built-in Mic, Up to 1 m Mic range, 78 degrees diagonal Field of view (DFOV), Tripod-ready Universal mounting clip, 960-001252
LOGI C922 960-001088	R 1,776	Logitech 960-001088 Webcam C922, Streaming and recording optimized, Integrated background replacement, Dual built-in omni directional microphones with no drop audio, Fully adjustable tripod with swivel Mount up to 18.5cm height adjustment, Support Full HD 1080p@30fps / HD 720p@60fps H.264 Video decoding, Tripod / clip mountable, Full HD glass Lens, Automatic low-light correction, 20-step autofocus, 78 degree Field of view - USB
LOGI C925e 960-001076	R 2,444	Logitech C925E Full HD 1920x1080 Webcam with autofocus, Omni directional Dual stereo microphones, Privacy shutter, USB Plug and Play, Supports H.264, 78 degree Field of view, Rightlight 2 technology, 2 omni-directional mics, Hi-Speed USB 2.0, Tripod-ready Universal clip
LOGI C930e 960-000972	R 2,854	Logitech VC C930E Full HD 1080p 15 MP photo Webcam USB, Video liquid Crystal tec carl zeiss optics, Built in Mic, Auto focus, Stable mounting clip, Natural stereo audio, Video effects fun filters, H.264 Video Compression, Zoom to 4x in 1080p, 2 omni-directional mics, Hi-Speed USB 2.0 Certified
Logitech Brio 100	R 546	Logitech Brio 100 2MP Full HD 1920x1080 Webcam - Graphite, 1080p @ 30fps, Fixed focus, Omni-Directional Microphone, Integrated Privacy shutter, USB connectivity, 960-001585
Logitech Brio 105	R 689	Logitech Brio 105 Graphite FHD 1080p USB-A Web Cam, 1080p, USB-A, Privacy shutter, Ceritified for Google Meet, Works with Chromebook, Auto light balance
Logitech C270	R 286	Logitech HD Webcam C270 720p USB, HD 720p / 30fps, Up to 1 m Mic range, 55 degree diagonal Field of view, Universal mounting clip, Mono built-in Mic, Plastic Lens Type, Fixed focus, 0.9 Mega Pixel, 1.5 m cable length
Logitech C920S	R 1,494	Logitech C920S 3MP HD Pro Webcam USB, 3 Mega Pixel, Autofocus, Glass Lens Type, Built-in Mic, Up to 1 m Mic range, 78 degrees diagonal Field of view (DFOV), Tripod-ready Universal mounting clip
Logitech C922 Pro	R 1,747	Logitech C922 Pro HD Stream Webcam
Logitech MX Brio 705	R 4,369	Logitech MX Brio 705 - Webcam - 4K Ultra HD - Slate - USB-C. Quick Specs Summary: 4K Ultra HD webcam with Sony STARVIS sensor, USB-C, dual beamforming mics, 90/78/65 degree field of view, AI auto-framing, 1.5 m cable, up to 60 fps, integrated privacy shutter, Logi Tune support, 82% recycled plastic, 137g webcam weight.
LRG-SC701BL	R 809	Lorgar Rapax 701 Quad HD 1440p auto focus Web Camera - Blue, 4 MP Sensor Resolution, 4x Digital Zoom, 2560x1440 maximum Resolution, 60 fps Maximum Frame capture rate, 75 degrees horizontal viewing angle, Automatic low-light correction, 1x USB Type-C, Microphone, Sony Sensor
LRG-SC701PK	R 809	Lorgar Rapax 701 Quad HD 1440p auto focus Web Camera - Pink, 4 MP Sensor Resolution, 4x Digital Zoom, 2560x1440 maximum Resolution, 60 fps Maximum Frame capture rate, 75 degrees horizontal viewing angle, Automatic low-light correction, 1x USB Type-C, Microphone, Sony Sensor
LRG-SC701WT	R 809	Lorgar Rapax 701 Quad HD 1440p auto focus Web Camera - White, 4 MP Sensor Resolution, 4x Digital Zoom, 2560x1440 maximum Resolution, 60 fps Maximum Frame capture rate, 75 degrees horizontal viewing angle, Automatic low-light correction, 1x USB Type-C, Microphone, Sony Sensor
LRG-SC910	R 1,089	Lorgar Circulus 910 5MP 2592x1944 Streaming Web Camera, 5MP 2592x1944 Max Resolution, Up to 60fps, 1/2.8" Sony Starvis CMOS image Sensor, Full Glass Lens, 5.5 ' ' Built-In Ring Light (1700 - 14000 Kelvin), Foldable Tripod, Auto Focus, Dual microphones with AI Noise Reduction, USB Type-C
MUL234	R 193	Genius Look 315FS 640x480 Football webcam, True 300K pixel sensor with 640 x 480 resolution, Built-in microphone, Snapshot button with 1.3M pixel still image capture (interpolated)
MUL609	R 492	Genius QCam 6000 Full high definition 1080p Web Cam
MUL616	R 262	Genius Webcam FaceCam 1000x 720p USB, 720p HD Pixel CMOS, Manual focus Lens, Up and down 90 degree

		view angle, Built-in Microphone, 1280x720 Resolution
MUL619	R 173	Genius Webcam Tripod, Non-Slip rubber base, Locking screw, Pocket size and Easy to Carry, 15.75cm - 25.15cm adjustable range, Metal material
NBDE722-BBBI	R 2,460	Dell 722-BBBI WB7022 UltraSharp 4K USB Webcam, Large Sony Starvis CMOS sensor, Up to 5x HD Digital Zoom, Autofocus, No Microphone, Facial detection auto exposure, Privacy cap
NBDE722-BBBU	R 1,827	Dell 722-BBBU WB5023 Pro 2K QHD USB Webcam, Sony starvis sensor, Autofocus, AI auto framing, Privacy cap, Noise reduction Mic, Up to 3 meter Mic range
NBDE722-BBBV	R 1,172	Dell 722-BBBV WB3023 2K QHD USB Webcam, Sony sensor, Autofocus, Privacy cap, Noise reduction Mic, Up to 3 meter Mic range, Tripod Mount hole
NBHP53X27AA	R 547	HP 53X27AA 325 Full HD 1920x1080 USB Type-A Webcam, 1080 Full HD 30fps, Fixed focus, 5 MP total camera Resolution, 1500 mm cable length, 66 degrees diagonal Field of view
NBHP630W7AA	R 834	HP 630W7AA 325 Full HD 1920x1080 USB Type-A Webcam, 1080 Full HD 30fps, Fixed focus, 5 MP total camera Resolution, 1500 mm cable length, 66 degrees diagonal Field of view
OMA455	R 345	Mecer OMA455 Full HD 1080p fixed focus Webcam - USB, Stereo Mic, Noise cancellation
PW3100	R 1,191	AVerMedia PW310 Full HD 1920x1080 USB Webcam, 1080p CMOS sensor, 1080P30 Frame rate, 2m pixels, Autofocus, 7 cm to Infinity focus distance, 2 M cable length
PW313	R 2,559	AVerMedia PW313 Full HD 1920x1080 USB Webcam, 1/2.7" CMOS sensor 2MP image sensor, Fixed focus, 40 cm - 100 cm working distance, 1.5m cable length, 360-degree swivel, 1920x1080 @ 30fps
RAPOO C260	R 528	Rapoo C260 Wired USB-A Webcam, 1080p, USB-A, Built-in microphone, Wide-angle lens, Flexible rotation
TRS-17003	R 429	Trust TRS-17003 Exis WebCam - Black/Silver, Retail Box
TRS-18679	R 399	Trust TRS-18679 Trino HD Video Webcam, Retail Box
TRS-HO21	R 699	Trust TRS-HO21 2-in-1 Chat Pack - Headset and Webcam
UNWCW32	R 499	UniQue Fluxstream W32 Full High Definition 1920 x 1080p Dynamic Resolution USB Webcam with Built in Microphone- CMOS Image Sensor, High definition 2.1 Million Pixels, Frame Rate Up to 30 fps, Widescreen 16:9 Aspect Ratio, Horizontal 110 Degree Extended View for Video Conferences, Fixed Regular 60CM Focal Length Manual Focus, MJPEG and YUY2 Digital Video Formats ,180 Degrees Up And Down Adjustable, 360 Degree Adjustable Clip, Automatic Low Light Correction, Five Layer Film-Coated Lens, Retail Box
UVC30-ROOM	R 2,068	Yealink UVC30-ROOM USB Ultra HD 4K camera Webcam, 3x Digital Zoom, 1/2.5" CMOS 8.51m Pixel camera, UVC 1.1 Protocol, 120 degrees Field of view, Auto framing, EPTZ, 4K & 30fps Maximum Resolution
VK-10101-BK	R 230	Volkano Zoom 720 Webcam
VK-10102-BK[V2]	R 144	Volkano Zoom 1600x1080 @ 30 fps Webcam, 1600x1080 @ 30 fps Resolution, 110 degrees viewing angle, USB 2.0 High Speed, Built-In high sensitivity noise reduction Microphone
WC-iD435	R 6,094	Intel D435 realsense depth camera - with global shutter (3um x 3um pixel size), 85.2Â° x 58Â° FoV, 1920x71080@90fps, 0.11m minimum depth distance - USB type-C
WC-JVCU100	R 927	J5 Create JVCU100 HD webcam with 360Â° Rotation, F/2.4 aperture with low light enhancement, streaming and recording optimized, integrated background replacement, built-in HD microphones - support full HD 1080p@30fps H.264 video decoding, tripod / clip mountable or desktop stand - glass lens, automatic low-light correction, 20-step autofocus, 80 degree field of view - USB
WC-JVCU360	R 1,270	J5 Create JVCU360 HD webcam - all around 360Â° rotation with height adjustable stand, 6x display modes, touch control to for host/participants selection, tripod mountable, streaming and recording optimized, built-in HD microphones - support full HD 1080p@30fps tripod/ clip mountable or desktop stand - USB (type-A or type-C) with 300cm long cable
WC-JVCU435	R 1,547	J5 Create JVCU435 4K HD webcam - with ePTZ (electronic pan, tilt and 5x zoom) remote control, 360Â° rotation, F/1.6 aperture with low light enhancement, streaming and recording optimized, integrated background replacement, built-in HD microphones - support full 4K HD @30fps H.264 video decoding, tripod / clip mountable or desktop stand, 80 degree field of view - USB type-A or type-C
WC-JVU250	R 949	J5-Create JVU250 HD webcam support auto manual focus (with control knob), work as a document camera via tripod - built-in magnetic privacy lens cover high-fidelity dual microphones - support full HD @30fps H.264 video decoding, multi-function clip design

WC-JVU300	R 2,155	J5 Create JVU300 - AI-Powered Webcam, 2K QHD resolution, built-in dual noise-canceling microphones, auto-focus, USB-C connect
WC-JVU368	R 3,315	J5 Create JVU368 HD webcam - all around 360Â° rotation with speakerphone remote control height adjustable stand, 6x display modes, 6 buttons touch control to for host/participants selection, tripod mountable, streaming and recording optimized, built-in HD microphones - support full HD 1080p@30fps tripod mountable or desktop stand - USB (type-A or type-C) with 200cm long cable
WC-JVU430	R 1,768	J5 JVU430 4K HD webcam - with 2x digital zoom, 360Â° rotation, F/2.0 aperture with low light enhancement, built-in privacy lens cover high-fidelity dual microphones - support full 4K HD @30fps H.264 video decoding, tripod / clip mountable or desktop stand, 87Â° field of view - USB type-A or type-C
WC-L270	R 298	Logitech 960-000582 Webcam C270, 720P/1080i digital HD, 3MP snapshots - software enhanced, built-in mic with RightSound technology, with RightLight technology, video : 1280x720 @ 30FPS, support Logitech Video Effects - USB
WC-L920	R 1,465	Logitech 960-001055 C920 HD pro webcam - support full HD 1080p@30fps / HD 720p@30fps H.264 video decoding, glass lens, automatic low-light correction, 20-step autofocus, 78 degree field of view - usb
WC-L920S	R 1,504	Logitech C920S 3MP HD Pro Webcam USB, 3 Mega Pixel, Autofocus, Glass Lens Type, Built-in Mic, Up to 1 m Mic range, 78 degrees diagonal Field of view (DFOV), Tripod-ready Universal mounting clip, 960-001252
WC-LB300	R 1,321	Logitech Brio 300 Full HD 1920x1080 Webcam - Graphite - USB, 1080p/30fps, 2MP camera Megapixel, Fixed focus, Custom Logi 4 element Lens with anti-reflective coating, USB-C plug-and-play connectivity, Mono Microphone, Up to 1.22 m Mic range, 960-001436
WEB2K	R 344	Tbyte 2K 2560x1440 USB Webcam, 30 fps, Built in Microphone, 5cm to Infinity Image Focus, 24bit True Colour
WEBCAM	R 194	Microworld 480p USB Webcam with mic
WX-AV102	R 373	Winx DO Simple 1080P 30fps Webcam

< Return to the menu

Prices include VAT, but are only a guide and are subject to change without notice. The prices were only valid up until: 2026-11-05 21:26:11.

Wireless hardware

Wireless Access Points & Bridges

Product code	Price	Description
02355VFB	R 4,300	Huawei Wireless AP761 Wi-Fi 6 Outdoor Access Point, 1x Gigabit Port, 1x SFP Optical Port, 2.4GHz 10 dBi antenna gain, 5GHz 11 dBi antenna gain, 575 Mbps at 2.4GHz, 1.2 Gbps at 5GHz
02355VFB	R 3,105	Huawei Wireless AP761 Wi-Fi 6 Outdoor Access Point, 1x Gigabit Port, 1x SFP Optical Port, 2.4GHz 10 dBi antenna gain, 5GHz 11 dBi antenna gain, 575 Mbps at 2.4GHz, 1.2 Gbps at 5GHz
02355VFB	R 2,069	Huawei Wireless AP761 Wi-Fi 6 Outdoor Access Point, 1x Gigabit Port, 1x SFP Optical Port, 2.4GHz 10 dBi antenna gain, 5GHz 11 dBi antenna gain, 575 Mbps at 2.4GHz, 1.2 Gbps at 5GHz
02355VFC	R 3,524	Huawei eKitEngine AP661 Wi-Fi 6 Access Point, Up to 2.975 Gbps with Wi-Fi 6, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), 1x 2.5GE Port supporting PoE, 1x GE Port
02355VFC	R 3,504	Huawei eKitEngine AP661 Wi-Fi 6 Access Point, Up to 2.975 Gbps with Wi-Fi 6, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), 1x 2.5GE Port supporting PoE, 1x GE Port
50084981	R 1,494	Huawei AP263 Wall-plate AP, Wi-Fi 6, indoor, Dual Radio (2.4G/5GHz), 2x2/2x2 MU-MIMO, 1xGE Base-T, 1xGE Base-T, BLE, USB, internal smart antennas
50084981	R 689	Huawei AP263 Wall-plate AP, Wi-Fi 6, indoor, Dual Radio (2.4G/5GHz), 2x2/2x2 MU-MIMO, 1xGE Base-T, 1xGE Base-T, BLE, USB, internal smart antennas
50085706	R 1,668	Huawei AP362 Settled AP, Wi-Fi 6, indoor, Dual Radio (2.4G/5GHz), 2x2/2x2 MU-MIMO, 1xGE Base-T, internal smart antennas
50085706	R 1,441	Huawei AP362 Settled AP, Wi-Fi 6, indoor, Dual Radio (2.4G/5GHz), 2x2/2x2 MU-MIMO, 1xGE Base-T, internal smart antennas
50085706	R 2,213	Huawei eKitEngine AP362 Wi-Fi 6 Indoor Access Point, 1x Gigabit RJ45 Port, 2.4GHz (2x2 MIMO), 5GHz (2x2 MIMO), 575 Mbps @ 2.4GHz, 2.4 Gbps @ 5GHz, 2.975 Gbps Max Throughput

50086816	R 1,166	Huawei eKitEngine AP160 WiFi 6 Wall Plate 86 x 86 Access Point, 8 mm Ultra thin panel, 2.4GHz (2x2 MIMO), 5GHz (2x2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
50086816	R 1,311	Huawei eKitEngine AP160 WiFi 6 Wall Plate 86 x 86 Access Point, 8 mm Ultra thin panel, 2.4GHz (2x2 MIMO), 5GHz (2x2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
50086816	R 459	Huawei eKitEngine AP160 WiFi 6 Wall Plate 86 x 86 Access Point, 8 mm Ultra thin panel, 2.4GHz (2x2 MIMO), 5GHz (2x2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
50086871	R 1,029	Huawei AP361 Dual Band Wi-Fi 6 Ceiling Mount Access Point Indoor, 1x Gigabit Port supporting PoE, Built-In Smart antennas, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
50086871	R 863	Huawei AP361 Dual Band Wi-Fi 6 Ceiling Mount Access Point Indoor, 1x Gigabit Port supporting PoE, Built-In Smart antennas, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
50086871	R 919	Huawei AP361 Dual Band Wi-Fi 6 Ceiling Mount Access Point Indoor, 1x Gigabit Port supporting PoE, Built-In Smart antennas, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
AC650-128AP	R 5,341	Huawei AC650-128AP Wireless Access controller with 10x GE & 2x 10GE SFP Ports, Built-In 128 License, 2x 10 Gigabit SFP Ports, 10 x Gigabit RJ45 Ports, 1x USB 2.0 (Host Type-A) Port, can manage a Maximum of 128 APs and 2048 Access STAs
ACB-ISP	R 546	Ubiquiti ACB-ISP AirCube WiFi PoE Access Point with UNMS
ACB-ISP	R 581	Ubiquiti ACB-ISP AirCube WiFi PoE Access Point with UNMS, 4x 10/100 Mbps Ethernet Ports, 2.4GHz Frequency
AEP110	R 569	TP-link TP-EAP110 N300 Wireless ceiling Mount Access Point, 1x Fast Ethernet (RJ-45) Port, 24V passive PoE, Internal 2x 4dBi omni antenna, Ceiling / wall mounting
AP1300	R 664	Cudy AP1300 AC1300 Gigabit Dual Band Ceiling Access Point
AP1300 OUTDOOR	R 1,089	Cudy AC1200 Gigabit Dual Band Ceiling Outdoor Access Point
AP1300 WALL	R 753	Cudy AP1300 AC1200 Gigabit Dual-Band Wi-Fi 5 Wall-Plate Access Point, Combined Wireless Speed reaches up to 1200 Mbps with 867 Mbps on 5GHz and 300 Mbps on 2.4GHz, Device covers up to 60 m² per unit and supports up to 40 connected devices, 5x Gigabit Ethernet Ports including one PoE-in Port and one PoE passthrough Output, Powered via 802.3at/af PoE or Passive PoE, Compatible with cudy Mesh Network
AP160	R 863	Huawei eKitEngine AP160 WiFi 6 Wall Plate 86 x 86 Access Point, 8 mm Ultra thin panel, 2.4GHz (2x2 MIMO), 5GHz (2x2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
AP3000	R 1,387	Cudy AX3000 2.5G Dual Band Ceiling Access Point
AP3000 OUTDOOR	R 1,572	Cudy AX3000 2.5G Dual Band Ceiling Access Point - Outdoor
AP3000 WALL	R 1,234	Cudy AX3000 Dual-Band Wi-Fi 6 Wall-Plate Access Point, Wi-Fi Standard is Wi-Fi 6, Combined Speed is 3000 Mbps, Bands are Dual, Power source is PoE with 1x PoE Output, Design features a Wall-Plate Format
AP3600	R 1,503	Cudy AP3600 BE3600 2.5GbE Dual Band WiFi 7 Ceiling Access Point, Up to 3570 Mbps total Wi-Fi Throughput, Up to 3570 Mbps total Wi-Fi Throughput, Cudy Mesh compatible, Up to 200 recommended devices, 1 5G Ethernet Port (PoE in), 1 Gigabit Ethernet Ports (PoE out), Operating modes - Router / Access Point / Mesh Node
AP361	R 699	Huawei AP361 Dual Band Wi-Fi 6 Ceiling Mount Access Point Indoor, 1x Gigabit Port supporting PoE, Built-In Smart antennas, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), Up to 1.775 Gbps Throughput Max, 575 Mbps @ 2.4GHz, 1.2 Gbps @ 5GHz
AP362	R 1,627	Huawei eKitEngine AP362 Wi-Fi 6 Indoor Access Point, 1x Gigabit RJ45 Port, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), 575 Mbps @ 2.4GHz, 2.4 Gbps @ 5GHz, 2.975 Gbps Max Throughput
AP371	R 1,229	Huawei eKit Wireless AP371 Wi-Fi 7 Indoor Access Point, Dual Radio, 2x2 MU-MIMO, Internal Smart antennas, 1x 2.5GE RJ45 Port, 2.4GHz and 5GHz Dual Band
AP661	R 3,663	Huawei eKitEngine AP661 Wi-Fi 6 Access Point, Up to 2.975 Gbps with Wi-Fi 6, 2.4GHz (2 x 2 MIMO), 5GHz (2 x 2 MIMO), 1x 2.5GE Port supporting PoE, 1x GE Port
AP761	R 2,742	Huawei Wireless AP761 Wi-Fi 6 Outdoor Access Point, 1x Gigabit Port, 1x SFP Optical Port, 2.4GHz 10 dBi antenna gain, 5GHz 11 dBi antenna gain, 575 Mbps at 2.4GHz, 1.2 Gbps at 5GHz
ARU-IO-AP11	R 1,565	HP R2W96A instant on AP11 (RW) 2x2 11ac WAVE2 indoor Access Point, 2.4 GHz & 5 GHz Frequency band,

		867 Mbps concurrent Data rate (5 GHz), 300 Mbps concurrent Data rate (2.4 GHz), PoE, 1x 1000Base-T (PoE) RJ-45 interfaces
ARU-IO-AP12	R 1,954	HP R2X01A Aruba instant on AP12 (RW) 3x3 11ac WAVE2 indoor Access Point, 2.4 GHz & 5 GHz Frequency BAND, POE, 1x Ethernet 1000 (Uplink / PoE) Interface
ARU-IO-AP15	R 2,701	HP R2X06A Aruba instant on AP15 (RW) 4x4 11ac WAVE2 indoor Access Point, 2.4 GHz / 5 GHz Frequency band, 1733 Mbps concurrent Data rate (5 GHz), 300 Mbps concurrent Data rate (2.4 GHz), 1x 1000Base-T (PoE) RJ-45 Interface
ARU-IO-AP21	R 1,604	HP Instant On AP21 (RW) Dual Radio 2x2 Wi-Fi 6 Access Point, Wi-Fi Certified 6, Dual omnidirectional 2x2 MIMO Wi-Fi antenna, 1x GbE BaseT Port, Ceiling / Wall Mount clip mounting, Dual-Band 802.11ax 2x2 5ghz/2.4ghz MIMO Radio coverage, No PSU
ARU-IO-AP22	R 2,162	HP R4W02A Aruba Instant On AP22 (RW) 2x2 Wi-Fi 6 Indoor Access Point, IEEE 802.11ax connectivity, 1x Uplink Gigabit Ethernet Port, 5 GHz up to 1.2 Gbps, 2.4 GHz up to 574 Mbps
ARU-IO-AP22D	R 3,527	HP Instant On Access Point Dual Radio 2x2 Wi-Fi 6 (RW) AP22D, Wi-Fi Certified 6, Class 4 or 6 PoE Input Voltage, Dual Omni-Directional 2x2 MIMO Wi-Fi antenna, 1x 2.5GbE Uplink Port, 4x 1GbE downlink Ports, Built-In Wall Mount or included Desk Mount
ARU-IO-AP25	R 3,694	HP Aruba R9b28a Instant On AP25 (RW) 4x4 Wi-Fi 6 Indoor Access Point, Ultra-fast 802.11ax connectivity, Uplink 2.5 Gigabit Ethernet Port, 5GHz up to 4.8 Gbps, 2.4 GHz up to 574 Mbps, PoE powered
ARU-IO-AP27	R 4,288	HP Instant On Outdoor Access Point Dual Radio 2x2 Wi-Fi 6 (RW) AP27, Dual semidirectional 2x2 MIMO Wi-Fi antenna, Wi-Fi 11ax connectivity, 1x GbE BaseT Port, Wall Mount bracket, Dual-Band 802.11ax 2x2 5GHz / 2.4GHz MIMO, No PSU
ARU-IO-AP32	R 4,278	HP S1T28A Aruba Instant On AP32 Wi-Fi 6E Access Point, Dual omnidirectional 2x2 MIMO Wi-Fi antenna, 1x 2.5GbE BaseT Port, Ceiling/wall Mount clip
ARU-IO-SW196048G-600W	R 21,034	HP R4W02A Instant On AP22 (RW) Access Point, Power over Ethernet (PoE), 1x Uplink Gigabit Ethernet Port, 5 GHz 802.11ax 2x2 MIMO for up to 1.2 Gbps Wireless Data rate, 2.4 GHz 802.11ax 2x2 MIMO for up to 574 Mbps Wireless Data rate
ASUS EBR63	R 2,644	Asus EBR63 AX3000 Dual-Band WiFi 6 All in one Access Point, Supports up to 5 SSIDs, 2402 Mbps 574 Mbps AX3000 Ultimate ax performance, 4 external antenna, Wireless Router mode, AiMesh Node mode, Access Point mode, 1x RJ45 for gigabits BaseT for WAN, 4x RJ45 for gigabits BaseT for LAN, 1x USB 3.2 Gen 1, USB 2.0
ASUS ExpertWiFi EBA63	R 1,933	ASUS ExpertWiFi EBA63 AX3000 Dual-Band WiFi 6 (802.11ax) PoE Access Point, Up to 300 Mbps WiFi 4, Up to 1734 Mbps WiFi 5, Up to 574 Mbps WiFi 6 (2.4GHz), Up to 2402 Mbps WiFi 6 (5GHz), 4x internal antenna, AiMesh Node mode, Access Point mode, 802.3af PoE Power Supply, AiMesh
C200P	R 911	Cudy C200P 2-in-1 SMB Router / Access Point Controller, 5x Gigabit RJ45 Ports with 4x PoE Ports, 55W PoE total budget, 30W Max Power on a single PoE Ports, 1x WAN Port, 4x LAN Ports, 1x USB 3.0 Type-A Ports
C52IG-5HAXD2HAXD-TC	R 1,562	MikroTik hAP ax2 Wi-Fi 6 AX1800 Access Point, C52IG-5HAXD2HAXD-TC, WiFi 6 AX1800, 4 Core CPU Core, RouterOS License 4, RouterOS V7 Operating System, 1GB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, 5x 10/100/1000 Ethernet Ports with 1x Gigabit Ethernet Port with PoE-out
CAPGI-5HAXD2HAXD	R 1,922	MikroTik cap AX Dual Band WiFi 6 1800 Mbps ceiling Access Point, cAPGi-5HaxD2HaxD, RouterOS (V7 only) Operating System, Wi-Fi 6, 1200 Mbit/s Wireless 5 GHz Max Data rate, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 2x 10/100/1000 Ethernet Ports, 1x 1g Ethernet Ports with PoE-out, 802.3af/at PoE in
CB-CNP-E430H	R 4,369	CAMBIUM cnPilot E430H AC Wave 2 indoor wall plate Access Point, Indoor 2x2 Dual Band 802.11ac Wave 2 MU-MIMO wall plate Access Point, PoE pass-through Port, 2.4 GHz Radio 400 Mbps, 5 GHz Radio 867 Mbps, 4x Gigabit Ethernet auto sensing ports, 2x pass-through shielded ports, Integrated Dual polarized omni antenna
CB-CNP-XV2-21X	R 3,301	CAMBIUM cnPilot XV2-21X Wi-Fi 6 Indoor Ceiling Mount Access Point, 16 WLAN profiles per Radio, 128 clients per Radio, Dual Radio Wi-Fi 6, 5GHz 6dBi antenna, 2.4GHz 5dBi antenna, 1x Gigabit RJ45 Interface
CB-CNP-XV2-22H	R 7,044	CAMBIUM cnPilot XV2-22H Wi-Fi 6 Indoor wall plate Access Point, 802.11ax Wi-Fi 6, 16 WLAN profiles per Radio, 128 clients per Radio, 2.97 Gbps of Bandwidth, Integrated Switch, 3 x Gigabit Ethernet and one with PoE out
CB-CNP-XV2-23T	R 8,772	CAMBIUM cnPilot XV2-23T Wi-Fi 6 Omni Outdoor Access Point, 802.11ax Dual Radio Wi-Fi 6, Long range internal antennas, 5GHz 10dB, Omni antenna, 2.4GHz 7dBi Omni antenna, 256 clients, 1x Gigabit Uplink Port, Outdoor

		rated IP67 enclosure
CB-CNP-XV2-2T0	R 12,072	CAMBIUM cnPilot XV2-2T0 outdoor Wi-Fi 6 Access Point, 802.11 a/b/g/n/ac Wave 2/ax Wi-Fi, 5 GHz Radio 1201 Mbps, 2.4 GHz Radio 573.5 Mbps, 1 x IEEE 100 / 1000 / 2500 Mbps Port, 1 x IEEE 10/100/1000 Mbps Ethernet with SW configurable passive PoE Output of 30V or 48V up to 30 watts, 5 GHz 9.3 dBi omni antenna, 2.4 GHz 5.3 dBi omni antenna
CB-CNP-XV2-2T1	R 13,743	CAMBIUM cnPilot XV2-2T1 Wi-Fi 6 120 degree Outdoor Access Point, PoE-out up to 30 watts, 13.5 dBi gain over a 120 degree sectored area in 5GHz, 1024 concurrent clients per Access Point
CB-CNP-XV3-8	R 21,008	Cambium cnPilot XV3-8 Wi-Fi 6 Enterprise Grade Software-defined Access Point, 802.11ax, 8x8 radios 6Gbps Wi-Fi Speed, 5 Gb Uplink Port, PoE injector Excluded
CB-EPMP-4500C	R 31,435	CAMBIUM ePMP 4500C 5GHz 8x8 BS Access Point, 2x2 MIMO, 56V 30W PoE included, Connectorized, Delivers more than 4 Gbps and supports up to 120 subscriber modules, No Antenna
CB-EPMP-4500L	R 10,845	CAMBIUM ePMP 4500L 5GHz 8x8 BS AP, 2x2 MIMO, 56V 30W PoE included, Connectorized, Delivers more than 2 Gbps and supports up to 120 subscriber modules, 90 degrees / 120 degrees 2x2 Sector antenna
CD-AP1300O	R 891	Cudy Dual Band 1200 Mbps WiFi 5 Outdoor Access Point, AP1300 Outdoor, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, 2x detachable Omni-Directional antennas, Pole/wall mounting, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps
CD-AP1300O	R 891	Cudy Dual Band 1200 Mbps WiFi 5 Outdoor Access Point, AP1300 Outdoor, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, 2x detachable Omni-Directional antennas, Pole/wall mounting, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps
CD-AP1300O	R 1,029	Cudy Dual Band 1200 Mbps WiFi 5 Outdoor Access Point, AP1300 Outdoor, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, 2x detachable Omni-Directional antennas, Pole/wall mounting, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps
CD-AP3000O	R 1,294	Cudy AP3000 Outdoor Dual Band 3000 Mbps High-Power WiFi 6 Outdoor Access Point, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 3 x 3 MIMO 5GHz, 2 x 2 MIMO 2.4GHz, 1x internal 2x external Wi-Fi antennas, 6 dBi 5GHz antenna gain Max, 4 dBi 2.4GHz antenna gain Max, Beamforming, 1 abit RJ45 Port, 802.3at PoE, Passive PoE
CD-AP3000O	R 1,294	Cudy AP3000 Outdoor Dual Band 3000 Mbps High-Power WiFi 6 Outdoor Access Point, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 3 x 3 MIMO 5GHz, 2 x 2 MIMO 2.4GHz, 1x internal 2x external Wi-Fi antennas, 6 dBi 5GHz antenna gain Max, 4 dBi 2.4GHz antenna gain Max, Beamforming, 1 abit RJ45 Port, 802.3at PoE, Passive PoE
CD-AP3000O	R 1,461	Cudy AP3000 Outdoor Dual Band 3000 Mbps High-Power WiFi 6 Outdoor Access Point, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 3 x 3 MIMO 5GHz, 2 x 2 MIMO 2.4GHz, 1x internal 2x external Wi-Fi antennas, 6 dBi 5GHz antenna gain Max, 4 dBi 2.4GHz antenna gain Max, Beamforming, 1 abit RJ45 Port, 802.3at PoE, Passive PoE
CPE510	R 923	TP-link TL-CPE510 outdoor 5GHz 300 Mbps high power Wireless Access Point - atheros, Wisp Client Router, Up to 27dBm, 2T2R, 5GHz 802.11a/n, High sensitivity, 13dBi directional antenna, Weather proof, Passive PoE, Supports tdma, Central control, Built-in 13dBi 2x2 dual-polarized MIMO antenna, 2x 10/100 Mbps LAN
CPE510	R 880	TP-link TL-CPE510 outdoor 5GHz 300 Mbps high power Wireless Access Point - atheros, Wisp Client Router, Up to 27dBm, 2T2R, 5GHz 802.11a/n, High sensitivity, 13dBi directional antenna, Weather proof, Passive PoE, Supports tdma, Central control, Built-in 13dBi 2x2 dual-polarized MIMO antenna, 2x 10/100 Mbps LAN
CUDY-AP1300	R 592	Cudy AP1300 Indoor Ceiling/wall AC1200 Gigabit Access Point With Mesh. Dual-Band AC1200 WiFi (867 300 Mbps); 1x Gigabit PoE port; Beamforming and Mesh; Ceiling/Wall mount; DC or PoE power; Covers up to 100m2; Up to 50 devices
CUDY-AP1300-OUTDOOR	R 911	Cudy Ap1300 Indoor/outdoor Ac1200 Poe Gigabit Access Point With Mesh. Dual-band AC1200 Wi-Fi 5; 867 Mbps (5 GHz) 300 Mbps (2.4 GHz); 2T2R MIMO; IP65 waterproof casing; PoE 802.3at/af & passive; max range 170 m; supports 100 devices; mesh capable.
CUDY-AP3000	R 982	Cudy AP3000 Indoor Ceiling/wall AX3000 2.5gigabit Access Point With Mesh. WiFi 6 dual-band 2402 Mbps 574 Mbps; 1.3 GHz dual-core CPU; 512 MB RAM; 1x 2.5G shielded PoE port; supports 300 clients; mesh and fast roaming; ceiling/wall mount; 12 W power consumption.

CUDY-AP3000-OUTDOOR	R 1,332	Cudy Ap3000 Indoor/outdoor Ax3000 Poe Gigabit Access Point With Mesh. AX3000 dual-band WiFi6; 2402 Mbps (5 GHz) 574 Mbps (2.4 GHz); IP65 weatherproof; Mesh-ready; 1x GbE PoE In; 1.3 GHz dual-core CPU; Max 200 users
DAP-2230/UAU	R 631	D-Link Wireless N300 PoE Access Point, Up to 1300 Mbps speed, (with mounting brackets & clips, Excluding Power Adapter/Cables)
DAP-2610	R 1,448	D-Link DAP-2610 wireless AC1300 Dual Band PoE access point for SMB, ceiling/wall mount ready, 26 26dbm high power radio design, 2.4/5Ghz dual band, 802.11a/b/g/n/AC 1300Mbps (867 400), 1x Gigabit LAN connection, support WDS, 2x 3dbi antennas, 64/128bit WEP, with PoE base unit, wall mount kit
DAP-2622	R 2,361	D-Link DAP-2622 Nuclias Connect AC1200 Wave 2 PoE Access Point, Ceiling / Wall Mount ready, 2.4/5GHz Dual Band, 802.11a/b/g/n/ac 1200 Mbps (867 300), 1x PoE Gigabit WAN 1x PoE Gigabit LAN 1x Gigabit LAN, Support WDS, 2x internal antenna, 64/128bit WEP, Load Balancing, Mutiple SSID, Wall mountable
DAP-2680	R 1,896	D-Link DAP-2680 Wireless AC1750 Wave 2 Dual-Band PoE Access Point, Dual-Band simultaneous, 1300 Mbps 5GHz Wireless speed, 450 Mbps 2.4GHz Wireless speed, Embedded Omni-Directional antennas, 1x Gigabit Ethernet LAN, Power-over-Ethernet
DAP-2682	R 2,126	D-Link DAP-2682 Wireless AC2300 Wi-Fi 5 (4 x 4 Concurrent Dual Band) 802.11ac Wave 2 802.3at PoE Access Point (with mounting brackets & clips)
DAP140	R 1,357	Teltonika Industrial Wireless Access Point Wi-Fi 4, DAP140, Up to 50 simultaneous connections, RutOS Operating System, 9-30 VDC Input Voltage range, 3-pos plugable Terminal Block connector, 2x RJ45 Ports 10/100 Mbps Ethernet, 1x RP-SMA for Wi-Fi antennas
DECO X20-2	R 1,962	TP-Link Deco X20 AX1800 Whole-Home Mesh Wi-Fi (2 pack), 2 LAN/WAN Gigabit Ethernet ports, 4 internal antennas per Deco unit, 1201 Mbps @ 5 GHz, 574 Mbps @ 2.4 GHz
DECO X20-3	R 2,904	TP-Link Deco X20 AX1800 Whole-Home Mesh Wi-Fi (3 Pack), 2x LAN/WAN Gigabit Ethernet ports, 4 internal antennas per Deco unit, 1201 Mbps @ 5 GHz, 574 Mbps @ 2.4 GHz, 4-6 bedroom houses, TP-Link Mesh technology
DECO-X20(2-PACK)	R 2,075	TP-Link Deco X20 AX1800 Whole-Home Mesh Wi-Fi - 2 Pack, 2x LAN/WAN Gigabit Ethernet ports, 4 internal antennas per Deco unit, 1201 Mbps @ 5 GHz, 574 Mbps @ 2.4 GHz, 4-6 bedroom houses, TP-Link Mesh technology, TP-DECOX20-3P
DECO-X20(3-PACK)	R 3,044	TP-Link Deco X20 AX1800 Whole-Home Mesh Wi-Fi (3 Pack), 2x LAN/WAN Gigabit Ethernet ports, 4 internal antennas per Deco unit, 1201 Mbps @ 5 GHz, 574 Mbps @ 2.4 GHz, 4-6 bedroom houses, TP-Link Mesh technology, TP-DECOX20-3P
DS-3WAP521-SI	R 978	Hikvision DS-3WAP521-SI Wi-Fi 5 1200M In-Wall Access Point, 1200 Mbps Dual-band Wi-Fi 5 Gigabit in-Wall indoor AP, 2x2 MIMO, 2 Gigabit port with 1 PoE in, Max/Recommend user access is 128/50, HPP/HC unified cloud app management, Support batch managed via AC Router, Support standalone configuration via AP ' s web, 86
DS-3WAP522-SI	R 914	Hikvision DS-3WAP522-SI Wi-Fi 5 1200M Celling Access Point, 1200 Mbps Dual-band Wi-Fi 5 Gigabit ceiling mount indoor AP, 2x2 MIMO, 1 Gigabit port with PoE in, Max/Recommend user access is 256/80, HPP/HC unified cloud app management, Support batch managed via AC Router, Support standalone configuration via AP ' s web
DS-3WAP622E-SI	R 1,570	Hikvision 3000 Mbps Dual-band Wi-Fi 6 Gigabit ceiling mount indoor AP, 2x2 MIMO, 1 2.5G Multi-Giga port with PoE in, Max/Recommend user access is 256/100, HPP/HC unified cloud app management, Support batch managed via AC Router, Support standalone configuration via AP ' s web, DC 12V(Note: power adapter is not included, suggest using POE for power supply, no need aditional power adapter)
DS-3WAP622G-SI	R 1,564	Hikvision DS-3WAP622G-SI Wi-Fi 6 1800M Celling Access Point, 1800 Mbps Dual-band Wi-Fi 6 Gigabit ceiling mount indoor AP, 2x2 MIMO, 1 Gigabit port with PoE in, Max/Recommend user access is 256/100, HPP/HC unified cloud app management, Support batch managed via AC Router, Support standalone configuration via AP ' s
DS-3WAP623E-SI	R 1,921	Hikvision DS-3WAP623E-SI 3000 Mbps Dual-band Wi-Fi 6 Gigabit outdoor AP, 2x2 MIMO, 1 Gigabit port with PoE in, IP68, Max/Recommend user access is 256/100, HPP/HC unified cloud app management, Support batch managed via AC Router, Support standalone configuration via AP ' s
DS-3WF02C-5AC/O	R 937	Hikvision DS-3WF02C-5AC/O 5Ghz 867Mbps 5km Outdoor Wireless CPE, Outdoor 5GHz wireless bridge CPE, Max.distance 5km, 2x2 MIMO antenna with 867Mbps thoughput, 9dBi gain, output power 22dBm, 802.11a/n/ac, Angle H: 35Â°, 1 Gigabit RJ45, 1 Gigabit RJ45 with passive PoE input, TDMA, DFS, TPC, Smart Managed

DS-3WF03C-5AC/O V2	R 1,627	Hikvision DS-3WF03C-5AC/O V2 5Ghz 867Mbps 15km Outdoor Wireless CPE, Outdoor 5GHz wireless bridge CPE, Max.distance 15km, 2x2 MIMO antenna with 867Mbps thoughput, 12dBi gain, output power 27dBm, 802.11a/n/ac, Angle H: 35Â°, 1 Gigabit RJ45, 1 Gigabit RJ45 with passive PoE input, TDMA, DFS, TPC, Smart Managed
DS-3WF0FA-5AC/O	R 2,507	Hikvision DS-3WF0FA-5AC/O 360Â° Base Station 300Mbps, Outdoor 5GHz wireless BaseStation Bridge, Max.distance 1km, 2x2 MIMO antenna with 867Mbps thoughput, 802.11ac, Angle H: 360Â°, 2 Gigabit RJ45 ports, Support Standard PoE Power supply, Support Web, iVMS-4200, HCP Point
DUX240AP	R 742	DuxNet DUX240AP Ceiling Mount AC1200 WiFi Access Point, 1x 10/100 WAN Port, 1x 10/100 LAN Port, 2.4GHz 5GHz Frequency, 300 Mbps 900 Mbps Wireless Data rate, Built in 4dBi antenna
DUX610APO	R 2,306	DuxNet DUX610APO Outdoor Wi-Fi 6 Access Point, 1x Gigabit WAN / LAN Port, 2.4GHz @ 600 Mbps, 5GHz @ 2400 Mbps, Supports Mesh with other DuxNet Access points, 2 external 2.4GHz & 5GHz Dual-Band antennas
DUX610CAP	R 1,317	DuxNet DUX610CAP Ceiling Mount Wi-Fi 6 Indoor Access Point, 1 Gigabit Ethernet WAN Port, 1 Gigabit Ethernet LAN Port, Supports Mesh with other DuxNet Access points, Built-In 2x 2.4G antennas, Built-In 3x 5G antennas, 2.4GHz @ 574Mbps, 5GHz @ 2402Mbps
DUX625APO	R 3,127	DuxNet DUX625APO Outdoor Wi-Fi 6 Access Point, 1x 2.5GbE WAN Port, 1x Gigabit LAN Port, 2.4GHz @ 600 Mbps, 5GHz @ 2400 Mbps, Supports Mesh with other DuxNet Access points, 2x external 2.4GHz & 5GHz Dual-Band antennas
DUX625CAP	R 1,862	DuxNet DUX625CAP Ceiling Mount Wi-Fi 6 Indoor Access Point, 1x 2.5GbE WAN Port, 1x Gigabit Ethernet LAN Port, Supports Mesh with other DuxNet Access points, Built-In 2x 2.4G antennas, Built-In 3x 5G antennas, 574Mbps @ 2.4GHz, 2402Mbps @ 5GHz
DUX840APO	R 3,191	DuxNet DUX840APO Outdoor AX1800 Outdoor Access Point, 1x Gigabit RJ45 WAN Port, 1x Gigabit RJ45 LAN Port, Operation mode - Wireless AP / Gateway / WISP / Wi-Fi Repeater, Aluminium Design, 2.4GHz 5.8GHz Frequency, 591 Mbps 1238 Mbps Wireless Data rate, 4 x 6dBi Dual Band Omni antennas, 4x N-type Connector antenna, IP67 Water-proof Level
DUX880AP	R 2,322	DuxNet DUX880AP Ceiling Mount AX3600 Access Point, 1x 2.5GbE WAN Port, 1x 2.5GbE LAN Port, Supports 802.3at PoE, Build in 3dBi antenna, 2.4GHz 5GHz Frequency, 1182 Mbps 2475 Mbps Wireless Data rate, MIMO 4x4
E7	R 9,424	Ubiquiti E7 UniFi WiFi 7 Enterprise Tri-band Access Point, 10 spatial streams, 1000 Maximum Client count, 10x GbE Uplink, 1x GbE Uplink, PoE Power Method, 11.5 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
E7-EU	R 9,252	Ubiquiti E7 UniFi WiFi 7 Enterprise Tri-band Access Point, 10 spatial streams, 1000 Maximum Client count, 10x GbE Uplink, 1x GbE Uplink, PoE Power Method, 11.5 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
EAP110	R 485	TP-Link EAP110 300Mbps Wireless N Ceiling Mount Access Point
EAP110	R 549	TP-link TP-EAP110 N300 Wireless ceiling Mount Access Point, 1x Fast Ethernet (RJ-45) Port, 24V passive PoE, Internal 2x 4dBi omni antenna, Ceiling / wall mounting
EAP110	R 543	TP-link TP-EAP110 N300 Wireless ceiling Mount Access Point, 1x Fast Ethernet (RJ-45) Port, 24V passive PoE, Internal 2x 4dBi omni antenna, Ceiling / wall mounting
EAP110	R 500	TP-link TP-EAP110 N300 Wireless ceiling Mount Access Point, 1x Fast Ethernet (RJ-45) Port, 24V passive PoE, Internal 2x 4dBi omni antenna, Ceiling / wall mounting
EAP110-OUTDOOR	R 574	TP-Link EAP110-Outdoor 300Mbps Wireless N Outdoor Access Point
EAP110-OUTDOOR	R 655	TP-Link EAP110-OUTDOOR 300 Mbps Wireless N Outdoor Access Point, 2x 3dBi external Omni Waterproof antenna Type, 1x Fast Ethernet RJ-45, Support Passive PoE
EAP115	R 447	TP-Link EAP115 300Mbps Wireless N Ceiling Mount Access Point
EAP115	R 462	TP-Link EAP115 N300 Ceiling Mount Access Point - 2.4GHz, 1x 10/100 Mbps LAN, 802.3af PoE, 2 internal antennas, Centralized management, Captive Portal, Load balance, Rate limit, VLAN
EAP115	R 449	TP-Link EAP115 N300 Ceiling Mount Access Point - 2.4GHz, 1x 10/100 Mbps LAN, 802.3af PoE, 2 internal antennas, Centralized management, Captive Portal, Load balance, Rate limit, VLAN
EAP115	R 506	TP-Link EAP115 N300 Ceiling Mount Access Point - 2.4GHz, 1x 10/100 Mbps LAN, 802.3af PoE, 2 internal antennas, Centralized management, Captive Portal, Load balance, Rate limit, VLAN
EAP115-Wall	R 411	TP-Link EAP115-WALL 300Mbps Wireless N Wall-Plate Access Point, Qualcomm, 300Mbps at 2.4GHz,

		802.11b/g/n, 2 10/100Mbps LAN, 802.3af PoE Supported, Compatible with 86mm & EU Standard Junction Box, Centralized Management, Load Balance, Rate Limit, Captive Portal, 2 Internal Antennas, In Wall Mounting
EAP115-WALL	R 449	TP-Link EAP115 wall 300 Mbps Wireless N Wall-Plate Access Point, 2x 10/100 Mbps Ethernet (RJ-45) Ports, 2x internal 1.8dBi Omni antenna, Wall plate mounting, 100 Wireless Client capacity, PoE (IEEE 802.3af) Power Supply
EAP115-WALL	R 423	TP-Link EAP115 wall 300 Mbps Wireless N Wall-Plate Access Point, 2x 10/100 Mbps Ethernet (RJ-45) Ports, 2x internal 1.8dBi Omni antenna, Wall plate mounting, 100 Wireless Client capacity, PoE (IEEE 802.3af) Power Supply
EAP215-BRIDGE KIT	R 2,155	TP-Link EAP215 Bridge kit Omada 867 Mbps @ 5GHz Long-Range Indoor/Outdoor Wireless Bridge, 3x Gigabit Ethernet Ports, Internal 2x2 dual-polarized directional MIMO antennas, Up to 867 Mbps signal rate @ 5GHz, 5km coverage, Mesh
EAP215-BRIDGE-KIT	R 1,914	TP-Link EAP215 Bridge kit Omada 867 Mbps @ 5GHz Long-Range Indoor/Outdoor Wireless Bridge, 3x Gigabit Ethernet Ports, Internal 2 x 2 dual-polarized directional MIMO antennas, Up to 867 Mbps signal rate @ 5GHz, 5km coverage, Mesh
EAP215-Bridge-KIT	R 2,002	TP-Link EAP215 Bridge kit Omada 867 Mbps @ 5GHz Long-Range Indoor/Outdoor Wireless Bridge, 3x Gigabit Ethernet Ports, Internal 2x2 dual-polarized directional MIMO antennas, Up to 867 Mbps signal rate @ 5GHz, 5km coverage, Mesh
EAP223	R 849	TP-Link EAP223 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, Retail Box
EAP223	R 854	TP-Link EAP223 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, Retail Box
EAP225	R 980	TP-Link EAP225 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point
EAP225	R 1,040	TP-Link EAP225 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, Ceiling /wall mounting, Up to 867 Mbps 5 GHz, Up to 450 Mbps 2.4 GHz
EAP225	R 949	TP-Link EAP225 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point
EAP225	R 992	TP-Link EAP225 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, Ceiling /wall mounting, Up to 867 Mbps 5 GHz, Up to 450 Mbps 2.4 GHz
EAP225-OUTDOOR	R 971	TP-Link EAP225-Outdoor AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point
EAP225-OUTDOOR	R 999	TP-Link EAP225-Outdoor AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point
EAP225-OUTDOOR	R 1,078	TP-Link AC1200 Dual Band MU-MIMO Gigabit Indoor/Outdoor Access Point, EAP225-OUTDOOR, 867 Mbps at 5GHz, 300 Mbps at 2.4GHz, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3af PoE and Passive PoE, 24V Passive PoE, Pole / Wall Mounting
EAP225-OUTDOOR	R 1,029	TP-Link AC1200 Dual Band MU-MIMO Gigabit Indoor/Outdoor Access Point, EAP225-OUTDOOR, 867 Mbps at 5GHz, 300 Mbps at 2.4GHz, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3af PoE and Passive PoE, 24V Passive PoE, Pole / Wall Mounting
EAP235-WALL	R 955	TP-link AC1200 Wireless MU-MIMO Gigabit wall-plate Access Point with PoE passthrough, 802.3af/802.3at PoE Power Supply, 2 Dual-Band antennas, Wall plate mounting, IEEE 802.11a/b/g/n/ac, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps, 1x 10/100/1000 Mbps Ethernet Port uplink, 3x 10/100/1000 Mbps Ethernet Port downlink (1x supports PoE pout)
EAP245	R 1,328	TP-Link AC1750 Dual Band Ceiling Mount Access Point
EAP245	R 1,347	TP-Link EAP245 AC1750 Dual Band Ceiling Mount Access Point, 2x Gigabit Ethernet (RJ-45) Port, One Port supports IEEE802.3af PoE and Passive PoE, 48V passive PoE, Ceiling /wall mounting mounting, 5GHz up to 1300 Mbps, 2.4GHz up to 450 Mbps
EAP265 HD	R 1,490	TP-Link EAP265 HD AC1750 Gigabit Ceiling Mount Dual-Band Access Point, 2x Gigabit Ethernet (RJ-45) Port, 5GHz up to 1300 Mbps, 2.4GHz up to 450 Mbps, One Port supports IEEE802.3af/at PoE and passive PoE
EAP610	R 1,509	TP-Link TP-EAP610 AX1800 ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port (Supports IEEE802.3at PoE), 2.4 GHz and 5 GHz, Up to 1201 Mbps 5 GHz, Up to 574 Mbps 2.4 GHz
EAP610	R 1,420	TP-Link EAP610 AX1800 Ceiling Mount WiFi 6 Access Point, PORT:1 Gigabit RJ45 Port, SPEED:574Mbps at 2.4 GHz 1201 Mbps at 5 GHz, FEATURE: 802.3at POE and 12V DC, 4x Internal Antennas, MU-MIMO, Seamless Roaming, Band Steering, Beamforming, Load Balance
EAP610	R 1,449	TP-Link EAP610 AX1800 Ceiling Mount WiFi 6 Access Point; dual band 574Mbps 2.4GHz 1201Mbps 5GHz;

		ceiling mount; PoE powered; gigabit port; enterprise wireless coverage; indoor business WiFi; Omada management; WPA3 support; scalable network deployment
EAP610	R 1,478	TP-Link TP-EAP610 AX1800 ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port (Supports IEEE802.3at PoE), 2.4 GHz and 5 GHz, Up to 1201 Mbps 5 GHz, Up to 574 Mbps 2.4 GHz
EAP610 OUTDOOR	R 1,999	TP-Link EAP610 Indoor or Outdoor WiFi 6 Access Point - Superior WiFi 6 Speeds Up 1800Gbps, 2.4GHz and 5GHz Frequency, 1 x Gigabit Ethernet RJ-45 Port Support 802.3at PoE and Passive PoE, 2.4GHz: 2 x 4dBi Antenna, 5GHz: 2 x 5dBi Antenna, IP67 Weatherproof Enclosure, Access Control, Rogue AP Detection, Wireless Security, Omada App, Cloud Access, Pole or Wall Mounting, -30-70 °C (-22-158 °F) Operating Temperature, Retail Box, 6 Months Warranty.
EAP610-OUTDOOR	R 2,001	TP-Link EAP610-outdoor AX1800 indoor/outdoor Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3at PoE and passive PoE, Pole/wall mounting, 2.4 GHz & 5 GHz, 8 Mbps to 1201 Mbps 802.11ax, 6.5 Mbps to 867 Mbps 802.11ac, 6.5 Mbps to 300 Mbps 802.11n
EAP610-OUTDOOR	R 2,143	TP-Link EAP610-Outdoor AX1800 Indoor/Outdoor WiFi 6 Access Point, PORT: 1x Gigabit RJ45 Port, SPEED: 574Mbps at 2.4 GHz 1201 Mbps at 5 GHz, FEATURE: 802.3at PoE and Passive PoE, IP67 Weatherproof, 4x Internal Antennas, Mesh, Seamless Roaming, MU-MIMO
EAP610-OUTDOOR	R 2,002	TP-Link EAP610-outdoor AX1800 indoor/outdoor Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3at PoE and passive PoE, Pole/wall mounting, 2.4 GHz & 5 GHz, 8 Mbps to 1201 Mbps 802.11ax, 6.5 Mbps to 867 Mbps 802.11ac, 6.5 Mbps to 300 Mbps 802.11n
EAP613	R 1,346	TP-Link EAP613 AX1800 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit RJ45 Port, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz, 802.3at PoE Power Supply, 48 V Passive PoE, Internal Omni antenna, Ceiling / Wall Mounting, 250 Wireless Client capacity
EAP613	R 1,432	TP-Link EAP613 AX1800 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit RJ45 Port, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz, 802.3at PoE Power Supply, 48 V Passive PoE, Internal Omni antenna, Ceiling / Wall Mounting, 250 Wireless Client capacity
EAP615-WALL	R 1,078	TP-Link AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point, 1x 10/100/1000 Mbps Ethernet Port uplink, 3x 10/100/1000 Mbps Ethernet Ports downlink, 802.3af/at PoE Power Supply, 2 Dual-Band antennas, Wall plate mounting, 2.4 GHz and 5 GHz, Up to 1201 Mbps 5 GHz, Up to 574 Mbps 2.4 GHz
EAP620 HD	R 2,001	TP-Link EAP620 HD AX1800 ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE Power Supply, Up to 1201 Mbps @ 5 GHz, Up to 574 Mbps @ 2.4 GHz
EAP620-HD	R 1,869	TP-Link EAP620 HD AX1800 ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE Power Supply, Up to 1201 Mbps @ 5 GHz, Up to 574 Mbps @ 2.4 GHz
EAP620HD	R 1,927	TP-Link EAP620HD AX1800 Ceiling Mount Dual-Band Access Point, Ceiling / Wall Mounting, 5GHz up to 1201 Mbps, 2.4GHz up to 574 Mbps, 1x Gigabit Ethernet (RJ-45) Port, Supports Power over Ethernet 802.3at PoE Power Supply, 12 V DC Power Supply
EAP650	R 1,655	TP-Link EAP650 AX3000 Ceiling Mount WiFi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE, 5 GHz up to 2402 Mbps, 2.4 GHz up to 574 Mbps
EAP650	R 1,641	TP-Link EAP650 AX3000 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, PORT:1x 1Gbps RJ45 Port, SPEED:574Mbps at 2.4 GHz 2402 Mbps at 5 GHz, FEATURE: 802.3at POE and 12V DC, 2x Internal Antennas, 160MHz Supported, MU-MIMO, Seamless Roaming, Band Steering
EAP650 OUTDOOR	R 2,249	TP-Link EAP650-OUTDOOR AX3000 Indoor/Outdoor Access Point, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3at PoE and passive PoE, 8 Mbps to 1201 Mbps @ 802.11ax, 6.5 Mbps to 1083.3 Mbps @ 802.11ac
EAP650-OUTDOOR	R 2,168	TP-Link EAP650-Outdoor AX3000 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, PORT:1Ã— Gigabit RJ45 Port, SPEED:574Mbps at 2.4 GHz 2402 Mbps at 5 GHz, FEATURE: 802.3at POE and 12V DC, 2Ã—Internal Antennas, 160MHz Supported, MU-MIMO, Seamless Roaming, Band Steering, Beamforming
EAP653	R 1,553	TP-Link EAP653 PoE AX3000 Ceiling Mount WiFi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE, 48V Passive PoE, 2x 3 dBi 2.4GHz antenna, 3x 5 dBi 5GHz antenna, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, OFDMA
EAP653-UR	R 1,553	TP-Link EAP653-UR AX3000 Ceiling Mount WiFi 6 Access Point; 574 Mbps 2.4 GHz; 2402 Mbps 5 GHz; 185 m2 coverage; 250 clients; 1 x Gigabit PoE ; 2 x 2 MIMO; OFDMA; MU-MIMO; HE160; Omada Mesh; WPA3; 160

		x 160 x 33.6 mm; 352 g
EAP660 HD	R 4,003	TP-Link TP-EAP660HD AX3600 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x 2.5 Gbps Ethernet Port, 802.3at PoE or 12 V DC, 5 GHz up to 2402 Mbps, 2.4 GHz up to 1148 Mbps
EAP660-HD	R 3,797	TP-Link AX3600 Wireless Dual Band Multi Gigabit Ceiling Mount Access Point, 1x 2.5 Gbps Ethernet Port, 802.3at PoE or 12 V DC, Ceiling or Wall Mount, Up to 2402 Mbps @ 5GHz, Up to 1148 Mbps @ 2.4GHz, EAP660-HD
EAP670	R 2,232	TP-Link TP-EAP670 AX5400 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x 2.5 Gigabit Ethernet (RJ-45) Port, 802.3at PoE Power Supply, Up to 4804 Mbps @ 5 GHz, Up to 574 Mbps @ 2.4 GHz
EAP673	R 2,151	TP-Link EAP673 AX5400 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, PORT: 1x2.5 Gigabit RJ45 Port, SPEED:574Mbps at 2.4 GHz 4804 Mbps at 5 GHz, FEATURE: 802.3at POE and 12V DC (Power Adapter is not included), 6xInternal Antennas, MU-MIMO, 160MHz Supported, Seamless Roaming
EAP723	R 1,927	TP-Link Omada EAP723 BE3600 Ceiling Mount Wi-Fi 7 Access Point; dual-band 2.4 GHz and 5 GHz; 688 Mbps 2.4 GHz; 2882 Mbps 5 GHz; 1 x 2.5G Ethernet; 802.3at PoE; Omada Mesh; seamless roaming; ceiling or wall mount; 160 x 160 x 36.7 mm
EAP773	R 4,021	TP-Link EAP773 Omada BE9300 Ceiling Mount Tri-Band Wi-Fi 7 Access Point, PORT: 1x10G RJ45 Port, SPEED:574Mbps at 2.4 GHz 2880 Mbps at 5 GHz 5760 Mbps at 6 GHz, FEATURE: 802.3bt POE and 12V DC (Power Adapter is not included), 4xInternal Antennas, MU-MIMO, 320MHz Support
EWP-WA6020	R 1,394	H3C WA6020 Wi-Fi 6 (802.11ax) Access Point, Dual Radio 802.11ax (1500 Mbps), Internal antennas, 4 streams, 1x Gigabit RJ-45 Port, 802.3af PoE in, 3dBi antenna gain @2.4GHz, 4dBi antenna gain @5GHz
EWP-WA6022H	R 1,730	H3C WA6022h Wi-Fi 6 (802.11ax) Wall-Plate Access Point, Dual Radio 802.11ax (1500 Mbps), Internal antennas, 4 streams, 1x Gigabit Ethernet Uplink Port, 1x Gigabit Ethernet Port, 802.3af PoE in, 3dBi antenna gain @2.4GHz, 4dBi antenna gain @5GHz
EWP-WA6120	R 1,922	H3C WA6120 Wi-Fi 6 (802.11ax) Access Point, Dual Radio 802.11ax (3000 Mbps), Internal antennas, 4 streams, 1x Gigabit RJ45 Port, 802.3af PoE, 3dBi antenna gain @2.4GHz, 4dBi antenna gain @5GHz
EWP-WA6120H	R 1,918	H3C WA6120h Wi-Fi 6 (802.11ax) Wall-Plate Access Point, Dual Radio 802.11ax, Internal antennas, 4 streams, 1x Gigabit RJ45 Uplink Port, 4x Gigabit RJ45 Ports, 802.3af PoE, 3dBi antenna gain @2.4GHz, 4dBi antenna gain @5GHz
EWP-WA6120X	R 3,281	H3C WA6120x Wi-Fi 6 (802.11ax) Outdoor Access Point, Dual Radio 802.11ax, Internal antennas, 4 streams, 2x Gigabit r J45 Ports, PoE injector Power Supply
EWP-WA6320-FIT	R 3,069	H3C WA6320 Wi-Fi 6 Indoor Access Point with 1x 1GE PoE, 575 Mbps @ 2.4GHz, 1200 Mbps @ 5GHz, 4 streams Dual Radio 802.11ax/ac/n, BT 5.0, 1x 100/1000M multigigabit Ethernet RJ-45 PoE Input, Built-In Omni-Directional antenna, Built-In IoT module, Wall Mounting / ceiling mounting
EWP-WA6320H-FIT	R 3,449	H3C WA6320H Wi-Fi 6 Indoor Access Point with 1x Uplink GE & 1x RJ45 Pass-Through & 4x GE PoE, 4x 1000m Ethernet Port RJ-45, 1x 1000m Ethernet Port, RJ-45, Pass through, 1x Uplink 1000m Ethernet Port RJ-45 PoE Input, 1x 1000m Ethernet Port RJ-45 pass through, Built-In Omni-Directional antenna, 575 Mbps @ 2.4GHz, 1200 Mbps @ 5GHz
EWP-WA6330-FIT	R 5,894	H3C WA6330 Indoor Access Point with 1x 2.5GE & 1x 1GE PoE Ports, 400 Mbps @ 2.4GHz, 1200 Mbps @ 5GHz, 6 streams Triple Radio 802.11ax/ac/n, BT 5.0, 1 x 100/1000M/2.5G Ethernet RJ-45 PoE Input, 1x 100/1000M Ethernet RJ-45 PoE Output, Built-In Omni-Directional antenna, Wall mounting / ceiling mounting
EWP-WA6622-FIT	R 4,886	H3C WA6622 Wi-Fi 6 Indoor Access Point with 1x 5GE & 1x 1GE PoE Ports, 575 Mbps @ 2.4GHz, 2400 Mbps @ 5GHz, 6 streams Triple Radio 802.11ax/ac/n, BT 5.0, 1x 100/1000M/2.5G/5G Ethernet RJ-45 PoE Input, 1x 100/1000M Ethernet RJ-45 PoE Output, Built-In Omni-Directional antenna, Wall Mounting / ceiling mounting
EWP-WA6628-FIT	R 8,681	H3C WA6628 Wi-Fi 6 Dual-Radio Access Point; Wi-Fi 6 (802.11ax); dual radio; 12 spatial streams; 2.4GHz and 5GHz; up to 5.95Gbps theoretical wireless rate; 1 x 10GbE-capable RJ-45; 1 x Gigabit Ethernet; PoE input; built-in omnidirectional antennas; wall or ceiling mount; 239 x 236 x 52mm; 1.28kg
EWP-WA6638-FIT	R 8,700	H3C WA6638 Indoor Wi-Fi 6 Access Point with 1x 10GE & 1x 1GE PoE Ports, 1150 Mbps @ 2.4GHz, 2400 Mbps @ 5GHz, 12 streams Triple Radio 802.11ax/ac/n, BT 5.0, 1x 100/1000M/2.5G/5G/10G multigigabit Ethernet RJ-45 PoE Input, 1x 100/1000M multigigabit Ethernet RJ-45 PoE Output, Built-In Omni-Directional antenna, Wall Mounting / ceiling mounting
GS-GCC6010W	R 3,613	Grandstream GCC6010W Unified Communications IP-PBX and networking system with Wi-Fi 6, 5x Gigabit

		Ethernet Ports, 12 users and 4 concurrent calls by Default PBX, VPN Router, Next-generation Firewall, IP PBX, Wi-Fi Access Point
GS-GWN7603	R 1,070	Grandstream GWN7603 802.11ac Wave-2 Wi-Fi Access Point, 1x Gigabit Uplink Port with PoE, 2x Gigabit Ethernet Ports with PSE, 1x Gigabit Ethernet Port, 300 Mbps @ 2.4GHz Throughput, 867 Mbps @ 5GHz Throughput, 2 Dual Band internal antennas
GS-GWN7604	R 1,165	Grandstream GWN7604 Enterprise WiFi 6 In-Wall Indoor Access Point, 2402 Mbps @ 5GHz, 573.5 Mbps @ 2.4GHz, 1x Gigabit Uplink Ethernet Port with PoE/PoE , 2 x Gigabit Ethernet Port with PSE, 1x Gigabit Ethernet Port
GS-GWN7605	R 898	Grandstream Enterprise GWN7605 2x2 MU-MIMO ceiling Mount 802.11ac WAVE-2 WiFi Access Point, 1.25Gbps, 2x2 MIMO, 100 Client devices, Advanced QoS, 2 Dual Band internal antennas, 2 x autosensing 10/100/1000 BASE-T Ethernet ports, 3 x tri-color LED for device Tracking and status indication
GS-GWN7605CLR	R 1,313	Grandstream Enterprise WiFi 5 Compact Long range Outdoor Access Point, GWN7605CLR, 2x2 Wi-Fi 5, 2x Gigabit Ethernet Ports, 12-24V DC-in, PoE, IP66, 100 Client devices, 250 meters range, 300 Mbps @ 2.4GHz Throughput, 867 Mbps @ 5GHz Throughput, 2x Dual Band external antennas
GS-GWN7605LR	R 1,596	Grandstream GWN7605lr Enterprise 802.11ac Long range outdoor Access Point - no PSU, Requires 48V GB PoE, 1.27Gbps, Dual-Band 2x2 MIMO, Embedded controller, 802.3at PoE, 2x autosensing 10/100/1000 BASE-T Ethernet ports
GS-GWN7624	R 1,188	Grandstream GWN7624 Enterprise Hybrid Wi-Fi 5 InWall Access Point, Two 5G & two Double Frequency internal antennas, IEEE 802.11 a/b/g/n/ac Wi-Fi standards, Up to 200 concurrent clients, 1x 10/100/1000M uplink Ethernet Port with PoE/PoE , 2x 10/100/1000M Ethernet Port with PSE, 1x 10/100/1000M Ethernet Port
GS-GWN7625	R 1,240	Grandstream Enterprise Indoor Hybrid Wi-Fi 5 Access Point, Up to 1733 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, 200 concurrent clients, 2x autosensing 10/100/1000 BASE-T Ethernet Ports, PoE 802.3af / 802.3at
GS-GWN7630	R 1,726	Grandstream GWN7630 Enterprise 802.11ac WAVE-2 4x4 MU-MIMO ceiling Mount Access Point, 4 Dual Band internal antennas, 200 concurrent clients, 2x autosensing 10/100/1000 BASE-T Ethernet ports, 3 tri-color leds for device Tracking and status indication
GS-GWN7630LR	R 1,915	Grandstream Enterprise GWN7630LR 802.11ac Long range outdoor 802.11 ac Wave-2 Wi-Fi Access Point, No PSU, Requires 48V GB PoE, 2.33Gbps, 300 m range, 4x4 MIMO, 200 Client devices, Advanced QoS, 4 detachable/changeable Dual-Band omnidirectional ANTENNAS, 2X autosensing 10/100/1000 BASE-T Ethernet PORTS, 1X tri-color leds for device Tracking and status indication
GS-GWN7660E	R 1,068	Grandstream GWN7660E Enterprise Indoor Wi-Fi 6 Ceiling Mount Access Point - no PSU, Up to 256 Client devices, 573.5 Mbps @ 2.4GHz Throughput, 2.4Gbps 5GHz Throughput, Up to 175 meters range, 1x Gigabit Ethernet Port, 1x 2.5 Gigabit Ethernet Port, 5 individual internal antennas, Indoor Wall Mount or Ceiling Mount
GS-GWN7660ELR	R 1,590	Grandstream GWN7660ELR Enterprise 2x2:2 Wi-Fi 6 Weatherproof Long-Range Access Point - no PSU, 1x 1G RJ45 Port, 1x 2.5G SFP Port, 573.5 Mbps 2.4GHz Throughput, 2.4Gbps 5GHz Throughput, 5 individual internal antennas, Up to 256 Client devices, 300 meters range
GS-GWN7660EM	R 1,072	Grandstream Enterprise WiFi 6 pluggable Indoor Access Point, GWN7660E, Up to 256 Client devices, 573.5 Mbps @ 2.4GHz Throughput, 2.4Gbps @ 5GHz Throughput, Up to 175 meters range, 1x Gigabit Ethernet Port, Supports PoE, 5 Individual internal antennas, 2x2:2 MU-MIMO on 2.4GHz, 3x3:2 MU-MIMO on 5GHz
GS-GWN7661E	R 1,319	Grandstream GWN7661E Enterprise WiFi 6 In-Wall Indoor Access Point, 1x Gigabit Uplink Ethernet Port with PoE/PoE , 2x Gigabit Ethernet Port with PSE, 1x Gigabit Ethernet Port, 2402 Mbps @ 5GHz, 573.5 Mbps @ 2.4GHz
GS-GWN7662	R 2,027	Grandstream GWN7662 Enterprise Indoor Hybrid Wi-Fi 6 Ceiling Mount Access Point, Up to 175 meters range, Up to 256 Client devices, 1x autosensing Gigabit Ethernet Port, 1x autosensing 2.5 Gigabit Ethernet Port, 573.5 Mbps 2.4GHz Throughput, 4804 Mbps 5GHz Throughput, 6 single Frequency internal antennas, Indoor Wall Mount or Ceiling Mount
GS-GWN7664E	R 2,531	Grandstream GWN7664E Enterprise Indoor Wi-Fi 6 Ceiling Mount Access Point - no PSU, 512 Client devices, 1147 Mbps 2.4GHz Throughput, 4.8Gbps 5GHz Throughput, Up to 175 meters range, 2x 2.5 Gigabit Ports, Supports 802.3at PoE/PoE , 8 individual internal antennas, Indoor Wall Mount or Ceiling Mount
GS-GWN7664ELR	R 2,992	Grandstream GWN7664ELR Outdoor Long-Range 802.11ax Wi-Fi 6 Access Point - no PSU, 300 meters range,

		512 Client devices, 1x 2.5G RJ45 Port, 1x 2.5G SFP Port, Supports PoE 802.3at, 1147 Mbps 2.4GHz Throughput, 4.8Gbps 5GHz Throughput, 8 individual internal antennas
GS-GWN7665	R 1,949	Grandstream GWN7665 802.11ax Tri-band Wi-Fi 6E Ceiling Mount Access Point, 1x Gigabit Ethernet Port, 1x 2.5GE Ethernet Port, 573.5 Mbps @ 2.4GHz Throughput, 2.4Gbps @ 5GHz Throughput, 2.4Gbps @ 6GHz Throughput, 7 individual internal antennas
GS-GWN7670	R 1,757	Grandstream Enterprise WiFi 7 Indoor Access Point, GWN7670, Up to 175 meters coverage range, 2x 2.5G Ethernet WAN/LAN Network interfaces, 256 concurrent clients, Bluetooth, Indoor Wall Mount or Ceiling Mount, 5 single Frequency antennas, Up to 2882 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz
GS-GWN7670LR	R 2,721	Grandstream Enterprise Outdoor WiFi 7 Long range Access Point, GWN7670LR, 256 Client devices, 350 meters range, 1x 2.5Gbps Ethernet WAN/LAN RJ-45 PoE Input, 1x 2.5Gbps SFP Port, 688 Mbps @ 2.4GHz Throughput, 2882 Mbps @ 5GHz Throughput
GS-GWN7670WM	R 1,887	Grandstream Enterprise WiFi 7 In-Wall Indoor Access Point, GWN7670WM, 5 single Frequency antennas, Up to 175 meters coverage range, 256 concurrent clients, 1x 2.5G Ethernet WAN/LAN, Bluetooth, PoE/PoE 802.3af/at power, Up to 2882 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz
GS-GWN7672	R 3,025	Grandstream Enterprise Tri-Band WiFi 7 Indoor Access Point, GWN7672, 688 Mbps 2.4GHz Throughput, 4320 Mbps 5GHz Throughput, 5765 Mbps 6Ghz Throughput, Up to 175 meters range, 2x 5G Ethernet WAN/LAN, Supports PoE 802at, 384 Client devices, 7 single Frequency antennas
GS-GWN7674	R 4,997	Grandstream GWN7674 Enterprise WiFi 7 BE21000 Indoor Access Point, 768 Client devices, 688 Mbps 2.4GHz Throughput, 8647 Mbps 5GHz Throughput, 11529 Mbps 6GHz Throughput, Up to 175 meters range, 12 single Built-In antennas
HP-R4W02A	R 2,186	HP R4W02A Instant On AP22 (RW) Access Point, Power over Ethernet (PoE), 1x Uplink Gigabit Ethernet Port, 5 GHz 802.11ax 2x2 MIMO for up to 1.2 Gbps Wireless Data rate, 2.4 GHz 802.11ax 2x2 MIMO for up to 574 Mbps Wireless Data rate
HP-R9B28A	R 3,587	HP R9B28A Instant On AP25 (RW) 4x4 Wi-Fi 6 Access Point, Power over Ethernet (PoE), Uplink 2.5 Gigabit Ethernet Port, 5 GHz 802.11ax 4x4 MIMO for up to 4.8 Gbps Wireless Data rate, 2.4 GHz 802.11ax 2x2 MIMO for up to 574 Mbps Wireless Data rate
HP-S1T09A	R 2,016	HP Instant On AP21 (RW) Dual Radio 2x2 Wi-Fi 6 Access Point, Wi-Fi Certified 6, Dual omnidirectional 2x2 MIMO Wi-Fi antenna, 1x GbE BaseT Port, Ceiling / Wall Mount clip mounting, Dual-Band 802.11ax 2x2 5ghz/2.4ghz MIMO Radio coverage, No PSU
HP-S1T37A	R 3,553	HP Instant On Outdoor Access Point Dual Radio 2x2 Wi-Fi 6 (RW) AP27, Dual semidirectional 2x2 MIMO Wi-Fi antenna, Wi-Fi 11ax connectivity, 1x GbE BaseT Port, Wall Mount bracket, Dual-Band 802.11ax 2x2 5GHz / 2.4GHz MIMO, No PSU
I24	R 573	Tenda I24 AC1200 Wave 2 Gigabit Access Point, 23DBM 867MBPS CEN MAN
I29	R 1,148	Tenda I29 Ceiling Access Point, WiFi 6 Ax3000 Gigabit Dualband Central Managed Access Point Includes Bracket Powered Via Poe Injector Included Covers Up To 500m Squared
LW-DLB5	R 459	LigoWave DLB 5.8Ghz Outdoor TDMA Base Station, 29dBm, 2 x N(f) iPoll POE Incl.
LW-DLB5P-90-17	R 1,149	LigoWave DLB PRO 5.8Ghz Outdoor TDMA, Base Station, 30dBm, 20dBi 90Â° integrated, Up to 72 CPE, 1xGB
LW-DLB5P-90-20	R 804	LigoWave DLB PRO 5.8Ghz Outdoor TDMA, Base Station, 30dBm, 20dBi 90Â° integrated, Up to 64 CPE, 1xGB
MIM-N5-360	R 2,874	Mimosa 4.9-6.4 GHz, 4x4 360 degree beamforming antenna for A5c
MK-C52IG 5HAXD2HAXD TC	R 1,742	MikroTik hAP ax2 Wi-Fi 6 AX1800 Access Point, C52IG-5HAXD2HAXD-TC, WiFi 6 AX1800, 4 Core CPU Core, RouterOS License 4, RouterOS V7 Operating System, 1GB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, 5x 10/100/1000 Ethernet Ports with 1x Gigabit Ethernet Port with PoE-out
MK-RB941 2ND	R 541	MikroTik RouterBOARD hAP lite - 2.4GHz 802.11b/g/n wirelss Desktop Access Point AP, 4x 10/100 Ethernet ports, 650MHz CPU, 32MB RAM, Built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RB941-2nD-TC
MK-RB941 2ND TC	R 541	MikroTik RouterBOARD hAP lite - 2.4GHz 802.11b/g/n wirelss Desktop Access Point AP, 4x 10/100 Ethernet ports, 650MHz CPU, 32MB RAM, Built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RB941-2nD-TC

MK-RB951UI 2HND	R 1,091	MikroTik RouterBOARD 802.11b/g/n Wireless SOHO Access Point, 600MHz CPU, 128MB RAM, 5x 10/100 Ethernet LAN, 2.4GHz 802.11b/g/n 300 Mbps Wireless, RouterOS L4, 1x USB, PoE 24V, RB951UI-2HND
MK-RB951UI 2ND	R 850	MikroTik hAP 2.4GHz Desktop Access Point Access Point, The device Can be powered from the Power jack or with passive PoE from a PoE injector, 5x 10/100 Ethernet Ports, 802.11b/g/n Wireless, RB951UI-2ND
MK-RB952UI 5AC2ND	R 1,012	MikroTik RouterBOARD hAP AC Lite - 2.4GHz and 5GHz Dual-concurrent Wireless Access Point, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, USB, Built-in 2.4Ghz 802.11b/g/n and built-in 5GHz 802.11a/n/ac, RouterOS L4, RB952Ui-5ac2nD
MK-RB952UI 5AC2ND TC	R 1,057	MikroTik RouterBOARD hAP AC lite - 2.4GHz and 5GHz dual-concurrent Access Point with Tower Casing, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n two chain Wireless with Integrated antennas, Built-in 5GHz, RouterOS L4, USB Port, RB952Ui-5ac2nD-TC
MK-RBCAPGI 5ACD2ND	R 1,511	MikroTik cAP ac Dual Band WiFi Ceiling Mount Access Point, 4 core CPU 716 MHz, 128 MB Ram, 16MB Flash, RouterOS L4, 802.3af/at PoE in, Passive PoE up to 57V, 2x 802.11b/g/n Wireless 2.4 GHz chains, 2x 802.11a/n/ac Wireless 5 GHz chains, 2x Gigabit LAN ports, RbcAPGi-5acD2nD
MK-RBCAPGI 5ACD2ND XL	R 1,774	MikroTik cap AC XL Dual Band AC PoE ceiling Mount Access Point, RBcAPGi-5acD2nD-XL, IPQ-4018 CPU, RouterOS license 4, 128 MB RAM, 16 MB storage size, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate, 802.11b/g/n, 867 Mbit/s Wireless 5 GHz Maximum Data rate, 802.11a/n/ac, 2x 10/100/1000 Ethernet Ports (1x Gigabit Ethernet Port with PoE-out & 1x POE-in DC input)
MK-RBOMNITIKPG 5HACD	R 2,429	MikroTik OmniTikPG-5HacD - 5GHz Outdoor AP with 360 Degree Omni-Antenna and POE, 720 MHz CPU, 128MB RAM, 802.11a/n/ac dual chain Wireless, 5x GB POE LAN, 1x USB, RouterOS L4, 2x Integrated 7.5dBi 5GHz omni antennas
MT-RB941-2ND-CLASSIC	R 391	MikroTik hAP lite 2.4GHz desktop Access Point AP mountable, 4x 10/100 Ethernet ports
MT-RB951UI-2HND	R 975	RouterBOARD 951UI-2HnD, 2.4GHz 300Mbps AP, 600MHz CPU, 128MB RAM, 5XLAN, L4, 1 USB, PoE 24v, PoE Out, 1 Year
MT-RB951Ui-2ND	R 729	MikroTik hAP 2.4GHz desktop Access Point AP, The device can be powered from the power jack or with passive PoE from a PoE injector, 5x 10/100 Ethernet ports, 802.11b/g/n Wireless
MT-RB952UI-5AC2ND	R 1,035	RouterBOARD hAP AC Lite, 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n, 5GHz 802.11a/n/ac
MT-RB952Ui-5AC2ND-TC	R 967	MikroTik hAP ac lite tower 2.4 / 5GHz desktop Dual-concurrent Access Point AP Black, 5x 10/100 Ethernet ports, Wireless 802.11b/g/n, Wireless 802.11ac
MT-RBCAP-2ND	R 860	MikroTik cAP 2nD - 2.4GHz Indoor AP, Access Points, Ceiling / Wall mount, WiFi & Hotspot.
MT-RBCAP-AC-XL	R 1,703	MikroTik cap AC XL - Dual Band AC indoor Access Point with PoE passthrough, 802.11 b/g/n/ac, 6dBi (2.4GHz), 5.5dBi (5GHz), Dual chain, POE-in 802.3af/at, PoE out - passive, RouterOS Operating System, 128 MB RAM, 16 MB storage size, 2x 10/100/1000 Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 867 Mbit/s Wireless 5 GHz Maximum Data rate, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate
MT-RBCAP-AX	R 2,110	MikroTik cap AX - Wi-Fi 6 Indoor Access Point, RouterOS V7 L4, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 1200 Mbit/s Wireless 5 GHz Max Data rate, 2x Gigabit Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out
MT-RBCAP-AX-LTE12	R 4,094	MikroTik cAP LTE12 AX 1800 Mbps WiFi 6 Ceiling Access Point, cAPGi-5HaxD2HaxD& EG12-EA, RouterOS V7 Operating System, 4 Core CPU, 1 GB RAM, 128 MB storage, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, AX1800 WiFi Speed, 2x Gigabit Ethernet Ports - 1 with PoE, 802.3af/at PoE in
MT-RBCAP-LITE	R 465	MikroTik cAP lite 2.4GHz Indoor AP with ceiling and wall casings
MT-RBHAP-AC3	R 1,802	MikroTik hAP AC3 - dual-chain Dual-Band 2.4 / 5 GHz Desktop Access Point - Black, 5 Gigabit Ethernet ports, 256 MB of RAM and Quad-Core CPU, PoE support, RouterOS, Wi-Fi 5, AC1200 AC speed
MT-RBHAP-AX3	R 2,335	MikroTik hAP ax3 Home Access Point, RouterOS V7 Operating System, 1 GB RAM, 128 MB storage size, IPQ-6010 CPU, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 1200 Mbit/s Wireless 5 GHz Max Data rate, 4x 10/100/1000 Ethernet Ports, 1x Gigabit Ethernet Ports with PoE-out, 1x 2.5G Ethernet Ports, USB 3.0 Type-A
MT-RBL23UGSR-5HAXD2HAXD-NM	R 2,770	MikroTik NetMetal ax - Dual-Band & Dual-Chain WiFi 6 ODU with 2.5G SFP, 800 MHz Dual Core CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 2 DC inputs (DC jack / PoE-in), 574 Mbit/s Wireless 2.4GHz Max Data rate, 2400 Mbit/s Wireless 5GHz Max Data rate, 1x Gigabit Ethernet Ports, 1 2.5G supported SFP Ports, 1 Modem (Nano SIM), 1 Mini PCI-e slots, L23UGSR-5HAXD2HAXD-NM

MT-RBMAP-2ND	R 742	MikroTik mAP 2nD - 2.4GHz mini Indoor AP/CPE,In addition to using this device as a small and portable AP, it also works as a PoE injector
MT-RBOMNITIKPG-5HACD	R 2,267	MikroTik OmniTikPG-5HacD - 5GHz Outdoor AP with 360 Degree Omni-Antenna and POE, 720 MHz CPU, 128MB RAM, 802.11a/n/ac dual chain Wireless, 5x GB POE LAN, 1x USB, RouterOS L4, 2x Integrated 7.5dBi 5GHz omni antennas
MT-RBSXTG-5HPACD-SA	R 1,952	RouterBOARD SXTG 5HPacD-SA Dual Chain 5GHz 802.11ac, Sector/CPE, 90Deg, 13dBi, MIMO, L4, Gigabit PoE
MW6(2-PACK)	R 1,723	Tenda Nova MW6 - Whole Home Wifi Mesh System (2 pack), 2x Gigabit Ethernet ports per mesh point, IEEE 802.11ac/a/n 5GHz Up to 867Mbps, IEEE 802.11b/g/n 2.4GHz Up to 300Mbps, Simultaneous dual band 2.4GHz & 5GHz
MW6(3-PACK)	R 1,665	Tenda Nova MW6 - Whole Home Wifi Mesh System (3-Pack), 2x Gigabit Ethernet ports per mesh point, IEEE 802.11ac/a/n 5GHz Up to 867Mbps, IEEE 802.11b/g/n 2.4GHz Up to 300Mbps, Simultaneous dual band 2.4GHz & 5GHz (3 pack kit - covers 500 square meters)
NE-DAP2310	R 1,712	D-Link DAP-2310 Wireless N 300Mbps PoE Access Point for SMB, 25dbm high power radio design, support 802.3af PoE - 2.4Ghz (802.11b/g/n), 1x gigabit LAN connection, support WDS, 2 x 2dbi Antennas, 64/128bit WEP, with PoE base unit, wall mount kit *Not an ADSL / 3G modem*
NE-DAP2360	R 1,839	D-Link DAP-2360 AirPremier N 300Mbps managed access point for SMB, 26dbm high power radio design, metal housing, support 802.3af PoE - 2.4Ghz (802.11b/g/n), 2 x 5dbi antennas, 64/128bit WEP, with PoE base unit, wall mount kit *Not an ADSL / 3G modem*
NE-DAP2622	R 2,591	D-Link DAP-2622 Nuclias Connect AC1200 Wave 2 PoE Access Point, Ceiling / Wall Mount ready, 2.4/5GHz Dual Band, 802.11a/b/g/n/ac 1200 Mbps (867 300), 1x PoE Gigabit WAN 1x PoE Gigabit LAN 1x Gigabit LAN, Support WDS, 2x internal antenna, 64/128bit WEP, Load Balancing, Mutiple SSID, Wall mountable
NE-DAP2662	R 1,827	D-Link DAP-2662 Nuclias Connect AC1200 Wave 2 PoE Access Point, Ceiling / Wall Mount ready, 2.4/5GHz Dual Band, 802.11a/b/g/n/ac 1200 Mbps (867 300), Support WDS, 4x internal antenna, 1x Gigabit Ethernet Port (PoE supported)
NE-DAP2695	R 4,171	D-Link DAP-2695 AirPremier AC1750 Simultaneous Dual Band exterior outdoor POE access point - all-weather plenum-rated metal housing, built-in heater with temperature sensor, 2.4/5Ghz dual band, 802.11a/b/g/n/AC 1200Mbps (1300 450), 2x gigabit LAN connection, support WDS, 6x detachable 4/6dbi antenna, 64/128bit WEP, load balancing, multiple SSiD, wall mountable
NE-DAP3315	R 1,780	D-Link DAP-3315 wireless N PoE exterior access point with PoE pass-through access point for SMB, iPX6 rated waterproof housing - 2.4Ghz (802.11b/g/n), 2x 10/100 LAN connection, support WDS, 12dbi antennas, 64/128bit WEP, with wall/pole mount
NE-DAP3666	R 5,169	D-Link DAP-3666 AC1200 Dual Band Exterior Outdoor POE Access Point - iP68 Water and Dust-Proof housing, 2.4/5Ghz dual band, 802.11a/b/g/n/AC 1750Mbps (1300 450), 2x gigabit LAN connection, support WDS, 4x internal 7/6dbi antenna, 64/128bit WEP
NE-DAPX2810	R 2,732	D-Link DAP-X2810 AX1800 Dual Band POE Access Point - 2.4/5Ghz dual band, 802.11a/b/g/n/AC 1800Mbps (1200 575), gigabit LAN connection, support WDS, 2x internal 3.2/4.3dbi antenna, 64/128bit WEP, load balancing, mutiple SSiD, wall mountable
NE-DiR505	R 706	D-Link DiR-505 share point mobile cloud companion - travel router/access point, work as storage server for mobile device, 2.4Ghz, (802.11b/g/N) 150Mbps wireless router with 1x USB, 68x42x51mm compact size *Not an ADSL / 3G modem*
NE-PAP-K	R 529	PQi 6W41-0000R1002 AirPen - Black - 17x92x25mm ultra-compact size Wireless Access Point miCroSDHC storage slot, powered by USB2.0 or built-in battery, supports up to 5 simultaneous mobile/pc connections with one-click sync/backup function for AirBank, Hinged USB Design - UTP USB
NE-PAP-W	R 505	PQi 6W41-0000R2002 AirPen - White - 17x92x25mm ultra-compact size Wireless Access Point miCroSDHC storage slot, powered by USB2.0 or built-in battery, supports up to 5 simultaneous mobile/pc connections with one-click sync/backup function for AirBank, Hinged USB Design - UTP USB. built-in modem : N, wan : 10/ 100, lan : 10/ 100, VPN tunnel : N, usb port : 1, storage : via miCroSDHC slot, standard : 802.11b/ g/ N, security : 64/ 128bit WEP , WPA2
NET-BEAMBRIDGE-5UR	R 2,617	TP-Link Omada Beam Bridge 5 UR KIT 5GHz 867Mbps Ultra-Range Indoor/Outdoor Wireless Bridge; 5GHz

		wireless bridge; up to 867Mbps; transmission distance up to 15km; 23dBi directional antennas; Gigabit Ethernet; 802.3af PoE and 24V/48V passive PoE; IP65 weatherproof; 6kV lightning protection; -40 to 70 degrees Celsius; pole mounting; 1.1kg
NET-EAP-235-WALL	R 972	TP-Link EAP235-Wall Omada AC1200 Wireless MU-MIMO Gigabit Wall Plate Access Point
NET-EAP110	R 485	TP-Link EAP110 300Mbps Wireless N Ceiling Mount Access Point
NET-EAP110-OUTDOOR	R 598	TP-Link EAP110-Outdoor 300Mbps Wireless N Outdoor Access Point
NET-EAP113-OUT	R 485	TP-Link EAP113-O 300 Mbps MIMO Wireless N Outdoor Access Point, TP-EAP113-O, 1x Fast Ethernet (RJ-45) Port, 48V Passive PoE, 802.3af PoE, 2x 3 dBi external Omni Waterproof, IP65 Weatherproof enclosure, 100 concurrent clients, 2.4GHz Frequency, Up to 300 Mbps
NET-EAP115	R 448	TP-Link EAP115 300Mbps Wireless N Ceiling Mount Access Point
NET-EAP115-WALL	R 411	TP-Link EAP115-WALL 300Mbps Wireless N Wall-Plate Access Point
NET-EAP215-BRIDGEKIT	R 2,094	TP-Link EAP215 Bridge kit Omada 867 Mbps @ 5GHz Long-Range Indoor/Outdoor Wireless Bridge, 3x Gigabit Ethernet Ports, Internal 2x2 dual-polarized directional MIMO antennas, Up to 867 Mbps signal rate @ 5GHz, 5km coverage, Mesh
NET-EAP225	R 1,009	TP-Link EAP225 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point
NET-EAP225-OUTDOOR	R 1,046	TP-Link EAP225-Outdoor AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point
NET-EAP230-WALL	R 785	TP-Link EAP230-Wall Omada AC1200 Wireless MU-MIMO Gigabit Wall-Plate Access Point
NET-EAP245	R 1,308	TP-Link EAP245 AC1750 Wireless Dual Band Gigabit Ceiling Mount Access Point
NET-EAP610	R 1,465	TP-Link EAP610 AX1800 Ceiling Mount WiFi 6 Access Point
NET-EAP610-OUTDOOR	R 1,944	TP-Link EAP610-Outdoor AX1800 Indoor/Outdoor WiFi 6 Access Point
NET-EAP613	R 1,391	TP-Link EAP613 AX1800 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit RJ45 Port, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz, 802.3at PoE Power Supply, 48 V Passive PoE, Internal Omni antenna, Ceiling / Wall Mounting, 250 Wireless Client capacity
NET-EAP615-WALL	R 1,046	TP-Link AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point, 1x 10/100/1000 Mbps Ethernet Port uplink, 3x 10/100/1000 Mbps Ethernet Ports downlink, 802.3af/at PoE Power Supply, 2 Dual-Band antennas, Wall plate mounting, 2.4 GHz and 5 GHz, Up to 1201 Mbps 5 GHz, Up to 574 Mbps 2.4 GHz
NET-EAP620HD	R 1,944	TP-Link EAP620 HD AX1800 Wireless Dual Band Ceiling Mount Access Point
NET-EAP623-OUT-HD	R 2,665	TP-Link EAP623 AX1800 HD Indoor / Outdoor WiFi 6 Access Point, TP-EAP623HD-O, 1x Gigabit Ethernet Port, IP67 Weatherproof enclosure, Ceiling / Wall Mounting, Up to 1201 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
NET-EAP625-OUT	R 2,767	TP-Link EAP625-O Omada AX1800 Outdoor HD Access Point, 1x Gigabit Ethernet Port, 2x external Dual-Band Omni antennas, IP67 Weatherproof enclosure, Bluetooth, 1020 concurrent clients, Up to 1201 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, Mesh
NET-EAP650	R 1,607	TP-Link EAP650 AX3000 Ceiling Mount WiFi 6 Access Point
NET-EAP650-D120-OUT	R 2,767	TP-Link Omada EAP650 D120 Outdoor AX3000 Indoor / Outdoor Wi-Fi 6 Access Point, 1x Gigabit Ethernet Port, 802.3at PoE, 48V Passive PoE, Built-In directional antennas, 2x 8dBi 2.4GHz, 2x 10dBi 5.0GHz, IP68 Weatherproof enclosure, 250 concurrent clients, 200m coverage, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz
NET-EAP650-D30-OUT	R 2,767	TP-Link Omada EAP650 D30 Outdoor WiFi6 Dual Band Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE, IP67 Weatherproof enclosure, 250 concurrent clients, 2.4GHz & 5GHz Frequency, 1024-QAM, OFDMA, Omada Mesh
NET-EAP650-OUTDOOR	R 2,168	TP-Link EAP650-OUTDOOR AX3000 Indoor/Outdoor Access Point, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3at PoE and passive PoE, 8 Mbps to 1201 Mbps @ 802.11ax, 6.5 Mbps to 1083.3 Mbps @ 802.11ac
NET-EAP650-WALL	R 1,159	TP-Link EAP650-Wall AX3000 Wall-Plate Dual-Band Access Point, 2402 Mbps on 5GHz 574 Mbps on 2.4GHz, 1x Gigabit Ethernet Port, 1x Gigabit Ethernet Port, 802.3af/at PoE Power Supply, Wall plate mounting
NET-EAP653	R 1,398	TP-Link EAP653 PoE AX3000 Ceiling Mount WiFi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE, 48V Passive PoE, 2x 3 dBi 2.4GHz antenna, 3x 5 dBi 5GHz antenna, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, OFDMA
NET-EAP653-UR	R 1,570	TP-Link EAP653 UR AX3000 Ceiling Mount WiFi 6 Indoor Access Point, TP-EAP653UR, 1x Gigabit PoE Port Interface, 802.3at PoE Power Supply, Ceiling / Wall Mounting, 185 m2 coverage, 250 concurrent clients, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz

NET-EAP660HD	R 3,889	TP-Link EAP660 HD AX3600 Wireless Dual Band Multi-Gigabit Ceiling Mount Access Point
NET-EAP670	R 2,168	TP-Link EAP670 AX5400 Ceiling Mount WiFi 6 Access Point
NET-EAP673	R 2,019	TP-Link EAP673 AX5400 Indoor WiFi 6 Ceiling Mount Access Point, TP-EAP673, 1x 2.5 Gigabit Ethernet (RJ-45) Port Interface, 802.3at PoE Power Supply, Ceiling /wall mounting, 140 M2 coverage, 250 concurrent clients, Up to 4804 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
NET-EAP683-UR	R 2,617	TP-Link EAP683 UR AX6000 Indoor WiFi 6 Ceiling Mount Access Point, 1x 2.5 Gigabit PoE Port Interface, Ceiling / Wall Mounting, 185 M2 coverage, 510 concurrent clients, Up to 4804 Mbps @ 5GHz, Up to 1148 Mbps @ 2.4GHz
NET-EAP723	R 1,869	TP-Link EAP723 Omada BE3600 Ceiling Mount Wi-Fi 7 Access Point, 1x 2.5G Ethernet Port, Ceiling / Wall Mounting mounting, 140 M2 coverage, 250 concurrent clients, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz
NET-EAP772-OUT	R 4,113	TP-Link Omada TP-EAP772-O Tri-band omnidirectional BE9300 Indoor/Outdoor WiFi 7 Access Point, 1x 2.5G Ethernet (RJ-45) Port, 802.3at PoE Power Supply, GNSS L1 receiver, IP68 Weatherproof enclosure, 300M2 coverage, 250 concurrent clients, Up to 5765 Mbps @ 6GHz, Up to 2402 Mbps @ 5GHz, Up to 300 Mbps @ 5GHz
NET-EAP773	R 3,964	TP-Link Omada TP-EAP773 BE9300 Ceiling Mount Tri-band Wi-Fi 7 Access Point, 1x 10G Ethernet Port, 802.3bt PoE or 12V / 2.5A DC Power Supply, Bluetooth 5.2, Ceiling / Wall Mounting (Kits included), 574 Mbps (2.4GHz) 2880 Mbps (5GHz) 5760 Mbps (6GHz)
NET-EAP783	R 7,853	TP-Link TP-EAP783 BE19000 Ceiling Mount Tri-band Wi-Fi 7 Access Point, 2x 10G Ethernet Ports, 802.3bt PoE or 12V DC Power Supply, Bluetooth, Ceiling / Wall Mounting (Kits included), 200m2 coverage, 760 concurrent clients, Up to 11520 Mbps @ 6GHz, Up to 5760 Mbps @ 5GHz, Up to 1376 Mbps @ 2.4GHz
NET-TL-DECO-M4-3PK	R 2,260	TP-Link Deco M4 AC1200 Whole Home Mesh Wi-Fi System (3-pack) *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-M5-2PK	R 2,005	TP-Link Deco M5 AC1300 Whole Home Mesh Wi-Fi System *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-EAP725-WALL	R 2,318	TP-Link Omada TP-EAP725 BE3600 Wall Plate Wi-Fi 7 Access Point, 1x 2.5G Ethernet Port Uplink, 1x 2.5G Ethernet 2x Gigabit Ethernet downlink Ports, Wall Mounting (Kits included), 250 concurrent clients, 50M2 coverage, Up to 4324 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz
NET-TL-WA1201	R 686	Tp-link TL-WA1201 Ac1200 Wireless Multifunction Access Point
NET-TL-WA1801	R 1,133	TP-Link TL-WA1801 AX1800 Gigabit WiFi 6 Access Point, 1x Gigabit Port, 4 Antennas, 1201 Mbps at 5 GHz, 574 Mbps at 2.4 GHz, Operating Modes - Access Point / Range Extender / Client / Multi-SSID
NET-TL-WA3001	R 1,291	TP-Link WA3001 AX3000 Gigabit WiFi6 Desktop Access Point, 1x Gigabit Port (Supports Passive PoE), 4 fixed high Performance antennas, 2402 Mbps at 5GHz, 574 Mbps at 2.4GHz, Operating modes - Access Point / Range Extender / Client / Multi-SSID
NET-TL-WA801N	R 298	TP-Link TL-WA801N 300 Mbps Wireless N Access Point, 1x 10/100 Ethernet Port RJ45, 2 fixed Omni-Directional antennas, 300 Mbps at 2.4GHz, Wireless modes - AP mode / Multi-SSID mode / Client mode / Range Extender mode, Up to 30 meters Passive PoE is supported
OAP1200	R 791	Tenda OAP1200 Outdoor IP65 AX1200 Wi-Fi Access Point, 1x Gigabit Ethernet Port (PoE), 802.3af & 24V 0.5A Passive PoE Power Supply, 256 Maximum number of clients, 50 recommended clients, 5dBi antenna gain, 300 Mbps @ 2.4GHz, 867 Mbps @ 5GHz, Operating mode - Access Point / Client AP
RAD-O5BS-SEC90DP	R 564	Radwin 5000 90 Degree Dual Polorised Base Station Sector, 14dBi, 4900-5950GHz, N(F)x2
RAP-109-US	R 1,489	HP Aruba Instant RAP-109-US Wireless Access Point 802.11a/b/g/n 2x2:2 Dual Radio Integrated antennas, 2x Gigabit Ethernet, 4 internal antennas, PoE PD Port, 300 Mbit/s Wireless transmission speed
RB-951UI2	R 955	MikroTik RouterBOARD 951UI-2HnD - 802.11b/g/n wireless SOHO Access Point, 600MHz CPU, 128MB RAM, 5x 10/100 ethernet LAN, 2.4GHz 802.11b/g/n 300Mbps wireless, RouterOS L4, 1x USB, PoE 24v
RB-CAPAC	R 1,374	MikroTik RbcAPGi-5acD2nD cAP ac Dual Band WiFi Ceiling Mount Access Point, 4 core CPU 716 MHz, 128 MB Ram, 16MB Flash, RouterOS L4, 802.3af/at PoE in, Passive PoE up to 57V, 2x 802.11b/g/n Wireless 2.4 GHz chains, 2x 802.11a/n/ac Wireless 5 GHz chains, 2x Gigabit LAN ports
RB-CAPACXL	R 1,639	MikroTik cap AC XL Dual Band AC PoE ceiling Mount Access Point, RBcAPGi-5acD2nD-XL, IPQ-4018 CPU, RouterOS license 4, 128 MB RAM, 16 MB storage size, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate,

		802.11b/g/n, 867 Mbit/s Wireless 5 GHz Maximum Data rate, 802.11a/n/ac, 2x 10/100/1000 Ethernet Ports (1x Gigabit Ethernet Port with PoE-out & 1x (POE-in) DC input)
RB-CAPAX	R 2,099	MikroTik cap AX Dual Band WiFi 6 1800 Mbps ceiling Access Point, cAPGi-5HaxD2HaxD, RouterOS (V7 only) Operating System, Wi-Fi 6, 1200 Mbit/s Wireless 5 GHz Max Data rate, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 2x 10/100/1000 Ethernet Ports, 1x 1g Ethernet Ports with PoE-out, 802.3af/at PoE in
RB-CAPLITE	R 477	MikroTik RouterBOARDs cAP lite access point device, 650MHz CPU, 1x 10/100 Ethernet ports, 802.11b/g/n Wireless standards, 802.3af/at PoE in, RouterOS
RB-CAPLTE12AX	R 3,789	MikroTik cAP LTE12 AX 1800 Mbps WiFi 6 Ceiling Access Point, cAPGi-5HaxD2HaxD& EG12-EA, RouterOS V7 Operating System, 4 Core CPU, 1 GB RAM, 128 MB storage, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, AX1800 WiFi Speed, 2x Gigabit Ethernet Ports - 1 with PoE, 802.3af/at PoE in
RB-HAP	R 719	MikroTik RouterBOARD hAP - 802.11b/g/n wireless desktop Access Point AP, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet ports, Built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, USB, RouterOS L4
RB-HAPACL	R 937	MikroTik RouterBOARD hAP AC Lite - 2.4GHz and 5GHz Dual-concurrent Wireless Access Point, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, USB, Built-in 2.4Ghz 802.11b/g/n and built-in 5GHz 802.11a/n/ac, RouterOS L4
RB-HAPACLTC	R 937	MikroTik RouterBOARD hAP AC lite - 2.4GHz and 5GHz dual-concurrent Access Point with Tower Casing, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n two chain Wireless with Integrated antennas, Built-in 5GHz, RouterOS L4, USB Port, RB952Ui-5ac2nD-TC
RB-HAPL	R 403	MikroTik RouterBOARD hAP LITE - 802.11b/g/n Wireless desktop Access Point AP, 650MHz CPU, 32MB RAM, 4x 10/100 Ethernet LAN, Built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas (TC), RouterOS L4
RB-HAPLTC	R 403	MikroTik RouterBOARD hAP lite - 802.11b/g/n Wireless Desktop Access Point Access Point, 650MHz CPU, 32MB RAM, 4x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n 2x2 two chain Wireless with Integrated antennas (Tc), RouterOS L4, RB941-2nD-TC
RB-MAP	R 748	MikroTik RouterBOARD MAP - 802.11bgn wireless Access Point Tiny, AR9531 650MHz CPU, 64MB RAM, 2x 10/100 ethernet LAN, Built-in 2.4Ghz 802.11bgn Dual Chain wireless with integrated antennas, microUSB, RouterOS L4
RB-NETMETALAX	R 2,731	MikroTik NetMetal ax - Dual-Band & Dual-Chain WiFi 6 ODU with 2.5G SFP, 800 MHz Dual Core CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 2 DC inputs (DC jack / PoE-in), 574 Mbit/s Wireless 2.4GHz Max Data rate, 2400 Mbit/s Wireless 5GHz Max Data rate, 1x Gigabit Ethernet Ports, 1 2.5G supported SFP Ports, 1 Modem (Nano SIM), 1 Mini PCI-e slots, L23UGSR-5HAXD2HAXD-NM
RB-OMNITIK5AC	R 2,329	MikroTik OmniTikPG-5HacD - 5GHz Outdoor AP with 360 Degree Omni-Antenna and POE, 720 MHz CPU, 128MB RAM, 802.11a/n/ac dual chain Wireless, 5x GB POE LAN, 1x USB, RouterOS L4, 2x Integrated 7.5dBi 5GHz omni antennas
RB2011UiAS-2HnD-IN	R 2,264	MikroTik Router 2.4GHz Access Point, Desktop metal case with touchscreen LCD, 5x 10/100 Ethernet ports & 5x 10/100/1000 Ethernet ports, 1x SFP cage (SFP not included), 2.4GHz dual-chain 802.11b/g/n wireless (2x 2.5dBi swivel antennas included), 600MHz CPU, 128MB RAM, USB port (microUSB), PoE in & PoE out (on port 5), RouterOS L5, RB2011UiAS-2Hnd-IN
RB931-2ND	R 343	MikroTik hAP Mini 2.4GHz Mini Desktop Tower Access Point Access Point, 3x 10/100 Ethernet Ports, 802.11b/g/n Wireless 2.4 GHz, RB931-2ND
RB941-2ND	R 401	MikroTik RouterBOARD hAP lite - 2.4GHz 802.11b/g/n wirelss Desktop Access Point AP, 4x 10/100 Ethernet ports, 650MHz CPU, 32MB RAM, Built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RB941-2nD-TC
RB941-2ND-TC	R 400	MikroTik RouterBOARD hAP lite - 802.11b/g/n Wireless Desktop Access Point Access Point, 650MHz CPU, 32MB RAM, 4x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n 2x2 two chain Wireless with Integrated antennas (Tc), RouterOS L4
RB941-2ND-TC	R 401	MikroTik RouterBOARD hAP lite - 2.4GHz 802.11b/g/n wirelss Desktop Access Point AP, 4x 10/100 Ethernet ports,

		650MHz CPU, 32MB RAM, Built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RB941-2nD-TC
RB951G-2HnD	R 1,639	MikroTik RouterBOARD 802.11b/g/n SOHO Gigabit Access Point, 600MHz CPU, 128MB RAM, 5x Gigabit LAN, Built-in 2.4GHz 802.11b/g/n 2x2 two chain Wireless, RouterOS L4, RB951G-2HND
RB951UI-2HND	R 921	MikroTik RouterBOARD 802.11b/g/n Wireless SOHO Access Point, 600MHz CPU, 128MB RAM, 5x 10/100 Ethernet LAN, 2.4GHz 802.11b/g/n 300 Mbps Wireless, RouterOS L4, 1x USB, PoE 24V
RB951UI-2HND	R 2,041	MikroTik RouterBOARD 802.11b/g/n Wireless SOHO Access Point, 600MHz CPU, 128MB RAM, 5x 10/100 Ethernet LAN, 2.4GHz 802.11b/g/n 300 Mbps Wireless, RouterOS L4, 1x USB, PoE 24V, RB951UI-2HND
RB951UI-2HND	R 1,093	MikroTik RouterBOARD 802.11b/g/n Wireless SOHO Access Point, 600MHz CPU, 128MB RAM, 5x 10/100 Ethernet LAN, 2.4GHz 802.11b/g/n 300 Mbps Wireless, RouterOS L4, 1x USB, PoE 24V, RB951UI-2HND
RB951UI-2ND	R 720	MikroTik hAP 2.4GHz Desktop Access Point Access Point, The device Can be powered from the Power jack or with passive PoE from a PoE injector, 5x 10/100 Ethernet Ports, 802.11b/g/n Wireless, RB951UI-2ND
RB952Ui-5ac2nD	R 889	MikroTik RouterBOARD hAP AC lite - 2.4GHz and 5GHz dual-concurrent Wireless Access Point, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, USB, Built-in 2.4GHz 802.11b/g/n and built-in 5GHz 802.11a/n/ac, RouterOS L4
RB952UI-5AC2ND	R 1,052	MikroTik RouterBOARD hAP AC Lite - 2.4GHz and 5GHz Dual-concurrent Wireless Access Point, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, USB, Built-in 2.4Ghz 802.11b/g/n and built-in 5GHz 802.11a/n/ac, RouterOS L4, RB952Ui-5ac2nD
RB952Ui-5ac2nD-TC	R 929	MikroTik RouterBOARD hAP AC lite - 2.4GHz and 5GHz dual-concurrent Access Point with Tower Casing, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n two chain Wireless with Integrated antennas, Built-in 5GHz, RouterOS L4, USB Port
RB952UI-5AC2ND-TC	R 937	MikroTik RouterBOARD hAP AC lite - 2.4GHz and 5GHz dual-concurrent Access Point with Tower Casing, 650MHz CPU, 64MB RAM, 5x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n two chain Wireless with Integrated antennas, Built-in 5GHz, RouterOS L4, USB Port, RB952Ui-5ac2nD-TC
RB962UiGS-5HacT2HnT	R 2,091	MikroTik RouterBOARD hAP AC - Dual Band Wireless Access Point, 720MHz CPU, 128MB RAM, 5x Gigabit LAN, Built-in 2.4GHz 802.11b/g/n three chain Wireless with Integrated antennas, Built-in 5GHz Wireless, RouterOS L4, USB, 1x SFP Port, RB962UIGS-5HACT2HNT
RBC52IG-5HAXD2HAXD-TC	R 1,668	MikroTik hAP ax& #178; Wi-Fi 6 AX1800 Access Point, C52IG-5HAXD2HAXD-TC, WiFi 6 AX1800, 4 Core CPU Core, RouterOS License 4, RouterOS V7 Operating System, 1GB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, 5x 10/100/1000 Ethernet Ports with 1x Gigabit Ethernet Port with PoE-out
RBCAP2ND	R 813	MikroTik RouterBOARD cAP - 802.11b/g/n Wireless ceiling Access Point, AR9533 650MHz CPU, 64MB RAM, 1x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n Dual chain Wireless with 2dBi Integrated antenna, RouterOS L4
RBCAP2ND	R 574	MikroTik RouterBOARD cAP - 802.11b/g/n Wireless ceiling Access Point, AR9533 650MHz CPU, 64MB RAM, 1x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n Dual chain Wireless with 2dBi Integrated antenna, RouterOS L4, RBcAP2nD
RBCAPGI-5ACD2ND	R 1,371	MikroTik RbcAPGi-5acD2nD cAP ac Dual Band WiFi Ceiling Mount Access Point, 4 core CPU 716 MHz, 128 MB Ram, 16MB Flash, RouterOS L4, 802.3af/at PoE in, Passive PoE up to 57V, 2x 802.11b/g/n Wireless 2.4 GHz chains, 2x 802.11a/n/ac Wireless 5 GHz chains, 2x Gigabit LAN ports
RBCAPGI-5ACD2ND	R 1,351	MikroTik cAP ac Dual Band WiFi Ceiling Mount Access Point, 4 core CPU 716 MHz, 128 MB Ram, 16MB Flash, RouterOS L4, 802.3af/at PoE in, Passive PoE up to 57V, 2x 802.11b/g/n Wireless 2.4 GHz chains, 2x 802.11a/n/ac Wireless 5 GHz chains, 2x Gigabit LAN ports, RbcAPGi-5acD2nD
RBCAPGI-5ACD2ND-XL	R 1,639	MikroTik cap AC XL Dual Band AC PoE ceiling Mount Access Point, RBcAPGi-5acD2nD-XL, IPQ-4018 CPU, RouterOS license 4, 128 MB RAM, 16 MB storage size, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate, 802.11b/g/n, 867 Mbit/s Wireless 5 GHz Maximum Data rate, 802.11a/n/ac, 2x 10/100/1000 Ethernet Ports (1x Gigabit Ethernet Port with PoE-out & 1x (POE-in) DC input)
RBCAPGI-5AXD2HAXD+EG12-EA	R 3,789	MikroTik cap LTE12 AX Wifi 6 LTE Ceiling Access Point, RBCAPGI-5AXD2HAXD EG12-EA, Built-In Cat12 LTE Modem with 600 Mbps downlink and 150 Mbps Uplink Speed, LTE 4x4 MIMO downlink support for improved Mobile Performance, Dual-Band Wi-Fi 6 operating on 2.4GHz and 5GHz bands, Maximum Wireless Data rate of

		1774 Mbps total across bands, 2x Gigabit Ethernet Ports supporting 802.3af/at PoE Input, Passive PoE-out available on Ether2 Port for powering other devices, RouterOS V7 Operating System with Level 4 License included, Micro SIM slot included for Cellular connectivity, Ceiling or Wall Mounting capability with included accessories
RBCAPGI-5HAXD2HAXD	R 2,099	MikroTik cap AX Dual Band WiFi 6 1800 Mbps ceiling Access Point, cAPGi-5HaxD2HaxD, RouterOS (V7 only) Operating System, Wi-Fi 6, 1200 Mbit/s Wireless 5 GHz Max Data rate, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 2x 10/100/1000 Ethernet Ports, 1x 1g Ethernet Ports with PoE-out, 802.3af/at PoE in
RBCAPL-2ND	R 465	MikroTik Cap Lite 2ND low-cost Dual chain 2.4GHz Access Point with wall and ceiling enclosure, RBCAPL-2ND, RouterOS License 4, 64 MB RAM, 16 MB storage size, 300 Mbit/s Wireless 2.4GHz Max Data rate, 1x Ethernet LAN Port, 802.3af/at PoE in
RBCAPL-2ND	R 512	MikroTik Cap Lite 2ND low-cost Dual chain 2.4GHz Access Point with wall and ceiling enclosure, RBCAPL-2ND, RouterOS License 4, 64 MB RAM, 16 MB storage size, 300 Mbit/s Wireless 2.4GHz Max Data rate, 1x Ethernet LAN Port, 802.3af/at PoE in
RBCAPLITE	R 477	MikroTik RouterBOARDs cAP lite access point device, 650MHz CPU, 1x 10/100 Ethernet ports, 802.11b/g/n Wireless standards, 802.3af/at PoE in, RouterOS, RBCAPLITE
RBD53IG-5HACD2HND	R 1,788	MikroTik hAP AC3 - dual-chain Dual-Band 2.4 / 5 GHz Desktop Access Point - Black, 5 Gigabit Ethernet ports, 256 MB of RAM and Quad-Core CPU, PoE support, RouterOS, Wi-Fi 5, AC1200 AC speed
RBMA53UG+HBEH	R 3,099	MikroTik hAP be Media Wi-Fi 7 Home Access Point, RBMA53UG HBEH, Tri-band Wi-Fi 7 Home Access Point and Router, Wireless Data rate up to 9334 Mbps on 2.4GHz, 5GHz and 6GHz bands, 5x 2.5 Gbps RJ45 Ethernet Ports, RouterOS V7 Level 6 Operating System with full routing Stack features, Multi-Link Operation (MLO) Technology for improved Wireless Performance, USB 3.0 Type-A Ports Plus one USB Type-C Port available, Fanless Design, IEEE 802.3af/at PoE-in Power support from 24 to 57 V DC
RBOMNITIKPG-5HACD	R 2,294	MikroTik OmniTikPG-5HacD - 5GHz Outdoor AP with 360 Degree Omni-Antenna and POE, 720 MHz CPU, 128MB RAM, 802.11a/n/ac dual chain Wireless, 5x GB POE LAN, 1x USB, RouterOS L4, 2x Integrated 7.5dBi 5GHz omni antennas
RBWAP2ND	R 784	MikroTik RouterBOARD wAP - 802.11b/g/n Wireless Access Point White, 650MHz CPU, 64MB RAM, 1x 10/100 Ethernet LAN, Built-in 2.4GHz 802.11b/g/n Dual chain Wireless with Integrated antenna, RouterOS L4, Small weatherproof Wireless Access Point
RG-AP810-I	R 2,529	Ruijie Rg-ap810-i wi-fi 6 Dual-radio 1775 Mbps Ceiling Indoor Access Point. The Ruijie RG-AP810-I is a Wi-Fi 6 dual-radio indoor access point designed to provide high-speed wireless connectivity in enterprise environments. With a combined data rate of up to 1.775 Gbps, it supports high-density deployments and offers enhanced security features. The access point is cloud-managed, allowing for centralized control and intelligent optimization, making it a reliable choice for modern networking needs.
RG-AP820-I	R 2,892	Ruijie Rg-ap820-i Wi-fi 6 Dual-radio 2976 Mbps Indoor Ceiling Access Point. The Ruijie RG-AP820-I is a Wi-Fi 6 dual-radio indoor access point designed for high-density environments. It offers a combined peak data rate of up to 2.976 Gbps, ensuring fast and reliable wireless connectivity. With advanced features like OFDMA, MU-MIMO, and WPA3 security, it meets the needs of modern enterprise networks. The access point supports flexible power options and is managed through Ruijie ' s WIS cloud platform, allowing for easy deployment and maintenance.
RG-AP840-I-V2	R 7,037	Ruijie Rg-ap840-i-v2 Wi-fi 6 Dual-radio 5.378 Gbps Indoor Ceiling Access Point. The RUIJIE RG-AP840-I-V2 is a powerful indoor Wi-Fi 6 access point combining ultra-fast dual-band performance with energy-saving intelligence. Designed for dense, enterprise-grade scenarios, it offers seamless IoT integration, robust security, and flexible deployment via cloud or controller management. Ideal for South African businesses prioritising reliability, scalability, and performance.
RG-APF1250	R 1,264	Reyee RG-APF1250 - AC1200 e-Lighten Multi-Service Wall-Mount Access Point, 300 Mbps @ 2.4GHz, 867 Mbps @ 5GHz, 2.4GHz two spatial streams 2x2 MIMO, 5GHz two spatial streams 2x2 MIMO, 2 dBi antenna gain, 1x Gigabit SC Port, 3x Gigabit Ethernet Ports, 1x Phone Port
RG-EST100	R 684	Reyee EST100-e 2.4GHz Dual-stream 500m Wireless Bridge kit - 2 pieces, RG-EST100-E, 2.4GHz Single-Band Dual-stream, Up to 300 Mbps at 2.4GHz, IP55, 8 dBi directional antennas, 500m bridging distance recommended, 2x 10/100 Base-T Ethernet Ports, Port 1 with Passive PoE
RG-EST100-E	R 1,466	Reyee EST100-e 2.4GHz Dual-stream 500m Wireless Bridge kit - 2 pieces, RG-EST100-E, 2.4GHz Single-Band

		Dual-stream, Up to 300 Mbps at 2.4GHz, IP55, 8 dBi directional antennas, 500m bridging distance recommended, 2x 10/100 Base-T Ethernet Ports, Port 1 with Passive PoE
RG-EST310-V2	R 1,524	Reyee 5GHz Dual-stream 802.11ac 1km Wireless Bridge kit - 2 pieces, RG-EST310-V2, 5GHz @ 867 Mbps, 1x 10/100 Base-T Port, 10 dBi directional antenna gain, 1 km recommended distance
RG-RAP1200-P	R 930	Reyee Wi-Fi 5 1267 Mbps wall-mounted Access Point, RG-RAP2200-p, Wireless Protocol 802.11ac Wave2 1267 Mbps, 80 recommended clients, 802.3af / 802.3at PoE Power Supply, 5x Gigabit LAN Ports
RG-RAP1200GP	R 978	Reyee Dual Band AC 1300 Mbps 5 port Gigabit Mesh In-Wall Access Point, RG-RAP1200(P), 400 Mbps 2.4GHz Data rate, 867 Mbps 5.8GHz Data rate, 5x 10/100/1000 Ethernet Ports, Wall-Mount mounting, Reyee Operating System, 802.3af/at PoE Input
RG-RAP2200-E	R 891	Reyee Wi-Fi 5 1267 Mbps Gigabit Ceiling Access Point, RG-RAP2200-E, Built-In Omni-Directional antenna, 80 recommended clients, 802.11ac Wave2 1267 Mbps Wireless Protocol, 802.3af/at PoE, Power Supply, 2x Gigabit LAN Ports
RG-RAP2200-F	R 769	Reyee Dual Band AC Fast Ethernet Wave 2 ceiling Mount Access Point, RG-RAP2200(F), Dual-stream Dual-Band, Concurrent 802.11ac WAVE2 / WAVE1 / 802.11a/b/g/n, Up to 400 Mbps at 2.4g, Up to 867 Mbps at 5G, 2x 10/100base-t Ethernet ports
RG-RAP2200F	R 771	Reyee Dual Band AC Fast Ethernet Wave 2 ceiling Mount Access Point, RG-RAP2200(F), Dual-stream Dual-Band, Concurrent 802.11ac WAVE2 / WAVE1 / 802.11a/b/g/n, Up to 400 Mbps at 2.4g, Up to 867 Mbps at 5G, 2x 10/100base-t Ethernet ports
RG-RAP2200G	R 891	Reyee Dual Band AC Gigabit Wave 2 ceiling Mount Access Point, RG-RAP2200(E), Dual-stream Dual-Band, Concurrent 802.11ac WAVE2 / WAVE1 / 802.11a/b/g/n, Up to 400 Mbps at 2.4g, Up to 867 Mbps at 5G, 2x 10/100/1000Base-T Ethernet ports
RG-RAP2200G	R 1,208	Reyee Dual Band AC Gigabit Wave 2 ceiling Mount Access Point, RG-RAP2200(E), Dual-stream Dual-Band, Concurrent 802.11ac WAVE2 / WAVE1 / 802.11a/b/g/n, Up to 400 Mbps at 2.4g, Up to 867 Mbps at 5G, 2x 10/100/1000Base-T Ethernet ports
RG-RAP2260	R 1,489	Reyee Wi-Fi 6 AX3000 High-Density Multi-G Ceiling Access Point, RG-RAP2260, 512 Client capacity, 2.97Gbps Wireless Throughput, 110 recommended Client, 1x 2.5GE Port, 1x Gigabit Port, 802.3at PoE - standard
RG-RAP2260-G	R 1,409	Reyee Wi-Fi 6 AX1800 1775 Mbps Ceiling Access Point, RG-RAP2260-G, Built-In Omni-Directional antenna, 100 recommended clients, 2x Gigabit LAN Ports, 802.11ax (Wi-Fi 6) 1775 Mbps Wireless Protocol
RG-RAP2266	R 1,374	Reyee Wi-Fi 6 AX3000 Indoor Ceiling Access Point, RG-RAP2266, 1x Gigabit Network Port, 802.3at PoE Power Supply, 802.11ax 2976 Mbps Wireless Protocol
RG-RAP2266GX	R 1,374	Reyee RAP2266 Dual Band WiFi 6 3000 Mbps Gigabit Ceiling Mount Access Point, 574 Mbps @ 2.4GHz Data rate, 2402 Mbps @ 5.8GHz Data rate, 1x 10/100/1000 Ethernet Ports, Wall or Ceiling Mount, 802.3at PoE Input
RG-RAP52-OUTDOOR	R 1,029	Reyee Wi-Fi 5 AC1300 Dual-Band Outdoor Access Point, RG-RAP2200-E, 802.11ac Wave 2 Protocol, 96 recommended clients, IP65 IP rating, 1x Gigabit Ethernet Port, 1267 Mbps Throughput
RG-RAP52G	R 1,029	Reyee Dual Band WiFi 5 1300 Mbps Gigabit Compact Outdoor Access Point, RG-RAP52-od, 360 degrees beam-width, 1x 10/100/1000 Ethernet Ports, 400 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, Wall or Pole Mount, Reyee Operating System, 802.3af PoE Input
RG-RAP62	R 1,149	Reyee RG-RAP62 Wi-Fi 6 AX1800 Ceiling-Mount Access Point High-Speed Wireless. Dualâ€'radio Wiâ€'Fi 6 AX1800, ceiling mount 802.11ax AP, support Reyee Mesh, AI optimisation, compact 175 mm diameter, PoE powered, up to 100 clients.
RG-RAP62-OD	R 1,639	Reyee AX3000 Wi-Fi 6 Indoor/Outdoor Versatile Access Point, RG-RAP62-OD, 573 Mbps 2.4GHz, 2401 Mbps 5.8GHz, 1x Gigabit Ethernet Port, Wall or Pole Mount, 802.3af/at PoE Input
RG-RAP62-WALL	R 1,597	Reyee Wifi 6 AX3000 Dual-Band Wall-Plate Access Point, RG-RAP62-WALL, Max Wireless Data rate of 2974 Mbps with 2401 Mbps on 5GHz and 573 Mbps on 2.4GHz, Features 2 x 2 MU-MIMO on both Frequency bands for stable connectivity, 5x Gigabit Ethernet Ports with 4 LAN Ports, LAN4 Port supports PoE-out delivering up to 10 W when Powered by an 802.3at source, Designed with an Ultra-Thin 23.5 mm Profile for clean installation, Supports Ruijie Cloud and Reyee App for centralized Management, Handles up to 256 Maximum connected clients with a recommended capacity of 110, Powered via IEEE 802.3af/at PoE
RG-RAP6202-G	R 1,834	Reyee Dual Band AC 1300 Mbps Gigabit Outdoor Access Point, RG-RAP6202(G), 400 Mbps 2.4GHz Data rate,

		867 Mbps 5.8GHz Data rate, 2x 10/100/1000 Ethernet Ports, Wall or pole Mount, Reyee Operating System, 802.3af/at PoE Input
RG-RAP6260-G	R 3,444	Reyee Dual Band 802.11ax (WiFi 6) Dual-Band Gigabit IP68 Outdoor Access Point, RG-RAP6260G, 1x Gigabit Ethernet Port, 1x 1.25Gbps SFP Port, Wall or Ceiling Mount, 802.3af/at PoE Input, 2.4GHz @ 574 Mbps, 5.8GHz @ 1201 Mbps
RG-RAP6262-G	R 2,243	Reyee Dual Band WiFi 6 1800 Mbps Gigabit Outdoor Access Point, RG-RAP6262-G, 574 Mbps 2.4GHz Data rate, 1201 Mbps 5.8GHz Data rate, 2x Gigabit Ethernet Ports, Wall or Pole Mount, Reyee Operating System, 802.3at PoE Input
RG-RAP62X	R 1,639	Reyee Dual Band WiFi 6 3000 Mbps Gigabit Outdoor Access Point, RG-RAP62-OD, 2974 Mbps Wireless Data rates, 1 Gigabit RJ Port, Supports 802.3at PoE, IP65 IP rating, 2 spatial streams 2x2 MIMO 5GHz, 2 spatial streams 2x2 MIMO 2.4GHz
RG-RAP72-IW	R 2,409	Reyee Dual Band WiFi 7 3600 Mbps 4 port Gigabit Mesh In-Wall Access Point, RG-RAP72-wall, 3570 Mbps Maximum Throughput, 1x 2.5 GbE Uplink Port, 4x Gigabit Ports, 2x2 MU-MIMO, PoE Output for IP phones and other IoT devices, Anti-Theft lock for device protection
RG-RAP72-WALL	R 1,719	Reyee RG-RAP72 BE3600 Wi-Fi 7 Wall-Mount Access Point. The Reyee RGâ€'RAP72â€'WALL BE3600 Wi-Fi 7 wallâ€'mount access point delivers ultraâ€'fast 3600 Mbps performance in a slim 24 mm form factor. PoE uplink, PoE-Out support, secure WPA3 encryption and cloud managed mesh features. Powerful, futureâ€'proof wireless in business or residential settings.
RG-RAP72PRO	R 2,013	Reyee Wi-Fi 7 BE5040 Dual-Band Ceiling Access Point, RG-RAP72PRO, 3x 5GHz spatial streams 3x3 MIMO, 2x 2.4GHz spatial streams 2x2 MIMO, 5011 Mbps Wireless Data rates, 1x Gigabit Ethernet Port, 1x 2.5 Gigabit Ethernet Port
RG-RAP72PRO	R 2,013	Reyee Wi-Fi 7 BE5040 Dual-Band Ceiling Access Point, RG-RAP72PRO, 3x 5GHz spatial streams 3x3 MIMO, 2x 2.4GHz spatial streams 2x2 MIMO, 5011 Mbps Wireless Data rates, 1x Gigabit Ethernet Port, 1x 2.5 Gigabit Ethernet Port
RG-RAP72PRO-OD	R 2,128	Reyee BE5040 Wi-Fi 7 Indoor/Outdoor Versatile Access Point, RG-RAP72PRO-OD, 3x3 MIMO 5GHz spatial streams, 2x2 MIMO 2.4GHz spatial streams, 1x 2.5 Gigabit LAN Port, 802.3af PoE, Built-In antennas, 688 Mbps @ 2.4GHz, 4323 Mbps @ 5.8GHz, 802.3af/at PoE Input
RG-RAP72PRO-OD	R 2,409	Reyee BE5040 Wi-Fi 7 Indoor/Outdoor Versatile Access Point, RG-RAP72PRO-OD, 3x3 MIMO 5GHz spatial streams, 2x2 MIMO 2.4GHz spatial streams, 1x 2.5 Gigabit LAN Port, 802.3af PoE, Built-In antennas, 688 Mbps @ 2.4GHz, 4323 Mbps @ 5.8GHz, 802.3af/at PoE Input
RG-RAP73PRO	R 2,674	Reyee RG-RAP73PRO Wi-Fi 7 BE14000 Tri-band Ceiling Access Point, RG-RAP73PRO, 3x 6GHz spatial streams, 3x 5GHz spatial streams, 2x 2.4GHz spatial streams, 13657 Mbps Wireless Data rates, 1x 2.5 Gigabit Port, 1x 10 Gbps Optical Ports (SFP)
RG-RAP73PRO	R 3,191	Reyee RG-RAP73PRO Wi-Fi 7 BE14000 Tri-band Ceiling Access Point, RG-RAP73PRO, 3x 6GHz spatial streams, 3x 5GHz spatial streams, 2x 2.4GHz spatial streams, 13657 Mbps Wireless Data rates, 1x 2.5 Gigabit Port, 1x 10 Gbps Optical Ports (SFP)
SP915-100	R 4,669	Micronet 11M Wireless Outdoor Access Point With Bridge, AP Client is for Dynamic LAN-to-LAN Bridging, AP load balancing, Transmit power control, MAC-address-based access control, Wireless client isolation. *Not an ADSL / 3G modem*
TAP200	R 1,197	Teltonika TAP200 Wi-Fi 5 Access Point, Up to 100 simultaneous connections, 44.0 - 57.0 V Input Voltage range, 1x RJ45 Port 10/100/1000 Mbps, Wave-2 802.11 b/g/n/ac Dual Band Wi-Fi
TEW-825DAP	R 2,099	TrendNet AC1750 Dual Band PoE Access Point with Gigabit PoE LAN port - Concurrent 1300 Mbps Wi-Fi AC 450 Mbps Wi-Fi N bands, Access Point, Client, WDS AP, WDS Bridge, WDS Station, and Repeater modes, Supports wireless encryption up to WPA2, Wi-Fi Traffic Shaping, Create up to 8 SSIDs per band (16 total), IPv6 network support, Power over Ethernet (PoE), Automatically directing wireless devices from the 2.4 GHz band to the 5 GHz band, Includes Mounting plate to reduces installation time
TL-WA1201(EU)	R 743	TP-Link TL-WA1201 EU AC1200 Wireless Gigabit Access Point, 1x Gigabit Ethernet Port, 4 fixed high performance antennas, 867 Mbps at 5GHz, 300 Mbps at 2.4GHz, Wireless modes - Access Point / Range Extender / Client / Multi-SSID, Supports Passive PoE

TL-WA801N	R 355	TP-Link TL-WA801N 300 Mbps Wireless N Access Point, 1x 10/100 Ethernet Port RJ45, 2 fixed Omni-Directional antennas, 300 Mbps at 2.4GHz, Wireless modes - AP mode / Multi-SSID mode / Client mode / Range Extender mode, Up to 30 meters Passive PoE is supported
TND-NOVA-MW6-2	R 891	Tenda Nova MW6 - Whole Home Wifi Mesh System - 2 pack, 2x Gigabit Ethernet ports per mesh point, IEEE 802.11ac/a/n 5GHz Up to 867Mbps, IEEE 802.11b/g/n 2.4GHz Up to 300Mbps, Simultaneous dual band 2.4GHz & 5GHz
TP-DECOM4-2P	R 1,533	TP-Link Deco M4 AC1200 Whole-Home Mesh Wi-Fi System (2 Pack), 2 Gigabit Ethernet Ports, 16 MB Flash, Qualcomm CPU, 128 MB SDRAM, 2 internal dual-band antennas per Deco unit, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4GHz, 300Mbps on 2.4GHz, 867Mbps on 5 GHz *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
TP-DECOM4-3P	R 2,260	TP-Link Deco M4 AC1200 Whole-Home Mesh Wi-Fi System (3 Pack), 2 Gigabit Ethernet Ports, 16 MB Flash, Qualcomm CPU, 128 MB SDRAM, 2 internal dual-band antennas per Deco unit, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4GHz, 300Mbps on 2.4GHz, 867Mbps on 5 GHz *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
TP-EAP110	R 485	TP-Link N300 Wireless Ceiling Mount Access Point
TP-EAP110-O	R 598	TP-Link EAP110-OUTDOOR 300 Mbps Wireless N Outdoor Access Point, 2x 3dBi external Omni Waterproof antenna Type, 1x Fast Ethernet RJ-45, Support Passive PoE
TP-EAP115	R 448	TP-Link EAP115 300Mbps Wireless N Ceiling Mount Access Point
TP-EAP215-Bridge-KIT	R 2,094	TP-Link EAP215 Bridge kit Omada 867 Mbps @ 5GHz Long-Range Indoor/Outdoor Wireless Bridge, 3x Gigabit Ethernet Ports, Internal 2x2 dual-polarized directional MIMO antennas, Up to 867 Mbps signal rate @ 5GHz, 5km coverage, Mesh
TP-EAP225	R 1,009	TP-Link EAP225 AC1200 Wireless Dual Band Gigabit Ceiling Mount Access Point
TP-EAP225-O	R 1,046	TP-Link EAP225 Outdoor AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point, 300Mbps at 2.4GHz 867Mbps at 5GHz, 802.11a/b/g/n/ac, 1 Gigabit LAN, 802.3af PoE Support
TP-EAP235-W	R 972	TP-link AC1200 Wireless MU-MIMO Gigabit wall-plate Access Point with PoE passthrough, 802.3af/802.3at PoE Power Supply, 2 Dual-Band antennas, Wall plate mounting, IEEE 802.11a/b/g/n/ac, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps, 1x 10/100/1000 Mbps Ethernet Port uplink, 3x 10/100/1000 Mbps Ethernet Port downlink (1x supports PoE pout)
TP-EAP245	R 1,308	TP-Link AC1750 Wireless Dual Band Gigabit Ceiling Mount Access Point
TP-EAP603-O	R 1,570	TP-Link EAP603-outdoor AX1800 Indoor / Outdoor Wi-Fi 6 Access Point, 1x Gigabit Ethernet Port, 1 x grounding termina, Bluetooth, 2.4GHz up to 573 Mbps, 5GHz up to 1201 Mbps
TP-EAP610-O	R 1,944	TP-Link EAP610-outdoor AX1800 indoor/outdoor Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3at PoE and passive PoE, Pole/wall mounting, 2.4 GHz & 5 GHz, 8 Mbps to 1201 Mbps 802.11ax, 6.5 Mbps to 867 Mbps 802.11ac, 6.5 Mbps to 300 Mbps 802.11n
TP-EAP613	R 1,391	TP-Link EAP613 AX1800 Ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit RJ45 Port, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz, 802.3at PoE Power Supply, 48 V Passive PoE, Internal Omni antenna, Ceiling / Wall Mounting, 250 Wireless Client capacity
TP-EAP615-W	R 1,046	TP-Link AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point, 1x 10/100/1000 Mbps Ethernet Port uplink, 3x 10/100/1000 Mbps Ethernet Ports downlink, 802.3af/at PoE Power Supply, 2 Dual-Band antennas, Wall plate mounting, 2.4 GHz and 5 GHz, Up to 1201 Mbps 5 GHz, Up to 574 Mbps 2.4 GHz
TP-EAP620HD	R 1,944	TP-Link EAP620 HD AX1800 ceiling Mount Dual-Band Wi-Fi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE Power Supply, Up to 1201 Mbps @ 5 GHz, Up to 574 Mbps @ 2.4 GHz
TP-EAP650	R 1,607	TP-Link EAP650 AX3000 Ceiling Mount WiFi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE, 5 GHz up to 2402 Mbps, 2.4 GHz up to 574 Mbps
TP-EAP650-O	R 2,168	TP-Link EAP650-OUTDOOR AX3000 Indoor/Outdoor Access Point, 1x Gigabit Ethernet (RJ-45) Port, Support 802.3at PoE and passive PoE, 8 Mbps to 1201 Mbps @ 802.11ax, 6.5 Mbps to 1083.3 Mbps @ 802.11ac
TP-EAP650-W	R 1,159	TP-Link EAP650-Wall AX3000 Wall-Plate Dual-Band Access Point, 2402 Mbps on 5GHz 574 Mbps on 2.4GHz, 1x Gigabit Ethernet Port, 1x Gigabit Ethernet Port, 802.3af/at PoE Power Supply, Wall plate mounting
TP-EAP653	R 1,398	TP-Link EAP653 PoE AX3000 Ceiling Mount WiFi 6 Access Point, 1x Gigabit Ethernet (RJ-45) Port, 802.3at PoE,

		48V Passive PoE, 2x 3 dBi 2.4GHz antenna, 3x 5 dBi 5GHz antenna, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, OFDMA
TP-EAP673	R 2,094	TP-Link EAP673 AX5400 Indoor WiFi 6 Ceiling Mount Access Point, TP-EAP673, 1x 2.5 Gigabit Ethernet (RJ-45) Port Interface, 802.3at PoE Power Supply, Ceiling /wall mounting, 140 M2 coverage, 250 concurrent clients, Up to 4804 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
TP-EAP683UR	R 2,617	TP-Link EAP683 UR AX6000 Indoor WiFi 6 Ceiling Mount Access Point, 1x 2.5 Gigabit PoE Port Interface, Ceiling / Wall Mounting, 185 M2 coverage, 510 concurrent clients, Up to 4804 Mbps @ 5GHz, Up to 1148 Mbps @ 2.4GHz
TP-EAP690EHD	R 10,468	TP-Link AP690E HD AXE11000 Ceiling Mount Dual-Band Wi-Fi 6E Access Point, 1x 10Gbps Ethernet Port, 802.3bt PoE or 12V / 4.5A DC Power Supply, Ceiling / wall mouting, 2000 Wireless Client capacity, 6GHz @ 4804 Mbps, 5GHZ_1 @ 2402 Mbps, 5GHZ_2 @ 2402 Mbps, 2.4GHz @ 1148 Mbps
TP-EAP723	R 1,869	TP-Link EAP723 Omada BE3600 Ceiling Mount Wi-Fi 7 Access Point, 1x 2.5G Ethernet Port, Ceiling / Wall Mounting mounting, 140 M2 coverage, 250 concurrent clients, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz
TP-EAP725-W	R 2,318	TP-Link Omada TP-EAP725 BE3600 Wall Plate Wi-Fi 7 Access Point, 1x 2.5G Ethernet Port Uplink, 1x 2.5G Ethernet 2x Gigabit Ethernet downlink Ports, Wall Mounting (Kits included), 250 concurrent clients, 50M2 coverage, Up to 4324 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz
TP-EAP772-O	R 4,113	TP-Link Omada TP-EAP772-O Tri-band omnidirectional BE9300 Indoor/Outdoor WiFi 7 Access Point, 1x 2.5G Ethernet (RJ-45) Port, 802.3at PoE Power Supply, GNSS L1 receiver, IP68 Weatherproof enclosure, 300M2 coverage, 250 concurrent clients, Up to 5765 Mbps @ 6GHz, Up to 2402 Mbps @ 5GHz, Up to 300 Mbps @ 5GHz
TP-EAP773	R 3,964	TP-Link Omada TP-EAP773 BE9300 Ceiling Mount Tri-band Wi-Fi 7 Access Point, 1x 10G Ethernet Port, 802.3bt PoE or 12V / 2.5A DC Power Supply, Bluetooth 5.2, Ceiling / Wall Mounting (Kits included), 574 Mbps (2.4GHz) 2880 Mbps (5GHz) 5760 Mbps (6GHz)
TP-EAP783	R 8,601	TP-Link TP-EAP783 BE19000 Ceiling Mount Tri-band Wi-Fi 7 Access Point, 2x 10G Ethernet Ports, 802.3bt PoE or 12V DC Power Supply, Bluetooth, Ceiling / Wall Mounting (Kits included), 200m2 coverage, 760 concurrent clients, Up to 11520 Mbps @ 6GHz, Up to 5760 Mbps @ 5GHz, Up to 1376 Mbps @ 2.4GHz
TP-RE200	R 443	TP-Link RE200 750Mbps Dual Band Wi-Fi Range Extender, 1x 10/100M Ethernet Port (RJ45), 3x internal antenna, 802.11ac, 802.11n, 802.11g, 802.11b, RE (Range Extender) Button, Reset Button
TTK-AP-DAP140	R 1,187	Teltonika Industrial Wireless Access Point Wi-Fi 4, DAP140, Up to 50 simultaneous connections, RutOS Operating System, 9-30 VDC Input Voltage range, 3-pos plugable Terminal Block connector, 2x RJ45 Ports 10/100 Mbps Ethernet, 1x RP-SMA for Wi-Fi antennas
TTK-AP-TAP100	R 797	Teltonika TAP100 Wi-Fi 4 Access Point, Up to 100 simultaneous connections, 802.3af PoE Class 1 PoE standards, 2x internal antenna for 2.4GHz Wi-Fi, AP mounting bracket for Ceiling Mount
TTK-AP-TAP200	R 1,176	Teltonika TAP200 Wi-Fi 5 Access Point, Up to 100 simultaneous connections, 44.0 - 57.0 V Input Voltage range, 1x RJ45 Port 10/100/1000 Mbps, Wave-2 802.11 b/g/n/ac Dual Band Wi-Fi
U6-ENTERPRISE-IW	R 7,531	Ubiquiti UniFi U6 In Wall Enterprise Wi-Fi 6 Access Point, 1x Data in 2.5GbE RJ45 Port, 4x Data out Gigabit RJ45 Ports, 1x PoE Input, 1x PoE Output, 573.5 Mbps 2.4GHz Throughput rate, 4.8 Gbps 5GHz Throughput rate, 4.8 Gbps 6 GHz Throughput rate, 600 concurrent Client support, U6-Enterprise-IW
U6-IW	R 3,502	Ubiquiti UniFi6 In-Wall WiFi 6 Dual Band Access Point, U6-IW, 1x 1GbE RJ45 Port data-in, 4x 1GbE RJ45 Ports data-out, 2.4 GHz 573.5 Mbps Throughput rate, 5 GHz 4.8 Gbps Throughput rate, 300 concurrent clients
U6-MESH	R 4,134	Ubiquiti UAP-U6-MESH UniFi Wi-Fi 6 Mesh 4x4 MU-MIMO, 1x GbE RJ45 Port, 802.3af PoE, 573.5 Mbps 2.4GHz Throughput rate, 4800 Gbps 5GHz Throughput rate, 300 concurrent clients
U6-MESH-PRO	R 4,134	Ubiquiti UniFi6 Mesh Pro Indoor / Outdoor Dual Band WiFi6 Access Point, U6-MESH-PRO, 2x GbE RJ45 Ports, PoE Power Method, 573.5 Mbps @ 2.4GHz, 2.4 Gbps @ 5GHz, 8 dBi 2.4GHz antenna gain, 8 dBi 5GHz antenna gain, 350 concurrent clients
U6-PLUS	R 2,122	Ubiquiti UniFi U6 Plus Dual Band WiFi 6 Access Point, U6 , 1x GbE RJ45 Port, PoE Power Method, 573.5 Mbps 2.4 GHz Throughput rate, 2402 Mbps 5 GHz Throughput rate, 3dBi 2.4 GHz antenna gain, 5.4 dBi 5 GHz antenna gain, 300 concurrent clients
U6-PLUS	R 2,179	Ubiquiti UniFi U6 Plus Dual Band WiFi 6 Access Point, U6 , 1x GbE RJ45 Port, PoE Power Method, 573.5 Mbps

		2.4 GHz Throughput rate, 2402 Mbps 5 GHz Throughput rate, 3dBi 2.4 GHz antenna gain, 5.4 dBi 5 GHz antenna gain, 300 concurrent clients
U6-PRO	R 3,214	Ubiquiti U6-PRO UniFi Wi-Fi 6 Pro 4x4 MU-MIMO Access Point, 5.3 Gbps aggregate Radio rate, 1x GbE RJ45 Port, 802.3at PoE power Method, 573.5 Mbps @ 2.4 GHz, 4.8 Gbps @ 5 GHz, 4dBi 2.4 GHz antenna gain, 6dBi 5 GHz antenna gain, Wall / Ceiling mounting, 300 concurrent clients
U6-PRO	R 3,851	Ubiquiti U6-PRO UniFi Wi-Fi 6 Pro 4x4 MU-MIMO Access Point, 5.3 Gbps aggregate Radio rate, 1x GbE RJ45 Port, 802.3at PoE power Method, 573.5 Mbps @ 2.4 GHz, 4.8 Gbps @ 5 GHz, 4dBi 2.4 GHz antenna gain, 6dBi 5 GHz antenna gain, Wall / Ceiling mounting, 300 concurrent clients
U7-IW	R 3,099	Ubiquiti UniFi WiFi 7 In Wall Access Point, U7-IW, 4 spatial streams, 115 M2 coverage area, 200 Maximum Client count, PoE Power Method, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 3x 2.5 GbE RJ45 Ports Networking Interface, 1x PoE Input, 1x PoE Output, Aluminum Alloy Mount material
U7-LITE	R 2,013	Ubiquiti UniFi 7 Lite WiFi 7 Dual Band Access Point, U7-LITE, 4 spatial streams, 2x2 5GHz MIMO, 2x2 2.4GHz MIMO, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5 GbE RJ45 Port
U7-LITE	R 2,007	Ubiquiti UniFi 7 Lite WiFi 7 Dual Band Access Point, U7-LITE, 4 spatial streams, 2x2 5GHz MIMO, 2x2 2.4GHz MIMO, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5 GbE RJ45 Port
U7-LR	R 3,278	Ubiquiti UniFi WiFi 7 Long range Dual Band Access Point, U7-LR, 5 spatial streams, 160 m2 coverage area, 300 Maximum Client count, 2.5 GbE Uplink Port, Ceiling / Wall Mounting, PoE Power Method, 3x3 MIMO 5GHz, 2x2 MIMO 2.4GHz, 4.3 Gbps @ 5GHz Maximum Data rate, 688 Mbps @ 2.4GHz 2.4GHz 688 Mbps
U7-MESH	R 4,249	Ubiquiti U7-MESH UniFi Mesh Indoor / Outdoor Wifi 7 Access Point, 4 spatial streams, 140 m2 coverage area, 200 Maximum Client count, Wall / Pole / Table stand, IPX6 weatherproofing, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5 GbE RJ45 Port
U7-OUT	R 4,111	Ubiquiti UniFi U7 Outdoor all-weather WiFi 7 Access Point with 4 spatial streams, IPX6 weatherproofing, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps 5GHz, 1x directional internal antenna, 2x external Omni antennas, 2x RP-SMA connectors for external antenna, 200 concurrent clients
U7-PRO	R 3,789	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
U7-PRO	R 3,732	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
U7-PRO-5	R 18,164	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams - 5 Pack, U7-Pro-5, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
U7-PRO-IW	R 4,198	Ubiquiti UniFi U7 Pro Wall WiFi 7 wall-mounted Access Point with 6 spatial streams, U7-Pro-Wall, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, 300 concurrent clients
U7-PRO-MAX	R 5,227	Ubiquiti UniFi U7 Pro Max ceiling-mounted WiFi 7 Access Point with 8 spatial Stream, U7-PRO-MAX, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 8.6 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, Wall / Ceiling mounting, 500 concurrent clients
U7-PRO-MAX	R 5,744	Ubiquiti UniFi U7 Pro Max ceiling-mounted WiFi 7 Access Point with 8 spatial Stream, U7-PRO-MAX, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 8.6 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, Wall / Ceiling mounting, 500 concurrent clients
U7-PRO-OUT	R 5,744	Ubiquiti UniFi WiFi 7 Outdoor Tri-band Access Point, U7-Pro-Outdoor, 6 spatial streams, 300 Maximum Client count, 1x 2.5 GbE Uplink Port, PoE Power Method, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Integrated directional Super antenna
U7-PRO-WALL	R 4,307	Ubiquiti UniFi U7 Pro Wall WiFi 7 wall-mounted Access Point with 6 spatial streams, U7-Pro-Wall, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, 300 concurrent clients
U7-PRO-XG	R 4,031	Ubiquiti UniFi Wi-Fi 7 Pro XG Indoor Access Point, U7-Pro-XG, 6x spatial streams, 140 M2 coverage area, 300 Maximum Client count, 10 GbE Uplink, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, 1x 10 GbE RJ45 Port Networking Interface

U7-PRO-XG-B	R 4,134	Ubiquiti UniFi WiFi 7 Pro XG Tri-band Black Access Point, U7-PRO-XG-B, 6x spatial streams, 300 Maximum Client count, 10 GbE Uplink, PoE Power Method, 1x 10 GbE RJ45 Port, 140 m2 coverage area, 5.8 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
U7-PRO-XG-IW	R 5,923	Ubiquiti UniFi WiFi 7 Pro XG In-Wall Indoor Access Point, U7-Pro-XG-Wall, 6 spatial streams, 140 m2 coverage area, 300 Maximum Client count, PoE Power Method, 5.8 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 10 GbE RJ45 Port Networking Interface
U7-PRO-XG-W	R 4,134	Ubiquiti UniFi Wi-Fi 7 Pro XG Indoor Access Point, U7-Pro-XG, 6x spatial streams, 140 M2 coverage area, 300 Maximum Client count, 10 GbE Uplink, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, 1x 10 GbE RJ45 Port Networking Interface
U7-PRO-XGS	R 6,147	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count, 160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
U7-PRO-XGS-B	R 5,687	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point - Black, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count, 160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
U7-PRO-XGS-B	R 6,239	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point - Black, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count, 160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
U7-PRO-XGS-W	R 6,239	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count, 160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UAP-AC-HD	R 5,284	Ubiquiti UAP-AC-HD Wave 2 802.11ac UniFi High-Density 4x4 MU-MIMO Access Point, Manage your networks from a single control plane, Intuitive and robust Configuration, Control and monitoring, Remote Firmware upgrade, 2x 10/100/1000 Ethernet Ports, PoE 802.3at
UAP-AC-M-5-A	R 10,406	Ubiquiti UAP-AC-M UniFi 802.11ac Outdoor Access Point Mesh - 5 pack, 1167 Mbps, Dual-omni antennas, 802.11a/b/g/n/ac, with AP management Software, including PoE
UAP-FLEXHD	R 3,048	Ubiquiti UniFi Flex AC HD Wave 2 4x4 MIMO Mesh Access Point, UAP-FLEXHD, 1x 10/100/1000 Ethernet Port, 802.11ac Wave 2 technology, Indoor and outdoor use, 2.4 GHz 300 Mbps Throughput, 5 GHz 1733 Mbps Throughput
UAP-NANOHD	R 3,329	Ubiquiti UniFi NanoHD 4x4 MU-MIMO AC Wave 2 Access Point, UAP-NanoHD, 1x RJ45 GbE, 802.3af POE, 2.8 dBi Antenna Gain @ 2.4 GHz with 300 Mbps, 3 dBi Antenna Gain @ 5 GHz with 1733 Mbps, 802.11 a/b/g/n/ac/ ac-wave2 Wi-Fi Standards
UB-ACB ISP	R 610	Ubiquiti ACB-ISP AirCube WiFi PoE Access Point with UNMS, 4x 10/100 Mbps Ethernet Ports, 2.4GHz Frequency
UB-ACB-ISP	R 546	Ubiquiti ACB-ISP AirCube WiFi PoE Access Point with UNMS, 4x 10/100 Mbps Ethernet Ports, 2.4GHz Frequency
UB-U6 ENT IW	R 8,765	Ubiquiti UniFi U6 In Wall Enterprise Wi-Fi 6 Access Point, 1x Data in 2.5GbE RJ45 Port, 4x Data out Gigabit RJ45 Ports, 1x PoE Input, 1x PoE Output, 573.5 Mbps 2.4GHz Throughput rate, 4.8 Gbps 5GHz Throughput rate, 4.8 Gbps 6 GHz Throughput rate, 600 concurrent Client support, U6-Enterprise-IW
UB-U6 MESH	R 3,979	Ubiquiti UAP-U6-MESH UniFi Wi-Fi 6 Mesh 4x4 MU-MIMO, 1x GbE RJ45 Port, 802.3af PoE, 573.5 Mbps 2.4GHz Throughput rate, 4800 Gbps 5GHz Throughput rate, 300 concurrent clients
UB-U6 MESH PRO	R 4,267	Ubiquiti UniFi6 Mesh Pro Indoor / Outdoor Dual Band WiFi6 Access Point, U6-MESH-PRO, 2x GbE RJ45 Ports, PoE Power Method, 573.5 Mbps @ 2.4GHz, 2.4 Gbps @ 5GHz, 8 dBi 2.4GHz antenna gain, 8 dBi 5GHz antenna gain, 350 concurrent clients
UB-U6+	R 2,087	Ubiquiti UniFi U6 Plus Dual Band WiFi 6 Access Point, U6 , 1x GbE RJ45 Port, PoE Power Method, 573.5 Mbps 2.4 GHz Throughput rate, 2402 Mbps 5 GHz Throughput rate, 3dBi 2.4 GHz antenna gain, 5.4 dBi 5 GHz antenna gain, 300 concurrent clients
UB-U6-MESH-PRO	R 4,134	Ubiquiti UniFi6 Mesh Pro Indoor / Outdoor Dual Band WiFi6 Access Point, U6-MESH-PRO, 2x GbE RJ45 Ports, PoE Power Method, 573.5 Mbps @ 2.4GHz, 2.4 Gbps @ 5GHz, 8 dBi 2.4GHz antenna gain, 8 dBi 5GHz antenna gain, 350 concurrent clients
UB-U6-PRO	R 3,214	Ubiquiti U6-PRO UniFi Wi-Fi 6 Pro 4x4 MU-MIMO Access Point, 5.3 Gbps aggregate Radio rate, 1x GbE RJ45

		Port, 802.3at PoE power Method, 573.5 Mbps @ 2.4 GHz, 4.8 Gbps @ 5 GHz, 4dBi 2.4 GHz antenna gain, 6dBi 5 GHz antenna gain, Wall / Ceiling mounting, 300 concurrent clients
UB-U7 IW	R 3,174	Ubiquiti UniFi WiFi 7 In Wall Access Point, U7-IW, 4 spatial streams, 115 M2 coverage area, 200 Maximum Client count, PoE Power Method, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 3x 2.5 GbE RJ45 Ports Networking Interface, 1x PoE Input, 1x PoE Output, Aluminum Alloy Mount material
UB-U7 LR	R 2,812	Ubiquiti UniFi WiFi 7 Long range Dual Band Access Point, U7-LR, 5 spatial streams, 160 m2 coverage area, 300 Maximum Client count, 2.5 GbE Uplink Port, Ceiling / Wall Mounting, PoE Power Method, 3x3 MIMO 5GHz, 2x2 MIMO 2.4GHz, 4.3 Gbps @ 5GHz Maximum Data rate, 688 Mbps @ 2.4GHz 2.4GHz 688 Mbps
UB-U7 OUTDOOR	R 4,157	Ubiquiti UniFi U7 Outdoor all-weather WiFi 7 Access Point with 4 spatial streams, IPX6 weatherproofing, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps 5GHz, 1x directional internal antenna, 2x external Omni antennas, 2x RP-SMA connectors for external antenna, 200 concurrent clients
UB-U7 PRO	R 3,807	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
UB-U7 PRO OUTDOOR	R 5,831	Ubiquiti UniFi U7 Outdoor all-weather WiFi 7 Access Point with 4 spatial streams, IPX6 weatherproofing, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps 5GHz, 1x directional internal antenna, 2x external Omni antennas, 2x RP-SMA connectors for external antenna, 200 concurrent clients
UB-U7 PRO XGS B	R 6,112	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point - Black, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count, 160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UB-U7-IW	R 3,048	Ubiquiti UniFi WiFi 7 In Wall Access Point, U7-IW, 4 spatial streams, 115 M2 coverage area, 200 Maximum Client count, PoE Power Method, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 3x 2.5 GbE RJ45 Ports Networking Interface, 1x PoE Input, 1x PoE Output, Aluminum Alloy Mount material
UB-U7-LITE	R 1,984	Ubiquiti UniFi 7 Lite WiFi 7 Dual Band Access Point, U7-LITE, 4 spatial streams, 2x2 5GHz MIMO, 2x2 2.4GHz MIMO, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5 GbE RJ45 Port
UB-U7-LR	R 3,191	Ubiquiti UniFi WiFi 7 Long range Dual Band Access Point, U7-LR, 5 spatial streams, 160 m2 coverage area, 300 Maximum Client count, 2.5 GbE Uplink Port, Ceiling / Wall Mounting, PoE Power Method, 3x3 MIMO 5GHz, 2x2 MIMO 2.4GHz, 4.3 Gbps @ 5GHz Maximum Data rate, 688 Mbps @ 2.4GHz 2.4GHz 688 Mbps
UB-U7-OD	R 4,019	Ubiquiti UniFi U7 Outdoor all-weather WiFi 7 Access Point with 4 spatial streams, IPX6 weatherproofing, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps 5GHz, 1x directional internal antenna, 2x external Omni antennas, 2x RP-SMA connectors for external antenna, 200 concurrent clients
UB-U7-PRO	R 3,674	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
UB-U7-PRO-5	R 17,819	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams - 5 Pack, U7-Pro-5, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
UB-U7-PRO-MAX	R 5,693	Ubiquiti UniFi U7 Pro Max ceiling-mounted WiFi 7 Access Point with 8 spatial Stream, U7-PRO-MAX, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 8.6 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, Wall / Ceiling mounting, 500 concurrent clients
UB-U7-PRO-OD	R 5,744	Ubiquiti UniFi WiFi 7 Outdoor Tri-band Access Point, U7-Pro-Outdoor, 6 spatial streams, 300 Maximum Client count, 1x 2.5 GbE Uplink Port, PoE Power Method, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Integrated directional Super antenna
UB-U7-PRO-WALL	R 4,054	Ubiquiti UniFi U7 Pro Wall WiFi 7 wall-mounted Access Point with 6 spatial streams, U7-Pro-Wall, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, 300 concurrent clients
UB-U7-PRO-XG	R 4,134	Ubiquiti UniFi Wi-Fi 7 Pro XG Indoor Access Point, U7-Pro-XG, 6x spatial streams, 140 M2 coverage area, 300 Maximum Client count, 10 GbE Uplink, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, 1x 10 GbE RJ45 Port Networking Interface
UB-U7-PRO-XGS	R 6,239	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count,

		160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UB-UAP-AC-M	R 1,868	Ubiquiti UniFi 802.11AC Outdoor Access Point Mesh, 1167Mbps, dual-omni antennas, 802.11a/b/g/n/ac
UB-UAP-U6-ENT	R 5,943	Ubiquiti UniFi6 Enterprise Dual Band WiFi 6E Access Point, U6-enterprise, 1x 2.5GbE RJ45 Port, PoE Power Method, 573.5 Mbps 2.4 GHz Throughput rate, 4.8 Gbps 5 GHz Throughput rate, 4.8 Gbps 6 GHz Throughput rate
UB-UAP-U6-IW-ENT	R 7,078	Ubiquiti UniFi U6 In Wall Enterprise Wi-Fi 6 Access Point, 1x Data in 2.5GbE RJ45 Port, 4x Data out Gigabit RJ45 Ports, 1x PoE Input, 1x PoE Output, 573.5 Mbps 2.4GHz Throughput rate, 4.8 Gbps 5GHz Throughput rate, 4.8 Gbps 6 GHz Throughput rate, 600 concurrent Client support, U6-Enterprise-IW
UB-UAP-U6-MESH-PRO	R 4,188	Ubiquiti UniFi6 Mesh Pro Indoor / Outdoor Dual Band WiFi6 Access Point, U6-MESH-PRO, 2x GbE RJ45 Ports, PoE Power Method, 573.5 Mbps @ 2.4GHz, 2.4 Gbps @ 5GHz, 8 dBi 2.4GHz antenna gain, 8 dBi 5GHz antenna gain, 350 concurrent clients
UB-UAP-U6-PRO	R 3,773	Ubiquiti UAP-U6-pro UniFi Wi-Fi 6 Pro 4x4 MU-MIMO Access Point, 5.3 Gbps aggregate Radio rate, 1x GbE RJ45 Port, 802.3at PoE power Method, 573.5 Mbps @ 2.4 GHz, 4.8 Gbps @ 5 GHz, 4dBi 2.4 GHz antenna gain, 6dBi 5 GHz antenna gain, Wall / Ceiling mounting, 300 concurrent clients
UB-UAP-U7-IW	R 3,175	Ubiquiti UniFi WiFi 7 In Wall Access Point, U7-IW, 4 spatial streams, 115 M2 coverage area, 200 Maximum Client count, PoE Power Method, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 3x 2.5 GbE RJ45 Ports Networking Interface, 1x PoE Input, 1x PoE Output, Aluminum Alloy Mount material
UB-UAP-U7-LITE	R 1,980	Ubiquiti UniFi 7 Lite WiFi 7 Dual Band Access Point, U7-LITE, 4 spatial streams, 2x2 5GHz MIMO, 2x2 2.4GHz MIMO, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5 GbE RJ45 Port
UB-UAP-U7-LR	R 3,312	Ubiquiti UniFi WiFi 7 Long range Dual Band Access Point, U7-LR, 5 spatial streams, 160 m2 coverage area, 300 Maximum Client count, 2.5 GbE Uplink Port, Ceiling / Wall Mounting, PoE Power Method, 3x3 MIMO 5GHz, 2x2 MIMO 2.4GHz, 4.3 Gbps @ 5GHz Maximum Data rate, 688 Mbps @ 2.4GHz 2.4GHz 688 Mbps
UB-UAP-U7-MESH	R 4,556	Ubiquiti U7-MESH UniFi Mesh Indoor / Outdoor Wifi 7 Access Point, 4 spatial streams, 140 m2 coverage area, 200 Maximum Client count, Wall / Pole / Table stand, IPX6 weatherproofing, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5 GbE RJ45 Port
UB-UAP-U7-OUT	R 4,224	Ubiquiti UniFi U7 Outdoor all-weather WiFi 7 Access Point with 4 spatial streams, IPX6 weatherproofing, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps 5GHz, 1x directional internal antenna, 2x external Omni antennas, 2x RP-SMA connectors for external antenna, 200 concurrent clients
UB-UAP-U7-PRO	R 3,920	Ubiquiti U7-PRO ceiling-mounted WiFi 7 Access Point with 6 spatial streams, 1x 1/2.5 GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 688 Mbps @ 2.4GHz, 2882 Mbps @ 5GHz, 5765 Mbps @ 6GHz, 300 concurrent clients
UB-UAP-U7-PRO-IW	R 4,180	Ubiquiti UniFi U7 Pro Wall WiFi 7 wall-mounted Access Point with 6 spatial streams, U7-Pro-Wall, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 4.3 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, 300 concurrent clients
UB-UAP-U7-PRO-MAX	R 5,932	Ubiquiti UniFi U7 Pro Max ceiling-mounted WiFi 7 Access Point with 8 spatial Stream, U7-PRO-MAX, 1x 2.5 GbE RJ45 Port, PoE Power Method, 688 Mbps @ 2.4GHz, 8.6 Gbps @ 5GHz, 5.7 Gbps @ 6GHz, Wall / Ceiling mounting, 500 concurrent clients
UB-UAP-U7-PRO-OUT	R 5,749	Ubiquiti UniFi WiFi 7 Outdoor Tri-band Access Point, U7-Pro-Outdoor, 6 spatial streams, 300 Maximum Client count, 1x 2.5 GbE Uplink Port, PoE Power Method, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Integrated directional Super antenna
UB-UAP-U7-PRO-XG	R 4,270	Ubiquiti UniFi Wi-Fi 7 Pro XG Indoor Access Point, U7-Pro-XG, 6x spatial streams, 140 M2 coverage area, 300 Maximum Client count, 10 GbE Uplink, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, 1x 10 GbE RJ45 Port Networking Interface
UB-UAP-U7-PRO-XG-B	R 4,445	Ubiquiti UniFi WiFi 7 Pro XG Tri-band Black Access Point, U7-PRO-XG-B, 6x spatial streams, 300 Maximum Client count, 10 GbE Uplink, PoE Power Method, 1x 10 GbE RJ45 Port, 140 m2 coverage area, 5.8 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UB-UAP-U7-PRO-XG-IW	R 5,993	Ubiquiti UniFi WiFi 7 Pro XG In-Wall Indoor Access Point, U7-Pro-XG-Wall, 6 spatial streams, 140 m2 coverage area, 300 Maximum Client count, PoE Power Method, 5.8 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 10 GbE RJ45 Port Networking Interface
UB-UAP-U7-PRO-XGS	R 6,452	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count,

		160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UB-UAP-U7-PRO-XGS-B	R 6,203	Ubiquiti UniFi Wi-Fi 7 Pro XGS Indoor Access Point - Black, U7-Pro-XGS, 8 spatial streams, 500 Maximum Client count, 160 M2 coverage area, 1x 10 GbE Uplink port, Ceiling & Wall Mounting, PoE Power Method, 5.8 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UB-UAP-UK-ULTRA	R 1,830	Ubiquiti UniFi Swiss Army Knife Ultra WiFi 5 Access Point, UK-ULTRA, 1x GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 300 Mbps @ 2.4GHz, 866.7 Mbps @ 5GHz, 1x internal antenna, 2x RP-SMA connectors for optional external antennas, 4.7 dBi 2.4GHz antenna, 6 dBi @ 5GHz antenna
UB-UCG-UX7	R 4,173	Ubiquiti UniFi Express WiFi 7 Tri-band 10Gbps Cloud Gateway, UX7, 1x 10 GbE RJ45 WAN Port, 1x 2.5 GbE RJ45 LAN Port, 2.3 Gbps IDS/IPS Throughput, 5.7 Gbps @ 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, USB Type-C Power Method, 0.96" status Display
UB-UDB	R 1,969	Ubiquiti UDB UniFi Device Bridge, 1x GbE RJ45 Port, 1x Passive PoE Output, 802.11a/n/ac WiFi standards, 866.7 Mbps @ 5GHz, 1x internal antenna, 1x RP-SMA connector for external omni-antenna
UB-UDB-PRO	R 4,372	Ubiquiti UDB-PRO UniFi Device Bridge Pro, 2x GbE RJ45 Ports, 1x PoE in, 1x Passive PoE Output, 5GHz WiFi, 867 Mbps @ 5GHz, 19 dBi 5GHz antenna, Link at 5 km distances with a Point-to-point connection to another Device Bridge Pro
UB-UDB-SWITCH	R 6,034	Ubiquiti UDB-Switch UniFi Device Bridge Switch (35W), Compact PoE Switch, WiFi 7, 4 spatial streams, 5.8 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 1x 10 GbE RJ45 Port, 7x 2.5 GbE RJ45 Ports, 8x PoE Ports, 30W Maximum PoE wattage per Port, 0.96" status Display
UB-UDM	R 6,737	Ubiquiti UniFi dream machine Dual Band 802.11ac 4x4 Wave 2 acess point, 1.7 GHz Quad-Core Processor, Managed 4-port Gigabit Switch, UniFi Network controller with intuitive User Interface, 1x WAN 10/100/1000 RJ45 Port, 2 GB DDR RAM system Memory, 16GB on-board Flash storage, 802.11 A/B/G/N/AC/AC-WAVE2 Wi-Fi standards
UB-UDM	R 6,377	Ubiquiti UniFi Dream Machine Dual Band 802.11ac 4x4 Wave 2 acess point, 1.7 GHz Quad-Core Processor, Managed 4 port Gigabit Switch, UniFi Network Controller with intuitive User Interface, 1x WAN 10/100/1000 RJ45 Port, 2GB DDR RAM system Memory, 16GB On-Board Flash storage, 802.11 a/b/g/n/ac/ac-wave2 Wi-Fi standards
UB-UE-E7	R 9,451	Ubiquiti E7 Enterprise WiFi 7 Access Point, 10 spatial streams, 185 M2 coverage area, 1000 Maximum Client count, 1x 10 GbE RJ45 Uplink Port, 1x 1 GbE RJ45 Uplink Port, PoE Power Method, 11.5 Gbps @ 6GHz, 8.6 Gbps @ 5GHz, 688 Mbps @ 2.4GHz
UB-UE-E7-CAMPUS	R 14,595	Ubiquiti E7 Campus Enterprise-Grade Indoor / Outdoor Access Point with 10-stream Dual-Band WiFi 7 Performance, 100 degree directional antenna, No PoE injector included, Requires PoE 90W, 10 spatial streams, 1000 connected devices, 1x 10 GbE Uplink & 1x GbE RJ45 Port, Prism filtering, Real-Time Spectrum analysis, WiFi 7 Standard
UB-UK ULTRA	R 1,777	Ubiquiti UniFi Swiss Army Knife Ultra WiFi 5 Access Point, UK-ULTRA, 1x GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 300 Mbps @ 2.4GHz, 866.7 Mbps @ 5GHz, 1x internal antenna, 2x RP-SMA connectors for optional external antennas, 4.7 dBi 2.4GHz antenna, 6 dBi @ 5GHz antenna
UB-UK-ULTRA	R 1,639	Ubiquiti UniFi Swiss Army Knife Ultra WiFi 5 Access Point, UK-ULTRA, 1x GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 300 Mbps @ 2.4GHz, 866.7 Mbps @ 5GHz, 1x internal antenna, 2x RP-SMA connectors for optional external antennas, 4.7 dBi 2.4GHz antenna, 6 dBi @ 5GHz antenna
UB-UP-SUPERLINK	R 2,521	Ubiquiti UniFi Protect Superlink, UP-Superlink, Low-latency Wireless Gateway for UniFi Protect sensors, Polycarbonate & Aluminum Alloy enclosure material, 1x 10/100 mbe RJ45 Port, Bluetooth 5.2, PoE Power Method
UB-UX-EXP	R 2,414	Ubiquiti UniFi Express Cloud Gateway and WiFi 6 Access Point, 1x Gigabit Ethernet RJ45 WAN Port, 1x Gigabit Ethernet RJ45 LAN Port, USB Type-C Power Method, 573.5 Mbps @ 5GHz, 2.4 Gbps @ 5GHz, 0.96" status Display
UB-UX7	R 4,111	Ubiquiti UniFi Express WiFi 7 Tri-band 10Gbps Cloud Gateway, UX7, 1x 10 GbE RJ45 WAN Port, 1x 2.5 GbE RJ45 LAN Port, 2.3 Gbps IDS/IPS Throughput, 5.7 Gbps @ 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, USB Type-C Power Method, 0.96" status Display
UB-UX7	R 4,249	Ubiquiti UniFi Express WiFi 7 Tri-band 10Gbps Cloud Gateway, UX7, 1x 10 GbE RJ45 WAN Port, 1x 2.5 GbE RJ45 LAN Port, 2.3 Gbps IDS/IPS Throughput, 5.7 Gbps @ 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, USB

		Type-C Power Method, 0.96" status Display
UB-WAVE AP MICRO	R 10,022	Ubiquiti UISP Wave AP Micro wide-coverage 60 GHz PtMP Access Point, 1x 1/2.5 Gigabit RJ45 Port, GPS, 5 Gbps (2.5 Gbps Duplex) total Throughput, 15 supported clients count, RF 57-71 GHz operating Frequency, 20 dBi antenna gain, Vertically linear polarization, Back-Up RF 802.11ax (WiFi 6), 13.5 dBi antenna gain, Dual-linear polarization, WAVE-AP-MICRO
UB-WAVE-AP-MICRO	R 9,884	Ubiquiti UISP Wave AP Micro wide-coverage 60 GHz PtMP Access Point, 1x 1/2.5 Gigabit RJ45 Port, GPS, 5 Gbps (2.5 Gbps Duplex) total Throughput, 15 supported clients count, RF 57-71 GHz operating Frequency, 20 dBi antenna gain, Vertically linear polarization, Back-Up RF 802.11ax (WiFi 6), 13.5 dBi antenna gain, Dual-linear polarization, WAVE-AP-MICRO
UBAM-5AC21SEC60-RA	R 3,693	Ubiquiti AirMax MiMo 5GHz AC Sector High-Gain 21dBi, 60 deg with Accessories - SMA(F)RP
UBAM-LAP-GPS	R 1,765	Ubiquiti LAP-GPS airMAX LiteBeam 5ac Access Point with 90 degree Sector antenna, GPS, 1x 10/100/1000 Ethernet Port, 16 dBi antenna gain, Delivers up to 450 Mbps real TCP/IP Throughput, LAP-GPS(SA)
UBAM-WAVE-AP-MICRO	R 9,331	Ubiquiti UISP Wave AP Micro wide-coverage 60 GHz PtMP Access Point, 1x 1/2.5 Gigabit RJ45 Port, GPS, 5 Gbps (2.5 Gbps Duplex) total Throughput, 15 supported clients count, RF 57-71 GHz operating Frequency, 20 dBi antenna gain, Vertically linear polarization, Back-Up RF 802.11ax (WiFi 6), 13.5 dBi antenna gain, Dual-linear polarization, WAVE-AP-MICRO
UBNT-UAP-AC-HD	R 6,089	Ubiquiti UBNT-UAP-AC-HD Wave 2 802.11ac UniFi High-Density 4x4 MU-MIMO Access Point, Manage Your Networks from a Single Control Plane, Intuitive and Robust Configuration, Control and Monitoring, Remote Firmware Upgrade, 2x 10/100/1000 Ethernet Ports, incl PoE
UDB	R 1,949	Ubiquiti UDB UniFi Device Bridge, 1x GbE RJ45 Port, 1x Passive PoE Output, 802.11a/n/ac WiFi standards, 866.7 Mbps @ 5GHz, 1x internal antenna, 1x RP-SMA connector for external omni-antenna
UDB-PRO	R 4,169	Ubiquiti UDB-PRO UniFi Device Bridge Pro, 2x GbE RJ45 Ports, 1x PoE in, 1x Passive PoE Output, 5GHz WiFi, 867 Mbps @ 5GHz, 19 dBi 5GHz antenna, Link at 5 km distances with a Point-to-point connection to another Device Bridge Pro
UDB-SWITCH	R 5,054	Ubiquiti UDB-Switch UniFi Device Bridge Switch (35W), Compact PoE Switch, WiFi 7, 4 spatial streams, 5.8 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 1x 10 GbE RJ45 Port, 7x 2.5 GbE RJ45 Ports, 8x PoE Ports, 30W Maximum PoE wattage per Port, 0.96" status Display
UK-ULTRA	R 1,639	Ubiquiti UniFi Swiss Army Knife Ultra WiFi 5 Access Point, UK-ULTRA, 1x GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 300 Mbps @ 2.4GHz, 866.7 Mbps @ 5GHz, 1x internal antenna, 2x RP-SMA connectors for optional external antennas, 4.7 dBi 2.4GHz antenna, 6 dBi @ 5GHz antenna
UK-ULTRA	R 1,547	Ubiquiti UniFi Swiss Army Knife Ultra WiFi 5 Access Point, UK-ULTRA, 1x GbE RJ45 Port, PoE Power Method, 44-57V DC supported Voltage range, 300 Mbps @ 2.4GHz, 866.7 Mbps @ 5GHz, 1x internal antenna, 2x RP-SMA connectors for optional external antennas, 4.7 dBi 2.4GHz antenna, 6 dBi @ 5GHz antenna
USL-GATEWAY	R 2,703	Ubiquiti UniFi Protect Superlink Long Range Gateway for Protect Sensors, UP-Superlink, Low-latency Wireless Gateway for UniFi Protect sensors, Polycarbonate & Aluminum Alloy enclosure material, 1x 10/100 mbe RJ45 Port, Bluetooth 5.2, PoE Power Method
USW-PRO8P	R 6,319	Ubiquiti UniFi Pro 8 Port with 6x PoE & 2x PoE 120W Switch, USW-Pro-8-PoE (120W), 8x GbE RJ45 Ports, 2x 10G SFP Ports, 56 Gbps switching capacity, 120W total available PoE power, 1.3" Touchscreen
UX7	R 3,904	Ubiquiti UniFi Express WiFi 7 Tri-band 10Gbps Cloud Gateway, UX7, 1x 10 GbE RJ45 WAN Port, 1x 2.5 GbE RJ45 LAN Port, 2.3 Gbps IDS/IPS Throughput, 5.7 Gbps @ 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, USB Type-C Power Method, 0.96" status Display
UX7	R 4,077	Ubiquiti UniFi Express WiFi 7 Tri-band 10Gbps Cloud Gateway, UX7, 1x 10 GbE RJ45 WAN Port, 1x 2.5 GbE RJ45 LAN Port, 2.3 Gbps IDS/IPS Throughput, 5.7 Gbps @ 6GHz, 4.3 Gbps 5GHz, 688 Mbps @ 2.4GHz, USB Type-C Power Method, 0.96" status Display
W12	R 389	Tenda W12 In Wall C1200 Dual Band Access Point, 1x Gigabit Ethernet Port, 1x Gigabit Ethernet Port (PoE), PoE 802.3af Power Supply, 35 recommended clients, 3dBi antenna gain, Operating mode - AP / client ap
WA901N	R 728	TP-Link WA901n 450 Mbps Wi-Fi Access Point, 1x 10/100 Mbit Ethernet Port (RJ45), Support passive PoE, 3 fixed Omni-Directional antennas, 450 Mbps at 2.4 GHz, 2.4 GHz Frequency
WAP-6013	R 486	LevelOne 300Mbps 802.11b/g/n Wireless Access Point, Wireless 300Mb/s, 2x 2dbi Antennas, External power

		supply, 2x Multipal ssid, 2.4ghz Frequency range.
WAP-6150	R 1,316	LevelOne 300Mbps 802.11b/g/n, Gigabit Ethernet, 802.3af PoE Managed Wireless Access Point, 300mbps w/less Gb PoE Access point, Wireless 300Mbps, 2x 5dbi Antennas(detachable), PoE Power supply(ieee 802.3af, 8x multipal ssid, 2.4ghz Frequency range
WAVE-APM	R 9,884	Ubiquiti UISP Wave AP Micro wide-coverage 60 GHz PtMP Access Point, 1x 1/2.5 Gigabit RJ45 Port, GPS, 5 Gbps (2.5 Gbps Duplex) total Throughput, 15 supported clients count, RF 57-71 GHz operating Frequency, 20 dBi antenna gain, Vertically linear polarization, Back-Up RF 802.11ax (WiFi 6), 13.5 dBi antenna gain, Dual-linear polarization, WAVE-AP-MICRO
WAX610-100EUS	R 3,511	Netgear WAX610 AX1800 Dual Band PoE Multi-Gig InSight Managed WiFi 6 Access Point, 250 Max users, 50 concurrent users, 2.5G Ethernet Port
WAX610Y-100EUS	R 4,977	Netgear WAX610Y AX1800 Dual Band PoE Multi-Gig InSight Managed WiFi 6 Outdoor Access Point, 250 Max users, 30 concurrent users, IP55 Outdoor use, 2.5G Ethernet Port, PoE
WAX620-100EUS	R 6,144	Netgear WAX620 AX3600 Dual Band PoE Multi-Gig WiFi 6 Access Point, AX3600 Speed, 256 Max users, 75 concurrent users, 2.5G Ethernet Port, PoE, Wireless Mesh, Netgear InSight and Standalone Remote Management
WBE710-100EUS	R 9,540	Netgear WBE710 Tri-band PoE 2.5G InSight Manageable WiFi 7 Access Point, Both OFDM and OFDMA, Bidirectional MU-MIMO, 9.4Gbps Maximum Wireless theoretical Throughput, 1x 2.5GbE Ethernet Ports, Netgear InSight Management
WBE718-111EUS	R 14,526	Netgear WBE718 Tri-band PoE 2.5G InSight Manageable WiFi 7 Access Point, Bidirectional MU-MIMO, Both OFDM and OFDMA, 9.4Gbps Maximum Wireless theoretical Throughput, 1x 2.5GbE Ethernet Port, Netgear InSight Management
WBE750-100EUS	R 18,938	Netgear WBE750 Tri-band PoE 10G InSight Manageable WiFi 7 Access Point, 2.4GHz is 4x4, 5GHz is 4x4, 6GHz is 4x4, Both OFDM and OFDMA, Bidirectional MU-MIMO, 18.4Gbps Maximum theoretical Throughput, Netgear InSight Cloud centralized Management, 1x 10G / Multi-Gigabit Ethernet Port
WBE758-111EUS	R 29,683	Netgear WBE758 Tri-band PoE 10G InSight Manageable WiFi 7 Access Point, 2.4GHz is 4x4, 5GHz is 4x4, 6GHz is 4x4, Both OFDM and OFDMA, Bidirectional MU-MIMO, 18.4Gbps Maximum theoretical Throughput, Netgear InSight Cloud centralized Management, 1x 10G / Multi-Gigabit Ethernet Port
WX3100-T0	R 723	Zyxel Dual-Band Wireless AX1800 Gigabit Access Point / Extender

< Return to the menu

Wireless Mounting Brackets

Product code	Price	Description
67300	R 597	Goobay 67300 Aluminium Satellite Dish Wall Mount - 250 mm wall distance, Aluminum material
67301	R 620	Goobay 67301 Aluminium Satellite Dish Wall Mount - 350 mm wall distance, Aluminum material
67302	R 677	Goobay 67302 Aluminium Satellite Dish Wall Mount - 450 mm wall distance, Aluminum material
ANT4971-30RAD	R 794	UltraLAN ANT4971-30RAD Radome cover, Designed for UltraLAN ANT4971-30dp Dish Antenna, Dimensions of 600 mm Diameter, Constructed from uv-stabilised weather-resistant Polymer in Matt White, Edge clips and Perimeter bolts Secure cover to rim, Convex face reduces Wind load versus open Dish, antenna not included with purchase, Mounting Hardware not included with purchase.
INS-T38A-2	R 196	Unbranded 2m Aluminium Mast - 38mm diameter
INS-T50A-6	R 769	Unbranded 6m Aluminium Mast - 50mm
INS-T50G-1	R 125	Unbranded 1m galvanised Mild Steel mast - 50mm Diameter
INS-T50G-2	R 253	Unbranded 2m galvanised Mild Steel mast - 50mm diameter
INS-T50G-3	R 397	Unbranded 3m Galvanised Mild Steel Mast - 50mm diameter
INS-T50G-6	R 776	Unbranded 6m galvanised Mild Steel mast - 50mm diameter
INS-UB50	R 10	Unbranded 50mm Mild Steel U-Bolt
INS-WB-ECO	R 58	Unbranded Economy Wall Bracket - 38mm
INS-WBAM1	R 161	UltraLAN Universal antenna Mount, INS-WBAM1
INS-WBAM1G	R 949	UltraLAN Universal antenna Mount galvanized, INS-WBAM1G
INS-WBFM	R 1,696	Unbranded flush Mount Heavy Duty Wall Bracket

INS-WBL-300-1500	R 666	Unbranded L-Bracket mild Steel galvanized - 300 x 1500 x 50mm
INS-WBL-L	R 247	Unbranded L-Bracket Mild Steel galvanized - 500 x 500 x 50mm - large
INS-WBL-L-EL	R 275	Unbranded L-Bracket Mild Steel electroplated - 500 x 500 x 50mm - large
INS-WBL-S	R 109	Unbranded L-Bracket mild Steel galvanized - 400 x 200 x 38mm - Small
INS-WBL-S-EL	R 104	Unbranded L-shape Wall Bracket 400 x 200 x 38mm & Electroplated
INS-WBL-S-HD	R 217	Unbranded L-Bracket Hot Dip galvanised - 300 x 300 x 50mm
INS-WBL-XL	R 288	Unbranded L-Bracket Mild Steel galvanized - 500 x 1000 x 50mm - Extra Large
INS-WBL-XL-EL	R 309	Unbranded L-Bracket Mild Steel Electroplated - 500 x 1000 x 50mm - extra large
INS-WBPC-300	R 1,696	Unbranded Parallel clamp - 300mm
INS-WBSQ-25	R 316	Unbranded square Wall Bracket - 250mm Off Set
INS-WBSQ-40	R 447	Unbranded square Wall Bracket - 400mm Off Set
INS-WBSQ-55	R 539	Unbranded square Wall Bracket - 550mm off Set
INS-WBT-10	R 137	Unbranded Electroplated Tripod Wall Bracket - small - 10cm
INS-WBT-10G	R 138	Unbranded galvanized Tripod Wall Bracket - Small - 10cm
INS-WBT-25	R 190	Unbranded Electroplated Tripod Wall Bracket - Medium - 25cm
INS-WBT-25G	R 196	Unbranded galvanized Tripod Wall Bracket - medium - 25cm
INS-WBT-30	R 242	Unbranded T-Stand Off bracket - 150mm
INS-WBT-47	R 213	Unbranded Galvanized Tripod Wall Bracket - Large - 47cm
INS-WBT-47G	R 224	Unbranded Galvanized Tripod Wall Bracket - Large - 47cm
MIM-J-MOUNT	R 259	Mimosa Advance J-Mount Bracket
PR5MEC00	R 84	Teltonika DIN Rail kit rutx Series, 35 mm DIN Rail, Low Carbon Steel material
RBQM	R 528	MikroTik QM quickMOUNT bracket for small point to point and Sector antennas
RBQME	R 144	MikroTik QME quickMOUNT extra wall mount adapter for large point to point and sector antennas
RBQMP	R 109	MikroTik quickMOUNT Pro for SXT / OmniTIK / BaseBox
RBQMP-LHG	R 109	MikroTik RouterBOARD quickMOUNT pro LHG, The quickMOUNT pro gives possibility to turn antenna within 140 degree both in horizontal and vertical plane.
RF-SH-ARM	R 208	RF Elements coated bracket Arm, HG3-ARM-COAT, Coated Bracket arm for 30 / 60 / 90 degree Symmetrical Horns
RF-TP-AMU	R 499	RF Elements TwistPort adaptor for Mimosa B5X and C5X, TPA-AMU
RF-TP-AMU-V2	R 822	RF Elements TwistPort adaptor for Mimosa B5X and C5X and C6X
RG-RAP1200-P-MNT	R 288	Reyee RG-RAP1200-P mounting brackets - 10 pack, RG-RAP1200-P-MNT
RG-RAP1200-P-MNT-S	R 32	Reyee RG-RAP1200-P mounting brackets - single unit, RG-RAP1200-p-mnt-s
TTK-PIN-CON	R 37	Teltonika 2X3 pin connector, PR4RS06K, 300V rated Voltage, 8A rated current, 9 - 10 mm strip length
TTK-SMOUNT-KIT	R 40	Teltonika Surface mounting kit, ABS PC plastic material
UACC-PM	R 489	Ubiquiti Access Point Pro Arm Mount for UniFi Pro Access Point ' s, UACC-PRO-AP-AM, Compatible with --> U6 Pro or AC Pro
UACC-WAVE-AP-MICRO-MOUNT	R 2,126	Ubiquiti UISP Wave Access Point Micro Mount, UACC-Wave-AP-Micro-Mount, 200 km/h Wind survivability, 25 - 76 mm pole Diameter
UB-UAP-COV-LITE-BL	R 296	Ubiquiti UniFi - Black cover for U6 Lite / U6 / NanoHD, Blends seamlessly into a variety of backgrounds
UB-UCK-G2-ST	R 459	Ubiquiti UniFi - G2 Cloud Key - Stand Accessory only, UACC-CKG2-Plus Stand, Aluminum Stand Accessory Compatible with Cloud Key G2 Plus
WAVE-MM	R 2,156	Ubiquiti UISP Wave Access Point Micro Mount, UACC-Wave-AP-Micro-Mount, 200 km/h Wind survivability, 25 - 76 mm pole Diameter

< Return to the menu

Wireless Routers (ADSL / VDSL)

Product code	Price	Description
ARCHER BE450	R 2,749	TP-Link ARCHER BE450 BE7200 Dual-Band Wi-Fi 7 Router, 7.2 Gbps Dual-Band WiFi 7, Multi-Link Operation (MLO), 10G and 2.5G Wired Connection, Dual Installation Options, EasyMesh-Compatible, Easy Setup and Use,

		TP-Link HomeShield, Great Compatibility
ARCHER-VR300	R 662	TP-Link Archer VR300 AC1200 Wireless VDSL/ADSL Modem Router
ARCHER-VR400	R 1,433	TP-Link Archer VR400 AC1200 Wireless VDSL/ADSL Modem Router, 3x Ethernet RJ45 LAN Ports, 1x Gigabit RJ45 LAN/WAN Port, 1x RJ11 Port, 3 fixed external antennas, 867 Mbps at 5GHz, 300 Mbps at 2.4GHz
DSL-2877	R 344	D-link DSL-2877AL ADSL2 Modem Wireless Router - vertical design for space saving, gigabit RJ-11 dual wan port 4x 10/100 LAN 2x USB 2.0 for print/storage sharing, 2.4/5GHz dual band, 802.11AC, 750mbps (433 300); with WPS button, 64/128bits WEP, WPA WPA2; 3x external antenna. Broadband: ADSL2
NET-ARCHER-GE230	R 2,099	TP-Link Archer GE230 BE3600 Dual-Band Wi-Fi 7 Gaming Router; 3.6 Gbps combined wireless speed; 2882 Mbps 5 GHz; 688 Mbps 2.4 GHz; 2 x 2.5 Gbps Ethernet ports; 3 x 1 Gbps LAN ports; USB 3.0; dedicated 5 GHz gaming band; Turbo Game Acceleration; Multi-Link Operation; EasyMesh; RGB lighting; HomeShield
NET-EAP787	R 5,235	TP-Link Omada EAP787 BE12000 Ceiling Mount Tri-Band Wi-Fi 7 Access Point; 688 Mbps 2.4 GHz; 5765 Mbps 5 GHz; 5765 Mbps 6 GHz; up to 12.2 Gbps; 10G/2.5G Ethernet; 802.3bt/at PoE; 510 clients; up to 190 m2 coverage; 24 SSIDs; WPA3; Omada Mesh; Seamless Roaming; 220 x 220 x 38.8 mm
SST-BIL-7800	R 493	Billion BiPAC 7800NX Wireless-N 300 Mbps fibre-ready Triple-WAN ADSL2 Router, Gigabit Ethernet WAN (E-WAN) 3G / 4G LTE and NAS in one unit, ADSL2 Triple-WAN Ports for 3G / 4G LTE
SST-BIL-LTE	R 344	Billion Dual-SIM 4G / LTE Embedded ADSL2 Wireless-N VPN Firewall Router, 82BIL-7820NZ, Triple-WAN 3G / 4G LTE / ADSL2 , Integrated 802.11n Wireless Access Point and 4 port Switch
TD-W8961N	R 473	TP-Link TD-W8961N 4-Port 300Mbps Wireless N ADSL2 Router - Mediatek, 4x 100Mbps LAN Ports, ADSL/ADSL2/ADSL2 , Annex A, ADSL Splitter, 802.11n/g/b, SPI Firewall, NAT, IGMP Snoop V1/2Static Routing, VLAN 802.1P, DNS Relay, DDNS, MultiCast IGMP, Traffic Shaping
TD-W9970	R 755	TP-Link TD-W9970 300Mbps Wi-Fi VDSL/ADSL Modem Router, Broadcom, 802.11b/g/n, 300Mbps at 2.4GHz, 4 FE LAN ports, 1 USB 2.0 Port, 2 fixed antennas, Wi-Fi on/off button, Annex A, with VDSL splitter
TEW-816DRM	R 899	TrendNet AC750 VDSL2/ADSL2 Modem Router with 4 x 10/100 LAN ports and 1 x Gigabit Mbps WAN port; up to 200 Mbps VDSL2; 433 Mbps 5GHz; 300 Mbps 2.4GHz; 4 x 10/100 LAN; 1 x Gigabit WAN; 2 x USB 2.0; IPv6; TR-069; WDS; firewall; 190 x 146 x 55mm; 0.323kg
TP-VR400	R 1,149	TP-Link VR400 1767Mbps Wireless Dual Band VDSL/ADSL Modem Router, Superb wireless experience with 300Mbps (2.4GHz) 867Mbps (5GHz) dual band Wi-Fi connections, Three detachable antennas, Fully compatible with the VDSL2/ADSL2 /ADSL2/ADSL standards, Supports fiber, 3G/4G Internet services, Beamforming Technology, USB Port, 3x 10/100 RJ45 LAN Ports, 1x 10/100/1000 RJ45 LAN/WAN Port
W8961N	R 313	TP-Link TD-W8961n 300 Mbps Wireless N ADSL2 Modem Router, 4x 10/100 Mbps RJ45 Ports, 1x RJ11 Port, 1 WPS Button, 1 Wi-Fi On/Off Button, 2x 5dBi antenna

< Return to the menu

Wireless Routers (SIM / 5G / 4G / LTE / 3G)

Product code	Price	Description
317200229	R 1,076	Hikvision DS-3WR4G12C 4G LTE Wi-Fi Router, 150 Mbps Download Max 4G Speed, 50 Mbps Upload Max 4G Speed, Wi-Fi Speed 300 Mbps @ 2.4GHz & 867 Mbps @ 5GHz, 4G cartgory LTE CAT.4, Support FDD LTE, TDD-LTE, WCDMA, Detachable antenna x 2, SIM Card Adapter x 1, 2 * 2 MIMO supported, 2 x RJ45, 10/100 Mbps Auto-Negotiation Network Interface, Connectin modes supported - 3G/4G Router mode / Wireless Router mode / Access Point mode
4G-N16	R 1,201	Asus 4G-N16 Wireless-N300 LTE Modem Router, LTE Cat. 4, Wi-Fi Modem Router, 3G/4G support
4G03 PRO	R 688	Tenda 4G03 Pro 4G LTE CAT 4 300 Mbps Router, 150 Mbps DL speed, 50 Mbps UL speed, 802.11b/g/n Wi-Fi standards, 300 Mbps @ 2.4GHz Wi-Fi speed, 1x 10/100 Mbps LAN/WAN Port, 1x 10/100 Mbps LAN Port, 1x 2FF SIM Card slot
4G06	R 688	Tenda 4G06 N300 Wi-Fi 4G VoLTE Router
4G09	R 1,493	Tenda 4G09 AC1200 Dual-Band Wi-Fi 4G LTE Router
4G09	R 1,898	Tenda 4G LTE CAT6 AC1200 Dual-Band Wi-Fi 4g LTE Router, 4G09, Desktop 802.11 b/g/n/ac, 1x Gigabit WAN, 1x Gigabit LAN, 300 Mbps Download speed Maximum, 50 Mbps Upload speed Maximum, 2.4GHz 300 Mbps, 5GHz 867 Mbps, 1x 2ff SIM Card slot, 2x detachable 4G/3G antennas, 2x internal Wi-Fi antennas

AMFWL510B	R 654	Astrum WL510 4G LTE 150MBPS 3000MAH MiFi Router; LTE upload up to 50Mbps; WiFi 6 up to 300Mbps; 2.4GHz; up to 10 devices; 3000mAh removable Li-ion battery; 1.77 inch TFT LCD; Nano SIM; USB-C; microSD; WPA2/WPA3; 0.11kg
ARCHER MR200	R 1,412	TP-Link ARCHER MR200 AC750 Wireless Dual Band 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Micro SIM Card slot, 300 Mbps at 2.4GHz, 433 Mbps at 5GHz, Operating modes - 3G/4G route & Wireless Router
ARCHER MR400	R 1,243	TP-Link ARCHER MR400 AC1200 Wireless Dual Band 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Micro SIM Card slot, 2 detachable 4G LTE antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 4G fdd-lte, Operating modes - 3G/4G Router or Wireless Router
ARCHER MR402	R 1,199	TP-Link AC1200 Wireless Dual Band 4G LTE Router - Up to 150Mbps Download Speed, Connect Up to 64 Wi-Fi Devices, 300Mbps Maximum Speed at 2.4GHz Band, 867Mbps Maximum Speed at 5GHz Band, Sim Card Plug and Play No Configuration, 2 x Detachable LTE Antennas, Wi-Fi Router Mode, Retail Box, 6 Months Warranty.
ARCHER MR402	R 976	TP-Link AC1200 Wireless Dual Band 4G LTE Router - Up to 150Mbps Download Speed, Connect Up to 64 Wi-Fi Devices, 300Mbps Maximum Speed at 2.4GHz Band, 867Mbps Maximum Speed at 5GHz Band, Sim Card Plug and Play No Configuration, 2 x Detachable LTE Antennas, Wi-Fi Router Mode, Retail Box, 6 Months Warranty.
ARCHER MR600 V5	R 1,757	TP-Link MR600 V5 AC1200 4G LTE Advanced CAT6 Gigabit Router, 1x Gigabit LAN/WAN Port, 3x Gigabit Mbps LAN Ports, 1x Nano SIM Card slot, 2x external sma-f antenna Interface, 2x detachable 4G LTE antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz
ARCHER MX700	R 1,999	TP-Link Archer MX700 Dual Band WiFi LTE Router - Supports 4G Cat6 Up to 300Mbps Speed, Dual Band Wi-Fi 6 Speed 1201Mbps on 5GHz and 300Mbps on 2.4Ghz, Connect Up to 128 Concurrent Devices, Nano Sim Card Slot, 1 x Gigabit LAN/WAN Port, 3 x Gigabit LAN Ports Interface, 2 x Internal 4G/3G Antennas, 2 x Internal Wi-Fi Antennas, 2 x External Antennas Ports, Wireless Security, Retail Box, 6 Months Warranty.
ARCHER-MR200	R 1,429	TP-Link Archer MR200 AC750 Wireless Dual Band 4G LTE Router
ARCHER-MR400	R 1,337	TP-Link Archer MR400 AC1200 Wireless Dual Band 4G LTE Router
ARCHER-MR400	R 1,352	TP-Link Archer MR400 AC1200 Wireless Dual Band 4G LTE Router, build-in 150Mbps 4G LTE modem, LTE-FDD/LTE-TDD/DC-HSPA /HSPA /HSPA/UMTS/EDGE/GPRS/GSM, with 3x10/100Mbps LAN ports and 1x10/100Mbps LAN/WAN port, 450Mbps at 2.4GHz 867Mbps at 5GHz, MU-MIMO, Beamforming
Archer-MR402	R 1,268	TP-Link Archer MR402 AC1200 Wireless Dual Band 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Nano SIM Card slot, 2x external SMA-F antenna Interface, 2x detachable external 4G LTE antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, Operating modes - 3G/4G Router & Wireless Router
ARCHER-MR600	R 2,237	TP-Link Archer MR600 V2 - AC1200 4G LTE Router SIM, CAT6 Gigabit Router, 3x GbE LAN Ports, 1x GbE LAN/WAN Port, 1x Micro SIM Card slot, 2x detachable 4G LTE antennas, 300 Mbps at 2.4 GHz, 867 Mbps at 5 GHz
ARCHER-MR600	R 2,179	TP-Link AC1200 4G LTE Advanced Cat6 Gigabit Router, build-in 300Mbps 4G LTE Advanced modem, LTE-FDD/LTE-TDD/DC-HSPA /HSPA /HSPA/UMTS, with 3x10/100/1000Mbps LAN ports and 1x10/100/1000Mbps LAN/WAN port, 300Mbps at 2.4GHz 867Mbps at 5GHz, Tether App
ARCHER-NX200	R 4,699	TP-Link ARCHER NX200 5G AX1800 Wireless Dual Band Gigabit Router, Build-In 5G Modem, SPEED: 1201 Mbps at 5 GHz 574 Mbps at 2.4 GHz, 5G NR, 4.67Gbps/1.25Gbps, LTE support Cat 19 1.6Gbps/200Mbps, SPEC: Internal Antennas, 2Ã— Gigabit LAN Ports, 1Ã— Gigabit WAN/LAN Port, 5G NR R15 SA
ARCHER-NX200	R 4,699	TP-Link ARCHER NX200 5G AX1800 Wireless Dual Band Gigabit Router, Build-In 5G Modem, SPEED: 1201 Mbps at 5 GHz 574 Mbps at 2.4 GHz, 5G NR, 4.67Gbps/1.25Gbps, LTE support Cat 19 1.6Gbps/200Mbps, SPEC: Internal Antennas, 2x Gigabit LAN Ports, 1x Gigabit WAN/LAN Port, 5G NR R15 SA
B535-932a	R 1,599	Huawei B535-932a Cat 7 LTE CPE Wi-Fi Router, 3x Gigabit LAN Port (RJ45), 1x Gigabit LAN/WAN Port, 1x RJ11, Wi-Fi AC1200 Dual-Band, Connect up to 64 devices
B660	R 713	Huawei B660 Wireless 7.2Mbps 3G Router, 4x 10/100 Ports, 1x RJ11, SIM Slot, SMA Connector For External Antenna *MTN and Cell- C only*
CD-LT500	R 707	Cudy LT500 4G LTE4 Dual Band AC 1200 Mbps Router, 3x RJ45 10M/100M LAN Ethernet interfaces, 1x RJ45 10M/100M WAN Ethernet interfaces, 1x SIM slot (Nano), 2x WiFi antennas, 2x LTE antennas, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz

CD-LT500	R 707	Cudy LT500 4G LTE4 Dual Band AC 1200 Mbps Router, 3x RJ45 10M/100M LAN Ethernet interfaces, 1x RJ45 10M/100M WAN Ethernet interfaces, 1x SIM slot (Nano), 2x WiFi antennas, 2x LTE antennas, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz
CD-LT500O	R 1,179	Cudy LT500 Outdoor 4G LTE4 Dual Band 1200 Mbps Outdoor WiFi 5 Router, 1x 10/100 Mbps WAN/LAN RJ45 Port, 1x Nano SIM slot, 2x internal Wi-Fi antennas, 2x external detachable 4G antennas
CD-LT500O	R 1,179	Cudy LT500 Outdoor 4G LTE4 Dual Band 1200 Mbps Outdoor WiFi 5 Router, 1x 10/100 Mbps WAN/LAN RJ45 Port, 1x Nano SIM slot, 2x internal Wi-Fi antennas, 2x external detachable 4G antennas
CD-LT500O	R 1,374	Cudy LT500 Outdoor 4G LTE4 Dual Band 1200 Mbps Outdoor WiFi 5 Router, 1x 10/100 Mbps WAN/LAN RJ45 Port, 1x Nano SIM slot, 2x internal Wi-Fi antennas, 2x external detachable 4G antennas
CD-LT700	R 1,639	Cudy 4G LTE CAT6 Dual SIM 1200 Mbps WiFi Router, LT700, 1 Gigabit Ethernet WAN/LAN, 3 Gigabit Ethernet LAN, 2x SIM slots (Nano), 1x WPS Button, 1x reset Button, 2x fixed WiFi antennas, 4x detachable Cellular antennas
CD-LT700	R 1,777	Cudy 4G LTE CAT6 Dual SIM 1200 Mbps WiFi Router, LT700, 1 Gigabit Ethernet WAN/LAN, 3 Gigabit Ethernet LAN, 2x SIM slots (Nano), 1x WPS Button, 1x reset Button, 2x fixed WiFi antennas, 4x detachable Cellular antennas
CD-P2	R 2,582	Cudy P2 5G Dual Band 3000 Mbps WiFi 6 Router, 4x internal antennas, 2x SMA connectors for customized antennas, SMA Female detachable Cellular antennas Connector, 1x Nano SIM slot, 5G 4G Dual connectivity, DL 4 x 4 MIMO, UL 2 x 2 MIMO, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 2x Gigabit RJ45 Ports, 1x RJ11 FXS Ports
CUDY-LT500	R 703	Cudy LT700 4G/LTE Ac1200 Ethernet Wifi5 Router With Mesh. The Cudy LT700 delivers fast and reliable 4G LTE Cat. 6 connectivity up to 300 Mbps, dual-band AC1200 Wi-Fi, and dual SIM backupâ€"all wrapped in a compact router with mesh and VPN capabilities. Perfect for homes, small offices, mobile setups or as internet backup with flexible wired and wireless options.
DS-3WR4G12C	R 960	Hikvision DS-3WR4G12C 4G LTE Wi-Fi Router, Max 4G speed: DL: 150Mbps; UL: 50Mbps Wi-Fi speed: 2.4GHz: 300Mbps; 5GHz:867Mbps 4G Cartgory LTE CAT.4 Support FDD LTE, TDD-LTE, WCDMA
DS-3WR4G12C	R 813	Hikvision DS-3WR4G12C 4G LTE Wi-Fi Router, Max 4G speed: DL: 150Mbps; UL: 50Mbps Wi-Fi speed: 2.4GHz: 300Mbps; 5GHz:867Mbps 4G Cartgory LTE CAT.4 Support FDD LTE, TDD-LTE, WCDMA
EBD021	R 797	Teltonika EBD021 Calyx 4G LTE-FDD (CAT 4) Embedded Raspberry Pi hat , 2x SMA for Mobile antennas, 1 x SIM slot, USB Type-C receptacle, 40 - pin GPIO Header
G5TS	R 1,898	ZTE G5TS 5G Router with Wi-Fi 6, 5G nsa/SA & LTE fallback, Dual-Band Wi-Fi 6, 64 simultaneous devices, 4x GE LAN Ports, 1x WAN Port, 4x internal High-Gain antennas
LT300	R 635	Cudy LT300 4G LTE N300 Wi-Fi Router - White, 4G Cat. 4 Cellular standards, 2x fixed Cellular antennas, 1x Nano SIM slot, 150 Mbps Max DL Speed, 50 Mbps Max UL Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x internal Wi-Fi antennas, 2x 10/100 Mbps RJ45 Ports
LT400	R 748	Cudy LT400 4G LTE N300 300 Mbps Wi-Fi Router, 4G CAT4 Cellular standards, 2x fixed Cellular antennas, SMA Female detachable Cellular antennas connector, 1x Nano SIM slot, 150 Mbps Max DL Speed, 50 Mbps Max UL Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x internal Wi-Fi antennas
LT400 OUTDOOR	R 1,160	Cudy LT400-o 4G LTE N300 300 Mbps Wi-Fi Outdoor Router, Up to 300 Mbps Wi-Fi Speed, Up to 150 Mbps LTE Download Speed, Up to 50 Mbps LTE Upload Speed, CAT 4 LTE category, Nano SIM Type, 1x 10/100 Mbps LAN/WAN Port Ethernet Port, 2x detachable external Cellular antennas, 2x internal Wi-Fi antennas
LT500	R 899	Cudy LT500 AC1200 WiFi 4G LTE Cat.4 Router
LT500 OUTDOOR	R 1,427	Cudy AC1200 WiFi 4G LTE Cat4 Outdoor Router
LT700	R 2,062	Cudy AC1200 WiFi 4G LTE Cat6 Gigabit Router
LTE3202	R 1,378	Zyxel LTE Indoor 4G LTE Router - Multimode (LTE/3G/2G) with on-board SIM slot, LTE CAT 4, DL 150Mbps, UL 50Mbps, 4x 10/100 Ethernet Port, Band LTE B1 / 3 / 7 / 8 / 20 / 28 / 38 / 40, Wireless N (up to 300Mbps) with WPS (Up to 16 clients)
LTE3302	R 2,068	Zyxel LTE indoor 4G LTE Router Multi-mode (LTE/3G/2G) with on-board SIM slot, LTE CAT 4, Download : 150 Mbps, Upload : 50 Mbps, Band LTE band 1 / 2 / 3 / 5 / 7 / 8 / 20 / 28 / 38 / 40, 2x internal LTE antennas, 2x 10/100 Ethernet Port, Wireless N (Up to 300 Mbps) with WPS (Up to 32 clients), 5V/2A MicroUSB Port - can be powered

		with a Power Bank
LTE7480	R 5,739	Zyxel LTE outdoor (IP54) Router - CAT.12 4G LTE-A up to 600 Mbps, 4 Embedded directional antennas, 802.11 b/g/n 2.4 GHz 300 Mbps, 1x Gigabit RJ-45 PoE LAN Port
LTE7490	R 5,749	Zyxel LTE7490 4G LTE-Advanced (Cat 18) Outdoor Router, 1.2 Gbps DL speed, 150 Mbps UL speed, 2.4GHz 300 Mbps WiFi, 1x Gigabit RJ-45 PoE LAN Port
M7200	R 1,147	Tp-Link M7200 4G 2000Mah T-FDD-LTE Mobile WiFi Modem
M7650	R 2,721	TP-link M7650 600 Mbps 4G lte-advanced Mobile Wi-Fi Router, 1x Micro SIM Card slot, 1x Micro SD card slot, 1x Micro USB Port for Power Supply, 3000mAh rechargeable battery, Download : 600 Mbps, Upload : 50 Mbps, Up to 32GB Micro SD Card Reader, 1.44 inch TFT screen Display
MB135-4G	R 767	Mercusys MB135-4G AC1200 Wireless Dual Band 4G LTE Router; 4G LTE Cat 4; up to 150 Mbps download; up to 50 Mbps upload; 300 Mbps 2.4 GHz; 867 Mbps 5 GHz; Nano SIM; up to 64 Wi-Fi devices; 1 x WAN/LAN; 3 x LAN; detachable LTE antennas; 219 x 140 x 32 mm
MD-A4GAX56	R 2,816	Asus 4G-AX56 dual-band WiFi-6 AX1800 LTE modem wireless router, with ASUSWRT Dashboard Ui vertical design with aluminum stand - 4G LTE (via nano sim slot) gigabit WAN 4x gigabit LAN, 128mb flash 512mb ram, LTE 802.11ax 1800mbps.
MF286C	R 1,499	ZTE MF286C-1 LTE 4G WiFi Router, 300 Mbps Download, 50 Mbps Upload, Connect up to 64 users, 4 x RJ45, No battery
MF293N1	R 999	ZTE MF293n 4G LTE WiFi Router, LTE CAT4 category, 802.11 b/g/n WiFi, 1x RJ45 Port, 1x RJ11, 1x SIM Socket (4FF), 2x SMA connectors
MK-D53G 5HACD2HND LTE7	R 2,122	MikroTik Chateau LTE7 WiFi 5 Dual Band 5 port Router, MT-RBCHATEAU-LTE7, IPQ-4019 CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 16 MB storage size, DC jack, LTE category 7, 300 Mbps Download, 100 Mbps Upload, 2x2 MIMO DL, 1x1 MIMO UL, 300 Mbit/s Wireless 2.4GHz Max Data rate, 867 Mbit/s Wireless 5GHz Max Data rate, 5x Gigabit Ethernet Ports, 1 Modem (Micro SIM), 1x USB Ports
MK-WAPGR LTE7	R 2,885	MikroTik wAP AX LTE7 - Weatherproof CAT7 LTE CPE with Dual-Band Wi-Fi 6, wAPGR-5HaxD2HaxD& R11e-LTE7, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, DC jack / PoE-in, LTE category 7, DL 300 Mbps, UL 100 Mbps, Wi-Fi 6, 1200 Mbit/s 5GHz Max Data rate, 574 Mbit/s 2.4GHz Max Data rate, 2x Gigabit Ethernet Ports, 1x SIM (Micro SIM) slot, 1 Mini PCI-e slots
MLS-UR32L	R 1,789	Milesight UR32 Lite 4G Industrial Router, UR32L-L0GEU, Dual SIM / 1x MicroSD, 2x 10/100 Mbps, (2x LAN or 1x WAN 1x LAN), 1x RS232 / RS485 (Switchable), 1x DI 1x DO, Wi-Fi, GPS, PoE PSE
MLS-UR35-P-W-GPS	R 4,413	Milesight UR35 4G Industrial Router, UR35-l04eu-g-p-w, Wi-Fi, Dual SIM, 1x MicroSD, 5x 10/100 Mbps (1x WAN 4x LAN), 1x RS232, 1x RS485 or 2x RS485, 1x DI 1x DO
MLS-UR41-GPS	R 2,383	Milesight UR41 Industrial 4G Cellular Router with GPS, UR41-L08EU, GPS, 1x Nano SIM-4ff, 1x 10/100 Mbps LAN Port, 1x RS232, 1x RS485 (Switchable), 1x DI, 1x DO, 1x USB 2.0, IP30 rated
MLS-UR75-P-W-GPS	R 9,266	Milesight UR75 5G Industrial Cellular Router with GPS & PoE, UR75-504AE-P-W2, 5G, Wi-Fi, GPS, 2x Mini SIM-2ff, 5x Gigabit Ports (1x WAN & 4x LAN), 1x RS232, 1x RS485, 1x DI, 1x DO, 1x USB 3.0 (Type-C)
MR150	R 1,247	TP-Link TL-MR150 300 Mbps Wireless N 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Micro SIM Card slot, 2x detachable external 4G LTE antennas, 300 Mbps at 2.4GHz
MRC-MB110-4G	R 598	Mercusys MB110-4G 300 Mbps Wireless N 4G LTE Router, 2.4GHz Frequency, 300 Mbps signal rate, 1x Ethernet LAN/WAN Port, 1x Ethernet LAN Port, 2x 4G / 3G external antenna Ports, 1x Nano SIM Card slot
MRC-MB115-4G	R 635	Mercusys MB115-4G N300 Wi-Fi 4G LTE Router, 300 Mbps Wi-Fi (2.4GHz), Operation modes - 3G/4G Router / Wireless Router, 1x 10/100 Mbps LAN/WAN Port, 3x 10/100 Mbps LAN Ports, 1x Nano SIM Card slot, 2x external 4G LTE antennas, 2x external Wi-Fi antennas, CAT4 LTE Standard, 150 / 50 Mbps DL / UL
MRC-MB135-4G	R 747	Mercusys MB135-4G AC1200 Dual-Band Wi-Fi 4G LTE Router, 300 Mbps Wi-Fi (2.4GHz), 867 Mbps Wi-Fi (5GHz), 1x 10/100 Mbps LAN/WAN Port, 3x 10/100 Mbps LAN Ports, 1x Nano SIM Card slot, 2x external detachable 4G LTE antennas, 2x external Wi-Fi antennas, CAT4 LTE Standard, 150 / 50 Mbps DL / UL, Operation mode - 3G/4G Router / Wireless Router
MRC-MB235-4G	R 1,233	Mercusys MB235-4G AC1200 Wi-Fi 4G LTE Router, 300 Mbps Wi-Fi (2.4GHz), 867 Mbps Wi-Fi (5GHz), 1x Gigabit LAN/WAN Port, 3x Gigabit LAN Ports, 1x Nano SIM Card slot, 2x external detachable 4G LTE antennas, 2x external Wi-Fi antennas, CAT6 LTE Standard, 300 / 50 Mbps DL / UL, Operation mode - 3G/4G Router / Wireless

		Router
MRC-MT110	R 560	Mercusys MT110 150 Mbps 4G LTE Mobile Wi-Fi, MRC-MT110, 2.4GHz WiFi, 1x USB-C Port for Power Supply, 1 Nano SIM Card slot, Internal antennas, 150 Mbps DL/UL 4G LTE Speed, 287 Mbps 2.4GHz WiFi Speed
MT-RBCHATEAU-5G-AX-R17	R 6,067	MikroTik Chateau 5G AX WiFi 6 Gigabit Router, S53UG 5HaxD2HaxD-TC& RG650E, LTE / 5G, 7.01Gbps downlink, 1.25Gbps Uplink, 4x Gigabit Ethernet Ports, 1x 2.5Gbps Ethernet Ports, Desktop mounting, RouterOS (Level 4 License) Operating System, 24V 1.2A Power Supply (Included), Nano or eSIM SIM slots, 1x USB 3.0 Ports
MT-RBCHATEAU-LTE6-AX	R 3,685	MikroTik Chateau LTE6 ax with AX1800 Wireless and 2.5G Ethernet, RouterOS V7 Operating System, 1 GB RAM, 128 MB storage, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, Wi-Fi 6, 2x2 MIMO DL, 1x1 MIMO UL, 4x Gigabit Ethernet Ports, 1x 2.5GE Ethernet Ports, 1 Modem (Micro SIM), 1x USB Port
MT-RBCHATEAU-LTE7	R 1,922	MikroTik Chateau LTE7 WiFi 5 Dual Band 5 port Router, MT-RBCHATEAU-LTE7, IPQ-4019 CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 16 MB storage size, DC jack, LTE category 7, 300 Mbps Download, 100 Mbps Upload, 2x2 MIMO DL, 1x1 MIMO UL, 300 Mbit/s Wireless 2.4GHz Max Data rate, 867 Mbit/s Wireless 5GHz Max Data rate, 5x Gigabit Ethernet Ports, 1 Modem (Micro SIM), 1x USB Ports
MT-RBCHATEAU-LTE7-AX	R 2,697	MikroTik Chateau LTE7 AX with AX1800 Wireless and 2.5Gbps Ethernet, RBCHATEAU-LTE7-ax, IPQ-6010 CPU, Operating System RouterOS V7, 1 GB RAM, 128 MB storage size, 1 DC inputs, LTE category 7, 300 Mbps Download, 100 Mbps Upload, 2x2 MIMO DL, 1x1 MIMO UL, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, 4x 10/100/1000 Ethernet Ports, 1x 2.5G Ethernet Ports, 1 Modem (Micro SIM), 1x USB Port
MT-RBLTAP-LTE7	R 2,700	MikroTik LtAP LTE7 kit 3 SIM 2 mPCIe and GPS Router, LtAP-2HnD& R11e-LTE7, Operating System RouterOS V7, 128 MB RAM, 16 MB storage size, DC inputs - DC jack / PoE-in / automotive, 2x2 MIMO DL, 1x1 MIMO UL, Wi-Fi 4, 300 Mbit/s 2.4GHz Max Data rate, 1x Gigabit Ethernet Port, 3 SIM slots, 2 Mini PCI-e slots, RS232 Serial Console Port, 1x USB Ports
MT-RBLTAPMINI-LTE-V2	R 1,633	MikroTik LtAP Mini LTE kit (2024 Version) with RouterOS L4 License, RB912R-2nD-LTm& EC200A-EU, Operating System RouterOS V7, 64 MB RAM, 16 MB storage size, DC jack, PoE-in, MicroUSB, LTE category 4, 150 Mbps downlink, 50 Mbps Uplink, 2x2 MIMO DL, 1x1 MIMO UL, 300 Mbit/s Wireless 2.4GHz Max Data rate, 1 10/100 Ethernet Ports, 2 Modem (Mini SIM), 1 Mini PCI-e slots, RS232 Serial Console Port, GPS GNSS standards, Uufl GPS RF Connector Type
MT-RBWAP-LTE7-AX	R 2,715	MikroTik wAP AX LTE7 - Weatherproof CAT7 LTE CPE with Dual-Band Wi-Fi 6, wAPGR-5HaxD2HaxD& R11e-LTE7, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, DC jack / PoE-in, LTE category 7, DL 300 Mbps, UL 100 Mbps, Wi-Fi 6, 1200 Mbit/s 5GHz Max Data rate, 574 Mbit/s 2.4GHz Max Data rate, 2x Gigabit Ethernet Ports, 1x SIM (Micro SIM) slot, 1 Mini PCI-e slots
MW5360	R 564	Netis MW5360 4G LTE Router with detachable 4G antennas, Up to 300 Mbps @ 2.4GHz, 1x 10/100 Mbps auto MDI/MDIX RJ45 WAN Port, 2x 10/100 Mbps auto MDI/MDIX RJ45 LAN Port, SIM Card slot
NET-ARCHER-MR105	R 766	TP-Link Archer MR105 300Mbps Wireless N 4G LTE Router, 1x 10/100 Mbps LAN Port, 1x 10/100 Mbps LAN/WAN Port, 1x Nano SIM Card slot, 2x internal 4G / 3G antennas, 2x internal Wi-Fi antennas, 2x external 4G / 3G antenna Ports, 300 Mbps @ 2.4GHz Wireless
NET-ARCHER-MR200	R 1,372	TP-Link Archer MR200 AC750 Wireless N SIM SLOT 3G/4G/LTE Router
NET-ARCHER-MR202	R 1,130	TP-Link Archer MR202 AC750 Wireless Dual-Band 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Nano SIM Card slot, 2x detachable external 4G LTE antennas, 2x external SMA-F antenna Interface, 300 Mbps at 2.4GHz, 433 Mbps at 5GHz, Operating modes - 3G/4G Router / Wireless Router
NET-ARCHER-MR400	R 1,292	TP-Link Archer MR400 AC1350 Wireless N SIM SLOT 3G/4G/LTE Route
NET-ARCHER-MR402	R 1,210	TP-Link Archer MR402 AC1200 Wireless Dual Band 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Nano SIM Card slot, 2x external SMA-F antenna Interface, 2x detachable external 4G LTE antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, Operating modes - 3G/4G Router & Wireless Router
NET-ARCHER-MR402-OUT	R 1,453	TP-Link MR402-Outdoor Archer AC1200 Wireless Dual Band 4G LTE Outdoor Router, 4G fdd-lte, Download Speed 150 Mbps, Upload Speed 50 Mbps, 1x Nano SIM Card, 1x 100 Mbps WAN/LAN Port (PoE in), 2x detachable LTE antennas, 300 Mbps @ 2.4GHz, Operating modes - 3G/4G Router or Wireless Router

NET-ARCHER-MR500	R 1,937	TP-Link Archer MR500 AC1200 4G LTE Advanced CAT6 Router, 1x Gigabit LAN/WAN Port, 3x Gigabit LAN Ports, 1x Nano SIM Card slot, 2 detachable external LTE antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz
NET-ARCHER-MR505	R 1,718	TP-Link Archer MR505 4G CAT6 Gigabit Dual Band WiFi Router, 1x Gigabit LAN/WAN Port, 2x Gigabit LAN Ports, 1x Nano SIM Card slot, 2x external SMA-F antenna Interface, 2 detachable external LTE antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz
NET-ARCHER-MR600	R 2,179	TP-Link Archer MR600 4G Cat6 AC1200 Wireless Dual Band Gigabit Router
NET-ARCHER-MX700	R 1,937	TP-Link Archer MX700 4G AX1500 Dual Band Wi-Fi LTE Router, 4G CAT6 300 / 50 Mbps, 3x Gigabit LAN Ports, 1x SIM, 1x Gigabit WAN/LAN Port, Nano SIM Card, 2x internal 4G/3G antennas, 2x internal Wi-Fi antennas, 2x external antenna Ports, 2.4GHz and 5GHz Frequency, 300 Mbps at 2.4GHz, 1201 Mbps at 5GHz, Operating modes - 3G/4G Router / Wireless Router
NET-ARCHER-NX200	R 4,602	TP-Link Archer NX200 5G AX1800 Wireless Dual-Band Gigabit Router, 1x Gigabit LAN/WAN Port, 2x Gigabit LAN Ports, 1x Nano SIM Card slot, 2x external SMA-F antenna Interface, 8x 5G/LTE internal antennas, 2x Wi-Fi internal antennas, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz
NET-ER703WP-4G-OUT	R 3,290	TP-Link Omada ER703WP-4G-Outdoor 4G CAT6 AX3000 Wi-Fi 6 Indoor / Outdoor Gateway, 1 x Nano SIM Card, 4G LTE, 300 Mbps downlink, 50 Mbps Uplink, 3 Gigabit WAN/LAN Ports, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz, Two 4.0dBi omnidirectional detachable antennas for LTE, Two 5GHz 4.0dBi & 2.4GHz 2.3 dBi Dual-Band build-in for Wi-Fi, 462.8 Mbps wireguard VPN
NET-M7200	R 1,089	Tp-Link M7200 4G 2000Mah T-FDD-LTE Mobile WiFi Modem
NET-M7350	R 1,049	TP-Link M7350 4G 2550MAH LTE-Advanced WiFi Modem
NET-M7450	R 2,179	TP-Link 300Mbps 4G LTE-Advanced Mobile Wi-Fi, Qualcomm, LTE-FDD/LTE-TDD/DC-HSPA /HSPA/UMTS/EDGE/GPRS/GSM, AC1200 selectable Dual Band Wi-Fi, internal 4G Modem, SIM card slot, micro SD card slot, 1.4 inch TFT color screen display, 3000mAH rechargeable battery
NET-M7650	R 2,877	TP-Link M7650 600Mbps LTE-Advanced Mobile Wi-Fi Modem, 3000mAh Rechargeable Battery
NET-M8550	R 5,894	TP-Link M8550 5G Tri-band AXE3600 Wi-Fi Mobile Router, 1x USB-C Port for Power Supply, 1x Gigabit WAN/LAN Port, 1x Nano SIM Card slot, 1x Micro SD card slot, 2x TS-9 antenna Ports, 4680 mAh Rechargeable Battery, 3.4 Gbps downlink 5G Speed, 900 Mbps Uplink 5G Speed, Internal antenna, 2.4 inch TFT Touch Screen, 688 Mbps at 2.4GHz, 2880 Mbps at 5GHz, 2880 Mbps at 6GHz
NET-MER-MB110-4G	R 598	Mercusys MB110-4G 300 Mbps Wireless N 4G LTE Router, 2.4GHz Frequency, 300 Mbps signal rate, 1x Ethernet LAN/WAN Port, 1x Ethernet LAN Port, 2x 4G / 3G external antenna Ports, 1x Nano SIM Card slot
NET-MER-MB115-4G	R 635	Mercusys MB115-4G N300 Wi-Fi 4G LTE Router, 300 Mbps Wi-Fi (2.4GHz), Operation modes - 3G/4G Router / Wireless Router, 1x 10/100 Mbps LAN/WAN Port, 3x 10/100 Mbps LAN Ports, 1x Nano SIM Card slot, 2x external 4G LTE antennas, 2x external Wi-Fi antennas, CAT4 LTE Standard, 150 / 50 Mbps DL / UL
NET-MER-MB135-4G	R 747	Mercusys MB135-4G AC1200 Wireless Dual Band 4G LTE Router; 4G LTE Cat 4; up to 150 Mbps download; up to 50 Mbps upload; 300 Mbps 2.4 GHz; 867 Mbps 5 GHz; Nano SIM; up to 64 Wi-Fi devices; 1 x WAN/LAN; 3 x LAN; detachable LTE antennas; 219 x 140 x 32 mm
NET-MER-MB235-4G	R 1,233	Mercusys MB235-4G AC1200 Wi-Fi 4G LTE Router, 300 Mbps Wi-Fi (2.4GHz), 867 Mbps Wi-Fi (5GHz), 1x Gigabit LAN/WAN Port, 3x Gigabit LAN Ports, 1x Nano SIM Card slot, 2x external detachable 4G LTE antennas, 2x external Wi-Fi antennas, CAT6 LTE Standard, 300 / 50 Mbps DL / UL, Operation mode - 3G/4G Router / Wireless Router
NET-MER-MT110	R 560	Mercusys MT110 150 Mbps 4G LTE Mobile Wi-Fi, MRC-MT110, 2.4GHz WiFi, 1x USB-C Port for Power Supply, 1 Nano SIM Card slot, Internal antennas, 150 Mbps DL/UL 4G LTE Speed, 287 Mbps 2.4GHz WiFi Speed
NET-NX510V	R 5,520	TP-Link NX510V AX3000 5G WiFi 6 Router - MTN approved, 3x Gigabit RJ45 LAN Ports, 1 Port for WAN/LAN Auto-Sensing, Optional internal / external LTE/5G antennas
NET-TL-MR150	R 1,210	TP-Link TL-MR150 300Mbps Wireless N 4G LTE Router
NET-TL-MR3020	R 346	TP-Link TL-MR3020 Portable 3G/3.75G/ 4G Wireless N Router (Requires a USB 3G/4G router - no SIM slot in device)
NET-TL-MR3420	R 435	TP-Link TL-MR3420 300Mbps Wireless N USB 3G/4G Router (Requires a USB 3G/4G modem - no SIM card slot in device)
NET-TL-MR6400	R 1,210	TP-Link TL-MR6400 300Mbps Wireless N 4G LTE Router

NET-TL-NE200-OUT	R 4,621	TP-Link NE200-Out 5G Outdoor 2.5Gbps PoE Router, 5G Download Speed up to 4.67 Gbps, 5G Upload Speed up to 1.46 Gbps, 1x 2.5 Gbps PoE/LAN Port, 1x Nano SIM Card slot, Internal 5G NR/LTE antennas, Operating modes - 3G / 4G / 5G Router
NET-TL-TAPO-C645D-KI	R 2,842	Tapo C645D Solar-Powered Dual-Lens Pan/Tilt Security Camera Kit; 2K 3MP; 165.1 degree wide-angle view; 360 degree pan coverage; 120 degree tilt coverage; 10.8 x digital zoom; solar powered; rechargeable battery; AI person, pet and vehicle detection; colour night vision; microSD up to 512 GB; dual-band Wi-Fi; IP65; camera: 132 x 82 x 160mm
NS-MW5360	R 253	Netis MW5360 4G LTE Router with detachable 4G antennas, Up to 300 Mbps @ 2.4GHz, 1x 10/100 Mbps auto MDI/MDIX RJ45 WAN Port, 2x 10/100 Mbps auto MDI/MDIX RJ45 LAN Port, SIM Card slot
NX510V	R 5,811	TP-Link NX510V 5G AX3000 Wi-Fi6 Telephony Router
NX511v	R 3,979	TP-Link NX511v 5G AX3000 Wi-Fi 6 Telephony Router, Build-In 5G Modem, SPEED: 2402 Mbps at 5 GHz 574Mbps at 2.4 GHz, 5G up to 3.4Gbps, 4G Cat19 1600Mbps/200Mbps, SPEC: 2x Gigabit LAN Ports, 1x Gigabit WAN/LAN Port, 1* Phone Port, SA/NSA/LTE-FDD/LTE-TDD/DC-HSPA /HSPA /HSP
OTD140	R 2,899	Teltonika OTD140 Outdoor 4G Router, 2 SIM cards, 1x PoE in Port, 1x PoE out, 802.3af/at PoE standards, 2x RJ45 Ports 10/100 Mbps, 2x internal antennas
P2	R 2,890	Cudy P2 AX3000 Dual Band 5G Wi-Fi 6 LTE Router - White, Up to 2402 Mbps Wi-Fi Speed (5GHz), Up to 574 Mbps Wi-Fi Speed (2.4GHz), 2x2 MIMO Wi-Fi streams (5GHz), 2x2 MIMO Wi-Fi streams (2.4GHz), Up to 100 recommended connected devices, 5G Cellular Standard, Up to 2.6 Gbps 5G Download Speed, LTE Cat 4G support, Nano SIM, 4x internal Cellular antennas, 2x SMA connectors external antenna support, 2x Gigabit RJ45 Ethernet Ports, 1x WAN/LAN Port, 1x LAN Port, 1x RJ11 FXS Port, Cudy Mesh
RB-CHAT5GAX	R 6,089	MikroTik Chateau 5G AX WiFi 6 Gigabit Router, S53UG 5HaxD2HaxD-TC& RG650E, LTE / 5G, 7.01Gbps downlink, 1.25Gbps Uplink, 4x Gigabit Ethernet Ports, 1x 2.5Gbps Ethernet Ports, Desktop mounting, RouterOS (Level 4 License) Operating System, 24V 1.2A Power Supply (Included), Nano or eSIM SIM slots, 1x USB 3.0 Ports
RB-CHATLTE7	R 1,949	MikroTik Chateau LTE7 WiFi 5 Dual Band 5 port Router, MT-RBCHATEAU-LTE7, IPQ-4019 CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 16 MB storage size, DC jack, LTE category 7, 300 Mbps Download, 100 Mbps Upload, 2x2 MIMO DL, 1x1 MIMO UL, 300 Mbit/s Wireless 2.4GHz Max Data rate, 867 Mbit/s Wireless 5GHz Max Data rate, 5x Gigabit Ethernet Ports, 1 Modem (Micro SIM), 1x USB Ports
RB-KNOTLTE4	R 1,294	MikroTik KNOT LTE4 Bluetooth Industrial LTE Gateway, EC25-EU& KNe, RouterOS License 3, RouterOS V7 Operating System, 256MB RAM, 512 MB storage size, 2 DC inputs (PoE-in / USB-C), LTE category 4, 1x Gigabit Ethernet Port, 1x Gigabit Port with Reverse PoE (PoE-in), 1x SIM slots, SMA GPS RF Connector Type, eSIM
RB-LTAP	R 1,639	MikroTik RB912R-2nD-LTm LtAP Mini LTE Router Dual SIM and GPS
RB-LTAPLTE7	R 2,731	MikroTik LtAP LTE7 kit 3 SIM 2 mPCIe and GPS Router, LtAP-2HnD& R11e-LTE7, Operating System RouterOS V7, 128 MB RAM, 16 MB storage size, DC inputs - DC jack / PoE-in / automotive, 2x2 MIMO DL, 1x1 MIMO UL, Wi-Fi 4, 300 Mbit/s 2.4GHz Max Data rate, 1x Gigabit Ethernet Port, 3 SIM slots, 2 Mini PCI-e slots, RS232 Serial Console Port, 1x USB Ports
RB-SXTLTE7	R 1,811	MikroTik SXT LTE7 Outdoor PoE CPE, SXTR& R11e-LTE7, Operating System RouterOS V7, 64 MB RAM, 16 MB storage size, PoE-in DC Input, LTE category 7, DL 300 Mbps, UL 100 Mbps, 2x2 MIMO DL, 1x1 MIMO UL, 2 10/100 Ethernet Ports, 2 SIM slots, 1 Mini PCI-e slots
RB-WAPLTE7AX	R 2,754	MikroTik wAP AX LTE7 - Weatherproof CAT7 LTE CPE with Dual-Band Wi-Fi 6, wAPGR-5HaxD2HaxD& R11e-LTE7, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, DC jack / PoE-in, LTE category 7, DL 300 Mbps, UL 100 Mbps, Wi-Fi 6, 1200 Mbit/s 5GHz Max Data rate, 574 Mbit/s 2.4GHz Max Data rate, 2x Gigabit Ethernet Ports, 1x SIM (Micro SIM) slot, 1 Mini PCI-e slots
RB912R-2ND-LTM+EC200A-EU	R 1,639	MikroTik LtAP Mini LTE kit - Router OS V7, RB912R-2ND-LTM& EC200A-EU, RouterOS V7 Operating System, RouterOS License 4, 650 MHz QCA9531 CPU, 64 MB RAM, 16 MB storage size, MicroUSB, DC jack, PoE-in, 1x 10/100 Ethernet Ports, 2 Modem (Mini SIM), 1 Mini PCI-e slots, RS232 Serial Console Port, GPS GNSS standards, Uufl GPS RF connector Type, Built-In LTE Modem and GPS
RBD53G-5HACD2HND-TC+R11-7	R 2,013	MikroTik Chateau LTE7 WiFi 5 Dual Band 5 port Router, MT-RBCHATEAU-LTE7, IPQ-4019 CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 16 MB storage size, DC jack, LTE category 7, 300 Mbps

		Download, 100 Mbps Upload, 2x2 MIMO DL, 1x1 MIMO UL, 300 Mbit/s Wireless 2.4GHz Max Data rate, 867 Mbit/s Wireless 5GHz Max Data rate, 5x Gigabit Ethernet Ports, 1 Modem (Micro SIM), 1x USB Ports
RBL41G-2AXD	R 937	MikroTik hAP ax Lite LTE6 4 port Gigabit 600Mbps WiFi 6 Router, L41G-2axD, RouterOS License 4, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage size, 4x Gigabit Ethernet Ports, 574 Mbit/s Wireless 2.4 GHz Max data rate, 1 Modem Micro SIM slot
RBLAMPGM+RG520F-EU	R 6,324	MikroTik Lamp 5G R16 Outdoor 5G Router with eSIM, RBLAMPGM RG520F-EU, IP67 rated enclosure for Maritime durability, Built-In eSIM support with multiple Profile capability, Omnidirectional antenna system up to 6.5 dBi gain, 360 degree horizontal beamwidth coverage, Cellular Throughput up to 4.2 Gbps downlink and 900 Mbps Uplink, 5G SA/nsa release 16 with LTE Cat 20 support, GNSS support, 1x 1Gbps Ethernet Port, 802.3af/at PoE-in Power Input from 12 to 56 V, Fanless Design, RouterOS V7 Level 3 licence included
RBSXTR+R11E-LTE7	R 1,811	MikroTik SXT LTE7 Outdoor PoE CPE, SXTR& R11e-LTE7, Operating System RouterOS V7, 64 MB RAM, 16 MB storage size, PoE-in DC Input, LTE category 7, DL 300 Mbps, UL 100 Mbps, 2x2 MIMO DL, 1x1 MIMO UL, 2x 10/100 Ethernet Ports, 2 SIM slots, 1 Mini PCI-e slots
RG-EW300T	R 677	Reyee Cloud-Managed 300 Mbps Wireless 4G LTE Router, RG-EW300T, LTE CAT4, 4 antennas, 300 Mbps @ 2.4GHz, 1x 10/100 Base-T WAN/LAN Port, 3x 10/100 Base-T LAN Ports, 1x Micro SIM Card slot, 8x recommended users
RT-BE58 GO	R 2,670	Asus WiFi7 Dual-Band Travel Router; up to 3600 Mbps; 5G/4G tethering; AiProtection VPN; USB-C power; dual band; portable
RUT200	R 2,175	Teltonika RUT200 4G (LTE) CAT 4 up to 150 Mbps, IEEE 802.11b/g/n, Access Point (Access Point), Station (STA), 1x WAN Port 10/100 Mbps (Can be configured to LAN), 1x LAN Port 10/100 Mbps
RUT200-VA	R 1,802	Teltonika RUT200-VA 4G (LTE) CAT 4 up to 150 Mbps, IEEE 802.11b/g/n, Access Point (Access Point), Station (STA), 1x WAN Port 10/100 Mbps (Can be configured to LAN), 1x LAN Port 10/100 Mbps
RUT241	R 3,067	Teltonika RUT241 Industrial LTE Wi-Fi IoT Router with VPN and I/O, MediaTek Chipset
RUT241-ESIM	R 3,725	Teltonika RUT241 eSim LTE WiFi IoT Router with VPN, 4G LTE CAT 4 up to 150 Mbps DL / 50 Mbps UL, Wi-Fi 4, Up to 50 simultaneous connections, 1x RJ45 Ethernet WAN Port, 1x RJ45 Ethernet LAN Port, 1x Digital Input, 1x Digital Output, 4 pin Industrial DC Power Socket, 1x SIM slot, 2x SMA for LTE, 1x RP-SMA for Wi-Fi antenna connectors, Aluminium housing
RUT260	R 4,309	Teltonika RUT260 Industrial LTE CAT6 Cellular Router, Up to 50 simultaneous connections, CAT6 up to 300 Mbps, 4G (LTE) CAT6 up to 300 Mbps, 3G up to 42 Mbps, 1x LAN Port 10/100 Mbps, 1x WAN Port 10/100 Mbps
RUT361	R 4,869	Teltonika RUT361 4G LTE CAT6 Router, 4G LTE CAT6 up to 300 DL / 50 UL Mbps, 802.11b/g/n Wireless mode, Up to 50 simultaneous connections, 1 x WAN Port, 1 x LAN Port, 2 x configurable I/O pins on 4 pin Power connector, 1 x SIM slot, 2 x SMA for LTE, 2 x RP-SMA for Wi-Fi, Aluminium housing
RUT901	R 2,868	Teltonika RUT901 Industrial LTE Wi-Fi IoT Router with Dual SIM - auto failover & Backup WAN, 4G (LTE) CAT 4 up to 150 Mbps, 3G up to 42 Mbps, 2 SIM cards, 1x WAN Port 10/100 Mbps, 3x LAN Ports 10/100 Mbps
RUT906	R 3,920	Teltonika RUT906 Industrial LTE Wi-Fi IoT Router with VPN / RS485 / RS232, Up to 100 simultaneous connections, 1x Ethernet WAN Port, 3x Ethernet LAN Ports, Serial interfaces (RS232 & RS485)
RUT951	R 5,718	Teltonika RUT951 Industrial LTE Wi-Fi IoT Router with VPN and Dual SIM, MediaTek Chipset
RUT951-ESIM	R 4,195	Teltonika RUT951 eSIM LTE CAT 4 Industrial Router, Dual-SIM, Wi-Fi 4, 1x Ethernet WAN PoE-in, 3x Ethernet LAN PoE-out, MQTT, Modbus, 4G LTE CAT 4 up to 150 DL/50 UL Mbps, 2 SIM cards, Consumer Type eSIM, 4 pin Industrial DC Power Socket, 48 - 57 VDC Input Voltage range for PoE, 1x Digital Input, 1x Digital Output on 4 pin Power Connector, 2x SMA for LTE, 2x RP-SMA for Wi-Fi antenna connectors, Aluminium housing
RUT951-POE	R 5,320	Teltonika RUT951 LTE CAT 4 Industrial Router, Dual-SIM, Wi-Fi 4, 1x Ethernet WAN PoE-in, 3x Ethernet LAN PoE-out, MQTT, Modbus, 4G LTE CAT 4 up to 150 DL/50 UL Mbps, 2 SIM cards, Consumer Type eSIM, 4 pin Industrial DC Power Socket, 48 - 57 VDC Input Voltage range for PoE, 1x Digital Input, 1x Digital Output on 4 pin Power Connector, 2x SMA for LTE, 2x RP-SMA for Wi-Fi antenna connectors, Aluminium housing
RUT956	R 5,480	Teltonika RUT956 Industrial LTE Wi-Fi IoT Router with VPN / I/O / RS232 / RS485 / GPS, MediaTek Chipset, 3x LAN Ports 10/100 Mbps, 1x WAN Port 10/100 Mbps
RUT976	R 7,073	Teltonika Industrial Redcap 5G Router, RUT976, Release 17 Redcap, Wi-Fi 4, GNSS GPS, 4x RJ45 Ports 10/100 Mbps, 2x inputs and 2 x Outputs on 10 - pin Industrial Socket, 1x Digital Input and 1 x Digital Output on 4 pin

		Power connector, 2x SIM slots (Mini SIM - 2FF), 2x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for GNSS, 1x USB Type-A Port for external devices, 1x DB9 Socket RS232, 1 x 6 pin Industrial Socket RS485, Aluminum housing
RUTM09	R 4,781	Teltonika RUTM09 Industrial 4G LTE Router, 2 SIM cards, 1x Gigabit WAN Port, 3x Gigabit LAN Port, Aluminium housing, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 1x 4 pin Power connector, 2x SMA antennas for LTE, 1x SMA antenna for gnns, 1x grounding screw, DIN Rail, Wall Mount
RUTM10	R 3,059	Teltonika RUTM10 Ethernet WiFi Router, WiFi 5, Up to 150 simultaneous connections, 1x WAN Gigabit Port, 3x LAN Gigabit Ports, 4 pin Industrial DC Power Socket, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 2x RP-SMA for Wi-Fi
RUTM11	R 6,544	Teltonika RUTM11 LTE Ethernet WiFi Router, 2 SIM cards, WiFi 5, 1x WAN Gigabit Port, 3x LAN Gigabit Ports, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 2x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for GNSS
RUTM30	R 10,242	Teltonika RUTM30 eSIM LTE Cat 19 Industrial 5G Router, Wi-Fi 5, 1x Gigabit WAN, 1x Gigabit LAN, Consumer Type eSIM, 2x 2FF SIM and 1x eSIM, Up to 150 simultaneous connections Wi-Fi users, 5G Sub-6Ghz Mobile module, 2x configurable Digital I/O on 4 pin Power Connector, 1x 4 pin Power Connector, 4x SMA for Mobile, 2x RP-SMA for Wi-Fi, Anodized Aluminium housing
RUTM52	R 21,730	Teltonika Dual 5G Wi-Fi 5 Cellular Router, RUTM52, Consumer Type eSim, Up to 7 eSim profiles, Wi-Fi 5, Up to 150 simultaneous connections, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, RutOS Operating System, GNSS location Tracking, 1x Digital Input, 1x Digital Output, 2x SIM slots, 1x 4 pin Power connector, 8x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for gnns, 1x grounding screw, Anodized aluminum housing and panels
RUTX09	R 6,915	Teltonika Industrial LTE CAT6 IoT Router with Quad-Core CPU, Gnns & GPS, 1x GbE WAN, 3x GbE LAN, Dual SIM, CAT6 LTE, 717MHz Quad-Core CPU, GPS, USB, I/O, 9-50 V DC in
RUTX11	R 7,608	Teltonika RUTX11 LTE CAT6 Industrial Router, Dual-SIM, Wi-Fi 5, 1x WAN (1Gbps), 3x LAN (1 Gbps), GPS, Glonass, Beidou, Galileo, QZSS, 1x Digital Input, I/O juggler, 4 pin Industrial DC Power Socket, 2x SIM slots (Mini SIM - 2FF), 2x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x RP-SMA for Bluetooth, 1x SMA for GNSS, 1x USB Type-A Port for external devices, Aluminium housing
RUTX12	R 10,746	Teltonika RUTX12 Industrial LTE CAT.6 Wi-Fi IoT Router, Quad-Core arm Cortex A7, AC WAVE2 Wi-Fi, 5x Gigabit Ethernet ports, WAVE-2 802.11ac Dual Band WiFi, Bluetooth LE and USB interfaces
RUTX14	R 8,564	Teltonika RUTX14 Industrial LTE-A Cat 12 Router - Dual SIM, WAVE-2 Dual-Band Wi-Fi, 5x Gigabit Ports, Bluetooth LE, Antenna ' s included, 24W PSU, Download up to 600 Mbps, Upload up to 150 Mbps
RUTX50	R 11,466	Teltonika RUTX50 Industrial 5G Router - Dual SIM, Backwards compatible with 4G
SMCWBR14S-3GNEU	R 535	SMC Broadband 3G x4-port RJ-45, Fast Ethernet, 3G USB Modem 300Mbps
SMCWPBR-3G	R 288	SMC SMCWPBR-3G Portable 3G 802.11b/g Wifi Router, 1x USB port for USB 3G modem (3G not built into the device), 4-6 hours battery life, 54 Mbps Maximum Wireless Speed 802.11b/g, 2 dBi internal antenna
TL-MR100	R 830	TP-Link MR100 300 Mbps Wireless N 4G LTE Router, 1x 10/100Mbps LAN Port, 1x 10/100Mbps LAN/WAN Port, 1 Nano SIM Card slot, 2 detachable external 4G LTE antennas
TL-MR100	R 741	TP-Link TL-MR100 300 Mbps Wireless N 4G LTE Router, build-in 150Mbps 4G LTE modem, LTE-FDD/LTE-TDD/HSPA /UMTS, with 3x10/100Mbps LAN ports and 1x10/100Mbps LAN/WAN port, 300Mbps at 2.4GHz
TL-MR100	R 864	TP-Link MR100 300 Mbps Wireless N 4G LTE Router, 1x 10/100Mbps LAN Port, 1x 10/100Mbps LAN/WAN Port, 1 Nano SIM Card slot, 2 detachable external 4G LTE antennas
TL-MR105	R 824	TP-Link Archer MR105 300Mbps Wireless N 4G LTE Router, 1x 10/100 Mbps LAN Port, 1x 10/100 Mbps LAN/WAN Port, 1x Nano SIM Card slot, 2x internal 4G / 3G antennas, 2x internal Wi-Fi antennas, 2x external 4G / 3G antenna Ports, 300 Mbps @ 2.4GHz Wireless
TL-MR150	R 1,268	TP-Link TL-MR150 300 Mbps Wireless N 4G LTE Router, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Micro SIM Card slot, 2x detachable external 4G LTE antennas, 300 Mbps at 2.4GHz
TL-MR3020	R 346	TP-Link TL-MR3020 150Mbps Portable 3G/4G Wireless N Router, Compatible with LTE/HSPA /HSUPA/HSDPA/UMTS/EVDO USB modem, 3G/WAN failover, 2.4GHz, 802.11b/g/n, Powered by power adapter or USB host, 1 internal antenna (Requires a USB 3G/4G router - no SIM slot in device)

TL-MR6400	R 1,330	TP-Link TL-MR6400 300Mbps Wireless N 4G LTE Router, build-in 4G LTE modem, support LTE-FDD/LTE-TDD/DC-HSPA /HSPA /HSPA/UMTS/EDGE/GPRS/GSM, with 3x10/100Mbps LAN ports and 1x10/100Mbps LAN/WAN port, 300Mbps at 2.4GHz, 802.11b/g/n, 2 internal Wi-Fi antennas, 2 detach
TL-MR6400	R 1,268	TP-Link 300Mbps Wireless 4G LTE Router, build-in 4G LTE modem, support LTE (FDD/ TDD)/ DC-HSPA / HSPA / HSPA/ UMTS/ EDGE/ GPRS/ GSM, with 3x10/100Mbps LAN ports and 1x10/100Mbps LAN/WAN port, 300Mbps at 2.4GHz, 2 detachable LTE antennas.
TL-MR6500V	R 1,497	TP-Link MR6500v N300 4G LTE Telephony WiFi Router, 1x 10/100 Mbps LAN/WAN Port, 2x 10/100 Mbps LAN Ports, 1x phone Port, 1 Micro SIM Card slot, 2x detachable external 4G LTE antennas
TND-4G07	R 896	Tenda 4G07 4G LTE CAT4 Dual-Band Router, 300 Mbps (2.4GHz), 867 Mbps (5GHz), DL 150 Mbps Maximum 4G speed, UL 50 Mbps Maximum 4G speed, 802.11b/g/n/ac Wi-Fi standards, 1x 10/100/1000 Mbps LAN/WAN Port, 1x 10/100/1000 Mbps LAN Port, 1x 2FF SIM Card slot
TND-4G09	R 891	Tenda 4G LTE CAT6 AC1200 Dual-Band Wi-Fi 4g LTE Router, 4G09, Desktop 802.11 b/g/n/ac, 1x Gigabit WAN, 1x Gigabit LAN, 300 Mbps Download speed Maximum, 50 Mbps Upload speed Maximum, 2.4GHz 300 Mbps, 5GHz 867 Mbps, 1x 2ff SIM Card slot, 2x detachable 4G/3G antennas, 2x internal Wi-Fi antennas
TP-ER706W-4G	R 3,964	TP-Link ER706W-4G Omada 4G CAT6 AX3000 Gigabit VPN Router, Support 4G CAT6, AX3000 Dual-Band WiFi 6, 5 High-Gain detachable antennas, Centralized Management, Omada Mesh, High-Security VPN, 1x Nano SIM Card, 300 Mbps downlink Speed, 50 Mbps Uplink Speed, 1 Gigabit SFP WAN/LAN Port, 1 Gigabit WAN Port, 4x Gigabit LAN/WAN Ports, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz
TP-M8550	R 5,894	TP-Link M8550 5G Tri-band AXE3600 Wi-Fi Mobile Router, 1x USB-C Port for Power Supply, 1x Gigabit WAN/LAN Port, 1x Nano SIM Card slot, 1x Micro SD card slot, 2x TS-9 antenna Ports, 4680 mAh Rechargeable Battery, 3.4 Gbps downlink 5G Speed, 900 Mbps Uplink 5G Speed, Internal antenna, 2.4 inch TFT Touch Screen, 688 Mbps at 2.4GHz, 2880 Mbps at 5GHz, 2880 Mbps at 6GHz
TP-MR100	R 807	TP-Link MR100 300 Mbps Wireless N 4G LTE Router, 1x 10/100Mbps LAN Port, 1x 10/100Mbps LAN/WAN Port, 1 Nano SIM Card slot, 2 detachable external 4G LTE antennas
TP-MR150	R 1,210	TP-Link TP-MR150 300 Mbps Wireless N 4G LTE Router, Built-In 150 Mbps 4G LTE Modem, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps LAN/WAN Port, 1x Micro SIM Card slot, 2 x detachable external 4G LTE antennas, 300 Mbps at 2.4 GHz
TP-MR200	R 1,372	TP-Link MR200 733Mbps Wireless Dual Band 4G LTE Router, Shares your 4G LTE network with multiple Wi-Fi devices and enjoy download speeds of up to 150Mbps, Requires no configuration, Just insert a SIM card and turn it on to enjoy a fast wireless connection, 3x 10/100Mbps LAN Ports, 1x 10/100Mbps LAN/WAN Port, 1x SIM Card Slot
TP-MR3020	R 346	TP-Link MR3020 Portable 3G/4G Wireless N Router, 1x 10/100Mbps WAN/LAN Port, USB2.0 Port for 3G/4G modem, mini USB Port for power supply, Internal Antenna, Wireless Modes - 3G Router / Travel Router (AP) / WISP Client Router, Requires a USB 3G / 4G modem
TP-MR402-OUT	R 1,453	TP-Link MR402-Outdoor Archer AC1200 Wireless Dual Band 4G LTE Outdoor Router, 4G fdd-lte, Download Speed 150 Mbps, Upload Speed 50 Mbps, 1x Nano SIM Card, 1x 100 Mbps WAN/LAN Port (PoE in), 2x detachable LTE antennas, 300 Mbps @ 2.4GHz, Operating modes - 3G/4G Router or Wireless Router
TP-MR600-V2	R 2,447	TP-Link Archer MR600 V2 - AC1200 4G LTE Router SIM, CAT6 Gigabit Router, 3x GbE LAN Ports, 1x GbE LAN/WAN Port, 1x Micro SIM Card slot, 2x detachable 4G LTE antennas, 300 Mbps at 2.4 GHz, 867 Mbps at 5 GHz
TP-MX700	R 1,937	TP-Link Archer MX700 4G AX1500 Dual Band Wi-Fi LTE Router, 4G CAT6 300 / 50 Mbps, 3x Gigabit LAN Ports, 1x SIM, 1x Gigabit WAN/LAN Port, Nano SIM Card, 2x internal 4G/3G antennas, 2x internal Wi-Fi antennas, 2x external antenna Ports, 2.4GHz and 5GHz Frequency, 300 Mbps at 2.4GHz, 1201 Mbps at 5GHz, Operating modes - 3G/4G Router / Wireless Router
TP-NE211-OUT	R 4,198	TP-Link NE211-Outdoor 5G Outdoor Router, 1x 2.5GE PoE/LAN Port, 1 Nano SIM, 802.3at PoE external Power Supply, Internal 5G NR/LTE antennas, IP67 protection, Pole/Wall mounting, Bluetooth
TP-NX220V	R 3,163	TP-Link 5G AX1800 Wi-Fi 6 Telephony Router, NX220v, 3 x 10/100/1000 Mbps RJ45 LAN Ports, Internal WiFi antennas, Optional internal / external LTE / 5G antennas, 4.67 Gbps @ 5G signal rate, 5G/4G/3G & Wi-Fi Router working mode

TP-NX510V	R 5,520	TP-Link NX510V AX3000 5G WiFi 6 Router - MTN approved, 3x Gigabit RJ45 LAN Ports, 1 Port for WAN/LAN Auto-Sensing, Optional internal / external LTE/5G antennas
TRB140	R 3,059	Teltonika TRB140 LTE CAT 4 Industrial Rugged Ethernet Gateway, 1x Gigabit LAN, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 1x SIM slot (Mini SIM - 2FF), 1 x 4 pin Power connector, 1x SMA for LTE antenna, Aluminium housing
TRB143	R 4,149	Teltonika TRB143 Industrial M-Bus LTE Gateway, 1x Gigabit Ethernet Port, 1x Digital Input, 0 - 6 V detected as logic low, 1x Digital Output, 4 pin Industrial DC Power Socket, 12 - 30 VDC Input Voltage range, 1x SIM slot, 1x SMA for LTE, 1x M-Bus Interface
TRB145	R 2,714	Teltonika TRB145 Industrial RS485 USB to LTE IoT Gateway, 1x Mini SIM, 1x SMA (for LTE), RS485, 9-30V DC In, Micro-USB
TRB246	R 3,459	Teltonika TRB246 Industrial Dual-SIM LTE Gateway to I/O / Ethernet / RS232 / RS485, 2 SIM cards, 1 x Ethernet LAN RJ45 Port, 3 x configurable Digital I/O in 16 pin Terminal Block, 1 x 16 pin Terminal Block Power, 1 x SMA connector for LTE, 1 x SMA connector for GNSS, RS232, RS485, 3 x Digital Input, 3 x Digital Output
TTK-OTD140	R 2,608	Teltonika OTD140 Outdoor 4G Router, 2 SIM cards, 1x PoE in Port, 1x PoE out, 802.3af/at PoE standards, 2x RJ45 Ports 10/100 Mbps, 2x internal antennas
TTK-OTD144	R 2,805	Teltonika Outdoor 4G Wi-Fi Router, 4G LTE up to 150 DL / 50 UL Mbps, 2 SIM cards, Wi-Fi 4, Up to 100 simultaneous connections, 2x Ethernet Ports (can be configured as WAN), 1x PoE in Port, 1x PoE out, 2x internal antennas
TTK-OTD500	R 9,140	Teltonika OTD500 Outdoor 5G Router, 2x RJ45 Gigabit Ethernet Ports, 2x SIM slots, 4x internal antennas
TTK-RUT200	R 1,833	Teltonika RUT200 4G (LTE) CAT 4 up to 150 Mbps, IEEE 802.11b/g/n, Access Point (Access Point), Station (STA), 1x WAN Port 10/100 Mbps (Can be configured to LAN), 1x LAN Port 10/100 Mbps
TTK-RUT206	R 2,860	Teltonika Industrial 4G Router, RUT206, 4G LTE CAT 4 up to 150 DL / 50 UL, Wi-Fi 4, Up to 50 simultaneous connections, 1x WAN Port 10/100 Mbps, 1x LAN Ports, 10/100 Mbps, RutOS Operating System, 2x SIM slots (Mini SIM - 2FF), 1x 2 pin Power connector, 2x SMA for Mobile, 1x RP-SMA for Wi-Fi, RS232, RS485, Anodized aluminum housing
TTK-RUT241	R 3,203	Teltonika RUT241 Industrial LTE Wi-Fi IoT Router with VPN and I/O, MediaTek Chipset
TTK-RUT241-E	R 3,268	Teltonika RUT241 eSim LTE WiFi IoT Router with VPN, 4G LTE CAT 4 up to 150 Mbps DL / 50 Mbps UL, Wi-Fi 4, Up to 50 simultaneous connections, 1x RJ45 Ethernet WAN Port, 1x RJ45 Ethernet LAN Port, 1x Digital Input, 1x Digital Output, 4 pin Industrial DC Power Socket, 1x SIM slot, 2x SMA for LTE, 1x RP-SMA for Wi-Fi antenna connectors, Aluminium housing
TTK-RUT260	R 3,572	Teltonika RUT260 Industrial LTE CAT6 Cellular Router, Up to 50 simultaneous connections, CAT6 up to 300 Mbps, 4G (LTE) CAT6 up to 300 Mbps, 3G up to 42 Mbps, 1x LAN Port 10/100 Mbps, 1x WAN Port 10/100 Mbps
TTK-RUT271	R 5,611	Teltonika Redcap 5G Router, RUT271, Release 17 Redcap, Wi-Fi 4, Up to 50 simultaneous connections, 1x WAN Port 10/100 Mbps, 1x LAN Ports, 10/100 Mbps, RutOS Operating System, 1x Digital Input, 1x Digital Output, 4 pin Industrial DC Power Socket, 1x SIM slot (Mini SIM - 2FF), 2x SMA for Mobile, 1x RP-SMA for Wi-Fi, Aluminum housing
TTK-RUT360	R 4,388	Teltonika Industrial IoT WiFi 4G LTE CAT6 cellular module, Offering Data speeds up to 300 Mbps, 802.11 b/g/n, 2x2 MIMO, 1x WAN Port, 1x LAN Port, 1x SIM slots, 2x SMA for LTE, 2x RP-SMA for WiFi
TTK-RUT361	R 4,302	Teltonika Industrial 4G Cellular Router, RUT361, 4G LTE CAT6 up to 300 DL / 50 UL Mbps, Wi-Fi 4, Up to 50 simultaneous connections, 1x WAN Port 10/100 Mbps, 1x LAN Ports, 10/100 Mbps, RutOS Operating System, 2x configurable I/O pins on 4 pin Power connector, 1x SIM slot (Mini SIM - 2FF), 1x 4 pin Power connector, 2x SMA for LTE, 2x RP-SMA for Wi-Fi, Aluminium housing
TTK-RUT901	R 2,786	Teltonika RUT901 Industrial LTE Wi-Fi IoT Router with Dual SIM - auto failover & Backup WAN, 4G (LTE) CAT 4 up to 150 Mbps, 3G up to 42 Mbps, 2 SIM cards, 1x WAN Port 10/100 Mbps, 3x LAN Ports 10/100 Mbps
TTK-RUT906	R 2,946	Teltonika RUT906 Industrial LTE Wi-Fi IoT Router with VPN / RS485 / RS232, Up to 100 simultaneous connections, 1x Ethernet WAN Port, 3x Ethernet LAN Ports, Serial interfaces (RS232 & RS485)
TTK-RUT951	R 4,248	Teltonika RUT951 Industrial LTE Wi-Fi IoT Router with VPN and Dual SIM, MediaTek Chipset
TTK-RUT951-E	R 4,371	Teltonika RUT951 eSIM LTE CAT 4 Industrial Router, Dual-SIM, Wi-Fi 4, 1x Ethernet WAN PoE-in, 3x Ethernet LAN PoE-out, MQTT, Modbus, 4G LTE CAT 4 up to 150 DL/50 UL Mbps, 2 SIM cards, Consumer Type eSIM, 4 pin

		Industrial DC Power Socket, 48 - 57 VDC Input Voltage range for PoE, 1x Digital Input, 1x Digital Output on 4 pin Power Connector, 2x SMA for LTE, 2x RP-SMA for Wi-Fi antenna connectors, Aluminium housing
TTK-RUT956	R 4,839	Teltonika RUT956 Industrial LTE Wi-Fi IoT Router with VPN / I/O / RS232 / RS485 / GPS, MediaTek Chipset, 3x LAN Ports 10/100 Mbps, 1x WAN Port 10/100 Mbps
TTK-RUT976	R 7,163	Teltonika Industrial Redcap 5G Router, RUT976, Release 17 Redcap, Wi-Fi 4, GNSS GPS, 4x RJ45 Ports 10/100 Mbps, 2x inputs and 2 x Outputs on 10 - pin Industrial Socket, 1x Digital Input and 1 x Digital Output on 4 pin Power connector, 2x SIM slots (Mini SIM - 2FF), 2x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for GNSS, 1x USB Type-A Port for external devices, 1x DB9 Socket RS232, 1 x 6 pin Industrial Socket RS485, Aluminum housing
TTK-RUTC50	R 14,786	Teltonika RUTC50 Industrial 5G Wireless Router with WiFi 6, 2 SIM cards, 2402 Mbps on 5GHz Data transmission rate, 576 Mbps on 2.4GHz Data transmission rate, Up to 512 simultaneous connections, 1x Gigabit WAN Port, 4x Gigabit LAN Port, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 1 x 4 pin Power connector, 4x SMA for Mobile, 3x RP-SMA for Wi-Fi, 1x SMA for GNSS, 1x USB Type-A Port for external devices, 1x grounding screw, Anodized aluminum housing and panels, DIN Rail, Wall Mount
TTK-RUTM09	R 4,892	Teltonika RUTM09 Industrial 4G LTE Router, 2 SIM cards, 1x Gigabit WAN Port, 3x Gigabit LAN Port, Aluminium housing, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 1x 4 pin Power connector, 2x SMA antennas for LTE, 1x SMA antenna for gnns, 1x grounding screw, DIN Rail, Wall Mount
TTK-RUTM10	R 2,581	Teltonika RUTM10 Ethernet WiFi Router, WiFi 5, Up to 150 simultaneous connections, 1x WAN Gigabit Port, 3x LAN Gigabit Ports, 4 pin Industrial DC Power Socket, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 2x RP-SMA for Wi-Fi
TTK-RUTM11	R 5,699	Teltonika RUTM11 LTE Ethernet WiFi Router, 2 SIM cards, WiFi 5, 1x WAN Gigabit Port, 3x LAN Gigabit Ports, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 2x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for GNSS
TTK-RUTM51	R 6,110	Teltonika Industrial 5G Router, RUTM51, 2 SIM cards, Up to 150 simultaneous connections, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x Digital Input, 1x Digital Output, 4 pin Industrial DC Power Socket, 4x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x grounding screw, Aluminium housing
TTK-RUTM52	R 21,261	Teltonika Dual 5G Wi-Fi 5 Cellular Router, RUTM52, Consumer Type eSim, Up to 7 eSim profiles, Wi-Fi 5, Up to 150 simultaneous connections, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, RutOS Operating System, GNSS location Tracking, 1x Digital Input, 1x Digital Output, 2x SIM slots, 1x 4 pin Power connector, 8x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for gnns, 1x grounding screw, Anodized aluminum housing and panels
TTK-RUTM54	R 12,806	Teltonika Dual 5G Wi-Fi 5 Router with Telit Modem, RUTM54, Wi-Fi 5, Up to 150 simultaneous connections, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, RutOS Operating System, GNSS GPS, 1x Digital Input & 1x Digital Output on 4 pin Power connector, 1x 4 pin Power connector, 4x SMA for Mobile, 2x RP-SMA for Wi-Fi, 1x SMA for gnns, 1x USB Type-A Port for external devices, 1x grounding screw, Anodized aluminum housing
TTK-RUTX09	R 5,914	Teltonika Industrial LTE CAT6 IoT Router with Quad-Core CPU, Gnns & GPS, 1x GbE WAN, 3x GbE LAN, Dual SIM, CAT6 LTE, 717MHz Quad-Core CPU, GPS, USB, I/O, 9-50 V DC in
TTK-RUTX11	R 6,668	Teltonika Industrial LTE Wi-Fi IoT Router w/ Quad-Core CPU, 802.11ac Wave2 Wi-Fi, Bluetooth LE & GPS
TTK-RUTX12	R 9,688	Teltonika RUTX12 Industrial LTE CAT.6 Wi-Fi IoT Router, Quad-Core arm Cortex A7, AC WAVE2 Wi-Fi, 5x Gigabit Ethernet ports, WAVE-2 802.11ac Dual Band WiFi, Bluetooth LE and USB interfaces
TTK-RUTX14	R 7,743	Teltonika RUTX14 Industrial LTE-A Cat 12 Router - Dual SIM, WAVE-2 Dual-Band Wi-Fi, 5x Gigabit Ports, Bluetooth LE, Antenna ' s included, 24W PSU, Download up to 600 Mbps, Upload up to 150 Mbps
TTK-RUTX50	R 9,629	Teltonika RUTX50 Industrial 5G Router - Dual SIM, Backwards compatible with 4G
TTK-TRB143	R 3,568	Teltonika TRB143 Industrial M-Bus LTE Gateway, 1x Gigabit Ethernet Port, 1x Digital Input, 0 - 6 V detected as logic low, 1x Digital Output, 4 pin Industrial DC Power Socket, 12 - 30 VDC Input Voltage range, 1x SIM slot, 1x SMA for LTE, 1x M-Bus Interface
TTK-TRB160	R 3,375	Teltonika TRB160 Industrial 4G LTE CAT6 IoT Gateway, 4G LTE CAT6 up to 300 Mbps DL / 50 Mbps UL, Up to 2x configurable Digital inputs, Up to 2x configurable Digital Outputs (Shared), 1x 4 pin Industrial DC Power Socket, 1x USB Type-C, 1x RJ45 Gigabit Port, 1x internal SIM slot, 1x 4 pin Power connector, 2x SMA for Mobile, Anodized aluminum housing and panels, DIN Rail, Wall Mount

TTK-TRB246	R 2,982	Teltonika TRB246 Industrial Dual-SIM LTE Gateway to I/O / Ethernet / RS232 / RS485, 2 SIM cards, 1 x Ethernet LAN RJ45 Port, 3 x configurable Digital I/O in 16 pin Terminal Block, 1 x 16 pin Terminal Block Power, 1 x SMA connector for LTE, 1 x SMA connector for GNSS, RS232, RS485, 3 x Digital Input, 3 x Digital Output
TTK-TRB255	R 2,990	Teltonika TRB255 Industrial dual-sim LTE Gateway to I/O / Ethernet / RS232 / RS485 / with GPS, Nb-iot device, Dual SIM, 2x SMA, 1x RJ45, 16 - pin connector block for I/O & RS233/485
TTK-TRB256	R 2,367	Teltonika TRB256 Industrial Dual-SIM LTE Gateway to I/O / Ethernet / RS232/485 with GPS, NB-IoT device, 2 SIM cards, 1x Ethernet LAN Port, 3x Digital Input, 3x Digital Output, 2 - pin in 16 pin Industrial Terminal Block, 3x configurable Digital I/O in 16 pin Terminal Block, 1 x 16 pin Terminal Block Power, 1x SMA connector for LTE, 1x SMA connector for GNSS, RS232, RS485
TTK-TRB500	R 7,984	Teltonika TRB500 Industrial 5G Gateway - 1x SIM slot, Backwards compatible with 4G
TTK-TRM200	R 1,643	Teltonika Industrial 4G CAT 4 Modem, TRM200, 4G - CAT 4 up to 75 DL / 50 UL Mbps, 1x SIM slot (Mini SIM - 2FF), 1x MicroUSB Power, 1x SMA for Mobile antennas, Aluminium housing
TTK-TRM240	R 1,554	Teltonika USB LTE Cat 1 Modem, TRM240, 1x SIM slot (Mini SIM - 2FF), 1x MicroUSB Power, 1x SMA for LTE antennas, Aluminium housing
TTK-TRM250	R 1,268	Teltonika Industrial USB LTE CAT-M1 / NB-IoT / EGPRS Modem, MicroUSB Power connector, 1x SIM slot, 1x SMA for LTE antennas
TTK-TRM500	R 7,332	Teltonika Industrial USB Type-C 5G Modem, TRM500, 1 x 4- pin Industrial DC Power Socket
U5G	R 2,064	Ubiquiti UniFi U5G 5G Backup Modem, PoE-powered 5G RedCap Modem for Automatic Internet Backup, Requires existing UniFi Network deployment, Includes 1x Gigabit Ethernet Port and 1x PoE Input Port, 1x Nano-SIM slot and 1x eSIM slot, Displays status information on a 1.14" screen, Achieves Peak downlink Speed of 220 Mbps on 5G SA networks, Achieves Peak downlink Speed of 195 Mbps on 4G LTE networks
U5G-MAX	R 8,453	Ubiquiti U5G-MAX UniFi 5G Max Modem, 1x 2.5GbE RJ45 Port, 5G NR and LTE Radio, 1x Nano SIM, 1x Nano-SIM or eSIM, 1x PoE Input
U5G-MAX-OUT	R 8,453	Ubiquiti UniFi 5G Max Outdoor Modem, U5G-Max-Outdoor, 1x 2.5 GbE RJ45 Port, 5G NR and LTE Radio, 1x Nano SIM, 1x Nano-SIM or eSIM, 1x PoE Input, 6x Embedded Cellular antennas, 2x High-Gain for downlink
UB-U-5G-MAX	R 8,162	Ubiquiti U5G-MAX UniFi 5G Max Modem, 1x 2.5GbE RJ45 Port, 5G NR and LTE Radio, 1x Nano SIM, 1x Nano-SIM or eSIM, 1x PoE Input
UB-U-5G-MAX-OUT	R 8,661	Ubiquiti UniFi 5G Max Outdoor Modem, U5G-Max-Outdoor, 1x 2.5 GbE RJ45 Port, 5G NR and LTE Radio, 1x Nano SIM, 1x Nano-SIM or eSIM, 1x PoE Input, 6x Embedded Cellular antennas, 2x High-Gain for downlink
UB-U-LTE-UMR-IND	R 3,831	Ubiquiti UniFi - LTE - Industrial Mobile Router, UMR-Industrial, 2x GbE Ports with 1x PoE Output, LTE category 4 Radio, WiFi 4, 1x PoE Input, 1x PoE Output, Nano-SIM (4FF), Download 150 Mbps / Upload 50 Mbps, 1x GPS antenna with SMA Male connector, 2x Mobile/LTE antennas with SMA Male connectors, 2x WiFi antennas with RP-SMA Male connectors
UB-UMR ULTRA	R 2,202	Ubiquiti UniFi LTE4 Managed WiFi 4 Mobile Router Ultra, UMR-ULTRA, DIN Rail/wall mounts, Polycarbonate & Aluminum Alloy enclosure material, 2x FE RJ45 Ports, LTE category 4 Radio, WiFi 4, Nano SIM, LTE Throughput Speed - Download 150 Mbps / Upload 50 Mbps, 2x Mobile/LTE antennas with SMA Male connectors, 1x WiFi antenna with RP-SMA Male connector
UB-UMR-IND	R 3,738	Ubiquiti UniFi - LTE - Industrial Mobile Router, UMR-Industrial, 2x GbE Ports with 1x PoE Output, LTE category 4 Radio, WiFi 4, 1x PoE Input, 1x PoE Output, Nano-SIM (4FF), Download 150 Mbps / Upload 50 Mbps, 1x GPS antenna with SMA Male connector, 2x Mobile/LTE antennas with SMA Male connectors, 2x WiFi antennas with RP-SMA Male connectors
UMR-IND	R 3,738	Ubiquiti UniFi - LTE - Industrial Mobile Router, UMR-Industrial, 2x GbE Ports with 1x PoE Output, LTE category 4 Radio, WiFi 4, 1x PoE Input, 1x PoE Output, Nano-SIM (4FF), Download 150 Mbps / Upload 50 Mbps, 1x GPS antenna with SMA Male connector, 2x Mobile/LTE antennas with SMA Male connectors, 2x WiFi antennas with RP-SMA Male connectors
UMR-ULTRA	R 2,099	Ubiquiti UniFi LTE4 Managed WiFi 4 Mobile Router Ultra, UMR-ULTRA, DIN Rail/wall mounts, Polycarbonate & Aluminum Alloy enclosure material, 2x FE RJ45 Ports, LTE category 4 Radio, WiFi 4, Nano SIM, LTE Throughput Speed - Download 150 Mbps / Upload 50 Mbps, 2x Mobile/LTE antennas with SMA Male connectors, 1x WiFi antenna with RP-SMA Male connector

WAPGR-5HACD2HND	R 3,099	MikroTik Dual Band AC WiFi and LTE Router, RBWAPGR-5HACD2HND & R11E-LTE, L4 license level, 4 Core CPU 716 MHz, 16 MB storage size, 802.3af/at PoE in, 2x Gigabit Ethernet ports, 1x Modem (Micro SIM), 1x minipci-e slots
X602D	R 229	Alcatel Linkkey X602D 3G Plus 21 Mbps modem, Downlink speed up to 21 Mbps Spreadtrum SC7702 Chipset, UMTS 900 / 2100MHz, GSM 850 / 900 /1800 / 1900MHz, Data and SMS service, Plug & play
ZTE-LTE-K21-PRO	R 1,666	ZTE LTE Dual-Band AC1500 Wi-Fi Access Point, ZTE-LTE-K21-PRO, 2.4GHz 2x2 300 Mbps, 5GHz 2x2 1200 Mbps, External LTE / UMTS / GSM antenna, 4x RJ45 Gigabit Ethernet Ports with 1x WAN, 1x RJ11 (FXS), 1x SIM slot (4FF)

< Return to the menu

Wireless Routers (Stand-alone / WAN / Mesh)

Product code	Price	Description
317200023	R 371	Hikvision DS-3WR3N 11n 300m WiFi4 Wireless Router, 2.4GHz 300 Mbps, 3x 100 Mbps LAN Ports, 1x 100 Mbps WAN Port, 2x 5-dBi antennas, Hik-Connect App, Mode supported - Wireless Router Mode / Wireless Repeater Mode / Client AP / WISP / AP
317200029	R 566	Hikvision DS-3WR12GC AC1200M Dual-Band WiFi5 Wireless Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 4x 5-dBi antennas, Hik-Connect App, 4 x 4 MU-MIMO supported, Beamforming supported, Mode supported - Wireless Router mode / Wireless Repeater mode / Client AP / WISP / AP
317200147	R 730	Hikvision DS-3WR15X AX1500M Dual-Band WiFi 6 Wireless Router, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 4x High Gain antennas, Hik-Connect App, MU-MIMO supported, Modes supported - routing mode / Wireless Relay mode / Wired Bridge mode
317200340	R 906	Hikvision DS-3WR30X AX3000M Dual-Band WiFi 6 Wireless Router, 2402 Mbps @ 5GHz, 3574 Mbps 2.4GHz, 4x Gigabit adaptive WAN/LAN Ports, 5x High Gain antennas, Hik-Connect, Hik-partner Pro App, 256 Maximum connections, MU-MIMO supported, Beamforming supported, Operating mode - Router mode / Wireless extender mode / Access Point mode
317200343	R 823	Hikvision DS-3WR18X AX1800M Dual-Band WiFi 6 Wireless Router, 1201 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 5x High Gain antennas, Hik-Connect, Hik-partner Pro App, 256 Maximum connections, MU-MIMO supported, Beamforming supported, Operating mode - Router mode / Wireless extender mode / Access Point mode
502566	R 999	Intellinet Wireless Super G 108Mbps Router with 4-port 10/100 LAN Switch
AC10	R 435	Tenda AC10 AC1200 Smart Gigabit Wi-Fi Router, 3x Gigabit LAN Ports, 1x Gigabit WAN port, 4x 5dBi External Dual Band Antennas, IEEE 802.11ac/n/a 5GHz, IEEE 802.11n/g/b 2.4GHz, 5GHz up to 867Mbps, 2.4GHz up to 300Mbps
AC10	R 283	Mercusys AC10 AC1200 Dual-Band Wi-Fi Router, SPEED: 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, SPEC: 4x Fixed External Antennas, 2x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, FEATURE: MERCUSYS APP, Router/Access Point Mode/Range Extender Mode, WPS/Reset Button
AC10[V1]	R 326	TP-Link Mercusys AC10 AC1200 Wireless Dual-Band Router, Up to 300 Mbps on 2.4GHz, Up to 867 Mbps on 5GHz, Operation modes - Router mode / Access Point mode, 1x 10/100 Mbps WAN Port, 2x 10/100 Mbps LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
AC12	R 334	Mercusys AC12 AC1200 Wireless Dual Band Router, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 4x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, 4x 5dBi Omni Directional antennas
AC12G	R 411	Mercusys AC12G AC1200 Wireless Dual Band Gigabit Router, 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, Access Control / local management / remote management, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
AC12G	R 468	Mercusys AC12G AC1200 Wireless Dual Band Gigabit Router, 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, Access Control / local management / remote management, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
AC12G	R 454	Mercusys AC12G AC1200 Wireless Dual Band Gigabit Router, 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, Access

		Control / local management / remote management, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
AC5	R 286	Tenda AC5 AC1200 Smart Dual-Band Wi-Fi Router, 1x 10/100 Mbps WAN Port, 3x 10/100 Mbps LAN ports, 4x 6dBi external high-gain antennas, 2.4GHz @ 300 Mbps, 5GHz @ 867 Mbps
AC8	R 366	Tenda AC8 AC1200 Dual-band Gigabit Wireless Router
ACB-AC	R 1,323	Ubiquiti ACB-AC AirCube AC Dual-Band 802.11ac Wi-Fi Router with PoE in / out, Supports umobile App & Managed by UNMS, 4x Gigabit Ethernet Ports, 24V PoE passthrough for airMAX CPE, Dual-Band 802.11ac 2x2 MIMO technology, Up to 300 Mbps in the 2.4GHz Radio band, Up to 866.7 Mbps in the 5GHz Radio band, Powered by 24V Passive PoE or included Power Adapter
ARCHER C1200	R 1,277	TP-Link ARCHER C1200 - AC1200 Dual-Band Wi-Fi Gigabit Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, Beamforming, Router mode, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port
ARCHER C20	R 415	TP-Link ARCHER C20 AC750 Wi-Fi Dual Band Router, Wi-Fi 5, 433 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x fixed antennas, Router mode, Access Point mode, Range Extender mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
ARCHER C5	R 554	TP-link Archer C5 AC1200 Wireless Dual Band Gigabit Router, 4x Gigabit LAN ports, 1x Gigabit WAN Port, 2x USB 2.0 ports, 2 Dual Band detachable antennas (RP-SMA), 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps
ARCHER C6	R 722	TP-link Archer C6 - AC1200 Dual Band Wireless MU-MIMO Gigabit Router, 4x Gigabit LAN ports, 1x Gigabit WAN Port, 4 fixed omni directional antennas, 2.4GHz and 5GHz Frequency, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps
ARCHER C7	R 1,888	TP-Link Archer C7 AC1750 gigabite Dual Band Router, Wi-Fi 5, 1300 Mbps @ 5GHz, 450 Mbps @ 2.4GHz, Router mode, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port
ARCHER C80	R 705	TP-Link Archer C80 AC1900 Wireless MU-MIMO Wi-Fi Router, Wi-Fi 5, 1300 Mbps @ 5GHz, 600 Mbps @ 2.4GHz, Beamforming, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
ARCHER GE550	R 4,499	TP-Link Archer GE550 BE9300 Tri-band Wi-Fi 7 Gaming Router with 5GbE LAN/WAN Port, 5764 Mbps 6GHz, 2882 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Working modes - Router mode / Access Point mode, 1x 5Gbps WAN, 1x 5Gbps LAN, 3x 2.5 Gbps LAN, 1x USB 3.0 supports External Hard Drive
ARCHER-A6	R 737	TP-Link Archer A6 AC1200 Dual-Band Wi-Fi 5 Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 4x fixed High-Performance antennas, Beamforming, MU-MIMO, Working modes - Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, Onemesh supported
ARCHER-AX10	R 1,106	TP-Link Archer AX10 AX1500 Wi-Fi 6 Router, Broadcom 1.5GHz Tri-Core CPU
ARCHER-AX10	R 1,049	TP-Link Archer AX10 AX1500 Wi-Fi 6 Router, Broadcom 1.5GHz Tri-Core CPU
ARCHER-AX12	R 824	TP-Link Archer AX12 AX1500 Dual-Band Wi-Fi 6 Router, SPEED: 300 Mbps at 2.4 GHz 1201Mbps at 5 GHz, SPEC: 4x Antennas, 1GHz Dual Core CPU, 1x Gigabit WAN Port 3x Gigabit LAN Ports, 1024-QAM, OFDMA
ARCHER-AX1500	R 824	TP-Link Archer AX1500 AX1500 Wi-Fi 6 Router
ARCHER-AX1500	R 793	TP-Link Archer AX1500 AX1500 Wi-Fi 6 Router, Broadcom 1.5GHz Tri-Core CPU, 1201Mbps at 5GHz 300Mbps at 2.4GHz, 5 Gigabit Ports, 4 Antennas, Downlink and Uplink OFDMA, MU-MIMO, 1024QAM, Smart Connect, Beamforming, IPTV, Access Point Mode, VPN Server , IPv6 Ready, Tether
ARCHER-AX1800	R 945	TP-Link Archer AX1800 Wi-Fi 6 Dual Band Router, 5GHz @ 1201 Mbps, 2.4GHz @ 574 Mbps, 4x fixed High-Performance antennas, Beamforming, Router mode, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
ARCHER-AX20	R 1,106	TP-Link Archer AX20 - AX1800 Dual-Band Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 1201 Mbps (802.11ax), 2.4 GHz 574 Mbps (802.11ax), 4x fixed High-Performance antennas, Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port
ARCHER-AX20	R 1,099	TP-Link Archer AX20 - AX1800 Dual-Band Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 1201 Mbps (802.11ax), 2.4 GHz 574 Mbps (802.11ax), 4x fixed High-Performance antennas, Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port
ARCHER-AX20	R 1,109	TP-Link Archer AX20 - AX1800 Dual-Band Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 1201 Mbps (802.11ax), 2.4 GHz 574 Mbps (802.11ax), 4x fixed High-Performance antennas, Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port

ARCHER-AX23	R 1,268	TP-Link Archer AX23 AX1800 Dual-Band Wi-Fi 6 Router
ARCHER-AX23	R 1,236	TP-Link Archer AX23 AX1800 Dual-Band Wi-Fi 6 Router, SPEED: 574 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, SPEC: 4x Antennas, Dual-Core CPU, 1x Gigabit WAN Port 4x Gigabit LAN Ports, 1024-QAM, OFDMA, FEATURE: Tether App, WPA3, Access Point Mode, IPv6 Supported, IPTV
ARCHER-AX50	R 1,106	TP-Link Archer AX50 Dual Band Wi-Fi 6 Router, 2402 Mbps @ 5 GHz, 574 Mbps 2 2.4 GHz, 4x fixed High-Performance antennas, Beamforming, 4 streams, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 3.0 Port
ARCHER-AX53	R 1,349	TP-Link Archer AX53 AX3000 Dual-Band Wi-Fi 6 Router
ARCHER-AX55	R 1,449	TP-Link Archer AX55 AX3000 Dual Band Gigabit Wi-Fi 6 Router
ARCHER-AX55	R 1,143	TP-Link Archer AX55 AX3000 Dual Band Gigabit Wi-Fi 6 Router, SPEED: 574 Mbps at 2.4 GHz 2402 Mbps at 5 GHz, SPEC: 4x Antennas, 1x Gigabit WAN Port 4x Gigabit LAN Ports, USB 3.0 Port, 1024-QAM, OFDMA, HE160, FEATURE: Tether App, WPA3, Access Point Mode, IPv6 Supported, IPTV
ARCHER-AX55	R 1,470	TP-Link Archer AX55 V2 AX3000 Dual Band Gigabit Wi-Fi 6 Router, Wi-Fi 6, 2402 Mbps @ 5.8GHz, 574 Mbps @ 2.4GHz, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 3.0 Port
ARCHER-AX6000	R 5,177	TP-Link Archer AX6000 Next-Gen Wi-Fi 6 Router, Broadcom 1.8GHz Quad-Core CPU, 5 GHz @ 4804 Mbps, 2.4 GHz @ 1148 Mbps, 8x fixed High-Performance antennas, Beamforming, 1x 2.5 Gbps WAN Port, 8x Gigabit LAN Ports, 1x USB-C 3.0 Port, 1x USB Type-A 3.0 Port
ARCHER-AX72	R 1,949	TP-Link Archer AX72 - AX5400 Dual-Band Gigabit Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 4804 Mbps (802.11ax, HE160), 2.4 GHz 574 Mbps (802.11ax), 6x fixed High-Performance antennas, Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 3.0 Port
ARCHER-AX72	R 1,995	TP-Link Archer AX72 - AX5400 Dual-Band Gigabit Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 4804 Mbps (802.11ax, HE160), 2.4 GHz 574 Mbps (802.11ax), 6x fixed High-Performance antennas, Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 3.0 Port
ARCHER-AX73	R 2,318	TP-link Archer AX73 AX5400 Dual Band Wi-Fi 6 Router
ARCHER-AX73	R 2,999	TP-link Archer AX73 AX5400 Dual Band Wi-Fi 6 Router, SPEED: 574 Mbps at 2.4 GHz 4804 Mbps at 5 GHz, SPEC: 6x Antennas, Broadcom 1.5 GHz Triple-Core CPU, 1x Gigabit WAN Port 4x Gigabit LAN Ports, USB 3.0 Port, 1024-QAM, OFDMA, HT160, FEATURE: Tether App, WPA3
Archer-BE220	R 1,510	TP-Link Archer BE220 BE3600 Dual-Band Wi-Fi 7 Router, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, For 3 bedroom houses, 4x external antennas, Beamforming, Wireless mode - Router mode / Access Point mode, 1x 1Gbps WAN, 4x 1Gbps LAN
Archer-BE230	R 1,533	TP-Link Archer BE230 BE3600 Dual-Band Wi-Fi 7 Router, SPEED: 688 Mbps at 2.4 GHz 2882 Mbps at 5 GHz, SPEC: 4x external Antennas, 2.0 GHz Quad-Core CPU, 1*2.5 Gbps WAN port 1*2.5 Gbps LAN port 3*1 Gbps LAN ports, 1*USB 3.0 Port, MLO, 4096-QAM, OFDMA, HE160 on 5GHz
ARCHER-BE230	R 1,591	TP-Link BE230 BE3600 Dual-Band Wi-Fi 7 Router, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 3 bedroom houses, 4 x external antennas, Beamforming, High-Power fem, Router mode, Access Point mode, 1x 2.5 Gbps WAN, 1x 2.5 Gbps LAN, 3 x 1 Gbps LAN, 1x USB 3.0, Supports USB drives
ARCHER-BE550	R 3,529	TP-Link Archer BE9300 Tri-band WiFi 7 Router, 5760 Mbps @ 6GHz, 2880 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 6x optimally positioned antennas, Beamforming, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 1x 2.5 Gbps WAN, 4 x 2.5 Gbps LAN, 1x USB 3.0 for external storage
ARCHER-BE800	R 8,939	TP-Link Archer BE800 BE19000 Tri Band Wi-Fi 7 Router, SPEED: 1376 Mbps at 2.4 GHz 5760 Mbps at 5 GHz 11520 Mbps at 6 GHz, SPEC: 8x Internal Antennas, Quad-Core CPU, 1*10Gbps SFP /RJ45 Combo WAN/LAN port 1*10 Gbps RJ45 WAN/LAN port 4*2.5 Gbps LAN ports, 1*USB 3.0 Port, MLO
ARCHER-BE900	R 12,111	TP-Link Archer BE900 BE19000 Tri Band Wi-Fi 7 Router, SPEED: 1376 Mbps at 2.4 GHz 5760 Mbps at 5 GHz 11520 Mbps at 6 GHz, SPEC: 8x Internal Antennas, Quad-Core CPU, 1*10Gbps SFP /RJ45 Combo WAN/LAN port 1*10 Gbps RJ45 WAN/LAN port 4*2.5 Gbps LAN ports, 1*USB 3.0 Port, MLO
ARCHER-BE900	R 12,169	TP-Link Archer BE900 BE19000 Tri Band Wi-Fi 7 Router, SPEED: 1376 Mbps at 2.4 GHz 5760 Mbps at 5 GHz 11520 Mbps at 6 GHz, SPEC: 8x Internal Antennas, Quad-Core CPU, 1*10Gbps SFP /RJ45 Combo WAN/LAN

		port 1*10 Gbps RJ45 WAN/LAN port 4*2.5 Gbps LAN ports, 1*USB 3.0 Port, MLO
ARCHER-C20	R 403	TP-Link Archer C20 AC750 Dual-Band Wi-Fi Router, 433Mbps at 5GHz 300Mbps at 2.4GHz, 5 10/100M Ports, 3 antennas, IPTV, Access Point Mode, IPv6 Ready, Tether App
ARCHER-C20	R 460	TP-Link ARCHER C20 AC750 Wi-Fi Dual Band Router, Wi-Fi 5, 433 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x fixed antennas, Router mode, Access Point mode, Range Extender mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
ARCHER-C24	R 435	TP-Link Archer C24 AC750 Dual Band Wi-Fi Router, SPEED: 300 Mbps at 2.4 GHz 433 Mbps at 5 GHz, SPEC: 4Ã—Antennas, 1Ã—10/100M WAN Port, 4Ã—E10/100M LAN Ports, FEATURE: Tether App, Router/Access Point/Range Extender Mode, IPv6 Supported, IPTV, Agile Configuration
ARCHER-C24	R 460	TP-link Archer C24 733 Mbps Dual-Band agile Configuration Wi-Fi Router, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4 GHz, Wi-Fi 5, 5 GHz @ 433 Mbps, 2.4 GHz @ 300 Mbps, 4x fixed antennas, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN ports
ARCHER-C50	R 541	TP-Link Archer C50 AC1200 Wireless Dual Band Router
ARCHER-C50	R 507	TP-Link Archer C50 AC1200 Wireless Dual Band Router, 867Mbps at 5GHz 300Mbps at 2.4GHz, 5 10/100M Ports, 4 antennas, IPTV, Access Point Mode, Facebook Wi-Fi, IPv6 Ready, Tether App
ARCHER-C54	R 443	TP-Link Archer C54 AC1200 Dual-Band Wi-Fi Router, SPEED: 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, SPEC: 4x Antennas, 1x 10/100M WAN Port 4x 10/100M LAN Ports, FEATURE: Tether App, Router/Access Point/Range Extender Mode, IPv6 Supported, IPTV, Beamforming, MU-MIMO
ARCHER-C54	R 501	TP-Link Archer C54 AC1200 Dual Band Wi-Fi Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 4x fixed antennas, Beamforming, MU-MIMO, Working modes - Router mode / Access Point mode / Range Extender mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
ARCHER-C6	R 783	TP-link Archer C6 - AC1200 Dual Band Wireless MU-MIMO Gigabit Router, 4x Gigabit LAN ports, 1x Gigabit WAN Port, 4 fixed omni directional antennas, 2.4GHz and 5GHz Frequency, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps
ARCHER-C6	R 760	TP-Link Archer C6 AC1200 Wireless MU-MIMO Gigabit Router, 867Mbps at 5GHz 300Mbps at 2.4GHz, 5 Gigabit Ports, 4 antennas, Beamforming, MU-MIMO, IPTV, Access Point Mode, VPN Server, IPv6 Ready, Tether App
ARCHER-C64	R 622	TP-Link Archer C64 AC1200 Dual-Band Wi-Fi Router, 400 Mbps at 2.4 GHz 867 Mbps at 5 GHz, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
ARCHER-C6U	R 824	TP-Link Archer C6U AC1200 Dual Band WiFi Router with 5x Gigabit Ports, 4x antennas, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4 GHz, 5 GHz @ 867 Mbps, 2.4 GHz @ 300 Mbps, Beamforming, Router mode, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port
ARCHER-C7	R 1,836	TP-Link Archer C7 AC1750 Dual-Band Wi-Fi Router
ARCHER-C80	R 783	TP-Link Archer C80 AC1900 Dual-Band Wi-Fi Router
ARCHER-C80	R 749	TP-Link Archer C80 AC1900 Wireless MU-MIMO Wi-Fi Router, Wi-Fi 5, 1300 Mbps @ 5GHz, 600 Mbps @ 2.4GHz, Beamforming, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
ARCHER_C20	R 449	TP-Link Archer C20 AC750 Wireless Dual Band Router, Retail Box
ARCHER_MR600	R 2,249	TP-Link 4G Cat6 AC1200 Wireless Dual Band Gigabit Router, Retail Box
ASUS BD4 OUTDOOR (W-1-PK)	R 2,703	Asus ZenWiFi BD4 Outdoor WiFi 7 Router, 688 2882 Mbps BE3600 Ultimate be Performance, 2x Internal antennas , OFDMA, Standard-based and Universal beamforming, Operating mode - Repeater mode / Access Point mode / AiMesh Node mode / Wireless Router mode, 2x 2.5GbE Ports (WAN/LAN auto detecting), AiMesh, Primary AiMesh Router, AiMesh Node
ASUS ExpertWiFi EBM68	R 6,899	ASUS ExpertWiFi EBM68 AX7800 Tri-band Business WiFi 6 system - 2 pack. guest Portal & sdn, VLAN, Remote management, Scalable, 574 2402 4804 Mbps AX7800 Ultimate AX performance, 6x internal antenna, OFDMA, Wireless Router mode, AiMesh Node mode, Access Point mode, 1x RJ45 for 2.5G BaseT for WAN, 3x RJ45 for Gigabit BaseT for LAN, 1x USB 3.2 Gen 1
ASUS ExpertWiFi EBM68 (1PK)	R 3,449	Asus ExpertWiFi EBM68 AX7800 Tri-Band Business WiFi 6 System (1 Pack) Guest Portal & SDN; VLAN; Remote Management; Scalable; AiMesh
ASUS GS-BE18000	R 9,568	ASUS GS-BE18000 Gaming WiFi 7 Router, 688 5764 11529 Mbps BE18000 Ultimate be Performance, 8x internal antenna, 2.4GHz 2x2, 5GHz 4x4, 6GHz 4x4, OFDMA, 4096-QAM high Data rate, Operating mode - Router

		(AiMesh Router), AiMesh Node, Access Point, Repeater, Media Bridge, 1x 2.5Gbps for WAN, 7x 2.5Gbps for LAN, 1x USB 3.2 Gen1, AiMesh
ASUS GT-AX11000 PRO	R 5,979	ASUS GT-AX11000 PRO Tri-Band WiFi 6 (802.11ax) Gaming Router, AX11000 Ultimate AX performance), Up to 1148 Mbps 2.4GHz, Up to 4804 Mbps 5G-1Hz AX, Up to 4804 Mbps 5G-2Hz AX, 8x external antenna, 2.4 GHz / 5 GHz-1 / 5 GHz-2 Tri-Band Wi-Fi, AiMesh, 1x 2.5 Gigabit WAN Port, 1x 10 Gigabit WAN/LAN Port, 4x Gigabit LAN Ports, 1x USB 3.2 Gen 1 Port, 1x USB 2.0 Port
ASUS GT-BE98	R 9,897	Asus ROG Rapture GT-BE98 Quad-Band WiFi 7 (802.11be) Gaming Router, 2.4GHz up to 1376 Mbps, 5G-1Hz up to 5764 Mbps, 5G-2Hz up to 5764 Mbps, 6GHz up to 11529 Mbps, External antenna x 8, 2.6GHz Quad-Core Processor, OFDMA, Beamforming, Operating mode - Router (AiMesh Router) / AiMesh Node / Access Point / Repeater / Media Bridge, 1 x 10Gbps for WAN/LAN, 1x 2.5Gbps for WAN/LAN, 1x 10Gbps for LAN, 3x 2.5Gbps for LAN, 1x RJ45 Gigabit for LAN, 1x USB 3.2 Gen1, 1x USB 2.0, AiMesh
ASUS ROG RAPTURE GT6 (B-1-PK)	R 2,644	Asus ROG Rapture GT6 WiFi 6 Tri-band Gaming Mesh Router, 1 pack, WiFi 6, AX10000 Ultimate ax performance, Up to 574 Mbps @ 5GHz, Up to 4804 Mbps @ 5G-1Hz, Up to 4804 Mbps @ 5G-2Hz, Internal antenna x9, 1.7GHz tri-core Processor, OFDMA, Beamforming, Wireless Router mode, Access Point mode, 1x 2.5 Gigabit WAN Port, 3x Gigabit LAN Ports, 1x USB 3.2 Gen 1x1 Port, AiMesh
ASUS ROG RAPTURE GT6 (B-2-PK)	R 5,174	Asus ROG RAPTURE GT6 (B-2-PK) WiFi 6/ AX10000/ 2.4GHz/ 5GHz-1/ 5GHz-2/ 1xWAN/ 3xLAN/ Ai Mesh /AiProtection /up to 5,800 sq ft coverage
ASUS RT-AC58U	R 822	ASUS RT-AC58U AC1300 Dual Band Gigabit WiFi Router with MU-MIMO, AiMesh for Mesh WiFi system, Up to 867 Mbps WiFi 5 (802.11ac), Up to 600 Mbps WiFi 4 (802.11n), 4x external antenna, 2.4GHz / 5 GHz operating Frequency, 1x RJ45 Gigabit BaseT for WAN, 4x RJ45 Gigabit BaseT for LAN, 1x USB 2.0, Concurrent AC1300 for faster WiFi speeds., USB 2.0 Port allows you to connect USB disk for quick File sharing, 802.11 AC beamforming
ASUS RT-AX52	R 1,076	ASUS RT-AX52 AX1800 Dual Band WiFi 6 extendable Router, 1201 Mbps 574 Mbps AX1800 Ultimate AX performance, 4x external antenna, Operating mode - Access Point / AiMesh Node / Repeater / Router, 1x RJ45 for Gigabit BaseT for WAN, 3x RJ45 for Gigabit BaseT for LAN, AiMesh
ASUS RT-AX53U	R 1,224	ASUS RT-AX53U AX1800 Dual Band WiFi 6 (802.11ax) Router, Supporting MU-MIMO and OFDMA technology, 4x external antennas, 2.4G Hz / 5 GHz operating Frequency, 1x RJ45 for gigabits BaseT for WAN, 3x RJ45 for gigabits BaseT for LAN, 1x USB Port, 1201 Mbps 574 Mbps AX1800 Ultimate AX performance
ASUS RT-AX57	R 1,701	Asus RT-AX57 Wifi 6 AX3000 Dual-band Mesh Wifi system Router; Aimesh; OFDMA MU-MIMO tech; 1024 QAM; Trend Micro AiProtection Classic.
ASUS RT-AX89X	R 4,770	ASUS RT-AX89X 12-stream AX6000 Dual Band WiFi 6 (802.11ax) Router, Supporting MU-MIMO and OFDMA technology, 8x external antenna, Up to 4804 Mbps WiFi 6 (802.11ax) (5GHz), Up to 1148 Mbps WiFi 6 (802.11ax) (2.4GHz), 2.4 GHz / 5 GHz operating Frequency, 1x RJ45 for 10Gbps BaseT for WAN/LAN, 8x RJ45 for 1Gbps BaseT for LAN, 1x RJ45 for 1Gbps BaseT for WAN, 2x USB 3.1 Gen 1, 1x SFP
ASUS RT-BE50	R 1,748	ASUS RT-BE50 BE3600 WiFi 7 Router, 688 2882 Mbps BE3600 Ultimate be Performance, 4x external antenna, OFDMA, 4096-QAM high Data rate, 2.4GHz / 5GHz operating Frequency, Operating mode - Wireless Router mode / Access Point mode / Media Bridge mode / Wireless Router mode / AiMesh Node mode / Range Extender mode / Access Point mode / Media Bridge mode / Repeater mode, 1x 2.5G for WAN, 3x 1g for LAN
ASUS RT-BE88U	R 7,071	ASUS RT-BE88U Dual-Band WiFi 7 AiMesh extendable performance Router, Up to 1376 Mbps WiFi 7 (2.4GHz), Up to 5764 Mbps WiFi 7 (5GHz), 4x External antenna , OFDMA, 4096-qam high Data rate, Operating mode - Wireless Router mode / AiMesh Node mode / Access Point mode / Media Bridge mode / Repeater mode, 1 x 10Gbps for WAN/LAN, 1x 10Gbps SFP for WAN, 1x 2.5Gbps for WAN/LAN, 3x 2.5Gbps for LAN, 4x RJ45 Gigabit for LAN, 1x USB 3.2 Gen1
ASUS RT-BE92U	R 5,911	Asus ROUTER/ Gaming/ WiFi7/ 1032 2882 5764Mbps/ 2.4GHz3x3/ 5GHz2x2/ 6GHz2x2/ 1xWAN(10G)/ 1xWAN(2.5G)/ 3xLAN/ 1xUSB/ AiMesh/ AiProtection/ VPN
ASUS TUF-BE6500	R 3,772	Asus TUF Gaming BE6500 Dual Band WiFi 7 extendable Gaming Router, 688 5764 Mbps BE6500 Ultimate be performance, Up to 688 Mbps WiFi 7 (2.4GHz), Up to 5764 Mbps WiFi 7 (5GHz), External fixed antenna x 6, Operating mode - Wireless Router mode / AiMesh Node mode / Access Point mode / Media Bridge mode / Repeater mode, 1x 2.5GbE port for WAN, 3x 2.5GbE ports for LAN, 1x USB 3.2 Gen1, AiMesh
ASUS ZenWifi BT8(W-2PK)	R 8,624	Asus ROUTER/ Mesh/ 688 4323 8643 Mbps/ 2.4GHz/ 5.5GHz/ 6GHz/ Cvg up to 548 Sqm/ 1xWAN/ 3xLAN/

		AiMesh/ AiProtectionPro/ VPN/ Instant Guard
ASUS ZenWiFi CD6(W-1PK)	R 1,137	Asus zenWiFi CD6 1 Pack WiFi Mesh Router, 2.4GHz, 5 GHz, 600 867 Mbps AC1500 enhanced AC performance, 4x internal antenna, No Nodes included
ASUS ZenWiFi XT12 (2-PK)	R 5,174	Asus ZenWiFi Pro XT12 AX11000 Whole-Home Tri-Band Mesh WiFi 6 system - 2 pack, Coverage up to 610 square meter, 11Gbps WiFi, 3 ssids, AX11000 Ultimate AX performance - 1148 4804 4804 Mbps, 10x internal antenna, 2.0 GHz Quad-Core 64bits Processor, 256 MB Flash, 1GB RAM, 1x RJ45 for 2.5G BaseT for WAN, 1x RJ45 for 2.5G BaseT for LAN, 2x RJ45 for gigabits BaseT for LAN
AX12 PRO	R 665	Tenda AX12 Pro AX3000 Dual-Band Gigabit Wireless Router; 2976Mbps combined wireless speed; 5GHz: 2402Mbps; 2.4GHz: 574Mbps; 1 x Gigabit WAN; 3 x Gigabit LAN; 5 x 6dBi external antennas; OFDMA; MU-MIMO; Beamforming; WPA3; Mesh support; dimensions: 267 x 166 x 222mm
BD4 1PK	R 2,216	Asus ZenWiFi BD4 White Wi-Fi 7 Dual-Band 2.5G AiMesh Router Node (1-Pack); WiFi7 dual-band 688 2882Mbps; 2 x 2.5G ports; 1.5GHz quad-core; security WPA3 AiProtection; dimensions 140x70x140mm; weight 0.5kg
BT10-2PK	R 14,232	Asus ZenWiFi BT10 Tri-band WiFi 7 Mesh Router - 2 pack, WiFi 7 (6GHz) up to 11529 Mbps, WiFi 7 (5GHz) up to 5764 Mbps, WiFi 7 (2.4GHz) up to 688 Mbps, 8x internal antennas, OFDMA, Beamforming, 4096-qam high Data rate, Operating mode - Wireless Router mode / AiMesh Node mode / Access Point mode, 1x 10G WAN/LAN Port, 1x 10G LAN Port, 1x 1G WAN/LAN Port, 1x USB 3.0, AiMesh
BT8-2PK	R 7,071	Asus ZenWiFi BT8 Tri-band WiFi 7 (802.11be) Smart AiMesh extendable Router - 2 pack, 688 4323 8643 Mbps BE14000 Ultimate be performance, 7x internal antennas, OFDMA, Beamforming, 4096-QAM high Data rate, Operating mode - Wireless Router mode / AiMesh Node mode / Access Point mode, 1x 2.5G WAN Port, 1x 2.5G LAN Port, 2x Gigabit LAN Ports, 1x USB 3.0
CAS-NASBOX-RT6600AX	R 7,196	Synology RT6600ax Tri-band Wi-Fi 6 Router, 1x 2.5GbE RJ-45, 3x Gigabit RJ-45, 1x Gigabit RJ-45 WAN Port, 1x 2.5 GbE RJ-45 Dual WAN, 1x USB 3.2 Gen1 x1, 4800 Mbps @ 5GHz-1, 1200 Mbps @ 5GHz-2, 600 Mbps @ 2.4GHz, Simultaneous Tri-band Wi-Fi, 4x4 MIMO Omni-Directional High-Gain dipole - 5GHz, 2x2 MIMO Omni-Directional High-Gain dipole - 2.4GHz / 5GHz
CAS-NASBOX-WRX560	R 5,199	Synology WRX560 Wi-Fi 6 Wireless Router, 3x 2.5GbE (RJ-45) LAN Port, 1x Gigabit (RJ-45) LAN Port, 1x Gigabit (RJ-45) WAN Port, 1x 2.5 GbE (RJ-45) (Dual WAN), 1x USB 3.2 Gen 1, 2400 Mbps @ 5GHz, 600 Mbps @ 2.4GHz, simultaneous Dual-Band Wi-Fi
CB-CNP-R195W	R 1,248	Cambium cnPilot R195W ac Dual Band Router
CB-CNP-RV22	R 2,934	CAMBIUM cnPilot RV22 Wi-Fi 6 Whole Home Mesh Router, RV22ZAA00-RW, 5GHz 3x3:2, 2.4GHz 2x2:2 Dual Band, 4x GbE Ports, 12V/1.5A ZA Power Supply included, 2.4 Gbps @ 5GHz, 600 Mbps @ 2.4GHz
CD-LT700	R 1,639	Cudy 4G LTE CAT6 Dual SIM 1200 Mbps WiFi Router, LT700, 1 Gigabit Ethernet WAN/LAN, 3 Gigabit Ethernet LAN, 2x SIM slots (Nano), 1x WPS Button, 1x reset Button, 2x fixed WiFi antennas, 4x detachable Cellular antennas
CD-M12001	R 316	Cudy M1200 Dual Band AC 1200 Mbps Fast Ethernet Mesh Router - 1 pack, 2x 4dBi internal antennas, 2.4GHz 300 Mbps, 5.8GHz 867 Mbps, 2x 10/100 Ethernet Ports
CD-M12001	R 316	Cudy M1200 Dual Band AC 1200 Mbps Fast Ethernet Mesh Router - 1 pack, 2x 4dBi internal antennas, 2.4GHz 300 Mbps, 5.8GHz 867 Mbps, 2x 10/100 Ethernet Ports
CD-M12001	R 454	Cudy M1200 Dual Band AC 1200 Mbps Fast Ethernet Mesh Router - 1 pack, 2x 4dBi internal antennas, 2.4GHz 300 Mbps, 5.8GHz 867 Mbps, 2x 10/100 Ethernet Ports
CD-M12002	R 633	Cudy M1200 AC1200 Dual Band whole home Wi-Fi Mesh system - 2 pack, 4x internal Omni-Directional antennas, 1x 100 / 10 Mbps WAN Port, 1x 100 / 10 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CD-M12002	R 633	Cudy M1200 AC1200 Dual Band whole home Wi-Fi Mesh system - 2 pack, 4x internal Omni-Directional antennas, 1x 100 / 10 Mbps WAN Port, 1x 100 / 10 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CD-M12002	R 771	Cudy M1200 AC1200 Dual Band whole home Wi-Fi Mesh system - 2 pack, 4x internal Omni-Directional antennas, 1x 100 / 10 Mbps WAN Port, 1x 100 / 10 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CD-M12003	R 949	Cudy M1200 AC1200 Wi-Fi Mesh kit - 3 pack, 2x internal Omni-Directional antennas, 1x 10/100 Mbps WAN Port, 1x 10/100 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CD-M12003	R 949	Cudy M1200 AC1200 Wi-Fi Mesh kit - 3 pack, 2x internal Omni-Directional antennas, 1x 10/100 Mbps WAN Port,

		1x 10/100 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CD-M12003	R 1,087	Cudy M1200 AC1200 Wi-Fi Mesh kit - 3 pack, 2x internal Omni-Directional antennas, 1x 10/100 Mbps WAN Port, 1x 10/100 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CD-M13001	R 454	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 1 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 1 node, covers up to 80m2)
CD-M13001	R 454	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 1 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 1 node, covers up to 80m2)
CD-M13001	R 569	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 1 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System
CD-M13002	R 914	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 2 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 2 nodes - covers up to 160m2)
CD-M13002	R 914	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 2 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 2 nodes - covers up to 160m2)
CD-M13002	R 1,029	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 2 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System
CD-M13003	R 1,374	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 3 Pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports
CD-M13003	R 1,374	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 3 Pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports (Includes 3 nodes - covers up to 220m2)
CD-M13003	R 1,512	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 3 Pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports
CD-M30001	R 776	Cudy Dual Band WiFi 6 - 3000 Mbps Gigabit Mesh Router - 1 pack, M3000_W, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5.8GHz, 1x Gigabit LAN, 1x 2.5 Gigabit WAN, Cudy Operating System 5 x Internal Omnidirectional Antennas
CD-M30001	R 776	Cudy Dual Band WiFi 6 - 3000 Mbps Gigabit Mesh Router - 1 pack, M3000_W, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5.8GHz, 1x Gigabit LAN, 1x 2.5 Gigabit WAN, Cudy Operating System, 5x internal omnidirectional antennas
CD-M30001	R 914	Cudy Dual Band WiFi 6 - 3000 Mbps Gigabit Mesh Router - 1 pack, M3000_W, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5.8GHz, 1x Gigabit LAN, 1x 2.5 Gigabit WAN, Cudy Operating System, 5x internal omnidirectional antennas
CD-M30002	R 1,553	Cudy M3000 Dual Band WiFi 6 3000 Mbps Multi-Gigabit Mesh - 2 pack, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps 2 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, 5.1dBi 5GHz antenna gain Max, 4.2dBi 2.4GHz antenna gain Max, Beamforming, 1 2.5G RJ45 WAN Ports, 1 Gigabit RJ45 LAN Ports, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client
CD-M30002	R 1,553	Cudy M3000 Dual Band WiFi 6 3000 Mbps Multi-Gigabit Mesh - 2 pack, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps 2 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, 5.1dBi 5GHz antenna gain Max, 4.2dBi 2.4GHz antenna gain Max, Beamforming, 1 2.5G RJ45 WAN Ports, 1 Gigabit RJ45 LAN Ports, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client
CD-M30002	R 1,691	Cudy M3000 Dual Band WiFi 6 3000 Mbps Multi-Gigabit Mesh - 2 pack, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps 2 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, 5.1dBi 5GHz antenna gain Max, 4.2dBi 2.4GHz antenna gain Max, Beamforming, 1 2.5G RJ45 WAN Ports, 1 Gigabit RJ45 LAN Ports, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client
CD-M30003	R 2,329	Cudy M3000 Dual Band WiFi 6 3000 Mbps Multi-Gigabit Mesh - 3 pack, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps 2 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, 5.1dBi 5GHz antenna gain Max, 4.2dBi 2.4GHz antenna gain Max, Beamforming, 1x 2.5G RJ45 WAN Ports, 1x Gigabit RJ45 LAN Ports, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client
CD-M30003	R 2,329	Cudy M3000 Dual Band WiFi 6 3000 Mbps Multi-Gigabit Mesh - 3 pack, 2402 Mbps @ 5GHz Wi-Fi Speed, 574

		Mbps 2 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, 5.1dBi 5GHz antenna gain Max, 4.2dBi 2.4GHz antenna gain Max, Beamforming, 1x 2.5G RJ45 WAN Ports, 1x Gigabit RJ45 LAN Ports, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client
CD-M30003	R 2,467	Cudy M3000 Dual Band WiFi 6 3000 Mbps Multi-Gigabit Mesh - 3 pack, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps 2 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, 5.1dBi 5GHz antenna gain Max, 4.2dBi 2.4GHz antenna gain Max, Beamforming, 1x 2.5G RJ45 WAN Ports, 1x Gigabit RJ45 LAN Ports, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client
CD-M36001	R 1,029	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 1 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36001	R 1,029	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 1 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36001	R 1,167	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 1 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36002	R 2,064	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 2 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36002	R 2,064	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 2 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36002	R 2,202	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 2 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36003	R 3,099	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 3 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36003	R 3,099	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 3 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-M36003	R 3,237	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 3 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
CD-P2	R 2,409	Cudy P2 5G Dual Band 3000 Mbps WiFi 6 Router, 4x internal antennas, 2x SMA connectors for customized antennas, SMA Female detachable Cellular antennas Connector, 1x Nano SIM slot, 5G 4G Dual connectivity, DL 4 x 4 MIMO, UL 2 x 2 MIMO, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 2x Gigabit RJ45 Ports, 1x RJ11 FXS Ports
CD-R700	R 656	Cudy 5 port Gigabit multi-WAN VPN Router, R700, 1x Gigabit WAN Port, 3x Gigabit LAN/WAN Ports, 1x Gigabit LAN Port
CD-TR1200	R 403	Cudy TR1200 WiFi 5 1200Mbps 5dBi Fast Ethernet Mini VPN Travel Router, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, Beamforming, 2x 10/100 Mbps RJ45 Ports, 1x WAN Port, 1x LAN Port
CD-TR1200	R 403	Cudy TR1200 WiFi 5 1200Mbps 5dBi Fast Ethernet Mini VPN Travel Router, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, Beamforming, 2x 10/100 Mbps RJ45 Ports, 1x WAN Port, 1x LAN Port
CD-TR1200	R 523	Cudy TR1200 WiFi 5 1200Mbps 5dBi Fast Ethernet Mini VPN Travel Router, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, Beamforming, 2x 10/100 Mbps RJ45 Ports, 1x WAN Port, 1x LAN Port

CD-WR1200	R 316	Cudy WR1200 Dual Band WiFi 5 1200 Mbps 5dBi Fast Ethernet Router, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, beamforming, 5x 10/100 Mbps RJ45 Ports with 1 Port WAN
CD-WR1200	R 454	Cudy WR1200 Dual Band WiFi 5 1200 Mbps 5dBi Fast Ethernet Router, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, beamforming, 5x 10/100 Mbps RJ45 Ports with 1 Port WAN
CD-WR1300	R 454	Cudy WR1300 Dual Band AC 1200 Mbps 5dBi Gigabit Mesh Router, 1x 10/100/1000 Mbps WAN Port, 4x 10/100/1000 Mbps LAN Ports, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 4x fixed Omni-Directional antennas
CD-WR1300	R 454	Cudy WR1300 Dual Band AC 1200 Mbps 5dBi Gigabit Mesh Router, 1x 10/100/1000 Mbps WAN Port, 4x 10/100/1000 Mbps LAN Ports, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 4x fixed Omni-Directional antennas
CD-WR1300	R 569	Cudy WR1300 Dual Band AC 1200 Mbps 5dBi Gigabit Mesh Router, 1x 10/100/1000 Mbps WAN Port, 4x 10/100/1000 Mbps LAN Ports, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 4x fixed Omni-Directional antennas
CD-WR3000	R 546	Cudy Dual Band WiFi 6 AX3000 5dBi Gigabit Mesh Router, WR3000, 4x fixed omnidirectional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Cudy Mesh
CD-WR3000	R 546	Cudy Dual Band WiFi 6 AX3000 5dBi Gigabit Mesh Router, WR3000, 4x fixed omnidirectional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Cudy Mesh
CD-WR3000	R 621	Cudy Dual Band WiFi 6 AX3000 5dBi Gigabit Mesh Router, WR3000, 4x fixed omnidirectional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Cudy Mesh
CD-WR3000E	R 650	Cudy WR3000E AX3000 5 port Gigabit Dual-Band Wi-Fi 6 Mesh Router - Black, 2402 Mbps Maximum Speed (5GHz), 574 Mbps Maximum Speed (2.4GHz), 4x external High-Gain Omni-Directional antennas, 5x Gigabit RJ45 Ethernet Ports (1x WAN 4x LAN), Mesh support, Operating modes - Router / Access Point / Repeater / WISP / Mesh
CD-WR3600	R 1,006	Cudy BE3600E Wi-Fi 7 Gigabit Router, BCM6764 Chipset, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, Beamforming, 4x Gigabit RJ45 Ports with 1x WAN Port
CD-WR3600	R 1,006	Cudy BE3600E Wi-Fi 7 Gigabit Router, BCM6764 Chipset, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, Beamforming, 4x Gigabit RJ45 Ports with 1x WAN Port
CD-WR3600	R 1,144	Cudy BE3600E Wi-Fi 7 Gigabit Router, BCM6764 Chipset, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, Beamforming, 4x Gigabit RJ45 Ports with 1x WAN Port
CD-WR6500	R 1,466	Cudy Dual Band WiFi 7 6500 Mbps 5dBi Gigabit Mesh Router, WR6500, 5765 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x4 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 6x fixed Wi-Fi antennas, Beamforming, Max 240 m range performance, 5x Gigabit RJ45 Ports with 1x WAN Port, Operation modes - Wi-Fi Router / Access Point
CD-WR6500	R 1,466	Cudy WR6500 Dual Band WiFi 7 6500 Mbps 5dBi Gigabit Mesh Router, 5765 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x4 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 6x fixed Wi-Fi antennas, Beamforming, Max 240 m range performance, 5x Gigabit RJ45 Ports with 1x WAN Port, Operation modes - Wi-Fi Router / Access Point
CD-WR6500	R 1,509	Cudy WR6500 Dual Band WiFi 7 6500 Mbps 5dBi Gigabit Mesh Router, 5765 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x4 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 6x fixed Wi-Fi antennas, Beamforming, Max 240 m range performance, 5x Gigabit RJ45 Ports with 1x WAN Port, Operation modes - Wi-Fi Router / Access Point
CUDY-M1200-2P	R 651	Cudy M1200 AC1200 Dual Band whole home Wi-Fi Mesh system - 2 pack, 4x internal Omni-Directional antennas, 1x 100 / 10 Mbps WAN Port, 1x 100 / 10 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CUDY-M1200-3P	R 1,087	Cudy M1200 AC1200 Wi-Fi Mesh kit - 3 pack, 2x internal Omni-Directional antennas, 1x 10/100 Mbps WAN Port, 1x 10/100 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
CUDY-M1300-P2	R 874	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 2 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 2 nodes - covers up to 160m2)
CUDY-M3000W	R 629	Cudy M3000W AX3000 Gigabit White Mesh Unit. AX3000 Dual-Band WiFi (2402 Mbps 574 Mbps); 1.3 GHz Dual-Core CPU; 200 devices; 1x 2.5G WAN 1x Gigabit LAN; 5x Internal Antennas; WPA3; VPN; Mesh

		Support; Cloud App Control
CUDY-M3000W-3PACK	R 2,027	Cudy M3000w Ax3000 Gigabit 3-pack White Mesh Kit. The Cudy M3000W AX3000 Gigabit White Mesh Kit offers high-speed Wi-Fi 6 connectivity with a 2.5Gbps WAN port, supporting over 200 devices. Ideal for large homes, it provides seamless coverage, advanced security features, and easy network management through the Cudy app.
CUDY-WR1200	R 346	Cudy WR1200 AC1200 Ethernet WiFi5 Router. The Cudy WR1200 AC1200 Dual-Band Router delivers dependable home networking with speeds up to 1200 Mbps across two bands and support for up to 40 devices. Featuring MU-MIMO, VPN client support, and app-based management, it offers reliable coverage, flexible modes, and enhanced securityâ€"perfect for streaming, gaming, and smart home setups in South Africa.
CUDY-WR1300	R 454	Cudy Wr1300 Ac1200 Gigabit Wifi5 Router With Mesh. Dual-Band AC1200 WiFi 5; 867 300 Mbps; 5x Gigabit ports; Cudy Mesh; VPN; Cudy App; MU-MIMO; beamforming; 4x 5 dBi antennas; 100 m2 coverage; 880 MHz CPU
CUDY-WR1500	R 417	Cudy WR1500 AX1500 Gigabit WiFi6 Router With Mesh. Dual-band AX1500 WiFi (1201 300 Mbps); 4x Gigabit Ethernet ports; Beamforming; 60 devices supported; Cudy Mesh; WPA3 encryption; VPN client; Cudy App with cloud control; 1 GHz CPU; 128 MB RAM; Wall-mount or desktop; 183.3x109x35 mm; 224.6 g.
CUDY-WR3000S	R 545	Cudy Dual Band WiFi 6 3000 Mbps 5dBi Gigabit Mesh Router - White, WR3000S, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x fixed Wi-Fi antennas, Beamforming, Max 220 m range performance, 5x Gigabit RJ45 Ports with 1x WAN Port, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client, Cudy Mesh
CUDY-WR3600E	R 768	Cudy WR3600E Be3600 Gigabit Wifi7 Router. WiFi 7 BE3600 dual-band; 2882 Mbps 688 Mbps; Broadcom quad-core CPU; 4x GbE ports; up to 200 devices; MLO and mesh; WPA3; VPN and parental controls
DECO BE25	R 5,402	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 3 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
Deco E4-1	R 623	TP-link Deco E4 AC1200 Whole-Home Mesh Wi-Fi system (1 pack - single unit), MU-MIMO, Qualcomm CPU, 2x Fast Ethernet ports, Beamforming, Parental controls, QoS, Reporting, Alexa SUPPORTED, 2 internal Dual-Band antennas per Deco UNIT, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz
Deco E4-2	R 1,164	TP-link Deco E4 AC1200 whole-home Mesh Wi-Fi system (2 pack), MU-MIMO, Qualcomm CPU, 2x 10/100 Ethernet ports, Beamforming, Parental controls, Qos, Reporting, Alexa supported, 2 internal Dual-Band antennas per Deco unit, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz, Router or Access Point
Deco E4-3	R 1,745	TP-link Deco E4 AC1200 Whole-Home Mesh Wi-Fi system (3 pack), MU-MIMO, Qualcomm CPU, 2x Fast Ethernet ports, Beamforming, Parental controls, QoS, Reporting, Alexa SUPPORTED, 2 internal Dual-Band antennas per Deco UNIT, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz
Deco M4-1	R 830	TP-link Deco M4 AC1200 Whole-Home Mesh Wi-Fi system (1 pack - single unit), MU-MIMO, Qualcomm CPU, 2 x GB ports, Beamforming, Parental controls, QoS, Reporting, Alexa supported, 2x Gigabit Ethernet ports, 2 internal Dual-Band antennas, 300 Mbps on 2.4 GHz, 867 Mbps on 5 GHz
Deco M4-2	R 1,579	TP-Link Deco M4 AC1200 Whole-Home Mesh Wi-Fi System (2 Pack), 2 Gigabit Ethernet Ports, 16 MB Flash, Qualcomm CPU, 128 MB SDRAM, 2 internal dual-band antennas per Deco unit, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4GHz, 300Mbps on 2.4GHz, 867Mbps on 5 GHz
Deco M4-3	R 2,326	TP-Link Deco M4 AC1200 Whole-Home Mesh Wi-Fi System (3 Pack), 2 Gigabit Ethernet Ports, 16 MB Flash, Qualcomm CPU, 128 MB SDRAM, 2 internal dual-band antennas per Deco unit, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4GHz, 300Mbps on 2.4GHz, 867Mbps on 5 GHz
DECO M5-3	R 2,590	TP-Link Deco M5 AC1300 Whole-Home Wi-Fi system - 3 Pack, Quad-Core CPU, 256 MB RAM, 32 MB Flash, 2x LAN/WAN Gigabit Ethernet Ports, 4 internal antennas per Deco unit, 2.4GHz and 5GHz, 400 Mbps on 2.4GHz, 867 Mbps on 5GHz
DECO M9-3	R 7,902	TP-Link Deco M9 AC2200 Smart Whole-Home Wi-Fi System - 3 Pack, Tri-Band Wi-Fi, MU-MIMO, 802.11ac, 717MHz Quad-core CPU, Bluetooth 4.2, 2x Gb Ports, 1x Type-C Port
DECO X10-2P	R 1,911	TP-Link X10 AX1500 Router Whole Home Mesh Wi-Fi 6 system - 2 pack, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, TP-Link Mesh technology, 2x antennas (Internal), 2x2 MU-MIMO, 4 streams, Router mode / Access Point mode, 2x Gigabit Ports

DECO X50 POE 1 PACK	R 1,499	TP-Link Deco X50 AX3000 PoE Router Whole Home Mesh system - 1 Pack, 2402 Mbps @ 5GHz Data rate, 574 Mbps @ 2.4GHz Data rate, TP-Link Mesh technology, Ai-driven Mesh, 4x antennas (Internal), 1x 2.5 Gigabit Port, 1x Gigabit Port
DECO X50-OUTDOOR-1-PACK	R 1,899	TP-LINK AX3000 Outdoor/Indoor Mesh Wi-Fi 6 Unit SPEED: 574 Mbps at 2.4 GHz 2402 Mbps at 5 GHz SPEC: Internal Antennas, 2x Gigabit Ports (WAN/LAN auto-sensing), IP65, PoE and AC Power Supply FEATURE: Deco App, Router/AP Mode, IPv6, IPTV, HomeShield (Parental Controls, Antivirus, QoS, Reports), OFDMA, MU-MIMO, 1024-QAM, HE160, WPA3, Beamforming, Alexa and Google Assistant Supported, Multi-Scenario(Pole Mount, Wall Mount, Tabletop).
DECO X55-1	R 1,496	TP-Link X55 AX3000 Whole Home Mesh Wi-Fi 6 system - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, 2 x antennas (Internal), 2x2 MU-MIMO, Router mode / Access Point mode, 3x Gigabit Ports
DECO X55-2	R 2,908	TP-Link X55 AX3000 Whole Home Mesh Wi-Fi 6 system - 2 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, 2 x antennas (Internal), 2x2 MU-MIMO, Router mode / Access Point mode, 3x Gigabit Ports
DECO XE75(3-PACK)	R 6,067	TP-Link Deco XE75 AXE5400 Whole Home Mesh Wi-Fi 6E system - 3 pack, 6GHz @ 2402 Mbps, 5GHz @ 2402 Mbps, 2.4GHz @ 574 Mbps, TP-Link Mesh technology, Ai-driven Mesh, 4 x High-Gain antennas (Internal), Beamforming, 3x Gigabit Ports
DECO-BE25(1-PACK)	R 1,995	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 1 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
DECO-BE25(2-PACK)	R 3,852	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 2 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
DECO-BE25(3-PACK)	R 5,305	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 3 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
DECO-BE65(1-PACK)	R 3,529	TP-Link Deco BE65 BE9300 Whole Home Mesh WiFi 7 system - 1 Pack, 574 Mbps @ 2.4GHz, 2880 Mbps @ 5GHz, 5760 Mbps @ 6GHz, TP-Link Mesh technology, Ai-driven Mesh, 4x High-Performance antennas (Internal), Tri-band, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 4 x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port
DECO-BE65(2-PACK)	R 6,840	TP-Link Deco BE65 BE9300 Whole Home Mesh WiFi 7 system - 2 Pack, 574 Mbps @ 2.4GHz, 2880 Mbps @ 5GHz, 5760 Mbps @ 6GHz, TP-Link Mesh technology, Ai-driven Mesh, 4x High-Performance antennas (Internal), Tri-band, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 4 x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port
DECO-BE65(3-PACK)	R 9,747	TP-Link Deco BE65 BE9300 Whole Home Mesh WiFi 7 system - 3 Pack, 574 Mbps @ 2.4GHz, 2880 Mbps @ 5GHz, 5760 Mbps @ 6GHz, TP-Link Mesh technology, Ai-driven Mesh, 4x High-Performance antennas (Internal), Tri-band, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 4 x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port
DECO-BE85(1-PACK)	R 8,939	TP-Link Deco BE85 BE19000 Whole Home WiFi 7 - 1 pack, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, TP-Link Mesh technology, Ai-driven Mesh, 8x High-Gain antennas (Internal), Tri-band, 4x4 MU-MIMO, 12 streams, Router mode / Access Point mode, 1x 10 Gbps Ethernet Port, 1x 10 Gbps SFP /RJ45 combo Port, 2x 2.5 Gbps Ethernet Port, 1x USB 3.0 Port
DECO-BE85(2-PACK)	R 17,014	TP-Link Deco BE85 BE19000 Whole Home WiFi 7 - 2 pack, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, TP-Link Mesh technology, Ai-driven Mesh, 8x High-Gain antennas (Internal), Tri-band, 4x4 MU-MIMO, 12 streams, Router mode / Access Point mode, 1x 10 Gbps Ethernet Port, 1x 10 Gbps SFP /RJ45 combo Port, 2x 2.5 Gbps Ethernet Port, 1x USB 3.0 Port
DECO-E4(1-PACK)	R 662	TP-Link Deco E4(1-pack) AC1200 Whole-Home Mesh Wi-Fi System
DECO-E4(2-PACK)	R 1,187	TP-Link Deco E4(2-pack) AC1200 Whole-Home Mesh Wi-Fi System. 260 m2 maximum coverage with 2 devices (2.4 GHz wireless connection / 5 GHz wireless connection / Optional Ethernet backhaul)

DECO-E4(3-PACK)	R 1,752	TP-Link Deco E4 AC1200 Wi-Fi 5 Whole-Home Mesh Wi-Fi system - 3 Pack, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3-4 bedroom houses (3 - pack), TP-Link Mesh Technology, 2x antennas (Internal), Beamforming, MU-MIMO, Working modes - Router mode / Access Point mode, 2x 10/100 Mbps Ports
DECO-E4-2-PACK	R 1,129	TP-Link DECO E4 AC1200 Whole-Home Mesh Wi-Fi System - 2 Pack, Qualcomm CPU, 867Mbps at 5GHz 300Mbps at 2.4GHz, 2 10/100Mbps Ports, 2 internal antennas, MU-MIMO, Beamforming, Parental Controls, Quality of Service, Reporting, Access Point Mode, IPv6 Ready, Assisted Setup
DECO-M4(1-PACK)	R 864	TP-Link Deco M4 (1-pack) AC1200 Whole-Home Mesh Wi-Fi System
DECO-M4(2-PACK)	R 1,591	TP-Link Deco M4(2-pack) AC1200 Whole-Home Mesh Wi-Fi System. 260 m2 maximum coverage with 2 devices (2.4 GHz wireless connection / 5 GHz wireless connection / Optional Ethernet backhaul)
DECO-M4(3-PACK)	R 2,318	TP-Link Deco M4(3-pack) AC1200 Whole-Home Mesh Wi-Fi System. Up to 370 m2 using 3 devices.
DECO-M4-1-PACK	R 694	TP-Link Deco M4 AC1200 Whole-Home Mesh Wi-Fi Unit - 1 Pack, Qualcomm CPU, 867Mbps at 5GHz 300Mbps at 2.4GHz, 2 Gigabit Ports, 2 internal antennas, MU-MIMO, Beamforming, Parental Controls, Quality of Service, Reporting, Access Point Mode, IPv6 Ready, Assisted Setup
DECO-M4-3-PACK	R 2,308	TP-Link Deco M4 AC1200 Whole-Home Mesh Wi-Fi System - 3 Pack, Qualcomm CPU, 867Mbps at 5GHz 300Mbps at 2.4GHz, 2 Gigabit Ports, 2 internal antennas, MU-MIMO, Beamforming, Parental Controls, Quality of Service, Reporting, Access Point Mode, IPv6 Ready, Assisted Setup
DECO-M5(1-PACK)	R 1,066	TP-Link Deco M5 AC1300 Dual Band Wireless Ethernet Whole Home WiFi Mesh system - 1 Pack, 867 Mbps at 5GHz 400 Mbps at 2.4GHz, 2x Gigabit LAN, 1x USB Type-C Port, 4 internal antennas, Tether App, Router / Access Point mode, Beamforming, MU-MIMO
DECO-M5(2-PACK)	R 1,914	TP-Link Deco M5 AC1300 Dual Band Wireless Ethernet Whole Home WiFi Mesh system - 2 Pack, 867 Mbps at 5GHz 400 Mbps at 2.4GHz, 2x Gigabit LAN, 1x USB Type-C Port, 4 internal antennas, Tether App, Router / Access Point mode, Beamforming, MU-MIMO
DECO-M5(3-PACK)	R 2,721	TP-Link Deco M5 (3-Pack) AC1300 Whole-Home Mesh Wi-Fi System. Up to 500 m2 coverage using 3 devices.
DECO-M5-1-PACK	R 1,099	TP-Link Deco M5 AC1300 Dual Band Wireless Ethernet Whole Home WiFi Mesh System, Mediatek Realtek, 867Mbps at 5GHz 400Mbps at 2.4GHz, 802.11ac/a/b/g/n, 2 Gigabit LAN, 1x USB Type-C Port, Wireless On/Off, 4 Internal Antennas, Tether App
DECO-M5-2-PACK	R 2,599	TP-Link Deco M5 AC1300 Whole Home Mesh Wi-Fi System - 2 Pack
DECO-M5-2-PACK	R 2,018	TP-Link Deco M5 AC1300 Whole Home Mesh Wi-Fi System - 2 Pack, Qualcomm 717MHz Quad-core CPU, 867Mbps at 5GHz 400Mbps at 2.4GHz, 2 Gigabit Ports, 4 internal antennas, 256QAM, MU-MIMO, Beamforming, HomeCare(Parental Controls, Built-In Antivirus, Quality of Service
DECO-M5-3-PACK	R 2,944	TP-Link Deco M5 AC1300 Whole-Home Mesh Wi-Fi System - 3 Pack, Qualcomm 717MHz Quad-core CPU, 867Mbps at 5GHz 400Mbps at 2.4GHz, 2 Gigabit Ports, 4 internal antennas, 256QAM, MU-MIMO, Beamforming, HomeCare(Parental Controls, Built-In Antivirus, Quality of Service
DECO-S4(3-PACK)	R 2,057	TP-Link Deco S4(3-pack) AC1200 Whole-Home Mesh Wi-Fi System. Covers up to 370m2
DECO-S7(1-PACK)	R 864	TP-Link Deco S7 AC1900 Whole Home Mesh WiFi system - 1 pack, 1300 Mbps 5GHz, AC1900, 1300 Mbps @ 5GHz, 600 Mbps @ 2.4GHz, TP-Link Mesh Technology, 3x antennas (Internal), 3x Gigabit Ports
DECO-S7(2-PACK)	R 1,591	TP-Link Deco S7 AC1900 Whole Home Mesh WiFi system - 2 pack, 1300 Mbps 5GHz, AC1900, 1300 Mbps @ 5GHz, 600 Mbps @ 2.4GHz, TP-Link Mesh Technology, 3x antennas (Internal), 3x Gigabit Ports
DECO-S7-2-PACK	R 1,598	TP-Link Deco S7 AC1900 Whole Home Mesh Wi-Fi System - 2 Pack, SPEED: 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, SEPC: 3x Internal Antennas, 3x Gigabit Ports (WAN/LAN auto-sensing)
DECO-S7-3-PACK	R 2,260	TP-Link Deco S7 AC1900 Whole Home Mesh Wi-Fi System - 3 Pack, SPEED: 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, SEPC: 3Ã— Internal Antennas, 3Ã— Gigabit Ports (WAN/LAN auto-sensing)
DECO-X10(1-PACK)	R 1,066	TP-Link Deco X10 AX1500 Whole-Home Mesh Wi-Fi 6 system Tri-band - 1 Pack, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3-5 bedroom houses (3 - pack), TP-Link Mesh Technology, 2x antennas (Internal), Beamforming, 2x2 MU-MIMO, 4 streams, Working modes - Router mode / Access Point mode, 2x Gigabit Ports
DECO-X10(2-PACK)	R 1,914	TP-Link Deco X10 AX1500 Whole-Home Mesh Wi-Fi 6 system Tri-band - 2 Pack, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3-5 bedroom houses (3 - pack), TP-Link Mesh Technology, 2x antennas (Internal), Beamforming, 2x2 MU-MIMO, 4 streams, Working modes - Router mode / Access Point mode, 2x Gigabit Ports
DECO-X10(3-PACK)	R 2,721	TP-Link Deco X10 AX1500 Whole-Home Mesh Wi-Fi 6 system Tri-band - 3 Pack, 1201 Mbps @ 5GHz, 300 Mbps

		@ 2.4GHz, 3-5 bedroom houses (3 - pack), TP-Link Mesh Technology, 2x antennas (Internal), Beamforming, 2x2 MU-MIMO, 4 streams, Working modes - Router mode / Access Point mode, 2x Gigabit Ports
DECO-X10-4G(1-PACK)	R 1,995	TP-Link Deco X10-4g 4G AX1500 Whole Home Mesh WiFi6 Gateway, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 1-2 bedroom houses (1-pack), TP-Link Mesh Technology, 2 LTE antennas, 2 Wi-Fi antennas (Internal), 2 x 2 MU-MIMO, Working modes 3G/4G / Router / Access Point working modes, 3x Gigabit Ports, 2 x 3G/4G external SMB antenna Interface, Nano-SIM slot
DECO-X50(1-PACK)	R 1,510	TP-Link Deco X50 AX3000 Whole Home Mesh Wi-Fi 6 system - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 2x antennas (Internal), Beamforming, 2x2 MU-MIMO, 4 streams, Working modes - Router mode / Access Point mode, 3x Gigabit Ports
DECO-X50(2-PACK)	R 2,883	TP-Link Deco X50 AX3000 Whole Home Mesh Wi-Fi 6 system - 2 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 2x antennas (Internal), Beamforming, 2x2 MU-MIMO, 4 streams, Working modes - Router mode / Access Point mode, 3x Gigabit Ports
DECO-X50(3-PACK)	R 4,094	TP-Link DECO-X50 3-PACK AX3000 Whole Home Mesh Wi-Fi 6 System. Covers up to 600m2.
DECO-X50-2-PACK	R 2,696	TP-Link DECO X50 AX3000 Whole Home Mesh Wi-Fi 6 System, SPEED: 574 Mbps at 2.4 GHz 2402 Mbps at 5 GHz, SPEC: 2x Internal Antennas, 3x Gigabit Ports (WAN/LAN auto-sensing), 2 Streams and HE160 for 5GHz
DECO-X50-3-PACK	R 4,238	TP-Link DECO-X50 AX3000 Whole Home Mesh Wi-Fi 6 System - 3 Pack, SPEED: 574 Mbps at 2.4 GHz 2402 Mbps at 5 GHz, SPEC: 2x Internal Antennas, 3x Gigabit Ports (WAN/LAN auto-sensing), 2 Streams and HE160 for 5GHz
DECO-X50-5G(1-PACK)	R 4,659	TP-Link X50-5g Deco 5G AX3000 Whole Home Mesh WiFi 6 Router, Wi-Fi 6, AX3000, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 1-3 bedroom houses (1-pack), TP-Link Mesh Technology, 4x LTE/5G internal antennas 2 x Wi-Fi internal antennas, 2x external rp-sma-f antenna Interface, Nano-SIM, Working modes 5g/4g Router / Router / Access Point, 1x 2.5 Gigabit Port, 2x 1 Gigabit Ports
DECO-X50-OUTDOOR(1-PACK)	R 2,075	TP-Link Deco X50 AX3000 Outdoor / Indoor Mesh WiFi 6 - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh Technology, 2x antennas (Internal), Router / Access Point working modes, 2x Gigabit Ports per Deco unit
DECO-X50-POE(1-PACK)	R 1,833	TP-Link Deco X50 AX3000 PoE Router Whole Home Mesh system - 1 Pack, 2402 Mbps @ 5GHz Data rate, 574 Mbps @ 2.4GHz Data rate, TP-Link Mesh technology, Ai-driven Mesh, 4x antennas (Internal), 1x 2.5 Gigabit Port, 1x Gigabit Port
DECO-X50-POE(2-PACK)	R 3,448	TP-Link Deco X50 AX3000 PoE Router Whole Home Mesh system - 2 Pack, 2402 Mbps @ 5GHz Data rate, 574 Mbps @ 2.4GHz Data rate, TP-Link Mesh technology, Ai-driven Mesh, 4x antennas (Internal), 1x 2.5 Gigabit Port, 1x Gigabit Port
DECO-X50-POE(3-PACK)	R 4,902	TP-Link Deco X50-PoE (3-pack) AX3000 Whole Home Mesh Wi-Fi 6 System with PoE
DECO-X55(1-PACK)	R 1,510	TP-Link X55 AX3000 Whole Home Mesh Wi-Fi 6 system - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, 2 x antennas (Internal), 2x2 MU-MIMO, Router mode / Access Point mode, 3x Gigabit Ports
DECO-X55-2-PACK	R 2,899	TP-Link Deco X55 AX3000 Whole Home Mesh WiFi 6 System - 2 Pack
DECO-X55-3-PACK	R 3,999	TP-Link Deco X55 AX3000 Whole Home Mesh WiFi 6 System - 3 Pack
DECO-X60(2-PACK)	R 2,964	TP-Link Deco X60 AX3000 Whole-Home Mesh Wi-Fi - 2 Pack, 5 GHz @ 2402 Mbps WiFi speeds, 2.4 GHz @ 574 Mbps WiFi speeds, TP-Link Mesh technology, 4x antennas (Internal), Working modes - Access Point mode & Router mode, 2x Gigabit Ports per Deco unit
DECO-X60(3-PACK)	R 4,336	TP-Link DECO-X60 (3-Pack) AX3000 Whole-Home Mesh Wi-Fi System. Covers up to 650m2.
DECO-XE75	R 5,951	TP-Link Deco XE75 AXE5400 Whole Home Mesh Wi-Fi 6E System(Tri-Band)
DECOS7(3-PACK)	R 2,318	TP-Link Deco S7 AC1900 Whole Home Mesh Wi-Fi System(3-Pack)
DECOVOICEX20(3-PACK)	R 7,527	TP-Link Deco Voice X20 (3-Pack) AX1800 Whole Home Mesh Wi-Fi 6 System with Smart Speaker
DECOX55(2-PACK)	R 2,883	TP-Link Deco X55 AX3000 Whole Home Mesh Wi-Fi 6 System(2-Pack)
DECOX55(3-PACK)	R 4,094	TP-Link Deco X55 AX3000 Whole Home Mesh Wi-Fi 6 System (3-Pack)
DS-3E1518P-SI-16P2F	R 4,019	Hikvision L2 Smart Managed 16 port Gigabit Smart PoE Switch with 2x Gigabit SFP Ports, Metal material Shell, 16 x Gigabit PoE Port, 2 x Gigabit SFP Fiber Optical Port, Ports 1 to 16 up to 300m, 30 W Maximum Port Power, 230 W PoE Power budget

DS-3WG210GP-SI	R 2,312	Hikvision DS-3WG210GP-SI All in One 10 Port PoE AC Router, Concurrent Users 200, Up to 4 WAN Loadbalancing, 2 Gigabit WAN Ports with 1 WAN/LAN Switchable, 8 Gigabit PoE LAN Ports with 2 LAN/WAN Switchable, 200 APs, 75w, IPSec throughput 100Mpbs, 40K Concurrent sessions, Desktop
DS-3WR12C-H	R 552	Hikvision DS-3WR12C-H AC1200M Dual-Band WiFi5 Mesh Wireless Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 128 Maximum connections, 30 recommended connections, 4 High Gain antennas, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports, Operating mode - Router mode / Wireless extender mode / Access Point mode
DS-3WR12GC-H	R 627	Hikvision AC1200 WiFi5 Gigabit Mesh Wireless Router, Dual Band supported, 4 High Gain antennas, 866 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 1x Gigabit adaptive WAN Port, 4x Gigabit adaptive LAN Ports, Operating mode - Router mode / Wireless extender mode / Access Point mode
DS-3WR18X	R 742	Hikvision DS-3WR18X AX1800M Dual-Band WiFi 6 Wireless Router, 1201 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 5x High Gain antennas, Hik-Connect, Hik-partner Pro App, 256 Maximum connections, MU-MIMO supported, Beamforming supported, Operating mode - Router mode / Wireless extender mode / Access Point mode
DS-3WR30X	R 679	Hikvision DS-3WR30X AX3000M Dual-Band WiFi 6 Wireless Router, 2402 Mbps @ 5GHz, 3574 Mbps 2.4GHz, 4x Gigabit adaptive WAN/LAN Ports, 5x High Gain antennas, Hik-Connect, Hik-partner Pro App, 256 Maximum connections, MU-MIMO supported, Beamforming supported, Operating mode - Router mode / Wireless extender mode / Access Point mode
DS-3WRM12GC	R 552	Hikvision DS-3WR12GC AC1200M Dual-Band WiFi5 Wireless Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 4x 5-dBi antennas, Hik-Connect App, 4 x 4 MU-MIMO supported, Beamforming supported, Mode supported - Wireless Router mode / Wireless Repeater mode / Client AP / WISP / AP
DS-3WRM12GC/3	R 2,248	Hikvision DS-3WR12GC AC1200M Dual-Band WiFi5 Wireless Router - 3 pack, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 4x 5-dBi antennas, Hik-Connect App, 4 x 4 MU-MIMO supported, Beamforming supported, Mode supported - Wireless Router mode / Wireless Repeater mode / Client AP / WISP / AP
DVB4230GL	R 574	Xiaomi Mi 4A White Router
DVB4231GL	R 452	Xiaomi Mi 300MB 4C 4 x 2.4GHz, 1 x 100Mb WAN, 2 x 100Mb LAN Wi-Fi Router
DVB4423GL	R 1,066	Xiaomi AX3000T Wi-Fi 6 Dual-Band Gigabit Mesh Router - White, Up to 2976 Mbps combined Dual-Band Speed, Up to 2402 Mbps @ 5GHz Speed, Up to 574 Mbps @ 2.4GHz Speed, 4x Gigabit WAN/LAN Ports, Xiaomi Mesh Networking, 4x High-Gain antennas, OFDMA support, One-tap NFC device connection, MiWiFi ROM Operating System
DVB4451GL	R 1,390	Xiaomi DVB4451GL AC1200 Whole Home Mesh Wi-Fi system - 2 pack, 2x Gigabit WAN/LAN Ports, 300 Mbps @ 2.4GHz Wi-Fi, 867 Mbps @ 5GHz Wi-Fi, MiWi-Fi ROM Operating System
DVB4452GL	R 776	Xiaomi DVB4452GL AC1200 Whole Home Mesh Wi-Fi system - 1 pack, 2x Gigabit WAN/LAN Ports, 300 Mbps @ 2.4GHz Wi-Fi, 867 Mbps @ 5GHz Wi-Fi, MiWi-Fi ROM Operating System
DVB4458GL	R 2,049	Xiaomi Mesh system AX3000 NE Whole-Home Wi-Fi 6 Router (2 Pack) - White, Xiaomi Mesh Technology, MiWiFi ROM Operating System, Up to 3000 Mbps Maximum combined Wireless Speed, 2.4GHz and 5GHz Frequency bands, High-Performance internal antennas, 4x Gigabit WAN/LAN Auto-Sensing Ports
DVB4459GL	R 1,063	Xiaomi Mesh system AX3000 NE Whole-Home Wi-Fi 6 Router (1 Pack) - White, Xiaomi Mesh Technology, MiWiFi ROM Operating System, Up to 3000 Mbps Maximum combined Wireless Speed, 2.4GHz and 5GHz Frequency bands, High-Performance internal antennas, 4x Gigabit WAN/LAN Auto-Sensing Ports
DVB4475GL	R 2,377	Xiaomi BE3600 Pro Dual-Band Wi-Fi 7 2.5GbE Mesh Router, Up to 3570 Mbps Wireless Speed, 2.4GHz 5GHz Wireless bands, Up to 688 Mbps @ 2.4GHz Wireless Speed, Up to 2882 Mbps @ 5GHz Wireless Speed, 2 x 2 MIMO, 4 High-Performance internal antennas, 1x 2.5Gbps 3x 1Gbps WAN/LAN Auto-Sensing Ports, Xiaomi Home App
DVB4480GL	R 5,742	Xiaomi NR09 Mesh system Wi-Fi 7 BE3600 Pro - 3 Pack, Up to 3600 Mbps total Wi-Fi Speed, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 1x 2.5GbE 3x 1GbE WAN/LAN Auto-Sensing, 4x internal antennas, Up to 10 Max Mesh nodes, NFC, Bluetooth Gateway, Xiaomi Home App
DVB4484GL	R 2,216	Xiaomi DVB4484GL Mesh system AC1200 - 3 Pack, 2x Gigabit WAN/LAN autosensing Port, 802.11ac @ 867

		Mbps, 802.11n @ 300 Mbps, Dual-Band 1200 Mbps
DVB4486GL	R 3,030	Xiaomi Mesh system AX3000 NE Whole-Home Wi-Fi 6 Router (3 Pack) - White, Xiaomi Mesh Technology, MiWiFi ROM Operating System, Up to 3000 Mbps Maximum combined Wireless Speed, 2.4GHz and 5GHz Frequency bands, High-Performance internal antennas, 4x Gigabit WAN/LAN Auto-Sensing Ports
DVB4493GL	R 1,556	Xiaomi BE3600 Wireless Dual-Band Wi-Fi 7 Router with 2.5Gb Ethernet - White, DVB4493GL, Up to 688 Mbps @ 2.4GHz Wi-Fi Speed, Up to 2882 Mbps @ 5GHz Wi-Fi Speed, 2 x 2 MIMO on 2.4GHz and 5GHz bands, Xiaomi Mesh supports, 1x 2.5 Gigabit Ethernet Port
DVB4550GL	R 9,019	Xiaomi DVB4550GL BE19000 Pro Wi-Fi 7 Tri-band Router, 2x 10GE WAN/LAN 4x 2.5GE WAN/LAN, 30Gbps Wired Throughput, AI Mesh roaming, Built-In Bluetooth Gateway, Speeds of up to 18656 Mbps
E62IUGS-2AXD5AXT	R 1,227	MikroTik hAP ax S 5 port Gigabit & 1x 2.5Gbps SFP 2400 Mbps WiFi 6 Router, E62iUGS-2axD5axT, RouterOS License 4, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, Wi-Fi 6, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1800 Mbit/s Wireless 5GHz Max Data rate, AX2400 WiFi Speed, 5x Gigabit Ethernet Ports, 1x 1G Ethernet Ports with PoE-out, 1x 2.5Gbps SFP Ports, DC jack or PoE-in DC inputs
EAP223	R 880	TP-Link EAP223 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, excluding PSU / PoE, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, 3 internal Omni antenna Type, 5GHz up to 867 Mbps, 2.4GHz up to 450 Mbps
EC220-F5	R 304	TP-Link EC220-F5 AC1200 Dual-Band Wi-Fi Router, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports, 4 external antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5GHz
EC220-G5	R 449	TP-Link EC220-G5 1200 Mbps ISP Dual Band Gigabit Wi-Fi Router, 3x 10/100/1000 Mbps LAN ports, 1x 10/100/1000 Mbps WAN Port, 4 external antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz
EX12-2	R 2,033	Tenda EX12-2 Whole Home Mesh Wi-Fi 6 system - 2 pack, 3x Gigabit RJ45 Ports, 4x 3dBi internal antenna, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz, 2.4GHz & 5GHz Frequency, Beam forming, MU-MIMO, Operating mode - Router mode / Access Point mode
EX141	R 549	TP-Link EX141 AX1500 aginet acs Dual Band Gigabit Wi-Fi 6 Router, 1x Gigabit RJ45 WAN Port, 3x Gigabit RJ45 LAN Ports, Four external antennas, 1201 Mbps on 5GHz, 300 Mbps on 2.4GHz
EX141	R 515	TP-Link EX141 AX1500 aginet acs Dual Band Gigabit Wi-Fi 6 Router, 1x Gigabit RJ45 WAN Port, 3x Gigabit RJ45 LAN Ports, Four external antennas, 1201 Mbps on 5GHz, 300 Mbps on 2.4GHz
EX3-2	R 1,205	Tenda EX3-2 AX1500 Whole Home Mesh Wi-Fi 6 system - 2 pack, 1x Gigabit WAN Port, 1x Gigabit LAN Port, 2x 3dBi internal antenna, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 2.4GHz & 5GHz Frequency, OFDMA, OFDMA, MU-MIMO, Beamforming, Operating mode Router - mode / Access Point mode
EX3-3	R 1,723	Tenda EX3-3 AX1500 Whole Home Mesh Wi-Fi 6 system - 3 pack, 1x Gigabit WAN Port, 1x Gigabit LAN Port, 2x 3dBi internal antenna, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 2.4GHz & 5GHz Frequency, OFDMA, OFDMA, MU-MIMO, Beamforming, Operating mode Router - mode / Access Point mode
EX511	R 909	TP-Link EX511 AX3000 Agile Configuration Dual Band WiFi 6 Router, 1x Gigabit RJ45 WAN Port, 4x Gigabit RJ45 LAN Ports, Four High-Performance external antennas, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps
EX511	R 7,808	Asus EX511 AX3000 Dual Band WiFi 6 Router, Dual-Band WiFi 6 Speeds up to 3000 Mbps" 2402 Mbps on 5 GHz and 574 Mbps on 2.4 GHz, Boosted Coverage. The EX511 AX3000 Dual-Band Wi-Fi 6 Router delivers fast and reliable internet for multiple devices at home or in the office. It supports 574Mbps at 2.4GHz and 2402Mbps at 5GHz, ideal for streaming, gaming, and smart devices. With MU-MIMO, beamforming, and advanced security, it provides a stable and secure network experience.
F3	R 199	Tenda F3 300Mbps WiFi Router
F7D1401ED	R 644	BELKIN NETWORKING SURF WIRELESS MODEM / ROUTER
GS-GWN7062E	R 751	Grandstream Enterprise WiFi 6 Mesh Router, GWN7062E, Up to 128 Wireless clients, 3x autosensing Gigabit Ethernet Ports, USB Type-C Power Adapter, 2402 Mbps @ 5GHz, 573.5 Mbps @ 2.4GHz
GT-AX6000	R 3,824	Asus Rog Rapture Ax6000 Dual Band Wifi 6 Up To 6000mbps 4 External Antennas 1x Wan 2,5g 1x Lan 2,5g 4x Lan 2x Usb
GT-BE19000	R 9,473	Asus ROG Rapture BE19000 Wi-Fi 7 Tri-Band Gaming Router with Dual 10G Ports; dual 10G ports; quad core 2.6GHz CPU; 2GB RAM; AiMesh support; adaptive QoS; gaming acceleration; USB 3.2 Gen1; AiProtection; weight 2kg

H3C-MAGIC-BX54	R 2,294	H3C Magic BX54 802.11ax AX5400 Gigabit Dual Band Wi-Fi 6 Broadband Router with Mesh, 4x Gigabit Ethernet Ports, Natural cooling, 574 Mbps @ 2.4GHz, 4904 Mbps @ 5GHz, 4 Built-In High Gain omnidirectional antennas
H3C-MAGIC-NX15	R 654	H3C Magic NX15 802.11ax AX1500 Gigabit Dual Band WI-FI6 Broadband Router with Mesh, 4x Gigabit Ethernet Ports, Natural cooling, 300 Mbps @ 2.4GHz, 1201 Mbps @ 5GHz, 4 external 5dBi High Gain omnidirectional antennas
H3C-MAGIC-NX30	R 960	H3C Magic NX30 802.11ax AX3000 Gigabit Dual Band WI-FI6 Broadband Router with Mesh, 4x Gigabit Ethernet Ports, Natural cooling, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz, 4 external 5dBi High Gain omnidirectional antennas
H3C-MAGIC-NX54	R 1,448	H3C Magic NX54 802.11ax AX5400 Gigabit Dual Band Wi-Fi 6 Broadband Router with Mesh, 4x Gigabit Ethernet Ports, Natural cooling, 574 Mbps @ 2.4GHz, 4804 Mbps @ 5GHz
HALO-H30(2-PACK)	R 655	Mercusys Halo H30 AC1200 Whole Home Mesh Wi-Fi system - 2 pack, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 2x 10/100 Mbps Ethernet Ports per Halo unit, Reset Button
HALO-H30(3-PACK)	R 954	Mercusys HALO H30 AC1200 Whole Home Mesh Wi-Fi system - 3 pack, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 2x 10/100 Mbps Ethernet Ports per Halo unit, Reset Button
HALO-H30G(2-PACK)	R 805	Mercusys Halo H30G AC1300 Whole Home Mesh Wi-Fi system - 2 pack, 400 Mbps at 2.4GHz, 867 Mbps at 5GHz - 2 pack, 2x Gigabit Ports per Halo unit, Reset Button
HALO-H30G(3-PACK)	R 1,179	Mercusys Halo H30G AC1300 Whole Home Mesh Wi-Fi system - 3 pack, 400 Mbps at 2.4GHz, 867 Mbps at 5GHz - 2 pack, 2x Gigabit Ports per Halo unit, Reset Button
HALO-H37BE-3-PACK	R 4,200	Mercusys Halo H37BE BE6500 Whole Home Mesh Wi-Fi 7 system - 3 Pack, 5760 Mbps at 5GHz WiFi Speed, 688 Mbps at 2.4GHz WiFi Speed, 2x 2.5 Gbps Ports (WAN/LAN Auto-Sensing), 1x 1 Gbps Port (WAN/LAN Auto-Sensing), Operation mode - Router / Access Point
HALO-H50G(2-PACK)	R 917	Mercusys Halo H50G AC1900 Whole Home Mesh WiFi system - 2 Pack, 1300 Mbps on 5 GHz, 600 Mbps on 2.4 GHz, Operation modes - Router / Access Point, 3x Gigabit Ports per Halo unit
HALO-H50G(3-PACK)	R 1,328	Mercusys Halo H50G AC1900 Whole Home Mesh WiFi system - 3 Pack, 1300 Mbps on 5 GHz, 600 Mbps on 2.4 GHz, Operation modes - Router / Access Point, 3x Gigabit Ports per Halo unit
HALO-H50G-3-PACK	R 1,271	Mercusys Halo H50G 3-PACK AC1900 Whole Home Mesh Wi-Fi System, SPEED: 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, SPEC: 3x Internal Antennas, 3x Gigabit Ports per Unit (WAN/LAN auto-sensing), FEATURE: MERCUSYS APP, Router/AP Mode, One Unified Network, Seamless Roaming
HALO-H50G-3-PACK	R 1,999	Mercusys Halo H50G 3-PACK AC1900 Whole Home Mesh Wi-Fi System, SPEED: 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, SPEC: 3x Internal Antennas, 3x Gigabit Ports per Unit (WAN/LAN auto-sensing), FEATURE: MERCUSYS APP, Router/AP Mode, One Unified Network, Seamless Roaming
HALO-H60X(2-PACK)	R 1,029	Mercusys Halo H60X AX1500 Whole Home Mesh WiFi 6 system - 2 pack, 1201 Mbps on 5GHz, 300 Mbps on 2.4GHz, 3x Gigabit WAN/LAN Ports Halo H60XR, 2 x Gigabit LAN Ports Halo H60XS, Router / Access Point operation modes, 1x Halo H60XR unit 1x Halo H60XS unit
HALO-H60X-2-PACK	R 971	Mercusys Halo H60X AX1500 Whole Home Mesh Wi-Fi 6 System - 2-pack: 1x Halo H60XR 1x Halo H60XS, SPEED: 300 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, SPEC: Halo H60XR: Internal Antennas, 3x Gigabit Ports (WAN/LAN auto-sensing), 1024-QAM, OFDMA, Halo H60XS: Internal Antenna
HALO-H70X-3-PACK	R 1,760	Mercusys HALO H70X 3-PACK AX1800 Whole Home Mesh Wi-Fi 6 System, SPEED: 574 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, SPEC: Internal Antennas, 3x Gigabit Ports per Unit (WAN/LAN auto-sensing), 1024-QAM, OFDMA, FEATURE: MERCUSYS APP, Router/AP Mode, One Unified Network, Seamless
HALO-H70X2	R 1,724	Mercusys Halo H70X AX1800 WiFi 6 Whole Home Mesh system - 2 pack, 1201 Mbps on 5GHz, 574 Mbps on 2.4GHz, 3x Gigabit Ports per Halo unit (WAN/LAN Auto-Sensing), Router & Access Point operation modes
HALO-H80X(2-PACK)	R 1,403	Mercusys Halo H80X AX3000 Whole Home Mesh WiFi 6 system - 2 pack, 2402 Mbps on 5GHz, 574 Mbps on 2.4GHz, 3x Gigabit Ports, Operation modes - Router / Access Point
HALO-H80X(3-PACK)	R 2,114	Mercusys Halo H80X AX3000 Whole Home Mesh WiFi 6 system - 3 pack, 2402 Mbps on 5GHz, 574 Mbps on 2.4GHz, 3x Gigabit Ports, Operation modes - Router / Access Point
HALO-H80X-2-PACK	R 1,495	Mercusys HALO H80X 2-PACK AX3000 Whole Home Mesh Wi-Fi 6 System, SPEED: 574 Mbps at 2.4 GHz 2402 Mbps at 5 GHz, SPEC: Internal Antennas, 3x Gigabit Ports per Unit (WAN/LAN auto-sensing), 1024-QAM, OFDMA, HE160, FEATURE: MERCUSYS APP, Router/AP Mode, One Unified Network

HK-317200029	R 519	Hikvision DS-3WR12GC AC1200M Dual-Band WiFi5 Wireless Router, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 3x Gigabit LAN Ports, 1x Gigabit WAN Port, 4x 5-dBi antennas, Hik-Connect App, 4 x 4 MU-MIMO supported, Beamforming supported, Mode supported - Wireless Router mode / Wireless Repeater mode / Client AP / WISP / AP
HUAWEI AX2	R 575	Huawei Ax2 Dual Core Fibre router; 3 WAN/LAN Ports; Dual Band. Up to 32 WiFi users.
HX141	R 727	TP-Link HX141 Aginet AX1500 Router Whole Home Mesh system - 1 pack, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, Up to 1201 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, Router mode / Access Point mode
HX510	R 914	TP-Link HX510 AX3000 Whole Home Mesh WiFi 6 Access Point, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, Router mode / Access Point mode
HX710	R 1,143	TP-Link HX710 Aginet AX5400 Wi-Fi 6 Mesh system, 2x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, Reset Button, WPS Button, Up to 4804 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, 2 x 5GHz Multi-SSID, 2 x 2.4GHz Multi-SSID, Working modes - Router mode / Access Point mode
L009UIGS-2HAXD-IN	R 2,091	MikroTik L009 Desktop Router with 1x 2.5Gb SFP & 8x Gigabit Ethernet Ports with 2.4GHz ax Wi-Fi, L009UiGS-2HaxD-IN, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 8x Gigabit Ethernet Ports, 1x Ethernet Ports with PoE-out, 1x 2.5G supported SFP Ports
L41G-2AXD	R 929	MikroTik hAP ax Lite 4 port Gigabit 600Mbps WiFi 6 Router, L41G-2axD, RouterOS License 4, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage size, 4x Gigabit Ethernet Ports, 574 Mbit/s Wireless 2.4 GHz Max data rate
LTE7240	R 3,916	Zyxel LTE outdoor (IP54) Router, Outdoor enclosure (IP56), LTE CAT 4 - Download 150 Mbps - Upload 50 Mbps, 1x 10/100/1000 RJ45 Ethernet, Passive power over Ethernet, 2x Embedded antennas of up to 7 dBi
M11000 1PACK	R 2,322	Cudy M11000 BE11000 Wi-Fi 7 Tri-band Mesh Wi-Fi system - 1 pack - White, Up to 5765 Mbps @ 6GHz Wi-Fi Speed, Up to 4324 Mbps 5GHz Wi-Fi Speed, Up to 688 Mbps 4 GHz Wi-Fi Speed, 6-stream Tri-band, 2x2 MIMO on All bands, Up to 300 Maximum connected devices, 6x internal fixed antennas, 4x 2.5Gbps RJ45 Ethernet Ports (1x WAN / 3x LAN), Cudy Mesh, Operation modes - Router, Access Point / Range Extender / WISP / Client
M11000 2PACK	R 4,651	Cudy M11000 BE11000 Wi-Fi 7 Tri-band Mesh Wi-Fi system - 2 pack - White, Up to 5765 Mbps @ 6GHz Wi-Fi Speed, Up to 4324 Mbps 5GHz Wi-Fi Speed, Up to 688 Mbps 4 GHz Wi-Fi Speed, 6-stream Tri-band, 2x2 MIMO on All bands, Up to 300 Maximum connected devices, 6x internal fixed antennas, 4x 2.5Gbps RJ45 Ethernet Ports (1x WAN / 3x LAN), Cudy Mesh, Operation modes - Router, Access Point / Range Extender / WISP / Client
M1200 1PACK	R 399	Cudy M1200 AC1200 Wi-Fi Mesh kit 1 pack, 2x internal Omni-Directional antennas, 1x 10/100 Mbps WAN Port, 1x 10/100 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
M1200 1PACK -2	R 488	Cudy M1200 AC1200 Mesh Wi-Fi system - 1 pack, Wi-Fi 5 Standard with AC1200 Speed Class Performance, Dual-Band Operation for improved device distribution, Supports up to 128 connected devices simultaneously, Coverage area of 70M2, 2x auto WAN/LAN 10/100 Mbps RJ45 Ethernet Ports per unit
M1200 2PACK -2	R 972	Cudy M1200 AC1200 Mesh Wi-Fi system - 2 Pack, Wi-Fi Standard is Wi-Fi 5 with AC1200 Speed Class, Dual-Band Operation on 2.4GHz and 5GHz frequencies, Maximum Speed of 867 Mbps on 5GHz band, Maximum Speed of 300 Mbps on 2.4GHz band, Supports connection for up to 128 devices simultaneously, 2x Fast Ethernet Ports (10/100 Mbps), Features MU-MIMO and beamforming Technology, Seamless Mesh roaming between Network Units
M1200 3PACK -2	R 1,496	Cudy M1200 AC1200 Mesh Wi-Fi system - 3 Pack, Wi-Fi Standard is Wi-Fi 5 with AC1200 Speed Class, Dual-Band Operation on 2.4GHz and 5GHz frequencies, Maximum Speed of 867 Mbps on 5GHz band, Maximum Speed of 300 Mbps on 2.4GHz band, Supports connection for up to 128 devices simultaneously, 2x Fast Ethernet Ports (10/100 Mbps), Features MU-MIMO and beamforming Technology, Seamless Mesh roaming between Network Units
M1300	R 1,126	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 2 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 2 nodes - covers up to 160m2)
M1300 1PACK	R 565	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 1 pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz,

		867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports, Cudy Operating System. (Includes 1 node, covers up to 80m2)
M1300 3PACK	R 1,654	Cudy M1300 Dual Band AC 1200 Mbps Gigabit Mesh - 3 Pack, 2x 4dBi internal antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5.8GHz, 2x 10/100/1000 (Per Mesh point) Ethernet Ports (Includes 3 nodes - covers up to 220m2)
M1500 1PACK	R 746	Cudy M1500 AX1500 Gigabit Mesh Wi-Fi 6 system - 1 Pack, 2.4GHz Wi-Fi Speed 300 Mbps, 5GHz Wi-Fi Speed 1201 Mbps, 2T2R Wi-Fi streams, Operation modes - Router / Access Point / Range Extender / WISP / Client, Three-node cudy Mesh Seamless roaming, 3x Gigabit RJ45 Ethernet Ports (1 WAN 2 LAN), 60 devices recommended device limit
M1500 2PACK	R 1,518	Cudy M1500 AX1500 Gigabit Mesh Wi-Fi 6 system - 2 Pack, 2.4GHz Wi-Fi Speed 300 Mbps, 5GHz Wi-Fi Speed 1201 Mbps, 2T2R Wi-Fi streams, Operation modes - Router / Access Point / Range Extender / WISP / Client, Three-node cudy Mesh Seamless roaming, 3x Gigabit RJ45 Ethernet Ports (1 WAN 2 LAN), 60 devices recommended device limit
M3000W	R 2,024	Cudy M3000W AX3000 Wi-Fi 6 Mesh - White - 2 pack, 2402 Mbps 5.0GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, Beamforming, 1x 2.5G RJ45 WAN Port, 1x Gigabit RJ45 Ports, 2T2R (2x2 MIMO)
M3000W 1PACK	R 1,014	Cudy M3000W AX3000 Wi-Fi 6 Mesh - White - 1 pack, 2402 Mbps 5.0GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 5x internal Wi-Fi antennas, Beamforming, 1x 2.5G RJ45 WAN Port, 1x Gigabit RJ45 Ports, 2T2R (2x2 MIMO)
M3000W 3PACK	R 3,002	Cudy AX3000 Wi-Fi 6 Mesh Kit 3 Pack - White
M3600 1PACK	R 1,279	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 1 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
M3600 2PACK	R 2,475	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 2 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
M3600 3PACK	R 3,754	Cudy Dual Band Wi-Fi 7 Multi-Gigabit Mesh - 3 pack, M3600, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 4x internal Wi-Fi antennas, Beamforming, Max 220m range performance, 3x Gigabit RJ45 Ports with 1x WAN Port
M6500 1PACK	R 2,323	Cudy M6500 BE6500 2.5G Mesh Wi-Fi 7 system - 1 pack, Up to 5765 Mbps 5GHz Speed, Up to 688 Mbps @ 2.4GHz Speed, 6-stream, Up to 200 devices recommended device capacity, 1x 2.5G Ethernet WAN Port, 3x Gigabit Ethernet LAN Ports, 6x internal High-Gain antennas, Operating modes - Router / Access Point / Range Extender / WISP / Client
M6500 2PACK	R 4,718	Cudy M6500 BE6500 2.5G Mesh Wi-Fi 7 system - 2 pack, Up to 5765 Mbps 5GHz Speed, Up to 688 Mbps @ 2.4GHz Speed, 6-stream, Up to 200 devices recommended device capacity, 1x 2.5G Ethernet WAN Port, 3x Gigabit Ethernet LAN Ports, 6x internal High-Gain antennas, Operating modes - Router / Access Point / Range Extender / WISP / Client
MER-MR30G	R 523	Mercusys MR30G AC1200 Wireless Dual Band Gigabit Router
MK-C53UIG+5HPAXD2HPAXD	R 2,432	MikroTik hAP ax3 - 4 port Gigabit & 1 Port 2.5G PoE WiFi 6 Router, C53UiG 5HPaxD2HPaxD, RouterOS V7 Operating System, 1 GB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 1200 Mbit/s Wireless 5 GHz Max Data rate, 4x 10/100/1000 Ethernet Ports, 1x 2.5G Ethernet Ports, 1x 1g Ethernet Ports with PoE-out, USB 3.0 Type-A
MK-L009UIGS 2HAXD IN	R 2,202	MikroTik L009 Desktop Router with 1x 2.5Gb SFP & 8x Gigabit Ethernet Ports with 2.4GHz ax Wi-Fi, L009UiGS-2HaxD-IN, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 8x Gigabit Ethernet Ports, 1x Ethernet Ports with PoE-out, 1x 2.5G supported SFP Ports
MK-L41G 2AXD	R 1,070	MikroTik hAP ax Lite 4 port Gigabit 600Mbps WiFi 6 Router, L41G-2axD, RouterOS License 4, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage size, 4x Gigabit Ethernet Ports, 574 Mbit/s Wireless 2.4 GHz Max data rate
MK-RBD52G 5HACD2HND TC	R 1,300	MikroTik hAP AC2 Dual Band WiFi Router 5x Gigabit Ethernet ports, Quad core cpu 716 MHz, RouterOS L4,

		Passive PoE, 802.11b/g/n Dual Chain 2.4 GHz Wireless, 802.11a/n/ac Dual Chain 5 GHz Wireless, 5x 10/100/1000 Ethernet port, 1x USB port, RBD52G-5HACD2HND-TC
MK-RBD53IG 5HACD2HND	R 1,969	MikroTik hAP AC3 Dual Band 5 Port Gigabit Router, RBD53iG-5HacD2HnD, 4 Core IPQ-4019 716 MHz CPU, 256 MB RAM, 16 MB Flash storage, 5x 1 GbE Ports, 2.4 GHz 802.11b/g/n dual-chain Wireless, 5 GHz 802.11a/n/ac dual-chain Wireless, RouterOS L4, 1x Mini PCI-e slots, 1x Micro SIM slots
MK-WAPG 5HAXD2HAXD	R 1,564	MikroTik wAP ax WiFi 6 Outdoor WiFi Router, wAPG-5HaxD2HaxD, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, IPQ-5010, 2 Core IPQ-5010 CPU, 574 Mbit/s Wireless 2.4GHz Max Data rate, 2400 Mbit/s Wireless 5GHz Max Data rate, AX3000 WiFi Speed, 2x Gigabit Ethernet Ports, 2x DC inputs (DC jack / PoE-in), 802.3af/at PoE in
MR20	R 281	Mercusys MR20 AC750 Dual-Band Wi-Fi Router, 300 Mbps at 2.4 GHz 433 Mbps at 5 GHz, Router mode / Range Extender mode / Access Point mode, 1x 10/100 Mbps WAN Port, 2x 10/100 Mbps LAN Ports, 2x 5 dBi fixed Omni-Directional antennas
MR25BE	R 1,067	Mercusys MR25BE BE3600 Dual Band Wi-Fi 7 Router; 5 GHz: 2880 Mbps; 2.4 GHz: 688 Mbps; 160 MHz; 4K-QAM; MLO; OFDMA; MU-MIMO; EasyMesh; 1 x 1 Gbps WAN; 3 x 1 Gbps LAN; 4 x fixed omnidirectional antennas; 167 x 117.5 x 41.5mm
MR30G	R 351	Mercusys MR30G AC1200 Dual-Band Wi-Fi Gigabit Router, SPEED: 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, SPEC: 4x Fixed External Antennas, 2x Gigabit LAN Ports, 1x Gigabit WAN Port, FEATURE: MERCUSYS APP, Router/Access Point Mode, WPS/Reset Button, IPTV, IPv6, Beam
MR30G	R 408	Mercusys MR30G AC1200 Dual-Band Wi-Fi Gigabit Router, SPEED: 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, SPEC: 4x Fixed External Antennas, 2x Gigabit LAN Ports, 1x Gigabit WAN Port, FEATURE: MERCUSYS APP, Router/Access Point Mode, WPS/Reset Button, IPTV, IPv6, Beam
MR30G	R 349	Mercusys MR30G AC1200 Dual-Band Wi-Fi Gigabit Router, SPEED: 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, SPEC: 4x Fixed External Antennas, 2x Gigabit LAN Ports, 1x Gigabit WAN Port, FEATURE: MERCUSYS APP, Router/Access Point Mode, WPS/Reset Button, IPTV, IPv6, Beam
MR30G	R 385	Mercusys MR30G AC1200 2-port Wireless Dual Band Gigabit Router, IEEE 802.11ac/n/a 5GHz, IEEE 802.11b/g/n 2.4GHz, 867 Mbps @ 5GHz 300 Mbps @ 2.4GHz, Operation modes - Router mode / Access Point mode, 1x Gigabit WAN Port, 2x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
MR50G	R 506	Mercusys MR50G AC1900 Dual-Band Wi-Fi Router, 600 Mbps at 2.4GHz, 1300 Mbps on 5GHz, 3x3 MU-MIMO Technology, 1x Gigabit WAN Port, 2x Gigabit LAN Ports
MR60X	R 483	Mercusys MR60X AX1500 Dual-Band Wi-Fi 6 Router, SPEED: 300 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, SPEC: 4x Fixed External Antennas, 2x Gigabit LAN Ports, 1x Gigabit WAN Port, 1024-QAM, OFDMA, FEATURE: MERCUSYS APP, Router/Access Point Mode, WPS/Reset Button, IPTV
MR60X	R 449	Mercusys MR60X AX1500 WIFi 6 Router - Wi-Fi 6 Standards, 1201Mbps at 5GHz 300Mbps at 2.4GHz Signal Rate, 1 x Gigabit WAN Port and 2 x Gigabit LAN Ports Interfaces, Reset and WPS Button, 4 x 5dBi Fixed Omni-Directional Antennas, Wireless Security, NAT Forwarding, Firewall Security, Retail Box, 6 Months Warranty.
MR70X	R 978	Mercusys MR70X AX1800 Dual-Band Wi-Fi 6 Router, 574 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, Router mode / Access Point mode, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
MR80X	R 635	Mercusys MR80X AX3000 Dual-Band Wi-Fi 6 Router, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 4 x 5 dBi fixed Omni-Directional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports
MR80X	R 618	Mercusys MR80X AX3000 Dual-Band Wi-Fi 6 Router, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 4 x 5 dBi fixed Omni-Directional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports
MR80X	R 669	Mercusys MR80X AX3000 Dual-Band Wi-Fi 6 Router, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 4 x 5 dBi fixed Omni-Directional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports
MR90X	R 1,291	Mercusys MR90X AX6000 Dual-Band Wi-Fi 6 Router, SPEED: 1148 Mbps at 2.4 GHz 4804 Mbps at 5 GHz, SPEC: 8x Fixed External Antennas, 1x 2.5 Gbps Port (WAN/LAN auto-sensing), 1x Gigabit Port (WAN/LAN auto-sensing), 2x Gigabit LAN Ports, 1024-QAM, OFDMA, HE160 FE
MRC-AC10	R 269	Mercusys AC10 AC1200 Wireless Dual Band Router, 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, Router mode / Access Point mode, 1x 10/100 Mbps WAN Port, 2x 10/100 Mbps LAN Ports, 4x 5 dBi fixed Omni-Directional antennas

MRC-AC12	R 276	Mercusys AC12 AC1200 Wireless Dual Band Router, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 4x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, 4x 5dBi Omni Directional antennas
MRC-AC12G	R 411	Mercusys AC12G AC1200 Wireless Dual Band Gigabit Router, 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, Access Control / local management / remote management, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
MRC-HALO-E27BE-2P	R 2,168	Mercusys Halo H27BE BE3600 Whole Home Mesh WiFi 7 system, 688 Mbps at 2.4GHz, 2880 Mbps at 5GHz, 1x 2.5 Gbps Port (WAN/LAN), 2x Gigabit Ports (WAN/LAN), 4096 QAM, Beamforming, Operation modes - Router / Access Point, Internal antennas
MRC-HALO-H30-2P	R 740	Mercusys Halo H30 AC1200 Whole Home Mesh Wi-Fi system - 2 pack, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 2x 10/100 Mbps Ethernet Ports per Halo unit, Reset Button
MRC-HALO-H30-3P	R 934	Mercusys HALO H30 AC1200 Whole Home Mesh Wi-Fi system - 3 pack, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 2x 10/100 Mbps Ethernet Ports per Halo unit, Reset Button
MRC-HALO-H50G-2P	R 859	Mercusys Halo H50G AC1900 Whole Home Mesh WiFi system - 2 Pack, 1300 Mbps on 5 GHz, 600 Mbps on 2.4 GHz, Operation modes - Router / Access Point, 3x Gigabit Ports per Halo unit
MRC-HALO-H50G-3P	R 1,271	Mercusys Halo H50G AC1900 Whole Home Mesh WiFi system - 3 Pack, 1300 Mbps on 5 GHz, 600 Mbps on 2.4 GHz, Operation modes - Router / Access Point, 3x Gigabit Ports per Halo unit
MRC-HALO-H80X-2P	R 1,495	Mercusys Halo H80X AX3000 Whole Home Mesh WiFi 6 system - 2 pack, 2402 Mbps on 5GHz, 574 Mbps on 2.4GHz, 3x Gigabit Ports, Operation modes - Router / Access Point
MRC-HALO-H80X-3P	R 2,243	Mercusys Halo H80X AX3000 Whole Home Mesh WiFi 6 system - 3 pack, 2402 Mbps on 5GHz, 574 Mbps on 2.4GHz, 3x Gigabit Ports, Operation modes - Router / Access Point
MRC-MR25BE	R 1,009	Mercusys MR25BE BE3600 Dual-Band Wi-Fi 7 Router, BE3600 WiFi speeds, 2880 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, Multi-Link Operation (MLO), 4K-QAM, 1x 1Gbps WAN Port, 3x 1Gbps LAN Ports, 4x fixed omnidirectional antennas
MRC-MR25WBE	R 1,159	Mercusys MR25WBE BE3600 Dual-Band Wi-Fi 7 Router, BE3600 WiFi speeds, 2880 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, Multi-Link Operation (MLO), 4K-QAM, 1x 1Gbps WAN Port, 3x 1Gbps LAN Ports, 4x fixed omnidirectional antennas
MRC-MR27BE	R 1,121	Mercusys MR27BE BE3600 Dual-Band Wi-Fi 7 Router, BE3600 Wi-Fi Class, 688 Mbps Wi-Fi (2.4GHz), 2880 Mbps Wi-Fi (5GHz), 4K QAM Max Wi-Fi modulation, 1x 2.5Gbps WAN, 1x 2.5Gbps LAN, 3x Gigabit LAN, 4x external Omni-Directional antennas, Operation mode - Router / AP mode
MRC-MR30G	R 351	Mercusys MR30G AC1200 2-port Wireless Dual Band Gigabit Router, IEEE 802.11ac/n/a 5GHz, IEEE 802.11b/g/n 2.4GHz, 867 Mbps @ 5GHz 300 Mbps @ 2.4GHz, Operation modes - Router mode / Access Point mode, 1x Gigabit WAN Port, 2x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
MRC-MR50G	R 448	Mercusys MR50g AC1900 Dual-Band Wi-Fi Router, 600 Mbps at 2.4GHz, 1300 Mbps on 5GHz, 3x3 MU-MIMO technology, 1x Gigabit WAN Port, 2x Gigabit LAN Ports
MRC-MR60X	R 426	Mercusys MR60x AX1500 WiFi 6 Router, 300 Mbps at 2.4GHz, 1201 Mbps at 5GHz, 1x Gigabit WAN Port, 2x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
MRC-MR70X	R 482	Mercusys MR70X AX1800 Dual-Band Wi-Fi 6 Router, 574 Mbps at 2.4 GHz 1201 Mbps at 5 GHz, Router mode / Access Point mode, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
MRC-MR80X	R 672	Mercusys MR80X AX3000 Dual Band WiFi 6 Router. The Mercusys MRC-MR80X AX3000 router delivers reliable WiFi 6 speeds for gaming, streaming, and smart home connectivity. Its dual-band design, multiple antennas, and advanced technologies ensure consistent performance across multiple devices. Easy to set up and secure, this router is ideal for modern South African homes and offices seeking high-speed, stable internet.
MRC-MR90X	R 1,357	Mercusys AX6000 Dual Band WiFi 6 Router, MRC-MR90X, 1148 Mbps @ 2.4GHz, 4804 Mbps @ 5GHz, 1x 2.5 Gbps WAN/LAN Port, 1x Gigabit WAN/LAN Port, 2x Gigabit LAN Ports, 8x fixed Omni-Directional antennas
MRC-MW302R	R 164	Mercusys N300 300 Mbps Multi-mode Wi-Fi Router, 2x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, 2x 5dBi antenna
MT-RB4011iGS-IN	R 5,142	MikroTik RB4011iGS 5HacQ2HnD-IN - AC WiFi Router with 10x Gigabit ports and 1x SFP port, AL21400 1.4 GHz Quad Core CPU, 1 GB RAM, 512 MB Storage, RouterOS L5, Passive PoE, 802.11ac Wireless 5 GHz standards, Wireless 5 GHz with 4 chains, 802.11b/g/n Wireless 2.4 GHz standards, Wireless 2.4 GHz with 2 chains, 10x

		10/100/1000 Ethernet ports, 1x SFP port, 1x MiniPCI-e slots
MT-RB5009UG+S+IN	R 3,656	MikroTik RB5009UG S IN heavy duty Router with 7x Gigabit & 1x 2.5GB & 1x 10G SFP Ports, RouterOS license L5, RouterOS Operating System, RouterOS Operating System, 1 GB RAM, 1 GB storage size, 7x 10/100/1000 Ethernet Ports, 1x 2.5G Ethernet Ports, 1x SFP Ports, 3x DC inputs
MT-RB912UAG-5HPND-O	R 1,520	RouterBOARD RB912UAG-5HPnD-OUT 600MHz CPU 64MB RAM 1Gb LAN, 802.11a/n MIMO MiniPCI-E L4 1 USB 24VPoE
MT-RBCHATEAU-LTE12-V2	R 3,029	MikroTik Chateau Desktop LTE Cat 12 Wi-Fi Router (2025), D53G-5HacD2HnD-TC&EG120K-EA, IPQ-4019 4 Core CPU, 256MB RAM, 32 MB storage size, RouterOS V7 Operating System, RouterOS License 4, DC jack Input, 300 Mbit/s Wireless 2.4GHz Max Data rate, 867 Mbit/s Wireless 5GHz Max Data rate, 5 Gigabit Ethernet Ports, 1 Modem SIM slots (Micro SIM), 1x USB Type-A Port
MT-RBHAP-AX	R 1,630	MikroTik RBHAP-AX hAP ax& #178; 2.4 / 5GHz Wi-Fi 6 Desktop Router, RouterOS L4, 128 MB RAM, 16 MB storage size, 716 MHz CPU, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate, 867 Mbit/s Wireless 5 GHz Maximum Data rate, 5x 10/100/1000 Ethernet Ports, 1x USB Port
MT-RBHAP-AX-LITE	R 944	MikroTik - hAP ax Lite 2.4GHz Wi-Fi 6 Router, HAP-AX-LITE, 2 Core CPU, RouterOS V7 Operating System, RouterOS License L4, 256 MB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 4x Gigabit Ethernet Ports
MT-RBHAP-AX-S	R 1,313	MikroTik hAP ax S 5 port Gigabit & 1x 2.5Gbps SFP 2400 Mbps WiFi 6 Router, E62iUGS-2axD5axT, RouterOS License 4, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, Wi-Fi 6, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1800 Mbit/s Wireless 5GHz Max Data rate, AX2400 WiFi Speed, 5x 10/100/1000 Ethernet Ports, 1x 1G Ethernet Ports with PoE-out, 1x 2.5Gbps SFP Ports, DC jack or PoE-in DC inputs
MT-RBHAP-BE3	R 2,990	MikroTik hAP be3 5 port 2.5G WiFi 7 Media Router, RouterOS V7 Operating System, 2GB RAM, 512 MB storage size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1200 Mbit/s Wireless 5GHz Max Data rate, 5764 Mbit/s Wireless 6GHz Max Data rate, 5x 2.5G Ethernet Ports, 3x, DC jack / PoE-in
MT-RBL009UiGS-2HaxD-IN	R 2,220	MikroTik L009 Desktop Router with 2.5Gb SFP, 8x Gigabit Ethernet and 2.4GHz ax Wi-Fi, L009UiGS-2HaxD-IN, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 8x Gigabit Ethernet Ports, 1x Ethernet Ports with PoE-out, 1x 2.5G supported SFP Ports
MT-RBWAP-AX	R 1,459	MikroTik wAP ax WiFi 6 Outdoor WiFi Router, wAPG-5HaxD2HaxD, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, IPQ-5010, 2 Core IPQ-5010 CPU, 574 Mbit/s Wireless 2.4GHz Max Data rate, 2400 Mbit/s Wireless 5GHz Max Data rate, AX3000 WiFi Speed, 2x Gigabit Ethernet Ports, 2x DC inputs (DC jack / PoE-in), 802.3af/at PoE in
MW12(3-PACK)	R 2,298	Tenda AC2100 Tri-Band whole home Mesh WiFi system NOVA MW12 - 3 pack, IEEE802.11a/b/g/n/ac (WiFi 5 Wave 2), 4x internal antenna, 3x 1GB ports beamforming, 3 x 10/100/1000 Mbps RJ45 ports per Node, 4 x internal antenna, 300 Mbps 2.4GHz speed, 867 Mbps 5GHZ-1 speed, 867 Mbps (Dedicated backhaul) 5GHZ-2 speed
MW3(2-PACK)	R 665	Tenda NOVA MW3 home WiFi Mesh system 2 pack, Dual-Band WiFi Mesh system, 2 Ethernet ports per Mesh Node, 2x 3dBi internal Dual Band antennas, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps, Simultaneous Dual Band 2.4GHz & 5GHz
MW3(3-PACK)	R 978	Tenda MW3 3-Pack AC1200 Whole Home Mesh WiFi System
MW301R	R 206	Mercusys MW301R N300 Wi-Fi Router, SPEED: 300 Mbps at 2.4 GHz, SPEC: 2x Fixed External Antennas, 2x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, FEATURE: MERCUSYS APP, Reset Button, IPTV, IPv6, Parental Controls, Guest Network, Easy Installation, ISP Preset
MW302R	R 163	Mercusys N300 300 Mbps Multi-mode Wi-Fi Router, 2x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, 2x 5dBi antenna
MW302R	R 221	Mercusys N300 300 Mbps Multi-mode Wi-Fi Router, 2x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, 2x 5dBi antenna
MW305R	R 244	Mercusys MW305R N300 Wi-Fi Router, SPEED: 300 Mbps at 2.4 GHz, SPEC: 3x Fixed External Antennas, 3x 10/100 Mbps LAN Ports, 1x 10/100 Mbps WAN Port, FEATURE: MERCUSYS APP, WPS/Reset Button, IPTV, IPv6, Parental Controls, Guest Network, Easy Installation, ISP Preset
MW325R	R 266	Mercusys MW325R N300 Wi-Fi Router, SPEED: 300 Mbps at 2.4 GHz, SPEC: 4Ã— Fixed External Antennas,

		3Ã— 10/100 Mbps LAN Ports, 1Ã— 10/100 Mbps WAN Port, FEATURE: MERCUSYS APP, Reset Button, IPTV, IPv6, Parental Controls, Guest Network, Easy Installation, ISP Preset (Agi
MW330HP	R 304	Mercusys MW330HP 300Mbps High Power Wireless N Router
MW5C(2-PACK)	R 1,263	Tenda MW5C Nova Full Coverage Mid-range Wi-fi Ac1200 Dualband 2-pack Mesh System . Maximum of 6 Nodes possible.
MW6(1-PACK)	R 918	Tenda Nova Full Coverage Sme Wi-fi Ac1200 Dualband 1-pack Mesh System Supports Upto Max 10 Nova Nodes However Recommended At 6
MX3-2	R 889	Tenda NOVA MX3 2 Pack Home Wi-Fi 6 Mesh system, 2x 3dBiinternal antenna, 1x Gigabit LAN Port, 1x Gigabit WAN Port, 1201 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate
MX3-3	R 1,320	Tenda NOVA MX3 3 Pack Home Wi-Fi 6 Mesh system, 2x 3dBiinternal antenna, 1x Gigabit LAN Port, 1x Gigabit WAN Port, 1201 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate
N3D	R 294	Netis Systems N3D AC1200 Wireless Dual Band fe Router, 4x 5dBi high gain antennas, Up to 300 Mbps @ 2.4GHz, Up to 867 Mbps @ 5GHz, Wireless modes - Access Point / Repeater / Client Wireless modes
N6-Netis	R 631	Netis N6 AX1800 Dual Band Gigabit Wi-Fi 6 Router, Up to 574 Mbps 2.4GHz, Up to 1201 Mbps 5GHz, 1x 10/100/1000 Mbps auto MDI/MDIX RJ45 WAN Port, 4x 10/100/1000 Mbps auto MDI/MDIX RJ45 LAN Port, 4x external fixed 5dBi antennas
NE-ARTAX92U	R 5,862	Asus RT-AX92U Dualband Wireless-AX6100 Gigabit Router with built-in game accelerator built-in 2x USB3.0 for printer/ FTP/ 3G/ 4G sharing, with AURA RGB, NitroQAM (1024-QAM) technology, Dual-core 1.8Ghz CPU, 256mb flash 512mb ram - with WAN port
NE-AZWCD6	R 1,450	Asus ZenWiFi CD6(1-PK) AC Mini Dualband wireless-AC1500 White Gigabit Router extending node, Qualcomm QCN5502 775MHz processor, 32mb flash 128mb ram - gigabit WAN 3 2x gigabit LAN - 2.4/5Ghz dual band, 802.11AC 1200Mbps (867 600), with WPS (Order on request)
NE-AZWCD6x2	R 1,349	Asus ZenWiFi CD6(2-PK) ac mini Dualband wireless - AC1500 white gigabit Router extending node, Qualcomm QCN5502 775MHz processor, 32mb flash 128mb ram - gigabit WAN 3 2x gigabit LAN - 2.4/5Ghz dual band, 802.11AC 1200Mbps (867 600), with WPS
NE-AZWCD6x3	R 3,075	Asus ZenWiFi CD6(3-PK) ac mini dualband wireless-AC1500 white gigabit Router 2x extending node, Qualcomm QCN5502 775MHz processor , 32mb flash 128mb ram - gigabit WAN 3 2 2x gigabit LAN - 2.4/5Ghz dual band, 802.11AC 1200Mbps (867 600), with WPS
NE-AZWXD4	R 2,084	Asus ZenWiFi XD4(1-PK) ax mini dualband wireless-AX1800 white gigabit Router extending node, 256mb flash 256mb ram - gigabit WAN 1 1x gigabit LAN - 2.4/5Ghz dual band, 802.11AX 1800Mbps (1201 574), with WPS, 64/128bit WEP, WPA2, VPN Radius
NE-AZWXD4x2	R 3,695	Asus ZenWiFi XD4(2-PK) ax mini dualband wireless-AX1800 white gigabit Router extending node, 256mb flash 256mb ram - gigabit WAN 1 1x gigabit LAN - 2.4/5Ghz dual band, 802.11AX 1800Mbps (1201 574), with WPS, 64/128bit WEP, WPA2, VPN Radius w
NE-AZWXD4x3	R 5,560	Asus ZenWiFi XD4(3-PK) ax mini dualband wireless-AX1800 white gigabit Router 2x extending node, 256mb flash 256mb ram - gigabit WAN 1 1 1x gigabit LAN - 2.4/5Ghz dual band, 802.11AX 1800Mbps (1201 574), with WPS, 64/128bit WEP, WPA2, VPN Rad
NE-AZWXD6x2	R 6,266	Asus ZenWiFi XD6(2-PK) ax mini Dualband wireless-AX5400 white gigabit Router extending node, 1.5GHz Tri-core processor, 256mb flash 512mb ram - gigabit WAN 3x gigabit LAN USB3 downstream - 2.4/5Ghz dual band, 802.11AX 5400Mbps (574 4804)
NE-AZWXT8	R 4,191	Asus ZenWiFi XT8(1-PK) ax mini Trilband wireless-AX6600 white gigabit Router extending node, 1.5GHz quad-core processor, 256mb flash 512mb ram - 2.5G gigabit WAN 3x gigabit LAN USB3 downstream - 2.4/5/5Ghz tri band, 802.11AX 6600Mbps (574 1201)
NE-AZWXT8x2	R 6,381	Asus ZenWiFi XT8(2-PK) ax mini Trilband wireless-AX6600 white gigabit Router extending node, 1.5GHz quad-core processor, 256mb flash 512mb ram - 2.5G gigabit WAN 3x gigabit LAN USB3 downstream - 2.4/5/5Ghz tri band, 802.11AX 6600Mbps (574 1201)
NE-DCoVR3902	R 3,758	D-Link CoVR-3902 AC3900 whole home wifi system (CoVR-2600R wireless router CoVR-1300E extender kit) - CoVR-2600R wireless AC2600 Dual Band Gigabit Router - 2.4/5Ghz dual band, (802.11b/g/N/ AC), 1733 800Mbps, with 4 port gigabit switch built-in USB shareport for storage or printer, 4x external antennas -

		CoVR-1300E AC1300 Dual Band range extender - 2.4/5Ghz dual band (802.11b/g/n/ac), 867 400Mbps, with 2x gigabit LAN, push button WPS, 64/128bit WEP, WPA2 - 2x internal fold-able antenna
NE-DiR895L	R 3,516	D-Link DiR-895L Wireless AC5300 Tri-Band Gigabit Router - with 8x high powered MU-MiMo antenna, 1.4Ghz dual core processor, AC smartbeam, router/extender mode , 2.4 5 5Ghz Tri-band, (802.11b/g/N/ AC) 5300Mbps (1000 2166 2166) wireless router with 4 port Gigabit switch built-in USB 2.0 USB 3.0 shareport for storage or printer - 4Tx4R, 8x external antenna
NE-DiRX5460	R 2,958	D-Link EXO AX DiR-X5460 WiFi 6 dual-band Gigabit Router, AC smartbeam, 2.4 5Ghz, 5400Mbps (1200 4800) wireless router with 4 port gigabit switch built-in USB 2.0 USB 3.0 shareport for storage or printer, 128mb flash 512mb ram - 3Tx3R, 6x external high powered MU-MiMo antennas (2x detachable)
NE-DiRX6060	R 6,180	D-Link DiR-X6060 WiFi 6 dual-band Gigabit Router - with 8x high powered MU-MiMo antenna , 1.4Ghz dual core processor, AC smartbeam, router/extender mode, 2.4 5Ghz, 6000Mbps (1200 4800) wireless router with 4 port gigabit switch built-in usb3 shareport for storage or printer - 4Tx4R, 8x external antenna
NE-JWR2100	R 5,519	J5create JWR2100 wireless AC1750 Dual Band Gigabit Router with FHD video outputs (HDMi VGA) - for multi-person conference applications up to 9 simultaneous users/displays, 2.4/5Ghz dual band, (802.11b/g/N/ AC) 1750Mbps (1300 450) wireless router with 4 port gigabit switch 1x usb 2.0, 4x 5dBi external antennas
NE-TAAX12	R 876	TP-Link Archer AX12 WiFi 6 dual-band Gigabit Router, with beamforming technology, WPA3, 2.4 5Ghz, (802.11AX) 1500Mbps (300 1201) wireless router with 1x gigabit WAN 3x gigabit LAN, router/ access point modes - 2Tx2R, 4x external high performance
NE-TWR820N	R 252	TP-Link TL-WR820N 300Mbps Wireless N Speed Router, 300Mbps at 2.4GHz, 1 10/100M WAN Port 2 10/100M LAN Ports, 2 antennas, IPTV, IPv6 Ready, Parental Control, Guest Network
NET-ARCHER-A5	R 522	TP-Link Archer A5 AC1200 Wireless Dual Band Router
NET-ARCHER-A6	R 686	Tp-link Archer A6 AC1200 Wireless MU-MIMO Gigabit Router
NET-ARCHER-AIR-R5	R 1,373	TP-Link Archer Air R5 AX3000 Dual-Band Wi-Fi 6 Air Router, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Beamforming, 1 x Gigabit WAN Port, 1 x Gigabit LAN Port
NET-ARCHER-AX10	R 1,049	TP-Link Archer AX10 AX1500 Wi-Fi 6 Router
NET-ARCHER-AX12	R 766	TP-Link ARCHER-AX12 AX1500 Gigabit Wi-Fi 6 Router, 1201 Mbps (802.11ax) @ 5 GHz, 300 Mbps (802.11n) @ 2.4 GHz, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports
NET-ARCHER-AX1500	R 828	TP-Link Archer AX1500 Wi-Fi 6 Router, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 4x fixed High-Performance antennas, Beamforming, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
NET-ARCHER-AX1800	R 958	TP-Link Archer AX1800 Wi-Fi 6 Dual Band Router, 5GHz @ 1201 Mbps, 2.4GHz @ 574 Mbps, 4x fixed High-Performance antennas, Beamforming, Router mode, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
NET-ARCHER-AX23	R 1,210	TP-Link Archer AX23 - AX1800 Dual-Band Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 1201 Mbps (802.11ax), 2.4 GHz 574 Mbps (802.11ax), 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
NET-ARCHER-AX53	R 1,291	TP-Link Archer AX53 - AX3000 Dual Band Gigabit Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 2402 Mbps (802.11ax, HE160), 2.4 GHz 574 Mbps (802.11ax), 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
NET-ARCHER-AX55	R 1,412	TP-Link Archer AX55 V2 AX3000 Dual Band Gigabit Wi-Fi 6 Router, Wi-Fi 6, 2402 Mbps @ 5.8GHz, 574 Mbps @ 2.4GHz, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 3.0 Port
NET-ARCHER-AX72	R 1,937	TP-Link Archer AX72 - AX5400 Dual-Band Gigabit Wi-Fi 6 Router, IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz, 5 GHz 4804 Mbps (802.11ax, HE160), 2.4 GHz 574 Mbps (802.11ax), 6x fixed High-Performance antennas, Router mode / Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 3.0 Port
NET-ARCHER-AX73	R 2,260	TP-link Archer AX73 AX5400 Dual Band Wi-Fi 6 Router
NET-ARCHER-BE220	R 1,453	TP-Link Archer BE220 BE3600 Dual-Band Wi-Fi 7 Router, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, For 3 bedroom houses, 4x external antennas, Beamforming, Wireless mode - Router mode / Access Point mode, 1x 1Gbps WAN, 4x 1Gbps LAN
NET-ARCHER-BE230	R 1,533	TP-Link BE230 BE3600 Dual-Band Wi-Fi 7 Router, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 3 bedroom houses,

		4 x external antennas, Beamforming, High-Power fem, Router mode, Access Point mode, 1x 2.5 Gbps WAN, 1x 2.5 Gbps LAN, 3 x 1 Gbps LAN, 1x USB 3.0, Supports USB drives
NET-ARCHER-BE400	R 2,825	TP-Link Archer BE400 BE6500 Dual-Band Wi-Fi 7 Router with 2.5GbE LAN/WAN Ports, 5764 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, For 3 bedroom houses, 6x external antennas, Beamforming, Wireless mode - Router mode / Access Point mode, 1x 2.5 Gbps WAN, 1x 2.5 Gbps LAN, 3x 1Gbps LAN, 1x USB 3.0 supports External Hard Drive
NET-ARCHER-BE450	R 2,664	TP-Link Archer BE450 BE7200 Dual-Band Wi-Fi 7 Router, 5765 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, For 3 bedroom houses, Beamforming, Wireless mode - Router mode / Access Point mode, 1x 10Gbps WAN/LAN, 1x 2.5Gbps WAN/LAN, 3x 1Gbps LAN, 1x USB 3.0 supports External Hard Drive
NET-ARCHER-BE550	R 3,471	TP-Link Archer BE9300 Tri-band WiFi 7 Router, 5760 Mbps @ 6GHz, 2880 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 6x optimally positioned antennas, Beamforming, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 1x 2.5 Gbps WAN, 4 x 2.5 Gbps LAN, 1x USB 3.0 for external storage
NET-ARCHER-BE800	R 8,882	TP-Link BE800 BE19000 Tri-band Wi-Fi 7 Router, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, 4 bedroom houses, 8 x optimally positioned antennas, Beamforming, 4 x 4 MU-MIMO, Working modes Router mode / Access Point mode, 1x 10 Gbps WAN/LAN, 1x 10 Gbps SFP / RJ45 Combo WAN/LAN, 4x 2.5 Gbps LAN, 1x USB 3.0, Supports external drives
NET-ARCHER-BE900	R 12,112	TP-Link BE24000 Quad-Band WiFi 7 Router, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz-1, 5760 Mbps @ 5GHz-2, 1376 Mbps @ 2.4GHz, 4 bedroom houses, 12x optimally positioned antennas, Beamforming, 4 x 4 MU-MIMO, Working modes - Router mode / Access Point mode, 1 x 10 Gbps WAN/LAN, 1x 10 Gbps SFP / RJ45 WAN / LAN Internet Port, 4x 2.5 Gbps LAN, 1x 1 Gbps LAN, 1x USB 2.0, 1x USB 3.0, Supports external drives
NET-ARCHER-C20	R 403	TP-Link Archer C20 AC750 Wireless Dual Band Router, Â© 2018 Laptop Direct
NET-ARCHER-C24	R 403	TP-link Archer C24 733 Mbps Dual-Band agile Configuration Wi-Fi Router, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4 GHz, Wi-Fi 5, 5 GHz @ 433 Mbps, 2.4 GHz @ 300 Mbps, 4x fixed antennas, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN ports
NET-ARCHER-C50	R 484	TP-Link Archer C50 AC1200 Wireless Dual Band Router, Â© 2018 Laptop Direct
NET-ARCHER-C54	R 443	TP-Link Archer C54 AC1200 Dual-Band Wi-Fi Router
NET-ARCHER-C6	R 726	TP-Link Archer C6 AC1200 Wireless MU-MIMO Gigabit Router
NET-ARCHER-C6U	R 828	TP-Link Archer C6U AC1200 Dual Band WiFi Router with 5x Gigabit Ports, 4x antennas, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4 GHz, 5 GHz @ 867 Mbps, 2.4 GHz @ 300 Mbps, Beamforming, Router mode, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, 1x USB 2.0 Port
NET-ARCHER-C80	R 784	TP-Link Archer C80 AC1900 Wireless MU-MIMO Wi-Fi Router
NET-ARCHER-EC220-G5	R 426	TP-Link EC220-G5 1200 Mbps ISP Dual Band Gigabit Wi-Fi Router, 3x 10/100/1000 Mbps LAN ports, 1x 10/100/1000 Mbps WAN Port, 4 external antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz
NET-ARCHER-EC225-G5	R 460	TP-Link EC225-G5 AC1300 MU-MIMO Wi-Fi Router, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 4 fixed Omni Directional antennas, Up to 867 Mbps @ 5GHz, Up to 400 Mbps @ 2.4GHz
NET-ARCHER-GE550	R 4,602	TP-Link Archer GE550 BE9300 Tri-band Wi-Fi 7 Gaming Router with 5GbE LAN/WAN Port, 5764 Mbps 6GHz, 2882 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Working modes - Router mode / Access Point mode, 1x 5Gbps WAN, 1x 5Gbps LAN, 3x 2.5 Gbps LAN, 1x USB 3.0 supports External Hard Drive
NET-ARCHER-GE800	R 9,689	TP-Link Archer GE800 BE19000 Tri-band Wi-Fi 7 Gaming Router, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, Working modes - Router mode / Access Point mode, 1x 10Gbps SFP / RJ45 Combo WAN, 1x 10Gbps WAN/LAN, 2x 2.5Gbps LAN, 4x 1Gbps LAN, 1x USB 3.0 support external drives
NET-ARCHER-GX90	R 3,797	TP-Link ARCHER-GX90 AX5400 Dual Band Wi-Fi 6 Router, 1201 Mbps (802.11ax) @ 5 GHz, 4804 Mbps (802.11ax HE160) @ 5 GHz, 574 Mbps (802.11ax) @ 2.4 GHz, 8x detachable High-Performance antennas, 1 x 2.5 Gbps WAN/LAN Port, 1x Gigabit WAN/LAN Port, 3x Gigabit LAN Ports, 1x USB 3.0 Port, 1x USB 2.0 Port
NET-ARCHER-MR100	R 807	TP-Link TL-MR100 300 Mbps Wireless N 4G LTE Router
NET-ARCHER-T4U-PLUS	R 387	TP-Link Archer T4U Plus AC1300 Dual Antennas High-Gain Wireless USB Adapter
NET-DEC0-BE65-5G-1PK	R 8,478	TP-Link Deco BE65-5G 5G BE9300 Tri-band Whole-Home Mesh Wi-Fi 7 system, 5765 Mbps @ 6GHz, 4324 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh Technology, AI-Driven Mesh, 2x2 MU-MIMO, 6 streams, Working modes - Router mode / Access Point mode, 3x 2.5Gbps Ethernet Ports, 1x USB 3.0 Port

NET-DECO-X10-4G-1PK	R 1,937	TP-Link Deco X10-4g 4G AX1500 Whole Home Mesh WiFi6 Gateway, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 1-2 bedroom houses (1-pack), TP-Link Mesh Technology, 2 LTE antennas, 2 Wi-Fi antennas (Internal), 2 x 2 MU-MIMO, Working modes 3G/4G / Router / Access Point working modes, 3x Gigabit Ports, 2 x 3G/4G external SMB antenna Interface, Nano-SIM slot
NET-DECO-X50-4G-1PK	R 2,422	TP-Link Deco X50 4G AX3000 Whole Home Mesh WiFi6, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 1-3 bedroom houses, TP-Link Mesh Technology, 2x LTE antennas ports, 2 Wi-Fi antennas (Internal), 4 streams, Working modes - 3G/4G / Router / Access Point, 3x Gigabit Ports, 4G LTE
NET-DECO-X50-5G-1PK	R 4,602	TP-Link X50-5g Deco 5G AX3000 Whole Home Mesh WiFi 6 Router, Wi-Fi 6, AX3000, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, 1-3 bedroom houses (1-pack), TP-Link Mesh Technology, 4x LTE/5G internal antennas 2 x Wi-Fi internal antennas, 2x external rp-sma-f antenna Interface, Nano-SIM, Working modes 5g/4g Router / Router / Access Point, 1x 2.5 Gigabit Port, 2x1 Gigabit Ports
NET-DECO-X50-OUT-1PK	R 2,018	TP-Link Deco X50 AX3000 Outdoor / Indoor Mesh WiFi 6 - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh Technology, 2x antennas (Internal), Router / Access Point working modes, 2x Gigabit Ports per Deco unit
NET-DECO-X50-POE-1PK	R 1,776	TP-Link Deco X50 AX3000 PoE Router Whole Home Mesh system - 1 Pack, 2402 Mbps @ 5GHz Data rate, 574 Mbps @ 2.4GHz Data rate, TP-Link Mesh technology, Ai-driven Mesh, 4x antennas (Internal), 1x 2.5 Gigabit Port, 1x Gigabit Port
NET-DECO-X50-POE-2PK	R 3,391	TP-Link Deco X50 AX3000 PoE Router Whole Home Mesh system - 2 Pack, 2402 Mbps @ 5GHz Data rate, 574 Mbps @ 2.4GHz Data rate, TP-Link Mesh technology, Ai-driven Mesh, 4x antennas (Internal), 1x 2.5 Gigabit Port, 1x Gigabit Port
NET-DECO-X50-POE-3PK	R 4,844	TP-Link Deco X50 AX3000 PoE Router Whole Home Mesh system - 3 Pack, 2402 Mbps @ 5GHz Data rate, 574 Mbps @ 2.4GHz Data rate, TP-Link Mesh technology, Ai-driven Mesh, 4x antennas (Internal), 1x 2.5 Gigabit Port, 1x Gigabit Port
NET-EAP223	R 897	TP-Link EAP223 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, excluding PSU / PoE, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, 3 internal Omni antenna Type, 5GHz up to 867 Mbps, 2.4GHz up to 450 Mbps
NET-EX141	R 489	TP-Link EX141 AX1500 aginet acs Dual Band Gigabit Wi-Fi 6 Router, 1x Gigabit RJ45 WAN Port, 3x Gigabit RJ45 LAN Ports, Four external antennas, 1201 Mbps on 5GHz, 300 Mbps on 2.4GHz
NET-EX511	R 863	TP-Link EX511 AX3000 Agile Configuration Dual Band WiFi 6 Router, 1x Gigabit RJ45 WAN Port, 4x Gigabit RJ45 LAN Ports, Four High-Performance external antennas, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps
NET-HALO-H27BE-3PK	R 2,827	Mercusys Halo 27be Wi-Fi 7 BE3600 Whole Home Mesh system - 3 Pack, MRC-HALO-H27BE, 2880 Mbps at 5GHz, 688 Mbps at 2.4GHz, 1x 2.5Gbps Port, 2x 1Gbps Ports, Operation mode - Router / Access Point
NET-HALO-H30-2PK	R 740	Mercusys Halo H30 AC1200 Whole Home Mesh Wi-Fi system - 2 pack, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 2x 10/100 Mbps Ethernet Ports per Halo unit, Reset Button
NET-HALO-H30-3PK	R 934	Mercusys HALO H30 AC1200 Whole Home Mesh Wi-Fi system - 3 pack, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz, 2x 10/100 Mbps Ethernet Ports per Halo unit, Reset Button
NET-HALO-H30G-2PK	R 807	Mercusys Halo H30G AC1300 Whole Home Mesh Wi-Fi System - 2 Pack
NET-HALO-H30G-3PK	R 1,211	Mercusys Halo H30G AC1300 Whole Home Mesh Wi-Fi system - 3 pack, 400 Mbps at 2.4GHz, 867 Mbps at 5GHz - 2 pack, 2x Gigabit Ports per Halo unit, Reset Button
NET-HALO-H50G-2PK	R 859	Mercusys Halo H50G AC1900 Whole Home Mesh WiFi system - 2 Pack, 1300 Mbps on 5 GHz, 600 Mbps on 2.4 GHz, Operation modes - Router / Access Point, 3x Gigabit Ports per Halo unit
NET-HALO-H50G-3PK	R 1,271	Mercusys Halo H50G AC1900 Whole Home Mesh WiFi system - 3 Pack, 1300 Mbps on 5 GHz, 600 Mbps on 2.4 GHz, Operation modes - Router / Access Point, 3x Gigabit Ports per Halo unit
NET-HALO-H60X-2PK	R 972	Mercusys Halo H60X AX1500 Whole Home Mesh WiFi 6 system - 2 pack, 1201 Mbps on 5GHz, 300 Mbps on 2.4GHz, 3x Gigabit WAN/LAN Ports Halo H60XR, 2 x Gigabit LAN Ports Halo H60XS, Router / Access Point operation modes, 1x Halo H60XR unit 1x Halo H60XS unit
NET-HALO-H70X-3PK	R 1,655	Mercusys Halo H70X AX1800 Whole Home Mesh WiFi 6 system - 3 pack, Wi-Fi 6, 3x Gigabit Ports per Halo unit, 1201 Mbps on 5GHz, 574 Mbps on 2.4GHz
NET-HALO-H80X-2PK	R 1,495	Mercusys Halo H80X AX3000 Whole Home Mesh WiFi 6 system - 2 pack, 2402 Mbps on 5GHz, 574 Mbps on

		2.4GHz, 3x Gigabit Ports, Operation modes - Router / Access Point
NET-HALO-H80X-3PK	R 2,243	Mercusys Halo H80X AX3000 Whole Home Mesh WiFi 6 system - 3 pack, 2402 Mbps on 5GHz, 574 Mbps on 2.4GHz, 3x Gigabit Ports, Operation modes - Router / Access Point
NET-MER-AC10	R 269	Mercusys AC1200 300mbps wireless dual band
NET-MER-AC12	R 276	Mercusys AC-12 AC1200 Dual Band Wireless Router
NET-MER-AC12G	R 411	Mercusys AC12G AC1200 Wireless Dual Band Gigabit Router
NET-MER-HALO-E27BE-2	R 2,168	Mercusys Halo H27BE BE3600 Whole Home Mesh WiFi 7 system - 2 pack, 688 Mbps at 2.4GHz, 2880 Mbps at 5GHz, 1x 2.5 Gbps Port (WAN/LAN), 2x Gigabit Ports (WAN/LAN), 4096 QAM, Beamforming, Operation modes - Router / Access Point, Internal antennas
NET-MER-MR20	R 242	Mercusys MR20 AC750 Wireless Dual Band Router, 300 Mbps @ 2.4 GHz 433 Mbps @ 5 GHz, Operation modes - Router mode / Range Extender mode / Access Point mode, 1x 10/100 Mbps WAN Port, 2x 10/100 Mbps LAN Ports, 2x 5 dBi fixed Omni-Directional antennas
NET-MER-MR25BE	R 1,009	Mercusys MR25BE BE3600 Dual-Band Wi-Fi 7 Router, BE3600 WiFi speeds, 2880 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, Multi-Link Operation (MLO), 4K-QAM, 1x 1Gbps WAN Port, 3x 1Gbps LAN Ports, 4x fixed omnidirectional antennas
NET-MER-MR27BE	R 1,121	Mercusys MR27BE BE3600 Dual-Band Wi-Fi 7 Router, BE3600 Wi-Fi Class, 688 Mbps Wi-Fi (2.4GHz), 2880 Mbps Wi-Fi (5GHz), 4K QAM Max Wi-Fi modulation, 1x 2.5Gbps WAN, 1x 2.5Gbps LAN, 3x Gigabit LAN, 4x external Omni-Directional antennas, Operation mode - Router / AP mode
NET-MER-MR30G	R 351	Mercusys MR30G AC1200 2-port Wireless Dual Band Gigabit Router, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4 GHz, 867 Mbps @ 5 GHz 300 Mbps @ 2.4 GHz, Operation modes - Router mode / Access Point mode, 1x Gigabit WAN Port, 2x Gigabit LAN Ports, 4x 5 dBi fixed Omni-Directional antennas
NET-MER-MR50G	R 448	Mercusys AC1900 2-port Wireless Dual Band
NET-MER-MR60X	R 426	Mercusys MR60X AX1500 WiFi 6 Router
NET-MER-MR70X	R 565	Mercusys MR70X AX1800 Dual-Band WiFi 6 Router
NET-MER-MR80X	R 672	Mercusys MR80X AX3000 Dual-Band Wi-Fi 6 Router
NET-MER-MR90X	R 1,332	Mercusys MR90x AX6000 8-stream WiFi 6 Router, 4804 Mbps @ 5GHz, 1148 Mbps @ 2.4GHz, 8x fixed Omni-Directional antennas, 1x 2.5 Gbps WAN/LAN Port, 1x Gigabit WAN/LAN Port, 2x Gigabit LAN Ports
NET-MER-MW301R	R 161	Mercusys MW301R 300Mbps Wireless N Router
NET-MER-MW302R	R 164	Mercusys MW302R 300Mbps Multi-Mode Wireless N Router
NET-MER-MW305R	R 186	Mercusys MW305R 300mbps Wireless N Router
NET-MER-MW325R	R 209	Mercusys MW325R 300mbps Enh Wireless N Router 4 x Ant
NET-TL-DECO-BE22-3PK	R 4,844	TP-Link Deco BE3600 Whole Home Mesh WiFi 7 system - 3 Pack, TP-DECOBE22-3P, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, 2x Gigabit Ethernet Ports
NET-TL-DECO-BE25-1PK	R 1,937	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 1 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
NET-TL-DECO-BE25-2PK	R 3,794	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 2 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
NET-TL-DECO-BE25-3PK	R 5,248	TP-Link BE3600 Whole Home Mesh Wi-Fi 7 system - 3 Pack, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, Multi-link operation (MLO), 2x 2.5 Gbps Ethernet Ports
NET-TL-DECO-BE25-OUT	R 2,260	TP-Link Deco BE3600 Outdoor / Indoor Mesh Wi-Fi 7 unit - 1 pack, Deco BE25-Outdoor, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 4x High-Performance antennas (Internal), Working modes - Router mode / Access Point mode, 2x 2.5Gbps Ethernet Ports
NET-TL-DECO-BE65-1PK	R 3,471	TP-Link Deco BE65 BE9300 Whole Home Mesh WiFi 7 system - 1 Pack, 574 Mbps @ 2.4GHz, 2880 Mbps @ 5GHz, 5760 Mbps @ 6GHz, TP-Link Mesh technology, Ai-driven Mesh, 4x High-Performance antennas (Internal), Tri-band, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 4 x 2.5 Gbps Ethernet Ports, 1x USB 3.0

		Port
NET-TL-DECO-BE65-2PK	R 6,782	TP-Link Deco BE65 BE9300 Whole Home Mesh WiFi 7 system - 2 Pack, 574 Mbps @ 2.4GHz, 2880 Mbps @ 5GHz, 5760 Mbps @ 6GHz, TP-Link Mesh technology, Ai-driven Mesh, 4x High-Performance antennas (Internal), Tri-band, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 4 x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port
NET-TL-DECO-BE65-3PK	R 9,689	TP-Link Deco BE65 BE9300 Whole Home Mesh WiFi 7 system - 3 Pack, 574 Mbps @ 2.4GHz, 2880 Mbps @ 5GHz, 5760 Mbps @ 6GHz, TP-Link Mesh technology, Ai-driven Mesh, 4x High-Performance antennas (Internal), Tri-band, 2x2 MU-MIMO, 6 streams, Router mode / Access Point mode, 4 x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port
NET-TL-DECO-BE85-1PK	R 8,882	TP-Link Deco BE85 BE19000 Whole Home WiFi 7 - 1 pack, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, TP-Link Mesh technology, Ai-driven Mesh, 8x High-Gain antennas (Internal), Tri-band, 4x4 MU-MIMO, 12 streams, Router mode / Access Point mode, 1x 10 Gbps Ethernet Port, 1x 10 Gbps SFP /RJ45 combo Port, 2x 2.5 Gbps Ethernet Port, 1x USB 3.0 Port
NET-TL-DECO-BE85-2PK	R 16,957	TP-Link Deco BE85 BE19000 Whole Home WiFi 7 - 2 pack, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, TP-Link Mesh technology, Ai-driven Mesh, 8x High-Gain antennas (Internal), Tri-band, 4x4 MU-MIMO, 12 streams, Router mode / Access Point mode, 1x 10 Gbps Ethernet Port, 1x 10 Gbps SFP /RJ45 combo Port, 2x 2.5 Gbps Ethernet Port, 1x USB 3.0 Port
NET-TL-DECO-E4-1PK	R 605	TP-Link Deco E4 AC1200 Whole Home Mesh Wi-Fi System *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-E4-2PK	R 1,130	TP-Link Deco E4 AC1200 Whole Home Mesh Wi-Fi System (2-Pack) *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-E4-3PK	R 1,695	TP-Link Deco E4 AC1200 Whole Home Mesh Wi-Fi System - 3 Pack *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-M4-1PK	R 807	TP-Link Deco M4 AC1200 Whole Home Mesh Wi-Fi System *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-M4-2PK	R 1,453	TP-Link DECO M4 AC1200 Whole Home Mesh Wi-Fi System - 2x Pack *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use a router that supports IEEE 1905.1
NET-TL-DECO-M5-1PK	R 1,089	TP-Link Deco M5 AC1300 Dual Band Wireless Ethernet Whole Home WiFi Mesh System, Mediatek Realtek, 867Mbps at 5GHz 400Mbps at 2.4GHz, 802.11ac/a/b/g/n, 2 Gigabit LAN, 1x USB Type-C Port, Wireless On/Off, 4 Internal Antennas, Tether App *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-M5-3PK	R 2,877	TP-link DECO M5 AC1300 Wireless Ac Whole Home Kit - 3 Pack *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-PX50-2PK	R 3,749	TP-Link Deco PX50 AX3000 G1500 Whole Home Powerline Mesh WiFi 6 system - 2 pack, Wi-Fi 6, 2402 Mbps 2 5GHz, 574 Mbps @ 2.4GHz, 1.5 Gbps Powerline, TP-Link Mesh technology, 3x Gigabit Ports
NET-TL-DECO-S7-2PK	R 1,533	TP-Link Deco S7 AC1900 Whole Home Mesh WiFi system - 2 pack, 1300 Mbps 5GHz, AC1900, 5GHz @ 1300 Mbps, 2.4GHz @ 600 Mbps, TP-Link Mesh technology, 3 x antennas (Internal), 3x Gigabit Ports
NET-TL-DECO-S7-3PK	R 2,260	TP-Link Deco S7 AC1900 Whole Home Mesh Wi-Fi System - 3 Pack
NET-TL-DECO-X10-1PK	R 1,009	TP-Link Deco X10 AX1500 Whole Home Mesh Wi-Fi 6 System
NET-TL-DECO-X10-2PK	R 1,856	TP-Link Deco X10 AX1500 Whole Home Mesh Wi-Fi 6 System (2-Pack)
NET-TL-DECO-X10-3PK	R 2,664	TP-Link Deco X10 AX1500 Whole Home Mesh Wi-Fi 6 System (3-Pack)
NET-TL-DECO-X20-2PK	R 2,179	TP-Link Deco X20 AX1800 Whole Home Mesh Wi-Fi System - 2 Pack *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-X20-3PK	R 3,226	TP-Link Deco X20 AX1800 Whole Home Mesh Wi-Fi 6 System (3-pack) *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
NET-TL-DECO-X50-2PK	R 2,825	TP-Link Deco X50 AX3000 Whole Home Mesh Wi-Fi 6 system (2 pack), 3x Gigabit Ethernet Ports, AX3000 Dual Band WiFi, Speeds up to 3.0 Gbps, 4 Streams - 2x2/HE160 2402 Mbps 2x2 574 Mbps
NET-TL-DECO-X55-1PK	R 1,453	TP-Link X55 AX3000 Whole Home Mesh Wi-Fi 6 system - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, 2 x antennas (Internal), 2x2 MU-MIMO, Router mode / Access Point mode, 3x Gigabit

		Ports
NET-TL-DECO-X55-2PK	R 2,825	TP-Link Deco X55 AX3000 Whole Home Mesh WiFi 6 System - 2 Pack
NET-TL-DECO-X55-3PK	R 4,037	TP-Link Deco X55 AX3000 Whole Home Mesh WiFi 6 System - 3 Pack
NET-TL-DECO-X60-2PK	R 3,139	TP-Link Deco X60 AX5400 Whole Home Mesh Wi-Fi 6 System (2-Pack)
NET-TL-DECO-X60-3PK	R 4,621	TP-Link Deco X60 AX3000 Whole-Home Mesh Wi-Fi (3 Pack), 5 GHz @ 2402 Mbps WiFi speeds, 2.4 GHz @ 574 Mbps WiFi speeds, TP-Link Mesh technology, 4x antennas (Internal), Working modes - Access Point mode & Router mode, 2x Gigabit Ports per Deco unit
NET-TL-DECO-XE75-3PK	R 5,894	TP-Link Deco XE75 AXE5400 Tri-Band Mesh Wi-Fi 6E System (3-Pack)
NET-TL-ER605W	R 972	TP-Link ER605W Omada AC1350 Gigabit Wi-Fi Gateway, AC1200 Dual-Band WiFi (867 Mbps on 5 G 300 Mbps on 2.4 G), 5× Gigabit Ethernet Ports Provide High-Speed Connectivity, 4× High-Gain External Antennas for Boosted Coverage, Load Balancing on up to 3× WAN Ports, IPSec/ PPTP/ L2TP/ OpenVPN/ WireGuard/ GRE VPN, DoS Defense, IP/MAC/URL Filtering, and More Abundant Security Features, Centralized Cloud Management via Web and Omada App
NET-TL-ER706W-4G	R 3,964	TP-Link ER706W-4G Omada 4G CAT6 AX3000 Gigabit VPN Router, Support 4G CAT6, AX3000 Dual-Band WiFi 6, 5 High-Gain detachable antennas, Centralized Management, Omada Mesh, High-Security VPN, 1x Nano SIM Card, 300 Mbps downlink Speed, 50 Mbps Uplink Speed, 1 Gigabit SFP WAN/LAN Port, 1 Gigabit WAN Port, 4x Gigabit LAN/WAN Ports, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz
NET-TL-EX520	R 897	TP-Link EX520 AX3000 Dual Band WiFi 6 Router; 2402 Mbps 5 GHz; 574 Mbps 2.4 GHz; 1 x Gigabit WAN; 4 x Gigabit LAN; 4 x external antennas; Beamforming; MU-MIMO; OFDMA; EasyMesh; WPA3; 26.02 x 13.50 x 4.16 cm
NET-TL-EX521	R 805	TP-Link EX521 AX3000 Aginet ACS Easy Mesh Wi-Fi 6 Router, TP-EX521, 1x Gigabit RJ45 WAN Port, 3x Gigabit RJ45 LAN Ports, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
NET-TL-HC220-G5-2PK	R 1,167	TP-Link HC220-G5 AC1200 Router Whole Home Mesh system - 2 pack, 3x Gigabit Ports, 1x Port supports WAN/LAN, 867 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate, Wi-Fi 5
NET-TL-HX141-1PK	R 690	TP-Link HX141 Aginet AX1500 Router Whole Home Mesh system - 1 pack, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, Up to 1201 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, Router mode / Access Point mode
NET-TL-HX220-1PK	R 894	TP-Link HX220 Aginet AX1800 Router Whole Home Mesh system - 1 pack, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, 5GHz up to 1201 Mbps, 2.4GHz up to 574 Mbps
NET-TL-WR820N	R 235	TP-Link TL-WR820N 300Mbps Wireless N Speed Router
NET-TL-WR840N	R 241	TP-Link TL-WR840N 300Mbps Wireless N Router
NET-TL-WR841HP-HG	R 610	TP-Link WR841HP 300Mbps High Power Wireless Router, Indoor, 600mw, Realtek, 2T2R, 2.4GHz, 802.11b/g/n, 1 10/100M WAN 4 10/100M LAN, with 2 8dBi detachable antennas
NET-TL-WR841N	R 304	TP-Link TL-WR841N 300Mbps Wireless N Router
NET-TL-WR845N	R 322	TP-Link TL-WR845N 300Mbps Wireless N Router
NET-TL-WR902AC	R 443	TP-Link TL-WR902AC AC750 Wireless Travel Router
RB-5009UGSIN	R 3,508	MikroTik RB5009UG S IN heavy duty Router with 7x Gigabit & 1x 2.5GB & 1x 10G SFP Ports, RouterOS license L5, RouterOS Operating System, RouterOS Operating System, 1 GB RAM, 1 GB storage size, 7x 10/100/1000 Ethernet Ports, 1x 2.5G Ethernet Ports, 1x SFP Ports, 3x DC inputs
RB-HAPAC2	R 1,259	MikroTik hAP AC2 Dual Band WiFi Router 5x Gigabit Ethernet ports,, Quad core cpu 716 MHz, RouterOS L4, Passive PoE, 802.11b/g/n Dual Chain 2.4 GHz Wireless, 802.11a/n/ac Dual Chain 5 GHz Wireless, 5x 10/100/1000 Ethernet port, 1x USB port, RBD52G-5HACD2HND-TC
RB-HAPAX2	R 1,639	MikroTik hAP AX2 5 port Gigabit WiFi 6 Router, C52iG-5HaxD2HaxD-TC, IPQ-6010 Quad Core CPU, RouterOS license 4, RouterOS V7 only Operating System, 1 GB RAM, 128 MB storage size, 1200 Mbit/s Wireless 5 GHz Max Data rate, 574 Mbit/s Wireless 2.4 GHz Max Data rate, AX1800 WiFi speed, 5x Gigabit Ethernet Ports, 1x Gigabit Ports with PoE-out
RB-HAPAX3	R 2,294	MikroTik hAP ax3 - 4 port Gigabit & 1 Port 2.5G PoE WiFi 6 Router, C53UiG 5HPaxD2HPaxD, RouterOS V7 Operating System, 1 GB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 1200 Mbit/s Wireless 5 GHz Max Data rate, 4x 10/100/1000 Ethernet Ports, 1x 2.5G Ethernet Ports, 1x 1g Ethernet Ports with

		PoE-out, USB 3.0 Type-A
RB-HAPAXL	R 937	MikroTik hAP AX Lite 4 port Gigabit WiFi 6 Router, L41G-2axD, IPQ-5010 Dual Core CPU, RouterOS license 4, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4 GHz Max Data rate, Wi-Fi 6, 4x Gigabit Ethernet Ports
RB-HAPAXS	R 1,259	MikroTik hAP ax S 5 port Gigabit & 1x 2.5Gbps SFP 2400 Mbps WiFi 6 Router, E62iUGS-2axD5axT, RouterOS License 4, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, Wi-Fi 6, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1800 Mbit/s Wireless 5GHz Max Data rate, AX2400 WiFi Speed, 5x 10/100/1000 Ethernet Ports, 1x 1G Ethernet Ports with PoE-out, 1x 2.5Gbps SFP Ports, DC jack or PoE-in DC inputs
RB-HAPBEL	R 1,259	MikroTik hAP be Lite 3 Port Gigabit & 1 Port 2.5Gbps 3500 Mbps Wifi 7 Router, RB-HAPBEL, BE3600 aggregate Wireless Speed for Dual-Band Performance, Dual-Core Arm CPU running at 950 MHz, 512 MB DDR3 RAM capacity, 1x 2.5G Ethernet Port, 3x Gigabit Ethernet Ports, Wi-Fi 7 Multi-Link Operation (MLO) Technology, Triple-chain 7 dBi antenna on 5GHz band, Dual-Chain 4.4 dBi antenna on 2.4GHz band, USB-C Power Input with 5V supply requirement, Operating System RouterOS Version 7 included
RB-L009UGSAX	R 2,179	MikroTik L009 Desktop Router with 1x 2.5Gb SFP & 8x Gigabit Ethernet Ports with 2.4GHz ax Wi-Fi, L009UiGS-2HaxD-IN, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 8x Gigabit Ethernet Ports, 1x Ethernet Ports with PoE-out, 1x 2.5G supported SFP Ports
RB-WAPAX	R 1,438	MikroTik wAP ax WiFi 6 Outdoor WiFi Router, wAPG-5HaxD2HaxD, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, IPQ-5010, 2 Core IPQ-5010 CPU, 574 Mbit/s Wireless 2.4GHz Max Data rate, 2400 Mbit/s Wireless 5GHz Max Data rate, AX3000 WiFi Speed, 2x Gigabit Ethernet Ports, 2x DC inputs (DC jack / PoE-in), 802.3af/at PoE in
RBA42G-HBEP	R 1,236	MikroTik hAP be Lite Wi-Fi 7 Router & Access Point, RBA42G-HBEP, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, 688 Mbit/s Wireless 2.4GHz Max Data rate, 2882 Mbit/s Wireless 5GHz Max Data rate, BE3600 WiFi Speed, 3x Gigabit Ethernet Ports, 1x 2.5GbE Ethernet Ports
RBC53UIG+5HPAXD2HPAXD	R 2,294	MikroTik hAP ax3 - 4 port Gigabit & 1 Port 2.5G PoE WiFi 6 Router, C53UiG 5HPaxD2HPaxD, RouterOS V7 Operating System, 1 GB RAM, 128 MB storage size, 574 Mbit/s Wireless 2.4 GHz Max Data rate, 1200 Mbit/s Wireless 5 GHz Max Data rate, 4x 10/100/1000 Ethernet Ports, 1x 2.5G Ethernet Ports, 1x 1g Ethernet Ports with PoE-out, USB 3.0 Type-A
RBD52G-5HACD2HND-TC	R 1,208	MikroTik hAP AC2 Dual Band WiFi Router 5x Gigabit Ethernet ports, Quad core cpu 716 MHz, RouterOS L4, Passive PoE, 802.11b/g/n Dual Chain 2.4 GHz Wireless, 802.11a/n/ac Dual Chain 5 GHz Wireless, 5x 10/100/1000 Ethernet port, 1x USB port, RBD52G-5HACD2HND-TC
RBD52G-5HACD2HND-TC	R 1,294	MikroTik hAP AC2 Dual Band WiFi Router 5x Gigabit Ethernet ports, Quad core cpu 716 MHz, RouterOS L4, Passive PoE, 802.11b/g/n Dual Chain 2.4 GHz Wireless, 802.11a/n/ac Dual Chain 5 GHz Wireless, 5x 10/100/1000 Ethernet port, 1x USB port, RBD52G-5HACD2HND-TC
RBD53IG-5HACD2HND	R 2,041	MikroTik hAP AC3 Dual Band 5 Port Gigabit Router, RBD53iG-5HacD2HnD, 4 Core IPQ-4019 716 MHz CPU, 256 MB RAM, 16 MB Flash storage, 5x 1 GbE Ports, 2.4 GHz 802.11b/g/n dual-chain Wireless, 5 GHz 802.11a/n/ac dual-chain Wireless, RouterOS L4, 1x Mini PCI-e slots, 1x Micro SIM slots
RBE62IUGS-2AXD5AXT	R 1,259	MikroTik hAP ax S 5 port Gigabit & 1x 2.5Gbps SFP 2400 Mbps WiFi 6 Router, E62iUGS-2axD5axT, RouterOS License 4, RouterOS V7 Operating System, 512 MB RAM, 128 MB storage size, Wi-Fi 6, 574 Mbit/s Wireless 2.4GHz Max Data rate, 1800 Mbit/s Wireless 5GHz Max Data rate, AX2400 WiFi Speed, 5x Gigabit Ethernet Ports, 1x 1G Ethernet Ports with PoE-out, 1x 2.5Gbps SFP Ports, DC jack or PoE-in DC inputs
RBL009UIGS-2HAXD-IN	R 1,954	MikroTik L009 Desktop Router with 1x 2.5Gb SFP & 8x Gigabit Ethernet Ports with 2.4GHz ax Wi-Fi, L009UiGS-2HaxD-IN, 2 Core CPU, RouterOS License L5, RouterOS V7 Operating System, 512 MB RAM, 128 MB size, 574 Mbit/s Wireless 2.4GHz Max Data rate, 8x Gigabit Ethernet Ports, 1x Ethernet Ports with PoE-out, 1x 2.5G supported SFP Ports
RG-EG105G	R 1,121	Reyee 5 Port Gigabit Cloud Router with 2 WAN ports, RG-EG105G, 5x 10/100/1000 Ethernet Ports
RG-EG105GP	R 1,323	Reyee 5 Port Gigabit 54W PoE Cloud Router with 2 WAN ports, RG-EG105g-p, 5x 10/100/1000 Ethernet ports, 4x 802.3af/at on ports 1-4
RG-EG105GW	R 1,294	Reyee 5 Port Gigabit AC Wave 2 Cloud Router, RG-EG105gw, 5x 10/100/1000m BASE-T ports supporting up to 2x

		WAN ports, 1x USB 2.0 Port, 3x 2.4g Blade antennas, 2x 5.8g Blade antennas, Concurrent 802.11a/n/ac/ac WAVE2 and 802.11b/g/n, Supports up to 100 concurrent clients
RG-EG105GW-X	R 1,954	Reyee Wi-Fi 6 AX3000 High-Performance All-in-One Wireless Router, RG-EG105GW-X, Wi-Fi 6 2976 Mbps Wireless Protocol, 4x Gigabit WAN Ports, 5x Gigabit LAN Ports, 5x external 5 dBi antennas, 180 recommended total clients
RG-EG305GH-P-E	R 2,299	Reyee 5 port Gigabit High-Performance Cloud Managed PoE Office Router, 5x Gigabit Ports with 4x WAN & 4x LAN, 802.3af/at on LAN 0-3 PoE out, 350 concurrent clients, 64 VPN tunnels, Load Balancing
RG-EW1200	R 316	Reyee EW1200 1200 Mbps Dual-Band Wireless Router, RG-EW1200, 4 antennas, 2.4GHz @ 300 Mbps, 5GHz @ 867 Mbps, 1x 10/100 Base-T WAN Port, 3x 10/100 Base-T LAN Ports
RG-EW1200F	R 339	Reyee Dual Band AC Wave 2 5dBi Fast Ethernet Router, RG-EW1200, 4x 5dBi antenna gain, 2.4GHz @ 300 Mbps Data rate, 5.8GHz @ 867 Mbps Data rate, 4x 10/100 Ethernet ports
RG-EW1300G	R 454	Reyee Dual Band AC 1300 Mbps Gigabit Mesh Router, RG-EW1300G, 400 Mbps 2.4GHz, 867 Mbps 5GHz, 5 antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, Operating mode - Repeater / Router / AP / WISP
RG-EW1300G	R 454	Reyee Dual Band AC 1300 Mbps Gigabit Mesh Router, RG-EW1300G, 400 Mbps 2.4GHz, 867 Mbps 5GHz, 5 antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, Operating mode - Repeater / Router / AP / WISP
RG-EW300-PRO	R 252	Reyee EW300 Pro 2.4GHz 300 Mbps 5dBi Router, RG-EW300-Pro, 4x 5dBi antenna gain, 300 Mbps @ 2.4GHz Data rate, 4x 10/100 Ethernet Ports
RG-EW3000GX	R 719	Reyee Dual Band WiFi 6 3000 Mbps 5dBi Gigabit Mesh Router, RG-EW3000GX Pro, 5 external antennas, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz, 1x 10/100/1000Base-T WAN Port, 3x 10/100/1000Base-T LAN Ports
RG-EW3000GX	R 661	Reyee Dual Band WiFi 6 3000 Mbps 5dBi Gigabit Mesh Router, RG-EW3000GX Pro, 5 external antennas, 574 Mbps @ 2.4GHz, 2402 Mbps @ 5GHz, 1x 10/100/1000Base-T WAN Port, 3x 10/100/1000Base-T LAN Ports
RG-EW6000GX	R 1,609	Reyee EW6000GX 6000 Mbps Wi-Fi 6 Dual-WAN Gigabit Router, RG-EW6000GX, 8x external antennas, 4.5 dBi antenna gain (2.4GHz), 5.5 dBi antenna gain (5GHz), 1147 Mbps @ 2.4GHz, 4804 Mbps @ 5GHz, Reyee Mesh 3.0, 128 concurrent clients, 1x 2.5Gbps Port, 1x 1Gbps WAN/LAN Port, 3x 1Gbps LAN Ports
RG-EW7200BE-PRO	R 2,184	Reyee 7200 Mbps Cloud-Managed Wi-Fi 7 Gaming Router, RG-EW7200BE-PRO, 1377 Mbps @ 2.4GHz, 5765 Mbps @ 5GHz, 2.4GHz 4x4 MIMO, 5GHz 4x4 MIMO, 9 antennas, 1x 2.5 Gigabit WAN, 1x 2.5 Gigabit WAN/LAN, 3x 2.5 Gigabit LAN, 4x Gigabit LAN, Mesh, Operating mode - Router / Repeater / AP / WISP
RS100-100EUS	R 3,764	Netgear Nighthawk RS100 3.6 Gbps WiFi 7 Dual-Band Router, 2x High-Performance internal antennas, 1x 2.5Gbps Internet Port, 4x Gigabit Ethernet LAN Ports
RS200-100EUS	R 6,181	Netgear Nighthawk RS200 WiFi 7 6.5Gbps Dual-Band Router, Four 4x High-Performance internal antennas, Powerful Quad-Core 2.0GHz Processor, One 1x 2.5Gbps Internet Port, 1x 2.5Gbps Ethernet LAN Port, 3x Gigabit Ethernet LAN Ports, 1x USB 3.0 Port
RS300-100EUS	R 8,599	Netgear Nighthawk RS300 WiFi 7 9.3Gbps Dual-Band Router, Powerful Quad-Core 2.0GHz Processor, 4) High-Performance internal antennas, 1x 2.5Gbps Internet Port, 2x 2.5Gbps Ethernet LAN Port, 2x Gigabit Ethernet LAN Ports, 1x USB 3.0 Port
RS600-100EUS	R 13,433	Netgear Nighthawk RS600 WiFi 7 18Gbps Dual-Band Router, Quad-Core 2.0GHz Processor, 8x High-Performance internal antennas, 1x 10Gbps Internet Port, 1x 10Gbps Ethernet LAN Port, 3x Gigabit Ethernet LAN Ports, 1x USB 3.0 Port
RT-AX57-GO	R 1,149	Asus RT-AX57 Go AX3000 Dual Band WiFi 6 (802.11ax) Travel Router, 2402 Mbps 574 Mbps AX3000 Ultimate AX performance, 5x internal antenna, Operating mode - Wireless Router mode / AiMesh Node mode / Range Extender mode / Access Point mode / Media Bridge mode / Repeater mode / public WiFi mode (WISP), 1x 1GbE WAN Port, 1x 1GbE LAN Port, USB-C Power Port, USB 3.2 Gen 1x1, AiMesh
RT-AX59U	R 1,530	Asus RT-AX59U AX4200 Dual Band WiFi 6 Router; AiMesh Router/AiMesh Node; Compatible with ASUS AiMesh WiFi system; Space-saving wall mount
RT-AX82U	R 1,954	Asus AX5400 Dual Band Mesh WiFi 6 gaming Router with PS5 Compatibility, 1.5 GHZ tri-core processo Asus AURA RGB, Adaptive QOS, Port forwarding 802.11a: up to 54 Mbps, 802.11b: up to 11 Mbps,802.11g: up to 54 bps,802.11n: upto 300 Mbps, 802.11ac (1024QAM): up to 4333 Mbps 802.11ax (2.4GHz): up to 574 Mbps,802.11ax (5GHz): up to 4804 Mbps, RJ45 for Gigabits BaseT for WAN x 1, RJ45 for Gigabits BaseT for LAN, Router app, MU-MIMO, Adaptive QoS, AiProtection Pro, Parental Control, VPN Server & Client, AiCloud, 3G/4G

		data sharing, Printer &AiDisk file server x 4, Wireless router, Access point & Media Bridge mode, RJ-45
RT-AX89X	R 6,577	ASUS RT-AX89X 12-stream AX6000 Dual Band WiFi 6 (802.11ax) Router, Supporting MU-MIMO and OFDMA technology, 8x external antenna, Up to 4804 Mbps WiFi 6 (802.11ax) (5GHz), Up to 1148 Mbps WiFi 6 (802.11ax) (2.4GHz), 2.4 GHz / 5 GHz operating Frequency, 1x RJ45 for 10Gbps BaseT for WAN/LAN, 8x RJ45 for 1Gbps BaseT for LAN, 1x RJ45 for 1Gbps BaseT for WAN, 2x USB 3.1 Gen 1, 1x SFP
RT-AXE7800	R 2,550	Asus AXE7800 Tri-band Wifi 6e, Up To 7800mbps, 6x External Antenna, 1x Wan-LAN, 2.5g 1x Wan-LAN, 3x LAN, 1x USB 3.2
RT-BE50	R 1,518	Asus RT-BE50 BE3600 WiFi 7 Dual-Band 2x2 AiMesh Extendable Router. The ASUS RT-BE50 is a powerful WiFi 7 router offering blazing speeds up to 3600 Mbps, advanced AiMesh coverage and multi-link low-latency connections. Its quad-core performance, multi-gigabit ports and robust security make it ideal for streaming, gaming and future-ready smart home networks.
RT-BE58U	R 1,788	Asus RT-BE58U Smart Home WiFi 7 Router, BE3600 Ultimate be performance 688 2882 Mbps, WiFi 7 (2.4GHz) up to 688 Mbps, WiFi 7 (5GHz) up to 2882 Mbps, 4x external antenna, OFDMA, Beamforming, 4096-qam high Data rate, Operating mode - Wireless Router mode / Access Point mode / Media Bridge mode, 1x RJ45 for 2.5 gigabits BaseT for WAN, 4x RJ45 for gigabits BaseT for LAN, 1x USB 3.2 Gen 1
RT-BE88U	R 6,278	ASUS RT-BE88U Dual-Band WiFi 7 AiMesh extendable performance Router, Up to 1376 Mbps WiFi 7 (2.4GHz), Up to 5764 Mbps WiFi 7 (5GHz), 4x External antenna , OFDMA, 4096-qam high Data rate, Operating mode - Wireless Router mode / AiMesh Node mode / Access Point mode / Media Bridge mode / Repeater mode, 1 x 10Gbps for WAN/LAN, 1x 10Gbps SFP for WAN, 1x 2.5Gbps for WAN/LAN, 3x 2.5Gbps for LAN, 4x RJ45 Gigabit for LAN, 1x USB 3.2 Gen1
RUT140	R 1,383	Teltonika RUT140 Ethernet WiFi Router, 802.11b/g/n Wireless mode, Up to 50 simultaneous connections, 1x WAN Port, 1x LAN Port, 1x RP-SMA for Wi-Fi, Aluminium housing
RUT142	R 1,517	Teltonika RUT142 Ethernet WiFi RS232 Router, 802.11b/g/n Wireless mode, Up to 50 simultaneous connections, 1x WAN Port, 1x LAN Ports, 1x RP-SMA for Wi-Fi, 1x DB9 Socket RS232, Aluminium housing
RUTX10	R 4,202	Teltonika RUTX10 Professional Wifi 5 Router, Wi-Fi 5, 1x WAN (1 Gbps), 4x LAN (1 Gbps), Bluetooth, VPN, Up to 150 simultaneous WiFi connections, 4x RJ45 Gigabit Ports, 1x Digital Input, 1x Digital Output on 4 pin Power connector, 2x RP-SMA for Wi-Fi, 1x RP-SMA for Bluetooth, 1x USB Type-A Port for external devices, 1x grounding screw, Aluminium housing
SG2005P-PD	R 1,578	TP-Link SG2005P-PD Omada 5 port Gigabit Smart Switch with 1-port PoE in and 4 port PoE out, 1x Gigabit RJ45 PoE in Ports, 4x Gigabit RJ45 PoE out Ports, Fanless, Obtain Power from 802.3af/at/bt PoE source, PoE Power budget up to 64W, 10 Gbps switching capacity
SMCWGBR14-N2	R 619	SMC 300MBPS WIRELESS GIGABIT ROUTER
Synology MR2200ac	R 3,219	Synology Wireless Mesh Router, 1 X LAN GbE RJ45, 1 X WAN GbE RJ45, 1 X USB3 3G/4G Dongle support
TE-MW3-2	R 941	Tenda NOVA MW3 home WiFi Mesh system 2 pack, Dual-Band WiFi Mesh system, 2 Ethernet ports per Mesh Node, 2x 3dBi internal Dual Band antennas, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps, Simultaneous Dual Band 2.4GHz & 5GHz
TE-MX3	R 1,032	Tenda NOVA MX3 3 Pack Home Wi-Fi 6 Mesh system, 2x 3dBiinternal antenna, 1x Gigabit LAN Port, 1x Gigabit WAN Port, 1201 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate
TE-MX3-1	R 746	Tenda NOVA MX3 1 Pack Home Wi-Fi 6 Mesh system, 2x 3dBiinternal antenna, 1x Gigabit LAN Port, 1x Gigabit WAN Port, 1201 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate
TE-TX2-PRO	R 581	Tenda TX2-PRO Home Dual Band Wi-Fi 6 Router, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 5x 6dBi external antennas, 5GHz up to 1201 Mbps, 2.4GHz up to 300 Mbps
TE-TX9-PRO	R 1,126	Tenda TX9-PRO Home Dual-Band Gigabit Wi-Fi 6 Premium Router, 1x 10/100/1000 Mbps WAN Port, 3x 10/100/1000 Mbps LAN ports, 4x 6dBi external antennas, Up to 2402 Mbps 5GHz, Up to 574 Mbps 2.4GHz, Simultaneous Dual Band 2.4 & 5GHz
TE3L	R 975	Tenda TE3L BE3600 Dual Band WiFi 7 Router, Dual-Core 1GHz CPU, 512MB RAM, 3x Gigabit WAN/LAN Ports, 5x external antennas, Operating mode - Router mode / AP mode / Universal Repeater mode, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, SSID broadcasting and hiding, MU-MIMO
TE6L PRO	R 1,148	Tenda TE6L PRO BE5100 Dual-Band Wi-Fi 7 Router(2.5GE). WiFi7; dual-band; 2.5Gbps WAN/LAN; 3x 1Gbps

		ports; 5 external antennas; mesh ready; dimensions 244x56x200 mm; weight ~0.59 kg
TL-DECO-E4-2PK	R 2,179	TP-link Deco E4 AC1200 whole-home Mesh Wi-Fi system (2 pack), MU-MIMO, Qualcomm CPU, 2x 10/100 Ethernet ports, Beamforming, Parental controls, Qos, Reporting, Alexa supported, 2 internal Dual-Band antennas per Deco unit, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz, Router or Access Point
TL-MR3020	R 404	TP-Link TL-MR3020 N300 Wireless Dual Band 4G LTE Router, 1x 10/100 Mbps WAN/LAN Port, USB 2.0 Port for 3G/4G Modem, Internal antenna, Wireless modes - 3G Router / Travel Router (AP) / WISP Client Router
TL-MR3420	R 460	TP-Link TL-MR3420 3G/4G Wireless N Router, 1x USB 2.0 Port for LTE USB Modem, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports, 2x5dbi antenna gain
TL-WR820N	R 275	TP-Link TL-WA820n 300 Mbps Wireless N Speed Router, Wi-Fi 4, 300 Mbps @ 2.4GHz, 2x fixed antennas, Working modes - Router mode / Access Point mode / Range Extender mode / WISP mode, 1x 10/100 Mbps WAN Port, 2x 10/100 Mbps LAN Ports
TL-WR840N	R 311	TP-Link TL-WR840N 300Mbps Wireless N Router
TL-WR840N	R 299	TP-Link TL-WR840N 300 Mbps Wireless N speed Router, Wi-Fi 4, 300 Mbps @ 2.4GHz, Router mode, Access Point mode, Range Extender mode, WISP mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
TL-WR841HP	R 691	TP-Link TL-WR841HP N300 High Power Wi-Fi Router, Qualcomm, Indoor, 1000mw, 2T2R, 300Mbps at 2.4GHz, 802.11b/g/n, 5 10/100M Ports, 2 9dBi detachable antennas, Router/Access Point/Range Extender mode, Wall-Penetrating Wi-Fi
TL-WR841N	R 339	TP-Link TL-WR841N 300 Mbps Wireless N Router, 300 Mbps @ 2.4GHz, 2x fixed antennas, Working modes - Router mode / Access Point mode / Range Extender mode / WISP mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
TL-WR844N	R 255	TP-Link TL-WR844N 300 Mbps Multi-Mode Wi-Fi Router, 300Mbps at 2.4GHz, 5 10/100M Ports, 2 antennas, Router/Access Point/Range Extender mode, IPTV, IPv6 Ready, Tether App
TL-WR844N	R 299	TP-Link TL-WR844N 300 Mbps Multi-mode Wi-Fi Router, Wi-Fi 4, 300 Mbps @ 2.4GHz, 2x fixed antennas, Working modes - Router mode / Access Point mode / Range Extender mode / WISP mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
TL-WR845N	R 380	TP-Link TL-WR845N 300Mbps Wireless N Router, Broadband, 3x Antennas
TL-WR902AC	R 443	TP-Link TL-WR902AC AC750 Wireless Travel Router, 433Mbps at 5GHz 300Mbps at 2.4GHz, 3 internal antennas, 1 10/100M WAN / LAN, 1 USB 2.0 port, 3G/4G supported, Router/Access Point/ Range Extender/Client/Hotspot mode, IPv6 Ready
TL-WR902AC	R 501	TP-Link TL-WR902AC AC750 Wi-Fi Travel Router, 433 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 2x fixed antennas (Internal), Working modes - Router mode / Access Point mode / Range Extender mode / Client mode / hotspot mode, 1x 10/100 Mbps WAN/LAN Port, 1x USB 2.0 Port for USB drives
TND-NOVA-MW3-2	R 891	Tenda NOVA MW3 home WiFi Mesh system 2 pack, Dual-Band WiFi Mesh system, 2 Ethernet ports per Mesh Node, 2x 3dBi internal Dual Band antennas, 5GHz up to 867 Mbps, 2.4GHz up to 300 Mbps, Simultaneous Dual Band 2.4GHz & 5GHz
TND-NOVA-MX3-1	R 891	Tenda NOVA MX3 1 Pack Home Wi-Fi 6 Mesh system, 2x 3dBiinternal antenna, 1x Gigabit LAN Port, 1x Gigabit WAN Port, 1201 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate
TND-W-AC10	R 891	Tenda AC10 AC1200 Smart Gigabit Wi-Fi Router, 3x Gigabit LAN Ports, 1x Gigabit WAN port, 4x 5dBi External Dual Band Antennas, IEEE 802.11ac/n/a 5GHz, IEEE 802.11n/g/b 2.4GHz, 5GHz up to 867Mbps, 2.4GHz up to 300Mbps
TND-W-F3	R 206	Tenda F3 300Mbps WiFi Router and Repeater, 3x 5dBi external undetachable antennas, 1x 10/100 WAN port, 3x 10/100 LAN ports, 802.11/b/g/n wireless
TND-W-TX2	R 1,524	Tenda TX2 Dual Band Gigabit WiFi Router, 1x Gigabit WAN Port, 3 Gigabit LAN Ports, 4x 6dBi external antennas, 5GHz up to 1201 Mbps, 2.4GHz up to 300 Mbps
TP-ARCHER-C64	R 914	TP-Link Archer C64 AC1200 Dual-Band Wi-Fi Router, 400 Mbps at 2.4 GHz 867 Mbps at 5 GHz, 4x fixed High-Performance antennas, 1x Gigabit WAN Port, 4x Gigabit LAN Ports
TP-ARCHERAX10	R 1,049	TP-link Archer AX10 AX1500 Wi-Fi 6 MU-MIMO Wi-Fi Router, 5 GHz 1201 Mbps speed, 2.4 GHz 300 Mbps speed, Access Point mode, 1x Gigabit WAN Port, 4x Gigabit LAN ports
TP-ARCHERC20	R 403	TP-Link Archer C20 AC750 Dual Band Wireless Router, 433Mbps at 5GHz 300Mbps at 2.4GHz,

		802.11ac/a/b/g/n, 1x 10/100M WAN Port, 4x 10/100M LAN ports, 2x 2.4GHz Antennas, 1x 5GHz Antenna
TP-ARCHERC6	R 726	TP-Link ARCHER C6 1200 Mbps Dual-Band MU-MIMO Wi-Fi Router
TP-BE230	R 1,533	TP-Link Archer BE230 BE3600 Dual-Band Wi-Fi 7 Router. The TP-Link Archer BE3600 is a cost-effective Wi-Fi 7 router that delivers fast and reliable wireless connectivity for modern homes. Equipped with dual 2.5 Gbps ports and support for Multi-Link Operation (MLO), it ensures high-speed performance for streaming, gaming, and smart home devices. Its EasyMesh compatibility allows for seamless whole-home coverage, and Beamforming technology enhances Wi-Fi range and reliability. With a sleek design and user-friendly setup, the Archer BE3600 is an excellent choice for users seeking advanced features at an affordable price.
TP-BE450	R 2,664	TP-Link Archer BE450 BE7200 Dual-Band Wi-Fi 7 Router, 5765 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, For 3 bedroom houses, Beamforming, Wireless mode - Router mode / Access Point mode, 1x 10Gbps WAN/LAN, 1x 2.5Gbps WAN/LAN, 3x 1Gbps LAN, 1x USB 3.0 supports External Hard Drive
TP-DECOBE22-3P	R 4,844	TP-Link Deco BE3600 Whole Home Mesh WiFi 7 system - 3 Pack, TP-DECOBE22-3P, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, 2x Gigabit Ethernet Ports
TP-DECOBE25-1P	R 1,937	TP-Link Deco BE3600 Whole Home Mesh WiFi 7 system - 1 Pack, TP-DECOBE25-3P, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, 2x 2.5Gbps Ethernet Ports
TP-DECOBE25-2P	R 3,794	TP-Link Deco BE3600 Whole Home Mesh WiFi 7 system - 2 Pack, TP-DECOBE25-3P, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, 2x 2.5Gbps Ethernet Ports
TP-DECOBE25-3P	R 5,248	TP-Link Deco BE3600 Whole Home Mesh WiFi 7 system - 3 Pack, TP-DECOBE25-3P, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, 4x High-Performance antennas (Internal), 4 streams, Working modes - Router mode / Access Point mode, 2x 2.5Gbps Ethernet Ports
TP-DECOBE25-O-1P	R 2,260	TP-Link Deco BE3600 Outdoor / Indoor Mesh Wi-Fi 7 unit - 1 pack, Deco BE25-Outdoor, BE3600 WiFi speeds, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 4x High-Performance antennas (Internal), Working modes - Router mode / Access Point mode, 2x 2.5Gbps Ethernet Ports
TP-DECOBE65-1P	R 3,471	TP-Link Deco BE65 Tri-band Wi-Fi 7 BE11000 Whole Home Mesh system - 1 pack, 5765 Mbps @ 6GHz, 4324 Mbps 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, AI-Driven Mesh, 4x High-Performance antennas (Internal), 6 streams, Working modes - Router mode / Access Point mode, 4x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port for Server
TP-DECOBE65-2P	R 6,782	TP-Link Deco BE65 Tri-band Wi-Fi 7 BE11000 Whole Home Mesh system - 2 pack, 5765 Mbps @ 6GHz, 4324 Mbps 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, AI-Driven Mesh, 4x High-Performance antennas (Internal), 6 streams, Working modes - Router mode / Access Point mode, 4x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port for Server
TP-DECOBE65-3P	R 9,689	TP-Link Deco BE65 Tri-band Wi-Fi 7 BE9300 Whole Home Mesh system - 3 pack, 5765 Mbps @ 6GHz, 4324 Mbps 5GHz, 688 Mbps @ 2.4GHz, TP-Link Mesh Technology, AI-Driven Mesh, 4x High-Performance antennas (Internal), 6 streams, Working modes - Router mode / Access Point mode, 4x 2.5 Gbps Ethernet Ports, 1x USB 3.0 Port for Server
TP-DECOBE85-1P	R 8,882	TP-Link Deco BE85 BE19000 Whole Home WiFi 7 - 1 pack, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, TP-Link Mesh technology, Ai-driven Mesh, 8x High-Gain antennas (Internal), Tri-band, 4x4 MU-MIMO, 12 streams, Router mode / Access Point mode, 1x 10 Gbps Ethernet Port, 1x 10 Gbps SFP /RJ45 combo Port, 2x 2.5 Gbps Ethernet Port, 1x USB 3.0 Port
TP-DECOBE85-2P	R 16,957	TP-Link Deco BE85 BE19000 Whole Home WiFi 7 - 2 pack, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, TP-Link Mesh technology, Ai-driven Mesh, 8x High-Gain antennas (Internal), Tri-band, 4x4 MU-MIMO, 12 streams, Router mode / Access Point mode, 1x 10 Gbps Ethernet Port, 1x 10 Gbps SFP /RJ45 combo Port, 2x 2.5 Gbps Ethernet Port, 1x USB 3.0 Port
TP-DECOE4-1P	R 605	TP-link Deco E4 AC1200 Whole-Home Mesh Wi-Fi system (1 pack), MU-MIMO, Qualcomm CPU, 2x Fast Ethernet ports, Beamforming, Parental controls, QoS, Reporting, Alexa SUPPORTED, 2 internal Dual-Band antennas per Deco UNIT, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz *Note: The Deco Ethernet backhaul feature is based on the

		standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
TP-DECOE4-2P	R 1,130	TP-link Deco E4 AC1200 whole-home Mesh Wi-Fi system (2 pack), MU-MIMO, Qualcomm CPU, 2x 10/100 Ethernet ports, Beamforming, Parental controls, Qos, Reporting, Alexa supported, 2 internal Dual-Band antennas per Deco unit, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz, Router or Access Point *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
TP-DECOE4-3P	R 1,695	TP-link Deco E4 AC1200 Whole-Home Mesh Wi-Fi system (3 pack), MU-MIMO, Qualcomm CPU, 2x Fast Ethernet ports, Beamforming, Parental controls, QoS, Reporting, Alexa SUPPORTED, 2 internal Dual-Band antennas per Deco UNIT, 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
TP-DECOM4-1P	R 807	TP-link Deco M4 AC1200 Whole-Home Mesh Wi-Fi system (1 pack), MU-MIMO, Qualcomm CPU, 2 x GB ports, Beamforming, Parental controls, QoS, Reporting, Alexa supported, 2x Gigabit Ethernet ports, 2 internal Dual-Band antennas, 300 Mbps on 2.4 GHz, 867 Mbps on 5 GHz *Note: The Deco Ethernet backhaul feature is based on the standard IEEE 1905.1 protocol. Please use swicthes that supports IEEE 1905.1
TP-DECOX10-1P	R 1,009	TP-Link X10 AX1500 Router Whole Home Mesh Wi-Fi 6 system - 1 pack, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, TP-Link Mesh technology, 2x antennas (Internal), 2x2 MU-MIMO, 4 streams, Router mode / Access Point mode, 2x Gigabit Ports
TP-DECOX10-2P	R 1,856	TP-Link X10 AX1500 Router Whole Home Mesh Wi-Fi 6 system - 2 pack, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, TP-Link Mesh technology, 2x antennas (Internal), 2x2 MU-MIMO, 4 streams, Router mode / Access Point mode, 2x Gigabit Ports
TP-DECOX10-3P	R 2,664	TP-Link Deco X10 AX1500 Router Whole Home Mesh Wi-Fi 6 system - 3 pack, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, TP-Link Mesh technology, 2x antennas (Internal), 2x2 MU-MIMO, 4 streams, Router mode / Access Point mode, 2x Gigabit Ports
TP-DECOX10-4G-1P	R 1,937	TP-Link Deco x10 4G Whole Home Mesh Wi-Fi 6 Router - 1 pack, TP-DECOX10-4G-1P, AX1500 WiFi speeds, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 1-2 bedroom houses, TP-Link Mesh Technology, 2x LTE antennas, 2x Wi-Fi antennas (Internal), 2 x 2 MU-MIMO, 4 streams, Working modes - 3G/4G / Router / Access Point, 3x Gigabit Ports, 2x 3G/4G external SMB antenna Interface, Nano-SIM SIM Card Format
TP-DECOX50-O-1P	R 2,018	TP-Link X50 AX3000 Router Outdoor / Indoor Mesh Wi-Fi 6 - 1 pack, 2402 Mbps 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, MU-MIMO, 4 streams, Router / Access Point, 2x Gigabit Ports per Deco unit
TP-DECOX55-1P	R 1,453	TP-Link X55 AX3000 Whole Home Mesh Wi-Fi 6 system - 1 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, 2 x antennas (Internal), 2x2 MU-MIMO, Router mode / Access Point mode, 3x Gigabit Ports
TP-DECOX55-2P	R 2,825	TP-Link X55 AX3000 Whole Home Mesh Wi-Fi 6 system - 2 pack, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, TP-Link Mesh technology, 2 x antennas (Internal), 2x2 MU-MIMO, Router mode / Access Point mode, 3x Gigabit Ports
TP-EAP223	R 897	TP-Link EAP223 AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point, excluding PSU / PoE, 1x Gigabit Ethernet (RJ-45) Port, 802.3af/at PoE Power Supply, 3 internal Omni antenna Type, 5GHz up to 867 Mbps, 2.4GHz up to 450 Mbps
TP-EB210	R 1,208	TP-Link EB210 BE3600 Dual-Band Wi-Fi 7 Router, 1x Gigabit WAN Port, 4x Gigabit LAN Ports, Up to 2880 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz, EasyMesh compatible, Working modes - Router mode / Access Point mode
TP-EC120-F5	R 424	TP-Link EC120-F5 AC750 Agile Configuration Wi-Fi Router (Archer C20)
TP-EC220-F5	R 316	TP-Link EC220-F5 AC1200 Dual-Band Wi-Fi Router, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports, 4 external antennas, 300 Mbps @ 2.4GHz, 867 Mbps @ 5GHz
TP-EC220-G5	R 426	TP-Link EC220-G5 1200 Mbps ISP Dual Band Gigabit Wi-Fi Router, 3x 10/100/1000 Mbps LAN ports, 1x 10/100/1000 Mbps WAN Port, 4 external antennas, 300 Mbps at 2.4GHz, 867 Mbps at 5GHz
TP-EC225-G5	R 460	TP-Link EC225-G5 AC1300 Dual Band 1300Mbps MU-MIMO Wi-Fi Router. The TP-Link TP-EC225-G5 is a reliable dual-band WiFi 5 router offering speeds up to 1300Mbps. It ' s ideal for HD streaming, online gaming, and connecting multiple devices simultaneously. With features like MU-MIMO technology, Beamforming, and EasyMesh compatibility, it ensures stable and extensive WiFi coverage. Setup is straightforward via the Aginet app, and advanced security protocols protect your network from unauthorized access.

TP-EX141	R 489	TP-Link EX141 AX1500 aginet acs Dual Band Gigabit Wi-Fi 6 Router, 1x Gigabit RJ45 WAN Port, 3x Gigabit RJ45 LAN Ports, Four external antennas, 1201 Mbps on 5GHz, 300 Mbps on 2.4GHz
TP-EX511	R 863	TP-Link EX511 AX3000 Agile Configuration Dual Band WiFi 6 Router, 1x Gigabit RJ45 WAN Port, 4x Gigabit RJ45 LAN Ports, Four High-Performance external antennas, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps
TP-EX521	R 805	TP-Link EX521 AX3000 Aginet ACS Easy Mesh Wi-Fi 6 Router, TP-EX521, 1x Gigabit RJ45 WAN Port, 3x Gigabit RJ45 LAN Ports, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
TP-GE230	R 2,099	TP-Link Archer GE230 BE3600 Dual-Band Wi-Fi 7 Gaming Router, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 4x external antennas, Beamforming, 2 x 2 MU-MIMO, 4 streams, Wireless mode - Router mode / Access Point mode, 1x 2.5 Gbps WAN, 1x 2.5 Gbps LAN, 3x 1 Gbps LAN, 1x USB 3.0 supporting external drives
TP-GE800	R 9,689	TP-Link Archer GE800 BE19000 Tri-band Wi-Fi 7 Gaming Router, 11520 Mbps @ 6GHz, 5760 Mbps @ 5GHz, 1376 Mbps @ 2.4GHz, Working modes - Router mode / Access Point mode, 1x 10Gbps SFP / RJ45 Combo WAN, 1x 10Gbps WAN/LAN, 2x 2.5Gbps LAN, 4x 1Gbps LAN, 1x USB 3.0 support external drives
TP-HB210-1P	R 1,265	TP-Link HB210 BE3600 Whole Home Mesh Wi-Fi 7 Access Point - 1 pack, 1x Gigabit WAN/LAN Port, 1x Gigabit LAN Port, Up to 2880 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz, EasyMesh compatible, Working modes - Router mode / Access Point mode
TP-HB210-PRO-1P	R 1,323	TP-Link HB210 Pro Aginet BE3600 Wi-Fi 7 Mesh Access Point - 1 pack, 1x 2.5 GbE WAN/LAN Port, 1x 2.5 GbE LAN Port, WPS Button, Reset Button, Up to 2880 Mbps @ 5GHz, Up to 688 Mbps @ 2.4GHz, 2 x 5GHz Multi-SSID, 2 x 2.4GHz Multi-SSID, EasyMesh compatible, Working modes - Router mode / Access Point mode
TP-HC220-G5-1P	R 902	TP-Link HC220-G5 AC1200 Router Whole Home Mesh system - 1 pack, 3x Gigabit Ports, 1x Port supports WAN/LAN, 867 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate, Wi-Fi 5
TP-HC220-G5-2P	R 1,573	TP-Link HC220-G5 AC1200 Router Whole Home Mesh system - 2 pack, 3x Gigabit Ports, 1x Port supports WAN/LAN, 867 Mbps @ 5GHz Data rate, 300 Mbps @ 2.4GHz Data rate, Wi-Fi 5
TP-HX141-1P	R 690	TP-Link HX141 Aginet AX1500 Router Whole Home Mesh system - 1 pack, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, Up to 1201 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, Router mode / Access Point mode
TP-HX220-2P	R 1,925	TP-Link HX220 Aginet AX1800 Router Whole Home Mesh system - 2 pack, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, 5GHz up to 1201 Mbps, 2.4GHz up to 574 Mbps
TP-HX520-1P	R 920	TP-Link HX510 Aginet AX3000 Mesh Wi-Fi 6 Access Point - 1 pack, 3x Gigabit Ports, 1 Port supports WAN/LAN Auto-Sensing, Reset Button, WPS Button, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, 2 x 5GHz Multi-SSID, 2 x 2.4GHz Multi-SSID, Working modes - Router mode / Access Point mode
TP-HX521-1P	R 851	TP-Link HX521 AX3000 Whole Home Mesh Wi-Fi Access Point - 1 pack, 2x Gigabit Ethernet Ports, 1 Port supports WAN/LAN Auto-Sensing, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz, EasyMesh compatible, Working modes - Router mode / Access Point mode
TP-SG2005P-PD	R 1,533	TP-Link SG2005P-PD Omada 5 port Gigabit Smart Switch with 1-port PoE in and 4 port PoE out, 1x Gigabit RJ45 PoE in Ports, 4x Gigabit RJ45 PoE out Ports, Fanless, Obtain Power from 802.3af/at/bt PoE source, PoE Power budget up to 64W, 10 Gbps switching capacity
TP-WR840N	R 241	TP-Link WR840N 300Mbps Wi-Fi Router, 300Mbps wireless transmission rate, Easy wireless security encryption at a push of WPS button, IP based bandwidth control, WDS wireless bridge provides seamless bridging to expand your wireless network, 4x 10/100Mbps LAN PORTS, 1x 10/100Mbps WAN PORT
TP-WR840N	R 374	TP-link WR850N 300 Mbps agile Configuration Wi-Fi Router, 5x Fast Ethernet LAN ports, 2x 5dBi fixed antennas, Wireless On/Off, WPS, IPv6 ready, 2.4GHz 802.11b/g/n
TP-WR850N	R 253	TP-link WR850N 300 Mbps agile Configuration Wi-Fi Router, 5x Fast Ethernet LAN ports, 2x 5dBi fixed antennas, Wireless On/Off, WPS, IPv6 ready, 2.4GHz 802.11b/g/n
TP-WR850N	R 288	TP-link WR850N 300 Mbps agile Configuration Wi-Fi Router, 5x Fast Ethernet LAN ports, 2x 5dBi fixed antennas, Wireless On/Off, WPS, IPv6 ready, 2.4GHz 802.11b/g/n
TP-WR902AC	R 443	TP-Link AC750 Wi-Fi 5 Dual-Band Travel Router, TL-WR902AC, 433 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, 2 x fixed antennas (Internal), Working modes - Router mode / Access Point mode / Range Extender mode / Client mode / hotspot mode (WISP mode), 1x 10/100 Mbps WAN/LAN Port, 1x USB 2.0 Port supporting drives
TP-XN020-G3V	R 765	TP-Link 300 Mbps Wireless N GPON HGU with VoIP, 1x SC/APC Port, 1x 10/100/1000 Mbps LAN Port, 1x 10/100

		Mbps LAN Port, 1x FXS Port, 300 Mbps at 2.4GHz, 20km Max transmission distance, Downstream up to 2.488Gbps, Upstream up to 1.244Gbps Max
TR1200	R 524	Cudy TR1200 AC1200 Wi-Fi Mini VPN Router; dual-band AC1200 WiFi; VPN protocols; USB-C power; multi-mode router travel networking. Broadband port: none
TR3000	R 1,350	Cudy TR3000 AX3000 2.5Gbps Wi-Fi 6 Mini VPN Travel Router, 2402 Mbps @ 5GHz Wi-Fi Speed, 574 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, Beamforming, 1x2.5 Gbps RJ45 WAN Ports, 1x Gigabit LAN Ports, 1x USB Type-A 3.0 Ports, USB Type-C Port Power Input, 200 recommended Client upper limit, Wi-Fi Router Operation modes - Access Point / Range Extender / WISP / Client
TT-A702R	R 385	TotoLink A702r v3 1200 Mbit 2.4/5GHz Wireless Dual Band Router, 4 x antenna, 802.11ac, 4 x LAN, 1 x WAN
TTK-RUT140	R 1,155	Teltonika RUT140 Ethernet WiFi Router, 802.11b/g/n Wireless mode, Up to 50 simultaneous connections, 1x WAN Port, 1x LAN Port, 1x RP-SMA for Wi-Fi, Aluminium housing
TTK-RUT142	R 1,291	Teltonika RUT142 Ethernet WiFi RS232 Router, 802.11b/g/n Wireless mode, Up to 50 simultaneous connections, 1x WAN Port, 1x LAN Ports, 1x RP-SMA for Wi-Fi, 1x DB9 Socket RS232, Aluminium housing
TUF-BE3600	R 2,964	Asus TUF Gaming BE3600 Wi-Fi 7 Dual-Band AiMesh Router; Wi-Fi 4/5/6/7; 688Mbps 2.4GHz 2882Mbps 5GHz; AiMesh; 2.5G WAN LAN; USB3.2; gaming features; stable connectivity
TUF-BE6500	R 4,501	Asus TUF Gaming BE6500 Dual Band WiFi 7 extendable Gaming Router, 688 5764 Mbps BE6500 Ultimate be performance, Up to 688 Mbps WiFi 7 (2.4GHz), Up to 5764 Mbps WiFi 7 (5GHz), External fixed antenna x 6, Operating mode - Wireless Router mode / AiMesh Node mode / Access Point mode / Media Bridge mode / Repeater mode, 1x 2.5GbE port for WAN, 3x 2.5GbE ports for LAN, 1x USB 3.2 Gen1, AiMesh
TX12L PRO	R 688	Tenda TX12L PRO AX3000 Dual Band Gigabit Wi-Fi 6 Router, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 5x external antennas, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz
TX2L PRO	R 573	Tenda TX2L PRO Dual Band Gigabit Wi-Fi 6 Router, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 5x external antennas, 1201 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, Beamforming
TXE051	R 114	Mlink TXE051 2.4G Wireless 300m Router, 2x 5dBi fixed antenna, 3x 10/100 Ethernet LAN, 1x 10/100 Ethernet WAN
U6-MESH	R 3,968	Ubiquiti UAP-U6-MESH UniFi Wi-Fi 6 Mesh 4x4 MU-MIMO, 1x GbE RJ45 Port, 802.3af PoE, 573.5 Mbps 2.4 GHz Throughput rate, 4.8 Gbps 5 GHz Throughput rate, 300 concurrent clients
UB-ACB AC	R 1,470	Ubiquiti ACB-AC AirCube AC Dual-Band 802.11ac Wi-Fi Router with PoE in / out, Supports umobile App & Managed by UNMS, 4x Gigabit Ethernet Ports, 24V PoE passthrough for airMAX CPE, Dual-Band 802.11ac 2x2 MIMO technology, Up to 300 Mbps in the 2.4GHz Radio band, Up to 866.7 Mbps in the 5GHz Radio band, Powered by 24V Passive PoE or included Power Adapter
UB-U6-MESH	R 3,853	Ubiquiti UAP-U6-MESH UniFi Wi-Fi 6 Mesh 4x4 MU-MIMO, 1x GbE RJ45 Port, 802.3af PoE, 573.5 Mbps 2.4GHz Throughput rate, 4800 Gbps 5GHz Throughput rate, 300 concurrent clients
UB-UAP-IW-HD	R 3,590	Ubiquiti UAP-IW-HD UniFi Access Point In Wall Hi-Density, Wi-Fi 5 (802.11ac) Wave 2, Up to 2033 Mb/s data rate, 2.4 GHz / 5.0 GHz Dual Band, 4x 10/100/1000 Mb/s LAN Ports, 1x 10/100/1000 Mb/s PoE WLAN Port, Multi-User MIMO Technology, In-Wall Design, Includes Management Software
UB-UAP-U6-MESH	R 4,032	Ubiquiti UAP-U6-MESH UniFi Wi-Fi 6 Mesh 4x4 MU-MIMO, 1x GbE RJ45 Port, 802.3af PoE, 573.5 Mbps 2.4 GHz Throughput rate, 4.8 Gbps 5 GHz Throughput rate, 300 concurrent clients
UB-UCG-UDR7	R 5,752	Ubiquiti UniFi Cloud Gateway Dream Router 7, UDR7, 300 simultaneous users connected, 1x 10G SFP WAN Ports, 1x 2.5 GbE RJ45 WAN Ports, 4x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, 160 M2 coverage area, 5.7 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Pre-Installed 64GB MicroSD for NVR, MicroSD card Expansion slot, 15.4W PoE budget, 30 Managed UniFi devices can be connected
UB-UDR7	R 5,779	Ubiquiti UniFi Cloud Gateway Dream Router 7, UDR7, 300 simultaneous users connected, 1x 10G SFP WAN Ports, 1x 2.5 GbE RJ45 WAN Ports, 4x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, 160 M2 coverage area, 5.7 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Pre-Installed 64GB MicroSD for NVR, MicroSD card Expansion slot, 15.4W PoE budget, 30 Managed UniFi devices can be connected
UB-UDR7	R 5,917	Ubiquiti UniFi Cloud Gateway Dream Router 7, UDR7, 300 simultaneous users connected, 1x 10G SFP WAN Ports, 1x 2.5 GbE RJ45 WAN Ports, 4x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, 160 M2 coverage area, 5.7 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Pre-Installed 64GB MicroSD for NVR, MicroSD card Expansion

		slot, 15.4W PoE budget, 30 Managed UniFi devices can be connected
UB-UDW	R 14,949	Ubiquiti UniFi Dream Wall 12 Port PoE & 2x SFP WiFi 6 Gateway, UDW, 17 GbE RJ45 Ports LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port LAN, 1x 10G SFP Port WAN, 1x Hot-Swappable AC/DC 550W PSU Power Supply, 15.4W PoE wattage per Port, 30W PoE wattage per Port, 60W PoE wattage per Port, 300 Mbps 2.4 GHz Throughput rate, 2.4 Gbps 5 GHz Throughput rate, 1x 4.7" Touchscreen LCM Display
UB-UISP R	R 2,432	Ubiquiti UISP Router - Gigabit PoE Router for MicroPoP applications, 8x 10/100/1000 Mbps RJ45 Ports, 1x 1x Gigabit SFP Port, 30W Maximum passive PoE wattage per Port, UISP-R
UB-UISP-R	R 2,318	Ubiquiti UISP Router - Gigabit PoE Router for MicroPoP applications, 8x 10/100/1000 Mbps RJ45 Ports, 1x 1x Gigabit SFP Port, 30W Maximum passive PoE wattage per Port
UB-UISP-R	R 2,294	Ubiquiti UISP Router - Gigabit PoE Router for MicroPoP applications, 8x 10/100/1000 Mbps RJ45 Ports, 1x 1x Gigabit SFP Port, 30W Maximum passive PoE wattage per Port, UISP-R
UBAM-ACB-ISP	R 513	Ubiquiti ACB-ISP - airCube ISP WiFi Router 802.11n 2x2, 24V PoE Passthrough, 802.11n 2x2, 4x 10/100 Ethernet Ports, 2.4 GHz Frequency
UDR7	R 5,859	Ubiquiti UniFi Cloud Gateway Dream Router 7, UDR7, 300 simultaneous users connected, 1x 10G SFP WAN Ports, 1x 2.5 GbE RJ45 WAN Ports, 4x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, 160 M2 coverage area, 5.7 Gbps @ 6GHz, 4.3 Gbps @ 5GHz, 688 Mbps @ 2.4GHz, Pre-Installed 64GB MicroSD for NVR, MicroSD card Expansion slot, 15.4W PoE budget, 30 Managed UniFi devices can be connected
UDW-A	R 24,202	Ubiquiti UniFi Dream Wall 12 Port PoE & 2x SFP WiFi 6 Gateway, UDW, 17 GbE RJ45 Ports LAN, 1x 2.5 GbE RJ45 Port WAN, 1x 10G SFP Port LAN, 1x 10G SFP Port WAN, 1x Hot-Swappable AC/DC 550W PSU Power Supply, 15.4W PoE wattage per Port, 30W PoE wattage per Port, 60W PoE wattage per Port, 300 Mbps 2.4 GHz Throughput rate, 2.4 Gbps 5 GHz Throughput rate, 1x 4.7" Touchscreen LCM Display
UISP-R	R 2,294	Ubiquiti UISP Router - Gigabit PoE Router for MicroPoP applications, 8x 10/100/1000 Mbps RJ45 Ports, 1x 1x Gigabit SFP Port, 30W Maximum passive PoE wattage per Port, UISP-R
UTR	R 1,553	Ubiquiti UTR UniFi Wifi 5 Travel Router, 2x GbE RJ45 Ports Wifi USB tethering, Wifi 5 2.4GHz, USB tethering, 2x Embedded Wifi antennas, 2 x 2 Wifi MIMO, USB-C Power Method, 1.14" status Display
VILO-5-1	R 551	Vilo Mesh AC1200 Wi-Fi 5 system - 1 pack, 3 Gigabit Ethernet Ports, 4 internal antennas, 12W Power Adapter, 300 Mbps on 2.4GHz, 867 Mbps on 5GHz, Simultaneous Dual Band (2.4GHz / 5GHz)
VILO-5-3	R 1,494	Vilo Mesh AC1200 Wi-Fi 5 system - 3 pack, 3 Gigabit Ethernet Ports, 4 internal antennas, 12W Power Adapter, 300 Mbps on 2.4GHz, 867 Mbps on 5GHz, Simultaneous Dual Band (2.4GHz / 5GHz)
VSOL-HG5013-4G	R 488	VSOL HG5013 WiFi 6 Dual-Band Gigabit Wi-Fi 6 Router, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 2402 Mbps on 5GHz and 574 Mbps on 2.4GHz
W-TX2PRO	R 719	Tenda TX2PRO Dual Band 1500 Mbps WiFi 6 6dBi 4 port Gigabit Router, 1x 10/100/1000 Mbps WAN Port, 3x 10/100/1000 Mbps LAN Ports, 5x 6dBi external antennas, Up to 1201 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz
W4	R 229	Netis W4 300 Mbps Wireless N Router, 4x 5dBi external fixed antennas, Up to 300 Mbps signal rate, 1x 10/100 Mbps auto MDI/MDIX RJ45 WAN Port, 2x 10/100 Mbps auto MDI/MDIX RJ45 LAN Port
WAPG-5HAXD2HAXD	R 1,696	MikroTik wAP ax WiFi 6 Outdoor WiFi Router, wAPG-5HaxD2HaxD, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, IPQ-5010, 2 Core IPQ-5010 CPU, 574 Mbit/s Wireless 2.4GHz Max Data rate, 2400 Mbit/s Wireless 5GHz Max Data rate, AX3000 WiFi Speed, 2x Gigabit Ethernet Ports, 2x DC inputs (DC jack / PoE-in), 802.3af/at PoE in
WGR-6013	R 224	LevelOne 300Mbps 802.11b/g/n Wireless Gigabit Router, 4 x 10/100/1000Mbps, 1 x 10/100/1000Mbps, 300Mbps w/less, 2 x 2dbi(external), wps, wds(wireless distribution system)
WR11000	R 2,247	Cudy BE11000 Tri-band Wi-Fi 7 Gigabit Mesh Router, 6x fixed Omni-Directional antennas, 1x 2.5 GbE WAN Port, 3x 2.5 GbE LAN Ports, 5760 Mbps @ 6GHz, 4320 Mbps @ 5GHz, 688 Mbps @ 2.4GHz
WR1200	R 405	Cudy WR1200 AC1200 Dual Band Wi-Fi Router, 4x fixed 5dBi high gain antennas, 1x Gigabit WAN Port, 4x Gigabit Mbps LAN Ports, 16MB Flash and 128MB DDR3, WiFi Router / Mesh / Repeater / WISP / Access Point
WR1200E	R 421	Cudy Dual Band 1200 Mbps Wi-Fi 5 Fast Ethernet Router, WR1200E, 867 Mbps @ 5GHz Wi-Fi Speed, 300 Mbps @ 2.4GHz Wi-Fi Speed, 2x2 MIMO 5GHz Wi-Fi streams, 2x2 MIMO 2.4GHz Wi-Fi streams, 2x fixed Wi-Fi antennas, Beamforming, Max 170 m range performance, 4x 10/100 Mbps RJ45 Ports with 1x WAN Port, Operation modes - Wi-Fi Router / Access Point / Range Extender / WISP / Client

WR1300	R 565	Cudy WR1300 AC1200 Gigabit Dual Band Wi-Fi Mesh Router, 16MB Flash and 128MB DDR3, 4 x 5dBi high gain antennas, 5-in-1 WiFi Router / Mesh / Repeater / WISP / Access Point, 1x 1000 / 100 / 10 Mbps WAN Port, 4x 10/100/1000 Mbps LAN Ports, 867 Mbps @ 5 GHz, 300 Mbps @ 2.4 GHz
WR1500	R 704	Cudy AX1500 Wi-Fi Router
WR3000	R 635	Cudy Dual Band WiFi 6 AX3000 5dBi Gigabit Mesh Router, WR3000, 4x fixed omnidirectional antennas, 1x Gigabit WAN Port, 3x Gigabit LAN Ports, 2402 Mbps @ 5GHz, 574 Mbps @ 2.4GHz, Cudy Mesh
WR3000E	R 798	Cudy WR3000E AX3000 5 port Gigabit Dual-Band Wi-Fi 6 Mesh Router - Black, 2402 Mbps Maximum Speed (5GHz), 574 Mbps Maximum Speed (2.4GHz), 4x external High-Gain Omni-Directional antennas, 5x Gigabit RJ45 Ethernet Ports (1x WAN 4x LAN), Mesh support, Operating modes - Router / Access Point / Repeater / WISP / Mesh
WR300S	R 401	Cudy WR300S 300 Mbps 5 port Wi-Fi 4 Router - White, Up to 300 Mbps Maximum Wi-Fi Speed, 2x2 MIMO Wi-Fi streams, 1x WAN Port, 4x LAN Ports, 4x fixed external antennas, Cudy Mesh, Operation modes Router / Access Point / extender / WISP / Client
WR3600	R 1,127	Cudy WR3600 BE3600 Gigabit Wi-Fi 7 Router, Up to 3570 Mbps total Bandwidth, 2882 Mbps @ 5GHz, 688 Mbps @ 2.4GHz, 220 m Maximum range, 512 Max devices, 4x fixed High-Gain antennas, Max 5.5 dBi @ 5GHz, Max 5.4 dBi @ @ 2.4GHz, 5x RJ45 Gigabit Ports (1 WAN 4 LAN), MU-MIMO, OFDMA, Operation modes - Router / Access Point
WR3600E	R 1,282	Cudy BE3600E Wi-Fi 7 Gigabit Router, BCM6764 Chipset, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 4x fixed Wi-Fi antennas, Beamforming, 4x Gigabit RJ45 Ports with 1x WAN Port
WR6500H	R 2,079	Cudy WR6500H BE6500 Wi-Fi 7 Dual-Band Router with 2.5Gbit WAN - Black, Up to 5765 Mbps (4x4 MIMO) 5GHz Speed, Up to 688 Mbps (2x2 MIMO) 4GHz Speed, 6-streams, Up to 200 devices Maximum connected devices, 1x 2.5Gbps RJ45 WAN Port, 4x Gigabit RJ45 LAN Ports, 6 x fixed High-Gain external antennas, Cudy Mesh, Operation modes - Router / Access Point / Range Extender
WR840N	R 250	TP-Link TL-WR840N 300 Mbps Wireless N speed Router, Wi-Fi 4, 300 Mbps @ 2.4GHz, Router mode, Access Point mode, Range Extender mode, WISP mode, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports
WR850N	R 267	TP-link WR850N 300 Mbps agile Configuration Wi-Fi Router, 5x Fast Ethernet LAN ports, 2x 5dBi fixed antennas, Wireless On/Off, WPS, IPv6 ready, 2.4GHz 802.11b/g/n
XD4-PLUS-2PK	R 2,124	Asus Zenwifi Xd4 Plus Ax1800 Dual Band Wifi 6 Up To 1800mbps 1x Wan/lan 1x Lan 2 Pack
XD4-PLUS-3PK	R 3,376	Asus Zenwifi Xd4 Plus Ax1800 Dual Band Wifi 6 Up To 1800mbps 1x Wan/lan 1x Lan - 3 Pack
XT12-PRO-1PK	R 3,399	Asus Zenwifi Pro Xt12 Tri-band Ax11000 Wifi 6 Up To 11000mbps 1x Wan 2,5g 1x Lan 2,5g 2x Lan 1 Pack
XT12-PRO-2PK	R 9,734	Asus Zenwifi Pro XT12 Tri-band Ax11000 Wifi 6 Up To 11000mbps 1x Wan 2,5g 1x Lan 2,5g 2x Lan 2 Pack
XT8-V2-1PK-WHITE	R 2,550	Asus Zenwifi Xt8 Tri-band Ax6600 WiFi 6 Up To 6600mbps 1x Wan 2,5g 3x LAN 1x USB - 1 Pack
ZenWiFi XT8	R 5,507	Asus ZenWiFi XT8 AX6600 Whole-Home Tri-band Mesh WiFi 6 System. AiMesh Supported, Coverage up to 230 Sq.
ZTE-H3601P-INT	R 689	ZTE H3601P-INT 3000Mbps Wi-Fi 6 Router with Integrated antennas, 1x Gigabit WAN, 2x Gigabit LAN, Mesh
ZTE-T5400	R 1,091	ZTE T5400 WiFi 6 MESH Router, Retail Box
ZTE-T5400	R 1,149	ZTE T5400 WiFi 6 MESH Router, Retail Box
ZXHN-H3601P	R 604	ZTE H3601P AX3000 Wi-Fi 6 Mesh Router, 3x Gigabit Ethernet LAN Ports, 1x Gigabit Ethernet WAN Port, Wi-Fi 6 up to 3000 Mbps, 5x external antennas
ZXHN-H3601P-INT	R 604	ZTE H3601P-INT 3000Mbps Wi-Fi 6 Router with Integrated antennas, 1x Gigabit WAN port, 2x Gigabit LAN port, Mesh

< Return to the menu

Wireless Video and Audio

Product code	Price	Description

< Return to the menu

Wireless: Antennas

Product code	Price	Description

524025	R 399	Intellinet Dual-Band Ceiling Mount Antenna
ADPT-MIM-RPSMA	R 558	UltraLAN RPSMA Adapter for Mimosa X-series radios, 4.9-6.5ghz Frequency range, 100W Maximum Power per Port, 2x RPSMA connector
AIR-D523X	R 1,984	Ubiquiti AF-5G23-S45 AF5x Dish 45 degree Slant Antenna, 5GHz, 23dBi gain, Connection accessories included, Dual-Linear Polarization, 5.1 - 5.9GHz Frequency Range
AIR-D530	R 2,639	Ubiquiti RD-5G30 RocketDish 5G30 5GHz 2x2 MIMO antenna, 4.9GHz at 26 dBi gain, 5-5.9GHz at 30 dBi gain, Dual-Linear Polarization, 4.9 - 5.8 GHz Frequency Range, Universal Pole Mount / Rocket Bracket / Weatherproof RF Connectors Included
AIR-D530LW	R 1,898	Ubiquiti RD-5G30-LW RocketDish 5G30 Light Weight 5GHz 2x2 MIMO antenna, 30 dBi Gain, Dual-Linear Polarization, 5.1 - 5.9 GHz Frequency Range, Universal Pole Mount / Rocket Bracket / Weatherproof RF Connectors Included
AIR-D530X	R 2,329	Ubiquiti AF-5G30-S45 AF5X Dish 45 degree Slant Antenna, 2x PACK, 5GHz, 30dBi gain, Connection accessories included
AIR-D534	R 6,066	Ubiquiti RD-5G34 RocketDish 5G34 5GHz 2x2 MIMO antenna, 4.9 GHz at 30 dBi gain, 5-5.8 GHz at 34 dBi, Dual-Linear Polarization, 4.9 - 5.8 GHz Frequency Range, Universal Pole Mount / Rocket Bracket / Weatherproof RF Connectors Included
AIR-D534X	R 6,434	Ubiquiti AF-5G34-S45 AF5X Dish 45 degree Slant Antenna, 5GHz, 34dBi gain, Connection accessories iincluded, Dual-Linear Polarization, 5100 - 5800MHz Frequency Range
AIR-O510	R 2,156	Ubiquiti AMO-5G10 AirMax MiMo 5GHz Omni antenna, 10dBi gain with Accessories - SMA(F)RP connector
AIR-O513	R 2,869	Ubiquiti AMO-5G13 AirMax MiMo 5GHz Omni antenna, 10dBi gain with Accessories - SMA(F)RP connector
AIR-S516	R 1,397	Ubiquiti AM-5G16-120 AirMax MiMo 5GHz 120 Degree Sector Mid-Gain antenna, 16dBi gain, Accessories, SMA(F)RP connector, 5.10 - 5.85 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included
AIR-S517	R 1,397	Ubiquiti AM-5G17-90 AirMax MiMo 5GHz 90 Degree Sector Mid-Gain antenna, 17dBi gain, SMA(F)RP connector, 4.90 - 5.85 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included
AIR-S519	R 2,444	Ubiquiti AM-5G19-120 AirMax MiMo 5GHz 120 degree Sector High-Gain antenna, 19dBi gain, SMA(F)RP connector, 5.15 - 5.85 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included
AIR-S520	R 2,444	Ubiquiti AM-5G20-90 AirMax MiMo 5GHz 90 degree Sector antenna High-Gain, 20dBi gain, SMA(F)RP connector, 5.15 - 5.85 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included
AIR-S521AC	R 3,559	Ubiquiti AM-5AC21-60 AirMax MiMo 5GHz AC 60 degree Sector High-Gain antenna, 21dBi gain, SMA(F)RP, connector, 5.15 - 5.85 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included
AIR-S522AC	R 3,559	Ubiquiti AM-5AC22-45 AirMax MiMo 5GHz AC 45 degree Sector High-Gain antenna, 22dBi gain, SMA(F)RP, connector, 5.15 - 5.85 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included
AM-2G15-120	R 2,754	Ubiquiti airMAX antenna 2.4GHz 120 degree Sector antenna - 15dBi gain, Dual-Linear polarization, 2.3 - 2.7 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-2G15-120
AM-2G16-90	R 2,179	Ubiquiti AirMax Antenna 2.4Ghz 90 degree sector antenna, 16dBi gain, Dual-Linear Polarization, 2.3 - 2.7 GHz Frequency Range, Universal Pole Mount / RocketM Bracket / Weatherproof RF Jumpers Included, 2G16-90
ANT-D530PA	R 3,904	MikroTik 5GHz 30dBi Dish Precision Alignment Antenna, 2x RP-SMA Female (outside thread)
ANT-LORA	R 834	MikroTik lora 6.5dBi antenna kit, TOF-0809-7V-S1, SMA female connector, 824 - 960 MHz Frequency, 6.5 dBi gain, 360 degree horizontal beamwidth
ANT-MLTE	R 316	MikroTik mANT LTE 5dBi omni Antenna
ANT-O25	R 144	MikroTik Dual Band high gain Outdoor whip antenna, HGO-antenna-OUT, 2.4GHz 3.3dBi, 5.8GHz 5.5-7dbi, RP SMA male connector
ANT4965-25DP-MIM	R 919	UltraLAN 25dBi 4.9-6.5 GHz Twist-on Dish Antenna for Mimosa radios, Dual Slant Polarization, 8 degrees beam width, 50W Maximum Power per Port, Twist-on Mount, 200 km/h Wind survivability, Compatible with Mimosa B5X / C5X / C6X

ANT4971-30DP	R 1,834	UltraLAN ANT4971-30DP 30dBi antenna RPSMA High-Gain Dish, Dual Slant Polarization, 5 degrees beam width, 50W Maximum Power per Port, 2x RPSMA connector, Aluminium Dish material
AP-38X150	R 162	Unbranded 38mm Aluminium Pole - 1.5m - 1mm Sidewall
AP-5AC-90-HD	R 7,009	Ubiquiti AP-5AC-90-HD airMAX 5GHz AC Sector 3x 30 degree Sector antenna - 22 dBi gain, RP-SMA antenna connector Type, 5.15 - 5.85 GHz Frequency band
CB-BF-5G-ANT	R 4,599	Cambium ePMP 2000 Beam Forming Antenna
CB-CNW-V3000-ANT	R 1,293	Cambium 60GHz cnWave V3000 Client Node Antenna Assembly
CB-CORE-450b-HG-ANT	R 470	Cambium 450b High-Gain Antenna Assembly (4 Pack), 4x 24 dBi High Gani Antenna for CB-CORE-450b-HG
CB-CORE-450b-HG-GLAND	R 429	Cambium IP67 Doors and Glands for 450b High Gain (4-pack), Upgrade 450b HG from IP55 to IP67
CB-DP-5G25-ANT	R 1,081	Cambium ePMP 25dBI Dish antenna, Frequency Range 5150 - 5970 MHz
CB-DP-6G25-ANT	R 3,028	CAMBIUM ePMP 6 GHz 2x2 Dish Antenna, 6GHz Dual polarized, 2x RP SMA connectors
CB-EPMP-F4525L-F200L	R 2,716	Cambium ePMP Force 4525L Feedhorn for 200L and 300-25L, CB-EPMP-F4525L-F200L, 25 dBi gain
CB-EPMP-F4525L-F300	R 2,716	Cambium ePMP Force 4525L Feedhorn for 300-25, EPMP-F4525L-F300, 25 dBi gain, IP55 Environmental
CB-SEC-5G-90/120	R 4,011	Cambium ePMP 5GHz 90/120 Sector Antenna, Frequency Range: 4.9GHz to 5.97GHz, Gain 18dBi, 3 dB Beamwidth - Azimuth 90 degrees, 6 dB Beamwidth - Azimuth 120 degrees, 3 dB Beamwidth - Elevation 6 degrees, Polarization: Horizontal and Vertical
COACH	R 3	Unbranded Coach Screw with Wall Plug; steel screw with nylon plug; masonry fixing; brick and concrete anchor; wall mounting hardware; DIY installation fastener; medium to heavy duty wall fixing; expansion plug system
CPE220	R 727	TP-Link CPE220 2.4GHz 300Mbps 12dBi Outdoor CPE
DISH-ANT-5G-3-5	R 10,091	Telrad 5GHz 3 foot 3.5 degrees 32 dBi Dual Polarization MIMO directional antenna, 5150 - 5850 MHz Frequency range, parabolic antenna Type, 32 dBi gain, 1.5 vswr typical, 3.5 degree beamwidth, Vertical & horizontal Polarization, 100 W Maximum Input Power, n Female connector
ELBPAAG	R 329	Ellies Outdoor UHF Digital Terrestrial 4 element TV antenna, Wideband grid 4 element panel UHF channels 21 to 68, Powder Coated reflector, F-Connector Coax cable Female connection, Frequency 470 - 860 MHz, FB ratio 28 dB, 49 horizontal and 30 Vertical degrees beamwidth
JR-JRE-28-EXTREM-UPB	R 2,017	Miro Jirous 10GHz 38cm Parabolic Dish antenna, 28.3 dBi gain, 6degree Beamwidth 3dB, Horizontal and vertical polarization
KB-0727-LTEYAGI-11	R 522	Miro 11dBi SISO LTE/3G/GSM External Yagi Antenna - N(F) Freq. Range 689-960/1710-2700 MHz
KB-2412-OMNIV	R 830	Acconet ANT2400Q12V 2.4GHz Omni Antenna - VP - 12dBi - DC Grounded; vertical polarization; DC grounded; outdoor wireless antenna; 360 degree coverage; WISP compatible; outdoor WiFi networking; pole mount installation
KB-5824-GRIDRF	R 432	Miro 5 GHz 24dBi Grid - Replacement Feed for KB-5824-GRID
LW-DLB2-90	R 1,521	LigoWave DLB 2.4Ghz Outdoor TDMA 90 degree integrated sector 31 dBm, 16dBi, iPoll POE Incl.
MIM-N5-X20	R 666	Mimosa N5-X20 4.9 - 6.4 GHz single Twist-on Dish only, 20 dBi gain, Dual-slant 45 degrees polarization
MIM-N5-X20-8PACK	R 5,174	Mimosa N5-X20 4.9 - 6.4 GHz single Twist-on Dish only - 8 pack, 20 dBi gain, Dual-slant 45 degrees polarization
MIM-N5-X20.	R 689	Mimosa N5-X20 4.9 - 6.4 GHz single Twist-on Dish only, 20 dBi gain, Dual-slant 45 degrees polarization
MIM-N5-X25	R 1,042	Mimosa N5-X25 4.9-6.4GHz single twist-on dish, 2x2:2 MIMO, PtP/PtMP 4900-6400 MHz, 27 dBm, 24-56 VDC, 25 dBi gain, For Mimosa C5x only
MIM-N5-X25	R 1,029	Mimosa N5-X25 4.9-6.4GHz single twist-on dish, 2x2:2 MIMO, PtP/PtMP 4900-6400 MHz, 27 dBm, 24-56 VDC, 25 dBi gain, For Mimosa C5x only
MIM-N5-X25-8PACK	R 8,049	Mimosa N5-X25 4.9-6.4GHz single twist-on dish - 8 pack, 2x2:2 MIMO, PtP/PtMP 4900-6400 MHz, 27 dBm, 24-56 VDC, 25 dBi gain, For Mimosa C5x only
MIM-N5-X30	R 5,308	Mimosa N5-X30kp 4.9-6.4 GHz 30 dBi single Twist-on Dish Antenna, 4900-6400 MHz Frequency range, 30 dBi gain, Compatible with --> B5X / C5X / C6X
MIM-X2C-F	R 668	Mimosa X2C Adapter (Female), Adapter with Female Twist-on Interface to Female N-type Connector, Female N-type Connector, 4.9-6.4 GHz Frequency, Compatible with --> N5-X20 / N5-X25 / N5-X30
MIM-X2C-M	R 656	Mimosa X2C Adapter (Male), Adapter with Male Twist-on Interface to Female N-type connectors, Aluminum material, Female N-type Connector, 4.9-6.4 GHz Frequency, Compatible with --> B5X / B6X / C5X / and C6X radios

MK-HGO ANTENN A OUT	R 293	MikroTik Dual Band outdoor SMA(f)rp antenna (RP-SMA female connector), 3.3 dBi 2.4GHz and 5.5-7.1 dBi 5GHz
MK-MTAD 5G 30D3PA	R 3,812	MikroTik mant 30dBi 5GHz Parabolic Dish antenna with Precision aligmnent Mount, 2x RP-SMA Female (Outside Thread) connectors, Vertical and horizontal polarization, Aluminum reflector, /- 2.5 degree beamwidth, Basebox Wireless device is not included, MTAD-5G-30D3-PA
MM-X2C ADAPTER F	R 735	Mimosa X2C Adapter (Female), Adapter with Female Twist-on Interface to Female N-type Connector, Female N-type Connector, 4.9-6.4 GHz Frequency, Compatible with --> N5-X20 / N5-X25 / N5-X30
MM-X2C ADAPTER M	R 735	Mimosa X2C Adapter (Male), Adapter with Male Twist-on Interface to Female N-type connectors, Aluminum material, Female N-type Connector, 4.9-6.4 GHz Frequency, Compatible with --> B5X / B6X / C5X / and C6X radios
MMCX-30-N(F)	R 108	Acconet RG174 MMCX(m) 90 Deg. to N(f) Bulkhead - 300mm Pigtail
MT-ANT-LTE-5o	R 306	MikroTik mANT LTE 5o - omnidirectional LTE antenna for wAP LTE and LtAP mini LTE, 2x SMA female Connectors, 699 - 2690 MHz Frequency Range, 5db Antenna gain, 360 degree Beamwidth
MT-HGO-ANTENNA-OUT	R 147	MikroTik Dual Band outdoor SMA(f)rp antenna (RP-SMA female connector), 3.3 dBi 2.4 GHz and 5.5-7.1 dBi 5 GHz
MT-HGO-LTE	R 159	MikroTik IoT combo antenna for both LTE and LoRa frequencies, 699MHz - 3.8GHz Frequency spectrum, CAT-M/NB and LoRa connectivity, 1.5 - 4 dBi antenna
MT-LoRa8-ANTENNA	R 904	MikroTik lora antenna kit - 6.5 dBi omni with cable and mounting, 824-960 MHz with 1 meter SMA cable and u-bolts
MTAD-5G-30D3-PA	R 3,613	MikroTik mant 30dBi 5GHz Parabolic Dish antenna with Precision aligmnent Mount, 2x RP-SMA Female (Outside Thread) connectors, Vertical and horizontal polarization, Aluminum reflector, /- 2.5 degree beamwidth, Basebox Wireless device is not included, MTAD-5G-30D3-PA
NEC-ANT-11G-DP60	R 8,887	NEC iPasolink Dish Antenna - Dual Polarised for 11GHz in 2 0 Configuration, 90cm dish
NET-LTE-MD-11	R 1,237	Otto LTE antenna MIMO directional 11dB with 2x 10m SMA cables, LTE-MD-11, Suitable for use on rain LTE Network and with B618 or B315 routers
NET-LTE-YD-11	R 689	Unbranded LTE antenna Yagi 11dB antenna with 10m cable and SMA connector, 38-52mm mounting pole, Vertical polarization, 90 degrees horizantal beamwidth, 60 degrees vertical beamwidth
PR1ICC60	R 2,921	Teltonika Outdoor LTE / Wi-Fi / GPS antenna for RUT9-series routers, LTE antenna, Omnidirectional, Max 4.5 dBi gain, 2x SMA Male connectors, GNSS antenna, 28 dBi gain, 1x SMA Male connector, Wi-Fi antenna, Omnidirectional, Max 7.5 dBi gain, 2x RP-SMA Male connectos
PR1KCL25	R 223	Teltonika Combo MIMO Mobile roof SMA antenna, Screw mounting Method, UV resistant Plastic and cable, 2x RG174 3m cable, LTE antenna, 2x SMA Male conectors
RB-GPS	R 121	MikroTik ACGPSA standalone active antenna for LtAP mini LTE kit
RF-AH-4X4-SMA60	R 8,188	RF Elements 5GHz 60 degrees 4x4 Asymmetrical Horn antenna, AH60-4x4-SMA, 4x RP-SMA Female connector, 160 km/h Wind survival, 5180 - 6000 MHz Frequency range, 17 dBi gain, Dual Linear H V Polarization
RF-AH-4X4-SMA90	R 7,979	RF Elements 5GHz 90 degrees 4x4 Asymmetrical Horn antenna, 4x RP-SMA Female connector, 160 km/h Wind survival, 5180 - 6000 MHz Frequency range, 16 dBi gain, Dual Linear H V Polarization
RF-AH-4X4-SMA90WB	R 14,150	RF Elements Wideband 90 degrees 4x4 Asymetrical Horn Antenna, SMA90wb, TwistPort Waveguide Connector, IP65 enviromental, 40-80 mm Pole mounting Diameter, 160 km/h Wind survival, 4900 - 7125 MHz antenna on wg Port Frequency range, 15 dBi gain, Dual Linear H V Polarization
RF-AH-90WB	R 9,091	RF Elements AH-90WB Wideband 90 degrees Asymmetrical Horn antenna, 15 dBi gain, 5170-7125 MHz Frequency range, TwistPort
RF-AH-CC30	R 7,562	RF Elements Asymmetrical Horn Carrier Class 30 / 20 degrees, Asymmetrical horn carrier Class 5180 - 6400 MHz, 20.5dBi gain, 2 x N-type female connectors, HG3-CC-A30
RF-AH-CC60	R 3,604	RF Elements Asymmetrical Horn Carrier Class 60 / 25 degrees, Asymmetrical Horn Carrier Class 5180 - 6400 MHz, 17 dBi gain, 2 x N-type female connectors
RF-AH-TPA30	R 6,171	RF Elements 30 degree asymetrical horn antenna, Asymmetrical Horn 5180 - 6400 MHz, Gain 20.5 dBi, TwistPort Connector, HG3-TP-A30
RF-AH-TPA45	R 2,996	RF Elements 45 degrees Asymmetrical Horn antenna, HG4-TP-A45, Asymmetrical Horn, TwistPort Waveguide Port antenna connection, IP55 Environmental, 5150 - 6400 MHz Frequency range, 17 dBi gain
RF-AH-TPA60	R 6,203	RF Elements 60 degree Asymetrical horn antenna, Asymmetrical horn 5180 - 6400 MHz, Gain 17 dBi, 60 deg,

		Twistport connector, HG3-TP-A60
RF-AH-TPA90	R 6,452	RF Elements 90 degree Asymetrical Horn Antenna, Asymmetrical Horn 5180 - 6400 MHz, Gain 16 dBi, 90 deg, TwistPort Connector, HG3-TP-A90
RF-AS-5-20	R 3,069	RF Elements Array Sector antenna 5GHz 20 dBi, 100 degree Sector, 2x RP-SMA on Integrated semi-flex pigtails, 5150 - 5850 MHz, Dual Linear H V polarization
RF-SH-30WB	R 4,198	RF Elements SH30WB Wideband 30 degrees Symmetrical Horn Antenna, TwistPort Waveguide connector, 160 km/h Wind survival, 18 dBi gain, 96 % beam efficiency, Dual Linear H V Polarization, 4900 - 7125 MHz Frequency range
RF-SH-60WB	R 4,395	RF Elements Wideband 60 degrees Symmetrical Horn Antenna, SH60WB, TwistPort Waveguide Connector, IP65 enviromental, 40-80 mm Pole mounting Diameter, 160 km/h Wind survival, 4900 - 7125 MHz antenna on WG Port Frequency range, 13.0 dBi gain, Dual Linear H V Polarization
RF-SH-90WB	R 4,008	RF Elements Wideband 90 degrees Symmetrical Horn Antenna, RF-SH-90WB, TwistPort Waveguide Connector, IP65 enviromental, 40-80 mm Pole mounting Diameter, 160 km/h Wind survival, 10 dBi gain, 4900 - 7125 MHz antenna on WG Port Frequency range, Dual Linear H V Polarization
RF-SH-TPS50-GEN2	R 2,247	RF Elements 50 degree Symmetrical Horn Antenna - Gen2, 5180 - 6400 MHz Frequency range, Gain 14.3 dBi, 160 km/hour wind survival, HG3-TP-S50
RF-STA-SMA	R 173	RF Elements STA-SMA StarterAdapter SMA for any StarterDish antenna, 2x RP-SMA female connectors, Waveguide Port antenna connection, 160 km/h wind survival, Dual Linear H V polarization
RF-STD-21-UM	R 1,089	RF Elements StarterDish 21 UM, Parabolic Dish 5150 - 5950 MHz, Gain 21 dBi, Comaptible with starteradapter SMA / C5x / prismstation, STD-21-UM
RF-STD-24-UM	R 725	RF Elements StarterDish 24 UM, Parabolic Dish 5150 - 5950 MHz, Gain 24 dBi, Compatable with starteradapter SMA / C5x / prismstation, RF-STD-24-UM
RF-STD-27-UM	R 1,113	RF Elements StarterDish 27 UM, Parabolic Dish 5150 - 5950 MHz, Gain 27 dBi, Compatable with starteradapter SMA / C5x / PrismStation, RF-STD-27-um
RF-STH-A45-USMA	R 1,500	RF Elements A45-USMA 45 degree 17 dBi StarterHorn antennas, Asymmetrical Horn antenna, 5150 - 5950 MHz, Gain 17 dBi, 45 degree, 2x RP-SMA Female connector Interface
RF-TP-AMU-V3	R 481	RF Elements TwistPort adaptor for Mimosa B5X / C5X / C6X, TPA-AMU-V2, TwistPort - quick locking Waveguide Port
RF-TP-SMA	R 399	RF elements TwistPort Adapter with SMA Connectors, TPA-SMA
RF-TPA-SMA-6	R 498	RF Elements 6GHz TwistPort Adapter with SMA connectors, TPA-SMA6, TwistPort - Quick-Locking Waveguide Port, 2x RP-SMA Female Radio connection, Aluminium materials, IP65 enviromental, 5700 - 7125 MHz Frequency range, Dual Linear H V Polarization
RF-UD-RC27	R 1,436	RF Elements Radome cover for ultradish TP 27, IP65 enviromental, 160 km/h wind survival, UD-TP-27 antenna compatibility
RF-UD-TP21	R 1,469	RF Elements UltraDish TP 21, UltraDish 5100 - 5900 MHz, Gain 21.2 dBi, Twistport connector, UD-TP21, Parabolic Dish antenna Type, IP65 enviromental
RF-UD-TP24	R 1,369	RF Elements UltraDish TP 24, UltraDish 5100 - 5900 MHz, Gain 24.4 dBi, Twistport connector, UD-TP21, Parabolic Dish antenna Type, IP65 enviromental
RF-UD-TP29-WB	R 4,314	RF Elements UltraDish TP 29 Wideband 29 dBi Parabolic Dish antenna, 4900 - 7125 MHz frequeny, 29 dBi gain, TwistPort connector, 160 km/h Wind survival, Dual Linear H V Polarization
RF-UH-TP-5-24S	R 7,244	RF Elements UltraHorn 5GHz 24dBi antenna with twistport connector, UH-TP-5-24, UltraHorn 5GHz, Gain 24 dBi, Twistport connector, IP55, Double linear H V polarization
RFA-SEC120LG	R 1,194	RF Armor Shield kit for Mid Gain 120Deg Ubiquiti Sector Antenna, Incl Reflector Plate, and AP Shield
RFA-SEC90LG	R 574	RF Armor Shield kit for Low Gain 90Deg Ubiquiti Sector Antenna, Incl Reflector Plate, and AP Shield
RG-ANT13-360	R 2,759	Reyee AirMetro 13dBi 5GHz Omni-Directional antenna for Base Station, RG-ANT13-360, 2km working distance, 360 degrees horizontal angle, 7 degrees Vertical angle
RG-ANT16S-120	R 1,259	Reyee RG-ANT16S-120 AirMetro 16dBi 5GHz Sector antenna for Base Station, 120 degrees horizontal and 10 degrees Vertical beam width, IP55 rated for Outdoor use
RG-ANT20S-90	R 2,128	Reyee RG-ANT20S-90 AirMetro 20dBi 5GHz Sector antenna for Base Station, RG-ANT20S-90, 10 km working

		distance, 90 degrees horizontal angle, 7 degrees Vertical angle
RW-5J750-58-INT	R 123,260	RADWIN 5000 JET Sector Radio 750Mbps (HBS) with integrated smart 2x2 Antenna,20Dbi, 5.8 GHz FCC/IC
RW-ANT5811-SEC120-DP	R 554	RADWIN 5GHz 11dBi 120Deg Dual Polarized Sector, 4.900-5.950GHz, DC Grounded, 2 x N-Type Female
RW-ANTTG22-PANEL	R 2,024	RADWIN RW-9614-5359 TURBO GAIN 5GHz 22dBi Dual Polarization - Directional Antenna for HSU-Air, 10 degree beam-width, Easily slides on the SU AIR/PRO radios, Lightweight and ruggedized design, Dual Linear (Vertical & Horizontal) polarization, 2x SMA RF connectors
SI-1733-DISH	R 2,644	SIAE 17GHz Dish antenna - 30cm, Outdoor Parabolic Dish 33.3dBi, SIAE Outdoor 17GHz 30cm Wireless Parabolic Dish Antenna, 0.3m Ultra High Performance Low Profile Antenna, single-polarized, 17.7 to 19.7 GHz frequency range
SI-1738-DISH	R 4,364	SIAE 17GHz Dish antenna - 60cm, Outdoor Parabolic Dish 38dBi, SIAE Outdoor 17GHz 60cm Wireless Parabolic Dish Antenna, 0.6m Ultra High Performance Low Profile Antenna, Single-polarized, 17.7 to 19.7 GHz frequency ramge
SI-1740-DISH	R 12,906	SIAE 17GHz Dish antenna - 90cm, Outdoor Parabolic Dish 40dBi, SIAE Outdoor 17GHz 90cm Wireless Parabolic Dish Antenna, 0.8m Ultra High Performance Low Profile Antenna, single-polarized, 17.7 to 19.7 GHz frequency range
SI-1745-DISH	R 11,499	SIAE 17GHz Dish antenna - 120cm, Outdoor Parabolic Dish 45dBi, SIAE Outdoor 17GHz 120cm Wireless Parabolic Dish Antenna, 1.2m Ultra High Performance Low Profile Antenna, Single-polarized, 17.7 to 19.7 GHz frequency range
SK-EH-ANT-0.5FT-SLIM	R 6,224	Siklu - EtherHaul 0.5 foot E-Band antenna with jacket for large E-Band ODU (ETSI), Works with the 1200TX/FX and 2500FX Series
SK-EH1200FX-1000	R 112,230	Siklu E-Band PTP link FDD 1Gbps 2ft antenna
SK-EH1200FX-1000-1FT	R 93,404	Siklu E-Band PTP link FDD 1Gbps 1ft INT antenna
SMA(F)-195	R 43	Acconet SMA02-RP SMA (Female) Rev Polarity Connector for ARF195 Cable; LMR195 compatible; RF connector; hex crimp; nickel plated body; wireless networking; antenna installations; WiFi systems
SMA(F)RP-195	R 53	Acconet SMA02-RP SMA (Female) Rev Polarity Connector for ARF195 Cable; model SMA02-RP; professional networking RF adapter; durable metal connector; wireless antenna systems; signal stable connection
SMA(M)-195	R 28	SMA (Male) Connector for LMR195 Cable
SMA(M)RP-195	R 41	SMA (Male) Rev Polarity Connector for LMR195 Cable
TNC(F)RP-195	R 97	TNC (Female) Reverse Polarity Connector for LMR195
TP-LTE-ANT-1M-2P	R 276	TP-Link LTE antenna extension base - 1m - 2 pack, SMA-J / SMA-K Connector Type, 1m cable length, Magnetic mounting
TP-SG1016	R 972	TP-Link TP-SG1016 16-port Gigabit Switch, 16 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case
TTK-ANT-5G	R 3,869	Teltonika Outdoor LTE & 5G / Wi-Fi / GPS antenna for RUTX50 and RUTM50 routers, Omnidirectional, IP67, Max 4.5 dBi gain (LTE), Wi-Fi 7.5 dBi, GNSS 28 dBi
TTK-ANT-5G-ROOF	R 2,420	Teltonika Outdoor LTE & 5G / WiFi / GNSS antenna for RUT routers, PR1KC640, 5G Mobile MIMO antenna, Linear Polarization, 4.0 dBi gain, 4x SMA Male Connector, GNSS antenna, Rhcp Polarization, SMA Male, WiFi MIMO antenna, Linear Polarization, 2x RP SMA Male Connector
TTK-ANT-COMBO	R 210	Teltonika Mobile Combo Roof Puck antenna, MIMO Mobile LTE / GNSS / WiFi with SMA, 003R-00253
TTK-ANT-COMBO-GNSS	R 913	Teltonika Combo MIMO Mobile / GNSS / Wi-Fi roof SMA antenna, PR1KCO28, IP65 Radome ingress protection rating, ABS Radome material, 5x RG174 3m cable, LTE MIMO antenna - 2x SMA Male, Wi-Fi antenna - 2x RP-SMA Male Connector, V.S.W.R - SMA Male Connector
TTK-ANT-RUT2	R 2,225	Teltonika Outdoor LTE / Wi-Fi antenna for RUT2-series routers, Omnidirectional LTE antenna, Max 4 dBi gain LTE antenna, 2x SMA Male connector LTE antenna, Omnidirectional Wi-Fi antenna, 6 dBi gain Wi-Fi antenna, 1x RP-SMA Male connector Wi-Fi antenna
TTK-ANT-RUT9	R 2,752	Teltonika Outdoor LTE / Wi-Fi / GPS antenna for RUT9-series routers, Max 4.5 dBi gain LTE antenna, 2x SMA Male connector Type LTE antenna, 28 dBi gain GNSS antenna, 1x SMA Male connector GNSS antenna, Omnidirectional Wi-Fi antenna, Max 7.5 dBi gain Wi-Fi antenna, 2x RP-SMA Male connector Type
TTK-ANT-RUTX	R 2,763	Teltonika Outdoor LTE / Wi-Fi / GPS / Bluetooth antenna for RUTX11 and RUTM11, PR1IC970, 4.5 dBi LTE antenna, 2 dBi BT antenna, 7.5 dBi Wi-Fi antenna, 28 dBi GNSS antenna

TTK-ANT-SMA	R 72	Teltonika Mobile magnetic SMA antenna for RUT230/240/900/950, Linear polarization, 3m RG174 cable, SMA male connector, Magnet mounting Method
TTK-ANT-WIFI	R 87	Teltonika Wi-Fi magnetic SMA antenna, Linear polarization, 3.0 dBi gain, 1.5m RG174 cable, RP-SMA male connector, Magnet mounting Method
TXF020	R 114	Microworld AC / AX wireless external antenna
UACC-UKPA	R 799	Ubiquiti UniFi pannel antenna for Swiss Army Knife Ultra, UACC-UK-Ultra-Panel-Antenna, Uv-stabilized polycarbonate & aluminum materials, IPX6 weatherproofing, 10 dBi @ 2.4GHz antenna gain, 15 dBi @ 5GHz antenna gain
UB-50	R 18	Unbranded UB-50 50mm Mild Steel U-Bolt; 50mm diameter; threaded ends; pipe fastening; structural mounting; construction hardware; mild steel fastener; industrial use; outdoor compatible
UB-AF 5G23 S45	R 2,110	Ubiquiti AF5X Dish 45 degree Slant antenna - 5GHz - 23dBi gain, Connection accessories included, Dual-Linear polarization, 5.1 - 5.9GHz Frequency range, 5G23-S45
UB-AF 5G34 S45	R 6,457	Ubiquiti AF5X Dish 45 degree Slant antenna, 5GHz, 34dBi gain, Connection accessories iincluded, Dual-Linear polarization, 5100 - 5800MHz Frequency range
UB-AF-5G23-S45	R 1,984	Ubiquiti AF5X Dish 45 degree Slant antenna - 5GHz - 23dBi gain, Connection accessories included, Dual-Linear polarization, 5.1 - 5.9GHz Frequency range, 5G23-S45
UB-AF-5G34-S45	R 6,434	Ubiquiti AF5X Dish 45 degree Slant antenna, 5GHz, 34dBi gain, Connection accessories iincluded, Dual-Linear polarization, 5100 - 5800MHz Frequency range
UB-AM 5AC21 60	R 3,651	Ubiquiti airMAX MIMO 5GHz AC 60 degree Sector High-Gain antenna - 21dBi gain, SMA (F) RP, Connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5AC21-60
UB-AM 5AC22 45	R 3,651	Ubiquiti AM-5AC22-45 airMAX MIMO 5GHz AC 45 degree Sector High-Gain antenna - 22dBi gain, Sma(f)rp, Connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included
UB-AM 5G17 90	R 1,532	Ubiquiti airMAX MIMO 5GHz 90 degree Sector Mid-Gain antenna - 17dBi gain, SMA(F)RP connector, 4.90 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G17-90
UB-AM 5G20 90	R 2,607	Ubiquiti airMAX MIMO 5GHz 90 degree Sector antenna High-Gain - 20dBi gain, Sma(f)rp connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G20-90
UB-AM-5AC21-60	R 3,559	Ubiquiti airMAX MIMO 5GHz AC 60 degree Sector High-Gain antenna - 21dBi gain, SMA (F) RP, Connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5AC21-60
UB-AM-5AC22-45	R 3,559	Ubiquiti AM-5AC22-45 airMAX MIMO 5GHz AC 45 degree Sector High-Gain antenna - 22dBi gain, Sma(f)rp, Connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included
UB-AM-5G17-90	R 1,397	Ubiquiti airMAX MIMO 5GHz 90 degree Sector Mid-Gain antenna - 17dBi gain, SMA(F)RP connector, 4.90 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G17-90
UB-AM-5G19-120	R 2,444	Ubiquiti airMAX MIMO 5GHz 120 degree Sector High-Gain antenna - 19dBi gain, SMA(F)RP connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G19-120
UB-AM-5G20-90	R 2,473	Ubiquiti airMAX MIMO 5GHz 90 degree Sector antenna High-Gain - 20dBi gain, Sma(f)rp connector, 5.15 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G20-90
UB-AMO 5G10	R 2,294	Ubiquiti AMO-5G10 airMAX MIMO 5GHz Omni antenna - 10dBi gain, SMA (F) RP connector, 125 mph Wind survivability, Dual-Linear polarization
UB-AMO 5G13	R 3,007	Ubiquiti AMO-5G13 airMAX MIMO 5GHz Omni antenna - 13dBi gain, SMA (F) RP connector, Dual Linear polarization, 125 mph Wind survivability
UB-AMO-5G10	R 2,156	Ubiquiti AMO-5G10 airMAX MIMO 5GHz Omni antenna - 10dBi gain, SMA (F) RP connector, 125 mph Wind survivability, Dual-Linear polarization
UB-AMO-5G13	R 2,869	Ubiquiti AMO-5G13 airMAX MIMO 5GHz Omni antenna - 13dBi gain, SMA (F) RP connector, Dual Linear polarization, 125 mph Wind survivability

UB-HORN-5-90	R 1,144	Ubiquiti airMAX PrismStation 5GHz 90 degrees beamwidth Horn Antenna, HORN-5-90, 13 dBi gain, 5.15 -5.85 GHz supported Frequency range, Dual-Linear polarization
UB-ISO-BEAM-620	R 1,402	Ubiquiti Networks IsoBeam Isolator Radome for 620 mm Dish Reflector
UB-LBEM5AC-16-120	R 1,838	Ubiquiti LiteBeam airMax ac Base Station, 5GHz radio, 16dBi, integrated 120 degree sector antenna
UB-RD 5G30	R 2,743	Ubiquiti RD-5G30 RocketDish 5G30 5GHz 2x2 MIMO antenna, 4.9GHz at 26 dBi gain, 5-5.9ghz at 30 dBi gain, Dual-Linear polarization, 4.9 - 5.8 GHz Frequency range, Universal Pole Mount / Rocket bracket / weatherproof RF connectors included
UB-RD 5G30 LW	R 2,053	Ubiquiti RD-5G30-LW RocketDish 5G30 light weight 5GHz 2x2 MIMO antenna, 30 dBi gain, Dual-Linear polarization, 5.1 - 5.9 GHz Frequency range, Universal Pole Mount / Rocket bracket / weatherproof RF connectors included
UB-RD-5G30	R 2,639	Ubiquiti RD-5G30 RocketDish 5G30 5GHz 2x2 MIMO antenna, 4.9GHz at 26 dBi gain, 5-5.9ghz at 30 dBi gain, Dual-Linear polarization, 4.9 - 5.8 GHz Frequency range, Universal Pole Mount / Rocket bracket / weatherproof RF connectors included
UB-RD-5G30LW	R 1,926	Ubiquiti RD-5G30-LW RocketDish 5G30 light weight 5GHz 2x2 MIMO antenna, 30 dBi gain, Dual-Linear polarization, 5.1 - 5.9 GHz Frequency range, Universal Pole Mount / Rocket bracket / weatherproof RF connectors included
UB-RD-5G34	R 6,066	Ubiquiti RD-5G34 RocketDish 5G34 5GHz 2x2 MIMO antenna, 4.9 GHz at 30 dBi gain, 5-5.8 GHz at 34 dBi, Dual-Linear Polarization, 4.9 - 5.8 GHz Frequency Range, Universal Pole Mount / Rocket Bracket / Weatherproof RF Connectors Included
UB-UAP-UK-ULTRA-OMNI	R 393	Ubiquiti UniFi Ultra Omni antenna with Desktop Mount, UACC-UK-Ultra-Omni-Antenna, 3 dBi @ 2.4GHz antenna gain, 4 dBi @ 5GHz antenna gain
UB-UAP-UK-ULTRA-PANEL	R 791	Ubiquiti UniFi Panel Antenna for Swiss Army Knife Ultra, UACC-UK-Ultra-Panel-Antenna, Uv-stabilized polycarbonate & Aluminum materials, IPX6 weatherproofing, 10 dBi @ 2.4GHz antenna gain, 15 dBi @ 5GHz antenna gain
UB-UISP-DISH	R 3,249	Ubiquiti UISP Dish - point-to-point (PtP) Dish Antenna, Up to 200 km/h Wind survivability, IPX6 weatherproofing, 5.15 to 6.875 GHz Frequency range, 30 dBi gain, Dual-linear polarization, UISP-DISH
UB-UISP-DISH	R 3,789	Ubiquiti UISP Dish - Point-to-point (PtP) Dish Antenna, Up to 200 km/H Wind survivability, IPX6 weatherproofing, 5.15 to 6.875 GHz Frequency range, 30 dBi gain, Dual-linear polarization, UISP-DISH
UB-UISP-HORN	R 3,953	Ubiquiti UISP Horn - high-isolation point-to-multipoint (PtMP) Horn Antenna, Up to 200 km/h Wind survivability, 19.5 dBi gain, 5.15 to 6.875 GHz Frequency range, Dual-linear polarization
UB-UISP-HORN	R 3,651	Ubiquiti UISP Horn - high-isolation point-to-multipoint (PtMP) Horn Antenna, Up to 200 km/h Wind survivability, 19.5 dBi gain, 5.15 to 6.875 GHz Frequency range, Dual-linear polarization
UBAF-5G23-S45	R 1,827	Ubiquiti AF5X Dish 45 degree Slant Antenna, 23dBi, Connection accessories incl.
UBAF-5G30-S45	R 2,159	Ubiquiti AF5X Dish 45 degree Slant Antenna, 30dBi, Connection accessories incl.
UBAF-5G34-S45	R 5,857	Ubiquiti Networks AF-5G34-S45 34 dBi Antenna for airFiber AF-5X 5 GHz Carrier Backhaul Radio
UBAM-2G16SEC90-RA	R 2,356	Ubiquiti AirMax MiMo 2.4GHz Sector High-Gain 16dBi, 90 deg with Rocket Accessories - SMA(F)RP; 2x2 MIMO; outdoor base station; Rocket M compatible; 3.9kg; 700x145x79mm; professional ISP network antenna
UBAM-5AC22SEC45-RA	R 3,550	Ubiquiti AirMax MiMo 5GHz AC Sector High-Gain 22dBi, 45 deg with Accessories - SMA(F)RP
UBAM-5G16SEC120-RA	R 1,487	Ubiquiti AirMax MiMo 5GHz Sector Mid-Gain 16dBi, 120 deg with Accessories - SMA(F)RP
UBAM-5G17SEC90-RA	R 1,413	Ubiquiti AirMax MiMo 5GHz Sector Mid-Gain 17dBi, 90 deg with Accessories - SMA(F)RP
UBAM-5G19SEC120-RA	R 2,573	Ubiquiti AirMax MiMo 5GHz Sector High-Gain 19dBi, 120 deg with Rocket Accessories - SMA(F)RP
UBAM-5G30D-LW-RA	R 1,770	Ubiquiti 5GHz 30dBi Dual Polarized Dish, 5100-5800MHz, 2ft, SMA(M)RPx2, PtP Iso 35dB Light Weight
UBAM-5G30D-RA	R 2,366	Ubiquiti 5GHz 30dBi Dual Polarized Dish, 5100-5800MHz, 2ft, SMA(F)RPx2, PtP Iso
UBAM-5G34D-RA	R 6,519	Ubiquiti 5GHz 34dBi Dual Polarized Dish, 5100-5800MHz, 3.5ft, SMA(F)RPx2, PtP Iso 35dB
UBAM-LBEM5-23	R 937	Ubiquiti AirMax LiteBeam M5: 5GHz, 23dBi Hi Power, TDMA Station, incl PoE
UBAM-LOCOM2	R 914	Ubiquiti A/M NanoStation Loco M2, 2.4GHz Mini Outdoor CPE Antenna, 2x2 MIMO Technology, 8dBi Dual-Polarity Gain at 2.4GHz, Atheros Chipset.
UBAM-LOCOM5	R 1,436	Ubiquiti A/M NanoStation Loco M5 Antenna, 5GHz Mini Outdoor CPE TX 23dBm Gain 13dBi 24V PoE
UBAM-NBEM5-16	R 1,257	Ubiquiti AirMax NanoBeam M5: 5GHz Hi Power 2x2 MIMO, 16dBi TDMA Station, incl PoE

UBAM-NSM2	R 1,554	Ubiquiti NSM2 UISP airMAX NanoStation M2 2GHz Radio Includes POE Injector
UBAM-NSM5	R 1,609	Ubiquiti NSM5 UISP airMAX NanoStation M5 5GHz 16dBi Radio Includes POE Injector
UBAM-O-2G10	R 3,118	Ubiquiti AirMax MiMo 2GHz Omni, 10dBi with Rocket Accessories - SMA(F)RP, 1 Year, 1 Year, 1 Year
UBAM-O-5G10	R 2,266	Ubiquiti AirMax MiMo 5GHz Omni, 10dBi with Rocket Accessories - SMA(F)RP; 2x2 MIMO; Dual-Linear polarization; 360 degree coverage; 5.45-5.85 GHz; 12 degree elevation beamwidth; 4 degree downtilt; 2 x RP-SMA Female; 582 x 90 x 65 mm; 0.68 kg; Outdoor wireless infrastructure; PtMP networking
UBAM-O-5G13	R 3,036	Ubiquiti AirMax MiMo 5GHz Omni, 13dBi with Rocket Accessories - SMA(F)RP; 5.45-5.85GHz; 13dBi gain; 360 degree omni coverage; 2x2 MIMO; dual-linear polarization; 7 degree elevation beamwidth; 200km/h wind survivability; universal pole mount; outdoor wireless infrastructure antenna; 799 x 90 x 65mm; 0.82kg
UBAM-PBEM2-400	R 1,427	Ubiquiti AirMax PowerBeam M2: 2.4GHz Hi Power 2x2 MIMO, 18dBi TDMA Station, 400mm Dish, incl PoE
UBAM-PBEM5-300	R 1,500	Ubiquiti AirMax PowerBeam M5: 5GHz Hi Power 2x2 MIMO, 22dBi TDMA Station, 300mm Dish, incl PoE
UBAM-PBEM5-400	R 1,768	Ubiquiti AirMax PowerBeam M5: 5GHz Hi Power 2x2 MIMO, 25dBi TDMA Station, 400mm Dish, incl PoE
UBAM-PBEM5AC-500	R 2,850	Ubiquiti AirMax PowerBeam M5 AC: 2 PACK, 5GHz Hi Power 2x2 MIMO 27dBi, 500mm Dish, incl PoE
UBAM-PBEM5AC-620	R 4,226	Ubiquiti AirMax PowerBeam M5 AC: 5GHz Hi Power 2x2 MIMO 29dBi TDMA Station, 620mm Dish, incl PoE
UBAM-PRISMAP-5-30	R 1,034	Ubiquiti airMaxAC Isolation Antenna horn, 5GHz 30 degree, 19 dBi Gain
UBAM-PRISMAP-5-60	R 1,472	Ubiquiti airMaxAC Isolation Antenna horn, 5GHz 60 degree, 16 dBi Gain
UBAM-RD-2	R 1,021	Ubiquiti Radome Cover for 2ft Parabolic Dishes, White, Includes Nuts & Bolts; compatible RD-2G24 RD-3G26 RD-5G30; 648mm x 173mm; 1.3kg; outdoor wireless antenna enclosure; wind load reduction; weather resistant polymer; professional ISP networking
UFL-30-N(F)	R 90	Acconet RG174 UFL to N-Type(f) - 300mm Pigtail for Mini PCI Cards
UFL-30-SMA	R 116	Acconet RG174 UFL to SMA(f) - 30cm Pigtail for Mini PCI compatible; Mini PCIe compatible; WiFi antenna adapter; RF networking cable
UH-TP-5-24	R 9,194	RF elements UltraHorn 5Ghz UH-TP-5-24 Horn Antenna, TwistPortTM - Quick Locking Waveguide Port, 24 dBi Gain, 15-86 mm Pole Mounting Diameter
UISP-DISH	R 3,674	Ubiquiti UISP Dish - point-to-point (PtP) Dish Antenna, Up to 200 km/h Wind survivability, IPX6 weatherproofing, 5.15 to 6.875 GHz Frequency range, 30 dBi gain, Dual-linear polarization, UISP-DISH
UISP-DISH-MINI	R 3,329	Ubiquiti UISP Dish Mini 5GHz - 7GHz 26dBi antenna, UISP-DISH-MINI, Up to 200 km/h Wind survivability, IPX6 weatherproofing, Dual-Linear Polarization, 15 dB Cross-Pol isolation
UISP-HORN	R 3,651	Ubiquiti UISP Horn - high-isolation point-to-multipoint (PtMP) Horn Antenna, Up to 200 km/h Wind survivability, 19.5 dBi gain, 5.15 to 6.875 GHz Frequency range, Dual-linear polarization
USL-ANT	R 978	Ubiquiti UniFi Superlink High-Gain antenna with 1m cable, UACC-USL-ANT-HG, IP67 weatherproofing, Pole Mount mounting, 4 dBi Bluetooth antenna gain, 7 dBi Superlink antenna gain, Up to 100m Bluetooth range, 5 km Superlink range, Stainless Steel Mount material, 1x rp-n Female antenna Connector, 1x RP-SMA Male 1x rp-n Male antenna cable
WB-200-15	R 182	Unbranded WB-200-15 Wall Bracket - Small - 150mm (tripod); 150mm offset; steel construction; galvanized finish; CCTV mount; antenna support; tripod compatible; wall mounted bracket; indoor outdoor use
WB-250-15	R 237	Unbranded WB-250-15 Wall Bracket - Medium - 250mm (tripod)
WB-300-30	R 267	Unbranded WB-300-30 Wall Bracket - 90 Degree Bend - 38mm diameter
WB-ECO	R 67	Unbranded WB-ECO Economy Wall Bracket - 38mm
ZSK-EH-ANT-1FT-CL3	R 16,185	Siklu E-Band EtherHaul 1 foot / 38cm high perfomance antenna for 70 & 80GHz, EH-ANT-1ft-Cl3, 46 dBi gain, including adaptor, Compatible with 700 / 710 / 1200 / 2x00 / 5500 / 8010 ODU
ZSK-EH-ANT-60G-2FT	R 14,752	Siklu V-Band (60GHz) 2 foot Antenna and Mounting Kit, EH-ANT-2FT-60GHZ, Includes X and RF adaptors
ZSK-EH-XADPT-SFF	R 2,137	Siklu EtherHaul X-adaptor for SFF E-band ODU to 2FT antenna, Siklu X-Adaptor for 710TX ODU to 2ft Antenna, Must be purchased when using EH710TX with 2ft antenna, EH-XADPT-SFF-7080GHz

< Return to the menu

Wireless: CPE Customer-Premises Equipment

Product code	Price	Description
AF-11KIT-H	R 30,469	Ubiquiti UISP airFiber 11GHz Dish Radio and high band duplexer kit, AF-11KIT-H H, Includes AF-11G35 35 dBi

		Dish Antenna and AF-11duph duplexer, Designed for Outdoor Point-to-point bridging in the 11 GHz licensed band, Operating Frequency range of 10.7 to 11.7 GHz, Max Throughput of 1.2 Gbps over a Max range of 300 km, Features 128-bit AES Encryption for Secure Data transmission, 1x GbE RJ45 Port, 1x 10/100 MbE RJ45 Port, Powered via Passive PoE 4-pairs or Terminal Block direct-wire W, RF connectors include Four Weatherproof SMA and two Waterproof N-type Ports
AF-5XHD	R 7,699	Ubiquiti airFiber 5XHD PTP LTU, True 1Gbps Spectrally Efficient Noise Resilient PTP Technology Specifically Designed for WISP ' s, 2 Million Packets per Second, 4096 QAM Modulation, Proprietary RF Filtering
AF-5XHD	R 8,102	Ubiquiti airFiber 5XHD PTP LTU, True 1Gbps Spectrally Efficient Noise Resilient PTP Technology Specifically Designed for WISP ' s, 2 Million Packets per Second, 4096 QAM Modulation, Proprietary RF Filtering
AF60-LR-EU-A	R 7,071	Ubiquiti airFiber 60GHz / 5GHz Radio system with 1.8 Gbps Throughput CPE Long range, AF60-lr, 60GHz / 5GHz PtP Integrated with High-Gain antenna for Long range & high performance, Long range up to 12km, Integrated GPS, 1x Gigabit Ethernet Port, 1.8 Gbps Maximum Throughput
AM-5G16-120	R 1,436	Ubiquiti airMAX MIMO 5GHz 120 degree Sector Mid-Gain antenna - 16dBi gain, Accessories, SMA(F)RP connector, 5.10 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G16-120
BREEZEAIR-AXE	R 10,349	Telrad BreezeAIR AXE PtP Wireless Radio with Integrated antenna, 5.x GHz 2Gbps Radio, Integrated 23dBi Dual Polarization antenna, up to 2.1 Gbps Net Throughput, 2x2 MIMO, more than 130km range
BREEZEAIR-AXE-CON	R 8,624	Telrad BreezeAIR AXE PtP Wireless Radio with N-type connectors, 5.x GHz 2Gbps Radio, 2x B-TNC-NT-75 75cm TNC to N-type RF cable 1x B-BSC-MK - Basic Pole mounting kit, More than 130km range, IP67 IP rating, 2.1Gbps superior Net capacity, No antenna
BreezeAirAXE-5-1G-17-PTMP-CPE	R 9,344	Telrad BreezeAIR AXE 5.x GHz 1Gbps PtMP CPE with Integrated 17.5 dBi Dual Polarization antenna, Gigabit LAN PoE Port
BreezeAirAXE-5-1G-23-PTMP-CPE	R 10,050	Telrad BreezeAIR AXE 5.x GHz 1Gbps PtMP CPE with Integrated 23 dBi Dual Polarization antenna, Gigabit LAN PoE Port
BreezeAirAXE-5-1G-PTMP	R 28,779	Telrad BreezeAIR AXE 5.x GHz 1Gbps PtMP Master unit, External antenna Ports, Synchronized, More than 130km range, 2x2 MIMO, Gigabit LAN PoE Port
BreezeAirAXE-5-2G-PTMP	R 33,896	Telrad BreezeAIR AXE 5.x GHz 2Gbps PtMP Master unit, External antenna Ports, Synchronized, More than 130km range, 2x2 MIMO, Gigabit LAN PoE Port
CB-CNV-CLIENT-MAXr	R 3,350	CAMBIUM cnVision Client MAXr 19 dBi CPE, 600 Mbps Long range Client, VMs, ONVIF supported, IP67, Wireless connectivity for Video surveillance and CCTV APPLICATIONS, 19 dBi antenna gain
CB-CNV-CLIENT-MICRO	R 3,175	CAMBIUM cnVision Client Micro 13 dBi CPE, 600 Mbps short-range Client, VMS, ONVIF supported, IP55, Wireless connectivity for Video surveillance and CCTV applications, 13 dBi antenna gain
CB-CNV-CLIENT-MINI	R 3,102	CAMBIUM cnVision Client mini 16 dBi CPE, 600 Mbps mid-range Client, VMs, ONVIF supported, IP55, 16 dBi antenna gain, Wireless connectivity for Video surveillance and CCTV applications
CB-CNV-HUB-360r	R 3,724	Cambium cnVison Hub 360r CPE, 600Mbps 360 Degree 8dBi Intergrated Base Station, GPS Sync, VMS ONVIF supported, IP67, Antenna Gain 9 dBi, Wireless connectivity for Video surveillance and CCTV applications
CB-CNW-V1000	R 6,377	CAMBIUM 60GHz cnwave V1000 Client Node, 2 Gbps, 802.11ay terragraph, 22dBi, 80 degree horizontal and 40 degree vertical, Tdma, 1x 100/1000 BaseT with PoE in
CB-CNW-V2000	R 12,200	Cambium 60GHz cnWave V2000 Client Node excluding PoE injector, 1.9 Gbps (In each direction), 802.11ay Terragraph, 34.5 dBi, TDMA, Integrated antenna, 1x 2.5 GbE PoE Input, 1x 2.5 GbE PoE 802.3at Output
CB-CNW-V3000	R 11,978	Cambium 60GHz cnWave V3000 Client Node, 7.6 Gbps, 802.11ay Terragraph, 44.5 dBi, TDMA, Add CB-CNW-V3000-ANT and CB-CNW-BRCKT-PRC
CB-CNW-V5000	R 26,371	CAMBIUM 60GHz cnwave V5000 distribution Node, 57 to 66 GHz in a single SKU Frequency range, 1x 100/1000/10g BaseT with PoE in, 1x 100/1000 BaseT with 802.3at PoE out, 1x SFP
CB-CORE-450b-HG	R 5,732	CAMBIUM 5 GHz 450b high gain SM/PtP (Radio only), PoE and power cord excluded, CORE-450b-HG, Capable of up to 300 Mbps aggregate in a 40 MHz channel
CB-CORE-450b-SM	R 5,850	Cambium 450b 5GHz Integrated Mid-Gain WB Subscriber Module, Ultra-wide band radios support the entire band from 4.9 to 5.925 GHz, Gigabit Ethernet Interface, 3.5 mm audio jack allows direct connection of headphones without any adapters, New System on a Chip (SoC) enhances Packet Processing Power more than 4x that of the

		450 SM, Capable of up to > 250 Mbps aggregate in a 40 MHz channel, Integrated Antenna Peak Gain 17 dBi
CB-CORE-450i-90-LITE	R 36,094	CAMBIUM PMP 450i Lite 5GHz int Access Point CPE, Integrated 90 degree Sector antenna, 20 subscribers, C050045AL05B
CB-CORE-CNPULSE	R 5,760	Cambium cnPulse GPS Sync Generator with CambiumSYNC, cnPulse gets it power from the ODU AUX port in mode 1 or from the CAT-5 drop cable in mode 2
CB-CORE-PMP450m	R 109,265	Cambium PMP450m 5GHz Integrated CPE with Access Point, 90 Degree (DES Only), Limited, C050045A114A, cnMedusa
CB-CORE-PTP450i-INT	R 19,443	Cambium C050045B008A PTP450i-INT Integrated High Gain 5GHz internal 23dBi DP antenna CPE, Gigabit LAN, Over 300 Mbps Throughput
CB-CORE-PTP550-EXT	R 12,536	Cambium PTP550-EXT 5GHz Connectorized CPE, No Antenna, 5150 to 5950 GHz Frequency Range, PTP 550 provides up to 1.36 Gbps throughput with ARQ and asymmetric non-contiguous channel aggregation across 5 GHz band
CB-CORE-PTP550-INT	R 14,084	Cambium PTP550-EXT 5GHz Integrated 23dBi antenna CPE, 5150 to 5950 GHz Frequency Range, PTP 550 provides up to 1.36 Gbps throughput with ARQ and asymmetric non-contiguous channel aggregation across 5 GHz band
CB-CORE-PTP670-EXT	R 47,803	Cambium C050067H013A PTP 670 5GHz - EXT Connectorized END CPE, No antenna, with AC Supply, Up to 450 Mbps aggregate throughput, PTP 670 systems provide 4.9 to 6.05 GHz multi-band flexibility in a single radio and operate in channel sizes from 5 to 45 MHz
CB-CORE-PTP670-INT	R 45,848	Cambium C050067H015A PTP 670 - Internal Integrated 23dBi antenna END CPE, with AC Supply, Up to 450 Mbps aggregate throughput, PTP 670 systems provide 4.9 to 6.05 GHz multi-band flexibility in a single radio and operate in channel sizes from 5 to 45 MHz
CB-EPMP-3000-FSR	R 5,233	Cambium ePMP 3000 5GHz AC Wave 2 4x4 MU-MIMO FSR 5.1-5.98 GHz Access Point, CB-EPMP-3000, SMA RP connectors, 802.3at, 56V PoE included, 1x Gigabit LAN Port, Up to 120 subscribers per Sector
CB-EPMP-3000L	R 8,624	Cambium ePMP 3000L PtMP BS 802.11ac Wave 2 - 5 GHz Access Point Radio (ROW), 2x2 MIMO, 600Mbps, 32x SM ' s, 100/1000 BaseT Ethernet Interfaced, 29 V PoE (included), C050910A921A
CB-EPMP-3000L-FSR	R 4,077	Cambium ePMP 3000L FSR 5GHz AC 2x2 Access Point, CB-EPMP-3000L-FSR, 2x2 MIMO, 600 Mbps, 64x SM ' s, 5100-5980 MHz Frequency range, Gigabit Ethernet Interface
CB-EPMP-4500	R 40,283	CAMBIUM ePMP 4500 5GHz 8x8 BS Access Point, 8x8 MU-MIMO, Up to 4Gbps, Delivers more than 4 Gbps and supports up to 120 subscriber modules, Integrated 90 degrees 8x8 MU-MIMO Sector antenna
CB-EPMP-F200L	R 2,113	CAMBIUM ePMP Force 200L - 5GHz CPE, 220 Mbps, 25dBi dish antenna, 30V PoE included, Configurable in 5 MHz increments, 10/100 BaseT Ethernet Interface
CB-EPMP-F300	R 3,301	Cambium ePMP Force 300 802.11ac wave 2 - 5Ghz 25dBi internal dish antenna CPE, 2x2 MIMO, 700Mbps data rate, 1x Gigabit LAN 10/100/1000BaseT, C050910C601A
CB-EPMP-F300-16	R 3,007	CAMBIUM ePMP force 300 - 16dBi AC Wave 2 - 5GHz CPE, 16dBi internal antenna, 10/100/1000 BaseT Ethernet Interface, C050910C911A
CB-EPMP-F300-25L	R 2,818	CAMBIUM ePMP Force 300-25dbi Lite AC Wave 2 - 5GHz, Configurable in 5 MHz increments, 1x 10/100/1000 BaseT Port, IP55, Provides 500 Mbps peak Throughput, 25dBi dish antenna, EPMP-F300-25L
CB-EPMP-F300-CSM	R 5,006	CAMBIUM ePMP 5GHz force 300 CSM 802.11ac Wave 2 Radio, 500 Mbps, 2x2 MIMO connectorized SM, 10/100/1000 BaseT Ethernet interfaced, C050910C921A
CB-EPMP-F300-CSML	R 1,301	Cambium EPMP-F300-CSML Cambium ePMP Force 300 CSML subscriber module, 2x RP-SMA, PoE injector included, 2x2 MIMO/OFDM, 1x Gigabit Ethernet Interface, 200 km/h Wind survival, Wide band Operation 4910-6200 MHz Frequency range
CB-EPMP-F400C	R 9,466	Cambium ePMP Force 400C 802.11ax 5 GHz CPE, 1Gbps, Connectorised, 2x RP-SMA Connectors, IP67
CB-EPMP-F425-2P	R 19,481	CAMBIUM ePMP Force 425 802.11ax CPE - 5 GHz (2 pack), Configurable in 5 MHz increments, 1 Gbps Maximum capacity, < 5 ms Latency, 1x RJ-45, 1x SFP connectors, IP67, EPMP-F425-2P
CB-EPMP-F425RE-4P	R 1,435	Cambium ePMP Force 425 Range Extender 4 Pack, Optional Dish Accessory to Increase dBi of F425 to 28dBi
CB-EPMP-F4518	R 2,826	Cambium ePMP Force 4518 5GHz subscriber module, CB-EPMP-F4518, 18 dBi Integrated antenna, PoE including, 200 km/HR Wind survival
CB-EPMP-F4525L	R 3,434	Cambium ePMP Force 4525L 5GHz subscriber module, CB-EPMP-F4525L, 25 dBi Integrated Dish Antenna, PoE

		including, 200 km/hour Wind survival
CB-SEC-5G-MU-MIMO	R 6,671	Cambium ePMP3000 5GHz 90/120 Sector Antenna 4x4 MU-MIMO CPE, 17 dBi Gain antenna, 70 degrees 3 dB Beamwidth - Azimuth, 4x RP SMA Mounting Connectors, C050910D301A
CPE210	R 519	TP-Link CPE210 2.4GHz 300Mbps 9dBi Outdoor CPE
CPE210	R 565	TP-Link CPE210 2.4GHz 300 Mbps 9dBi Outdoor CPE, 1x 10/100 Mbps shielded Ethernet Port, 1 grounding Terminal, Built-In 9dBi 2x2 dual-polarized directional antenna, IPX5 Waterproof certification, Up to 300 Mbps Wireless speeds 2.4GHz, Pharos MAXtream TDMA Technology
CPE210	R 562	TP-Link CPE210 2.4GHz 300 Mbps 9dBi Outdoor CPE, 1x 10/100 Mbps shielded Ethernet Port, 1 grounding Terminal, Built-In 9dBi 2x2 dual-polarized directional antenna, IPX5 Waterproof certification, Up to 300 Mbps Wireless speeds 2.4GHz, Pharos MAXtream TDMA Technology
CPE220	R 769	TP-link CPE220 2.4GHz 300 Mbps 12dBi outdoor CPE, Qualcomm atheros 560MHz CPU, 64MB DDR2 RAM, 8MB Flash, 1x 10/100 Mbps shielded Ethernet Port (Passive PoE in), 1x 10/100 Mbps shielded Ethernet Port (Passive PoE passthrough), 1x grounding Terminal, Built-in 12dBi 2x2 dual-polarized directional antenna, IEEE 802.11b/g/n Wireless standards
CPE220	R 767	TP-link CPE220 2.4GHz 300 Mbps 12dBi outdoor CPE, Qualcomm atheros 560MHz CPU, 64MB DDR2 RAM, 8MB Flash, 1x 10/100 Mbps shielded Ethernet Port (Passive PoE in), 1x 10/100 Mbps shielded Ethernet Port (Passive PoE passthrough), 1x grounding Terminal, Built-in 12dBi 2x2 dual-polarized directional antenna, IEEE 802.11b/g/n Wireless standards
CPE510	R 842	TP-Link CPE510 Outdoor 5GHz 300Mbps Wireless CPE, Qualcomm, 23dBm, 2T2R, 802.11a/n, 13dBi directional antenna, 10 km, IPX5 Weather proof, 1 FE Ports, Passive PoE, support TDMA and centralized management, AP Router/WISP Client Router/AP/AP Client/Repeater/Bridge mode
CPE610	R 1,132	TP-link CPE610 5GHz N300 23 dBi outdoor CPE, Up to 300 Mbps on 5GHz Wireless Data rates, 23dBi high-gain directional 2x2 MIMO antenna, Dedicated metal reflector, Qualcomm 560MHz CPU MIPS 74kc, 64MB DDR2 RAM, 8MB Flash, 1x 10/100 Mbps shielded Ethernet Port (LAN/PoE)
CPE710	R 1,386	TP-Link CPE710 5GHz AC867 23 dBi outdoor CPE, Qualcomm 750MHz CPU, 128 MB DDR2 RAM, 16 MB Flash, 1x 10/100/1000 Mbps shielded Ethernet Port (LAN/PoE), 23 dBi antenna gain. Model: TP-CPE710; Wi-Fi: 802.11ac 5GHz; Speed: up to 867 Mbps; Antenna: 23 dBi directional 2x2 MIMO; Port: 1 x Gigabit Ethernet; Power: Passive PoE 16-27V DC; Protection: IP65, 15kV ESD, 6kV Lightning; Management: Pharos Control; Dimensions: 366 x 280 x 207 mm
CPE710	R 1,328	TP-Link CPE710 5GHz AC867 23 dBi outdoor CPE, Qualcomm 750MHz CPU, 128 MB DDR2 RAM, 16 MB Flash, 1x 10/100/1000 Mbps shielded Ethernet Port (LAN/PoE), 23 dBi antenna gain
DS-3WF02-5AC/D	R 1,714	Hikvision 867 Mbps @ 5GHz 5km Wireless Bridge kit, 2x Wireless Bridge, 2x PoE Power Supply, 2x AC cord, Pole mounting installation mode, IP55 ingress protection, 867 Mbps Maximum transmission rate of Air Interface, 12 dBi antenna gain, 2x 10/100 Mbps RJ45 Ports, 10W PoE Power budget, 100m PoE distance
DS-3WF03C	R 1,949	Hikvision 5GHz 300 Mbps 15km Outdoor Wireless CPE, 300 Mbps Wireless Link rate, 2x 10/100 Mbps Base-TX Interface, Passive PoE Power, 15 dBi gain Built-In antenna
DS-3WF03C-5AC/O V3	R 1,179	Hikvision DS-3WF03C-5AC/O V3 Outdoor 5GHz wireless bridge CPE, Max.distance 15km, 2x2 MIMO antenna with 867Mbps thoughput, 12dBi gain, output power 27dBm, 802.11a/n/ac, Angle H: 35Â°, 1 Gigabit RJ45, 1 Gigabit RJ45 with passive PoE input, TDMA, DFS, TPC, Smart Managed
DS-3WF1000-EI-2N	R 759	Hikvision DS-3WF1000-EI-2N 300Mbps @ 2.4GHz 1km Wireless Bridge kit, Pole mounting installation mode, IP55 ingress protection, 7 dBi antenna gain, 2x 10/100 Mbps RJ45 Ports
DUX450CPE	R 942	DuxNet DUX450CPE AC 5GHz Point to Point / Multi point CPE, 900 Mbps Data rate, 1x 10/100 WAN Port, 1x 10/100 LAN Port, 24V Passive PoE, 14dBi panel antenna., Supports AP / Repeater mode, 4km PtP distance
EAP100 BRIDGE KIT	R 849	TP-Link EAP100 Bridge kit Omada 2.4GHz Outdoor / Indoor CPE, TP-EAP100-BRIDGE-KIT, 3x 10/100 Mbps Ethernet Ports, 2 x 2 dual-polarized directional MIMO antennas, 8.0 dBi 2.4GHz antenna, 70 degrees polarisation, IP65 Weatherproof enclosure, Pole and Wall Mounting, PtP, PtMP, 500 m transmission distance, 2.4GHz Frequency, Up to 300 Mbps @ 2.4GHz, 2 x 2 MIMO, Mesh, Beamforming, Omada App
EAP211 BRIDGE KIT	R 1,549	TP-Link Omada EAP211-Bridge kit 5.0GHz 867 Mbps Wireless Bridge Indoor / Outdoor Access Point, 3x Gigabit Ethernet Ports, Internal 2x2 dual-polarized directional MIMO antennas, IP65 Weatherproof enclosure, 1000m

		coverage, Pole mounting, 5GHz up to 867 Mbps, Mesh, 5G 2x2 MU-MIMO DL
GS-GWN7302	R 1,431	Grandstream GWN7302 Enterprise WiFi 6 PtP/PtMP Wireless Bridge, 2x Gigabit Ethernet ports (1x PoE in / 1x PoE out), IP66, 2 single internal antennas, 13.5dBi gain antenna, Up to 5 kilometers coverage range, 1 to 4 point to multipoint
IGN-G-LINK-INDOOR	R 1,262	IgniteNet Indoor Gigabit Ethernet to Coax Bridge, GL-I-1G-1C-EU
IGN-G-LINK-OUTDOOR	R 1,034	IgniteNet IGN-G-LINK-OUTDOOR Outdoor Gigabit Ethernet to Coax Bridge, Cloud-Managed, Reverse Power-Feed (powered by indoor unit)
IGN-ICC-LA-BT	R 21	IgniteNet Linq Assist Bluetooth Module, Allows user to pair phone with MetroLinq Radio and use Linq Assist App for alignment
IGN-ML-60-10G-360-EU	R 5,750	IgniteNet ML-60-10G-360-EU MetroLinq Triband (60 5 2.4Ghz) Concurrent Enterprise Omni AP BaseStation with internal antenna and 10 Gigabit SPF, 3x 120 degree 17dBi (60 GHz) / 4x 90 degree 9dBi (2.4 GHz) / 4x 90 degree 15dBi (5GHz) Sector Antennas
ISO-514AC	R 2,294	Ubiquiti IsoStation 5AC IS-5AC - 5GHz airMAX CPE Radio, 14dBi gain interchangeable Isolation Antenna horn, 5km range, 45degree Beamwidth (Default Horn), 1x 10/100/1000 Ethernet Port
L11UG-5HAXD-NB	R 2,041	MikroTik NetBox 5 ax 5GHz ax Radio with 2 RP-SMA Female connectors, L11UG-5HaxD-NB, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage, RouterOS License 4, 1 DC inputs, Passive PoE, 2400mbit/s Wireless 5GHz Max Data rate, Wi-Fi 6, 1x Gigabit Ethernet Port, 1x USB Ports
LAP-120	R 1,811	Ubiquiti 5GHz airMAX AC LiteAP 16dBi Sector CPE, LAP-120, MIPS 74K CPU, 64MB Memory, 1x 10/100/1000 Ethernet Port
LAP-516AC	R 1,639	Ubiquiti 5GHz AirMax AC LiteAP 16dBi Sector CPE, LAP-120, MIPS 74K CPU, 64MB Memory, 1x 10/100/1000 Ethernet Port
LBE-523	R 891	Ubiquiti LBE-M5-23-EU AirMax LiteBeam M5 - 5GHz 23dBi Hi Power TDMA Station, including PoE, 100 Mbps Throughput, 1x 10/100 Ethernet Port
LBE-523ACG2	R 1,208	Ubiquiti airMAX AC LiteBeam Gen2 LBE-5AC-Gen2- 5GHz 802.11ac Radio 2x2 MIMO CPE, 23dBi directional antenna Dedicated WiFi radio for management with quick setup via UMobile App, 450 Mbps throuput
LBE-5AC-GEN2-EU	R 1,386	Ubiquiti airMAX AC LiteBeam Gen2 LBE-5AC-GEN2 - 5GHz 802.11ac Radio 2x2 MIMO CPE, 23dBi directional antenna dedicated WiFi Radio for management with quick setup via umobile App, 450 Mbps throuput, 1x 10/100/1000 Ethernet Port, Includes PoE
LBE-M5-23	R 1,091	Ubiquiti LBE-M5-23-eu airMAX LiteBeam M5 - 5GHz 23dBi Hi Power TDMA station, including PoE, 100 Mbps Throughput, 1x 10/100 Ethernet Port
LOCO-5ACL	R 914	Ubiquiti NS-5ACL - NanoStation 5GHz airMAX 5AC CPE, 450 Mbps Throughput, 10 km Range, Management Radio, No PoEaf Support
LOCO-5ACL5	R 4,543	Ubiquiti UISP airMAX Loco AC 5GHz 13dBi Radio - 5 pack, Loco5AC-5, 13dBi antenna gain, 45 degree beam-width, 867 Mbps Data rate, 1x 10/100/1000 Ethernet Ports, airOS Operating System, 24V passive PoE Input
LOCO-M2	R 863	Ubiquiti LOCO-M2 A/M NanoStation Loco M2 - 2.4GHz Mini Outdoor CPE, including PoE, 150 Mbps Throughput, 5 km Range, 1x 10/100 ethernet LAN (1 device included)
LOCO-M2	R 949	Ubiquiti LOCO-M2 A/M NanoStation Loco M2 - 2.4GHz Mini Outdoor CPE, including PoE, 150 Mbps Throughput, 5 km range, 1x 10/100 Ethernet LAN
LOCO5AC	R 983	Ubiquiti UISP airMAX Loco AC 5GHz 13dBi Radio - 1 pack, Loco5AC-5, 13dBi antenna gain, 45 degree beam-width, 867 Mbps Data rate, 1x Gigabit Ethernet Ports, airOS Operating System, 24V Passive PoE Input
LTU-PRO	R 4,134	Ubiquiti LTU-PRO 5GHz PTMP CPE with Integrated 24 dBi high-gain dish, Long range, TX & RX channel Frequency confiiguration, 1024 qam, 1x 10/100/1000 Ethernet Port, 24V passive PoE, 24 dBi gain, 14 degree beamwidth
LW-PTMP-BS-N	R 12,964	Ligowave Carrier 5GHz PTMP 600 Mbps base-station with N-connectors, No antenna, 2x Gigabit Ethernet ports, Powerful 1.2 GHz CPU, 802.11ac radio, Up to 31 dBm output power, Proprietary W-Jet V protocol, P-67 standard rated metal enclosure, PoE inserter and AC/DC adapter are included, Integrated 2.4 GHz radio for management, Max capacity 600 Mbps
LW-PTMP-SU-N	R 3,110	Ligowave Carrier PTMP 500 Mbps subscriber unit with N-Type connectors, No antenna, 720 MHz powerful CPU, 802.11ac radio, Up to 30 dBm output power, Proprietary W-Jet V protocol, P-67 standard rated metal enclosure,

		Distance recommendations:, Max capacity 600 Mbps
MIM-A6	R 29,613	Mimosa A6 5.15-6.425GHz PtMP Access Point with Wi-Fi 6E, 7 Gbps Maximum Throughput, 8 x 8 MU-MIMO, Access Point with GPS, PoE not included, 24 dBi with adaptive beamforming antenna gain
MIM-B24	R 17,202	Mimosa B24 24GHz PtP Radio, 1.5 Gbps aggregate, 4x4:4 MIMO, 24 GHz, 33 dBi gain, GPS Sync, Integrated antenna, Includes PoE injector, 1x Gigabit Ethernet, Supports SFP Interface for Fiber operation, Up to 1.5 Gbps Max Throughput
MIM-B6X	R 11,840	Mimosa B6X - 5.15-6.425 GHz PtP Backhaul Radio, Native 8 dBi gain, 4x4 MU-MIMO, OFDMA 1024qam, N5-X Twist-on RF connector Type, Die-cast aluminum enclosure, Dual SFP , Gigabit Ethernet
MIM-B6X	R 13,794	Mimosa B6X - 5.15-6.425 GHz PtP Backhaul Radio, Native 8 dBi gain, 4x4 MU-MIMO, OFDMA 1024qam, N5-X Twist-on RF connector Type, Die-cast aluminum enclosure, Dual SFP , Gigabit Ethernet
MIM-C5C	R 3,782	Mimosa C5C 4.9 - 6.4GHz PTP/PTMP connectorised radio, 2x2:2 MIMO, Uses any 3rd party dual polarization antenna, 700Mbps, 2x RP-SMA, PoE not included, 1x Gigabit LAN port
MIM-C6	R 8,632	Mimosa MIM-C6 C6 6GHz PtMP Client Radio, 2.5 Gbps capable nlos PtMP Client with 20dBi gain Integrated antenna, 1x Gigabit LAN Port, IP67, PoE not included
MIM-C6X	R 3,972	Mimosa C6x 5.15-6.425GHz PtP/PtMP Modular Radio, PoE not included, PtMP Client, 100 Mbps, Seperate licence for PtMP Client 1.75 Gbps, PtP backhaul
MIM-C6X	R 4,019	Mimosa C6x 5.15-6.425GHz PtP/PtMP Modular Radio, PoE not included, PtMP Client, 100 Mbps, Seperate licence for PtMP Client 1.75 Gbps, PtP backhaul
MIM-C6X-LE	R 2,184	Mimosa C6x Lite Edition Wireless Radio High-Speed PtMP & PtP connectivity, C6X-LE, 1.0 Gbps IP aggregate PtP, 5150-6425 MHz Frequency range, 27 dBm Max Output Power, Passive PoE system Power Method, Mimosa N5-X Twist-on RF Connector Type, Die-cast Aluminum, Ground lug grounding, Dual-pole strap capable mounting, IP67 Outdoor ingress protection rating, 1x Gigabit Ethernet
MIM-C6X-LITE	R 1,977	Mimosa C6x Lite Edition Wireless Radio High-Speed PtMP & PtP connectivity, C6X-LE, 1.0 Gbps IP aggregate PtP, 5150-6425 MHz Frequency range, 27 dBm Max Output Power, Passive PoE system Power Method, Mimosa N5-X Twist-on RF Connector Type, Die-cast Aluminum, Ground lug grounding, Dual-pole strap capable mounting, IP67 Outdoor ingress protection rating, 1x Gigabit Ethernet
MK-L11UG 5HAXD NB	R 1,972	MikroTik NetBox 5 ax 5GHz ax Radio with 2 RP-SMA Female connectors, L11UG-5HaxD-NB, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage, RouterOS License 4, 1 DC inputs, Passive PoE, 2400mbit/s Wireless 5GHz Max Data rate, Wi-Fi 6, 1x Gigabit Ethernet Port, 1x USB Ports
MK-LHG 5AXD XL	R 2,087	MikroTik LHG XL 5 AX 27dBi PtP CPE, LHG-5axD-XL, Long-Range Outdoor CPE with Modern Wi-Fi 6 Performance, RouterOS V7 Operating System, RouterOS License 3, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE PoE in, 1200 Mbit/s Wireless 5GHz Max Data rate, 27dBi antenna gain for 5GHz, 1x Gigabit Ethernet Port
MK-RB911G 2HPND 12S	R 1,777	MikroTik 12dBi 120 degree 2.4GHz Dual Integrated Sector CPE, RB911G-2HPND-12S, 600 MHz CPU, 1x 10/100/1000 Ethernet ports, RouterOs license level L4, Passive PoE, 64 MB RAM, 128 MB storage size, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate, 802.11b/g/n Wireless 2.4 GHz standards
MK-RB912UAG 2HPND OUT	R 1,323	MikroTik RouterBOARD Basebox 2 RouterBOARD 912UAG - 802.11b/g/n 2x2 wireless, 600Mhz Atheros CPU, 64MB RAM, 1x Gigabit LAN, USB, 1x miniPCIe slot, 1x Sim slot, Built-in 2.4Ghz 802.11b/g/n 2x2 wireless, RouterOS L4, 2x SMA connectors for antennas, Antenna not included
MK-RB912UAG 5HPND OUT	R 1,563	MikroTik RouterBOARD Basebox 5 RouterBOARD 912UAG - 802.11a/n 2x2 wireless, 600Mhz Atheros CPU, 64MB RAM, 1x Gigabit LAN, USB, 1x miniPCIe, Built-in 5Ghz 802.11a/n 2x2 wireless, RouterOS L4, 2x RPSMA connectors for antennas, Antenna not included
MK-RB922UAGS 5HPACD NM	R 2,547	MikroTik RouterBOARD NetMetal 5 - 802.11ac 2x2 wireless, 720MHz CPU, 128MB RAM, 1x Gigabit LAN, 1x SFP cage, 1x USB, Built-in 5Ghz 802.11ac 2x2 wireless with two RP-SMA connectors for antennas, Antennas not included, RouterOS L4, 1x miniPCI-express slot, SIM slot for 3G/4G device or additional wireless card, Waterproof metal enclosure IP66
MK-RBLHGG 5ACD XL4	R 7,952	MikroTik LHG XL 5 ac - 5GHz ac 27dBi High Powered Outdoor grid CPE - 4 Pack, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Storage size, Passive PoE, 27dBi Antenna gain for 5 GHz, 802.11ac Wireless 5 GHz standards with 2 chains, RouterOS L3, 1x Gigabit LAN, RBLHGG-5acD-XL

MK-RBLHGG 60AD	R 2,559	MikroTik RBLHGG-60ad - Wireless Wire Dish - up to 1.5Km - Single unit , Router OS L3, Quad-core ARM Cortex A7 716 MHz CPU, 256 MB RAM, 1x 10/100/1000 Ethernet ports, Built-in 60 GHz 802.11ad Wireless, 802.3af/at PoE in, Includes 1x MikroTik Wireless Wire Dish
MK-RBSXTSQ2ND	R 758	MikroTik SXTsq Lite2 - 2.4GHz Outdoor CPE with 10dBi antenna, 650MHz CPU, 64MB RAM, 802.11b/g/n Dual chain Wireless, 1 Fast Ethernet LAN, RouterOS L3, PoE in, 10 dBi antenna gain, RBSXTSQ2ND
MK-RBSXTSQG 5ACD	R 1,188	MikroTik SXTsq 5 ac - 5GHz Outdoor 16dBi CPE, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Flash Storage, RouterOS Level 3, Passive PoE, Wireless 5 GHz 2 chains, 802.11ac, 16 dBi Antenna gain for 5 GHz, 1x Gigabit LAN, RBSXTsqG-5acD
MK-RBWAPG 60AD	R 2,011	MikroTik wAP 60G with phase Array 60 degree 60GHz antenna, 802.11ad Wireless, 1x Gigabit LAN, PoE, RouterOS L3, RBWAPG-60AD, 256 MB RAM, 16 MB storage size, 716 MHz CPU, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports
MK-RBWAPG 60AD A	R 1,572	MikroTik wAP 60G Access Point with phase Array 60 degree 60GHz antenna, 802.11ad Wireless, 1x Gigabit LAN, PoE, RouterOS L4, RBWAPG-60AD-A, 256 MB RAM, 16 MB storage size, 716 MHz CPU, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports, RBWAPG-60AD-A
MK-RBWAPG 60AD KIT	R 3,812	MikroTik wAP 60G with phase Array 60 degree 60GHz antenna - Double pack Kit, 802.11ad Wireless, 1x Gigabit LAN, PoE, RouterOS L3, RBWAPG-60AD, 256 MB RAM, 16 MB storage size, 716 MHz CPU, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports
MK-SXTSQ 5AXD	R 1,185	MikroTik SXTsq 5 AX WiFi 6 16dBi Outdoor Radio CPE, SXTsq-5axD, IPQ-5010 Dual Core CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE, 1200 Mbit/s Wireless 5GHz Max Data rate, 16dB antenna gain for 5GHz, 1x Gigabit Ethernet Port
MLS-CTRL-UC501-EA	R 3,175	Milesight UC501 LoRaWAN Multi-Interface IoT Controller, UC501-868M-EA, External antenna, Solar Powered, 2x 2550 mAh ICR18650 chargeable Batteries, 2x GPIO Ports, 2x Analog Input Ports, 1x SDI-12 Port
MM- C6X LE	R 1,871	Mimosa C6x Lite Edition Wireless Radio High-Speed PtMP & PtP connectivity, C6X-LE, 1.0 Gbps IP aggregate PtP, 5150-6425 MHz Frequency range, 27 dBm Max Output Power, Passive PoE system Power Method, Mimosa N5-X Twist-on RF Connector Type, Die-cast Aluminum, Ground lug grounding, Dual-pole strap capable mounting, IP67 Outdoor ingress protection rating, 1x Gigabit Ethernet
MM-A5C	R 9,562	Mimosa A5C point-to-multipoint Access Point 4.9 - 6.4 GHz, Up to 1.0 Gbps IP Max Throughput, 4x4:4 MIMO, 25W Max Power consumption, Gigabit Ethernet, 4x Female Type N Connector
MM-A6	R 27,042	Mimosa A6 5.15-6.425GHz PtMP Access Point with Wi-Fi 6E, 7 Gbps Maximum Throughput, 8 x 8 MU-MIMO, Access Point with GPS, PoE not included, 24 dBi with adaptive beamforming antenna gain
MM-B6X	R 11,632	Mimosa B6X - 5.15-6.425 GHz PtP Backhaul Radio, Native 8 dBi gain, 4x4 MU-MIMO, OFDMA 1024qam, N5-X Twist-on RF connector Type, Die-cast aluminum enclosure, Dual SFP , Gigabit Ethernet
MM-C6 NLSO	R 7,837	Mimosa MIM-C6 C6 6GHz PtMP Client Radio, 2.5 Gbps capable nlos PtMP Client with 20dBi gain Integrated antenna, 1x Gigabit LAN Port, IP67, PoE not included, Mimosa C6 Non-Line-of-Sight PTMP Client
MM-C6X	R 3,416	Mimosa C6X 5.15-6.425 GHz PtP/PtMP Modular Radio, PoE not included, PtMP Client, 100 Mbps, Seperate licence for PtMP Client 1.75 Gbps, PtP Backhaul
MT-CubeG-5ac60ay	R 2,378	MikroTik Cube 60Pro AC 60GHz antenna CPE, 802.11ay Wireless and 5GHz 802.11ac Backup, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports
MT-CubeG-5ac60ay-SA	R 3,169	MikroTik CubeSA 60Pro AC 60GHz antenna CPE, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports
MT-CubeG-5ac60aypair	R 4,802	MikroTik CubeSA 60Pro AC 60GHz antenna CPE - Pair for 60GHz link, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports, Wireless Wire Cube Pro Pair of preconfigured Cube 60Pro ac devices for 60Ghz link
MT-RB911G-2HPnD-12S	R 1,612	MikroTik 12dBi 120 degree 2.4GHz Dual Integrated Sector CPE, RB911G-2HPND-12S, 600 MHz CPU, 1x 10/100/1000 Ethernet ports, RouterOs license level L4, Passive PoE, 64 MB RAM, 128 MB storage size, 300

		Mbit/s Wireless 2.4 GHz Maximum Data rate, 802.11b/g/n Wireless 2.4 GHz standards
MT-RBATL-5G-R16	R 6,002	MikroTik ATL 5G R16 16dBi wide band Outdoor CPE, ATLGM& RG520F-EU, RouterOS license 3, RouterOS V7 Operating System, 512 MB RAM, 32 MB storage size, 1 (PoE-in) DC inputs, 802.3af/at PoE in, Passive cooling Type, 4x4 MIMO DL, 1x Gigabit Ethernet Port, 1x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x Modem (Micro SIM) SIM slots, 1x M.2 slots, Outdoor 5G device with built-in eSIM support
MT-RBATL-LTE18-KIT	R 4,564	MikroTik ATL LTE18 kit Wideband Outdoor CPE, MT-RBATL-LTE18-KIT, Dual Core CPU, 256MB RAM, 16 MB storage size, RouterOS V7 Operating System, RouterOS License 3, PoE-in DC Input, LTE category 18, 1.2Gbps downlink, 150 Mbps Uplink, 1x Gigabit Ethernet Ports, 1 Modem SIM slots (Micro SIM), 1x M.2 slots
MT-RBL11UG-5HAXD-NB	R 1,850	MikroTik NetBox 5 ax 5GHz ax Radio with 2 RP-SMA Female connectors, L11UG-5HaxD-NB, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage, RouterOS License 4, 1 DC inputs, Passive PoE, 2400mbit/s Wireless 5GHz Max Data rate, Wi-Fi 6, 1x Gigabit Ethernet Port, 1x USB Ports
MT-RBL22UGS-5HAXD2HAXD-15S	R 3,082	MikroTik mANTBOX AX 15s Dual-Band AX Base Station - 120 degree 15dBi WIFI6 Sector Access Point, L22UGS-5HAXD2HAXD-15S, 1x Gigabit Ethernet Port, 1x 1G SFP Ports, 1x USB 2.0 Port Type-A, RouterOS V7 License level 4, Dual-Core IPQ-5010 800 MHz CPU, 256 MB size of RAM, 128 MB storage
MT-RBLHG-5axD	R 1,577	MikroTik LHG AX 5GHz 24.5dBi PtP CPE, LHG-5axD, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, 12-28 V PoE in Input Voltage, 1200 Mbit/s Wireless 5GHz Max Data rate, 24.5 antenna gain dBi for 5GHz, Wi-Fi 6, 1x Gigabit Ethernet Ports
MT-RBLHG-5axD-XL	R 1,896	MikroTik LHG XL 5 AX 27dBi PtP CPE, LHG-5axD-XL, Long-Range Outdoor CPE with Modern Wi-Fi 6 Performance, RouterOS V7 Operating System, RouterOS License 3, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE PoE in, 1200 Mbit/s Wireless 5GHz Max Data rate, 27dBi antenna gain for 5GHz, 1x Gigabit Ethernet Port
MT-RBLHG-5ND-3P	R 3,226	MikroTik RouterBOARD LHG 5 (3 PACK) - 5GHz 802.11a/n wireless with 24dBi intergrated antenna, 600MHz CPU, 64MB RAM, 1x 10/100 Ethernet ports, PoE in, PSU, Passive PoE, RouterOS L3, Dual Chain 802.11an wireless, RBLHG-5nD
MT-RBLHGG-5ACD-XL-4	R 7,429	MikroTik LHG XL 5 ac - 5GHz ac 27dBi High Powered Outdoor grid CPE - 4 Pack, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Storage size, Passive PoE, 27dBi Antenna gain for 5 GHz, 802.11ac Wireless 5 GHz standards with 2 chains, RouterOS L3, 1x Gigabit LAN, RBLHGG-5acD-XL
MT-RBLHGG-60ad	R 4,821	MikroTik RBLHGG-60ad - Wireless Wire Dish Kit - up to 1.5Km, Router OS L3, Quad-core ARM Cortex A7 716 MHz CPU, 256 MB RAM, 1x 10/100/1000 Ethernet ports, Built-in 60 GHz 802.11ad Wireless, 802.3af/at PoE in, Includes 2x MikroTik Wireless Wire Dish Devices / Power Supplies / Gigabit PoE Injectors / Mounting Kits
MT-RBLHGG-LTE18	R 4,453	MikroTik LHGG LTE Cat 18 - LTE Outdoor CPE, RouterOS license L3, RouterOS Operating System, 256 MB RAM, 16 MB storage size, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports, 1x Modem (Micro SIM), 1x M.2 slots
MT-RBLHGG-LTE7	R 2,774	MikroTik LHGG LTE Cat 7 - LTE Outdoor CPE, LHGGR& R11e-LTE7, RouterOS V7 Operating System, 256MB RAM, 16 MB storage size, PoE-in, LTE category 7, DL 300 Mbps, UL 100 Mbps), 1x Gigabit Ethernet Ports, 1x SIM slot (Micro SIM)
MT-RBSXT-2nD-SQ	R 643	MikroTik SXTSQ LITE2 - 2.4GHz outdoor CPE with 10dBi antenna, 650MHz CPU, 64MB RAM, 802.11b/g/n dual chain Wireless, 1 fast Ethernet LAN, RouterOs L3, PoE in, 10 dBi antenna gain, RBSXTSQ2ND
MT-RBSXTG-5acD-SQ	R 1,012	MikroTik RBSXTsqG-5acD SXTsq 5 ac - 5GHz Outdoor 16dBi CPE, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Flash Storage, RouterOS Level 3, Passive PoE, Wireless 5 GHz 2 chains, 802.11ac, 16 dBi Antenna gain for 5 GHz, 1x Gigabit LAN
MT-RBSXTsq-5axD	R 1,102	MikroTik SXTsq 5 AX WiFi 6 16dBi Outdoor Radio CPE, SXTsq-5axD, IPQ-5010 Dual Core CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE, 1200 Mbit/s Wireless 5GHz Max Data rate, 16dB antenna gain for 5GHz, 1x Gigabit Ethernet Port
MT-RBWAP-60G	R 1,993	MikroTik wAP 60 G - 60GHz CPE to be used with wAP 60 Acxess Point, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Storage size, 802.3af/at PoE in, RouterOS L3, 1x Gigabit LAN, Wireless Built-in 60 GHz 802.11ad, Antenna beam width Phase array 60 degree beamforming
MT-RBWAP-LTEV2	R 1,641	MikroTik wAP LTE kit (2024) - Weatherproof LTE CPE with 2.4GHz Wireless, wAPR-2nD& EC200A-EU, 650 MHz CPU, RouterOS License 4, RouterOS V7 Operating System, 64 MB RAM, 16 MB storage size, 3 DC inputs (PoE-in / DC jack / automotive), 300 Mbit/s Wireless 2.4GHz Max Data rate, 1x 10/100 Ethernet Port, 1 Modem (Mini SIM),

		1 Mini PCI-e slots
NBE-213AC	R 1,834	Ubiquiti NBE-2AC-13 NanoBeam 2Ghz AC 13dBi CPE
NBE-516	R 1,294	Ubiquiti NBE-M5-16 AirMax NanoBeam M5 - 5GHz 16dBi Hi Power 2x2 MIMO TDMA Station, including PoE, 150 Mbps Throughput, 10 km Range, 1x 10/100 ethernet port
NBE-519ACG2	R 1,834	Ubiquiti airMAX AC NanoBeam Gen2 NBE-5AC-Gen2 - 5GHz 802.11ac CPE Radio, 19dBi antenna, dedicated WiFi radio for management and quick setup via UMobile App, The NanoBeam AC features enhanced protection against ESD events, 15 km range, 450 Mbps Throughput
NEC-ANT-7G+8G-DP	R 31,708	NEC iPasolink Dish Antenna - Dual Polarised for 7- 8GHz in 2 0 Configuration, 2 ft / 60cm
NEC-ANT-7G+8G-SP	R 5,050	NEC iPasolink Dish Antenna - Single Polarised for 7- 8GHz in 1 0 Configuration, 2 ft / 60cm, HAE2-xW-NECR1A
NEC-BLNKPLT-11G	R 1,155	NEC iPasolink Blanking Plate for 11GHz Dual Polarised Dishes, Required when running a Dual Polarised Dish Antenna in 1 0 configuration
NEC-BLNKPLT-18G	R 1,155	NEC iPasolink Blanking Plate for 18GHz Dual Polarised Dishes, Required when running a Dual Polarised Dish Antenna in 1 0 configuration
NEC-BLNKPLT-23G	R 1,155	NEC iPasolink Blanking Plate for 23GHz Dual Polarised Dishes, Required when running a Dual Polarised Dish Antenna in 1 0 configuration
NEC-BLNKPLT-7G+8G	R 1,155	NEC iPasolink Blanking Plate for 7- 8GHz Dual Polarised Dishes, Required when running a Dual Polarised Dish Antenna in 1 0 configuration
NEC-KIT-BRCKT-6-11	R 2,889	NEC iPasolink MDU Mounting Bracket - For use with 6-11Ghz ODU ' s, NEC bracket for use with NEC Outdoor Radio Units in the range of 6GHz to 11GHz
NEC-KIT-IF-1M	R 1,651	NEC iPasolink MDU to ODU IF Cable 1 meter for 2 0 Configuration only, Requires 1 per MDU, NEC IF Cable required to connect MDU to farthest ODU in both 1 0 and 2 0 configurations
NET-CPE210	R 545	TP-Link CPE210 2.4GHz 300Mbps 9dBi Outdoor CPE
NET-CPE220	R 747	TP-Link CPE220 2.4GHz 300Mbps 12dBi Outdoor CPE
NET-CPE510	R 897	TP-Link CPE510 5GHz 300Mbps 13dBi Outdoor CPE
NET-CPE605	R 897	TP-Link CPE605 5GHz 150 Mbps 23 dBi Outdoor CPE, Qualcomm 560MHz CPU Processor, 64MB DDR2 RAM, 8MB Flash, 23dBi antenna gain, 1x 10/100 Mbps shielded Ethernet Port (Power Data), 1x 10/100 Mbps shielded Ethernet Port (Data), Up to 150 Mbps on 5GHz Wireless Data rates
NET-CPE610	R 1,099	TP-Link CPE610 5GHz 300Mbps 23dBi Outdoor CPE
NET-CPE710	R 1,346	TP-Link CPE710 5GHz AC 867Mbps 23dBi Outdoor CPE. Model: TP-CPE710; Wi-Fi: 802.11ac 5GHz; Speed: up to 867 Mbps; Antenna: 23 dBi directional 2x2 MIMO; Port: 1 x Gigabit Ethernet; Power: Passive PoE 16-27V DC; Protection: IP65, 15kV ESD, 6kV Lightning; Management: Pharos Control; Dimensions: 366 x 280 x 207 mm
NET-EAP100-BRIDGE-KI	R 822	TP-Link EAP100 Bridge kit Omada 2.4GHz Outdoor / Indoor CPE, TP-EAP100-BRIDGE-KIT, 3x 10/100 Mbps Ethernet Ports, 2 x 2 dual-polarized directional MIMO antennas, 8.0 dBi 2.4GHz antenna, 70 degrees polarisation, IP65 Weatherproof enclosure, Pole and Wall Mounting, PtP, PtMP, 500 m transmission distance, 2.4GHz Frequency, Up to 300 Mbps @ 2.4GHz, 2 x 2 MIMO, Mesh, Beamforming, Omada App
NET-EAP211-BRIDGEKIT	R 1,682	TP-Link Omada EAP211-Bridge kit 5.0GHz 867 Mbps Wireless Bridge Indoor / Outdoor Access Point, 3x Gigabit Ethernet Ports, Internal 2x2 dual-polarized directional MIMO antennas, IP65 Weatherproof enclosure, 1000m coverage, Pole mounting, 5GHz up to 867 Mbps, Mesh, 5G 2x2 MU-MIMO DL
NS-5AC	R 2,501	Ubiquiti NS-5AC - NanoStation 5GHz airMAX 5AC CPE, 450 Mbps Throughput, 15 km Range, Management Radio, PoE PSU Included, 802.3af Support, Secondary Ethernet Port with PoE Out
NSM5	R 1,719	Ubiquiti NSM5 AirMax NanoStation M5 - 5GHz Hi Power 2x2 MIMO AirMax TDMA Station, 2x 10/100 ethernet LAN, including PoE, 150 Mbps Throughput, 15 km Range
O1-5G	R 527	Tenda O1-5G 5GHz 9dBi 11ac 867 Mbps Outdoor CPE, Pole / Wall Mount, 867 Mbps Maximum Wireless rate, 1x 10/100 Mbps LAN Port, Dual polarization, 9dBi antennas gain
O3	R 573	Tenda O3 5km Point to Point Outdoor CPE
O8	R 895	Tenda O8 Outdoor CPE, 5ghz 11ac 23dbi 20km Point To Point Supports Ap Functionality Includes Poe Injector Bracket
PBE-218AC	R 2,409	Ubiquiti PBE-2AC-400 - 2.4GHz 18dBi 400mm reflector Dish PowerBeam AC CPE, 330 Mbps Throughput, Management Radio, 20 km Range, 1x Gigabit LAN

PBE-522	R 1,409	Ubiquiti PBE-M5-300 AirMax PowerBeam M5 - 5GHz 22dBi Hi Power 2x2 MIMO TDMA Station, 300mm Dish, including PoE, 150 Mbps Throughput, 20 km Range, 1x 10/100 Ethernet Port
PBE-525	R 1,696	Ubiquiti PBE-M5-400 AirMax PowerBeam M5 - 5GHz 25dBi Hi Power 2x2 MIMO TDMA Station, 400mm Dish, including PoE, 150 Mbps Throughput, 25 km Range, 1x 10/100 Ethernet Port
PBE-525ACG2	R 2,243	Ubiquiti PowerBeam 5 AC Gen2 PBE-5AC-Gen2 - 5GHz High Performance airMAX 802.11ac CPE Bridge, 25dBi Dish antenna, WiFi radio for management with quick setup via UMobile App, Incorporating a dish reflector design with proprietary airMAX ac technology, 25km range, 450 Mbps Throughput
PBE-525ACG2-5	R 10,689	Ubiquiti PowerBeam (5 PACK) 5 AC Gen2 PBE-5AC-Gen2 - 5GHz High Performance airMAX 802.11ac CPE Bridge, 25dBi Dish antenna, WiFi radio for management with quick setup via UMobile App, Incorporating a dish reflector design with proprietary airMAX ac technology, 25km range, 450 Mbps Throughput
PBE-525ACISO	R 2,444	Ubiquiti PowerBeam 5AC Isolator Gen2 5GHz 25 dBi RF Isolated Reflector CPE, 1x 10/100/1000 Gigabit Ethernet Port, 5 GHz Frequency, 450 Mbps Throughput, 25 km range, PBE-5AC-ISO-Gen2
R2-AC-PRISM	R 4,479	Ubiquiti R2-AC Rocket prism 2GHz airMAX AC Basestation, 330 Mbps Throughput, Full-Band 2.4GHz Frequency, 1x 10/100/1000 Ethernet Port
R5AC-LITE	R 2,582	Ubiquiti R5AC-LITE 5GHz airMAX AC rocket Lite PtMP CPE, No antenna, 1x Gigabit Ethernet Port, 2x RP-SMA (Waterproof) antenna connectors, Passive PoE, 27 dBm Output Power, Modes Access Point / station
R5AC-LITE-EU	R 2,582	Ubiquiti R5AC-LITE 5GHz airMAX AC rocket Lite PtMP CPE, No antenna, 1x Gigabit Ethernet Port, 2x RP-SMA (Waterproof) antenna connectors, Passive PoE, 27 dBm Output Power, Modes Access Point / station
R5AC-PRISMG2	R 4,479	Ubiquiti RP-5AC-GEN2 5GHz airMAX AC RocketPRISM Gen2 Radio, Full-Band 5 GHz Frequency, 500 Mbps (Max. 80 MHz) Throughput, 1x 10/100/1000 Ethernet Port, Management Radio, GPS Sync, airPrism Technology
RB-ATL18	R 4,594	MikroTik ALT18 kit LTE18 wide band Outdoor CPE, ATLGM& EG18-EA, RouterOS V7 Operating System, RouterOS license 3, 88F3720 Dual Core CPU, 256 MB RAM, 16 MB storage size, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports, 1 Modem Micro SIM slot, 1x M.2 slots
RB-ATL5G	R 6,089	MikroTik ATL 5G R16 16dBi wide band Outdoor CPE, ATLGM&RG520F-EU, RouterOS license 3, RouterOS V7 Operating System, 512 MB RAM, 32 MB storage size, 1 (PoE-in) DC inputs, 802.3af/at PoE in, Passive cooling Type, 4x4 MIMO DL, 1x Gigabit Ethernet Port, 1x Gigabit Ethernet Ports with Reverse PoE (PoE-in), 1x Modem (Micro SIM) SIM slots, 1x M.2 slots, Outdoor 5G device with built-in eSIM support
RB-BASEBOX5	R 1,438	MikroTik RouterBOARD Basebox 5 RouterBOARD 912UAG - 802.11a/n 2x2 wireless, 600Mhz Atheros CPU, 64MB RAM, 1x Gigabit LAN, USB, 1x miniPCIe, Built-in 5Ghz 802.11a/n 2x2 wireless, RouterOS L4, 2x RPSMA connectors for antennas, Antenna not included
RB-CUBE60P	R 2,473	MikroTik Cube 60Pro AC 60GHz antenna CPE, 802.11ay Wireless and 5GHz 802.11ac Backup, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports, CUBEG-5AC60AY
RB-CUBE60PS	R 3,278	MikroTik CubeSA 60Pro AC 60GHz antenna CPE, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports, CubeG-5ac60ay-SA
RB-GROOVEA52	R 1,294	MikroTik RouterBOARD GrooveA 52 - 802.11abgn wireless with N-male connector for antenna, Antenna not included, High Gain Single Chain 2.4GHz / 5GHz 802.11abgn wireless, 600MHz CPU, 64MB RAM, 1x 10/100 LAN, RouterOS L4
RB-LAMP5G	R 5,974	MikroTik Lamp5G 6.5dBi Outdoor CPE with eSIM, RB-LAMP5G, 5G SA category with Download up to 4.2 Gbps and Upload up to 900 Mbps, Omni-Directional antenna with 6.5dBi gain and 360& #176; beamwidth, IP67 rated enclosure for Outdoor and Marine use, 1x Gigabit Ethernet Port with PoE Input support, Includes eSIM and Micro SIM slot connectivity, RouterOS V7 Operating System with Level 3 License, Supports GPS / Glonass / Galileo / Beidou / QZSS GNSS standards
RB-LHG5-3	R 3,393	MikroTik LHG 5.8GHz 24.5dBi PtP CPE - 3 Pack, RBLHG5KIT, 600 MHz CPU, RouterOS 3 license, 64 MB RAM, 16 MB storage size, Passive PoE, 300 Mbit/s Wireless 5 GHz Maximum Data rate, 802.11a/n Wireless 5 GHz standards, 24.5 antenna gain dBi for 5 GHz, 1x 10/100 Ethernet ports
RB-LHG5AX	R 1,754	MikroTik LHG AX 5GHz 24.5dBi PtP CPE, LHG-5axD, RouterOS V7 Operating System, 256MB RAM, 128 MB

		storage size, 1 (PoE-in) DC inputs, 12-28 V PoE in Input Voltage, 1200 Mbit/s Wireless 5GHz Max Data rate, 24.5 antenna gain dBi for 5GHz, Wi-Fi 6, 1x Gigabit Ethernet Ports
RB-LHG5AX-XL	R 2,128	MikroTik LHG XL 5 AX 27dBi PtP CPE, LHG-5axD-XL, Long-Range Outdoor CPE with Modern Wi-Fi 6 Performance, RouterOS V7 Operating System, RouterOS License 3, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE PoE in, 1200 Mbit/s Wireless 5GHz Max Data rate, 27dBi antenna gain for 5GHz, 1x Gigabit Ethernet Port
RB-LHGHP5XL4	R 6,526	Mikrotik RouterBOARD RBLHG-5HPnD-XL 5GHz Dual Chain PtP 27dBi 6 degree Antenna CPE (4 PACK), 1x 10/100 Ethernet ports, 600 MHz CPU, License level 3, RouterOS, 2 Chains, 802.11a/n wireless
RB-LHGLTE7	R 2,869	MikroTik LHGG LTE Cat 7 - LTE Outdoor CPE, LHGGR& R11e-LTE7, RouterOS V7 Operating System, 256MB RAM, 16 MB storage size, PoE-in, LTE category 7, DL 300 Mbps, UL 100 Mbps), 1x Gigabit Ethernet Ports, 1x SIM slot (Micro SIM)
RB-MANTBOX12	R 1,668	MikroTik 12dBi 120 degree 2.4GHz Dual Integrated Sector CPE, RB911G-2HPND-12S, 600 MHz CPU, 1x 10/100/1000 Ethernet ports, RouterOs license level L4, Passive PoE, 64 MB RAM, 128 MB storage size, 300 Mbit/s Wireless 2.4 GHz Maximum Data rate, 802.11b/g/n Wireless 2.4 GHz standards
RB-MANTBOX15AX	R 2,961	MikroTik mANTBOX AX 15s Dual-Band AX Base Station - 120 degree 15dBi WIFI6 Sector Access Point, L22UGS-5HAXD2HAXD-15S, 1x Gigabit Ethernet Port, 1x 1G SFP Ports, 1x USB 2.0 Port Type-A, RouterOS V7 License level 4, Dual-Core IPQ-5010 800 MHz CPU, 256 MB size of RAM, 128 MB storage
RB-NETBOX5AX	R 1,834	MikroTik NetBox 5 ax 5GHz ax Radio with 2 RP-SMA Female connectors, L11UG-5HaxD-NB, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage, RouterOS License 4, 1 DC inputs, Passive PoE, 2400mbit/s Wireless 5GHz Max Data rate, Wi-Fi 6, 1x Gigabit Ethernet Port, 1x USB Ports
RB-NETMETAL	R 2,409	MikroTik RouterBOARD NetMetal 5 SHP - 802.11ac 2x2 wireless, 720MHz CPU, 128MB RAM, 1x Gigabit LAN, 1x SFP cage, 1x USB, Super high power 1.3W built-in 5Ghz 802.11ac 2x2 dual chain, Two RP-SMA connectors for external antennas, RouterOS L4, Waterproof metal enclosure IP66
RB-SXTSQ2	R 633	MikroTik SXTsq lite 2GHz Outdoor CPE 10dBi
RB-SXTSQ5AX	R 1,052	MikroTik SXTsq 5 AX WiFi 6 16dBi Outdoor Radio CPE, SXTsq-5axD, IPQ-5010 Dual Core CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE, 1200 Mbit/s Wireless 5GHz Max Data rate, 16dB antenna gain for 5GHz, 1x Gigabit Ethernet Port
RB-WAPLTE	R 1,639	Mikrotik RouterBOARD ' s wAP LTE 2GHz Outdoor Wifi Router with LTE Modem, Wireless access point with a built-in cellular modem that supports 2G / 3G / 4G (LTE) connectivity, 802.11b/g/n wireless, RouterOS, License level 4, 1x 10/100 Ethernet port, 1x Sim Slot, 1x MiniPCI-e slots, 650 MHz CPU
RB912UAG-5HPNDO	R 1,438	MikroTik RouterBOARD Basebox 5 RouterBOARD 912UAG - 802.11a/n 2x2 wireless, 600Mhz Atheros CPU, 64MB RAM, 1x Gigabit LAN, USB, 1x miniPCIe, Built-in 5Ghz 802.11a/n 2x2 wireless, RouterOS L4, 2x RPSMA connectors for antennas, Antenna not included, RB912UAG-5HPnD-OUT
RBCUBEG-5AC60AD	R 2,352	MikroTik Cube AC 60GHz outdoor Gigabit CPE, CUBEG-5ac60ad, 716 MHz 4 CPU Core Processor, RouterOS L3, 256 MB RAM, 16 MB storage size, 802.3af/at PoE in, 12-57 V PoE in Input voltage, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1Gbps Wireless 60 GHz Maximum Data rate, 802.11a/n/ac Wireless 5 GHz standards, 11.5dBi antenna gain for 5 GHz, 27dBi antenna gain for 60 GHz, 1x 10/100/1000 Ethernet ports
RBCUBEG-5AC60AY	R 2,473	MikroTik CubeSA 60Pro AC 60GHz antenna CPE - Pair for 60GHz link, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports, Wireless Wire Cube Pro Pair of preconfigured Cube 60Pro ac devices for 60Ghz link, CUBEG-5AC60AYPAIR
RBCUBEG-5AC60AY-SA	R 3,329	MikroTik CubeSA 60Pro AC 60GHz antenna CPE, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports, CubeG-5ac60ay-SA
RBCUBEG-5AC60AYPAIR	R 4,824	MikroTik CubeSA 60Pro AC 60GHz antenna CPE - Pair for 60GHz link, 802.11ay Wireless and 5GHz 802.11ac Backup, Distances up to 800m, RouterOS license 4, 256 MB RAM, 64 MB storage size, 716 MHz 4 Core CPU, 802.3af/at PoE in, 433 Mbit/s Wireless 5 GHz Maximum Data rate, 1x 10/100/1000 Ethernet Ports, Wireless Wire Cube Pro Pair of preconfigured Cube 60Pro ac devices for 60Ghz link, CUBEG-5AC60AYPAIR
RBEC25-EU+SXTSQ	R 1,524	MikroTik SXTsq Embedded LTE4 Outdoor Router, RBEC25-EU SXTSQ, CAT 4 LTE Modem with EMEA bands

		support, 9 dBi Integrated directional dual-polarisation Panel Antenna, 2 x 2 MIMO (LTE) Configuration, 150 Mbps down / 50 Mbps up Cellular Throughput, 1x Gigabit Ethernet Port, Passive or 802.3af/at PoE-in support (12 to 28 V), RouterOS V7 with Level 3 licence included, 1 x Nano SIM slot Plus Built-In eSIM support, IP67-rated Outdoor Weatherproof enclosure
RBEG25-G-SXTSQ	R 1,758	MikroTik Embedded LTE4 Global Outdoor Router, RBEG25-G-SXTSQ, CAT 4 LTE Modem with 150 Mbps down and 50 Mbps up Throughput, Integrated 9 dBi directional dual-polarisation Panel Antenna, 1x Gigabit RJ45 Ethernet Port supporting 1 Gbps Wired connections, Supports eSIM and physical Nano SIM cards for connectivity, RouterOS V7 with Level 3 licence running on Arm Cortex-A7 Processor, Fanless Design
RBL11UG-5HAXD-NB	R 1,869	MikroTik NetBox 5 ax 5GHz ax Radio with 2 RP-SMA Female connectors, L11UG-5HaxD-NB, RouterOS V7 Operating System, 256 MB RAM, 128 MB storage, RouterOS License 4, 1 DC inputs, Passive PoE, 2400mbit/s Wireless 5GHz Max Data rate, Wi-Fi 6, 1x Gigabit Ethernet Port, 1x USB Ports
RBL22UGS-5HAXD2HAXD-15S	R 2,961	MikroTik mANTBOX AX 15s Dual-Band AX Base Station - 120 degree 15dBi WIFI6 Sector Access Point, L22UGS-5HAXD2HAXD-15S, 1x Gigabit Ethernet Port, 1x 1G SFP Ports, 1x USB 2.0 Port Type-A, RouterOS V7 License level 4, Dual-Core IPQ-5010 800 MHz CPU, 256 MB size of RAM, 128 MB storage
RBLHG-5AXD	R 863	MikroTik LHG AX 5GHz 24.5dBi PtP CPE, LHG-5axD, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, 12-28 V PoE in Input Voltage, 1200 Mbit/s Wireless 5GHz Max Data rate, 24.5 antenna gain dBi for 5GHz, Wi-Fi 6, 1x Gigabit Ethernet Ports
RBLHG-5AXD-XL	R 2,013	MikroTik LHG XL 5 AX 27dBi PtP CPE, LHG-5axD-XL, Long-Range Outdoor CPE with Modern Wi-Fi 6 Performance, RouterOS V7 Operating System, RouterOS License 3, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE PoE in, 1200 Mbit/s Wireless 5GHz Max Data rate, 27dBi antenna gain for 5GHz, 1x Gigabit Ethernet Port
RBLHG-5HPND-XL-4	R 6,519	MikroTik LHG XL HP5 - 5GHz XL High Powered Outdoor grid CPE - 4 PACK, 600MHz CPU, 64MB RAM, 802.11a/n dual chain 630mW, 1x FE LAN, RouterOS L3, Passive PoE, PoE in, 27dBi gain, PoE in input Voltage 10-28 V, 802.11a/n Wireless 5 GHz standards, Designed to reach up to 40km in point-to-point setups at full speed
RBLHG-5HPND-XL4PACK	R 6,412	MikroTik LHG XL HP5 - 5GHz XL High Powered Outdoor grid CPE - 4 PACK, 600MHz CPU, 64MB RAM, 802.11a/n dual chain 630mW, 1x FE LAN, RouterOS L3, Passive PoE, PoE in, 27dBi gain, PoE in input Voltage 10-28 V, 802.11a/n Wireless 5 GHz standards, Designed to reach up to 40km in point-to-point setups at full speed
RBLHG-5ND	R 1,300	MikroTik Routerboard LHG 5 - 5GHz 802.11a/n Wireless with 24dBi intergrated antenna, 600MHz CPU, 64MB RAM, 1x LAN, PoE in, RouterOS L3, Perfect for point to point or for use as a CPE
RBLHG-5ND-3	R 3,781	MikroTik RouterBOARD LHG 5 (3 PACK) - 5GHz 802.11a/n wireless with 24dBi intergrated antenna, 600MHz CPU, 64MB RAM, 1x 10/100 Ethernet ports, PoE in, PSU, Passive PoE, RouterOS L3, Dual Chain 802.11an wireless, RBLHG-5nD-3
RBLHG-5ND-3	R 3,364	MikroTik RouterBOARD LHG 5 - 3 Pack - 5GHz 802.11a/n Wireless with 24dBi intergrated antenna, 600MHz CPU, 64MB RAM, 1x 10/100 Ethernet Ports, PoE in, PSU, Passive PoE, RouterOS L3, Dual chain 802.11an Wireless, RBLHG-5nD-3
RBLHG5-3-TNDWAC10	R 4,658	MikroTik LHG 5.8GHz 24.5dBi PtP CPE - 3 Pack, RBLHG5KIT, 600 MHz CPU, RouterOS 3 license, 64 MB RAM, 16 MB storage size, Passive PoE, 300 Mbit/s Wireless 5 GHz Maximum Data rate, 802.11a/n Wireless 5 GHz standards, 24.5 antenna gain dBi for 5 GHz, 1x 10/100 Ethernet ports, Tenda AC10 AC1200 Smart Gigabit Wi-Fi Router - 3 pack, 3x Gigabit LAN Ports, 1x Gigabit WAN port, 4x 5dBi External Dual Band Antennas, IEEE 802.11ac/n/a 5GHz, IEEE 802.11n/g/b 2.4GHz, 5GHz up to 867Mbps, 2.4GHz up to 300Mbps
RBLHG5XL-4-TNDWAC10	R 8,338	MikroTik LHG XL HP5 5GHz XL High Powered Outdoor grid CPE - 4 PACK, 600MHz CPU, 64MB RAM, 802.11a/n dual chain 630mW, 1x FE LAN, RouterOS L3, Passive PoE, PoE in, 27dBi gain, PoE in input Voltage 10-28 V, 802.11a/n Wireless 5 GHz standards, Designed to reach up to 40km in point-to-point setups at full speed, Tenda AC10 AC1200 Smart Gigabit Wi-Fi Router - 4 pack, 3x Gigabit LAN Ports, 1x Gigabit WAN port, 4x 5dBi External Dual Band Antennas, IEEE 802.11ac/n/a 5GHz, IEEE 802.11n/g/b 2.4GHz, 5GHz up to 867Mbps, 2.4GHz up to 300Mbps
RBLHGG-60AD	R 2,616	MikroTik RBLHGG-60ad - Wireless Wire Dish - up to 1.5Km - Single unit , Router OS L3, Quad-core ARM Cortex A7 716 MHz CPU, 256 MB RAM, 1x 10/100/1000 Ethernet ports, Built-in 60 GHz 802.11ad Wireless, 802.3af/at PoE in, Includes 1x MikroTik Wireless Wire Dish

RBLHGG-60ADKIT	R 5,399	MikroTik Wireless Wire 60GHz LHG PtP Dish kit - 2 units, Quad Core CPU 716.8 MHz, RouterOs L3, 256 MB RAM, 802.3af/at PoE in, 1x 10/100/1000 Ethernet ports, RBLHGG-60adkit
RBLHGGR+R11E-LTE7	R 2,931	MikroTik LHGG LTE7 kit Outdoor LTE CAT7 CPE, RBLHGGR R11E-LTE7, LTE category 7 Modem with up to 300 Mbps Download and 100 Mbps Upload speeds, Includes High-Gain 17 dBi directional grid antenna, Single Gigabit Ethernet Port (1x Gigabit RJ45), Supports Passive PoE-in or 12 to 57 V DC Power Input, Runs RouterOS V7 with Level 3 License for routing and Firewall features, Horizontal beamwidth of 25 degrees for precise signal direction, One Micro SIM slot for Cellular connectivity
RBLHGGR-FG621-EA	R 3,099	MikroTik LHG LTE6 17dBi 2 Core outdoor CPE, RBLHGGR& R11E-LTE6, 88F3720 Dual Core 800MHz CPU, 3 RouterOS license, 802.3af/at PoE in, 256MB RAM, 16MB storage size, 1x Gigabit Ethernet port
RBNRAYG-60ADPAIR	R 5,146	MikroTik 60GHz PtP Link solution - 2 pack, NRAYG-60AD, RouterOS L3 License, 256 MB size of RAM, 16 MB storage size, 1x 10/100/1000 Ethernet Ports
RBSXT-SQ5ND	R 845	MikroTik SXTsq Lite5 - 5GHz Outdoor CPE, 600MHz CPU, 64MB RAM, 802.11a/n Dual chain Wireless, 1x FE LAN, RouterOS L3, Passive PoE, PoE in, 16 dBi gain, PoE in Input Voltage 10-30 V, 802.11a/n Wireless 5GHz standards
RBSXTLTE3-7	R 2,298	MikroTik RouterBOARD SXTLTE with 3 (1800MHz) and 7 (2600MHz) LTE FDD band support, 9dBi 60 degree antenna, 400MHz CPU, 64MB RAM, 1x LAN, PoE, RouterOS L3, Built in high quality LTE category 3 Modem, Speeds of up to 100 Mbit/s downlink and 50 Mbit/s Uplink, RBSXTLTE3-7
RBSXTSQ-5AXD	R 1,052	MikroTik SXTsq 5 AX WiFi 6 16dBi Outdoor Radio CPE, SXTsq-5axD, IPQ-5010 Dual Core CPU, RouterOS License 4, RouterOS V7 Operating System, 256MB RAM, 128 MB storage size, 1 (PoE-in) DC inputs, Passive PoE, 1200 Mbit/s Wireless 5GHz Max Data rate, 16dB antenna gain for 5GHz, 1x Gigabit Ethernet Port
RBSXTSQ2ND	R 633	MikroTik SXTsq Lite2 - 2.4GHz Outdoor CPE with 10dBi antenna, 650MHz CPU, 64MB RAM, 802.11b/g/n Dual chain Wireless, 1 Fast Ethernet LAN, RouterOS L3, PoE in, 10 dBi antenna gain, RBSXTSQ2ND
RBSXTSQG-5ACD	R 1,052	MikroTik SXTsq 5 ac - 5GHz Outdoor 16dBi CPE, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Flash Storage, RouterOS Level 3, Passive PoE, Wireless 5 GHz 2 chains, 802.11ac, 16 dBi Antenna gain for 5 GHz, 1x Gigabit LAN, RBSXTsqG-5acD
RBSXTSQG-5ACD	R 1,012	MikroTik SXTsq 5 ac - 5GHz Outdoor 16dBi CPE, 716 MHz Quad Core CPU, 256 MB Ram, 16 MB Flash Storage, RouterOS Level 3, Passive PoE, Wireless 5 GHz 2 chains, 802.11ac, 16 dBi Antenna gain for 5 GHz, 1x Gigabit LAN, RBSXTsqG-5acD
RBWAPG-60AD	R 1,909	MikroTik wAP 60G with phase Array 60 degree 60GHz antenna, 802.11ad Wireless, 1x Gigabit LAN, PoE, RouterOS L3, RBWAPG-60AD, 256 MB RAM, 16 MB storage size, 716 MHz CPU, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports
RBWAPG-60AD-A	R 2,332	MikroTik wAP 60G Access Point with phase Array 60 degree 60GHz antenna, 802.11ad Wireless, 1x Gigabit LAN, PoE, RouterOS L4, RBWAPG-60AD-A, 256 MB RAM, 16 MB storage size, 716 MHz CPU, 802.3af/at PoE in, 1x 10/100/1000 Ethernet Ports
RBWAPR-2ND&R11E-LTE	R 2,494	MikroTik wAP LTE kit, Compact and weatherproof enclosure, LTE category 4 (150 Mbps downlink / 50 Mbps uplink), Wireless 2.4GHz standards 802.11b/g/n, 650 MHz CPU, RouterOS L4, 64 MB RAM, 16 MB storage size, Passive PoE, 1x 10/100 Ethernet ports, 1x Modem (Mini SIM), RBwAPR-2nD&R11e-LTE
RG-AIRMETRO460F	R 914	Reyee RG-AIRMETRO460F 5GHz 23dBi Wireless Bridge, PtP Maximum 15 km working distance, PtMP Easy pairing All in 30 sec, 24V Passive PoE, 220 km/h Wind survivability, 1x 10/100 Mbps Port, 23 dBi gain 867 Mbps @ 5GHz
RG-AIRMETRO460G	R 1,064	Reyee RG-AIRMETRO460G 5GHz 23dBi Wireless Bridge, PtP Maximum 15 km working distance, PtMP Easy pairing All in 30 sec, 24V Passive PoE, 220 km/h Wind survivability, 1x Gigabit Port, 23 dBi gain 867 Mbps @ 5GHz
RG-AIRMETRO550G-B	R 1,604	Reyee RG-AIRMETRO550G-B 5GHz Wireless Base Station Radio CPE, 2x Gigabit Ports, Up to 15 km distance, SMA connectors
RG-EST310	R 1,524	Reyee 5GHz AC 10dBi 60 degrees Pre-Paired CPE kit, RG-EST310 V2, 60 degrees beam-width, 1x 10/100 Ethernet Ports, Reyee Operating System, 24V passive PoE
RG-EST330F-P	R 891	Reyee 3km 13dBi Wireless Bridge, RG-EST330F-P, Long-Range connectivity with PoE out, Wi-Fi 5, 867 Mbps Wireless, 13 dBi antenna gain, 2x2 MIMO, 3x 10/100 Mbps Ethernet Ports

RG-EST330FP	R 914	Reyee 5GHz WiFi 5 Fast Ethernet 13dBi 30 degrees CPE with 2x PoE Output, RG-EST330F-P, 867 Mbps Maximum Wireless Speed, IP55 rating, 3x 10/100 Mbps Ports, 2x2 MIMO, 13 dBi antenna gain, 30 degrees horizontal and Vertical Polarization, 3 km recommended distance
RG-EST350G	R 2,179	Reyee 5GHz WiFi 5 Gigabit 16dBi 30 degrees CPE - 2 piece pre-paired kit, RG-EST350G, 3x Gigabit Ethernet Ports, Maximum Throughput of up to 867 Mbps over ITS 5GHz (2x2 MIMO) Radio, 5km coverage range, 2.4GHz 150 Mbps (Management Radio), Wall or Pole Mount, Reyee Operating System
RG-EST350G	R 2,128	Reyee 5GHz WiFi 5 Gigabit 16dBi 30 degrees CPE - 2 piece pre-paired kit, RG-EST350G, 3x Gigabit Ethernet Ports, Maximum Throughput of up to 867 Mbps over ITS 5GHz (2x2 MIMO) Radio, 5km coverage range, 2.4GHz 150 Mbps (Management Radio), Wall or Pole Mount, Reyee Operating System
RG-EST450G	R 1,259	Reyee 5GHz WiFi 5 Gigabit 15dBi 120 degrees Integrated Sector CPE, RG-EST450G, IP55 rating, 3x Gigabit Ports, 15 dBi antenna gain, 2x2 MIMO, 120 degrees horizontal Polarization, 13 degrees Vertical Polarization
RG-EST450G	R 1,259	Reyee 5GHz WiFi 5 Gigabit 15dBi 120 degrees Integrated Sector CPE, RG-EST450G, IP55 rating, 3x Gigabit Ports, 15 dBi antenna gain, 2x2 MIMO, 120 degrees horizontal Polarization, 13 degrees Vertical Polarization
ROCKETAC-LITE	R 2,358	Ubiquiti R5AC-Lite 5Ghz AirMax AC Rocket Lite PTMP CPE, No antenna, 1x Gigabit Ethernet Port, 2x RP-SMA (Waterproof) antenna connectors, Passive PoE, 27 dBm Output Power, Modes Access Point / Station
RP-5AC-GEN2	R 5,227	Ubiquiti RP-5AC-GEN2 5GHz airMAX AC RocketPRISM Gen2 Radio, Full-Band 5GHz Frequency, 500 Mbps (Maximum 80 MHz) Throughput, 1x Gigabit Ethernet Port, Management Radio, GPS Sync, Airprism Technology
RW-2A500-54-EMB-0	R 9,159	Radwin 2000 Alpha 5GHz ODU - 500 Mbps aggregate, Connectorised (2x N-type), Requires RW-POE-24v or CT-POE-48vg., 500 Mbps Net Aggregate Throughput Maximum capacity, Up to 120 km range, TDD duplex technology, 16 dBi gain Integrated antenna, Dual Linear polarization
RW-2A500-54-EXT	R 11,071	Radwin 2000 Alpha 5GHz ODU PtP - 500 Mbps aggregate connectorized (2x N-Type connectors), RW-2954-62C5, Requires RW-POE-24V or POE-24V-30WPG, 500 Mbps Net Aggregate Throughput, Up to 40 km range, Built-In GPS receiver, 21 dBi gain anntenna, 4.90 to 6.00 Frequency range, Dual Linear Polarization
RW-2A500-54-INT	R 10,179	Radwin 2000 Alpha 5GHz ODU PtP - 500 Mbps aggregate with Integrated antenna, RW-2954-6HC5, Requires RW-POE-24V or POE-24V-30WPG, 500 Mbps Net Aggregate Throughput, Up to 40 km range, Built-In GPS receiver, 21 dBi gain anntenna, 4.90 to 6.00 Frequency range, Dual Linear Polarization
RW-2E2500-58-EXT	R 38,523	Radwin 2000 E 5GHz PtP ODU - Connectorised (2x N-Type connectors), RW-2U50-E2MM, Up to 2.5Gbps @ 160MHz, 1.25Gbps @ 80MHz, 802.11ax, 4.9 - 6.0 GHz Frequency range, Built-In GPS, 2.5Gbps full Duplex RJ45 PoE, Gigabit full Duplex SFP, Up to 120 km range, No Antenna
RW-5D02-UA50-INT	R 3,075	Radwin SU Eco multi-frequency 5.x GHz subscriber unit, RW-5D02-UA50-INT, 200 Mbps Net Aggregate Throughput, Power provided over odu-idu cable, 200km/h Wind resistance operational, IP56 ingress protection, Supports 4.9 to 6GHz, Integrated 22dBi Dish Antenna
RW-5J1500-5458-INT	R 114,224	Radwin 5000 JET Dual carrier Base Station 5.x 5.x GHz 1500 Mbps CPE, 1500 Mbps aggregate, 20dBi 2nd Gen Smart beamforming antenna, Up to 64 SU ' s, GPS, Requires POE-52V-65W, Long range - up to 40 km, Built-in GPS, RW-5PG5-9655
RW-5JA1500-54-INT	R 67,706	Radwin Jet Air Duo 5GHz 1500 Mbps PtMP Base Station, RW-5NG6-U650, Smart beamforming antenna with Embedded GPS, Supports multiple bands (Default 5.4GHz Universal), 4.9GHz - 6GHz Frequency range, Gigabit Ethernet Port, SFP Port, Up to 40 km range, 18 dBi gain beamforming antenna Array 4th Generation, Dual Linear Polarization
RW-5JA750-54-INT	R 37,612	Radwin Jet Air 5GHz 750 Mbps PtMP Base Station, RW-5NG6-U650, Smart beamforming antenna with Embedded GPS, Supports multiple bands (Default 5.4GHz Universal), 4.9GHz - 6GHz Frequency range, Gigabit Ethernet Port, SFP Port, Up to 40 km range, 18 dBi gain beamforming antenna Array 4th Generation, Dual Linear Polarization
RW-5SA500-54-EMB-0	R 4,028	Radwin 5000 CPE-Air 5GHz 500 Mbps - connectorised (2x N-type for external antenna), IP67, 2x2 MIMO, Rw-cbl-su-power, PTMP subscriber unit, 500 Mbps Net Aggregate Throughput Maximum capacity, Up to 40 km range, Best effort service level
RW-5SA500-54-INT-0	R 4,194	Radwin 5000 CPE-Air 5GHz 500 Mbps - Integrated, 22dBi Integrated antenna, IP67, Add RW-CBL-SU-POWER, PTMP subscriber unit, 500 Mbps Net Aggregate Throughput Maximum capacity, Up to 40 km range, TDD duplex technology, Best effort service level only
RW-5SP250-54-EMB-0	R 7,369	Radwin 5000 CPE-PRO 5GHz 250 Mbps - Connnectorised (2 x N-type connectors), Add RW-CBL-SU-POWER,

		PtMP subscriber unit, PtP unit, 250 Mbps Net Aggregate Throughput, Up to 40 km in PtMP mode, Up to 80 km in PtP mode, TDD duplex technology
RW-MS1500-BS-INT	R 35,634	Radwin multi-sector bss Duo 5GHz 1.5Gbps series Base Station Radio with 13 dBi Integrated antenna, Up to 128 hsus, RW-5PG5-9154, 5GHz 256qam up to 1500 Mbps Net Aggregate Throughput
RW-OGSU	R 2,299	RADWIN GSU - Outdoor GPS-based Sync Unit for Inter-Site Synchronization, Supports Serial & Ethernet Interfaces, PoE Device Ordered Separately
SI-ALFOPLUS17-100	R 91,999	SIAE ALFOplus 17Ghz Link 100Mbps CPE, Includes 2x Radios, 2x PoE Injectors, Connectors, Grounding kit and 100Mbps license (No Antennae included)
SK-EH1200FX-1000-DB	R 127,971	Siklu E-Band (80GHz) PtP Link FDD 1Gbps, 2 foot external Dual-Band antenna with 5GHz feed, 1Gbps FDD, RP-SMA (m) connector for any 5.x GHz Radio - require 2 x SK-EH-BLF, SK-EH1200FX-1000-DB
SK-EH2500FX-2000	R 155,757	Siklu E-Band 80GHz PTP link FDD carrier grade radio, 2Gbps Full Duplex Throughput, 2ft 194dB external antenna, 2x copper RJ-45 Gigabit ports, 2x optical SFP ports, Extended range up to 7km
SK-EH2500FX-2000-DB	R 169,168	Siklu E-Band (80GHz) PtP Link FDD 2Gbps with 2 foot external Dual-Band antenna & 5.x GHz feed, RP-SMA (m) connector for any 5.x GHz Radio, Extend MM license included
SK-EH710TX-1000-1FT	R 78,373	Siklu E-Band (70GHz) PtP Link TDD 1Gbps aggregate with 1 foot external antenna, SK-EH710TX-1000-1FT, PoE ODU with antenna Port, 3x 1Gbps Copper, PoE-in & 2x PoE-out, Up to 1.5 km
SK-EH710TX-1000-2FT	R 99,004	Siklu E-Band (70/80GHz) PTP link TDD 1Gbps aggregate, PoE ODU with antenna port, 3x 1Gbps copper; PoE-In & 2x PoE-Out, EH710TX-1000-2FT
SK-EH8010FX-10GB-2FT-DB	R 182,142	Siklu E-Band (80GHz) PtP Link FDD 10Gbps with 2 foot external Dual-Band antenna & 5GHz failover feed, SK-EH8010FX-10GB-2FT, 10Gbps FDD, Includes PoE injector, Up to 16 Km
SK-MH-B100-1800	R 25,778	Siklu V-Band (60GHz) PTMP Base Station Unit 1800Mbps with 90 Degrees Beamforming antenna, IP-65, Includes mounting bracket & PoE injector, Max. 8 Terminals, 2x RJ-45 100/1000 Base-T, 1x SFP (supports 1GbE & 2.5GbE)
SK-MH-T200-1000	R 12,234	Siklu V-Band (60GHz) PTMP Terminal Unit (CPE) with 90 Degrees antenna, 1000Mbps, 1x RJ-45, IP-65, includes mounting bracket & PoE injector
SK-MH-T201-1000	R 9,787	Siklu V-Band (60GHz) PTMP cTU (Terminal Unit / CPE), 90 Degrees beamforming, 1000Mbps, 1 x RJ-45, IP-65, includes mounting bracket & PoE injector
SK-MH-TG-N366-BS	R 51,422	Siklu 360 degree Terragraph Basestation with 4x Built-In 3.8Gbps 90 degree Sector antenna, SK-MH-TG-N366-BS, PtP/PtMP, Mounting kit included, OnBoard GPS, 1x RJ-45 10/5/2.5/1GbE with PoE-in, 1x RJ-45 1GbE with PoE-out (35W), 1x SFP 10GbE, 1 Port 42W PoE-out
TP-CPE210	R 545	TP-Link CPE210 2.4GHz 300 Mbps 9dBi Outdoor CPE, 1x 10/100 Mbps shielded Ethernet Port, 1 grounding Terminal, Built-In 9dBi 2x2 dual-polarized directional antenna, IPX5 Waterproof certification, Up to 300 Mbps Wireless speeds 2.4GHz, Pharos MAXtream TDMA Technology
TP-CPE220	R 747	TP-link CPE220 2.4GHz 300 Mbps 12dBi outdoor CPE, Qualcomm atheros 560MHz CPU, 64MB DDR2 RAM, 8MB Flash, 1x 10/100 Mbps shielded Ethernet Port (Passive PoE in), 1x 10/100 Mbps shielded Ethernet Port (Passive PoE passthrough), 1x grounding Terminal, Built-in 12dBi 2x2 dual-polarized directional antenna, IEEE 802.11b/g/n Wireless standards
TP-CPE510	R 897	TP-link CPE510 5GHz 300 Mbps 13dBi outdoor CPE, 560MHz CPU, 64MB DDR2 RAM, 8MB Flash, 1x 10/100 Mbps shielded Ethernet Port (Passive PoE in), Built-in 13dBi 2x2 dual-polarized directional antenna
TP-CPE605	R 897	TP-Link CPE605 5GHz 150 Mbps 23 dBi Outdoor CPE, Qualcomm 560MHz CPU Processor, 64MB DDR2 RAM, 8MB Flash, 23dBi antenna gain, 1x 10/100 Mbps shielded Ethernet Port (Power Data), 1x 10/100 Mbps shielded Ethernet Port (Data), Up to 150 Mbps on 5GHz Wireless Data rates
TP-CPE610	R 1,099	TP-link CPE610 5GHz N300 23 dBi outdoor CPE, Up to 300 Mbps on 5GHz Wireless Data rates, 23dBi high-gain directional 2x2 MIMO antenna, Dedicated metal reflector, Qualcomm 560MHz CPU MIPS 74kc, 64MB DDR2 RAM, 8MB Flash, 1x 10/100 Mbps shielded Ethernet Port (LAN/PoE)
TP-CPE710	R 1,346	TP-Link CPE710 5GHz AC867 23 dBi outdoor CPE, Qualcomm 750MHz CPU, 128 MB DDR2 RAM, 16 MB Flash, 1x 10/100/1000 Mbps shielded Ethernet Port (LAN/PoE), 23 dBi antenna gain. Model: TP-CPE710; Wi-Fi: 802.11ac 5GHz; Speed: up to 867 Mbps; Antenna: 23 dBi directional 2x2 MIMO; Port: 1 x Gigabit Ethernet; Power: Passive PoE 16-27V DC; Protection: IP65, 15kV ESD, 6kV Lightning; Management: Pharos Control;

		Dimensions: 366 x 280 x 207 mm
TP-EAP100-BRIDGE-KIT	R 822	TP-Link EAP100 Bridge kit Omada 2.4GHz Outdoor / Indoor CPE, TP-EAP100-BRIDGE-KIT, 3x 10/100 Mbps Ethernet Ports, 2 x 2 dual-polarized directional MIMO antennas, 8.0 dBi 2.4GHz antenna, 70 degrees polarisation, IP65 Weatherproof enclosure, Pole and Wall Mounting, PtP, PtMP, 500 m transmission distance, 2.4GHz Frequency, Up to 300 Mbps @ 2.4GHz, 2 x 2 MIMO, Mesh, Beamforming, Omada App
U-AIRWIRE	R 3,904	Ubiquiti UniFi airwire WiFi 7 Client device, U-AIRWIRE, 4 spatial streams, Enabling simultaneous Full-Duplex links, WiFi Uplink, 5.8 Gbps @ 6GHz Data rate, 4.3 Gbps @ 5GHz Data rate, 1x 5 Gigabit Ethernet Port, USB-C Management, 0.96" status Display
UB-AF 5XHD EU	R 7,745	Ubiquiti airFiber 5XHD PTP LTU, True 1Gbps Spectrally Efficient Noise Resilient PTP Technology Specifically Designed for WISP ' s, 2 Million Packets per Second, 4096 QAM Modulation, Proprietary RF Filtering
UB-AF-5XHD	R 7,763	Ubiquiti airFiber 5XHD PTP LTU, True 1Gbps Spectrally Efficient Noise Resilient PTP Technology Specifically Designed for WISP ' s, 2 Million Packets per Second, 4096 QAM Modulation, Proprietary RF Filtering
UB-AM 5G19 120	R 2,579	Ubiquiti airMAX MIMO 5GHz 120 degree Sector Mid-Gain antenna - 16dBi gain, Accessories, SMA(F)RP connector, 5.10 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G16-120
UB-AM-5G16-120	R 1,397	Ubiquiti airMAX MIMO 5GHz 120 degree Sector Mid-Gain antenna - 16dBi gain, Accessories, SMA(F)RP connector, 5.10 - 5.85 GHz Frequency range, Universal Pole Mount / RocketM bracket / weatherproof RF jumpers included, AM-5G16-120
UB-IS-5AC	R 2,294	Ubiquiti IsoStation 5AC IS-5AC - 5GHz airMAX CPE Radio, 14dBi gain interchangeable isolation antenna Horn, 5km range, 45 degree beamwidth (Default Horn), 1x 10/100/1000 Ethernet Port
UB-LAP 120 EU	R 1,708	Ubiquiti 5GHz airMAX AC LiteAP 16dBi Sector CPE, LAP-120, MIPS 74K CPU, 64MB Memory, 1x 10/100/1000 Ethernet Port
UB-LAP-120	R 1,581	Ubiquiti 5GHz airMAX AC LiteAP 16dBi Sector CPE, LAP-120, MIPS 74K CPU, 64MB Memory, 1x 10/100/1000 Ethernet Port
UB-LBE 5AC GEN2	R 1,346	Ubiquiti airMAX AC LiteBeam Gen2 LBE-5AC-GEN2 - 5GHz 802.11ac Radio 2x2 MIMO CPE, 23dBi directional antenna dedicated WiFi Radio for management with quick setup via umobile App, 450 Mbps throuput, 1x 10/100/1000 Ethernet Port, Includes PoE
UB-LBE M5 23	R 1,001	Ubiquiti LBE-M5-23-eu airMAX LiteBeam M5 - 5GHz 23dBi Hi Power TDMA station, including PoE, 100 Mbps Throughput, 1x 10/100 Ethernet Port
UB-LBE-5AC-GEN2	R 1,208	Ubiquiti airMAX AC LiteBeam Gen2 LBE-5AC-GEN2 - 5GHz 802.11ac Radio 2x2 MIMO CPE, 23dBi directional antenna dedicated WiFi Radio for management with quick setup via umobile App, 450 Mbps throuput, 1x 10/100/1000 Ethernet Port, Includes PoE
UB-LBE-M5-23	R 891	Ubiquiti LBE-M5-23-eu airMAX LiteBeam M5 - 5GHz 23dBi Hi Power TDMA station, including PoE, 100 Mbps Throughput, 1x 10/100 Ethernet Port
UB-LOCO5AC	R 1,001	Ubiquiti UISP airMAX Loco AC 5GHz 13dBi Radio - 1 pack, Loco5AC-5, 13dBi antenna gain, 45 degree beam-width, 867 Mbps Data rate, 1x Gigabit Ethernet Ports, airOS Operating System, 24V Passive PoE Input
UB-LOCOM2	R 961	Ubiquiti LOCO-M2 A/M NanoStation Loco M2 - 2.4GHz Mini Outdoor CPE, including PoE, 150 Mbps Throughput, 5 km range, 1x 10/100 Ethernet LAN
UB-LOCOM2	R 863	Ubiquiti LOCO-M2 A/M NanoStation Loco M2 - 2.4GHz Mini Outdoor CPE, including PoE, 150 Mbps Throughput, 5 km range, 1x 10/100 Ethernet LAN
UB-LOCOM5	R 1,259	Ubiquiti NanoStation LocoM5 5GHz 150 Mbps 10 km range 13 dBi CPE, Pole mounting kit included, Power Method - passive Power over Ethernet, 1x 10/100 Ethernet RJ45 Port, 13 dBi gain, Dual Linear Polarization
UB-NBE 2AC 13 U	R 1,888	Ubiquiti NBE-2AC-13 NanoBeam 2.4GHz 2ac 13 dBi CPE, 13 dBi antenna gain, 1x Gigabit LAN, 24V 0.5A Gigabit PoE Adapter (Included), Passive PoE, 2412 - 2472 MHz operating Frequency
UB-NBE-2AC-13	R 1,754	Ubiquiti NBE-2AC-13 NanoBeam 2.4GHz 2ac 13 dBi CPE, 13 dBi antenna gain, 1x Gigabit LAN, 24V 0.5A Gigabit PoE Adapter (Included), Passive PoE, 2412 - 2472 MHz operating Frequency
UB-NBE-5AC-GEN2	R 1,834	Ubiquiti airMAX AC NanoBeam Gen2 NBE-5AC-GEN2 - 5GHz 802.11ac CPE Radio, 19dBi antenna, Dedicated WiFi Radio for management and quick setup via umobile App, The NanoBeam AC features enhanced protection against ESD events, 15 km range, 450 Mbps Throughput

UB-NBE-M5-16	R 1,294	Ubiquiti airMAX NanoBeam M5 - 5GHz 16dBi Hi Power 2x2 MIMO TDMA station, including PoE, 150 Mbps Throughput, 10 km range, 1x 10/100 Ethernet Port, NBE-M5-16
UB-NS-5AC	R 2,409	Ubiquiti NS-5AC NanoStation 5GHz airMAX 5AC CPE, 450 Mbps Throughput, 15 km range, management Radio, PoE PSU included, 802.3af support, Secondary Ethernet Port with PoE out
UB-NS-5ACL	R 914	Ubiquiti NS-5ACL NanoStation 5GHz airMAX 5AC CPE, 450 Mbps Throughput, 10 km range, management Radio, No POE-AF support
UB-NS-5ACL-5	R 4,543	Ubiquiti NS-5ACL NanoStation 5GHz airMAX 5AC CPE - 5 pack, 450 Mbps Throughput, 10 km range, management Radio, No POE-AF support
UB-NSM5	R 1,668	Ubiquiti NSM5 airMAX NanoStation M5 - 5GHz hi Power 2x2 MIMO airMAX TDMA station, 2x 10/100 Ethernet LAN, including PoE, 150 Mbps Throughput, 15 km range
UB-PBE 5AC GEN2	R 2,346	Ubiquiti PowerBeam 5AC Gen2 5GHz high performance airMAX 802.11ac CPE Bridge, 25dBi Dish Antenna, WiFi Radio for management with quick setup via umobile App, Incorporating a Dish reflector design with proprietary airMAX AC technology, 25km range, 450 Mbps Throughput, PBE-5AC-GEN2
UB-PBE M5 300	R 1,507	Ubiquiti airMAX PowerBeam M5 - 5GHz 22dBi hi Power 2x2 MIMO TDMA station, 300mm Dish, including PoE, 150 Mbps Throughput, 20 km range, 1x 10/100 Ethernet Port
UB-PBE-5AC-GEN2	R 2,214	Ubiquiti PowerBeam 5AC Gen2 5GHz high performance airMAX 802.11ac CPE Bridge - 1 pack, 25dBi Dish Antenna, WiFi Radio for management with quick setup via umobile App, Incorporating a Dish reflector design with proprietary airMAX AC technology, 25km range, 450 Mbps Throughput, PBE-5AC-GEN2
UB-PBE-5AC-GEN2-5	R 10,689	Ubiquiti PowerBeam 5AC Gen2 5GHz high performance airMAX 802.11ac CPE Bridge - 5 pack, 25dBi Dish Antenna, WiFi Radio for management with quick setup via umobile App, Incorporating a Dish reflector design with proprietary airMAX AC technology, 25km range, 450 Mbps Throughput, PBE-5AC-GEN2
UB-PBE-M5-300	R 1,374	Ubiquiti airMAX PowerBeam M5 - 5GHz 22dBi hi Power 2x2 MIMO TDMA station, 300mm Dish, including PoE, 150 Mbps Throughput, 20 km range, 1x 10/100 Ethernet Port
UB-PBE-M5-400	R 1,639	Ubiquiti airMAX PowerBeam M5 - 5GHz 25dBi hi Power 2x2 MIMO TDMA station, 400mm Dish, including PoE, 150 Mbps Throughput, 25 km range, 1x 10/100 Ethernet Port, PBE-M5-400
UB-R2AC-PRISM	R 3,853	Ubiquiti R2-AC Rocket prism 2GHz airMAX AC Basestation, 330 Mbps Throughput, Full-Band 2.4GHz Frequency, 1x 10/100/1000 Ethernet Port
UB-R5AC-LITE	R 2,358	Ubiquiti R5AC-LITE 5GHz airMAX AC rocket Lite PtMP CPE, No antenna, 1x Gigabit Ethernet Port, 2x RP-SMA (Waterproof) antenna connectors, Passive PoE, 27 dBm Output Power, Modes Access Point / station
UB-RP 5AC GEN2	R 4,502	Ubiquiti RP-5AC-GEN2 5GHz airMAX AC RocketPRISM Gen2 Radio, Full-Band 5GHz Frequency, 500 Mbps (Maximum 80 MHz) Throughput, 1x Gigabit Ethernet Port, Management Radio, GPS Sync, Airprism Technology
UB-RP-5AC-GEN2	R 4,479	Ubiquiti RP-5AC-GEN2 5GHz airMAX AC RocketPRISM Gen2 Radio, Full-Band 5GHz Frequency, 500 Mbps (Maximum 80 MHz) Throughput, 1x 10/100/1000 Ethernet Port, management Radio, GPS Sync, Airprism technology
UB-UAP-U7-AIRWIRE	R 3,945	Ubiquiti UniFi airwire WiFi 7 Client device, U-AIRWIRE, 4 spatial streams, Enabling simultaneous Full-Duplex links, WiFi Uplink, 5.8 Gbps @ 6GHz Data rate, 4.3 Gbps @ 5GHz Data rate, 1x 5 Gigabit Ethernet Port, USB-C Management, 0.96" status Display
UB-UF-WIFI6	R 2,147	Ubiquiti UF-WIFI6 UFiber WiFi 6 GPON CPE with 4 Ethernet Ports, 2.488 Gbps downstream, 1.244 Gbps upstream, 1x SC/APC, ITU-G.984 GPON WAN Port, 4x GbE RJ45 LAN Ports, WiFi 802.11ax 5 / 2.4 GHz channels
UB-WAVE AP	R 10,919	Ubiquiti UISP 60GHz / 5GHz PtMP Wave Access Point, WAVE-AP, 1x 2.5GbE RJ45 Port, 1x 10G SFP Port (1 / 10), airOS, 5.4 Gbps total Throughput, 15 supported clients, 24 dBi antenna gain
UB-WAVE LR	R 8,182	Ubiquiti UISP 60GHz / 5GHz Long range PtMP CPE, WAVE-LR, 1x GbE RJ45 Port, airOS, PtMP station operating mode, 2 Gbps total Throughput, 8 km Maximum range, 46 dBi antenna gain
UB-WAVE NANO	R 5,997	Ubiquiti UISP 60GHz / 5GHz PtMP CPE, Wave-nano, 1x GbE RJ45 Port, PtMP station operating mode, airOS, 2 Gbps total Throughput, 5 km Maximum range, 41 dBi antenna gain
UB-WAVE PRO	R 13,012	Ubiquiti UISP 60GHz / 5GHz Wave Professional Radio - CPE, WAVE-PRO, 2x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, PtP, PtMP station, Integrated 60 GHz Radio, 5.4 Gbps (2.7 Gbps Duplex) total Throughput, Up to 15 km PtP, Up to 8 km PtMP, 46 dBi antenna gain, Vertically linear polarization
UB-WAVE-AP	R 10,689	Ubiquiti UISP 60GHz / 5GHz PtMP Wave Access Point, WAVE-AP, 1x 2.5GbE RJ45 Port, 1x 10G SFP Port (1 /

		10), airOS, 5.4 Gbps total Throughput, 15 supported clients, 24 dBi antenna gain
UB-WAVE-AP-GEN2	R 12,046	Ubiquiti UISP 60GHz / 5GHz Wave Access Point Gen2 includes PoE injector, Wave-AP-Gen2, 1x 2.5 GbE RJ45 Port, 1x 10G SFP Port, PtMP Access Point operating mode, 5.4 Gbps total Throughput, 31 supported clients count, 20 dBi antenna gain @ 60GHz, Vertically Linear Polarization, WiFi 6, 13 dBi antenna gain @ 5GHz, GPS
UB-WAVE-LR	R 8,044	Ubiquiti UISP 60GHz / 5GHz Long range PtMP CPE, WAVE-LR, 1x GbE RJ45 Port, airOS, PtMP station operating mode, 2 Gbps total Throughput, 8 km Maximum range, 46 dBi antenna gain
UB-WAVE-MLO5	R 7,929	Ubiquiti UISP 5GHz Wifi 7 Wave Multi-Link Operation (MLO), Wave-MLO5, 1x 10 GbE RJ45 Port, 1x 10G SFP Port, 2x RP-SMA RF connectors, 1x GPS RF connectors, PtP operating mode, Bridge mode, 5 Gbps total Throughput, 100 km Maximum range
UB-WAVE-NANO	R 5,859	Ubiquiti UISP 60GHz / 5GHz PtMP CPE, Wave-nano, 1x GbE RJ45 Port, PtMP station operating mode, airOS, 2 Gbps total Throughput, 5 km Maximum range, 41 dBi antenna gain
UB-WAVE-PICO	R 3,824	Ubiquiti UISP - Wave Pico - 60 GHz PtMP station, 1x GbE RJ45 Port, 48V DC 0.5A Gigabit PoE Adapter, 44-54V DC supported Voltage range, PtMP station / PtP operating mode, 2 Gbps (1 Gbps Duplex) total Throughput, 27.7 dBi antenna gain, Vertically linear polarization
UB-WAVE-PRO	R 12,989	Ubiquiti UISP 60GHz / 5GHz Wave Professional Radio - CPE, WAVE-PRO, 2x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, PtP, PtMP station, Integrated 60 GHz Radio, 5.4 Gbps (2.7 Gbps Duplex) total Throughput, Up to 15 km PtP, Up to 8 km PtMP, 46 dBi antenna gain, Vertically linear polarization
UBAF-AF-11FX-U	R 20,156	Ubiquiti AF-11FX-U airFiberX 11GHz, Full-Duplex, Radio only CPE - NO DUPLEXER
UBAF-AF-5XHD	R 7,963	Ubiquiti airFiber 5XHD PTP LTU, True 1Gbps Spectrally Efficient Noise Resilient PTP Technology Specifically Designed for WISP ' s, 2 Million Packets per Second, 4096 QAM Modulation, Proprietary RF Filtering
UBAF-AF11-LB	R 29,425	Ubiquiti AirFiber 11GHz - low-band, Complete kit including Radio / duplexers / antenna (1 Radio only), AF11-COMPLETE-LB
UBAF-AF60-XG	R 21,669	Ubiquiti AF60-XG airFiber Multi-Gigabit 60 GHz Bridge with SFP support & 5 GHz Backup Radio, 1x GbE RJ45 Port, 1x 1/10G SFP Port, 866.6 Mbps @ 5 GHz, 3.8 Gbps / 6 Gbps @ 60 GHz, 4 km Maximum range
UBAF-AF60-XR	R 21,985	Ubiquiti AF60-xr UISP airFiber 60GHz / 5GHz XR Radio, 15 km Link range, 1x GbE RJ45 Port, 1x 10G SFP Port, Integrated GPS, 5 GHz Backup Radio, Passive PoE 4-pairs Power Method, PtP only operating mode, 2.5 Gbps Maximum Throughput, 26 dBi antenna gain
UBAM-BULLET-AC	R 1,724	Ubiquiti Bullet AC Dual Band PtMP Radio WiFi, Gigabit Ethernet Port, N-Type Connector, Throughput 2.4 GHz 160 Mbps, Throughput 5 GHz 300 Mbps, 24V Passive PoE, B-DB-AC
UBAM-LBE-5AC-GEN2	R 1,229	Ubiquiti 5GHz airMAX AC LiteBeam Gen2 Radio 2x2 MIMO CPE, 23dBi directional antenna Dedicated WiFi radio for management with quick setup via UMobile App
UBAM-LBE-5AC-GEN2-5	R 5,877	Ubiquiti airMAX AC LiteBeam Gen2 LBE-5AC-GEN2 - 5GHz 802.11ac Radio 2x2 MIMO CPE (5 PACK), 23dBi directional antenna dedicated WiFi Radio for management with quick setup via umobile App, 450 Mbps throuput, 1x 10/100/1000 Ethernet Port, Includes POE
UBAM-LBE-5AC-LR	R 2,015	Ubiquiti airMAX LiteBeam 5AC Long-Range CPE, LBE-5AC-LR(SA), 23 dBi antenna gain, 1x 10/100/1000 Ethernet, Passive PoE
UBAM-LBE-5AC-XR	R 2,768	Ubiquiti airMAX LiteBeam AC 5 GHz XR CPE with 29 dBi antenna, Outdoor Wireless station, 1x GbE RJ45 Port, Passive PoE 2-pair Power Method, 450 Mbps Maximum Throughput, LBE-5AC-XR, 29 dBi antenna gain
UBAM-NS-5AC	R 2,341	Ubiquiti NS-5AC - NanoStation 5GHz airMAX 5AC CPE, 450 Mbps Throughput, 15 km Range, Management Radio, PoE PSU Included, 802.3af Support, Secondary Ethernet Port with PoE Out
UBAM-NS-5ACL	R 1,009	Ubiquiti NS-5ACL - NanoStation 5GHz airMAX 5AC CPE, 450 Mbps Throughput, 10 km Range, Management Radio, No PoEaf Support
UBAM-PBE-5AC-GEN2-5	R 11,029	Ubiquiti PowerBeam 5AC Gen2 5GHz high performance airMAX 802.11ac CPE Bridge - 5 pack, 25dBi Dish Antenna, WiFi Radio for management with quick setup via umobile App, Incorporating a Dish reflector design with proprietary airMAX AC technology, 25km range, 450 Mbps Throughput, PBE-5AC-GEN2
UBAM-PBE-5AC-ISO-GEN	R 2,592	Ubiquiti PBE-5AC-400-ISO - 5 GHz airMAX ac ISO Bridge with 400mm 25dBi RF Isolated Reflector CPE, 450 Mbps Throughput, 25 km Range, 1x Gigabit LAN, 25dBi gain antenna
UBAM-WAVE-AP	R 10,909	Ubiquiti UISP 60GHz/5GHz PtMP Wave Access Point, WAVE-AP, 1x 2.5GbE RJ45 Port, 1x 10G SFP Port (1/10), airOS, 5.4 Gbps total Throughput, 15 supported clients, 24 dBi antenna gain

UBAM-WAVE-AP-GEN2	R 12,080	Ubiquiti UISP 60GHz / 5GHz Wave Access Point Gen2 includes PoE injector, Wave-AP-Gen2, 1x 2.5 GbE RJ45 Port, 1x 10G SFP Port, PtMP Access Point operating mode, 5.4 Gbps total Throughput, 31 supported clients count, 20 dBi antenna gain @ 60GHz, Vertically Linear Polarization, WiFi 6, 13 dBi antenna gain @ 5GHz, GPS
UBAM-WAVE-LR	R 8,760	Ubiquiti UISP 60GHz/5GHz Long range PtMP CPE, WAVE-LR, 1x GbE RJ45 Port, airOS, PtMP station operating mode, 2 Gbps total Throughput, 8 km Maximum range, 46 dBi antenna gain
UBAM-WAVE-MLO5	R 8,016	Ubiquiti UISP 5GHz WiFi 7 Wave Multi-Link Operation (MLO), Wave-MLO5, 1x 10 GbE RJ45 Port, 1x 10G SFP Port, 2x RP-SMA RF connectors, 1x GPS RF connectors, PtP operating mode, Bridge mode, 5 Gbps total Throughput, 100 km Maximum range
UBAM-WAVE-NANO	R 5,418	Ubiquiti UISP 60GHz/5GHz PtMP CPE, WAVE-NANO, 1x GbE RJ45 Port, PtMP station operating mode, airOS, 2 Gbps total Throughput, 5 km Maximum range, 41 dBi antenna gain
UBAM-WAVE-PICO	R 3,909	Ubiquiti UISP - Wave Pico - 60 GHz PtMP station, 1x GbE RJ45 Port, 48V DC 0.5A Gigabit PoE Adapter, 44-54V DC supported Voltage range, PtMP station / PtP operating mode, 2 Gbps (1 Gbps Duplex) total Throughput, 27.7 dBi antenna gain, Vertically linear polarization
UBAM-WAVE-PRO	R 12,963	Ubiquiti UISP 60GHz / 5GHz Wave Professional Radio - CPE, WAVE-PRO, 2x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, PtP, PtMP station, Integrated 60 GHz Radio, 5.4 Gbps (2.7 Gbps Duplex) total Throughput, Up to 15 km PtP, Up to 8 km PtMP, 46 dBi antenna gain, Vertically linear polarization
UDB-IOT	R 1,029	Ubiquiti UniFi WiFi Device Bridge for IoT, UDB-IOT, WiFi 4 Standard, 2 spatial streams, Wall & DIN Rail mounting locations, Included Mount, USB Type-C Power Method, 4 pin DC (9-30v DC) Power Method, 1x 10/100 Mbit RJ45 Port, 1x internal antenna, 1x RP-SMA Connector for external omni-antenna. The Ubiquiti UniFi UDB-IoT WiFi Device Bridge is a compact and efficient networking solution designed to connect IoT devices to UniFi wireless infrastructure.
UDB-PRO-SEC	R 4,249	Ubiquiti UniFi Device Bridge Pro 5GHz 17dBi 90 degrees Sector CPE, UDB-Pro-Sector, WiFi 5, 2 spatial streams, 5 km coverage area, 2x2 MIMO @ 5GHz, 400 Mbps @ 5GHz Maximum Data rate, 17 dBi antenna gain, 1x GbE RJ45 Port
UF-WIFI6	R 1,984	Ubiquiti UF-WIFI6 UFiber WiFi 6 GPON CPE with 4 Ethernet Ports, 2.488 Gbps downstream, 1.244 Gbps upstream, 1x SC/APC, ITU-G.984 GPON WAN Port, 4x GbE RJ45 LAN Ports, WiFi 802.11ax 5 / 2.4 GHz channels
WAVE-AP	R 10,781	Ubiquiti UISP 60GHz/5GHz PtMP Wave Access Point, WAVE-AP, 1x 2.5GbE RJ45 Port, 1x 10G SFP Port (1/10), airOS, 5.4 Gbps total Throughput, 15 supported clients, 24 dBi antenna gain
WAVE-AP	R 11,213	Ubiquiti UISP 60GHz / 5GHz PtMP Wave Access Point, WAVE-AP, 1x 2.5GbE RJ45 Port, 1x 10G SFP Port (1 / 10), airOS, 5.4 Gbps total Throughput, 15 supported clients, 24 dBi antenna gain
WAVE-AP-EU	R 11,667	Ubiquiti UISP 60GHz / 5GHz PtMP Wave Access Point, WAVE-AP, 1x 2.5GbE RJ45 Port, 1x 10G SFP Port (1 / 10), airOS, 5.4 Gbps total Throughput, 15 supported clients, 24 dBi antenna gain
WAVE-APG2	R 12,644	Ubiquiti UISP 60GHz / 5GHz Wave Access Point Gen2 includes PoE injector, Wave-AP-Gen2, 1x 2.5 GbE RJ45 Port, 1x 10G SFP Port, PtMP Access Point operating mode, 5.4 Gbps total Throughput, 31 supported clients count, 20 dBi antenna gain @ 60GHz, Vertically Linear Polarization, WiFi 6, 13 dBi antenna gain @ 5GHz, GPS
WAVE-LR	R 8,044	Ubiquiti UISP 60GHz/5GHz Long range PtMP CPE, WAVE-LR, 1x GbE RJ45 Port, airOS, PtMP station operating mode, 2 Gbps total Throughput, 8 km Maximum range, 46 dBi antenna gain
WAVE-MLO5	R 8,447	Ubiquiti UISP 5GHz WiFi 7 Wave Multi-Link Operation (MLO), Wave-MLO5, 1x 10 GbE RJ45 Port, 1x 10G SFP Port, 2x RP-SMA RF connectors, 1x GPS RF connectors, PtP operating mode, Bridge mode, 5 Gbps total Throughput, 100 km Maximum range
WAVE-MLO5	R 7,929	Ubiquiti UISP 5GHz WiFi 7 Wave Multi-Link Operation (MLO), Wave-MLO5, 1x 10 GbE RJ45 Port, 1x 10G SFP Port, 2x RP-SMA RF connectors, 1x GPS RF connectors, PtP operating mode, Bridge mode, 5 Gbps total Throughput, 100 km Maximum range
WAVE-NANO	R 5,859	Ubiquiti UISP 60GHz/5GHz PtMP CPE, WAVE-NANO, 1x GbE RJ45 Port, PtMP station operating mode, airOS, 2 Gbps total Throughput, 5 km Maximum range, 41 dBi antenna gain
WAVE-NANO	R 6,726	Ubiquiti UISP 60GHz / 5GHz PtMP CPE, Wave-nano, 1x GbE RJ45 Port, PtMP station operating mode, airOS, 2 Gbps total Throughput, 5 km Maximum range, 41 dBi antenna gain
WAVE-NANO-EU	R 5,802	Ubiquiti UISP 60GHz / 5GHz PtMP CPE, Wave-nano, 1x GbE RJ45 Port, PtMP station operating mode, airOS, 2 Gbps total Throughput, 5 km Maximum range, 41 dBi antenna gain

WAVE-PICO	R 3,824	Ubiquiti UISP - Wave Pico - 60 GHz PtMP station, 1x GbE RJ45 Port, 48V DC 0.5A Gigabit PoE Adapter, 44-54V DC supported Voltage range, PtMP station / PtP operating mode, 2 Gbps (1 Gbps Duplex) total Throughput, 27.7 dBi antenna gain, Vertically linear polarization
WAVE-PICO	R 4,311	Ubiquiti UISP - Wave Pico - 60 GHz PtMP station, 1x GbE RJ45 Port, 48V DC 0.5A Gigabit PoE Adapter, 44-54V DC supported Voltage range, PtMP station / PtP operating mode, 2 Gbps (1 Gbps Duplex) total Throughput, 27.7 dBi antenna gain, Vertically linear polarization
WAVE-PICO-EU	R 4,196	Ubiquiti UISP - Wave Pico - 60 GHz PtMP station, 1x GbE RJ45 Port, 48V DC 0.5A Gigabit PoE Adapter, 44-54V DC supported Voltage range, PtMP station / PtP operating mode, 2 Gbps (1 Gbps Duplex) total Throughput, 27.7 dBi antenna gain, Vertically linear polarization
WAVE-PRO	R 12,989	Ubiquiti UISP 60GHz / 5GHz Wave Professional Radio - CPE, WAVE-PRO, 2x 2.5 GbE RJ45 Ports, 1x 10G SFP Port, PtP, PtMP station, Integrated 60 GHz Radio, 5.4 Gbps (2.7 Gbps Duplex) total Throughput, Up to 15 km PtP, Up to 8 km PtMP, 46 dBi antenna gain, Vertically linear polarization

< Return to the menu

Wireless: For Motherboards

Product code	Price	Description

< Return to the menu

Wireless: Licenses

Product code	Price	Description
CB-CORE-450m-AR	R 4,777	Cambium PMP450m AP Upgrade to All Risks Advance Replacement during Standard Warranty
CB-CORE-450m-AR1	R 8,571	Cambium PMP450m AP All Risks Advance Replacement, 1 Additional year
CB-CORE-450m-AR2	R 10,702	Cambium PMP450m AP All Risks Advance Replacement, 2 Additional years
CB-CORE-450m-AR3	R 10,702	Cambium PMP450m AP All Risks Advance Replacement, 3 Additional years
CB-CORE-450m-AR4	R 12,697	Cambium PMP450m AP All Risks Advance Replacement, 4 Additional years
CB-CORE-LITE-KEY	R 30,470	Cambium PMP 450i Lite AP Upgrade Key, Upgrade to 120 Subscribers, C000045K010A
CB-CORE-MM-KEY	R 43,653	Cambium PMP450m MU-MIMO Enable Key, cnMedusa 14x14 MU-MIMO key, C000045K100A
CB-EPMP-2000-EW1	R 276	Cambium ePMP2000 GPS Sync 1 Year Extended Warranty
CB-EPMP-2000-EW2	R 490	Cambium ePMP2000 GPS Sync 2 Year Extended Warranty
CB-EPMP-2000-EW4	R 766	Cambium ePMP2000 GPS Sync 4 Year Extended Warranty
CB-EPMP-2000-UPLIC	R 3,874	Cambium EPMP-2000-UPLIC ePMP 2000 AP LITE Upgrade Licence, Upgrades AP LITE to the full 120 CPE connections. License key is once off
MT-L4	R 569	MikroTik Level 4 (WISP) License, Type RouterOS Level 4 (WISP) License, Function Software upgrade for RouterBOARD or Computer use, License Type unlimited connections, Requires RouterBOARD SoftID for activation, Compatible with RouterBOARD Hardware running Level 3 License
RG-WALL-1600-Z3200-S-E1Y	R 3,449	Reyee Z3200 5-in-1 Security License (1 Year), Compatible with Reyee RG-WALL-1600-z3200-s Firewall base unit, Subscription duration of 1 Year (12 months Active Service), Delivered as Digital e-license electronic authorization key, Activates Real-Time IPS/IDS vulnerability Signature updates, Includes Active Gateway Anti-Malware Deep Scan library support, Enables layer 7 app-control Application Fingerprint Database, Provides URL Signature library and web category classifications, Supports Advanced anti-spam and local Data inspection filters, Requires Serial number binding via centralized Ruijie Cloud Portal
RG-WALL-1600-Z5100-SLISE1	R 10,344	Reyee Z5100 5-in-1 Security License (1 Year), Compatible exclusively with the Reyee RG-WALL 1600-Z5100-S Firewall base, Provides 12 months of Active Service validity, Enables intrusion prevention system and IDS vulnerability Signature updates, Includes Active Gateway Anti-Malware Deep Scan library support, Features layer 7 app-control Application Fingerprint Database for Application identification, Supports URL Signature library and web category classifications for web filtering, Provides Advanced anti-spam and local Data inspection filters for content filtering, Delivered as a Digital e-license electronic authorization registration key
SI-200MB-LIC	R 2,146	SIAE ALFOplus 200Mbps License, SIAE Software Licence for Capacity upgrade up to 200 Mbps for ALFOplus
SI-300MB-LIC	R 2,906	SIAE ALFOplus 300Mbps License, SIAE Software Licence for Capacity upgrade up to 300 Mbps for ALFOplus

SI-400MB-LIC	R 4,051	SIAE ALFOplus 400Mbps License, SIAE Software Licence for Capacity upgrade up to 400 Mbps for ALFOplus
SI-500MB-LIC	R 6,334	SIAE ALFOplus 500Mbps License, SIAE Software Licence for Capacity upgrade up to 500 Mbps for ALFOplus
SI-PHC-LIC	R 3,913	SIAE Packet Header Compression, License for up to 100% gain in capacity (packet size dependant)
SI-SECURITY-LIC	R 5,701	SIAE Software License for Security Package, Unlocks advance security features on device
SK-8010FX-EW3	R 9,835	Siklu EH8010Fx E-Band 3 year Extended Warranty, 3 year warranty option per radio
SK-EH-POE-PSE	R 2,339	Siklu EH E-Band POE Out Feature License, EH-PoE-PSE
SK-EH8010-UPG-2K-10K	R 34,008	SIKLU Capacity Upgrade from 2000 to 10000 Mbps (10Gps) for EtherHaul 8010FX, One License Per ODU, UG8010-2000-10000
SK-EH8010-UPG-2K-5K	R 11,053	SIKLU Capacity Upgrade from 2000 to 5000 Mbps (5Gps) for EtherHaul 8010FX, One License Per ODU, UPG8010-2000-5000
SK-EH8010-UPG-5K-10K	R 25,223	SIKLU Capacity Upgrade from 5000 to 10000 Mbps (10Gps) for EtherHaul 8010FX, One License Per ODU, UG8010-5000-10000)
ZSI-WARRANTY36	R 6,935	SIAE ALFOplus 36 Month Warranty Extension, Purchase one per radio / Serial number required, LFOPlus Extended Warranty for three additional years (36 months)

< Return to the menu

Wireless: Other hardware

Product code	Price	Description
AC-STUDKIT	R 30	Acconet PCB Stud with Mounting Tape Screw (4 per pack)
BQ16-2PK	R 19,784	Asus BQ16 Quad Band WiFi 7 (802.11be) BE25000 Mesh WiFi System, support new 320MHz bandwidth & 4096-QAM, Multi-link operation (MLO),dual 10G ports, backup WAN, subscription free network security and AiMesh support
CB-CORE-FIG8-CBL	R 233	Cambium Figure 8 Cord for Power Adapter
CB-EPMP-F200-RD	R 248	Cambium ePMP Force 200 Radome, finding the right broadband connectivity solution is vital for all low and high-density types of deployments.
MIM-FLEXIMOUNT	R 224	Mimosa Compact flexible pole and surface mount, Single Mount
MT-CA/433U	R 293	RouterBOARD indoor case for 433/AH/UAH
MT-CA/493	R 289	RouterBOARD indoor case for 493 (Case enclosure only, Connectors and board are not included)
MT-DISH-5G30-PA	R 3,476	MikroTik Dual-Polorized 5GHz 30dBi Dish - Precision Alignment,can be used for any pole mounted wireless device due to the adequate length of the included FlexGuide cable.
MT-RB922-5HPACD-NM	R 2,413	RouterBOARD NM-5 D, 720MHz, 128MB, 1xGb, 1xSFP, 1xUSB, 1xminiPCI-e, 802.11ac 2x2 MIMO, RPsma, L4, POE
MT-RBGROOVEGA-52HPac	R 1,624	RouterBOARD GrooveA 52 ac,Now with 802.11ac support, a Gigabit Ethernet port and a selectable wireless band (2.4GHz or 5GHz, up to 80 MHz wide channel). The new Gigabit port will help you utilise the full benefit of 802.11ac high speed wireless.
MT-RBGV52HPN-A	R 1,373	RouterBOARD GrooveA 52Hn, 2.4/5GHz 802.11a/b/g/n 600MHz CPU, 64MB RAM, 1 LAN, L4, 24V PoE incl., 1 Year
MT-RBLHG-5HPnD-XL-4	R 6,325	MikroTik LHG XL HP5 - 5GHz XL High Powered Outdoor grid CPE - 4 PACK, 600MHz CPU, 64MB RAM, 802.11a/n dual chain 630mW, 1x FE LAN, RouterOS L3, Passive PoE, PoE in, 27dBi gain, PoE in input Voltage 10-28 V, 802.11a/n Wireless 5 GHz standards, Designed to reach up to 40km in point-to-point setups at full speed
MT-RBMETALG-52SHPACN	R 1,888	RouterBOARD Metal 52 AC, 720MHz CPU, 64MB RAM, 1 LAN, 5GHz 802.11ac, L4, 24V PoE
MT-RBQMP	R 106	MikroTik quickMOUNT pro for SXT / OmniTIK / BaseBox
MT-RBQMP-LHG	R 107	RouterBOARD quickMOUNT pro LHG,The quickMOUNT pro gives possibility to turn antenna within 140Â° both in horizontal and vertical plane.
MT-RBRADOME	R 656	MikroTik Radome Cover Kit for mANT 30dBi parabolic antennas, It reduces wind load / Protects reflector surfaces from harsh environment / Protects the antenna feed from falling objects
MT-RBSLEEVE30	R 2,474	MikroTik Sleeve30 Kit for mANT 30 700x700x220mm
MT-RBSXT-5nD-SQ	R 761	MikroTik SXTsq Lite5 - 5GHz Outdoor CPE, 600MHz CPU, 64MB RAM, 802.11a/n dual chain Wireless, 1x FE LAN, RouterOS L3, Passive PoE, PoE in, 16 dBi gain, PoE in input Voltage 10-30 V, 802.11a/n Wireless 5 GHz

		standards
MT-RBWAP-60	R 3,751	MikroTik WAP 60 Kit - Wireless Wire - 60GHz PTP link kit, 716 MHz CPU Quad Core, 256MB Ram, 802.11ad wireless, 1 Gigabit LAN, RouterOS L3, PoE in, Simply point the included devices at one another and power them on and it will make a 1 Gbit full duplex, link to instantly replace your cable - this is why we call it the Wireless Wire
MT-RBWoobm	R 217	MikroTik Woobm-USB Woobm out of band management, Plug it into any RouterBOARD USB port and it will allow you to access the console of that device over wireless, It sets up as a wireless access point and has a simple web interface where you can access a fully featured terminal interface to configure your router
NA-iW6AX200K	R 496	Intel Wi-fi 6 (GiG) AX200 Kit - m.2 2230 (key A/E) - 2.4/5Ghz, WiFi 6 AX200 2400Mbps BT5.0 combo, external antenna
NET-TL-OC200	R 1,794	TP-Link OC200 Omada Cloud Controller
OC200	R 1,645	TP-Link OC200 Omada Cloud Controller
OC200	R 1,848	TP-Link OC200 Omada Cloud Controller
OC200	R 1,702	TP-Link OC200 Omada Cloud Controller
PR313EU3	R 1,314	Teltonika EU 2 pin Power Supply 130W - for TSW1, 4 pin Output connector
PR320EUA	R 2,253	Teltonika EU 2-pin power supply 250W - For TSW2## series networking equipment. 54V DC 4.62A.
PR3PUEU3	R 108	Teltonika EU Power Supply 9W - compatible with --> RUT230 / RUT240 / RUT850 / RUT900 / RUT950 / RUT955, EU Input connector, 4 pin 3 mm Pitch Output connector
PSU-48V	R 565	MikroTik 48V 1A DC power adapter; 48V DC output; 1A current; networking power supply; MikroTik compatible; router and switch power unit; plug and play adapter
PTC1010R BARGAIN SPECIAL	R 129	(On Promotion) Mecer / Sunix PTC1010 1 Port PCMCIA to PCI Card Converter Ideal for 3G users
RF-NB-EPMP	R 173	RF Elements NanoBracket for ePMP
RF-TP-C5C	R 344	RF elements Twistport Adaptor for Mimosa C5c
RF-TP-E2K	R 858	RF elements TwistPort Adaptor for ePMP2000
RF-TP-EPMP	R 643	RF elements TwistPort Adaptor for ePMP1000, This Simper Adaptor converts ePMP1000 connectorized radios to be used with TwistPort compatible antennas
RF-TP-PAF	R 1,195	RF elements TwistPort Adaptor for Rocket 5ac Prism and AirFiber 5X-HD
RF-TP-R5AC	R 697	RF elements TwistPort Adaptor for UBNT Rocket 5ac-Lite, The TwistPort Adaptor for Rocket 5AC-Lite makes the Rocket compatible with all TwistPort Antennas
RF-TP-RB-C	R 706	RF elements TwistPort Adaptor for RouterBOARD - Shielded
RF-TP-RM5	R 516	RF elements TwistPort Adaptor for Ubiquiti Rocket M5, The TwistPort Adaptor for Rocket M5 makes the Rocket compatible with all TwistPort Antennas
RFA-NB12	R 482	Miro RF Armor Shield kit for 12" Ubiquiti NanoBridge / Beam, Including - Collar / Radome / AP Shield
RFA-NB12-5PACK	R 1,149	Miro RF Armor Shield kit for 12" Ubiquiti NanoBridge / Beam (5 Pack), Including - Collar / Radome / AP Shield
RW-LPU	R 2,913	RADWIN Outdoor Lightning Protection Units For 10/100/1000Base-T PoE Surge Protector (Including 0.5m CAT5e Cable / Stainless Steel Pole Mounting Band)
SK-EH-100W-DC-POE	R 3,176	Siklu E-Band - Outdoor Dual Port 100W PoE Injecter for ExtendMM Etherhaul Radios, Used with EH-8010 and EH-2500 Series, DC source, up to 60W per port, AX-IN-100W- DC-2PoE-O/D
SK-SCOPE-KIT	R 19,946	Siklu Optical Alignment Toolkit for 2ft Antenna Assembly, Includes Case 9x40 Scope and Extender Mount
SMCWBR14S-N5	R 193	SMC 150MBPS WIRELESS CABLE/XDSL ROUTER, Multi-functional broadband router.4Port 10/ 100Mbps LAN switch,NAT firewall with SPI. Provides better performance than than existing 802.11b/ g products. Supports WPA & WPA2 wireless standards.
SP922-1000	R 3,089	Micronet WLAN Outdoor Gain Boost 1000MW
TTK-USB-CHARGER	R 256	Teltonika Magnetic USB Charger Accessory for TMT250
UB-AF 11 DUP L	R 3,191	Ubiquiti AF-11FX-DUP-L airFiber 11FX Modular Low-Band Duplexer
UB-NS-MOUNT	R 417	Ubiquiti NanoStation Window/Wallmount Kit and Suction Cup. NanoStation not included.
UB-PAK-620	R 722	Ubiquiti Precision Alignment Kit, 620mm
UBAF-AF-11FX-DUP-L	R 3,693	Ubiquiti airFiber 11FX Modular Low-Band Duplexer
UBAF-AF24	R 43,962	Ubiquiti AirFiber 24GHz, 2 Gbps, GPS Sync, Point to Point Radio, PoE Incl
UBAM-5G20SEC90-RA	R 2,553	Ubiquiti AirMax MiMo 5GHz Sector High-Gain 20dBi, 90 deg with Accessories - SMA(F)RP

UBAM-ISO-BEAM-16	R 143	Ubiquiti AirMax NanoBeam 16 Isolator Shield
UBAM-NBE-5AC-GEN2	R 1,921	Ubiquiti 5GHz airMAX AC NanoBeam Gen2 CPE Radio, 19dBi antenna, dedicated WiFi radio for management and quick setup via UMobile App, The NanoBeam AC features enhanced protection against ESD events
UBAM-PBE-5AC-GEN2	R 2,280	Ubiquiti PowerBeamAC Gen2 5 GHz High Performance airMAX AC CPE Bridge, 25dBi Dish antenna, WiFi radio for management with quick setup via UMobile App, Incorporating a dish reflector design with proprietary airMAX ac technology, 25km range, 450 Mbps Throughput
UBAM-R2-AC	R 3,792	Ubiquiti Rocket 2GHz airMAX AC BaseStation, 330 Mbps Throughput, Full-Band 2.4GHz Frequency, 1x 10/100/1000 Ethernet Port
UBAM-RM5-AC-LITE	R 2,513	Ubiquiti AirMax Rocket M5 AC-Lite 5GHz, 2x2 MIMO AirMax TDMA BaseStation - SMA(F)RP, PoE incl
UBAM-RP-5AC-GEN2	R 4,491	Ubiquiti 5GHz airMAX AC RocketPRISM Gen2 Radio, Full-Band 5 GHz Frequency, 500 Mbps (Max. 80 MHz) Throughput, 1x 10/100/1000 Ethernet Port, Management Radio, GPS Sync, airPrism Technology
V2804AC-A	R 576	V-Sol ONT; XPON dual mode; Wi-Fi 5 AC1200; 4 x GE; USB 3.0; FTTH broadband gateway; Ethernet and wireless
YTC4040GL	R 209	Xiaomi Mi Wireless Switch

< Return to the menu

Wireless: PCI

Product code	Price	Description

< Return to the menu

Wireless: PCIe

Product code	Price	Description
ARCHER T4E	R 349	TP-link Archer T4E AC1200 Wireless Dual Band PCI Express Adapter, 2x Dual Band detachable antennas, 11ac up to 867 Mbps, 11n up to 300 Mbps, 11A up to 54 Mbps, 11n up to 300 Mbps, 11g up to 54 Mbps, 11b up to 11 Mbps
ARCHER TX50E	R 649	TP-Link Archer TX50E AX3000 Wi-Fi 6 Bluetooth 5.0 PCI-e Adapter, Two High-Gain Dual Band antennas, Intel Wi-Fi 6 Chipset, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
ARCHER-T4E	R 378	TP-Link Archer T4E AC1200 Wi-Fi PCI Express Adapter, 867Mbps at 5GHz 300Mbps at 2.4GHz, Beamforming
ARCHER-T4E	R 436	TP-link Archer T4E AC1200 Wireless Dual Band PCI Express Adapter, 2x Dual Band detachable antennas, 11ac up to 867 Mbps, 11n up to 300 Mbps, 11A up to 54 Mbps, 11n up to 300 Mbps, 11g up to 54 Mbps, 11b up to 11 Mbps
ARCHER-TX20E	R 453	TP-Link Archer TX20E AX1800 Dual Band Wi-Fi 6 Bluetooth 5.2 PCI Express Adapter, SPEED: 1201 Mbps at 5 GHz 574 Mbps at 2.4 GHz, SPEC: 2Ã— High Gain External Antennas, FEATURE: MU-MIMO, OFDMA, WPA3, Bluetooth 5.2
ARCHER-TX20E	R 501	TP-Link Archer TX20e AX1800 WiFi 6 Bluetooth 5.2 PCI-e Adapter, Two High-Gain Dual Band antennas, Realtek Wi-Fi 6 Chipset, Low-Profile bracket included
ARCHER-TX3000E	R 824	TP-link Archer TX3000E Wi-Fi 6 & Bluetooth 5.0 PCI-e Adapter, Magnetized antenna base with 1m RF cable, Two 5 dBi high gain antennas, Low-profile bracket, 11ax up to 2402 Mbps, 11ax up to 574 Mbps
ARCHER-TX50E	R 662	TP-Link Archer TX50E AX3000 Wi-Fi 6 Bluetooth 5.0 PCI-e Adapter, Two High-Gain Dual Band antennas, Intel Wi-Fi 6 Chipset, Up to 2402 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
ASUS PCE-BE6500	R 483	ASUS PCE-BE6500 WiFi 7 with 2 external antennas PCI-e x1 Adapter, Supporting 6GHz band, 4096-QAM, Bluetooth 5.4, WPA3 Network Security, PCI-express x1 slot, Up to 688 Mbps WiFi 7 (2.4GHz), Up to 2882 Mbps WiFi 7 (5GHz), Up to 2882 Mbps WiFi 7 (6GHz), External antenna x 2
AX210NGW	R 336	Intel AX210NGW Wi-Fi 6E AX210 M.2 WiFi card module, Wi-Fi 6E Tri-band 2x2 160MHz, Bluetooth 5.2, M.2 2230 and 1216 form factors
AX3000	R 679	Mecer AX3000 802.11ax WiFi 6 Dual Band Wireless LAN & Bluetooth PCIe Card, 2.4GHz / 5.0GHz
CUDY-WE3000S	R 485	Cudy We3000s Ax5400 Wifi6e & Bluetooth Tri-band Pci Express Card With Fixed Dual Antenna. AX5400 Tri-Band WiFi; Bluetooth 5.3; Intel AX210 module; PCIe 1x and USB 9-pin header required; 2x detachable antennas; works on Windows 10/11 64-bit; heatsink design; magnetic base

CUDY-WE4000	R 597	Cudy WE4000 AX5400 WiFi6E & Bluetooth Tri-band Pci Express Card With External Dual Antenna. AX5400 Tri-Band WiFi6E; 2402 Mbps (6 GHz) 2402 Mbps (5 GHz) 574 Mbps (2.4 GHz); Bluetooth 5.3; Intel AX210; 2x Antennas; Heatsink; PCIe x1; Win10/11
CUDY-WE9300	R 672	Cudy We9300 Be9300 Wifi7 & Bluetooth Pci Express Card With Fixed Dual Antenna. The Cudy WE9300 BE9300 is a high-performance PCIe adapter that brings Wi-Fi 7 and Bluetooth 5.4 connectivity to your Intel-based Windows 11 desktop PC. With tri-band Wi-Fi speeds up to 5760 Mbps on the 6 GHz band, it ensures fast and stable connections for demanding applications. The Intel BE200 chipset provides reliable performance, while the detachable high-gain antennas on a magnetic base enhance signal reception. Easy to install and compatible with a wide range of devices, this adapter is an excellent choice for users looking to upgrade their desktop ' s wireless capabilities.
E1000	R 229	Unbranded PCI-e Wireless Card 300mbps
F1	R 409	Netis F1 3000Mbps High Power PCI-e x1 Wireless Adapter, 2.4GHz up to 574 Mbps, 5GHz up to 2400 Mbps, Bluetooth 5.0, 6th Gen WiFi 802.11ax technology
MT-R11E-LR8G	R 1,125	MikroTik LoRa Interface card with Built-In GPS, MT-R11E-LR8G, Mini PCI-e connector, Enhanced 868MHz RX sensitivity
MT-RBCCR2004-1G-2XS-PCIe	R 3,721	MikroTik Cloud Core Router 2004-1G-2XS-PCIe Network Interface card, CCR2004-1G-2XS-PCIE, RouterOS L6, AL52400 CPU, 4GB RAM, 128 MB storage size, 1x 10/100/1000 Ethernet Port, 2x 25G SFP28 Ports
MT-RBR11EL-FG621-EA	R 1,547	MikroTik R11eL-FG621-EA LTE CAT6 Mini PCI-e card, LTE category 6, Up to 300 Mbps
NA-DWAX582	R 994	D-Link DWA-X582 Wireless AC3000 Dual Band PCI-E adapter, 2.4/5Ghz, 802.11AX 3000Mbps (2402 574), 2x 5dbi detachable antennas
NA-GCi22M	R 316	Gigabyte gc-Ci22M - Intel Wave2 CNVi WiFi, PCi-E Half-Mini (m.2/NGFF) - 2.4/5Ghz, 802.11AC 1733Mbps with BT5.0, external antenna
NA-GWBAX210	R 938	Gigabyte gc-WBAX210 Wifi Bluetooth, PCi-E(x1) adapter - 2.4/5Ghz, WiFi 6E AX210 2400Mbps with BT5.2, 2.4/5/6GHz Tri-Band, Aorus high performance 2Tx2R antenna multiple angle tilt and magnetic base for the best signal strength
NA-GWIFI7	R 1,049	Gigabyte GC-WiFi7 WiFi 7 Bluetooth 5.3 PCI-e x1 card, High-Speed Wireless connections of up to 5800 Mbps, Ultra-high gain 2Tx2R antenna
NA-TWN881ND	R 210	TP-Link tl-WN881ND Wireless N PCI-E adapter, 2.4Ghz (802.11b/g/N), 300Mbps, 64/128bit WEP, 2x 2dBi RP-SMA detachable MiMo antennas
NET-ARCHER-T4E	R 379	TP-link Archer T4E AC1200 Wireless Dual Band PCI Express Adapter, 2x Dual Band detachable antennas, 11ac up to 867 Mbps, 11n up to 300 Mbps, 11A up to 54 Mbps, 11n up to 300 Mbps, 11g up to 54 Mbps, 11b up to 11 Mbps
NET-ARCHER-T6E	R 954	TP-Link T6E AC1300 Wireless Dual Band PCI Express Adapter, 867 Mbps at 5GHz, 400 Mbps at 2.4GHz, 2x Dual Band detachable antennas
NET-ARCHER-TX20E	R 443	TP-Link Archer TX20e AX1800 WiFi 6 Bluetooth 5.2 PCI-e Adapter, Two High-Gain Dual Band antennas, Realtek Wi-Fi 6 Chipset, Low-Profile bracket included
NET-ARCHER-TX3000E	R 766	TP-Link Archer TX3000E AX3000 Wi-Fi 6 Bluetooth 5.0 PCIe Adapter
NET-MER-MA30E	R 216	Mercusys MA30E AC1200 Wi-Fi Bluetooth PCI-e x1 Adapter, 867 Mbps on 5GHz, 300 Mbps on 2.4GHz, 2 x fixed High-Performance Omni-Directional antennas
NET-MER-MA80XE	R 378	Mercusys MA80xe AX3000 Wi-Fi 6 Bluetooth 5.2 PCI-e Adapter, 2402 Mbps on 5GHz, 574 Mbps on 2.4GHz, 2x fixed High-Performance Omni-Directional antennas
NET-TL-WN781ND	R 128	TP-Link TL-WN781ND 150Mbps Wireless N PCI Express Adapter
NET-TL-WN881ND	R 201	TP-Link TL-WN881ND 300Mbps Wireless N PCI Express Adapter
PCE-AX1800	R 517	ASUS AX1800 Dual Band PCI-E WiFi 6 (802.11ax). Bluetooth 5.2, WPA3 network security, OFDMA and MU-MIMO
PCE-AXE5400	R 603	ASUS PCE-AXE5400 WiFi 6E PCI-e Adapter with 2 external antennas, Supporting 6GHz band, Bluetooth 5.2, PCI-express x 1 Interface, Up to 2402 Mbps WiFi 6E (802.11ax) (6GHz), Up to 2402 Mbps WiFi 6 (802.11ax) (5GHz), Up to 574 Mbps WiFi 6 (802.11ax) (2.4GHz)
PCE-BE92BT	R 2,216	Asus BE9400 Black Tri-Band Wi-Fi 7 6GHz PCIe Adapter; tri-band 2.4/5/6 GHz; Bluetooth 5.4; PCIe x1; up to 5764 Mbps; secure WPA3

PE10G	R 965	Cudy PE10G Network Adapter 10Gbps PCI-e 3.0 x4, RJ45 Interface with CAT6A support to deliver full 10G Throughput
R11E-LTE	R 1,090	MikroTik R11e-LTE - LTE miniPCI-e card, LTE Category 4 (150Mbps Downlink / 50Mbps Uplink), RouterOS compatible, Supports - 2G / 3G / 4G / LTE
RBR11E-5HACD	R 8,338	MikroTik RouterBOARD R11E-5HACD 802.11a/c 5GHz High Power MiniPCI-e card with 2x MMCX connectors, QCA9882 Chipset, 27dBm Output Power
RBR11E-LR8G	R 1,121	MikroTik LoRa Interface card with Built-In GPS, MT-R11E-LR8G, Mini PCI-e connector, Enhanced 868MHz RX sensitivity
RBR11E-LTE7	R 1,114	MikroTik R11E-LTE7 LTE CAT7 Mini PCI-e Modem, 300 Mbps 4G upgrade, LTE category 7, 2x2 MIMO DL, 1x1 MIMO UL
TL-WN781ND	R 186	TP-Link TL-WN781ND 150 Mbps Wireless N PCI Express Adapter, Detachable Omni Directional (RP-SMA) antenna Type, 2dBi antenna gain
TL-WN881ND	R 253	TP-Link TL-WN881ND 300Mbps Wireless N PCI Express Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, 2 Detachable Antennas
TL-WN881ND	R 259	TP-Link TL-WN881ND 300Mbps Wireless N PCI Express Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, 2 Detachable Antennas
TP-ARCHERTX3000E	R 766	TP-link Archer TX3000E Wi-Fi 6 & Bluetooth 5.0 PCI-e Adapter, Magnetized antenna base with 1m RF cable, Two 5 dBi high gain antennas, Low-profile bracket, 11ax up to 2402 Mbps, 11ax up to 574 Mbps
TXA082	R 207	Microworld M.2 1 Gigabit LAN card for Realtek 8111H, M.2 2242 B-M Form Factor, Gigabit Ethernet Interface RJ45
WE3000S	R 449	Cudy WE3000S AX5400 WiFi 6e PCI-e x1 Adapter, 2x 3dBi removable omnidirectional antennas, Intel AX210 Chipset, Bluetooth 5.2, Tri-Band 2402 Mbps 2402 Mbps 574 Mbps speed
WN881ND	R 207	TP-Link TL-WN881nd 300 Mbps Wireless N PCI Express Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, 2 detachable antennas, 2dBi antenna gain

< Return to the menu

Wireless: PCMCIA for notebooks

Product code	Price	Description
502184	R 89	Intellinet MIMO Wireless Turbo G PC Card-Extend the Wireless range of your notebook computer
NA-DWA645	R 322	D-Link DWA-645 rangebooster N, 2.4Ghz (802.11b/g/draft N) 300Mbps wireless pcmcia - 2 onboard Inverted-F antenna

< Return to the menu

Wireless: Portable Mobile Wi-Fi (MiFi)

Product code	Price	Description
4G185	R 1,236	Tenda 4G185 4G LTE Portable MiFi Router, 2100 mAh battery, 6 hours Working time, MicroSD slot supports up to 32GB, SIM slot, Micro-USB, Internal Two antennas, 802.11 b/g/n wireless
M7000	R 824	TP-Link M7000 150Mbps 4G LTE Mobile Wi-Fi, Qualcomm, LTE-FDD/LTE-TDD/DC-HSPA /HSPA/UMTS, N300 Wi-Fi, internal 4G Modem, 2000mAh rechargeable battery, tpMiFi App
M7000	R 864	TP-Link M7000 4G LTE Mobile Wi-Fi, 1 Micro USB Port for Power Supply, 1 SIM Card slot, Internal 2000 mAh Rechargeable Battery, 150 Mbps DL Data rates, 50 Mbps UL Data rates, Internal antennas, Up to 300 Mbps @ 2.4GHz
M7000	R 830	TP-Link M7000 4G LTE Mobile Wi-Fi, 1 Micro USB Port for Power Supply, 1 SIM Card slot, Internal 2000 mAh Rechargeable Battery, 150 Mbps DL Data rates, 50 Mbps UL Data rates, Internal antennas, Up to 300 Mbps @ 2.4GHz
M7010	R 824	TP-Link M7010 150 Mbps 4G LTE Mobile Wi-Fi with 2000mAh Battery, 1 Micro USB Port, 1 SIM Card slot, Internal antennas, Up to 300 Mbps Wireless speeds
M7010	R 864	TP-Link M7010 150 Mbps 4G LTE Mobile Wi-Fi with 2000mAh Battery, 1 Micro USB Port, 1 SIM Card slot, Internal antennas, Up to 300 Mbps Wireless speeds
M7200	R 1,149	TP-Link M7200 4G LTE Mobile Wi-Fi Router

M7300	R 1,350	TP-Link M7300 150Mbps 4G LTE Mobile Wi-Fi Router, 1x micro USB port for power supply, 1x SIM card slot, 1x Micro SD card slot, Internal 2000mAh Rechargeable Battery
M7350	R 1,106	TP-Link M7350 4G 2550MAH LTE-Advanced WiFi Modem
M7450	R 2,179	TP-Link M7450 300Mbps 4G LTE-Advanced Mobile Wi-Fi, Qualcomm, LTE-FDD/ LTE-TDD/ DC-HSPA / HSPA/ UMTS/ EDGE/ GPRS/ GSM AC1200 selectable Dual Band Wi-Fi, internal 4G Modem, SIM card slot, micro SD card slot, 1.4 inch TFT color screen display, 3000mAH rechargeable battery, tpMiFi App
M7450	R 2,244	TP-Link M7450 300 Mbps 4G LTE-Advanced Mobile Wi-Fi, Qualcomm, LTE-FDD / LTE-TDD / DC-HSPA / HSPA / UMTS / Edge / GPRS / GSM, AC1200 selectable Dual Band Wi-Fi, Internal 4G Modem, SIM Card slot, Micro SD card slot, 1.4 inch TFT Colour screen Display, 3000mAh Rechargeable Battery
M7450	R 2,249	TP-Link M7450 300 Mbps 4G LTE-Advanced Mobile Wi-Fi, Qualcomm, LTE-FDD / LTE-TDD / DC-HSPA / HSPA / UMTS / Edge / GPRS / GSM, AC1200 selectable Dual Band Wi-Fi, Internal 4G Modem, SIM Card slot, Micro SD card slot, 1.4 inch TFT Colour screen Display, 3000mAh Rechargeable Battery
M7450	R 2,237	TP-Link M7450 300 Mbps 4G LTE-Advanced Mobile Wi-Fi, Qualcomm, LTE-FDD / LTE-TDD / DC-HSPA / HSPA / UMTS / Edge / GPRS / GSM, AC1200 selectable Dual Band Wi-Fi, Internal 4G Modem, SIM Card slot, Micro SD card slot, 1.4 inch TFT Colour screen Display, 3000mAh Rechargeable Battery
MW40V	R 574	Alcatel LinkZone MW40V MIFI 4G LTE Router, MicroSD (Up to 32GB), Fdd dl up to 150 Mbps / ul 50 Mbps, 1800 mAh battery, 6 hours working time. Device type: Stand-alone MiFi 4G LTE router.
NE-DiR508L	R 718	D-Link DiR-508L Pocket Cloud Router - 102.9x79.8x22.3mm compact slim size, work as portable router/access point or storage server for mobile device, built-in 4000mAh rechargeable battery SDHC card reader USB for 3G/4G/data sharing, 2.4Ghz, (802.11b/g/N) 300Mbps
NET-M7000	R 807	TP-Link M7000 150Mbps 4G LTE Mobile Wi-Fi, Qualcomm, LTE-FDD/LTE-TDD/DC-HSPA /HSPA/UMTS, N300 Wi-Fi, internal 4G Modem, 2000mAh rechargeable battery, tpMiFi App
NET-M7010	R 807	TP-Link M7010 150 Mbps 4G LTE Mobile Wi-Fi with 2000mAh Battery, 1 Micro USB Port, 1 SIM Card slot, Internal antennas, Up to 300 Mbps Wireless speeds
TP-M7000	R 807	TP-Link M7000 4G LTE Mobile Wi-Fi, 1 Micro USB Port for Power Supply, 1 SIM Card slot, Internal 2000 mAh Rechargeable Battery, 150 Mbps DL Data rates, 50 Mbps UL Data rates, Internal antennas, Up to 300 Mbps @ 2.4GHz
TP-M7350	R 1,049	TP-Link M7350 150 Mbps 4G LTE Mobile Wi-Fi, 1 Micro USB Port for Power Supply, SIM Card slot, Micro SD card slot, Internal 2000 mAh Rechargeable Battery, 150 Mbps DL Data rates, 50 Mbps UL Data rates, Internal antenna, Up to 32GB Micro SD Card Reader

< Return to the menu

Wireless: Printer Servers

Product code	Price	Description
NP330NW	R 919	Microworld NP330NW Wireless Print Server, WiFi & 10/100 Mbps RJ-45 LAN Port, USB 2.0 Host Port (Printer Interface, Arm 9 300MHz Processor, 64MB DDR2 RAM, 128MB NAND Flash, Support for SD card storage up to 256GB, Linux 3.4 Operating System
PRHPJ8026A	R 3,532	HP J8026A Jetdirect 2700w USB Wireless Printer Server; wireless print server; 802.11b/g/n Wi-Fi; USB 2.0; external print server; up to 61m range; USB powered; WPA/WPA2 security; IPv4/IPv6 support; 57 x 130 x 37mm; 0.051kg
PRHPJ8030A	R 752	HP J8030A Jetdirect 3000w NFC/Wireless Accessory (M652 Series)

< Return to the menu

Wireless: Range extenders & repeaters

Product code	Price	Description
A18	R 389	Tenda A18 Boost AC1200 WiFi Extender for whole home
A18 PRO	R 431	Tenda A18 PRO AC1200 Dual-Band Wi-Fi Range Extender, 1x Gigabit RJ45 Interface, 2x 3dBi antenna, 867 Mbps @ 5GHz, 300 Mbps @ 2.4GHz, Wireless modes - Repeater mode / Access Point mode
A33	R 1,033	Tenda A33 Plug Point Range Extender, Wifi 6 Dual Band Ax30000 Wireless Extender With Rj45 Port And Boost

		Technology
A9	R 217	Tenda A9 Wireless N300 Universal Range Extender
CD-RE1200	R 316	Cudy RE1200 Dual Band AC 1200 Mbps Fast Ethernet Range Extender, Up to 867 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, 1x 10/100 Mbps Self-Adaptive LAN Port
CD-RE1200	R 316	Cudy RE1200 Dual Band AC 1200 Mbps Fast Ethernet Range Extender, Up to 867 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, 1x 10/100 Mbps Self-Adaptive LAN Port
CD-RE1200	R 454	Cudy RE1200 Dual Band AC 1200 Mbps Fast Ethernet Range Extender, Up to 867 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz, 1x 10/100 Mbps Self-Adaptive LAN Port
CD-RE3000	R 633	Cudy RE3000 AX3000 WiFi Range Extender - Wall Plug, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps, 1x Gigabit RJ45 Ports, 2x external antennas, 1x internal antennas
CD-RE3000	R 633	Cudy RE3000 AX3000 WiFi Range Extender - Wall Plug, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps, 1x Gigabit RJ45 Ports, 2x external antennas, 1x internal antennas
CD-RE3000	R 771	Cudy RE3000 AX3000 WiFi Range Extender - Wall Plug, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps, 1x Gigabit RJ45 Ports, 2x external antennas, 1x internal antennas
CD-RE3600	R 1,064	Cudy RE3600 Dual Band WiFi 7 3600 Mbps Gigabit Range Extender, 2GHz Quad-Core CPU, 128 MB ROM, 512 MB RAM, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 150m Max range Performance, 1 Gigabit RJ45 Ports, Operation modes - Access Point / Range Extender
CD-RE3600	R 1,064	Cudy RE3600 Dual Band WiFi 7 3600 Mbps Gigabit Range Extender, 2GHz Quad-Core CPU, 128 MB ROM, 512 MB RAM, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 150m Max range Performance, 1 Gigabit RJ45 Ports, Operation modes - Access Point / Range Extender
CD-RE3600	R 1,202	Cudy RE3600 Dual Band WiFi 7 3600 Mbps Gigabit Range Extender, 2GHz Quad-Core CPU, 128 MB ROM, 512 MB RAM, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 150m Max range Performance, 1 Gigabit RJ45 Ports, Operation modes - Access Point / Range Extender
CUDY-RE1200	R 351	Cudy RE1200 AC1200 Ethernet WiFi5 Range Extender With Mesh. AC1200 WiFi 5; 867 Mbps 300 Mbps; 1x Fast Ethernet; dual-band mesh; 2x internal fixed antennas; plug-in extender; WPS setup
CUDY-RE1800	R 702	Cudy RE1800 AX1800 Gigabit Wifi6 Range Extender With Mesh. AX1800 dual-band WiFi 6; 1201 Mbps 574 Mbps; up to 40 devices; 1x Gigabit port; mesh-ready; plug-and-play; 129.6x80x48.6 mm; 292 g
CUDY-RE3000	R 629	Cudy RE3000 Ax3000 Gigabit Wifi6 Range Extender With Mesh. The Cudy RE3000 AX3000 Gigabit WiFi6 Range Extender is a powerful device that enhances your existing WiFi network by extending coverage and improving performance. With WiFi 6 technology, it offers faster speeds and increased capacity, ensuring a seamless internet experience across multiple devices. The dual-band support and Gigabit Ethernet port provide flexibility in connectivity options, while the MU-MIMO and OFDMA technologies enable efficient data transmission. The beamforming technology directs the WiFi signal towards connected devices, enhancing signal strength and coverage. The easy setup process and compact design make it a convenient solution for improving your home or office network.
DS-3WRE12C	R 334	Hikvision DS-3WRE12C Wireless Extender, AC1200M Dual-band WiFi5 wireless extender, 5GHz: 867Mbps 2.4GHz 300Mbps, 1 x 100 Mbps LAN port, 2 x 5-dBi antennas
DVB4348GL	R 552	Xiaomi AC1200 2nd Gen WiFi Range Extender
DVB4352GL	R 327	Xiaomi Wi-Fi Range Extender Pro
DVB4514GL	R 820	Xiaomi Wi-Fi Range Extender AX1500, DVB4514GL, 2 High-Gain antennas, 1x Gigabit LAN Port, 2.4GHz Wi-Fi up to 300 Mbps, 5GHz Wi-Fi up to 1201 Mbps
LV-AC09Q	R 362	Microworld AC09Q AC3800M Dual Band 5GHz extender, 4 external antennas, Supports - Repeater / Client / Access Point mode, Up to 3800 Mbps Wireless AC Speed
LV-U7AC	R 259	Microworld LV-U7AC 1200Mbps WiFi extender Dual Band, Supports - WiFi Repeater / WiFi Router / Wireless Access Point, 5GHz / 2.4GHz Frequency band, 1 x LAN, 1 x WAN, 4 x external antennas
LV-WR59Q	R 286	Microworld WR59Q 1200Mbps WiFi extender, 2.4GHz Frequency, Wireless modes - Repeater mode / AP mode / Router mode / WISP mode
ME10	R 170	Mercusys ME10 N300 Wi-Fi Range Extender, SPEED: 300 Mbps at 2.4 GHz, SPEC: MERCUSYS APP, 2 x Internal Antennas, 1 x 10/100Mbps Port, Wall Plugged, FEATURE: WPS/Reset Button, Signal Indicator, Range

		Extender/Access Point mode, Access Control, Power Schedule
ME10	R 229	Mercusys ME10 N300 Wi-Fi Range Extender, SPEED: 300 Mbps at 2.4 GHz, SPEC: MERCUSYS APP, 2 x Internal Antennas, 1 x 10/100Mbps Port, Wall Plugged, FEATURE: WPS/Reset Button, Signal Indicator, Range Extender/Access Point mode, Access Control, Power Schedule
ME20	R 319	Mercusys ME20 AC750 WiFi Range Extender, 433 Mbps on 5GHz, 300 Mbps on 2.4GHz, 1x 10/100 Mbps RJ45 Port
ME30	R 319	Mercusys ME30 AC1200 Wi-Fi Range Extender, SPEED: 300 Mbps at 2.4 GHz 867 Mbps at 5 GHz, SPEC: 2x Fixed External Antennas, Wall Plugged, FEATURE: MERCUSYS APP, WPS/Reset Button, Signal Indicator, Range Extender/Access Point mode, Adaptive Path Selection
ME50G	R 449	Mercusys ME50G AC1900 Wi-Fi Range Extender
ME50G	R 405	Mercusys ME50G AC1900 Wi-Fi Range Extender, SPEED: 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, SPEC: 4x Fixed External Antennas, 1x Gigabit Port, Wall Plugged, FEATURE: MERCUSYS APP, WPS/Reset Button, Signal Indicator, Range Extender/Access Point mode, Adaptive Pa
ME50G	R 483	Mercusys ME50G AC1900 WiFi Range Extender, 600 Mbps at 2.4GHz, 1300 Mbps at 5GHz, 1 Gigabit Ethernet Port, 4x external antennas
ME60X	R 449	Mercusys ME60X AX1500 Wi-Fi 6 Range Extender - Dual Band Speeds Up to 1500Mbps, 1201Mbps on 5GHz and 300Mbps on 2.4GHz, Armed with WiFi 6, Gigabit Wired Connection, Works with Any Routers, 1 Gigabit Ethernet Port, 2 x External Antennas, 10W Power Consumption, Retail Box, 6 Months Warranty.
ME60X	R 468	Mercusys ME60X AX1500 Wi-Fi 6 Range Extender; 1201 Mbps 5 GHz; 300 Mbps 2.4 GHz; 1 x Gigabit Ethernet port; 2 x external antennas; EasyMesh; RE/AP modes; WPA/WPA2/WPA3-PSK; 84.7 x 39 x 112 mm; 10 W power consumption
ME80X	R 597	Mercusys ME80X AX3000 Wi-Fi 6 Range Extender, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 1x Gigabit Ethernet Port, 2x external antennas
ME80X	R 678	Mercusys ME80X AX3000 Wi-Fi 6 Range Extender; 2402 Mbps 5 GHz; 574 Mbps 2.4 GHz; 1 x Gigabit Ethernet; 2 x external antennas; EasyMesh; Access Point mode; WPS setup; Beamforming; WPA3-PSK; 100.3 x 31 x 132 mm; 13 W
MRC-ME30	R 261	Mercusys ME30 AC1200 Wi-Fi Range Extender, 867 Mbps on 5GHz, 300 Mbps on 2.4GHz, 1x 10/100 Mbps RJ45 Port, 2x external antennas
MRC-ME60X	R 411	Mercusys AX1500 Wi-Fi 6 Range Extender, ME60X, 2.4GHz and 5GHz Frequency, 300 Mbps at 2.4GHz WiFi Speed, 1201 Mbps at 5GHz WiFi Speed, 1 Gigabit Ethernet Port, 2 x external antennas, 10W Power
MRC-ME80X	R 672	Mercusys ME80X AX3000 Wi-Fi 6 Range Extender, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 1x Gigabit Ethernet Port, 2x external antennas
MW300RE	R 244	Mercusys MW300RE WiFi 4 Range Extender, 2.4GHz Frequency, Up to 300 Mbps, 2 external antennas
NE-DAP1325	R 511	D-link DAP-1325 - Wireless-N300 range Extender, 2.4Ghz, (802.11b/g/N) 300Mbps, direct power-plug design, with 1x 10/100 lan, push button WPS, 64/128bit WEP, WPA2 - 2x external foldable antenna
NE-DAPX1860	R 1,295	D-Link DAP-X1860 AX1800 Dual Band WiFi6 Range Extender, direct power-plug design, LED Signal Indicator - 2.4/5Ghz dual band (802.11b/g/n/ac), 1800Mbps (1200 600), with 1x gigabit LAN, push button WPS, 64/128bit WEP, WPA2 - 2x MiMo external antenna
NE-TWA855RE	R 313	TP-Link tl-WA855RE - wireless-N300 range extender (2in1 also work as access point), direct power-plug design, 2.4Ghz, (802.11b/g/N) 300Mbps, with 1x 10/100 lan, push button WPS, 64/128/152bit WEP, WPA2 - 2x external foldable antenna
NET-MER-ME10	R 171	Mercusys ME10 300 Mbps Wi-Fi Range Extender
NET-MER-ME20	R 261	Mercusys ME20 AC750 WiFi Range Extender, 433 Mbps on 5GHz, 300 Mbps on 2.4GHz, 1x 10/100 Mbps RJ45 Port
NET-MER-ME30	R 261	Mercusys ME30 AC1200 Dual Band Wi-Fi 6 Range Extender
NET-MER-ME50G	R 426	Mercusys ME50G AC1900 WiFi Range Extender, 600 Mbps at 2.4GHz, 1300 Mbps at 5GHz, 1 Gigabit Ethernet Port, 4x external antennas
NET-MER-ME60X	R 411	Mercusys AX1500 Wi-Fi 6 Range Extender, ME60X, 2.4GHz and 5GHz Frequency, 300 Mbps at 2.4GHz WiFi Speed, 1201 Mbps at 5GHz WiFi Speed, 1x Gigabit Ethernet Port, 2 x external antennas, 10W Power

NET-MER-ME70X	R 583	Mercusys ME70X AX1800 WiFi Range Extender, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz, 1x Gigabit Ethernet Port, 2 x external antennas
NET-MER-MW300RE	R 186	Mercusys MW300RE 300mbps Wifi Range Extender 3 X Ant
NET-MET-ME80X	R 672	Mercusys ME80X AX3000 Wi-Fi 6 Range Extender, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 1x Gigabit Ethernet Port, 2x external antennas
NET-RE190	R 403	TP-Link RE190 AC750 Wi-Fi Range Extender
NET-RE200	R 443	TP-Link RE200 AC750 Wi-Fi Range Extender
NET-RE205	R 479	TP-LINK AC750 750MB/S Wi-Fi Range Extender
NET-RE220	R 403	TP-Link RE220 AC750 Wi-Fi Range Extender
NET-RE220BE	R 1,453	TP-Link RE220BE BE3600 Dual-Band Wi-Fi 7 Range Extender; 2882 Mbps 5 GHz; 688 Mbps 2.4 GHz; MLO; 4K-QAM; 160 MHz; EasyMesh; 1 x 1 Gbps Ethernet; 2 x external antennas; Range Extender and Access Point modes; 97 x 46 x 158 mm
NET-RE230	R 435	TP-Link RE230 AC750 Wi-Fi Range Extender
NET-RE305	R 484	TP-Link RE305 AC1200 Wi-Fi Range Extender
NET-RE315	R 484	TP-Link RE315 AC1200 Mesh Wi-Fi Range Extender
NET-RE450	R 807	TP-Link RE450 AC1750 Wi-Fi Range Extender
NET-RE500X	R 645	TP-Link RE500X AX1500 Wi-Fi Range Extender
NET-RE550	R 807	TP-Link RE550 AC1900 Wi-Fi Range Extender
NET-RE605X	R 1,133	TP-Link RE605X AX1800 Wi-Fi Range Extender
NET-RE650	R 1,482	TP-Link RE650 AC2600 Wi-Fi Range Extender
NET-RE705X	R 1,210	TP-Link RE705X AX3000 Wi-Fi 6 Range Extender, 1x Gigabit Ethernet Port, Working modes - Range Extender / Access Point, 2 external antennas, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz
NET-RE815XE	R 2,005	TP-Link RE815xe AXE5400 Mesh Tri-band WiFi 6E Range Extender, 1 Gigabit Ethernet Port, Working modes - Range Extender / Access Point, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz, 2402 Mbps at 6GHz
NET-TL-WA850RE	R 322	TP-Link TL-WA850RE 300Mbps Universal Wi-Fi Range Extender
NET-TL-WA854RE	R 241	TP-Link TL-WA854RE 300Mbps Universal Wi-Fi Range Extender
NET-TL-WA855RE	R 298	TP-Link TL-WA855RE 300Mbps Wi-Fi Range Extender
NET-TL-WPA4220TKIT	R 1,482	TP-Link TL-WPA4220 TKIT AV600 Powerline Universal Wi-Fi Range Extender, 2 Ethernet Ports, Network Kit
RE1200	R 414	Cudy RE1200 AC1200 WiFi Range Extender, Wall Plug
RE190	R 460	TP-link RE190 - AC750 Dual Band Wi-fi Range Extender, Miniature Size Wall Mounted. Extend your range up to 182m2.
RE190	R 403	TP-link RE190 - AC750 Dual Band Wi-fi Range Extender, Wall Plugged, 3 internal antennas, 433Mbps at 5GHz 300Mbps at 2.4GHz, Range Extender mode, WPS, Intelligent Signal Light, Access Control, Power Schedule, LED Control, OneMesh, Tether App, EU version
RE200	R 462	TP-Link RE200 AC750 Wi-Fi Range Extender, Wall Plugged, 433Mbps at 5GHz 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M LAN, WPS button 3 internal antennas,Range Extender/AP mode
RE200	R 501	TP-Link RE200 AC750 Mesh Wi-Fi Range Extender, 1x 10/100 Mbit Ethernet Port (RJ45), WPS Button, Reset Button, 3 internal antennas, 300 Mbps at 2.4GHz, 433 Mbps at 5GHz, Working modes - Range Extender / Access Point
RE205	R 453	TP-Link RE205 AC750 Wi-Fi Range Extender, Wall Plugged, 433Mbps at 5GHz 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M LAN, WPS button, 2 fixed antennas, Range Extender/AP mode, Intelligent Signal Light, Access Control, LED control, Tether App
RE205	R 501	TP-Link RE205 AC750 Wi-Fi Range Extender, 1x 100 Mbps Ethernet Port (RJ45), 2x external antenna, Up to 433 Mbps 5GHz, Up to 300mpbs 2.4GHz, Working mode - Range Extender / Access Point
RE220	R 460	TP-Link RE220 AC750 Wi-Fi Range Extender, 1x 10/100 Mbit Ethernet Port (RJ45), 3 x internal antenna, 5GHz up to 433 Mbps, 2.4GHz up to 300 Mbps
RE230	R 411	TP-Link RE230 AC750 Wi-Fi Range Extender, SPEED: 300Mbps at 2.4GHz 433Mbps at 5GHz, SPEC: 2 x Internal Antennas, 1 x 10/100Mbps Port, Wall Plugged, FEATURE: Tether App, WPS, Intelligent Signal Light, Access Control, Power Schedule, LED Control, RE/AP Mode, Easymesh

RE230	R 460	TP-Link RE230 AC750 Wi-Fi Range Extender, 1x 10/100 Mbit Ethernet Port (RJ45), 2.4GHz & 5GHz (11ac), Up to 433 Mbps 5GHz, Up to 300 Mbps 2.4GHz
RE300	R 501	TP-Link RE300 AC1200 Mesh Wi-Fi Range Extender, Wall Plugged, 2 internal antennas, 867Mbps at 5GHz 300Mbps at 2.4GHz, Range Extender mode, WPS, Intelligent Signal Light, Access Control, Power Schedule, LED Control, OneMesh, Tether App
RE300	R 524	TP-Link RE300 AC1200 Mesh Wi-Fi Range Extender, Wall Plugged, 2 internal antennas, 867Mbps at 5GHz 300Mbps at 2.4GHz, Range Extender mode, WPS, Intelligent Signal Light, Access Control, Power Schedule, LED Control, OneMesh, Tether App
RE300	R 299	Cudy RE300 N300 Mesh Wi-Fi Range Extender - Wall Plug, 1 10/100 Mbps RJ45 Ports, Wi-Fi 4, 30 recommended Client upper limit, Operation modes - Access Point / Range Extender / Client
RE3000	R 748	Cudy RE3000 AX3000 WiFi Range Extender - Wall Plug, 5GHz up to 2402 Mbps, 2.4GHz up to 574 Mbps, 1x Gigabit RJ45 Ports, 2x external antennas, 1x internal antennas
RE305	R 489	TP-Link RE305 AC1200 Wi-Fi Range Extender, Wall Plugged, 867Mbps at 5GHz 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M LAN, WPS button, 2 fixed antennas, Range Extender/AP mode, Intelligent Signal Light, Access Control, LED control, Tether App
RE305	R 541	TP-Link RE305 AC1200 Wi-Fi Range Extender
RE315	R 541	TP-Link RE315 AC1200 Mesh Wi-Fi range extender, 1x 10/100 Mbit Ethernet Port (RJ45), 2 external antennas, Up to 867 Mbps @ 5 GHz, Up to 300 Mbps @ 2.4 GHz
RE3600	R 1,159	Cudy RE3600 Dual Band WiFi 7 3600 Mbps Gigabit Range Extender, 2GHz Quad-Core CPU, 128 MB ROM, 512 MB RAM, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2x fixed Wi-Fi antennas, 150m Max range Performance, 1 Gigabit RJ45 Ports, Operation modes - Access Point / Range Extender
RE450	R 806	TP-Link RE450 AC1750 Wi-Fi Range Extender, Wall Plugged, Qualcomm, 1300Mbps at 5GHz 450Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 Gigabit Port, WPS button, LED on/off button, Power on/off button, 3 fixed antennas, Range Extender/AP mode, Intelligent Signal Light
RE450	R 864	TP-Link RE450 AC1750 Wi-Fi Range Extender
RE450	R 830	TP-Link RE450 AC1750 Wi-Fi Range Extender, Wall plugged, Range Extender / Access Point working modes, 1x Gigabit Ethernet Port, 3 x external antenna, Up to 1300 Mbps @ 5GHz, Up to 450 Mbps @ 2.4GHz
RE455	R 1,626	TP-Link TL-RE455 AC1750 Wireless range extender plug, Fast speeds of Dual Band Wi-Fi up to 1.75Gbps, a Gigabit Ethernet Port, 3x 2dBi antenna for 2.4GHz, 3x 3dBi antenna for 5GHz
RE500X	R 703	TP-Link RE500X AX1500 Wi-Fi 6 Range Extender, 300 Mbps at 2.4GHz 1201 Mbps at 5GHz, 1 Gigabit Ethernet Port, 2 internal antennas
RE505X	R 824	TP-Link RE505X AX1500 Wi-Fi 6 Range Extender, 1 Gigabit Ethernet Port, 2 external antennas, 300 Mbps at 2.4GHz, 1200 Mbps at 5GHz
RE550	R 849	TP-Link RE550 AC1900 Wi-Fi Range Extender, 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, 1x 10/100/1000M Ethernet Port (RJ45), 3x external antenna
RE550	R 864	TP-Link RE550 AC1900 Wi-Fi Range Extender, 600 Mbps at 2.4 GHz 1300 Mbps at 5 GHz, 1x 10/100/1000M Ethernet Port (RJ45), 3x external antenna
RE605X	R 1,106	TP-Link RE605X AX1800 Wi-Fi 6 Range Extender, 1 Gigabit Ethernet Port, 2 external antennas, 574 Mbps at 2.4GHz, 1201 Mbps at 5GHz
RE650	R 1,429	TP-Link TL-RE650 AC2600 Wi-Fi Range Extender, Wall plugged, 1733 Mbps at 5GHz 800 Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1x Gigabit Port, Ranger extender Button, LED On/Off Button, Power On/Off Button, 4 fixed antennas, Range extender/AP mode, 4x4 MU-MIMO, Beamforming
RE705X	R 1,268	TP-Link RE705X AX3000 Wi-Fi 6 Range Extender, 1x Gigabit Ethernet Port, Working modes - Range Extender / Access Point, 2 external antennas, 574 Mbps at 2.4GHz, 2402 Mbps at 5GHz
RG-EW1200R	R 546	Reyee Dual Band AC 1200 Mbps 4dBi Mesh Range Extender, RG-EW1200R, 2x 4dBi antenna gain, 300 Mbps 2.4GHz Data rate, 867 Mbps 5.8GHz Data rate, 1x 10/100 Ethernet Ports, Plug point mounting, Reyee Operating System
RG-EW1200R	R 489	Reyee Dual Band AC 1200 Mbps 4dBi Mesh Range Extender, RG-EW1200R, 2x 4dBi antenna gain, 300 Mbps 2.4GHz Data rate, 867 Mbps 5.8GHz Data rate, 1x 10/100 Ethernet Ports, Plug point mounting, Reyee Operating

		System
RP-BE58	R 1,799	Asus RP-BE58 BE3600 Dual-Band WiFi 7 (802.11be) Range Extender/AiMesh Extender for seamless mesh WiFi; works with nearly any WiFi router. Wi-Fi 7 (802.11be), Dual-band (2.4 GHz & 5 GHz), Up to 3600 Mbps, 4096-QAM, 160 MHz Channel Width, AiMesh Compatible, 2x2 Antenna Configuration, Gigabit Ethernet Port, Wall-Plug Design, Easy Setup, Compact Size, Ideal for Home Networking, Gaming, Streaming, and Smart Home Devices
RP-N12	R 404	ASUS RP-N12 Wireless N300 Range Extender /Repeater / Access Point / Media Bridge, 1x RJ45 for 10/100 BaseT for LAN, Up to 300 Mbps Data rate, 2x antenna
TL-WA850RE	R 322	TP-Link TL-WA850RE 300Mbps Wi-Fi Range Extender, Wall Plugged, 2T2R, 2.4GHz, 802.11b/g/n, 1 10/100M LAN, WPS button, 2 internal antennas, Range Extender/AP mode, Intelligent Signal Light, Tether App
TL-WA850RE	R 380	TP-LINK 300Mbps Wireless N Wall Plugged Range Extender, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Ranger Extender Button, Range Extender Mode, Internal Antennas
TL-WA850RE	R 518	TP-LINK 300Mbps Wireless N Wall Plugged Range Extender, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Ranger Extender Button, Range Extender Mode, Internal Antennas
TL-WA855RE	R 355	TP-Link TL-WA855RE 300 Mbps Wi-Fi Range Extender, 1x 10/100 Mbit Ethernet Port (RJ45), 2x external antenna
TL-WA855RE	R 443	TP-Link TL-WA855RE 300 Mbps Wi-Fi Range Extender, 1x 10/100 Mbit Ethernet Port (RJ45), 2x external antenna
TP-RE205	R 445	TP-Link RE205 AC750 Wi-Fi Range Extender, 1x 100 Mbps Ethernet Port (RJ45), 2x external antenna, Up to 433 Mbps 5GHz, Up to 300mpbs 2.4GHz, Working mode - Range Extender / Access Point
TP-RE235BE	R 1,533	TP-Link RE235BE BE3600 Dual-Band Wi-Fi 7 Range Extender, 688 Mbps at 2.4GHz, 2882 Mbps at 5GHz, 2x external antennas, 1x 2.5 Gbps LAN Port, Wall plugged, Working modes - Range Extender / Access Point
TP-RE300	R 443	TP-Link RE300 AC1200 Mesh Wi-Fi Range Extender
TP-RE450	R 807	TP-Link RE450 AC1750 Wi-Fi Range Extender, Wall plugged, Range Extender / Access Point working modes, 1x Gigabit Ethernet Port, 3 x external antenna, Up to 1300 Mbps @ 5GHz, Up to 450 Mbps @ 2.4GHz
TP-WA855RE	R 298	TP-Link WA855RE 300 Mbps Wi-Fi range extender, 1 x 10/100 Mbit Ethernet Port (RJ45), WPS button, Reset button, 2x external antenna, 11n up to 300 Mbps, 11g up to 54 Mbps
U6-EXT	R 3,444	Ubiquiti UAP-U6-Extender UniFi WiFi 6 coverage extender, For coverage across a large Home or Office, 573.5 Mbps @ 2.4 GHz, 4.8 Gbps @ 5 GHz, 5 dBi 2.4 GHz antenna gain, 6 dBi 5 GHz antenna gain, 300 concurrent clients
UB-AFI-P-HD	R 1,149	Ubiquiti AmpliFi HD Mesh Point, The AmpliFi MeshPoint HD (High Density) features an adjustable super antenna, AmpliFi's multi-radio Wi-Fi system eliminates dead spots utilizing mesh point technology to provide ubiquitous Wi-Fi coverage throughout your home, Latest 802.11AC Wi-Fi technology, plugs into wall plug. CONVERT YOUR EXISTING ROUTER INTO A MESH SYSTEM. Your existing router should be central to all mesh points for the best performance, but multi-hop systems can also be configured.
UB-U6-EXTENDER	R 3,099	Ubiquiti UAP-U6-Extender UniFi WiFi 6 coverage extender, For coverage across a large Home or Office, 573.5 Mbps @ 2.4 GHz, 4.8 Gbps @ 5 GHz, 5 dBi 2.4 GHz antenna gain, 6 dBi 5 GHz antenna gain, 300 concurrent clients
W-A15	R 420	Tenda A15 AC750 Wireless Range Extender, 1x Megabit LAN Ethernet Ports, 2x 2dBi Omni-Directional antennas, 1x WPS Button, 1x Reset Button, Up to 433 Mbps @ 5GHz, Up to 300 Mbps @ 2.4GHz
WA850RE	R 332	TP-Link WA850RE 11n 300 Mbps Wi-Fi Range Extender, Range Extender / Access Point, 1x 10/100 Mbit Ethernet Port (RJ45), 2 x internal antenna
WA855RE	R 307	TP-Link TL-WA855RE 300 Mbps Wi-Fi Range Extender, 1x 10/100 Mbit Ethernet Port (RJ45), 2x external antenna
WX3401-B0	R 1,436	Zyxel WX3401 WiFi 6 AX5400 Gigabit Wireless extender, 4800 Mbps for 5GHz Wireless speed, 600 Mbps for 2.4GHz Wireless speed, 2x 1GbE RJ-45 Ports, 4x internal antennas 5G, 2x internal antennas 2.4G

< Return to the menu

Wireless: Routerboard / RouterOS		
Product code	**Price**	**Description**
MT-RB450Gx4	R 1,770	MikroTik RB450Gx4 RouterBOARD 450Gx4 with 5x Gigabit LAN ports and 1x microSD slots, 716 MHz Quad core CPU, 1 GB RAM, 512 MB Storage size, RouterOS L5, 802.3af/at POE in, Passive PoE Out, 5x 10/100/1000

		Ethernet ports, RS232 Serial port
MT-RB911-5HN	R 596	RouterBOARD 911-5Hn, 600MHz CPU, 64MB RAM, 1x LAN, 5Ghz 802.11a/n single chain wireless, MMCX, L3, 1 Year warranty
MT-RB941-2ND	R 406	RouterBOARD hAP Lite, 650MHz CPU, 32MB RAM, 4xLAN, built-in 2.4Ghz 802.11b/g/n
MT-RBCAP-AC	R 1,428	MikroTik cAP AC - Dual band AC Indoor Access Point with PoE passthrough, RouterOS 4, 4 Core 716 MHz IPQ-4018 CPU, 128 MB Ram, 16 MB Storage size, 802.3af/at PoE in, 17-57 V PoE in input Voltage, 2x Gigabit Ethernet ports, 802.11b/g/n Wireless 2.4 GHz standard with 2 chains, 802.11ac Wireless 5 GHz standards with 2 chains
MT-RBHAP-AC	R 1,359	MikroTik hAP ac Tower - 2.4 / 5 GHz desktop Dual-concurrent Access Point - Black, 4 Core 716 MHz IPQ-4018 CPU, 128 MB Ram, 16 MB Storage size, RouterOS 4, Passive PoE, 802.11b/g/n Wireless 2.4 GHz standards with 2 chains, 802.11ac Wireless 5 GHz standards with 2 chains, 5x Gigabit LAN ports, 1x USB
MT-RBM33G	R 758	MikroTik RBM33G RouterBOARD M33G with 3 Gigabit LAN, 2 MiniPCI-e, 2 Sim slot, USB 3.0, PoE in and RouterOS L4, RS232 serial port, 880 MHz Dual Core CPU
MT-RBWSAP-5HAC2ND	R 1,012	MikroTik wsAP ac lite - In wall Access Point, 650MHz CPU, 64MB RAM, 16 MB Storage size, 3x 10/100 Ethernet LAN, RouterOS L4, PoE in 802.3af/at, 2/3dBi gain, 1x USB, RJ11 passthrough, Passive PoE out, 802.11b/g/n Wireless 2.4 GHz standard with 2 chains, 802.11ac Wireless 5 GHz standards with 1 chain
RB912UAG-2HPND	R 1,472	MikroTik RouterBOARD RB912UAG-2HPnD - integrated 2.4GHz high power wireless card, 600MHz CPU, 64MB RAM, 1x Gigabit LAN, 2.4GHz 802.11b/g/n wireless with 2x MMCX connectos, 1x MiniPCI-E slot, RouterOS L4, 1xUSB, 24V POE

< Return to the menu

Wireless: Streaming devices

Product code	Price	Description
525282	R 399	Intellinet Wireless 300N iStream HD Media Adapter - 300 Mbps, 802.11b/g/n, 2T2R MIMO Wireless Adapter for Gaming Consoles and Streaming Media Players
CNV-EZCAST2	R 1,059	Ezcast HDMI Wi-Fi Streaming TV Dongle - Miracast, EZCAST2, Universal Wireless Display Receiver. *Not compatible with streaming services such as Netflix and Amazon Prime. Requires a 5V USB Power adapter, 1Amp or higher (not included)
UB-UPL-AMP-B	R 14,483	Ubiquiti UniFi Streaming PowerAmp - Black, UPL-Amp-B, 2x GbE RJ45 Ports, 1.43" rotary Knob with Touchscreen, WiFi 2.4GHz / 5GHz, LED Ring, Class D audio amplifier Class, Stereo sound Output, 1x HDMI eARC Input, 2x RCA Analog inputs L/R
UB-UPL-AMP-W	R 14,205	Ubiquiti UniFi Streaming PowerAmp - White, UPL-Amp-W, 2x GbE RJ45 Ports, 1.43" rotary Knob with Touchscreen, WiFi 2.4GHz / 5GHz, LED Ring, Class D audio amplifier Class, Stereo sound Output, 1x HDMI eARC Input, 2x RCA Analog inputs L/R
UPL-AMP-B	R 14,024	Ubiquiti UniFi Streaming PowerAmp - Black, UPL-Amp-B, 2x GbE RJ45 Ports, 1.43" rotary Knob with Touchscreen, WiFi 2.4GHz / 5GHz, LED Ring, Class D audio amplifier Class, Stereo sound Output, 1x HDMI eARC Input, 2x RCA Analog inputs L/R

< Return to the menu

Wireless: USB Adaptors (WiFi receivers)

Product code	Price	Description
317200511	R 198	Hikvision DS-3WRU3X AX300 Wi-Fi 6 Nano USB Adapter, Up to 286 Mbps @ 2.4GHz, 1x1 MIMO supported, Internal antenna, Application modes - station mode / soft Access Point mode, DS-3WRU3X(0-STD)
317200512	R 219	Hikvision AX300 Wi-Fi 6 High Gain USB Adapter, Up to 286 Mbps @ 2.4GHz, 1x1 MIMO supported, 1x 6dBi antenna, Application modes - station mode / soft Access Point mode, DS-3WRU3X-H(0-STD)
338000234	R 276	Hikvision DS-3WRU9X-H AX900 Wi-Fi 6 High Gain USB Adapter, Up to 900 Mbps Speed, 1x1 MIMO supported
A72015-B	R 71	Astrum NA150 Nano WIFI Network Adapter, 150mbps, Internal antenna, Wifi 802.11b/g/n, USB, Black
A72030-B	R 86	Astrum NA300 Nano WIFI Network Adapter 300mbps, Internal antenna, Wifi 802.11b/g/n, USB, Black
ARCHER-T2U	R 259	TP-Link ARCHER T2U AC600 Wireless Dual Band USB Adapter

ARCHER-T2U	R 200	TP-Link ARCHER T2U AC600 Wireless Dual Band USB Adapter, Mini Size, 433Mbps at 5GHz 150Mbps at 2.4GHz, USB 2.0
ARCHER-T2U-NANO	R 218	TP-Link Archer T2u Nano AC600 Nano Wireless USB Adapter, Omni Directional antenna Type, 433 Mbps on 5GHz, 200 Mbps on 2.4GHz
ARCHER-T2UB-NANO	R 216	TP-Link Archer T2UB Nano AC600 Nano Dual Band Wi-Fi Bluetooth 4.2 USB Adapter, SPEED: 433 Mbps at 5 GHz 200 Mbps at 2.4 GHz, SPEC: USB 2.0, FEATURE: Bluetooth 4.2
ARCHER-T2UB-NANO	R 275	TP-Link Archer T2UB Nano AC600 Nano Bluetooth Wireless USB Adapter, Omni Directional antenna Type, 433 Mbps @ 5GHz, 200 Mbps @ 2.4GHz
ARCHER-T3U	R 299	TP-Link Archer T3U AC1300 Mini Wireless MU-MIMO USB Adapter
ARCHER-T3U	R 288	TP-Link Archer T3U AC1300 Mini Wireless MU-MIMO USB Adapter, Mini Size, 867Mbps at 5GHz 400Mbps at 2.4GHz, USB 3.0
ARCHER-T3U	R 339	TP-Link AC1300 Mini Wi-Fi MU-MIMO USB Adapter, Up to 867 Mbps 5GHz and 400 Mbps 2.4GHz
ARCHER-T3U PLUS	R 349	TP-Link Archer T3U Plus AC1300 High Gain Wi-Fi Dual Band USB Adapter, 867 Mbps at 5GHz 400 Mbps at 2.4GHz, Omni Directional antenna Type, USB 3.0 Interface
ARCHER-T3U-NANO	R 323	TP-Link Archer T3U Nano AC1300 Nano Wi-Fi MU-MIMO USB Adapter, USB 2.0 Interface, Status LED, 2.4GHz & 5GHz Frequency
ARCHER-T3U-PLUS	R 304	TP-Link Archer T3U Plus AC1300 High Gain Wi-Fi Dual Band USB Adapter, 867Mbps at 5GHz 400Mbps at 2.4GHz, USB 3.0, 1xHigh Gain External Antenna, MU-MIMO
ARCHER-T3U-PLUS	R 355	TP-Link Archer T3U Plus AC1300 High Gain Wi-Fi Dual Band USB Adapter, 867 Mbps at 5GHz 400 Mbps at 2.4GHz, Omni Directional antenna Type, USB 3.0 Interface
ARCHER-T4U	R 420	TP-Link ARCHER T4U AC1300 Wireless Dual Band USB Adapter
ARCHER-T4U	R 370	TP-Link ARCHER T4U AC1300 Wireless Dual Band USB Adapter, 867Mbps at 5GHz 400Mbps at 2.4GHz, USB 3.0, External antenna
ARCHER-T4U-PLUS	R 386	TP-Link Archer T4U Plus AC1300 High Gain Dual Band Wi-Fi USB Adapter, SPEED: 867 Mbps at 5 GHz 400 Mbps at 2.4 GHz, SPEC: 2x High Gain External Antennas, USB 3.0, Extension Cable FEATURE: MU-MIMO
ARCHER-T4U-PLUS	R 444	TP-Link Archer T4U Plus AC1300 High Gain Dual Band Wi-Fi USB Adapter, SPEED: 867 Mbps at 5 GHz 400 Mbps at 2.4 GHz, SPEC: 2x High Gain External Antennas, USB 3.0, Extension Cable FEATURE: MU-MIMO
ARCHER-T600U-NANO	R 164	TP-Link Archer T600U Nano AC600 Nano Wi-Fi USB Adapter, 433Mbps at 5GHz 200Mbps at 2.4GHz, USB 2.0
ARCHER-T600U-NANO	R 218	TP-Link Archer T600U Nano AC600 Nano Wi-Fi USB Adapter, 433Mbps at 5GHz 200Mbps at 2.4GHz, USB 2.0
ARCHER-TX10UB-NANO	R 247	TP-Link Archer TX10UB Nano AX900 Nano Wi-Fi 6 Bluetooth 5.3 USB Adapter; Bluetooth 5.3; Dual band 2.4 GHz 5 GHz; USB 2.0 nano; Windows 11 10; 19.2 x 15.7 x 7.4 mm
ARCHER-TX1U-NANO	R 194	TP-Link Archer TX1U Nano AX300 Nano Wi-Fi 6 Wireless USB Adapter; Wi-Fi6 up to 287 Mbps; USB 2.0; dimensions 17.5x15.8x7.1 mm; weight 0.05 kg; Windows and Linux compatible
ARCHER-TX20U	R 378	TP-Link TX20U AX1800 Dual Band WiFi 6 Wireless USB adaptor, 2 x Dual-Band antennas, OFDMA and MU-MIMO, USB 3.0, Up to 1201 Mbps 5GHz, Up to 574 Mbps @ 2.4GHz
ARCHER-TX20U	R 436	TP-Link TX20U AX1800 Dual Band WiFi 6 Wireless USB adaptor, 2 x Dual-Band antennas, OFDMA and MU-MIMO, USB 3.0, Up to 1201 Mbps 5GHz, Up to 574 Mbps @ 2.4GHz
ARCHER-TX20U-PLUS	R 501	TP-Link TX20U Plus AX1800 High Gain Dual Band Wi-Fi 6 USB Adapter, 2x High-Gain Dual-Band antennas, 1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz Wireless speeds
ARCHER-TX20U-PLUS	R 449	TP-Link TX20U Plus AX1800 High Gain Dual Band Wi-Fi 6 USB Adapter, 2x High-Gain Dual-Band antennas, 1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz Wireless speeds
ARCHER-TX20UH	R 523	TP-Link Archer TX20UH AX1800 High Gain Dual Band Wi-Fi 6 USB Adapter, SPEED: 1201 Mbps at 5 GHz 574 Mbps at 2.4 GHz, SPEC: High Gain External Antennas, USB 3.0, Cradle with Extension Cable, FEATURE: MU-MIMO, OFDMA, WPA3
ARCHER-TX20UH	R 582	TP-Link Archer TX20UH AX1800 High Gain Dual Band Wi-Fi 6 USB Adapter, SPEED: 1201 Mbps at 5 GHz 574 Mbps at 2.4 GHz, SPEC: High Gain External Antennas, USB 3.0, Cradle with Extension Cable, FEATURE: MU-MIMO, OFDMA, WPA3
ARCHER-TX20UH	R 649	TP-Link Archer TX20UH AX1800 High Gain Dual Band Wi-Fi 6 USB Adapter, SPEED: 1201 Mbps at 5 GHz 574 Mbps at 2.4 GHz, SPEC: High Gain External Antennas, USB 3.0, Cradle with Extension Cable, FEATURE:

		MU-MIMO, OFDMA, WPA3
ASUS USB-BT540	R 207	Asus BT540 Bluetooth 5.4 USB Adapter, USB 2.0 Type-A Interface, Up to 7 devices connection
BU530	R 82	Cudy BU530 Bluetooth 5.3 Nano USB Adapter, Bluetooth V5.3, USB 2.0 Interface, RTL8761buv Chipset
BU530	R 481	Cudy BU530 Bluetooth 5.3 Nano USB Adapter, Bluetooth V5.3, USB 2.0 Interface, RTL8761buv Chipset
CD-U1300	R 132	Cudy WU1300S Dual Band AC 1300 Mbps USB 3.0 Adapter, 400 Mbps @ 2.4GHz, 867 Mbps @ 5GHz, USB 3.0 Hi-Speed connector, Internal pifa antenna, 2dBi antenna gain
CD-U1300	R 132	Cudy WU1300S Dual Band AC 1300 Mbps USB 3.0 Adapter, 400 Mbps @ 2.4GHz, 867 Mbps @ 5GHz, USB 3.0 Hi-Speed connector, Internal pifa antenna, 2dBi antenna gain
CD-U1300	R 282	Cudy WU1300S Dual Band AC 1300 Mbps USB 3.0 Adapter, 400 Mbps @ 2.4GHz, 867 Mbps @ 5GHz, USB 3.0 Hi-Speed connector, Internal pifa antenna, 2dBi antenna gain
CD-U1400	R 173	Cudy WU1400 Dual Band AC 1300 Mbps 5dBi USB 3.0 Adapter, Up to 867 Mbps on 5GHz, Up to 400 Mbps on 2.4GHz
CD-U1400	R 173	Cudy WU1400 Dual Band AC 1300 Mbps 5dBi USB 3.0 Adapter, Up to 867 Mbps on 5GHz, Up to 400 Mbps on 2.4GHz
CD-U1400	R 311	Cudy WU1400 Dual Band AC 1300 Mbps 5dBi USB 3.0 Adapter, Up to 867 Mbps on 5GHz, Up to 400 Mbps on 2.4GHz
CM763-35265	R 159	UGreen CM763 USB Wi-Fi 6 Adapter, 600 Mbps @ 5GHz transmission Speed, 287 Mbps @ 2.4GHz transmission Speed
CUDY-WR3000	R 628	Cudy WR3000 AX3000 Gigabit Wifi6 Router With Mesh. The Cudy WU1400 AC1300 USB Wi-Fi adapter is a compact and powerful solution to upgrade your PCâ€™s wireless performance. Plugging into a USB 3.0 port, it offers fast dual-band speeds and enhanced range via a high-gain external antenna. Compatible with Windows, macOS, and Linux, it suits streaming, gaming, and long-distance connectivity with ease.
CUDY-WU1300S	R 153	Cudy WU1300S Dual Band AC 1300 Mbps USB 3.0 Adapter, 400 Mbps @ 2.4GHz, 867 Mbps @ 5GHz, USB 3.0 Hi-Speed connector, Internal pifa antenna, 2dBi antenna gain
CUDY-WU1300S	R 177	Cudy Wu1300 Ac1300 Wifi5 USB 3.0 External Adaptor. AC1300 WiFi 5; 867 Mbps 400 Mbps; USB 3.0 interface; works on Windows/macOS/Linux; dual-band 2x2 MIMO; compact 37.5 mm design
CUDY-WU1400	R 205	Cudy WU1400 AC1300 WiFi5 USB 3.0 External Adapter With Antenna. The Cudy WU1400 AC1300 USB Wi-Fi adapter is a compact and powerful solution to upgrade your PCâ€™s wireless performance. Plugging into a USB 3.0 port, it offers fast dual-band speeds and enhanced range via a high-gain external antenna. Compatible with Windows, macOS, and Linux, it suits streaming, gaming, and long-distance connectivity with ease.
DS-3WRU3X	R 69	Hikvision AX300 WiFi6 Nano USB adaptor, 2.4GHz up to 286 Mbps, IEEE802.11ax/b/g/n Wireless standard, 1 x 1 MIMO supported, internal antenna. The DS-3WRU3X AX300 Wi-Fi 6 Nano USB Adapter is a small yet powerful solution to upgrade any compatible device to Wi-Fi 6. It delivers faster internet speeds, improved latency, and greater network efficiency while remaining portable and easy to use.
DS-3WRU3X-H	R 92	Hikvision AX300 Wi-Fi High Gain USB Adapter, 2.4GHz up to 286 Mbps, Real 6dBi High Gain antenna, 1x 1 MIMO supported
DS-3WRU9X	R 121	Hikvision AX900 Wi-Fi 6 Nano USB Adapter, 600 Mbps @ 5GHz, 286 Mbps @ 2.4GHz, 1x 1 MIMO supported, Internal antenna
DS-3WRU9X-H	R 138	Hikvision DS-3WRU9X-H AX900 Wi-Fi 6 High Gain USB Adapter, Up to 900 Mbps Speed, 1x1 MIMO supported
DWA-182	R 275	D-Link DWA-182 Wireless AC1200 Dual Band USB Adapter, 2.4GHz @ 300 Mbps or 5GHz up to 867 Mbps
DWA-X1850	R 804	D-Link DWA-X1850 AX1800 Wi-Fi 6 Nano USB 3.0 Adapter, Integrated antenna, 802.11ax up to 574 Mbps (2.4 GHz), 802.11ax up to 1200 Mbps (5 GHz)
MA12N	R 81	Mercusys MA12N N300 Wireless USB Dongle, 300 Mbps on 2.4GHz, USB 2.0 Interface, Internal antenna
MA14H	R 149	Mercusys MA14H AX300 High GAin WiFi 6 Wireless USB Adapter, High Speed WiFi, Wider Signal Coverage, Pre-loaded Internal Driver, Operating Systems - Supports Windows 11/10/7 (32/64 bit) and Linux (Kernel 3.10 and later).
MA14H	R 161	Mercusys MA14H AX300 High-Gain Wi-Fi 6 Wireless USB Adapter; 2.4 GHz; Up to 287 Mbps; 1 x external high-performance antenna; Adjustable multi-directional antenna; MU-MIMO; USB 2.0; Windows 11/10/7; Linux kernel 3.10 and later; 57.8 x 16.8 x 173.4 mm

MA14N	R 74	Mercusys AX300 Nano Wi-Fi USB Adapter, MRC-MA14N, 2.4GHz Frequency, Up to 287 Mbps on 2.4GHz, 1 internal antenna
MA14N	R 132	Mercusys MA14N AX300 Nano Wireless USB Adapter; Wi-Fi 6; 2.4GHz; up to 287Mbps; USB 2.0; 1 x internal antenna; 19.15 x 14.94 x 7.19mm; Windows 11/10/7; Linux Kernel 3.10 and later; WPA/WPA2; MU-MIMO
MA20N	R 104	Mercusys MA20N AC650 Nano Wireless Dual Band USB Adapter delivers fast and secure dual-band Wi-Fi in an ultra-compact nano design. Easy to install with built-in Windows drivers, itâ€™s perfect for browsing, streaming, or working from home.
MA30N	R 206	Mercusys MA30N AC1300 Nano Wireless Dual Band USB Adapter 867 Mbps 5 GHz; 400 Mbps 2.4 GHz; USB 2.0; internal antenna; WPA-PSK/WPA2-PSK/WPA3-SAE; MU-MIMO supported; Windows 11/10 32-bit and 64-bit; 26.9 x 16.1 x 7.6 mm
MA60XNB	R 148	Mercusys MA60XNB AX900 Nano Wi-Fi 6 Bluetooth USB Adapter, USB 2.0 Interface, Omni Directional antenna, 5GHz & 2.4GHz Frequency
MINIAP	R 150	Microworld USB Mini AP Link Access Point
MRC-MA14N	R 74	Mercusys AX300 Nano Wi-Fi USB Adapter, MRC-MA14N, 2.4GHz Frequency, Up to 287 Mbps on 2.4GHz, 1 internal antenna
MU6H	R 118	Mercusys MU6H AC650 High Gain Wi-Fi USB Adapter, SPEED: 200 Mbps at 2.4 GHz 433 Mbps at 5 GHz, SPEC: 1Ã— High Gain External Antenna, USB 2.0
MU6H	R 176	Mercusys MU6H AC650 High Gain Wi-Fi USB Adapter, SPEED: 200 Mbps at 2.4 GHz 433 Mbps at 5 GHz, SPEC: 1x High Gain External Antenna, USB 2.0
MW150US	R 124	Mercusys N150 150 Mbps Wireless Nano USB Adapter, Enhanced WPA3 Security, Internal antenna Type, USB 2.0 Interface
MW150US	R 69	Mercusys N150 150 Mbps Wireless Nano USB Adapter, Enhanced WPA3 Security, Internal antenna Type, USB 2.0 Interface
MW300UH	R 118	Mercusys MW300UH N300 High Gain Wi-Fi USB Adapter, SPEED: 300 Mbps at 2.4 GHz, SPEC: 2Ã— High Gain External Antennas, Micro USB 2.0, FEATURE: Desktop Design
MW300UH	R 176	Mercusys MW300UH N300 High Gain Wi-Fi USB Adapter, SPEED: 300 Mbps at 2.4 GHz, SPEC: 2x High Gain External Antennas, Micro USB 2.0, FEATURE: Desktop Design
MW300UM	R 99	Mercusys MW300UM N300 Wireless Mini USB Adapter, Retail Box
MW300UM	R 147	Mercusys MW300UM N300 Wireless Mini USB Adapter, Retail Box
MW300UM	R 89	Mercusys MW300UM N300 Mini Wi-Fi USB Adapter, SPEED: 300 Mbps at 2.4 GHz, SPEC: 2Ã— Internal Antennas, USB 2.0 , FEATURE: Mini Size
NA-DWAX1850	R 1,014	D-Link DWA-X1850 Wireless AX1800 Dual band USB3.0 Adapter - 2.4/5Ghz dual band, 802.11AX, 1800Mbps (1200 600), with WPS button
NA-TAT2UBN	R 248	TP-Link Archer T2UB Nano AC600 Nano Dual Band Wi-Fi Bluetooth 4.2 USB Adapter, SPEED: 433 Mbps at 5 GHz 200 Mbps at 2.4 GHz, SPEC: USB 2.0, FEATURE: Bluetooth 4.2
NA-TAT2UN	R 184	TP-Link AC600 NANO Dual Band Wireless USB Adapter, MediaTek, 1T1R, 433Mbps at 5Ghz 150Mbps at 2.4Ghz, 802.11ac/a/b/g/n, USB 2.0, Internal antenna
NA-TAT3U	R 317	TP-Link Archer T3U AC1300 Mini Wireless MU-MIMO USB Adapter, Mini Size, 867Mbps at 5GHz 400Mbps at 2.4GHz, USB 3.0
NA-TWN823N	R 161	TP-Link TL-WN823N 300Mbps Wireless N Mini USB Adapter, Mini Size, Realtek, 2T2R, 2.4Ghz, 802.11b/g/n, QSS Button, Autorun Utility
NET-ARCHER-T2U	R 201	TP-Link ARCHER T2U AC600 Wireless Dual Band USB Adapter
NET-ARCHER-T2U-NANO	R 161	TP-Link AC600 NANO Dual Band Wireless USB Adapter, MediaTek, 1T1R, 433Mbps at 5Ghz 150Mbps at 2.4Ghz, 802.11ac/a/b/g/n, USB 2.0, Internal antenna
NET-ARCHER-T2UB-NANO	R 217	TP-Link Archer T2UB Nano AC600 Nano Bluetooth Wireless USB Adapter, Omni Directional antenna Type, 433 Mbps @ 5GHz, 200 Mbps @ 2.4GHz
NET-ARCHER-T3U	R 282	TP-Link Archer T3U AC1300 Mini Wireless MU-MIMO USB Adapter
NET-ARCHER-T3U-NANO	R 266	TP-Link Archer T3U Nano AC1300 Nano Wi-Fi MU-MIMO USB Adapter, USB 2.0 Interface, Status LED, 2.4GHz & 5GHz Frequency

NET-ARCHER-T3U-PLUS	R 298	TP-Link Archer T3U Plus AC1300 High Gain Wireless Dual Band USB Adapter
NET-ARCHER-T4U	R 363	TP-Link ARCHER T4U AC1300 Wireless Dual Band USB Adapter
NET-ARCHER-T600U-NAN	R 161	TP-Link Archer T600U Nano AC600 Nano Wireless USB Adapter
NET-ARCHER-TX10UB-NA	R 241	TP-Link Archer TX10UB Nano AX900 Wi-Fi 6 Bluetooth 5.3 USB Adapter, USB 2.0 Interface, Omni Directional antenna, Up to 600 Mbps @ 5GHz, Up to 287 Mbps @ 2.4GHz
NET-ARCHER-TX1U-NANO	R 136	TP-Link Archer TX1U Nano AX300 Wi-Fi 6 Wireless USB Adapter, USB 2.0 Interface, 1 internal antenna
NET-ARCHER-TX20U	R 379	TP-Link TX20U AX1800 Dual Band WiFi 6 Wireless USB adaptor, 2 x Dual-Band antennas, OFDMA and MU-MIMO, USB 3.0, Up to 1201 Mbps 5GHz, Up to 574 Mbps @ 2.4GHz
NET-ARCHER-TX20UH	R 524	TP-Link Archer TX20UH AX1800 High Gain Wireless USB Adapter, 2x High-Gain Dual-Band antennas, USB 3.0 cradle, Up to 1201 Mbps @ 5GHz, Up to 574 Mbps @ 2.4GHz
NET-ARCHER-TX20UPLUS	R 443	TP-Link TX20U Plus AX1800 High Gain Dual Band Wi-Fi 6 USB Adapter, 2x High-Gain Dual-Band antennas, 1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz Wireless speeds
NET-ARCHER-TX50E	R 605	TP-Link Archer TX50E AX3000 Wi-Fi 6 Bluetooth 5.0 PCIe Adapter
NET-MER-MA12N	R 82	Mercusys MA12N N300 Wireless USB Dongle, 300 Mbps on 2.4GHz, USB 2.0 Interface, Internal antenna
NET-MER-MA14H	R 104	Mercusys MA14H AX300 High Gain Wi-Fi 6 USB Adapter, 2.4GHz Frequency, USB 2.0 interfaces, 1 external high Performance antenna, Up to 287 Mbps speeds
NET-MER-MA14N	R 74	Mercusys AX300 Nano Wi-Fi USB Adapter, MRC-MA14N, 2.4GHz Frequency, Up to 287 Mbps on 2.4GHz, 1 internal antenna
NET-MER-MA20N	R 104	Mercusys MA20N AC650 Nano Wireless Dual Band USB Dongle, Up to 433 Mbps on 5GHz, Up to 200 Mbps on 2.4GHz, USB 2.0 interfaces, 1 internal antenna
NET-MER-MA30N	R 149	Mercusys MA30N AC1300 Nano Wireless USB Dongle, Up to 867 Mbps on 5GHz, Up to 400 Mbps on 2.4GHz, USB 2.0 Interface, Internal antenna
NET-MER-MA60XNB	R 149	Mercusys MA60XNB AX900 Nano Wi-Fi 6 Bluetooth USB Adapter, USB 2.0 Interface, Omni Directional antenna, 5GHz & 2.4GHz Frequency
NET-MER-MU6H	R 119	Mercusys MU6H AC650 High Gain Wireless Dual Band USB Adapter
NET-MER-MW150US	R 67	Mercusys MW150US N150 Wireless Nano USB Adapter
NET-MER-MW300UH	R 119	Mercusys MW300UH 300Mbps High Gain Wireless USB Adapter
NET-MER-MW300UM	R 89	Mercusys MW300UM 300mbps Wireless-n Mini USB Adapter
NET-TL-WN722N	R 174	TP-Link TL-WN722N 150Mbps High Gain Wireless USB Adapter. USB 2.0 WiFi adapter; 150Mbps 2.4GHz; detachable 4dBi antenna; fits desktop or laptop; extra WiFi for PC
NET-TL-WN725N	R 112	TP-Link TL-WN725N 150Mbps Wireless N Nano USB Adapter
NET-TL-WN727N	R 120	Tp-link TL-WN727N 150mbps Wireless N USB Adapter
NET-TL-WN8200ND	R 322	TP-Link TL-WN8200ND 300Mbps High Power Wireless USB Adapter
NET-TL-WN822N	R 235	TP-Link TL-WN822N 300Mbps High Gain Wireless USB Adapter
NET-TL-WN823N	R 145	TP-Link TL-WN823N 300Mbps Mini Wireless N USB Adapter
ROG USB-BE92	R 2,216	Asus ROG USB-BE92 BE6500 Tri-band WiFi 7 USB Adapter; WiFi7 USB 3.0; tri-band 2.4 5 6GHz; 6500 Mbps; WPA3; USB-A & USB-C; Windows 10 11
ROG-USB-BE92	R 1,796	Asus ROG USB-BE92 BE6500 Tri-band WiFi 7 USB Adapter, 6GHz band, support 4096-QAM, Multi-link operation (MLO), Compatible with Type A and C, WPA3 network security
SNOM-A230	R 592	Snom DECT USB Adapter
TE-U12	R 207	Tenda U12 Dual Band AC1300 Wireless 11ac USB Adapter, WPS button, USB 3.0, Pifa antenna, 5GHz / 2.4GHz Frequency, 11n up to 400 Mbps, 11ac up to 867 Mbps
TE-U9	R 217	Tenda U9 AC650 Wireless Dual Band USB Adapter, U9, 802.11ac dual-band Wi-Fi USB Adapter, 5GHz up to 433Mbps, 2.4 GHz up to 200Mbps
TL-WN722N	R 166	TP-LINK 150Mbps High Gain Wireless N USB Adapter - Atheros, 1T1R, 2.4GHz, 802.11n/g/b, Det. Antenna
TL-WN722N	R 218	TP-Link WN722N 150 Mbps High Gain Wireless USB Adapter, USB 2.0 Interface, Detachable Omni Directional (RP-SMA) antenna, 4dBi antenna gain
TL-WN722N	R 173	TP-Link WN722N 150 Mbps High Gain Wireless USB Adapter, USB 2.0 Interface, Detachable Omni Directional (RP-SMA) antenna, 4dBi antenna gain

TL-WN725N	R 116	TP-Link 150 Mbps Wireless N Nano USB Adapter, Nano size, Realtek, 2.4GHz, 802.11n/g/b, Qss Button, Autorun Utility
TL-WN725N	R 170	TP-Link 150 Mbps Wireless N Nano USB Adapter, Nano size, Realtek, 2.4GHz, 802.11n/g/b, Qss Button, Autorun Utility
TL-WN8200ND	R 355	TP-Link TL-WN8200ND 300 Mbps High Power Wireless USB Adapter, 1T2R, 2.4GHz 802.11b/g/n, High Power upto 500mW, WPS Button, SoftAP, 2x detachable Omni Directional (RP-SMA) antenna Type, 5dBi antenna gain
TL-WN822N	R 225	TP-Link TL-WN822N 300Mbps High Gain Wi-Fi USB Adapter, 2T2R, 2.4GHz,802.11b/g/n, elegant desktop housing, USB cable,WPS Button, 2 fixed antennas
TL-WN823N	R 202	TP-Link TL-WN823N 300Mbps Wireless N Mini USB Adapter, Mini Size, Realtek, 2T2R, 2.4Ghz, 802.11b/g/n, QSS Button, Autorun Utility
TL-WN823N	R 137	TP-Link TL-WN823N 300Mbps Wireless N Mini USB Adapter, Mini Size, Realtek, 2T2R, 2.4Ghz, 802.11b/g/n, QSS Button, Autorun Utility
TL-WN823N	R 183	TP-LINK 300Mbps Wireless N Mini USB Adapter, Mini Size, Realtek, 2T2R, 2.4Ghz, 802.11b/g/n, QSS Button, Autorun Utility
TND-USB-U10	R 194	Tenda U10 Dual Band AC 650 Mbps 6dBi Wireless USB Adapter, U10, 1x 6dBi external antenna, 5 GHz & 2.4 GHz, 11ac up to 433 Mbps, 11n up to 200 Mbps
TND-USB-U2	R 109	Tenda U2 N150 High Gain Wireless USB Adapter, 1x 6dBi external antenna, 2.4GHz up to 150 Mbps
TND-USB-U9	R 171	Tenda U9 AC650 Wireless Dual Band USB Adapter, U9, 802.11ac dual-band Wi-Fi USB Adapter, 5GHz up to 433Mbps, 2.4 GHz up to 200Mbps
TP-ARCHERT2U	R 201	TP-Link T2U AC600 Mini Dual Band Wi-Fi USB Adapter, USB 2.0 Interface, Status LED, Omni Directional antenna, Up to 433 Mbps @ 5GHz, Up to 150 Mbps @ 2.4GHz
TP-ARCHERT3U	R 282	TP-Link AC1300 Mini Wi-Fi MU-MIMO USB Adapter, Up to 867 Mbps 5GHz and 400 Mbps 2.4GHz
TP-T2U-NANO	R 161	TP-Link Archer T2u Nano AC600 Nano Wireless USB Adapter, Omni Directional antenna Type, 433 Mbps on 5GHz, 200 Mbps on 2.4GHz
TP-T2UB-NANO	R 217	TP-Link Archer T2UB Nano AC600 Nano Bluetooth Wireless USB Adapter, Omni Directional antenna Type, 433 Mbps @ 5GHz, 200 Mbps @ 2.4GHz
TP-WN722N	R 159	TP-Link WN722N 150 Mbps High Gain Wireless USB Adapter, USB 2.0 Interface, Detachable Omni Directional (RP-SMA) antenna, 4dBi antenna gain
TP-WN725N	R 112	TP-Link 150 Mbps Wireless N Nano USB Adapter, Nano size, Realtek, 2.4GHz, 802.11n/g/b, Qss Button, Autorun Utility
TP-WN823N	R 145	TP-LINK 300Mbps Wireless N Mini USB Adapter, Mini Size, Realtek, 2T2R, 2.4Ghz, 802.11b/g/n, QSS Button, Autorun Utility
U11	R 131	Tenda U11 AX900 Dual-Band Wi-Fi 6 USB Adapter, Internal antenna, 286 Mbps @ 2.4GHz, 600 Mbps @ 5GHz
U11 PRO	R 147	Tenda U11 Pro AX900 Wi-Fi 6 USB adapter; dual-band 2.4GHz and 5GHz; 600Mbps 5GHz; 286Mbps 2.4GHz; external 6dBi antenna; USB 2.0; 802.11ax; Station Mode and AP Mode; 48 x 20 x 8mm; Windows 7/10/11; Linux 3.10
U2	R 101	Tenda U2 AX300 Wi-Fi 6 High Gain Wireless USB Adapter, 1x 6dBi antenna, USB 2.0, Up to 286 Mbps @ 2.4GHz
U9	R 170	Tenda U9 AC650 Wireless Dual Band USB Adapter, U9, 802.11ac dual-band Wi-Fi USB Adapter 5GHz up to 433Mbps, 2.4 GHz up to 200Mbps
UB500	R 106	TP-Link UB500 Bluetooth 5.0 Nano USB Adapter, SPEC: USB 2.0
UB500	R 100	TP-Link UB500 Bluetooth 5.0 Nano USB Adapter, SPEC: USB 2.0
UB500	R 154	TP-Link UB500 Bluetooth 5.0 Nano USB Adapter, SPEC: USB 2.0
UM720	R 1,631	Pirelli UM720 - 3G GSM modem - HSDPA 2100 MHz 7.2 Mbps - WCDMA 2100 MHz - GSM Q/band, GPRS / EDGE
USB-AX55-NANO	R 771	Asus AX55-NANO AX1800 Dual-Band WiFi6 USB Adapter, AX1800 Ultimate AX performance, 1x USB 2.0, 2x internal dB antennas, Dual Band 2.4GHz & 5GHz
USB-BE92 NANO	R 1,309	Asus Tri-band Wi-Fi 7 Nano USB Adapter - Bluetooth Compatible; Tri-band 2.4 5 6GHz; USB2; WPA3; Windows10 11; 31.5x19x8.5mm; 5.5g
W311MI	R 101	Tenda W311MI 150Mbps Wireless N Pico USB Adapter, 2dBi fixed antenna internal, 802.11b/g/n wireless

WD-4605AC	R 144	Mlink 600 Mbps USB Wireless Adapter, Rtl 8811 Main IC, 600mpbs date rate, 2.4GHz Speed is 150 Mbps, 5GHz Speed is 433 Mbps
WF2123	R 138	Mecer USB 802.11b/g/n 2T2R External Wireless Adaptor, *IEEE 802.11b/g/n Standard for 2.4GHz Wireless LAN *Wireless connection up to 300Mbps, *Integrated Antenna *2T2R
WF50 Special	R 529	(On Promotion) Yealink WF50 Dual Band USB Wi-Fi Dongle, Phone support - T48S / T46S / T42S / T41S / T27G, Up to 433 Mbps, Connects to 2.4GHz & 5GHz Wireless networks, Plug and Play
WN722N	R 163	TP-Link WN722N 150 Mbps High Gain Wireless USB Adapter, USB 2.0 Interface, Detachable Omni Directional (RP-SMA) antenna, 4dBi antenna gain
WU1300S	R 166	Cudy WU1300S 1300Mbps High Gain WiFi USB3.0 Adapter
WU1400	R 217	Cudy WU1400 1300Mbps High Gain WiFi USB3.0 Adapter with High Gain Antenna
WU1400	R 229	Cudy WU1400 AC1300 1300 Mbps High Gain USB WiFi adaptor, 867 Mbps @ 5GHz Wi-Fi Speed, 400 Mbps @ 2.4GHz Wi-Fi Speed, 1 x detachable Wi-Fi antennas, RP-SMA Female detachable Wi-Fi antennas Connector
WU5400	R 330	Cudy AX5400 Black Wi-Fi 6E USB 3.0 Tri-Band High-Gain Adapter; 2 x 2 mimo; dual high gain antennas; windows 10 11 compatible; 6ghz low latency; plug and play
WU650	R 121	Cudy WU650 AC650 WiFi Mini USB Adapter, Built in 2dBi antenna, USB 2.0, 650 (433 200) Mbps Wireless speed
WU650	R 253	Cudy WU650 AC650 WiFi Mini USB Adapter, Built in 2dBi antenna, USB 2.0, 650 (433 200) Mbps Wireless speed
WU6500	R 553	Cudy WU6500 BE6500 Tri-band WiFi 7 USB 3.0 Adapter, 2282 Mbps 6GHz Wi-Fi Speed, 2882 Mbps @ 5GHz Wi-Fi Speed, 688 Mbps @ 2.4GHz Wi-Fi Speed, 2 Wi-Fi antennas, Requires a USB 3.0 or higher Standard

< Return to the menu

Wireless: USB Dongles (SIM card support)

Product code	Price	Description
C270(BANDLUX)	R 983	Chronos C270 Bandlux USB HSUPA 5.76Mbps Modem
DWM-157	R 483	D-Link HSPA USB 3G Dongle 900/2100MHZ 21.6Mbps / USB Data stick / USB 3G dongle
GKU1920	R 139	Geeko Viton Mobile 3G USB Modem - WCDMA Power Class 3 Data Transmission Up To 7.2Mbps Downlink & 5.76Mbps Uplink, Qualcomm Chipset, UMTS Frequencies 2100MHz, USB 2.0 Interface, Retail Box
MOD009	R 426	Unbranded USB 3G Dongle, Wi-Fi 802.11/b/g/n
RB-TG-LR82	R 518	MikroTik TG-LR82 LoRaWAN Sensor Tag, Sub-GHz band 863 MHz to 870 MHz Certified for EU868 and IN865 regions, Global LoRa band supports 2.4GHz Operation bypassing regional Frequency restrictions, Wireless range up to 1.5 kilometers dependent on Gateway antenna and terrain, Temperature Sensor nist-traceable High-Accuracy, Humidity Sensor tracks relative Humidity from 0% to 100% RH Dynamic Matrix, Motion sensing uses three-axis internal accelerometer, Compatible with MikroTik LR8 and LR2 gateways as well as the things Network platforms, Battery lifespan up to 7 years operating lifetime based on 15-minute Uplink intervals, Non-Replaceable 1100mAh Lithium manganese dioxide (LiMnO2) Cell Power source, Ingress protection IP67 Certified dustproof, Waterproof, And Weatherproof Solid Shell
TP-MR3420	R 424	TP-Link TL-MR3420 3G/4G Wireless N Router, 1x USB 2.0 Port for LTE USB Modem, 1x 10/100 Mbps WAN Port, 4x 10/100 Mbps LAN Ports, 2x5dbi antenna gain, Requires USB Modem (Not included)

< Return to the menu

Wireless: Wi-Fi to Ethernet Adapter

Product code	Price	Description

< Return to the menu